


MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

*** PROJECT INFORMATION

Project Name :
Date : 2013/3/28

*** CONTROL DATA

Panel Zone Effect : Do not Calculate
 Unit System : KN, MM
 Definition of Frame
 - X Direction of Frame : Unbraced I Sway
 - Y Direction of Frame : Unbraced I Sway
 - Design Type : 3-D
 Design Code
 - Steel : Eurocode3:05
 - Concrete : Eurocode2:04
 - SRC : SSRC79

*** LOAD CASE DATA

NO	NAME	TYPE	SELF WEIGHT FACTOR			DESCRIPTION
			X	Y	Z	
1	G1	USER	0.000	0.000	-1.000	peso proprio della s
2	G2	USER	0.000	0.000	0.000	carichi permanenti p
3	Q3	USER	0.000	0.000	0.000	frenamento
4	Q5_pc X	USER	0.000	0.000	0.000	vento a ponte carico
6	Q5_pc Y	USER	0.000	0.000	0.000	vento a ponte carico
5	Q5_ps X	USER	0.000	0.000	0.000	vento a ponte scaric
7	Q5_ps Y	USER	0.000	0.000	0.000	vento a ponte scaric

*** MATERIAL PROPERTY DATA

NO	NAME	TYPE	MODULUS OF		THERMAL	PO
			ELASTICITY	SHEAR MODULUS		
WEIGHT	DENSITY				COEFF.	
2	S355	STEEL	210	80.77	1.2e-005	
3	rigid	USER	3e+005	1.5e+005	0	
4	C35/45	USER	34.63	14.43	1e-005	
5	Fittizio	USER	0.001	0.0005	0	

NO	NAME	TYPE	STRENGTH OF DESIGN MATERIAL			
			STEEL	CONCRETE	MAIN REBAR	SU

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

68	1.153e+005	4.009e+004	2680	0
69	1.156e+005	4.084e+004	2680	0
70	1.159e+005	4.159e+004	2680	0
75	1.136e+005	3.995e+004	2680	0
76	1.139e+005	4.069e+004	2680	0
77	1.141e+005	4.142e+004	2680	0
78	1.144e+005	4.216e+004	2680	0
79	1.143e+005	3.965e+004	2680	0
80	1.146e+005	4.039e+004	2680	0
81	1.149e+005	4.113e+004	2680	0
82	1.152e+005	4.188e+004	2680	0
84	1.189e+005	4.569e+004	2680	0
85	1.182e+005	4.592e+004	2680	0
86	1.169e+005	4.206e+004	2680	0
87	1.177e+005	4.178e+004	2680	0
93	1.187e+005	4.49e+004	2680	0
94	1.185e+005	4.412e+004	2680	0
95	1.182e+005	4.334e+004	2680	0
96	1.179e+005	4.256e+004	2680	0
97	1.179e+005	4.514e+004	2680	0
98	1.177e+005	4.437e+004	2680	0
99	1.174e+005	4.36e+004	2680	0
100	1.172e+005	4.283e+004	2680	0
102	1.201e+005	4.983e+004	2680	0
103	1.193e+005	5.002e+004	2680	0
108	1.199e+005	4.9e+004	2680	0
109	1.196e+005	4.817e+004	2680	0
110	1.194e+005	4.734e+004	2680	0
111	1.192e+005	4.651e+004	2680	0
112	1.191e+005	4.919e+004	2680	0
113	1.189e+005	4.837e+004	2680	0
114	1.186e+005	4.755e+004	2680	0
115	1.184e+005	4.673e+004	2680	0
116	1.155e+005	3.83e+004	2680	0
117	1.162e+005	3.799e+004	2680	0
123	1.158e+005	3.904e+004	2680	0
124	1.161e+005	3.979e+004	2680	0
125	1.164e+005	4.055e+004	2680	0
126	1.167e+005	4.13e+004	2680	0
127	1.165e+005	3.874e+004	2680	0
128	1.168e+005	3.949e+004	2680	0
129	1.171e+005	4.025e+004	2680	0
130	1.174e+005	4.101e+004	2680	0
131	1.219e+005	4.482e+004	2680	0
132	1.211e+005	4.504e+004	2680	0
133	1.204e+005	4.525e+004	2680	0
134	1.191e+005	4.123e+004	2680	0
135	1.198e+005	4.097e+004	2680	0
136	1.205e+005	4.071e+004	2680	0
137	1.208e+005	4.152e+004	2680	0
138	1.211e+005	4.235e+004	2680	0
139	1.213e+005	4.317e+004	2680	0
140	1.216e+005	4.4e+004	2680	0
141	1.209e+005	4.422e+004	2680	0
142	1.206e+005	4.34e+004	2680	0
143	1.204e+005	4.259e+004	2680	0
144	1.201e+005	4.178e+004	2680	0
145	1.202e+005	4.444e+004	2680	0
146	1.199e+005	4.364e+004	2680	0
147	1.197e+005	4.283e+004	2680	0
148	1.194e+005	4.203e+004	2680	0
149	1.23e+005	4.913e+004	2680	0
150	1.223e+005	4.93e+004	2680	0
151	1.216e+005	4.947e+004	2680	0
152	1.221e+005	4.568e+004	2680	0
153	1.223e+005	4.654e+004	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

154	1.226e+005	4.74e+004	2680	0
155	1.228e+005	4.826e+004	2680	0
156	1.221e+005	4.844e+004	2680	0
157	1.219e+005	4.759e+004	2680	0
158	1.216e+005	4.673e+004	2680	0
159	1.214e+005	4.588e+004	2680	0
160	1.214e+005	4.862e+004	2680	0
161	1.211e+005	4.778e+004	2680	0
162	1.209e+005	4.693e+004	2680	0
163	1.207e+005	4.609e+004	2680	0
164	1.177e+005	3.739e+004	2680	0
165	1.184e+005	3.711e+004	2680	0
166	1.19e+005	3.682e+004	2680	0
167	1.194e+005	3.759e+004	2680	0
168	1.197e+005	3.837e+004	2680	0
169	1.2e+005	3.914e+004	2680	0
170	1.202e+005	3.992e+004	2680	0
171	1.195e+005	4.019e+004	2680	0
172	1.193e+005	3.942e+004	2680	0
173	1.19e+005	3.864e+004	2680	0
174	1.187e+005	3.787e+004	2680	0
175	1.188e+005	4.046e+004	2680	0
176	1.186e+005	3.969e+004	2680	0
177	1.183e+005	3.892e+004	2680	0
178	1.18e+005	3.815e+004	2680	0
184	1.159e+005	3.34e+004	2680	0
185	1.166e+005	3.308e+004	2680	0
186	1.172e+005	3.275e+004	2680	0
187	1.176e+005	3.356e+004	2680	0
188	1.18e+005	3.437e+004	2680	0
189	1.183e+005	3.518e+004	2680	0
190	1.187e+005	3.6e+004	2680	0
191	1.18e+005	3.629e+004	2680	0
192	1.177e+005	3.548e+004	2680	0
193	1.173e+005	3.468e+004	2680	0
194	1.169e+005	3.388e+004	2680	0
195	1.173e+005	3.659e+004	2680	0
196	1.17e+005	3.578e+004	2680	0
197	1.166e+005	3.499e+004	2680	0
198	1.163e+005	3.419e+004	2680	0
199	1.144e+005	3.783e+004	2680	0
200	1.141e+005	3.706e+004	2680	0
201	1.138e+005	3.629e+004	2680	0
202	1.134e+005	3.553e+004	2680	0
203	1.13e+005	3.477e+004	2680	0
204	1.138e+005	3.442e+004	2680	0
205	1.145e+005	3.407e+004	2680	0
206	1.159e+005	3.72e+004	2680	0
207	1.156e+005	3.641e+004	2680	0
208	1.152e+005	3.563e+004	2680	0
209	1.149e+005	3.485e+004	2680	0
210	1.152e+005	3.751e+004	2680	0
211	1.148e+005	3.673e+004	2680	0
212	1.145e+005	3.596e+004	2680	0
213	1.141e+005	3.519e+004	2680	0
219	1.139e+005	2.951e+004	2680	0
220	1.146e+005	2.915e+004	2680	0
221	1.152e+005	2.879e+004	2680	0
222	1.156e+005	2.957e+004	2680	0
223	1.16e+005	3.036e+004	2680	0
224	1.165e+005	3.116e+004	2680	0
225	1.168e+005	3.195e+004	2680	0
226	1.162e+005	3.229e+004	2680	0
227	1.158e+005	3.15e+004	2680	0
228	1.154e+005	3.071e+004	2680	0
229	1.15e+005	2.993e+004	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

230	1.155e+005	3.262e+004	2680	0
231	1.151e+005	3.183e+004	2680	0
232	1.147e+005	3.106e+004	2680	0
233	1.143e+005	3.028e+004	2680	0
239	1.116e+005	3.546e+004	2680	0
240	1.123e+005	3.511e+004	2680	0
241	1.137e+005	3.815e+004	2680	0
242	1.134e+005	3.738e+004	2680	0
243	1.13e+005	3.662e+004	2680	0
244	1.127e+005	3.587e+004	2680	0
245	1.13e+005	3.846e+004	2680	0
246	1.126e+005	3.771e+004	2680	0
247	1.123e+005	3.695e+004	2680	0
248	1.12e+005	3.62e+004	2680	0
249	1.127e+005	3.401e+004	2680	0
250	1.123e+005	3.326e+004	2680	0
251	1.119e+005	3.251e+004	2680	0
252	1.115e+005	3.176e+004	2680	0
253	1.111e+005	3.102e+004	2680	0
254	1.118e+005	3.064e+004	2680	0
255	1.125e+005	3.026e+004	2680	0
256	1.141e+005	3.33e+004	2680	0
257	1.137e+005	3.254e+004	2680	0
258	1.133e+005	3.177e+004	2680	0
259	1.129e+005	3.101e+004	2680	0
260	1.134e+005	3.366e+004	2680	0
261	1.13e+005	3.29e+004	2680	0
262	1.126e+005	3.214e+004	2680	0
263	1.122e+005	3.139e+004	2680	0
269	1.097e+005	3.179e+004	2680	0
270	1.104e+005	3.141e+004	2680	0
271	1.12e+005	3.436e+004	2680	0
272	1.116e+005	3.362e+004	2680	0
273	1.112e+005	3.288e+004	2680	0
274	1.108e+005	3.214e+004	2680	0
275	1.112e+005	3.472e+004	2680	0
276	1.109e+005	3.398e+004	2680	0
277	1.105e+005	3.325e+004	2680	0
278	1.101e+005	3.252e+004	2680	0
279	1.107e+005	3.029e+004	2680	0
280	1.103e+005	2.956e+004	2680	0
281	1.099e+005	2.883e+004	2680	0
282	1.095e+005	2.811e+004	2680	0
283	1.09e+005	2.739e+004	2680	0
284	1.097e+005	2.697e+004	2680	0
285	1.104e+005	2.655e+004	2680	0
291	1.121e+005	2.95e+004	2680	0
292	1.117e+005	2.876e+004	2680	0
293	1.113e+005	2.802e+004	2680	0
294	1.108e+005	2.728e+004	2680	0
295	1.114e+005	2.99e+004	2680	0
296	1.11e+005	2.916e+004	2680	0
297	1.106e+005	2.842e+004	2680	0
298	1.101e+005	2.769e+004	2680	0
299	1.117e+005	2.573e+004	2680	0
300	1.123e+005	2.534e+004	2680	0
301	1.13e+005	2.494e+004	2680	0
302	1.134e+005	2.57e+004	2680	0
303	1.139e+005	2.646e+004	2680	0
304	1.143e+005	2.723e+004	2680	0
305	1.148e+005	2.801e+004	2680	0
306	1.141e+005	2.838e+004	2680	0
307	1.137e+005	2.761e+004	2680	0
308	1.133e+005	2.685e+004	2680	0
309	1.128e+005	2.609e+004	2680	0
310	1.135e+005	2.874e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

311	1.13e+005	2.798e+004	2680	0
312	1.126e+005	2.723e+004	2680	0
313	1.122e+005	2.648e+004	2680	0
319	1.093e+005	2.208e+004	2680	0
320	1.099e+005	2.165e+004	2680	0
321	1.105e+005	2.122e+004	2680	0
322	1.11e+005	2.195e+004	2680	0
323	1.115e+005	2.269e+004	2680	0
324	1.12e+005	2.343e+004	2680	0
325	1.125e+005	2.418e+004	2680	0
326	1.119e+005	2.459e+004	2680	0
327	1.114e+005	2.384e+004	2680	0
328	1.109e+005	2.311e+004	2680	0
329	1.104e+005	2.237e+004	2680	0
330	1.112e+005	2.499e+004	2680	0
331	1.108e+005	2.425e+004	2680	0
332	1.103e+005	2.352e+004	2680	0
333	1.098e+005	2.28e+004	2680	0
334	1.086e+005	2.668e+004	2680	0
335	1.081e+005	2.597e+004	2680	0
336	1.077e+005	2.527e+004	2680	0
337	1.072e+005	2.457e+004	2680	0
338	1.067e+005	2.388e+004	2680	0
339	1.074e+005	2.342e+004	2680	0
340	1.08e+005	2.296e+004	2680	0
341	1.099e+005	2.582e+004	2680	0
342	1.095e+005	2.51e+004	2680	0
343	1.09e+005	2.438e+004	2680	0
344	1.085e+005	2.367e+004	2680	0
345	1.093e+005	2.625e+004	2680	0
346	1.088e+005	2.554e+004	2680	0
347	1.083e+005	2.483e+004	2680	0
348	1.079e+005	2.412e+004	2680	0
354	1.067e+005	1.856e+004	2680	0
355	1.073e+005	1.809e+004	2680	0
356	1.079e+005	1.763e+004	2680	0
357	1.084e+005	1.834e+004	2680	0
358	1.09e+005	1.905e+004	2680	0
359	1.095e+005	1.976e+004	2680	0
360	1.1e+005	2.049e+004	2680	0
361	1.094e+005	2.092e+004	2680	0
362	1.089e+005	2.021e+004	2680	0
363	1.084e+005	1.95e+004	2680	0
364	1.078e+005	1.879e+004	2680	0
365	1.088e+005	2.136e+004	2680	0
366	1.083e+005	2.065e+004	2680	0
367	1.078e+005	1.995e+004	2680	0
368	1.072e+005	1.925e+004	2680	0
369	1.083e+005	2.781e+004	2680	0
370	1.077e+005	2.823e+004	2680	0
377	1.054e+005	2.479e+004	2680	0
378	1.061e+005	2.434e+004	2680	0
379	1.079e+005	2.711e+004	2680	0
380	1.075e+005	2.641e+004	2680	0
381	1.07e+005	2.571e+004	2680	0
382	1.065e+005	2.502e+004	2680	0
383	1.072e+005	2.754e+004	2680	0
384	1.068e+005	2.684e+004	2680	0
385	1.063e+005	2.615e+004	2680	0
386	1.059e+005	2.547e+004	2680	0
387	1.062e+005	2.319e+004	2680	0
388	1.057e+005	2.251e+004	2680	0
389	1.052e+005	2.183e+004	2680	0
390	1.047e+005	2.116e+004	2680	0
391	1.042e+005	2.05e+004	2680	0
392	1.049e+005	2e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

393	1.055e+005	1.951e+004	2680	0
394	1.075e+005	2.226e+004	2680	0
395	1.07e+005	2.157e+004	2680	0
396	1.065e+005	2.088e+004	2680	0
397	1.06e+005	2.019e+004	2680	0
398	1.069e+005	2.273e+004	2680	0
399	1.064e+005	2.204e+004	2680	0
400	1.059e+005	2.135e+004	2680	0
401	1.054e+005	2.068e+004	2680	0
407	1.03e+005	2.148e+004	2680	0
408	1.036e+005	2.099e+004	2680	0
409	1.056e+005	2.366e+004	2680	0
410	1.051e+005	2.298e+004	2680	0
411	1.046e+005	2.231e+004	2680	0
412	1.041e+005	2.165e+004	2680	0
413	1.049e+005	2.412e+004	2680	0
414	1.045e+005	2.345e+004	2680	0
415	1.04e+005	2.279e+004	2680	0
416	1.035e+005	2.213e+004	2680	0
417	1.037e+005	1.984e+004	2680	0
418	1.032e+005	1.918e+004	2680	0
419	1.026e+005	1.853e+004	2680	0
420	1.021e+005	1.789e+004	2680	0
421	1.016e+005	1.725e+004	2680	0
422	1.022e+005	1.673e+004	2680	0
423	1.028e+005	1.62e+004	2680	0
429	1.05e+005	1.884e+004	2680	0
430	1.044e+005	1.817e+004	2680	0
431	1.039e+005	1.751e+004	2680	0
432	1.033e+005	1.685e+004	2680	0
433	1.043e+005	1.934e+004	2680	0
434	1.038e+005	1.868e+004	2680	0
435	1.033e+005	1.802e+004	2680	0
436	1.027e+005	1.737e+004	2680	0
442	1.003e+005	1.83e+004	2680	0
443	1.009e+005	1.778e+004	2680	0
444	1.031e+005	2.033e+004	2680	0
445	1.026e+005	1.969e+004	2680	0
446	1.02e+005	1.904e+004	2680	0
447	1.015e+005	1.841e+004	2680	0
448	1.025e+005	2.083e+004	2680	0
449	1.019e+005	2.019e+004	2680	0
450	1.014e+005	1.956e+004	2680	0
451	1.009e+005	1.893e+004	2680	0
452	1.01e+005	1.662e+004	2680	0
453	1.004e+005	1.6e+004	2680	0
454	9.987e+004	1.538e+004	2680	0
455	9.929e+004	1.477e+004	2680	0
456	9.871e+004	1.416e+004	2680	0
457	9.928e+004	1.36e+004	2680	0
458	9.986e+004	1.305e+004	2680	0
464	1.022e+005	1.556e+004	2680	0
465	1.016e+005	1.492e+004	2680	0
466	1.01e+005	1.429e+004	2680	0
467	1.005e+005	1.367e+004	2680	0
468	1.016e+005	1.609e+004	2680	0
469	1.01e+005	1.546e+004	2680	0
470	1.005e+005	1.483e+004	2680	0
471	9.987e+004	1.422e+004	2680	0
472	1.039e+005	1.518e+004	2680	0
473	1.045e+005	1.469e+004	2680	0
474	1.051e+005	1.419e+004	2680	0
475	1.057e+005	1.487e+004	2680	0
476	1.062e+005	1.555e+004	2680	0
477	1.068e+005	1.624e+004	2680	0
478	1.074e+005	1.693e+004	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

479	1.068e+005	1.74e+004	2680	0
480	1.062e+005	1.671e+004	2680	0
481	1.056e+005	1.603e+004	2680	0
482	1.051e+005	1.536e+004	2680	0
483	1.062e+005	1.787e+004	2680	0
484	1.056e+005	1.719e+004	2680	0
485	1.051e+005	1.651e+004	2680	0
486	1.045e+005	1.585e+004	2680	0
487	1.018e+005	2.24e+004	2680	0
488	1.012e+005	2.283e+004	2680	0
489	1.007e+005	2.326e+004	2680	0
490	1.002e+005	2.264e+004	2680	0
491	9.969e+004	2.203e+004	2680	0
492	9.918e+004	2.141e+004	2680	0
493	9.867e+004	2.081e+004	2680	0
494	9.816e+004	2.021e+004	2680	0
495	9.868e+004	1.975e+004	2680	0
496	9.921e+004	1.929e+004	2680	0
497	1.013e+005	2.177e+004	2680	0
498	1.008e+005	2.114e+004	2680	0
499	1.003e+005	2.052e+004	2680	0
500	9.974e+004	1.99e+004	2680	0
501	1.007e+005	2.221e+004	2680	0
502	1.002e+005	2.158e+004	2680	0
503	9.972e+004	2.097e+004	2680	0
504	9.921e+004	2.035e+004	2680	0
510	9.756e+004	1.527e+004	2680	0
511	9.813e+004	1.472e+004	2680	0
512	1.004e+005	1.715e+004	2680	0
513	9.984e+004	1.654e+004	2680	0
514	9.928e+004	1.592e+004	2680	0
515	9.871e+004	1.532e+004	2680	0
516	9.98e+004	1.769e+004	2680	0
517	9.925e+004	1.707e+004	2680	0
518	9.869e+004	1.647e+004	2680	0
519	9.813e+004	1.587e+004	2680	0
520	9.763e+004	1.962e+004	2680	0
521	9.71e+004	1.903e+004	2680	0
522	9.656e+004	1.845e+004	2680	0
523	9.602e+004	1.787e+004	2680	0
524	9.547e+004	1.73e+004	2680	0
525	9.597e+004	1.681e+004	2680	0
526	9.648e+004	1.632e+004	2680	0
527	9.868e+004	1.868e+004	2680	0
528	9.814e+004	1.808e+004	2680	0
529	9.759e+004	1.749e+004	2680	0
530	9.704e+004	1.69e+004	2680	0
531	9.816e+004	1.915e+004	2680	0
532	9.762e+004	1.856e+004	2680	0
533	9.708e+004	1.797e+004	2680	0
534	9.653e+004	1.739e+004	2680	0
540	9.461e+004	1.24e+004	2680	0
541	9.515e+004	1.182e+004	2680	0
542	9.57e+004	1.123e+004	2680	0
543	9.631e+004	1.18e+004	2680	0
544	9.692e+004	1.238e+004	2680	0
545	9.752e+004	1.297e+004	2680	0
546	9.812e+004	1.356e+004	2680	0
547	9.755e+004	1.412e+004	2680	0
548	9.696e+004	1.354e+004	2680	0
549	9.636e+004	1.296e+004	2680	0
550	9.576e+004	1.238e+004	2680	0
551	9.698e+004	1.469e+004	2680	0
552	9.64e+004	1.411e+004	2680	0
553	9.581e+004	1.353e+004	2680	0
554	9.521e+004	1.296e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


555	9.491e+004	1.674e+004	2680	0
556	9.435e+004	1.618e+004	2680	0
557	9.378e+004	1.563e+004	2680	0
558	9.32e+004	1.509e+004	2680	0
559	9.262e+004	1.455e+004	2680	0
560	9.31e+004	1.403e+004	2680	0
561	9.358e+004	1.351e+004	2680	0
562	9.591e+004	1.575e+004	2680	0
563	9.534e+004	1.518e+004	2680	0
564	9.476e+004	1.462e+004	2680	0
565	9.417e+004	1.406e+004	2680	0
566	9.541e+004	1.624e+004	2680	0
567	9.484e+004	1.568e+004	2680	0
568	9.427e+004	1.512e+004	2680	0
569	9.369e+004	1.457e+004	2680	0
575	9.151e+004	9694	2680	0
576	9.202e+004	9079	2680	0
577	9.253e+004	8464	2680	0
578	9.318e+004	9003	2680	0
579	9.382e+004	9549	2680	0
580	9.445e+004	1.01e+004	2680	0
581	9.508e+004	1.066e+004	2680	0
582	9.454e+004	1.125e+004	2680	0
583	9.392e+004	1.07e+004	2680	0
584	9.329e+004	1.015e+004	2680	0
585	9.266e+004	9613	2680	0
586	9.4e+004	1.185e+004	2680	0
587	9.339e+004	1.13e+004	2680	0
588	9.277e+004	1.076e+004	2680	0
589	9.214e+004	1.022e+004	2680	0
590	9.624e+004	1.064e+004	2680	0
591	9.679e+004	1.006e+004	2680	0
597	9.926e+004	1.244e+004	2680	0
598	9.865e+004	1.183e+004	2680	0
599	9.803e+004	1.123e+004	2680	0
600	9.741e+004	1.064e+004	2680	0
601	9.869e+004	1.3e+004	2680	0
602	9.809e+004	1.24e+004	2680	0
603	9.748e+004	1.181e+004	2680	0
604	9.686e+004	1.122e+004	2680	0
605	9.203e+004	1.402e+004	2680	0
606	9.144e+004	1.35e+004	2680	0
607	9.084e+004	1.298e+004	2680	0
608	9.023e+004	1.247e+004	2680	0
609	8.962e+004	1.197e+004	2680	0
610	9.008e+004	1.142e+004	2680	0
611	9.054e+004	1.086e+004	2680	0
612	9.299e+004	1.297e+004	2680	0
613	9.238e+004	1.243e+004	2680	0
614	9.177e+004	1.19e+004	2680	0
615	9.116e+004	1.138e+004	2680	0
616	9.251e+004	1.349e+004	2680	0
617	9.191e+004	1.296e+004	2680	0
618	9.131e+004	1.244e+004	2680	0
619	9.069e+004	1.193e+004	2680	0
620	8.9e+004	1.147e+004	2680	0
621	8.838e+004	1.098e+004	2680	0
622	8.775e+004	1.05e+004	2680	0
623	8.712e+004	1.003e+004	2680	0
624	8.648e+004	9561	2680	0
625	8.692e+004	8974	2680	0
626	8.735e+004	8388	2680	0
632	8.991e+004	1.035e+004	2680	0
633	8.928e+004	9851	2680	0
634	8.865e+004	9356	2680	0
635	8.8e+004	8868	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


636	8.946e+004	1.091e+004	2680	0
637	8.883e+004	1.042e+004	2680	0
638	8.82e+004	9929	2680	0
639	8.756e+004	9448	2680	0
640	8.587e+004	9124	2680	0
641	8.525e+004	8695	2680	0
642	8.463e+004	8271	2680	0
643	8.4e+004	7852	2680	0
644	8.338e+004	7438	2680	0
645	8.379e+004	6819	2680	0
646	8.42e+004	6199	2680	0
652	8.673e+004	7938	2680	0
653	8.611e+004	7494	2680	0
654	8.548e+004	7057	2680	0
655	8.484e+004	6625	2680	0
656	8.63e+004	8531	2680	0
657	8.568e+004	8094	2680	0
658	8.505e+004	7664	2680	0
659	8.442e+004	7239	2680	0
660	8.827e+004	7160	2680	0
661	8.875e+004	6518	2680	0
662	8.923e+004	5877	2680	0
663	8.99e+004	6380	2680	0
664	9.057e+004	6890	2680	0
665	9.123e+004	7408	2680	0
666	9.188e+004	7932	2680	0
667	9.138e+004	8553	2680	0
668	9.073e+004	8033	2680	0
669	9.007e+004	7521	2680	0
670	8.941e+004	7016	2680	0
671	9.087e+004	9173	2680	0
672	9.023e+004	8659	2680	0
673	8.958e+004	8152	2680	0
674	8.893e+004	7652	2680	0
675	8.019e+004	5444	2680	0
676	8.058e+004	4801	2680	0
677	8.096e+004	4159	2680	0
683	8.275e+004	7029	2680	0
684	8.211e+004	6624	2680	0
685	8.148e+004	6225	2680	0
686	8.084e+004	5831	2680	0
687	8.123e+004	5192	2680	0
688	8.187e+004	5590	2680	0
689	8.251e+004	5994	2680	0
690	8.315e+004	6404	2680	0
691	8.161e+004	4554	2680	0
692	8.227e+004	4956	2680	0
693	8.292e+004	5364	2680	0
694	8.356e+004	5779	2680	0
695	8.506e+004	4914	2680	0
696	8.55e+004	4248	2680	0
697	8.595e+004	3582	2680	0
698	8.661e+004	4028	2680	0
699	8.727e+004	4481	2680	0
700	8.793e+004	4939	2680	0
701	8.858e+004	5405	2680	0
702	8.811e+004	6051	2680	0
703	8.746e+004	5591	2680	0
704	8.681e+004	5137	2680	0
705	8.616e+004	4689	2680	0
706	8.764e+004	6698	2680	0
707	8.7e+004	6242	2680	0
708	8.636e+004	5793	2680	0
709	8.571e+004	5350	2680	0
710	7.951e+004	5045	2680	0
711	7.883e+004	4655	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

712	7.814e+004	4272	2680	0
713	7.744e+004	3896	2680	0
714	7.675e+004	3529	2680	0
715	7.709e+004	2864	2680	0
716	7.744e+004	2199	2680	0
722	8.026e+004	3751	2680	0
723	7.956e+004	3351	2680	0
724	7.886e+004	2959	2680	0
725	7.815e+004	2575	2680	0
726	7.989e+004	4398	2680	0
727	7.92e+004	4003	2680	0
728	7.85e+004	3616	2680	0
729	7.78e+004	3236	2680	0
730	8.175e+004	2828	2680	0
731	8.216e+004	2140	2680	0
732	8.257e+004	1452	2680	0
733	8.325e+004	1865	2680	0
734	8.393e+004	2284	2680	0
735	8.461e+004	2710	2680	0
736	8.528e+004	3143	2680	0
737	8.242e+004	3232	2680	0
738	8.309e+004	3642	2680	0
739	8.375e+004	4060	2680	0
740	8.441e+004	4484	2680	0
741	8.283e+004	2548	2680	0
742	8.351e+004	2963	2680	0
743	8.418e+004	3385	2680	0
744	8.484e+004	3813	2680	0
745	7.816e+004	825.1	2680	0
746	7.853e+004	116	2680	0
747	7.89e+004	-593.3	2680	0
748	7.964e+004	-200.3	2680	0
749	8.038e+004	200.7	2680	0
750	8.111e+004	609.8	2680	0
751	8.184e+004	1027	2680	0
752	8.144e+004	1719	2680	0
753	8.072e+004	1306	2680	0
754	7.999e+004	901.5	2680	0
755	7.926e+004	504.7	2680	0
756	8.104e+004	2411	2680	0
757	8.033e+004	2003	2680	0
758	7.961e+004	1602	2680	0
759	7.888e+004	1210	2680	0
760	7.604e+004	3169	2680	0
761	7.534e+004	2816	2680	0
762	7.463e+004	2471	2680	0
763	7.391e+004	2133	2680	0
764	7.32e+004	1803	2680	0
765	7.351e+004	1119	2680	0
766	7.382e+004	434.7	2680	0
772	7.672e+004	1831	2680	0
773	7.6e+004	1470	2680	0
774	7.528e+004	1117	2680	0
775	7.455e+004	771.7	2680	0
776	7.638e+004	2500	2680	0
777	7.567e+004	2143	2680	0
778	7.495e+004	1794	2680	0
779	7.423e+004	1452	2680	0
780	7.446e+004	-978.1	2680	0
781	7.479e+004	-1706	2680	0
782	7.512e+004	-2435	2680	0
783	7.589e+004	-2083	2680	0
784	7.665e+004	-1723	2680	0
785	7.74e+004	-1355	2680	0
786	7.815e+004	-978	2680	0
787	7.779e+004	-264.9	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

788	7.705e+004	-637.5	2680	0
789	7.63e+004	-1002	2680	0
790	7.555e+004	-1358	2680	0
791	7.743e+004	448.3	2680	0
792	7.669e+004	79.59	2680	0
793	7.595e+004	-281.1	2680	0
794	7.521e+004	-633.7	2680	0
796	8.338e+004	76.64	2680	0
797	8.297e+004	764.5	2680	0
798	7.931e+004	-1375	2680	0
799	7.971e+004	-2158	2680	0
805	8.266e+004	-386.3	2680	0
806	8.193e+004	-848.6	2680	0
807	8.121e+004	-1303	2680	0
808	8.047e+004	-1742	2680	0
809	8.225e+004	320.4	2680	0
810	8.152e+004	-119.5	2680	0
811	8.079e+004	-551.3	2680	0
812	8.005e+004	-971.3	2680	0
818	8.684e+004	2252	2680	0
819	8.639e+004	2917	2680	0
820	8.366e+004	1188	2680	0
821	8.435e+004	1613	2680	0
822	8.503e+004	2042	2680	0
823	8.571e+004	2477	2680	0
824	8.407e+004	511.4	2680	0
825	8.477e+004	943	2680	0
826	8.546e+004	1375	2680	0
827	8.615e+004	1810	2680	0
828	7.545e+004	-3163	2680	0
829	7.579e+004	-3891	2680	0
835	7.895e+004	-2542	2680	0
836	7.816e+004	-2898	2680	0
837	7.737e+004	-3236	2680	0
838	7.658e+004	-3564	2680	0
839	7.855e+004	-1760	2680	0
840	7.778e+004	-2126	2680	0
841	7.701e+004	-2479	2680	0
842	7.623e+004	-2823	2680	0
843	8.495e+004	-2568	2680	0
844	8.457e+004	-1916	2680	0
845	8.418e+004	-1264	2680	0
846	8.043e+004	-3537	2680	0
847	8.075e+004	-4134	2680	0
848	8.106e+004	-4732	2680	0
849	8.185e+004	-4316	2680	0
850	8.263e+004	-3892	2680	0
851	8.341e+004	-3459	2680	0
852	8.418e+004	-3018	2680	0
853	8.381e+004	-2376	2680	0
854	8.306e+004	-2832	2680	0
855	8.229e+004	-3280	2680	0
856	8.152e+004	-3715	2680	0
857	8.344e+004	-1734	2680	0
858	8.27e+004	-2205	2680	0
859	8.196e+004	-2667	2680	0
860	8.12e+004	-3114	2680	0
861	8.855e+004	-314.1	2680	0
862	8.812e+004	319.5	2680	0
863	8.77e+004	953.1	2680	0
864	8.568e+004	-2132	2680	0
865	8.641e+004	-1689	2680	0
866	8.712e+004	-1238	2680	0
867	8.784e+004	-779.8	2680	0
868	8.742e+004	-138.6	2680	0
869	8.671e+004	-589.7	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

870	8.6e+004	-1035	2680	0
871	8.528e+004	-1477	2680	0
872	8.7e+004	502.4	2680	0
873	8.63e+004	58.64	2680	0
874	8.559e+004	-381.3	2680	0
875	8.488e+004	-820.9	2680	0
876	7.643e+004	-5307	2680	0
877	7.674e+004	-5994	2680	0
878	7.705e+004	-6681	2680	0
879	7.786e+004	-6308	2680	0
880	7.867e+004	-5927	2680	0
881	7.947e+004	-5538	2680	0
882	8.027e+004	-5139	2680	0
883	7.996e+004	-4534	2680	0
884	7.916e+004	-4915	2680	0
885	7.836e+004	-5282	2680	0
886	7.755e+004	-5640	2680	0
887	7.965e+004	-3929	2680	0
888	7.885e+004	-4293	2680	0
889	7.805e+004	-4637	2680	0
890	7.724e+004	-4972	2680	0
891	9.202e+004	2123	2680	0
892	9.157e+004	2733	2680	0
893	9.111e+004	3342	2680	0
899	8.925e+004	159	2680	0
900	8.995e+004	639.3	2680	0
901	9.065e+004	1127	2680	0
902	9.134e+004	1621	2680	0
903	9.089e+004	2235	2680	0
904	9.021e+004	1745	2680	0
905	8.952e+004	1262	2680	0
906	8.882e+004	786.4	2680	0
907	9.044e+004	2849	2680	0
908	8.977e+004	2363	2680	0
909	8.908e+004	1884	2680	0
910	8.84e+004	1414	2680	0
911	9.018e+004	4594	2680	0
912	8.97e+004	5235	2680	0
913	8.952e+004	4110	2680	0
914	8.886e+004	3633	2680	0
915	8.819e+004	3164	2680	0
916	8.752e+004	2704	2680	0
917	8.905e+004	4757	2680	0
918	8.839e+004	4286	2680	0
919	8.773e+004	3822	2680	0
920	8.706e+004	3366	2680	0
922	9.356e+004	7234	2680	0
923	9.305e+004	7849	2680	0
928	9.289e+004	6692	2680	0
929	9.222e+004	6157	2680	0
930	9.155e+004	5629	2680	0
931	9.087e+004	5108	2680	0
932	9.239e+004	7312	2680	0
933	9.173e+004	6782	2680	0
934	9.106e+004	6259	2680	0
935	9.038e+004	5744	2680	0
940	9.615e+004	9477	2680	0
941	9.551e+004	8906	2680	0
942	9.487e+004	8341	2680	0
943	9.422e+004	7784	2680	0
944	9.562e+004	1.007e+004	2680	0
945	9.498e+004	9504	2680	0
946	9.434e+004	8945	2680	0
947	9.37e+004	8394	2680	0
948	9.552e+004	4870	2680	0
949	9.504e+004	5453	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

950	9.455e+004	6036	2680	0
951	9.273e+004	2657	2680	0
952	9.344e+004	3199	2680	0
953	9.414e+004	3748	2680	0
954	9.484e+004	4305	2680	0
955	9.436e+004	4894	2680	0
956	9.367e+004	4343	2680	0
957	9.297e+004	3799	2680	0
958	9.227e+004	3262	2680	0
959	9.388e+004	5483	2680	0
960	9.319e+004	4937	2680	0
961	9.251e+004	4398	2680	0
962	9.181e+004	3867	2680	0
963	9.887e+004	7803	2680	0
964	9.836e+004	8358	2680	0
965	9.784e+004	8913	2680	0
966	9.621e+004	5442	2680	0
967	9.688e+004	6021	2680	0
968	9.755e+004	6608	2680	0
969	9.822e+004	7202	2680	0
970	9.771e+004	7763	2680	0
971	9.705e+004	7174	2680	0
972	9.639e+004	6593	2680	0
973	9.572e+004	6019	2680	0
974	9.72e+004	8323	2680	0
975	9.655e+004	7741	2680	0
976	9.589e+004	7165	2680	0
977	9.522e+004	6597	2680	0
978	1.021e+005	1.091e+004	2680	0
979	1.015e+005	1.144e+004	2680	0
980	1.01e+005	1.196e+004	2680	0
981	9.952e+004	8411	2680	0
982	1.002e+005	9026	2680	0
983	1.008e+005	9648	2680	0
984	1.014e+005	1.028e+004	2680	0
985	1.009e+005	1.081e+004	2680	0
986	1.003e+005	1.019e+004	2680	0
987	9.964e+004	9570	2680	0
988	9.9e+004	8960	2680	0
989	1.004e+005	1.134e+004	2680	0
990	9.974e+004	1.072e+004	2680	0
991	9.912e+004	1.011e+004	2680	0
992	9.848e+004	9510	2680	0
993	1.027e+005	1.156e+004	2680	0
994	1.033e+005	1.221e+004	2680	0
995	1.039e+005	1.286e+004	2680	0
996	1.045e+005	1.352e+004	2680	0
997	1.039e+005	1.402e+004	2680	0
998	1.033e+005	1.337e+004	2680	0
999	1.027e+005	1.272e+004	2680	0
1000	1.021e+005	1.208e+004	2680	0
1001	1.034e+005	1.453e+004	2680	0
1002	1.028e+005	1.388e+004	2680	0
1003	1.022e+005	1.323e+004	2680	0
1004	1.016e+005	1.26e+004	2680	0
1010	7.24e+004	-7005	2680	0
1011	7.267e+004	-7707	2680	0
1012	7.295e+004	-8409	2680	0
1013	7.378e+004	-8081	2680	0
1014	7.46e+004	-7745	2680	0
1015	7.542e+004	-7399	2680	0
1016	7.624e+004	-7044	2680	0
1017	7.593e+004	-6346	2680	0
1018	7.512e+004	-6695	2680	0
1019	7.431e+004	-7040	2680	0
1020	7.349e+004	-7378	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1021	7.562e+004	-5647	2680	0
1022	7.482e+004	-5991	2680	0
1023	7.402e+004	-6335	2680	0
1024	7.321e+004	-6675	2680	0
1025	7.436e+004	-2778	2680	0
1026	7.359e+004	-3113	2680	0
1027	7.281e+004	-3440	2680	0
1028	7.204e+004	-3758	2680	0
1029	7.125e+004	-4067	2680	0
1030	7.154e+004	-4812	2680	0
1031	7.184e+004	-5558	2680	0
1032	7.5e+004	-4225	2680	0
1033	7.421e+004	-4563	2680	0
1034	7.342e+004	-4900	2680	0
1035	7.263e+004	-5234	2680	0
1036	7.468e+004	-3502	2680	0
1037	7.39e+004	-3838	2680	0
1038	7.312e+004	-4170	2680	0
1039	7.233e+004	-4496	2680	0
1045	7.067e+004	-2576	2680	0
1046	7.096e+004	-3322	2680	0
1047	7.403e+004	-2046	2680	0
1048	7.327e+004	-2378	2680	0
1049	7.251e+004	-2701	2680	0
1050	7.174e+004	-3015	2680	0
1051	7.371e+004	-1314	2680	0
1052	7.296e+004	-1642	2680	0
1053	7.22e+004	-1962	2680	0
1054	7.144e+004	-2273	2680	0
1055	7.047e+004	-4368	2680	0
1056	6.968e+004	-4660	2680	0
1057	6.889e+004	-4944	2680	0
1058	6.81e+004	-5219	2680	0
1059	6.73e+004	-5485	2680	0
1060	6.755e+004	-6245	2680	0
1061	6.78e+004	-7005	2680	0
1067	7.104e+004	-5870	2680	0
1068	7.023e+004	-6169	2680	0
1069	6.943e+004	-6457	2680	0
1070	6.861e+004	-6736	2680	0
1071	7.075e+004	-5119	2680	0
1072	6.996e+004	-5415	2680	0
1073	6.916e+004	-5701	2680	0
1074	6.836e+004	-5977	2680	0
1075	7.248e+004	1482	2680	0
1076	7.175e+004	1168	2680	0
1077	7.103e+004	861.7	2680	0
1078	7.03e+004	563.6	2680	0
1079	6.956e+004	273.4	2680	0
1080	6.984e+004	-428.1	2680	0
1081	7.011e+004	-1129	2680	0
1082	7.308e+004	105.6	2680	0
1083	7.235e+004	-215.3	2680	0
1084	7.16e+004	-528.2	2680	0
1085	7.086e+004	-832.9	2680	0
1086	7.278e+004	793.6	2680	0
1087	7.205e+004	476.2	2680	0
1088	7.131e+004	166.7	2680	0
1089	7.058e+004	-134.6	2680	0
1095	6.68e+004	-3965	2680	0
1096	6.705e+004	-4725	2680	0
1097	7.019e+004	-3619	2680	0
1098	6.941e+004	-3909	2680	0
1099	6.863e+004	-4189	2680	0
1100	6.784e+004	-4461	2680	0
1101	6.991e+004	-2871	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1102	6.913e+004	-3157	2680	0
1103	6.836e+004	-3435	2680	0
1104	6.758e+004	-3704	2680	0
1105	6.883e+004	-8.761	2680	0
1106	6.809e+004	-282.9	2680	0
1107	6.734e+004	-549	2680	0
1108	6.66e+004	-807.1	2680	0
1109	6.585e+004	-1057	2680	0
1110	6.608e+004	-1773	2680	0
1111	6.632e+004	-2489	2680	0
1112	6.936e+004	-1418	2680	0
1113	6.86e+004	-1698	2680	0
1114	6.784e+004	-1970	2680	0
1115	6.708e+004	-2233	2680	0
1116	6.909e+004	-713.3	2680	0
1117	6.834e+004	-990.4	2680	0
1118	6.759e+004	-1259	2680	0
1119	6.684e+004	-1520	2680	0
1125	6.286e+004	-5139	2680	0
1126	6.307e+004	-5912	2680	0
1127	6.328e+004	-6684	2680	0
1128	6.409e+004	-6462	2680	0
1129	6.489e+004	-6231	2680	0
1130	6.57e+004	-5991	2680	0
1131	6.65e+004	-5742	2680	0
1132	6.626e+004	-4979	2680	0
1133	6.547e+004	-5226	2680	0
1134	6.467e+004	-5463	2680	0
1135	6.387e+004	-5692	2680	0
1136	6.602e+004	-4217	2680	0
1137	6.523e+004	-4460	2680	0
1138	6.445e+004	-4695	2680	0
1139	6.366e+004	-4921	2680	0
1140	6.51e+004	-1299	2680	0
1141	6.434e+004	-1533	2680	0
1142	6.359e+004	-1758	2680	0
1143	6.283e+004	-1975	2680	0
1144	6.207e+004	-2184	2680	0
1145	6.226e+004	-2911	2680	0
1146	6.246e+004	-3639	2680	0
1147	6.555e+004	-2736	2680	0
1148	6.478e+004	-2974	2680	0
1149	6.401e+004	-3204	2680	0
1150	6.324e+004	-3426	2680	0
1151	6.532e+004	-2017	2680	0
1152	6.456e+004	-2253	2680	0
1153	6.38e+004	-2481	2680	0
1154	6.303e+004	-2700	2680	0
1160	5.886e+004	-6096	2680	0
1161	5.903e+004	-6878	2680	0
1162	5.919e+004	-7661	2680	0
1163	6.001e+004	-7484	2680	0
1164	6.083e+004	-7297	2680	0
1165	6.165e+004	-7102	2680	0
1166	6.246e+004	-6897	2680	0
1167	6.227e+004	-6123	2680	0
1168	6.146e+004	-6325	2680	0
1169	6.065e+004	-6518	2680	0
1170	5.984e+004	-6703	2680	0
1171	6.207e+004	-5348	2680	0
1172	6.127e+004	-5548	2680	0
1173	6.047e+004	-5739	2680	0
1174	5.967e+004	-5922	2680	0
1175	6.348e+004	-7457	2680	0
1176	6.369e+004	-8229	2680	0
1182	6.698e+004	-7267	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


1183	6.616e+004	-7520	2680	0
1184	6.534e+004	-7765	2680	0
1185	6.452e+004	-8002	2680	0
1186	6.674e+004	-6505	2680	0
1187	6.593e+004	-6756	2680	0
1188	6.512e+004	-6998	2680	0
1189	6.43e+004	-7232	2680	0
1190	6.131e+004	-2385	2680	0
1191	6.054e+004	-2577	2680	0
1192	5.977e+004	-2761	2680	0
1193	5.9e+004	-2937	2680	0
1194	5.823e+004	-3104	2680	0
1195	5.839e+004	-3840	2680	0
1196	5.854e+004	-4577	2680	0
1197	6.168e+004	-3844	2680	0
1198	6.09e+004	-4040	2680	0
1199	6.012e+004	-4227	2680	0
1200	5.933e+004	-4406	2680	0
1201	6.149e+004	-3114	2680	0
1202	6.072e+004	-3308	2680	0
1203	5.994e+004	-3494	2680	0
1204	5.917e+004	-3671	2680	0
1205	5.746e+004	-3263	2680	0
1206	5.669e+004	-3414	2680	0
1207	5.591e+004	-3556	2680	0
1208	5.513e+004	-3690	2680	0
1209	5.435e+004	-3815	2680	0
1210	5.447e+004	-4557	2680	0
1211	5.458e+004	-5299	2680	0
1217	5.775e+004	-4738	2680	0
1218	5.696e+004	-4892	2680	0
1219	5.617e+004	-5036	2680	0
1220	5.538e+004	-5172	2680	0
1221	5.761e+004	-4001	2680	0
1222	5.682e+004	-4153	2680	0
1223	5.604e+004	-4296	2680	0
1224	5.525e+004	-4431	2680	0
1225	5.482e+004	-6832	2680	0
1226	5.494e+004	-7623	2680	0
1227	5.506e+004	-8413	2680	0
1228	5.589e+004	-8281	2680	0
1229	5.672e+004	-8140	2680	0
1230	5.754e+004	-7989	2680	0
1231	5.837e+004	-7830	2680	0
1232	5.821e+004	-7045	2680	0
1233	5.74e+004	-7203	2680	0
1234	5.658e+004	-7352	2680	0
1235	5.576e+004	-7492	2680	0
1236	5.806e+004	-6261	2680	0
1237	5.725e+004	-6417	2680	0
1238	5.644e+004	-6564	2680	0
1239	5.563e+004	-6702	2680	0
1240	5.936e+004	-8444	2680	0
1241	5.952e+004	-9227	2680	0
1247	6.286e+004	-8448	2680	0
1248	6.203e+004	-8656	2680	0
1249	6.12e+004	-8856	2680	0
1250	6.036e+004	-9046	2680	0
1251	6.266e+004	-7673	2680	0
1252	6.184e+004	-7879	2680	0
1253	6.101e+004	-8076	2680	0
1254	6.019e+004	-8265	2680	0
1260	5.074e+004	-7345	2680	0
1261	5.082e+004	-8141	2680	0
1262	5.089e+004	-8937	2680	0
1263	5.173e+004	-8851	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


1264	5.256e+004	-8755	2680	0
1265	5.34e+004	-8650	2680	0
1266	5.423e+004	-8536	2680	0
1267	5.412e+004	-7744	2680	0
1268	5.329e+004	-7857	2680	0
1269	5.247e+004	-7961	2680	0
1270	5.164e+004	-8056	2680	0
1271	5.4e+004	-6952	2680	0
1272	5.319e+004	-7064	2680	0
1273	5.237e+004	-7167	2680	0
1274	5.156e+004	-7261	2680	0
1275	5.518e+004	-9204	2680	0
1276	5.53e+004	-9995	2680	0
1282	5.868e+004	-9399	2680	0
1283	5.784e+004	-9562	2680	0
1284	5.7e+004	-9715	2680	0
1285	5.615e+004	-9860	2680	0
1286	5.853e+004	-8614	2680	0
1287	5.769e+004	-8775	2680	0
1288	5.686e+004	-8927	2680	0
1289	5.602e+004	-9070	2680	0
1290	5.097e+004	-9734	2680	0
1291	5.105e+004	-1.053e+004	2680	0
1297	5.446e+004	-1.012e+004	2680	0
1298	5.361e+004	-1.024e+004	2680	0
1299	5.276e+004	-1.034e+004	2680	0
1300	5.19e+004	-1.044e+004	2680	0
1301	5.434e+004	-9328	2680	0
1302	5.35e+004	-9444	2680	0
1303	5.266e+004	-9550	2680	0
1304	5.182e+004	-9646	2680	0
1305	6.015e+004	-1.222e+004	2680	0
1306	6e+004	-1.149e+004	2680	0
1307	5.984e+004	-1.075e+004	2680	0
1308	5.554e+004	-1.153e+004	2680	0
1309	5.566e+004	-1.228e+004	2680	0
1310	5.577e+004	-1.303e+004	2680	0
1311	5.665e+004	-1.288e+004	2680	0
1312	5.753e+004	-1.273e+004	2680	0
1313	5.841e+004	-1.257e+004	2680	0
1314	5.928e+004	-1.24e+004	2680	0
1315	5.913e+004	-1.166e+004	2680	0
1316	5.827e+004	-1.183e+004	2680	0
1317	5.74e+004	-1.199e+004	2680	0
1318	5.653e+004	-1.214e+004	2680	0
1319	5.899e+004	-1.092e+004	2680	0
1320	5.813e+004	-1.109e+004	2680	0
1321	5.727e+004	-1.125e+004	2680	0
1322	5.64e+004	-1.139e+004	2680	0
1323	6.448e+004	-1.118e+004	2680	0
1324	6.429e+004	-1.046e+004	2680	0
1325	6.409e+004	-9729	2680	0
1326	6.102e+004	-1.203e+004	2680	0
1327	6.189e+004	-1.184e+004	2680	0
1328	6.276e+004	-1.163e+004	2680	0
1329	6.362e+004	-1.141e+004	2680	0
1330	6.344e+004	-1.068e+004	2680	0
1331	6.258e+004	-1.09e+004	2680	0
1332	6.172e+004	-1.11e+004	2680	0
1333	6.086e+004	-1.13e+004	2680	0
1334	6.325e+004	-9952	2680	0
1335	6.24e+004	-1.017e+004	2680	0
1336	6.155e+004	-1.037e+004	2680	0
1337	6.07e+004	-1.056e+004	2680	0
1338	6.875e+004	-9912	2680	0
1339	6.852e+004	-9196	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1340	6.828e+004	-8481	2680	0
1341	6.534e+004	-1.095e+004	2680	0
1342	6.62e+004	-1.07e+004	2680	0
1343	6.705e+004	-1.045e+004	2680	0
1344	6.791e+004	-1.018e+004	2680	0
1345	6.768e+004	-9466	2680	0
1346	6.684e+004	-9727	2680	0
1347	6.599e+004	-9980	2680	0
1348	6.514e+004	-1.022e+004	2680	0
1349	6.745e+004	-8748	2680	0
1350	6.662e+004	-9006	2680	0
1351	6.578e+004	-9256	2680	0
1352	6.494e+004	-9498	2680	0
1353	5.12e+004	-1.208e+004	2680	0
1354	5.128e+004	-1.283e+004	2680	0
1355	5.135e+004	-1.359e+004	2680	0
1356	5.224e+004	-1.349e+004	2680	0
1357	5.312e+004	-1.339e+004	2680	0
1358	5.401e+004	-1.328e+004	2680	0
1359	5.489e+004	-1.316e+004	2680	0
1360	5.478e+004	-1.241e+004	2680	0
1361	5.391e+004	-1.253e+004	2680	0
1362	5.303e+004	-1.264e+004	2680	0
1363	5.216e+004	-1.274e+004	2680	0
1364	5.468e+004	-1.166e+004	2680	0
1365	5.381e+004	-1.178e+004	2680	0
1366	5.294e+004	-1.189e+004	2680	0
1367	5.207e+004	-1.199e+004	2680	0
1373	4.684e+004	-1.239e+004	2680	0
1374	4.687e+004	-1.315e+004	2680	0
1375	4.691e+004	-1.391e+004	2680	0
1376	4.78e+004	-1.387e+004	2680	0
1377	4.869e+004	-1.381e+004	2680	0
1378	4.958e+004	-1.375e+004	2680	0
1379	5.046e+004	-1.367e+004	2680	0
1380	5.04e+004	-1.292e+004	2680	0
1381	4.952e+004	-1.299e+004	2680	0
1382	4.864e+004	-1.305e+004	2680	0
1383	4.776e+004	-1.311e+004	2680	0
1384	5.033e+004	-1.216e+004	2680	0
1385	4.946e+004	-1.223e+004	2680	0
1386	4.859e+004	-1.23e+004	2680	0
1387	4.772e+004	-1.235e+004	2680	0
1388	5.006e+004	-9015	2680	0
1389	4.922e+004	-9083	2680	0
1390	4.838e+004	-9142	2680	0
1391	4.754e+004	-9193	2680	0
1392	4.671e+004	-9234	2680	0
1393	4.674e+004	-1.003e+004	2680	0
1394	4.677e+004	-1.083e+004	2680	0
1395	5.02e+004	-1.061e+004	2680	0
1396	4.934e+004	-1.068e+004	2680	0
1397	4.849e+004	-1.074e+004	2680	0
1398	4.763e+004	-1.079e+004	2680	0
1399	5.013e+004	-9812	2680	0
1400	4.928e+004	-9881	2680	0
1401	4.843e+004	-9941	2680	0
1402	4.759e+004	-9992	2680	0
1408	4.664e+004	-7635	2680	0
1409	4.667e+004	-8434	2680	0
1410	4.999e+004	-8218	2680	0
1411	4.916e+004	-8286	2680	0
1412	4.833e+004	-8344	2680	0
1413	4.75e+004	-8394	2680	0
1414	4.992e+004	-7421	2680	0
1415	4.91e+004	-7488	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1416	4.828e+004	-7546	2680	0
1417	4.746e+004	-7595	2680	0
1418	4.587e+004	-9266	2680	0
1419	4.503e+004	-9288	2680	0
1420	4.419e+004	-9302	2680	0
1421	4.335e+004	-9305	2680	0
1422	4.251e+004	-9300	2680	0
1423	4.25e+004	-1.01e+004	2680	0
1424	4.249e+004	-1.09e+004	2680	0
1430	4.592e+004	-1.086e+004	2680	0
1431	4.506e+004	-1.089e+004	2680	0
1432	4.42e+004	-1.09e+004	2680	0
1433	4.335e+004	-1.091e+004	2680	0
1434	4.589e+004	-1.007e+004	2680	0
1435	4.504e+004	-1.009e+004	2680	0
1436	4.419e+004	-1.01e+004	2680	0
1437	4.335e+004	-1.011e+004	2680	0
1438	5.059e+004	-5804	2680	0
1439	5.051e+004	-5059	2680	0
1440	5.044e+004	-4314	2680	0
1441	4.965e+004	-4388	2680	0
1442	4.887e+004	-4454	2680	0
1443	4.808e+004	-4511	2680	0
1444	4.729e+004	-4560	2680	0
1445	4.65e+004	-4600	2680	0
1446	4.654e+004	-5345	2680	0
1447	4.657e+004	-6091	2680	0
1448	4.978e+004	-5879	2680	0
1449	4.898e+004	-5945	2680	0
1450	4.818e+004	-6002	2680	0
1451	4.737e+004	-6051	2680	0
1452	4.972e+004	-5134	2680	0
1453	4.892e+004	-5199	2680	0
1454	4.813e+004	-5257	2680	0
1455	4.733e+004	-5305	2680	0
1461	4.252e+004	-7700	2680	0
1462	4.252e+004	-8500	2680	0
1463	4.584e+004	-8466	2680	0
1464	4.501e+004	-8488	2680	0
1465	4.418e+004	-8502	2680	0
1466	4.335e+004	-8505	2680	0
1467	4.581e+004	-7666	2680	0
1468	4.499e+004	-7689	2680	0
1469	4.417e+004	-7702	2680	0
1470	4.335e+004	-7705	2680	0
1471	5.357e+004	-3932	2680	0
1472	5.279e+004	-4040	2680	0
1473	5.201e+004	-4140	2680	0
1474	5.122e+004	-4231	2680	0
1475	5.378e+004	-5418	2680	0
1476	5.299e+004	-5527	2680	0
1477	5.219e+004	-5628	2680	0
1478	5.139e+004	-5721	2680	0
1479	5.368e+004	-4675	2680	0
1480	5.289e+004	-4784	2680	0
1481	5.21e+004	-4884	2680	0
1482	5.131e+004	-4976	2680	0
1483	4.572e+004	-4631	2680	0
1484	4.493e+004	-4654	2680	0
1485	4.414e+004	-4668	2680	0
1486	4.335e+004	-4674	2680	0
1487	4.256e+004	-4672	2680	0
1488	4.255e+004	-5414	2680	0
1489	4.254e+004	-6157	2680	0
1490	4.576e+004	-6122	2680	0
1491	4.496e+004	-6144	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1492	4.415e+004	-6157	2680	0
1493	4.335e+004	-6162	2680	0
1494	4.574e+004	-5376	2680	0
1495	4.494e+004	-5399	2680	0
1496	4.415e+004	-5413	2680	0
1497	4.335e+004	-5418	2680	0
1503	3.862e+004	-7552	2680	0
1504	3.856e+004	-8351	2680	0
1505	3.851e+004	-9149	2680	0
1506	3.931e+004	-9194	2680	0
1507	4.011e+004	-9232	2680	0
1508	4.091e+004	-9262	2680	0
1509	4.171e+004	-9285	2680	0
1510	4.172e+004	-8485	2680	0
1511	4.093e+004	-8463	2680	0
1512	4.014e+004	-8432	2680	0
1513	3.935e+004	-8395	2680	0
1514	4.174e+004	-7685	2680	0
1515	4.096e+004	-7663	2680	0
1516	4.018e+004	-7633	2680	0
1517	3.94e+004	-7596	2680	0
1518	4.181e+004	-4662	2680	0
1519	4.106e+004	-4644	2680	0
1520	4.031e+004	-4618	2680	0
1521	3.956e+004	-4584	2680	0
1522	3.882e+004	-4542	2680	0
1523	3.877e+004	-5279	2680	0
1524	3.872e+004	-6016	2680	0
1525	4.178e+004	-6144	2680	0
1526	4.101e+004	-6124	2680	0
1527	4.025e+004	-6095	2680	0
1528	3.948e+004	-6059	2680	0
1529	4.179e+004	-5403	2680	0
1530	4.104e+004	-5384	2680	0
1531	4.028e+004	-5357	2680	0
1532	3.952e+004	-5322	2680	0
1533	3.805e+004	-4489	2680	0
1534	3.729e+004	-4429	2680	0
1535	3.653e+004	-4360	2680	0
1536	3.577e+004	-4285	2680	0
1537	3.501e+004	-4203	2680	0
1538	3.493e+004	-4947	2680	0
1539	3.485e+004	-5691	2680	0
1545	3.794e+004	-5966	2680	0
1546	3.717e+004	-5908	2680	0
1547	3.64e+004	-5843	2680	0
1548	3.563e+004	-5771	2680	0
1549	3.8e+004	-5227	2680	0
1550	3.723e+004	-5168	2680	0
1551	3.647e+004	-5101	2680	0
1552	3.57e+004	-5028	2680	0
1553	3.469e+004	-7231	2680	0
1554	3.461e+004	-8027	2680	0
1555	3.452e+004	-8822	2680	0
1556	3.532e+004	-8902	2680	0
1557	3.612e+004	-8974	2680	0
1558	3.691e+004	-9039	2680	0
1559	3.771e+004	-9097	2680	0
1560	3.777e+004	-8300	2680	0
1561	3.698e+004	-8242	2680	0
1562	3.619e+004	-8178	2680	0
1563	3.54e+004	-8106	2680	0
1564	3.783e+004	-7502	2680	0
1565	3.704e+004	-7445	2680	0
1566	3.626e+004	-7381	2680	0
1567	3.548e+004	-7310	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1568	3.846e+004	-9947	2680	0
1569	3.84e+004	-1.075e+004	2680	0
1575	4.167e+004	-1.088e+004	2680	0
1576	4.085e+004	-1.086e+004	2680	0
1577	4.004e+004	-1.083e+004	2680	0
1578	3.922e+004	-1.079e+004	2680	0
1579	4.169e+004	-1.008e+004	2680	0
1580	4.088e+004	-1.006e+004	2680	0
1581	4.007e+004	-1.003e+004	2680	0
1582	3.926e+004	-9992	2680	0
1588	3.08e+004	-6727	2680	0
1589	3.068e+004	-7518	2680	0
1590	3.056e+004	-8308	2680	0
1591	3.135e+004	-8426	2680	0
1592	3.214e+004	-8537	2680	0
1593	3.293e+004	-8640	2680	0
1594	3.373e+004	-8735	2680	0
1595	3.382e+004	-7940	2680	0
1596	3.303e+004	-7846	2680	0
1597	3.225e+004	-7744	2680	0
1598	3.146e+004	-7634	2680	0
1599	3.391e+004	-7145	2680	0
1600	3.313e+004	-7052	2680	0
1601	3.235e+004	-6951	2680	0
1602	3.158e+004	-6843	2680	0
1603	3.444e+004	-9618	2680	0
1604	3.436e+004	-1.041e+004	2680	0
1610	3.759e+004	-1.069e+004	2680	0
1611	3.678e+004	-1.063e+004	2680	0
1612	3.597e+004	-1.057e+004	2680	0
1613	3.516e+004	-1.049e+004	2680	0
1614	3.765e+004	-9895	2680	0
1615	3.685e+004	-9837	2680	0
1616	3.604e+004	-9771	2680	0
1617	3.524e+004	-9698	2680	0
1618	3.426e+004	-4117	2680	0
1619	3.351e+004	-4025	2680	0
1620	3.276e+004	-3927	2680	0
1621	3.201e+004	-3823	2680	0
1622	3.126e+004	-3714	2680	0
1623	3.115e+004	-4455	2680	0
1624	3.103e+004	-5195	2680	0
1625	3.409e+004	-5606	2680	0
1626	3.332e+004	-5514	2680	0
1627	3.256e+004	-5414	2680	0
1628	3.18e+004	-5308	2680	0
1629	3.417e+004	-4861	2680	0
1630	3.342e+004	-4769	2680	0
1631	3.266e+004	-4671	2680	0
1632	3.19e+004	-4566	2680	0
1633	3.051e+004	-3598	2680	0
1634	2.977e+004	-3476	2680	0
1635	2.902e+004	-3347	2680	0
1636	2.828e+004	-3213	2680	0
1637	2.753e+004	-3072	2680	0
1638	2.739e+004	-3800	2680	0
1639	2.724e+004	-4527	2680	0
1645	3.027e+004	-5075	2680	0
1646	2.951e+004	-4949	2680	0
1647	2.875e+004	-4815	2680	0
1648	2.8e+004	-4674	2680	0
1649	3.039e+004	-4337	2680	0
1650	2.964e+004	-4212	2680	0
1651	2.889e+004	-4081	2680	0
1652	2.814e+004	-3944	2680	0
1653	2.694e+004	-6039	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1654	2.678e+004	-6823	2680	0
1655	2.662e+004	-7607	2680	0
1656	2.74e+004	-7762	2680	0
1657	2.819e+004	-7910	2680	0
1658	2.898e+004	-8050	2680	0
1659	2.977e+004	-8183	2680	0
1660	2.99e+004	-7393	2680	0
1661	2.911e+004	-7262	2680	0
1662	2.833e+004	-7123	2680	0
1663	2.756e+004	-6977	2680	0
1664	3.002e+004	-6604	2680	0
1665	2.925e+004	-6473	2680	0
1666	2.848e+004	-6336	2680	0
1667	2.771e+004	-6191	2680	0
1668	2.679e+004	-2926	2680	0
1669	2.605e+004	-2773	2680	0
1670	2.531e+004	-2615	2680	0
1671	2.457e+004	-2450	2680	0
1672	2.384e+004	-2280	2680	0
1673	2.366e+004	-2984	2680	0
1674	2.348e+004	-3689	2680	0
1680	2.649e+004	-4373	2680	0
1681	2.573e+004	-4213	2680	0
1682	2.498e+004	-4045	2680	0
1683	2.423e+004	-3871	2680	0
1684	2.664e+004	-3650	2680	0
1685	2.589e+004	-3493	2680	0
1686	2.515e+004	-3330	2680	0
1687	2.44e+004	-3161	2680	0
1688	2.311e+004	-5170	2680	0
1689	2.291e+004	-5946	2680	0
1690	2.272e+004	-6721	2680	0
1691	2.35e+004	-6914	2680	0
1692	2.427e+004	-7099	2680	0
1693	2.505e+004	-7276	2680	0
1694	2.584e+004	-7445	2680	0
1695	2.6e+004	-6663	2680	0
1696	2.523e+004	-6495	2680	0
1697	2.445e+004	-6319	2680	0
1698	2.368e+004	-6136	2680	0
1699	2.617e+004	-5880	2680	0
1700	2.54e+004	-5714	2680	0
1701	2.464e+004	-5540	2680	0
1702	2.387e+004	-5359	2680	0
1704	3.031e+004	-9890	2680	0
1705	3.044e+004	-9099	2680	0
1706	2.646e+004	-8392	2680	0
1707	2.63e+004	-9176	2680	0
1713	2.951e+004	-9762	2680	0
1714	2.871e+004	-9627	2680	0
1715	2.79e+004	-9484	2680	0
1716	2.71e+004	-9334	2680	0
1717	2.964e+004	-8972	2680	0
1718	2.884e+004	-8838	2680	0
1719	2.805e+004	-8697	2680	0
1720	2.725e+004	-8548	2680	0
1725	3.355e+004	-1.032e+004	2680	0
1726	3.274e+004	-1.023e+004	2680	0
1727	3.193e+004	-1.012e+004	2680	0
1728	3.112e+004	-1.001e+004	2680	0
1729	3.364e+004	-9530	2680	0
1730	3.283e+004	-9434	2680	0
1731	3.203e+004	-9330	2680	0
1732	3.123e+004	-9218	2680	0
1733	3.403e+004	-1.347e+004	2680	0
1734	3.411e+004	-1.271e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1735	3.419e+004	-1.196e+004	2680	0
1736	3.008e+004	-1.142e+004	2680	0
1737	2.997e+004	-1.216e+004	2680	0
1738	2.985e+004	-1.289e+004	2680	0
1739	3.069e+004	-1.302e+004	2680	0
1740	3.152e+004	-1.315e+004	2680	0
1741	3.236e+004	-1.326e+004	2680	0
1742	3.319e+004	-1.337e+004	2680	0
1743	3.328e+004	-1.262e+004	2680	0
1744	3.245e+004	-1.251e+004	2680	0
1745	3.162e+004	-1.24e+004	2680	0
1746	3.079e+004	-1.228e+004	2680	0
1747	3.337e+004	-1.187e+004	2680	0
1748	3.254e+004	-1.177e+004	2680	0
1749	3.172e+004	-1.166e+004	2680	0
1750	3.09e+004	-1.154e+004	2680	0
1751	3.82e+004	-1.384e+004	2680	0
1752	3.825e+004	-1.307e+004	2680	0
1753	3.83e+004	-1.231e+004	2680	0
1754	3.486e+004	-1.356e+004	2680	0
1755	3.57e+004	-1.364e+004	2680	0
1756	3.653e+004	-1.372e+004	2680	0
1757	3.736e+004	-1.378e+004	2680	0
1758	3.742e+004	-1.302e+004	2680	0
1759	3.659e+004	-1.296e+004	2680	0
1760	3.576e+004	-1.288e+004	2680	0
1761	3.494e+004	-1.28e+004	2680	0
1762	3.748e+004	-1.225e+004	2680	0
1763	3.665e+004	-1.219e+004	2680	0
1764	3.583e+004	-1.212e+004	2680	0
1765	3.501e+004	-1.205e+004	2680	0
1766	4.245e+004	-1.399e+004	2680	0
1767	4.246e+004	-1.323e+004	2680	0
1768	4.247e+004	-1.246e+004	2680	0
1769	3.905e+004	-1.389e+004	2680	0
1770	3.99e+004	-1.393e+004	2680	0
1771	4.075e+004	-1.396e+004	2680	0
1772	4.16e+004	-1.398e+004	2680	0
1773	4.162e+004	-1.321e+004	2680	0
1774	4.078e+004	-1.319e+004	2680	0
1775	3.993e+004	-1.316e+004	2680	0
1776	3.909e+004	-1.312e+004	2680	0
1777	4.164e+004	-1.245e+004	2680	0
1778	4.08e+004	-1.243e+004	2680	0
1779	3.997e+004	-1.24e+004	2680	0
1780	3.913e+004	-1.236e+004	2680	0
1781	4.334e+004	-1.399e+004	2680	0
1782	4.423e+004	-1.399e+004	2680	0
1783	4.513e+004	-1.397e+004	2680	0
1784	4.602e+004	-1.395e+004	2680	0
1785	4.599e+004	-1.319e+004	2680	0
1786	4.511e+004	-1.321e+004	2680	0
1787	4.423e+004	-1.323e+004	2680	0
1788	4.334e+004	-1.323e+004	2680	0
1789	4.597e+004	-1.242e+004	2680	0
1790	4.509e+004	-1.245e+004	2680	0
1791	4.422e+004	-1.246e+004	2680	0
1792	4.334e+004	-1.247e+004	2680	0
1793	2.6e+004	-1.068e+004	2680	0
1794	2.585e+004	-1.14e+004	2680	0
1795	2.571e+004	-1.212e+004	2680	0
1796	2.654e+004	-1.229e+004	2680	0
1797	2.736e+004	-1.245e+004	2680	0
1798	2.819e+004	-1.261e+004	2680	0
1799	2.902e+004	-1.275e+004	2680	0
1800	2.914e+004	-1.202e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


1801	2.832e+004	-1.188e+004	2680	0
1802	2.75e+004	-1.172e+004	2680	0
1803	2.667e+004	-1.157e+004	2680	0
1804	2.926e+004	-1.129e+004	2680	0
1805	2.844e+004	-1.115e+004	2680	0
1806	2.763e+004	-1.1e+004	2680	0
1807	2.681e+004	-1.084e+004	2680	0
1813	2.196e+004	-9749	2680	0
1814	2.178e+004	-1.045e+004	2680	0
1815	2.161e+004	-1.115e+004	2680	0
1816	2.242e+004	-1.136e+004	2680	0
1817	2.324e+004	-1.156e+004	2680	0
1818	2.406e+004	-1.175e+004	2680	0
1819	2.488e+004	-1.194e+004	2680	0
1820	2.504e+004	-1.122e+004	2680	0
1821	2.422e+004	-1.104e+004	2680	0
1822	2.341e+004	-1.085e+004	2680	0
1823	2.259e+004	-1.065e+004	2680	0
1824	2.519e+004	-1.051e+004	2680	0
1825	2.438e+004	-1.033e+004	2680	0
1826	2.357e+004	-1.014e+004	2680	0
1827	2.276e+004	-9951	2680	0
1828	2.252e+004	-7497	2680	0
1829	2.233e+004	-8273	2680	0
1830	2.55e+004	-9011	2680	0
1831	2.471e+004	-8838	2680	0
1832	2.391e+004	-8658	2680	0
1833	2.312e+004	-8469	2680	0
1834	2.567e+004	-8228	2680	0
1835	2.488e+004	-8057	2680	0
1836	2.409e+004	-7878	2680	0
1837	2.331e+004	-7692	2680	0
1838	2.195e+004	-6521	2680	0
1839	2.117e+004	-6313	2680	0
1840	2.04e+004	-6098	2680	0
1841	1.963e+004	-5878	2680	0
1842	1.887e+004	-5652	2680	0
1843	1.863e+004	-6418	2680	0
1844	1.84e+004	-7184	2680	0
1850	2.154e+004	-8069	2680	0
1851	2.075e+004	-7857	2680	0
1852	1.997e+004	-7638	2680	0
1853	1.918e+004	-7413	2680	0
1854	2.174e+004	-7295	2680	0
1855	2.096e+004	-7085	2680	0
1856	2.018e+004	-6868	2680	0
1857	1.941e+004	-6646	2680	0
1863	1.933e+004	-4121	2680	0
1864	1.91e+004	-4886	2680	0
1865	2.215e+004	-5747	2680	0
1866	2.138e+004	-5541	2680	0
1867	2.062e+004	-5328	2680	0
1868	1.986e+004	-5110	2680	0
1869	2.235e+004	-4973	2680	0
1870	2.159e+004	-4769	2680	0
1871	2.084e+004	-4558	2680	0
1872	2.008e+004	-4342	2680	0
1873	2.31e+004	-2103	2680	0
1874	2.237e+004	-1919	2680	0
1875	2.163e+004	-1731	2680	0
1876	2.09e+004	-1536	2680	0
1877	2.017e+004	-1336	2680	0
1878	1.997e+004	-2009	2680	0
1879	1.976e+004	-2682	2680	0
1880	2.274e+004	-3500	2680	0
1881	2.199e+004	-3304	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


1882	2.125e+004	-3102	2680	0
1883	2.05e+004	-2895	2680	0
1884	2.292e+004	-2801	2680	0
1885	2.218e+004	-2612	2680	0
1886	2.144e+004	-2416	2680	0
1887	2.07e+004	-2215	2680	0
1888	1.94e+004	-1119	2680	0
1889	1.864e+004	-898.1	2680	0
1890	1.787e+004	-673.6	2680	0
1891	1.71e+004	-447	2680	0
1892	1.634e+004	-219.9	2680	0
1893	1.614e+004	-875.8	2680	0
1894	1.594e+004	-1532	2680	0
1900	1.9e+004	-2457	2680	0
1901	1.823e+004	-2228	2680	0
1902	1.747e+004	-1996	2680	0
1903	1.67e+004	-1764	2680	0
1904	1.92e+004	-1788	2680	0
1905	1.843e+004	-1563	2680	0
1906	1.767e+004	-1335	2680	0
1907	1.69e+004	-1106	2680	0
1908	1.551e+004	-2953	2680	0
1909	1.527e+004	-3718	2680	0
1910	1.504e+004	-4484	2680	0
1911	1.58e+004	-4719	2680	0
1912	1.657e+004	-4955	2680	0
1913	1.733e+004	-5190	2680	0
1914	1.81e+004	-5422	2680	0
1915	1.833e+004	-4657	2680	0
1916	1.757e+004	-4424	2680	0
1917	1.68e+004	-4189	2680	0
1918	1.604e+004	-3953	2680	0
1919	1.856e+004	-3891	2680	0
1920	1.78e+004	-3658	2680	0
1921	1.703e+004	-3424	2680	0
1922	1.627e+004	-3188	2680	0
1923	1.557e+004	7.734	2680	0
1924	1.48e+004	235.1	2680	0
1925	1.403e+004	462.4	2680	0
1926	1.326e+004	690	2680	0
1927	1.25e+004	918.5	2680	0
1928	1.23e+004	269.4	2680	0
1929	1.21e+004	-379.6	2680	0
1935	1.517e+004	-1300	2680	0
1936	1.44e+004	-1069	2680	0
1937	1.364e+004	-839.1	2680	0
1938	1.287e+004	-609.4	2680	0
1939	1.537e+004	-646.1	2680	0
1940	1.46e+004	-417.1	2680	0
1941	1.383e+004	-188.4	2680	0
1942	1.307e+004	40.33	2680	0
1943	1.167e+004	-1794	2680	0
1944	1.144e+004	-2560	2680	0
1945	1.121e+004	-3326	2680	0
1946	1.198e+004	-3556	2680	0
1947	1.274e+004	-3787	2680	0
1948	1.351e+004	-4018	2680	0
1949	1.428e+004	-4250	2680	0
1950	1.451e+004	-3485	2680	0
1951	1.374e+004	-3252	2680	0
1952	1.298e+004	-3021	2680	0
1953	1.221e+004	-2790	2680	0
1954	1.474e+004	-2719	2680	0
1955	1.397e+004	-2487	2680	0
1956	1.321e+004	-2255	2680	0
1957	1.244e+004	-2025	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


1958	1.756e+004	-9984	2680	0
1959	1.776e+004	-9306	2680	0
1960	1.797e+004	-8627	2680	0
1961	1.482e+004	-5199	2680	0
1962	1.457e+004	-6035	2680	0
1964	1.413e+004	-7476	2680	0
1965	1.395e+004	-8058	2680	0
1966	1.374e+004	-8773	2680	0
1967	1.45e+004	-9016	2680	0
1968	1.526e+004	-9260	2680	0
1969	1.603e+004	-9503	2680	0
1970	1.679e+004	-9745	2680	0
1975	1.687e+004	-6723	2680	0
1976	1.711e+004	-5931	2680	0
1977	1.567e+004	-7937	2680	0
1978	1.548e+004	-8553	2680	0
1979	1.61e+004	-6494	2680	0
1980	1.635e+004	-5686	2680	0
1981	1.763e+004	-6954	2680	0
1982	1.643e+004	-8167	2680	0
1983	1.624e+004	-8803	2680	0
1984	1.49e+004	-7706	2680	0
1985	1.558e+004	-5442	2680	0
1986	1.787e+004	-6176	2680	0
1987	1.7e+004	-9054	2680	0
1988	1.472e+004	-8305	2680	0
1989	1.533e+004	-6264	2680	0
1990	1.72e+004	-8397	2680	0
1991	1.836e+004	-1.023e+004	2680	0
1992	1.917e+004	-1.047e+004	2680	0
1993	1.998e+004	-1.07e+004	2680	0
1994	2.079e+004	-1.093e+004	2680	0
1995	2.097e+004	-1.023e+004	2680	0
1996	2.017e+004	-1.001e+004	2680	0
1997	1.936e+004	-9783	2680	0
1998	1.856e+004	-9547	2680	0
1999	2.116e+004	-9538	2680	0
2000	2.036e+004	-9320	2680	0
2001	1.956e+004	-9095	2680	0
2002	1.876e+004	-8864	2680	0
2003	1.1e+004	-4037	2680	0
2004	1.074e+004	-4888	2680	0
2006	1.03e+004	-6327	2680	0
2007	1.014e+004	-6883	2680	0
2008	9920	-7594	2680	0
2009	1.068e+004	-7827	2680	0
2010	1.145e+004	-8061	2680	0
2011	1.221e+004	-8296	2680	0
2012	1.297e+004	-8533	2680	0
2013	1.319e+004	-7819	2680	0
2014	1.243e+004	-7583	2680	0
2015	1.166e+004	-7348	2680	0
2016	1.09e+004	-7115	2680	0
2017	1.336e+004	-7246	2680	0
2018	1.26e+004	-7017	2680	0
2019	1.183e+004	-6787	2680	0
2020	1.107e+004	-6557	2680	0
2025	1.38e+004	-5806	2680	0
2026	1.304e+004	-5576	2680	0
2027	1.227e+004	-5347	2680	0
2028	1.151e+004	-5117	2680	0
2029	1.406e+004	-4964	2680	0
2030	1.329e+004	-4731	2680	0
2031	1.253e+004	-4499	2680	0
2032	1.176e+004	-4268	2680	0
2038	7840	-645.9	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2039	7610	-1412	2680	0
2040	7380	-2178	2680	0
2041	8146	-2407	2680	0
2042	8912	-2636	2680	0
2043	9679	-2866	2680	0
2044	1.045e+004	-3096	2680	0
2045	1.068e+004	-2330	2680	0
2046	9910	-2100	2680	0
2047	9143	-1870	2680	0
2048	8376	-1641	2680	0
2049	1.091e+004	-1564	2680	0
2050	1.014e+004	-1334	2680	0
2051	9374	-1104	2680	0
2052	8607	-875	2680	0
2053	1.173e+004	1148	2680	0
2054	1.096e+004	1379	2680	0
2055	1.019e+004	1610	2680	0
2056	9424	1842	2680	0
2057	8657	2075	2680	0
2058	8461	1423	2680	0
2059	8266	771.9	2680	0
2060	1.133e+004	-149.6	2680	0
2061	1.057e+004	80.6	2680	0
2062	9800	311	2680	0
2063	9033	541.5	2680	0
2064	1.153e+004	499.2	2680	0
2065	1.076e+004	729.6	2680	0
2066	9996	960.5	2680	0
2067	9228	1192	2680	0
2073	3997	493.8	2680	0
2074	3771	-273.6	2680	0
2075	3545	-1041	2680	0
2076	4312	-1267	2680	0
2077	5079	-1495	2680	0
2078	5846	-1722	2680	0
2079	6613	-1950	2680	0
2080	6842	-1183	2680	0
2081	6074	-955.3	2680	0
2082	5307	-727.7	2680	0
2083	4539	-500.4	2680	0
2084	7071	-417.1	2680	0
2085	6303	-188.7	2680	0
2086	5534	39.17	2680	0
2087	4766	266.7	2680	0
2088	7166	-2889	2680	0
2089	6910	-3741	2680	0
2091	6478	-5179	2680	0
2092	6312	-5733	2680	0
2093	6098	-6444	2680	0
2094	6863	-6672	2680	0
2095	7628	-6901	2680	0
2096	8392	-7131	2680	0
2097	9157	-7362	2680	0
2098	9371	-6651	2680	0
2099	8607	-6420	2680	0
2100	7842	-6190	2680	0
2101	7077	-5961	2680	0
2102	9539	-6098	2680	0
2103	8774	-5868	2680	0
2104	8009	-5638	2680	0
2105	7243	-5409	2680	0
2110	9974	-4658	2680	0
2111	9208	-4429	2680	0
2112	8442	-4199	2680	0
2113	7676	-3970	2680	0
2114	1.023e+004	-3807	2680	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2115	9464	-3577	2680	0
2116	8698	-3347	2680	0
2117	7932	-3118	2680	0
2118	7887	2309	2680	0
2119	7118	2545	2680	0
2120	6348	2780	2680	0
2121	5579	3017	2680	0
2122	4810	3254	2680	0
2123	4615	2590	2680	0
2124	4419	1925	2680	0
2125	7496	1003	2680	0
2126	6727	1233	2680	0
2127	5958	1464	2680	0
2128	5188	1695	2680	0
2129	7692	1656	2680	0
2130	6922	1889	2680	0
2131	6153	2122	2680	0
2132	5384	2356	2680	0
2133	2282	-5325	2680	0
2134	2492	-4611	2680	0
2135	2662	-4033	2680	0
2137	3086	-2595	2680	0
2138	3334	-1755	2680	0
2139	4096	3475	2680	0
2140	3382	3697	2680	0
2141	2669	3919	2680	0
2142	1955	4142	2680	0
2143	1242	4365	2680	0
2144	1047	3680	2680	0
2145	851.8	2994	2680	0
2147	437.9	1539	2680	0
2148	219	769.5	2680	0
2149	0	0	2680	0
2150	-218.9	-769.5	2680	0
2151	-437.8	-1539	2680	0
2153	-847.6	-2980	2680	0
2154	-1039	-3651	2680	0
2155	-1230	-4323	2680	0
2156	-526.8	-4521	2680	0
2157	175.8	-4721	2680	0
2158	878.1	-4921	2680	0
2159	1580	-5123	2680	0
2160	716	-205.1	2680	0
2161	1429	-407.9	2680	0
2162	2138	-609.7	2680	0
2163	2844	-816.1	2680	0
2172	2990	2330	2680	0
2173	3187	3017	2680	0
2174	1863	1103	2680	0
2175	1646	350.8	2680	0
2176	555.5	-3401	2680	0
2177	374.4	-4030	2680	0
2178	1681	-2174	2680	0
2179	1921	-1356	2680	0
2180	2275	2544	2680	0
2181	2472	3234	2680	0
2182	3703	2121	2680	0
2183	2357	144.9	2680	0
2184	3065	-62.65	2680	0
2185	1149	1316	2680	0
2186	1081	-4224	2680	0
2187	1786	-4418	2680	0
2188	-146	-3190	2680	0
2189	1210	-1160	2680	0
2190	496.7	-963.8	2680	0
2191	2384	-2384	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2192	1759	3458	2680	0
2193	3902	2802	2680	0
2194	3285	688.8	2680	0
2195	932.7	557.7	2680	0
2196	1960	-3823	2680	0
2197	-332.4	-3840	2680	0
2198	269.4	-1751	2680	0
2199	2629	-1552	2680	0
2200	1562	2765	2680	0
2201	2573	890.8	2680	0
2202	1258	-3612	2680	0
2203	975.4	-1962	2680	0
2204	3046	-5547	2680	0
2205	3810	-5769	2680	0
2206	4573	-5993	2680	0
2207	5336	-6218	2680	0
2208	5549	-5506	2680	0
2209	4785	-5281	2680	0
2210	4021	-5057	2680	0
2211	3257	-4834	2680	0
2212	5715	-4950	2680	0
2213	4952	-4721	2680	0
2214	4188	-4492	2680	0
2215	3425	-4263	2680	0
2220	6146	-3511	2680	0
2221	5381	-3282	2680	0
2222	4616	-3053	2680	0
2223	3851	-2824	2680	0
2224	6400	-2661	2680	0
2225	5634	-2434	2680	0
2226	4867	-2207	2680	0
2227	4101	-1981	2680	0
2229	-1425	-2816	2680	0
2230	-1616	-3489	2680	0
2231	-1807	-4161	2680	0
2233	-139.2	1703	2680	0
2234	-358.2	933.7	2680	0
2235	-577.1	164.2	2680	0
2236	-796	-605.3	2680	0
2237	-1015	-1375	2680	0
2238	670.8	4551	2680	0
2239	473.7	3858	2680	0
2240	276.8	3165	2680	0
2241	6.96e+004	-9629	2680	0
2242	7.044e+004	-9338	2680	0
2243	7.128e+004	-9037	2680	0
2244	7.211e+004	-8728	2680	0
2245	7.185e+004	-8025	2680	0
2246	7.102e+004	-8333	2680	0
2247	7.019e+004	-8630	2680	0
2248	6.936e+004	-8918	2680	0
2249	7.158e+004	-7323	2680	0
2250	7.077e+004	-7628	2680	0
2251	6.994e+004	-7922	2680	0
2252	6.911e+004	-8206	2680	0
2253	1.042e+005	2.565e+004	2680	0
2254	1.036e+005	2.605e+004	2680	0
2255	1.03e+005	2.646e+004	2680	0
2256	1.026e+005	2.581e+004	2680	0
2257	1.021e+005	2.516e+004	2680	0
2258	1.016e+005	2.453e+004	2680	0
2259	1.012e+005	2.389e+004	2680	0
2260	1.037e+005	2.499e+004	2680	0
2261	1.032e+005	2.434e+004	2680	0
2262	1.028e+005	2.369e+004	2680	0
2263	1.023e+005	2.304e+004	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2264	1.031e+005	2.54e+004	2680	0
2265	1.027e+005	2.475e+004	2680	0
2266	1.022e+005	2.411e+004	2680	0
2267	1.017e+005	2.347e+004	2680	0
2268	1.064e+005	2.903e+004	2680	0
2269	1.058e+005	2.94e+004	2680	0
2270	1.052e+005	2.978e+004	2680	0
2271	1.048e+005	2.91e+004	2680	0
2272	1.043e+005	2.843e+004	2680	0
2273	1.039e+005	2.777e+004	2680	0
2274	1.035e+005	2.711e+004	2680	0
2275	1.06e+005	2.834e+004	2680	0
2276	1.055e+005	2.766e+004	2680	0
2277	1.051e+005	2.699e+004	2680	0
2278	1.046e+005	2.632e+004	2680	0
2279	1.054e+005	2.872e+004	2680	0
2280	1.049e+005	2.805e+004	2680	0
2281	1.045e+005	2.738e+004	2680	0
2282	1.04e+005	2.671e+004	2680	0
2283	1.084e+005	3.252e+004	2680	0
2284	1.078e+005	3.287e+004	2680	0
2285	1.071e+005	3.321e+004	2680	0
2286	1.068e+005	3.252e+004	2680	0
2287	1.064e+005	3.182e+004	2680	0
2288	1.06e+005	3.114e+004	2680	0
2289	1.056e+005	3.046e+004	2680	0
2294	1.08e+005	3.182e+004	2680	0
2295	1.076e+005	3.111e+004	2680	0
2296	1.072e+005	3.041e+004	2680	0
2297	1.068e+005	2.972e+004	2680	0
2298	1.074e+005	3.217e+004	2680	0
2299	1.07e+005	3.147e+004	2680	0
2300	1.066e+005	3.078e+004	2680	0
2301	1.062e+005	3.009e+004	2680	0
2302	1.1e+005	3.068e+004	2680	0
2303	1.096e+005	2.996e+004	2680	0
2304	1.092e+005	2.924e+004	2680	0
2305	1.088e+005	2.852e+004	2680	0
2306	1.093e+005	3.107e+004	2680	0
2307	1.089e+005	3.036e+004	2680	0
2308	1.085e+005	2.964e+004	2680	0
2309	1.081e+005	2.894e+004	2680	0
2310	1.102e+005	3.612e+004	2680	0
2311	1.096e+005	3.644e+004	2680	0
2312	1.089e+005	3.675e+004	2680	0
2313	1.086e+005	3.604e+004	2680	0
2314	1.082e+005	3.532e+004	2680	0
2315	1.079e+005	3.462e+004	2680	0
2316	1.075e+005	3.391e+004	2680	0
2317	1.099e+005	3.539e+004	2680	0
2318	1.095e+005	3.467e+004	2680	0
2319	1.092e+005	3.395e+004	2680	0
2320	1.088e+005	3.323e+004	2680	0
2321	1.092e+005	3.571e+004	2680	0
2322	1.089e+005	3.5e+004	2680	0
2323	1.085e+005	3.428e+004	2680	0
2324	1.081e+005	3.357e+004	2680	0
2325	1.118e+005	3.981e+004	2680	0
2326	1.112e+005	4.01e+004	2680	0
2327	1.105e+005	4.038e+004	2680	0
2328	1.102e+005	3.965e+004	2680	0
2329	1.099e+005	3.892e+004	2680	0
2330	1.096e+005	3.819e+004	2680	0
2331	1.092e+005	3.747e+004	2680	0
2332	1.115e+005	3.907e+004	2680	0
2333	1.112e+005	3.833e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2334	1.109e+005	3.759e+004	2680	0
2335	1.106e+005	3.685e+004	2680	0
2336	1.109e+005	3.936e+004	2680	0
2337	1.106e+005	3.862e+004	2680	0
2338	1.102e+005	3.789e+004	2680	0
2339	1.099e+005	3.716e+004	2680	0
2340	1.115e+005	4.326e+004	2680	0
2341	1.113e+005	4.254e+004	2680	0
2342	1.11e+005	4.182e+004	2680	0
2343	1.108e+005	4.11e+004	2680	0
2344	1.114e+005	4.082e+004	2680	0
2345	1.117e+005	4.154e+004	2680	0
2346	1.12e+005	4.227e+004	2680	0
2347	1.123e+005	4.299e+004	2680	0
2348	1.121e+005	4.054e+004	2680	0
2349	1.124e+005	4.126e+004	2680	0
2350	1.127e+005	4.199e+004	2680	0
2351	1.13e+005	4.272e+004	2680	0
2352	1.154e+005	5.094e+004	2680	0
2353	1.147e+005	5.111e+004	2680	0
2354	1.139e+005	5.129e+004	2680	0
2355	1.137e+005	5.052e+004	2680	0
2356	1.136e+005	4.976e+004	2680	0
2357	1.134e+005	4.9e+004	2680	0
2358	1.131e+005	4.824e+004	2680	0
2359	1.152e+005	5.015e+004	2680	0
2360	1.15e+005	4.937e+004	2680	0
2361	1.148e+005	4.86e+004	2680	0
2362	1.146e+005	4.782e+004	2680	0
2363	1.145e+005	5.034e+004	2680	0
2364	1.143e+005	4.957e+004	2680	0
2365	1.141e+005	4.88e+004	2680	0
2366	1.139e+005	4.803e+004	2680	0
2368	1.162e+005	5.488e+004	2680	0
2369	1.155e+005	5.501e+004	2680	0
2370	1.147e+005	5.515e+004	2680	0
2371	1.146e+005	5.437e+004	2680	0
2372	1.144e+005	5.36e+004	2680	0
2373	1.143e+005	5.283e+004	2680	0
2374	1.141e+005	5.206e+004	2680	0
2379	1.161e+005	5.409e+004	2680	0
2380	1.159e+005	5.33e+004	2680	0
2381	1.158e+005	5.251e+004	2680	0
2382	1.156e+005	5.172e+004	2680	0
2383	1.153e+005	5.423e+004	2680	0
2384	1.152e+005	5.345e+004	2680	0
2385	1.15e+005	5.267e+004	2680	0
2386	1.149e+005	5.189e+004	2680	0
2388	1.169e+005	5.886e+004	2680	0
2389	1.161e+005	5.895e+004	2680	0
2390	1.153e+005	5.905e+004	2680	0
2391	1.152e+005	5.827e+004	2680	0
2392	1.151e+005	5.748e+004	2680	0
2393	1.15e+005	5.67e+004	2680	0
2394	1.149e+005	5.593e+004	2680	0
2399	1.168e+005	5.806e+004	2680	0
2400	1.166e+005	5.726e+004	2680	0
2401	1.165e+005	5.646e+004	2680	0
2402	1.164e+005	5.567e+004	2680	0
2403	1.16e+005	5.816e+004	2680	0
2404	1.159e+005	5.737e+004	2680	0
2405	1.158e+005	5.658e+004	2680	0
2406	1.156e+005	5.58e+004	2680	0
2407	1.194e+005	5.431e+004	2680	0
2408	1.186e+005	5.445e+004	2680	0
2409	1.178e+005	5.46e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


2410	1.187e+005	5.102e+004	2680	0
2411	1.189e+005	5.184e+004	2680	0
2412	1.19e+005	5.266e+004	2680	0
2413	1.192e+005	5.349e+004	2680	0
2414	1.184e+005	5.364e+004	2680	0
2415	1.183e+005	5.282e+004	2680	0
2416	1.181e+005	5.201e+004	2680	0
2417	1.179e+005	5.12e+004	2680	0
2418	1.176e+005	5.379e+004	2680	0
2419	1.175e+005	5.298e+004	2680	0
2420	1.173e+005	5.218e+004	2680	0
2421	1.171e+005	5.137e+004	2680	0
2422	1.2e+005	5.846e+004	2680	0
2423	1.192e+005	5.856e+004	2680	0
2424	1.184e+005	5.866e+004	2680	0
2425	1.195e+005	5.514e+004	2680	0
2426	1.196e+005	5.597e+004	2680	0
2427	1.198e+005	5.68e+004	2680	0
2428	1.199e+005	5.763e+004	2680	0
2429	1.191e+005	5.774e+004	2680	0
2430	1.19e+005	5.692e+004	2680	0
2431	1.189e+005	5.609e+004	2680	0
2432	1.187e+005	5.527e+004	2680	0
2433	1.183e+005	5.785e+004	2680	0
2434	1.182e+005	5.703e+004	2680	0
2435	1.181e+005	5.622e+004	2680	0
2436	1.179e+005	5.541e+004	2680	0
2438	1.209e+005	5.403e+004	2680	0
2439	1.202e+005	5.417e+004	2680	0
2444	1.208e+005	5.318e+004	2680	0
2445	1.206e+005	5.234e+004	2680	0
2446	1.204e+005	5.15e+004	2680	0
2447	1.203e+005	5.067e+004	2680	0
2448	1.2e+005	5.333e+004	2680	0
2449	1.198e+005	5.25e+004	2680	0
2450	1.197e+005	5.167e+004	2680	0
2451	1.195e+005	5.084e+004	2680	0
2453	1.216e+005	5.826e+004	2680	0
2454	1.208e+005	5.836e+004	2680	0
2459	1.215e+005	5.741e+004	2680	0
2460	1.214e+005	5.657e+004	2680	0
2461	1.212e+005	5.572e+004	2680	0
2462	1.211e+005	5.487e+004	2680	0
2463	1.207e+005	5.752e+004	2680	0
2464	1.206e+005	5.668e+004	2680	0
2465	1.204e+005	5.584e+004	2680	0
2466	1.203e+005	5.501e+004	2680	0
2467	1.239e+005	5.349e+004	2680	0
2468	1.232e+005	5.362e+004	2680	0
2469	1.225e+005	5.375e+004	2680	0
2470	1.232e+005	5e+004	2680	0
2471	1.234e+005	5.087e+004	2680	0
2472	1.236e+005	5.174e+004	2680	0
2473	1.237e+005	5.261e+004	2680	0
2474	1.23e+005	5.275e+004	2680	0
2475	1.228e+005	5.189e+004	2680	0
2476	1.227e+005	5.102e+004	2680	0
2477	1.225e+005	5.016e+004	2680	0
2478	1.223e+005	5.289e+004	2680	0
2479	1.221e+005	5.203e+004	2680	0
2480	1.219e+005	5.118e+004	2680	0
2481	1.218e+005	5.032e+004	2680	0
2482	1.246e+005	5.789e+004	2680	0
2483	1.238e+005	5.798e+004	2680	0
2484	1.231e+005	5.807e+004	2680	0
2485	1.241e+005	5.437e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


2486	1.242e+005	5.525e+004	2680	0
2487	1.243e+005	5.613e+004	2680	0
2488	1.245e+005	5.701e+004	2680	0
2489	1.237e+005	5.711e+004	2680	0
2490	1.236e+005	5.623e+004	2680	0
2491	1.235e+005	5.536e+004	2680	0
2492	1.233e+005	5.449e+004	2680	0
2493	1.23e+005	5.721e+004	2680	0
2494	1.229e+005	5.634e+004	2680	0
2495	1.227e+005	5.548e+004	2680	0
2496	1.226e+005	5.461e+004	2680	0
2497	1.25e+005	6.232e+004	2680	0
2498	1.243e+005	6.237e+004	2680	0
2499	1.235e+005	6.243e+004	2680	0
2505	1.247e+005	5.878e+004	2680	0
2506	1.248e+005	5.966e+004	2680	0
2507	1.249e+005	6.055e+004	2680	0
2508	1.249e+005	6.143e+004	2680	0
2509	1.242e+005	6.149e+004	2680	0
2510	1.241e+005	6.061e+004	2680	0
2511	1.24e+005	5.974e+004	2680	0
2512	1.239e+005	5.886e+004	2680	0
2513	1.235e+005	6.155e+004	2680	0
2514	1.234e+005	6.068e+004	2680	0
2515	1.233e+005	5.981e+004	2680	0
2516	1.232e+005	5.894e+004	2680	0
2517	1.22e+005	6.253e+004	2680	0
2518	1.212e+005	6.259e+004	2680	0
2519	1.204e+005	6.264e+004	2680	0
2520	1.203e+005	6.181e+004	2680	0
2521	1.203e+005	6.097e+004	2680	0
2522	1.202e+005	6.013e+004	2680	0
2523	1.201e+005	5.93e+004	2680	0
2524	1.219e+005	6.168e+004	2680	0
2525	1.219e+005	6.082e+004	2680	0
2526	1.218e+005	5.997e+004	2680	0
2527	1.217e+005	5.912e+004	2680	0
2528	1.211e+005	6.174e+004	2680	0
2529	1.211e+005	6.09e+004	2680	0
2530	1.21e+005	6.005e+004	2680	0
2531	1.209e+005	5.921e+004	2680	0
2533	1.222e+005	6.682e+004	2680	0
2534	1.214e+005	6.683e+004	2680	0
2535	1.206e+005	6.684e+004	2680	0
2536	1.206e+005	6.6e+004	2680	0
2537	1.205e+005	6.516e+004	2680	0
2538	1.205e+005	6.432e+004	2680	0
2539	1.205e+005	6.348e+004	2680	0
2544	1.222e+005	6.596e+004	2680	0
2545	1.221e+005	6.51e+004	2680	0
2546	1.221e+005	6.424e+004	2680	0
2547	1.221e+005	6.339e+004	2680	0
2548	1.214e+005	6.598e+004	2680	0
2549	1.213e+005	6.513e+004	2680	0
2550	1.213e+005	6.428e+004	2680	0
2551	1.213e+005	6.343e+004	2680	0
2552	1.196e+005	6.27e+004	2680	0
2553	1.188e+005	6.275e+004	2680	0
2559	1.195e+005	6.187e+004	2680	0
2560	1.195e+005	6.104e+004	2680	0
2561	1.194e+005	6.021e+004	2680	0
2562	1.193e+005	5.939e+004	2680	0
2563	1.187e+005	6.193e+004	2680	0
2564	1.187e+005	6.111e+004	2680	0
2565	1.186e+005	6.03e+004	2680	0
2566	1.185e+005	5.948e+004	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2568	1.221e+005	7.11e+004	2680	0
2569	1.213e+005	7.107e+004	2680	0
2570	1.205e+005	7.104e+004	2680	0
2571	1.206e+005	7.02e+004	2680	0
2572	1.206e+005	6.936e+004	2680	0
2573	1.206e+005	6.852e+004	2680	0
2574	1.206e+005	6.768e+004	2680	0
2579	1.222e+005	7.025e+004	2680	0
2580	1.222e+005	6.939e+004	2680	0
2581	1.222e+005	6.853e+004	2680	0
2582	1.222e+005	6.767e+004	2680	0
2583	1.214e+005	7.022e+004	2680	0
2584	1.214e+005	6.937e+004	2680	0
2585	1.214e+005	6.852e+004	2680	0
2586	1.214e+005	6.768e+004	2680	0
2587	1.198e+005	6.685e+004	2680	0
2588	1.19e+005	6.686e+004	2680	0
2594	1.198e+005	6.602e+004	2680	0
2595	1.197e+005	6.519e+004	2680	0
2596	1.197e+005	6.436e+004	2680	0
2597	1.197e+005	6.353e+004	2680	0
2598	1.19e+005	6.604e+004	2680	0
2599	1.189e+005	6.522e+004	2680	0
2600	1.189e+005	6.44e+004	2680	0
2601	1.189e+005	6.357e+004	2680	0
2602	1.252e+005	6.677e+004	2680	0
2603	1.245e+005	6.678e+004	2680	0
2604	1.237e+005	6.679e+004	2680	0
2605	1.251e+005	6.321e+004	2680	0
2606	1.251e+005	6.41e+004	2680	0
2607	1.251e+005	6.499e+004	2680	0
2608	1.252e+005	6.588e+004	2680	0
2609	1.244e+005	6.59e+004	2680	0
2610	1.244e+005	6.502e+004	2680	0
2611	1.244e+005	6.414e+004	2680	0
2612	1.243e+005	6.326e+004	2680	0
2613	1.237e+005	6.592e+004	2680	0
2614	1.237e+005	6.505e+004	2680	0
2615	1.236e+005	6.417e+004	2680	0
2616	1.236e+005	6.33e+004	2680	0
2617	1.251e+005	7.122e+004	2680	0
2618	1.244e+005	7.119e+004	2680	0
2619	1.237e+005	7.116e+004	2680	0
2620	1.252e+005	6.766e+004	2680	0
2621	1.252e+005	6.855e+004	2680	0
2622	1.252e+005	6.944e+004	2680	0
2623	1.252e+005	7.033e+004	2680	0
2624	1.244e+005	7.031e+004	2680	0
2625	1.245e+005	6.943e+004	2680	0
2626	1.245e+005	6.855e+004	2680	0
2627	1.245e+005	6.767e+004	2680	0
2628	1.237e+005	7.029e+004	2680	0
2629	1.237e+005	6.942e+004	2680	0
2630	1.237e+005	6.854e+004	2680	0
2631	1.237e+005	6.767e+004	2680	0
2632	1.248e+005	7.567e+004	2680	0
2633	1.241e+005	7.56e+004	2680	0
2634	1.234e+005	7.553e+004	2680	0
2640	1.251e+005	7.211e+004	2680	0
2641	1.25e+005	7.3e+004	2680	0
2642	1.25e+005	7.389e+004	2680	0
2643	1.249e+005	7.478e+004	2680	0
2644	1.242e+005	7.472e+004	2680	0
2645	1.243e+005	7.384e+004	2680	0
2646	1.243e+005	7.296e+004	2680	0
2647	1.244e+005	7.208e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2648	1.234e+005	7.466e+004	2680	0
2649	1.235e+005	7.378e+004	2680	0
2650	1.236e+005	7.291e+004	2680	0
2651	1.236e+005	7.204e+004	2680	0
2652	1.218e+005	7.538e+004	2680	0
2653	1.21e+005	7.53e+004	2680	0
2654	1.202e+005	7.523e+004	2680	0
2655	1.203e+005	7.439e+004	2680	0
2656	1.204e+005	7.355e+004	2680	0
2657	1.204e+005	7.272e+004	2680	0
2658	1.205e+005	7.188e+004	2680	0
2659	1.219e+005	7.453e+004	2680	0
2660	1.22e+005	7.367e+004	2680	0
2661	1.22e+005	7.282e+004	2680	0
2662	1.221e+005	7.196e+004	2680	0
2663	1.211e+005	7.446e+004	2680	0
2664	1.212e+005	7.361e+004	2680	0
2665	1.212e+005	7.277e+004	2680	0
2666	1.213e+005	7.192e+004	2680	0
2667	1.197e+005	7.101e+004	2680	0
2668	1.189e+005	7.097e+004	2680	0
2674	1.198e+005	7.017e+004	2680	0
2675	1.198e+005	6.934e+004	2680	0
2676	1.198e+005	6.851e+004	2680	0
2677	1.198e+005	6.768e+004	2680	0
2678	1.19e+005	7.015e+004	2680	0
2679	1.19e+005	6.933e+004	2680	0
2680	1.19e+005	6.851e+004	2680	0
2681	1.19e+005	6.768e+004	2680	0
2683	1.213e+005	7.963e+004	2680	0
2684	1.205e+005	7.952e+004	2680	0
2685	1.197e+005	7.94e+004	2680	0
2686	1.199e+005	7.856e+004	2680	0
2687	1.2e+005	7.773e+004	2680	0
2688	1.201e+005	7.69e+004	2680	0
2689	1.202e+005	7.606e+004	2680	0
2694	1.214e+005	7.879e+004	2680	0
2695	1.215e+005	7.794e+004	2680	0
2696	1.217e+005	7.709e+004	2680	0
2697	1.217e+005	7.623e+004	2680	0
2698	1.206e+005	7.868e+004	2680	0
2699	1.208e+005	7.783e+004	2680	0
2700	1.209e+005	7.699e+004	2680	0
2701	1.21e+005	7.615e+004	2680	0
2702	1.194e+005	7.515e+004	2680	0
2703	1.187e+005	7.508e+004	2680	0
2709	1.195e+005	7.432e+004	2680	0
2710	1.196e+005	7.35e+004	2680	0
2711	1.196e+005	7.267e+004	2680	0
2712	1.197e+005	7.184e+004	2680	0
2713	1.187e+005	7.426e+004	2680	0
2714	1.188e+005	7.344e+004	2680	0
2715	1.188e+005	7.262e+004	2680	0
2716	1.189e+005	7.179e+004	2680	0
2717	1.243e+005	8.009e+004	2680	0
2718	1.236e+005	7.998e+004	2680	0
2719	1.228e+005	7.987e+004	2680	0
2720	1.248e+005	7.655e+004	2680	0
2721	1.247e+005	7.744e+004	2680	0
2722	1.246e+005	7.832e+004	2680	0
2723	1.244e+005	7.921e+004	2680	0
2724	1.237e+005	7.91e+004	2680	0
2725	1.238e+005	7.823e+004	2680	0
2726	1.239e+005	7.735e+004	2680	0
2727	1.24e+005	7.647e+004	2680	0
2728	1.23e+005	7.9e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2729	1.231e+005	7.813e+004	2680	0
2730	1.232e+005	7.727e+004	2680	0
2731	1.233e+005	7.64e+004	2680	0
2732	1.235e+005	8.447e+004	2680	0
2733	1.228e+005	8.432e+004	2680	0
2734	1.221e+005	8.417e+004	2680	0
2740	1.242e+005	8.097e+004	2680	0
2741	1.24e+005	8.185e+004	2680	0
2742	1.239e+005	8.272e+004	2680	0
2743	1.237e+005	8.36e+004	2680	0
2744	1.23e+005	8.346e+004	2680	0
2745	1.231e+005	8.259e+004	2680	0
2746	1.233e+005	8.172e+004	2680	0
2747	1.234e+005	8.085e+004	2680	0
2748	1.222e+005	8.331e+004	2680	0
2749	1.224e+005	8.245e+004	2680	0
2750	1.226e+005	8.159e+004	2680	0
2751	1.227e+005	8.073e+004	2680	0
2752	1.206e+005	8.385e+004	2680	0
2753	1.198e+005	8.369e+004	2680	0
2754	1.19e+005	8.353e+004	2680	0
2755	1.192e+005	8.271e+004	2680	0
2756	1.193e+005	8.188e+004	2680	0
2757	1.195e+005	8.105e+004	2680	0
2758	1.196e+005	8.023e+004	2680	0
2759	1.207e+005	8.301e+004	2680	0
2760	1.209e+005	8.217e+004	2680	0
2761	1.21e+005	8.133e+004	2680	0
2762	1.212e+005	8.048e+004	2680	0
2763	1.199e+005	8.286e+004	2680	0
2764	1.201e+005	8.203e+004	2680	0
2765	1.202e+005	8.119e+004	2680	0
2766	1.204e+005	8.035e+004	2680	0
2767	1.189e+005	7.928e+004	2680	0
2768	1.181e+005	7.916e+004	2680	0
2774	1.191e+005	7.845e+004	2680	0
2775	1.192e+005	7.763e+004	2680	0
2776	1.193e+005	7.68e+004	2680	0
2777	1.194e+005	7.598e+004	2680	0
2778	1.183e+005	7.834e+004	2680	0
2779	1.184e+005	7.753e+004	2680	0
2780	1.185e+005	7.671e+004	2680	0
2781	1.186e+005	7.589e+004	2680	0
2782	1.18e+005	8.762e+004	2680	0
2783	1.182e+005	8.68e+004	2680	0
2784	1.184e+005	8.599e+004	2680	0
2785	1.186e+005	8.517e+004	2680	0
2786	1.188e+005	8.435e+004	2680	0
2792	1.196e+005	8.803e+004	2680	0
2793	1.188e+005	8.782e+004	2680	0
2794	1.19e+005	8.7e+004	2680	0
2795	1.198e+005	8.72e+004	2680	0
2796	1.192e+005	8.618e+004	2680	0
2797	1.2e+005	8.636e+004	2680	0
2798	1.194e+005	8.535e+004	2680	0
2799	1.202e+005	8.553e+004	2680	0
2800	1.196e+005	8.452e+004	2680	0
2801	1.204e+005	8.469e+004	2680	0
2802	1.182e+005	8.337e+004	2680	0
2803	1.174e+005	8.32e+004	2680	0
2809	1.184e+005	8.255e+004	2680	0
2810	1.185e+005	8.174e+004	2680	0
2811	1.187e+005	8.092e+004	2680	0
2812	1.188e+005	8.01e+004	2680	0
2813	1.176e+005	8.24e+004	2680	0
2814	1.177e+005	8.159e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2815	1.179e+005	8.078e+004	2680	0
2816	1.18e+005	7.997e+004	2680	0
2822	1.172e+005	8.741e+004	2680	0
2823	1.165e+005	8.72e+004	2680	0
2824	1.167e+005	8.641e+004	2680	0
2825	1.175e+005	8.661e+004	2680	0
2826	1.169e+005	8.561e+004	2680	0
2827	1.177e+005	8.58e+004	2680	0
2828	1.171e+005	8.481e+004	2680	0
2829	1.178e+005	8.499e+004	2680	0
2830	1.172e+005	8.401e+004	2680	0
2831	1.18e+005	8.418e+004	2680	0
2832	1.159e+005	8.289e+004	2680	0
2833	1.152e+005	8.273e+004	2680	0
2834	1.144e+005	8.258e+004	2680	0
2835	1.146e+005	8.18e+004	2680	0
2836	1.147e+005	8.103e+004	2680	0
2837	1.148e+005	8.025e+004	2680	0
2838	1.15e+005	7.947e+004	2680	0
2839	1.151e+005	7.869e+004	2680	0
2840	1.158e+005	7.881e+004	2680	0
2841	1.166e+005	7.892e+004	2680	0
2842	1.161e+005	8.21e+004	2680	0
2843	1.162e+005	8.131e+004	2680	0
2844	1.163e+005	8.051e+004	2680	0
2845	1.165e+005	7.972e+004	2680	0
2846	1.153e+005	8.195e+004	2680	0
2847	1.155e+005	8.117e+004	2680	0
2848	1.156e+005	8.038e+004	2680	0
2849	1.157e+005	7.96e+004	2680	0
2850	1.152e+005	7.791e+004	2680	0
2851	1.153e+005	7.713e+004	2680	0
2852	1.154e+005	7.635e+004	2680	0
2853	1.155e+005	7.557e+004	2680	0
2854	1.156e+005	7.478e+004	2680	0
2855	1.163e+005	7.485e+004	2680	0
2856	1.171e+005	7.493e+004	2680	0
2857	1.167e+005	7.813e+004	2680	0
2858	1.168e+005	7.733e+004	2680	0
2859	1.169e+005	7.653e+004	2680	0
2860	1.17e+005	7.573e+004	2680	0
2861	1.16e+005	7.802e+004	2680	0
2862	1.161e+005	7.723e+004	2680	0
2863	1.162e+005	7.644e+004	2680	0
2864	1.162e+005	7.565e+004	2680	0
2865	1.156e+005	7.4e+004	2680	0
2866	1.157e+005	7.321e+004	2680	0
2867	1.157e+005	7.242e+004	2680	0
2868	1.158e+005	7.164e+004	2680	0
2869	1.158e+005	7.085e+004	2680	0
2870	1.166e+005	7.088e+004	2680	0
2871	1.174e+005	7.091e+004	2680	0
2872	1.172e+005	7.412e+004	2680	0
2873	1.172e+005	7.332e+004	2680	0
2874	1.173e+005	7.252e+004	2680	0
2875	1.173e+005	7.171e+004	2680	0
2876	1.164e+005	7.406e+004	2680	0
2877	1.165e+005	7.327e+004	2680	0
2878	1.165e+005	7.247e+004	2680	0
2879	1.166e+005	7.168e+004	2680	0
2880	1.135e+005	8.642e+004	2680	0
2881	1.137e+005	8.565e+004	2680	0
2882	1.139e+005	8.489e+004	2680	0
2883	1.141e+005	8.412e+004	2680	0
2884	1.142e+005	8.335e+004	2680	0
2885	1.15e+005	8.681e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2886	1.142e+005	8.661e+004	2680	0
2887	1.144e+005	8.584e+004	2680	0
2888	1.152e+005	8.603e+004	2680	0
2889	1.146e+005	8.506e+004	2680	0
2890	1.154e+005	8.524e+004	2680	0
2891	1.148e+005	8.429e+004	2680	0
2892	1.156e+005	8.446e+004	2680	0
2893	1.15e+005	8.351e+004	2680	0
2894	1.157e+005	8.367e+004	2680	0
2895	1.124e+005	9.011e+004	2680	0
2896	1.127e+005	8.938e+004	2680	0
2897	1.129e+005	8.864e+004	2680	0
2898	1.131e+005	8.79e+004	2680	0
2899	1.133e+005	8.716e+004	2680	0
2905	1.139e+005	9.055e+004	2680	0
2906	1.132e+005	9.033e+004	2680	0
2907	1.134e+005	8.959e+004	2680	0
2908	1.141e+005	8.98e+004	2680	0
2909	1.136e+005	8.885e+004	2680	0
2910	1.143e+005	8.906e+004	2680	0
2911	1.138e+005	8.81e+004	2680	0
2912	1.146e+005	8.831e+004	2680	0
2913	1.14e+005	8.736e+004	2680	0
2914	1.148e+005	8.756e+004	2680	0
2915	1.178e+005	8.839e+004	2680	0
2916	1.176e+005	8.916e+004	2680	0
2917	1.174e+005	8.993e+004	2680	0
2918	1.171e+005	9.069e+004	2680	0
2919	1.169e+005	9.146e+004	2680	0
2920	1.161e+005	9.122e+004	2680	0
2921	1.154e+005	9.099e+004	2680	0
2922	1.156e+005	9.024e+004	2680	0
2923	1.164e+005	9.047e+004	2680	0
2924	1.158e+005	8.949e+004	2680	0
2925	1.166e+005	8.971e+004	2680	0
2926	1.161e+005	8.873e+004	2680	0
2927	1.168e+005	8.894e+004	2680	0
2928	1.163e+005	8.797e+004	2680	0
2929	1.17e+005	8.818e+004	2680	0
2935	1.184e+005	9.192e+004	2680	0
2936	1.177e+005	9.169e+004	2680	0
2937	1.179e+005	9.092e+004	2680	0
2938	1.187e+005	9.114e+004	2680	0
2939	1.181e+005	9.015e+004	2680	0
2940	1.189e+005	9.037e+004	2680	0
2941	1.184e+005	8.937e+004	2680	0
2942	1.191e+005	8.959e+004	2680	0
2943	1.186e+005	8.86e+004	2680	0
2944	1.194e+005	8.881e+004	2680	0
2945	1.156e+005	9.523e+004	2680	0
2946	1.148e+005	9.495e+004	2680	0
2947	1.141e+005	9.466e+004	2680	0
2953	1.166e+005	9.222e+004	2680	0
2954	1.164e+005	9.297e+004	2680	0
2955	1.161e+005	9.373e+004	2680	0
2956	1.158e+005	9.448e+004	2680	0
2957	1.151e+005	9.421e+004	2680	0
2958	1.154e+005	9.347e+004	2680	0
2959	1.156e+005	9.272e+004	2680	0
2960	1.159e+005	9.197e+004	2680	0
2961	1.143e+005	9.393e+004	2680	0
2962	1.146e+005	9.32e+004	2680	0
2963	1.149e+005	9.247e+004	2680	0
2964	1.151e+005	9.173e+004	2680	0
2965	1.211e+005	8.843e+004	2680	0
2966	1.218e+005	8.862e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

2967	1.225e+005	8.881e+004	2680	0
2968	1.223e+005	8.961e+004	2680	0
2969	1.221e+005	9.042e+004	2680	0
2970	1.218e+005	9.121e+004	2680	0
2971	1.216e+005	9.201e+004	2680	0
2972	1.214e+005	9.28e+004	2680	0
2973	1.206e+005	9.259e+004	2680	0
2974	1.199e+005	9.237e+004	2680	0
2975	1.202e+005	9.158e+004	2680	0
2976	1.209e+005	9.18e+004	2680	0
2977	1.204e+005	9.08e+004	2680	0
2978	1.211e+005	9.101e+004	2680	0
2979	1.206e+005	9.001e+004	2680	0
2980	1.214e+005	9.021e+004	2680	0
2981	1.209e+005	8.922e+004	2680	0
2982	1.216e+005	8.942e+004	2680	0
2984	1.171e+005	9.58e+004	2680	0
2985	1.163e+005	9.551e+004	2680	0
2990	1.174e+005	9.503e+004	2680	0
2991	1.176e+005	9.425e+004	2680	0
2992	1.179e+005	9.348e+004	2680	0
2993	1.182e+005	9.27e+004	2680	0
2994	1.166e+005	9.475e+004	2680	0
2995	1.169e+005	9.399e+004	2680	0
2996	1.171e+005	9.323e+004	2680	0
2997	1.174e+005	9.246e+004	2680	0
2999	1.154e+005	9.976e+004	2680	0
3000	1.147e+005	9.944e+004	2680	0
3001	1.14e+005	9.911e+004	2680	0
3002	1.143e+005	9.834e+004	2680	0
3003	1.146e+005	9.757e+004	2680	0
3004	1.15e+005	9.679e+004	2680	0
3005	1.153e+005	9.601e+004	2680	0
3010	1.158e+005	9.898e+004	2680	0
3011	1.161e+005	9.819e+004	2680	0
3012	1.164e+005	9.739e+004	2680	0
3013	1.168e+005	9.66e+004	2680	0
3014	1.15e+005	9.866e+004	2680	0
3015	1.154e+005	9.788e+004	2680	0
3016	1.157e+005	9.709e+004	2680	0
3017	1.16e+005	9.631e+004	2680	0
3018	1.199e+005	9.689e+004	2680	0
3019	1.192e+005	9.662e+004	2680	0
3020	1.185e+005	9.635e+004	2680	0
3021	1.211e+005	9.363e+004	2680	0
3022	1.208e+005	9.445e+004	2680	0
3023	1.205e+005	9.527e+004	2680	0
3024	1.202e+005	9.608e+004	2680	0
3025	1.195e+005	9.582e+004	2680	0
3026	1.198e+005	9.502e+004	2680	0
3027	1.201e+005	9.421e+004	2680	0
3028	1.204e+005	9.34e+004	2680	0
3029	1.188e+005	9.556e+004	2680	0
3030	1.191e+005	9.477e+004	2680	0
3031	1.194e+005	9.397e+004	2680	0
3032	1.197e+005	9.317e+004	2680	0
3033	1.183e+005	1.01e+005	2680	0
3034	1.176e+005	1.007e+005	2680	0
3035	1.169e+005	1.004e+005	2680	0
3036	1.196e+005	9.772e+004	2680	0
3037	1.193e+005	9.855e+004	2680	0
3038	1.19e+005	9.938e+004	2680	0
3039	1.186e+005	1.002e+005	2680	0
3040	1.179e+005	9.989e+004	2680	0
3041	1.183e+005	9.908e+004	2680	0
3042	1.186e+005	9.827e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


3043	1.189e+005	9.745e+004	2680	0
3044	1.172e+005	9.959e+004	2680	0
3045	1.176e+005	9.879e+004	2680	0
3046	1.179e+005	9.798e+004	2680	0
3047	1.182e+005	9.717e+004	2680	0
3048	1.233e+005	8.535e+004	2680	0
3049	1.232e+005	8.622e+004	2680	0
3050	1.23e+005	8.708e+004	2680	0
3051	1.227e+005	8.795e+004	2680	0
3052	1.213e+005	8.758e+004	2680	0
3053	1.22e+005	8.776e+004	2680	0
3054	1.215e+005	8.673e+004	2680	0
3055	1.222e+005	8.691e+004	2680	0
3056	1.217e+005	8.588e+004	2680	0
3057	1.224e+005	8.605e+004	2680	0
3058	1.219e+005	8.503e+004	2680	0
3059	1.226e+005	8.519e+004	2680	0
3060	1.164e+005	1.05e+005	2680	0
3061	1.157e+005	1.047e+005	2680	0
3062	1.15e+005	1.043e+005	2680	0
3068	1.179e+005	1.018e+005	2680	0
3069	1.175e+005	1.026e+005	2680	0
3070	1.171e+005	1.034e+005	2680	0
3071	1.168e+005	1.042e+005	2680	0
3072	1.161e+005	1.039e+005	2680	0
3073	1.165e+005	1.031e+005	2680	0
3074	1.168e+005	1.023e+005	2680	0
3075	1.172e+005	1.015e+005	2680	0
3076	1.154e+005	1.036e+005	2680	0
3077	1.158e+005	1.028e+005	2680	0
3078	1.161e+005	1.02e+005	2680	0
3079	1.165e+005	1.012e+005	2680	0
3080	1.136e+005	1.036e+005	2680	0
3081	1.129e+005	1.033e+005	2680	0
3082	1.122e+005	1.029e+005	2680	0
3083	1.125e+005	1.022e+005	2680	0
3084	1.129e+005	1.014e+005	2680	0
3085	1.133e+005	1.006e+005	2680	0
3086	1.136e+005	9.988e+004	2680	0
3087	1.14e+005	1.029e+005	2680	0
3088	1.144e+005	1.021e+005	2680	0
3089	1.147e+005	1.013e+005	2680	0
3090	1.151e+005	1.005e+005	2680	0
3091	1.133e+005	1.025e+005	2680	0
3092	1.136e+005	1.017e+005	2680	0
3093	1.14e+005	1.01e+005	2680	0
3094	1.144e+005	1.002e+005	2680	0
3095	1.132e+005	9.879e+004	2680	0
3096	1.125e+005	9.847e+004	2680	0
3102	1.136e+005	9.803e+004	2680	0
3103	1.139e+005	9.726e+004	2680	0
3104	1.142e+005	9.649e+004	2680	0
3105	1.145e+005	9.572e+004	2680	0
3106	1.128e+005	9.771e+004	2680	0
3107	1.132e+005	9.695e+004	2680	0
3108	1.135e+005	9.619e+004	2680	0
3109	1.138e+005	9.543e+004	2680	0
3110	1.115e+005	1.025e+005	2680	0
3111	1.107e+005	1.022e+005	2680	0
3117	1.118e+005	1.018e+005	2680	0
3118	1.122e+005	1.011e+005	2680	0
3119	1.126e+005	1.003e+005	2680	0
3120	1.129e+005	9.955e+004	2680	0
3121	1.111e+005	1.014e+005	2680	0
3122	1.115e+005	1.007e+005	2680	0
3123	1.118e+005	9.996e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


3124	1.122e+005	9.922e+004	2680	0
3125	1.111e+005	9.784e+004	2680	0
3126	1.104e+005	9.754e+004	2680	0
3127	1.097e+005	9.724e+004	2680	0
3128	1.1e+005	9.651e+004	2680	0
3129	1.104e+005	9.579e+004	2680	0
3130	1.107e+005	9.505e+004	2680	0
3131	1.109e+005	9.432e+004	2680	0
3132	1.112e+005	9.358e+004	2680	0
3133	1.119e+005	9.385e+004	2680	0
3134	1.126e+005	9.411e+004	2680	0
3135	1.114e+005	9.71e+004	2680	0
3136	1.117e+005	9.636e+004	2680	0
3137	1.12e+005	9.561e+004	2680	0
3138	1.123e+005	9.486e+004	2680	0
3139	1.107e+005	9.681e+004	2680	0
3140	1.11e+005	9.607e+004	2680	0
3141	1.113e+005	9.533e+004	2680	0
3142	1.116e+005	9.459e+004	2680	0
3143	1.102e+005	1.066e+005	2680	0
3144	1.095e+005	1.062e+005	2680	0
3145	1.088e+005	1.058e+005	2680	0
3151	1.118e+005	1.037e+005	2680	0
3152	1.114e+005	1.044e+005	2680	0
3153	1.11e+005	1.051e+005	2680	0
3154	1.106e+005	1.059e+005	2680	0
3155	1.099e+005	1.055e+005	2680	0
3156	1.103e+005	1.048e+005	2680	0
3157	1.107e+005	1.04e+005	2680	0
3158	1.111e+005	1.033e+005	2680	0
3159	1.092e+005	1.051e+005	2680	0
3160	1.096e+005	1.044e+005	2680	0
3161	1.1e+005	1.036e+005	2680	0
3162	1.104e+005	1.029e+005	2680	0
3163	1.094e+005	1.015e+005	2680	0
3164	1.087e+005	1.011e+005	2680	0
3165	1.08e+005	1.008e+005	2680	0
3166	1.084e+005	1.001e+005	2680	0
3167	1.087e+005	9.939e+004	2680	0
3168	1.091e+005	9.868e+004	2680	0
3169	1.094e+005	9.796e+004	2680	0
3170	1.097e+005	1.008e+005	2680	0
3171	1.101e+005	1e+005	2680	0
3172	1.104e+005	9.931e+004	2680	0
3173	1.108e+005	9.858e+004	2680	0
3174	1.091e+005	1.004e+005	2680	0
3175	1.094e+005	9.972e+004	2680	0
3176	1.098e+005	9.899e+004	2680	0
3177	1.101e+005	9.827e+004	2680	0
3179	1.116e+005	1.074e+005	2680	0
3180	1.109e+005	1.07e+005	2680	0
3185	1.12e+005	1.067e+005	2680	0
3186	1.124e+005	1.059e+005	2680	0
3187	1.128e+005	1.052e+005	2680	0
3188	1.132e+005	1.044e+005	2680	0
3189	1.113e+005	1.063e+005	2680	0
3190	1.117e+005	1.055e+005	2680	0
3191	1.121e+005	1.048e+005	2680	0
3192	1.125e+005	1.04e+005	2680	0
3194	1.093e+005	1.111e+005	2680	0
3195	1.086e+005	1.106e+005	2680	0
3196	1.08e+005	1.102e+005	2680	0
3197	1.084e+005	1.095e+005	2680	0
3198	1.089e+005	1.088e+005	2680	0
3199	1.093e+005	1.08e+005	2680	0
3200	1.097e+005	1.073e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3205	1.098e+005	1.103e+005	2680	0
3206	1.102e+005	1.096e+005	2680	0
3207	1.107e+005	1.089e+005	2680	0
3208	1.111e+005	1.081e+005	2680	0
3209	1.091e+005	1.099e+005	2680	0
3210	1.096e+005	1.092e+005	2680	0
3211	1.1e+005	1.085e+005	2680	0
3212	1.104e+005	1.077e+005	2680	0
3213	1.142e+005	1.09e+005	2680	0
3214	1.136e+005	1.086e+005	2680	0
3215	1.129e+005	1.082e+005	2680	0
3216	1.16e+005	1.058e+005	2680	0
3217	1.155e+005	1.066e+005	2680	0
3218	1.151e+005	1.074e+005	2680	0
3219	1.147e+005	1.082e+005	2680	0
3220	1.14e+005	1.078e+005	2680	0
3221	1.144e+005	1.07e+005	2680	0
3222	1.149e+005	1.063e+005	2680	0
3223	1.153e+005	1.055e+005	2680	0
3224	1.133e+005	1.074e+005	2680	0
3225	1.138e+005	1.067e+005	2680	0
3226	1.142e+005	1.059e+005	2680	0
3227	1.146e+005	1.051e+005	2680	0
3228	1.119e+005	1.127e+005	2680	0
3229	1.113e+005	1.123e+005	2680	0
3230	1.106e+005	1.119e+005	2680	0
3231	1.138e+005	1.097e+005	2680	0
3232	1.133e+005	1.105e+005	2680	0
3233	1.129e+005	1.112e+005	2680	0
3234	1.124e+005	1.12e+005	2680	0
3235	1.117e+005	1.116e+005	2680	0
3236	1.122e+005	1.108e+005	2680	0
3237	1.127e+005	1.101e+005	2680	0
3238	1.131e+005	1.093e+005	2680	0
3239	1.111e+005	1.112e+005	2680	0
3240	1.116e+005	1.104e+005	2680	0
3241	1.12e+005	1.097e+005	2680	0
3242	1.125e+005	1.089e+005	2680	0
3243	1.094e+005	1.164e+005	2680	0
3244	1.088e+005	1.16e+005	2680	0
3245	1.081e+005	1.155e+005	2680	0
3251	1.114e+005	1.135e+005	2680	0
3252	1.109e+005	1.142e+005	2680	0
3253	1.104e+005	1.15e+005	2680	0
3254	1.099e+005	1.157e+005	2680	0
3255	1.093e+005	1.152e+005	2680	0
3256	1.098e+005	1.145e+005	2680	0
3257	1.103e+005	1.138e+005	2680	0
3258	1.108e+005	1.131e+005	2680	0
3259	1.087e+005	1.148e+005	2680	0
3260	1.092e+005	1.141e+005	2680	0
3261	1.097e+005	1.134e+005	2680	0
3262	1.101e+005	1.126e+005	2680	0
3263	1.069e+005	1.146e+005	2680	0
3264	1.062e+005	1.141e+005	2680	0
3265	1.056e+005	1.136e+005	2680	0
3266	1.061e+005	1.13e+005	2680	0
3267	1.066e+005	1.123e+005	2680	0
3268	1.07e+005	1.116e+005	2680	0
3269	1.075e+005	1.109e+005	2680	0
3270	1.074e+005	1.139e+005	2680	0
3271	1.079e+005	1.132e+005	2680	0
3272	1.084e+005	1.125e+005	2680	0
3273	1.088e+005	1.118e+005	2680	0
3274	1.067e+005	1.134e+005	2680	0
3275	1.072e+005	1.127e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3276	1.077e+005	1.12e+005	2680	0
3277	1.082e+005	1.113e+005	2680	0
3278	1.073e+005	1.097e+005	2680	0
3279	1.066e+005	1.093e+005	2680	0
3285	1.078e+005	1.09e+005	2680	0
3286	1.082e+005	1.083e+005	2680	0
3287	1.086e+005	1.076e+005	2680	0
3288	1.091e+005	1.069e+005	2680	0
3289	1.071e+005	1.086e+005	2680	0
3290	1.075e+005	1.079e+005	2680	0
3291	1.079e+005	1.072e+005	2680	0
3292	1.084e+005	1.065e+005	2680	0
3294	1.043e+005	1.18e+005	2680	0
3295	1.036e+005	1.175e+005	2680	0
3296	1.03e+005	1.17e+005	2680	0
3297	1.036e+005	1.163e+005	2680	0
3298	1.041e+005	1.156e+005	2680	0
3299	1.046e+005	1.15e+005	2680	0
3300	1.051e+005	1.143e+005	2680	0
3305	1.048e+005	1.173e+005	2680	0
3306	1.053e+005	1.166e+005	2680	0
3307	1.059e+005	1.16e+005	2680	0
3308	1.064e+005	1.153e+005	2680	0
3309	1.042e+005	1.168e+005	2680	0
3310	1.047e+005	1.161e+005	2680	0
3311	1.052e+005	1.155e+005	2680	0
3312	1.057e+005	1.148e+005	2680	0
3313	1.049e+005	1.132e+005	2680	0
3314	1.043e+005	1.127e+005	2680	0
3320	1.054e+005	1.125e+005	2680	0
3321	1.059e+005	1.118e+005	2680	0
3322	1.064e+005	1.111e+005	2680	0
3323	1.068e+005	1.104e+005	2680	0
3324	1.048e+005	1.12e+005	2680	0
3325	1.053e+005	1.114e+005	2680	0
3326	1.057e+005	1.107e+005	2680	0
3327	1.062e+005	1.1e+005	2680	0
3328	1.024e+005	1.165e+005	2680	0
3329	1.018e+005	1.16e+005	2680	0
3335	1.029e+005	1.158e+005	2680	0
3336	1.034e+005	1.152e+005	2680	0
3337	1.039e+005	1.145e+005	2680	0
3338	1.044e+005	1.138e+005	2680	0
3339	1.023e+005	1.153e+005	2680	0
3340	1.028e+005	1.147e+005	2680	0
3341	1.033e+005	1.14e+005	2680	0
3342	1.038e+005	1.134e+005	2680	0
3343	1.031e+005	1.118e+005	2680	0
3344	1.025e+005	1.114e+005	2680	0
3345	1.019e+005	1.109e+005	2680	0
3346	1.023e+005	1.103e+005	2680	0
3347	1.028e+005	1.096e+005	2680	0
3348	1.032e+005	1.09e+005	2680	0
3349	1.037e+005	1.083e+005	2680	0
3350	1.041e+005	1.077e+005	2680	0
3351	1.047e+005	1.081e+005	2680	0
3352	1.053e+005	1.085e+005	2680	0
3353	1.035e+005	1.111e+005	2680	0
3354	1.04e+005	1.105e+005	2680	0
3355	1.044e+005	1.098e+005	2680	0
3356	1.049e+005	1.091e+005	2680	0
3357	1.029e+005	1.107e+005	2680	0
3358	1.034e+005	1.101e+005	2680	0
3359	1.038e+005	1.094e+005	2680	0
3360	1.043e+005	1.087e+005	2680	0
3361	1.003e+005	1.201e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3362	9.969e+004	1.196e+005	2680	0
3363	9.91e+004	1.191e+005	2680	0
3369	1.025e+005	1.176e+005	2680	0
3370	1.019e+005	1.183e+005	2680	0
3371	1.014e+005	1.189e+005	2680	0
3372	1.008e+005	1.195e+005	2680	0
3373	1.002e+005	1.19e+005	2680	0
3374	1.008e+005	1.184e+005	2680	0
3375	1.013e+005	1.177e+005	2680	0
3376	1.019e+005	1.171e+005	2680	0
3377	9.965e+004	1.185e+005	2680	0
3378	1.002e+005	1.178e+005	2680	0
3379	1.007e+005	1.172e+005	2680	0
3380	1.013e+005	1.166e+005	2680	0
3381	1.006e+005	1.15e+005	2680	0
3382	1e+005	1.145e+005	2680	0
3383	9.945e+004	1.14e+005	2680	0
3384	9.994e+004	1.134e+005	2680	0
3385	1.004e+005	1.128e+005	2680	0
3386	1.009e+005	1.122e+005	2680	0
3387	1.014e+005	1.116e+005	2680	0
3388	1.011e+005	1.144e+005	2680	0
3389	1.016e+005	1.137e+005	2680	0
3390	1.021e+005	1.131e+005	2680	0
3391	1.026e+005	1.124e+005	2680	0
3392	1.005e+005	1.139e+005	2680	0
3393	1.01e+005	1.133e+005	2680	0
3394	1.015e+005	1.126e+005	2680	0
3395	1.02e+005	1.12e+005	2680	0
3397	1.015e+005	1.212e+005	2680	0
3398	1.009e+005	1.207e+005	2680	0
3403	1.02e+005	1.206e+005	2680	0
3404	1.026e+005	1.199e+005	2680	0
3405	1.032e+005	1.193e+005	2680	0
3406	1.037e+005	1.186e+005	2680	0
3407	1.014e+005	1.201e+005	2680	0
3408	1.02e+005	1.194e+005	2680	0
3409	1.026e+005	1.188e+005	2680	0
3410	1.031e+005	1.181e+005	2680	0
3411	1.067e+005	1.199e+005	2680	0
3412	1.061e+005	1.194e+005	2680	0
3413	1.055e+005	1.19e+005	2680	0
3414	1.089e+005	1.171e+005	2680	0
3415	1.083e+005	1.178e+005	2680	0
3416	1.078e+005	1.185e+005	2680	0
3417	1.072e+005	1.192e+005	2680	0
3418	1.066e+005	1.188e+005	2680	0
3419	1.072e+005	1.181e+005	2680	0
3420	1.077e+005	1.174e+005	2680	0
3421	1.082e+005	1.167e+005	2680	0
3422	1.06e+005	1.183e+005	2680	0
3423	1.066e+005	1.176e+005	2680	0
3424	1.071e+005	1.169e+005	2680	0
3425	1.076e+005	1.162e+005	2680	0
3427	9.85e+004	1.243e+005	2680	0
3428	9.794e+004	1.237e+005	2680	0
3429	9.738e+004	1.232e+005	2680	0
3430	9.797e+004	1.226e+005	2680	0
3431	9.856e+004	1.22e+005	2680	0
3432	9.914e+004	1.214e+005	2680	0
3433	9.972e+004	1.208e+005	2680	0
3438	9.911e+004	1.237e+005	2680	0
3439	9.971e+004	1.231e+005	2680	0
3440	1.003e+005	1.225e+005	2680	0
3441	1.009e+005	1.219e+005	2680	0
3442	9.854e+004	1.231e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3443	9.913e+004	1.225e+005	2680	0
3444	9.972e+004	1.219e+005	2680	0
3445	1.003e+005	1.213e+005	2680	0
3446	1.038e+005	1.233e+005	2680	0
3447	1.032e+005	1.228e+005	2680	0
3448	1.026e+005	1.223e+005	2680	0
3449	1.061e+005	1.206e+005	2680	0
3450	1.055e+005	1.213e+005	2680	0
3451	1.049e+005	1.22e+005	2680	0
3452	1.044e+005	1.226e+005	2680	0
3453	1.038e+005	1.221e+005	2680	0
3454	1.044e+005	1.215e+005	2680	0
3455	1.049e+005	1.208e+005	2680	0
3456	1.055e+005	1.201e+005	2680	0
3457	1.032e+005	1.216e+005	2680	0
3458	1.038e+005	1.21e+005	2680	0
3459	1.044e+005	1.203e+005	2680	0
3460	1.049e+005	1.196e+005	2680	0
3461	1.007e+005	1.265e+005	2680	0
3462	1.001e+005	1.26e+005	2680	0
3463	9.96e+004	1.254e+005	2680	0
3464	1.032e+005	1.24e+005	2680	0
3465	1.025e+005	1.246e+005	2680	0
3466	1.019e+005	1.252e+005	2680	0
3467	1.013e+005	1.259e+005	2680	0
3468	1.008e+005	1.253e+005	2680	0
3469	1.014e+005	1.247e+005	2680	0
3470	1.02e+005	1.241e+005	2680	0
3471	1.026e+005	1.234e+005	2680	0
3472	1.002e+005	1.248e+005	2680	0
3473	1.008e+005	1.242e+005	2680	0
3474	1.014e+005	1.236e+005	2680	0
3475	1.02e+005	1.229e+005	2680	0
3476	1e+005	1.271e+005	2680	0
3477	9.939e+004	1.277e+005	2680	0
3478	9.874e+004	1.283e+005	2680	0
3479	9.808e+004	1.289e+005	2680	0
3480	9.742e+004	1.295e+005	2680	0
3481	9.691e+004	1.29e+005	2680	0
3482	9.641e+004	1.284e+005	2680	0
3488	9.95e+004	1.266e+005	2680	0
3489	9.898e+004	1.26e+005	2680	0
3490	9.887e+004	1.272e+005	2680	0
3491	9.834e+004	1.266e+005	2680	0
3492	9.822e+004	1.278e+005	2680	0
3493	9.771e+004	1.272e+005	2680	0
3494	9.757e+004	1.284e+005	2680	0
3495	9.706e+004	1.278e+005	2680	0
3496	9.538e+004	1.272e+005	2680	0
3497	9.485e+004	1.266e+005	2680	0
3498	9.431e+004	1.26e+005	2680	0
3499	9.494e+004	1.255e+005	2680	0
3500	9.556e+004	1.249e+005	2680	0
3501	9.617e+004	1.243e+005	2680	0
3502	9.678e+004	1.238e+005	2680	0
3503	9.789e+004	1.249e+005	2680	0
3504	9.733e+004	1.243e+005	2680	0
3505	9.727e+004	1.255e+005	2680	0
3506	9.672e+004	1.249e+005	2680	0
3507	9.665e+004	1.261e+005	2680	0
3508	9.61e+004	1.255e+005	2680	0
3509	9.601e+004	1.267e+005	2680	0
3510	9.548e+004	1.261e+005	2680	0
3511	9.682e+004	1.226e+005	2680	0
3512	9.625e+004	1.22e+005	2680	0
3518	9.74e+004	1.22e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3519	9.798e+004	1.214e+005	2680	0
3520	9.856e+004	1.208e+005	2680	0
3521	9.913e+004	1.202e+005	2680	0
3522	9.683e+004	1.215e+005	2680	0
3523	9.741e+004	1.209e+005	2680	0
3524	9.798e+004	1.203e+005	2680	0
3525	9.854e+004	1.197e+005	2680	0
3526	9.378e+004	1.255e+005	2680	0
3527	9.325e+004	1.249e+005	2680	0
3533	9.622e+004	1.232e+005	2680	0
3534	9.566e+004	1.226e+005	2680	0
3535	9.562e+004	1.238e+005	2680	0
3536	9.507e+004	1.232e+005	2680	0
3537	9.501e+004	1.243e+005	2680	0
3538	9.447e+004	1.237e+005	2680	0
3539	9.44e+004	1.249e+005	2680	0
3540	9.386e+004	1.243e+005	2680	0
3541	9.517e+004	1.209e+005	2680	0
3542	9.465e+004	1.204e+005	2680	0
3543	9.413e+004	1.199e+005	2680	0
3544	9.469e+004	1.193e+005	2680	0
3545	9.524e+004	1.188e+005	2680	0
3546	9.579e+004	1.182e+005	2680	0
3547	9.633e+004	1.176e+005	2680	0
3548	9.687e+004	1.17e+005	2680	0
3549	9.741e+004	1.175e+005	2680	0
3550	9.796e+004	1.18e+005	2680	0
3551	9.574e+004	1.204e+005	2680	0
3552	9.631e+004	1.198e+005	2680	0
3553	9.686e+004	1.192e+005	2680	0
3554	9.742e+004	1.186e+005	2680	0
3555	9.522e+004	1.199e+005	2680	0
3556	9.577e+004	1.193e+005	2680	0
3557	9.633e+004	1.187e+005	2680	0
3558	9.687e+004	1.181e+005	2680	0
3559	9.368e+004	1.266e+005	2680	0
3560	9.305e+004	1.272e+005	2680	0
3561	9.24e+004	1.277e+005	2680	0
3562	9.176e+004	1.282e+005	2680	0
3563	9.11e+004	1.288e+005	2680	0
3564	9.06e+004	1.281e+005	2680	0
3565	9.01e+004	1.275e+005	2680	0
3571	9.316e+004	1.26e+005	2680	0
3572	9.263e+004	1.254e+005	2680	0
3573	9.253e+004	1.265e+005	2680	0
3574	9.201e+004	1.259e+005	2680	0
3575	9.189e+004	1.271e+005	2680	0
3576	9.138e+004	1.265e+005	2680	0
3577	9.125e+004	1.276e+005	2680	0
3578	9.075e+004	1.27e+005	2680	0
3579	9.223e+004	1.237e+005	2680	0
3580	9.174e+004	1.231e+005	2680	0
3581	9.125e+004	1.226e+005	2680	0
3582	9.183e+004	1.221e+005	2680	0
3583	9.242e+004	1.215e+005	2680	0
3584	9.299e+004	1.21e+005	2680	0
3585	9.357e+004	1.204e+005	2680	0
3586	9.283e+004	1.232e+005	2680	0
3587	9.342e+004	1.226e+005	2680	0
3588	9.401e+004	1.221e+005	2680	0
3589	9.459e+004	1.215e+005	2680	0
3590	9.233e+004	1.226e+005	2680	0
3591	9.292e+004	1.221e+005	2680	0
3592	9.35e+004	1.215e+005	2680	0
3593	9.408e+004	1.21e+005	2680	0
3599	9.21e+004	1.3e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3600	9.16e+004	1.294e+005	2680	0
3601	9.473e+004	1.278e+005	2680	0
3602	9.421e+004	1.272e+005	2680	0
3603	9.408e+004	1.284e+005	2680	0
3604	9.357e+004	1.278e+005	2680	0
3605	9.343e+004	1.289e+005	2680	0
3606	9.292e+004	1.283e+005	2680	0
3607	9.277e+004	1.295e+005	2680	0
3608	9.226e+004	1.288e+005	2680	0
3609	9.047e+004	1.293e+005	2680	0
3610	8.984e+004	1.297e+005	2680	0
3611	8.92e+004	1.302e+005	2680	0
3612	8.856e+004	1.307e+005	2680	0
3613	8.791e+004	1.312e+005	2680	0
3614	8.744e+004	1.305e+005	2680	0
3615	8.697e+004	1.299e+005	2680	0
3621	8.949e+004	1.28e+005	2680	0
3622	8.887e+004	1.285e+005	2680	0
3623	8.824e+004	1.289e+005	2680	0
3624	8.761e+004	1.294e+005	2680	0
3625	8.998e+004	1.286e+005	2680	0
3626	8.935e+004	1.291e+005	2680	0
3627	8.872e+004	1.296e+005	2680	0
3628	8.808e+004	1.301e+005	2680	0
3629	8.914e+004	1.263e+005	2680	0
3630	8.868e+004	1.257e+005	2680	0
3631	8.822e+004	1.251e+005	2680	0
3632	8.884e+004	1.246e+005	2680	0
3633	8.945e+004	1.241e+005	2680	0
3634	9.005e+004	1.236e+005	2680	0
3635	9.065e+004	1.231e+005	2680	0
3636	8.977e+004	1.258e+005	2680	0
3637	9.039e+004	1.253e+005	2680	0
3638	9.101e+004	1.248e+005	2680	0
3639	9.162e+004	1.242e+005	2680	0
3640	8.93e+004	1.252e+005	2680	0
3641	8.992e+004	1.247e+005	2680	0
3642	9.053e+004	1.242e+005	2680	0
3643	9.114e+004	1.237e+005	2680	0
3644	9.674e+004	1.301e+005	2680	0
3645	9.607e+004	1.307e+005	2680	0
3646	9.539e+004	1.313e+005	2680	0
3647	9.47e+004	1.318e+005	2680	0
3648	9.4e+004	1.324e+005	2680	0
3649	9.353e+004	1.318e+005	2680	0
3650	9.307e+004	1.312e+005	2680	0
3651	9.625e+004	1.296e+005	2680	0
3652	9.575e+004	1.29e+005	2680	0
3653	9.558e+004	1.301e+005	2680	0
3654	9.509e+004	1.296e+005	2680	0
3655	9.49e+004	1.307e+005	2680	0
3656	9.442e+004	1.301e+005	2680	0
3657	9.422e+004	1.313e+005	2680	0
3658	9.375e+004	1.307e+005	2680	0
3664	8.885e+004	1.325e+005	2680	0
3665	8.838e+004	1.318e+005	2680	0
3666	9.097e+004	1.299e+005	2680	0
3667	9.033e+004	1.304e+005	2680	0
3668	8.968e+004	1.309e+005	2680	0
3669	8.903e+004	1.313e+005	2680	0
3670	9.146e+004	1.305e+005	2680	0
3671	9.081e+004	1.31e+005	2680	0
3672	9.016e+004	1.315e+005	2680	0
3673	8.951e+004	1.32e+005	2680	0
3674	9.334e+004	1.329e+005	2680	0
3675	9.267e+004	1.334e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


3676	9.199e+004	1.339e+005	2680	0
3677	9.131e+004	1.344e+005	2680	0
3678	9.063e+004	1.349e+005	2680	0
3679	9.019e+004	1.343e+005	2680	0
3680	8.976e+004	1.337e+005	2680	0
3681	9.241e+004	1.317e+005	2680	0
3682	9.176e+004	1.322e+005	2680	0
3683	9.11e+004	1.327e+005	2680	0
3684	9.043e+004	1.332e+005	2680	0
3685	9.288e+004	1.323e+005	2680	0
3686	9.221e+004	1.328e+005	2680	0
3687	9.154e+004	1.333e+005	2680	0
3688	9.087e+004	1.338e+005	2680	0
3689	8.716e+004	1.373e+005	2680	0
3690	8.675e+004	1.367e+005	2680	0
3691	8.634e+004	1.36e+005	2680	0
3697	8.994e+004	1.354e+005	2680	0
3698	8.925e+004	1.359e+005	2680	0
3699	8.856e+004	1.363e+005	2680	0
3700	8.786e+004	1.368e+005	2680	0
3701	8.745e+004	1.362e+005	2680	0
3702	8.814e+004	1.357e+005	2680	0
3703	8.883e+004	1.353e+005	2680	0
3704	8.951e+004	1.348e+005	2680	0
3705	8.703e+004	1.356e+005	2680	0
3706	8.772e+004	1.351e+005	2680	0
3707	8.84e+004	1.347e+005	2680	0
3708	8.908e+004	1.342e+005	2680	0
3709	8.549e+004	1.348e+005	2680	0
3710	8.505e+004	1.341e+005	2680	0
3711	8.461e+004	1.334e+005	2680	0
3712	8.528e+004	1.33e+005	2680	0
3713	8.594e+004	1.325e+005	2680	0
3714	8.66e+004	1.321e+005	2680	0
3715	8.726e+004	1.316e+005	2680	0
3716	8.617e+004	1.343e+005	2680	0
3717	8.685e+004	1.339e+005	2680	0
3718	8.752e+004	1.334e+005	2680	0
3719	8.819e+004	1.329e+005	2680	0
3720	8.572e+004	1.336e+005	2680	0
3721	8.639e+004	1.332e+005	2680	0
3722	8.706e+004	1.327e+005	2680	0
3723	8.772e+004	1.323e+005	2680	0
3725	8.207e+004	1.369e+005	2680	0
3726	8.165e+004	1.363e+005	2680	0
3727	8.123e+004	1.356e+005	2680	0
3728	8.191e+004	1.351e+005	2680	0
3729	8.259e+004	1.347e+005	2680	0
3730	8.327e+004	1.343e+005	2680	0
3731	8.394e+004	1.339e+005	2680	0
3736	8.276e+004	1.365e+005	2680	0
3737	8.345e+004	1.361e+005	2680	0
3738	8.413e+004	1.356e+005	2680	0
3739	8.481e+004	1.352e+005	2680	0
3740	8.234e+004	1.358e+005	2680	0
3741	8.302e+004	1.354e+005	2680	0
3742	8.37e+004	1.35e+005	2680	0
3743	8.438e+004	1.345e+005	2680	0
3744	8.417e+004	1.328e+005	2680	0
3745	8.373e+004	1.321e+005	2680	0
3751	8.483e+004	1.323e+005	2680	0
3752	8.549e+004	1.319e+005	2680	0
3753	8.614e+004	1.314e+005	2680	0
3754	8.679e+004	1.31e+005	2680	0
3755	8.438e+004	1.317e+005	2680	0
3756	8.503e+004	1.312e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3757	8.568e+004	1.308e+005	2680	0
3758	8.633e+004	1.303e+005	2680	0
3759	8.362e+004	1.395e+005	2680	0
3760	8.324e+004	1.389e+005	2680	0
3761	8.286e+004	1.382e+005	2680	0
3762	8.646e+004	1.377e+005	2680	0
3763	8.575e+004	1.382e+005	2680	0
3764	8.505e+004	1.386e+005	2680	0
3765	8.434e+004	1.391e+005	2680	0
3766	8.395e+004	1.384e+005	2680	0
3767	8.466e+004	1.38e+005	2680	0
3768	8.536e+004	1.376e+005	2680	0
3769	8.606e+004	1.371e+005	2680	0
3770	8.357e+004	1.378e+005	2680	0
3771	8.426e+004	1.374e+005	2680	0
3772	8.496e+004	1.369e+005	2680	0
3773	8.565e+004	1.365e+005	2680	0
3774	8.001e+004	1.416e+005	2680	0
3775	7.966e+004	1.41e+005	2680	0
3776	7.931e+004	1.403e+005	2680	0
3782	8.291e+004	1.399e+005	2680	0
3783	8.219e+004	1.403e+005	2680	0
3784	8.147e+004	1.408e+005	2680	0
3785	8.074e+004	1.412e+005	2680	0
3786	8.038e+004	1.405e+005	2680	0
3787	8.11e+004	1.401e+005	2680	0
3788	8.182e+004	1.397e+005	2680	0
3789	8.253e+004	1.393e+005	2680	0
3790	8.002e+004	1.399e+005	2680	0
3791	8.074e+004	1.395e+005	2680	0
3792	8.145e+004	1.391e+005	2680	0
3793	8.216e+004	1.387e+005	2680	0
3794	7.633e+004	1.436e+005	2680	0
3795	7.601e+004	1.429e+005	2680	0
3796	7.568e+004	1.423e+005	2680	0
3802	7.928e+004	1.42e+005	2680	0
3803	7.855e+004	1.424e+005	2680	0
3804	7.781e+004	1.428e+005	2680	0
3805	7.707e+004	1.432e+005	2680	0
3806	7.674e+004	1.425e+005	2680	0
3807	7.748e+004	1.421e+005	2680	0
3808	7.821e+004	1.418e+005	2680	0
3809	7.894e+004	1.414e+005	2680	0
3810	7.641e+004	1.419e+005	2680	0
3811	7.714e+004	1.415e+005	2680	0
3812	7.786e+004	1.411e+005	2680	0
3813	7.859e+004	1.407e+005	2680	0
3814	7.856e+004	1.39e+005	2680	0
3815	7.817e+004	1.383e+005	2680	0
3816	7.778e+004	1.376e+005	2680	0
3817	7.848e+004	1.372e+005	2680	0
3818	7.917e+004	1.368e+005	2680	0
3819	7.986e+004	1.364e+005	2680	0
3820	8.055e+004	1.36e+005	2680	0
3821	7.927e+004	1.386e+005	2680	0
3822	7.997e+004	1.382e+005	2680	0
3823	8.067e+004	1.378e+005	2680	0
3824	8.137e+004	1.374e+005	2680	0
3825	7.887e+004	1.379e+005	2680	0
3826	7.957e+004	1.375e+005	2680	0
3827	8.027e+004	1.371e+005	2680	0
3828	8.096e+004	1.367e+005	2680	0
3829	7.499e+004	1.409e+005	2680	0
3830	7.463e+004	1.402e+005	2680	0
3831	7.427e+004	1.395e+005	2680	0
3832	7.497e+004	1.391e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3833	7.568e+004	1.387e+005	2680	0
3834	7.638e+004	1.384e+005	2680	0
3835	7.709e+004	1.38e+005	2680	0
3836	7.571e+004	1.405e+005	2680	0
3837	7.643e+004	1.402e+005	2680	0
3838	7.714e+004	1.398e+005	2680	0
3839	7.786e+004	1.394e+005	2680	0
3840	7.534e+004	1.398e+005	2680	0
3841	7.605e+004	1.395e+005	2680	0
3842	7.676e+004	1.391e+005	2680	0
3843	7.747e+004	1.387e+005	2680	0
3844	7.739e+004	1.369e+005	2680	0
3845	7.7e+004	1.362e+005	2680	0
3852	8.04e+004	1.342e+005	2680	0
3853	8.082e+004	1.349e+005	2680	0
3854	7.808e+004	1.365e+005	2680	0
3855	7.877e+004	1.361e+005	2680	0
3856	7.946e+004	1.357e+005	2680	0
3857	8.014e+004	1.353e+005	2680	0
3858	7.769e+004	1.358e+005	2680	0
3859	7.837e+004	1.354e+005	2680	0
3860	7.905e+004	1.35e+005	2680	0
3861	7.973e+004	1.346e+005	2680	0
3863	7.137e+004	1.427e+005	2680	0
3864	7.103e+004	1.42e+005	2680	0
3865	7.068e+004	1.413e+005	2680	0
3866	7.141e+004	1.409e+005	2680	0
3867	7.213e+004	1.406e+005	2680	0
3868	7.284e+004	1.402e+005	2680	0
3869	7.356e+004	1.399e+005	2680	0
3874	7.21e+004	1.424e+005	2680	0
3875	7.283e+004	1.42e+005	2680	0
3876	7.355e+004	1.417e+005	2680	0
3877	7.427e+004	1.413e+005	2680	0
3878	7.175e+004	1.417e+005	2680	0
3879	7.248e+004	1.413e+005	2680	0
3880	7.32e+004	1.409e+005	2680	0
3881	7.391e+004	1.406e+005	2680	0
3882	7.39e+004	1.388e+005	2680	0
3883	7.354e+004	1.381e+005	2680	0
3889	7.461e+004	1.384e+005	2680	0
3890	7.531e+004	1.38e+005	2680	0
3891	7.601e+004	1.377e+005	2680	0
3892	7.67e+004	1.373e+005	2680	0
3893	7.424e+004	1.377e+005	2680	0
3894	7.493e+004	1.373e+005	2680	0
3895	7.563e+004	1.37e+005	2680	0
3896	7.632e+004	1.366e+005	2680	0
3897	7.034e+004	1.406e+005	2680	0
3898	7e+004	1.398e+005	2680	0
3904	7.106e+004	1.402e+005	2680	0
3905	7.177e+004	1.399e+005	2680	0
3906	7.249e+004	1.395e+005	2680	0
3907	7.32e+004	1.391e+005	2680	0
3908	7.071e+004	1.395e+005	2680	0
3909	7.142e+004	1.391e+005	2680	0
3910	7.213e+004	1.388e+005	2680	0
3911	7.284e+004	1.384e+005	2680	0
3912	7.285e+004	1.367e+005	2680	0
3913	7.253e+004	1.361e+005	2680	0
3914	7.22e+004	1.354e+005	2680	0
3915	7.288e+004	1.351e+005	2680	0
3916	7.355e+004	1.347e+005	2680	0
3917	7.422e+004	1.343e+005	2680	0
3918	7.489e+004	1.34e+005	2680	0
3919	7.555e+004	1.336e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3920	7.591e+004	1.342e+005	2680	0
3921	7.626e+004	1.349e+005	2680	0
3922	7.354e+004	1.364e+005	2680	0
3923	7.422e+004	1.36e+005	2680	0
3924	7.49e+004	1.356e+005	2680	0
3925	7.558e+004	1.352e+005	2680	0
3926	7.321e+004	1.357e+005	2680	0
3927	7.389e+004	1.354e+005	2680	0
3928	7.456e+004	1.35e+005	2680	0
3929	7.524e+004	1.346e+005	2680	0
3930	6.935e+004	1.385e+005	2680	0
3931	6.904e+004	1.378e+005	2680	0
3932	6.874e+004	1.372e+005	2680	0
3933	6.943e+004	1.368e+005	2680	0
3934	7.013e+004	1.365e+005	2680	0
3935	7.082e+004	1.362e+005	2680	0
3936	7.151e+004	1.358e+005	2680	0
3937	7.005e+004	1.381e+005	2680	0
3938	7.076e+004	1.378e+005	2680	0
3939	7.146e+004	1.374e+005	2680	0
3940	7.216e+004	1.371e+005	2680	0
3941	6.974e+004	1.375e+005	2680	0
3942	7.044e+004	1.371e+005	2680	0
3943	7.114e+004	1.368e+005	2680	0
3944	7.183e+004	1.364e+005	2680	0
3945	7.622e+004	1.332e+005	2680	0
3946	7.688e+004	1.328e+005	2680	0
3947	7.753e+004	1.324e+005	2680	0
3948	7.819e+004	1.32e+005	2680	0
3949	7.884e+004	1.316e+005	2680	0
3950	7.922e+004	1.323e+005	2680	0
3951	7.96e+004	1.329e+005	2680	0
3952	7.693e+004	1.345e+005	2680	0
3953	7.761e+004	1.341e+005	2680	0
3954	7.827e+004	1.337e+005	2680	0
3955	7.894e+004	1.333e+005	2680	0
3956	7.658e+004	1.338e+005	2680	0
3957	7.724e+004	1.335e+005	2680	0
3958	7.79e+004	1.331e+005	2680	0
3959	7.856e+004	1.327e+005	2680	0
3960	7.949e+004	1.312e+005	2680	0
3961	8.014e+004	1.308e+005	2680	0
3962	8.078e+004	1.304e+005	2680	0
3963	8.142e+004	1.3e+005	2680	0
3964	8.206e+004	1.296e+005	2680	0
3965	8.247e+004	1.302e+005	2680	0
3966	8.288e+004	1.308e+005	2680	0
3971	8.026e+004	1.325e+005	2680	0
3972	8.092e+004	1.321e+005	2680	0
3973	8.157e+004	1.317e+005	2680	0
3974	8.223e+004	1.312e+005	2680	0
3975	7.988e+004	1.319e+005	2680	0
3976	8.053e+004	1.315e+005	2680	0
3977	8.118e+004	1.31e+005	2680	0
3978	8.182e+004	1.306e+005	2680	0
3979	8.269e+004	1.292e+005	2680	0
3980	8.332e+004	1.287e+005	2680	0
3981	8.395e+004	1.283e+005	2680	0
3982	8.457e+004	1.279e+005	2680	0
3983	8.519e+004	1.274e+005	2680	0
3984	8.563e+004	1.28e+005	2680	0
3985	8.607e+004	1.286e+005	2680	0
3986	8.352e+004	1.304e+005	2680	0
3987	8.416e+004	1.3e+005	2680	0
3988	8.48e+004	1.295e+005	2680	0
3989	8.544e+004	1.291e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3990	8.311e+004	1.298e+005	2680	0
3991	8.374e+004	1.293e+005	2680	0
3992	8.437e+004	1.289e+005	2680	0
3993	8.5e+004	1.285e+005	2680	0
3994	8.149e+004	1.345e+005	2680	0
3995	8.217e+004	1.34e+005	2680	0
3996	8.284e+004	1.336e+005	2680	0
3997	8.35e+004	1.332e+005	2680	0
3998	8.107e+004	1.338e+005	2680	0
3999	8.174e+004	1.334e+005	2680	0
4000	8.24e+004	1.329e+005	2680	0
4001	8.307e+004	1.325e+005	2680	0
4002	8.581e+004	1.27e+005	2680	0
4003	8.642e+004	1.265e+005	2680	0
4004	8.702e+004	1.261e+005	2680	0
4005	8.762e+004	1.256e+005	2680	0
4006	8.808e+004	1.262e+005	2680	0
4007	8.747e+004	1.267e+005	2680	0
4008	8.686e+004	1.271e+005	2680	0
4009	8.625e+004	1.276e+005	2680	0
4010	8.854e+004	1.268e+005	2680	0
4011	8.793e+004	1.272e+005	2680	0
4012	8.731e+004	1.277e+005	2680	0
4013	8.669e+004	1.282e+005	2680	0
4014	9.74e+004	1.165e+005	2680	0
4015	9.792e+004	1.159e+005	2680	0
4016	9.843e+004	1.153e+005	2680	0
4017	9.894e+004	1.147e+005	2680	0
4018	9.85e+004	1.174e+005	2680	0
4019	9.903e+004	1.168e+005	2680	0
4020	9.956e+004	1.162e+005	2680	0
4021	1.001e+005	1.156e+005	2680	0
4022	9.795e+004	1.169e+005	2680	0
4023	9.848e+004	1.163e+005	2680	0
4024	9.9e+004	1.157e+005	2680	0
4025	9.951e+004	1.151e+005	2680	0
4026	1.045e+005	1.07e+005	2680	0
4027	1.049e+005	1.063e+005	2680	0
4028	1.054e+005	1.057e+005	2680	0
4029	1.058e+005	1.05e+005	2680	0
4030	1.062e+005	1.043e+005	2680	0
4031	1.068e+005	1.047e+005	2680	0
4032	1.074e+005	1.05e+005	2680	0
4033	1.058e+005	1.078e+005	2680	0
4034	1.062e+005	1.071e+005	2680	0
4035	1.066e+005	1.064e+005	2680	0
4036	1.07e+005	1.057e+005	2680	0
4037	1.052e+005	1.074e+005	2680	0
4038	1.056e+005	1.067e+005	2680	0
4039	1.06e+005	1.06e+005	2680	0
4040	1.064e+005	1.053e+005	2680	0
4041	1.066e+005	1.036e+005	2680	0
4042	1.069e+005	1.029e+005	2680	0
4043	1.073e+005	1.022e+005	2680	0
4044	1.077e+005	1.015e+005	2680	0
4045	1.078e+005	1.043e+005	2680	0
4046	1.082e+005	1.036e+005	2680	0
4047	1.086e+005	1.029e+005	2680	0
4048	1.09e+005	1.022e+005	2680	0
4049	1.072e+005	1.04e+005	2680	0
4050	1.076e+005	1.033e+005	2680	0
4051	1.08e+005	1.026e+005	2680	0
4052	1.083e+005	1.019e+005	2680	0
4053	1.115e+005	9.289e+004	2680	0
4054	1.117e+005	9.22e+004	2680	0
4055	1.12e+005	9.151e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4056	1.122e+005	9.081e+004	2680	0
4057	1.129e+005	9.34e+004	2680	0
4058	1.131e+005	9.269e+004	2680	0
4059	1.134e+005	9.198e+004	2680	0
4060	1.136e+005	9.126e+004	2680	0
4061	1.122e+005	9.315e+004	2680	0
4062	1.124e+005	9.245e+004	2680	0
4063	1.127e+005	9.174e+004	2680	0
4064	1.129e+005	9.104e+004	2680	0
4066	6.577e+004	1.401e+005	2680	0
4067	6.548e+004	1.395e+005	2680	0
4068	6.519e+004	1.388e+005	2680	0
4069	6.591e+004	1.385e+005	2680	0
4070	6.662e+004	1.382e+005	2680	0
4071	6.733e+004	1.379e+005	2680	0
4072	6.803e+004	1.375e+005	2680	0
4077	6.649e+004	1.398e+005	2680	0
4078	6.721e+004	1.395e+005	2680	0
4079	6.792e+004	1.391e+005	2680	0
4080	6.863e+004	1.388e+005	2680	0
4081	6.62e+004	1.391e+005	2680	0
4082	6.691e+004	1.388e+005	2680	0
4083	6.762e+004	1.385e+005	2680	0
4084	6.833e+004	1.382e+005	2680	0
4085	6.704e+004	1.429e+005	2680	0
4086	6.671e+004	1.422e+005	2680	0
4087	6.639e+004	1.415e+005	2680	0
4088	6.996e+004	1.416e+005	2680	0
4089	6.923e+004	1.42e+005	2680	0
4090	6.85e+004	1.423e+005	2680	0
4091	6.777e+004	1.426e+005	2680	0
4092	6.744e+004	1.419e+005	2680	0
4093	6.817e+004	1.416e+005	2680	0
4094	6.889e+004	1.412e+005	2680	0
4095	6.962e+004	1.409e+005	2680	0
4096	6.711e+004	1.412e+005	2680	0
4097	6.783e+004	1.408e+005	2680	0
4098	6.856e+004	1.405e+005	2680	0
4099	6.928e+004	1.402e+005	2680	0
4101	6.77e+004	1.444e+005	2680	0
4102	6.737e+004	1.437e+005	2680	0
4107	6.844e+004	1.441e+005	2680	0
4108	6.917e+004	1.437e+005	2680	0
4109	6.991e+004	1.434e+005	2680	0
4110	7.064e+004	1.431e+005	2680	0
4111	6.811e+004	1.433e+005	2680	0
4112	6.884e+004	1.43e+005	2680	0
4113	6.957e+004	1.427e+005	2680	0
4114	7.03e+004	1.423e+005	2680	0
4115	7.263e+004	1.454e+005	2680	0
4116	7.233e+004	1.447e+005	2680	0
4117	7.202e+004	1.441e+005	2680	0
4118	7.56e+004	1.439e+005	2680	0
4119	7.486e+004	1.443e+005	2680	0
4120	7.412e+004	1.447e+005	2680	0
4121	7.338e+004	1.45e+005	2680	0
4122	7.307e+004	1.444e+005	2680	0
4123	7.381e+004	1.44e+005	2680	0
4124	7.454e+004	1.437e+005	2680	0
4125	7.528e+004	1.433e+005	2680	0
4126	7.276e+004	1.437e+005	2680	0
4127	7.349e+004	1.434e+005	2680	0
4128	7.423e+004	1.43e+005	2680	0
4129	7.495e+004	1.426e+005	2680	0
4131	6.4e+004	1.46e+005	2680	0
4132	6.369e+004	1.453e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4133	6.338e+004	1.445e+005	2680	0
4134	6.411e+004	1.442e+005	2680	0
4135	6.485e+004	1.439e+005	2680	0
4136	6.558e+004	1.436e+005	2680	0
4137	6.631e+004	1.433e+005	2680	0
4142	6.474e+004	1.457e+005	2680	0
4143	6.548e+004	1.454e+005	2680	0
4144	6.622e+004	1.45e+005	2680	0
4145	6.696e+004	1.447e+005	2680	0
4146	6.443e+004	1.45e+005	2680	0
4147	6.517e+004	1.446e+005	2680	0
4148	6.59e+004	1.443e+005	2680	0
4149	6.664e+004	1.44e+005	2680	0
4150	6.889e+004	1.47e+005	2680	0
4151	6.86e+004	1.464e+005	2680	0
4152	6.832e+004	1.458e+005	2680	0
4153	7.189e+004	1.457e+005	2680	0
4154	7.114e+004	1.461e+005	2680	0
4155	7.039e+004	1.464e+005	2680	0
4156	6.964e+004	1.467e+005	2680	0
4157	6.935e+004	1.461e+005	2680	0
4158	7.01e+004	1.457e+005	2680	0
4159	7.084e+004	1.454e+005	2680	0
4160	7.159e+004	1.451e+005	2680	0
4161	6.906e+004	1.454e+005	2680	0
4162	6.98e+004	1.451e+005	2680	0
4163	7.055e+004	1.448e+005	2680	0
4164	7.128e+004	1.444e+005	2680	0
4165	6.512e+004	1.486e+005	2680	0
4166	6.485e+004	1.48e+005	2680	0
4167	6.458e+004	1.474e+005	2680	0
4168	6.814e+004	1.474e+005	2680	0
4169	6.739e+004	1.477e+005	2680	0
4170	6.663e+004	1.48e+005	2680	0
4171	6.588e+004	1.483e+005	2680	0
4172	6.56e+004	1.477e+005	2680	0
4173	6.636e+004	1.474e+005	2680	0
4174	6.711e+004	1.471e+005	2680	0
4175	6.786e+004	1.467e+005	2680	0
4176	6.533e+004	1.471e+005	2680	0
4177	6.608e+004	1.467e+005	2680	0
4178	6.683e+004	1.464e+005	2680	0
4179	6.757e+004	1.461e+005	2680	0
4180	6.132e+004	1.502e+005	2680	0
4181	6.107e+004	1.495e+005	2680	0
4182	6.082e+004	1.489e+005	2680	0
4188	6.436e+004	1.49e+005	2680	0
4189	6.36e+004	1.493e+005	2680	0
4190	6.284e+004	1.496e+005	2680	0
4191	6.208e+004	1.499e+005	2680	0
4192	6.183e+004	1.492e+005	2680	0
4193	6.259e+004	1.489e+005	2680	0
4194	6.334e+004	1.486e+005	2680	0
4195	6.41e+004	1.483e+005	2680	0
4196	6.157e+004	1.486e+005	2680	0
4197	6.233e+004	1.483e+005	2680	0
4198	6.308e+004	1.48e+005	2680	0
4199	6.383e+004	1.477e+005	2680	0
4200	6.027e+004	1.475e+005	2680	0
4201	5.997e+004	1.468e+005	2680	0
4202	5.968e+004	1.461e+005	2680	0
4203	6.042e+004	1.458e+005	2680	0
4204	6.116e+004	1.455e+005	2680	0
4205	6.19e+004	1.452e+005	2680	0
4206	6.264e+004	1.448e+005	2680	0
4207	6.326e+004	1.463e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4208	6.295e+004	1.456e+005	2680	0
4209	6.251e+004	1.466e+005	2680	0
4210	6.221e+004	1.459e+005	2680	0
4211	6.177e+004	1.469e+005	2680	0
4212	6.147e+004	1.462e+005	2680	0
4213	6.102e+004	1.472e+005	2680	0
4214	6.072e+004	1.465e+005	2680	0
4215	6.307e+004	1.438e+005	2680	0
4216	6.275e+004	1.431e+005	2680	0
4222	6.38e+004	1.435e+005	2680	0
4223	6.453e+004	1.432e+005	2680	0
4224	6.526e+004	1.428e+005	2680	0
4225	6.599e+004	1.425e+005	2680	0
4226	6.348e+004	1.427e+005	2680	0
4227	6.421e+004	1.424e+005	2680	0
4228	6.494e+004	1.421e+005	2680	0
4229	6.566e+004	1.418e+005	2680	0
4230	5.938e+004	1.453e+005	2680	0
4231	5.909e+004	1.446e+005	2680	0
4237	6.233e+004	1.441e+005	2680	0
4238	6.202e+004	1.434e+005	2680	0
4239	6.16e+004	1.444e+005	2680	0
4240	6.129e+004	1.437e+005	2680	0
4241	6.086e+004	1.447e+005	2680	0
4242	6.056e+004	1.44e+005	2680	0
4243	6.012e+004	1.45e+005	2680	0
4244	5.982e+004	1.443e+005	2680	0
4245	6.217e+004	1.417e+005	2680	0
4246	6.189e+004	1.41e+005	2680	0
4247	6.162e+004	1.404e+005	2680	0
4248	6.234e+004	1.401e+005	2680	0
4249	6.305e+004	1.398e+005	2680	0
4250	6.377e+004	1.395e+005	2680	0
4251	6.448e+004	1.391e+005	2680	0
4252	6.289e+004	1.414e+005	2680	0
4253	6.361e+004	1.411e+005	2680	0
4254	6.433e+004	1.407e+005	2680	0
4255	6.505e+004	1.404e+005	2680	0
4256	6.261e+004	1.407e+005	2680	0
4257	6.333e+004	1.404e+005	2680	0
4258	6.405e+004	1.401e+005	2680	0
4259	6.477e+004	1.398e+005	2680	0
4260	5.893e+004	1.464e+005	2680	0
4261	5.819e+004	1.466e+005	2680	0
4262	5.744e+004	1.469e+005	2680	0
4263	5.67e+004	1.472e+005	2680	0
4264	5.595e+004	1.475e+005	2680	0
4265	5.567e+004	1.467e+005	2680	0
4266	5.539e+004	1.46e+005	2680	0
4272	5.864e+004	1.456e+005	2680	0
4273	5.835e+004	1.449e+005	2680	0
4274	5.79e+004	1.459e+005	2680	0
4275	5.761e+004	1.452e+005	2680	0
4276	5.716e+004	1.462e+005	2680	0
4277	5.687e+004	1.454e+005	2680	0
4278	5.641e+004	1.465e+005	2680	0
4279	5.613e+004	1.457e+005	2680	0
4280	5.853e+004	1.432e+005	2680	0
4281	5.827e+004	1.425e+005	2680	0
4282	5.802e+004	1.419e+005	2680	0
4283	5.874e+004	1.416e+005	2680	0
4284	5.946e+004	1.413e+005	2680	0
4285	6.018e+004	1.41e+005	2680	0
4286	6.09e+004	1.407e+005	2680	0
4287	6.144e+004	1.42e+005	2680	0
4288	6.117e+004	1.413e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


4289	6.072e+004	1.423e+005	2680	0
4290	6.045e+004	1.416e+005	2680	0
4291	5.999e+004	1.426e+005	2680	0
4292	5.972e+004	1.419e+005	2680	0
4293	5.926e+004	1.429e+005	2680	0
4294	5.9e+004	1.422e+005	2680	0
4300	5.651e+004	1.49e+005	2680	0
4301	5.623e+004	1.482e+005	2680	0
4302	5.952e+004	1.478e+005	2680	0
4303	5.923e+004	1.471e+005	2680	0
4304	5.877e+004	1.481e+005	2680	0
4305	5.848e+004	1.474e+005	2680	0
4306	5.802e+004	1.484e+005	2680	0
4307	5.773e+004	1.477e+005	2680	0
4308	5.726e+004	1.487e+005	2680	0
4309	5.698e+004	1.48e+005	2680	0
4310	5.523e+004	1.478e+005	2680	0
4311	5.452e+004	1.48e+005	2680	0
4312	5.38e+004	1.483e+005	2680	0
4313	5.309e+004	1.485e+005	2680	0
4314	5.237e+004	1.488e+005	2680	0
4315	5.211e+004	1.48e+005	2680	0
4316	5.185e+004	1.473e+005	2680	0
4322	5.496e+004	1.47e+005	2680	0
4323	5.468e+004	1.463e+005	2680	0
4324	5.425e+004	1.473e+005	2680	0
4325	5.397e+004	1.465e+005	2680	0
4326	5.353e+004	1.475e+005	2680	0
4327	5.327e+004	1.468e+005	2680	0
4328	5.282e+004	1.478e+005	2680	0
4329	5.256e+004	1.47e+005	2680	0
4330	5.487e+004	1.446e+005	2680	0
4331	5.463e+004	1.44e+005	2680	0
4332	5.439e+004	1.433e+005	2680	0
4333	5.512e+004	1.43e+005	2680	0
4334	5.584e+004	1.428e+005	2680	0
4335	5.657e+004	1.425e+005	2680	0
4336	5.729e+004	1.422e+005	2680	0
4337	5.78e+004	1.435e+005	2680	0
4338	5.755e+004	1.428e+005	2680	0
4339	5.707e+004	1.438e+005	2680	0
4340	5.682e+004	1.431e+005	2680	0
4341	5.634e+004	1.44e+005	2680	0
4342	5.609e+004	1.434e+005	2680	0
4343	5.56e+004	1.443e+005	2680	0
4344	5.536e+004	1.437e+005	2680	0
4350	5.289e+004	1.503e+005	2680	0
4351	5.263e+004	1.495e+005	2680	0
4352	5.579e+004	1.493e+005	2680	0
4353	5.551e+004	1.485e+005	2680	0
4354	5.506e+004	1.495e+005	2680	0
4355	5.479e+004	1.488e+005	2680	0
4356	5.434e+004	1.498e+005	2680	0
4357	5.407e+004	1.49e+005	2680	0
4358	5.362e+004	1.5e+005	2680	0
4359	5.335e+004	1.493e+005	2680	0
4360	5.178e+004	1.49e+005	2680	0
4361	5.151e+004	1.482e+005	2680	0
4362	5.124e+004	1.475e+005	2680	0
4364	5.137e+004	1.459e+005	2680	0
4365	5.115e+004	1.453e+005	2680	0
4366	5.093e+004	1.446e+005	2680	0
4367	5.162e+004	1.444e+005	2680	0
4368	5.232e+004	1.441e+005	2680	0
4369	5.301e+004	1.439e+005	2680	0
4370	5.37e+004	1.436e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


4371	5.417e+004	1.449e+005	2680	0
4372	5.393e+004	1.442e+005	2680	0
4373	5.347e+004	1.451e+005	2680	0
4374	5.324e+004	1.445e+005	2680	0
4375	5.277e+004	1.454e+005	2680	0
4376	5.254e+004	1.447e+005	2680	0
4377	5.207e+004	1.456e+005	2680	0
4378	5.185e+004	1.45e+005	2680	0
4379	5.075e+004	1.461e+005	2680	0
4380	5.053e+004	1.455e+005	2680	0
4381	5.031e+004	1.449e+005	2680	0
4383	5.231e+004	1.505e+005	2680	0
4384	5.204e+004	1.498e+005	2680	0
4385	5.337e+004	1.517e+005	2680	0
4386	5.359e+004	1.523e+005	2680	0
4387	5.38e+004	1.53e+005	2680	0
4388	5.324e+004	1.531e+005	2680	0
4389	5.302e+004	1.525e+005	2680	0
4390	5.279e+004	1.519e+005	2680	0
4391	5.749e+004	1.516e+005	2680	0
4392	5.676e+004	1.519e+005	2680	0
4393	5.602e+004	1.522e+005	2680	0
4394	5.528e+004	1.524e+005	2680	0
4395	5.454e+004	1.527e+005	2680	0
4396	5.702e+004	1.504e+005	2680	0
4397	5.726e+004	1.51e+005	2680	0
4398	5.652e+004	1.513e+005	2680	0
4399	5.629e+004	1.506e+005	2680	0
4400	5.579e+004	1.515e+005	2680	0
4401	5.556e+004	1.509e+005	2680	0
4402	5.506e+004	1.518e+005	2680	0
4403	5.483e+004	1.512e+005	2680	0
4404	5.432e+004	1.521e+005	2680	0
4405	5.41e+004	1.514e+005	2680	0
4406	6.055e+004	1.505e+005	2680	0
4407	5.979e+004	1.508e+005	2680	0
4408	5.902e+004	1.511e+005	2680	0
4409	5.826e+004	1.513e+005	2680	0
4410	5.802e+004	1.507e+005	2680	0
4411	5.878e+004	1.504e+005	2680	0
4412	5.955e+004	1.501e+005	2680	0
4413	6.031e+004	1.498e+005	2680	0
4414	5.778e+004	1.501e+005	2680	0
4415	5.854e+004	1.498e+005	2680	0
4416	5.93e+004	1.495e+005	2680	0
4417	6.006e+004	1.492e+005	2680	0
4418	1.159e+005	7.006e+004	2680	0
4419	1.159e+005	6.927e+004	2680	0
4420	1.159e+005	6.848e+004	2680	0
4421	1.159e+005	6.769e+004	2680	0
4422	1.159e+005	6.69e+004	2680	0
4423	1.166e+005	6.689e+004	2680	0
4424	1.174e+005	6.688e+004	2680	0
4425	1.174e+005	7.011e+004	2680	0
4426	1.174e+005	6.93e+004	2680	0
4427	1.174e+005	6.849e+004	2680	0
4428	1.174e+005	6.769e+004	2680	0
4429	1.166e+005	7.008e+004	2680	0
4430	1.166e+005	6.929e+004	2680	0
4431	1.166e+005	6.849e+004	2680	0
4432	1.167e+005	6.769e+004	2680	0
4433	1.159e+005	6.612e+004	2680	0
4434	1.158e+005	6.533e+004	2680	0
4435	1.158e+005	6.454e+004	2680	0
4436	1.158e+005	6.376e+004	2680	0
4437	1.157e+005	6.297e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4438	1.165e+005	6.292e+004	2680	0
4439	1.172e+005	6.286e+004	2680	0
4440	1.174e+005	6.608e+004	2680	0
4441	1.174e+005	6.527e+004	2680	0
4442	1.173e+005	6.447e+004	2680	0
4443	1.173e+005	6.367e+004	2680	0
4444	1.166e+005	6.61e+004	2680	0
4445	1.166e+005	6.53e+004	2680	0
4446	1.166e+005	6.451e+004	2680	0
4447	1.165e+005	6.371e+004	2680	0
4448	1.156e+005	6.218e+004	2680	0
4449	1.156e+005	6.14e+004	2680	0
4450	1.155e+005	6.061e+004	2680	0
4451	1.154e+005	5.983e+004	2680	0
4452	1.172e+005	6.206e+004	2680	0
4453	1.171e+005	6.126e+004	2680	0
4454	1.17e+005	6.046e+004	2680	0
4455	1.169e+005	5.966e+004	2680	0
4456	1.164e+005	6.212e+004	2680	0
4457	1.163e+005	6.133e+004	2680	0
4458	1.163e+005	6.053e+004	2680	0
4459	1.162e+005	5.974e+004	2680	0
4460	1.197e+005	4.546e+004	2500	0
4461	1.184e+005	4.15e+004	2500	0
4462	1.187e+005	4.229e+004	2500	0
4463	1.19e+005	4.308e+004	2500	0
4464	1.192e+005	4.387e+004	2500	0
4465	1.195e+005	4.466e+004	2500	0
4466	1.208e+005	4.965e+004	2500	0
4467	1.2e+005	4.629e+004	2500	0
4468	1.202e+005	4.713e+004	2500	0
4469	1.204e+005	4.796e+004	2500	0
4470	1.206e+005	4.88e+004	2500	0
4471	1.17e+005	3.768e+004	2500	0
4472	1.173e+005	3.843e+004	2500	0
4473	1.176e+005	3.919e+004	2500	0
4474	1.179e+005	3.996e+004	2500	0
4475	1.182e+005	4.073e+004	2500	0
4476	1.167e+005	3.688e+004	2500	0
4477	1.163e+005	3.608e+004	2500	0
4478	1.159e+005	3.529e+004	2500	0
4479	1.156e+005	3.451e+004	2500	0
4480	1.152e+005	3.373e+004	2500	0
4481	1.148e+005	3.295e+004	2500	0
4482	1.144e+005	3.217e+004	2500	0
4483	1.141e+005	3.14e+004	2500	0
4484	1.137e+005	3.063e+004	2500	0
4485	1.132e+005	2.987e+004	2500	0
4486	1.111e+005	2.613e+004	2500	0
4487	1.115e+005	2.687e+004	2500	0
4488	1.12e+005	2.761e+004	2500	0
4489	1.124e+005	2.836e+004	2500	0
4490	1.128e+005	2.911e+004	2500	0
4491	1.106e+005	2.539e+004	2500	0
4492	1.101e+005	2.466e+004	2500	0
4493	1.097e+005	2.394e+004	2500	0
4494	1.092e+005	2.322e+004	2500	0
4495	1.087e+005	2.251e+004	2500	0
4496	1.082e+005	2.18e+004	2500	0
4497	1.077e+005	2.109e+004	2500	0
4498	1.072e+005	2.04e+004	2500	0
4499	1.066e+005	1.971e+004	2500	0
4500	1.061e+005	1.902e+004	2500	0
4501	1.034e+005	1.568e+004	2500	0
4502	1.039e+005	1.633e+004	2500	0
4503	1.045e+005	1.7e+004	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4504	1.05e+005	1.766e+004	2500	0
4505	1.056e+005	1.834e+004	2500	0
4506	1.004e+005	1.249e+004	2500	0
4507	1.01e+005	1.312e+004	2500	0
4508	1.016e+005	1.375e+004	2500	0
4509	1.022e+005	1.438e+004	2500	0
4510	1.028e+005	1.503e+004	2500	0
4511	9.733e+004	9468	2500	0
4512	9.796e+004	1.006e+004	2500	0
4513	9.859e+004	1.066e+004	2500	0
4514	9.921e+004	1.126e+004	2500	0
4515	9.982e+004	1.187e+004	2500	0
4516	8.379e+004	-611.2	2500	0
4517	8.001e+004	-2721	2500	0
4518	8.076e+004	-2301	2500	0
4519	8.152e+004	-1878	2500	0
4520	8.228e+004	-1455	2500	0
4521	8.303e+004	-1033	2500	0
4522	8.448e+004	-165.3	2500	0
4523	8.518e+004	272.6	2500	0
4524	8.588e+004	707	2500	0
4525	8.658e+004	1143	2500	0
4526	8.728e+004	1587	2500	0
4527	7.612e+004	-4620	2500	0
4528	7.69e+004	-4240	2500	0
4529	7.767e+004	-3860	2500	0
4530	7.845e+004	-3480	2500	0
4531	7.923e+004	-3099	2500	0
4532	9.066e+004	3952	2500	0
4533	8.999e+004	3463	2500	0
4534	8.933e+004	2980	2500	0
4535	8.865e+004	2506	2500	0
4536	8.797e+004	2041	2500	0
4537	9.407e+004	6619	2500	0
4538	9.135e+004	4472	2500	0
4539	9.204e+004	4998	2500	0
4540	9.272e+004	5531	2500	0
4541	9.34e+004	6072	2500	0
4542	9.473e+004	7175	2500	0
4543	9.539e+004	7737	2500	0
4544	9.604e+004	8307	2500	0
4545	9.669e+004	8884	2500	0
4546	7.531e+004	-4948	2500	0
4547	7.452e+004	-5287	2500	0
4548	7.372e+004	-5631	2500	0
4549	7.293e+004	-5971	2500	0
4550	7.213e+004	-6303	2500	0
4551	6.805e+004	-7765	2500	0
4552	6.887e+004	-7494	2500	0
4553	6.969e+004	-7214	2500	0
4554	7.051e+004	-6923	2500	0
4555	7.132e+004	-6620	2500	0
4556	6.39e+004	-9002	2500	0
4557	6.473e+004	-8772	2500	0
4558	6.557e+004	-8533	2500	0
4559	6.64e+004	-8285	2500	0
4560	6.722e+004	-8029	2500	0
4561	5.969e+004	-1.001e+004	2500	0
4562	6.053e+004	-9827	2500	0
4563	6.138e+004	-9635	2500	0
4564	6.222e+004	-9433	2500	0
4565	6.306e+004	-9223	2500	0
4566	5.543e+004	-1.079e+004	2500	0
4567	5.628e+004	-1.065e+004	2500	0
4568	5.714e+004	-1.05e+004	2500	0
4569	5.799e+004	-1.035e+004	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4570	5.884e+004	-1.018e+004	2500	0
4571	5.113e+004	-1.133e+004	2500	0
4572	5.199e+004	-1.124e+004	2500	0
4573	5.285e+004	-1.114e+004	2500	0
4574	5.371e+004	-1.103e+004	2500	0
4575	5.457e+004	-1.091e+004	2500	0
4576	5.027e+004	-1.141e+004	2500	0
4577	4.94e+004	-1.148e+004	2500	0
4578	4.854e+004	-1.154e+004	2500	0
4579	4.767e+004	-1.159e+004	2500	0
4580	4.681e+004	-1.163e+004	2500	0
4581	4.248e+004	-1.17e+004	2500	0
4582	4.334e+004	-1.171e+004	2500	0
4583	4.421e+004	-1.17e+004	2500	0
4584	4.508e+004	-1.169e+004	2500	0
4585	4.594e+004	-1.166e+004	2500	0
4586	3.835e+004	-1.154e+004	2500	0
4587	3.918e+004	-1.159e+004	2500	0
4588	4e+004	-1.163e+004	2500	0
4589	4.083e+004	-1.166e+004	2500	0
4590	4.165e+004	-1.168e+004	2500	0
4591	3.427e+004	-1.121e+004	2500	0
4592	3.509e+004	-1.129e+004	2500	0
4593	3.59e+004	-1.136e+004	2500	0
4594	3.672e+004	-1.143e+004	2500	0
4595	3.753e+004	-1.149e+004	2500	0
4596	3.019e+004	-1.068e+004	2500	0
4597	2.614e+004	-9960	2500	0
4598	2.695e+004	-1.012e+004	2500	0
4599	2.776e+004	-1.027e+004	2500	0
4600	2.857e+004	-1.042e+004	2500	0
4601	2.938e+004	-1.055e+004	2500	0
4602	3.101e+004	-1.08e+004	2500	0
4603	3.182e+004	-1.092e+004	2500	0
4604	3.264e+004	-1.102e+004	2500	0
4605	3.345e+004	-1.112e+004	2500	0
4606	2.534e+004	-9793	2500	0
4607	2.454e+004	-9619	2500	0
4608	2.373e+004	-9437	2500	0
4609	2.293e+004	-9247	2500	0
4610	2.213e+004	-9049	2500	0
4611	1.817e+004	-7949	2500	0
4612	1.896e+004	-8181	2500	0
4613	1.975e+004	-8408	2500	0
4614	2.054e+004	-8629	2500	0
4615	2.134e+004	-8843	2500	0
4616	1.434e+004	-6800	2500	0
4617	1.51e+004	-7030	2500	0
4618	1.587e+004	-7260	2500	0
4619	1.664e+004	-7490	2500	0
4620	1.74e+004	-7719	2500	0
4621	1.051e+004	-5653	2500	0
4622	1.357e+004	-6571	2500	0
4623	1.28e+004	-6342	2500	0
4624	1.204e+004	-6112	2500	0
4625	1.127e+004	-5883	2500	0
4626	6680	-4507	2500	0
4627	9742	-5424	2500	0
4628	8977	-5195	2500	0
4629	8211	-4965	2500	0
4630	7446	-4736	2500	0
4631	2860	-3362	2500	0
4632	-656.6	-2308	2500	0
4633	2158	-3152	2500	0
4634	1455	-2941	2500	0
4635	750.8	-2730	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4636	47.15	-2519	2500	0
4637	5916	-4278	2500	0
4638	5152	-4049	2500	0
4639	4388	-3820	2500	0
4640	3624	-3591	2500	0
4641	-1234	-2144	2500	0
4642	1.217e+005	5.388e+004	2500	0
4643	1.21e+005	5.049e+004	2500	0
4644	1.212e+005	5.133e+004	2500	0
4645	1.214e+005	5.218e+004	2500	0
4646	1.216e+005	5.303e+004	2500	0
4647	1.224e+005	5.817e+004	2500	0
4648	1.219e+005	5.474e+004	2500	0
4649	1.22e+005	5.559e+004	2500	0
4650	1.221e+005	5.645e+004	2500	0
4651	1.223e+005	5.731e+004	2500	0
4652	1.228e+005	6.248e+004	2500	0
4653	1.227e+005	6.161e+004	2500	0
4654	1.227e+005	6.075e+004	2500	0
4655	1.226e+005	5.989e+004	2500	0
4656	1.225e+005	5.903e+004	2500	0
4657	1.23e+005	6.68e+004	2500	0
4658	1.229e+005	6.334e+004	2500	0
4659	1.229e+005	6.421e+004	2500	0
4660	1.229e+005	6.507e+004	2500	0
4661	1.23e+005	6.594e+004	2500	0
4662	1.229e+005	7.113e+004	2500	0
4663	1.23e+005	6.767e+004	2500	0
4664	1.23e+005	6.854e+004	2500	0
4665	1.23e+005	6.94e+004	2500	0
4666	1.23e+005	7.027e+004	2500	0
4667	1.226e+005	7.546e+004	2500	0
4668	1.227e+005	7.459e+004	2500	0
4669	1.228e+005	7.373e+004	2500	0
4670	1.228e+005	7.286e+004	2500	0
4671	1.229e+005	7.2e+004	2500	0
4672	1.221e+005	7.975e+004	2500	0
4673	1.225e+005	7.632e+004	2500	0
4674	1.224e+005	7.718e+004	2500	0
4675	1.223e+005	7.804e+004	2500	0
4676	1.222e+005	7.89e+004	2500	0
4677	1.213e+005	8.402e+004	2500	0
4678	1.215e+005	8.317e+004	2500	0
4679	1.217e+005	8.232e+004	2500	0
4680	1.218e+005	8.146e+004	2500	0
4681	1.22e+005	8.061e+004	2500	0
4682	1.212e+005	8.487e+004	2500	0
4683	1.21e+005	8.571e+004	2500	0
4684	1.208e+005	8.655e+004	2500	0
4685	1.206e+005	8.739e+004	2500	0
4686	1.203e+005	8.823e+004	2500	0
4687	1.201e+005	8.902e+004	2500	0
4688	1.199e+005	8.981e+004	2500	0
4689	1.197e+005	9.059e+004	2500	0
4690	1.194e+005	9.137e+004	2500	0
4691	1.192e+005	9.215e+004	2500	0
4692	1.178e+005	9.608e+004	2500	0
4693	1.189e+005	9.294e+004	2500	0
4694	1.187e+005	9.373e+004	2500	0
4695	1.184e+005	9.452e+004	2500	0
4696	1.181e+005	9.53e+004	2500	0
4697	1.162e+005	1.001e+005	2500	0
4698	1.175e+005	9.689e+004	2500	0
4699	1.172e+005	9.769e+004	2500	0
4700	1.168e+005	9.849e+004	2500	0
4701	1.165e+005	9.929e+004	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4702	1.143e+005	1.04e+005	2500	0
4703	1.147e+005	1.032e+005	2500	0
4704	1.151e+005	1.024e+005	2500	0
4705	1.154e+005	1.017e+005	2500	0
4706	1.158e+005	1.009e+005	2500	0
4707	1.122e+005	1.078e+005	2500	0
4708	1.139e+005	1.048e+005	2500	0
4709	1.135e+005	1.055e+005	2500	0
4710	1.131e+005	1.063e+005	2500	0
4711	1.127e+005	1.07e+005	2500	0
4712	1.1e+005	1.115e+005	2500	0
4713	1.118e+005	1.085e+005	2500	0
4714	1.114e+005	1.093e+005	2500	0
4715	1.109e+005	1.1e+005	2500	0
4716	1.105e+005	1.108e+005	2500	0
4717	1.075e+005	1.151e+005	2500	0
4718	1.08e+005	1.143e+005	2500	0
4719	1.085e+005	1.136e+005	2500	0
4720	1.09e+005	1.129e+005	2500	0
4721	1.095e+005	1.122e+005	2500	0
4722	1.049e+005	1.185e+005	2500	0
4723	1.07e+005	1.157e+005	2500	0
4724	1.065e+005	1.164e+005	2500	0
4725	1.06e+005	1.171e+005	2500	0
4726	1.054e+005	1.178e+005	2500	0
4727	1.021e+005	1.218e+005	2500	0
4728	1.043e+005	1.191e+005	2500	0
4729	1.038e+005	1.198e+005	2500	0
4730	1.032e+005	1.205e+005	2500	0
4731	1.026e+005	1.211e+005	2500	0
4732	9.907e+004	1.249e+005	2500	0
4733	1.015e+005	1.224e+005	2500	0
4734	1.009e+005	1.23e+005	2500	0
4735	1.003e+005	1.237e+005	2500	0
4736	9.968e+004	1.243e+005	2500	0
4737	9.591e+004	1.278e+005	2500	0
4738	9.655e+004	1.273e+005	2500	0
4739	9.719e+004	1.267e+005	2500	0
4740	9.782e+004	1.261e+005	2500	0
4741	9.845e+004	1.255e+005	2500	0
4742	9.526e+004	1.284e+005	2500	0
4743	9.46e+004	1.29e+005	2500	0
4744	9.394e+004	1.295e+005	2500	0
4745	9.327e+004	1.301e+005	2500	0
4746	9.26e+004	1.306e+005	2500	0
4747	9.195e+004	1.311e+005	2500	0
4748	9.13e+004	1.316e+005	2500	0
4749	9.065e+004	1.321e+005	2500	0
4750	8.999e+004	1.326e+005	2500	0
4751	8.932e+004	1.331e+005	2500	0
4752	8.594e+004	1.354e+005	2500	0
4753	8.662e+004	1.35e+005	2500	0
4754	8.73e+004	1.345e+005	2500	0
4755	8.798e+004	1.341e+005	2500	0
4756	8.865e+004	1.336e+005	2500	0
4757	8.248e+004	1.376e+005	2500	0
4758	8.525e+004	1.359e+005	2500	0
4759	8.456e+004	1.363e+005	2500	0
4760	8.387e+004	1.368e+005	2500	0
4761	8.318e+004	1.372e+005	2500	0
4762	7.895e+004	1.397e+005	2500	0
4763	7.967e+004	1.393e+005	2500	0
4764	8.037e+004	1.389e+005	2500	0
4765	8.108e+004	1.385e+005	2500	0
4766	8.178e+004	1.38e+005	2500	0
4767	7.536e+004	1.416e+005	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


4768	7.608e+004	1.413e+005	2500	0
4769	7.68e+004	1.409e+005	2500	0
4770	7.752e+004	1.405e+005	2500	0
4771	7.824e+004	1.401e+005	2500	0
4772	7.172e+004	1.434e+005	2500	0
4773	7.463e+004	1.42e+005	2500	0
4774	7.391e+004	1.424e+005	2500	0
4775	7.318e+004	1.427e+005	2500	0
4776	7.245e+004	1.431e+005	2500	0
4777	6.803e+004	1.451e+005	2500	0
4778	7.098e+004	1.438e+005	2500	0
4779	7.025e+004	1.441e+005	2500	0
4780	6.951e+004	1.445e+005	2500	0
4781	6.877e+004	1.448e+005	2500	0
4782	6.431e+004	1.467e+005	2500	0
4783	6.729e+004	1.454e+005	2500	0
4784	6.655e+004	1.458e+005	2500	0
4785	6.58e+004	1.461e+005	2500	0
4786	6.506e+004	1.464e+005	2500	0
4787	6.057e+004	1.483e+005	2500	0
4788	6.132e+004	1.48e+005	2500	0
4789	6.207e+004	1.477e+005	2500	0
4790	6.282e+004	1.474e+005	2500	0
4791	6.357e+004	1.471e+005	2500	0
4792	5.981e+004	1.486e+005	2500	0
4793	5.906e+004	1.489e+005	2500	0
4794	5.83e+004	1.492e+005	2500	0
4795	5.755e+004	1.495e+005	2500	0
4796	5.679e+004	1.497e+005	2500	0
4797	5.606e+004	1.5e+005	2500	0
4798	5.534e+004	1.503e+005	2500	0
4799	5.461e+004	1.505e+005	2500	0
4800	5.388e+004	1.508e+005	2500	0
4801	5.315e+004	1.511e+005	2500	0
4802	5.257e+004	1.513e+005	2500	0
4803	1.151e+005	4.683e+004	2500	0
4804	1.149e+005	4.61e+004	2500	0
4805	1.147e+005	4.537e+004	2500	0
4806	1.144e+005	4.464e+004	2500	0
4807	1.142e+005	4.391e+004	2500	0
4808	1.139e+005	4.319e+004	2500	0
4809	1.162e+005	5.076e+004	2500	0
4810	1.16e+005	4.997e+004	2500	0
4811	1.158e+005	4.918e+004	2500	0
4812	1.156e+005	4.839e+004	2500	0
4813	1.153e+005	4.761e+004	2500	0
4814	1.125e+005	3.953e+004	2500	0
4815	1.137e+005	4.245e+004	2500	0
4816	1.134e+005	4.172e+004	2500	0
4817	1.131e+005	4.098e+004	2500	0
4818	1.128e+005	4.025e+004	2500	0
4819	1.122e+005	3.878e+004	2500	0
4820	1.119e+005	3.803e+004	2500	0
4821	1.116e+005	3.728e+004	2500	0
4822	1.112e+005	3.654e+004	2500	0
4823	1.109e+005	3.581e+004	2500	0
4824	1.105e+005	3.507e+004	2500	0
4825	1.102e+005	3.434e+004	2500	0
4826	1.098e+005	3.362e+004	2500	0
4827	1.094e+005	3.29e+004	2500	0
4828	1.09e+005	3.218e+004	2500	0
4829	1.07e+005	2.866e+004	2500	0
4830	1.066e+005	2.797e+004	2500	0
4831	1.061e+005	2.728e+004	2500	0
4832	1.057e+005	2.66e+004	2500	0
4833	1.052e+005	2.592e+004	2500	0

PROJECT TITLE :


	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4834	1.048e+005	2.525e+004	2500	0
4835	1.043e+005	2.458e+004	2500	0
4836	1.038e+005	2.392e+004	2500	0
4837	1.033e+005	2.327e+004	2500	0
4838	1.028e+005	2.262e+004	2500	0
4839	1.023e+005	2.197e+004	2500	0
4840	1.018e+005	2.133e+004	2500	0
4841	1.013e+005	2.07e+004	2500	0
4842	1.008e+005	2.007e+004	2500	0
4843	1.003e+005	1.945e+004	2500	0
4844	9.974e+004	1.883e+004	2500	0
4845	9.924e+004	1.822e+004	2500	0
4846	9.866e+004	1.761e+004	2500	0
4847	9.811e+004	1.701e+004	2500	0
4848	9.755e+004	1.642e+004	2500	0
4849	9.698e+004	1.583e+004	2500	0
4850	9.641e+004	1.525e+004	2500	0
4851	9.584e+004	1.467e+004	2500	0
4852	9.525e+004	1.411e+004	2500	0
4853	9.466e+004	1.354e+004	2500	0
4854	9.407e+004	1.299e+004	2500	0
4855	9.346e+004	1.244e+004	2500	0
4856	9.286e+004	1.19e+004	2500	0
4857	9.224e+004	1.136e+004	2500	0
4858	9.162e+004	1.083e+004	2500	0
4859	9.1e+004	1.031e+004	2500	0
4860	8.779e+004	7801	2500	0
4861	8.844e+004	8289	2500	0
4862	8.909e+004	8783	2500	0
4863	8.973e+004	9285	2500	0
4864	9.037e+004	9794	2500	0
4865	8.462e+004	5580	2500	0
4866	8.526e+004	6012	2500	0
4867	8.59e+004	6449	2500	0
4868	8.653e+004	6894	2500	0
4869	8.717e+004	7344	2500	0
4870	8.134e+004	3516	2500	0
4871	8.2e+004	3915	2500	0
4872	8.266e+004	4322	2500	0
4873	8.332e+004	4735	2500	0
4874	8.397e+004	5154	2500	0
4875	7.779e+004	1534	2500	0
4876	7.851e+004	1915	2500	0
4877	7.922e+004	2303	2500	0
4878	7.993e+004	2699	2500	0
4879	8.064e+004	3104	2500	0
4880	7.413e+004	-249.8	2500	0
4881	7.487e+004	90.94	2500	0
4882	7.56e+004	439.8	2500	0
4883	7.634e+004	796.7	2500	0
4884	7.706e+004	1161	2500	0
4885	7.339e+004	-582.5	2500	0
4886	7.264e+004	-906.9	2500	0
4887	7.189e+004	-1223	2500	0
4888	7.114e+004	-1531	2500	0
4889	7.038e+004	-1831	2500	0
4890	6.962e+004	-2122	2500	0
4891	6.886e+004	-2406	2500	0
4892	6.809e+004	-2680	2500	0
4893	6.732e+004	-2947	2500	0
4894	6.655e+004	-3204	2500	0
4895	6.578e+004	-3454	2500	0
4896	6.5e+004	-3695	2500	0
4897	6.422e+004	-3927	2500	0
4898	6.344e+004	-4151	2500	0
4899	6.265e+004	-4366	2500	0

PROJECT TITLE :


	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
4900	6.187e+004	-4573	2500	0
4901	6.108e+004	-4771	2500	0
4902	6.029e+004	-4960	2500	0
4903	5.949e+004	-5141	2500	0
4904	5.87e+004	-5313	2500	0
4905	5.47e+004	-6041	2500	0
4906	5.55e+004	-5913	2500	0
4907	5.63e+004	-5776	2500	0
4908	5.71e+004	-5630	2500	0
4909	5.79e+004	-5476	2500	0
4910	5.389e+004	-6161	2500	0
4911	5.308e+004	-6271	2500	0
4912	5.228e+004	-6373	2500	0
4913	5.147e+004	-6466	2500	0
4914	5.066e+004	-6549	2500	0
4915	4.985e+004	-6624	2500	0
4916	4.904e+004	-6691	2500	0
4917	4.823e+004	-6748	2500	0
4918	4.741e+004	-6796	2500	0
4919	4.66e+004	-6836	2500	0
4920	4.579e+004	-6867	2500	0
4921	4.497e+004	-6889	2500	0
4922	4.416e+004	-6902	2500	0
4923	4.335e+004	-6905	2500	0
4924	4.253e+004	-6900	2500	0
4925	4.176e+004	-6886	2500	0
4926	4.099e+004	-6863	2500	0
4927	4.021e+004	-6834	2500	0
4928	3.944e+004	-6797	2500	0
4929	3.867e+004	-6754	2500	0
4930	3.78e+004	-6436	2500	0
4931	3.555e+004	-6514	2500	0
4932	3.633e+004	-6584	2500	0
4933	3.711e+004	-6647	2500	0
4934	3.789e+004	-6704	2500	0
4935	3.4e+004	-6351	2500	0
4936	3.323e+004	-6258	2500	0
4937	3.246e+004	-6158	2500	0
4938	3.169e+004	-6051	2500	0
4939	3.092e+004	-5936	2500	0
4940	2.709e+004	-5255	2500	0
4941	2.786e+004	-5405	2500	0
4942	2.862e+004	-5549	2500	0
4943	2.939e+004	-5685	2500	0
4944	3.015e+004	-5814	2500	0
4945	2.33e+004	-4394	2500	0
4946	2.406e+004	-4581	2500	0
4947	2.482e+004	-4761	2500	0
4948	2.557e+004	-4933	2500	0
4949	2.633e+004	-5097	2500	0
4950	2.255e+004	-4199	2500	0
4951	2.18e+004	-3997	2500	0
4952	2.105e+004	-3788	2500	0
4953	2.031e+004	-3574	2500	0
4954	1.956e+004	-3355	2500	0
4955	1.573e+004	-2208	2500	0
4956	1.65e+004	-2437	2500	0
4957	1.726e+004	-2667	2500	0
4958	1.803e+004	-2896	2500	0
4959	1.879e+004	-3125	2500	0
4960	1.19e+004	-1059	2500	0
4961	1.266e+004	-1289	2500	0
4962	1.343e+004	-1519	2500	0
4963	1.42e+004	-1748	2500	0
4964	1.497e+004	-1978	2500	0
4965	1.113e+004	-829.1	2500	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

4966	1.036e+004	-599.2	2500	0
4967	9595	-369.4	2500	0
4968	8828	-139.5	2500	0
4969	8061	90.31	2500	0
4970	7292	320.6	2500	0
4971	6523	550.9	2500	0
4972	5755	781.2	2500	0
4973	4986	1012	2500	0
4974	4217	1242	2500	0
4975	656.8	2309	2500	0
4976	1372	2094	2500	0
4977	2087	1880	2500	0
4978	2800	1666	2500	0
4979	3509	1454	2500	0
4980	79.66	2473	2500	0
4981	1.074e+005	2.935e+004	2500	0
4982	1.078e+005	3.005e+004	2500	0
4983	1.082e+005	3.076e+004	2500	0
4984	1.086e+005	3.146e+004	2500	0
4985	1.17e+005	5.474e+004	2500	0
4986	1.164e+005	5.155e+004	2500	0
4987	1.165e+005	5.235e+004	2500	0
4988	1.167e+005	5.314e+004	2500	0
4989	1.169e+005	5.394e+004	2500	0
4990	1.176e+005	5.876e+004	2500	0
4991	1.171e+005	5.554e+004	2500	0
4992	1.173e+005	5.634e+004	2500	0
4993	1.174e+005	5.715e+004	2500	0
4994	1.175e+005	5.795e+004	2500	0
4995	1.18e+005	6.281e+004	2500	0
4996	1.179e+005	6.2e+004	2500	0
4997	1.179e+005	6.119e+004	2500	0
4998	1.178e+005	6.038e+004	2500	0
4999	1.177e+005	5.957e+004	2500	0
5000	1.182e+005	6.687e+004	2500	0
5001	1.182e+005	6.606e+004	2500	0
5002	1.181e+005	6.525e+004	2500	0
5003	1.181e+005	6.443e+004	2500	0
5004	1.181e+005	6.362e+004	2500	0
5005	1.181e+005	7.094e+004	2500	0
5006	1.182e+005	7.013e+004	2500	0
5007	1.182e+005	6.931e+004	2500	0
5008	1.182e+005	6.85e+004	2500	0
5009	1.182e+005	6.769e+004	2500	0
5010	1.179e+005	7.5e+004	2500	0
5011	1.179e+005	7.419e+004	2500	0
5012	1.18e+005	7.338e+004	2500	0
5013	1.18e+005	7.257e+004	2500	0
5014	1.181e+005	7.175e+004	2500	0
5015	1.174e+005	7.904e+004	2500	0
5016	1.175e+005	7.823e+004	2500	0
5017	1.176e+005	7.743e+004	2500	0
5018	1.177e+005	7.662e+004	2500	0
5019	1.178e+005	7.581e+004	2500	0
5020	1.166e+005	8.304e+004	2500	0
5021	1.168e+005	8.224e+004	2500	0
5022	1.17e+005	8.144e+004	2500	0
5023	1.171e+005	8.064e+004	2500	0
5024	1.172e+005	7.984e+004	2500	0
5025	1.157e+005	8.7e+004	2500	0
5026	1.159e+005	8.621e+004	2500	0
5027	1.161e+005	8.542e+004	2500	0
5028	1.163e+005	8.463e+004	2500	0
5029	1.165e+005	8.384e+004	2500	0
5030	1.155e+005	8.776e+004	2500	0
5031	1.153e+005	8.851e+004	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5032	1.151e+005	8.926e+004	2500	0
5033	1.148e+005	9.001e+004	2500	0
5034	1.146e+005	9.076e+004	2500	0
5035	1.133e+005	9.438e+004	2500	0
5036	1.136e+005	9.366e+004	2500	0
5037	1.139e+005	9.294e+004	2500	0
5038	1.141e+005	9.222e+004	2500	0
5039	1.144e+005	9.149e+004	2500	0
5040	1.118e+005	9.814e+004	2500	0
5041	1.121e+005	9.74e+004	2500	0
5042	1.124e+005	9.665e+004	2500	0
5043	1.127e+005	9.589e+004	2500	0
5044	1.13e+005	9.514e+004	2500	0
5045	1.1e+005	1.018e+005	2500	0
5046	1.104e+005	1.011e+005	2500	0
5047	1.108e+005	1.004e+005	2500	0
5048	1.111e+005	9.963e+004	2500	0
5049	1.114e+005	9.889e+004	2500	0
5050	1.081e+005	1.054e+005	2500	0
5051	1.085e+005	1.047e+005	2500	0
5052	1.089e+005	1.04e+005	2500	0
5053	1.093e+005	1.033e+005	2500	0
5054	1.097e+005	1.025e+005	2500	0
5055	1.06e+005	1.089e+005	2500	0
5056	1.064e+005	1.082e+005	2500	0
5057	1.068e+005	1.075e+005	2500	0
5058	1.073e+005	1.068e+005	2500	0
5059	1.077e+005	1.061e+005	2500	0
5060	1.036e+005	1.122e+005	2500	0
5061	1.041e+005	1.116e+005	2500	0
5062	1.046e+005	1.109e+005	2500	0
5063	1.051e+005	1.102e+005	2500	0
5064	1.055e+005	1.096e+005	2500	0
5065	1.012e+005	1.154e+005	2500	0
5066	1.017e+005	1.148e+005	2500	0
5067	1.022e+005	1.142e+005	2500	0
5068	1.027e+005	1.135e+005	2500	0
5069	1.032e+005	1.129e+005	2500	0
5070	9.851e+004	1.185e+005	2500	0
5071	9.905e+004	1.179e+005	2500	0
5072	9.959e+004	1.173e+005	2500	0
5073	1.001e+005	1.167e+005	2500	0
5074	1.006e+005	1.161e+005	2500	0
5075	9.569e+004	1.215e+005	2500	0
5076	9.627e+004	1.209e+005	2500	0
5077	9.684e+004	1.203e+005	2500	0
5078	9.74e+004	1.197e+005	2500	0
5079	9.796e+004	1.191e+005	2500	0
5080	9.272e+004	1.243e+005	2500	0
5081	9.333e+004	1.237e+005	2500	0
5082	9.393e+004	1.232e+005	2500	0
5083	9.452e+004	1.226e+005	2500	0
5084	9.511e+004	1.22e+005	2500	0
5085	8.961e+004	1.269e+005	2500	0
5086	9.024e+004	1.264e+005	2500	0
5087	9.087e+004	1.258e+005	2500	0
5088	9.149e+004	1.253e+005	2500	0
5089	9.211e+004	1.248e+005	2500	0
5090	8.65e+004	1.292e+005	2500	0
5091	8.713e+004	1.288e+005	2500	0
5092	8.776e+004	1.283e+005	2500	0
5093	8.838e+004	1.278e+005	2500	0
5094	8.899e+004	1.274e+005	2500	0
5095	8.328e+004	1.314e+005	2500	0
5096	8.393e+004	1.31e+005	2500	0
5097	8.458e+004	1.306e+005	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5098	8.523e+004	1.301e+005	2500	0
5099	8.587e+004	1.297e+005	2500	0
5100	7.661e+004	1.355e+005	2500	0
5101	7.729e+004	1.351e+005	2500	0
5102	7.797e+004	1.347e+005	2500	0
5103	7.864e+004	1.343e+005	2500	0
5104	7.932e+004	1.339e+005	2500	0
5105	7.998e+004	1.335e+005	2500	0
5106	7.318e+004	1.374e+005	2500	0
5107	7.387e+004	1.37e+005	2500	0
5108	7.456e+004	1.366e+005	2500	0
5109	7.525e+004	1.363e+005	2500	0
5110	7.593e+004	1.359e+005	2500	0
5111	6.965e+004	1.391e+005	2500	0
5112	7.036e+004	1.388e+005	2500	0
5113	7.107e+004	1.384e+005	2500	0
5114	7.177e+004	1.381e+005	2500	0
5115	7.248e+004	1.377e+005	2500	0
5116	8.263e+004	1.319e+005	2500	0
5117	8.197e+004	1.323e+005	2500	0
5118	8.131e+004	1.327e+005	2500	0
5119	8.065e+004	1.331e+005	2500	0
5120	6.606e+004	1.407e+005	2500	0
5121	6.894e+004	1.394e+005	2500	0
5122	6.822e+004	1.398e+005	2500	0
5123	6.75e+004	1.401e+005	2500	0
5124	6.678e+004	1.404e+005	2500	0
5125	6.244e+004	1.423e+005	2500	0
5126	6.317e+004	1.42e+005	2500	0
5127	6.389e+004	1.417e+005	2500	0
5128	6.461e+004	1.414e+005	2500	0
5129	6.534e+004	1.411e+005	2500	0
5130	5.879e+004	1.438e+005	2500	0
5131	5.952e+004	1.435e+005	2500	0
5132	6.025e+004	1.432e+005	2500	0
5133	6.098e+004	1.429e+005	2500	0
5134	6.171e+004	1.426e+005	2500	0
5135	5.511e+004	1.452e+005	2500	0
5136	5.585e+004	1.45e+005	2500	0
5137	5.658e+004	1.447e+005	2500	0
5138	5.732e+004	1.444e+005	2500	0
5139	5.806e+004	1.441e+005	2500	0
5140	5.159e+004	1.465e+005	2500	0
5141	5.229e+004	1.463e+005	2500	0
5142	5.3e+004	1.46e+005	2500	0
5143	5.37e+004	1.458e+005	2500	0
5144	5.44e+004	1.455e+005	2500	0
5145	5.098e+004	1.467e+005	2500	0
5147	-1234	-2144	0	0
5148	-656.6	-2308	0	0
5149	47.15	-2519	0	0
5150	750.8	-2730	0	0
5151	1455	-2941	0	0
5152	2158	-3152	0	0
5153	2860	-3362	0	0
5154	3624	-3591	0	0
5155	4388	-3820	0	0
5156	5152	-4049	0	0
5157	5916	-4278	0	0
5158	6680	-4507	0	0
5159	7446	-4736	0	0
5160	8211	-4965	0	0
5161	8977	-5195	0	0
5162	9742	-5424	0	0
5163	1.051e+004	-5653	0	0
5164	1.127e+004	-5883	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5165	1.204e+004	-6112	0	0
5166	1.28e+004	-6342	0	0
5167	1.357e+004	-6571	0	0
5168	1.434e+004	-6800	0	0
5169	1.51e+004	-7030	0	0
5170	1.587e+004	-7260	0	0
5171	1.664e+004	-7490	0	0
5172	1.74e+004	-7719	0	0
5173	1.817e+004	-7949	0	0
5174	1.896e+004	-8181	0	0
5175	1.975e+004	-8408	0	0
5176	2.054e+004	-8629	0	0
5177	2.134e+004	-8843	0	0
5178	2.213e+004	-9049	0	0
5179	2.293e+004	-9247	0	0
5180	2.373e+004	-9437	0	0
5181	2.454e+004	-9619	0	0
5182	2.534e+004	-9793	0	0
5183	2.614e+004	-9960	0	0
5184	2.695e+004	-1.012e+004	0	0
5185	2.776e+004	-1.027e+004	0	0
5186	2.857e+004	-1.042e+004	0	0
5187	2.938e+004	-1.055e+004	0	0
5188	3.019e+004	-1.068e+004	0	0
5189	3.101e+004	-1.08e+004	0	0
5190	3.182e+004	-1.092e+004	0	0
5191	3.264e+004	-1.102e+004	0	0
5192	3.345e+004	-1.112e+004	0	0
5193	3.427e+004	-1.121e+004	0	0
5194	3.509e+004	-1.129e+004	0	0
5195	3.59e+004	-1.136e+004	0	0
5196	3.672e+004	-1.143e+004	0	0
5197	3.753e+004	-1.149e+004	0	0
5198	3.835e+004	-1.154e+004	0	0
5199	3.918e+004	-1.159e+004	0	0
5200	4e+004	-1.163e+004	0	0
5201	4.083e+004	-1.166e+004	0	0
5202	4.165e+004	-1.168e+004	0	0
5203	4.248e+004	-1.17e+004	0	0
5204	4.334e+004	-1.171e+004	0	0
5205	4.421e+004	-1.17e+004	0	0
5206	4.508e+004	-1.169e+004	0	0
5207	4.594e+004	-1.166e+004	0	0
5208	4.681e+004	-1.163e+004	0	0
5209	4.767e+004	-1.159e+004	0	0
5210	4.854e+004	-1.154e+004	0	0
5211	4.94e+004	-1.148e+004	0	0
5212	5.027e+004	-1.141e+004	0	0
5213	5.113e+004	-1.133e+004	0	0
5214	5.199e+004	-1.124e+004	0	0
5215	5.285e+004	-1.114e+004	0	0
5216	5.371e+004	-1.103e+004	0	0
5217	5.457e+004	-1.091e+004	0	0
5218	5.543e+004	-1.079e+004	0	0
5219	5.628e+004	-1.065e+004	0	0
5220	5.714e+004	-1.05e+004	0	0
5221	5.799e+004	-1.035e+004	0	0
5222	5.884e+004	-1.018e+004	0	0
5223	5.969e+004	-1.001e+004	0	0
5224	6.053e+004	-9827	0	0
5225	6.138e+004	-9635	0	0
5226	6.222e+004	-9433	0	0
5227	6.306e+004	-9223	0	0
5228	6.39e+004	-9002	0	0
5229	6.473e+004	-8772	0	0
5230	6.557e+004	-8533	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5231	6.64e+004	-8285	0	0
5232	6.722e+004	-8029	0	0
5233	6.805e+004	-7765	0	0
5234	6.887e+004	-7494	0	0
5235	6.969e+004	-7214	0	0
5236	7.051e+004	-6923	0	0
5237	7.132e+004	-6620	0	0
5238	7.213e+004	-6303	0	0
5239	7.293e+004	-5971	0	0
5240	7.372e+004	-5631	0	0
5241	7.452e+004	-5287	0	0
5242	7.531e+004	-4948	0	0
5243	7.612e+004	-4620	0	0
5244	7.69e+004	-4240	0	0
5245	7.767e+004	-3860	0	0
5246	7.845e+004	-3480	0	0
5247	7.923e+004	-3099	0	0
5248	8.001e+004	-2721	0	0
5249	8.076e+004	-2301	0	0
5250	8.152e+004	-1878	0	0
5251	8.228e+004	-1455	0	0
5252	8.303e+004	-1033	0	0
5253	8.379e+004	-611.2	0	0
5254	8.448e+004	-165.3	0	0
5255	8.518e+004	272.6	0	0
5256	8.588e+004	707	0	0
5257	8.658e+004	1143	0	0
5258	8.728e+004	1587	0	0
5259	8.797e+004	2041	0	0
5260	8.865e+004	2506	0	0
5261	8.933e+004	2980	0	0
5262	8.999e+004	3463	0	0
5263	9.066e+004	3952	0	0
5264	9.135e+004	4472	0	0
5265	9.204e+004	4998	0	0
5266	9.272e+004	5531	0	0
5267	9.34e+004	6072	0	0
5268	9.407e+004	6619	0	0
5269	9.473e+004	7175	0	0
5270	9.539e+004	7737	0	0
5271	9.604e+004	8307	0	0
5272	9.669e+004	8884	0	0
5273	9.733e+004	9468	0	0
5274	9.796e+004	1.006e+004	0	0
5275	9.859e+004	1.066e+004	0	0
5276	9.921e+004	1.126e+004	0	0
5277	9.982e+004	1.187e+004	0	0
5278	1.004e+005	1.249e+004	0	0
5279	1.01e+005	1.312e+004	0	0
5280	1.016e+005	1.375e+004	0	0
5281	1.022e+005	1.438e+004	0	0
5282	1.028e+005	1.503e+004	0	0
5283	1.034e+005	1.568e+004	0	0
5284	1.039e+005	1.633e+004	0	0
5285	1.045e+005	1.7e+004	0	0
5286	1.05e+005	1.766e+004	0	0
5287	1.056e+005	1.834e+004	0	0
5288	1.061e+005	1.902e+004	0	0
5289	1.066e+005	1.971e+004	0	0
5290	1.072e+005	2.04e+004	0	0
5291	1.077e+005	2.109e+004	0	0
5292	1.082e+005	2.18e+004	0	0
5293	1.087e+005	2.251e+004	0	0
5294	1.092e+005	2.322e+004	0	0
5295	1.097e+005	2.394e+004	0	0
5296	1.101e+005	2.466e+004	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5297	1.106e+005	2.539e+004	0	0
5298	1.111e+005	2.613e+004	0	0
5299	1.115e+005	2.687e+004	0	0
5300	1.12e+005	2.761e+004	0	0
5301	1.124e+005	2.836e+004	0	0
5302	1.128e+005	2.911e+004	0	0
5303	1.132e+005	2.987e+004	0	0
5304	1.137e+005	3.063e+004	0	0
5305	1.141e+005	3.14e+004	0	0
5306	1.144e+005	3.217e+004	0	0
5307	1.148e+005	3.295e+004	0	0
5308	1.152e+005	3.373e+004	0	0
5309	1.156e+005	3.451e+004	0	0
5310	1.159e+005	3.529e+004	0	0
5311	1.163e+005	3.608e+004	0	0
5312	1.167e+005	3.688e+004	0	0
5313	1.17e+005	3.768e+004	0	0
5314	1.173e+005	3.843e+004	0	0
5315	1.176e+005	3.919e+004	0	0
5316	1.179e+005	3.996e+004	0	0
5317	1.182e+005	4.073e+004	0	0
5318	1.184e+005	4.15e+004	0	0
5319	1.187e+005	4.229e+004	0	0
5320	1.19e+005	4.308e+004	0	0
5321	1.192e+005	4.387e+004	0	0
5322	1.195e+005	4.466e+004	0	0
5323	1.197e+005	4.546e+004	0	0
5324	1.2e+005	4.629e+004	0	0
5325	1.202e+005	4.713e+004	0	0
5326	1.204e+005	4.796e+004	0	0
5327	1.206e+005	4.88e+004	0	0
5328	1.208e+005	4.965e+004	0	0
5329	1.21e+005	5.049e+004	0	0
5330	1.212e+005	5.133e+004	0	0
5331	1.214e+005	5.218e+004	0	0
5332	1.216e+005	5.303e+004	0	0
5333	1.217e+005	5.388e+004	0	0
5334	1.219e+005	5.474e+004	0	0
5335	1.22e+005	5.559e+004	0	0
5336	1.221e+005	5.645e+004	0	0
5337	1.223e+005	5.731e+004	0	0
5338	1.224e+005	5.817e+004	0	0
5339	1.225e+005	5.903e+004	0	0
5340	1.226e+005	5.989e+004	0	0
5341	1.227e+005	6.075e+004	0	0
5342	1.227e+005	6.161e+004	0	0
5343	1.228e+005	6.248e+004	0	0
5344	1.229e+005	6.334e+004	0	0
5345	1.229e+005	6.421e+004	0	0
5346	1.229e+005	6.507e+004	0	0
5347	1.23e+005	6.594e+004	0	0
5348	1.23e+005	6.68e+004	0	0
5349	1.23e+005	6.767e+004	0	0
5350	1.23e+005	6.854e+004	0	0
5351	1.23e+005	6.94e+004	0	0
5352	1.23e+005	7.027e+004	0	0
5353	1.229e+005	7.113e+004	0	0
5354	1.229e+005	7.2e+004	0	0
5355	1.228e+005	7.286e+004	0	0
5356	1.228e+005	7.373e+004	0	0
5357	1.227e+005	7.459e+004	0	0
5358	1.226e+005	7.546e+004	0	0
5359	1.225e+005	7.632e+004	0	0
5360	1.224e+005	7.718e+004	0	0
5361	1.223e+005	7.804e+004	0	0
5362	1.222e+005	7.89e+004	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


5363	1.221e+005	7.975e+004	0	0
5364	1.22e+005	8.061e+004	0	0
5365	1.218e+005	8.146e+004	0	0
5366	1.217e+005	8.232e+004	0	0
5367	1.215e+005	8.317e+004	0	0
5368	1.213e+005	8.402e+004	0	0
5369	1.212e+005	8.487e+004	0	0
5370	1.21e+005	8.571e+004	0	0
5371	1.208e+005	8.655e+004	0	0
5372	1.206e+005	8.739e+004	0	0
5373	1.203e+005	8.823e+004	0	0
5374	1.201e+005	8.902e+004	0	0
5375	1.199e+005	8.981e+004	0	0
5376	1.197e+005	9.059e+004	0	0
5377	1.194e+005	9.137e+004	0	0
5378	1.192e+005	9.215e+004	0	0
5379	1.189e+005	9.294e+004	0	0
5380	1.187e+005	9.373e+004	0	0
5381	1.184e+005	9.452e+004	0	0
5382	1.181e+005	9.53e+004	0	0
5383	1.178e+005	9.608e+004	0	0
5384	1.175e+005	9.689e+004	0	0
5385	1.172e+005	9.769e+004	0	0
5386	1.168e+005	9.849e+004	0	0
5387	1.165e+005	9.929e+004	0	0
5388	1.162e+005	1.001e+005	0	0
5389	1.158e+005	1.009e+005	0	0
5390	1.154e+005	1.017e+005	0	0
5391	1.151e+005	1.024e+005	0	0
5392	1.147e+005	1.032e+005	0	0
5393	1.143e+005	1.04e+005	0	0
5394	1.139e+005	1.048e+005	0	0
5395	1.135e+005	1.055e+005	0	0
5396	1.131e+005	1.063e+005	0	0
5397	1.127e+005	1.07e+005	0	0
5398	1.122e+005	1.078e+005	0	0
5399	1.118e+005	1.085e+005	0	0
5400	1.114e+005	1.093e+005	0	0
5401	1.109e+005	1.1e+005	0	0
5402	1.105e+005	1.108e+005	0	0
5403	1.1e+005	1.115e+005	0	0
5404	1.095e+005	1.122e+005	0	0
5405	1.09e+005	1.129e+005	0	0
5406	1.085e+005	1.136e+005	0	0
5407	1.08e+005	1.143e+005	0	0
5408	1.075e+005	1.151e+005	0	0
5409	1.07e+005	1.157e+005	0	0
5410	1.065e+005	1.164e+005	0	0
5411	1.06e+005	1.171e+005	0	0
5412	1.054e+005	1.178e+005	0	0
5413	1.049e+005	1.185e+005	0	0
5414	1.043e+005	1.191e+005	0	0
5415	1.038e+005	1.198e+005	0	0
5416	1.032e+005	1.205e+005	0	0
5417	1.026e+005	1.211e+005	0	0
5418	1.021e+005	1.218e+005	0	0
5419	1.015e+005	1.224e+005	0	0
5420	1.009e+005	1.23e+005	0	0
5421	1.003e+005	1.237e+005	0	0
5422	9.968e+004	1.243e+005	0	0
5423	9.907e+004	1.249e+005	0	0
5424	9.845e+004	1.255e+005	0	0
5425	9.782e+004	1.261e+005	0	0
5426	9.719e+004	1.267e+005	0	0
5427	9.655e+004	1.273e+005	0	0
5428	9.591e+004	1.278e+005	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5429	9.526e+004	1.284e+005	0	0
5430	9.46e+004	1.29e+005	0	0
5431	9.394e+004	1.295e+005	0	0
5432	9.327e+004	1.301e+005	0	0
5433	9.26e+004	1.306e+005	0	0
5434	9.195e+004	1.311e+005	0	0
5435	9.13e+004	1.316e+005	0	0
5436	9.065e+004	1.321e+005	0	0
5437	8.999e+004	1.326e+005	0	0
5438	8.932e+004	1.331e+005	0	0
5439	8.865e+004	1.336e+005	0	0
5440	8.798e+004	1.341e+005	0	0
5441	8.73e+004	1.345e+005	0	0
5442	8.662e+004	1.35e+005	0	0
5443	8.594e+004	1.354e+005	0	0
5444	8.525e+004	1.359e+005	0	0
5445	8.456e+004	1.363e+005	0	0
5446	8.387e+004	1.368e+005	0	0
5447	8.318e+004	1.372e+005	0	0
5448	8.248e+004	1.376e+005	0	0
5449	8.178e+004	1.38e+005	0	0
5450	8.108e+004	1.385e+005	0	0
5451	8.037e+004	1.389e+005	0	0
5452	7.967e+004	1.393e+005	0	0
5453	7.895e+004	1.397e+005	0	0
5454	7.824e+004	1.401e+005	0	0
5455	7.752e+004	1.405e+005	0	0
5456	7.68e+004	1.409e+005	0	0
5457	7.608e+004	1.413e+005	0	0
5458	7.536e+004	1.416e+005	0	0
5459	7.463e+004	1.42e+005	0	0
5460	7.391e+004	1.424e+005	0	0
5461	7.318e+004	1.427e+005	0	0
5462	7.245e+004	1.431e+005	0	0
5463	7.172e+004	1.434e+005	0	0
5464	7.098e+004	1.438e+005	0	0
5465	7.025e+004	1.441e+005	0	0
5466	6.951e+004	1.445e+005	0	0
5467	6.877e+004	1.448e+005	0	0
5468	6.803e+004	1.451e+005	0	0
5469	6.729e+004	1.454e+005	0	0
5470	6.655e+004	1.458e+005	0	0
5471	6.58e+004	1.461e+005	0	0
5472	6.506e+004	1.464e+005	0	0
5473	6.431e+004	1.467e+005	0	0
5474	6.357e+004	1.471e+005	0	0
5475	6.282e+004	1.474e+005	0	0
5476	6.207e+004	1.477e+005	0	0
5477	6.132e+004	1.48e+005	0	0
5478	6.057e+004	1.483e+005	0	0
5479	5.981e+004	1.486e+005	0	0
5480	5.906e+004	1.489e+005	0	0
5481	5.83e+004	1.492e+005	0	0
5482	5.755e+004	1.495e+005	0	0
5483	5.679e+004	1.497e+005	0	0
5484	5.606e+004	1.5e+005	0	0
5485	5.534e+004	1.503e+005	0	0
5486	5.461e+004	1.505e+005	0	0
5487	5.388e+004	1.508e+005	0	0
5488	5.315e+004	1.511e+005	0	0
5489	5.257e+004	1.513e+005	0	0
5490	79.66	2473	0	0
5491	656.8	2309	0	0
5492	1372	2094	0	0
5493	2087	1880	0	0
5494	2800	1666	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5495	3509	1454	0	0
5496	4217	1242	0	0
5497	4986	1012	0	0
5498	5755	781.2	0	0
5499	6523	550.9	0	0
5500	7292	320.6	0	0
5501	8061	90.31	0	0
5502	8828	-139.5	0	0
5503	9595	-369.4	0	0
5504	1.036e+004	-599.2	0	0
5505	1.113e+004	-829.1	0	0
5506	1.19e+004	-1059	0	0
5507	1.266e+004	-1289	0	0
5508	1.343e+004	-1519	0	0
5509	1.42e+004	-1748	0	0
5510	1.497e+004	-1978	0	0
5511	1.573e+004	-2208	0	0
5512	1.65e+004	-2437	0	0
5513	1.726e+004	-2667	0	0
5514	1.803e+004	-2896	0	0
5515	1.879e+004	-3125	0	0
5516	1.956e+004	-3355	0	0
5517	2.031e+004	-3574	0	0
5518	2.105e+004	-3788	0	0
5519	2.18e+004	-3997	0	0
5520	2.255e+004	-4199	0	0
5521	2.33e+004	-4394	0	0
5522	2.406e+004	-4581	0	0
5523	2.482e+004	-4761	0	0
5524	2.557e+004	-4933	0	0
5525	2.633e+004	-5097	0	0
5526	2.709e+004	-5255	0	0
5527	2.786e+004	-5405	0	0
5528	2.862e+004	-5549	0	0
5529	2.939e+004	-5685	0	0
5530	3.015e+004	-5814	0	0
5531	3.092e+004	-5936	0	0
5532	3.169e+004	-6051	0	0
5533	3.246e+004	-6158	0	0
5534	3.323e+004	-6258	0	0
5535	3.4e+004	-6351	0	0
5536	3.478e+004	-6436	0	0
5537	3.555e+004	-6514	0	0
5538	3.633e+004	-6584	0	0
5539	3.711e+004	-6647	0	0
5540	3.789e+004	-6704	0	0
5541	3.867e+004	-6754	0	0
5542	3.944e+004	-6797	0	0
5543	4.021e+004	-6834	0	0
5544	4.099e+004	-6863	0	0
5545	4.176e+004	-6886	0	0
5546	4.253e+004	-6900	0	0
5547	4.335e+004	-6905	0	0
5548	4.416e+004	-6902	0	0
5549	4.497e+004	-6889	0	0
5550	4.579e+004	-6867	0	0
5551	4.66e+004	-6836	0	0
5552	4.741e+004	-6796	0	0
5553	4.823e+004	-6748	0	0
5554	4.904e+004	-6691	0	0
5555	4.985e+004	-6624	0	0
5556	5.066e+004	-6549	0	0
5557	5.147e+004	-6466	0	0
5558	5.228e+004	-6373	0	0
5559	5.308e+004	-6271	0	0
5560	5.389e+004	-6161	0	0

PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5561	5.47e+004	-6041	0	0
5562	5.55e+004	-5913	0	0
5563	5.63e+004	-5776	0	0
5564	5.71e+004	-5630	0	0
5565	5.79e+004	-5476	0	0
5566	5.87e+004	-5313	0	0
5567	5.949e+004	-5141	0	0
5568	6.029e+004	-4960	0	0
5569	6.108e+004	-4771	0	0
5570	6.187e+004	-4573	0	0
5571	6.265e+004	-4366	0	0
5572	6.344e+004	-4151	0	0
5573	6.422e+004	-3927	0	0
5574	6.5e+004	-3695	0	0
5575	6.578e+004	-3454	0	0
5576	6.655e+004	-3204	0	0
5577	6.732e+004	-2947	0	0
5578	6.809e+004	-2680	0	0
5579	6.886e+004	-2406	0	0
5580	6.962e+004	-2122	0	0
5581	7.038e+004	-1831	0	0
5582	7.114e+004	-1531	0	0
5583	7.189e+004	-1223	0	0
5584	7.264e+004	-906.9	0	0
5585	7.339e+004	-582.5	0	0
5586	7.413e+004	-249.8	0	0
5587	7.487e+004	90.94	0	0
5588	7.56e+004	439.8	0	0
5589	7.634e+004	796.7	0	0
5590	7.706e+004	1161	0	0
5591	7.779e+004	1534	0	0
5592	7.851e+004	1915	0	0
5593	7.922e+004	2303	0	0
5594	7.993e+004	2699	0	0
5595	8.064e+004	3104	0	0
5596	8.134e+004	3516	0	0
5597	8.2e+004	3915	0	0
5598	8.266e+004	4322	0	0
5599	8.332e+004	4735	0	0
5600	8.397e+004	5154	0	0
5601	8.462e+004	5580	0	0
5602	8.526e+004	6012	0	0
5603	8.59e+004	6449	0	0
5604	8.653e+004	6894	0	0
5605	8.717e+004	7344	0	0
5606	8.779e+004	7801	0	0
5607	8.844e+004	8289	0	0
5608	8.909e+004	8783	0	0
5609	8.973e+004	9285	0	0
5610	9.037e+004	9794	0	0
5611	9.1e+004	1.031e+004	0	0
5612	9.162e+004	1.083e+004	0	0
5613	9.224e+004	1.136e+004	0	0
5614	9.286e+004	1.19e+004	0	0
5615	9.346e+004	1.244e+004	0	0
5616	9.407e+004	1.299e+004	0	0
5617	9.466e+004	1.354e+004	0	0
5618	9.525e+004	1.411e+004	0	0
5619	9.584e+004	1.467e+004	0	0
5620	9.641e+004	1.525e+004	0	0
5621	9.698e+004	1.583e+004	0	0
5622	9.755e+004	1.642e+004	0	0
5623	9.811e+004	1.701e+004	0	0
5624	9.866e+004	1.761e+004	0	0
5625	9.92e+004	1.822e+004	0	0
5626	9.974e+004	1.883e+004	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5627	1.003e+005	1.945e+004	0	0
5628	1.008e+005	2.007e+004	0	0
5629	1.013e+005	2.07e+004	0	0
5630	1.018e+005	2.133e+004	0	0
5631	1.023e+005	2.197e+004	0	0
5632	1.028e+005	2.262e+004	0	0
5633	1.033e+005	2.327e+004	0	0
5634	1.038e+005	2.392e+004	0	0
5635	1.043e+005	2.458e+004	0	0
5636	1.048e+005	2.525e+004	0	0
5637	1.052e+005	2.592e+004	0	0
5638	1.057e+005	2.66e+004	0	0
5639	1.061e+005	2.728e+004	0	0
5640	1.066e+005	2.797e+004	0	0
5641	1.07e+005	2.866e+004	0	0
5642	1.074e+005	2.935e+004	0	0
5643	1.078e+005	3.005e+004	0	0
5644	1.082e+005	3.076e+004	0	0
5645	1.086e+005	3.146e+004	0	0
5646	1.09e+005	3.218e+004	0	0
5647	1.094e+005	3.29e+004	0	0
5648	1.098e+005	3.362e+004	0	0
5649	1.102e+005	3.434e+004	0	0
5650	1.105e+005	3.507e+004	0	0
5651	1.109e+005	3.581e+004	0	0
5652	1.112e+005	3.654e+004	0	0
5653	1.116e+005	3.728e+004	0	0
5654	1.119e+005	3.803e+004	0	0
5655	1.122e+005	3.878e+004	0	0
5656	1.125e+005	3.953e+004	0	0
5657	1.128e+005	4.025e+004	0	0
5658	1.131e+005	4.098e+004	0	0
5659	1.134e+005	4.172e+004	0	0
5660	1.137e+005	4.245e+004	0	0
5661	1.139e+005	4.319e+004	0	0
5662	1.142e+005	4.391e+004	0	0
5663	1.144e+005	4.464e+004	0	0
5664	1.147e+005	4.537e+004	0	0
5665	1.149e+005	4.61e+004	0	0
5666	1.151e+005	4.683e+004	0	0
5667	1.153e+005	4.761e+004	0	0
5668	1.156e+005	4.839e+004	0	0
5669	1.158e+005	4.918e+004	0	0
5670	1.16e+005	4.997e+004	0	0
5671	1.162e+005	5.076e+004	0	0
5672	1.164e+005	5.155e+004	0	0
5673	1.165e+005	5.235e+004	0	0
5674	1.167e+005	5.314e+004	0	0
5675	1.169e+005	5.394e+004	0	0
5676	1.17e+005	5.474e+004	0	0
5677	1.171e+005	5.554e+004	0	0
5678	1.173e+005	5.634e+004	0	0
5679	1.174e+005	5.715e+004	0	0
5680	1.175e+005	5.795e+004	0	0
5681	1.176e+005	5.876e+004	0	0
5682	1.177e+005	5.957e+004	0	0
5683	1.178e+005	6.038e+004	0	0
5684	1.179e+005	6.119e+004	0	0
5685	1.179e+005	6.2e+004	0	0
5686	1.18e+005	6.281e+004	0	0
5687	1.181e+005	6.362e+004	0	0
5688	1.181e+005	6.443e+004	0	0
5689	1.181e+005	6.525e+004	0	0
5690	1.182e+005	6.606e+004	0	0
5691	1.182e+005	6.687e+004	0	0
5692	1.182e+005	6.769e+004	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5693	1.182e+005	6.85e+004	0	0
5694	1.182e+005	6.931e+004	0	0
5695	1.182e+005	7.013e+004	0	0
5696	1.181e+005	7.094e+004	0	0
5697	1.181e+005	7.175e+004	0	0
5698	1.18e+005	7.257e+004	0	0
5699	1.18e+005	7.338e+004	0	0
5700	1.179e+005	7.419e+004	0	0
5701	1.179e+005	7.5e+004	0	0
5702	1.178e+005	7.581e+004	0	0
5703	1.177e+005	7.662e+004	0	0
5704	1.176e+005	7.743e+004	0	0
5705	1.175e+005	7.823e+004	0	0
5706	1.174e+005	7.904e+004	0	0
5707	1.172e+005	7.984e+004	0	0
5708	1.171e+005	8.064e+004	0	0
5709	1.17e+005	8.144e+004	0	0
5710	1.168e+005	8.224e+004	0	0
5711	1.166e+005	8.304e+004	0	0
5712	1.165e+005	8.384e+004	0	0
5713	1.163e+005	8.463e+004	0	0
5714	1.161e+005	8.542e+004	0	0
5715	1.159e+005	8.621e+004	0	0
5716	1.157e+005	8.7e+004	0	0
5717	1.155e+005	8.776e+004	0	0
5718	1.153e+005	8.851e+004	0	0
5719	1.151e+005	8.926e+004	0	0
5720	1.148e+005	9.001e+004	0	0
5721	1.146e+005	9.076e+004	0	0
5722	1.144e+005	9.149e+004	0	0
5723	1.141e+005	9.222e+004	0	0
5724	1.139e+005	9.294e+004	0	0
5725	1.136e+005	9.366e+004	0	0
5726	1.133e+005	9.438e+004	0	0
5727	1.13e+005	9.514e+004	0	0
5728	1.127e+005	9.589e+004	0	0
5729	1.124e+005	9.665e+004	0	0
5730	1.121e+005	9.74e+004	0	0
5731	1.118e+005	9.814e+004	0	0
5732	1.114e+005	9.889e+004	0	0
5733	1.111e+005	9.963e+004	0	0
5734	1.108e+005	1.004e+005	0	0
5735	1.104e+005	1.011e+005	0	0
5736	1.1e+005	1.018e+005	0	0
5737	1.097e+005	1.025e+005	0	0
5738	1.093e+005	1.033e+005	0	0
5739	1.089e+005	1.04e+005	0	0
5740	1.085e+005	1.047e+005	0	0
5741	1.081e+005	1.054e+005	0	0
5742	1.077e+005	1.061e+005	0	0
5743	1.073e+005	1.068e+005	0	0
5744	1.068e+005	1.075e+005	0	0
5745	1.064e+005	1.082e+005	0	0
5746	1.06e+005	1.089e+005	0	0
5747	1.055e+005	1.096e+005	0	0
5748	1.051e+005	1.102e+005	0	0
5749	1.046e+005	1.109e+005	0	0
5750	1.041e+005	1.116e+005	0	0
5751	1.036e+005	1.122e+005	0	0
5752	1.032e+005	1.129e+005	0	0
5753	1.027e+005	1.135e+005	0	0
5754	1.022e+005	1.142e+005	0	0
5755	1.017e+005	1.148e+005	0	0
5756	1.012e+005	1.154e+005	0	0
5757	1.006e+005	1.161e+005	0	0
5758	1.001e+005	1.167e+005	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

5759	9.959e+004	1.173e+005	0	0
5760	9.905e+004	1.179e+005	0	0
5761	9.851e+004	1.185e+005	0	0
5762	9.796e+004	1.191e+005	0	0
5763	9.74e+004	1.197e+005	0	0
5764	9.684e+004	1.203e+005	0	0
5765	9.627e+004	1.209e+005	0	0
5766	9.569e+004	1.215e+005	0	0
5768	9.452e+004	1.226e+005	0	0
5769	9.511e+004	1.22e+005	0	0
5770	9.393e+004	1.232e+005	0	0
5771	9.333e+004	1.237e+005	0	0
5772	9.272e+004	1.243e+005	0	0
5773	9.211e+004	1.248e+005	0	0
5774	9.149e+004	1.253e+005	0	0
5775	9.087e+004	1.258e+005	0	0
5776	9.024e+004	1.264e+005	0	0
5777	8.961e+004	1.269e+005	0	0
5778	8.899e+004	1.274e+005	0	0
5779	8.838e+004	1.278e+005	0	0
5780	8.776e+004	1.283e+005	0	0
5781	8.713e+004	1.288e+005	0	0
5782	8.65e+004	1.292e+005	0	0
5783	8.587e+004	1.297e+005	0	0
5784	8.523e+004	1.301e+005	0	0
5785	8.458e+004	1.306e+005	0	0
5786	8.393e+004	1.31e+005	0	0
5787	8.328e+004	1.314e+005	0	0
5788	8.263e+004	1.319e+005	0	0
5789	8.197e+004	1.323e+005	0	0
5790	8.131e+004	1.327e+005	0	0
5791	8.065e+004	1.331e+005	0	0
5792	7.998e+004	1.335e+005	0	0
5793	7.932e+004	1.339e+005	0	0
5794	7.864e+004	1.343e+005	0	0
5795	7.797e+004	1.347e+005	0	0
5796	7.729e+004	1.351e+005	0	0
5797	7.661e+004	1.355e+005	0	0
5798	7.593e+004	1.359e+005	0	0
5799	7.525e+004	1.363e+005	0	0
5800	7.456e+004	1.366e+005	0	0
5801	7.387e+004	1.37e+005	0	0
5802	7.318e+004	1.374e+005	0	0
5803	7.248e+004	1.377e+005	0	0
5804	7.177e+004	1.381e+005	0	0
5805	7.107e+004	1.384e+005	0	0
5806	7.036e+004	1.388e+005	0	0
5807	6.965e+004	1.391e+005	0	0
5808	6.894e+004	1.394e+005	0	0
5809	6.822e+004	1.398e+005	0	0
5810	6.75e+004	1.401e+005	0	0
5811	6.678e+004	1.404e+005	0	0
5812	6.606e+004	1.407e+005	0	0
5813	6.534e+004	1.411e+005	0	0
5814	6.461e+004	1.414e+005	0	0
5815	6.389e+004	1.417e+005	0	0
5816	6.317e+004	1.42e+005	0	0
5817	6.244e+004	1.423e+005	0	0
5818	6.171e+004	1.426e+005	0	0
5819	6.098e+004	1.429e+005	0	0
5820	6.025e+004	1.432e+005	0	0
5821	5.952e+004	1.435e+005	0	0
5822	5.879e+004	1.438e+005	0	0
5823	5.806e+004	1.441e+005	0	0
5824	5.732e+004	1.444e+005	0	0
5825	5.658e+004	1.447e+005	0	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

5826	5.585e+004	1.45e+005	0	0
5827	5.511e+004	1.452e+005	0	0
5828	5.44e+004	1.455e+005	0	0
5829	5.37e+004	1.458e+005	0	0
5830	5.3e+004	1.46e+005	0	0
5831	5.229e+004	1.463e+005	0	0
5832	5.159e+004	1.465e+005	0	0
5833	5.098e+004	1.467e+005	0	0
5834	-1234	-2144	260	0
5835	-656.6	-2308	260	0
5836	-1234	-2144	2320	0
5837	-656.6	-2308	2320	0
5838	47.15	-2519	260	0
5839	47.15	-2519	2320	0
5840	750.8	-2730	260	0
5841	750.8	-2730	2320	0
5842	1455	-2941	260	0
5843	1455	-2941	2320	0
5844	2158	-3152	260	0
5845	2158	-3152	2320	0
5846	2860	-3362	260	0
5847	2860	-3362	2320	0
5848	3624	-3591	260	0
5849	3624	-3591	2320	0
5850	4388	-3820	260	0
5851	4388	-3820	2320	0
5852	5152	-4049	260	0
5853	5152	-4049	2320	0
5854	5916	-4278	260	0
5855	5916	-4278	2320	0
5856	6680	-4507	260	0
5857	6680	-4507	2320	0
5858	7446	-4736	260	0
5859	7446	-4736	2320	0
5860	8211	-4965	260	0
5861	8211	-4965	2320	0
5862	8977	-5195	260	0
5863	8977	-5195	2320	0
5864	9742	-5424	260	0
5865	9742	-5424	2320	0
5866	1.051e+004	-5653	260	0
5867	1.051e+004	-5653	2320	0
5868	1.127e+004	-5883	260	0
5869	1.127e+004	-5883	2320	0
5870	1.204e+004	-6112	260	0
5871	1.204e+004	-6112	2320	0
5872	1.28e+004	-6342	260	0
5873	1.28e+004	-6342	2320	0
5874	1.357e+004	-6571	260	0
5875	1.357e+004	-6571	2320	0
5876	1.434e+004	-6800	260	0
5877	1.434e+004	-6800	2320	0
5878	1.51e+004	-7030	260	0
5879	1.51e+004	-7030	2320	0
5880	1.587e+004	-7260	260	0
5881	1.587e+004	-7260	2320	0
5882	1.664e+004	-7490	260	0
5883	1.664e+004	-7490	2320	0
5884	1.74e+004	-7719	260	0
5885	1.74e+004	-7719	2320	0
5886	1.817e+004	-7949	260	0
5887	1.817e+004	-7949	2320	0
5888	1.896e+004	-8181	260	0
5889	1.896e+004	-8181	2320	0
5890	1.975e+004	-8408	260	0
5891	1.975e+004	-8408	2320	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


5892	2.054e+004	-8629	260	0
5893	2.054e+004	-8629	2320	0
5894	2.134e+004	-8843	260	0
5895	2.134e+004	-8843	2320	0
5896	2.213e+004	-9049	260	0
5897	2.213e+004	-9049	2320	0
5898	2.293e+004	-9247	260	0
5899	2.293e+004	-9247	2320	0
5900	2.373e+004	-9437	260	0
5901	2.373e+004	-9437	2320	0
5902	2.454e+004	-9619	260	0
5903	2.454e+004	-9619	2320	0
5904	2.534e+004	-9793	260	0
5905	2.534e+004	-9793	2320	0
5906	2.614e+004	-9960	260	0
5907	2.614e+004	-9960	2320	0
5908	2.695e+004	-1.012e+004	260	0
5909	2.695e+004	-1.012e+004	2320	0
5910	2.776e+004	-1.027e+004	260	0
5911	2.776e+004	-1.027e+004	2320	0
5912	2.857e+004	-1.042e+004	260	0
5913	2.857e+004	-1.042e+004	2320	0
5914	2.938e+004	-1.055e+004	260	0
5915	2.938e+004	-1.055e+004	2320	0
5916	3.019e+004	-1.068e+004	260	0
5917	3.019e+004	-1.068e+004	2320	0
5918	3.101e+004	-1.08e+004	260	0
5919	3.101e+004	-1.08e+004	2320	0
5920	3.182e+004	-1.092e+004	260	0
5921	3.182e+004	-1.092e+004	2320	0
5922	3.264e+004	-1.102e+004	260	0
5923	3.264e+004	-1.102e+004	2320	0
5924	3.345e+004	-1.112e+004	260	0
5925	3.345e+004	-1.112e+004	2320	0
5926	3.427e+004	-1.121e+004	260	0
5927	3.427e+004	-1.121e+004	2320	0
5928	3.509e+004	-1.129e+004	260	0
5929	3.509e+004	-1.129e+004	2320	0
5930	3.59e+004	-1.136e+004	260	0
5931	3.59e+004	-1.136e+004	2320	0
5932	3.672e+004	-1.143e+004	260	0
5933	3.672e+004	-1.143e+004	2320	0
5934	3.753e+004	-1.149e+004	260	0
5935	3.753e+004	-1.149e+004	2320	0
5936	3.835e+004	-1.154e+004	260	0
5937	3.835e+004	-1.154e+004	2320	0
5938	3.918e+004	-1.159e+004	260	0
5939	3.918e+004	-1.159e+004	2320	0
5940	4e+004	-1.163e+004	260	0
5941	4e+004	-1.163e+004	2320	0
5942	4.083e+004	-1.166e+004	260	0
5943	4.083e+004	-1.166e+004	2320	0
5944	4.165e+004	-1.168e+004	260	0
5945	4.165e+004	-1.168e+004	2320	0
5946	4.248e+004	-1.17e+004	260	0
5947	4.248e+004	-1.17e+004	2320	0
5948	4.334e+004	-1.171e+004	260	0
5949	4.334e+004	-1.171e+004	2320	0
5950	4.421e+004	-1.17e+004	260	0
5951	4.421e+004	-1.17e+004	2320	0
5952	4.508e+004	-1.169e+004	260	0
5953	4.508e+004	-1.169e+004	2320	0
5954	4.594e+004	-1.166e+004	260	0
5955	4.594e+004	-1.166e+004	2320	0
5956	4.681e+004	-1.163e+004	260	0
5957	4.681e+004	-1.163e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


5958	4.767e+004	-1.159e+004	260	0
5959	4.767e+004	-1.159e+004	2320	0
5960	4.854e+004	-1.154e+004	260	0
5961	4.854e+004	-1.154e+004	2320	0
5962	4.94e+004	-1.148e+004	260	0
5963	4.94e+004	-1.148e+004	2320	0
5964	5.027e+004	-1.141e+004	260	0
5965	5.027e+004	-1.141e+004	2320	0
5966	5.113e+004	-1.133e+004	260	0
5967	5.113e+004	-1.133e+004	2320	0
5968	5.199e+004	-1.124e+004	260	0
5969	5.199e+004	-1.124e+004	2320	0
5970	5.285e+004	-1.114e+004	260	0
5971	5.285e+004	-1.114e+004	2320	0
5972	5.371e+004	-1.103e+004	260	0
5973	5.371e+004	-1.103e+004	2320	0
5974	5.457e+004	-1.091e+004	260	0
5975	5.457e+004	-1.091e+004	2320	0
5976	5.543e+004	-1.079e+004	260	0
5977	5.543e+004	-1.079e+004	2320	0
5978	5.628e+004	-1.065e+004	260	0
5979	5.628e+004	-1.065e+004	2320	0
5980	5.714e+004	-1.05e+004	260	0
5981	5.714e+004	-1.05e+004	2320	0
5982	5.799e+004	-1.035e+004	260	0
5983	5.799e+004	-1.035e+004	2320	0
5984	5.884e+004	-1.018e+004	260	0
5985	5.884e+004	-1.018e+004	2320	0
5986	5.969e+004	-1.001e+004	260	0
5987	5.969e+004	-1.001e+004	2320	0
5988	6.053e+004	-9827	260	0
5989	6.053e+004	-9827	2320	0
5990	6.138e+004	-9635	260	0
5991	6.138e+004	-9635	2320	0
5992	6.222e+004	-9433	260	0
5993	6.222e+004	-9433	2320	0
5994	6.306e+004	-9223	260	0
5995	6.306e+004	-9223	2320	0
5996	6.39e+004	-9002	260	0
5997	6.39e+004	-9002	2320	0
5998	6.473e+004	-8772	260	0
5999	6.473e+004	-8772	2320	0
6000	6.557e+004	-8533	260	0
6001	6.557e+004	-8533	2320	0
6002	6.64e+004	-8285	260	0
6003	6.64e+004	-8285	2320	0
6004	6.722e+004	-8029	260	0
6005	6.722e+004	-8029	2320	0
6006	6.805e+004	-7765	260	0
6007	6.805e+004	-7765	2320	0
6008	6.887e+004	-7494	260	0
6009	6.887e+004	-7494	2320	0
6010	6.969e+004	-7214	260	0
6011	6.969e+004	-7214	2320	0
6012	7.051e+004	-6923	260	0
6013	7.051e+004	-6923	2320	0
6014	7.132e+004	-6620	260	0
6015	7.132e+004	-6620	2320	0
6016	7.213e+004	-6303	260	0
6017	7.213e+004	-6303	2320	0
6018	7.293e+004	-5971	260	0
6019	7.293e+004	-5971	2320	0
6020	7.372e+004	-5631	260	0
6021	7.372e+004	-5631	2320	0
6022	7.452e+004	-5287	260	0
6023	7.452e+004	-5287	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6024	7.531e+004	-4948	260	0
6025	7.531e+004	-4948	2320	0
6026	7.612e+004	-4620	260	0
6027	7.612e+004	-4620	2320	0
6028	7.69e+004	-4240	260	0
6029	7.69e+004	-4240	2320	0
6030	7.767e+004	-3860	260	0
6031	7.767e+004	-3860	2320	0
6032	7.845e+004	-3480	260	0
6033	7.845e+004	-3480	2320	0
6034	7.923e+004	-3099	260	0
6035	7.923e+004	-3099	2320	0
6036	8.001e+004	-2721	260	0
6037	8.001e+004	-2721	2320	0
6038	8.076e+004	-2301	260	0
6039	8.076e+004	-2301	2320	0
6040	8.152e+004	-1878	260	0
6041	8.152e+004	-1878	2320	0
6042	8.228e+004	-1455	260	0
6043	8.228e+004	-1455	2320	0
6044	8.303e+004	-1033	260	0
6045	8.303e+004	-1033	2320	0
6046	8.379e+004	-611.2	260	0
6047	8.379e+004	-611.2	2320	0
6048	8.448e+004	-165.3	260	0
6049	8.448e+004	-165.3	2320	0
6050	8.518e+004	272.6	260	0
6051	8.518e+004	272.6	2320	0
6052	8.588e+004	707	260	0
6053	8.588e+004	707	2320	0
6054	8.658e+004	1143	260	0
6055	8.658e+004	1143	2320	0
6056	8.728e+004	1587	260	0
6057	8.728e+004	1587	2320	0
6058	8.797e+004	2041	260	0
6059	8.797e+004	2041	2320	0
6060	8.865e+004	2506	260	0
6061	8.865e+004	2506	2320	0
6062	8.933e+004	2980	260	0
6063	8.933e+004	2980	2320	0
6064	8.999e+004	3463	260	0
6065	8.999e+004	3463	2320	0
6066	9.066e+004	3952	260	0
6067	9.066e+004	3952	2320	0
6068	9.135e+004	4472	260	0
6069	9.135e+004	4472	2320	0
6070	9.204e+004	4998	260	0
6071	9.204e+004	4998	2320	0
6072	9.272e+004	5531	260	0
6073	9.272e+004	5531	2320	0
6074	9.34e+004	6072	260	0
6075	9.34e+004	6072	2320	0
6076	9.407e+004	6619	260	0
6077	9.407e+004	6619	2320	0
6078	9.473e+004	7175	260	0
6079	9.473e+004	7175	2320	0
6080	9.539e+004	7737	260	0
6081	9.539e+004	7737	2320	0
6082	9.604e+004	8307	260	0
6083	9.604e+004	8307	2320	0
6084	9.669e+004	8884	260	0
6085	9.669e+004	8884	2320	0
6086	9.733e+004	9468	260	0
6087	9.733e+004	9468	2320	0
6088	9.796e+004	1.006e+004	260	0
6089	9.796e+004	1.006e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6090	9.859e+004	1.066e+004	260	0
6091	9.859e+004	1.066e+004	2320	0
6092	9.921e+004	1.126e+004	260	0
6093	9.921e+004	1.126e+004	2320	0
6094	9.982e+004	1.187e+004	260	0
6095	9.982e+004	1.187e+004	2320	0
6096	1.004e+005	1.249e+004	260	0
6097	1.004e+005	1.249e+004	2320	0
6098	1.01e+005	1.312e+004	260	0
6099	1.01e+005	1.312e+004	2320	0
6100	1.016e+005	1.375e+004	260	0
6101	1.016e+005	1.375e+004	2320	0
6102	1.022e+005	1.438e+004	260	0
6103	1.022e+005	1.438e+004	2320	0
6104	1.028e+005	1.503e+004	260	0
6105	1.028e+005	1.503e+004	2320	0
6106	1.034e+005	1.568e+004	260	0
6107	1.034e+005	1.568e+004	2320	0
6108	1.039e+005	1.633e+004	260	0
6109	1.039e+005	1.633e+004	2320	0
6110	1.045e+005	1.7e+004	260	0
6111	1.045e+005	1.7e+004	2320	0
6112	1.05e+005	1.766e+004	260	0
6113	1.05e+005	1.766e+004	2320	0
6114	1.056e+005	1.834e+004	260	0
6115	1.056e+005	1.834e+004	2320	0
6116	1.061e+005	1.902e+004	260	0
6117	1.061e+005	1.902e+004	2320	0
6118	1.066e+005	1.971e+004	260	0
6119	1.066e+005	1.971e+004	2320	0
6120	1.072e+005	2.04e+004	260	0
6121	1.072e+005	2.04e+004	2320	0
6122	1.077e+005	2.109e+004	260	0
6123	1.077e+005	2.109e+004	2320	0
6124	1.082e+005	2.18e+004	260	0
6125	1.082e+005	2.18e+004	2320	0
6126	1.087e+005	2.251e+004	260	0
6127	1.087e+005	2.251e+004	2320	0
6128	1.092e+005	2.322e+004	260	0
6129	1.092e+005	2.322e+004	2320	0
6130	1.097e+005	2.394e+004	260	0
6131	1.097e+005	2.394e+004	2320	0
6132	1.101e+005	2.466e+004	260	0
6133	1.101e+005	2.466e+004	2320	0
6134	1.106e+005	2.539e+004	260	0
6135	1.106e+005	2.539e+004	2320	0
6136	1.111e+005	2.613e+004	260	0
6137	1.111e+005	2.613e+004	2320	0
6138	1.115e+005	2.687e+004	260	0
6139	1.115e+005	2.687e+004	2320	0
6140	1.12e+005	2.761e+004	260	0
6141	1.12e+005	2.761e+004	2320	0
6142	1.124e+005	2.836e+004	260	0
6143	1.124e+005	2.836e+004	2320	0
6144	1.128e+005	2.911e+004	260	0
6145	1.128e+005	2.911e+004	2320	0
6146	1.132e+005	2.987e+004	260	0
6147	1.132e+005	2.987e+004	2320	0
6148	1.137e+005	3.063e+004	260	0
6149	1.137e+005	3.063e+004	2320	0
6150	1.141e+005	3.14e+004	260	0
6151	1.141e+005	3.14e+004	2320	0
6152	1.144e+005	3.217e+004	260	0
6153	1.144e+005	3.217e+004	2320	0
6154	1.148e+005	3.295e+004	260	0
6155	1.148e+005	3.295e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6156	1.152e+005	3.373e+004	260	0
6157	1.152e+005	3.373e+004	2320	0
6158	1.156e+005	3.451e+004	260	0
6159	1.156e+005	3.451e+004	2320	0
6160	1.159e+005	3.529e+004	260	0
6161	1.159e+005	3.529e+004	2320	0
6162	1.163e+005	3.608e+004	260	0
6163	1.163e+005	3.608e+004	2320	0
6164	1.167e+005	3.688e+004	260	0
6165	1.167e+005	3.688e+004	2320	0
6166	1.17e+005	3.768e+004	260	0
6167	1.17e+005	3.768e+004	2320	0
6168	1.173e+005	3.843e+004	260	0
6169	1.173e+005	3.843e+004	2320	0
6170	1.176e+005	3.919e+004	260	0
6171	1.176e+005	3.919e+004	2320	0
6172	1.179e+005	3.996e+004	260	0
6173	1.179e+005	3.996e+004	2320	0
6174	1.182e+005	4.073e+004	260	0
6175	1.182e+005	4.073e+004	2320	0
6176	1.184e+005	4.15e+004	260	0
6177	1.184e+005	4.15e+004	2320	0
6178	1.187e+005	4.229e+004	260	0
6179	1.187e+005	4.229e+004	2320	0
6180	1.19e+005	4.308e+004	260	0
6181	1.19e+005	4.308e+004	2320	0
6182	1.192e+005	4.387e+004	260	0
6183	1.192e+005	4.387e+004	2320	0
6184	1.195e+005	4.466e+004	260	0
6185	1.195e+005	4.466e+004	2320	0
6186	1.197e+005	4.546e+004	260	0
6187	1.197e+005	4.546e+004	2320	0
6188	1.2e+005	4.629e+004	260	0
6189	1.2e+005	4.629e+004	2320	0
6190	1.202e+005	4.713e+004	260	0
6191	1.202e+005	4.713e+004	2320	0
6192	1.204e+005	4.796e+004	260	0
6193	1.204e+005	4.796e+004	2320	0
6194	1.206e+005	4.88e+004	260	0
6195	1.206e+005	4.88e+004	2320	0
6196	1.208e+005	4.965e+004	260	0
6197	1.208e+005	4.965e+004	2320	0
6198	1.21e+005	5.049e+004	260	0
6199	1.21e+005	5.049e+004	2320	0
6200	1.212e+005	5.133e+004	260	0
6201	1.212e+005	5.133e+004	2320	0
6202	1.214e+005	5.218e+004	260	0
6203	1.214e+005	5.218e+004	2320	0
6204	1.216e+005	5.303e+004	260	0
6205	1.216e+005	5.303e+004	2320	0
6206	1.217e+005	5.388e+004	260	0
6207	1.217e+005	5.388e+004	2320	0
6208	1.219e+005	5.474e+004	260	0
6209	1.219e+005	5.474e+004	2320	0
6210	1.22e+005	5.559e+004	260	0
6211	1.22e+005	5.559e+004	2320	0
6212	1.221e+005	5.645e+004	260	0
6213	1.221e+005	5.645e+004	2320	0
6214	1.223e+005	5.731e+004	260	0
6215	1.223e+005	5.731e+004	2320	0
6216	1.224e+005	5.817e+004	260	0
6217	1.224e+005	5.817e+004	2320	0
6218	1.225e+005	5.903e+004	260	0
6219	1.225e+005	5.903e+004	2320	0
6220	1.226e+005	5.989e+004	260	0
6221	1.226e+005	5.989e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6222	1.227e+005	6.075e+004	260	0
6223	1.227e+005	6.075e+004	2320	0
6224	1.227e+005	6.161e+004	260	0
6225	1.227e+005	6.161e+004	2320	0
6226	1.228e+005	6.248e+004	260	0
6227	1.228e+005	6.248e+004	2320	0
6228	1.229e+005	6.334e+004	260	0
6229	1.229e+005	6.334e+004	2320	0
6230	1.229e+005	6.421e+004	260	0
6231	1.229e+005	6.421e+004	2320	0
6232	1.229e+005	6.507e+004	260	0
6233	1.229e+005	6.507e+004	2320	0
6234	1.23e+005	6.594e+004	260	0
6235	1.23e+005	6.594e+004	2320	0
6236	1.23e+005	6.68e+004	260	0
6237	1.23e+005	6.68e+004	2320	0
6238	1.23e+005	6.767e+004	260	0
6239	1.23e+005	6.767e+004	2320	0
6240	1.23e+005	6.854e+004	260	0
6241	1.23e+005	6.854e+004	2320	0
6242	1.23e+005	6.94e+004	260	0
6243	1.23e+005	6.94e+004	2320	0
6244	1.23e+005	7.027e+004	260	0
6245	1.23e+005	7.027e+004	2320	0
6246	1.229e+005	7.113e+004	260	0
6247	1.229e+005	7.113e+004	2320	0
6248	1.229e+005	7.2e+004	260	0
6249	1.229e+005	7.2e+004	2320	0
6250	1.228e+005	7.286e+004	260	0
6251	1.228e+005	7.286e+004	2320	0
6252	1.228e+005	7.373e+004	260	0
6253	1.228e+005	7.373e+004	2320	0
6254	1.227e+005	7.459e+004	260	0
6255	1.227e+005	7.459e+004	2320	0
6256	1.226e+005	7.546e+004	260	0
6257	1.226e+005	7.546e+004	2320	0
6258	1.225e+005	7.632e+004	260	0
6259	1.225e+005	7.632e+004	2320	0
6260	1.224e+005	7.718e+004	260	0
6261	1.224e+005	7.718e+004	2320	0
6262	1.223e+005	7.804e+004	260	0
6263	1.223e+005	7.804e+004	2320	0
6264	1.222e+005	7.89e+004	260	0
6265	1.222e+005	7.89e+004	2320	0
6266	1.221e+005	7.975e+004	260	0
6267	1.221e+005	7.975e+004	2320	0
6268	1.22e+005	8.061e+004	260	0
6269	1.22e+005	8.061e+004	2320	0
6270	1.218e+005	8.146e+004	260	0
6271	1.218e+005	8.146e+004	2320	0
6272	1.217e+005	8.232e+004	260	0
6273	1.217e+005	8.232e+004	2320	0
6274	1.215e+005	8.317e+004	260	0
6275	1.215e+005	8.317e+004	2320	0
6276	1.213e+005	8.402e+004	260	0
6277	1.213e+005	8.402e+004	2320	0
6278	1.212e+005	8.487e+004	260	0
6279	1.212e+005	8.487e+004	2320	0
6280	1.21e+005	8.571e+004	260	0
6281	1.21e+005	8.571e+004	2320	0
6282	1.208e+005	8.655e+004	260	0
6283	1.208e+005	8.655e+004	2320	0
6284	1.206e+005	8.739e+004	260	0
6285	1.206e+005	8.739e+004	2320	0
6286	1.203e+005	8.823e+004	260	0
6287	1.203e+005	8.823e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6288	1.201e+005	8.902e+004	260	0
6289	1.201e+005	8.902e+004	2320	0
6290	1.199e+005	8.981e+004	260	0
6291	1.199e+005	8.981e+004	2320	0
6292	1.197e+005	9.059e+004	260	0
6293	1.197e+005	9.059e+004	2320	0
6294	1.194e+005	9.137e+004	260	0
6295	1.194e+005	9.137e+004	2320	0
6296	1.192e+005	9.215e+004	260	0
6297	1.192e+005	9.215e+004	2320	0
6298	1.189e+005	9.294e+004	260	0
6299	1.189e+005	9.294e+004	2320	0
6300	1.187e+005	9.373e+004	260	0
6301	1.187e+005	9.373e+004	2320	0
6302	1.184e+005	9.452e+004	260	0
6303	1.184e+005	9.452e+004	2320	0
6304	1.181e+005	9.53e+004	260	0
6305	1.181e+005	9.53e+004	2320	0
6306	1.178e+005	9.608e+004	260	0
6307	1.178e+005	9.608e+004	2320	0
6308	1.175e+005	9.689e+004	260	0
6309	1.175e+005	9.689e+004	2320	0
6310	1.172e+005	9.769e+004	260	0
6311	1.172e+005	9.769e+004	2320	0
6312	1.168e+005	9.849e+004	260	0
6313	1.168e+005	9.849e+004	2320	0
6314	1.165e+005	9.929e+004	260	0
6315	1.165e+005	9.929e+004	2320	0
6316	1.162e+005	1.001e+005	260	0
6317	1.162e+005	1.001e+005	2320	0
6318	1.158e+005	1.009e+005	260	0
6319	1.158e+005	1.009e+005	2320	0
6320	1.154e+005	1.017e+005	260	0
6321	1.154e+005	1.017e+005	2320	0
6322	1.151e+005	1.024e+005	260	0
6323	1.151e+005	1.024e+005	2320	0
6324	1.147e+005	1.032e+005	260	0
6325	1.147e+005	1.032e+005	2320	0
6326	1.143e+005	1.04e+005	260	0
6327	1.143e+005	1.04e+005	2320	0
6328	1.139e+005	1.048e+005	260	0
6329	1.139e+005	1.048e+005	2320	0
6330	1.135e+005	1.055e+005	260	0
6331	1.135e+005	1.055e+005	2320	0
6332	1.131e+005	1.063e+005	260	0
6333	1.131e+005	1.063e+005	2320	0
6334	1.127e+005	1.07e+005	260	0
6335	1.127e+005	1.07e+005	2320	0
6336	1.122e+005	1.078e+005	260	0
6337	1.122e+005	1.078e+005	2320	0
6338	1.118e+005	1.085e+005	260	0
6339	1.118e+005	1.085e+005	2320	0
6340	1.114e+005	1.093e+005	260	0
6341	1.114e+005	1.093e+005	2320	0
6342	1.109e+005	1.1e+005	260	0
6343	1.109e+005	1.1e+005	2320	0
6344	1.105e+005	1.108e+005	260	0
6345	1.105e+005	1.108e+005	2320	0
6346	1.1e+005	1.115e+005	260	0
6347	1.1e+005	1.115e+005	2320	0
6348	1.095e+005	1.122e+005	260	0
6349	1.095e+005	1.122e+005	2320	0
6350	1.09e+005	1.129e+005	260	0
6351	1.09e+005	1.129e+005	2320	0
6352	1.085e+005	1.136e+005	260	0
6353	1.085e+005	1.136e+005	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6354	1.08e+005	1.143e+005	260	0
6355	1.08e+005	1.143e+005	2320	0
6356	1.075e+005	1.151e+005	260	0
6357	1.075e+005	1.151e+005	2320	0
6358	1.07e+005	1.157e+005	260	0
6359	1.07e+005	1.157e+005	2320	0
6360	1.065e+005	1.164e+005	260	0
6361	1.065e+005	1.164e+005	2320	0
6362	1.06e+005	1.171e+005	260	0
6363	1.06e+005	1.171e+005	2320	0
6364	1.054e+005	1.178e+005	260	0
6365	1.054e+005	1.178e+005	2320	0
6366	1.049e+005	1.185e+005	260	0
6367	1.049e+005	1.185e+005	2320	0
6368	1.043e+005	1.191e+005	260	0
6369	1.043e+005	1.191e+005	2320	0
6370	1.038e+005	1.198e+005	260	0
6371	1.038e+005	1.198e+005	2320	0
6372	1.032e+005	1.205e+005	260	0
6373	1.032e+005	1.205e+005	2320	0
6374	1.026e+005	1.211e+005	260	0
6375	1.026e+005	1.211e+005	2320	0
6376	1.021e+005	1.218e+005	260	0
6377	1.021e+005	1.218e+005	2320	0
6378	1.015e+005	1.224e+005	260	0
6379	1.015e+005	1.224e+005	2320	0
6380	1.009e+005	1.23e+005	260	0
6381	1.009e+005	1.23e+005	2320	0
6382	1.003e+005	1.237e+005	260	0
6383	1.003e+005	1.237e+005	2320	0
6384	9.968e+004	1.243e+005	260	0
6385	9.968e+004	1.243e+005	2320	0
6386	9.907e+004	1.249e+005	260	0
6387	9.907e+004	1.249e+005	2320	0
6388	9.845e+004	1.255e+005	260	0
6389	9.845e+004	1.255e+005	2320	0
6390	9.782e+004	1.261e+005	260	0
6391	9.782e+004	1.261e+005	2320	0
6392	9.719e+004	1.267e+005	260	0
6393	9.719e+004	1.267e+005	2320	0
6394	9.655e+004	1.273e+005	260	0
6395	9.655e+004	1.273e+005	2320	0
6396	9.591e+004	1.278e+005	260	0
6397	9.591e+004	1.278e+005	2320	0
6398	9.526e+004	1.284e+005	260	0
6399	9.526e+004	1.284e+005	2320	0
6400	9.46e+004	1.29e+005	260	0
6401	9.46e+004	1.29e+005	2320	0
6402	9.394e+004	1.295e+005	260	0
6403	9.394e+004	1.295e+005	2320	0
6404	9.327e+004	1.301e+005	260	0
6405	9.327e+004	1.301e+005	2320	0
6406	9.26e+004	1.306e+005	260	0
6407	9.26e+004	1.306e+005	2320	0
6408	9.195e+004	1.311e+005	260	0
6409	9.195e+004	1.311e+005	2320	0
6410	9.13e+004	1.316e+005	260	0
6411	9.13e+004	1.316e+005	2320	0
6412	9.065e+004	1.321e+005	260	0
6413	9.065e+004	1.321e+005	2320	0
6414	8.999e+004	1.326e+005	260	0
6415	8.999e+004	1.326e+005	2320	0
6416	8.932e+004	1.331e+005	260	0
6417	8.932e+004	1.331e+005	2320	0
6418	8.865e+004	1.336e+005	260	0
6419	8.865e+004	1.336e+005	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


6420	8.798e+004	1.341e+005	260	0
6421	8.798e+004	1.341e+005	2320	0
6422	8.73e+004	1.345e+005	260	0
6423	8.73e+004	1.345e+005	2320	0
6424	8.662e+004	1.35e+005	260	0
6425	8.662e+004	1.35e+005	2320	0
6426	8.594e+004	1.354e+005	260	0
6427	8.594e+004	1.354e+005	2320	0
6428	8.525e+004	1.359e+005	260	0
6429	8.525e+004	1.359e+005	2320	0
6430	8.456e+004	1.363e+005	260	0
6431	8.456e+004	1.363e+005	2320	0
6432	8.387e+004	1.368e+005	260	0
6433	8.387e+004	1.368e+005	2320	0
6434	8.318e+004	1.372e+005	260	0
6435	8.318e+004	1.372e+005	2320	0
6436	8.248e+004	1.376e+005	260	0
6437	8.248e+004	1.376e+005	2320	0
6438	8.178e+004	1.38e+005	260	0
6439	8.178e+004	1.38e+005	2320	0
6440	8.108e+004	1.385e+005	260	0
6441	8.108e+004	1.385e+005	2320	0
6442	8.037e+004	1.389e+005	260	0
6443	8.037e+004	1.389e+005	2320	0
6444	7.967e+004	1.393e+005	260	0
6445	7.967e+004	1.393e+005	2320	0
6446	7.895e+004	1.397e+005	260	0
6447	7.895e+004	1.397e+005	2320	0
6448	7.824e+004	1.401e+005	260	0
6449	7.824e+004	1.401e+005	2320	0
6450	7.752e+004	1.405e+005	260	0
6451	7.752e+004	1.405e+005	2320	0
6452	7.68e+004	1.409e+005	260	0
6453	7.68e+004	1.409e+005	2320	0
6454	7.608e+004	1.413e+005	260	0
6455	7.608e+004	1.413e+005	2320	0
6456	7.536e+004	1.416e+005	260	0
6457	7.536e+004	1.416e+005	2320	0
6458	7.463e+004	1.42e+005	260	0
6459	7.463e+004	1.42e+005	2320	0
6460	7.391e+004	1.424e+005	260	0
6461	7.391e+004	1.424e+005	2320	0
6462	7.318e+004	1.427e+005	260	0
6463	7.318e+004	1.427e+005	2320	0
6464	7.245e+004	1.431e+005	260	0
6465	7.245e+004	1.431e+005	2320	0
6466	7.172e+004	1.434e+005	260	0
6467	7.172e+004	1.434e+005	2320	0
6468	7.098e+004	1.438e+005	260	0
6469	7.098e+004	1.438e+005	2320	0
6470	7.025e+004	1.441e+005	260	0
6471	7.025e+004	1.441e+005	2320	0
6472	6.951e+004	1.445e+005	260	0
6473	6.951e+004	1.445e+005	2320	0
6474	6.877e+004	1.448e+005	260	0
6475	6.877e+004	1.448e+005	2320	0
6476	6.803e+004	1.451e+005	260	0
6477	6.803e+004	1.451e+005	2320	0
6478	6.729e+004	1.454e+005	260	0
6479	6.729e+004	1.454e+005	2320	0
6480	6.655e+004	1.458e+005	260	0
6481	6.655e+004	1.458e+005	2320	0
6482	6.58e+004	1.461e+005	260	0
6483	6.58e+004	1.461e+005	2320	0
6484	6.506e+004	1.464e+005	260	0
6485	6.506e+004	1.464e+005	2320	0

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


6486	6.431e+004	1.467e+005	260	0
6487	6.431e+004	1.467e+005	2320	0
6488	6.357e+004	1.471e+005	260	0
6489	6.357e+004	1.471e+005	2320	0
6490	6.282e+004	1.474e+005	260	0
6491	6.282e+004	1.474e+005	2320	0
6492	6.207e+004	1.477e+005	260	0
6493	6.207e+004	1.477e+005	2320	0
6494	6.132e+004	1.48e+005	260	0
6495	6.132e+004	1.48e+005	2320	0
6496	6.057e+004	1.483e+005	260	0
6497	6.057e+004	1.483e+005	2320	0
6498	5.981e+004	1.486e+005	260	0
6499	5.981e+004	1.486e+005	2320	0
6500	5.906e+004	1.489e+005	260	0
6501	5.906e+004	1.489e+005	2320	0
6502	5.83e+004	1.492e+005	260	0
6503	5.83e+004	1.492e+005	2320	0
6504	5.755e+004	1.495e+005	260	0
6505	5.755e+004	1.495e+005	2320	0
6506	5.679e+004	1.497e+005	260	0
6507	5.679e+004	1.497e+005	2320	0
6508	5.606e+004	1.5e+005	260	0
6509	5.606e+004	1.5e+005	2320	0
6510	5.534e+004	1.503e+005	260	0
6511	5.534e+004	1.503e+005	2320	0
6512	5.461e+004	1.505e+005	260	0
6513	5.461e+004	1.505e+005	2320	0
6514	5.388e+004	1.508e+005	260	0
6515	5.388e+004	1.508e+005	2320	0
6516	5.315e+004	1.511e+005	260	0
6517	5.315e+004	1.511e+005	2320	0
6518	5.257e+004	1.513e+005	260	0
6519	5.257e+004	1.513e+005	2320	0
6520	79.66	2473	260	0
6521	656.8	2309	260	0
6522	79.66	2473	2320	0
6523	656.8	2309	2320	0
6524	1372	2094	260	0
6525	1372	2094	2320	0
6526	2087	1880	260	0
6527	2087	1880	2320	0
6528	2800	1666	260	0
6529	2800	1666	2320	0
6530	3509	1454	260	0
6531	3509	1454	2320	0
6532	4217	1242	260	0
6533	4217	1242	2320	0
6534	4986	1012	260	0
6535	4986	1012	2320	0
6536	5755	781.2	260	0
6537	5755	781.2	2320	0
6538	6523	550.9	260	0
6539	6523	550.9	2320	0
6540	7292	320.6	260	0
6541	7292	320.6	2320	0
6542	8061	90.31	260	0
6543	8061	90.31	2320	0
6544	8828	-139.5	260	0
6545	8828	-139.5	2320	0
6546	9595	-369.4	260	0
6547	9595	-369.4	2320	0
6548	1.036e+004	-599.2	260	0
6549	1.036e+004	-599.2	2320	0
6550	1.113e+004	-829.1	260	0
6551	1.113e+004	-829.1	2320	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

6552	1.19e+004	-1059	260	0
6553	1.19e+004	-1059	2320	0
6554	1.266e+004	-1289	260	0
6555	1.266e+004	-1289	2320	0
6556	1.343e+004	-1519	260	0
6557	1.343e+004	-1519	2320	0
6558	1.42e+004	-1748	260	0
6559	1.42e+004	-1748	2320	0
6560	1.497e+004	-1978	260	0
6561	1.497e+004	-1978	2320	0
6562	1.573e+004	-2208	260	0
6563	1.573e+004	-2208	2320	0
6564	1.65e+004	-2437	260	0
6565	1.65e+004	-2437	2320	0
6566	1.726e+004	-2667	260	0
6567	1.726e+004	-2667	2320	0
6568	1.803e+004	-2896	260	0
6569	1.803e+004	-2896	2320	0
6570	1.879e+004	-3125	260	0
6571	1.879e+004	-3125	2320	0
6572	1.956e+004	-3355	260	0
6573	1.956e+004	-3355	2320	0
6574	2.031e+004	-3574	260	0
6575	2.031e+004	-3574	2320	0
6576	2.105e+004	-3788	260	0
6577	2.105e+004	-3788	2320	0
6578	2.18e+004	-3997	260	0
6579	2.18e+004	-3997	2320	0
6580	2.255e+004	-4199	260	0
6581	2.255e+004	-4199	2320	0
6582	2.33e+004	-4394	260	0
6583	2.33e+004	-4394	2320	0
6584	2.406e+004	-4581	260	0
6585	2.406e+004	-4581	2320	0
6586	2.482e+004	-4761	260	0
6587	2.482e+004	-4761	2320	0
6588	2.557e+004	-4933	260	0
6589	2.557e+004	-4933	2320	0
6590	2.633e+004	-5097	260	0
6591	2.633e+004	-5097	2320	0
6592	2.709e+004	-5255	260	0
6593	2.709e+004	-5255	2320	0
6594	2.786e+004	-5405	260	0
6595	2.786e+004	-5405	2320	0
6596	2.862e+004	-5549	260	0
6597	2.862e+004	-5549	2320	0
6598	2.939e+004	-5685	260	0
6599	2.939e+004	-5685	2320	0
6600	3.015e+004	-5814	260	0
6601	3.015e+004	-5814	2320	0
6602	3.092e+004	-5936	260	0
6603	3.092e+004	-5936	2320	0
6604	3.169e+004	-6051	260	0
6605	3.169e+004	-6051	2320	0
6606	3.246e+004	-6158	260	0
6607	3.246e+004	-6158	2320	0
6608	3.323e+004	-6258	260	0
6609	3.323e+004	-6258	2320	0
6610	3.4e+004	-6351	260	0
6611	3.4e+004	-6351	2320	0
6612	3.478e+004	-6436	260	0
6613	3.478e+004	-6436	2320	0
6614	3.555e+004	-6514	260	0
6615	3.555e+004	-6514	2320	0
6616	3.633e+004	-6584	260	0
6617	3.633e+004	-6584	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6618	3.711e+004	-6647	260	0
6619	3.711e+004	-6647	2320	0
6620	3.789e+004	-6704	260	0
6621	3.789e+004	-6704	2320	0
6622	3.867e+004	-6754	260	0
6623	3.867e+004	-6754	2320	0
6624	3.944e+004	-6797	260	0
6625	3.944e+004	-6797	2320	0
6626	4.021e+004	-6834	260	0
6627	4.021e+004	-6834	2320	0
6628	4.099e+004	-6863	260	0
6629	4.099e+004	-6863	2320	0
6630	4.176e+004	-6886	260	0
6631	4.176e+004	-6886	2320	0
6632	4.253e+004	-6900	260	0
6633	4.253e+004	-6900	2320	0
6634	4.335e+004	-6905	260	0
6635	4.335e+004	-6905	2320	0
6636	4.416e+004	-6902	260	0
6637	4.416e+004	-6902	2320	0
6638	4.497e+004	-6889	260	0
6639	4.497e+004	-6889	2320	0
6640	4.579e+004	-6867	260	0
6641	4.579e+004	-6867	2320	0
6642	4.66e+004	-6836	260	0
6643	4.66e+004	-6836	2320	0
6644	4.741e+004	-6796	260	0
6645	4.741e+004	-6796	2320	0
6646	4.823e+004	-6748	260	0
6647	4.823e+004	-6748	2320	0
6648	4.904e+004	-6691	260	0
6649	4.904e+004	-6691	2320	0
6650	4.985e+004	-6624	260	0
6651	4.985e+004	-6624	2320	0
6652	5.066e+004	-6549	260	0
6653	5.066e+004	-6549	2320	0
6654	5.147e+004	-6466	260	0
6655	5.147e+004	-6466	2320	0
6656	5.228e+004	-6373	260	0
6657	5.228e+004	-6373	2320	0
6658	5.308e+004	-6271	260	0
6659	5.308e+004	-6271	2320	0
6660	5.389e+004	-6161	260	0
6661	5.389e+004	-6161	2320	0
6662	5.47e+004	-6041	260	0
6663	5.47e+004	-6041	2320	0
6664	5.55e+004	-5913	260	0
6665	5.55e+004	-5913	2320	0
6666	5.63e+004	-5776	260	0
6667	5.63e+004	-5776	2320	0
6668	5.71e+004	-5630	260	0
6669	5.71e+004	-5630	2320	0
6670	5.79e+004	-5476	260	0
6671	5.79e+004	-5476	2320	0
6672	5.87e+004	-5313	260	0
6673	5.87e+004	-5313	2320	0
6674	5.949e+004	-5141	260	0
6675	5.949e+004	-5141	2320	0
6676	6.029e+004	-4960	260	0
6677	6.029e+004	-4960	2320	0
6678	6.108e+004	-4771	260	0
6679	6.108e+004	-4771	2320	0
6680	6.187e+004	-4573	260	0
6681	6.187e+004	-4573	2320	0
6682	6.265e+004	-4366	260	0
6683	6.265e+004	-4366	2320	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

6684	6.344e+004	-4151	260	0
6685	6.344e+004	-4151	2320	0
6686	6.422e+004	-3927	260	0
6687	6.422e+004	-3927	2320	0
6688	6.5e+004	-3695	260	0
6689	6.5e+004	-3695	2320	0
6690	6.578e+004	-3454	260	0
6691	6.578e+004	-3454	2320	0
6692	6.655e+004	-3204	260	0
6693	6.655e+004	-3204	2320	0
6694	6.732e+004	-2947	260	0
6695	6.732e+004	-2947	2320	0
6696	6.809e+004	-2680	260	0
6697	6.809e+004	-2680	2320	0
6698	6.886e+004	-2406	260	0
6699	6.886e+004	-2406	2320	0
6700	6.962e+004	-2122	260	0
6701	6.962e+004	-2122	2320	0
6702	7.038e+004	-1831	260	0
6703	7.038e+004	-1831	2320	0
6704	7.114e+004	-1531	260	0
6705	7.114e+004	-1531	2320	0
6706	7.189e+004	-1223	260	0
6707	7.189e+004	-1223	2320	0
6708	7.264e+004	-906.9	260	0
6709	7.264e+004	-906.9	2320	0
6710	7.339e+004	-582.5	260	0
6711	7.339e+004	-582.5	2320	0
6712	7.413e+004	-249.8	260	0
6713	7.413e+004	-249.8	2320	0
6714	7.487e+004	90.94	260	0
6715	7.487e+004	90.94	2320	0
6716	7.56e+004	439.8	260	0
6717	7.56e+004	439.8	2320	0
6718	7.634e+004	796.7	260	0
6719	7.634e+004	796.7	2320	0
6720	7.706e+004	1161	260	0
6721	7.706e+004	1161	2320	0
6722	7.779e+004	1534	260	0
6723	7.779e+004	1534	2320	0
6724	7.851e+004	1915	260	0
6725	7.851e+004	1915	2320	0
6726	7.922e+004	2303	260	0
6727	7.922e+004	2303	2320	0
6728	7.993e+004	2699	260	0
6729	7.993e+004	2699	2320	0
6730	8.064e+004	3104	260	0
6731	8.064e+004	3104	2320	0
6732	8.134e+004	3516	260	0
6733	8.134e+004	3516	2320	0
6734	8.2e+004	3915	260	0
6735	8.2e+004	3915	2320	0
6736	8.266e+004	4322	260	0
6737	8.266e+004	4322	2320	0
6738	8.332e+004	4735	260	0
6739	8.332e+004	4735	2320	0
6740	8.397e+004	5154	260	0
6741	8.397e+004	5154	2320	0
6742	8.462e+004	5580	260	0
6743	8.462e+004	5580	2320	0
6744	8.526e+004	6012	260	0
6745	8.526e+004	6012	2320	0
6746	8.59e+004	6449	260	0
6747	8.59e+004	6449	2320	0
6748	8.653e+004	6894	260	0
6749	8.653e+004	6894	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6750	8.717e+004	7344	260	0
6751	8.717e+004	7344	2320	0
6752	8.779e+004	7801	260	0
6753	8.779e+004	7801	2320	0
6754	8.844e+004	8289	260	0
6755	8.844e+004	8289	2320	0
6756	8.909e+004	8783	260	0
6757	8.909e+004	8783	2320	0
6758	8.973e+004	9285	260	0
6759	8.973e+004	9285	2320	0
6760	9.037e+004	9794	260	0
6761	9.037e+004	9794	2320	0
6762	9.1e+004	1.031e+004	260	0
6763	9.1e+004	1.031e+004	2320	0
6764	9.162e+004	1.083e+004	260	0
6765	9.162e+004	1.083e+004	2320	0
6766	9.224e+004	1.136e+004	260	0
6767	9.224e+004	1.136e+004	2320	0
6768	9.286e+004	1.19e+004	260	0
6769	9.286e+004	1.19e+004	2320	0
6770	9.346e+004	1.244e+004	260	0
6771	9.346e+004	1.244e+004	2320	0
6772	9.407e+004	1.299e+004	260	0
6773	9.407e+004	1.299e+004	2320	0
6774	9.466e+004	1.354e+004	260	0
6775	9.466e+004	1.354e+004	2320	0
6776	9.525e+004	1.411e+004	260	0
6777	9.525e+004	1.411e+004	2320	0
6778	9.584e+004	1.467e+004	260	0
6779	9.584e+004	1.467e+004	2320	0
6780	9.641e+004	1.525e+004	260	0
6781	9.641e+004	1.525e+004	2320	0
6782	9.698e+004	1.583e+004	260	0
6783	9.698e+004	1.583e+004	2320	0
6784	9.755e+004	1.642e+004	260	0
6785	9.755e+004	1.642e+004	2320	0
6786	9.811e+004	1.701e+004	260	0
6787	9.811e+004	1.701e+004	2320	0
6788	9.866e+004	1.761e+004	260	0
6789	9.866e+004	1.761e+004	2320	0
6790	9.92e+004	1.822e+004	260	0
6791	9.92e+004	1.822e+004	2320	0
6792	9.974e+004	1.883e+004	260	0
6793	9.974e+004	1.883e+004	2320	0
6794	1.003e+005	1.945e+004	260	0
6795	1.003e+005	1.945e+004	2320	0
6796	1.008e+005	2.007e+004	260	0
6797	1.008e+005	2.007e+004	2320	0
6798	1.013e+005	2.07e+004	260	0
6799	1.013e+005	2.07e+004	2320	0
6800	1.018e+005	2.133e+004	260	0
6801	1.018e+005	2.133e+004	2320	0
6802	1.023e+005	2.197e+004	260	0
6803	1.023e+005	2.197e+004	2320	0
6804	1.028e+005	2.262e+004	260	0
6805	1.028e+005	2.262e+004	2320	0
6806	1.033e+005	2.327e+004	260	0
6807	1.033e+005	2.327e+004	2320	0
6808	1.038e+005	2.392e+004	260	0
6809	1.038e+005	2.392e+004	2320	0
6810	1.043e+005	2.458e+004	260	0
6811	1.043e+005	2.458e+004	2320	0
6812	1.048e+005	2.525e+004	260	0
6813	1.048e+005	2.525e+004	2320	0
6814	1.052e+005	2.592e+004	260	0
6815	1.052e+005	2.592e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6816	1.057e+005	2.66e+004	260	0
6817	1.057e+005	2.66e+004	2320	0
6818	1.061e+005	2.728e+004	260	0
6819	1.061e+005	2.728e+004	2320	0
6820	1.066e+005	2.797e+004	260	0
6821	1.066e+005	2.797e+004	2320	0
6822	1.07e+005	2.866e+004	260	0
6823	1.07e+005	2.866e+004	2320	0
6824	1.074e+005	2.935e+004	260	0
6825	1.074e+005	2.935e+004	2320	0
6826	1.078e+005	3.005e+004	260	0
6827	1.078e+005	3.005e+004	2320	0
6828	1.082e+005	3.076e+004	260	0
6829	1.082e+005	3.076e+004	2320	0
6830	1.086e+005	3.146e+004	260	0
6831	1.086e+005	3.146e+004	2320	0
6832	1.09e+005	3.218e+004	260	0
6833	1.09e+005	3.218e+004	2320	0
6834	1.094e+005	3.29e+004	260	0
6835	1.094e+005	3.29e+004	2320	0
6836	1.098e+005	3.362e+004	260	0
6837	1.098e+005	3.362e+004	2320	0
6838	1.102e+005	3.434e+004	260	0
6839	1.102e+005	3.434e+004	2320	0
6840	1.105e+005	3.507e+004	260	0
6841	1.105e+005	3.507e+004	2320	0
6842	1.109e+005	3.581e+004	260	0
6843	1.109e+005	3.581e+004	2320	0
6844	1.112e+005	3.654e+004	260	0
6845	1.112e+005	3.654e+004	2320	0
6846	1.116e+005	3.728e+004	260	0
6847	1.116e+005	3.728e+004	2320	0
6848	1.119e+005	3.803e+004	260	0
6849	1.119e+005	3.803e+004	2320	0
6850	1.122e+005	3.878e+004	260	0
6851	1.122e+005	3.878e+004	2320	0
6852	1.125e+005	3.953e+004	260	0
6853	1.125e+005	3.953e+004	2320	0
6854	1.128e+005	4.025e+004	260	0
6855	1.128e+005	4.025e+004	2320	0
6856	1.131e+005	4.098e+004	260	0
6857	1.131e+005	4.098e+004	2320	0
6858	1.134e+005	4.172e+004	260	0
6859	1.134e+005	4.172e+004	2320	0
6860	1.137e+005	4.245e+004	260	0
6861	1.137e+005	4.245e+004	2320	0
6862	1.139e+005	4.319e+004	260	0
6863	1.139e+005	4.319e+004	2320	0
6864	1.142e+005	4.391e+004	260	0
6865	1.142e+005	4.391e+004	2320	0
6866	1.144e+005	4.464e+004	260	0
6867	1.144e+005	4.464e+004	2320	0
6868	1.147e+005	4.537e+004	260	0
6869	1.147e+005	4.537e+004	2320	0
6870	1.149e+005	4.61e+004	260	0
6871	1.149e+005	4.61e+004	2320	0
6872	1.151e+005	4.683e+004	260	0
6873	1.151e+005	4.683e+004	2320	0
6874	1.153e+005	4.761e+004	260	0
6875	1.153e+005	4.761e+004	2320	0
6876	1.156e+005	4.839e+004	260	0
6877	1.156e+005	4.839e+004	2320	0
6878	1.158e+005	4.918e+004	260	0
6879	1.158e+005	4.918e+004	2320	0
6880	1.16e+005	4.997e+004	260	0
6881	1.16e+005	4.997e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

6882	1.162e+005	5.076e+004	260	0
6883	1.162e+005	5.076e+004	2320	0
6884	1.164e+005	5.155e+004	260	0
6885	1.164e+005	5.155e+004	2320	0
6886	1.165e+005	5.235e+004	260	0
6887	1.165e+005	5.235e+004	2320	0
6888	1.167e+005	5.314e+004	260	0
6889	1.167e+005	5.314e+004	2320	0
6890	1.169e+005	5.394e+004	260	0
6891	1.169e+005	5.394e+004	2320	0
6892	1.17e+005	5.474e+004	260	0
6893	1.17e+005	5.474e+004	2320	0
6894	1.171e+005	5.554e+004	260	0
6895	1.171e+005	5.554e+004	2320	0
6896	1.173e+005	5.634e+004	260	0
6897	1.173e+005	5.634e+004	2320	0
6898	1.174e+005	5.715e+004	260	0
6899	1.174e+005	5.715e+004	2320	0
6900	1.175e+005	5.795e+004	260	0
6901	1.175e+005	5.795e+004	2320	0
6902	1.176e+005	5.876e+004	260	0
6903	1.176e+005	5.876e+004	2320	0
6904	1.177e+005	5.957e+004	260	0
6905	1.177e+005	5.957e+004	2320	0
6906	1.178e+005	6.038e+004	260	0
6907	1.178e+005	6.038e+004	2320	0
6908	1.179e+005	6.119e+004	260	0
6909	1.179e+005	6.119e+004	2320	0
6910	1.179e+005	6.2e+004	260	0
6911	1.179e+005	6.2e+004	2320	0
6912	1.18e+005	6.281e+004	260	0
6913	1.18e+005	6.281e+004	2320	0
6914	1.181e+005	6.362e+004	260	0
6915	1.181e+005	6.362e+004	2320	0
6916	1.181e+005	6.443e+004	260	0
6917	1.181e+005	6.443e+004	2320	0
6918	1.181e+005	6.525e+004	260	0
6919	1.181e+005	6.525e+004	2320	0
6920	1.182e+005	6.606e+004	260	0
6921	1.182e+005	6.606e+004	2320	0
6922	1.182e+005	6.687e+004	260	0
6923	1.182e+005	6.687e+004	2320	0
6924	1.182e+005	6.769e+004	260	0
6925	1.182e+005	6.769e+004	2320	0
6926	1.182e+005	6.85e+004	260	0
6927	1.182e+005	6.85e+004	2320	0
6928	1.182e+005	6.931e+004	260	0
6929	1.182e+005	6.931e+004	2320	0
6930	1.182e+005	7.013e+004	260	0
6931	1.182e+005	7.013e+004	2320	0
6932	1.181e+005	7.094e+004	260	0
6933	1.181e+005	7.094e+004	2320	0
6934	1.181e+005	7.175e+004	260	0
6935	1.181e+005	7.175e+004	2320	0
6936	1.18e+005	7.257e+004	260	0
6937	1.18e+005	7.257e+004	2320	0
6938	1.18e+005	7.338e+004	260	0
6939	1.18e+005	7.338e+004	2320	0
6940	1.179e+005	7.419e+004	260	0
6941	1.179e+005	7.419e+004	2320	0
6942	1.179e+005	7.5e+004	260	0
6943	1.179e+005	7.5e+004	2320	0
6944	1.178e+005	7.581e+004	260	0
6945	1.178e+005	7.581e+004	2320	0
6946	1.177e+005	7.662e+004	260	0
6947	1.177e+005	7.662e+004	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


6948	1.176e+005	7.743e+004	260	0
6949	1.176e+005	7.743e+004	2320	0
6950	1.175e+005	7.823e+004	260	0
6951	1.175e+005	7.823e+004	2320	0
6952	1.174e+005	7.904e+004	260	0
6953	1.174e+005	7.904e+004	2320	0
6954	1.172e+005	7.984e+004	260	0
6955	1.172e+005	7.984e+004	2320	0
6956	1.171e+005	8.064e+004	260	0
6957	1.171e+005	8.064e+004	2320	0
6958	1.17e+005	8.144e+004	260	0
6959	1.17e+005	8.144e+004	2320	0
6960	1.168e+005	8.224e+004	260	0
6961	1.168e+005	8.224e+004	2320	0
6962	1.166e+005	8.304e+004	260	0
6963	1.166e+005	8.304e+004	2320	0
6964	1.165e+005	8.384e+004	260	0
6965	1.165e+005	8.384e+004	2320	0
6966	1.163e+005	8.463e+004	260	0
6967	1.163e+005	8.463e+004	2320	0
6968	1.161e+005	8.542e+004	260	0
6969	1.161e+005	8.542e+004	2320	0
6970	1.159e+005	8.621e+004	260	0
6971	1.159e+005	8.621e+004	2320	0
6972	1.157e+005	8.7e+004	260	0
6973	1.157e+005	8.7e+004	2320	0
6974	1.155e+005	8.776e+004	260	0
6975	1.155e+005	8.776e+004	2320	0
6976	1.153e+005	8.851e+004	260	0
6977	1.153e+005	8.851e+004	2320	0
6978	1.151e+005	8.926e+004	260	0
6979	1.151e+005	8.926e+004	2320	0
6980	1.148e+005	9.001e+004	260	0
6981	1.148e+005	9.001e+004	2320	0
6982	1.146e+005	9.076e+004	260	0
6983	1.146e+005	9.076e+004	2320	0
6984	1.144e+005	9.149e+004	260	0
6985	1.144e+005	9.149e+004	2320	0
6986	1.141e+005	9.222e+004	260	0
6987	1.141e+005	9.222e+004	2320	0
6988	1.139e+005	9.294e+004	260	0
6989	1.139e+005	9.294e+004	2320	0
6990	1.136e+005	9.366e+004	260	0
6991	1.136e+005	9.366e+004	2320	0
6992	1.133e+005	9.438e+004	260	0
6993	1.133e+005	9.438e+004	2320	0
6994	1.13e+005	9.514e+004	260	0
6995	1.13e+005	9.514e+004	2320	0
6996	1.127e+005	9.589e+004	260	0
6997	1.127e+005	9.589e+004	2320	0
6998	1.124e+005	9.665e+004	260	0
6999	1.124e+005	9.665e+004	2320	0
7000	1.121e+005	9.74e+004	260	0
7001	1.121e+005	9.74e+004	2320	0
7002	1.118e+005	9.814e+004	260	0
7003	1.118e+005	9.814e+004	2320	0
7004	1.114e+005	9.889e+004	260	0
7005	1.114e+005	9.889e+004	2320	0
7006	1.111e+005	9.963e+004	260	0
7007	1.111e+005	9.963e+004	2320	0
7008	1.108e+005	1.004e+005	260	0
7009	1.108e+005	1.004e+005	2320	0
7010	1.104e+005	1.011e+005	260	0
7011	1.104e+005	1.011e+005	2320	0
7012	1.1e+005	1.018e+005	260	0
7013	1.1e+005	1.018e+005	2320	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


7014	1.097e+005	1.025e+005	260	0
7015	1.097e+005	1.025e+005	2320	0
7016	1.093e+005	1.033e+005	260	0
7017	1.093e+005	1.033e+005	2320	0
7018	1.089e+005	1.04e+005	260	0
7019	1.089e+005	1.04e+005	2320	0
7020	1.085e+005	1.047e+005	260	0
7021	1.085e+005	1.047e+005	2320	0
7022	1.081e+005	1.054e+005	260	0
7023	1.081e+005	1.054e+005	2320	0
7024	1.077e+005	1.061e+005	260	0
7025	1.077e+005	1.061e+005	2320	0
7026	1.073e+005	1.068e+005	260	0
7027	1.073e+005	1.068e+005	2320	0
7028	1.068e+005	1.075e+005	260	0
7029	1.068e+005	1.075e+005	2320	0
7030	1.064e+005	1.082e+005	260	0
7031	1.064e+005	1.082e+005	2320	0
7032	1.06e+005	1.089e+005	260	0
7033	1.06e+005	1.089e+005	2320	0
7034	1.055e+005	1.096e+005	260	0
7035	1.055e+005	1.096e+005	2320	0
7036	1.051e+005	1.102e+005	260	0
7037	1.051e+005	1.102e+005	2320	0
7038	1.046e+005	1.109e+005	260	0
7039	1.046e+005	1.109e+005	2320	0
7040	1.041e+005	1.116e+005	260	0
7041	1.041e+005	1.116e+005	2320	0
7042	1.036e+005	1.122e+005	260	0
7043	1.036e+005	1.122e+005	2320	0
7044	1.032e+005	1.129e+005	260	0
7045	1.032e+005	1.129e+005	2320	0
7046	1.027e+005	1.135e+005	260	0
7047	1.027e+005	1.135e+005	2320	0
7048	1.022e+005	1.142e+005	260	0
7049	1.022e+005	1.142e+005	2320	0
7050	1.017e+005	1.148e+005	260	0
7051	1.017e+005	1.148e+005	2320	0
7052	1.012e+005	1.154e+005	260	0
7053	1.012e+005	1.154e+005	2320	0
7054	1.006e+005	1.161e+005	260	0
7055	1.006e+005	1.161e+005	2320	0
7056	1.001e+005	1.167e+005	260	0
7057	1.001e+005	1.167e+005	2320	0
7058	9.959e+004	1.173e+005	260	0
7059	9.959e+004	1.173e+005	2320	0
7060	9.905e+004	1.179e+005	260	0
7061	9.905e+004	1.179e+005	2320	0
7062	9.851e+004	1.185e+005	260	0
7063	9.851e+004	1.185e+005	2320	0
7064	9.796e+004	1.191e+005	260	0
7065	9.796e+004	1.191e+005	2320	0
7066	9.74e+004	1.197e+005	260	0
7067	9.74e+004	1.197e+005	2320	0
7068	9.684e+004	1.203e+005	260	0
7069	9.684e+004	1.203e+005	2320	0
7070	9.627e+004	1.209e+005	260	0
7071	9.627e+004	1.209e+005	2320	0
7072	9.569e+004	1.215e+005	260	0
7073	9.569e+004	1.215e+005	2320	0
7074	9.452e+004	1.226e+005	260	0
7075	9.393e+004	1.232e+005	260	0
7076	9.452e+004	1.226e+005	2320	0
7077	9.393e+004	1.232e+005	2320	0
7078	9.333e+004	1.237e+005	260	0
7079	9.333e+004	1.237e+005	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7080	9.272e+004	1.243e+005	260	0
7081	9.272e+004	1.243e+005	2320	0
7082	9.211e+004	1.248e+005	260	0
7083	9.211e+004	1.248e+005	2320	0
7084	9.149e+004	1.253e+005	260	0
7085	9.149e+004	1.253e+005	2320	0
7086	9.087e+004	1.258e+005	260	0
7087	9.087e+004	1.258e+005	2320	0
7088	9.024e+004	1.264e+005	260	0
7089	9.024e+004	1.264e+005	2320	0
7090	8.961e+004	1.269e+005	260	0
7091	8.961e+004	1.269e+005	2320	0
7092	8.899e+004	1.274e+005	260	0
7093	8.899e+004	1.274e+005	2320	0
7094	8.838e+004	1.278e+005	260	0
7095	8.838e+004	1.278e+005	2320	0
7096	8.776e+004	1.283e+005	260	0
7097	8.776e+004	1.283e+005	2320	0
7098	8.713e+004	1.288e+005	260	0
7099	8.713e+004	1.288e+005	2320	0
7100	8.65e+004	1.292e+005	260	0
7101	8.65e+004	1.292e+005	2320	0
7102	8.587e+004	1.297e+005	260	0
7103	8.587e+004	1.297e+005	2320	0
7104	8.523e+004	1.301e+005	260	0
7105	8.523e+004	1.301e+005	2320	0
7106	8.458e+004	1.306e+005	260	0
7107	8.458e+004	1.306e+005	2320	0
7108	8.393e+004	1.31e+005	260	0
7109	8.393e+004	1.31e+005	2320	0
7110	8.328e+004	1.314e+005	260	0
7111	8.328e+004	1.314e+005	2320	0
7112	8.263e+004	1.319e+005	260	0
7113	8.263e+004	1.319e+005	2320	0
7114	8.197e+004	1.323e+005	260	0
7115	8.197e+004	1.323e+005	2320	0
7116	8.131e+004	1.327e+005	260	0
7117	8.131e+004	1.327e+005	2320	0
7118	8.065e+004	1.331e+005	260	0
7119	8.065e+004	1.331e+005	2320	0
7120	7.998e+004	1.335e+005	260	0
7121	7.998e+004	1.335e+005	2320	0
7122	7.932e+004	1.339e+005	260	0
7123	7.932e+004	1.339e+005	2320	0
7124	7.864e+004	1.343e+005	260	0
7125	7.864e+004	1.343e+005	2320	0
7126	7.797e+004	1.347e+005	260	0
7127	7.797e+004	1.347e+005	2320	0
7128	7.729e+004	1.351e+005	260	0
7129	7.729e+004	1.351e+005	2320	0
7130	7.661e+004	1.355e+005	260	0
7131	7.661e+004	1.355e+005	2320	0
7132	7.593e+004	1.359e+005	260	0
7133	7.593e+004	1.359e+005	2320	0
7134	7.525e+004	1.363e+005	260	0
7135	7.525e+004	1.363e+005	2320	0
7136	7.456e+004	1.366e+005	260	0
7137	7.456e+004	1.366e+005	2320	0
7138	7.387e+004	1.37e+005	260	0
7139	7.387e+004	1.37e+005	2320	0
7140	7.318e+004	1.374e+005	260	0
7141	7.318e+004	1.374e+005	2320	0
7142	7.248e+004	1.377e+005	260	0
7143	7.248e+004	1.377e+005	2320	0
7144	7.177e+004	1.381e+005	260	0
7145	7.177e+004	1.381e+005	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7146	7.107e+004	1.384e+005	260	0
7147	7.107e+004	1.384e+005	2320	0
7148	7.036e+004	1.388e+005	260	0
7149	7.036e+004	1.388e+005	2320	0
7150	6.965e+004	1.391e+005	260	0
7151	6.965e+004	1.391e+005	2320	0
7152	6.894e+004	1.394e+005	260	0
7153	6.894e+004	1.394e+005	2320	0
7154	6.822e+004	1.398e+005	260	0
7155	6.822e+004	1.398e+005	2320	0
7156	6.75e+004	1.401e+005	260	0
7157	6.75e+004	1.401e+005	2320	0
7158	6.678e+004	1.404e+005	260	0
7159	6.678e+004	1.404e+005	2320	0
7160	6.606e+004	1.407e+005	260	0
7161	6.606e+004	1.407e+005	2320	0
7162	6.534e+004	1.411e+005	260	0
7163	6.534e+004	1.411e+005	2320	0
7164	6.461e+004	1.414e+005	260	0
7165	6.461e+004	1.414e+005	2320	0
7166	6.389e+004	1.417e+005	260	0
7167	6.389e+004	1.417e+005	2320	0
7168	6.317e+004	1.42e+005	260	0
7169	6.317e+004	1.42e+005	2320	0
7170	6.244e+004	1.423e+005	260	0
7171	6.244e+004	1.423e+005	2320	0
7172	6.171e+004	1.426e+005	260	0
7173	6.171e+004	1.426e+005	2320	0
7174	6.098e+004	1.429e+005	260	0
7175	6.098e+004	1.429e+005	2320	0
7176	6.025e+004	1.432e+005	260	0
7177	6.025e+004	1.432e+005	2320	0
7178	5.952e+004	1.435e+005	260	0
7179	5.952e+004	1.435e+005	2320	0
7180	5.879e+004	1.438e+005	260	0
7181	5.879e+004	1.438e+005	2320	0
7182	5.806e+004	1.441e+005	260	0
7183	5.806e+004	1.441e+005	2320	0
7184	5.732e+004	1.444e+005	260	0
7185	5.732e+004	1.444e+005	2320	0
7186	5.658e+004	1.447e+005	260	0
7187	5.658e+004	1.447e+005	2320	0
7188	5.585e+004	1.45e+005	260	0
7189	5.585e+004	1.45e+005	2320	0
7190	5.511e+004	1.452e+005	260	0
7191	5.511e+004	1.452e+005	2320	0
7192	5.44e+004	1.455e+005	260	0
7193	5.44e+004	1.455e+005	2320	0
7194	5.37e+004	1.458e+005	260	0
7195	5.37e+004	1.458e+005	2320	0
7196	5.3e+004	1.46e+005	260	0
7197	5.3e+004	1.46e+005	2320	0
7198	5.229e+004	1.463e+005	260	0
7199	5.229e+004	1.463e+005	2320	0
7200	5.159e+004	1.465e+005	260	0
7201	5.159e+004	1.465e+005	2320	0
7202	5.098e+004	1.467e+005	260	0
7203	5.098e+004	1.467e+005	2320	0
7204	9.511e+004	1.22e+005	260	0
7205	9.511e+004	1.22e+005	2320	0
7206	1.202e+005	7.523e+004	260	0
7207	5.968e+004	1.461e+005	260	0
7208	5.506e+004	-8413	260	0
7209	1.194e+005	5.431e+004	260	0
7210	4.251e+004	-9300	260	0
7211	7.512e+004	-2435	260	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

7212	4.671e+004	-9234	260	0
7213	6.338e+004	1.445e+005	260	0
7214	7.068e+004	1.413e+005	260	0
7216	1.148e+005	3.86e+004	260	0
7217	8.461e+004	1.334e+005	260	0
7218	1.111e+005	3.102e+004	260	0
7219	1.067e+005	2.388e+004	260	0
7220	1.205e+005	7.104e+004	260	0
7221	3.056e+004	-8308	260	0
7222	1.08e+005	1.102e+005	260	0
7223	1.156e+005	9.523e+004	260	0
7224	1.102e+005	1.066e+005	260	0
7225	1.206e+005	6.684e+004	260	0
7226	9.431e+004	1.26e+005	260	0
7228	1.19e+005	8.353e+004	260	0
7229	6.73e+004	-5485	260	0
7230	3539	-1060	260	0
7231	7371	-2208	260	0
7232	6.704e+004	1.429e+005	260	0
7233	1.14e+005	9.911e+004	260	0
7234	1.016e+005	1.725e+004	260	0
7235	1.12e+004	-3356	260	0
7236	5.595e+004	1.475e+005	260	0
7237	1.003e+005	1.201e+005	260	0
7238	1.887e+004	-5652	260	0
7239	9.253e+004	8464	260	0
7240	7.427e+004	1.395e+005	260	0
7242	1.056e+005	1.136e+005	260	0
7243	9.11e+004	1.288e+005	260	0
7244	1.13e+005	3.477e+004	260	0
7245	1.503e+004	-4504	260	0
7246	1.18e+005	8.762e+004	260	0
7247	1.185e+005	5.02e+004	260	0
7248	6.328e+004	-6684	260	0
7249	8.123e+004	1.356e+005	260	0
7250	1.197e+005	7.94e+004	260	0
7251	7.89e+004	-593.2	260	0
7253	1.03e+005	1.17e+005	260	0
7254	1.09e+005	2.739e+004	260	0
7255	5.089e+004	-8938	260	0
7256	1.174e+005	4.615e+004	260	0
7257	3.452e+004	-8822	260	0
7258	9.871e+004	1.416e+004	260	0
7259	7.125e+004	-4067	260	0
7262	8.257e+004	1452	260	0
7264	5.919e+004	-7661	260	0
7266	7.778e+004	1.376e+005	260	0
7267	2.662e+004	-7607	260	0
7269	2.272e+004	-6721	260	0
7270	9.57e+004	1.123e+004	260	0
7271	1.2e+005	5.846e+004	260	0
7272	8.923e+004	5877	260	0
7273	9.738e+004	1.232e+005	260	0
7274	1.204e+005	6.264e+004	260	0
7275	1.042e+005	2.05e+004	260	0
7276	1.122e+005	1.029e+005	260	0
7277	1765	-544.4	260	0
7278	5453	-1641	260	0
7279	9286	-2785	260	0
7280	1.312e+004	-3932	260	0
7281	1.695e+004	-5076	260	0
7282	2.081e+004	-6121	260	0
7283	2.468e+004	-7098	260	0
7284	2.86e+004	-7891	260	0
7285	3.255e+004	-8498	260	0
7286	3.652e+004	-8930	260	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7287	4.051e+004	-9145	260	0
7288	4.46e+004	-9192	260	0
7289	4.879e+004	-9011	260	0
7290	5.297e+004	-8601	260	0
7291	5.711e+004	-7963	260	0
7292	6.122e+004	-7100	260	0
7293	6.527e+004	-6013	260	0
7294	6.925e+004	-4705	260	0
7295	7.316e+004	-3182	260	0
7296	7.698e+004	-1447	260	0
7297	8.069e+004	495	260	0
7298	8.422e+004	2582	260	0
7299	8.754e+004	4791	260	0
7300	9.083e+004	7228	260	0
7301	9.407e+004	9902	260	0
7302	9.715e+004	1.275e+004	260	0
7303	1.001e+005	1.576e+004	260	0
7304	1.028e+005	1.892e+004	260	0
7305	1.054e+005	2.223e+004	260	0
7306	1.078e+005	2.568e+004	260	0
7307	1.1e+005	2.925e+004	260	0
7308	1.12e+005	3.293e+004	260	0
7309	1.138e+005	3.671e+004	260	0
7310	1.154e+005	4.049e+004	260	0
7311	1.167e+005	4.428e+004	260	0
7312	1.179e+005	4.819e+004	260	0
7313	1.189e+005	5.227e+004	260	0
7314	1.196e+005	5.64e+004	260	0
7315	1.201e+005	6.056e+004	260	0
7316	1.204e+005	6.474e+004	260	0
7317	1.205e+005	6.894e+004	260	0
7318	1.203e+005	7.313e+004	260	0
7319	1.199e+005	7.73e+004	260	0
7320	1.193e+005	8.145e+004	260	0
7321	1.184e+005	8.556e+004	260	0
7322	1.174e+005	8.952e+004	260	0
7323	1.161e+005	9.331e+004	260	0
7324	1.147e+005	9.714e+004	260	0
7325	1.13e+005	1.01e+005	260	0
7326	1.111e+005	1.047e+005	260	0
7327	1.09e+005	1.084e+005	260	0
7328	1.067e+005	1.119e+005	260	0
7329	1.042e+005	1.153e+005	260	0
7330	1.016e+005	1.185e+005	260	0
7331	9.878e+004	1.216e+005	260	0
7332	9.58e+004	1.246e+005	260	0
7333	9.266e+004	1.273e+005	260	0
7334	8.947e+004	1.299e+005	260	0
7335	8.623e+004	1.322e+005	260	0
7336	8.289e+004	1.345e+005	260	0
7337	7.948e+004	1.365e+005	260	0
7338	7.6e+004	1.385e+005	260	0
7339	7.246e+004	1.404e+005	260	0
7340	6.885e+004	1.421e+005	260	0
7341	6.52e+004	1.437e+005	260	0
7342	6.152e+004	1.453e+005	260	0
7343	5.78e+004	1.467e+005	260	0
7344	5.414e+004	1.481e+005	260	0
7345	1765	-544.4	2320	0
7346	5453	-1641	2320	0
7347	9286	-2785	2320	0
7348	1.312e+004	-3932	2320	0
7349	1.695e+004	-5076	2320	0
7350	2.081e+004	-6121	2320	0
7351	2.468e+004	-7098	2320	0
7352	2.86e+004	-7891	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7353	3.255e+004	-8498	2320	0
7354	3.652e+004	-8930	2320	0
7355	4.051e+004	-9145	2320	0
7356	4.46e+004	-9192	2320	0
7357	4.879e+004	-9011	2320	0
7358	5.297e+004	-8601	2320	0
7359	5.711e+004	-7963	2320	0
7360	6.122e+004	-7100	2320	0
7361	6.527e+004	-6013	2320	0
7362	6.925e+004	-4705	2320	0
7363	7.316e+004	-3182	2320	0
7364	7.698e+004	-1447	2320	0
7365	8.069e+004	495	2320	0
7366	8.422e+004	2582	2320	0
7367	8.754e+004	4791	2320	0
7368	9.083e+004	7228	2320	0
7369	9.407e+004	9902	2320	0
7370	9.715e+004	1.275e+004	2320	0
7371	1.001e+005	1.576e+004	2320	0
7372	1.028e+005	1.892e+004	2320	0
7373	1.054e+005	2.223e+004	2320	0
7374	1.078e+005	2.568e+004	2320	0
7375	1.1e+005	2.925e+004	2320	0
7376	1.12e+005	3.293e+004	2320	0
7377	1.138e+005	3.671e+004	2320	0
7378	1.154e+005	4.049e+004	2320	0
7379	1.167e+005	4.428e+004	2320	0
7380	1.179e+005	4.819e+004	2320	0
7381	1.189e+005	5.227e+004	2320	0
7382	1.196e+005	5.64e+004	2320	0
7383	1.201e+005	6.056e+004	2320	0
7384	1.204e+005	6.474e+004	2320	0
7385	1.205e+005	6.894e+004	2320	0
7386	1.203e+005	7.313e+004	2320	0
7387	1.199e+005	7.73e+004	2320	0
7388	1.193e+005	8.145e+004	2320	0
7389	1.184e+005	8.556e+004	2320	0
7390	1.174e+005	8.952e+004	2320	0
7391	1.161e+005	9.331e+004	2320	0
7392	1.147e+005	9.714e+004	2320	0
7393	1.13e+005	1.01e+005	2320	0
7394	1.111e+005	1.047e+005	2320	0
7395	1.09e+005	1.084e+005	2320	0
7396	1.067e+005	1.119e+005	2320	0
7397	1.042e+005	1.153e+005	2320	0
7398	1.016e+005	1.185e+005	2320	0
7399	9.878e+004	1.216e+005	2320	0
7400	9.58e+004	1.246e+005	2320	0
7401	9.266e+004	1.273e+005	2320	0
7402	8.947e+004	1.299e+005	2320	0
7403	8.623e+004	1.322e+005	2320	0
7404	8.289e+004	1.345e+005	2320	0
7405	7.948e+004	1.365e+005	2320	0
7406	7.6e+004	1.385e+005	2320	0
7407	7.246e+004	1.404e+005	2320	0
7408	6.885e+004	1.421e+005	2320	0
7409	6.52e+004	1.437e+005	2320	0
7410	6.152e+004	1.453e+005	2320	0
7411	5.78e+004	1.467e+005	2320	0
7412	5.414e+004	1.481e+005	2320	0
7500	-1234	-2144	2680	0
7501	-656.6	-2308	2680	0
7502	47.15	-2519	2680	0
7503	750.8	-2730	2680	0
7504	1455	-2941	2680	0
7505	2158	-3152	2680	0

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7506		2860	-3362	2680	0
7507		3624	-3591	2680	0
7508		4388	-3820	2680	0
7509		5152	-4049	2680	0
7510		5916	-4278	2680	0
7511		6680	-4507	2680	0
7512		7446	-4736	2680	0
7513		8211	-4965	2680	0
7514		8977	-5195	2680	0
7515		9742	-5424	2680	0
7516		1.051e+004	-5653	2680	0
7517		1.127e+004	-5883	2680	0
7518		1.204e+004	-6112	2680	0
7519		1.28e+004	-6342	2680	0
7520		1.357e+004	-6571	2680	0
7521		1.434e+004	-6800	2680	0
7522		1.51e+004	-7030	2680	0
7523		1.587e+004	-7260	2680	0
7524		1.664e+004	-7490	2680	0
7525		1.74e+004	-7719	2680	0
7526		1.817e+004	-7949	2680	0
7527		1.896e+004	-8181	2680	0
7528		1.975e+004	-8408	2680	0
7529		2.054e+004	-8629	2680	0
7530		2.134e+004	-8843	2680	0
7531		2.213e+004	-9049	2680	0
7532		2.293e+004	-9247	2680	0
7533		2.373e+004	-9437	2680	0
7534		2.454e+004	-9619	2680	0
7535		2.534e+004	-9793	2680	0
7536		2.614e+004	-9960	2680	0
7537		2.695e+004	-1.012e+004	2680	0
7538		2.776e+004	-1.027e+004	2680	0
7539		2.857e+004	-1.042e+004	2680	0
7540		2.938e+004	-1.055e+004	2680	0
7541		3.019e+004	-1.068e+004	2680	0
7542		3.101e+004	-1.08e+004	2680	0
7543		3.182e+004	-1.092e+004	2680	0
7544		3.264e+004	-1.102e+004	2680	0
7545		3.345e+004	-1.112e+004	2680	0
7546		3.427e+004	-1.121e+004	2680	0
7547		3.509e+004	-1.129e+004	2680	0
7548		3.59e+004	-1.136e+004	2680	0
7549		3.672e+004	-1.143e+004	2680	0
7550		3.753e+004	-1.149e+004	2680	0
7551		3.835e+004	-1.154e+004	2680	0
7552		3.918e+004	-1.159e+004	2680	0
7553		4e+004	-1.163e+004	2680	0
7554		4.083e+004	-1.166e+004	2680	0
7555		4.165e+004	-1.168e+004	2680	0
7556		4.248e+004	-1.17e+004	2680	0
7557		4.334e+004	-1.171e+004	2680	0
7558		4.421e+004	-1.17e+004	2680	0
7559		4.508e+004	-1.169e+004	2680	0
7560		4.594e+004	-1.166e+004	2680	0
7561		4.681e+004	-1.163e+004	2680	0
7562		4.767e+004	-1.159e+004	2680	0
7563		4.854e+004	-1.154e+004	2680	0
7564		4.94e+004	-1.148e+004	2680	0
7565		5.027e+004	-1.141e+004	2680	0
7566		5.113e+004	-1.133e+004	2680	0
7567		5.199e+004	-1.124e+004	2680	0
7568		5.285e+004	-1.114e+004	2680	0
7569		5.371e+004	-1.103e+004	2680	0
7570		5.457e+004	-1.091e+004	2680	0
7571		5.543e+004	-1.079e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


7572	5.628e+004	-1.065e+004	2680	0
7573	5.714e+004	-1.05e+004	2680	0
7574	5.799e+004	-1.035e+004	2680	0
7575	5.884e+004	-1.018e+004	2680	0
7576	5.969e+004	-1.001e+004	2680	0
7577	6.053e+004	-9827	2680	0
7578	6.138e+004	-9635	2680	0
7579	6.222e+004	-9433	2680	0
7580	6.306e+004	-9223	2680	0
7581	6.39e+004	-9002	2680	0
7582	6.473e+004	-8772	2680	0
7583	6.557e+004	-8533	2680	0
7584	6.64e+004	-8285	2680	0
7585	6.722e+004	-8029	2680	0
7586	6.805e+004	-7765	2680	0
7587	6.887e+004	-7494	2680	0
7588	6.969e+004	-7214	2680	0
7589	7.051e+004	-6923	2680	0
7590	7.132e+004	-6620	2680	0
7591	7.213e+004	-6303	2680	0
7592	7.293e+004	-5971	2680	0
7593	7.372e+004	-5631	2680	0
7594	7.452e+004	-5287	2680	0
7595	7.531e+004	-4948	2680	0
7596	7.612e+004	-4620	2680	0
7597	7.69e+004	-4240	2680	0
7598	7.767e+004	-3860	2680	0
7599	7.845e+004	-3480	2680	0
7600	7.923e+004	-3099	2680	0
7601	8.001e+004	-2721	2680	0
7602	8.076e+004	-2301	2680	0
7603	8.152e+004	-1878	2680	0
7604	8.228e+004	-1455	2680	0
7605	8.303e+004	-1033	2680	0
7606	8.379e+004	-611.2	2680	0
7607	8.448e+004	-165.3	2680	0
7608	8.518e+004	272.6	2680	0
7609	8.588e+004	707	2680	0
7610	8.658e+004	1143	2680	0
7611	8.728e+004	1587	2680	0
7612	8.797e+004	2041	2680	0
7613	8.865e+004	2506	2680	0
7614	8.933e+004	2980	2680	0
7615	8.999e+004	3463	2680	0
7616	9.066e+004	3952	2680	0
7617	9.135e+004	4472	2680	0
7618	9.204e+004	4998	2680	0
7619	9.272e+004	5531	2680	0
7620	9.34e+004	6072	2680	0
7621	9.407e+004	6619	2680	0
7622	9.473e+004	7175	2680	0
7623	9.539e+004	7737	2680	0
7624	9.604e+004	8307	2680	0
7625	9.669e+004	8884	2680	0
7626	9.733e+004	9468	2680	0
7627	9.796e+004	1.006e+004	2680	0
7628	9.859e+004	1.066e+004	2680	0
7629	9.921e+004	1.126e+004	2680	0
7630	9.982e+004	1.187e+004	2680	0
7631	1.004e+005	1.249e+004	2680	0
7632	1.01e+005	1.312e+004	2680	0
7633	1.016e+005	1.375e+004	2680	0
7634	1.022e+005	1.438e+004	2680	0
7635	1.028e+005	1.503e+004	2680	0
7636	1.034e+005	1.568e+004	2680	0
7637	1.039e+005	1.633e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


7638	1.045e+005	1.7e+004	2680	0
7639	1.05e+005	1.766e+004	2680	0
7640	1.056e+005	1.834e+004	2680	0
7641	1.061e+005	1.902e+004	2680	0
7642	1.066e+005	1.971e+004	2680	0
7643	1.072e+005	2.04e+004	2680	0
7644	1.077e+005	2.109e+004	2680	0
7645	1.082e+005	2.18e+004	2680	0
7646	1.087e+005	2.251e+004	2680	0
7647	1.092e+005	2.322e+004	2680	0
7648	1.097e+005	2.394e+004	2680	0
7649	1.101e+005	2.466e+004	2680	0
7650	1.106e+005	2.539e+004	2680	0
7651	1.111e+005	2.613e+004	2680	0
7652	1.115e+005	2.687e+004	2680	0
7653	1.12e+005	2.761e+004	2680	0
7654	1.124e+005	2.836e+004	2680	0
7655	1.128e+005	2.911e+004	2680	0
7656	1.132e+005	2.987e+004	2680	0
7657	1.137e+005	3.063e+004	2680	0
7658	1.141e+005	3.14e+004	2680	0
7659	1.144e+005	3.217e+004	2680	0
7660	1.148e+005	3.295e+004	2680	0
7661	1.152e+005	3.373e+004	2680	0
7662	1.156e+005	3.451e+004	2680	0
7663	1.159e+005	3.529e+004	2680	0
7664	1.163e+005	3.608e+004	2680	0
7665	1.167e+005	3.688e+004	2680	0
7666	1.17e+005	3.768e+004	2680	0
7667	1.173e+005	3.843e+004	2680	0
7668	1.176e+005	3.919e+004	2680	0
7669	1.179e+005	3.996e+004	2680	0
7670	1.182e+005	4.073e+004	2680	0
7671	1.184e+005	4.15e+004	2680	0
7672	1.187e+005	4.229e+004	2680	0
7673	1.19e+005	4.308e+004	2680	0
7674	1.192e+005	4.387e+004	2680	0
7675	1.195e+005	4.466e+004	2680	0
7676	1.197e+005	4.546e+004	2680	0
7677	1.2e+005	4.629e+004	2680	0
7678	1.202e+005	4.713e+004	2680	0
7679	1.204e+005	4.796e+004	2680	0
7680	1.206e+005	4.88e+004	2680	0
7681	1.208e+005	4.965e+004	2680	0
7682	1.21e+005	5.049e+004	2680	0
7683	1.212e+005	5.133e+004	2680	0
7684	1.214e+005	5.218e+004	2680	0
7685	1.216e+005	5.303e+004	2680	0
7686	1.217e+005	5.388e+004	2680	0
7687	1.219e+005	5.474e+004	2680	0
7688	1.22e+005	5.559e+004	2680	0
7689	1.221e+005	5.645e+004	2680	0
7690	1.223e+005	5.731e+004	2680	0
7691	1.224e+005	5.817e+004	2680	0
7692	1.225e+005	5.903e+004	2680	0
7693	1.226e+005	5.989e+004	2680	0
7694	1.227e+005	6.075e+004	2680	0
7695	1.227e+005	6.161e+004	2680	0
7696	1.228e+005	6.248e+004	2680	0
7697	1.229e+005	6.334e+004	2680	0
7698	1.229e+005	6.421e+004	2680	0
7699	1.229e+005	6.507e+004	2680	0
7700	1.23e+005	6.594e+004	2680	0
7701	1.23e+005	6.68e+004	2680	0
7702	1.23e+005	6.767e+004	2680	0
7703	1.23e+005	6.854e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7704	1.23e+005	6.94e+004	2680	0
7705	1.23e+005	7.027e+004	2680	0
7706	1.229e+005	7.113e+004	2680	0
7707	1.229e+005	7.2e+004	2680	0
7708	1.228e+005	7.286e+004	2680	0
7709	1.228e+005	7.373e+004	2680	0
7710	1.227e+005	7.459e+004	2680	0
7711	1.226e+005	7.546e+004	2680	0
7712	1.225e+005	7.632e+004	2680	0
7713	1.224e+005	7.718e+004	2680	0
7714	1.223e+005	7.804e+004	2680	0
7715	1.222e+005	7.89e+004	2680	0
7716	1.221e+005	7.975e+004	2680	0
7717	1.22e+005	8.061e+004	2680	0
7718	1.218e+005	8.146e+004	2680	0
7719	1.217e+005	8.232e+004	2680	0
7720	1.215e+005	8.317e+004	2680	0
7721	1.213e+005	8.402e+004	2680	0
7722	1.212e+005	8.487e+004	2680	0
7723	1.21e+005	8.571e+004	2680	0
7724	1.208e+005	8.655e+004	2680	0
7725	1.206e+005	8.739e+004	2680	0
7726	1.203e+005	8.823e+004	2680	0
7727	1.201e+005	8.902e+004	2680	0
7728	1.199e+005	8.981e+004	2680	0
7729	1.197e+005	9.059e+004	2680	0
7730	1.194e+005	9.137e+004	2680	0
7731	1.192e+005	9.215e+004	2680	0
7732	1.189e+005	9.294e+004	2680	0
7733	1.187e+005	9.373e+004	2680	0
7734	1.184e+005	9.452e+004	2680	0
7735	1.181e+005	9.53e+004	2680	0
7736	1.178e+005	9.608e+004	2680	0
7737	1.175e+005	9.689e+004	2680	0
7738	1.172e+005	9.769e+004	2680	0
7739	1.168e+005	9.849e+004	2680	0
7740	1.165e+005	9.929e+004	2680	0
7741	1.162e+005	1.001e+005	2680	0
7742	1.158e+005	1.009e+005	2680	0
7743	1.154e+005	1.017e+005	2680	0
7744	1.151e+005	1.024e+005	2680	0
7745	1.147e+005	1.032e+005	2680	0
7746	1.143e+005	1.04e+005	2680	0
7747	1.139e+005	1.048e+005	2680	0
7748	1.135e+005	1.055e+005	2680	0
7749	1.131e+005	1.063e+005	2680	0
7750	1.127e+005	1.07e+005	2680	0
7751	1.122e+005	1.078e+005	2680	0
7752	1.118e+005	1.085e+005	2680	0
7753	1.114e+005	1.093e+005	2680	0
7754	1.109e+005	1.1e+005	2680	0
7755	1.105e+005	1.108e+005	2680	0
7756	1.1e+005	1.115e+005	2680	0
7757	1.095e+005	1.122e+005	2680	0
7758	1.09e+005	1.129e+005	2680	0
7759	1.085e+005	1.136e+005	2680	0
7760	1.08e+005	1.143e+005	2680	0
7761	1.075e+005	1.151e+005	2680	0
7762	1.07e+005	1.157e+005	2680	0
7763	1.065e+005	1.164e+005	2680	0
7764	1.06e+005	1.171e+005	2680	0
7765	1.054e+005	1.178e+005	2680	0
7766	1.049e+005	1.185e+005	2680	0
7767	1.043e+005	1.191e+005	2680	0
7768	1.038e+005	1.198e+005	2680	0
7769	1.032e+005	1.205e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7770	1.026e+005	1.211e+005	2680	0
7771	1.021e+005	1.218e+005	2680	0
7772	1.015e+005	1.224e+005	2680	0
7773	1.009e+005	1.23e+005	2680	0
7774	1.003e+005	1.237e+005	2680	0
7775	9.968e+004	1.243e+005	2680	0
7776	9.907e+004	1.249e+005	2680	0
7777	9.845e+004	1.255e+005	2680	0
7778	9.782e+004	1.261e+005	2680	0
7779	9.719e+004	1.267e+005	2680	0
7780	9.655e+004	1.273e+005	2680	0
7781	9.591e+004	1.278e+005	2680	0
7782	9.526e+004	1.284e+005	2680	0
7783	9.46e+004	1.29e+005	2680	0
7784	9.394e+004	1.295e+005	2680	0
7785	9.327e+004	1.301e+005	2680	0
7786	9.26e+004	1.306e+005	2680	0
7787	9.195e+004	1.311e+005	2680	0
7788	9.13e+004	1.316e+005	2680	0
7789	9.065e+004	1.321e+005	2680	0
7790	8.999e+004	1.326e+005	2680	0
7791	8.932e+004	1.331e+005	2680	0
7792	8.865e+004	1.336e+005	2680	0
7793	8.798e+004	1.341e+005	2680	0
7794	8.73e+004	1.345e+005	2680	0
7795	8.662e+004	1.35e+005	2680	0
7796	8.594e+004	1.354e+005	2680	0
7797	8.525e+004	1.359e+005	2680	0
7798	8.456e+004	1.363e+005	2680	0
7799	8.387e+004	1.368e+005	2680	0
7800	8.318e+004	1.372e+005	2680	0
7801	8.248e+004	1.376e+005	2680	0
7802	8.178e+004	1.38e+005	2680	0
7803	8.108e+004	1.385e+005	2680	0
7804	8.037e+004	1.389e+005	2680	0
7805	7.967e+004	1.393e+005	2680	0
7806	7.895e+004	1.397e+005	2680	0
7807	7.824e+004	1.401e+005	2680	0
7808	7.752e+004	1.405e+005	2680	0
7809	7.68e+004	1.409e+005	2680	0
7810	7.608e+004	1.413e+005	2680	0
7811	7.536e+004	1.416e+005	2680	0
7812	7.463e+004	1.42e+005	2680	0
7813	7.391e+004	1.424e+005	2680	0
7814	7.318e+004	1.427e+005	2680	0
7815	7.245e+004	1.431e+005	2680	0
7816	7.172e+004	1.434e+005	2680	0
7817	7.098e+004	1.438e+005	2680	0
7818	7.025e+004	1.441e+005	2680	0
7819	6.951e+004	1.445e+005	2680	0
7820	6.877e+004	1.448e+005	2680	0
7821	6.803e+004	1.451e+005	2680	0
7822	6.729e+004	1.454e+005	2680	0
7823	6.655e+004	1.458e+005	2680	0
7824	6.58e+004	1.461e+005	2680	0
7825	6.506e+004	1.464e+005	2680	0
7826	6.431e+004	1.467e+005	2680	0
7827	6.357e+004	1.471e+005	2680	0
7828	6.282e+004	1.474e+005	2680	0
7829	6.207e+004	1.477e+005	2680	0
7830	6.132e+004	1.48e+005	2680	0
7831	6.057e+004	1.483e+005	2680	0
7832	5.981e+004	1.486e+005	2680	0
7833	5.906e+004	1.489e+005	2680	0
7834	5.83e+004	1.492e+005	2680	0
7835	5.755e+004	1.495e+005	2680	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7836	5.679e+004	1.497e+005	2680	0
7837	5.606e+004	1.5e+005	2680	0
7838	5.534e+004	1.503e+005	2680	0
7839	5.461e+004	1.505e+005	2680	0
7840	5.388e+004	1.508e+005	2680	0
7841	5.315e+004	1.511e+005	2680	0
7842	5.257e+004	1.513e+005	2680	0
7843	79.66	2473	2680	0
7844	656.8	2309	2680	0
7845	1372	2094	2680	0
7846	2087	1880	2680	0
7847	2800	1666	2680	0
7848	3509	1454	2680	0
7849	4217	1242	2680	0
7850	4986	1012	2680	0
7851	5755	781.2	2680	0
7852	6523	550.9	2680	0
7853	7292	320.6	2680	0
7854	8061	90.31	2680	0
7855	8828	-139.5	2680	0
7856	9595	-369.4	2680	0
7857	1.036e+004	-599.2	2680	0
7858	1.113e+004	-829.1	2680	0
7859	1.19e+004	-1059	2680	0
7860	1.266e+004	-1289	2680	0
7861	1.343e+004	-1519	2680	0
7862	1.42e+004	-1748	2680	0
7863	1.497e+004	-1978	2680	0
7864	1.573e+004	-2208	2680	0
7865	1.65e+004	-2437	2680	0
7866	1.726e+004	-2667	2680	0
7867	1.803e+004	-2896	2680	0
7868	1.879e+004	-3125	2680	0
7869	1.956e+004	-3355	2680	0
7870	2.031e+004	-3574	2680	0
7871	2.105e+004	-3788	2680	0
7872	2.18e+004	-3997	2680	0
7873	2.255e+004	-4199	2680	0
7874	2.33e+004	-4394	2680	0
7875	2.406e+004	-4581	2680	0
7876	2.482e+004	-4761	2680	0
7877	2.557e+004	-4933	2680	0
7878	2.633e+004	-5097	2680	0
7879	2.709e+004	-5255	2680	0
7880	2.786e+004	-5405	2680	0
7881	2.862e+004	-5549	2680	0
7882	2.939e+004	-5685	2680	0
7883	3.015e+004	-5814	2680	0
7884	3.092e+004	-5936	2680	0
7885	3.169e+004	-6051	2680	0
7886	3.246e+004	-6158	2680	0
7887	3.323e+004	-6258	2680	0
7888	3.4e+004	-6351	2680	0
7889	3.478e+004	-6436	2680	0
7890	3.555e+004	-6514	2680	0
7891	3.633e+004	-6584	2680	0
7892	3.711e+004	-6647	2680	0
7893	3.789e+004	-6704	2680	0
7894	3.867e+004	-6754	2680	0
7895	3.944e+004	-6797	2680	0
7896	4.021e+004	-6834	2680	0
7897	4.099e+004	-6863	2680	0
7898	4.176e+004	-6886	2680	0
7899	4.253e+004	-6900	2680	0
7900	4.335e+004	-6905	2680	0
7901	4.416e+004	-6902	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7902	4.497e+004	-6889	2680	0
7903	4.579e+004	-6867	2680	0
7904	4.66e+004	-6836	2680	0
7905	4.741e+004	-6796	2680	0
7906	4.823e+004	-6748	2680	0
7907	4.904e+004	-6691	2680	0
7908	4.985e+004	-6624	2680	0
7909	5.066e+004	-6549	2680	0
7910	5.147e+004	-6466	2680	0
7911	5.228e+004	-6373	2680	0
7912	5.308e+004	-6271	2680	0
7913	5.389e+004	-6161	2680	0
7914	5.47e+004	-6041	2680	0
7915	5.55e+004	-5913	2680	0
7916	5.63e+004	-5776	2680	0
7917	5.71e+004	-5630	2680	0
7918	5.79e+004	-5476	2680	0
7919	5.87e+004	-5313	2680	0
7920	5.949e+004	-5141	2680	0
7921	6.029e+004	-4960	2680	0
7922	6.108e+004	-4771	2680	0
7923	6.187e+004	-4573	2680	0
7924	6.265e+004	-4366	2680	0
7925	6.344e+004	-4151	2680	0
7926	6.422e+004	-3927	2680	0
7927	6.5e+004	-3695	2680	0
7928	6.578e+004	-3454	2680	0
7929	6.655e+004	-3204	2680	0
7930	6.732e+004	-2947	2680	0
7931	6.809e+004	-2680	2680	0
7932	6.886e+004	-2406	2680	0
7933	6.962e+004	-2122	2680	0
7934	7.038e+004	-1831	2680	0
7935	7.114e+004	-1531	2680	0
7936	7.189e+004	-1223	2680	0
7937	7.264e+004	-906.9	2680	0
7938	7.339e+004	-582.5	2680	0
7939	7.413e+004	-249.8	2680	0
7940	7.487e+004	90.94	2680	0
7941	7.56e+004	439.8	2680	0
7942	7.634e+004	796.7	2680	0
7943	7.706e+004	1161	2680	0
7944	7.779e+004	1534	2680	0
7945	7.851e+004	1915	2680	0
7946	7.922e+004	2303	2680	0
7947	7.993e+004	2699	2680	0
7948	8.064e+004	3104	2680	0
7949	8.134e+004	3516	2680	0
7950	8.2e+004	3915	2680	0
7951	8.266e+004	4322	2680	0
7952	8.332e+004	4735	2680	0
7953	8.397e+004	5154	2680	0
7954	8.462e+004	5580	2680	0
7955	8.526e+004	6012	2680	0
7956	8.59e+004	6449	2680	0
7957	8.653e+004	6894	2680	0
7958	8.717e+004	7344	2680	0
7959	8.779e+004	7801	2680	0
7960	8.844e+004	8289	2680	0
7961	8.909e+004	8783	2680	0
7962	8.973e+004	9285	2680	0
7963	9.037e+004	9794	2680	0
7964	9.1e+004	1.031e+004	2680	0
7965	9.162e+004	1.083e+004	2680	0
7966	9.224e+004	1.136e+004	2680	0
7967	9.286e+004	1.19e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

7968	9.346e+004	1.244e+004	2680	0
7969	9.407e+004	1.299e+004	2680	0
7970	9.466e+004	1.354e+004	2680	0
7971	9.525e+004	1.411e+004	2680	0
7972	9.584e+004	1.467e+004	2680	0
7973	9.641e+004	1.525e+004	2680	0
7974	9.698e+004	1.583e+004	2680	0
7975	9.755e+004	1.642e+004	2680	0
7976	9.811e+004	1.701e+004	2680	0
7977	9.866e+004	1.761e+004	2680	0
7978	9.92e+004	1.822e+004	2680	0
7979	9.974e+004	1.883e+004	2680	0
7980	1.003e+005	1.945e+004	2680	0
7981	1.008e+005	2.007e+004	2680	0
7982	1.013e+005	2.07e+004	2680	0
7983	1.018e+005	2.133e+004	2680	0
7984	1.023e+005	2.197e+004	2680	0
7985	1.028e+005	2.262e+004	2680	0
7986	1.033e+005	2.327e+004	2680	0
7987	1.038e+005	2.392e+004	2680	0
7988	1.043e+005	2.458e+004	2680	0
7989	1.048e+005	2.525e+004	2680	0
7990	1.052e+005	2.592e+004	2680	0
7991	1.057e+005	2.66e+004	2680	0
7992	1.061e+005	2.728e+004	2680	0
7993	1.066e+005	2.797e+004	2680	0
7994	1.07e+005	2.866e+004	2680	0
7995	1.074e+005	2.935e+004	2680	0
7996	1.078e+005	3.005e+004	2680	0
7997	1.082e+005	3.076e+004	2680	0
7998	1.086e+005	3.146e+004	2680	0
7999	1.09e+005	3.218e+004	2680	0
8000	1.094e+005	3.29e+004	2680	0
8001	1.098e+005	3.362e+004	2680	0
8002	1.102e+005	3.434e+004	2680	0
8003	1.105e+005	3.507e+004	2680	0
8004	1.109e+005	3.581e+004	2680	0
8005	1.112e+005	3.654e+004	2680	0
8006	1.116e+005	3.728e+004	2680	0
8007	1.119e+005	3.803e+004	2680	0
8008	1.122e+005	3.878e+004	2680	0
8009	1.125e+005	3.953e+004	2680	0
8010	1.128e+005	4.025e+004	2680	0
8011	1.131e+005	4.098e+004	2680	0
8012	1.134e+005	4.172e+004	2680	0
8013	1.137e+005	4.245e+004	2680	0
8014	1.139e+005	4.319e+004	2680	0
8015	1.142e+005	4.391e+004	2680	0
8016	1.144e+005	4.464e+004	2680	0
8017	1.147e+005	4.537e+004	2680	0
8018	1.149e+005	4.61e+004	2680	0
8019	1.151e+005	4.683e+004	2680	0
8020	1.153e+005	4.761e+004	2680	0
8021	1.156e+005	4.839e+004	2680	0
8022	1.158e+005	4.918e+004	2680	0
8023	1.16e+005	4.997e+004	2680	0
8024	1.162e+005	5.076e+004	2680	0
8025	1.164e+005	5.155e+004	2680	0
8026	1.165e+005	5.235e+004	2680	0
8027	1.167e+005	5.314e+004	2680	0
8028	1.169e+005	5.394e+004	2680	0
8029	1.17e+005	5.474e+004	2680	0
8030	1.171e+005	5.554e+004	2680	0
8031	1.173e+005	5.634e+004	2680	0
8032	1.174e+005	5.715e+004	2680	0
8033	1.175e+005	5.795e+004	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8034	1.176e+005	5.876e+004	2680	0
8035	1.177e+005	5.957e+004	2680	0
8036	1.178e+005	6.038e+004	2680	0
8037	1.179e+005	6.119e+004	2680	0
8038	1.179e+005	6.2e+004	2680	0
8039	1.18e+005	6.281e+004	2680	0
8040	1.181e+005	6.362e+004	2680	0
8041	1.181e+005	6.443e+004	2680	0
8042	1.181e+005	6.525e+004	2680	0
8043	1.182e+005	6.606e+004	2680	0
8044	1.182e+005	6.687e+004	2680	0
8045	1.182e+005	6.769e+004	2680	0
8046	1.182e+005	6.85e+004	2680	0
8047	1.182e+005	6.931e+004	2680	0
8048	1.182e+005	7.013e+004	2680	0
8049	1.181e+005	7.094e+004	2680	0
8050	1.181e+005	7.175e+004	2680	0
8051	1.18e+005	7.257e+004	2680	0
8052	1.18e+005	7.338e+004	2680	0
8053	1.179e+005	7.419e+004	2680	0
8054	1.179e+005	7.5e+004	2680	0
8055	1.178e+005	7.581e+004	2680	0
8056	1.177e+005	7.662e+004	2680	0
8057	1.176e+005	7.743e+004	2680	0
8058	1.175e+005	7.823e+004	2680	0
8059	1.174e+005	7.904e+004	2680	0
8060	1.172e+005	7.984e+004	2680	0
8061	1.171e+005	8.064e+004	2680	0
8062	1.17e+005	8.144e+004	2680	0
8063	1.168e+005	8.224e+004	2680	0
8064	1.166e+005	8.304e+004	2680	0
8065	1.165e+005	8.384e+004	2680	0
8066	1.163e+005	8.463e+004	2680	0
8067	1.161e+005	8.542e+004	2680	0
8068	1.159e+005	8.621e+004	2680	0
8069	1.157e+005	8.7e+004	2680	0
8070	1.155e+005	8.776e+004	2680	0
8071	1.153e+005	8.851e+004	2680	0
8072	1.151e+005	8.926e+004	2680	0
8073	1.148e+005	9.001e+004	2680	0
8074	1.146e+005	9.076e+004	2680	0
8075	1.144e+005	9.149e+004	2680	0
8076	1.141e+005	9.222e+004	2680	0
8077	1.139e+005	9.294e+004	2680	0
8078	1.136e+005	9.366e+004	2680	0
8079	1.133e+005	9.438e+004	2680	0
8080	1.13e+005	9.514e+004	2680	0
8081	1.127e+005	9.589e+004	2680	0
8082	1.124e+005	9.665e+004	2680	0
8083	1.121e+005	9.74e+004	2680	0
8084	1.118e+005	9.814e+004	2680	0
8085	1.114e+005	9.889e+004	2680	0
8086	1.111e+005	9.963e+004	2680	0
8087	1.108e+005	1.004e+005	2680	0
8088	1.104e+005	1.011e+005	2680	0
8089	1.1e+005	1.018e+005	2680	0
8090	1.097e+005	1.025e+005	2680	0
8091	1.093e+005	1.033e+005	2680	0
8092	1.089e+005	1.04e+005	2680	0
8093	1.085e+005	1.047e+005	2680	0
8094	1.081e+005	1.054e+005	2680	0
8095	1.077e+005	1.061e+005	2680	0
8096	1.073e+005	1.068e+005	2680	0
8097	1.068e+005	1.075e+005	2680	0
8098	1.064e+005	1.082e+005	2680	0
8099	1.06e+005	1.089e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8100	1.055e+005	1.096e+005	2680	0
8101	1.051e+005	1.102e+005	2680	0
8102	1.046e+005	1.109e+005	2680	0
8103	1.041e+005	1.116e+005	2680	0
8104	1.036e+005	1.122e+005	2680	0
8105	1.032e+005	1.129e+005	2680	0
8106	1.027e+005	1.135e+005	2680	0
8107	1.022e+005	1.142e+005	2680	0
8108	1.017e+005	1.148e+005	2680	0
8109	1.012e+005	1.154e+005	2680	0
8110	1.006e+005	1.161e+005	2680	0
8111	1.001e+005	1.167e+005	2680	0
8112	9.959e+004	1.173e+005	2680	0
8113	9.905e+004	1.179e+005	2680	0
8114	9.851e+004	1.185e+005	2680	0
8115	9.796e+004	1.191e+005	2680	0
8116	9.74e+004	1.197e+005	2680	0
8117	9.684e+004	1.203e+005	2680	0
8118	9.627e+004	1.209e+005	2680	0
8119	9.569e+004	1.215e+005	2680	0
8120	9.511e+004	1.22e+005	2680	0
8121	9.452e+004	1.226e+005	2680	0
8122	9.393e+004	1.232e+005	2680	0
8123	9.333e+004	1.237e+005	2680	0
8124	9.272e+004	1.243e+005	2680	0
8125	9.211e+004	1.248e+005	2680	0
8126	9.149e+004	1.253e+005	2680	0
8127	9.087e+004	1.258e+005	2680	0
8128	9.024e+004	1.264e+005	2680	0
8129	8.961e+004	1.269e+005	2680	0
8130	8.899e+004	1.274e+005	2680	0
8131	8.838e+004	1.278e+005	2680	0
8132	8.776e+004	1.283e+005	2680	0
8133	8.713e+004	1.288e+005	2680	0
8134	8.65e+004	1.292e+005	2680	0
8135	8.587e+004	1.297e+005	2680	0
8136	8.523e+004	1.301e+005	2680	0
8137	8.458e+004	1.306e+005	2680	0
8138	8.393e+004	1.31e+005	2680	0
8139	8.328e+004	1.314e+005	2680	0
8140	8.263e+004	1.319e+005	2680	0
8141	8.197e+004	1.323e+005	2680	0
8142	8.131e+004	1.327e+005	2680	0
8143	8.065e+004	1.331e+005	2680	0
8144	7.998e+004	1.335e+005	2680	0
8145	7.932e+004	1.339e+005	2680	0
8146	7.864e+004	1.343e+005	2680	0
8147	7.797e+004	1.347e+005	2680	0
8148	7.729e+004	1.351e+005	2680	0
8149	7.661e+004	1.355e+005	2680	0
8150	7.593e+004	1.359e+005	2680	0
8151	7.525e+004	1.363e+005	2680	0
8152	7.456e+004	1.366e+005	2680	0
8153	7.387e+004	1.37e+005	2680	0
8154	7.318e+004	1.374e+005	2680	0
8155	7.248e+004	1.377e+005	2680	0
8156	7.177e+004	1.381e+005	2680	0
8157	7.107e+004	1.384e+005	2680	0
8158	7.036e+004	1.388e+005	2680	0
8159	6.965e+004	1.391e+005	2680	0
8160	6.894e+004	1.394e+005	2680	0
8161	6.822e+004	1.398e+005	2680	0
8162	6.75e+004	1.401e+005	2680	0
8163	6.678e+004	1.404e+005	2680	0
8164	6.606e+004	1.407e+005	2680	0
8165	6.534e+004	1.411e+005	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


8166	6.461e+004	1.414e+005	2680	0
8167	6.389e+004	1.417e+005	2680	0
8168	6.317e+004	1.42e+005	2680	0
8169	6.244e+004	1.423e+005	2680	0
8170	6.171e+004	1.426e+005	2680	0
8171	6.098e+004	1.429e+005	2680	0
8172	6.025e+004	1.432e+005	2680	0
8173	5.952e+004	1.435e+005	2680	0
8174	5.879e+004	1.438e+005	2680	0
8175	5.806e+004	1.441e+005	2680	0
8176	5.732e+004	1.444e+005	2680	0
8177	5.658e+004	1.447e+005	2680	0
8178	5.585e+004	1.45e+005	2680	0
8179	5.511e+004	1.452e+005	2680	0
8180	5.44e+004	1.455e+005	2680	0
8181	5.37e+004	1.458e+005	2680	0
8182	5.3e+004	1.46e+005	2680	0
8183	5.229e+004	1.463e+005	2680	0
8184	5.159e+004	1.465e+005	2680	0
8185	5.098e+004	1.467e+005	2680	0
8186	1.147e+005	4.291e+004	2500	0
8187	1.154e+005	4.262e+004	2500	0
8188	1.162e+005	4.234e+004	2500	0
8189	1.169e+005	4.206e+004	2500	0
8190	1.177e+005	4.178e+004	2500	0
8191	8.506e+004	4914	2500	0
8192	8.55e+004	4248	2500	0
8193	8.595e+004	3582	2500	0
8194	8.684e+004	2252	2500	0
8195	8.639e+004	2917	2500	0
8196	3.862e+004	-7552	2500	0
8197	3.856e+004	-8351	2500	0
8198	3.851e+004	-9149	2500	0
8199	3.846e+004	-9947	2500	0
8200	3.84e+004	-1.075e+004	2500	0
8201	437.9	1539	2500	0
8202	219	769.5	2500	0
8203	0	0	2500	0
8204	-218.9	-769.5	2500	0
8205	-437.8	-1539	2500	0
8206	1.169e+005	9.146e+004	2500	0
8207	1.161e+005	9.122e+004	2500	0
8208	1.154e+005	9.099e+004	2500	0
8209	1.184e+005	9.192e+004	2500	0
8210	1.177e+005	9.169e+004	2500	0
8211	8.791e+004	1.312e+005	2500	0
8212	8.744e+004	1.305e+005	2500	0
8213	8.697e+004	1.299e+005	2500	0
8214	8.885e+004	1.325e+005	2500	0
8215	8.838e+004	1.318e+005	2500	0
8216	5.237e+004	1.488e+005	2500	0
8217	5.211e+004	1.48e+005	2500	0
8218	5.185e+004	1.473e+005	2500	0
8219	5.289e+004	1.503e+005	2500	0
8220	5.263e+004	1.495e+005	2500	0
8221	437.9	1539	2320	0
8222	219	769.5	2320	0
8223	0	0	2320	0
8224	-218.9	-769.5	2320	0
8225	-437.8	-1539	2320	0
8226	437.9	1539	260	0
8227	219	769.5	260	0
8228	0	0	260	0
8229	-218.9	-769.5	260	0
8230	-437.8	-1539	260	0
8231	437.9	1539	-2.22e-013	0

PROJECT TITLE :

MIDAS	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8232	219	769.5	-2.22e-013	0
8233	0	0	0	0
8234	-218.9	-769.5	-2.22e-013	0
8235	-437.8	-1539	-2.22e-013	0
8236	1.147e+005	4.291e+004	2320	0
8237	1.154e+005	4.262e+004	2320	0
8238	1.162e+005	4.234e+004	2320	0
8239	1.169e+005	4.206e+004	2320	0
8240	1.177e+005	4.178e+004	2320	0
8241	8.506e+004	4914	2320	0
8242	8.55e+004	4248	2320	0
8243	8.595e+004	3582	2320	0
8244	8.684e+004	2252	2320	0
8245	8.639e+004	2917	2320	0
8246	3.862e+004	-7552	2320	0
8247	3.856e+004	-8351	2320	0
8248	3.851e+004	-9149	2320	0
8249	3.846e+004	-9947	2320	0
8250	3.84e+004	-1.075e+004	2320	0
8251	1.169e+005	9.146e+004	2320	0
8252	1.161e+005	9.122e+004	2320	0
8253	1.154e+005	9.099e+004	2320	0
8254	1.184e+005	9.192e+004	2320	0
8255	1.177e+005	9.169e+004	2320	0
8256	8.791e+004	1.312e+005	2320	0
8257	8.744e+004	1.305e+005	2320	0
8258	8.697e+004	1.299e+005	2320	0
8259	8.885e+004	1.325e+005	2320	0
8260	8.838e+004	1.318e+005	2320	0
8261	5.237e+004	1.488e+005	2320	0
8262	5.211e+004	1.48e+005	2320	0
8263	5.185e+004	1.473e+005	2320	0
8264	5.289e+004	1.503e+005	2320	0
8265	5.263e+004	1.495e+005	2320	0
8266	1.147e+005	4.291e+004	260	0
8267	1.154e+005	4.262e+004	260	0
8268	1.162e+005	4.234e+004	260	0
8269	1.169e+005	4.206e+004	260	0
8270	1.177e+005	4.178e+004	260	0
8271	8.506e+004	4914	260	0
8272	8.55e+004	4248	260	0
8273	8.595e+004	3582	260	0
8274	8.684e+004	2252	260	0
8275	8.639e+004	2917	260	0
8276	3.862e+004	-7552	260	0
8277	3.856e+004	-8351	260	0
8278	3.851e+004	-9149	260	0
8279	3.846e+004	-9947	260	0
8280	3.84e+004	-1.075e+004	260	0
8281	1.169e+005	9.146e+004	260	0
8282	1.161e+005	9.122e+004	260	0
8283	1.154e+005	9.099e+004	260	0
8284	1.184e+005	9.192e+004	260	0
8285	1.177e+005	9.169e+004	260	0
8286	8.791e+004	1.312e+005	260	0
8287	8.744e+004	1.305e+005	260	0
8288	8.697e+004	1.299e+005	260	0
8289	8.885e+004	1.325e+005	260	0
8290	8.838e+004	1.318e+005	260	0
8291	5.237e+004	1.488e+005	260	0
8292	5.211e+004	1.48e+005	260	0
8293	5.185e+004	1.473e+005	260	0
8294	5.289e+004	1.503e+005	260	0
8295	5.263e+004	1.495e+005	260	0
8296	1.147e+005	4.291e+004	0	0
8297	1.154e+005	4.262e+004	0	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8298	1.162e+005	4.234e+004	0	0
8299	1.169e+005	4.206e+004	0	0
8300	1.177e+005	4.178e+004	0	0
8301	8.506e+004	4914	0	0
8302	8.55e+004	4248	0	0
8303	8.595e+004	3582	0	0
8304	8.684e+004	2252	0	0
8305	8.639e+004	2917	0	0
8306	3.862e+004	-7552	0	0
8307	3.856e+004	-8351	0	0
8308	3.851e+004	-9149	0	0
8309	3.846e+004	-9947	0	0
8310	3.84e+004	-1.075e+004	0	0
8311	1.169e+005	9.146e+004	0	0
8312	1.161e+005	9.122e+004	0	0
8313	1.154e+005	9.099e+004	0	0
8314	1.184e+005	9.192e+004	0	0
8315	1.177e+005	9.169e+004	0	0
8316	8.791e+004	1.312e+005	0	0
8317	8.744e+004	1.305e+005	0	0
8318	8.697e+004	1.299e+005	0	0
8319	8.885e+004	1.325e+005	0	0
8320	8.838e+004	1.318e+005	0	0
8321	5.237e+004	1.488e+005	0	0
8322	5.211e+004	1.48e+005	0	0
8323	5.185e+004	1.473e+005	0	0
8324	5.289e+004	1.503e+005	0	0
8325	5.263e+004	1.495e+005	0	0
8326	-1234	-2144	946.7	0
8327	-656.6	-2308	946.7	0
8328	-1234	-2144	1633	0
8329	-656.6	-2308	1633	0
8330	47.15	-2519	946.7	0
8331	47.15	-2519	1633	0
8332	750.8	-2730	946.7	0
8333	750.8	-2730	1633	0
8334	1455	-2941	946.7	0
8335	1455	-2941	1633	0
8336	2158	-3152	946.7	0
8337	2158	-3152	1633	0
8338	2860	-3362	946.7	0
8339	2860	-3362	1633	0
8340	3624	-3591	946.7	0
8341	3624	-3591	1633	0
8342	4388	-3820	946.7	0
8343	4388	-3820	1633	0
8344	5152	-4049	946.7	0
8345	5152	-4049	1633	0
8346	5916	-4278	946.7	0
8347	5916	-4278	1633	0
8348	6680	-4507	946.7	0
8349	6680	-4507	1633	0
8350	7446	-4736	946.7	0
8351	7446	-4736	1633	0
8352	8211	-4965	946.7	0
8353	8211	-4965	1633	0
8354	8977	-5195	946.7	0
8355	8977	-5195	1633	0
8356	9742	-5424	946.7	0
8357	9742	-5424	1633	0
8358	1.051e+004	-5653	946.7	0
8359	1.051e+004	-5653	1633	0
8360	1.127e+004	-5883	946.7	0
8361	1.127e+004	-5883	1633	0
8362	1.204e+004	-6112	946.7	0
8363	1.204e+004	-6112	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8364	1.28e+004	-6342	946.7	0
8365	1.28e+004	-6342	1633	0
8366	1.357e+004	-6571	946.7	0
8367	1.357e+004	-6571	1633	0
8368	1.434e+004	-6800	946.7	0
8369	1.434e+004	-6800	1633	0
8370	1.51e+004	-7030	946.7	0
8371	1.51e+004	-7030	1633	0
8372	1.587e+004	-7260	946.7	0
8373	1.587e+004	-7260	1633	0
8374	1.664e+004	-7490	946.7	0
8375	1.664e+004	-7490	1633	0
8376	1.74e+004	-7719	946.7	0
8377	1.74e+004	-7719	1633	0
8378	1.817e+004	-7949	946.7	0
8379	1.817e+004	-7949	1633	0
8380	1.896e+004	-8181	946.7	0
8381	1.896e+004	-8181	1633	0
8382	1.975e+004	-8408	946.7	0
8383	1.975e+004	-8408	1633	0
8384	2.054e+004	-8629	946.7	0
8385	2.054e+004	-8629	1633	0
8386	2.134e+004	-8843	946.7	0
8387	2.134e+004	-8843	1633	0
8388	2.213e+004	-9049	946.7	0
8389	2.213e+004	-9049	1633	0
8390	2.293e+004	-9247	946.7	0
8391	2.293e+004	-9247	1633	0
8392	2.373e+004	-9437	946.7	0
8393	2.373e+004	-9437	1633	0
8394	2.454e+004	-9619	946.7	0
8395	2.454e+004	-9619	1633	0
8396	2.534e+004	-9793	946.7	0
8397	2.534e+004	-9793	1633	0
8398	2.614e+004	-9960	946.7	0
8399	2.614e+004	-9960	1633	0
8400	2.695e+004	-1.012e+004	946.7	0
8401	2.695e+004	-1.012e+004	1633	0
8402	2.776e+004	-1.027e+004	946.7	0
8403	2.776e+004	-1.027e+004	1633	0
8404	2.857e+004	-1.042e+004	946.7	0
8405	2.857e+004	-1.042e+004	1633	0
8406	2.938e+004	-1.055e+004	946.7	0
8407	2.938e+004	-1.055e+004	1633	0
8408	3.019e+004	-1.068e+004	946.7	0
8409	3.019e+004	-1.068e+004	1633	0
8410	3.101e+004	-1.08e+004	946.7	0
8411	3.101e+004	-1.08e+004	1633	0
8412	3.182e+004	-1.092e+004	946.7	0
8413	3.182e+004	-1.092e+004	1633	0
8414	3.264e+004	-1.102e+004	946.7	0
8415	3.264e+004	-1.102e+004	1633	0
8416	3.345e+004	-1.112e+004	946.7	0
8417	3.345e+004	-1.112e+004	1633	0
8418	3.427e+004	-1.121e+004	946.7	0
8419	3.427e+004	-1.121e+004	1633	0
8420	3.509e+004	-1.129e+004	946.7	0
8421	3.509e+004	-1.129e+004	1633	0
8422	3.59e+004	-1.136e+004	946.7	0
8423	3.59e+004	-1.136e+004	1633	0
8424	3.672e+004	-1.143e+004	946.7	0
8425	3.672e+004	-1.143e+004	1633	0
8426	3.753e+004	-1.149e+004	946.7	0
8427	3.753e+004	-1.149e+004	1633	0
8428	3.835e+004	-1.154e+004	946.7	0
8429	3.835e+004	-1.154e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8430	3.918e+004	-1.159e+004	946.7	0
8431	3.918e+004	-1.159e+004	1633	0
8432	4e+004	-1.163e+004	946.7	0
8433	4e+004	-1.163e+004	1633	0
8434	4.083e+004	-1.166e+004	946.7	0
8435	4.083e+004	-1.166e+004	1633	0
8436	4.165e+004	-1.168e+004	946.7	0
8437	4.165e+004	-1.168e+004	1633	0
8438	4.248e+004	-1.17e+004	946.7	0
8439	4.248e+004	-1.17e+004	1633	0
8440	4.334e+004	-1.171e+004	946.7	0
8441	4.334e+004	-1.171e+004	1633	0
8442	4.421e+004	-1.17e+004	946.7	0
8443	4.421e+004	-1.17e+004	1633	0
8444	4.508e+004	-1.169e+004	946.7	0
8445	4.508e+004	-1.169e+004	1633	0
8446	4.594e+004	-1.166e+004	946.7	0
8447	4.594e+004	-1.166e+004	1633	0
8448	4.681e+004	-1.163e+004	946.7	0
8449	4.681e+004	-1.163e+004	1633	0
8450	4.767e+004	-1.159e+004	946.7	0
8451	4.767e+004	-1.159e+004	1633	0
8452	4.854e+004	-1.154e+004	946.7	0
8453	4.854e+004	-1.154e+004	1633	0
8454	4.94e+004	-1.148e+004	946.7	0
8455	4.94e+004	-1.148e+004	1633	0
8456	5.027e+004	-1.141e+004	946.7	0
8457	5.027e+004	-1.141e+004	1633	0
8458	5.113e+004	-1.133e+004	946.7	0
8459	5.113e+004	-1.133e+004	1633	0
8460	5.199e+004	-1.124e+004	946.7	0
8461	5.199e+004	-1.124e+004	1633	0
8462	5.285e+004	-1.114e+004	946.7	0
8463	5.285e+004	-1.114e+004	1633	0
8464	5.371e+004	-1.103e+004	946.7	0
8465	5.371e+004	-1.103e+004	1633	0
8466	5.457e+004	-1.091e+004	946.7	0
8467	5.457e+004	-1.091e+004	1633	0
8468	5.543e+004	-1.079e+004	946.7	0
8469	5.543e+004	-1.079e+004	1633	0
8470	5.628e+004	-1.065e+004	946.7	0
8471	5.628e+004	-1.065e+004	1633	0
8472	5.714e+004	-1.05e+004	946.7	0
8473	5.714e+004	-1.05e+004	1633	0
8474	5.799e+004	-1.035e+004	946.7	0
8475	5.799e+004	-1.035e+004	1633	0
8476	5.884e+004	-1.018e+004	946.7	0
8477	5.884e+004	-1.018e+004	1633	0
8478	5.969e+004	-1.001e+004	946.7	0
8479	5.969e+004	-1.001e+004	1633	0
8480	6.053e+004	-9827	946.7	0
8481	6.053e+004	-9827	1633	0
8482	6.138e+004	-9635	946.7	0
8483	6.138e+004	-9635	1633	0
8484	6.222e+004	-9433	946.7	0
8485	6.222e+004	-9433	1633	0
8486	6.306e+004	-9223	946.7	0
8487	6.306e+004	-9223	1633	0
8488	6.39e+004	-9002	946.7	0
8489	6.39e+004	-9002	1633	0
8490	6.473e+004	-8772	946.7	0
8491	6.473e+004	-8772	1633	0
8492	6.557e+004	-8533	946.7	0
8493	6.557e+004	-8533	1633	0
8494	6.64e+004	-8285	946.7	0
8495	6.64e+004	-8285	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8496	6.722e+004	-8029	946.7	0
8497	6.722e+004	-8029	1633	0
8498	6.805e+004	-7765	946.7	0
8499	6.805e+004	-7765	1633	0
8500	6.887e+004	-7494	946.7	0
8501	6.887e+004	-7494	1633	0
8502	6.969e+004	-7214	946.7	0
8503	6.969e+004	-7214	1633	0
8504	7.051e+004	-6923	946.7	0
8505	7.051e+004	-6923	1633	0
8506	7.132e+004	-6620	946.7	0
8507	7.132e+004	-6620	1633	0
8508	7.213e+004	-6303	946.7	0
8509	7.213e+004	-6303	1633	0
8510	7.293e+004	-5971	946.7	0
8511	7.293e+004	-5971	1633	0
8512	7.372e+004	-5631	946.7	0
8513	7.372e+004	-5631	1633	0
8514	7.452e+004	-5287	946.7	0
8515	7.452e+004	-5287	1633	0
8516	7.531e+004	-4948	946.7	0
8517	7.531e+004	-4948	1633	0
8518	7.612e+004	-4620	946.7	0
8519	7.612e+004	-4620	1633	0
8520	7.69e+004	-4240	946.7	0
8521	7.69e+004	-4240	1633	0
8522	7.767e+004	-3860	946.7	0
8523	7.767e+004	-3860	1633	0
8524	7.845e+004	-3480	946.7	0
8525	7.845e+004	-3480	1633	0
8526	7.923e+004	-3099	946.7	0
8527	7.923e+004	-3099	1633	0
8528	8.001e+004	-2721	946.7	0
8529	8.001e+004	-2721	1633	0
8530	8.076e+004	-2301	946.7	0
8531	8.076e+004	-2301	1633	0
8532	8.152e+004	-1878	946.7	0
8533	8.152e+004	-1878	1633	0
8534	8.228e+004	-1455	946.7	0
8535	8.228e+004	-1455	1633	0
8536	8.303e+004	-1033	946.7	0
8537	8.303e+004	-1033	1633	0
8538	8.379e+004	-611.2	946.7	0
8539	8.379e+004	-611.2	1633	0
8540	8.448e+004	-165.3	946.7	0
8541	8.448e+004	-165.3	1633	0
8542	8.518e+004	272.6	946.7	0
8543	8.518e+004	272.6	1633	0
8544	8.588e+004	707	946.7	0
8545	8.588e+004	707	1633	0
8546	8.658e+004	1143	946.7	0
8547	8.658e+004	1143	1633	0
8548	8.728e+004	1587	946.7	0
8549	8.728e+004	1587	1633	0
8550	8.797e+004	2041	946.7	0
8551	8.797e+004	2041	1633	0
8552	8.865e+004	2506	946.7	0
8553	8.865e+004	2506	1633	0
8554	8.933e+004	2980	946.7	0
8555	8.933e+004	2980	1633	0
8556	8.999e+004	3463	946.7	0
8557	8.999e+004	3463	1633	0
8558	9.066e+004	3952	946.7	0
8559	9.066e+004	3952	1633	0
8560	9.135e+004	4472	946.7	0
8561	9.135e+004	4472	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8562	9.204e+004	4998	946.7	0
8563	9.204e+004	4998	1633	0
8564	9.272e+004	5531	946.7	0
8565	9.272e+004	5531	1633	0
8566	9.34e+004	6072	946.7	0
8567	9.34e+004	6072	1633	0
8568	9.407e+004	6619	946.7	0
8569	9.407e+004	6619	1633	0
8570	9.473e+004	7175	946.7	0
8571	9.473e+004	7175	1633	0
8572	9.539e+004	7737	946.7	0
8573	9.539e+004	7737	1633	0
8574	9.604e+004	8307	946.7	0
8575	9.604e+004	8307	1633	0
8576	9.669e+004	8884	946.7	0
8577	9.669e+004	8884	1633	0
8578	9.733e+004	9468	946.7	0
8579	9.733e+004	9468	1633	0
8580	9.796e+004	1.006e+004	946.7	0
8581	9.796e+004	1.006e+004	1633	0
8582	9.859e+004	1.066e+004	946.7	0
8583	9.859e+004	1.066e+004	1633	0
8584	9.921e+004	1.126e+004	946.7	0
8585	9.921e+004	1.126e+004	1633	0
8586	9.982e+004	1.187e+004	946.7	0
8587	9.982e+004	1.187e+004	1633	0
8588	1.004e+005	1.249e+004	946.7	0
8589	1.004e+005	1.249e+004	1633	0
8590	1.01e+005	1.312e+004	946.7	0
8591	1.01e+005	1.312e+004	1633	0
8592	1.016e+005	1.375e+004	946.7	0
8593	1.016e+005	1.375e+004	1633	0
8594	1.022e+005	1.438e+004	946.7	0
8595	1.022e+005	1.438e+004	1633	0
8596	1.028e+005	1.503e+004	946.7	0
8597	1.028e+005	1.503e+004	1633	0
8598	1.034e+005	1.568e+004	946.7	0
8599	1.034e+005	1.568e+004	1633	0
8600	1.039e+005	1.633e+004	946.7	0
8601	1.039e+005	1.633e+004	1633	0
8602	1.045e+005	1.7e+004	946.7	0
8603	1.045e+005	1.7e+004	1633	0
8604	1.05e+005	1.766e+004	946.7	0
8605	1.05e+005	1.766e+004	1633	0
8606	1.056e+005	1.834e+004	946.7	0
8607	1.056e+005	1.834e+004	1633	0
8608	1.061e+005	1.902e+004	946.7	0
8609	1.061e+005	1.902e+004	1633	0
8610	1.066e+005	1.971e+004	946.7	0
8611	1.066e+005	1.971e+004	1633	0
8612	1.072e+005	2.04e+004	946.7	0
8613	1.072e+005	2.04e+004	1633	0
8614	1.077e+005	2.109e+004	946.7	0
8615	1.077e+005	2.109e+004	1633	0
8616	1.082e+005	2.18e+004	946.7	0
8617	1.082e+005	2.18e+004	1633	0
8618	1.087e+005	2.251e+004	946.7	0
8619	1.087e+005	2.251e+004	1633	0
8620	1.092e+005	2.322e+004	946.7	0
8621	1.092e+005	2.322e+004	1633	0
8622	1.097e+005	2.394e+004	946.7	0
8623	1.097e+005	2.394e+004	1633	0
8624	1.101e+005	2.466e+004	946.7	0
8625	1.101e+005	2.466e+004	1633	0
8626	1.106e+005	2.539e+004	946.7	0
8627	1.106e+005	2.539e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


8628	1.111e+005	2.613e+004	946.7	0
8629	1.111e+005	2.613e+004	1633	0
8630	1.115e+005	2.687e+004	946.7	0
8631	1.115e+005	2.687e+004	1633	0
8632	1.12e+005	2.761e+004	946.7	0
8633	1.12e+005	2.761e+004	1633	0
8634	1.124e+005	2.836e+004	946.7	0
8635	1.124e+005	2.836e+004	1633	0
8636	1.128e+005	2.911e+004	946.7	0
8637	1.128e+005	2.911e+004	1633	0
8638	1.132e+005	2.987e+004	946.7	0
8639	1.132e+005	2.987e+004	1633	0
8640	1.137e+005	3.063e+004	946.7	0
8641	1.137e+005	3.063e+004	1633	0
8642	1.141e+005	3.14e+004	946.7	0
8643	1.141e+005	3.14e+004	1633	0
8644	1.144e+005	3.217e+004	946.7	0
8645	1.144e+005	3.217e+004	1633	0
8646	1.148e+005	3.295e+004	946.7	0
8647	1.148e+005	3.295e+004	1633	0
8648	1.152e+005	3.373e+004	946.7	0
8649	1.152e+005	3.373e+004	1633	0
8650	1.156e+005	3.451e+004	946.7	0
8651	1.156e+005	3.451e+004	1633	0
8652	1.159e+005	3.529e+004	946.7	0
8653	1.159e+005	3.529e+004	1633	0
8654	1.163e+005	3.608e+004	946.7	0
8655	1.163e+005	3.608e+004	1633	0
8656	1.167e+005	3.688e+004	946.7	0
8657	1.167e+005	3.688e+004	1633	0
8658	1.17e+005	3.768e+004	946.7	0
8659	1.17e+005	3.768e+004	1633	0
8660	1.173e+005	3.843e+004	946.7	0
8661	1.173e+005	3.843e+004	1633	0
8662	1.176e+005	3.919e+004	946.7	0
8663	1.176e+005	3.919e+004	1633	0
8664	1.179e+005	3.996e+004	946.7	0
8665	1.179e+005	3.996e+004	1633	0
8666	1.182e+005	4.073e+004	946.7	0
8667	1.182e+005	4.073e+004	1633	0
8668	1.184e+005	4.15e+004	946.7	0
8669	1.184e+005	4.15e+004	1633	0
8670	1.187e+005	4.229e+004	946.7	0
8671	1.187e+005	4.229e+004	1633	0
8672	1.19e+005	4.308e+004	946.7	0
8673	1.19e+005	4.308e+004	1633	0
8674	1.192e+005	4.387e+004	946.7	0
8675	1.192e+005	4.387e+004	1633	0
8676	1.195e+005	4.466e+004	946.7	0
8677	1.195e+005	4.466e+004	1633	0
8678	1.197e+005	4.546e+004	946.7	0
8679	1.197e+005	4.546e+004	1633	0
8680	1.2e+005	4.629e+004	946.7	0
8681	1.2e+005	4.629e+004	1633	0
8682	1.202e+005	4.713e+004	946.7	0
8683	1.202e+005	4.713e+004	1633	0
8684	1.204e+005	4.796e+004	946.7	0
8685	1.204e+005	4.796e+004	1633	0
8686	1.206e+005	4.88e+004	946.7	0
8687	1.206e+005	4.88e+004	1633	0
8688	1.208e+005	4.965e+004	946.7	0
8689	1.208e+005	4.965e+004	1633	0
8690	1.21e+005	5.049e+004	946.7	0
8691	1.21e+005	5.049e+004	1633	0
8692	1.212e+005	5.133e+004	946.7	0
8693	1.212e+005	5.133e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8694	1.214e+005	5.218e+004	946.7	0
8695	1.214e+005	5.218e+004	1633	0
8696	1.216e+005	5.303e+004	946.7	0
8697	1.216e+005	5.303e+004	1633	0
8698	1.217e+005	5.388e+004	946.7	0
8699	1.217e+005	5.388e+004	1633	0
8700	1.219e+005	5.474e+004	946.7	0
8701	1.219e+005	5.474e+004	1633	0
8702	1.22e+005	5.559e+004	946.7	0
8703	1.22e+005	5.559e+004	1633	0
8704	1.221e+005	5.645e+004	946.7	0
8705	1.221e+005	5.645e+004	1633	0
8706	1.223e+005	5.731e+004	946.7	0
8707	1.223e+005	5.731e+004	1633	0
8708	1.224e+005	5.817e+004	946.7	0
8709	1.224e+005	5.817e+004	1633	0
8710	1.225e+005	5.903e+004	946.7	0
8711	1.225e+005	5.903e+004	1633	0
8712	1.226e+005	5.989e+004	946.7	0
8713	1.226e+005	5.989e+004	1633	0
8714	1.227e+005	6.075e+004	946.7	0
8715	1.227e+005	6.075e+004	1633	0
8716	1.227e+005	6.161e+004	946.7	0
8717	1.227e+005	6.161e+004	1633	0
8718	1.228e+005	6.248e+004	946.7	0
8719	1.228e+005	6.248e+004	1633	0
8720	1.229e+005	6.334e+004	946.7	0
8721	1.229e+005	6.334e+004	1633	0
8722	1.229e+005	6.421e+004	946.7	0
8723	1.229e+005	6.421e+004	1633	0
8724	1.229e+005	6.507e+004	946.7	0
8725	1.229e+005	6.507e+004	1633	0
8726	1.23e+005	6.594e+004	946.7	0
8727	1.23e+005	6.594e+004	1633	0
8728	1.23e+005	6.68e+004	946.7	0
8729	1.23e+005	6.68e+004	1633	0
8730	1.23e+005	6.767e+004	946.7	0
8731	1.23e+005	6.767e+004	1633	0
8732	1.23e+005	6.854e+004	946.7	0
8733	1.23e+005	6.854e+004	1633	0
8734	1.23e+005	6.94e+004	946.7	0
8735	1.23e+005	6.94e+004	1633	0
8736	1.23e+005	7.027e+004	946.7	0
8737	1.23e+005	7.027e+004	1633	0
8738	1.229e+005	7.113e+004	946.7	0
8739	1.229e+005	7.113e+004	1633	0
8740	1.229e+005	7.2e+004	946.7	0
8741	1.229e+005	7.2e+004	1633	0
8742	1.228e+005	7.286e+004	946.7	0
8743	1.228e+005	7.286e+004	1633	0
8744	1.228e+005	7.373e+004	946.7	0
8745	1.228e+005	7.373e+004	1633	0
8746	1.227e+005	7.459e+004	946.7	0
8747	1.227e+005	7.459e+004	1633	0
8748	1.226e+005	7.546e+004	946.7	0
8749	1.226e+005	7.546e+004	1633	0
8750	1.225e+005	7.632e+004	946.7	0
8751	1.225e+005	7.632e+004	1633	0
8752	1.224e+005	7.718e+004	946.7	0
8753	1.224e+005	7.718e+004	1633	0
8754	1.223e+005	7.804e+004	946.7	0
8755	1.223e+005	7.804e+004	1633	0
8756	1.222e+005	7.89e+004	946.7	0
8757	1.222e+005	7.89e+004	1633	0
8758	1.221e+005	7.975e+004	946.7	0
8759	1.221e+005	7.975e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8760	1.22e+005	8.061e+004	946.7	0
8761	1.22e+005	8.061e+004	1633	0
8762	1.218e+005	8.146e+004	946.7	0
8763	1.218e+005	8.146e+004	1633	0
8764	1.217e+005	8.232e+004	946.7	0
8765	1.217e+005	8.232e+004	1633	0
8766	1.215e+005	8.317e+004	946.7	0
8767	1.215e+005	8.317e+004	1633	0
8768	1.213e+005	8.402e+004	946.7	0
8769	1.213e+005	8.402e+004	1633	0
8770	1.212e+005	8.487e+004	946.7	0
8771	1.212e+005	8.487e+004	1633	0
8772	1.21e+005	8.571e+004	946.7	0
8773	1.21e+005	8.571e+004	1633	0
8774	1.208e+005	8.655e+004	946.7	0
8775	1.208e+005	8.655e+004	1633	0
8776	1.206e+005	8.739e+004	946.7	0
8777	1.206e+005	8.739e+004	1633	0
8778	1.203e+005	8.823e+004	946.7	0
8779	1.203e+005	8.823e+004	1633	0
8780	1.201e+005	8.902e+004	946.7	0
8781	1.201e+005	8.902e+004	1633	0
8782	1.199e+005	8.981e+004	946.7	0
8783	1.199e+005	8.981e+004	1633	0
8784	1.197e+005	9.059e+004	946.7	0
8785	1.197e+005	9.059e+004	1633	0
8786	1.194e+005	9.137e+004	946.7	0
8787	1.194e+005	9.137e+004	1633	0
8788	1.192e+005	9.215e+004	946.7	0
8789	1.192e+005	9.215e+004	1633	0
8790	1.189e+005	9.294e+004	946.7	0
8791	1.189e+005	9.294e+004	1633	0
8792	1.187e+005	9.373e+004	946.7	0
8793	1.187e+005	9.373e+004	1633	0
8794	1.184e+005	9.452e+004	946.7	0
8795	1.184e+005	9.452e+004	1633	0
8796	1.181e+005	9.53e+004	946.7	0
8797	1.181e+005	9.53e+004	1633	0
8798	1.178e+005	9.608e+004	946.7	0
8799	1.178e+005	9.608e+004	1633	0
8800	1.175e+005	9.689e+004	946.7	0
8801	1.175e+005	9.689e+004	1633	0
8802	1.172e+005	9.769e+004	946.7	0
8803	1.172e+005	9.769e+004	1633	0
8804	1.168e+005	9.849e+004	946.7	0
8805	1.168e+005	9.849e+004	1633	0
8806	1.165e+005	9.929e+004	946.7	0
8807	1.165e+005	9.929e+004	1633	0
8808	1.162e+005	1.001e+005	946.7	0
8809	1.162e+005	1.001e+005	1633	0
8810	1.158e+005	1.009e+005	946.7	0
8811	1.158e+005	1.009e+005	1633	0
8812	1.154e+005	1.017e+005	946.7	0
8813	1.154e+005	1.017e+005	1633	0
8814	1.151e+005	1.024e+005	946.7	0
8815	1.151e+005	1.024e+005	1633	0
8816	1.147e+005	1.032e+005	946.7	0
8817	1.147e+005	1.032e+005	1633	0
8818	1.143e+005	1.04e+005	946.7	0
8819	1.143e+005	1.04e+005	1633	0
8820	1.139e+005	1.048e+005	946.7	0
8821	1.139e+005	1.048e+005	1633	0
8822	1.135e+005	1.055e+005	946.7	0
8823	1.135e+005	1.055e+005	1633	0
8824	1.131e+005	1.063e+005	946.7	0
8825	1.131e+005	1.063e+005	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8826	1.127e+005	1.07e+005	946.7	0
8827	1.127e+005	1.07e+005	1633	0
8828	1.122e+005	1.078e+005	946.7	0
8829	1.122e+005	1.078e+005	1633	0
8830	1.118e+005	1.085e+005	946.7	0
8831	1.118e+005	1.085e+005	1633	0
8832	1.114e+005	1.093e+005	946.7	0
8833	1.114e+005	1.093e+005	1633	0
8834	1.109e+005	1.1e+005	946.7	0
8835	1.109e+005	1.1e+005	1633	0
8836	1.105e+005	1.108e+005	946.7	0
8837	1.105e+005	1.108e+005	1633	0
8838	1.1e+005	1.115e+005	946.7	0
8839	1.1e+005	1.115e+005	1633	0
8840	1.095e+005	1.122e+005	946.7	0
8841	1.095e+005	1.122e+005	1633	0
8842	1.09e+005	1.129e+005	946.7	0
8843	1.09e+005	1.129e+005	1633	0
8844	1.085e+005	1.136e+005	946.7	0
8845	1.085e+005	1.136e+005	1633	0
8846	1.08e+005	1.143e+005	946.7	0
8847	1.08e+005	1.143e+005	1633	0
8848	1.075e+005	1.151e+005	946.7	0
8849	1.075e+005	1.151e+005	1633	0
8850	1.07e+005	1.157e+005	946.7	0
8851	1.07e+005	1.157e+005	1633	0
8852	1.065e+005	1.164e+005	946.7	0
8853	1.065e+005	1.164e+005	1633	0
8854	1.06e+005	1.171e+005	946.7	0
8855	1.06e+005	1.171e+005	1633	0
8856	1.054e+005	1.178e+005	946.7	0
8857	1.054e+005	1.178e+005	1633	0
8858	1.049e+005	1.185e+005	946.7	0
8859	1.049e+005	1.185e+005	1633	0
8860	1.043e+005	1.191e+005	946.7	0
8861	1.043e+005	1.191e+005	1633	0
8862	1.038e+005	1.198e+005	946.7	0
8863	1.038e+005	1.198e+005	1633	0
8864	1.032e+005	1.205e+005	946.7	0
8865	1.032e+005	1.205e+005	1633	0
8866	1.026e+005	1.211e+005	946.7	0
8867	1.026e+005	1.211e+005	1633	0
8868	1.021e+005	1.218e+005	946.7	0
8869	1.021e+005	1.218e+005	1633	0
8870	1.015e+005	1.224e+005	946.7	0
8871	1.015e+005	1.224e+005	1633	0
8872	1.009e+005	1.23e+005	946.7	0
8873	1.009e+005	1.23e+005	1633	0
8874	1.003e+005	1.237e+005	946.7	0
8875	1.003e+005	1.237e+005	1633	0
8876	9.968e+004	1.243e+005	946.7	0
8877	9.968e+004	1.243e+005	1633	0
8878	9.907e+004	1.249e+005	946.7	0
8879	9.907e+004	1.249e+005	1633	0
8880	9.845e+004	1.255e+005	946.7	0
8881	9.845e+004	1.255e+005	1633	0
8882	9.782e+004	1.261e+005	946.7	0
8883	9.782e+004	1.261e+005	1633	0
8884	9.719e+004	1.267e+005	946.7	0
8885	9.719e+004	1.267e+005	1633	0
8886	9.655e+004	1.273e+005	946.7	0
8887	9.655e+004	1.273e+005	1633	0
8888	9.591e+004	1.278e+005	946.7	0
8889	9.591e+004	1.278e+005	1633	0
8890	9.526e+004	1.284e+005	946.7	0
8891	9.526e+004	1.284e+005	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8892	9.46e+004	1.29e+005	946.7	0
8893	9.46e+004	1.29e+005	1633	0
8894	9.394e+004	1.295e+005	946.7	0
8895	9.394e+004	1.295e+005	1633	0
8896	9.327e+004	1.301e+005	946.7	0
8897	9.327e+004	1.301e+005	1633	0
8898	9.26e+004	1.306e+005	946.7	0
8899	9.26e+004	1.306e+005	1633	0
8900	9.195e+004	1.311e+005	946.7	0
8901	9.195e+004	1.311e+005	1633	0
8902	9.13e+004	1.316e+005	946.7	0
8903	9.13e+004	1.316e+005	1633	0
8904	9.065e+004	1.321e+005	946.7	0
8905	9.065e+004	1.321e+005	1633	0
8906	8.999e+004	1.326e+005	946.7	0
8907	8.999e+004	1.326e+005	1633	0
8908	8.932e+004	1.331e+005	946.7	0
8909	8.932e+004	1.331e+005	1633	0
8910	8.865e+004	1.336e+005	946.7	0
8911	8.865e+004	1.336e+005	1633	0
8912	8.798e+004	1.341e+005	946.7	0
8913	8.798e+004	1.341e+005	1633	0
8914	8.73e+004	1.345e+005	946.7	0
8915	8.73e+004	1.345e+005	1633	0
8916	8.662e+004	1.35e+005	946.7	0
8917	8.662e+004	1.35e+005	1633	0
8918	8.594e+004	1.354e+005	946.7	0
8919	8.594e+004	1.354e+005	1633	0
8920	8.525e+004	1.359e+005	946.7	0
8921	8.525e+004	1.359e+005	1633	0
8922	8.456e+004	1.363e+005	946.7	0
8923	8.456e+004	1.363e+005	1633	0
8924	8.387e+004	1.368e+005	946.7	0
8925	8.387e+004	1.368e+005	1633	0
8926	8.318e+004	1.372e+005	946.7	0
8927	8.318e+004	1.372e+005	1633	0
8928	8.248e+004	1.376e+005	946.7	0
8929	8.248e+004	1.376e+005	1633	0
8930	8.178e+004	1.38e+005	946.7	0
8931	8.178e+004	1.38e+005	1633	0
8932	8.108e+004	1.385e+005	946.7	0
8933	8.108e+004	1.385e+005	1633	0
8934	8.037e+004	1.389e+005	946.7	0
8935	8.037e+004	1.389e+005	1633	0
8936	7.967e+004	1.393e+005	946.7	0
8937	7.967e+004	1.393e+005	1633	0
8938	7.895e+004	1.397e+005	946.7	0
8939	7.895e+004	1.397e+005	1633	0
8940	7.824e+004	1.401e+005	946.7	0
8941	7.824e+004	1.401e+005	1633	0
8942	7.752e+004	1.405e+005	946.7	0
8943	7.752e+004	1.405e+005	1633	0
8944	7.68e+004	1.409e+005	946.7	0
8945	7.68e+004	1.409e+005	1633	0
8946	7.608e+004	1.413e+005	946.7	0
8947	7.608e+004	1.413e+005	1633	0
8948	7.536e+004	1.416e+005	946.7	0
8949	7.536e+004	1.416e+005	1633	0
8950	7.463e+004	1.42e+005	946.7	0
8951	7.463e+004	1.42e+005	1633	0
8952	7.391e+004	1.424e+005	946.7	0
8953	7.391e+004	1.424e+005	1633	0
8954	7.318e+004	1.427e+005	946.7	0
8955	7.318e+004	1.427e+005	1633	0
8956	7.245e+004	1.431e+005	946.7	0
8957	7.245e+004	1.431e+005	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

8958	7.172e+004	1.434e+005	946.7	0
8959	7.172e+004	1.434e+005	1633	0
8960	7.098e+004	1.438e+005	946.7	0
8961	7.098e+004	1.438e+005	1633	0
8962	7.025e+004	1.441e+005	946.7	0
8963	7.025e+004	1.441e+005	1633	0
8964	6.951e+004	1.445e+005	946.7	0
8965	6.951e+004	1.445e+005	1633	0
8966	6.877e+004	1.448e+005	946.7	0
8967	6.877e+004	1.448e+005	1633	0
8968	6.803e+004	1.451e+005	946.7	0
8969	6.803e+004	1.451e+005	1633	0
8970	6.729e+004	1.454e+005	946.7	0
8971	6.729e+004	1.454e+005	1633	0
8972	6.655e+004	1.458e+005	946.7	0
8973	6.655e+004	1.458e+005	1633	0
8974	6.58e+004	1.461e+005	946.7	0
8975	6.58e+004	1.461e+005	1633	0
8976	6.506e+004	1.464e+005	946.7	0
8977	6.506e+004	1.464e+005	1633	0
8978	6.431e+004	1.467e+005	946.7	0
8979	6.431e+004	1.467e+005	1633	0
8980	6.357e+004	1.471e+005	946.7	0
8981	6.357e+004	1.471e+005	1633	0
8982	6.282e+004	1.474e+005	946.7	0
8983	6.282e+004	1.474e+005	1633	0
8984	6.207e+004	1.477e+005	946.7	0
8985	6.207e+004	1.477e+005	1633	0
8986	6.132e+004	1.48e+005	946.7	0
8987	6.132e+004	1.48e+005	1633	0
8988	6.057e+004	1.483e+005	946.7	0
8989	6.057e+004	1.483e+005	1633	0
8990	5.981e+004	1.486e+005	946.7	0
8991	5.981e+004	1.486e+005	1633	0
8992	5.906e+004	1.489e+005	946.7	0
8993	5.906e+004	1.489e+005	1633	0
8994	5.83e+004	1.492e+005	946.7	0
8995	5.83e+004	1.492e+005	1633	0
8996	5.755e+004	1.495e+005	946.7	0
8997	5.755e+004	1.495e+005	1633	0
8998	5.679e+004	1.497e+005	946.7	0
8999	5.679e+004	1.497e+005	1633	0
9000	5.606e+004	1.5e+005	946.7	0
9001	5.606e+004	1.5e+005	1633	0
9002	5.534e+004	1.503e+005	946.7	0
9003	5.534e+004	1.503e+005	1633	0
9004	5.461e+004	1.505e+005	946.7	0
9005	5.461e+004	1.505e+005	1633	0
9006	5.388e+004	1.508e+005	946.7	0
9007	5.388e+004	1.508e+005	1633	0
9008	5.315e+004	1.511e+005	946.7	0
9009	5.315e+004	1.511e+005	1633	0
9010	5.257e+004	1.513e+005	946.7	0
9011	5.257e+004	1.513e+005	1633	0
9012	79.66	2473	946.7	0
9013	656.8	2309	946.7	0
9014	79.66	2473	1633	0
9015	656.8	2309	1633	0
9016	1372	2094	946.7	0
9017	1372	2094	1633	0
9018	2087	1880	946.7	0
9019	2087	1880	1633	0
9020	2800	1666	946.7	0
9021	2800	1666	1633	0
9022	3509	1454	946.7	0
9023	3509	1454	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9024	4217	1242	946.7	0
9025	4217	1242	1633	0
9026	4986	1012	946.7	0
9027	4986	1012	1633	0
9028	5755	781.2	946.7	0
9029	5755	781.2	1633	0
9030	6523	550.9	946.7	0
9031	6523	550.9	1633	0
9032	7292	320.6	946.7	0
9033	7292	320.6	1633	0
9034	8061	90.31	946.7	0
9035	8061	90.31	1633	0
9036	8828	-139.5	946.7	0
9037	8828	-139.5	1633	0
9038	9595	-369.4	946.7	0
9039	9595	-369.4	1633	0
9040	1.036e+004	-599.2	946.7	0
9041	1.036e+004	-599.2	1633	0
9042	1.113e+004	-829.1	946.7	0
9043	1.113e+004	-829.1	1633	0
9044	1.19e+004	-1059	946.7	0
9045	1.19e+004	-1059	1633	0
9046	1.266e+004	-1289	946.7	0
9047	1.266e+004	-1289	1633	0
9048	1.343e+004	-1519	946.7	0
9049	1.343e+004	-1519	1633	0
9050	1.42e+004	-1748	946.7	0
9051	1.42e+004	-1748	1633	0
9052	1.497e+004	-1978	946.7	0
9053	1.497e+004	-1978	1633	0
9054	1.573e+004	-2208	946.7	0
9055	1.573e+004	-2208	1633	0
9056	1.65e+004	-2437	946.7	0
9057	1.65e+004	-2437	1633	0
9058	1.726e+004	-2667	946.7	0
9059	1.726e+004	-2667	1633	0
9060	1.803e+004	-2896	946.7	0
9061	1.803e+004	-2896	1633	0
9062	1.879e+004	-3125	946.7	0
9063	1.879e+004	-3125	1633	0
9064	1.956e+004	-3355	946.7	0
9065	1.956e+004	-3355	1633	0
9066	2.031e+004	-3574	946.7	0
9067	2.031e+004	-3574	1633	0
9068	2.105e+004	-3788	946.7	0
9069	2.105e+004	-3788	1633	0
9070	2.18e+004	-3997	946.7	0
9071	2.18e+004	-3997	1633	0
9072	2.255e+004	-4199	946.7	0
9073	2.255e+004	-4199	1633	0
9074	2.33e+004	-4394	946.7	0
9075	2.33e+004	-4394	1633	0
9076	2.406e+004	-4581	946.7	0
9077	2.406e+004	-4581	1633	0
9078	2.482e+004	-4761	946.7	0
9079	2.482e+004	-4761	1633	0
9080	2.557e+004	-4933	946.7	0
9081	2.557e+004	-4933	1633	0
9082	2.633e+004	-5097	946.7	0
9083	2.633e+004	-5097	1633	0
9084	2.709e+004	-5255	946.7	0
9085	2.709e+004	-5255	1633	0
9086	2.786e+004	-5405	946.7	0
9087	2.786e+004	-5405	1633	0
9088	2.862e+004	-5549	946.7	0
9089	2.862e+004	-5549	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9090	2.939e+004	-5685	946.7	0
9091	2.939e+004	-5685	1633	0
9092	3.015e+004	-5814	946.7	0
9093	3.015e+004	-5814	1633	0
9094	3.092e+004	-5936	946.7	0
9095	3.092e+004	-5936	1633	0
9096	3.169e+004	-6051	946.7	0
9097	3.169e+004	-6051	1633	0
9098	3.246e+004	-6158	946.7	0
9099	3.246e+004	-6158	1633	0
9100	3.323e+004	-6258	946.7	0
9101	3.323e+004	-6258	1633	0
9102	3.4e+004	-6351	946.7	0
9103	3.4e+004	-6351	1633	0
9104	3.478e+004	-6436	946.7	0
9105	3.478e+004	-6436	1633	0
9106	3.555e+004	-6514	946.7	0
9107	3.555e+004	-6514	1633	0
9108	3.633e+004	-6584	946.7	0
9109	3.633e+004	-6584	1633	0
9110	3.711e+004	-6647	946.7	0
9111	3.711e+004	-6647	1633	0
9112	3.789e+004	-6704	946.7	0
9113	3.789e+004	-6704	1633	0
9114	3.867e+004	-6754	946.7	0
9115	3.867e+004	-6754	1633	0
9116	3.944e+004	-6797	946.7	0
9117	3.944e+004	-6797	1633	0
9118	4.021e+004	-6834	946.7	0
9119	4.021e+004	-6834	1633	0
9120	4.099e+004	-6863	946.7	0
9121	4.099e+004	-6863	1633	0
9122	4.176e+004	-6886	946.7	0
9123	4.176e+004	-6886	1633	0
9124	4.253e+004	-6900	946.7	0
9125	4.253e+004	-6900	1633	0
9126	4.335e+004	-6905	946.7	0
9127	4.335e+004	-6905	1633	0
9128	4.416e+004	-6902	946.7	0
9129	4.416e+004	-6902	1633	0
9130	4.497e+004	-6889	946.7	0
9131	4.497e+004	-6889	1633	0
9132	4.579e+004	-6867	946.7	0
9133	4.579e+004	-6867	1633	0
9134	4.66e+004	-6836	946.7	0
9135	4.66e+004	-6836	1633	0
9136	4.741e+004	-6796	946.7	0
9137	4.741e+004	-6796	1633	0
9138	4.823e+004	-6748	946.7	0
9139	4.823e+004	-6748	1633	0
9140	4.904e+004	-6691	946.7	0
9141	4.904e+004	-6691	1633	0
9142	4.985e+004	-6624	946.7	0
9143	4.985e+004	-6624	1633	0
9144	5.066e+004	-6549	946.7	0
9145	5.066e+004	-6549	1633	0
9146	5.147e+004	-6466	946.7	0
9147	5.147e+004	-6466	1633	0
9148	5.228e+004	-6373	946.7	0
9149	5.228e+004	-6373	1633	0
9150	5.308e+004	-6271	946.7	0
9151	5.308e+004	-6271	1633	0
9152	5.389e+004	-6161	946.7	0
9153	5.389e+004	-6161	1633	0
9154	5.47e+004	-6041	946.7	0
9155	5.47e+004	-6041	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


9156	5.55e+004	-5913	946.7	0
9157	5.55e+004	-5913	1633	0
9158	5.63e+004	-5776	946.7	0
9159	5.63e+004	-5776	1633	0
9160	5.71e+004	-5630	946.7	0
9161	5.71e+004	-5630	1633	0
9162	5.79e+004	-5476	946.7	0
9163	5.79e+004	-5476	1633	0
9164	5.87e+004	-5313	946.7	0
9165	5.87e+004	-5313	1633	0
9166	5.949e+004	-5141	946.7	0
9167	5.949e+004	-5141	1633	0
9168	6.029e+004	-4960	946.7	0
9169	6.029e+004	-4960	1633	0
9170	6.108e+004	-4771	946.7	0
9171	6.108e+004	-4771	1633	0
9172	6.187e+004	-4573	946.7	0
9173	6.187e+004	-4573	1633	0
9174	6.265e+004	-4366	946.7	0
9175	6.265e+004	-4366	1633	0
9176	6.344e+004	-4151	946.7	0
9177	6.344e+004	-4151	1633	0
9178	6.422e+004	-3927	946.7	0
9179	6.422e+004	-3927	1633	0
9180	6.5e+004	-3695	946.7	0
9181	6.5e+004	-3695	1633	0
9182	6.578e+004	-3454	946.7	0
9183	6.578e+004	-3454	1633	0
9184	6.655e+004	-3204	946.7	0
9185	6.655e+004	-3204	1633	0
9186	6.732e+004	-2947	946.7	0
9187	6.732e+004	-2947	1633	0
9188	6.809e+004	-2680	946.7	0
9189	6.809e+004	-2680	1633	0
9190	6.886e+004	-2406	946.7	0
9191	6.886e+004	-2406	1633	0
9192	6.962e+004	-2122	946.7	0
9193	6.962e+004	-2122	1633	0
9194	7.038e+004	-1831	946.7	0
9195	7.038e+004	-1831	1633	0
9196	7.114e+004	-1531	946.7	0
9197	7.114e+004	-1531	1633	0
9198	7.189e+004	-1223	946.7	0
9199	7.189e+004	-1223	1633	0
9200	7.264e+004	-906.9	946.7	0
9201	7.264e+004	-906.9	1633	0
9202	7.339e+004	-582.5	946.7	0
9203	7.339e+004	-582.5	1633	0
9204	7.413e+004	-249.8	946.7	0
9205	7.413e+004	-249.8	1633	0
9206	7.487e+004	90.94	946.7	0
9207	7.487e+004	90.94	1633	0
9208	7.56e+004	439.8	946.7	0
9209	7.56e+004	439.8	1633	0
9210	7.634e+004	796.7	946.7	0
9211	7.634e+004	796.7	1633	0
9212	7.706e+004	1161	946.7	0
9213	7.706e+004	1161	1633	0
9214	7.779e+004	1534	946.7	0
9215	7.779e+004	1534	1633	0
9216	7.851e+004	1915	946.7	0
9217	7.851e+004	1915	1633	0
9218	7.922e+004	2303	946.7	0
9219	7.922e+004	2303	1633	0
9220	7.993e+004	2699	946.7	0
9221	7.993e+004	2699	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


9222	8.064e+004	3104	946.7	0
9223	8.064e+004	3104	1633	0
9224	8.134e+004	3516	946.7	0
9225	8.134e+004	3516	1633	0
9226	8.2e+004	3915	946.7	0
9227	8.2e+004	3915	1633	0
9228	8.266e+004	4322	946.7	0
9229	8.266e+004	4322	1633	0
9230	8.332e+004	4735	946.7	0
9231	8.332e+004	4735	1633	0
9232	8.397e+004	5154	946.7	0
9233	8.397e+004	5154	1633	0
9234	8.462e+004	5580	946.7	0
9235	8.462e+004	5580	1633	0
9236	8.526e+004	6012	946.7	0
9237	8.526e+004	6012	1633	0
9238	8.59e+004	6449	946.7	0
9239	8.59e+004	6449	1633	0
9240	8.653e+004	6894	946.7	0
9241	8.653e+004	6894	1633	0
9242	8.717e+004	7344	946.7	0
9243	8.717e+004	7344	1633	0
9244	8.779e+004	7801	946.7	0
9245	8.779e+004	7801	1633	0
9246	8.844e+004	8289	946.7	0
9247	8.844e+004	8289	1633	0
9248	8.909e+004	8783	946.7	0
9249	8.909e+004	8783	1633	0
9250	8.973e+004	9285	946.7	0
9251	8.973e+004	9285	1633	0
9252	9.037e+004	9794	946.7	0
9253	9.037e+004	9794	1633	0
9254	9.1e+004	1.031e+004	946.7	0
9255	9.1e+004	1.031e+004	1633	0
9256	9.162e+004	1.083e+004	946.7	0
9257	9.162e+004	1.083e+004	1633	0
9258	9.224e+004	1.136e+004	946.7	0
9259	9.224e+004	1.136e+004	1633	0
9260	9.286e+004	1.19e+004	946.7	0
9261	9.286e+004	1.19e+004	1633	0
9262	9.346e+004	1.244e+004	946.7	0
9263	9.346e+004	1.244e+004	1633	0
9264	9.407e+004	1.299e+004	946.7	0
9265	9.407e+004	1.299e+004	1633	0
9266	9.466e+004	1.354e+004	946.7	0
9267	9.466e+004	1.354e+004	1633	0
9268	9.525e+004	1.411e+004	946.7	0
9269	9.525e+004	1.411e+004	1633	0
9270	9.584e+004	1.467e+004	946.7	0
9271	9.584e+004	1.467e+004	1633	0
9272	9.641e+004	1.525e+004	946.7	0
9273	9.641e+004	1.525e+004	1633	0
9274	9.698e+004	1.583e+004	946.7	0
9275	9.698e+004	1.583e+004	1633	0
9276	9.755e+004	1.642e+004	946.7	0
9277	9.755e+004	1.642e+004	1633	0
9278	9.811e+004	1.701e+004	946.7	0
9279	9.811e+004	1.701e+004	1633	0
9280	9.866e+004	1.761e+004	946.7	0
9281	9.866e+004	1.761e+004	1633	0
9282	9.92e+004	1.822e+004	946.7	0
9283	9.92e+004	1.822e+004	1633	0
9284	9.974e+004	1.883e+004	946.7	0
9285	9.974e+004	1.883e+004	1633	0
9286	1.003e+005	1.945e+004	946.7	0
9287	1.003e+005	1.945e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9288	1.008e+005	2.007e+004	946.7	0
9289	1.008e+005	2.007e+004	1633	0
9290	1.013e+005	2.07e+004	946.7	0
9291	1.013e+005	2.07e+004	1633	0
9292	1.018e+005	2.133e+004	946.7	0
9293	1.018e+005	2.133e+004	1633	0
9294	1.023e+005	2.197e+004	946.7	0
9295	1.023e+005	2.197e+004	1633	0
9296	1.028e+005	2.262e+004	946.7	0
9297	1.028e+005	2.262e+004	1633	0
9298	1.033e+005	2.327e+004	946.7	0
9299	1.033e+005	2.327e+004	1633	0
9300	1.038e+005	2.392e+004	946.7	0
9301	1.038e+005	2.392e+004	1633	0
9302	1.043e+005	2.458e+004	946.7	0
9303	1.043e+005	2.458e+004	1633	0
9304	1.048e+005	2.525e+004	946.7	0
9305	1.048e+005	2.525e+004	1633	0
9306	1.052e+005	2.592e+004	946.7	0
9307	1.052e+005	2.592e+004	1633	0
9308	1.057e+005	2.66e+004	946.7	0
9309	1.057e+005	2.66e+004	1633	0
9310	1.061e+005	2.728e+004	946.7	0
9311	1.061e+005	2.728e+004	1633	0
9312	1.066e+005	2.797e+004	946.7	0
9313	1.066e+005	2.797e+004	1633	0
9314	1.07e+005	2.866e+004	946.7	0
9315	1.07e+005	2.866e+004	1633	0
9316	1.074e+005	2.935e+004	946.7	0
9317	1.074e+005	2.935e+004	1633	0
9318	1.078e+005	3.005e+004	946.7	0
9319	1.078e+005	3.005e+004	1633	0
9320	1.082e+005	3.076e+004	946.7	0
9321	1.082e+005	3.076e+004	1633	0
9322	1.086e+005	3.146e+004	946.7	0
9323	1.086e+005	3.146e+004	1633	0
9324	1.09e+005	3.218e+004	946.7	0
9325	1.09e+005	3.218e+004	1633	0
9326	1.094e+005	3.29e+004	946.7	0
9327	1.094e+005	3.29e+004	1633	0
9328	1.098e+005	3.362e+004	946.7	0
9329	1.098e+005	3.362e+004	1633	0
9330	1.102e+005	3.434e+004	946.7	0
9331	1.102e+005	3.434e+004	1633	0
9332	1.105e+005	3.507e+004	946.7	0
9333	1.105e+005	3.507e+004	1633	0
9334	1.109e+005	3.581e+004	946.7	0
9335	1.109e+005	3.581e+004	1633	0
9336	1.112e+005	3.654e+004	946.7	0
9337	1.112e+005	3.654e+004	1633	0
9338	1.116e+005	3.728e+004	946.7	0
9339	1.116e+005	3.728e+004	1633	0
9340	1.119e+005	3.803e+004	946.7	0
9341	1.119e+005	3.803e+004	1633	0
9342	1.122e+005	3.878e+004	946.7	0
9343	1.122e+005	3.878e+004	1633	0
9344	1.125e+005	3.953e+004	946.7	0
9345	1.125e+005	3.953e+004	1633	0
9346	1.128e+005	4.025e+004	946.7	0
9347	1.128e+005	4.025e+004	1633	0
9348	1.131e+005	4.098e+004	946.7	0
9349	1.131e+005	4.098e+004	1633	0
9350	1.134e+005	4.172e+004	946.7	0
9351	1.134e+005	4.172e+004	1633	0
9352	1.137e+005	4.245e+004	946.7	0
9353	1.137e+005	4.245e+004	1633	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9354	1.139e+005	4.319e+004	946.7	0
9355	1.139e+005	4.319e+004	1633	0
9356	1.142e+005	4.391e+004	946.7	0
9357	1.142e+005	4.391e+004	1633	0
9358	1.144e+005	4.464e+004	946.7	0
9359	1.144e+005	4.464e+004	1633	0
9360	1.147e+005	4.537e+004	946.7	0
9361	1.147e+005	4.537e+004	1633	0
9362	1.149e+005	4.61e+004	946.7	0
9363	1.149e+005	4.61e+004	1633	0
9364	1.151e+005	4.683e+004	946.7	0
9365	1.151e+005	4.683e+004	1633	0
9366	1.153e+005	4.761e+004	946.7	0
9367	1.153e+005	4.761e+004	1633	0
9368	1.156e+005	4.839e+004	946.7	0
9369	1.156e+005	4.839e+004	1633	0
9370	1.158e+005	4.918e+004	946.7	0
9371	1.158e+005	4.918e+004	1633	0
9372	1.16e+005	4.997e+004	946.7	0
9373	1.16e+005	4.997e+004	1633	0
9374	1.162e+005	5.076e+004	946.7	0
9375	1.162e+005	5.076e+004	1633	0
9376	1.164e+005	5.155e+004	946.7	0
9377	1.164e+005	5.155e+004	1633	0
9378	1.165e+005	5.235e+004	946.7	0
9379	1.165e+005	5.235e+004	1633	0
9380	1.167e+005	5.314e+004	946.7	0
9381	1.167e+005	5.314e+004	1633	0
9382	1.169e+005	5.394e+004	946.7	0
9383	1.169e+005	5.394e+004	1633	0
9384	1.17e+005	5.474e+004	946.7	0
9385	1.17e+005	5.474e+004	1633	0
9386	1.171e+005	5.554e+004	946.7	0
9387	1.171e+005	5.554e+004	1633	0
9388	1.173e+005	5.634e+004	946.7	0
9389	1.173e+005	5.634e+004	1633	0
9390	1.174e+005	5.715e+004	946.7	0
9391	1.174e+005	5.715e+004	1633	0
9392	1.175e+005	5.795e+004	946.7	0
9393	1.175e+005	5.795e+004	1633	0
9394	1.176e+005	5.876e+004	946.7	0
9395	1.176e+005	5.876e+004	1633	0
9396	1.177e+005	5.957e+004	946.7	0
9397	1.177e+005	5.957e+004	1633	0
9398	1.178e+005	6.038e+004	946.7	0
9399	1.178e+005	6.038e+004	1633	0
9400	1.179e+005	6.119e+004	946.7	0
9401	1.179e+005	6.119e+004	1633	0
9402	1.179e+005	6.2e+004	946.7	0
9403	1.179e+005	6.2e+004	1633	0
9404	1.18e+005	6.281e+004	946.7	0
9405	1.18e+005	6.281e+004	1633	0
9406	1.181e+005	6.362e+004	946.7	0
9407	1.181e+005	6.362e+004	1633	0
9408	1.181e+005	6.443e+004	946.7	0
9409	1.181e+005	6.443e+004	1633	0
9410	1.181e+005	6.525e+004	946.7	0
9411	1.181e+005	6.525e+004	1633	0
9412	1.182e+005	6.606e+004	946.7	0
9413	1.182e+005	6.606e+004	1633	0
9414	1.182e+005	6.687e+004	946.7	0
9415	1.182e+005	6.687e+004	1633	0
9416	1.182e+005	6.769e+004	946.7	0
9417	1.182e+005	6.769e+004	1633	0
9418	1.182e+005	6.85e+004	946.7	0
9419	1.182e+005	6.85e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9420	1.182e+005	6.931e+004	946.7	0
9421	1.182e+005	6.931e+004	1633	0
9422	1.182e+005	7.013e+004	946.7	0
9423	1.182e+005	7.013e+004	1633	0
9424	1.181e+005	7.094e+004	946.7	0
9425	1.181e+005	7.094e+004	1633	0
9426	1.181e+005	7.175e+004	946.7	0
9427	1.181e+005	7.175e+004	1633	0
9428	1.18e+005	7.257e+004	946.7	0
9429	1.18e+005	7.257e+004	1633	0
9430	1.18e+005	7.338e+004	946.7	0
9431	1.18e+005	7.338e+004	1633	0
9432	1.179e+005	7.419e+004	946.7	0
9433	1.179e+005	7.419e+004	1633	0
9434	1.179e+005	7.5e+004	946.7	0
9435	1.179e+005	7.5e+004	1633	0
9436	1.178e+005	7.581e+004	946.7	0
9437	1.178e+005	7.581e+004	1633	0
9438	1.177e+005	7.662e+004	946.7	0
9439	1.177e+005	7.662e+004	1633	0
9440	1.176e+005	7.743e+004	946.7	0
9441	1.176e+005	7.743e+004	1633	0
9442	1.175e+005	7.823e+004	946.7	0
9443	1.175e+005	7.823e+004	1633	0
9444	1.174e+005	7.904e+004	946.7	0
9445	1.174e+005	7.904e+004	1633	0
9446	1.172e+005	7.984e+004	946.7	0
9447	1.172e+005	7.984e+004	1633	0
9448	1.171e+005	8.064e+004	946.7	0
9449	1.171e+005	8.064e+004	1633	0
9450	1.17e+005	8.144e+004	946.7	0
9451	1.17e+005	8.144e+004	1633	0
9452	1.168e+005	8.224e+004	946.7	0
9453	1.168e+005	8.224e+004	1633	0
9454	1.166e+005	8.304e+004	946.7	0
9455	1.166e+005	8.304e+004	1633	0
9456	1.165e+005	8.384e+004	946.7	0
9457	1.165e+005	8.384e+004	1633	0
9458	1.163e+005	8.463e+004	946.7	0
9459	1.163e+005	8.463e+004	1633	0
9460	1.161e+005	8.542e+004	946.7	0
9461	1.161e+005	8.542e+004	1633	0
9462	1.159e+005	8.621e+004	946.7	0
9463	1.159e+005	8.621e+004	1633	0
9464	1.157e+005	8.7e+004	946.7	0
9465	1.157e+005	8.7e+004	1633	0
9466	1.155e+005	8.776e+004	946.7	0
9467	1.155e+005	8.776e+004	1633	0
9468	1.153e+005	8.851e+004	946.7	0
9469	1.153e+005	8.851e+004	1633	0
9470	1.151e+005	8.926e+004	946.7	0
9471	1.151e+005	8.926e+004	1633	0
9472	1.148e+005	9.001e+004	946.7	0
9473	1.148e+005	9.001e+004	1633	0
9474	1.146e+005	9.076e+004	946.7	0
9475	1.146e+005	9.076e+004	1633	0
9476	1.144e+005	9.149e+004	946.7	0
9477	1.144e+005	9.149e+004	1633	0
9478	1.141e+005	9.222e+004	946.7	0
9479	1.141e+005	9.222e+004	1633	0
9480	1.139e+005	9.294e+004	946.7	0
9481	1.139e+005	9.294e+004	1633	0
9482	1.136e+005	9.366e+004	946.7	0
9483	1.136e+005	9.366e+004	1633	0
9484	1.133e+005	9.438e+004	946.7	0
9485	1.133e+005	9.438e+004	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9486	1.13e+005	9.514e+004	946.7	0
9487	1.13e+005	9.514e+004	1633	0
9488	1.127e+005	9.589e+004	946.7	0
9489	1.127e+005	9.589e+004	1633	0
9490	1.124e+005	9.665e+004	946.7	0
9491	1.124e+005	9.665e+004	1633	0
9492	1.121e+005	9.74e+004	946.7	0
9493	1.121e+005	9.74e+004	1633	0
9494	1.118e+005	9.814e+004	946.7	0
9495	1.118e+005	9.814e+004	1633	0
9496	1.114e+005	9.889e+004	946.7	0
9497	1.114e+005	9.889e+004	1633	0
9498	1.111e+005	9.963e+004	946.7	0
9499	1.111e+005	9.963e+004	1633	0
9500	1.108e+005	1.004e+005	946.7	0
9501	1.108e+005	1.004e+005	1633	0
9502	1.104e+005	1.011e+005	946.7	0
9503	1.104e+005	1.011e+005	1633	0
9504	1.1e+005	1.018e+005	946.7	0
9505	1.1e+005	1.018e+005	1633	0
9506	1.097e+005	1.025e+005	946.7	0
9507	1.097e+005	1.025e+005	1633	0
9508	1.093e+005	1.033e+005	946.7	0
9509	1.093e+005	1.033e+005	1633	0
9510	1.089e+005	1.04e+005	946.7	0
9511	1.089e+005	1.04e+005	1633	0
9512	1.085e+005	1.047e+005	946.7	0
9513	1.085e+005	1.047e+005	1633	0
9514	1.081e+005	1.054e+005	946.7	0
9515	1.081e+005	1.054e+005	1633	0
9516	1.077e+005	1.061e+005	946.7	0
9517	1.077e+005	1.061e+005	1633	0
9518	1.073e+005	1.068e+005	946.7	0
9519	1.073e+005	1.068e+005	1633	0
9520	1.068e+005	1.075e+005	946.7	0
9521	1.068e+005	1.075e+005	1633	0
9522	1.064e+005	1.082e+005	946.7	0
9523	1.064e+005	1.082e+005	1633	0
9524	1.06e+005	1.089e+005	946.7	0
9525	1.06e+005	1.089e+005	1633	0
9526	1.055e+005	1.096e+005	946.7	0
9527	1.055e+005	1.096e+005	1633	0
9528	1.051e+005	1.102e+005	946.7	0
9529	1.051e+005	1.102e+005	1633	0
9530	1.046e+005	1.109e+005	946.7	0
9531	1.046e+005	1.109e+005	1633	0
9532	1.041e+005	1.116e+005	946.7	0
9533	1.041e+005	1.116e+005	1633	0
9534	1.036e+005	1.122e+005	946.7	0
9535	1.036e+005	1.122e+005	1633	0
9536	1.032e+005	1.129e+005	946.7	0
9537	1.032e+005	1.129e+005	1633	0
9538	1.027e+005	1.135e+005	946.7	0
9539	1.027e+005	1.135e+005	1633	0
9540	1.022e+005	1.142e+005	946.7	0
9541	1.022e+005	1.142e+005	1633	0
9542	1.017e+005	1.148e+005	946.7	0
9543	1.017e+005	1.148e+005	1633	0
9544	1.012e+005	1.154e+005	946.7	0
9545	1.012e+005	1.154e+005	1633	0
9546	1.006e+005	1.161e+005	946.7	0
9547	1.006e+005	1.161e+005	1633	0
9548	1.001e+005	1.167e+005	946.7	0
9549	1.001e+005	1.167e+005	1633	0
9550	9.959e+004	1.173e+005	946.7	0
9551	9.959e+004	1.173e+005	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9552	9.905e+004	1.179e+005	946.7	0
9553	9.905e+004	1.179e+005	1633	0
9554	9.851e+004	1.185e+005	946.7	0
9555	9.851e+004	1.185e+005	1633	0
9556	9.796e+004	1.191e+005	946.7	0
9557	9.796e+004	1.191e+005	1633	0
9558	9.74e+004	1.197e+005	946.7	0
9559	9.74e+004	1.197e+005	1633	0
9560	9.684e+004	1.203e+005	946.7	0
9561	9.684e+004	1.203e+005	1633	0
9562	9.627e+004	1.209e+005	946.7	0
9563	9.627e+004	1.209e+005	1633	0
9564	9.569e+004	1.215e+005	946.7	0
9565	9.569e+004	1.215e+005	1633	0
9566	9.452e+004	1.226e+005	946.7	0
9567	9.393e+004	1.232e+005	946.7	0
9568	9.452e+004	1.226e+005	1633	0
9569	9.393e+004	1.232e+005	1633	0
9570	9.333e+004	1.237e+005	946.7	0
9571	9.333e+004	1.237e+005	1633	0
9572	9.272e+004	1.243e+005	946.7	0
9573	9.272e+004	1.243e+005	1633	0
9574	9.211e+004	1.248e+005	946.7	0
9575	9.211e+004	1.248e+005	1633	0
9576	9.149e+004	1.253e+005	946.7	0
9577	9.149e+004	1.253e+005	1633	0
9578	9.087e+004	1.258e+005	946.7	0
9579	9.087e+004	1.258e+005	1633	0
9580	9.024e+004	1.264e+005	946.7	0
9581	9.024e+004	1.264e+005	1633	0
9582	8.961e+004	1.269e+005	946.7	0
9583	8.961e+004	1.269e+005	1633	0
9584	8.899e+004	1.274e+005	946.7	0
9585	8.899e+004	1.274e+005	1633	0
9586	8.838e+004	1.278e+005	946.7	0
9587	8.838e+004	1.278e+005	1633	0
9588	8.776e+004	1.283e+005	946.7	0
9589	8.776e+004	1.283e+005	1633	0
9590	8.713e+004	1.288e+005	946.7	0
9591	8.713e+004	1.288e+005	1633	0
9592	8.65e+004	1.292e+005	946.7	0
9593	8.65e+004	1.292e+005	1633	0
9594	8.587e+004	1.297e+005	946.7	0
9595	8.587e+004	1.297e+005	1633	0
9596	8.523e+004	1.301e+005	946.7	0
9597	8.523e+004	1.301e+005	1633	0
9598	8.458e+004	1.306e+005	946.7	0
9599	8.458e+004	1.306e+005	1633	0
9600	8.393e+004	1.31e+005	946.7	0
9601	8.393e+004	1.31e+005	1633	0
9602	8.328e+004	1.314e+005	946.7	0
9603	8.328e+004	1.314e+005	1633	0
9604	8.263e+004	1.319e+005	946.7	0
9605	8.263e+004	1.319e+005	1633	0
9606	8.197e+004	1.323e+005	946.7	0
9607	8.197e+004	1.323e+005	1633	0
9608	8.131e+004	1.327e+005	946.7	0
9609	8.131e+004	1.327e+005	1633	0
9610	8.065e+004	1.331e+005	946.7	0
9611	8.065e+004	1.331e+005	1633	0
9612	7.998e+004	1.335e+005	946.7	0
9613	7.998e+004	1.335e+005	1633	0
9614	7.932e+004	1.339e+005	946.7	0
9615	7.932e+004	1.339e+005	1633	0
9616	7.864e+004	1.343e+005	946.7	0
9617	7.864e+004	1.343e+005	1633	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9618	7.797e+004	1.347e+005	946.7	0
9619	7.797e+004	1.347e+005	1633	0
9620	7.729e+004	1.351e+005	946.7	0
9621	7.729e+004	1.351e+005	1633	0
9622	7.661e+004	1.355e+005	946.7	0
9623	7.661e+004	1.355e+005	1633	0
9624	7.593e+004	1.359e+005	946.7	0
9625	7.593e+004	1.359e+005	1633	0
9626	7.525e+004	1.363e+005	946.7	0
9627	7.525e+004	1.363e+005	1633	0
9628	7.456e+004	1.366e+005	946.7	0
9629	7.456e+004	1.366e+005	1633	0
9630	7.387e+004	1.37e+005	946.7	0
9631	7.387e+004	1.37e+005	1633	0
9632	7.318e+004	1.374e+005	946.7	0
9633	7.318e+004	1.374e+005	1633	0
9634	7.248e+004	1.377e+005	946.7	0
9635	7.248e+004	1.377e+005	1633	0
9636	7.177e+004	1.381e+005	946.7	0
9637	7.177e+004	1.381e+005	1633	0
9638	7.107e+004	1.384e+005	946.7	0
9639	7.107e+004	1.384e+005	1633	0
9640	7.036e+004	1.388e+005	946.7	0
9641	7.036e+004	1.388e+005	1633	0
9642	6.965e+004	1.391e+005	946.7	0
9643	6.965e+004	1.391e+005	1633	0
9644	6.894e+004	1.394e+005	946.7	0
9645	6.894e+004	1.394e+005	1633	0
9646	6.822e+004	1.398e+005	946.7	0
9647	6.822e+004	1.398e+005	1633	0
9648	6.75e+004	1.401e+005	946.7	0
9649	6.75e+004	1.401e+005	1633	0
9650	6.678e+004	1.404e+005	946.7	0
9651	6.678e+004	1.404e+005	1633	0
9652	6.606e+004	1.407e+005	946.7	0
9653	6.606e+004	1.407e+005	1633	0
9654	6.534e+004	1.411e+005	946.7	0
9655	6.534e+004	1.411e+005	1633	0
9656	6.461e+004	1.414e+005	946.7	0
9657	6.461e+004	1.414e+005	1633	0
9658	6.389e+004	1.417e+005	946.7	0
9659	6.389e+004	1.417e+005	1633	0
9660	6.317e+004	1.42e+005	946.7	0
9661	6.317e+004	1.42e+005	1633	0
9662	6.244e+004	1.423e+005	946.7	0
9663	6.244e+004	1.423e+005	1633	0
9664	6.171e+004	1.426e+005	946.7	0
9665	6.171e+004	1.426e+005	1633	0
9666	6.098e+004	1.429e+005	946.7	0
9667	6.098e+004	1.429e+005	1633	0
9668	6.025e+004	1.432e+005	946.7	0
9669	6.025e+004	1.432e+005	1633	0
9670	5.952e+004	1.435e+005	946.7	0
9671	5.952e+004	1.435e+005	1633	0
9672	5.879e+004	1.438e+005	946.7	0
9673	5.879e+004	1.438e+005	1633	0
9674	5.806e+004	1.441e+005	946.7	0
9675	5.806e+004	1.441e+005	1633	0
9676	5.732e+004	1.444e+005	946.7	0
9677	5.732e+004	1.444e+005	1633	0
9678	5.658e+004	1.447e+005	946.7	0
9679	5.658e+004	1.447e+005	1633	0
9680	5.585e+004	1.45e+005	946.7	0
9681	5.585e+004	1.45e+005	1633	0
9682	5.511e+004	1.452e+005	946.7	0
9683	5.511e+004	1.452e+005	1633	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9684	5.44e+004	1.455e+005	946.7	0
9685	5.44e+004	1.455e+005	1633	0
9686	5.37e+004	1.458e+005	946.7	0
9687	5.37e+004	1.458e+005	1633	0
9688	5.3e+004	1.46e+005	946.7	0
9689	5.3e+004	1.46e+005	1633	0
9690	5.229e+004	1.463e+005	946.7	0
9691	5.229e+004	1.463e+005	1633	0
9692	5.159e+004	1.465e+005	946.7	0
9693	5.159e+004	1.465e+005	1633	0
9694	5.098e+004	1.467e+005	946.7	0
9695	5.098e+004	1.467e+005	1633	0
9696	9.511e+004	1.22e+005	946.7	0
9697	9.511e+004	1.22e+005	1633	0
9698	-437.8	-1539	946.7	0
9699	-437.8	-1539	1633	0
9700	-218.9	-769.5	946.7	0
9701	-218.9	-769.5	1633	0
9702	0	0	946.7	0
9703	0	0	1633	0
9704	219	769.5	946.7	0
9705	219	769.5	1633	0
9706	437.9	1539	946.7	0
9707	437.9	1539	1633	0
9708	3.84e+004	-1.075e+004	946.7	0
9709	3.84e+004	-1.075e+004	1633	0
9710	3.846e+004	-9947	946.7	0
9711	3.846e+004	-9947	1633	0
9712	3.851e+004	-9149	946.7	0
9713	3.851e+004	-9149	1633	0
9714	3.856e+004	-8351	946.7	0
9715	3.856e+004	-8351	1633	0
9716	3.862e+004	-7552	946.7	0
9717	3.862e+004	-7552	1633	0
9718	8.684e+004	2252	946.7	0
9719	8.684e+004	2252	1633	0
9720	8.639e+004	2917	946.7	0
9721	8.639e+004	2917	1633	0
9722	8.595e+004	3582	946.7	0
9723	8.595e+004	3582	1633	0
9724	8.55e+004	4248	946.7	0
9725	8.55e+004	4248	1633	0
9726	8.506e+004	4914	946.7	0
9727	8.506e+004	4914	1633	0
9728	1.177e+005	4.178e+004	946.7	0
9729	1.177e+005	4.178e+004	1633	0
9730	1.169e+005	4.206e+004	946.7	0
9731	1.169e+005	4.206e+004	1633	0
9732	1.162e+005	4.234e+004	946.7	0
9733	1.162e+005	4.234e+004	1633	0
9734	1.154e+005	4.262e+004	946.7	0
9735	1.154e+005	4.262e+004	1633	0
9736	1.147e+005	4.291e+004	946.7	0
9737	1.147e+005	4.291e+004	1633	0
9738	1.184e+005	9.192e+004	946.7	0
9739	1.184e+005	9.192e+004	1633	0
9740	1.177e+005	9.169e+004	946.7	0
9741	1.177e+005	9.169e+004	1633	0
9742	1.169e+005	9.146e+004	946.7	0
9743	1.169e+005	9.146e+004	1633	0
9744	1.161e+005	9.122e+004	946.7	0
9745	1.161e+005	9.122e+004	1633	0
9746	1.154e+005	9.099e+004	946.7	0
9747	1.154e+005	9.099e+004	1633	0
9748	8.885e+004	1.325e+005	946.7	0
9749	8.885e+004	1.325e+005	1633	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

9750	8.838e+004	1.318e+005	946.7	0
9751	8.838e+004	1.318e+005	1633	0
9752	8.791e+004	1.312e+005	946.7	0
9753	8.791e+004	1.312e+005	1633	0
9754	8.744e+004	1.305e+005	946.7	0
9755	8.744e+004	1.305e+005	1633	0
9756	8.697e+004	1.299e+005	946.7	0
9757	8.697e+004	1.299e+005	1633	0
9758	5.289e+004	1.503e+005	946.7	0
9759	5.289e+004	1.503e+005	1633	0
9760	5.263e+004	1.495e+005	946.7	0
9761	5.263e+004	1.495e+005	1633	0
9762	5.237e+004	1.488e+005	946.7	0
9763	5.237e+004	1.488e+005	1633	0
9764	5.211e+004	1.48e+005	946.7	0
9765	5.211e+004	1.48e+005	1633	0
9766	5.185e+004	1.473e+005	946.7	0
9767	5.185e+004	1.473e+005	1633	0

*** SUPPORT / SPECIFIED DISPLACEMENT / POINT SPRING SUPPORT


** SUPPORT / SPECIFIED DISPLACEMENT

NODE	SUPPORT	SPECIFIED DISPLACEMENT						
		DDRRR	Dx	Dy	Dz	Rx	Ry	Rz
5148	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5198	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5258	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5318	111000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5378	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5438	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5488	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5491	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5541	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5601	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5661	101000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5721	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5782	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
5832	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

*** SECTION PROPERTY DATA

NO	NAME	SHAPE	H	B	tw	tf1	r1
----	------	-------	---	---	----	-----	----

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1	Irrig cor~	SB	18	300	0	0	0
2	Irrig tra~	SB	30	300	0	0	0
3	Fittizio	SR	10	0	0	0	0
4	el rigido	SR	1e+003	0	0	0	0
5	800x40+60~	SB	55	800	0	0	0
6	HEB300	H	300	300	11	19	27
48	Fittizia S	SR	10	0	0	0	0
62	600x30	SB	30	650	0	0	0
63	700x30	SB	30	700	0	0	0
64	2L160x15	2L	160	160	15	15	0
65	2L 180x16	2L	180	180	16	16	0
66	2L 180x18	2L	180	180	18	18	0
67	600x40	SB	40	600	0	0	0
68	500x20	SB	20	500	0	0	0
69	800x40	SB	40	800	0	0	0
70	800x30	SB	30	800	0	0	0
71	2L140x13	2L	140	140	13	13	0
72	2L140x13	2L	140	140	13	13	0
73	2L110x10	2L	110	110	10	10	0
74	2L110x12	2L	110	110	12	12	0
75	600x35	SB	35	600	0	0	0
76	L100x12	L	100	100	12	12	0
77	L110x12	L	110	110	12	12	0
78	2L120x12	2L	120	120	12	12	0
79	2L100x10	2L	100	100	10	10	0
80	2L130x12	2L	130	130	12	12	0
81	2L130x12	2L	130	130	12	12	0
82	900x60	SB	60	900	0	0	0
83	900x80	SB	80	900	0	0	0

NO	NAME	STIFFNESS SCALE FACTOR							Boundary Group
		A	Asy	Asz	Ix	Iy	Iz	W	
1	Irrig cor~								
2	Irrig tra~								
3	Fittizio								
4	el rigido								
5	800x40+60~								
6	HEB300								
48	Fittizia S								
62	600x30								
63	700x30								
64	2L160x15								
65	2L 180x16								
66	2L 180x18								
67	600x40								
68	500x20								
69	800x40								
70	800x30								
71	2L140x13								
72	2L140x13								
73	2L110x10								
74	2L110x12								
75	600x35								
76	L100x12								
77	L110x12								
78	2L120x12								
79	2L100x10								
80	2L130x12								
81	2L130x12								
82	900x60								
83	900x80								

NO	NAME	AREA	MOMENT OF INERTIA	SHAPE FA
----	------	------	-------------------	----------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

CTOR		[SRC:EQIV.]	Ix	Iy	Iz	k-Y
k-Z						
1	Irrig_cor~	5400	5.612e+005	1.458e+005	4.05e+007	0.8333
0.8333						
2	Irrig_tra~	9000	2.53e+006	6.75e+005	6.75e+007	0.8333
0.8333						
3	Fittizio	78.54	981.7	490.9	490.9	0.9
0.9						
4	el rigido	7.854e+005	9.817e+010	4.909e+010	4.909e+010	0.9
0.9						
5	800x40+60~	4.4e+004	4.245e+007	1.109e+007	2.347e+009	0.8333
0.8333						
6	HEB300	1.49e+004	1.496e+006	2.517e+008	8.56e+007	0.6376
0.2215						
48	Fittizia S	78.54	981.7	490.9	490.9	0.9
0.9						
62	600x30	1.95e+004	5.68e+006	1.462e+006	6.866e+008	0.8333
0.8333						
63	700x30	2.1e+004	6.13e+006	1.575e+006	8.575e+008	0.8333
0.8333						
64	2L160x15	9150	6.862e+005	2.232e+007	4.854e+007	0.4372
0.4372						
65	2L 180x16	1.101e+004	9.393e+005	3.413e+007	6.853e+007	0.436
0.436						
66	2L 180x18	1.231e+004	1.33e+006	3.779e+007	8.456e+007	0.4386
0.4386						
67	600x40	2.4e+004	1.226e+007	3.2e+006	7.2e+008	0.8333
0.8333						
68	500x20	1e+004	1.3e+006	3.333e+005	2.083e+008	0.8333
0.8333						
69	800x40	3.2e+004	1.653e+007	4.267e+006	1.707e+009	0.8333
0.8333						
70	800x30	2.4e+004	7.03e+006	1.8e+006	1.28e+009	0.8333
0.8333						
71	2L140x13	6942	3.911e+005	1.297e+007	3.019e+007	0.437
0.437						
72	2L140x13	6942	3.911e+005	1.297e+007	3.019e+007	0.437
0.437						
73	2L110x10	4200	1.4e+005	4.854e+006	1.036e+007	0.4365
0.4365						
74	2L110x12	4992	2.396e+005	5.677e+006	1.445e+007	0.4407
0.4407						
75	600x35	2.1e+004	8.26e+006	2.144e+006	6.3e+008	0.8333
0.8333						
76	L100x12	2256	1.083e+005	2.1e+006	2.1e+006	0.4433
0.4433						
77	L110x12	2496	1.198e+005	2.838e+006	2.838e+006	0.4407
0.4407						
78	2L120x12	5472	2.627e+005	7.465e+006	1.826e+007	0.4386
0.4386						
79	2L100x10	3800	1.267e+005	3.6e+006	9.287e+006	0.4386
0.4386						
80	2L130x12	5952	2.857e+005	9.596e+006	2.27e+007	0.4368
0.4368						
81	2L130x12	5952	2.857e+005	9.596e+006	2.006e+007	0.4368
0.4368						
82	900x60	5.4e+004	6.208e+007	1.62e+007	3.645e+009	0.8333
0.8333						
83	900x80	7.2e+004	1.45e+008	3.84e+007	4.86e+009	0.8333
0.8333						

NO NAME SECTION MODULUS Sy SECTION MODULUS Sz

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

		I or CONC.	J or STEEL	I or CONC.	J or STEEL
1	Irrig cor~	1.62e+004	1.62e+004	2.7e+005	2.7e+005
2	Irrig tra~	4.5e+004	4.5e+004	4.5e+005	4.5e+005
3	Fittizio	98.17	98.17	98.17	98.17
4	el rigido	9.817e+007	9.817e+007	9.817e+007	9.817e+007
5	800x40+60~	4.033e+005	4.033e+005	5.867e+006	5.867e+006
6	HEB300	1.68e+006	1.68e+006	5.71e+005	5.71e+005
48	Fittizia S	98.17	98.17	98.17	98.17
62	600x30	9.75e+004	9.75e+004	2.112e+006	2.112e+006
63	700x30	1.05e+005	1.05e+005	2.45e+006	2.45e+006
64	2L160x15	1.95e+005	1.95e+005	2.889e+005	2.889e+005
65	2L 180x16	2.644e+005	2.644e+005	3.705e+005	3.705e+005
66	2L 180x18	2.944e+005	2.944e+005	4.45e+005	4.45e+005
67	600x40	1.6e+005	1.6e+005	2.4e+006	2.4e+006
68	500x20	3.333e+004	3.333e+004	8.333e+005	8.333e+005
69	800x40	2.133e+005	2.133e+005	4.267e+006	4.267e+006
70	800x30	1.2e+005	1.2e+005	3.2e+006	3.2e+006
71	2L140x13	1.295e+005	1.295e+005	2.012e+005	2.012e+005
72	2L140x13	1.295e+005	1.295e+005	2.012e+005	2.012e+005
73	2L110x10	6.159e+004	6.159e+004	9.004e+004	9.004e+004
74	2L110x12	7.27e+004	7.27e+004	1.204e+005	1.204e+005
75	600x35	1.225e+005	1.225e+005	2.1e+006	2.1e+006
76	L100x12	2.975e+004	2.975e+004	2.975e+004	2.975e+004
77	L110x12	3.635e+004	3.635e+004	3.635e+004	3.635e+004
78	2L120x12	8.723e+004	8.723e+004	1.405e+005	1.405e+005
79	2L100x10	5.048e+004	5.048e+004	8.442e+004	8.442e+004
80	2L130x12	1.031e+005	1.031e+005	1.622e+005	1.622e+005
81	2L130x12	1.031e+005	1.031e+005	1.486e+005	1.486e+005
82	900x60	5.4e+005	5.4e+005	8.1e+006	8.1e+006
83	900x80	9.6e+005	9.6e+005	1.08e+007	1.08e+007


*** BEAM MEMBER DATA

ENGLTH	NO NODAL CONNECTIVITY		BEAM END RELEASE		MATERIAL	SECTION	L
	I	J	I	J			
180	4176	4460	7676	-	rigid	el rigido	
180	4177	4461	7671	-	rigid	el rigido	
180	4178	4462	7672	-	rigid	el rigido	
180	4179	4463	7673	-	rigid	el rigido	
180	4180	4464	7674	-	rigid	el rigido	
180	4181	4465	7675	-	rigid	el rigido	
180	4182	4466	7681	-	rigid	el rigido	
180	4183	4467	7677	-	rigid	el rigido	
180	4184	4468	7678	-	rigid	el rigido	
180	4185	4469	7679	-	rigid	el rigido	
180	4186	4470	7680	-	rigid	el rigido	
180	4187	4471	7666	-	rigid	el rigido	


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4188	4472	7667	-	-	rigid	el rigido
180	4189	4473	7668	-	-	rigid	el rigido
180	4190	4474	7669	-	-	rigid	el rigido
180	4191	4475	7670	-	-	rigid	el rigido
180	4192	4476	7665	-	-	rigid	el rigido
180	4193	4477	7664	-	-	rigid	el rigido
180	4194	4478	7663	-	-	rigid	el rigido
180	4195	4479	7662	-	-	rigid	el rigido
180	4196	4480	7661	-	-	rigid	el rigido
180	4197	4481	7660	-	-	rigid	el rigido
180	4198	4482	7659	-	-	rigid	el rigido
180	4199	4483	7658	-	-	rigid	el rigido
180	4200	4484	7657	-	-	rigid	el rigido
180	4201	4485	7656	-	-	rigid	el rigido
180	4202	4486	7651	-	-	rigid	el rigido
180	4203	4487	7652	-	-	rigid	el rigido
180	4204	4488	7653	-	-	rigid	el rigido
180	4205	4489	7654	-	-	rigid	el rigido
180	4206	4490	7655	-	-	rigid	el rigido
180	4207	4491	7650	-	-	rigid	el rigido
180	4208	4492	7649	-	-	rigid	el rigido
180	4209	4493	7648	-	-	rigid	el rigido
180	4210	4494	7647	-	-	rigid	el rigido
180	4211	4495	7646	-	-	rigid	el rigido
180	4212	4496	7645	-	-	rigid	el rigido
180	4213	4497	7644	-	-	rigid	el rigido
180	4214	4498	7643	-	-	rigid	el rigido
180	4215	4499	7642	-	-	rigid	el rigido
180	4216	4500	7641	-	-	rigid	el rigido
180	4217	4501	7636	-	-	rigid	el rigido
180	4218	4502	7637	-	-	rigid	el rigido
180	4219	4503	7638	-	-	rigid	el rigido
180	4220	4504	7639	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4221	4505	7640	-	-	rigid	el rigido
180	4222	4506	7631	-	-	rigid	el rigido
180	4223	4507	7632	-	-	rigid	el rigido
180	4224	4508	7633	-	-	rigid	el rigido
180	4225	4509	7634	-	-	rigid	el rigido
180	4226	4510	7635	-	-	rigid	el rigido
180	4227	4511	7626	-	-	rigid	el rigido
180	4228	4512	7627	-	-	rigid	el rigido
180	4229	4513	7628	-	-	rigid	el rigido
180	4230	4514	7629	-	-	rigid	el rigido
180	4231	4515	7630	-	-	rigid	el rigido
180	4232	4516	7606	-	-	rigid	el rigido
180	4233	4517	7601	-	-	rigid	el rigido
180	4234	4518	7602	-	-	rigid	el rigido
180	4235	4519	7603	-	-	rigid	el rigido
180	4236	4520	7604	-	-	rigid	el rigido
180	4237	4521	7605	-	-	rigid	el rigido
180	4238	4522	7607	-	-	rigid	el rigido
180	4239	4523	7608	-	-	rigid	el rigido
180	4240	4524	7609	-	-	rigid	el rigido
180	4241	4525	7610	-	-	rigid	el rigido
180	4242	4526	7611	-	-	rigid	el rigido
180	4243	4527	7596	-	-	rigid	el rigido
180	4244	4528	7597	-	-	rigid	el rigido
180	4245	4529	7598	-	-	rigid	el rigido
180	4246	4530	7599	-	-	rigid	el rigido
180	4247	4531	7600	-	-	rigid	el rigido
180	4248	4532	7616	-	-	rigid	el rigido
180	4249	4533	7615	-	-	rigid	el rigido
180	4250	4534	7614	-	-	rigid	el rigido
180	4251	4535	7613	-	-	rigid	el rigido
180	4252	4536	7612	-	-	rigid	el rigido
180	4253	4537	7621	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4254	4538	7617	-	-	rigid	el rigido
180	4255	4539	7618	-	-	rigid	el rigido
180	4256	4540	7619	-	-	rigid	el rigido
180	4257	4541	7620	-	-	rigid	el rigido
180	4258	4542	7622	-	-	rigid	el rigido
180	4259	4543	7623	-	-	rigid	el rigido
180	4260	4544	7624	-	-	rigid	el rigido
180	4261	4545	7625	-	-	rigid	el rigido
180	4262	4546	7595	-	-	rigid	el rigido
180	4263	4547	7594	-	-	rigid	el rigido
180	4264	4548	7593	-	-	rigid	el rigido
180	4265	4549	7592	-	-	rigid	el rigido
180	4266	4550	7591	-	-	rigid	el rigido
180	4267	4551	7586	-	-	rigid	el rigido
180	4268	4552	7587	-	-	rigid	el rigido
180	4269	4553	7588	-	-	rigid	el rigido
180	4270	4554	7589	-	-	rigid	el rigido
180	4271	4555	7590	-	-	rigid	el rigido
180	4272	4556	7581	-	-	rigid	el rigido
180	4273	4557	7582	-	-	rigid	el rigido
180	4274	4558	7583	-	-	rigid	el rigido
180	4275	4559	7584	-	-	rigid	el rigido
180	4276	4560	7585	-	-	rigid	el rigido
180	4277	4561	7576	-	-	rigid	el rigido
180	4278	4562	7577	-	-	rigid	el rigido
180	4279	4563	7578	-	-	rigid	el rigido
180	4280	4564	7579	-	-	rigid	el rigido
180	4281	4565	7580	-	-	rigid	el rigido
180	4282	4566	7571	-	-	rigid	el rigido
180	4283	4567	7572	-	-	rigid	el rigido
180	4284	4568	7573	-	-	rigid	el rigido
180	4285	4569	7574	-	-	rigid	el rigido
180	4286	4570	7575	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4287	4571	7566	-	-	rigid	el rigido
180	4288	4572	7567	-	-	rigid	el rigido
180	4289	4573	7568	-	-	rigid	el rigido
180	4290	4574	7569	-	-	rigid	el rigido
180	4291	4575	7570	-	-	rigid	el rigido
180	4292	4576	7565	-	-	rigid	el rigido
180	4293	4577	7564	-	-	rigid	el rigido
180	4294	4578	7563	-	-	rigid	el rigido
180	4295	4579	7562	-	-	rigid	el rigido
180	4296	4580	7561	-	-	rigid	el rigido
180	4297	4581	7556	-	-	rigid	el rigido
180	4298	4582	7557	-	-	rigid	el rigido
180	4299	4583	7558	-	-	rigid	el rigido
180	4300	4584	7559	-	-	rigid	el rigido
180	4301	4585	7560	-	-	rigid	el rigido
180	4302	4586	7551	-	-	rigid	el rigido
180	4303	4587	7552	-	-	rigid	el rigido
180	4304	4588	7553	-	-	rigid	el rigido
180	4305	4589	7554	-	-	rigid	el rigido
180	4306	4590	7555	-	-	rigid	el rigido
180	4307	4591	7546	-	-	rigid	el rigido
180	4308	4592	7547	-	-	rigid	el rigido
180	4309	4593	7548	-	-	rigid	el rigido
180	4310	4594	7549	-	-	rigid	el rigido
180	4311	4595	7550	-	-	rigid	el rigido
180	4312	4596	7541	-	-	rigid	el rigido
180	4313	4597	7536	-	-	rigid	el rigido
180	4314	4598	7537	-	-	rigid	el rigido
180	4315	4599	7538	-	-	rigid	el rigido
180	4316	4600	7539	-	-	rigid	el rigido
180	4317	4601	7540	-	-	rigid	el rigido
180	4318	4602	7542	-	-	rigid	el rigido
180	4319	4603	7543	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4320	4604	7544	-	-	rigid	el rigido
180	4321	4605	7545	-	-	rigid	el rigido
180	4322	4606	7535	-	-	rigid	el rigido
180	4323	4607	7534	-	-	rigid	el rigido
180	4324	4608	7533	-	-	rigid	el rigido
180	4325	4609	7532	-	-	rigid	el rigido
180	4326	4610	7531	-	-	rigid	el rigido
180	4327	4611	7526	-	-	rigid	el rigido
180	4328	4612	7527	-	-	rigid	el rigido
180	4329	4613	7528	-	-	rigid	el rigido
180	4330	4614	7529	-	-	rigid	el rigido
180	4331	4615	7530	-	-	rigid	el rigido
180	4332	4616	7521	-	-	rigid	el rigido
180	4333	4617	7522	-	-	rigid	el rigido
180	4334	4618	7523	-	-	rigid	el rigido
180	4335	4619	7524	-	-	rigid	el rigido
180	4336	4620	7525	-	-	rigid	el rigido
180	4337	4621	7516	-	-	rigid	el rigido
180	4338	4622	7520	-	-	rigid	el rigido
180	4339	4623	7519	-	-	rigid	el rigido
180	4340	4624	7518	-	-	rigid	el rigido
180	4341	4625	7517	-	-	rigid	el rigido
180	4342	4626	7511	-	-	rigid	el rigido
180	4343	4627	7515	-	-	rigid	el rigido
180	4344	4628	7514	-	-	rigid	el rigido
180	4345	4629	7513	-	-	rigid	el rigido
180	4346	4630	7512	-	-	rigid	el rigido
180	4347	4631	7506	-	-	rigid	el rigido
180	4348	4632	7501	-	-	rigid	el rigido
180	4349	4633	7505	-	-	rigid	el rigido
180	4350	4634	7504	-	-	rigid	el rigido
180	4351	4635	7503	-	-	rigid	el rigido
180	4352	4636	7502	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4353	4637	7510	-	-	rigid	el rigido
180	4354	4638	7509	-	-	rigid	el rigido
180	4355	4639	7508	-	-	rigid	el rigido
180	4356	4640	7507	-	-	rigid	el rigido
180	4357	4641	7500	-	-	rigid	el rigido
180	4358	4642	7686	-	-	rigid	el rigido
180	4359	4643	7682	-	-	rigid	el rigido
180	4360	4644	7683	-	-	rigid	el rigido
180	4361	4645	7684	-	-	rigid	el rigido
180	4362	4646	7685	-	-	rigid	el rigido
180	4363	4647	7691	-	-	rigid	el rigido
180	4364	4648	7687	-	-	rigid	el rigido
180	4365	4649	7688	-	-	rigid	el rigido
180	4366	4650	7689	-	-	rigid	el rigido
180	4367	4651	7690	-	-	rigid	el rigido
180	4368	4652	7696	-	-	rigid	el rigido
180	4369	4653	7695	-	-	rigid	el rigido
180	4370	4654	7694	-	-	rigid	el rigido
180	4371	4655	7693	-	-	rigid	el rigido
180	4372	4656	7692	-	-	rigid	el rigido
180	4373	4657	7701	-	-	rigid	el rigido
180	4374	4658	7697	-	-	rigid	el rigido
180	4375	4659	7698	-	-	rigid	el rigido
180	4376	4660	7699	-	-	rigid	el rigido
180	4377	4661	7700	-	-	rigid	el rigido
180	4378	4662	7706	-	-	rigid	el rigido
180	4379	4663	7702	-	-	rigid	el rigido
180	4380	4664	7703	-	-	rigid	el rigido
180	4381	4665	7704	-	-	rigid	el rigido
180	4382	4666	7705	-	-	rigid	el rigido
180	4383	4667	7711	-	-	rigid	el rigido
180	4384	4668	7710	-	-	rigid	el rigido
180	4385	4669	7709	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4386	4670	7708	-	-	rigid	el rigido
180	4387	4671	7707	-	-	rigid	el rigido
180	4388	4672	7716	-	-	rigid	el rigido
180	4389	4673	7712	-	-	rigid	el rigido
180	4390	4674	7713	-	-	rigid	el rigido
180	4391	4675	7714	-	-	rigid	el rigido
180	4392	4676	7715	-	-	rigid	el rigido
180	4393	4677	7721	-	-	rigid	el rigido
180	4394	4678	7720	-	-	rigid	el rigido
180	4395	4679	7719	-	-	rigid	el rigido
180	4396	4680	7718	-	-	rigid	el rigido
180	4397	4681	7717	-	-	rigid	el rigido
180	4398	4682	7722	-	-	rigid	el rigido
180	4399	4683	7723	-	-	rigid	el rigido
180	4400	4684	7724	-	-	rigid	el rigido
180	4401	4685	7725	-	-	rigid	el rigido
180	4402	4686	7726	-	-	rigid	el rigido
180	4403	4687	7727	-	-	rigid	el rigido
180	4404	4688	7728	-	-	rigid	el rigido
180	4405	4689	7729	-	-	rigid	el rigido
180	4406	4690	7730	-	-	rigid	el rigido
180	4407	4691	7731	-	-	rigid	el rigido
180	4408	4692	7736	-	-	rigid	el rigido
180	4409	4693	7732	-	-	rigid	el rigido
180	4410	4694	7733	-	-	rigid	el rigido
180	4411	4695	7734	-	-	rigid	el rigido
180	4412	4696	7735	-	-	rigid	el rigido
180	4413	4697	7741	-	-	rigid	el rigido
180	4414	4698	7737	-	-	rigid	el rigido
180	4415	4699	7738	-	-	rigid	el rigido
180	4416	4700	7739	-	-	rigid	el rigido
180	4417	4701	7740	-	-	rigid	el rigido
180	4418	4702	7746	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4419	4703	7745	-	-	rigid	el rigido
180	4420	4704	7744	-	-	rigid	el rigido
180	4421	4705	7743	-	-	rigid	el rigido
180	4422	4706	7742	-	-	rigid	el rigido
180	4423	4707	7751	-	-	rigid	el rigido
180	4424	4708	7747	-	-	rigid	el rigido
180	4425	4709	7748	-	-	rigid	el rigido
180	4426	4710	7749	-	-	rigid	el rigido
180	4427	4711	7750	-	-	rigid	el rigido
180	4428	4712	7756	-	-	rigid	el rigido
180	4429	4713	7752	-	-	rigid	el rigido
180	4430	4714	7753	-	-	rigid	el rigido
180	4431	4715	7754	-	-	rigid	el rigido
180	4432	4716	7755	-	-	rigid	el rigido
180	4433	4717	7761	-	-	rigid	el rigido
180	4434	4718	7760	-	-	rigid	el rigido
180	4435	4719	7759	-	-	rigid	el rigido
180	4436	4720	7758	-	-	rigid	el rigido
180	4437	4721	7757	-	-	rigid	el rigido
180	4438	4722	7766	-	-	rigid	el rigido
180	4439	4723	7762	-	-	rigid	el rigido
180	4440	4724	7763	-	-	rigid	el rigido
180	4441	4725	7764	-	-	rigid	el rigido
180	4442	4726	7765	-	-	rigid	el rigido
180	4443	4727	7771	-	-	rigid	el rigido
180	4444	4728	7767	-	-	rigid	el rigido
180	4445	4729	7768	-	-	rigid	el rigido
180	4446	4730	7769	-	-	rigid	el rigido
180	4447	4731	7770	-	-	rigid	el rigido
180	4448	4732	7776	-	-	rigid	el rigido
180	4449	4733	7772	-	-	rigid	el rigido
180	4450	4734	7773	-	-	rigid	el rigido
180	4451	4735	7774	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4452	4736	7775	-	-	rigid	el rigido
180	4453	4737	7781	-	-	rigid	el rigido
180	4454	4738	7780	-	-	rigid	el rigido
180	4455	4739	7779	-	-	rigid	el rigido
180	4456	4740	7778	-	-	rigid	el rigido
180	4457	4741	7777	-	-	rigid	el rigido
180	4458	4742	7782	-	-	rigid	el rigido
180	4459	4743	7783	-	-	rigid	el rigido
180	4460	4744	7784	-	-	rigid	el rigido
180	4461	4745	7785	-	-	rigid	el rigido
180	4462	4746	7786	-	-	rigid	el rigido
180	4463	4747	7787	-	-	rigid	el rigido
180	4464	4748	7788	-	-	rigid	el rigido
180	4465	4749	7789	-	-	rigid	el rigido
180	4466	4750	7790	-	-	rigid	el rigido
180	4467	4751	7791	-	-	rigid	el rigido
180	4468	4752	7796	-	-	rigid	el rigido
180	4469	4753	7795	-	-	rigid	el rigido
180	4470	4754	7794	-	-	rigid	el rigido
180	4471	4755	7793	-	-	rigid	el rigido
180	4472	4756	7792	-	-	rigid	el rigido
180	4473	4757	7801	-	-	rigid	el rigido
180	4474	4758	7797	-	-	rigid	el rigido
180	4475	4759	7798	-	-	rigid	el rigido
180	4476	4760	7799	-	-	rigid	el rigido
180	4477	4761	7800	-	-	rigid	el rigido
180	4478	4762	7806	-	-	rigid	el rigido
180	4479	4763	7805	-	-	rigid	el rigido
180	4480	4764	7804	-	-	rigid	el rigido
180	4481	4765	7803	-	-	rigid	el rigido
180	4482	4766	7802	-	-	rigid	el rigido
180	4483	4767	7811	-	-	rigid	el rigido
180	4484	4768	7810	-	-	rigid	el rigido


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
180	4485	4769	7809	-	-	rigid	el rigido
180	4486	4770	7808	-	-	rigid	el rigido
180	4487	4771	7807	-	-	rigid	el rigido
180	4488	4772	7816	-	-	rigid	el rigido
180	4489	4773	7812	-	-	rigid	el rigido
180	4490	4774	7813	-	-	rigid	el rigido
180	4491	4775	7814	-	-	rigid	el rigido
180	4492	4776	7815	-	-	rigid	el rigido
180	4493	4777	7821	-	-	rigid	el rigido
180	4494	4778	7817	-	-	rigid	el rigido
180	4495	4779	7818	-	-	rigid	el rigido
180	4496	4780	7819	-	-	rigid	el rigido
180	4497	4781	7820	-	-	rigid	el rigido
180	4498	4782	7826	-	-	rigid	el rigido
180	4499	4783	7822	-	-	rigid	el rigido
180	4500	4784	7823	-	-	rigid	el rigido
180	4501	4785	7824	-	-	rigid	el rigido
180	4502	4786	7825	-	-	rigid	el rigido
180	4503	4787	7831	-	-	rigid	el rigido
180	4504	4788	7830	-	-	rigid	el rigido
180	4505	4789	7829	-	-	rigid	el rigido
180	4506	4790	7828	-	-	rigid	el rigido
180	4507	4791	7827	-	-	rigid	el rigido
180	4508	4792	7832	-	-	rigid	el rigido
180	4509	4793	7833	-	-	rigid	el rigido
180	4510	4794	7834	-	-	rigid	el rigido
180	4511	4795	7835	-	-	rigid	el rigido
180	4512	4796	7836	-	-	rigid	el rigido
180	4513	4797	7837	-	-	rigid	el rigido
180	4514	4798	7838	-	-	rigid	el rigido
180	4515	4799	7839	-	-	rigid	el rigido
180	4516	4800	7840	-	-	rigid	el rigido
180	4517	4801	7841	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4518	4802	7842	-	-	rigid	el rigido
180	4519	4803	8019	-	-	rigid	el rigido
180	4520	4804	8018	-	-	rigid	el rigido
180	4521	4805	8017	-	-	rigid	el rigido
180	4522	4806	8016	-	-	rigid	el rigido
180	4523	4807	8015	-	-	rigid	el rigido
180	4524	4808	8014	-	-	rigid	el rigido
180	4525	4809	8024	-	-	rigid	el rigido
180	4526	4810	8023	-	-	rigid	el rigido
180	4527	4811	8022	-	-	rigid	el rigido
180	4528	4812	8021	-	-	rigid	el rigido
180	4529	4813	8020	-	-	rigid	el rigido
180	4530	4814	8009	-	-	rigid	el rigido
180	4531	4815	8013	-	-	rigid	el rigido
180	4532	4816	8012	-	-	rigid	el rigido
180	4533	4817	8011	-	-	rigid	el rigido
180	4534	4818	8010	-	-	rigid	el rigido
180	4535	4819	8008	-	-	rigid	el rigido
180	4536	4820	8007	-	-	rigid	el rigido
180	4537	4821	8006	-	-	rigid	el rigido
180	4538	4822	8005	-	-	rigid	el rigido
180	4539	4823	8004	-	-	rigid	el rigido
180	4540	4824	8003	-	-	rigid	el rigido
180	4541	4825	8002	-	-	rigid	el rigido
180	4542	4826	8001	-	-	rigid	el rigido
180	4543	4827	8000	-	-	rigid	el rigido
180	4544	4828	7999	-	-	rigid	el rigido
180	4545	4829	7994	-	-	rigid	el rigido
180	4546	4830	7993	-	-	rigid	el rigido
180	4547	4831	7992	-	-	rigid	el rigido
180	4548	4832	7991	-	-	rigid	el rigido
180	4549	4833	7990	-	-	rigid	el rigido
180	4550	4834	7989	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4551	4835	7988	-	-	rigid	el rigido
180	4552	4836	7987	-	-	rigid	el rigido
180	4553	4837	7986	-	-	rigid	el rigido
180	4554	4838	7985	-	-	rigid	el rigido
180	4555	4839	7984	-	-	rigid	el rigido
180	4556	4840	7983	-	-	rigid	el rigido
180	4557	4841	7982	-	-	rigid	el rigido
180	4558	4842	7981	-	-	rigid	el rigido
180	4559	4843	7980	-	-	rigid	el rigido
180	4560	4844	7979	-	-	rigid	el rigido
180	4561	4845	7978	-	-	rigid	el rigido
180	4562	4846	7977	-	-	rigid	el rigido
180	4563	4847	7976	-	-	rigid	el rigido
180	4564	4848	7975	-	-	rigid	el rigido
180	4565	4849	7974	-	-	rigid	el rigido
180	4566	4850	7973	-	-	rigid	el rigido
180	4567	4851	7972	-	-	rigid	el rigido
180	4568	4852	7971	-	-	rigid	el rigido
180	4569	4853	7970	-	-	rigid	el rigido
180	4570	4854	7969	-	-	rigid	el rigido
180	4571	4855	7968	-	-	rigid	el rigido
180	4572	4856	7967	-	-	rigid	el rigido
180	4573	4857	7966	-	-	rigid	el rigido
180	4574	4858	7965	-	-	rigid	el rigido
180	4575	4859	7964	-	-	rigid	el rigido
180	4576	4860	7959	-	-	rigid	el rigido
180	4577	4861	7960	-	-	rigid	el rigido
180	4578	4862	7961	-	-	rigid	el rigido
180	4579	4863	7962	-	-	rigid	el rigido
180	4580	4864	7963	-	-	rigid	el rigido
180	4581	4865	7954	-	-	rigid	el rigido
180	4582	4866	7955	-	-	rigid	el rigido
180	4583	4867	7956	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4584	4868	7957	-	-	rigid	el rigido
180	4585	4869	7958	-	-	rigid	el rigido
180	4586	4870	7949	-	-	rigid	el rigido
180	4587	4871	7950	-	-	rigid	el rigido
180	4588	4872	7951	-	-	rigid	el rigido
180	4589	4873	7952	-	-	rigid	el rigido
180	4590	4874	7953	-	-	rigid	el rigido
180	4591	4875	7944	-	-	rigid	el rigido
180	4592	4876	7945	-	-	rigid	el rigido
180	4593	4877	7946	-	-	rigid	el rigido
180	4594	4878	7947	-	-	rigid	el rigido
180	4595	4879	7948	-	-	rigid	el rigido
180	4596	4880	7939	-	-	rigid	el rigido
180	4597	4881	7940	-	-	rigid	el rigido
180	4598	4882	7941	-	-	rigid	el rigido
180	4599	4883	7942	-	-	rigid	el rigido
180	4600	4884	7943	-	-	rigid	el rigido
180	4601	4885	7938	-	-	rigid	el rigido
180	4602	4886	7937	-	-	rigid	el rigido
180	4603	4887	7936	-	-	rigid	el rigido
180	4604	4888	7935	-	-	rigid	el rigido
180	4605	4889	7934	-	-	rigid	el rigido
180	4606	4890	7933	-	-	rigid	el rigido
180	4607	4891	7932	-	-	rigid	el rigido
180	4608	4892	7931	-	-	rigid	el rigido
180	4609	4893	7930	-	-	rigid	el rigido
180	4610	4894	7929	-	-	rigid	el rigido
180	4611	4895	7928	-	-	rigid	el rigido
180	4612	4896	7927	-	-	rigid	el rigido
180	4613	4897	7926	-	-	rigid	el rigido
180	4614	4898	7925	-	-	rigid	el rigido
180	4615	4899	7924	-	-	rigid	el rigido
180	4616	4900	7923	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4617	4901	7922	-	-	rigid	el rigido
180	4618	4902	7921	-	-	rigid	el rigido
180	4619	4903	7920	-	-	rigid	el rigido
180	4620	4904	7919	-	-	rigid	el rigido
180	4621	4905	7914	-	-	rigid	el rigido
180	4622	4906	7915	-	-	rigid	el rigido
180	4623	4907	7916	-	-	rigid	el rigido
180	4624	4908	7917	-	-	rigid	el rigido
180	4625	4909	7918	-	-	rigid	el rigido
180	4626	4910	7913	-	-	rigid	el rigido
180	4627	4911	7912	-	-	rigid	el rigido
180	4628	4912	7911	-	-	rigid	el rigido
180	4629	4913	7910	-	-	rigid	el rigido
180	4630	4914	7909	-	-	rigid	el rigido
180	4631	4915	7908	-	-	rigid	el rigido
180	4632	4916	7907	-	-	rigid	el rigido
180	4633	4917	7906	-	-	rigid	el rigido
180	4634	4918	7905	-	-	rigid	el rigido
180	4635	4919	7904	-	-	rigid	el rigido
180	4636	4920	7903	-	-	rigid	el rigido
180	4637	4921	7902	-	-	rigid	el rigido
180	4638	4922	7901	-	-	rigid	el rigido
180	4639	4923	7900	-	-	rigid	el rigido
180	4640	4924	7899	-	-	rigid	el rigido
180	4641	4925	7898	-	-	rigid	el rigido
180	4642	4926	7897	-	-	rigid	el rigido
180	4643	4927	7896	-	-	rigid	el rigido
180	4644	4928	7895	-	-	rigid	el rigido
180	4645	4929	7894	-	-	rigid	el rigido
180	4646	4930	7889	-	-	rigid	el rigido
180	4647	4931	7890	-	-	rigid	el rigido
180	4648	4932	7891	-	-	rigid	el rigido
180	4649	4933	7892	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4650	4934	7893	-	-	rigid	el rigido
180	4651	4935	7888	-	-	rigid	el rigido
180	4652	4936	7887	-	-	rigid	el rigido
180	4653	4937	7886	-	-	rigid	el rigido
180	4654	4938	7885	-	-	rigid	el rigido
180	4655	4939	7884	-	-	rigid	el rigido
180	4656	4940	7879	-	-	rigid	el rigido
180	4657	4941	7880	-	-	rigid	el rigido
180	4658	4942	7881	-	-	rigid	el rigido
180	4659	4943	7882	-	-	rigid	el rigido
180	4660	4944	7883	-	-	rigid	el rigido
180	4661	4945	7874	-	-	rigid	el rigido
180	4662	4946	7875	-	-	rigid	el rigido
180	4663	4947	7876	-	-	rigid	el rigido
180	4664	4948	7877	-	-	rigid	el rigido
180	4665	4949	7878	-	-	rigid	el rigido
180	4666	4950	7873	-	-	rigid	el rigido
180	4667	4951	7872	-	-	rigid	el rigido
180	4668	4952	7871	-	-	rigid	el rigido
180	4669	4953	7870	-	-	rigid	el rigido
180	4670	4954	7869	-	-	rigid	el rigido
180	4671	4955	7864	-	-	rigid	el rigido
180	4672	4956	7865	-	-	rigid	el rigido
180	4673	4957	7866	-	-	rigid	el rigido
180	4674	4958	7867	-	-	rigid	el rigido
180	4675	4959	7868	-	-	rigid	el rigido
180	4676	4960	7859	-	-	rigid	el rigido
180	4677	4961	7860	-	-	rigid	el rigido
180	4678	4962	7861	-	-	rigid	el rigido
180	4679	4963	7862	-	-	rigid	el rigido
180	4680	4964	7863	-	-	rigid	el rigido
180	4681	4965	7858	-	-	rigid	el rigido
180	4682	4966	7857	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4683	4967	7856	-	-	rigid	el rigido
180	4684	4968	7855	-	-	rigid	el rigido
180	4685	4969	7854	-	-	rigid	el rigido
180	4686	4970	7853	-	-	rigid	el rigido
180	4687	4971	7852	-	-	rigid	el rigido
180	4688	4972	7851	-	-	rigid	el rigido
180	4689	4973	7850	-	-	rigid	el rigido
180	4690	4974	7849	-	-	rigid	el rigido
180	4691	4975	7844	-	-	rigid	el rigido
180	4692	4976	7845	-	-	rigid	el rigido
180	4693	4977	7846	-	-	rigid	el rigido
180	4694	4978	7847	-	-	rigid	el rigido
180	4695	4979	7848	-	-	rigid	el rigido
180	4696	4980	7843	-	-	rigid	el rigido
180	4697	4981	7995	-	-	rigid	el rigido
180	4698	4982	7996	-	-	rigid	el rigido
180	4699	4983	7997	-	-	rigid	el rigido
180	4700	4984	7998	-	-	rigid	el rigido
180	4701	4985	8029	-	-	rigid	el rigido
180	4702	4986	8025	-	-	rigid	el rigido
180	4703	4987	8026	-	-	rigid	el rigido
180	4704	4988	8027	-	-	rigid	el rigido
180	4705	4989	8028	-	-	rigid	el rigido
180	4706	4990	8034	-	-	rigid	el rigido
180	4707	4991	8030	-	-	rigid	el rigido
180	4708	4992	8031	-	-	rigid	el rigido
180	4709	4993	8032	-	-	rigid	el rigido
180	4710	4994	8033	-	-	rigid	el rigido
180	4711	4995	8039	-	-	rigid	el rigido
180	4712	4996	8038	-	-	rigid	el rigido
180	4713	4997	8037	-	-	rigid	el rigido
180	4714	4998	8036	-	-	rigid	el rigido
180	4715	4999	8035	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


180	4716	5000	8044	-	-	rigid	el rigido
180	4717	5001	8043	-	-	rigid	el rigido
180	4718	5002	8042	-	-	rigid	el rigido
180	4719	5003	8041	-	-	rigid	el rigido
180	4720	5004	8040	-	-	rigid	el rigido
180	4721	5005	8049	-	-	rigid	el rigido
180	4722	5006	8048	-	-	rigid	el rigido
180	4723	5007	8047	-	-	rigid	el rigido
180	4724	5008	8046	-	-	rigid	el rigido
180	4725	5009	8045	-	-	rigid	el rigido
180	4726	5010	8054	-	-	rigid	el rigido
180	4727	5011	8053	-	-	rigid	el rigido
180	4728	5012	8052	-	-	rigid	el rigido
180	4729	5013	8051	-	-	rigid	el rigido
180	4730	5014	8050	-	-	rigid	el rigido
180	4731	5015	8059	-	-	rigid	el rigido
180	4732	5016	8058	-	-	rigid	el rigido
180	4733	5017	8057	-	-	rigid	el rigido
180	4734	5018	8056	-	-	rigid	el rigido
180	4735	5019	8055	-	-	rigid	el rigido
180	4736	5020	8064	-	-	rigid	el rigido
180	4737	5021	8063	-	-	rigid	el rigido
180	4738	5022	8062	-	-	rigid	el rigido
180	4739	5023	8061	-	-	rigid	el rigido
180	4740	5024	8060	-	-	rigid	el rigido
180	4741	5025	8069	-	-	rigid	el rigido
180	4742	5026	8068	-	-	rigid	el rigido
180	4743	5027	8067	-	-	rigid	el rigido
180	4744	5028	8066	-	-	rigid	el rigido
180	4745	5029	8065	-	-	rigid	el rigido
180	4746	5030	8070	-	-	rigid	el rigido
180	4747	5031	8071	-	-	rigid	el rigido
180	4748	5032	8072	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

180	4749	5033	8073	-	-	rigid	el rigido
180	4750	5034	8074	-	-	rigid	el rigido
180	4751	5035	8079	-	-	rigid	el rigido
180	4752	5036	8078	-	-	rigid	el rigido
180	4753	5037	8077	-	-	rigid	el rigido
180	4754	5038	8076	-	-	rigid	el rigido
180	4755	5039	8075	-	-	rigid	el rigido
180	4756	5040	8084	-	-	rigid	el rigido
180	4757	5041	8083	-	-	rigid	el rigido
180	4758	5042	8082	-	-	rigid	el rigido
180	4759	5043	8081	-	-	rigid	el rigido
180	4760	5044	8080	-	-	rigid	el rigido
180	4761	5045	8089	-	-	rigid	el rigido
180	4762	5046	8088	-	-	rigid	el rigido
180	4763	5047	8087	-	-	rigid	el rigido
180	4764	5048	8086	-	-	rigid	el rigido
180	4765	5049	8085	-	-	rigid	el rigido
180	4766	5050	8094	-	-	rigid	el rigido
180	4767	5051	8093	-	-	rigid	el rigido
180	4768	5052	8092	-	-	rigid	el rigido
180	4769	5053	8091	-	-	rigid	el rigido
180	4770	5054	8090	-	-	rigid	el rigido
180	4771	5055	8099	-	-	rigid	el rigido
180	4772	5056	8098	-	-	rigid	el rigido
180	4773	5057	8097	-	-	rigid	el rigido
180	4774	5058	8096	-	-	rigid	el rigido
180	4775	5059	8095	-	-	rigid	el rigido
180	4776	5060	8104	-	-	rigid	el rigido
180	4777	5061	8103	-	-	rigid	el rigido
180	4778	5062	8102	-	-	rigid	el rigido
180	4779	5063	8101	-	-	rigid	el rigido
180	4780	5064	8100	-	-	rigid	el rigido
180	4781	5065	8109	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4782	5066	8108	-	-	rigid	el rigido
180	4783	5067	8107	-	-	rigid	el rigido
180	4784	5068	8106	-	-	rigid	el rigido
180	4785	5069	8105	-	-	rigid	el rigido
180	4786	5070	8114	-	-	rigid	el rigido
180	4787	5071	8113	-	-	rigid	el rigido
180	4788	5072	8112	-	-	rigid	el rigido
180	4789	5073	8111	-	-	rigid	el rigido
180	4790	5074	8110	-	-	rigid	el rigido
180	4791	5075	8119	-	-	rigid	el rigido
180	4792	5076	8118	-	-	rigid	el rigido
180	4793	5077	8117	-	-	rigid	el rigido
180	4794	5078	8116	-	-	rigid	el rigido
180	4795	5079	8115	-	-	rigid	el rigido
180	4796	5080	8124	-	-	rigid	el rigido
180	4797	5081	8123	-	-	rigid	el rigido
180	4798	5082	8122	-	-	rigid	el rigido
180	4799	5083	8121	-	-	rigid	el rigido
180	4800	5084	8120	-	-	rigid	el rigido
180	4801	5085	8129	-	-	rigid	el rigido
180	4802	5086	8128	-	-	rigid	el rigido
180	4803	5087	8127	-	-	rigid	el rigido
180	4804	5088	8126	-	-	rigid	el rigido
180	4805	5089	8125	-	-	rigid	el rigido
180	4806	5090	8134	-	-	rigid	el rigido
180	4807	5091	8133	-	-	rigid	el rigido
180	4808	5092	8132	-	-	rigid	el rigido
180	4809	5093	8131	-	-	rigid	el rigido
180	4810	5094	8130	-	-	rigid	el rigido
180	4811	5095	8139	-	-	rigid	el rigido
180	4812	5096	8138	-	-	rigid	el rigido
180	4813	5097	8137	-	-	rigid	el rigido
180	4814	5098	8136	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4815	5099	8135	-	-	rigid	el rigido
180	4816	5100	8149	-	-	rigid	el rigido
180	4817	5101	8148	-	-	rigid	el rigido
180	4818	5102	8147	-	-	rigid	el rigido
180	4819	5103	8146	-	-	rigid	el rigido
180	4820	5104	8145	-	-	rigid	el rigido
180	4821	5105	8144	-	-	rigid	el rigido
180	4822	5106	8154	-	-	rigid	el rigido
180	4823	5107	8153	-	-	rigid	el rigido
180	4824	5108	8152	-	-	rigid	el rigido
180	4825	5109	8151	-	-	rigid	el rigido
180	4826	5110	8150	-	-	rigid	el rigido
180	4827	5111	8159	-	-	rigid	el rigido
180	4828	5112	8158	-	-	rigid	el rigido
180	4829	5113	8157	-	-	rigid	el rigido
180	4830	5114	8156	-	-	rigid	el rigido
180	4831	5115	8155	-	-	rigid	el rigido
180	4832	5116	8140	-	-	rigid	el rigido
180	4833	5117	8141	-	-	rigid	el rigido
180	4834	5118	8142	-	-	rigid	el rigido
180	4835	5119	8143	-	-	rigid	el rigido
180	4836	5120	8164	-	-	rigid	el rigido
180	4837	5121	8160	-	-	rigid	el rigido
180	4838	5122	8161	-	-	rigid	el rigido
180	4839	5123	8162	-	-	rigid	el rigido
180	4840	5124	8163	-	-	rigid	el rigido
180	4841	5125	8169	-	-	rigid	el rigido
180	4842	5126	8168	-	-	rigid	el rigido
180	4843	5127	8167	-	-	rigid	el rigido
180	4844	5128	8166	-	-	rigid	el rigido
180	4845	5129	8165	-	-	rigid	el rigido
180	4846	5130	8174	-	-	rigid	el rigido
180	4847	5131	8173	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	4848	5132	8172	-	-	rigid	el rigido
180	4849	5133	8171	-	-	rigid	el rigido
180	4850	5134	8170	-	-	rigid	el rigido
180	4851	5135	8179	-	-	rigid	el rigido
180	4852	5136	8178	-	-	rigid	el rigido
180	4853	5137	8177	-	-	rigid	el rigido
180	4854	5138	8176	-	-	rigid	el rigido
180	4855	5139	8175	-	-	rigid	el rigido
180	4856	5140	8184	-	-	rigid	el rigido
180	4857	5141	8183	-	-	rigid	el rigido
180	4858	5142	8182	-	-	rigid	el rigido
180	4859	5143	8181	-	-	rigid	el rigido
180	4860	5144	8180	-	-	rigid	el rigido
180	4861	5145	8185	-	-	rigid	el rigido
600.1	4862	4641	4632	-	-	S355	600x30
734.7	4863	4632	4636	-	-	S355	600x30
734.6	4864	4636	4635	-	-	S355	600x30
735.4	4865	4635	4634	-	-	S355	600x30
733.4	4866	4634	4633	-	-	S355	600x30
732.7	4867	4633	4631	-	-	S355	600x30
797.7	4868	4631	4640	-	-	S355	600x30
797.6	4869	4640	4639	-	-	S355	600x30
797.7	4870	4639	4638	-	-	S355	600x30
797.8	4871	4638	4637	-	-	S355	600x30
797.6	4872	4637	4626	-	-	S355	600x30
799.2	4873	4626	4630	-	-	S355	600x30
799.1	4874	4630	4629	-	-	S355	600x30
799.1	4875	4629	4628	-	-	S355	600x30
799.2	4876	4628	4627	-	-	S355	600x30
799.1	4877	4627	4621	-	-	S355	600x30
799.2	4878	4621	4625	-	-	S355	600x30
799.3	4879	4625	4624	-	-	S355	600x30
799.3	4880	4624	4623	-	-	S355	600x30

MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
799.2	4881	4623	4622	-	-	S355	600x30
799.2	4882	4622	4616	-	-	S355	600x30
799.2	4883	4616	4617	-	-	S355	600x30
799.5	4884	4617	4618	-	-	S355	600x30
800.4	4885	4618	4619	-	-	S355	600x30
801.9	4886	4619	4620	-	-	S355	600x30
800.5	4887	4620	4611	-	-	S355	600x30
800.8	4888	4611	4612	-	-	S355	600x30
822.6	4889	4612	4613	-	-	S355	600x30
822.6	4890	4613	4614	-	-	S355	600x30
822.5	4891	4614	4615	-	-	S355	800x30
822.6	4892	4615	4610	-	-	S355	800x30
822.6	4893	4610	4609	-	-	S355	800x30
822.7	4894	4609	4608	-	-	S355	800x30
822.7	4895	4608	4607	-	-	S355	800x30
822.7	4896	4607	4606	-	-	S355	800x30
822.7	4897	4606	4597	-	-	S355	800x30
822.7	4898	4597	4598	-	-	S355	800x30
822.4	4899	4598	4599	-	-	S355	800x30
822.4	4900	4599	4600	-	-	S355	800x30
822.5	4901	4600	4601	-	-	S355	800x30
822.5	4902	4601	4596	-	-	S355	800x30
822.4	4903	4596	4602	-	-	S355	800x30
822.5	4904	4602	4603	-	-	S355	800x30
822.4	4905	4603	4604	-	-	S355	800x30
822.5	4906	4604	4605	-	-	S355	900x80
822.5	4907	4605	4591	-	-	S355	900x80
822.5	4908	4591	4592	-	-	S355	900x80
818.8	4909	4592	4593	-	-	S355	900x80
818.7	4910	4593	4594	-	-	S355	900x80
818.8	4911	4594	4595	-	-	S355	900x80
818.8	4912	4595	4586	-	-	S355	900x80
818.8	4913	4586	4587	-	-	S355	900x80
826.2							

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
826.2	4914	4587	4588	-	-	S355	900x80
826.2	4915	4588	4589	-	-	S355	900x80
826.2	4916	4589	4590	-	-	S355	900x80
826.3	4917	4590	4581	-	-	S355	900x80
866.2	4918	4581	4582	-	-	S355	900x80
866.3	4919	4582	4583	-	-	S355	900x80
866.2	4920	4583	4584	-	-	S355	900x80
866.3	4921	4584	4585	-	-	S355	800x40
866.3	4922	4585	4580	-	-	S355	800x40
866.3	4923	4580	4579	-	-	S355	800x40
866.2	4924	4579	4578	-	-	S355	800x40
866.3	4925	4578	4577	-	-	S355	800x40
866.3	4926	4577	4576	-	-	S355	800x40
866.2	4927	4576	4571	-	-	S355	800x40
866.3	4928	4571	4572	-	-	S355	800x40
866.3	4929	4572	4573	-	-	S355	800x40
866.2	4930	4573	4574	-	-	S355	800x40
866.3	4931	4574	4575	-	-	S355	800x40
866.3	4932	4575	4566	-	-	S355	800x40
866.3	4933	4566	4567	-	-	S355	800x40
866.3	4934	4567	4568	-	-	S355	800x40
866.2	4935	4568	4569	-	-	S355	600x40
866.3	4936	4569	4570	-	-	S355	600x40
866.2	4937	4570	4561	-	-	S355	600x40
866.3	4938	4561	4562	-	-	S355	600x40
866.2	4939	4562	4563	-	-	S355	600x40
866.3	4940	4563	4564	-	-	S355	600x40
866.3	4941	4564	4565	-	-	S355	600x40
866.2	4942	4565	4556	-	-	S355	600x40
866.3	4943	4556	4557	-	-	S355	600x40
866.3	4944	4557	4558	-	-	S355	600x40
866.3	4945	4558	4559	-	-	S355	600x40
866.2	4946	4559	4560	-	-	S355	600x40
866.3							

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	4947	4560	4551	-	-	S355	600x40
866.4	4948	4551	4552	-	-	S355	600x40
866.4	4949	4552	4553	-	-	S355	600x40
866.4	4950	4553	4554	-	-	S355	600x40
866.4	4951	4554	4555	-	-	S355	800x40
866.3	4952	4555	4550	-	-	S355	800x40
866.2	4953	4550	4549	-	-	S355	800x40
866.2	4954	4549	4548	-	-	S355	800x40
866.2	4955	4548	4547	-	-	S355	800x40
866.2	4956	4547	4546	-	-	S355	800x40
866.2	4957	4546	4527	-	-	S355	800x40
866.2	4958	4527	4528	-	-	S355	800x40
866.5	4959	4528	4529	-	-	S355	800x40
866.2	4960	4529	4530	-	-	S355	800x40
867	4961	4530	4531	-	-	S355	800x40
868.5	4962	4531	4517	-	-	S355	800x40
862.6	4963	4517	4518	-	-	S355	800x40
862.4	4964	4518	4519	-	-	S355	800x40
868.4	4965	4519	4520	-	-	S355	800x40
867	4966	4520	4521	-	-	S355	900x80
866.4	4967	4521	4516	-	-	S355	900x80
866.7	4968	4516	4522	-	-	S355	900x80
824.6	4969	4522	4523	-	-	S355	900x80
824.7	4970	4523	4524	-	-	S355	900x80
824.6	4971	4524	4525	-	-	S355	900x80
824.7	4972	4525	4526	-	-	S355	900x80
824.6	4973	4526	4536	-	-	S355	900x80
825.1	4974	4536	4535	-	-	S355	900x80
825.2	4975	4535	4534	-	-	S355	900x80
825.1	4976	4534	4533	-	-	S355	900x80
825.1	4977	4533	4532	-	-	S355	900x80
825.1	4978	4532	4538	-	-	S355	900x80
866	4979	4538	4539	-	-	S355	900x80
866							


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866	4980	4539	4540	-	-	S355	800x40
865.9	4981	4540	4541	-	-	S355	800x40
866	4982	4541	4537	-	-	S355	800x40
866.1	4983	4537	4542	-	-	S355	800x40
866.1	4984	4542	4543	-	-	S355	800x40
866.2	4985	4543	4544	-	-	S355	800x40
866.2	4986	4544	4545	-	-	S355	800x40
866	4987	4545	4511	-	-	S355	800x40
866.2	4988	4511	4512	-	-	S355	800x40
866.3	4989	4512	4513	-	-	S355	800x40
866.2	4990	4513	4514	-	-	S355	800x40
866.2	4991	4514	4515	-	-	S355	800x40
866.2	4992	4515	4506	-	-	S355	800x40
866.3	4993	4506	4507	-	-	S355	800x40
866.3	4994	4507	4508	-	-	S355	800x40
866.3	4995	4508	4509	-	-	S355	600x40
866.3	4996	4509	4510	-	-	S355	600x40
866.3	4997	4510	4501	-	-	S355	600x40
866.4	4998	4501	4502	-	-	S355	600x40
866.3	4999	4502	4503	-	-	S355	600x40
866.3	5000	4503	4504	-	-	S355	600x40
866.4	5001	4504	4505	-	-	S355	600x40
866.3	5002	4505	4500	-	-	S355	600x40
866.4	5003	4500	4499	-	-	S355	600x40
866.3	5004	4499	4498	-	-	S355	600x40
866.4	5005	4498	4497	-	-	S355	600x40
866.3	5006	4497	4496	-	-	S355	600x40
866.3	5007	4496	4495	-	-	S355	600x40
866.4	5008	4495	4494	-	-	S355	600x40
866.3	5009	4494	4493	-	-	S355	600x40
866.2	5010	4493	4492	-	-	S355	600x40
866.3	5011	4492	4491	-	-	S355	800x40
866.3	5012	4491	4486	-	-	S355	800x40

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	5013	4486	4487	-	-	S355	800x40
866.3	5014	4487	4488	-	-	S355	800x40
866.2	5015	4488	4489	-	-	S355	800x40
866.2	5016	4489	4490	-	-	S355	800x40
866.3	5017	4490	4485	-	-	S355	800x40
866	5018	4485	4484	-	-	S355	800x40
866.2	5019	4484	4483	-	-	S355	800x40
866.2	5020	4483	4482	-	-	S355	800x40
866	5021	4482	4481	-	-	S355	800x40
866.1	5022	4481	4480	-	-	S355	800x40
866.2	5023	4480	4479	-	-	S355	800x40
866.1	5024	4479	4478	-	-	S355	800x40
866.2	5025	4478	4477	-	-	S355	800x40
866.2	5026	4477	4476	-	-	S355	900x80
866.2	5027	4476	4471	-	-	S355	900x80
816.3	5028	4471	4472	-	-	S355	900x80
816.3	5029	4472	4473	-	-	S355	900x80
816.4	5030	4473	4474	-	-	S355	900x80
816.4	5031	4474	4475	-	-	S355	900x80
816.3	5032	4475	4461	-	-	S355	900x80
834.1	5033	4461	4462	-	-	S355	900x80
834	5034	4462	4463	-	-	S355	900x80
834	5035	4463	4464	-	-	S355	900x80
834	5036	4464	4465	-	-	S355	900x80
834.1	5037	4465	4460	-	-	S355	900x80
866.4	5038	4460	4467	-	-	S355	900x80
866.3	5039	4467	4468	-	-	S355	900x80
866.3	5040	4468	4469	-	-	S355	800x40
866.3	5041	4469	4470	-	-	S355	800x40
866.4	5042	4470	4466	-	-	S355	800x40
866.4	5043	4466	4643	-	-	S355	800x40
866.3	5044	4643	4644	-	-	S355	800x40
866.3	5045	4644	4645	-	-	S355	800x40

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.4	5046	4645	4646	-	-	S355	800x40
866.4	5047	4646	4642	-	-	S355	800x40
866.3	5048	4642	4648	-	-	S355	800x40
866.4	5049	4648	4649	-	-	S355	800x40
866.3	5050	4649	4650	-	-	S355	800x40
866.4	5051	4650	4651	-	-	S355	800x40
866.4	5052	4651	4647	-	-	S355	800x40
866.3	5053	4647	4656	-	-	S355	800x40
866.4	5054	4656	4655	-	-	S355	800x40
866.3	5055	4655	4654	-	-	S355	600x40
866.4	5056	4654	4653	-	-	S355	600x40
866.4	5057	4653	4652	-	-	S355	600x40
866.5	5058	4652	4658	-	-	S355	600x40
866.6	5059	4658	4659	-	-	S355	600x40
866.7	5060	4659	4660	-	-	S355	600x40
866.6	5061	4660	4661	-	-	S355	600x40
866.6	5062	4661	4657	-	-	S355	600x40
866.6	5063	4657	4663	-	-	S355	600x40
866.1	5064	4663	4664	-	-	S355	600x40
866.1	5065	4664	4665	-	-	S355	600x40
866.1	5066	4665	4666	-	-	S355	600x40
866.1	5067	4666	4662	-	-	S355	600x40
866.3	5068	4662	4671	-	-	S355	600x40
866.4	5069	4671	4670	-	-	S355	600x40
866.4	5070	4670	4669	-	-	S355	600x40
866.3	5071	4669	4668	-	-	S355	800x40
866.4	5072	4668	4667	-	-	S355	800x40
866.3	5073	4667	4673	-	-	S355	800x40
866.4	5074	4673	4674	-	-	S355	800x40
866.3	5075	4674	4675	-	-	S355	800x40
866.3	5076	4675	4676	-	-	S355	800x40
866.4	5077	4676	4672	-	-	S355	800x40
866.3	5078	4672	4681	-	-	S355	800x40


MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.4	5079	4681	4680	-	-	S355	800x40
866.3	5080	4680	4679	-	-	S355	800x40
866.3	5081	4679	4678	-	-	S355	800x40
866.4	5082	4678	4677	-	-	S355	800x40
866.3	5083	4677	4682	-	-	S355	800x40
866.4	5084	4682	4683	-	-	S355	800x40
866.4	5085	4683	4684	-	-	S355	800x40
866.3	5086	4684	4685	-	-	S355	900x80
866.3	5087	4685	4686	-	-	S355	900x80
866.3	5088	4686	4687	-	-	S355	900x80
816.5	5089	4687	4688	-	-	S355	900x80
816.5	5090	4688	4689	-	-	S355	900x80
816.5	5091	4689	4690	-	-	S355	900x80
816.5	5092	4690	4691	-	-	S355	900x80
816.5	5093	4691	4693	-	-	S355	900x80
833.7	5094	4693	4694	-	-	S355	900x80
833.6	5095	4694	4695	-	-	S355	900x80
833.7	5096	4695	4696	-	-	S355	900x80
833.6	5097	4696	4692	-	-	S355	900x80
833.6	5098	4692	4698	-	-	S355	900x80
865.7	5099	4698	4699	-	-	S355	900x80
865.7	5100	4699	4700	-	-	S355	800x40
865.7	5101	4700	4701	-	-	S355	800x40
865.7	5102	4701	4697	-	-	S355	800x40
865.7	5103	4697	4706	-	-	S355	800x40
865.7	5104	4706	4705	-	-	S355	800x40
865.6	5105	4705	4704	-	-	S355	800x40
865.7	5106	4704	4703	-	-	S355	800x40
865.6	5107	4703	4702	-	-	S355	800x40
865.7	5108	4702	4708	-	-	S355	800x40
865.6	5109	4708	4709	-	-	S355	800x40
865.7	5110	4709	4710	-	-	S355	800x40
865.6	5111	4710	4711	-	-	S355	800x40
865.7							

MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
865.7	5112	4711	4707	-	-	S355	800x40
865.7	5113	4707	4713	-	-	S355	800x40
865.6	5114	4713	4714	-	-	S355	800x40
865.7	5115	4714	4715	-	-	S355	600x40
865.6	5116	4715	4716	-	-	S355	600x40
865.7	5117	4716	4712	-	-	S355	600x40
865.7	5118	4712	4721	-	-	S355	600x40
865.6	5119	4721	4720	-	-	S355	600x40
865.7	5120	4720	4719	-	-	S355	600x40
865.7	5121	4719	4718	-	-	S355	600x40
865.7	5122	4718	4717	-	-	S355	600x40
865.6	5123	4717	4723	-	-	S355	600x40
865.7	5124	4723	4724	-	-	S355	600x40
865.7	5125	4724	4725	-	-	S355	600x40
865.7	5126	4725	4726	-	-	S355	600x40
865.6	5127	4726	4722	-	-	S355	600x40
865.7	5128	4722	4728	-	-	S355	600x40
865.7	5129	4728	4729	-	-	S355	600x40
865.7	5130	4729	4730	-	-	S355	600x40
865.7	5131	4730	4731	-	-	S355	800x40
865.7	5132	4731	4727	-	-	S355	800x40
865.6	5133	4727	4733	-	-	S355	800x40
865.7	5134	4733	4734	-	-	S355	800x40
865.7	5135	4734	4735	-	-	S355	800x40
865.7	5136	4735	4736	-	-	S355	800x40
865.6	5137	4736	4732	-	-	S355	800x40
865.7	5138	4732	4741	-	-	S355	800x40
865.7	5139	4741	4740	-	-	S355	800x40
865.7	5140	4740	4739	-	-	S355	800x40
865.6	5141	4739	4738	-	-	S355	800x40
865.7	5142	4738	4737	-	-	S355	800x40
865.6	5143	4737	4742	-	-	S355	800x40
865.7	5144	4742	4743	-	-	S355	800x40

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
865.7	5145	4743	4744	-	-	S355	800x40
865.7	5146	4744	4745	-	-	S355	900x80
865.7	5147	4745	4746	-	-	S355	900x80
865.7	5148	4746	4747	-	-	S355	900x80
822.2	5149	4747	4748	-	-	S355	900x80
822.1	5150	4748	4749	-	-	S355	900x80
822.2	5151	4749	4750	-	-	S355	900x80
822.1	5152	4750	4751	-	-	S355	900x80
822.2	5153	4751	4756	-	-	S355	900x80
819.8	5154	4756	4755	-	-	S355	900x80
819.9	5155	4755	4754	-	-	S355	900x80
819.9	5156	4754	4753	-	-	S355	900x80
819.9	5157	4753	4752	-	-	S355	900x80
819.9	5158	4752	4758	-	-	S355	900x80
818.2	5159	4758	4759	-	-	S355	900x80
818.1	5160	4759	4760	-	-	S355	800x30
818.2	5161	4760	4761	-	-	S355	800x30
818.1	5162	4761	4757	-	-	S355	800x30
818.1	5163	4757	4766	-	-	S355	800x30
818.2	5164	4766	4765	-	-	S355	800x30
818.2	5165	4765	4764	-	-	S355	800x30
818.1	5166	4764	4763	-	-	S355	800x30
818.3	5167	4763	4762	-	-	S355	800x30
818.1	5168	4762	4771	-	-	S355	800x30
818.3	5169	4771	4770	-	-	S355	800x30
818.4	5170	4770	4769	-	-	S355	800x30
818.3	5171	4769	4768	-	-	S355	800x30
818.3	5172	4768	4767	-	-	S355	800x30
818.3	5173	4767	4773	-	-	S355	800x30
812.9	5174	4773	4774	-	-	S355	800x30
812.7	5175	4774	4775	-	-	S355	600x30
812.8	5176	4775	4776	-	-	S355	600x30
812.9	5177	4776	4772	-	-	S355	600x30
812.8							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
810.6	5178	4772	4778	-	-	S355	600x30
810.6	5179	4778	4779	-	-	S355	600x30
810.5	5180	4779	4780	-	-	S355	600x30
810.6	5181	4780	4781	-	-	S355	600x30
810.5	5182	4781	4777	-	-	S355	600x30
810.5	5183	4777	4783	-	-	S355	600x30
810.4	5184	4783	4784	-	-	S355	600x30
810.4	5185	4784	4785	-	-	S355	600x30
810.4	5186	4785	4786	-	-	S355	600x30
810.5	5187	4786	4782	-	-	S355	600x30
810.4	5188	4782	4791	-	-	S355	600x30
810.5	5189	4791	4790	-	-	S355	600x30
810.4	5190	4790	4789	-	-	S355	600x30
810.5	5191	4789	4788	-	-	S355	600x30
810.4	5192	4788	4787	-	-	S355	600x30
810.5	5193	4787	4792	-	-	S355	600x30
810.4	5194	4792	4793	-	-	S355	600x30
810.5	5195	4793	4794	-	-	S355	600x30
810.4	5196	4794	4795	-	-	S355	600x30
810.5	5197	4795	4796	-	-	S355	600x30
773.3	5198	4796	4797	-	-	S355	600x30
773.4	5199	4797	4798	-	-	S355	600x30
773.3	5200	4798	4799	-	-	S355	600x30
773.3	5201	4799	4800	-	-	S355	600x30
773.3	5202	4800	4801	-	-	S355	600x30
612.8	5203	4801	4802	-	-	S355	600x30
600	5204	4980	4975	-	-	S355	600x30
746.8	5205	4975	4976	-	-	S355	600x30
745.8	5206	4976	4977	-	-	S355	600x30
744.5	5207	4977	4978	-	-	S355	600x30
740.6	5208	4978	4979	-	-	S355	600x30
739.2	5209	4979	4974	-	-	S355	600x30
802.4	5210	4974	4973	-	-	S355	600x30


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
802.5	5211	4973	4972	-	-	S355	600x30
802.5	5212	4972	4971	-	-	S355	600x30
802.5	5213	4971	4970	-	-	S355	600x30
802.4	5214	4970	4969	-	-	S355	600x30
802.5	5215	4969	4968	-	-	S355	600x30
800.8	5216	4968	4967	-	-	S355	600x30
801	5217	4967	4966	-	-	S355	600x30
800.9	5218	4966	4965	-	-	S355	600x30
801	5219	4965	4960	-	-	S355	600x30
800.9	5220	4960	4961	-	-	S355	600x30
800.7	5221	4961	4962	-	-	S355	600x30
800.8	5222	4962	4963	-	-	S355	600x30
800.8	5223	4963	4964	-	-	S355	600x30
800.8	5224	4964	4955	-	-	S355	600x30
800.8	5225	4955	4956	-	-	S355	600x30
799.1	5226	4956	4957	-	-	S355	600x30
799.3	5227	4957	4958	-	-	S355	600x30
799.1	5228	4958	4959	-	-	S355	600x30
799.2	5229	4959	4954	-	-	S355	600x30
799.2	5230	4954	4953	-	-	S355	600x30
777.3	5231	4953	4952	-	-	S355	600x30
777.3	5232	4952	4951	-	-	S355	600x30
777.2	5233	4951	4950	-	-	S355	800x30
777.3	5234	4950	4945	-	-	S355	800x30
777.2	5235	4945	4946	-	-	S355	800x30
777.2	5236	4946	4947	-	-	S355	800x30
777.2	5237	4947	4948	-	-	S355	800x30
777.2	5238	4948	4949	-	-	S355	800x30
777.2	5239	4949	4940	-	-	S355	800x30
777.3	5240	4940	4941	-	-	S355	800x30
777.4	5241	4941	4942	-	-	S355	800x30
777.5	5242	4942	4943	-	-	S355	800x30
777.4	5243	4943	4944	-	-	S355	800x30
777.5							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
777.5	5244	4944	4939	-	-	S355	800x30
777.5	5245	4939	4938	-	-	S355	800x30
777.5	5246	4938	4937	-	-	S355	800x30
777.6	5247	4937	4936	-	-	S355	800x30
777.4	5248	4936	4935	-	-	S355	900x80
777.5	5249	4935	4930	-	-	S355	900x80
777.6	5250	4930	4931	-	-	S355	900x80
781.4	5251	4931	4932	-	-	S355	900x80
781.4	5252	4932	4933	-	-	S355	900x80
781.3	5253	4933	4934	-	-	S355	900x80
781.4	5254	4934	4929	-	-	S355	900x80
781.4	5255	4929	4928	-	-	S355	900x80
773.4	5256	4928	4927	-	-	S355	900x80
773.5	5257	4927	4926	-	-	S355	900x80
773.5	5258	4926	4925	-	-	S355	900x80
773.5	5259	4925	4924	-	-	S355	900x80
773.6	5260	4924	4923	-	-	S355	900x80
813.6	5261	4923	4922	-	-	S355	900x80
813.7	5262	4922	4921	-	-	S355	900x80
813.7	5263	4921	4920	-	-	S355	800x40
813.7	5264	4920	4919	-	-	S355	800x40
813.7	5265	4919	4918	-	-	S355	800x40
813.7	5266	4918	4917	-	-	S355	800x40
813.7	5267	4917	4916	-	-	S355	800x40
813.7	5268	4916	4915	-	-	S355	800x40
813.7	5269	4915	4914	-	-	S355	800x40
813.6	5270	4914	4913	-	-	S355	800x40
813.8	5271	4913	4912	-	-	S355	800x40
813.8	5272	4912	4911	-	-	S355	800x40
813.7	5273	4911	4910	-	-	S355	800x40
813.7	5274	4910	4905	-	-	S355	800x40
813.7	5275	4905	4906	-	-	S355	800x40
813.7	5276	4906	4907	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.7	5277	4907	4908	-	-	S355	600x40
813.7	5278	4908	4909	-	-	S355	600x40
813.7	5279	4909	4904	-	-	S355	600x40
813.6	5280	4904	4903	-	-	S355	600x40
813.7	5281	4903	4902	-	-	S355	600x40
813.7	5282	4902	4901	-	-	S355	600x40
813.7	5283	4901	4900	-	-	S355	600x40
813.8	5284	4900	4899	-	-	S355	600x40
813.7	5285	4899	4898	-	-	S355	600x40
813.7	5286	4898	4897	-	-	S355	600x40
813.8	5287	4897	4896	-	-	S355	600x40
813.7	5288	4896	4895	-	-	S355	600x40
813.7	5289	4895	4894	-	-	S355	600x40
813.7	5290	4894	4893	-	-	S355	600x40
813.7	5291	4893	4892	-	-	S355	600x40
813.7	5292	4892	4891	-	-	S355	600x40
813.8	5293	4891	4890	-	-	S355	800x40
813.7	5294	4890	4889	-	-	S355	800x40
813.7	5295	4889	4888	-	-	S355	800x40
813.7	5296	4888	4887	-	-	S355	800x40
813.7	5297	4887	4886	-	-	S355	800x40
813.7	5298	4886	4885	-	-	S355	800x40
813.7	5299	4885	4880	-	-	S355	800x40
813.7	5300	4880	4881	-	-	S355	800x40
813.7	5301	4881	4882	-	-	S355	800x40
813.8	5302	4882	4883	-	-	S355	800x40
813.7	5303	4883	4884	-	-	S355	800x40
813.7	5304	4884	4875	-	-	S355	800x40
813.7	5305	4875	4876	-	-	S355	800x40
813.7	5306	4876	4877	-	-	S355	800x40
813.7	5307	4877	4878	-	-	S355	800x40
813.7	5308	4878	4879	-	-	S355	900x80
813.8	5309	4879	4870	-	-	S355	900x80
813.7							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
774.4	5310	4870	4871	-	-	S355	900x80
774.4	5311	4871	4872	-	-	S355	900x80
774.4	5312	4872	4873	-	-	S355	900x80
774.4	5313	4873	4874	-	-	S355	900x80
774.5	5314	4874	4865	-	-	S355	900x80
775.3	5315	4865	4866	-	-	S355	900x80
775.3	5316	4866	4867	-	-	S355	900x80
775.2	5317	4867	4868	-	-	S355	900x80
775.3	5318	4868	4869	-	-	S355	900x80
775.3	5319	4869	4860	-	-	S355	900x80
814.4	5320	4860	4861	-	-	S355	900x80
814.5	5321	4861	4862	-	-	S355	900x80
814.5	5322	4862	4863	-	-	S355	800x40
814.5	5323	4863	4864	-	-	S355	800x40
814.4	5324	4864	4859	-	-	S355	800x40
814.6	5325	4859	4858	-	-	S355	800x40
814.6	5326	4858	4857	-	-	S355	800x40
814.7	5327	4857	4856	-	-	S355	800x40
814.6	5328	4856	4855	-	-	S355	800x40
814.7	5329	4855	4854	-	-	S355	800x40
814.7	5330	4854	4853	-	-	S355	800x40
814.7	5331	4853	4852	-	-	S355	800x40
814.7	5332	4852	4851	-	-	S355	800x40
814.7	5333	4851	4850	-	-	S355	800x40
814.8	5334	4850	4849	-	-	S355	800x40
814.7	5335	4849	4848	-	-	S355	800x40
814.8	5336	4848	4847	-	-	S355	800x40
814.8	5337	4847	4846	-	-	S355	600x40
814.9	5338	4846	4845	-	-	S355	600x40
814.8	5339	4845	4844	-	-	S355	600x40
814.8	5340	4844	4843	-	-	S355	600x40
814.8	5341	4843	4842	-	-	S355	600x40
814.9	5342	4842	4841	-	-	S355	600x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.9	5343	4841	4840	-	-	S355	600x40
814.7	5344	4840	4839	-	-	S355	600x40
814.9	5345	4839	4838	-	-	S355	600x40
814.8	5346	4838	4837	-	-	S355	600x40
814.8	5347	4837	4836	-	-	S355	600x40
814.9	5348	4836	4835	-	-	S355	600x40
814.8	5349	4835	4834	-	-	S355	600x40
814.8	5350	4834	4833	-	-	S355	600x40
814.8	5351	4833	4832	-	-	S355	600x40
814.8	5352	4832	4831	-	-	S355	600x40
814.8	5353	4831	4830	-	-	S355	800x40
814.8	5354	4830	4829	-	-	S355	800x40
814.7	5355	4829	4981	-	-	S355	800x40
814.8	5356	4981	4982	-	-	S355	800x40
814.7	5357	4982	4983	-	-	S355	800x40
814.8	5358	4983	4984	-	-	S355	800x40
814.7	5359	4984	4828	-	-	S355	800x40
814.7	5360	4828	4827	-	-	S355	800x40
814.6	5361	4827	4826	-	-	S355	800x40
814.6	5362	4826	4825	-	-	S355	800x40
814.7	5363	4825	4824	-	-	S355	800x40
814.6	5364	4824	4823	-	-	S355	800x40
814.6	5365	4823	4822	-	-	S355	800x40
814.5	5366	4822	4821	-	-	S355	800x40
814.5	5367	4821	4820	-	-	S355	800x40
814.4	5368	4820	4819	-	-	S355	900x80
814.6	5369	4819	4814	-	-	S355	900x80
814.5	5370	4814	4818	-	-	S355	900x80
783.5	5371	4818	4817	-	-	S355	900x80
783.4	5372	4817	4816	-	-	S355	900x80
783.4	5373	4816	4815	-	-	S355	900x80
783.4	5374	4815	4808	-	-	S355	900x80
783.4	5375	4808	4807	-	-	S355	900x80
766							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
766	5376	4807	4806	-	-	S355	900x80
765.9	5377	4806	4805	-	-	S355	900x80
766	5378	4805	4804	-	-	S355	900x80
765.9	5379	4804	4803	-	-	S355	900x80
813.6	5380	4803	4813	-	-	S355	900x80
813.6	5381	4813	4812	-	-	S355	900x80
813.6	5382	4812	4811	-	-	S355	800x40
813.7	5383	4811	4810	-	-	S355	800x40
813.6	5384	4810	4809	-	-	S355	800x40
813.7	5385	4809	4986	-	-	S355	800x40
813.6	5386	4986	4987	-	-	S355	800x40
813.7	5387	4987	4988	-	-	S355	800x40
813.7	5388	4988	4989	-	-	S355	800x40
813.7	5389	4989	4985	-	-	S355	800x40
813.6	5390	4985	4991	-	-	S355	800x40
813.7	5391	4991	4992	-	-	S355	800x40
813.6	5392	4992	4993	-	-	S355	800x40
813.6	5393	4993	4994	-	-	S355	800x40
813.6	5394	4994	4990	-	-	S355	800x40
813.6	5395	4990	4999	-	-	S355	800x40
813.7	5396	4999	4998	-	-	S355	800x40
813.6	5397	4998	4997	-	-	S355	600x40
813.7	5398	4997	4996	-	-	S355	600x40
813.6	5399	4996	4995	-	-	S355	600x40
813.4	5400	4995	5004	-	-	S355	600x40
813.4	5401	5004	5003	-	-	S355	600x40
813.5	5402	5003	5002	-	-	S355	600x40
813.4	5403	5002	5001	-	-	S355	600x40
813.3	5404	5001	5000	-	-	S355	600x40
813.9	5405	5000	5009	-	-	S355	600x40
813.9	5406	5009	5008	-	-	S355	600x40
814	5407	5008	5007	-	-	S355	600x40
813.9	5408	5007	5006	-	-	S355	600x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.9	5409	5006	5005	-	-	S355	600x40
813.7	5410	5005	5014	-	-	S355	600x40
813.6	5411	5014	5013	-	-	S355	600x40
813.7	5412	5013	5012	-	-	S355	600x40
813.7	5413	5012	5011	-	-	S355	800x40
813.7	5414	5011	5010	-	-	S355	800x40
813.6	5415	5010	5019	-	-	S355	800x40
813.7	5416	5019	5018	-	-	S355	800x40
813.6	5417	5018	5017	-	-	S355	800x40
813.7	5418	5017	5016	-	-	S355	800x40
813.7	5419	5016	5015	-	-	S355	800x40
813.7	5420	5015	5024	-	-	S355	800x40
813.6	5421	5024	5023	-	-	S355	800x40
813.7	5422	5023	5022	-	-	S355	800x40
813.6	5423	5022	5021	-	-	S355	800x40
813.6	5424	5021	5020	-	-	S355	800x40
813.7	5425	5020	5029	-	-	S355	800x40
813.7	5426	5029	5028	-	-	S355	800x40
813.6	5427	5028	5027	-	-	S355	800x40
813.7	5428	5027	5026	-	-	S355	900x80
813.6	5429	5026	5025	-	-	S355	900x80
784.7	5430	5025	5030	-	-	S355	900x80
784.7	5431	5030	5031	-	-	S355	900x80
784.7	5432	5031	5032	-	-	S355	900x80
784.7	5433	5032	5033	-	-	S355	900x80
784.7	5434	5033	5034	-	-	S355	900x80
766.4	5435	5034	5039	-	-	S355	900x80
766.4	5436	5039	5038	-	-	S355	900x80
766.4	5437	5038	5037	-	-	S355	900x80
766.4	5438	5037	5036	-	-	S355	900x80
766.4	5439	5036	5035	-	-	S355	900x80
814.3	5440	5035	5044	-	-	S355	900x80
814.4	5441	5044	5043	-	-	S355	900x80


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.4	5442	5043	5042	-	-	S355	800x40
814.3	5443	5042	5041	-	-	S355	800x40
814.3	5444	5041	5040	-	-	S355	800x40
814.4	5445	5040	5049	-	-	S355	800x40
814.4	5446	5049	5048	-	-	S355	800x40
814.3	5447	5048	5047	-	-	S355	800x40
814.4	5448	5047	5046	-	-	S355	800x40
814.3	5449	5046	5045	-	-	S355	800x40
814.3	5450	5045	5054	-	-	S355	800x40
814.4	5451	5054	5053	-	-	S355	800x40
814.3	5452	5053	5052	-	-	S355	800x40
814.4	5453	5052	5051	-	-	S355	800x40
814.4	5454	5051	5050	-	-	S355	800x40
814.3	5455	5050	5059	-	-	S355	800x40
814.4	5456	5059	5058	-	-	S355	800x40
814.4	5457	5058	5057	-	-	S355	600x40
814.3	5458	5057	5056	-	-	S355	600x40
814.3	5459	5056	5055	-	-	S355	600x40
814.4	5460	5055	5064	-	-	S355	600x40
814.3	5461	5064	5063	-	-	S355	600x40
814.3	5462	5063	5062	-	-	S355	600x40
814.3	5463	5062	5061	-	-	S355	600x40
814.3	5464	5061	5060	-	-	S355	600x40
814.4	5465	5060	5069	-	-	S355	600x40
814.4	5466	5069	5068	-	-	S355	600x40
814.3	5467	5068	5067	-	-	S355	600x40
814.4	5468	5067	5066	-	-	S355	600x40
814.3	5469	5066	5065	-	-	S355	600x40
814.4	5470	5065	5074	-	-	S355	600x40
814.4	5471	5074	5073	-	-	S355	600x40
814.3	5472	5073	5072	-	-	S355	600x40
814.4	5473	5072	5071	-	-	S355	800x40
814.3	5474	5071	5070	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.3	5475	5070	5079	-	-	S355	800x40
814.4	5476	5079	5078	-	-	S355	800x40
814.4	5477	5078	5077	-	-	S355	800x40
814.3	5478	5077	5076	-	-	S355	800x40
814.4	5479	5076	5075	-	-	S355	800x40
814.4	5483	5083	5082	-	-	S355	800x40
814.4	5484	5082	5081	-	-	S355	800x40
814.4	5485	5081	5080	-	-	S355	800x40
814.4	5486	5080	5089	-	-	S355	800x40
814.3	5487	5089	5088	-	-	S355	800x40
814.4	5488	5088	5087	-	-	S355	800x40
814.3	5489	5087	5086	-	-	S355	900x80
814.4	5490	5086	5085	-	-	S355	900x80
778.1	5491	5085	5094	-	-	S355	900x80
778.2	5492	5094	5093	-	-	S355	900x80
778.1	5493	5093	5092	-	-	S355	900x80
778.1	5494	5092	5091	-	-	S355	900x80
778.2	5495	5091	5090	-	-	S355	900x80
780.1	5496	5090	5099	-	-	S355	900x80
780	5497	5099	5098	-	-	S355	900x80
780	5498	5098	5097	-	-	S355	900x80
780.1	5499	5097	5096	-	-	S355	900x80
780	5500	5096	5095	-	-	S355	900x80
781.5	5501	5095	5116	-	-	S355	900x80
781.5	5502	5116	5117	-	-	S355	900x80
781.5	5503	5117	5118	-	-	S355	800x30
781.5	5504	5118	5119	-	-	S355	800x30
781.5	5505	5119	5105	-	-	S355	800x30
781.5	5506	5105	5104	-	-	S355	800x30
781.6	5507	5104	5103	-	-	S355	800x30
781.5	5508	5103	5102	-	-	S355	800x30
781.5	5509	5102	5101	-	-	S355	800x30
781.5	5510	5101	5100	-	-	S355	800x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
781.6	5511	5100	5110	-	-	S355	800x30
781.7	5512	5110	5109	-	-	S355	800x30
781.7	5513	5109	5108	-	-	S355	800x30
781.6	5514	5108	5107	-	-	S355	800x30
781.7	5515	5107	5106	-	-	S355	800x30
787.4	5516	5106	5115	-	-	S355	800x30
787.4	5517	5115	5114	-	-	S355	800x30
787.5	5518	5114	5113	-	-	S355	600x30
787.4	5519	5113	5112	-	-	S355	600x30
787.5	5520	5112	5111	-	-	S355	600x30
789.7	5521	5111	5121	-	-	S355	600x30
789.6	5522	5121	5122	-	-	S355	600x30
789.7	5523	5122	5123	-	-	S355	600x30
789.6	5524	5123	5124	-	-	S355	600x30
789.6	5525	5124	5120	-	-	S355	600x30
789.6	5526	5120	5129	-	-	S355	600x30
789.6	5527	5129	5128	-	-	S355	600x30
789.5	5528	5128	5127	-	-	S355	600x30
789.5	5529	5127	5126	-	-	S355	600x30
789.6	5530	5126	5125	-	-	S355	600x30
789.6	5531	5125	5134	-	-	S355	600x30
789.5	5532	5134	5133	-	-	S355	600x30
789.6	5533	5133	5132	-	-	S355	600x30
789.6	5534	5132	5131	-	-	S355	600x30
789.5	5535	5131	5130	-	-	S355	600x30
789.6	5536	5130	5139	-	-	S355	600x30
789.6	5537	5139	5138	-	-	S355	600x30
789.5	5538	5138	5137	-	-	S355	600x30
789.5	5539	5137	5136	-	-	S355	600x30
789.6	5540	5136	5135	-	-	S355	600x30
748.8	5541	5135	5144	-	-	S355	600x30
748.8	5542	5144	5143	-	-	S355	600x30
748.8	5543	5143	5142	-	-	S355	600x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
748.8	5544	5142	5141	-	-	S355	600x30
748.7	5545	5141	5140	-	-	S355	600x30
645.9	5546	5140	5145	-	-	S355	600x30
814.3	6232	5075	5084	-	-	S355	800x40
814.3	6233	5084	5083	-	-	S355	800x40
4800	7605	6943	6257	000011	000011	S355	2L110x12
4800	7608	7181	6497	000011	000011	S355	2L110x12
4800	7611	6663	5977	000011	000011	S355	2L110x12
4800	7614	6893	6207	000011	000011	S355	2L110x12
4800	7617	6633	5947	000011	000011	S355	2L110x12
4800	7620	6713	6027	000011	000011	S355	2L110x12
4800	7623	6643	5957	000011	000011	S355	2L110x12
4800	7626	7171	6487	000011	000011	S355	2L110x12
4800	7629	7151	6467	000011	000011	S355	2L110x12
4825	7635	6853	6167	000011	000011	S355	2L110x12
4800	7638	7111	6427	000011	000011	S355	2L110x12
4800	7641	6833	6147	000011	000011	S355	2L110x12
4800	7644	6813	6127	000011	000011	S355	2L110x12
4800	7647	6933	6247	000011	000011	S355	2L110x12
4800	7650	6603	5917	000011	000011	S355	2L110x12
4800	7653	7033	6347	000011	000011	S355	2L110x12
4800	7656	6993	6307	000011	000011	S355	2L110x12
4800	7659	7023	6337	000011	000011	S355	2L110x12
4800	7662	6923	6237	000011	000011	S355	2L110x12
4800	7665	7081	6397	000011	000011	S355	2L110x12
4800	7671	6963	6277	000011	000011	S355	2L110x12
4800	7674	6693	6007	000011	000011	S355	2L110x12
4800	7677	6533	5847	000011	000011	S355	2L110x12
4800	7680	6543	5857	000011	000011	S355	2L110x12
4800	7683	7161	6477	000011	000011	S355	2L110x12
4800	7686	7003	6317	000011	000011	S355	2L110x12
4800	7689	6793	6107	000011	000011	S355	2L110x12
4800	7692	6553	5867	000011	000011	S355	2L110x12


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
4800	7695	7191	6507	000011	000011	S355	2L110x12
4800	7698	7063	6377	000011	000011	S355	2L110x12
4800	7701	6573	5887	000011	000011	S355	2L110x12
4800	7704	6763	6077	000011	000011	S355	2L110x12
4800	7707	7141	6457	000011	000011	S355	2L110x12
4800	7713	7043	6357	000011	000011	S355	2L110x12
4800	7716	7091	6407	000011	000011	S355	2L110x12
4800	7719	6843	6157	000011	000011	S355	2L110x12
4800	7722	6563	5877	000011	000011	S355	2L110x12
4800	7725	6973	6287	000011	000011	S355	2L110x12
4800	7728	6883	6197	000011	000011	S355	2L110x12
4800	7731	6683	5997	000011	000011	S355	2L110x12
4800	7734	7121	6437	000011	000011	S355	2L110x12
4800	7737	6953	6267	000011	000011	S355	2L110x12
4800	7740	6723	6037	000011	000011	S355	2L110x12
4800	7746	7053	6367	000011	000011	S355	2L110x12
4800	7749	6823	6137	000011	000011	S355	2L110x12
4800	7752	6653	5967	000011	000011	S355	2L110x12
4800	7755	6873	6187	000011	000011	S355	2L110x12
4800	7758	6613	5927	000011	000011	S355	2L110x12
4800	7761	6783	6097	000011	000011	S355	2L110x12
4800	7764	6703	6017	000011	000011	S355	2L110x12
4800	7773	6733	6047	000011	000011	S355	2L110x12
4800	7779	6673	5987	000011	000011	S355	2L110x12
4800	7785	7131	6447	000011	000011	S355	2L110x12
4800	7788	6593	5907	000011	000011	S355	2L110x12
4800	7794	6583	5897	000011	000011	S355	2L110x12
4800	7797	6773	6087	000011	000011	S355	2L110x12
4800	7800	6903	6217	000011	000011	S355	2L110x12
4800	7803	6753	6067	000011	000011	S355	2L110x12
4800	7806	7073	6387	000011	000011	S355	2L110x12
4800	7809	6913	6227	000011	000011	S355	2L110x12
4800	7812	6803	6117	000011	000011	S355	2L110x12


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
4800	7815	7013	6327	000011	000011	S355	2L110x12
2400	7818	6942	7206	000011	000000	S355	2L140x13
2400	7821	7180	7207	000011	000000	S355	2L140x13
2400	7824	6662	7208	000011	000000	S355	2L140x13
2400	7827	6892	7209	000011	000000	S355	2L140x13
2400	7830	6632	7210	000011	000000	S355	2L140x13
2400	7833	6712	7211	000011	000000	S355	2L140x13
2400	7836	6642	7212	000011	000000	S355	2L140x13
2400	7839	7170	7213	000011	000000	S355	2L140x13
2400	7842	7150	7214	000011	000000	S355	2L140x13
2413	7848	6852	7216	000011	000000	S355	2L140x13
2400	7851	7110	7217	000011	000000	S355	2L140x13
2400	7854	6832	7218	000011	000000	S355	2L140x13
2400	7857	6812	7219	000011	000000	S355	2L140x13
2400	7860	6932	7220	000011	000000	S355	2L140x13
2400	7863	6602	7221	000011	000000	S355	2L140x13
2400	7866	7032	7222	000011	000000	S355	2L140x13
2400	7869	6992	7223	000011	000000	S355	2L140x13
2400	7872	7022	7224	000011	000000	S355	2L140x13
2400	7875	6922	7225	000011	000000	S355	2L140x13
2400	7878	7080	7226	000011	000000	S355	2L140x13
2400	7884	6962	7228	000011	000000	S355	2L140x13
2400	7887	6692	7229	000011	000000	S355	2L140x13
2400	7890	6532	7230	000011	000000	S355	2L140x13
2400	7893	6542	7231	000011	000000	S355	2L140x13
2400	7896	7160	7232	000011	000000	S355	2L140x13
2400	7899	7002	7233	000011	000000	S355	2L140x13
2400	7902	6792	7234	000011	000000	S355	2L140x13
2400	7905	6552	7235	000011	000000	S355	2L140x13
2400	7908	7190	7236	000011	000000	S355	2L140x13
2400	7911	7062	7237	000011	000000	S355	2L140x13
2400	7914	6572	7238	000011	000000	S355	2L140x13
2400	7917	6762	7239	000011	000000	S355	2L140x13


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2400	7920	7140	7240	000011	000000	S355	2L140x13
2400	7926	7042	7242	000011	000000	S355	2L140x13
2400	7929	7090	7243	000011	000000	S355	2L140x13
2400	7932	6842	7244	000011	000000	S355	2L140x13
2400	7935	6562	7245	000011	000000	S355	2L140x13
2400	7938	6972	7246	000011	000000	S355	2L140x13
2400	7941	6882	7247	000011	000000	S355	2L140x13
2400	7944	6682	7248	000011	000000	S355	2L140x13
2400	7947	7120	7249	000011	000000	S355	2L140x13
2400	7950	6952	7250	000011	000000	S355	2L140x13
2400	7953	6722	7251	000011	000000	S355	2L140x13
2400	7959	7052	7253	000011	000000	S355	2L140x13
2400	7962	6822	7254	000011	000000	S355	2L140x13
2400	7965	6652	7255	000011	000000	S355	2L140x13
2400	7968	6872	7256	000011	000000	S355	2L140x13
2400	7971	6612	7257	000011	000000	S355	2L140x13
2400	7974	6782	7258	000011	000000	S355	2L140x13
2400	7977	6702	7259	000011	000000	S355	2L140x13
2400	7986	6732	7262	000011	000000	S355	2L140x13
2400	7992	6672	7264	000011	000000	S355	2L140x13
2400	7998	7130	7266	000011	000000	S355	2L140x13
2400	8001	6592	7267	000011	000000	S355	2L140x13
2400	8007	6582	7269	000011	000000	S355	2L140x13
2400	8010	6772	7270	000011	000000	S355	2L140x13
2400	8013	6902	7271	000011	000000	S355	2L140x13
2400	8016	6752	7272	000011	000000	S355	2L140x13
2400	8019	7072	7273	000011	000000	S355	2L140x13
2400	8022	6912	7274	000011	000000	S355	2L140x13
2400	8025	6802	7275	000011	000000	S355	2L140x13
2400	8028	7012	7276	000011	000000	S355	2L140x13
2400	8029	7206	6256	000000	000011	S355	2L140x13
2400	8030	7207	6496	000000	000011	S355	2L140x13
2400	8031	7208	5976	000000	000011	S355	2L140x13


MIDAS

PROJECT TITLE :


	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2400	8032	7209	6206	000000	000011		S355	2L140x13
2400	8033	7210	5946	000000	000011		S355	2L140x13
2400	8034	7211	6026	000000	000011		S355	2L140x13
2400	8035	7212	5956	000000	000011		S355	2L140x13
2400	8036	7213	6486	000000	000011		S355	2L140x13
2400	8037	7214	6466	000000	000011		S355	2L140x13
2400	8039	7216	6166	000000	000011		S355	2L140x13
2413	8040	7217	6426	000000	000011		S355	2L140x13
2400	8041	7218	6146	000000	000011		S355	2L140x13
2400	8042	7219	6126	000000	000011		S355	2L140x13
2400	8043	7220	6246	000000	000011		S355	2L140x13
2400	8044	7221	5916	000000	000011		S355	2L140x13
2400	8045	7222	6346	000000	000011		S355	2L140x13
2400	8046	7223	6306	000000	000011		S355	2L140x13
2400	8047	7224	6336	000000	000011		S355	2L140x13
2400	8048	7225	6236	000000	000011		S355	2L140x13
2400	8049	7226	6396	000000	000011		S355	2L140x13
2400	8051	7228	6276	000000	000011		S355	2L140x13
2400	8052	7229	6006	000000	000011		S355	2L140x13
2400	8053	7230	5846	000000	000011		S355	2L140x13
2400	8054	7231	5856	000000	000011		S355	2L140x13
2400	8055	7232	6476	000000	000011		S355	2L140x13
2400	8056	7233	6316	000000	000011		S355	2L140x13
2400	8057	7234	6106	000000	000011		S355	2L140x13
2400	8058	7235	5866	000000	000011		S355	2L140x13
2400	8059	7236	6506	000000	000011		S355	2L140x13
2400	8060	7237	6376	000000	000011		S355	2L140x13
2400	8061	7238	5886	000000	000011		S355	2L140x13
2400	8062	7239	6076	000000	000011		S355	2L140x13
2400	8063	7240	6456	000000	000011		S355	2L140x13
2400	8065	7242	6356	000000	000011		S355	2L140x13
2400	8066	7243	6406	000000	000011		S355	2L140x13
2400	8067	7244	6156	000000	000011		S355	2L140x13

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2400	8068	7245	5876	000000	000011	S355	2L140x13
2400	8069	7246	6286	000000	000011	S355	2L140x13
2400	8070	7247	6196	000000	000011	S355	2L140x13
2400	8071	7248	5996	000000	000011	S355	2L140x13
2400	8072	7249	6436	000000	000011	S355	2L140x13
2400	8073	7250	6266	000000	000011	S355	2L140x13
2400	8074	7251	6036	000000	000011	S355	2L140x13
2400	8076	7253	6366	000000	000011	S355	2L140x13
2400	8077	7254	6136	000000	000011	S355	2L140x13
2400	8078	7255	5966	000000	000011	S355	2L140x13
2400	8079	7256	6186	000000	000011	S355	2L140x13
2400	8080	7257	5926	000000	000011	S355	2L140x13
2400	8081	7258	6096	000000	000011	S355	2L140x13
2400	8082	7259	6016	000000	000011	S355	2L140x13
2400	8085	7262	6046	000000	000011	S355	2L140x13
2400	8087	7264	5986	000000	000011	S355	2L140x13
2400	8089	7266	6446	000000	000011	S355	2L140x13
2400	8090	7267	5906	000000	000011	S355	2L140x13
2400	8092	7269	5896	000000	000011	S355	2L140x13
2400	8093	7270	6086	000000	000011	S355	2L140x13
2400	8094	7271	6216	000000	000011	S355	2L140x13
2400	8095	7272	6066	000000	000011	S355	2L140x13
2400	8096	7273	6386	000000	000011	S355	2L140x13
2400	8097	7274	6226	000000	000011	S355	2L140x13
2400	8098	7275	6116	000000	000011	S355	2L140x13
2400	8099	7276	6326	000000	000011	S355	2L140x13
3163	8102	7230	6533	000011	000011	S355	2L120x12
3163	8103	7230	5847	000011	000011	S355	2L120x12
3163	8104	7231	6543	000011	000011	S355	2L120x12
3163	8105	7231	5857	000011	000011	S355	2L120x12
3163	8106	7235	6553	000011	000011	S355	2L120x12
3163	8107	7235	5867	000011	000011	S355	2L120x12
3163	8108	7245	6563	000011	000011	S355	2L120x12


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3163	8109	7245	5877	000011	000011		S355	2L120x12
3163	8110	7238	6573	000011	000011		S355	2L120x12
3163	8111	7238	5887	000011	000011		S355	2L120x12
3163	8112	7269	6583	000011	000011		S355	2L120x12
3163	8113	7269	5897	000011	000011		S355	2L120x12
3163	8114	7267	6593	000011	000011		S355	2L120x12
3163	8115	7267	5907	000011	000011		S355	2L120x12
3163	8116	7221	6603	000011	000011		S355	2L120x12
3163	8117	7221	5917	000011	000011		S355	2L120x12
3163	8118	7257	6613	000011	000011		S355	2L120x12
3163	8119	7257	5927	000011	000011		S355	2L120x12
3163	8122	7210	6633	000011	000011		S355	2L120x12
3163	8123	7210	5947	000011	000011		S355	2L120x12
3163	8124	7212	6643	000011	000011		S355	2L120x12
3163	8125	7212	5957	000011	000011		S355	2L120x12
3163	8126	7255	6653	000011	000011		S355	2L120x12
3163	8127	7255	5967	000011	000011		S355	2L120x12
3163	8128	7208	6663	000011	000011		S355	2L120x12
3163	8129	7208	5977	000011	000011		S355	2L120x12
3163	8130	7264	6673	000011	000011		S355	2L120x12
3163	8131	7264	5987	000011	000011		S355	2L120x12
3163	8132	7248	6683	000011	000011		S355	2L120x12
3163	8133	7248	5997	000011	000011		S355	2L120x12
3163	8134	7229	6693	000011	000011		S355	2L120x12
3163	8135	7229	6007	000011	000011		S355	2L120x12
3163	8136	7259	6703	000011	000011		S355	2L120x12
3163	8137	7259	6017	000011	000011		S355	2L120x12
3163	8138	7211	6713	000011	000011		S355	2L120x12
3163	8139	7211	6027	000011	000011		S355	2L120x12
3163	8140	7251	6723	000011	000011		S355	2L120x12
3163	8141	7251	6037	000011	000011		S355	2L120x12
3163	8142	7262	6733	000011	000011		S355	2L120x12
3163	8143	7262	6047	000011	000011		S355	2L120x12


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3163	8146	7272	6753	000011	000011		S355	2L120x12
3163	8147	7272	6067	000011	000011		S355	2L120x12
3163	8148	7239	6763	000011	000011		S355	2L120x12
3163	8149	7239	6077	000011	000011		S355	2L120x12
3163	8150	7270	6773	000011	000011		S355	2L120x12
3163	8151	7270	6087	000011	000011		S355	2L120x12
3163	8152	7258	6783	000011	000011		S355	2L120x12
3163	8153	7258	6097	000011	000011		S355	2L120x12
3163	8154	7234	6793	000011	000011		S355	2L120x12
3163	8155	7234	6107	000011	000011		S355	2L120x12
3163	8156	7275	6803	000011	000011		S355	2L120x12
3163	8157	7275	6117	000011	000011		S355	2L120x12
3163	8158	7219	6813	000011	000011		S355	2L120x12
3163	8159	7219	6127	000011	000011		S355	2L120x12
3163	8160	7254	6823	000011	000011		S355	2L120x12
3163	8161	7254	6137	000011	000011		S355	2L120x12
3163	8162	7218	6833	000011	000011		S355	2L120x12
3163	8163	7218	6147	000011	000011		S355	2L120x12
3163	8164	7244	6843	000011	000011		S355	2L120x12
3163	8165	7244	6157	000011	000011		S355	2L120x12
3172	8166	7216	6853	000011	000011		S355	2L120x12
3172	8167	7216	6167	000011	000011		S355	2L120x12
3163	8170	7256	6873	000011	000011		S355	2L120x12
3163	8171	7256	6187	000011	000011		S355	2L120x12
3163	8172	7247	6883	000011	000011		S355	2L120x12
3163	8173	7247	6197	000011	000011		S355	2L120x12
3163	8174	7209	6893	000011	000011		S355	2L120x12
3163	8175	7209	6207	000011	000011		S355	2L120x12
3163	8176	7271	6903	000011	000011		S355	2L120x12
3163	8177	7271	6217	000011	000011		S355	2L120x12
3163	8178	7274	6913	000011	000011		S355	2L120x12
3163	8179	7274	6227	000011	000011		S355	2L120x12
3163	8180	7225	6923	000011	000011		S355	2L120x12


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3163	8181	7225	6237	000011	000011		S355	2L120x12
3163	8182	7220	6933	000011	000011		S355	2L120x12
3163	8183	7220	6247	000011	000011		S355	2L120x12
3163	8184	7206	6943	000011	000011		S355	2L120x12
3163	8185	7206	6257	000011	000011		S355	2L120x12
3163	8186	7250	6953	000011	000011		S355	2L120x12
3163	8187	7250	6267	000011	000011		S355	2L120x12
3163	8188	7228	6963	000011	000011		S355	2L120x12
3163	8189	7228	6277	000011	000011		S355	2L120x12
3163	8190	7246	6973	000011	000011		S355	2L120x12
3163	8191	7246	6287	000011	000011		S355	2L120x12
3163	8194	7223	6993	000011	000011		S355	2L120x12
3163	8195	7223	6307	000011	000011		S355	2L120x12
3163	8196	7233	7003	000011	000011		S355	2L120x12
3163	8197	7233	6317	000011	000011		S355	2L120x12
3163	8198	7276	7013	000011	000011		S355	2L120x12
3163	8199	7276	6327	000011	000011		S355	2L120x12
3163	8200	7224	7023	000011	000011		S355	2L120x12
3163	8201	7224	6337	000011	000011		S355	2L120x12
3163	8202	7222	7033	000011	000011		S355	2L120x12
3163	8203	7222	6347	000011	000011		S355	2L120x12
3163	8204	7242	7043	000011	000011		S355	2L120x12
3163	8205	7242	6357	000011	000011		S355	2L120x12
3163	8206	7253	7053	000011	000011		S355	2L120x12
3163	8207	7253	6367	000011	000011		S355	2L120x12
3163	8208	7237	7063	000011	000011		S355	2L120x12
3163	8209	7237	6377	000011	000011		S355	2L120x12
3163	8210	7273	7073	000011	000011		S355	2L120x12
3163	8211	7273	6387	000011	000011		S355	2L120x12
3163	8212	7226	7081	000011	000011		S355	2L120x12
3163	8213	7226	6397	000011	000011		S355	2L120x12
3163	8214	7243	7091	000011	000011		S355	2L120x12
3163	8215	7243	6407	000011	000011		S355	2L120x12


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3163	8218	7217	7111	000011	000011		S355	2L120x12
3163	8219	7217	6427	000011	000011		S355	2L120x12
3163	8220	7249	7121	000011	000011		S355	2L120x12
3163	8221	7249	6437	000011	000011		S355	2L120x12
3163	8222	7266	7131	000011	000011		S355	2L120x12
3163	8223	7266	6447	000011	000011		S355	2L120x12
3163	8224	7240	7141	000011	000011		S355	2L120x12
3163	8225	7240	6457	000011	000011		S355	2L120x12
3163	8226	7214	7151	000011	000011		S355	2L120x12
3163	8227	7214	6467	000011	000011		S355	2L120x12
3163	8228	7232	7161	000011	000011		S355	2L120x12
3163	8229	7232	6477	000011	000011		S355	2L120x12
3163	8230	7213	7171	000011	000011		S355	2L120x12
3163	8231	7213	6487	000011	000011		S355	2L120x12
3163	8232	7207	7181	000011	000011		S355	2L120x12
3163	8233	7207	6497	000011	000011		S355	2L120x12
3163	8234	7236	7191	000011	000011		S355	2L120x12
3163	8235	7236	6507	000011	000011		S355	2L120x12
3061	8238	6521	7277	000011	000011		S355	2L 180x18
2996	8239	5835	7277	000011	000000		S355	2L 180x18
3034	8240	7277	6532	000000	000011		S355	2L 180x18
3023	8241	7277	5846	000011	000011		S355	2L 180x18
3136	8242	6532	7278	000011	000011		S355	2L 180x18
3112	8243	5846	7278	000011	000000		S355	2L 180x18
3131	8244	7278	6542	000000	000011		S355	2L 180x18
3118	8245	7278	5856	000011	000011		S355	2L 180x18
3123	8246	5856	7279	000011	000000		S355	2L 180x18
3125	8247	6542	7279	000011	000011		S355	2L 180x18
3118	8248	7279	5866	000011	000011		S355	2L 180x18
3130	8249	7279	6552	000000	000011		S355	2L 180x18
3126	8250	5866	7280	000011	000000		S355	2L 180x18
3122	8251	6552	7280	000011	000011		S355	2L 180x18
3116	8252	7280	5876	000011	000011		S355	2L 180x18


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
3132	8253	7280	6562	000000	000011	S355	2L 180x18
3132	8254	5876	7281	000011	000000	S355	2L 180x18
3116	8255	6562	7281	000011	000011	S355	2L 180x18
3122	8256	7281	5886	000011	000011	S355	2L 180x18
3126	8257	7281	6572	000000	000011	S355	2L 180x18
3211	8258	5886	7282	000011	000000	S355	2L 180x18
3036	8259	6572	7282	000011	000011	S355	2L 180x18
3213	8260	7282	5896	000011	000011	S355	2L 180x18
3034	8261	7282	6582	000000	000011	S355	2L 180x18
3211	8262	5896	7283	000011	000000	S355	2L 180x18
3036	8263	6582	7283	000011	000011	S355	2L 180x18
3213	8264	7283	5906	000011	000011	S355	2L 180x18
3034	8265	7283	6592	000000	000011	S355	2L 180x18
3211	8266	5906	7284	000011	000000	S355	2L 180x18
3036	8267	6592	7284	000011	000011	S355	2L 180x18
3212	8268	7284	5916	000011	000011	S355	2L 180x18
3035	8269	7284	6602	000000	000011	S355	2L 180x18
3211	8270	5916	7285	000011	000000	S355	2L 180x18
3036	8271	6602	7285	000011	000011	S355	2L 180x18
3211	8272	7285	5926	000011	000011	S355	2L 180x18
3036	8273	7285	6612	000000	000011	S355	2L 180x18
3203	8274	5926	7286	000011	000000	S355	2L 180x18
3044	8275	6612	7286	000011	000011	S355	2L 180x18
3190	8276	7286	5936	000011	000011	S355	2L 180x18
3058	8277	7286	6622	000000	000011	S355	2L 180x18
3228	8278	5936	7287	000011	000000	S355	2L 180x18
3018	8279	6622	7287	000011	000011	S355	2L 180x18
3224	8280	7287	5946	000011	000011	S355	2L 180x18
3022	8281	7287	6632	000000	000011	S355	2L 180x18
3288	8282	5946	7288	000011	000000	S355	2L 180x18
3089	8283	6632	7288	000011	000011	S355	2L 180x18
3288	8284	7288	5956	000011	000011	S355	2L 180x18
3088	8285	7288	6642	000000	000011	S355	2L 180x18


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3288	8286	5956	7289	000011	000000		S355	2L 180x18
3089	8287	6642	7289	000011	000011		S355	2L 180x18
3288	8288	7289	5966	000011	000011		S355	2L 180x18
3088	8289	7289	6652	000000	000011		S355	2L 180x18
3288	8290	5966	7290	000011	000000		S355	2L 180x18
3089	8291	6652	7290	000011	000011		S355	2L 180x18
3288	8292	7290	5976	000011	000011		S355	2L 180x18
3088	8293	7290	6662	000000	000011		S355	2L 180x18
3288	8294	5976	7291	000011	000000		S355	2L 180x18
3089	8295	6662	7291	000011	000011		S355	2L 180x18
3288	8296	7291	5986	000011	000011		S355	2L 180x18
3088	8297	7291	6672	000000	000011		S355	2L 180x18
3288	8298	5986	7292	000011	000000		S355	2L 180x18
3089	8299	6672	7292	000011	000011		S355	2L 180x18
3288	8300	7292	5996	000011	000011		S355	2L 180x18
3088	8301	7292	6682	000000	000011		S355	2L 180x18
3288	8302	5996	7293	000011	000000		S355	2L 180x18
3088	8303	6682	7293	000011	000011		S355	2L 180x18
3288	8304	7293	6006	000011	000011		S355	2L 180x18
3088	8305	7293	6692	000000	000011		S355	2L 180x18
3288	8306	6006	7294	000011	000000		S355	2L 180x18
3088	8307	6692	7294	000011	000011		S355	2L 180x18
3288	8308	7294	6016	000011	000011		S355	2L 180x18
3088	8309	7294	6702	000000	000011		S355	2L 180x18
3288	8310	6016	7295	000011	000000		S355	2L 180x18
3088	8311	6702	7295	000011	000011		S355	2L 180x18
3288	8312	7295	6026	000011	000011		S355	2L 180x18
3089	8313	7295	6712	000000	000011		S355	2L 180x18
3288	8314	6026	7296	000011	000000		S355	2L 180x18
3088	8315	6712	7296	000011	000011		S355	2L 180x18
3288	8316	7296	6036	000011	000011		S355	2L 180x18
3089	8317	7296	6722	000000	000011		S355	2L 180x18
3288	8318	6036	7297	000011	000000		S355	2L 180x18

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
3088	8319	6722	7297	000011	000011	S355	2L 180x18
3288	8320	7297	6046	000011	000011	S355	2L 180x18
3089	8321	7297	6732	000000	000011	S355	2L 180x18
3221	8322	6046	7298	000011	000000	S355	2L 180x18
3024	8323	6732	7298	000011	000011	S355	2L 180x18
3221	8324	7298	6056	000011	000011	S355	2L 180x18
3024	8325	7298	6742	000000	000011	S355	2L 180x18
3215	8326	6056	7299	000011	000000	S355	2L 180x18
3032	8327	6742	7299	000011	000011	S355	2L 180x18
3226	8328	7299	6066	000011	000011	S355	2L 180x18
3021	8329	7299	6752	000000	000011	S355	2L 180x18
3281	8330	6066	7300	000011	000000	S355	2L 180x18
3096	8331	6752	7300	000011	000011	S355	2L 180x18
3292	8332	7300	6076	000011	000011	S355	2L 180x18
3085	8333	7300	6762	000000	000011	S355	2L 180x18
3282	8334	6076	7301	000011	000000	S355	2L 180x18
3096	8335	6762	7301	000011	000011	S355	2L 180x18
3291	8336	7301	6086	000011	000011	S355	2L 180x18
3087	8337	7301	6772	000000	000011	S355	2L 180x18
3284	8338	6086	7302	000011	000000	S355	2L 180x18
3094	8339	6772	7302	000011	000011	S355	2L 180x18
3290	8340	7302	6096	000011	000011	S355	2L 180x18
3088	8341	7302	6782	000000	000011	S355	2L 180x18
3285	8342	6096	7303	000011	000000	S355	2L 180x18
3093	8343	6782	7303	000011	000011	S355	2L 180x18
3289	8344	7303	6106	000011	000011	S355	2L 180x18
3090	8345	7303	6792	000000	000011	S355	2L 180x18
3286	8346	6106	7304	000011	000000	S355	2L 180x18
3092	8347	6792	7304	000011	000011	S355	2L 180x18
3288	8348	7304	6116	000011	000011	S355	2L 180x18
3091	8349	7304	6802	000000	000011	S355	2L 180x18
3287	8350	6116	7305	000011	000000	S355	2L 180x18
3091	8351	6802	7305	000011	000011	S355	2L 180x18

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3286	8352	7305	6126	000011	000011	S355	2L 180x18
3092	8353	7305	6812	000000	000011	S355	2L 180x18
3289	8354	6126	7306	000011	000000	S355	2L 180x18
3090	8355	6812	7306	000011	000011	S355	2L 180x18
3285	8356	7306	6136	000011	000011	S355	2L 180x18
3093	8357	7306	6822	000000	000011	S355	2L 180x18
3290	8358	6136	7307	000011	000000	S355	2L 180x18
3088	8359	6822	7307	000011	000011	S355	2L 180x18
3284	8360	7307	6146	000011	000011	S355	2L 180x18
3094	8361	7307	6832	000000	000011	S355	2L 180x18
3291	8362	6146	7308	000011	000000	S355	2L 180x18
3087	8363	6832	7308	000011	000011	S355	2L 180x18
3283	8364	7308	6156	000011	000011	S355	2L 180x18
3095	8365	7308	6842	000000	000011	S355	2L 180x18
3284	8366	6156	7309	000011	000000	S355	2L 180x18
3087	8367	6842	7309	000011	000011	S355	2L 180x18
3300	8368	7309	6166	000011	000011	S355	2L 180x18
3104	8369	7309	6852	000000	000011	S355	2L 180x18
3225	8370	6166	7310	000011	000000	S355	2L 180x18
3048	8371	6852	7310	000011	000011	S355	2L 180x18
3161	8372	7310	6176	000011	000011	S355	2L 180x18
3081	8373	7310	6862	000000	000011	S355	2L 180x18
3270	8374	6176	7311	000011	000000	S355	2L 180x18
2976	8375	6862	7311	000011	000011	S355	2L 180x18
3242	8376	7311	6186	000011	000011	S355	2L 180x18
3004	8377	7311	6872	000000	000011	S355	2L 180x18
3288	8378	6186	7312	000011	000000	S355	2L 180x18
3088	8379	6872	7312	000011	000011	S355	2L 180x18
3288	8380	7312	6196	000011	000011	S355	2L 180x18
3088	8381	7312	6882	000000	000011	S355	2L 180x18
3288	8382	6196	7313	000011	000000	S355	2L 180x18
3088	8383	6882	7313	000011	000011	S355	2L 180x18
3288	8384	7313	6206	000011	000011	S355	2L 180x18


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
3088	8385	7313	6892	000000	000011	S355	2L 180x18
3288	8386	6206	7314	000011	000000	S355	2L 180x18
3088	8387	6892	7314	000011	000011	S355	2L 180x18
3288	8388	7314	6216	000011	000011	S355	2L 180x18
3088	8389	7314	6902	000000	000011	S355	2L 180x18
3288	8390	6216	7315	000011	000000	S355	2L 180x18
3088	8391	6902	7315	000011	000011	S355	2L 180x18
3288	8392	7315	6226	000011	000011	S355	2L 180x18
3088	8393	7315	6912	000000	000011	S355	2L 180x18
3289	8394	6226	7316	000011	000000	S355	2L 180x18
3088	8395	6912	7316	000011	000011	S355	2L 180x18
3290	8396	7316	6236	000011	000011	S355	2L 180x18
3087	8397	7316	6922	000000	000011	S355	2L 180x18
3287	8398	6236	7317	000011	000000	S355	2L 180x18
3090	8399	6922	7317	000011	000011	S355	2L 180x18
3288	8400	7317	6246	000011	000011	S355	2L 180x18
3089	8401	7317	6932	000000	000011	S355	2L 180x18
3288	8402	6246	7318	000011	000000	S355	2L 180x18
3088	8403	6932	7318	000011	000011	S355	2L 180x18
3288	8404	7318	6256	000011	000011	S355	2L 180x18
3088	8405	7318	6942	000000	000011	S355	2L 180x18
3288	8406	6256	7319	000011	000000	S355	2L 180x18
3088	8407	6942	7319	000011	000011	S355	2L 180x18
3288	8408	7319	6266	000011	000011	S355	2L 180x18
3088	8409	7319	6952	000000	000011	S355	2L 180x18
3288	8410	6266	7320	000011	000000	S355	2L 180x18
3088	8411	6952	7320	000011	000011	S355	2L 180x18
3288	8412	7320	6276	000011	000011	S355	2L 180x18
3088	8413	7320	6962	000000	000011	S355	2L 180x18
3288	8414	6276	7321	000011	000000	S355	2L 180x18
3088	8415	6962	7321	000011	000011	S355	2L 180x18
3288	8416	7321	6286	000011	000011	S355	2L 180x18
3088	8417	7321	6972	000000	000011	S355	2L 180x18


PROJECT TITLE :

	Company						Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
3201	8418	6286	7322	000011	000000	S355	2L 180x18	
3048	8419	6972	7322	000011	000011	S355	2L 180x18	
3173	8420	7322	6296	000011	000011	S355	2L 180x18	
3078	8421	7322	6982	000000	000011	S355	2L 180x18	
3269	8422	6296	7323	000011	000000	S355	2L 180x18	
2977	8423	6982	7323	000011	000011	S355	2L 180x18	
3240	8424	7323	6306	000011	000011	S355	2L 180x18	
3007	8425	7323	6992	000000	000011	S355	2L 180x18	
3286	8426	6306	7324	000011	000000	S355	2L 180x18	
3091	8427	6992	7324	000011	000011	S355	2L 180x18	
3286	8428	7324	6316	000011	000011	S355	2L 180x18	
3091	8429	7324	7002	000000	000011	S355	2L 180x18	
3286	8430	6316	7325	000011	000000	S355	2L 180x18	
3091	8431	7002	7325	000011	000011	S355	2L 180x18	
3286	8432	7325	6326	000011	000011	S355	2L 180x18	
3091	8433	7325	7012	000000	000011	S355	2L 180x18	
3286	8434	6326	7326	000011	000000	S355	2L 180x18	
3091	8435	7012	7326	000011	000011	S355	2L 180x18	
3286	8436	7326	6336	000011	000011	S355	2L 180x18	
3091	8437	7326	7022	000000	000011	S355	2L 180x18	
3286	8438	6336	7327	000011	000000	S355	2L 180x18	
3091	8439	7022	7327	000011	000011	S355	2L 180x18	
3286	8440	7327	6346	000011	000011	S355	2L 180x18	
3091	8441	7327	7032	000000	000011	S355	2L 180x18	
3286	8442	6346	7328	000011	000000	S355	2L 180x18	
3091	8443	7032	7328	000011	000011	S355	2L 180x18	
3285	8444	7328	6356	000011	000011	S355	2L 180x18	
3091	8445	7328	7042	000000	000011	S355	2L 180x18	
3285	8446	6356	7329	000011	000000	S355	2L 180x18	
3091	8447	7042	7329	000011	000011	S355	2L 180x18	
3286	8448	7329	6366	000011	000011	S355	2L 180x18	
3091	8449	7329	7052	000000	000011	S355	2L 180x18	
3285	8450	6366	7330	000011	000000	S355	2L 180x18	


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
3091	8451	7052	7330	000011	000011	S355	2L 180x18
3286	8452	7330	6376	000011	000011	S355	2L 180x18
3091	8453	7330	7062	000000	000011	S355	2L 180x18
3286	8454	6376	7331	000011	000000	S355	2L 180x18
3091	8455	7062	7331	000011	000011	S355	2L 180x18
3286	8456	7331	6386	000011	000011	S355	2L 180x18
3091	8457	7331	7072	000000	000011	S355	2L 180x18
3286	8458	6386	7332	000011	000000	S355	2L 180x18
3091	8459	7072	7332	000011	000011	S355	2L 180x18
3286	8460	7332	6396	000011	000011	S355	2L 180x18
3091	8461	7332	7080	000000	000011	S355	2L 180x18
3286	8462	6396	7333	000011	000000	S355	2L 180x18
3091	8463	7080	7333	000011	000011	S355	2L 180x18
3286	8464	7333	6406	000011	000011	S355	2L 180x18
3091	8465	7333	7090	000000	000011	S355	2L 180x18
3213	8466	6406	7334	000011	000000	S355	2L 180x18
3034	8467	7090	7334	000011	000011	S355	2L 180x18
3206	8468	7334	6416	000011	000011	S355	2L 180x18
3042	8469	7334	7100	000000	000011	S355	2L 180x18
3211	8470	6416	7335	000011	000000	S355	2L 180x18
3036	8471	7100	7335	000011	000011	S355	2L 180x18
3191	8472	7335	6426	000011	000011	S355	2L 180x18
3056	8473	7335	7110	000000	000011	S355	2L 180x18
3197	8474	6426	7336	000011	000000	S355	2L 180x18
3050	8475	7110	7336	000011	000011	S355	2L 180x18
3193	8476	7336	6436	000011	000011	S355	2L 180x18
3054	8477	7336	7120	000000	000011	S355	2L 180x18
3192	8478	6436	7337	000011	000000	S355	2L 180x18
3055	8479	7120	7337	000011	000011	S355	2L 180x18
3198	8480	7337	6446	000011	000011	S355	2L 180x18
3048	8481	7337	7130	000000	000011	S355	2L 180x18
3186	8482	6446	7338	000011	000000	S355	2L 180x18
3061	8483	7130	7338	000011	000011	S355	2L 180x18


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
3204	8484	7338	6456	000011	000011	S355	2L 180x18
3043	8485	7338	7140	000000	000011	S355	2L 180x18
3168	8486	6456	7339	000011	000000	S355	2L 180x18
3080	8487	7140	7339	000011	000011	S355	2L 180x18
3179	8488	7339	6466	000011	000011	S355	2L 180x18
3069	8489	7339	7150	000000	000011	S355	2L 180x18
3176	8490	6466	7340	000011	000000	S355	2L 180x18
3072	8491	7150	7340	000011	000011	S355	2L 180x18
3154	8492	7340	6476	000011	000011	S355	2L 180x18
3094	8493	7340	7160	000000	000011	S355	2L 180x18
3165	8494	6476	7341	000011	000000	S355	2L 180x18
3083	8495	7160	7341	000011	000011	S355	2L 180x18
3165	8496	7341	6486	000011	000011	S355	2L 180x18
3083	8497	7341	7170	000000	000011	S355	2L 180x18
3165	8498	6486	7342	000011	000000	S355	2L 180x18
3083	8499	7170	7342	000011	000011	S355	2L 180x18
3165	8500	7342	6496	000011	000011	S355	2L 180x18
3083	8501	7342	7180	000000	000011	S355	2L 180x18
3165	8502	6496	7343	000011	000000	S355	2L 180x18
3083	8503	7180	7343	000011	000011	S355	2L 180x18
3165	8504	7343	6506	000011	000011	S355	2L 180x18
3083	8505	7343	7190	000000	000011	S355	2L 180x18
3108	8506	6506	7344	000011	000000	S355	2L 180x18
3017	8507	7190	7344	000011	000011	S355	2L 180x18
3115	8508	7344	6516	000011	000011	S355	2L 180x18
3010	8509	7344	7200	000000	000011	S355	2L 180x18
3061	8510	6523	7345	000011	000011	S355	2L140x13
2996	8511	5837	7345	000011	000000	S355	2L140x13
3034	8512	7345	6533	000000	000011	S355	2L140x13
3023	8513	7345	5847	000011	000011	S355	2L140x13
3136	8514	6533	7346	000011	000011	S355	2L140x13
3112	8515	5847	7346	000011	000000	S355	2L140x13
3131	8516	7346	6543	000000	000011	S355	2L140x13


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3118	8517	7346	5857	000011	000011		S355	2L140x13
3123	8518	5857	7347	000011	000000		S355	2L140x13
3125	8519	6543	7347	000011	000011		S355	2L140x13
3118	8520	7347	5867	000011	000011		S355	2L140x13
3130	8521	7347	6553	000000	000011		S355	2L140x13
3126	8522	5867	7348	000011	000000		S355	2L140x13
3122	8523	6553	7348	000011	000011		S355	2L140x13
3116	8524	7348	5877	000011	000011		S355	2L140x13
3132	8525	7348	6563	000000	000011		S355	2L140x13
3132	8526	5877	7349	000011	000000		S355	2L140x13
3116	8527	6563	7349	000011	000011		S355	2L140x13
3122	8528	7349	5887	000011	000011		S355	2L140x13
3126	8529	7349	6573	000000	000011		S355	2L140x13
3211	8530	5887	7350	000011	000000		S355	2L140x13
3036	8531	6573	7350	000011	000011		S355	2L140x13
3213	8532	7350	5897	000011	000011		S355	2L140x13
3034	8533	7350	6583	000000	000011		S355	2L140x13
3211	8534	5897	7351	000011	000000		S355	2L140x13
3036	8535	6583	7351	000011	000011		S355	2L140x13
3213	8536	7351	5907	000011	000011		S355	2L140x13
3034	8537	7351	6593	000000	000011		S355	2L140x13
3211	8538	5907	7352	000011	000000		S355	2L140x13
3036	8539	6593	7352	000011	000011		S355	2L140x13
3212	8540	7352	5917	000011	000011		S355	2L140x13
3035	8541	7352	6603	000000	000011		S355	2L140x13
3211	8542	5917	7353	000011	000000		S355	2L140x13
3036	8543	6603	7353	000011	000011		S355	2L140x13
3211	8544	7353	5927	000011	000011		S355	2L140x13
3036	8545	7353	6613	000000	000011		S355	2L140x13
3203	8546	5927	7354	000011	000000		S355	2L140x13
3044	8547	6613	7354	000011	000011		S355	2L140x13
3190	8548	7354	5937	000011	000011		S355	2L140x13
3058	8549	7354	6623	000000	000011		S355	2L140x13


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3228	8550	5937	7355	000011	000000		S355	2L140x13
3018	8551	6623	7355	000011	000011		S355	2L140x13
3224	8552	7355	5947	000011	000011		S355	2L140x13
3022	8553	7355	6633	000000	000011		S355	2L140x13
3288	8554	5947	7356	000011	000000		S355	2L140x13
3089	8555	6633	7356	000011	000011		S355	2L140x13
3288	8556	7356	5957	000011	000011		S355	2L140x13
3088	8557	7356	6643	000000	000011		S355	2L140x13
3288	8558	5957	7357	000011	000000		S355	2L140x13
3089	8559	6643	7357	000011	000011		S355	2L140x13
3288	8560	7357	5967	000011	000011		S355	2L140x13
3088	8561	7357	6653	000000	000011		S355	2L140x13
3288	8562	5967	7358	000011	000000		S355	2L140x13
3089	8563	6653	7358	000011	000011		S355	2L140x13
3288	8564	7358	5977	000011	000011		S355	2L140x13
3088	8565	7358	6663	000000	000011		S355	2L140x13
3288	8566	5977	7359	000011	000000		S355	2L140x13
3089	8567	6663	7359	000011	000011		S355	2L140x13
3288	8568	7359	5987	000011	000011		S355	2L140x13
3088	8569	7359	6673	000000	000011		S355	2L140x13
3288	8570	5987	7360	000011	000000		S355	2L140x13
3089	8571	6673	7360	000011	000011		S355	2L140x13
3288	8572	7360	5997	000011	000011		S355	2L140x13
3088	8573	7360	6683	000000	000011		S355	2L140x13
3288	8574	5997	7361	000011	000000		S355	2L140x13
3088	8575	6683	7361	000011	000011		S355	2L140x13
3288	8576	7361	6007	000011	000011		S355	2L140x13
3088	8577	7361	6693	000000	000011		S355	2L140x13
3288	8578	6007	7362	000011	000000		S355	2L140x13
3088	8579	6693	7362	000011	000011		S355	2L140x13
3288	8580	7362	6017	000011	000011		S355	2L140x13
3088	8581	7362	6703	000000	000011		S355	2L140x13
3288	8582	6017	7363	000011	000000		S355	2L140x13


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3088	8583	6703	7363	000011	000011		S355	2L140x13
3288	8584	7363	6027	000011	000011		S355	2L140x13
3089	8585	7363	6713	000000	000011		S355	2L140x13
3288	8586	6027	7364	000011	000000		S355	2L140x13
3088	8587	6713	7364	000011	000011		S355	2L140x13
3288	8588	7364	6037	000011	000011		S355	2L140x13
3089	8589	7364	6723	000000	000011		S355	2L140x13
3288	8590	6037	7365	000011	000000		S355	2L140x13
3088	8591	6723	7365	000011	000011		S355	2L140x13
3288	8592	7365	6047	000011	000011		S355	2L140x13
3089	8593	7365	6733	000000	000011		S355	2L140x13
3221	8594	6047	7366	000011	000000		S355	2L140x13
3024	8595	6733	7366	000011	000011		S355	2L140x13
3221	8596	7366	6057	000011	000011		S355	2L140x13
3024	8597	7366	6743	000000	000011		S355	2L140x13
3215	8598	6057	7367	000011	000000		S355	2L140x13
3032	8599	6743	7367	000011	000011		S355	2L140x13
3226	8600	7367	6067	000011	000011		S355	2L140x13
3021	8601	7367	6753	000000	000011		S355	2L140x13
3281	8602	6067	7368	000011	000000		S355	2L140x13
3096	8603	6753	7368	000011	000011		S355	2L140x13
3292	8604	7368	6077	000011	000011		S355	2L140x13
3085	8605	7368	6763	000000	000011		S355	2L140x13
3282	8606	6077	7369	000011	000000		S355	2L140x13
3096	8607	6763	7369	000011	000011		S355	2L140x13
3291	8608	7369	6087	000011	000011		S355	2L140x13
3087	8609	7369	6773	000000	000011		S355	2L140x13
3284	8610	6087	7370	000011	000000		S355	2L140x13
3094	8611	6773	7370	000011	000011		S355	2L140x13
3290	8612	7370	6097	000011	000011		S355	2L140x13
3088	8613	7370	6783	000000	000011		S355	2L140x13
3285	8614	6097	7371	000011	000000		S355	2L140x13
3093	8615	6783	7371	000011	000011		S355	2L140x13


PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3289	8616	7371	6107	000011	000011		S355	2L140x13
3090	8617	7371	6793	000000	000011		S355	2L140x13
3286	8618	6107	7372	000011	000000		S355	2L140x13
3092	8619	6793	7372	000011	000011		S355	2L140x13
3288	8620	7372	6117	000011	000011		S355	2L140x13
3091	8621	7372	6803	000000	000011		S355	2L140x13
3287	8622	6117	7373	000011	000000		S355	2L140x13
3091	8623	6803	7373	000011	000011		S355	2L140x13
3286	8624	7373	6127	000011	000011		S355	2L140x13
3092	8625	7373	6813	000000	000011		S355	2L140x13
3289	8626	6127	7374	000011	000000		S355	2L140x13
3090	8627	6813	7374	000011	000011		S355	2L140x13
3285	8628	7374	6137	000011	000011		S355	2L140x13
3093	8629	7374	6823	000000	000011		S355	2L140x13
3290	8630	6137	7375	000011	000000		S355	2L140x13
3088	8631	6823	7375	000011	000011		S355	2L140x13
3284	8632	7375	6147	000011	000011		S355	2L140x13
3094	8633	7375	6833	000000	000011		S355	2L140x13
3291	8634	6147	7376	000011	000000		S355	2L140x13
3087	8635	6833	7376	000011	000011		S355	2L140x13
3283	8636	7376	6157	000011	000011		S355	2L140x13
3095	8637	7376	6843	000000	000011		S355	2L140x13
3284	8638	6157	7377	000011	000000		S355	2L140x13
3087	8639	6843	7377	000011	000011		S355	2L140x13
3300	8640	7377	6167	000011	000011		S355	2L140x13
3104	8641	7377	6853	000000	000011		S355	2L140x13
3225	8642	6167	7378	000011	000000		S355	2L140x13
3048	8643	6853	7378	000011	000011		S355	2L140x13
3161	8644	7378	6177	000011	000011		S355	2L140x13
3081	8645	7378	6863	000000	000011		S355	2L140x13
3270	8646	6177	7379	000011	000000		S355	2L140x13
2976	8647	6863	7379	000011	000011		S355	2L140x13
3242	8648	7379	6187	000011	000011		S355	2L140x13

PROJECT TITLE :


	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3004	8649	7379	6873	000000	000011		S355	2L140x13
3288	8650	6187	7380	000011	000000		S355	2L140x13
3088	8651	6873	7380	000011	000011		S355	2L140x13
3288	8652	7380	6197	000011	000011		S355	2L140x13
3088	8653	7380	6883	000000	000011		S355	2L140x13
3288	8654	6197	7381	000011	000000		S355	2L140x13
3088	8655	6883	7381	000011	000011		S355	2L140x13
3288	8656	7381	6207	000011	000011		S355	2L140x13
3088	8657	7381	6893	000000	000011		S355	2L140x13
3288	8658	6207	7382	000011	000000		S355	2L140x13
3088	8659	6893	7382	000011	000011		S355	2L140x13
3288	8660	7382	6217	000011	000011		S355	2L140x13
3088	8661	7382	6903	000000	000011		S355	2L140x13
3288	8662	6217	7383	000011	000000		S355	2L140x13
3088	8663	6903	7383	000011	000011		S355	2L140x13
3288	8664	7383	6227	000011	000011		S355	2L140x13
3088	8665	7383	6913	000000	000011		S355	2L140x13
3289	8666	6227	7384	000011	000000		S355	2L140x13
3088	8667	6913	7384	000011	000011		S355	2L140x13
3290	8668	7384	6237	000011	000011		S355	2L140x13
3087	8669	7384	6923	000000	000011		S355	2L140x13
3287	8670	6237	7385	000011	000000		S355	2L140x13
3090	8671	6923	7385	000011	000011		S355	2L140x13
3288	8672	7385	6247	000011	000011		S355	2L140x13
3089	8673	7385	6933	000000	000011		S355	2L140x13
3288	8674	6247	7386	000011	000000		S355	2L140x13
3088	8675	6933	7386	000011	000011		S355	2L140x13
3288	8676	7386	6257	000011	000011		S355	2L140x13
3088	8677	7386	6943	000000	000011		S355	2L140x13
3288	8678	6257	7387	000011	000000		S355	2L140x13
3088	8679	6943	7387	000011	000011		S355	2L140x13
3288	8680	7387	6267	000011	000011		S355	2L140x13
3088	8681	7387	6953	000000	000011		S355	2L140x13

PROJECT TITLE :


	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3288	8682	6267	7388	000011	000000		S355	2L140x13
3088	8683	6953	7388	000011	000011		S355	2L140x13
3288	8684	7388	6277	000011	000011		S355	2L140x13
3088	8685	7388	6963	000000	000011		S355	2L140x13
3288	8686	6277	7389	000011	000000		S355	2L140x13
3088	8687	6963	7389	000011	000011		S355	2L140x13
3288	8688	7389	6287	000011	000011		S355	2L140x13
3088	8689	7389	6973	000000	000011		S355	2L140x13
3201	8690	6287	7390	000011	000000		S355	2L140x13
3048	8691	6973	7390	000011	000011		S355	2L140x13
3173	8692	7390	6297	000011	000011		S355	2L140x13
3078	8693	7390	6983	000000	000011		S355	2L140x13
3269	8694	6297	7391	000011	000000		S355	2L140x13
2977	8695	6983	7391	000011	000011		S355	2L140x13
3240	8696	7391	6307	000011	000011		S355	2L140x13
3007	8697	7391	6993	000000	000011		S355	2L140x13
3286	8698	6307	7392	000011	000000		S355	2L140x13
3091	8699	6993	7392	000011	000011		S355	2L140x13
3286	8700	7392	6317	000011	000011		S355	2L140x13
3091	8701	7392	7003	000000	000011		S355	2L140x13
3286	8702	6317	7393	000011	000000		S355	2L140x13
3091	8703	7003	7393	000011	000011		S355	2L140x13
3286	8704	7393	6327	000011	000011		S355	2L140x13
3091	8705	7393	7013	000000	000011		S355	2L140x13
3286	8706	6327	7394	000011	000000		S355	2L140x13
3091	8707	7013	7394	000011	000011		S355	2L140x13
3286	8708	7394	6337	000011	000011		S355	2L140x13
3091	8709	7394	7023	000000	000011		S355	2L140x13
3286	8710	6337	7395	000011	000000		S355	2L140x13
3091	8711	7023	7395	000011	000011		S355	2L140x13
3286	8712	7395	6347	000011	000011		S355	2L140x13
3091	8713	7395	7033	000000	000011		S355	2L140x13
3286	8714	6347	7396	000011	000000		S355	2L140x13

MIDAS

PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3091	8715	7033	7396	000011	000011		S355	2L140x13
3285	8716	7396	6357	000011	000011		S355	2L140x13
3091	8717	7396	7043	000000	000011		S355	2L140x13
3285	8718	6357	7397	000011	000000		S355	2L140x13
3091	8719	7043	7397	000011	000011		S355	2L140x13
3286	8720	7397	6367	000011	000011		S355	2L140x13
3091	8721	7397	7053	000000	000011		S355	2L140x13
3285	8722	6367	7398	000011	000000		S355	2L140x13
3091	8723	7053	7398	000011	000011		S355	2L140x13
3286	8724	7398	6377	000011	000011		S355	2L140x13
3091	8725	7398	7063	000000	000011		S355	2L140x13
3286	8726	6377	7399	000011	000000		S355	2L140x13
3091	8727	7063	7399	000011	000011		S355	2L140x13
3286	8728	7399	6387	000011	000011		S355	2L140x13
3091	8729	7399	7073	000000	000011		S355	2L140x13
3286	8730	6387	7400	000011	000000		S355	2L140x13
3091	8731	7073	7400	000011	000011		S355	2L140x13
3286	8732	7400	6397	000011	000011		S355	2L140x13
3091	8733	7400	7081	000000	000011		S355	2L140x13
3286	8734	6397	7401	000011	000000		S355	2L140x13
3091	8735	7081	7401	000011	000011		S355	2L140x13
3286	8736	7401	6407	000011	000011		S355	2L140x13
3091	8737	7401	7091	000000	000011		S355	2L140x13
3213	8738	6407	7402	000011	000000		S355	2L140x13
3034	8739	7091	7402	000011	000011		S355	2L140x13
3206	8740	7402	6417	000011	000011		S355	2L140x13
3042	8741	7402	7101	000000	000011		S355	2L140x13
3211	8742	6417	7403	000011	000000		S355	2L140x13
3036	8743	7101	7403	000011	000011		S355	2L140x13
3191	8744	7403	6427	000011	000011		S355	2L140x13
3056	8745	7403	7111	000000	000011		S355	2L140x13
3197	8746	6427	7404	000011	000000		S355	2L140x13
3050	8747	7111	7404	000011	000011		S355	2L140x13

PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3193	8748	7404	6437	000011	000011		S355	2L140x13
3054	8749	7404	7121	000000	000011		S355	2L140x13
3192	8750	6437	7405	000011	000000		S355	2L140x13
3055	8751	7121	7405	000011	000011		S355	2L140x13
3198	8752	7405	6447	000011	000011		S355	2L140x13
3048	8753	7405	7131	000000	000011		S355	2L140x13
3186	8754	6447	7406	000011	000000		S355	2L140x13
3061	8755	7131	7406	000011	000011		S355	2L140x13
3204	8756	7406	6457	000011	000011		S355	2L140x13
3043	8757	7406	7141	000000	000011		S355	2L140x13
3168	8758	6457	7407	000011	000000		S355	2L140x13
3080	8759	7141	7407	000011	000011		S355	2L140x13
3179	8760	7407	6467	000011	000011		S355	2L140x13
3069	8761	7407	7151	000000	000011		S355	2L140x13
3176	8762	6467	7408	000011	000000		S355	2L140x13
3072	8763	7151	7408	000011	000011		S355	2L140x13
3154	8764	7408	6477	000011	000011		S355	2L140x13
3094	8765	7408	7161	000000	000011		S355	2L140x13
3165	8766	6477	7409	000011	000000		S355	2L140x13
3083	8767	7161	7409	000011	000011		S355	2L140x13
3165	8768	7409	6487	000011	000011		S355	2L140x13
3083	8769	7409	7171	000000	000011		S355	2L140x13
3165	8770	6487	7410	000011	000000		S355	2L140x13
3083	8771	7171	7410	000011	000011		S355	2L140x13
3165	8772	7410	6497	000011	000011		S355	2L140x13
3083	8773	7410	7181	000000	000011		S355	2L140x13
3165	8774	6497	7411	000011	000000		S355	2L140x13
3083	8775	7181	7411	000011	000011		S355	2L140x13
3165	8776	7411	6507	000011	000011		S355	2L140x13
3083	8777	7411	7191	000000	000011		S355	2L140x13
3108	8778	6507	7412	000011	000000		S355	2L140x13
3017	8779	7191	7412	000011	000011		S355	2L140x13
3115	8780	7412	6517	000011	000011		S355	2L140x13

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

3010	8781	7412	7201	000000	000011	S355	2L140x13
686.7	8803	5846	8338	-	-	S355	Irrig_traversi
686.7	8804	5856	8348	-	-	S355	Irrig_traversi
686.7	8805	5866	8358	-	-	S355	Irrig_traversi
686.7	8806	5876	8368	-	-	S355	Irrig_traversi
686.7	8807	5886	8378	-	-	S355	Irrig_traversi
686.7	8808	5896	8388	-	-	S355	Irrig_traversi
686.7	8809	5906	8398	-	-	S355	Irrig_traversi
686.7	8810	5916	8408	-	-	S355	Irrig_traversi
686.7	8811	5926	8418	-	-	S355	Irrig_traversi
686.7	8812	5946	8438	-	-	S355	Irrig_traversi
686.7	8813	5956	8448	-	-	S355	Irrig_traversi
686.7	8814	5966	8458	-	-	S355	Irrig_traversi
686.7	8815	5976	8468	-	-	S355	Irrig_traversi
686.7	8816	5986	8478	-	-	S355	Irrig_traversi
686.7	8817	5996	8488	-	-	S355	Irrig_traversi
686.7	8818	6006	8498	-	-	S355	Irrig_traversi
686.7	8819	6016	8508	-	-	S355	Irrig_traversi
686.7	8820	6026	8518	-	-	S355	Irrig_traversi
686.7	8821	6036	8528	-	-	S355	Irrig_traversi
686.7	8822	6046	8538	-	-	S355	Irrig_traversi
686.7	8823	6066	8558	-	-	S355	Irrig_traversi
686.7	8824	6076	8568	-	-	S355	Irrig_traversi
686.7	8825	6086	8578	-	-	S355	Irrig_traversi
686.7	8826	6096	8588	-	-	S355	Irrig_traversi
686.7	8827	6106	8598	-	-	S355	Irrig_traversi
686.7	8828	6116	8608	-	-	S355	Irrig_traversi
686.7	8829	6126	8618	-	-	S355	Irrig_traversi
686.7	8830	6136	8628	-	-	S355	Irrig_traversi
686.7	8831	6146	8638	-	-	S355	Irrig_traversi
686.7	8832	6156	8648	-	-	S355	Irrig_traversi
686.7	8833	6166	8658	-	-	S355	Irrig_traversi
686.7	8834	6186	8678	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	8835	6196	8688	-	-	S355	Irrig_traversi
686.7	8836	6206	8698	-	-	S355	Irrig_traversi
686.7	8837	6216	8708	-	-	S355	Irrig_traversi
686.7	8838	6226	8718	-	-	S355	Irrig_traversi
686.7	8839	6236	8728	-	-	S355	Irrig_traversi
686.7	8840	6246	8738	-	-	S355	Irrig_traversi
686.7	8841	6256	8748	-	-	S355	Irrig_traversi
686.7	8842	6266	8758	-	-	S355	Irrig_traversi
686.7	8843	6276	8768	-	-	S355	Irrig_traversi
686.7	8844	6286	8778	-	-	S355	Irrig_traversi
686.7	8845	6306	8798	-	-	S355	Irrig_traversi
686.7	8846	6316	8808	-	-	S355	Irrig_traversi
686.7	8847	6326	8818	-	-	S355	Irrig_traversi
686.7	8848	6336	8828	-	-	S355	Irrig_traversi
686.7	8849	6346	8838	-	-	S355	Irrig_traversi
686.7	8850	6356	8848	-	-	S355	Irrig_traversi
686.7	8851	6366	8858	-	-	S355	Irrig_traversi
686.7	8852	6376	8868	-	-	S355	Irrig_traversi
686.7	8853	6386	8878	-	-	S355	Irrig_traversi
686.7	8854	6396	8888	-	-	S355	Irrig_traversi
686.7	8855	6406	8898	-	-	S355	Irrig_traversi
686.7	8856	6426	8918	-	-	S355	Irrig_traversi
686.7	8857	6436	8928	-	-	S355	Irrig_traversi
686.7	8858	6446	8938	-	-	S355	Irrig_traversi
686.7	8859	6456	8948	-	-	S355	Irrig_traversi
686.7	8860	6466	8958	-	-	S355	Irrig_traversi
686.7	8861	6476	8968	-	-	S355	Irrig_traversi
686.7	8862	6486	8978	-	-	S355	Irrig_traversi
686.7	8863	6496	8988	-	-	S355	Irrig_traversi
686.7	8864	6506	8998	-	-	S355	Irrig_traversi
686.7	8865	6533	9025	-	-	S355	Irrig_traversi
686.7	8866	6543	9035	-	-	S355	Irrig_traversi
686.7	8867	6553	9045	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	8868	6563	9055	-	-	S355	Irrig_traversi
686.7	8869	6573	9065	-	-	S355	Irrig_traversi
686.7	8870	6583	9075	-	-	S355	Irrig_traversi
686.7	8871	6593	9085	-	-	S355	Irrig_traversi
686.7	8872	6603	9095	-	-	S355	Irrig_traversi
686.7	8873	6613	9105	-	-	S355	Irrig_traversi
686.7	8874	6633	9125	-	-	S355	Irrig_traversi
686.7	8875	6643	9135	-	-	S355	Irrig_traversi
686.7	8876	6653	9145	-	-	S355	Irrig_traversi
686.7	8877	6663	9155	-	-	S355	Irrig_traversi
686.7	8878	6673	9165	-	-	S355	Irrig_traversi
686.7	8879	6683	9175	-	-	S355	Irrig_traversi
686.7	8880	6693	9185	-	-	S355	Irrig_traversi
686.7	8881	6703	9195	-	-	S355	Irrig_traversi
686.7	8882	6713	9205	-	-	S355	Irrig_traversi
686.7	8883	6723	9215	-	-	S355	Irrig_traversi
686.7	8884	6733	9225	-	-	S355	Irrig_traversi
686.7	8885	6753	9245	-	-	S355	Irrig_traversi
686.7	8886	6763	9255	-	-	S355	Irrig_traversi
686.7	8887	6773	9265	-	-	S355	Irrig_traversi
686.7	8888	6783	9275	-	-	S355	Irrig_traversi
686.7	8889	6793	9285	-	-	S355	Irrig_traversi
686.7	8890	6803	9295	-	-	S355	Irrig_traversi
686.7	8891	6813	9305	-	-	S355	Irrig_traversi
686.7	8892	6823	9315	-	-	S355	Irrig_traversi
686.7	8893	6833	9325	-	-	S355	Irrig_traversi
686.7	8894	6843	9335	-	-	S355	Irrig_traversi
686.7	8895	6853	9345	-	-	S355	Irrig_traversi
686.7	8896	6873	9365	-	-	S355	Irrig_traversi
686.7	8897	6883	9375	-	-	S355	Irrig_traversi
686.7	8898	6893	9385	-	-	S355	Irrig_traversi
686.7	8899	6903	9395	-	-	S355	Irrig_traversi
686.7	8900	6913	9405	-	-	S355	Irrig_traversi

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	8901	6923	9415	-	-	S355	Irrig_traversi
686.7	8902	6933	9425	-	-	S355	Irrig_traversi
686.7	8903	6943	9435	-	-	S355	Irrig_traversi
686.7	8904	6953	9445	-	-	S355	Irrig_traversi
686.7	8905	6963	9455	-	-	S355	Irrig_traversi
686.7	8906	6973	9465	-	-	S355	Irrig_traversi
686.7	8907	6993	9485	-	-	S355	Irrig_traversi
686.7	8908	7003	9495	-	-	S355	Irrig_traversi
686.7	8909	7013	9505	-	-	S355	Irrig_traversi
686.7	8910	7023	9515	-	-	S355	Irrig_traversi
686.7	8911	7033	9525	-	-	S355	Irrig_traversi
686.7	8912	7043	9535	-	-	S355	Irrig_traversi
686.7	8913	7053	9545	-	-	S355	Irrig_traversi
686.7	8914	7063	9555	-	-	S355	Irrig_traversi
686.7	8915	7073	9565	-	-	S355	Irrig_traversi
686.7	8916	7081	9573	-	-	S355	Irrig_traversi
686.7	8917	7091	9583	-	-	S355	Irrig_traversi
686.7	8918	7111	9603	-	-	S355	Irrig_traversi
686.7	8919	7121	9613	-	-	S355	Irrig_traversi
686.7	8920	7131	9623	-	-	S355	Irrig_traversi
686.7	8921	7141	9633	-	-	S355	Irrig_traversi
686.7	8922	7151	9643	-	-	S355	Irrig_traversi
686.7	8923	7161	9653	-	-	S355	Irrig_traversi
686.7	8924	7171	9663	-	-	S355	Irrig_traversi
686.7	8925	7181	9673	-	-	S355	Irrig_traversi
686.7	8926	7191	9683	-	-	S355	Irrig_traversi
180	8927	5847	4631	-	-	S355	Irrig_traversi
180	8928	5857	4626	-	-	S355	Irrig_traversi
180	8929	5867	4621	-	-	S355	Irrig_traversi
180	8930	5877	4616	-	-	S355	Irrig_traversi
180	8931	5887	4611	-	-	S355	Irrig_traversi
180	8932	5897	4610	-	-	S355	Irrig_traversi
180	8933	5907	4597	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	8934	5917	4596	-	-	S355	Irrig_traversi
180	8935	5927	4591	-	-	S355	Irrig_traversi
180	8936	5947	4581	-	-	S355	Irrig_traversi
180	8937	5957	4580	-	-	S355	Irrig_traversi
180	8938	5967	4571	-	-	S355	Irrig_traversi
180	8939	5977	4566	-	-	S355	Irrig_traversi
180	8940	5987	4561	-	-	S355	Irrig_traversi
180	8941	5997	4556	-	-	S355	Irrig_traversi
180	8942	6007	4551	-	-	S355	Irrig_traversi
180	8943	6017	4550	-	-	S355	Irrig_traversi
180	8944	6027	4527	-	-	S355	Irrig_traversi
180	8945	6037	4517	-	-	S355	Irrig_traversi
180	8946	6047	4516	-	-	S355	Irrig_traversi
180	8947	6067	4532	-	-	S355	Irrig_traversi
180	8948	6077	4537	-	-	S355	Irrig_traversi
180	8949	6087	4511	-	-	S355	Irrig_traversi
180	8950	6097	4506	-	-	S355	Irrig_traversi
180	8951	6107	4501	-	-	S355	Irrig_traversi
180	8952	6117	4500	-	-	S355	Irrig_traversi
180	8953	6127	4495	-	-	S355	Irrig_traversi
180	8954	6137	4486	-	-	S355	Irrig_traversi
180	8955	6147	4485	-	-	S355	Irrig_traversi
180	8956	6157	4480	-	-	S355	Irrig_traversi
180	8957	6167	4471	-	-	S355	Irrig_traversi
180	8958	6187	4460	-	-	S355	Irrig_traversi
180	8959	6197	4466	-	-	S355	Irrig_traversi
180	8960	6207	4642	-	-	S355	Irrig_traversi
180	8961	6217	4647	-	-	S355	Irrig_traversi
180	8962	6227	4652	-	-	S355	Irrig_traversi
180	8963	6237	4657	-	-	S355	Irrig_traversi
180	8964	6247	4662	-	-	S355	Irrig_traversi
180	8965	6257	4667	-	-	S355	Irrig_traversi
180	8966	6267	4672	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	8967	6277	4677	-	-	S355	Irrig_traversi
180	8968	6287	4686	-	-	S355	Irrig_traversi
180	8969	6307	4692	-	-	S355	Irrig_traversi
180	8970	6317	4697	-	-	S355	Irrig_traversi
180	8971	6327	4702	-	-	S355	Irrig_traversi
180	8972	6337	4707	-	-	S355	Irrig_traversi
180	8973	6347	4712	-	-	S355	Irrig_traversi
180	8974	6357	4717	-	-	S355	Irrig_traversi
180	8975	6367	4722	-	-	S355	Irrig_traversi
180	8976	6377	4727	-	-	S355	Irrig_traversi
180	8977	6387	4732	-	-	S355	Irrig_traversi
180	8978	6397	4737	-	-	S355	Irrig_traversi
180	8979	6407	4746	-	-	S355	Irrig_traversi
180	8980	6427	4752	-	-	S355	Irrig_traversi
180	8981	6437	4757	-	-	S355	Irrig_traversi
180	8982	6447	4762	-	-	S355	Irrig_traversi
180	8983	6457	4767	-	-	S355	Irrig_traversi
180	8984	6467	4772	-	-	S355	Irrig_traversi
180	8985	6477	4777	-	-	S355	Irrig_traversi
180	8986	6487	4782	-	-	S355	Irrig_traversi
180	8987	6497	4787	-	-	S355	Irrig_traversi
180	8988	6507	4796	-	-	S355	Irrig_traversi
180	8989	4974	6533	-	-	S355	Irrig_traversi
180	8990	4969	6543	-	-	S355	Irrig_traversi
180	8991	4960	6553	-	-	S355	Irrig_traversi
180	8992	4955	6563	-	-	S355	Irrig_traversi
180	8993	4954	6573	-	-	S355	Irrig_traversi
180	8994	4945	6583	-	-	S355	Irrig_traversi
180	8995	4940	6593	-	-	S355	Irrig_traversi
180	8996	4939	6603	-	-	S355	Irrig_traversi
180	8997	4930	6613	-	-	S355	Irrig_traversi
180	8998	4924	6633	-	-	S355	Irrig_traversi
180	8999	4919	6643	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	9000	4914	6653	-	-	S355	Irrig_traversi
180	9001	4905	6663	-	-	S355	Irrig_traversi
180	9002	4904	6673	-	-	S355	Irrig_traversi
180	9003	4899	6683	-	-	S355	Irrig_traversi
180	9004	4894	6693	-	-	S355	Irrig_traversi
180	9005	4889	6703	-	-	S355	Irrig_traversi
180	9006	4880	6713	-	-	S355	Irrig_traversi
180	9007	4875	6723	-	-	S355	Irrig_traversi
180	9008	4870	6733	-	-	S355	Irrig_traversi
180	9009	4860	6753	-	-	S355	Irrig_traversi
180	9010	4859	6763	-	-	S355	Irrig_traversi
180	9011	4854	6773	-	-	S355	Irrig_traversi
180	9012	4849	6783	-	-	S355	Irrig_traversi
180	9013	4844	6793	-	-	S355	Irrig_traversi
180	9014	4839	6803	-	-	S355	Irrig_traversi
180	9015	4834	6813	-	-	S355	Irrig_traversi
180	9016	4829	6823	-	-	S355	Irrig_traversi
180	9017	4828	6833	-	-	S355	Irrig_traversi
180	9018	4823	6843	-	-	S355	Irrig_traversi
180	9019	4814	6853	-	-	S355	Irrig_traversi
180	9020	4803	6873	-	-	S355	Irrig_traversi
180	9021	4809	6883	-	-	S355	Irrig_traversi
180	9022	4985	6893	-	-	S355	Irrig_traversi
180	9023	4990	6903	-	-	S355	Irrig_traversi
180	9024	4995	6913	-	-	S355	Irrig_traversi
180	9025	5000	6923	-	-	S355	Irrig_traversi
180	9026	5005	6933	-	-	S355	Irrig_traversi
180	9027	5010	6943	-	-	S355	Irrig_traversi
180	9028	5015	6953	-	-	S355	Irrig_traversi
180	9029	5020	6963	-	-	S355	Irrig_traversi
180	9030	5025	6973	-	-	S355	Irrig_traversi
180	9031	5035	6993	-	-	S355	Irrig_traversi
180	9032	5040	7003	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	9033	5045	7013	-	-	S355	Irrig_traversi
180	9034	5050	7023	-	-	S355	Irrig_traversi
180	9035	5055	7033	-	-	S355	Irrig_traversi
180	9036	5060	7043	-	-	S355	Irrig_traversi
180	9037	5065	7053	-	-	S355	Irrig_traversi
180	9038	5070	7063	-	-	S355	Irrig_traversi
180	9039	5075	7073	-	-	S355	Irrig_traversi
180	9040	5080	7081	-	-	S355	Irrig_traversi
180	9041	5085	7091	-	-	S355	Irrig_traversi
180	9042	5095	7111	-	-	S355	Irrig_traversi
180	9043	5105	7121	-	-	S355	Irrig_traversi
180	9044	5100	7131	-	-	S355	Irrig_traversi
180	9045	5106	7141	-	-	S355	Irrig_traversi
180	9046	5111	7151	-	-	S355	Irrig_traversi
180	9047	5120	7161	-	-	S355	Irrig_traversi
180	9048	5125	7171	-	-	S355	Irrig_traversi
180	9049	5130	7181	-	-	S355	Irrig_traversi
180	9050	5135	7191	-	-	S355	Irrig_traversi
260	9051	6532	5496	-	-	S355	Irrig_traversi
260	9052	6542	5501	-	-	S355	Irrig_traversi
260	9053	6552	5506	-	-	S355	Irrig_traversi
260	9054	6562	5511	-	-	S355	Irrig_traversi
260	9055	6572	5516	-	-	S355	Irrig_traversi
260	9056	6582	5521	-	-	S355	Irrig_traversi
260	9057	6592	5526	-	-	S355	Irrig_traversi
260	9058	6602	5531	-	-	S355	Irrig_traversi
260	9059	6612	5536	-	-	S355	Irrig_traversi
260	9060	6632	5546	-	-	S355	Irrig_traversi
260	9061	6642	5551	-	-	S355	Irrig_traversi
260	9062	6652	5556	-	-	S355	Irrig_traversi
260	9063	6662	5561	-	-	S355	Irrig_traversi
260	9064	6672	5566	-	-	S355	Irrig_traversi
260	9065	6682	5571	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
260	9066	6692	5576	-	-	S355	Irrig_traversi
260	9067	6702	5581	-	-	S355	Irrig_traversi
260	9068	6712	5586	-	-	S355	Irrig_traversi
260	9069	6722	5591	-	-	S355	Irrig_traversi
260	9070	6732	5596	-	-	S355	Irrig_traversi
260	9071	6752	5606	-	-	S355	Irrig_traversi
260	9072	6762	5611	-	-	S355	Irrig_traversi
260	9073	6772	5616	-	-	S355	Irrig_traversi
260	9074	6782	5621	-	-	S355	Irrig_traversi
260	9075	6792	5626	-	-	S355	Irrig_traversi
260	9076	6802	5631	-	-	S355	Irrig_traversi
260	9077	6812	5636	-	-	S355	Irrig_traversi
260	9078	6822	5641	-	-	S355	Irrig_traversi
260	9079	6832	5646	-	-	S355	Irrig_traversi
260	9080	6842	5651	-	-	S355	Irrig_traversi
260	9081	6852	5656	-	-	S355	Irrig_traversi
260	9082	6872	5666	-	-	S355	Irrig_traversi
260	9083	6882	5671	-	-	S355	Irrig_traversi
260	9084	6892	5676	-	-	S355	Irrig_traversi
260	9085	6902	5681	-	-	S355	Irrig_traversi
260	9086	6912	5686	-	-	S355	Irrig_traversi
260	9087	6922	5691	-	-	S355	Irrig_traversi
260	9088	6932	5696	-	-	S355	Irrig_traversi
260	9089	6942	5701	-	-	S355	Irrig_traversi
260	9090	6952	5706	-	-	S355	Irrig_traversi
260	9091	6962	5711	-	-	S355	Irrig_traversi
260	9092	6972	5716	-	-	S355	Irrig_traversi
260	9093	6992	5726	-	-	S355	Irrig_traversi
260	9094	7002	5731	-	-	S355	Irrig_traversi
260	9095	7012	5736	-	-	S355	Irrig_traversi
260	9096	7022	5741	-	-	S355	Irrig_traversi
260	9097	7032	5746	-	-	S355	Irrig_traversi
260	9098	7042	5751	-	-	S355	Irrig_traversi

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
260	9099	7052	5756	-	-	S355	Irrig_traversi
260	9100	7062	5761	-	-	S355	Irrig_traversi
260	9101	7072	5766	-	-	S355	Irrig_traversi
260	9102	7080	5772	-	-	S355	Irrig_traversi
260	9103	7090	5777	-	-	S355	Irrig_traversi
260	9104	7110	5787	-	-	S355	Irrig_traversi
260	9105	7120	5792	-	-	S355	Irrig_traversi
260	9106	7130	5797	-	-	S355	Irrig_traversi
260	9107	7140	5802	-	-	S355	Irrig_traversi
260	9108	7150	5807	-	-	S355	Irrig_traversi
260	9109	7160	5812	-	-	S355	Irrig_traversi
260	9110	7170	5817	-	-	S355	Irrig_traversi
260	9111	7180	5822	-	-	S355	Irrig_traversi
260	9112	7190	5827	-	-	S355	Irrig_traversi
260	9113	5153	5846	-	-	S355	Irrig_traversi
260	9114	5158	5856	-	-	S355	Irrig_traversi
260	9115	5163	5866	-	-	S355	Irrig_traversi
260	9116	5168	5876	-	-	S355	Irrig_traversi
260	9117	5173	5886	-	-	S355	Irrig_traversi
260	9118	5178	5896	-	-	S355	Irrig_traversi
260	9119	5183	5906	-	-	S355	Irrig_traversi
260	9120	5188	5916	-	-	S355	Irrig_traversi
260	9121	5193	5926	-	-	S355	Irrig_traversi
260	9122	5203	5946	-	-	S355	Irrig_traversi
260	9123	5208	5956	-	-	S355	Irrig_traversi
260	9124	5213	5966	-	-	S355	Irrig_traversi
260	9125	5218	5976	-	-	S355	Irrig_traversi
260	9126	5223	5986	-	-	S355	Irrig_traversi
260	9127	5228	5996	-	-	S355	Irrig_traversi
260	9128	5233	6006	-	-	S355	Irrig_traversi
260	9129	5238	6016	-	-	S355	Irrig_traversi
260	9130	5243	6026	-	-	S355	Irrig_traversi
260	9131	5248	6036	-	-	S355	Irrig_traversi

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
260	9132	5253	6046	-	-	S355	Irrig_traversi
260	9133	5263	6066	-	-	S355	Irrig_traversi
260	9134	5268	6076	-	-	S355	Irrig_traversi
260	9135	5273	6086	-	-	S355	Irrig_traversi
260	9136	5278	6096	-	-	S355	Irrig_traversi
260	9137	5283	6106	-	-	S355	Irrig_traversi
260	9138	5288	6116	-	-	S355	Irrig_traversi
260	9139	5293	6126	-	-	S355	Irrig_traversi
260	9140	5298	6136	-	-	S355	Irrig_traversi
260	9141	5303	6146	-	-	S355	Irrig_traversi
260	9142	5308	6156	-	-	S355	Irrig_traversi
260	9143	5313	6166	-	-	S355	Irrig_traversi
260	9144	5323	6186	-	-	S355	Irrig_traversi
260	9145	5328	6196	-	-	S355	Irrig_traversi
260	9146	5333	6206	-	-	S355	Irrig_traversi
260	9147	5338	6216	-	-	S355	Irrig_traversi
260	9148	5343	6226	-	-	S355	Irrig_traversi
260	9149	5348	6236	-	-	S355	Irrig_traversi
260	9150	5353	6246	-	-	S355	Irrig_traversi
260	9151	5358	6256	-	-	S355	Irrig_traversi
260	9152	5363	6266	-	-	S355	Irrig_traversi
260	9153	5368	6276	-	-	S355	Irrig_traversi
260	9154	5373	6286	-	-	S355	Irrig_traversi
260	9155	5383	6306	-	-	S355	Irrig_traversi
260	9156	5388	6316	-	-	S355	Irrig_traversi
260	9157	5393	6326	-	-	S355	Irrig_traversi
260	9158	5403	6346	-	-	S355	Irrig_traversi
260	9159	5408	6356	-	-	S355	Irrig_traversi
260	9160	5413	6366	-	-	S355	Irrig_traversi
260	9161	5418	6376	-	-	S355	Irrig_traversi
260	9162	5423	6386	-	-	S355	Irrig_traversi
260	9163	5428	6396	-	-	S355	Irrig_traversi
260	9164	5433	6406	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
260	9165	5443	6426	-	-	S355	Irrig_traversi
260	9166	5448	6436	-	-	S355	Irrig_traversi
260	9167	5453	6446	-	-	S355	Irrig_traversi
260	9168	5458	6456	-	-	S355	Irrig_traversi
260	9169	5463	6466	-	-	S355	Irrig_traversi
260	9170	5468	6476	-	-	S355	Irrig_traversi
260	9171	5473	6486	-	-	S355	Irrig_traversi
260	9172	5478	6496	-	-	S355	Irrig_traversi
260	9173	5483	6506	-	-	S355	Irrig_traversi
260	9174	5398	6336	-	-	S355	Irrig_traversi
600.1	9175	5147	5148	-	-	S355	700x30
734.7	9176	5148	5149	-	-	S355	700x30
734.6	9177	5149	5150	-	-	S355	700x30
735.4	9178	5150	5151	-	-	S355	700x30
733.4	9179	5151	5152	-	-	S355	700x30
732.7	9180	5152	5153	-	-	S355	700x30
797.7	9181	5153	5154	-	-	S355	700x30
797.6	9182	5154	5155	-	-	S355	700x30
797.7	9183	5155	5156	-	-	S355	700x30
797.8	9184	5156	5157	-	-	S355	700x30
797.6	9185	5157	5158	-	-	S355	700x30
799.2	9186	5158	5159	-	-	S355	700x30
799.1	9187	5159	5160	-	-	S355	700x30
799.1	9188	5160	5161	-	-	S355	700x30
799.2	9189	5161	5162	-	-	S355	800x30
799.1	9190	5162	5163	-	-	S355	800x30
799.2	9191	5163	5164	-	-	S355	800x30
799.3	9192	5164	5165	-	-	S355	800x30
799.3	9193	5165	5166	-	-	S355	800x30
799.2	9194	5166	5167	-	-	S355	800x30
799.2	9195	5167	5168	-	-	S355	800x30
799.5	9196	5168	5169	-	-	S355	800x30
800.4	9197	5169	5170	-	-	S355	800x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
801.9	9198	5170	5171	-	-	S355	800x30
800.5	9199	5171	5172	-	-	S355	800x30
800.8	9200	5172	5173	-	-	S355	800x30
822.6	9201	5173	5174	-	-	S355	800x30
822.6	9202	5174	5175	-	-	S355	800x30
822.5	9203	5175	5176	-	-	S355	800x30
822.6	9204	5176	5177	-	-	S355	800x30
822.6	9205	5177	5178	-	-	S355	800x30
822.7	9206	5178	5179	-	-	S355	800x30
822.7	9207	5179	5180	-	-	S355	800x30
822.7	9208	5180	5181	-	-	S355	800x30
822.7	9209	5181	5182	-	-	S355	800x30
822.7	9210	5182	5183	-	-	S355	800x30
822.4	9211	5183	5184	-	-	S355	800x30
822.4	9212	5184	5185	-	-	S355	800x30
822.5	9213	5185	5186	-	-	S355	800x30
822.5	9214	5186	5187	-	-	S355	800x30
822.4	9215	5187	5188	-	-	S355	800x30
822.5	9216	5188	5189	-	-	S355	800x30
822.4	9217	5189	5190	-	-	S355	800x30
822.5	9218	5190	5191	-	-	S355	800x30
822.5	9219	5191	5192	-	-	S355	900x80
822.5	9220	5192	5193	-	-	S355	900x80
818.8	9221	5193	5194	-	-	S355	900x80
818.7	9222	5194	5195	-	-	S355	900x80
818.8	9223	5195	5196	-	-	S355	900x80
818.8	9224	5196	5197	-	-	S355	900x80
818.8	9225	5197	5198	-	-	S355	900x80
826.2	9226	5198	5199	-	-	S355	900x80
826.2	9227	5199	5200	-	-	S355	900x80
826.2	9228	5200	5201	-	-	S355	900x80
826.2	9229	5201	5202	-	-	S355	900x80
826.3	9230	5202	5203	-	-	S355	900x80


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	9231	5203	5204	-	-	S355	900x80
866.3	9232	5204	5205	-	-	S355	900x80
866.2	9233	5205	5206	-	-	S355	900x80
866.3	9234	5206	5207	-	-	S355	800x40
866.3	9235	5207	5208	-	-	S355	800x40
866.2	9236	5208	5209	-	-	S355	800x40
866.3	9237	5209	5210	-	-	S355	800x40
866.3	9238	5210	5211	-	-	S355	800x40
866.2	9239	5211	5212	-	-	S355	800x40
866.3	9240	5212	5213	-	-	S355	800x40
866.3	9241	5213	5214	-	-	S355	800x40
866.2	9242	5214	5215	-	-	S355	800x40
866.3	9243	5215	5216	-	-	S355	800x40
866.3	9244	5216	5217	-	-	S355	800x40
866.3	9245	5217	5218	-	-	S355	800x40
866.3	9246	5218	5219	-	-	S355	800x40
866.2	9247	5219	5220	-	-	S355	800x40
866.3	9248	5220	5221	-	-	S355	800x40
866.2	9249	5221	5222	-	-	S355	800x40
866.3	9250	5222	5223	-	-	S355	800x40
866.2	9251	5223	5224	-	-	S355	800x40
866.3	9252	5224	5225	-	-	S355	800x40
866.3	9253	5225	5226	-	-	S355	800x40
866.2	9254	5226	5227	-	-	S355	800x40
866.3	9255	5227	5228	-	-	S355	800x40
866.3	9256	5228	5229	-	-	S355	800x40
866.3	9257	5229	5230	-	-	S355	800x40
866.2	9258	5230	5231	-	-	S355	800x40
866.3	9259	5231	5232	-	-	S355	800x40
866.2	9260	5232	5233	-	-	S355	800x40
866.4	9261	5233	5234	-	-	S355	800x40
866.4	9262	5234	5235	-	-	S355	800x40
866.4	9263	5235	5236	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.4	9264	5236	5237	-	-	S355	800x40
866.3	9265	5237	5238	-	-	S355	800x40
866.2	9266	5238	5239	-	-	S355	800x40
866.2	9267	5239	5240	-	-	S355	800x40
866.2	9268	5240	5241	-	-	S355	800x40
866.2	9269	5241	5242	-	-	S355	800x40
866.2	9270	5242	5243	-	-	S355	800x40
866.5	9271	5243	5244	-	-	S355	800x40
866.2	9272	5244	5245	-	-	S355	800x40
867	9273	5245	5246	-	-	S355	800x40
868.5	9274	5246	5247	-	-	S355	800x40
862.6	9275	5247	5248	-	-	S355	800x40
862.4	9276	5248	5249	-	-	S355	800x40
868.4	9277	5249	5250	-	-	S355	800x40
867	9278	5250	5251	-	-	S355	800x40
866.4	9279	5251	5252	-	-	S355	900x80
866.7	9280	5252	5253	-	-	S355	900x80
824.6	9281	5253	5254	-	-	S355	900x80
824.7	9282	5254	5255	-	-	S355	900x80
824.6	9283	5255	5256	-	-	S355	900x80
824.7	9284	5256	5257	-	-	S355	900x80
824.6	9285	5257	5258	-	-	S355	900x80
825.1	9286	5258	5259	-	-	S355	900x80
825.2	9287	5259	5260	-	-	S355	900x80
825.1	9288	5260	5261	-	-	S355	900x80
825.1	9289	5261	5262	-	-	S355	900x80
825.1	9290	5262	5263	-	-	S355	900x80
866	9291	5263	5264	-	-	S355	900x80
866	9292	5264	5265	-	-	S355	900x80
866	9293	5265	5266	-	-	S355	800x40
865.9	9294	5266	5267	-	-	S355	800x40
866	9295	5267	5268	-	-	S355	800x40
866.1	9296	5268	5269	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.1	9297	5269	5270	-	-	S355	800x40
866.2	9298	5270	5271	-	-	S355	800x40
866.2	9299	5271	5272	-	-	S355	800x40
866	9300	5272	5273	-	-	S355	800x40
866.2	9301	5273	5274	-	-	S355	800x40
866.3	9302	5274	5275	-	-	S355	800x40
866.2	9303	5275	5276	-	-	S355	800x40
866.2	9304	5276	5277	-	-	S355	800x40
866.2	9305	5277	5278	-	-	S355	800x40
866.3	9306	5278	5279	-	-	S355	800x40
866.3	9307	5279	5280	-	-	S355	800x40
866.3	9308	5280	5281	-	-	S355	800x40
866.3	9309	5281	5282	-	-	S355	800x40
866.3	9310	5282	5283	-	-	S355	800x40
866.4	9311	5283	5284	-	-	S355	800x40
866.3	9312	5284	5285	-	-	S355	800x40
866.3	9313	5285	5286	-	-	S355	800x40
866.4	9314	5286	5287	-	-	S355	800x40
866.3	9315	5287	5288	-	-	S355	800x40
866.4	9316	5288	5289	-	-	S355	800x40
866.3	9317	5289	5290	-	-	S355	800x40
866.4	9318	5290	5291	-	-	S355	800x40
866.3	9319	5291	5292	-	-	S355	800x40
866.3	9320	5292	5293	-	-	S355	800x40
866.4	9321	5293	5294	-	-	S355	800x40
866.3	9322	5294	5295	-	-	S355	800x40
866.2	9323	5295	5296	-	-	S355	800x40
866.3	9324	5296	5297	-	-	S355	800x40
866.3	9325	5297	5298	-	-	S355	800x40
866.2	9326	5298	5299	-	-	S355	800x40
866.3	9327	5299	5300	-	-	S355	800x40
866.2	9328	5300	5301	-	-	S355	800x40
866.2	9329	5301	5302	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.3	9330	5302	5303	-	-	S355	800x40
866	9331	5303	5304	-	-	S355	800x40
866.2	9332	5304	5305	-	-	S355	800x40
866.2	9333	5305	5306	-	-	S355	800x40
866	9334	5306	5307	-	-	S355	800x40
866.1	9335	5307	5308	-	-	S355	800x40
866.2	9336	5308	5309	-	-	S355	800x40
866.1	9337	5309	5310	-	-	S355	800x40
866.2	9338	5310	5311	-	-	S355	800x40
866.2	9339	5311	5312	-	-	S355	900x80
866.2	9340	5312	5313	-	-	S355	900x80
816.3	9341	5313	5314	-	-	S355	900x80
816.3	9342	5314	5315	-	-	S355	900x80
816.4	9343	5315	5316	-	-	S355	900x80
816.4	9344	5316	5317	-	-	S355	900x80
816.3	9345	5317	5318	-	-	S355	900x80
834.1	9346	5318	5319	-	-	S355	900x80
834	9347	5319	5320	-	-	S355	900x80
834	9348	5320	5321	-	-	S355	900x80
834	9349	5321	5322	-	-	S355	900x80
834.1	9350	5322	5323	-	-	S355	900x80
866.4	9351	5323	5324	-	-	S355	900x80
866.3	9352	5324	5325	-	-	S355	900x80
866.3	9353	5325	5326	-	-	S355	800x40
866.3	9354	5326	5327	-	-	S355	800x40
866.4	9355	5327	5328	-	-	S355	800x40
866.4	9356	5328	5329	-	-	S355	800x40
866.3	9357	5329	5330	-	-	S355	800x40
866.3	9358	5330	5331	-	-	S355	800x40
866.4	9359	5331	5332	-	-	S355	800x40
866.4	9360	5332	5333	-	-	S355	800x40
866.3	9361	5333	5334	-	-	S355	800x40
866.4	9362	5334	5335	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.3	9363	5335	5336	-	-	S355	800x40
866.4	9364	5336	5337	-	-	S355	800x40
866.4	9365	5337	5338	-	-	S355	800x40
866.3	9366	5338	5339	-	-	S355	800x40
866.4	9367	5339	5340	-	-	S355	800x40
866.3	9368	5340	5341	-	-	S355	800x40
866.4	9369	5341	5342	-	-	S355	800x40
866.4	9370	5342	5343	-	-	S355	800x40
866.5	9371	5343	5344	-	-	S355	800x40
866.6	9372	5344	5345	-	-	S355	800x40
866.7	9373	5345	5346	-	-	S355	800x40
866.6	9374	5346	5347	-	-	S355	800x40
866.6	9375	5347	5348	-	-	S355	800x40
866.1	9376	5348	5349	-	-	S355	800x40
866.1	9377	5349	5350	-	-	S355	800x40
866.1	9378	5350	5351	-	-	S355	800x40
866.1	9379	5351	5352	-	-	S355	800x40
866.1	9380	5352	5353	-	-	S355	800x40
866.3	9381	5353	5354	-	-	S355	800x40
866.4	9382	5354	5355	-	-	S355	800x40
866.4	9383	5355	5356	-	-	S355	800x40
866.3	9384	5356	5357	-	-	S355	800x40
866.4	9385	5357	5358	-	-	S355	800x40
866.3	9386	5358	5359	-	-	S355	800x40
866.4	9387	5359	5360	-	-	S355	800x40
866.3	9388	5360	5361	-	-	S355	800x40
866.3	9389	5361	5362	-	-	S355	800x40
866.4	9390	5362	5363	-	-	S355	800x40
866.3	9391	5363	5364	-	-	S355	800x40
866.4	9392	5364	5365	-	-	S355	800x40
866.3	9393	5365	5366	-	-	S355	800x40
866.3	9394	5366	5367	-	-	S355	800x40
866.4	9395	5367	5368	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.3	9396	5368	5369	-	-	S355	800x40
866.4	9397	5369	5370	-	-	S355	800x40
866.4	9398	5370	5371	-	-	S355	800x40
866.3	9399	5371	5372	-	-	S355	900x80
866.3	9400	5372	5373	-	-	S355	900x80
816.5	9401	5373	5374	-	-	S355	900x80
816.5	9402	5374	5375	-	-	S355	900x80
816.5	9403	5375	5376	-	-	S355	900x80
816.5	9404	5376	5377	-	-	S355	900x80
816.5	9405	5377	5378	-	-	S355	900x80
833.7	9406	5378	5379	-	-	S355	900x80
833.6	9407	5379	5380	-	-	S355	900x80
833.7	9408	5380	5381	-	-	S355	900x80
833.6	9409	5381	5382	-	-	S355	900x80
833.6	9410	5382	5383	-	-	S355	900x80
833.6	9411	5383	5384	-	-	S355	900x80
865.7	9412	5384	5385	-	-	S355	900x80
865.7	9413	5385	5386	-	-	S355	800x40
865.7	9414	5386	5387	-	-	S355	800x40
865.7	9415	5387	5388	-	-	S355	800x40
865.7	9416	5388	5389	-	-	S355	800x40
865.7	9417	5389	5390	-	-	S355	800x40
865.6	9418	5390	5391	-	-	S355	800x40
865.7	9419	5391	5392	-	-	S355	800x40
865.6	9420	5392	5393	-	-	S355	800x40
865.7	9421	5393	5394	-	-	S355	800x40
865.6	9422	5394	5395	-	-	S355	800x40
865.7	9423	5395	5396	-	-	S355	800x40
865.6	9424	5396	5397	-	-	S355	800x40
865.7	9425	5397	5398	-	-	S355	800x40
865.7	9426	5398	5399	-	-	S355	800x40
865.7	9427	5399	5400	-	-	S355	800x40
865.6	9428	5400	5401	-	-	S355	800x40
865.7							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
865.6	9429	5401	5402	-	-	S355	800x40
865.7	9430	5402	5403	-	-	S355	800x40
865.7	9431	5403	5404	-	-	S355	800x40
865.6	9432	5404	5405	-	-	S355	800x40
865.7	9433	5405	5406	-	-	S355	800x40
865.7	9434	5406	5407	-	-	S355	800x40
865.7	9435	5407	5408	-	-	S355	800x40
865.6	9436	5408	5409	-	-	S355	800x40
865.7	9437	5409	5410	-	-	S355	800x40
865.7	9438	5410	5411	-	-	S355	800x40
865.7	9439	5411	5412	-	-	S355	800x40
865.7	9440	5412	5413	-	-	S355	800x40
865.6	9441	5413	5414	-	-	S355	800x40
865.7	9442	5414	5415	-	-	S355	800x40
865.7	9443	5415	5416	-	-	S355	800x40
865.7	9444	5416	5417	-	-	S355	800x40
865.7	9445	5417	5418	-	-	S355	800x40
865.6	9446	5418	5419	-	-	S355	800x40
865.7	9447	5419	5420	-	-	S355	800x40
865.7	9448	5420	5421	-	-	S355	800x40
865.7	9449	5421	5422	-	-	S355	800x40
865.6	9450	5422	5423	-	-	S355	800x40
865.7	9451	5423	5424	-	-	S355	800x40
865.7	9452	5424	5425	-	-	S355	800x40
865.7	9453	5425	5426	-	-	S355	800x40
865.6	9454	5426	5427	-	-	S355	800x40
865.7	9455	5427	5428	-	-	S355	800x40
865.6	9456	5428	5429	-	-	S355	800x40
865.7	9457	5429	5430	-	-	S355	800x40
865.7	9458	5430	5431	-	-	S355	800x40
865.7	9459	5431	5432	-	-	S355	900x80
865.7	9460	5432	5433	-	-	S355	900x80
822.2	9461	5433	5434	-	-	S355	900x80


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
822.1	9462	5434	5435	-	-	S355	900x80
822.2	9463	5435	5436	-	-	S355	900x80
822.1	9464	5436	5437	-	-	S355	900x80
822.2	9465	5437	5438	-	-	S355	900x80
819.8	9466	5438	5439	-	-	S355	900x80
819.9	9467	5439	5440	-	-	S355	900x80
819.9	9468	5440	5441	-	-	S355	900x80
819.9	9469	5441	5442	-	-	S355	900x80
819.9	9470	5442	5443	-	-	S355	900x80
818.2	9471	5443	5444	-	-	S355	900x80
818.1	9472	5444	5445	-	-	S355	900x80
818.2	9473	5445	5446	-	-	S355	800x30
818.1	9474	5446	5447	-	-	S355	800x30
818.1	9475	5447	5448	-	-	S355	800x30
818.2	9476	5448	5449	-	-	S355	800x30
818.2	9477	5449	5450	-	-	S355	800x30
818.1	9478	5450	5451	-	-	S355	800x30
818.3	9479	5451	5452	-	-	S355	800x30
818.1	9480	5452	5453	-	-	S355	800x30
818.3	9481	5453	5454	-	-	S355	800x30
818.4	9482	5454	5455	-	-	S355	800x30
818.3	9483	5455	5456	-	-	S355	800x30
818.3	9484	5456	5457	-	-	S355	800x30
818.3	9485	5457	5458	-	-	S355	800x30
812.9	9486	5458	5459	-	-	S355	800x30
812.7	9487	5459	5460	-	-	S355	800x30
812.8	9488	5460	5461	-	-	S355	800x30
812.9	9489	5461	5462	-	-	S355	800x30
812.8	9490	5462	5463	-	-	S355	800x30
810.6	9491	5463	5464	-	-	S355	800x30
810.6	9492	5464	5465	-	-	S355	800x30
810.5	9493	5465	5466	-	-	S355	800x30
810.6	9494	5466	5467	-	-	S355	800x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
810.5	9495	5467	5468	-	-	S355	800x30
810.5	9496	5468	5469	-	-	S355	800x30
810.5	9497	5469	5470	-	-	S355	800x30
810.4	9498	5470	5471	-	-	S355	800x30
810.4	9499	5471	5472	-	-	S355	800x30
810.4	9500	5472	5473	-	-	S355	800x30
810.5	9501	5473	5474	-	-	S355	800x30
810.4	9502	5474	5475	-	-	S355	800x30
810.5	9503	5475	5476	-	-	S355	700x30
810.4	9504	5476	5477	-	-	S355	700x30
810.5	9505	5477	5478	-	-	S355	700x30
810.4	9506	5478	5479	-	-	S355	700x30
810.5	9507	5479	5480	-	-	S355	700x30
810.4	9508	5480	5481	-	-	S355	700x30
810.5	9509	5481	5482	-	-	S355	700x30
810.4	9510	5482	5483	-	-	S355	700x30
810.5	9511	5483	5484	-	-	S355	700x30
773.3	9512	5484	5485	-	-	S355	700x30
773.4	9513	5485	5486	-	-	S355	700x30
773.3	9514	5486	5487	-	-	S355	700x30
773.3	9515	5487	5488	-	-	S355	700x30
773.3	9516	5488	5489	-	-	S355	700x30
612.8	9517	5490	5491	-	-	S355	700x30
600	9518	5491	5492	-	-	S355	700x30
746.8	9519	5492	5493	-	-	S355	700x30
745.8	9520	5493	5494	-	-	S355	700x30
744.5	9521	5494	5495	-	-	S355	700x30
740.6	9522	5495	5496	-	-	S355	700x30
739.2	9523	5496	5497	-	-	S355	700x30
802.4	9524	5497	5498	-	-	S355	700x30
802.5	9525	5498	5499	-	-	S355	700x30
802.5	9526	5499	5500	-	-	S355	700x30
802.4	9527	5500	5501	-	-	S355	700x30
802.5							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
800.8	9528	5501	5502	-	-	S355	700x30
801	9529	5502	5503	-	-	S355	700x30
800.9	9530	5503	5504	-	-	S355	700x30
801	9531	5504	5505	-	-	S355	800x30
800.9	9532	5505	5506	-	-	S355	800x30
800.7	9533	5506	5507	-	-	S355	800x30
800.8	9534	5507	5508	-	-	S355	800x30
800.8	9535	5508	5509	-	-	S355	800x30
800.8	9536	5509	5510	-	-	S355	800x30
800.8	9537	5510	5511	-	-	S355	800x30
799.1	9538	5511	5512	-	-	S355	800x30
799.3	9539	5512	5513	-	-	S355	800x30
799.1	9540	5513	5514	-	-	S355	800x30
799.2	9541	5514	5515	-	-	S355	800x30
799.2	9542	5515	5516	-	-	S355	800x30
777.3	9543	5516	5517	-	-	S355	800x30
777.3	9544	5517	5518	-	-	S355	800x30
777.2	9545	5518	5519	-	-	S355	800x30
777.3	9546	5519	5520	-	-	S355	800x30
777.2	9547	5520	5521	-	-	S355	800x30
777.2	9548	5521	5522	-	-	S355	800x30
777.2	9549	5522	5523	-	-	S355	800x30
777.2	9550	5523	5524	-	-	S355	800x30
777.2	9551	5524	5525	-	-	S355	800x30
777.3	9552	5525	5526	-	-	S355	800x30
777.4	9553	5526	5527	-	-	S355	800x30
777.5	9554	5527	5528	-	-	S355	800x30
777.4	9555	5528	5529	-	-	S355	800x30
777.5	9556	5529	5530	-	-	S355	800x30
777.5	9557	5530	5531	-	-	S355	800x30
777.5	9558	5531	5532	-	-	S355	800x30
777.6	9559	5532	5533	-	-	S355	800x30
777.4	9560	5533	5534	-	-	S355	800x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
777.5	9561	5534	5535	-	-	S355	900x80
777.6	9562	5535	5536	-	-	S355	900x80
781.4	9563	5536	5537	-	-	S355	900x80
781.4	9564	5537	5538	-	-	S355	900x80
781.3	9565	5538	5539	-	-	S355	900x80
781.4	9566	5539	5540	-	-	S355	900x80
781.4	9567	5540	5541	-	-	S355	900x80
773.4	9568	5541	5542	-	-	S355	900x80
773.5	9569	5542	5543	-	-	S355	900x80
773.5	9570	5543	5544	-	-	S355	900x80
773.5	9571	5544	5545	-	-	S355	900x80
773.6	9572	5545	5546	-	-	S355	900x80
813.6	9573	5546	5547	-	-	S355	900x80
813.7	9574	5547	5548	-	-	S355	900x80
813.7	9575	5548	5549	-	-	S355	900x80
813.7	9576	5549	5550	-	-	S355	800x40
813.7	9577	5550	5551	-	-	S355	800x40
813.7	9578	5551	5552	-	-	S355	800x40
813.7	9579	5552	5553	-	-	S355	800x40
813.7	9580	5553	5554	-	-	S355	800x40
813.7	9581	5554	5555	-	-	S355	800x40
813.6	9582	5555	5556	-	-	S355	800x40
813.8	9583	5556	5557	-	-	S355	800x40
813.8	9584	5557	5558	-	-	S355	800x40
813.7	9585	5558	5559	-	-	S355	800x40
813.7	9586	5559	5560	-	-	S355	800x40
813.7	9587	5560	5561	-	-	S355	800x40
813.7	9588	5561	5562	-	-	S355	800x40
813.7	9589	5562	5563	-	-	S355	800x40
813.7	9590	5563	5564	-	-	S355	800x40
813.7	9591	5564	5565	-	-	S355	800x40
813.6	9592	5565	5566	-	-	S355	800x40
813.7	9593	5566	5567	-	-	S355	800x40

MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.7	9594	5567	5568	-	-	S355	800x40
813.7	9595	5568	5569	-	-	S355	800x40
813.7	9596	5569	5570	-	-	S355	800x40
813.8	9597	5570	5571	-	-	S355	800x40
813.7	9598	5571	5572	-	-	S355	800x40
813.7	9599	5572	5573	-	-	S355	800x40
813.8	9600	5573	5574	-	-	S355	800x40
813.7	9601	5574	5575	-	-	S355	800x40
813.7	9602	5575	5576	-	-	S355	800x40
813.7	9603	5576	5577	-	-	S355	800x40
813.7	9604	5577	5578	-	-	S355	800x40
813.7	9605	5578	5579	-	-	S355	800x40
813.8	9606	5579	5580	-	-	S355	800x40
813.7	9607	5580	5581	-	-	S355	800x40
813.7	9608	5581	5582	-	-	S355	800x40
813.7	9609	5582	5583	-	-	S355	800x40
813.7	9610	5583	5584	-	-	S355	800x40
813.7	9611	5584	5585	-	-	S355	800x40
813.7	9612	5585	5586	-	-	S355	800x40
813.7	9613	5586	5587	-	-	S355	800x40
813.7	9614	5587	5588	-	-	S355	800x40
813.8	9615	5588	5589	-	-	S355	800x40
813.7	9616	5589	5590	-	-	S355	800x40
813.7	9617	5590	5591	-	-	S355	800x40
813.7	9618	5591	5592	-	-	S355	800x40
813.7	9619	5592	5593	-	-	S355	800x40
813.7	9620	5593	5594	-	-	S355	800x40
813.8	9621	5594	5595	-	-	S355	900x80
813.7	9622	5595	5596	-	-	S355	900x80
813.7	9623	5596	5597	-	-	S355	900x80
774.4	9624	5597	5598	-	-	S355	900x80
774.4	9625	5598	5599	-	-	S355	900x80
774.4	9626	5599	5600	-	-	S355	900x80

MIDAS


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

774.5	9627	5600	5601	-	-	S355	900x80
775.3	9628	5601	5602	-	-	S355	900x80
775.3	9629	5602	5603	-	-	S355	900x80
775.2	9630	5603	5604	-	-	S355	900x80
775.3	9631	5604	5605	-	-	S355	900x80
775.3	9632	5605	5606	-	-	S355	900x80
814.4	9633	5606	5607	-	-	S355	900x80
814.5	9634	5607	5608	-	-	S355	900x80
814.5	9635	5608	5609	-	-	S355	800x40
814.5	9636	5609	5610	-	-	S355	800x40
814.4	9637	5610	5611	-	-	S355	800x40
814.4	9638	5611	5612	-	-	S355	800x40
814.6	9639	5612	5613	-	-	S355	800x40
814.6	9640	5613	5614	-	-	S355	800x40
814.7	9641	5614	5615	-	-	S355	800x40
814.6	9642	5615	5616	-	-	S355	800x40
814.7	9643	5616	5617	-	-	S355	800x40
814.7	9644	5617	5618	-	-	S355	800x40
814.7	9645	5618	5619	-	-	S355	800x40
814.7	9646	5619	5620	-	-	S355	800x40
814.8	9647	5620	5621	-	-	S355	800x40
814.7	9648	5621	5622	-	-	S355	800x40
814.8	9649	5622	5623	-	-	S355	800x40
814.8	9650	5623	5624	-	-	S355	800x40
814.9	9651	5624	5625	-	-	S355	800x40
814.8	9652	5625	5626	-	-	S355	800x40
814.8	9653	5626	5627	-	-	S355	800x40
814.8	9654	5627	5628	-	-	S355	800x40
814.9	9655	5628	5629	-	-	S355	800x40
814.9	9656	5629	5630	-	-	S355	800x40
814.7	9657	5630	5631	-	-	S355	800x40
814.9	9658	5631	5632	-	-	S355	800x40
814.8	9659	5632	5633	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.8	9660	5633	5634	-	-	S355	800x40
814.9	9661	5634	5635	-	-	S355	800x40
814.8	9662	5635	5636	-	-	S355	800x40
814.8	9663	5636	5637	-	-	S355	800x40
814.8	9664	5637	5638	-	-	S355	800x40
814.8	9665	5638	5639	-	-	S355	800x40
814.8	9666	5639	5640	-	-	S355	800x40
814.7	9667	5640	5641	-	-	S355	800x40
814.8	9668	5641	5642	-	-	S355	800x40
814.7	9669	5642	5643	-	-	S355	800x40
814.8	9670	5643	5644	-	-	S355	800x40
814.7	9671	5644	5645	-	-	S355	800x40
814.7	9672	5645	5646	-	-	S355	800x40
814.6	9673	5646	5647	-	-	S355	800x40
814.6	9674	5647	5648	-	-	S355	800x40
814.7	9675	5648	5649	-	-	S355	800x40
814.6	9676	5649	5650	-	-	S355	800x40
814.6	9677	5650	5651	-	-	S355	800x40
814.6	9678	5651	5652	-	-	S355	800x40
814.5	9679	5652	5653	-	-	S355	800x40
814.4	9680	5653	5654	-	-	S355	800x40
814.6	9681	5654	5655	-	-	S355	900x80
814.5	9682	5655	5656	-	-	S355	900x80
783.5	9683	5656	5657	-	-	S355	900x80
783.4	9684	5657	5658	-	-	S355	900x80
783.4	9685	5658	5659	-	-	S355	900x80
783.4	9686	5659	5660	-	-	S355	900x80
783.4	9687	5660	5661	-	-	S355	900x80
766	9688	5661	5662	-	-	S355	900x80
766	9689	5662	5663	-	-	S355	900x80
765.9	9690	5663	5664	-	-	S355	900x80
766	9691	5664	5665	-	-	S355	900x80
765.9	9692	5665	5666	-	-	S355	900x80


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.6	9693	5666	5667	-	-	S355	900x80
813.6	9694	5667	5668	-	-	S355	900x80
813.6	9695	5668	5669	-	-	S355	800x40
813.7	9696	5669	5670	-	-	S355	800x40
813.6	9697	5670	5671	-	-	S355	800x40
813.7	9698	5671	5672	-	-	S355	800x40
813.6	9699	5672	5673	-	-	S355	800x40
813.7	9700	5673	5674	-	-	S355	800x40
813.7	9701	5674	5675	-	-	S355	800x40
813.7	9702	5675	5676	-	-	S355	800x40
813.7	9703	5676	5677	-	-	S355	800x40
813.6	9704	5677	5678	-	-	S355	800x40
813.7	9705	5678	5679	-	-	S355	800x40
813.6	9706	5679	5680	-	-	S355	800x40
813.6	9707	5680	5681	-	-	S355	800x40
813.6	9708	5681	5682	-	-	S355	800x40
813.6	9709	5682	5683	-	-	S355	800x40
813.7	9710	5683	5684	-	-	S355	800x40
813.6	9711	5684	5685	-	-	S355	800x40
813.7	9712	5685	5686	-	-	S355	800x40
813.6	9713	5686	5687	-	-	S355	800x40
813.4	9714	5687	5688	-	-	S355	800x40
813.4	9715	5688	5689	-	-	S355	800x40
813.5	9716	5689	5690	-	-	S355	800x40
813.4	9717	5690	5691	-	-	S355	800x40
813.3	9718	5691	5692	-	-	S355	800x40
813.9	9719	5692	5693	-	-	S355	800x40
813.9	9720	5693	5694	-	-	S355	800x40
814	9721	5694	5695	-	-	S355	800x40
813.9	9722	5695	5696	-	-	S355	800x40
813.9	9723	5696	5697	-	-	S355	800x40
813.7	9724	5697	5698	-	-	S355	800x40
813.6	9725	5698	5699	-	-	S355	800x40
813.7							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.7	9726	5699	5700	-	-	S355	800x40
813.7	9727	5700	5701	-	-	S355	800x40
813.7	9728	5701	5702	-	-	S355	800x40
813.6	9729	5702	5703	-	-	S355	800x40
813.7	9730	5703	5704	-	-	S355	800x40
813.6	9731	5704	5705	-	-	S355	800x40
813.7	9732	5705	5706	-	-	S355	800x40
813.7	9733	5706	5707	-	-	S355	800x40
813.7	9734	5707	5708	-	-	S355	800x40
813.6	9735	5708	5709	-	-	S355	800x40
813.7	9736	5709	5710	-	-	S355	800x40
813.6	9737	5710	5711	-	-	S355	800x40
813.6	9738	5711	5712	-	-	S355	800x40
813.7	9739	5712	5713	-	-	S355	800x40
813.7	9740	5713	5714	-	-	S355	800x40
813.6	9741	5714	5715	-	-	S355	900x80
813.7	9742	5715	5716	-	-	S355	900x80
813.6	9743	5716	5717	-	-	S355	900x80
784.7	9744	5717	5718	-	-	S355	900x80
784.7	9745	5718	5719	-	-	S355	900x80
784.7	9746	5719	5720	-	-	S355	900x80
784.7	9747	5720	5721	-	-	S355	900x80
784.7	9748	5721	5722	-	-	S355	900x80
766.4	9749	5722	5723	-	-	S355	900x80
766.4	9750	5723	5724	-	-	S355	900x80
766.4	9751	5724	5725	-	-	S355	900x80
766.4	9752	5725	5726	-	-	S355	900x80
766.4	9753	5726	5727	-	-	S355	900x80
814.3	9754	5727	5728	-	-	S355	900x80
814.4	9755	5728	5729	-	-	S355	800x40
814.4	9756	5729	5730	-	-	S355	800x40
814.3	9757	5730	5731	-	-	S355	800x40
814.3	9758	5731	5732	-	-	S355	800x40
814.4							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.4	9759	5732	5733	-	-	S355	800x40
814.3	9760	5733	5734	-	-	S355	800x40
814.4	9761	5734	5735	-	-	S355	800x40
814.3	9762	5735	5736	-	-	S355	800x40
814.3	9763	5736	5737	-	-	S355	800x40
814.4	9764	5737	5738	-	-	S355	800x40
814.3	9765	5738	5739	-	-	S355	800x40
814.4	9766	5739	5740	-	-	S355	800x40
814.4	9767	5740	5741	-	-	S355	800x40
814.3	9768	5741	5742	-	-	S355	800x40
814.4	9769	5742	5743	-	-	S355	800x40
814.4	9770	5743	5744	-	-	S355	800x40
814.3	9771	5744	5745	-	-	S355	800x40
814.3	9772	5745	5746	-	-	S355	800x40
814.3	9773	5746	5747	-	-	S355	800x40
814.4	9774	5747	5748	-	-	S355	800x40
814.3	9775	5748	5749	-	-	S355	800x40
814.3	9776	5749	5750	-	-	S355	800x40
814.3	9777	5750	5751	-	-	S355	800x40
814.4	9778	5751	5752	-	-	S355	800x40
814.4	9779	5752	5753	-	-	S355	800x40
814.3	9780	5753	5754	-	-	S355	800x40
814.4	9781	5754	5755	-	-	S355	800x40
814.3	9782	5755	5756	-	-	S355	800x40
814.4	9783	5756	5757	-	-	S355	800x40
814.4	9784	5757	5758	-	-	S355	800x40
814.3	9785	5758	5759	-	-	S355	800x40
814.4	9786	5759	5760	-	-	S355	800x40
814.3	9787	5760	5761	-	-	S355	800x40
814.3	9788	5761	5762	-	-	S355	800x40
814.4	9789	5762	5763	-	-	S355	800x40
814.4	9790	5763	5764	-	-	S355	800x40
814.3	9791	5764	5765	-	-	S355	800x40


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.4	9792	5765	5766	-	-	S355	800x40
814.4	9793	5768	5770	-	-	S355	800x40
814.4	9794	5770	5771	-	-	S355	800x40
814.4	9795	5771	5772	-	-	S355	800x40
814.4	9796	5772	5773	-	-	S355	800x40
814.4	9797	5773	5774	-	-	S355	800x40
814.3	9798	5774	5775	-	-	S355	800x40
814.4	9799	5775	5776	-	-	S355	900x80
814.3	9800	5776	5777	-	-	S355	900x80
814.4	9801	5777	5778	-	-	S355	900x80
778.1	9802	5778	5779	-	-	S355	900x80
778.2	9803	5779	5780	-	-	S355	900x80
778.1	9804	5780	5781	-	-	S355	900x80
778.1	9805	5781	5782	-	-	S355	900x80
778.2	9806	5782	5783	-	-	S355	900x80
780.1	9807	5783	5784	-	-	S355	900x80
780	9808	5784	5785	-	-	S355	900x80
780	9809	5785	5786	-	-	S355	900x80
780.1	9810	5786	5787	-	-	S355	900x80
780	9811	5787	5788	-	-	S355	900x80
781.5	9812	5788	5789	-	-	S355	900x80
781.5	9813	5789	5790	-	-	S355	800x30
781.5	9814	5790	5791	-	-	S355	800x30
781.5	9815	5791	5792	-	-	S355	800x30
781.5	9816	5792	5793	-	-	S355	800x30
781.5	9817	5793	5794	-	-	S355	800x30
781.6	9818	5794	5795	-	-	S355	800x30
781.5	9819	5795	5796	-	-	S355	800x30
781.5	9820	5796	5797	-	-	S355	800x30
781.5	9821	5797	5798	-	-	S355	800x30
781.6	9822	5798	5799	-	-	S355	800x30
781.7	9823	5799	5800	-	-	S355	800x30
781.7	9824	5800	5801	-	-	S355	800x30
781.6							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
781.7	9825	5801	5802	-	-	S355	800x30
787.4	9826	5802	5803	-	-	S355	800x30
787.4	9827	5803	5804	-	-	S355	800x30
787.5	9828	5804	5805	-	-	S355	800x30
787.4	9829	5805	5806	-	-	S355	800x30
787.5	9830	5806	5807	-	-	S355	800x30
789.7	9831	5807	5808	-	-	S355	800x30
789.6	9832	5808	5809	-	-	S355	800x30
789.7	9833	5809	5810	-	-	S355	800x30
789.6	9834	5810	5811	-	-	S355	800x30
789.6	9835	5811	5812	-	-	S355	800x30
789.6	9836	5812	5813	-	-	S355	800x30
789.6	9837	5813	5814	-	-	S355	800x30
789.5	9838	5814	5815	-	-	S355	800x30
789.5	9839	5815	5816	-	-	S355	800x30
789.6	9840	5816	5817	-	-	S355	800x30
789.6	9841	5817	5818	-	-	S355	800x30
789.6	9842	5818	5819	-	-	S355	800x30
789.5	9843	5819	5820	-	-	S355	700x30
789.6	9844	5820	5821	-	-	S355	700x30
789.5	9845	5821	5822	-	-	S355	700x30
789.6	9846	5822	5823	-	-	S355	700x30
789.6	9847	5823	5824	-	-	S355	700x30
789.5	9848	5824	5825	-	-	S355	700x30
789.5	9849	5825	5826	-	-	S355	700x30
789.6	9850	5826	5827	-	-	S355	700x30
748.8	9851	5827	5828	-	-	S355	700x30
748.8	9852	5828	5829	-	-	S355	700x30
748.8	9853	5829	5830	-	-	S355	700x30
748.8	9854	5830	5831	-	-	S355	700x30
748.7	9855	5831	5832	-	-	S355	700x30
645.9	9856	5832	5833	-	-	S355	700x30
814.3	9857	5766	5769	-	-	S355	800x40


MIDAS

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
814.3	9858	5769	5768	-	-	S355	800x40
800	9859	5148	8235	-	-	S355	500x20
799.9	9861	5198	8310	-	-	S355	500x20
799.6	9863	5258	8304	-	-	S355	500x20
800.2	9865	5318	8300	-	-	S355	500x20
800.4	9867	5378	8314	-	-	S355	500x20
800	9869	5438	8319	-	-	S355	500x20
800	9871	5488	8324	-	-	S355	500x20
600.1	9873	7500	7501	-	-	Fittizio	Fittizio
734.7	9874	7501	7502	-	-	Fittizio	Fittizio
734.6	9875	7502	7503	-	-	Fittizio	Fittizio
735.4	9876	7503	7504	-	-	Fittizio	Fittizio
733.4	9877	7504	7505	-	-	Fittizio	Fittizio
732.7	9878	7505	7506	-	-	Fittizio	Fittizio
797.7	9879	7506	7507	-	-	Fittizio	Fittizio
797.6	9880	7507	7508	-	-	Fittizio	Fittizio
797.7	9881	7508	7509	-	-	Fittizio	Fittizio
797.8	9882	7509	7510	-	-	Fittizio	Fittizio
797.6	9883	7510	7511	-	-	Fittizio	Fittizio
799.2	9884	7511	7512	-	-	Fittizio	Fittizio
799.1	9885	7512	7513	-	-	Fittizio	Fittizio
799.1	9886	7513	7514	-	-	Fittizio	Fittizio
799.2	9887	7514	7515	-	-	Fittizio	Fittizio
799.1	9888	7515	7516	-	-	Fittizio	Fittizio
799.2	9889	7516	7517	-	-	Fittizio	Fittizio
799.3	9890	7517	7518	-	-	Fittizio	Fittizio
799.3	9891	7518	7519	-	-	Fittizio	Fittizio
799.2	9892	7519	7520	-	-	Fittizio	Fittizio
799.2	9893	7520	7521	-	-	Fittizio	Fittizio
799.5	9894	7521	7522	-	-	Fittizio	Fittizio
800.4	9895	7522	7523	-	-	Fittizio	Fittizio
801.9	9896	7523	7524	-	-	Fittizio	Fittizio
800.5	9897	7524	7525	-	-	Fittizio	Fittizio

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
800.8	9898	7525	7526	-	-	Fittizio	Fittizio
822.6	9899	7526	7527	-	-	Fittizio	Fittizio
822.6	9900	7527	7528	-	-	Fittizio	Fittizio
822.5	9901	7528	7529	-	-	Fittizio	Fittizio
822.6	9902	7529	7530	-	-	Fittizio	Fittizio
822.6	9903	7530	7531	-	-	Fittizio	Fittizio
822.7	9904	7531	7532	-	-	Fittizio	Fittizio
822.7	9905	7532	7533	-	-	Fittizio	Fittizio
822.7	9906	7533	7534	-	-	Fittizio	Fittizio
822.7	9907	7534	7535	-	-	Fittizio	Fittizio
822.7	9908	7535	7536	-	-	Fittizio	Fittizio
822.7	9909	7536	7537	-	-	Fittizio	Fittizio
822.4	9910	7537	7538	-	-	Fittizio	Fittizio
822.4	9911	7538	7539	-	-	Fittizio	Fittizio
822.5	9912	7539	7540	-	-	Fittizio	Fittizio
822.5	9913	7540	7541	-	-	Fittizio	Fittizio
822.4	9914	7541	7542	-	-	Fittizio	Fittizio
822.5	9915	7542	7543	-	-	Fittizio	Fittizio
822.4	9916	7543	7544	-	-	Fittizio	Fittizio
822.5	9917	7544	7545	-	-	Fittizio	Fittizio
822.5	9918	7545	7546	-	-	Fittizio	Fittizio
822.5	9919	7546	7547	-	-	Fittizio	Fittizio
818.8	9920	7547	7548	-	-	Fittizio	Fittizio
818.7	9921	7548	7549	-	-	Fittizio	Fittizio
818.8	9922	7549	7550	-	-	Fittizio	Fittizio
818.8	9923	7550	7551	-	-	Fittizio	Fittizio
818.8	9924	7551	7552	-	-	Fittizio	Fittizio
826.2	9925	7552	7553	-	-	Fittizio	Fittizio
826.2	9926	7553	7554	-	-	Fittizio	Fittizio
826.2	9927	7554	7555	-	-	Fittizio	Fittizio
826.2	9928	7555	7556	-	-	Fittizio	Fittizio
826.3	9929	7556	7557	-	-	Fittizio	Fittizio
866.2	9930	7557	7558	-	-	Fittizio	Fittizio
866.3							

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	9931	7558	7559	-	-	Fittizio	Fittizio
866.3	9932	7559	7560	-	-	Fittizio	Fittizio
866.3	9933	7560	7561	-	-	Fittizio	Fittizio
866.2	9934	7561	7562	-	-	Fittizio	Fittizio
866.3	9935	7562	7563	-	-	Fittizio	Fittizio
866.3	9936	7563	7564	-	-	Fittizio	Fittizio
866.2	9937	7564	7565	-	-	Fittizio	Fittizio
866.3	9938	7565	7566	-	-	Fittizio	Fittizio
866.3	9939	7566	7567	-	-	Fittizio	Fittizio
866.2	9940	7567	7568	-	-	Fittizio	Fittizio
866.3	9941	7568	7569	-	-	Fittizio	Fittizio
866.3	9942	7569	7570	-	-	Fittizio	Fittizio
866.3	9943	7570	7571	-	-	Fittizio	Fittizio
866.3	9944	7571	7572	-	-	Fittizio	Fittizio
866.2	9945	7572	7573	-	-	Fittizio	Fittizio
866.3	9946	7573	7574	-	-	Fittizio	Fittizio
866.2	9947	7574	7575	-	-	Fittizio	Fittizio
866.3	9948	7575	7576	-	-	Fittizio	Fittizio
866.2	9949	7576	7577	-	-	Fittizio	Fittizio
866.3	9950	7577	7578	-	-	Fittizio	Fittizio
866.3	9951	7578	7579	-	-	Fittizio	Fittizio
866.2	9952	7579	7580	-	-	Fittizio	Fittizio
866.3	9953	7580	7581	-	-	Fittizio	Fittizio
866.3	9954	7581	7582	-	-	Fittizio	Fittizio
866.3	9955	7582	7583	-	-	Fittizio	Fittizio
866.2	9956	7583	7584	-	-	Fittizio	Fittizio
866.3	9957	7584	7585	-	-	Fittizio	Fittizio
866.2	9958	7585	7586	-	-	Fittizio	Fittizio
866.4	9959	7586	7587	-	-	Fittizio	Fittizio
866.4	9960	7587	7588	-	-	Fittizio	Fittizio
866.4	9961	7588	7589	-	-	Fittizio	Fittizio
866.4	9962	7589	7590	-	-	Fittizio	Fittizio
866.3	9963	7590	7591	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
866.2	9964	7591	7592	-	-	Fittizio	Fittizio
866.2	9965	7592	7593	-	-	Fittizio	Fittizio
866.2	9966	7593	7594	-	-	Fittizio	Fittizio
866.2	9967	7594	7595	-	-	Fittizio	Fittizio
866.2	9968	7595	7596	-	-	Fittizio	Fittizio
866.5	9969	7596	7597	-	-	Fittizio	Fittizio
866.2	9970	7597	7598	-	-	Fittizio	Fittizio
867	9971	7598	7599	-	-	Fittizio	Fittizio
868.5	9972	7599	7600	-	-	Fittizio	Fittizio
862.6	9973	7600	7601	-	-	Fittizio	Fittizio
862.4	9974	7601	7602	-	-	Fittizio	Fittizio
868.4	9975	7602	7603	-	-	Fittizio	Fittizio
867	9976	7603	7604	-	-	Fittizio	Fittizio
866.4	9977	7604	7605	-	-	Fittizio	Fittizio
866.7	9978	7605	7606	-	-	Fittizio	Fittizio
824.6	9979	7606	7607	-	-	Fittizio	Fittizio
824.7	9980	7607	7608	-	-	Fittizio	Fittizio
824.6	9981	7608	7609	-	-	Fittizio	Fittizio
824.7	9982	7609	7610	-	-	Fittizio	Fittizio
824.6	9983	7610	7611	-	-	Fittizio	Fittizio
825.1	9984	7611	7612	-	-	Fittizio	Fittizio
825.2	9985	7612	7613	-	-	Fittizio	Fittizio
825.1	9986	7613	7614	-	-	Fittizio	Fittizio
825.1	9987	7614	7615	-	-	Fittizio	Fittizio
825.1	9988	7615	7616	-	-	Fittizio	Fittizio
866	9989	7616	7617	-	-	Fittizio	Fittizio
866	9990	7617	7618	-	-	Fittizio	Fittizio
866	9991	7618	7619	-	-	Fittizio	Fittizio
865.9	9992	7619	7620	-	-	Fittizio	Fittizio
866	9993	7620	7621	-	-	Fittizio	Fittizio
866.1	9994	7621	7622	-	-	Fittizio	Fittizio
866.1	9995	7622	7623	-	-	Fittizio	Fittizio
866.2	9996	7623	7624	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	9997	7624	7625	-	-	Fittizio	Fittizio
	9998	7625	7626	-	-	Fittizio	Fittizio
866	9999	7626	7627	-	-	Fittizio	Fittizio
866.2	10000	7627	7628	-	-	Fittizio	Fittizio
866.3	10001	7628	7629	-	-	Fittizio	Fittizio
866.2	10002	7629	7630	-	-	Fittizio	Fittizio
866.2	10003	7630	7631	-	-	Fittizio	Fittizio
866.2	10004	7631	7632	-	-	Fittizio	Fittizio
866.3	10005	7632	7633	-	-	Fittizio	Fittizio
866.3	10006	7633	7634	-	-	Fittizio	Fittizio
866.3	10007	7634	7635	-	-	Fittizio	Fittizio
866.3	10008	7635	7636	-	-	Fittizio	Fittizio
866.3	10009	7636	7637	-	-	Fittizio	Fittizio
866.4	10010	7637	7638	-	-	Fittizio	Fittizio
866.3	10011	7638	7639	-	-	Fittizio	Fittizio
866.3	10012	7639	7640	-	-	Fittizio	Fittizio
866.4	10013	7640	7641	-	-	Fittizio	Fittizio
866.3	10014	7641	7642	-	-	Fittizio	Fittizio
866.4	10015	7642	7643	-	-	Fittizio	Fittizio
866.3	10016	7643	7644	-	-	Fittizio	Fittizio
866.4	10017	7644	7645	-	-	Fittizio	Fittizio
866.3	10018	7645	7646	-	-	Fittizio	Fittizio
866.3	10019	7646	7647	-	-	Fittizio	Fittizio
866.4	10020	7647	7648	-	-	Fittizio	Fittizio
866.3	10021	7648	7649	-	-	Fittizio	Fittizio
866.2	10022	7649	7650	-	-	Fittizio	Fittizio
866.3	10023	7650	7651	-	-	Fittizio	Fittizio
866.3	10024	7651	7652	-	-	Fittizio	Fittizio
866.2	10025	7652	7653	-	-	Fittizio	Fittizio
866.3	10026	7653	7654	-	-	Fittizio	Fittizio
866.2	10027	7654	7655	-	-	Fittizio	Fittizio
866.2	10028	7655	7656	-	-	Fittizio	Fittizio
866.3	10029	7656	7657	-	-	Fittizio	Fittizio
866							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.2	10030	7657	7658	-	-	Fittizio	Fittizio
866.2	10031	7658	7659	-	-	Fittizio	Fittizio
866	10032	7659	7660	-	-	Fittizio	Fittizio
866.1	10033	7660	7661	-	-	Fittizio	Fittizio
866.2	10034	7661	7662	-	-	Fittizio	Fittizio
866.1	10035	7662	7663	-	-	Fittizio	Fittizio
866.2	10036	7663	7664	-	-	Fittizio	Fittizio
866.2	10037	7664	7665	-	-	Fittizio	Fittizio
866.2	10038	7665	7666	-	-	Fittizio	Fittizio
816.3	10039	7666	7667	-	-	Fittizio	Fittizio
816.3	10040	7667	7668	-	-	Fittizio	Fittizio
816.3	10041	7668	7669	-	-	Fittizio	Fittizio
816.4	10042	7669	7670	-	-	Fittizio	Fittizio
816.4	10043	7670	7671	-	-	Fittizio	Fittizio
816.3	10044	7671	7672	-	-	Fittizio	Fittizio
834.1	10045	7672	7673	-	-	Fittizio	Fittizio
834	10046	7673	7674	-	-	Fittizio	Fittizio
834	10047	7674	7675	-	-	Fittizio	Fittizio
834	10048	7675	7676	-	-	Fittizio	Fittizio
834.1	10049	7676	7677	-	-	Fittizio	Fittizio
866.4	10050	7677	7678	-	-	Fittizio	Fittizio
866.3	10051	7678	7679	-	-	Fittizio	Fittizio
866.3	10052	7679	7680	-	-	Fittizio	Fittizio
866.3	10053	7680	7681	-	-	Fittizio	Fittizio
866.4	10054	7681	7682	-	-	Fittizio	Fittizio
866.4	10055	7682	7683	-	-	Fittizio	Fittizio
866.3	10056	7683	7684	-	-	Fittizio	Fittizio
866.3	10057	7684	7685	-	-	Fittizio	Fittizio
866.4	10058	7685	7686	-	-	Fittizio	Fittizio
866.4	10059	7686	7687	-	-	Fittizio	Fittizio
866.3	10060	7687	7688	-	-	Fittizio	Fittizio
866.4	10061	7688	7689	-	-	Fittizio	Fittizio
866.3	10062	7689	7690	-	-	Fittizio	Fittizio
866.4							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.4	10063	7690	7691	-	-	Fittizio	Fittizio
866.3	10064	7691	7692	-	-	Fittizio	Fittizio
866.4	10065	7692	7693	-	-	Fittizio	Fittizio
866.3	10066	7693	7694	-	-	Fittizio	Fittizio
866.4	10067	7694	7695	-	-	Fittizio	Fittizio
866.4	10068	7695	7696	-	-	Fittizio	Fittizio
866.5	10069	7696	7697	-	-	Fittizio	Fittizio
866.6	10070	7697	7698	-	-	Fittizio	Fittizio
866.7	10071	7698	7699	-	-	Fittizio	Fittizio
866.6	10072	7699	7700	-	-	Fittizio	Fittizio
866.6	10073	7700	7701	-	-	Fittizio	Fittizio
866.1	10074	7701	7702	-	-	Fittizio	Fittizio
866.1	10075	7702	7703	-	-	Fittizio	Fittizio
866.1	10076	7703	7704	-	-	Fittizio	Fittizio
866.1	10077	7704	7705	-	-	Fittizio	Fittizio
866.1	10078	7705	7706	-	-	Fittizio	Fittizio
866.3	10079	7706	7707	-	-	Fittizio	Fittizio
866.4	10080	7707	7708	-	-	Fittizio	Fittizio
866.4	10081	7708	7709	-	-	Fittizio	Fittizio
866.3	10082	7709	7710	-	-	Fittizio	Fittizio
866.4	10083	7710	7711	-	-	Fittizio	Fittizio
866.3	10084	7711	7712	-	-	Fittizio	Fittizio
866.4	10085	7712	7713	-	-	Fittizio	Fittizio
866.3	10086	7713	7714	-	-	Fittizio	Fittizio
866.3	10087	7714	7715	-	-	Fittizio	Fittizio
866.4	10088	7715	7716	-	-	Fittizio	Fittizio
866.3	10089	7716	7717	-	-	Fittizio	Fittizio
866.4	10090	7717	7718	-	-	Fittizio	Fittizio
866.3	10091	7718	7719	-	-	Fittizio	Fittizio
866.3	10092	7719	7720	-	-	Fittizio	Fittizio
866.4	10093	7720	7721	-	-	Fittizio	Fittizio
866.3	10094	7721	7722	-	-	Fittizio	Fittizio
866.4	10095	7722	7723	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
866.4	10096	7723	7724	-	-	Fittizio	Fittizio
866.3	10097	7724	7725	-	-	Fittizio	Fittizio
866.3	10098	7725	7726	-	-	Fittizio	Fittizio
816.5	10099	7726	7727	-	-	Fittizio	Fittizio
816.5	10100	7727	7728	-	-	Fittizio	Fittizio
816.5	10101	7728	7729	-	-	Fittizio	Fittizio
816.5	10102	7729	7730	-	-	Fittizio	Fittizio
816.5	10103	7730	7731	-	-	Fittizio	Fittizio
833.7	10104	7731	7732	-	-	Fittizio	Fittizio
833.6	10105	7732	7733	-	-	Fittizio	Fittizio
833.7	10106	7733	7734	-	-	Fittizio	Fittizio
833.6	10107	7734	7735	-	-	Fittizio	Fittizio
833.6	10108	7735	7736	-	-	Fittizio	Fittizio
865.7	10109	7736	7737	-	-	Fittizio	Fittizio
865.7	10110	7737	7738	-	-	Fittizio	Fittizio
865.7	10111	7738	7739	-	-	Fittizio	Fittizio
865.7	10112	7739	7740	-	-	Fittizio	Fittizio
865.7	10113	7740	7741	-	-	Fittizio	Fittizio
865.7	10114	7741	7742	-	-	Fittizio	Fittizio
865.6	10115	7742	7743	-	-	Fittizio	Fittizio
865.7	10116	7743	7744	-	-	Fittizio	Fittizio
865.6	10117	7744	7745	-	-	Fittizio	Fittizio
865.7	10118	7745	7746	-	-	Fittizio	Fittizio
865.6	10119	7746	7747	-	-	Fittizio	Fittizio
865.7	10120	7747	7748	-	-	Fittizio	Fittizio
865.6	10121	7748	7749	-	-	Fittizio	Fittizio
865.7	10122	7749	7750	-	-	Fittizio	Fittizio
865.7	10123	7750	7751	-	-	Fittizio	Fittizio
865.7	10124	7751	7752	-	-	Fittizio	Fittizio
865.6	10125	7752	7753	-	-	Fittizio	Fittizio
865.7	10126	7753	7754	-	-	Fittizio	Fittizio
865.6	10127	7754	7755	-	-	Fittizio	Fittizio
865.7	10128	7755	7756	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
865.7	10129	7756	7757	-	-	Fittizio	Fittizio
865.6	10130	7757	7758	-	-	Fittizio	Fittizio
865.7	10131	7758	7759	-	-	Fittizio	Fittizio
865.7	10132	7759	7760	-	-	Fittizio	Fittizio
865.7	10133	7760	7761	-	-	Fittizio	Fittizio
865.6	10134	7761	7762	-	-	Fittizio	Fittizio
865.7	10135	7762	7763	-	-	Fittizio	Fittizio
865.7	10136	7763	7764	-	-	Fittizio	Fittizio
865.7	10137	7764	7765	-	-	Fittizio	Fittizio
865.6	10138	7765	7766	-	-	Fittizio	Fittizio
865.7	10139	7766	7767	-	-	Fittizio	Fittizio
865.7	10140	7767	7768	-	-	Fittizio	Fittizio
865.7	10141	7768	7769	-	-	Fittizio	Fittizio
865.7	10142	7769	7770	-	-	Fittizio	Fittizio
865.7	10143	7770	7771	-	-	Fittizio	Fittizio
865.6	10144	7771	7772	-	-	Fittizio	Fittizio
865.7	10145	7772	7773	-	-	Fittizio	Fittizio
865.7	10146	7773	7774	-	-	Fittizio	Fittizio
865.7	10147	7774	7775	-	-	Fittizio	Fittizio
865.6	10148	7775	7776	-	-	Fittizio	Fittizio
865.7	10149	7776	7777	-	-	Fittizio	Fittizio
865.7	10150	7777	7778	-	-	Fittizio	Fittizio
865.7	10151	7778	7779	-	-	Fittizio	Fittizio
865.6	10152	7779	7780	-	-	Fittizio	Fittizio
865.7	10153	7780	7781	-	-	Fittizio	Fittizio
865.6	10154	7781	7782	-	-	Fittizio	Fittizio
865.7	10155	7782	7783	-	-	Fittizio	Fittizio
865.7	10156	7783	7784	-	-	Fittizio	Fittizio
865.7	10157	7784	7785	-	-	Fittizio	Fittizio
865.7	10158	7785	7786	-	-	Fittizio	Fittizio
822.2	10159	7786	7787	-	-	Fittizio	Fittizio
822.1	10160	7787	7788	-	-	Fittizio	Fittizio
822.2	10161	7788	7789	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
822.1	10162	7789	7790	-	-	Fittizio	Fittizio
822.2	10163	7790	7791	-	-	Fittizio	Fittizio
819.8	10164	7791	7792	-	-	Fittizio	Fittizio
819.9	10165	7792	7793	-	-	Fittizio	Fittizio
819.9	10166	7793	7794	-	-	Fittizio	Fittizio
819.9	10167	7794	7795	-	-	Fittizio	Fittizio
819.9	10168	7795	7796	-	-	Fittizio	Fittizio
818.2	10169	7796	7797	-	-	Fittizio	Fittizio
818.1	10170	7797	7798	-	-	Fittizio	Fittizio
818.2	10171	7798	7799	-	-	Fittizio	Fittizio
818.1	10172	7799	7800	-	-	Fittizio	Fittizio
818.1	10173	7800	7801	-	-	Fittizio	Fittizio
818.2	10174	7801	7802	-	-	Fittizio	Fittizio
818.2	10175	7802	7803	-	-	Fittizio	Fittizio
818.1	10176	7803	7804	-	-	Fittizio	Fittizio
818.3	10177	7804	7805	-	-	Fittizio	Fittizio
818.1	10178	7805	7806	-	-	Fittizio	Fittizio
818.3	10179	7806	7807	-	-	Fittizio	Fittizio
818.4	10180	7807	7808	-	-	Fittizio	Fittizio
818.3	10181	7808	7809	-	-	Fittizio	Fittizio
818.3	10182	7809	7810	-	-	Fittizio	Fittizio
818.3	10183	7810	7811	-	-	Fittizio	Fittizio
812.9	10184	7811	7812	-	-	Fittizio	Fittizio
812.7	10185	7812	7813	-	-	Fittizio	Fittizio
812.8	10186	7813	7814	-	-	Fittizio	Fittizio
812.9	10187	7814	7815	-	-	Fittizio	Fittizio
812.8	10188	7815	7816	-	-	Fittizio	Fittizio
810.6	10189	7816	7817	-	-	Fittizio	Fittizio
810.6	10190	7817	7818	-	-	Fittizio	Fittizio
810.5	10191	7818	7819	-	-	Fittizio	Fittizio
810.6	10192	7819	7820	-	-	Fittizio	Fittizio
810.5	10193	7820	7821	-	-	Fittizio	Fittizio
810.5	10194	7821	7822	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
810.4	10195	7822	7823	-	-	Fittizio	Fittizio
810.4	10196	7823	7824	-	-	Fittizio	Fittizio
810.4	10197	7824	7825	-	-	Fittizio	Fittizio
810.5	10198	7825	7826	-	-	Fittizio	Fittizio
810.4	10199	7826	7827	-	-	Fittizio	Fittizio
810.5	10200	7827	7828	-	-	Fittizio	Fittizio
810.4	10201	7828	7829	-	-	Fittizio	Fittizio
810.5	10202	7829	7830	-	-	Fittizio	Fittizio
810.4	10203	7830	7831	-	-	Fittizio	Fittizio
810.5	10204	7831	7832	-	-	Fittizio	Fittizio
810.4	10205	7832	7833	-	-	Fittizio	Fittizio
810.5	10206	7833	7834	-	-	Fittizio	Fittizio
810.4	10207	7834	7835	-	-	Fittizio	Fittizio
810.5	10208	7835	7836	-	-	Fittizio	Fittizio
773.3	10209	7836	7837	-	-	Fittizio	Fittizio
773.4	10210	7837	7838	-	-	Fittizio	Fittizio
773.3	10211	7838	7839	-	-	Fittizio	Fittizio
773.3	10212	7839	7840	-	-	Fittizio	Fittizio
773.3	10213	7840	7841	-	-	Fittizio	Fittizio
612.8	10214	7841	7842	-	-	Fittizio	Fittizio
600	10215	7843	7844	-	-	Fittizio	Fittizio
746.8	10216	7844	7845	-	-	Fittizio	Fittizio
745.8	10217	7845	7846	-	-	Fittizio	Fittizio
744.5	10218	7846	7847	-	-	Fittizio	Fittizio
740.6	10219	7847	7848	-	-	Fittizio	Fittizio
739.2	10220	7848	7849	-	-	Fittizio	Fittizio
802.4	10221	7849	7850	-	-	Fittizio	Fittizio
802.5	10222	7850	7851	-	-	Fittizio	Fittizio
802.5	10223	7851	7852	-	-	Fittizio	Fittizio
802.4	10224	7852	7853	-	-	Fittizio	Fittizio
802.5	10225	7853	7854	-	-	Fittizio	Fittizio
800.8	10226	7854	7855	-	-	Fittizio	Fittizio
801	10227	7855	7856	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
800.9	10228	7856	7857	-	-	Fittizio	Fittizio
801	10229	7857	7858	-	-	Fittizio	Fittizio
800.9	10230	7858	7859	-	-	Fittizio	Fittizio
800.7	10231	7859	7860	-	-	Fittizio	Fittizio
800.8	10232	7860	7861	-	-	Fittizio	Fittizio
800.8	10233	7861	7862	-	-	Fittizio	Fittizio
800.8	10234	7862	7863	-	-	Fittizio	Fittizio
800.8	10235	7863	7864	-	-	Fittizio	Fittizio
799.1	10236	7864	7865	-	-	Fittizio	Fittizio
799.3	10237	7865	7866	-	-	Fittizio	Fittizio
799.1	10238	7866	7867	-	-	Fittizio	Fittizio
799.2	10239	7867	7868	-	-	Fittizio	Fittizio
799.2	10240	7868	7869	-	-	Fittizio	Fittizio
777.3	10241	7869	7870	-	-	Fittizio	Fittizio
777.3	10242	7870	7871	-	-	Fittizio	Fittizio
777.2	10243	7871	7872	-	-	Fittizio	Fittizio
777.3	10244	7872	7873	-	-	Fittizio	Fittizio
777.2	10245	7873	7874	-	-	Fittizio	Fittizio
777.2	10246	7874	7875	-	-	Fittizio	Fittizio
777.2	10247	7875	7876	-	-	Fittizio	Fittizio
777.2	10248	7876	7877	-	-	Fittizio	Fittizio
777.2	10249	7877	7878	-	-	Fittizio	Fittizio
777.3	10250	7878	7879	-	-	Fittizio	Fittizio
777.4	10251	7879	7880	-	-	Fittizio	Fittizio
777.5	10252	7880	7881	-	-	Fittizio	Fittizio
777.4	10253	7881	7882	-	-	Fittizio	Fittizio
777.5	10254	7882	7883	-	-	Fittizio	Fittizio
777.5	10255	7883	7884	-	-	Fittizio	Fittizio
777.5	10256	7884	7885	-	-	Fittizio	Fittizio
777.6	10257	7885	7886	-	-	Fittizio	Fittizio
777.4	10258	7886	7887	-	-	Fittizio	Fittizio
777.5	10259	7887	7888	-	-	Fittizio	Fittizio
777.6	10260	7888	7889	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
781.4	10261	7889	7890	-	-	Fittizio	Fittizio
781.4	10262	7890	7891	-	-	Fittizio	Fittizio
781.3	10263	7891	7892	-	-	Fittizio	Fittizio
781.4	10264	7892	7893	-	-	Fittizio	Fittizio
781.4	10265	7893	7894	-	-	Fittizio	Fittizio
773.4	10266	7894	7895	-	-	Fittizio	Fittizio
773.5	10267	7895	7896	-	-	Fittizio	Fittizio
773.5	10268	7896	7897	-	-	Fittizio	Fittizio
773.5	10269	7897	7898	-	-	Fittizio	Fittizio
773.6	10270	7898	7899	-	-	Fittizio	Fittizio
813.6	10271	7899	7900	-	-	Fittizio	Fittizio
813.7	10272	7900	7901	-	-	Fittizio	Fittizio
813.7	10273	7901	7902	-	-	Fittizio	Fittizio
813.7	10274	7902	7903	-	-	Fittizio	Fittizio
813.7	10275	7903	7904	-	-	Fittizio	Fittizio
813.7	10276	7904	7905	-	-	Fittizio	Fittizio
813.7	10277	7905	7906	-	-	Fittizio	Fittizio
813.7	10278	7906	7907	-	-	Fittizio	Fittizio
813.7	10279	7907	7908	-	-	Fittizio	Fittizio
813.6	10280	7908	7909	-	-	Fittizio	Fittizio
813.8	10281	7909	7910	-	-	Fittizio	Fittizio
813.8	10282	7910	7911	-	-	Fittizio	Fittizio
813.7	10283	7911	7912	-	-	Fittizio	Fittizio
813.7	10284	7912	7913	-	-	Fittizio	Fittizio
813.7	10285	7913	7914	-	-	Fittizio	Fittizio
813.7	10286	7914	7915	-	-	Fittizio	Fittizio
813.7	10287	7915	7916	-	-	Fittizio	Fittizio
813.7	10288	7916	7917	-	-	Fittizio	Fittizio
813.7	10289	7917	7918	-	-	Fittizio	Fittizio
813.6	10290	7918	7919	-	-	Fittizio	Fittizio
813.7	10291	7919	7920	-	-	Fittizio	Fittizio
813.7	10292	7920	7921	-	-	Fittizio	Fittizio
813.7	10293	7921	7922	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.8	10294	7922	7923	-	-	Fittizio	Fittizio
813.7	10295	7923	7924	-	-	Fittizio	Fittizio
813.7	10296	7924	7925	-	-	Fittizio	Fittizio
813.8	10297	7925	7926	-	-	Fittizio	Fittizio
813.7	10298	7926	7927	-	-	Fittizio	Fittizio
813.7	10299	7927	7928	-	-	Fittizio	Fittizio
813.7	10300	7928	7929	-	-	Fittizio	Fittizio
813.7	10301	7929	7930	-	-	Fittizio	Fittizio
813.7	10302	7930	7931	-	-	Fittizio	Fittizio
813.8	10303	7931	7932	-	-	Fittizio	Fittizio
813.7	10304	7932	7933	-	-	Fittizio	Fittizio
813.7	10305	7933	7934	-	-	Fittizio	Fittizio
813.7	10306	7934	7935	-	-	Fittizio	Fittizio
813.7	10307	7935	7936	-	-	Fittizio	Fittizio
813.7	10308	7936	7937	-	-	Fittizio	Fittizio
813.7	10309	7937	7938	-	-	Fittizio	Fittizio
813.7	10310	7938	7939	-	-	Fittizio	Fittizio
813.7	10311	7939	7940	-	-	Fittizio	Fittizio
813.8	10312	7940	7941	-	-	Fittizio	Fittizio
813.7	10313	7941	7942	-	-	Fittizio	Fittizio
813.7	10314	7942	7943	-	-	Fittizio	Fittizio
813.7	10315	7943	7944	-	-	Fittizio	Fittizio
813.7	10316	7944	7945	-	-	Fittizio	Fittizio
813.7	10317	7945	7946	-	-	Fittizio	Fittizio
813.7	10318	7946	7947	-	-	Fittizio	Fittizio
813.8	10319	7947	7948	-	-	Fittizio	Fittizio
813.7	10320	7948	7949	-	-	Fittizio	Fittizio
774.4	10321	7949	7950	-	-	Fittizio	Fittizio
774.4	10322	7950	7951	-	-	Fittizio	Fittizio
774.4	10323	7951	7952	-	-	Fittizio	Fittizio
774.4	10324	7952	7953	-	-	Fittizio	Fittizio
774.5	10325	7953	7954	-	-	Fittizio	Fittizio
775.3	10326	7954	7955	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
775.3	10327	7955	7956	-	-	Fittizio	Fittizio
775.2	10328	7956	7957	-	-	Fittizio	Fittizio
775.3	10329	7957	7958	-	-	Fittizio	Fittizio
775.3	10330	7958	7959	-	-	Fittizio	Fittizio
814.4	10331	7959	7960	-	-	Fittizio	Fittizio
814.5	10332	7960	7961	-	-	Fittizio	Fittizio
814.5	10333	7961	7962	-	-	Fittizio	Fittizio
814.5	10334	7962	7963	-	-	Fittizio	Fittizio
814.4	10335	7963	7964	-	-	Fittizio	Fittizio
814.6	10336	7964	7965	-	-	Fittizio	Fittizio
814.6	10337	7965	7966	-	-	Fittizio	Fittizio
814.6	10338	7966	7967	-	-	Fittizio	Fittizio
814.6	10339	7967	7968	-	-	Fittizio	Fittizio
814.7	10340	7968	7969	-	-	Fittizio	Fittizio
814.7	10341	7969	7970	-	-	Fittizio	Fittizio
814.7	10342	7970	7971	-	-	Fittizio	Fittizio
814.7	10343	7971	7972	-	-	Fittizio	Fittizio
814.7	10344	7972	7973	-	-	Fittizio	Fittizio
814.8	10345	7973	7974	-	-	Fittizio	Fittizio
814.7	10346	7974	7975	-	-	Fittizio	Fittizio
814.8	10347	7975	7976	-	-	Fittizio	Fittizio
814.8	10348	7976	7977	-	-	Fittizio	Fittizio
814.9	10349	7977	7978	-	-	Fittizio	Fittizio
814.8	10350	7978	7979	-	-	Fittizio	Fittizio
814.8	10351	7979	7980	-	-	Fittizio	Fittizio
814.8	10352	7980	7981	-	-	Fittizio	Fittizio
814.9	10353	7981	7982	-	-	Fittizio	Fittizio
814.9	10354	7982	7983	-	-	Fittizio	Fittizio
814.7	10355	7983	7984	-	-	Fittizio	Fittizio
814.9	10356	7984	7985	-	-	Fittizio	Fittizio
814.8	10357	7985	7986	-	-	Fittizio	Fittizio
814.8	10358	7986	7987	-	-	Fittizio	Fittizio
814.9	10359	7987	7988	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.8	10360	7988	7989	-	-	Fittizio	Fittizio
814.8	10361	7989	7990	-	-	Fittizio	Fittizio
814.8	10362	7990	7991	-	-	Fittizio	Fittizio
814.8	10363	7991	7992	-	-	Fittizio	Fittizio
814.8	10364	7992	7993	-	-	Fittizio	Fittizio
814.7	10365	7993	7994	-	-	Fittizio	Fittizio
814.8	10366	7994	7995	-	-	Fittizio	Fittizio
814.7	10367	7995	7996	-	-	Fittizio	Fittizio
814.8	10368	7996	7997	-	-	Fittizio	Fittizio
814.7	10369	7997	7998	-	-	Fittizio	Fittizio
814.7	10370	7998	7999	-	-	Fittizio	Fittizio
814.6	10371	7999	8000	-	-	Fittizio	Fittizio
814.6	10372	8000	8001	-	-	Fittizio	Fittizio
814.7	10373	8001	8002	-	-	Fittizio	Fittizio
814.6	10374	8002	8003	-	-	Fittizio	Fittizio
814.6	10375	8003	8004	-	-	Fittizio	Fittizio
814.5	10376	8004	8005	-	-	Fittizio	Fittizio
814.5	10377	8005	8006	-	-	Fittizio	Fittizio
814.4	10378	8006	8007	-	-	Fittizio	Fittizio
814.6	10379	8007	8008	-	-	Fittizio	Fittizio
814.5	10380	8008	8009	-	-	Fittizio	Fittizio
783.5	10381	8009	8010	-	-	Fittizio	Fittizio
783.4	10382	8010	8011	-	-	Fittizio	Fittizio
783.4	10383	8011	8012	-	-	Fittizio	Fittizio
783.4	10384	8012	8013	-	-	Fittizio	Fittizio
783.4	10385	8013	8014	-	-	Fittizio	Fittizio
766	10386	8014	8015	-	-	Fittizio	Fittizio
766	10387	8015	8016	-	-	Fittizio	Fittizio
765.9	10388	8016	8017	-	-	Fittizio	Fittizio
766	10389	8017	8018	-	-	Fittizio	Fittizio
765.9	10390	8018	8019	-	-	Fittizio	Fittizio
813.6	10391	8019	8020	-	-	Fittizio	Fittizio
813.6	10392	8020	8021	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.6	10393	8021	8022	-	-	Fittizio	Fittizio
813.7	10394	8022	8023	-	-	Fittizio	Fittizio
813.6	10395	8023	8024	-	-	Fittizio	Fittizio
813.7	10396	8024	8025	-	-	Fittizio	Fittizio
813.6	10397	8025	8026	-	-	Fittizio	Fittizio
813.7	10398	8026	8027	-	-	Fittizio	Fittizio
813.7	10399	8027	8028	-	-	Fittizio	Fittizio
813.7	10400	8028	8029	-	-	Fittizio	Fittizio
813.6	10401	8029	8030	-	-	Fittizio	Fittizio
813.7	10402	8030	8031	-	-	Fittizio	Fittizio
813.6	10403	8031	8032	-	-	Fittizio	Fittizio
813.6	10404	8032	8033	-	-	Fittizio	Fittizio
813.6	10405	8033	8034	-	-	Fittizio	Fittizio
813.6	10406	8034	8035	-	-	Fittizio	Fittizio
813.7	10407	8035	8036	-	-	Fittizio	Fittizio
813.6	10408	8036	8037	-	-	Fittizio	Fittizio
813.7	10409	8037	8038	-	-	Fittizio	Fittizio
813.6	10410	8038	8039	-	-	Fittizio	Fittizio
813.4	10411	8039	8040	-	-	Fittizio	Fittizio
813.4	10412	8040	8041	-	-	Fittizio	Fittizio
813.5	10413	8041	8042	-	-	Fittizio	Fittizio
813.4	10414	8042	8043	-	-	Fittizio	Fittizio
813.3	10415	8043	8044	-	-	Fittizio	Fittizio
813.9	10416	8044	8045	-	-	Fittizio	Fittizio
813.9	10417	8045	8046	-	-	Fittizio	Fittizio
814	10418	8046	8047	-	-	Fittizio	Fittizio
813.9	10419	8047	8048	-	-	Fittizio	Fittizio
813.9	10420	8048	8049	-	-	Fittizio	Fittizio
813.7	10421	8049	8050	-	-	Fittizio	Fittizio
813.6	10422	8050	8051	-	-	Fittizio	Fittizio
813.7	10423	8051	8052	-	-	Fittizio	Fittizio
813.7	10424	8052	8053	-	-	Fittizio	Fittizio
813.7	10425	8053	8054	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
813.6	10426	8054	8055	-	-	Fittizio	Fittizio
813.7	10427	8055	8056	-	-	Fittizio	Fittizio
813.6	10428	8056	8057	-	-	Fittizio	Fittizio
813.7	10429	8057	8058	-	-	Fittizio	Fittizio
813.7	10430	8058	8059	-	-	Fittizio	Fittizio
813.7	10431	8059	8060	-	-	Fittizio	Fittizio
813.6	10432	8060	8061	-	-	Fittizio	Fittizio
813.7	10433	8061	8062	-	-	Fittizio	Fittizio
813.6	10434	8062	8063	-	-	Fittizio	Fittizio
813.6	10435	8063	8064	-	-	Fittizio	Fittizio
813.7	10436	8064	8065	-	-	Fittizio	Fittizio
813.7	10437	8065	8066	-	-	Fittizio	Fittizio
813.6	10438	8066	8067	-	-	Fittizio	Fittizio
813.7	10439	8067	8068	-	-	Fittizio	Fittizio
813.6	10440	8068	8069	-	-	Fittizio	Fittizio
784.7	10441	8069	8070	-	-	Fittizio	Fittizio
784.7	10442	8070	8071	-	-	Fittizio	Fittizio
784.7	10443	8071	8072	-	-	Fittizio	Fittizio
784.7	10444	8072	8073	-	-	Fittizio	Fittizio
784.7	10445	8073	8074	-	-	Fittizio	Fittizio
766.4	10446	8074	8075	-	-	Fittizio	Fittizio
766.4	10447	8075	8076	-	-	Fittizio	Fittizio
766.4	10448	8076	8077	-	-	Fittizio	Fittizio
766.4	10449	8077	8078	-	-	Fittizio	Fittizio
766.4	10450	8078	8079	-	-	Fittizio	Fittizio
814.3	10451	8079	8080	-	-	Fittizio	Fittizio
814.4	10452	8080	8081	-	-	Fittizio	Fittizio
814.4	10453	8081	8082	-	-	Fittizio	Fittizio
814.3	10454	8082	8083	-	-	Fittizio	Fittizio
814.3	10455	8083	8084	-	-	Fittizio	Fittizio
814.4	10456	8084	8085	-	-	Fittizio	Fittizio
814.4	10457	8085	8086	-	-	Fittizio	Fittizio
814.3	10458	8086	8087	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.4	10459	8087	8088	-	-	Fittizio	Fittizio
814.3	10460	8088	8089	-	-	Fittizio	Fittizio
814.3	10461	8089	8090	-	-	Fittizio	Fittizio
814.4	10462	8090	8091	-	-	Fittizio	Fittizio
814.3	10463	8091	8092	-	-	Fittizio	Fittizio
814.4	10464	8092	8093	-	-	Fittizio	Fittizio
814.4	10465	8093	8094	-	-	Fittizio	Fittizio
814.3	10466	8094	8095	-	-	Fittizio	Fittizio
814.4	10467	8095	8096	-	-	Fittizio	Fittizio
814.4	10468	8096	8097	-	-	Fittizio	Fittizio
814.3	10469	8097	8098	-	-	Fittizio	Fittizio
814.3	10470	8098	8099	-	-	Fittizio	Fittizio
814.4	10471	8099	8100	-	-	Fittizio	Fittizio
814.3	10472	8100	8101	-	-	Fittizio	Fittizio
814.3	10473	8101	8102	-	-	Fittizio	Fittizio
814.3	10474	8102	8103	-	-	Fittizio	Fittizio
814.3	10475	8103	8104	-	-	Fittizio	Fittizio
814.4	10476	8104	8105	-	-	Fittizio	Fittizio
814.4	10477	8105	8106	-	-	Fittizio	Fittizio
814.3	10478	8106	8107	-	-	Fittizio	Fittizio
814.4	10479	8107	8108	-	-	Fittizio	Fittizio
814.3	10480	8108	8109	-	-	Fittizio	Fittizio
814.4	10481	8109	8110	-	-	Fittizio	Fittizio
814.4	10482	8110	8111	-	-	Fittizio	Fittizio
814.3	10483	8111	8112	-	-	Fittizio	Fittizio
814.4	10484	8112	8113	-	-	Fittizio	Fittizio
814.3	10485	8113	8114	-	-	Fittizio	Fittizio
814.3	10486	8114	8115	-	-	Fittizio	Fittizio
814.4	10487	8115	8116	-	-	Fittizio	Fittizio
814.4	10488	8116	8117	-	-	Fittizio	Fittizio
814.3	10489	8117	8118	-	-	Fittizio	Fittizio
814.4	10490	8118	8119	-	-	Fittizio	Fittizio
814.4	10491	8121	8122	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
814.4	10492	8122	8123	-	-	Fittizio	Fittizio
814.4	10493	8123	8124	-	-	Fittizio	Fittizio
814.4	10494	8124	8125	-	-	Fittizio	Fittizio
814.3	10495	8125	8126	-	-	Fittizio	Fittizio
814.4	10496	8126	8127	-	-	Fittizio	Fittizio
814.3	10497	8127	8128	-	-	Fittizio	Fittizio
814.4	10498	8128	8129	-	-	Fittizio	Fittizio
778.1	10499	8129	8130	-	-	Fittizio	Fittizio
778.2	10500	8130	8131	-	-	Fittizio	Fittizio
778.1	10501	8131	8132	-	-	Fittizio	Fittizio
778.1	10502	8132	8133	-	-	Fittizio	Fittizio
778.2	10503	8133	8134	-	-	Fittizio	Fittizio
780.1	10504	8134	8135	-	-	Fittizio	Fittizio
780	10505	8135	8136	-	-	Fittizio	Fittizio
780	10506	8136	8137	-	-	Fittizio	Fittizio
780.1	10507	8137	8138	-	-	Fittizio	Fittizio
780	10508	8138	8139	-	-	Fittizio	Fittizio
781.5	10509	8139	8140	-	-	Fittizio	Fittizio
781.5	10510	8140	8141	-	-	Fittizio	Fittizio
781.5	10511	8141	8142	-	-	Fittizio	Fittizio
781.5	10512	8142	8143	-	-	Fittizio	Fittizio
781.5	10513	8143	8144	-	-	Fittizio	Fittizio
781.5	10514	8144	8145	-	-	Fittizio	Fittizio
781.6	10515	8145	8146	-	-	Fittizio	Fittizio
781.5	10516	8146	8147	-	-	Fittizio	Fittizio
781.5	10517	8147	8148	-	-	Fittizio	Fittizio
781.5	10518	8148	8149	-	-	Fittizio	Fittizio
781.6	10519	8149	8150	-	-	Fittizio	Fittizio
781.7	10520	8150	8151	-	-	Fittizio	Fittizio
781.7	10521	8151	8152	-	-	Fittizio	Fittizio
781.6	10522	8152	8153	-	-	Fittizio	Fittizio
781.7	10523	8153	8154	-	-	Fittizio	Fittizio
787.4	10524	8154	8155	-	-	Fittizio	Fittizio

MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
787.4	10525	8155	8156	-	-	Fittizio	Fittizio
787.5	10526	8156	8157	-	-	Fittizio	Fittizio
787.4	10527	8157	8158	-	-	Fittizio	Fittizio
787.5	10528	8158	8159	-	-	Fittizio	Fittizio
789.7	10529	8159	8160	-	-	Fittizio	Fittizio
789.6	10530	8160	8161	-	-	Fittizio	Fittizio
789.7	10531	8161	8162	-	-	Fittizio	Fittizio
789.6	10532	8162	8163	-	-	Fittizio	Fittizio
789.6	10533	8163	8164	-	-	Fittizio	Fittizio
789.6	10534	8164	8165	-	-	Fittizio	Fittizio
789.6	10535	8165	8166	-	-	Fittizio	Fittizio
789.5	10536	8166	8167	-	-	Fittizio	Fittizio
789.5	10537	8167	8168	-	-	Fittizio	Fittizio
789.6	10538	8168	8169	-	-	Fittizio	Fittizio
789.6	10539	8169	8170	-	-	Fittizio	Fittizio
789.5	10540	8170	8171	-	-	Fittizio	Fittizio
789.6	10541	8171	8172	-	-	Fittizio	Fittizio
789.6	10542	8172	8173	-	-	Fittizio	Fittizio
789.5	10543	8173	8174	-	-	Fittizio	Fittizio
789.6	10544	8174	8175	-	-	Fittizio	Fittizio
789.6	10545	8175	8176	-	-	Fittizio	Fittizio
789.5	10546	8176	8177	-	-	Fittizio	Fittizio
789.5	10547	8177	8178	-	-	Fittizio	Fittizio
789.6	10548	8178	8179	-	-	Fittizio	Fittizio
748.8	10549	8179	8180	-	-	Fittizio	Fittizio
748.8	10550	8180	8181	-	-	Fittizio	Fittizio
748.8	10551	8181	8182	-	-	Fittizio	Fittizio
748.8	10552	8182	8183	-	-	Fittizio	Fittizio
748.7	10553	8183	8184	-	-	Fittizio	Fittizio
645.9	10554	8184	8185	-	-	Fittizio	Fittizio
814.3	10555	8119	8120	-	-	Fittizio	Fittizio
814.3	10556	8120	8121	-	-	Fittizio	Fittizio
180	10557	8186	10	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
180	10558	8187	11	-	-	rigid	el rigido
180	10559	8188	12	-	-	rigid	el rigido
180	10560	8189	86	-	-	rigid	el rigido
180	10561	8190	87	-	-	rigid	el rigido
180	10562	8191	695	-	-	rigid	el rigido
180	10563	8192	696	-	-	rigid	el rigido
180	10564	8193	697	-	-	rigid	el rigido
180	10565	8194	818	-	-	rigid	el rigido
180	10566	8195	819	-	-	rigid	el rigido
180	10567	8196	1503	-	-	rigid	el rigido
180	10568	8197	1504	-	-	rigid	el rigido
180	10569	8198	1505	-	-	rigid	el rigido
180	10570	8199	1568	-	-	rigid	el rigido
180	10571	8200	1569	-	-	rigid	el rigido
180	10572	8201	2147	-	-	rigid	el rigido
180	10573	8202	2148	-	-	rigid	el rigido
180	10574	8203	2149	-	-	rigid	el rigido
180	10575	8204	2150	-	-	rigid	el rigido
180	10576	8205	2151	-	-	rigid	el rigido
180	10577	8206	2919	-	-	rigid	el rigido
180	10578	8207	2920	-	-	rigid	el rigido
180	10579	8208	2921	-	-	rigid	el rigido
180	10580	8209	2935	-	-	rigid	el rigido
180	10581	8210	2936	-	-	rigid	el rigido
180	10582	8211	3613	-	-	rigid	el rigido
180	10583	8212	3614	-	-	rigid	el rigido
180	10584	8213	3615	-	-	rigid	el rigido
180	10585	8214	3664	-	-	rigid	el rigido
180	10586	8215	3665	-	-	rigid	el rigido
180	10587	8216	4314	-	-	rigid	el rigido
180	10588	8217	4315	-	-	rigid	el rigido
180	10589	8218	4316	-	-	rigid	el rigido
180	10590	8219	4350	-	-	rigid	el rigido


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
	10591	8220	4351	-	-	rigid	el rigido
180	10592	4632	8205	-	-	S355	500x20
800	10593	8205	8204	-	-	S355	500x20
800.1	10594	8204	8203	-	-	S355	500x20
800	10595	8203	8202	-	-	S355	500x20
800.1	10596	8202	8201	-	-	S355	500x20
800	10597	8201	4975	-	-	S355	500x20
800.1	10598	8231	5491	-	-	S355	500x20
800.1	10599	8232	8231	-	-	S355	500x20
800	10600	8233	8232	-	-	S355	500x20
800.1	10601	8234	8233	-	-	S355	500x20
800	10602	8235	8234	-	-	S355	500x20
800.1	10621	8296	5661	-	-	S355	500x20
800.2	10622	8297	8296	-	-	S355	500x20
800.2	10623	8298	8297	-	-	S355	500x20
800.2	10624	8299	8298	-	-	S355	500x20
800.2	10625	8300	8299	-	-	S355	500x20
800.2	10626	8301	5601	-	-	S355	500x20
800.3	10627	8302	8301	-	-	S355	500x20
800.2	10628	8303	8302	-	-	S355	500x20
800.3	10629	8304	8305	-	-	S355	500x20
799.8	10630	8305	8303	-	-	S355	500x20
799.7	10631	8306	5541	-	-	S355	500x20
800.2	10632	8307	8306	-	-	S355	500x20
800.1	10633	8308	8307	-	-	S355	500x20
800.1	10634	8309	8308	-	-	S355	500x20
799.9	10635	8310	8309	-	-	S355	500x20
799.9	10636	8311	8312	-	-	S355	500x20
799.9	10637	8312	8313	-	-	S355	500x20
799.9	10638	8313	5721	-	-	S355	500x20
799.9	10639	8314	8315	-	-	S355	500x20
800.4	10640	8315	8311	-	-	S355	500x20
800.4	10641	8316	8317	-	-	S355	500x20
800							


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
800	10642	8317	8318	-	-	S355	500x20
800	10643	8318	5782	-	-	S355	500x20
800	10644	8319	8320	-	-	S355	500x20
800	10645	8320	8316	-	-	S355	500x20
800	10646	8321	8322	-	-	S355	500x20
800	10647	8322	8323	-	-	S355	500x20
800	10648	8323	5832	-	-	S355	500x20
800	10649	8324	8325	-	-	S355	500x20
800	10650	8325	8321	-	-	S355	500x20
799.9	10759	4586	8200	-	-	S355	500x20
799.9	10760	8200	8199	-	-	S355	500x20
799.9	10761	8199	8198	-	-	S355	500x20
800.1	10762	8198	8197	-	-	S355	500x20
800.1	10763	8197	8196	-	-	S355	500x20
800.2	10764	8196	4929	-	-	S355	500x20
799.6	10765	4526	8194	-	-	S355	500x20
799.8	10766	8194	8195	-	-	S355	500x20
799.7	10767	8195	8193	-	-	S355	500x20
800.3	10768	8193	8192	-	-	S355	500x20
800.2	10769	8192	8191	-	-	S355	500x20
800.3	10770	8191	4865	-	-	S355	500x20
800.2	10771	4461	8190	-	-	S355	500x20
800.2	10772	8190	8189	-	-	S355	500x20
800.2	10773	8189	8188	-	-	S355	500x20
800.2	10774	8188	8187	-	-	S355	500x20
800.2	10775	8187	8186	-	-	S355	500x20
800.2	10776	8186	4808	-	-	S355	500x20
800.4	10777	4691	8209	-	-	S355	500x20
800.4	10778	8209	8210	-	-	S355	500x20
800.4	10779	8210	8206	-	-	S355	500x20
799.9	10780	8206	8207	-	-	S355	500x20
799.9	10781	8207	8208	-	-	S355	500x20
799.9	10782	8208	5034	-	-	S355	500x20


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
800	10783	4751	8214	-	-	S355	500x20
800	10784	8214	8215	-	-	S355	500x20
800	10785	8215	8211	-	-	S355	500x20
800	10786	8211	8212	-	-	S355	500x20
800	10787	8212	8213	-	-	S355	500x20
800	10788	8213	5090	-	-	S355	500x20
800	10789	4801	8219	-	-	S355	500x20
800	10790	8219	8220	-	-	S355	500x20
800	10791	8220	8216	-	-	S355	500x20
800	10792	8216	8217	-	-	S355	500x20
800	10793	8217	8218	-	-	S355	500x20
800	10794	8218	5140	-	-	S355	500x20
686.7	10805	8338	8339	-	-	S355	Irrig_traversi
686.7	10806	8339	5847	-	-	S355	Irrig_traversi
686.7	10817	8348	8349	-	-	S355	Irrig_traversi
686.7	10818	8349	5857	-	-	S355	Irrig_traversi
686.7	10829	8358	8359	-	-	S355	Irrig_traversi
686.7	10830	8359	5867	-	-	S355	Irrig_traversi
686.7	10841	8368	8369	-	-	S355	Irrig_traversi
686.7	10842	8369	5877	-	-	S355	Irrig_traversi
686.7	10853	8378	8379	-	-	S355	Irrig_traversi
686.7	10854	8379	5887	-	-	S355	Irrig_traversi
686.7	10865	8388	8389	-	-	S355	Irrig_traversi
686.7	10866	8389	5897	-	-	S355	Irrig_traversi
686.7	10877	8398	8399	-	-	S355	Irrig_traversi
686.7	10878	8399	5907	-	-	S355	Irrig_traversi
686.7	10889	8408	8409	-	-	S355	Irrig_traversi
686.7	10890	8409	5917	-	-	S355	Irrig_traversi
686.7	10901	8418	8419	-	-	S355	Irrig_traversi
686.7	10902	8419	5927	-	-	S355	Irrig_traversi
686.7	10923	8438	8439	-	-	S355	Irrig_traversi
686.7	10924	8439	5947	-	-	S355	Irrig_traversi
686.7	10935	8448	8449	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	10936	8449	5957	-	-	S355	Irrig_traversi
686.7	10947	8458	8459	-	-	S355	Irrig_traversi
686.7	10948	8459	5967	-	-	S355	Irrig_traversi
686.7	10959	8468	8469	-	-	S355	Irrig_traversi
686.7	10960	8469	5977	-	-	S355	Irrig_traversi
686.7	10971	8478	8479	-	-	S355	Irrig_traversi
686.7	10972	8479	5987	-	-	S355	Irrig_traversi
686.7	10983	8488	8489	-	-	S355	Irrig_traversi
686.7	10984	8489	5997	-	-	S355	Irrig_traversi
686.7	10995	8498	8499	-	-	S355	Irrig_traversi
686.7	10996	8499	6007	-	-	S355	Irrig_traversi
686.7	11007	8508	8509	-	-	S355	Irrig_traversi
686.7	11008	8509	6017	-	-	S355	Irrig_traversi
686.7	11019	8518	8519	-	-	S355	Irrig_traversi
686.7	11020	8519	6027	-	-	S355	Irrig_traversi
686.7	11031	8528	8529	-	-	S355	Irrig_traversi
686.7	11032	8529	6037	-	-	S355	Irrig_traversi
686.7	11043	8538	8539	-	-	S355	Irrig_traversi
686.7	11044	8539	6047	-	-	S355	Irrig_traversi
686.7	11065	8558	8559	-	-	S355	Irrig_traversi
686.7	11066	8559	6067	-	-	S355	Irrig_traversi
686.7	11077	8568	8569	-	-	S355	Irrig_traversi
686.7	11078	8569	6077	-	-	S355	Irrig_traversi
686.7	11089	8578	8579	-	-	S355	Irrig_traversi
686.7	11090	8579	6087	-	-	S355	Irrig_traversi
686.7	11101	8588	8589	-	-	S355	Irrig_traversi
686.7	11102	8589	6097	-	-	S355	Irrig_traversi
686.7	11113	8598	8599	-	-	S355	Irrig_traversi
686.7	11114	8599	6107	-	-	S355	Irrig_traversi
686.7	11125	8608	8609	-	-	S355	Irrig_traversi
686.7	11126	8609	6117	-	-	S355	Irrig_traversi
686.7	11137	8618	8619	-	-	S355	Irrig_traversi
686.7	11138	8619	6127	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	11149	8628	8629	-	-	S355	Irrig_traversi
686.7	11150	8629	6137	-	-	S355	Irrig_traversi
686.7	11161	8638	8639	-	-	S355	Irrig_traversi
686.7	11162	8639	6147	-	-	S355	Irrig_traversi
686.7	11173	8648	8649	-	-	S355	Irrig_traversi
686.7	11174	8649	6157	-	-	S355	Irrig_traversi
686.7	11185	8658	8659	-	-	S355	Irrig_traversi
686.7	11186	8659	6167	-	-	S355	Irrig_traversi
686.7	11207	8678	8679	-	-	S355	Irrig_traversi
686.7	11208	8679	6187	-	-	S355	Irrig_traversi
686.7	11219	8688	8689	-	-	S355	Irrig_traversi
686.7	11220	8689	6197	-	-	S355	Irrig_traversi
686.7	11231	8698	8699	-	-	S355	Irrig_traversi
686.7	11232	8699	6207	-	-	S355	Irrig_traversi
686.7	11243	8708	8709	-	-	S355	Irrig_traversi
686.7	11244	8709	6217	-	-	S355	Irrig_traversi
686.7	11255	8718	8719	-	-	S355	Irrig_traversi
686.7	11256	8719	6227	-	-	S355	Irrig_traversi
686.7	11267	8728	8729	-	-	S355	Irrig_traversi
686.7	11268	8729	6237	-	-	S355	Irrig_traversi
686.7	11279	8738	8739	-	-	S355	Irrig_traversi
686.7	11280	8739	6247	-	-	S355	Irrig_traversi
686.7	11291	8748	8749	-	-	S355	Irrig_traversi
686.7	11292	8749	6257	-	-	S355	Irrig_traversi
686.7	11303	8758	8759	-	-	S355	Irrig_traversi
686.7	11304	8759	6267	-	-	S355	Irrig_traversi
686.7	11315	8768	8769	-	-	S355	Irrig_traversi
686.7	11316	8769	6277	-	-	S355	Irrig_traversi
686.7	11327	8778	8779	-	-	S355	Irrig_traversi
686.7	11328	8779	6287	-	-	S355	Irrig_traversi
686.7	11349	8798	8799	-	-	S355	Irrig_traversi
686.7	11350	8799	6307	-	-	S355	Irrig_traversi
686.7	11361	8808	8809	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	11362	8809	6317	-	-	S355	Irrig_traversi
686.7	11373	8818	8819	-	-	S355	Irrig_traversi
686.7	11374	8819	6327	-	-	S355	Irrig_traversi
686.7	11385	8828	8829	-	-	S355	Irrig_traversi
686.7	11386	8829	6337	-	-	S355	Irrig_traversi
686.7	11397	8838	8839	-	-	S355	Irrig_traversi
686.7	11398	8839	6347	-	-	S355	Irrig_traversi
686.7	11409	8848	8849	-	-	S355	Irrig_traversi
686.7	11410	8849	6357	-	-	S355	Irrig_traversi
686.7	11421	8858	8859	-	-	S355	Irrig_traversi
686.7	11422	8859	6367	-	-	S355	Irrig_traversi
686.7	11433	8868	8869	-	-	S355	Irrig_traversi
686.7	11434	8869	6377	-	-	S355	Irrig_traversi
686.7	11445	8878	8879	-	-	S355	Irrig_traversi
686.7	11446	8879	6387	-	-	S355	Irrig_traversi
686.7	11457	8888	8889	-	-	S355	Irrig_traversi
686.7	11458	8889	6397	-	-	S355	Irrig_traversi
686.7	11469	8898	8899	-	-	S355	Irrig_traversi
686.7	11470	8899	6407	-	-	S355	Irrig_traversi
686.7	11491	8918	8919	-	-	S355	Irrig_traversi
686.7	11492	8919	6427	-	-	S355	Irrig_traversi
686.7	11503	8928	8929	-	-	S355	Irrig_traversi
686.7	11504	8929	6437	-	-	S355	Irrig_traversi
686.7	11515	8938	8939	-	-	S355	Irrig_traversi
686.7	11516	8939	6447	-	-	S355	Irrig_traversi
686.7	11527	8948	8949	-	-	S355	Irrig_traversi
686.7	11528	8949	6457	-	-	S355	Irrig_traversi
686.7	11539	8958	8959	-	-	S355	Irrig_traversi
686.7	11540	8959	6467	-	-	S355	Irrig_traversi
686.7	11551	8968	8969	-	-	S355	Irrig_traversi
686.7	11552	8969	6477	-	-	S355	Irrig_traversi
686.7	11563	8978	8979	-	-	S355	Irrig_traversi
686.7	11564	8979	6487	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	11575	8988	8989	-	-	S355	Irrig_traversi
686.7	11576	8989	6497	-	-	S355	Irrig_traversi
686.7	11587	8998	8999	-	-	S355	Irrig_traversi
686.7	11588	8999	6507	-	-	S355	Irrig_traversi
686.7	11613	9024	6532	-	-	S355	Irrig_traversi
686.7	11614	9025	9024	-	-	S355	Irrig_traversi
686.7	11625	9034	6542	-	-	S355	Irrig_traversi
686.7	11626	9035	9034	-	-	S355	Irrig_traversi
686.7	11637	9044	6552	-	-	S355	Irrig_traversi
686.7	11638	9045	9044	-	-	S355	Irrig_traversi
686.7	11649	9054	6562	-	-	S355	Irrig_traversi
686.7	11650	9055	9054	-	-	S355	Irrig_traversi
686.7	11661	9064	6572	-	-	S355	Irrig_traversi
686.7	11662	9065	9064	-	-	S355	Irrig_traversi
686.7	11673	9074	6582	-	-	S355	Irrig_traversi
686.7	11674	9075	9074	-	-	S355	Irrig_traversi
686.7	11685	9084	6592	-	-	S355	Irrig_traversi
686.7	11686	9085	9084	-	-	S355	Irrig_traversi
686.7	11697	9094	6602	-	-	S355	Irrig_traversi
686.7	11698	9095	9094	-	-	S355	Irrig_traversi
686.7	11709	9104	6612	-	-	S355	Irrig_traversi
686.7	11710	9105	9104	-	-	S355	Irrig_traversi
686.7	11731	9124	6632	-	-	S355	Irrig_traversi
686.7	11732	9125	9124	-	-	S355	Irrig_traversi
686.7	11743	9134	6642	-	-	S355	Irrig_traversi
686.7	11744	9135	9134	-	-	S355	Irrig_traversi
686.7	11755	9144	6652	-	-	S355	Irrig_traversi
686.7	11756	9145	9144	-	-	S355	Irrig_traversi
686.7	11767	9154	6662	-	-	S355	Irrig_traversi
686.7	11768	9155	9154	-	-	S355	Irrig_traversi
686.7	11779	9164	6672	-	-	S355	Irrig_traversi
686.7	11780	9165	9164	-	-	S355	Irrig_traversi
686.7	11791	9174	6682	-	-	S355	Irrig_traversi


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	11792	9175	9174	-	-	S355	Irrig_traversi
686.7	11803	9184	6692	-	-	S355	Irrig_traversi
686.7	11804	9185	9184	-	-	S355	Irrig_traversi
686.7	11815	9194	6702	-	-	S355	Irrig_traversi
686.7	11816	9195	9194	-	-	S355	Irrig_traversi
686.7	11827	9204	6712	-	-	S355	Irrig_traversi
686.7	11828	9205	9204	-	-	S355	Irrig_traversi
686.7	11839	9214	6722	-	-	S355	Irrig_traversi
686.7	11840	9215	9214	-	-	S355	Irrig_traversi
686.7	11851	9224	6732	-	-	S355	Irrig_traversi
686.7	11852	9225	9224	-	-	S355	Irrig_traversi
686.7	11873	9244	6752	-	-	S355	Irrig_traversi
686.7	11874	9245	9244	-	-	S355	Irrig_traversi
686.7	11885	9254	6762	-	-	S355	Irrig_traversi
686.7	11886	9255	9254	-	-	S355	Irrig_traversi
686.7	11897	9264	6772	-	-	S355	Irrig_traversi
686.7	11898	9265	9264	-	-	S355	Irrig_traversi
686.7	11909	9274	6782	-	-	S355	Irrig_traversi
686.7	11910	9275	9274	-	-	S355	Irrig_traversi
686.7	11921	9284	6792	-	-	S355	Irrig_traversi
686.7	11922	9285	9284	-	-	S355	Irrig_traversi
686.7	11933	9294	6802	-	-	S355	Irrig_traversi
686.7	11934	9295	9294	-	-	S355	Irrig_traversi
686.7	11945	9304	6812	-	-	S355	Irrig_traversi
686.7	11946	9305	9304	-	-	S355	Irrig_traversi
686.7	11957	9314	6822	-	-	S355	Irrig_traversi
686.7	11958	9315	9314	-	-	S355	Irrig_traversi
686.7	11969	9324	6832	-	-	S355	Irrig_traversi
686.7	11970	9325	9324	-	-	S355	Irrig_traversi
686.7	11981	9334	6842	-	-	S355	Irrig_traversi
686.7	11982	9335	9334	-	-	S355	Irrig_traversi
686.7	11993	9344	6852	-	-	S355	Irrig_traversi
686.7	11994	9345	9344	-	-	S355	Irrig_traversi

MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
686.7	12015	9364	6872	-	-	S355	Irrig_traversi
686.7	12016	9365	9364	-	-	S355	Irrig_traversi
686.7	12027	9374	6882	-	-	S355	Irrig_traversi
686.7	12028	9375	9374	-	-	S355	Irrig_traversi
686.7	12039	9384	6892	-	-	S355	Irrig_traversi
686.7	12040	9385	9384	-	-	S355	Irrig_traversi
686.7	12051	9394	6902	-	-	S355	Irrig_traversi
686.7	12052	9395	9394	-	-	S355	Irrig_traversi
686.7	12063	9404	6912	-	-	S355	Irrig_traversi
686.7	12064	9405	9404	-	-	S355	Irrig_traversi
686.7	12075	9414	6922	-	-	S355	Irrig_traversi
686.7	12076	9415	9414	-	-	S355	Irrig_traversi
686.7	12087	9424	6932	-	-	S355	Irrig_traversi
686.7	12088	9425	9424	-	-	S355	Irrig_traversi
686.7	12099	9434	6942	-	-	S355	Irrig_traversi
686.7	12100	9435	9434	-	-	S355	Irrig_traversi
686.7	12111	9444	6952	-	-	S355	Irrig_traversi
686.7	12112	9445	9444	-	-	S355	Irrig_traversi
686.7	12123	9454	6962	-	-	S355	Irrig_traversi
686.7	12124	9455	9454	-	-	S355	Irrig_traversi
686.7	12135	9464	6972	-	-	S355	Irrig_traversi
686.7	12136	9465	9464	-	-	S355	Irrig_traversi
686.7	12157	9484	6992	-	-	S355	Irrig_traversi
686.7	12158	9485	9484	-	-	S355	Irrig_traversi
686.7	12169	9494	7002	-	-	S355	Irrig_traversi
686.7	12170	9495	9494	-	-	S355	Irrig_traversi
686.7	12181	9504	7012	-	-	S355	Irrig_traversi
686.7	12182	9505	9504	-	-	S355	Irrig_traversi
686.7	12193	9514	7022	-	-	S355	Irrig_traversi
686.7	12194	9515	9514	-	-	S355	Irrig_traversi
686.7	12205	9524	7032	-	-	S355	Irrig_traversi
686.7	12206	9525	9524	-	-	S355	Irrig_traversi
686.7	12217	9534	7042	-	-	S355	Irrig_traversi

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

686.7	12218	9535	9534	-	-	S355	Irrig_traversi
686.7	12229	9544	7052	-	-	S355	Irrig_traversi
686.7	12230	9545	9544	-	-	S355	Irrig_traversi
686.7	12241	9554	7062	-	-	S355	Irrig_traversi
686.7	12242	9555	9554	-	-	S355	Irrig_traversi
686.7	12253	9564	7072	-	-	S355	Irrig_traversi
686.7	12254	9565	9564	-	-	S355	Irrig_traversi
686.7	12261	9572	7080	-	-	S355	Irrig_traversi
686.7	12262	9573	9572	-	-	S355	Irrig_traversi
686.7	12273	9582	7090	-	-	S355	Irrig_traversi
686.7	12274	9583	9582	-	-	S355	Irrig_traversi
686.7	12295	9602	7110	-	-	S355	Irrig_traversi
686.7	12296	9603	9602	-	-	S355	Irrig_traversi
686.7	12307	9612	7120	-	-	S355	Irrig_traversi
686.7	12308	9613	9612	-	-	S355	Irrig_traversi
686.7	12319	9622	7130	-	-	S355	Irrig_traversi
686.7	12320	9623	9622	-	-	S355	Irrig_traversi
686.7	12331	9632	7140	-	-	S355	Irrig_traversi
686.7	12332	9633	9632	-	-	S355	Irrig_traversi
686.7	12343	9642	7150	-	-	S355	Irrig_traversi
686.7	12344	9643	9642	-	-	S355	Irrig_traversi
686.7	12355	9652	7160	-	-	S355	Irrig_traversi
686.7	12356	9653	9652	-	-	S355	Irrig_traversi
686.7	12367	9662	7170	-	-	S355	Irrig_traversi
686.7	12368	9663	9662	-	-	S355	Irrig_traversi
686.7	12379	9672	7180	-	-	S355	Irrig_traversi
686.7	12380	9673	9672	-	-	S355	Irrig_traversi
686.7	12391	9682	7190	-	-	S355	Irrig_traversi
686.7	12392	9683	9682	-	-	S355	Irrig_traversi


*** PLATE MEMBER DATA

NO	NODAL CONNECTIVITY				MATERIAL	THICKNESS	AREA
	1	2	3	4			
1	16	1	2	17	C35/45	240	6.354e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2	15	16	17	18	C35/45	240 6.354e+005
3	14	15	18	19	C35/45	240 6.354e+005
4	13	14	19	20	C35/45	240 6.354e+005
5	12	13	20	11	C35/45	240 6.354e+005
6	17	2	3	21	C35/45	240 6.264e+005
7	18	17	21	22	C35/45	240 6.264e+005
8	19	18	22	23	C35/45	240 6.264e+005
9	20	19	23	24	C35/45	240 6.263e+005
10	11	20	24	10	C35/45	240 6.264e+005
11	21	3	8019	8018	C35/45	240 6.172e+005
12	22	21	8018	8017	C35/45	240 6.173e+005
13	23	22	8017	8016	C35/45	240 6.173e+005
14	24	23	8016	8015	C35/45	240 6.173e+005
15	10	24	8015	8014	C35/45	240 6.173e+005
16	36	25	26	37	C35/45	240 6.685e+005
17	35	36	37	38	C35/45	240 6.685e+005
18	34	35	38	39	C35/45	240 6.684e+005
19	33	34	39	40	C35/45	240 6.685e+005
20	1	33	40	2	C35/45	240 6.685e+005
21	37	26	27	41	C35/45	240 6.614e+005
22	38	37	41	42	C35/45	240 6.614e+005
23	39	38	42	43	C35/45	240 6.614e+005
24	40	39	43	44	C35/45	240 6.615e+005
25	2	40	44	3	C35/45	240 6.615e+005
26	41	27	8024	8023	C35/45	240 6.545e+005
27	42	41	8023	8022	C35/45	240 6.544e+005
28	43	42	8022	8021	C35/45	240 6.544e+005
29	44	43	8021	8020	C35/45	240 6.544e+005
30	3	44	8020	8019	C35/45	240 6.544e+005
31	8018	8019	45	55	C35/45	240 5.793e+005
32	8017	8018	55	56	C35/45	240 5.79e+005
33	8016	8017	56	57	C35/45	240 5.787e+005
34	8015	8016	57	58	C35/45	240 5.781e+005
35	8014	8015	58	54	C35/45	240 5.772e+005
36	55	45	46	59	C35/45	240 5.711e+005
37	56	55	59	60	C35/45	240 5.708e+005
38	57	56	60	61	C35/45	240 5.705e+005
39	58	57	61	62	C35/45	240 5.699e+005
40	54	58	62	53	C35/45	240 5.69e+005
41	59	46	47	48	C35/45	240 5.628e+005
42	60	59	48	49	C35/45	240 5.626e+005
43	61	60	49	50	C35/45	240 5.622e+005
44	62	61	50	51	C35/45	240 5.617e+005
45	53	62	51	52	C35/45	240 5.608e+005
46	64	75	8010	8009	C35/45	240 6.289e+005
47	75	76	8011	8010	C35/45	240 6.289e+005
48	76	77	8012	8011	C35/45	240 6.289e+005
49	77	78	8013	8012	C35/45	240 6.289e+005
50	78	10	8014	8013	C35/45	240 6.289e+005
51	65	79	75	64	C35/45	240 6.333e+005
52	79	80	76	75	C35/45	240 6.333e+005
53	80	81	77	76	C35/45	240 6.333e+005
54	81	82	78	77	C35/45	240 6.333e+005
55	82	11	10	78	C35/45	240 6.333e+005
56	66	67	79	65	C35/45	240 6.377e+005
57	67	68	80	79	C35/45	240 6.377e+005
58	68	69	81	80	C35/45	240 6.376e+005
59	69	70	82	81	C35/45	240 6.376e+005
60	70	12	11	82	C35/45	240 6.377e+005
61	7675	7676	84	93	C35/45	240 6.625e+005
62	7674	7675	93	94	C35/45	240 6.621e+005
63	7673	7674	94	95	C35/45	240 6.618e+005
64	7672	7673	95	96	C35/45	240 6.618e+005
65	7671	7672	96	87	C35/45	240 6.623e+005
66	93	84	85	97	C35/45	240 6.534e+005
67	94	93	97	98	C35/45	240 6.53e+005


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
68	95	94	98	99	C35/45	240	6.528e+005	
69	96	95	99	100	C35/45	240	6.528e+005	
70	87	96	100	86	C35/45	240	6.532e+005	
71	97	85	1	16	C35/45	240	6.443e+005	
72	98	97	16	15	C35/45	240	6.44e+005	
73	99	98	15	14	C35/45	240	6.437e+005	
74	100	99	14	13	C35/45	240	6.438e+005	
75	86	100	13	12	C35/45	240	6.442e+005	
76	7680	7681	102	108	C35/45	240	6.896e+005	
77	7679	7680	108	109	C35/45	240	6.897e+005	
78	7678	7679	109	110	C35/45	240	6.898e+005	
79	7677	7678	110	111	C35/45	240	6.897e+005	
80	7676	7677	111	84	C35/45	240	6.896e+005	
81	108	102	103	112	C35/45	240	6.826e+005	
82	109	108	112	113	C35/45	240	6.827e+005	
83	110	109	113	114	C35/45	240	6.828e+005	
84	111	110	114	115	C35/45	240	6.828e+005	
85	84	111	115	85	C35/45	240	6.827e+005	
86	112	103	25	36	C35/45	240	6.756e+005	
87	113	112	36	35	C35/45	240	6.757e+005	
88	114	113	35	34	C35/45	240	6.757e+005	
89	115	114	34	33	C35/45	240	6.757e+005	
90	85	115	33	1	C35/45	240	6.756e+005	
91	116	123	67	66	C35/45	240	6.485e+005	
92	123	124	68	67	C35/45	240	6.474e+005	
93	124	125	69	68	C35/45	240	6.459e+005	
94	125	126	70	69	C35/45	240	6.442e+005	
95	126	86	12	70	C35/45	240	6.427e+005	
96	117	127	123	116	C35/45	240	6.529e+005	
97	127	128	124	123	C35/45	240	6.519e+005	
98	128	129	125	124	C35/45	240	6.503e+005	
99	129	130	126	125	C35/45	240	6.486e+005	
100	130	87	86	126	C35/45	240	6.471e+005	
101	7666	7667	127	117	C35/45	240	6.574e+005	
102	7667	7668	128	127	C35/45	240	6.563e+005	
103	7668	7669	129	128	C35/45	240	6.548e+005	
104	7669	7670	130	129	C35/45	240	6.53e+005	
105	7670	7671	87	130	C35/45	240	6.515e+005	
106	140	131	132	141	C35/45	240	6.412e+005	
107	139	140	141	142	C35/45	240	6.423e+005	
108	138	139	142	143	C35/45	240	6.433e+005	
109	137	138	143	144	C35/45	240	6.44e+005	
110	136	137	144	135	C35/45	240	6.44e+005	
111	141	132	133	145	C35/45	240	6.333e+005	
112	142	141	145	146	C35/45	240	6.344e+005	
113	143	142	146	147	C35/45	240	6.354e+005	
114	144	143	147	148	C35/45	240	6.36e+005	
115	135	144	148	134	C35/45	240	6.36e+005	
116	145	133	7676	7675	C35/45	240	6.254e+005	
117	146	145	7675	7674	C35/45	240	6.265e+005	
118	147	146	7674	7673	C35/45	240	6.275e+005	
119	148	147	7673	7672	C35/45	240	6.281e+005	
120	134	148	7672	7671	C35/45	240	6.281e+005	
121	155	149	150	156	C35/45	240	6.576e+005	
122	154	155	156	157	C35/45	240	6.58e+005	
123	153	154	157	158	C35/45	240	6.584e+005	
124	152	153	158	159	C35/45	240	6.59e+005	
125	131	152	159	132	C35/45	240	6.597e+005	
126	156	150	151	160	C35/45	240	6.515e+005	
127	157	156	160	161	C35/45	240	6.519e+005	
128	158	157	161	162	C35/45	240	6.523e+005	
129	159	158	162	163	C35/45	240	6.529e+005	
130	132	159	163	133	C35/45	240	6.536e+005	
131	160	151	7681	7680	C35/45	240	6.455e+005	
132	161	160	7680	7679	C35/45	240	6.458e+005	
133	162	161	7679	7678	C35/45	240	6.463e+005	


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
134	163	162	7678	7677	C35/45	240	6.469e+005	
135	133	163	7677	7676	C35/45	240	6.476e+005	
136	170	136	135	171	C35/45	240	6.197e+005	
137	169	170	171	172	C35/45	240	6.183e+005	
138	168	169	172	173	C35/45	240	6.167e+005	
139	167	168	173	174	C35/45	240	6.151e+005	
140	166	167	174	165	C35/45	240	6.14e+005	
141	171	135	134	175	C35/45	240	6.159e+005	
142	172	171	175	176	C35/45	240	6.144e+005	
143	173	172	176	177	C35/45	240	6.129e+005	
144	174	173	177	178	C35/45	240	6.113e+005	
145	165	174	178	164	C35/45	240	6.103e+005	
146	175	134	7671	7670	C35/45	240	6.121e+005	
147	176	175	7670	7669	C35/45	240	6.107e+005	
148	177	176	7669	7668	C35/45	240	6.091e+005	
149	178	177	7668	7667	C35/45	240	6.076e+005	
150	164	178	7667	7666	C35/45	240	6.066e+005	
151	190	166	165	191	C35/45	240	6.563e+005	
152	189	190	191	192	C35/45	240	6.572e+005	
153	188	189	192	193	C35/45	240	6.591e+005	
154	187	188	193	194	C35/45	240	6.612e+005	
155	186	187	194	185	C35/45	240	6.632e+005	
156	191	165	164	195	C35/45	240	6.503e+005	
157	192	191	195	196	C35/45	240	6.513e+005	
158	193	192	196	197	C35/45	240	6.531e+005	
159	194	193	197	198	C35/45	240	6.552e+005	
160	185	194	198	184	C35/45	240	6.573e+005	
161	195	164	7666	7665	C35/45	240	6.444e+005	
162	196	195	7665	7664	C35/45	240	6.454e+005	
163	197	196	7664	7663	C35/45	240	6.472e+005	
164	198	197	7663	7662	C35/45	240	6.493e+005	
165	184	198	7662	7661	C35/45	240	6.513e+005	
166	7665	7666	117	206	C35/45	240	6.965e+005	
167	7664	7665	206	207	C35/45	240	6.956e+005	
168	7663	7664	207	208	C35/45	240	6.94e+005	
169	7662	7663	208	209	C35/45	240	6.92e+005	
170	7661	7662	209	205	C35/45	240	6.902e+005	
171	206	117	116	210	C35/45	240	6.895e+005	
172	207	206	210	211	C35/45	240	6.887e+005	
173	208	207	211	212	C35/45	240	6.87e+005	
174	209	208	212	213	C35/45	240	6.851e+005	
175	205	209	213	204	C35/45	240	6.834e+005	
176	210	116	66	199	C35/45	240	6.826e+005	
177	211	210	199	200	C35/45	240	6.818e+005	
178	212	211	200	201	C35/45	240	6.801e+005	
179	213	212	201	202	C35/45	240	6.782e+005	
180	204	213	202	203	C35/45	240	6.765e+005	
181	225	186	185	226	C35/45	240	6.647e+005	
182	224	225	226	227	C35/45	240	6.654e+005	
183	223	224	227	228	C35/45	240	6.656e+005	
184	222	223	228	229	C35/45	240	6.653e+005	
185	221	222	229	220	C35/45	240	6.65e+005	
186	226	185	184	230	C35/45	240	6.586e+005	
187	227	226	230	231	C35/45	240	6.593e+005	
188	228	227	231	232	C35/45	240	6.595e+005	
189	229	228	232	233	C35/45	240	6.592e+005	
190	220	229	233	219	C35/45	240	6.59e+005	
191	230	184	7661	7660	C35/45	240	6.526e+005	
192	231	230	7660	7659	C35/45	240	6.532e+005	
193	232	231	7659	7658	C35/45	240	6.534e+005	
194	233	232	7658	7657	C35/45	240	6.532e+005	
195	219	233	7657	7656	C35/45	240	6.53e+005	
196	199	66	65	241	C35/45	240	6.687e+005	
197	200	199	241	242	C35/45	240	6.688e+005	
198	201	200	242	243	C35/45	240	6.688e+005	
199	202	201	243	244	C35/45	240	6.688e+005	


PROJECT TITLE :

					Company	Client	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
					Author	File Name		
200	203	202	244	240	C35/45	240	6.687e+005	
201	241	65	64	245	C35/45	240	6.619e+005	
202	242	241	245	246	C35/45	240	6.619e+005	
203	243	242	246	247	C35/45	240	6.619e+005	
204	244	243	247	248	C35/45	240	6.619e+005	
205	240	244	248	239	C35/45	240	6.619e+005	
206	245	64	8009	8008	C35/45	240	6.551e+005	
207	246	245	8008	8007	C35/45	240	6.55e+005	
208	247	246	8007	8006	C35/45	240	6.55e+005	
209	248	247	8006	8005	C35/45	240	6.551e+005	
210	239	248	8005	8004	C35/45	240	6.551e+005	
211	7660	7661	205	256	C35/45	240	6.89e+005	
212	7659	7660	256	257	C35/45	240	6.885e+005	
213	7658	7659	257	258	C35/45	240	6.885e+005	
214	7657	7658	258	259	C35/45	240	6.888e+005	
215	7656	7657	259	255	C35/45	240	6.892e+005	
216	256	205	204	260	C35/45	240	6.822e+005	
217	257	256	260	261	C35/45	240	6.817e+005	
218	258	257	261	262	C35/45	240	6.817e+005	
219	259	258	262	263	C35/45	240	6.819e+005	
220	255	259	263	254	C35/45	240	6.824e+005	
221	260	204	203	249	C35/45	240	6.753e+005	
222	261	260	249	250	C35/45	240	6.748e+005	
223	262	261	250	251	C35/45	240	6.748e+005	
224	263	262	251	252	C35/45	240	6.751e+005	
225	254	263	252	253	C35/45	240	6.755e+005	
226	249	203	240	271	C35/45	240	6.689e+005	
227	250	249	271	272	C35/45	240	6.689e+005	
228	251	250	272	273	C35/45	240	6.688e+005	
229	252	251	273	274	C35/45	240	6.689e+005	
230	253	252	274	270	C35/45	240	6.689e+005	
231	271	240	239	275	C35/45	240	6.62e+005	
232	272	271	275	276	C35/45	240	6.62e+005	
233	273	272	276	277	C35/45	240	6.62e+005	
234	274	273	277	278	C35/45	240	6.62e+005	
235	270	274	278	269	C35/45	240	6.62e+005	
236	275	239	8004	8003	C35/45	240	6.552e+005	
237	276	275	8003	8002	C35/45	240	6.551e+005	
238	277	276	8002	8001	C35/45	240	6.552e+005	
239	278	277	8001	8000	C35/45	240	6.551e+005	
240	269	278	8000	7999	C35/45	240	6.551e+005	
241	7655	7656	255	291	C35/45	240	6.896e+005	
242	7654	7655	291	292	C35/45	240	6.897e+005	
243	7653	7654	292	293	C35/45	240	6.898e+005	
244	7652	7653	293	294	C35/45	240	6.898e+005	
245	7651	7652	294	285	C35/45	240	6.896e+005	
246	291	255	254	295	C35/45	240	6.827e+005	
247	292	291	295	296	C35/45	240	6.829e+005	
248	293	292	296	297	C35/45	240	6.829e+005	
249	294	293	297	298	C35/45	240	6.828e+005	
250	285	294	298	284	C35/45	240	6.828e+005	
251	295	254	253	279	C35/45	240	6.759e+005	
252	296	295	279	280	C35/45	240	6.761e+005	
253	297	296	280	281	C35/45	240	6.761e+005	
254	298	297	281	282	C35/45	240	6.76e+005	
255	284	298	282	283	C35/45	240	6.759e+005	
256	305	221	220	306	C35/45	240	6.649e+005	
257	304	305	306	307	C35/45	240	6.649e+005	
258	303	304	307	308	C35/45	240	6.652e+005	
259	302	303	308	309	C35/45	240	6.653e+005	
260	301	302	309	300	C35/45	240	6.656e+005	
261	306	220	219	310	C35/45	240	6.589e+005	
262	307	306	310	311	C35/45	240	6.589e+005	
263	308	307	311	312	C35/45	240	6.59e+005	
264	309	308	312	313	C35/45	240	6.593e+005	
265	300	309	313	299	C35/45	240	6.597e+005	


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
266	310	219	7656	7655	C35/45	240	6.529e+005	
267	311	310	7655	7654	C35/45	240	6.529e+005	
268	312	311	7654	7653	C35/45	240	6.53e+005	
269	313	312	7653	7652	C35/45	240	6.533e+005	
270	299	313	7652	7651	C35/45	240	6.535e+005	
271	325	301	300	326	C35/45	240	6.66e+005	
272	324	325	326	327	C35/45	240	6.662e+005	
273	323	324	327	328	C35/45	240	6.663e+005	
274	322	323	328	329	C35/45	240	6.666e+005	
275	321	322	329	320	C35/45	240	6.667e+005	
276	326	300	299	330	C35/45	240	6.599e+005	
277	327	326	330	331	C35/45	240	6.601e+005	
278	328	327	331	332	C35/45	240	6.603e+005	
279	329	328	332	333	C35/45	240	6.605e+005	
280	320	329	333	319	C35/45	240	6.606e+005	
281	330	299	7651	7650	C35/45	240	6.538e+005	
282	331	330	7650	7649	C35/45	240	6.541e+005	
283	332	331	7649	7648	C35/45	240	6.542e+005	
284	333	332	7648	7647	C35/45	240	6.544e+005	
285	319	333	7647	7646	C35/45	240	6.546e+005	
286	7650	7651	285	341	C35/45	240	6.896e+005	
287	7649	7650	341	342	C35/45	240	6.895e+005	
288	7648	7649	342	343	C35/45	240	6.895e+005	
289	7647	7648	343	344	C35/45	240	6.896e+005	
290	7646	7647	344	340	C35/45	240	6.896e+005	
291	341	285	284	345	C35/45	240	6.827e+005	
292	342	341	345	346	C35/45	240	6.827e+005	
293	343	342	346	347	C35/45	240	6.826e+005	
294	344	343	347	348	C35/45	240	6.827e+005	
295	340	344	348	339	C35/45	240	6.828e+005	
296	345	284	283	334	C35/45	240	6.759e+005	
297	346	345	334	335	C35/45	240	6.758e+005	
298	347	346	335	336	C35/45	240	6.759e+005	
299	348	347	336	337	C35/45	240	6.758e+005	
300	339	348	337	338	C35/45	240	6.758e+005	
301	360	321	320	361	C35/45	240	6.669e+005	
302	359	360	361	362	C35/45	240	6.67e+005	
303	358	359	362	363	C35/45	240	6.672e+005	
304	357	358	363	364	C35/45	240	6.675e+005	
305	356	357	364	355	C35/45	240	6.677e+005	
306	361	320	319	365	C35/45	240	6.607e+005	
307	362	361	365	366	C35/45	240	6.61e+005	
308	363	362	366	367	C35/45	240	6.611e+005	
309	364	363	367	368	C35/45	240	6.614e+005	
310	355	364	368	354	C35/45	240	6.616e+005	
311	365	319	7646	7645	C35/45	240	6.547e+005	
312	366	365	7645	7644	C35/45	240	6.549e+005	
313	367	366	7644	7643	C35/45	240	6.551e+005	
314	368	367	7643	7642	C35/45	240	6.553e+005	
315	354	368	7642	7641	C35/45	240	6.555e+005	
316	334	283	369	379	C35/45	240	6.69e+005	
317	335	334	379	380	C35/45	240	6.69e+005	
318	336	335	380	381	C35/45	240	6.69e+005	
319	337	336	381	382	C35/45	240	6.69e+005	
320	338	337	382	378	C35/45	240	6.69e+005	
321	379	369	370	383	C35/45	240	6.622e+005	
322	380	379	383	384	C35/45	240	6.621e+005	
323	381	380	384	385	C35/45	240	6.621e+005	
324	382	381	385	386	C35/45	240	6.622e+005	
325	378	382	386	377	C35/45	240	6.621e+005	
326	383	370	7994	7993	C35/45	240	6.552e+005	
327	384	383	7993	7992	C35/45	240	6.553e+005	
328	385	384	7992	7991	C35/45	240	6.553e+005	
329	386	385	7991	7990	C35/45	240	6.553e+005	
330	377	386	7990	7989	C35/45	240	6.552e+005	
331	7645	7646	340	394	C35/45	240	6.896e+005	


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
332	7644	7645	394	395	C35/45	240 6.896e+005
333	7643	7644	395	396	C35/45	240 6.897e+005
334	7642	7643	396	397	C35/45	240 6.895e+005
335	7641	7642	397	393	C35/45	240 6.897e+005
336	394	340	339	398	C35/45	240 6.828e+005
337	395	394	398	399	C35/45	240 6.828e+005
338	396	395	399	400	C35/45	240 6.828e+005
339	397	396	400	401	C35/45	240 6.828e+005
340	393	397	401	392	C35/45	240 6.828e+005
341	398	339	338	387	C35/45	240 6.76e+005
342	399	398	387	388	C35/45	240 6.759e+005
343	400	399	388	389	C35/45	240 6.758e+005
344	401	400	389	390	C35/45	240 6.76e+005
345	392	401	390	391	C35/45	240 6.758e+005
346	387	338	378	409	C35/45	240 6.69e+005
347	388	387	409	410	C35/45	240 6.69e+005
348	389	388	410	411	C35/45	240 6.69e+005
349	390	389	411	412	C35/45	240 6.69e+005
350	391	390	412	408	C35/45	240 6.69e+005
351	409	378	377	413	C35/45	240 6.621e+005
352	410	409	413	414	C35/45	240 6.621e+005
353	411	410	414	415	C35/45	240 6.622e+005
354	412	411	415	416	C35/45	240 6.622e+005
355	408	412	416	407	C35/45	240 6.622e+005
356	413	377	7989	7988	C35/45	240 6.553e+005
357	414	413	7988	7987	C35/45	240 6.553e+005
358	415	414	7987	7986	C35/45	240 6.553e+005
359	416	415	7986	7985	C35/45	240 6.553e+005
360	407	416	7985	7984	C35/45	240 6.554e+005
361	7640	7641	393	429	C35/45	240 6.896e+005
362	7639	7640	429	430	C35/45	240 6.896e+005
363	7638	7639	430	431	C35/45	240 6.896e+005
364	7637	7638	431	432	C35/45	240 6.896e+005
365	7636	7637	432	423	C35/45	240 6.897e+005
366	429	393	392	433	C35/45	240 6.827e+005
367	430	429	433	434	C35/45	240 6.827e+005
368	431	430	434	435	C35/45	240 6.827e+005
369	432	431	435	436	C35/45	240 6.827e+005
370	423	432	436	422	C35/45	240 6.828e+005
371	433	392	391	417	C35/45	240 6.759e+005
372	434	433	417	418	C35/45	240 6.759e+005
373	435	434	418	419	C35/45	240 6.759e+005
374	436	435	419	420	C35/45	240 6.758e+005
375	422	436	420	421	C35/45	240 6.759e+005
376	417	391	408	444	C35/45	240 6.69e+005
377	418	417	444	445	C35/45	240 6.691e+005
378	419	418	445	446	C35/45	240 6.691e+005
379	420	419	446	447	C35/45	240 6.69e+005
380	421	420	447	443	C35/45	240 6.691e+005
381	444	408	407	448	C35/45	240 6.621e+005
382	445	444	448	449	C35/45	240 6.621e+005
383	446	445	449	450	C35/45	240 6.622e+005
384	447	446	450	451	C35/45	240 6.621e+005
385	443	447	451	442	C35/45	240 6.621e+005
386	448	407	7984	7983	C35/45	240 6.553e+005
387	449	448	7983	7982	C35/45	240 6.553e+005
388	450	449	7982	7981	C35/45	240 6.553e+005
389	451	450	7981	7980	C35/45	240 6.553e+005
390	442	451	7980	7979	C35/45	240 6.553e+005
391	7635	7636	423	464	C35/45	240 6.896e+005
392	7634	7635	464	465	C35/45	240 6.896e+005
393	7633	7634	465	466	C35/45	240 6.896e+005
394	7632	7633	466	467	C35/45	240 6.896e+005
395	7631	7632	467	458	C35/45	240 6.896e+005
396	464	423	422	468	C35/45	240 6.827e+005
397	465	464	468	469	C35/45	240 6.827e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
398	466	465	469	470	C35/45	240 6.827e+005
399	467	466	470	471	C35/45	240 6.828e+005
400	458	467	471	457	C35/45	240 6.827e+005
401	468	422	421	452	C35/45	240 6.758e+005
402	469	468	452	453	C35/45	240 6.759e+005
403	470	469	453	454	C35/45	240 6.759e+005
404	471	470	454	455	C35/45	240 6.759e+005
405	457	471	455	456	C35/45	240 6.759e+005
406	478	356	355	479	C35/45	240 6.679e+005
407	477	478	479	480	C35/45	240 6.681e+005
408	476	477	480	481	C35/45	240 6.682e+005
409	475	476	481	482	C35/45	240 6.685e+005
410	474	475	482	473	C35/45	240 6.687e+005
411	479	355	354	483	C35/45	240 6.618e+005
412	480	479	483	484	C35/45	240 6.62e+005
413	481	480	484	485	C35/45	240 6.622e+005
414	482	481	485	486	C35/45	240 6.624e+005
415	473	482	486	472	C35/45	240 6.627e+005
416	483	354	7641	7640	C35/45	240 6.556e+005
417	484	483	7640	7639	C35/45	240 6.559e+005
418	485	484	7639	7638	C35/45	240 6.562e+005
419	486	485	7638	7637	C35/45	240 6.563e+005
420	472	486	7637	7636	C35/45	240 6.565e+005
421	7983	7984	487	497	C35/45	240 5.686e+005
422	7982	7983	497	498	C35/45	240 5.685e+005
423	7981	7982	498	499	C35/45	240 5.686e+005
424	7980	7981	499	500	C35/45	240 5.686e+005
425	7979	7980	500	496	C35/45	240 5.688e+005
426	497	487	488	501	C35/45	240 5.633e+005
427	498	497	501	502	C35/45	240 5.632e+005
428	499	498	502	503	C35/45	240 5.633e+005
429	500	499	503	504	C35/45	240 5.633e+005
430	496	500	504	495	C35/45	240 5.636e+005
431	501	488	489	490	C35/45	240 5.581e+005
432	502	501	490	491	C35/45	240 5.58e+005
433	503	502	491	492	C35/45	240 5.58e+005
434	504	503	492	493	C35/45	240 5.58e+005
435	495	504	493	494	C35/45	240 5.583e+005
436	452	421	443	512	C35/45	240 6.69e+005
437	453	452	512	513	C35/45	240 6.69e+005
438	454	453	513	514	C35/45	240 6.69e+005
439	455	454	514	515	C35/45	240 6.689e+005
440	456	455	515	511	C35/45	240 6.69e+005
441	512	443	442	516	C35/45	240 6.621e+005
442	513	512	516	517	C35/45	240 6.621e+005
443	514	513	517	518	C35/45	240 6.621e+005
444	515	514	518	519	C35/45	240 6.621e+005
445	511	515	519	510	C35/45	240 6.621e+005
446	516	442	7979	7978	C35/45	240 6.553e+005
447	517	516	7978	7977	C35/45	240 6.553e+005
448	518	517	7977	7976	C35/45	240 6.553e+005
449	519	518	7976	7975	C35/45	240 6.553e+005
450	510	519	7975	7974	C35/45	240 6.552e+005
451	7978	7979	496	527	C35/45	240 5.69e+005
452	7977	7978	527	528	C35/45	240 5.695e+005
453	7976	7977	528	529	C35/45	240 5.699e+005
454	7975	7976	529	530	C35/45	240 5.705e+005
455	7974	7975	530	526	C35/45	240 5.711e+005
456	527	496	495	531	C35/45	240 5.638e+005
457	528	527	531	532	C35/45	240 5.642e+005
458	529	528	532	533	C35/45	240 5.646e+005
459	530	529	533	534	C35/45	240 5.653e+005
460	526	530	534	525	C35/45	240 5.658e+005
461	531	495	494	520	C35/45	240 5.584e+005
462	532	531	520	521	C35/45	240 5.588e+005
463	533	532	521	522	C35/45	240 5.593e+005

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
464	534	533	522	523	C35/45	240	5.599e+005	
465	525	534	523	524	C35/45	240	5.604e+005	
466	546	456	511	547	C35/45	240	6.689e+005	
467	545	546	547	548	C35/45	240	6.689e+005	
468	544	545	548	549	C35/45	240	6.69e+005	
469	543	544	549	550	C35/45	240	6.689e+005	
470	542	543	550	541	C35/45	240	6.69e+005	
471	547	511	510	551	C35/45	240	6.621e+005	
472	548	547	551	552	C35/45	240	6.621e+005	
473	549	548	552	553	C35/45	240	6.621e+005	
474	550	549	553	554	C35/45	240	6.621e+005	
475	541	550	554	540	C35/45	240	6.621e+005	
476	551	510	7974	7973	C35/45	240	6.552e+005	
477	552	551	7973	7972	C35/45	240	6.552e+005	
478	553	552	7972	7971	C35/45	240	6.552e+005	
479	554	553	7971	7970	C35/45	240	6.551e+005	
480	540	554	7970	7969	C35/45	240	6.552e+005	
481	7973	7974	526	562	C35/45	240	5.719e+005	
482	7972	7973	562	563	C35/45	240	5.727e+005	
483	7971	7972	563	564	C35/45	240	5.736e+005	
484	7970	7971	564	565	C35/45	240	5.746e+005	
485	7969	7970	565	561	C35/45	240	5.758e+005	
486	562	526	525	566	C35/45	240	5.665e+005	
487	563	562	566	567	C35/45	240	5.673e+005	
488	564	563	567	568	C35/45	240	5.682e+005	
489	565	564	568	569	C35/45	240	5.692e+005	
490	561	565	569	560	C35/45	240	5.704e+005	
491	566	525	524	555	C35/45	240	5.611e+005	
492	567	566	555	556	C35/45	240	5.619e+005	
493	568	567	556	557	C35/45	240	5.628e+005	
494	569	568	557	558	C35/45	240	5.638e+005	
495	560	569	558	559	C35/45	240	5.649e+005	
496	581	542	541	582	C35/45	240	6.689e+005	
497	580	581	582	583	C35/45	240	6.688e+005	
498	579	580	583	584	C35/45	240	6.688e+005	
499	578	579	584	585	C35/45	240	6.689e+005	
500	577	578	585	576	C35/45	240	6.688e+005	
501	582	541	540	586	C35/45	240	6.62e+005	
502	583	582	586	587	C35/45	240	6.62e+005	
503	584	583	587	588	C35/45	240	6.62e+005	
504	585	584	588	589	C35/45	240	6.62e+005	
505	576	585	589	575	C35/45	240	6.62e+005	
506	586	540	7969	7968	C35/45	240	6.551e+005	
507	587	586	7968	7967	C35/45	240	6.551e+005	
508	588	587	7967	7966	C35/45	240	6.551e+005	
509	589	588	7966	7965	C35/45	240	6.551e+005	
510	575	589	7965	7964	C35/45	240	6.551e+005	
511	7630	7631	458	597	C35/45	240	6.895e+005	
512	7629	7630	597	598	C35/45	240	6.895e+005	
513	7628	7629	598	599	C35/45	240	6.895e+005	
514	7627	7628	599	600	C35/45	240	6.895e+005	
515	7626	7627	600	591	C35/45	240	6.895e+005	
516	597	458	457	601	C35/45	240	6.827e+005	
517	598	597	601	602	C35/45	240	6.826e+005	
518	599	598	602	603	C35/45	240	6.827e+005	
519	600	599	603	604	C35/45	240	6.826e+005	
520	591	600	604	590	C35/45	240	6.827e+005	
521	601	457	456	546	C35/45	240	6.759e+005	
522	602	601	546	545	C35/45	240	6.757e+005	
523	603	602	545	544	C35/45	240	6.757e+005	
524	604	603	544	543	C35/45	240	6.757e+005	
525	590	604	543	542	C35/45	240	6.758e+005	
526	7968	7969	561	612	C35/45	240	5.769e+005	
527	7967	7968	612	613	C35/45	240	5.782e+005	
528	7966	7967	613	614	C35/45	240	5.796e+005	
529	7965	7966	614	615	C35/45	240	5.811e+005	

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

530	7964	7965	615	611	C35/45	240	5.826e+005
531	612	561	560	616	C35/45	240	5.714e+005
532	613	612	616	617	C35/45	240	5.727e+005
533	614	613	617	618	C35/45	240	5.74e+005
534	615	614	618	619	C35/45	240	5.756e+005
535	611	615	619	610	C35/45	240	5.771e+005
536	616	560	559	605	C35/45	240	5.659e+005
537	617	616	605	606	C35/45	240	5.672e+005
538	618	617	606	607	C35/45	240	5.686e+005
539	619	618	607	608	C35/45	240	5.701e+005
540	610	619	608	609	C35/45	240	5.716e+005
541	7963	7964	611	632	C35/45	240	5.841e+005
542	7962	7963	632	633	C35/45	240	5.857e+005
543	7961	7962	633	634	C35/45	240	5.875e+005
544	7960	7961	634	635	C35/45	240	5.895e+005
545	7959	7960	635	626	C35/45	240	5.916e+005
546	632	611	610	636	C35/45	240	5.784e+005
547	633	632	636	637	C35/45	240	5.801e+005
548	634	633	637	638	C35/45	240	5.818e+005
549	635	634	638	639	C35/45	240	5.837e+005
550	626	635	639	625	C35/45	240	5.859e+005
551	636	610	609	620	C35/45	240	5.728e+005
552	637	636	620	621	C35/45	240	5.745e+005
553	638	637	621	622	C35/45	240	5.762e+005
554	639	638	622	623	C35/45	240	5.781e+005
555	625	639	623	624	C35/45	240	5.802e+005
556	7958	7959	626	652	C35/45	240	5.652e+005
557	7957	7958	652	653	C35/45	240	5.676e+005
558	7956	7957	653	654	C35/45	240	5.698e+005
559	7955	7956	654	655	C35/45	240	5.72e+005
560	7954	7955	655	646	C35/45	240	5.739e+005
561	652	626	625	656	C35/45	240	5.596e+005
562	653	652	656	657	C35/45	240	5.619e+005
563	654	653	657	658	C35/45	240	5.642e+005
564	655	654	658	659	C35/45	240	5.663e+005
565	646	655	659	645	C35/45	240	5.681e+005
566	656	625	624	640	C35/45	240	5.539e+005
567	657	656	640	641	C35/45	240	5.563e+005
568	658	657	641	642	C35/45	240	5.586e+005
569	659	658	642	643	C35/45	240	5.606e+005
570	645	659	643	644	C35/45	240	5.624e+005
571	666	577	576	667	C35/45	240	6.687e+005
572	665	666	667	668	C35/45	240	6.688e+005
573	664	665	668	669	C35/45	240	6.688e+005
574	663	664	669	670	C35/45	240	6.687e+005
575	662	663	670	661	C35/45	240	6.687e+005
576	667	576	575	671	C35/45	240	6.619e+005
577	668	667	671	672	C35/45	240	6.618e+005
578	669	668	672	673	C35/45	240	6.619e+005
579	670	669	673	674	C35/45	240	6.618e+005
580	661	670	674	660	C35/45	240	6.619e+005
581	671	575	7964	7963	C35/45	240	6.55e+005
582	672	671	7963	7962	C35/45	240	6.549e+005
583	673	672	7962	7961	C35/45	240	6.55e+005
584	674	673	7961	7960	C35/45	240	6.549e+005
585	660	674	7960	7959	C35/45	240	6.549e+005
586	676	687	686	675	C35/45	240	5.643e+005
587	687	688	685	686	C35/45	240	5.642e+005
588	688	689	684	685	C35/45	240	5.639e+005
589	689	690	683	684	C35/45	240	5.636e+005
590	690	645	644	683	C35/45	240	5.627e+005
591	677	691	687	676	C35/45	240	5.701e+005
592	691	692	688	687	C35/45	240	5.7e+005
593	692	693	689	688	C35/45	240	5.698e+005
594	693	694	690	689	C35/45	240	5.695e+005
595	694	646	645	690	C35/45	240	5.686e+005


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
596	7949	7950	691	677	C35/45	240	5.76e+005	
597	7950	7951	692	691	C35/45	240	5.758e+005	
598	7951	7952	693	692	C35/45	240	5.756e+005	
599	7952	7953	694	693	C35/45	240	5.752e+005	
600	7953	7954	646	694	C35/45	240	5.744e+005	
601	701	662	661	702	C35/45	240	6.368e+005	
602	700	701	702	703	C35/45	240	6.369e+005	
603	699	700	703	704	C35/45	240	6.37e+005	
604	698	699	704	705	C35/45	240	6.37e+005	
605	697	698	705	696	C35/45	240	6.371e+005	
606	702	661	660	706	C35/45	240	6.302e+005	
607	703	702	706	707	C35/45	240	6.302e+005	
608	704	703	707	708	C35/45	240	6.303e+005	
609	705	704	708	709	C35/45	240	6.303e+005	
610	696	705	709	695	C35/45	240	6.304e+005	
611	706	660	7959	7958	C35/45	240	6.236e+005	
612	707	706	7958	7957	C35/45	240	6.236e+005	
613	708	707	7957	7956	C35/45	240	6.236e+005	
614	709	708	7956	7955	C35/45	240	6.237e+005	
615	695	709	7955	7954	C35/45	240	6.238e+005	
616	7948	7949	677	722	C35/45	240	6.054e+005	
617	7947	7948	722	723	C35/45	240	6.058e+005	
618	7946	7947	723	724	C35/45	240	6.061e+005	
619	7945	7946	724	725	C35/45	240	6.066e+005	
620	7944	7945	725	716	C35/45	240	6.071e+005	
621	722	677	676	726	C35/45	240	5.993e+005	
622	723	722	726	727	C35/45	240	5.996e+005	
623	724	723	727	728	C35/45	240	6e+005	
624	725	724	728	729	C35/45	240	6.005e+005	
625	716	725	729	715	C35/45	240	6.009e+005	
626	726	676	675	710	C35/45	240	5.932e+005	
627	727	726	710	711	C35/45	240	5.935e+005	
628	728	727	711	712	C35/45	240	5.938e+005	
629	729	728	712	713	C35/45	240	5.943e+005	
630	715	729	713	714	C35/45	240	5.948e+005	
631	730	737	7950	7949	C35/45	240	6.229e+005	
632	737	738	7951	7950	C35/45	240	6.23e+005	
633	738	739	7952	7951	C35/45	240	6.23e+005	
634	739	740	7953	7952	C35/45	240	6.23e+005	
635	740	695	7954	7953	C35/45	240	6.231e+005	
636	731	741	737	730	C35/45	240	6.296e+005	
637	741	742	738	737	C35/45	240	6.296e+005	
638	742	743	739	738	C35/45	240	6.297e+005	
639	743	744	740	739	C35/45	240	6.297e+005	
640	744	696	695	740	C35/45	240	6.297e+005	
641	732	733	741	731	C35/45	240	6.363e+005	
642	733	734	742	741	C35/45	240	6.363e+005	
643	734	735	743	742	C35/45	240	6.364e+005	
644	735	736	744	743	C35/45	240	6.366e+005	
645	736	697	696	744	C35/45	240	6.365e+005	
646	751	732	731	752	C35/45	240	6.685e+005	
647	750	751	752	753	C35/45	240	6.685e+005	
648	749	750	753	754	C35/45	240	6.684e+005	
649	748	749	754	755	C35/45	240	6.685e+005	
650	747	748	755	746	C35/45	240	6.685e+005	
651	752	731	730	756	C35/45	240	6.615e+005	
652	753	752	756	757	C35/45	240	6.614e+005	
653	754	753	757	758	C35/45	240	6.614e+005	
654	755	754	758	759	C35/45	240	6.615e+005	
655	746	755	759	745	C35/45	240	6.614e+005	
656	756	730	7949	7948	C35/45	240	6.544e+005	
657	757	756	7948	7947	C35/45	240	6.544e+005	
658	758	757	7947	7946	C35/45	240	6.545e+005	
659	759	758	7946	7945	C35/45	240	6.545e+005	
660	745	759	7945	7944	C35/45	240	6.544e+005	
661	7943	7944	716	772	C35/45	240	6.074e+005	


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
662	7942	7943	772	773	C35/45	240 6.077e+005
663	7941	7942	773	774	C35/45	240 6.08e+005
664	7940	7941	774	775	C35/45	240 6.083e+005
665	7939	7940	775	766	C35/45	240 6.085e+005
666	772	716	715	776	C35/45	240 6.012e+005
667	773	772	776	777	C35/45	240 6.015e+005
668	774	773	777	778	C35/45	240 6.019e+005
669	775	774	778	779	C35/45	240 6.021e+005
670	766	775	779	765	C35/45	240 6.023e+005
671	776	715	714	760	C35/45	240 5.95e+005
672	777	776	760	761	C35/45	240 5.954e+005
673	778	777	761	762	C35/45	240 5.957e+005
674	779	778	762	763	C35/45	240 5.96e+005
675	765	779	763	764	C35/45	240 5.962e+005
676	786	747	746	787	C35/45	240 6.685e+005
677	785	786	787	788	C35/45	240 6.685e+005
678	784	785	788	789	C35/45	240 6.685e+005
679	783	784	789	790	C35/45	240 6.685e+005
680	782	783	790	781	C35/45	240 6.685e+005
681	787	746	745	791	C35/45	240 6.615e+005
682	788	787	791	792	C35/45	240 6.615e+005
683	789	788	792	793	C35/45	240 6.615e+005
684	790	789	793	794	C35/45	240 6.615e+005
685	781	790	794	780	C35/45	240 6.615e+005
686	791	745	7944	7943	C35/45	240 6.545e+005
687	792	791	7943	7942	C35/45	240 6.545e+005
688	793	792	7942	7941	C35/45	240 6.544e+005
689	794	793	7941	7940	C35/45	240 6.545e+005
690	780	794	7940	7939	C35/45	240 6.544e+005
691	7605	7606	796	805	C35/45	240 6.677e+005
692	7604	7605	805	806	C35/45	240 6.23e+005
693	7603	7604	806	807	C35/45	240 5.83e+005
694	7602	7603	807	808	C35/45	240 5.554e+005
695	7601	7602	808	799	C35/45	240 5.452e+005
696	805	796	797	809	C35/45	240 6.902e+005
697	806	805	809	810	C35/45	240 7.057e+005
698	807	806	810	811	C35/45	240 7.234e+005
699	808	807	811	812	C35/45	240 7.399e+005
700	799	808	812	798	C35/45	240 7.507e+005
701	809	797	732	751	C35/45	240 6.825e+005
702	810	809	751	750	C35/45	240 6.982e+005
703	811	810	750	749	C35/45	240 7.158e+005
704	812	811	749	748	C35/45	240 7.319e+005
705	798	812	748	747	C35/45	240 7.422e+005
706	797	820	733	732	C35/45	240 6.397e+005
707	820	821	734	733	C35/45	240 6.356e+005
708	821	822	735	734	C35/45	240 6.356e+005
709	822	823	736	735	C35/45	240 6.38e+005
710	823	819	697	736	C35/45	240 6.412e+005
711	796	824	820	797	C35/45	240 6.462e+005
712	824	825	821	820	C35/45	240 6.422e+005
713	825	826	822	821	C35/45	240 6.422e+005
714	826	827	823	822	C35/45	240 6.446e+005
715	827	818	819	823	C35/45	240 6.478e+005
716	7606	7607	824	796	C35/45	240 6.528e+005
717	7607	7608	825	824	C35/45	240 6.489e+005
718	7608	7609	826	825	C35/45	240 6.488e+005
719	7609	7610	827	826	C35/45	240 6.512e+005
720	7610	7611	818	827	C35/45	240 6.544e+005
721	7600	7601	799	835	C35/45	240 5.434e+005
722	7599	7600	835	836	C35/45	240 5.511e+005
723	7598	7599	836	837	C35/45	240 5.787e+005
724	7597	7598	837	838	C35/45	240 6.2e+005
725	7596	7597	838	829	C35/45	240 6.667e+005
726	835	799	798	839	C35/45	240 7.518e+005
727	836	835	839	840	C35/45	240 7.422e+005


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
728	837	836	840	841	C35/45	240	7.258e+005	
729	838	837	841	842	C35/45	240	7.072e+005	
730	829	838	842	828	C35/45	240	6.906e+005	
731	839	798	747	786	C35/45	240	7.431e+005	
732	840	839	786	785	C35/45	240	7.34e+005	
733	841	840	785	784	C35/45	240	7.181e+005	
734	842	841	784	783	C35/45	240	6.996e+005	
735	828	842	783	782	C35/45	240	6.831e+005	
736	852	843	844	853	C35/45	240	6.657e+005	
737	851	852	853	854	C35/45	240	6.486e+005	
738	850	851	854	855	C35/45	240	6.297e+005	
739	849	850	855	856	C35/45	240	6.127e+005	
740	848	849	856	847	C35/45	240	6.017e+005	
741	853	844	845	857	C35/45	240	6.6e+005	
742	854	853	857	858	C35/45	240	6.428e+005	
743	855	854	858	859	C35/45	240	6.239e+005	
744	856	855	859	860	C35/45	240	6.073e+005	
745	847	856	860	846	C35/45	240	5.967e+005	
746	857	845	7606	7605	C35/45	240	6.832e+005	
747	858	857	7605	7604	C35/45	240	7.272e+005	
748	859	858	7604	7603	C35/45	240	7.677e+005	
749	860	859	7603	7602	C35/45	240	7.968e+005	
750	846	860	7602	7601	C35/45	240	8.025e+005	
751	867	861	862	868	C35/45	240	6.449e+005	
752	866	867	868	869	C35/45	240	6.478e+005	
753	865	866	869	870	C35/45	240	6.499e+005	
754	864	865	870	871	C35/45	240	6.494e+005	
755	843	864	871	844	C35/45	240	6.445e+005	
756	868	862	863	872	C35/45	240	6.386e+005	
757	869	868	872	873	C35/45	240	6.418e+005	
758	870	869	873	874	C35/45	240	6.439e+005	
759	871	870	874	875	C35/45	240	6.433e+005	
760	844	871	875	845	C35/45	240	6.383e+005	
761	872	863	7611	7610	C35/45	240	6.326e+005	
762	873	872	7610	7609	C35/45	240	6.356e+005	
763	874	873	7609	7608	C35/45	240	6.376e+005	
764	875	874	7608	7607	C35/45	240	6.371e+005	
765	845	875	7607	7606	C35/45	240	6.321e+005	
766	882	848	847	883	C35/45	240	6.003e+005	
767	881	882	883	884	C35/45	240	6.093e+005	
768	880	881	884	885	C35/45	240	6.255e+005	
769	879	880	885	886	C35/45	240	6.445e+005	
770	878	879	886	877	C35/45	240	6.618e+005	
771	883	847	846	887	C35/45	240	5.953e+005	
772	884	883	887	888	C35/45	240	6.04e+005	
773	885	884	888	889	C35/45	240	6.198e+005	
774	886	885	889	890	C35/45	240	6.386e+005	
775	877	886	890	876	C35/45	240	6.561e+005	
776	887	846	7601	7600	C35/45	240	8.042e+005	
777	888	887	7600	7599	C35/45	240	8.002e+005	
778	889	888	7599	7598	C35/45	240	7.704e+005	
779	890	889	7598	7597	C35/45	240	7.277e+005	
780	876	890	7597	7596	C35/45	240	6.809e+005	
781	902	891	892	903	C35/45	240	6.418e+005	
782	901	902	903	904	C35/45	240	6.413e+005	
783	900	901	904	905	C35/45	240	6.411e+005	
784	899	900	905	906	C35/45	240	6.412e+005	
785	861	899	906	862	C35/45	240	6.425e+005	
786	903	892	893	907	C35/45	240	6.359e+005	
787	904	903	907	908	C35/45	240	6.354e+005	
788	905	904	908	909	C35/45	240	6.351e+005	
789	906	905	909	910	C35/45	240	6.353e+005	
790	862	906	910	863	C35/45	240	6.365e+005	
791	907	893	7616	7615	C35/45	240	6.299e+005	
792	908	907	7615	7614	C35/45	240	6.294e+005	
793	909	908	7614	7613	C35/45	240	6.291e+005	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
794	910	909	7613	7612	C35/45	240	6.293e+005
795	863	910	7612	7611	C35/45	240	6.305e+005
796	7615	7616	911	913	C35/45	240	6.572e+005
797	7614	7615	913	914	C35/45	240	6.58e+005
798	7613	7614	914	915	C35/45	240	6.586e+005
799	7612	7613	915	916	C35/45	240	6.586e+005
800	7611	7612	916	818	C35/45	240	6.574e+005
801	913	911	912	917	C35/45	240	6.505e+005
802	914	913	917	918	C35/45	240	6.513e+005
803	915	914	918	919	C35/45	240	6.52e+005
804	916	915	919	920	C35/45	240	6.52e+005
805	818	916	920	819	C35/45	240	6.508e+005
806	917	912	662	701	C35/45	240	6.439e+005
807	918	917	701	700	C35/45	240	6.447e+005
808	919	918	700	699	C35/45	240	6.453e+005
809	920	919	699	698	C35/45	240	6.452e+005
810	819	920	698	697	C35/45	240	6.441e+005
811	7620	7621	922	928	C35/45	240	6.892e+005
812	7619	7620	928	929	C35/45	240	6.889e+005
813	7618	7619	929	930	C35/45	240	6.888e+005
814	7617	7618	930	931	C35/45	240	6.888e+005
815	7616	7617	931	911	C35/45	240	6.891e+005
816	928	922	923	932	C35/45	240	6.824e+005
817	929	928	932	933	C35/45	240	6.821e+005
818	930	929	933	934	C35/45	240	6.819e+005
819	931	930	934	935	C35/45	240	6.819e+005
820	911	931	935	912	C35/45	240	6.822e+005
821	932	923	577	666	C35/45	240	6.755e+005
822	933	932	666	665	C35/45	240	6.752e+005
823	934	933	665	664	C35/45	240	6.75e+005
824	935	934	664	663	C35/45	240	6.751e+005
825	912	935	663	662	C35/45	240	6.754e+005
826	7625	7626	591	940	C35/45	240	6.895e+005
827	7624	7625	940	941	C35/45	240	6.895e+005
828	7623	7624	941	942	C35/45	240	6.896e+005
829	7622	7623	942	943	C35/45	240	6.896e+005
830	7621	7622	943	922	C35/45	240	6.895e+005
831	940	591	590	944	C35/45	240	6.827e+005
832	941	940	944	945	C35/45	240	6.826e+005
833	942	941	945	946	C35/45	240	6.828e+005
834	943	942	946	947	C35/45	240	6.827e+005
835	922	943	947	923	C35/45	240	6.827e+005
836	944	590	542	581	C35/45	240	6.758e+005
837	945	944	581	580	C35/45	240	6.758e+005
838	946	945	580	579	C35/45	240	6.759e+005
839	947	946	579	578	C35/45	240	6.759e+005
840	923	947	578	577	C35/45	240	6.758e+005
841	954	948	949	955	C35/45	240	6.726e+005
842	953	954	955	956	C35/45	240	6.731e+005
843	952	953	956	957	C35/45	240	6.736e+005
844	951	952	957	958	C35/45	240	6.738e+005
845	891	951	958	892	C35/45	240	6.739e+005
846	955	949	950	959	C35/45	240	6.664e+005
847	956	955	959	960	C35/45	240	6.669e+005
848	957	956	960	961	C35/45	240	6.673e+005
849	958	957	961	962	C35/45	240	6.676e+005
850	892	958	962	893	C35/45	240	6.677e+005
851	959	950	7621	7620	C35/45	240	6.602e+005
852	960	959	7620	7619	C35/45	240	6.607e+005
853	961	960	7619	7618	C35/45	240	6.612e+005
854	962	961	7618	7617	C35/45	240	6.615e+005
855	893	962	7617	7616	C35/45	240	6.614e+005
856	969	963	964	970	C35/45	240	6.713e+005
857	968	969	970	971	C35/45	240	6.714e+005
858	967	968	971	972	C35/45	240	6.716e+005
859	966	967	972	973	C35/45	240	6.719e+005

PROJECT TITLE :


					Company		Client	
					Author		File Name	
								PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
860	948	966	973	949	C35/45	240	6.723e+005	
861	970	964	965	974	C35/45	240	6.651e+005	
862	971	970	974	975	C35/45	240	6.652e+005	
863	972	971	975	976	C35/45	240	6.654e+005	
864	973	972	976	977	C35/45	240	6.658e+005	
865	949	973	977	950	C35/45	240	6.661e+005	
866	974	965	7626	7625	C35/45	240	6.588e+005	
867	975	974	7625	7624	C35/45	240	6.592e+005	
868	976	975	7624	7623	C35/45	240	6.594e+005	
869	977	976	7623	7622	C35/45	240	6.596e+005	
870	950	977	7622	7621	C35/45	240	6.599e+005	
871	984	978	979	985	C35/45	240	6.701e+005	
872	983	984	985	986	C35/45	240	6.704e+005	
873	982	983	986	987	C35/45	240	6.706e+005	
874	981	982	987	988	C35/45	240	6.709e+005	
875	963	981	988	964	C35/45	240	6.711e+005	
876	985	979	980	989	C35/45	240	6.639e+005	
877	986	985	989	990	C35/45	240	6.642e+005	
878	987	986	990	991	C35/45	240	6.644e+005	
879	988	987	991	992	C35/45	240	6.647e+005	
880	964	988	992	965	C35/45	240	6.65e+005	
881	989	980	7631	7630	C35/45	240	6.578e+005	
882	990	989	7630	7629	C35/45	240	6.581e+005	
883	991	990	7629	7628	C35/45	240	6.583e+005	
884	992	991	7628	7627	C35/45	240	6.586e+005	
885	965	992	7627	7626	C35/45	240	6.588e+005	
886	996	474	473	997	C35/45	240	6.689e+005	
887	995	996	997	998	C35/45	240	6.692e+005	
888	994	995	998	999	C35/45	240	6.694e+005	
889	993	994	999	1000	C35/45	240	6.697e+005	
890	978	993	1000	979	C35/45	240	6.698e+005	
891	997	473	472	1001	C35/45	240	6.628e+005	
892	998	997	1001	1002	C35/45	240	6.631e+005	
893	999	998	1002	1003	C35/45	240	6.633e+005	
894	1000	999	1003	1004	C35/45	240	6.635e+005	
895	979	1000	1004	980	C35/45	240	6.637e+005	
896	1001	472	7636	7635	C35/45	240	6.567e+005	
897	1002	1001	7635	7634	C35/45	240	6.57e+005	
898	1003	1002	7634	7633	C35/45	240	6.571e+005	
899	1004	1003	7633	7632	C35/45	240	6.573e+005	
900	980	1004	7632	7631	C35/45	240	6.576e+005	
901	1016	878	877	1017	C35/45	240	6.732e+005	
902	1015	1016	1017	1018	C35/45	240	6.781e+005	
903	1014	1015	1018	1019	C35/45	240	6.778e+005	
904	1013	1014	1019	1020	C35/45	240	6.746e+005	
905	1012	1013	1020	1011	C35/45	240	6.703e+005	
906	1017	877	876	1021	C35/45	240	6.668e+005	
907	1018	1017	1021	1022	C35/45	240	6.717e+005	
908	1019	1018	1022	1023	C35/45	240	6.715e+005	
909	1020	1019	1023	1024	C35/45	240	6.682e+005	
910	1011	1020	1024	1010	C35/45	240	6.639e+005	
911	1021	876	7596	7595	C35/45	240	6.604e+005	
912	1022	1021	7595	7594	C35/45	240	6.655e+005	
913	1023	1022	7594	7593	C35/45	240	6.652e+005	
914	1024	1023	7593	7592	C35/45	240	6.619e+005	
915	1010	1024	7592	7591	C35/45	240	6.577e+005	
916	7595	7596	829	1032	C35/45	240	6.851e+005	
917	7594	7595	1032	1033	C35/45	240	6.804e+005	
918	7593	7594	1033	1034	C35/45	240	6.805e+005	
919	7592	7593	1034	1035	C35/45	240	6.834e+005	
920	7591	7592	1035	1031	C35/45	240	6.875e+005	
921	1032	829	828	1036	C35/45	240	6.783e+005	
922	1033	1032	1036	1037	C35/45	240	6.736e+005	
923	1034	1033	1037	1038	C35/45	240	6.736e+005	
924	1035	1034	1038	1039	C35/45	240	6.766e+005	
925	1031	1035	1039	1030	C35/45	240	6.805e+005	

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

926	1036	828	782	1025	C35/45	240	6.715e+005
927	1037	1036	1025	1026	C35/45	240	6.666e+005
928	1038	1037	1026	1027	C35/45	240	6.667e+005
929	1039	1038	1027	1028	C35/45	240	6.697e+005
930	1030	1039	1028	1029	C35/45	240	6.736e+005
931	1025	782	781	1047	C35/45	240	6.685e+005
932	1026	1025	1047	1048	C35/45	240	6.684e+005
933	1027	1026	1048	1049	C35/45	240	6.685e+005
934	1028	1027	1049	1050	C35/45	240	6.685e+005
935	1029	1028	1050	1046	C35/45	240	6.685e+005
936	1047	781	780	1051	C35/45	240	6.615e+005
937	1048	1047	1051	1052	C35/45	240	6.615e+005
938	1049	1048	1052	1053	C35/45	240	6.615e+005
939	1050	1049	1053	1054	C35/45	240	6.615e+005
940	1046	1050	1054	1045	C35/45	240	6.615e+005
941	1051	780	7939	7938	C35/45	240	6.544e+005
942	1052	1051	7938	7937	C35/45	240	6.544e+005
943	1053	1052	7937	7936	C35/45	240	6.545e+005
944	1054	1053	7936	7935	C35/45	240	6.545e+005
945	1045	1054	7935	7934	C35/45	240	6.545e+005
946	7590	7591	1031	1067	C35/45	240	6.906e+005
947	7589	7590	1067	1068	C35/45	240	6.919e+005
948	7588	7589	1068	1069	C35/45	240	6.92e+005
949	7587	7588	1069	1070	C35/45	240	6.912e+005
950	7586	7587	1070	1061	C35/45	240	6.901e+005
951	1067	1031	1030	1071	C35/45	240	6.836e+005
952	1068	1067	1071	1072	C35/45	240	6.849e+005
953	1069	1068	1072	1073	C35/45	240	6.849e+005
954	1070	1069	1073	1074	C35/45	240	6.84e+005
955	1061	1070	1074	1060	C35/45	240	6.831e+005
956	1071	1030	1029	1055	C35/45	240	6.765e+005
957	1072	1071	1055	1056	C35/45	240	6.778e+005
958	1073	1072	1056	1057	C35/45	240	6.778e+005
959	1074	1073	1057	1058	C35/45	240	6.77e+005
960	1060	1074	1058	1059	C35/45	240	6.761e+005
961	7938	7939	766	1082	C35/45	240	6.088e+005
962	7937	7938	1082	1083	C35/45	240	6.09e+005
963	7936	7937	1083	1084	C35/45	240	6.091e+005
964	7935	7936	1084	1085	C35/45	240	6.093e+005
965	7934	7935	1085	1081	C35/45	240	6.095e+005
966	1082	766	765	1086	C35/45	240	6.026e+005
967	1083	1082	1086	1087	C35/45	240	6.027e+005
968	1084	1083	1087	1088	C35/45	240	6.029e+005
969	1085	1084	1088	1089	C35/45	240	6.031e+005
970	1081	1085	1089	1080	C35/45	240	6.032e+005
971	1086	765	764	1075	C35/45	240	5.963e+005
972	1087	1086	1075	1076	C35/45	240	5.965e+005
973	1088	1087	1076	1077	C35/45	240	5.967e+005
974	1089	1088	1077	1078	C35/45	240	5.968e+005
975	1080	1089	1078	1079	C35/45	240	5.971e+005
976	1055	1029	1046	1097	C35/45	240	6.685e+005
977	1056	1055	1097	1098	C35/45	240	6.685e+005
978	1057	1056	1098	1099	C35/45	240	6.685e+005
979	1058	1057	1099	1100	C35/45	240	6.684e+005
980	1059	1058	1100	1096	C35/45	240	6.685e+005
981	1097	1046	1045	1101	C35/45	240	6.614e+005
982	1098	1097	1101	1102	C35/45	240	6.615e+005
983	1099	1098	1102	1103	C35/45	240	6.615e+005
984	1100	1099	1103	1104	C35/45	240	6.615e+005
985	1096	1100	1104	1095	C35/45	240	6.615e+005
986	1101	1045	7934	7933	C35/45	240	6.544e+005
987	1102	1101	7933	7932	C35/45	240	6.545e+005
988	1103	1102	7932	7931	C35/45	240	6.545e+005
989	1104	1103	7931	7930	C35/45	240	6.545e+005
990	1095	1104	7930	7929	C35/45	240	6.545e+005
991	7933	7934	1081	1112	C35/45	240	6.096e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
992	7932	7933	1112	1113	C35/45	240 6.097e+005
993	7931	7932	1113	1114	C35/45	240 6.098e+005
994	7930	7931	1114	1115	C35/45	240 6.098e+005
995	7929	7930	1115	1111	C35/45	240 6.098e+005
996	1112	1081	1080	1116	C35/45	240 6.033e+005
997	1113	1112	1116	1117	C35/45	240 6.035e+005
998	1114	1113	1117	1118	C35/45	240 6.035e+005
999	1115	1114	1118	1119	C35/45	240 6.036e+005
1000	1111	1115	1119	1110	C35/45	240 6.036e+005
1001	1116	1080	1079	1105	C35/45	240 5.972e+005
1002	1117	1116	1105	1106	C35/45	240 5.972e+005
1003	1118	1117	1106	1107	C35/45	240 5.973e+005
1004	1119	1118	1107	1108	C35/45	240 5.974e+005
1005	1110	1119	1108	1109	C35/45	240 5.974e+005
1006	1131	1059	1096	1132	C35/45	240 6.685e+005
1007	1130	1131	1132	1133	C35/45	240 6.685e+005
1008	1129	1130	1133	1134	C35/45	240 6.685e+005
1009	1128	1129	1134	1135	C35/45	240 6.685e+005
1010	1127	1128	1135	1126	C35/45	240 6.685e+005
1011	1132	1096	1095	1136	C35/45	240 6.615e+005
1012	1133	1132	1136	1137	C35/45	240 6.615e+005
1013	1134	1133	1137	1138	C35/45	240 6.615e+005
1014	1135	1134	1138	1139	C35/45	240 6.615e+005
1015	1126	1135	1139	1125	C35/45	240 6.615e+005
1016	1136	1095	7929	7928	C35/45	240 6.545e+005
1017	1137	1136	7928	7927	C35/45	240 6.545e+005
1018	1138	1137	7927	7926	C35/45	240 6.545e+005
1019	1139	1138	7926	7925	C35/45	240 6.545e+005
1020	1125	1139	7925	7924	C35/45	240 6.545e+005
1021	7928	7929	1111	1147	C35/45	240 6.099e+005
1022	7927	7928	1147	1148	C35/45	240 6.099e+005
1023	7926	7927	1148	1149	C35/45	240 6.098e+005
1024	7925	7926	1149	1150	C35/45	240 6.098e+005
1025	7924	7925	1150	1146	C35/45	240 6.098e+005
1026	1147	1111	1110	1151	C35/45	240 6.037e+005
1027	1148	1147	1151	1152	C35/45	240 6.037e+005
1028	1149	1148	1152	1153	C35/45	240 6.036e+005
1029	1150	1149	1153	1154	C35/45	240 6.036e+005
1030	1146	1150	1154	1145	C35/45	240 6.036e+005
1031	1151	1110	1109	1140	C35/45	240 5.975e+005
1032	1152	1151	1140	1141	C35/45	240 5.974e+005
1033	1153	1152	1141	1142	C35/45	240 5.974e+005
1034	1154	1153	1142	1143	C35/45	240 5.975e+005
1035	1145	1154	1143	1144	C35/45	240 5.974e+005
1036	1166	1127	1126	1167	C35/45	240 6.685e+005
1037	1165	1166	1167	1168	C35/45	240 6.685e+005
1038	1164	1165	1168	1169	C35/45	240 6.685e+005
1039	1163	1164	1169	1170	C35/45	240 6.685e+005
1040	1162	1163	1170	1161	C35/45	240 6.685e+005
1041	1167	1126	1125	1171	C35/45	240 6.615e+005
1042	1168	1167	1171	1172	C35/45	240 6.615e+005
1043	1169	1168	1172	1173	C35/45	240 6.615e+005
1044	1170	1169	1173	1174	C35/45	240 6.615e+005
1045	1161	1170	1174	1160	C35/45	240 6.615e+005
1046	1171	1125	7924	7923	C35/45	240 6.544e+005
1047	1172	1171	7923	7922	C35/45	240 6.545e+005
1048	1173	1172	7922	7921	C35/45	240 6.544e+005
1049	1174	1173	7921	7920	C35/45	240 6.545e+005
1050	1160	1174	7920	7919	C35/45	240 6.545e+005
1051	7585	7586	1061	1182	C35/45	240 6.892e+005
1052	7584	7585	1182	1183	C35/45	240 6.889e+005
1053	7583	7584	1183	1184	C35/45	240 6.889e+005
1054	7582	7583	1184	1185	C35/45	240 6.891e+005
1055	7581	7582	1185	1176	C35/45	240 6.893e+005
1056	1182	1061	1060	1186	C35/45	240 6.822e+005
1057	1183	1182	1186	1187	C35/45	240 6.818e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
1058	1184	1183	1187	1188	C35/45	240 6.818e+005
1059	1185	1184	1188	1189	C35/45	240 6.821e+005
1060	1176	1185	1189	1175	C35/45	240 6.824e+005
1061	1186	1060	1059	1131	C35/45	240 6.752e+005
1062	1187	1186	1131	1130	C35/45	240 6.749e+005
1063	1188	1187	1130	1129	C35/45	240 6.749e+005
1064	1189	1188	1129	1128	C35/45	240 6.751e+005
1065	1175	1189	1128	1127	C35/45	240 6.754e+005
1066	7923	7924	1146	1197	C35/45	240 6.097e+005
1067	7922	7923	1197	1198	C35/45	240 6.095e+005
1068	7921	7922	1198	1199	C35/45	240 6.095e+005
1069	7920	7921	1199	1200	C35/45	240 6.094e+005
1070	7919	7920	1200	1196	C35/45	240 6.092e+005
1071	1197	1146	1145	1201	C35/45	240 6.035e+005
1072	1198	1197	1201	1202	C35/45	240 6.034e+005
1073	1199	1198	1202	1203	C35/45	240 6.033e+005
1074	1200	1199	1203	1204	C35/45	240 6.031e+005
1075	1196	1200	1204	1195	C35/45	240 6.03e+005
1076	1201	1145	1144	1190	C35/45	240 5.973e+005
1077	1202	1201	1190	1191	C35/45	240 5.971e+005
1078	1203	1202	1191	1192	C35/45	240 5.971e+005
1079	1204	1203	1192	1193	C35/45	240 5.969e+005
1080	1195	1204	1193	1194	C35/45	240 5.967e+005
1081	7918	7919	1196	1217	C35/45	240 6.089e+005
1082	7917	7918	1217	1218	C35/45	240 6.088e+005
1083	7916	7917	1218	1219	C35/45	240 6.086e+005
1084	7915	7916	1219	1220	C35/45	240 6.084e+005
1085	7914	7915	1220	1211	C35/45	240 6.08e+005
1086	1217	1196	1195	1221	C35/45	240 6.028e+005
1087	1218	1217	1221	1222	C35/45	240 6.026e+005
1088	1219	1218	1222	1223	C35/45	240 6.023e+005
1089	1220	1219	1223	1224	C35/45	240 6.021e+005
1090	1211	1220	1224	1210	C35/45	240 6.019e+005
1091	1221	1195	1194	1205	C35/45	240 5.966e+005
1092	1222	1221	1205	1206	C35/45	240 5.964e+005
1093	1223	1222	1206	1207	C35/45	240 5.962e+005
1094	1224	1223	1207	1208	C35/45	240 5.959e+005
1095	1210	1224	1208	1209	C35/45	240 5.957e+005
1096	1231	1162	1161	1232	C35/45	240 6.685e+005
1097	1230	1231	1232	1233	C35/45	240 6.685e+005
1098	1229	1230	1233	1234	C35/45	240 6.685e+005
1099	1228	1229	1234	1235	C35/45	240 6.685e+005
1100	1227	1228	1235	1226	C35/45	240 6.685e+005
1101	1232	1161	1160	1236	C35/45	240 6.615e+005
1102	1233	1232	1236	1237	C35/45	240 6.615e+005
1103	1234	1233	1237	1238	C35/45	240 6.615e+005
1104	1235	1234	1238	1239	C35/45	240 6.615e+005
1105	1226	1235	1239	1225	C35/45	240 6.615e+005
1106	1236	1160	7919	7918	C35/45	240 6.544e+005
1107	1237	1236	7918	7917	C35/45	240 6.545e+005
1108	1238	1237	7917	7916	C35/45	240 6.545e+005
1109	1239	1238	7916	7915	C35/45	240 6.544e+005
1110	1225	1239	7915	7914	C35/45	240 6.545e+005
1111	7580	7581	1176	1247	C35/45	240 6.895e+005
1112	7579	7580	1247	1248	C35/45	240 6.897e+005
1113	7578	7579	1248	1249	C35/45	240 6.897e+005
1114	7577	7578	1249	1250	C35/45	240 6.897e+005
1115	7576	7577	1250	1241	C35/45	240 6.896e+005
1116	1247	1176	1175	1251	C35/45	240 6.826e+005
1117	1248	1247	1251	1252	C35/45	240 6.827e+005
1118	1249	1248	1252	1253	C35/45	240 6.826e+005
1119	1250	1249	1253	1254	C35/45	240 6.827e+005
1120	1241	1250	1254	1240	C35/45	240 6.826e+005
1121	1251	1175	1127	1166	C35/45	240 6.756e+005
1122	1252	1251	1166	1165	C35/45	240 6.757e+005
1123	1253	1252	1165	1164	C35/45	240 6.756e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1124	1254	1253	1164	1163	C35/45	240	6.756e+005
1125	1240	1254	1163	1162	C35/45	240	6.756e+005
1126	1266	1227	1226	1267	C35/45	240	6.685e+005
1127	1265	1266	1267	1268	C35/45	240	6.685e+005
1128	1264	1265	1268	1269	C35/45	240	6.684e+005
1129	1263	1264	1269	1270	C35/45	240	6.684e+005
1130	1262	1263	1270	1261	C35/45	240	6.684e+005
1131	1267	1226	1225	1271	C35/45	240	6.615e+005
1132	1268	1267	1271	1272	C35/45	240	6.614e+005
1133	1269	1268	1272	1273	C35/45	240	6.614e+005
1134	1270	1269	1273	1274	C35/45	240	6.614e+005
1135	1261	1270	1274	1260	C35/45	240	6.613e+005
1136	1271	1225	7914	7913	C35/45	240	6.544e+005
1137	1272	1271	7913	7912	C35/45	240	6.544e+005
1138	1273	1272	7912	7911	C35/45	240	6.544e+005
1139	1274	1273	7911	7910	C35/45	240	6.544e+005
1140	1260	1274	7910	7909	C35/45	240	6.543e+005
1141	7575	7576	1241	1282	C35/45	240	6.894e+005
1142	7574	7575	1282	1283	C35/45	240	6.895e+005
1143	7573	7574	1283	1284	C35/45	240	6.894e+005
1144	7572	7573	1284	1285	C35/45	240	6.894e+005
1145	7571	7572	1285	1276	C35/45	240	6.895e+005
1146	1282	1241	1240	1286	C35/45	240	6.825e+005
1147	1283	1282	1286	1287	C35/45	240	6.825e+005
1148	1284	1283	1287	1288	C35/45	240	6.824e+005
1149	1285	1284	1288	1289	C35/45	240	6.825e+005
1150	1276	1285	1289	1275	C35/45	240	6.824e+005
1151	1286	1240	1162	1231	C35/45	240	6.754e+005
1152	1287	1286	1231	1230	C35/45	240	6.754e+005
1153	1288	1287	1230	1229	C35/45	240	6.754e+005
1154	1289	1288	1229	1228	C35/45	240	6.755e+005
1155	1275	1289	1228	1227	C35/45	240	6.755e+005
1156	7570	7571	1276	1297	C35/45	240	6.895e+005
1157	7569	7570	1297	1298	C35/45	240	6.895e+005
1158	7568	7569	1298	1299	C35/45	240	6.897e+005
1159	7567	7568	1299	1300	C35/45	240	6.896e+005
1160	7566	7567	1300	1291	C35/45	240	6.897e+005
1161	1297	1276	1275	1301	C35/45	240	6.825e+005
1162	1298	1297	1301	1302	C35/45	240	6.826e+005
1163	1299	1298	1302	1303	C35/45	240	6.826e+005
1164	1300	1299	1303	1304	C35/45	240	6.826e+005
1165	1291	1300	1304	1290	C35/45	240	6.827e+005
1166	1301	1275	1227	1266	C35/45	240	6.755e+005
1167	1302	1301	1266	1265	C35/45	240	6.755e+005
1168	1303	1302	1265	1264	C35/45	240	6.756e+005
1169	1304	1303	1264	1263	C35/45	240	6.756e+005
1170	1290	1304	1263	1262	C35/45	240	6.756e+005
1171	1314	1305	1306	1315	C35/45	240	6.689e+005
1172	1313	1314	1315	1316	C35/45	240	6.691e+005
1173	1312	1313	1316	1317	C35/45	240	6.693e+005
1174	1311	1312	1317	1318	C35/45	240	6.697e+005
1175	1310	1311	1318	1309	C35/45	240	6.699e+005
1176	1315	1306	1307	1319	C35/45	240	6.626e+005
1177	1316	1315	1319	1320	C35/45	240	6.629e+005
1178	1317	1316	1320	1321	C35/45	240	6.631e+005
1179	1318	1317	1321	1322	C35/45	240	6.633e+005
1180	1309	1318	1322	1308	C35/45	240	6.636e+005
1181	1319	1307	7576	7575	C35/45	240	6.564e+005
1182	1320	1319	7575	7574	C35/45	240	6.566e+005
1183	1321	1320	7574	7573	C35/45	240	6.569e+005
1184	1322	1321	7573	7572	C35/45	240	6.571e+005
1185	1308	1322	7572	7571	C35/45	240	6.574e+005
1186	1329	1323	1324	1330	C35/45	240	6.679e+005
1187	1328	1329	1330	1331	C35/45	240	6.679e+005
1188	1327	1328	1331	1332	C35/45	240	6.681e+005
1189	1326	1327	1332	1333	C35/45	240	6.683e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
1190	1305	1326	1333	1306	C35/45	240 6.686e+005
1191	1330	1324	1325	1334	C35/45	240 6.617e+005
1192	1331	1330	1334	1335	C35/45	240 6.617e+005
1193	1332	1331	1335	1336	C35/45	240 6.618e+005
1194	1333	1332	1336	1337	C35/45	240 6.621e+005
1195	1306	1333	1337	1307	C35/45	240 6.624e+005
1196	1334	1325	7581	7580	C35/45	240 6.555e+005
1197	1335	1334	7580	7579	C35/45	240 6.555e+005
1198	1336	1335	7579	7578	C35/45	240 6.557e+005
1199	1337	1336	7578	7577	C35/45	240 6.559e+005
1200	1307	1337	7577	7576	C35/45	240 6.561e+005
1201	1344	1338	1339	1345	C35/45	240 6.681e+005
1202	1343	1344	1345	1346	C35/45	240 6.685e+005
1203	1342	1343	1346	1347	C35/45	240 6.685e+005
1204	1341	1342	1347	1348	C35/45	240 6.683e+005
1205	1323	1341	1348	1324	C35/45	240 6.681e+005
1206	1345	1339	1340	1349	C35/45	240 6.619e+005
1207	1346	1345	1349	1350	C35/45	240 6.622e+005
1208	1347	1346	1350	1351	C35/45	240 6.623e+005
1209	1348	1347	1351	1352	C35/45	240 6.621e+005
1210	1324	1348	1352	1325	C35/45	240 6.619e+005
1211	1349	1340	7586	7585	C35/45	240 6.556e+005
1212	1350	1349	7585	7584	C35/45	240 6.56e+005
1213	1351	1350	7584	7583	C35/45	240 6.56e+005
1214	1352	1351	7583	7582	C35/45	240 6.558e+005
1215	1325	1352	7582	7581	C35/45	240 6.556e+005
1216	1359	1310	1309	1360	C35/45	240 6.702e+005
1217	1358	1359	1360	1361	C35/45	240 6.705e+005
1218	1357	1358	1361	1362	C35/45	240 6.709e+005
1219	1356	1357	1362	1363	C35/45	240 6.712e+005
1220	1355	1356	1363	1354	C35/45	240 6.717e+005
1221	1360	1309	1308	1364	C35/45	240 6.639e+005
1222	1361	1360	1364	1365	C35/45	240 6.642e+005
1223	1362	1361	1365	1366	C35/45	240 6.646e+005
1224	1363	1362	1366	1367	C35/45	240 6.65e+005
1225	1354	1363	1367	1353	C35/45	240 6.654e+005
1226	1364	1308	7571	7570	C35/45	240 6.577e+005
1227	1365	1364	7570	7569	C35/45	240 6.58e+005
1228	1366	1365	7569	7568	C35/45	240 6.583e+005
1229	1367	1366	7568	7567	C35/45	240 6.587e+005
1230	1353	1367	7567	7566	C35/45	240 6.592e+005
1231	1379	1355	1354	1380	C35/45	240 6.722e+005
1232	1378	1379	1380	1381	C35/45	240 6.727e+005
1233	1377	1378	1381	1382	C35/45	240 6.732e+005
1234	1376	1377	1382	1383	C35/45	240 6.737e+005
1235	1375	1376	1383	1374	C35/45	240 6.742e+005
1236	1380	1354	1353	1384	C35/45	240 6.66e+005
1237	1381	1380	1384	1385	C35/45	240 6.664e+005
1238	1382	1381	1385	1386	C35/45	240 6.669e+005
1239	1383	1382	1386	1387	C35/45	240 6.674e+005
1240	1374	1383	1387	1373	C35/45	240 6.678e+005
1241	1384	1353	7566	7565	C35/45	240 6.597e+005
1242	1385	1384	7565	7564	C35/45	240 6.601e+005
1243	1386	1385	7564	7563	C35/45	240 6.606e+005
1244	1387	1386	7563	7562	C35/45	240 6.611e+005
1245	1373	1387	7562	7561	C35/45	240 6.616e+005
1246	7565	7566	1291	1395	C35/45	240 6.896e+005
1247	7564	7565	1395	1396	C35/45	240 6.896e+005
1248	7563	7564	1396	1397	C35/45	240 6.896e+005
1249	7562	7563	1397	1398	C35/45	240 6.895e+005
1250	7561	7562	1398	1394	C35/45	240 6.895e+005
1251	1395	1291	1290	1399	C35/45	240 6.826e+005
1252	1396	1395	1399	1400	C35/45	240 6.826e+005
1253	1397	1396	1400	1401	C35/45	240 6.826e+005
1254	1398	1397	1401	1402	C35/45	240 6.825e+005
1255	1394	1398	1402	1393	C35/45	240 6.825e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1256	1399	1290	1262	1388	C35/45	240	6.756e+005
1257	1400	1399	1388	1389	C35/45	240	6.756e+005
1258	1401	1400	1389	1390	C35/45	240	6.756e+005
1259	1402	1401	1390	1391	C35/45	240	6.755e+005
1260	1393	1402	1391	1392	C35/45	240	6.755e+005
1261	1388	1262	1261	1410	C35/45	240	6.684e+005
1262	1389	1388	1410	1411	C35/45	240	6.683e+005
1263	1390	1389	1411	1412	C35/45	240	6.684e+005
1264	1391	1390	1412	1413	C35/45	240	6.685e+005
1265	1392	1391	1413	1409	C35/45	240	6.685e+005
1266	1410	1261	1260	1414	C35/45	240	6.613e+005
1267	1411	1410	1414	1415	C35/45	240	6.613e+005
1268	1412	1411	1415	1416	C35/45	240	6.613e+005
1269	1413	1412	1416	1417	C35/45	240	6.614e+005
1270	1409	1413	1417	1408	C35/45	240	6.614e+005
1271	1414	1260	7909	7908	C35/45	240	6.543e+005
1272	1415	1414	7908	7907	C35/45	240	6.544e+005
1273	1416	1415	7907	7906	C35/45	240	6.544e+005
1274	1417	1416	7906	7905	C35/45	240	6.545e+005
1275	1408	1417	7905	7904	C35/45	240	6.545e+005
1276	7560	7561	1394	1430	C35/45	240	6.895e+005
1277	7559	7560	1430	1431	C35/45	240	6.895e+005
1278	7558	7559	1431	1432	C35/45	240	6.895e+005
1279	7557	7558	1432	1433	C35/45	240	6.895e+005
1280	7556	7557	1433	1424	C35/45	240	6.895e+005
1281	1430	1394	1393	1434	C35/45	240	6.825e+005
1282	1431	1430	1434	1435	C35/45	240	6.825e+005
1283	1432	1431	1435	1436	C35/45	240	6.825e+005
1284	1433	1432	1436	1437	C35/45	240	6.825e+005
1285	1424	1433	1437	1423	C35/45	240	6.825e+005
1286	1434	1393	1392	1418	C35/45	240	6.755e+005
1287	1435	1434	1418	1419	C35/45	240	6.755e+005
1288	1436	1435	1419	1420	C35/45	240	6.755e+005
1289	1437	1436	1420	1421	C35/45	240	6.755e+005
1290	1423	1437	1421	1422	C35/45	240	6.755e+005
1291	7908	7909	1438	1448	C35/45	240	6.06e+005
1292	7907	7908	1448	1449	C35/45	240	6.056e+005
1293	7906	7907	1449	1450	C35/45	240	6.051e+005
1294	7905	7906	1450	1451	C35/45	240	6.046e+005
1295	7904	7905	1451	1447	C35/45	240	6.041e+005
1296	1448	1438	1439	1452	C35/45	240	5.999e+005
1297	1449	1448	1452	1453	C35/45	240	5.995e+005
1298	1450	1449	1453	1454	C35/45	240	5.99e+005
1299	1451	1450	1454	1455	C35/45	240	5.986e+005
1300	1447	1451	1455	1446	C35/45	240	5.981e+005
1301	1452	1439	1440	1441	C35/45	240	5.938e+005
1302	1453	1452	1441	1442	C35/45	240	5.933e+005
1303	1454	1453	1442	1443	C35/45	240	5.928e+005
1304	1455	1454	1443	1444	C35/45	240	5.925e+005
1305	1446	1455	1444	1445	C35/45	240	5.92e+005
1306	1418	1392	1409	1463	C35/45	240	6.685e+005
1307	1419	1418	1463	1464	C35/45	240	6.685e+005
1308	1420	1419	1464	1465	C35/45	240	6.685e+005
1309	1421	1420	1465	1466	C35/45	240	6.684e+005
1310	1422	1421	1466	1462	C35/45	240	6.684e+005
1311	1463	1409	1408	1467	C35/45	240	6.615e+005
1312	1464	1463	1467	1468	C35/45	240	6.615e+005
1313	1465	1464	1468	1469	C35/45	240	6.615e+005
1314	1466	1465	1469	1470	C35/45	240	6.615e+005
1315	1462	1466	1470	1461	C35/45	240	6.615e+005
1316	1467	1408	7904	7903	C35/45	240	6.545e+005
1317	1468	1467	7903	7902	C35/45	240	6.545e+005
1318	1469	1468	7902	7901	C35/45	240	6.545e+005
1319	1470	1469	7901	7900	C35/45	240	6.545e+005
1320	1461	1470	7900	7899	C35/45	240	6.545e+005
1321	7913	7914	1211	1475	C35/45	240	6.078e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1322	7912	7913	1475	1476	C35/45	240	6.074e+005
1323	7911	7912	1476	1477	C35/45	240	6.072e+005
1324	7910	7911	1477	1478	C35/45	240	6.068e+005
1325	7909	7910	1478	1438	C35/45	240	6.065e+005
1326	1475	1211	1210	1479	C35/45	240	6.016e+005
1327	1476	1475	1479	1480	C35/45	240	6.013e+005
1328	1477	1476	1480	1481	C35/45	240	6.01e+005
1329	1478	1477	1481	1482	C35/45	240	6.006e+005
1330	1438	1478	1482	1439	C35/45	240	6.002e+005
1331	1479	1210	1209	1471	C35/45	240	5.954e+005
1332	1480	1479	1471	1472	C35/45	240	5.952e+005
1333	1481	1480	1472	1473	C35/45	240	5.948e+005
1334	1482	1481	1473	1474	C35/45	240	5.945e+005
1335	1439	1482	1474	1440	C35/45	240	5.941e+005
1336	7903	7904	1447	1490	C35/45	240	6.038e+005
1337	7902	7903	1490	1491	C35/45	240	6.035e+005
1338	7901	7902	1491	1492	C35/45	240	6.03e+005
1339	7900	7901	1492	1493	C35/45	240	6.024e+005
1340	7899	7900	1493	1489	C35/45	240	6.017e+005
1341	1490	1447	1446	1494	C35/45	240	5.977e+005
1342	1491	1490	1494	1495	C35/45	240	5.974e+005
1343	1492	1491	1495	1496	C35/45	240	5.97e+005
1344	1493	1492	1496	1497	C35/45	240	5.964e+005
1345	1489	1493	1497	1488	C35/45	240	5.957e+005
1346	1494	1446	1445	1483	C35/45	240	5.916e+005
1347	1495	1494	1483	1484	C35/45	240	5.913e+005
1348	1496	1495	1484	1485	C35/45	240	5.908e+005
1349	1497	1496	1485	1486	C35/45	240	5.903e+005
1350	1488	1497	1486	1487	C35/45	240	5.896e+005
1351	1509	1422	1462	1510	C35/45	240	6.364e+005
1352	1508	1509	1510	1511	C35/45	240	6.364e+005
1353	1507	1508	1511	1512	C35/45	240	6.364e+005
1354	1506	1507	1512	1513	C35/45	240	6.364e+005
1355	1505	1506	1513	1504	C35/45	240	6.365e+005
1356	1510	1462	1461	1514	C35/45	240	6.294e+005
1357	1511	1510	1514	1515	C35/45	240	6.294e+005
1358	1512	1511	1515	1516	C35/45	240	6.294e+005
1359	1513	1512	1516	1517	C35/45	240	6.294e+005
1360	1504	1513	1517	1503	C35/45	240	6.294e+005
1361	1514	1461	7899	7898	C35/45	240	6.223e+005
1362	1515	1514	7898	7897	C35/45	240	6.224e+005
1363	1516	1515	7897	7896	C35/45	240	6.224e+005
1364	1517	1516	7896	7895	C35/45	240	6.224e+005
1365	1503	1517	7895	7894	C35/45	240	6.224e+005
1366	7898	7899	1489	1525	C35/45	240	5.711e+005
1367	7897	7898	1525	1526	C35/45	240	5.701e+005
1368	7896	7897	1526	1527	C35/45	240	5.692e+005
1369	7895	7896	1527	1528	C35/45	240	5.687e+005
1370	7894	7895	1528	1524	C35/45	240	5.685e+005
1371	1525	1489	1488	1529	C35/45	240	5.65e+005
1372	1526	1525	1529	1530	C35/45	240	5.64e+005
1373	1527	1526	1530	1531	C35/45	240	5.632e+005
1374	1528	1527	1531	1532	C35/45	240	5.627e+005
1375	1524	1528	1532	1523	C35/45	240	5.625e+005
1376	1529	1488	1487	1518	C35/45	240	5.59e+005
1377	1530	1529	1518	1519	C35/45	240	5.58e+005
1378	1531	1530	1519	1520	C35/45	240	5.572e+005
1379	1532	1531	1520	1521	C35/45	240	5.566e+005
1380	1523	1532	1521	1522	C35/45	240	5.565e+005
1381	7893	7894	1524	1545	C35/45	240	5.757e+005
1382	7892	7893	1545	1546	C35/45	240	5.77e+005
1383	7891	7892	1546	1547	C35/45	240	5.785e+005
1384	7890	7891	1547	1548	C35/45	240	5.803e+005
1385	7889	7890	1548	1539	C35/45	240	5.819e+005
1386	1545	1524	1523	1549	C35/45	240	5.715e+005
1387	1546	1545	1549	1550	C35/45	240	5.727e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1388	1547	1546	1550	1551	C35/45	240	5.742e+005
1389	1548	1547	1551	1552	C35/45	240	5.76e+005
1390	1539	1548	1552	1538	C35/45	240	5.775e+005
1391	1549	1523	1522	1533	C35/45	240	5.672e+005
1392	1550	1549	1533	1534	C35/45	240	5.683e+005
1393	1551	1550	1534	1535	C35/45	240	5.7e+005
1394	1552	1551	1535	1536	C35/45	240	5.717e+005
1395	1538	1552	1536	1537	C35/45	240	5.731e+005
1396	1559	1505	1504	1560	C35/45	240	6.376e+005
1397	1558	1559	1560	1561	C35/45	240	6.376e+005
1398	1557	1558	1561	1562	C35/45	240	6.376e+005
1399	1556	1557	1562	1563	C35/45	240	6.377e+005
1400	1555	1556	1563	1554	C35/45	240	6.376e+005
1401	1560	1504	1503	1564	C35/45	240	6.326e+005
1402	1561	1560	1564	1565	C35/45	240	6.327e+005
1403	1562	1561	1565	1566	C35/45	240	6.327e+005
1404	1563	1562	1566	1567	C35/45	240	6.326e+005
1405	1554	1563	1567	1553	C35/45	240	6.326e+005
1406	1564	1503	7894	7893	C35/45	240	6.277e+005
1407	1565	1564	7893	7892	C35/45	240	6.277e+005
1408	1566	1565	7892	7891	C35/45	240	6.276e+005
1409	1567	1566	7891	7890	C35/45	240	6.276e+005
1410	1553	1567	7890	7889	C35/45	240	6.276e+005
1411	7555	7556	1424	1575	C35/45	240	6.575e+005
1412	7554	7555	1575	1576	C35/45	240	6.575e+005
1413	7553	7554	1576	1577	C35/45	240	6.574e+005
1414	7552	7553	1577	1578	C35/45	240	6.574e+005
1415	7551	7552	1578	1569	C35/45	240	6.573e+005
1416	1575	1424	1423	1579	C35/45	240	6.504e+005
1417	1576	1575	1579	1580	C35/45	240	6.504e+005
1418	1577	1576	1580	1581	C35/45	240	6.504e+005
1419	1578	1577	1581	1582	C35/45	240	6.504e+005
1420	1569	1578	1582	1568	C35/45	240	6.503e+005
1421	1579	1423	1422	1509	C35/45	240	6.434e+005
1422	1580	1579	1509	1508	C35/45	240	6.433e+005
1423	1581	1580	1508	1507	C35/45	240	6.433e+005
1424	1582	1581	1507	1506	C35/45	240	6.433e+005
1425	1568	1582	1506	1505	C35/45	240	6.433e+005
1426	1594	1555	1554	1595	C35/45	240	6.369e+005
1427	1593	1594	1595	1596	C35/45	240	6.369e+005
1428	1592	1593	1596	1597	C35/45	240	6.37e+005
1429	1591	1592	1597	1598	C35/45	240	6.37e+005
1430	1590	1591	1598	1589	C35/45	240	6.37e+005
1431	1595	1554	1553	1599	C35/45	240	6.31e+005
1432	1596	1595	1599	1600	C35/45	240	6.31e+005
1433	1597	1596	1600	1601	C35/45	240	6.31e+005
1434	1598	1597	1601	1602	C35/45	240	6.31e+005
1435	1589	1598	1602	1588	C35/45	240	6.31e+005
1436	1599	1553	7889	7888	C35/45	240	6.25e+005
1437	1600	1599	7888	7887	C35/45	240	6.25e+005
1438	1601	1600	7887	7886	C35/45	240	6.249e+005
1439	1602	1601	7886	7885	C35/45	240	6.25e+005
1440	1588	1602	7885	7884	C35/45	240	6.25e+005
1441	7550	7551	1569	1610	C35/45	240	6.524e+005
1442	7549	7550	1610	1611	C35/45	240	6.524e+005
1443	7548	7549	1611	1612	C35/45	240	6.525e+005
1444	7547	7548	1612	1613	C35/45	240	6.524e+005
1445	7546	7547	1613	1604	C35/45	240	6.525e+005
1446	1610	1569	1568	1614	C35/45	240	6.474e+005
1447	1611	1610	1614	1615	C35/45	240	6.474e+005
1448	1612	1611	1615	1616	C35/45	240	6.475e+005
1449	1613	1612	1616	1617	C35/45	240	6.475e+005
1450	1604	1613	1617	1603	C35/45	240	6.475e+005
1451	1614	1568	1505	1559	C35/45	240	6.424e+005
1452	1615	1614	1559	1558	C35/45	240	6.425e+005
1453	1616	1615	1558	1557	C35/45	240	6.425e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1454	1617	1616	1557	1556	C35/45	240	6.425e+005
1455	1603	1617	1556	1555	C35/45	240	6.425e+005
1456	7888	7889	1539	1625	C35/45	240	5.797e+005
1457	7887	7888	1625	1626	C35/45	240	5.804e+005
1458	7886	7887	1626	1627	C35/45	240	5.807e+005
1459	7885	7886	1627	1628	C35/45	240	5.807e+005
1460	7884	7885	1628	1624	C35/45	240	5.803e+005
1461	1625	1539	1538	1629	C35/45	240	5.744e+005
1462	1626	1625	1629	1630	C35/45	240	5.751e+005
1463	1627	1626	1630	1631	C35/45	240	5.754e+005
1464	1628	1627	1631	1632	C35/45	240	5.753e+005
1465	1624	1628	1632	1623	C35/45	240	5.75e+005
1466	1629	1538	1537	1618	C35/45	240	5.692e+005
1467	1630	1629	1618	1619	C35/45	240	5.699e+005
1468	1631	1630	1619	1620	C35/45	240	5.702e+005
1469	1632	1631	1620	1621	C35/45	240	5.701e+005
1470	1623	1632	1621	1622	C35/45	240	5.698e+005
1471	7883	7884	1624	1645	C35/45	240	5.797e+005
1472	7882	7883	1645	1646	C35/45	240	5.789e+005
1473	7881	7882	1646	1647	C35/45	240	5.778e+005
1474	7880	7881	1647	1648	C35/45	240	5.767e+005
1475	7879	7880	1648	1639	C35/45	240	5.752e+005
1476	1645	1624	1623	1649	C35/45	240	5.744e+005
1477	1646	1645	1649	1650	C35/45	240	5.736e+005
1478	1647	1646	1650	1651	C35/45	240	5.727e+005
1479	1648	1647	1651	1652	C35/45	240	5.715e+005
1480	1639	1648	1652	1638	C35/45	240	5.7e+005
1481	1649	1623	1622	1633	C35/45	240	5.693e+005
1482	1650	1649	1633	1634	C35/45	240	5.684e+005
1483	1651	1650	1634	1635	C35/45	240	5.674e+005
1484	1652	1651	1635	1636	C35/45	240	5.662e+005
1485	1638	1652	1636	1637	C35/45	240	5.648e+005
1486	1659	1590	1589	1660	C35/45	240	6.37e+005
1487	1658	1659	1660	1661	C35/45	240	6.37e+005
1488	1657	1658	1661	1662	C35/45	240	6.37e+005
1489	1656	1657	1662	1663	C35/45	240	6.369e+005
1490	1655	1656	1663	1654	C35/45	240	6.37e+005
1491	1660	1589	1588	1664	C35/45	240	6.31e+005
1492	1661	1660	1664	1665	C35/45	240	6.309e+005
1493	1662	1661	1665	1666	C35/45	240	6.309e+005
1494	1663	1662	1666	1667	C35/45	240	6.31e+005
1495	1654	1663	1667	1653	C35/45	240	6.31e+005
1496	1664	1588	7884	7883	C35/45	240	6.25e+005
1497	1665	1664	7883	7882	C35/45	240	6.25e+005
1498	1666	1665	7882	7881	C35/45	240	6.25e+005
1499	1667	1666	7881	7880	C35/45	240	6.25e+005
1500	1653	1667	7880	7879	C35/45	240	6.249e+005
1501	7878	7879	1639	1680	C35/45	240	5.734e+005
1502	7877	7878	1680	1681	C35/45	240	5.714e+005
1503	7876	7877	1681	1682	C35/45	240	5.693e+005
1504	7875	7876	1682	1683	C35/45	240	5.667e+005
1505	7874	7875	1683	1674	C35/45	240	5.638e+005
1506	1680	1639	1638	1684	C35/45	240	5.682e+005
1507	1681	1680	1684	1685	C35/45	240	5.663e+005
1508	1682	1681	1685	1686	C35/45	240	5.641e+005
1509	1683	1682	1686	1687	C35/45	240	5.616e+005
1510	1674	1683	1687	1673	C35/45	240	5.588e+005
1511	1684	1638	1637	1668	C35/45	240	5.631e+005
1512	1685	1684	1668	1669	C35/45	240	5.611e+005
1513	1686	1685	1669	1670	C35/45	240	5.59e+005
1514	1687	1686	1670	1671	C35/45	240	5.566e+005
1515	1673	1687	1671	1672	C35/45	240	5.536e+005
1516	1694	1655	1654	1695	C35/45	240	6.37e+005
1517	1693	1694	1695	1696	C35/45	240	6.369e+005
1518	1692	1693	1696	1697	C35/45	240	6.369e+005
1519	1691	1692	1697	1698	C35/45	240	6.37e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1520	1690	1691	1698	1689	C35/45	240	6.369e+005
1521	1695	1654	1653	1699	C35/45	240	6.309e+005
1522	1696	1695	1699	1700	C35/45	240	6.308e+005
1523	1697	1696	1700	1701	C35/45	240	6.308e+005
1524	1698	1697	1701	1702	C35/45	240	6.308e+005
1525	1689	1698	1702	1688	C35/45	240	6.308e+005
1526	1699	1653	7879	7878	C35/45	240	6.248e+005
1527	1700	1699	7878	7877	C35/45	240	6.248e+005
1528	1701	1700	7877	7876	C35/45	240	6.248e+005
1529	1702	1701	7876	7875	C35/45	240	6.248e+005
1530	1688	1702	7875	7874	C35/45	240	6.248e+005
1531	7540	7541	1704	1713	C35/45	240	6.55e+005
1532	7539	7540	1713	1714	C35/45	240	6.55e+005
1533	7538	7539	1714	1715	C35/45	240	6.55e+005
1534	7537	7538	1715	1716	C35/45	240	6.549e+005
1535	7536	7537	1716	1707	C35/45	240	6.55e+005
1536	1713	1704	1705	1717	C35/45	240	6.49e+005
1537	1714	1713	1717	1718	C35/45	240	6.49e+005
1538	1715	1714	1718	1719	C35/45	240	6.49e+005
1539	1716	1715	1719	1720	C35/45	240	6.489e+005
1540	1707	1716	1720	1706	C35/45	240	6.489e+005
1541	1717	1705	1590	1659	C35/45	240	6.429e+005
1542	1718	1717	1659	1658	C35/45	240	6.429e+005
1543	1719	1718	1658	1657	C35/45	240	6.43e+005
1544	1720	1719	1657	1656	C35/45	240	6.429e+005
1545	1706	1720	1656	1655	C35/45	240	6.429e+005
1546	7545	7546	1604	1725	C35/45	240	6.549e+005
1547	7544	7545	1725	1726	C35/45	240	6.55e+005
1548	7543	7544	1726	1727	C35/45	240	6.55e+005
1549	7542	7543	1727	1728	C35/45	240	6.55e+005
1550	7541	7542	1728	1704	C35/45	240	6.55e+005
1551	1725	1604	1603	1729	C35/45	240	6.49e+005
1552	1726	1725	1729	1730	C35/45	240	6.49e+005
1553	1727	1726	1730	1731	C35/45	240	6.49e+005
1554	1728	1727	1731	1732	C35/45	240	6.49e+005
1555	1704	1728	1732	1705	C35/45	240	6.49e+005
1556	1729	1603	1555	1594	C35/45	240	6.43e+005
1557	1730	1729	1594	1593	C35/45	240	6.43e+005
1558	1731	1730	1593	1592	C35/45	240	6.43e+005
1559	1732	1731	1592	1591	C35/45	240	6.43e+005
1560	1705	1732	1591	1590	C35/45	240	6.429e+005
1561	1742	1733	1734	1743	C35/45	240	6.349e+005
1562	1741	1742	1743	1744	C35/45	240	6.33e+005
1563	1740	1741	1744	1745	C35/45	240	6.312e+005
1564	1739	1740	1745	1746	C35/45	240	6.293e+005
1565	1738	1739	1746	1737	C35/45	240	6.275e+005
1566	1743	1734	1735	1747	C35/45	240	6.296e+005
1567	1744	1743	1747	1748	C35/45	240	6.276e+005
1568	1745	1744	1748	1749	C35/45	240	6.258e+005
1569	1746	1745	1749	1750	C35/45	240	6.24e+005
1570	1737	1746	1750	1736	C35/45	240	6.223e+005
1571	1747	1735	7546	7545	C35/45	240	6.243e+005
1572	1748	1747	7545	7544	C35/45	240	6.224e+005
1573	1749	1748	7544	7543	C35/45	240	6.205e+005
1574	1750	1749	7543	7542	C35/45	240	6.187e+005
1575	1736	1750	7542	7541	C35/45	240	6.17e+005
1576	1757	1751	1752	1758	C35/45	240	6.393e+005
1577	1756	1757	1758	1759	C35/45	240	6.381e+005
1578	1755	1756	1759	1760	C35/45	240	6.364e+005
1579	1754	1755	1760	1761	C35/45	240	6.342e+005
1580	1733	1754	1761	1734	C35/45	240	6.32e+005
1581	1758	1752	1753	1762	C35/45	240	6.348e+005
1582	1759	1758	1762	1763	C35/45	240	6.335e+005
1583	1760	1759	1763	1764	C35/45	240	6.318e+005
1584	1761	1760	1764	1765	C35/45	240	6.297e+005
1585	1734	1761	1765	1735	C35/45	240	6.277e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


1586	1762	1753	7551	7550	C35/45	240	6.302e+005
1587	1763	1762	7550	7549	C35/45	240	6.29e+005
1588	1764	1763	7549	7548	C35/45	240	6.272e+005
1589	1765	1764	7548	7547	C35/45	240	6.252e+005
1590	1735	1765	7547	7546	C35/45	240	6.231e+005
1591	1772	1766	1767	1773	C35/45	240	6.475e+005
1592	1771	1772	1773	1774	C35/45	240	6.485e+005
1593	1770	1771	1774	1775	C35/45	240	6.496e+005
1594	1769	1770	1775	1776	C35/45	240	6.503e+005
1595	1751	1769	1776	1752	C35/45	240	6.503e+005
1596	1773	1767	1768	1777	C35/45	240	6.411e+005
1597	1774	1773	1777	1778	C35/45	240	6.422e+005
1598	1775	1774	1778	1779	C35/45	240	6.431e+005
1599	1776	1775	1779	1780	C35/45	240	6.437e+005
1600	1752	1776	1780	1753	C35/45	240	6.439e+005
1601	1777	1768	7556	7555	C35/45	240	6.348e+005
1602	1778	1777	7555	7554	C35/45	240	6.357e+005
1603	1779	1778	7554	7553	C35/45	240	6.366e+005
1604	1780	1779	7553	7552	C35/45	240	6.373e+005
1605	1753	1780	7552	7551	C35/45	240	6.374e+005
1606	1784	1375	1374	1785	C35/45	240	6.747e+005
1607	1783	1784	1785	1786	C35/45	240	6.752e+005
1608	1782	1783	1786	1787	C35/45	240	6.757e+005
1609	1781	1782	1787	1788	C35/45	240	6.762e+005
1610	1766	1781	1788	1767	C35/45	240	6.77e+005
1611	1785	1374	1373	1789	C35/45	240	6.683e+005
1612	1786	1785	1789	1790	C35/45	240	6.688e+005
1613	1787	1786	1790	1791	C35/45	240	6.693e+005
1614	1788	1787	1791	1792	C35/45	240	6.699e+005
1615	1767	1788	1792	1768	C35/45	240	6.706e+005
1616	1789	1373	7561	7560	C35/45	240	6.62e+005
1617	1790	1789	7560	7559	C35/45	240	6.624e+005
1618	1791	1790	7559	7558	C35/45	240	6.629e+005
1619	1792	1791	7558	7557	C35/45	240	6.635e+005
1620	1768	1792	7557	7556	C35/45	240	6.643e+005
1621	1799	1738	1737	1800	C35/45	240	6.254e+005
1622	1798	1799	1800	1801	C35/45	240	6.235e+005
1623	1797	1798	1801	1802	C35/45	240	6.215e+005
1624	1796	1797	1802	1803	C35/45	240	6.195e+005
1625	1795	1796	1803	1794	C35/45	240	6.174e+005
1626	1800	1737	1736	1804	C35/45	240	6.203e+005
1627	1801	1800	1804	1805	C35/45	240	6.184e+005
1628	1802	1801	1805	1806	C35/45	240	6.164e+005
1629	1803	1802	1806	1807	C35/45	240	6.144e+005
1630	1794	1803	1807	1793	C35/45	240	6.124e+005
1631	1804	1736	7541	7540	C35/45	240	6.151e+005
1632	1805	1804	7540	7539	C35/45	240	6.133e+005
1633	1806	1805	7539	7538	C35/45	240	6.113e+005
1634	1807	1806	7538	7537	C35/45	240	6.093e+005
1635	1793	1807	7537	7536	C35/45	240	6.072e+005
1636	1819	1795	1794	1820	C35/45	240	6.155e+005
1637	1818	1819	1820	1821	C35/45	240	6.134e+005
1638	1817	1818	1821	1822	C35/45	240	6.113e+005
1639	1816	1817	1822	1823	C35/45	240	6.092e+005
1640	1815	1816	1823	1814	C35/45	240	6.072e+005
1641	1820	1794	1793	1824	C35/45	240	6.105e+005
1642	1821	1820	1824	1825	C35/45	240	6.084e+005
1643	1822	1821	1825	1826	C35/45	240	6.063e+005
1644	1823	1822	1826	1827	C35/45	240	6.042e+005
1645	1814	1823	1827	1813	C35/45	240	6.021e+005
1646	1824	1793	7536	7535	C35/45	240	6.053e+005
1647	1825	1824	7535	7534	C35/45	240	6.033e+005
1648	1826	1825	7534	7533	C35/45	240	6.013e+005
1649	1827	1826	7533	7532	C35/45	240	5.992e+005
1650	1813	1827	7532	7531	C35/45	240	5.972e+005
1651	7535	7536	1707	1830	C35/45	240	6.552e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1652	7534	7535	1830	1831	C35/45	240	6.551e+005
1653	7533	7534	1831	1832	C35/45	240	6.551e+005
1654	7532	7533	1832	1833	C35/45	240	6.551e+005
1655	7531	7532	1833	1829	C35/45	240	6.551e+005
1656	1830	1707	1706	1834	C35/45	240	6.491e+005
1657	1831	1830	1834	1835	C35/45	240	6.491e+005
1658	1832	1831	1835	1836	C35/45	240	6.491e+005
1659	1833	1832	1836	1837	C35/45	240	6.491e+005
1660	1829	1833	1837	1828	C35/45	240	6.491e+005
1661	1834	1706	1655	1694	C35/45	240	6.43e+005
1662	1835	1834	1694	1693	C35/45	240	6.43e+005
1663	1836	1835	1693	1692	C35/45	240	6.43e+005
1664	1837	1836	1692	1691	C35/45	240	6.43e+005
1665	1828	1837	1691	1690	C35/45	240	6.43e+005
1666	7530	7531	1829	1850	C35/45	240	6.55e+005
1667	7529	7530	1850	1851	C35/45	240	6.55e+005
1668	7528	7529	1851	1852	C35/45	240	6.55e+005
1669	7527	7528	1852	1853	C35/45	240	6.55e+005
1670	7526	7527	1853	1844	C35/45	240	6.55e+005
1671	1850	1829	1828	1854	C35/45	240	6.49e+005
1672	1851	1850	1854	1855	C35/45	240	6.49e+005
1673	1852	1851	1855	1856	C35/45	240	6.49e+005
1674	1853	1852	1856	1857	C35/45	240	6.489e+005
1675	1844	1853	1857	1843	C35/45	240	6.489e+005
1676	1854	1828	1690	1838	C35/45	240	6.429e+005
1677	1855	1854	1838	1839	C35/45	240	6.429e+005
1678	1856	1855	1839	1840	C35/45	240	6.429e+005
1679	1857	1856	1840	1841	C35/45	240	6.429e+005
1680	1843	1857	1841	1842	C35/45	240	6.429e+005
1681	1838	1690	1689	1865	C35/45	240	6.369e+005
1682	1839	1838	1865	1866	C35/45	240	6.37e+005
1683	1840	1839	1866	1867	C35/45	240	6.369e+005
1684	1841	1840	1867	1868	C35/45	240	6.37e+005
1685	1842	1841	1868	1864	C35/45	240	6.37e+005
1686	1865	1689	1688	1869	C35/45	240	6.309e+005
1687	1866	1865	1869	1870	C35/45	240	6.308e+005
1688	1867	1866	1870	1871	C35/45	240	6.309e+005
1689	1868	1867	1871	1872	C35/45	240	6.308e+005
1690	1864	1868	1872	1863	C35/45	240	6.31e+005
1691	1869	1688	7874	7873	C35/45	240	6.249e+005
1692	1870	1869	7873	7872	C35/45	240	6.248e+005
1693	1871	1870	7872	7871	C35/45	240	6.248e+005
1694	1872	1871	7871	7870	C35/45	240	6.249e+005
1695	1863	1872	7870	7869	C35/45	240	6.249e+005
1696	7873	7874	1674	1880	C35/45	240	5.606e+005
1697	7872	7873	1880	1881	C35/45	240	5.571e+005
1698	7871	7872	1881	1882	C35/45	240	5.533e+005
1699	7870	7871	1882	1883	C35/45	240	5.495e+005
1700	7869	7870	1883	1879	C35/45	240	5.459e+005
1701	1880	1674	1673	1884	C35/45	240	5.558e+005
1702	1881	1880	1884	1885	C35/45	240	5.522e+005
1703	1882	1881	1885	1886	C35/45	240	5.484e+005
1704	1883	1882	1886	1887	C35/45	240	5.447e+005
1705	1879	1883	1887	1878	C35/45	240	5.411e+005
1706	1884	1673	1672	1873	C35/45	240	5.509e+005
1707	1885	1884	1873	1874	C35/45	240	5.474e+005
1708	1886	1885	1874	1875	C35/45	240	5.437e+005
1709	1887	1886	1875	1876	C35/45	240	5.399e+005
1710	1878	1887	1876	1877	C35/45	240	5.363e+005
1711	7868	7869	1879	1900	C35/45	240	5.601e+005
1712	7867	7868	1900	1901	C35/45	240	5.582e+005
1713	7866	7867	1901	1902	C35/45	240	5.589e+005
1714	7865	7866	1902	1903	C35/45	240	5.611e+005
1715	7864	7865	1903	1894	C35/45	240	5.635e+005
1716	1900	1879	1878	1904	C35/45	240	5.598e+005
1717	1901	1900	1904	1905	C35/45	240	5.565e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
1718	1902	1901	1905	1906	C35/45	240 5.536e+005
1719	1903	1902	1906	1907	C35/45	240 5.51e+005
1720	1894	1903	1907	1893	C35/45	240 5.488e+005
1721	1904	1878	1877	1888	C35/45	240 5.596e+005
1722	1905	1904	1888	1889	C35/45	240 5.563e+005
1723	1906	1905	1889	1890	C35/45	240 5.535e+005
1724	1907	1906	1890	1891	C35/45	240 5.509e+005
1725	1893	1907	1891	1892	C35/45	240 5.486e+005
1726	1914	1842	1864	1915	C35/45	240 6.399e+005
1727	1913	1914	1915	1916	C35/45	240 6.4e+005
1728	1912	1913	1916	1917	C35/45	240 6.4e+005
1729	1911	1912	1917	1918	C35/45	240 6.399e+005
1730	1910	1911	1918	1909	C35/45	240 6.399e+005
1731	1915	1864	1863	1919	C35/45	240 6.397e+005
1732	1916	1915	1919	1920	C35/45	240 6.397e+005
1733	1917	1916	1920	1921	C35/45	240 6.397e+005
1734	1918	1917	1921	1922	C35/45	240 6.397e+005
1735	1909	1918	1922	1908	C35/45	240 6.397e+005
1736	1919	1863	7869	7868	C35/45	240 6.394e+005
1737	1920	1919	7868	7867	C35/45	240 6.379e+005
1738	1921	1920	7867	7866	C35/45	240 6.343e+005
1739	1922	1921	7866	7865	C35/45	240 6.297e+005
1740	1908	1922	7865	7864	C35/45	240 6.248e+005
1741	7863	7864	1894	1935	C35/45	240 5.67e+005
1742	7862	7863	1935	1936	C35/45	240 5.681e+005
1743	7861	7862	1936	1937	C35/45	240 5.686e+005
1744	7860	7861	1937	1938	C35/45	240 5.686e+005
1745	7859	7860	1938	1929	C35/45	240 5.685e+005
1746	1935	1894	1893	1939	C35/45	240 5.484e+005
1747	1936	1935	1939	1940	C35/45	240 5.467e+005
1748	1937	1936	1940	1941	C35/45	240 5.454e+005
1749	1938	1937	1941	1942	C35/45	240 5.443e+005
1750	1929	1938	1942	1928	C35/45	240 5.435e+005
1751	1939	1893	1892	1923	C35/45	240 5.485e+005
1752	1940	1939	1923	1924	C35/45	240 5.469e+005
1753	1941	1940	1924	1925	C35/45	240 5.455e+005
1754	1942	1941	1925	1926	C35/45	240 5.445e+005
1755	1928	1942	1926	1927	C35/45	240 5.437e+005
1756	1949	1910	1909	1950	C35/45	240 6.401e+005
1757	1948	1949	1950	1951	C35/45	240 6.401e+005
1758	1947	1948	1951	1952	C35/45	240 6.402e+005
1759	1946	1947	1952	1953	C35/45	240 6.401e+005
1760	1945	1946	1953	1944	C35/45	240 6.402e+005
1761	1950	1909	1908	1954	C35/45	240 6.403e+005
1762	1951	1950	1954	1955	C35/45	240 6.402e+005
1763	1952	1951	1955	1956	C35/45	240 6.403e+005
1764	1953	1952	1956	1957	C35/45	240 6.403e+005
1765	1944	1953	1957	1943	C35/45	240 6.403e+005
1766	1954	1908	7864	7863	C35/45	240 6.219e+005
1767	1955	1954	7863	7862	C35/45	240 6.19e+005
1768	1956	1955	7862	7861	C35/45	240 6.172e+005
1769	1957	1956	7861	7860	C35/45	240 6.161e+005
1770	1943	1957	7860	7859	C35/45	240 6.154e+005
1771	7525	7526	1844	1981	C35/45	240 6.409e+005
1772	7524	7525	1981	1975	C35/45	240 6.409e+005
1773	1964	1984	7522	7521	C35/45	240 5.655e+005
1774	1984	1977	7523	7522	C35/45	240 5.664e+005
1775	1961	1985	1911	1910	C35/45	240 6.012e+005
1776	1985	1980	1912	1911	C35/45	240 6.085e+005
1777	1980	1976	1913	1912	C35/45	240 6.163e+005
1778	1979	1975	1976	1980	C35/45	240 6.688e+005
1779	7523	7524	1975	1979	C35/45	240 6.407e+005
1780	1976	1986	1914	1913	C35/45	240 6.255e+005
1781	1986	1843	1842	1914	C35/45	240 6.358e+005
1782	1981	1844	1843	1986	C35/45	240 6.462e+005
1783	1975	1981	1986	1976	C35/45	240 6.571e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


1784	1970	1958	1959	1987	C35/45	240	5.734e+005
1785	1969	1970	1987	1983	C35/45	240	5.83e+005
1786	1968	1969	1983	1978	C35/45	240	5.895e+005
1787	1978	1983	1982	1977	C35/45	240	5.24e+005
1788	1977	1982	7524	7523	C35/45	240	5.672e+005
1789	1988	1978	1977	1984	C35/45	240	5.091e+005
1790	1967	1968	1978	1988	C35/45	240	5.941e+005
1791	1966	1967	1988	1965	C35/45	240	5.972e+005
1792	1965	1988	1984	1964	C35/45	240	4.945e+005
1793	1989	1979	1980	1985	C35/45	240	6.808e+005
1794	7522	7523	1979	1989	C35/45	240	6.398e+005
1795	7521	7522	1989	1962	C35/45	240	6.395e+005
1796	1962	1989	1985	1961	C35/45	240	6.928e+005
1797	1983	1987	1990	1982	C35/45	240	5.401e+005
1798	1982	1990	7525	7524	C35/45	240	5.665e+005
1799	1990	1960	7526	7525	C35/45	240	5.671e+005
1800	1987	1959	1960	1990	C35/45	240	5.581e+005
1801	1994	1815	1814	1995	C35/45	240	6.047e+005
1802	1993	1994	1995	1996	C35/45	240	6.026e+005
1803	1992	1993	1996	1997	C35/45	240	6.005e+005
1804	1991	1992	1997	1998	C35/45	240	5.983e+005
1805	1958	1991	1998	1959	C35/45	240	5.96e+005
1806	1995	1814	1813	1999	C35/45	240	5.998e+005
1807	1996	1995	1999	2000	C35/45	240	5.978e+005
1808	1997	1996	2000	2001	C35/45	240	5.957e+005
1809	1998	1997	2001	2002	C35/45	240	5.935e+005
1810	1959	1998	2002	1960	C35/45	240	5.912e+005
1811	1999	1813	7531	7530	C35/45	240	5.95e+005
1812	2000	1999	7530	7529	C35/45	240	5.929e+005
1813	2001	2000	7529	7528	C35/45	240	5.909e+005
1814	2002	2001	7528	7527	C35/45	240	5.888e+005
1815	1960	2002	7527	7526	C35/45	240	5.864e+005
1816	2012	1966	1965	2013	C35/45	240	5.963e+005
1817	2011	2012	2013	2014	C35/45	240	5.955e+005
1818	2010	2011	2014	2015	C35/45	240	5.949e+005
1819	2009	2010	2015	2016	C35/45	240	5.943e+005
1820	2008	2009	2016	2007	C35/45	240	5.938e+005
1821	2013	1965	1964	2017	C35/45	240	4.824e+005
1822	2014	2013	2017	2018	C35/45	240	4.758e+005
1823	2015	2014	2018	2019	C35/45	240	4.71e+005
1824	2016	2015	2019	2020	C35/45	240	4.674e+005
1825	2007	2016	2020	2006	C35/45	240	4.647e+005
1826	2017	1964	7521	7520	C35/45	240	5.643e+005
1827	2018	2017	7520	7519	C35/45	240	5.639e+005
1828	2019	2018	7519	7518	C35/45	240	5.636e+005
1829	2020	2019	7518	7517	C35/45	240	5.633e+005
1830	2006	2020	7517	7516	C35/45	240	5.629e+005
1831	7520	7521	1962	2025	C35/45	240	6.394e+005
1832	7519	7520	2025	2026	C35/45	240	6.394e+005
1833	7518	7519	2026	2027	C35/45	240	6.394e+005
1834	7517	7518	2027	2028	C35/45	240	6.395e+005
1835	7516	7517	2028	2004	C35/45	240	6.394e+005
1836	2025	1962	1961	2029	C35/45	240	7.011e+005
1837	2026	2025	2029	2030	C35/45	240	7.047e+005
1838	2027	2026	2030	2031	C35/45	240	7.072e+005
1839	2028	2027	2031	2032	C35/45	240	7.089e+005
1840	2004	2028	2032	2003	C35/45	240	7.1e+005
1841	2029	1961	1910	1949	C35/45	240	5.972e+005
1842	2030	2029	1949	1948	C35/45	240	5.963e+005
1843	2031	2030	1948	1947	C35/45	240	5.957e+005
1844	2032	2031	1947	1946	C35/45	240	5.952e+005
1845	2003	2032	1946	1945	C35/45	240	5.947e+005
1846	2044	1945	1944	2045	C35/45	240	6.401e+005
1847	2043	2044	2045	2046	C35/45	240	6.402e+005
1848	2042	2043	2046	2047	C35/45	240	6.401e+005
1849	2041	2042	2047	2048	C35/45	240	6.401e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1850	2040	2041	2048	2039	C35/45	240	6.401e+005
1851	2045	1944	1943	2049	C35/45	240	6.403e+005
1852	2046	2045	2049	2050	C35/45	240	6.404e+005
1853	2047	2046	2050	2051	C35/45	240	6.404e+005
1854	2048	2047	2051	2052	C35/45	240	6.404e+005
1855	2039	2048	2052	2038	C35/45	240	6.404e+005
1856	2049	1943	7859	7858	C35/45	240	6.151e+005
1857	2050	2049	7858	7857	C35/45	240	6.149e+005
1858	2051	2050	7857	7856	C35/45	240	6.147e+005
1859	2052	2051	7856	7855	C35/45	240	6.149e+005
1860	2038	2052	7855	7854	C35/45	240	6.153e+005
1861	7858	7859	1929	2060	C35/45	240	5.686e+005
1862	7857	7858	2060	2061	C35/45	240	5.687e+005
1863	7856	7857	2061	2062	C35/45	240	5.69e+005
1864	7855	7856	2062	2063	C35/45	240	5.694e+005
1865	7854	7855	2063	2059	C35/45	240	5.698e+005
1866	2060	1929	1928	2064	C35/45	240	5.432e+005
1867	2061	2060	2064	2065	C35/45	240	5.431e+005
1868	2062	2061	2065	2066	C35/45	240	5.434e+005
1869	2063	2062	2066	2067	C35/45	240	5.439e+005
1870	2059	2063	2067	2058	C35/45	240	5.447e+005
1871	2064	1928	1927	2053	C35/45	240	5.434e+005
1872	2065	2064	2053	2054	C35/45	240	5.433e+005
1873	2066	2065	2054	2055	C35/45	240	5.435e+005
1874	2067	2066	2055	2056	C35/45	240	5.441e+005
1875	2058	2067	2056	2057	C35/45	240	5.448e+005
1876	2079	2040	2039	2080	C35/45	240	6.403e+005
1877	2078	2079	2080	2081	C35/45	240	6.403e+005
1878	2077	2078	2081	2082	C35/45	240	6.403e+005
1879	2076	2077	2082	2083	C35/45	240	6.403e+005
1880	2075	2076	2083	2074	C35/45	240	6.403e+005
1881	2080	2039	2038	2084	C35/45	240	6.409e+005
1882	2081	2080	2084	2085	C35/45	240	6.409e+005
1883	2082	2081	2085	2086	C35/45	240	6.409e+005
1884	2083	2082	2086	2087	C35/45	240	6.41e+005
1885	2074	2083	2087	2073	C35/45	240	6.41e+005
1886	2084	2038	7854	7853	C35/45	240	6.171e+005
1887	2085	2084	7853	7852	C35/45	240	6.183e+005
1888	2086	2085	7852	7851	C35/45	240	6.199e+005
1889	2087	2086	7851	7850	C35/45	240	6.22e+005
1890	2073	2087	7850	7849	C35/45	240	6.242e+005
1891	2097	2008	2007	2098	C35/45	240	5.932e+005
1892	2096	2097	2098	2099	C35/45	240	5.929e+005
1893	2095	2096	2099	2100	C35/45	240	5.928e+005
1894	2094	2095	2100	2101	C35/45	240	5.926e+005
1895	2093	2094	2101	2092	C35/45	240	5.926e+005
1896	2098	2007	2006	2102	C35/45	240	4.627e+005
1897	2099	2098	2102	2103	C35/45	240	4.613e+005
1898	2100	2099	2103	2104	C35/45	240	4.606e+005
1899	2101	2100	2104	2105	C35/45	240	4.606e+005
1900	2092	2101	2105	2091	C35/45	240	4.613e+005
1901	2102	2006	7516	7515	C35/45	240	5.625e+005
1902	2103	2102	7515	7514	C35/45	240	5.621e+005
1903	2104	2103	7514	7513	C35/45	240	5.618e+005
1904	2105	2104	7513	7512	C35/45	240	5.614e+005
1905	2091	2105	7512	7511	C35/45	240	5.611e+005
1906	7515	7516	2004	2110	C35/45	240	6.393e+005
1907	7514	7515	2110	2111	C35/45	240	6.394e+005
1908	7513	7514	2111	2112	C35/45	240	6.393e+005
1909	7512	7513	2112	2113	C35/45	240	6.394e+005
1910	7511	7512	2113	2089	C35/45	240	6.393e+005
1911	2110	2004	2003	2114	C35/45	240	7.106e+005
1912	2111	2110	2114	2115	C35/45	240	7.113e+005
1913	2112	2111	2115	2116	C35/45	240	7.114e+005
1914	2113	2112	2116	2117	C35/45	240	7.115e+005
1915	2089	2113	2117	2088	C35/45	240	7.11e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
1916	2114	2003	1945	2044	C35/45	240 5.943e+005
1917	2115	2114	2044	2043	C35/45	240 5.94e+005
1918	2116	2115	2043	2042	C35/45	240 5.938e+005
1919	2117	2116	2042	2041	C35/45	240 5.937e+005
1920	2088	2117	2041	2040	C35/45	240 5.937e+005
1921	7853	7854	2059	2125	C35/45	240 5.714e+005
1922	7852	7853	2125	2126	C35/45	240 5.717e+005
1923	7851	7852	2126	2127	C35/45	240 5.719e+005
1924	7850	7851	2127	2128	C35/45	240 5.72e+005
1925	7849	7850	2128	2124	C35/45	240 5.72e+005
1926	2125	2059	2058	2129	C35/45	240 5.474e+005
1927	2126	2125	2129	2130	C35/45	240 5.488e+005
1928	2127	2126	2130	2131	C35/45	240 5.507e+005
1929	2128	2127	2131	2132	C35/45	240 5.528e+005
1930	2124	2128	2132	2123	C35/45	240 5.552e+005
1931	2129	2058	2057	2118	C35/45	240 5.478e+005
1932	2130	2129	2118	2119	C35/45	240 5.493e+005
1933	2131	2130	2119	2120	C35/45	240 5.512e+005
1934	2132	2131	2120	2121	C35/45	240 5.532e+005
1935	2123	2132	2121	2122	C35/45	240 5.556e+005
1936	7848	7849	2124	2182	C35/45	240 5.211e+005
1937	7847	7848	2182	2172	C35/45	240 5.136e+005
1938	2147	2185	7845	7844	C35/45	240 6.006e+005
1939	2185	2174	7846	7845	C35/45	240 6.03e+005
1940	2153	2188	7502	7501	C35/45	240 5.122e+005
1941	2188	2176	7503	7502	C35/45	240 5.124e+005
1942	7505	7506	2137	2191	C35/45	240 5.862e+005
1943	7504	7505	2191	2178	C35/45	240 5.866e+005
1944	2144	2192	2142	2143	C35/45	240 5.317e+005
1945	2192	2181	2141	2142	C35/45	240 5.317e+005
1946	2181	2173	2140	2141	C35/45	240 5.303e+005
1947	2180	2172	2173	2181	C35/45	240 5.345e+005
1948	7846	7847	2172	2180	C35/45	240 5.143e+005
1949	2173	2193	2139	2140	C35/45	240 5.26e+005
1950	2193	2123	2122	2139	C35/45	240 5.195e+005
1951	2182	2124	2123	2193	C35/45	240 5.209e+005
1952	2172	2182	2193	2173	C35/45	240 5.301e+005
1953	2194	2073	7849	7848	C35/45	240 5.826e+005
1954	2184	2074	2073	2194	C35/45	240 5.839e+005
1955	2163	2075	2074	2184	C35/45	240 5.833e+005
1956	2162	2163	2184	2183	C35/45	240 5.785e+005
1957	2161	2162	2183	2175	C35/45	240 5.817e+005
1958	2160	2161	2175	2195	C35/45	240 5.87e+005
1959	2149	2160	2195	2148	C35/45	240 5.931e+005
1960	2148	2195	2185	2147	C35/45	240 5.916e+005
1961	2195	2175	2174	2185	C35/45	240 5.842e+005
1962	2196	2135	7506	7505	C35/45	240 5.127e+005
1963	2187	2134	2135	2196	C35/45	240 4.474e+005
1964	2159	2133	2134	2187	C35/45	240 5.408e+005
1965	2158	2159	2187	2186	C35/45	240 5.342e+005
1966	2157	2158	2186	2177	C35/45	240 5.282e+005
1967	2197	2177	2176	2188	C35/45	240 4.871e+005
1968	2156	2157	2177	2197	C35/45	240 5.217e+005
1969	2155	2156	2197	2154	C35/45	240 5.139e+005
1970	2154	2197	2188	2153	C35/45	240 5.025e+005
1971	7501	7502	2198	2151	C35/45	240 5.891e+005
1972	2151	2198	2190	2150	C35/45	240 5.99e+005
1973	2150	2190	2160	2149	C35/45	240 5.907e+005
1974	2190	2189	2161	2160	C35/45	240 5.823e+005
1975	2189	2179	2162	2161	C35/45	240 5.754e+005
1976	2178	2191	2199	2179	C35/45	240 6.312e+005
1977	2179	2199	2163	2162	C35/45	240 5.672e+005
1978	2199	2138	2075	2163	C35/45	240 5.549e+005
1979	2191	2137	2138	2199	C35/45	240 6.396e+005
1980	7845	7846	2180	2200	C35/45	240 5.172e+005
1981	7844	7845	2200	2145	C35/45	240 5.261e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

1982	2145	2200	2192	2144	C35/45	240	5.349e+005
1983	2200	2180	2181	2192	C35/45	240	5.373e+005
1984	2183	2184	2194	2201	C35/45	240	5.761e+005
1985	2175	2183	2201	2174	C35/45	240	5.773e+005
1986	2174	2201	7847	7846	C35/45	240	6.005e+005
1987	2201	2194	7848	7847	C35/45	240	5.942e+005
1988	2177	2186	2202	2176	C35/45	240	4.735e+005
1989	2176	2202	7504	7503	C35/45	240	5.135e+005
1990	2202	2196	7505	7504	C35/45	240	5.127e+005
1991	2186	2187	2196	2202	C35/45	240	4.602e+005
1992	2198	2203	2189	2190	C35/45	240	6.113e+005
1993	2203	2178	2179	2189	C35/45	240	6.225e+005
1994	7503	7504	2178	2203	C35/45	240	5.889e+005
1995	7502	7503	2203	2198	C35/45	240	5.886e+005
1996	2207	2093	2092	2208	C35/45	240	5.907e+005
1997	2206	2207	2208	2209	C35/45	240	5.909e+005
1998	2205	2206	2209	2210	C35/45	240	5.913e+005
1999	2204	2205	2210	2211	C35/45	240	5.917e+005
2000	2133	2204	2211	2134	C35/45	240	5.921e+005
2001	2208	2092	2091	2212	C35/45	240	4.617e+005
2002	2209	2208	2212	2213	C35/45	240	4.642e+005
2003	2210	2209	2213	2214	C35/45	240	4.676e+005
2004	2211	2210	2214	2215	C35/45	240	4.718e+005
2005	2134	2211	2215	2135	C35/45	240	4.769e+005
2006	2212	2091	7511	7510	C35/45	240	5.596e+005
2007	2213	2212	7510	7509	C35/45	240	5.593e+005
2008	2214	2213	7509	7508	C35/45	240	5.589e+005
2009	2215	2214	7508	7507	C35/45	240	5.585e+005
2010	2135	2215	7507	7506	C35/45	240	5.582e+005
2011	7510	7511	2089	2220	C35/45	240	6.384e+005
2012	7509	7510	2220	2221	C35/45	240	6.384e+005
2013	7508	7509	2221	2222	C35/45	240	6.384e+005
2014	7507	7508	2222	2223	C35/45	240	6.384e+005
2015	7506	7507	2223	2137	C35/45	240	6.384e+005
2016	2220	2089	2088	2224	C35/45	240	7.095e+005
2017	2221	2220	2224	2225	C35/45	240	7.081e+005
2018	2222	2221	2225	2226	C35/45	240	7.062e+005
2019	2223	2222	2226	2227	C35/45	240	7.039e+005
2020	2137	2223	2227	2138	C35/45	240	7.01e+005
2021	2224	2088	2040	2079	C35/45	240	5.936e+005
2022	2225	2224	2079	2078	C35/45	240	5.938e+005
2023	2226	2225	2078	2077	C35/45	240	5.941e+005
2024	2227	2226	2077	2076	C35/45	240	5.945e+005
2025	2138	2227	2076	2075	C35/45	240	5.95e+005
2026	2229	2153	7501	7500	C35/45	240	4.191e+005
2027	2230	2154	2153	2229	C35/45	240	4.191e+005
2028	2231	2155	2154	2230	C35/45	240	4.191e+005
2029	7500	7501	2151	2237	C35/45	240	4.8e+005
2030	2237	2151	2150	2236	C35/45	240	4.8e+005
2031	2236	2150	2149	2235	C35/45	240	4.8e+005
2032	2233	2147	7844	7843	C35/45	240	4.8e+005
2033	2234	2148	2147	2233	C35/45	240	4.8e+005
2034	2235	2149	2148	2234	C35/45	240	4.8e+005
2035	2239	2144	2143	2238	C35/45	240	4.299e+005
2036	2240	2145	2144	2239	C35/45	240	4.299e+005
2037	7843	7844	2145	2240	C35/45	240	4.299e+005
2038	2244	1012	1011	2245	C35/45	240	6.671e+005
2039	2243	2244	2245	2246	C35/45	240	6.656e+005
2040	2242	2243	2246	2247	C35/45	240	6.655e+005
2041	2241	2242	2247	2248	C35/45	240	6.663e+005
2042	1338	2241	2248	1339	C35/45	240	6.673e+005
2043	2245	1011	1010	2249	C35/45	240	6.608e+005
2044	2246	2245	2249	2250	C35/45	240	6.594e+005
2045	2247	2246	2250	2251	C35/45	240	6.593e+005
2046	2248	2247	2251	2252	C35/45	240	6.601e+005
2047	1339	2248	2252	1340	C35/45	240	6.611e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


2048	2249	1010	7591	7590	C35/45	240	6.547e+005
2049	2250	2249	7590	7589	C35/45	240	6.533e+005
2050	2251	2250	7589	7588	C35/45	240	6.531e+005
2051	2252	2251	7588	7587	C35/45	240	6.539e+005
2052	1340	2252	7587	7586	C35/45	240	6.549e+005
2053	7988	7989	2253	2260	C35/45	240	5.704e+005
2054	7987	7988	2260	2261	C35/45	240	5.699e+005
2055	7986	7987	2261	2262	C35/45	240	5.695e+005
2056	7985	7986	2262	2263	C35/45	240	5.69e+005
2057	7984	7985	2263	487	C35/45	240	5.688e+005
2058	2260	2253	2254	2264	C35/45	240	5.651e+005
2059	2261	2260	2264	2265	C35/45	240	5.645e+005
2060	2262	2261	2265	2266	C35/45	240	5.642e+005
2061	2263	2262	2266	2267	C35/45	240	5.637e+005
2062	487	2263	2267	488	C35/45	240	5.634e+005
2063	2264	2254	2255	2256	C35/45	240	5.598e+005
2064	2265	2264	2256	2257	C35/45	240	5.593e+005
2065	2266	2265	2257	2258	C35/45	240	5.589e+005
2066	2267	2266	2258	2259	C35/45	240	5.585e+005
2067	488	2267	2259	489	C35/45	240	5.582e+005
2068	7993	7994	2268	2275	C35/45	240	5.745e+005
2069	7992	7993	2275	2276	C35/45	240	5.735e+005
2070	7991	7992	2276	2277	C35/45	240	5.725e+005
2071	7990	7991	2277	2278	C35/45	240	5.717e+005
2072	7989	7990	2278	2253	C35/45	240	5.71e+005
2073	2275	2268	2269	2279	C35/45	240	5.691e+005
2074	2276	2275	2279	2280	C35/45	240	5.682e+005
2075	2277	2276	2280	2281	C35/45	240	5.672e+005
2076	2278	2277	2281	2282	C35/45	240	5.665e+005
2077	2253	2278	2282	2254	C35/45	240	5.657e+005
2078	2279	2269	2270	2271	C35/45	240	5.637e+005
2079	2280	2279	2271	2272	C35/45	240	5.628e+005
2080	2281	2280	2272	2273	C35/45	240	5.619e+005
2081	2282	2281	2273	2274	C35/45	240	5.611e+005
2082	2254	2282	2274	2255	C35/45	240	5.604e+005
2083	7998	7999	2283	2294	C35/45	240	5.809e+005
2084	7997	7998	2294	2295	C35/45	240	5.794e+005
2085	7996	7997	2295	2296	C35/45	240	5.78e+005
2086	7995	7996	2296	2297	C35/45	240	5.767e+005
2087	7994	7995	2297	2268	C35/45	240	5.755e+005
2088	2294	2283	2284	2298	C35/45	240	5.754e+005
2089	2295	2294	2298	2299	C35/45	240	5.739e+005
2090	2296	2295	2299	2300	C35/45	240	5.725e+005
2091	2297	2296	2300	2301	C35/45	240	5.712e+005
2092	2268	2297	2301	2269	C35/45	240	5.7e+005
2093	2298	2284	2285	2286	C35/45	240	5.699e+005
2094	2299	2298	2286	2287	C35/45	240	5.684e+005
2095	2300	2299	2287	2288	C35/45	240	5.671e+005
2096	2301	2300	2288	2289	C35/45	240	5.659e+005
2097	2269	2301	2289	2270	C35/45	240	5.647e+005
2098	279	253	270	2302	C35/45	240	6.689e+005
2099	280	279	2302	2303	C35/45	240	6.689e+005
2100	281	280	2303	2304	C35/45	240	6.689e+005
2101	282	281	2304	2305	C35/45	240	6.69e+005
2102	283	282	2305	369	C35/45	240	6.689e+005
2103	2302	270	269	2306	C35/45	240	6.621e+005
2104	2303	2302	2306	2307	C35/45	240	6.621e+005
2105	2304	2303	2307	2308	C35/45	240	6.621e+005
2106	2305	2304	2308	2309	C35/45	240	6.62e+005
2107	369	2305	2309	370	C35/45	240	6.621e+005
2108	2306	269	7999	7998	C35/45	240	6.552e+005
2109	2307	2306	7998	7997	C35/45	240	6.552e+005
2110	2308	2307	7997	7996	C35/45	240	6.552e+005
2111	2309	2308	7996	7995	C35/45	240	6.552e+005
2112	370	2309	7995	7994	C35/45	240	6.552e+005
2113	8003	8004	2310	2317	C35/45	240	5.894e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2114	8002	8003	2317	2318	C35/45	240	5.876e+005
2115	8001	8002	2318	2319	C35/45	240	5.858e+005
2116	8000	8001	2319	2320	C35/45	240	5.84e+005
2117	7999	8000	2320	2283	C35/45	240	5.824e+005
2118	2317	2310	2311	2321	C35/45	240	5.838e+005
2119	2318	2317	2321	2322	C35/45	240	5.82e+005
2120	2319	2318	2322	2323	C35/45	240	5.802e+005
2121	2320	2319	2323	2324	C35/45	240	5.784e+005
2122	2283	2320	2324	2284	C35/45	240	5.767e+005
2123	2321	2311	2312	2313	C35/45	240	5.782e+005
2124	2322	2321	2313	2314	C35/45	240	5.763e+005
2125	2323	2322	2314	2315	C35/45	240	5.746e+005
2126	2324	2323	2315	2316	C35/45	240	5.728e+005
2127	2284	2324	2316	2285	C35/45	240	5.712e+005
2128	8008	8009	2325	2332	C35/45	240	6.001e+005
2129	8007	8008	2332	2333	C35/45	240	5.977e+005
2130	8006	8007	2333	2334	C35/45	240	5.953e+005
2131	8005	8006	2334	2335	C35/45	240	5.932e+005
2132	8004	8005	2335	2310	C35/45	240	5.913e+005
2133	2332	2325	2326	2336	C35/45	240	5.943e+005
2134	2333	2332	2336	2337	C35/45	240	5.919e+005
2135	2334	2333	2337	2338	C35/45	240	5.895e+005
2136	2335	2334	2338	2339	C35/45	240	5.875e+005
2137	2310	2335	2339	2311	C35/45	240	5.855e+005
2138	2336	2326	2327	2328	C35/45	240	5.885e+005
2139	2337	2336	2328	2329	C35/45	240	5.86e+005
2140	2338	2337	2329	2330	C35/45	240	5.838e+005
2141	2339	2338	2330	2331	C35/45	240	5.818e+005
2142	2311	2339	2331	2312	C35/45	240	5.797e+005
2143	2326	2344	2343	2327	C35/45	240	5.732e+005
2144	2344	2345	2342	2343	C35/45	240	5.759e+005
2145	2345	2346	2341	2342	C35/45	240	5.786e+005
2146	2346	2347	2340	2341	C35/45	240	5.812e+005
2147	2347	53	52	2340	C35/45	240	5.833e+005
2148	2325	2348	2344	2326	C35/45	240	5.77e+005
2149	2348	2349	2345	2344	C35/45	240	5.798e+005
2150	2349	2350	2346	2345	C35/45	240	5.825e+005
2151	2350	2351	2347	2346	C35/45	240	5.85e+005
2152	2351	54	53	2347	C35/45	240	5.871e+005
2153	8009	8010	2348	2325	C35/45	240	5.808e+005
2154	8010	8011	2349	2348	C35/45	240	5.836e+005
2155	8011	8012	2350	2349	C35/45	240	5.863e+005
2156	8012	8013	2351	2350	C35/45	240	5.889e+005
2157	8013	8014	54	2351	C35/45	240	5.91e+005
2158	8023	8024	2352	2359	C35/45	240	6.189e+005
2159	8022	8023	2359	2360	C35/45	240	6.184e+005
2160	8021	8022	2360	2361	C35/45	240	6.178e+005
2161	8020	8021	2361	2362	C35/45	240	6.172e+005
2162	8019	8020	2362	45	C35/45	240	6.168e+005
2163	2359	2352	2353	2363	C35/45	240	6.125e+005
2164	2360	2359	2363	2364	C35/45	240	6.119e+005
2165	2361	2360	2364	2365	C35/45	240	6.114e+005
2166	2362	2361	2365	2366	C35/45	240	6.109e+005
2167	45	2362	2366	46	C35/45	240	6.104e+005
2168	2363	2353	2354	2355	C35/45	240	6.06e+005
2169	2364	2363	2355	2356	C35/45	240	6.055e+005
2170	2365	2364	2356	2357	C35/45	240	6.049e+005
2171	2366	2365	2357	2358	C35/45	240	6.045e+005
2172	46	2366	2358	47	C35/45	240	6.04e+005
2173	8028	8029	2368	2379	C35/45	240	6.209e+005
2174	8027	8028	2379	2380	C35/45	240	6.206e+005
2175	8026	8027	2380	2381	C35/45	240	6.203e+005
2176	8025	8026	2381	2382	C35/45	240	6.198e+005
2177	8024	8025	2382	2352	C35/45	240	6.194e+005
2178	2379	2368	2369	2383	C35/45	240	6.144e+005
2179	2380	2379	2383	2384	C35/45	240	6.141e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2180	2381	2380	2384	2385	C35/45	240 6.138e+005
2181	2382	2381	2385	2386	C35/45	240 6.134e+005
2182	2352	2382	2386	2353	C35/45	240 6.13e+005
2183	2383	2369	2370	2371	C35/45	240 6.08e+005
2184	2384	2383	2371	2372	C35/45	240 6.077e+005
2185	2385	2384	2372	2373	C35/45	240 6.072e+005
2186	2386	2385	2373	2374	C35/45	240 6.069e+005
2187	2353	2386	2374	2354	C35/45	240 6.065e+005
2188	8033	8034	2388	2399	C35/45	240 6.22e+005
2189	8032	8033	2399	2400	C35/45	240 6.219e+005
2190	8031	8032	2400	2401	C35/45	240 6.216e+005
2191	8030	8031	2401	2402	C35/45	240 6.214e+005
2192	8029	8030	2402	2368	C35/45	240 6.211e+005
2193	2399	2388	2389	2403	C35/45	240 6.157e+005
2194	2400	2399	2403	2404	C35/45	240 6.155e+005
2195	2401	2400	2404	2405	C35/45	240 6.152e+005
2196	2402	2401	2405	2406	C35/45	240 6.15e+005
2197	2368	2402	2406	2369	C35/45	240 6.147e+005
2198	2403	2389	2390	2391	C35/45	240 6.091e+005
2199	2404	2403	2391	2392	C35/45	240 6.089e+005
2200	2405	2404	2392	2393	C35/45	240 6.087e+005
2201	2406	2405	2393	2394	C35/45	240 6.085e+005
2202	2369	2406	2394	2370	C35/45	240 6.082e+005
2203	2413	2407	2408	2414	C35/45	240 6.685e+005
2204	2412	2413	2414	2415	C35/45	240 6.685e+005
2205	2411	2412	2415	2416	C35/45	240 6.684e+005
2206	2410	2411	2416	2417	C35/45	240 6.684e+005
2207	25	2410	2417	26	C35/45	240 6.685e+005
2208	2414	2408	2409	2418	C35/45	240 6.614e+005
2209	2415	2414	2418	2419	C35/45	240 6.614e+005
2210	2416	2415	2419	2420	C35/45	240 6.614e+005
2211	2417	2416	2420	2421	C35/45	240 6.615e+005
2212	26	2417	2421	27	C35/45	240 6.615e+005
2213	2418	2409	8029	8028	C35/45	240 6.544e+005
2214	2419	2418	8028	8027	C35/45	240 6.544e+005
2215	2420	2419	8027	8026	C35/45	240 6.544e+005
2216	2421	2420	8026	8025	C35/45	240 6.544e+005
2217	27	2421	8025	8024	C35/45	240 6.544e+005
2218	2428	2422	2423	2429	C35/45	240 6.685e+005
2219	2427	2428	2429	2430	C35/45	240 6.685e+005
2220	2426	2427	2430	2431	C35/45	240 6.684e+005
2221	2425	2426	2431	2432	C35/45	240 6.685e+005
2222	2407	2425	2432	2408	C35/45	240 6.684e+005
2223	2429	2423	2424	2433	C35/45	240 6.614e+005
2224	2430	2429	2433	2434	C35/45	240 6.614e+005
2225	2431	2430	2434	2435	C35/45	240 6.614e+005
2226	2432	2431	2435	2436	C35/45	240 6.615e+005
2227	2408	2432	2436	2409	C35/45	240 6.614e+005
2228	2433	2424	8034	8033	C35/45	240 6.544e+005
2229	2434	2433	8033	8032	C35/45	240 6.545e+005
2230	2435	2434	8032	8031	C35/45	240 6.545e+005
2231	2436	2435	8031	8030	C35/45	240 6.545e+005
2232	2409	2436	8030	8029	C35/45	240 6.544e+005
2233	7685	7686	2438	2444	C35/45	240 6.895e+005
2234	7684	7685	2444	2445	C35/45	240 6.895e+005
2235	7683	7684	2445	2446	C35/45	240 6.895e+005
2236	7682	7683	2446	2447	C35/45	240 6.895e+005
2237	7681	7682	2447	102	C35/45	240 6.895e+005
2238	2444	2438	2439	2448	C35/45	240 6.825e+005
2239	2445	2444	2448	2449	C35/45	240 6.824e+005
2240	2446	2445	2449	2450	C35/45	240 6.825e+005
2241	2447	2446	2450	2451	C35/45	240 6.824e+005
2242	102	2447	2451	103	C35/45	240 6.825e+005
2243	2448	2439	2407	2413	C35/45	240 6.755e+005
2244	2449	2448	2413	2412	C35/45	240 6.755e+005
2245	2450	2449	2412	2411	C35/45	240 6.755e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2246	2451	2450	2411	2410	C35/45	240 6.754e+005
2247	103	2451	2410	25	C35/45	240 6.755e+005
2248	7690	7691	2453	2459	C35/45	240 6.896e+005
2249	7689	7690	2459	2460	C35/45	240 6.896e+005
2250	7688	7689	2460	2461	C35/45	240 6.896e+005
2251	7687	7688	2461	2462	C35/45	240 6.896e+005
2252	7686	7687	2462	2438	C35/45	240 6.895e+005
2253	2459	2453	2454	2463	C35/45	240 6.825e+005
2254	2460	2459	2463	2464	C35/45	240 6.825e+005
2255	2461	2460	2464	2465	C35/45	240 6.825e+005
2256	2462	2461	2465	2466	C35/45	240 6.825e+005
2257	2438	2462	2466	2439	C35/45	240 6.825e+005
2258	2463	2454	2422	2428	C35/45	240 6.755e+005
2259	2464	2463	2428	2427	C35/45	240 6.756e+005
2260	2465	2464	2427	2426	C35/45	240 6.755e+005
2261	2466	2465	2426	2425	C35/45	240 6.755e+005
2262	2439	2466	2425	2407	C35/45	240 6.756e+005
2263	2473	2467	2468	2474	C35/45	240 6.555e+005
2264	2472	2473	2474	2475	C35/45	240 6.56e+005
2265	2471	2472	2475	2476	C35/45	240 6.564e+005
2266	2470	2471	2476	2477	C35/45	240 6.568e+005
2267	149	2470	2477	150	C35/45	240 6.572e+005
2268	2474	2468	2469	2478	C35/45	240 6.495e+005
2269	2475	2474	2478	2479	C35/45	240 6.499e+005
2270	2476	2475	2479	2480	C35/45	240 6.503e+005
2271	2477	2476	2480	2481	C35/45	240 6.507e+005
2272	150	2477	2481	151	C35/45	240 6.511e+005
2273	2478	2469	7686	7685	C35/45	240 6.436e+005
2274	2479	2478	7685	7684	C35/45	240 6.439e+005
2275	2480	2479	7684	7683	C35/45	240 6.443e+005
2276	2481	2480	7683	7682	C35/45	240 6.448e+005
2277	151	2481	7682	7681	C35/45	240 6.451e+005
2278	2488	2482	2483	2489	C35/45	240 6.541e+005
2279	2487	2488	2489	2490	C35/45	240 6.543e+005
2280	2486	2487	2490	2491	C35/45	240 6.545e+005
2281	2485	2486	2491	2492	C35/45	240 6.548e+005
2282	2467	2485	2492	2468	C35/45	240 6.551e+005
2283	2489	2483	2484	2493	C35/45	240 6.481e+005
2284	2490	2489	2493	2494	C35/45	240 6.483e+005
2285	2491	2490	2494	2495	C35/45	240 6.486e+005
2286	2492	2491	2495	2496	C35/45	240 6.489e+005
2287	2468	2492	2496	2469	C35/45	240 6.492e+005
2288	2493	2484	7691	7690	C35/45	240 6.422e+005
2289	2494	2493	7690	7689	C35/45	240 6.423e+005
2290	2495	2494	7689	7688	C35/45	240 6.426e+005
2291	2496	2495	7688	7687	C35/45	240 6.428e+005
2292	2469	2496	7687	7686	C35/45	240 6.432e+005
2293	2508	2497	2498	2509	C35/45	240 6.535e+005
2294	2507	2508	2509	2510	C35/45	240 6.536e+005
2295	2506	2507	2510	2511	C35/45	240 6.537e+005
2296	2505	2506	2511	2512	C35/45	240 6.538e+005
2297	2482	2505	2512	2483	C35/45	240 6.539e+005
2298	2509	2498	2499	2513	C35/45	240 6.476e+005
2299	2510	2509	2513	2514	C35/45	240 6.476e+005
2300	2511	2510	2514	2515	C35/45	240 6.477e+005
2301	2512	2511	2515	2516	C35/45	240 6.478e+005
2302	2483	2512	2516	2484	C35/45	240 6.48e+005
2303	2513	2499	7696	7695	C35/45	240 6.416e+005
2304	2514	2513	7695	7694	C35/45	240 6.417e+005
2305	2515	2514	7694	7693	C35/45	240 6.417e+005
2306	2516	2515	7693	7692	C35/45	240 6.419e+005
2307	2484	2516	7692	7691	C35/45	240 6.42e+005
2308	7695	7696	2517	2524	C35/45	240 6.895e+005
2309	7694	7695	2524	2525	C35/45	240 6.896e+005
2310	7693	7694	2525	2526	C35/45	240 6.896e+005
2311	7692	7693	2526	2527	C35/45	240 6.896e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2312	7691	7692	2527	2453	C35/45	240	6.895e+005
2313	2524	2517	2518	2528	C35/45	240	6.825e+005
2314	2525	2524	2528	2529	C35/45	240	6.825e+005
2315	2526	2525	2529	2530	C35/45	240	6.826e+005
2316	2527	2526	2530	2531	C35/45	240	6.825e+005
2317	2453	2527	2531	2454	C35/45	240	6.825e+005
2318	2528	2518	2519	2520	C35/45	240	6.755e+005
2319	2529	2528	2520	2521	C35/45	240	6.754e+005
2320	2530	2529	2521	2522	C35/45	240	6.755e+005
2321	2531	2530	2522	2523	C35/45	240	6.755e+005
2322	2454	2531	2523	2422	C35/45	240	6.755e+005
2323	7700	7701	2533	2544	C35/45	240	6.897e+005
2324	7699	7700	2544	2545	C35/45	240	6.897e+005
2325	7698	7699	2545	2546	C35/45	240	6.898e+005
2326	7697	7698	2546	2547	C35/45	240	6.898e+005
2327	7696	7697	2547	2517	C35/45	240	6.897e+005
2328	2544	2533	2534	2548	C35/45	240	6.827e+005
2329	2545	2544	2548	2549	C35/45	240	6.827e+005
2330	2546	2545	2549	2550	C35/45	240	6.826e+005
2331	2547	2546	2550	2551	C35/45	240	6.826e+005
2332	2517	2547	2551	2518	C35/45	240	6.826e+005
2333	2548	2534	2535	2536	C35/45	240	6.755e+005
2334	2549	2548	2536	2537	C35/45	240	6.755e+005
2335	2550	2549	2537	2538	C35/45	240	6.755e+005
2336	2551	2550	2538	2539	C35/45	240	6.755e+005
2337	2518	2551	2539	2519	C35/45	240	6.755e+005
2338	2520	2519	2552	2559	C35/45	240	6.685e+005
2339	2521	2520	2559	2560	C35/45	240	6.685e+005
2340	2522	2521	2560	2561	C35/45	240	6.685e+005
2341	2523	2522	2561	2562	C35/45	240	6.685e+005
2342	2422	2523	2562	2423	C35/45	240	6.685e+005
2343	2559	2552	2553	2563	C35/45	240	6.615e+005
2344	2560	2559	2563	2564	C35/45	240	6.615e+005
2345	2561	2560	2564	2565	C35/45	240	6.614e+005
2346	2562	2561	2565	2566	C35/45	240	6.614e+005
2347	2423	2562	2566	2424	C35/45	240	6.615e+005
2348	2563	2553	8039	8038	C35/45	240	6.544e+005
2349	2564	2563	8038	8037	C35/45	240	6.545e+005
2350	2565	2564	8037	8036	C35/45	240	6.544e+005
2351	2566	2565	8036	8035	C35/45	240	6.544e+005
2352	2424	2566	8035	8034	C35/45	240	6.544e+005
2353	7705	7706	2568	2579	C35/45	240	6.894e+005
2354	7704	7705	2579	2580	C35/45	240	6.894e+005
2355	7703	7704	2580	2581	C35/45	240	6.894e+005
2356	7702	7703	2581	2582	C35/45	240	6.894e+005
2357	7701	7702	2582	2533	C35/45	240	6.894e+005
2358	2579	2568	2569	2583	C35/45	240	6.824e+005
2359	2580	2579	2583	2584	C35/45	240	6.824e+005
2360	2581	2580	2584	2585	C35/45	240	6.824e+005
2361	2582	2581	2585	2586	C35/45	240	6.824e+005
2362	2533	2582	2586	2534	C35/45	240	6.824e+005
2363	2583	2569	2570	2571	C35/45	240	6.756e+005
2364	2584	2583	2571	2572	C35/45	240	6.755e+005
2365	2585	2584	2572	2573	C35/45	240	6.754e+005
2366	2586	2585	2573	2574	C35/45	240	6.755e+005
2367	2534	2586	2574	2535	C35/45	240	6.755e+005
2368	2536	2535	2587	2594	C35/45	240	6.684e+005
2369	2537	2536	2594	2595	C35/45	240	6.685e+005
2370	2538	2537	2595	2596	C35/45	240	6.685e+005
2371	2539	2538	2596	2597	C35/45	240	6.684e+005
2372	2519	2539	2597	2552	C35/45	240	6.685e+005
2373	2594	2587	2588	2598	C35/45	240	6.613e+005
2374	2595	2594	2598	2599	C35/45	240	6.614e+005
2375	2596	2595	2599	2600	C35/45	240	6.613e+005
2376	2597	2596	2600	2601	C35/45	240	6.613e+005
2377	2552	2597	2601	2553	C35/45	240	6.614e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2378	2598	2588	8044	8043	C35/45	240	6.542e+005
2379	2599	2598	8043	8042	C35/45	240	6.543e+005
2380	2600	2599	8042	8041	C35/45	240	6.543e+005
2381	2601	2600	8041	8040	C35/45	240	6.542e+005
2382	2553	2601	8040	8039	C35/45	240	6.543e+005
2383	2608	2602	2603	2609	C35/45	240	6.54e+005
2384	2607	2608	2609	2610	C35/45	240	6.538e+005
2385	2606	2607	2610	2611	C35/45	240	6.538e+005
2386	2605	2606	2611	2612	C35/45	240	6.538e+005
2387	2497	2605	2612	2498	C35/45	240	6.538e+005
2388	2609	2603	2604	2613	C35/45	240	6.48e+005
2389	2610	2609	2613	2614	C35/45	240	6.479e+005
2390	2611	2610	2614	2615	C35/45	240	6.479e+005
2391	2612	2611	2615	2616	C35/45	240	6.479e+005
2392	2498	2612	2616	2499	C35/45	240	6.478e+005
2393	2613	2604	7701	7700	C35/45	240	6.42e+005
2394	2614	2613	7700	7699	C35/45	240	6.419e+005
2395	2615	2614	7699	7698	C35/45	240	6.418e+005
2396	2616	2615	7698	7697	C35/45	240	6.418e+005
2397	2499	2616	7697	7696	C35/45	240	6.417e+005
2398	2623	2617	2618	2624	C35/45	240	6.543e+005
2399	2622	2623	2624	2625	C35/45	240	6.54e+005
2400	2621	2622	2625	2626	C35/45	240	6.538e+005
2401	2620	2621	2626	2627	C35/45	240	6.536e+005
2402	2602	2620	2627	2603	C35/45	240	6.534e+005
2403	2624	2618	2619	2628	C35/45	240	6.483e+005
2404	2625	2624	2628	2629	C35/45	240	6.481e+005
2405	2626	2625	2629	2630	C35/45	240	6.479e+005
2406	2627	2626	2630	2631	C35/45	240	6.477e+005
2407	2603	2627	2631	2604	C35/45	240	6.476e+005
2408	2628	2619	7706	7705	C35/45	240	6.424e+005
2409	2629	2628	7705	7704	C35/45	240	6.422e+005
2410	2630	2629	7704	7703	C35/45	240	6.42e+005
2411	2631	2630	7703	7702	C35/45	240	6.418e+005
2412	2604	2631	7702	7701	C35/45	240	6.416e+005
2413	2643	2632	2633	2644	C35/45	240	6.562e+005
2414	2642	2643	2644	2645	C35/45	240	6.559e+005
2415	2641	2642	2645	2646	C35/45	240	6.555e+005
2416	2640	2641	2646	2647	C35/45	240	6.552e+005
2417	2617	2640	2647	2618	C35/45	240	6.549e+005
2418	2644	2633	2634	2648	C35/45	240	6.502e+005
2419	2645	2644	2648	2649	C35/45	240	6.499e+005
2420	2646	2645	2649	2650	C35/45	240	6.495e+005
2421	2647	2646	2650	2651	C35/45	240	6.492e+005
2422	2618	2647	2651	2619	C35/45	240	6.488e+005
2423	2648	2634	7711	7710	C35/45	240	6.442e+005
2424	2649	2648	7710	7709	C35/45	240	6.438e+005
2425	2650	2649	7709	7708	C35/45	240	6.435e+005
2426	2651	2650	7708	7707	C35/45	240	6.432e+005
2427	2619	2651	7707	7706	C35/45	240	6.429e+005
2428	7710	7711	2652	2659	C35/45	240	6.896e+005
2429	7709	7710	2659	2660	C35/45	240	6.895e+005
2430	7708	7709	2660	2661	C35/45	240	6.895e+005
2431	7707	7708	2661	2662	C35/45	240	6.896e+005
2432	7706	7707	2662	2568	C35/45	240	6.896e+005
2433	2659	2652	2653	2663	C35/45	240	6.826e+005
2434	2660	2659	2663	2664	C35/45	240	6.825e+005
2435	2661	2660	2664	2665	C35/45	240	6.826e+005
2436	2662	2661	2665	2666	C35/45	240	6.825e+005
2437	2568	2662	2666	2569	C35/45	240	6.825e+005
2438	2663	2653	2654	2655	C35/45	240	6.756e+005
2439	2664	2663	2655	2656	C35/45	240	6.755e+005
2440	2665	2664	2656	2657	C35/45	240	6.755e+005
2441	2666	2665	2657	2658	C35/45	240	6.755e+005
2442	2569	2666	2658	2570	C35/45	240	6.755e+005
2443	2571	2570	2667	2674	C35/45	240	6.685e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2444	2572	2571	2674	2675	C35/45	240	6.685e+005
2445	2573	2572	2675	2676	C35/45	240	6.685e+005
2446	2574	2573	2676	2677	C35/45	240	6.685e+005
2447	2535	2574	2677	2587	C35/45	240	6.685e+005
2448	2674	2667	2668	2678	C35/45	240	6.616e+005
2449	2675	2674	2678	2679	C35/45	240	6.616e+005
2450	2676	2675	2679	2680	C35/45	240	6.616e+005
2451	2677	2676	2680	2681	C35/45	240	6.616e+005
2452	2587	2677	2681	2588	C35/45	240	6.615e+005
2453	2678	2668	8049	8048	C35/45	240	6.545e+005
2454	2679	2678	8048	8047	C35/45	240	6.546e+005
2455	2680	2679	8047	8046	C35/45	240	6.546e+005
2456	2681	2680	8046	8045	C35/45	240	6.546e+005
2457	2588	2681	8045	8044	C35/45	240	6.546e+005
2458	7715	7716	2683	2694	C35/45	240	6.896e+005
2459	7714	7715	2694	2695	C35/45	240	6.895e+005
2460	7713	7714	2695	2696	C35/45	240	6.895e+005
2461	7712	7713	2696	2697	C35/45	240	6.895e+005
2462	7711	7712	2697	2652	C35/45	240	6.896e+005
2463	2694	2683	2684	2698	C35/45	240	6.826e+005
2464	2695	2694	2698	2699	C35/45	240	6.825e+005
2465	2696	2695	2699	2700	C35/45	240	6.825e+005
2466	2697	2696	2700	2701	C35/45	240	6.825e+005
2467	2652	2697	2701	2653	C35/45	240	6.825e+005
2468	2698	2684	2685	2686	C35/45	240	6.755e+005
2469	2699	2698	2686	2687	C35/45	240	6.755e+005
2470	2700	2699	2687	2688	C35/45	240	6.755e+005
2471	2701	2700	2688	2689	C35/45	240	6.755e+005
2472	2653	2701	2689	2654	C35/45	240	6.755e+005
2473	2655	2654	2702	2709	C35/45	240	6.685e+005
2474	2656	2655	2709	2710	C35/45	240	6.685e+005
2475	2657	2656	2710	2711	C35/45	240	6.685e+005
2476	2658	2657	2711	2712	C35/45	240	6.685e+005
2477	2570	2658	2712	2667	C35/45	240	6.685e+005
2478	2709	2702	2703	2713	C35/45	240	6.615e+005
2479	2710	2709	2713	2714	C35/45	240	6.615e+005
2480	2711	2710	2714	2715	C35/45	240	6.614e+005
2481	2712	2711	2715	2716	C35/45	240	6.615e+005
2482	2667	2712	2716	2668	C35/45	240	6.614e+005
2483	2713	2703	8054	8053	C35/45	240	6.544e+005
2484	2714	2713	8053	8052	C35/45	240	6.545e+005
2485	2715	2714	8052	8051	C35/45	240	6.544e+005
2486	2716	2715	8051	8050	C35/45	240	6.544e+005
2487	2668	2716	8050	8049	C35/45	240	6.544e+005
2488	2723	2717	2718	2724	C35/45	240	6.587e+005
2489	2722	2723	2724	2725	C35/45	240	6.582e+005
2490	2721	2722	2725	2726	C35/45	240	6.576e+005
2491	2720	2721	2726	2727	C35/45	240	6.572e+005
2492	2632	2720	2727	2633	C35/45	240	6.568e+005
2493	2724	2718	2719	2728	C35/45	240	6.526e+005
2494	2725	2724	2728	2729	C35/45	240	6.521e+005
2495	2726	2725	2729	2730	C35/45	240	6.516e+005
2496	2727	2726	2730	2731	C35/45	240	6.511e+005
2497	2633	2727	2731	2634	C35/45	240	6.507e+005
2498	2728	2719	7716	7715	C35/45	240	6.467e+005
2499	2729	2728	7715	7714	C35/45	240	6.461e+005
2500	2730	2729	7714	7713	C35/45	240	6.456e+005
2501	2731	2730	7713	7712	C35/45	240	6.451e+005
2502	2634	2731	7712	7711	C35/45	240	6.446e+005
2503	2743	2732	2733	2744	C35/45	240	6.619e+005
2504	2742	2743	2744	2745	C35/45	240	6.612e+005
2505	2741	2742	2745	2746	C35/45	240	6.605e+005
2506	2740	2741	2746	2747	C35/45	240	6.6e+005
2507	2717	2740	2747	2718	C35/45	240	6.593e+005
2508	2744	2733	2734	2748	C35/45	240	6.558e+005
2509	2745	2744	2748	2749	C35/45	240	6.551e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2510	2746	2745	2749	2750	C35/45	240	6.545e+005
2511	2747	2746	2750	2751	C35/45	240	6.538e+005
2512	2718	2747	2751	2719	C35/45	240	6.532e+005
2513	2748	2734	7721	7720	C35/45	240	6.497e+005
2514	2749	2748	7720	7719	C35/45	240	6.489e+005
2515	2750	2749	7719	7718	C35/45	240	6.483e+005
2516	2751	2750	7718	7717	C35/45	240	6.477e+005
2517	2719	2751	7717	7716	C35/45	240	6.472e+005
2518	7720	7721	2752	2759	C35/45	240	6.896e+005
2519	7719	7720	2759	2760	C35/45	240	6.896e+005
2520	7718	7719	2760	2761	C35/45	240	6.895e+005
2521	7717	7718	2761	2762	C35/45	240	6.896e+005
2522	7716	7717	2762	2683	C35/45	240	6.896e+005
2523	2759	2752	2753	2763	C35/45	240	6.826e+005
2524	2760	2759	2763	2764	C35/45	240	6.825e+005
2525	2761	2760	2764	2765	C35/45	240	6.826e+005
2526	2762	2761	2765	2766	C35/45	240	6.825e+005
2527	2683	2762	2766	2684	C35/45	240	6.825e+005
2528	2763	2753	2754	2755	C35/45	240	6.756e+005
2529	2764	2763	2755	2756	C35/45	240	6.755e+005
2530	2765	2764	2756	2757	C35/45	240	6.756e+005
2531	2766	2765	2757	2758	C35/45	240	6.756e+005
2532	2684	2766	2758	2685	C35/45	240	6.755e+005
2533	2686	2685	2767	2774	C35/45	240	6.685e+005
2534	2687	2686	2774	2775	C35/45	240	6.685e+005
2535	2688	2687	2775	2776	C35/45	240	6.685e+005
2536	2689	2688	2776	2777	C35/45	240	6.685e+005
2537	2654	2689	2777	2702	C35/45	240	6.685e+005
2538	2774	2767	2768	2778	C35/45	240	6.615e+005
2539	2775	2774	2778	2779	C35/45	240	6.615e+005
2540	2776	2775	2779	2780	C35/45	240	6.615e+005
2541	2777	2776	2780	2781	C35/45	240	6.614e+005
2542	2702	2777	2781	2703	C35/45	240	6.614e+005
2543	2778	2768	8059	8058	C35/45	240	6.544e+005
2544	2779	2778	8058	8057	C35/45	240	6.544e+005
2545	2780	2779	8057	8056	C35/45	240	6.544e+005
2546	2781	2780	8056	8055	C35/45	240	6.545e+005
2547	2703	2781	8055	8054	C35/45	240	6.544e+005
2548	2794	2793	2782	2783	C35/45	240	6.755e+005
2549	2795	2792	2793	2794	C35/45	240	6.825e+005
2550	7725	7726	2792	2795	C35/45	240	6.896e+005
2551	2796	2794	2783	2784	C35/45	240	6.755e+005
2552	2797	2795	2794	2796	C35/45	240	6.825e+005
2553	7724	7725	2795	2797	C35/45	240	6.895e+005
2554	2798	2796	2784	2785	C35/45	240	6.755e+005
2555	2799	2797	2796	2798	C35/45	240	6.825e+005
2556	7723	7724	2797	2799	C35/45	240	6.895e+005
2557	2800	2798	2785	2786	C35/45	240	6.755e+005
2558	2801	2799	2798	2800	C35/45	240	6.825e+005
2559	7722	7723	2799	2801	C35/45	240	6.896e+005
2560	2753	2800	2786	2754	C35/45	240	6.755e+005
2561	2752	2801	2800	2753	C35/45	240	6.825e+005
2562	7721	7722	2801	2752	C35/45	240	6.895e+005
2563	2755	2754	2802	2809	C35/45	240	6.685e+005
2564	2756	2755	2809	2810	C35/45	240	6.684e+005
2565	2757	2756	2810	2811	C35/45	240	6.685e+005
2566	2758	2757	2811	2812	C35/45	240	6.685e+005
2567	2685	2758	2812	2767	C35/45	240	6.685e+005
2568	2809	2802	2803	2813	C35/45	240	6.614e+005
2569	2810	2809	2813	2814	C35/45	240	6.615e+005
2570	2811	2810	2814	2815	C35/45	240	6.614e+005
2571	2812	2811	2815	2816	C35/45	240	6.614e+005
2572	2767	2812	2816	2768	C35/45	240	6.615e+005
2573	2813	2803	8064	8063	C35/45	240	6.544e+005
2574	2814	2813	8063	8062	C35/45	240	6.544e+005
2575	2815	2814	8062	8061	C35/45	240	6.545e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2576	2816	2815	8061	8060	C35/45	240	6.544e+005
2577	2768	2816	8060	8059	C35/45	240	6.544e+005
2578	2824	2823	8069	8068	C35/45	240	6.544e+005
2579	2825	2822	2823	2824	C35/45	240	6.615e+005
2580	2783	2782	2822	2825	C35/45	240	6.685e+005
2581	2826	2824	8068	8067	C35/45	240	6.545e+005
2582	2827	2825	2824	2826	C35/45	240	6.615e+005
2583	2784	2783	2825	2827	C35/45	240	6.685e+005
2584	2828	2826	8067	8066	C35/45	240	6.544e+005
2585	2829	2827	2826	2828	C35/45	240	6.615e+005
2586	2785	2784	2827	2829	C35/45	240	6.685e+005
2587	2830	2828	8066	8065	C35/45	240	6.545e+005
2588	2831	2829	2828	2830	C35/45	240	6.615e+005
2589	2786	2785	2829	2831	C35/45	240	6.685e+005
2590	2803	2830	8065	8064	C35/45	240	6.545e+005
2591	2802	2831	2830	2803	C35/45	240	6.614e+005
2592	2754	2786	2831	2802	C35/45	240	6.685e+005
2593	8063	8064	2832	2842	C35/45	240	6.154e+005
2594	8062	8063	2842	2843	C35/45	240	6.16e+005
2595	8061	8062	2843	2844	C35/45	240	6.166e+005
2596	8060	8061	2844	2845	C35/45	240	6.171e+005
2597	8059	8060	2845	2841	C35/45	240	6.177e+005
2598	2842	2832	2833	2846	C35/45	240	6.09e+005
2599	2843	2842	2846	2847	C35/45	240	6.097e+005
2600	2844	2843	2847	2848	C35/45	240	6.103e+005
2601	2845	2844	2848	2849	C35/45	240	6.108e+005
2602	2841	2845	2849	2840	C35/45	240	6.113e+005
2603	2846	2833	2834	2835	C35/45	240	6.026e+005
2604	2847	2846	2835	2836	C35/45	240	6.032e+005
2605	2848	2847	2836	2837	C35/45	240	6.038e+005
2606	2849	2848	2837	2838	C35/45	240	6.044e+005
2607	2840	2849	2838	2839	C35/45	240	6.049e+005
2608	8058	8059	2841	2857	C35/45	240	6.182e+005
2609	8057	8058	2857	2858	C35/45	240	6.187e+005
2610	8056	8057	2858	2859	C35/45	240	6.191e+005
2611	8055	8056	2859	2860	C35/45	240	6.196e+005
2612	8054	8055	2860	2856	C35/45	240	6.199e+005
2613	2857	2841	2840	2861	C35/45	240	6.118e+005
2614	2858	2857	2861	2862	C35/45	240	6.122e+005
2615	2859	2858	2862	2863	C35/45	240	6.127e+005
2616	2860	2859	2863	2864	C35/45	240	6.132e+005
2617	2856	2860	2864	2855	C35/45	240	6.135e+005
2618	2861	2840	2839	2850	C35/45	240	6.054e+005
2619	2862	2861	2850	2851	C35/45	240	6.058e+005
2620	2863	2862	2851	2852	C35/45	240	6.063e+005
2621	2864	2863	2852	2853	C35/45	240	6.067e+005
2622	2855	2864	2853	2854	C35/45	240	6.071e+005
2623	8053	8054	2856	2872	C35/45	240	6.203e+005
2624	8052	8053	2872	2873	C35/45	240	6.207e+005
2625	8051	8052	2873	2874	C35/45	240	6.21e+005
2626	8050	8051	2874	2875	C35/45	240	6.213e+005
2627	8049	8050	2875	2871	C35/45	240	6.216e+005
2628	2872	2856	2855	2876	C35/45	240	6.139e+005
2629	2873	2872	2876	2877	C35/45	240	6.142e+005
2630	2874	2873	2877	2878	C35/45	240	6.145e+005
2631	2875	2874	2878	2879	C35/45	240	6.148e+005
2632	2871	2875	2879	2870	C35/45	240	6.15e+005
2633	2876	2855	2854	2865	C35/45	240	6.075e+005
2634	2877	2876	2865	2866	C35/45	240	6.077e+005
2635	2878	2877	2866	2867	C35/45	240	6.081e+005
2636	2879	2878	2867	2868	C35/45	240	6.083e+005
2637	2870	2879	2868	2869	C35/45	240	6.086e+005
2638	2887	2886	2880	2881	C35/45	240	5.994e+005
2639	2888	2885	2886	2887	C35/45	240	6.056e+005
2640	8068	8069	2885	2888	C35/45	240	6.12e+005
2641	2889	2887	2881	2882	C35/45	240	6.001e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


2642	2890	2888	2887	2889	C35/45	240	6.064e+005
2643	8067	8068	2888	2890	C35/45	240	6.127e+005
2644	2891	2889	2882	2883	C35/45	240	6.008e+005
2645	2892	2890	2889	2891	C35/45	240	6.071e+005
2646	8066	8067	2890	2892	C35/45	240	6.134e+005
2647	2893	2891	2883	2884	C35/45	240	6.015e+005
2648	2894	2892	2891	2893	C35/45	240	6.078e+005
2649	8065	8066	2892	2894	C35/45	240	6.141e+005
2650	2833	2893	2884	2834	C35/45	240	6.021e+005
2651	2832	2894	2893	2833	C35/45	240	6.085e+005
2652	8064	8065	2894	2832	C35/45	240	6.148e+005
2653	2907	2906	2895	2896	C35/45	240	5.799e+005
2654	2908	2905	2906	2907	C35/45	240	5.836e+005
2655	8073	8074	2905	2908	C35/45	240	5.873e+005
2656	2909	2907	2896	2897	C35/45	240	5.806e+005
2657	2910	2908	2907	2909	C35/45	240	5.843e+005
2658	8072	8073	2908	2910	C35/45	240	5.881e+005
2659	2911	2909	2897	2898	C35/45	240	5.813e+005
2660	2912	2910	2909	2911	C35/45	240	5.851e+005
2661	8071	8072	2910	2912	C35/45	240	5.889e+005
2662	2913	2911	2898	2899	C35/45	240	5.822e+005
2663	2914	2912	2911	2913	C35/45	240	5.86e+005
2664	8070	8071	2912	2914	C35/45	240	5.897e+005
2665	2886	2913	2899	2880	C35/45	240	5.829e+005
2666	2885	2914	2913	2886	C35/45	240	5.868e+005
2667	8069	8070	2914	2885	C35/45	240	5.905e+005
2668	2922	2921	8074	8073	C35/45	240	6.297e+005
2669	2923	2920	2921	2922	C35/45	240	6.339e+005
2670	2918	2919	2920	2923	C35/45	240	6.382e+005
2671	2924	2922	8073	8072	C35/45	240	6.297e+005
2672	2925	2923	2922	2924	C35/45	240	6.34e+005
2673	2917	2918	2923	2925	C35/45	240	6.382e+005
2674	2926	2924	8072	8071	C35/45	240	6.298e+005
2675	2927	2925	2924	2926	C35/45	240	6.34e+005
2676	2916	2917	2925	2927	C35/45	240	6.383e+005
2677	2928	2926	8071	8070	C35/45	240	6.298e+005
2678	2929	2927	2926	2928	C35/45	240	6.34e+005
2679	2915	2916	2927	2929	C35/45	240	6.383e+005
2680	2823	2928	8070	8069	C35/45	240	6.298e+005
2681	2822	2929	2928	2823	C35/45	240	6.341e+005
2682	2782	2915	2929	2822	C35/45	240	6.383e+005
2683	2937	2936	2919	2918	C35/45	240	6.427e+005
2684	2938	2935	2936	2937	C35/45	240	6.47e+005
2685	7730	7731	2935	2938	C35/45	240	6.513e+005
2686	2939	2937	2918	2917	C35/45	240	6.427e+005
2687	2940	2938	2937	2939	C35/45	240	6.47e+005
2688	7729	7730	2938	2940	C35/45	240	6.512e+005
2689	2941	2939	2917	2916	C35/45	240	6.427e+005
2690	2942	2940	2939	2941	C35/45	240	6.47e+005
2691	7728	7729	2940	2942	C35/45	240	6.512e+005
2692	2943	2941	2916	2915	C35/45	240	6.426e+005
2693	2944	2942	2941	2943	C35/45	240	6.469e+005
2694	7727	7728	2942	2944	C35/45	240	6.512e+005
2695	2793	2943	2915	2782	C35/45	240	6.426e+005
2696	2792	2944	2943	2793	C35/45	240	6.468e+005
2697	7726	7727	2944	2792	C35/45	240	6.511e+005
2698	2956	2945	2946	2957	C35/45	240	6.355e+005
2699	2955	2956	2957	2958	C35/45	240	6.354e+005
2700	2954	2955	2958	2959	C35/45	240	6.354e+005
2701	2953	2954	2959	2960	C35/45	240	6.353e+005
2702	2919	2953	2960	2920	C35/45	240	6.353e+005
2703	2957	2946	2947	2961	C35/45	240	6.265e+005
2704	2958	2957	2961	2962	C35/45	240	6.264e+005
2705	2959	2958	2962	2963	C35/45	240	6.265e+005
2706	2960	2959	2963	2964	C35/45	240	6.264e+005
2707	2920	2960	2964	2921	C35/45	240	6.264e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2708	2961	2947	8079	8078	C35/45	240	6.176e+005
2709	2962	2961	8078	8077	C35/45	240	6.175e+005
2710	2963	2962	8077	8076	C35/45	240	6.174e+005
2711	2964	2963	8076	8075	C35/45	240	6.174e+005
2712	2921	2964	8075	8074	C35/45	240	6.174e+005
2713	2975	2974	7731	7730	C35/45	240	6.187e+005
2714	2976	2973	2974	2975	C35/45	240	6.225e+005
2715	2971	2972	2973	2976	C35/45	240	6.263e+005
2716	2977	2975	7730	7729	C35/45	240	6.18e+005
2717	2978	2976	2975	2977	C35/45	240	6.217e+005
2718	2970	2971	2976	2978	C35/45	240	6.255e+005
2719	2979	2977	7729	7728	C35/45	240	6.172e+005
2720	2980	2978	2977	2979	C35/45	240	6.209e+005
2721	2969	2970	2978	2980	C35/45	240	6.247e+005
2722	2981	2979	7728	7727	C35/45	240	6.164e+005
2723	2982	2980	2979	2981	C35/45	240	6.201e+005
2724	2968	2969	2980	2982	C35/45	240	6.239e+005
2725	2965	2981	7727	7726	C35/45	240	6.155e+005
2726	2966	2982	2981	2965	C35/45	240	6.193e+005
2727	2967	2968	2982	2966	C35/45	240	6.231e+005
2728	7735	7736	2984	2990	C35/45	240	6.624e+005
2729	7734	7735	2990	2991	C35/45	240	6.625e+005
2730	7733	7734	2991	2992	C35/45	240	6.625e+005
2731	7732	7733	2992	2993	C35/45	240	6.626e+005
2732	7731	7732	2993	2935	C35/45	240	6.626e+005
2733	2990	2984	2985	2994	C35/45	240	6.535e+005
2734	2991	2990	2994	2995	C35/45	240	6.536e+005
2735	2992	2991	2995	2996	C35/45	240	6.536e+005
2736	2993	2992	2996	2997	C35/45	240	6.536e+005
2737	2935	2993	2997	2936	C35/45	240	6.536e+005
2738	2994	2985	2945	2956	C35/45	240	6.444e+005
2739	2995	2994	2956	2955	C35/45	240	6.446e+005
2740	2996	2995	2955	2954	C35/45	240	6.446e+005
2741	2997	2996	2954	2953	C35/45	240	6.446e+005
2742	2936	2997	2953	2919	C35/45	240	6.447e+005
2743	7740	7741	2999	3010	C35/45	240	6.891e+005
2744	7739	7740	3010	3011	C35/45	240	6.891e+005
2745	7738	7739	3011	3012	C35/45	240	6.891e+005
2746	7737	7738	3012	3013	C35/45	240	6.891e+005
2747	7736	7737	3013	2984	C35/45	240	6.891e+005
2748	3010	2999	3000	3014	C35/45	240	6.823e+005
2749	3011	3010	3014	3015	C35/45	240	6.823e+005
2750	3012	3011	3015	3016	C35/45	240	6.823e+005
2751	3013	3012	3016	3017	C35/45	240	6.822e+005
2752	2984	3013	3017	2985	C35/45	240	6.822e+005
2753	3014	3000	3001	3002	C35/45	240	6.754e+005
2754	3015	3014	3002	3003	C35/45	240	6.754e+005
2755	3016	3015	3003	3004	C35/45	240	6.754e+005
2756	3017	3016	3004	3005	C35/45	240	6.754e+005
2757	2985	3017	3005	2945	C35/45	240	6.754e+005
2758	3024	3018	3019	3025	C35/45	240	6.538e+005
2759	3023	3024	3025	3026	C35/45	240	6.531e+005
2760	3022	3023	3026	3027	C35/45	240	6.523e+005
2761	3021	3022	3027	3028	C35/45	240	6.516e+005
2762	2972	3021	3028	2973	C35/45	240	6.507e+005
2763	3025	3019	3020	3029	C35/45	240	6.457e+005
2764	3026	3025	3029	3030	C35/45	240	6.45e+005
2765	3027	3026	3030	3031	C35/45	240	6.443e+005
2766	3028	3027	3031	3032	C35/45	240	6.435e+005
2767	2973	3028	3032	2974	C35/45	240	6.427e+005
2768	3029	3020	7736	7735	C35/45	240	6.376e+005
2769	3030	3029	7735	7734	C35/45	240	6.369e+005
2770	3031	3030	7734	7733	C35/45	240	6.362e+005
2771	3032	3031	7733	7732	C35/45	240	6.355e+005
2772	2974	3032	7732	7731	C35/45	240	6.347e+005
2773	3039	3033	3034	3040	C35/45	240	6.767e+005

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
2774	3038	3039	3040	3041	C35/45	240	6.761e+005	
2775	3037	3038	3041	3042	C35/45	240	6.755e+005	
2776	3036	3037	3042	3043	C35/45	240	6.748e+005	
2777	3018	3036	3043	3019	C35/45	240	6.742e+005	
2778	3040	3034	3035	3044	C35/45	240	6.705e+005	
2779	3041	3040	3044	3045	C35/45	240	6.699e+005	
2780	3042	3041	3045	3046	C35/45	240	6.693e+005	
2781	3043	3042	3046	3047	C35/45	240	6.686e+005	
2782	3019	3043	3047	3020	C35/45	240	6.679e+005	
2783	3044	3035	7741	7740	C35/45	240	6.643e+005	
2784	3045	3044	7740	7739	C35/45	240	6.637e+005	
2785	3046	3045	7739	7738	C35/45	240	6.631e+005	
2786	3047	3046	7738	7737	C35/45	240	6.624e+005	
2787	3020	3047	7737	7736	C35/45	240	6.617e+005	
2788	3052	2965	7726	7725	C35/45	240	6.534e+005	
2789	3053	2966	2965	3052	C35/45	240	6.596e+005	
2790	3051	2967	2966	3053	C35/45	240	6.658e+005	
2791	3054	3052	7725	7724	C35/45	240	6.526e+005	
2792	3055	3053	3052	3054	C35/45	240	6.588e+005	
2793	3050	3051	3053	3055	C35/45	240	6.649e+005	
2794	3056	3054	7724	7723	C35/45	240	6.519e+005	
2795	3057	3055	3054	3056	C35/45	240	6.58e+005	
2796	3049	3050	3055	3057	C35/45	240	6.641e+005	
2797	3058	3056	7723	7722	C35/45	240	6.511e+005	
2798	3059	3057	3056	3058	C35/45	240	6.572e+005	
2799	3048	3049	3057	3059	C35/45	240	6.634e+005	
2800	2734	3058	7722	7721	C35/45	240	6.503e+005	
2801	2733	3059	3058	2734	C35/45	240	6.564e+005	
2802	2732	3048	3059	2733	C35/45	240	6.627e+005	
2803	3071	3060	3061	3072	C35/45	240	6.792e+005	
2804	3070	3071	3072	3073	C35/45	240	6.788e+005	
2805	3069	3070	3073	3074	C35/45	240	6.783e+005	
2806	3068	3069	3074	3075	C35/45	240	6.778e+005	
2807	3033	3068	3075	3034	C35/45	240	6.773e+005	
2808	3072	3061	3062	3076	C35/45	240	6.729e+005	
2809	3073	3072	3076	3077	C35/45	240	6.725e+005	
2810	3074	3073	3077	3078	C35/45	240	6.72e+005	
2811	3075	3074	3078	3079	C35/45	240	6.715e+005	
2812	3034	3075	3079	3035	C35/45	240	6.711e+005	
2813	3076	3062	7746	7745	C35/45	240	6.667e+005	
2814	3077	3076	7745	7744	C35/45	240	6.662e+005	
2815	3078	3077	7744	7743	C35/45	240	6.658e+005	
2816	3079	3078	7743	7742	C35/45	240	6.653e+005	
2817	3035	3079	7742	7741	C35/45	240	6.649e+005	
2818	7745	7746	3080	3087	C35/45	240	6.891e+005	
2819	7744	7745	3087	3088	C35/45	240	6.891e+005	
2820	7743	7744	3088	3089	C35/45	240	6.891e+005	
2821	7742	7743	3089	3090	C35/45	240	6.891e+005	
2822	7741	7742	3090	2999	C35/45	240	6.891e+005	
2823	3087	3080	3081	3091	C35/45	240	6.823e+005	
2824	3088	3087	3091	3092	C35/45	240	6.822e+005	
2825	3089	3088	3092	3093	C35/45	240	6.823e+005	
2826	3090	3089	3093	3094	C35/45	240	6.822e+005	
2827	2999	3090	3094	3000	C35/45	240	6.823e+005	
2828	3091	3081	3082	3083	C35/45	240	6.755e+005	
2829	3092	3091	3083	3084	C35/45	240	6.755e+005	
2830	3093	3092	3084	3085	C35/45	240	6.754e+005	
2831	3094	3093	3085	3086	C35/45	240	6.754e+005	
2832	3000	3094	3086	3001	C35/45	240	6.754e+005	
2833	3002	3001	3095	3102	C35/45	240	6.686e+005	
2834	3003	3002	3102	3103	C35/45	240	6.686e+005	
2835	3004	3003	3103	3104	C35/45	240	6.686e+005	
2836	3005	3004	3104	3105	C35/45	240	6.686e+005	
2837	2945	3005	3105	2946	C35/45	240	6.686e+005	
2838	3102	3095	3096	3106	C35/45	240	6.617e+005	
2839	3103	3102	3106	3107	C35/45	240	6.617e+005	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2840	3104	3103	3107	3108	C35/45	240	6.617e+005
2841	3105	3104	3108	3109	C35/45	240	6.617e+005
2842	2946	3105	3109	2947	C35/45	240	6.617e+005
2843	3106	3096	8084	8083	C35/45	240	6.549e+005
2844	3107	3106	8083	8082	C35/45	240	6.549e+005
2845	3108	3107	8082	8081	C35/45	240	6.549e+005
2846	3109	3108	8081	8080	C35/45	240	6.549e+005
2847	2947	3109	8080	8079	C35/45	240	6.549e+005
2848	3083	3082	3110	3117	C35/45	240	6.685e+005
2849	3084	3083	3117	3118	C35/45	240	6.686e+005
2850	3085	3084	3118	3119	C35/45	240	6.685e+005
2851	3086	3085	3119	3120	C35/45	240	6.686e+005
2852	3001	3086	3120	3095	C35/45	240	6.686e+005
2853	3117	3110	3111	3121	C35/45	240	6.617e+005
2854	3118	3117	3121	3122	C35/45	240	6.618e+005
2855	3119	3118	3122	3123	C35/45	240	6.617e+005
2856	3120	3119	3123	3124	C35/45	240	6.617e+005
2857	3095	3120	3124	3096	C35/45	240	6.617e+005
2858	3121	3111	8089	8088	C35/45	240	6.549e+005
2859	3122	3121	8088	8087	C35/45	240	6.549e+005
2860	3123	3122	8087	8086	C35/45	240	6.549e+005
2861	3124	3123	8086	8085	C35/45	240	6.549e+005
2862	3096	3124	8085	8084	C35/45	240	6.549e+005
2863	8083	8084	3125	3135	C35/45	240	6.036e+005
2864	8082	8083	3135	3136	C35/45	240	6.04e+005
2865	8081	8082	3136	3137	C35/45	240	6.045e+005
2866	8080	8081	3137	3138	C35/45	240	6.05e+005
2867	8079	8080	3138	3134	C35/45	240	6.054e+005
2868	3135	3125	3126	3139	C35/45	240	5.976e+005
2869	3136	3135	3139	3140	C35/45	240	5.98e+005
2870	3137	3136	3140	3141	C35/45	240	5.985e+005
2871	3138	3137	3141	3142	C35/45	240	5.99e+005
2872	3134	3138	3142	3133	C35/45	240	5.995e+005
2873	3139	3126	3127	3128	C35/45	240	5.917e+005
2874	3140	3139	3128	3129	C35/45	240	5.921e+005
2875	3141	3140	3129	3130	C35/45	240	5.926e+005
2876	3142	3141	3130	3131	C35/45	240	5.93e+005
2877	3133	3142	3131	3132	C35/45	240	5.935e+005
2878	3154	3143	3144	3155	C35/45	240	6.686e+005
2879	3153	3154	3155	3156	C35/45	240	6.686e+005
2880	3152	3153	3156	3157	C35/45	240	6.686e+005
2881	3151	3152	3157	3158	C35/45	240	6.686e+005
2882	3082	3151	3158	3110	C35/45	240	6.686e+005
2883	3155	3144	3145	3159	C35/45	240	6.617e+005
2884	3156	3155	3159	3160	C35/45	240	6.617e+005
2885	3157	3156	3160	3161	C35/45	240	6.617e+005
2886	3158	3157	3161	3162	C35/45	240	6.617e+005
2887	3110	3158	3162	3111	C35/45	240	6.617e+005
2888	3159	3145	8094	8093	C35/45	240	6.549e+005
2889	3160	3159	8093	8092	C35/45	240	6.549e+005
2890	3161	3160	8092	8091	C35/45	240	6.549e+005
2891	3162	3161	8091	8090	C35/45	240	6.549e+005
2892	3111	3162	8090	8089	C35/45	240	6.548e+005
2893	8088	8089	3163	3170	C35/45	240	6.017e+005
2894	8087	8088	3170	3171	C35/45	240	6.02e+005
2895	8086	8087	3171	3172	C35/45	240	6.024e+005
2896	8085	8086	3172	3173	C35/45	240	6.027e+005
2897	8084	8085	3173	3125	C35/45	240	6.032e+005
2898	3170	3163	3164	3174	C35/45	240	5.958e+005
2899	3171	3170	3174	3175	C35/45	240	5.961e+005
2900	3172	3171	3175	3176	C35/45	240	5.965e+005
2901	3173	3172	3176	3177	C35/45	240	5.968e+005
2902	3125	3173	3177	3126	C35/45	240	5.973e+005
2903	3174	3164	3165	3166	C35/45	240	5.899e+005
2904	3175	3174	3166	3167	C35/45	240	5.902e+005
2905	3176	3175	3167	3168	C35/45	240	5.906e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
2906	3177	3176	3168	3169	C35/45	240 5.909e+005
2907	3126	3177	3169	3127	C35/45	240 5.914e+005
2908	7750	7751	3179	3185	C35/45	240 6.891e+005
2909	7749	7750	3185	3186	C35/45	240 6.891e+005
2910	7748	7749	3186	3187	C35/45	240 6.891e+005
2911	7747	7748	3187	3188	C35/45	240 6.891e+005
2912	7746	7747	3188	3080	C35/45	240 6.891e+005
2913	3185	3179	3180	3189	C35/45	240 6.822e+005
2914	3186	3185	3189	3190	C35/45	240 6.823e+005
2915	3187	3186	3190	3191	C35/45	240 6.823e+005
2916	3188	3187	3191	3192	C35/45	240 6.823e+005
2917	3080	3188	3192	3081	C35/45	240 6.822e+005
2918	3189	3180	3143	3154	C35/45	240 6.754e+005
2919	3190	3189	3154	3153	C35/45	240 6.754e+005
2920	3191	3190	3153	3152	C35/45	240 6.754e+005
2921	3192	3191	3152	3151	C35/45	240 6.754e+005
2922	3081	3192	3151	3082	C35/45	240 6.754e+005
2923	7755	7756	3194	3205	C35/45	240 6.892e+005
2924	7754	7755	3205	3206	C35/45	240 6.891e+005
2925	7753	7754	3206	3207	C35/45	240 6.891e+005
2926	7752	7753	3207	3208	C35/45	240 6.891e+005
2927	7751	7752	3208	3179	C35/45	240 6.891e+005
2928	3205	3194	3195	3209	C35/45	240 6.823e+005
2929	3206	3205	3209	3210	C35/45	240 6.823e+005
2930	3207	3206	3210	3211	C35/45	240 6.823e+005
2931	3208	3207	3211	3212	C35/45	240 6.823e+005
2932	3179	3208	3212	3180	C35/45	240 6.823e+005
2933	3209	3195	3196	3197	C35/45	240 6.755e+005
2934	3210	3209	3197	3198	C35/45	240 6.754e+005
2935	3211	3210	3198	3199	C35/45	240 6.755e+005
2936	3212	3211	3199	3200	C35/45	240 6.754e+005
2937	3180	3212	3200	3143	C35/45	240 6.754e+005
2938	3219	3213	3214	3220	C35/45	240 6.807e+005
2939	3218	3219	3220	3221	C35/45	240 6.805e+005
2940	3217	3218	3221	3222	C35/45	240 6.802e+005
2941	3216	3217	3222	3223	C35/45	240 6.799e+005
2942	3060	3216	3223	3061	C35/45	240 6.796e+005
2943	3220	3214	3215	3224	C35/45	240 6.744e+005
2944	3221	3220	3224	3225	C35/45	240 6.742e+005
2945	3222	3221	3225	3226	C35/45	240 6.739e+005
2946	3223	3222	3226	3227	C35/45	240 6.736e+005
2947	3061	3223	3227	3062	C35/45	240 6.733e+005
2948	3224	3215	7751	7750	C35/45	240 6.681e+005
2949	3225	3224	7750	7749	C35/45	240 6.679e+005
2950	3226	3225	7749	7748	C35/45	240 6.676e+005
2951	3227	3226	7748	7747	C35/45	240 6.673e+005
2952	3062	3227	7747	7746	C35/45	240 6.67e+005
2953	3234	3228	3229	3235	C35/45	240 6.812e+005
2954	3233	3234	3235	3236	C35/45	240 6.812e+005
2955	3232	3233	3236	3237	C35/45	240 6.812e+005
2956	3231	3232	3237	3238	C35/45	240 6.81e+005
2957	3213	3231	3238	3214	C35/45	240 6.809e+005
2958	3235	3229	3230	3239	C35/45	240 6.749e+005
2959	3236	3235	3239	3240	C35/45	240 6.749e+005
2960	3237	3236	3240	3241	C35/45	240 6.748e+005
2961	3238	3237	3241	3242	C35/45	240 6.747e+005
2962	3214	3238	3242	3215	C35/45	240 6.746e+005
2963	3239	3230	7756	7755	C35/45	240 6.686e+005
2964	3240	3239	7755	7754	C35/45	240 6.685e+005
2965	3241	3240	7754	7753	C35/45	240 6.685e+005
2966	3242	3241	7753	7752	C35/45	240 6.684e+005
2967	3215	3242	7752	7751	C35/45	240 6.683e+005
2968	3254	3243	3244	3255	C35/45	240 6.81e+005
2969	3253	3254	3255	3256	C35/45	240 6.811e+005
2970	3252	3253	3256	3257	C35/45	240 6.812e+005
2971	3251	3252	3257	3258	C35/45	240 6.813e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

2972	3228	3251	3258	3229	C35/45	240	6.813e+005
2973	3255	3244	3245	3259	C35/45	240	6.747e+005
2974	3256	3255	3259	3260	C35/45	240	6.749e+005
2975	3257	3256	3260	3261	C35/45	240	6.749e+005
2976	3258	3257	3261	3262	C35/45	240	6.749e+005
2977	3229	3258	3262	3230	C35/45	240	6.75e+005
2978	3259	3245	7761	7760	C35/45	240	6.684e+005
2979	3260	3259	7760	7759	C35/45	240	6.685e+005
2980	3261	3260	7759	7758	C35/45	240	6.686e+005
2981	3262	3261	7758	7757	C35/45	240	6.686e+005
2982	3230	3262	7757	7756	C35/45	240	6.687e+005
2983	7760	7761	3263	3270	C35/45	240	6.89e+005
2984	7759	7760	3270	3271	C35/45	240	6.89e+005
2985	7758	7759	3271	3272	C35/45	240	6.89e+005
2986	7757	7758	3272	3273	C35/45	240	6.891e+005
2987	7756	7757	3273	3194	C35/45	240	6.891e+005
2988	3270	3263	3264	3274	C35/45	240	6.822e+005
2989	3271	3270	3274	3275	C35/45	240	6.822e+005
2990	3272	3271	3275	3276	C35/45	240	6.821e+005
2991	3273	3272	3276	3277	C35/45	240	6.823e+005
2992	3194	3273	3277	3195	C35/45	240	6.822e+005
2993	3274	3264	3265	3266	C35/45	240	6.753e+005
2994	3275	3274	3266	3267	C35/45	240	6.754e+005
2995	3276	3275	3267	3268	C35/45	240	6.753e+005
2996	3277	3276	3268	3269	C35/45	240	6.754e+005
2997	3195	3277	3269	3196	C35/45	240	6.754e+005
2998	3197	3196	3278	3285	C35/45	240	6.686e+005
2999	3198	3197	3285	3286	C35/45	240	6.686e+005
3000	3199	3198	3286	3287	C35/45	240	6.686e+005
3001	3200	3199	3287	3288	C35/45	240	6.686e+005
3002	3143	3200	3288	3144	C35/45	240	6.686e+005
3003	3285	3278	3279	3289	C35/45	240	6.618e+005
3004	3286	3285	3289	3290	C35/45	240	6.617e+005
3005	3287	3286	3290	3291	C35/45	240	6.617e+005
3006	3288	3287	3291	3292	C35/45	240	6.617e+005
3007	3144	3288	3292	3145	C35/45	240	6.618e+005
3008	3289	3279	8099	8098	C35/45	240	6.549e+005
3009	3290	3289	8098	8097	C35/45	240	6.549e+005
3010	3291	3290	8097	8096	C35/45	240	6.549e+005
3011	3292	3291	8096	8095	C35/45	240	6.549e+005
3012	3145	3292	8095	8094	C35/45	240	6.549e+005
3013	7765	7766	3294	3305	C35/45	240	6.89e+005
3014	7764	7765	3305	3306	C35/45	240	6.89e+005
3015	7763	7764	3306	3307	C35/45	240	6.889e+005
3016	7762	7763	3307	3308	C35/45	240	6.89e+005
3017	7761	7762	3308	3263	C35/45	240	6.89e+005
3018	3305	3294	3295	3309	C35/45	240	6.821e+005
3019	3306	3305	3309	3310	C35/45	240	6.822e+005
3020	3307	3306	3310	3311	C35/45	240	6.821e+005
3021	3308	3307	3311	3312	C35/45	240	6.822e+005
3022	3263	3308	3312	3264	C35/45	240	6.821e+005
3023	3309	3295	3296	3297	C35/45	240	6.753e+005
3024	3310	3309	3297	3298	C35/45	240	6.753e+005
3025	3311	3310	3298	3299	C35/45	240	6.753e+005
3026	3312	3311	3299	3300	C35/45	240	6.753e+005
3027	3264	3312	3300	3265	C35/45	240	6.753e+005
3028	3266	3265	3313	3320	C35/45	240	6.686e+005
3029	3267	3266	3320	3321	C35/45	240	6.686e+005
3030	3268	3267	3321	3322	C35/45	240	6.686e+005
3031	3269	3268	3322	3323	C35/45	240	6.686e+005
3032	3196	3269	3323	3278	C35/45	240	6.686e+005
3033	3320	3313	3314	3324	C35/45	240	6.617e+005
3034	3321	3320	3324	3325	C35/45	240	6.617e+005
3035	3322	3321	3325	3326	C35/45	240	6.617e+005
3036	3323	3322	3326	3327	C35/45	240	6.617e+005
3037	3278	3323	3327	3279	C35/45	240	6.618e+005


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
3038	3324	3314	8104	8103	C35/45	240	6.549e+005	
3039	3325	3324	8103	8102	C35/45	240	6.549e+005	
3040	3326	3325	8102	8101	C35/45	240	6.549e+005	
3041	3327	3326	8101	8100	C35/45	240	6.549e+005	
3042	3279	3327	8100	8099	C35/45	240	6.549e+005	
3043	3297	3296	3328	3335	C35/45	240	6.686e+005	
3044	3298	3297	3335	3336	C35/45	240	6.686e+005	
3045	3299	3298	3336	3337	C35/45	240	6.686e+005	
3046	3300	3299	3337	3338	C35/45	240	6.686e+005	
3047	3265	3300	3338	3313	C35/45	240	6.686e+005	
3048	3335	3328	3329	3339	C35/45	240	6.618e+005	
3049	3336	3335	3339	3340	C35/45	240	6.617e+005	
3050	3337	3336	3340	3341	C35/45	240	6.618e+005	
3051	3338	3337	3341	3342	C35/45	240	6.617e+005	
3052	3313	3338	3342	3314	C35/45	240	6.618e+005	
3053	3339	3329	8109	8108	C35/45	240	6.549e+005	
3054	3340	3339	8108	8107	C35/45	240	6.549e+005	
3055	3341	3340	8107	8106	C35/45	240	6.549e+005	
3056	3342	3341	8106	8105	C35/45	240	6.549e+005	
3057	3314	3342	8105	8104	C35/45	240	6.549e+005	
3058	8103	8104	3343	3353	C35/45	240	5.983e+005	
3059	8102	8103	3353	3354	C35/45	240	5.984e+005	
3060	8101	8102	3354	3355	C35/45	240	5.985e+005	
3061	8100	8101	3355	3356	C35/45	240	5.987e+005	
3062	8099	8100	3356	3352	C35/45	240	5.989e+005	
3063	3353	3343	3344	3357	C35/45	240	5.925e+005	
3064	3354	3353	3357	3358	C35/45	240	5.926e+005	
3065	3355	3354	3358	3359	C35/45	240	5.927e+005	
3066	3356	3355	3359	3360	C35/45	240	5.928e+005	
3067	3352	3356	3360	3351	C35/45	240	5.93e+005	
3068	3357	3344	3345	3346	C35/45	240	5.866e+005	
3069	3358	3357	3346	3347	C35/45	240	5.867e+005	
3070	3359	3358	3347	3348	C35/45	240	5.869e+005	
3071	3360	3359	3348	3349	C35/45	240	5.87e+005	
3072	3351	3360	3349	3350	C35/45	240	5.872e+005	
3073	3372	3361	3362	3373	C35/45	240	6.686e+005	
3074	3371	3372	3373	3374	C35/45	240	6.686e+005	
3075	3370	3371	3374	3375	C35/45	240	6.686e+005	
3076	3369	3370	3375	3376	C35/45	240	6.686e+005	
3077	3296	3369	3376	3328	C35/45	240	6.686e+005	
3078	3373	3362	3363	3377	C35/45	240	6.617e+005	
3079	3374	3373	3377	3378	C35/45	240	6.618e+005	
3080	3375	3374	3378	3379	C35/45	240	6.617e+005	
3081	3376	3375	3379	3380	C35/45	240	6.617e+005	
3082	3328	3376	3380	3329	C35/45	240	6.617e+005	
3083	3377	3363	8114	8113	C35/45	240	6.549e+005	
3084	3378	3377	8113	8112	C35/45	240	6.549e+005	
3085	3379	3378	8112	8111	C35/45	240	6.549e+005	
3086	3380	3379	8111	8110	C35/45	240	6.549e+005	
3087	3329	3380	8110	8109	C35/45	240	6.549e+005	
3088	8108	8109	3381	3388	C35/45	240	5.98e+005	
3089	8107	8108	3388	3389	C35/45	240	5.981e+005	
3090	8106	8107	3389	3390	C35/45	240	5.981e+005	
3091	8105	8106	3390	3391	C35/45	240	5.981e+005	
3092	8104	8105	3391	3343	C35/45	240	5.982e+005	
3093	3388	3381	3382	3392	C35/45	240	5.921e+005	
3094	3389	3388	3392	3393	C35/45	240	5.922e+005	
3095	3390	3389	3393	3394	C35/45	240	5.923e+005	
3096	3391	3390	3394	3395	C35/45	240	5.923e+005	
3097	3343	3391	3395	3344	C35/45	240	5.924e+005	
3098	3392	3382	3383	3384	C35/45	240	5.863e+005	
3099	3393	3392	3384	3385	C35/45	240	5.863e+005	
3100	3394	3393	3385	3386	C35/45	240	5.865e+005	
3101	3395	3394	3386	3387	C35/45	240	5.865e+005	
3102	3344	3395	3387	3345	C35/45	240	5.866e+005	
3103	7770	7771	3397	3403	C35/45	240	6.891e+005	

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3104	7769	7770	3403	3404	C35/45	240 6.891e+005
3105	7768	7769	3404	3405	C35/45	240 6.891e+005
3106	7767	7768	3405	3406	C35/45	240 6.89e+005
3107	7766	7767	3406	3294	C35/45	240 6.891e+005
3108	3403	3397	3398	3407	C35/45	240 6.823e+005
3109	3404	3403	3407	3408	C35/45	240 6.822e+005
3110	3405	3404	3408	3409	C35/45	240 6.822e+005
3111	3406	3405	3409	3410	C35/45	240 6.821e+005
3112	3294	3406	3410	3295	C35/45	240 6.822e+005
3113	3407	3398	3361	3372	C35/45	240 6.754e+005
3114	3408	3407	3372	3371	C35/45	240 6.754e+005
3115	3409	3408	3371	3370	C35/45	240 6.754e+005
3116	3410	3409	3370	3369	C35/45	240 6.753e+005
3117	3295	3410	3369	3296	C35/45	240 6.753e+005
3118	3417	3411	3412	3418	C35/45	240 6.798e+005
3119	3416	3417	3418	3419	C35/45	240 6.801e+005
3120	3415	3416	3419	3420	C35/45	240 6.804e+005
3121	3414	3415	3420	3421	C35/45	240 6.806e+005
3122	3243	3414	3421	3244	C35/45	240 6.809e+005
3123	3418	3412	3413	3422	C35/45	240 6.735e+005
3124	3419	3418	3422	3423	C35/45	240 6.738e+005
3125	3420	3419	3423	3424	C35/45	240 6.741e+005
3126	3421	3420	3424	3425	C35/45	240 6.743e+005
3127	3244	3421	3425	3245	C35/45	240 6.745e+005
3128	3422	3413	7766	7765	C35/45	240 6.672e+005
3129	3423	3422	7765	7764	C35/45	240 6.675e+005
3130	3424	3423	7764	7763	C35/45	240 6.678e+005
3131	3425	3424	7763	7762	C35/45	240 6.681e+005
3132	3245	3425	7762	7761	C35/45	240 6.682e+005
3133	7775	7776	3427	3438	C35/45	240 6.891e+005
3134	7774	7775	3438	3439	C35/45	240 6.891e+005
3135	7773	7774	3439	3440	C35/45	240 6.892e+005
3136	7772	7773	3440	3441	C35/45	240 6.891e+005
3137	7771	7772	3441	3397	C35/45	240 6.891e+005
3138	3438	3427	3428	3442	C35/45	240 6.823e+005
3139	3439	3438	3442	3443	C35/45	240 6.822e+005
3140	3440	3439	3443	3444	C35/45	240 6.823e+005
3141	3441	3440	3444	3445	C35/45	240 6.823e+005
3142	3397	3441	3445	3398	C35/45	240 6.823e+005
3143	3442	3428	3429	3430	C35/45	240 6.754e+005
3144	3443	3442	3430	3431	C35/45	240 6.754e+005
3145	3444	3443	3431	3432	C35/45	240 6.754e+005
3146	3445	3444	3432	3433	C35/45	240 6.754e+005
3147	3398	3445	3433	3361	C35/45	240 6.755e+005
3148	3452	3446	3447	3453	C35/45	240 6.774e+005
3149	3451	3452	3453	3454	C35/45	240 6.78e+005
3150	3450	3451	3454	3455	C35/45	240 6.785e+005
3151	3449	3450	3455	3456	C35/45	240 6.789e+005
3152	3411	3449	3456	3412	C35/45	240 6.794e+005
3153	3453	3447	3448	3457	C35/45	240 6.712e+005
3154	3454	3453	3457	3458	C35/45	240 6.717e+005
3155	3455	3454	3458	3459	C35/45	240 6.722e+005
3156	3456	3455	3459	3460	C35/45	240 6.726e+005
3157	3412	3456	3460	3413	C35/45	240 6.731e+005
3158	3457	3448	7771	7770	C35/45	240 6.649e+005
3159	3458	3457	7770	7769	C35/45	240 6.654e+005
3160	3459	3458	7769	7768	C35/45	240 6.659e+005
3161	3460	3459	7768	7767	C35/45	240 6.664e+005
3162	3413	3460	7767	7766	C35/45	240 6.668e+005
3163	3467	3461	3462	3468	C35/45	240 6.743e+005
3164	3466	3467	3468	3469	C35/45	240 6.749e+005
3165	3465	3466	3469	3470	C35/45	240 6.756e+005
3166	3464	3465	3470	3471	C35/45	240 6.762e+005
3167	3446	3464	3471	3447	C35/45	240 6.768e+005
3168	3468	3462	3463	3472	C35/45	240 6.681e+005
3169	3469	3468	3472	3473	C35/45	240 6.688e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3170	3470	3469	3473	3474	C35/45	240 6.694e+005
3171	3471	3470	3474	3475	C35/45	240 6.7e+005
3172	3447	3471	3475	3448	C35/45	240 6.706e+005
3173	3472	3463	7776	7775	C35/45	240 6.619e+005
3174	3473	3472	7775	7774	C35/45	240 6.625e+005
3175	3474	3473	7774	7773	C35/45	240 6.632e+005
3176	3475	3474	7773	7772	C35/45	240 6.638e+005
3177	3448	3475	7772	7771	C35/45	240 6.644e+005
3178	3461	3476	3488	3462	C35/45	240 6.735e+005
3179	3462	3488	3489	3463	C35/45	240 6.673e+005
3180	3463	3489	7777	7776	C35/45	240 6.611e+005
3181	3476	3477	3490	3488	C35/45	240 6.727e+005
3182	3488	3490	3491	3489	C35/45	240 6.666e+005
3183	3489	3491	7778	7777	C35/45	240 6.604e+005
3184	3477	3478	3492	3490	C35/45	240 6.72e+005
3185	3490	3492	3493	3491	C35/45	240 6.658e+005
3186	3491	3493	7779	7778	C35/45	240 6.596e+005
3187	3478	3479	3494	3492	C35/45	240 6.711e+005
3188	3492	3494	3495	3493	C35/45	240 6.649e+005
3189	3493	3495	7780	7779	C35/45	240 6.588e+005
3190	3479	3480	3481	3494	C35/45	240 6.703e+005
3191	3494	3481	3482	3495	C35/45	240 6.641e+005
3192	3495	3482	7781	7780	C35/45	240 6.58e+005
3193	7776	7777	3503	3427	C35/45	240 6.891e+005
3194	3427	3503	3504	3428	C35/45	240 6.823e+005
3195	3428	3504	3502	3429	C35/45	240 6.754e+005
3196	7777	7778	3505	3503	C35/45	240 6.891e+005
3197	3503	3505	3506	3504	C35/45	240 6.823e+005
3198	3504	3506	3501	3502	C35/45	240 6.754e+005
3199	7778	7779	3507	3505	C35/45	240 6.891e+005
3200	3505	3507	3508	3506	C35/45	240 6.823e+005
3201	3506	3508	3500	3501	C35/45	240 6.754e+005
3202	7779	7780	3509	3507	C35/45	240 6.891e+005
3203	3507	3509	3510	3508	C35/45	240 6.823e+005
3204	3508	3510	3499	3500	C35/45	240 6.754e+005
3205	7780	7781	3496	3509	C35/45	240 6.891e+005
3206	3509	3496	3497	3510	C35/45	240 6.822e+005
3207	3510	3497	3498	3499	C35/45	240 6.754e+005
3208	3430	3429	3511	3518	C35/45	240 6.686e+005
3209	3431	3430	3518	3519	C35/45	240 6.686e+005
3210	3432	3431	3519	3520	C35/45	240 6.686e+005
3211	3433	3432	3520	3521	C35/45	240 6.685e+005
3212	3361	3433	3521	3362	C35/45	240 6.686e+005
3213	3518	3511	3512	3522	C35/45	240 6.617e+005
3214	3519	3518	3522	3523	C35/45	240 6.618e+005
3215	3520	3519	3523	3524	C35/45	240 6.617e+005
3216	3521	3520	3524	3525	C35/45	240 6.618e+005
3217	3362	3521	3525	3363	C35/45	240 6.617e+005
3218	3522	3512	8119	8118	C35/45	240 6.549e+005
3219	3523	3522	8118	8117	C35/45	240 6.549e+005
3220	3524	3523	8117	8116	C35/45	240 6.549e+005
3221	3525	3524	8116	8115	C35/45	240 6.549e+005
3222	3363	3525	8115	8114	C35/45	240 6.549e+005
3223	3429	3502	3533	3511	C35/45	240 6.686e+005
3224	3511	3533	3534	3512	C35/45	240 6.618e+005
3225	3512	3534	8120	8119	C35/45	240 6.549e+005
3226	3502	3501	3535	3533	C35/45	240 6.686e+005
3227	3533	3535	3536	3534	C35/45	240 6.617e+005
3228	3534	3536	8121	8120	C35/45	240 6.549e+005
3229	3501	3500	3537	3535	C35/45	240 6.686e+005
3230	3535	3537	3538	3536	C35/45	240 6.617e+005
3231	3536	3538	8122	8121	C35/45	240 6.549e+005
3232	3500	3499	3539	3537	C35/45	240 6.686e+005
3233	3537	3539	3540	3538	C35/45	240 6.618e+005
3234	3538	3540	8123	8122	C35/45	240 6.549e+005
3235	3499	3498	3526	3539	C35/45	240 6.686e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

3236	3539	3526	3527	3540	C35/45	240	6.617e+005
3237	3540	3527	8124	8123	C35/45	240	6.549e+005
3238	8118	8119	3541	3551	C35/45	240	5.986e+005
3239	8117	8118	3551	3552	C35/45	240	5.984e+005
3240	8116	8117	3552	3553	C35/45	240	5.984e+005
3241	8115	8116	3553	3554	C35/45	240	5.983e+005
3242	8114	8115	3554	3550	C35/45	240	5.981e+005
3243	3551	3541	3542	3555	C35/45	240	5.927e+005
3244	3552	3551	3555	3556	C35/45	240	5.926e+005
3245	3553	3552	3556	3557	C35/45	240	5.925e+005
3246	3554	3553	3557	3558	C35/45	240	5.924e+005
3247	3550	3554	3558	3549	C35/45	240	5.923e+005
3248	3555	3542	3543	3544	C35/45	240	5.869e+005
3249	3556	3555	3544	3545	C35/45	240	5.868e+005
3250	3557	3556	3545	3546	C35/45	240	5.867e+005
3251	3558	3557	3546	3547	C35/45	240	5.866e+005
3252	3549	3558	3547	3548	C35/45	240	5.865e+005
3253	3498	3559	3571	3526	C35/45	240	6.686e+005
3254	3526	3571	3572	3527	C35/45	240	6.617e+005
3255	3527	3572	8125	8124	C35/45	240	6.549e+005
3256	3559	3560	3573	3571	C35/45	240	6.686e+005
3257	3571	3573	3574	3572	C35/45	240	6.617e+005
3258	3572	3574	8126	8125	C35/45	240	6.549e+005
3259	3560	3561	3575	3573	C35/45	240	6.686e+005
3260	3573	3575	3576	3574	C35/45	240	6.618e+005
3261	3574	3576	8127	8126	C35/45	240	6.549e+005
3262	3561	3562	3577	3575	C35/45	240	6.686e+005
3263	3575	3577	3578	3576	C35/45	240	6.617e+005
3264	3576	3578	8128	8127	C35/45	240	6.549e+005
3265	3562	3563	3564	3577	C35/45	240	6.686e+005
3266	3577	3564	3565	3578	C35/45	240	6.618e+005
3267	3578	3565	8129	8128	C35/45	240	6.549e+005
3268	8123	8124	3579	3586	C35/45	240	5.995e+005
3269	8122	8123	3586	3587	C35/45	240	5.993e+005
3270	8121	8122	3587	3588	C35/45	240	5.992e+005
3271	8120	8121	3588	3589	C35/45	240	5.989e+005
3272	8119	8120	3589	3541	C35/45	240	5.987e+005
3273	3586	3579	3580	3590	C35/45	240	5.936e+005
3274	3587	3586	3590	3591	C35/45	240	5.935e+005
3275	3588	3587	3591	3592	C35/45	240	5.933e+005
3276	3589	3588	3592	3593	C35/45	240	5.931e+005
3277	3541	3589	3593	3542	C35/45	240	5.929e+005
3278	3590	3580	3581	3582	C35/45	240	5.878e+005
3279	3591	3590	3582	3583	C35/45	240	5.876e+005
3280	3592	3591	3583	3584	C35/45	240	5.874e+005
3281	3593	3592	3584	3585	C35/45	240	5.873e+005
3282	3542	3593	3585	3543	C35/45	240	5.871e+005
3283	7781	7782	3601	3496	C35/45	240	6.891e+005
3284	3496	3601	3602	3497	C35/45	240	6.823e+005
3285	3497	3602	3559	3498	C35/45	240	6.755e+005
3286	7782	7783	3603	3601	C35/45	240	6.891e+005
3287	3601	3603	3604	3602	C35/45	240	6.823e+005
3288	3602	3604	3560	3559	C35/45	240	6.754e+005
3289	7783	7784	3605	3603	C35/45	240	6.891e+005
3290	3603	3605	3606	3604	C35/45	240	6.823e+005
3291	3604	3606	3561	3560	C35/45	240	6.754e+005
3292	7784	7785	3607	3605	C35/45	240	6.891e+005
3293	3605	3607	3608	3606	C35/45	240	6.822e+005
3294	3606	3608	3562	3561	C35/45	240	6.754e+005
3295	7785	7786	3599	3607	C35/45	240	6.891e+005
3296	3607	3599	3600	3608	C35/45	240	6.823e+005
3297	3608	3600	3563	3562	C35/45	240	6.755e+005
3298	3565	3621	8130	8129	C35/45	240	6.254e+005
3299	3621	3622	8131	8130	C35/45	240	6.255e+005
3300	3622	3623	8132	8131	C35/45	240	6.255e+005
3301	3623	3624	8133	8132	C35/45	240	6.254e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3302	3624	3615	8134	8133	C35/45	240 6.255e+005
3303	3564	3625	3621	3565	C35/45	240 6.313e+005
3304	3625	3626	3622	3621	C35/45	240 6.313e+005
3305	3626	3627	3623	3622	C35/45	240 6.314e+005
3306	3627	3628	3624	3623	C35/45	240 6.313e+005
3307	3628	3614	3615	3624	C35/45	240 6.313e+005
3308	3563	3609	3625	3564	C35/45	240 6.371e+005
3309	3609	3610	3626	3625	C35/45	240 6.372e+005
3310	3610	3611	3627	3626	C35/45	240 6.372e+005
3311	3611	3612	3628	3627	C35/45	240 6.372e+005
3312	3612	3613	3614	3628	C35/45	240 6.372e+005
3313	8128	8129	3629	3636	C35/45	240 6.008e+005
3314	8127	8128	3636	3637	C35/45	240 6.004e+005
3315	8126	8127	3637	3638	C35/45	240 6.001e+005
3316	8125	8126	3638	3639	C35/45	240 5.999e+005
3317	8124	8125	3639	3579	C35/45	240 5.997e+005
3318	3636	3629	3630	3640	C35/45	240 5.949e+005
3319	3637	3636	3640	3641	C35/45	240 5.945e+005
3320	3638	3637	3641	3642	C35/45	240 5.942e+005
3321	3639	3638	3642	3643	C35/45	240 5.94e+005
3322	3579	3639	3643	3580	C35/45	240 5.939e+005
3323	3640	3630	3631	3632	C35/45	240 5.89e+005
3324	3641	3640	3632	3633	C35/45	240 5.886e+005
3325	3642	3641	3633	3634	C35/45	240 5.884e+005
3326	3643	3642	3634	3635	C35/45	240 5.882e+005
3327	3580	3643	3635	3581	C35/45	240 5.88e+005
3328	3480	3644	3651	3481	C35/45	240 6.692e+005
3329	3481	3651	3652	3482	C35/45	240 6.631e+005
3330	3482	3652	7782	7781	C35/45	240 6.57e+005
3331	3644	3645	3653	3651	C35/45	240 6.683e+005
3332	3651	3653	3654	3652	C35/45	240 6.622e+005
3333	3652	3654	7783	7782	C35/45	240 6.562e+005
3334	3645	3646	3655	3653	C35/45	240 6.673e+005
3335	3653	3655	3656	3654	C35/45	240 6.612e+005
3336	3654	3656	7784	7783	C35/45	240 6.552e+005
3337	3646	3647	3657	3655	C35/45	240 6.663e+005
3338	3655	3657	3658	3656	C35/45	240 6.603e+005
3339	3656	3658	7785	7784	C35/45	240 6.542e+005
3340	3647	3648	3649	3657	C35/45	240 6.653e+005
3341	3657	3649	3650	3658	C35/45	240 6.592e+005
3342	3658	3650	7786	7785	C35/45	240 6.531e+005
3343	3600	3666	3609	3563	C35/45	240 6.431e+005
3344	3666	3667	3610	3609	C35/45	240 6.43e+005
3345	3667	3668	3611	3610	C35/45	240 6.431e+005
3346	3668	3669	3612	3611	C35/45	240 6.43e+005
3347	3669	3665	3613	3612	C35/45	240 6.431e+005
3348	3599	3670	3666	3600	C35/45	240 6.49e+005
3349	3670	3671	3667	3666	C35/45	240 6.489e+005
3350	3671	3672	3668	3667	C35/45	240 6.489e+005
3351	3672	3673	3669	3668	C35/45	240 6.489e+005
3352	3673	3664	3665	3669	C35/45	240 6.489e+005
3353	7786	7787	3670	3599	C35/45	240 6.548e+005
3354	7787	7788	3671	3670	C35/45	240 6.548e+005
3355	7788	7789	3672	3671	C35/45	240 6.548e+005
3356	7789	7790	3673	3672	C35/45	240 6.548e+005
3357	7790	7791	3664	3673	C35/45	240 6.548e+005
3358	3650	3681	7787	7786	C35/45	240 6.191e+005
3359	3681	3682	7788	7787	C35/45	240 6.181e+005
3360	3682	3683	7789	7788	C35/45	240 6.171e+005
3361	3683	3684	7790	7789	C35/45	240 6.16e+005
3362	3684	3680	7791	7790	C35/45	240 6.15e+005
3363	3649	3685	3681	3650	C35/45	240 6.242e+005
3364	3685	3686	3682	3681	C35/45	240 6.232e+005
3365	3686	3687	3683	3682	C35/45	240 6.222e+005
3366	3687	3688	3684	3683	C35/45	240 6.211e+005
3367	3688	3679	3680	3684	C35/45	240 6.201e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

3368	3648	3674	3685	3649	C35/45	240	6.293e+005
3369	3674	3675	3686	3685	C35/45	240	6.283e+005
3370	3675	3676	3687	3686	C35/45	240	6.273e+005
3371	3676	3677	3688	3687	C35/45	240	6.263e+005
3372	3677	3678	3679	3688	C35/45	240	6.252e+005
3373	3700	3689	3690	3701	C35/45	240	6.169e+005
3374	3699	3700	3701	3702	C35/45	240	6.179e+005
3375	3698	3699	3702	3703	C35/45	240	6.19e+005
3376	3697	3698	3703	3704	C35/45	240	6.201e+005
3377	3678	3697	3704	3679	C35/45	240	6.211e+005
3378	3701	3690	3691	3705	C35/45	240	6.123e+005
3379	3702	3701	3705	3706	C35/45	240	6.134e+005
3380	3703	3702	3706	3707	C35/45	240	6.144e+005
3381	3704	3703	3707	3708	C35/45	240	6.155e+005
3382	3679	3704	3708	3680	C35/45	240	6.165e+005
3383	3705	3691	7796	7795	C35/45	240	6.078e+005
3384	3706	3705	7795	7794	C35/45	240	6.089e+005
3385	3707	3706	7794	7793	C35/45	240	6.099e+005
3386	3708	3707	7793	7792	C35/45	240	6.109e+005
3387	3680	3708	7792	7791	C35/45	240	6.119e+005
3388	7795	7796	3709	3716	C35/45	240	6.533e+005
3389	7794	7795	3716	3717	C35/45	240	6.532e+005
3390	7793	7794	3717	3718	C35/45	240	6.532e+005
3391	7792	7793	3718	3719	C35/45	240	6.532e+005
3392	7791	7792	3719	3664	C35/45	240	6.532e+005
3393	3716	3709	3710	3720	C35/45	240	6.479e+005
3394	3717	3716	3720	3721	C35/45	240	6.479e+005
3395	3718	3717	3721	3722	C35/45	240	6.479e+005
3396	3719	3718	3722	3723	C35/45	240	6.479e+005
3397	3664	3719	3723	3665	C35/45	240	6.479e+005
3398	3720	3710	3711	3712	C35/45	240	6.426e+005
3399	3721	3720	3712	3713	C35/45	240	6.426e+005
3400	3722	3721	3713	3714	C35/45	240	6.426e+005
3401	3723	3722	3714	3715	C35/45	240	6.425e+005
3402	3665	3723	3715	3613	C35/45	240	6.426e+005
3403	7800	7801	3725	3736	C35/45	240	6.521e+005
3404	7799	7800	3736	3737	C35/45	240	6.52e+005
3405	7798	7799	3737	3738	C35/45	240	6.521e+005
3406	7797	7798	3738	3739	C35/45	240	6.521e+005
3407	7796	7797	3739	3709	C35/45	240	6.521e+005
3408	3736	3725	3726	3740	C35/45	240	6.472e+005
3409	3737	3736	3740	3741	C35/45	240	6.472e+005
3410	3738	3737	3741	3742	C35/45	240	6.471e+005
3411	3739	3738	3742	3743	C35/45	240	6.472e+005
3412	3709	3739	3743	3710	C35/45	240	6.472e+005
3413	3740	3726	3727	3728	C35/45	240	6.423e+005
3414	3741	3740	3728	3729	C35/45	240	6.423e+005
3415	3742	3741	3729	3730	C35/45	240	6.422e+005
3416	3743	3742	3730	3731	C35/45	240	6.423e+005
3417	3710	3743	3731	3711	C35/45	240	6.423e+005
3418	3712	3711	3744	3751	C35/45	240	6.373e+005
3419	3713	3712	3751	3752	C35/45	240	6.373e+005
3420	3714	3713	3752	3753	C35/45	240	6.373e+005
3421	3715	3714	3753	3754	C35/45	240	6.373e+005
3422	3613	3715	3754	3614	C35/45	240	6.373e+005
3423	3751	3744	3745	3755	C35/45	240	6.32e+005
3424	3752	3751	3755	3756	C35/45	240	6.32e+005
3425	3753	3752	3756	3757	C35/45	240	6.32e+005
3426	3754	3753	3757	3758	C35/45	240	6.32e+005
3427	3614	3754	3758	3615	C35/45	240	6.32e+005
3428	3755	3745	8139	8138	C35/45	240	6.267e+005
3429	3756	3755	8138	8137	C35/45	240	6.267e+005
3430	3757	3756	8137	8136	C35/45	240	6.267e+005
3431	3758	3757	8136	8135	C35/45	240	6.266e+005
3432	3615	3758	8135	8134	C35/45	240	6.267e+005
3433	3765	3759	3760	3766	C35/45	240	6.092e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3434	3764	3765	3766	3767	C35/45	240 6.103e+005
3435	3763	3764	3767	3768	C35/45	240 6.115e+005
3436	3762	3763	3768	3769	C35/45	240 6.125e+005
3437	3689	3762	3769	3690	C35/45	240 6.136e+005
3438	3766	3760	3761	3770	C35/45	240 6.051e+005
3439	3767	3766	3770	3771	C35/45	240 6.062e+005
3440	3768	3767	3771	3772	C35/45	240 6.074e+005
3441	3769	3768	3772	3773	C35/45	240 6.083e+005
3442	3690	3769	3773	3691	C35/45	240 6.095e+005
3443	3770	3761	7801	7800	C35/45	240 6.01e+005
3444	3771	3770	7800	7799	C35/45	240 6.021e+005
3445	3772	3771	7799	7798	C35/45	240 6.032e+005
3446	3773	3772	7798	7797	C35/45	240 6.042e+005
3447	3691	3773	7797	7796	C35/45	240 6.053e+005
3448	3785	3774	3775	3786	C35/45	240 6.035e+005
3449	3784	3785	3786	3787	C35/45	240 6.046e+005
3450	3783	3784	3787	3788	C35/45	240 6.058e+005
3451	3782	3783	3788	3789	C35/45	240 6.069e+005
3452	3759	3782	3789	3760	C35/45	240 6.08e+005
3453	3786	3775	3776	3790	C35/45	240 5.995e+005
3454	3787	3786	3790	3791	C35/45	240 6.006e+005
3455	3788	3787	3791	3792	C35/45	240 6.017e+005
3456	3789	3788	3792	3793	C35/45	240 6.029e+005
3457	3760	3789	3793	3761	C35/45	240 6.039e+005
3458	3790	3776	7806	7805	C35/45	240 5.954e+005
3459	3791	3790	7805	7804	C35/45	240 5.966e+005
3460	3792	3791	7804	7803	C35/45	240 5.977e+005
3461	3793	3792	7803	7802	C35/45	240 5.988e+005
3462	3761	3793	7802	7801	C35/45	240 5.999e+005
3463	3805	3794	3795	3806	C35/45	240 5.976e+005
3464	3804	3805	3806	3807	C35/45	240 5.989e+005
3465	3803	3804	3807	3808	C35/45	240 6e+005
3466	3802	3803	3808	3809	C35/45	240 6.012e+005
3467	3774	3802	3809	3775	C35/45	240 6.024e+005
3468	3806	3795	3796	3810	C35/45	240 5.937e+005
3469	3807	3806	3810	3811	C35/45	240 5.949e+005
3470	3808	3807	3811	3812	C35/45	240 5.961e+005
3471	3809	3808	3812	3813	C35/45	240 5.972e+005
3472	3775	3809	3813	3776	C35/45	240 5.984e+005
3473	3810	3796	7811	7810	C35/45	240 5.897e+005
3474	3811	3810	7810	7809	C35/45	240 5.909e+005
3475	3812	3811	7809	7808	C35/45	240 5.921e+005
3476	3813	3812	7808	7807	C35/45	240 5.933e+005
3477	3776	3813	7807	7806	C35/45	240 5.944e+005
3478	7805	7806	3814	3821	C35/45	240 6.521e+005
3479	7804	7805	3821	3822	C35/45	240 6.521e+005
3480	7803	7804	3822	3823	C35/45	240 6.521e+005
3481	7802	7803	3823	3824	C35/45	240 6.521e+005
3482	7801	7802	3824	3725	C35/45	240 6.521e+005
3483	3821	3814	3815	3825	C35/45	240 6.472e+005
3484	3822	3821	3825	3826	C35/45	240 6.472e+005
3485	3823	3822	3826	3827	C35/45	240 6.472e+005
3486	3824	3823	3827	3828	C35/45	240 6.472e+005
3487	3725	3824	3828	3726	C35/45	240 6.472e+005
3488	3825	3815	3816	3817	C35/45	240 6.424e+005
3489	3826	3825	3817	3818	C35/45	240 6.423e+005
3490	3827	3826	3818	3819	C35/45	240 6.423e+005
3491	3828	3827	3819	3820	C35/45	240 6.423e+005
3492	3726	3828	3820	3727	C35/45	240 6.423e+005
3493	7810	7811	3829	3836	C35/45	240 6.522e+005
3494	7809	7810	3836	3837	C35/45	240 6.522e+005
3495	7808	7809	3837	3838	C35/45	240 6.521e+005
3496	7807	7808	3838	3839	C35/45	240 6.522e+005
3497	7806	7807	3839	3814	C35/45	240 6.522e+005
3498	3836	3829	3830	3840	C35/45	240 6.473e+005
3499	3837	3836	3840	3841	C35/45	240 6.473e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3500	3838	3837	3841	3842	C35/45	240 6.473e+005
3501	3839	3838	3842	3843	C35/45	240 6.473e+005
3502	3814	3839	3843	3815	C35/45	240 6.473e+005
3503	3840	3830	3831	3832	C35/45	240 6.424e+005
3504	3841	3840	3832	3833	C35/45	240 6.424e+005
3505	3842	3841	3833	3834	C35/45	240 6.424e+005
3506	3843	3842	3834	3835	C35/45	240 6.424e+005
3507	3815	3843	3835	3816	C35/45	240 6.424e+005
3508	3817	3816	3844	3854	C35/45	240 6.375e+005
3509	3818	3817	3854	3855	C35/45	240 6.375e+005
3510	3819	3818	3855	3856	C35/45	240 6.374e+005
3511	3820	3819	3856	3857	C35/45	240 6.374e+005
3512	3727	3820	3857	3853	C35/45	240 6.374e+005
3513	3854	3844	3845	3858	C35/45	240 6.326e+005
3514	3855	3854	3858	3859	C35/45	240 6.326e+005
3515	3856	3855	3859	3860	C35/45	240 6.325e+005
3516	3857	3856	3860	3861	C35/45	240 6.326e+005
3517	3853	3857	3861	3852	C35/45	240 6.325e+005
3518	3858	3845	8149	8148	C35/45	240 6.277e+005
3519	3859	3858	8148	8147	C35/45	240 6.277e+005
3520	3860	3859	8147	8146	C35/45	240 6.276e+005
3521	3861	3860	8146	8145	C35/45	240 6.277e+005
3522	3852	3861	8145	8144	C35/45	240 6.277e+005
3523	7815	7816	3863	3874	C35/45	240 6.486e+005
3524	7814	7815	3874	3875	C35/45	240 6.486e+005
3525	7813	7814	3875	3876	C35/45	240 6.486e+005
3526	7812	7813	3876	3877	C35/45	240 6.486e+005
3527	7811	7812	3877	3829	C35/45	240 6.486e+005
3528	3874	3863	3864	3878	C35/45	240 6.453e+005
3529	3875	3874	3878	3879	C35/45	240 6.452e+005
3530	3876	3875	3879	3880	C35/45	240 6.452e+005
3531	3877	3876	3880	3881	C35/45	240 6.452e+005
3532	3829	3877	3881	3830	C35/45	240 6.452e+005
3533	3878	3864	3865	3866	C35/45	240 6.419e+005
3534	3879	3878	3866	3867	C35/45	240 6.418e+005
3535	3880	3879	3867	3868	C35/45	240 6.418e+005
3536	3881	3880	3868	3869	C35/45	240 6.418e+005
3537	3830	3881	3869	3831	C35/45	240 6.418e+005
3538	3832	3831	3882	3889	C35/45	240 6.375e+005
3539	3833	3832	3889	3890	C35/45	240 6.375e+005
3540	3834	3833	3890	3891	C35/45	240 6.376e+005
3541	3835	3834	3891	3892	C35/45	240 6.375e+005
3542	3816	3835	3892	3844	C35/45	240 6.375e+005
3543	3889	3882	3883	3893	C35/45	240 6.326e+005
3544	3890	3889	3893	3894	C35/45	240 6.327e+005
3545	3891	3890	3894	3895	C35/45	240 6.327e+005
3546	3892	3891	3895	3896	C35/45	240 6.326e+005
3547	3844	3892	3896	3845	C35/45	240 6.326e+005
3548	3893	3883	8154	8153	C35/45	240 6.278e+005
3549	3894	3893	8153	8152	C35/45	240 6.278e+005
3550	3895	3894	8152	8151	C35/45	240 6.278e+005
3551	3896	3895	8151	8150	C35/45	240 6.278e+005
3552	3845	3896	8150	8149	C35/45	240 6.277e+005
3553	3866	3865	3897	3904	C35/45	240 6.384e+005
3554	3867	3866	3904	3905	C35/45	240 6.384e+005
3555	3868	3867	3905	3906	C35/45	240 6.384e+005
3556	3869	3868	3906	3907	C35/45	240 6.384e+005
3557	3831	3869	3907	3882	C35/45	240 6.384e+005
3558	3904	3897	3898	3908	C35/45	240 6.35e+005
3559	3905	3904	3908	3909	C35/45	240 6.35e+005
3560	3906	3905	3909	3910	C35/45	240 6.35e+005
3561	3907	3906	3910	3911	C35/45	240 6.35e+005
3562	3882	3907	3911	3883	C35/45	240 6.35e+005
3563	3908	3898	8159	8158	C35/45	240 6.317e+005
3564	3909	3908	8158	8157	C35/45	240 6.316e+005
3565	3910	3909	8157	8156	C35/45	240 6.316e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

3566	3911	3910	8156	8155	C35/45	240	6.316e+005
3567	3883	3911	8155	8154	C35/45	240	6.316e+005
3568	8153	8154	3912	3922	C35/45	240	5.594e+005
3569	8152	8153	3922	3923	C35/45	240	5.604e+005
3570	8151	8152	3923	3924	C35/45	240	5.616e+005
3571	8150	8151	3924	3925	C35/45	240	5.628e+005
3572	8149	8150	3925	3921	C35/45	240	5.639e+005
3573	3922	3912	3913	3926	C35/45	240	5.554e+005
3574	3923	3922	3926	3927	C35/45	240	5.565e+005
3575	3924	3923	3927	3928	C35/45	240	5.577e+005
3576	3925	3924	3928	3929	C35/45	240	5.588e+005
3577	3921	3925	3929	3920	C35/45	240	5.599e+005
3578	3926	3913	3914	3915	C35/45	240	5.514e+005
3579	3927	3926	3915	3916	C35/45	240	5.526e+005
3580	3928	3927	3916	3917	C35/45	240	5.537e+005
3581	3929	3928	3917	3918	C35/45	240	5.548e+005
3582	3920	3929	3918	3919	C35/45	240	5.559e+005
3583	8158	8159	3930	3937	C35/45	240	5.581e+005
3584	8157	8158	3937	3938	C35/45	240	5.594e+005
3585	8156	8157	3938	3939	C35/45	240	5.607e+005
3586	8155	8156	3939	3940	C35/45	240	5.618e+005
3587	8154	8155	3940	3912	C35/45	240	5.629e+005
3588	3937	3930	3931	3941	C35/45	240	5.554e+005
3589	3938	3937	3941	3942	C35/45	240	5.567e+005
3590	3939	3938	3942	3943	C35/45	240	5.58e+005
3591	3940	3939	3943	3944	C35/45	240	5.591e+005
3592	3912	3940	3944	3913	C35/45	240	5.602e+005
3593	3941	3931	3932	3933	C35/45	240	5.526e+005
3594	3942	3941	3933	3934	C35/45	240	5.541e+005
3595	3943	3942	3934	3935	C35/45	240	5.553e+005
3596	3944	3943	3935	3936	C35/45	240	5.564e+005
3597	3913	3944	3936	3914	C35/45	240	5.576e+005
3598	8148	8149	3921	3952	C35/45	240	5.649e+005
3599	8147	8148	3952	3953	C35/45	240	5.66e+005
3600	8146	8147	3953	3954	C35/45	240	5.671e+005
3601	8145	8146	3954	3955	C35/45	240	5.682e+005
3602	8144	8145	3955	3951	C35/45	240	5.692e+005
3603	3952	3921	3920	3956	C35/45	240	5.609e+005
3604	3953	3952	3956	3957	C35/45	240	5.62e+005
3605	3954	3953	3957	3958	C35/45	240	5.63e+005
3606	3955	3954	3958	3959	C35/45	240	5.641e+005
3607	3951	3955	3959	3950	C35/45	240	5.651e+005
3608	3956	3920	3919	3945	C35/45	240	5.568e+005
3609	3957	3956	3945	3946	C35/45	240	5.58e+005
3610	3958	3957	3946	3947	C35/45	240	5.59e+005
3611	3959	3958	3947	3948	C35/45	240	5.601e+005
3612	3950	3959	3948	3949	C35/45	240	5.61e+005
3613	8143	8144	3951	3971	C35/45	240	5.701e+005
3614	8142	8143	3971	3972	C35/45	240	5.711e+005
3615	8141	8142	3972	3973	C35/45	240	5.72e+005
3616	8140	8141	3973	3974	C35/45	240	5.73e+005
3617	8139	8140	3974	3966	C35/45	240	5.74e+005
3618	3971	3951	3950	3975	C35/45	240	5.66e+005
3619	3972	3971	3975	3976	C35/45	240	5.67e+005
3620	3973	3972	3976	3977	C35/45	240	5.679e+005
3621	3974	3973	3977	3978	C35/45	240	5.689e+005
3622	3966	3974	3978	3965	C35/45	240	5.699e+005
3623	3975	3950	3949	3960	C35/45	240	5.619e+005
3624	3976	3975	3960	3961	C35/45	240	5.629e+005
3625	3977	3976	3961	3962	C35/45	240	5.637e+005
3626	3978	3977	3962	3963	C35/45	240	5.647e+005
3627	3965	3978	3963	3964	C35/45	240	5.657e+005
3628	8138	8139	3966	3986	C35/45	240	5.738e+005
3629	8137	8138	3986	3987	C35/45	240	5.75e+005
3630	8136	8137	3987	3988	C35/45	240	5.76e+005
3631	8135	8136	3988	3989	C35/45	240	5.769e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


3632	8134	8135	3989	3985	C35/45	240	5.775e+005
3633	3986	3966	3965	3990	C35/45	240	5.693e+005
3634	3987	3986	3990	3991	C35/45	240	5.704e+005
3635	3988	3987	3991	3992	C35/45	240	5.715e+005
3636	3989	3988	3992	3993	C35/45	240	5.724e+005
3637	3985	3989	3993	3984	C35/45	240	5.73e+005
3638	3990	3965	3964	3979	C35/45	240	5.647e+005
3639	3991	3990	3979	3980	C35/45	240	5.659e+005
3640	3992	3991	3980	3981	C35/45	240	5.669e+005
3641	3993	3992	3981	3982	C35/45	240	5.678e+005
3642	3984	3993	3982	3983	C35/45	240	5.684e+005
3643	3728	3727	3853	3994	C35/45	240	6.374e+005
3644	3729	3728	3994	3995	C35/45	240	6.374e+005
3645	3730	3729	3995	3996	C35/45	240	6.374e+005
3646	3731	3730	3996	3997	C35/45	240	6.375e+005
3647	3711	3731	3997	3744	C35/45	240	6.374e+005
3648	3994	3853	3852	3998	C35/45	240	6.325e+005
3649	3995	3994	3998	3999	C35/45	240	6.326e+005
3650	3996	3995	3999	4000	C35/45	240	6.325e+005
3651	3997	3996	4000	4001	C35/45	240	6.325e+005
3652	3744	3997	4001	3745	C35/45	240	6.325e+005
3653	3998	3852	8144	8143	C35/45	240	6.276e+005
3654	3999	3998	8143	8142	C35/45	240	6.277e+005
3655	4000	3999	8142	8141	C35/45	240	6.276e+005
3656	4001	4000	8141	8140	C35/45	240	6.276e+005
3657	3745	4001	8140	8139	C35/45	240	6.276e+005
3658	3630	4006	4005	3631	C35/45	240	5.647e+005
3659	4006	4007	4004	4005	C35/45	240	5.652e+005
3660	4007	4008	4003	4004	C35/45	240	5.656e+005
3661	4008	4009	4002	4003	C35/45	240	5.66e+005
3662	4009	3984	3983	4002	C35/45	240	5.66e+005
3663	3629	4010	4006	3630	C35/45	240	5.697e+005
3664	4010	4011	4007	4006	C35/45	240	5.702e+005
3665	4011	4012	4008	4007	C35/45	240	5.707e+005
3666	4012	4013	4009	4008	C35/45	240	5.711e+005
3667	4013	3985	3984	4009	C35/45	240	5.711e+005
3668	8129	8130	4010	3629	C35/45	240	5.748e+005
3669	8130	8131	4011	4010	C35/45	240	5.753e+005
3670	8131	8132	4012	4011	C35/45	240	5.757e+005
3671	8132	8133	4013	4012	C35/45	240	5.761e+005
3672	8133	8134	3985	4013	C35/45	240	5.762e+005
3673	8113	8114	3550	4018	C35/45	240	5.981e+005
3674	8112	8113	4018	4019	C35/45	240	5.98e+005
3675	8111	8112	4019	4020	C35/45	240	5.98e+005
3676	8110	8111	4020	4021	C35/45	240	5.98e+005
3677	8109	8110	4021	3381	C35/45	240	5.98e+005
3678	4018	3550	3549	4022	C35/45	240	5.923e+005
3679	4019	4018	4022	4023	C35/45	240	5.922e+005
3680	4020	4019	4023	4024	C35/45	240	5.922e+005
3681	4021	4020	4024	4025	C35/45	240	5.922e+005
3682	3381	4021	4025	3382	C35/45	240	5.922e+005
3683	4022	3549	3548	4014	C35/45	240	5.864e+005
3684	4023	4022	4014	4015	C35/45	240	5.864e+005
3685	4024	4023	4015	4016	C35/45	240	5.863e+005
3686	4025	4024	4016	4017	C35/45	240	5.864e+005
3687	3382	4025	4017	3383	C35/45	240	5.864e+005
3688	8098	8099	3352	4033	C35/45	240	5.99e+005
3689	8097	8098	4033	4034	C35/45	240	5.992e+005
3690	8096	8097	4034	4035	C35/45	240	5.995e+005
3691	8095	8096	4035	4036	C35/45	240	5.996e+005
3692	8094	8095	4036	4032	C35/45	240	5.999e+005
3693	4033	3352	3351	4037	C35/45	240	5.932e+005
3694	4034	4033	4037	4038	C35/45	240	5.933e+005
3695	4035	4034	4038	4039	C35/45	240	5.936e+005
3696	4036	4035	4039	4040	C35/45	240	5.938e+005
3697	4032	4036	4040	4031	C35/45	240	5.94e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

3698	4037	3351	3350	4026	C35/45	240	5.873e+005
3699	4038	4037	4026	4027	C35/45	240	5.875e+005
3700	4039	4038	4027	4028	C35/45	240	5.877e+005
3701	4040	4039	4028	4029	C35/45	240	5.88e+005
3702	4031	4040	4029	4030	C35/45	240	5.882e+005
3703	8093	8094	4032	4045	C35/45	240	6.001e+005
3704	8092	8093	4045	4046	C35/45	240	6.004e+005
3705	8091	8092	4046	4047	C35/45	240	6.007e+005
3706	8090	8091	4047	4048	C35/45	240	6.011e+005
3707	8089	8090	4048	3163	C35/45	240	6.014e+005
3708	4045	4032	4031	4049	C35/45	240	5.943e+005
3709	4046	4045	4049	4050	C35/45	240	5.946e+005
3710	4047	4046	4050	4051	C35/45	240	5.948e+005
3711	4048	4047	4051	4052	C35/45	240	5.951e+005
3712	3163	4048	4052	3164	C35/45	240	5.954e+005
3713	4049	4031	4030	4041	C35/45	240	5.884e+005
3714	4050	4049	4041	4042	C35/45	240	5.887e+005
3715	4051	4050	4042	4043	C35/45	240	5.89e+005
3716	4052	4051	4043	4044	C35/45	240	5.892e+005
3717	3164	4052	4044	3165	C35/45	240	5.896e+005
3718	8078	8079	3134	4057	C35/45	240	5.691e+005
3719	8077	8078	4057	4058	C35/45	240	5.694e+005
3720	8076	8077	4058	4059	C35/45	240	5.699e+005
3721	8075	8076	4059	4060	C35/45	240	5.703e+005
3722	8074	8075	4060	2905	C35/45	240	5.709e+005
3723	4057	3134	3133	4061	C35/45	240	5.612e+005
3724	4058	4057	4061	4062	C35/45	240	5.616e+005
3725	4059	4058	4062	4063	C35/45	240	5.62e+005
3726	4060	4059	4063	4064	C35/45	240	5.625e+005
3727	2905	4060	4064	2906	C35/45	240	5.63e+005
3728	4061	3133	3132	4053	C35/45	240	5.533e+005
3729	4062	4061	4053	4054	C35/45	240	5.538e+005
3730	4063	4062	4054	4055	C35/45	240	5.542e+005
3731	4064	4063	4055	4056	C35/45	240	5.546e+005
3732	2906	4064	4056	2895	C35/45	240	5.552e+005
3733	8163	8164	4066	4077	C35/45	240	5.53e+005
3734	8162	8163	4077	4078	C35/45	240	5.54e+005
3735	8161	8162	4078	4079	C35/45	240	5.553e+005
3736	8160	8161	4079	4080	C35/45	240	5.568e+005
3737	8159	8160	4080	3930	C35/45	240	5.584e+005
3738	4077	4066	4067	4081	C35/45	240	5.508e+005
3739	4078	4077	4081	4082	C35/45	240	5.518e+005
3740	4079	4078	4082	4083	C35/45	240	5.531e+005
3741	4080	4079	4083	4084	C35/45	240	5.546e+005
3742	3930	4080	4084	3931	C35/45	240	5.562e+005
3743	4081	4067	4068	4069	C35/45	240	5.487e+005
3744	4082	4081	4069	4070	C35/45	240	5.497e+005
3745	4083	4082	4070	4071	C35/45	240	5.51e+005
3746	4084	4083	4071	4072	C35/45	240	5.525e+005
3747	3931	4084	4072	3932	C35/45	240	5.54e+005
3748	4091	4085	4086	4092	C35/45	240	6.389e+005
3749	4090	4091	4092	4093	C35/45	240	6.389e+005
3750	4089	4090	4093	4094	C35/45	240	6.388e+005
3751	4088	4089	4094	4095	C35/45	240	6.387e+005
3752	3865	4088	4095	3897	C35/45	240	6.387e+005
3753	4092	4086	4087	4096	C35/45	240	6.361e+005
3754	4093	4092	4096	4097	C35/45	240	6.361e+005
3755	4094	4093	4097	4098	C35/45	240	6.36e+005
3756	4095	4094	4098	4099	C35/45	240	6.36e+005
3757	3897	4095	4099	3898	C35/45	240	6.359e+005
3758	4096	4087	8164	8163	C35/45	240	6.333e+005
3759	4097	4096	8163	8162	C35/45	240	6.333e+005
3760	4098	4097	8162	8161	C35/45	240	6.333e+005
3761	4099	4098	8161	8160	C35/45	240	6.332e+005
3762	3898	4099	8160	8159	C35/45	240	6.331e+005
3763	7820	7821	4101	4107	C35/45	240	6.467e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3764	7819	7820	4107	4108	C35/45	240 6.469e+005
3765	7818	7819	4108	4109	C35/45	240 6.468e+005
3766	7817	7818	4109	4110	C35/45	240 6.469e+005
3767	7816	7817	4110	3863	C35/45	240 6.47e+005
3768	4107	4101	4102	4111	C35/45	240 6.44e+005
3769	4108	4107	4111	4112	C35/45	240 6.441e+005
3770	4109	4108	4112	4113	C35/45	240 6.44e+005
3771	4110	4109	4113	4114	C35/45	240 6.442e+005
3772	3863	4110	4114	3864	C35/45	240 6.442e+005
3773	4111	4102	4085	4091	C35/45	240 6.413e+005
3774	4112	4111	4091	4090	C35/45	240 6.412e+005
3775	4113	4112	4090	4089	C35/45	240 6.413e+005
3776	4114	4113	4089	4088	C35/45	240 6.414e+005
3777	3864	4114	4088	3865	C35/45	240 6.414e+005
3778	4121	4115	4116	4122	C35/45	240 5.845e+005
3779	4120	4121	4122	4123	C35/45	240 5.857e+005
3780	4119	4120	4123	4124	C35/45	240 5.868e+005
3781	4118	4119	4124	4125	C35/45	240 5.881e+005
3782	3794	4118	4125	3795	C35/45	240 5.894e+005
3783	4122	4116	4117	4126	C35/45	240 5.819e+005
3784	4123	4122	4126	4127	C35/45	240 5.83e+005
3785	4124	4123	4127	4128	C35/45	240 5.842e+005
3786	4125	4124	4128	4129	C35/45	240 5.854e+005
3787	3795	4125	4129	3796	C35/45	240 5.867e+005
3788	4126	4117	7816	7815	C35/45	240 5.792e+005
3789	4127	4126	7815	7814	C35/45	240 5.803e+005
3790	4128	4127	7814	7813	C35/45	240 5.815e+005
3791	4129	4128	7813	7812	C35/45	240 5.827e+005
3792	3796	4129	7812	7811	C35/45	240 5.84e+005
3793	7825	7826	4131	4142	C35/45	240 6.47e+005
3794	7824	7825	4142	4143	C35/45	240 6.469e+005
3795	7823	7824	4143	4144	C35/45	240 6.468e+005
3796	7822	7823	4144	4145	C35/45	240 6.468e+005
3797	7821	7822	4145	4101	C35/45	240 6.467e+005
3798	4142	4131	4132	4146	C35/45	240 6.442e+005
3799	4143	4142	4146	4147	C35/45	240 6.44e+005
3800	4144	4143	4147	4148	C35/45	240 6.44e+005
3801	4145	4144	4148	4149	C35/45	240 6.44e+005
3802	4101	4145	4149	4102	C35/45	240 6.439e+005
3803	4146	4132	4133	4134	C35/45	240 6.414e+005
3804	4147	4146	4134	4135	C35/45	240 6.413e+005
3805	4148	4147	4135	4136	C35/45	240 6.413e+005
3806	4149	4148	4136	4137	C35/45	240 6.412e+005
3807	4102	4149	4137	4085	C35/45	240 6.411e+005
3808	4156	4150	4151	4157	C35/45	240 5.76e+005
3809	4155	4156	4157	4158	C35/45	240 5.775e+005
3810	4154	4155	4158	4159	C35/45	240 5.787e+005
3811	4153	4154	4159	4160	C35/45	240 5.797e+005
3812	4115	4153	4160	4116	C35/45	240 5.807e+005
3813	4157	4151	4152	4161	C35/45	240 5.739e+005
3814	4158	4157	4161	4162	C35/45	240 5.753e+005
3815	4159	4158	4162	4163	C35/45	240 5.766e+005
3816	4160	4159	4163	4164	C35/45	240 5.776e+005
3817	4116	4160	4164	4117	C35/45	240 5.785e+005
3818	4161	4152	7821	7820	C35/45	240 5.716e+005
3819	4162	4161	7820	7819	C35/45	240 5.732e+005
3820	4163	4162	7819	7818	C35/45	240 5.744e+005
3821	4164	4163	7818	7817	C35/45	240 5.754e+005
3822	4117	4164	7817	7816	C35/45	240 5.763e+005
3823	4171	4165	4166	4172	C35/45	240 5.632e+005
3824	4170	4171	4172	4173	C35/45	240 5.66e+005
3825	4169	4170	4173	4174	C35/45	240 5.688e+005
3826	4168	4169	4174	4175	C35/45	240 5.714e+005
3827	4150	4168	4175	4151	C35/45	240 5.738e+005
3828	4172	4166	4167	4176	C35/45	240 5.612e+005
3829	4173	4172	4176	4177	C35/45	240 5.638e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3830	4174	4173	4177	4178	C35/45	240 5.667e+005
3831	4175	4174	4178	4179	C35/45	240 5.693e+005
3832	4151	4175	4179	4152	C35/45	240 5.717e+005
3833	4176	4167	7826	7825	C35/45	240 5.591e+005
3834	4177	4176	7825	7824	C35/45	240 5.617e+005
3835	4178	4177	7824	7823	C35/45	240 5.646e+005
3836	4179	4178	7823	7822	C35/45	240 5.672e+005
3837	4152	4179	7822	7821	C35/45	240 5.696e+005
3838	4191	4180	4181	4192	C35/45	240 5.533e+005
3839	4190	4191	4192	4193	C35/45	240 5.549e+005
3840	4189	4190	4193	4194	C35/45	240 5.565e+005
3841	4188	4189	4194	4195	C35/45	240 5.585e+005
3842	4165	4188	4195	4166	C35/45	240 5.606e+005
3843	4192	4181	4182	4196	C35/45	240 5.513e+005
3844	4193	4192	4196	4197	C35/45	240 5.529e+005
3845	4194	4193	4197	4198	C35/45	240 5.545e+005
3846	4195	4194	4198	4199	C35/45	240 5.564e+005
3847	4166	4195	4199	4167	C35/45	240 5.586e+005
3848	4196	4182	7831	7830	C35/45	240 5.493e+005
3849	4197	4196	7830	7829	C35/45	240 5.508e+005
3850	4198	4197	7829	7828	C35/45	240 5.525e+005
3851	4199	4198	7828	7827	C35/45	240 5.544e+005
3852	4167	4199	7827	7826	C35/45	240 5.566e+005
3853	7826	7827	4207	4131	C35/45	240 6.47e+005
3854	4131	4207	4208	4132	C35/45	240 6.442e+005
3855	4132	4208	4206	4133	C35/45	240 6.414e+005
3856	7827	7828	4209	4207	C35/45	240 6.47e+005
3857	4207	4209	4210	4208	C35/45	240 6.442e+005
3858	4208	4210	4205	4206	C35/45	240 6.414e+005
3859	7828	7829	4211	4209	C35/45	240 6.47e+005
3860	4209	4211	4212	4210	C35/45	240 6.442e+005
3861	4210	4212	4204	4205	C35/45	240 6.414e+005
3862	7829	7830	4213	4211	C35/45	240 6.47e+005
3863	4211	4213	4214	4212	C35/45	240 6.442e+005
3864	4212	4214	4203	4204	C35/45	240 6.414e+005
3865	7830	7831	4200	4213	C35/45	240 6.47e+005
3866	4213	4200	4201	4214	C35/45	240 6.442e+005
3867	4214	4201	4202	4203	C35/45	240 6.414e+005
3868	4134	4133	4215	4222	C35/45	240 6.386e+005
3869	4135	4134	4222	4223	C35/45	240 6.387e+005
3870	4136	4135	4223	4224	C35/45	240 6.388e+005
3871	4137	4136	4224	4225	C35/45	240 6.388e+005
3872	4085	4137	4225	4086	C35/45	240 6.389e+005
3873	4222	4215	4216	4226	C35/45	240 6.358e+005
3874	4223	4222	4226	4227	C35/45	240 6.359e+005
3875	4224	4223	4227	4228	C35/45	240 6.36e+005
3876	4225	4224	4228	4229	C35/45	240 6.361e+005
3877	4086	4225	4229	4087	C35/45	240 6.361e+005
3878	4226	4216	8169	8168	C35/45	240 6.331e+005
3879	4227	4226	8168	8167	C35/45	240 6.331e+005
3880	4228	4227	8167	8166	C35/45	240 6.332e+005
3881	4229	4228	8166	8165	C35/45	240 6.333e+005
3882	4087	4229	8165	8164	C35/45	240 6.333e+005
3883	4133	4206	4237	4215	C35/45	240 6.386e+005
3884	4215	4237	4238	4216	C35/45	240 6.358e+005
3885	4216	4238	8170	8169	C35/45	240 6.33e+005
3886	4206	4205	4239	4237	C35/45	240 6.386e+005
3887	4237	4239	4240	4238	C35/45	240 6.358e+005
3888	4238	4240	8171	8170	C35/45	240 6.33e+005
3889	4205	4204	4241	4239	C35/45	240 6.386e+005
3890	4239	4241	4242	4240	C35/45	240 6.358e+005
3891	4240	4242	8172	8171	C35/45	240 6.33e+005
3892	4204	4203	4243	4241	C35/45	240 6.386e+005
3893	4241	4243	4244	4242	C35/45	240 6.358e+005
3894	4242	4244	8173	8172	C35/45	240 6.33e+005
3895	4203	4202	4230	4243	C35/45	240 6.386e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
3896	4243	4230	4231	4244	C35/45	240 6.358e+005
3897	4244	4231	8174	8173	C35/45	240 6.33e+005
3898	8168	8169	4245	4252	C35/45	240 5.527e+005
3899	8167	8168	4252	4253	C35/45	240 5.525e+005
3900	8166	8167	4253	4254	C35/45	240 5.523e+005
3901	8165	8166	4254	4255	C35/45	240 5.523e+005
3902	8164	8165	4255	4066	C35/45	240 5.524e+005
3903	4252	4245	4246	4256	C35/45	240 5.505e+005
3904	4253	4252	4256	4257	C35/45	240 5.504e+005
3905	4254	4253	4257	4258	C35/45	240 5.502e+005
3906	4255	4254	4258	4259	C35/45	240 5.501e+005
3907	4066	4255	4259	4067	C35/45	240 5.503e+005
3908	4256	4246	4247	4248	C35/45	240 5.484e+005
3909	4257	4256	4248	4249	C35/45	240 5.482e+005
3910	4258	4257	4249	4250	C35/45	240 5.481e+005
3911	4259	4258	4250	4251	C35/45	240 5.479e+005
3912	4067	4259	4251	4068	C35/45	240 5.481e+005
3913	4202	4260	4272	4230	C35/45	240 6.386e+005
3914	4230	4272	4273	4231	C35/45	240 6.358e+005
3915	4231	4273	8175	8174	C35/45	240 6.33e+005
3916	4260	4261	4274	4272	C35/45	240 6.386e+005
3917	4272	4274	4275	4273	C35/45	240 6.358e+005
3918	4273	4275	8176	8175	C35/45	240 6.331e+005
3919	4261	4262	4276	4274	C35/45	240 6.386e+005
3920	4274	4276	4277	4275	C35/45	240 6.358e+005
3921	4275	4277	8177	8176	C35/45	240 6.33e+005
3922	4262	4263	4278	4276	C35/45	240 6.386e+005
3923	4276	4278	4279	4277	C35/45	240 6.358e+005
3924	4277	4279	8178	8177	C35/45	240 6.33e+005
3925	4263	4264	4265	4278	C35/45	240 6.387e+005
3926	4278	4265	4266	4279	C35/45	240 6.359e+005
3927	4279	4266	8179	8178	C35/45	240 6.331e+005
3928	8169	8170	4287	4245	C35/45	240 5.525e+005
3929	4245	4287	4288	4246	C35/45	240 5.504e+005
3930	4246	4288	4286	4247	C35/45	240 5.483e+005
3931	8170	8171	4289	4287	C35/45	240 5.52e+005
3932	4287	4289	4290	4288	C35/45	240 5.499e+005
3933	4288	4290	4285	4286	C35/45	240 5.477e+005
3934	8171	8172	4291	4289	C35/45	240 5.513e+005
3935	4289	4291	4292	4290	C35/45	240 5.492e+005
3936	4290	4292	4284	4285	C35/45	240 5.47e+005
3937	8172	8173	4293	4291	C35/45	240 5.503e+005
3938	4291	4293	4294	4292	C35/45	240 5.481e+005
3939	4292	4294	4283	4284	C35/45	240 5.46e+005
3940	8173	8174	4280	4293	C35/45	240 5.491e+005
3941	4293	4280	4281	4294	C35/45	240 5.47e+005
3942	4294	4281	4282	4283	C35/45	240 5.448e+005
3943	7831	7832	4302	4200	C35/45	240 6.47e+005
3944	4200	4302	4303	4201	C35/45	240 6.442e+005
3945	4201	4303	4260	4202	C35/45	240 6.414e+005
3946	7832	7833	4304	4302	C35/45	240 6.469e+005
3947	4302	4304	4305	4303	C35/45	240 6.442e+005
3948	4303	4305	4261	4260	C35/45	240 6.414e+005
3949	7833	7834	4306	4304	C35/45	240 6.47e+005
3950	4304	4306	4307	4305	C35/45	240 6.442e+005
3951	4305	4307	4262	4261	C35/45	240 6.414e+005
3952	7834	7835	4308	4306	C35/45	240 6.469e+005
3953	4306	4308	4309	4307	C35/45	240 6.441e+005
3954	4307	4309	4263	4262	C35/45	240 6.414e+005
3955	7835	7836	4300	4308	C35/45	240 6.47e+005
3956	4308	4300	4301	4309	C35/45	240 6.442e+005
3957	4309	4301	4264	4263	C35/45	240 6.414e+005
3958	4264	4310	4322	4265	C35/45	240 6.072e+005
3959	4265	4322	4323	4266	C35/45	240 6.04e+005
3960	4266	4323	8180	8179	C35/45	240 6.007e+005
3961	4310	4311	4324	4322	C35/45	240 6.072e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

3962	4322	4324	4325	4323	C35/45	240	6.039e+005
3963	4323	4325	8181	8180	C35/45	240	6.007e+005
3964	4311	4312	4326	4324	C35/45	240	6.072e+005
3965	4324	4326	4327	4325	C35/45	240	6.039e+005
3966	4325	4327	8182	8181	C35/45	240	6.007e+005
3967	4312	4313	4328	4326	C35/45	240	6.072e+005
3968	4326	4328	4329	4327	C35/45	240	6.039e+005
3969	4327	4329	8183	8182	C35/45	240	6.007e+005
3970	4313	4314	4315	4328	C35/45	240	6.073e+005
3971	4328	4315	4316	4329	C35/45	240	6.039e+005
3972	4329	4316	8184	8183	C35/45	240	6.006e+005
3973	8174	8175	4337	4280	C35/45	240	5.477e+005
3974	4280	4337	4338	4281	C35/45	240	5.456e+005
3975	4281	4338	4336	4282	C35/45	240	5.436e+005
3976	8175	8176	4339	4337	C35/45	240	5.463e+005
3977	4337	4339	4340	4338	C35/45	240	5.442e+005
3978	4338	4340	4335	4336	C35/45	240	5.421e+005
3979	8176	8177	4341	4339	C35/45	240	5.446e+005
3980	4339	4341	4342	4340	C35/45	240	5.425e+005
3981	4340	4342	4334	4335	C35/45	240	5.405e+005
3982	8177	8178	4343	4341	C35/45	240	5.428e+005
3983	4341	4343	4344	4342	C35/45	240	5.408e+005
3984	4342	4344	4333	4334	C35/45	240	5.387e+005
3985	8178	8179	4330	4343	C35/45	240	5.409e+005
3986	4343	4330	4331	4344	C35/45	240	5.388e+005
3987	4344	4331	4332	4333	C35/45	240	5.368e+005
3988	7836	7837	4352	4300	C35/45	240	6.17e+005
3989	4300	4352	4353	4301	C35/45	240	6.138e+005
3990	4301	4353	4310	4264	C35/45	240	6.105e+005
3991	7837	7838	4354	4352	C35/45	240	6.171e+005
3992	4352	4354	4355	4353	C35/45	240	6.138e+005
3993	4353	4355	4311	4310	C35/45	240	6.105e+005
3994	7838	7839	4356	4354	C35/45	240	6.17e+005
3995	4354	4356	4357	4355	C35/45	240	6.138e+005
3996	4355	4357	4312	4311	C35/45	240	6.105e+005
3997	7839	7840	4358	4356	C35/45	240	6.17e+005
3998	4356	4358	4359	4357	C35/45	240	6.138e+005
3999	4357	4359	4313	4312	C35/45	240	6.105e+005
4000	7840	7841	4350	4358	C35/45	240	6.17e+005
4001	4358	4350	4351	4359	C35/45	240	6.138e+005
4002	4359	4351	4314	4313	C35/45	240	6.105e+005
4003	4316	4362	8185	8184	C35/45	240	5.152e+005
4004	4315	4361	4362	4316	C35/45	240	5.107e+005
4005	4314	4360	4361	4315	C35/45	240	5.063e+005
4006	8179	8180	4371	4330	C35/45	240	5.108e+005
4007	4330	4371	4372	4331	C35/45	240	5.085e+005
4008	4331	4372	4370	4332	C35/45	240	5.061e+005
4009	8180	8181	4373	4371	C35/45	240	5.087e+005
4010	4371	4373	4374	4372	C35/45	240	5.064e+005
4011	4372	4374	4369	4370	C35/45	240	5.04e+005
4012	8181	8182	4375	4373	C35/45	240	5.066e+005
4013	4373	4375	4376	4374	C35/45	240	5.042e+005
4014	4374	4376	4368	4369	C35/45	240	5.018e+005
4015	8182	8183	4377	4375	C35/45	240	5.042e+005
4016	4375	4377	4378	4376	C35/45	240	5.018e+005
4017	4376	4378	4367	4368	C35/45	240	4.995e+005
4018	8183	8184	4364	4377	C35/45	240	5.016e+005
4019	4377	4364	4365	4378	C35/45	240	4.993e+005
4020	4378	4365	4366	4367	C35/45	240	4.97e+005
4021	4365	4380	4381	4366	C35/45	240	4.381e+005
4022	4364	4379	4380	4365	C35/45	240	4.351e+005
4023	8184	8185	4379	4364	C35/45	240	4.321e+005
4024	4351	4384	4360	4314	C35/45	240	5.006e+005
4025	4350	4383	4384	4351	C35/45	240	4.962e+005
4026	7841	7842	4383	4350	C35/45	240	4.918e+005
4027	4385	4390	7842	7841	C35/45	240	4.077e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
4028	4386	4389	4390	4385	C35/45	240 4.046e+005
4029	4387	4388	4389	4386	C35/45	240 4.016e+005
4030	4391	4392	4398	4397	C35/45	240 5.23e+005
4031	4397	4398	4399	4396	C35/45	240 5.207e+005
4032	4396	4399	7837	7836	C35/45	240 5.184e+005
4033	4392	4393	4400	4398	C35/45	240 5.226e+005
4034	4398	4400	4401	4399	C35/45	240 5.202e+005
4035	4399	4401	7838	7837	C35/45	240 5.18e+005
4036	4393	4394	4402	4400	C35/45	240 5.222e+005
4037	4400	4402	4403	4401	C35/45	240 5.199e+005
4038	4401	4403	7839	7838	C35/45	240 5.176e+005
4039	4394	4395	4404	4402	C35/45	240 5.22e+005
4040	4402	4404	4405	4403	C35/45	240 5.197e+005
4041	4403	4405	7840	7839	C35/45	240 5.175e+005
4042	4395	4387	4386	4404	C35/45	240 5.22e+005
4043	4404	4386	4385	4405	C35/45	240 5.197e+005
4044	4405	4385	7841	7840	C35/45	240 5.174e+005
4045	4409	4391	4397	4410	C35/45	240 5.477e+005
4046	4408	4409	4410	4411	C35/45	240 5.485e+005
4047	4407	4408	4411	4412	C35/45	240 5.495e+005
4048	4406	4407	4412	4413	C35/45	240 5.506e+005
4049	4180	4406	4413	4181	C35/45	240 5.519e+005
4050	4410	4397	4396	4414	C35/45	240 5.457e+005
4051	4411	4410	4414	4415	C35/45	240 5.466e+005
4052	4412	4411	4415	4416	C35/45	240 5.475e+005
4053	4413	4412	4416	4417	C35/45	240 5.487e+005
4054	4181	4413	4417	4182	C35/45	240 5.499e+005
4055	4414	4396	7836	7835	C35/45	240 5.438e+005
4056	4415	4414	7835	7834	C35/45	240 5.446e+005
4057	4416	4415	7834	7833	C35/45	240 5.456e+005
4058	4417	4416	7833	7832	C35/45	240 5.467e+005
4059	4182	4417	7832	7831	C35/45	240 5.48e+005
4060	8048	8049	2871	4425	C35/45	240 6.221e+005
4061	8047	8048	4425	4426	C35/45	240 6.222e+005
4062	8046	8047	4426	4427	C35/45	240 6.224e+005
4063	8045	8046	4427	4428	C35/45	240 6.226e+005
4064	8044	8045	4428	4424	C35/45	240 6.227e+005
4065	4425	2871	2870	4429	C35/45	240 6.156e+005
4066	4426	4425	4429	4430	C35/45	240 6.158e+005
4067	4427	4426	4430	4431	C35/45	240 6.16e+005
4068	4428	4427	4431	4432	C35/45	240 6.161e+005
4069	4424	4428	4432	4423	C35/45	240 6.163e+005
4070	4429	2870	2869	4418	C35/45	240 6.092e+005
4071	4430	4429	4418	4419	C35/45	240 6.094e+005
4072	4431	4430	4419	4420	C35/45	240 6.096e+005
4073	4432	4431	4420	4421	C35/45	240 6.097e+005
4074	4423	4432	4421	4422	C35/45	240 6.099e+005
4075	8043	8044	4424	4440	C35/45	240 6.223e+005
4076	8042	8043	4440	4441	C35/45	240 6.224e+005
4077	8041	8042	4441	4442	C35/45	240 6.225e+005
4078	8040	8041	4442	4443	C35/45	240 6.225e+005
4079	8039	8040	4443	4439	C35/45	240 6.224e+005
4080	4440	4424	4423	4444	C35/45	240 6.157e+005
4081	4441	4440	4444	4445	C35/45	240 6.158e+005
4082	4442	4441	4445	4446	C35/45	240 6.159e+005
4083	4443	4442	4446	4447	C35/45	240 6.159e+005
4084	4439	4443	4447	4438	C35/45	240 6.159e+005
4085	4444	4423	4422	4433	C35/45	240 6.092e+005
4086	4445	4444	4433	4434	C35/45	240 6.093e+005
4087	4446	4445	4434	4435	C35/45	240 6.093e+005
4088	4447	4446	4435	4436	C35/45	240 6.093e+005
4089	4438	4447	4436	4437	C35/45	240 6.093e+005
4090	8038	8039	4439	4452	C35/45	240 6.226e+005
4091	8037	8038	4452	4453	C35/45	240 6.226e+005
4092	8036	8037	4453	4454	C35/45	240 6.225e+005
4093	8035	8036	4454	4455	C35/45	240 6.225e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
4094	8034	8035	4455	2388	C35/45	240 6.222e+005
4095	4452	4439	4438	4456	C35/45	240 6.162e+005
4096	4453	4452	4456	4457	C35/45	240 6.161e+005
4097	4454	4453	4457	4458	C35/45	240 6.16e+005
4098	4455	4454	4458	4459	C35/45	240 6.159e+005
4099	2388	4455	4459	2389	C35/45	240 6.157e+005
4100	4456	4438	4437	4448	C35/45	240 6.097e+005
4101	4457	4456	4448	4449	C35/45	240 6.096e+005
4102	4458	4457	4449	4450	C35/45	240 6.096e+005
4103	4459	4458	4450	4451	C35/45	240 6.095e+005
4104	2389	4459	4451	2390	C35/45	240 6.092e+005
5547	5147	5148	5835	5834	S355	16 1.56e+005
5548	5148	5149	5838	5835	S355	16 1.91e+005
5549	5149	5150	5840	5838	S355	16 1.91e+005
5550	5150	5151	5842	5840	S355	16 1.912e+005
5551	5151	5152	5844	5842	S355	16 1.907e+005
5552	5152	5153	5846	5844	S355	16 1.905e+005
5553	5153	5154	5848	5846	S355	16 2.074e+005
5554	5154	5155	5850	5848	S355	16 2.074e+005
5555	5155	5156	5852	5850	S355	16 2.074e+005
5556	5156	5157	5854	5852	S355	16 2.074e+005
5557	5157	5158	5856	5854	S355	16 2.074e+005
5558	5158	5159	5858	5856	S355	16 2.078e+005
5559	5159	5160	5860	5858	S355	16 2.078e+005
5560	5160	5161	5862	5860	S355	16 2.078e+005
5561	5161	5162	5864	5862	S355	14 2.078e+005
5562	5162	5163	5866	5864	S355	14 2.078e+005
5563	5163	5164	5868	5866	S355	14 2.078e+005
5564	5164	5165	5870	5868	S355	14 2.078e+005
5565	5165	5166	5872	5870	S355	14 2.078e+005
5566	5166	5167	5874	5872	S355	14 2.078e+005
5567	5167	5168	5876	5874	S355	14 2.078e+005
5568	5168	5169	5878	5876	S355	14 2.079e+005
5569	5169	5170	5880	5878	S355	14 2.081e+005
5570	5170	5171	5882	5880	S355	14 2.085e+005
5571	5171	5172	5884	5882	S355	14 2.081e+005
5572	5172	5173	5886	5884	S355	14 2.082e+005
5573	5173	5174	5888	5886	S355	14 2.139e+005
5574	5174	5175	5890	5888	S355	14 2.139e+005
5575	5175	5176	5892	5890	S355	14 2.139e+005
5576	5176	5177	5894	5892	S355	16 2.139e+005
5577	5177	5178	5896	5894	S355	16 2.139e+005
5578	5178	5179	5898	5896	S355	16 2.139e+005
5579	5179	5180	5900	5898	S355	16 2.139e+005
5580	5180	5181	5902	5900	S355	16 2.139e+005
5581	5181	5182	5904	5902	S355	16 2.139e+005
5582	5182	5183	5906	5904	S355	16 2.139e+005
5583	5183	5184	5908	5906	S355	16 2.138e+005
5584	5184	5185	5910	5908	S355	16 2.138e+005
5585	5185	5186	5912	5910	S355	16 2.138e+005
5586	5186	5187	5914	5912	S355	16 2.139e+005
5587	5187	5188	5916	5914	S355	16 2.138e+005
5588	5188	5189	5918	5916	S355	16 2.139e+005
5589	5189	5190	5920	5918	S355	16 2.138e+005
5590	5190	5191	5922	5920	S355	16 2.138e+005
5591	5191	5192	5924	5922	S355	18 2.139e+005
5592	5192	5193	5926	5924	S355	18 2.138e+005
5593	5193	5194	5928	5926	S355	18 2.129e+005
5594	5194	5195	5930	5928	S355	18 2.129e+005
5595	5195	5196	5932	5930	S355	18 2.129e+005
5596	5196	5197	5934	5932	S355	18 2.129e+005
5597	5197	5198	5936	5934	S355	18 2.129e+005
5598	5198	5199	5938	5936	S355	18 2.148e+005
5599	5199	5200	5940	5938	S355	18 2.148e+005
5600	5200	5201	5942	5940	S355	18 2.148e+005
5601	5201	5202	5944	5942	S355	18 2.148e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

5602	5202	5203	5946	5944	S355	18	2.148e+005
5603	5203	5204	5948	5946	S355	18	2.252e+005
5604	5204	5205	5950	5948	S355	18	2.252e+005
5605	5205	5206	5952	5950	S355	18	2.252e+005
5606	5206	5207	5954	5952	S355	16	2.252e+005
5607	5207	5208	5956	5954	S355	16	2.252e+005
5608	5208	5209	5958	5956	S355	16	2.252e+005
5609	5209	5210	5960	5958	S355	16	2.252e+005
5610	5210	5211	5962	5960	S355	16	2.252e+005
5611	5211	5212	5964	5962	S355	16	2.252e+005
5612	5212	5213	5966	5964	S355	16	2.252e+005
5613	5213	5214	5968	5966	S355	16	2.252e+005
5614	5214	5215	5970	5968	S355	16	2.252e+005
5615	5215	5216	5972	5970	S355	16	2.252e+005
5616	5216	5217	5974	5972	S355	16	2.252e+005
5617	5217	5218	5976	5974	S355	16	2.252e+005
5618	5218	5219	5978	5976	S355	16	2.252e+005
5619	5219	5220	5980	5978	S355	16	2.252e+005
5620	5220	5221	5982	5980	S355	14	2.252e+005
5621	5221	5222	5984	5982	S355	14	2.252e+005
5622	5222	5223	5986	5984	S355	14	2.252e+005
5623	5223	5224	5988	5986	S355	14	2.252e+005
5624	5224	5225	5990	5988	S355	14	2.252e+005
5625	5225	5226	5992	5990	S355	14	2.252e+005
5626	5226	5227	5994	5992	S355	14	2.252e+005
5627	5227	5228	5996	5994	S355	14	2.252e+005
5628	5228	5229	5998	5996	S355	14	2.252e+005
5629	5229	5230	6000	5998	S355	14	2.252e+005
5630	5230	5231	6002	6000	S355	14	2.252e+005
5631	5231	5232	6004	6002	S355	14	2.252e+005
5632	5232	5233	6006	6004	S355	14	2.252e+005
5633	5233	5234	6008	6006	S355	14	2.253e+005
5634	5234	5235	6010	6008	S355	14	2.253e+005
5635	5235	5236	6012	6010	S355	14	2.253e+005
5636	5236	5237	6014	6012	S355	16	2.253e+005
5637	5237	5238	6016	6014	S355	16	2.252e+005
5638	5238	5239	6018	6016	S355	16	2.252e+005
5639	5239	5240	6020	6018	S355	16	2.252e+005
5640	5240	5241	6022	6020	S355	16	2.252e+005
5641	5241	5242	6024	6022	S355	16	2.252e+005
5642	5242	5243	6026	6024	S355	16	2.252e+005
5643	5243	5244	6028	6026	S355	16	2.253e+005
5644	5244	5245	6030	6028	S355	16	2.252e+005
5645	5245	5246	6032	6030	S355	16	2.254e+005
5646	5246	5247	6034	6032	S355	16	2.258e+005
5647	5247	5248	6036	6034	S355	16	2.243e+005
5648	5248	5249	6038	6036	S355	16	2.242e+005
5649	5249	5250	6040	6038	S355	16	2.258e+005
5650	5250	5251	6042	6040	S355	16	2.254e+005
5651	5251	5252	6044	6042	S355	18	2.253e+005
5652	5252	5253	6046	6044	S355	18	2.253e+005
5653	5253	5254	6048	6046	S355	18	2.144e+005
5654	5254	5255	6050	6048	S355	18	2.144e+005
5655	5255	5256	6052	6050	S355	18	2.144e+005
5656	5256	5257	6054	6052	S355	18	2.144e+005
5657	5257	5258	6056	6054	S355	18	2.144e+005
5658	5258	5259	6058	6056	S355	18	2.145e+005
5659	5259	5260	6060	6058	S355	18	2.146e+005
5660	5260	5261	6062	6060	S355	18	2.145e+005
5661	5261	5262	6064	6062	S355	18	2.145e+005
5662	5262	5263	6066	6064	S355	18	2.145e+005
5663	5263	5264	6068	6066	S355	18	2.252e+005
5664	5264	5265	6070	6068	S355	18	2.252e+005
5665	5265	5266	6072	6070	S355	16	2.252e+005
5666	5266	5267	6074	6072	S355	16	2.251e+005
5667	5267	5268	6076	6074	S355	16	2.252e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

5668	5268	5269	6078	6076	S355	16	2.252e+005
5669	5269	5270	6080	6078	S355	16	2.252e+005
5670	5270	5271	6082	6080	S355	16	2.252e+005
5671	5271	5272	6084	6082	S355	16	2.252e+005
5672	5272	5273	6086	6084	S355	16	2.252e+005
5673	5273	5274	6088	6086	S355	16	2.252e+005
5674	5274	5275	6090	6088	S355	16	2.252e+005
5675	5275	5276	6092	6090	S355	16	2.252e+005
5676	5276	5277	6094	6092	S355	16	2.252e+005
5677	5277	5278	6096	6094	S355	16	2.252e+005
5678	5278	5279	6098	6096	S355	16	2.252e+005
5679	5279	5280	6100	6098	S355	16	2.252e+005
5680	5280	5281	6102	6100	S355	14	2.252e+005
5681	5281	5282	6104	6102	S355	14	2.252e+005
5682	5282	5283	6106	6104	S355	14	2.252e+005
5683	5283	5284	6108	6106	S355	14	2.253e+005
5684	5284	5285	6110	6108	S355	14	2.252e+005
5685	5285	5286	6112	6110	S355	14	2.253e+005
5686	5286	5287	6114	6112	S355	14	2.253e+005
5687	5287	5288	6116	6114	S355	14	2.252e+005
5688	5288	5289	6118	6116	S355	14	2.253e+005
5689	5289	5290	6120	6118	S355	14	2.252e+005
5690	5290	5291	6122	6120	S355	14	2.253e+005
5691	5291	5292	6124	6122	S355	14	2.252e+005
5692	5292	5293	6126	6124	S355	14	2.252e+005
5693	5293	5294	6128	6126	S355	14	2.253e+005
5694	5294	5295	6130	6128	S355	14	2.252e+005
5695	5295	5296	6132	6130	S355	14	2.252e+005
5696	5296	5297	6134	6132	S355	16	2.252e+005
5697	5297	5298	6136	6134	S355	16	2.252e+005
5698	5298	5299	6138	6136	S355	16	2.252e+005
5699	5299	5300	6140	6138	S355	16	2.252e+005
5700	5300	5301	6142	6140	S355	16	2.252e+005
5701	5301	5302	6144	6142	S355	16	2.252e+005
5702	5302	5303	6146	6144	S355	16	2.252e+005
5703	5303	5304	6148	6146	S355	16	2.252e+005
5704	5304	5305	6150	6148	S355	16	2.252e+005
5705	5305	5306	6152	6150	S355	16	2.252e+005
5706	5306	5307	6154	6152	S355	16	2.252e+005
5707	5307	5308	6156	6154	S355	16	2.252e+005
5708	5308	5309	6158	6156	S355	16	2.252e+005
5709	5309	5310	6160	6158	S355	16	2.252e+005
5710	5310	5311	6162	6160	S355	16	2.252e+005
5711	5311	5312	6164	6162	S355	18	2.252e+005
5712	5312	5313	6166	6164	S355	18	2.252e+005
5713	5313	5314	6168	6166	S355	18	2.122e+005
5714	5314	5315	6170	6168	S355	18	2.122e+005
5715	5315	5316	6172	6170	S355	18	2.123e+005
5716	5316	5317	6174	6172	S355	18	2.123e+005
5717	5317	5318	6176	6174	S355	18	2.122e+005
5718	5318	5319	6178	6176	S355	18	2.169e+005
5719	5319	5320	6180	6178	S355	18	2.168e+005
5720	5320	5321	6182	6180	S355	18	2.168e+005
5721	5321	5322	6184	6182	S355	18	2.168e+005
5722	5322	5323	6186	6184	S355	18	2.169e+005
5723	5323	5324	6188	6186	S355	18	2.253e+005
5724	5324	5325	6190	6188	S355	18	2.252e+005
5725	5325	5326	6192	6190	S355	16	2.252e+005
5726	5326	5327	6194	6192	S355	16	2.252e+005
5727	5327	5328	6196	6194	S355	16	2.253e+005
5728	5328	5329	6198	6196	S355	16	2.253e+005
5729	5329	5330	6200	6198	S355	16	2.252e+005
5730	5330	5331	6202	6200	S355	16	2.252e+005
5731	5331	5332	6204	6202	S355	16	2.253e+005
5732	5332	5333	6206	6204	S355	16	2.253e+005
5733	5333	5334	6208	6206	S355	16	2.252e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


5734	5334	5335	6210	6208	S355	16	2.253e+005
5735	5335	5336	6212	6210	S355	16	2.252e+005
5736	5336	5337	6214	6212	S355	16	2.253e+005
5737	5337	5338	6216	6214	S355	16	2.253e+005
5738	5338	5339	6218	6216	S355	16	2.252e+005
5739	5339	5340	6220	6218	S355	16	2.253e+005
5740	5340	5341	6222	6220	S355	14	2.252e+005
5741	5341	5342	6224	6222	S355	14	2.253e+005
5742	5342	5343	6226	6224	S355	14	2.253e+005
5743	5343	5344	6228	6226	S355	14	2.253e+005
5744	5344	5345	6230	6228	S355	14	2.253e+005
5745	5345	5346	6232	6230	S355	14	2.253e+005
5746	5346	5347	6234	6232	S355	14	2.253e+005
5747	5347	5348	6236	6234	S355	14	2.253e+005
5748	5348	5349	6238	6236	S355	14	2.252e+005
5749	5349	5350	6240	6238	S355	14	2.252e+005
5750	5350	5351	6242	6240	S355	14	2.252e+005
5751	5351	5352	6244	6242	S355	14	2.252e+005
5752	5352	5353	6246	6244	S355	14	2.252e+005
5753	5353	5354	6248	6246	S355	14	2.252e+005
5754	5354	5355	6250	6248	S355	14	2.253e+005
5755	5355	5356	6252	6250	S355	14	2.253e+005
5756	5356	5357	6254	6252	S355	16	2.252e+005
5757	5357	5358	6256	6254	S355	16	2.253e+005
5758	5358	5359	6258	6256	S355	16	2.252e+005
5759	5359	5360	6260	6258	S355	16	2.253e+005
5760	5360	5361	6262	6260	S355	16	2.252e+005
5761	5361	5362	6264	6262	S355	16	2.252e+005
5762	5362	5363	6266	6264	S355	16	2.253e+005
5763	5363	5364	6268	6266	S355	16	2.252e+005
5764	5364	5365	6270	6268	S355	16	2.253e+005
5765	5365	5366	6272	6270	S355	16	2.252e+005
5766	5366	5367	6274	6272	S355	16	2.252e+005
5767	5367	5368	6276	6274	S355	16	2.253e+005
5768	5368	5369	6278	6276	S355	16	2.252e+005
5769	5369	5370	6280	6278	S355	16	2.253e+005
5770	5370	5371	6282	6280	S355	16	2.253e+005
5771	5371	5372	6284	6282	S355	18	2.252e+005
5772	5372	5373	6286	6284	S355	18	2.252e+005
5773	5373	5374	6288	6286	S355	18	2.123e+005
5774	5374	5375	6290	6288	S355	18	2.123e+005
5775	5375	5376	6292	6290	S355	18	2.123e+005
5776	5376	5377	6294	6292	S355	18	2.123e+005
5777	5377	5378	6296	6294	S355	18	2.123e+005
5778	5378	5379	6298	6296	S355	18	2.168e+005
5779	5379	5380	6300	6298	S355	18	2.167e+005
5780	5380	5381	6302	6300	S355	18	2.168e+005
5781	5381	5382	6304	6302	S355	18	2.167e+005
5782	5382	5383	6306	6304	S355	18	2.167e+005
5783	5383	5384	6308	6306	S355	18	2.251e+005
5784	5384	5385	6310	6308	S355	18	2.251e+005
5785	5385	5386	6312	6310	S355	16	2.251e+005
5786	5386	5387	6314	6312	S355	16	2.251e+005
5787	5387	5388	6316	6314	S355	16	2.251e+005
5788	5388	5389	6318	6316	S355	16	2.251e+005
5789	5389	5390	6320	6318	S355	16	2.251e+005
5790	5390	5391	6322	6320	S355	16	2.251e+005
5791	5391	5392	6324	6322	S355	16	2.251e+005
5792	5392	5393	6326	6324	S355	16	2.251e+005
5793	5393	5394	6328	6326	S355	16	2.251e+005
5794	5394	5395	6330	6328	S355	16	2.251e+005
5795	5395	5396	6332	6330	S355	16	2.251e+005
5796	5396	5397	6334	6332	S355	16	2.251e+005
5797	5397	5398	6336	6334	S355	16	2.251e+005
5798	5398	5399	6338	6336	S355	16	2.251e+005
5799	5399	5400	6340	6338	S355	16	2.251e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

5800	5400	5401	6342	6340	S355	14	2.251e+005
5801	5401	5402	6344	6342	S355	14	2.251e+005
5802	5402	5403	6346	6344	S355	14	2.251e+005
5803	5403	5404	6348	6346	S355	14	2.251e+005
5804	5404	5405	6350	6348	S355	14	2.251e+005
5805	5405	5406	6352	6350	S355	14	2.251e+005
5806	5406	5407	6354	6352	S355	14	2.251e+005
5807	5407	5408	6356	6354	S355	14	2.251e+005
5808	5408	5409	6358	6356	S355	14	2.251e+005
5809	5409	5410	6360	6358	S355	14	2.251e+005
5810	5410	5411	6362	6360	S355	14	2.251e+005
5811	5411	5412	6364	6362	S355	14	2.251e+005
5812	5412	5413	6366	6364	S355	14	2.251e+005
5813	5413	5414	6368	6366	S355	14	2.251e+005
5814	5414	5415	6370	6368	S355	14	2.251e+005
5815	5415	5416	6372	6370	S355	14	2.251e+005
5816	5416	5417	6374	6372	S355	16	2.251e+005
5817	5417	5418	6376	6374	S355	16	2.251e+005
5818	5418	5419	6378	6376	S355	16	2.251e+005
5819	5419	5420	6380	6378	S355	16	2.251e+005
5820	5420	5421	6382	6380	S355	16	2.251e+005
5821	5421	5422	6384	6382	S355	16	2.251e+005
5822	5422	5423	6386	6384	S355	16	2.251e+005
5823	5423	5424	6388	6386	S355	16	2.251e+005
5824	5424	5425	6390	6388	S355	16	2.251e+005
5825	5425	5426	6392	6390	S355	16	2.251e+005
5826	5426	5427	6394	6392	S355	16	2.251e+005
5827	5427	5428	6396	6394	S355	16	2.251e+005
5828	5428	5429	6398	6396	S355	16	2.251e+005
5829	5429	5430	6400	6398	S355	16	2.251e+005
5830	5430	5431	6402	6400	S355	16	2.251e+005
5831	5431	5432	6404	6402	S355	18	2.251e+005
5832	5432	5433	6406	6404	S355	18	2.251e+005
5833	5433	5434	6408	6406	S355	18	2.138e+005
5834	5434	5435	6410	6408	S355	18	2.138e+005
5835	5435	5436	6412	6410	S355	18	2.138e+005
5836	5436	5437	6414	6412	S355	18	2.137e+005
5837	5437	5438	6416	6414	S355	18	2.138e+005
5838	5438	5439	6418	6416	S355	18	2.132e+005
5839	5439	5440	6420	6418	S355	18	2.132e+005
5840	5440	5441	6422	6420	S355	18	2.132e+005
5841	5441	5442	6424	6422	S355	18	2.132e+005
5842	5442	5443	6426	6424	S355	18	2.132e+005
5843	5443	5444	6428	6426	S355	18	2.127e+005
5844	5444	5445	6430	6428	S355	18	2.127e+005
5845	5445	5446	6432	6430	S355	16	2.127e+005
5846	5446	5447	6434	6432	S355	16	2.127e+005
5847	5447	5448	6436	6434	S355	16	2.127e+005
5848	5448	5449	6438	6436	S355	16	2.127e+005
5849	5449	5450	6440	6438	S355	16	2.127e+005
5850	5450	5451	6442	6440	S355	16	2.127e+005
5851	5451	5452	6444	6442	S355	16	2.127e+005
5852	5452	5453	6446	6444	S355	16	2.127e+005
5853	5453	5454	6448	6446	S355	16	2.128e+005
5854	5454	5455	6450	6448	S355	16	2.128e+005
5855	5455	5456	6452	6450	S355	16	2.127e+005
5856	5456	5457	6454	6452	S355	16	2.128e+005
5857	5457	5458	6456	6454	S355	16	2.128e+005
5858	5458	5459	6458	6456	S355	16	2.114e+005
5859	5459	5460	6460	6458	S355	16	2.113e+005
5860	5460	5461	6462	6460	S355	14	2.113e+005
5861	5461	5462	6464	6462	S355	14	2.113e+005
5862	5462	5463	6466	6464	S355	14	2.113e+005
5863	5463	5464	6468	6466	S355	14	2.108e+005
5864	5464	5465	6470	6468	S355	14	2.107e+005
5865	5465	5466	6472	6470	S355	14	2.107e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
5866	5466	5467	6474	6472	S355	14 2.107e+005
5867	5467	5468	6476	6474	S355	14 2.107e+005
5868	5468	5469	6478	6476	S355	14 2.107e+005
5869	5469	5470	6480	6478	S355	14 2.107e+005
5870	5470	5471	6482	6480	S355	14 2.107e+005
5871	5471	5472	6484	6482	S355	14 2.107e+005
5872	5472	5473	6486	6484	S355	14 2.107e+005
5873	5473	5474	6488	6486	S355	14 2.107e+005
5874	5474	5475	6490	6488	S355	14 2.107e+005
5875	5475	5476	6492	6490	S355	16 2.107e+005
5876	5476	5477	6494	6492	S355	16 2.107e+005
5877	5477	5478	6496	6494	S355	16 2.107e+005
5878	5478	5479	6498	6496	S355	16 2.107e+005
5879	5479	5480	6500	6498	S355	16 2.107e+005
5880	5480	5481	6502	6500	S355	16 2.107e+005
5881	5481	5482	6504	6502	S355	16 2.107e+005
5882	5482	5483	6506	6504	S355	16 2.107e+005
5883	5483	5484	6508	6506	S355	16 2.011e+005
5884	5484	5485	6510	6508	S355	16 2.011e+005
5885	5485	5486	6512	6510	S355	16 2.01e+005
5886	5486	5487	6514	6512	S355	16 2.011e+005
5887	5487	5488	6516	6514	S355	16 2.011e+005
5888	5488	5489	6518	6516	S355	16 1.593e+005
5889	5490	5491	6521	6520	S355	16 1.56e+005
5890	5491	5492	6524	6521	S355	16 1.942e+005
5891	5492	5493	6526	6524	S355	16 1.939e+005
5892	5493	5494	6528	6526	S355	16 1.936e+005
5893	5494	5495	6530	6528	S355	16 1.925e+005
5894	5495	5496	6532	6530	S355	16 1.922e+005
5895	5496	5497	6534	6532	S355	16 2.086e+005
5896	5497	5498	6536	6534	S355	16 2.087e+005
5897	5498	5499	6538	6536	S355	16 2.086e+005
5898	5499	5500	6540	6538	S355	16 2.086e+005
5899	5500	5501	6542	6540	S355	16 2.087e+005
5900	5501	5502	6544	6542	S355	16 2.082e+005
5901	5502	5503	6546	6544	S355	16 2.083e+005
5902	5503	5504	6548	6546	S355	16 2.082e+005
5903	5504	5505	6550	6548	S355	14 2.083e+005
5904	5505	5506	6552	6550	S355	14 2.082e+005
5905	5506	5507	6554	6552	S355	14 2.082e+005
5906	5507	5508	6556	6554	S355	14 2.082e+005
5907	5508	5509	6558	6556	S355	14 2.082e+005
5908	5509	5510	6560	6558	S355	14 2.082e+005
5909	5510	5511	6562	6560	S355	14 2.082e+005
5910	5511	5512	6564	6562	S355	14 2.078e+005
5911	5512	5513	6566	6564	S355	14 2.078e+005
5912	5513	5514	6568	6566	S355	14 2.078e+005
5913	5514	5515	6570	6568	S355	14 2.078e+005
5914	5515	5516	6572	6570	S355	14 2.078e+005
5915	5516	5517	6574	6572	S355	14 2.021e+005
5916	5517	5518	6576	6574	S355	14 2.021e+005
5917	5518	5519	6578	6576	S355	14 2.021e+005
5918	5519	5520	6580	6578	S355	16 2.021e+005
5919	5520	5521	6582	6580	S355	16 2.021e+005
5920	5521	5522	6584	6582	S355	16 2.021e+005
5921	5522	5523	6586	6584	S355	16 2.021e+005
5922	5523	5524	6588	6586	S355	16 2.021e+005
5923	5524	5525	6590	6588	S355	16 2.021e+005
5924	5525	5526	6592	6590	S355	16 2.021e+005
5925	5526	5527	6594	6592	S355	16 2.021e+005
5926	5527	5528	6596	6594	S355	16 2.022e+005
5927	5528	5529	6598	6596	S355	16 2.021e+005
5928	5529	5530	6600	6598	S355	16 2.021e+005
5929	5530	5531	6602	6600	S355	16 2.021e+005
5930	5531	5532	6604	6602	S355	16 2.021e+005
5931	5532	5533	6606	6604	S355	16 2.022e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

5932	5533	5534	6608	6606	S355	16	2.021e+005
5933	5534	5535	6610	6608	S355	18	2.021e+005
5934	5535	5536	6612	6610	S355	18	2.022e+005
5935	5536	5537	6614	6612	S355	18	2.032e+005
5936	5537	5538	6616	6614	S355	18	2.032e+005
5937	5538	5539	6618	6616	S355	18	2.031e+005
5938	5539	5540	6620	6618	S355	18	2.032e+005
5939	5540	5541	6622	6620	S355	18	2.032e+005
5940	5541	5542	6624	6622	S355	18	2.011e+005
5941	5542	5543	6626	6624	S355	18	2.011e+005
5942	5543	5544	6628	6626	S355	18	2.011e+005
5943	5544	5545	6630	6628	S355	18	2.011e+005
5944	5545	5546	6632	6630	S355	18	2.011e+005
5945	5546	5547	6634	6632	S355	18	2.115e+005
5946	5547	5548	6636	6634	S355	18	2.116e+005
5947	5548	5549	6638	6636	S355	18	2.116e+005
5948	5549	5550	6640	6638	S355	16	2.116e+005
5949	5550	5551	6642	6640	S355	16	2.116e+005
5950	5551	5552	6644	6642	S355	16	2.116e+005
5951	5552	5553	6646	6644	S355	16	2.116e+005
5952	5553	5554	6648	6646	S355	16	2.116e+005
5953	5554	5555	6650	6648	S355	16	2.116e+005
5954	5555	5556	6652	6650	S355	16	2.115e+005
5955	5556	5557	6654	6652	S355	16	2.116e+005
5956	5557	5558	6656	6654	S355	16	2.116e+005
5957	5558	5559	6658	6656	S355	16	2.116e+005
5958	5559	5560	6660	6658	S355	16	2.116e+005
5959	5560	5561	6662	6660	S355	16	2.116e+005
5960	5561	5562	6664	6662	S355	16	2.116e+005
5961	5562	5563	6666	6664	S355	16	2.116e+005
5962	5563	5564	6668	6666	S355	14	2.116e+005
5963	5564	5565	6670	6668	S355	14	2.116e+005
5964	5565	5566	6672	6670	S355	14	2.115e+005
5965	5566	5567	6674	6672	S355	14	2.116e+005
5966	5567	5568	6676	6674	S355	14	2.116e+005
5967	5568	5569	6678	6676	S355	14	2.116e+005
5968	5569	5570	6680	6678	S355	14	2.116e+005
5969	5570	5571	6682	6680	S355	14	2.116e+005
5970	5571	5572	6684	6682	S355	14	2.116e+005
5971	5572	5573	6686	6684	S355	14	2.116e+005
5972	5573	5574	6688	6686	S355	14	2.116e+005
5973	5574	5575	6690	6688	S355	14	2.116e+005
5974	5575	5576	6692	6690	S355	14	2.116e+005
5975	5576	5577	6694	6692	S355	14	2.116e+005
5976	5577	5578	6696	6694	S355	14	2.116e+005
5977	5578	5579	6698	6696	S355	14	2.116e+005
5978	5579	5580	6700	6698	S355	16	2.116e+005
5979	5580	5581	6702	6700	S355	16	2.116e+005
5980	5581	5582	6704	6702	S355	16	2.116e+005
5981	5582	5583	6706	6704	S355	16	2.116e+005
5982	5583	5584	6708	6706	S355	16	2.116e+005
5983	5584	5585	6710	6708	S355	16	2.116e+005
5984	5585	5586	6712	6710	S355	16	2.116e+005
5985	5586	5587	6714	6712	S355	16	2.116e+005
5986	5587	5588	6716	6714	S355	16	2.116e+005
5987	5588	5589	6718	6716	S355	16	2.116e+005
5988	5589	5590	6720	6718	S355	16	2.116e+005
5989	5590	5591	6722	6720	S355	16	2.116e+005
5990	5591	5592	6724	6722	S355	16	2.116e+005
5991	5592	5593	6726	6724	S355	16	2.116e+005
5992	5593	5594	6728	6726	S355	16	2.116e+005
5993	5594	5595	6730	6728	S355	18	2.116e+005
5994	5595	5596	6732	6730	S355	18	2.116e+005
5995	5596	5597	6734	6732	S355	18	2.013e+005
5996	5597	5598	6736	6734	S355	18	2.014e+005
5997	5598	5599	6738	6736	S355	18	2.013e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	


5998	5599	5600	6740	6738	S355	18	2.013e+005
5999	5600	5601	6742	6740	S355	18	2.014e+005
6000	5601	5602	6744	6742	S355	18	2.016e+005
6001	5602	5603	6746	6744	S355	18	2.016e+005
6002	5603	5604	6748	6746	S355	18	2.016e+005
6003	5604	5605	6750	6748	S355	18	2.016e+005
6004	5605	5606	6752	6750	S355	18	2.016e+005
6005	5606	5607	6754	6752	S355	18	2.118e+005
6006	5607	5608	6756	6754	S355	18	2.118e+005
6007	5608	5609	6758	6756	S355	16	2.118e+005
6008	5609	5610	6760	6758	S355	16	2.118e+005
6009	5610	5611	6762	6760	S355	16	2.118e+005
6010	5611	5612	6764	6762	S355	16	2.118e+005
6011	5612	5613	6766	6764	S355	16	2.118e+005
6012	5613	5614	6768	6766	S355	16	2.118e+005
6013	5614	5615	6770	6768	S355	16	2.118e+005
6014	5615	5616	6772	6770	S355	16	2.118e+005
6015	5616	5617	6774	6772	S355	16	2.118e+005
6016	5617	5618	6776	6774	S355	16	2.118e+005
6017	5618	5619	6778	6776	S355	16	2.118e+005
6018	5619	5620	6780	6778	S355	16	2.118e+005
6019	5620	5621	6782	6780	S355	16	2.118e+005
6020	5621	5622	6784	6782	S355	16	2.118e+005
6021	5622	5623	6786	6784	S355	16	2.118e+005
6022	5623	5624	6788	6786	S355	14	2.119e+005
6023	5624	5625	6790	6788	S355	14	2.119e+005
6024	5625	5626	6792	6790	S355	14	2.118e+005
6025	5626	5627	6794	6792	S355	14	2.118e+005
6026	5627	5628	6796	6794	S355	14	2.118e+005
6027	5628	5629	6798	6796	S355	14	2.119e+005
6028	5629	5630	6800	6798	S355	14	2.119e+005
6029	5630	5631	6802	6800	S355	14	2.118e+005
6030	5631	5632	6804	6802	S355	14	2.119e+005
6031	5632	5633	6806	6804	S355	14	2.118e+005
6032	5633	5634	6808	6806	S355	14	2.119e+005
6033	5634	5635	6810	6808	S355	14	2.119e+005
6034	5635	5636	6812	6810	S355	14	2.119e+005
6035	5636	5637	6814	6812	S355	14	2.118e+005
6036	5637	5638	6816	6814	S355	14	2.118e+005
6037	5638	5639	6818	6816	S355	14	2.118e+005
6038	5639	5640	6820	6818	S355	16	2.119e+005
6039	5640	5641	6822	6820	S355	16	2.118e+005
6040	5641	5642	6824	6822	S355	16	2.118e+005
6041	5642	5643	6826	6824	S355	16	2.118e+005
6042	5643	5644	6828	6826	S355	16	2.118e+005
6043	5644	5645	6830	6828	S355	16	2.118e+005
6044	5645	5646	6832	6830	S355	16	2.118e+005
6045	5646	5647	6834	6832	S355	16	2.118e+005
6046	5647	5648	6836	6834	S355	16	2.118e+005
6047	5648	5649	6838	6836	S355	16	2.118e+005
6048	5649	5650	6840	6838	S355	16	2.118e+005
6049	5650	5651	6842	6840	S355	16	2.118e+005
6050	5651	5652	6844	6842	S355	16	2.118e+005
6051	5652	5653	6846	6844	S355	16	2.118e+005
6052	5653	5654	6848	6846	S355	16	2.117e+005
6053	5654	5655	6850	6848	S355	18	2.118e+005
6054	5655	5656	6852	6850	S355	18	2.118e+005
6055	5656	5657	6854	6852	S355	18	2.037e+005
6056	5657	5658	6856	6854	S355	18	2.037e+005
6057	5658	5659	6858	6856	S355	18	2.037e+005
6058	5659	5660	6860	6858	S355	18	2.037e+005
6059	5660	5661	6862	6860	S355	18	2.037e+005
6060	5661	5662	6864	6862	S355	18	1.992e+005
6061	5662	5663	6866	6864	S355	18	1.992e+005
6062	5663	5664	6868	6866	S355	18	1.991e+005
6063	5664	5665	6870	6868	S355	18	1.992e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

6064	5665	5666	6872	6870	S355	18	1.991e+005
6065	5666	5667	6874	6872	S355	18	2.115e+005
6066	5667	5668	6876	6874	S355	18	2.115e+005
6067	5668	5669	6878	6876	S355	16	2.115e+005
6068	5669	5670	6880	6878	S355	16	2.116e+005
6069	5670	5671	6882	6880	S355	16	2.115e+005
6070	5671	5672	6884	6882	S355	16	2.116e+005
6071	5672	5673	6886	6884	S355	16	2.115e+005
6072	5673	5674	6888	6886	S355	16	2.116e+005
6073	5674	5675	6890	6888	S355	16	2.116e+005
6074	5675	5676	6892	6890	S355	16	2.116e+005
6075	5676	5677	6894	6892	S355	16	2.115e+005
6076	5677	5678	6896	6894	S355	16	2.116e+005
6077	5678	5679	6898	6896	S355	16	2.115e+005
6078	5679	5680	6900	6898	S355	16	2.115e+005
6079	5680	5681	6902	6900	S355	16	2.115e+005
6080	5681	5682	6904	6902	S355	16	2.115e+005
6081	5682	5683	6906	6904	S355	16	2.116e+005
6082	5683	5684	6908	6906	S355	14	2.115e+005
6083	5684	5685	6910	6908	S355	14	2.116e+005
6084	5685	5686	6912	6910	S355	14	2.115e+005
6085	5686	5687	6914	6912	S355	14	2.115e+005
6086	5687	5688	6916	6914	S355	14	2.115e+005
6087	5688	5689	6918	6916	S355	14	2.115e+005
6088	5689	5690	6920	6918	S355	14	2.115e+005
6089	5690	5691	6922	6920	S355	14	2.115e+005
6090	5691	5692	6924	6922	S355	14	2.116e+005
6091	5692	5693	6926	6924	S355	14	2.116e+005
6092	5693	5694	6928	6926	S355	14	2.116e+005
6093	5694	5695	6930	6928	S355	14	2.116e+005
6094	5695	5696	6932	6930	S355	14	2.116e+005
6095	5696	5697	6934	6932	S355	14	2.116e+005
6096	5697	5698	6936	6934	S355	14	2.115e+005
6097	5698	5699	6938	6936	S355	14	2.115e+005
6098	5699	5700	6940	6938	S355	16	2.116e+005
6099	5700	5701	6942	6940	S355	16	2.116e+005
6100	5701	5702	6944	6942	S355	16	2.115e+005
6101	5702	5703	6946	6944	S355	16	2.116e+005
6102	5703	5704	6948	6946	S355	16	2.115e+005
6103	5704	5705	6950	6948	S355	16	2.116e+005
6104	5705	5706	6952	6950	S355	16	2.116e+005
6105	5706	5707	6954	6952	S355	16	2.116e+005
6106	5707	5708	6956	6954	S355	16	2.115e+005
6107	5708	5709	6958	6956	S355	16	2.116e+005
6108	5709	5710	6960	6958	S355	16	2.115e+005
6109	5710	5711	6962	6960	S355	16	2.115e+005
6110	5711	5712	6964	6962	S355	16	2.116e+005
6111	5712	5713	6966	6964	S355	16	2.116e+005
6112	5713	5714	6968	6966	S355	16	2.115e+005
6113	5714	5715	6970	6968	S355	18	2.116e+005
6114	5715	5716	6972	6970	S355	18	2.115e+005
6115	5716	5717	6974	6972	S355	18	2.04e+005
6116	5717	5718	6976	6974	S355	18	2.04e+005
6117	5718	5719	6978	6976	S355	18	2.04e+005
6118	5719	5720	6980	6978	S355	18	2.04e+005
6119	5720	5721	6982	6980	S355	18	2.04e+005
6120	5721	5722	6984	6982	S355	18	1.993e+005
6121	5722	5723	6986	6984	S355	18	1.993e+005
6122	5723	5724	6988	6986	S355	18	1.993e+005
6123	5724	5725	6990	6988	S355	18	1.993e+005
6124	5725	5726	6992	6990	S355	18	1.993e+005
6125	5726	5727	6994	6992	S355	18	2.117e+005
6126	5727	5728	6996	6994	S355	18	2.117e+005
6127	5728	5729	6998	6996	S355	16	2.117e+005
6128	5729	5730	7000	6998	S355	16	2.117e+005
6129	5730	5731	7002	7000	S355	16	2.117e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6130	5731	5732	7004	7002	S355	16 2.117e+005
6131	5732	5733	7006	7004	S355	16 2.117e+005
6132	5733	5734	7008	7006	S355	16 2.117e+005
6133	5734	5735	7010	7008	S355	16 2.117e+005
6134	5735	5736	7012	7010	S355	16 2.117e+005
6135	5736	5737	7014	7012	S355	16 2.117e+005
6136	5737	5738	7016	7014	S355	16 2.117e+005
6137	5738	5739	7018	7016	S355	16 2.117e+005
6138	5739	5740	7020	7018	S355	16 2.117e+005
6139	5740	5741	7022	7020	S355	16 2.117e+005
6140	5741	5742	7024	7022	S355	16 2.117e+005
6141	5742	5743	7026	7024	S355	16 2.117e+005
6142	5743	5744	7028	7026	S355	14 2.117e+005
6143	5744	5745	7030	7028	S355	14 2.117e+005
6144	5745	5746	7032	7030	S355	14 2.117e+005
6145	5746	5747	7034	7032	S355	14 2.117e+005
6146	5747	5748	7036	7034	S355	14 2.117e+005
6147	5748	5749	7038	7036	S355	14 2.117e+005
6148	5749	5750	7040	7038	S355	14 2.117e+005
6149	5750	5751	7042	7040	S355	14 2.117e+005
6150	5751	5752	7044	7042	S355	14 2.117e+005
6151	5752	5753	7046	7044	S355	14 2.117e+005
6152	5753	5754	7048	7046	S355	14 2.117e+005
6153	5754	5755	7050	7048	S355	14 2.117e+005
6154	5755	5756	7052	7050	S355	14 2.117e+005
6155	5756	5757	7054	7052	S355	14 2.117e+005
6156	5757	5758	7056	7054	S355	14 2.117e+005
6157	5758	5759	7058	7056	S355	14 2.117e+005
6158	5759	5760	7060	7058	S355	16 2.117e+005
6159	5760	5761	7062	7060	S355	16 2.117e+005
6160	5761	5762	7064	7062	S355	16 2.117e+005
6161	5762	5763	7066	7064	S355	16 2.117e+005
6162	5763	5764	7068	7066	S355	16 2.117e+005
6163	5764	5765	7070	7068	S355	16 2.117e+005
6164	5765	5766	7072	7070	S355	16 2.118e+005
6168	5768	5770	7075	7074	S355	16 2.117e+005
6169	5770	5771	7078	7075	S355	16 2.117e+005
6170	5771	5772	7080	7078	S355	16 2.117e+005
6171	5772	5773	7082	7080	S355	16 2.117e+005
6172	5773	5774	7084	7082	S355	16 2.117e+005
6173	5774	5775	7086	7084	S355	16 2.117e+005
6174	5775	5776	7088	7086	S355	18 2.117e+005
6175	5776	5777	7090	7088	S355	18 2.117e+005
6176	5777	5778	7092	7090	S355	18 2.023e+005
6177	5778	5779	7094	7092	S355	18 2.023e+005
6178	5779	5780	7096	7094	S355	18 2.023e+005
6179	5780	5781	7098	7096	S355	18 2.023e+005
6180	5781	5782	7100	7098	S355	18 2.023e+005
6181	5782	5783	7102	7100	S355	18 2.028e+005
6182	5783	5784	7104	7102	S355	18 2.028e+005
6183	5784	5785	7106	7104	S355	18 2.028e+005
6184	5785	5786	7108	7106	S355	18 2.028e+005
6185	5786	5787	7110	7108	S355	18 2.028e+005
6186	5787	5788	7112	7110	S355	18 2.032e+005
6187	5788	5789	7114	7112	S355	18 2.032e+005
6188	5789	5790	7116	7114	S355	16 2.032e+005
6189	5790	5791	7118	7116	S355	16 2.032e+005
6190	5791	5792	7120	7118	S355	16 2.032e+005
6191	5792	5793	7122	7120	S355	16 2.032e+005
6192	5793	5794	7124	7122	S355	16 2.032e+005
6193	5794	5795	7126	7124	S355	16 2.032e+005
6194	5795	5796	7128	7126	S355	16 2.032e+005
6195	5796	5797	7130	7128	S355	16 2.032e+005
6196	5797	5798	7132	7130	S355	16 2.032e+005
6197	5798	5799	7134	7132	S355	16 2.032e+005
6198	5799	5800	7136	7134	S355	16 2.032e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6199	5800	5801	7138	7136	S355	16 2.032e+005
6200	5801	5802	7140	7138	S355	16 2.032e+005
6201	5802	5803	7142	7140	S355	16 2.047e+005
6202	5803	5804	7144	7142	S355	16 2.047e+005
6203	5804	5805	7146	7144	S355	14 2.048e+005
6204	5805	5806	7148	7146	S355	14 2.047e+005
6205	5806	5807	7150	7148	S355	14 2.047e+005
6206	5807	5808	7152	7150	S355	14 2.053e+005
6207	5808	5809	7154	7152	S355	14 2.053e+005
6208	5809	5810	7156	7154	S355	14 2.053e+005
6209	5810	5811	7158	7156	S355	14 2.053e+005
6210	5811	5812	7160	7158	S355	14 2.053e+005
6211	5812	5813	7162	7160	S355	14 2.053e+005
6212	5813	5814	7164	7162	S355	14 2.053e+005
6213	5814	5815	7166	7164	S355	14 2.053e+005
6214	5815	5816	7168	7166	S355	14 2.053e+005
6215	5816	5817	7170	7168	S355	14 2.053e+005
6216	5817	5818	7172	7170	S355	14 2.053e+005
6217	5818	5819	7174	7172	S355	14 2.053e+005
6218	5819	5820	7176	7174	S355	16 2.053e+005
6219	5820	5821	7178	7176	S355	16 2.053e+005
6220	5821	5822	7180	7178	S355	16 2.053e+005
6221	5822	5823	7182	7180	S355	16 2.053e+005
6222	5823	5824	7184	7182	S355	16 2.053e+005
6223	5824	5825	7186	7184	S355	16 2.053e+005
6224	5825	5826	7188	7186	S355	16 2.053e+005
6225	5826	5827	7190	7188	S355	16 2.053e+005
6226	5827	5828	7192	7190	S355	16 1.947e+005
6227	5828	5829	7194	7192	S355	16 1.947e+005
6228	5829	5830	7196	7194	S355	16 1.947e+005
6229	5830	5831	7198	7196	S355	16 1.947e+005
6230	5831	5832	7200	7198	S355	16 1.947e+005
6231	5832	5833	7202	7200	S355	16 1.679e+005
6234	5766	5769	7204	7072	S355	16 2.117e+005
6235	5769	5768	7074	7204	S355	16 2.117e+005
6236	5834	5835	8327	8326	S355	16 4.121e+005
6237	5836	5837	4632	4641	S355	16 1.08e+005
6238	5835	5838	8330	8327	S355	16 5.045e+005
6239	5837	5839	4636	4632	S355	16 1.322e+005
6240	5838	5840	8332	8330	S355	16 5.044e+005
6241	5839	5841	4635	4636	S355	16 1.322e+005
6242	5840	5842	8334	8332	S355	16 5.05e+005
6243	5841	5843	4634	4635	S355	16 1.324e+005
6244	5842	5844	8336	8334	S355	16 5.036e+005
6245	5843	5845	4633	4634	S355	16 1.32e+005
6246	5844	5846	8338	8336	S355	16 5.031e+005
6247	5845	5847	4631	4633	S355	16 1.319e+005
6248	5846	5848	8340	8338	S355	16 5.478e+005
6249	5847	5849	4640	4631	S355	16 1.436e+005
6250	5848	5850	8342	8340	S355	16 5.477e+005
6251	5849	5851	4639	4640	S355	16 1.436e+005
6252	5850	5852	8344	8342	S355	16 5.477e+005
6253	5851	5853	4638	4639	S355	16 1.436e+005
6254	5852	5854	8346	8344	S355	16 5.478e+005
6255	5853	5855	4637	4638	S355	16 1.436e+005
6256	5854	5856	8348	8346	S355	16 5.477e+005
6257	5855	5857	4626	4637	S355	16 1.436e+005
6258	5856	5858	8350	8348	S355	16 5.488e+005
6259	5857	5859	4630	4626	S355	16 1.438e+005
6260	5858	5860	8352	8350	S355	16 5.487e+005
6261	5859	5861	4629	4630	S355	16 1.438e+005
6262	5860	5862	8354	8352	S355	16 5.487e+005
6263	5861	5863	4628	4629	S355	16 1.438e+005
6264	5862	5864	8356	8354	S355	14 5.488e+005
6265	5863	5865	4627	4628	S355	14 1.439e+005
6266	5864	5866	8358	8356	S355	14 5.487e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6267	5865	5867	4621	4627	S355	14 1.438e+005
6268	5866	5868	8360	8358	S355	14 5.488e+005
6269	5867	5869	4625	4621	S355	14 1.439e+005
6270	5868	5870	8362	8360	S355	14 5.489e+005
6271	5869	5871	4624	4625	S355	14 1.439e+005
6272	5870	5872	8364	8362	S355	14 5.488e+005
6273	5871	5873	4623	4624	S355	14 1.439e+005
6274	5872	5874	8366	8364	S355	14 5.488e+005
6275	5873	5875	4622	4623	S355	14 1.439e+005
6276	5874	5876	8368	8366	S355	14 5.488e+005
6277	5875	5877	4616	4622	S355	14 1.438e+005
6278	5876	5878	8370	8368	S355	14 5.49e+005
6279	5877	5879	4617	4616	S355	14 1.439e+005
6280	5878	5880	8372	8370	S355	14 5.496e+005
6281	5879	5881	4618	4617	S355	14 1.441e+005
6282	5880	5882	8374	8372	S355	14 5.507e+005
6283	5881	5883	4619	4618	S355	14 1.444e+005
6284	5882	5884	8376	8374	S355	14 5.497e+005
6285	5883	5885	4620	4619	S355	14 1.441e+005
6286	5884	5886	8378	8376	S355	14 5.499e+005
6287	5885	5887	4611	4620	S355	14 1.441e+005
6288	5886	5888	8380	8378	S355	14 5.649e+005
6289	5887	5889	4612	4611	S355	14 1.481e+005
6290	5888	5890	8382	8380	S355	14 5.649e+005
6291	5889	5891	4613	4612	S355	14 1.481e+005
6292	5890	5892	8384	8382	S355	14 5.648e+005
6293	5891	5893	4614	4613	S355	14 1.481e+005
6294	5892	5894	8386	8384	S355	16 5.648e+005
6295	5893	5895	4615	4614	S355	16 1.481e+005
6296	5894	5896	8388	8386	S355	16 5.648e+005
6297	5895	5897	4610	4615	S355	16 1.481e+005
6298	5896	5898	8390	8388	S355	16 5.649e+005
6299	5897	5899	4609	4610	S355	16 1.481e+005
6300	5898	5900	8392	8390	S355	16 5.65e+005
6301	5899	5901	4608	4609	S355	16 1.481e+005
6302	5900	5902	8394	8392	S355	16 5.649e+005
6303	5901	5903	4607	4608	S355	16 1.481e+005
6304	5902	5904	8396	8394	S355	16 5.65e+005
6305	5903	5905	4606	4607	S355	16 1.481e+005
6306	5904	5906	8398	8396	S355	16 5.649e+005
6307	5905	5907	4597	4606	S355	16 1.481e+005
6308	5906	5908	8400	8398	S355	16 5.647e+005
6309	5907	5909	4598	4597	S355	16 1.48e+005
6310	5908	5910	8402	8400	S355	16 5.647e+005
6311	5909	5911	4599	4598	S355	16 1.48e+005
6312	5910	5912	8404	8402	S355	16 5.648e+005
6313	5911	5913	4600	4599	S355	16 1.48e+005
6314	5912	5914	8406	8404	S355	16 5.648e+005
6315	5913	5915	4601	4600	S355	16 1.481e+005
6316	5914	5916	8408	8406	S355	16 5.647e+005
6317	5915	5917	4596	4601	S355	16 1.48e+005
6318	5916	5918	8410	8408	S355	16 5.648e+005
6319	5917	5919	4602	4596	S355	16 1.481e+005
6320	5918	5920	8412	8410	S355	16 5.647e+005
6321	5919	5921	4603	4602	S355	16 1.48e+005
6322	5920	5922	8414	8412	S355	16 5.648e+005
6323	5921	5923	4604	4603	S355	16 1.48e+005
6324	5922	5924	8416	8414	S355	18 5.648e+005
6325	5923	5925	4605	4604	S355	18 1.481e+005
6326	5924	5926	8418	8416	S355	18 5.648e+005
6327	5925	5927	4591	4605	S355	18 1.48e+005
6328	5926	5928	8420	8418	S355	18 5.622e+005
6329	5927	5929	4592	4591	S355	18 1.474e+005
6330	5928	5930	8422	8420	S355	18 5.622e+005
6331	5929	5931	4593	4592	S355	18 1.474e+005
6332	5930	5932	8424	8422	S355	18 5.622e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6333	5931	5933	4594	4593	S355	18 1.474e+005
6334	5932	5934	8426	8424	S355	18 5.622e+005
6335	5933	5935	4595	4594	S355	18 1.474e+005
6336	5934	5936	8428	8426	S355	18 5.622e+005
6337	5935	5937	4586	4595	S355	18 1.474e+005
6338	5936	5938	8430	8428	S355	18 5.673e+005
6339	5937	5939	4587	4586	S355	18 1.487e+005
6340	5938	5940	8432	8430	S355	18 5.674e+005
6341	5939	5941	4588	4587	S355	18 1.487e+005
6342	5940	5942	8434	8432	S355	18 5.673e+005
6343	5941	5943	4589	4588	S355	18 1.487e+005
6344	5942	5944	8436	8434	S355	18 5.673e+005
6345	5943	5945	4590	4589	S355	18 1.487e+005
6346	5944	5946	8438	8436	S355	18 5.674e+005
6347	5945	5947	4581	4590	S355	18 1.487e+005
6348	5946	5948	8440	8438	S355	18 5.948e+005
6349	5947	5949	4582	4581	S355	18 1.559e+005
6350	5948	5950	8442	8440	S355	18 5.949e+005
6351	5949	5951	4583	4582	S355	18 1.559e+005
6352	5950	5952	8444	8442	S355	18 5.948e+005
6353	5951	5953	4584	4583	S355	18 1.559e+005
6354	5952	5954	8446	8444	S355	16 5.949e+005
6355	5953	5955	4585	4584	S355	16 1.559e+005
6356	5954	5956	8448	8446	S355	16 5.949e+005
6357	5955	5957	4580	4585	S355	16 1.559e+005
6358	5956	5958	8450	8448	S355	16 5.948e+005
6359	5957	5959	4579	4580	S355	16 1.559e+005
6360	5958	5960	8452	8450	S355	16 5.948e+005
6361	5959	5961	4578	4579	S355	16 1.559e+005
6362	5960	5962	8454	8452	S355	16 5.949e+005
6363	5961	5963	4577	4578	S355	16 1.559e+005
6364	5962	5964	8456	8454	S355	16 5.948e+005
6365	5963	5965	4576	4577	S355	16 1.559e+005
6366	5964	5966	8458	8456	S355	16 5.949e+005
6367	5965	5967	4571	4576	S355	16 1.559e+005
6368	5966	5968	8460	8458	S355	16 5.949e+005
6369	5967	5969	4572	4571	S355	16 1.559e+005
6370	5968	5970	8462	8460	S355	16 5.948e+005
6371	5969	5971	4573	4572	S355	16 1.559e+005
6372	5970	5972	8464	8462	S355	16 5.949e+005
6373	5971	5973	4574	4573	S355	16 1.559e+005
6374	5972	5974	8466	8464	S355	16 5.948e+005
6375	5973	5975	4575	4574	S355	16 1.559e+005
6376	5974	5976	8468	8466	S355	16 5.949e+005
6377	5975	5977	4566	4575	S355	16 1.559e+005
6378	5976	5978	8470	8468	S355	16 5.949e+005
6379	5977	5979	4567	4566	S355	16 1.559e+005
6380	5978	5980	8472	8470	S355	16 5.948e+005
6381	5979	5981	4568	4567	S355	16 1.559e+005
6382	5980	5982	8474	8472	S355	14 5.948e+005
6383	5981	5983	4569	4568	S355	14 1.559e+005
6384	5982	5984	8476	8474	S355	14 5.948e+005
6385	5983	5985	4570	4569	S355	14 1.559e+005
6386	5984	5986	8478	8476	S355	14 5.949e+005
6387	5985	5987	4561	4570	S355	14 1.559e+005
6388	5986	5988	8480	8478	S355	14 5.948e+005
6389	5987	5989	4562	4561	S355	14 1.559e+005
6390	5988	5990	8482	8480	S355	14 5.949e+005
6391	5989	5991	4563	4562	S355	14 1.559e+005
6392	5990	5992	8484	8482	S355	14 5.949e+005
6393	5991	5993	4564	4563	S355	14 1.559e+005
6394	5992	5994	8486	8484	S355	14 5.948e+005
6395	5993	5995	4565	4564	S355	14 1.559e+005
6396	5994	5996	8488	8486	S355	14 5.948e+005
6397	5995	5997	4566	4565	S355	14 1.559e+005
6398	5996	5998	8490	8488	S355	14 5.948e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6399	5997	5999	4557	4556	S355	14 1.559e+005
6400	5998	6000	8492	8490	S355	14 5.949e+005
6401	5999	6001	4558	4557	S355	14 1.559e+005
6402	6000	6002	8494	8492	S355	14 5.948e+005
6403	6001	6003	4559	4558	S355	14 1.559e+005
6404	6002	6004	8496	8494	S355	14 5.949e+005
6405	6003	6005	4560	4559	S355	14 1.559e+005
6406	6004	6006	8498	8496	S355	14 5.948e+005
6407	6005	6007	4551	4560	S355	14 1.559e+005
6408	6006	6008	8500	8498	S355	14 5.949e+005
6409	6007	6009	4552	4551	S355	14 1.559e+005
6410	6008	6010	8502	8500	S355	14 5.949e+005
6411	6009	6011	4553	4552	S355	14 1.559e+005
6412	6010	6012	8504	8502	S355	14 5.949e+005
6413	6011	6013	4554	4553	S355	14 1.559e+005
6414	6012	6014	8506	8504	S355	16 5.949e+005
6415	6013	6015	4555	4554	S355	16 1.559e+005
6416	6014	6016	8508	8506	S355	16 5.949e+005
6417	6015	6017	4550	4555	S355	16 1.559e+005
6418	6016	6018	8510	8508	S355	16 5.948e+005
6419	6017	6019	4549	4550	S355	16 1.559e+005
6420	6018	6020	8512	8510	S355	16 5.948e+005
6421	6019	6021	4548	4549	S355	16 1.559e+005
6422	6020	6022	8514	8512	S355	16 5.948e+005
6423	6021	6023	4547	4548	S355	16 1.559e+005
6424	6022	6024	8516	8514	S355	16 5.948e+005
6425	6023	6025	4546	4547	S355	16 1.559e+005
6426	6024	6026	8518	8516	S355	16 5.948e+005
6427	6025	6027	4527	4546	S355	16 1.559e+005
6428	6026	6028	8520	8518	S355	16 5.95e+005
6429	6027	6029	4528	4527	S355	16 1.56e+005
6430	6028	6030	8522	8520	S355	16 5.948e+005
6431	6029	6031	4529	4528	S355	16 1.559e+005
6432	6030	6032	8524	8522	S355	16 5.954e+005
6433	6031	6033	4530	4529	S355	16 1.561e+005
6434	6032	6034	8526	8524	S355	16 5.964e+005
6435	6033	6035	4531	4530	S355	16 1.563e+005
6436	6034	6036	8528	8526	S355	16 5.923e+005
6437	6035	6037	4517	4531	S355	16 1.553e+005
6438	6036	6038	8530	8528	S355	16 5.922e+005
6439	6037	6039	4518	4517	S355	16 1.552e+005
6440	6038	6040	8532	8530	S355	16 5.963e+005
6441	6039	6041	4519	4518	S355	16 1.563e+005
6442	6040	6042	8534	8532	S355	16 5.954e+005
6443	6041	6043	4520	4519	S355	16 1.561e+005
6444	6042	6044	8536	8534	S355	18 5.949e+005
6445	6043	6045	4521	4520	S355	18 1.559e+005
6446	6044	6046	8538	8536	S355	18 5.951e+005
6447	6045	6047	4516	4521	S355	18 1.56e+005
6448	6046	6048	8540	8538	S355	18 5.663e+005
6449	6047	6049	4522	4516	S355	18 1.484e+005
6450	6048	6050	8542	8540	S355	18 5.663e+005
6451	6049	6051	4523	4522	S355	18 1.484e+005
6452	6050	6052	8544	8542	S355	18 5.662e+005
6453	6051	6053	4524	4523	S355	18 1.484e+005
6454	6052	6054	8546	8544	S355	18 5.663e+005
6455	6053	6055	4525	4524	S355	18 1.484e+005
6456	6054	6056	8548	8546	S355	18 5.662e+005
6457	6055	6057	4526	4525	S355	18 1.484e+005
6458	6056	6058	8550	8548	S355	18 5.666e+005
6459	6057	6059	4536	4526	S355	18 1.485e+005
6460	6058	6060	8552	8550	S355	18 5.666e+005
6461	6059	6061	4535	4536	S355	18 1.485e+005
6462	6060	6062	8554	8552	S355	18 5.666e+005
6463	6061	6063	4534	4535	S355	18 1.485e+005
6464	6062	6064	8556	8554	S355	18 5.666e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6465	6063	6065	4533	4534	S355	18 1.485e+005
6466	6064	6066	8558	8556	S355	18 5.665e+005
6467	6065	6067	4532	4533	S355	18 1.485e+005
6468	6066	6068	8560	8558	S355	18 5.947e+005
6469	6067	6069	4538	4532	S355	18 1.559e+005
6470	6068	6070	8562	8560	S355	18 5.946e+005
6471	6069	6071	4539	4538	S355	18 1.559e+005
6472	6070	6072	8564	8562	S355	16 5.947e+005
6473	6071	6073	4540	4539	S355	16 1.559e+005
6474	6072	6074	8566	8564	S355	16 5.946e+005
6475	6073	6075	4541	4540	S355	16 1.559e+005
6476	6074	6076	8568	8566	S355	16 5.947e+005
6477	6075	6077	4537	4541	S355	16 1.559e+005
6478	6076	6078	8570	8568	S355	16 5.947e+005
6479	6077	6079	4542	4537	S355	16 1.559e+005
6480	6078	6080	8572	8570	S355	16 5.947e+005
6481	6079	6081	4543	4542	S355	16 1.559e+005
6482	6080	6082	8574	8572	S355	16 5.948e+005
6483	6081	6083	4544	4543	S355	16 1.559e+005
6484	6082	6084	8576	8574	S355	16 5.948e+005
6485	6083	6085	4545	4544	S355	16 1.559e+005
6486	6084	6086	8578	8576	S355	16 5.947e+005
6487	6085	6087	4511	4545	S355	16 1.559e+005
6488	6086	6088	8580	8578	S355	16 5.948e+005
6489	6087	6089	4512	4511	S355	16 1.559e+005
6490	6088	6090	8582	8580	S355	16 5.949e+005
6491	6089	6091	4513	4512	S355	16 1.559e+005
6492	6090	6092	8584	8582	S355	16 5.948e+005
6493	6091	6093	4514	4513	S355	16 1.559e+005
6494	6092	6094	8586	8584	S355	16 5.948e+005
6495	6093	6095	4515	4514	S355	16 1.559e+005
6496	6094	6096	8588	8586	S355	16 5.948e+005
6497	6095	6097	4506	4515	S355	16 1.559e+005
6498	6096	6098	8590	8588	S355	16 5.949e+005
6499	6097	6099	4507	4506	S355	16 1.559e+005
6500	6098	6100	8592	8590	S355	16 5.949e+005
6501	6099	6101	4508	4507	S355	16 1.559e+005
6502	6100	6102	8594	8592	S355	14 5.949e+005
6503	6101	6103	4509	4508	S355	14 1.559e+005
6504	6102	6104	8596	8594	S355	14 5.949e+005
6505	6103	6105	4510	4509	S355	14 1.559e+005
6506	6104	6106	8598	8596	S355	14 5.948e+005
6507	6105	6107	4501	4510	S355	14 1.559e+005
6508	6106	6108	8600	8598	S355	14 5.949e+005
6509	6107	6109	4502	4501	S355	14 1.56e+005
6510	6108	6110	8602	8600	S355	14 5.949e+005
6511	6109	6111	4503	4502	S355	14 1.559e+005
6512	6110	6112	8604	8602	S355	14 5.949e+005
6513	6111	6113	4504	4503	S355	14 1.559e+005
6514	6112	6114	8606	8604	S355	14 5.949e+005
6515	6113	6115	4505	4504	S355	14 1.559e+005
6516	6114	6116	8608	8606	S355	14 5.948e+005
6517	6115	6117	4500	4505	S355	14 1.559e+005
6518	6116	6118	8610	8608	S355	14 5.949e+005
6519	6117	6119	4499	4500	S355	14 1.559e+005
6520	6118	6120	8612	8610	S355	14 5.949e+005
6521	6119	6121	4498	4499	S355	14 1.559e+005
6522	6120	6122	8614	8612	S355	14 5.949e+005
6523	6121	6123	4497	4498	S355	14 1.56e+005
6524	6122	6124	8616	8614	S355	14 5.948e+005
6525	6123	6125	4496	4497	S355	14 1.559e+005
6526	6124	6126	8618	8616	S355	14 5.949e+005
6527	6125	6127	4495	4496	S355	14 1.559e+005
6528	6126	6128	8620	8618	S355	14 5.949e+005
6529	6127	6129	4494	4495	S355	14 1.56e+005
6530	6128	6130	8622	8620	S355	14 5.949e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6531	6129	6131	4493	4494	S355	14 1.559e+005
6532	6130	6132	8624	8622	S355	14 5.948e+005
6533	6131	6133	4492	4493	S355	14 1.559e+005
6534	6132	6134	8626	8624	S355	16 5.949e+005
6535	6133	6135	4491	4492	S355	16 1.559e+005
6536	6134	6136	8628	8626	S355	16 5.948e+005
6537	6135	6137	4486	4491	S355	16 1.559e+005
6538	6136	6138	8630	8628	S355	16 5.948e+005
6539	6137	6139	4487	4486	S355	16 1.559e+005
6540	6138	6140	8632	8630	S355	16 5.949e+005
6541	6139	6141	4488	4487	S355	16 1.559e+005
6542	6140	6142	8634	8632	S355	16 5.948e+005
6543	6141	6143	4489	4488	S355	16 1.559e+005
6544	6142	6144	8636	8634	S355	16 5.948e+005
6545	6143	6145	4490	4489	S355	16 1.559e+005
6546	6144	6146	8638	8636	S355	16 5.949e+005
6547	6145	6147	4485	4490	S355	16 1.559e+005
6548	6146	6148	8640	8638	S355	16 5.947e+005
6549	6147	6149	4484	4485	S355	16 1.559e+005
6550	6148	6150	8642	8640	S355	16 5.948e+005
6551	6149	6151	4483	4484	S355	16 1.559e+005
6552	6150	6152	8644	8642	S355	16 5.948e+005
6553	6151	6153	4482	4483	S355	16 1.559e+005
6554	6152	6154	8646	8644	S355	16 5.947e+005
6555	6153	6155	4481	4482	S355	16 1.559e+005
6556	6154	6156	8648	8646	S355	16 5.947e+005
6557	6155	6157	4480	4481	S355	16 1.559e+005
6558	6156	6158	8650	8648	S355	16 5.948e+005
6559	6157	6159	4479	4480	S355	16 1.559e+005
6560	6158	6160	8652	8650	S355	16 5.948e+005
6561	6159	6161	4478	4479	S355	16 1.559e+005
6562	6160	6162	8654	8652	S355	16 5.948e+005
6563	6161	6163	4477	4478	S355	16 1.559e+005
6564	6162	6164	8656	8654	S355	18 5.948e+005
6565	6163	6165	4476	4477	S355	18 1.559e+005
6566	6164	6166	8658	8656	S355	18 5.948e+005
6567	6165	6167	4471	4476	S355	18 1.559e+005
6568	6166	6168	8660	8658	S355	18 5.605e+005
6569	6167	6169	4472	4471	S355	18 1.469e+005
6570	6168	6170	8662	8660	S355	18 5.605e+005
6571	6169	6171	4473	4472	S355	18 1.469e+005
6572	6170	6172	8664	8662	S355	18 5.606e+005
6573	6171	6173	4474	4473	S355	18 1.47e+005
6574	6172	6174	8666	8664	S355	18 5.606e+005
6575	6173	6175	4475	4474	S355	18 1.469e+005
6576	6174	6176	8668	8666	S355	18 5.605e+005
6577	6175	6177	4461	4475	S355	18 1.469e+005
6578	6176	6178	8670	8668	S355	18 5.727e+005
6579	6177	6179	4462	4461	S355	18 1.501e+005
6580	6178	6180	8672	8670	S355	18 5.727e+005
6581	6179	6181	4463	4462	S355	18 1.501e+005
6582	6180	6182	8674	8672	S355	18 5.727e+005
6583	6181	6183	4464	4463	S355	18 1.501e+005
6584	6182	6184	8676	8674	S355	18 5.727e+005
6585	6183	6185	4465	4464	S355	18 1.501e+005
6586	6184	6186	8678	8676	S355	18 5.727e+005
6587	6185	6187	4460	4465	S355	18 1.501e+005
6588	6186	6188	8680	8678	S355	18 5.949e+005
6589	6187	6189	4467	4460	S355	18 1.559e+005
6590	6188	6190	8682	8680	S355	18 5.949e+005
6591	6189	6191	4468	4467	S355	18 1.559e+005
6592	6190	6192	8684	8682	S355	16 5.949e+005
6593	6191	6193	4469	4468	S355	16 1.559e+005
6594	6192	6194	8686	8684	S355	16 5.949e+005
6595	6193	6195	4470	4469	S355	16 1.559e+005
6596	6194	6196	8688	8686	S355	16 5.949e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6597	6195	6197	4466	4470	S355	16 1.559e+005
6598	6196	6198	8690	8688	S355	16 5.949e+005
6599	6197	6199	4643	4466	S355	16 1.559e+005
6600	6198	6200	8692	8690	S355	16 5.949e+005
6601	6199	6201	4644	4643	S355	16 1.559e+005
6602	6200	6202	8694	8692	S355	16 5.949e+005
6603	6201	6203	4645	4644	S355	16 1.559e+005
6604	6202	6204	8696	8694	S355	16 5.949e+005
6605	6203	6205	4646	4645	S355	16 1.559e+005
6606	6204	6206	8698	8696	S355	16 5.949e+005
6607	6205	6207	4642	4646	S355	16 1.559e+005
6608	6206	6208	8700	8698	S355	16 5.949e+005
6609	6207	6209	4648	4642	S355	16 1.559e+005
6610	6208	6210	8702	8700	S355	16 5.949e+005
6611	6209	6211	4649	4648	S355	16 1.559e+005
6612	6210	6212	8704	8702	S355	16 5.949e+005
6613	6211	6213	4650	4649	S355	16 1.559e+005
6614	6212	6214	8706	8704	S355	16 5.949e+005
6615	6213	6215	4651	4650	S355	16 1.559e+005
6616	6214	6216	8708	8706	S355	16 5.949e+005
6617	6215	6217	4647	4651	S355	16 1.559e+005
6618	6216	6218	8710	8708	S355	16 5.949e+005
6619	6217	6219	4656	4647	S355	16 1.559e+005
6620	6218	6220	8712	8710	S355	16 5.949e+005
6621	6219	6221	4655	4656	S355	16 1.559e+005
6622	6220	6222	8714	8712	S355	14 5.949e+005
6623	6221	6223	4654	4655	S355	14 1.559e+005
6624	6222	6224	8716	8714	S355	14 5.949e+005
6625	6223	6225	4653	4654	S355	14 1.559e+005
6626	6224	6226	8718	8716	S355	14 5.949e+005
6627	6225	6227	4652	4653	S355	14 1.56e+005
6628	6226	6228	8720	8718	S355	14 5.95e+005
6629	6227	6229	4658	4652	S355	14 1.56e+005
6630	6228	6230	8722	8720	S355	14 5.951e+005
6631	6229	6231	4659	4658	S355	14 1.56e+005
6632	6230	6232	8724	8722	S355	14 5.951e+005
6633	6231	6233	4660	4659	S355	14 1.56e+005
6634	6232	6234	8726	8724	S355	14 5.951e+005
6635	6233	6235	4661	4660	S355	14 1.56e+005
6636	6234	6236	8728	8726	S355	14 5.951e+005
6637	6235	6237	4657	4661	S355	14 1.56e+005
6638	6236	6238	8730	8728	S355	14 5.947e+005
6639	6237	6239	4663	4657	S355	14 1.559e+005
6640	6238	6240	8732	8730	S355	14 5.947e+005
6641	6239	6241	4664	4663	S355	14 1.559e+005
6642	6240	6242	8734	8732	S355	14 5.947e+005
6643	6241	6243	4665	4664	S355	14 1.559e+005
6644	6242	6244	8736	8734	S355	14 5.947e+005
6645	6243	6245	4666	4665	S355	14 1.559e+005
6646	6244	6246	8738	8736	S355	14 5.947e+005
6647	6245	6247	4662	4666	S355	14 1.559e+005
6648	6246	6248	8740	8738	S355	14 5.948e+005
6649	6247	6249	4671	4662	S355	14 1.559e+005
6650	6248	6250	8742	8740	S355	14 5.949e+005
6651	6249	6251	4670	4671	S355	14 1.56e+005
6652	6250	6252	8744	8742	S355	14 5.949e+005
6653	6251	6253	4669	4670	S355	14 1.56e+005
6654	6252	6254	8746	8744	S355	16 5.949e+005
6655	6253	6255	4668	4669	S355	16 1.559e+005
6656	6254	6256	8748	8746	S355	16 5.949e+005
6657	6255	6257	4667	4668	S355	16 1.559e+005
6658	6256	6258	8750	8748	S355	16 5.949e+005
6659	6257	6259	4673	4667	S355	16 1.559e+005
6660	6258	6260	8752	8750	S355	16 5.949e+005
6661	6259	6261	4674	4673	S355	16 1.56e+005
6662	6260	6262	8754	8752	S355	16 5.949e+005


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
6663	6261	6263	4675	4674	S355	16	1.559e+005
6664	6262	6264	8756	8754	S355	16	5.949e+005
6665	6263	6265	4676	4675	S355	16	1.559e+005
6666	6264	6266	8758	8756	S355	16	5.949e+005
6667	6265	6267	4672	4676	S355	16	1.56e+005
6668	6266	6268	8760	8758	S355	16	5.949e+005
6669	6267	6269	4681	4672	S355	16	1.559e+005
6670	6268	6270	8762	8760	S355	16	5.949e+005
6671	6269	6271	4680	4681	S355	16	1.559e+005
6672	6270	6272	8764	8762	S355	16	5.949e+005
6673	6271	6273	4679	4680	S355	16	1.559e+005
6674	6272	6274	8766	8764	S355	16	5.949e+005
6675	6273	6275	4678	4679	S355	16	1.559e+005
6676	6274	6276	8768	8766	S355	16	5.949e+005
6677	6275	6277	4677	4678	S355	16	1.56e+005
6678	6276	6278	8770	8768	S355	16	5.949e+005
6679	6277	6279	4682	4677	S355	16	1.559e+005
6680	6278	6280	8772	8770	S355	16	5.949e+005
6681	6279	6281	4683	4682	S355	16	1.559e+005
6682	6280	6282	8774	8772	S355	16	5.949e+005
6683	6281	6283	4684	4683	S355	16	1.559e+005
6684	6282	6284	8776	8774	S355	18	5.949e+005
6685	6283	6285	4685	4684	S355	18	1.559e+005
6686	6284	6286	8778	8776	S355	18	5.949e+005
6687	6285	6287	4686	4685	S355	18	1.559e+005
6688	6286	6288	8780	8778	S355	18	5.607e+005
6689	6287	6289	4687	4686	S355	18	1.47e+005
6690	6288	6290	8782	8780	S355	18	5.606e+005
6691	6289	6291	4688	4687	S355	18	1.47e+005
6692	6290	6292	8784	8782	S355	18	5.607e+005
6693	6291	6293	4689	4688	S355	18	1.47e+005
6694	6292	6294	8786	8784	S355	18	5.606e+005
6695	6293	6295	4690	4689	S355	18	1.47e+005
6696	6294	6296	8788	8786	S355	18	5.606e+005
6697	6295	6297	4691	4690	S355	18	1.47e+005
6698	6296	6298	8790	8788	S355	18	5.725e+005
6699	6297	6299	4693	4691	S355	18	1.501e+005
6700	6298	6300	8792	8790	S355	18	5.724e+005
6701	6299	6301	4694	4693	S355	18	1.5e+005
6702	6300	6302	8794	8792	S355	18	5.725e+005
6703	6301	6303	4695	4694	S355	18	1.501e+005
6704	6302	6304	8796	8794	S355	18	5.724e+005
6705	6303	6305	4696	4695	S355	18	1.501e+005
6706	6304	6306	8798	8796	S355	18	5.724e+005
6707	6305	6307	4692	4696	S355	18	1.501e+005
6708	6306	6308	8800	8798	S355	18	5.945e+005
6709	6307	6309	4698	4692	S355	18	1.558e+005
6710	6308	6310	8802	8800	S355	18	5.944e+005
6711	6309	6311	4699	4698	S355	18	1.558e+005
6712	6310	6312	8804	8802	S355	16	5.945e+005
6713	6311	6313	4700	4699	S355	16	1.558e+005
6714	6312	6314	8806	8804	S355	16	5.944e+005
6715	6313	6315	4701	4700	S355	16	1.558e+005
6716	6314	6316	8808	8806	S355	16	5.944e+005
6717	6315	6317	4697	4701	S355	16	1.558e+005
6718	6316	6318	8810	8808	S355	16	5.944e+005
6719	6317	6319	4706	4697	S355	16	1.558e+005
6720	6318	6320	8812	8810	S355	16	5.944e+005
6721	6319	6321	4705	4706	S355	16	1.558e+005
6722	6320	6322	8814	8812	S355	16	5.945e+005
6723	6321	6323	4704	4705	S355	16	1.558e+005
6724	6322	6324	8816	8814	S355	16	5.944e+005
6725	6323	6325	4703	4704	S355	16	1.558e+005
6726	6324	6326	8818	8816	S355	16	5.944e+005
6727	6325	6327	4702	4703	S355	16	1.558e+005
6728	6326	6328	8820	8818	S355	16	5.944e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6729	6327	6329	4708	4702	S355	16 1.558e+005
6730	6328	6330	8822	8820	S355	16 5.945e+005
6731	6329	6331	4709	4708	S355	16 1.558e+005
6732	6330	6332	8824	8822	S355	16 5.944e+005
6733	6331	6333	4710	4709	S355	16 1.558e+005
6734	6332	6334	8826	8824	S355	16 5.945e+005
6735	6333	6335	4711	4710	S355	16 1.558e+005
6736	6334	6336	8828	8826	S355	16 5.944e+005
6737	6335	6337	4707	4711	S355	16 1.558e+005
6738	6336	6338	8830	8828	S355	16 5.944e+005
6739	6337	6339	4713	4707	S355	16 1.558e+005
6740	6338	6340	8832	8830	S355	16 5.944e+005
6741	6339	6341	4714	4713	S355	16 1.558e+005
6742	6340	6342	8834	8832	S355	14 5.945e+005
6743	6341	6343	4715	4714	S355	14 1.558e+005
6744	6342	6344	8836	8834	S355	14 5.944e+005
6745	6343	6345	4716	4715	S355	14 1.558e+005
6746	6344	6346	8838	8836	S355	14 5.945e+005
6747	6345	6347	4712	4716	S355	14 1.558e+005
6748	6346	6348	8840	8838	S355	14 5.945e+005
6749	6347	6349	4721	4712	S355	14 1.558e+005
6750	6348	6350	8842	8840	S355	14 5.944e+005
6751	6349	6351	4720	4721	S355	14 1.558e+005
6752	6350	6352	8844	8842	S355	14 5.944e+005
6753	6351	6353	4719	4720	S355	14 1.558e+005
6754	6352	6354	8846	8844	S355	14 5.945e+005
6755	6353	6355	4718	4719	S355	14 1.558e+005
6756	6354	6356	8848	8846	S355	14 5.944e+005
6757	6355	6357	4717	4718	S355	14 1.558e+005
6758	6356	6358	8850	8848	S355	14 5.944e+005
6759	6357	6359	4723	4717	S355	14 1.558e+005
6760	6358	6360	8852	8850	S355	14 5.945e+005
6761	6359	6361	4724	4723	S355	14 1.558e+005
6762	6360	6362	8854	8852	S355	14 5.944e+005
6763	6361	6363	4725	4724	S355	14 1.558e+005
6764	6362	6364	8856	8854	S355	14 5.944e+005
6765	6363	6365	4726	4725	S355	14 1.558e+005
6766	6364	6366	8858	8856	S355	14 5.944e+005
6767	6365	6367	4722	4726	S355	14 1.558e+005
6768	6366	6368	8860	8858	S355	14 5.944e+005
6769	6367	6369	4728	4722	S355	14 1.558e+005
6770	6368	6370	8862	8860	S355	14 5.945e+005
6771	6369	6371	4729	4728	S355	14 1.558e+005
6772	6370	6372	8864	8862	S355	14 5.944e+005
6773	6371	6373	4730	4729	S355	14 1.558e+005
6774	6372	6374	8866	8864	S355	16 5.944e+005
6775	6373	6375	4731	4730	S355	16 1.558e+005
6776	6374	6376	8868	8866	S355	16 5.945e+005
6777	6375	6377	4727	4731	S355	16 1.558e+005
6778	6376	6378	8870	8868	S355	16 5.944e+005
6779	6377	6379	4733	4727	S355	16 1.558e+005
6780	6378	6380	8872	8870	S355	16 5.944e+005
6781	6379	6381	4734	4733	S355	16 1.558e+005
6782	6380	6382	8874	8872	S355	16 5.945e+005
6783	6381	6383	4735	4734	S355	16 1.558e+005
6784	6382	6384	8876	8874	S355	16 5.944e+005
6785	6383	6385	4736	4735	S355	16 1.558e+005
6786	6384	6386	8878	8876	S355	16 5.944e+005
6787	6385	6387	4732	4736	S355	16 1.558e+005
6788	6386	6388	8880	8878	S355	16 5.944e+005
6789	6387	6389	4741	4732	S355	16 1.558e+005
6790	6388	6390	8882	8880	S355	16 5.944e+005
6791	6389	6391	4740	4741	S355	16 1.558e+005
6792	6390	6392	8884	8882	S355	16 5.945e+005
6793	6391	6393	4739	4740	S355	16 1.558e+005
6794	6392	6394	8886	8884	S355	16 5.944e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6795	6393	6395	4738	4739	S355	16 1.558e+005
6796	6394	6396	8888	8886	S355	16 5.945e+005
6797	6395	6397	4737	4738	S355	16 1.558e+005
6798	6396	6398	8890	8888	S355	16 5.944e+005
6799	6397	6399	4742	4737	S355	16 1.558e+005
6800	6398	6400	8892	8890	S355	16 5.945e+005
6801	6399	6401	4743	4742	S355	16 1.558e+005
6802	6400	6402	8894	8892	S355	16 5.944e+005
6803	6401	6403	4744	4743	S355	16 1.558e+005
6804	6402	6404	8896	8894	S355	18 5.944e+005
6805	6403	6405	4745	4744	S355	18 1.558e+005
6806	6404	6406	8898	8896	S355	18 5.944e+005
6807	6405	6407	4746	4745	S355	18 1.558e+005
6808	6406	6408	8900	8898	S355	18 5.646e+005
6809	6407	6409	4747	4746	S355	18 1.48e+005
6810	6408	6410	8902	8900	S355	18 5.645e+005
6811	6409	6411	4748	4747	S355	18 1.48e+005
6812	6410	6412	8904	8902	S355	18 5.646e+005
6813	6411	6413	4749	4748	S355	18 1.48e+005
6814	6412	6414	8906	8904	S355	18 5.645e+005
6815	6413	6415	4750	4749	S355	18 1.48e+005
6816	6414	6416	8908	8906	S355	18 5.646e+005
6817	6415	6417	4751	4750	S355	18 1.48e+005
6818	6416	6418	8910	8908	S355	18 5.629e+005
6819	6417	6419	4756	4751	S355	18 1.476e+005
6820	6418	6420	8912	8910	S355	18 5.63e+005
6821	6419	6421	4755	4756	S355	18 1.476e+005
6822	6420	6422	8914	8912	S355	18 5.63e+005
6823	6421	6423	4754	4755	S355	18 1.476e+005
6824	6422	6424	8916	8914	S355	18 5.63e+005
6825	6423	6425	4753	4754	S355	18 1.476e+005
6826	6424	6426	8918	8916	S355	18 5.63e+005
6827	6425	6427	4752	4753	S355	18 1.476e+005
6828	6426	6428	8920	8918	S355	18 5.618e+005
6829	6427	6429	4758	4752	S355	18 1.473e+005
6830	6428	6430	8922	8920	S355	18 5.618e+005
6831	6429	6431	4759	4758	S355	18 1.473e+005
6832	6430	6432	8924	8922	S355	16 5.618e+005
6833	6431	6433	4760	4759	S355	16 1.473e+005
6834	6432	6434	8926	8924	S355	16 5.617e+005
6835	6433	6435	4761	4760	S355	16 1.473e+005
6836	6434	6436	8928	8926	S355	16 5.618e+005
6837	6435	6437	4757	4761	S355	16 1.473e+005
6838	6436	6438	8930	8928	S355	16 5.619e+005
6839	6437	6439	4766	4757	S355	16 1.473e+005
6840	6438	6440	8932	8930	S355	16 5.618e+005
6841	6439	6441	4765	4766	S355	16 1.473e+005
6842	6440	6442	8934	8932	S355	16 5.618e+005
6843	6441	6443	4764	4765	S355	16 1.473e+005
6844	6442	6444	8936	8934	S355	16 5.619e+005
6845	6443	6445	4763	4764	S355	16 1.473e+005
6846	6444	6446	8938	8936	S355	16 5.618e+005
6847	6445	6447	4762	4763	S355	16 1.473e+005
6848	6446	6448	8940	8938	S355	16 5.619e+005
6849	6447	6449	4771	4762	S355	16 1.473e+005
6850	6448	6450	8942	8940	S355	16 5.619e+005
6851	6449	6451	4770	4771	S355	16 1.473e+005
6852	6450	6452	8944	8942	S355	16 5.619e+005
6853	6451	6453	4769	4770	S355	16 1.473e+005
6854	6452	6454	8946	8944	S355	16 5.619e+005
6855	6453	6455	4768	4769	S355	16 1.473e+005
6856	6454	6456	8948	8946	S355	16 5.619e+005
6857	6455	6457	4767	4768	S355	16 1.473e+005
6858	6456	6458	8950	8948	S355	16 5.582e+005
6859	6457	6459	4773	4767	S355	16 1.463e+005
6860	6458	6460	8952	8950	S355	16 5.581e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6861	6459	6461	4774	4773	S355	16 1.463e+005
6862	6460	6462	8954	8952	S355	14 5.581e+005
6863	6461	6463	4775	4774	S355	14 1.463e+005
6864	6462	6464	8956	8954	S355	14 5.582e+005
6865	6463	6465	4776	4775	S355	14 1.463e+005
6866	6464	6466	8958	8956	S355	14 5.581e+005
6867	6465	6467	4772	4776	S355	14 1.463e+005
6868	6466	6468	8960	8958	S355	14 5.566e+005
6869	6467	6469	4778	4772	S355	14 1.459e+005
6870	6468	6470	8962	8960	S355	14 5.566e+005
6871	6469	6471	4779	4778	S355	14 1.459e+005
6872	6470	6472	8964	8962	S355	14 5.566e+005
6873	6471	6473	4780	4779	S355	14 1.459e+005
6874	6472	6474	8966	8964	S355	14 5.566e+005
6875	6473	6475	4781	4780	S355	14 1.459e+005
6876	6474	6476	8968	8966	S355	14 5.565e+005
6877	6475	6477	4777	4781	S355	14 1.459e+005
6878	6476	6478	8970	8968	S355	14 5.565e+005
6879	6477	6479	4783	4777	S355	14 1.459e+005
6880	6478	6480	8972	8970	S355	14 5.565e+005
6881	6479	6481	4784	4783	S355	14 1.459e+005
6882	6480	6482	8974	8972	S355	14 5.565e+005
6883	6481	6483	4785	4784	S355	14 1.459e+005
6884	6482	6484	8976	8974	S355	14 5.565e+005
6885	6483	6485	4786	4785	S355	14 1.459e+005
6886	6484	6486	8978	8976	S355	14 5.566e+005
6887	6485	6487	4782	4786	S355	14 1.459e+005
6888	6486	6488	8980	8978	S355	14 5.565e+005
6889	6487	6489	4791	4782	S355	14 1.459e+005
6890	6488	6490	8982	8980	S355	14 5.565e+005
6891	6489	6491	4790	4791	S355	14 1.459e+005
6892	6490	6492	8984	8982	S355	16 5.565e+005
6893	6491	6493	4789	4790	S355	16 1.459e+005
6894	6492	6494	8986	8984	S355	16 5.565e+005
6895	6493	6495	4788	4789	S355	16 1.459e+005
6896	6494	6496	8988	8986	S355	16 5.565e+005
6897	6495	6497	4787	4788	S355	16 1.459e+005
6898	6496	6498	8990	8988	S355	16 5.565e+005
6899	6497	6499	4792	4787	S355	16 1.459e+005
6900	6498	6500	8992	8990	S355	16 5.565e+005
6901	6499	6501	4793	4792	S355	16 1.459e+005
6902	6500	6502	8994	8992	S355	16 5.565e+005
6903	6501	6503	4794	4793	S355	16 1.459e+005
6904	6502	6504	8996	8994	S355	16 5.565e+005
6905	6503	6505	4795	4794	S355	16 1.459e+005
6906	6504	6506	8998	8996	S355	16 5.565e+005
6907	6505	6507	4796	4795	S355	16 1.459e+005
6908	6506	6508	9000	8998	S355	16 5.31e+005
6909	6507	6509	4797	4796	S355	16 1.392e+005
6910	6508	6510	9002	9000	S355	16 5.311e+005
6911	6509	6511	4798	4797	S355	16 1.392e+005
6912	6510	6512	9004	9002	S355	16 5.31e+005
6913	6511	6513	4799	4798	S355	16 1.392e+005
6914	6512	6514	9006	9004	S355	16 5.31e+005
6915	6513	6515	4800	4799	S355	16 1.392e+005
6916	6514	6516	9008	9006	S355	16 5.31e+005
6917	6515	6517	4801	4800	S355	16 1.392e+005
6918	6516	6518	9010	9008	S355	16 4.208e+005
6919	6517	6519	4802	4801	S355	16 1.103e+005
6920	6520	6521	9013	9012	S355	16 4.12e+005
6921	6522	6523	4975	4980	S355	16 1.08e+005
6922	6521	6524	9016	9013	S355	16 5.128e+005
6923	6523	6525	4976	4975	S355	16 1.344e+005
6924	6524	6526	9018	9016	S355	16 5.121e+005
6925	6525	6527	4977	4976	S355	16 1.343e+005
6926	6526	6528	9020	9018	S355	16 5.112e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6927	6527	6529	4978	4977	S355	16 1.34e+005
6928	6528	6530	9022	9020	S355	16 5.085e+005
6929	6529	6531	4979	4978	S355	16 1.333e+005
6930	6530	6532	9024	9022	S355	16 5.076e+005
6931	6531	6533	4974	4979	S355	16 1.331e+005
6932	6532	6534	9026	9024	S355	16 5.51e+005
6933	6533	6535	4973	4974	S355	16 1.444e+005
6934	6534	6536	9028	9026	S355	16 5.511e+005
6935	6535	6537	4972	4973	S355	16 1.445e+005
6936	6536	6538	9030	9028	S355	16 5.51e+005
6937	6537	6539	4971	4972	S355	16 1.444e+005
6938	6538	6540	9032	9030	S355	16 5.51e+005
6939	6539	6541	4970	4971	S355	16 1.444e+005
6940	6540	6542	9034	9032	S355	16 5.511e+005
6941	6541	6543	4969	4970	S355	16 1.445e+005
6942	6542	6544	9036	9034	S355	16 5.499e+005
6943	6543	6545	4968	4969	S355	16 1.442e+005
6944	6544	6546	9038	9036	S355	16 5.5e+005
6945	6545	6547	4967	4968	S355	16 1.442e+005
6946	6546	6548	9040	9038	S355	16 5.499e+005
6947	6547	6549	4966	4967	S355	16 1.442e+005
6948	6548	6550	9042	9040	S355	14 5.5e+005
6949	6549	6551	4965	4966	S355	14 1.442e+005
6950	6550	6552	9044	9042	S355	14 5.5e+005
6951	6551	6553	4960	4965	S355	14 1.442e+005
6952	6552	6554	9046	9044	S355	14 5.498e+005
6953	6553	6555	4961	4960	S355	14 1.441e+005
6954	6554	6556	9048	9046	S355	14 5.499e+005
6955	6555	6557	4962	4961	S355	14 1.441e+005
6956	6556	6558	9050	9048	S355	14 5.499e+005
6957	6557	6559	4963	4962	S355	14 1.442e+005
6958	6558	6560	9052	9050	S355	14 5.499e+005
6959	6559	6561	4964	4963	S355	14 1.441e+005
6960	6560	6562	9054	9052	S355	14 5.499e+005
6961	6561	6563	4955	4964	S355	14 1.442e+005
6962	6562	6564	9056	9054	S355	14 5.487e+005
6963	6563	6565	4956	4955	S355	14 1.438e+005
6964	6564	6566	9058	9056	S355	14 5.488e+005
6965	6565	6567	4957	4956	S355	14 1.439e+005
6966	6566	6568	9060	9058	S355	14 5.487e+005
6967	6567	6569	4958	4957	S355	14 1.438e+005
6968	6568	6570	9062	9060	S355	14 5.488e+005
6969	6569	6571	4959	4958	S355	14 1.439e+005
6970	6570	6572	9064	9062	S355	14 5.488e+005
6971	6571	6573	4954	4959	S355	14 1.438e+005
6972	6572	6574	9066	9064	S355	14 5.337e+005
6973	6573	6575	4953	4954	S355	14 1.399e+005
6974	6574	6576	9068	9066	S355	14 5.338e+005
6975	6575	6577	4952	4953	S355	14 1.399e+005
6976	6576	6578	9070	9068	S355	14 5.337e+005
6977	6577	6579	4951	4952	S355	14 1.399e+005
6978	6578	6580	9072	9070	S355	16 5.337e+005
6979	6579	6581	4950	4951	S355	16 1.399e+005
6980	6580	6582	9074	9072	S355	16 5.337e+005
6981	6581	6583	4945	4950	S355	16 1.399e+005
6982	6582	6584	9076	9074	S355	16 5.337e+005
6983	6583	6585	4946	4945	S355	16 1.399e+005
6984	6584	6586	9078	9076	S355	16 5.337e+005
6985	6585	6587	4947	4946	S355	16 1.399e+005
6986	6586	6588	9080	9078	S355	16 5.337e+005
6987	6587	6589	4948	4947	S355	16 1.399e+005
6988	6588	6590	9082	9080	S355	16 5.337e+005
6989	6589	6591	4949	4948	S355	16 1.399e+005
6990	6590	6592	9084	9082	S355	16 5.337e+005
6991	6591	6593	4940	4949	S355	16 1.399e+005
6992	6592	6594	9086	9084	S355	16 5.338e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
6993	6593	6595	4941	4940	S355	16 1.399e+005
6994	6594	6596	9088	9086	S355	16 5.339e+005
6995	6595	6597	4942	4941	S355	16 1.4e+005
6996	6596	6598	9090	9088	S355	16 5.338e+005
6997	6597	6599	4943	4942	S355	16 1.399e+005
6998	6598	6600	9092	9090	S355	16 5.339e+005
6999	6599	6601	4944	4943	S355	16 1.399e+005
7000	6600	6602	9094	9092	S355	16 5.339e+005
7001	6601	6603	4939	4944	S355	16 1.399e+005
7002	6602	6604	9096	9094	S355	16 5.339e+005
7003	6603	6605	4938	4939	S355	16 1.399e+005
7004	6604	6606	9098	9096	S355	16 5.339e+005
7005	6605	6607	4937	4938	S355	16 1.4e+005
7006	6606	6608	9100	9098	S355	16 5.338e+005
7007	6607	6609	4936	4937	S355	16 1.399e+005
7008	6608	6610	9102	9100	S355	18 5.339e+005
7009	6609	6611	4935	4936	S355	18 1.399e+005
7010	6610	6612	9104	9102	S355	18 5.339e+005
7011	6611	6613	4930	4935	S355	18 1.4e+005
7012	6612	6614	9106	9104	S355	18 5.365e+005
7013	6613	6615	4931	4930	S355	18 1.406e+005
7014	6614	6616	9108	9106	S355	18 5.365e+005
7015	6615	6617	4932	4931	S355	18 1.406e+005
7016	6616	6618	9110	9108	S355	18 5.365e+005
7017	6617	6619	4933	4932	S355	18 1.406e+005
7018	6618	6620	9112	9110	S355	18 5.366e+005
7019	6619	6621	4934	4933	S355	18 1.407e+005
7020	6620	6622	9114	9112	S355	18 5.366e+005
7021	6621	6623	4929	4934	S355	18 1.407e+005
7022	6622	6624	9116	9114	S355	18 5.311e+005
7023	6623	6625	4928	4929	S355	18 1.392e+005
7024	6624	6626	9118	9116	S355	18 5.311e+005
7025	6625	6627	4927	4928	S355	18 1.392e+005
7026	6626	6628	9120	9118	S355	18 5.312e+005
7027	6627	6629	4926	4927	S355	18 1.392e+005
7028	6628	6630	9122	9120	S355	18 5.311e+005
7029	6629	6631	4925	4926	S355	18 1.392e+005
7030	6630	6632	9124	9122	S355	18 5.312e+005
7031	6631	6633	4924	4925	S355	18 1.392e+005
7032	6632	6634	9126	9124	S355	18 5.587e+005
7033	6633	6635	4923	4924	S355	18 1.465e+005
7034	6634	6636	9128	9126	S355	18 5.588e+005
7035	6635	6637	4922	4923	S355	18 1.465e+005
7036	6636	6638	9130	9128	S355	18 5.588e+005
7037	6637	6639	4921	4922	S355	18 1.465e+005
7038	6638	6640	9132	9130	S355	16 5.588e+005
7039	6639	6641	4920	4921	S355	16 1.465e+005
7040	6640	6642	9134	9132	S355	16 5.587e+005
7041	6641	6643	4919	4920	S355	16 1.465e+005
7042	6642	6644	9136	9134	S355	16 5.587e+005
7043	6643	6645	4918	4919	S355	16 1.465e+005
7044	6644	6646	9138	9136	S355	16 5.588e+005
7045	6645	6647	4917	4918	S355	16 1.465e+005
7046	6646	6648	9140	9138	S355	16 5.587e+005
7047	6647	6649	4916	4917	S355	16 1.465e+005
7048	6648	6650	9142	9140	S355	16 5.588e+005
7049	6649	6651	4915	4916	S355	16 1.465e+005
7050	6650	6652	9144	9142	S355	16 5.587e+005
7051	6651	6653	4914	4915	S355	16 1.465e+005
7052	6652	6654	9146	9144	S355	16 5.588e+005
7053	6653	6655	4913	4914	S355	16 1.465e+005
7054	6654	6656	9148	9146	S355	16 5.588e+005
7055	6655	6657	4912	4913	S355	16 1.465e+005
7056	6656	6658	9150	9148	S355	16 5.588e+005
7057	6657	6659	4911	4912	S355	16 1.465e+005
7058	6658	6660	9152	9150	S355	16 5.587e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7059	6659	6661	4910	4911	S355	16 1.465e+005
7060	6660	6662	9154	9152	S355	16 5.587e+005
7061	6661	6663	4905	4910	S355	16 1.465e+005
7062	6662	6664	9156	9154	S355	16 5.588e+005
7063	6663	6665	4906	4905	S355	16 1.465e+005
7064	6664	6666	9158	9156	S355	16 5.588e+005
7065	6665	6667	4907	4906	S355	16 1.465e+005
7066	6666	6668	9160	9158	S355	14 5.588e+005
7067	6667	6669	4908	4907	S355	14 1.465e+005
7068	6668	6670	9162	9160	S355	14 5.588e+005
7069	6669	6671	4909	4908	S355	14 1.465e+005
7070	6670	6672	9164	9162	S355	14 5.587e+005
7071	6671	6673	4904	4909	S355	14 1.465e+005
7072	6672	6674	9166	9164	S355	14 5.588e+005
7073	6673	6675	4903	4904	S355	14 1.465e+005
7074	6674	6676	9168	9166	S355	14 5.588e+005
7075	6675	6677	4902	4903	S355	14 1.465e+005
7076	6676	6678	9170	9168	S355	14 5.587e+005
7077	6677	6679	4901	4902	S355	14 1.465e+005
7078	6678	6680	9172	9170	S355	14 5.588e+005
7079	6679	6681	4900	4901	S355	14 1.465e+005
7080	6680	6682	9174	9172	S355	14 5.587e+005
7081	6681	6683	4899	4900	S355	14 1.465e+005
7082	6682	6684	9176	9174	S355	14 5.587e+005
7083	6683	6685	4898	4899	S355	14 1.465e+005
7084	6684	6686	9178	9176	S355	14 5.588e+005
7085	6685	6687	4897	4898	S355	14 1.465e+005
7086	6686	6688	9180	9178	S355	14 5.587e+005
7087	6687	6689	4896	4897	S355	14 1.465e+005
7088	6688	6690	9182	9180	S355	14 5.588e+005
7089	6689	6691	4895	4896	S355	14 1.465e+005
7090	6690	6692	9184	9182	S355	14 5.587e+005
7091	6691	6693	4894	4895	S355	14 1.465e+005
7092	6692	6694	9186	9184	S355	14 5.587e+005
7093	6693	6695	4893	4894	S355	14 1.465e+005
7094	6694	6696	9188	9186	S355	14 5.588e+005
7095	6695	6697	4892	4893	S355	14 1.465e+005
7096	6696	6698	9190	9188	S355	14 5.588e+005
7097	6697	6699	4891	4892	S355	14 1.465e+005
7098	6698	6700	9192	9190	S355	16 5.588e+005
7099	6699	6701	4890	4891	S355	16 1.465e+005
7100	6700	6702	9194	9192	S355	16 5.587e+005
7101	6701	6703	4889	4890	S355	16 1.465e+005
7102	6702	6704	9196	9194	S355	16 5.588e+005
7103	6703	6705	4888	4889	S355	16 1.465e+005
7104	6704	6706	9198	9196	S355	16 5.587e+005
7105	6705	6707	4887	4888	S355	16 1.465e+005
7106	6706	6708	9200	9198	S355	16 5.588e+005
7107	6707	6709	4886	4887	S355	16 1.465e+005
7108	6708	6710	9202	9200	S355	16 5.588e+005
7109	6709	6711	4885	4886	S355	16 1.465e+005
7110	6710	6712	9204	9202	S355	16 5.587e+005
7111	6711	6713	4880	4885	S355	16 1.465e+005
7112	6712	6714	9206	9204	S355	16 5.587e+005
7113	6713	6715	4881	4880	S355	16 1.465e+005
7114	6714	6716	9208	9206	S355	16 5.588e+005
7115	6715	6717	4882	4881	S355	16 1.465e+005
7116	6716	6718	9210	9208	S355	16 5.587e+005
7117	6717	6719	4883	4882	S355	16 1.465e+005
7118	6718	6720	9212	9210	S355	16 5.588e+005
7119	6719	6721	4884	4883	S355	16 1.465e+005
7120	6720	6722	9214	9212	S355	16 5.588e+005
7121	6721	6723	4875	4884	S355	16 1.465e+005
7122	6722	6724	9216	9214	S355	16 5.588e+005
7123	6723	6725	4876	4875	S355	16 1.465e+005
7124	6724	6726	9218	9216	S355	16 5.588e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7125	6725	6727	4877	4876	S355	16 1.465e+005
7126	6726	6728	9220	9218	S355	16 5.587e+005
7127	6727	6729	4878	4877	S355	16 1.465e+005
7128	6728	6730	9222	9220	S355	18 5.588e+005
7129	6729	6731	4879	4878	S355	18 1.465e+005
7130	6730	6732	9224	9222	S355	18 5.587e+005
7131	6731	6733	4870	4879	S355	18 1.465e+005
7132	6732	6734	9226	9224	S355	18 5.318e+005
7133	6733	6735	4871	4870	S355	18 1.394e+005
7134	6734	6736	9228	9226	S355	18 5.318e+005
7135	6735	6737	4872	4871	S355	18 1.394e+005
7136	6736	6738	9230	9228	S355	18 5.317e+005
7137	6737	6739	4873	4872	S355	18 1.394e+005
7138	6738	6740	9232	9230	S355	18 5.318e+005
7139	6739	6741	4874	4873	S355	18 1.394e+005
7140	6740	6742	9234	9232	S355	18 5.318e+005
7141	6741	6743	4865	4874	S355	18 1.394e+005
7142	6742	6744	9236	9234	S355	18 5.324e+005
7143	6743	6745	4866	4865	S355	18 1.396e+005
7144	6744	6746	9238	9236	S355	18 5.324e+005
7145	6745	6747	4867	4866	S355	18 1.396e+005
7146	6746	6748	9240	9238	S355	18 5.323e+005
7147	6747	6749	4868	4867	S355	18 1.395e+005
7148	6748	6750	9242	9240	S355	18 5.324e+005
7149	6749	6751	4869	4868	S355	18 1.396e+005
7150	6750	6752	9244	9242	S355	18 5.324e+005
7151	6751	6753	4860	4869	S355	18 1.396e+005
7152	6752	6754	9246	9244	S355	18 5.592e+005
7153	6753	6755	4861	4860	S355	18 1.466e+005
7154	6754	6756	9248	9246	S355	18 5.593e+005
7155	6755	6757	4862	4861	S355	18 1.466e+005
7156	6756	6758	9250	9248	S355	16 5.593e+005
7157	6757	6759	4863	4862	S355	16 1.466e+005
7158	6758	6760	9252	9250	S355	16 5.593e+005
7159	6759	6761	4864	4863	S355	16 1.466e+005
7160	6760	6762	9254	9252	S355	16 5.593e+005
7161	6761	6763	4859	4864	S355	16 1.466e+005
7162	6762	6764	9256	9254	S355	16 5.594e+005
7163	6763	6765	4858	4859	S355	16 1.466e+005
7164	6764	6766	9258	9256	S355	16 5.593e+005
7165	6765	6767	4857	4858	S355	16 1.466e+005
7166	6766	6768	9260	9258	S355	16 5.594e+005
7167	6767	6769	4856	4857	S355	16 1.466e+005
7168	6768	6770	9262	9260	S355	16 5.593e+005
7169	6769	6771	4855	4856	S355	16 1.466e+005
7170	6770	6772	9264	9262	S355	16 5.594e+005
7171	6771	6773	4854	4855	S355	16 1.466e+005
7172	6772	6774	9266	9264	S355	16 5.594e+005
7173	6773	6775	4853	4854	S355	16 1.466e+005
7174	6774	6776	9268	9266	S355	16 5.594e+005
7175	6775	6777	4852	4853	S355	16 1.467e+005
7176	6776	6778	9270	9268	S355	16 5.594e+005
7177	6777	6779	4851	4852	S355	16 1.466e+005
7178	6778	6780	9272	9270	S355	16 5.594e+005
7179	6779	6781	4850	4851	S355	16 1.466e+005
7180	6780	6782	9274	9272	S355	16 5.595e+005
7181	6781	6783	4849	4850	S355	16 1.467e+005
7182	6782	6784	9276	9274	S355	16 5.594e+005
7183	6783	6785	4848	4849	S355	16 1.467e+005
7184	6784	6786	9278	9276	S355	16 5.595e+005
7185	6785	6787	4847	4848	S355	16 1.467e+005
7186	6786	6788	9280	9278	S355	14 5.595e+005
7187	6787	6789	4846	4847	S355	14 1.467e+005
7188	6788	6790	9282	9280	S355	14 5.595e+005
7189	6789	6791	4845	4846	S355	14 1.467e+005
7190	6790	6792	9284	9282	S355	14 5.595e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7191	6791	6793	4844	4845	S355	14 1.467e+005
7192	6792	6794	9286	9284	S355	14 5.595e+005
7193	6793	6795	4843	4844	S355	14 1.467e+005
7194	6794	6796	9288	9286	S355	14 5.595e+005
7195	6795	6797	4842	4843	S355	14 1.467e+005
7196	6796	6798	9290	9288	S355	14 5.595e+005
7197	6797	6799	4841	4842	S355	14 1.467e+005
7198	6798	6800	9292	9290	S355	14 5.595e+005
7199	6799	6801	4840	4841	S355	14 1.467e+005
7200	6800	6802	9294	9292	S355	14 5.595e+005
7201	6801	6803	4839	4840	S355	14 1.467e+005
7202	6802	6804	9296	9294	S355	14 5.596e+005
7203	6803	6805	4838	4839	S355	14 1.467e+005
7204	6804	6806	9298	9296	S355	14 5.595e+005
7205	6805	6807	4837	4838	S355	14 1.467e+005
7206	6806	6808	9300	9298	S355	14 5.595e+005
7207	6807	6809	4836	4837	S355	14 1.467e+005
7208	6808	6810	9302	9300	S355	14 5.595e+005
7209	6809	6811	4835	4836	S355	14 1.467e+005
7210	6810	6812	9304	9302	S355	14 5.595e+005
7211	6811	6813	4834	4835	S355	14 1.467e+005
7212	6812	6814	9306	9304	S355	14 5.595e+005
7213	6813	6815	4833	4834	S355	14 1.467e+005
7214	6814	6816	9308	9306	S355	14 5.595e+005
7215	6815	6817	4832	4833	S355	14 1.467e+005
7216	6816	6818	9310	9308	S355	14 5.595e+005
7217	6817	6819	4831	4832	S355	14 1.467e+005
7218	6818	6820	9312	9310	S355	16 5.595e+005
7219	6819	6821	4830	4831	S355	16 1.467e+005
7220	6820	6822	9314	9312	S355	16 5.595e+005
7221	6821	6823	4829	4830	S355	16 1.467e+005
7222	6822	6824	9316	9314	S355	16 5.595e+005
7223	6823	6825	4981	4829	S355	16 1.467e+005
7224	6824	6826	9318	9316	S355	16 5.595e+005
7225	6825	6827	4982	4981	S355	16 1.467e+005
7226	6826	6828	9320	9318	S355	16 5.595e+005
7227	6827	6829	4983	4982	S355	16 1.467e+005
7228	6828	6830	9322	9320	S355	16 5.595e+005
7229	6829	6831	4984	4983	S355	16 1.467e+005
7230	6830	6832	9324	9322	S355	16 5.594e+005
7231	6831	6833	4828	4984	S355	16 1.467e+005
7232	6832	6834	9326	9324	S355	16 5.594e+005
7233	6833	6835	4827	4828	S355	16 1.466e+005
7234	6834	6836	9328	9326	S355	16 5.594e+005
7235	6835	6837	4826	4827	S355	16 1.466e+005
7236	6836	6838	9330	9328	S355	16 5.594e+005
7237	6837	6839	4825	4826	S355	16 1.466e+005
7238	6838	6840	9332	9330	S355	16 5.594e+005
7239	6839	6841	4824	4825	S355	16 1.466e+005
7240	6840	6842	9334	9332	S355	16 5.594e+005
7241	6841	6843	4823	4824	S355	16 1.466e+005
7242	6842	6844	9336	9334	S355	16 5.593e+005
7243	6843	6845	4822	4823	S355	16 1.466e+005
7244	6844	6846	9338	9336	S355	16 5.593e+005
7245	6845	6847	4821	4822	S355	16 1.466e+005
7246	6846	6848	9340	9338	S355	16 5.592e+005
7247	6847	6849	4820	4821	S355	16 1.466e+005
7248	6848	6850	9342	9340	S355	18 5.593e+005
7249	6849	6851	4819	4820	S355	18 1.466e+005
7250	6850	6852	9344	9342	S355	18 5.593e+005
7251	6851	6853	4814	4819	S355	18 1.466e+005
7252	6852	6854	9346	9344	S355	18 5.38e+005
7253	6853	6855	4818	4814	S355	18 1.41e+005
7254	6854	6856	9348	9346	S355	18 5.379e+005
7255	6855	6857	4817	4818	S355	18 1.41e+005
7256	6856	6858	9350	9348	S355	18 5.38e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7257	6857	6859	4816	4817	S355	18 1.41e+005
7258	6858	6860	9352	9350	S355	18 5.38e+005
7259	6859	6861	4815	4816	S355	18 1.41e+005
7260	6860	6862	9354	9352	S355	18 5.38e+005
7261	6861	6863	4808	4815	S355	18 1.41e+005
7262	6862	6864	9356	9354	S355	18 5.26e+005
7263	6863	6865	4807	4808	S355	18 1.379e+005
7264	6864	6866	9358	9356	S355	18 5.26e+005
7265	6865	6867	4806	4807	S355	18 1.379e+005
7266	6866	6868	9360	9358	S355	18 5.259e+005
7267	6867	6869	4805	4806	S355	18 1.379e+005
7268	6868	6870	9362	9360	S355	18 5.26e+005
7269	6869	6871	4804	4805	S355	18 1.379e+005
7270	6870	6872	9364	9362	S355	18 5.259e+005
7271	6871	6873	4803	4804	S355	18 1.379e+005
7272	6872	6874	9366	9364	S355	18 5.587e+005
7273	6873	6875	4813	4803	S355	18 1.465e+005
7274	6874	6876	9368	9366	S355	18 5.587e+005
7275	6875	6877	4812	4813	S355	18 1.464e+005
7276	6876	6878	9370	9368	S355	16 5.587e+005
7277	6877	6879	4811	4812	S355	16 1.465e+005
7278	6878	6880	9372	9370	S355	16 5.587e+005
7279	6879	6881	4810	4811	S355	16 1.465e+005
7280	6880	6882	9374	9372	S355	16 5.587e+005
7281	6881	6883	4809	4810	S355	16 1.465e+005
7282	6882	6884	9376	9374	S355	16 5.587e+005
7283	6883	6885	4986	4809	S355	16 1.465e+005
7284	6884	6886	9378	9376	S355	16 5.587e+005
7285	6885	6887	4987	4986	S355	16 1.464e+005
7286	6886	6888	9380	9378	S355	16 5.587e+005
7287	6887	6889	4988	4987	S355	16 1.465e+005
7288	6888	6890	9382	9380	S355	16 5.587e+005
7289	6889	6891	4989	4988	S355	16 1.465e+005
7290	6890	6892	9384	9382	S355	16 5.587e+005
7291	6891	6893	4985	4989	S355	16 1.465e+005
7292	6892	6894	9386	9384	S355	16 5.587e+005
7293	6893	6895	4991	4985	S355	16 1.464e+005
7294	6894	6896	9388	9386	S355	16 5.587e+005
7295	6895	6897	4992	4991	S355	16 1.465e+005
7296	6896	6898	9390	9388	S355	16 5.587e+005
7297	6897	6899	4993	4992	S355	16 1.465e+005
7298	6898	6900	9392	9390	S355	16 5.587e+005
7299	6899	6901	4994	4993	S355	16 1.465e+005
7300	6900	6902	9394	9392	S355	16 5.587e+005
7301	6901	6903	4990	4994	S355	16 1.465e+005
7302	6902	6904	9396	9394	S355	16 5.587e+005
7303	6903	6905	4999	4990	S355	16 1.465e+005
7304	6904	6906	9398	9396	S355	16 5.588e+005
7305	6905	6907	4998	4999	S355	16 1.465e+005
7306	6906	6908	9400	9398	S355	14 5.587e+005
7307	6907	6909	4997	4998	S355	14 1.465e+005
7308	6908	6910	9402	9400	S355	14 5.587e+005
7309	6909	6911	4996	4997	S355	14 1.465e+005
7310	6910	6912	9404	9402	S355	14 5.586e+005
7311	6911	6913	4995	4996	S355	14 1.464e+005
7312	6912	6914	9406	9404	S355	14 5.586e+005
7313	6913	6915	5004	4995	S355	14 1.464e+005
7314	6914	6916	9408	9406	S355	14 5.585e+005
7315	6915	6917	5003	5004	S355	14 1.464e+005
7316	6916	6918	9410	9408	S355	14 5.586e+005
7317	6917	6919	5002	5003	S355	14 1.464e+005
7318	6918	6920	9412	9410	S355	14 5.585e+005
7319	6919	6921	5001	5002	S355	14 1.464e+005
7320	6920	6922	9414	9412	S355	14 5.585e+005
7321	6921	6923	5000	5001	S355	14 1.464e+005
7322	6922	6924	9416	9414	S355	14 5.589e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7323	6923	6925	5009	5000	S355	14 1.465e+005
7324	6924	6926	9418	9416	S355	14 5.589e+005
7325	6925	6927	5008	5009	S355	14 1.465e+005
7326	6926	6928	9420	9418	S355	14 5.589e+005
7327	6927	6929	5007	5008	S355	14 1.465e+005
7328	6928	6930	9422	9420	S355	14 5.589e+005
7329	6929	6931	5006	5007	S355	14 1.465e+005
7330	6930	6932	9424	9422	S355	14 5.588e+005
7331	6931	6933	5005	5006	S355	14 1.465e+005
7332	6932	6934	9426	9424	S355	14 5.588e+005
7333	6933	6935	5014	5005	S355	14 1.465e+005
7334	6934	6936	9428	9426	S355	14 5.587e+005
7335	6935	6937	5013	5014	S355	14 1.465e+005
7336	6936	6938	9430	9428	S355	14 5.587e+005
7337	6937	6939	5012	5013	S355	14 1.465e+005
7338	6938	6940	9432	9430	S355	16 5.588e+005
7339	6939	6941	5011	5012	S355	16 1.465e+005
7340	6940	6942	9434	9432	S355	16 5.587e+005
7341	6941	6943	5010	5011	S355	16 1.465e+005
7342	6942	6944	9436	9434	S355	16 5.586e+005
7343	6943	6945	5019	5010	S355	16 1.464e+005
7344	6944	6946	9438	9436	S355	16 5.587e+005
7345	6945	6947	5018	5019	S355	16 1.465e+005
7346	6946	6948	9440	9438	S355	16 5.587e+005
7347	6947	6949	5017	5018	S355	16 1.465e+005
7348	6948	6950	9442	9440	S355	16 5.587e+005
7349	6949	6951	5016	5017	S355	16 1.465e+005
7350	6950	6952	9444	9442	S355	16 5.587e+005
7351	6951	6953	5015	5016	S355	16 1.465e+005
7352	6952	6954	9446	9444	S355	16 5.587e+005
7353	6953	6955	5024	5015	S355	16 1.465e+005
7354	6954	6956	9448	9446	S355	16 5.587e+005
7355	6955	6957	5023	5024	S355	16 1.464e+005
7356	6956	6958	9450	9448	S355	16 5.588e+005
7357	6957	6959	5022	5023	S355	16 1.465e+005
7358	6958	6960	9452	9450	S355	16 5.587e+005
7359	6959	6961	5021	5022	S355	16 1.465e+005
7360	6960	6962	9454	9452	S355	16 5.587e+005
7361	6961	6963	5020	5021	S355	16 1.465e+005
7362	6962	6964	9456	9454	S355	16 5.587e+005
7363	6963	6965	5029	5020	S355	16 1.465e+005
7364	6964	6966	9458	9456	S355	16 5.587e+005
7365	6965	6967	5028	5029	S355	16 1.465e+005
7366	6966	6968	9460	9458	S355	16 5.587e+005
7367	6967	6969	5027	5028	S355	16 1.465e+005
7368	6968	6970	9462	9460	S355	18 5.587e+005
7369	6969	6971	5026	5027	S355	18 1.465e+005
7370	6970	6972	9464	9462	S355	18 5.587e+005
7371	6971	6973	5025	5026	S355	18 1.465e+005
7372	6972	6974	9466	9464	S355	18 5.388e+005
7373	6973	6975	5030	5025	S355	18 1.412e+005
7374	6974	6976	9468	9466	S355	18 5.388e+005
7375	6975	6977	5031	5030	S355	18 1.412e+005
7376	6976	6978	9470	9468	S355	18 5.388e+005
7377	6977	6979	5032	5031	S355	18 1.412e+005
7378	6978	6980	9472	9470	S355	18 5.388e+005
7379	6979	6981	5033	5032	S355	18 1.412e+005
7380	6980	6982	9474	9472	S355	18 5.388e+005
7381	6981	6983	5034	5033	S355	18 1.413e+005
7382	6982	6984	9476	9474	S355	18 5.262e+005
7383	6983	6985	5039	5034	S355	18 1.379e+005
7384	6984	6986	9478	9476	S355	18 5.262e+005
7385	6985	6987	5038	5039	S355	18 1.379e+005
7386	6986	6988	9480	9478	S355	18 5.262e+005
7387	6987	6989	5037	5038	S355	18 1.379e+005
7388	6988	6990	9482	9480	S355	18 5.262e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7389	6989	6991	5036	5037	S355	18 1.379e+005
7390	6990	6992	9484	9482	S355	18 5.263e+005
7391	6991	6993	5035	5036	S355	18 1.38e+005
7392	6992	6994	9486	9484	S355	18 5.591e+005
7393	6993	6995	5044	5035	S355	18 1.466e+005
7394	6994	6996	9488	9486	S355	18 5.592e+005
7395	6995	6997	5043	5044	S355	18 1.466e+005
7396	6996	6998	9490	9488	S355	16 5.592e+005
7397	6997	6999	5042	5043	S355	16 1.466e+005
7398	6998	7000	9492	9490	S355	16 5.592e+005
7399	6999	7001	5041	5042	S355	16 1.466e+005
7400	7000	7002	9494	9492	S355	16 5.592e+005
7401	7001	7003	5040	5041	S355	16 1.466e+005
7402	7002	7004	9496	9494	S355	16 5.592e+005
7403	7003	7005	5049	5040	S355	16 1.466e+005
7404	7004	7006	9498	9496	S355	16 5.592e+005
7405	7005	7007	5048	5049	S355	16 1.466e+005
7406	7006	7008	9500	9498	S355	16 5.592e+005
7407	7007	7009	5047	5048	S355	16 1.466e+005
7408	7008	7010	9502	9500	S355	16 5.592e+005
7409	7009	7011	5046	5047	S355	16 1.466e+005
7410	7010	7012	9504	9502	S355	16 5.592e+005
7411	7011	7013	5045	5046	S355	16 1.466e+005
7412	7012	7014	9506	9504	S355	16 5.592e+005
7413	7013	7015	5054	5045	S355	16 1.466e+005
7414	7014	7016	9508	9506	S355	16 5.592e+005
7415	7015	7017	5053	5054	S355	16 1.466e+005
7416	7016	7018	9510	9508	S355	16 5.592e+005
7417	7017	7019	5052	5053	S355	16 1.466e+005
7418	7018	7020	9512	9510	S355	16 5.592e+005
7419	7019	7021	5051	5052	S355	16 1.466e+005
7420	7020	7022	9514	9512	S355	16 5.592e+005
7421	7021	7023	5050	5051	S355	16 1.466e+005
7422	7022	7024	9516	9514	S355	16 5.592e+005
7423	7023	7025	5059	5050	S355	16 1.466e+005
7424	7024	7026	9518	9516	S355	16 5.592e+005
7425	7025	7027	5058	5059	S355	16 1.466e+005
7426	7026	7028	9520	9518	S355	14 5.592e+005
7427	7027	7029	5057	5058	S355	14 1.466e+005
7428	7028	7030	9522	9520	S355	14 5.592e+005
7429	7029	7031	5056	5057	S355	14 1.466e+005
7430	7030	7032	9524	9522	S355	14 5.592e+005
7431	7031	7033	5055	5056	S355	14 1.466e+005
7432	7032	7034	9526	9524	S355	14 5.592e+005
7433	7033	7035	5064	5055	S355	14 1.466e+005
7434	7034	7036	9528	9526	S355	14 5.592e+005
7435	7035	7037	5063	5064	S355	14 1.466e+005
7436	7036	7038	9530	9528	S355	14 5.592e+005
7437	7037	7039	5062	5063	S355	14 1.466e+005
7438	7038	7040	9532	9530	S355	14 5.592e+005
7439	7039	7041	5061	5062	S355	14 1.466e+005
7440	7040	7042	9534	9532	S355	14 5.592e+005
7441	7041	7043	5060	5061	S355	14 1.466e+005
7442	7042	7044	9536	9534	S355	14 5.592e+005
7443	7043	7045	5069	5060	S355	14 1.466e+005
7444	7044	7046	9538	9536	S355	14 5.592e+005
7445	7045	7047	5068	5069	S355	14 1.466e+005
7446	7046	7048	9540	9538	S355	14 5.592e+005
7447	7047	7049	5067	5068	S355	14 1.466e+005
7448	7048	7050	9542	9540	S355	14 5.592e+005
7449	7049	7051	5066	5067	S355	14 1.466e+005
7450	7050	7052	9544	9542	S355	14 5.592e+005
7451	7051	7053	5065	5066	S355	14 1.466e+005
7452	7052	7054	9546	9544	S355	14 5.592e+005
7453	7053	7055	5074	5065	S355	14 1.466e+005
7454	7054	7056	9548	9546	S355	14 5.592e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7455	7055	7057	5073	5074	S355	14 1.466e+005
7456	7056	7058	9550	9548	S355	14 5.592e+005
7457	7057	7059	5072	5073	S355	14 1.466e+005
7458	7058	7060	9552	9550	S355	16 5.592e+005
7459	7059	7061	5071	5072	S355	16 1.466e+005
7460	7060	7062	9554	9552	S355	16 5.592e+005
7461	7061	7063	5070	5071	S355	16 1.466e+005
7462	7062	7064	9556	9554	S355	16 5.591e+005
7463	7063	7065	5079	5070	S355	16 1.466e+005
7464	7064	7066	9558	9556	S355	16 5.592e+005
7465	7065	7067	5078	5079	S355	16 1.466e+005
7466	7066	7068	9560	9558	S355	16 5.592e+005
7467	7067	7069	5077	5078	S355	16 1.466e+005
7468	7068	7070	9562	9560	S355	16 5.591e+005
7469	7069	7071	5076	5077	S355	16 1.466e+005
7470	7070	7072	9564	9562	S355	16 5.592e+005
7471	7071	7073	5075	5076	S355	16 1.466e+005
7472	7074	7075	9567	9566	S355	16 5.592e+005
7473	7076	7077	5082	5083	S355	16 1.466e+005
7474	7075	7078	9570	9567	S355	16 5.592e+005
7475	7077	7079	5081	5082	S355	16 1.466e+005
7476	7078	7080	9572	9570	S355	16 5.592e+005
7477	7079	7081	5080	5081	S355	16 1.466e+005
7478	7080	7082	9574	9572	S355	16 5.592e+005
7479	7081	7083	5089	5080	S355	16 1.466e+005
7480	7082	7084	9576	9574	S355	16 5.592e+005
7481	7083	7085	5088	5089	S355	16 1.466e+005
7482	7084	7086	9578	9576	S355	16 5.592e+005
7483	7085	7087	5087	5088	S355	16 1.466e+005
7484	7086	7088	9580	9578	S355	18 5.592e+005
7485	7087	7089	5086	5087	S355	18 1.466e+005
7486	7088	7090	9582	9580	S355	18 5.592e+005
7487	7089	7091	5085	5086	S355	18 1.466e+005
7488	7090	7092	9584	9582	S355	18 5.343e+005
7489	7091	7093	5094	5085	S355	18 1.401e+005
7490	7092	7094	9586	9584	S355	18 5.344e+005
7491	7093	7095	5093	5094	S355	18 1.401e+005
7492	7094	7096	9588	9586	S355	18 5.343e+005
7493	7095	7097	5092	5093	S355	18 1.401e+005
7494	7096	7098	9590	9588	S355	18 5.343e+005
7495	7097	7099	5091	5092	S355	18 1.401e+005
7496	7098	7100	9592	9590	S355	18 5.343e+005
7497	7099	7101	5090	5091	S355	18 1.401e+005
7498	7100	7102	9594	9592	S355	18 5.356e+005
7499	7101	7103	5099	5090	S355	18 1.404e+005
7500	7102	7104	9596	9594	S355	18 5.356e+005
7501	7103	7105	5098	5099	S355	18 1.404e+005
7502	7104	7106	9598	9596	S355	18 5.356e+005
7503	7105	7107	5097	5098	S355	18 1.404e+005
7504	7106	7108	9600	9598	S355	18 5.357e+005
7505	7107	7109	5096	5097	S355	18 1.404e+005
7506	7108	7110	9602	9600	S355	18 5.356e+005
7507	7109	7111	5095	5096	S355	18 1.404e+005
7508	7110	7112	9604	9602	S355	18 5.366e+005
7509	7111	7113	5116	5095	S355	18 1.407e+005
7510	7112	7114	9606	9604	S355	18 5.366e+005
7511	7113	7115	5117	5116	S355	18 1.407e+005
7512	7114	7116	9608	9606	S355	16 5.366e+005
7513	7115	7117	5118	5117	S355	16 1.407e+005
7514	7116	7118	9610	9608	S355	16 5.367e+005
7515	7117	7119	5119	5118	S355	16 1.407e+005
7516	7118	7120	9612	9610	S355	16 5.366e+005
7517	7119	7121	5105	5119	S355	16 1.407e+005
7518	7120	7122	9614	9612	S355	16 5.366e+005
7519	7121	7123	5104	5105	S355	16 1.407e+005
7520	7122	7124	9616	9614	S355	16 5.367e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7521	7123	7125	5103	5104	S355	16 1.407e+005
7522	7124	7126	9618	9616	S355	16 5.366e+005
7523	7125	7127	5102	5103	S355	16 1.407e+005
7524	7126	7128	9620	9618	S355	16 5.367e+005
7525	7127	7129	5101	5102	S355	16 1.407e+005
7526	7128	7130	9622	9620	S355	16 5.367e+005
7527	7129	7131	5100	5101	S355	16 1.407e+005
7528	7130	7132	9624	9622	S355	16 5.367e+005
7529	7131	7133	5110	5100	S355	16 1.407e+005
7530	7132	7134	9626	9624	S355	16 5.368e+005
7531	7133	7135	5109	5110	S355	16 1.407e+005
7532	7134	7136	9628	9626	S355	16 5.368e+005
7533	7135	7137	5108	5109	S355	16 1.407e+005
7534	7136	7138	9630	9628	S355	16 5.367e+005
7535	7137	7139	5107	5108	S355	16 1.407e+005
7536	7138	7140	9632	9630	S355	16 5.368e+005
7537	7139	7141	5106	5107	S355	16 1.407e+005
7538	7140	7142	9634	9632	S355	16 5.407e+005
7539	7141	7143	5115	5106	S355	16 1.417e+005
7540	7142	7144	9636	9634	S355	16 5.407e+005
7541	7143	7145	5114	5115	S355	16 1.417e+005
7542	7144	7146	9638	9636	S355	14 5.408e+005
7543	7145	7147	5113	5114	S355	14 1.418e+005
7544	7146	7148	9640	9638	S355	14 5.407e+005
7545	7147	7149	5112	5113	S355	14 1.417e+005
7546	7148	7150	9642	9640	S355	14 5.407e+005
7547	7149	7151	5111	5112	S355	14 1.417e+005
7548	7150	7152	9644	9642	S355	14 5.422e+005
7549	7151	7153	5121	5111	S355	14 1.421e+005
7550	7152	7154	9646	9644	S355	14 5.422e+005
7551	7153	7155	5122	5121	S355	14 1.421e+005
7552	7154	7156	9648	9646	S355	14 5.422e+005
7553	7155	7157	5123	5122	S355	14 1.421e+005
7554	7156	7158	9650	9648	S355	14 5.422e+005
7555	7157	7159	5124	5123	S355	14 1.421e+005
7556	7158	7160	9652	9650	S355	14 5.422e+005
7557	7159	7161	5120	5124	S355	14 1.421e+005
7558	7160	7162	9654	9652	S355	14 5.422e+005
7559	7161	7163	5129	5120	S355	14 1.421e+005
7560	7162	7164	9656	9654	S355	14 5.422e+005
7561	7163	7165	5128	5129	S355	14 1.421e+005
7562	7164	7166	9658	9656	S355	14 5.421e+005
7563	7165	7167	5127	5128	S355	14 1.421e+005
7564	7166	7168	9660	9658	S355	14 5.421e+005
7565	7167	7169	5126	5127	S355	14 1.421e+005
7566	7168	7170	9662	9660	S355	14 5.422e+005
7567	7169	7171	5125	5126	S355	14 1.421e+005
7568	7170	7172	9664	9662	S355	14 5.422e+005
7569	7171	7173	5134	5125	S355	14 1.421e+005
7570	7172	7174	9666	9664	S355	14 5.421e+005
7571	7173	7175	5133	5134	S355	14 1.421e+005
7572	7174	7176	9668	9666	S355	16 5.422e+005
7573	7175	7177	5132	5133	S355	16 1.421e+005
7574	7176	7178	9670	9668	S355	16 5.422e+005
7575	7177	7179	5131	5132	S355	16 1.421e+005
7576	7178	7180	9672	9670	S355	16 5.421e+005
7577	7179	7181	5130	5131	S355	16 1.421e+005
7578	7180	7182	9674	9672	S355	16 5.422e+005
7579	7181	7183	5139	5130	S355	16 1.421e+005
7580	7182	7184	9676	9674	S355	16 5.422e+005
7581	7183	7185	5138	5139	S355	16 1.421e+005
7582	7184	7186	9678	9676	S355	16 5.421e+005
7583	7185	7187	5137	5138	S355	16 1.421e+005
7584	7186	7188	9680	9678	S355	16 5.421e+005
7585	7187	7189	5136	5137	S355	16 1.421e+005
7586	7188	7190	9682	9680	S355	16 5.422e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
7587	7189	7191	5135	5136	S355	16 1.421e+005
7588	7190	7192	9684	9682	S355	16 5.142e+005
7589	7191	7193	5144	5135	S355	16 1.348e+005
7590	7192	7194	9686	9684	S355	16 5.142e+005
7591	7193	7195	5143	5144	S355	16 1.348e+005
7592	7194	7196	9688	9686	S355	16 5.142e+005
7593	7195	7197	5142	5143	S355	16 1.348e+005
7594	7196	7198	9690	9688	S355	16 5.142e+005
7595	7197	7199	5141	5142	S355	16 1.348e+005
7596	7198	7200	9692	9690	S355	16 5.141e+005
7597	7199	7201	5140	5141	S355	16 1.348e+005
7598	7200	7202	9694	9692	S355	16 4.435e+005
7599	7201	7203	5145	5140	S355	16 1.163e+005
7600	7072	7204	9696	9564	S355	16 5.592e+005
7601	7073	7205	5084	5075	S355	16 1.466e+005
7602	7204	7074	9566	9696	S355	16 5.592e+005
7603	7205	7076	5083	5084	S355	16 1.466e+005
10603	5148	8235	8230	5835	S355	20 2.08e+005
10604	8235	8234	8229	8230	S355	20 2.08e+005
10605	8234	8233	8228	8229	S355	20 2.08e+005
10606	8233	8232	8227	8228	S355	20 2.08e+005
10607	8232	8231	8226	8227	S355	20 2.08e+005
10608	8231	5491	6521	8226	S355	20 2.08e+005
10609	5835	8230	9698	8327	S355	20 5.493e+005
10610	8230	8229	9700	9698	S355	20 5.494e+005
10611	8229	8228	9702	9700	S355	20 5.493e+005
10612	8228	8227	9704	9702	S355	20 5.494e+005
10613	8227	8226	9706	9704	S355	20 5.493e+005
10614	8226	6521	9013	9706	S355	20 5.494e+005
10615	5837	8225	8205	4632	S355	20 1.44e+005
10616	8225	8224	8204	8205	S355	20 1.44e+005
10617	8224	8223	8203	8204	S355	20 1.44e+005
10618	8223	8222	8202	8203	S355	20 1.44e+005
10619	8222	8221	8201	8202	S355	20 1.44e+005
10620	8221	6523	4975	8201	S355	20 1.44e+005
10651	5198	8310	8280	5936	S355	20 2.08e+005
10652	8310	8309	8279	8280	S355	20 2.08e+005
10653	8309	8308	8278	8279	S355	20 2.08e+005
10654	8308	8307	8277	8278	S355	20 2.08e+005
10655	8307	8306	8276	8277	S355	20 2.08e+005
10656	8306	5541	6622	8276	S355	20 2.081e+005
10657	5936	8280	9708	8428	S355	20 5.493e+005
10658	8280	8279	9710	9708	S355	20 5.493e+005
10659	8279	8278	9712	9710	S355	20 5.493e+005
10660	8278	8277	9714	9712	S355	20 5.494e+005
10661	8277	8276	9716	9714	S355	20 5.494e+005
10662	8276	6622	9114	9716	S355	20 5.495e+005
10663	5937	8250	8200	4586	S355	20 1.44e+005
10664	8250	8249	8199	8200	S355	20 1.44e+005
10665	8249	8248	8198	8199	S355	20 1.44e+005
10666	8248	8247	8197	8198	S355	20 1.44e+005
10667	8247	8246	8196	8197	S355	20 1.44e+005
10668	8246	6623	4929	8196	S355	20 1.44e+005
10669	5258	8304	8274	6056	S355	20 2.079e+005
10670	8304	8305	8275	8274	S355	20 2.079e+005
10671	8305	8303	8273	8275	S355	20 2.079e+005
10672	8303	8302	8272	8273	S355	20 2.081e+005
10673	8302	8301	8271	8272	S355	20 2.081e+005
10674	8301	5601	6742	8271	S355	20 2.081e+005
10675	6056	8274	9718	8548	S355	20 5.491e+005
10676	8274	8275	9720	9718	S355	20 5.492e+005
10677	8275	8273	9722	9720	S355	20 5.491e+005
10678	8273	8272	9724	9722	S355	20 5.495e+005
10679	8272	8271	9726	9724	S355	20 5.495e+005
10680	8271	6742	9234	9726	S355	20 5.495e+005
10681	6057	8244	8194	4526	S355	20 1.439e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
10682	8244	8245	8195	8194	S355	20 1.44e+005
10683	8245	8243	8193	8195	S355	20 1.44e+005
10684	8243	8242	8192	8193	S355	20 1.441e+005
10685	8242	8241	8191	8192	S355	20 1.44e+005
10686	8241	6743	4865	8191	S355	20 1.441e+005
10687	5318	8300	8270	6176	S355	20 2.08e+005
10688	8300	8299	8269	8270	S355	20 2.08e+005
10689	8299	8298	8268	8269	S355	20 2.08e+005
10690	8298	8297	8267	8268	S355	20 2.08e+005
10691	8297	8296	8266	8267	S355	20 2.08e+005
10692	8296	5661	6862	8266	S355	20 2.08e+005
10693	6176	8270	9728	8668	S355	20 5.494e+005
10694	8270	8269	9730	9728	S355	20 5.494e+005
10695	8269	8268	9732	9730	S355	20 5.494e+005
10696	8268	8267	9734	9732	S355	20 5.494e+005
10697	8267	8266	9736	9734	S355	20 5.494e+005
10698	8266	6862	9354	9736	S355	20 5.494e+005
10699	6177	8240	8190	4461	S355	20 1.44e+005
10700	8240	8239	8189	8190	S355	20 1.44e+005
10701	8239	8238	8188	8189	S355	20 1.44e+005
10702	8238	8237	8187	8188	S355	20 1.44e+005
10703	8237	8236	8186	8187	S355	20 1.44e+005
10704	8236	6863	4808	8186	S355	20 1.44e+005
10705	5378	8314	8284	6296	S355	20 2.081e+005
10706	8314	8315	8285	8284	S355	20 2.081e+005
10707	8315	8311	8281	8285	S355	20 2.081e+005
10708	8311	8312	8282	8281	S355	20 2.08e+005
10709	8312	8313	8283	8282	S355	20 2.08e+005
10710	8313	5721	6982	8283	S355	20 2.08e+005
10711	6296	8284	9738	8788	S355	20 5.496e+005
10712	8284	8285	9740	9738	S355	20 5.496e+005
10713	8285	8281	9742	9740	S355	20 5.496e+005
10714	8281	8282	9744	9742	S355	20 5.493e+005
10715	8282	8283	9746	9744	S355	20 5.492e+005
10716	8283	6982	9474	9746	S355	20 5.493e+005
10717	6297	8254	8209	4691	S355	20 1.441e+005
10718	8254	8255	8210	8209	S355	20 1.441e+005
10719	8255	8251	8206	8210	S355	20 1.441e+005
10720	8251	8252	8207	8206	S355	20 1.44e+005
10721	8252	8253	8208	8207	S355	20 1.44e+005
10722	8253	6983	5034	8208	S355	20 1.44e+005
10723	5438	8319	8289	6416	S355	20 2.08e+005
10724	8319	8320	8290	8289	S355	20 2.08e+005
10725	8320	8316	8286	8290	S355	20 2.08e+005
10726	8316	8317	8287	8286	S355	20 2.08e+005
10727	8317	8318	8288	8287	S355	20 2.08e+005
10728	8318	5782	7100	8288	S355	20 2.08e+005
10729	6416	8289	9748	8908	S355	20 5.493e+005
10730	8289	8290	9750	9748	S355	20 5.493e+005
10731	8290	8286	9752	9750	S355	20 5.493e+005
10732	8286	8287	9754	9752	S355	20 5.493e+005
10733	8287	8288	9756	9754	S355	20 5.493e+005
10734	8288	7100	9592	9756	S355	20 5.493e+005
10735	6417	8259	8214	4751	S355	20 1.44e+005
10736	8259	8260	8215	8214	S355	20 1.44e+005
10737	8260	8256	8211	8215	S355	20 1.44e+005
10738	8256	8257	8212	8211	S355	20 1.44e+005
10739	8257	8258	8213	8212	S355	20 1.44e+005
10740	8258	7101	5090	8213	S355	20 1.44e+005
10741	5488	8324	8294	6516	S355	20 2.08e+005
10742	8324	8325	8295	8294	S355	20 2.08e+005
10743	8325	8321	8291	8295	S355	20 2.08e+005
10744	8321	8322	8292	8291	S355	20 2.08e+005
10745	8322	8323	8293	8292	S355	20 2.08e+005
10746	8323	5832	7200	8293	S355	20 2.08e+005
10747	6516	8294	9758	9008	S355	20 5.493e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

10748	8294	8295	9760	9758	S355	20	5.493e+005
10749	8295	8291	9762	9760	S355	20	5.493e+005
10750	8291	8292	9764	9762	S355	20	5.493e+005
10751	8292	8293	9766	9764	S355	20	5.493e+005
10752	8293	7200	9692	9766	S355	20	5.493e+005
10753	6517	8264	8219	4801	S355	20	1.44e+005
10754	8264	8265	8220	8219	S355	20	1.44e+005
10755	8265	8261	8216	8220	S355	20	1.44e+005
10756	8261	8262	8217	8216	S355	20	1.44e+005
10757	8262	8263	8218	8217	S355	20	1.44e+005
10758	8263	7201	5140	8218	S355	20	1.44e+005
10795	8326	8327	8329	8328	S355	16	4.121e+005
10796	8328	8329	5837	5836	S355	16	4.121e+005
10797	8327	8330	8331	8329	S355	16	5.045e+005
10798	8329	8331	5839	5837	S355	16	5.045e+005
10799	8330	8332	8333	8331	S355	16	5.044e+005
10800	8331	8333	5841	5839	S355	16	5.044e+005
10801	8332	8334	8335	8333	S355	16	5.05e+005
10802	8333	8335	5843	5841	S355	16	5.05e+005
10803	8334	8336	8337	8335	S355	16	5.036e+005
10804	8335	8337	5845	5843	S355	16	5.036e+005
10807	8336	8338	8339	8337	S355	16	5.031e+005
10808	8337	8339	5847	5845	S355	16	5.031e+005
10809	8338	8340	8341	8339	S355	16	5.478e+005
10810	8339	8341	5849	5847	S355	16	5.478e+005
10811	8340	8342	8343	8341	S355	16	5.477e+005
10812	8341	8343	5851	5849	S355	16	5.477e+005
10813	8342	8344	8345	8343	S355	16	5.477e+005
10814	8343	8345	5853	5851	S355	16	5.477e+005
10815	8344	8346	8347	8345	S355	16	5.478e+005
10816	8345	8347	5855	5853	S355	16	5.478e+005
10819	8346	8348	8349	8347	S355	16	5.477e+005
10820	8347	8349	5857	5855	S355	16	5.477e+005
10821	8348	8350	8351	8349	S355	16	5.488e+005
10822	8349	8351	5859	5857	S355	16	5.488e+005
10823	8350	8352	8353	8351	S355	16	5.487e+005
10824	8351	8353	5861	5859	S355	16	5.487e+005
10825	8352	8354	8355	8353	S355	16	5.487e+005
10826	8353	8355	5863	5861	S355	16	5.487e+005
10827	8354	8356	8357	8355	S355	14	5.488e+005
10828	8355	8357	5865	5863	S355	14	5.488e+005
10831	8356	8358	8359	8357	S355	14	5.487e+005
10832	8357	8359	5867	5865	S355	14	5.487e+005
10833	8358	8360	8361	8359	S355	14	5.488e+005
10834	8359	8361	5869	5867	S355	14	5.488e+005
10835	8360	8362	8363	8361	S355	14	5.489e+005
10836	8361	8363	5871	5869	S355	14	5.489e+005
10837	8362	8364	8365	8363	S355	14	5.488e+005
10838	8363	8365	5873	5871	S355	14	5.488e+005
10839	8364	8366	8367	8365	S355	14	5.488e+005
10840	8365	8367	5875	5873	S355	14	5.488e+005
10843	8366	8368	8369	8367	S355	14	5.488e+005
10844	8367	8369	5877	5875	S355	14	5.488e+005
10845	8368	8370	8371	8369	S355	14	5.49e+005
10846	8369	8371	5879	5877	S355	14	5.49e+005
10847	8370	8372	8373	8371	S355	14	5.496e+005
10848	8371	8373	5881	5879	S355	14	5.496e+005
10849	8372	8374	8375	8373	S355	14	5.507e+005
10850	8373	8375	5883	5881	S355	14	5.507e+005
10851	8374	8376	8377	8375	S355	14	5.497e+005
10852	8375	8377	5885	5883	S355	14	5.497e+005
10855	8376	8378	8379	8377	S355	14	5.499e+005
10856	8377	8379	5887	5885	S355	14	5.499e+005
10857	8378	8380	8381	8379	S355	14	5.649e+005
10858	8379	8381	5889	5887	S355	14	5.649e+005
10859	8380	8382	8383	8381	S355	14	5.649e+005


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	
10860	8381	8383	5891	5889	S355	14	5.649e+005
10861	8382	8384	8385	8383	S355	14	5.648e+005
10862	8383	8385	5893	5891	S355	14	5.648e+005
10863	8384	8386	8387	8385	S355	16	5.648e+005
10864	8385	8387	5895	5893	S355	16	5.648e+005
10867	8386	8388	8389	8387	S355	16	5.648e+005
10868	8387	8389	5897	5895	S355	16	5.648e+005
10869	8388	8390	8391	8389	S355	16	5.649e+005
10870	8389	8391	5899	5897	S355	16	5.649e+005
10871	8390	8392	8393	8391	S355	16	5.65e+005
10872	8391	8393	5901	5899	S355	16	5.65e+005
10873	8392	8394	8395	8393	S355	16	5.649e+005
10874	8393	8395	5903	5901	S355	16	5.649e+005
10875	8394	8396	8397	8395	S355	16	5.65e+005
10876	8395	8397	5905	5903	S355	16	5.65e+005
10879	8396	8398	8399	8397	S355	16	5.649e+005
10880	8397	8399	5907	5905	S355	16	5.649e+005
10881	8398	8400	8401	8399	S355	16	5.647e+005
10882	8399	8401	5909	5907	S355	16	5.647e+005
10883	8400	8402	8403	8401	S355	16	5.647e+005
10884	8401	8403	5911	5909	S355	16	5.647e+005
10885	8402	8404	8405	8403	S355	16	5.648e+005
10886	8403	8405	5913	5911	S355	16	5.648e+005
10887	8404	8406	8407	8405	S355	16	5.648e+005
10888	8405	8407	5915	5913	S355	16	5.648e+005
10891	8406	8408	8409	8407	S355	16	5.647e+005
10892	8407	8409	5917	5915	S355	16	5.647e+005
10893	8408	8410	8411	8409	S355	16	5.648e+005
10894	8409	8411	5919	5917	S355	16	5.648e+005
10895	8410	8412	8413	8411	S355	16	5.647e+005
10896	8411	8413	5921	5919	S355	16	5.647e+005
10897	8412	8414	8415	8413	S355	16	5.648e+005
10898	8413	8415	5923	5921	S355	16	5.648e+005
10899	8414	8416	8417	8415	S355	18	5.648e+005
10900	8415	8417	5925	5923	S355	18	5.648e+005
10903	8416	8418	8419	8417	S355	18	5.648e+005
10904	8417	8419	5927	5925	S355	18	5.648e+005
10905	8418	8420	8421	8419	S355	18	5.622e+005
10906	8419	8421	5929	5927	S355	18	5.622e+005
10907	8420	8422	8423	8421	S355	18	5.622e+005
10908	8421	8423	5931	5929	S355	18	5.622e+005
10909	8422	8424	8425	8423	S355	18	5.622e+005
10910	8423	8425	5933	5931	S355	18	5.622e+005
10911	8424	8426	8427	8425	S355	18	5.622e+005
10912	8425	8427	5935	5933	S355	18	5.622e+005
10913	8426	8428	8429	8427	S355	18	5.622e+005
10914	8427	8429	5937	5935	S355	18	5.622e+005
10915	8428	8430	8431	8429	S355	18	5.673e+005
10916	8429	8431	5939	5937	S355	18	5.673e+005
10917	8430	8432	8433	8431	S355	18	5.674e+005
10918	8431	8433	5941	5939	S355	18	5.674e+005
10919	8432	8434	8435	8433	S355	18	5.673e+005
10920	8433	8435	5943	5941	S355	18	5.673e+005
10921	8434	8436	8437	8435	S355	18	5.673e+005
10922	8435	8437	5945	5943	S355	18	5.673e+005
10925	8436	8438	8439	8437	S355	18	5.674e+005
10926	8437	8439	5947	5945	S355	18	5.674e+005
10927	8438	8440	8441	8439	S355	18	5.948e+005
10928	8439	8441	5949	5947	S355	18	5.948e+005
10929	8440	8442	8443	8441	S355	18	5.949e+005
10930	8441	8443	5951	5949	S355	18	5.949e+005
10931	8442	8444	8445	8443	S355	18	5.948e+005
10932	8443	8445	5953	5951	S355	18	5.948e+005
10933	8444	8446	8447	8445	S355	16	5.949e+005
10934	8445	8447	5955	5953	S355	16	5.949e+005
10937	8446	8448	8449	8447	S355	16	5.949e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
10938	8447	8449	5957	5955	S355	16 5.949e+005
10939	8448	8450	8451	8449	S355	16 5.948e+005
10940	8449	8451	5959	5957	S355	16 5.948e+005
10941	8450	8452	8453	8451	S355	16 5.948e+005
10942	8451	8453	5961	5959	S355	16 5.948e+005
10943	8452	8454	8455	8453	S355	16 5.949e+005
10944	8453	8455	5963	5961	S355	16 5.949e+005
10945	8454	8456	8457	8455	S355	16 5.948e+005
10946	8455	8457	5965	5963	S355	16 5.948e+005
10949	8456	8458	8459	8457	S355	16 5.949e+005
10950	8457	8459	5967	5965	S355	16 5.949e+005
10951	8458	8460	8461	8459	S355	16 5.949e+005
10952	8459	8461	5969	5967	S355	16 5.949e+005
10953	8460	8462	8463	8461	S355	16 5.948e+005
10954	8461	8463	5971	5969	S355	16 5.948e+005
10955	8462	8464	8465	8463	S355	16 5.949e+005
10956	8463	8465	5973	5971	S355	16 5.949e+005
10957	8464	8466	8467	8465	S355	16 5.948e+005
10958	8465	8467	5975	5973	S355	16 5.948e+005
10961	8466	8468	8469	8467	S355	16 5.949e+005
10962	8467	8469	5977	5975	S355	16 5.949e+005
10963	8468	8470	8471	8469	S355	16 5.949e+005
10964	8469	8471	5979	5977	S355	16 5.949e+005
10965	8470	8472	8473	8471	S355	16 5.948e+005
10966	8471	8473	5981	5979	S355	16 5.948e+005
10967	8472	8474	8475	8473	S355	14 5.948e+005
10968	8473	8475	5983	5981	S355	14 5.948e+005
10969	8474	8476	8477	8475	S355	14 5.948e+005
10970	8475	8477	5985	5983	S355	14 5.948e+005
10973	8476	8478	8479	8477	S355	14 5.949e+005
10974	8477	8479	5987	5985	S355	14 5.949e+005
10975	8478	8480	8481	8479	S355	14 5.948e+005
10976	8479	8481	5989	5987	S355	14 5.948e+005
10977	8480	8482	8483	8481	S355	14 5.949e+005
10978	8481	8483	5991	5989	S355	14 5.949e+005
10979	8482	8484	8485	8483	S355	14 5.949e+005
10980	8483	8485	5993	5991	S355	14 5.949e+005
10981	8484	8486	8487	8485	S355	14 5.948e+005
10982	8485	8487	5995	5993	S355	14 5.948e+005
10985	8486	8488	8489	8487	S355	14 5.948e+005
10986	8487	8489	5997	5995	S355	14 5.948e+005
10987	8488	8490	8491	8489	S355	14 5.948e+005
10988	8489	8491	5999	5997	S355	14 5.948e+005
10989	8490	8492	8493	8491	S355	14 5.949e+005
10990	8491	8493	6001	5999	S355	14 5.949e+005
10991	8492	8494	8495	8493	S355	14 5.948e+005
10992	8493	8495	6003	6001	S355	14 5.948e+005
10993	8494	8496	8497	8495	S355	14 5.949e+005
10994	8495	8497	6005	6003	S355	14 5.949e+005
10997	8496	8498	8499	8497	S355	14 5.948e+005
10998	8497	8499	6007	6005	S355	14 5.948e+005
10999	8498	8500	8501	8499	S355	14 5.949e+005
11000	8499	8501	6009	6007	S355	14 5.949e+005
11001	8500	8502	8503	8501	S355	14 5.949e+005
11002	8501	8503	6011	6009	S355	14 5.949e+005
11003	8502	8504	8505	8503	S355	14 5.949e+005
11004	8503	8505	6013	6011	S355	14 5.949e+005
11005	8504	8506	8507	8505	S355	16 5.949e+005
11006	8505	8507	6015	6013	S355	16 5.949e+005
11009	8506	8508	8509	8507	S355	16 5.949e+005
11010	8507	8509	6017	6015	S355	16 5.949e+005
11011	8508	8510	8511	8509	S355	16 5.948e+005
11012	8509	8511	6019	6017	S355	16 5.948e+005
11013	8510	8512	8513	8511	S355	16 5.948e+005
11014	8511	8513	6021	6019	S355	16 5.948e+005
11015	8512	8514	8515	8513	S355	16 5.948e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11016	8513	8515	6023	6021	S355	16 5.948e+005
11017	8514	8516	8517	8515	S355	16 5.948e+005
11018	8515	8517	6025	6023	S355	16 5.948e+005
11021	8516	8518	8519	8517	S355	16 5.948e+005
11022	8517	8519	6027	6025	S355	16 5.948e+005
11023	8518	8520	8521	8519	S355	16 5.95e+005
11024	8519	8521	6029	6027	S355	16 5.95e+005
11025	8520	8522	8523	8521	S355	16 5.948e+005
11026	8521	8523	6031	6029	S355	16 5.948e+005
11027	8522	8524	8525	8523	S355	16 5.954e+005
11028	8523	8525	6033	6031	S355	16 5.954e+005
11029	8524	8526	8527	8525	S355	16 5.964e+005
11030	8525	8527	6035	6033	S355	16 5.964e+005
11033	8526	8528	8529	8527	S355	16 5.923e+005
11034	8527	8529	6037	6035	S355	16 5.923e+005
11035	8528	8530	8531	8529	S355	16 5.922e+005
11036	8529	8531	6039	6037	S355	16 5.922e+005
11037	8530	8532	8533	8531	S355	16 5.963e+005
11038	8531	8533	6041	6039	S355	16 5.963e+005
11039	8532	8534	8535	8533	S355	16 5.954e+005
11040	8533	8535	6043	6041	S355	16 5.954e+005
11041	8534	8536	8537	8535	S355	18 5.949e+005
11042	8535	8537	6045	6043	S355	18 5.949e+005
11045	8536	8538	8539	8537	S355	18 5.951e+005
11046	8537	8539	6047	6045	S355	18 5.951e+005
11047	8538	8540	8541	8539	S355	18 5.663e+005
11048	8539	8541	6049	6047	S355	18 5.663e+005
11049	8540	8542	8543	8541	S355	18 5.663e+005
11050	8541	8543	6051	6049	S355	18 5.663e+005
11051	8542	8544	8545	8543	S355	18 5.662e+005
11052	8543	8545	6053	6051	S355	18 5.662e+005
11053	8544	8546	8547	8545	S355	18 5.663e+005
11054	8545	8547	6055	6053	S355	18 5.663e+005
11055	8546	8548	8549	8547	S355	18 5.662e+005
11056	8547	8549	6057	6055	S355	18 5.662e+005
11057	8548	8550	8551	8549	S355	18 5.666e+005
11058	8549	8551	6059	6057	S355	18 5.666e+005
11059	8550	8552	8553	8551	S355	18 5.666e+005
11060	8551	8553	6061	6059	S355	18 5.666e+005
11061	8552	8554	8555	8553	S355	18 5.666e+005
11062	8553	8555	6063	6061	S355	18 5.666e+005
11063	8554	8556	8557	8555	S355	18 5.666e+005
11064	8555	8557	6065	6063	S355	18 5.666e+005
11067	8556	8558	8559	8557	S355	18 5.665e+005
11068	8557	8559	6067	6065	S355	18 5.665e+005
11069	8558	8560	8561	8559	S355	18 5.947e+005
11070	8559	8561	6069	6067	S355	18 5.947e+005
11071	8560	8562	8563	8561	S355	18 5.946e+005
11072	8561	8563	6071	6069	S355	18 5.946e+005
11073	8562	8564	8565	8563	S355	16 5.947e+005
11074	8563	8565	6073	6071	S355	16 5.947e+005
11075	8564	8566	8567	8565	S355	16 5.946e+005
11076	8565	8567	6075	6073	S355	16 5.946e+005
11079	8566	8568	8569	8567	S355	16 5.947e+005
11080	8567	8569	6077	6075	S355	16 5.947e+005
11081	8568	8570	8571	8569	S355	16 5.947e+005
11082	8569	8571	6079	6077	S355	16 5.947e+005
11083	8570	8572	8573	8571	S355	16 5.947e+005
11084	8571	8573	6081	6079	S355	16 5.947e+005
11085	8572	8574	8575	8573	S355	16 5.948e+005
11086	8573	8575	6083	6081	S355	16 5.948e+005
11087	8574	8576	8577	8575	S355	16 5.948e+005
11088	8575	8577	6085	6083	S355	16 5.948e+005
11091	8576	8578	8579	8577	S355	16 5.947e+005
11092	8577	8579	6087	6085	S355	16 5.947e+005
11093	8578	8580	8581	8579	S355	16 5.948e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11094	8579	8581	6089	6087	S355	16 5.948e+005
11095	8580	8582	8583	8581	S355	16 5.949e+005
11096	8581	8583	6091	6089	S355	16 5.949e+005
11097	8582	8584	8585	8583	S355	16 5.948e+005
11098	8583	8585	6093	6091	S355	16 5.948e+005
11099	8584	8586	8587	8585	S355	16 5.948e+005
11100	8585	8587	6095	6093	S355	16 5.948e+005
11103	8586	8588	8589	8587	S355	16 5.948e+005
11104	8587	8589	6097	6095	S355	16 5.948e+005
11105	8588	8590	8591	8589	S355	16 5.949e+005
11106	8589	8591	6099	6097	S355	16 5.949e+005
11107	8590	8592	8593	8591	S355	16 5.949e+005
11108	8591	8593	6101	6099	S355	16 5.949e+005
11109	8592	8594	8595	8593	S355	14 5.949e+005
11110	8593	8595	6103	6101	S355	14 5.949e+005
11111	8594	8596	8597	8595	S355	14 5.949e+005
11112	8595	8597	6105	6103	S355	14 5.949e+005
11115	8596	8598	8599	8597	S355	14 5.948e+005
11116	8597	8599	6107	6105	S355	14 5.948e+005
11117	8598	8600	8601	8599	S355	14 5.949e+005
11118	8599	8601	6109	6107	S355	14 5.949e+005
11119	8600	8602	8603	8601	S355	14 5.949e+005
11120	8601	8603	6111	6109	S355	14 5.949e+005
11121	8602	8604	8605	8603	S355	14 5.949e+005
11122	8603	8605	6113	6111	S355	14 5.949e+005
11123	8604	8606	8607	8605	S355	14 5.949e+005
11124	8605	8607	6115	6113	S355	14 5.949e+005
11127	8606	8608	8609	8607	S355	14 5.948e+005
11128	8607	8609	6117	6115	S355	14 5.948e+005
11129	8608	8610	8611	8609	S355	14 5.949e+005
11130	8609	8611	6119	6117	S355	14 5.949e+005
11131	8610	8612	8613	8611	S355	14 5.949e+005
11132	8611	8613	6121	6119	S355	14 5.949e+005
11133	8612	8614	8615	8613	S355	14 5.949e+005
11134	8613	8615	6123	6121	S355	14 5.949e+005
11135	8614	8616	8617	8615	S355	14 5.948e+005
11136	8615	8617	6125	6123	S355	14 5.948e+005
11139	8616	8618	8619	8617	S355	14 5.949e+005
11140	8617	8619	6127	6125	S355	14 5.949e+005
11141	8618	8620	8621	8619	S355	14 5.949e+005
11142	8619	8621	6129	6127	S355	14 5.949e+005
11143	8620	8622	8623	8621	S355	14 5.949e+005
11144	8621	8623	6131	6129	S355	14 5.949e+005
11145	8622	8624	8625	8623	S355	14 5.948e+005
11146	8623	8625	6133	6131	S355	14 5.948e+005
11147	8624	8626	8627	8625	S355	16 5.949e+005
11148	8625	8627	6135	6133	S355	16 5.949e+005
11151	8626	8628	8629	8627	S355	16 5.948e+005
11152	8627	8629	6137	6135	S355	16 5.948e+005
11153	8628	8630	8631	8629	S355	16 5.948e+005
11154	8629	8631	6139	6137	S355	16 5.948e+005
11155	8630	8632	8633	8631	S355	16 5.949e+005
11156	8631	8633	6141	6139	S355	16 5.949e+005
11157	8632	8634	8635	8633	S355	16 5.948e+005
11158	8633	8635	6143	6141	S355	16 5.948e+005
11159	8634	8636	8637	8635	S355	16 5.948e+005
11160	8635	8637	6145	6143	S355	16 5.948e+005
11163	8636	8638	8639	8637	S355	16 5.949e+005
11164	8637	8639	6147	6145	S355	16 5.949e+005
11165	8638	8640	8641	8639	S355	16 5.947e+005
11166	8639	8641	6149	6147	S355	16 5.947e+005
11167	8640	8642	8643	8641	S355	16 5.948e+005
11168	8641	8643	6151	6149	S355	16 5.948e+005
11169	8642	8644	8645	8643	S355	16 5.948e+005
11170	8643	8645	6153	6151	S355	16 5.948e+005
11171	8644	8646	8647	8645	S355	16 5.947e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11172	8645	8647	6155	6153	S355	16 5.947e+005
11175	8646	8648	8649	8647	S355	16 5.947e+005
11176	8647	8649	6157	6155	S355	16 5.947e+005
11177	8648	8650	8651	8649	S355	16 5.948e+005
11178	8649	8651	6159	6157	S355	16 5.948e+005
11179	8650	8652	8653	8651	S355	16 5.948e+005
11180	8651	8653	6161	6159	S355	16 5.948e+005
11181	8652	8654	8655	8653	S355	16 5.948e+005
11182	8653	8655	6163	6161	S355	16 5.948e+005
11183	8654	8656	8657	8655	S355	18 5.948e+005
11184	8655	8657	6165	6163	S355	18 5.948e+005
11187	8656	8658	8659	8657	S355	18 5.948e+005
11188	8657	8659	6167	6165	S355	18 5.948e+005
11189	8658	8660	8661	8659	S355	18 5.605e+005
11190	8659	8661	6169	6167	S355	18 5.605e+005
11191	8660	8662	8663	8661	S355	18 5.605e+005
11192	8661	8663	6171	6169	S355	18 5.605e+005
11193	8662	8664	8665	8663	S355	18 5.606e+005
11194	8663	8665	6173	6171	S355	18 5.606e+005
11195	8664	8666	8667	8665	S355	18 5.606e+005
11196	8665	8667	6175	6173	S355	18 5.606e+005
11197	8666	8668	8669	8667	S355	18 5.605e+005
11198	8667	8669	6177	6175	S355	18 5.605e+005
11199	8668	8670	8671	8669	S355	18 5.727e+005
11200	8669	8671	6179	6177	S355	18 5.727e+005
11201	8670	8672	8673	8671	S355	18 5.727e+005
11202	8671	8673	6181	6179	S355	18 5.727e+005
11203	8672	8674	8675	8673	S355	18 5.727e+005
11204	8673	8675	6183	6181	S355	18 5.727e+005
11205	8674	8676	8677	8675	S355	18 5.727e+005
11206	8675	8677	6185	6183	S355	18 5.727e+005
11209	8676	8678	8679	8677	S355	18 5.727e+005
11210	8677	8679	6187	6185	S355	18 5.727e+005
11211	8678	8680	8681	8679	S355	18 5.949e+005
11212	8679	8681	6189	6187	S355	18 5.949e+005
11213	8680	8682	8683	8681	S355	18 5.949e+005
11214	8681	8683	6191	6189	S355	18 5.949e+005
11215	8682	8684	8685	8683	S355	16 5.949e+005
11216	8683	8685	6193	6191	S355	16 5.949e+005
11217	8684	8686	8687	8685	S355	16 5.949e+005
11218	8685	8687	6195	6193	S355	16 5.949e+005
11221	8686	8688	8689	8687	S355	16 5.949e+005
11222	8687	8689	6197	6195	S355	16 5.949e+005
11223	8688	8690	8691	8689	S355	16 5.949e+005
11224	8689	8691	6199	6197	S355	16 5.949e+005
11225	8690	8692	8693	8691	S355	16 5.949e+005
11226	8691	8693	6201	6199	S355	16 5.949e+005
11227	8692	8694	8695	8693	S355	16 5.949e+005
11228	8693	8695	6203	6201	S355	16 5.949e+005
11229	8694	8696	8697	8695	S355	16 5.949e+005
11230	8695	8697	6205	6203	S355	16 5.949e+005
11233	8696	8698	8699	8697	S355	16 5.949e+005
11234	8697	8699	6207	6205	S355	16 5.949e+005
11235	8698	8700	8701	8699	S355	16 5.949e+005
11236	8699	8701	6209	6207	S355	16 5.949e+005
11237	8700	8702	8703	8701	S355	16 5.949e+005
11238	8701	8703	6211	6209	S355	16 5.949e+005
11239	8702	8704	8705	8703	S355	16 5.949e+005
11240	8703	8705	6213	6211	S355	16 5.949e+005
11241	8704	8706	8707	8705	S355	16 5.949e+005
11242	8705	8707	6215	6213	S355	16 5.949e+005
11245	8706	8708	8709	8707	S355	16 5.949e+005
11246	8707	8709	6217	6215	S355	16 5.949e+005
11247	8708	8710	8711	8709	S355	16 5.949e+005
11248	8709	8711	6219	6217	S355	16 5.949e+005
11249	8710	8712	8713	8711	S355	16 5.949e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11250	8711	8713	6221	6219	S355	16 5.949e+005
11251	8712	8714	8715	8713	S355	14 5.949e+005
11252	8713	8715	6223	6221	S355	14 5.949e+005
11253	8714	8716	8717	8715	S355	14 5.949e+005
11254	8715	8717	6225	6223	S355	14 5.949e+005
11257	8716	8718	8719	8717	S355	14 5.949e+005
11258	8717	8719	6227	6225	S355	14 5.949e+005
11259	8718	8720	8721	8719	S355	14 5.95e+005
11260	8719	8721	6229	6227	S355	14 5.95e+005
11261	8720	8722	8723	8721	S355	14 5.951e+005
11262	8721	8723	6231	6229	S355	14 5.951e+005
11263	8722	8724	8725	8723	S355	14 5.951e+005
11264	8723	8725	6233	6231	S355	14 5.951e+005
11265	8724	8726	8727	8725	S355	14 5.951e+005
11266	8725	8727	6235	6233	S355	14 5.951e+005
11269	8726	8728	8729	8727	S355	14 5.951e+005
11270	8727	8729	6237	6235	S355	14 5.951e+005
11271	8728	8730	8731	8729	S355	14 5.947e+005
11272	8729	8731	6239	6237	S355	14 5.947e+005
11273	8730	8732	8733	8731	S355	14 5.947e+005
11274	8731	8733	6241	6239	S355	14 5.947e+005
11275	8732	8734	8735	8733	S355	14 5.947e+005
11276	8733	8735	6243	6241	S355	14 5.947e+005
11277	8734	8736	8737	8735	S355	14 5.947e+005
11278	8735	8737	6245	6243	S355	14 5.947e+005
11281	8736	8738	8739	8737	S355	14 5.947e+005
11282	8737	8739	6247	6245	S355	14 5.947e+005
11283	8738	8740	8741	8739	S355	14 5.948e+005
11284	8739	8741	6249	6247	S355	14 5.948e+005
11285	8740	8742	8743	8741	S355	14 5.949e+005
11286	8741	8743	6251	6249	S355	14 5.949e+005
11287	8742	8744	8745	8743	S355	14 5.949e+005
11288	8743	8745	6253	6251	S355	14 5.949e+005
11289	8744	8746	8747	8745	S355	16 5.949e+005
11290	8745	8747	6255	6253	S355	16 5.949e+005
11293	8746	8748	8749	8747	S355	16 5.949e+005
11294	8747	8749	6257	6255	S355	16 5.949e+005
11295	8748	8750	8751	8749	S355	16 5.949e+005
11296	8749	8751	6259	6257	S355	16 5.949e+005
11297	8750	8752	8753	8751	S355	16 5.949e+005
11298	8751	8753	6261	6259	S355	16 5.949e+005
11299	8752	8754	8755	8753	S355	16 5.949e+005
11300	8753	8755	6263	6261	S355	16 5.949e+005
11301	8754	8756	8757	8755	S355	16 5.949e+005
11302	8755	8757	6265	6263	S355	16 5.949e+005
11305	8756	8758	8759	8757	S355	16 5.949e+005
11306	8757	8759	6267	6265	S355	16 5.949e+005
11307	8758	8760	8761	8759	S355	16 5.949e+005
11308	8759	8761	6269	6267	S355	16 5.949e+005
11309	8760	8762	8763	8761	S355	16 5.949e+005
11310	8761	8763	6271	6269	S355	16 5.949e+005
11311	8762	8764	8765	8763	S355	16 5.949e+005
11312	8763	8765	6273	6271	S355	16 5.949e+005
11313	8764	8766	8767	8765	S355	16 5.949e+005
11314	8765	8767	6275	6273	S355	16 5.949e+005
11317	8766	8768	8769	8767	S355	16 5.949e+005
11318	8767	8769	6277	6275	S355	16 5.949e+005
11319	8768	8770	8771	8769	S355	16 5.949e+005
11320	8769	8771	6279	6277	S355	16 5.949e+005
11321	8770	8772	8773	8771	S355	16 5.949e+005
11322	8771	8773	6281	6279	S355	16 5.949e+005
11323	8772	8774	8775	8773	S355	16 5.949e+005
11324	8773	8775	6283	6281	S355	16 5.949e+005
11325	8774	8776	8777	8775	S355	18 5.949e+005
11326	8775	8777	6285	6283	S355	18 5.949e+005
11329	8776	8778	8779	8777	S355	18 5.949e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11330	8777	8779	6287	6285	S355	18 5.949e+005
11331	8778	8780	8781	8779	S355	18 5.607e+005
11332	8779	8781	6289	6287	S355	18 5.607e+005
11333	8780	8782	8783	8781	S355	18 5.606e+005
11334	8781	8783	6291	6289	S355	18 5.606e+005
11335	8782	8784	8785	8783	S355	18 5.607e+005
11336	8783	8785	6293	6291	S355	18 5.607e+005
11337	8784	8786	8787	8785	S355	18 5.606e+005
11338	8785	8787	6295	6293	S355	18 5.606e+005
11339	8786	8788	8789	8787	S355	18 5.606e+005
11340	8787	8789	6297	6295	S355	18 5.606e+005
11341	8788	8790	8791	8789	S355	18 5.725e+005
11342	8789	8791	6299	6297	S355	18 5.725e+005
11343	8790	8792	8793	8791	S355	18 5.724e+005
11344	8791	8793	6301	6299	S355	18 5.724e+005
11345	8792	8794	8795	8793	S355	18 5.725e+005
11346	8793	8795	6303	6301	S355	18 5.725e+005
11347	8794	8796	8797	8795	S355	18 5.724e+005
11348	8795	8797	6305	6303	S355	18 5.724e+005
11351	8796	8798	8799	8797	S355	18 5.724e+005
11352	8797	8799	6307	6305	S355	18 5.724e+005
11353	8798	8800	8801	8799	S355	18 5.945e+005
11354	8799	8801	6309	6307	S355	18 5.945e+005
11355	8800	8802	8803	8801	S355	18 5.944e+005
11356	8801	8803	6311	6309	S355	18 5.944e+005
11357	8802	8804	8805	8803	S355	16 5.945e+005
11358	8803	8805	6313	6311	S355	16 5.945e+005
11359	8804	8806	8807	8805	S355	16 5.944e+005
11360	8805	8807	6315	6313	S355	16 5.944e+005
11363	8806	8808	8809	8807	S355	16 5.944e+005
11364	8807	8809	6317	6315	S355	16 5.944e+005
11365	8808	8810	8811	8809	S355	16 5.944e+005
11366	8809	8811	6319	6317	S355	16 5.944e+005
11367	8810	8812	8813	8811	S355	16 5.944e+005
11368	8811	8813	6321	6319	S355	16 5.944e+005
11369	8812	8814	8815	8813	S355	16 5.945e+005
11370	8813	8815	6323	6321	S355	16 5.945e+005
11371	8814	8816	8817	8815	S355	16 5.944e+005
11372	8815	8817	6325	6323	S355	16 5.944e+005
11375	8816	8818	8819	8817	S355	16 5.944e+005
11376	8817	8819	6327	6325	S355	16 5.944e+005
11377	8818	8820	8821	8819	S355	16 5.944e+005
11378	8819	8821	6329	6327	S355	16 5.944e+005
11379	8820	8822	8823	8821	S355	16 5.945e+005
11380	8821	8823	6331	6329	S355	16 5.945e+005
11381	8822	8824	8825	8823	S355	16 5.944e+005
11382	8823	8825	6333	6331	S355	16 5.944e+005
11383	8824	8826	8827	8825	S355	16 5.945e+005
11384	8825	8827	6335	6333	S355	16 5.945e+005
11387	8826	8828	8829	8827	S355	16 5.944e+005
11388	8827	8829	6337	6335	S355	16 5.944e+005
11389	8828	8830	8831	8829	S355	16 5.944e+005
11390	8829	8831	6339	6337	S355	16 5.944e+005
11391	8830	8832	8833	8831	S355	16 5.944e+005
11392	8831	8833	6341	6339	S355	16 5.944e+005
11393	8832	8834	8835	8833	S355	14 5.945e+005
11394	8833	8835	6343	6341	S355	14 5.945e+005
11395	8834	8836	8837	8835	S355	14 5.944e+005
11396	8835	8837	6345	6343	S355	14 5.944e+005
11399	8836	8838	8839	8837	S355	14 5.945e+005
11400	8837	8839	6347	6345	S355	14 5.945e+005
11401	8838	8840	8841	8839	S355	14 5.945e+005
11402	8839	8841	6349	6347	S355	14 5.945e+005
11403	8840	8842	8843	8841	S355	14 5.944e+005
11404	8841	8843	6351	6349	S355	14 5.944e+005
11405	8842	8844	8845	8843	S355	14 5.944e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11406	8843	8845	6353	6351	S355	14 5.944e+005
11407	8844	8846	8847	8845	S355	14 5.945e+005
11408	8845	8847	6355	6353	S355	14 5.945e+005
11411	8846	8848	8849	8847	S355	14 5.944e+005
11412	8847	8849	6357	6355	S355	14 5.944e+005
11413	8848	8850	8851	8849	S355	14 5.944e+005
11414	8849	8851	6359	6357	S355	14 5.944e+005
11415	8850	8852	8853	8851	S355	14 5.945e+005
11416	8851	8853	6361	6359	S355	14 5.945e+005
11417	8852	8854	8855	8853	S355	14 5.944e+005
11418	8853	8855	6363	6361	S355	14 5.944e+005
11419	8854	8856	8857	8855	S355	14 5.944e+005
11420	8855	8857	6365	6363	S355	14 5.944e+005
11423	8856	8858	8859	8857	S355	14 5.944e+005
11424	8857	8859	6367	6365	S355	14 5.944e+005
11425	8858	8860	8861	8859	S355	14 5.944e+005
11426	8859	8861	6369	6367	S355	14 5.944e+005
11427	8860	8862	8863	8861	S355	14 5.945e+005
11428	8861	8863	6371	6369	S355	14 5.945e+005
11429	8862	8864	8865	8863	S355	14 5.944e+005
11430	8863	8865	6373	6371	S355	14 5.944e+005
11431	8864	8866	8867	8865	S355	16 5.944e+005
11432	8865	8867	6375	6373	S355	16 5.944e+005
11435	8866	8868	8869	8867	S355	16 5.945e+005
11436	8867	8869	6377	6375	S355	16 5.945e+005
11437	8868	8870	8871	8869	S355	16 5.944e+005
11438	8869	8871	6379	6377	S355	16 5.944e+005
11439	8870	8872	8873	8871	S355	16 5.944e+005
11440	8871	8873	6381	6379	S355	16 5.944e+005
11441	8872	8874	8875	8873	S355	16 5.945e+005
11442	8873	8875	6383	6381	S355	16 5.945e+005
11443	8874	8876	8877	8875	S355	16 5.944e+005
11444	8875	8877	6385	6383	S355	16 5.944e+005
11447	8876	8878	8879	8877	S355	16 5.944e+005
11448	8877	8879	6387	6385	S355	16 5.944e+005
11449	8878	8880	8881	8879	S355	16 5.944e+005
11450	8879	8881	6389	6387	S355	16 5.944e+005
11451	8880	8882	8883	8881	S355	16 5.944e+005
11452	8881	8883	6391	6389	S355	16 5.944e+005
11453	8882	8884	8885	8883	S355	16 5.945e+005
11454	8883	8885	6393	6391	S355	16 5.945e+005
11455	8884	8886	8887	8885	S355	16 5.944e+005
11456	8885	8887	6395	6393	S355	16 5.944e+005
11459	8886	8888	8889	8887	S355	16 5.945e+005
11460	8887	8889	6397	6395	S355	16 5.945e+005
11461	8888	8890	8891	8889	S355	16 5.944e+005
11462	8889	8891	6399	6397	S355	16 5.944e+005
11463	8890	8892	8893	8891	S355	16 5.945e+005
11464	8891	8893	6401	6399	S355	16 5.945e+005
11465	8892	8894	8895	8893	S355	16 5.944e+005
11466	8893	8895	6403	6401	S355	16 5.944e+005
11467	8894	8896	8897	8895	S355	18 5.944e+005
11468	8895	8897	6405	6403	S355	18 5.944e+005
11471	8896	8898	8899	8897	S355	18 5.944e+005
11472	8897	8899	6407	6405	S355	18 5.944e+005
11473	8898	8900	8901	8899	S355	18 5.646e+005
11474	8899	8901	6409	6407	S355	18 5.646e+005
11475	8900	8902	8903	8901	S355	18 5.645e+005
11476	8901	8903	6411	6409	S355	18 5.645e+005
11477	8902	8904	8905	8903	S355	18 5.646e+005
11478	8903	8905	6413	6411	S355	18 5.646e+005
11479	8904	8906	8907	8905	S355	18 5.645e+005
11480	8905	8907	6415	6413	S355	18 5.645e+005
11481	8906	8908	8909	8907	S355	18 5.646e+005
11482	8907	8909	6417	6415	S355	18 5.646e+005
11483	8908	8910	8911	8909	S355	18 5.629e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11484	8909	8911	6419	6417	S355	18 5.629e+005
11485	8910	8912	8913	8911	S355	18 5.63e+005
11486	8911	8913	6421	6419	S355	18 5.63e+005
11487	8912	8914	8915	8913	S355	18 5.63e+005
11488	8913	8915	6423	6421	S355	18 5.63e+005
11489	8914	8916	8917	8915	S355	18 5.63e+005
11490	8915	8917	6425	6423	S355	18 5.63e+005
11493	8916	8918	8919	8917	S355	18 5.63e+005
11494	8917	8919	6427	6425	S355	18 5.63e+005
11495	8918	8920	8921	8919	S355	18 5.618e+005
11496	8919	8921	6429	6427	S355	18 5.618e+005
11497	8920	8922	8923	8921	S355	18 5.618e+005
11498	8921	8923	6431	6429	S355	18 5.618e+005
11499	8922	8924	8925	8923	S355	16 5.618e+005
11500	8923	8925	6433	6431	S355	16 5.618e+005
11501	8924	8926	8927	8925	S355	16 5.617e+005
11502	8925	8927	6435	6433	S355	16 5.617e+005
11505	8926	8928	8929	8927	S355	16 5.618e+005
11506	8927	8929	6437	6435	S355	16 5.618e+005
11507	8928	8930	8931	8929	S355	16 5.619e+005
11508	8929	8931	6439	6437	S355	16 5.619e+005
11509	8930	8932	8933	8931	S355	16 5.618e+005
11510	8931	8933	6441	6439	S355	16 5.618e+005
11511	8932	8934	8935	8933	S355	16 5.618e+005
11512	8933	8935	6443	6441	S355	16 5.618e+005
11513	8934	8936	8937	8935	S355	16 5.619e+005
11514	8935	8937	6445	6443	S355	16 5.619e+005
11517	8936	8938	8939	8937	S355	16 5.618e+005
11518	8937	8939	6447	6445	S355	16 5.618e+005
11519	8938	8940	8941	8939	S355	16 5.619e+005
11520	8939	8941	6449	6447	S355	16 5.619e+005
11521	8940	8942	8943	8941	S355	16 5.619e+005
11522	8941	8943	6451	6449	S355	16 5.619e+005
11523	8942	8944	8945	8943	S355	16 5.619e+005
11524	8943	8945	6453	6451	S355	16 5.619e+005
11525	8944	8946	8947	8945	S355	16 5.619e+005
11526	8945	8947	6455	6453	S355	16 5.619e+005
11529	8946	8948	8949	8947	S355	16 5.619e+005
11530	8947	8949	6457	6455	S355	16 5.619e+005
11531	8948	8950	8951	8949	S355	16 5.582e+005
11532	8949	8951	6459	6457	S355	16 5.582e+005
11533	8950	8952	8953	8951	S355	16 5.581e+005
11534	8951	8953	6461	6459	S355	16 5.581e+005
11535	8952	8954	8955	8953	S355	14 5.581e+005
11536	8953	8955	6463	6461	S355	14 5.581e+005
11537	8954	8956	8957	8955	S355	14 5.582e+005
11538	8955	8957	6465	6463	S355	14 5.582e+005
11541	8956	8958	8959	8957	S355	14 5.581e+005
11542	8957	8959	6467	6465	S355	14 5.581e+005
11543	8958	8960	8961	8959	S355	14 5.566e+005
11544	8959	8961	6469	6467	S355	14 5.566e+005
11545	8960	8962	8963	8961	S355	14 5.566e+005
11546	8961	8963	6471	6469	S355	14 5.566e+005
11547	8962	8964	8965	8963	S355	14 5.566e+005
11548	8963	8965	6473	6471	S355	14 5.566e+005
11549	8964	8966	8967	8965	S355	14 5.566e+005
11550	8965	8967	6475	6473	S355	14 5.566e+005
11553	8966	8968	8969	8967	S355	14 5.565e+005
11554	8967	8969	6477	6475	S355	14 5.565e+005
11555	8968	8970	8971	8969	S355	14 5.565e+005
11556	8969	8971	6479	6477	S355	14 5.565e+005
11557	8970	8972	8973	8971	S355	14 5.565e+005
11558	8971	8973	6481	6479	S355	14 5.565e+005
11559	8972	8974	8975	8973	S355	14 5.565e+005
11560	8973	8975	6483	6481	S355	14 5.565e+005
11561	8974	8976	8977	8975	S355	14 5.565e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11562	8975	8977	6485	6483	S355	14 5.565e+005
11565	8976	8978	8979	8977	S355	14 5.566e+005
11566	8977	8979	6487	6485	S355	14 5.566e+005
11567	8978	8980	8981	8979	S355	14 5.565e+005
11568	8979	8981	6489	6487	S355	14 5.565e+005
11569	8980	8982	8983	8981	S355	14 5.565e+005
11570	8981	8983	6491	6489	S355	14 5.565e+005
11571	8982	8984	8985	8983	S355	16 5.565e+005
11572	8983	8985	6493	6491	S355	16 5.565e+005
11573	8984	8986	8987	8985	S355	16 5.565e+005
11574	8985	8987	6495	6493	S355	16 5.565e+005
11577	8986	8988	8989	8987	S355	16 5.565e+005
11578	8987	8989	6497	6495	S355	16 5.565e+005
11579	8988	8990	8991	8989	S355	16 5.565e+005
11580	8989	8991	6499	6497	S355	16 5.565e+005
11581	8990	8992	8993	8991	S355	16 5.565e+005
11582	8991	8993	6501	6499	S355	16 5.565e+005
11583	8992	8994	8995	8993	S355	16 5.565e+005
11584	8993	8995	6503	6501	S355	16 5.565e+005
11585	8994	8996	8997	8995	S355	16 5.565e+005
11586	8995	8997	6505	6503	S355	16 5.565e+005
11589	8996	8998	8999	8997	S355	16 5.565e+005
11590	8997	8999	6507	6505	S355	16 5.565e+005
11591	8998	9000	9001	8999	S355	16 5.31e+005
11592	8999	9001	6509	6507	S355	16 5.31e+005
11593	9000	9002	9003	9001	S355	16 5.311e+005
11594	9001	9003	6511	6509	S355	16 5.311e+005
11595	9002	9004	9005	9003	S355	16 5.31e+005
11596	9003	9005	6513	6511	S355	16 5.31e+005
11597	9004	9006	9007	9005	S355	16 5.31e+005
11598	9005	9007	6515	6513	S355	16 5.31e+005
11599	9006	9008	9009	9007	S355	16 5.31e+005
11600	9007	9009	6517	6515	S355	16 5.31e+005
11601	9008	9010	9011	9009	S355	16 4.208e+005
11602	9009	9011	6519	6517	S355	16 4.208e+005
11603	9012	9013	9015	9014	S355	16 4.12e+005
11604	9014	9015	6523	6522	S355	16 4.12e+005
11605	9013	9016	9017	9015	S355	16 5.128e+005
11606	9015	9017	6525	6523	S355	16 5.128e+005
11607	9016	9018	9019	9017	S355	16 5.121e+005
11608	9017	9019	6527	6525	S355	16 5.121e+005
11609	9018	9020	9021	9019	S355	16 5.112e+005
11610	9019	9021	6529	6527	S355	16 5.112e+005
11611	9020	9022	9023	9021	S355	16 5.085e+005
11612	9021	9023	6531	6529	S355	16 5.085e+005
11615	9022	9024	9025	9023	S355	16 5.076e+005
11616	9023	9025	6533	6531	S355	16 5.076e+005
11617	9024	9026	9027	9025	S355	16 5.51e+005
11618	9025	9027	6535	6533	S355	16 5.51e+005
11619	9026	9028	9029	9027	S355	16 5.511e+005
11620	9027	9029	6537	6535	S355	16 5.511e+005
11621	9028	9030	9031	9029	S355	16 5.51e+005
11622	9029	9031	6539	6537	S355	16 5.51e+005
11623	9030	9032	9033	9031	S355	16 5.51e+005
11624	9031	9033	6541	6539	S355	16 5.51e+005
11627	9032	9034	9035	9033	S355	16 5.511e+005
11628	9033	9035	6543	6541	S355	16 5.511e+005
11629	9034	9036	9037	9035	S355	16 5.499e+005
11630	9035	9037	6545	6543	S355	16 5.499e+005
11631	9036	9038	9039	9037	S355	16 5.5e+005
11632	9037	9039	6547	6545	S355	16 5.5e+005
11633	9038	9040	9041	9039	S355	16 5.499e+005
11634	9039	9041	6549	6547	S355	16 5.499e+005
11635	9040	9042	9043	9041	S355	14 5.5e+005
11636	9041	9043	6551	6549	S355	14 5.5e+005
11639	9042	9044	9045	9043	S355	14 5.5e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C	

11640	9043	9045	6553	6551	S355	14	5.5e+005
11641	9044	9046	9047	9045	S355	14	5.498e+005
11642	9045	9047	6555	6553	S355	14	5.498e+005
11643	9046	9048	9049	9047	S355	14	5.499e+005
11644	9047	9049	6557	6555	S355	14	5.499e+005
11645	9048	9050	9051	9049	S355	14	5.499e+005
11646	9049	9051	6559	6557	S355	14	5.499e+005
11647	9050	9052	9053	9051	S355	14	5.499e+005
11648	9051	9053	6561	6559	S355	14	5.499e+005
11651	9052	9054	9055	9053	S355	14	5.499e+005
11652	9053	9055	6563	6561	S355	14	5.499e+005
11653	9054	9056	9057	9055	S355	14	5.487e+005
11654	9055	9057	6565	6563	S355	14	5.487e+005
11655	9056	9058	9059	9057	S355	14	5.488e+005
11656	9057	9059	6567	6565	S355	14	5.488e+005
11657	9058	9060	9061	9059	S355	14	5.487e+005
11658	9059	9061	6569	6567	S355	14	5.487e+005
11659	9060	9062	9063	9061	S355	14	5.488e+005
11660	9061	9063	6571	6569	S355	14	5.488e+005
11663	9062	9064	9065	9063	S355	14	5.488e+005
11664	9063	9065	6573	6571	S355	14	5.488e+005
11665	9064	9066	9067	9065	S355	14	5.337e+005
11666	9065	9067	6575	6573	S355	14	5.337e+005
11667	9066	9068	9069	9067	S355	14	5.338e+005
11668	9067	9069	6577	6575	S355	14	5.338e+005
11669	9068	9070	9071	9069	S355	14	5.337e+005
11670	9069	9071	6579	6577	S355	14	5.337e+005
11671	9070	9072	9073	9071	S355	16	5.337e+005
11672	9071	9073	6581	6579	S355	16	5.337e+005
11675	9072	9074	9075	9073	S355	16	5.337e+005
11676	9073	9075	6583	6581	S355	16	5.337e+005
11677	9074	9076	9077	9075	S355	16	5.337e+005
11678	9075	9077	6585	6583	S355	16	5.337e+005
11679	9076	9078	9079	9077	S355	16	5.337e+005
11680	9077	9079	6587	6585	S355	16	5.337e+005
11681	9078	9080	9081	9079	S355	16	5.337e+005
11682	9079	9081	6589	6587	S355	16	5.337e+005
11683	9080	9082	9083	9081	S355	16	5.337e+005
11684	9081	9083	6591	6589	S355	16	5.337e+005
11687	9082	9084	9085	9083	S355	16	5.337e+005
11688	9083	9085	6593	6591	S355	16	5.337e+005
11689	9084	9086	9087	9085	S355	16	5.338e+005
11690	9085	9087	6595	6593	S355	16	5.338e+005
11691	9086	9088	9089	9087	S355	16	5.339e+005
11692	9087	9089	6597	6595	S355	16	5.339e+005
11693	9088	9090	9091	9089	S355	16	5.338e+005
11694	9089	9091	6599	6597	S355	16	5.338e+005
11695	9090	9092	9093	9091	S355	16	5.339e+005
11696	9091	9093	6601	6599	S355	16	5.339e+005
11699	9092	9094	9095	9093	S355	16	5.339e+005
11700	9093	9095	6603	6601	S355	16	5.339e+005
11701	9094	9096	9097	9095	S355	16	5.339e+005
11702	9095	9097	6605	6603	S355	16	5.339e+005
11703	9096	9098	9099	9097	S355	16	5.339e+005
11704	9097	9099	6607	6605	S355	16	5.339e+005
11705	9098	9100	9101	9099	S355	16	5.338e+005
11706	9099	9101	6609	6607	S355	16	5.338e+005
11707	9100	9102	9103	9101	S355	18	5.339e+005
11708	9101	9103	6611	6609	S355	18	5.339e+005
11711	9102	9104	9105	9103	S355	18	5.339e+005
11712	9103	9105	6613	6611	S355	18	5.339e+005
11713	9104	9106	9107	9105	S355	18	5.365e+005
11714	9105	9107	6615	6613	S355	18	5.365e+005
11715	9106	9108	9109	9107	S355	18	5.365e+005
11716	9107	9109	6617	6615	S355	18	5.365e+005
11717	9108	9110	9111	9109	S355	18	5.365e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11718	9109	9111	6619	6617	S355	18 5.365e+005
11719	9110	9112	9113	9111	S355	18 5.366e+005
11720	9111	9113	6621	6619	S355	18 5.366e+005
11721	9112	9114	9115	9113	S355	18 5.366e+005
11722	9113	9115	6623	6621	S355	18 5.366e+005
11723	9114	9116	9117	9115	S355	18 5.311e+005
11724	9115	9117	6625	6623	S355	18 5.311e+005
11725	9116	9118	9119	9117	S355	18 5.311e+005
11726	9117	9119	6627	6625	S355	18 5.311e+005
11727	9118	9120	9121	9119	S355	18 5.312e+005
11728	9119	9121	6629	6627	S355	18 5.312e+005
11729	9120	9122	9123	9121	S355	18 5.311e+005
11730	9121	9123	6631	6629	S355	18 5.311e+005
11733	9122	9124	9125	9123	S355	18 5.312e+005
11734	9123	9125	6633	6631	S355	18 5.312e+005
11735	9124	9126	9127	9125	S355	18 5.587e+005
11736	9125	9127	6635	6633	S355	18 5.587e+005
11737	9126	9128	9129	9127	S355	18 5.588e+005
11738	9127	9129	6637	6635	S355	18 5.588e+005
11739	9128	9130	9131	9129	S355	18 5.588e+005
11740	9129	9131	6639	6637	S355	18 5.588e+005
11741	9130	9132	9133	9131	S355	16 5.588e+005
11742	9131	9133	6641	6639	S355	16 5.588e+005
11745	9132	9134	9135	9133	S355	16 5.587e+005
11746	9133	9135	6643	6641	S355	16 5.587e+005
11747	9134	9136	9137	9135	S355	16 5.587e+005
11748	9135	9137	6645	6643	S355	16 5.587e+005
11749	9136	9138	9139	9137	S355	16 5.588e+005
11750	9137	9139	6647	6645	S355	16 5.588e+005
11751	9138	9140	9141	9139	S355	16 5.587e+005
11752	9139	9141	6649	6647	S355	16 5.587e+005
11753	9140	9142	9143	9141	S355	16 5.588e+005
11754	9141	9143	6651	6649	S355	16 5.588e+005
11757	9142	9144	9145	9143	S355	16 5.587e+005
11758	9143	9145	6653	6651	S355	16 5.587e+005
11759	9144	9146	9147	9145	S355	16 5.588e+005
11760	9145	9147	6655	6653	S355	16 5.588e+005
11761	9146	9148	9149	9147	S355	16 5.588e+005
11762	9147	9149	6657	6655	S355	16 5.588e+005
11763	9148	9150	9151	9149	S355	16 5.588e+005
11764	9149	9151	6659	6657	S355	16 5.588e+005
11765	9150	9152	9153	9151	S355	16 5.587e+005
11766	9151	9153	6661	6659	S355	16 5.587e+005
11769	9152	9154	9155	9153	S355	16 5.587e+005
11770	9153	9155	6663	6661	S355	16 5.587e+005
11771	9154	9156	9157	9155	S355	16 5.588e+005
11772	9155	9157	6665	6663	S355	16 5.588e+005
11773	9156	9158	9159	9157	S355	16 5.588e+005
11774	9157	9159	6667	6665	S355	16 5.588e+005
11775	9158	9160	9161	9159	S355	14 5.588e+005
11776	9159	9161	6669	6667	S355	14 5.588e+005
11777	9160	9162	9163	9161	S355	14 5.588e+005
11778	9161	9163	6671	6669	S355	14 5.588e+005
11781	9162	9164	9165	9163	S355	14 5.587e+005
11782	9163	9165	6673	6671	S355	14 5.587e+005
11783	9164	9166	9167	9165	S355	14 5.588e+005
11784	9165	9167	6675	6673	S355	14 5.588e+005
11785	9166	9168	9169	9167	S355	14 5.588e+005
11786	9167	9169	6677	6675	S355	14 5.588e+005
11787	9168	9170	9171	9169	S355	14 5.587e+005
11788	9169	9171	6679	6677	S355	14 5.587e+005
11789	9170	9172	9173	9171	S355	14 5.588e+005
11790	9171	9173	6681	6679	S355	14 5.588e+005
11793	9172	9174	9175	9173	S355	14 5.587e+005
11794	9173	9175	6683	6681	S355	14 5.587e+005
11795	9174	9176	9177	9175	S355	14 5.587e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11796	9175	9177	6685	6683	S355	14 5.587e+005
11797	9176	9178	9179	9177	S355	14 5.588e+005
11798	9177	9179	6687	6685	S355	14 5.588e+005
11799	9178	9180	9181	9179	S355	14 5.587e+005
11800	9179	9181	6689	6687	S355	14 5.587e+005
11801	9180	9182	9183	9181	S355	14 5.588e+005
11802	9181	9183	6691	6689	S355	14 5.588e+005
11805	9182	9184	9185	9183	S355	14 5.587e+005
11806	9183	9185	6693	6691	S355	14 5.587e+005
11807	9184	9186	9187	9185	S355	14 5.587e+005
11808	9185	9187	6695	6693	S355	14 5.587e+005
11809	9186	9188	9189	9187	S355	14 5.588e+005
11810	9187	9189	6697	6695	S355	14 5.588e+005
11811	9188	9190	9191	9189	S355	14 5.588e+005
11812	9189	9191	6699	6697	S355	14 5.588e+005
11813	9190	9192	9193	9191	S355	16 5.588e+005
11814	9191	9193	6701	6699	S355	16 5.588e+005
11817	9192	9194	9195	9193	S355	16 5.587e+005
11818	9193	9195	6703	6701	S355	16 5.587e+005
11819	9194	9196	9197	9195	S355	16 5.588e+005
11820	9195	9197	6705	6703	S355	16 5.588e+005
11821	9196	9198	9199	9197	S355	16 5.587e+005
11822	9197	9199	6707	6705	S355	16 5.587e+005
11823	9198	9200	9201	9199	S355	16 5.588e+005
11824	9199	9201	6709	6707	S355	16 5.588e+005
11825	9200	9202	9203	9201	S355	16 5.588e+005
11826	9201	9203	6711	6709	S355	16 5.588e+005
11829	9202	9204	9205	9203	S355	16 5.587e+005
11830	9203	9205	6713	6711	S355	16 5.587e+005
11831	9204	9206	9207	9205	S355	16 5.587e+005
11832	9205	9207	6715	6713	S355	16 5.587e+005
11833	9206	9208	9209	9207	S355	16 5.588e+005
11834	9207	9209	6717	6715	S355	16 5.588e+005
11835	9208	9210	9211	9209	S355	16 5.587e+005
11836	9209	9211	6719	6717	S355	16 5.587e+005
11837	9210	9212	9213	9211	S355	16 5.588e+005
11838	9211	9213	6721	6719	S355	16 5.588e+005
11841	9212	9214	9215	9213	S355	16 5.588e+005
11842	9213	9215	6723	6721	S355	16 5.588e+005
11843	9214	9216	9217	9215	S355	16 5.588e+005
11844	9215	9217	6725	6723	S355	16 5.588e+005
11845	9216	9218	9219	9217	S355	16 5.588e+005
11846	9217	9219	6727	6725	S355	16 5.588e+005
11847	9218	9220	9221	9219	S355	16 5.587e+005
11848	9219	9221	6729	6727	S355	16 5.587e+005
11849	9220	9222	9223	9221	S355	18 5.588e+005
11850	9221	9223	6731	6729	S355	18 5.588e+005
11853	9222	9224	9225	9223	S355	18 5.587e+005
11854	9223	9225	6733	6731	S355	18 5.587e+005
11855	9224	9226	9227	9225	S355	18 5.318e+005
11856	9225	9227	6735	6733	S355	18 5.318e+005
11857	9226	9228	9229	9227	S355	18 5.318e+005
11858	9227	9229	6737	6735	S355	18 5.318e+005
11859	9228	9230	9231	9229	S355	18 5.317e+005
11860	9229	9231	6739	6737	S355	18 5.317e+005
11861	9230	9232	9233	9231	S355	18 5.318e+005
11862	9231	9233	6741	6739	S355	18 5.318e+005
11863	9232	9234	9235	9233	S355	18 5.318e+005
11864	9233	9235	6743	6741	S355	18 5.318e+005
11865	9234	9236	9237	9235	S355	18 5.324e+005
11866	9235	9237	6745	6743	S355	18 5.324e+005
11867	9236	9238	9239	9237	S355	18 5.324e+005
11868	9237	9239	6747	6745	S355	18 5.324e+005
11869	9238	9240	9241	9239	S355	18 5.323e+005
11870	9239	9241	6749	6747	S355	18 5.323e+005
11871	9240	9242	9243	9241	S355	18 5.324e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11872	9241	9243	6751	6749	S355	18 5.324e+005
11875	9242	9244	9245	9243	S355	18 5.324e+005
11876	9243	9245	6753	6751	S355	18 5.324e+005
11877	9244	9246	9247	9245	S355	18 5.592e+005
11878	9245	9247	6755	6753	S355	18 5.592e+005
11879	9246	9248	9249	9247	S355	18 5.593e+005
11880	9247	9249	6757	6755	S355	18 5.593e+005
11881	9248	9250	9251	9249	S355	16 5.593e+005
11882	9249	9251	6759	6757	S355	16 5.593e+005
11883	9250	9252	9253	9251	S355	16 5.593e+005
11884	9251	9253	6761	6759	S355	16 5.593e+005
11887	9252	9254	9255	9253	S355	16 5.593e+005
11888	9253	9255	6763	6761	S355	16 5.593e+005
11889	9254	9256	9257	9255	S355	16 5.594e+005
11890	9255	9257	6765	6763	S355	16 5.594e+005
11891	9256	9258	9259	9257	S355	16 5.593e+005
11892	9257	9259	6767	6765	S355	16 5.593e+005
11893	9258	9260	9261	9259	S355	16 5.594e+005
11894	9259	9261	6769	6767	S355	16 5.594e+005
11895	9260	9262	9263	9261	S355	16 5.593e+005
11896	9261	9263	6771	6769	S355	16 5.593e+005
11899	9262	9264	9265	9263	S355	16 5.594e+005
11900	9263	9265	6773	6771	S355	16 5.594e+005
11901	9264	9266	9267	9265	S355	16 5.594e+005
11902	9265	9267	6775	6773	S355	16 5.594e+005
11903	9266	9268	9269	9267	S355	16 5.594e+005
11904	9267	9269	6777	6775	S355	16 5.594e+005
11905	9268	9270	9271	9269	S355	16 5.594e+005
11906	9269	9271	6779	6777	S355	16 5.594e+005
11907	9270	9272	9273	9271	S355	16 5.594e+005
11908	9271	9273	6781	6779	S355	16 5.594e+005
11911	9272	9274	9275	9273	S355	16 5.595e+005
11912	9273	9275	6783	6781	S355	16 5.595e+005
11913	9274	9276	9277	9275	S355	16 5.594e+005
11914	9275	9277	6785	6783	S355	16 5.594e+005
11915	9276	9278	9279	9277	S355	16 5.595e+005
11916	9277	9279	6787	6785	S355	16 5.595e+005
11917	9278	9280	9281	9279	S355	14 5.595e+005
11918	9279	9281	6789	6787	S355	14 5.595e+005
11919	9280	9282	9283	9281	S355	14 5.595e+005
11920	9281	9283	6791	6789	S355	14 5.595e+005
11923	9282	9284	9285	9283	S355	14 5.595e+005
11924	9283	9285	6793	6791	S355	14 5.595e+005
11925	9284	9286	9287	9285	S355	14 5.595e+005
11926	9285	9287	6795	6793	S355	14 5.595e+005
11927	9286	9288	9289	9287	S355	14 5.595e+005
11928	9287	9289	6797	6795	S355	14 5.595e+005
11929	9288	9290	9291	9289	S355	14 5.595e+005
11930	9289	9291	6799	6797	S355	14 5.595e+005
11931	9290	9292	9293	9291	S355	14 5.595e+005
11932	9291	9293	6801	6799	S355	14 5.595e+005
11935	9292	9294	9295	9293	S355	14 5.595e+005
11936	9293	9295	6803	6801	S355	14 5.595e+005
11937	9294	9296	9297	9295	S355	14 5.596e+005
11938	9295	9297	6805	6803	S355	14 5.596e+005
11939	9296	9298	9299	9297	S355	14 5.595e+005
11940	9297	9299	6807	6805	S355	14 5.595e+005
11941	9298	9300	9301	9299	S355	14 5.595e+005
11942	9299	9301	6809	6807	S355	14 5.595e+005
11943	9300	9302	9303	9301	S355	14 5.595e+005
11944	9301	9303	6811	6809	S355	14 5.595e+005
11947	9302	9304	9305	9303	S355	14 5.595e+005
11948	9303	9305	6813	6811	S355	14 5.595e+005
11949	9304	9306	9307	9305	S355	14 5.595e+005
11950	9305	9307	6815	6813	S355	14 5.595e+005
11951	9306	9308	9309	9307	S355	14 5.595e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
11952	9307	9309	6817	6815	S355	14 5.595e+005
11953	9308	9310	9311	9309	S355	14 5.595e+005
11954	9309	9311	6819	6817	S355	14 5.595e+005
11955	9310	9312	9313	9311	S355	16 5.595e+005
11956	9311	9313	6821	6819	S355	16 5.595e+005
11959	9312	9314	9315	9313	S355	16 5.595e+005
11960	9313	9315	6823	6821	S355	16 5.595e+005
11961	9314	9316	9317	9315	S355	16 5.595e+005
11962	9315	9317	6825	6823	S355	16 5.595e+005
11963	9316	9318	9319	9317	S355	16 5.595e+005
11964	9317	9319	6827	6825	S355	16 5.595e+005
11965	9318	9320	9321	9319	S355	16 5.595e+005
11966	9319	9321	6829	6827	S355	16 5.595e+005
11967	9320	9322	9323	9321	S355	16 5.595e+005
11968	9321	9323	6831	6829	S355	16 5.595e+005
11971	9322	9324	9325	9323	S355	16 5.594e+005
11972	9323	9325	6833	6831	S355	16 5.594e+005
11973	9324	9326	9327	9325	S355	16 5.594e+005
11974	9325	9327	6835	6833	S355	16 5.594e+005
11975	9326	9328	9329	9327	S355	16 5.594e+005
11976	9327	9329	6837	6835	S355	16 5.594e+005
11977	9328	9330	9331	9329	S355	16 5.594e+005
11978	9329	9331	6839	6837	S355	16 5.594e+005
11979	9330	9332	9333	9331	S355	16 5.594e+005
11980	9331	9333	6841	6839	S355	16 5.594e+005
11983	9332	9334	9335	9333	S355	16 5.594e+005
11984	9333	9335	6843	6841	S355	16 5.594e+005
11985	9334	9336	9337	9335	S355	16 5.593e+005
11986	9335	9337	6845	6843	S355	16 5.593e+005
11987	9336	9338	9339	9337	S355	16 5.593e+005
11988	9337	9339	6847	6845	S355	16 5.593e+005
11989	9338	9340	9341	9339	S355	16 5.592e+005
11990	9339	9341	6849	6847	S355	16 5.592e+005
11991	9340	9342	9343	9341	S355	18 5.593e+005
11992	9341	9343	6851	6849	S355	18 5.593e+005
11995	9342	9344	9345	9343	S355	18 5.593e+005
11996	9343	9345	6853	6851	S355	18 5.593e+005
11997	9344	9346	9347	9345	S355	18 5.38e+005
11998	9345	9347	6855	6853	S355	18 5.38e+005
11999	9346	9348	9349	9347	S355	18 5.379e+005
12000	9347	9349	6857	6855	S355	18 5.379e+005
12001	9348	9350	9351	9349	S355	18 5.38e+005
12002	9349	9351	6859	6857	S355	18 5.38e+005
12003	9350	9352	9353	9351	S355	18 5.38e+005
12004	9351	9353	6861	6859	S355	18 5.38e+005
12005	9352	9354	9355	9353	S355	18 5.38e+005
12006	9353	9355	6863	6861	S355	18 5.38e+005
12007	9354	9356	9357	9355	S355	18 5.26e+005
12008	9355	9357	6865	6863	S355	18 5.26e+005
12009	9356	9358	9359	9357	S355	18 5.26e+005
12010	9357	9359	6867	6865	S355	18 5.26e+005
12011	9358	9360	9361	9359	S355	18 5.259e+005
12012	9359	9361	6869	6867	S355	18 5.259e+005
12013	9360	9362	9363	9361	S355	18 5.26e+005
12014	9361	9363	6871	6869	S355	18 5.26e+005
12017	9362	9364	9365	9363	S355	18 5.259e+005
12018	9363	9365	6873	6871	S355	18 5.259e+005
12019	9364	9366	9367	9365	S355	18 5.587e+005
12020	9365	9367	6875	6873	S355	18 5.587e+005
12021	9366	9368	9369	9367	S355	18 5.587e+005
12022	9367	9369	6877	6875	S355	18 5.587e+005
12023	9368	9370	9371	9369	S355	16 5.587e+005
12024	9369	9371	6879	6877	S355	16 5.587e+005
12025	9370	9372	9373	9371	S355	16 5.587e+005
12026	9371	9373	6881	6879	S355	16 5.587e+005
12029	9372	9374	9375	9373	S355	16 5.587e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12030	9373	9375	6883	6881	S355	16 5.587e+005
12031	9374	9376	9377	9375	S355	16 5.587e+005
12032	9375	9377	6885	6883	S355	16 5.587e+005
12033	9376	9378	9379	9377	S355	16 5.587e+005
12034	9377	9379	6887	6885	S355	16 5.587e+005
12035	9378	9380	9381	9379	S355	16 5.587e+005
12036	9379	9381	6889	6887	S355	16 5.587e+005
12037	9380	9382	9383	9381	S355	16 5.587e+005
12038	9381	9383	6891	6889	S355	16 5.587e+005
12041	9382	9384	9385	9383	S355	16 5.587e+005
12042	9383	9385	6893	6891	S355	16 5.587e+005
12043	9384	9386	9387	9385	S355	16 5.587e+005
12044	9385	9387	6895	6893	S355	16 5.587e+005
12045	9386	9388	9389	9387	S355	16 5.587e+005
12046	9387	9389	6897	6895	S355	16 5.587e+005
12047	9388	9390	9391	9389	S355	16 5.587e+005
12048	9389	9391	6899	6897	S355	16 5.587e+005
12049	9390	9392	9393	9391	S355	16 5.587e+005
12050	9391	9393	6901	6899	S355	16 5.587e+005
12053	9392	9394	9395	9393	S355	16 5.587e+005
12054	9393	9395	6903	6901	S355	16 5.587e+005
12055	9394	9396	9397	9395	S355	16 5.587e+005
12056	9395	9397	6905	6903	S355	16 5.587e+005
12057	9396	9398	9399	9397	S355	16 5.588e+005
12058	9397	9399	6907	6905	S355	16 5.588e+005
12059	9398	9400	9401	9399	S355	14 5.587e+005
12060	9399	9401	6909	6907	S355	14 5.587e+005
12061	9400	9402	9403	9401	S355	14 5.587e+005
12062	9401	9403	6911	6909	S355	14 5.587e+005
12065	9402	9404	9405	9403	S355	14 5.586e+005
12066	9403	9405	6913	6911	S355	14 5.586e+005
12067	9404	9406	9407	9405	S355	14 5.586e+005
12068	9405	9407	6915	6913	S355	14 5.586e+005
12069	9406	9408	9409	9407	S355	14 5.585e+005
12070	9407	9409	6917	6915	S355	14 5.585e+005
12071	9408	9410	9411	9409	S355	14 5.586e+005
12072	9409	9411	6919	6917	S355	14 5.586e+005
12073	9410	9412	9413	9411	S355	14 5.585e+005
12074	9411	9413	6921	6919	S355	14 5.585e+005
12077	9412	9414	9415	9413	S355	14 5.585e+005
12078	9413	9415	6923	6921	S355	14 5.585e+005
12079	9414	9416	9417	9415	S355	14 5.589e+005
12080	9415	9417	6925	6923	S355	14 5.589e+005
12081	9416	9418	9419	9417	S355	14 5.589e+005
12082	9417	9419	6927	6925	S355	14 5.589e+005
12083	9418	9420	9421	9419	S355	14 5.589e+005
12084	9419	9421	6929	6927	S355	14 5.589e+005
12085	9420	9422	9423	9421	S355	14 5.589e+005
12086	9421	9423	6931	6929	S355	14 5.589e+005
12089	9422	9424	9425	9423	S355	14 5.588e+005
12090	9423	9425	6933	6931	S355	14 5.588e+005
12091	9424	9426	9427	9425	S355	14 5.588e+005
12092	9425	9427	6935	6933	S355	14 5.588e+005
12093	9426	9428	9429	9427	S355	14 5.587e+005
12094	9427	9429	6937	6935	S355	14 5.587e+005
12095	9428	9430	9431	9429	S355	14 5.587e+005
12096	9429	9431	6939	6937	S355	14 5.587e+005
12097	9430	9432	9433	9431	S355	16 5.588e+005
12098	9431	9433	6941	6939	S355	16 5.588e+005
12101	9432	9434	9435	9433	S355	16 5.587e+005
12102	9433	9435	6943	6941	S355	16 5.587e+005
12103	9434	9436	9437	9435	S355	16 5.586e+005
12104	9435	9437	6945	6943	S355	16 5.586e+005
12105	9436	9438	9439	9437	S355	16 5.587e+005
12106	9437	9439	6947	6945	S355	16 5.587e+005
12107	9438	9440	9441	9439	S355	16 5.587e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12108	9439	9441	6949	6947	S355	16 5.587e+005
12109	9440	9442	9443	9441	S355	16 5.587e+005
12110	9441	9443	6951	6949	S355	16 5.587e+005
12113	9442	9444	9445	9443	S355	16 5.587e+005
12114	9443	9445	6953	6951	S355	16 5.587e+005
12115	9444	9446	9447	9445	S355	16 5.587e+005
12116	9445	9447	6955	6953	S355	16 5.587e+005
12117	9446	9448	9449	9447	S355	16 5.587e+005
12118	9447	9449	6957	6955	S355	16 5.587e+005
12119	9448	9450	9451	9449	S355	16 5.588e+005
12120	9449	9451	6959	6957	S355	16 5.588e+005
12121	9450	9452	9453	9451	S355	16 5.587e+005
12122	9451	9453	6961	6959	S355	16 5.587e+005
12125	9452	9454	9455	9453	S355	16 5.587e+005
12126	9453	9455	6963	6961	S355	16 5.587e+005
12127	9454	9456	9457	9455	S355	16 5.587e+005
12128	9455	9457	6965	6963	S355	16 5.587e+005
12129	9456	9458	9459	9457	S355	16 5.587e+005
12130	9457	9459	6967	6965	S355	16 5.587e+005
12131	9458	9460	9461	9459	S355	16 5.587e+005
12132	9459	9461	6969	6967	S355	16 5.587e+005
12133	9460	9462	9463	9461	S355	18 5.587e+005
12134	9461	9463	6971	6969	S355	18 5.587e+005
12137	9462	9464	9465	9463	S355	18 5.587e+005
12138	9463	9465	6973	6971	S355	18 5.587e+005
12139	9464	9466	9467	9465	S355	18 5.388e+005
12140	9465	9467	6975	6973	S355	18 5.388e+005
12141	9466	9468	9469	9467	S355	18 5.388e+005
12142	9467	9469	6977	6975	S355	18 5.388e+005
12143	9468	9470	9471	9469	S355	18 5.388e+005
12144	9469	9471	6979	6977	S355	18 5.388e+005
12145	9470	9472	9473	9471	S355	18 5.388e+005
12146	9471	9473	6981	6979	S355	18 5.388e+005
12147	9472	9474	9475	9473	S355	18 5.388e+005
12148	9473	9475	6983	6981	S355	18 5.388e+005
12149	9474	9476	9477	9475	S355	18 5.262e+005
12150	9475	9477	6985	6983	S355	18 5.262e+005
12151	9476	9478	9479	9477	S355	18 5.262e+005
12152	9477	9479	6987	6985	S355	18 5.262e+005
12153	9478	9480	9481	9479	S355	18 5.262e+005
12154	9479	9481	6989	6987	S355	18 5.262e+005
12155	9480	9482	9483	9481	S355	18 5.262e+005
12156	9481	9483	6991	6989	S355	18 5.262e+005
12159	9482	9484	9485	9483	S355	18 5.263e+005
12160	9483	9485	6993	6991	S355	18 5.263e+005
12161	9484	9486	9487	9485	S355	18 5.591e+005
12162	9485	9487	6995	6993	S355	18 5.591e+005
12163	9486	9488	9489	9487	S355	18 5.592e+005
12164	9487	9489	6997	6995	S355	18 5.592e+005
12165	9488	9490	9491	9489	S355	16 5.592e+005
12166	9489	9491	6999	6997	S355	16 5.592e+005
12167	9490	9492	9493	9491	S355	16 5.592e+005
12168	9491	9493	7001	6999	S355	16 5.592e+005
12171	9492	9494	9495	9493	S355	16 5.592e+005
12172	9493	9495	7003	7001	S355	16 5.592e+005
12173	9494	9496	9497	9495	S355	16 5.592e+005
12174	9495	9497	7005	7003	S355	16 5.592e+005
12175	9496	9498	9499	9497	S355	16 5.592e+005
12176	9497	9499	7007	7005	S355	16 5.592e+005
12177	9498	9500	9501	9499	S355	16 5.592e+005
12178	9499	9501	7009	7007	S355	16 5.592e+005
12179	9500	9502	9503	9501	S355	16 5.592e+005
12180	9501	9503	7011	7009	S355	16 5.592e+005
12183	9502	9504	9505	9503	S355	16 5.592e+005
12184	9503	9505	7013	7011	S355	16 5.592e+005
12185	9504	9506	9507	9505	S355	16 5.592e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12186	9505	9507	7015	7013	S355	16 5.592e+005
12187	9506	9508	9509	9507	S355	16 5.592e+005
12188	9507	9509	7017	7015	S355	16 5.592e+005
12189	9508	9510	9511	9509	S355	16 5.592e+005
12190	9509	9511	7019	7017	S355	16 5.592e+005
12191	9510	9512	9513	9511	S355	16 5.592e+005
12192	9511	9513	7021	7019	S355	16 5.592e+005
12195	9512	9514	9515	9513	S355	16 5.592e+005
12196	9513	9515	7023	7021	S355	16 5.592e+005
12197	9514	9516	9517	9515	S355	16 5.592e+005
12198	9515	9517	7025	7023	S355	16 5.592e+005
12199	9516	9518	9519	9517	S355	16 5.592e+005
12200	9517	9519	7027	7025	S355	16 5.592e+005
12201	9518	9520	9521	9519	S355	14 5.592e+005
12202	9519	9521	7029	7027	S355	14 5.592e+005
12203	9520	9522	9523	9521	S355	14 5.592e+005
12204	9521	9523	7031	7029	S355	14 5.592e+005
12207	9522	9524	9525	9523	S355	14 5.592e+005
12208	9523	9525	7033	7031	S355	14 5.592e+005
12209	9524	9526	9527	9525	S355	14 5.592e+005
12210	9525	9527	7035	7033	S355	14 5.592e+005
12211	9526	9528	9529	9527	S355	14 5.592e+005
12212	9527	9529	7037	7035	S355	14 5.592e+005
12213	9528	9530	9531	9529	S355	14 5.592e+005
12214	9529	9531	7039	7037	S355	14 5.592e+005
12215	9530	9532	9533	9531	S355	14 5.592e+005
12216	9531	9533	7041	7039	S355	14 5.592e+005
12219	9532	9534	9535	9533	S355	14 5.592e+005
12220	9533	9535	7043	7041	S355	14 5.592e+005
12221	9534	9536	9537	9535	S355	14 5.592e+005
12222	9535	9537	7045	7043	S355	14 5.592e+005
12223	9536	9538	9539	9537	S355	14 5.592e+005
12224	9537	9539	7047	7045	S355	14 5.592e+005
12225	9538	9540	9541	9539	S355	14 5.592e+005
12226	9539	9541	7049	7047	S355	14 5.592e+005
12227	9540	9542	9543	9541	S355	14 5.592e+005
12228	9541	9543	7051	7049	S355	14 5.592e+005
12231	9542	9544	9545	9543	S355	14 5.592e+005
12232	9543	9545	7053	7051	S355	14 5.592e+005
12233	9544	9546	9547	9545	S355	14 5.592e+005
12234	9545	9547	7055	7053	S355	14 5.592e+005
12235	9546	9548	9549	9547	S355	14 5.592e+005
12236	9547	9549	7057	7055	S355	14 5.592e+005
12237	9548	9550	9551	9549	S355	14 5.592e+005
12238	9549	9551	7059	7057	S355	14 5.592e+005
12239	9550	9552	9553	9551	S355	16 5.592e+005
12240	9551	9553	7061	7059	S355	16 5.592e+005
12243	9552	9554	9555	9553	S355	16 5.592e+005
12244	9553	9555	7063	7061	S355	16 5.592e+005
12245	9554	9556	9557	9555	S355	16 5.591e+005
12246	9555	9557	7065	7063	S355	16 5.591e+005
12247	9556	9558	9559	9557	S355	16 5.592e+005
12248	9557	9559	7067	7065	S355	16 5.592e+005
12249	9558	9560	9561	9559	S355	16 5.592e+005
12250	9559	9561	7069	7067	S355	16 5.592e+005
12251	9560	9562	9563	9561	S355	16 5.591e+005
12252	9561	9563	7071	7069	S355	16 5.591e+005
12255	9562	9564	9565	9563	S355	16 5.592e+005
12256	9563	9565	7073	7071	S355	16 5.592e+005
12257	9566	9567	9569	9568	S355	16 5.592e+005
12258	9568	9569	7077	7076	S355	16 5.592e+005
12259	9567	9570	9571	9569	S355	16 5.592e+005
12260	9569	9571	7079	7077	S355	16 5.592e+005
12263	9570	9572	9573	9571	S355	16 5.592e+005
12264	9571	9573	7081	7079	S355	16 5.592e+005
12265	9572	9574	9575	9573	S355	16 5.592e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12266	9573	9575	7083	7081	S355	16 5.592e+005
12267	9574	9576	9577	9575	S355	16 5.592e+005
12268	9575	9577	7085	7083	S355	16 5.592e+005
12269	9576	9578	9579	9577	S355	16 5.592e+005
12270	9577	9579	7087	7085	S355	16 5.592e+005
12271	9578	9580	9581	9579	S355	18 5.592e+005
12272	9579	9581	7089	7087	S355	18 5.592e+005
12275	9580	9582	9583	9581	S355	18 5.592e+005
12276	9581	9583	7091	7089	S355	18 5.592e+005
12277	9582	9584	9585	9583	S355	18 5.343e+005
12278	9583	9585	7093	7091	S355	18 5.343e+005
12279	9584	9586	9587	9585	S355	18 5.344e+005
12280	9585	9587	7095	7093	S355	18 5.344e+005
12281	9586	9588	9589	9587	S355	18 5.343e+005
12282	9587	9589	7097	7095	S355	18 5.343e+005
12283	9588	9590	9591	9589	S355	18 5.343e+005
12284	9589	9591	7099	7097	S355	18 5.343e+005
12285	9590	9592	9593	9591	S355	18 5.343e+005
12286	9591	9593	7101	7099	S355	18 5.343e+005
12287	9592	9594	9595	9593	S355	18 5.356e+005
12288	9593	9595	7103	7101	S355	18 5.356e+005
12289	9594	9596	9597	9595	S355	18 5.356e+005
12290	9595	9597	7105	7103	S355	18 5.356e+005
12291	9596	9598	9599	9597	S355	18 5.356e+005
12292	9597	9599	7107	7105	S355	18 5.356e+005
12293	9598	9600	9601	9599	S355	18 5.357e+005
12294	9599	9601	7109	7107	S355	18 5.357e+005
12297	9600	9602	9603	9601	S355	18 5.356e+005
12298	9601	9603	7111	7109	S355	18 5.356e+005
12299	9602	9604	9605	9603	S355	18 5.366e+005
12300	9603	9605	7113	7111	S355	18 5.366e+005
12301	9604	9606	9607	9605	S355	18 5.366e+005
12302	9605	9607	7115	7113	S355	18 5.366e+005
12303	9606	9608	9609	9607	S355	16 5.366e+005
12304	9607	9609	7117	7115	S355	16 5.366e+005
12305	9608	9610	9611	9609	S355	16 5.367e+005
12306	9609	9611	7119	7117	S355	16 5.367e+005
12309	9610	9612	9613	9611	S355	16 5.366e+005
12310	9611	9613	7121	7119	S355	16 5.366e+005
12311	9612	9614	9615	9613	S355	16 5.366e+005
12312	9613	9615	7123	7121	S355	16 5.366e+005
12313	9614	9616	9617	9615	S355	16 5.367e+005
12314	9615	9617	7125	7123	S355	16 5.367e+005
12315	9616	9618	9619	9617	S355	16 5.366e+005
12316	9617	9619	7127	7125	S355	16 5.366e+005
12317	9618	9620	9621	9619	S355	16 5.367e+005
12318	9619	9621	7129	7127	S355	16 5.367e+005
12321	9620	9622	9623	9621	S355	16 5.367e+005
12322	9621	9623	7131	7129	S355	16 5.367e+005
12323	9622	9624	9625	9623	S355	16 5.367e+005
12324	9623	9625	7133	7131	S355	16 5.367e+005
12325	9624	9626	9627	9625	S355	16 5.368e+005
12326	9625	9627	7135	7133	S355	16 5.368e+005
12327	9626	9628	9629	9627	S355	16 5.368e+005
12328	9627	9629	7137	7135	S355	16 5.368e+005
12329	9628	9630	9631	9629	S355	16 5.367e+005
12330	9629	9631	7139	7137	S355	16 5.367e+005
12333	9630	9632	9633	9631	S355	16 5.368e+005
12334	9631	9633	7141	7139	S355	16 5.368e+005
12335	9632	9634	9635	9633	S355	16 5.407e+005
12336	9633	9635	7143	7141	S355	16 5.407e+005
12337	9634	9636	9637	9635	S355	16 5.407e+005
12338	9635	9637	7145	7143	S355	16 5.407e+005
12339	9636	9638	9639	9637	S355	14 5.408e+005
12340	9637	9639	7147	7145	S355	14 5.408e+005
12341	9638	9640	9641	9639	S355	14 5.407e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12342	9639	9641	7149	7147	S355	14 5.407e+005
12345	9640	9642	9643	9641	S355	14 5.407e+005
12346	9641	9643	7151	7149	S355	14 5.407e+005
12347	9642	9644	9645	9643	S355	14 5.422e+005
12348	9643	9645	7153	7151	S355	14 5.422e+005
12349	9644	9646	9647	9645	S355	14 5.422e+005
12350	9645	9647	7155	7153	S355	14 5.422e+005
12351	9646	9648	9649	9647	S355	14 5.422e+005
12352	9647	9649	7157	7155	S355	14 5.422e+005
12353	9648	9650	9651	9649	S355	14 5.422e+005
12354	9649	9651	7159	7157	S355	14 5.422e+005
12357	9650	9652	9653	9651	S355	14 5.422e+005
12358	9651	9653	7161	7159	S355	14 5.422e+005
12359	9652	9654	9655	9653	S355	14 5.422e+005
12360	9653	9655	7163	7161	S355	14 5.422e+005
12361	9654	9656	9657	9655	S355	14 5.422e+005
12362	9655	9657	7165	7163	S355	14 5.422e+005
12363	9656	9658	9659	9657	S355	14 5.421e+005
12364	9657	9659	7167	7165	S355	14 5.421e+005
12365	9658	9660	9661	9659	S355	14 5.421e+005
12366	9659	9661	7169	7167	S355	14 5.421e+005
12369	9660	9662	9663	9661	S355	14 5.422e+005
12370	9661	9663	7171	7169	S355	14 5.422e+005
12371	9662	9664	9665	9663	S355	14 5.422e+005
12372	9663	9665	7173	7171	S355	14 5.422e+005
12373	9664	9666	9667	9665	S355	14 5.421e+005
12374	9665	9667	7175	7173	S355	14 5.421e+005
12375	9666	9668	9669	9667	S355	16 5.422e+005
12376	9667	9669	7177	7175	S355	16 5.422e+005
12377	9668	9670	9671	9669	S355	16 5.422e+005
12378	9669	9671	7179	7177	S355	16 5.422e+005
12381	9670	9672	9673	9671	S355	16 5.421e+005
12382	9671	9673	7181	7179	S355	16 5.421e+005
12383	9672	9674	9675	9673	S355	16 5.422e+005
12384	9673	9675	7183	7181	S355	16 5.422e+005
12385	9674	9676	9677	9675	S355	16 5.422e+005
12386	9675	9677	7185	7183	S355	16 5.422e+005
12387	9676	9678	9679	9677	S355	16 5.421e+005
12388	9677	9679	7187	7185	S355	16 5.421e+005
12389	9678	9680	9681	9679	S355	16 5.421e+005
12390	9679	9681	7189	7187	S355	16 5.421e+005
12393	9680	9682	9683	9681	S355	16 5.422e+005
12394	9681	9683	7191	7189	S355	16 5.422e+005
12395	9682	9684	9685	9683	S355	16 5.142e+005
12396	9683	9685	7193	7191	S355	16 5.142e+005
12397	9684	9686	9687	9685	S355	16 5.142e+005
12398	9685	9687	7195	7193	S355	16 5.142e+005
12399	9686	9688	9689	9687	S355	16 5.142e+005
12400	9687	9689	7197	7195	S355	16 5.142e+005
12401	9688	9690	9691	9689	S355	16 5.142e+005
12402	9689	9691	7199	7197	S355	16 5.142e+005
12403	9690	9692	9693	9691	S355	16 5.141e+005
12404	9691	9693	7201	7199	S355	16 5.141e+005
12405	9692	9694	9695	9693	S355	16 4.435e+005
12406	9693	9695	7203	7201	S355	16 4.435e+005
12407	9564	9696	9697	9565	S355	16 5.592e+005
12408	9565	9697	7205	7073	S355	16 5.592e+005
12409	9696	9566	9568	9697	S355	16 5.592e+005
12410	9697	9568	7076	7205	S355	16 5.592e+005
12411	8327	9698	9699	8329	S355	20 5.493e+005
12412	8329	9699	8225	5837	S355	20 5.493e+005
12413	9698	9700	9701	9699	S355	20 5.494e+005
12414	9699	9701	8224	8225	S355	20 5.494e+005
12415	9700	9702	9703	9701	S355	20 5.493e+005
12416	9701	9703	8223	8224	S355	20 5.493e+005
12417	9702	9704	9705	9703	S355	20 5.494e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C
12418	9703	9705	8222	8223	S355	20 5.494e+005
12419	9704	9706	9707	9705	S355	20 5.493e+005
12420	9705	9707	8221	8222	S355	20 5.493e+005
12421	9706	9013	9015	9707	S355	20 5.494e+005
12422	9707	9015	6523	8221	S355	20 5.494e+005
12423	8428	9708	9709	8429	S355	20 5.493e+005
12424	8429	9709	8250	5937	S355	20 5.493e+005
12425	9708	9710	9711	9709	S355	20 5.493e+005
12426	9709	9711	8249	8250	S355	20 5.493e+005
12427	9710	9712	9713	9711	S355	20 5.493e+005
12428	9711	9713	8248	8249	S355	20 5.493e+005
12429	9712	9714	9715	9713	S355	20 5.494e+005
12430	9713	9715	8247	8248	S355	20 5.494e+005
12431	9714	9716	9717	9715	S355	20 5.494e+005
12432	9715	9717	8246	8247	S355	20 5.494e+005
12433	9716	9114	9115	9717	S355	20 5.495e+005
12434	9717	9115	6623	8246	S355	20 5.495e+005
12435	8548	9718	9719	8549	S355	20 5.491e+005
12436	8549	9719	8244	6057	S355	20 5.491e+005
12437	9718	9720	9721	9719	S355	20 5.492e+005
12438	9719	9721	8245	8244	S355	20 5.492e+005
12439	9720	9722	9723	9721	S355	20 5.491e+005
12440	9721	9723	8243	8245	S355	20 5.491e+005
12441	9722	9724	9725	9723	S355	20 5.495e+005
12442	9723	9725	8242	8243	S355	20 5.495e+005
12443	9724	9726	9727	9725	S355	20 5.495e+005
12444	9725	9727	8241	8242	S355	20 5.495e+005
12445	9726	9234	9235	9727	S355	20 5.495e+005
12446	9727	9235	6743	8241	S355	20 5.495e+005
12447	8668	9728	9729	8669	S355	20 5.494e+005
12448	8669	9729	8240	6177	S355	20 5.494e+005
12449	9728	9730	9731	9729	S355	20 5.494e+005
12450	9729	9731	8239	8240	S355	20 5.494e+005
12451	9730	9732	9733	9731	S355	20 5.494e+005
12452	9731	9733	8238	8239	S355	20 5.494e+005
12453	9732	9734	9735	9733	S355	20 5.494e+005
12454	9733	9735	8237	8238	S355	20 5.494e+005
12455	9734	9736	9737	9735	S355	20 5.494e+005
12456	9735	9737	8236	8237	S355	20 5.494e+005
12457	9736	9354	9355	9737	S355	20 5.494e+005
12458	9737	9355	6863	8236	S355	20 5.494e+005
12459	8788	9738	9739	8789	S355	20 5.496e+005
12460	8789	9739	8254	6297	S355	20 5.496e+005
12461	9738	9740	9741	9739	S355	20 5.496e+005
12462	9739	9741	8255	8254	S355	20 5.496e+005
12463	9740	9742	9743	9741	S355	20 5.496e+005
12464	9741	9743	8251	8255	S355	20 5.496e+005
12465	9742	9744	9745	9743	S355	20 5.493e+005
12466	9743	9745	8252	8251	S355	20 5.493e+005
12467	9744	9746	9747	9745	S355	20 5.492e+005
12468	9745	9747	8253	8252	S355	20 5.492e+005
12469	9746	9474	9475	9747	S355	20 5.493e+005
12470	9747	9475	6983	8253	S355	20 5.493e+005
12471	8908	9748	9749	8909	S355	20 5.493e+005
12472	8909	9749	8259	6417	S355	20 5.493e+005
12473	9748	9750	9751	9749	S355	20 5.493e+005
12474	9749	9751	8260	8259	S355	20 5.493e+005
12475	9750	9752	9753	9751	S355	20 5.493e+005
12476	9751	9753	8256	8260	S355	20 5.493e+005
12477	9752	9754	9755	9753	S355	20 5.493e+005
12478	9753	9755	8257	8256	S355	20 5.493e+005
12479	9754	9756	9757	9755	S355	20 5.493e+005
12480	9755	9757	8258	8257	S355	20 5.493e+005
12481	9756	9592	9593	9757	S355	20 5.493e+005
12482	9757	9593	7101	8258	S355	20 5.493e+005
12483	9008	9758	9759	9009	S355	20 5.493e+005

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

12484	9009	9759	8264	6517	S355	20	5.493e+005
12485	9758	9760	9761	9759	S355	20	5.493e+005
12486	9759	9761	8265	8264	S355	20	5.493e+005
12487	9760	9762	9763	9761	S355	20	5.493e+005
12488	9761	9763	8261	8265	S355	20	5.493e+005
12489	9762	9764	9765	9763	S355	20	5.493e+005
12490	9763	9765	8262	8261	S355	20	5.493e+005
12491	9764	9766	9767	9765	S355	20	5.493e+005
12492	9765	9767	8263	8262	S355	20	5.493e+005
12493	9766	9692	9693	9767	S355	20	5.493e+005
12494	9767	9693	7201	8263	S355	20	5.493e+005

*** TOTAL WEIGHT / VOLUME / SURFACE AREA SUMMARY

SECTION TRUSS NUMBER	NO	SECION NAME	SURFACE AREA	VOLUMN	WEIGHT	FRAME NUMBER
0	1	Irrig_correnti	0	0	0	0
0	2	Irrig_traversi	2.046e+008	2.79e+009	214.8	620
0	3	Fittizio	1.764e+007	4.41e+007	0	684
0	4	el rigido	4.077e+008	1.019e+011	0	721
0	5	800x40+600x20	0	0	0	0
0	6	HEB300	0	0	0	0
0	48	Fittizia S	0	0	0	0
0	62	600x30	1.238e+008	1.776e+009	136.7	116
0	63	700x30	6.286e+007	9.042e+008	69.61	56
0	64	2L160x15	0	0	0	0
0	65	2L 180x16	0	0	0	0
0	66	2L 180x18	1.238e+009	1.058e+010	814.5	272
0	67	600x40	1.376e+008	2.581e+009	198.7	128
0	68	500x20	6.989e+007	6.72e+008	51.73	84
0	69	800x40	8.525e+008	1.624e+010	1250	604
0	70	800x30	2.39e+008	3.456e+009	266	180
0	71	2L140x13	3.333e+008	2.066e+009	159	124
0	72	2L140x13	9.625e+008	5.966e+009	459.3	272
0	73	2L110x10	0	0	0	0
0	74	2L110x12	2.619e+008	1.486e+009	114.4	62
0	75	600x35	0	0	0	0
0	76	L100x12	0	0	0	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

0	77	L110x12	0	0	0	0
0	78	2L120x12	3.765e+008	2.146e+009	165.2	124
0	79	2L100x10	0	0	0	0
0	80	2L130x12	0	0	0	0
0	81	2L130x12	0	0	0	0
0	82	900x60	0	0	0	0
0	83	900x80	4.507e+008	1.655e+010	1274	284

*** LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing Material Load,
 System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,
 Wind Load, Static Seismic Load, Time History Analysis Data

[LOAD CASE : G1]


** SELF WEIGHT DATA

; X=0, Y=0, Z=-1


** BEAM LOAD DATA

MEMBER	MEMBER	MEMBER	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	9873	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9874	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9875	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9876	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9877	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9878	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9879	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9880	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9881	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9882	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9883	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9884	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9885	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	9886	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9887	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9888	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9889	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9890	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9891	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9892	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9893	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9894	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9895	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9896	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9897	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9898	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9899	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9900	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9901	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9902	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9903	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9904	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9905	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9906	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9907	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9908	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9909	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9910	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9911	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9912	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9913	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9914	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9915	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9916	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9917	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9918	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9919	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9920	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9921	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9922	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9923	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9924	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9925	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9926	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9927	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9928	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9929	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9930	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9931	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9932	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9933	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9934	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9935	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9936	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9937	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9938	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9939	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9940	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9941	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9942	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9943	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9944	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9945	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9946	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9947	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9948	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9949	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9950	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9951	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9952	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9953	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9954	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9955	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9956	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9957	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9958	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9959	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9960	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9961	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9962	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9963	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9964	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9965	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9966	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9967	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9968	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9969	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9970	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9971	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9972	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9973	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9974	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9975	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9976	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9977	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9978	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9979	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9980	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9981	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9982	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9983	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9984	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9985	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9986	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9987	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9988	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9989	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9990	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9991	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9992	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9993	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9994	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9995	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9996	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9997	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9998	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	9999	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10000	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10001	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10002	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10003	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10004	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10005	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10006	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10007	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10008	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10009	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10010	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10011	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10012	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10013	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10014	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10015	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10016	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10017	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10018	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10019	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10020	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10021	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10022	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10023	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10024	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10025	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10026	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10027	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10028	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10029	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10030	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10031	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10032	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10033	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10034	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10035	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10036	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10037	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10038	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10039	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10040	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10041	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10042	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10043	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10044	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10045	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10046	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10047	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10048	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10049	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10050	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10051	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10052	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10053	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10054	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10055	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10056	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10057	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10058	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10059	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10060	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10061	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10062	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10063	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10064	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10065	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10066	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10067	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10068	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10069	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10070	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10071	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10072	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10073	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10074	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10075	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10076	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10077	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10078	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10079	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10080	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10081	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10082	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10083	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10084	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10085	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10086	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10087	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10088	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10089	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10090	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10091	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10092	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10093	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10094	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10095	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10096	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10097	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10098	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10099	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10100	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10101	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10102	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10103	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10104	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10105	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10106	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10107	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10108	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10109	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10110	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10111	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10112	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10113	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10114	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10115	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10116	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10117	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10118	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10119	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10120	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10121	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10122	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10123	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10124	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10125	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10126	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10127	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10128	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10129	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10130	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10131	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10132	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10133	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10134	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10135	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10136	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10137	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10138	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10139	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10140	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10141	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10142	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10143	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10144	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10145	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10146	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10147	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10148	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10149	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10150	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10151	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10152	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10153	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10154	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10155	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10156	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10157	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10158	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10159	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10160	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10161	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10162	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10163	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10164	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10165	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10166	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10167	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10168	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10169	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10170	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10171	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10172	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10173	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10174	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10175	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10176	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10177	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10178	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10179	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10180	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10181	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10182	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10183	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10184	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10185	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10186	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10187	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10188	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10189	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10190	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10191	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10192	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10193	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10194	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10195	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10196	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10197	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10198	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10199	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10200	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10201	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10202	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10203	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10204	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10205	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10206	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10207	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10208	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10209	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10210	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10211	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10212	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10213	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10214	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10215	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10216	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10217	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10218	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10219	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10220	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10221	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10222	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10223	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10224	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10225	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10226	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10227	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10228	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10229	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10230	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10231	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10232	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10233	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10234	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10235	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10236	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10237	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10238	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10239	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10240	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10241	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10242	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10243	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10244	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10245	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10246	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10247	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10248	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10249	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10250	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10251	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10252	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10253	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10254	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10255	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10256	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10257	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10258	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10259	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10260	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10261	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10262	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10263	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10264	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10265	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10266	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10267	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10268	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10269	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10270	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10271	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10272	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10273	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10274	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10275	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10276	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10277	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10278	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10279	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10280	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10281	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10282	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10283	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10284	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10285	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10286	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10287	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10288	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10289	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10290	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10291	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10292	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10293	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10294	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10295	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10296	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10297	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10298	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10299	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10300	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10301	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10302	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10303	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10304	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10305	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10306	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10307	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10308	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10309	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10310	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10311	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10312	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10313	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10314	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10315	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10316	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10317	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10318	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10319	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10320	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10321	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10322	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10323	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10324	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10325	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10326	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10327	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10328	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10329	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10330	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10331	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10332	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10333	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10334	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10335	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10336	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10337	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10338	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10339	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10340	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10341	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10342	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10343	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10344	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10345	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10346	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10347	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10348	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10349	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10350	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10351	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10352	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10353	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10354	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10355	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10356	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10357	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10358	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10359	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10360	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10361	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10362	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10363	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10364	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10365	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10366	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10367	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10368	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10369	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10370	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10371	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10372	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10373	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10374	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10375	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10376	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10377	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10378	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10379	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10380	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10381	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10382	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10383	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10384	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10385	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10386	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10387	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10388	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10389	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10390	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10391	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10392	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10393	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10394	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10395	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10396	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10397	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10398	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10399	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10400	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10401	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10402	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10403	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10404	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10405	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10406	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10407	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10408	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10409	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10410	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10411	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10412	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10413	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10414	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10415	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10416	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10417	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10418	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10419	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10420	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10421	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10422	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10423	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10424	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10425	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10426	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10427	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10428	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10429	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10430	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10431	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10432	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10433	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10434	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10435	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10436	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10437	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10438	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10439	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10440	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10441	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10442	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10443	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10444	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10445	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10446	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10447	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10448	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10449	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10450	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10451	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10452	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10453	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10454	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10455	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10456	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10457	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10458	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10459	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10460	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10461	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10462	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10463	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10464	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10465	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10466	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10467	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10468	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10469	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10470	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10471	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10472	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10473	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10474	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10475	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10476	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10477	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10478	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10479	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10480	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10481	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10482	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10483	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10484	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10485	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10486	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10487	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10488	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10489	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10490	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10491	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10492	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10493	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10494	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10495	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10496	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10497	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10498	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10499	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10500	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10501	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10502	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10503	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10504	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10505	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10506	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10507	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10508	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10509	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10510	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10511	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10512	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10513	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0

PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10514	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10515	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10516	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10517	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10518	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10519	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10520	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10521	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10522	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10523	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10524	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10525	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10526	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10527	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10528	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10529	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10530	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10531	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10532	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10533	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10534	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10535	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10536	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10537	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10538	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10539	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10540	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10541	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10542	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10543	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10544	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10545	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	10546	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

0	10547	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10548	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10549	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10550	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10551	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10552	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10553	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10554	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10555	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								
0	10556	0	Uniform Load	GZ	NO	0	-0.0363	1	-0.0363	0
0	0	0								


[LOAD CASE : G2]

[LOAD CASE : Q5_pc X]


** BEAM LOAD DATA

P3	MEMBER D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
0	9873	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9873	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9874	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9874	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9875	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9875	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9876	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9876	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9877	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9877	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9878	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9878	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9879	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9879	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9880	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9880	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9881	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9881		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9882		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9882		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9883		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9883		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9884		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9884		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9885		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9885		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9886		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9886		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9887		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9887		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9888		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9888		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9889		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9889		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9890		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9890		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9891		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9891		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9892		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9892		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9893		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9893		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9894		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9894		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9895		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9895		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9896		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9896		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		
0	0	0								
	9897		Uniform Load	GX	YES	0 0.0175	1 0.0175	0		
0	0	0								
	9897		Uniform Load	GY	YES	0 -0.00747	1 -0.00747	0		

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9898		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9898		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9899		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9899		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9900		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9900		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9901		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9901		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9902		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9902		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9903		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9903		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9904		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9904		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9905		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9905		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9906		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9906		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9907		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9907		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9908		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9908		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9909		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9909		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9910		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9910		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9911		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9911		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9912		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9912		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9913		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9913		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9914		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0

PROJECT TITLE :

	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	9914	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9915	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9915	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9916	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9916	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9917	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9917	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9918	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9918	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9919	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9919	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9920	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9920	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9921	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9921	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9922	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9922	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9923	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9923	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9924	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9924	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9925	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9925	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9926	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9926	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9927	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9927	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9928	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9928	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9929	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9929	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9930	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9930	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9931	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9931	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9932	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9932	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9933	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9933	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9934	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9934	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9935	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9935	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9936	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9936	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9937	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9937	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9938	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9938	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9939	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9939	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9940	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9940	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9941	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9941	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9942	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9942	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9943	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9943	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9944	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9944	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9945	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9945	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9946	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9946	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9947	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0

PROJECT TITLE :


	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	9947	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9948	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9948	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9949	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9949	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9950	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9950	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9951	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9951	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9952	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9952	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9953	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9953	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9954	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9954	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9955	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9955	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9956	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9956	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9957	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9957	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9958	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9958	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9959	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9959	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9960	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9960	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9961	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9961	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9962	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9962	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9963	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	9963	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9964		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9964		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9965		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9965		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9966		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9966		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9967		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9967		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9968		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9968		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9969		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9969		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9970		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9970		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9971		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9971		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9972		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9972		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9973		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9973		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9974		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9974		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9975		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9975		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9976		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9976		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9977		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9977		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9978		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9978		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9979		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9979		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9980		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9980		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9981		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9981		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9982		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9982		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9983		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9983		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9984		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9984		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9985		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9985		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9986		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9986		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9987		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9987		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9988		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9988		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9989		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9989		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9990		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9990		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9991		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9991		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9992		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9992		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9993		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9993		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9994		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9994		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9995		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9995		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9996		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9996		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0

PROJECT TITLE :


	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C				

0	0	0								
	9997		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9997		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9998		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	9998		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9999		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	9999		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10000		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10000		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10001		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10001		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10002		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10002		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10003		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10003		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10004		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10004		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10005		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10005		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10006		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10006		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10007		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10007		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10008		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10008		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10009		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10009		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10010		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10010		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10011		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10011		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10012		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10012		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10013		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10013	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10014	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10014	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10015	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10015	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10016	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10016	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10017	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10017	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10018	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10018	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10019	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10019	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10020	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10020	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10021	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10021	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10022	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10022	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10023	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10023	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10024	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10024	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10025	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10025	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10026	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10026	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10027	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10027	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10028	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10028	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10029	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10029	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10030		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10030		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10031		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10031		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10032		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10032		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10033		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10033		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10034		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10034		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10035		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10035		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10036		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10036		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10037		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10037		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10038		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10038		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10039		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10039		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10040		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10040		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10041		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10041		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10042		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10042		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10043		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10043		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10044		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10044		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10045		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10045		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10046		Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10046	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10047	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10047	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10048	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10048	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10049	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10049	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10050	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10050	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10051	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10051	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10052	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10052	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10053	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10053	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10054	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10054	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10055	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10055	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10056	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10056	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10057	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10057	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10058	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10058	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10059	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10059	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10060	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10060	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10061	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10061	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10062	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10062	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10063		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10063		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10064		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10064		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10065		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10065		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10066		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10066		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10067		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10067		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10068		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10068		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10069		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10069		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10070		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10070		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10071		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10071		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10072		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10072		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10073		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10073		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10074		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10074		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10075		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10075		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10076		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10076		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10077		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10077		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10078		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10078		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10079		Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10079	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10080	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10080	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10081	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10081	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10082	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10082	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10083	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10083	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10084	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10084	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10085	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10085	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10086	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10086	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10087	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10087	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10088	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10088	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10089	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10089	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10090	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10090	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10091	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10091	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10092	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10092	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10093	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10093	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10094	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10094	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10095	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10095	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10096		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10096		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10097		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10097		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10098		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10098		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10099		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10099		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10100		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10100		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10101		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10101		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10102		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10102		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10103		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10103		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10104		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10104		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10105		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10105		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10106		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10106		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10107		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10107		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10108		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10108		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10109		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10109		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10110		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10110		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10111		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10111		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10112		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10112		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10113		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10113		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10114		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10114		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10115		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10115		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10116		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10116		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10117		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10117		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10118		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10118		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10119		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10119		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10120		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10120		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10121		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10121		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10122		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10122		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10123		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10123		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10124		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10124		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10125		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10125		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10126		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10126		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10127		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10127		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10128		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10128		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10129	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10129	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10130	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10130	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10131	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10131	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10132	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10132	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10133	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10133	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10134	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10134	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10135	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10135	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10136	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10136	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10137	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10137	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10138	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10138	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10139	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10139	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10140	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10140	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10141	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10141	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10142	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10142	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10143	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10143	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10144	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10144	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10145	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10145		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10146		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10146		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10147		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10147		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10148		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10148		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10149		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10149		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10150		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10150		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10151		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10151		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10152		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10152		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10153		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10153		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10154		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10154		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10155		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10155		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10156		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10156		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10157		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10157		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10158		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10158		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10159		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10159		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10160		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10160		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10161		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10161		Uniform Load	GX	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
0	0	0								
	10162	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10162	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10163	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10163	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10164	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10164	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10165	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10165	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10166	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10166	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10167	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10167	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10168	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10168	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10169	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10169	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10170	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10170	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10171	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10171	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10172	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10172	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10173	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10173	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10174	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10174	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10175	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10175	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10176	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10176	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10177	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10177	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10178	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10178		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10179		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10179		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10180		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10180		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10181		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10181		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10182		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10182		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10183		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10183		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10184		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10184		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10185		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10185		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10186		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10186		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10187		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10187		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10188		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10188		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10189		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10189		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10190		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10190		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10191		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10191		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10192		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10192		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10193		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10193		Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
	10194		Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
	10194		Uniform Load	GX	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10195	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10195	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10196	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10196	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10197	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10197	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10198	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10198	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10199	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10199	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10200	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10200	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10201	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10201	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10202	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10202	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10203	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10203	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10204	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10204	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10205	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10205	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10206	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10206	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10207	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10207	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10208	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10208	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10209	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10209	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10210	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10210	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0								
0	10211	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	10211	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	10212	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	10213	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	10214	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0
0	10214	0	Uniform Load	GY	YES	0	-0.00747	1	-0.00747	0
0	0	0	Uniform Load	GX	YES	0	0.0175	1	0.0175	0

[LOAD CASE : Q5_pc Y]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	9873	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9873	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9874	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9874	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9875	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9875	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9876	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9876	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9877	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9877	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9878	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9878	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9879	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9879	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9880	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9880	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9881	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9881	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9882	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9882	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9883	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9883	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9884	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9884	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9885	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9885	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9886	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9886	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9887	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9887	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9888	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9888	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9889	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9889	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9890	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9890	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9891	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9891	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9892	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9892	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9893	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9893	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9894	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9894	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9895	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9895	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9896	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9896	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9897	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9897	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9898	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9898	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9899	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9899	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9900	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9900	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9901	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9901	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9902	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9902	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9903	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9903	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9904	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9904	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9905	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9905	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9906	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9906	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9907	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9907	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9908	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9908	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9909	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9909	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9910	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9910	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9911	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9911	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9912	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9912	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9913	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9913	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9914	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9914	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9915	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9915	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9916	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9916	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9917	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9917	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9918	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9918	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9919	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9919	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9920	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9920	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9921	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9921	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9922	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9922	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9923	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9923	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9924	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9924	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9925	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9925	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9926	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9926	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9927	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9927	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9928	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9928	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9929	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9929	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9930	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9930	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9931	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9931	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9932	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9932	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9933	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9933	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9934	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9934	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9935	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9935	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9936	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9936	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9937	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9937	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9938	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9938	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9939	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9939	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9940	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9940	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9941	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9941	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9942	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9942	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9943	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9943	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9944	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9944	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9945	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9945	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9946	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9946	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9947	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9947	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9948	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9948	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9949	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9949	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9950	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9950	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9951	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9951	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9952	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9952	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9953	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9953	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9954	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9954	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9955	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9955	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9956	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9956	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9957	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9957	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9958	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9958	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9959	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9959	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9960	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9960	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9961	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9961	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9962	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9962	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9963	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9963	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9964	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9964	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9965	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
0	9965	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9966	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9966	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9967	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9967	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9968	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9968	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9969	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9969	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9970	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9970	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9971	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9971	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9972	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9972	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9973	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9973	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9974	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9974	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9975	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9975	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9976	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9976	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9977	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9977	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9978	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9978	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9979	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9979	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9980	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9980	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9981	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	9981	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9982	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9982	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9983	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9983	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9984	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9984	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9985	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9985	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9986	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9986	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9987	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9987	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9988	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9988	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9989	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9989	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9990	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9990	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9991	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9991	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9992	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9992	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9993	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9993	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9994	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9994	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9995	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9995	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9996	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9996	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9997	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	9997	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	9998	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9998	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9999	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	9999	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10000	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10000	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10001	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10001	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10002	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10002	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10003	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10003	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10004	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10004	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10005	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10005	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10006	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10006	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10007	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10007	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10008	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10008	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10009	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10009	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10010	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10010	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10011	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10011	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10012	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10012	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10013	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10013	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10014	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10014	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10015	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10015	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10016	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10016	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10017	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10017	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10018	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10018	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10019	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10019	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10020	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10020	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10021	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10021	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10022	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10022	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10023	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10023	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10024	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10024	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10025	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10025	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10026	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10026	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10027	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10027	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10028	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10028	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10029	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10029	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10030	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10030	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10031	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10031	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10032	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10032	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10033	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10033	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10034	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10034	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10035	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10035	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10036	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10036	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10037	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10037	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10038	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10038	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10039	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10039	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10040	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10040	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10041	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10041	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10042	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10042	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10043	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10043	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10044	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10044	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10045	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10045	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10046	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10046	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10047	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10047	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10048	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10048	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10049	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10049	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10050	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10050	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10051	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10051	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10052	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10052	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10053	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10053	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10054	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10054	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10055	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10055	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10056	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10056	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10057	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10057	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10058	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10058	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10059	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10059	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10060	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10060	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10061	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10061	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10062	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10062	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10063	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10063	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10064	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10064	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10065	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10065	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10066	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10066	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10067	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10067	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10068	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10068	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10069	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10069	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10070	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10070	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10071	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10071	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10072	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10072	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10073	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10073	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10074	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10074	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10075	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10075	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10076	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10076	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10077	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10077	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10078	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10078	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10079	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10079	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10080	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10080	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10081	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10081	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10082	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10082	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10083	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10083	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10084	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10084	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10085	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10085	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10086	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10086	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10087	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10087	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10088	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10088	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10089	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10089	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10090	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10090	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10091	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10091	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10092	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10092	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10093	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10093	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10094	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10094	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10095	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10095	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10096	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10096	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10097	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
0	10097	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10098	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10098	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10099	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10099	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10100	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10100	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10101	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10101	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10102	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10102	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10103	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10103	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10104	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10104	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10105	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10105	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10106	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10106	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10107	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10107	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10108	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10108	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10109	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10109	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10110	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10110	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10111	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10111	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10112	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10112	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10113	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10113	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10114	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10114	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10115	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10115	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10116	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10116	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10117	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10117	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10118	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10118	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10119	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10119	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10120	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10120	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10121	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10121	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10122	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10122	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10123	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10123	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10124	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10124	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10125	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10125	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10126	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10126	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10127	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10127	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10128	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10128	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10129	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10129	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10130	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10130	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10131	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10131	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10132	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10132	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10133	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10133	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10134	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10134	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10135	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10135	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10136	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10136	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10137	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10137	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10138	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10138	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10139	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10139	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10140	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10140	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10141	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10141	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10142	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10142	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10143	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10143	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10144	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10144	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10145	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10145	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								
0	10146	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	0	0								
0	10146	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10147	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10147	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10148	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10148	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10149	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10149	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10150	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10150	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10151	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10151	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10152	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10152	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10153	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10153	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10154	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10154	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10155	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10155	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10156	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10156	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10157	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10157	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10158	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10158	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10159	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10159	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10160	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10160	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10161	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10161	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10162	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10162	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10163	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10163	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10164	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10164	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10165	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10165	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10166	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10166	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10167	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10167	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10168	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10168	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10169	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10169	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10170	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10170	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10171	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10171	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10172	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10172	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10173	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10173	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10174	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10174	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10175	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10175	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10176	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10176	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10177	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10177	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10178	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10178	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10179	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10179	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10180	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10180	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10181	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10181	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10182	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10182	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10183	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10183	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10184	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10184	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10185	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10185	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10186	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10186	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10187	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10187	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10188	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10188	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10189	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10189	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10190	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10190	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10191	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10191	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10192	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10192	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10193	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10193	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10194	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10194	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10195	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10195	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10196	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			
0	10196	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10197	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10197	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10198	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10198	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10199	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10199	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10200	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10200	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10201	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10201	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10202	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10202	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10203	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10203	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10204	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10204	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10205	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10205	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10206	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10206	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10207	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10207	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10208	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10208	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10209	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10209	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10210	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10210	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10211	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10211	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10212	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10212	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


0	10213	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10213	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0
0	10214	0	Uniform Load	GX	YES	0	0.00747	1	0.00747	0
0	10214	0	Uniform Load	GY	YES	0	0.0175	1	0.0175	0

[LOAD CASE : Q5_ps X]

** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	9873	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9873	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9874	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9874	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9875	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9875	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9876	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9876	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9877	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9877	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9878	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9878	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9879	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9879	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9880	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9880	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9881	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9881	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9882	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9882	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9883	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9883	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	9884	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	9884	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9885		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9885		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9886		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9886		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9887		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9887		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9888		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9888		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9889		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9889		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9890		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9890		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9891		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9891		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9892		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9892		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9893		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9893		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9894		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9894		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9895		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9895		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9896		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9896		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9897		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9897		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9898		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9898		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9899		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9899		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9900		Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
	9900		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
	9901		Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		

PROJECT TITLE :


	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	9901	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9902	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9902	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9903	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9903	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9904	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9904	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9905	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9905	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9906	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9906	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9907	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9907	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9908	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9908	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9909	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9909	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9910	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9910	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9911	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9911	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9912	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9912	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9913	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9913	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9914	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9914	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9915	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9915	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9916	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9916	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9917	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9917	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	9918	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9918	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9919	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9919	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9920	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9920	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9921	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9921	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9922	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9922	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9923	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9923	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9924	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9924	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9925	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9925	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9926	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9926	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9927	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9927	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9928	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9928	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9929	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9929	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9930	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9930	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9931	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9931	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9932	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9932	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9933	0	Uniform Load	GX	YES	0 0.0165	1 0.0165	0		
0	0	0								
0	9933	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		
0	0	0								
0	9934	0	Uniform Load	GY	YES	0 -0.00708	1 -0.00708	0		


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	9934	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9935	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9935	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9936	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9936	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9937	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9937	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9938	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9938	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9939	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9939	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9940	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9940	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9941	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9941	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9942	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9942	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9943	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9943	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9944	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9944	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9945	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9945	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9946	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9946	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9947	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9947	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9948	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9948	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9949	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	9949	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9950	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9950	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9951	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9951	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9952	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9952	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9953	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9953	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9954	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9954	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9955	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9955	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9956	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9956	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9957	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9957	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9958	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9958	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9959	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9959	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9960	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9960	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9961	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9961	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9962	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9962	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9963	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9963	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9964	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9964	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9965	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9965	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9966	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9966	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9967	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9967		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9968		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9968		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9969		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9969		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9970		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9970		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9971		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9971		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9972		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9972		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9973		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9973		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9974		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9974		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9975		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9975		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9976		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9976		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9977		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9977		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9978		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9978		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9979		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9979		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9980		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9980		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9981		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9981		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9982		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9982		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9983		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9983		Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	9984	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9984	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9985	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9985	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9986	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9986	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9987	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9987	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9988	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9988	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9989	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9989	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9990	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9990	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9991	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9991	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9992	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9992	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9993	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9993	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9994	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9994	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9995	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9995	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9996	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9996	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9997	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9997	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9998	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	9998	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9999	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	9999	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10000	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0

PROJECT TITLE :

	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	10000	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10001	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10001	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10002	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10002	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10003	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10003	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10004	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10004	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10005	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10005	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10006	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10006	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10007	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10007	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10008	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10008	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10009	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10009	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10010	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10010	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10011	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10011	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10012	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10012	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10013	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10013	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10014	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10014	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10015	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10015	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10016	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10016	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10017	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10017	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10018	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10018	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10019	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10019	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10020	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10020	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10021	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10021	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10022	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10022	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10023	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10023	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10024	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10024	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10025	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10025	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10026	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10026	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10027	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10027	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10028	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10028	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10029	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10029	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10030	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10030	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10031	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10031	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10032	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10032	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10033	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	10050	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10050	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10051	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10051	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10052	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10052	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10053	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10053	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10054	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10054	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10055	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10055	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10056	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10056	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10057	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10057	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10058	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10058	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10059	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10059	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10060	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10060	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10061	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10061	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10062	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10062	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10063	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10063	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10064	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10064	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10065	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10065	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10066	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10066	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10067	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10067	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10068	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10068	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10069	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10069	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10070	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10070	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10071	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10071	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10072	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10072	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10073	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10073	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10074	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10074	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10075	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10075	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10076	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10076	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10077	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10077	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10078	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10078	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10079	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10079	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10080	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10080	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10081	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10081	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10082	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10082	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10083	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10083	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10084	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10084	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10085	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10085	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10086	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10086	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10087	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10087	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10088	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10088	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10089	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10089	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10090	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10090	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10091	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10091	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10092	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10092	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10093	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10093	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10094	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10094	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10095	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10095	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10096	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10096	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10097	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10097	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10098	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10098	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10099	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10099	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10100	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10100	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10101	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10101	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10102	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10102	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10103	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10103	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10104	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10104	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10105	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10105	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10106	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10106	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10107	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10107	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10108	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10108	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10109	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10109	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10110	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10110	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10111	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10111	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10112	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10112	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10113	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10113	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10114	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10114	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10115	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10115	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :


	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C			

0	0	0								
0	10116	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10116	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10117	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10117	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10118	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10118	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10119	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10119	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10120	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10120	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10121	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10121	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10122	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10122	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10123	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10123	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10124	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10124	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10125	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10125	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10126	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10126	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10127	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10127	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10128	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10128	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10129	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10129	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10130	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10130	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10131	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10131	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10132	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10132	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10133	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10133	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10134	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10134	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10135	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10135	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10136	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10136	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10137	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10137	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10138	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10138	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10139	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10139	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10140	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10140	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10141	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10141	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10142	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10142	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10143	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10143	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10144	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10144	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10145	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10145	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10146	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10146	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10147	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10147	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10148	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10148	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10149	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10149	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10150	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10150	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10151	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10151	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10152	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10152	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10153	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10153	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10154	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10154	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10155	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10155	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10156	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10156	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10157	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10157	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10158	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10158	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10159	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10159	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10160	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10160	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10161	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10161	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10162	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10162	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10163	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10163	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10164	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10164	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10165	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10165		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10166		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10166		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10167		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10167		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10168		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10168		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10169		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10169		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10170		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10170		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10171		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10171		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10172		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10172		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10173		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10173		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10174		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10174		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10175		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10175		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10176		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10176		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10177		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10177		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10178		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10178		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10179		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10179		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10180		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10180		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10181		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10181		Uniform Load	GX	YES	0	0.0165	1	0.0165	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
	10182		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10182		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10183		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10183		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10184		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10184		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10185		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10185		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10186		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10186		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10187		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10187		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10188		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10188		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10189		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10189		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10190		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10190		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10191		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10191		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10192		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10192		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10193		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10193		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10194		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10194		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10195		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10195		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10196		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10196		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10197		Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
	10197		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
	10198		Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	0	0								
0	10198	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10199	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10199	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10200	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10200	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10201	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10201	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10202	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10202	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10203	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10203	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10204	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10204	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10205	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10205	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10206	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10206	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10207	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10207	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10208	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10208	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10209	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10209	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10210	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10210	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10211	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10211	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10212	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10212	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10213	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10213	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0
0	0	0								
0	10214	0	Uniform Load	GX	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10214	0	Uniform Load	GY	YES	0	-0.00708	1	-0.00708	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


0 0 0

[LOAD CASE : Q5_ps Y]


** BEAM LOAD DATA

MEMBER	MEMBER	MEMBER	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	9873	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9873	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9874	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9874	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9875	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9875	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9876	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9876	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9877	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9877	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9878	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9878	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9879	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9879	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9880	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9880	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9881	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9881	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9882	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9882	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9883	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9883	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9884	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9884	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9885	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9885	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9886	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9886	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9887	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9887	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9888	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9888	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9889	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9889	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9890	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9890	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9891	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9891	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9892	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9892	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9893	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9893	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9894	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9894	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9895	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9895	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9896	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9896	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9897	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9897	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9898	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9898	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9899	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9899	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9900	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9900	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9901	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9901	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9902	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9902	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9903	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9903	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9904	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9904	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9905	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9905	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9906	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9906	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9907	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9907	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9908	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9908	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9909	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9909	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9910	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9910	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9911	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9911	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9912	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9912	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9913	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9913	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9914	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9914	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9915	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9915	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9916	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9916	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9917	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9917	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9918	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9918	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9919	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9919	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9920	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9920	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9921	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9921	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9922	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9922	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9923	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9923	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9924	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9924	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9925	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9925	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9926	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9926	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9927	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9927	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9928	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9928	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9929	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9929	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9930	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9930	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9931	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9931	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9932	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9932	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9933	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9933	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9934	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9934	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9935	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9935	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	9936	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9936	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9937	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9937	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9938	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9938	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9939	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9939	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9940	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9940	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9941	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9941	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9942	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9942	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9943	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9943	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9944	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9944	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9945	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9945	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9946	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9946	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9947	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9947	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9948	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9948	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9949	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9949	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9950	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9950	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9951	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9951	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9952	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9952	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9953	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9953	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9954	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9954	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9955	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9955	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9956	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9956	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9957	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9957	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9958	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9958	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9959	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9959	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9960	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9960	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9961	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9961	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9962	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9962	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9963	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9963	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9964	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9964	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9965	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9965	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9966	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9966	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9967	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9967	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9968	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9968	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9969	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9969	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9970	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9970	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9971	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9971	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9972	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9972	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9973	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9973	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9974	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9974	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9975	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9975	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9976	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9976	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9977	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9977	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9978	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9978	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9979	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9979	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9980	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9980	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9981	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9981	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9982	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9982	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9983	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9983	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9984	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	9984	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	9985	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	9985	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9986	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9986	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9987	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9987	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9988	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9988	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9989	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9989	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9990	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9990	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9991	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9991	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9992	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9992	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9993	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9993	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9994	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9994	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9995	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9995	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9996	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9996	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9997	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9997	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9998	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	9998	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9999	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	9999	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10000	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10000	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10001	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10001	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10002	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10002	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10003	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10003	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10004	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10004	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10005	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10005	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10006	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10006	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10007	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10007	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10008	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10008	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10009	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10009	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10010	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10010	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10011	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10011	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10012	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10012	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10013	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10013	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10014	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10014	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10015	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10015	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10016	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10016	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10017	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10017	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10018	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10018	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10019	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10019	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10020	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10020	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10021	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10021	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10022	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10022	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10023	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10023	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10024	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10024	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10025	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10025	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10026	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10026	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10027	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10027	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10028	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10028	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10029	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10029	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10030	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10030	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10031	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10031	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10032	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10032	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10033	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10033	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10034	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10034	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10035	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10035	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10036	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10036	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10037	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10037	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10038	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10038	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10039	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10039	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10040	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10040	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10041	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10041	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10042	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10042	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10043	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10043	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10044	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10044	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10045	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10045	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10046	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10046	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10047	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10047	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10048	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10048	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10049	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10049	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10050	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10050	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10051	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10051	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10052	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10052	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10053	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10053	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10054	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10054	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10055	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10055	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10056	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10056	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10057	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10057	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10058	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10058	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10059	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10059	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10060	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10060	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10061	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10061	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10062	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10062	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10063	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10063	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10064	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10064	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10065	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10065	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10066	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10066	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10067	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10067	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10068	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10068	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10069	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10069	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10070	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10070	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10071	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10071	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10072	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10072	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10073	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10073	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10074	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10074	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10075	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10075	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10076	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10076	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10077	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10077	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10078	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10078	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10079	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10079	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10080	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10080	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10081	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10081	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10082	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10082	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10083	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10083	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10084	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10084	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10085	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10085	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10086	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10086	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10087	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10087	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10088	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10088	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10089	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10089	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10090	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10090	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10091	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10091	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10092	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10092	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10093	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10093	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10094	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10094	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10095	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10095	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10096	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10096	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10097	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10097	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10098	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10098	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10099	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10099	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10100	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10100	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C		
0	10101	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10101	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10102	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10102	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10103	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10103	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10104	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10104	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10105	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10105	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10106	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10106	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10107	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10107	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10108	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10108	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10109	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10109	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10110	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10110	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10111	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10111	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10112	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10112	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10113	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10113	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10114	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10114	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10115	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10115	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10116	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10116	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10117	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10117	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10118	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10118	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10119	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10119	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10120	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10120	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10121	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10121	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10122	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10122	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10123	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10123	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10124	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10124	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10125	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10125	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10126	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10126	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10127	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10127	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10128	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10128	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10129	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10129	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10130	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10130	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10131	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10131	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10132	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10132	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10133	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10133	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10134	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10134	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10135	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10135	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10136	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10136	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10137	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10137	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10138	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10138	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10139	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10139	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10140	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10140	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10141	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10141	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10142	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10142	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10143	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10143	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10144	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10144	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10145	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10145	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10146	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10146	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10147	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10147	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10148	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10148	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10149	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10149	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10150	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0


PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10150	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10151	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10151	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10152	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10152	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10153	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10153	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10154	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10154	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10155	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10155	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10156	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10156	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10157	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10157	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10158	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10158	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10159	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10159	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10160	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10160	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10161	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10161	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10162	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10162	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10163	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10163	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10164	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10164	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10165	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10165	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10166	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10166	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0

PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10167	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10167	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10168	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10168	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10169	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10169	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10170	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10170	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10171	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10171	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10172	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10172	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10173	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10173	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10174	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10174	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10175	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10175	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10176	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10176	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10177	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10177	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10178	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10178	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10179	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10179	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10180	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10180	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10181	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10181	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10182	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10182	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10183	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0

PROJECT TITLE :

		Company	Client							
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C						
0	10183	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10184	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10184	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10185	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10185	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10186	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10186	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10187	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10187	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10188	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10188	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10189	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10189	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10190	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10190	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10191	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10191	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10192	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10192	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10193	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10193	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10194	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10194	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10195	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10195	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10196	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10196	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10197	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10197	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10198	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10198	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	10199	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	10199	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C


0	10200	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10200	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10201	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10201	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10202	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10202	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10203	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10203	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10204	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10204	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10205	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10205	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10206	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10206	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10207	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10207	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10208	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10208	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10209	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10209	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10210	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10210	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10211	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10211	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10212	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10212	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10213	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10213	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								
0	10214	0	Uniform Load	GY	YES	0	0.0165	1	0.0165	0
0	0	0								
0	10214	0	Uniform Load	GX	YES	0	0.00708	1	0.00708	0
0	0	0								

*** LOAD COMBINATION DATA

** GENERAL


NO	NAME	TYPE	ACTIVE	DESCRIPTION
----	------	------	--------	-------------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_C

1	Q1k	Envelope	ACTIVE
2	Q1f	Envelope	ACTIVE
3	SLU1	Add	ACTIVE
4	SLU2	Add	ACTIVE
5	SLU3	Add	ACTIVE
6	SLU4	Add	ACTIVE
7	SLU5	Add	ACTIVE
8	SLU6	Add	ACTIVE
9	SLU7	Add	ACTIVE
10	SLU8	Add	ACTIVE
11	SLR1	Add	ACTIVE
12	SLR2	Add	ACTIVE
13	SLR3	Add	ACTIVE
14	SLR4	Add	ACTIVE
15	SLR5	Add	ACTIVE
16	SLR6	Add	ACTIVE
17	SLR7	Add	ACTIVE
18	SLR8	Add	ACTIVE
19	INVSLU	Envelope	ACTIVE
20	INVSLE	Envelope	ACTIVE
21	DL+creep	Add	ACTIVE
22	ritiro	Add	ACTIVE

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

 ** Gen 2011 Modeling, Integrated Design & Analysis Software
 **
 ** GENERAL STRUCTURE DESIGN SYSTEM
 **


```

      XXX  XXX  XX  XXXXXXXX  XXXXXXXX  XXXXXXXX
    XXXX XXXX  XX  XX  XX  XX  XX  XX  XX
  XX XXX XX  XX  XX  XX  XX  XX  XX
  XX X XX  XX  XX  XX  XXXXXXXX  XXXXXXXX
  XXX  XX  XXX  XXX  XX  XX  XX  XXX
  XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
  XXX  XX  XXX  XXXXXXXX  XXX  XX  XXXXXXXX /Gen
  
```

Gen 2011

COPYRIGHT (C) SINCE 1989. MIDAS Information Technology Co.,Ltd.

ALL RIGHTS RESERVED.

MIDAS TEAM

ANALYSIS RESULT OUTPUT

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

LOAD SET FOR DISPLACEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc X ad (USER)	Static	vento a ponte carico X	User Defined Lo
Q5 pc Y ad (USER)	Static	vento a ponte carico Y	User Defined Lo
Q5 ps X ad (USER)	Static	vento a ponte scarico X	User Defined Lo
Q5 ps Y ad (USER)	Static	vento a ponte scarico Y	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
		1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

.000 x SLU8
INVSLE Gen.Envl 1.000 x SLR1 , 1.000 x SLR2 , 1.000 x SLR3 ,
1.000 x SLR4 , 1.000 x SLR5 , 1.000 x SLR6 , 1.000 x SLR7 , 1
.000 x SLR8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

LOAD SET FOR REACTION OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc X ad (USER)	Static	vento a ponte carico X	User Defined Lo
Q5 pc Y ad (USER)	Static	vento a ponte carico Y	User Defined Lo
Q5 ps X ad (USER)	Static	vento a ponte scarico X	User Defined Lo
Q5 ps Y ad (USER)	Static	vento a ponte scarico Y	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	, 1.000 x SLU4
		1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1.000 x SLU8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

.000 x SLU8
INVSLE Gen.Envl 1.000 x SLR1 , 1.000 x SLR2 , 1.000 x SLR3 ,
1.000 x SLR4 , 1.000 x SLR5 , 1.000 x SLR6 , 1.000 x SLR7 , 1
.000 x SLR8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

LOAD SET FOR ELEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc X ad (USER)	Static	vento a ponte carico X	User Defined Lo
Q5 pc Y ad (USER)	Static	vento a ponte carico Y	User Defined Lo
Q5 ps X ad (USER)	Static	vento a ponte scarico X	User Defined Lo
Q5 ps Y ad (USER)	Static	vento a ponte scarico Y	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	, 1.000 x SLU4
		1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1.000 x SLU8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

.000 x SLU8
INVSLE Gen.Envl 1.000 x SLR1 , 1.000 x SLR2 , 1.000 x SLR3 ,
1.000 x SLR4 , 1.000 x SLR5 , 1.000 x SLR6 , 1.000 x SLR7 , 1
.000 x SLR8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


NODE DISPLACEMENT AND ROTATIONS DEFAULT PRINTOUT
kN , mm

Unit System :

NODE RZ	LC		UX	UY	UZ	RX	RY
4460	C1-C2;~1	Max	1.855	5.694	8.838	0.0	0.0
0.0		Min	-1.997	-4.967	-11.591	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.982	6.021	10.065	0.0	0.0
0.0		Min	-2.050	-5.728	-12.433	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.949	2.976	4.577	0.0	0.0
0.0		Min	-1.053	-2.580	-6.041	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.021	3.151	5.117	0.0	0.0
0.0		Min	-1.056	-2.925	-6.506	-0.0	-0.0
-0.0							
-0.0	G1		-0.191	0.706	-3.043	-0.0	0.0
0.0	G2		-0.085	0.287	-1.186	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.831	-0.586	0.292	0.0	-0.0
-0.0	Q5_pc Y		0.324	1.089	-1.766	-0.0	0.0
0.0	Q5_ps X		0.782	-0.564	0.324	0.0	-0.0
-0.0	Q5_ps Y		0.307	1.027	-1.654	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.504	11.236	9.059	0.0	0.0
0.0		Min	-4.436	-6.586	-24.493	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.780	8.266	6.598	0.0	0.0
0.0		Min	-3.250	-4.790	-18.020	-0.0	-0.0
-0.0							
4461	C1-C2;~1	Max	1.881	5.455	0.089	0.0	0.0
0.0		Min	-2.106	-5.237	-0.475	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.060	5.745	0.088	0.0	0.0
0.0		Min	-2.311	-6.031	-0.651	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.962	2.840	0.042	0.0	0.0
		Min	-1.115	-2.731	-0.226	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.062	2.991	0.042	0.0	0.0
		Min	-1.197	-3.092	-0.326	-0.0	-0.0
-0.0							
-0.0	G1		-0.346	0.133	-0.608	0.0	0.0
-0.0	G2		-0.141	0.065	-0.232	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.575	-0.433	-0.057	0.0	-0.0
-0.0	Q5_pc Y		0.604	1.036	-0.016	-0.0	0.0
0.0							
-0.0	Q5_ps X		0.536	-0.413	-0.041	0.0	-0.0
-0.0	Q5_ps Y		0.570	0.979	-0.011	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.286	9.107	-0.770	0.0	0.0
-0.0		Min	-4.701	-8.656	-1.871	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.631	6.683	-0.562	0.0	0.0
-0.0		Min	-3.464	-6.336	-1.370	-0.0	-0.0
-0.0							
4462	C1-C2;~1	Max	1.894	5.519	1.721	0.0	0.0
0.0		Min	-2.083	-5.180	-2.408	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.060	5.819	1.926	0.0	0.0
-0.0		Min	-2.265	-5.968	-2.609	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.967	2.876	0.896	0.0	0.0
-0.0		Min	-1.103	-2.699	-1.248	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.061	3.033	0.983	0.0	0.0
-0.0		Min	-1.171	-3.057	-1.360	-0.0	-0.0
-0.0							
0.0	G1		-0.311	0.274	-0.828	-0.0	0.0
0.0	G2		-0.136	0.122	-0.318	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.617	-0.464	0.018	0.0	-0.0
-0.0	Q5_pc Y		0.544	1.050	-0.389	-0.0	0.0
0.0							
-0.0	Q5_ps X		0.579	-0.444	0.032	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.515	0.991	-0.363	-0.0	0.0
0.0	INVS LU	Max	2.359	9.611	1.560	0.0	0.0
-0.0		Min	-4.590	-8.190	-5.262	-0.0	-0.0
0.0	INVS LE	Max	1.685	7.058	1.142	0.0	0.0
-0.0		Min	-3.380	-5.989	-3.860	-0.0	-0.0
4463 0.0	C1-C2;~1	Max	1.935	5.575	3.582	0.0	0.0
-0.0		Min	-2.079	-5.124	-4.645	-0.0	-0.0
0.0	C3-C4;~1	Max	2.056	5.884	4.058	0.0	0.0
-0.0		Min	-2.219	-5.905	-4.997	-0.0	-0.0
0.0	C1-C2;~2	Max	0.994	2.908	1.863	0.0	0.0
-0.0		Min	-1.098	-2.667	-2.412	-0.0	-0.0
0.0	C3-C4;~2	Max	1.057	3.071	2.070	0.0	0.0
-0.0		Min	-1.146	-3.022	-2.607	-0.0	-0.0
0.0	G1		-0.280	0.404	-1.225	-0.0	0.0
0.0	G2		-0.131	0.174	-0.473	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.670	-0.497	0.090	0.0	-0.0
0.0	Q5_pc Y		0.488	1.061	-0.756	-0.0	0.0
-0.0	Q5_ps X		0.633	-0.478	0.106	0.0	-0.0
0.0	Q5_ps Y		0.463	1.001	-0.708	-0.0	0.0
0.0	INVS LU	Max	2.398	10.096	3.954	0.0	0.0
-0.0		Min	-4.581	-7.729	-9.632	-0.0	-0.0
0.0	INVS LE	Max	1.710	7.418	2.891	0.0	0.0
-0.0		Min	-3.370	-5.644	-7.072	-0.0	-0.0
4464 0.0	C1-C2;~1	Max	1.954	5.623	5.386	0.0	0.0
-0.0		Min	-2.063	-5.070	-6.938	-0.0	-0.0
0.0	C3-C4;~1	Max	2.041	5.940	6.120	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.167	-5.844	-7.449	-0.0	-0.0
0.0	C1-C2;~2	Max	1.010	2.935	2.797	0.0	0.0
-0.0		Min	-1.088	-2.637	-3.607	-0.0	-0.0
0.0	C3-C4;~2	Max	1.049	3.103	3.119	0.0	0.0
-0.0		Min	-1.118	-2.989	-3.890	-0.0	-0.0
0.0	G1		-0.250	0.519	-1.750	-0.0	0.0
-0.0	G2		-0.120	0.218	-0.677	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.725	-0.529	0.157	0.0	-0.0
0.0	Q5_pc Y		0.433	1.071	-1.110	-0.0	0.0
-0.0	Q5_ps X		0.686	-0.509	0.177	0.0	-0.0
0.0	Q5_ps Y		0.411	1.010	-1.040	-0.0	0.0
0.0	INVSLU	Max	2.418	10.533	5.955	0.0	0.0
-0.0		Min	-4.567	-7.302	-14.362	-0.0	-0.0
0.0	INVSLE	Max	1.722	7.743	4.349	0.0	0.0
-0.0		Min	-3.356	-5.326	-10.553	-0.0	-0.0
4465	C1-C2;~1	Max	1.888	5.663	7.137	0.0	0.0
0.0		Min	-2.032	-5.017	-9.261	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.013	5.985	8.122	0.0	0.0
-0.0		Min	-2.109	-5.785	-9.936	-0.0	-0.0
0.0	C1-C2;~2	Max	0.966	2.958	3.701	0.0	0.0
-0.0		Min	-1.072	-2.608	-4.820	-0.0	-0.0
0.0	C3-C4;~2	Max	1.035	3.129	4.134	0.0	0.0
-0.0		Min	-1.087	-2.957	-5.193	-0.0	-0.0
0.0	G1		-0.220	0.619	-2.363	-0.0	0.0
-0.0	G2		-0.103	0.255	-0.915	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.777	-0.558	0.223	0.0	-0.0
0.0	Q5_pc Y		0.378	1.081	-1.447	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.734	-0.537	0.247	0.0	-0.0
0.0	Q5_ps Y		0.359	1.019	-1.356	-0.0	0.0
0.0	INVS LU	Max	2.449	10.912	7.641	0.0	0.0
-0.0		Min	-4.515	-6.923	-19.342	-0.0	-0.0
0.0	INVS LE	Max	1.742	8.024	5.573	0.0	0.0
-0.0		Min	-3.313	-5.043	-14.221	-0.0	-0.0
4466	C1-C2;~1	Max	1.864	5.716	16.686	0.0	0.0
0.0		Min	-1.874	-4.587	-23.800	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.942	6.063	19.056	0.0	0.0
-0.0		Min	-1.813	-5.294	-25.501	-0.0	-0.0
0.0	C1-C2;~2	Max	0.967	2.999	8.577	0.0	0.0
-0.0		Min	-0.980	-2.371	-12.465	-0.0	-0.0
0.0	C3-C4;~2	Max	1.007	3.189	9.617	0.0	0.0
-0.0		Min	-0.935	-2.691	-13.420	-0.0	-0.0
-0.0	G1		-0.046	1.121	-7.588	0.0	0.0
-0.0	G2		-0.025	0.447	-2.958	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.188	-0.725	0.606	0.0	-0.0
0.0	Q5_pc Y		0.085	1.102	-3.190	-0.0	0.0
-0.0	Q5_ps X		1.119	-0.698	0.669	0.0	-0.0
0.0	Q5_ps Y		0.082	1.038	-2.982	-0.0	0.0
0.0	INVS LU	Max	3.815	12.541	11.481	-0.0	0.0
-0.0		Min	-3.474	-4.774	-54.413	-0.0	-0.0
0.0	INVS LE	Max	2.736	9.243	8.236	-0.0	0.0
-0.0		Min	-2.505	-3.436	-40.149	-0.0	-0.0
4467	C1-C2;~1	Max	1.998	5.713	10.552	0.0	0.0
0.0		Min	-1.994	-4.914	-14.038	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.006	6.046	12.028	0.0	0.0
-0.0		Min	-2.018	-5.668	-15.045	-0.0	-0.0
0.0	C1-C2;~2	Max	1.052	2.988	5.458	0.0	0.0
-0.0		Min	-1.049	-2.550	-7.322	-0.0	-0.0
0.0	C3-C4;~2	Max	1.037	3.166	6.107	0.0	0.0
-0.0		Min	-1.021	-2.893	-7.881	-0.0	-0.0
-0.0	G1		-0.168	0.786	-3.807	-0.0	0.0
0.0	G2		-0.086	0.320	-1.477	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.911	-0.619	0.356	0.0	-0.0
0.0	Q5_pc Y		0.275	1.096	-2.092	-0.0	0.0
-0.0	Q5_ps X		0.862	-0.597	0.390	0.0	-0.0
0.0	Q5_ps Y		0.263	1.033	-1.960	-0.0	0.0
0.0	INVSLU	Max	2.616	11.535	10.213	0.0	0.0
-0.0		Min	-4.458	-6.252	-30.101	-0.0	-0.0
0.0	INVSLE	Max	1.858	8.488	7.424	0.0	0.0
-0.0		Min	-3.260	-4.541	-22.159	-0.0	-0.0
4468	C1-C2;~1	Max	2.137	5.727	12.190	0.0	0.0
0.0		Min	-1.993	-4.866	-16.445	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.070	6.066	13.901	0.0	0.0
-0.0		Min	-1.993	-5.615	-17.616	-0.0	-0.0
0.0	C1-C2;~2	Max	1.152	2.997	6.297	0.0	0.0
-0.0		Min	-1.047	-2.524	-8.586	-0.0	-0.0
0.0	C3-C4;~2	Max	1.083	3.180	7.050	0.0	0.0
-0.0		Min	-1.011	-2.864	-9.237	-0.0	-0.0
-0.0	G1		-0.147	0.853	-4.614	-0.0	0.0
0.0	G2		-0.086	0.349	-1.792	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.993	-0.649	0.432	0.0	-0.0
0.0	Q5_pc Y		0.228	1.103	-2.400	-0.0	0.0
-0.0	Q5_ps X		0.943	-0.626	0.470	0.0	-0.0
0.0	Q5_ps Y		0.219	1.038	-2.248	-0.0	0.0
0.0	INVSLU	Max	2.914	11.779	11.088	-0.0	0.0
-0.0		Min	-4.449	-5.976	-35.780	-0.0	-0.0
0.0	INVSLE	Max	2.075	8.670	8.042	-0.0	0.0
-0.0		Min	-3.247	-4.335	-26.355	-0.0	-0.0
4469	C1-C2;~1	Max	2.169	5.747	13.793	0.0	0.0
0.0		Min	-1.969	-4.772	-18.940	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.086	6.093	15.738	0.0	0.0
-0.0		Min	-1.946	-5.508	-20.291	-0.0	-0.0
0.0	C1-C2;~2	Max	1.176	3.011	7.114	0.0	0.0
-0.0		Min	-1.032	-2.472	-9.898	-0.0	-0.0
0.0	C3-C4;~2	Max	1.096	3.198	7.970	0.0	0.0
-0.0		Min	-0.991	-2.806	-10.652	-0.0	-0.0
-0.0	G1		-0.108	0.972	-5.547	-0.0	0.0
-0.0	G2		-0.073	0.396	-2.156	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.068	-0.679	0.493	0.0	-0.0
0.0	Q5_pc Y		0.179	1.103	-2.689	-0.0	0.0
-0.0	Q5_ps X		1.015	-0.656	0.537	0.0	-0.0
0.0	Q5_ps Y		0.174	1.038	-2.517	-0.0	0.0
0.0	INVSLU	Max	3.245	12.163	11.628	-0.0	0.0
-0.0		Min	-4.264	-5.483	-41.851	-0.0	-0.0
0.0	INVSLE	Max	2.317	8.957	8.412	-0.0	0.0
-0.0		Min	-3.103	-3.967	-30.843	-0.0	-0.0
4470	C1-C2;~1	Max	2.078	5.741	15.286	0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0							
-0.0	Min	-1.924	-4.679	-21.394	-0.0	-0.0	
0.0	C3-C4;~1	Max	2.032	6.090	17.450	0.0	0.0
-0.0	Min	-1.866	-5.401	-22.919	-0.0	-0.0	
0.0	C1-C2;~2	Max	1.116	3.010	7.871	0.0	0.0
-0.0	Min	-1.008	-2.421	-11.192	-0.0	-0.0	
0.0	C3-C4;~2	Max	1.063	3.200	8.822	0.0	0.0
-0.0	Min	-0.965	-2.748	-12.046	-0.0	-0.0	
-0.0	G1		-0.075	1.059	-6.542	-0.0	0.0
-0.0	G2		-0.052	0.427	-2.544	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.132	-0.704	0.551	0.0	-0.0
-0.0	Q5_pc Y		0.132	1.102	-2.953	-0.0	0.0
0.0	Q5_ps X		1.073	-0.680	0.602	0.0	-0.0
-0.0	Q5_ps Y		0.128	1.038	-2.763	-0.0	0.0
0.0	INVS LU	Max	3.536	12.399	11.732	-0.0	0.0
-0.0	Min	-3.904	-5.097	-48.081	-0.0	-0.0	
0.0	INVS LE	Max	2.531	9.135	8.457	-0.0	0.0
-0.0	Min	-2.830	-3.678	-35.456	-0.0	-0.0	
4471	C1-C2;~1	Max	1.841	5.128	8.865	0.0	0.0
0.0	Min	-2.260	-5.394	-11.100	-0.0	-0.0	
-0.0	C3-C4;~1	Max	2.056	5.380	9.356	0.0	0.0
0.0	Min	-2.564	-6.200	-12.943	-0.0	-0.0	
-0.0	C1-C2;~2	Max	0.940	2.660	4.567	0.0	0.0
0.0	Min	-1.202	-2.822	-5.816	-0.0	-0.0	
-0.0	C3-C4;~2	Max	1.060	2.787	4.814	0.0	0.0
0.0	Min	-1.336	-3.190	-6.677	-0.0	-0.0	
-0.0	G1		-0.588	-0.396	-2.941	0.0	-0.0
0.0	G2		-0.241	-0.136	-1.118	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.632	-0.384	-0.321	-0.0	-0.0
0.0	Q5_pc Y		0.959	0.923	1.737	-0.0	0.0
0.0	Q5_ps X		0.594	-0.363	-0.278	-0.0	-0.0
0.0	Q5_ps Y		0.906	0.874	1.648	-0.0	0.0
0.0	INVS LU	Max	1.410	7.218	8.412	0.0	-0.0
-0.0		Min	-6.552	-10.078	-24.820	-0.0	-0.0
0.0	INVS LE	Max	0.953	5.284	6.118	0.0	-0.0
-0.0		Min	-4.817	-7.404	-18.266	-0.0	-0.0
4472	C1-C2;~1	Max	1.863	5.193	7.160	0.0	0.0
0.0		Min	-2.249	-5.381	-8.871	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.069	5.450	7.549	0.0	0.0
0.0		Min	-2.535	-6.187	-10.343	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.949	2.695	3.693	0.0	0.0
0.0		Min	-1.194	-2.813	-4.642	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.065	2.827	3.889	0.0	0.0
0.0		Min	-1.318	-3.181	-5.330	-0.0	-0.0
-0.0	G1		-0.556	-0.312	-2.284	0.0	-0.0
0.0	G2		-0.235	-0.102	-0.861	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.619	-0.391	-0.281	-0.0	-0.0
0.0	Q5_pc Y		0.891	0.948	1.413	-0.0	0.0
0.0	Q5_ps X		0.584	-0.372	-0.248	-0.0	-0.0
0.0	Q5_ps Y		0.842	0.897	1.340	-0.0	0.0
0.0	INVS LU	Max	1.515	7.562	7.092	0.0	0.0
-0.0		Min	-6.303	-9.854	-19.605	-0.0	-0.0
0.0	INVS LE	Max	1.036	5.539	5.167	0.0	0.0
-0.0		Min	-4.636	-7.235	-14.421	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4473	C1-C2;~1	Max	1.879	5.259	5.403	0.0	0.0
0.0		Min	-2.226	-5.362	-6.648	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.077	5.523	5.688	0.0	0.0
0.0		Min	-2.494	-6.166	-7.755	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.956	2.732	2.790	0.0	0.0
0.0		Min	-1.181	-2.801	-3.475	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.067	2.867	2.934	0.0	0.0
0.0		Min	-1.295	-3.168	-3.992	-0.0	-0.0
-0.0							
	G1		-0.515	-0.218	-1.694	0.0	-0.0
-0.0							
	G2		-0.223	-0.064	-0.638	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.606	-0.400	-0.231	-0.0	-0.0
0.0							
	Q5_pc Y		0.820	0.972	1.074	-0.0	0.0
0.0							
	Q5_ps X		0.573	-0.381	-0.203	-0.0	-0.0
0.0							
	Q5_ps Y		0.776	0.918	1.019	-0.0	0.0
0.0							
	INVSLU	Max	1.670	7.918	5.522	0.0	0.0
0.0		Min	-5.977	-9.611	-14.560	-0.0	-0.0
-0.0							
	INVSLE	Max	1.156	5.803	4.029	0.0	0.0
0.0		Min	-4.399	-7.052	-10.703	-0.0	-0.0
-0.0							
4474	C1-C2;~1	Max	1.885	5.325	3.593	0.0	0.0
0.0		Min	-2.193	-5.332	-4.455	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.076	5.597	3.772	0.0	0.0
0.0		Min	-2.441	-6.133	-5.207	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.960	2.768	1.858	0.0	0.0
0.0		Min	-1.162	-2.783	-2.326	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.067	2.908	1.947	0.0	0.0
0.0		Min	-1.266	-3.148	-2.678	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-0.465	-0.113	-1.192	0.0	-0.0
-0.0	G2	-0.202	-0.024	-0.448	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.591	-0.409	-0.174	-0.0	-0.0
0.0	Q5_pc Y	0.748	0.995	0.721	-0.0	0.0
0.0	Q5_ps X	0.559	-0.390	-0.153	-0.0	-0.0
0.0	Q5_ps Y	0.708	0.940	0.685	-0.0	0.0
0.0	INVS LU Max	1.875	8.287	3.648	0.0	0.0
-0.0	Min	-5.570	-9.340	-9.771	-0.0	-0.0
0.0	INVS LE Max	1.314	6.076	2.665	0.0	0.0
-0.0	Min	-4.101	-6.848	-7.178	-0.0	-0.0
4475 0.0	C1-C2;~1 Max	1.882	5.391	1.725	0.0	0.0
-0.0	Min	-2.150	-5.289	-2.315	-0.0	-0.0
0.0	C3-C4;~1 Max	2.068	5.671	1.793	0.0	0.0
-0.0	Min	-2.378	-6.087	-2.727	-0.0	-0.0
0.0	C1-C2;~2 Max	0.961	2.804	0.893	0.0	0.0
-0.0	Min	-1.139	-2.759	-1.206	-0.0	-0.0
0.0	C3-C4;~2 Max	1.065	2.950	0.925	0.0	0.0
-0.0	Min	-1.232	-3.123	-1.401	-0.0	-0.0
-0.0	G1	-0.407	0.005	-0.815	0.0	-0.0
-0.0	G2	-0.173	0.019	-0.307	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.578	-0.419	-0.115	0.0	-0.0
0.0	Q5_pc Y	0.675	1.017	0.356	-0.0	0.0
0.0	Q5_ps X	0.542	-0.400	-0.098	-0.0	-0.0
0.0	Q5_ps Y	0.638	0.961	0.339	-0.0	0.0
0.0	INVS LU Max	2.100	8.677	1.400	0.0	0.0
-0.0	Min	-5.117	-9.027	-5.342	-0.0	-0.0
	INVS LE Max	1.487	6.365	1.025	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.769	-6.613	-3.922	-0.0	-0.0
-0.0							
4476	C1-C2;~1	Max	1.832	5.069	10.622	0.0	0.0
0.0		Min	-2.270	-5.412	-13.490	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.050	5.314	11.222	0.0	0.0
0.0		Min	-2.592	-6.216	-15.720	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.934	2.627	5.466	0.0	0.0
0.0		Min	-1.209	-2.832	-7.074	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.057	2.750	5.767	0.0	0.0
0.0		Min	-1.352	-3.200	-8.116	-0.0	-0.0
-0.0							
0.0	G1		-0.620	-0.473	-3.693	0.0	-0.0
0.0	G2		-0.264	-0.162	-1.399	0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.664	-0.387	-0.370	-0.0	-0.0
0.0	Q5_pc Y		1.035	0.893	2.073	-0.0	0.0
0.0	Q5_ps X		0.629	-0.367	-0.324	-0.0	-0.0
0.0	Q5_ps Y		0.978	0.845	1.966	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.298	6.900	9.485	0.0	-0.0
0.0		Min	-6.833	-10.272	-30.618	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.864	5.049	6.883	0.0	-0.0
0.0		Min	-5.021	-7.552	-22.546	-0.0	-0.0
-0.0							
4477	C1-C2;~1	Max	1.830	5.016	12.297	0.0	0.0
0.0		Min	-2.280	-5.427	-15.839	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.049	5.256	13.002	0.0	0.0
0.0		Min	-2.619	-6.229	-18.453	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.932	2.598	6.319	0.0	0.0
0.0		Min	-1.215	-2.842	-8.315	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.056	2.718	6.672	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-1.366	-3.208	-9.536	-0.0	-0.0
-0.0	G1		-0.645	-0.539	-4.490	0.0	-0.0
0.0	G2		-0.282	-0.184	-1.705	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.696	-0.392	-0.402	-0.0	-0.0
0.0	Q5_pc Y		1.109	0.861	2.399	-0.0	-0.0
0.0	Q5_ps X		0.663	-0.373	-0.350	-0.0	-0.0
0.0	Q5_ps Y		1.049	0.815	2.275	-0.0	-0.0
0.0	INVSLU	Max	1.264	6.600	10.287	0.0	-0.0
0.0		Min	-7.035	-10.455	-36.494	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.833	4.827	7.446	0.0	-0.0
0.0		Min	-5.167	-7.691	-26.888	-0.0	-0.0
-0.0							
4478	C1-C2;~1	Max	1.799	4.915	13.936	0.0	0.0
0.0		Min	-2.288	-5.443	-18.275	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.020	5.148	14.747	0.0	0.0
0.0		Min	-2.643	-6.248	-21.303	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.916	2.542	7.151	0.0	0.0
0.0		Min	-1.220	-2.853	-9.603	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.041	2.657	7.555	0.0	0.0
0.0		Min	-1.380	-3.222	-11.020	-0.0	-0.0
-0.0							
0.0	G1		-0.689	-0.657	-5.416	0.0	0.0
0.0	G2		-0.302	-0.229	-2.061	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.728	-0.393	-0.438	-0.0	-0.0
0.0	Q5_pc Y		1.179	0.828	2.700	-0.0	-0.0
0.0	Q5_ps X		0.693	-0.373	-0.379	-0.0	-0.0
0.0	Q5_ps Y		1.115	0.784	2.560	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.250	6.007	10.746	0.0	0.0
0.0		Min	-7.167	-10.869	-42.781	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	0.817	4.388	7.754	0.0	0.0
-0.0		Min	-5.261	-8.003	-31.536	-0.0	-0.0
4479	C1-C2;~1	Max	1.758	4.813	15.463	0.0	0.0
0.0		Min	-2.281	-5.427	-20.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.981	5.040	16.374	0.0	0.0
-0.0		Min	-2.644	-6.234	-24.106	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.896	2.485	7.921	0.0	0.0
0.0		Min	-1.217	-2.848	-10.874	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.023	2.596	8.374	0.0	0.0
-0.0		Min	-1.383	-3.218	-12.483	-0.0	-0.0
0.0	G1		-0.716	-0.745	-6.405	0.0	0.0
0.0	G2		-0.305	-0.267	-2.442	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.751	-0.392	-0.468	-0.0	-0.0
0.0	Q5_pc Y		1.243	0.796	2.978	-0.0	-0.0
0.0	Q5_ps X		0.713	-0.370	-0.402	-0.0	-0.0
0.0	Q5_ps Y		1.175	0.755	2.824	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.403	5.405	10.777	0.0	0.0
-0.0		Min	-7.079	-11.249	-49.231	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	0.926	3.940	7.743	0.0	0.0
0.0		Min	-5.192	-8.290	-36.310	-0.0	-0.0
-0.0							
4480	C1-C2;~1	Max	1.721	4.709	16.895	0.0	0.0
0.0		Min	-2.272	-5.390	-23.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.945	4.931	17.905	0.0	0.0
-0.0		Min	-2.637	-6.196	-26.867	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.879	2.429	8.639	0.0	0.0
0.0		Min	-1.213	-2.831	-12.125	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-0.0							
0.0	C3-C4;~2	Max	1.006	2.536	9.139	0.0	0.0
-0.0		Min	-1.380	-3.201	-13.929	-0.0	-0.0
0.0	G1		-0.730	-0.813	-7.445	0.0	0.0
0.0	G2		-0.297	-0.300	-2.850	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.769	-0.391	-0.490	-0.0	0.0
0.0	Q5_pc Y		1.302	0.766	3.231	-0.0	-0.0
0.0	Q5_ps X		0.725	-0.366	-0.413	-0.0	-0.0
0.0	Q5_ps Y		1.229	0.726	3.065	-0.0	-0.0
0.0	INVS LU	Max	1.636	4.819	10.466	0.0	0.0
-0.0		Min	-6.894	-11.581	-55.792	0.0	-0.0
0.0	INVS LE	Max	1.094	3.504	7.477	0.0	-0.0
-0.0		Min	-5.050	-8.541	-41.172	0.0	-0.0
4481	C1-C2;~1	Max	1.673	4.621	18.221	0.0	0.0
0.0		Min	-2.217	-5.364	-25.337	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.894	4.837	19.327	0.0	0.0
0.0		Min	-2.604	-6.153	-29.579	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.854	2.380	9.300	0.0	0.0
0.0		Min	-1.186	-2.819	-13.357	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.980	2.484	9.845	0.0	0.0
0.0		Min	-1.363	-3.181	-15.350	-0.0	-0.0
-0.0	G1		-0.742	-0.858	-8.525	0.0	0.0
0.0	G2		-0.317	-0.310	-3.260	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.815	-0.406	-0.518	-0.0	-0.0
0.0	Q5_pc Y		1.364	0.732	3.469	-0.0	-0.0
0.0	Q5_ps X		0.774	-0.383	-0.438	-0.0	-0.0
0.0	Q5_ps Y		1.289	0.694	3.291	-0.0	-0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	1.731	4.357	9.755	0.0	0.0
		Min	-6.798	-11.797	-62.512	0.0	-0.0
0.0	INVS LE	Max	1.159	3.162	6.911	0.0	0.0
0.0		Min	-4.977	-8.706	-46.158	0.0	-0.0
4482 0.0	C1-C2;~1	Max	1.633	4.532	19.456	0.0	0.0
-0.0		Min	-2.166	-5.319	-27.585	-0.0	-0.0
0.0	C3-C4;~1	Max	1.850	4.743	20.653	0.0	0.0
-0.0		Min	-2.567	-6.090	-32.222	-0.0	-0.0
0.0	C1-C2;~2	Max	0.833	2.331	9.911	0.0	0.0
-0.0		Min	-1.161	-2.795	-14.558	-0.0	-0.0
0.0	C3-C4;~2	Max	0.958	2.432	10.498	0.0	0.0
-0.0		Min	-1.344	-3.151	-16.739	-0.0	-0.0
0.0	G1		-0.744	-0.885	-9.624	0.0	0.0
-0.0	G2		-0.327	-0.316	-3.685	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.855	-0.420	-0.536	-0.0	-0.0
0.0	Q5_pc Y		1.421	0.699	3.688	-0.0	-0.0
0.0	Q5_ps X		0.816	-0.398	-0.448	-0.0	-0.0
0.0	Q5_ps Y		1.343	0.663	3.499	-0.0	-0.0
0.0	INVS LU	Max	1.823	3.955	8.803	0.0	0.0
-0.0		Min	-6.698	-11.928	-69.217	0.0	-0.0
0.0	INVS LE	Max	1.221	2.864	6.164	0.0	0.0
-0.0		Min	-4.901	-8.808	-51.137	0.0	-0.0
4483 0.0	C1-C2;~1	Max	1.593	4.441	20.596	0.0	0.0
-0.0		Min	-2.117	-5.249	-29.761	-0.0	-0.0
0.0	C3-C4;~1	Max	1.807	4.647	21.882	0.0	0.0
-0.0		Min	-2.518	-6.004	-34.782	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.814	2.282	10.471	0.0	0.0
-0.0		Min	-1.135	-2.759	-15.721	-0.0	-0.0
0.0	C3-C4;~2	Max	0.937	2.379	11.099	0.0	0.0
-0.0		Min	-1.318	-3.108	-18.087	-0.0	-0.0
0.0	G1		-0.737	-0.893	-10.732	0.0	0.0
0.0	G2		-0.325	-0.319	-4.113	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.885	-0.431	-0.553	-0.0	-0.0
0.0	Q5_pc Y		1.471	0.670	3.885	-0.0	-0.0
0.0	Q5_ps X		0.844	-0.408	-0.458	-0.0	-0.0
0.0	Q5_ps Y		1.390	0.636	3.687	-0.0	-0.0
0.0	INVSLU	Max	1.923	3.606	7.583	0.0	0.0
-0.0		Min	-6.563	-11.978	-75.905	0.0	-0.0
0.0	INVSLE	Max	1.287	2.607	5.217	0.0	0.0
-0.0		Min	-4.802	-8.848	-56.108	0.0	-0.0
4484	C1-C2;~1	Max	1.556	4.347	21.637	0.0	0.0
0.0		Min	-2.074	-5.152	-31.842	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.769	4.548	23.007	0.0	0.0
-0.0		Min	-2.462	-5.895	-37.226	-0.0	-0.0
0.0	C1-C2;~2	Max	0.797	2.231	10.977	0.0	0.0
-0.0		Min	-1.112	-2.710	-16.837	-0.0	-0.0
0.0	C3-C4;~2	Max	0.919	2.326	11.644	0.0	0.0
-0.0		Min	-1.290	-3.052	-19.377	-0.0	-0.0
0.0	G1		-0.723	-0.882	-11.825	0.0	0.0
0.0	G2		-0.311	-0.319	-4.535	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.905	-0.437	-0.568	-0.0	-0.0
0.0	Q5_pc Y		1.514	0.644	4.061	-0.0	-0.0
0.0	Q5_ps X		0.860	-0.412	-0.466	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.430	0.611	3.854	-0.0	-0.0
0.0	INVS LU	Max	2.041	3.308	6.159	0.0	0.0
-0.0		Min	-6.395	-11.949	-82.466	0.0	-0.0
0.0	INVS LE	Max	1.366	2.389	4.117	0.0	0.0
-0.0		Min	-4.681	-8.827	-60.990	0.0	-0.0
4485 0.0	C1-C2;~1	Max	1.534	4.248	22.598	0.0	0.0
-0.0		Min	-2.045	-5.027	-33.836	-0.0	-0.0
0.0	C3-C4;~1	Max	1.742	4.445	24.050	0.0	0.0
-0.0		Min	-2.406	-5.758	-39.582	-0.0	-0.0
0.0	C1-C2;~2	Max	0.787	2.178	11.441	0.0	0.0
-0.0		Min	-1.094	-2.645	-17.910	-0.0	-0.0
0.0	C3-C4;~2	Max	0.907	2.270	12.144	0.0	0.0
-0.0		Min	-1.260	-2.980	-20.623	-0.0	-0.0
0.0	G1		-0.702	-0.849	-12.909	0.0	0.0
0.0	G2		-0.288	-0.314	-4.961	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.914	-0.439	-0.577	-0.0	-0.0
0.0	Q5_pc Y		1.549	0.622	4.217	-0.0	-0.0
0.0	Q5_ps X		0.863	-0.411	-0.465	-0.0	-0.0
0.0	Q5_ps Y		1.463	0.591	4.003	-0.0	-0.0
0.0	INVS LU	Max	2.188	3.040	4.606	0.0	-0.0
-0.0		Min	-6.200	-11.852	-88.887	0.0	-0.0
0.0	INVS LE	Max	1.465	2.192	2.925	0.0	-0.0
-0.0		Min	-4.541	-8.756	-65.768	0.0	-0.0
4486 0.0	C1-C2;~1	Max	1.475	4.062	26.004	0.0	0.0
-0.0		Min	-1.892	-4.807	-41.903	-0.0	-0.0
0.0	C3-C4;~1	Max	1.669	4.254	27.798	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.254	-5.475	-49.042	-0.0	-0.0
0.0	C1-C2;~2	Max	0.763	2.076	13.026	0.0	0.0
-0.0		Min	-1.006	-2.531	-22.268	-0.0	-0.0
0.0	C3-C4;~2	Max	0.876	2.163	13.876	0.0	0.0
-0.0		Min	-1.175	-2.834	-25.657	-0.0	-0.0
-0.0		G1	-0.644	-0.754	-17.483	0.0	0.0
-0.0		G2	-0.268	-0.276	-6.734	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.998	-0.493	-0.607	-0.0	-0.0
0.0	Q5_pc Y		1.694	0.530	4.747	-0.0	-0.0
0.0	Q5_ps X		0.943	-0.463	-0.469	-0.0	-0.0
0.0	Q5_ps Y		1.599	0.505	4.509	-0.0	-0.0
0.0	INVSLU	Max	3.288	3.102	-4.654	0.0	0.0
0.0		Min	-5.056	-10.986	-116.932	0.0	-0.0
0.0	INVSLE	Max	2.273	2.300	-4.170	0.0	0.0
0.0		Min	-3.682	-8.065	-86.706	0.0	-0.0
4487	C1-C2;~1	Max	1.472	4.090	25.458	0.0	0.0
0.0		Min	-1.889	-4.853	-40.504	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.667	4.282	27.190	0.0	0.0
-0.0		Min	-2.265	-5.519	-47.393	-0.0	-0.0
0.0	C1-C2;~2	Max	0.760	2.091	12.780	0.0	0.0
-0.0		Min	-1.006	-2.555	-21.508	-0.0	-0.0
0.0	C3-C4;~2	Max	0.874	2.179	13.603	0.0	0.0
-0.0		Min	-1.181	-2.858	-24.776	-0.0	-0.0
-0.0		G1	-0.650	-0.772	-16.666	0.0	0.0
0.0		G2	-0.280	-0.277	-6.412	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.993	-0.488	-0.607	-0.0	-0.0
0.0	Q5_pc Y		1.668	0.547	4.674	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
0.0	Q5_ps X		0.942	-0.460	-0.476	-0.0	-0.0
0.0	Q5_ps Y		1.576	0.521	4.440	-0.0	-0.0
0.0							
	INVS LU	Max	2.923	3.056	-2.853	0.0	0.0
0.0		Min	-5.388	-11.160	-111.953	0.0	-0.0
0.0							
	INVS LE	Max	1.994	2.255	-2.799	0.0	0.0
0.0		Min	-3.940	-8.202	-82.991	0.0	-0.0
0.0							
4488	C1-C2;~1	Max	1.475	4.117	24.842	0.0	0.0
0.0		Min	-1.904	-4.885	-38.979	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.673	4.309	26.508	0.0	0.0
0.0		Min	-2.284	-5.559	-45.606	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.761	2.106	12.498	0.0	0.0
0.0		Min	-1.016	-2.571	-20.682	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.875	2.195	13.293	0.0	0.0
0.0		Min	-1.192	-2.879	-23.822	-0.0	-0.0
-0.0							
	G1		-0.657	-0.788	-15.790	0.0	0.0
-0.0							
	G2		-0.287	-0.281	-6.073	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.981	-0.479	-0.603	-0.0	-0.0
0.0							
	Q5_pc Y		1.641	0.565	4.586	-0.0	-0.0
0.0							
	Q5_ps X		0.932	-0.452	-0.477	-0.0	-0.0
0.0							
	Q5_ps Y		1.550	0.537	4.355	-0.0	-0.0
0.0							
	INVS LU	Max	2.633	2.998	-1.019	0.0	0.0
0.0		Min	-5.663	-11.340	-106.627	0.0	-0.0
-0.0							
	INVS LE	Max	1.775	2.200	-1.398	0.0	0.0
0.0		Min	-4.151	-8.345	-79.015	0.0	-0.0
-0.0							
4489	C1-C2;~1	Max	1.483	4.147	24.153	0.0	0.0
0.0		Min	-1.930	-4.918	-37.344	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.684	4.340	25.750	0.0	0.0
-0.0		Min	-2.309	-5.603	-43.689	-0.0	-0.0
0.0	C1-C2;~2	Max	0.764	2.123	12.177	0.0	0.0
-0.0		Min	-1.031	-2.588	-19.798	-0.0	-0.0
0.0	C3-C4;~2	Max	0.880	2.212	12.943	0.0	0.0
-0.0		Min	-1.206	-2.901	-22.802	-0.0	-0.0
0.0	G1		-0.667	-0.803	-14.861	0.0	0.0
-0.0	G2		-0.290	-0.288	-5.713	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.965	-0.467	-0.597	-0.0	-0.0
0.0	Q5_pc Y		1.612	0.582	4.480	-0.0	-0.0
0.0	Q5_ps X		0.916	-0.441	-0.476	-0.0	-0.0
0.0	Q5_ps Y		1.523	0.554	4.254	-0.0	-0.0
0.0	INVSLU	Max	2.413	2.954	0.837	0.0	0.0
-0.0		Min	-5.880	-11.518	-100.969	0.0	-0.0
0.0	INVSLE	Max	1.613	2.154	0.022	0.0	0.0
-0.0		Min	-4.314	-8.488	-74.792	0.0	-0.0
4490	C1-C2;~1	Max	1.500	4.187	23.392	0.0	0.0
0.0		Min	-1.972	-4.959	-35.608	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.704	4.380	24.916	0.0	0.0
-0.0		Min	-2.344	-5.662	-41.651	-0.0	-0.0
0.0	C1-C2;~2	Max	0.771	2.145	11.818	0.0	0.0
-0.0		Min	-1.054	-2.609	-18.862	-0.0	-0.0
0.0	C3-C4;~2	Max	0.889	2.235	12.552	0.0	0.0
-0.0		Min	-1.226	-2.931	-21.720	-0.0	-0.0
0.0	G1		-0.680	-0.821	-13.889	0.0	0.0
-0.0	G2		-0.290	-0.297	-5.337	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.943	-0.454	-0.589	-0.0	-0.0
0.0	Q5_pc Y		1.582	0.601	4.356	-0.0	-0.0
0.0	Q5_ps X		0.894	-0.427	-0.474	-0.0	-0.0
0.0	Q5_ps Y		1.494	0.572	4.135	-0.0	-0.0
0.0	INVSLU	Max	2.262	2.950	2.654	0.0	0.0
-0.0		Min	-6.050	-11.689	-95.053	0.0	-0.0
0.0	INVSLE	Max	1.509	2.136	1.417	0.0	0.0
-0.0		Min	-4.438	-8.627	-70.378	0.0	-0.0
4491	C1-C2;~1	Max	1.462	4.049	26.482	0.0	0.0
0.0		Min	-1.834	-4.840	-43.222	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.653	4.241	28.335	0.0	0.0
0.0		Min	-2.214	-5.465	-50.578	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.758	2.067	13.237	0.0	0.0
0.0		Min	-0.971	-2.558	-22.985	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.869	2.155	14.111	0.0	0.0
0.0		Min	-1.149	-2.833	-26.482	-0.0	-0.0
-0.0	G1		-0.630	-0.741	-18.242	0.0	0.0
0.0	G2		-0.273	-0.264	-7.023	0.0	0.0
-0.0	G3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.018	-0.509	-0.614	-0.0	-0.0
0.0	Q5_pc Y		1.713	0.516	4.804	-0.0	-0.0
0.0	Q5_ps X		0.966	-0.480	-0.474	-0.0	-0.0
0.0	Q5_ps Y		1.618	0.492	4.564	-0.0	-0.0
0.0	INVSLU	Max	3.561	3.228	-6.412	0.0	0.0
0.0		Min	-4.742	-10.804	-121.591	0.0	-0.0
0.0	INVSLE	Max	2.476	2.408	-5.511	0.0	0.0
0.0		Min	-3.446	-7.917	-90.189	0.0	-0.0
4492	C1-C2;~1	Max	1.457	4.035	26.895	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.798	-4.855	-44.419	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.644	4.227	28.803	0.0	0.0
0.0		Min	-2.184	-5.453	-51.982	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.756	2.059	13.415	0.0	0.0
0.0		Min	-0.949	-2.572	-23.638	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.865	2.147	14.311	0.0	0.0
0.0		Min	-1.130	-2.830	-27.238	-0.0	-0.0
-0.0							
0.0		G1	-0.620	-0.727	-18.938	0.0	0.0
0.0		G2	-0.273	-0.256	-7.293	0.0	0.0
-0.0							
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.031	-0.521	-0.616	-0.0	-0.0
0.0	Q5_pc Y		1.732	0.503	4.846	-0.0	-0.0
0.0	Q5_ps X		0.980	-0.493	-0.472	-0.0	-0.0
0.0	Q5_ps Y		1.636	0.479	4.605	-0.0	-0.0
0.0							
0.0	INVSLU	Max	3.874	3.362	-8.062	0.0	0.0
0.0		Min	-4.412	-10.644	-125.845	0.0	-0.0
0.0							
0.0	INVSLE	Max	2.711	2.519	-6.766	0.0	0.0
0.0		Min	-3.195	-7.785	-93.367	0.0	-0.0
0.0							
4493	C1-C2;~1	Max	1.453	4.017	27.240	0.0	0.0
0.0		Min	-1.768	-4.840	-45.500	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.638	4.210	29.200	0.0	0.0
0.0		Min	-2.153	-5.427	-53.253	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.754	2.048	13.556	0.0	0.0
0.0		Min	-0.930	-2.566	-24.231	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.863	2.137	14.473	0.0	0.0
0.0		Min	-1.110	-2.819	-27.925	-0.0	-0.0
-0.0							
-0.0		G1	-0.608	-0.708	-19.572	0.0	0.0
-0.0		G2	-0.269	-0.248	-7.539	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.040	-0.531	-0.616	-0.0	-0.0
0.0	Q5_pc Y	1.749	0.490	4.872	-0.0	-0.0
0.0	Q5_ps X	0.988	-0.503	-0.469	-0.0	-0.0
0.0	Q5_ps Y	1.651	0.467	4.630	-0.0	-0.0
0.0	INVS LU Max	4.228	3.595	-9.631	0.0	0.0
0.0	INVS LU Min	-4.037	-10.372	-129.712	0.0	-0.0
-0.0	INVS LE Max	2.983	2.705	-7.956	0.0	0.0
0.0	INVS LE Min	-2.906	-7.570	-96.256	-0.0	-0.0
0.0						
4494	C1-C2;~1 Max	1.452	4.000	27.516	0.0	0.0
0.0	C1-C2;~1 Min	-1.749	-4.801	-46.446	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.635	4.193	29.524	0.0	0.0
0.0	C3-C4;~1 Min	-2.127	-5.392	-54.363	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.755	2.038	13.662	0.0	0.0
0.0	C1-C2;~2 Min	-0.917	-2.544	-24.750	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.862	2.127	14.598	0.0	0.0
0.0	C3-C4;~2 Min	-1.093	-2.799	-28.529	-0.0	-0.0
-0.0						
0.0	G1	-0.598	-0.687	-20.127	0.0	0.0
-0.0	G2	-0.262	-0.241	-7.754	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.044	-0.538	-0.615	-0.0	-0.0
0.0	Q5_pc Y	1.763	0.479	4.881	-0.0	-0.0
0.0	Q5_ps X	0.991	-0.509	-0.465	-0.0	-0.0
-0.0	Q5_ps Y	1.665	0.456	4.639	-0.0	-0.0
0.0						
0.0	INVS LU Max	4.565	3.855	-11.058	0.0	0.0
0.0	INVS LU Min	-3.688	-10.053	-133.092	0.0	-0.0
-0.0						
0.0	INVS LE Max	3.244	2.907	-9.037	0.0	0.0
0.0	INVS LE Min	-2.634	-7.323	-98.782	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


4495	C1-C2;~1	Max	1.459	3.978	27.725	0.0	0.0
0.0		Min	-1.762	-4.710	-47.222	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.640	4.172	29.778	0.0	0.0
0.0		Min	-2.124	-5.326	-55.294	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.759	2.026	13.735	0.0	0.0
0.0		Min	-0.921	-2.487	-25.174	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.865	2.114	14.688	0.0	0.0
0.0		Min	-1.094	-2.758	-29.033	-0.0	-0.0
-0.0							
	G1		-0.594	-0.661	-20.599	0.0	0.0
-0.0							
	G2		-0.249	-0.239	-7.942	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.039	-0.540	-0.608	-0.0	-0.0
0.0							
	Q5_pc Y		1.778	0.467	4.876	-0.0	-0.0
0.0							
	Q5_ps X		0.982	-0.508	-0.454	-0.0	-0.0
0.0							
	Q5_ps Y		1.679	0.445	4.635	-0.0	-0.0
0.0							
	INVSLU	Max	4.955	4.089	-12.343	0.0	0.0
0.0		Min	-3.327	-9.704	-135.966	0.0	-0.0
0.0							
	INVSLE	Max	3.548	3.089	-10.005	0.0	0.0
0.0		Min	-2.349	-7.057	-100.928	0.0	-0.0
0.0							
4496	C1-C2;~1	Max	1.451	3.970	27.869	0.0	0.0
0.0		Min	-1.708	-4.765	-47.940	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.629	4.165	29.962	0.0	0.0
0.0		Min	-2.085	-5.340	-56.132	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.755	2.020	13.775	0.0	0.0
0.0		Min	-0.890	-2.527	-25.577	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.860	2.110	14.743	0.0	0.0
0.0		Min	-1.067	-2.774	-29.501	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.572	-0.647	-20.991	0.0	0.0
-0.0	G2		-0.252	-0.225	-8.089	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.051	-0.553	-0.611	-0.0	-0.0
0.0	Q5_pc Y		1.783	0.460	4.857	-0.0	-0.0
0.0	Q5_ps X		0.998	-0.524	-0.456	-0.0	-0.0
0.0	Q5_ps Y		1.684	0.439	4.617	-0.0	-0.0
0.0	INVS LU	Max	5.287	4.384	-13.453	0.0	0.0
0.0		Min	-2.936	-9.444	-138.422	-0.0	-0.0
0.0	INVS LE	Max	3.798	3.323	-10.846	0.0	0.0
0.0		Min	-2.056	-6.846	-102.768	-0.0	-0.0
4497	C1-C2;~1	Max	1.450	3.958	27.949	0.0	0.0
0.0		Min	-1.689	-4.763	-48.484	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.626	4.155	30.078	0.0	0.0
0.0		Min	-2.071	-5.324	-56.774	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.755	2.013	13.782	0.0	0.0
0.0		Min	-0.880	-2.529	-25.881	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.858	2.103	14.763	0.0	0.0
0.0		Min	-1.060	-2.768	-29.856	-0.0	-0.0
-0.0	G1		-0.557	-0.629	-21.298	0.0	0.0
0.0	G2		-0.249	-0.216	-8.208	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.055	-0.561	-0.607	-0.0	-0.0
0.0	Q5_pc Y		1.789	0.454	4.823	-0.0	-0.0
0.0	Q5_ps X		1.003	-0.533	-0.451	-0.0	-0.0
0.0	Q5_ps Y		1.689	0.434	4.586	-0.0	-0.0
0.0	INVS LU	Max	5.655	4.661	-14.383	0.0	0.0
0.0		Min	-2.556	-9.146	-140.315	-0.0	-0.0
-0.0	INVS LE	Max	4.078	3.542	-11.547	0.0	0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.766	-6.610	-104.187	-0.0	-0.0
-0.0							
4498	C1-C2;~1	Max	1.452	3.946	27.963	0.0	0.0
0.0		Min	-1.683	-4.739	-48.867	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.626	4.145	30.123	0.0	0.0
0.0		Min	-2.061	-5.294	-57.214	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.757	2.006	13.757	0.0	0.0
0.0		Min	-0.877	-2.515	-26.095	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.858	2.097	14.749	0.0	0.0
0.0		Min	-1.055	-2.751	-30.099	-0.0	-0.0
-0.0							
-0.0	G1		-0.544	-0.609	-21.515	0.0	0.0
0.0	G2		-0.244	-0.208	-8.292	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.054	-0.567	-0.603	-0.0	-0.0
0.0	Q5_pc Y		1.793	0.450	4.776	-0.0	-0.0
0.0	Q5_ps X		1.002	-0.538	-0.446	-0.0	-0.0
-0.0	Q5_ps Y		1.692	0.429	4.542	-0.0	-0.0
0.0							
0.0	INVSLU	Max	5.972	4.987	-15.129	0.0	0.0
0.0		Min	-2.232	-8.775	-141.630	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.322	3.796	-12.107	0.0	0.0
0.0		Min	-1.516	-6.323	-105.175	-0.0	-0.0
-0.0							
4499	C1-C2;~1	Max	1.456	3.933	27.912	0.0	0.0
0.0		Min	-1.683	-4.689	-49.081	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.627	4.133	30.098	0.0	0.0
0.0		Min	-2.052	-5.248	-57.452	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.759	1.998	13.699	0.0	0.0
0.0		Min	-0.877	-2.484	-26.213	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.859	2.089	14.699	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.050	-2.723	-30.229	-0.0	-0.0
-0.0	G1		-0.532	-0.587	-21.639	0.0	0.0
-0.0	G2		-0.236	-0.201	-8.341	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.050	-0.569	-0.597	-0.0	-0.0
-0.0	Q5_pc Y		1.795	0.446	4.715	-0.0	-0.0
0.0	Q5_ps X		0.996	-0.539	-0.439	-0.0	-0.0
-0.0	Q5_ps Y		1.695	0.426	4.485	-0.0	-0.0
0.0	INVSLU	Max	6.237	5.354	-15.675	0.0	0.0
0.0		Min	-1.960	-8.335	-142.355	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.531	4.078	-12.514	0.0	0.0
0.0		Min	-1.302	-5.986	-105.722	-0.0	-0.0
-0.0							
4500	C1-C2;~1	Max	1.464	3.916	27.800	0.0	0.0
0.0		Min	-1.705	-4.573	-49.092	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.632	4.116	30.008	0.0	0.0
0.0		Min	-2.049	-5.163	-57.474	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.763	1.988	13.611	0.0	0.0
0.0		Min	-0.888	-2.408	-26.213	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.862	2.080	14.618	0.0	0.0
0.0		Min	-1.050	-2.665	-30.234	-0.0	-0.0
-0.0							
-0.0	G1		-0.526	-0.559	-21.674	0.0	0.0
-0.0	G2		-0.222	-0.199	-8.359	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.037	-0.565	-0.586	-0.0	-0.0
-0.0	Q5_pc Y		1.797	0.442	4.642	-0.0	-0.0
-0.0	Q5_ps X		0.980	-0.532	-0.425	-0.0	-0.0
-0.0	Q5_ps Y		1.697	0.422	4.416	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.537	5.691	-16.033	0.0	0.0
0.0		Min	-1.667	-7.853	-142.489	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.768	4.336	-12.773	0.0	0.0
-0.0		Min	-1.069	-5.621	-105.825	-0.0	-0.0
4501	C1-C2;~1	Max	1.479	3.869	27.528	0.0	0.0
0.0		Min	-1.644	-4.400	-47.158	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.632	4.078	29.857	0.0	0.0
-0.0		Min	-1.960	-4.997	-55.168	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.771	1.958	13.629	0.0	0.0
0.0		Min	-0.850	-2.297	-25.151	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.861	2.055	14.700	0.0	0.0
-0.0		Min	-0.998	-2.563	-28.989	-0.0	-0.0
-0.0	G1		-0.451	-0.463	-20.509	0.0	0.0
-0.0	G2		-0.192	-0.162	-7.907	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.993	-0.559	-0.541	-0.0	-0.0
-0.0	Q5_pc Y		1.758	0.468	4.103	-0.0	-0.0
-0.0	Q5_ps X		0.938	-0.527	-0.387	-0.0	-0.0
-0.0	Q5_ps Y		1.660	0.446	3.907	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.738	7.548	-13.025	0.0	0.0
-0.0		Min	-0.275	-5.709	-135.195	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	5.711	5.774	-10.474	0.0	0.0
0.0		Min	0.009	-3.971	-100.423	-0.0	-0.0
-0.0							
4502	C1-C2;~1	Max	1.472	3.883	27.695	0.0	0.0
0.0		Min	-1.632	-4.520	-47.889	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.628	4.091	30.013	0.0	0.0
-0.0		Min	-1.973	-5.057	-56.033	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.767	1.967	13.678	0.0	0.0
-0.0		Min	-0.846	-2.378	-25.558	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-0.0							
0.0	C3-C4;~2	Max	0.859	2.062	14.743	0.0	0.0
-0.0		Min	-1.005	-2.603	-29.466	-0.0	-0.0
-0.0	G1		-0.458	-0.489	-20.919	0.0	0.0
-0.0	G2		-0.206	-0.163	-8.061	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.013	-0.570	-0.557	-0.0	-0.0
-0.0	Q5_pc Y		1.766	0.462	4.233	-0.0	-0.0
-0.0	Q5_ps X		0.961	-0.541	-0.402	-0.0	-0.0
-0.0	Q5_ps Y		1.667	0.441	4.030	-0.0	-0.0
-0.0	INVS LU	Max	7.536	7.178	-14.019	0.0	0.0
-0.0		Min	-0.505	-6.198	-137.800	-0.0	-0.0
-0.0	INVS LE	Max	5.545	5.492	-11.236	0.0	0.0
-0.0		Min	-0.176	-4.340	-102.362	-0.0	-0.0
-0.0							
4503	C1-C2;~1	Max	1.468	3.894	27.798	0.0	0.0
0.0		Min	-1.637	-4.575	-48.445	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.627	4.099	30.101	0.0	0.0
-0.0		Min	-1.989	-5.106	-56.698	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.765	1.973	13.694	0.0	0.0
-0.0		Min	-0.849	-2.414	-25.866	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.859	2.068	14.752	0.0	0.0
-0.0		Min	-1.014	-2.636	-29.830	-0.0	-0.0
-0.0	G1		-0.471	-0.509	-21.243	0.0	0.0
-0.0	G2		-0.214	-0.168	-8.186	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.025	-0.574	-0.567	-0.0	-0.0
-0.0	Q5_pc Y		1.775	0.455	4.352	-0.0	-0.0
-0.0	Q5_ps X		0.974	-0.545	-0.411	-0.0	-0.0
-0.0	Q5_ps Y		1.676	0.435	4.142	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	7.353	6.772	-14.832	0.0	0.0
		Min	-0.724	-6.689	-139.844	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.396	5.181	-11.857	0.0	0.0
		Min	-0.350	-4.714	-103.879	-0.0	-0.0
-0.0							
4504 0.0	C1-C2;~1	Max	1.464	3.902	27.835	0.0	0.0
		Min	-1.647	-4.606	-48.842	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.626	4.107	30.118	0.0	0.0
		Min	-2.005	-5.142	-57.163	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.763	1.979	13.678	0.0	0.0
		Min	-0.855	-2.433	-26.085	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.858	2.072	14.726	0.0	0.0
		Min	-1.023	-2.659	-30.081	-0.0	-0.0
-0.0							
0.0	G1		-0.485	-0.528	-21.478	0.0	0.0
-0.0	G2		-0.220	-0.176	-8.278	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.035	-0.575	-0.576	-0.0	-0.0
-0.0	Q5_pc Y		1.783	0.450	4.460	-0.0	-0.0
-0.0	Q5_ps X		0.983	-0.546	-0.419	-0.0	-0.0
-0.0	Q5_ps Y		1.683	0.430	4.245	-0.0	-0.0
0.0	INVS LU	Max	7.108	6.399	-15.457	0.0	0.0
-0.0		Min	-1.004	-7.122	-141.315	-0.0	-0.0
0.0	INVS LE	Max	5.204	4.892	-12.335	0.0	0.0
-0.0		Min	-0.567	-5.048	-104.968	-0.0	-0.0
4505 0.0	C1-C2;~1	Max	1.462	3.911	27.808	0.0	0.0
-0.0		Min	-1.664	-4.614	-49.068	-0.0	-0.0
0.0	C3-C4;~1	Max	1.627	4.113	30.065	0.0	0.0
-0.0		Min	-2.023	-5.167	-57.427	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.762	1.984	13.629	0.0	0.0
		Min	-0.865	-2.437	-26.209	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.859	2.077	14.665	0.0	0.0
		Min	-1.034	-2.672	-30.220	-0.0	-0.0
-0.0							
0.0	G1		-0.502	-0.546	-21.621	0.0	0.0
0.0	G2		-0.224	-0.185	-8.333	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.040	-0.573	-0.583	-0.0	-0.0
0.0	Q5_pc Y		1.790	0.446	4.557	-0.0	-0.0
-0.0	Q5_ps X		0.987	-0.543	-0.425	-0.0	-0.0
0.0	Q5_ps Y		1.690	0.426	4.336	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.806	6.063	-15.881	0.0	0.0
		Min	-1.342	-7.497	-142.198	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.973	4.628	-12.658	0.0	0.0
		Min	-0.824	-5.340	-105.619	-0.0	-0.0
-0.0							
4506 0.0	C1-C2;~1	Max	1.498	3.831	25.717	0.0	0.0
		Min	-1.593	-4.301	-41.786	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.638	4.049	28.002	0.0	0.0
		Min	-1.876	-4.925	-48.816	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.781	1.934	12.887	0.0	0.0
		Min	-0.819	-2.238	-22.224	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.863	2.036	13.941	0.0	0.0
		Min	-0.951	-2.524	-25.578	-0.0	-0.0
-0.0	G1		-0.382	-0.387	-17.320	-0.0	0.0
-0.0	G2		-0.164	-0.133	-6.669	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.916	-0.517	-0.475	-0.0	-0.0
-0.0	Q5_pc Y		1.673	0.547	3.334	0.0	-0.0
-0.0	Q5_ps X		0.865	-0.487	-0.337	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.580	0.520	3.179	0.0	-0.0
-0.0	INVS LU Max		8.342	9.327	-5.826	-0.0	0.0
-0.0	Min		0.587	-3.773	-115.531	-0.0	0.0
-0.0	INVS LE Max		6.210	7.151	-4.970	-0.0	0.0
-0.0	Min		0.689	-2.479	-85.789	-0.0	0.0
4507 0.0	C1-C2;~1 Max		1.492	3.843	26.212	0.0	0.0
-0.0	Min		-1.588	-4.333	-43.116	-0.0	-0.0
0.0	C3-C4;~1 Max		1.635	4.059	28.518	0.0	0.0
-0.0	Min		-1.891	-4.941	-50.371	-0.0	-0.0
0.0	C1-C2;~2 Max		0.778	1.941	13.104	0.0	0.0
-0.0	Min		-0.818	-2.255	-22.946	-0.0	-0.0
0.0	C3-C4;~2 Max		0.862	2.042	14.167	0.0	0.0
-0.0	Min		-0.958	-2.533	-26.410	-0.0	-0.0
-0.0	G1		-0.389	-0.404	-18.091	-0.0	0.0
0.0	G2		-0.176	-0.131	-6.963	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.940	-0.534	-0.495	-0.0	-0.0
-0.0	Q5_pc Y		1.689	0.530	3.502	0.0	-0.0
-0.0	Q5_ps X		0.890	-0.506	-0.354	-0.0	-0.0
-0.0	Q5_ps Y		1.595	0.506	3.339	0.0	-0.0
-0.0	INVS LU Max		8.268	9.025	-7.496	-0.0	0.0
-0.0	Min		0.468	-4.086	-120.301	-0.0	-0.0
-0.0	INVS LE Max		6.141	6.922	-6.253	-0.0	0.0
-0.0	Min		0.588	-2.718	-89.345	-0.0	-0.0
4508 0.0	C1-C2;~1 Max		1.487	3.851	26.643	0.0	0.0
-0.0	Min		-1.590	-4.379	-44.324	-0.0	-0.0
0.0	C3-C4;~1 Max		1.632	4.065	28.965	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.906	-4.953	-51.796	-0.0	-0.0
0.0	C1-C2;~2	Max	0.776	1.946	13.288	0.0	0.0
-0.0		Min	-0.820	-2.285	-23.604	-0.0	-0.0
0.0	C3-C4;~2	Max	0.861	2.046	14.358	0.0	0.0
-0.0		Min	-0.966	-2.540	-27.173	-0.0	-0.0
-0.0		G1	-0.399	-0.420	-18.801	0.0	0.0
0.0		G2	-0.184	-0.134	-7.239	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.959	-0.547	-0.509	-0.0	-0.0
-0.0		Q5_pc Y	1.707	0.513	3.664	0.0	-0.0
-0.0		Q5_ps X	0.909	-0.519	-0.366	-0.0	-0.0
-0.0		Q5_ps Y	1.611	0.490	3.492	0.0	-0.0
-0.0		INVSLU Max	8.209	8.713	-9.053	0.0	0.0
-0.0		Min	0.361	-4.446	-124.675	-0.0	-0.0
-0.0		INVSLE Max	6.085	6.683	-7.444	-0.0	0.0
-0.0		Min	0.499	-2.991	-92.601	-0.0	-0.0
4509	C1-C2;~1	Max	1.483	3.859	27.006	0.0	0.0
0.0		Min	-1.598	-4.418	-45.416	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.631	4.072	29.336	0.0	0.0
-0.0		Min	-1.922	-4.970	-53.087	-0.0	-0.0
0.0	C1-C2;~2	Max	0.773	1.951	13.437	0.0	0.0
-0.0		Min	-0.825	-2.311	-24.200	-0.0	-0.0
0.0	C3-C4;~2	Max	0.860	2.050	14.510	0.0	0.0
-0.0		Min	-0.976	-2.549	-27.868	-0.0	-0.0
-0.0		G1	-0.413	-0.436	-19.450	0.0	0.0
-0.0		G2	-0.190	-0.140	-7.490	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.975	-0.555	-0.523	-0.0	-0.0
-0.0		Q5_pc Y	1.724	0.498	3.819	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		0.925	-0.527	-0.376	-0.0	-0.0
-0.0	Q5_ps Y		1.627	0.475	3.639	0.0	-0.0
-0.0							
0.0	INVS LU	Max	8.066	8.335	-10.524	0.0	0.0
-0.0		Min	0.166	-4.871	-128.670	-0.0	-0.0
0.0	INVS LE	Max	5.967	6.390	-8.568	0.0	0.0
-0.0		Min	0.345	-3.318	-95.574	-0.0	-0.0
4510	C1-C2;~1	Max	1.479	3.866	27.300	0.0	0.0
0.0		Min	-1.612	-4.431	-46.372	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.630	4.077	29.632	0.0	0.0
-0.0		Min	-1.939	-4.986	-54.217	-0.0	-0.0
0.0	C1-C2;~2	Max	0.771	1.955	13.550	0.0	0.0
-0.0		Min	-0.833	-2.319	-24.723	-0.0	-0.0
0.0	C3-C4;~2	Max	0.860	2.053	14.623	0.0	0.0
-0.0		Min	-0.986	-2.558	-28.478	-0.0	-0.0
0.0	G1		-0.429	-0.452	-20.020	0.0	0.0
-0.0	G2		-0.194	-0.149	-7.712	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.988	-0.560	-0.534	-0.0	-0.0
-0.0	Q5_pc Y		1.740	0.483	3.966	-0.0	-0.0
-0.0	Q5_ps X		0.937	-0.531	-0.384	-0.0	-0.0
-0.0	Q5_ps Y		1.642	0.461	3.778	-0.0	-0.0
0.0	INVS LU	Max	7.887	7.967	-11.847	0.0	0.0
-0.0		Min	-0.064	-5.276	-132.183	-0.0	-0.0
0.0	INVS LE	Max	5.826	6.102	-9.578	0.0	0.0
-0.0		Min	0.169	-3.633	-98.186	-0.0	-0.0
4511	C1-C2;~1	Max	1.535	3.764	22.253	0.0	0.0
0.0		Min	-1.563	-4.188	-33.669	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.660	3.988	24.328	0.0	0.0
-0.0		Min	-1.806	-4.821	-39.293	-0.0	-0.0
0.0	C1-C2;~2	Max	0.799	1.898	11.283	0.0	0.0
-0.0		Min	-0.797	-2.179	-17.846	-0.0	-0.0
0.0	C3-C4;~2	Max	0.872	2.004	12.242	0.0	0.0
-0.0		Min	-0.910	-2.472	-20.521	-0.0	-0.0
-0.0	G1		-0.315	-0.303	-12.703	-0.0	0.0
-0.0	G2		-0.135	-0.103	-4.879	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.815	-0.438	-0.385	-0.0	0.0
-0.0	Q5_pc Y		1.565	0.675	2.419	0.0	-0.0
-0.0	Q5_ps X		0.767	-0.412	-0.273	-0.0	-0.0
-0.0	Q5_ps Y		1.479	0.641	2.313	0.0	-0.0
0.0	INVSLU	Max	8.395	10.496	3.136	-0.0	0.0
-0.0		Min	0.898	-2.610	-87.107	-0.0	0.0
0.0	INVSLE	Max	6.311	8.024	1.921	-0.0	0.0
-0.0		Min	0.966	-1.594	-64.602	-0.0	0.0
4512 0.0	C1-C2;~1	Max	1.533	3.793	23.061	0.0	0.0
-0.0		Min	-1.573	-4.243	-35.453	-0.0	-0.0
0.0	C3-C4;~1	Max	1.660	4.017	25.191	0.0	0.0
-0.0		Min	-1.835	-4.867	-41.378	-0.0	-0.0
0.0	C1-C2;~2	Max	0.798	1.912	11.665	0.0	0.0
-0.0		Min	-0.804	-2.207	-18.804	-0.0	-0.0
0.0	C3-C4;~2	Max	0.873	2.018	12.649	0.0	0.0
-0.0		Min	-0.925	-2.495	-21.624	-0.0	-0.0
-0.0	G1		-0.335	-0.331	-13.688	-0.0	0.0
0.0	G2		-0.151	-0.105	-5.257	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.843	-0.462	-0.409	-0.0	-0.0
-0.0	Q5_pc Y		1.585	0.648	2.612	0.0	-0.0
-0.0	Q5_ps X		0.797	-0.438	-0.294	-0.0	-0.0
-0.0	Q5_ps Y		1.496	0.617	2.496	0.0	-0.0
0.0	INVSLU	Max	8.426	10.410	1.234	-0.0	0.0
-0.0		Min	0.856	-2.749	-93.334	-0.0	0.0
0.0	INVSLE	Max	6.321	7.969	0.448	-0.0	0.0
-0.0		Min	0.925	-1.692	-69.254	-0.0	0.0
4513 0.0	C1-C2;~1	Max	1.527	3.809	23.832	0.0	0.0
-0.0		Min	-1.576	-4.272	-37.198	-0.0	-0.0
0.0	C3-C4;~1	Max	1.655	4.032	26.012	0.0	0.0
-0.0		Min	-1.850	-4.891	-43.424	-0.0	-0.0
0.0	C1-C2;~2	Max	0.795	1.920	12.027	0.0	0.0
-0.0		Min	-0.807	-2.222	-19.744	-0.0	-0.0
0.0	C3-C4;~2	Max	0.871	2.026	13.034	0.0	0.0
-0.0		Min	-0.933	-2.507	-22.710	-0.0	-0.0
-0.0	G1		-0.347	-0.349	-14.667	-0.0	0.0
0.0	G2		-0.160	-0.108	-5.636	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.866	-0.482	-0.428	-0.0	-0.0
-0.0	Q5_pc Y		1.605	0.622	2.800	0.0	-0.0
-0.0	Q5_ps X		0.820	-0.457	-0.307	-0.0	-0.0
-0.0	Q5_ps Y		1.515	0.593	2.674	0.0	-0.0
0.0	INVSLU	Max	8.405	10.242	-0.533	-0.0	0.0
-0.0		Min	0.784	-2.923	-99.311	-0.0	0.0
0.0	INVSLE	Max	6.290	7.847	-0.912	-0.0	0.0
-0.0		Min	0.858	-1.821	-73.708	-0.0	0.0
4514	C1-C2;~1	Max	1.517	3.820	24.531	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.577	-4.290	-38.843	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.650	4.041	26.753	0.0	0.0
0.0		Min	-1.860	-4.906	-45.352	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.790	1.926	12.351	0.0	0.0
0.0		Min	-0.809	-2.231	-20.631	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.868	2.031	13.377	0.0	0.0
0.0		Min	-0.939	-2.515	-23.733	-0.0	-0.0
-0.0							
-0.0	G1		-0.357	-0.364	-15.604	-0.0	0.0
-0.0	G2		-0.165	-0.113	-5.999	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.887	-0.497	-0.446	-0.0	-0.0
-0.0	Q5_pc Y		1.627	0.596	2.983	0.0	-0.0
-0.0	Q5_ps X		0.840	-0.472	-0.320	-0.0	-0.0
-0.0	Q5_ps Y		1.535	0.569	2.848	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.370	10.004	-2.330	-0.0	0.0
0.0		Min	0.705	-3.148	-105.043	-0.0	0.0
-0.0							
0.0	INVSLE	Max	6.250	7.669	-2.293	-0.0	0.0
0.0		Min	0.789	-1.993	-77.979	-0.0	0.0
-0.0							
4515	C1-C2;~1	Max	1.506	3.827	25.158	0.0	0.0
0.0		Min	-1.579	-4.301	-40.377	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.642	4.047	27.416	0.0	0.0
0.0		Min	-1.867	-4.917	-47.153	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.785	1.931	12.637	0.0	0.0
0.0		Min	-0.811	-2.237	-21.461	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.865	2.034	13.679	0.0	0.0
0.0		Min	-0.944	-2.520	-24.692	-0.0	-0.0
-0.0							
0.0	G1		-0.368	-0.376	-16.491	-0.0	0.0
0.0	G2		-0.167	-0.121	-6.343	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.904	-0.509	-0.463	-0.0	-0.0
-0.0	Q5_pc Y	1.649	0.572	3.162	0.0	-0.0
-0.0	Q5_ps X	0.855	-0.482	-0.331	-0.0	-0.0
-0.0	Q5_ps Y	1.557	0.545	3.018	0.0	-0.0
-0.0	INVS LU Max	8.341	9.698	-4.096	-0.0	0.0
-0.0	Min	0.635	-3.432	-110.456	-0.0	0.0
-0.0	INVS LE Max	6.218	7.436	-3.648	-0.0	0.0
-0.0	Min	0.730	-2.213	-82.011	-0.0	0.0
-0.0						
4516	C1-C2;~1 Max	1.968	3.036	8.443	0.0	0.0
0.0	Min	-2.759	-3.991	-11.121	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.076	3.198	9.497	0.0	0.0
-0.0	Min	-3.198	-4.741	-12.718	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.037	1.588	4.408	0.0	0.0
-0.0	Min	-1.376	-2.112	-5.829	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.099	1.680	4.885	0.0	0.0
-0.0	Min	-1.572	-2.464	-6.602	-0.0	-0.0
-0.0	G1	-1.760	-1.183	-3.255	0.0	-0.0
-0.0	G2	-0.697	-0.449	-1.290	0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.496	-0.000	0.108	-0.0	0.0
0.0	Q5_pc Y	1.135	1.807	-0.369	0.0	-0.0
-0.0	Q5_ps X	0.472	0.006	0.117	-0.0	-0.0
0.0	Q5_ps Y	1.066	1.707	-0.404	0.0	0.0
-0.0						
0.0	INVS LU Max	3.185	8.556	7.252	0.0	0.0
-0.0	Min	-5.978	-5.414	-23.402	-0.0	-0.0
-0.0						
0.0	INVS LE Max	2.458	6.479	5.388	0.0	0.0
-0.0	Min	-4.178	-3.628	-17.269	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


4517	C1-C2;~1	Max	2.086	2.961	15.810	0.0	0.0
0.0		Min	-3.146	-4.062	-22.812	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.189	3.111	17.753	0.0	0.0
0.0		Min	-3.655	-4.850	-26.096	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.111	1.551	8.210	0.0	0.0
0.0		Min	-1.589	-2.143	-12.030	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.172	1.640	9.089	0.0	0.0
0.0		Min	-1.817	-2.510	-13.627	-0.0	-0.0
-0.0							
0.0	G1		-2.137	-1.436	-8.097	0.0	0.0
0.0	G2		-0.843	-0.550	-3.198	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.535	-0.054	0.210	-0.0	0.0
0.0	Q5_pc Y		1.146	2.061	-0.577	0.0	0.0
-0.0	Q5_ps X		0.510	-0.044	0.225	-0.0	0.0
0.0	Q5_ps Y		1.075	1.945	-0.656	0.0	0.0
-0.0							
	INVSLU	Max	2.316	7.515	7.824	0.0	-0.0
0.0		Min	-7.637	-6.942	-52.412	-0.0	-0.0
-0.0							
	INVSLE	Max	1.803	5.686	5.782	0.0	-0.0
0.0		Min	-5.417	-4.749	-38.760	-0.0	-0.0
-0.0							
4518	C1-C2;~1	Max	2.063	2.965	14.514	0.0	0.0
0.0		Min	-3.064	-4.059	-20.518	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.165	3.117	16.311	0.0	0.0
0.0		Min	-3.563	-4.835	-23.448	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.096	1.554	7.546	0.0	0.0
0.0		Min	-1.542	-2.141	-10.805	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.156	1.644	8.360	0.0	0.0
0.0		Min	-1.765	-2.504	-12.228	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.078	-1.400	-6.990	0.0	0.0
0.0	G2		-0.828	-0.522	-2.754	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.531	-0.049	0.194	-0.0	0.0
0.0	Q5_pc Y		1.130	2.026	-0.550	0.0	0.0
-0.0	Q5_ps X		0.508	-0.042	0.205	-0.0	0.0
0.0	Q5_ps Y		1.058	1.916	-0.616	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.383	7.848	8.413	0.0	-0.0
0.0		Min	-7.383	-6.535	-46.251	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.856	5.937	6.229	0.0	-0.0
0.0		Min	-5.228	-4.447	-34.190	-0.0	-0.0
-0.0							
4519	C1-C2;~1	Max	2.039	2.977	13.114	0.0	0.0
0.0		Min	-2.976	-4.048	-18.163	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.141	3.130	14.746	0.0	0.0
0.0		Min	-3.458	-4.811	-20.742	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.080	1.560	6.826	0.0	0.0
0.0		Min	-1.493	-2.135	-9.553	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.140	1.650	7.566	0.0	0.0
0.0		Min	-1.709	-2.493	-10.805	-0.0	-0.0
-0.0							
0.0	G1		-1.998	-1.348	-5.931	0.0	-0.0
0.0	G2		-0.801	-0.494	-2.338	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.525	-0.041	0.177	-0.0	0.0
0.0	Q5_pc Y		1.118	1.982	-0.518	0.0	0.0
-0.0	Q5_ps X		0.503	-0.036	0.186	-0.0	-0.0
0.0	Q5_ps Y		1.046	1.876	-0.574	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.525	8.159	8.665	0.0	-0.0
0.0		Min	-7.046	-6.128	-40.178	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.965	6.172	6.422	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.976	-4.146	-29.688	-0.0	-0.0
-0.0							
4520	C1-C2;~1	Max	2.007	2.991	11.606	0.0	0.0
0.0		Min	-2.873	-4.017	-15.771	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.111	3.146	13.057	0.0	0.0
0.0		Min	-3.335	-4.770	-18.001	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.061	1.566	6.048	0.0	0.0
0.0		Min	-1.438	-2.121	-8.285	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.122	1.657	6.705	0.0	0.0
0.0		Min	-1.645	-2.474	-9.365	-0.0	-0.0
-0.0							
0.0	G1		-1.890	-1.276	-4.938	0.0	-0.0
0.0	G2		-0.758	-0.468	-1.946	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.516	-0.028	0.157	-0.0	0.0
0.0	Q5_pc Y		1.111	1.924	-0.473	0.0	0.0
-0.0							
0.0	Q5_ps X		0.493	-0.024	0.164	-0.0	-0.0
0.0	Q5_ps Y		1.040	1.822	-0.520	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.775	8.410	8.497	0.0	-0.0
0.0		Min	-6.578	-5.740	-34.283	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.152	6.363	6.302	0.0	-0.0
0.0		Min	-4.627	-3.862	-25.323	-0.0	-0.0
-0.0							
4521	C1-C2;~1	Max	1.987	3.011	10.066	0.0	0.0
0.0		Min	-2.819	-4.003	-13.467	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.093	3.170	11.325	0.0	0.0
0.0		Min	-3.271	-4.755	-15.378	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.049	1.576	5.250	0.0	0.0
0.0		Min	-1.408	-2.116	-7.066	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.111	1.668	5.821	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.610	-2.469	-7.992	-0.0	-0.0
-0.0	G1		-1.831	-1.231	-4.073	0.0	-0.0
0.0	G2		-0.730	-0.459	-1.604	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.507	-0.013	0.130	-0.0	-0.0
0.0	Q5_pc Y		1.123	1.867	-0.423	0.0	0.0
-0.0	Q5_ps X		0.483	-0.008	0.136	-0.0	-0.0
0.0	Q5_ps Y		1.053	1.766	-0.463	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.949	8.500	8.012	0.0	0.0
0.0		Min	-6.314	-5.560	-28.798	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.282	6.433	5.949	0.0	0.0
0.0		Min	-4.429	-3.732	-21.262	-0.0	-0.0
-0.0							
4522	C1-C2;~1	Max	1.960	3.072	6.830	0.0	0.0
0.0		Min	-2.694	-4.009	-8.895	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.068	3.243	7.682	0.0	0.0
0.0		Min	-3.124	-4.755	-10.168	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.030	1.604	3.569	0.0	0.0
0.0		Min	-1.341	-2.120	-4.656	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.092	1.700	3.955	0.0	0.0
0.0		Min	-1.533	-2.470	-5.272	-0.0	-0.0
-0.0							
-0.0	G1		-1.675	-1.143	-2.532	0.0	-0.0
-0.0	G2		-0.668	-0.428	-0.996	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.492	0.001	0.082	-0.0	-0.0
0.0	Q5_pc Y		1.141	1.763	-0.302	0.0	-0.0
-0.0	Q5_ps X		0.468	0.006	0.087	-0.0	-0.0
0.0	Q5_ps Y		1.071	1.666	-0.328	0.0	0.0
-0.0							
0.0	INVSLU	Max	3.468	8.626	6.169	0.0	0.0
0.0		Min	-5.595	-5.343	-18.473	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	2.669	6.535	4.586	0.0	0.0
-0.0		Min	-3.892	-3.578	-13.626	-0.0	-0.0
4523	C1-C2;~1	Max	1.949	3.113	5.162	0.0	0.0
0.0		Min	-2.625	-4.024	-6.675	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.058	3.291	5.802	0.0	0.0
-0.0		Min	-3.042	-4.764	-7.639	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.021	1.622	2.700	0.0	0.0
0.0		Min	-1.304	-2.125	-3.489	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.083	1.720	2.989	0.0	0.0
-0.0		Min	-1.490	-2.473	-3.956	-0.0	-0.0
-0.0	G1		-1.581	-1.094	-1.881	0.0	-0.0
-0.0	G2		-0.634	-0.405	-0.740	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.487	0.002	0.057	-0.0	-0.0
0.0	Q5_pc Y		1.148	1.714	-0.234	0.0	-0.0
-0.0	Q5_ps X		0.463	0.006	0.062	-0.0	-0.0
0.0	Q5_ps Y		1.078	1.622	-0.254	0.0	0.0
-0.0							
0.0	INVSLU	Max	3.776	8.706	4.833	0.0	0.0
-0.0		Min	-5.176	-5.253	-13.732	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	2.899	6.597	3.596	0.0	0.0
0.0		Min	-3.579	-3.514	-10.125	-0.0	-0.0
-0.0							
4524	C1-C2;~1	Max	1.932	3.156	3.440	0.0	0.0
0.0		Min	-2.549	-4.027	-4.479	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.042	3.336	3.853	0.0	0.0
-0.0		Min	-2.951	-4.761	-5.141	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.010	1.640	1.801	0.0	0.0
0.0		Min	-1.265	-2.125	-2.338	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.073	1.739	1.987	0.0	0.0
-0.0		Min	-1.445	-2.470	-2.659	-0.0	-0.0
-0.0		G1	-1.477	-1.033	-1.316	0.0	-0.0
-0.0		G2	-0.593	-0.382	-0.517	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.481	0.003	0.030	-0.0	-0.0
-0.0	Q5_pc	Y	1.160	1.659	-0.159	0.0	-0.0
0.0	Q5_ps	X	0.457	0.007	0.035	-0.0	-0.0
-0.0	Q5_ps	Y	1.089	1.570	-0.173	0.0	0.0
0.0	INVSLU	Max	4.100	8.806	3.194	0.0	0.0
-0.0		Min	-4.728	-5.112	-9.234	-0.0	-0.0
0.0	INVSLE	Max	3.140	6.675	2.381	0.0	0.0
-0.0		Min	-3.245	-3.413	-6.804	-0.0	-0.0
4525	C1-C2;~1	Max	1.909	3.195	1.653	0.0	0.0
0.0		Min	-2.467	-4.015	-2.330	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.023	3.374	1.825	0.0	0.0
-0.0		Min	-2.849	-4.743	-2.704	-0.0	-0.0
0.0	C1-C2;~2	Max	0.996	1.656	0.867	0.0	0.0
-0.0		Min	-1.223	-2.119	-1.214	-0.0	-0.0
0.0	C3-C4;~2	Max	1.060	1.754	0.942	0.0	0.0
-0.0		Min	-1.395	-2.461	-1.396	-0.0	-0.0
-0.0		G1	-1.361	-0.964	-0.877	0.0	-0.0
-0.0		G2	-0.545	-0.362	-0.343	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.476	0.003	-0.000	-0.0	0.0
-0.0	Q5_pc	Y	1.174	1.598	-0.075	0.0	-0.0
0.0	Q5_ps	X	0.451	0.009	0.006	-0.0	-0.0
-0.0	Q5_ps	Y	1.104	1.511	-0.086	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	4.433	8.931	1.164	0.0	0.0
		Min	-4.257	-4.904	-5.086	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.387	6.772	0.876	0.0	0.0
		Min	-2.893	-3.263	-3.743	-0.0	-0.0
-0.0							
4526 0.0	C1-C2;~1	Max	1.888	3.232	0.080	0.0	0.0
		Min	-2.382	-3.999	-0.466	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.004	3.407	0.068	0.0	0.0
		Min	-2.741	-4.718	-0.692	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.984	1.672	0.038	0.0	0.0
		Min	-1.181	-2.111	-0.223	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.048	1.768	0.034	0.0	0.0
		Min	-1.343	-2.448	-0.342	-0.0	-0.0
-0.0							
0.0	G1		-1.236	-0.889	-0.616	0.0	-0.0
0.0	G2		-0.492	-0.341	-0.239	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.473	-0.001	-0.034	-0.0	0.0
-0.0	Q5_pc Y		1.191	1.535	0.014	0.0	-0.0
-0.0	Q5_ps X		0.446	0.006	-0.024	-0.0	0.0
-0.0	Q5_ps Y		1.122	1.449	0.006	0.0	-0.0
0.0	INVS LU	Max	4.759	9.113	-0.802	0.0	0.0
-0.0		Min	-3.791	-4.619	-1.904	-0.0	-0.0
0.0	INVS LE	Max	3.629	6.911	-0.583	0.0	0.0
-0.0		Min	-2.545	-3.056	-1.395	-0.0	-0.0
4527 0.0	C1-C2;~1	Max	2.213	3.001	20.765	0.0	0.0
-0.0		Min	-3.375	-4.140	-33.255	-0.0	-0.0
0.0	C3-C4;~1	Max	2.321	3.175	23.235	0.0	0.0
-0.0		Min	-3.926	-4.950	-38.186	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.188	1.558	10.703	0.0	0.0
		Min	-1.744	-2.169	-17.643	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.253	1.657	11.818	0.0	0.0
		Min	-1.993	-2.544	-20.049	-0.0	-0.0
-0.0							
0.0	G1		-2.140	-1.485	-13.921	0.0	-0.0
0.0	G2		-0.843	-0.569	-5.485	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.571	-0.134	0.246	-0.0	-0.0
0.0	Q5_pc Y		1.214	2.250	-0.563	0.0	0.0
-0.0							
0.0	Q5_ps X		0.545	-0.120	0.273	-0.0	-0.0
0.0	Q5_ps Y		1.140	2.123	-0.697	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.383	6.709	0.307	0.0	-0.0
		Min	-8.236	-8.309	-83.625	0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.826	5.090	0.122	0.0	-0.0
		Min	-5.878	-5.735	-61.975	-0.0	-0.0
-0.0							
4528	C1-C2;~1	Max	2.192	2.994	19.936	0.0	0.0
0.0		Min	-3.346	-4.153	-31.317	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.297	3.173	22.325	0.0	0.0
		Min	-3.898	-4.960	-35.919	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.175	1.557	10.292	0.0	0.0
		Min	-1.721	-2.175	-16.595	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.238	1.658	11.371	0.0	0.0
		Min	-1.969	-2.549	-18.839	-0.0	-0.0
-0.0							
0.0	G1		-2.178	-1.498	-12.756	0.0	-0.0
0.0	G2		-0.866	-0.558	-5.020	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.569	-0.129	0.241	-0.0	-0.0
0.0	Q5_pc Y		1.190	2.235	-0.575	0.0	0.0
-0.0							
0.0	Q5_ps X		0.545	-0.119	0.264	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.115	2.114	-0.694	0.0	0.0
0.0	INVS LU Max		2.286	6.843	2.162	0.0	-0.0
-0.0	Min		-8.220	-8.160	-77.501	-0.0	-0.0
0.0	INVS LE Max		1.761	5.184	1.515	0.0	-0.0
-0.0	Min		-5.862	-5.631	-57.418	-0.0	-0.0
4529 0.0	C1-C2;~1 Max		2.172	2.993	19.035	0.0	0.0
-0.0	Min		-3.310	-4.157	-29.303	-0.0	-0.0
0.0	C3-C4;~1 Max		2.274	3.168	21.333	0.0	0.0
-0.0	Min		-3.857	-4.961	-33.580	-0.0	-0.0
0.0	C1-C2;~2 Max		1.162	1.559	9.842	0.0	0.0
-0.0	Min		-1.694	-2.178	-15.510	-0.0	-0.0
0.0	C3-C4;~2 Max		1.223	1.658	10.881	0.0	0.0
-0.0	Min		-1.940	-2.551	-17.594	-0.0	-0.0
0.0	G1		-2.196	-1.497	-11.587	0.0	0.0
0.0	G2		-0.878	-0.548	-4.562	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.565	-0.118	0.237	-0.0	0.0
-0.0	Q5_pc Y		1.171	2.211	-0.588	0.0	0.0
0.0	Q5_ps X		0.542	-0.110	0.257	-0.0	-0.0
-0.0	Q5_ps Y		1.096	2.093	-0.696	0.0	0.0
0.0	INVS LU Max		2.228	6.988	3.908	0.0	-0.0
-0.0	Min		-8.158	-7.964	-71.282	-0.0	-0.0
0.0	INVS LE Max		1.725	5.288	2.830	0.0	-0.0
-0.0	Min		-5.812	-5.493	-52.788	-0.0	-0.0
4530 0.0	C1-C2;~1 Max		2.147	2.987	18.048	0.0	0.0
-0.0	Min		-3.265	-4.143	-27.203	-0.0	-0.0
0.0	C3-C4;~1 Max		2.249	3.155	20.241	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.803	-4.942	-31.148	-0.0	-0.0
0.0	C1-C2;~2	Max	1.147	1.558	9.346	0.0	0.0
-0.0		Min	-1.663	-2.174	-14.381	-0.0	-0.0
0.0	C3-C4;~2	Max	1.207	1.655	10.337	0.0	0.0
-0.0		Min	-1.904	-2.545	-16.302	-0.0	-0.0
0.0		G1	-2.197	-1.485	-10.406	0.0	0.0
-0.0		G2	-0.878	-0.544	-4.099	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.557	-0.101	0.231	-0.0	0.0
-0.0	Q5_pc Y		1.158	2.173	-0.592	0.0	0.0
0.0	Q5_ps X		0.534	-0.094	0.248	-0.0	-0.0
-0.0	Q5_ps Y		1.082	2.058	-0.689	0.0	0.0
0.0	INVSLU	Max	2.213	7.151	5.469	0.0	-0.0
-0.0		Min	-8.041	-7.691	-64.972	-0.0	-0.0
0.0	INVSLE	Max	1.719	5.408	4.006	0.0	-0.0
-0.0		Min	-5.722	-5.296	-48.094	-0.0	-0.0
4531	C1-C2;~1	Max	2.116	2.974	16.971	0.0	0.0
0.0		Min	-3.209	-4.108	-25.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.218	3.135	19.047	0.0	0.0
-0.0		Min	-3.735	-4.902	-28.645	-0.0	-0.0
0.0	C1-C2;~2	Max	1.129	1.555	8.801	0.0	0.0
-0.0		Min	-1.627	-2.161	-13.218	-0.0	-0.0
0.0	C3-C4;~2	Max	1.190	1.648	9.740	0.0	0.0
-0.0		Min	-1.863	-2.530	-14.974	-0.0	-0.0
0.0		G1	-2.177	-1.464	-9.235	0.0	0.0
-0.0		G2	-0.866	-0.545	-3.637	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.547	-0.079	0.220	-0.0	0.0
0.0	Q5_pc Y		1.150	2.122	-0.586	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.523	-0.071	0.235	-0.0	0.0
0.0	Q5_ps Y	1.076	2.007	-0.672	0.0	0.0
-0.0						
	INVS LU Max	2.240	7.328	6.774	0.0	-0.0
0.0	Min	-7.866	-7.340	-58.665	-0.0	-0.0
-0.0						
	INVS LE Max	1.743	5.542	4.990	0.0	-0.0
0.0	Min	-5.589	-5.040	-43.405	-0.0	-0.0
-0.0						
4532	C1-C2;~1 Max	1.820	3.410	8.741	0.0	0.0
0.0	Min	-2.052	-3.968	-11.061	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.936	3.600	9.618	0.0	0.0
0.0	Min	-2.344	-4.628	-12.897	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.938	1.744	4.516	0.0	0.0
0.0	Min	-1.020	-2.085	-5.811	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.004	1.844	4.923	0.0	0.0
0.0	Min	-1.152	-2.394	-6.677	-0.0	-0.0
-0.0						
	G1	-0.760	-0.528	-2.836	-0.0	0.0
-0.0						
	G2	-0.311	-0.194	-1.077	0.0	0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0						
	Q5_pc X	0.549	-0.143	-0.165	-0.0	-0.0
-0.0						
	Q5_pc Y	1.303	1.223	0.641	0.0	-0.0
-0.0						
	Q5_ps X	0.517	-0.131	-0.125	-0.0	-0.0
-0.0						
	Q5_ps Y	1.229	1.157	0.616	0.0	-0.0
-0.0						
	INVS LU Max	5.841	10.441	7.579	0.0	0.0
0.0	Min	-2.281	-2.867	-23.970	-0.0	-0.0
-0.0						
	INVS LE Max	4.429	7.920	5.554	0.0	0.0
0.0	Min	-1.414	-1.774	-17.730	-0.0	-0.0
-0.0						
4533	C1-C2;~1 Max	1.846	3.386	7.062	0.0	0.0
0.0	Min	-2.117	-3.979	-8.839	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.959	3.578	7.769	0.0	0.0
-0.0		Min	-2.420	-4.646	-10.305	-0.0	-0.0
0.0	C1-C2;~2	Max	0.952	1.734	3.653	0.0	0.0
-0.0		Min	-1.051	-2.091	-4.638	-0.0	-0.0
0.0	C3-C4;~2	Max	1.017	1.835	3.982	0.0	0.0
-0.0		Min	-1.187	-2.404	-5.330	-0.0	-0.0
-0.0	G1		-0.839	-0.577	-2.195	-0.0	0.0
-0.0	G2		-0.346	-0.208	-0.826	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.532	-0.115	-0.143	-0.0	-0.0
-0.0	Q5_pc Y		1.275	1.287	0.505	0.0	-0.0
-0.0	Q5_ps X		0.503	-0.106	-0.112	-0.0	-0.0
-0.0	Q5_ps Y		1.201	1.219	0.487	0.0	-0.0
0.0	INVSLU	Max	5.621	10.321	6.420	0.0	0.0
-0.0		Min	-2.584	-3.097	-18.891	-0.0	-0.0
0.0	INVSLE	Max	4.267	7.827	4.712	0.0	0.0
-0.0		Min	-1.642	-1.941	-13.969	-0.0	-0.0
4534	C1-C2;~1	Max	1.867	3.358	5.331	0.0	0.0
0.0		Min	-2.183	-3.990	-6.623	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.979	3.550	5.860	0.0	0.0
-0.0		Min	-2.499	-4.666	-7.731	-0.0	-0.0
0.0	C1-C2;~2	Max	0.964	1.723	2.761	0.0	0.0
-0.0		Min	-1.083	-2.097	-3.472	-0.0	-0.0
0.0	C3-C4;~2	Max	1.028	1.824	3.006	0.0	0.0
-0.0		Min	-1.225	-2.415	-3.995	-0.0	-0.0
0.0	G1		-0.927	-0.635	-1.622	-0.0	0.0
-0.0	G2		-0.383	-0.227	-0.610	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.517	-0.088	-0.117	-0.0	-0.0
-0.0	Q5_pc Y		1.249	1.351	0.371	0.0	-0.0
-0.0	Q5_ps X		0.489	-0.081	-0.093	-0.0	-0.0
-0.0	Q5_ps Y		1.176	1.280	0.358	0.0	-0.0
0.0	INVS LU	Max	5.405	10.138	5.015	0.0	0.0
-0.0		Min	-2.889	-3.386	-14.001	-0.0	-0.0
0.0	INVS LE	Max	4.107	7.686	3.687	0.0	0.0
-0.0		Min	-1.870	-2.152	-10.349	-0.0	-0.0
4535	C1-C2;~1	Max	1.880	3.323	3.546	0.0	0.0
0.0		Min	-2.248	-3.996	-4.435	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.992	3.512	3.886	0.0	0.0
-0.0		Min	-2.578	-4.683	-5.192	-0.0	-0.0
0.0	C1-C2;~2	Max	0.973	1.708	1.839	0.0	0.0
-0.0		Min	-1.114	-2.102	-2.322	-0.0	-0.0
0.0	C3-C4;~2	Max	1.036	1.809	1.995	0.0	0.0
-0.0		Min	-1.263	-2.425	-2.680	-0.0	-0.0
0.0	G1		-1.023	-0.707	-1.138	-0.0	0.0
0.0	G2		-0.419	-0.256	-0.428	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.501	-0.058	-0.089	-0.0	-0.0
-0.0	Q5_pc Y		1.226	1.414	0.245	0.0	-0.0
-0.0	Q5_ps X		0.474	-0.052	-0.071	-0.0	-0.0
-0.0	Q5_ps Y		1.154	1.339	0.234	0.0	-0.0
0.0	INVS LU	Max	5.198	9.857	3.311	0.0	0.0
-0.0		Min	-3.179	-3.750	-9.384	-0.0	-0.0
0.0	INVS LE	Max	3.954	7.473	2.439	0.0	0.0
-0.0		Min	-2.088	-2.419	-6.932	-0.0	-0.0
4536	C1-C2;~1	Max	1.885	3.280	1.701	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.313	-3.996	-2.302	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.998	3.461	1.835	0.0	0.0
0.0		Min	-2.658	-4.698	-2.724	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.978	1.691	0.883	0.0	0.0
0.0		Min	-1.146	-2.106	-1.202	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.042	1.789	0.943	0.0	0.0
0.0		Min	-1.302	-2.436	-1.403	-0.0	-0.0
-0.0							
0.0	G1		-1.126	-0.793	-0.787	-0.0	0.0
0.0	G2		-0.455	-0.295	-0.298	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.485	-0.027	-0.061	-0.0	-0.0
-0.0	Q5_pc Y		1.207	1.475	0.125	0.0	-0.0
-0.0	Q5_ps X		0.459	-0.021	-0.048	-0.0	-0.0
-0.0	Q5_ps Y		1.137	1.395	0.117	0.0	-0.0
-0.0							
0.0	INVSLU	Max	4.992	9.493	1.225	0.0	0.0
0.0		Min	-3.466	-4.178	-5.157	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.801	7.197	0.906	0.0	0.0
0.0		Min	-2.303	-2.732	-3.804	-0.0	-0.0
-0.0							
4537	C1-C2;~1	Max	1.677	3.583	16.619	0.0	0.0
0.0		Min	-1.709	-3.986	-22.891	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.799	3.793	18.244	0.0	0.0
0.0		Min	-1.952	-4.609	-26.675	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.863	1.816	8.517	0.0	0.0
0.0		Min	-0.855	-2.084	-12.081	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.933	1.920	9.272	0.0	0.0
0.0		Min	-0.968	-2.374	-13.873	-0.0	-0.0
-0.0							
-0.0	G1		-0.374	-0.285	-7.255	0.0	0.0
-0.0	G2		-0.159	-0.099	-2.774	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.676	-0.306	-0.280	0.0	-0.0
-0.0	Q5_pc Y		1.438	0.905	1.470	0.0	-0.0
-0.0	Q5_ps X		0.636	-0.287	-0.204	-0.0	-0.0
-0.0	Q5_ps Y		1.358	0.858	1.411	0.0	-0.0
-0.0	INVS LU	Max	7.375	10.761	9.090	-0.0	0.0
0.0		Min	-0.277	-2.211	-54.198	-0.0	-0.0
-0.0	INVS LE	Max	5.567	8.184	6.543	-0.0	0.0
0.0		Min	0.090	-1.304	-40.141	-0.0	-0.0
-0.0							
4538	C1-C2;~1	Max	1.813	3.447	10.461	0.0	0.0
0.0		Min	-2.003	-3.982	-13.428	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.925	3.643	11.511	0.0	0.0
-0.0		Min	-2.288	-4.628	-15.637	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.932	1.760	5.397	0.0	0.0
0.0		Min	-0.996	-2.089	-7.060	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.997	1.861	5.885	0.0	0.0
-0.0		Min	-1.124	-2.392	-8.103	-0.0	-0.0
-0.0	G1		-0.689	-0.480	-3.568	-0.0	0.0
0.0	G2		-0.290	-0.167	-1.349	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.576	-0.182	-0.193	-0.0	-0.0
-0.0	Q5_pc Y		1.330	1.163	0.796	0.0	-0.0
-0.0	Q5_ps X		0.544	-0.170	-0.149	-0.0	-0.0
-0.0	Q5_ps Y		1.253	1.102	0.768	0.0	-0.0
-0.0							
0.0	INVS LU	Max	6.037	10.618	8.504	0.0	0.0
-0.0		Min	-2.044	-2.642	-29.579	-0.0	-0.0
0.0							
-0.0	INVS LE	Max	4.573	8.057	6.218	0.0	0.0
0.0		Min	-1.236	-1.610	-21.885	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4539	C1-C2;~1	Max	1.820	3.483	12.108	0.0	0.0
0.0		Min	-1.960	-3.999	-15.762	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.917	3.686	13.321	0.0	0.0
0.0		Min	-2.240	-4.633	-18.347	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.937	1.775	6.237	0.0	0.0
0.0		Min	-0.974	-2.094	-8.295	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.991	1.878	6.801	0.0	0.0
0.0		Min	-1.101	-2.392	-9.515	-0.0	-0.0
-0.0							
	G1		-0.628	-0.440	-4.346	-0.0	0.0
-0.0							
	G2		-0.272	-0.143	-1.647	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.604	-0.220	-0.213	-0.0	-0.0
-0.0							
	Q5_pc Y		1.359	1.104	0.956	0.0	-0.0
-0.0							
	Q5_ps X		0.573	-0.209	-0.163	-0.0	-0.0
-0.0							
	Q5_ps Y		1.280	1.048	0.921	0.0	-0.0
-0.0							
	INVSLU	Max	6.233	10.741	9.180	-0.0	0.0
0.0		Min	-1.825	-2.476	-35.292	-0.0	-0.0
-0.0							
	INVSLE	Max	4.718	8.153	6.695	-0.0	0.0
0.0		Min	-1.070	-1.491	-26.120	-0.0	-0.0
-0.0							
4540	C1-C2;~1	Max	1.805	3.521	13.715	0.0	0.0
0.0		Min	-1.867	-3.993	-18.178	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.886	3.730	15.081	0.0	0.0
0.0		Min	-2.138	-4.614	-21.167	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.932	1.790	7.054	0.0	0.0
0.0		Min	-0.929	-2.089	-9.575	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.975	1.895	7.689	0.0	0.0
0.0		Min	-1.052	-2.380	-10.987	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.522	-0.367	-5.252	0.0	0.0
-0.0	G2		-0.232	-0.113	-1.996	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.632	-0.254	-0.238	-0.0	-0.0
-0.0	Q5_pc Y		1.381	1.037	1.122	0.0	-0.0
-0.0	Q5_ps X		0.598	-0.242	-0.179	-0.0	-0.0
-0.0	Q5_ps Y		1.301	0.986	1.080	0.0	-0.0
0.0	INVS LU	Max	6.601	10.885	9.531	0.0	0.0
-0.0		Min	-1.318	-2.245	-41.423	-0.0	-0.0
0.0	INVS LE	Max	4.991	8.265	6.930	0.0	0.0
-0.0		Min	-0.691	-1.323	-30.664	-0.0	-0.0
4541	C1-C2;~1	Max	1.730	3.553	15.215	0.0	0.0
0.0		Min	-1.784	-3.987	-20.558	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.846	3.762	16.718	0.0	0.0
-0.0		Min	-2.042	-4.604	-23.942	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.888	1.803	7.812	0.0	0.0
-0.0		Min	-0.890	-2.085	-10.838	-0.0	-0.0
0.0							
-0.0	C3-C4;~2	Max	0.955	1.908	8.511	0.0	0.0
-0.0		Min	-1.008	-2.373	-12.440	-0.0	-0.0
-0.0	G1		-0.439	-0.317	-6.226	0.0	0.0
-0.0	G2		-0.194	-0.100	-2.370	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.655	-0.283	-0.261	-0.0	-0.0
-0.0	Q5_pc Y		1.408	0.970	1.296	0.0	-0.0
-0.0	Q5_ps X		0.619	-0.268	-0.195	-0.0	-0.0
-0.0	Q5_ps Y		1.328	0.922	1.246	0.0	-0.0
0.0	INVS LU	Max	6.990	10.863	9.479	0.0	0.0
-0.0		Min	-0.793	-2.179	-47.746	-0.0	-0.0
0.0							
0.0	INVS LE	Max	5.281	8.254	6.863	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.297	-1.277	-35.353	-0.0	-0.0
-0.0							
4542	C1-C2;~1	Max	1.663	3.630	17.929	0.0	0.0
0.0		Min	-1.663	-4.032	-25.200	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.776	3.846	19.669	0.0	0.0
0.0		Min	-1.906	-4.640	-29.365	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.855	1.836	9.170	0.0	0.0
0.0		Min	-0.834	-2.103	-13.311	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.922	1.942	9.977	0.0	0.0
0.0		Min	-0.946	-2.387	-15.285	-0.0	-0.0
-0.0							
-0.0	G1		-0.330	-0.261	-8.326	0.0	0.0
0.0	G2		-0.153	-0.076	-3.180	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.713	-0.347	-0.306	-0.0	-0.0
-0.0	Q5_pc Y		1.461	0.853	1.658	0.0	-0.0
-0.0	Q5_ps X		0.674	-0.329	-0.225	-0.0	-0.0
-0.0	Q5_ps Y		1.378	0.812	1.591	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	7.663	10.784	8.339	-0.0	0.0
-0.0		Min	0.062	-2.209	-60.841	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	5.780	8.206	5.949	-0.0	0.0
-0.0		Min	0.345	-1.305	-45.074	-0.0	-0.0
-0.0							
4543	C1-C2;~1	Max	1.676	3.673	19.148	0.0	0.0
0.0		Min	-1.625	-4.078	-27.441	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.751	3.894	20.989	0.0	0.0
0.0		Min	-1.867	-4.680	-31.988	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.870	1.855	9.773	0.0	0.0
0.0		Min	-0.818	-2.124	-14.507	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.910	1.962	10.627	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.929	-2.405	-16.665	-0.0	-0.0
-0.0	G1		-0.301	-0.252	-9.419	0.0	0.0
-0.0	G2		-0.148	-0.064	-3.603	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.748	-0.381	-0.326	-0.0	-0.0
-0.0	Q5_pc Y		1.486	0.804	1.847	0.0	-0.0
-0.0	Q5_ps X		0.709	-0.364	-0.238	-0.0	-0.0
-0.0	Q5_ps Y		1.401	0.767	1.771	0.0	-0.0
0.0	INVSLU	Max	7.902	10.780	7.354	0.0	0.0
-0.0		Min	0.344	-2.244	-67.491	-0.0	-0.0
0.0	INVSLE	Max	5.957	8.209	5.179	-0.0	0.0
-0.0		Min	0.557	-1.331	-50.015	-0.0	-0.0
4544	C1-C2;~1	Max	1.612	3.708	20.273	0.0	0.0
0.0		Min	-1.593	-4.118	-29.607	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.720	3.931	22.203	0.0	0.0
-0.0		Min	-1.833	-4.720	-34.527	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.831	1.871	10.325	0.0	0.0
-0.0		Min	-0.804	-2.143	-15.666	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.896	1.978	11.219	0.0	0.0
-0.0		Min	-0.915	-2.423	-18.003	-0.0	-0.0
0.0	G1		-0.288	-0.257	-10.524	0.0	0.0
-0.0	G2		-0.143	-0.066	-4.030	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.777	-0.409	-0.347	-0.0	-0.0
-0.0	Q5_pc Y		1.512	0.758	2.038	0.0	-0.0
-0.0	Q5_ps X		0.736	-0.390	-0.252	-0.0	-0.0
-0.0	Q5_ps Y		1.425	0.722	1.952	0.0	-0.0
0.0	INVSLU	Max	8.098	10.724	6.112	-0.0	0.0
		Min	0.581	-2.319	-74.142	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	6.100	8.175	4.217	-0.0	0.0
-0.0		Min	0.733	-1.385	-54.959	-0.0	-0.0
4545	C1-C2;~1	Max	1.574	3.736	21.303	0.0	0.0
0.0		Min	-1.570	-4.151	-31.682	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.688	3.958	23.311	0.0	0.0
-0.0		Min	-1.811	-4.764	-36.955	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.815	1.884	10.825	0.0	0.0
0.0		Min	-0.797	-2.160	-16.778	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.883	1.991	11.755	0.0	0.0
-0.0		Min	-0.908	-2.444	-19.285	-0.0	-0.0
-0.0	G1		-0.292	-0.274	-11.618	0.0	0.0
-0.0	G2		-0.138	-0.079	-4.452	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.799	-0.428	-0.368	-0.0	-0.0
-0.0	Q5_pc Y		1.539	0.714	2.230	0.0	-0.0
-0.0	Q5_ps X		0.756	-0.406	-0.266	-0.0	-0.0
-0.0	Q5_ps Y		1.452	0.680	2.135	0.0	-0.0
0.0	INVSLU	Max	8.257	10.621	4.684	-0.0	0.0
-0.0		Min	0.763	-2.438	-80.689	-0.0	0.0
0.0	INVSLE	Max	6.213	8.107	3.112	-0.0	0.0
-0.0		Min	0.868	-1.471	-59.830	-0.0	0.0
4546	C1-C2;~1	Max	2.240	3.009	21.388	0.0	0.0
0.0		Min	-3.398	-4.147	-34.902	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.348	3.195	23.915	0.0	0.0
-0.0		Min	-3.956	-4.949	-40.079	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.203	1.559	11.006	0.0	0.0
-0.0		Min	-1.763	-2.169	-18.536	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.268	1.662	12.147	0.0	0.0
-0.0		Min	-2.016	-2.539	-21.063	-0.0	-0.0
0.0	G1		-2.106	-1.471	-14.952	0.0	-0.0
-0.0	G2		-0.834	-0.553	-5.884	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.578	-0.154	0.244	-0.0	-0.0
0.0	Q5_pc Y		1.223	2.283	-0.521	0.0	0.0
-0.0	Q5_ps X		0.553	-0.141	0.272	-0.0	-0.0
0.0	Q5_ps Y		1.148	2.159	-0.661	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.491	6.761	-2.013	0.0	-0.0
-0.0		Min	-8.221	-8.343	-89.343	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	1.903	5.141	-1.638	0.0	-0.0
0.0		Min	-5.869	-5.744	-66.258	-0.0	-0.0
-0.0							
4547	C1-C2;~1	Max	2.264	3.009	21.996	0.0	0.0
0.0		Min	-3.422	-4.143	-36.538	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.373	3.197	24.579	0.0	0.0
-0.0		Min	-3.983	-4.937	-41.981	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.216	1.556	11.301	0.0	0.0
0.0		Min	-1.780	-2.162	-19.426	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.281	1.660	12.465	0.0	0.0
-0.0		Min	-2.034	-2.529	-22.083	-0.0	-0.0
0.0	G1		-2.084	-1.465	-15.989	0.0	-0.0
-0.0	G2		-0.828	-0.546	-6.291	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.584	-0.169	0.244	-0.0	-0.0
0.0	Q5_pc Y		1.230	2.306	-0.490	0.0	0.0
-0.0	Q5_ps X		0.558	-0.157	0.274	-0.0	-0.0
0.0	Q5_ps Y		1.154	2.182	-0.641	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.682	6.776	-4.169	0.0	-0.0
		Min	-8.112	-8.356	-94.907	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.048	5.164	-3.264	0.0	-0.0
		Min	-5.784	-5.737	-70.412	-0.0	-0.0
-0.0							
4548 0.0	C1-C2;~1	Max	2.287	3.004	22.555	0.0	0.0
		Min	-3.445	-4.131	-38.104	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.396	3.191	25.185	0.0	0.0
		Min	-4.008	-4.918	-43.806	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.228	1.550	11.568	0.0	0.0
		Min	-1.795	-2.152	-20.278	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.293	1.654	12.754	0.0	0.0
		Min	-2.051	-2.515	-23.064	-0.0	-0.0
-0.0							
0.0	G1		-2.065	-1.460	-16.994	0.0	-0.0
0.0	G2		-0.820	-0.543	-6.685	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.588	-0.182	0.242	-0.0	-0.0
-0.0	Q5_pc Y		1.236	2.322	-0.458	0.0	0.0
0.0	Q5_ps X		0.562	-0.170	0.274	-0.0	-0.0
-0.0	Q5_ps Y		1.160	2.196	-0.619	0.0	0.0
0.0	INVS LU	Max	2.949	6.729	-6.335	0.0	-0.0
0.0		Min	-7.923	-8.397	-100.298	-0.0	-0.0
0.0	INVS LE	Max	2.252	5.139	-4.894	0.0	-0.0
0.0		Min	-5.636	-5.756	-74.435	-0.0	-0.0
4549 0.0	C1-C2;~1	Max	2.308	2.996	23.055	0.0	0.0
-0.0		Min	-3.468	-4.111	-39.576	-0.0	-0.0
0.0	C3-C4;~1	Max	2.418	3.177	25.726	0.0	0.0
-0.0		Min	-4.030	-4.893	-45.526	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.239	1.544	11.805	0.0	0.0
		Min	-1.810	-2.138	-21.082	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.305	1.645	13.009	0.0	0.0
		Min	-2.066	-2.499	-23.991	-0.0	-0.0
-0.0							
-0.0		G1	-2.048	-1.453	-17.951	0.0	-0.0
-0.0		G2	-0.812	-0.544	-7.061	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q5_pc	X	0.590	-0.192	0.238	-0.0	-0.0
0.0	Q5_pc	Y	1.243	2.332	-0.425	0.0	0.0
-0.0							
0.0	Q5_ps	X	0.564	-0.178	0.273	-0.0	-0.0
0.0	Q5_ps	Y	1.168	2.205	-0.596	0.0	0.0
-0.0							
0.0	INVSLU	Max	3.282	6.612	-8.450	0.0	-0.0
0.0		Min	-7.662	-8.480	-105.406	-0.0	-0.0
0.0							
0.0	INVSLE	Max	2.510	5.057	-6.483	0.0	-0.0
0.0		Min	-5.431	-5.811	-78.245	-0.0	-0.0
0.0							
4550	C1-C2;~1	Max	2.327	2.985	23.489	0.0	0.0
0.0		Min	-3.490	-4.081	-40.920	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.438	3.154	26.191	0.0	0.0
0.0		Min	-4.048	-4.861	-47.109	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.248	1.536	12.007	0.0	0.0
0.0		Min	-1.824	-2.121	-21.817	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.315	1.632	13.224	0.0	0.0
0.0		Min	-2.078	-2.480	-24.844	-0.0	-0.0
-0.0							
0.0		G1	-2.033	-1.441	-18.848	0.0	-0.0
0.0		G2	-0.801	-0.551	-7.418	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q5_pc	X	0.591	-0.197	0.236	-0.0	-0.0
0.0	Q5_pc	Y	1.253	2.336	-0.396	0.0	0.0
-0.0							
0.0	Q5_ps	X	0.564	-0.181	0.274	-0.0	-0.0


MIDAS

PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.178	2.205	-0.578	0.0	0.0
0.0	INVS LU Max		3.668	6.420	-10.524	0.0	-0.0
0.0	Min		-7.343	-8.605	-110.192	-0.0	-0.0
0.0	INVS LE Max		2.809	4.915	-8.038	0.0	-0.0
0.0	Min		-5.181	-5.903	-81.813	-0.0	-0.0
4551 0.0	C1-C2;~1 Max		2.435	2.922	24.613	0.0	0.0
-0.0	Min		-3.586	-3.961	-45.812	-0.0	-0.0
0.0	C3-C4;~1 Max		2.552	3.074	27.351	0.0	0.0
-0.0	Min		-4.149	-4.704	-52.861	-0.0	-0.0
0.0	C1-C2;~2 Max		1.302	1.492	12.470	0.0	0.0
-0.0	Min		-1.885	-2.039	-24.530	-0.0	-0.0
0.0	C3-C4;~2 Max		1.371	1.580	13.701	0.0	0.0
-0.0	Min		-2.142	-2.380	-27.992	-0.0	-0.0
0.0	G1		-1.934	-1.401	-22.265	0.0	-0.0
0.0	G2		-0.761	-0.536	-8.755	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.595	-0.245	0.192	-0.0	-0.0
-0.0	Q5_pc Y		1.293	2.371	-0.219	0.0	0.0
0.0	Q5_ps X		0.568	-0.227	0.240	-0.0	-0.0
-0.0	Q5_ps Y		1.217	2.238	-0.437	0.0	0.0
0.0	INVS LU Max		5.789	6.344	-19.425	0.0	-0.0
-0.0	Min		-5.583	-8.425	-128.104	-0.0	-0.0
0.0	INVS LE Max		4.448	4.881	-14.705	0.0	-0.0
-0.0	Min		-3.804	-5.743	-95.179	-0.0	-0.0
4552 0.0	C1-C2;~1 Max		2.417	2.938	24.518	0.0	0.0
-0.0	Min		-3.568	-4.004	-45.128	-0.0	-0.0
0.0	C3-C4;~1 Max		2.531	3.099	27.265	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.136	-4.738	-52.036	-0.0	-0.0
0.0	C1-C2;~2	Max	1.293	1.502	12.445	0.0	0.0
-0.0		Min	-1.873	-2.063	-24.148	-0.0	-0.0
0.0	C3-C4;~2	Max	1.361	1.594	13.680	0.0	0.0
-0.0		Min	-2.133	-2.400	-27.538	-0.0	-0.0
-0.0		G1	-1.955	-1.418	-21.741	0.0	-0.0
0.0		G2	-0.774	-0.528	-8.545	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.597	-0.244	0.200	-0.0	-0.0
0.0	Q5_pc Y		1.280	2.378	-0.248	0.0	0.0
0.0	Q5_ps X		0.571	-0.229	0.246	-0.0	-0.0
0.0	Q5_ps Y		1.203	2.250	-0.459	0.0	0.0
0.0	INVSLU	Max	5.322	6.325	-17.932	0.0	-0.0
-0.0		Min	-5.983	-8.536	-125.435	-0.0	-0.0
0.0	INVSLE	Max	4.085	4.868	-13.593	0.0	-0.0
-0.0		Min	-4.118	-5.822	-93.192	-0.0	-0.0
4553	C1-C2;~1	Max	2.396	2.954	24.364	0.0	0.0
0.0		Min	-3.549	-4.034	-44.279	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.509	3.122	27.113	0.0	0.0
-0.0		Min	-4.118	-4.774	-51.038	-0.0	-0.0
0.0	C1-C2;~2	Max	1.283	1.512	12.389	0.0	0.0
-0.0		Min	-1.861	-2.081	-23.673	-0.0	-0.0
0.0	C3-C4;~2	Max	1.350	1.607	13.626	0.0	0.0
-0.0		Min	-2.121	-2.422	-26.987	-0.0	-0.0
-0.0		G1	-1.975	-1.428	-21.133	0.0	-0.0
0.0		G2	-0.784	-0.528	-8.307	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.598	-0.236	0.210	-0.0	-0.0
0.0	Q5_pc Y		1.270	2.375	-0.283	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.572	-0.222	0.253	-0.0	-0.0
0.0	Q5_ps Y	1.193	2.248	-0.486	0.0	0.0
-0.0						
	INVS LU Max	4.876	6.264	-16.273	0.0	-0.0
0.0	Min	-6.357	-8.670	-122.286	-0.0	-0.0
-0.0						
	INVS LE Max	3.739	4.822	-12.352	0.0	-0.0
0.0	Min	-4.412	-5.924	-90.842	-0.0	-0.0
-0.0						
4554	C1-C2;~1 Max	2.374	2.967	24.144	0.0	0.0
0.0	Min	-3.529	-4.057	-43.291	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.485	3.140	26.886	0.0	0.0
0.0	Min	-4.098	-4.808	-49.877	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.271	1.521	12.300	0.0	0.0
0.0	Min	-1.849	-2.098	-23.124	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.339	1.618	13.534	0.0	0.0
0.0	Min	-2.108	-2.443	-26.351	-0.0	-0.0
-0.0						
	G1	-1.996	-1.435	-20.442	0.0	-0.0
0.0	G2	-0.792	-0.532	-8.037	0.0	-0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.597	-0.226	0.219	-0.0	-0.0
0.0	Q5_pc Y	1.261	2.366	-0.319	0.0	0.0
-0.0						
	Q5_ps X	0.571	-0.213	0.260	-0.0	-0.0
0.0	Q5_ps Y	1.184	2.240	-0.515	0.0	0.0
-0.0						
	INVS LU Max	4.415	6.269	-14.454	0.0	-0.0
0.0	Min	-6.743	-8.720	-118.658	-0.0	-0.0
0.0						
	INVS LE Max	3.383	4.821	-10.989	0.0	-0.0
0.0	Min	-4.714	-5.967	-88.135	-0.0	-0.0
0.0						
4555	C1-C2;~1 Max	2.351	2.977	23.852	0.0	0.0
0.0	Min	-3.509	-4.074	-42.175	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.463	3.151	26.579	0.0	0.0
-0.0		Min	-4.075	-4.837	-48.570	-0.0	-0.0
0.0	C1-C2;~2	Max	1.260	1.529	12.172	0.0	0.0
-0.0		Min	-1.837	-2.111	-22.508	-0.0	-0.0
0.0	C3-C4;~2	Max	1.327	1.627	13.400	0.0	0.0
-0.0		Min	-2.094	-2.463	-25.638	-0.0	-0.0
0.0	G1		-2.013	-1.440	-19.680	0.0	-0.0
-0.0	G2		-0.798	-0.538	-7.739	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.595	-0.214	0.227	-0.0	-0.0
-0.0	Q5_pc Y		1.256	2.354	-0.355	0.0	0.0
0.0	Q5_ps X		0.569	-0.200	0.266	-0.0	-0.0
-0.0	Q5_ps Y		1.180	2.226	-0.544	0.0	0.0
0.0	INVSLU	Max	4.036	6.355	-12.545	0.0	-0.0
0.0		Min	-7.050	-8.667	-114.635	-0.0	-0.0
0.0	INVSLE	Max	3.091	4.877	-9.558	0.0	-0.0
0.0		Min	-4.953	-5.937	-85.132	-0.0	-0.0
4556	C1-C2;~1	Max	2.588	2.859	24.236	0.0	0.0
0.0		Min	-3.709	-3.841	-47.297	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.715	3.004	26.838	0.0	0.0
-0.0		Min	-4.276	-4.563	-54.655	-0.0	-0.0
0.0	C1-C2;~2	Max	1.372	1.447	12.159	0.0	0.0
-0.0		Min	-1.953	-1.954	-25.393	-0.0	-0.0
0.0	C3-C4;~2	Max	1.446	1.531	13.326	0.0	0.0
-0.0		Min	-2.214	-2.282	-29.013	-0.0	-0.0
0.0	G1		-1.807	-1.371	-23.575	0.0	0.0
0.0	G2		-0.710	-0.524	-9.263	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.588	-0.272	0.127	-0.0	-0.0
0.0	Q5_pc Y		1.343	2.364	-0.046	0.0	0.0
0.0	Q5_ps X		0.561	-0.253	0.181	-0.0	-0.0
0.0	Q5_ps Y		1.266	2.230	-0.284	0.0	0.0
0.0	INVSLU	Max	8.291	6.666	-23.864	0.0	0.0
-0.0		Min	-3.565	-7.805	-134.108	-0.0	-0.0
0.0	INVSLE	Max	6.372	5.144	-18.002	0.0	0.0
-0.0		Min	-2.231	-5.260	-99.648	-0.0	-0.0
4557	C1-C2;~1	Max	2.557	2.872	24.423	0.0	0.0
0.0		Min	-3.681	-3.882	-47.352	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.678	3.020	27.064	0.0	0.0
0.0		Min	-4.250	-4.586	-54.692	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.358	1.456	12.277	0.0	0.0
0.0		Min	-1.938	-1.977	-25.423	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.430	1.541	13.463	0.0	0.0
0.0		Min	-2.200	-2.299	-29.035	-0.0	-0.0
-0.0	G1		-1.831	-1.388	-23.499	0.0	0.0
-0.0	G2		-0.724	-0.516	-9.229	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.592	-0.275	0.138	-0.0	-0.0
-0.0	Q5_pc Y		1.329	2.381	-0.073	0.0	0.0
0.0	Q5_ps X		0.565	-0.259	0.190	-0.0	-0.0
-0.0	Q5_ps Y		1.251	2.252	-0.306	0.0	0.0
0.0	INVSLU	Max	7.771	6.610	-23.395	0.0	0.0
0.0		Min	-3.975	-7.942	-134.014	-0.0	-0.0
-0.0	INVSLE	Max	5.971	5.104	-17.662	0.0	0.0
0.0		Min	-2.553	-5.359	-99.584	-0.0	-0.0
-0.0	4558 C1-C2;~1	Max	2.527	2.886	24.556	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.656	-3.911	-47.209	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.645	3.037	27.231	0.0	0.0
0.0		Min	-4.225	-4.615	-54.523	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.344	1.465	12.369	0.0	0.0
0.0		Min	-1.925	-1.996	-25.336	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.415	1.552	13.570	0.0	0.0
0.0		Min	-2.186	-2.318	-28.938	-0.0	-0.0
-0.0							
0.0		G1	-1.856	-1.395	-23.329	0.0	0.0
0.0		G2	-0.735	-0.515	-9.163	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.594	-0.272	0.152	-0.0	-0.0
0.0	Q5_pc	Y	1.318	2.387	-0.107	0.0	0.0
0.0	Q5_ps	X	0.568	-0.257	0.202	-0.0	-0.0
0.0	Q5_ps	Y	1.239	2.259	-0.336	0.0	0.0
0.0							
0.0	INVSLU	Max	7.272	6.509	-22.719	0.0	0.0
0.0		Min	-4.375	-8.116	-133.359	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.586	5.026	-17.162	0.0	0.0
0.0		Min	-2.865	-5.489	-99.098	-0.0	-0.0
-0.0							
4559	C1-C2;~1	Max	2.498	2.899	24.632	0.0	0.0
0.0		Min	-3.632	-3.935	-46.903	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.614	3.052	27.334	0.0	0.0
0.0		Min	-4.201	-4.644	-54.159	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.331	1.475	12.432	0.0	0.0
0.0		Min	-1.911	-2.013	-25.157	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.401	1.563	13.646	0.0	0.0
0.0		Min	-2.173	-2.338	-28.731	-0.0	-0.0
-0.0							
0.0		G1	-1.880	-1.401	-23.063	0.0	-0.0
0.0		G2	-0.745	-0.518	-9.060	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.596	-0.267	0.165	-0.0	-0.0
0.0	Q5_pc Y	1.307	2.388	-0.141	0.0	0.0
0.0	Q5_ps X	0.569	-0.252	0.214	-0.0	-0.0
0.0	Q5_ps Y	1.229	2.260	-0.367	0.0	0.0
0.0	INVS LU Max	6.769	6.452	-21.828	0.0	0.0
-0.0	Min	-4.786	-8.237	-132.140	-0.0	-0.0
0.0	INVS LE Max	5.199	4.979	-16.500	0.0	0.0
-0.0	Min	-3.185	-5.583	-98.191	-0.0	-0.0
4560	C1-C2;~1 Max	2.468	2.911	24.650	0.0	0.0
0.0	Min	-3.609	-3.954	-46.441	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.584	3.065	27.374	0.0	0.0
0.0	Min	-4.177	-4.674	-53.606	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.317	1.484	12.465	0.0	0.0
0.0	Min	-1.898	-2.029	-24.891	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.387	1.572	13.689	0.0	0.0
0.0	Min	-2.158	-2.359	-28.417	-0.0	-0.0
-0.0	G1	-1.906	-1.404	-22.707	0.0	-0.0
0.0	G2	-0.755	-0.523	-8.922	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.597	-0.259	0.178	-0.0	-0.0
0.0	Q5_pc Y	1.298	2.385	-0.178	0.0	0.0
-0.0	Q5_ps X	0.570	-0.243	0.226	-0.0	-0.0
0.0	Q5_ps Y	1.221	2.256	-0.399	0.0	0.0
-0.0	INVS LU Max	6.266	6.431	-20.736	0.0	0.0
0.0	Min	-5.198	-8.309	-130.378	-0.0	-0.0
-0.0	INVS LE Max	4.814	4.956	-15.686	0.0	-0.0
0.0	Min	-3.505	-5.645	-96.879	-0.0	-0.0
-0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4561	C1-C2;~1	Max	2.788	2.798	22.746	0.0	0.0
0.0		Min	-3.870	-3.731	-45.079	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.942	2.938	24.966	0.0	0.0
0.0		Min	-4.454	-4.440	-52.129	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.458	1.402	11.347	0.0	0.0
0.0		Min	-2.032	-1.871	-24.204	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.544	1.482	12.309	0.0	0.0
0.0		Min	-2.301	-2.190	-27.662	-0.0	-0.0
-0.0							
0.0	G1		-1.674	-1.363	-22.554	0.0	0.0
0.0	G2		-0.658	-0.521	-8.853	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.572	-0.273	0.052	-0.0	-0.0
-0.0	Q5_pc Y		1.400	2.311	0.105	0.0	0.0
0.0	Q5_ps X		0.545	-0.254	0.107	-0.0	-0.0
-0.0	Q5_ps Y		1.321	2.179	-0.133	0.0	0.0
0.0							
	INVSLU	Max	10.796	7.329	-22.666	0.0	0.0
0.0		Min	-1.709	-6.791	-126.934	-0.0	0.0
-0.0							
	INVSLE	Max	8.299	5.663	-17.058	0.0	0.0
0.0		Min	-0.777	-4.488	-94.280	-0.0	0.0
-0.0							
4562	C1-C2;~1	Max	2.755	2.811	23.043	0.0	0.0
0.0		Min	-3.842	-3.770	-45.854	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.899	2.952	25.383	0.0	0.0
0.0		Min	-4.422	-4.459	-53.020	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.444	1.411	11.483	0.0	0.0
0.0		Min	-2.018	-1.894	-24.630	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.526	1.492	12.516	0.0	0.0
0.0		Min	-2.286	-2.205	-28.152	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-1.699	-1.374	-22.943	0.0	0.0
0.0	G2		-0.670	-0.511	-9.002	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.577	-0.281	0.064	-0.0	-0.0
0.0	Q5_pc Y		1.386	2.338	0.084	0.0	0.0
-0.0	Q5_ps X		0.551	-0.265	0.118	-0.0	-0.0
0.0	Q5_ps Y		1.306	2.210	-0.153	0.0	0.0
0.0	INVS LU	Max	10.323	7.164	-23.448	0.0	0.0
-0.0		Min	-2.055	-7.049	-129.442	-0.0	0.0
0.0	INVS LE	Max	7.933	5.541	-17.656	0.0	0.0
-0.0		Min	-1.051	-4.675	-96.159	-0.0	0.0
4563	C1-C2;~1	Max	2.719	2.824	23.358	0.0	0.0
0.0		Min	-3.812	-3.796	-46.462	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.856	2.966	25.809	0.0	0.0
-0.0		Min	-4.390	-4.482	-53.725	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.428	1.420	11.644	0.0	0.0
0.0		Min	-2.004	-1.912	-24.961	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.507	1.502	12.742	0.0	0.0
-0.0		Min	-2.270	-2.223	-28.536	-0.0	-0.0
0.0							
0.0	G1		-1.724	-1.378	-23.244	0.0	0.0
0.0	G2		-0.682	-0.508	-9.122	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.581	-0.284	0.079	-0.0	-0.0
0.0	Q5_pc Y		1.374	2.353	0.055	0.0	0.0
-0.0	Q5_ps X		0.555	-0.268	0.133	-0.0	-0.0
0.0	Q5_ps Y		1.294	2.227	-0.182	0.0	0.0
0.0							
0.0	INVS LU	Max	9.850	6.960	-23.922	0.0	0.0
-0.0		Min	-2.404	-7.330	-131.435	-0.0	-0.0
0.0							
0.0	INVS LE	Max	7.568	5.387	-18.021	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.326	-4.884	-97.650	-0.0	-0.0
-0.0							
4564	C1-C2;~1	Max	2.681	2.836	23.704	0.0	0.0
0.0		Min	-3.781	-3.818	-46.918	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.812	2.979	26.210	0.0	0.0
0.0		Min	-4.356	-4.506	-54.236	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.412	1.429	11.842	0.0	0.0
0.0		Min	-1.988	-1.929	-25.208	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.488	1.512	12.966	0.0	0.0
0.0		Min	-2.253	-2.241	-28.810	-0.0	-0.0
-0.0							
0.0	G1		-1.749	-1.380	-23.450	0.0	0.0
0.0	G2		-0.692	-0.509	-9.204	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.584	-0.284	0.094	-0.0	-0.0
0.0	Q5_pc Y		1.362	2.363	0.025	0.0	0.0
0.0	Q5_ps X		0.558	-0.268	0.148	-0.0	-0.0
0.0	Q5_ps Y		1.282	2.237	-0.213	0.0	0.0
0.0							
0.0	INVSLU	Max	9.348	6.825	-24.122	0.0	0.0
0.0		Min	-2.780	-7.534	-132.894	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.182	5.282	-18.181	0.0	0.0
0.0		Min	-1.620	-5.040	-98.741	-0.0	-0.0
-0.0							
4565	C1-C2;~1	Max	2.639	2.847	23.996	0.0	0.0
0.0		Min	-3.748	-3.836	-47.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.767	2.992	26.553	0.0	0.0
0.0		Min	-4.320	-4.532	-54.552	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.394	1.438	12.014	0.0	0.0
0.0		Min	-1.972	-1.944	-25.359	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.469	1.521	13.161	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.235	-2.260	-28.974	-0.0	-0.0
-0.0	G1		-1.776	-1.380	-23.560	0.0	0.0
0.0	G2		-0.702	-0.513	-9.250	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.587	-0.281	0.109	-0.0	-0.0
0.0	Q5_pc Y		1.351	2.369	-0.008	0.0	0.0
0.0	Q5_ps X		0.560	-0.264	0.162	-0.0	-0.0
0.0	Q5_ps Y		1.272	2.240	-0.244	0.0	0.0
-0.0							
	INVSLU	Max	8.821	6.762	-24.098	0.0	0.0
0.0		Min	-3.178	-7.659	-133.787	-0.0	-0.0
-0.0							
	INVSLE	Max	6.778	5.227	-18.172	0.0	0.0
0.0		Min	-1.930	-5.140	-99.409	-0.0	-0.0
-0.0							
4566	C1-C2;~1	Max	2.953	2.771	20.932	0.0	0.0
0.0		Min	-3.997	-3.643	-39.575	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.134	2.884	22.822	0.0	0.0
0.0		Min	-4.595	-4.335	-45.768	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.529	1.380	10.601	0.0	0.0
0.0		Min	-2.094	-1.799	-21.221	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.627	1.441	11.430	0.0	0.0
0.0		Min	-2.369	-2.104	-24.242	-0.0	-0.0
-0.0							
	G1		-1.555	-1.378	-19.385	0.0	0.0
0.0	G2		-0.610	-0.527	-7.600	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.553	-0.248	-0.020	-0.0	-0.0
-0.0	Q5_pc Y		1.455	2.218	0.212	0.0	0.0
0.0	Q5_ps X		0.527	-0.230	0.033	-0.0	-0.0
-0.0	Q5_ps Y		1.375	2.088	-0.007	0.0	0.0
0.0							
	INVSLU	Max	12.759	8.224	-15.115	0.0	0.0
0.0		Min	-0.296	-5.514	-108.094	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	9.819	6.355	-11.353	0.0	0.0
-0.0		Min	0.344	-3.526	-80.198	-0.0	0.0
4567	C1-C2;~1	Max	2.926	2.774	21.400	0.0	0.0
0.0		Min	-3.975	-3.724	-40.917	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.100	2.888	23.362	0.0	0.0
-0.0		Min	-4.570	-4.353	-47.308	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.518	1.382	10.805	0.0	0.0
0.0		Min	-2.083	-1.855	-21.948	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.612	1.444	11.664	0.0	0.0
-0.0		Min	-2.358	-2.119	-25.069	-0.0	-0.0
0.0	G1		-1.575	-1.381	-20.163	0.0	0.0
0.0	G2		-0.620	-0.515	-7.902	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.557	-0.260	-0.009	-0.0	-0.0
0.0	Q5_pc Y		1.444	2.251	0.202	0.0	0.0
-0.0	Q5_ps X		0.532	-0.244	0.043	-0.0	-0.0
0.0	Q5_ps Y		1.362	2.125	-0.020	0.0	0.0
0.0							
-0.0	INVSLU	Max	12.446	8.074	-16.896	0.0	0.0
0.0		Min	-0.507	-5.752	-112.663	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.575	6.245	-12.704	0.0	0.0
-0.0		Min	0.173	-3.697	-83.615	-0.0	0.0
4568	C1-C2;~1	Max	2.898	2.774	21.818	0.0	0.0
0.0		Min	-3.952	-3.749	-42.142	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.065	2.901	23.848	0.0	0.0
-0.0		Min	-4.545	-4.371	-48.723	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.505	1.382	10.984	0.0	0.0
-0.0		Min	-2.072	-1.874	-22.612	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.597	1.453	11.870	0.0	0.0
-0.0		Min	-2.345	-2.135	-25.828	-0.0	-0.0
0.0	G1		-1.596	-1.380	-20.874	0.0	0.0
0.0	G2		-0.630	-0.510	-8.182	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.561	-0.268	0.004	-0.0	-0.0
0.0	Q5_pc Y		1.432	2.275	0.183	0.0	0.0
-0.0	Q5_ps X		0.536	-0.253	0.057	-0.0	-0.0
0.0	Q5_ps Y		1.351	2.151	-0.043	0.0	0.0
0.0	INVSLU	Max	12.129	7.897	-18.546	0.0	0.0
-0.0		Min	-0.722	-6.017	-116.847	-0.0	0.0
0.0	INVSLE	Max	9.328	6.112	-13.951	0.0	0.0
-0.0		Min	-0.000	-3.891	-86.742	-0.0	0.0
4569	C1-C2;~1	Max	2.864	2.778	22.182	0.0	0.0
0.0		Min	-3.926	-3.739	-43.262	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.025	2.914	24.278	0.0	0.0
0.0		Min	-4.516	-4.392	-50.016	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.491	1.385	11.133	0.0	0.0
0.0		Min	-2.060	-1.867	-23.220	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.580	1.463	12.045	0.0	0.0
0.0		Min	-2.332	-2.152	-26.525	-0.0	-0.0
-0.0	G1		-1.621	-1.378	-21.518	0.0	0.0
0.0	G2		-0.640	-0.509	-8.437	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.566	-0.273	0.018	-0.0	-0.0
-0.0	Q5_pc Y		1.420	2.295	0.162	0.0	0.0
0.0	Q5_ps X		0.540	-0.258	0.072	-0.0	-0.0
-0.0	Q5_ps Y		1.339	2.170	-0.068	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	11.698	7.714	-20.088	0.0	0.0
		Min	-1.039	-6.280	-120.676	-0.0	0.0
-0.0							
0.0	INVS LE	Max	8.993	5.970	-15.116	0.0	0.0
		Min	-0.252	-4.089	-89.604	-0.0	0.0
-0.0							
4570 0.0	C1-C2;~1	Max	2.829	2.788	22.491	0.0	0.0
		Min	-3.900	-3.728	-44.250	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.985	2.926	24.648	0.0	0.0
		Min	-4.487	-4.414	-51.159	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.476	1.393	11.254	0.0	0.0
		Min	-2.047	-1.862	-23.757	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.563	1.473	12.190	0.0	0.0
		Min	-2.317	-2.170	-27.142	-0.0	-0.0
-0.0							
0.0	G1		-1.646	-1.374	-22.079	0.0	0.0
-0.0	G2		-0.650	-0.511	-8.660	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.569	-0.276	0.034	-0.0	-0.0
0.0	Q5_pc Y		1.409	2.308	0.137	0.0	0.0
0.0	Q5_ps X		0.544	-0.260	0.088	-0.0	-0.0
0.0	Q5_ps Y		1.328	2.182	-0.097	0.0	0.0
0.0							
0.0	INVS LU	Max	11.248	7.554	-21.461	0.0	0.0
		Min	-1.374	-6.512	-124.046	-0.0	0.0
-0.0							
0.0	INVS LE	Max	8.647	5.842	-16.152	0.0	0.0
		Min	-0.515	-4.269	-92.123	-0.0	0.0
-0.0							
4571 0.0	C1-C2;~1	Max	3.124	2.833	17.817	0.0	0.0
		Min	-4.117	-3.657	-31.517	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.336	2.914	19.303	0.0	0.0
		Min	-4.725	-4.351	-36.467	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.601	1.427	9.158	0.0	0.0
-0.0		Min	-2.150	-1.804	-16.873	-0.0	-0.0
0.0	C3-C4;~2	Max	1.711	1.466	9.821	0.0	0.0
-0.0		Min	-2.430	-2.109	-19.278	-0.0	-0.0
0.0		G1	-1.426	-1.396	-14.645	0.0	0.0
-0.0		G2	-0.560	-0.536	-5.732	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.533	-0.198	-0.072	-0.0	0.0
0.0	Q5_pc	Y	1.509	2.087	0.254	0.0	-0.0
-0.0	Q5_ps	X	0.508	-0.183	-0.027	-0.0	-0.0
0.0	Q5_ps	Y	1.427	1.962	0.073	0.0	-0.0
0.0	INVSLU	Max	13.882	8.942	-5.251	0.0	0.0
-0.0		Min	0.282	-4.623	-80.997	-0.0	0.0
0.0	INVSLE	Max	10.697	6.879	-3.882	0.0	0.0
-0.0		Min	0.825	-2.891	-59.957	-0.0	0.0
4572	C1-C2;~1	Max	3.076	2.822	18.530	0.0	0.0
0.0		Min	-4.085	-3.759	-33.277	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.277	2.904	20.102	0.0	0.0
-0.0		Min	-4.691	-4.372	-38.493	-0.0	-0.0
0.0	C1-C2;~2	Max	1.581	1.417	9.496	0.0	0.0
-0.0		Min	-2.135	-1.877	-17.820	-0.0	-0.0
0.0	C3-C4;~2	Max	1.686	1.457	10.195	0.0	0.0
-0.0		Min	-2.414	-2.126	-20.357	-0.0	-0.0
0.0		G1	-1.466	-1.397	-15.665	0.0	0.0
0.0		G2	-0.576	-0.524	-6.129	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.538	-0.214	-0.067	-0.0	-0.0
0.0	Q5_pc	Y	1.496	2.127	0.260	0.0	-0.0
-0.0	Q5_ps	X	0.513	-0.200	-0.021	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.413	2.005	0.072	0.0	0.0
0.0	INVS LU	Max	13.736	8.885	-7.365	0.0	0.0
-0.0		Min	0.288	-4.766	-86.935	-0.0	0.0
0.0	INVS LE	Max	10.586	6.846	-5.493	0.0	0.0
-0.0		Min	0.824	-2.982	-64.400	-0.0	0.0
4573 0.0	C1-C2;~1	Max	3.042	2.806	19.214	0.0	0.0
-0.0		Min	-4.061	-3.786	-35.000	-0.0	-0.0
0.0	C3-C4;~1	Max	3.236	2.890	20.870	0.0	0.0
-0.0		Min	-4.665	-4.374	-40.483	-0.0	-0.0
0.0	C1-C2;~2	Max	1.567	1.405	9.817	0.0	0.0
-0.0		Min	-2.124	-1.896	-18.749	-0.0	-0.0
0.0	C3-C4;~2	Max	1.669	1.446	10.551	0.0	0.0
-0.0		Min	-2.402	-2.130	-21.418	-0.0	-0.0
0.0	G1		-1.492	-1.395	-16.676	0.0	0.0
0.0	G2		-0.587	-0.518	-6.527	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-0.227	-0.057	-0.0	-0.0
0.0	Q5_pc Y		1.484	2.159	0.254	0.0	0.0
-0.0	Q5_ps X		0.517	-0.213	-0.010	-0.0	-0.0
0.0	Q5_ps Y		1.402	2.038	0.058	0.0	0.0
0.0	INVS LU	Max	13.539	8.791	-9.338	0.0	0.0
-0.0		Min	0.202	-4.901	-92.622	-0.0	0.0
0.0	INVS LE	Max	10.431	6.783	-6.986	0.0	0.0
-0.0		Min	0.750	-3.071	-68.644	-0.0	0.0
4574 0.0	C1-C2;~1	Max	3.013	2.788	19.842	0.0	0.0
-0.0		Min	-4.040	-3.777	-36.633	-0.0	-0.0
0.0	C3-C4;~1	Max	3.201	2.885	21.580	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.642	-4.354	-42.367	-0.0	-0.0
0.0	C1-C2;~2	Max	1.555	1.391	10.108	0.0	0.0
-0.0		Min	-2.114	-1.891	-19.631	-0.0	-0.0
0.0	C3-C4;~2	Max	1.655	1.441	10.876	0.0	0.0
-0.0		Min	-2.392	-2.116	-22.424	-0.0	-0.0
0.0		G1	-1.513	-1.392	-17.638	0.0	0.0
0.0		G2	-0.596	-0.516	-6.906	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.546	-0.237	-0.046	-0.0	-0.0
0.0		Q5_pc Y	1.473	2.185	0.245	0.0	0.0
-0.0		Q5_ps X	0.521	-0.223	0.002	-0.0	-0.0
0.0		Q5_ps Y	1.391	2.063	0.042	0.0	0.0
0.0	INVSLU	Max	13.304	8.661	-11.318	0.0	0.0
-0.0		Min	0.064	-5.044	-98.087	-0.0	0.0
0.0	INVSLE	Max	10.246	6.689	-8.485	0.0	0.0
-0.0		Min	0.635	-3.171	-72.725	-0.0	0.0
4575	C1-C2;~1	Max	2.985	2.775	20.415	0.0	0.0
0.0		Min	-4.019	-3.735	-38.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.168	2.885	22.230	0.0	0.0
-0.0		Min	-4.619	-4.318	-44.131	-0.0	-0.0
0.0	C1-C2;~2	Max	1.543	1.382	10.369	0.0	0.0
-0.0		Min	-2.104	-1.862	-20.457	-0.0	-0.0
0.0	C3-C4;~2	Max	1.641	1.442	11.168	0.0	0.0
-0.0		Min	-2.381	-2.090	-23.367	-0.0	-0.0
0.0		G1	-1.534	-1.387	-18.543	0.0	0.0
-0.0		G2	-0.604	-0.518	-7.263	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.550	-0.244	-0.035	-0.0	-0.0
0.0		Q5_pc Y	1.464	2.206	0.232	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.524	-0.229	0.015	-0.0	-0.0
0.0	Q5_ps Y		1.382	2.081	0.022	0.0	0.0
0.0							
0.0	INVS LU	Max	13.039	8.480	-13.244	0.0	0.0
-0.0		Min	-0.108	-5.214	-103.250	-0.0	0.0
0.0							
0.0	INVS LE	Max	10.039	6.552	-9.942	0.0	0.0
-0.0		Min	0.495	-3.298	-76.582	-0.0	0.0
4576	C1-C2;~1	Max	3.184	2.860	16.996	0.0	0.0
0.0		Min	-4.156	-3.871	-29.577	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.406	2.940	18.393	0.0	0.0
-0.0		Min	-4.766	-4.445	-34.214	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.626	1.445	8.761	0.0	0.0
-0.0		Min	-2.167	-1.956	-15.827	-0.0	-0.0
0.0							
-0.0	C3-C4;~2	Max	1.740	1.483	9.387	0.0	0.0
0.0		Min	-2.448	-2.179	-18.079	-0.0	-0.0
-0.0							
0.0	G1		-1.380	-1.397	-13.511	0.0	0.0
-0.0	G2		-0.544	-0.519	-5.279	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.529	-0.192	-0.083	-0.0	-0.0
0.0	Q5_pc Y		1.522	2.073	0.265	0.0	-0.0
-0.0	Q5_ps X		0.504	-0.180	-0.042	-0.0	-0.0
0.0	Q5_ps Y		1.439	1.956	0.098	0.0	-0.0
0.0							
0.0	INVS LU	Max	13.946	9.148	-3.430	0.0	0.0
-0.0		Min	0.175	-4.554	-74.926	-0.0	0.0
0.0							
0.0	INVS LE	Max	10.742	7.026	-2.512	0.0	0.0
-0.0		Min	0.743	-2.847	-55.436	-0.0	0.0
4577	C1-C2;~1	Max	3.229	2.880	16.116	0.0	0.0
0.0		Min	-4.188	-3.991	-27.563	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	3.457	2.960	17.420	0.0	0.0
-0.0		Min	-4.800	-4.514	-31.887	-0.0	-0.0
0.0	C1-C2;~2	Max	1.644	1.459	8.331	0.0	0.0
-0.0		Min	-2.180	-2.041	-14.743	-0.0	-0.0
0.0	C3-C4;~2	Max	1.760	1.497	8.918	0.0	0.0
-0.0		Min	-2.462	-2.229	-16.841	-0.0	-0.0
0.0	G1		-1.357	-1.397	-12.361	0.0	0.0
-0.0	G2		-0.535	-0.508	-4.828	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.525	-0.180	-0.090	-0.0	-0.0
0.0	Q5_pc Y		1.534	2.049	0.266	0.0	0.0
-0.0	Q5_ps X		0.501	-0.171	-0.051	-0.0	-0.0
0.0	Q5_ps Y		1.451	1.936	0.109	0.0	0.0
0.0	INVSLU	Max	13.949	9.327	-1.706	0.0	0.0
-0.0		Min	0.041	-4.452	-68.749	-0.0	0.0
0.0	INVSLE	Max	10.741	7.155	-1.211	0.0	0.0
-0.0		Min	0.643	-2.778	-50.837	-0.0	0.0
4578	C1-C2;~1	Max	3.259	2.885	15.165	0.0	0.0
0.0		Min	-4.215	-4.008	-25.472	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.492	2.964	16.374	0.0	0.0
-0.0		Min	-4.828	-4.522	-29.465	-0.0	-0.0
0.0	C1-C2;~2	Max	1.656	1.465	7.862	0.0	0.0
-0.0		Min	-2.191	-2.055	-13.619	-0.0	-0.0
0.0	C3-C4;~2	Max	1.774	1.502	8.408	0.0	0.0
-0.0		Min	-2.473	-2.238	-15.554	-0.0	-0.0
0.0	G1		-1.354	-1.397	-11.190	0.0	0.0
0.0	G2		-0.534	-0.509	-4.368	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.521	-0.162	-0.096	-0.0	-0.0
0.0	Q5_pc Y		1.547	2.012	0.266	0.0	0.0
-0.0	Q5_ps X		0.497	-0.153	-0.060	-0.0	-0.0
0.0	Q5_ps Y		1.463	1.901	0.120	0.0	0.0
0.0	INVS LU	Max	13.878	9.461	-0.132	0.0	0.0
-0.0		Min	-0.138	-4.267	-62.493	-0.0	0.0
0.0	INVS LE	Max	10.684	7.253	-0.026	0.0	0.0
-0.0		Min	0.508	-2.647	-46.185	-0.0	0.0
4579	C1-C2;~1	Max	3.275	2.875	14.146	0.0	0.0
0.0		Min	-4.238	-3.880	-23.324	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.510	2.948	15.257	0.0	0.0
-0.0		Min	-4.850	-4.465	-26.978	-0.0	-0.0
0.0	C1-C2;~2	Max	1.662	1.463	7.353	0.0	0.0
-0.0		Min	-2.199	-1.968	-12.465	-0.0	-0.0
0.0	C3-C4;~2	Max	1.781	1.497	7.857	0.0	0.0
-0.0		Min	-2.480	-2.200	-14.234	-0.0	-0.0
0.0	G1		-1.373	-1.400	-10.020	0.0	0.0
0.0	G2		-0.541	-0.521	-3.908	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.518	-0.138	-0.101	-0.0	-0.0
0.0	Q5_pc Y		1.560	1.963	0.265	0.0	0.0
-0.0	Q5_ps X		0.493	-0.128	-0.068	-0.0	-0.0
0.0	Q5_ps Y		1.475	1.850	0.130	0.0	0.0
0.0	INVS LU	Max	13.731	9.546	1.224	0.0	0.0
-0.0		Min	-0.362	-3.994	-56.271	-0.0	0.0
0.0	INVS LE	Max	10.570	7.319	0.992	0.0	0.0
-0.0		Min	0.339	-2.449	-41.561	-0.0	0.0
4580	C1-C2;~1	Max	3.277	2.855	13.063	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.256	-3.659	-21.124	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.512	2.923	14.072	0.0	0.0
0.0		Min	-4.867	-4.397	-24.444	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.662	1.455	6.807	0.0	0.0
0.0		Min	-2.204	-1.813	-11.286	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.781	1.488	7.267	0.0	0.0
0.0		Min	-2.486	-2.155	-12.891	-0.0	-0.0
-0.0							
0.0		G1	-1.413	-1.406	-8.863	0.0	0.0
0.0		G2	-0.556	-0.541	-3.461	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.515	-0.109	-0.101	-0.0	-0.0
-0.0	Q5_pc	Y	1.570	1.907	0.253	0.0	0.0
0.0	Q5_ps	X	0.491	-0.098	-0.069	-0.0	-0.0
-0.0	Q5_ps	Y	1.485	1.789	0.126	0.0	0.0
0.0							
0.0	INVSLU	Max	13.511	9.616	2.378	0.0	0.0
0.0		Min	-0.627	-3.697	-50.074	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.403	7.374	1.857	0.0	0.0
0.0		Min	0.139	-2.234	-36.962	-0.0	0.0
-0.0							
4581	C1-C2;~1	Max	3.165	2.773	6.777	0.0	0.0
0.0		Min	-4.287	-3.665	-10.107	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.370	2.827	7.264	0.0	0.0
0.0		Min	-4.891	-4.398	-11.724	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.614	1.423	3.568	0.0	0.0
0.0		Min	-2.205	-1.834	-5.387	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.721	1.446	3.792	0.0	0.0
0.0		Min	-2.483	-2.177	-6.166	-0.0	-0.0
-0.0							
0.0		G1	-1.760	-1.448	-3.786	0.0	0.0
0.0		G2	-0.694	-0.554	-1.475	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.517	-0.004	-0.085	-0.0	-0.0
-0.0	Q5_pc Y	1.590	1.721	0.184	0.0	-0.0
0.0	Q5_ps X	0.494	0.001	-0.066	-0.0	-0.0
-0.0	Q5_ps Y	1.501	1.613	0.116	0.0	0.0
0.0	INVSLE Max	12.067	9.820	3.821	0.0	0.0
0.0	INVSLE Min	-1.948	-3.032	-22.144	-0.0	-0.0
-0.0	INVSLE Max	9.316	7.539	2.912	0.0	0.0
0.0	INVSLE Min	-0.854	-1.751	-16.297	-0.0	-0.0
-0.0						
4582	C1-C2;~1 Max	3.195	2.805	8.120	0.0	0.0
0.0	C1-C2;~1 Min	-4.285	-3.683	-12.293	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	3.406	2.859	8.715	0.0	0.0
0.0	C3-C4;~1 Min	-4.890	-4.409	-14.236	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.626	1.438	4.267	0.0	0.0
0.0	C1-C2;~2 Min	-2.207	-1.839	-6.554	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.736	1.462	4.541	0.0	0.0
0.0	C3-C4;~2 Min	-2.485	-2.178	-7.492	-0.0	-0.0
-0.0						
0.0	G1	-1.685	-1.432	-4.697	0.0	0.0
0.0	G2	-0.664	-0.538	-1.823	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.515	-0.029	-0.096	-0.0	-0.0
-0.0	Q5_pc Y	1.590	1.767	0.211	0.0	-0.0
0.0	Q5_ps X	0.492	-0.025	-0.075	-0.0	-0.0
-0.0	Q5_ps Y	1.501	1.661	0.135	0.0	0.0
0.0						
0.0	INVSLE Max	12.366	9.967	4.003	0.0	0.0
0.0	INVSLE Min	-1.696	-3.027	-27.361	-0.0	0.0
-0.0						
0.0	INVSLE Max	9.539	7.645	3.055	0.0	0.0
0.0	INVSLE Min	-0.665	-1.744	-20.149	-0.0	0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4583	C1-C2;~1	Max	3.218	2.833	9.428	0.0	0.0
0.0		Min	-4.282	-3.752	-14.490	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.435	2.892	10.129	0.0	0.0
0.0		Min	-4.888	-4.419	-16.772	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.636	1.451	4.944	0.0	0.0
0.0		Min	-2.207	-1.882	-7.730	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.748	1.477	5.267	0.0	0.0
0.0		Min	-2.486	-2.178	-8.831	-0.0	-0.0
-0.0							
	G1		-1.620	-1.420	-5.658	0.0	0.0
0.0	G2		-0.639	-0.524	-2.199	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.514	-0.054	-0.101	-0.0	-0.0
-0.0	Q5_pc Y		1.588	1.813	0.227	0.0	0.0
0.0	Q5_ps X		0.491	-0.050	-0.078	-0.0	-0.0
-0.0	Q5_ps Y		1.500	1.708	0.140	0.0	0.0
0.0							
	INVSLU	Max	12.623	10.052	3.983	0.0	0.0
0.0		Min	-1.473	-3.081	-32.744	-0.0	0.0
-0.0							
	INVSLE	Max	9.732	7.706	3.046	0.0	0.0
0.0		Min	-0.497	-1.781	-24.128	-0.0	0.0
-0.0							
4584	C1-C2;~1	Max	3.237	2.855	10.684	0.0	0.0
0.0		Min	-4.279	-3.809	-16.668	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.459	2.920	11.490	0.0	0.0
0.0		Min	-4.886	-4.423	-19.283	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.645	1.460	5.592	0.0	0.0
0.0		Min	-2.208	-1.919	-8.896	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.758	1.489	5.962	0.0	0.0
0.0		Min	-2.487	-2.176	-10.158	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.567	-1.411	-6.646	0.0	0.0
0.0	G2		-0.618	-0.518	-2.586	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.514	-0.077	-0.103	-0.0	-0.0
0.0	Q5_pc Y		1.585	1.853	0.240	0.0	0.0
-0.0	Q5_ps X		0.490	-0.072	-0.077	-0.0	-0.0
0.0	Q5_ps Y		1.498	1.748	0.141	0.0	0.0
0.0	INVS LU	Max	12.838	10.048	3.728	0.0	0.0
-0.0		Min	-1.281	-3.201	-38.248	-0.0	0.0
0.0	INVS LE	Max	9.895	7.700	2.860	0.0	0.0
-0.0		Min	-0.352	-1.867	-28.201	-0.0	0.0
4585	C1-C2;~1	Max	3.266	2.860	11.910	0.0	0.0
0.0		Min	-4.270	-3.758	-18.918	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.497	2.927	12.820	0.0	0.0
-0.0		Min	-4.880	-4.411	-21.886	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.657	1.461	6.221	0.0	0.0
-0.0		Min	-2.208	-1.882	-10.101	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.775	1.491	6.637	0.0	0.0
-0.0		Min	-2.488	-2.166	-11.535	-0.0	-0.0
0.0	G1		-1.475	-1.406	-7.738	0.0	0.0
-0.0	G2		-0.581	-0.524	-3.013	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.514	-0.095	-0.105	-0.0	-0.0
0.0	Q5_pc Y		1.578	1.884	0.252	0.0	0.0
-0.0	Q5_ps X		0.490	-0.088	-0.076	-0.0	-0.0
0.0	Q5_ps Y		1.492	1.774	0.141	0.0	0.0
0.0	INVS LU	Max	13.217	9.887	3.210	0.0	0.0
-0.0		Min	-0.933	-3.411	-44.096	-0.0	0.0
0.0	INVS LE	Max	10.180	7.578	2.477	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.091	-2.021	-32.530	-0.0	0.0
-0.0							
4586	C1-C2;~1	Max	2.925	2.604	0.067	0.0	0.0
0.0		Min	-4.281	-3.607	-0.434	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.079	2.663	0.060	0.0	0.0
0.0		Min	-4.876	-4.342	-0.631	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.512	1.339	0.033	0.0	0.0
0.0		Min	-2.187	-1.821	-0.211	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.598	1.364	0.031	0.0	0.0
0.0		Min	-2.460	-2.165	-0.319	-0.0	-0.0
-0.0							
0.0	G1		-2.308	-1.550	-0.582	0.0	0.0
0.0	G2		-0.907	-0.600	-0.224	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.537	0.082	-0.019	-0.0	0.0
-0.0	Q5_pc Y		1.576	1.582	0.041	0.0	-0.0
0.0	Q5_ps X		0.515	0.084	-0.012	-0.0	0.0
-0.0	Q5_ps Y		1.483	1.477	0.026	0.0	-0.0
0.0							
0.0	INVSLU	Max	10.018	8.974	-0.806	0.0	0.0
0.0		Min	-3.557	-3.330	-1.821	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.785	6.919	-0.590	0.0	0.0
0.0		Min	-2.060	-1.984	-1.337	-0.0	-0.0
-0.0							
4587	C1-C2;~1	Max	2.986	2.655	1.321	0.0	0.0
0.0		Min	-4.284	-3.639	-2.121	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.154	2.716	1.386	0.0	0.0
0.0		Min	-4.881	-4.368	-2.504	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.538	1.365	0.700	0.0	0.0
0.0		Min	-2.192	-1.833	-1.123	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.630	1.390	0.726	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.466	-2.175	-1.309	-0.0	-0.0
-0.0	G1		-2.173	-1.523	-0.974	0.0	0.0
0.0	G2		-0.854	-0.580	-0.375	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.532	0.066	-0.036	-0.0	0.0
-0.0	Q5_pc Y		1.580	1.607	0.075	0.0	-0.0
0.0	Q5_ps X		0.510	0.068	-0.028	-0.0	0.0
-0.0	Q5_ps Y		1.488	1.505	0.054	0.0	-0.0
0.0							
	INVSLU	Max	10.510	9.172	0.540	0.0	0.0
0.0		Min	-3.181	-3.286	-4.848	-0.0	-0.0
-0.0							
	INVSLE	Max	8.152	7.065	0.424	0.0	0.0
0.0		Min	-1.779	-1.949	-3.557	-0.0	-0.0
-0.0							
4588	C1-C2;~1	Max	3.042	2.701	2.738	0.0	0.0
0.0		Min	-4.287	-3.665	-4.041	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.221	2.765	2.914	0.0	0.0
0.0		Min	-4.885	-4.392	-4.714	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.561	1.387	1.449	0.0	0.0
0.0		Min	-2.196	-1.841	-2.147	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.658	1.414	1.528	0.0	0.0
0.0		Min	-2.471	-2.182	-2.472	-0.0	-0.0
-0.0							
	G1		-2.049	-1.497	-1.531	0.0	0.0
0.0	G2		-0.806	-0.562	-0.592	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.528	0.048	-0.052	-0.0	0.0
-0.0	Q5_pc Y		1.584	1.639	0.109	0.0	-0.0
0.0	Q5_ps X		0.505	0.048	-0.043	-0.0	0.0
-0.0	Q5_ps Y		1.493	1.539	0.078	0.0	-0.0
0.0							
	INVSLU	Max	10.969	9.417	1.809	0.0	0.0
0.0		Min	-2.826	-3.196	-8.686	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	8.494	7.245	1.381	0.0	0.0
-0.0		Min	-1.513	-1.879	-6.378	-0.0	-0.0
4589	C1-C2;~1	Max	3.090	2.735	4.118	0.0	0.0
0.0		Min	-4.288	-3.676	-6.029	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.280	2.798	4.400	0.0	0.0
-0.0		Min	-4.889	-4.403	-7.009	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.582	1.404	2.176	0.0	0.0
0.0		Min	-2.200	-1.844	-3.208	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.682	1.431	2.305	0.0	0.0
-0.0		Min	-2.476	-2.184	-3.680	-0.0	-0.0
0.0	G1		-1.939	-1.475	-2.209	0.0	0.0
0.0	G2		-0.763	-0.552	-0.855	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.524	0.029	-0.067	-0.0	0.0
0.0	Q5_pc Y		1.587	1.670	0.141	0.0	-0.0
-0.0	Q5_ps X		0.501	0.031	-0.055	-0.0	0.0
0.0	Q5_ps Y		1.496	1.568	0.099	0.0	-0.0
0.0							
-0.0	INVSLU	Max	11.381	9.619	2.735	0.0	0.0
0.0		Min	-2.503	-3.107	-12.921	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.802	7.394	2.083	0.0	0.0
-0.0		Min	-1.271	-1.811	-9.496	-0.0	-0.0
4590	C1-C2;~1	Max	3.131	2.758	5.465	0.0	0.0
0.0		Min	-4.288	-3.674	-8.060	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.329	2.815	5.850	0.0	0.0
-0.0		Min	-4.890	-4.403	-9.353	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.599	1.416	2.882	0.0	0.0
-0.0		Min	-2.203	-1.840	-4.292	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	1.703	1.440	3.060	0.0	0.0
-0.0		Min	-2.480	-2.182	-4.915	-0.0	-0.0
0.0	G1		-1.843	-1.460	-2.967	0.0	0.0
0.0	G2		-0.726	-0.551	-1.149	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.520	0.013	-0.079	-0.0	0.0
0.0	Q5_pc Y		1.589	1.696	0.168	0.0	-0.0
-0.0	Q5_ps X		0.497	0.016	-0.064	-0.0	0.0
0.0	Q5_ps Y		1.499	1.592	0.115	0.0	-0.0
0.0	INVSLU	Max	11.745	9.747	3.393	0.0	0.0
-0.0		Min	-2.212	-3.049	-17.432	-0.0	-0.0
0.0	INVSLE	Max	9.074	7.487	2.584	0.0	0.0
-0.0		Min	-1.052	-1.766	-12.820	-0.0	-0.0
4591	C1-C2;~1	Max	2.654	2.341	6.903	0.0	0.0
0.0		Min	-4.243	-3.417	-8.278	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.774	2.417	7.731	0.0	0.0
0.0		Min	-4.846	-4.126	-9.085	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.397	1.204	3.709	0.0	0.0
0.0		Min	-2.154	-1.729	-4.453	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.469	1.236	4.094	0.0	0.0
0.0		Min	-2.430	-2.060	-4.881	-0.0	-0.0
-0.0	G1		-2.855	-1.601	-1.904	-0.0	-0.0
0.0	G2		-1.118	-0.614	-0.729	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	0.065	0.082	-0.0	0.0
-0.0	Q5_pc Y		1.573	1.640	-0.135	0.0	-0.0
0.0	Q5_ps X		0.532	0.066	0.093	-0.0	0.0
-0.0	Q5_ps Y		1.476	1.535	-0.143	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	8.050	9.258	4.904	-0.0	0.0
		Min	-5.068	-2.527	-18.039	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.316	7.124	3.510	-0.0	0.0
		Min	-3.191	-1.387	-13.468	-0.0	-0.0
-0.0							
4592 0.0	C1-C2;~1	Max	2.697	2.416	5.612	0.0	0.0
		Min	-4.251	-3.477	-6.645	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.819	2.494	6.281	0.0	0.0
		Min	-4.850	-4.192	-7.297	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.416	1.242	3.016	0.0	0.0
		Min	-2.161	-1.757	-3.567	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.489	1.275	3.327	0.0	0.0
		Min	-2.435	-2.092	-3.913	-0.0	-0.0
-0.0							
0.0	G1		-2.770	-1.581	-1.461	0.0	-0.0
0.0	G2		-1.085	-0.599	-0.552	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.551	0.067	0.063	-0.0	0.0
-0.0	Q5_pc Y		1.573	1.632	-0.102	0.0	-0.0
0.0	Q5_ps X		0.529	0.068	0.071	-0.0	0.0
-0.0	Q5_ps Y		1.477	1.530	-0.107	0.0	-0.0
0.0	INVS LU	Max	8.364	9.291	4.305	0.0	0.0
-0.0		Min	-4.819	-2.673	-14.210	-0.0	-0.0
0.0	INVS LE	Max	6.551	7.150	3.096	0.0	0.0
-0.0		Min	-3.005	-1.495	-10.605	-0.0	-0.0
4593 0.0	C1-C2;~1	Max	2.747	2.480	4.257	0.0	0.0
-0.0		Min	-4.261	-3.528	-5.000	-0.0	-0.0
0.0	C3-C4;~1	Max	2.873	2.560	4.758	0.0	0.0
-0.0		Min	-4.855	-4.249	-5.504	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.437	1.274	2.289	0.0	0.0
		Min	-2.168	-1.781	-2.680	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.512	1.308	2.521	0.0	0.0
		Min	-2.441	-2.118	-2.946	-0.0	-0.0
-0.0							
0.0	G1		-2.674	-1.565	-1.080	0.0	-0.0
0.0	G2		-1.047	-0.588	-0.407	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.548	0.070	0.044	-0.0	0.0
0.0	Q5_pc Y		1.573	1.622	-0.072	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.526	0.070	0.051	-0.0	0.0
0.0	Q5_ps Y		1.478	1.523	-0.077	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.717	9.269	3.443	0.0	0.0
		Min	-4.547	-2.842	-10.539	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.815	7.135	2.486	0.0	0.0
		Min	-2.800	-1.620	-7.861	-0.0	-0.0
-0.0							
4594	C1-C2;~1	Max	2.803	2.529	2.834	0.0	0.0
0.0		Min	-4.269	-3.563	-3.362	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.934	2.608	3.154	0.0	0.0
		Min	-4.862	-4.290	-3.716	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.460	1.300	1.525	0.0	0.0
		Min	-2.175	-1.798	-1.798	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.538	1.333	1.673	0.0	0.0
		Min	-2.447	-2.139	-1.986	-0.0	-0.0
-0.0							
0.0	G1		-2.564	-1.556	-0.781	0.0	-0.0
0.0	G2		-1.004	-0.586	-0.294	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.545	0.075	0.025	-0.0	0.0
0.0	Q5_pc Y		1.573	1.609	-0.038	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.522	0.074	0.031	-0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.479	1.509	-0.044	0.0	-0.0
0.0	INVS LU	Max	9.110	9.179	2.254	0.0	0.0
-0.0		Min	-4.246	-3.028	-7.089	-0.0	-0.0
0.0	INVS LE	Max	7.108	7.070	1.632	0.0	0.0
-0.0		Min	-2.576	-1.759	-5.284	-0.0	-0.0
4595 0.0	C1-C2;~1	Max	2.863	2.568	1.333	0.0	0.0
-0.0		Min	-4.276	-3.586	-1.748	-0.0	-0.0
0.0	C3-C4;~1	Max	3.004	2.639	1.456	0.0	0.0
-0.0		Min	-4.869	-4.319	-1.959	-0.0	-0.0
0.0	C1-C2;~2	Max	1.486	1.321	0.721	0.0	0.0
-0.0		Min	-2.181	-1.811	-0.933	-0.0	-0.0
0.0	C3-C4;~2	Max	1.567	1.350	0.776	0.0	0.0
-0.0		Min	-2.453	-2.153	-1.046	-0.0	-0.0
0.0	G1		-2.441	-1.552	-0.600	0.0	-0.0
-0.0	G2		-0.958	-0.592	-0.227	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.541	0.080	0.004	-0.0	0.0
-0.0	Q5_pc Y		1.574	1.592	0.000	0.0	-0.0
0.0	Q5_ps X		0.519	0.081	0.009	-0.0	0.0
-0.0	Q5_ps Y		1.480	1.490	-0.009	0.0	-0.0
0.0	INVS LU	Max	9.545	9.053	0.663	0.0	0.0
-0.0		Min	-3.916	-3.206	-3.955	-0.0	-0.0
0.0	INVS LE	Max	7.433	6.977	0.478	0.0	0.0
-0.0		Min	-2.328	-1.892	-2.942	-0.0	-0.0
4596 0.0	C1-C2;~1	Max	2.441	1.958	12.228	0.0	0.0
-0.0		Min	-4.204	-3.119	-16.304	-0.0	-0.0
0.0	C3-C4;~1	Max	2.552	2.013	13.699	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.835	-3.767	-17.782	-0.0	-0.0
0.0	C1-C2;~2	Max	1.303	0.998	6.569	0.0	0.0
-0.0		Min	-2.117	-1.574	-8.843	-0.0	-0.0
0.0	C3-C4;~2	Max	1.372	1.022	7.253	0.0	0.0
-0.0		Min	-2.403	-1.875	-9.647	-0.0	-0.0
0.0	G1		-3.299	-1.704	-5.078	0.0	0.0
0.0	G2		-1.293	-0.659	-1.955	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	0.025	0.153	-0.0	0.0
-0.0	Q5_pc Y		1.603	1.726	-0.226	0.0	-0.0
0.0	Q5_ps X		0.541	0.029	0.172	-0.0	0.0
-0.0	Q5_ps Y		1.500	1.616	-0.243	0.0	-0.0
0.0	INVSLU	Max	6.171	8.442	2.879	-0.0	-0.0
-0.0		Min	-6.687	-2.469	-40.029	-0.0	-0.0
0.0	INVSLE	Max	4.907	6.508	1.818	-0.0	-0.0
-0.0		Min	-4.403	-1.344	-29.935	-0.0	-0.0
4597	C1-C2;~1	Max	2.335	1.505	14.854	0.0	0.0
0.0		Min	-4.081	-2.749	-22.629	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.448	1.579	16.622	0.0	0.0
-0.0		Min	-4.722	-3.326	-24.591	-0.0	-0.0
0.0	C1-C2;~2	Max	1.253	0.763	7.981	0.0	0.0
-0.0		Min	-2.049	-1.375	-12.378	-0.0	-0.0
0.0	C3-C4;~2	Max	1.322	0.804	8.801	0.0	0.0
-0.0		Min	-2.338	-1.642	-13.471	-0.0	-0.0
0.0	G1		-3.329	-1.882	-9.209	-0.0	-0.0
0.0	G2		-1.304	-0.724	-3.558	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.566	-0.019	0.184	-0.0	0.0
0.0	Q5_pc Y		1.639	1.793	-0.213	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.543	-0.013	0.211	-0.0	0.0
0.0	Q5_ps Y	1.535	1.682	-0.246	0.0	-0.0
-0.0						
	INVS LU Max	5.478	7.276	-8.032	-0.0	-0.0
0.0	Min	-7.152	-2.572	-64.053	-0.0	-0.0
-0.0						
	INVS LE Max	4.401	5.663	-6.539	-0.0	-0.0
0.0	Min	-4.736	-1.393	-48.008	-0.0	-0.0
-0.0						
4598	C1-C2;~1 Max	2.344	1.563	14.512	0.0	0.0
0.0	Min	-4.099	-2.820	-21.572	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.457	1.639	16.244	0.0	0.0
0.0	Min	-4.739	-3.410	-23.454	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.258	0.790	7.797	0.0	0.0
0.0	Min	-2.058	-1.412	-11.781	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.326	0.830	8.601	0.0	0.0
0.0	Min	-2.346	-1.686	-12.826	-0.0	-0.0
-0.0						
	G1	-3.334	-1.844	-8.404	-0.0	-0.0
0.0	G2	-1.304	-0.696	-3.241	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.565	-0.018	0.180	-0.0	0.0
0.0	Q5_pc Y	1.637	1.802	-0.218	0.0	-0.0
0.0	Q5_ps X	0.542	-0.014	0.204	-0.0	0.0
0.0	Q5_ps Y	1.534	1.696	-0.245	0.0	-0.0
-0.0						
	INVS LU Max	5.443	7.583	-5.484	0.0	-0.0
0.0	Min	-7.219	-2.477	-59.469	-0.0	-0.0
-0.0						
	INVS LE Max	4.365	5.889	-4.597	-0.0	-0.0
0.0	Min	-4.796	-1.323	-44.557	-0.0	-0.0
-0.0						
4599	C1-C2;~1 Max	2.359	1.644	14.149	0.0	0.0
0.0	Min	-4.128	-2.899	-20.501	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.472	1.708	15.842	0.0	0.0
-0.0		Min	-4.766	-3.503	-22.310	-0.0	-0.0
0.0	C1-C2;~2	Max	1.265	0.830	7.602	0.0	0.0
-0.0		Min	-2.073	-1.454	-11.178	-0.0	-0.0
0.0	C3-C4;~2	Max	1.334	0.859	8.387	0.0	0.0
-0.0		Min	-2.361	-1.735	-12.178	-0.0	-0.0
0.0	G1		-3.350	-1.804	-7.612	-0.0	-0.0
0.0	G2		-1.308	-0.675	-2.931	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.014	0.173	-0.0	0.0
-0.0	Q5_pc Y		1.633	1.801	-0.224	0.0	-0.0
0.0	Q5_ps X		0.541	-0.011	0.196	-0.0	0.0
-0.0	Q5_ps Y		1.530	1.697	-0.247	0.0	-0.0
0.0	INVSLU	Max	5.495	7.829	-2.858	0.0	-0.0
-0.0		Min	-7.216	-2.447	-54.766	-0.0	-0.0
0.0	INVSLE	Max	4.399	6.066	-2.584	0.0	-0.0
-0.0		Min	-4.798	-1.306	-41.004	-0.0	-0.0
4600	C1-C2;~1	Max	2.382	1.731	13.599	0.0	0.0
0.0		Min	-4.164	-2.979	-19.163	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.494	1.800	15.230	0.0	0.0
-0.0		Min	-4.800	-3.597	-20.868	-0.0	-0.0
0.0	C1-C2;~2	Max	1.276	0.873	7.306	0.0	0.0
-0.0		Min	-2.092	-1.496	-10.430	-0.0	-0.0
0.0	C3-C4;~2	Max	1.345	0.905	8.063	0.0	0.0
-0.0		Min	-2.379	-1.784	-11.368	-0.0	-0.0
0.0	G1		-3.361	-1.764	-6.739	0.0	-0.0
0.0	G2		-1.313	-0.658	-2.594	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.562	-0.006	0.169	-0.0	0.0
-0.0	Q5_pc Y		1.625	1.790	-0.228	0.0	-0.0
0.0	Q5_ps X		0.540	-0.004	0.189	-0.0	0.0
-0.0	Q5_ps Y		1.523	1.687	-0.247	0.0	-0.0
0.0	INVS LU	Max	5.659	8.046	-0.707	0.0	-0.0
-0.0		Min	-7.114	-2.462	-49.850	-0.0	-0.0
0.0	INVS LE	Max	4.523	6.220	-0.940	0.0	-0.0
-0.0		Min	-4.722	-1.325	-37.311	-0.0	-0.0
4601	C1-C2;~1	Max	2.409	1.833	12.966	0.0	0.0
0.0		Min	-4.188	-3.051	-17.780	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.520	1.896	14.525	0.0	0.0
-0.0		Min	-4.822	-3.684	-19.373	-0.0	-0.0
0.0	C1-C2;~2	Max	1.289	0.927	6.966	0.0	0.0
-0.0		Min	-2.106	-1.535	-9.660	-0.0	-0.0
0.0	C3-C4;~2	Max	1.357	0.955	7.690	0.0	0.0
-0.0		Min	-2.392	-1.830	-10.532	-0.0	-0.0
0.0	G1		-3.343	-1.730	-5.898	0.0	0.0
0.0	G2		-1.307	-0.653	-2.267	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	0.007	0.161	-0.0	0.0
-0.0	Q5_pc Y		1.615	1.765	-0.226	0.0	-0.0
0.0	Q5_ps X		0.540	0.010	0.179	-0.0	0.0
-0.0	Q5_ps Y		1.513	1.660	-0.241	0.0	-0.0
0.0	INVS LU	Max	5.879	8.228	1.224	0.0	-0.0
-0.0		Min	-6.939	-2.481	-44.944	-0.0	-0.0
0.0	INVS LE	Max	4.688	6.351	0.543	0.0	-0.0
-0.0		Min	-4.592	-1.347	-33.626	-0.0	-0.0
4602	C1-C2;~1	Max	2.480	2.043	11.372	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.221	-3.198	-14.778	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.593	2.122	12.746	0.0	0.0
0.0		Min	-4.845	-3.860	-16.127	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.321	1.044	6.109	0.0	0.0
0.0		Min	-2.129	-1.613	-8.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.390	1.080	6.748	0.0	0.0
0.0		Min	-2.412	-1.922	-8.730	-0.0	-0.0
-0.0							
0.0	G1		-3.228	-1.677	-4.300	0.0	0.0
0.0	G2		-1.263	-0.631	-1.648	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	0.026	0.143	-0.0	0.0
0.0	Q5_pc Y		1.598	1.729	-0.216	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.538	0.027	0.158	-0.0	0.0
0.0	Q5_ps Y		1.497	1.626	-0.225	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.565	8.848	4.087	0.0	-0.0
0.0		Min	-6.351	-2.339	-35.280	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.203	6.809	2.757	0.0	-0.0
0.0		Min	-4.152	-1.247	-26.374	-0.0	-0.0
-0.0							
4603	C1-C2;~1	Max	2.529	2.128	10.405	0.0	0.0
0.0		Min	-4.233	-3.275	-13.185	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.643	2.220	11.664	0.0	0.0
0.0		Min	-4.848	-3.949	-14.403	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.343	1.089	5.589	0.0	0.0
0.0		Min	-2.139	-1.652	-7.125	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.412	1.131	6.175	0.0	0.0
0.0		Min	-2.419	-1.967	-7.780	-0.0	-0.0
-0.0							
0.0	G1		-3.129	-1.656	-3.578	0.0	-0.0
0.0	G2		-1.223	-0.614	-1.369	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.557	0.031	0.131	-0.0	0.0
0.0	Q5_pc Y	1.591	1.720	-0.204	0.0	-0.0
-0.0	Q5_ps X	0.535	0.031	0.144	-0.0	0.0
0.0	Q5_ps Y	1.492	1.620	-0.211	0.0	-0.0
-0.0						
	INVS LU Max	7.022	9.165	4.914	0.0	-0.0
0.0	Min	-5.955	-2.259	-30.642	-0.0	-0.0
-0.0						
	INVS LE Max	5.545	7.046	3.411	0.0	-0.0
0.0	Min	-3.855	-1.187	-22.900	-0.0	-0.0
-0.0						
4604	C1-C2;~1 Max	2.589	2.202	9.298	0.0	0.0
0.0	Min	-4.237	-3.335	-11.528	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.706	2.295	10.423	0.0	0.0
0.0	Min	-4.844	-4.023	-12.601	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.369	1.130	4.995	0.0	0.0
0.0	Min	-2.147	-1.684	-6.219	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.440	1.170	5.518	0.0	0.0
0.0	Min	-2.423	-2.006	-6.793	-0.0	-0.0
-0.0						
	G1	-2.993	-1.641	-2.931	-0.0	-0.0
0.0	G2	-1.170	-0.611	-1.118	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.555	0.041	0.118	-0.0	0.0
0.0	Q5_pc Y	1.582	1.698	-0.186	0.0	-0.0
-0.0	Q5_ps X	0.533	0.041	0.129	-0.0	0.0
0.0	Q5_ps Y	1.484	1.598	-0.191	0.0	-0.0
-0.0						
	INVS LU Max	7.557	9.282	5.232	0.0	-0.0
0.0	Min	-5.482	-2.304	-26.185	-0.0	-0.0
-0.0						
	INVS LE Max	5.946	7.136	3.683	0.0	-0.0
0.0	Min	-3.501	-1.220	-19.564	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4605	C1-C2;~1	Max	2.618	2.270	8.147	0.0	0.0
0.0		Min	-4.238	-3.374	-9.934	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.736	2.355	9.130	0.0	0.0
0.0		Min	-4.843	-4.074	-10.875	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.381	1.166	4.377	0.0	0.0
0.0		Min	-2.150	-1.706	-5.350	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.453	1.203	4.834	0.0	0.0
0.0		Min	-2.426	-2.033	-5.853	-0.0	-0.0
-0.0							
	G1		-2.930	-1.620	-2.398	-0.0	-0.0
0.0	G2		-1.146	-0.611	-0.912	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.555	0.053	0.098	-0.0	0.0
0.0	Q5_pc Y		1.577	1.669	-0.157	0.0	-0.0
-0.0	Q5_ps X		0.533	0.053	0.108	-0.0	0.0
0.0	Q5_ps Y		1.479	1.567	-0.162	0.0	-0.0
-0.0							
	INVSLU	Max	7.781	9.291	5.209	0.0	-0.0
0.0		Min	-5.289	-2.393	-22.081	-0.0	-0.0
-0.0							
	INVSLE	Max	6.114	7.145	3.703	0.0	-0.0
0.0		Min	-3.357	-1.287	-16.491	-0.0	-0.0
-0.0							
4606	C1-C2;~1	Max	2.328	1.433	15.126	0.0	0.0
0.0		Min	-4.073	-2.675	-23.636	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.441	1.515	16.923	0.0	0.0
0.0		Min	-4.712	-3.238	-25.662	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.250	0.733	8.127	0.0	0.0
0.0		Min	-2.045	-1.334	-12.950	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.318	0.777	8.961	0.0	0.0
0.0		Min	-2.332	-1.594	-14.083	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.325	-1.918	-9.992	-0.0	-0.0
0.0	G2		-1.300	-0.726	-3.856	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.564	-0.030	0.185	-0.0	0.0
-0.0	Q5_pc Y		1.647	1.812	-0.199	0.0	-0.0
0.0	Q5_ps X		0.541	-0.025	0.212	-0.0	0.0
-0.0	Q5_ps Y		1.544	1.705	-0.232	0.0	-0.0
0.0	INVS LU	Max	5.592	7.082	-10.712	-0.0	-0.0
-0.0		Min	-7.029	-2.597	-68.560	-0.0	-0.0
0.0	INVS LE	Max	4.499	5.525	-8.584	-0.0	-0.0
-0.0		Min	-4.631	-1.403	-51.407	-0.0	-0.0
4607	C1-C2;~1	Max	2.323	1.377	15.332	0.0	0.0
0.0		Min	-4.065	-2.610	-24.543	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.435	1.461	17.151	0.0	0.0
-0.0		Min	-4.702	-3.160	-26.631	-0.0	-0.0
0.0	C1-C2;~2	Max	1.247	0.709	8.238	0.0	0.0
-0.0		Min	-2.040	-1.297	-13.468	-0.0	-0.0
0.0	C3-C4;~2	Max	1.315	0.755	9.082	0.0	0.0
-0.0		Min	-2.327	-1.551	-14.640	-0.0	-0.0
0.0	G1		-3.321	-1.953	-10.747	-0.0	-0.0
0.0	G2		-1.298	-0.736	-4.149	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	-0.037	0.186	-0.0	0.0
-0.0	Q5_pc Y		1.654	1.820	-0.188	0.0	-0.0
0.0	Q5_ps X		0.539	-0.033	0.214	-0.0	0.0
-0.0	Q5_ps Y		1.551	1.714	-0.224	0.0	-0.0
0.0	INVS LU	Max	5.739	6.833	-13.394	-0.0	-0.0
0.0		Min	-6.873	-2.680	-72.838	-0.0	-0.0
0.0	INVS LE	Max	4.620	5.342	-10.624	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.501	-1.463	-54.632	-0.0	-0.0
0.0							
4608	C1-C2;~1	Max	2.317	1.328	15.472	0.0	0.0
0.0		Min	-4.057	-2.548	-25.353	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.430	1.411	17.305	0.0	0.0
0.0		Min	-4.692	-3.084	-27.493	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.244	0.688	8.314	0.0	0.0
0.0		Min	-2.036	-1.262	-13.934	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.312	0.733	9.163	0.0	0.0
0.0		Min	-2.322	-1.509	-15.140	-0.0	-0.0
-0.0							
	G1		-3.317	-1.988	-11.465	-0.0	-0.0
0.0							
	G2		-1.296	-0.749	-4.427	0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.560	-0.042	0.186	-0.0	0.0
0.0							
	Q5_pc Y		1.659	1.822	-0.176	0.0	-0.0
-0.0							
	Q5_ps X		0.538	-0.038	0.215	-0.0	0.0
0.0							
	Q5_ps Y		1.556	1.717	-0.215	0.0	-0.0
-0.0							
	INVS LU	Max	5.919	6.558	-16.074	-0.0	-0.0
0.0		Min	-6.682	-2.810	-76.886	-0.0	-0.0
0.0							
	INVS LE	Max	4.766	5.119	-12.662	-0.0	-0.0
0.0		Min	-4.347	-1.562	-57.683	-0.0	-0.0
0.0							
4609	C1-C2;~1	Max	2.312	1.284	15.548	0.0	0.0
0.0		Min	-4.047	-2.488	-26.059	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.425	1.364	17.387	0.0	0.0
0.0		Min	-4.681	-3.010	-28.243	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.242	0.670	8.355	0.0	0.0
0.0		Min	-2.031	-1.227	-14.342	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.310	0.713	9.207	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.316	-1.467	-15.578	-0.0	-0.0
-0.0	G1		-3.311	-2.022	-12.139	0.0	-0.0
0.0	G2		-1.294	-0.766	-4.688	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.046	0.184	-0.0	0.0
0.0	Q5_pc Y		1.664	1.819	-0.163	0.0	-0.0
0.0	Q5_ps X		0.537	-0.040	0.214	-0.0	0.0
0.0	Q5_ps Y		1.560	1.713	-0.205	0.0	-0.0
0.0	INVSLU	Max	6.123	6.248	-18.713	-0.0	-0.0
0.0		Min	-6.464	-2.984	-80.646	-0.0	-0.0
0.0	INVSLE	Max	4.930	4.858	-14.665	-0.0	-0.0
0.0		Min	-4.173	-1.699	-60.517	-0.0	-0.0
0.0							
4610	C1-C2;~1	Max	2.307	1.250	15.566	0.0	0.0
0.0		Min	-4.034	-2.428	-26.635	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.419	1.320	17.405	0.0	0.0
0.0		Min	-4.668	-2.939	-28.859	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.239	0.654	8.365	0.0	0.0
0.0		Min	-2.025	-1.194	-14.676	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.307	0.694	9.216	0.0	0.0
0.0		Min	-2.310	-1.428	-15.939	-0.0	-0.0
-0.0							
0.0	G1		-3.303	-2.054	-12.762	0.0	-0.0
0.0	G2		-1.294	-0.790	-4.933	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.045	0.183	-0.0	0.0
0.0	Q5_pc Y		1.666	1.806	-0.154	0.0	-0.0
0.0	Q5_ps X		0.536	-0.038	0.215	-0.0	0.0
0.0	Q5_ps Y		1.561	1.696	-0.201	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.341	5.863	-21.282	-0.0	-0.0
0.0		Min	-6.226	-3.209	-84.068	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	INVSLE	Max	5.103	4.547	-16.611	-0.0	-0.0
0.0		Min	-3.984	-1.879	-63.095	-0.0	-0.0
0.0							
4611	C1-C2;~1	Max	2.286	1.115	14.828	0.0	0.0
0.0		Min	-3.986	-2.255	-28.024	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.397	1.170	16.570	0.0	0.0
0.0		Min	-4.609	-2.671	-30.247	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.227	0.595	7.969	0.0	0.0
0.0		Min	-2.001	-1.080	-15.525	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.295	0.627	8.775	0.0	0.0
0.0		Min	-2.282	-1.264	-16.800	-0.0	-0.0
-0.0							
	G1		-3.250	-2.237	-15.009	0.0	-0.0
0.0							
	G2		-1.273	-0.861	-5.801	0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.550	-0.057	0.155	-0.0	0.0
0.0							
	Q5_pc Y		1.688	1.772	-0.074	0.0	-0.0
0.0							
	Q5_ps X		0.528	-0.049	0.188	-0.0	0.0
0.0							
	Q5_ps Y		1.583	1.665	-0.129	0.0	-0.0
0.0							
	INVSLU	Max	8.085	4.509	-32.381	0.0	-0.0
0.0		Min	-4.412	-4.037	-95.864	-0.0	-0.0
-0.0							
	INVSLE	Max	6.464	3.497	-25.005	0.0	-0.0
0.0		Min	-2.567	-2.530	-72.009	-0.0	-0.0
-0.0							
4612	C1-C2;~1	Max	2.290	1.142	15.081	0.0	0.0
0.0		Min	-4.002	-2.296	-28.040	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.402	1.200	16.854	0.0	0.0
0.0		Min	-4.624	-2.721	-30.288	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.230	0.607	8.105	0.0	0.0
0.0		Min	-2.009	-1.102	-15.529	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.297	0.641	8.925	0.0	0.0
-0.0		Min	-2.289	-1.292	-16.817	-0.0	-0.0
0.0	G1		-3.264	-2.203	-14.698	0.0	-0.0
0.0	G2		-1.275	-0.836	-5.677	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.551	-0.061	0.161	-0.0	0.0
0.0	Q5_pc Y		1.688	1.796	-0.086	0.0	-0.0
-0.0	Q5_ps X		0.528	-0.054	0.193	-0.0	0.0
0.0	Q5_ps Y		1.585	1.693	-0.137	0.0	-0.0
-0.0	INVSLU	Max	7.667	4.795	-30.502	-0.0	-0.0
0.0		Min	-4.856	-3.899	-94.433	-0.0	-0.0
-0.0	INVSLE	Max	6.141	3.720	-23.590	-0.0	-0.0
0.0		Min	-2.910	-2.412	-70.925	-0.0	-0.0
-0.0							
4613	C1-C2;~1	Max	2.295	1.170	15.285	0.0	0.0
0.0		Min	-4.012	-2.332	-27.887	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.406	1.232	17.085	0.0	0.0
-0.0		Min	-4.637	-2.769	-30.154	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.232	0.619	8.215	0.0	0.0
-0.0		Min	-2.014	-1.124	-15.430	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.299	0.655	9.047	0.0	0.0
-0.0		Min	-2.295	-1.320	-16.729	-0.0	-0.0
0.0	G1		-3.276	-2.167	-14.311	0.0	-0.0
0.0	G2		-1.279	-0.819	-5.528	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.552	-0.060	0.167	-0.0	0.0
0.0	Q5_pc Y		1.684	1.808	-0.102	0.0	-0.0
0.0	Q5_ps X		0.529	-0.054	0.200	-0.0	0.0
0.0	Q5_ps Y		1.581	1.706	-0.151	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	7.265	5.054	-28.420	-0.0	-0.0
		Min	-5.274	-3.753	-92.493	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.830	3.921	-22.017	-0.0	-0.0
		Min	-3.234	-2.293	-69.457	-0.0	-0.0
-0.0							
4614 0.0	C1-C2;~1	Max	2.299	1.196	15.437	0.0	0.0
		Min	-4.022	-2.363	-27.596	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.411	1.263	17.256	0.0	0.0
		Min	-4.649	-2.828	-29.868	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.234	0.631	8.296	0.0	0.0
		Min	-2.018	-1.144	-15.250	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.302	0.668	9.138	0.0	0.0
		Min	-2.300	-1.357	-16.551	-0.0	-0.0
-0.0							
0.0	G1		-3.287	-2.130	-13.853	0.0	-0.0
0.0	G2		-1.283	-0.805	-5.351	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	-0.058	0.173	-0.0	0.0
0.0	Q5_pc Y		1.679	1.814	-0.118	0.0	-0.0
0.0	Q5_ps X		0.531	-0.052	0.205	-0.0	0.0
-0.0	Q5_ps Y		1.576	1.711	-0.166	0.0	-0.0
0.0	INVS LU	Max	6.891	5.346	-26.161	-0.0	-0.0
0.0		Min	-5.661	-3.574	-90.091	-0.0	-0.0
0.0	INVS LE	Max	5.538	4.144	-20.310	-0.0	-0.0
0.0		Min	-3.537	-2.152	-67.642	-0.0	-0.0
4615 0.0	C1-C2;~1	Max	2.303	1.223	15.530	0.0	0.0
-0.0		Min	-4.029	-2.397	-27.184	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.415	1.292	17.362	0.0	0.0
		Min	-4.659	-2.885	-29.439	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.237	0.642	8.346	0.0	0.0
-0.0		Min	-2.022	-1.169	-15.003	-0.0	-0.0
0.0	C3-C4;~2	Max	1.304	0.681	9.194	0.0	0.0
-0.0		Min	-2.305	-1.392	-16.289	-0.0	-0.0
0.0	G1		-3.295	-2.093	-13.336	0.0	-0.0
0.0	G2		-1.288	-0.794	-5.151	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.556	-0.053	0.178	-0.0	0.0
-0.0	Q5_pc Y		1.673	1.815	-0.134	0.0	-0.0
0.0	Q5_ps X		0.533	-0.047	0.209	-0.0	0.0
-0.0	Q5_ps Y		1.570	1.710	-0.180	0.0	-0.0
0.0	INVSLU	Max	6.612	5.628	-23.785	-0.0	-0.0
0.0		Min	-5.950	-3.384	-87.287	-0.0	-0.0
0.0	INVSLE	Max	5.317	4.357	-18.511	-0.0	-0.0
0.0		Min	-3.765	-2.008	-65.525	-0.0	-0.0
4616	C1-C2;~1	Max	2.269	1.055	13.000	0.0	0.0
0.0		Min	-3.934	-2.434	-26.519	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.379	1.105	14.523	0.0	0.0
-0.0		Min	-4.547	-2.768	-28.506	-0.0	-0.0
0.0	C1-C2;~2	Max	1.218	0.566	6.987	0.0	0.0
-0.0		Min	-1.978	-1.203	-14.719	-0.0	-0.0
0.0	C3-C4;~2	Max	1.284	0.596	7.691	0.0	0.0
-0.0		Min	-2.254	-1.341	-15.858	-0.0	-0.0
0.0	G1		-3.178	-2.430	-15.436	0.0	0.0
0.0	G2		-1.245	-0.935	-5.964	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.544	-0.053	0.112	-0.0	0.0
-0.0	Q5_pc Y		1.697	1.687	0.009	0.0	-0.0
0.0	Q5_ps X		0.522	-0.046	0.144	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.592	1.586	-0.048	0.0	-0.0
0.0	INVS LU Max		10.330	3.188	-38.224	0.0	0.0
-0.0	Min		-2.073	-5.250	-96.515	-0.0	-0.0
0.0	INVS LE Max		8.201	2.493	-29.390	0.0	0.0
-0.0	Min		-0.761	-3.469	-72.554	-0.0	-0.0
4617 0.0	C1-C2;~1 Max		2.272	1.064	13.438	0.0	0.0
-0.0	Min		-3.950	-2.472	-27.090	-0.0	-0.0
0.0	C3-C4;~1 Max		2.382	1.114	15.013	0.0	0.0
-0.0	Min		-4.561	-2.764	-29.153	-0.0	-0.0
0.0	C1-C2;~2 Max		1.220	0.570	7.222	0.0	0.0
-0.0	Min		-1.985	-1.229	-15.040	-0.0	-0.0
0.0	C3-C4;~2 Max		1.286	0.601	7.951	0.0	0.0
-0.0	Min		-2.260	-1.337	-16.226	-0.0	-0.0
0.0	G1		-3.194	-2.394	-15.508	0.0	-0.0
0.0	G2		-1.248	-0.911	-5.988	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.544	-0.060	0.119	-0.0	0.0
0.0	Q5_pc Y		1.700	1.721	-0.002	0.0	-0.0
-0.0	Q5_ps X		0.521	-0.053	0.151	-0.0	0.0
0.0	Q5_ps Y		1.597	1.624	-0.056	0.0	-0.0
0.0	INVS LU Max		9.894	3.588	-37.560	0.0	0.0
-0.0	Min		-2.540	-4.939	-97.399	-0.0	-0.0
0.0	INVS LE Max		7.864	2.798	-28.900	0.0	0.0
0.0	Min		-1.119	-3.223	-73.209	-0.0	-0.0
4618 0.0	C1-C2;~1 Max		2.275	1.074	13.842	0.0	0.0
-0.0	Min		-3.961	-2.452	-27.519	-0.0	-0.0
0.0	C3-C4;~1 Max		2.386	1.125	15.465	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.574	-2.719	-29.638	-0.0	-0.0
0.0	C1-C2;~2	Max	1.222	0.576	7.440	0.0	0.0
-0.0		Min	-1.990	-1.216	-15.277	-0.0	-0.0
0.0	C3-C4;~2	Max	1.288	0.606	8.190	0.0	0.0
-0.0		Min	-2.266	-1.302	-16.496	-0.0	-0.0
0.0	G1		-3.209	-2.356	-15.498	0.0	-0.0
0.0	G2		-1.253	-0.893	-5.985	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.545	-0.062	0.128	-0.0	0.0
0.0	Q5_pc Y		1.700	1.743	-0.018	0.0	-0.0
-0.0	Q5_ps X		0.522	-0.056	0.160	-0.0	0.0
0.0	Q5_ps Y		1.597	1.646	-0.071	0.0	-0.0
0.0	INVSLU	Max	9.451	3.921	-36.632	0.0	0.0
-0.0		Min	-3.004	-4.607	-97.752	-0.0	-0.0
0.0	INVSLE	Max	7.522	3.052	-28.207	0.0	0.0
-0.0		Min	-1.477	-2.966	-73.464	-0.0	-0.0
4619	C1-C2;~1	Max	2.279	1.087	14.210	0.0	0.0
0.0		Min	-3.972	-2.406	-27.825	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.389	1.139	15.878	0.0	0.0
-0.0		Min	-4.587	-2.674	-29.987	-0.0	-0.0
0.0	C1-C2;~2	Max	1.224	0.582	7.637	0.0	0.0
-0.0		Min	-1.995	-1.183	-15.441	-0.0	-0.0
0.0	C3-C4;~2	Max	1.290	0.613	8.409	0.0	0.0
-0.0		Min	-2.272	-1.268	-16.685	-0.0	-0.0
0.0	G1		-3.224	-2.317	-15.410	0.0	-0.0
0.0	G2		-1.259	-0.878	-5.951	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	-0.063	0.137	-0.0	0.0
0.0	Q5_pc Y		1.698	1.761	-0.035	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	0.523	-0.057	0.169	-0.0	0.0
0.0	Q5_ps Y	1.595	1.662	-0.087	0.0	-0.0
0.0						
0.0	INVS LU Max	9.003	4.196	-35.450	0.0	0.0
0.0	Min	-3.471	-4.320	-97.614	-0.0	-0.0
-0.0						
0.0	INVS LE Max	7.176	3.261	-27.319	0.0	0.0
0.0	Min	-1.838	-2.745	-73.349	-0.0	-0.0
-0.0						
4620	C1-C2;~1 Max	2.282	1.101	14.540	0.0	0.0
0.0	Min	-3.981	-2.334	-28.008	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.393	1.155	16.247	0.0	0.0
0.0	Min	-4.599	-2.662	-30.198	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.226	0.588	7.814	0.0	0.0
0.0	Min	-1.999	-1.132	-15.534	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.292	0.620	8.604	0.0	0.0
0.0	Min	-2.277	-1.257	-16.791	-0.0	-0.0
-0.0						
0.0	G1	-3.238	-2.279	-15.248	0.0	-0.0
0.0	G2	-1.265	-0.866	-5.889	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.548	-0.062	0.146	-0.0	0.0
0.0	Q5_pc Y	1.694	1.772	-0.052	0.0	-0.0
0.0	Q5_ps X	0.525	-0.056	0.178	-0.0	0.0
0.0	Q5_ps Y	1.591	1.672	-0.105	0.0	-0.0
-0.0						
0.0	INVS LU Max	8.550	4.403	-34.027	0.0	-0.0
0.0	Min	-3.939	-4.131	-96.989	-0.0	-0.0
-0.0						
0.0	INVS LE Max	6.825	3.417	-26.249	0.0	-0.0
0.0	Min	-2.200	-2.600	-72.868	-0.0	-0.0
-0.0						
4621	C1-C2;~1 Max	2.256	1.036	10.358	0.0	0.0
0.0	Min	-3.888	-2.763	-22.413	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.366	1.079	11.570	0.0	0.0
-0.0		Min	-4.489	-3.070	-24.000	-0.0	-0.0
0.0	C1-C2;~2	Max	1.211	0.553	5.568	0.0	0.0
-0.0		Min	-1.958	-1.424	-12.435	-0.0	-0.0
0.0	C3-C4;~2	Max	1.277	0.580	6.128	0.0	0.0
-0.0		Min	-2.229	-1.557	-13.336	-0.0	-0.0
0.0	G1		-3.101	-2.629	-13.928	0.0	0.0
0.0	G2		-1.216	-1.012	-5.379	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-0.031	0.062	-0.0	0.0
0.0	Q5_pc Y		1.689	1.542	0.083	0.0	-0.0
-0.0	Q5_ps X		0.520	-0.024	0.091	-0.0	0.0
0.0	Q5_ps Y		1.585	1.450	0.029	0.0	-0.0
0.0	INVSLU	Max	12.699	1.725	-37.606	0.0	0.0
-0.0		Min	0.404	-6.766	-85.775	-0.0	0.0
0.0	INVSLE	Max	10.032	1.389	-28.862	0.0	0.0
-0.0		Min	1.150	-4.637	-64.532	-0.0	0.0
4622	C1-C2;~1	Max	2.266	1.050	12.532	0.0	0.0
0.0		Min	-3.929	-2.615	-25.933	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.376	1.099	14.000	0.0	0.0
-0.0		Min	-4.536	-2.901	-27.845	-0.0	-0.0
0.0	C1-C2;~2	Max	1.216	0.563	6.736	0.0	0.0
-0.0		Min	-1.976	-1.329	-14.397	-0.0	-0.0
0.0	C3-C4;~2	Max	1.283	0.592	7.414	0.0	0.0
-0.0		Min	-2.249	-1.438	-15.491	-0.0	-0.0
0.0	G1		-3.162	-2.471	-15.297	0.0	0.0
0.0	G2		-1.236	-0.941	-5.906	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.542	-0.054	0.100	-0.0	0.0
0.0	Q5_pc Y		1.700	1.675	0.031	0.0	-0.0
0.0	Q5_ps X		0.520	-0.048	0.131	-0.0	0.0
0.0	Q5_ps Y		1.597	1.581	-0.023	0.0	-0.0
0.0	INVS LU	Max	10.827	2.994	-38.661	0.0	0.0
-0.0		Min	-1.564	-5.600	-95.332	-0.0	-0.0
0.0	INVS LE	Max	8.585	2.349	-29.713	0.0	0.0
-0.0		Min	-0.366	-3.730	-71.678	-0.0	-0.0
4623	C1-C2;~1	Max	2.263	1.044	12.031	0.0	0.0
0.0		Min	-3.921	-2.713	-25.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.373	1.092	13.440	0.0	0.0
-0.0		Min	-4.524	-2.983	-27.042	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.215	0.560	6.467	0.0	0.0
-0.0		Min	-1.972	-1.396	-13.992	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.281	0.589	7.118	0.0	0.0
-0.0		Min	-2.244	-1.497	-15.042	-0.0	-0.0
0.0	G1		-3.147	-2.511	-15.074	0.0	0.0
0.0	G2		-1.229	-0.954	-5.819	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.541	-0.051	0.090	-0.0	0.0
0.0	Q5_pc Y		1.701	1.651	0.047	0.0	-0.0
-0.0	Q5_ps X		0.519	-0.046	0.120	-0.0	0.0
0.0	Q5_ps Y		1.598	1.560	-0.006	0.0	-0.0
0.0	INVS LU	Max	11.313	2.742	-38.826	0.0	0.0
-0.0		Min	-1.059	-5.906	-93.640	-0.0	0.0
0.0	INVS LE	Max	8.961	2.160	-29.827	0.0	0.0
-0.0		Min	0.023	-3.962	-70.418	-0.0	0.0
4624	C1-C2;~1	Max	2.261	1.039	11.501	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.912	-2.777	-24.377	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.370	1.087	12.847	0.0	0.0
0.0		Min	-4.513	-3.042	-26.133	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.213	0.557	6.181	0.0	0.0
0.0		Min	-1.968	-1.439	-13.530	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.279	0.586	6.804	0.0	0.0
0.0		Min	-2.239	-1.539	-14.532	-0.0	-0.0
-0.0							
0.0		G1	-3.132	-2.551	-14.771	0.0	0.0
0.0		G2	-1.224	-0.969	-5.702	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.541	-0.047	0.080	-0.0	0.0
-0.0	Q5_pc	Y	1.699	1.622	0.062	0.0	-0.0
0.0	Q5_ps	X	0.518	-0.042	0.109	-0.0	0.0
-0.0	Q5_ps	Y	1.597	1.533	0.009	0.0	-0.0
0.0							
0.0	INVSLU	Max	11.789	2.449	-38.709	0.0	0.0
0.0		Min	-0.562	-6.207	-91.477	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.329	1.939	-29.727	0.0	0.0
0.0		Min	0.407	-4.195	-68.803	-0.0	0.0
-0.0							
4625	C1-C2;~1	Max	2.258	1.036	10.942	0.0	0.0
0.0		Min	-3.902	-2.810	-23.448	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.368	1.082	12.223	0.0	0.0
0.0		Min	-4.502	-3.080	-25.120	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.212	0.555	5.881	0.0	0.0
0.0		Min	-1.964	-1.459	-13.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.278	0.583	6.473	0.0	0.0
0.0		Min	-2.234	-1.566	-13.964	-0.0	-0.0
-0.0							
0.0		G1	-3.117	-2.591	-14.390	0.0	0.0
0.0		G2	-1.218	-0.987	-5.554	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.541	-0.041	0.070	-0.0	0.0
-0.0	Q5_pc Y		1.696	1.588	0.076	0.0	-0.0
0.0	Q5_ps X		0.519	-0.036	0.099	-0.0	0.0
-0.0	Q5_ps Y		1.593	1.499	0.023	0.0	-0.0
0.0	INVSLE	Max	12.252	2.116	-38.306	0.0	0.0
0.0		Min	-0.075	-6.505	-88.855	-0.0	0.0
-0.0	INVSLE	Max	9.687	1.686	-29.408	0.0	0.0
0.0		Min	0.782	-4.428	-66.841	-0.0	0.0
-0.0							
4626	C1-C2;~1	Max	2.250	1.149	7.132	0.0	0.0
0.0		Min	-3.853	-3.147	-16.151	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.359	1.190	7.966	0.0	0.0
0.0		Min	-4.443	-3.474	-17.268	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.206	0.595	3.834	0.0	0.0
0.0		Min	-1.943	-1.638	-8.948	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.272	0.620	4.219	0.0	0.0
0.0		Min	-2.210	-1.802	-9.578	-0.0	-0.0
-0.0							
0.0	G1		-3.036	-2.831	-10.554	0.0	0.0
0.0	G2		-1.191	-1.089	-4.076	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	0.009	0.017	-0.0	0.0
-0.0	Q5_pc Y		1.661	1.341	0.129	0.0	-0.0
0.0	Q5_ps X		0.524	0.014	0.040	-0.0	0.0
-0.0	Q5_ps Y		1.558	1.261	0.082	0.0	-0.0
0.0							
0.0	INVSLE	Max	14.896	0.448	-30.111	0.0	0.0
0.0		Min	2.724	-8.263	-64.410	-0.0	0.0
-0.0							
0.0	INVSLE	Max	11.737	0.480	-23.107	0.0	0.0
0.0		Min	2.941	-5.794	-48.496	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4627	C1-C2;~1	Max	2.254	1.039	9.753	0.0	0.0
0.0		Min	-3.884	-2.921	-21.336	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.364	1.079	10.894	0.0	0.0
0.0		Min	-4.480	-3.177	-22.832	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.210	0.554	5.242	0.0	0.0
0.0		Min	-1.956	-1.528	-11.834	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.275	0.580	5.770	0.0	0.0
0.0		Min	-2.225	-1.632	-12.683	-0.0	-0.0
-0.0							
	G1		-3.087	-2.671	-13.401	0.0	0.0
0.0	G2		-1.207	-1.018	-5.171	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.542	-0.028	0.051	-0.0	0.0
-0.0	Q5_pc Y		1.689	1.518	0.102	0.0	-0.0
0.0	Q5_ps X		0.519	-0.023	0.077	-0.0	0.0
-0.0	Q5_ps Y		1.586	1.433	0.051	0.0	-0.0
0.0							
	INVSLU	Max	13.193	1.534	-36.650	0.0	0.0
0.0		Min	0.914	-7.054	-82.363	-0.0	0.0
-0.0							
	INVSLE	Max	10.415	1.248	-28.128	0.0	0.0
0.0		Min	1.544	-4.853	-61.976	-0.0	0.0
-0.0							
4628	C1-C2;~1	Max	2.253	1.050	9.124	0.0	0.0
0.0		Min	-3.878	-3.017	-20.154	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.362	1.087	10.191	0.0	0.0
0.0		Min	-4.471	-3.248	-21.557	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.208	0.558	4.904	0.0	0.0
0.0		Min	-1.953	-1.588	-11.175	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.274	0.582	5.397	0.0	0.0
0.0		Min	-2.221	-1.678	-11.971	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.073	-2.711	-12.793	0.0	0.0
0.0	G2		-1.201	-1.031	-4.936	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-0.021	0.041	-0.0	0.0
0.0	Q5_pc Y		1.685	1.483	0.114	0.0	-0.0
-0.0	Q5_ps X		0.519	-0.018	0.066	-0.0	0.0
0.0	Q5_ps Y		1.583	1.401	0.064	0.0	-0.0
0.0	INVS LU	Max	13.661	1.289	-35.428	0.0	0.0
-0.0		Min	1.404	-7.317	-78.493	-0.0	0.0
0.0	INVS LE	Max	10.778	1.066	-27.189	0.0	0.0
-0.0		Min	1.923	-5.054	-59.074	-0.0	0.0
4629	C1-C2;~1	Max	2.252	1.071	8.478	0.0	0.0
0.0		Min	-3.871	-3.093	-18.899	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.361	1.106	9.470	0.0	0.0
-0.0		Min	-4.462	-3.313	-20.208	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.208	0.565	4.557	0.0	0.0
-0.0		Min	-1.950	-1.631	-10.476	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.273	0.589	5.015	0.0	0.0
-0.0		Min	-2.217	-1.715	-11.218	-0.0	-0.0
0.0	G1		-3.060	-2.752	-12.116	0.0	0.0
0.0	G2		-1.196	-1.046	-4.675	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.543	-0.013	0.032	-0.0	0.0
0.0	Q5_pc Y		1.679	1.442	0.123	0.0	-0.0
-0.0	Q5_ps X		0.520	-0.010	0.056	-0.0	0.0
0.0	Q5_ps Y		1.578	1.363	0.075	0.0	-0.0
0.0	INVS LU	Max	14.100	1.015	-33.929	0.0	0.0
-0.0		Min	1.867	-7.594	-74.216	-0.0	0.0
0.0	INVS LE	Max	11.118	0.880	-26.038	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	2.281	-5.269	-55.864	-0.0	0.0
-0.0							
4630	C1-C2;~1	Max	2.250	1.104	7.814	0.0	0.0
0.0		Min	-3.864	-3.144	-17.566	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.360	1.140	8.728	0.0	0.0
0.0		Min	-4.453	-3.373	-18.780	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.207	0.577	4.200	0.0	0.0
0.0		Min	-1.947	-1.653	-9.734	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.273	0.601	4.622	0.0	0.0
0.0		Min	-2.214	-1.745	-10.421	-0.0	-0.0
-0.0							
0.0	G1		-3.048	-2.792	-11.370	0.0	0.0
0.0	G2		-1.192	-1.064	-4.387	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.544	-0.004	0.023	-0.0	0.0
-0.0	Q5_pc Y		1.672	1.397	0.130	0.0	-0.0
0.0	Q5_ps X		0.521	-0.000	0.047	-0.0	0.0
-0.0	Q5_ps Y		1.571	1.319	0.083	0.0	-0.0
0.0							
0.0	INVSLU	Max	14.512	0.719	-32.153	0.0	0.0
0.0		Min	2.305	-7.888	-69.521	-0.0	0.0
-0.0							
0.0	INVSLE	Max	11.438	0.690	-24.675	0.0	0.0
0.0		Min	2.619	-5.499	-52.338	-0.0	0.0
-0.0							
4631	C1-C2;~1	Max	2.251	1.426	3.528	0.0	0.0
0.0		Min	-3.842	-3.765	-8.262	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.361	1.515	3.941	0.0	0.0
0.0		Min	-4.423	-4.141	-8.850	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.205	0.706	1.896	0.0	0.0
0.0		Min	-1.939	-1.979	-4.565	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.271	0.747	2.087	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.201	-2.170	-4.896	-0.0	-0.0
-0.0	G1		-3.006	-3.023	-5.618	0.0	0.0
0.0	G2		-1.179	-1.163	-2.171	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.557	0.064	-0.010	-0.0	0.0
-0.0	Q5_pc Y		1.609	1.095	0.116	0.0	-0.0
0.0	Q5_ps X		0.534	0.066	0.003	-0.0	0.0
-0.0	Q5_ps Y		1.509	1.027	0.084	0.0	-0.0
0.0	INVS LU	Max	16.632	-0.270	-16.516	0.0	0.0
0.0		Min	4.577	-9.876	-33.993	-0.0	0.0
-0.0							
0.0	INVS LE	Max	13.099	-0.069	-12.683	0.0	0.0
0.0		Min	4.384	-7.038	-25.613	-0.0	0.0
-0.0							
4632	C1-C2;~1	Max	2.262	1.816	0.089	0.0	0.0
0.0		Min	-3.862	-4.314	-0.319	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.374	1.969	0.094	0.0	0.0
0.0		Min	-4.437	-4.741	-0.448	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.208	0.910	0.046	0.0	0.0
0.0		Min	-1.948	-2.285	-0.175	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.275	0.978	0.049	0.0	0.0
0.0		Min	-2.208	-2.504	-0.259	-0.0	-0.0
-0.0							
0.0	G1		-3.028	-3.187	-0.257	0.0	0.0
0.0	G2		-1.190	-1.231	-0.100	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.573	0.124	-0.005	0.0	0.0
-0.0	Q5_pc Y		1.539	0.838	0.015	-0.0	-0.0
0.0	Q5_ps X		0.550	0.125	-0.003	-0.0	0.0
-0.0	Q5_ps Y		1.442	0.779	0.007	0.0	-0.0
0.0							
0.0	INVS LU	Max	17.441	-0.662	-0.190	0.0	0.0
0.0		Min	5.477	-11.230	-0.947	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	13.756	-0.382	-0.132	0.0	0.0
-0.0		Min	5.099	-8.098	-0.690	0.0	0.0
4633	C1-C2;~1	Max	2.253	1.486	2.841	0.0	0.0
0.0		Min	-3.847	-3.888	-6.697	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.363	1.588	3.174	0.0	0.0
-0.0		Min	-4.424	-4.267	-7.181	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.206	0.732	1.527	0.0	0.0
0.0		Min	-1.941	-2.045	-3.697	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.272	0.779	1.681	0.0	0.0
-0.0		Min	-2.202	-2.239	-3.970	-0.0	-0.0
0.0							
0.0	G1		-3.006	-3.057	-4.583	0.0	0.0
0.0	G2		-1.177	-1.167	-1.769	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.559	0.072	-0.013	-0.0	0.0
0.0	Q5_pc Y		1.599	1.055	0.107	0.0	-0.0
-0.0	Q5_ps X		0.535	0.073	-0.002	-0.0	0.0
0.0	Q5_ps Y		1.502	0.993	0.082	0.0	-0.0
0.0							
0.0	INVSLU	Max	16.903	-0.283	-13.491	0.0	0.0
-0.0		Min	4.860	-10.086	-27.664	-0.0	0.0
0.0							
-0.0	INVSLE	Max	13.315	-0.077	-10.363	0.0	0.0
0.0		Min	4.608	-7.198	-20.848	-0.0	0.0
-0.0							
4634	C1-C2;~1	Max	2.255	1.568	2.149	0.0	0.0
0.0		Min	-3.850	-4.000	-5.098	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.366	1.674	2.401	0.0	0.0
-0.0		Min	-4.426	-4.388	-5.478	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.206	0.776	1.155	0.0	0.0
-0.0		Min	-1.942	-2.107	-2.811	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.272	0.822	1.272	0.0	0.0
-0.0		Min	-2.203	-2.307	-3.026	-0.0	-0.0
0.0	G1		-3.007	-3.089	-3.517	0.0	0.0
0.0	G2		-1.177	-1.178	-1.358	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.561	0.083	-0.014	-0.0	0.0
-0.0	Q5_pc	Y	1.587	1.007	0.091	0.0	-0.0
0.0	Q5_ps	X	0.538	0.083	-0.005	-0.0	0.0
-0.0	Q5_ps	Y	1.490	0.948	0.070	0.0	-0.0
0.0							
0.0	INVSLU	Max	17.126	-0.324	-10.328	0.0	0.0
-0.0		Min	5.101	-10.321	-21.129	-0.0	0.0
0.0							
0.0	INVSLE	Max	13.494	-0.108	-7.935	0.0	0.0
-0.0		Min	4.798	-7.379	-15.923	-0.0	0.0
4635	C1-C2;~1	Max	2.257	1.651	1.454	0.0	0.0
0.0		Min	-3.853	-4.106	-3.478	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.369	1.773	1.624	0.0	0.0
-0.0		Min	-4.428	-4.506	-3.753	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.207	0.820	0.781	0.0	0.0
-0.0		Min	-1.944	-2.167	-1.914	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.273	0.874	0.860	0.0	0.0
-0.0		Min	-2.204	-2.372	-2.070	-0.0	-0.0
0.0	G1		-3.011	-3.121	-2.428	0.0	0.0
0.0	G2		-1.178	-1.191	-0.938	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.565	0.095	-0.012	-0.0	0.0
-0.0	Q5_pc	Y	1.573	0.955	0.069	0.0	-0.0
0.0	Q5_ps	X	0.541	0.095	-0.005	-0.0	0.0
-0.0	Q5_ps	Y	1.476	0.897	0.052	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	17.296	-0.388	-7.038	0.0	0.0
		Min	5.290	-10.584	-14.421	-0.0	0.0
-0.0							
0.0	INVS LE	Max	13.632	-0.159	-5.406	0.0	0.0
		Min	4.948	-7.584	-10.866	-0.0	0.0
-0.0							
4636 0.0	C1-C2;~1	Max	2.259	1.734	0.762	0.0	0.0
		Min	-3.857	-4.208	-1.859	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.371	1.871	0.852	0.0	0.0
		Min	-4.431	-4.621	-2.034	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.207	0.865	0.410	0.0	0.0
		Min	-1.945	-2.225	-1.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.274	0.926	0.451	0.0	0.0
		Min	-2.205	-2.437	-1.119	-0.0	-0.0
-0.0							
0.0	G1		-3.017	-3.151	-1.334	0.0	0.0
0.0	G2		-1.182	-1.207	-0.516	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.569	0.109	-0.009	-0.0	0.0
0.0	Q5_pc Y		1.557	0.899	0.042	0.0	-0.0
-0.0	Q5_ps X		0.545	0.109	-0.004	-0.0	0.0
0.0	Q5_ps Y		1.460	0.841	0.030	0.0	-0.0
0.0							
0.0	INVS LU	Max	17.403	-0.497	-3.662	0.0	0.0
		Min	5.418	-10.879	-7.634	0.0	0.0
-0.0							
0.0	INVS LE	Max	13.721	-0.247	-2.809	0.0	0.0
		Min	5.051	-7.818	-5.745	0.0	0.0
-0.0							
4637 0.0	C1-C2;~1	Max	2.249	1.201	6.437	0.0	0.0
		Min	-3.853	-3.296	-14.700	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.359	1.253	7.190	0.0	0.0
		Min	-4.439	-3.613	-15.714	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.206	0.615	3.460	0.0	0.0
		Min	-1.943	-1.720	-8.139	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.271	0.645	3.808	0.0	0.0
		Min	-2.208	-1.878	-8.712	-0.0	-0.0
-0.0							
0.0	G1		-3.027	-2.871	-9.683	0.0	0.0
0.0	G2		-1.184	-1.094	-3.736	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.547	0.016	0.008	-0.0	0.0
-0.0	Q5_pc Y		1.655	1.306	0.138	0.0	-0.0
0.0	Q5_ps X		0.524	0.018	0.028	-0.0	0.0
-0.0	Q5_ps Y		1.555	1.233	0.096	0.0	-0.0
0.0							
0.0	INVSLU	Max	15.317	0.376	-27.853	0.0	0.0
		Min	3.161	-8.545	-59.021	-0.0	0.0
-0.0							
0.0	INVSLE	Max	12.065	0.429	-21.378	0.0	0.0
		Min	3.282	-6.005	-44.448	-0.0	0.0
-0.0							
4638	C1-C2;~1	Max	2.249	1.254	5.727	0.0	0.0
0.0		Min	-3.851	-3.417	-13.172	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.359	1.318	6.397	0.0	0.0
		Min	-4.434	-3.748	-14.084	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.205	0.635	3.078	0.0	0.0
		Min	-1.942	-1.784	-7.290	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.271	0.670	3.388	0.0	0.0
		Min	-2.206	-1.952	-7.804	-0.0	-0.0
-0.0							
0.0	G1		-3.019	-2.910	-8.747	0.0	0.0
0.0	G2		-1.180	-1.107	-3.375	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.548	0.025	0.001	-0.0	0.0
-0.0	Q5_pc Y		1.647	1.261	0.139	0.0	-0.0
0.0	Q5_ps X		0.525	0.027	0.020	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.547	1.192	0.100	0.0	-0.0
0.0	INVS LU	Max	15.703	0.265	-25.352	0.0	0.0
-0.0		Min	3.569	-8.845	-53.251	-0.0	0.0
0.0	INVS LE	Max	12.367	0.346	-19.462	0.0	0.0
-0.0		Min	3.599	-6.234	-40.109	-0.0	0.0
4639	C1-C2;~1	Max	2.250	1.307	5.003	0.0	0.0
0.0		Min	-3.849	-3.539	-11.587	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.359	1.383	5.589	0.0	0.0
-0.0		Min	-4.430	-3.882	-12.392	-0.0	-0.0
0.0	C1-C2;~2	Max	1.205	0.655	2.689	0.0	0.0
-0.0		Min	-1.941	-1.852	-6.409	-0.0	-0.0
0.0	C3-C4;~2	Max	1.271	0.695	2.960	0.0	0.0
-0.0		Min	-2.204	-2.026	-6.863	-0.0	-0.0
0.0	G1		-3.012	-2.949	-7.754	0.0	0.0
0.0	G2		-1.178	-1.122	-2.992	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.550	0.036	-0.004	-0.0	0.0
0.0	Q5_pc Y		1.637	1.212	0.137	0.0	-0.0
-0.0	Q5_ps X		0.527	0.037	0.012	-0.0	0.0
0.0	Q5_ps Y		1.538	1.145	0.101	0.0	-0.0
0.0	INVS LU	Max	16.053	0.123	-22.619	0.0	0.0
-0.0		Min	3.942	-9.165	-47.138	-0.0	0.0
0.0	INVS LE	Max	12.642	0.238	-17.367	0.0	0.0
-0.0		Min	3.889	-6.481	-35.511	-0.0	0.0
4640	C1-C2;~1	Max	2.250	1.363	4.270	0.0	0.0
0.0		Min	-3.847	-3.658	-9.950	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.360	1.448	4.770	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
-0.0		Min	-4.426	-4.014	-10.646	-0.0	-0.0
0.0	C1-C2;~2	Max	1.205	0.678	2.295	0.0	0.0
-0.0		Min	-1.940	-1.918	-5.501	-0.0	-0.0
0.0	C3-C4;~2	Max	1.271	0.720	2.526	0.0	0.0
-0.0		Min	-2.203	-2.099	-5.893	-0.0	-0.0
0.0	G1		-3.008	-2.987	-6.710	0.0	0.0
0.0	G2		-1.177	-1.139	-2.589	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.553	0.048	-0.009	-0.0	0.0
0.0	Q5_pc Y		1.625	1.158	0.131	0.0	-0.0
-0.0	Q5_ps X		0.530	0.050	0.006	-0.0	0.0
0.0	Q5_ps Y		1.526	1.092	0.098	0.0	-0.0
0.0	INVSLU	Max	16.364	-0.051	-19.672	0.0	0.0
-0.0		Min	4.278	-9.509	-40.717	-0.0	0.0
0.0	INVSLE	Max	12.887	0.102	-15.106	0.0	0.0
-0.0		Min	4.151	-6.749	-30.678	-0.0	0.0
4641	C1-C2;~1	Max	2.264	1.886	1.028	0.0	0.0
0.0		Min	-3.867	-4.402	-0.519	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.377	2.052	1.007	0.0	0.0
-0.0		Min	-4.442	-4.840	-0.687	-0.0	-0.0
0.0	C1-C2;~2	Max	1.209	0.947	0.579	0.0	0.0
-0.0		Min	-1.950	-2.333	-0.286	-0.0	-0.0
0.0	C3-C4;~2	Max	1.276	1.022	0.566	0.0	0.0
-0.0		Min	-2.210	-2.559	-0.394	-0.0	-0.0
0.0	G1		-3.036	-3.210	0.564	0.0	0.0
0.0	G2		-1.192	-1.237	0.219	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.575	0.131	-0.002	-0.0	0.0
	Q5_pc Y		1.529	0.803	-0.010	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.552	0.131	-0.003	-0.0	0.0
0.0	Q5_ps Y	1.432	0.747	-0.015	0.0	-0.0
0.0	INVS LU Max	17.470	-0.625	4.832	0.0	0.0
-0.0	INVS LU Min	5.513	-11.375	2.499	0.0	0.0
0.0	INVS LE Max	13.783	-0.352	3.690	0.0	0.0
-0.0	INVS LE Min	5.129	-8.208	1.963	0.0	0.0
4642	C1-C2;~1 Max	1.821	5.294	22.242	0.0	0.0
0.0	C1-C2;~1 Min	-1.747	-4.128	-34.837	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.856	5.613	25.461	0.0	0.0
0.0	C3-C4;~1 Min	-1.664	-4.763	-37.329	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.954	2.784	11.318	0.0	0.0
0.0	C1-C2;~2 Min	-0.903	-2.128	-18.336	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.967	2.959	12.723	0.0	0.0
0.0	C3-C4;~2 Min	-0.845	-2.414	-19.758	-0.0	-0.0
-0.0	G1	-0.010	1.136	-13.071	-0.0	0.0
-0.0	G2	-0.012	0.454	-5.092	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.528	-0.809	0.821	0.0	-0.0
-0.0	Q5_pc Y	-0.076	1.088	-4.094	-0.0	0.0
0.0	Q5_ps X	1.443	-0.778	0.921	0.0	-0.0
-0.0	Q5_ps Y	-0.069	1.025	-3.818	-0.0	0.0
0.0	INVS LU Max	5.139	12.302	5.771	-0.0	0.0
-0.0	INVS LU Min	-2.476	-3.663	-86.363	-0.0	-0.0
0.0	INVS LE Max	3.683	9.083	3.800	-0.0	0.0
-0.0	INVS LE Min	-1.754	-2.599	-63.902	-0.0	-0.0
4643	C1-C2;~1 Max	2.157	5.662	17.982	0.0	0.0
0.0	C1-C2;~1 Min	-1.874	-4.490	-26.169	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.064	6.009	20.546	0.0	0.0
-0.0		Min	-1.807	-5.183	-28.034	-0.0	-0.0
0.0	C1-C2;~2	Max	1.177	2.973	9.226	0.0	0.0
-0.0		Min	-0.978	-2.319	-13.718	-0.0	-0.0
0.0	C3-C4;~2	Max	1.078	3.163	10.350	0.0	0.0
-0.0		Min	-0.929	-2.632	-14.770	-0.0	-0.0
-0.0	G1		-0.029	1.165	-8.673	0.0	0.0
0.0	G2		-0.035	0.468	-3.373	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.283	-0.751	0.653	0.0	-0.0
0.0	Q5_pc Y		0.052	1.099	-3.415	-0.0	0.0
-0.0	Q5_ps X		1.216	-0.725	0.719	0.0	-0.0
0.0	Q5_ps Y		0.053	1.034	-3.192	-0.0	0.0
0.0	INVSLU	Max	4.452	12.636	10.823	-0.0	0.0
-0.0		Min	-3.300	-4.450	-60.908	-0.0	-0.0
0.0	INVSLE	Max	3.203	9.316	7.710	-0.0	0.0
-0.0		Min	-2.368	-3.193	-44.968	-0.0	-0.0
4644	C1-C2;~1	Max	2.284	5.592	19.186	0.0	0.0
0.0		Min	-1.865	-4.396	-28.465	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.159	5.937	21.932	0.0	0.0
-0.0		Min	-1.793	-5.074	-30.496	-0.0	-0.0
0.0	C1-C2;~2	Max	1.267	2.938	9.824	0.0	0.0
-0.0		Min	-0.970	-2.268	-14.937	-0.0	-0.0
0.0	C3-C4;~2	Max	1.155	3.128	11.027	0.0	0.0
-0.0		Min	-0.918	-2.575	-16.087	-0.0	-0.0
-0.0	G1		-0.015	1.188	-9.776	0.0	0.0
0.0	G2		-0.040	0.479	-3.804	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.368	-0.772	0.703	0.0	-0.0
0.0	Q5_pc Y		0.020	1.095	-3.616	-0.0	0.0
-0.0	Q5_ps X		1.301	-0.747	0.777	0.0	-0.0
0.0	Q5_ps Y		0.025	1.030	-3.379	-0.0	0.0
0.0	INVS LU	Max	4.933	12.663	9.908	-0.0	0.0
-0.0		Min	-3.131	-4.174	-67.379	-0.0	-0.0
0.0	INVS LE	Max	3.554	9.340	6.992	-0.0	0.0
-0.0		Min	-2.237	-2.986	-49.775	-0.0	-0.0
4645	C1-C2;~1	Max	2.256	5.507	20.295	0.0	0.0
0.0		Min	-1.840	-4.304	-30.685	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.084	5.847	23.211	0.0	0.0
-0.0		Min	-1.764	-4.968	-32.876	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.249	2.896	10.371	0.0	0.0
-0.0		Min	-0.955	-2.220	-16.118	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.142	3.082	11.646	0.0	0.0
-0.0		Min	-0.900	-2.519	-17.362	-0.0	-0.0
-0.0	G1		-0.006	1.191	-10.888	-0.0	0.0
-0.0	G2		-0.037	0.480	-4.237	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.438	-0.789	0.746	0.0	-0.0
0.0	Q5_pc Y		-0.012	1.093	-3.796	-0.0	0.0
-0.0	Q5_ps X		1.368	-0.762	0.827	0.0	-0.0
0.0	Q5_ps Y		-0.005	1.028	-3.545	-0.0	0.0
0.0	INVS LU	Max	5.181	12.614	8.715	-0.0	0.0
-0.0		Min	-2.938	-3.953	-73.834	-0.0	-0.0
0.0	INVS LE	Max	3.731	9.307	6.066	-0.0	0.0
-0.0		Min	-2.092	-2.819	-54.575	-0.0	-0.0
4646	C1-C2;~1	Max	2.107	5.410	21.307	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.800	-4.216	-32.806	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.002	5.741	24.379	0.0	0.0
0.0		Min	-1.719	-4.865	-35.147	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.150	2.845	10.866	0.0	0.0
0.0		Min	-0.932	-2.173	-17.249	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.053	3.027	12.208	0.0	0.0
0.0		Min	-0.875	-2.466	-18.582	-0.0	-0.0
-0.0							
-0.0	G1		-0.004	1.174	-11.985	-0.0	0.0
-0.0	G2		-0.027	0.471	-4.663	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.492	-0.801	0.783	0.0	-0.0
-0.0	Q5_pc Y		-0.044	1.090	-3.956	-0.0	0.0
0.0	Q5_ps X		1.415	-0.773	0.872	0.0	-0.0
-0.0	Q5_ps Y		-0.037	1.026	-3.692	-0.0	0.0
0.0							
0.0	INVSLU	Max	5.238	12.492	7.311	-0.0	0.0
0.0		Min	-2.720	-3.789	-80.171	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.765	9.220	4.982	-0.0	0.0
0.0		Min	-1.932	-2.695	-59.292	-0.0	-0.0
-0.0							
4647	C1-C2;~1	Max	1.780	5.010	25.558	0.0	0.0
0.0		Min	-1.673	-3.941	-43.053	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.775	5.309	29.329	0.0	0.0
0.0		Min	-1.600	-4.544	-46.117	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.937	2.633	12.866	0.0	0.0
0.0		Min	-0.854	-2.031	-22.751	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.923	2.798	14.501	0.0	0.0
0.0		Min	-0.803	-2.302	-24.521	-0.0	-0.0
-0.0							
0.0	G1		-0.037	1.030	-17.659	-0.0	0.0
0.0	G2		-0.025	0.412	-6.879	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.758	-0.833	0.946	-0.0	-0.0
-0.0	Q5_pc Y		-0.170	1.090	-4.548	-0.0	0.0
0.0	Q5_ps X		1.663	-0.800	1.077	-0.0	-0.0
-0.0	Q5_ps Y		-0.157	1.027	-4.234	-0.0	0.0
0.0							
-0.0	INVS LU	Max	5.872	10.901	-3.492	-0.0	0.0
-0.0		Min	-1.954	-4.364	-113.531	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	4.181	8.000	-3.293	-0.0	0.0
-0.0		Min	-1.382	-3.162	-84.196	-0.0	-0.0
-0.0							
4648	C1-C2;~1	Max	1.919	5.193	23.015	0.0	0.0
0.0		Min	-1.739	-4.060	-36.643	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.881	5.505	26.358	0.0	0.0
-0.0		Min	-1.655	-4.683	-39.256	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.025	2.731	11.687	0.0	0.0
-0.0		Min	-0.896	-2.092	-19.301	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.986	2.902	13.143	0.0	0.0
-0.0		Min	-0.837	-2.373	-20.797	-0.0	-0.0
-0.0							
-0.0	G1		-0.014	1.102	-14.054	-0.0	0.0
0.0	G2		-0.025	0.442	-5.471	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.591	-0.819	0.849	-0.0	-0.0
-0.0	Q5_pc Y		-0.092	1.086	-4.216	-0.0	0.0
0.0	Q5_ps X		1.507	-0.788	0.953	-0.0	-0.0
-0.0	Q5_ps Y		-0.082	1.022	-3.931	-0.0	0.0
0.0							
0.0	INVS LU	Max	5.359	12.080	3.822	-0.0	0.0
-0.0		Min	-2.443	-3.628	-92.345	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.829	8.917	2.295	-0.0	0.0
-0.0		Min	-1.738	-2.574	-68.378	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4649	C1-C2;~1	Max	1.946	5.132	23.757	0.0	0.0
0.0		Min	-1.728	-4.018	-38.412	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.885	5.440	27.221	0.0	0.0
0.0		Min	-1.643	-4.634	-41.150	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.045	2.699	12.038	0.0	0.0
0.0		Min	-0.888	-2.071	-20.250	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.979	2.868	13.544	0.0	0.0
0.0		Min	-0.829	-2.348	-21.821	-0.0	-0.0
-0.0							
	G1		-0.018	1.080	-15.029	-0.0	0.0
0.0							
	G2		-0.032	0.435	-5.851	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.644	-0.826	0.879	-0.0	-0.0
-0.0							
	Q5_pc Y		-0.109	1.086	-4.323	-0.0	0.0
0.0							
	Q5_ps X		1.560	-0.795	0.989	-0.0	-0.0
-0.0							
	Q5_ps Y		-0.097	1.022	-4.030	-0.0	0.0
0.0							
	INVSLU	Max	5.524	11.837	2.008	-0.0	0.0
0.0		Min	-2.396	-3.717	-98.073	-0.0	-0.0
-0.0							
	INVSLE	Max	3.936	8.730	0.904	-0.0	0.0
0.0		Min	-1.711	-2.647	-72.654	-0.0	-0.0
-0.0							
4650	C1-C2;~1	Max	1.935	5.085	24.427	0.0	0.0
0.0		Min	-1.714	-3.988	-40.077	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.874	5.391	28.003	0.0	0.0
0.0		Min	-1.629	-4.599	-42.930	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.039	2.674	12.351	0.0	0.0
0.0		Min	-0.879	-2.055	-21.146	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.974	2.842	13.904	0.0	0.0
0.0		Min	-0.819	-2.330	-22.787	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.022	1.063	-15.961	-0.0	0.0
-0.0	G2		-0.034	0.427	-6.213	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.690	-0.830	0.903	-0.0	-0.0
0.0	Q5_pc Y		-0.127	1.087	-4.414	-0.0	0.0
-0.0	Q5_ps X		1.604	-0.799	1.020	-0.0	-0.0
0.0	Q5_ps Y		-0.115	1.024	-4.114	-0.0	0.0
0.0	INVS LU	Max	5.659	11.560	0.152	-0.0	0.0
-0.0		Min	-2.310	-3.883	-103.554	-0.0	-0.0
0.0	INVS LE	Max	4.026	8.514	-0.516	-0.0	0.0
-0.0		Min	-1.651	-2.780	-76.746	-0.0	-0.0
4651	C1-C2;~1	Max	1.886	5.046	25.026	0.0	0.0
0.0		Min	-1.697	-3.963	-41.629	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.840	5.349	28.705	0.0	0.0
-0.0		Min	-1.616	-4.570	-44.590	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.007	2.653	12.626	0.0	0.0
0.0		Min	-0.868	-2.042	-21.982	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.951	2.819	14.222	0.0	0.0
-0.0		Min	-0.811	-2.315	-23.689	-0.0	-0.0
0.0	G1		-0.027	1.046	-16.839	-0.0	0.0
-0.0	G2		-0.033	0.420	-6.555	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.729	-0.833	0.925	-0.0	-0.0
0.0	Q5_pc Y		-0.147	1.088	-4.490	-0.0	0.0
-0.0	Q5_ps X		1.640	-0.801	1.047	-0.0	-0.0
0.0	Q5_ps Y		-0.134	1.025	-4.182	-0.0	0.0
-0.0	INVS LU	Max	5.780	11.245	-1.684	-0.0	0.0
-0.0		Min	-2.170	-4.104	-108.714	-0.0	-0.0
0.0	INVS LE	Max	4.112	8.268	-1.917	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.546	-2.956	-80.600	-0.0	-0.0
-0.0							
4652	C1-C2;~1	Max	1.782	4.793	27.220	0.0	0.0
0.0		Min	-1.651	-3.842	-48.434	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.775	5.080	31.324	0.0	0.0
0.0		Min	-1.618	-4.426	-51.900	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.942	2.513	13.550	0.0	0.0
0.0		Min	-0.836	-1.981	-25.680	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.927	2.670	15.317	0.0	0.0
0.0		Min	-0.800	-2.244	-27.705	-0.0	-0.0
-0.0							
0.0	G1		-0.065	0.926	-20.779	-0.0	0.0
0.0	G2		-0.036	0.371	-8.092	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.915	-0.825	0.973	-0.0	-0.0
-0.0	Q5_pc Y		-0.233	1.094	-4.639	0.0	0.0
0.0	Q5_ps X		1.812	-0.792	1.127	-0.0	-0.0
-0.0	Q5_ps Y		-0.217	1.031	-4.312	0.0	0.0
0.0							
0.0	INVSLU	Max	6.623	8.720	-11.248	-0.0	0.0
0.0		Min	-1.458	-6.082	-131.950	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.728	6.309	-9.176	-0.0	0.0
0.0		Min	-1.003	-4.510	-97.966	-0.0	-0.0
-0.0							
4653	C1-C2;~1	Max	1.911	4.836	27.019	0.0	0.0
0.0		Min	-1.663	-3.860	-47.654	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.856	5.127	31.075	0.0	0.0
0.0		Min	-1.611	-4.448	-51.048	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.028	2.536	13.481	0.0	0.0
0.0		Min	-0.842	-1.991	-25.255	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.981	2.696	15.230	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.806	-2.255	-27.234	-0.0	-0.0
-0.0	G1		-0.051	0.949	-20.307	-0.0	0.0
0.0	G2		-0.045	0.381	-7.903	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.903	-0.829	0.970	-0.0	-0.0
-0.0	Q5_pc Y		-0.214	1.093	-4.651	0.0	0.0
0.0	Q5_ps X		1.807	-0.797	1.118	-0.0	-0.0
-0.0	Q5_ps Y		-0.197	1.030	-4.326	0.0	0.0
0.0	INVS LU	Max	6.660	9.219	-9.943	-0.0	0.0
0.0		Min	-1.591	-5.675	-129.181	-0.0	-0.0
-0.0	INVS LE	Max	4.748	6.695	-8.193	-0.0	0.0
0.0		Min	-1.110	-4.191	-95.898	-0.0	-0.0
-0.0							
4654	C1-C2;~1	Max	1.946	4.879	26.755	0.0	0.0
0.0		Min	-1.668	-3.880	-46.699	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.880	5.174	30.753	0.0	0.0
0.0		Min	-1.614	-4.471	-50.023	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.052	2.561	13.380	0.0	0.0
0.0		Min	-0.845	-2.000	-24.732	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.989	2.722	15.106	0.0	0.0
0.0		Min	-0.808	-2.266	-26.666	-0.0	-0.0
-0.0							
0.0	G1		-0.044	0.971	-19.751	-0.0	0.0
0.0	G2		-0.046	0.390	-7.687	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.878	-0.833	0.968	-0.0	-0.0
-0.0	Q5_pc Y		-0.201	1.092	-4.648	-0.0	0.0
0.0	Q5_ps X		1.785	-0.800	1.111	-0.0	-0.0
-0.0	Q5_ps Y		-0.184	1.029	-4.324	-0.0	0.0
0.0							
0.0	INVS LU	Max	6.603	9.702	-8.500	-0.0	0.0
0.0		Min	-1.658	-5.284	-125.914	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	4.704	7.070	-7.101	-0.0	0.0
-0.0		Min	-1.165	-3.886	-93.455	-0.0	-0.0
4655	C1-C2;~1	Max	1.943	4.925	26.422	0.0	0.0
0.0		Min	-1.672	-3.901	-45.606	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.878	5.222	30.354	0.0	0.0
-0.0		Min	-1.614	-4.496	-48.848	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.049	2.586	13.243	0.0	0.0
-0.0		Min	-0.848	-2.011	-24.136	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.986	2.749	14.943	0.0	0.0
-0.0		Min	-0.809	-2.278	-26.017	-0.0	-0.0
0.0	G1		-0.040	0.993	-19.117	-0.0	0.0
0.0	G2		-0.043	0.399	-7.441	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.846	-0.835	0.963	-0.0	-0.0
0.0	Q5_pc Y		-0.189	1.091	-4.630	-0.0	0.0
-0.0	Q5_ps X		1.754	-0.803	1.101	-0.0	-0.0
0.0	Q5_ps Y		-0.172	1.028	-4.309	-0.0	0.0
-0.0	INVSLE	Max	6.448	10.178	-6.917	-0.0	0.0
-0.0		Min	-1.755	-4.905	-122.173	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	4.591	7.439	-5.900	-0.0	0.0
-0.0		Min	-1.239	-3.588	-90.658	-0.0	-0.0
4656	C1-C2;~1	Max	1.895	4.965	26.022	0.0	0.0
0.0		Min	-1.676	-3.919	-44.392	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.847	5.264	29.877	0.0	0.0
-0.0		Min	-1.610	-4.518	-47.546	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.016	2.608	13.071	0.0	0.0
		Min	-0.853	-2.020	-23.476	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.973	2.773	14.740	0.0	0.0
-0.0		Min	-0.807	-2.289	-25.303	-0.0	-0.0
-0.0	G1		-0.037	1.011	-18.419	-0.0	0.0
-0.0	G2		-0.037	0.406	-7.170	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.807	-0.835	0.954	-0.0	-0.0
-0.0	Q5_pc Y		-0.178	1.090	-4.597	-0.0	0.0
0.0	Q5_ps X		1.714	-0.803	1.087	-0.0	-0.0
-0.0	Q5_ps Y		-0.163	1.027	-4.280	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.196	10.543	-5.256	-0.0	0.0
-0.0		Min	-1.877	-4.625	-118.053	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	4.411	7.722	-4.638	-0.0	0.0
-0.0		Min	-1.328	-3.368	-87.579	-0.0	-0.0
-0.0							
4657	C1-C2;~1	Max	1.810	4.568	27.269	0.0	0.0
0.0		Min	-1.655	-3.753	-50.273	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.809	4.840	31.475	0.0	0.0
-0.0		Min	-1.666	-4.322	-53.866	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.957	2.386	13.413	0.0	0.0
-0.0		Min	-0.834	-1.937	-26.700	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.946	2.534	15.214	0.0	0.0
-0.0		Min	-0.828	-2.192	-28.814	-0.0	-0.0
-0.0							
0.0	G1		-0.079	0.802	-21.851	0.0	0.0
0.0	G2		-0.043	0.322	-8.503	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.981	-0.798	0.905	-0.0	-0.0
-0.0	Q5_pc Y		-0.262	1.096	-4.402	0.0	0.0
0.0	Q5_ps X		1.875	-0.765	1.071	-0.0	-0.0
-0.0	Q5_ps Y		-0.245	1.034	-4.087	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	6.914	6.120	-15.054	0.0	0.0
		Min	-1.345	-8.220	-138.187	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.940	4.304	-12.030	0.0	0.0
		Min	-0.914	-6.172	-102.653	-0.0	-0.0
-0.0							
4658	C1-C2;~1	Max	1.924	4.738	27.356	0.0	0.0
0.0		Min	-1.663	-3.822	-49.154	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.870	5.024	31.499	0.0	0.0
		Min	-1.640	-4.403	-52.679	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.037	2.480	13.586	0.0	0.0
		Min	-0.840	-1.971	-26.082	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.992	2.637	15.368	0.0	0.0
		Min	-0.815	-2.232	-28.149	-0.0	-0.0
-0.0							
-0.0	G1		-0.059	0.901	-21.172	-0.0	0.0
-0.0	G2		-0.048	0.362	-8.238	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.949	-0.821	0.961	-0.0	-0.0
-0.0	Q5_pc Y		-0.233	1.093	-4.618	0.0	0.0
0.0	Q5_ps X		1.851	-0.789	1.115	-0.0	-0.0
-0.0	Q5_ps Y		-0.214	1.031	-4.293	0.0	0.0
0.0							
-0.0	INVS LU	Max	6.931	8.202	-12.375	-0.0	0.0
		Min	-1.419	-6.493	-134.330	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	4.947	5.910	-10.030	-0.0	0.0
		Min	-0.978	-4.829	-99.751	-0.0	-0.0
-0.0							
4659	C1-C2;~1	Max	1.967	4.692	27.430	0.0	0.0
0.0		Min	-1.666	-3.804	-49.696	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.902	4.977	31.603	0.0	0.0
		Min	-1.653	-4.382	-53.266	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.066	2.454	13.591	0.0	0.0
		Min	-0.841	-1.962	-26.384	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.013	2.611	15.383	0.0	0.0
		Min	-0.821	-2.222	-28.481	-0.0	-0.0
-0.0							
0.0	G1		-0.059	0.877	-21.478	-0.0	0.0
0.0	G2		-0.053	0.352	-8.356	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.969	-0.816	0.950	-0.0	-0.0
-0.0	Q5_pc Y		-0.238	1.094	-4.583	0.0	0.0
0.0	Q5_ps X		1.872	-0.784	1.108	-0.0	-0.0
-0.0	Q5_ps Y		-0.218	1.031	-4.260	0.0	0.0
0.0							
0.0	INVSLU	Max	7.118	7.688	-13.327	-0.0	0.0
		Min	-1.332	-6.915	-136.151	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.081	5.514	-10.747	-0.0	0.0
		Min	-0.915	-5.158	-101.116	-0.0	-0.0
-0.0							
4660 0.0	C1-C2;~1	Max	1.971	4.652	27.439	0.0	0.0
		Min	-1.667	-3.787	-50.073	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.908	4.933	31.632	0.0	0.0
		Min	-1.662	-4.362	-53.662	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.068	2.433	13.562	0.0	0.0
		Min	-0.841	-1.954	-26.595	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.016	2.586	15.362	0.0	0.0
		Min	-0.825	-2.212	-28.705	-0.0	-0.0
-0.0							
0.0	G1		-0.062	0.853	-21.694	-0.0	0.0
0.0	G2		-0.054	0.342	-8.439	-0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.983	-0.810	0.936	-0.0	-0.0
-0.0	Q5_pc Y		-0.244	1.095	-4.535	0.0	0.0
0.0	Q5_ps X		1.885	-0.778	1.096	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.224	1.032	-4.214	0.0	0.0
0.0	INVSLE Max		7.172	7.171	-14.097	0.0	0.0
-0.0	INVSLE Min		-1.309	-7.347	-137.408	-0.0	-0.0
0.0	INVSLE Max		5.120	5.114	-11.324	0.0	0.0
-0.0	INVSLE Min		-0.897	-5.494	-102.061	-0.0	-0.0
4661 0.0	C1-C2;~1 Max		1.939	4.611	27.384	0.0	0.0
-0.0	C1-C2;~1 Min		-1.665	-3.770	-50.276	-0.0	-0.0
0.0	C3-C4;~1 Max		1.890	4.887	31.588	0.0	0.0
-0.0	C3-C4;~1 Min		-1.669	-4.342	-53.868	-0.0	-0.0
0.0	C1-C2;~2 Max		1.045	2.410	13.503	0.0	0.0
-0.0	C1-C2;~2 Min		-0.839	-1.945	-26.708	-0.0	-0.0
0.0	C3-C4;~2 Max		1.003	2.561	15.304	0.0	0.0
-0.0	C3-C4;~2 Min		-0.829	-2.202	-28.820	-0.0	-0.0
0.0	G1		-0.066	0.828	-21.818	-0.0	0.0
-0.0	G2		-0.052	0.332	-8.486	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.989	-0.804	0.920	-0.0	-0.0
0.0	Q5_pc Y		-0.251	1.095	-4.475	0.0	0.0
0.0	Q5_ps X		1.889	-0.772	1.082	-0.0	-0.0
0.0	Q5_ps Y		-0.231	1.033	-4.157	0.0	0.0
0.0	INVSLE Max		7.097	6.649	-14.668	0.0	0.0
-0.0	INVSLE Min		-1.353	-7.782	-138.089	-0.0	-0.0
0.0	INVSLE Max		5.068	4.712	-11.750	0.0	0.0
-0.0	INVSLE Min		-0.926	-5.832	-102.576	-0.0	-0.0
4662 0.0	C1-C2;~1 Max		1.848	4.370	26.947	0.0	0.0
-0.0	C1-C2;~1 Min		-1.662	-3.674	-48.218	-0.0	-0.0
0.0	C3-C4;~1 Max		1.866	4.636	31.126	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.748	-4.230	-51.623	-0.0	-0.0
0.0	C1-C2;~2	Max	0.973	2.279	13.389	0.0	0.0
-0.0		Min	-0.832	-1.899	-25.584	-0.0	-0.0
0.0	C3-C4;~2	Max	0.975	2.423	15.200	0.0	0.0
-0.0		Min	-0.874	-2.148	-27.586	-0.0	-0.0
-0.0		G1	-0.075	0.679	-20.675	0.0	0.0
-0.0		G2	-0.042	0.272	-8.036	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.948	-0.769	0.752	-0.0	-0.0
-0.0	Q5_pc Y		-0.261	1.101	-3.890	0.0	0.0
0.0	Q5_ps X		1.843	-0.737	0.919	-0.0	-0.0
-0.0	Q5_ps Y		-0.245	1.039	-3.608	0.0	0.0
0.0	INVSLU	Max	6.705	3.581	-12.251	0.0	0.0
-0.0		Min	-1.682	-10.369	-130.963	0.0	-0.0
0.0	INVSLE	Max	4.786	2.343	-9.885	0.0	0.0
0.0		Min	-1.167	-7.844	-97.301	0.0	-0.0
4663	C1-C2;~1	Max	1.952	4.523	27.219	0.0	0.0
0.0		Min	-1.666	-3.736	-50.232	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.910	4.793	31.467	0.0	0.0
-0.0		Min	-1.690	-4.302	-53.812	-0.0	-0.0
0.0	C1-C2;~2	Max	1.051	2.362	13.388	0.0	0.0
-0.0		Min	-0.838	-1.929	-26.689	-0.0	-0.0
0.0	C3-C4;~2	Max	1.014	2.508	15.220	0.0	0.0
-0.0		Min	-0.839	-2.182	-28.796	-0.0	-0.0
-0.0		G1	-0.068	0.776	-21.796	0.0	0.0
0.0		G2	-0.053	0.311	-8.475	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.995	-0.792	0.874	-0.0	-0.0
	Q5_pc Y		-0.256	1.096	-4.322	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	1.895	-0.760	1.039	-0.0	-0.0
-0.0	Q5_ps Y	-0.237	1.034	-4.013	0.0	0.0
-0.0						
0.0	INVS LU Max	7.107	5.593	-14.981	0.0	0.0
-0.0	Min	-1.400	-8.658	-137.889	-0.0	-0.0
0.0	INVS LE Max	5.075	3.897	-11.975	0.0	0.0
-0.0	Min	-0.961	-6.513	-102.441	-0.0	-0.0
4664	C1-C2;~1 Max	1.997	4.483	27.246	0.0	0.0
0.0	Min	-1.670	-3.720	-49.984	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.946	4.752	31.491	0.0	0.0
-0.0	Min	-1.708	-4.283	-53.549	-0.0	-0.0
0.0	C1-C2;~2 Max	1.081	2.340	13.435	0.0	0.0
-0.0	Min	-0.839	-1.921	-26.556	-0.0	-0.0
0.0	C3-C4;~2 Max	1.037	2.486	15.269	0.0	0.0
-0.0	Min	-0.849	-2.174	-28.656	-0.0	-0.0
-0.0	G1	-0.066	0.751	-21.651	0.0	0.0
0.0	G2	-0.056	0.301	-8.416	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.996	-0.786	0.846	-0.0	-0.0
-0.0	Q5_pc Y	-0.255	1.097	-4.230	0.0	0.0
0.0	Q5_ps X	1.897	-0.753	1.011	-0.0	-0.0
-0.0	Q5_ps Y	-0.235	1.035	-3.927	0.0	0.0
0.0	INVS LU Max	7.192	5.077	-14.586	0.0	0.0
-0.0	Min	-1.403	-9.096	-137.005	-0.0	-0.0
0.0	INVS LE Max	5.134	3.499	-11.673	0.0	0.0
-0.0	Min	-0.966	-6.853	-101.789	-0.0	-0.0
4665	C1-C2;~1 Max	2.005	4.446	27.210	0.0	0.0
0.0	Min	-1.672	-3.705	-49.563	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.958	4.713	31.443	0.0	0.0
-0.0		Min	-1.726	-4.266	-53.097	-0.0	-0.0
0.0	C1-C2;~2	Max	1.084	2.320	13.452	0.0	0.0
-0.0		Min	-0.839	-1.914	-26.325	-0.0	-0.0
0.0	C3-C4;~2	Max	1.043	2.465	15.282	0.0	0.0
-0.0		Min	-0.859	-2.165	-28.408	-0.0	-0.0
0.0	G1		-0.065	0.727	-21.414	0.0	0.0
-0.0	G2		-0.056	0.291	-8.322	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.989	-0.779	0.815	-0.0	-0.0
0.0	Q5_pc Y		-0.255	1.099	-4.127	0.0	0.0
0.0	Q5_ps X		1.891	-0.747	0.981	-0.0	-0.0
0.0	Q5_ps Y		-0.235	1.037	-3.831	0.0	0.0
0.0	INVSLU	Max	7.149	4.569	-13.991	0.0	0.0
-0.0		Min	-1.470	-9.530	-135.548	0.0	-0.0
0.0	INVSLE	Max	5.102	3.107	-11.218	0.0	0.0
-0.0		Min	-1.017	-7.191	-100.710	0.0	-0.0
4666 0.0	C1-C2;~1	Max	1.975	4.409	27.109	0.0	0.0
-0.0		Min	-1.670	-3.690	-48.979	-0.0	-0.0
0.0	C3-C4;~1	Max	1.944	4.675	31.320	0.0	0.0
-0.0		Min	-1.742	-4.248	-52.455	-0.0	-0.0
0.0	C1-C2;~2	Max	1.061	2.300	13.436	0.0	0.0
-0.0		Min	-0.837	-1.906	-26.005	-0.0	-0.0
0.0	C3-C4;~2	Max	1.031	2.444	15.258	0.0	0.0
-0.0		Min	-0.869	-2.157	-28.052	-0.0	-0.0
0.0	G1		-0.066	0.703	-21.087	0.0	0.0
-0.0	G2		-0.053	0.282	-8.193	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.976	-0.774	0.782	-0.0	-0.0
0.0	Q5_pc Y		-0.255	1.100	-4.014	0.0	0.0
0.0	Q5_ps X		1.876	-0.742	0.947	-0.0	-0.0
0.0	Q5_ps Y		-0.237	1.038	-3.725	0.0	0.0
0.0	INVS LU	Max	6.973	4.072	-13.211	0.0	0.0
0.0		Min	-1.600	-9.954	-133.531	0.0	-0.0
0.0	INVS LE	Max	4.976	2.722	-10.622	0.0	0.0
0.0		Min	-1.111	-7.521	-99.213	0.0	-0.0
4667	C1-C2;~1	Max	1.898	4.212	25.175	0.0	0.0
0.0		Min	-1.726	-3.604	-42.650	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.938	4.476	29.052	0.0	0.0
-0.0		Min	-1.845	-4.149	-45.607	-0.0	-0.0
0.0	C1-C2;~2	Max	0.992	2.197	12.660	0.0	0.0
-0.0		Min	-0.873	-1.865	-22.575	-0.0	-0.0
0.0	C3-C4;~2	Max	1.008	2.341	14.350	0.0	0.0
-0.0		Min	-0.929	-2.110	-24.302	-0.0	-0.0
-0.0	G1		-0.056	0.575	-17.465	0.0	0.0
-0.0	G2		-0.036	0.231	-6.776	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.823	-0.755	0.536	-0.0	-0.0
-0.0	Q5_pc Y		-0.232	1.115	-3.165	0.0	0.0
0.0	Q5_ps X		1.724	-0.723	0.691	-0.0	-0.0
-0.0	Q5_ps Y		-0.218	1.052	-2.933	0.0	0.0
0.0	INVS LU	Max	6.028	1.523	-5.218	0.0	0.0
0.0		Min	-2.359	-12.127	-111.703	0.0	-0.0
0.0	INVS LE	Max	4.291	0.743	-4.508	0.0	0.0
0.0		Min	-1.678	-9.219	-82.964	0.0	-0.0
4668	C1-C2;~1	Max	1.995	4.243	25.659	0.0	0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.720	-3.618	-44.024	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.995	4.506	29.615	0.0	0.0
0.0		Min	-1.835	-4.165	-47.079	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.062	2.213	12.873	0.0	0.0
0.0		Min	-0.868	-1.872	-23.315	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.052	2.356	14.596	0.0	0.0
0.0		Min	-0.922	-2.118	-25.103	-0.0	-0.0
-0.0							
0.0	G1		-0.053	0.594	-18.241	0.0	0.0
0.0	G2		-0.047	0.237	-7.075	0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.865	-0.755	0.576	-0.0	-0.0
0.0	Q5_pc Y		-0.233	1.112	-3.325	0.0	0.0
-0.0							
0.0	Q5_ps X		1.769	-0.723	0.732	-0.0	-0.0
0.0	Q5_ps Y		-0.217	1.050	-3.083	0.0	0.0
-0.0							
0.0	INVSLU	Max	6.278	1.853	-6.853	0.0	0.0
0.0		Min	-2.250	-11.854	-116.376	0.0	-0.0
0.0							
0.0	INVSLE	Max	4.467	1.001	-5.764	0.0	0.0
0.0		Min	-1.602	-9.005	-86.449	0.0	-0.0
0.0							
4669	C1-C2;~1	Max	2.033	4.270	26.082	0.0	0.0
0.0		Min	-1.709	-3.631	-45.273	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.012	4.534	30.108	0.0	0.0
0.0		Min	-1.820	-4.180	-48.425	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.091	2.227	13.054	0.0	0.0
0.0		Min	-0.860	-1.878	-23.990	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.067	2.370	14.806	0.0	0.0
0.0		Min	-0.913	-2.124	-25.836	-0.0	-0.0
-0.0							
-0.0	G1		-0.055	0.611	-18.956	0.0	0.0
-0.0	G2		-0.052	0.244	-7.355	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.898	-0.756	0.621	-0.0	-0.0
0.0	Q5_pc Y	-0.237	1.109	-3.477	0.0	0.0
-0.0	Q5_ps X	1.803	-0.724	0.779	-0.0	-0.0
0.0	Q5_ps Y	-0.220	1.047	-3.225	0.0	0.0
-0.0						
	INVS LU Max	6.519	2.193	-8.376	0.0	0.0
0.0	Min	-2.099	-11.567	-120.655	0.0	-0.0
0.0						
	INVS LE Max	4.640	1.265	-6.930	0.0	0.0
0.0	Min	-1.491	-8.779	-89.636	0.0	-0.0
0.0						
4670	C1-C2;~1 Max	2.028	4.303	26.437	0.0	0.0
0.0	Min	-1.695	-3.645	-46.406	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.002	4.567	30.524	0.0	0.0
0.0	Min	-1.801	-4.197	-49.648	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.090	2.244	13.200	0.0	0.0
0.0	Min	-0.851	-1.885	-24.603	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.063	2.388	14.975	0.0	0.0
0.0	Min	-0.903	-2.132	-26.505	-0.0	-0.0
-0.0						
	G1	-0.058	0.633	-19.609	0.0	0.0
-0.0						
	G2	-0.054	0.253	-7.611	0.0	0.0
0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.924	-0.760	0.665	-0.0	-0.0
0.0	Q5_pc Y	-0.243	1.106	-3.624	0.0	0.0
-0.0	Q5_ps X	1.828	-0.728	0.826	-0.0	-0.0
0.0	Q5_ps Y	-0.224	1.044	-3.362	0.0	0.0
-0.0						
	INVS LU Max	6.668	2.643	-9.813	0.0	0.0
0.0	Min	-1.965	-11.180	-124.569	0.0	-0.0
-0.0						
	INVS LE Max	4.748	1.615	-8.028	0.0	0.0
0.0	Min	-1.390	-8.476	-92.548	0.0	-0.0
0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4671	C1-C2;~1	Max	1.984	4.336	26.724	0.0	0.0
0.0		Min	-1.678	-3.659	-47.398	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.963	4.600	30.862	0.0	0.0
0.0		Min	-1.779	-4.213	-50.722	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.063	2.261	13.311	0.0	0.0
0.0		Min	-0.840	-1.892	-25.142	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.039	2.405	15.106	0.0	0.0
0.0		Min	-0.890	-2.140	-27.094	-0.0	-0.0
-0.0							
	G1		-0.063	0.655	-20.183	0.0	0.0
-0.0							
	G2		-0.052	0.263	-7.837	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.943	-0.764	0.707	-0.0	-0.0
0.0							
	Q5_pc Y		-0.249	1.104	-3.762	0.0	0.0
-0.0							
	Q5_ps X		1.844	-0.732	0.870	-0.0	-0.0
0.0							
	Q5_ps Y		-0.231	1.042	-3.490	0.0	0.0
-0.0							
	INVSLU	Max	6.720	3.103	-11.103	0.0	0.0
0.0		Min	-1.857	-10.781	-128.013	0.0	-0.0
-0.0							
	INVSLE	Max	4.790	1.973	-9.012	0.0	0.0
0.0		Min	-1.305	-8.165	-95.111	0.0	-0.0
-0.0							
4672	C1-C2;~1	Max	1.951	4.014	21.780	0.0	0.0
0.0		Min	-1.812	-3.494	-34.293	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.025	4.274	25.116	0.0	0.0
0.0		Min	-1.954	-4.022	-36.649	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.013	2.100	11.081	0.0	0.0
0.0		Min	-0.927	-1.816	-18.096	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.050	2.242	12.545	0.0	0.0
0.0		Min	-0.991	-2.054	-19.465	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.040	0.470	-12.818	0.0	0.0
0.0	G2		-0.029	0.190	-4.958	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.621	-0.772	0.289	-0.0	-0.0
0.0	Q5_pc Y		-0.188	1.143	-2.298	0.0	0.0
-0.0	Q5_ps X		1.531	-0.738	0.420	-0.0	-0.0
0.0	Q5_ps Y		-0.178	1.079	-2.127	0.0	0.0
-0.0							
0.0	INVS LU	Max	5.301	0.303	3.569	0.0	0.0
0.0		Min	-2.988	-12.954	-83.950	0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.796	-0.208	2.251	0.0	0.0
0.0		Min	-2.128	-9.876	-62.271	0.0	-0.0
-0.0							
4673	C1-C2;~1	Max	1.998	4.186	24.628	0.0	0.0
0.0		Min	-1.750	-3.590	-41.197	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.007	4.449	28.416	0.0	0.0
0.0		Min	-1.873	-4.133	-44.043	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.058	2.184	12.414	0.0	0.0
0.0		Min	-0.887	-1.859	-21.792	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.052	2.327	14.068	0.0	0.0
0.0		Min	-0.944	-2.103	-23.455	-0.0	-0.0
-0.0							
-0.0	G1		-0.048	0.558	-16.631	0.0	0.0
-0.0	G2		-0.045	0.223	-6.445	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.799	-0.754	0.483	-0.0	-0.0
0.0	Q5_pc Y		-0.218	1.119	-3.004	0.0	0.0
-0.0	Q5_ps X		1.706	-0.722	0.632	-0.0	-0.0
0.0	Q5_ps Y		-0.203	1.056	-2.784	0.0	0.0
-0.0							
0.0	INVS LU	Max	5.882	1.204	-3.522	0.0	0.0
0.0		Min	-2.594	-12.395	-106.749	0.0	-0.0
0.0							
0.0	INVS LE	Max	4.181	0.493	-3.211	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.857	-9.431	-79.276	0.0	-0.0
0.0							
4674	C1-C2;~1	Max	2.046	4.158	24.013	0.0	0.0
0.0		Min	-1.769	-3.576	-39.616	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.047	4.421	27.703	0.0	0.0
0.0		Min	-1.896	-4.116	-42.349	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.088	2.170	12.132	0.0	0.0
0.0		Min	-0.899	-1.852	-20.943	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.076	2.313	13.745	0.0	0.0
0.0		Min	-0.957	-2.096	-22.537	-0.0	-0.0
-0.0							
0.0	G1		-0.044	0.542	-15.739	0.0	0.0
-0.0							
0.0	G2		-0.048	0.216	-6.095	0.0	0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q5_pc X		1.765	-0.756	0.434	-0.0	-0.0
0.0							
0.0	Q5_pc Y		-0.207	1.124	-2.835	0.0	0.0
-0.0							
0.0	Q5_ps X		1.675	-0.723	0.578	-0.0	-0.0
0.0							
0.0	Q5_ps Y		-0.192	1.061	-2.627	0.0	0.0
-0.0							
0.0	INVS LU	Max	5.744	0.917	-1.790	0.0	0.0
0.0		Min	-2.756	-12.631	-101.462	0.0	-0.0
0.0							
0.0	INVS LE	Max	4.083	0.267	-1.883	0.0	0.0
0.0		Min	-1.978	-9.618	-75.336	0.0	-0.0
0.0							
4675	C1-C2;~1	Max	2.060	4.127	23.328	0.0	0.0
0.0		Min	-1.786	-3.558	-37.922	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.061	4.388	26.908	0.0	0.0
0.0		Min	-1.917	-4.096	-40.535	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.095	2.154	11.814	0.0	0.0
0.0		Min	-0.910	-1.844	-20.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.083	2.298	13.381	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.969	-2.087	-21.558	-0.0	-0.0
-0.0	G1		-0.042	0.525	-14.795	0.0	0.0
0.0	G2		-0.047	0.209	-5.727	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.725	-0.759	0.384	-0.0	-0.0
0.0	Q5_pc Y		-0.198	1.129	-2.661	0.0	0.0
-0.0	Q5_ps X		1.636	-0.725	0.523	-0.0	-0.0
0.0	Q5_ps Y		-0.184	1.066	-2.466	0.0	0.0
-0.0							
	INVSLU	Max	5.613	0.669	-0.028	0.0	0.0
0.0		Min	-2.863	-12.817	-95.866	0.0	-0.0
-0.0							
	INVSLE	Max	3.996	0.073	-0.528	0.0	0.0
0.0		Min	-2.053	-9.766	-71.164	0.0	-0.0
-0.0							
4676	C1-C2;~1	Max	2.039	4.085	22.572	0.0	0.0
0.0		Min	-1.800	-3.534	-36.128	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.055	4.346	26.033	0.0	0.0
0.0		Min	-1.936	-4.068	-38.611	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.078	2.134	11.457	0.0	0.0
0.0		Min	-0.919	-1.834	-19.075	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.075	2.277	12.974	0.0	0.0
0.0		Min	-0.980	-2.074	-20.520	-0.0	-0.0
-0.0							
	G1		-0.041	0.504	-13.810	0.0	0.0
0.0	G2		-0.041	0.202	-5.342	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.678	-0.764	0.334	-0.0	-0.0
0.0	Q5_pc Y		-0.191	1.135	-2.483	0.0	0.0
-0.0	Q5_ps X		1.589	-0.730	0.468	-0.0	-0.0
0.0	Q5_ps Y		-0.179	1.072	-2.300	0.0	0.0
-0.0							
	INVSLU	Max	5.476	0.465	1.704	0.0	0.0
0.0		Min	-2.933	-12.937	-90.035	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	3.909	-0.086	0.805	0.0	0.0
-0.0		Min	-2.096	-9.863	-66.818	0.0	-0.0
4677	C1-C2;~1	Max	1.931	3.760	16.247	0.0	0.0
0.0		Min	-1.888	-3.262	-23.242	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.039	4.018	18.731	0.0	0.0
-0.0		Min	-2.049	-3.747	-24.826	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.995	1.986	8.355	0.0	0.0
0.0		Min	-0.980	-1.721	-12.216	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.054	2.128	9.452	0.0	0.0
-0.0		Min	-1.048	-1.942	-13.127	-0.0	-0.0
0.0	G1		-0.087	0.497	-7.329	-0.0	0.0
0.0	G2		-0.048	0.203	-2.822	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.305	-0.859	0.065	-0.0	-0.0
-0.0	Q5_pc Y		-0.123	1.225	-1.398	0.0	0.0
0.0	Q5_ps X		1.230	-0.821	0.159	-0.0	-0.0
-0.0	Q5_ps Y		-0.118	1.156	-1.294	0.0	0.0
0.0	INVSLU	Max	3.909	0.449	9.336	0.0	0.0
-0.0		Min	-3.959	-12.238	-51.983	0.0	-0.0
0.0	INVSLE	Max	2.798	-0.092	6.730	0.0	0.0
-0.0		Min	-2.855	-9.327	-38.505	0.0	-0.0
4678	C1-C2;~1	Max	2.223	3.783	17.534	0.0	0.0
0.0		Min	-1.904	-3.306	-25.605	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.188	4.037	20.217	0.0	0.0
-0.0		Min	-2.058	-3.799	-27.348	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.200	1.994	8.999	0.0	0.0
-0.0		Min	-0.985	-1.737	-13.468	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.156	2.134	10.183	0.0	0.0
-0.0		Min	-1.050	-1.962	-14.473	-0.0	-0.0
0.0	G1		-0.068	0.450	-8.408	-0.0	0.0
-0.0	G2		-0.057	0.181	-3.235	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.394	-0.831	0.099	-0.0	-0.0
0.0	Q5_pc Y		-0.131	1.205	-1.577	0.0	0.0
-0.0	Q5_ps X		1.321	-0.793	0.197	-0.0	-0.0
0.0	Q5_ps Y		-0.122	1.139	-1.461	0.0	-0.0
-0.0							
0.0	INVSLU	Max	4.492	0.278	8.622	0.0	0.0
-0.0		Min	-3.797	-12.471	-58.429	0.0	-0.0
0.0							
0.0	INVSLE	Max	3.225	-0.220	6.164	0.0	0.0
0.0		Min	-2.729	-9.503	-43.292	0.0	-0.0
4679	C1-C2;~1	Max	2.358	3.820	18.732	0.0	0.0
0.0		Min	-1.909	-3.351	-27.900	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.299	4.072	21.598	0.0	0.0
-0.0		Min	-2.057	-3.853	-29.804	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.293	2.009	9.594	0.0	0.0
0.0		Min	-0.984	-1.755	-14.687	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.233	2.148	10.857	0.0	0.0
-0.0		Min	-1.047	-1.983	-15.787	-0.0	-0.0
0.0	G1		-0.052	0.424	-9.510	-0.0	0.0
-0.0	G2		-0.062	0.169	-3.664	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.474	-0.809	0.145	-0.0	-0.0
0.0	Q5_pc Y		-0.141	1.188	-1.756	0.0	0.0
-0.0	Q5_ps X		1.401	-0.771	0.250	-0.0	-0.0
0.0	Q5_ps Y		-0.129	1.122	-1.626	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	4.976	0.175	7.674	0.0	0.0	
		Min	-3.638	-12.661	-64.879	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	3.578	-0.298	5.423	0.0	0.0	
		Min	-2.605	-9.648	-48.086	0.0	-0.0	
-0.0								
4680 0.0	C1-C2;~1	Max	2.344	3.871	19.836	0.0	0.0	
		Min	-1.892	-3.397	-30.122	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.286	4.122	22.873	0.0	0.0	
		Min	-2.038	-3.907	-32.183	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.283	2.031	10.137	0.0	0.0	
		Min	-0.973	-1.774	-15.870	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.224	2.170	11.474	0.0	0.0	
		Min	-1.036	-2.005	-17.063	-0.0	-0.0	
-0.0								
0.0	G1		-0.041	0.419	-10.623	0.0	0.0	
0.0	G2		-0.058	0.166	-4.097	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.539	-0.792	0.190	-0.0	-0.0	
0.0	Q5_pc Y		-0.154	1.171	-1.937	0.0	0.0	
-0.0								
0.0	Q5_ps X		1.463	-0.755	0.303	-0.0	-0.0	
0.0	Q5_ps Y		-0.141	1.107	-1.794	0.0	-0.0	
-0.0								
0.0	INVS LU	Max	5.237	0.145	6.472	0.0	0.0	
		Min	-3.450	-12.802	-71.340	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	3.765	-0.321	4.490	0.0	0.0	
		Min	-2.465	-9.756	-52.890	0.0	-0.0	
-0.0								
4681 0.0	C1-C2;~1	Max	2.206	3.934	20.847	0.0	0.0	
		Min	-1.856	-3.444	-32.252	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.168	4.188	24.040	0.0	0.0	
		Min	-2.002	-3.963	-34.460	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.188	2.061	10.631	0.0	0.0
-0.0		Min	-0.953	-1.794	-17.004	-0.0	-0.0
0.0	C3-C4;~2	Max	1.144	2.201	12.033	0.0	0.0
-0.0		Min	-1.016	-2.029	-18.286	-0.0	-0.0
0.0	G1		-0.037	0.434	-11.725	0.0	0.0
0.0	G2		-0.046	0.174	-4.526	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.588	-0.780	0.236	-0.0	-0.0
-0.0	Q5_pc Y		-0.170	1.156	-2.119	0.0	0.0
0.0	Q5_ps X		1.506	-0.744	0.357	-0.0	-0.0
-0.0	Q5_ps Y		-0.158	1.092	-1.963	0.0	0.0
0.0	INVSLU	Max	5.307	0.191	5.081	0.0	0.0
-0.0		Min	-3.232	-12.894	-77.708	0.0	-0.0
0.0	INVSLE	Max	3.808	-0.289	3.414	0.0	0.0
-0.0		Min	-2.305	-9.828	-57.629	0.0	-0.0
4682	C1-C2;~1	Max	2.116	3.760	14.868	0.0	0.0
0.0		Min	-1.918	-3.222	-20.855	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.092	4.019	17.143	0.0	0.0
-0.0		Min	-2.069	-3.697	-22.274	-0.0	-0.0
0.0	C1-C2;~2	Max	1.129	1.989	7.660	0.0	0.0
-0.0		Min	-0.997	-1.706	-10.951	-0.0	-0.0
0.0	C3-C4;~2	Max	1.093	2.132	8.667	0.0	0.0
-0.0		Min	-1.059	-1.924	-11.765	-0.0	-0.0
0.0	G1		-0.117	0.564	-6.291	-0.0	0.0
0.0	G2		-0.075	0.226	-2.413	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.250	-0.883	0.028	-0.0	-0.0
-0.0	Q5_pc Y		-0.101	1.250	-1.233	0.0	0.0
0.0	Q5_ps X		1.184	-0.843	0.109	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.094	1.180	-1.142	0.0	-0.0
0.0	INVS LU Max		3.558	0.664	9.688	0.0	0.0
-0.0	Min		-4.342	-12.001	-45.744	0.0	-0.0
0.0	INVS LE Max		2.539	0.068	7.022	0.0	0.0
-0.0	Min		-3.146	-9.147	-33.874	0.0	-0.0
4683 0.0	C1-C2;~1 Max		2.176	3.777	13.394	0.0	0.0
-0.0	Min		-1.936	-3.185	-18.422	-0.0	-0.0
0.0	C3-C4;~1 Max		2.107	4.040	15.444	0.0	0.0
-0.0	Min		-2.080	-3.650	-19.678	-0.0	-0.0
0.0	C1-C2;~2 Max		1.174	2.000	6.913	0.0	0.0
-0.0	Min		-1.007	-1.693	-9.665	-0.0	-0.0
0.0	C3-C4;~2 Max		1.107	2.147	7.821	0.0	0.0
-0.0	Min		-1.066	-1.907	-10.383	-0.0	-0.0
0.0	G1		-0.150	0.655	-5.307	0.0	0.0
0.0	G2		-0.097	0.259	-2.032	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.188	-0.913	-0.003	-0.0	-0.0
-0.0	Q5_pc Y		-0.081	1.276	-1.067	0.0	0.0
0.0	Q5_ps X		1.129	-0.872	0.070	-0.0	-0.0
-0.0	Q5_ps Y		-0.074	1.205	-0.989	0.0	-0.0
0.0	INVS LU Max		3.232	0.970	9.703	0.0	0.0
-0.0	Min		-4.652	-11.708	-39.632	0.0	-0.0
0.0	INVS LE Max		2.299	0.295	7.061	0.0	0.0
-0.0	Min		-3.382	-8.926	-29.341	0.0	-0.0
4684 0.0	C1-C2;~1 Max		2.111	3.816	11.814	0.0	0.0
-0.0	Min		-1.930	-3.150	-15.954	-0.0	-0.0
0.0	C3-C4;~1 Max		2.052	4.087	13.620	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.079	-3.607	-17.042	-0.0	-0.0
0.0	C1-C2;~2	Max	1.136	2.023	6.107	0.0	0.0
-0.0		Min	-1.008	-1.682	-8.363	-0.0	-0.0
0.0	C3-C4;~2	Max	1.075	2.175	6.908	0.0	0.0
-0.0		Min	-1.067	-1.893	-8.984	-0.0	-0.0
0.0	G1		-0.188	0.780	-4.391	0.0	0.0
-0.0	G2		-0.110	0.309	-1.677	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.116	-0.948	-0.026	-0.0	-0.0
0.0	Q5_pc Y		-0.067	1.305	-0.909	0.0	0.0
-0.0	Q5_ps X		1.060	-0.906	0.038	-0.0	-0.0
0.0	Q5_ps Y		-0.061	1.231	-0.842	0.0	-0.0
-0.0							
0.0	INVSLU	Max	2.864	1.414	9.313	0.0	0.0
-0.0		Min	-4.802	-11.321	-33.717	0.0	-0.0
0.0	INVSLE	Max	2.030	0.625	6.796	0.0	0.0
-0.0		Min	-3.500	-8.635	-24.956	0.0	-0.0
4685	C1-C2;~1	Max	1.940	3.833	10.195	0.0	0.0
0.0		Min	-1.901	-3.127	-13.571	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.950	4.110	11.749	0.0	0.0
-0.0		Min	-2.056	-3.580	-14.507	-0.0	-0.0
0.0	C1-C2;~2	Max	1.021	2.034	5.277	0.0	0.0
-0.0		Min	-0.995	-1.674	-7.108	-0.0	-0.0
0.0	C3-C4;~2	Max	1.011	2.189	5.967	0.0	0.0
-0.0		Min	-1.057	-1.884	-7.641	-0.0	-0.0
0.0	G1		-0.211	0.850	-3.605	0.0	0.0
-0.0	G2		-0.110	0.338	-1.373	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.038	-0.979	-0.053	-0.0	-0.0
0.0	Q5_pc Y		-0.052	1.322	-0.758	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.982	-0.937	0.003	-0.0	-0.0
0.0	Q5_ps Y	-0.049	1.247	-0.702	0.0	-0.0
-0.0						
	INVS LU Max	2.520	1.670	8.598	0.0	0.0
0.0	Min	-4.756	-11.090	-28.212	-0.0	-0.0
-0.0						
	INVS LE Max	1.780	0.814	6.291	0.0	0.0
0.0	Min	-3.471	-8.461	-20.875	-0.0	-0.0
-0.0						
4686	C1-C2;~1 Max	1.754	3.855	8.502	0.0	0.0
0.0	Min	-1.870	-3.103	-11.155	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.884	4.138	9.792	0.0	0.0
0.0	Min	-2.033	-3.550	-11.944	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.897	2.048	4.407	0.0	0.0
0.0	Min	-0.982	-1.666	-5.839	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.975	2.205	4.979	0.0	0.0
0.0	Min	-1.047	-1.874	-6.285	-0.0	-0.0
-0.0						
	G1	-0.236	0.932	-2.863	0.0	0.0
0.0	G2	-0.110	0.373	-1.095	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.962	-1.013	-0.062	-0.0	-0.0
0.0	Q5_pc Y	-0.039	1.340	-0.609	0.0	0.0
-0.0						
	Q5_ps X	0.906	-0.971	-0.011	-0.0	-0.0
0.0	Q5_ps Y	-0.038	1.263	-0.562	0.0	0.0
-0.0						
	INVS LU Max	2.345	1.980	7.629	0.0	0.0
0.0	Min	-4.674	-10.810	-22.812	-0.0	-0.0
-0.0						
	INVS LE Max	1.655	1.044	5.593	0.0	0.0
0.0	Min	-3.417	-8.251	-16.874	-0.0	-0.0
-0.0						
4687	C1-C2;~1 Max	1.753	3.887	6.867	0.0	0.0
0.0	Min	-1.868	-3.082	-8.913	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.859	4.175	7.905	0.0	0.0
-0.0		Min	-2.034	-3.525	-9.546	-0.0	-0.0
0.0	C1-C2;~2	Max	0.900	2.065	3.564	0.0	0.0
-0.0		Min	-0.982	-1.659	-4.660	-0.0	-0.0
0.0	C3-C4;~2	Max	0.962	2.226	4.024	0.0	0.0
-0.0		Min	-1.048	-1.866	-5.018	-0.0	-0.0
0.0	G1		-0.266	1.020	-2.221	0.0	0.0
0.0	G2		-0.128	0.405	-0.842	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.910	-1.043	-0.075	-0.0	-0.0
-0.0	Q5_pc Y		-0.020	1.361	-0.481	0.0	0.0
0.0	Q5_ps X		0.859	-0.999	-0.035	0.0	-0.0
-0.0	Q5_ps Y		-0.019	1.283	-0.445	0.0	-0.0
0.0	INVSLU	Max	2.207	2.308	6.445	0.0	0.0
-0.0		Min	-4.686	-10.535	-17.980	-0.0	-0.0
0.0	INVSLE	Max	1.554	1.287	4.733	0.0	0.0
-0.0		Min	-3.430	-8.045	-13.296	-0.0	-0.0
4688	C1-C2;~1	Max	1.777	3.929	5.182	0.0	0.0
0.0		Min	-1.858	-3.062	-6.677	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.829	4.223	5.957	0.0	0.0
-0.0		Min	-2.029	-3.504	-7.163	-0.0	-0.0
0.0	C1-C2;~2	Max	0.926	2.087	2.693	0.0	0.0
-0.0		Min	-0.978	-1.653	-3.488	-0.0	-0.0
0.0	C3-C4;~2	Max	0.946	2.251	3.036	0.0	0.0
-0.0		Min	-1.046	-1.859	-3.761	-0.0	-0.0
-0.0	G1		-0.296	1.121	-1.645	0.0	0.0
0.0	G2		-0.145	0.443	-0.623	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.860	-1.076	-0.078	0.0	-0.0
-0.0	Q5_pc Y		-0.002	1.382	-0.354	0.0	-0.0
0.0	Q5_ps X		0.813	-1.030	-0.045	0.0	-0.0
-0.0	Q5_ps Y		-0.002	1.303	-0.327	0.0	-0.0
0.0	INVS LU	Max	2.093	2.691	5.018	0.0	0.0
-0.0		Min	-4.663	-10.227	-13.332	-0.0	-0.0
0.0	INVS LE	Max	1.472	1.571	3.690	0.0	0.0
-0.0		Min	-3.417	-7.814	-9.855	-0.0	-0.0
4689	C1-C2;~1	Max	1.717	4.007	3.444	0.0	0.0
0.0		Min	-1.834	-3.074	-4.473	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.786	4.321	3.946	0.0	0.0
-0.0		Min	-2.012	-3.521	-4.813	-0.0	-0.0
0.0	C1-C2;~2	Max	0.893	2.125	1.792	0.0	0.0
-0.0		Min	-0.967	-1.659	-2.333	-0.0	-0.0
0.0	C3-C4;~2	Max	0.926	2.298	2.013	0.0	0.0
-0.0		Min	-1.038	-1.869	-2.524	-0.0	-0.0
-0.0	G1		-0.327	1.236	-1.158	0.0	0.0
-0.0	G2		-0.156	0.488	-0.438	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.808	-1.111	-0.073	0.0	-0.0
-0.0	Q5_pc Y		0.012	1.403	-0.234	0.0	-0.0
0.0	Q5_ps X		0.764	-1.064	-0.049	0.0	-0.0
-0.0	Q5_ps Y		0.012	1.322	-0.214	0.0	-0.0
0.0	INVS LU	Max	1.998	3.186	3.299	0.0	0.0
-0.0		Min	-4.584	-9.927	-8.946	-0.0	-0.0
0.0	INVS LE	Max	1.405	1.937	2.431	0.0	0.0
-0.0		Min	-3.363	-7.589	-6.609	-0.0	-0.0
4690	C1-C2;~1	Max	1.592	4.103	1.650	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.796	-3.096	-2.323	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.730	4.436	1.862	0.0	0.0
0.0		Min	-1.982	-3.546	-2.526	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.816	2.170	0.860	0.0	0.0
0.0		Min	-0.951	-1.671	-1.209	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.899	2.352	0.951	0.0	0.0
0.0		Min	-1.025	-1.881	-1.323	-0.0	-0.0
-0.0							
-0.0	G1		-0.357	1.365	-0.799	0.0	0.0
-0.0	G2		-0.161	0.540	-0.303	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.759	-1.147	-0.065	0.0	-0.0
0.0	Q5_pc Y		0.022	1.424	-0.120	0.0	-0.0
-0.0	Q5_ps X		0.714	-1.100	-0.047	0.0	-0.0
0.0	Q5_ps Y		0.020	1.341	-0.108	0.0	-0.0
-0.0							
0.0	INVSLU	Max	1.898	3.740	1.212	0.0	0.0
0.0		Min	-4.479	-9.600	-4.929	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.333	2.347	0.897	0.0	0.0
0.0		Min	-3.289	-7.344	-3.636	-0.0	-0.0
-0.0							
4691	C1-C2;~1	Max	1.522	4.208	0.080	0.0	0.0
0.0		Min	-1.762	-3.122	-0.468	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.669	4.561	0.071	0.0	0.0
0.0		Min	-1.947	-3.573	-0.672	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.784	2.220	0.038	0.0	0.0
0.0		Min	-0.935	-1.683	-0.223	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.870	2.410	0.035	0.0	0.0
0.0		Min	-1.010	-1.894	-0.334	-0.0	-0.0
-0.0							
0.0	G1		-0.391	1.505	-0.613	-0.0	0.0
0.0	G2		-0.165	0.597	-0.236	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.722	-1.180	-0.055	0.0	0.0
0.0	Q5_pc Y		0.030	1.446	-0.014	0.0	-0.0
-0.0	Q5_ps X		0.676	-1.134	-0.041	0.0	-0.0
0.0	Q5_ps Y		0.026	1.360	-0.007	0.0	-0.0
-0.0							
	INVS LU	Max	1.750	4.318	-0.774	0.0	0.0
0.0		Min	-4.431	-9.266	-1.889	-0.0	-0.0
-0.0							
	INVS LE	Max	1.226	2.775	-0.564	0.0	0.0
0.0		Min	-3.257	-7.094	-1.382	-0.0	-0.0
-0.0							
4692	C1-C2;~1	Max	1.134	4.672	8.659	0.0	0.0
0.0		Min	-1.559	-3.246	-11.048	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.276	5.098	9.009	0.0	0.0
0.0		Min	-1.748	-3.715	-13.112	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.589	2.438	4.503	0.0	0.0
0.0		Min	-0.841	-1.742	-5.804	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.672	2.661	4.700	0.0	0.0
0.0		Min	-0.919	-1.962	-6.765	-0.0	-0.0
-0.0							
	G1		-0.635	2.058	-3.216	-0.0	-0.0
0.0	G2		-0.267	0.810	-1.266	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.822	-1.250	0.110	0.0	-0.0
-0.0	Q5_pc Y		0.050	1.546	0.364	0.0	-0.0
-0.0	Q5_ps X		0.775	-1.203	0.123	0.0	-0.0
-0.0	Q5_ps Y		0.047	1.454	0.367	0.0	-0.0
-0.0							
	INVS LU	Max	0.220	6.509	6.781	0.0	-0.0
0.0		Min	-5.343	-8.171	-23.737	-0.0	-0.0
-0.0							
	INVS LE	Max	0.077	4.397	5.039	0.0	-0.0
0.0		Min	-3.934	-6.271	-17.518	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4693	C1-C2;~1	Max	1.459	4.319	1.703	0.0	0.0
0.0		Min	-1.743	-3.151	-2.316	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.607	4.690	1.743	0.0	0.0
0.0		Min	-1.938	-3.608	-2.790	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.751	2.271	0.890	0.0	0.0
0.0		Min	-0.927	-1.697	-1.208	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.837	2.470	0.912	0.0	0.0
0.0		Min	-1.006	-1.911	-1.431	-0.0	-0.0
-0.0							
	G1		-0.455	1.639	-0.861	-0.0	-0.0
0.0	G2		-0.199	0.646	-0.334	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.732	-1.200	-0.022	0.0	-0.0
-0.0	Q5_pc Y		0.040	1.468	0.074	0.0	-0.0
-0.0	Q5_ps X		0.689	-1.152	-0.012	0.0	-0.0
-0.0	Q5_ps Y		0.037	1.382	0.078	0.0	-0.0
-0.0							
	INVSLU	Max	1.431	4.843	1.116	0.0	0.0
0.0		Min	-4.670	-9.002	-5.138	-0.0	-0.0
-0.0							
	INVSLE	Max	0.987	3.164	0.841	0.0	0.0
0.0		Min	-3.435	-6.896	-3.782	-0.0	-0.0
-0.0							
4694	C1-C2;~1	Max	1.395	4.424	3.541	0.0	0.0
0.0		Min	-1.718	-3.179	-4.454	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.540	4.811	3.670	0.0	0.0
0.0		Min	-1.918	-3.641	-5.310	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.717	2.320	1.847	0.0	0.0
0.0		Min	-0.916	-1.710	-2.330	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.802	2.526	1.919	0.0	0.0
0.0		Min	-0.997	-1.926	-2.729	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-0.514	1.762	-1.289	-0.0	-0.0
0.0	G2	-0.229	0.691	-0.502	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.754	-1.214	0.010	0.0	-0.0
-0.0	Q5_pc Y	0.048	1.490	0.156	0.0	-0.0
-0.0	Q5_ps X	0.713	-1.166	0.019	0.0	-0.0
-0.0	Q5_ps Y	0.046	1.402	0.158	0.0	-0.0
0.0	INVS LU Max	1.082	5.316	3.055	0.0	0.0
-0.0	Min	-4.942	-8.776	-9.348	-0.0	-0.0
0.0	INVS LE Max	0.725	3.514	2.279	0.0	0.0
-0.0	Min	-3.637	-6.726	-6.888	-0.0	-0.0
4695 0.0	C1-C2;~1 Max	1.319	4.517	5.310	0.0	0.0
-0.0	Min	-1.679	-3.204	-6.639	-0.0	-0.0
0.0	C3-C4;~1 Max	1.462	4.919	5.518	0.0	0.0
-0.0	Min	-1.879	-3.670	-7.891	-0.0	-0.0
0.0	C1-C2;~2 Max	0.678	2.364	2.766	0.0	0.0
-0.0	Min	-0.898	-1.722	-3.478	-0.0	-0.0
0.0	C3-C4;~2 Max	0.762	2.576	2.883	0.0	0.0
-0.0	Min	-0.979	-1.940	-4.061	-0.0	-0.0
0.0	G1	-0.563	1.872	-1.848	-0.0	-0.0
0.0	G2	-0.250	0.733	-0.722	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.777	-1.227	0.040	0.0	-0.0
-0.0	Q5_pc Y	0.052	1.510	0.231	0.0	-0.0
-0.0	Q5_ps X	0.736	-1.179	0.049	0.0	-0.0
-0.0	Q5_ps Y	0.050	1.421	0.232	0.0	-0.0
0.0	INVS LU Max	0.753	5.747	4.596	0.0	0.0
-0.0	Min	-5.156	-8.567	-13.921	-0.0	-0.0
	INVS LE Max	0.478	3.832	3.422	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.796	-6.569	-10.264	-0.0	-0.0
-0.0							
4696	C1-C2;~1	Max	1.231	4.599	7.015	0.0	0.0
0.0		Min	-1.625	-3.226	-8.844	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.373	5.014	7.296	0.0	0.0
0.0		Min	-1.821	-3.694	-10.497	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.636	2.403	3.651	0.0	0.0
0.0		Min	-0.873	-1.732	-4.639	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.719	2.621	3.810	0.0	0.0
0.0		Min	-0.952	-1.952	-5.409	-0.0	-0.0
-0.0							
0.0	G1		-0.603	1.971	-2.498	-0.0	-0.0
0.0	G2		-0.261	0.773	-0.976	-0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.799	-1.240	0.072	0.0	-0.0
-0.0	Q5_pc Y		0.052	1.529	0.298	0.0	-0.0
-0.0	Q5_ps X		0.755	-1.192	0.082	0.0	-0.0
-0.0	Q5_ps Y		0.049	1.438	0.300	0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.467	6.143	5.819	0.0	0.0
0.0		Min	-5.283	-8.364	-18.740	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.263	4.126	4.328	0.0	0.0
0.0		Min	-3.890	-6.417	-13.824	-0.0	-0.0
-0.0							
4697	C1-C2;~1	Max	0.662	5.114	16.101	0.0	0.0
0.0		Min	-1.211	-3.402	-22.515	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.786	5.595	16.747	0.0	0.0
0.0		Min	-1.366	-3.889	-26.681	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.349	2.654	8.330	0.0	0.0
0.0		Min	-0.664	-1.814	-11.903	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.422	2.902	8.692	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.731	-2.043	-13.852	-0.0	-0.0
-0.0	G1		-0.787	2.478	-7.982	-0.0	0.0
-0.0	G2		-0.324	0.976	-3.144	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.022	-1.263	0.296	0.0	0.0
-0.0	Q5_pc Y		0.030	1.661	0.577	-0.0	-0.0
-0.0	Q5_ps X		0.965	-1.219	0.318	0.0	-0.0
-0.0	Q5_ps Y		0.028	1.561	0.592	0.0	-0.0
	INVSLU	Max	-0.315	8.825	6.902	-0.0	0.0
0.0		Min	-5.095	-6.968	-52.765	-0.0	-0.0
-0.0							
	INVSLE	Max	-0.367	6.115	5.098	-0.0	0.0
0.0		Min	-3.745	-5.362	-39.022	-0.0	-0.0
-0.0							
4698	C1-C2;~1	Max	1.053	4.749	10.312	0.0	0.0
0.0		Min	-1.495	-3.270	-13.361	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.191	5.182	10.732	0.0	0.0
0.0		Min	-1.690	-3.744	-15.835	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.548	2.474	5.358	0.0	0.0
0.0		Min	-0.810	-1.753	-7.027	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.629	2.701	5.594	0.0	0.0
0.0		Min	-0.890	-1.975	-8.179	-0.0	-0.0
-0.0							
	G1		-0.668	2.136	-4.021	-0.0	-0.0
0.0							
	G2		-0.290	0.836	-1.575	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.866	-1.250	0.144	0.0	-0.0
-0.0							
	Q5_pc Y		0.055	1.566	0.418	0.0	-0.0
-0.0							
	Q5_ps X		0.819	-1.202	0.155	0.0	-0.0
-0.0							
	Q5_ps Y		0.054	1.473	0.421	0.0	-0.0
-0.0							
	INVSLU	Max	-0.025	6.845	7.458	0.0	0.0
0.0		Min	-5.473	-8.025	-29.160	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	-0.109	4.645	5.539	0.0	0.0
-0.0		Min	-4.029	-6.160	-21.530	-0.0	-0.0
4699	C1-C2;~1	Max	0.980	4.817	11.878	0.0	0.0
0.0		Min	-1.436	-3.293	-15.629	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.113	5.259	12.364	0.0	0.0
-0.0		Min	-1.633	-3.772	-18.511	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.509	2.505	6.166	0.0	0.0
-0.0		Min	-0.779	-1.763	-8.230	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.588	2.736	6.439	0.0	0.0
-0.0		Min	-0.862	-1.987	-9.573	-0.0	-0.0
-0.0	G1		-0.696	2.203	-4.870	-0.0	-0.0
0.0	G2		-0.310	0.859	-1.910	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.910	-1.246	0.191	0.0	-0.0
-0.0	Q5_pc Y		0.060	1.584	0.467	0.0	-0.0
-0.0	Q5_ps X		0.864	-1.198	0.203	0.0	-0.0
-0.0	Q5_ps Y		0.060	1.491	0.471	0.0	-0.0
0.0	INVSLU	Max	-0.204	7.150	7.864	0.0	0.0
-0.0		Min	-5.549	-7.892	-34.657	-0.0	-0.0
0.0	INVSLE	Max	-0.247	4.871	5.835	0.0	0.0
-0.0		Min	-4.085	-6.060	-25.600	-0.0	-0.0
4700	C1-C2;~1	Max	0.916	4.938	13.400	0.0	0.0
0.0		Min	-1.373	-3.334	-17.974	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.008	5.396	13.947	0.0	0.0
-0.0		Min	-1.570	-3.819	-21.293	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.485	2.564	6.949	0.0	0.0
		Min	-0.747	-1.782	-9.476	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.534	2.802	7.256	0.0	0.0
-0.0		Min	-0.831	-2.009	-11.025	-0.0	-0.0
-0.0	G1		-0.741	2.321	-5.847	-0.0	0.0
-0.0	G2		-0.330	0.904	-2.296	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.954	-1.251	0.225	0.0	-0.0
-0.0	Q5_pc Y		0.055	1.614	0.512	0.0	-0.0
-0.0	Q5_ps X		0.907	-1.203	0.240	0.0	-0.0
-0.0	Q5_ps Y		0.056	1.518	0.519	0.0	-0.0
0.0	INVSLU	Max	-0.376	7.756	7.940	0.0	0.0
-0.0		Min	-5.574	-7.588	-40.555	-0.0	-0.0
0.0	INVSLE	Max	-0.379	5.320	5.886	0.0	0.0
-0.0		Min	-4.102	-5.831	-29.968	-0.0	-0.0
4701	C1-C2;~1	Max	0.770	5.033	14.802	0.0	0.0
0.0		Min	-1.295	-3.369	-20.270	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.896	5.504	15.402	0.0	0.0
0.0		Min	-1.477	-3.857	-24.012	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.403	2.612	7.667	0.0	0.0
0.0		Min	-0.707	-1.799	-10.701	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.478	2.856	8.003	0.0	0.0
0.0		Min	-0.786	-2.027	-12.449	-0.0	-0.0
-0.0	G1		-0.770	2.411	-6.889	-0.0	0.0
-0.0	G2		-0.333	0.943	-2.706	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.991	-1.257	0.261	0.0	-0.0
0.0	Q5_pc Y		0.044	1.639	0.546	0.0	-0.0
-0.0	Q5_ps X		0.940	-1.211	0.277	0.0	-0.0
0.0	Q5_ps Y		0.045	1.541	0.556	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	-0.402	8.313	7.590	0.0	0.0
		Min	-5.389	-7.274	-46.602	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	-0.402	5.734	5.619	-0.0	0.0
		Min	-3.964	-5.593	-34.451	-0.0	-0.0
-0.0							
4702 0.0	C1-C2;~1	Max	0.344	5.380	21.078	0.0	0.0
		Min	-0.868	-3.564	-32.725	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.427	5.859	21.895	0.0	0.0
		Min	-0.859	-4.073	-38.795	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.179	2.798	10.827	0.0	0.0
		Min	-0.451	-1.888	-17.409	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.224	3.047	11.281	0.0	0.0
		Min	-0.445	-2.127	-20.268	-0.0	-0.0
-0.0							
-0.0	G1		-0.768	2.509	-13.722	-0.0	0.0
-0.0	G2		-0.317	0.988	-5.405	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.229	-1.241	0.453	0.0	-0.0
-0.0	Q5_pc Y		-0.011	1.772	0.586	-0.0	-0.0
0.0	Q5_ps X		1.162	-1.198	0.489	0.0	-0.0
-0.0	Q5_ps Y		-0.010	1.666	0.625	-0.0	-0.0
0.0							
0.0	INVS LU	Max	0.177	10.173	-0.780	-0.0	0.0
		Min	-4.220	-6.425	-83.766	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	-0.063	7.107	-0.688	-0.0	0.0
		Min	-3.062	-4.951	-62.081	-0.0	-0.0
-0.0							
4703 0.0	C1-C2;~1	Max	0.450	5.359	20.268	0.0	0.0
		Min	-0.931	-3.536	-30.859	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.495	5.841	21.060	0.0	0.0
		Min	-0.967	-4.048	-36.570	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.246	2.783	10.427	0.0	0.0
-0.0		Min	-0.491	-1.876	-16.396	-0.0	-0.0
0.0	C3-C4;~2	Max	0.265	3.033	10.868	0.0	0.0
-0.0		Min	-0.506	-2.115	-19.083	-0.0	-0.0
-0.0	G1		-0.788	2.543	-12.583	-0.0	0.0
-0.0	G2		-0.341	0.994	-4.949	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.207	-1.238	0.424	0.0	-0.0
0.0	Q5_pc Y		0.006	1.756	0.593	-0.0	-0.0
-0.0	Q5_ps X		1.146	-1.194	0.455	0.0	-0.0
0.0	Q5_ps Y		0.010	1.652	0.624	-0.0	-0.0
0.0	INVSLU	Max	0.070	10.038	1.116	-0.0	0.0
-0.0		Min	-4.408	-6.475	-77.752	-0.0	-0.0
0.0	INVSLE	Max	-0.132	7.010	0.737	-0.0	0.0
-0.0		Min	-3.234	-4.988	-57.604	-0.0	-0.0
4704	C1-C2;~1	Max	0.572	5.325	19.377	0.0	0.0
0.0		Min	-0.997	-3.509	-28.906	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.582	5.808	20.140	0.0	0.0
-0.0		Min	-1.073	-4.020	-34.253	-0.0	-0.0
0.0	C1-C2;~2	Max	0.324	2.762	9.983	0.0	0.0
-0.0		Min	-0.533	-1.863	-15.339	-0.0	-0.0
0.0	C3-C4;~2	Max	0.319	3.012	10.409	0.0	0.0
-0.0		Min	-0.566	-2.102	-17.851	-0.0	-0.0
-0.0	G1		-0.800	2.556	-11.434	-0.0	0.0
-0.0	G2		-0.356	0.994	-4.497	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.175	-1.240	0.395	0.0	-0.0
0.0	Q5_pc Y		0.019	1.737	0.599	-0.0	-0.0
-0.0	Q5_ps X		1.118	-1.194	0.423	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.024	1.635	0.626	0.0	-0.0
0.0	INVS LU	Max	-0.006	9.848	2.899	-0.0	0.0
-0.0		Min	-4.627	-6.548	-71.610	-0.0	-0.0
0.0	INVS LE	Max	-0.179	6.872	2.082	-0.0	0.0
-0.0		Min	-3.399	-5.042	-53.031	-0.0	-0.0
4705 0.0	C1-C2;~1	Max	0.596	5.272	18.385	0.0	0.0
-0.0		Min	-1.062	-3.478	-26.853	-0.0	-0.0
0.0	C3-C4;~1	Max	0.631	5.755	19.114	0.0	0.0
-0.0		Min	-1.175	-3.983	-31.817	-0.0	-0.0
0.0	C1-C2;~2	Max	0.330	2.733	9.486	0.0	0.0
-0.0		Min	-0.574	-1.849	-14.232	-0.0	-0.0
0.0	C3-C4;~2	Max	0.342	2.983	9.893	0.0	0.0
-0.0		Min	-0.624	-2.085	-16.560	-0.0	-0.0
-0.0	G1		-0.805	2.549	-10.271	-0.0	0.0
0.0	G2		-0.357	0.992	-4.039	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.133	-1.245	0.363	0.0	-0.0
-0.0	Q5_pc Y		0.027	1.715	0.598	-0.0	-0.0
-0.0	Q5_ps X		1.078	-1.199	0.388	0.0	-0.0
-0.0	Q5_ps Y		0.032	1.614	0.620	0.0	-0.0
0.0	INVS LU	Max	-0.132	9.582	4.489	-0.0	0.0
-0.0		Min	-4.817	-6.652	-65.344	-0.0	-0.0
0.0	INVS LE	Max	-0.263	6.676	3.279	-0.0	0.0
-0.0		Min	-3.537	-5.121	-48.369	-0.0	-0.0
4706 0.0	C1-C2;~1	Max	0.579	5.201	17.292	0.0	0.0
-0.0		Min	-1.132	-3.442	-24.722	-0.0	-0.0
0.0	C3-C4;~1	Max	0.696	5.683	17.983	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.274	-3.938	-29.287	-0.0	-0.0
0.0	C1-C2;~2	Max	0.303	2.697	8.935	0.0	0.0
-0.0		Min	-0.616	-1.832	-13.086	-0.0	-0.0
0.0	C3-C4;~2	Max	0.374	2.946	9.321	0.0	0.0
-0.0		Min	-0.680	-2.065	-15.224	-0.0	-0.0
-0.0		G1	-0.801	2.523	-9.116	-0.0	0.0
0.0		G2	-0.346	0.986	-3.583	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.081	-1.254	0.327	0.0	-0.0
-0.0		Q5_pc Y	0.030	1.689	0.589	0.0	-0.0
-0.0		Q5_ps X	1.025	-1.208	0.349	0.0	-0.0
-0.0		Q5_ps Y	0.032	1.589	0.606	0.0	-0.0
0.0	INVSLU	Max	-0.233	9.240	5.815	-0.0	0.0
-0.0		Min	-4.968	-6.788	-59.060	-0.0	-0.0
0.0	INVSLE	Max	-0.328	6.423	4.279	-0.0	0.0
-0.0		Min	-3.649	-5.225	-43.698	-0.0	-0.0
4707	C1-C2;~1	Max	0.371	5.397	23.787	0.0	0.0
0.0		Min	-0.871	-3.612	-40.200	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.458	5.860	24.681	0.0	0.0
-0.0		Min	-0.857	-4.120	-47.642	-0.0	-0.0
0.0	C1-C2;~2	Max	0.184	2.807	12.120	0.0	0.0
-0.0		Min	-0.440	-1.904	-21.495	-0.0	-0.0
0.0	C3-C4;~2	Max	0.225	3.048	12.614	0.0	0.0
-0.0		Min	-0.444	-2.143	-25.019	-0.0	-0.0
0.0		G1	-0.717	2.408	-18.564	-0.0	0.0
0.0		G2	-0.298	0.947	-7.315	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.356	-1.193	0.576	0.0	-0.0
		Q5_pc Y	-0.042	1.816	0.458	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.283	-1.152	0.624	0.0	-0.0
0.0	Q5_ps Y		-0.039	1.708	0.523	0.0	-0.0
0.0	INVS LU	Max	1.291	9.710	-11.425	-0.0	0.0
-0.0		Min	-3.460	-7.032	-110.098	-0.0	-0.0
0.0	INVS LE	Max	0.745	6.704	-8.722	-0.0	0.0
-0.0		Min	-2.490	-5.455	-81.736	-0.0	-0.0
4708	C1-C2;~1	Max	0.331	5.402	21.730	0.0	0.0
0.0		Min	-0.807	-3.586	-34.376	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.415	5.871	22.567	0.0	0.0
-0.0		Min	-0.782	-4.101	-40.742	-0.0	-0.0
0.0	C1-C2;~2	Max	0.170	2.810	11.144	0.0	0.0
-0.0		Min	-0.407	-1.897	-18.306	-0.0	-0.0
0.0	C3-C4;~2	Max	0.215	3.055	11.609	0.0	0.0
-0.0		Min	-0.392	-2.139	-21.308	-0.0	-0.0
0.0	G1		-0.749	2.478	-14.755	-0.0	0.0
-0.0	G2		-0.321	0.971	-5.808	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.267	-1.230	0.485	0.0	-0.0
-0.0	Q5_pc Y		-0.014	1.790	0.555	-0.0	-0.0
-0.0	Q5_ps X		1.201	-1.187	0.521	0.0	-0.0
-0.0	Q5_ps Y		-0.010	1.684	0.598	0.0	-0.0
0.0	INVS LU	Max	0.295	10.175	-3.068	-0.0	0.0
-0.0		Min	-4.146	-6.509	-89.535	-0.0	-0.0
0.0	INVS LE	Max	0.010	7.099	-2.423	-0.0	0.0
-0.0		Min	-3.014	-5.021	-66.398	-0.0	-0.0
4709	C1-C2;~1	Max	0.364	5.411	22.349	0.0	0.0
0.0		Min	-0.790	-3.598	-35.991	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	0.416	5.876	23.205	0.0	0.0
-0.0		Min	-0.775	-4.116	-42.655	-0.0	-0.0
0.0	C1-C2;~2	Max	0.192	2.815	11.444	0.0	0.0
-0.0		Min	-0.392	-1.902	-19.186	-0.0	-0.0
0.0	C3-C4;~2	Max	0.213	3.058	11.918	0.0	0.0
-0.0		Min	-0.387	-2.144	-22.332	-0.0	-0.0
-0.0	G1		-0.737	2.459	-15.781	-0.0	0.0
0.0	G2		-0.321	0.960	-6.213	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.297	-1.219	0.512	0.0	-0.0
-0.0	Q5_pc Y		-0.018	1.801	0.532	0.0	-0.0
-0.0	Q5_ps X		1.230	-1.175	0.551	0.0	-0.0
-0.0	Q5_ps Y		-0.013	1.695	0.580	0.0	-0.0
0.0	INVSLU	Max	0.459	10.098	-5.201	-0.0	0.0
-0.0		Min	-4.049	-6.633	-95.068	-0.0	-0.0
0.0	INVSLE	Max	0.121	7.027	-4.031	-0.0	0.0
-0.0		Min	-2.944	-5.126	-70.529	-0.0	-0.0
4710	C1-C2;~1	Max	0.392	5.413	22.898	0.0	0.0
0.0		Min	-0.802	-3.605	-37.508	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.424	5.875	23.769	0.0	0.0
-0.0		Min	-0.802	-4.123	-44.449	-0.0	-0.0
0.0	C1-C2;~2	Max	0.209	2.815	11.705	0.0	0.0
-0.0		Min	-0.397	-1.904	-20.016	-0.0	-0.0
0.0	C3-C4;~2	Max	0.213	3.057	12.188	0.0	0.0
-0.0		Min	-0.406	-2.146	-23.296	-0.0	-0.0
0.0	G1		-0.728	2.443	-16.764	-0.0	0.0
-0.0	G2		-0.318	0.953	-6.600	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.322	-1.209	0.536	0.0	-0.0
0.0	Q5_pc Y		-0.023	1.809	0.507	0.0	-0.0
-0.0	Q5_ps X		1.254	-1.165	0.578	0.0	-0.0
0.0	Q5_ps Y		-0.018	1.703	0.561	0.0	-0.0
0.0	INVS LU	Max	0.676	9.982	-7.329	-0.0	0.0
-0.0		Min	-3.923	-6.772	-100.388	-0.0	-0.0
0.0	INVS LE	Max	0.278	6.927	-5.636	-0.0	0.0
-0.0		Min	-2.849	-5.242	-74.498	-0.0	-0.0
4711	C1-C2;~1	Max	0.398	5.408	23.376	0.0	0.0
0.0		Min	-0.836	-3.609	-38.916	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.437	5.870	24.259	0.0	0.0
-0.0		Min	-0.831	-4.125	-46.114	-0.0	-0.0
0.0	C1-C2;~2	Max	0.208	2.812	11.930	0.0	0.0
-0.0		Min	-0.418	-1.904	-20.789	-0.0	-0.0
0.0	C3-C4;~2	Max	0.217	3.053	12.419	0.0	0.0
-0.0		Min	-0.426	-2.145	-24.194	-0.0	-0.0
0.0	G1		-0.721	2.427	-17.694	-0.0	0.0
-0.0	G2		-0.311	0.949	-6.967	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.342	-1.200	0.557	0.0	-0.0
0.0	Q5_pc Y		-0.031	1.814	0.481	0.0	-0.0
-0.0	Q5_ps X		1.272	-1.157	0.600	0.0	-0.0
0.0	Q5_ps Y		-0.026	1.708	0.540	0.0	-0.0
0.0	INVS LU	Max	0.952	9.846	-9.402	-0.0	0.0
-0.0		Min	-3.732	-6.911	-105.408	-0.0	-0.0
0.0	INVS LE	Max	0.485	6.815	-7.200	-0.0	0.0
-0.0		Min	-2.701	-5.356	-78.241	-0.0	-0.0
4712	C1-C2;~1	Max	0.730	5.339	24.887	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.157	-3.610	-44.993	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.823	5.793	25.797	0.0	0.0
0.0		Min	-1.163	-4.107	-53.320	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.372	2.772	12.570	0.0	0.0
0.0		Min	-0.583	-1.895	-24.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.407	3.008	13.070	0.0	0.0
0.0		Min	-0.604	-2.129	-28.131	-0.0	-0.0
-0.0							
0.0	G1		-0.669	2.310	-21.927	-0.0	0.0
0.0	G2		-0.278	0.909	-8.641	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.430	-1.145	0.612	0.0	-0.0
-0.0	Q5_pc Y		-0.075	1.837	0.316	0.0	-0.0
0.0	Q5_ps X		1.353	-1.106	0.670	0.0	-0.0
-0.0	Q5_ps Y		-0.070	1.729	0.402	0.0	-0.0
0.0							
0.0	INVSLU	Max	3.120	8.424	-19.997	-0.0	0.0
0.0		Min	-2.317	-8.249	-127.905	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.131	5.687	-15.160	-0.0	0.0
0.0		Min	-1.651	-6.418	-95.011	-0.0	-0.0
-0.0							
4713	C1-C2;~1	Max	0.506	5.396	24.134	0.0	0.0
0.0		Min	-0.921	-3.614	-41.410	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.531	5.849	25.036	0.0	0.0
0.0		Min	-0.925	-4.122	-49.061	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.267	2.804	12.276	0.0	0.0
0.0		Min	-0.467	-1.903	-22.163	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.261	3.041	12.774	0.0	0.0
0.0		Min	-0.479	-2.142	-25.791	-0.0	-0.0
-0.0							
-0.0	G1		-0.704	2.393	-19.374	-0.0	0.0
-0.0	G2		-0.304	0.935	-7.629	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		1.381	-1.179	0.587	0.0	-0.0
-0.0							
-0.0	Q5_pc Y		-0.042	1.824	0.427	0.0	-0.0
-0.0							
-0.0	Q5_ps X		1.309	-1.137	0.635	0.0	-0.0
-0.0							
-0.0	Q5_ps Y		-0.036	1.717	0.495	0.0	-0.0
	INVS LU	Max	1.632	9.523	-13.391	-0.0	0.0
0.0		Min	-3.303	-7.222	-114.478	-0.0	-0.0
-0.0							
	INVS LE	Max	0.995	6.550	-10.205	-0.0	0.0
0.0		Min	-2.370	-5.611	-85.007	-0.0	-0.0
-0.0							
4714	C1-C2;~1	Max	0.613	5.388	24.419	0.0	0.0
0.0		Min	-0.978	-3.614	-42.498	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.614	5.837	25.327	0.0	0.0
0.0		Min	-0.990	-4.121	-50.348	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.329	2.798	12.400	0.0	0.0
0.0		Min	-0.498	-1.901	-22.767	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.305	3.033	12.900	0.0	0.0
0.0		Min	-0.513	-2.139	-26.493	-0.0	-0.0
-0.0							
-0.0	G1		-0.693	2.378	-20.121	-0.0	0.0
0.0							
0.0	G2		-0.304	0.926	-7.924	-0.0	0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		1.400	-1.167	0.598	0.0	-0.0
-0.0							
0.0	Q5_pc Y		-0.046	1.829	0.398	0.0	-0.0
0.0							
-0.0	Q5_ps X		1.329	-1.125	0.648	0.0	-0.0
-0.0							
-0.0	Q5_ps Y		-0.039	1.723	0.470	0.0	-0.0
	INVS LU	Max	2.021	9.336	-15.233	-0.0	0.0
0.0		Min	-3.102	-7.399	-118.471	-0.0	-0.0
-0.0							
	INVS LE	Max	1.284	6.398	-11.591	-0.0	0.0
0.0		Min	-2.215	-5.755	-87.983	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


4715	C1-C2;~1	Max	0.692	5.377	24.638	0.0	0.0
0.0		Min	-1.039	-3.613	-43.472	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.699	5.822	25.549	0.0	0.0
0.0		Min	-1.052	-4.117	-51.502	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.371	2.792	12.490	0.0	0.0
0.0		Min	-0.529	-1.900	-23.310	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.350	3.025	12.991	0.0	0.0
0.0		Min	-0.545	-2.136	-27.127	-0.0	-0.0
-0.0							
	G1		-0.682	2.358	-20.805	-0.0	0.0
0.0							
-0.0	G2		-0.300	0.918	-8.193	-0.0	0.0
0.0							
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		1.415	-1.157	0.605	0.0	-0.0
0.0							
-0.0	Q5_pc Y		-0.052	1.835	0.369	0.0	-0.0
0.0							
-0.0	Q5_ps X		1.343	-1.115	0.657	0.0	-0.0
0.0							
-0.0	Q5_ps Y		-0.045	1.729	0.446	0.0	-0.0
0.0							
	INVSLU	Max	2.415	9.048	-16.982	-0.0	0.0
0.0		Min	-2.851	-7.673	-122.089	-0.0	-0.0
-0.0							
	INVSLE	Max	1.583	6.170	-12.904	-0.0	0.0
0.0		Min	-2.032	-5.971	-90.680	-0.0	-0.0
-0.0							
4716	C1-C2;~1	Max	0.743	5.362	24.793	0.0	0.0
0.0		Min	-1.101	-3.611	-44.316	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.774	5.806	25.704	0.0	0.0
0.0		Min	-1.112	-4.112	-52.501	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.393	2.783	12.545	0.0	0.0
0.0		Min	-0.561	-1.897	-23.783	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.388	3.016	13.046	0.0	0.0
0.0		Min	-0.577	-2.132	-27.679	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.673	2.336	-21.408	-0.0	0.0
-0.0	G2		-0.292	0.911	-8.431	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.426	-1.149	0.609	0.0	-0.0
0.0	Q5_pc Y		-0.061	1.838	0.341	0.0	-0.0
-0.0	Q5_ps X		1.353	-1.108	0.663	0.0	-0.0
0.0	Q5_ps Y		-0.053	1.732	0.422	0.0	-0.0
0.0	INVS LU	Max	2.756	8.728	-18.569	-0.0	0.0
-0.0		Min	-2.611	-7.969	-125.241	-0.0	-0.0
0.0	INVS LE	Max	1.846	5.922	-14.094	-0.0	0.0
-0.0		Min	-1.867	-6.202	-93.029	-0.0	-0.0
4717	C1-C2;~1	Max	1.237	5.248	24.480	0.0	0.0
0.0		Min	-1.522	-3.587	-46.447	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.401	5.699	25.352	0.0	0.0
-0.0		Min	-1.564	-4.072	-55.022	-0.0	-0.0
0.0	C1-C2;~2	Max	0.641	2.719	12.246	0.0	0.0
-0.0		Min	-0.776	-1.876	-25.009	-0.0	-0.0
0.0	C3-C4;~2	Max	0.708	2.952	12.722	0.0	0.0
-0.0		Min	-0.801	-2.104	-29.112	-0.0	-0.0
-0.0	G1		-0.595	2.204	-23.202	-0.0	0.0
-0.0	G2		-0.248	0.867	-9.143	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.452	-1.120	0.570	0.0	-0.0
0.0	Q5_pc Y		-0.111	1.852	0.178	0.0	-0.0
0.0	Q5_ps X		1.374	-1.082	0.634	0.0	-0.0
0.0	Q5_ps Y		-0.104	1.743	0.277	0.0	-0.0
0.0	INVS LU	Max	5.181	6.545	-24.143	0.0	0.0
-0.0		Min	-1.436	-9.979	-133.674	-0.0	-0.0
0.0	INVS LE	Max	3.754	4.228	-18.243	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.953	-7.765	-99.301	-0.0	-0.0
-0.0							
4718	C1-C2;~1	Max	1.234	5.278	24.674	0.0	0.0
0.0		Min	-1.452	-3.592	-46.505	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.336	5.716	25.558	0.0	0.0
0.0		Min	-1.494	-4.080	-55.081	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.654	2.734	12.368	0.0	0.0
0.0		Min	-0.742	-1.880	-25.041	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.684	2.962	12.851	0.0	0.0
0.0		Min	-0.766	-2.109	-29.143	-0.0	-0.0
-0.0							
0.0	G1		-0.602	2.233	-23.133	-0.0	0.0
0.0	G2		-0.263	0.869	-9.111	-0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.457	-1.119	0.581	0.0	-0.0
0.0	Q5_pc Y		-0.097	1.855	0.200	0.0	-0.0
0.0	Q5_ps X		1.382	-1.078	0.643	0.0	-0.0
0.0	Q5_ps Y		-0.087	1.748	0.296	0.0	-0.0
0.0							
0.0	INVS LU	Max	4.827	6.950	-23.732	0.0	0.0
0.0		Min	-1.617	-9.612	-133.641	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.478	4.537	-17.946	0.0	0.0
0.0		Min	-1.101	-7.484	-99.282	-0.0	-0.0
-0.0							
4719	C1-C2;~1	Max	1.160	5.300	24.815	0.0	0.0
0.0		Min	-1.376	-3.597	-46.369	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.237	5.735	25.709	0.0	0.0
0.0		Min	-1.420	-4.088	-54.936	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.618	2.746	12.463	0.0	0.0
0.0		Min	-0.704	-1.884	-24.959	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.635	2.973	12.952	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.730	-2.115	-29.057	-0.0	-0.0
-0.0	G1		-0.615	2.255	-22.970	-0.0	0.0
0.0	G2		-0.272	0.876	-9.046	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.456	-1.122	0.592	0.0	-0.0
-0.0	Q5_pc Y		-0.087	1.853	0.227	0.0	-0.0
0.0	Q5_ps X		1.382	-1.081	0.652	0.0	-0.0
-0.0	Q5_ps Y		-0.077	1.747	0.320	0.0	-0.0
0.0	INVSLU	Max	4.456	7.374	-23.112	0.0	0.0
0.0		Min	-1.752	-9.223	-133.047	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.191	4.863	-17.488	0.0	0.0
0.0		Min	-1.213	-7.184	-98.842	-0.0	-0.0
-0.0							
4720	C1-C2;~1	Max	1.058	5.317	24.898	0.0	0.0
0.0		Min	-1.316	-3.602	-46.072	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.118	5.754	25.799	0.0	0.0
0.0		Min	-1.342	-4.096	-54.594	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.563	2.757	12.529	0.0	0.0
0.0		Min	-0.666	-1.888	-24.785	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.572	2.985	13.022	0.0	0.0
0.0		Min	-0.691	-2.120	-28.860	-0.0	-0.0
-0.0							
-0.0	G1		-0.630	2.275	-22.713	-0.0	0.0
-0.0	G2		-0.278	0.884	-8.945	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.452	-1.127	0.600	0.0	-0.0
-0.0	Q5_pc Y		-0.080	1.850	0.255	0.0	-0.0
0.0	Q5_ps X		1.378	-1.086	0.659	0.0	-0.0
-0.0	Q5_ps Y		-0.070	1.744	0.345	0.0	-0.0
0.0							
0.0	INVSLU	Max	4.027	7.754	-22.274	0.0	0.0
0.0		Min	-1.932	-8.873	-131.885	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	2.848	5.158	-16.865	0.0	0.0
-0.0		Min	-1.355	-6.912	-97.978	-0.0	-0.0
4721	C1-C2;~1	Max	0.928	5.332	24.922	0.0	0.0
0.0		Min	-1.241	-3.606	-45.617	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.980	5.772	25.828	0.0	0.0
-0.0		Min	-1.260	-4.101	-54.056	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.490	2.765	12.564	0.0	0.0
-0.0		Min	-0.626	-1.892	-24.521	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.495	2.996	13.061	0.0	0.0
-0.0		Min	-0.651	-2.124	-28.553	-0.0	-0.0
-0.0	G1		-0.646	2.294	-22.363	-0.0	0.0
0.0	G2		-0.282	0.894	-8.808	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.445	-1.134	0.606	0.0	-0.0
-0.0	Q5_pc Y		-0.074	1.845	0.284	0.0	-0.0
-0.0	Q5_ps X		1.370	-1.093	0.664	0.0	-0.0
-0.0	Q5_ps Y		-0.066	1.739	0.371	0.0	-0.0
0.0	INVSLU	Max	3.573	8.084	-21.234	0.0	0.0
-0.0		Min	-2.152	-8.567	-130.169	-0.0	-0.0
0.0	INVSLE	Max	2.467	5.418	-16.089	0.0	0.0
-0.0		Min	-1.525	-6.670	-96.700	-0.0	-0.0
4722	C1-C2;~1	Max	1.754	5.136	22.944	0.0	0.0
0.0		Min	-1.904	-3.545	-44.271	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.011	5.590	23.634	0.0	0.0
-0.0		Min	-1.958	-4.016	-52.408	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.917	2.653	11.412	0.0	0.0
		Min	-0.963	-1.848	-23.838	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.028	2.885	11.764	0.0	0.0
-0.0		Min	-0.992	-2.069	-27.727	-0.0	-0.0
-0.0	G1		-0.506	2.108	-22.167	-0.0	0.0
-0.0	G2		-0.211	0.830	-8.734	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.421	-1.130	0.466	0.0	-0.0
0.0	Q5_pc Y		-0.151	1.859	0.059	0.0	-0.0
0.0	Q5_ps X		1.345	-1.090	0.533	0.0	-0.0
0.0	Q5_ps Y		-0.143	1.750	0.162	0.0	-0.0
0.0	INVS LU	Max	7.117	4.412	-22.708	0.0	0.0
-0.0		Min	-0.800	-11.903	-126.204	-0.0	0.0
0.0	INVS LE	Max	5.234	2.582	-17.117	0.0	0.0
-0.0		Min	-0.441	-9.256	-93.718	-0.0	-0.0
4723	C1-C2;~1	Max	1.454	5.237	24.233	0.0	0.0
0.0		Min	-1.608	-3.579	-46.358	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.591	5.674	25.092	0.0	0.0
0.0		Min	-1.653	-4.062	-54.899	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.774	2.710	12.098	0.0	0.0
0.0		Min	-0.818	-1.871	-24.975	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.821	2.937	12.566	0.0	0.0
0.0		Min	-0.844	-2.097	-29.064	-0.0	-0.0
-0.0	G1		-0.568	2.190	-23.182	-0.0	0.0
-0.0	G2		-0.249	0.853	-9.129	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.454	-1.115	0.550	0.0	-0.0
-0.0	Q5_pc Y		-0.112	1.859	0.148	0.0	-0.0
-0.0	Q5_ps X		1.379	-1.075	0.614	0.0	-0.0
-0.0	Q5_ps Y		-0.101	1.753	0.247	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
		INVSLE	Max	4.139	3.902	-18.369	0.0	0.0
0.0			Min	-0.850	-8.065	-99.021	-0.0	-0.0
-0.0								
		INVSLE	Max	4.139	3.902	-18.369	0.0	0.0
0.0			Min	-0.850	-8.065	-99.021	-0.0	-0.0
-0.0								
4724	C1-C2;~1	INVSLE	Max	1.587	5.219	23.933	0.0	0.0
0.0			Min	-1.686	-3.572	-46.075	-0.0	-0.0
-0.0								
		INVSLE	Max	1.731	5.652	24.777	0.0	0.0
0.0			Min	-1.734	-4.051	-54.563	-0.0	-0.0
-0.0								
		INVSLE	Max	0.849	2.699	11.923	0.0	0.0
0.0			Min	-0.856	-1.865	-24.826	-0.0	-0.0
-0.0								
		INVSLE	Max	0.898	2.924	12.382	0.0	0.0
0.0			Min	-0.883	-2.091	-28.892	-0.0	-0.0
-0.0								
		INVSLE	Max	0.549	2.172	-23.068	-0.0	0.0
0.0			Min	-0.245	0.843	-9.084	-0.0	0.0
-0.0								
		INVSLE	Max	0.000	0.000	0.000	0.0	0.0
0.0			Min	-0.000	0.000	0.000	-0.0	0.0
-0.0								
		INVSLE	Max	1.451	-1.115	0.531	0.0	-0.0
0.0			Min	-0.118	1.863	0.122	0.0	-0.0
-0.0								
		INVSLE	Max	1.377	-1.074	0.596	0.0	-0.0
0.0			Min	-0.106	1.757	0.222	0.0	-0.0
-0.0								
		INVSLE	Max	6.170	5.738	-24.284	0.0	0.0
0.0			Min	-1.120	-10.715	-132.351	-0.0	-0.0
-0.0								
		INVSLE	Max	4.496	3.597	-18.335	0.0	0.0
0.0			Min	-0.710	-8.342	-98.313	-0.0	-0.0
-0.0								
4725	C1-C2;~1	INVSLE	Max	1.686	5.197	23.580	0.0	0.0
0.0			Min	-1.762	-3.564	-45.628	-0.0	-0.0
-0.0								
		INVSLE	Max	1.849	5.631	24.408	0.0	0.0
0.0			Min	-1.812	-4.040	-54.035	-0.0	-0.0
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.902	2.686	11.723	0.0	0.0
-0.0		Min	-0.893	-1.860	-24.584	-0.0	-0.0
0.0	C3-C4;~2	Max	0.960	2.911	12.172	0.0	0.0
-0.0		Min	-0.921	-2.084	-28.611	-0.0	-0.0
-0.0	G1		-0.531	2.154	-22.859	-0.0	0.0
-0.0	G2		-0.237	0.836	-9.001	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.445	-1.117	0.511	0.0	-0.0
0.0	Q5_pc Y		-0.126	1.864	0.098	0.0	-0.0
0.0	Q5_ps X		1.370	-1.076	0.575	0.0	-0.0
0.0	Q5_ps Y		-0.114	1.758	0.199	0.0	-0.0
0.0	INVSLU	Max	6.556	5.311	-24.026	0.0	0.0
-0.0		Min	-0.987	-11.101	-130.843	-0.0	-0.0
0.0	INVSLE	Max	4.791	3.267	-18.130	0.0	0.0
-0.0		Min	-0.603	-8.642	-97.186	-0.0	-0.0
4726	C1-C2;~1	Max	1.756	5.171	23.253	0.0	0.0
0.0		Min	-1.835	-3.555	-45.032	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.950	5.610	24.012	0.0	0.0
-0.0		Min	-1.887	-4.029	-53.315	-0.0	-0.0
0.0	C1-C2;~2	Max	0.934	2.672	11.554	0.0	0.0
-0.0		Min	-0.929	-1.854	-24.258	-0.0	-0.0
0.0	C3-C4;~2	Max	1.009	2.898	11.955	0.0	0.0
-0.0		Min	-0.958	-2.077	-28.223	-0.0	-0.0
0.0	G1		-0.515	2.134	-22.558	-0.0	0.0
-0.0	G2		-0.227	0.830	-8.882	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.435	-1.121	0.488	0.0	-0.0
0.0	Q5_pc Y		-0.136	1.864	0.076	0.0	-0.0
0.0	Q5_ps X		1.361	-1.080	0.553	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.125	1.758	0.177	0.0	-0.0
0.0	INVS LU	Max	6.856	4.850	-23.518	0.0	0.0
-0.0		Min	-0.908	-11.518	-128.788	-0.0	-0.0
0.0	INVS LE	Max	5.026	2.914	-17.738	0.0	0.0
-0.0		Min	-0.534	-8.961	-95.651	-0.0	-0.0
4727 0.0	C1-C2;~1	Max	2.205	5.015	21.104	0.0	0.0
-0.0		Min	-2.259	-3.489	-38.874	-0.0	-0.0
0.0	C3-C4;~1	Max	2.557	5.479	21.726	0.0	0.0
-0.0		Min	-2.324	-3.944	-45.971	-0.0	-0.0
0.0	C1-C2;~2	Max	1.149	2.581	10.660	0.0	0.0
-0.0		Min	-1.136	-1.813	-20.904	-0.0	-0.0
0.0	C3-C4;~2	Max	1.305	2.815	10.983	0.0	0.0
-0.0		Min	-1.169	-2.027	-24.283	-0.0	-0.0
-0.0	G1		-0.410	2.039	-19.008	0.0	0.0
-0.0	G2		-0.173	0.803	-7.486	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.347	-1.180	0.322	0.0	-0.0
0.0	Q5_pc Y		-0.193	1.860	-0.024	0.0	-0.0
0.0	Q5_ps X		1.274	-1.138	0.386	0.0	-0.0
0.0	Q5_ps Y		-0.182	1.751	0.073	0.0	-0.0
0.0	INVS LU	Max	8.418	2.411	-15.027	0.0	0.0
-0.0		Min	-0.595	-13.658	-106.997	0.0	0.0
0.0	INVS LE	Max	6.245	1.039	-11.296	0.0	0.0
-0.0		Min	-0.252	-10.617	-79.379	0.0	0.0
4728 0.0	C1-C2;~1	Max	1.949	5.123	22.684	0.0	0.0
-0.0		Min	-1.983	-3.535	-43.461	-0.0	-0.0
0.0	C3-C4;~1	Max	2.183	5.565	23.355	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.039	-4.003	-51.422	-0.0	-0.0
0.0	C1-C2;~2	Max	1.035	2.644	11.318	0.0	0.0
-0.0		Min	-1.001	-1.841	-23.400	-0.0	-0.0
0.0	C3-C4;~2	Max	1.130	2.870	11.660	0.0	0.0
-0.0		Min	-1.031	-2.061	-27.201	-0.0	-0.0
-0.0		G1	-0.478	2.098	-21.693	-0.0	0.0
0.0		G2	-0.212	0.817	-8.541	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.413	-1.133	0.437	0.0	-0.0
-0.0	Q5_pc Y		-0.152	1.866	0.035	0.0	-0.0
0.0	Q5_ps X		1.339	-1.092	0.502	0.0	-0.0
-0.0	Q5_ps Y		-0.140	1.759	0.136	0.0	-0.0
0.0	INVSLU	Max	7.493	3.954	-21.493	0.0	0.0
-0.0		Min	-0.751	-12.322	-123.228	-0.0	-0.0
0.0	INVSLE	Max	5.516	2.224	-16.198	0.0	0.0
-0.0		Min	-0.402	-9.583	-91.499	-0.0	-0.0
4729	C1-C2;~1	Max	2.067	5.102	22.369	0.0	0.0
0.0		Min	-2.056	-3.525	-42.492	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.309	5.542	23.031	0.0	0.0
-0.0		Min	-2.114	-3.990	-50.264	-0.0	-0.0
0.0	C1-C2;~2	Max	1.100	2.630	11.196	0.0	0.0
-0.0		Min	-1.037	-1.835	-22.872	-0.0	-0.0
0.0	C3-C4;~2	Max	1.198	2.855	11.534	0.0	0.0
-0.0		Min	-1.068	-2.053	-26.580	-0.0	-0.0
-0.0		G1	-0.457	2.084	-21.133	-0.0	0.0
-0.0		G2	-0.206	0.808	-8.319	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.400	-1.141	0.409	0.0	-0.0
0.0	Q5_pc Y		-0.159	1.868	0.016	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	1.328	-1.099	0.473	0.0	-0.0
0.0	Q5_ps Y	-0.146	1.762	0.116	0.0	-0.0
0.0						
0.0	INVS LU Max	7.832	3.536	-20.096	0.0	0.0
0.0	Min	-0.660	-12.695	-119.779	0.0	-0.0
-0.0						
0.0	INVS LE Max	5.775	1.898	-15.140	0.0	0.0
0.0	Min	-0.329	-9.875	-88.925	0.0	-0.0
-0.0						
4730	C1-C2;~1 Max	2.153	5.077	22.000	0.0	0.0
0.0	Min	-2.127	-3.514	-41.394	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.416	5.519	22.649	0.0	0.0
0.0	Min	-2.187	-3.976	-48.955	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.144	2.616	11.045	0.0	0.0
0.0	Min	-1.071	-1.828	-22.273	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.251	2.841	11.379	0.0	0.0
0.0	Min	-1.103	-2.045	-25.878	-0.0	-0.0
-0.0						
-0.0	G1	-0.438	2.068	-20.491	-0.0	0.0
-0.0	G2	-0.198	0.802	-8.065	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.385	-1.151	0.379	0.0	-0.0
0.0	Q5_pc Y	-0.168	1.869	-0.001	0.0	-0.0
0.0	Q5_ps X	1.313	-1.109	0.444	0.0	-0.0
0.0	Q5_ps Y	-0.155	1.763	0.098	0.0	-0.0
0.0						
0.0	INVS LU Max	8.111	3.106	-18.527	0.0	0.0
0.0	Min	-0.596	-13.076	-115.875	0.0	-0.0
-0.0						
0.0	INVS LE Max	5.992	1.567	-13.952	0.0	0.0
0.0	Min	-0.273	-10.171	-86.011	0.0	-0.0
-0.0						
4731	C1-C2;~1 Max	2.203	5.049	21.577	0.0	0.0
0.0	Min	-2.194	-3.502	-40.191	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.500	5.499	22.213	0.0	0.0
-0.0		Min	-2.257	-3.961	-47.525	-0.0	-0.0
0.0	C1-C2;~2	Max	1.163	2.600	10.866	0.0	0.0
-0.0		Min	-1.104	-1.820	-21.619	-0.0	-0.0
0.0	C3-C4;~2	Max	1.288	2.828	11.194	0.0	0.0
-0.0		Min	-1.137	-2.036	-25.113	-0.0	-0.0
-0.0	G1		-0.423	2.055	-19.782	0.0	0.0
-0.0	G2		-0.187	0.801	-7.786	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.367	-1.164	0.350	0.0	-0.0
0.0	Q5_pc Y		-0.178	1.866	-0.015	0.0	-0.0
0.0	Q5_ps X		1.295	-1.122	0.414	0.0	-0.0
0.0	Q5_ps Y		-0.166	1.759	0.082	0.0	-0.0
0.0	INVSLU	Max	8.275	2.745	-16.846	0.0	0.0
-0.0		Min	-0.607	-13.384	-111.623	0.0	-0.0
0.0	INVSLE	Max	6.125	1.292	-12.678	0.0	0.0
-0.0		Min	-0.272	-10.407	-82.836	0.0	-0.0
4732	C1-C2;~1	Max	2.625	4.869	17.971	0.0	0.0
0.0		Min	-2.617	-3.412	-30.963	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.090	5.339	18.499	0.0	0.0
-0.0		Min	-2.689	-3.850	-36.603	-0.0	-0.0
0.0	C1-C2;~2	Max	1.355	2.497	9.217	0.0	0.0
-0.0		Min	-1.313	-1.768	-16.623	-0.0	-0.0
0.0	C3-C4;~2	Max	1.571	2.731	9.498	0.0	0.0
-0.0		Min	-1.349	-1.975	-19.302	-0.0	-0.0
-0.0	G1		-0.302	1.962	-14.295	0.0	0.0
0.0	G2		-0.128	0.775	-5.625	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.243	-1.272	0.166	0.0	-0.0
0.0	Q5_pc Y		-0.240	1.856	-0.057	0.0	0.0
0.0	Q5_ps X		1.176	-1.225	0.223	0.0	-0.0
0.0	Q5_ps Y		-0.229	1.747	0.023	0.0	-0.0
0.0	INVSLU	Max	9.190	1.122	-4.969	0.0	0.0
-0.0		Min	-0.849	-14.625	-79.657	0.0	0.0
0.0	INVSLE	Max	6.875	0.067	-3.664	0.0	0.0
-0.0		Min	-0.396	-11.350	-58.966	0.0	0.0
4733	C1-C2;~1	Max	2.348	4.999	20.582	0.0	0.0
0.0		Min	-2.331	-3.477	-37.487	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.684	5.455	21.189	0.0	0.0
0.0		Min	-2.397	-3.929	-44.320	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.232	2.570	10.428	0.0	0.0
0.0		Min	-1.171	-1.805	-20.152	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.376	2.799	10.744	0.0	0.0
0.0		Min	-1.205	-2.018	-23.403	-0.0	-0.0
-0.0	G1		-0.389	2.031	-18.170	0.0	0.0
-0.0	G2		-0.173	0.791	-7.150	-0.0	0.0
0.0	G3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.331	-1.193	0.289	0.0	-0.0
0.0	Q5_pc Y		-0.195	1.864	-0.038	0.0	-0.0
0.0	Q5_ps X		1.260	-1.149	0.351	0.0	-0.0
0.0	Q5_ps Y		-0.182	1.758	0.054	0.0	-0.0
-0.0	INVSLU	Max	8.587	2.035	-13.129	0.0	0.0
0.0		Min	-0.667	-13.990	-102.086	0.0	0.0
-0.0	INVSLE	Max	6.377	0.747	-9.860	0.0	0.0
0.0		Min	-0.301	-10.874	-75.715	0.0	0.0
-0.0	C1-C2;~1	Max	2.453	4.977	20.006	0.0	0.0
4734		Min					

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-2.400	-3.465	-35.986	-0.0	-0.0
0.0	C3-C4;~1	Max	2.792	5.431	20.595	0.0	0.0
-0.0		Min	-2.467	-3.913	-42.541	-0.0	-0.0
0.0	C1-C2;~2	Max	1.289	2.556	10.167	0.0	0.0
-0.0		Min	-1.205	-1.797	-19.338	-0.0	-0.0
0.0	C3-C4;~2	Max	1.432	2.784	10.476	0.0	0.0
-0.0		Min	-1.239	-2.008	-22.456	-0.0	-0.0
-0.0	G1		-0.371	2.020	-17.269	0.0	0.0
-0.0	G2		-0.169	0.784	-6.794	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.312	-1.209	0.258	0.0	-0.0
0.0	Q5_pc Y		-0.201	1.866	-0.048	0.0	-0.0
0.0	Q5_ps X		1.243	-1.164	0.318	0.0	-0.0
0.0	Q5_ps Y		-0.187	1.760	0.041	0.0	-0.0
0.0	INVSLU	Max	8.758	1.718	-11.167	0.0	0.0
-0.0		Min	-0.703	-14.254	-96.865	0.0	0.0
0.0	INVSLE	Max	6.513	0.504	-8.373	0.0	0.0
-0.0		Min	-0.320	-11.078	-71.819	0.0	0.0
4735	C1-C2;~1	Max	2.534	4.951	19.374	0.0	0.0
0.0		Min	-2.468	-3.450	-34.383	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.887	5.406	19.944	0.0	0.0
-0.0		Min	-2.537	-3.896	-40.645	-0.0	-0.0
0.0	C1-C2;~2	Max	1.329	2.540	9.876	0.0	0.0
-0.0		Min	-1.239	-1.789	-18.470	-0.0	-0.0
0.0	C3-C4;~2	Max	1.478	2.768	10.176	0.0	0.0
-0.0		Min	-1.273	-1.998	-21.448	-0.0	-0.0
-0.0	G1		-0.353	2.008	-16.312	0.0	0.0
-0.0	G2		-0.161	0.780	-6.416	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.291	-1.228	0.226	0.0	-0.0
0.0	Q5_pc Y		-0.210	1.865	-0.055	0.0	-0.0
0.0	Q5_ps X		1.223	-1.181	0.285	0.0	-0.0
0.0	Q5_ps Y		-0.197	1.759	0.030	0.0	-0.0
0.0	INVSLE	Max	8.919	1.463	-9.148	0.0	0.0
-0.0		Min	-0.727	-14.450	-91.350	0.0	0.0
0.0	INVSLE	Max	6.646	0.312	-6.843	0.0	0.0
-0.0		Min	-0.327	-11.228	-67.703	0.0	0.0
4736	C1-C2;~1	Max	2.594	4.917	18.687	0.0	0.0
0.0		Min	-2.539	-3.434	-32.691	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.983	5.378	19.237	0.0	0.0
-0.0		Min	-2.609	-3.876	-38.641	-0.0	-0.0
0.0	C1-C2;~2	Max	1.354	2.521	9.555	0.0	0.0
-0.0		Min	-1.274	-1.780	-17.555	-0.0	-0.0
0.0	C3-C4;~2	Max	1.522	2.751	9.846	0.0	0.0
-0.0		Min	-1.309	-1.987	-20.383	-0.0	-0.0
-0.0	G1		-0.333	1.991	-15.308	0.0	0.0
-0.0	G2		-0.148	0.778	-6.021	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.268	-1.248	0.195	0.0	-0.0
0.0	Q5_pc Y		-0.223	1.862	-0.061	0.0	-0.0
0.0	Q5_ps X		1.201	-1.201	0.253	0.0	-0.0
0.0	Q5_ps Y		-0.210	1.755	0.022	0.0	-0.0
0.0	INVSLE	Max	9.070	1.266	-7.133	0.0	0.0
-0.0		Min	-0.762	-14.577	-85.619	0.0	0.0
0.0	INVSLE	Max	6.773	0.167	-5.315	0.0	0.0
-0.0		Min	-0.341	-11.320	-63.427	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4737	C1-C2;~1	Max	3.012	4.660	13.210	0.0	0.0
0.0		Min	-3.002	-3.250	-20.735	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.555	5.122	13.603	0.0	0.0
0.0		Min	-3.080	-3.669	-24.502	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.553	2.388	6.875	0.0	0.0
0.0		Min	-1.514	-1.689	-11.110	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.808	2.615	7.089	0.0	0.0
0.0		Min	-1.551	-1.887	-12.891	-0.0	-0.0
-0.0							
	G1		-0.277	1.948	-8.540	-0.0	0.0
-0.0							
	G2		-0.117	0.771	-3.359	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.094	-1.444	0.032	-0.0	-0.0
0.0							
	Q5_pc Y		-0.299	1.863	-0.076	0.0	-0.0
0.0							
	Q5_ps X		1.035	-1.388	0.074	0.0	-0.0
0.0							
	Q5_ps Y		-0.285	1.753	-0.020	0.0	-0.0
0.0							
	INVSLU	Max	8.676	0.647	2.952	0.0	0.0
0.0		Min	-2.250	-14.573	-48.627	0.0	0.0
-0.0							
	INVSLE	Max	6.503	-0.259	2.301	0.0	0.0
0.0		Min	-1.444	-11.286	-35.896	0.0	0.0
-0.0							
4738	C1-C2;~1	Max	3.109	4.718	14.294	0.0	0.0
0.0		Min	-2.943	-3.300	-22.903	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.542	5.169	14.720	0.0	0.0
0.0		Min	-3.019	-3.729	-27.054	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.631	2.416	7.418	0.0	0.0
0.0		Min	-1.483	-1.713	-12.275	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.811	2.640	7.649	0.0	0.0
0.0		Min	-1.519	-1.914	-14.240	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.252	1.922	-9.692	-0.0	0.0
-0.0	G2		-0.119	0.748	-3.805	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.131	-1.398	0.053	0.0	-0.0
0.0	Q5_pc Y		-0.280	1.870	-0.079	0.0	-0.0
0.0	Q5_ps X		1.070	-1.343	0.098	0.0	-0.0
0.0	Q5_ps Y		-0.264	1.764	-0.020	0.0	-0.0
0.0	INVS LU	Max	8.969	0.690	1.722	0.0	0.0
-0.0		Min	-1.924	-14.690	-54.815	0.0	-0.0
0.0	INVS LE	Max	6.720	-0.232	1.379	0.0	0.0
-0.0		Min	-1.198	-11.375	-40.489	0.0	-0.0
4739	C1-C2;~1	Max	3.141	4.771	15.314	0.0	0.0
0.0		Min	-2.877	-3.342	-25.017	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.517	5.217	15.769	0.0	0.0
-0.0		Min	-2.953	-3.779	-29.557	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.666	2.443	7.925	0.0	0.0
0.0		Min	-1.448	-1.732	-13.414	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.808	2.665	8.170	0.0	0.0
-0.0		Min	-1.484	-1.937	-15.565	-0.0	-0.0
-0.0	G1		-0.241	1.911	-10.857	-0.0	0.0
-0.0	G2		-0.123	0.736	-4.265	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.165	-1.358	0.079	0.0	-0.0
0.0	Q5_pc Y		-0.264	1.874	-0.075	0.0	-0.0
0.0	Q5_ps X		1.103	-1.304	0.127	0.0	-0.0
0.0	Q5_ps Y		-0.246	1.771	-0.011	0.0	-0.0
0.0	INVS LU	Max	9.200	0.754	0.292	0.0	0.0
-0.0		Min	-1.631	-14.764	-61.040	0.0	-0.0
0.0	INVS LE	Max	6.891	-0.188	0.305	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.977	-11.433	-45.115	0.0	-0.0
-0.0							
4740	C1-C2;~1	Max	3.049	4.812	16.266	0.0	0.0
0.0		Min	-2.801	-3.374	-27.075	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.425	5.258	16.748	0.0	0.0
0.0		Min	-2.876	-3.813	-31.994	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.615	2.465	8.393	0.0	0.0
0.0		Min	-1.408	-1.748	-14.523	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.761	2.687	8.652	0.0	0.0
0.0		Min	-1.444	-1.954	-16.856	-0.0	-0.0
-0.0							
-0.0	G1		-0.246	1.915	-12.022	-0.0	0.0
0.0	G2		-0.125	0.737	-4.724	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.196	-1.322	0.106	0.0	-0.0
0.0	Q5_pc Y		-0.252	1.873	-0.071	0.0	-0.0
0.0	Q5_ps X		1.132	-1.270	0.157	0.0	-0.0
0.0	Q5_ps Y		-0.234	1.769	-0.003	0.0	-0.0
0.0							
0.0	INVSLU	Max	9.301	0.845	-1.332	0.0	0.0
0.0		Min	-1.358	-14.773	-67.324	0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.964	-0.126	-0.920	0.0	0.0
0.0		Min	-0.772	-11.445	-49.788	0.0	-0.0
-0.0							
4741	C1-C2;~1	Max	2.868	4.842	17.148	0.0	0.0
0.0		Min	-2.713	-3.394	-29.056	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.274	5.295	17.654	0.0	0.0
0.0		Min	-2.786	-3.832	-34.336	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.505	2.482	8.822	0.0	0.0
0.0		Min	-1.363	-1.759	-15.592	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.676	2.708	9.092	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.399	-1.964	-18.098	-0.0	-0.0
-0.0	G1		-0.265	1.932	-13.166	-0.0	0.0
-0.0	G2		-0.125	0.751	-5.174	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.222	-1.294	0.135	0.0	-0.0
0.0	Q5_pc Y		-0.244	1.867	-0.068	0.0	-0.0
-0.0	Q5_ps X		1.157	-1.244	0.188	0.0	-0.0
0.0	Q5_ps Y		-0.229	1.761	0.006	0.0	-0.0
-0.0							
	INVSLU	Max	9.282	0.964	-3.107	0.0	0.0
0.0		Min	-1.100	-14.718	-73.537	0.0	0.0
-0.0							
	INVSLE	Max	6.946	-0.043	-2.260	0.0	0.0
0.0		Min	-0.581	-11.411	-54.412	0.0	0.0
-0.0							
4742	C1-C2;~1	Max	3.058	4.649	12.058	0.0	0.0
0.0		Min	-3.068	-3.216	-18.562	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.580	5.104	12.420	0.0	0.0
0.0		Min	-3.147	-3.639	-21.925	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.576	2.377	6.291	0.0	0.0
0.0		Min	-1.550	-1.673	-9.939	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.820	2.601	6.489	0.0	0.0
0.0		Min	-1.587	-1.871	-11.529	-0.0	-0.0
-0.0							
	G1		-0.319	1.984	-7.420	-0.0	0.0
-0.0							
	G2		-0.145	0.774	-2.910	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.064	-1.486	0.013	0.0	-0.0
0.0							
	Q5_pc Y		-0.300	1.874	-0.083	0.0	-0.0
-0.0							
	Q5_ps X		1.007	-1.427	0.051	0.0	-0.0
0.0							
	Q5_ps Y		-0.283	1.767	-0.035	0.0	-0.0
-0.0							
	INVSLU	Max	8.281	0.588	3.858	0.0	0.0
0.0		Min	-2.715	-14.588	-42.656	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	6.209	-0.302	2.976	0.0	0.0
-0.0		Min	-1.795	-11.294	-31.468	0.0	-0.0
4743	C1-C2;~1	Max	3.126	4.634	10.838	0.0	0.0
0.0		Min	-3.128	-3.175	-16.359	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.583	5.091	11.165	0.0	0.0
-0.0		Min	-3.208	-3.599	-19.323	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.622	2.365	5.668	0.0	0.0
0.0		Min	-1.583	-1.653	-8.756	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.820	2.589	5.847	0.0	0.0
-0.0		Min	-1.620	-1.852	-10.156	-0.0	-0.0
-0.0	G1		-0.378	2.039	-6.342	-0.0	0.0
0.0	G2		-0.174	0.789	-2.487	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.034	-1.532	-0.004	0.0	-0.0
0.0	Q5_pc Y		-0.304	1.882	-0.083	0.0	-0.0
0.0	Q5_ps X		0.979	-1.470	0.031	0.0	-0.0
-0.0	Q5_ps Y		-0.284	1.776	-0.040	0.0	-0.0
0.0	INVSLU	Max	7.865	0.615	4.461	0.0	0.0
-0.0		Min	-3.164	-14.504	-36.847	-0.0	-0.0
0.0	INVSLE	Max	5.898	-0.280	3.422	0.0	0.0
-0.0		Min	-2.133	-11.229	-27.165	0.0	-0.0
4744	C1-C2;~1	Max	3.072	4.608	9.544	0.0	0.0
0.0		Min	-3.177	-3.124	-14.141	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.552	5.075	9.831	0.0	0.0
-0.0		Min	-3.259	-3.542	-16.700	-0.0	-0.0
0.0	C1-C2;~2	Max	1.586	2.348	5.002	0.0	0.0
-0.0		Min	-1.610	-1.629	-7.565	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.801	2.575	5.160	0.0	0.0
-0.0		Min	-1.649	-1.825	-8.773	-0.0	-0.0
-0.0	G1		-0.459	2.119	-5.319	0.0	0.0
-0.0	G2		-0.204	0.822	-2.084	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.002	-1.582	-0.015	0.0	-0.0
0.0	Q5_pc Y		-0.312	1.884	-0.081	0.0	-0.0
0.0	Q5_ps X		0.948	-1.517	0.015	0.0	-0.0
0.0	Q5_ps Y		-0.292	1.777	-0.044	0.0	-0.0
0.0	INVS LU	Max	7.447	0.794	4.702	0.0	0.0
-0.0		Min	-3.551	-14.230	-31.261	0.0	-0.0
0.0	INVS LE	Max	5.588	-0.145	3.595	0.0	0.0
-0.0		Min	-2.425	-11.023	-23.033	0.0	-0.0
4745	C1-C2;~1	Max	3.022	4.573	8.224	0.0	0.0
0.0		Min	-3.203	-3.080	-12.013	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.542	5.049	8.470	0.0	0.0
0.0		Min	-3.284	-3.487	-14.196	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.552	2.328	4.319	0.0	0.0
0.0		Min	-1.623	-1.609	-6.423	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.794	2.559	4.454	0.0	0.0
0.0		Min	-1.662	-1.800	-7.453	-0.0	-0.0
-0.0	G1		-0.500	2.171	-4.418	0.0	0.0
-0.0	G2		-0.214	0.850	-1.729	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.967	-1.631	-0.026	0.0	-0.0
0.0	Q5_pc Y		-0.320	1.880	-0.079	0.0	-0.0
0.0	Q5_ps X		0.915	-1.564	0.001	0.0	-0.0
0.0	Q5_ps Y		-0.301	1.771	-0.046	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	INVS LU	Max	7.267	0.932	4.633	0.0	0.0		
		Min	-3.688	-13.976	-26.107	0.0	-0.0		
-0.0									
0.0	INVS LE	Max	5.456	-0.040	3.536	0.0	0.0		
		Min	-2.530	-10.833	-19.223	0.0	-0.0		
-0.0									
4746 0.0	C1-C2;~1	Max	2.999	4.537	6.855	0.0	0.0		
		Min	-3.229	-3.033	-9.867	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	3.527	5.026	7.056	0.0	0.0		
		Min	-3.312	-3.429	-11.673	-0.0	-0.0		
-0.0									
0.0	C1-C2;~2	Max	1.539	2.308	3.606	0.0	0.0		
		Min	-1.637	-1.587	-5.274	-0.0	-0.0		
-0.0									
0.0	C3-C4;~2	Max	1.784	2.543	3.717	0.0	0.0		
		Min	-1.676	-1.773	-6.126	-0.0	-0.0		
-0.0									
-0.0	G1		-0.548	2.232	-3.554	0.0	0.0		
-0.0	G2		-0.226	0.882	-1.396	0.0	0.0		
-0.0	Q3		0.000	0.000	0.000	0.0	0.0		
0.0	Q5_pc X		0.933	-1.682	-0.031	0.0	-0.0		
0.0	Q5_pc Y		-0.327	1.877	-0.069	0.0	-0.0		
-0.0	Q5_ps X		0.883	-1.613	-0.008	0.0	-0.0		
0.0	Q5_ps Y		-0.309	1.765	-0.038	0.0	-0.0		
0.0									
0.0	INVS LU	Max	7.085	1.135	4.337	0.0	0.0		
		Min	-3.827	-13.657	-21.071	0.0	-0.0		
-0.0									
0.0	INVS LE	Max	5.322	0.113	3.306	0.0	0.0		
		Min	-2.637	-10.594	-15.505	0.0	-0.0		
-0.0									
4747 0.0	C1-C2;~1	Max	2.983	4.529	5.526	0.0	0.0		
		Min	-3.258	-2.998	-7.871	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	3.508	5.024	5.685	0.0	0.0		
		Min	-3.343	-3.389	-9.310	-0.0	-0.0		
-0.0									


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.528	2.299	2.912	0.0	0.0
		Min	-1.652	-1.570	-4.203	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.772	2.536	3.000	0.0	0.0
		Min	-1.692	-1.754	-4.883	-0.0	-0.0
-0.0							
-0.0	G1		-0.604	2.296	-2.784	0.0	0.0
-0.0	G2		-0.252	0.901	-1.087	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.905	-1.729	-0.033	0.0	-0.0
0.0	Q5_pc Y		-0.324	1.884	-0.069	0.0	-0.0
-0.0	Q5_ps X		0.856	-1.657	-0.015	0.0	-0.0
0.0	Q5_ps Y		-0.305	1.773	-0.045	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.867	1.358	3.798	0.0	0.0
		Min	-4.010	-13.391	-16.569	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.160	0.279	2.893	0.0	0.0
		Min	-2.776	-10.394	-12.184	-0.0	-0.0
-0.0							
4748	C1-C2;~1	Max	2.958	4.519	4.163	0.0	0.0
0.0		Min	-3.285	-2.959	-5.892	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.478	5.020	4.277	0.0	0.0
		Min	-3.372	-3.345	-6.976	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.512	2.289	2.197	0.0	0.0
		Min	-1.666	-1.552	-3.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.754	2.529	2.261	0.0	0.0
		Min	-1.707	-1.734	-3.656	-0.0	-0.0
-0.0							
-0.0	G1		-0.667	2.370	-2.074	0.0	0.0
-0.0	G2		-0.279	0.927	-0.809	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.878	-1.776	-0.033	0.0	-0.0
0.0	Q5_pc Y		-0.322	1.891	-0.061	0.0	-0.0
-0.0	Q5_ps X		0.831	-1.702	-0.018	0.0	-0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.302	1.781	-0.041	0.0	-0.0
0.0	INVS LU	Max	6.638	1.631	3.031	0.0	0.0
-0.0		Min	-4.190	-13.067	-12.270	-0.0	-0.0
0.0	INVS LE	Max	4.991	0.483	2.309	0.0	0.0
-0.0		Min	-2.913	-10.151	-9.016	-0.0	-0.0
4749 0.0	C1-C2;~1	Max	2.916	4.501	2.765	0.0	0.0
-0.0		Min	-3.306	-2.912	-3.952	-0.0	-0.0
0.0	C3-C4;~1	Max	3.431	5.011	2.832	0.0	0.0
-0.0		Min	-3.397	-3.294	-4.691	-0.0	-0.0
0.0	C1-C2;~2	Max	1.489	2.276	1.462	0.0	0.0
-0.0		Min	-1.677	-1.530	-2.106	-0.0	-0.0
0.0	C3-C4;~2	Max	1.728	2.519	1.498	0.0	0.0
-0.0		Min	-1.720	-1.710	-2.456	-0.0	-0.0
-0.0	G1		-0.737	2.458	-1.446	0.0	0.0
-0.0	G2		-0.306	0.962	-0.563	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.851	-1.824	-0.028	0.0	-0.0
-0.0	Q5_pc Y		-0.321	1.895	-0.051	0.0	-0.0
0.0	Q5_ps X		0.806	-1.747	-0.018	0.0	-0.0
-0.0	Q5_ps Y		-0.301	1.784	-0.036	0.0	-0.0
0.0	INVS LU	Max	6.393	1.958	1.991	0.0	0.0
-0.0		Min	-4.357	-12.664	-8.257	-0.0	-0.0
0.0	INVS LE	Max	4.811	0.728	1.522	0.0	0.0
-0.0		Min	-3.039	-9.850	-6.063	-0.0	-0.0
4750 0.0	C1-C2;~1	Max	2.858	4.475	1.331	0.0	0.0
-0.0		Min	-3.320	-2.857	-2.081	-0.0	-0.0
0.0	C3-C4;~1	Max	3.367	4.996	1.343	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.415	-3.234	-2.493	-0.0	-0.0
0.0	C1-C2;~2	Max	1.458	2.261	0.704	0.0	0.0
-0.0		Min	-1.685	-1.505	-1.104	-0.0	-0.0
0.0	C3-C4;~2	Max	1.693	2.507	0.709	0.0	0.0
-0.0		Min	-1.731	-1.683	-1.301	-0.0	-0.0
-0.0		G1	-0.815	2.558	-0.940	0.0	0.0
-0.0		G2	-0.332	1.007	-0.364	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.827	-1.872	-0.021	-0.0	0.0
-0.0	Q5_pc Y		-0.322	1.898	-0.040	0.0	-0.0
0.0	Q5_ps X		0.783	-1.793	-0.015	0.0	-0.0
-0.0	Q5_ps Y		-0.303	1.783	-0.028	0.0	-0.0
0.0	INVSLU	Max	6.119	2.322	0.603	0.0	0.0
-0.0		Min	-4.525	-12.205	-4.648	-0.0	-0.0
0.0	INVSLE	Max	4.608	1.001	0.474	0.0	0.0
-0.0		Min	-3.166	-9.507	-3.411	-0.0	-0.0
4751	C1-C2;~1	Max	2.787	4.452	0.064	0.0	0.0
0.0		Min	-3.327	-2.800	-0.445	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.289	4.984	0.058	0.0	0.0
-0.0		Min	-3.429	-3.172	-0.628	-0.0	-0.0
0.0	C1-C2;~2	Max	1.421	2.246	0.032	0.0	0.0
-0.0		Min	-1.690	-1.479	-0.215	-0.0	-0.0
0.0	C3-C4;~2	Max	1.652	2.496	0.030	0.0	0.0
-0.0		Min	-1.739	-1.655	-0.318	-0.0	-0.0
-0.0		G1	-0.901	2.667	-0.602	0.0	0.0
-0.0		G2	-0.360	1.056	-0.231	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.806	-1.917	-0.012	-0.0	0.0
0.0	Q5_pc Y		-0.320	1.903	-0.029	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.763	-1.835	-0.010	-0.0	0.0
0.0	Q5_ps Y	-0.302	1.785	-0.018	0.0	-0.0
-0.0						
	INVS LU Max	5.790	2.696	-0.870	0.0	0.0
0.0	Min	-4.728	-11.765	-1.857	-0.0	-0.0
-0.0						
	INVS LE Max	4.365	1.279	-0.638	0.0	0.0
0.0	Min	-3.319	-9.177	-1.365	-0.0	-0.0
-0.0						
4752	C1-C2;~1 Max	2.402	4.396	6.732	0.0	0.0
0.0	Min	-3.263	-2.572	-8.440	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.840	4.948	7.701	0.0	0.0
0.0	Min	-3.384	-2.932	-8.972	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.211	2.201	3.630	0.0	0.0
0.0	Min	-1.661	-1.376	-4.538	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.411	2.457	4.070	0.0	0.0
0.0	Min	-1.720	-1.545	-4.856	-0.0	-0.0
-0.0						
	G1	-1.280	3.077	-2.224	-0.0	-0.0
-0.0						
	G2	-0.510	1.210	-0.843	-0.0	-0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0						
	Q5_pc X	0.751	-2.078	0.079	0.0	0.0
0.0						
	Q5_pc Y	-0.247	2.034	0.019	0.0	-0.0
-0.0						
	Q5_ps X	0.712	-1.988	0.062	0.0	0.0
0.0						
	Q5_ps Y	-0.229	1.910	0.045	0.0	-0.0
-0.0						
	INVS LU Max	3.802	3.711	3.604	0.0	-0.0
0.0	Min	-5.951	-10.667	-19.047	-0.0	-0.0
-0.0						
	INVS LE Max	2.888	2.031	2.540	0.0	-0.0
0.0	Min	-4.236	-8.342	-14.228	-0.0	-0.0
-0.0						
4753	C1-C2;~1 Max	2.479	4.422	5.471	0.0	0.0
0.0	Min	-3.292	-2.621	-6.775	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.931	4.969	6.257	0.0	0.0
-0.0		Min	-3.412	-2.982	-7.204	-0.0	-0.0
0.0	C1-C2;~2	Max	1.253	2.215	2.951	0.0	0.0
-0.0		Min	-1.676	-1.398	-3.636	-0.0	-0.0
0.0	C3-C4;~2	Max	1.460	2.470	3.307	0.0	0.0
-0.0		Min	-1.735	-1.568	-3.892	-0.0	-0.0
-0.0	G1		-1.229	3.003	-1.719	-0.0	-0.0
-0.0	G2		-0.494	1.176	-0.644	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.759	-2.049	0.060	0.0	0.0
-0.0	Q5_pc Y		-0.258	2.011	0.011	0.0	-0.0
0.0	Q5_ps X		0.719	-1.961	0.046	0.0	0.0
-0.0	Q5_ps Y		-0.239	1.890	0.030	0.0	-0.0
0.0	INVSLU	Max	4.120	3.526	3.266	0.0	0.0
-0.0		Min	-5.808	-10.897	-15.014	-0.0	-0.0
0.0	INVSLE	Max	3.125	1.893	2.321	0.0	0.0
-0.0		Min	-4.129	-8.517	-11.212	-0.0	-0.0
4754	C1-C2;~1	Max	2.562	4.444	4.149	0.0	0.0
0.0		Min	-3.317	-2.670	-5.098	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.025	4.986	4.738	0.0	0.0
-0.0		Min	-3.435	-3.034	-5.428	-0.0	-0.0
0.0	C1-C2;~2	Max	1.297	2.228	2.239	0.0	0.0
-0.0		Min	-1.688	-1.420	-2.731	-0.0	-0.0
0.0	C3-C4;~2	Max	1.510	2.482	2.505	0.0	0.0
-0.0		Min	-1.746	-1.591	-2.928	-0.0	-0.0
-0.0	G1		-1.167	2.925	-1.277	-0.0	-0.0
-0.0	G2		-0.472	1.142	-0.478	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.768	-2.019	0.042	0.0	0.0
-0.0	Q5_pc Y		-0.271	1.986	0.005	0.0	-0.0
0.0	Q5_ps X		0.728	-1.932	0.032	0.0	0.0
-0.0	Q5_ps Y		-0.250	1.869	0.021	0.0	-0.0
0.0	INVS LU	Max	4.489	3.345	2.657	0.0	0.0
-0.0		Min	-5.615	-11.117	-11.143	-0.0	-0.0
0.0	INVS LE	Max	3.398	1.759	1.900	0.0	0.0
-0.0		Min	-3.984	-8.685	-8.317	-0.0	-0.0
4755	C1-C2;~1	Max	2.640	4.454	2.760	0.0	0.0
0.0		Min	-3.330	-2.715	-3.429	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.116	4.993	3.139	0.0	0.0
-0.0		Min	-3.445	-3.083	-3.661	-0.0	-0.0
0.0	C1-C2;~2	Max	1.339	2.237	1.491	0.0	0.0
-0.0		Min	-1.694	-1.440	-1.833	-0.0	-0.0
0.0	C3-C4;~2	Max	1.558	2.489	1.662	0.0	0.0
-0.0		Min	-1.750	-1.614	-1.972	-0.0	-0.0
-0.0	G1		-1.091	2.843	-0.916	-0.0	-0.0
-0.0	G2		-0.442	1.111	-0.342	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.779	-1.987	0.024	0.0	0.0
-0.0	Q5_pc Y		-0.286	1.959	-0.003	0.0	-0.0
0.0	Q5_ps X		0.738	-1.902	0.018	0.0	0.0
-0.0	Q5_ps Y		-0.266	1.843	0.009	0.0	-0.0
0.0	INVS LU	Max	4.902	3.161	1.726	0.0	0.0
-0.0		Min	-5.358	-11.319	-7.499	-0.0	-0.0
0.0	INVS LE	Max	3.705	1.622	1.237	0.0	0.0
-0.0		Min	-3.791	-8.839	-5.593	-0.0	-0.0
4756	C1-C2;~1	Max	2.713	4.453	1.293	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.333	-2.757	-1.785	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.203	4.990	1.445	0.0	0.0
0.0		Min	-3.442	-3.128	-1.927	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.380	2.241	0.703	0.0	0.0
0.0		Min	-1.694	-1.460	-0.952	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.605	2.493	0.768	0.0	0.0
0.0		Min	-1.747	-1.634	-1.037	-0.0	-0.0
-0.0							
-0.0	G1		-1.001	2.758	-0.675	-0.0	-0.0
-0.0	G2		-0.403	1.084	-0.254	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.791	-1.953	0.007	0.0	0.0
0.0	Q5_pc Y		-0.304	1.929	-0.015	0.0	-0.0
-0.0	Q5_ps X		0.749	-1.870	0.004	0.0	0.0
0.0	Q5_ps Y		-0.285	1.813	-0.004	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.346	2.955	0.389	0.0	0.0
0.0		Min	-5.048	-11.520	-4.191	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.035	1.470	0.272	0.0	0.0
0.0		Min	-3.559	-8.991	-3.118	-0.0	-0.0
-0.0							
4757	C1-C2;~1	Max	1.842	4.400	11.920	0.0	0.0
0.0		Min	-2.945	-2.433	-16.589	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.187	4.971	13.637	0.0	0.0
0.0		Min	-3.068	-2.789	-17.626	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.908	2.183	6.426	0.0	0.0
0.0		Min	-1.495	-1.308	-8.994	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.066	2.445	7.205	0.0	0.0
0.0		Min	-1.558	-1.475	-9.621	-0.0	-0.0
-0.0							
-0.0	G1		-1.538	3.464	-5.666	-0.0	0.0
-0.0	G2		-0.610	1.365	-2.168	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.746	-2.197	0.179	0.0	0.0
0.0	Q5_pc Y	-0.202	2.185	-0.000	0.0	0.0
-0.0	Q5_ps X	0.709	-2.100	0.144	0.0	0.0
0.0	Q5_ps Y	-0.186	2.050	0.050	0.0	-0.0
-0.0						
0.0	INVS LU Max	2.054	5.373	0.516	0.0	-0.0
-0.0	Min	-6.384	-9.058	-42.011	-0.0	-0.0
0.0						
0.0	INVS LE Max	1.587	3.270	0.053	0.0	-0.0
-0.0	Min	-4.563	-7.127	-31.425	-0.0	-0.0
4758	C1-C2;~1 Max	2.327	4.399	7.941	0.0	0.0
0.0	Min	-3.220	-2.539	-10.118	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.754	4.952	9.090	0.0	0.0
-0.0	Min	-3.346	-2.902	-10.746	-0.0	-0.0
0.0						
0.0	C1-C2;~2 Max	1.170	2.199	4.281	0.0	0.0
-0.0	Min	-1.639	-1.361	-5.447	-0.0	-0.0
0.0						
0.0	C3-C4;~2 Max	1.365	2.455	4.802	0.0	0.0
-0.0	Min	-1.701	-1.531	-5.824	-0.0	-0.0
-0.0	G1	-1.322	3.144	-2.774	-0.0	-0.0
-0.0	G2	-0.531	1.229	-1.047	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.743	-2.104	0.099	0.0	0.0
0.0	Q5_pc Y	-0.227	2.071	0.017	0.0	-0.0
-0.0	Q5_ps X	0.705	-2.013	0.078	0.0	0.0
0.0	Q5_ps Y	-0.209	1.948	0.044	0.0	-0.0
-0.0						
0.0	INVS LU Max	3.504	3.894	3.680	0.0	-0.0
-0.0	Min	-6.068	-10.496	-23.277	-0.0	-0.0
0.0						
0.0	INVS LE Max	2.668	2.167	2.562	0.0	-0.0
-0.0	Min	-4.324	-8.211	-17.392	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4759	C1-C2;~1	Max	2.260	4.407	9.059	0.0	0.0
0.0		Min	-3.177	-2.514	-11.734	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.677	4.960	10.372	0.0	0.0
0.0		Min	-3.307	-2.879	-12.454	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.133	2.199	4.883	0.0	0.0
0.0		Min	-1.616	-1.348	-6.327	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.323	2.455	5.479	0.0	0.0
0.0		Min	-1.681	-1.519	-6.759	-0.0	-0.0
-0.0							
	G1		-1.353	3.207	-3.360	-0.0	-0.0
-0.0							
	G2		-0.548	1.247	-1.272	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.736	-2.128	0.123	0.0	0.0
0.0							
	Q5_pc Y		-0.209	2.108	0.020	0.0	-0.0
-0.0							
	Q5_ps X		0.698	-2.035	0.099	0.0	0.0
0.0							
	Q5_ps Y		-0.190	1.985	0.051	0.0	-0.0
-0.0							
	INVSLU	Max	3.265	4.085	3.477	0.0	-0.0
0.0		Min	-6.138	-10.327	-27.560	-0.0	-0.0
-0.0							
	INVSLE	Max	2.490	2.310	2.374	0.0	-0.0
0.0		Min	-4.377	-8.082	-20.600	-0.0	-0.0
-0.0							
4760	C1-C2;~1	Max	2.117	4.422	10.138	0.0	0.0
0.0		Min	-3.117	-2.486	-13.417	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.509	4.981	11.606	0.0	0.0
0.0		Min	-3.253	-2.852	-14.246	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.055	2.200	5.465	0.0	0.0
0.0		Min	-1.587	-1.335	-7.246	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.235	2.458	6.131	0.0	0.0
0.0		Min	-1.655	-1.505	-7.746	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.446	3.311	-4.063	-0.0	0.0
-0.0	G2	-0.586	1.285	-1.543	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.738	-2.154	0.141	0.0	0.0
-0.0	Q5_pc Y	-0.201	2.144	0.016	0.0	-0.0
0.0	Q5_ps X	0.700	-2.060	0.113	0.0	0.0
-0.0	Q5_ps Y	-0.181	2.019	0.052	0.0	-0.0
0.0	INVS LU Max	2.741	4.509	2.941	0.0	-0.0
-0.0	Min	-6.367	-9.942	-32.214	-0.0	-0.0
0.0	INVS LE Max	2.100	2.626	1.939	0.0	-0.0
-0.0	Min	-4.548	-7.791	-24.083	-0.0	-0.0
4761 0.0	C1-C2;~1 Max	1.976	4.418	11.083	0.0	0.0
-0.0	Min	-3.038	-2.458	-15.035	-0.0	-0.0
0.0	C3-C4;~1 Max	2.346	4.983	12.685	0.0	0.0
-0.0	Min	-3.171	-2.821	-15.968	-0.0	-0.0
0.0	C1-C2;~2 Max	0.980	2.194	5.974	0.0	0.0
-0.0	Min	-1.546	-1.321	-8.135	-0.0	-0.0
0.0	C3-C4;~2 Max	1.149	2.454	6.701	0.0	0.0
-0.0	Min	-1.613	-1.490	-8.698	-0.0	-0.0
-0.0	G1	-1.505	3.394	-4.837	-0.0	0.0
-0.0	G2	-0.605	1.324	-1.842	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.741	-2.177	0.161	0.0	0.0
-0.0	Q5_pc Y	-0.199	2.169	0.008	0.0	-0.0
0.0	Q5_ps X	0.704	-2.081	0.130	0.0	0.0
-0.0	Q5_ps Y	-0.180	2.040	0.049	0.0	-0.0
0.0	INVS LU Max	2.356	4.949	1.920	0.0	-0.0
-0.0	Min	-6.426	-9.504	-37.052	-0.0	-0.0
	INVS LE Max	1.813	2.955	1.140	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-4.593	-7.461	-27.707	-0.0	-0.0
-0.0							
4762	C1-C2;~1	Max	1.432	4.397	14.533	0.0	0.0
0.0		Min	-2.277	-2.369	-23.109	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.675	4.948	16.607	0.0	0.0
0.0		Min	-2.379	-2.712	-24.575	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.719	2.168	7.836	0.0	0.0
0.0		Min	-1.133	-1.273	-12.636	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.826	2.421	8.775	0.0	0.0
0.0		Min	-1.185	-1.434	-13.534	-0.0	-0.0
-0.0							
-0.0	G1		-1.413	3.644	-10.014	-0.0	-0.0
-0.0	G2		-0.565	1.432	-3.853	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.782	-2.260	0.285	0.0	0.0
0.0	Q5_pc Y		-0.190	2.302	-0.094	0.0	-0.0
-0.0	Q5_ps X		0.743	-2.159	0.236	0.0	0.0
0.0	Q5_ps Y		-0.175	2.162	-0.016	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	1.473	6.445	-11.047	-0.0	-0.0
-0.0		Min	-5.407	-8.040	-67.155	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.147	4.035	-8.800	0.0	-0.0
-0.0		Min	-3.845	-6.388	-50.323	-0.0	-0.0
-0.0							
4763	C1-C2;~1	Max	1.474	4.422	14.186	0.0	0.0
0.0		Min	-2.360	-2.390	-22.008	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.727	4.975	16.215	0.0	0.0
0.0		Min	-2.458	-2.739	-23.398	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.735	2.180	7.649	0.0	0.0
0.0		Min	-1.178	-1.283	-12.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.847	2.434	8.567	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.225	-1.446	-12.865	-0.0	-0.0
-0.0	G1		-1.447	3.614	-9.170	-0.0	-0.0
-0.0	G2		-0.584	1.410	-3.521	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.776	-2.255	0.266	0.0	0.0
0.0	Q5_pc Y		-0.184	2.299	-0.076	0.0	-0.0
-0.0	Q5_ps X		0.738	-2.154	0.219	0.0	0.0
0.0	Q5_ps Y		-0.167	2.164	-0.006	0.0	-0.0
-0.0							
	INVSLU	Max	1.342	6.320	-8.386	0.0	-0.0
0.0		Min	-5.705	-8.232	-62.342	-0.0	-0.0
-0.0							
	INVSLE	Max	1.044	3.950	-6.771	0.0	-0.0
0.0		Min	-4.073	-6.523	-46.703	-0.0	-0.0
-0.0							
4764	C1-C2;~1	Max	1.534	4.438	13.821	0.0	0.0
0.0		Min	-2.495	-2.406	-20.895	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.801	4.995	15.802	0.0	0.0
0.0		Min	-2.604	-2.760	-22.217	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.760	2.189	7.451	0.0	0.0
0.0		Min	-1.253	-1.291	-11.388	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.877	2.444	8.349	0.0	0.0
0.0		Min	-1.306	-1.456	-12.196	-0.0	-0.0
-0.0							
	G1		-1.491	3.589	-8.341	-0.0	-0.0
-0.0							
	G2		-0.603	1.396	-3.197	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.768	-2.246	0.239	0.0	0.0
0.0							
	Q5_pc Y		-0.181	2.287	-0.053	0.0	-0.0
-0.0							
	Q5_ps X		0.730	-2.146	0.195	0.0	0.0
0.0							
	Q5_ps Y		-0.162	2.154	0.012	0.0	-0.0
-0.0							
	INVSLU	Max	1.341	6.171	-5.649	0.0	-0.0
0.0		Min	-5.989	-8.414	-57.405	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	1.043	3.847	-4.673	0.0	-0.0
0.0		Min	-4.284	-6.652	-42.979	-0.0	-0.0
-0.0							
4765	C1-C2;~1	Max	1.613	4.445	13.273	0.0	0.0
0.0		Min	-2.660	-2.419	-19.517	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.907	5.005	15.179	0.0	0.0
0.0		Min	-2.781	-2.775	-20.745	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.791	2.194	7.155	0.0	0.0
0.0		Min	-1.343	-1.298	-10.618	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.923	2.452	8.020	0.0	0.0
0.0		Min	-1.403	-1.465	-11.365	-0.0	-0.0
-0.0							
-0.0	G1		-1.533	3.561	-7.422	-0.0	0.0
-0.0	G2		-0.620	1.384	-2.842	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.759	-2.233	0.221	0.0	0.0
0.0	Q5_pc Y		-0.181	2.264	-0.034	0.0	-0.0
-0.0	Q5_ps X		0.721	-2.134	0.180	0.0	0.0
0.0	Q5_ps Y		-0.162	2.133	0.024	0.0	-0.0
-0.0							
	INVSLU	Max	1.493	5.965	-3.364	0.0	-0.0
0.0		Min	-6.202	-8.614	-52.260	-0.0	-0.0
-0.0							
	INVSLE	Max	1.162	3.700	-2.927	0.0	-0.0
0.0		Min	-4.437	-6.797	-39.117	-0.0	-0.0
-0.0							
4766	C1-C2;~1	Max	1.719	4.431	12.648	0.0	0.0
0.0		Min	-2.809	-2.427	-18.099	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.035	4.996	14.468	0.0	0.0
0.0		Min	-2.934	-2.784	-19.231	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.844	2.192	6.818	0.0	0.0
0.0		Min	-1.423	-1.304	-9.828	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.986	2.452	7.644	0.0	0.0
-0.0		Min	-1.486	-1.471	-10.516	-0.0	-0.0
-0.0	G1		-1.548	3.519	-6.534	-0.0	0.0
-0.0	G2		-0.622	1.374	-2.498	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.751	-2.217	0.201	0.0	0.0
0.0	Q5_pc Y		-0.188	2.230	-0.019	0.0	-0.0
-0.0	Q5_ps X		0.714	-2.119	0.163	0.0	0.0
0.0	Q5_ps Y		-0.170	2.098	0.034	0.0	-0.0
-0.0							
0.0	INVSLU	Max	1.736	5.704	-1.285	0.0	-0.0
-0.0		Min	-6.325	-8.814	-47.140	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.347	3.512	-1.333	0.0	-0.0
-0.0		Min	-4.524	-6.944	-35.273	-0.0	-0.0
4767	C1-C2;~1	Max	1.271	4.378	15.338	0.0	0.0
0.0		Min	-2.007	-2.291	-27.388	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.476	4.883	17.511	0.0	0.0
-0.0		Min	-2.115	-2.621	-29.151	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.656	2.155	8.271	0.0	0.0
-0.0		Min	-1.011	-1.235	-15.084	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.748	2.389	9.254	0.0	0.0
-0.0		Min	-1.070	-1.390	-16.177	-0.0	-0.0
-0.0	G1		-1.254	3.788	-13.745	-0.0	-0.0
-0.0	G2		-0.504	1.487	-5.301	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.801	-2.274	0.357	0.0	0.0
-0.0	Q5_pc Y		-0.194	2.357	-0.195	0.0	-0.0
-0.0	Q5_ps X		0.763	-2.170	0.299	-0.0	0.0
-0.0	Q5_ps Y		-0.179	2.215	-0.097	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	INVS LU	Max	2.774	6.904	-24.696	-0.0	-0.0
-0.0		Min	-3.517	-7.470	-88.333	-0.0	-0.0
-0.0	INVS LE	Max	2.168	4.342	-19.174	0.0	-0.0
-0.0		Min	-2.385	-5.990	-66.265	-0.0	-0.0
4768 0.0	C1-C2;~1	Max	1.299	4.400	15.293	0.0	0.0
-0.0		Min	-2.044	-2.310	-26.746	-0.0	-0.0
0.0	C3-C4;~1	Max	1.511	4.906	17.463	0.0	0.0
-0.0		Min	-2.158	-2.643	-28.456	-0.0	-0.0
0.0	C1-C2;~2	Max	0.667	2.165	8.247	0.0	0.0
-0.0		Min	-1.026	-1.244	-14.713	-0.0	-0.0
0.0	C3-C4;~2	Max	0.762	2.399	9.228	0.0	0.0
-0.0		Min	-1.088	-1.400	-15.771	-0.0	-0.0
-0.0	G1		-1.287	3.763	-13.087	-0.0	-0.0
-0.0	G2		-0.522	1.468	-5.041	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.797	-2.274	0.348	0.0	0.0
-0.0	Q5_pc Y		-0.186	2.359	-0.180	0.0	-0.0
-0.0	Q5_ps X		0.758	-2.171	0.292	-0.0	0.0
0.0	Q5_ps Y		-0.169	2.221	-0.088	0.0	-0.0
-0.0	INVS LU	Max	2.394	6.780	-22.058	0.0	-0.0
-0.0		Min	-3.993	-7.658	-84.674	-0.0	-0.0
-0.0	INVS LE	Max	1.870	4.249	-17.176	0.0	-0.0
-0.0		Min	-2.755	-6.131	-63.513	-0.0	-0.0
4769 0.0	C1-C2;~1	Max	1.329	4.410	15.193	0.0	0.0
-0.0		Min	-2.088	-2.328	-25.980	-0.0	-0.0
0.0	C3-C4;~1	Max	1.548	4.924	17.352	0.0	0.0
-0.0		Min	-2.205	-2.665	-27.637	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.678	2.170	8.193	0.0	0.0
		Min	-1.045	-1.253	-14.271	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.776	2.408	9.169	0.0	0.0
		Min	-1.107	-1.410	-15.294	-0.0	-0.0
-0.0							
-0.0	G1		-1.319	3.735	-12.378	-0.0	-0.0
-0.0	G2		-0.536	1.454	-4.766	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.793	-2.272	0.336	0.0	0.0
0.0	Q5_pc Y		-0.183	2.353	-0.161	0.0	-0.0
-0.0	Q5_ps X		0.754	-2.170	0.281	-0.0	0.0
-0.0	Q5_ps Y		-0.165	2.216	-0.073	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	2.071	6.680	-19.346	0.0	-0.0
		Min	-4.422	-7.801	-80.686	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.616	4.177	-15.118	0.0	-0.0
		Min	-3.088	-6.236	-60.510	-0.0	-0.0
-0.0							
4770	C1-C2;~1	Max	1.360	4.414	15.035	0.0	0.0
0.0		Min	-2.135	-2.344	-25.117	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.587	4.938	17.174	0.0	0.0
		Min	-2.253	-2.685	-26.714	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.691	2.172	8.107	0.0	0.0
		Min	-1.064	-1.260	-13.776	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.791	2.414	9.075	0.0	0.0
		Min	-1.127	-1.420	-14.760	-0.0	-0.0
-0.0							
-0.0	G1		-1.350	3.706	-11.625	-0.0	-0.0
-0.0	G2		-0.548	1.443	-4.473	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.789	-2.269	0.322	0.0	0.0
0.0	Q5_pc Y		-0.182	2.342	-0.141	0.0	-0.0
-0.0	Q5_ps X		0.750	-2.167	0.268	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.164	2.205	-0.057	0.0	-0.0
-0.0	INVS LU	Max	1.805	6.593	-16.581	0.0	-0.0
-0.0		Min	-4.799	-7.913	-76.409	-0.0	-0.0
-0.0	INVS LE	Max	1.407	4.119	-13.017	0.0	-0.0
-0.0		Min	-3.379	-6.314	-57.290	-0.0	-0.0
4771 0.0	C1-C2;~1	Max	1.394	4.412	14.815	0.0	0.0
-0.0		Min	-2.199	-2.359	-24.161	-0.0	-0.0
0.0	C3-C4;~1	Max	1.628	4.948	16.926	0.0	0.0
-0.0		Min	-2.305	-2.701	-25.692	-0.0	-0.0
0.0	C1-C2;~2	Max	0.704	2.172	7.988	0.0	0.0
-0.0		Min	-1.095	-1.267	-13.232	-0.0	-0.0
0.0	C3-C4;~2	Max	0.808	2.419	8.944	0.0	0.0
-0.0		Min	-1.149	-1.428	-14.173	-0.0	-0.0
-0.0	G1		-1.381	3.675	-10.834	-0.0	-0.0
-0.0	G2		-0.559	1.434	-4.167	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.785	-2.265	0.305	0.0	0.0
-0.0	Q5_pc Y		-0.183	2.326	-0.120	0.0	-0.0
0.0	Q5_ps X		0.747	-2.164	0.253	-0.0	0.0
-0.0	Q5_ps Y		-0.166	2.189	-0.040	0.0	-0.0
-0.0	INVS LU	Max	1.604	6.516	-13.816	0.0	-0.0
-0.0		Min	-5.119	-7.997	-71.898	-0.0	-0.0
-0.0	INVS LE	Max	1.249	4.072	-10.912	0.0	-0.0
-0.0		Min	-3.626	-6.368	-53.895	-0.0	-0.0
4772 0.0	C1-C2;~1	Max	1.144	4.385	14.783	0.0	0.0
-0.0		Min	-1.788	-2.234	-29.130	-0.0	-0.0
0.0	C3-C4;~1	Max	1.322	4.843	16.870	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.898	-2.556	-31.016	-0.0	-0.0
0.0	C1-C2;~2	Max	0.607	2.155	7.973	0.0	0.0
-0.0		Min	-0.920	-1.206	-16.131	-0.0	-0.0
0.0	C3-C4;~2	Max	0.688	2.370	8.915	0.0	0.0
-0.0		Min	-0.980	-1.357	-17.309	-0.0	-0.0
-0.0		G1	-1.071	3.926	-16.141	-0.0	-0.0
-0.0		G2	-0.434	1.540	-6.232	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.828	-2.265	0.382	-0.0	0.0
0.0		Q5_pc Y	-0.226	2.372	-0.276	0.0	-0.0
-0.0		Q5_ps X	0.789	-2.161	0.321	-0.0	0.0
0.0		Q5_ps Y	-0.209	2.229	-0.167	0.0	-0.0
-0.0		INVSLU Max	4.917	6.981	-35.966	0.0	-0.0
-0.0		Min	-0.921	-7.277	-101.299	-0.0	-0.0
-0.0		INVSLE Max	3.831	4.381	-27.695	0.0	-0.0
-0.0		Min	-0.383	-5.864	-76.039	-0.0	-0.0
4773	C1-C2;~1	Max	1.240	4.394	15.331	0.0	0.0
0.0		Min	-1.950	-2.280	-27.997	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.437	4.881	17.502	0.0	0.0
-0.0		Min	-2.063	-2.608	-29.800	-0.0	-0.0
0.0	C1-C2;~2	Max	0.644	2.161	8.268	0.0	0.0
-0.0		Min	-0.988	-1.229	-15.443	-0.0	-0.0
0.0	C3-C4;~2	Max	0.733	2.387	9.249	0.0	0.0
-0.0		Min	-1.048	-1.383	-16.564	-0.0	-0.0
-0.0		G1	-1.218	3.820	-14.348	-0.0	-0.0
-0.0		G2	-0.495	1.489	-5.531	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.805	-2.275	0.367	-0.0	0.0
		Q5_pc Y	-0.193	2.373	-0.218	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0						
-0.0	Q5_ps X	0.766	-2.172	0.308	-0.0	0.0
-0.0	Q5_ps Y	-0.176	2.235	-0.119	0.0	-0.0
-0.0						
-0.0	INVS LU Max	3.114	6.967	-27.242	0.0	-0.0
-0.0	Min	-3.059	-7.416	-91.760	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	2.431	4.379	-21.106	0.0	-0.0
-0.0	Min	-2.035	-5.958	-68.848	-0.0	-0.0
-0.0						
4774	C1-C2;~1 Max	1.211	4.400	15.273	0.0	0.0
0.0	Min	-1.902	-2.268	-28.472	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.402	4.874	17.434	0.0	0.0
-0.0	Min	-2.015	-2.595	-30.323	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.632	2.163	8.237	0.0	0.0
-0.0	Min	-0.968	-1.224	-15.726	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.719	2.384	9.213	0.0	0.0
-0.0	Min	-1.029	-1.377	-16.880	-0.0	-0.0
-0.0						
-0.0	G1	-1.182	3.849	-14.895	-0.0	-0.0
-0.0	G2	-0.483	1.497	-5.743	-0.0	-0.0
-0.0						
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.810	-2.274	0.375	-0.0	0.0
-0.0	Q5_pc Y	-0.196	2.381	-0.236	0.0	-0.0
-0.0						
-0.0	Q5_ps X	0.771	-2.171	0.315	-0.0	0.0
-0.0	Q5_ps Y	-0.178	2.244	-0.135	0.0	-0.0
-0.0						
-0.0	INVS LU Max	3.488	7.035	-29.650	0.0	-0.0
-0.0	Min	-2.582	-7.334	-94.796	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	2.721	4.423	-22.929	0.0	-0.0
-0.0	Min	-1.668	-5.903	-71.135	-0.0	-0.0
-0.0						
4775	C1-C2;~1 Max	1.183	4.402	15.160	0.0	0.0
0.0	Min	-1.855	-2.256	-28.841	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.367	4.865	17.303	0.0	0.0
-0.0		Min	-1.967	-2.581	-30.718	-0.0	-0.0
0.0	C1-C2;~2	Max	0.621	2.163	8.176	0.0	0.0
-0.0		Min	-0.948	-1.218	-15.949	-0.0	-0.0
0.0	C3-C4;~2	Max	0.706	2.380	9.144	0.0	0.0
-0.0		Min	-1.009	-1.370	-17.121	-0.0	-0.0
-0.0	G1		-1.144	3.877	-15.384	-0.0	-0.0
-0.0	G2		-0.469	1.507	-5.933	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.815	-2.273	0.380	-0.0	0.0
0.0	Q5_pc Y		-0.203	2.385	-0.253	0.0	-0.0
-0.0	Q5_ps X		0.776	-2.170	0.319	-0.0	0.0
0.0	Q5_ps Y		-0.185	2.248	-0.149	0.0	-0.0
-0.0	INVSLU	Max	3.941	7.044	-31.941	0.0	-0.0
-0.0		Min	-2.027	-7.302	-97.452	-0.0	-0.0
-0.0	INVSLE	Max	3.072	4.426	-24.660	0.0	-0.0
-0.0		Min	-1.240	-5.883	-73.136	-0.0	-0.0
4776 0.0	C1-C2;~1	Max	1.159	4.399	14.996	0.0	0.0
-0.0		Min	-1.815	-2.244	-29.074	-0.0	-0.0
0.0	C3-C4;~1	Max	1.340	4.856	17.113	0.0	0.0
-0.0		Min	-1.927	-2.568	-30.959	-0.0	-0.0
0.0	C1-C2;~2	Max	0.612	2.162	8.088	0.0	0.0
-0.0		Min	-0.931	-1.212	-16.094	-0.0	-0.0
0.0	C3-C4;~2	Max	0.695	2.376	9.044	0.0	0.0
-0.0		Min	-0.992	-1.363	-17.271	-0.0	-0.0
-0.0	G1		-1.107	3.904	-15.801	-0.0	-0.0
-0.0	G2		-0.453	1.520	-6.096	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.821	-2.270	0.382	-0.0	0.0
0.0	Q5_pc Y		-0.212	2.384	-0.267	0.0	-0.0
-0.0	Q5_ps X		0.782	-2.167	0.322	-0.0	0.0
0.0	Q5_ps Y		-0.194	2.246	-0.162	0.0	-0.0
-0.0	INVS LU	Max	4.409	7.014	-34.050	0.0	-0.0
-0.0		Min	-1.480	-7.299	-99.635	-0.0	-0.0
-0.0	INVS LE	Max	3.436	4.402	-26.252	0.0	-0.0
-0.0		Min	-0.816	-5.882	-74.783	-0.0	-0.0
4777	C1-C2;~1	Max	1.154	4.422	13.088	0.0	0.0
0.0		Min	-1.696	-2.199	-27.845	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.324	4.831	14.931	0.0	0.0
0.0		Min	-1.825	-2.515	-29.613	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.611	2.170	7.059	0.0	0.0
0.0		Min	-0.880	-1.187	-15.449	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.690	2.364	7.891	0.0	0.0
0.0		Min	-0.948	-1.335	-16.551	-0.0	-0.0
-0.0	G1		-0.866	4.069	-16.659	-0.0	0.0
-0.0	G2		-0.355	1.594	-6.435	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.861	-2.235	0.367	-0.0	-0.0
0.0	Q5_pc Y		-0.282	2.337	-0.330	0.0	-0.0
-0.0	Q5_ps X		0.822	-2.131	0.308	-0.0	0.0
0.0	Q5_ps Y		-0.264	2.196	-0.220	0.0	-0.0
0.0	INVS LU	Max	7.612	6.537	-41.967	0.0	0.0
-0.0		Min	1.811	-7.587	-102.761	-0.0	-0.0
0.0	INVS LE	Max	5.907	4.033	-32.200	0.0	0.0
-0.0		Min	1.724	-6.117	-77.185	-0.0	-0.0
4778	C1-C2;~1	Max	1.133	4.408	14.528	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.748	-2.226	-29.175	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.308	4.846	16.577	0.0	0.0
0.0		Min	-1.867	-2.547	-31.051	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.602	2.165	7.836	0.0	0.0
0.0		Min	-0.904	-1.202	-16.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.683	2.371	8.761	0.0	0.0
0.0		Min	-0.967	-1.353	-17.346	-0.0	-0.0
-0.0							
-0.0		G1	-1.028	3.960	-16.410	-0.0	-0.0
-0.0		G2	-0.422	1.541	-6.333	-0.0	0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.833	-2.263	0.383	-0.0	0.0
-0.0	Q5_pc Y		-0.230	2.380	-0.295	0.0	-0.0
-0.0	Q5_ps X		0.794	-2.160	0.323	-0.0	0.0
-0.0	Q5_ps Y		-0.211	2.243	-0.187	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.404	6.905	-37.658	0.0	-0.0
0.0		Min	-0.383	-7.361	-102.646	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.205	4.314	-28.974	0.0	-0.0
0.0		Min	0.030	-5.936	-77.061	-0.0	-0.0
-0.0							
4779	C1-C2;~1	Max	1.130	4.420	14.228	0.0	0.0
0.0		Min	-1.724	-2.219	-29.047	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.304	4.845	16.233	0.0	0.0
0.0		Min	-1.848	-2.539	-30.921	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.601	2.169	7.674	0.0	0.0
0.0		Min	-0.893	-1.198	-16.112	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.682	2.370	8.579	0.0	0.0
0.0		Min	-0.959	-1.348	-17.284	-0.0	-0.0
-0.0							
-0.0		G1	-0.988	3.989	-16.597	-0.0	0.0
-0.0		G2	-0.408	1.550	-6.405	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.839	-2.259	0.382	-0.0	0.0
-0.0	Q5_pc Y		-0.239	2.378	-0.308	0.0	-0.0
0.0	Q5_ps X		0.800	-2.156	0.322	-0.0	0.0
-0.0	Q5_ps Y		-0.219	2.242	-0.200	0.0	-0.0
0.0	INVS LU	Max	5.929	6.836	-39.122	0.0	-0.0
-0.0		Min	0.163	-7.413	-103.469	-0.0	-0.0
0.0	INVS LE	Max	4.608	4.256	-30.076	0.0	-0.0
-0.0		Min	0.449	-5.981	-77.689	-0.0	-0.0
4780	C1-C2;~1	Max	1.136	4.427	13.885	0.0	0.0
0.0		Min	-1.710	-2.212	-28.788	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.307	4.842	15.842	0.0	0.0
0.0		Min	-1.836	-2.531	-30.643	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.604	2.172	7.489	0.0	0.0
0.0		Min	-0.887	-1.195	-15.975	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.683	2.369	8.373	0.0	0.0
0.0		Min	-0.953	-1.344	-17.135	-0.0	-0.0
-0.0	G1		-0.947	4.018	-16.701	-0.0	0.0
-0.0	G2		-0.392	1.561	-6.446	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.846	-2.253	0.379	-0.0	0.0
-0.0	Q5_pc Y		-0.251	2.372	-0.318	0.0	-0.0
0.0	Q5_ps X		0.806	-2.150	0.319	-0.0	0.0
-0.0	Q5_ps Y		-0.230	2.236	-0.210	0.0	-0.0
0.0	INVS LU	Max	6.472	6.742	-40.338	0.0	0.0
-0.0		Min	0.705	-7.481	-103.774	-0.0	-0.0
0.0	INVS LE	Max	5.026	4.183	-30.989	0.0	0.0
-0.0		Min	0.868	-6.036	-77.928	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4781	C1-C2;~1	Max	1.146	4.431	13.505	0.0	0.0
0.0		Min	-1.702	-2.205	-28.393	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.315	4.839	15.407	0.0	0.0
0.0		Min	-1.829	-2.523	-30.216	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.608	2.173	7.284	0.0	0.0
0.0		Min	-0.883	-1.191	-15.757	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.687	2.368	8.143	0.0	0.0
0.0		Min	-0.950	-1.340	-16.897	-0.0	-0.0
-0.0							
	G1		-0.906	4.046	-16.722	-0.0	0.0
-0.0							
	G2		-0.375	1.574	-6.455	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.853	-2.245	0.374	-0.0	0.0
-0.0							
	Q5_pc Y		-0.264	2.360	-0.327	0.0	-0.0
0.0							
	Q5_ps X		0.813	-2.142	0.315	-0.0	0.0
-0.0							
	Q5_ps Y		-0.244	2.223	-0.219	0.0	-0.0
0.0							
	INVSLU	Max	7.028	6.630	-41.286	0.0	0.0
0.0		Min	1.247	-7.556	-103.549	-0.0	-0.0
-0.0							
	INVSLE	Max	5.455	4.100	-31.697	0.0	0.0
0.0		Min	1.287	-6.094	-77.769	-0.0	-0.0
-0.0							
4782	C1-C2;~1	Max	1.324	4.496	10.526	0.0	0.0
0.0		Min	-1.760	-2.184	-23.742	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.497	4.842	12.007	0.0	0.0
0.0		Min	-1.917	-2.490	-25.204	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.681	2.204	5.678	0.0	0.0
0.0		Min	-0.903	-1.177	-13.164	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.761	2.370	6.346	0.0	0.0
0.0		Min	-0.981	-1.320	-14.067	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.654	4.220	-15.107	-0.0	0.0
-0.0	G2		-0.273	1.651	-5.836	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.901	-2.183	0.320	-0.0	-0.0
0.0	Q5_pc Y		-0.362	2.244	-0.351	0.0	-0.0
-0.0	Q5_ps X		0.860	-2.081	0.269	-0.0	0.0
0.0	Q5_ps Y		-0.340	2.109	-0.250	0.0	-0.0
0.0	INVS LU	Max	10.674	5.999	-41.144	0.0	0.0
-0.0		Min	4.443	-7.940	-92.010	-0.0	0.0
0.0	INVS LE	Max	8.255	3.621	-31.522	0.0	0.0
-0.0		Min	3.760	-6.404	-69.154	0.0	0.0
4783	C1-C2;~1	Max	1.185	4.451	12.639	0.0	0.0
0.0		Min	-1.698	-2.194	-27.274	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.351	4.838	14.418	0.0	0.0
-0.0		Min	-1.833	-2.508	-28.987	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.624	2.181	6.817	0.0	0.0
0.0		Min	-0.880	-1.185	-15.135	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.702	2.367	7.620	0.0	0.0
-0.0		Min	-0.950	-1.332	-16.201	-0.0	-0.0
0.0							
-0.0	G1		-0.821	4.104	-16.519	-0.0	0.0
-0.0	G2		-0.342	1.596	-6.377	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.868	-2.229	0.361	-0.0	0.0
0.0	Q5_pc Y		-0.291	2.334	-0.343	0.0	-0.0
-0.0	Q5_ps X		0.827	-2.126	0.304	-0.0	0.0
0.0	Q5_ps Y		-0.270	2.199	-0.237	0.0	-0.0
0.0							
0.0	INVS LU	Max	8.187	6.390	-42.385	0.0	0.0
-0.0		Min	2.326	-7.729	-101.632	-0.0	-0.0
0.0							
0.0	INVS LE	Max	6.346	3.915	-32.510	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	2.120	-6.232	-76.349	-0.0	-0.0
-0.0							
4784	C1-C2;~1	Max	1.216	4.515	12.156	0.0	0.0
0.0		Min	-1.706	-2.190	-26.555	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.381	4.840	13.867	0.0	0.0
0.0		Min	-1.846	-2.502	-28.213	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.637	2.224	6.557	0.0	0.0
0.0		Min	-0.883	-1.182	-14.734	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.714	2.368	7.329	0.0	0.0
0.0		Min	-0.955	-1.328	-15.765	-0.0	-0.0
-0.0							
-0.0	G1		-0.778	4.134	-16.294	-0.0	0.0
-0.0	G2		-0.327	1.605	-6.290	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.875	-2.220	0.353	-0.0	0.0
-0.0	Q5_pc Y		-0.306	2.321	-0.349	0.0	-0.0
0.0	Q5_ps X		0.834	-2.118	0.298	-0.0	0.0
-0.0	Q5_ps Y		-0.283	2.187	-0.245	0.0	-0.0
0.0							
0.0	INVSLU	Max	8.790	6.278	-42.525	0.0	0.0
0.0		Min	2.858	-7.811	-99.968	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.807	3.827	-32.606	0.0	0.0
0.0		Min	2.530	-6.300	-75.110	0.0	-0.0
-0.0							
4785	C1-C2;~1	Max	1.252	4.553	11.642	0.0	0.0
0.0		Min	-1.721	-2.187	-25.725	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.418	4.842	13.280	0.0	0.0
0.0		Min	-1.867	-2.497	-27.322	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.651	2.249	6.279	0.0	0.0
0.0		Min	-0.888	-1.180	-14.271	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.729	2.369	7.019	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-0.962	-1.325	-15.261	-0.0	-0.0
-0.0	G1		-0.736	4.165	-15.983	-0.0	0.0
-0.0	G2		-0.310	1.617	-6.170	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.883	-2.210	0.344	-0.0	0.0
-0.0	Q5_pc Y		-0.322	2.302	-0.354	0.0	-0.0
0.0	Q5_ps X		0.842	-2.108	0.290	-0.0	0.0
-0.0	Q5_ps Y		-0.298	2.170	-0.251	0.0	-0.0
0.0	INVSLU	Max	9.409	6.175	-42.360	0.0	0.0
0.0		Min	3.386	-7.876	-97.809	0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.282	3.748	-32.471	0.0	0.0
0.0		Min	2.938	-6.353	-73.496	0.0	-0.0
-0.0							
4786	C1-C2;~1	Max	1.290	4.563	11.098	0.0	0.0
0.0		Min	-1.740	-2.185	-24.792	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.458	4.844	12.659	0.0	0.0
0.0		Min	-1.891	-2.493	-26.321	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.667	2.253	5.986	0.0	0.0
0.0		Min	-0.895	-1.178	-13.750	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.745	2.370	6.691	0.0	0.0
0.0		Min	-0.971	-1.322	-14.697	-0.0	-0.0
-0.0							
-0.0	G1		-0.694	4.194	-15.588	-0.0	0.0
-0.0	G2		-0.293	1.631	-6.018	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.891	-2.198	0.333	-0.0	-0.0
-0.0	Q5_pc Y		-0.340	2.279	-0.356	0.0	-0.0
0.0	Q5_ps X		0.850	-2.096	0.280	-0.0	0.0
-0.0	Q5_ps Y		-0.316	2.146	-0.255	0.0	-0.0
0.0							
0.0	INVSLU	Max	10.034	6.076	-41.896	0.0	0.0
0.0		Min	3.909	-7.930	-95.159	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.0							
0.0	INVSLE	Max	7.763	3.675	-32.107	0.0	0.0
-0.0		Min	3.344	-6.396	-71.514	0.0	0.0
4787	C1-C2;~1	Max	1.557	4.725	7.326	0.0	0.0
0.0		Min	-1.866	-2.221	-17.289	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.745	5.055	8.356	0.0	0.0
-0.0		Min	-2.053	-2.524	-18.351	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.785	2.332	3.952	0.0	0.0
0.0		Min	-0.942	-1.187	-9.571	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.873	2.503	4.417	0.0	0.0
-0.0		Min	-1.033	-1.329	-10.221	-0.0	-0.0
-0.0	G1		-0.452	4.389	-11.539	0.0	0.0
-0.0	G2		-0.196	1.716	-4.458	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.944	-2.112	0.244	-0.0	-0.0
-0.0	Q5_pc Y		-0.459	2.095	-0.323	0.0	-0.0
0.0	Q5_ps X		0.901	-2.011	0.205	-0.0	-0.0
-0.0	Q5_ps Y		-0.432	1.966	-0.242	0.0	-0.0
0.0							
0.0	INVSLU	Max	13.585	5.598	-33.065	0.0	0.0
-0.0		Min	6.758	-8.435	-69.701	0.0	0.0
0.0							
-0.0	INVSLE	Max	10.491	3.315	-25.329	0.0	0.0
0.0		Min	5.560	-6.798	-52.424	0.0	0.0
-0.0							
4788	C1-C2;~1	Max	1.542	4.729	8.006	0.0	0.0
0.0		Min	-1.845	-2.208	-18.755	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.691	4.991	9.132	0.0	0.0
-0.0		Min	-2.026	-2.510	-19.902	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.784	2.340	4.318	0.0	0.0
-0.0		Min	-0.934	-1.183	-10.386	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.0							
0.0	C3-C4;~2	Max	0.846	2.461	4.827	0.0	0.0
-0.0		Min	-1.023	-1.324	-11.089	-0.0	-0.0
-0.0	G1		-0.489	4.358	-12.404	0.0	0.0
-0.0	G2		-0.214	1.694	-4.788	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.934	-2.130	0.263	-0.0	-0.0
0.0	Q5_pc Y		-0.434	2.140	-0.340	0.0	-0.0
-0.0	Q5_ps X		0.892	-2.030	0.222	-0.0	0.0
0.0	Q5_ps Y		-0.407	2.014	-0.256	0.0	-0.0
0.0	INVSLU	Max	13.023	5.629	-35.250	0.0	0.0
-0.0		Min	6.322	-8.349	-75.057	0.0	0.0
0.0	INVSLE	Max	10.056	3.334	-27.005	0.0	0.0
-0.0		Min	5.218	-6.735	-56.447	0.0	0.0
4789	C1-C2;~1	Max	1.498	4.712	8.667	0.0	0.0
0.0		Min	-1.824	-2.198	-20.133	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.631	4.935	9.886	0.0	0.0
0.0		Min	-1.999	-2.499	-21.365	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.765	2.336	4.675	0.0	0.0
0.0		Min	-0.926	-1.180	-11.152	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.815	2.425	5.225	0.0	0.0
0.0		Min	-1.012	-1.321	-11.909	-0.0	-0.0
-0.0	G1		-0.528	4.324	-13.195	0.0	0.0
-0.0	G2		-0.230	1.678	-5.094	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.925	-2.146	0.279	-0.0	-0.0
0.0	Q5_pc Y		-0.413	2.175	-0.348	0.0	-0.0
-0.0	Q5_ps X		0.883	-2.046	0.236	-0.0	0.0
0.0	Q5_ps Y		-0.386	2.049	-0.260	0.0	-0.0

PROJECT TITLE :

		Company						Client
		Author						File Name
		INVSLE	Max	9.617	3.392	-28.467	0.0	0.0
			Min	4.877	-6.652	-60.136	0.0	0.0
0.0								
-0.0								
		INVSLE	Max	9.617	3.392	-28.467	0.0	0.0
			Min	4.877	-6.652	-60.136	0.0	0.0
0.0								
-0.0								
4790	C1-C2;~1	Max	1.439	4.678	9.308	0.0	0.0	
0.0		Min	-1.803	-2.191	-21.428	-0.0	-0.0	
-0.0								
	C3-C4;~1	Max	1.588	4.901	10.617	0.0	0.0	
0.0		Min	-1.972	-2.493	-22.738	-0.0	-0.0	
-0.0								
	C1-C2;~2	Max	0.735	2.319	5.021	0.0	0.0	
0.0		Min	-0.918	-1.178	-11.874	-0.0	-0.0	
-0.0								
	C3-C4;~2	Max	0.798	2.404	5.612	0.0	0.0	
0.0		Min	-1.002	-1.319	-12.680	-0.0	-0.0	
-0.0								
	G1		-0.569	4.291	-13.911	-0.0	0.0	
-0.0								
	G2		-0.246	1.666	-5.370	-0.0	0.0	
-0.0								
	Q3		0.000	0.000	0.000	0.0	0.0	
0.0								
-0.0	Q5_pc X		0.916	-2.160	0.295	-0.0	-0.0	
0.0	Q5_pc Y		-0.394	2.205	-0.354	0.0	-0.0	
-0.0	Q5_ps X		0.874	-2.060	0.248	-0.0	0.0	
0.0	Q5_ps Y		-0.367	2.077	-0.262	0.0	-0.0	
	INVSLE	Max	11.880	5.806	-38.774	0.0	0.0	
0.0		Min	5.425	-8.143	-84.441	0.0	0.0	
-0.0								
	INVSLE	Max	9.178	3.466	-29.706	0.0	0.0	
0.0		Min	4.518	-6.573	-63.486	0.0	0.0	
-0.0								
4791	C1-C2;~1	Max	1.373	4.617	9.930	0.0	0.0	
0.0		Min	-1.781	-2.186	-22.641	-0.0	-0.0	
-0.0								
	C3-C4;~1	Max	1.544	4.859	11.327	0.0	0.0	
0.0		Min	-1.944	-2.490	-24.028	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.701	2.282	5.356	0.0	0.0
-0.0		Min	-0.910	-1.177	-12.550	-0.0	-0.0
0.0	C3-C4;~2	Max	0.780	2.377	5.986	0.0	0.0
-0.0		Min	-0.991	-1.319	-13.405	-0.0	-0.0
-0.0	G1		-0.610	4.257	-14.552	-0.0	0.0
-0.0	G2		-0.261	1.655	-5.618	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.908	-2.173	0.308	-0.0	-0.0
0.0	Q5_pc Y		-0.376	2.230	-0.356	0.0	-0.0
-0.0	Q5_ps X		0.866	-2.072	0.260	-0.0	0.0
0.0	Q5_ps Y		-0.350	2.100	-0.260	0.0	-0.0
0.0	INVSLU	Max	11.280	5.878	-40.095	0.0	0.0
-0.0		Min	4.936	-8.057	-88.465	0.0	0.0
0.0	INVSLE	Max	8.718	3.524	-30.719	0.0	0.0
-0.0		Min	4.140	-6.501	-66.501	0.0	0.0
4792	C1-C2;~1	Max	1.633	4.833	6.629	0.0	0.0
0.0		Min	-1.887	-2.240	-15.774	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.816	5.150	7.562	0.0	0.0
-0.0		Min	-2.080	-2.544	-16.745	-0.0	-0.0
0.0	C1-C2;~2	Max	0.826	2.395	3.576	0.0	0.0
-0.0		Min	-0.950	-1.194	-8.728	-0.0	-0.0
0.0	C3-C4;~2	Max	0.910	2.562	3.997	0.0	0.0
-0.0		Min	-1.043	-1.336	-9.321	-0.0	-0.0
-0.0	G1		-0.412	4.428	-10.608	0.0	0.0
-0.0	G2		-0.184	1.721	-4.095	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.951	-2.098	0.227	-0.0	-0.0
0.0	Q5_pc Y		-0.475	2.069	-0.315	0.0	-0.0
-0.0	Q5_ps X		0.908	-1.999	0.191	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.445	1.946	-0.241	0.0	-0.0
0.0	INVS LU	Max	14.118	5.538	-30.625	0.0	0.0
-0.0		Min	7.146	-8.625	-64.006	0.0	0.0
0.0	INVS LE	Max	10.899	3.262	-23.465	0.0	0.0
-0.0		Min	5.862	-6.950	-48.150	0.0	0.0
4793 0.0	C1-C2;~1	Max	1.683	4.931	5.916	0.0	0.0
-0.0		Min	-1.907	-2.264	-14.180	-0.0	-0.0
0.0	C3-C4;~1	Max	1.886	5.243	6.748	0.0	0.0
-0.0		Min	-2.106	-2.570	-15.057	-0.0	-0.0
0.0	C1-C2;~2	Max	0.849	2.452	3.191	0.0	0.0
-0.0		Min	-0.957	-1.203	-7.842	-0.0	-0.0
0.0	C3-C4;~2	Max	0.949	2.619	3.567	0.0	0.0
-0.0		Min	-1.053	-1.346	-8.377	-0.0	-0.0
-0.0	G1		-0.377	4.466	-9.610	0.0	0.0
-0.0	G2		-0.172	1.733	-3.710	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.960	-2.082	0.207	-0.0	-0.0
0.0	Q5_pc Y		-0.494	2.033	-0.299	0.0	-0.0
-0.0	Q5_ps X		0.916	-1.983	0.175	-0.0	0.0
0.0	Q5_ps Y		-0.463	1.913	-0.231	0.0	-0.0
0.0	INVS LU	Max	14.647	5.524	-27.939	0.0	0.0
-0.0		Min	7.529	-8.770	-57.913	0.0	0.0
0.0	INVS LE	Max	11.306	3.246	-21.410	0.0	0.0
-0.0		Min	6.161	-7.065	-43.574	0.0	0.0
4794 0.0	C1-C2;~1	Max	1.740	5.030	5.188	0.0	0.0
-0.0		Min	-1.927	-2.293	-12.520	-0.0	-0.0
0.0	C3-C4;~1	Max	1.954	5.343	5.918	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.132	-2.602	-13.299	-0.0	-0.0
0.0	C1-C2;~2	Max	0.879	2.510	2.798	0.0	0.0
-0.0		Min	-0.965	-1.214	-6.920	-0.0	-0.0
0.0	C3-C4;~2	Max	0.987	2.679	3.128	0.0	0.0
-0.0		Min	-1.063	-1.358	-7.395	-0.0	-0.0
-0.0		G1	-0.343	4.503	-8.548	0.0	0.0
-0.0		G2	-0.158	1.747	-3.300	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.969	-2.064	0.186	-0.0	-0.0
0.0		Q5_pc Y	-0.515	1.992	-0.279	0.0	-0.0
-0.0		Q5_ps X	0.925	-1.966	0.157	-0.0	0.0
0.0		Q5_ps Y	-0.483	1.874	-0.217	0.0	-0.0
0.0	INVSLU	Max	15.149	5.534	-24.999	0.0	0.0
-0.0		Min	7.889	-8.906	-51.443	0.0	0.0
0.0	INVSLE	Max	11.693	3.251	-19.160	0.0	0.0
-0.0		Min	6.445	-7.170	-38.712	0.0	0.0
4795	C1-C2;~1	Max	1.798	5.133	4.449	0.0	0.0
0.0		Min	-1.947	-2.330	-10.804	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.019	5.449	5.074	0.0	0.0
-0.0		Min	-2.157	-2.641	-11.483	-0.0	-0.0
0.0	C1-C2;~2	Max	0.911	2.570	2.400	0.0	0.0
-0.0		Min	-0.972	-1.228	-5.969	-0.0	-0.0
0.0	C3-C4;~2	Max	1.022	2.742	2.682	0.0	0.0
-0.0		Min	-1.072	-1.373	-6.382	-0.0	-0.0
-0.0		G1	-0.311	4.541	-7.431	0.0	0.0
-0.0		G2	-0.145	1.764	-2.869	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.978	-2.045	0.163	-0.0	-0.0
		Q5_pc Y	-0.537	1.947	-0.254	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.934	-1.947	0.138	-0.0	-0.0
0.0	Q5_ps Y	-0.505	1.830	-0.199	0.0	-0.0
0.0	INVS LU Max	15.619	5.567	-21.836	0.0	0.0
-0.0	Min	8.222	-9.035	-44.645	0.0	0.0
0.0	INVS LE Max	12.058	3.277	-16.739	0.0	0.0
-0.0	Min	6.709	-7.267	-33.601	0.0	0.0
4796	C1-C2;~1 Max	1.849	5.232	3.700	0.0	0.0
0.0	Min	-1.966	-2.373	-9.033	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.078	5.558	4.221	0.0	0.0
0.0	Min	-2.182	-2.689	-9.612	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.940	2.628	1.996	0.0	0.0
0.0	Min	-0.980	-1.244	-4.988	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.056	2.806	2.231	0.0	0.0
0.0	Min	-1.082	-1.391	-5.340	-0.0	-0.0
-0.0	G1	-0.282	4.578	-6.262	0.0	0.0
-0.0	G2	-0.131	1.788	-2.421	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.987	-2.023	0.138	-0.0	-0.0
-0.0	Q5_pc Y	-0.561	1.893	-0.220	0.0	0.0
0.0	Q5_ps X	0.943	-1.925	0.116	-0.0	-0.0
-0.0	Q5_ps Y	-0.530	1.773	-0.170	0.0	-0.0
0.0	INVS LU Max	16.070	5.644	-18.450	0.0	0.0
-0.0	Min	8.542	-9.131	-37.521	0.0	0.0
0.0	INVS LE Max	12.409	3.338	-14.143	0.0	0.0
-0.0	Min	6.965	-7.336	-28.240	0.0	0.0
4797	C1-C2;~1 Max	1.908	5.362	2.979	0.0	0.0
0.0	Min	-1.984	-2.420	-7.323	-0.0	-0.0
-0.0						


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.139	5.687	3.398	0.0	0.0
-0.0		Min	-2.205	-2.745	-7.800	-0.0	-0.0
0.0	C1-C2;~2	Max	0.972	2.699	1.607	0.0	0.0
-0.0		Min	-0.987	-1.262	-4.040	-0.0	-0.0
0.0	C3-C4;~2	Max	1.089	2.878	1.796	0.0	0.0
-0.0		Min	-1.091	-1.413	-4.329	-0.0	-0.0
-0.0	G1		-0.255	4.619	-5.109	0.0	0.0
-0.0	G2		-0.124	1.795	-1.973	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.994	-2.007	0.115	-0.0	-0.0
0.0	Q5_pc Y		-0.577	1.858	-0.193	0.0	-0.0
-0.0	Q5_ps X		0.950	-1.910	0.097	-0.0	-0.0
0.0	Q5_ps Y		-0.543	1.744	-0.152	0.0	-0.0
0.0	INVSLU	Max	16.432	5.640	-15.065	0.0	0.0
-0.0		Min	8.778	-9.355	-30.530	0.0	0.0
0.0	INVSLE	Max	12.690	3.328	-11.553	0.0	0.0
-0.0		Min	7.153	-7.512	-22.982	0.0	0.0
4798 0.0	C1-C2;~1	Max	1.958	5.482	2.251	0.0	0.0
-0.0		Min	-2.002	-2.469	-5.573	-0.0	-0.0
0.0	C3-C4;~1	Max	2.193	5.815	2.568	0.0	0.0
-0.0		Min	-2.228	-2.806	-5.947	-0.0	-0.0
0.0	C1-C2;~2	Max	1.000	2.766	1.214	0.0	0.0
-0.0		Min	-0.993	-1.281	-3.072	-0.0	-0.0
0.0	C3-C4;~2	Max	1.119	2.950	1.358	0.0	0.0
-0.0		Min	-1.100	-1.436	-3.298	-0.0	-0.0
-0.0	G1		-0.231	4.658	-3.919	0.0	0.0
-0.0	G2		-0.115	1.808	-1.514	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.002	-1.988	0.090	-0.0	-0.0
0.0	Q5_pc Y		-0.595	1.814	-0.157	0.0	0.0
-0.0	Q5_ps X		0.957	-1.893	0.076	-0.0	-0.0
0.0	Q5_ps Y		-0.561	1.703	-0.124	0.0	-0.0
0.0	INVS LU	Max	16.773	5.698	-11.533	0.0	0.0
-0.0		Min	9.001	-9.520	-23.311	0.0	0.0
0.0	INVS LE	Max	12.956	3.368	-8.845	0.0	0.0
-0.0		Min	7.332	-7.640	-17.549	0.0	0.0
4799	C1-C2;~1	Max	2.004	5.598	1.522	0.0	0.0
0.0		Min	-2.020	-2.519	-3.803	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.243	5.943	1.736	0.0	0.0
-0.0		Min	-2.251	-2.868	-4.074	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.025	2.831	0.821	0.0	0.0
-0.0		Min	-1.000	-1.300	-2.093	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.147	3.022	0.918	0.0	0.0
-0.0		Min	-1.108	-1.460	-2.257	-0.0	-0.0
0.0							
-0.0	G1		-0.211	4.698	-2.705	0.0	0.0
-0.0	G2		-0.106	1.825	-1.046	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.010	-1.968	0.063	-0.0	-0.0
0.0	Q5_pc Y		-0.614	1.767	-0.114	0.0	0.0
-0.0	Q5_ps X		0.965	-1.873	0.052	-0.0	-0.0
0.0	Q5_ps Y		-0.579	1.656	-0.089	0.0	-0.0
0.0	INVS LU	Max	17.081	5.815	-7.862	0.0	0.0
-0.0		Min	9.196	-9.623	-15.911	0.0	0.0
0.0	INVS LE	Max	13.198	3.455	-6.029	0.0	0.0
-0.0		Min	7.492	-7.717	-11.976	0.0	0.0
4800	C1-C2;~1	Max	2.044	5.712	0.795	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.036	-2.568	-2.031	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.289	6.070	0.908	0.0	0.0
0.0		Min	-2.272	-2.929	-2.203	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.048	2.896	0.429	0.0	0.0
0.0		Min	-1.007	-1.319	-1.114	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.173	3.093	0.480	0.0	0.0
0.0		Min	-1.117	-1.484	-1.217	-0.0	-0.0
-0.0							
-0.0	G1		-0.193	4.739	-1.485	0.0	0.0
-0.0	G2		-0.098	1.845	-0.575	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.018	-1.947	0.034	-0.0	-0.0
-0.0	Q5_pc Y		-0.634	1.715	-0.065	0.0	0.0
0.0	Q5_ps X		0.973	-1.852	0.028	-0.0	-0.0
-0.0	Q5_ps Y		-0.599	1.604	-0.049	0.0	0.0
0.0							
0.0	INVSLU	Max	17.351	6.005	-4.097	0.0	0.0
0.0		Min	9.361	-9.649	-8.414	0.0	0.0
-0.0							
0.0	INVSLE	Max	13.411	3.601	-3.137	0.0	0.0
0.0		Min	7.629	-7.734	-6.326	0.0	0.0
-0.0							
4801	C1-C2;~1	Max	2.083	5.831	0.081	0.0	0.0
0.0		Min	-2.053	-2.617	-0.321	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.333	6.203	0.093	0.0	0.0
0.0		Min	-2.293	-2.990	-0.452	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.070	2.963	0.043	0.0	0.0
0.0		Min	-1.013	-1.338	-0.173	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.197	3.168	0.049	0.0	0.0
0.0		Min	-1.125	-1.507	-0.260	-0.0	-0.0
-0.0							
-0.0	G1		-0.178	4.786	-0.284	0.0	0.0
-0.0	G2		-0.089	1.872	-0.111	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.026	-1.925	0.005	-0.0	-0.0
-0.0	Q5_pc Y		-0.655	1.658	-0.015	0.0	0.0
0.0	Q5_ps X		0.981	-1.829	0.002	-0.0	-0.0
-0.0	Q5_ps Y		-0.621	1.544	-0.007	0.0	0.0
0.0							
	INVSLU	Max	17.596	6.303	-0.236	0.0	0.0
0.0		Min	9.504	-9.572	-0.999	0.0	0.0
-0.0							
	INVSLE	Max	13.607	3.834	-0.165	0.0	0.0
0.0		Min	7.750	-7.669	-0.728	0.0	0.0
-0.0							
4802	C1-C2;~1	Max	2.114	5.928	1.056	0.0	0.0
0.0		Min	-2.066	-2.657	-0.488	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.368	6.311	1.047	0.0	0.0
0.0		Min	-2.310	-3.041	-0.564	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.087	3.018	0.594	0.0	0.0
0.0		Min	-1.018	-1.353	-0.261	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.217	3.229	0.589	0.0	0.0
0.0		Min	-1.131	-1.527	-0.296	-0.0	-0.0
-0.0							
	G1		-0.167	4.821	0.605	0.0	0.0
-0.0							
	G2		-0.086	1.883	0.234	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.031	-1.911	-0.019	-0.0	-0.0
-0.0	Q5_pc Y		-0.665	1.626	0.028	0.0	0.0
0.0	Q5_ps X		0.986	-1.815	-0.021	-0.0	-0.0
-0.0	Q5_ps Y		-0.630	1.515	0.031	0.0	0.0
0.0							
	INVSLU	Max	17.694	6.434	5.107	0.0	0.0
0.0		Min	9.524	-9.630	2.870	0.0	0.0
-0.0							
	INVSLE	Max	13.683	3.929	3.894	0.0	0.0
0.0		Min	7.768	-7.715	2.241	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4803	C1-C2;~1	Max	1.741	5.386	7.159	0.0	0.0
0.0		Min	-1.881	-4.735	-9.598	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.848	5.582	8.170	0.0	0.0
0.0		Min	-1.844	-5.403	-9.461	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.899	2.820	3.704	0.0	0.0
0.0		Min	-0.991	-2.460	-5.054	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.956	2.919	4.150	0.0	0.0
0.0		Min	-0.960	-2.757	-4.981	-0.0	-0.0
-0.0							
	G1		-0.116	0.608	-2.533	-0.0	0.0
0.0							
	G2		-0.009	0.236	-0.983	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.853	-0.355	0.235	0.0	0.0
-0.0							
	Q5_pc Y		0.225	0.812	-1.145	-0.0	0.0
0.0							
	Q5_ps X		0.790	-0.334	0.204	0.0	0.0
-0.0							
	Q5_ps Y		0.210	0.770	-1.092	-0.0	0.0
0.0							
	INVSLU	Max	2.882	10.076	6.064	0.0	0.0
0.0		Min	-3.687	-6.215	-19.984	-0.0	-0.0
-0.0							
	INVSLE	Max	2.064	7.431	4.363	0.0	0.0
0.0		Min	-2.688	-4.528	-14.779	-0.0	-0.0
-0.0							
4804	C1-C2;~1	Max	1.765	5.359	5.790	0.0	0.0
0.0		Min	-1.916	-4.779	-7.692	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.878	5.553	6.614	0.0	0.0
0.0		Min	-1.930	-5.446	-7.572	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.909	2.804	2.997	0.0	0.0
0.0		Min	-1.010	-2.485	-4.046	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.970	2.901	3.363	0.0	0.0
0.0		Min	-0.986	-2.781	-3.983	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.142	0.531	-1.989	-0.0	0.0
0.0	G2		-0.014	0.205	-0.765	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.789	-0.341	0.200	0.0	0.0
0.0	Q5_pc Y		0.270	0.796	-0.925	-0.0	0.0
-0.0	Q5_ps X		0.728	-0.321	0.173	0.0	0.0
0.0	Q5_ps Y		0.252	0.755	-0.882	-0.0	0.0
0.0	INVS LU	Max	2.740	9.807	5.132	0.0	0.0
-0.0		Min	-3.821	-6.475	-15.846	-0.0	-0.0
0.0	INVS LE	Max	1.961	7.230	3.701	0.0	0.0
-0.0		Min	-2.793	-4.724	-11.715	-0.0	-0.0
4805	C1-C2;~1	Max	1.784	5.325	4.375	0.0	0.0
0.0		Min	-1.947	-4.824	-5.803	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.905	5.517	5.008	0.0	0.0
-0.0		Min	-1.986	-5.490	-5.687	-0.0	-0.0
0.0	C1-C2;~2	Max	0.917	2.784	2.266	0.0	0.0
-0.0		Min	-1.027	-2.511	-3.049	-0.0	-0.0
0.0	C3-C4;~2	Max	0.983	2.879	2.547	0.0	0.0
-0.0		Min	-1.010	-2.806	-2.989	-0.0	-0.0
0.0	G1		-0.169	0.443	-1.501	-0.0	0.0
0.0	G2		-0.021	0.170	-0.575	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.728	-0.329	0.171	0.0	0.0
0.0	Q5_pc Y		0.316	0.779	-0.697	-0.0	0.0
-0.0	Q5_ps X		0.670	-0.309	0.147	0.0	0.0
0.0	Q5_ps Y		0.295	0.739	-0.665	-0.0	0.0
0.0	INVS LU	Max	2.604	9.494	3.948	0.0	0.0
-0.0		Min	-3.960	-6.767	-11.902	-0.0	-0.0
0.0	INVS LE	Max	1.863	6.997	2.849	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.902	-4.944	-8.798	-0.0	-0.0
-0.0							
4806	C1-C2;~1	Max	1.796	5.280	2.911	0.0	0.0
0.0		Min	-1.968	-4.871	-3.937	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.927	5.472	3.351	0.0	0.0
0.0		Min	-2.034	-5.534	-3.818	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.923	2.758	1.506	0.0	0.0
0.0		Min	-1.040	-2.538	-2.067	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.994	2.853	1.704	0.0	0.0
0.0		Min	-1.049	-2.831	-1.999	-0.0	-0.0
-0.0							
	G1		-0.197	0.343	-1.086	-0.0	0.0
0.0							
-0.0	G2		-0.033	0.132	-0.414	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0							
	Q5_pc X		0.673	-0.319	0.144	0.0	0.0
0.0							
-0.0	Q5_pc Y		0.365	0.761	-0.462	-0.0	0.0
0.0	Q5_ps X		0.617	-0.299	0.124	0.0	0.0
-0.0							
	Q5_ps Y		0.342	0.722	-0.441	-0.0	0.0
0.0							
	INVSLU	Max	2.485	9.133	2.489	0.0	0.0
0.0		Min	-4.073	-7.095	-8.182	-0.0	-0.0
-0.0							
	INVSLE	Max	1.777	6.728	1.793	0.0	0.0
0.0		Min	-2.991	-5.191	-6.049	-0.0	-0.0
-0.0							
4807	C1-C2;~1	Max	1.803	5.226	1.390	0.0	0.0
0.0		Min	-1.980	-4.917	-2.120	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.943	5.419	1.637	0.0	0.0
0.0		Min	-2.076	-5.578	-2.005	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.926	2.727	0.714	0.0	0.0
0.0		Min	-1.048	-2.565	-1.114	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.003	2.822	0.828	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.072	-2.857	-1.058	-0.0	-0.0
-0.0	G1		-0.227	0.232	-0.780	-0.0	0.0
0.0	G2		-0.051	0.092	-0.293	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.624	-0.312	0.127	0.0	0.0
-0.0	Q5_pc Y		0.417	0.741	-0.218	-0.0	0.0
0.0	Q5_ps X		0.573	-0.293	0.110	0.0	0.0
-0.0	Q5_ps Y		0.391	0.704	-0.210	-0.0	0.0
0.0	INVSLU	Max	2.377	8.725	0.673	0.0	0.0
0.0		Min	-4.173	-7.456	-4.792	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.700	6.424	0.470	0.0	0.0
0.0		Min	-3.068	-5.462	-3.549	-0.0	-0.0
-0.0							
4808	C1-C2;~1	Max	1.806	5.164	0.062	0.0	0.0
0.0		Min	-1.991	-4.961	-0.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.958	5.360	0.071	0.0	0.0
0.0		Min	-2.120	-5.619	-0.516	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.928	2.692	0.030	0.0	0.0
0.0		Min	-1.057	-2.592	-0.354	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.010	2.788	0.034	0.0	0.0
0.0		Min	-1.097	-2.881	-0.266	-0.0	-0.0
-0.0							
0.0	G1		-0.262	0.115	-0.619	-0.0	0.0
0.0	G2		-0.072	0.050	-0.229	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.586	-0.309	0.128	0.0	0.0
-0.0	Q5_pc Y		0.473	0.720	0.035	-0.0	0.0
0.0	Q5_ps X		0.538	-0.291	0.110	0.0	0.0
-0.0	Q5_ps Y		0.444	0.684	0.031	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.265	8.288	-1.175	0.0	0.0
0.0		Min	-4.295	-7.829	-2.407	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.0							
0.0	INVSLE	Max	1.619	6.099	-0.891	0.0	0.0
-0.0		Min	-3.162	-5.743	-1.786	-0.0	-0.0
4809	C1-C2;~1	Max	1.698	5.403	13.507	0.0	0.0
0.0		Min	-1.748	-4.379	-19.584	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.742	5.604	15.410	0.0	0.0
-0.0		Min	-1.670	-5.029	-19.366	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.880	2.843	6.943	0.0	0.0
0.0		Min	-0.912	-2.261	-10.386	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.903	2.945	7.778	0.0	0.0
-0.0		Min	-0.857	-2.552	-10.252	-0.0	-0.0
-0.0	G1		-0.026	0.988	-6.200	-0.0	0.0
-0.0	G2		0.023	0.385	-2.411	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.216	-0.458	0.368	-0.0	0.0
-0.0	Q5_pc Y		0.022	0.889	-2.188	-0.0	0.0
0.0	Q5_ps X		1.135	-0.433	0.318	-0.0	0.0
-0.0	Q5_ps Y		0.019	0.841	-2.085	-0.0	0.0
0.0							
0.0	INVSLU	Max	3.949	11.330	7.292	-0.0	0.0
-0.0		Min	-2.951	-4.625	-43.889	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	2.836	8.371	5.093	-0.0	0.0
0.0		Min	-2.113	-3.329	-32.527	-0.0	-0.0
-0.0							
4810	C1-C2;~1	Max	1.756	5.424	12.408	0.0	0.0
0.0		Min	-1.801	-4.458	-17.630	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.765	5.622	14.151	0.0	0.0
-0.0		Min	-1.734	-5.114	-17.444	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.908	2.851	6.389	0.0	0.0
-0.0		Min	-0.941	-2.305	-9.336	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.0							
0.0	C3-C4;~2	Max	0.914	2.951	7.154	0.0	0.0
-0.0		Min	-0.891	-2.598	-9.223	-0.0	-0.0
-0.0	G1		-0.052	0.930	-5.351	-0.0	0.0
-0.0	G2		0.027	0.359	-2.074	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.142	-0.435	0.336	-0.0	0.0
-0.0	Q5_pc Y		0.053	0.875	-2.008	-0.0	0.0
0.0	Q5_ps X		1.061	-0.410	0.289	-0.0	0.0
-0.0	Q5_ps Y		0.047	0.829	-1.914	-0.0	0.0
0.0							
0.0	INVSLU	Max	3.654	11.149	7.732	-0.0	0.0
-0.0		Min	-3.216	-4.919	-38.786	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.620	8.235	5.460	-0.0	0.0
-0.0		Min	-2.316	-3.550	-28.730	-0.0	-0.0
4811	C1-C2;~1	Max	1.790	5.432	11.217	0.0	0.0
0.0		Min	-1.846	-4.543	-15.640	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.789	5.628	12.790	0.0	0.0
-0.0		Min	-1.789	-5.204	-15.477	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.925	2.852	5.785	0.0	0.0
-0.0		Min	-0.966	-2.352	-8.270	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.925	2.951	6.476	0.0	0.0
-0.0		Min	-0.922	-2.647	-8.173	-0.0	-0.0
-0.0	G1		-0.078	0.851	-4.550	-0.0	0.0
-0.0	G2		0.026	0.326	-1.762	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.067	-0.413	0.309	-0.0	0.0
-0.0	Q5_pc Y		0.089	0.860	-1.812	-0.0	0.0
0.0	Q5_ps X		0.988	-0.389	0.266	-0.0	0.0
-0.0	Q5_ps Y		0.080	0.815	-1.727	-0.0	0.0
0.0							

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	3.375	10.894	7.832	0.0	0.0	
		Min	-3.452	-5.278	-33.809	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	2.417	8.043	5.573	0.0	0.0	
		Min	-2.498	-3.822	-25.031	-0.0	-0.0	
-0.0								
4812 0.0	C1-C2;~1	Max	1.760	5.424	9.939	0.0	0.0	
		Min	-1.874	-4.638	-13.614	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.808	5.621	11.332	0.0	0.0	
		Min	-1.824	-5.305	-13.489	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.895	2.844	5.132	0.0	0.0	
		Min	-0.983	-2.405	-7.188	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.935	2.943	5.745	0.0	0.0	
		Min	-0.943	-2.702	-7.115	-0.0	-0.0	
-0.0								
0.0	G1		-0.102	0.746	-3.808	-0.0	0.0	
-0.0	G2		0.014	0.285	-1.473	-0.0	-0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.993	-0.392	0.279	-0.0	0.0	
0.0	Q5_pc Y		0.131	0.844	-1.603	-0.0	0.0	
-0.0	Q5_ps X		0.919	-0.368	0.241	-0.0	0.0	
0.0	Q5_ps Y		0.120	0.800	-1.528	-0.0	0.0	
0.0								
0.0	INVS LU	Max	3.144	10.546	7.573	0.0	0.0	
		Min	-3.614	-5.723	-28.990	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	2.250	7.782	5.417	0.0	0.0	
		Min	-2.624	-4.156	-21.453	-0.0	-0.0	
-0.0								
4813 0.0	C1-C2;~1	Max	1.727	5.409	8.578	0.0	0.0	
		Min	-1.876	-4.685	-11.611	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.825	5.606	9.782	0.0	0.0	
		Min	-1.831	-5.353	-11.480	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.893	2.835	4.434	0.0	0.0
		Min	-0.986	-2.432	-6.123	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.944	2.933	4.965	0.0	0.0
		Min	-0.950	-2.729	-6.049	-0.0	-0.0
-0.0							
0.0	G1		-0.108	0.683	-3.149	-0.0	0.0
0.0	G2		0.003	0.263	-1.216	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.922	-0.373	0.259	-0.0	0.0
-0.0	Q5_pc Y		0.177	0.829	-1.379	-0.0	0.0
0.0	Q5_ps X		0.854	-0.350	0.224	-0.0	0.0
-0.0	Q5_ps Y		0.164	0.785	-1.314	-0.0	0.0
0.0							
0.0	INVSLU	Max	3.006	10.334	6.951	0.0	0.0
		Min	-3.650	-5.951	-24.412	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.151	7.624	4.989	0.0	0.0
		Min	-2.656	-4.329	-18.059	-0.0	-0.0
-0.0							
4814	C1-C2;~1	Max	1.811	4.857	7.476	0.0	0.0
0.0		Min	-2.173	-5.091	-9.351	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.006	5.051	7.906	0.0	0.0
		Min	-2.371	-5.732	-10.127	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.926	2.519	3.848	0.0	0.0
		Min	-1.151	-2.674	-4.982	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.035	2.612	4.065	0.0	0.0
		Min	-1.232	-2.953	-5.269	-0.0	-0.0
-0.0							
-0.0	G1		-0.463	-0.370	-2.549	0.0	-0.0
-0.0	G2		-0.147	-0.138	-0.931	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.594	-0.361	-0.052	0.0	0.0
0.0	Q5_pc Y		0.806	0.595	1.218	-0.0	0.0
0.0	Q5_ps X		0.543	-0.340	-0.077	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.758	0.566	1.153	-0.0	0.0
0.0	INVS LU	Max	1.931	6.351	5.828	0.0	0.0
-0.0		Min	-5.430	-9.277	-20.709	-0.0	-0.0
0.0	INVS LE	Max	1.350	4.659	4.183	0.0	0.0
-0.0		Min	-3.995	-6.838	-15.311	-0.0	-0.0
4815 0.0	C1-C2;~1	Max	1.812	5.103	1.449	0.0	0.0
-0.0		Min	-2.023	-4.999	-2.053	-0.0	-0.0
0.0	C3-C4;~1	Max	1.975	5.298	1.572	0.0	0.0
-0.0		Min	-2.182	-5.654	-2.097	-0.0	-0.0
0.0	C1-C2;~2	Max	0.929	2.657	0.741	0.0	0.0
-0.0		Min	-1.075	-2.615	-1.090	-0.0	-0.0
0.0	C3-C4;~2	Max	1.018	2.753	0.806	0.0	0.0
-0.0		Min	-1.129	-2.902	-1.092	-0.0	-0.0
-0.0	G1		-0.308	-0.001	-0.774	0.0	-0.0
0.0	G2		-0.083	0.003	-0.280	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.570	-0.314	0.070	0.0	0.0
0.0	Q5_pc Y		0.536	0.696	0.278	-0.0	0.0
-0.0	Q5_ps X		0.521	-0.296	0.053	0.0	0.0
0.0	Q5_ps Y		0.504	0.661	0.261	-0.0	0.0
0.0	INVS LU	Max	2.108	7.862	0.670	0.0	0.0
-0.0		Min	-4.530	-8.176	-4.783	-0.0	-0.0
0.0	INVS LE	Max	1.502	5.783	0.464	0.0	0.0
-0.0		Min	-3.339	-6.005	-3.538	-0.0	-0.0
4816 0.0	C1-C2;~1	Max	1.815	5.041	3.040	0.0	0.0
-0.0		Min	-2.087	-5.029	-3.825	-0.0	-0.0
0.0	C3-C4;~1	Max	1.989	5.236	3.237	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.243	-5.683	-4.073	-0.0	-0.0
0.0	C1-C2;~2	Max	0.929	2.622	1.565	0.0	0.0
-0.0		Min	-1.103	-2.634	-2.032	-0.0	-0.0
0.0	C3-C4;~2	Max	1.024	2.717	1.667	0.0	0.0
-0.0		Min	-1.161	-2.920	-2.115	-0.0	-0.0
-0.0		G1	-0.355	-0.109	-1.082	0.0	-0.0
0.0		G2	-0.095	-0.041	-0.389	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.565	-0.323	0.030	0.0	0.0
0.0	Q5_pc Y		0.603	0.671	0.519	-0.0	0.0
0.0	Q5_ps X		0.515	-0.303	0.012	0.0	0.0
0.0	Q5_ps Y		0.566	0.638	0.490	-0.0	0.0
0.0	INVSLU	Max	1.993	7.457	2.435	0.0	0.0
-0.0		Min	-4.804	-8.492	-8.367	-0.0	-0.0
0.0	INVSLE	Max	1.413	5.481	1.750	0.0	0.0
-0.0		Min	-3.542	-6.243	-6.183	-0.0	-0.0
4817	C1-C2;~1	Max	1.815	4.978	4.570	0.0	0.0
0.0		Min	-2.128	-5.054	-5.648	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.997	5.173	4.843	0.0	0.0
-0.0		Min	-2.295	-5.705	-6.078	-0.0	-0.0
0.0	C1-C2;~2	Max	0.928	2.587	2.355	0.0	0.0
-0.0		Min	-1.125	-2.650	-3.002	-0.0	-0.0
0.0	C3-C4;~2	Max	1.029	2.682	2.494	0.0	0.0
-0.0		Min	-1.189	-2.934	-3.157	-0.0	-0.0
-0.0		G1	-0.397	-0.206	-1.501	0.0	-0.0
-0.0		G2	-0.111	-0.078	-0.541	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.569	-0.334	0.000	0.0	0.0
0.0	Q5_pc Y		0.670	0.646	0.758	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	0.518	-0.314	-0.020	0.0	0.0
0.0	Q5_ps Y	0.630	0.614	0.716	-0.0	0.0
0.0						
0.0	INVS LU Max	1.939	7.069	3.836	0.0	0.0
0.0	Min	-5.062	-8.779	-12.271	-0.0	-0.0
-0.0						
0.0	INVS LE Max	1.367	5.193	2.763	0.0	0.0
0.0	Min	-3.730	-6.460	-9.067	-0.0	-0.0
-0.0						
4818	C1-C2;~1 Max	1.813	4.917	6.047	0.0	0.0
0.0	Min	-2.155	-5.075	-7.494	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.003	5.112	6.399	0.0	0.0
0.0	Min	-2.337	-5.722	-8.100	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.927	2.553	3.115	0.0	0.0
0.0	Min	-1.140	-2.664	-3.988	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.032	2.646	3.293	0.0	0.0
0.0	Min	-1.212	-2.945	-4.210	-0.0	-0.0
-0.0						
-0.0	G1	-0.433	-0.293	-1.996	0.0	-0.0
-0.0	G2	-0.129	-0.110	-0.722	0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.579	-0.347	-0.028	0.0	0.0
0.0	Q5_pc Y	0.738	0.620	0.990	-0.0	0.0
0.0	Q5_ps X	0.528	-0.326	-0.051	0.0	0.0
0.0	Q5_ps Y	0.694	0.590	0.937	-0.0	0.0
0.0						
0.0	INVS LU Max	1.922	6.699	4.960	0.0	0.0
0.0	Min	-5.266	-9.042	-16.396	-0.0	-0.0
-0.0						
0.0	INVS LE Max	1.349	4.918	3.569	0.0	0.0
0.0	Min	-3.877	-6.660	-12.118	-0.0	-0.0
-0.0						
4819	C1-C2;~1 Max	1.798	4.803	8.925	0.0	0.0
0.0	Min	-2.237	-5.095	-11.291	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.000	4.995	9.436	0.0	0.0
-0.0		Min	-2.413	-5.734	-12.249	-0.0	-0.0
0.0	C1-C2;~2	Max	0.919	2.488	4.590	0.0	0.0
-0.0		Min	-1.191	-2.679	-6.022	-0.0	-0.0
0.0	C3-C4;~2	Max	1.032	2.580	4.847	0.0	0.0
-0.0		Min	-1.254	-2.956	-6.378	-0.0	-0.0
-0.0	G1		-0.504	-0.434	-3.160	0.0	-0.0
0.0	G2		-0.156	-0.166	-1.151	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.609	-0.374	-0.087	0.0	0.0
0.0	Q5_pc Y		0.879	0.568	1.449	-0.0	0.0
0.0	Q5_ps X		0.556	-0.351	-0.116	0.0	0.0
0.0	Q5_ps Y		0.827	0.540	1.372	-0.0	0.0
0.0	INVS LU	Max	1.910	6.038	6.628	0.0	0.0
-0.0		Min	-5.629	-9.469	-25.253	-0.0	-0.0
0.0	INVS LE	Max	1.328	4.427	4.746	0.0	0.0
-0.0		Min	-4.139	-6.984	-18.677	-0.0	-0.0
4820	C1-C2;~1	Max	1.787	4.752	10.316	0.0	0.0
0.0		Min	-2.383	-5.093	-13.215	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.994	4.943	10.907	0.0	0.0
-0.0		Min	-2.465	-5.730	-14.364	-0.0	-0.0
0.0	C1-C2;~2	Max	0.913	2.459	5.300	0.0	0.0
-0.0		Min	-1.294	-2.680	-7.055	-0.0	-0.0
0.0	C3-C4;~2	Max	1.029	2.550	5.596	0.0	0.0
-0.0		Min	-1.285	-2.956	-7.485	-0.0	-0.0
-0.0	G1		-0.539	-0.487	-3.816	0.0	-0.0
0.0	G2		-0.163	-0.189	-1.395	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	Q5_pc X		0.629	-0.387	-0.125	0.0	0.0	
0.0	Q5_pc Y		0.951	0.542	1.669	-0.0	-0.0	
0.0	Q5_ps X		0.572	-0.362	-0.155	0.0	0.0	
0.0	Q5_ps Y		0.894	0.516	1.581	-0.0	0.0	
0.0	INVSLU	Max	1.914	5.752	7.169	0.0	0.0	
-0.0		Min	-5.817	-9.631	-29.951	-0.0	-0.0	
0.0	INVSLE	Max	1.324	4.215	5.113	0.0	0.0	
-0.0		Min	-4.275	-7.108	-22.161	-0.0	-0.0	
4821	C1-C2;~1	Max	1.756	4.652	11.621	0.0	0.0	
0.0		Min	-2.432	-5.092	-15.162	-0.0	-0.0	
-0.0	C3-C4;~1	Max	1.967	4.842	12.290	0.0	0.0	
0.0		Min	-2.512	-5.724	-16.450	-0.0	-0.0	
-0.0	C1-C2;~2	Max	0.896	2.403	5.963	0.0	0.0	
0.0		Min	-1.328	-2.683	-8.106	-0.0	-0.0	
-0.0	C3-C4;~2	Max	1.015	2.493	6.297	0.0	0.0	
0.0		Min	-1.317	-2.956	-8.582	-0.0	-0.0	
-0.0	G1		-0.586	-0.584	-4.554	0.0	-0.0	
0.0	G2		-0.181	-0.228	-1.671	0.0	-0.0	
-0.0	G3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		0.652	-0.403	-0.154	0.0	0.0	
0.0	Q5_pc Y		1.022	0.521	1.879	-0.0	-0.0	
0.0	Q5_ps X		0.594	-0.377	-0.187	0.0	0.0	
0.0	Q5_ps Y		0.962	0.496	1.780	-0.0	-0.0	
0.0	INVSLU	Max	1.871	5.235	7.356	0.0	0.0	
0.0		Min	-6.016	-9.966	-34.825	-0.0	-0.0	
-0.0	INVSLE	Max	1.286	3.829	5.217	0.0	0.0	
0.0		Min	-4.420	-7.361	-25.778	-0.0	-0.0	
-0.0	4822	C1-C2;~1	Max	1.732	4.557	12.837	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.362	-5.085	-17.077	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.945	4.747	13.583	0.0	0.0
0.0		Min	-2.475	-5.713	-18.517	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.884	2.350	6.577	0.0	0.0
0.0		Min	-1.280	-2.682	-9.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.004	2.439	6.948	0.0	0.0
0.0		Min	-1.290	-2.953	-9.671	-0.0	-0.0
-0.0							
0.0		G1	-0.616	-0.662	-5.352	0.0	-0.0
0.0		G2	-0.200	-0.256	-1.969	0.0	-0.0
-0.0							
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.681	-0.421	-0.184	0.0	0.0
0.0	Q5_pc Y		1.090	0.502	2.075	-0.0	-0.0
0.0	Q5_ps X		0.624	-0.394	-0.219	0.0	0.0
0.0	Q5_ps Y		1.026	0.478	1.967	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.920	4.750	7.192	0.0	0.0
0.0		Min	-6.008	-10.274	-39.878	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.316	3.467	5.056	0.0	0.0
0.0		Min	-4.411	-7.594	-29.534	-0.0	-0.0
-0.0							
4823	C1-C2;~1	Max	1.711	4.466	13.958	0.0	0.0
0.0		Min	-2.239	-5.073	-18.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.925	4.657	14.780	0.0	0.0
0.0		Min	-2.467	-5.697	-20.538	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.874	2.299	7.140	0.0	0.0
0.0		Min	-1.196	-2.677	-10.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.995	2.388	7.547	0.0	0.0
0.0		Min	-1.289	-2.946	-10.740	-0.0	-0.0
-0.0							
0.0		G1	-0.632	-0.724	-6.197	0.0	-0.0
0.0		G2	-0.220	-0.275	-2.292	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.713	-0.439	-0.208	0.0	0.0
0.0	Q5_pc Y	1.154	0.485	2.259	-0.0	-0.0
0.0	Q5_ps X	0.657	-0.412	-0.245	0.0	0.0
0.0	Q5_ps Y	1.087	0.462	2.143	-0.0	-0.0
0.0	INVS LU Max	2.021	4.307	6.702	0.0	0.0
-0.0	Min	-5.984	-10.543	-45.043	-0.0	-0.0
0.0	INVS LE Max	1.386	3.136	4.652	0.0	0.0
-0.0	Min	-4.390	-7.799	-33.377	-0.0	-0.0
4824	C1-C2;~1 Max	1.662	4.397	15.020	0.0	0.0
0.0	Min	-2.425	-5.044	-20.810	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.877	4.587	15.914	0.0	0.0
0.0	Min	-2.577	-5.675	-22.542	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.849	2.260	7.669	0.0	0.0
0.0	Min	-1.336	-2.664	-11.172	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.970	2.348	8.111	0.0	0.0
0.0	Min	-1.376	-2.937	-11.800	-0.0	-0.0
-0.0	G1	-0.655	-0.764	-7.067	0.0	0.0
0.0	G2	-0.217	-0.297	-2.613	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.738	-0.452	-0.238	0.0	0.0
0.0	Q5_pc Y	1.222	0.467	2.434	-0.0	-0.0
0.0	Q5_ps X	0.679	-0.422	-0.277	0.0	0.0
0.0	Q5_ps Y	1.151	0.446	2.310	-0.0	-0.0
0.0	INVS LU Max	2.070	3.956	6.058	0.0	0.0
-0.0	Min	-6.141	-10.739	-50.240	-0.0	-0.0
0.0	INVS LE Max	1.415	2.875	4.131	0.0	0.0
-0.0	Min	-4.505	-7.947	-37.246	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4825	C1-C2;~1	Max	1.618	4.330	15.988	0.0	0.0
0.0		Min	-2.492	-5.009	-22.600	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.832	4.521	16.954	0.0	0.0
0.0		Min	-2.651	-5.647	-24.470	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.826	2.222	8.149	0.0	0.0
0.0		Min	-1.389	-2.647	-12.148	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.948	2.310	8.623	0.0	0.0
0.0		Min	-1.437	-2.923	-12.824	-0.0	-0.0
-0.0							
0.0	G1		-0.667	-0.790	-7.952	0.0	0.0
0.0	G2		-0.215	-0.312	-2.948	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.764	-0.465	-0.264	0.0	0.0
0.0	Q5_pc Y		1.285	0.453	2.594	-0.0	-0.0
0.0	Q5_ps X		0.702	-0.433	-0.305	0.0	0.0
0.0	Q5_ps Y		1.211	0.433	2.463	-0.0	-0.0
0.0							
	INVSLU	Max	2.149	3.658	5.128	0.0	0.0
0.0		Min	-6.217	-10.905	-55.464	0.0	-0.0
-0.0							
	INVSLE	Max	1.468	2.652	3.397	0.0	0.0
0.0		Min	-4.557	-8.073	-41.140	0.0	-0.0
-0.0							
4826	C1-C2;~1	Max	1.581	4.266	16.869	0.0	0.0
0.0		Min	-2.450	-4.970	-24.320	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.794	4.458	17.904	0.0	0.0
0.0		Min	-2.610	-5.614	-26.325	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.807	2.186	8.581	0.0	0.0
0.0		Min	-1.365	-2.626	-13.089	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.929	2.274	9.087	0.0	0.0
0.0		Min	-1.414	-2.906	-13.811	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.670	-0.803	-8.843	0.0	0.0
-0.0	G2		-0.217	-0.319	-3.284	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.792	-0.478	-0.288	0.0	0.0
0.0	Q5_pc Y		1.343	0.444	2.742	-0.0	-0.0
0.0	Q5_ps X		0.729	-0.444	-0.330	0.0	0.0
0.0	Q5_ps Y		1.266	0.424	2.604	-0.0	-0.0
0.0	INVS LU	Max	2.280	3.397	3.994	0.0	0.0
0.0		Min	-6.083	-11.059	-60.650	0.0	-0.0
0.0	INVS LE	Max	1.564	2.454	2.508	0.0	0.0
0.0		Min	-4.452	-8.191	-45.011	0.0	-0.0
4827	C1-C2;~1	Max	1.551	4.204	17.668	0.0	0.0
0.0		Min	-2.322	-4.928	-25.961	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.763	4.397	18.769	0.0	0.0
0.0		Min	-2.498	-5.574	-28.104	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.793	2.151	8.969	0.0	0.0
0.0		Min	-1.281	-2.602	-13.990	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.914	2.239	9.505	0.0	0.0
0.0		Min	-1.338	-2.885	-14.759	-0.0	-0.0
-0.0	G1		-0.667	-0.803	-9.728	0.0	0.0
0.0	G2		-0.224	-0.316	-3.619	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.821	-0.491	-0.310	0.0	0.0
0.0	Q5_pc Y		1.393	0.438	2.876	-0.0	-0.0
0.0	Q5_ps X		0.758	-0.457	-0.352	0.0	0.0
0.0	Q5_ps Y		1.314	0.418	2.733	-0.0	-0.0
0.0	INVS LU	Max	2.468	3.154	2.675	0.0	0.0
0.0		Min	-5.792	-11.190	-65.781	0.0	-0.0
0.0	INVS LE	Max	1.706	2.268	1.480	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
0.0		Min	-4.227	-8.292	-48.844	0.0	-0.0
4828	C1-C2;~1	Max	1.531	4.144	18.388	0.0	0.0
0.0		Min	-2.126	-4.878	-27.531	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.741	4.338	19.552	0.0	0.0
0.0		Min	-2.357	-5.526	-29.795	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.784	2.116	9.315	0.0	0.0
0.0		Min	-1.147	-2.573	-14.853	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.904	2.206	9.880	0.0	0.0
0.0		Min	-1.240	-2.859	-15.662	-0.0	-0.0
-0.0							
-0.0	G1		-0.659	-0.789	-10.604	0.0	0.0
-0.0	G2		-0.235	-0.305	-3.956	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.848	-0.503	-0.325	0.0	0.0
0.0	Q5_pc Y		1.437	0.437	2.997	-0.0	-0.0
0.0	Q5_ps X		0.787	-0.469	-0.367	0.0	0.0
0.0	Q5_ps Y		1.355	0.417	2.849	-0.0	-0.0
0.0							
0.0	INVSLU	Max	2.701	2.932	1.251	0.0	0.0
0.0		Min	-5.416	-11.289	-70.761	0.0	-0.0
0.0							
0.0	INVSLE	Max	1.884	2.097	0.378	0.0	0.0
0.0		Min	-3.937	-8.370	-52.565	0.0	-0.0
0.0							
4829	C1-C2;~1	Max	1.471	4.032	21.056	0.0	0.0
0.0		Min	-2.038	-4.736	-34.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.669	4.232	22.500	0.0	0.0
0.0		Min	-2.325	-5.385	-36.904	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.757	2.051	10.551	0.0	0.0
0.0		Min	-1.099	-2.493	-18.435	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.872	2.142	11.237	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-1.231	-2.780	-19.474	-0.0	-0.0
-0.0	G1		-0.641	-0.718	-14.368	0.0	0.0
-0.0	G2		-0.231	-0.281	-5.390	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.939	-0.539	-0.398	0.0	0.0
0.0	Q5_pc Y		1.610	0.411	3.448	-0.0	-0.0
0.0	Q5_ps X		0.876	-0.502	-0.438	0.0	0.0
0.0	Q5_ps Y		1.520	0.392	3.285	-0.0	-0.0
0.0	INVSLU	Max	4.103	2.983	-6.588	0.0	0.0
0.0		Min	-4.186	-10.970	-92.991	0.0	-0.0
0.0	INVSLE	Max	2.963	2.157	-5.681	0.0	0.0
0.0		Min	-2.963	-8.107	-69.222	0.0	-0.0
4830	C1-C2;~1	Max	1.457	4.024	21.435	0.0	0.0
0.0		Min	-2.072	-4.710	-35.083	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.653	4.225	22.927	0.0	0.0
0.0		Min	-2.363	-5.356	-38.075	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.751	2.045	10.718	0.0	0.0
0.0		Min	-1.125	-2.479	-19.034	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.865	2.137	11.424	0.0	0.0
0.0		Min	-1.262	-2.762	-20.108	-0.0	-0.0
-0.0	G1		-0.630	-0.707	-14.999	0.0	0.0
0.0	G2		-0.220	-0.282	-5.626	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.951	-0.543	-0.410	0.0	0.0
0.0	Q5_pc Y		1.637	0.407	3.502	-0.0	-0.0
0.0	Q5_ps X		0.886	-0.505	-0.450	0.0	0.0
0.0	Q5_ps Y		1.545	0.388	3.337	-0.0	-0.0
0.0	INVSLU	Max	4.445	3.063	-8.056	0.0	0.0
0.0		Min	-3.923	-10.849	-96.712	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	INVSLE	Max	3.226	2.224	-6.809	0.0	0.0
0.0		Min	-2.755	-8.009	-72.013	0.0	-0.0
0.0							
4831	C1-C2;~1	Max	1.450	4.014	21.757	0.0	0.0
0.0		Min	-2.078	-4.687	-36.064	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.643	4.217	23.292	0.0	0.0
0.0		Min	-2.375	-5.328	-39.127	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.749	2.039	10.855	0.0	0.0
0.0		Min	-1.131	-2.466	-19.585	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.861	2.132	11.579	0.0	0.0
0.0		Min	-1.274	-2.746	-20.679	-0.0	-0.0
-0.0							
-0.0	G1		-0.622	-0.694	-15.573	0.0	0.0
0.0	G2		-0.214	-0.280	-5.845	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.964	-0.547	-0.419	0.0	0.0
0.0	Q5_pc Y		1.662	0.404	3.542	-0.0	-0.0
0.0	Q5_ps X		0.898	-0.508	-0.458	0.0	0.0
0.0	Q5_ps Y		1.569	0.385	3.377	-0.0	-0.0
0.0							
	INVSLU	Max	4.762	3.175	-9.436	0.0	0.0
0.0		Min	-3.654	-10.695	-100.078	0.0	-0.0
0.0							
	INVSLE	Max	3.469	2.315	-7.865	0.0	0.0
0.0		Min	-2.544	-7.886	-74.535	0.0	-0.0
0.0							
4832	C1-C2;~1	Max	1.445	4.001	22.016	0.0	0.0
0.0		Min	-2.059	-4.659	-36.940	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.636	4.206	23.592	0.0	0.0
0.0		Min	-2.363	-5.296	-40.063	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.747	2.031	10.959	0.0	0.0
0.0		Min	-1.120	-2.450	-20.079	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.0							
0.0	C3-C4;~2	Max	0.858	2.125	11.700	0.0	0.0
-0.0		Min	-1.267	-2.726	-21.189	-0.0	-0.0
-0.0	G1		-0.612	-0.677	-16.090	0.0	0.0
-0.0	G2		-0.210	-0.274	-6.042	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.976	-0.549	-0.426	0.0	0.0
0.0	Q5_pc Y		1.687	0.405	3.566	-0.0	-0.0
0.0	Q5_ps X		0.910	-0.510	-0.465	0.0	0.0
0.0	Q5_ps Y		1.593	0.385	3.401	-0.0	-0.0
0.0	INVSLU	Max	5.050	3.405	-10.736	0.0	0.0
-0.0		Min	-3.384	-10.411	-103.090	0.0	-0.0
0.0	INVSLE	Max	3.688	2.499	-8.858	0.0	0.0
-0.0		Min	-2.334	-7.662	-76.794	0.0	-0.0
4833	C1-C2;~1	Max	1.442	3.987	22.216	0.0	0.0
0.0		Min	-2.019	-4.631	-37.689	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.631	4.193	23.830	0.0	0.0
0.0		Min	-2.330	-5.264	-40.876	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.747	2.022	11.034	0.0	0.0
0.0		Min	-1.094	-2.432	-20.502	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.857	2.117	11.789	0.0	0.0
0.0		Min	-1.245	-2.707	-21.634	-0.0	-0.0
-0.0	G1		-0.604	-0.658	-16.539	0.0	0.0
-0.0	G2		-0.211	-0.265	-6.214	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.988	-0.552	-0.431	0.0	0.0
0.0	Q5_pc Y		1.709	0.406	3.575	-0.0	-0.0
0.0	Q5_ps X		0.922	-0.513	-0.470	0.0	0.0
0.0	Q5_ps Y		1.614	0.387	3.412	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	5.251	3.699	-11.939	0.0	0.0	
		Min	-3.171	-10.062	-105.727	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	3.841	2.731	-9.775	0.0	0.0	
		Min	-2.170	-7.389	-78.772	0.0	-0.0	
-0.0								
4834 0.0	C1-C2;~1	Max	1.445	3.969	22.360	0.0	0.0	
		Min	-1.938	-4.601	-38.311	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.632	4.176	24.007	0.0	0.0	
		Min	-2.257	-5.235	-41.535	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.749	2.012	11.080	0.0	0.0	
		Min	-1.040	-2.412	-20.854	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.859	2.107	11.848	0.0	0.0	
		Min	-1.194	-2.690	-21.992	-0.0	-0.0	
-0.0								
-0.0	G1		-0.601	-0.635	-16.919	0.0	0.0	
-0.0	G2		-0.219	-0.250	-6.363	0.0	0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.000	-0.554	-0.434	0.0	0.0	
0.0	Q5_pc Y		1.728	0.408	3.571	-0.0	-0.0	
0.0	Q5_ps X		0.936	-0.517	-0.471	0.0	0.0	
0.0	Q5_ps Y		1.632	0.389	3.409	-0.0	-0.0	
0.0								
0.0	INVS LU	Max	5.429	4.020	-12.982	0.0	0.0	
		Min	-2.933	-9.683	-107.891	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	3.974	2.984	-10.567	0.0	0.0	
		Min	-1.989	-7.092	-80.394	0.0	-0.0	
-0.0								
4835 0.0	C1-C2;~1	Max	1.435	3.963	22.469	0.0	0.0	
		Min	-1.964	-4.560	-38.907	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.619	4.172	24.147	0.0	0.0	
		Min	-2.285	-5.185	-42.171	-0.0	-0.0	
-0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.745	2.008	11.108	0.0	0.0
-0.0		Min	-1.059	-2.388	-21.199	-0.0	-0.0
0.0	C3-C4;~2	Max	0.853	2.104	11.888	0.0	0.0
-0.0		Min	-1.218	-2.658	-22.350	-0.0	-0.0
0.0	G1		-0.582	-0.622	-17.248	0.0	0.0
0.0	G2		-0.203	-0.252	-6.484	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.006	-0.552	-0.438	0.0	0.0
0.0	Q5_pc Y		1.745	0.412	3.563	-0.0	-0.0
0.0	Q5_ps X		0.940	-0.513	-0.475	0.0	0.0
0.0	Q5_ps Y		1.648	0.392	3.404	-0.0	-0.0
0.0	INVSLU	Max	5.825	4.203	-13.922	0.0	0.0
0.0		Min	-2.586	-9.424	-109.865	0.0	-0.0
0.0	INVSLE	Max	4.280	3.130	-11.284	0.0	0.0
0.0		Min	-1.718	-6.891	-81.878	0.0	-0.0
4836	C1-C2;~1	Max	1.431	3.954	22.524	0.0	0.0
0.0		Min	-1.955	-4.525	-39.346	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.613	4.165	24.229	0.0	0.0
-0.0		Min	-2.279	-5.144	-42.633	-0.0	-0.0
0.0	C1-C2;~2	Max	0.743	2.002	11.110	0.0	0.0
-0.0		Min	-1.054	-2.367	-21.450	-0.0	-0.0
0.0	C3-C4;~2	Max	0.850	2.099	11.899	0.0	0.0
-0.0		Min	-1.216	-2.631	-22.607	-0.0	-0.0
0.0	G1		-0.568	-0.605	-17.501	0.0	0.0
0.0	G2		-0.196	-0.248	-6.580	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.012	-0.551	-0.440	0.0	0.0
0.0	Q5_pc Y		1.760	0.418	3.542	-0.0	-0.0
0.0	Q5_ps X		0.945	-0.511	-0.476	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.663	0.397	3.386	-0.0	-0.0
0.0	INVSLE Max		6.192	4.423	-14.693	0.0	0.0
0.0	INVSLE Min		-2.231	-9.137	-111.334	-0.0	-0.0
0.0	INVSLE Max		4.562	3.303	-11.868	0.0	0.0
0.0	INVSLE Min		-1.443	-6.668	-82.981	-0.0	-0.0
4837 0.0	C1-C2;~1 Max		1.430	3.944	22.522	0.0	0.0
-0.0	C1-C2;~1 Min		-1.928	-4.498	-39.637	-0.0	-0.0
0.0	C3-C4;~1 Max		1.611	4.157	24.251	0.0	0.0
-0.0	C3-C4;~1 Min		-2.255	-5.117	-42.940	-0.0	-0.0
0.0	C1-C2;~2 Max		0.743	1.996	11.083	0.0	0.0
-0.0	C1-C2;~2 Min		-1.036	-2.350	-21.616	-0.0	-0.0
0.0	C3-C4;~2 Max		0.849	2.094	11.880	0.0	0.0
-0.0	C3-C4;~2 Min		-1.200	-2.615	-22.779	-0.0	-0.0
-0.0	G1		-0.557	-0.587	-17.677	0.0	0.0
-0.0	G2		-0.191	-0.242	-6.646	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.017	-0.548	-0.440	0.0	0.0
0.0	Q5_pc Y		1.774	0.425	3.509	-0.0	-0.0
0.0	Q5_ps X		0.950	-0.509	-0.476	0.0	0.0
0.0	Q5_ps Y		1.676	0.404	3.356	-0.0	-0.0
0.0	INVSLE Max		6.464	4.717	-15.309	0.0	0.0
-0.0	INVSLE Min		-1.946	-8.790	-112.335	-0.0	-0.0
0.0	INVSLE Max		4.771	3.533	-12.333	0.0	0.0
-0.0	INVSLE Min		-1.222	-6.399	-83.736	-0.0	-0.0
4838 0.0	C1-C2;~1 Max		1.431	3.933	22.466	0.0	0.0
-0.0	C1-C2;~1 Min		-1.890	-4.485	-39.786	-0.0	-0.0
0.0	C3-C4;~1 Max		1.610	4.147	24.214	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company					Client
		Author					File Name
-0.0		Min	-2.210	-5.110	-43.097	-0.0	-0.0
0.0	C1-C2;~2	Max	0.745	1.989	11.029	0.0	0.0
-0.0		Min	-1.011	-2.343	-21.700	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	2.088	11.832	0.0	0.0
-0.0		Min	-1.169	-2.614	-22.865	-0.0	-0.0
-0.0		G1	-0.546	-0.567	-17.774	0.0	0.0
-0.0		G2	-0.190	-0.233	-6.683	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.022	-0.546	-0.439	0.0	0.0
0.0	Q5_pc Y		1.784	0.434	3.464	-0.0	-0.0
0.0	Q5_ps X		0.955	-0.506	-0.474	0.0	0.0
0.0	Q5_ps Y		1.686	0.413	3.314	-0.0	-0.0
0.0	INVSLU	Max	6.643	5.083	-15.770	0.0	0.0
-0.0		Min	-1.726	-8.396	-112.874	-0.0	-0.0
0.0	INVSLE	Max	4.909	3.819	-12.678	0.0	0.0
-0.0		Min	-1.052	-6.093	-84.145	-0.0	-0.0
4839	C1-C2;~1	Max	1.437	3.917	22.357	0.0	0.0
0.0		Min	-1.811	-4.471	-39.777	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.614	4.132	24.121	0.0	0.0
-0.0		Min	-2.127	-5.109	-43.075	-0.0	-0.0
0.0	C1-C2;~2	Max	0.748	1.980	10.949	0.0	0.0
-0.0		Min	-0.957	-2.336	-21.691	-0.0	-0.0
0.0	C3-C4;~2	Max	0.852	2.080	11.756	0.0	0.0
-0.0		Min	-1.110	-2.617	-22.848	-0.0	-0.0
-0.0		G1	-0.541	-0.542	-17.792	0.0	0.0
-0.0		G2	-0.198	-0.216	-6.694	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.026	-0.543	-0.435	0.0	0.0
	Q5_pc Y		1.793	0.445	3.406	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0						
-0.0	Q5_ps X	0.962	-0.505	-0.469	0.0	0.0
-0.0	Q5_ps Y	1.694	0.423	3.261	-0.0	-0.0
-0.0						
0.0	INVS LU Max	6.790	5.471	-16.038	0.0	0.0
-0.0	Min	-1.486	-7.982	-112.884	0.0	0.0
0.0						
-0.0	INVS LE Max	5.023	4.122	-12.874	0.0	0.0
0.0	Min	-0.869	-5.771	-84.157	0.0	0.0
-0.0						
4840	C1-C2;~1 Max	1.434	3.913	22.347	0.0	0.0
0.0	Min	-1.836	-4.450	-39.754	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.609	4.130	24.122	0.0	0.0
-0.0	Min	-2.136	-5.089	-43.042	-0.0	-0.0
0.0						
-0.0	C1-C2;~2 Max	0.747	1.977	10.952	0.0	0.0
0.0	Min	-0.974	-2.326	-21.686	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.849	2.077	11.761	0.0	0.0
-0.0	Min	-1.118	-2.606	-22.841	-0.0	-0.0
0.0						
0.0	G1	-0.519	-0.529	-17.757	0.0	0.0
0.0	G2	-0.181	-0.219	-6.676	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	1.025	-0.535	-0.433	0.0	0.0
-0.0	Q5_pc Y	1.799	0.457	3.347	-0.0	-0.0
-0.0	Q5_ps X	0.958	-0.496	-0.466	0.0	0.0
-0.0	Q5_ps Y	1.700	0.434	3.206	-0.0	-0.0
0.0						
0.0	INVS LU Max	7.158	5.689	-16.010	0.0	0.0
-0.0	Min	-1.134	-7.720	-112.706	-0.0	-0.0
0.0						
0.0	INVS LE Max	5.309	4.292	-12.851	0.0	0.0
0.0	Min	-0.594	-5.569	-84.031	-0.0	-0.0
4841	C1-C2;~1 Max	1.436	3.906	22.367	0.0	0.0
0.0	Min	-1.832	-4.430	-39.574	-0.0	-0.0
-0.0						


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.608	4.124	24.160	0.0	0.0
-0.0		Min	-2.119	-5.076	-42.831	-0.0	-0.0
0.0	C1-C2;~2	Max	0.748	1.972	10.990	0.0	0.0
-0.0		Min	-0.971	-2.315	-21.587	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	2.074	11.808	0.0	0.0
-0.0		Min	-1.107	-2.600	-22.731	-0.0	-0.0
0.0	G1		-0.503	-0.513	-17.643	0.0	0.0
0.0	G2		-0.172	-0.216	-6.632	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.023	-0.528	-0.428	0.0	0.0
-0.0	Q5_pc Y		1.803	0.471	3.277	-0.0	-0.0
-0.0	Q5_ps X		0.957	-0.489	-0.461	0.0	0.0
-0.0	Q5_ps Y		1.704	0.447	3.142	-0.0	-0.0
0.0	INVSLU	Max	7.495	5.929	-15.663	0.0	0.0
-0.0		Min	-0.782	-7.441	-111.999	-0.0	-0.0
0.0	INVSLE	Max	5.570	4.480	-12.585	0.0	0.0
-0.0		Min	-0.320	-5.353	-83.507	-0.0	-0.0
4842	C1-C2;~1	Max	1.440	3.897	22.332	0.0	0.0
0.0		Min	-1.810	-4.410	-39.252	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.609	4.118	24.139	0.0	0.0
-0.0		Min	-2.087	-5.065	-42.469	-0.0	-0.0
0.0	C1-C2;~2	Max	0.750	1.967	11.001	0.0	0.0
-0.0		Min	-0.956	-2.304	-21.407	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	2.069	11.826	0.0	0.0
-0.0		Min	-1.084	-2.595	-22.536	-0.0	-0.0
-0.0	G1		-0.490	-0.496	-17.451	0.0	0.0
-0.0	G2		-0.168	-0.210	-6.558	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.021	-0.519	-0.421	0.0	0.0
-0.0	Q5_pc Y		1.806	0.487	3.197	-0.0	-0.0
-0.0	Q5_ps X		0.955	-0.481	-0.454	0.0	0.0
-0.0	Q5_ps Y		1.707	0.462	3.067	-0.0	-0.0
0.0	INVSLU	Max	7.736	6.241	-15.158	0.0	0.0
-0.0		Min	-0.503	-7.091	-110.832	-0.0	-0.0
0.0	INVSLE	Max	5.759	4.723	-12.197	0.0	0.0
-0.0		Min	-0.103	-5.083	-82.640	-0.0	-0.0
4843	C1-C2;~1	Max	1.444	3.888	22.242	0.0	0.0
0.0		Min	-1.767	-4.389	-38.782	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.611	4.110	24.058	0.0	0.0
0.0		Min	-2.048	-5.054	-41.955	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.752	1.961	10.985	0.0	0.0
0.0		Min	-0.926	-2.290	-21.141	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.850	2.064	11.814	0.0	0.0
0.0		Min	-1.057	-2.589	-22.255	-0.0	-0.0
-0.0	G1		-0.479	-0.478	-17.182	0.0	0.0
-0.0	G2		-0.166	-0.201	-6.454	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.018	-0.511	-0.414	0.0	0.0
-0.0	Q5_pc Y		1.806	0.505	3.106	-0.0	-0.0
-0.0	Q5_ps X		0.953	-0.473	-0.446	0.0	0.0
-0.0	Q5_ps Y		1.707	0.479	2.982	-0.0	-0.0
-0.0	INVSLU	Max	7.879	6.625	-14.495	0.0	0.0
-0.0		Min	-0.311	-6.665	-109.203	-0.0	-0.0
-0.0	INVSLE	Max	5.872	5.022	-11.688	0.0	0.0
-0.0		Min	0.047	-4.755	-81.427	-0.0	-0.0
4844	C1-C2;~1	Max	1.449	3.874	22.098	0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0		Min	-1.690	-4.370	-38.158	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.614	4.097	23.919	0.0	0.0
0.0		Min	-1.998	-5.042	-41.268	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.755	1.953	10.942	0.0	0.0
0.0		Min	-0.874	-2.278	-20.783	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.852	2.057	11.774	0.0	0.0
0.0		Min	-1.024	-2.584	-21.875	-0.0	-0.0
-0.0							
-0.0	G1		-0.472	-0.456	-16.837	0.0	0.0
-0.0	G2		-0.172	-0.186	-6.326	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.015	-0.502	-0.404	0.0	0.0
-0.0	Q5_pc Y		1.803	0.525	3.005	-0.0	-0.0
-0.0	Q5_ps X		0.952	-0.466	-0.435	0.0	0.0
-0.0	Q5_ps Y		1.705	0.497	2.887	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.972	7.052	-13.660	0.0	0.0
0.0		Min	-0.151	-6.230	-107.071	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.947	5.351	-11.044	0.0	0.0
0.0		Min	0.171	-4.417	-79.837	-0.0	0.0
-0.0							
4845	C1-C2;~1	Max	1.452	3.870	21.920	0.0	0.0
0.0		Min	-1.702	-4.350	-37.505	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.614	4.095	23.741	0.0	0.0
0.0		Min	-1.993	-5.030	-40.556	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.756	1.950	10.881	0.0	0.0
0.0		Min	-0.881	-2.268	-20.417	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.851	2.056	11.714	0.0	0.0
0.0		Min	-1.020	-2.578	-21.494	-0.0	-0.0
-0.0							
0.0	G1		-0.451	-0.445	-16.442	0.0	0.0
0.0	G2		-0.156	-0.190	-6.170	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.006	-0.488	-0.395	0.0	0.0
-0.0							
	Q5_pc Y		1.800	0.545	2.904	-0.0	-0.0
-0.0							
	Q5_ps X		0.942	-0.451	-0.427	0.0	0.0
-0.0							
	Q5_ps Y		1.702	0.516	2.793	-0.0	-0.0
-0.0							
	INVS LU	Max	8.264	7.302	-12.722	0.0	0.0
0.0		Min	0.155	-5.997	-104.751	-0.0	0.0
-0.0							
	INVS LE	Max	6.179	5.542	-10.326	0.0	0.0
0.0		Min	0.413	-4.236	-78.108	-0.0	0.0
-0.0							
4846	C1-C2;~1	Max	1.456	3.863	21.687	0.0	0.0
0.0		Min	-1.695	-4.332	-36.727	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.615	4.089	23.504	0.0	0.0
0.0		Min	-1.978	-5.019	-39.695	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.758	1.946	10.793	0.0	0.0
0.0		Min	-0.875	-2.259	-19.981	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.852	2.052	11.624	0.0	0.0
0.0		Min	-1.010	-2.572	-21.028	-0.0	-0.0
-0.0							
	G1		-0.436	-0.432	-15.978	0.0	0.0
0.0							
	G2		-0.148	-0.188	-5.992	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.998	-0.475	-0.385	0.0	0.0
-0.0							
	Q5_pc Y		1.795	0.568	2.795	-0.0	-0.0
-0.0							
	Q5_ps X		0.934	-0.438	-0.416	0.0	0.0
-0.0							
	Q5_ps Y		1.698	0.537	2.690	-0.0	-0.0
-0.0							
	INVS LU	Max	8.518	7.570	-11.618	0.0	0.0
0.0		Min	0.436	-5.747	-101.967	-0.0	0.0
-0.0							
	INVS LE	Max	6.381	5.747	-9.477	0.0	0.0
0.0		Min	0.634	-4.042	-76.030	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4847	C1-C2;~1	Max	1.461	3.854	21.398	0.0	0.0
0.0		Min	-1.669	-4.316	-35.825	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.618	4.081	23.205	0.0	0.0
0.0		Min	-1.955	-5.008	-38.713	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.760	1.940	10.676	0.0	0.0
0.0		Min	-0.856	-2.250	-19.475	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.853	2.048	11.502	0.0	0.0
0.0		Min	-0.995	-2.567	-20.497	-0.0	-0.0
-0.0							
	G1		-0.424	-0.418	-15.447	0.0	0.0
-0.0							
	G2		-0.143	-0.183	-5.789	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.989	-0.461	-0.373	0.0	0.0
-0.0							
	Q5_pc Y		1.789	0.593	2.676	-0.0	-0.0
-0.0							
	Q5_ps X		0.925	-0.425	-0.403	0.0	0.0
-0.0							
	Q5_ps Y		1.692	0.561	2.578	-0.0	-0.0
-0.0							
	INVSLU	Max	8.688	7.908	-10.409	0.0	0.0
-0.0		Min	0.644	-5.431	-98.815	-0.0	0.0
-0.0							
	INVSLE	Max	6.518	6.007	-8.547	0.0	0.0
-0.0		Min	0.799	-3.794	-73.677	-0.0	0.0
-0.0							
4848	C1-C2;~1	Max	1.466	3.845	21.051	0.0	0.0
0.0		Min	-1.657	-4.306	-34.822	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.620	4.074	22.843	0.0	0.0
0.0		Min	-1.943	-5.001	-37.620	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.763	1.935	10.529	0.0	0.0
0.0		Min	-0.850	-2.244	-18.915	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.854	2.044	11.348	0.0	0.0
0.0		Min	-0.988	-2.563	-19.909	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-0.415	-0.406	-14.860	-0.0	0.0
-0.0	G2	-0.143	-0.176	-5.564	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.979	-0.447	-0.360	0.0	0.0
-0.0	Q5_pc Y	1.779	0.618	2.550	-0.0	-0.0
-0.0	Q5_ps X	0.916	-0.411	-0.390	0.0	0.0
-0.0	Q5_ps Y	1.683	0.584	2.459	-0.0	-0.0
-0.0	INVS LU Max	8.727	8.246	-9.111	0.0	0.0
-0.0	Min	0.713	-5.118	-95.326	-0.0	0.0
-0.0	INVS LE Max	6.554	6.267	-7.547	0.0	0.0
-0.0	Min	0.856	-3.550	-71.070	-0.0	0.0
4849 0.0	C1-C2;~1 Max	1.471	3.832	20.648	0.0	0.0
-0.0	Min	-1.643	-4.296	-33.728	-0.0	-0.0
0.0	C3-C4;~1 Max	1.623	4.062	22.420	0.0	0.0
-0.0	Min	-1.930	-4.993	-36.412	-0.0	-0.0
0.0	C1-C2;~2 Max	0.766	1.928	10.353	0.0	0.0
-0.0	Min	-0.843	-2.237	-18.306	-0.0	-0.0
0.0	C3-C4;~2 Max	0.856	2.038	11.163	0.0	0.0
-0.0	Min	-0.981	-2.558	-19.259	-0.0	-0.0
0.0	G1	-0.408	-0.391	-14.216	-0.0	0.0
0.0	G2	-0.147	-0.165	-5.323	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.969	-0.432	-0.345	0.0	0.0
-0.0	Q5_pc Y	1.768	0.646	2.417	-0.0	-0.0
-0.0	Q5_ps X	0.908	-0.399	-0.374	0.0	0.0
-0.0	Q5_ps Y	1.672	0.610	2.333	-0.0	-0.0
-0.0	INVS LU Max	8.724	8.603	-7.717	0.0	0.0
-0.0	Min	0.745	-4.783	-91.490	-0.0	0.0
-0.0	INVS LE Max	6.558	6.543	-6.470	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	0.883	-3.287	-68.202	-0.0	0.0
-0.0							
4850	C1-C2;~1	Max	1.477	3.827	20.209	0.0	0.0
0.0		Min	-1.645	-4.280	-32.580	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.627	4.059	21.955	0.0	0.0
0.0		Min	-1.924	-4.987	-35.148	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.769	1.925	10.157	0.0	0.0
0.0		Min	-0.841	-2.230	-17.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.857	2.036	10.956	0.0	0.0
0.0		Min	-0.976	-2.556	-18.584	-0.0	-0.0
-0.0							
0.0	G1		-0.394	-0.385	-13.534	-0.0	0.0
0.0	G2		-0.135	-0.170	-5.058	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.954	-0.414	-0.332	0.0	0.0
-0.0	Q5_pc Y		1.757	0.673	2.284	-0.0	-0.0
-0.0	Q5_ps X		0.893	-0.380	-0.361	0.0	0.0
-0.0	Q5_ps Y		1.662	0.636	2.208	-0.0	-0.0
-0.0							
-0.0	INVSLU	Max	8.818	8.850	-6.281	0.0	0.0
-0.0		Min	0.861	-4.574	-87.483	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	6.638	6.731	-5.363	0.0	0.0
-0.0		Min	0.979	-3.123	-65.208	-0.0	0.0
-0.0							
4851	C1-C2;~1	Max	1.484	3.819	19.714	0.0	0.0
0.0		Min	-1.644	-4.267	-31.344	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.632	4.051	21.429	0.0	0.0
0.0		Min	-1.918	-4.981	-33.782	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.773	1.920	9.933	0.0	0.0
0.0		Min	-0.839	-2.224	-16.988	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.859	2.032	10.718	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.971	-2.554	-17.853	-0.0	-0.0
-0.0	G1		-0.383	-0.378	-12.805	-0.0	0.0
0.0	G2		-0.129	-0.171	-4.779	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.940	-0.396	-0.316	0.0	0.0
-0.0	Q5_pc Y		1.746	0.703	2.146	-0.0	-0.0
-0.0	Q5_ps X		0.880	-0.362	-0.346	0.0	0.0
-0.0	Q5_ps Y		1.651	0.663	2.077	-0.0	-0.0
-0.0	INVSLU	Max	8.860	9.111	-4.773	0.0	0.0
-0.0		Min	0.926	-4.348	-83.171	-0.0	0.0
-0.0	INVSLE	Max	6.677	6.932	-4.197	0.0	0.0
-0.0		Min	1.033	-2.944	-61.984	-0.0	0.0
4852	C1-C2;~1	Max	1.492	3.806	19.161	0.0	0.0
0.0		Min	-1.641	-4.253	-30.020	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.637	4.039	20.840	0.0	0.0
0.0		Min	-1.912	-4.974	-32.321	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.776	1.914	9.678	0.0	0.0
0.0		Min	-0.836	-2.217	-16.257	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.861	2.026	10.446	0.0	0.0
0.0		Min	-0.967	-2.550	-17.072	-0.0	-0.0
-0.0	G1		-0.373	-0.371	-12.035	-0.0	0.0
0.0	G2		-0.125	-0.169	-4.485	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.926	-0.377	-0.300	0.0	0.0
-0.0	Q5_pc Y		1.733	0.736	2.003	0.0	-0.0
-0.0	Q5_ps X		0.866	-0.344	-0.329	0.0	0.0
-0.0	Q5_ps Y		1.640	0.694	1.941	-0.0	-0.0
-0.0	INVSLU	Max	8.831	9.403	-3.254	0.0	0.0
-0.0		Min	0.920	-4.089	-78.626	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	6.660	7.159	-3.021	0.0	0.0
-0.0		Min	1.031	-2.737	-58.585	-0.0	0.0
-0.0							
4853	C1-C2;~1	Max	1.499	3.788	18.550	0.0	0.0
0.0		Min	-1.634	-4.236	-28.612	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.642	4.021	20.187	0.0	0.0
0.0		Min	-1.907	-4.961	-30.772	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.780	1.905	9.392	0.0	0.0
0.0		Min	-0.832	-2.208	-15.482	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.864	2.018	10.141	0.0	0.0
0.0		Min	-0.964	-2.544	-16.245	-0.0	-0.0
-0.0							
	G1		-0.364	-0.364	-11.229	-0.0	0.0
0.0							
	G2		-0.125	-0.164	-4.179	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.911	-0.358	-0.282	0.0	0.0
-0.0							
	Q5_pc Y		1.721	0.773	1.854	0.0	-0.0
-0.0							
	Q5_ps X		0.852	-0.326	-0.311	0.0	0.0
-0.0							
	Q5_ps Y		1.628	0.729	1.800	0.0	-0.0
-0.0							
	INVSLU	Max	8.730	9.714	-1.733	0.0	0.0
-0.0		Min	0.840	-3.802	-73.865	-0.0	0.0
-0.0							
	INVSLE	Max	6.584	7.401	-1.841	0.0	0.0
-0.0		Min	0.969	-2.508	-55.025	-0.0	0.0
-0.0							
4854	C1-C2;~1	Max	1.508	3.759	17.904	0.0	0.0
0.0		Min	-1.623	-4.210	-27.173	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.649	3.990	19.496	0.0	0.0
0.0		Min	-1.902	-4.938	-29.167	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.785	1.892	9.088	0.0	0.0
0.0		Min	-0.826	-2.194	-14.693	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.867	2.004	9.816	0.0	0.0
-0.0		Min	-0.960	-2.533	-15.390	-0.0	-0.0
-0.0	G1		-0.352	-0.353	-10.406	-0.0	0.0
-0.0	G2		-0.128	-0.155	-3.868	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.895	-0.338	-0.263	0.0	0.0
-0.0	Q5_pc Y		1.711	0.816	1.692	0.0	-0.0
-0.0	Q5_ps X		0.839	-0.308	-0.291	0.0	0.0
-0.0	Q5_ps Y		1.618	0.770	1.646	0.0	-0.0
-0.0	INVS LU	Max	8.551	9.994	-0.117	0.0	0.0
-0.0		Min	0.677	-3.527	-68.858	-0.0	0.0
-0.0	INVS LE	Max	6.446	7.618	-0.578	-0.0	0.0
-0.0		Min	0.842	-2.289	-51.271	-0.0	0.0
4855	C1-C2;~1	Max	1.530	3.731	17.168	0.0	0.0
0.0		Min	-1.649	-4.159	-25.586	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.671	3.959	18.702	0.0	0.0
0.0		Min	-1.928	-4.904	-27.445	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.794	1.880	8.736	0.0	0.0
0.0		Min	-0.834	-2.170	-13.821	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.876	1.991	9.437	0.0	0.0
0.0		Min	-0.969	-2.518	-14.473	-0.0	-0.0
-0.0	G1		-0.344	-0.341	-9.525	-0.0	0.0
-0.0	G2		-0.116	-0.163	-3.529	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.874	-0.313	-0.248	0.0	0.0
-0.0	Q5_pc Y		1.708	0.860	1.551	0.0	-0.0
-0.0	Q5_ps X		0.818	-0.282	-0.276	0.0	0.0
-0.0	Q5_ps Y		1.616	0.810	1.511	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
		INVSLE	Max	6.312	7.754	0.499	0.0
-0.0			Min	0.664	-2.141	-47.508	-0.0
-0.0							0.0
		INVSLE	Max	6.312	7.754	0.499	0.0
-0.0			Min	0.664	-2.141	-47.508	-0.0
-0.0							0.0
4856		C1-C2;~1	Max	1.555	3.700	16.361	0.0
0.0			Min	-1.679	-4.117	-23.935	-0.0
-0.0							-0.0
		C3-C4;~1	Max	1.696	3.922	17.831	0.0
0.0			Min	-1.962	-4.870	-25.649	-0.0
-0.0							-0.0
		C1-C2;~2	Max	0.806	1.866	8.345	0.0
0.0			Min	-0.845	-2.151	-12.917	-0.0
-0.0							-0.0
		C3-C4;~2	Max	0.887	1.975	9.017	0.0
0.0			Min	-0.982	-2.502	-13.517	-0.0
-0.0							-0.0
		G1		-0.348	-0.338	-8.637	-0.0
-0.0		G2		-0.112	-0.169	-3.193	-0.0
0.0		Q3		0.000	0.000	0.000	0.0
0.0		Q5_pc X		0.851	-0.285	-0.229	0.0
-0.0		Q5_pc Y		1.700	0.910	1.409	0.0
-0.0		Q5_ps X		0.796	-0.254	-0.256	0.0
-0.0		Q5_ps Y		1.609	0.856	1.375	-0.0
-0.0							-0.0
		INVSLE	Max	6.172	7.854	1.516	0.0
-0.0			Min	0.474	-2.031	-43.654	-0.0
-0.0							0.0
		C1-C2;~1	Max	1.578	3.661	15.477	0.0
0.0			Min	-1.706	-4.081	-22.209	-0.0
-0.0							-0.0
		C3-C4;~1	Max	1.718	3.877	16.875	0.0
0.0			Min	-1.997	-4.836	-23.782	-0.0
-0.0							-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.816	1.848	7.912	0.0	0.0
		Min	-0.856	-2.134	-11.973	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.897	1.956	8.551	0.0	0.0
		Min	-0.996	-2.487	-12.524	-0.0	-0.0
-0.0							
-0.0	G1		-0.363	-0.345	-7.746	-0.0	0.0
-0.0	G2		-0.119	-0.173	-2.856	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.828	-0.257	-0.209	-0.0	0.0
-0.0	Q5_pc Y		1.688	0.968	1.269	-0.0	-0.0
-0.0	Q5_ps X		0.774	-0.227	-0.235	0.0	0.0
-0.0	Q5_ps Y		1.598	0.910	1.242	-0.0	-0.0
0.0							
0.0	INVSLU	Max	8.007	10.379	3.710	0.0	0.0
		Min	-0.047	-3.126	-53.462	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.028	7.906	2.405	0.0	0.0
		Min	0.287	-1.968	-39.776	-0.0	-0.0
-0.0							
4858	C1-C2;~1	Max	1.598	3.610	14.513	0.0	0.0
0.0		Min	-1.728	-4.050	-20.418	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.736	3.824	15.830	0.0	0.0
		Min	-2.031	-4.803	-21.853	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.827	1.827	7.435	0.0	0.0
		Min	-0.866	-2.119	-10.996	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.906	1.934	8.037	0.0	0.0
		Min	-1.011	-2.472	-11.500	-0.0	-0.0
-0.0							
-0.0	G1		-0.389	-0.364	-6.863	-0.0	0.0
-0.0	G2		-0.136	-0.175	-2.523	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.803	-0.228	-0.187	-0.0	0.0
-0.0	Q5_pc Y		1.672	1.031	1.134	-0.0	-0.0
-0.0	Q5_ps X		0.753	-0.200	-0.211	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.582	0.970	1.112	-0.0	-0.0
0.0	INVS LU	Max	7.799	10.394	4.657	0.0	0.0
-0.0		Min	-0.295	-3.108	-48.257	-0.0	-0.0
0.0	INVS LE	Max	5.873	7.912	3.151	0.0	0.0
-0.0		Min	0.100	-1.952	-35.893	-0.0	-0.0
4859 0.0	C1-C2;~1	Max	1.618	3.555	13.463	0.0	0.0
-0.0		Min	-1.752	-4.027	-18.568	-0.0	-0.0
0.0	C3-C4;~1	Max	1.753	3.766	14.692	0.0	0.0
-0.0		Min	-2.067	-4.775	-19.862	-0.0	-0.0
0.0	C1-C2;~2	Max	0.837	1.804	6.911	0.0	0.0
-0.0		Min	-0.877	-2.109	-9.989	-0.0	-0.0
0.0	C3-C4;~2	Max	0.914	1.910	7.473	0.0	0.0
-0.0		Min	-1.027	-2.460	-10.444	-0.0	-0.0
-0.0	G1		-0.426	-0.396	-5.999	-0.0	0.0
-0.0	G2		-0.160	-0.178	-2.204	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.778	-0.198	-0.163	-0.0	0.0
-0.0	Q5_pc Y		1.653	1.098	1.000	0.0	-0.0
-0.0	Q5_ps X		0.731	-0.174	-0.186	-0.0	0.0
-0.0	Q5_ps Y		1.563	1.034	0.982	0.0	-0.0
0.0	INVS LU	Max	7.560	10.372	5.339	-0.0	0.0
-0.0		Min	-0.571	-3.134	-43.107	-0.0	-0.0
0.0	INVS LE	Max	5.696	7.889	3.698	-0.0	0.0
-0.0		Min	-0.107	-1.970	-32.055	-0.0	-0.0
4860 0.0	C1-C2;~1	Max	1.759	3.358	7.127	0.0	0.0
-0.0		Min	-2.063	-3.974	-9.063	-0.0	-0.0
0.0	C3-C4;~1	Max	1.889	3.542	7.801	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.385	-4.731	-9.640	-0.0	-0.0
0.0	C1-C2;~2	Max	0.906	1.721	3.686	0.0	0.0
-0.0		Min	-1.025	-2.093	-4.851	-0.0	-0.0
0.0	C3-C4;~2	Max	0.980	1.820	3.995	0.0	0.0
-0.0		Min	-1.171	-2.448	-5.052	-0.0	-0.0
0.0	G1		-0.748	-0.649	-2.420	-0.0	0.0
0.0	G2		-0.283	-0.283	-0.873	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.638	-0.046	-0.049	0.0	0.0
-0.0	Q5_pc Y		1.553	1.414	0.436	0.0	-0.0
-0.0	Q5_ps X		0.599	-0.029	-0.063	0.0	0.0
-0.0	Q5_ps Y		1.469	1.330	0.434	0.0	-0.0
0.0	INVSLU	Max	6.311	9.934	4.926	0.0	0.0
-0.0		Min	-2.254	-3.778	-19.405	-0.0	-0.0
0.0	INVSLE	Max	4.766	7.534	3.549	0.0	0.0
-0.0		Min	-1.371	-2.435	-14.415	-0.0	-0.0
4861	C1-C2;~1	Max	1.739	3.399	8.529	0.0	0.0
0.0		Min	-2.022	-3.973	-10.970	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.872	3.585	9.325	0.0	0.0
-0.0		Min	-2.341	-4.731	-11.695	-0.0	-0.0
0.0	C1-C2;~2	Max	0.896	1.738	4.407	0.0	0.0
-0.0		Min	-1.004	-2.091	-5.877	-0.0	-0.0
0.0	C3-C4;~2	Max	0.972	1.837	4.771	0.0	0.0
-0.0		Min	-1.150	-2.447	-6.132	-0.0	-0.0
0.0	G1		-0.694	-0.593	-3.012	-0.0	0.0
-0.0	G2		-0.257	-0.267	-1.085	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.664	-0.074	-0.074	0.0	0.0
	Q5_pc Y		1.582	1.350	0.540	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
-0.0	Q5_ps X		0.623	-0.055	-0.091	0.0	0.0
-0.0	Q5_ps Y		1.497	1.269	0.536	0.0	-0.0
-0.0							
0.0	INVS LU	Max	6.504	10.055	5.589	0.0	0.0
-0.0		Min	-2.031	-3.601	-23.761	-0.0	-0.0
0.0							
0.0	INVS LE	Max	4.909	7.629	4.016	0.0	0.0
-0.0		Min	-1.203	-2.307	-17.653	-0.0	-0.0
4862	C1-C2;~1	Max	1.724	3.443	9.876	0.0	0.0
0.0		Min	-1.990	-3.980	-12.863	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.860	3.628	10.790	0.0	0.0
-0.0		Min	-2.306	-4.739	-13.751	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.888	1.756	5.097	0.0	0.0
-0.0		Min	-0.987	-2.093	-6.897	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.965	1.855	5.514	0.0	0.0
-0.0		Min	-1.133	-2.449	-7.214	-0.0	-0.0
0.0	G1		-0.648	-0.546	-3.651	-0.0	0.0
-0.0	G2		-0.235	-0.255	-1.322	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.690	-0.103	-0.102	0.0	0.0
-0.0	Q5_pc Y		1.611	1.288	0.647	0.0	-0.0
-0.0	Q5_ps X		0.646	-0.081	-0.119	0.0	0.0
-0.0	Q5_ps Y		1.525	1.210	0.640	0.0	-0.0
0.0							
0.0	INVS LU	Max	6.688	10.148	6.005	0.0	0.0
-0.0		Min	-1.836	-3.466	-28.289	-0.0	-0.0
0.0							
0.0	INVS LE	Max	5.044	7.704	4.296	0.0	0.0
-0.0		Min	-1.055	-2.209	-21.021	-0.0	-0.0
4863	C1-C2;~1	Max	1.691	3.493	11.154	0.0	0.0
0.0		Min	-1.907	-3.989	-14.792	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.828	3.683	12.180	0.0	0.0
-0.0		Min	-2.227	-4.747	-15.802	-0.0	-0.0
0.0	C1-C2;~2	Max	0.872	1.777	5.748	0.0	0.0
-0.0		Min	-0.946	-2.094	-7.940	-0.0	-0.0
0.0	C3-C4;~2	Max	0.949	1.877	6.216	0.0	0.0
-0.0		Min	-1.098	-2.450	-8.297	-0.0	-0.0
-0.0	G1		-0.560	-0.475	-4.375	-0.0	0.0
0.0	G2		-0.199	-0.228	-1.591	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.719	-0.134	-0.123	-0.0	0.0
-0.0	Q5_pc Y		1.627	1.220	0.759	-0.0	-0.0
-0.0	Q5_ps X		0.673	-0.110	-0.142	-0.0	0.0
-0.0	Q5_ps Y		1.540	1.146	0.749	-0.0	-0.0
0.0	INVSLU	Max	6.993	10.310	6.103	0.0	0.0
-0.0		Min	-1.410	-3.265	-33.038	-0.0	-0.0
0.0	INVSLE	Max	5.272	7.831	4.337	0.0	0.0
-0.0		Min	-0.735	-2.062	-24.555	-0.0	-0.0
4864 0.0	C1-C2;~1	Max	1.655	3.525	12.349	0.0	0.0
-0.0		Min	-1.828	-4.001	-16.695	-0.0	-0.0
0.0	C3-C4;~1	Max	1.791	3.725	13.480	0.0	0.0
-0.0		Min	-2.145	-4.756	-17.845	-0.0	-0.0
0.0	C1-C2;~2	Max	0.854	1.791	6.352	0.0	0.0
-0.0		Min	-0.911	-2.099	-8.971	-0.0	-0.0
0.0	C3-C4;~2	Max	0.932	1.894	6.868	0.0	0.0
-0.0		Min	-1.062	-2.452	-9.376	-0.0	-0.0
-0.0	G1		-0.487	-0.427	-5.162	-0.0	0.0
0.0	G2		-0.175	-0.202	-1.884	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.748	-0.166	-0.145	-0.0	0.0
-0.0	Q5_pc Y		1.641	1.157	0.877	-0.0	-0.0
-0.0	Q5_ps X		0.702	-0.141	-0.166	-0.0	0.0
-0.0	Q5_ps Y		1.553	1.088	0.864	-0.0	-0.0
0.0	INVS LU	Max	7.288	10.370	5.870	0.0	0.0
-0.0		Min	-0.979	-3.163	-37.996	-0.0	-0.0
0.0	INVS LE	Max	5.493	7.881	4.130	0.0	0.0
-0.0		Min	-0.413	-1.988	-28.247	-0.0	-0.0
4865	C1-C2;~1	Max	1.862	3.178	0.072	0.0	0.0
0.0		Min	-2.382	-3.987	-0.676	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.984	3.352	0.084	0.0	0.0
-0.0		Min	-2.713	-4.750	-0.525	-0.0	-0.0
0.0	C1-C2;~2	Max	0.963	1.646	0.036	0.0	0.0
-0.0		Min	-1.182	-2.108	-0.357	-0.0	-0.0
0.0	C3-C4;~2	Max	1.032	1.743	0.041	0.0	0.0
-0.0		Min	-1.327	-2.466	-0.271	-0.0	-0.0
-0.0	G1		-1.180	-0.965	-0.628	0.0	-0.0
-0.0	G2		-0.451	-0.402	-0.229	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.524	0.055	0.068	0.0	0.0
-0.0	Q5_pc Y		1.435	1.698	0.024	0.0	-0.0
-0.0	Q5_ps X		0.491	0.065	0.057	0.0	0.0
-0.0	Q5_ps Y		1.357	1.599	0.029	0.0	-0.0
0.0	INVS LU	Max	5.108	9.082	-1.210	0.0	0.0
-0.0		Min	-3.817	-4.911	-2.356	-0.0	-0.0
0.0	INVS LE	Max	3.872	6.876	-0.912	0.0	0.0
-0.0		Min	-2.547	-3.262	-1.752	-0.0	-0.0
4866	C1-C2;~1	Max	1.844	3.225	1.388	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.317	-3.985	-1.999	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.969	3.398	1.569	0.0	0.0
0.0		Min	-2.642	-4.750	-2.012	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.952	1.665	0.713	0.0	0.0
0.0		Min	-1.149	-2.105	-1.068	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.023	1.761	0.800	0.0	0.0
0.0		Min	-1.292	-2.464	-1.047	-0.0	-0.0
-0.0							
0.0		G1	-1.077	-0.891	-0.754	-0.0	0.0
0.0		G2	-0.408	-0.380	-0.269	-0.0	-0.0
-0.0							
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.542	0.043	0.033	0.0	0.0
-0.0	Q5_pc	Y	1.458	1.642	0.096	0.0	-0.0
-0.0							
-0.0	Q5_ps	X	0.508	0.054	0.023	0.0	0.0
-0.0	Q5_ps	Y	1.379	1.545	0.099	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.383	9.311	0.479	0.0	0.0
0.0		Min	-3.467	-4.643	-4.527	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.077	7.052	0.331	0.0	0.0
0.0		Min	-2.284	-3.066	-3.365	-0.0	-0.0
-0.0							
4867	C1-C2;~1	Max	1.827	3.272	2.892	0.0	0.0
0.0		Min	-2.258	-3.984	-3.704	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.954	3.444	3.196	0.0	0.0
0.0		Min	-2.577	-4.749	-3.865	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.942	1.685	1.497	0.0	0.0
0.0		Min	-1.119	-2.102	-1.978	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.014	1.780	1.638	0.0	0.0
0.0		Min	-1.261	-2.461	-2.024	-0.0	-0.0
-0.0							
0.0		G1	-0.982	-0.818	-1.032	-0.0	0.0
0.0		G2	-0.368	-0.357	-0.366	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	0.026	0.008	0.0	0.0
-0.0	Q5_pc Y		1.482	1.584	0.173	0.0	-0.0
-0.0	Q5_ps X		0.527	0.039	-0.003	0.0	0.0
-0.0	Q5_ps Y		1.402	1.490	0.175	0.0	-0.0
-0.0	INVSLE	Max	5.638	9.533	2.028	0.0	0.0
0.0		Min	-3.147	-4.377	-7.815	-0.0	-0.0
-0.0	INVSLE	Max	4.266	7.222	1.464	0.0	0.0
0.0		Min	-2.044	-2.871	-5.805	-0.0	-0.0
-0.0							
4868	C1-C2;~1	Max	1.807	3.310	4.345	0.0	0.0
0.0		Min	-2.196	-3.981	-5.466	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.936	3.483	4.774	0.0	0.0
-0.0		Min	-2.513	-4.744	-5.763	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.931	1.700	2.251	0.0	0.0
-0.0		Min	-1.089	-2.099	-2.921	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.004	1.796	2.448	0.0	0.0
-0.0		Min	-1.230	-2.457	-3.018	-0.0	-0.0
-0.0							
0.0	G1		-0.896	-0.753	-1.424	-0.0	0.0
0.0	G2		-0.334	-0.332	-0.506	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.587	0.004	-0.013	0.0	0.0
-0.0	Q5_pc Y		1.506	1.526	0.256	0.0	-0.0
-0.0	Q5_ps X		0.550	0.019	-0.024	0.0	0.0
-0.0	Q5_ps Y		1.425	1.435	0.257	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.877	9.713	3.241	0.0	0.0
-0.0		Min	-2.840	-4.142	-11.446	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.443	7.360	2.344	0.0	0.0
-0.0		Min	-1.813	-2.699	-8.501	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4869	C1-C2;~1	Max	1.784	3.337	5.756	0.0	0.0
0.0		Min	-2.129	-3.977	-7.256	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.913	3.515	6.308	0.0	0.0
0.0		Min	-2.448	-4.737	-7.692	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.919	1.712	2.980	0.0	0.0
0.0		Min	-1.057	-2.096	-3.881	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.993	1.808	3.233	0.0	0.0
0.0		Min	-1.200	-2.452	-4.029	-0.0	-0.0
-0.0							
	G1		-0.818	-0.697	-1.893	-0.0	0.0
0.0							
	G2		-0.307	-0.307	-0.675	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.612	-0.020	-0.032	0.0	0.0
-0.0							
	Q5_pc Y		1.530	1.470	0.344	0.0	-0.0
-0.0							
	Q5_ps X		0.574	-0.004	-0.045	0.0	0.0
-0.0							
	Q5_ps Y		1.447	1.382	0.344	0.0	-0.0
-0.0							
	INVSLU	Max	6.102	9.841	4.199	0.0	0.0
0.0		Min	-2.539	-3.944	-15.321	-0.0	-0.0
-0.0							
	INVSLE	Max	4.611	7.460	3.034	0.0	0.0
0.0		Min	-1.586	-2.555	-11.380	-0.0	-0.0
-0.0							
4870	C1-C2;~1	Max	1.948	3.066	6.765	0.0	0.0
0.0		Min	-2.708	-4.009	-9.473	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.065	3.218	7.563	0.0	0.0
0.0		Min	-3.074	-4.777	-9.442	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.015	1.596	3.539	0.0	0.0
0.0		Min	-1.343	-2.121	-4.998	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.082	1.686	3.896	0.0	0.0
0.0		Min	-1.506	-2.481	-4.956	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.641	-1.233	-2.737	0.0	-0.0
-0.0	G2	-0.625	-0.510	-1.058	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.496	0.026	0.137	0.0	0.0
-0.0	Q5_pc Y	1.349	1.936	-0.262	0.0	-0.0
0.0	Q5_ps X	0.464	0.037	0.113	0.0	0.0
-0.0	Q5_ps Y	1.277	1.822	-0.244	0.0	-0.0
0.0	INVS LU Max	3.855	8.358	4.616	0.0	0.0
-0.0	Min	-5.510	-5.921	-18.854	-0.0	-0.0
0.0	INVS LE Max	2.939	6.320	3.378	0.0	0.0
-0.0	Min	-3.819	-3.999	-13.972	-0.0	-0.0
4871 0.0	C1-C2;~1 Max	1.935	3.092	5.469	0.0	0.0
-0.0	Min	-2.663	-4.005	-7.589	-0.0	-0.0
0.0	C3-C4;~1 Max	2.054	3.245	6.121	0.0	0.0
-0.0	Min	-3.015	-4.775	-7.539	-0.0	-0.0
0.0	C1-C2;~2 Max	1.007	1.608	2.863	0.0	0.0
-0.0	Min	-1.320	-2.119	-4.000	-0.0	-0.0
0.0	C3-C4;~2 Max	1.075	1.697	3.155	0.0	0.0
-0.0	Min	-1.476	-2.480	-3.954	-0.0	-0.0
-0.0	G1	-1.570	-1.187	-2.149	0.0	-0.0
-0.0	G2	-0.594	-0.497	-0.824	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.497	0.037	0.118	0.0	0.0
-0.0	Q5_pc Y	1.366	1.890	-0.213	0.0	-0.0
0.0	Q5_ps X	0.465	0.049	0.097	0.0	0.0
-0.0	Q5_ps Y	1.293	1.778	-0.197	0.0	-0.0
0.0	INVS LU Max	4.044	8.507	3.961	0.0	0.0
-0.0	Min	-5.258	-5.721	-14.932	-0.0	-0.0
	INVS LE Max	3.079	6.435	2.903	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.629	-3.853	-11.063	-0.0	-0.0
-0.0							
4872	C1-C2;~1	Max	1.920	3.117	4.127	0.0	0.0
0.0		Min	-2.609	-4.000	-5.716	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.041	3.271	4.629	0.0	0.0
0.0		Min	-2.951	-4.771	-5.646	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.997	1.619	2.161	0.0	0.0
0.0		Min	-1.293	-2.116	-3.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.066	1.708	2.387	0.0	0.0
0.0		Min	-1.443	-2.478	-2.960	-0.0	-0.0
-0.0							
-0.0	G1		-1.488	-1.138	-1.618	0.0	-0.0
-0.0	G2		-0.560	-0.482	-0.618	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.500	0.047	0.100	0.0	0.0
0.0	Q5_pc Y		1.383	1.843	-0.162	0.0	-0.0
-0.0	Q5_ps X		0.467	0.058	0.083	0.0	0.0
0.0	Q5_ps Y		1.309	1.733	-0.149	0.0	-0.0
-0.0							
0.0	INVS LU	Max	4.263	8.657	3.059	0.0	0.0
0.0		Min	-4.965	-5.517	-11.199	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.243	6.550	2.243	0.0	0.0
0.0		Min	-3.408	-3.703	-8.296	-0.0	-0.0
-0.0							
4873	C1-C2;~1	Max	1.903	3.136	2.736	0.0	0.0
0.0		Min	-2.543	-3.993	-3.868	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.025	3.295	3.087	0.0	0.0
0.0		Min	-2.877	-4.763	-3.775	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.987	1.627	1.432	0.0	0.0
0.0		Min	-1.260	-2.113	-2.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.056	1.719	1.591	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.406	-2.474	-1.979	-0.0	-0.0
-0.0	G1		-1.395	-1.085	-1.162	0.0	-0.0
-0.0	G2		-0.525	-0.460	-0.441	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.505	0.054	0.083	0.0	0.0
0.0	Q5_pc Y		1.400	1.795	-0.106	0.0	-0.0
-0.0	Q5_ps X		0.472	0.065	0.069	0.0	0.0
-0.0	Q5_ps Y		1.325	1.689	-0.096	0.0	-0.0
0.0	INVSLU	Max	4.519	8.792	1.885	0.0	0.0
-0.0		Min	-4.618	-5.318	-7.695	-0.0	-0.0
0.0	INVSLE	Max	3.433	6.654	1.381	0.0	0.0
-0.0		Min	-3.148	-3.558	-5.701	-0.0	-0.0
4874	C1-C2;~1	Max	1.883	3.153	1.284	0.0	0.0
0.0		Min	-2.464	-3.989	-2.070	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.005	3.319	1.482	0.0	0.0
-0.0		Min	-2.796	-4.755	-1.925	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.975	1.635	0.668	0.0	0.0
-0.0		Min	-1.222	-2.110	-1.090	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.044	1.729	0.761	0.0	0.0
-0.0		Min	-1.366	-2.470	-1.021	-0.0	-0.0
0.0	G1		-1.290	-1.029	-0.819	0.0	-0.0
-0.0	G2		-0.489	-0.433	-0.307	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.513	0.057	0.071	0.0	0.0
-0.0	Q5_pc Y		1.417	1.747	-0.045	0.0	-0.0
-0.0	Q5_ps X		0.480	0.067	0.059	0.0	0.0
-0.0	Q5_ps Y		1.341	1.645	-0.037	0.0	-0.0
0.0	INVSLU	Max	4.806	8.924	0.372	0.0	0.0
		Min	-4.225	-5.121	-4.550	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	3.648	6.756	0.263	0.0	0.0
-0.0		Min	-2.853	-3.415	-3.374	-0.0	-0.0
4875	C1-C2;~1	Max	2.058	3.029	12.652	0.0	0.0
0.0		Min	-3.038	-4.090	-19.345	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.167	3.181	14.110	0.0	0.0
-0.0		Min	-3.461	-4.871	-19.363	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.083	1.574	6.584	0.0	0.0
0.0		Min	-1.522	-2.155	-10.266	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.147	1.665	7.235	0.0	0.0
-0.0		Min	-1.713	-2.519	-10.211	-0.0	-0.0
0.0	G1		-1.997	-1.424	-6.630	0.0	-0.0
0.0	G2		-0.765	-0.582	-2.572	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.501	-0.056	0.191	0.0	-0.0
-0.0	Q5_pc Y		1.299	2.149	-0.428	-0.0	0.0
0.0	Q5_ps X		0.470	-0.040	0.151	0.0	-0.0
-0.0	Q5_ps Y		1.229	2.022	-0.400	0.0	0.0
0.0	INVSLU	Max	3.010	7.467	4.380	0.0	-0.0
-0.0		Min	-6.925	-7.271	-41.581	-0.0	-0.0
0.0	INVSLE	Max	2.301	5.641	3.119	0.0	-0.0
-0.0		Min	-4.885	-4.989	-30.869	-0.0	-0.0
4876	C1-C2;~1	Max	2.035	3.044	11.644	0.0	0.0
0.0		Min	-2.985	-4.062	-17.411	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.146	3.190	12.988	0.0	0.0
-0.0		Min	-3.391	-4.840	-17.430	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.069	1.582	6.068	0.0	0.0
		Min	-1.489	-2.143	-9.228	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.0							
0.0	C3-C4;~2	Max	1.133	1.669	6.667	0.0	0.0
-0.0		Min	-1.674	-2.506	-9.181	-0.0	-0.0
0.0	G1		-1.945	-1.382	-5.734	0.0	-0.0
-0.0	G2		-0.737	-0.579	-2.217	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.498	-0.035	0.180	0.0	-0.0
0.0	Q5_pc Y		1.305	2.108	-0.405	-0.0	0.0
-0.0	Q5_ps X		0.466	-0.019	0.143	0.0	-0.0
0.0	Q5_ps Y		1.236	1.982	-0.377	-0.0	0.0
-0.0							
0.0	INVSLU	Max	3.118	7.718	5.087	0.0	0.0
-0.0		Min	-6.707	-6.916	-36.706	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	2.383	5.832	3.666	0.0	0.0
0.0		Min	-4.720	-4.728	-27.238	-0.0	-0.0
-0.0							
4877	C1-C2;~1	Max	2.010	3.056	10.545	0.0	0.0
0.0		Min	-2.916	-4.034	-15.442	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.123	3.196	11.765	0.0	0.0
-0.0		Min	-3.308	-4.809	-15.456	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.054	1.587	5.502	0.0	0.0
0.0		Min	-1.450	-2.130	-8.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.119	1.673	6.046	0.0	0.0
-0.0		Min	-1.629	-2.492	-8.132	-0.0	-0.0
0.0	G1		-1.873	-1.335	-4.886	0.0	-0.0
-0.0	G2		-0.705	-0.568	-1.888	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.497	-0.015	0.171	0.0	-0.0
0.0	Q5_pc Y		1.313	2.065	-0.377	-0.0	0.0
-0.0	Q5_ps X		0.464	0.001	0.136	0.0	-0.0
0.0	Q5_ps Y		1.244	1.941	-0.351	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	3.283	7.964	5.470	0.0	0.0	
		Min	-6.412	-6.561	-31.957	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	2.508	6.018	3.969	0.0	0.0	
		Min	-4.498	-4.466	-23.704	-0.0	-0.0	
-0.0								
4878 0.0	C1-C2;~1	Max	1.981	3.057	9.359	0.0	0.0	
		Min	-2.823	-4.006	-13.439	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.096	3.198	10.446	0.0	0.0	
		Min	-3.205	-4.777	-13.467	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.037	1.588	4.888	0.0	0.0	
		Min	-1.401	-2.117	-7.104	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.102	1.674	5.373	0.0	0.0	
		Min	-1.575	-2.478	-7.078	-0.0	-0.0	
-0.0								
-0.0	G1		-1.774	-1.284	-4.100	0.0	-0.0	
-0.0	G2		-0.667	-0.546	-1.582	0.0	-0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		0.497	0.002	0.158	0.0	-0.0	
-0.0	Q5_pc Y		1.320	2.021	-0.342	-0.0	-0.0	
-0.0	Q5_ps X		0.464	0.017	0.127	0.0	-0.0	
-0.0	Q5_ps Y		1.251	1.900	-0.318	-0.0	-0.0	
0.0	INVS LU	Max	3.526	8.168	5.503	0.0	0.0	
-0.0		Min	-6.007	-6.236	-27.396	-0.0	-0.0	
0.0	INVS LE	Max	2.691	6.173	4.010	0.0	0.0	
-0.0		Min	-4.193	-4.227	-20.314	-0.0	-0.0	
4879 0.0	C1-C2;~1	Max	1.965	3.061	8.090	0.0	0.0	
-0.0		Min	-2.768	-4.008	-11.465	-0.0	-0.0	
0.0	C3-C4;~1	Max	2.081	3.207	9.036	0.0	0.0	
-0.0		Min	-3.144	-4.777	-11.456	-0.0	-0.0	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.026	1.592	4.229	0.0	0.0
-0.0		Min	-1.372	-2.119	-6.055	-0.0	-0.0
0.0	C3-C4;~2	Max	1.093	1.679	4.651	0.0	0.0
-0.0		Min	-1.542	-2.480	-6.017	-0.0	-0.0
-0.0	G1		-1.714	-1.260	-3.396	0.0	-0.0
0.0	G2		-0.648	-0.529	-1.308	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.496	0.014	0.149	0.0	0.0
-0.0	Q5_pc Y		1.334	1.980	-0.305	0.0	-0.0
0.0	Q5_ps X		0.463	0.027	0.121	0.0	0.0
-0.0	Q5_ps Y		1.264	1.862	-0.283	0.0	-0.0
0.0	INVSLU	Max	3.674	8.260	5.188	0.0	0.0
-0.0		Min	-5.781	-6.081	-23.037	-0.0	-0.0
0.0	INVSLE	Max	2.803	6.244	3.790	0.0	0.0
-0.0		Min	-4.023	-4.115	-17.076	-0.0	-0.0
4880	C1-C2;~1	Max	2.168	3.030	16.526	0.0	0.0
0.0		Min	-3.267	-4.112	-28.116	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.274	3.178	18.404	0.0	0.0
-0.0		Min	-3.746	-4.906	-28.209	-0.0	-0.0
0.0	C1-C2;~2	Max	1.150	1.563	8.533	0.0	0.0
-0.0		Min	-1.666	-2.150	-15.015	-0.0	-0.0
0.0	C3-C4;~2	Max	1.213	1.652	9.372	0.0	0.0
-0.0		Min	-1.883	-2.516	-14.953	-0.0	-0.0
-0.0	G1		-2.067	-1.461	-11.307	0.0	-0.0
-0.0	G2		-0.795	-0.598	-4.389	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.518	-0.142	0.204	0.0	-0.0
-0.0	Q5_pc Y		1.293	2.281	-0.439	-0.0	0.0
0.0	Q5_ps X		0.489	-0.123	0.154	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.222	2.144	-0.411	-0.0	0.0
0.0	INVS LU	Max	3.080	6.482	-2.202	0.0	-0.0
0.0		Min	-7.375	-8.537	-65.921	0.0	-0.0
0.0	INVS LE	Max	2.351	4.883	-1.904	0.0	-0.0
0.0		Min	-5.220	-5.938	-49.044	0.0	-0.0
4881 0.0	C1-C2;~1	Max	2.153	3.050	15.912	0.0	0.0
-0.0		Min	-3.250	-4.118	-26.511	-0.0	-0.0
0.0	C3-C4;~1	Max	2.258	3.191	17.726	0.0	0.0
-0.0		Min	-3.714	-4.907	-26.593	-0.0	-0.0
0.0	C1-C2;~2	Max	1.140	1.573	8.230	0.0	0.0
-0.0		Min	-1.651	-2.155	-14.141	-0.0	-0.0
0.0	C3-C4;~2	Max	1.202	1.659	9.040	0.0	0.0
-0.0		Min	-1.861	-2.520	-14.082	-0.0	-0.0
0.0	G1		-2.080	-1.467	-10.376	0.0	-0.0
-0.0	G2		-0.793	-0.615	-4.021	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.514	-0.125	0.201	0.0	-0.0
-0.0	Q5_pc Y		1.293	2.259	-0.444	-0.0	0.0
0.0	Q5_ps X		0.484	-0.104	0.152	0.0	-0.0
-0.0	Q5_ps Y		1.223	2.122	-0.415	-0.0	0.0
0.0	INVS LU	Max	2.979	6.718	-0.559	0.0	-0.0
0.0		Min	-7.410	-8.283	-61.189	-0.0	-0.0
0.0	INVS LE	Max	2.274	5.068	-0.655	0.0	-0.0
0.0		Min	-5.249	-5.742	-45.507	-0.0	-0.0
4882 0.0	C1-C2;~1	Max	2.135	3.061	15.222	0.0	0.0
-0.0		Min	-3.221	-4.119	-24.839	-0.0	-0.0
0.0	C3-C4;~1	Max	2.239	3.199	16.961	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.670	-4.904	-24.893	-0.0	-0.0
0.0	C1-C2;~2	Max	1.129	1.580	7.886	0.0	0.0
-0.0		Min	-1.629	-2.158	-13.233	-0.0	-0.0
0.0	C3-C4;~2	Max	1.191	1.665	8.663	0.0	0.0
-0.0		Min	-1.833	-2.522	-13.169	-0.0	-0.0
0.0	G1		-2.081	-1.465	-9.436	0.0	-0.0
-0.0	G2		-0.788	-0.622	-3.656	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.510	-0.107	0.201	0.0	-0.0
-0.0	Q5_pc Y		1.294	2.235	-0.447	-0.0	0.0
0.0	Q5_ps X		0.478	-0.086	0.153	0.0	-0.0
-0.0	Q5_ps Y		1.225	2.098	-0.417	-0.0	0.0
0.0	INVS LU	Max	2.919	6.939	0.985	0.0	-0.0
0.0		Min	-7.387	-8.024	-56.323	-0.0	-0.0
0.0	INVS LE	Max	2.228	5.240	0.522	0.0	-0.0
0.0		Min	-5.234	-5.545	-41.869	-0.0	-0.0
4883	C1-C2;~1	Max	2.113	3.060	14.451	0.0	0.0
0.0		Min	-3.175	-4.114	-23.080	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.218	3.200	16.108	0.0	0.0
-0.0		Min	-3.613	-4.896	-23.121	-0.0	-0.0
0.0	C1-C2;~2	Max	1.115	1.582	7.499	0.0	0.0
-0.0		Min	-1.600	-2.159	-12.280	-0.0	-0.0
0.0	C3-C4;~2	Max	1.177	1.667	8.238	0.0	0.0
-0.0		Min	-1.799	-2.523	-12.218	-0.0	-0.0
0.0	G1		-2.068	-1.456	-8.491	0.0	-0.0
0.0	G2		-0.783	-0.619	-3.289	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.506	-0.089	0.198	0.0	-0.0
0.0	Q5_pc Y		1.295	2.209	-0.446	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.474	-0.069	0.153	0.0	-0.0
0.0	Q5_ps Y	1.227	2.073	-0.415	-0.0	0.0
-0.0						
0.0	INVS LU Max	2.905	7.129	2.346	0.0	-0.0
-0.0	Min	-7.298	-7.776	-51.414	-0.0	-0.0
0.0						
-0.0	INVS LE Max	2.218	5.387	1.560	0.0	-0.0
0.0	Min	-5.167	-5.360	-38.203	-0.0	-0.0
-0.0						
4884	C1-C2;~1 Max	2.086	3.047	13.596	0.0	0.0
0.0	Min	-3.113	-4.104	-21.246	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.193	3.192	15.159	0.0	0.0
-0.0	Min	-3.543	-4.885	-21.277	-0.0	-0.0
0.0						
-0.0	C1-C2;~2 Max	1.099	1.579	7.066	0.0	0.0
0.0	Min	-1.564	-2.158	-11.290	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.163	1.667	7.763	0.0	0.0
-0.0	Min	-1.759	-2.522	-11.232	-0.0	-0.0
0.0						
-0.0	G1	-2.041	-1.442	-7.552	0.0	-0.0
0.0	G2	-0.776	-0.604	-2.923	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.503	-0.072	0.195	0.0	-0.0
-0.0	Q5_pc Y	1.296	2.180	-0.439	-0.0	0.0
0.0	Q5_ps X	0.472	-0.054	0.152	0.0	-0.0
-0.0	Q5_ps Y	1.228	2.049	-0.409	-0.0	0.0
0.0						
-0.0	INVS LU Max	2.937	7.295	3.503	0.0	-0.0
0.0	Min	-7.139	-7.533	-46.476	-0.0	-0.0
-0.0						
0.0	INVS LE Max	2.244	5.512	2.445	0.0	-0.0
-0.0	Min	-5.048	-5.181	-34.518	-0.0	-0.0
4885	C1-C2;~1 Max	2.183	3.036	17.063	0.0	0.0
0.0	Min	-3.294	-4.098	-29.556	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.288	3.179	18.994	0.0	0.0
-0.0		Min	-3.781	-4.892	-29.724	-0.0	-0.0
0.0	C1-C2;~2	Max	1.159	1.562	8.795	0.0	0.0
-0.0		Min	-1.686	-2.139	-15.801	-0.0	-0.0
0.0	C3-C4;~2	Max	1.222	1.648	9.658	0.0	0.0
-0.0		Min	-1.906	-2.504	-15.768	-0.0	-0.0
-0.0	G1		-2.052	-1.452	-12.179	0.0	-0.0
0.0	G2		-0.786	-0.604	-4.725	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.521	-0.155	0.198	0.0	-0.0
-0.0	Q5_pc Y		1.295	2.293	-0.420	-0.0	0.0
0.0	Q5_ps X		0.492	-0.134	0.147	0.0	-0.0
-0.0	Q5_ps Y		1.224	2.153	-0.394	-0.0	0.0
0.0	INVSLU	Max	3.285	6.232	-4.080	0.0	-0.0
0.0		Min	-7.240	-8.791	-70.605	-0.0	-0.0
0.0	INVSLE	Max	2.512	4.688	-3.341	0.0	-0.0
0.0		Min	-5.112	-6.134	-52.563	-0.0	-0.0
4886	C1-C2;~1	Max	2.193	3.032	17.558	0.0	0.0
0.0		Min	-3.312	-4.080	-30.961	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.298	3.173	19.538	0.0	0.0
-0.0		Min	-3.804	-4.872	-31.174	-0.0	-0.0
0.0	C1-C2;~2	Max	1.166	1.557	9.034	0.0	0.0
-0.0		Min	-1.699	-2.125	-16.572	-0.0	-0.0
0.0	C3-C4;~2	Max	1.229	1.642	9.919	0.0	0.0
-0.0		Min	-1.921	-2.490	-16.552	-0.0	-0.0
-0.0	G1		-2.042	-1.444	-13.031	0.0	-0.0
0.0	G2		-0.781	-0.606	-5.057	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.526	-0.167	0.194	0.0	0.0
-0.0	Q5_pc Y		1.296	2.303	-0.402	-0.0	0.0
0.0	Q5_ps X		0.496	-0.145	0.142	0.0	0.0
-0.0	Q5_ps Y		1.224	2.162	-0.378	-0.0	0.0
0.0	INVS LU	Max	3.531	6.037	-5.864	0.0	-0.0
0.0		Min	-7.038	-8.971	-75.050	-0.0	-0.0
0.0	INVS LE	Max	2.707	4.536	-4.697	0.0	-0.0
0.0		Min	-4.949	-6.274	-55.893	-0.0	-0.0
4887	C1-C2;~1	Max	2.200	3.021	17.993	0.0	0.0
0.0		Min	-3.323	-4.059	-32.274	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.305	3.162	20.013	0.0	0.0
0.0		Min	-3.819	-4.850	-32.532	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.172	1.550	9.242	0.0	0.0
0.0		Min	-1.708	-2.111	-17.294	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.234	1.634	10.145	0.0	0.0
0.0		Min	-1.933	-2.474	-17.288	-0.0	-0.0
-0.0	G1		-2.033	-1.436	-13.846	0.0	-0.0
-0.0	G2		-0.778	-0.604	-5.374	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.530	-0.179	0.189	0.0	0.0
-0.0	Q5_pc Y		1.295	2.314	-0.384	-0.0	0.0
0.0	Q5_ps X		0.501	-0.156	0.137	0.0	0.0
-0.0	Q5_ps Y		1.223	2.172	-0.362	-0.0	0.0
0.0	INVS LU	Max	3.780	5.909	-7.649	0.0	-0.0
0.0		Min	-6.818	-9.071	-79.275	-0.0	-0.0
0.0	INVS LE	Max	2.904	4.439	-6.053	0.0	-0.0
0.0		Min	-4.774	-6.349	-59.058	-0.0	-0.0
4888	C1-C2;~1	Max	2.206	3.004	18.369	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.329	-4.035	-33.490	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.311	3.146	20.423	0.0	0.0
0.0		Min	-3.830	-4.824	-33.794	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.176	1.539	9.418	0.0	0.0
0.0		Min	-1.715	-2.095	-17.964	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.239	1.624	10.336	0.0	0.0
0.0		Min	-1.942	-2.457	-17.972	-0.0	-0.0
-0.0							
-0.0	G1		-2.024	-1.427	-14.617	0.0	-0.0
-0.0	G2		-0.776	-0.596	-5.674	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.535	-0.190	0.184	0.0	0.0
0.0	Q5_pc Y		1.293	2.324	-0.363	-0.0	0.0
-0.0	Q5_ps X		0.506	-0.167	0.131	0.0	-0.0
0.0	Q5_ps Y		1.221	2.182	-0.343	-0.0	0.0
-0.0							
0.0	INVSLU	Max	4.022	5.852	-9.425	0.0	-0.0
0.0		Min	-6.594	-9.091	-83.271	0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.094	4.400	-7.400	0.0	-0.0
0.0		Min	-4.597	-6.360	-62.052	0.0	-0.0
-0.0							
4889	C1-C2;~1	Max	2.209	2.979	18.689	0.0	0.0
0.0		Min	-3.329	-4.009	-34.615	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.315	3.125	20.768	0.0	0.0
0.0		Min	-3.836	-4.795	-34.948	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.179	1.526	9.564	0.0	0.0
0.0		Min	-1.720	-2.080	-18.586	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.243	1.612	10.494	0.0	0.0
0.0		Min	-1.949	-2.439	-18.599	-0.0	-0.0
-0.0							
-0.0	G1		-2.013	-1.415	-15.340	0.0	-0.0
-0.0	G2		-0.777	-0.582	-5.961	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.540	-0.202	0.179	0.0	-0.0
0.0	Q5_pc Y	1.291	2.335	-0.342	-0.0	0.0
-0.0	Q5_ps X	0.511	-0.179	0.127	0.0	-0.0
0.0	Q5_ps Y	1.218	2.194	-0.326	0.0	0.0
-0.0						
	INVSLU Max	4.265	5.842	-11.129	0.0	-0.0
0.0	Min	-6.361	-9.052	-86.963	0.0	-0.0
0.0						
	INVSLE Max	3.285	4.398	-8.690	0.0	-0.0
0.0	Min	-4.414	-6.323	-64.817	0.0	-0.0
0.0						
4890	C1-C2;~1 Max	2.216	2.974	18.973	0.0	0.0
0.0	Min	-3.340	-3.983	-35.670	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.321	3.117	21.074	0.0	0.0
0.0	Min	-3.847	-4.769	-36.050	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.184	1.520	9.693	0.0	0.0
0.0	Min	-1.728	-2.062	-19.175	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.248	1.605	10.632	0.0	0.0
0.0	Min	-1.958	-2.421	-19.203	-0.0	-0.0
-0.0						
	G1	-1.998	-1.413	-16.022	0.0	-0.0
0.0	G2	-0.767	-0.591	-6.221	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.544	-0.210	0.172	0.0	-0.0
0.0	Q5_pc Y	1.291	2.338	-0.318	-0.0	0.0
-0.0	Q5_ps X	0.515	-0.186	0.119	0.0	-0.0
0.0	Q5_ps Y	1.219	2.195	-0.302	-0.0	0.0
-0.0						
	INVSLU Max	4.591	5.705	-12.792	0.0	-0.0
0.0	Min	-6.060	-9.150	-90.482	-0.0	-0.0
0.0						
	INVSLE Max	3.540	4.296	-9.949	0.0	-0.0
0.0	Min	-4.178	-6.396	-67.455	-0.0	-0.0
0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4891	C1-C2;~1	Max	2.221	2.962	19.205	0.0	0.0
0.0		Min	-3.346	-3.956	-36.636	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.327	3.103	21.320	0.0	0.0
0.0		Min	-3.855	-4.741	-37.037	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.188	1.512	9.793	0.0	0.0
0.0		Min	-1.735	-2.044	-19.717	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.252	1.596	10.739	0.0	0.0
0.0		Min	-1.966	-2.402	-19.745	-0.0	-0.0
-0.0							
0.0	G1		-1.984	-1.409	-16.647	0.0	-0.0
0.0	G2		-0.761	-0.594	-6.464	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.548	-0.219	0.164	0.0	-0.0
0.0	Q5_pc Y		1.291	2.342	-0.293	-0.0	0.0
-0.0	Q5_ps X		0.518	-0.194	0.111	0.0	-0.0
0.0	Q5_ps Y		1.219	2.197	-0.280	-0.0	0.0
-0.0							
	INVSLU	Max	4.911	5.608	-14.355	0.0	-0.0
0.0		Min	-5.759	-9.198	-93.666	-0.0	-0.0
0.0							
	INVSLE	Max	3.789	4.226	-11.129	0.0	-0.0
0.0		Min	-3.942	-6.429	-69.839	-0.0	-0.0
0.0							
4892	C1-C2;~1	Max	2.227	2.945	19.378	0.0	0.0
0.0		Min	-3.350	-3.927	-37.489	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.333	3.086	21.501	0.0	0.0
0.0		Min	-3.861	-4.711	-37.910	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.192	1.501	9.863	0.0	0.0
0.0		Min	-1.741	-2.026	-20.197	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.256	1.585	10.812	0.0	0.0
0.0		Min	-1.973	-2.382	-20.227	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.967	-1.402	-17.212	0.0	-0.0
-0.0	G2	-0.754	-0.592	-6.684	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.552	-0.227	0.157	0.0	-0.0
-0.0	Q5_pc Y	1.291	2.346	-0.268	-0.0	0.0
0.0	Q5_ps X	0.523	-0.202	0.103	0.0	-0.0
-0.0	Q5_ps Y	1.219	2.200	-0.257	-0.0	0.0
0.0	INVS LU Max	5.278	5.625	-15.825	0.0	-0.0
-0.0	Min	-5.409	-9.123	-96.513	-0.0	-0.0
0.0	INVS LE Max	4.075	4.245	-12.238	0.0	-0.0
-0.0	Min	-3.669	-6.367	-71.971	-0.0	-0.0
4893	C1-C2;~1 Max	2.233	2.923	19.496	0.0	0.0
0.0	Min	-3.352	-3.897	-38.212	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.340	3.067	21.620	0.0	0.0
0.0	Min	-3.866	-4.679	-38.665	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.197	1.489	9.904	0.0	0.0
0.0	Min	-1.745	-2.008	-20.607	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.261	1.574	10.854	0.0	0.0
0.0	Min	-1.979	-2.363	-20.646	-0.0	-0.0
-0.0	G1	-1.950	-1.393	-17.708	0.0	-0.0
-0.0	G2	-0.749	-0.585	-6.877	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.556	-0.235	0.148	0.0	-0.0
-0.0	Q5_pc Y	1.291	2.349	-0.243	-0.0	0.0
0.0	Q5_ps X	0.527	-0.210	0.095	0.0	-0.0
-0.0	Q5_ps Y	1.219	2.204	-0.234	-0.0	0.0
0.0	INVS LU Max	5.614	5.745	-17.184	0.0	0.0
-0.0	Min	-5.088	-8.941	-99.006	-0.0	-0.0
0.0	INVS LE Max	4.337	4.342	-13.261	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.419	-6.222	-73.838	-0.0	-0.0
-0.0							
4894	C1-C2;~1	Max	2.239	2.899	19.562	0.0	0.0
0.0		Min	-3.351	-3.874	-38.808	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.346	3.048	21.681	0.0	0.0
0.0		Min	-3.870	-4.651	-39.268	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.201	1.476	9.919	0.0	0.0
0.0		Min	-1.748	-1.992	-20.944	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.265	1.562	10.867	0.0	0.0
0.0		Min	-1.984	-2.345	-20.978	-0.0	-0.0
-0.0							
0.0	G1		-1.933	-1.378	-18.132	0.0	-0.0
0.0	G2		-0.748	-0.567	-7.047	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.560	-0.243	0.141	0.0	-0.0
0.0	Q5_pc Y		1.291	2.354	-0.219	-0.0	0.0
0.0	Q5_ps X		0.531	-0.219	0.088	-0.0	-0.0
0.0	Q5_ps Y		1.218	2.210	-0.212	0.0	0.0
0.0							
0.0	INVSLU	Max	5.946	5.912	-18.369	0.0	0.0
0.0		Min	-4.769	-8.718	-101.045	0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.594	4.478	-14.150	0.0	0.0
0.0		Min	-3.171	-6.045	-75.362	0.0	-0.0
-0.0							
4895	C1-C2;~1	Max	2.251	2.889	19.597	0.0	0.0
0.0		Min	-3.362	-3.841	-39.361	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.358	3.035	21.707	0.0	0.0
0.0		Min	-3.880	-4.621	-39.845	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.207	1.468	9.918	0.0	0.0
0.0		Min	-1.756	-1.971	-21.269	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.272	1.553	10.861	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.993	-2.324	-21.310	-0.0	-0.0
-0.0	G1		-1.910	-1.381	-18.505	0.0	-0.0
0.0	G2		-0.735	-0.581	-7.186	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.247	0.131	0.0	-0.0
0.0	Q5_pc Y		1.293	2.349	-0.192	-0.0	0.0
0.0	Q5_ps X		0.534	-0.222	0.079	0.0	-0.0
0.0	Q5_ps Y		1.221	2.203	-0.186	-0.0	0.0
0.0	INVSLU	Max	6.390	5.808	-19.448	0.0	0.0
0.0		Min	-4.360	-8.755	-102.889	-0.0	-0.0
0.0	INVSLE	Max	4.938	4.402	-14.961	0.0	0.0
0.0		Min	-2.852	-6.072	-76.744	-0.0	-0.0
0.0							
4896	C1-C2;~1	Max	2.263	2.877	19.583	0.0	0.0
0.0		Min	-3.371	-3.815	-39.758	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.371	3.022	21.678	0.0	0.0
0.0		Min	-3.890	-4.593	-40.254	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.214	1.459	9.891	0.0	0.0
0.0		Min	-1.764	-1.954	-21.501	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.279	1.544	10.828	0.0	0.0
0.0		Min	-2.000	-2.305	-21.543	-0.0	-0.0
-0.0							
0.0	G1		-1.890	-1.379	-18.800	0.0	-0.0
0.0	G2		-0.726	-0.584	-7.300	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.566	-0.251	0.122	0.0	-0.0
0.0	Q5_pc Y		1.295	2.345	-0.166	-0.0	0.0
0.0	Q5_ps X		0.537	-0.226	0.069	0.0	-0.0
0.0	Q5_ps Y		1.223	2.198	-0.162	-0.0	0.0
0.0							
0.0	INVSLU	Max	6.827	5.763	-20.343	0.0	0.0
0.0		Min	-3.957	-8.738	-104.250	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	5.277	4.371	-15.631	0.0	0.0
-0.0		Min	-2.538	-6.058	-77.762	-0.0	-0.0
4897	C1-C2;~1	Max	2.276	2.863	19.519	0.0	0.0
0.0		Min	-3.380	-3.791	-40.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.384	3.008	21.594	0.0	0.0
-0.0		Min	-3.900	-4.567	-40.514	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.221	1.450	9.839	0.0	0.0
0.0		Min	-1.770	-1.937	-21.646	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.285	1.534	10.766	0.0	0.0
-0.0		Min	-2.008	-2.287	-21.692	-0.0	-0.0
0.0	G1		-1.870	-1.374	-19.015	0.0	0.0
-0.0	G2		-0.719	-0.582	-7.383	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.569	-0.255	0.112	0.0	-0.0
0.0	Q5_pc Y		1.297	2.341	-0.142	-0.0	0.0
0.0	Q5_ps X		0.540	-0.230	0.060	0.0	-0.0
0.0	Q5_ps Y		1.225	2.194	-0.138	-0.0	0.0
0.0							
0.0	INVSLU	Max	7.234	5.835	-21.066	0.0	0.0
-0.0		Min	-3.584	-8.605	-105.166	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	5.593	4.430	-16.170	0.0	0.0
0.0		Min	-2.248	-5.954	-78.447	-0.0	-0.0
-0.0							
4898	C1-C2;~1	Max	2.290	2.850	19.407	0.0	0.0
0.0		Min	-3.387	-3.771	-40.107	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.397	2.995	21.455	0.0	0.0
-0.0		Min	-3.909	-4.543	-40.628	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.227	1.441	9.763	0.0	0.0
0.0		Min	-1.777	-1.922	-21.709	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.292	1.525	10.678	0.0	0.0
-0.0		Min	-2.015	-2.269	-21.760	-0.0	-0.0
-0.0		G1	-1.850	-1.368	-19.148	0.0	0.0
-0.0		G2	-0.713	-0.576	-7.434	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.572	-0.259	0.102	0.0	-0.0
0.0	Q5_pc	Y	1.299	2.336	-0.118	-0.0	0.0
0.0	Q5_ps	X	0.543	-0.233	0.052	0.0	-0.0
0.0	Q5_ps	Y	1.226	2.190	-0.116	-0.0	0.0
0.0	INVS LU	Max	7.611	6.024	-21.618	0.0	0.0
-0.0		Min	-3.240	-8.357	-105.643	-0.0	-0.0
0.0	INVS LE	Max	5.885	4.579	-16.579	0.0	0.0
-0.0		Min	-1.980	-5.762	-78.804	-0.0	-0.0
4899	C1-C2;~1	Max	2.302	2.839	19.248	0.0	0.0
0.0		Min	-3.390	-3.761	-40.054	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.409	2.983	21.265	0.0	0.0
-0.0		Min	-3.915	-4.522	-40.572	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.234	1.433	9.663	0.0	0.0
0.0		Min	-1.781	-1.911	-21.681	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.299	1.516	10.564	0.0	0.0
-0.0		Min	-2.021	-2.254	-21.727	-0.0	-0.0
0.0		G1	-1.830	-1.354	-19.200	0.0	0.0
0.0		G2	-0.709	-0.558	-7.458	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.575	-0.263	0.093	0.0	-0.0
0.0	Q5_pc	Y	1.300	2.333	-0.097	-0.0	0.0
0.0	Q5_ps	X	0.546	-0.239	0.044	-0.0	-0.0
0.0	Q5_ps	Y	1.227	2.189	-0.096	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	7.974	6.261	-21.962	0.0	0.0	
		Min	-2.905	-8.070	-105.616	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	6.167	4.765	-16.828	0.0	0.0	
		Min	-1.718	-5.539	-78.781	0.0	-0.0	
-0.0								
4900 0.0	C1-C2;~1	Max	2.319	2.827	19.059	0.0	0.0	
		Min	-3.404	-3.728	-39.969	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.427	2.970	21.042	0.0	0.0	
		Min	-3.928	-4.494	-40.500	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.242	1.424	9.548	0.0	0.0	
		Min	-1.789	-1.890	-21.648	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.307	1.506	10.433	0.0	0.0	
		Min	-2.029	-2.234	-21.703	-0.0	-0.0	
-0.0								
0.0	G1		-1.804	-1.361	-19.197	0.0	0.0	
0.0	G2		-0.696	-0.574	-7.450	0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.577	-0.262	0.083	0.0	-0.0	
0.0	Q5_pc Y		1.304	2.320	-0.072	-0.0	0.0	
-0.0	Q5_ps X		0.548	-0.237	0.033	0.0	-0.0	
0.0	Q5_ps Y		1.231	2.174	-0.072	-0.0	0.0	
0.0								
0.0	INVS LU	Max	8.424	6.195	-22.172	0.0	0.0	
		Min	-2.502	-8.058	-105.403	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	6.516	4.716	-16.980	0.0	0.0	
		Min	-1.404	-5.533	-78.622	-0.0	-0.0	
-0.0								
4901 0.0	C1-C2;~1	Max	2.335	2.816	18.828	0.0	0.0	
		Min	-3.415	-3.705	-39.733	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.443	2.958	20.771	0.0	0.0	
		Min	-3.939	-4.469	-40.258	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.250	1.416	9.411	0.0	0.0
-0.0		Min	-1.797	-1.874	-21.526	-0.0	-0.0
0.0	C3-C4;~2	Max	1.315	1.497	10.279	0.0	0.0
-0.0		Min	-2.037	-2.216	-21.579	-0.0	-0.0
0.0	G1		-1.782	-1.362	-19.112	0.0	0.0
0.0	G2		-0.687	-0.579	-7.415	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.579	-0.262	0.073	0.0	-0.0
0.0	Q5_pc Y		1.308	2.309	-0.050	-0.0	0.0
-0.0	Q5_ps X		0.550	-0.236	0.024	0.0	-0.0
0.0	Q5_ps Y		1.234	2.161	-0.050	-0.0	0.0
0.0	INVSLU	Max	8.860	6.175	-22.168	0.0	0.0
-0.0		Min	-2.109	-8.006	-104.689	-0.0	-0.0
0.0	INVSLE	Max	6.854	4.702	-16.968	0.0	0.0
-0.0		Min	-1.097	-5.494	-78.085	-0.0	-0.0
4902	C1-C2;~1	Max	2.351	2.805	18.555	0.0	0.0
0.0		Min	-3.425	-3.684	-39.353	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.458	2.945	20.453	0.0	0.0
-0.0		Min	-3.949	-4.445	-39.872	-0.0	-0.0
0.0	C1-C2;~2	Max	1.257	1.407	9.255	0.0	0.0
-0.0		Min	-1.803	-1.858	-21.321	-0.0	-0.0
0.0	C3-C4;~2	Max	1.323	1.488	10.102	0.0	0.0
-0.0		Min	-2.044	-2.198	-21.373	-0.0	-0.0
0.0	G1		-1.761	-1.362	-18.945	0.0	0.0
-0.0	G2		-0.679	-0.578	-7.348	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.580	-0.261	0.063	0.0	-0.0
0.0	Q5_pc Y		1.311	2.297	-0.030	-0.0	0.0
-0.0	Q5_ps X		0.552	-0.235	0.015	0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.238	2.150	-0.031	-0.0	0.0
0.0	INVS LU Max		9.263	6.269	-21.984	0.0	0.0
-0.0	Min		-1.747	-7.842	-103.537	-0.0	0.0
0.0	INVS LE Max		7.166	4.777	-16.819	0.0	0.0
-0.0	Min		-0.814	-5.370	-77.221	-0.0	0.0
4903	C1-C2;~1 Max		2.366	2.794	18.311	0.0	0.0
0.0	Min		-3.433	-3.668	-38.824	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		2.473	2.933	20.120	0.0	0.0
-0.0	Min		-3.958	-4.424	-39.340	-0.0	-0.0
0.0	C1-C2;~2 Max		1.265	1.399	9.131	0.0	0.0
-0.0	Min		-1.809	-1.844	-21.031	-0.0	-0.0
0.0	C3-C4;~2 Max		1.330	1.479	9.926	0.0	0.0
-0.0	Min		-2.050	-2.181	-21.085	-0.0	-0.0
-0.0	G1		-1.741	-1.359	-18.696	0.0	0.0
-0.0	G2		-0.672	-0.574	-7.250	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.582	-0.259	0.054	0.0	-0.0
0.0	Q5_pc Y		1.315	2.284	-0.012	-0.0	0.0
0.0	Q5_ps X		0.553	-0.234	0.007	0.0	-0.0
0.0	Q5_ps Y		1.241	2.138	-0.013	-0.0	0.0
0.0	INVS LU Max		9.632	6.481	-21.577	0.0	0.0
-0.0	Min		-1.416	-7.562	-101.945	-0.0	0.0
0.0	INVS LE Max		7.453	4.941	-16.502	0.0	0.0
-0.0	Min		-0.555	-5.156	-76.027	-0.0	0.0
4904	C1-C2;~1 Max		2.380	2.781	18.070	0.0	0.0
0.0	Min		-3.438	-3.658	-38.146	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		2.487	2.919	19.785	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.965	-4.405	-38.645	-0.0	-0.0
0.0	C1-C2;~2	Max	1.271	1.390	9.021	0.0	0.0
-0.0		Min	-1.814	-1.833	-20.652	-0.0	-0.0
0.0	C3-C4;~2	Max	1.337	1.469	9.760	0.0	0.0
-0.0		Min	-2.056	-2.166	-20.701	-0.0	-0.0
0.0	G1		-1.721	-1.350	-18.369	0.0	0.0
0.0	G2		-0.668	-0.558	-7.126	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.584	-0.259	0.045	0.0	-0.0
0.0	Q5_pc Y		1.317	2.274	0.003	-0.0	0.0
-0.0	Q5_ps X		0.556	-0.235	-0.000	0.0	-0.0
0.0	Q5_ps Y		1.242	2.130	0.001	-0.0	0.0
0.0	INVSLU	Max	9.977	6.745	-20.915	0.0	0.0
-0.0		Min	-1.106	-7.236	-99.876	0.0	0.0
0.0	INVSLE	Max	7.722	5.147	-15.992	0.0	0.0
-0.0		Min	-0.312	-4.906	-74.475	0.0	0.0
4905	C1-C2;~1	Max	2.498	2.761	16.663	0.0	0.0
0.0		Min	-3.528	-3.565	-33.414	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.608	2.872	18.100	0.0	0.0
-0.0		Min	-4.058	-4.304	-33.838	-0.0	-0.0
0.0	C1-C2;~2	Max	1.324	1.375	8.450	0.0	0.0
-0.0		Min	-1.860	-1.758	-18.061	-0.0	-0.0
0.0	C3-C4;~2	Max	1.390	1.435	9.071	0.0	0.0
-0.0		Min	-2.104	-2.084	-18.111	-0.0	-0.0
0.0	G1		-1.625	-1.371	-15.779	0.0	0.0
0.0	G2		-0.633	-0.568	-6.107	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.588	-0.230	0.004	0.0	-0.0
0.0	Q5_pc Y		1.339	2.177	0.061	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.560	-0.207	-0.036	0.0	-0.0
0.0	Q5_ps Y	1.263	2.036	0.062	-0.0	0.0
0.0	INVS LU Max	11.625	7.304	-14.689	0.0	0.0
-0.0	INVS LU Min	0.215	-6.302	-84.915	-0.0	0.0
0.0	INVS LE Max	9.008	5.581	-11.248	0.0	0.0
-0.0	INVS LE Min	0.735	-4.207	-63.259	0.0	0.0
4906	C1-C2;~1 Max	2.469	2.765	17.033	0.0	0.0
0.0	C1-C2;~1 Min	-3.505	-3.576	-34.561	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.577	2.878	18.528	0.0	0.0
0.0	C3-C4;~1 Min	-4.033	-4.320	-35.020	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.311	1.378	8.610	0.0	0.0
0.0	C1-C2;~2 Min	-1.849	-1.770	-18.688	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.377	1.438	9.256	0.0	0.0
0.0	C3-C4;~2 Min	-2.092	-2.099	-18.748	-0.0	-0.0
-0.0	G1	-1.641	-1.371	-16.426	0.0	0.0
0.0	G2	-0.636	-0.579	-6.356	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.587	-0.236	0.010	0.0	-0.0
-0.0	Q5_pc Y	1.335	2.195	0.055	-0.0	-0.0
0.0	Q5_ps X	0.559	-0.212	-0.031	0.0	-0.0
-0.0	Q5_ps Y	1.259	2.052	0.056	-0.0	-0.0
0.0	INVS LU Max	11.376	7.056	-16.188	0.0	0.0
-0.0	INVS LU Min	0.049	-6.612	-88.576	-0.0	0.0
0.0	INVS LE Max	8.814	5.388	-12.392	0.0	0.0
-0.0	INVS LE Min	0.601	-4.444	-66.005	-0.0	0.0
4907	C1-C2;~1 Max	2.444	2.767	17.359	0.0	0.0
0.0	C1-C2;~1 Min	-3.486	-3.590	-35.622	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.551	2.883	18.910	0.0	0.0
-0.0		Min	-4.012	-4.337	-36.093	-0.0	-0.0
0.0	C1-C2;~2	Max	1.300	1.378	8.748	0.0	0.0
-0.0		Min	-1.840	-1.783	-19.271	-0.0	-0.0
0.0	C3-C4;~2	Max	1.366	1.442	9.417	0.0	0.0
-0.0		Min	-2.082	-2.114	-19.327	-0.0	-0.0
0.0	G1		-1.657	-1.369	-17.013	0.0	0.0
-0.0	G2		-0.642	-0.582	-6.586	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.587	-0.242	0.018	0.0	-0.0
0.0	Q5_pc Y		1.331	2.215	0.046	-0.0	-0.0
-0.0	Q5_ps X		0.558	-0.217	-0.025	0.0	-0.0
0.0	Q5_ps Y		1.256	2.069	0.046	-0.0	0.0
0.0	INVSLU	Max	11.114	6.850	-17.574	0.0	0.0
-0.0		Min	-0.141	-6.884	-91.912	-0.0	0.0
0.0	INVSLE	Max	8.609	5.228	-13.447	0.0	0.0
-0.0		Min	0.449	-4.650	-68.506	-0.0	0.0
4908	C1-C2;~1	Max	2.421	2.767	17.640	0.0	0.0
0.0		Min	-3.469	-3.608	-36.586	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.527	2.896	19.244	0.0	0.0
-0.0		Min	-3.994	-4.358	-37.065	-0.0	-0.0
0.0	C1-C2;~2	Max	1.290	1.379	8.862	0.0	0.0
-0.0		Min	-1.831	-1.798	-19.800	-0.0	-0.0
0.0	C3-C4;~2	Max	1.355	1.451	9.552	0.0	0.0
-0.0		Min	-2.072	-2.130	-19.852	-0.0	-0.0
0.0	G1		-1.677	-1.366	-17.537	0.0	0.0
0.0	G2		-0.649	-0.581	-6.792	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.586	-0.248	0.026	0.0	-0.0
0.0	Q5_pc Y		1.327	2.234	0.035	-0.0	-0.0
-0.0	Q5_ps X		0.557	-0.222	-0.017	0.0	-0.0
0.0	Q5_ps Y		1.252	2.088	0.034	-0.0	0.0
0.0	INVS LU	Max	10.755	6.732	-18.851	0.0	0.0
-0.0		Min	-0.436	-7.082	-94.932	-0.0	0.0
0.0	INVS LE	Max	8.329	5.136	-14.419	0.0	0.0
-0.0		Min	0.216	-4.798	-70.771	-0.0	0.0
4909	C1-C2;~1	Max	2.400	2.772	17.876	0.0	0.0
0.0		Min	-3.454	-3.629	-37.425	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.507	2.908	19.531	0.0	0.0
-0.0		Min	-3.979	-4.380	-37.926	-0.0	-0.0
0.0	C1-C2;~2	Max	1.281	1.382	8.952	0.0	0.0
-0.0		Min	-1.822	-1.814	-20.260	-0.0	-0.0
0.0	C3-C4;~2	Max	1.346	1.460	9.663	0.0	0.0
-0.0		Min	-2.064	-2.147	-20.317	-0.0	-0.0
0.0	G1		-1.697	-1.361	-17.990	0.0	0.0
0.0	G2		-0.657	-0.575	-6.971	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.585	-0.253	0.035	0.0	-0.0
0.0	Q5_pc Y		1.322	2.253	0.021	-0.0	0.0
-0.0	Q5_ps X		0.556	-0.228	-0.009	0.0	-0.0
0.0	Q5_ps Y		1.247	2.107	0.020	-0.0	0.0
0.0	INVS LU	Max	10.376	6.718	-19.990	0.0	0.0
-0.0		Min	-0.761	-7.176	-97.620	-0.0	0.0
0.0	INVS LE	Max	8.032	5.125	-15.286	0.0	0.0
-0.0		Min	-0.041	-4.866	-72.785	-0.0	0.0
4910	C1-C2;~1	Max	2.526	2.765	16.265	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.552	-3.539	-32.205	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.639	2.872	17.640	0.0	0.0
0.0		Min	-4.085	-4.281	-32.607	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.336	1.378	8.274	0.0	0.0
0.0		Min	-1.872	-1.740	-17.403	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.404	1.435	8.870	0.0	0.0
0.0		Min	-2.117	-2.067	-17.451	-0.0	-0.0
-0.0							
0.0	G1		-1.609	-1.382	-15.091	0.0	0.0
0.0	G2		-0.625	-0.584	-5.832	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.588	-0.220	-0.004	0.0	-0.0
-0.0	Q5_pc Y		1.344	2.151	0.069	-0.0	-0.0
0.0	Q5_ps X		0.560	-0.197	-0.043	0.0	-0.0
-0.0	Q5_ps Y		1.268	2.008	0.071	-0.0	-0.0
0.0							
0.0	INVSLU	Max	11.876	7.397	-13.133	0.0	0.0
0.0		Min	0.378	-6.131	-81.090	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.206	5.653	-10.063	0.0	0.0
0.0		Min	0.868	-4.081	-60.392	-0.0	0.0
-0.0							
4911	C1-C2;~1	Max	2.554	2.782	15.824	0.0	0.0
0.0		Min	-3.577	-3.517	-30.916	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.670	2.869	17.136	0.0	0.0
0.0		Min	-4.112	-4.261	-31.283	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.348	1.390	8.075	0.0	0.0
0.0		Min	-1.883	-1.724	-16.702	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.417	1.434	8.644	0.0	0.0
0.0		Min	-2.129	-2.050	-16.740	-0.0	-0.0
-0.0							
0.0	G1		-1.594	-1.392	-14.350	0.0	0.0
0.0	G2		-0.620	-0.591	-5.542	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.589	-0.211	-0.011	0.0	-0.0
0.0	Q5_pc Y		1.349	2.125	0.073	-0.0	-0.0
-0.0							
0.0	Q5_ps X		0.561	-0.187	-0.049	0.0	-0.0
-0.0							
0.0	Q5_ps Y		1.272	1.983	0.077	-0.0	-0.0
	INVSLU	Max	12.094	7.532	-11.486	0.0	0.0
0.0		Min	0.510	-5.919	-76.982	-0.0	0.0
-0.0							
	INVSLE	Max	9.378	5.758	-8.807	0.0	0.0
0.0		Min	0.977	-3.922	-57.312	-0.0	0.0
-0.0							
4912	C1-C2;~1	Max	2.582	2.794	15.340	0.0	0.0
0.0		Min	-3.601	-3.502	-29.542	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.700	2.877	16.586	0.0	0.0
0.0		Min	-4.139	-4.268	-29.873	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.360	1.401	7.852	0.0	0.0
0.0		Min	-1.894	-1.712	-15.955	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.429	1.441	8.394	0.0	0.0
0.0		Min	-2.142	-2.055	-15.982	-0.0	-0.0
-0.0							
	G1		-1.580	-1.400	-13.562	0.0	0.0
0.0							
0.0	G2		-0.615	-0.595	-5.234	0.0	0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.589	-0.201	-0.016	0.0	-0.0
0.0	Q5_pc Y		1.355	2.100	0.074	-0.0	-0.0
-0.0							
0.0	Q5_ps X		0.561	-0.178	-0.053	0.0	-0.0
-0.0							
0.0	Q5_ps Y		1.277	1.959	0.079	-0.0	-0.0
	INVSLU	Max	12.277	7.748	-9.809	0.0	0.0
-0.0		Min	0.606	-5.679	-72.661	-0.0	0.0
-0.0							
	INVSLE	Max	9.523	5.929	-7.527	0.0	0.0
-0.0		Min	1.058	-3.736	-54.074	-0.0	0.0
-0.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4913	C1-C2;~1	Max	2.614	2.802	14.812	0.0	0.0
0.0		Min	-3.628	-3.523	-28.090	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.732	2.883	15.990	0.0	0.0
0.0		Min	-4.169	-4.289	-28.385	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.373	1.408	7.606	0.0	0.0
0.0		Min	-1.906	-1.726	-15.166	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.443	1.447	8.119	0.0	0.0
0.0		Min	-2.155	-2.069	-15.184	-0.0	-0.0
-0.0							
0.0	G1		-1.566	-1.408	-12.733	0.0	0.0
-0.0	G2		-0.611	-0.593	-4.910	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.589	-0.191	-0.021	0.0	-0.0
0.0	Q5_pc Y		1.360	2.076	0.072	-0.0	-0.0
-0.0	Q5_ps X		0.562	-0.169	-0.056	0.0	-0.0
0.0	Q5_ps Y		1.282	1.936	0.079	-0.0	-0.0
-0.0	INVS LU	Max	12.418	8.025	-8.109	0.0	0.0
-0.0		Min	0.654	-5.394	-68.146	-0.0	0.0
-0.0							
	INVS LE	Max	9.634	6.149	-6.229	0.0	0.0
-0.0		Min	1.100	-3.515	-50.691	-0.0	0.0
-0.0							
4914	C1-C2;~1	Max	2.655	2.803	14.260	0.0	0.0
0.0		Min	-3.663	-3.540	-26.616	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.772	2.882	15.369	0.0	0.0
0.0		Min	-4.206	-4.315	-26.849	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.390	1.412	7.346	0.0	0.0
0.0		Min	-1.921	-1.736	-14.367	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.460	1.450	7.831	0.0	0.0
0.0		Min	-2.171	-2.087	-14.361	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.546	-1.414	-11.882	0.0	0.0
0.0	G2		-0.605	-0.585	-4.581	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.590	-0.180	-0.025	0.0	-0.0
0.0	Q5_pc Y		1.368	2.051	0.064	-0.0	-0.0
-0.0	Q5_ps X		0.563	-0.160	-0.059	0.0	-0.0
0.0	Q5_ps Y		1.288	1.914	0.072	-0.0	-0.0
-0.0	INVS LU	Max	12.493	8.324	-6.297	0.0	0.0
-0.0		Min	0.610	-5.085	-63.407	-0.0	0.0
-0.0	INVS LE	Max	9.690	6.386	-4.836	0.0	0.0
-0.0		Min	1.071	-3.274	-47.131	-0.0	0.0
4915	C1-C2;~1	Max	2.701	2.822	13.634	0.0	0.0
0.0		Min	-3.706	-3.564	-24.991	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.818	2.896	14.671	0.0	0.0
-0.0		Min	-4.251	-4.339	-25.206	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.409	1.425	7.045	0.0	0.0
-0.0		Min	-1.939	-1.759	-13.485	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.479	1.461	7.499	0.0	0.0
-0.0		Min	-2.190	-2.107	-13.479	-0.0	-0.0
-0.0							
0.0	G1		-1.528	-1.418	-10.966	0.0	0.0
0.0	G2		-0.598	-0.603	-4.218	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.591	-0.165	-0.030	0.0	0.0
0.0	Q5_pc Y		1.377	2.017	0.066	-0.0	-0.0
-0.0	Q5_ps X		0.564	-0.144	-0.062	0.0	0.0
0.0	Q5_ps Y		1.297	1.877	0.075	-0.0	-0.0
-0.0	INVS LU	Max	12.495	8.568	-4.692	0.0	0.0
-0.0		Min	0.472	-4.829	-58.644	-0.0	0.0
-0.0							
	INVS LE	Max	9.688	6.579	-3.614	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	0.965	-3.076	-43.571	-0.0	0.0
-0.0							
4916	C1-C2;~1	Max	2.741	2.836	12.957	0.0	0.0
0.0		Min	-3.748	-3.591	-23.314	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.858	2.904	13.920	0.0	0.0
0.0		Min	-4.296	-4.359	-23.502	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.425	1.435	6.716	0.0	0.0
0.0		Min	-1.957	-1.782	-12.575	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.495	1.468	7.138	0.0	0.0
0.0		Min	-2.209	-2.124	-12.565	-0.0	-0.0
-0.0							
0.0	G1		-1.525	-1.421	-10.037	0.0	0.0
0.0	G2		-0.597	-0.614	-3.857	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.591	-0.148	-0.032	0.0	0.0
-0.0	Q5_pc Y		1.387	1.980	0.062	-0.0	-0.0
0.0	Q5_ps X		0.565	-0.127	-0.062	0.0	0.0
-0.0	Q5_ps Y		1.305	1.840	0.072	-0.0	-0.0
0.0							
0.0	INVSLU	Max	12.453	8.777	-3.152	0.0	0.0
0.0		Min	0.298	-4.593	-53.783	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.653	6.743	-2.440	0.0	0.0
0.0		Min	0.834	-2.896	-39.936	-0.0	0.0
-0.0							
4917	C1-C2;~1	Max	2.777	2.835	12.221	0.0	0.0
0.0		Min	-3.790	-3.598	-21.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.893	2.898	13.109	0.0	0.0
0.0		Min	-4.339	-4.371	-21.739	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.440	1.437	6.353	0.0	0.0
0.0		Min	-1.974	-1.789	-11.630	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.509	1.468	6.743	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.227	-2.136	-11.620	-0.0	-0.0
-0.0	G1		-1.536	-1.427	-9.097	0.0	0.0
0.0	G2		-0.602	-0.616	-3.492	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.592	-0.130	-0.032	0.0	0.0
-0.0	Q5_pc Y		1.397	1.946	0.056	-0.0	-0.0
0.0	Q5_ps X		0.566	-0.110	-0.061	0.0	0.0
-0.0	Q5_ps Y		1.314	1.807	0.067	-0.0	-0.0
0.0	INVSLU	Max	12.368	8.923	-1.764	0.0	0.0
0.0		Min	0.090	-4.394	-48.910	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.586	6.858	-1.382	0.0	0.0
0.0		Min	0.677	-2.747	-36.298	-0.0	0.0
-0.0							
4918	C1-C2;~1	Max	2.806	2.813	11.424	0.0	0.0
0.0		Min	-3.831	-3.580	-19.775	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.921	2.878	12.237	0.0	0.0
0.0		Min	-4.382	-4.376	-19.927	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.451	1.429	5.955	0.0	0.0
0.0		Min	-1.991	-1.777	-10.657	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.521	1.460	6.312	0.0	0.0
0.0		Min	-2.244	-2.143	-10.648	-0.0	-0.0
-0.0							
0.0	G1		-1.562	-1.437	-8.157	0.0	0.0
0.0	G2		-0.615	-0.610	-3.126	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.593	-0.113	-0.031	0.0	0.0
-0.0	Q5_pc Y		1.406	1.913	0.048	-0.0	-0.0
0.0	Q5_ps X		0.567	-0.094	-0.058	0.0	0.0
-0.0	Q5_ps Y		1.322	1.778	0.059	-0.0	-0.0
0.0							
0.0	INVSLU	Max	12.237	9.007	-0.541	0.0	0.0
0.0		Min	-0.154	-4.228	-44.048	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	9.483	6.923	-0.450	0.0	0.0
-0.0		Min	0.492	-2.626	-32.672	-0.0	0.0
4919	C1-C2;~1	Max	2.828	2.785	10.563	0.0	0.0
0.0		Min	-3.871	-3.595	-17.932	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.943	2.851	11.300	0.0	0.0
-0.0		Min	-4.424	-4.381	-18.066	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.460	1.417	5.520	0.0	0.0
0.0		Min	-2.007	-1.787	-9.658	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.529	1.447	5.845	0.0	0.0
-0.0		Min	-2.261	-2.150	-9.651	-0.0	-0.0
0.0	G1		-1.605	-1.452	-7.227	0.0	0.0
0.0	G2		-0.633	-0.601	-2.773	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.593	-0.094	-0.028	0.0	0.0
0.0	Q5_pc Y		1.416	1.880	0.036	-0.0	-0.0
-0.0	Q5_ps X		0.568	-0.078	-0.053	0.0	0.0
0.0	Q5_ps Y		1.331	1.750	0.046	-0.0	-0.0
0.0							
-0.0	INVSLU	Max	12.051	9.067	0.433	0.0	0.0
0.0		Min	-0.444	-4.080	-39.277	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.341	6.968	0.292	0.0	0.0
-0.0		Min	0.274	-2.520	-29.118	-0.0	0.0
4920	C1-C2;~1	Max	2.842	2.801	9.655	0.0	0.0
0.0		Min	-3.912	-3.601	-16.076	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.958	2.857	10.314	0.0	0.0
-0.0		Min	-4.465	-4.392	-16.190	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.466	1.428	5.058	0.0	0.0
-0.0		Min	-2.023	-1.795	-8.654	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.535	1.453	5.348	0.0	0.0
-0.0		Min	-2.277	-2.161	-8.646	-0.0	-0.0
0.0	G1		-1.667	-1.453	-6.318	0.0	0.0
0.0	G2		-0.658	-0.616	-2.414	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.593	-0.071	-0.027	0.0	0.0
0.0	Q5_pc Y		1.428	1.836	0.032	-0.0	-0.0
-0.0	Q5_ps X		0.568	-0.055	-0.050	0.0	0.0
0.0	Q5_ps Y		1.341	1.705	0.043	-0.0	-0.0
0.0	INVSLU	Max	11.800	9.205	1.289	0.0	0.0
-0.0		Min	-0.790	-3.887	-34.550	-0.0	0.0
0.0	INVSLE	Max	9.149	7.074	0.943	0.0	0.0
-0.0		Min	0.013	-2.378	-25.599	-0.0	0.0
4921	C1-C2;~1	Max	2.849	2.807	8.684	0.0	0.0
0.0		Min	-3.955	-3.614	-14.193	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.965	2.855	9.267	0.0	0.0
0.0		Min	-4.508	-4.404	-14.304	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.468	1.432	4.559	0.0	0.0
0.0		Min	-2.039	-1.806	-7.636	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.538	1.454	4.816	0.0	0.0
0.0		Min	-2.293	-2.172	-7.636	-0.0	-0.0
-0.0	G1		-1.753	-1.463	-5.448	0.0	0.0
0.0	G2		-0.692	-0.627	-2.078	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.592	-0.049	-0.024	0.0	0.0
-0.0	Q5_pc Y		1.439	1.795	0.025	-0.0	-0.0
0.0	Q5_ps X		0.568	-0.033	-0.044	0.0	0.0
-0.0	Q5_ps Y		1.352	1.663	0.035	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
	INVS LU	Max	11.479	9.285	1.854	0.0	0.0
0.0		Min	-1.200	-3.745	-30.011	-0.0	0.0
-0.0							
	INVS LE	Max	8.905	7.137	1.375	0.0	0.0
0.0		Min	-0.295	-2.276	-22.226	-0.0	0.0
-0.0							
4922	C1-C2;~1	Max	2.848	2.788	7.665	0.0	0.0
0.0		Min	-3.976	-3.622	-12.354	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.964	2.835	8.173	0.0	0.0
0.0		Min	-4.529	-4.411	-12.422	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.468	1.425	4.031	0.0	0.0
0.0		Min	-2.046	-1.814	-6.644	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.537	1.445	4.256	0.0	0.0
0.0		Min	-2.300	-2.180	-6.630	-0.0	-0.0
-0.0							
	G1		-1.804	-1.482	-4.644	0.0	0.0
0.0							
	G2		-0.713	-0.632	-1.768	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.592	-0.028	-0.017	0.0	0.0
0.0	Q5_pc Y		1.446	1.757	0.010	-0.0	-0.0
0.0							
-0.0	Q5_ps X		0.567	-0.013	-0.035	0.0	0.0
0.0	Q5_ps Y		1.358	1.627	0.021	-0.0	-0.0
0.0							
	INVS LU	Max	11.298	9.287	2.143	0.0	0.0
0.0		Min	-1.421	-3.657	-25.691	-0.0	0.0
-0.0							
	INVS LE	Max	8.767	7.140	1.598	0.0	0.0
0.0		Min	-0.461	-2.213	-19.018	-0.0	0.0
-0.0							
4923	C1-C2;~1	Max	2.844	2.756	6.604	0.0	0.0
0.0		Min	-3.997	-3.629	-10.500	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.958	2.804	7.039	0.0	0.0
0.0		Min	-4.549	-4.414	-10.542	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.466	1.410	3.479	0.0	0.0
-0.0		Min	-2.054	-1.822	-5.644	-0.0	-0.0
0.0	C3-C4;~2	Max	1.535	1.431	3.672	0.0	0.0
-0.0		Min	-2.308	-2.186	-5.625	-0.0	-0.0
0.0	G1		-1.866	-1.507	-3.873	0.0	0.0
0.0	G2		-0.737	-0.635	-1.471	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.591	-0.007	-0.010	0.0	0.0
0.0	Q5_pc Y		1.454	1.722	-0.003	-0.0	-0.0
-0.0	Q5_ps X		0.566	0.006	-0.026	0.0	0.0
0.0	Q5_ps Y		1.365	1.596	0.008	-0.0	-0.0
0.0	INVSLU	Max	11.080	9.240	2.249	0.0	0.0
-0.0		Min	-1.672	-3.605	-21.503	-0.0	-0.0
0.0	INVSLE	Max	8.601	7.107	1.682	0.0	0.0
-0.0		Min	-0.651	-2.178	-15.911	-0.0	-0.0
4924	C1-C2;~1	Max	2.833	2.724	5.505	0.0	0.0
0.0		Min	-4.017	-3.643	-8.656	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.947	2.771	5.867	0.0	0.0
-0.0		Min	-4.569	-4.421	-8.665	-0.0	-0.0
0.0	C1-C2;~2	Max	1.461	1.395	2.904	0.0	0.0
-0.0		Min	-2.061	-1.832	-4.650	-0.0	-0.0
0.0	C3-C4;~2	Max	1.530	1.416	3.066	0.0	0.0
-0.0		Min	-2.314	-2.193	-4.624	-0.0	-0.0
0.0	G1		-1.941	-1.537	-3.143	0.0	0.0
0.0	G2		-0.767	-0.638	-1.197	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.590	0.013	-0.002	0.0	0.0
0.0	Q5_pc Y		1.462	1.689	-0.018	-0.0	-0.0
-0.0	Q5_ps X		0.565	0.024	-0.016	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.373	1.567	-0.008	-0.0	-0.0
0.0	INVS LU	Max	10.827	9.170	2.136	0.0	0.0
-0.0		Min	-1.951	-3.581	-17.515	-0.0	-0.0
0.0	INVS LE	Max	8.410	7.056	1.600	0.0	0.0
-0.0		Min	-0.860	-2.163	-12.954	-0.0	-0.0
4925 0.0	C1-C2;~1	Max	2.819	2.722	4.433	0.0	0.0
-0.0		Min	-4.036	-3.653	-6.916	-0.0	-0.0
0.0	C3-C4;~1	Max	2.930	2.761	4.725	0.0	0.0
-0.0		Min	-4.586	-4.430	-6.897	-0.0	-0.0
0.0	C1-C2;~2	Max	1.455	1.394	2.341	0.0	0.0
-0.0		Min	-2.067	-1.839	-3.713	-0.0	-0.0
0.0	C3-C4;~2	Max	1.523	1.411	2.473	0.0	0.0
-0.0		Min	-2.320	-2.200	-3.679	-0.0	-0.0
0.0	G1		-2.022	-1.550	-2.482	0.0	0.0
0.0	G2		-0.799	-0.649	-0.938	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.588	0.032	0.002	0.0	0.0
0.0	Q5_pc Y		1.471	1.655	-0.022	-0.0	-0.0
-0.0	Q5_ps X		0.564	0.043	-0.010	0.0	0.0
0.0	Q5_ps Y		1.381	1.533	-0.011	-0.0	-0.0
0.0	INVS LU	Max	10.551	9.155	1.941	0.0	0.0
-0.0		Min	-2.244	-3.531	-13.814	-0.0	-0.0
0.0	INVS LE	Max	8.202	7.048	1.455	0.0	0.0
-0.0		Min	-1.080	-2.129	-10.213	-0.0	-0.0
4926 0.0	C1-C2;~1	Max	2.799	2.710	3.332	0.0	0.0
-0.0		Min	-4.054	-3.658	-5.200	-0.0	-0.0
0.0	C3-C4;~1	Max	2.909	2.744	3.557	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.603	-4.433	-5.154	-0.0	-0.0
0.0	C1-C2;~2	Max	1.446	1.388	1.761	0.0	0.0
-0.0		Min	-2.073	-1.843	-2.791	-0.0	-0.0
0.0	C3-C4;~2	Max	1.513	1.402	1.863	0.0	0.0
-0.0		Min	-2.325	-2.204	-2.750	-0.0	-0.0
0.0		G1	-2.115	-1.565	-1.874	0.0	0.0
0.0		G2	-0.835	-0.659	-0.706	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.586	0.051	0.008	0.0	0.0
0.0		Q5_pc Y	1.480	1.623	-0.030	-0.0	-0.0
-0.0		Q5_ps X	0.562	0.061	-0.002	0.0	0.0
0.0		Q5_ps Y	1.389	1.502	-0.020	-0.0	-0.0
0.0	INVSLU	Max	10.238	9.113	1.526	0.0	0.0
-0.0		Min	-2.567	-3.498	-10.351	-0.0	-0.0
0.0	INVSLE	Max	7.965	7.019	1.144	0.0	0.0
-0.0		Min	-1.322	-2.106	-7.650	-0.0	-0.0
4927	C1-C2;~1	Max	2.774	2.681	2.196	0.0	0.0
0.0		Min	-4.072	-3.656	-3.522	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.883	2.715	2.358	0.0	0.0
-0.0		Min	-4.619	-4.427	-3.447	-0.0	-0.0
0.0	C1-C2;~2	Max	1.436	1.374	1.159	0.0	0.0
-0.0		Min	-2.078	-1.845	-1.888	-0.0	-0.0
0.0	C3-C4;~2	Max	1.502	1.388	1.235	0.0	0.0
-0.0		Min	-2.330	-2.204	-1.839	-0.0	-0.0
0.0		G1	-2.220	-1.584	-1.340	0.0	0.0
0.0		G2	-0.876	-0.665	-0.503	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.584	0.068	0.015	0.0	0.0
		Q5_pc Y	1.489	1.596	-0.040	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.560	0.076	0.007	0.0	0.0
0.0	Q5_ps Y	1.398	1.476	-0.029	-0.0	-0.0
0.0	INVS LU Max	9.887	9.026	0.858	0.0	0.0
-0.0	Min	-2.921	-3.488	-7.151	-0.0	-0.0
0.0	INVS LE Max	7.701	6.956	0.643	0.0	0.0
-0.0	Min	-1.588	-2.101	-5.284	-0.0	-0.0
4928	C1-C2;~1 Max	2.744	2.639	1.017	0.0	0.0
0.0	Min	-4.089	-3.649	-1.908	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.852	2.676	1.123	0.0	0.0
0.0	Min	-4.635	-4.413	-1.784	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.423	1.353	0.530	0.0	0.0
0.0	Min	-2.083	-1.844	-1.022	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.489	1.369	0.583	0.0	0.0
0.0	Min	-2.334	-2.200	-0.960	-0.0	-0.0
-0.0	G1	-2.337	-1.606	-0.916	0.0	0.0
0.0	G2	-0.921	-0.666	-0.342	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.582	0.082	0.026	0.0	0.0
-0.0	Q5_pc Y	1.498	1.574	-0.056	-0.0	-0.0
0.0	Q5_ps X	0.558	0.089	0.019	0.0	0.0
-0.0	Q5_ps Y	1.407	1.457	-0.044	-0.0	-0.0
0.0	INVS LU Max	9.500	8.910	-0.140	0.0	0.0
-0.0	Min	-3.306	-3.492	-4.332	-0.0	-0.0
0.0	INVS LE Max	7.410	6.871	-0.106	0.0	0.0
-0.0	Min	-1.876	-2.106	-3.205	-0.0	-0.0
4929	C1-C2;~1 Max	2.710	2.596	0.055	0.0	0.0
0.0	Min	-4.105	-3.639	-0.665	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.818	2.635	0.067	0.0	0.0
-0.0		Min	-4.651	-4.393	-0.518	-0.0	-0.0
0.0	C1-C2;~2	Max	1.409	1.332	0.028	0.0	0.0
-0.0		Min	-2.088	-1.841	-0.352	-0.0	-0.0
0.0	C3-C4;~2	Max	1.475	1.349	0.033	0.0	0.0
-0.0		Min	-2.338	-2.193	-0.268	-0.0	-0.0
0.0	G1		-2.462	-1.624	-0.641	-0.0	0.0
0.0	G2		-0.969	-0.666	-0.239	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.579	0.092	0.043	0.0	0.0
0.0	Q5_pc Y		1.509	1.559	-0.085	-0.0	-0.0
-0.0	Q5_ps X		0.555	0.098	0.036	0.0	0.0
0.0	Q5_ps Y		1.417	1.445	-0.070	-0.0	-0.0
0.0	INVSLU	Max	9.087	8.808	-1.281	0.0	0.0
-0.0		Min	-3.712	-3.488	-2.422	-0.0	-0.0
0.0	INVSLE	Max	7.099	6.796	-0.967	0.0	0.0
-0.0		Min	-2.181	-2.104	-1.801	-0.0	-0.0
4930	C1-C2;~1	Max	2.548	2.413	5.933	0.0	0.0
0.0		Min	-4.153	-3.507	-7.679	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.659	2.435	6.595	0.0	0.0
-0.0		Min	-4.704	-4.230	-7.497	-0.0	-0.0
0.0	C1-C2;~2	Max	1.340	1.236	3.193	0.0	0.0
-0.0		Min	-2.096	-1.778	-4.206	-0.0	-0.0
0.0	C3-C4;~2	Max	1.407	1.244	3.497	0.0	0.0
-0.0		Min	-2.349	-2.116	-4.087	-0.0	-0.0
0.0	G1		-2.990	-1.682	-2.034	-0.0	-0.0
0.0	G2		-1.174	-0.693	-0.771	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.564	0.081	0.073	0.0	-0.0
-0.0	Q5_pc Y		1.561	1.608	-0.111	-0.0	0.0
0.0	Q5_ps X		0.540	0.088	0.063	0.0	-0.0
-0.0	Q5_ps Y		1.467	1.489	-0.070	-0.0	0.0
0.0	INVSLU	Max	7.320	8.709	2.236	0.0	0.0
-0.0		Min	-5.430	-3.185	-17.233	-0.0	-0.0
0.0	INVSLE	Max	5.768	6.717	1.509	0.0	0.0
-0.0		Min	-3.468	-1.878	-12.898	-0.0	-0.0
4931	C1-C2;~1	Max	2.576	2.473	4.818	0.0	0.0
0.0		Min	-4.147	-3.543	-6.169	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.686	2.491	5.361	0.0	0.0
-0.0		Min	-4.697	-4.277	-6.026	-0.0	-0.0
0.0	C1-C2;~2	Max	1.352	1.266	2.593	0.0	0.0
-0.0		Min	-2.096	-1.795	-3.375	-0.0	-0.0
0.0	C3-C4;~2	Max	1.419	1.273	2.842	0.0	0.0
-0.0		Min	-2.348	-2.138	-3.279	-0.0	-0.0
0.0	G1		-2.906	-1.664	-1.591	-0.0	-0.0
0.0	G2		-1.142	-0.693	-0.596	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.567	0.087	0.062	0.0	-0.0
-0.0	Q5_pc Y		1.551	1.591	-0.097	-0.0	0.0
0.0	Q5_ps X		0.543	0.095	0.053	0.0	-0.0
-0.0	Q5_ps Y		1.458	1.471	-0.062	-0.0	0.0
0.0	INVSLU	Max	7.607	8.777	2.098	0.0	0.0
-0.0		Min	-5.152	-3.224	-13.643	-0.0	-0.0
0.0	INVSLE	Max	5.985	6.770	1.439	0.0	0.0
-0.0		Min	-3.259	-1.908	-10.208	-0.0	-0.0
4932	C1-C2;~1	Max	2.607	2.523	3.649	0.0	0.0


MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	Min	-4.140	-3.576	-4.664	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.716	2.542	4.071	0.0	0.0
0.0	Min	-4.688	-4.319	-4.548	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.365	1.291	1.964	0.0	0.0
0.0	Min	-2.095	-1.810	-2.548	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.432	1.298	2.158	0.0	0.0
0.0	Min	-2.347	-2.158	-2.471	-0.0	-0.0
-0.0						
0.0	G1	-2.812	-1.650	-1.204	-0.0	-0.0
0.0	G2	-1.105	-0.692	-0.449	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.570	0.092	0.054	0.0	-0.0
0.0	Q5_pc Y	1.541	1.576	-0.087	-0.0	0.0
-0.0						
0.0	Q5_ps X	0.546	0.100	0.046	0.0	-0.0
0.0	Q5_ps Y	1.448	1.456	-0.058	-0.0	0.0
-0.0						
0.0	INVSLU Max	7.928	8.823	1.695	0.0	0.0
0.0	Min	-4.841	-3.275	-10.254	-0.0	-0.0
-0.0						
0.0	INVSLE Max	6.227	6.805	1.170	0.0	0.0
0.0	Min	-3.026	-1.946	-7.670	-0.0	-0.0
-0.0						
4933	C1-C2;~1 Max	2.640	2.558	2.427	0.0	0.0
0.0	Min	-4.130	-3.603	-3.175	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.748	2.580	2.726	0.0	0.0
0.0	Min	-4.678	-4.352	-3.084	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.379	1.310	1.305	0.0	0.0
0.0	Min	-2.094	-1.824	-1.733	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.445	1.319	1.444	0.0	0.0
0.0	Min	-2.345	-2.173	-1.674	-0.0	-0.0
-0.0						
0.0	G1	-2.706	-1.640	-0.890	-0.0	-0.0
0.0	G2	-1.064	-0.687	-0.330	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X	0.573	0.095	0.046	0.0	-0.0	
0.0	Q5_pc Y	1.530	1.564	-0.078	-0.0	0.0	
-0.0	Q5_ps X	0.549	0.102	0.039	0.0	-0.0	
0.0	Q5_ps Y	1.438	1.446	-0.055	-0.0	0.0	
-0.0							
	INVS LU	Max	8.284	8.830	1.011	0.0	0.0
0.0		Min	-4.496	-3.344	-7.097	-0.0	-0.0
-0.0							
	INVS LE	Max	6.495	6.812	0.690	0.0	0.0
0.0		Min	-2.767	-1.997	-5.305	-0.0	-0.0
-0.0							
4934	C1-C2;~1	Max	2.674	2.579	1.138	0.0	0.0
0.0		Min	-4.119	-3.625	-1.729	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.783	2.609	1.315	0.0	0.0
0.0		Min	-4.665	-4.375	-1.654	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.394	1.322	0.610	0.0	0.0
0.0		Min	-2.091	-1.834	-0.945	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.460	1.334	0.695	0.0	0.0
0.0		Min	-2.342	-2.185	-0.898	-0.0	-0.0
-0.0							
	G1		-2.588	-1.633	-0.689	0.0	-0.0
0.0							
	G2		-1.018	-0.677	-0.255	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.576	0.096	0.041	0.0	-0.0
-0.0	Q5_pc Y		1.520	1.558	-0.076	-0.0	0.0
-0.0	Q5_ps X		0.552	0.102	0.035	0.0	-0.0
-0.0	Q5_ps Y		1.428	1.442	-0.058	-0.0	0.0
-0.0							
	INVS LU	Max	8.673	8.812	-0.052	0.0	0.0
0.0		Min	-4.117	-3.423	-4.297	-0.0	-0.0
-0.0							
	INVS LE	Max	6.788	6.798	-0.075	0.0	0.0
0.0		Min	-2.484	-2.056	-3.209	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4935	C1-C2;~1	Max	2.523	2.502	7.010	0.0	0.0
0.0		Min	-4.156	-3.467	-9.188	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.634	2.410	7.786	0.0	0.0
0.0		Min	-4.709	-4.181	-8.985	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.329	1.309	3.774	0.0	0.0
0.0		Min	-2.096	-1.757	-5.039	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.396	1.234	4.128	0.0	0.0
0.0		Min	-2.349	-2.091	-4.903	-0.0	-0.0
-0.0							
	G1		-3.061	-1.687	-2.510	-0.0	-0.0
0.0							
	G2		-1.203	-0.703	-0.947	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.561	0.074	0.079	0.0	-0.0
0.0							
	Q5_pc Y		1.569	1.625	-0.112	-0.0	0.0
-0.0							
	Q5_ps X		0.538	0.083	0.067	0.0	-0.0
0.0							
	Q5_ps Y		1.475	1.503	-0.065	-0.0	0.0
-0.0							
	INVSLU	Max	7.068	8.835	2.253	0.0	-0.0
0.0		Min	-5.670	-3.113	-20.864	-0.0	-0.0
-0.0							
	INVSLE	Max	5.579	6.810	1.488	0.0	-0.0
0.0		Min	-3.647	-1.824	-15.621	-0.0	-0.0
-0.0							
4936	C1-C2;~1	Max	2.503	2.599	8.018	0.0	0.0
0.0		Min	-4.157	-3.426	-10.659	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.613	2.512	8.902	0.0	0.0
0.0		Min	-4.712	-4.130	-10.431	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.320	1.389	4.316	0.0	0.0
0.0		Min	-2.095	-1.736	-5.853	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.387	1.320	4.720	0.0	0.0
0.0		Min	-2.348	-2.065	-5.700	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.121	-1.694	-3.022	-0.0	-0.0
0.0	G2		-1.227	-0.714	-1.144	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.560	0.067	0.083	0.0	-0.0
0.0	Q5_pc Y		1.576	1.643	-0.110	-0.0	0.0
-0.0	Q5_ps X		0.536	0.077	0.071	0.0	-0.0
0.0	Q5_ps Y		1.481	1.518	-0.058	-0.0	0.0
-0.0							
0.0	INVS LU	Max	6.853	8.990	2.003	0.0	-0.0
0.0		Min	-5.873	-3.053	-24.602	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.417	6.924	1.266	0.0	-0.0
0.0		Min	-3.800	-1.778	-18.426	-0.0	-0.0
-0.0							
4937	C1-C2;~1	Max	2.456	2.600	8.960	0.0	0.0
0.0		Min	-4.163	-3.374	-12.181	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.567	2.524	9.946	0.0	0.0
0.0		Min	-4.721	-4.066	-11.910	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.300	1.400	4.823	0.0	0.0
0.0		Min	-2.093	-1.709	-6.701	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.367	1.341	5.273	0.0	0.0
0.0		Min	-2.348	-2.032	-6.518	-0.0	-0.0
-0.0							
0.0	G1		-3.253	-1.699	-3.630	-0.0	-0.0
0.0	G2		-1.279	-0.718	-1.378	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.557	0.059	0.091	0.0	-0.0
0.0	Q5_pc Y		1.587	1.663	-0.117	-0.0	0.0
-0.0	Q5_ps X		0.534	0.069	0.077	0.0	-0.0
0.0	Q5_ps Y		1.491	1.537	-0.058	-0.0	0.0
-0.0							
0.0	INVS LU	Max	6.346	9.000	1.423	0.0	-0.0
0.0		Min	-6.348	-2.992	-28.659	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.035	6.930	0.798	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.156	-1.731	-21.469	-0.0	-0.0
-0.0							
4938	C1-C2;~1	Max	2.419	2.465	9.794	0.0	0.0
0.0		Min	-4.165	-3.315	-13.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.529	2.402	10.873	0.0	0.0
0.0		Min	-4.727	-3.994	-13.344	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.284	1.319	5.271	0.0	0.0
0.0		Min	-2.090	-1.678	-7.524	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.351	1.267	5.764	0.0	0.0
0.0		Min	-2.347	-1.996	-7.316	-0.0	-0.0
-0.0							
0.0	G1		-3.352	-1.715	-4.304	-0.0	-0.0
0.0	G2		-1.317	-0.716	-1.638	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	0.049	0.097	0.0	-0.0
0.0	Q5_pc Y		1.598	1.685	-0.120	-0.0	0.0
-0.0							
0.0	Q5_ps X		0.531	0.059	0.082	0.0	-0.0
0.0	Q5_ps Y		1.501	1.559	-0.056	-0.0	0.0
-0.0							
0.0	INVSLU	Max	5.922	8.743	0.423	0.0	-0.0
0.0		Min	-6.749	-3.009	-32.899	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.716	6.737	0.014	0.0	-0.0
0.0		Min	-4.457	-1.743	-24.653	-0.0	-0.0
-0.0							
4939	C1-C2;~1	Max	2.388	2.226	10.523	0.0	0.0
0.0		Min	-4.165	-3.251	-15.069	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.498	2.201	11.687	0.0	0.0
0.0		Min	-4.730	-3.918	-14.715	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.270	1.165	5.663	0.0	0.0
0.0		Min	-2.087	-1.646	-8.322	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.337	1.139	6.195	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.345	-1.957	-8.083	-0.0	-0.0
-0.0	G1		-3.426	-1.740	-5.030	-0.0	-0.0
0.0	G2		-1.344	-0.709	-1.924	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.551	0.038	0.105	0.0	-0.0
0.0	Q5_pc Y		1.608	1.706	-0.127	-0.0	0.0
-0.0	Q5_ps X		0.529	0.047	0.089	0.0	-0.0
0.0	Q5_ps Y		1.510	1.584	-0.058	-0.0	0.0
-0.0							
	INVSLU	Max	5.565	8.293	-0.942	0.0	-0.0
0.0		Min	-7.087	-3.073	-37.291	-0.0	-0.0
-0.0							
	INVSLE	Max	4.446	6.399	-1.045	0.0	-0.0
0.0		Min	-4.711	-1.793	-27.953	-0.0	-0.0
-0.0							
4940	C1-C2;~1	Max	2.307	1.758	12.885	0.0	0.0
0.0		Min	-4.105	-2.866	-21.131	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.417	1.775	14.329	0.0	0.0
0.0		Min	-4.692	-3.462	-20.604	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.233	0.908	6.932	0.0	0.0
0.0		Min	-2.053	-1.439	-11.775	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.300	0.916	7.593	0.0	0.0
0.0		Min	-2.319	-1.716	-11.413	-0.0	-0.0
-0.0							
	G1		-3.488	-1.853	-8.854	-0.0	-0.0
0.0	G2		-1.371	-0.752	-3.404	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.544	-0.002	0.121	0.0	-0.0
0.0	Q5_pc Y		1.636	1.767	-0.100	-0.0	0.0
-0.0	Q5_ps X		0.523	0.009	0.102	0.0	0.0
0.0	Q5_ps Y		1.534	1.643	-0.016	-0.0	0.0
-0.0							
	INVSLU	Max	4.804	6.781	-11.322	0.0	-0.0
0.0		Min	-7.738	-3.470	-59.411	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	INVSLE	Max	3.876	5.231	-9.015	0.0	-0.0
0.0		Min	-5.196	-2.127	-44.620	-0.0	-0.0
0.0							
4941	C1-C2;~1	Max	2.314	1.984	12.574	0.0	0.0
0.0		Min	-4.110	-2.935	-20.091	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.424	1.994	13.978	0.0	0.0
0.0		Min	-4.697	-3.546	-19.608	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.237	1.053	6.765	0.0	0.0
0.0		Min	-2.056	-1.476	-11.177	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.303	1.057	7.408	0.0	0.0
0.0		Min	-2.322	-1.760	-10.844	-0.0	-0.0
-0.0							
0.0	G1		-3.490	-1.827	-8.107	-0.0	-0.0
0.0	G2		-1.374	-0.755	-3.110	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.545	0.005	0.118	0.0	-0.0
0.0	Q5_pc Y		1.634	1.758	-0.105	-0.0	0.0
-0.0	Q5_ps X		0.523	0.017	0.099	0.0	-0.0
0.0	Q5_ps Y		1.531	1.631	-0.022	-0.0	0.0
-0.0							
	INVSLU	Max	4.785	7.291	-8.933	0.0	-0.0
0.0		Min	-7.769	-3.352	-55.140	-0.0	-0.0
0.0							
	INVSLE	Max	3.855	5.619	-7.188	0.0	-0.0
0.0		Min	-5.226	-2.030	-41.400	-0.0	-0.0
0.0							
4942	C1-C2;~1	Max	2.325	2.148	12.228	0.0	0.0
0.0		Min	-4.123	-3.012	-19.041	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.435	2.148	13.590	0.0	0.0
0.0		Min	-4.706	-3.638	-18.585	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.242	1.152	6.579	0.0	0.0
0.0		Min	-2.063	-1.517	-10.576	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.308	1.150	7.203	0.0	0.0
-0.0		Min	-2.327	-1.808	-10.262	-0.0	-0.0
0.0	G1		-3.497	-1.800	-7.367	-0.0	-0.0
0.0	G2		-1.377	-0.750	-2.821	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	0.013	0.116	0.0	-0.0
-0.0	Q5_pc Y		1.630	1.749	-0.114	-0.0	0.0
0.0	Q5_ps X		0.525	0.024	0.097	0.0	-0.0
-0.0	Q5_ps Y		1.528	1.620	-0.032	-0.0	0.0
0.0	INVSLU	Max	4.862	7.716	-6.477	0.0	-0.0
0.0		Min	-7.712	-3.242	-50.737	-0.0	-0.0
0.0	INVSLE	Max	3.911	5.946	-5.299	0.0	-0.0
0.0		Min	-5.186	-1.938	-38.069	-0.0	-0.0
4943	C1-C2;~1	Max	2.342	2.283	11.743	0.0	0.0
0.0		Min	-4.141	-3.092	-17.769	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.453	2.280	13.047	0.0	0.0
0.0		Min	-4.719	-3.733	-17.350	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.250	1.233	6.319	0.0	0.0
0.0		Min	-2.072	-1.560	-9.850	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.316	1.228	6.915	0.0	0.0
0.0		Min	-2.335	-1.859	-9.563	-0.0	-0.0
-0.0	G1		-3.498	-1.774	-6.564	-0.0	-0.0
0.0	G2		-1.377	-0.742	-2.512	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.548	0.021	0.112	0.0	-0.0
-0.0	Q5_pc Y		1.623	1.737	-0.117	-0.0	0.0
0.0	Q5_ps X		0.526	0.032	0.095	0.0	-0.0
-0.0	Q5_ps Y		1.522	1.608	-0.040	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	5.044	8.087	-4.421	0.0	-0.0
		Min	-7.559	-3.161	-46.233	-0.0	-0.0
0.0	INVS LE	Max	4.051	6.231	-3.725	0.0	-0.0
0.0		Min	-5.068	-1.869	-34.681	-0.0	-0.0
4944 0.0	C1-C2;~1	Max	2.363	2.331	11.181	0.0	0.0
-0.0		Min	-4.155	-3.172	-16.455	-0.0	-0.0
0.0	C3-C4;~1	Max	2.473	2.322	12.420	0.0	0.0
-0.0		Min	-4.726	-3.827	-16.075	-0.0	-0.0
0.0	C1-C2;~2	Max	1.259	1.254	6.017	0.0	0.0
-0.0		Min	-2.080	-1.603	-9.105	-0.0	-0.0
0.0	C3-C4;~2	Max	1.326	1.242	6.583	0.0	0.0
-0.0		Min	-2.340	-1.909	-8.845	-0.0	-0.0
0.0	G1		-3.473	-1.754	-5.787	-0.0	-0.0
0.0	G2		-1.365	-0.728	-2.211	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.549	0.030	0.108	0.0	-0.0
-0.0	Q5_pc Y		1.616	1.722	-0.122	-0.0	0.0
0.0	Q5_ps X		0.527	0.040	0.092	0.0	-0.0
-0.0	Q5_ps Y		1.517	1.596	-0.048	-0.0	0.0
0.0	INVS LU	Max	5.276	8.309	-2.536	0.0	-0.0
-0.0		Min	-7.352	-3.105	-41.737	-0.0	-0.0
0.0	INVS LE	Max	4.228	6.405	-2.276	0.0	-0.0
-0.0		Min	-4.911	-1.820	-31.297	-0.0	-0.0
4945 0.0	C1-C2;~1	Max	2.292	1.368	13.638	0.0	0.0
-0.0		Min	-4.083	-2.520	-25.256	-0.0	-0.0
0.0	C3-C4;~1	Max	2.403	1.415	15.180	0.0	0.0
-0.0		Min	-4.668	-3.053	-24.558	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.225	0.703	7.335	0.0	0.0
-0.0		Min	-2.041	-1.248	-14.185	-0.0	-0.0
0.0	C3-C4;~2	Max	1.292	0.733	8.043	0.0	0.0
-0.0		Min	-2.306	-1.493	-13.704	-0.0	-0.0
0.0		G1	-3.472	-1.997	-12.170	-0.0	-0.0
0.0		G2	-1.366	-0.804	-4.689	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.543	-0.030	0.119	0.0	-0.0
0.0	Q5_pc	Y	1.632	1.788	-0.047	-0.0	0.0
0.0	Q5_ps	X	0.522	-0.019	0.099	-0.0	-0.0
-0.0	Q5_ps	Y	1.529	1.665	0.043	0.0	0.0
0.0	INVSLU	Max	5.583	5.337	-23.440	0.0	-0.0
-0.0		Min	-6.900	-3.912	-78.243	-0.0	-0.0
0.0	INVSLE	Max	4.508	4.125	-18.246	0.0	-0.0
-0.0		Min	-4.521	-2.488	-58.824	-0.0	-0.0
4946	C1-C2;~1	Max	2.294	1.464	13.604	0.0	0.0
0.0		Min	-4.084	-2.581	-24.615	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.405	1.495	15.140	0.0	0.0
-0.0		Min	-4.672	-3.126	-23.972	-0.0	-0.0
0.0	C1-C2;~2	Max	1.227	0.754	7.317	0.0	0.0
-0.0		Min	-2.043	-1.282	-13.805	-0.0	-0.0
0.0	C3-C4;~2	Max	1.293	0.774	8.022	0.0	0.0
-0.0		Min	-2.308	-1.533	-13.360	-0.0	-0.0
0.0		G1	-3.478	-1.968	-11.586	-0.0	-0.0
0.0		G2	-1.370	-0.804	-4.458	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.543	-0.025	0.120	0.0	-0.0
0.0	Q5_pc	Y	1.634	1.784	-0.056	-0.0	0.0
-0.0	Q5_ps	X	0.522	-0.013	0.100	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :


MIDAS		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-0.0	Q5_ps Y		1.530	1.659	0.034	-0.0	0.0
0.0	INVS LU Max		5.340	5.539	-21.091	0.0	-0.0
-0.0	Min		-7.154	-3.910	-74.976	-0.0	-0.0
0.0	INVS LE Max		4.314	4.274	-16.462	0.0	-0.0
-0.0	Min		-4.723	-2.487	-56.362	-0.0	-0.0
4947	C1-C2;~1 Max		2.297	1.573	13.515	0.0	0.0
0.0	Min		-4.087	-2.647	-23.877	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.407	1.577	15.038	0.0	0.0
0.0	Min		-4.676	-3.204	-23.269	-0.0	-0.0
-0.0	C1-C2;~2 Max		1.228	0.817	7.270	0.0	0.0
0.0	Min		-2.044	-1.319	-13.370	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.294	0.817	7.968	0.0	0.0
0.0	Min		-2.310	-1.576	-12.950	-0.0	-0.0
-0.0	G1		-3.482	-1.938	-10.957	-0.0	-0.0
0.0	G2		-1.373	-0.796	-4.214	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	-0.019	0.121	0.0	-0.0
0.0	Q5_pc Y		1.635	1.780	-0.067	-0.0	0.0
-0.0	Q5_ps X		0.522	-0.007	0.101	0.0	-0.0
0.0	Q5_ps Y		1.531	1.654	0.022	-0.0	0.0
-0.0	INVS LU Max		5.133	5.780	-18.664	0.0	-0.0
0.0	Min		-7.372	-3.878	-71.418	-0.0	-0.0
-0.0	INVS LE Max		4.148	4.456	-14.617	0.0	-0.0
0.0	Min		-4.897	-2.461	-53.678	-0.0	-0.0
-0.0	C1-C2;~1 Max		2.299	1.657	13.366	0.0	0.0
4948	Min		-4.091	-2.715	-23.045	-0.0	-0.0
0.0	C3-C4;~1 Max		2.410	1.649	14.870	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.680	-3.285	-22.471	-0.0	-0.0
0.0	C1-C2;~2	Max	1.229	0.862	7.190	0.0	0.0
-0.0		Min	-2.046	-1.356	-12.883	-0.0	-0.0
0.0	C3-C4;~2	Max	1.296	0.854	7.879	0.0	0.0
-0.0		Min	-2.313	-1.620	-12.487	-0.0	-0.0
0.0		G1	-3.484	-1.909	-10.288	-0.0	-0.0
0.0		G2	-1.373	-0.786	-3.955	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	-0.014	0.121	0.0	-0.0
-0.0	Q5_pc Y		1.636	1.776	-0.078	-0.0	0.0
0.0	Q5_ps X		0.522	-0.002	0.102	0.0	-0.0
-0.0	Q5_ps Y		1.532	1.649	0.010	-0.0	0.0
0.0	INVS LU	Max	4.972	6.074	-16.211	0.0	-0.0
0.0		Min	-7.544	-3.793	-67.615	-0.0	-0.0
0.0	INVS LE	Max	4.018	4.681	-12.748	0.0	-0.0
0.0		Min	-5.035	-2.392	-50.809	-0.0	-0.0
4949	C1-C2;~1	Max	2.302	1.715	13.156	0.0	0.0
0.0		Min	-4.097	-2.787	-22.127	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.413	1.727	14.633	0.0	0.0
-0.0		Min	-4.685	-3.370	-21.582	-0.0	-0.0
0.0	C1-C2;~2	Max	1.231	0.890	7.077	0.0	0.0
-0.0		Min	-2.049	-1.396	-12.350	-0.0	-0.0
0.0	C3-C4;~2	Max	1.297	0.896	7.754	0.0	0.0
-0.0		Min	-2.315	-1.666	-11.974	-0.0	-0.0
0.0		G1	-3.486	-1.880	-9.585	-0.0	-0.0
0.0		G2	-1.373	-0.772	-3.683	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	-0.008	0.121	0.0	-0.0
0.0	Q5_pc Y		1.637	1.771	-0.089	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.522	0.004	0.102	0.0	-0.0
0.0	Q5_ps Y	1.533	1.645	-0.002	-0.0	0.0
-0.0						
0.0	INVS LU Max	4.861	6.416	-13.759	0.0	-0.0
0.0	Min	-7.667	-3.653	-63.603	-0.0	-0.0
0.0						
0.0	INVS LE Max	3.926	4.945	-10.878	0.0	-0.0
0.0	Min	-5.135	-2.277	-47.783	-0.0	-0.0
0.0						
4950	C1-C2;~1 Max	2.290	1.340	13.640	0.0	0.0
0.0	Min	-4.074	-2.458	-25.857	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.401	1.382	15.184	0.0	0.0
0.0	Min	-4.660	-2.979	-25.151	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.224	0.691	7.336	0.0	0.0
0.0	Min	-2.037	-1.212	-14.547	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.291	0.719	8.045	0.0	0.0
0.0	Min	-2.303	-1.451	-14.059	-0.0	-0.0
-0.0						
0.0	G1	-3.466	-2.031	-12.717	-0.0	-0.0
0.0	G2	-1.366	-0.826	-4.896	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.544	-0.034	0.116	0.0	-0.0
0.0	Q5_pc Y	1.628	1.785	-0.033	-0.0	0.0
0.0	Q5_ps X	0.523	-0.022	0.096	0.0	-0.0
0.0	Q5_ps Y	1.525	1.660	0.058	-0.0	0.0
0.0						
0.0	INVS LU Max	5.804	5.007	-25.734	0.0	-0.0
0.0	Min	-6.659	-4.092	-81.349	-0.0	-0.0
0.0						
0.0	INVS LE Max	4.684	3.871	-19.988	0.0	-0.0
0.0	Min	-4.331	-2.631	-61.169	-0.0	-0.0
0.0						
4951	C1-C2;~1 Max	2.289	1.304	13.593	0.0	0.0
0.0	Min	-4.068	-2.401	-26.355	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.400	1.345	15.134	0.0	0.0
-0.0		Min	-4.654	-2.910	-25.629	-0.0	-0.0
0.0	C1-C2;~2	Max	1.223	0.675	7.310	0.0	0.0
-0.0		Min	-2.035	-1.178	-14.848	-0.0	-0.0
0.0	C3-C4;~2	Max	1.290	0.703	8.018	0.0	0.0
-0.0		Min	-2.300	-1.411	-14.348	-0.0	-0.0
0.0	G1		-3.459	-2.064	-13.212	-0.0	-0.0
0.0	G2		-1.365	-0.842	-5.088	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.545	-0.037	0.113	0.0	-0.0
0.0	Q5_pc Y		1.624	1.782	-0.021	-0.0	0.0
0.0	Q5_ps X		0.524	-0.025	0.092	0.0	-0.0
0.0	Q5_ps Y		1.520	1.657	0.071	-0.0	0.0
0.0	INVSLU	Max	6.054	4.729	-27.902	0.0	-0.0
-0.0		Min	-6.392	-4.238	-84.115	-0.0	-0.0
0.0	INVSLE	Max	4.881	3.645	-21.632	0.0	-0.0
-0.0		Min	-4.122	-2.747	-63.256	-0.0	-0.0
4952	C1-C2;~1	Max	2.288	1.265	13.493	0.0	0.0
0.0		Min	-4.063	-2.347	-26.744	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.399	1.306	15.024	0.0	0.0
-0.0		Min	-4.648	-2.844	-25.992	-0.0	-0.0
0.0	C1-C2;~2	Max	1.222	0.659	7.257	0.0	0.0
-0.0		Min	-2.033	-1.146	-15.088	-0.0	-0.0
0.0	C3-C4;~2	Max	1.289	0.686	7.960	0.0	0.0
-0.0		Min	-2.297	-1.373	-14.570	-0.0	-0.0
0.0	G1		-3.450	-2.097	-13.655	-0.0	-0.0
0.0	G2		-1.361	-0.854	-5.260	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.546	-0.040	0.109	0.0	-0.0
0.0	Q5_pc Y		1.619	1.778	-0.008	-0.0	0.0
0.0	Q5_ps X		0.525	-0.028	0.089	0.0	-0.0
0.0	Q5_ps Y		1.515	1.654	0.084	-0.0	0.0
0.0	INVSLU	Max	6.408	4.524	-29.968	0.0	-0.0
-0.0		Min	-6.020	-4.323	-86.553	-0.0	-0.0
0.0	INVSLE	Max	5.158	3.468	-23.195	0.0	-0.0
-0.0		Min	-3.832	-2.815	-65.095	-0.0	-0.0
4953	C1-C2;~1	Max	2.287	1.221	13.344	0.0	0.0
0.0		Min	-4.060	-2.298	-27.006	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.399	1.265	14.860	0.0	0.0
0.0		Min	-4.643	-2.780	-26.225	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.222	0.640	7.177	0.0	0.0
0.0		Min	-2.031	-1.117	-15.252	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.288	0.669	7.873	0.0	0.0
0.0		Min	-2.295	-1.335	-14.715	-0.0	-0.0
-0.0	G1		-3.441	-2.131	-14.034	-0.0	-0.0
0.0	G2		-1.357	-0.864	-5.408	-0.0	-0.0
0.0	G3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.547	-0.043	0.105	0.0	-0.0
0.0	Q5_pc Y		1.613	1.774	0.004	-0.0	0.0
0.0	Q5_ps X		0.526	-0.031	0.085	0.0	-0.0
0.0	Q5_ps Y		1.510	1.651	0.096	-0.0	0.0
0.0	INVSLU	Max	6.806	4.417	-31.883	0.0	-0.0
-0.0		Min	-5.604	-4.311	-88.592	-0.0	-0.0
0.0	INVSLE	Max	5.469	3.364	-24.643	0.0	-0.0
-0.0		Min	-3.509	-2.809	-66.636	-0.0	-0.0
4954	C1-C2;~1	Max	2.286	1.167	13.151	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.060	-2.259	-27.122	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.398	1.218	14.646	0.0	0.0
0.0		Min	-4.640	-2.721	-26.291	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.221	0.617	7.072	0.0	0.0
0.0		Min	-2.031	-1.094	-15.327	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.287	0.649	7.759	0.0	0.0
0.0		Min	-2.293	-1.300	-14.758	-0.0	-0.0
-0.0							
0.0		G1	-3.430	-2.164	-14.345	-0.0	-0.0
0.0		G2	-1.350	-0.865	-5.533	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.548	-0.047	0.101	0.0	-0.0
0.0	Q5_pc	Y	1.608	1.770	0.015	-0.0	0.0
0.0	Q5_ps	X	0.526	-0.035	0.081	-0.0	-0.0
0.0	Q5_ps	Y	1.506	1.651	0.106	0.0	0.0
0.0							
0.0	INVSLU	Max	7.243	4.378	-33.613	0.0	-0.0
0.0		Min	-5.152	-4.240	-90.182	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.809	3.326	-25.947	0.0	-0.0
0.0		Min	-3.158	-2.757	-67.836	-0.0	-0.0
-0.0							
4955	C1-C2;~1	Max	2.287	1.070	11.634	0.0	0.0
0.0		Min	-4.034	-2.216	-26.191	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.401	1.121	12.960	0.0	0.0
0.0		Min	-4.609	-2.616	-25.299	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.219	0.573	6.256	0.0	0.0
0.0		Min	-2.019	-1.065	-14.838	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.286	0.604	6.865	0.0	0.0
0.0		Min	-2.280	-1.238	-14.232	-0.0	-0.0
-0.0							
0.0		G1	-3.365	-2.352	-14.905	0.0	0.0
0.0		G2	-1.325	-0.936	-5.752	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.558	-0.048	0.075	0.0	-0.0
-0.0	Q5_pc Y		1.561	1.701	0.068	-0.0	0.0
0.0	Q5_ps X		0.537	-0.036	0.055	-0.0	-0.0
-0.0	Q5_ps Y		1.461	1.587	0.154	0.0	0.0
0.0	INVS LU	Max	9.437	3.236	-39.284	0.0	0.0
0.0		Min	-2.835	-5.023	-92.273	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	7.512	2.455	-30.204	0.0	0.0
0.0		Min	-1.371	-3.373	-69.445	-0.0	-0.0
-0.0							
4956	C1-C2;~1	Max	2.286	1.083	12.011	0.0	0.0
0.0		Min	-4.034	-2.190	-26.664	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.400	1.134	13.379	0.0	0.0
0.0		Min	-4.611	-2.604	-25.798	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.219	0.580	6.459	0.0	0.0
0.0		Min	-2.019	-1.054	-15.110	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.286	0.610	7.088	0.0	0.0
0.0		Min	-2.281	-1.234	-14.519	-0.0	-0.0
-0.0							
0.0	G1		-3.379	-2.314	-14.950	0.0	0.0
0.0	G2		-1.333	-0.932	-5.765	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.556	-0.048	0.080	0.0	-0.0
-0.0	Q5_pc Y		1.570	1.715	0.061	-0.0	0.0
0.0	Q5_ps X		0.535	-0.035	0.060	0.0	-0.0
0.0	Q5_ps Y		1.470	1.598	0.149	-0.0	0.0
0.0							
0.0	INVS LU	Max	8.961	3.422	-38.644	0.0	0.0
0.0		Min	-3.330	-4.858	-92.846	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	7.141	2.593	-29.731	0.0	0.0
0.0		Min	-1.753	-3.249	-69.871	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4957	C1-C2;~1	Max	2.286	1.100	12.351	0.0	0.0
0.0		Min	-4.037	-2.185	-26.982	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.399	1.151	13.758	0.0	0.0
0.0		Min	-4.616	-2.608	-26.119	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.219	0.588	6.642	0.0	0.0
0.0		Min	-2.021	-1.052	-15.286	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.286	0.618	7.289	0.0	0.0
0.0		Min	-2.283	-1.235	-14.696	-0.0	-0.0
-0.0							
0.0	G1		-3.393	-2.277	-14.913	0.0	-0.0
0.0	G2		-1.340	-0.921	-5.750	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	-0.048	0.085	0.0	-0.0
-0.0	Q5_pc Y		1.580	1.730	0.051	-0.0	0.0
0.0	Q5_ps X		0.533	-0.035	0.065	0.0	-0.0
-0.0	Q5_ps Y		1.479	1.611	0.140	-0.0	0.0
0.0							
	INVSLU	Max	8.505	3.644	-37.749	0.0	0.0
0.0		Min	-3.809	-4.685	-92.902	-0.0	-0.0
-0.0							
	INVSLE	Max	6.787	2.759	-29.063	0.0	0.0
0.0		Min	-2.124	-3.116	-69.906	-0.0	-0.0
-0.0							
4958	C1-C2;~1	Max	2.286	1.122	12.656	0.0	0.0
0.0		Min	-4.042	-2.188	-27.167	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.398	1.171	14.097	0.0	0.0
0.0		Min	-4.622	-2.625	-26.305	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.220	0.597	6.806	0.0	0.0
0.0		Min	-2.023	-1.053	-15.383	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.287	0.628	7.468	0.0	0.0
0.0		Min	-2.286	-1.243	-14.792	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-3.406	-2.240	-14.799	0.0	-0.0
0.0	G2	-1.345	-0.907	-5.705	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.552	-0.047	0.091	0.0	-0.0
0.0	Q5_pc Y	1.590	1.744	0.040	-0.0	0.0
-0.0	Q5_ps X	0.531	-0.035	0.070	0.0	-0.0
0.0	Q5_ps Y	1.488	1.623	0.131	-0.0	0.0
0.0	INVS LU Max	8.067	3.881	-36.604	0.0	-0.0
-0.0	Min	-4.272	-4.514	-92.473	-0.0	-0.0
0.0	INVS LE Max	6.447	2.940	-28.203	0.0	-0.0
-0.0	Min	-2.481	-2.982	-69.576	-0.0	-0.0
4959	C1-C2;~1 Max	2.286	1.146	12.923	0.0	0.0
0.0	Min	-4.049	-2.213	-27.221	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.398	1.195	14.394	0.0	0.0
-0.0	Min	-4.630	-2.668	-26.377	-0.0	-0.0
0.0						
0.0	C1-C2;~2 Max	1.220	0.608	6.950	0.0	0.0
-0.0	Min	-2.026	-1.068	-15.402	-0.0	-0.0
0.0						
0.0	C3-C4;~2 Max	1.287	0.638	7.625	0.0	0.0
-0.0	Min	-2.289	-1.269	-14.823	-0.0	-0.0
0.0	G1	-3.419	-2.202	-14.610	0.0	-0.0
0.0	G2	-1.349	-0.890	-5.632	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.550	-0.047	0.096	0.0	-0.0
0.0	Q5_pc Y	1.599	1.757	0.028	-0.0	0.0
-0.0	Q5_ps X	0.529	-0.035	0.075	0.0	-0.0
0.0	Q5_ps Y	1.496	1.636	0.119	-0.0	0.0
0.0	INVS LU Max	7.646	4.126	-35.225	0.0	-0.0
-0.0	Min	-4.718	-4.372	-91.577	-0.0	-0.0
0.0	INVS LE Max	6.122	3.129	-27.165	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-2.824	-2.867	-68.895	-0.0	-0.0
-0.0							
4960	C1-C2;~1	Max	2.297	1.038	9.335	0.0	0.0
0.0		Min	-4.018	-2.462	-22.369	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.413	1.085	10.401	0.0	0.0
0.0		Min	-4.588	-2.822	-21.581	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.221	0.556	5.020	0.0	0.0
0.0		Min	-2.013	-1.227	-12.652	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.290	0.585	5.510	0.0	0.0
0.0		Min	-2.271	-1.387	-12.124	-0.0	-0.0
-0.0							
0.0	G1		-3.296	-2.551	-13.547	0.0	0.0
0.0	G2		-1.298	-1.011	-5.231	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.574	-0.031	0.048	0.0	-0.0
-0.0	Q5_pc Y		1.494	1.574	0.095	-0.0	0.0
0.0	Q5_ps X		0.552	-0.021	0.031	-0.0	-0.0
-0.0	Q5_ps Y		1.398	1.469	0.168	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.740	1.805	-38.478	0.0	0.0
0.0		Min	-0.401	-6.414	-82.889	0.0	0.0
-0.0							
0.0	INVSLE	Max	9.297	1.373	-29.537	0.0	0.0
0.0		Min	0.503	-4.447	-62.421	0.0	0.0
-0.0							
4961	C1-C2;~1	Max	2.294	1.043	9.851	0.0	0.0
0.0		Min	-4.015	-2.368	-23.355	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.410	1.091	10.975	0.0	0.0
0.0		Min	-4.587	-2.713	-22.549	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.221	0.559	5.297	0.0	0.0
0.0		Min	-2.011	-1.169	-13.217	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.289	0.588	5.814	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.270	-1.312	-12.674	-0.0	-0.0
-0.0	G1		-3.309	-2.510	-13.979	0.0	0.0
0.0	G2		-1.306	-1.006	-5.394	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.571	-0.034	0.053	0.0	-0.0
-0.0	Q5_pc Y		1.507	1.599	0.094	-0.0	0.0
0.0	Q5_ps X		0.549	-0.023	0.035	0.0	-0.0
-0.0	Q5_ps Y		1.410	1.490	0.170	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.257	2.017	-39.199	0.0	0.0
0.0		Min	-0.902	-6.113	-85.713	-0.0	0.0
-0.0							
0.0	INVSLE	Max	8.921	1.529	-30.099	0.0	0.0
0.0		Min	0.116	-4.221	-64.541	-0.0	0.0
-0.0							
4962	C1-C2;~1	Max	2.292	1.048	10.339	0.0	0.0
0.0		Min	-4.015	-2.293	-24.242	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.407	1.097	11.518	0.0	0.0
0.0		Min	-4.589	-2.629	-23.401	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.220	0.562	5.559	0.0	0.0
0.0		Min	-2.012	-1.119	-13.726	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.288	0.592	6.102	0.0	0.0
0.0		Min	-2.271	-1.252	-13.158	-0.0	-0.0
-0.0							
0.0	G1		-3.323	-2.470	-14.330	0.0	0.0
0.0	G2		-1.312	-0.993	-5.528	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.568	-0.038	0.058	0.0	-0.0
-0.0	Q5_pc Y		1.521	1.626	0.090	-0.0	0.0
0.0	Q5_ps X		0.546	-0.026	0.040	0.0	-0.0
-0.0	Q5_ps Y		1.422	1.514	0.170	-0.0	0.0
0.0							
0.0	INVSLU	Max	10.784	2.271	-39.642	0.0	0.0
0.0		Min	-1.399	-5.811	-88.080	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	8.554	1.719	-30.447	0.0	0.0
-0.0		Min	-0.267	-3.991	-66.315	-0.0	0.0
4963	C1-C2;~1	Max	2.290	1.054	10.800	0.0	0.0
0.0		Min	-4.019	-2.262	-25.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.404	1.104	12.032	0.0	0.0
-0.0		Min	-4.593	-2.603	-24.156	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.220	0.565	5.807	0.0	0.0
0.0		Min	-2.013	-1.100	-14.168	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.287	0.595	6.374	0.0	0.0
-0.0		Min	-2.273	-1.234	-13.587	-0.0	-0.0
0.0	G1		-3.337	-2.431	-14.602	0.0	0.0
0.0	G2		-1.318	-0.978	-5.633	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.565	-0.041	0.063	0.0	-0.0
0.0	Q5_pc Y		1.534	1.652	0.085	-0.0	0.0
-0.0	Q5_ps X		0.543	-0.029	0.044	0.0	-0.0
0.0	Q5_ps Y		1.435	1.538	0.167	-0.0	0.0
0.0							
-0.0	INVSLU	Max	10.322	2.557	-39.801	0.0	0.0
0.0		Min	-1.887	-5.553	-89.962	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.196	1.936	-30.579	0.0	0.0
-0.0		Min	-0.643	-3.791	-67.724	-0.0	-0.0
4964	C1-C2;~1	Max	2.288	1.061	11.232	0.0	0.0
0.0		Min	-4.024	-2.231	-25.670	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.402	1.111	12.513	0.0	0.0
-0.0		Min	-4.599	-2.603	-24.809	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.219	0.569	6.040	0.0	0.0
-0.0		Min	-2.015	-1.079	-14.544	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.287	0.599	6.629	0.0	0.0
-0.0		Min	-2.276	-1.233	-13.959	-0.0	-0.0
0.0	G1		-3.351	-2.391	-14.795	0.0	0.0
0.0	G2		-1.323	-0.961	-5.706	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.561	-0.044	0.069	0.0	-0.0
0.0	Q5_pc Y		1.547	1.676	0.078	-0.0	0.0
-0.0	Q5_ps X		0.540	-0.032	0.049	0.0	-0.0
0.0	Q5_ps Y		1.448	1.561	0.162	-0.0	0.0
-0.0	INVS LU	Max	9.872	2.875	-39.683	0.0	0.0
0.0		Min	-2.365	-5.298	-91.369	-0.0	-0.0
-0.0	INVS LE	Max	7.848	2.178	-30.499	0.0	0.0
0.0		Min	-1.011	-3.591	-68.774	-0.0	-0.0
-0.0							
4965	C1-C2;~1	Max	2.301	1.036	8.802	0.0	0.0
0.0		Min	-4.011	-2.518	-21.321	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.417	1.081	9.807	0.0	0.0
-0.0		Min	-4.581	-2.869	-20.583	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.222	0.554	4.733	0.0	0.0
-0.0		Min	-2.010	-1.270	-12.053	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.291	0.582	5.195	0.0	0.0
-0.0		Min	-2.268	-1.424	-11.560	-0.0	-0.0
0.0	G1		-3.283	-2.591	-13.050	0.0	0.0
0.0	G2		-1.296	-1.036	-5.036	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.579	-0.024	0.043	0.0	-0.0
0.0	Q5_pc Y		1.477	1.537	0.098	-0.0	0.0
-0.0	Q5_ps X		0.556	-0.013	0.027	0.0	-0.0
0.0	Q5_ps Y		1.381	1.431	0.168	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	12.169	1.414	-37.506	0.0	0.0
		Min	0.062	-6.773	-79.704	-0.0	0.0
-0.0							
0.0	INVS LE	Max	9.629	1.075	-28.789	0.0	0.0
		Min	0.858	-4.729	-60.033	-0.0	0.0
-0.0							
4966 0.0	C1-C2;~1	Max	2.304	1.036	8.246	0.0	0.0
		Min	-4.009	-2.588	-20.176	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.422	1.078	9.187	0.0	0.0
		Min	-4.579	-2.939	-19.477	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.224	0.553	4.434	0.0	0.0
		Min	-2.009	-1.318	-11.399	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.292	0.580	4.867	0.0	0.0
		Min	-2.267	-1.475	-10.934	-0.0	-0.0
-0.0							
0.0	G1		-3.271	-2.631	-12.474	0.0	0.0
0.0	G2		-1.292	-1.054	-4.814	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.583	-0.017	0.039	0.0	-0.0
-0.0	Q5_pc Y		1.461	1.500	0.097	-0.0	0.0
0.0	Q5_ps X		0.560	-0.006	0.023	0.0	-0.0
-0.0	Q5_ps Y		1.366	1.396	0.164	-0.0	0.0
0.0							
0.0	INVS LU	Max	12.599	1.069	-36.258	0.0	0.0
		Min	0.518	-7.125	-76.074	-0.0	0.0
-0.0							
0.0	INVS LE	Max	9.963	0.815	-27.829	0.0	0.0
		Min	1.209	-5.002	-57.309	-0.0	0.0
-0.0							
4967 0.0	C1-C2;~1	Max	2.308	1.041	7.671	0.0	0.0
		Min	-4.009	-2.665	-18.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.427	1.080	8.547	0.0	0.0
		Min	-4.578	-3.018	-18.293	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.225	0.554	4.125	0.0	0.0
		Min	-2.009	-1.367	-10.704	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.294	0.580	4.528	0.0	0.0
		Min	-2.267	-1.529	-10.265	-0.0	-0.0
-0.0							
0.0	G1		-3.259	-2.672	-11.828	0.0	0.0
0.0	G2		-1.288	-1.069	-4.565	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.587	-0.010	0.035	0.0	-0.0
-0.0	Q5_pc Y		1.445	1.463	0.095	-0.0	0.0
0.0	Q5_ps X		0.564	0.000	0.020	0.0	-0.0
-0.0	Q5_ps Y		1.350	1.361	0.158	-0.0	0.0
0.0							
0.0	INVSLU	Max	13.022	0.761	-34.737	0.0	0.0
		Min	0.965	-7.453	-72.036	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.293	0.598	-26.660	0.0	0.0
		Min	1.554	-5.255	-54.276	-0.0	0.0
-0.0							
4968	C1-C2;~1	Max	2.313	1.053	7.078	0.0	0.0
0.0		Min	-4.012	-2.757	-17.650	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.432	1.089	7.886	0.0	0.0
		Min	-4.580	-3.108	-17.028	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.227	0.559	3.806	0.0	0.0
		Min	-2.010	-1.423	-9.963	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.296	0.583	4.177	0.0	0.0
		Min	-2.268	-1.589	-9.551	-0.0	-0.0
-0.0							
0.0	G1		-3.248	-2.713	-11.112	0.0	0.0
0.0	G2		-1.283	-1.082	-4.289	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.591	-0.003	0.031	0.0	-0.0
-0.0	Q5_pc Y		1.429	1.425	0.091	-0.0	0.0
0.0	Q5_ps X		0.568	0.007	0.017	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.335	1.326	0.150	-0.0	0.0
0.0	INVS LU Max		13.443	0.492	-32.934	0.0	0.0
-0.0	Min		1.404	-7.762	-67.572	0.0	0.0
0.0	INVS LE Max		10.620	0.417	-25.275	0.0	0.0
-0.0	Min		1.894	-5.491	-50.920	0.0	0.0
4969 0.0	C1-C2;~1 Max		2.319	1.076	6.466	0.0	0.0
-0.0	Min		-4.020	-2.878	-16.265	-0.0	-0.0
0.0	C3-C4;~1 Max		2.438	1.111	7.204	0.0	0.0
-0.0	Min		-4.585	-3.225	-15.677	-0.0	-0.0
0.0	C1-C2;~2 Max		1.228	0.567	3.477	0.0	0.0
-0.0	Min		-2.014	-1.492	-9.176	-0.0	-0.0
0.0	C3-C4;~2 Max		1.298	0.590	3.816	0.0	0.0
-0.0	Min		-2.270	-1.660	-8.790	-0.0	-0.0
0.0	G1		-3.239	-2.754	-10.325	0.0	0.0
0.0	G2		-1.276	-1.088	-3.990	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.594	0.004	0.028	0.0	-0.0
0.0	Q5_pc Y		1.413	1.389	0.085	-0.0	-0.0
-0.0	Q5_ps X		0.571	0.012	0.015	0.0	-0.0
0.0	Q5_ps Y		1.321	1.295	0.139	-0.0	-0.0
0.0	INVS LU Max		13.862	0.288	-30.866	0.0	0.0
-0.0	Min		1.836	-8.067	-62.702	0.0	0.0
0.0	INVS LE Max		10.949	0.283	-23.685	0.0	0.0
-0.0	Min		2.229	-5.721	-47.256	0.0	0.0
4970 0.0	C1-C2;~1 Max		2.325	1.112	5.839	0.0	0.0
-0.0	Min		-4.018	-2.970	-14.822	-0.0	-0.0
0.0	C3-C4;~1 Max		2.445	1.148	6.506	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
		Min	-4.584	-3.319	-14.287	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.230	0.580	3.140	0.0	0.0
0.0							
		Min	-2.013	-1.548	-8.358	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.300	0.604	3.446	0.0	0.0
0.0							
		Min	-2.270	-1.718	-8.006	-0.0	-0.0
-0.0							
	G1		-3.230	-2.795	-9.480	0.0	0.0
0.0							
	G2		-1.276	-1.114	-3.660	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.599	0.014	0.025	0.0	-0.0
-0.0							
	Q5_pc Y		1.394	1.341	0.079	-0.0	0.0
0.0							
	Q5_ps X		0.576	0.023	0.013	0.0	-0.0
-0.0							
	Q5_ps Y		1.302	1.246	0.130	-0.0	0.0
0.0							
	INVS LU	Max	14.215	-0.042	-28.576	0.0	0.0
0.0							
		Min	2.215	-8.487	-57.511	0.0	0.0
-0.0							
	INVS LE	Max	11.224	0.028	-21.931	0.0	0.0
0.0							
		Min	2.521	-6.049	-43.354	0.0	0.0
-0.0							
4971	C1-C2;~1	Max	2.331	1.160	5.198	0.0	0.0
0.0							
		Min	-4.022	-3.089	-13.307	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.453	1.202	5.792	0.0	0.0
0.0							
		Min	-4.588	-3.444	-12.819	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.233	0.599	2.795	0.0	0.0
0.0							
		Min	-2.015	-1.616	-7.499	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.303	0.625	3.068	0.0	0.0
0.0							
		Min	-2.271	-1.789	-7.180	-0.0	-0.0
-0.0							
	G1		-3.223	-2.836	-8.571	0.0	0.0
0.0							
	G2		-1.274	-1.132	-3.310	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.603	0.025	0.022	0.0	-0.0
-0.0							
	Q5_pc Y		1.376	1.294	0.070	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.580	0.033	0.011	0.0	-0.0
0.0	Q5_ps Y	1.285	1.202	0.117	-0.0	0.0
0.0	INVS LU Max	14.559	-0.302	-26.032	0.0	0.0
-0.0	Min	2.576	-8.903	-51.943	0.0	0.0
0.0	INVS LE Max	11.494	-0.172	-19.981	0.0	0.0
-0.0	Min	2.801	-6.371	-39.164	0.0	0.0
4972	C1-C2;~1 Max	2.338	1.212	4.545	0.0	0.0
0.0	Min	-4.029	-3.219	-11.729	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.461	1.266	5.064	0.0	0.0
-0.0	Min	-4.594	-3.582	-11.291	-0.0	-0.0
0.0	C1-C2;~2 Max	1.235	0.619	2.444	0.0	0.0
-0.0	Min	-2.018	-1.687	-6.606	-0.0	-0.0
0.0	C3-C4;~2 Max	1.306	0.650	2.682	0.0	0.0
-0.0	Min	-2.274	-1.866	-6.321	-0.0	-0.0
0.0	G1	-3.218	-2.876	-7.605	0.0	0.0
0.0	G2	-1.272	-1.147	-2.937	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.608	0.035	0.020	0.0	-0.0
0.0	Q5_pc Y	1.359	1.247	0.060	-0.0	0.0
-0.0	Q5_ps X	0.584	0.043	0.010	0.0	-0.0
0.0	Q5_ps Y	1.268	1.158	0.102	-0.0	0.0
0.0	INVS LU Max	14.894	-0.507	-23.253	0.0	0.0
-0.0	Min	2.923	-9.298	-46.032	0.0	0.0
0.0	INVS LE Max	11.757	-0.328	-17.849	0.0	0.0
-0.0	Min	3.071	-6.674	-34.715	0.0	0.0
4973	C1-C2;~1 Max	2.347	1.265	3.880	0.0	0.0
0.0	Min	-4.039	-3.354	-10.095	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.471	1.332	4.323	0.0	0.0
-0.0		Min	-4.603	-3.725	-9.709	-0.0	-0.0
0.0	C1-C2;~2	Max	1.238	0.639	2.086	0.0	0.0
-0.0		Min	-2.022	-1.760	-5.683	-0.0	-0.0
0.0	C3-C4;~2	Max	1.310	0.675	2.290	0.0	0.0
-0.0		Min	-2.278	-1.944	-5.432	-0.0	-0.0
0.0	G1		-3.215	-2.917	-6.587	0.0	0.0
0.0	G2		-1.270	-1.160	-2.545	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.612	0.045	0.018	0.0	-0.0
0.0	Q5_pc Y		1.341	1.200	0.049	-0.0	0.0
-0.0	Q5_ps X		0.588	0.052	0.009	0.0	-0.0
0.0	Q5_ps Y		1.252	1.114	0.085	-0.0	-0.0
0.0	INVSLU	Max	15.216	-0.665	-20.253	0.0	0.0
-0.0		Min	3.252	-9.652	-39.805	0.0	0.0
0.0	INVSLE	Max	12.013	-0.447	-15.547	0.0	0.0
-0.0		Min	3.329	-6.944	-30.024	0.0	0.0
4974	C1-C2;~1	Max	2.355	1.319	3.205	0.0	0.0
0.0		Min	-4.054	-3.500	-8.410	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.481	1.397	3.571	0.0	0.0
-0.0		Min	-4.616	-3.875	-8.072	-0.0	-0.0
0.0	C1-C2;~2	Max	1.242	0.660	1.723	0.0	0.0
-0.0		Min	-2.028	-1.838	-4.732	-0.0	-0.0
0.0	C3-C4;~2	Max	1.313	0.700	1.892	0.0	0.0
-0.0		Min	-2.283	-2.026	-4.515	-0.0	-0.0
0.0	G1		-3.215	-2.956	-5.520	0.0	0.0
0.0	G2		-1.267	-1.165	-2.136	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.616	0.054	0.017	0.0	-0.0
0.0	Q5_pc Y		1.325	1.155	0.036	-0.0	-0.0
-0.0	Q5_ps X		0.592	0.060	0.009	0.0	-0.0
0.0	Q5_ps Y		1.237	1.073	0.067	-0.0	-0.0
0.0	INVS LU	Max	15.528	-0.766	-17.040	0.0	0.0
-0.0		Min	3.563	-9.961	-33.280	0.0	0.0
0.0	INVS LE	Max	12.261	-0.519	-13.080	0.0	0.0
-0.0		Min	3.575	-7.176	-25.105	0.0	0.0
4975	C1-C2;~1	Max	2.408	1.661	0.037	0.0	0.0
0.0		Min	-4.131	-4.106	-0.473	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.540	1.785	0.051	0.0	0.0
-0.0		Min	-4.688	-4.516	-0.349	-0.0	-0.0
0.0	C1-C2;~2	Max	1.262	0.826	0.018	0.0	0.0
-0.0		Min	-2.060	-2.170	-0.291	-0.0	-0.0
0.0	C3-C4;~2	Max	1.336	0.881	0.025	0.0	0.0
-0.0		Min	-2.313	-2.379	-0.209	-0.0	-0.0
0.0	G1		-3.242	-3.132	-0.226	0.0	0.0
0.0	G2		-1.276	-1.226	-0.089	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.635	0.110	0.016	0.0	-0.0
0.0	Q5_pc Y		1.245	0.909	-0.042	-0.0	-0.0
-0.0	Q5_ps X		0.610	0.113	0.013	0.0	-0.0
0.0	Q5_ps Y		1.162	0.843	-0.033	-0.0	-0.0
0.0	INVS LU	Max	16.396	-1.266	-0.199	0.0	0.0
-0.0		Min	4.397	-11.410	-0.982	0.0	0.0
0.0	INVS LE	Max	12.969	-0.892	-0.142	0.0	0.0
-0.0		Min	4.247	-8.285	-0.716	0.0	0.0
4976	C1-C2;~1	Max	2.396	1.578	0.664	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.111	-3.984	-1.937	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.527	1.686	0.740	0.0	0.0
0.0		Min	-4.669	-4.390	-1.809	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.257	0.782	0.357	0.0	0.0
0.0		Min	-2.052	-2.104	-1.088	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.331	0.829	0.392	0.0	0.0
0.0		Min	-2.305	-2.310	-1.008	-0.0	-0.0
-0.0							
0.0	G1		-3.232	-3.103	-1.299	0.0	0.0
0.0	G2		-1.275	-1.225	-0.505	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.631	0.098	0.014	0.0	-0.0
-0.0	Q5_pc Y		1.261	0.960	-0.021	-0.0	-0.0
0.0	Q5_ps X		0.606	0.102	0.010	0.0	-0.0
-0.0	Q5_ps Y		1.176	0.890	-0.009	-0.0	-0.0
0.0							
0.0	INVSLU	Max	16.273	-1.325	-3.832	0.0	0.0
0.0		Min	4.290	-11.256	-7.482	0.0	0.0
-0.0							
0.0	INVSLE	Max	12.865	-0.945	-2.938	0.0	0.0
0.0		Min	4.157	-8.174	-5.639	0.0	0.0
-0.0							
4977	C1-C2;~1	Max	2.385	1.496	1.307	0.0	0.0
0.0		Min	-4.092	-3.859	-3.579	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.514	1.597	1.455	0.0	0.0
0.0		Min	-4.652	-4.259	-3.403	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.253	0.738	0.703	0.0	0.0
0.0		Min	-2.044	-2.036	-2.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.326	0.783	0.771	0.0	0.0
0.0		Min	-2.298	-2.238	-1.899	-0.0	-0.0
-0.0							
0.0	G1		-3.224	-3.067	-2.383	0.0	0.0
0.0	G2		-1.274	-1.216	-0.923	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.628	0.087	0.013	0.0	-0.0
-0.0	Q5_pc Y		1.276	1.009	-0.003	-0.0	-0.0
0.0	Q5_ps X		0.603	0.092	0.009	0.0	-0.0
-0.0	Q5_ps Y		1.191	0.935	0.014	-0.0	-0.0
0.0	INVSLE	Max	16.123	-1.296	-7.327	0.0	0.0
0.0		Min	4.151	-11.018	-14.147	0.0	0.0
-0.0							
0.0	INVSLE	Max	12.740	-0.927	-5.624	0.0	0.0
0.0		Min	4.043	-7.994	-10.675	0.0	0.0
-0.0							
4978	C1-C2;~1	Max	2.374	1.435	1.946	0.0	0.0
0.0		Min	-4.076	-3.733	-5.220	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.502	1.523	2.168	0.0	0.0
0.0		Min	-4.637	-4.128	-4.991	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.249	0.710	1.046	0.0	0.0
0.0		Min	-2.037	-1.968	-2.934	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.321	0.750	1.148	0.0	0.0
0.0		Min	-2.292	-2.166	-2.787	-0.0	-0.0
-0.0							
0.0	G1		-3.219	-3.031	-3.458	0.0	0.0
0.0	G2		-1.272	-1.204	-1.337	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.624	0.076	0.014	0.0	-0.0
-0.0	Q5_pc Y		1.292	1.057	0.012	-0.0	-0.0
0.0	Q5_ps X		0.599	0.082	0.008	0.0	-0.0
-0.0	Q5_ps Y		1.205	0.980	0.034	-0.0	-0.0
0.0							
0.0	INVSLE	Max	15.944	-1.185	-10.716	0.0	0.0
0.0		Min	3.980	-10.716	-20.714	0.0	0.0
-0.0							
0.0	INVSLE	Max	12.594	-0.843	-8.227	0.0	0.0
0.0		Min	3.905	-7.763	-15.632	0.0	0.0
-0.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4979	C1-C2;~1	Max	2.364	1.374	2.579	0.0	0.0
0.0		Min	-4.062	-3.612	-6.832	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.491	1.458	2.873	0.0	0.0
0.0		Min	-4.625	-3.998	-6.550	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.245	0.683	1.387	0.0	0.0
0.0		Min	-2.032	-1.901	-3.842	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.317	0.724	1.522	0.0	0.0
0.0		Min	-2.287	-2.095	-3.660	-0.0	-0.0
-0.0							
0.0	G1		-3.216	-2.994	-4.505	0.0	0.0
0.0	G2		-1.270	-1.188	-1.742	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.620	0.066	0.015	0.0	-0.0
-0.0	Q5_pc Y		1.308	1.105	0.025	-0.0	-0.0
0.0	Q5_ps X		0.596	0.072	0.008	0.0	-0.0
-0.0	Q5_ps Y		1.220	1.025	0.052	-0.0	-0.0
0.0							
	INVSLU	Max	15.744	-1.007	-13.955	0.0	0.0
0.0		Min	3.783	-10.362	-27.102	0.0	0.0
-0.0							
	INVSLE	Max	12.433	-0.706	-10.714	0.0	0.0
0.0		Min	3.748	-7.489	-20.449	0.0	0.0
-0.0							
4980	C1-C2;~1	Max	2.419	1.730	1.035	0.0	0.0
0.0		Min	-4.147	-4.206	-0.584	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.552	1.867	1.092	0.0	0.0
0.0		Min	-4.703	-4.625	-0.638	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.266	0.863	0.577	0.0	0.0
0.0		Min	-2.066	-2.224	-0.329	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.340	0.924	0.607	0.0	0.0
0.0		Min	-2.319	-2.439	-0.373	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.251	-3.161	0.581	0.0	0.0
0.0	G2		-1.280	-1.240	0.224	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.637	0.117	0.014	0.0	-0.0
0.0	Q5_pc Y		1.235	0.875	-0.050	-0.0	-0.0
-0.0	Q5_ps X		0.612	0.120	0.012	0.0	-0.0
0.0	Q5_ps Y		1.152	0.811	-0.045	-0.0	-0.0
0.0	INVS LU	Max	16.405	-1.341	4.933	0.0	0.0
-0.0		Min	4.389	-11.680	2.506	0.0	0.0
0.0	INVS LE	Max	12.979	-0.952	3.761	0.0	0.0
-0.0		Min	4.243	-8.494	1.970	0.0	0.0
4981	C1-C2;~1	Max	1.469	4.053	20.641	0.0	0.0
0.0		Min	-2.099	-4.759	-32.885	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.669	4.252	22.035	0.0	0.0
-0.0		Min	-2.365	-5.412	-35.681	-0.0	-0.0
0.0	C1-C2;~2	Max	0.755	2.063	10.366	0.0	0.0
-0.0		Min	-1.139	-2.507	-17.809	-0.0	-0.0
0.0	C3-C4;~2	Max	0.871	2.154	11.031	0.0	0.0
-0.0		Min	-1.259	-2.796	-18.816	-0.0	-0.0
-0.0	G1		-0.642	-0.735	-13.698	0.0	0.0
-0.0	G2		-0.223	-0.292	-5.130	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.921	-0.532	-0.389	0.0	0.0
0.0	Q5_pc Y		1.580	0.416	3.389	-0.0	-0.0
0.0	Q5_ps X		0.857	-0.495	-0.430	0.0	0.0
0.0	Q5_ps Y		1.491	0.397	3.226	-0.0	-0.0
0.0	INVS LU	Max	3.878	2.856	-5.080	0.0	0.0
0.0		Min	-4.413	-11.149	-89.097	0.0	-0.0
0.0	INVS LE	Max	2.793	2.052	-4.523	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.137	-8.251	-66.306	0.0	-0.0
0.0							
4982	C1-C2;~1	Max	1.473	4.071	20.167	0.0	0.0
0.0		Min	-2.136	-4.781	-31.669	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.676	4.269	21.508	0.0	0.0
0.0		Min	-2.388	-5.437	-34.349	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.756	2.073	10.150	0.0	0.0
0.0		Min	-1.163	-2.520	-17.134	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.873	2.164	10.792	0.0	0.0
0.0		Min	-1.274	-2.810	-18.100	-0.0	-0.0
-0.0							
-0.0	G1		-0.645	-0.748	-12.979	0.0	0.0
-0.0	G2		-0.220	-0.299	-4.856	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.903	-0.525	-0.376	0.0	0.0
0.0	Q5_pc Y		1.549	0.422	3.315	-0.0	-0.0
0.0	Q5_ps X		0.839	-0.488	-0.418	0.0	0.0
0.0	Q5_ps Y		1.461	0.402	3.155	-0.0	-0.0
0.0							
0.0	INVSLU	Max	3.630	2.770	-3.510	0.0	0.0
0.0		Min	-4.643	-11.278	-84.884	0.0	-0.0
0.0							
0.0	INVSLE	Max	2.604	1.980	-3.314	0.0	0.0
0.0		Min	-3.317	-8.356	-63.149	0.0	-0.0
0.0							
4983	C1-C2;~1	Max	1.483	4.089	19.631	0.0	0.0
0.0		Min	-2.153	-4.805	-30.360	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.687	4.286	20.916	0.0	0.0
0.0		Min	-2.393	-5.462	-32.917	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.760	2.085	9.902	0.0	0.0
0.0		Min	-1.173	-2.534	-16.411	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.878	2.175	10.520	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.276	-2.823	-17.332	-0.0	-0.0
-0.0	G1		-0.648	-0.761	-12.218	0.0	0.0
-0.0	G2		-0.221	-0.303	-4.567	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.885	-0.518	-0.361	0.0	0.0
0.0	Q5_pc Y		1.515	0.428	3.226	-0.0	-0.0
0.0	Q5_ps X		0.822	-0.481	-0.403	0.0	0.0
0.0	Q5_ps Y		1.429	0.408	3.069	-0.0	-0.0
0.0	INVSLU	Max	3.337	2.746	-1.941	0.0	0.0
0.0		Min	-4.898	-11.346	-80.422	0.0	-0.0
0.0	INVSLE	Max	2.378	1.957	-2.103	0.0	0.0
0.0		Min	-3.520	-8.412	-59.807	0.0	-0.0
0.0							
4984	C1-C2;~1	Max	1.500	4.112	19.031	0.0	0.0
0.0		Min	-2.156	-4.834	-28.965	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.707	4.307	20.257	0.0	0.0
0.0		Min	-2.383	-5.489	-31.390	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.768	2.098	9.620	0.0	0.0
0.0		Min	-1.173	-2.549	-15.641	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.887	2.188	10.212	0.0	0.0
0.0		Min	-1.265	-2.839	-16.514	-0.0	-0.0
-0.0							
-0.0	G1		-0.652	-0.773	-11.420	0.0	0.0
-0.0	G2		-0.225	-0.305	-4.264	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.867	-0.511	-0.345	0.0	0.0
0.0	Q5_pc Y		1.478	0.433	3.122	-0.0	-0.0
0.0	Q5_ps X		0.805	-0.475	-0.387	0.0	0.0
0.0	Q5_ps Y		1.394	0.413	2.969	-0.0	-0.0
0.0							
0.0	INVSLU	Max	3.011	2.791	-0.382	0.0	0.0
0.0		Min	-5.171	-11.353	-75.726	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0							
	INVSLE	Max	2.125	1.989	-0.897	0.0	0.0
0.0		Min	-3.739	-8.420	-56.291	0.0	-0.0
0.0							
4985	C1-C2;~1	Max	1.674	5.149	17.851	0.0	0.0
0.0		Min	-1.682	-4.025	-28.452	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.703	5.384	20.419	0.0	0.0
0.0		Min	-1.592	-4.645	-28.154	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.872	2.710	9.087	0.0	0.0
0.0		Min	-0.867	-2.066	-15.193	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.880	2.834	10.207	0.0	0.0
0.0		Min	-0.805	-2.345	-14.990	-0.0	-0.0
-0.0							
0.0	G1		-0.015	1.053	-10.622	-0.0	0.0
0.0	G2		0.027	0.412	-4.130	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.536	-0.574	0.489	0.0	0.0
-0.0	Q5_pc Y		-0.110	0.960	-2.906	-0.0	0.0
0.0	Q5_ps X		1.438	-0.548	0.425	0.0	-0.0
-0.0	Q5_ps Y		-0.106	0.906	-2.769	-0.0	0.0
0.0							
	INVSLU	Max	5.352	11.410	2.007	-0.0	0.0
-0.0		Min	-1.983	-3.856	-69.201	-0.0	-0.0
-0.0							
	INVSLE	Max	3.879	8.432	0.943	-0.0	0.0
-0.0		Min	-1.349	-2.748	-51.416	-0.0	-0.0
-0.0							
4986	C1-C2;~1	Max	1.780	5.373	14.547	0.0	0.0
0.0		Min	-1.757	-4.296	-21.498	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.744	5.577	16.603	0.0	0.0
0.0		Min	-1.680	-4.939	-21.271	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.935	2.828	7.465	0.0	0.0
0.0		Min	-0.914	-2.215	-11.418	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	0.904	2.932	8.366	0.0	0.0
-0.0		Min	-0.858	-2.503	-11.274	-0.0	-0.0
0.0	G1		-0.020	1.032	-7.072	-0.0	0.0
-0.0	G2		0.041	0.399	-2.743	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.288	-0.481	0.391	-0.0	0.0
0.0	Q5_pc Y		-0.015	0.904	-2.362	-0.0	0.0
-0.0	Q5_ps X		1.199	-0.456	0.337	-0.0	0.0
0.0	Q5_ps Y		-0.018	0.856	-2.252	-0.0	0.0
-0.0	INVSLU	Max	4.273	11.458	6.700	-0.0	0.0
0.0		Min	-2.821	-4.365	-48.990	-0.0	-0.0
-0.0	INVSLE	Max	3.071	8.468	4.611	-0.0	0.0
0.0		Min	-2.012	-3.132	-36.325	-0.0	-0.0
-0.0							
4987	C1-C2;~1	Max	1.825	5.332	15.496	0.0	0.0
0.0		Min	-1.759	-4.217	-23.351	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.745	5.539	17.695	0.0	0.0
-0.0		Min	-1.683	-4.854	-23.102	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.965	2.807	7.937	0.0	0.0
0.0		Min	-0.912	-2.172	-12.420	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.904	2.914	8.899	0.0	0.0
-0.0		Min	-0.856	-2.457	-12.259	-0.0	-0.0
0.0	G1		-0.015	1.060	-7.960	-0.0	0.0
-0.0	G2		0.053	0.408	-3.089	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.356	-0.506	0.414	-0.0	0.0
0.0	Q5_pc Y		-0.048	0.919	-2.520	-0.0	0.0
-0.0	Q5_ps X		1.262	-0.479	0.357	-0.0	0.0
0.0	Q5_ps Y		-0.050	0.870	-2.402	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	
		INVSLE	Max	3.311	8.521	3.907	-0.0	0.0
0.0			Min	-1.901	-2.975	-40.163	-0.0	-0.0
-0.0								
		INVSLE	Max	3.311	8.521	3.907	-0.0	0.0
0.0			Min	-1.901	-2.975	-40.163	-0.0	-0.0
-0.0								
4988		C1-C2;~1	Max	1.812	5.280	16.361	0.0	0.0
0.0			Min	-1.746	-4.146	-25.131	-0.0	-0.0
-0.0								
		C3-C4;~1	Max	1.739	5.494	18.692	0.0	0.0
0.0			Min	-1.668	-4.777	-24.864	-0.0	-0.0
-0.0								
		C1-C2;~2	Max	0.958	2.780	8.363	0.0	0.0
0.0			Min	-0.903	-2.133	-13.385	-0.0	-0.0
-0.0								
		C3-C4;~2	Max	0.900	2.891	9.382	0.0	0.0
0.0			Min	-0.846	-2.416	-13.210	-0.0	-0.0
-0.0								
		G1		-0.011	1.072	-8.854	-0.0	0.0
-0.0								
		G2		0.054	0.414	-3.437	-0.0	-0.0
0.0								
		Q3		0.000	0.000	0.000	0.0	0.0
0.0								
		Q5_pc X		1.422	-0.530	0.438	-0.0	0.0
-0.0								
		Q5_pc Y		-0.074	0.933	-2.663	-0.0	0.0
0.0								
		Q5_ps X		1.324	-0.503	0.378	-0.0	0.0
-0.0								
		Q5_ps Y		-0.075	0.883	-2.538	-0.0	0.0
0.0								
		INVSLE	Max	3.511	8.532	3.043	-0.0	0.0
-0.0			Min	-1.753	-2.860	-43.976	-0.0	-0.0
-0.0								
		INVSLE	Max	3.511	8.532	3.043	-0.0	0.0
-0.0			Min	-1.753	-2.860	-43.976	-0.0	-0.0
-0.0								
4989		C1-C2;~1	Max	1.754	5.219	17.144	0.0	0.0
0.0			Min	-1.717	-4.082	-26.828	-0.0	-0.0
-0.0								
		C3-C4;~1	Max	1.722	5.442	19.599	0.0	0.0
0.0			Min	-1.633	-4.707	-26.552	-0.0	-0.0
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.922	2.748	8.746	0.0	0.0
-0.0		Min	-0.887	-2.098	-14.307	-0.0	-0.0
0.0	C3-C4;~2	Max	0.892	2.865	9.817	0.0	0.0
-0.0		Min	-0.827	-2.378	-14.121	-0.0	-0.0
0.0	G1		-0.010	1.070	-9.742	-0.0	0.0
0.0	G2		0.045	0.415	-3.781	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.483	-0.553	0.462	0.0	0.0
0.0	Q5_pc Y		-0.094	0.947	-2.793	-0.0	0.0
-0.0	Q5_ps X		1.383	-0.526	0.399	0.0	0.0
0.0	Q5_ps Y		-0.093	0.895	-2.662	-0.0	0.0
-0.0	INVSLU	Max	5.102	11.500	3.415	-0.0	0.0
-0.0		Min	-2.252	-3.906	-64.289	-0.0	-0.0
-0.0	INVSLE	Max	3.688	8.500	2.034	-0.0	0.0
-0.0		Min	-1.562	-2.785	-47.745	-0.0	-0.0
4990	C1-C2;~1	Max	1.635	4.971	20.472	0.0	0.0
0.0		Min	-1.645	-3.895	-35.144	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.649	5.229	23.489	0.0	0.0
0.0		Min	-1.577	-4.502	-34.871	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.846	2.613	10.306	0.0	0.0
0.0		Min	-0.838	-1.997	-18.859	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.847	2.752	11.615	0.0	0.0
0.0		Min	-0.792	-2.271	-18.645	-0.0	-0.0
-0.0	G1		-0.058	0.989	-14.393	-0.0	0.0
0.0	G2		0.010	0.389	-5.598	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.747	-0.652	0.576	0.0	-0.0
0.0	Q5_pc Y		-0.189	1.005	-3.323	-0.0	0.0
-0.0	Q5_ps X		1.638	-0.625	0.510	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.181	0.948	-3.165	-0.0	0.0
-0.0	INVS LU Max		6.442	10.268	-5.810	-0.0	0.0
-0.0	Min		-1.150	-4.679	-90.946	-0.0	0.0
-0.0	INVS LE Max		4.700	7.530	-5.097	-0.0	0.0
-0.0	Min		-0.690	-3.408	-67.718	-0.0	0.0
4991 0.0	C1-C2;~1 Max		1.698	5.095	18.482	0.0	0.0
-0.0	Min		-1.684	-3.979	-29.933	-0.0	-0.0
0.0	C3-C4;~1 Max		1.693	5.339	21.155	0.0	0.0
-0.0	Min		-1.595	-4.595	-29.661	-0.0	-0.0
0.0	C1-C2;~2 Max		0.888	2.680	9.387	0.0	0.0
-0.0	Min		-0.866	-2.042	-15.999	-0.0	-0.0
0.0	C3-C4;~2 Max		0.875	2.810	10.551	0.0	0.0
-0.0	Min		-0.804	-2.319	-15.806	-0.0	-0.0
0.0	G1		-0.022	1.036	-11.439	-0.0	0.0
-0.0	G2		0.035	0.405	-4.443	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.583	-0.593	0.513	0.0	-0.0
0.0	Q5_pc Y		-0.128	0.971	-3.021	-0.0	0.0
-0.0	Q5_ps X		1.480	-0.566	0.448	0.0	-0.0
0.0	Q5_ps Y		-0.124	0.917	-2.878	-0.0	0.0
-0.0	INVS LU Max		5.706	11.241	0.384	-0.0	0.0
-0.0	Min		-1.709	-3.918	-74.022	-0.0	-0.0
-0.0	INVS LE Max		4.151	8.300	-0.324	-0.0	0.0
-0.0	Min		-1.130	-2.799	-55.037	-0.0	-0.0
4992 0.0	C1-C2;~1 Max		1.700	5.059	19.071	0.0	0.0
-0.0	Min		-1.681	-3.950	-31.373	-0.0	-0.0
0.0	C3-C4;~1 Max		1.682	5.307	21.842	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.592	-4.563	-31.105	-0.0	-0.0
0.0	C1-C2;~2	Max	0.888	2.661	9.665	0.0	0.0
-0.0		Min	-0.862	-2.026	-16.787	-0.0	-0.0
0.0	C3-C4;~2	Max	0.868	2.793	10.871	0.0	0.0
-0.0		Min	-0.801	-2.302	-16.591	-0.0	-0.0
0.0	G1		-0.030	1.024	-12.238	-0.0	0.0
-0.0	G2		0.037	0.400	-4.754	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.626	-0.609	0.532	0.0	-0.0
0.0	Q5_pc Y		-0.145	0.981	-3.118	-0.0	0.0
-0.0	Q5_ps X		1.520	-0.582	0.466	0.0	-0.0
0.0	Q5_ps Y		-0.141	0.926	-2.970	-0.0	0.0
-0.0	INVS LU	Max	6.016	11.024	-1.165	-0.0	0.0
-0.0		Min	-1.475	-4.067	-78.619	-0.0	-0.0
-0.0	INVS LE	Max	4.389	8.128	-1.522	-0.0	0.0
-0.0		Min	-0.943	-2.920	-58.479	-0.0	-0.0
4993	C1-C2;~1	Max	1.694	5.030	19.598	0.0	0.0
0.0		Min	-1.673	-3.928	-32.725	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.671	5.282	22.459	0.0	0.0
0.0		Min	-1.591	-4.539	-32.459	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.884	2.645	9.910	0.0	0.0
0.0		Min	-0.856	-2.015	-17.528	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.862	2.780	11.154	0.0	0.0
0.0		Min	-0.799	-2.289	-17.328	-0.0	-0.0
-0.0	G1		-0.038	1.013	-13.001	-0.0	0.0
0.0	G2		0.034	0.396	-5.051	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.668	-0.624	0.549	0.0	-0.0
0.0	Q5_pc Y		-0.161	0.990	-3.201	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.560	-0.597	0.482	0.0	-0.0
0.0	Q5_ps Y		-0.156	0.934	-3.049	-0.0	0.0
-0.0	INVS LU	Max	6.242	10.789	-2.728	-0.0	0.0
-0.0		Min	-1.305	-4.252	-82.988	-0.0	-0.0
-0.0	INVS LE	Max	4.559	7.941	-2.729	-0.0	0.0
-0.0		Min	-0.809	-3.068	-61.753	-0.0	-0.0
4994	C1-C2;~1	Max	1.675	5.001	20.064	0.0	0.0
0.0		Min	-1.662	-3.911	-33.982	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.660	5.257	23.007	0.0	0.0
-0.0		Min	-1.586	-4.520	-33.717	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.872	2.629	10.123	0.0	0.0
-0.0		Min	-0.849	-2.006	-18.219	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.855	2.767	11.401	0.0	0.0
-0.0		Min	-0.797	-2.279	-18.015	-0.0	-0.0
-0.0							
0.0	G1		-0.047	1.002	-13.721	-0.0	0.0
0.0	G2		0.026	0.392	-5.331	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.708	-0.638	0.563	0.0	-0.0
-0.0	Q5_pc Y		-0.175	0.998	-3.269	-0.0	0.0
0.0	Q5_ps X		1.599	-0.611	0.496	0.0	-0.0
-0.0	Q5_ps Y		-0.169	0.942	-3.114	-0.0	0.0
0.0							
-0.0	INVS LU	Max	6.374	10.538	-4.297	-0.0	0.0
-0.0		Min	-1.205	-4.456	-87.117	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	4.655	7.743	-3.936	-0.0	0.0
-0.0		Min	-0.731	-3.231	-64.848	-0.0	-0.0
-0.0							
4995	C1-C2;~1	Max	1.625	4.801	21.761	0.0	0.0
0.0		Min	-1.636	-3.818	-39.593	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.621	5.073	25.040	0.0	0.0
-0.0		Min	-1.601	-4.416	-39.249	-0.0	-0.0
0.0	C1-C2;~2	Max	0.839	2.517	10.831	0.0	0.0
-0.0		Min	-0.828	-1.959	-21.339	-0.0	-0.0
0.0	C3-C4;~2	Max	0.828	2.665	12.245	0.0	0.0
-0.0		Min	-0.792	-2.228	-21.064	-0.0	-0.0
0.0	G1		-0.087	0.904	-16.951	-0.0	0.0
0.0	G2		-0.003	0.358	-6.591	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.890	-0.719	0.594	-0.0	-0.0
0.0	Q5_pc Y		-0.243	1.042	-3.434	0.0	0.0
-0.0	Q5_ps X		1.775	-0.689	0.528	-0.0	-0.0
0.0	Q5_ps Y		-0.233	0.983	-3.271	0.0	0.0
0.0	INVSLU	Max	6.864	8.429	-12.246	-0.0	0.0
-0.0		Min	-0.940	-6.257	-105.682	-0.0	0.0
0.0	INVSLE	Max	4.997	6.095	-10.016	-0.0	0.0
-0.0		Min	-0.532	-4.645	-78.770	-0.0	0.0
4996 0.0	C1-C2;~1	Max	1.670	4.844	21.617	0.0	0.0
-0.0		Min	-1.644	-3.833	-38.947	-0.0	-0.0
0.0	C3-C4;~1	Max	1.623	5.113	24.861	0.0	0.0
-0.0		Min	-1.591	-4.432	-38.628	-0.0	-0.0
0.0	C1-C2;~2	Max	0.867	2.542	10.784	0.0	0.0
-0.0		Min	-0.833	-1.966	-20.977	-0.0	-0.0
0.0	C3-C4;~2	Max	0.831	2.688	12.185	0.0	0.0
-0.0		Min	-0.796	-2.236	-20.720	-0.0	-0.0
0.0	G1		-0.074	0.923	-16.570	-0.0	0.0
0.0	G2		0.016	0.364	-6.438	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.864	-0.706	0.595	-0.0	-0.0
0.0	Q5_pc Y		-0.235	1.035	-3.439	0.0	0.0
-0.0	Q5_ps X		1.748	-0.676	0.528	-0.0	-0.0
0.0	Q5_ps Y		-0.226	0.977	-3.276	0.0	0.0
0.0	INVSLU	Max	6.995	8.844	-11.188	-0.0	0.0
-0.0		Min	-0.835	-5.906	-103.518	-0.0	-0.0
0.0	INVSLE	Max	5.104	6.417	-9.212	-0.0	0.0
-0.0		Min	-0.448	-4.371	-77.146	-0.0	-0.0
4997	C1-C2;~1	Max	1.683	4.880	21.419	0.0	0.0
0.0		Min	-1.646	-3.848	-38.171	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.628	5.147	24.618	0.0	0.0
-0.0		Min	-1.592	-4.449	-37.860	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.875	2.563	10.710	0.0	0.0
-0.0		Min	-0.834	-1.973	-20.543	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.834	2.707	12.093	0.0	0.0
-0.0		Min	-0.797	-2.244	-20.293	-0.0	-0.0
0.0	G1		-0.067	0.941	-16.120	-0.0	0.0
0.0	G2		0.023	0.370	-6.263	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.838	-0.692	0.595	0.0	-0.0
0.0	Q5_pc Y		-0.226	1.028	-3.431	-0.0	0.0
-0.0	Q5_ps X		1.722	-0.663	0.527	0.0	-0.0
0.0	Q5_ps Y		-0.217	0.969	-3.268	-0.0	0.0
0.0	INVSLU	Max	7.035	9.242	-9.973	-0.0	0.0
-0.0		Min	-0.768	-5.562	-100.913	-0.0	-0.0
0.0	INVSLE	Max	5.140	6.727	-8.286	-0.0	0.0
-0.0		Min	-0.395	-4.102	-75.192	-0.0	-0.0
4998	C1-C2;~1	Max	1.682	4.915	21.162	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.646	-3.864	-37.265	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.634	5.178	24.309	0.0	0.0
0.0		Min	-1.590	-4.467	-36.974	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.875	2.582	10.606	0.0	0.0
0.0		Min	-0.835	-1.981	-20.036	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.839	2.724	11.968	0.0	0.0
0.0		Min	-0.797	-2.253	-19.803	-0.0	-0.0
-0.0							
0.0		G1	-0.062	0.959	-15.602	-0.0	0.0
0.0		G2	0.024	0.377	-6.062	-0.0	0.0
-0.0							
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.810	-0.678	0.591	0.0	-0.0
-0.0	Q5_pc	Y	-0.215	1.019	-3.409	-0.0	0.0
0.0	Q5_ps	X	1.695	-0.649	0.524	0.0	-0.0
-0.0	Q5_ps	Y	-0.207	0.962	-3.247	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.940	9.642	-8.664	-0.0	0.0
-0.0		Min	-0.811	-5.214	-97.925	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	5.073	7.039	-7.286	-0.0	0.0
-0.0		Min	-0.427	-3.829	-72.951	-0.0	-0.0
-0.0							
4999	C1-C2;~1	Max	1.668	4.942	20.845	0.0	0.0
0.0		Min	-1.647	-3.878	-36.252	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.641	5.203	23.931	0.0	0.0
0.0		Min	-1.586	-4.483	-35.979	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.867	2.597	10.471	0.0	0.0
0.0		Min	-0.837	-1.989	-19.473	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.843	2.738	11.808	0.0	0.0
0.0		Min	-0.796	-2.261	-19.255	-0.0	-0.0
-0.0							
0.0		G1	-0.059	0.974	-15.026	-0.0	0.0
0.0		G2	0.021	0.383	-5.838	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.779	-0.665	0.585	0.0	-0.0
-0.0	Q5_pc Y	-0.202	1.012	-3.372	-0.0	0.0
0.0	Q5_ps X	1.667	-0.637	0.517	0.0	-0.0
-0.0	Q5_ps Y	-0.195	0.955	-3.212	-0.0	0.0
0.0						
-0.0	INVS LU Max	6.719	9.958	-7.279	-0.0	0.0
-0.0	Min	-0.958	-4.941	-94.597	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	4.908	7.287	-6.226	-0.0	0.0
-0.0	Min	-0.541	-3.615	-70.456	-0.0	-0.0
-0.0						
5000	C1-C2;~1 Max	1.624	4.602	21.775	0.0	0.0
0.0	Min	-1.640	-3.745	-41.137	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.630	4.885	25.128	0.0	0.0
-0.0	Min	-1.649	-4.332	-40.712	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.834	2.403	10.709	0.0	0.0
-0.0	Min	-0.826	-1.922	-22.212	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.828	2.559	12.146	0.0	0.0
-0.0	Min	-0.819	-2.187	-21.891	-0.0	-0.0
-0.0						
0.0	G1	-0.101	0.800	-17.834	0.0	0.0
0.0	G2	-0.009	0.319	-6.929	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.949	-0.782	0.550	-0.0	-0.0
-0.0	Q5_pc Y	-0.269	1.078	-3.277	0.0	0.0
0.0	Q5_ps X	1.832	-0.750	0.487	-0.0	-0.0
-0.0	Q5_ps Y	-0.258	1.017	-3.125	0.0	0.0
0.0						
0.0	INVS LU Max	7.006	6.178	-15.389	0.0	0.0
-0.0	Min	-0.930	-8.206	-110.746	-0.0	0.0
-0.0						
0.0	INVS LE Max	5.095	4.347	-12.388	0.0	0.0
-0.0	Min	-0.523	-6.164	-82.585	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5001	C1-C2;~1	Max	1.667	4.646	21.878	0.0	0.0
0.0		Min	-1.647	-3.759	-41.136	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.617	4.928	25.232	0.0	0.0
0.0		Min	-1.648	-4.349	-40.734	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.861	2.429	10.786	0.0	0.0
0.0		Min	-0.831	-1.929	-22.216	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.821	2.583	12.226	0.0	0.0
0.0		Min	-0.819	-2.195	-21.908	-0.0	-0.0
-0.0							
0.0	G1		-0.090	0.822	-17.813	-0.0	0.0
0.0	G2		0.009	0.327	-6.917	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.941	-0.770	0.563	-0.0	-0.0
-0.0	Q5_pc Y		-0.267	1.071	-3.331	0.0	0.0
0.0	Q5_ps X		1.820	-0.738	0.498	-0.0	-0.0
-0.0	Q5_ps Y		-0.257	1.010	-3.176	0.0	0.0
0.0							
	INVSLU	Max	7.208	6.635	-15.098	0.0	0.0
0.0		Min	-0.762	-7.816	-110.692	-0.0	-0.0
-0.0							
	INVSLE	Max	5.251	4.702	-12.175	0.0	0.0
0.0		Min	-0.393	-5.860	-82.541	-0.0	-0.0
0.0							
5002	C1-C2;~1	Max	1.680	4.687	21.930	0.0	0.0
0.0		Min	-1.648	-3.774	-40.975	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.611	4.967	25.277	0.0	0.0
0.0		Min	-1.641	-4.365	-40.586	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.870	2.452	10.837	0.0	0.0
0.0		Min	-0.832	-1.936	-22.126	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.818	2.605	12.276	0.0	0.0
0.0		Min	-0.816	-2.203	-21.824	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.085	0.843	-17.714	-0.0	0.0
0.0	G2		0.015	0.334	-6.879	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.931	-0.757	0.574	-0.0	-0.0
0.0	Q5_pc Y		-0.264	1.064	-3.374	0.0	0.0
-0.0	Q5_ps X		1.811	-0.726	0.509	-0.0	-0.0
0.0	Q5_ps Y		-0.254	1.003	-3.216	0.0	0.0
0.0	INVS LU	Max	7.327	7.088	-14.618	0.0	0.0
-0.0		Min	-0.642	-7.425	-110.132	-0.0	-0.0
0.0	INVS LE	Max	5.344	5.053	-11.815	0.0	0.0
-0.0		Min	-0.302	-5.555	-82.117	-0.0	-0.0
5003	C1-C2;~1	Max	1.680	4.725	21.928	0.0	0.0
0.0		Min	-1.647	-3.787	-40.668	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.611	5.003	25.261	0.0	0.0
-0.0		Min	-1.632	-4.381	-40.293	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.871	2.474	10.862	0.0	0.0
-0.0		Min	-0.832	-1.943	-21.953	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.820	2.626	12.297	0.0	0.0
-0.0		Min	-0.811	-2.211	-21.659	-0.0	-0.0
0.0	G1		-0.083	0.862	-17.537	-0.0	0.0
-0.0	G2		0.016	0.342	-6.812	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.919	-0.744	0.583	-0.0	-0.0
0.0	Q5_pc Y		-0.258	1.057	-3.406	0.0	0.0
-0.0	Q5_ps X		1.799	-0.714	0.517	-0.0	-0.0
0.0	Q5_ps Y		-0.248	0.996	-3.246	0.0	0.0
0.0	INVS LU	Max	7.304	7.538	-13.984	-0.0	0.0
-0.0		Min	-0.643	-7.032	-109.119	-0.0	-0.0
0.0	INVS LE	Max	5.328	5.402	-11.337	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-0.303	-5.249	-81.353	-0.0	-0.0
-0.0							
5004	C1-C2;~1	Max	1.669	4.763	21.871	0.0	0.0
0.0		Min	-1.645	-3.802	-40.210	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.613	5.038	25.181	0.0	0.0
0.0		Min	-1.620	-4.397	-39.855	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.865	2.496	10.860	0.0	0.0
0.0		Min	-0.832	-1.951	-21.693	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.822	2.646	12.286	0.0	0.0
0.0		Min	-0.805	-2.219	-21.410	-0.0	-0.0
-0.0							
-0.0	G1		-0.082	0.883	-17.282	-0.0	0.0
-0.0	G2		0.013	0.349	-6.714	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.905	-0.731	0.589	-0.0	-0.0
-0.0	Q5_pc Y		-0.252	1.049	-3.426	0.0	0.0
0.0	Q5_ps X		1.787	-0.701	0.523	-0.0	-0.0
-0.0	Q5_ps Y		-0.242	0.990	-3.264	0.0	0.0
0.0							
-0.0	INVSLU	Max	7.136	7.988	-13.198	-0.0	0.0
-0.0		Min	-0.766	-6.639	-107.643	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	5.202	5.751	-10.741	-0.0	0.0
-0.0		Min	-0.397	-4.943	-80.244	-0.0	-0.0
-0.0							
5005	C1-C2;~1	Max	1.646	4.420	21.551	0.0	0.0
0.0		Min	-1.648	-3.674	-39.523	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.698	4.714	24.846	0.0	0.0
0.0		Min	-1.726	-4.250	-39.013	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.844	2.303	10.715	0.0	0.0
0.0		Min	-0.825	-1.888	-21.312	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.865	2.465	12.136	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.862	-2.149	-20.965	-0.0	-0.0
-0.0	G1		-0.096	0.696	-16.890	0.0	0.0
-0.0	G2		-0.008	0.280	-6.553	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.919	-0.844	0.458	-0.0	-0.0
0.0	Q5_pc Y		-0.267	1.115	-2.900	0.0	0.0
-0.0	Q5_ps X		1.802	-0.810	0.400	-0.0	-0.0
0.0	Q5_ps Y		-0.256	1.051	-2.769	0.0	0.0
-0.0							
	INVSLU	Max	6.932	3.948	-13.118	0.0	0.0
0.0		Min	-1.144	-10.161	-105.236	0.0	0.0
-0.0							
	INVSLE	Max	5.045	2.615	-10.640	0.0	0.0
0.0		Min	-0.682	-7.687	-78.489	0.0	0.0
-0.0							
5006	C1-C2;~1	Max	1.681	4.454	21.685	0.0	0.0
0.0		Min	-1.654	-3.688	-40.153	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.669	4.747	25.008	0.0	0.0
0.0		Min	-1.718	-4.267	-39.664	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.866	2.321	10.753	0.0	0.0
0.0		Min	-0.829	-1.895	-21.671	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.848	2.482	12.186	0.0	0.0
0.0		Min	-0.857	-2.157	-21.191	-0.0	-0.0
-0.0							
	G1		-0.089	0.717	-17.232	0.0	0.0
0.0	G2		0.008	0.288	-6.683	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.928	-0.832	0.480	-0.0	-0.0
0.0	Q5_pc Y		-0.271	1.108	-2.994	0.0	0.0
-0.0	Q5_ps X		1.808	-0.798	0.419	-0.0	-0.0
0.0	Q5_ps Y		-0.261	1.044	-2.858	0.0	0.0
-0.0							
	INVSLU	Max	7.129	4.381	-13.925	0.0	0.0
0.0		Min	-0.931	-9.781	-107.283	0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0							
	INVSLE	Max	5.195	2.952	-11.262	0.0	0.0
0.0		Min	-0.518	-7.390	-80.016	0.0	-0.0
0.0							
5007	C1-C2;~1	Max	1.688	4.488	21.765	0.0	0.0
0.0		Min	-1.654	-3.702	-40.624	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.648	4.778	25.109	0.0	0.0
0.0		Min	-1.703	-4.283	-40.148	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.870	2.339	10.766	0.0	0.0
0.0		Min	-0.831	-1.902	-21.936	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.836	2.499	12.205	0.0	0.0
0.0		Min	-0.848	-2.164	-21.458	-0.0	-0.0
-0.0							
0.0	G1		-0.088	0.737	-17.499	0.0	0.0
0.0	G2		0.013	0.296	-6.788	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.937	-0.819	0.500	-0.0	-0.0
0.0	Q5_pc Y		-0.273	1.100	-3.079	0.0	0.0
-0.0							
0.0	Q5_ps X		1.816	-0.786	0.439	-0.0	-0.0
0.0	Q5_ps Y		-0.263	1.037	-2.939	0.0	0.0
-0.0							
	INVSLU	Max	7.297	4.823	-14.563	0.0	0.0
0.0		Min	-0.767	-9.390	-108.845	0.0	-0.0
-0.0							
	INVSLE	Max	5.322	3.296	-11.752	0.0	0.0
0.0		Min	-0.394	-7.086	-81.180	0.0	-0.0
0.0							
5008	C1-C2;~1	Max	1.682	4.522	21.793	0.0	0.0
0.0		Min	-1.653	-3.715	-40.945	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.633	4.810	25.149	0.0	0.0
0.0		Min	-1.686	-4.298	-40.489	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.867	2.358	10.752	0.0	0.0
0.0		Min	-0.831	-1.908	-22.114	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.827	2.517	12.195	0.0	0.0
-0.0		Min	-0.838	-2.171	-21.639	-0.0	-0.0
-0.0	G1		-0.089	0.756	-17.689	0.0	0.0
-0.0	G2		0.013	0.303	-6.864	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.943	-0.807	0.518	-0.0	-0.0
0.0	Q5_pc Y		-0.273	1.093	-3.155	0.0	0.0
0.0	Q5_ps X		1.822	-0.774	0.456	-0.0	-0.0
0.0	Q5_ps Y		-0.263	1.030	-3.010	0.0	0.0
0.0	INVS LU	Max	7.319	5.267	-15.042	0.0	0.0
-0.0		Min	-0.725	-8.996	-109.948	-0.0	-0.0
0.0	INVS LE	Max	5.337	3.641	-12.120	0.0	0.0
-0.0		Min	-0.362	-6.779	-82.000	-0.0	-0.0
5009	C1-C2;~1	Max	1.664	4.559	21.767	0.0	0.0
0.0		Min	-1.650	-3.730	-41.121	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.628	4.845	25.128	0.0	0.0
0.0		Min	-1.669	-4.314	-40.686	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.857	2.379	10.711	0.0	0.0
0.0		Min	-0.830	-1.915	-22.210	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.826	2.536	12.155	0.0	0.0
0.0		Min	-0.829	-2.179	-21.733	-0.0	-0.0
-0.0	G1		-0.091	0.777	-17.801	0.0	0.0
-0.0	G2		0.008	0.311	-6.909	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.946	-0.794	0.535	-0.0	-0.0
0.0	Q5_pc Y		-0.272	1.085	-3.221	0.0	0.0
0.0	Q5_ps X		1.826	-0.762	0.472	-0.0	-0.0
0.0	Q5_ps Y		-0.262	1.023	-3.072	0.0	0.0


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
-0.0	INVSLE	Max	7.199	5.719	-15.366	0.0	0.0	
-0.0		Min	-0.805	-8.601	-110.599	-0.0	-0.0	
-0.0	INVSLE	Max	5.244	3.991	-12.369	0.0	0.0	
-0.0		Min	-0.425	-6.471	-82.482	-0.0	-0.0	
5010	C1-C2;~1	Max	1.703	4.276	20.168	0.0	0.0	
0.0		Min	-1.699	-3.605	-35.029	-0.0	-0.0	
-0.0	C3-C4;~1	Max	1.803	4.578	23.209	0.0	0.0	
0.0		Min	-1.812	-4.171	-34.442	-0.0	-0.0	
-0.0	C1-C2;~2	Max	0.873	2.228	10.153	0.0	0.0	
0.0		Min	-0.858	-1.856	-18.817	-0.0	-0.0	
-0.0	C3-C4;~2	Max	0.926	2.395	11.471	0.0	0.0	
0.0		Min	-0.911	-2.113	-18.468	-0.0	-0.0	
-0.0	G1		-0.075	0.610	-14.281	0.0	0.0	
-0.0	G2		0.000	0.249	-5.529	0.0	0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.803	-0.909	0.331	-0.0	-0.0	
0.0	Q5_pc Y		-0.241	1.154	-2.349	0.0	0.0	
-0.0	Q5_ps X		1.692	-0.873	0.277	-0.0	-0.0	
0.0	Q5_ps Y		-0.233	1.087	-2.249	0.0	0.0	
-0.0	INVSLE	Max	6.596	2.139	-7.307	0.0	0.0	
0.0		Min	-1.530	-11.749	-90.157	0.0	0.0	
0.0	INVSLE	Max	4.810	1.201	-6.165	0.0	0.0	
0.0		Min	-0.969	-8.933	-67.222	0.0	0.0	
5011	C1-C2;~1	Max	1.710	4.302	20.555	0.0	0.0	
0.0		Min	-1.694	-3.619	-36.141	-0.0	-0.0	
-0.0	C3-C4;~1	Max	1.777	4.602	23.663	0.0	0.0	
0.0		Min	-1.804	-4.187	-35.582	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.878	2.241	10.322	0.0	0.0
		Min	-0.853	-1.863	-19.432	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.911	2.407	11.668	0.0	0.0
		Min	-0.906	-2.120	-19.089	-0.0	-0.0
-0.0							
0.0	G1		-0.074	0.625	-14.922	0.0	0.0
0.0	G2		0.012	0.255	-5.775	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.830	-0.897	0.358	-0.0	0.0
0.0	Q5_pc Y		-0.250	1.146	-2.473	0.0	0.0
-0.0							
0.0	Q5_ps X		1.714	-0.861	0.303	-0.0	-0.0
0.0	Q5_ps Y		-0.242	1.080	-2.367	0.0	0.0
-0.0							
0.0	INVSLU	Max	6.815	2.442	-8.672	0.0	0.0
		Min	-1.311	-11.487	-93.860	0.0	-0.0
0.0							
0.0	INVSLE	Max	4.975	1.439	-7.221	0.0	0.0
		Min	-0.801	-8.726	-69.993	0.0	-0.0
0.0							
5012	C1-C2;~1	Max	1.719	4.326	20.888	0.0	0.0
0.0		Min	-1.684	-3.631	-37.161	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.754	4.625	24.055	0.0	0.0
		Min	-1.790	-4.201	-36.610	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.885	2.254	10.464	0.0	0.0
		Min	-0.847	-1.869	-19.998	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.898	2.419	11.834	0.0	0.0
		Min	-0.898	-2.127	-19.651	-0.0	-0.0
-0.0							
-0.0	G1		-0.076	0.640	-15.507	0.0	0.0
-0.0	G2		0.016	0.261	-6.004	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.855	-0.885	0.385	-0.0	0.0
0.0	Q5_pc Y		-0.256	1.139	-2.591	0.0	0.0
-0.0							
0.0	Q5_ps X		1.738	-0.850	0.329	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.248	1.073	-2.478	0.0	0.0
0.0	INVS LU Max		6.990	2.751	-9.944	0.0	0.0
0.0	Min		-1.133	-11.215	-97.250	0.0	-0.0
0.0	INVS LE Max		5.105	1.682	-8.201	0.0	0.0
0.0	Min		-0.664	-8.512	-72.526	0.0	-0.0
5013 0.0	C1-C2;~1 Max		1.715	4.356	21.163	0.0	0.0
-0.0	Min		-1.672	-3.645	-38.076	-0.0	-0.0
0.0	C3-C4;~1 Max		1.732	4.654	24.381	0.0	0.0
-0.0	Min		-1.773	-4.218	-37.535	-0.0	-0.0
0.0	C1-C2;~2 Max		0.884	2.270	10.575	0.0	0.0
-0.0	Min		-0.838	-1.875	-20.507	-0.0	-0.0
0.0	C3-C4;~2 Max		0.886	2.434	11.966	0.0	0.0
-0.0	Min		-0.889	-2.134	-20.158	-0.0	-0.0
-0.0	G1		-0.079	0.658	-16.035	0.0	0.0
-0.0	G2		0.015	0.267	-6.211	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.878	-0.871	0.411	-0.0	0.0
-0.0	Q5_pc Y		-0.261	1.130	-2.702	0.0	0.0
0.0	Q5_ps X		1.759	-0.836	0.354	-0.0	-0.0
-0.0	Q5_ps Y		-0.253	1.065	-2.583	0.0	0.0
0.0	INVS LU Max		7.060	3.146	-11.127	0.0	0.0
-0.0	Min		-1.052	-10.865	-100.307	0.0	-0.0
0.0	INVS LE Max		5.155	1.991	-9.111	0.0	0.0
-0.0	Min		-0.604	-8.237	-74.810	0.0	-0.0
5014 0.0	C1-C2;~1 Max		1.696	4.387	21.384	0.0	0.0
-0.0	Min		-1.657	-3.659	-38.863	-0.0	-0.0
0.0	C3-C4;~1 Max		1.713	4.683	24.644	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.753	-4.234	-38.346	-0.0	-0.0
0.0	C1-C2;~2	Max	0.873	2.286	10.658	0.0	0.0
-0.0		Min	-0.829	-1.882	-20.946	-0.0	-0.0
0.0	C3-C4;~2	Max	0.874	2.449	12.066	0.0	0.0
-0.0		Min	-0.877	-2.142	-20.603	-0.0	-0.0
-0.0		G1	-0.084	0.676	-16.497	0.0	0.0
-0.0		G2	0.010	0.274	-6.393	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.899	-0.857	0.435	-0.0	-0.0
-0.0	Q5_pc Y		-0.265	1.122	-2.805	0.0	0.0
0.0	Q5_ps X		1.780	-0.823	0.376	-0.0	-0.0
-0.0	Q5_ps Y		-0.256	1.057	-2.680	0.0	0.0
0.0	INVSLU	Max	7.017	3.541	-12.205	0.0	0.0
-0.0		Min	-1.080	-10.517	-102.988	0.0	-0.0
0.0	INVSLE	Max	5.116	2.298	-9.939	0.0	0.0
-0.0		Min	-0.628	-7.965	-76.812	0.0	-0.0
5015	C1-C2;~1	Max	1.790	4.120	17.519	0.0	0.0
0.0		Min	-1.757	-3.503	-28.333	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.909	4.439	20.119	0.0	0.0
-0.0		Min	-1.889	-4.050	-27.632	-0.0	-0.0
0.0	C1-C2;~2	Max	0.919	2.151	8.928	0.0	0.0
-0.0		Min	-0.896	-1.813	-15.155	-0.0	-0.0
0.0	C3-C4;~2	Max	0.986	2.329	10.060	0.0	0.0
-0.0		Min	-0.956	-2.063	-14.725	-0.0	-0.0
-0.0		G1	-0.040	0.548	-10.483	0.0	0.0
-0.0		G2	0.012	0.227	-4.042	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.617	-0.990	0.179	-0.0	0.0
0.0	Q5_pc Y		-0.198	1.211	-1.675	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	1.515	-0.952	0.132	-0.0	-0.0
0.0	Q5_ps Y	-0.194	1.140	-1.611	0.0	0.0
-0.0						
	INVS LU Max	5.571	1.038	0.170	0.0	0.0
0.0	Min	-2.468	-12.603	-68.255	0.0	-0.0
0.0						
	INVS LE Max	4.035	0.329	-0.367	0.0	0.0
0.0	Min	-1.704	-9.614	-50.829	0.0	-0.0
0.0						
5016	C1-C2;~1 Max	1.779	4.166	18.144	0.0	0.0
0.0	Min	-1.755	-3.536	-29.803	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.886	4.480	20.845	0.0	0.0
0.0	Min	-1.882	-4.090	-29.142	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.917	2.174	9.224	0.0	0.0
0.0	Min	-0.894	-1.827	-15.955	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.974	2.348	10.398	0.0	0.0
0.0	Min	-0.951	-2.079	-15.528	-0.0	-0.0
-0.0						
	G1	-0.045	0.564	-11.303	0.0	0.0
-0.0						
	G2	0.021	0.234	-4.359	0.0	0.0
0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0						
	Q5_pc X	1.659	-0.969	0.213	-0.0	0.0
0.0						
	Q5_pc Y	-0.209	1.194	-1.824	0.0	0.0
-0.0						
	Q5_ps X	1.552	-0.932	0.164	-0.0	0.0
0.0						
	Q5_ps Y	-0.205	1.124	-1.752	0.0	0.0
-0.0						
	INVS LU Max	5.901	1.192	-1.423	0.0	0.0
0.0	Min	-2.172	-12.527	-73.082	0.0	-0.0
0.0						
	INVS LE Max	4.289	0.450	-1.613	0.0	0.0
0.0	Min	-1.469	-9.553	-54.450	0.0	-0.0
0.0						
5017	C1-C2;~1 Max	1.764	4.198	18.735	0.0	0.0
0.0	Min	-1.747	-3.558	-31.244	-0.0	-0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.864	4.508	21.533	0.0	0.0
-0.0		Min	-1.871	-4.117	-30.599	-0.0	-0.0
0.0	C1-C2;~2	Max	0.910	2.190	9.501	0.0	0.0
-0.0		Min	-0.888	-1.836	-16.742	-0.0	-0.0
0.0	C3-C4;~2	Max	0.961	2.361	10.716	0.0	0.0
-0.0		Min	-0.945	-2.090	-16.305	-0.0	-0.0
-0.0	G1		-0.051	0.575	-12.107	0.0	0.0
0.0	G2		0.024	0.239	-4.673	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.697	-0.952	0.242	-0.0	0.0
-0.0	Q5_pc Y		-0.219	1.181	-1.962	0.0	0.0
0.0	Q5_ps X		1.587	-0.915	0.192	-0.0	0.0
-0.0	Q5_ps Y		-0.214	1.112	-1.883	0.0	0.0
0.0	INVSLU	Max	6.180	1.398	-2.920	0.0	0.0
0.0		Min	-1.917	-12.371	-77.700	0.0	-0.0
0.0	INVSLE	Max	4.504	0.614	-2.774	0.0	0.0
0.0		Min	-1.268	-9.428	-57.905	0.0	-0.0
5018	C1-C2;~1	Max	1.747	4.225	19.268	0.0	0.0
0.0		Min	-1.735	-3.576	-32.597	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.843	4.532	22.155	0.0	0.0
-0.0		Min	-1.856	-4.137	-31.973	-0.0	-0.0
0.0	C1-C2;~2	Max	0.902	2.203	9.748	0.0	0.0
-0.0		Min	-0.880	-1.844	-17.482	-0.0	-0.0
0.0	C3-C4;~2	Max	0.949	2.372	11.001	0.0	0.0
-0.0		Min	-0.936	-2.099	-17.039	-0.0	-0.0
-0.0	G1		-0.057	0.586	-12.875	0.0	0.0
-0.0	G2		0.022	0.242	-4.973	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.734	-0.937	0.272	-0.0	0.0
-0.0	Q5_pc Y		-0.228	1.171	-2.096	0.0	0.0
0.0	Q5_ps X		1.622	-0.900	0.220	-0.0	0.0
-0.0	Q5_ps Y		-0.222	1.103	-2.010	0.0	0.0
0.0	INVS LU	Max	6.387	1.627	-4.413	0.0	0.0
0.0		Min	-1.727	-12.183	-82.101	0.0	-0.0
0.0	INVS LE	Max	4.661	0.797	-3.931	0.0	0.0
0.0		Min	-1.118	-9.277	-61.198	0.0	-0.0
5019	C1-C2;~1	Max	1.727	4.250	19.745	0.0	0.0
0.0		Min	-1.720	-3.591	-33.858	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.822	4.555	22.713	0.0	0.0
-0.0		Min	-1.837	-4.154	-33.257	-0.0	-0.0
0.0	C1-C2;~2	Max	0.890	2.215	9.965	0.0	0.0
-0.0		Min	-0.870	-1.850	-18.174	-0.0	-0.0
0.0	C3-C4;~2	Max	0.937	2.383	11.252	0.0	0.0
-0.0		Min	-0.925	-2.106	-17.723	-0.0	-0.0
-0.0	G1		-0.065	0.598	-13.602	0.0	0.0
-0.0	G2		0.015	0.246	-5.257	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.769	-0.923	0.301	-0.0	0.0
-0.0	Q5_pc Y		-0.235	1.162	-2.225	0.0	0.0
0.0	Q5_ps X		1.656	-0.887	0.248	-0.0	-0.0
-0.0	Q5_ps Y		-0.229	1.094	-2.132	0.0	0.0
0.0	INVS LU	Max	6.517	1.873	-5.896	0.0	0.0
0.0		Min	-1.606	-11.976	-86.273	0.0	-0.0
0.0	INVS LE	Max	4.756	0.992	-5.077	0.0	0.0
0.0		Min	-1.025	-9.112	-64.319	0.0	-0.0
5020	C1-C2;~1	Max	1.796	3.891	13.211	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.799	-3.261	-19.463	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.927	4.240	15.136	0.0	0.0
0.0		Min	-1.940	-3.761	-18.871	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.923	2.050	6.808	0.0	0.0
0.0		Min	-0.929	-1.716	-10.352	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.997	2.243	7.649	0.0	0.0
0.0		Min	-0.988	-1.948	-10.034	-0.0	-0.0
-0.0							
0.0		G1	-0.059	0.623	-6.076	0.0	0.0
0.0		G2	0.004	0.261	-2.330	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.319	-1.124	0.084	0.0	0.0
0.0	Q5_pc	Y	-0.136	1.327	-1.016	0.0	0.0
-0.0							
0.0	Q5_ps	X	1.233	-1.084	0.048	0.0	0.0
0.0	Q5_ps	Y	-0.136	1.247	-0.982	0.0	0.0
-0.0							
0.0	INVSLU	Max	4.170	1.183	5.528	0.0	0.0
0.0		Min	-3.425	-12.007	-43.010	0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.993	0.433	3.834	0.0	0.0
0.0		Min	-2.457	-9.161	-31.985	0.0	-0.0
-0.0							
5021	C1-C2;~1	Max	1.840	3.921	14.231	0.0	0.0
0.0		Min	-1.819	-3.315	-21.368	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.937	4.266	16.310	0.0	0.0
0.0		Min	-1.956	-3.825	-20.750	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.952	2.061	7.320	0.0	0.0
0.0		Min	-0.937	-1.737	-11.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.003	2.253	8.226	0.0	0.0
0.0		Min	-0.995	-1.972	-11.043	-0.0	-0.0
-0.0							
0.0		G1	-0.051	0.576	-6.942	0.0	0.0
0.0		G2	0.022	0.245	-2.659	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.387	-1.097	0.094	0.0	0.0
0.0	Q5_pc Y	-0.155	1.301	-1.146	0.0	0.0
-0.0	Q5_ps X	1.293	-1.058	0.056	0.0	0.0
0.0	Q5_ps Y	-0.155	1.223	-1.107	0.0	0.0
-0.0						
	INVS LU Max	4.448	1.047	4.864	0.0	0.0
0.0	Min	-3.304	-12.218	-48.064	0.0	-0.0
-0.0						
	INVS LE Max	3.195	0.331	3.301	0.0	0.0
0.0	Min	-2.363	-9.321	-35.753	0.0	-0.0
-0.0						
5022	C1-C2;~1 Max	1.897	3.959	15.167	0.0	0.0
0.0	Min	-1.829	-3.366	-23.219	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.945	4.301	17.391	0.0	0.0
0.0	Min	-1.964	-3.886	-22.567	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.976	2.078	7.784	0.0	0.0
0.0	Min	-0.939	-1.757	-12.380	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.007	2.267	8.754	0.0	0.0
0.0	Min	-0.997	-1.996	-12.017	-0.0	-0.0
-0.0						
	G1	-0.045	0.547	-7.825	0.0	0.0
0.0	G2	0.035	0.234	-3.003	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.451	-1.069	0.109	0.0	0.0
0.0	Q5_pc Y	-0.171	1.277	-1.276	0.0	0.0
-0.0	Q5_ps X	1.351	-1.031	0.068	0.0	0.0
0.0	Q5_ps Y	-0.171	1.200	-1.231	0.0	0.0
-0.0						
	INVS LU Max	4.719	0.967	3.936	0.0	0.0
0.0	Min	-3.170	-12.384	-53.184	0.0	-0.0
-0.0						
	INVS LE Max	3.393	0.271	2.569	0.0	0.0
0.0	Min	-2.258	-9.447	-39.572	0.0	-0.0
-0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5023	C1-C2;~1	Max	1.895	4.006	16.025	0.0	0.0
0.0		Min	-1.820	-3.414	-24.998	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.943	4.341	18.383	0.0	0.0
0.0		Min	-1.954	-3.944	-24.325	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.979	2.098	8.206	0.0	0.0
0.0		Min	-0.932	-1.777	-13.343	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.005	2.284	9.233	0.0	0.0
0.0		Min	-0.990	-2.020	-12.959	-0.0	-0.0
-0.0							
	G1		-0.039	0.533	-8.716	0.0	0.0
0.0							
-0.0	G2		0.037	0.228	-3.349	0.0	-0.0
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.512	-1.041	0.128	0.0	0.0
0.0							
-0.0	Q5_pc Y		-0.184	1.253	-1.408	0.0	0.0
	Q5_ps X		1.409	-1.004	0.084	-0.0	0.0
0.0							
-0.0	Q5_ps Y		-0.183	1.178	-1.358	0.0	0.0
	INVSLU	Max	4.998	0.941	2.821	0.0	0.0
0.0		Min	-2.985	-12.501	-58.279	0.0	-0.0
0.0							
	INVSLE	Max	3.600	0.253	1.695	0.0	0.0
0.0		Min	-2.112	-9.537	-43.376	0.0	-0.0
0.0							
5024	C1-C2;~1	Max	1.834	4.059	16.806	0.0	0.0
0.0		Min	-1.793	-3.460	-26.696	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.929	4.388	19.289	0.0	0.0
0.0		Min	-1.926	-3.999	-26.014	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.949	2.123	8.586	0.0	0.0
0.0		Min	-0.917	-1.795	-14.265	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.997	2.305	9.667	0.0	0.0
0.0		Min	-0.975	-2.042	-13.862	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-0.037	0.533	-9.603	0.0	0.0
-0.0	G2	0.029	0.225	-3.693	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.568	-1.015	0.150	-0.0	0.0
-0.0	Q5_pc Y	-0.193	1.232	-1.543	0.0	0.0
0.0	Q5_ps X	1.464	-0.977	0.105	-0.0	0.0
-0.0	Q5_ps Y	-0.190	1.158	-1.485	0.0	0.0
0.0	INVS LU Max	5.285	0.966	1.538	0.0	0.0
0.0	Min	-2.742	-12.573	-63.320	0.0	-0.0
0.0	INVS LE Max	3.817	0.273	0.694	0.0	0.0
0.0	Min	-1.920	-9.591	-47.143	0.0	-0.0
5025	C1-C2;~1 Max	1.736	3.916	7.043	0.0	0.0
0.0	Min	-1.822	-3.087	-9.589	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.883	4.274	8.068	0.0	0.0
0.0	Min	-1.970	-3.547	-9.209	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.893	2.074	3.657	0.0	0.0
0.0	Min	-0.953	-1.651	-5.072	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.975	2.271	4.106	0.0	0.0
0.0	Min	-1.012	-1.868	-4.901	-0.0	-0.0
-0.0	G1	-0.151	1.012	-2.475	0.0	0.0
0.0	G2	-0.030	0.416	-0.940	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.971	-1.241	0.075	0.0	0.0
-0.0	Q5_pc Y	-0.062	1.438	-0.455	0.0	0.0
0.0	Q5_ps X	0.903	-1.196	0.053	0.0	0.0
-0.0	Q5_ps Y	-0.066	1.351	-0.443	0.0	0.0
0.0	INVS LU Max	2.935	2.458	5.056	0.0	0.0
-0.0	Min	-4.015	-10.688	-19.600	-0.0	-0.0
0.0	INVS LE Max	2.096	1.383	3.643	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-2.923	-8.163	-14.560	-0.0	-0.0
-0.0							
5026	C1-C2;~1	Max	1.755	3.890	8.409	0.0	0.0
0.0		Min	-1.844	-3.104	-11.566	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.901	4.247	9.627	0.0	0.0
0.0		Min	-1.988	-3.567	-11.138	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.902	2.060	4.362	0.0	0.0
0.0		Min	-0.962	-1.657	-6.125	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.984	2.257	4.895	0.0	0.0
0.0		Min	-1.019	-1.874	-5.932	-0.0	-0.0
-0.0							
-0.0	G1		-0.142	0.936	-3.074	0.0	0.0
0.0	G2		-0.017	0.389	-1.164	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.038	-1.223	0.069	0.0	0.0
0.0	Q5_pc Y		-0.081	1.420	-0.561	0.0	0.0
-0.0							
0.0	Q5_ps X		0.964	-1.179	0.044	0.0	0.0
0.0	Q5_ps Y		-0.085	1.334	-0.545	0.0	0.0
-0.0							
0.0	INVS LU	Max	3.112	2.200	5.728	0.0	0.0
0.0		Min	-4.006	-10.904	-23.891	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.223	1.191	4.115	0.0	0.0
0.0		Min	-2.911	-8.326	-17.750	-0.0	-0.0
-0.0							
5027	C1-C2;~1	Max	1.777	3.875	9.721	0.0	0.0
0.0		Min	-1.867	-3.124	-13.535	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.919	4.232	11.126	0.0	0.0
0.0		Min	-2.008	-3.592	-13.110	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.912	2.052	5.036	0.0	0.0
0.0		Min	-0.972	-1.665	-7.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.992	2.248	5.651	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.028	-1.884	-6.957	-0.0	-0.0
-0.0	G1		-0.134	0.872	-3.718	0.0	0.0
-0.0	G2		-0.006	0.366	-1.412	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.106	-1.203	0.062	0.0	0.0
0.0	Q5_pc Y		-0.100	1.403	-0.670	0.0	0.0
-0.0	Q5_ps X		1.026	-1.160	0.034	0.0	0.0
0.0	Q5_ps Y		-0.104	1.318	-0.650	0.0	0.0
-0.0							
	INVSLU	Max	3.297	1.992	6.155	0.0	0.0
0.0		Min	-3.996	-11.095	-28.344	0.0	-0.0
-0.0							
	INVSLE	Max	2.356	1.036	4.404	0.0	0.0
0.0		Min	-2.899	-8.471	-21.062	0.0	-0.0
-0.0							
5028	C1-C2;~1	Max	1.799	3.860	10.965	0.0	0.0
0.0		Min	-1.862	-3.164	-15.539	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.929	4.216	12.552	0.0	0.0
0.0		Min	-2.000	-3.643	-15.046	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.925	2.041	5.673	0.0	0.0
0.0		Min	-0.966	-1.679	-8.247	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.997	2.238	6.365	0.0	0.0
0.0		Min	-1.022	-1.902	-7.994	-0.0	-0.0
-0.0							
	G1		-0.110	0.765	-4.447	0.0	0.0
0.0	G2		0.006	0.323	-1.694	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.176	-1.177	0.066	0.0	0.0
0.0	Q5_pc Y		-0.115	1.376	-0.780	0.0	0.0
-0.0	Q5_ps X		1.092	-1.136	0.035	0.0	0.0
0.0	Q5_ps Y		-0.118	1.292	-0.757	0.0	0.0
-0.0							
	INVSLU	Max	3.556	1.630	6.263	0.0	0.0
0.0		Min	-3.866	-11.456	-33.064	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	2.544	0.767	4.452	0.0	0.0
-0.0		Min	-2.797	-8.743	-24.575	0.0	-0.0
5029	C1-C2;~1	Max	1.796	3.867	12.128	0.0	0.0
0.0		Min	-1.836	-3.211	-17.513	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.928	4.221	13.887	0.0	0.0
-0.0		Min	-1.974	-3.700	-16.973	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.922	2.042	6.263	0.0	0.0
0.0		Min	-0.950	-1.697	-9.305	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.998	2.237	7.031	0.0	0.0
-0.0		Min	-1.007	-1.924	-9.023	-0.0	-0.0
0.0	G1		-0.085	0.683	-5.237	0.0	0.0
-0.0	G2		0.008	0.289	-1.998	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.248	-1.151	0.071	0.0	0.0
0.0	Q5_pc Y		-0.126	1.351	-0.897	0.0	0.0
-0.0	Q5_ps X		1.162	-1.110	0.037	0.0	0.0
0.0	Q5_ps Y		-0.128	1.269	-0.868	0.0	0.0
-0.0							
0.0	INVSLU	Max	3.854	1.367	6.044	0.0	0.0
-0.0		Min	-3.660	-11.757	-37.961	0.0	-0.0
0.0							
-0.0	INVSLE	Max	2.762	0.571	4.255	0.0	0.0
0.0		Min	-2.638	-8.971	-28.221	0.0	-0.0
-0.0							
5030	C1-C2;~1	Max	1.721	3.953	5.689	0.0	0.0
0.0		Min	-1.827	-3.083	-7.674	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.870	4.315	6.523	0.0	0.0
-0.0		Min	-1.976	-3.539	-7.369	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.884	2.092	2.957	0.0	0.0
0.0		Min	-0.958	-1.651	-4.056	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.968	2.291	3.323	0.0	0.0
-0.0		Min	-1.015	-1.866	-3.917	-0.0	-0.0
0.0	G1		-0.178	1.092	-1.935	0.0	0.0
-0.0	G2		-0.034	0.450	-0.728	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.909	-1.256	0.072	0.0	0.0
0.0	Q5_pc Y		-0.048	1.454	-0.360	0.0	0.0
-0.0	Q5_ps X		0.842	-1.211	0.051	0.0	0.0
0.0	Q5_ps Y		-0.054	1.366	-0.352	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.735	2.744	4.311	0.0	0.0
-0.0		Min	-4.093	-10.477	-15.503	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	1.950	1.596	3.114	0.0	0.0
0.0		Min	-2.987	-8.003	-11.514	-0.0	-0.0
-0.0							
5031	C1-C2;~1	Max	1.699	4.006	4.296	0.0	0.0
0.0		Min	-1.826	-3.088	-5.784	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.849	4.374	4.935	0.0	0.0
-0.0		Min	-1.975	-3.543	-5.539	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.872	2.118	2.234	0.0	0.0
0.0		Min	-0.959	-1.654	-3.054	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.957	2.319	2.516	0.0	0.0
-0.0		Min	-1.016	-1.869	-2.942	-0.0	-0.0
0.0	G1		-0.206	1.184	-1.454	0.0	0.0
-0.0	G2		-0.042	0.487	-0.545	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.850	-1.270	0.075	0.0	0.0
0.0	Q5_pc Y		-0.034	1.471	-0.268	0.0	0.0
-0.0	Q5_ps X		0.785	-1.224	0.057	0.0	0.0
0.0	Q5_ps Y		-0.042	1.382	-0.263	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.537	3.088	3.330	0.0	0.0
		Min	-4.156	-10.248	-11.622	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.806	1.852	2.408	0.0	0.0
		Min	-3.038	-7.831	-8.632	-0.0	-0.0
-0.0							
5032 0.0	C1-C2;~1	Max	1.667	4.077	2.859	0.0	0.0
		Min	-1.812	-3.102	-3.922	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.817	4.449	3.304	0.0	0.0
		Min	-1.963	-3.558	-3.737	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.856	2.151	1.486	0.0	0.0
		Min	-0.954	-1.661	-2.069	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.942	2.354	1.683	0.0	0.0
		Min	-1.012	-1.876	-1.983	-0.0	-0.0
-0.0							
-0.0	G1		-0.235	1.287	-1.051	0.0	0.0
-0.0	G2		-0.054	0.527	-0.392	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.796	-1.281	0.081	0.0	0.0
-0.0	Q5_pc Y		-0.020	1.488	-0.180	0.0	0.0
-0.0	Q5_ps X		0.735	-1.234	0.065	0.0	0.0
-0.0	Q5_ps Y		-0.028	1.398	-0.178	0.0	0.0
0.0	INVS LU	Max	2.353	3.493	2.091	0.0	0.0
-0.0		Min	-4.184	-9.996	-7.987	-0.0	-0.0
0.0	INVS LE	Max	1.672	2.153	1.510	0.0	0.0
-0.0		Min	-3.064	-7.641	-5.932	-0.0	-0.0
5033 0.0	C1-C2;~1	Max	1.625	4.157	1.372	0.0	0.0
-0.0		Min	-1.785	-3.118	-2.119	-0.0	-0.0
0.0	C3-C4;~1	Max	1.774	4.533	1.623	0.0	0.0
-0.0		Min	-1.941	-3.577	-1.986	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.836	2.188	0.708	0.0	0.0
		Min	-0.943	-1.669	-1.117	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.921	2.393	0.823	0.0	0.0
		Min	-1.003	-1.886	-1.053	-0.0	-0.0
-0.0							
-0.0	G1		-0.266	1.403	-0.762	0.0	0.0
-0.0	G2		-0.073	0.569	-0.283	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.751	-1.290	0.100	0.0	0.0
0.0	Q5_pc Y		-0.005	1.506	-0.097	0.0	0.0
-0.0	Q5_ps X		0.694	-1.242	0.085	0.0	0.0
0.0	Q5_ps Y		-0.013	1.415	-0.098	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.179	3.946	0.513	0.0	0.0
		Min	-4.188	-9.714	-4.720	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.545	2.490	0.355	0.0	0.0
		Min	-3.072	-7.428	-3.507	-0.0	-0.0
-0.0							
5034	C1-C2;~1	Max	1.576	4.243	0.067	0.0	0.0
0.0		Min	-1.763	-3.138	-0.676	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.725	4.623	0.083	0.0	0.0
		Min	-1.917	-3.600	-0.522	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.812	2.229	0.033	0.0	0.0
		Min	-0.930	-1.678	-0.357	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.897	2.435	0.041	0.0	0.0
		Min	-0.992	-1.897	-0.269	-0.0	-0.0
-0.0							
0.0	G1		-0.303	1.525	-0.629	-0.0	-0.0
0.0	G2		-0.095	0.614	-0.234	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.717	-1.293	0.139	-0.0	0.0
0.0	Q5_pc Y		0.008	1.523	-0.020	0.0	0.0
-0.0	Q5_ps X		0.663	-1.245	0.122	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.000	1.432	-0.025	0.0	0.0
0.0	INVS LU Max		1.997	4.427	-1.154	0.0	0.0
-0.0	Min		-4.210	-9.417	-2.430	-0.0	-0.0
0.0	INVS LE Max		1.411	2.847	-0.876	0.0	0.0
-0.0	Min		-3.091	-7.204	-1.802	-0.0	-0.0
5035 0.0	C1-C2;~1 Max		1.271	4.625	6.815	0.0	0.0
-0.0	Min		-1.637	-3.257	-8.794	-0.0	-0.0
0.0	C3-C4;~1 Max		1.419	5.032	7.055	0.0	0.0
-0.0	Min		-1.754	-3.727	-9.490	-0.0	-0.0
0.0	C1-C2;~2 Max		0.659	2.408	3.551	0.0	0.0
-0.0	Min		-0.874	-1.733	-4.714	-0.0	-0.0
0.0	C3-C4;~2 Max		0.744	2.625	3.684	0.0	0.0
-0.0	Min		-0.917	-1.955	-4.961	-0.0	-0.0
0.0	G1		-0.508	2.010	-2.682	-0.0	-0.0
0.0	G2		-0.170	0.804	-1.019	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.770	-1.248	0.151	-0.0	0.0
-0.0	Q5_pc Y		0.035	1.596	0.295	0.0	0.0
-0.0	Q5_ps X		0.712	-1.203	0.123	-0.0	0.0
-0.0	Q5_ps Y		0.024	1.501	0.265	0.0	0.0
0.0	INVS LU Max		1.058	6.409	4.153	0.0	0.0
-0.0	Min		-4.612	-8.288	-18.714	-0.0	-0.0
0.0	INVS LE Max		0.703	4.321	3.034	0.0	0.0
-0.0	Min		-3.394	-6.353	-13.866	-0.0	-0.0
5036 0.0	C1-C2;~1 Max		1.340	4.560	5.510	0.0	0.0
-0.0	Min		-1.687	-3.239	-7.047	-0.0	-0.0
0.0	C3-C4;~1 Max		1.493	4.962	5.709	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.808	-3.706	-7.580	-0.0	-0.0
0.0	C1-C2;~2	Max	0.692	2.377	2.872	0.0	0.0
-0.0		Min	-0.898	-1.724	-3.773	-0.0	-0.0
0.0	C3-C4;~2	Max	0.780	2.592	2.983	0.0	0.0
-0.0		Min	-0.943	-1.945	-3.960	-0.0	-0.0
0.0	G1		-0.477	1.932	-2.106	-0.0	-0.0
0.0	G2		-0.153	0.776	-0.793	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.747	-1.260	0.134	-0.0	0.0
-0.0	Q5_pc Y		0.030	1.582	0.240	0.0	0.0
-0.0	Q5_ps X		0.689	-1.215	0.109	-0.0	0.0
-0.0	Q5_ps Y		0.019	1.487	0.215	0.0	0.0
0.0	INVSLU	Max	1.197	6.069	3.578	0.0	0.0
-0.0		Min	-4.604	-8.479	-14.794	-0.0	-0.0
0.0	INVSLE	Max	0.810	4.068	2.618	0.0	0.0
-0.0		Min	-3.388	-6.498	-10.959	-0.0	-0.0
5037	C1-C2;~1	Max	1.406	4.489	4.158	0.0	0.0
0.0		Min	-1.733	-3.218	-5.310	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.561	4.886	4.316	0.0	0.0
-0.0		Min	-1.853	-3.682	-5.679	-0.0	-0.0
0.0	C1-C2;~2	Max	0.725	2.344	2.168	0.0	0.0
-0.0		Min	-0.920	-1.715	-2.841	-0.0	-0.0
0.0	C3-C4;~2	Max	0.813	2.556	2.256	0.0	0.0
-0.0		Min	-0.963	-1.934	-2.966	-0.0	-0.0
0.0	G1		-0.442	1.845	-1.588	-0.0	-0.0
0.0	G2		-0.135	0.743	-0.596	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.728	-1.272	0.122	-0.0	0.0
	Q5_pc Y		0.024	1.567	0.183	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0						
-0.0	Q5_ps X	0.671	-1.225	0.100	-0.0	0.0
-0.0	Q5_ps Y	0.013	1.473	0.162	0.0	0.0
-0.0						
0.0	INVS LU Max	1.359	5.699	2.761	0.0	0.0
-0.0	Min	-4.562	-8.689	-11.062	-0.0	-0.0
-0.0						
0.0	INVS LE Max	0.932	3.793	2.022	0.0	0.0
-0.0	Min	-3.357	-6.656	-8.193	-0.0	-0.0
-0.0						
5038	C1-C2;~1 Max	1.468	4.412	2.757	0.0	0.0
0.0	Min	-1.752	-3.193	-3.596	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.623	4.804	2.876	0.0	0.0
-0.0	Min	-1.884	-3.656	-3.799	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.756	2.307	1.437	0.0	0.0
-0.0	Min	-0.927	-1.703	-1.922	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.844	2.518	1.503	0.0	0.0
-0.0	Min	-0.978	-1.922	-1.984	-0.0	-0.0
-0.0						
0.0	G1	-0.399	1.748	-1.144	-0.0	-0.0
0.0	G2	-0.119	0.705	-0.428	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.715	-1.281	0.113	-0.0	0.0
-0.0	Q5_pc Y	0.019	1.552	0.120	0.0	0.0
-0.0	Q5_ps X	0.659	-1.234	0.095	-0.0	0.0
-0.0	Q5_ps Y	0.009	1.459	0.106	0.0	0.0
-0.0						
0.0	INVS LU Max	1.552	5.302	1.678	0.0	0.0
-0.0	Min	-4.470	-8.914	-7.550	-0.0	-0.0
-0.0						
0.0	INVS LE Max	1.078	3.497	1.226	0.0	0.0
-0.0	Min	-3.288	-6.826	-5.593	-0.0	-0.0
-0.0						
5039	C1-C2;~1 Max	1.525	4.329	1.294	0.0	0.0
0.0	Min	-1.760	-3.166	-1.930	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.677	4.715	1.377	0.0	0.0
-0.0		Min	-1.903	-3.628	-1.949	-0.0	-0.0
0.0	C1-C2;~2	Max	0.785	2.269	0.671	0.0	0.0
-0.0		Min	-0.931	-1.691	-1.033	-0.0	-0.0
0.0	C3-C4;~2	Max	0.872	2.477	0.718	0.0	0.0
-0.0		Min	-0.986	-1.909	-1.011	-0.0	-0.0
0.0	G1		-0.351	1.641	-0.813	-0.0	-0.0
-0.0	G2		-0.106	0.661	-0.302	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.710	-1.289	0.116	-0.0	0.0
-0.0	Q5_pc Y		0.014	1.538	0.053	0.0	0.0
0.0	Q5_ps X		0.655	-1.241	0.100	-0.0	0.0
-0.0	Q5_ps Y		0.005	1.446	0.044	0.0	0.0
0.0	INVSLU	Max	1.772	4.877	0.297	0.0	0.0
-0.0		Min	-4.339	-9.155	-4.403	-0.0	-0.0
0.0	INVSLE	Max	1.243	3.182	0.204	0.0	0.0
-0.0		Min	-3.189	-7.007	-3.262	-0.0	-0.0
5040	C1-C2;~1	Max	0.829	5.016	12.808	0.0	0.0
0.0		Min	-1.426	-3.406	-18.027	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.960	5.451	13.246	0.0	0.0
-0.0		Min	-1.439	-3.888	-19.528	-0.0	-0.0
0.0	C1-C2;~2	Max	0.436	2.600	6.639	0.0	0.0
-0.0		Min	-0.794	-1.802	-9.726	-0.0	-0.0
0.0	C3-C4;~2	Max	0.512	2.827	6.882	0.0	0.0
-0.0		Min	-0.774	-2.029	-10.261	-0.0	-0.0
-0.0	G1		-0.684	2.374	-6.535	-0.0	-0.0
-0.0	G2		-0.243	0.948	-2.503	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.947	-1.188	0.206	-0.0	0.0
-0.0	Q5_pc Y		0.031	1.685	0.495	0.0	-0.0
-0.0	Q5_ps X		0.882	-1.146	0.161	-0.0	0.0
-0.0	Q5_ps Y		0.020	1.585	0.442	0.0	-0.0
0.0	INVSLU	Max	0.417	8.418	3.628	0.0	0.0
-0.0		Min	-4.528	-7.223	-41.506	-0.0	-0.0
0.0	INVSLE	Max	0.205	5.815	2.558	0.0	0.0
-0.0		Min	-3.331	-5.546	-30.809	-0.0	-0.0
5041	C1-C2;~1	Max	0.915	4.936	11.783	0.0	0.0
0.0		Min	-1.632	-3.381	-16.225	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.052	5.365	12.184	0.0	0.0
0.0		Min	-1.618	-3.857	-17.574	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.479	2.559	6.116	0.0	0.0
0.0		Min	-0.925	-1.789	-8.741	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.558	2.785	6.338	0.0	0.0
0.0		Min	-0.884	-2.014	-9.223	-0.0	-0.0
-0.0	G1		-0.667	2.311	-5.646	-0.0	-0.0
-0.0	G2		-0.223	0.927	-2.153	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.906	-1.200	0.188	-0.0	0.0
-0.0	Q5_pc Y		0.031	1.664	0.466	-0.0	0.0
-0.0	Q5_ps X		0.840	-1.159	0.147	-0.0	0.0
-0.0	Q5_ps Y		0.019	1.564	0.417	0.0	0.0
0.0	INVSLU	Max	0.454	7.994	4.383	0.0	0.0
-0.0		Min	-4.800	-7.451	-36.629	-0.0	-0.0
0.0	INVSLE	Max	0.237	5.499	3.141	0.0	0.0
-0.0		Min	-3.534	-5.720	-27.176	-0.0	-0.0
5042	C1-C2;~1	Max	1.010	4.845	10.665	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.766	-3.349	-14.382	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.152	5.269	11.027	0.0	0.0
0.0		Min	-1.753	-3.821	-15.579	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.526	2.514	5.543	0.0	0.0
0.0		Min	-1.004	-1.774	-7.737	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.609	2.738	5.743	0.0	0.0
0.0		Min	-0.963	-1.997	-8.167	-0.0	-0.0
-0.0							
0.0		G1	-0.637	2.230	-4.805	-0.0	-0.0
0.0		G2	-0.203	0.898	-1.829	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.866	-1.212	0.177	-0.0	0.0
-0.0	Q5_pc	Y	0.033	1.642	0.432	-0.0	0.0
-0.0	Q5_ps	X	0.800	-1.171	0.138	-0.0	0.0
-0.0	Q5_ps	Y	0.020	1.544	0.387	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.552	7.519	4.819	0.0	0.0
0.0		Min	-4.946	-7.710	-31.878	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.315	5.146	3.484	0.0	0.0
0.0		Min	-3.642	-5.916	-23.641	-0.0	-0.0
-0.0							
5043	C1-C2;~1	Max	1.109	4.740	9.457	0.0	0.0
0.0		Min	-1.785	-3.308	-12.510	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.255	5.159	9.780	0.0	0.0
0.0		Min	-1.775	-3.778	-13.567	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.577	2.462	4.920	0.0	0.0
0.0		Min	-1.004	-1.755	-6.720	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.661	2.684	5.099	0.0	0.0
0.0		Min	-0.962	-1.977	-7.104	-0.0	-0.0
-0.0							
0.0		G1	-0.588	2.130	-4.026	-0.0	-0.0
0.0		G2	-0.186	0.858	-1.529	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.830	-1.224	0.164	-0.0	0.0
-0.0	Q5_pc Y		0.036	1.620	0.390	0.0	0.0
-0.0	Q5_ps X		0.766	-1.181	0.129	-0.0	0.0
-0.0	Q5_ps Y		0.023	1.523	0.350	0.0	0.0
-0.0	INVSLE Max		0.740	6.996	4.909	0.0	0.0
0.0	INVSLE Min		-4.858	-7.986	-27.311	-0.0	-0.0
-0.0	INVSLE Max		0.459	4.757	3.568	0.0	0.0
0.0	INVSLE Min		-3.577	-6.125	-20.247	-0.0	-0.0
-0.0							
5044	C1-C2;~1 Max		1.190	4.686	8.165	0.0	0.0
0.0	C1-C2;~1 Min		-1.708	-3.284	-10.660	-0.0	-0.0
-0.0							
0.0	C3-C4;~1 Max		1.337	5.100	8.447	0.0	0.0
-0.0	C3-C4;~1 Min		-1.716	-3.754	-11.530	-0.0	-0.0
-0.0							
0.0	C1-C2;~2 Max		0.618	2.437	4.251	0.0	0.0
-0.0	C1-C2;~2 Min		-0.936	-1.744	-5.720	-0.0	-0.0
-0.0							
0.0	C3-C4;~2 Max		0.702	2.656	4.407	0.0	0.0
-0.0	C3-C4;~2 Min		-0.903	-1.967	-6.032	-0.0	-0.0
-0.0	G1		-0.551	2.075	-3.331	-0.0	-0.0
0.0	G2		-0.179	0.833	-1.262	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.798	-1.236	0.159	-0.0	0.0
-0.0	Q5_pc Y		0.036	1.609	0.345	0.0	0.0
-0.0	Q5_ps X		0.737	-1.192	0.126	-0.0	0.0
-0.0	Q5_ps Y		0.023	1.512	0.310	0.0	0.0
-0.0							
0.0	INVSLE Max		0.886	6.721	4.658	0.0	0.0
-0.0	INVSLE Min		-4.673	-8.127	-22.933	-0.0	-0.0
-0.0							
0.0	INVSLE Max		0.572	4.553	3.396	0.0	0.0
-0.0	INVSLE Min		-3.440	-6.231	-16.996	-0.0	-0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5045	C1-C2;~1	Max	0.418	5.250	16.739	0.0	0.0
0.0		Min	-1.046	-3.538	-26.225	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.528	5.720	17.317	0.0	0.0
0.0		Min	-1.040	-4.025	-28.417	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.219	2.717	8.611	0.0	0.0
0.0		Min	-0.588	-1.860	-14.245	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.285	2.959	8.930	0.0	0.0
0.0		Min	-0.574	-2.089	-15.018	-0.0	-0.0
-0.0							
0.0	G1		-0.723	2.442	-11.176	-0.0	0.0
0.0	G2		-0.260	0.979	-4.300	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.146	-1.146	0.274	0.0	0.0
-0.0	Q5_pc Y		-0.009	1.767	0.528	-0.0	-0.0
0.0	Q5_ps X		1.073	-1.109	0.220	0.0	0.0
-0.0	Q5_ps Y		-0.016	1.660	0.465	-0.0	-0.0
0.0							
	INVSLU	Max	0.809	9.721	-3.101	-0.0	0.0
-0.0		Min	-3.628	-6.616	-65.793	-0.0	-0.0
-0.0							
	INVSLE	Max	0.449	6.791	-2.575	-0.0	0.0
-0.0		Min	-2.642	-5.075	-48.943	-0.0	-0.0
-0.0							
5046	C1-C2;~1	Max	0.477	5.221	16.118	0.0	0.0
0.0		Min	-1.301	-3.526	-24.730	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.593	5.688	16.672	0.0	0.0
0.0		Min	-1.284	-4.010	-26.798	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.250	2.702	8.305	0.0	0.0
0.0		Min	-0.760	-1.854	-13.415	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.320	2.943	8.612	0.0	0.0
0.0		Min	-0.738	-2.083	-14.146	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.729	2.456	-10.251	-0.0	0.0
0.0	G2		-0.248	0.990	-3.935	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.110	-1.151	0.257	0.0	0.0
-0.0	Q5_pc Y		-0.003	1.751	0.530	-0.0	-0.0
-0.0	Q5_ps X		1.036	-1.115	0.204	0.0	0.0
-0.0	Q5_ps Y		-0.013	1.644	0.468	-0.0	-0.0
-0.0	INVS LU	Max	0.606	9.534	-1.440	-0.0	0.0
-0.0		Min	-4.134	-6.709	-61.078	-0.0	-0.0
-0.0	INVS LE	Max	0.296	6.648	-1.313	-0.0	0.0
-0.0		Min	-3.027	-5.150	-45.419	-0.0	-0.0
5047	C1-C2;~1	Max	0.553	5.185	15.418	0.0	0.0
0.0		Min	-1.482	-3.508	-23.165	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.676	5.645	15.947	0.0	0.0
-0.0		Min	-1.464	-3.990	-25.091	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.290	2.683	7.957	0.0	0.0
-0.0		Min	-0.876	-1.846	-12.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.363	2.921	8.250	0.0	0.0
-0.0		Min	-0.851	-2.074	-13.231	-0.0	-0.0
-0.0							
-0.0	G1		-0.730	2.456	-9.319	-0.0	0.0
0.0	G2		-0.239	0.993	-3.574	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.071	-1.159	0.243	-0.0	0.0
-0.0	Q5_pc Y		0.003	1.734	0.529	-0.0	0.0
-0.0	Q5_ps X		0.996	-1.123	0.191	-0.0	0.0
-0.0	Q5_ps Y		-0.008	1.628	0.469	-0.0	0.0
0.0	INVS LU	Max	0.448	9.310	0.127	-0.0	0.0
-0.0		Min	-4.502	-6.819	-56.226	-0.0	-0.0
-0.0							
	INVS LE	Max	0.177	6.480	-0.119	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.307	-5.236	-41.791	-0.0	-0.0
-0.0							
5048	C1-C2;~1	Max	0.638	5.138	14.637	0.0	0.0
0.0		Min	-1.570	-3.482	-21.520	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.765	5.592	15.137	0.0	0.0
0.0		Min	-1.564	-3.962	-23.309	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.335	2.660	7.566	0.0	0.0
0.0		Min	-0.925	-1.835	-11.643	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.409	2.895	7.843	0.0	0.0
0.0		Min	-0.894	-2.062	-12.277	-0.0	-0.0
-0.0							
0.0	G1		-0.724	2.442	-8.381	-0.0	0.0
0.0	G2		-0.237	0.986	-3.211	-0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.030	-1.168	0.229	-0.0	0.0
-0.0	Q5_pc Y		0.011	1.718	0.523	-0.0	0.0
0.0	Q5_ps X		0.957	-1.130	0.179	-0.0	0.0
-0.0	Q5_ps Y		-0.001	1.613	0.465	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.345	9.054	1.517	-0.0	0.0
0.0		Min	-4.689	-6.936	-51.328	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.121	6.288	0.942	-0.0	0.0
0.0		Min	-3.450	-5.327	-38.133	-0.0	-0.0
-0.0							
5049	C1-C2;~1	Max	0.729	5.081	13.768	0.0	0.0
0.0		Min	-1.556	-3.446	-19.806	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.858	5.526	14.239	0.0	0.0
0.0		Min	-1.562	-3.927	-21.454	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.383	2.631	7.127	0.0	0.0
0.0		Min	-0.903	-1.819	-10.701	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.458	2.863	7.388	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.884	-2.046	-11.287	-0.0	-0.0
-0.0	G1		-0.709	2.415	-7.450	-0.0	0.0
0.0	G2		-0.239	0.971	-2.850	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.989	-1.177	0.217	-0.0	0.0
-0.0	Q5_pc Y		0.021	1.701	0.511	-0.0	0.0
0.0	Q5_ps X		0.919	-1.138	0.169	-0.0	0.0
-0.0	Q5_ps Y		0.009	1.599	0.455	-0.0	0.0
0.0	INVS LU	Max	0.347	8.760	2.710	-0.0	0.0
0.0		Min	-4.699	-7.064	-46.396	-0.0	-0.0
-0.0	INVS LE	Max	0.148	6.069	1.853	-0.0	0.0
0.0		Min	-3.459	-5.426	-34.454	-0.0	-0.0
-0.0							
5050	C1-C2;~1	Max	0.316	5.246	18.921	0.0	0.0
0.0		Min	-0.806	-3.559	-32.330	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.408	5.731	19.573	0.0	0.0
0.0		Min	-0.824	-4.043	-35.144	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.161	2.712	9.649	0.0	0.0
0.0		Min	-0.423	-1.864	-17.658	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.209	2.958	10.009	0.0	0.0
0.0		Min	-0.432	-2.091	-18.656	-0.0	-0.0
-0.0							
0.0	G1		-0.714	2.370	-15.171	-0.0	0.0
0.0	G2		-0.258	0.954	-5.858	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.282	-1.117	0.338	0.0	-0.0
-0.0	Q5_pc Y		-0.040	1.798	0.442	-0.0	-0.0
0.0	Q5_ps X		1.204	-1.082	0.283	0.0	-0.0
-0.0	Q5_ps Y		-0.044	1.688	0.381	-0.0	-0.0
0.0							
0.0	INVS LU	Max	2.097	9.498	-12.050	-0.0	0.0
0.0		Min	-2.379	-6.932	-86.714	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	1.435	6.595	-9.378	-0.0	0.0
-0.0		Min	-1.613	-5.337	-64.626	-0.0	-0.0
5051	C1-C2;~1	Max	0.321	5.251	18.599	0.0	0.0
0.0		Min	-0.899	-3.564	-31.278	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.410	5.736	19.241	0.0	0.0
-0.0		Min	-0.906	-4.046	-33.995	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.165	2.715	9.502	0.0	0.0
-0.0		Min	-0.489	-1.867	-17.065	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.212	2.962	9.856	0.0	0.0
-0.0		Min	-0.492	-2.094	-18.032	-0.0	-0.0
0.0	G1		-0.714	2.386	-14.456	-0.0	0.0
0.0	G2		-0.248	0.965	-5.574	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.257	-1.122	0.328	0.0	0.0
0.0	Q5_pc Y		-0.037	1.793	0.460	-0.0	0.0
-0.0	Q5_ps X		1.179	-1.088	0.272	0.0	0.0
0.0	Q5_ps Y		-0.043	1.683	0.397	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.897	9.666	-10.352	-0.0	0.0
-0.0		Min	-2.590	-6.767	-83.049	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.286	6.731	-8.093	-0.0	0.0
-0.0		Min	-1.776	-5.203	-61.881	-0.0	-0.0
5052	C1-C2;~1	Max	0.332	5.256	18.220	0.0	0.0
0.0		Min	-0.962	-3.565	-30.135	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.419	5.740	18.849	0.0	0.0
-0.0		Min	-0.962	-4.048	-32.737	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.171	2.719	9.325	0.0	0.0
-0.0		Min	-0.534	-1.868	-16.424	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.219	2.966	9.672	0.0	0.0
-0.0		Min	-0.533	-2.096	-17.349	-0.0	-0.0
0.0	G1		-0.715	2.400	-13.692	-0.0	0.0
0.0	G2		-0.245	0.972	-5.276	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.232	-1.128	0.318	0.0	0.0
-0.0	Q5_pc	Y	-0.033	1.788	0.477	-0.0	0.0
0.0	Q5_ps	X	1.154	-1.094	0.262	0.0	0.0
-0.0	Q5_ps	Y	-0.039	1.678	0.414	-0.0	0.0
0.0							
-0.0	INVSLU	Max	1.670	9.788	-8.578	-0.0	0.0
-0.0		Min	-2.807	-6.645	-79.078	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.114	6.832	-6.747	-0.0	0.0
-0.0		Min	-1.960	-5.102	-58.906	-0.0	-0.0
-0.0							
5053	C1-C2;~1	Max	0.349	5.260	17.782	0.0	0.0
0.0		Min	-1.007	-3.563	-28.901	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.437	5.741	18.395	0.0	0.0
-0.0		Min	-1.000	-4.047	-31.381	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.181	2.722	9.116	0.0	0.0
-0.0		Min	-0.565	-1.869	-15.734	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.230	2.967	9.455	0.0	0.0
-0.0		Min	-0.559	-2.097	-16.615	-0.0	-0.0
-0.0							
0.0	G1		-0.716	2.412	-12.884	-0.0	0.0
-0.0	G2		-0.245	0.976	-4.962	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.205	-1.134	0.306	0.0	0.0
-0.0	Q5_pc	Y	-0.027	1.783	0.493	-0.0	0.0
0.0	Q5_ps	X	1.128	-1.100	0.250	0.0	0.0
-0.0	Q5_ps	Y	-0.034	1.673	0.430	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	INVS LU	Max	1.398	9.847	-6.790	-0.0	0.0
-0.0		Min	-3.059	-6.576	-74.876	-0.0	-0.0
-0.0	INVS LE	Max	0.905	6.882	-5.388	-0.0	0.0
-0.0		Min	-2.183	-5.045	-55.757	-0.0	-0.0
5054 0.0	C1-C2;~1	Max	0.372	5.258	17.281	0.0	0.0
-0.0		Min	-1.043	-3.555	-27.582	-0.0	-0.0
0.0	C3-C4;~1	Max	0.474	5.736	17.878	0.0	0.0
-0.0		Min	-1.027	-4.040	-29.932	-0.0	-0.0
0.0	C1-C2;~2	Max	0.193	2.722	8.875	0.0	0.0
-0.0		Min	-0.590	-1.866	-14.998	-0.0	-0.0
0.0	C3-C4;~2	Max	0.253	2.966	9.204	0.0	0.0
-0.0		Min	-0.577	-2.095	-15.833	-0.0	-0.0
0.0	G1		-0.718	2.425	-12.039	-0.0	0.0
-0.0	G2		-0.250	0.978	-4.633	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.177	-1.140	0.292	0.0	0.0
0.0	Q5_pc Y		-0.019	1.776	0.508	-0.0	-0.0
-0.0	Q5_ps X		1.102	-1.105	0.237	0.0	0.0
0.0	Q5_ps Y		-0.026	1.668	0.445	-0.0	-0.0
-0.0	INVS LU	Max	1.100	9.834	-4.996	-0.0	0.0
-0.0		Min	-3.362	-6.562	-70.454	-0.0	-0.0
-0.0	INVS LE	Max	0.673	6.876	-4.025	-0.0	0.0
-0.0		Min	-2.431	-5.032	-52.445	-0.0	-0.0
5055 0.0	C1-C2;~1	Max	0.452	5.184	19.794	0.0	0.0
-0.0		Min	-0.951	-3.548	-36.299	-0.0	-0.0
0.0	C3-C4;~1	Max	0.570	5.675	20.470	0.0	0.0
-0.0		Min	-0.939	-4.023	-39.429	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.227	2.674	10.003	0.0	0.0
		Min	-0.477	-1.851	-19.927	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.283	2.922	10.374	0.0	0.0
		Min	-0.491	-2.075	-21.019	-0.0	-0.0
-0.0							
0.0	G1		-0.679	2.287	-17.933	-0.0	0.0
0.0	G2		-0.247	0.923	-6.936	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.379	-1.107	0.352	0.0	-0.0
-0.0	Q5_pc Y		-0.069	1.813	0.340	-0.0	0.0
0.0	Q5_ps X		1.298	-1.072	0.300	0.0	-0.0
-0.0	Q5_ps Y		-0.071	1.702	0.283	-0.0	-0.0
0.0							
0.0	INVSLU	Max	3.451	8.252	-19.183	-0.0	0.0
		Min	-1.486	-8.104	-100.680	-0.0	0.0
-0.0							
0.0	INVSLE	Max	2.458	5.607	-14.761	-0.0	0.0
		Min	-0.910	-6.267	-75.082	-0.0	0.0
-0.0							
5056	C1-C2;~1	Max	0.413	5.188	19.729	0.0	0.0
0.0		Min	-0.913	-3.550	-35.739	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.522	5.684	20.404	0.0	0.0
		Min	-0.906	-4.027	-38.834	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.207	2.678	9.989	0.0	0.0
		Min	-0.460	-1.854	-19.604	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.258	2.928	10.360	0.0	0.0
		Min	-0.470	-2.078	-20.691	-0.0	-0.0
-0.0							
0.0	G1		-0.682	2.310	-17.514	-0.0	0.0
0.0	G2		-0.236	0.939	-6.768	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.361	-1.107	0.353	0.0	-0.0
-0.0	Q5_pc Y		-0.065	1.809	0.360	-0.0	0.0
0.0	Q5_ps X		1.279	-1.074	0.300	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.069	1.697	0.301	-0.0	0.0
0.0	INVSLE Max		3.265	8.615	-18.036	-0.0	0.0
-0.0	INVSLE Min		-1.554	-7.750	-98.655	-0.0	-0.0
0.0	INVSLE Max		2.321	5.893	-13.899	-0.0	0.0
-0.0	INVSLE Min		-0.964	-5.988	-73.569	-0.0	-0.0
5057	C1-C2;~1 Max		0.373	5.200	19.611	0.0	0.0
0.0	C1-C2;~1 Min		-0.893	-3.553	-35.052	-0.0	-0.0
-0.0	C1-C2;~1						
0.0	C3-C4;~1 Max		0.472	5.695	20.284	0.0	0.0
-0.0	C3-C4;~1 Min		-0.888	-4.032	-38.087	-0.0	-0.0
0.0	C1-C2;~2 Max		0.185	2.685	9.948	0.0	0.0
-0.0	C1-C2;~2 Min		-0.465	-1.856	-19.208	-0.0	-0.0
0.0	C3-C4;~2 Max		0.231	2.935	10.318	0.0	0.0
-0.0	C3-C4;~2 Min		-0.458	-2.082	-20.274	-0.0	-0.0
0.0	G1		-0.689	2.328	-17.024	-0.0	0.0
0.0	G2		-0.235	0.947	-6.576	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.343	-1.108	0.353	0.0	-0.0
-0.0	Q5_pc Y		-0.060	1.805	0.380	-0.0	0.0
0.0	Q5_ps X		1.261	-1.075	0.299	0.0	-0.0
-0.0	Q5_ps Y		-0.065	1.693	0.320	-0.0	0.0
0.0	INVSLE Max		3.048	8.949	-16.703	-0.0	0.0
-0.0	INVSLE Min		-1.675	-7.431	-96.186	-0.0	-0.0
0.0	INVSLE Max		2.159	6.156	-12.894	-0.0	0.0
-0.0	INVSLE Min		-1.059	-5.736	-71.721	-0.0	-0.0
5058	C1-C2;~1 Max		0.338	5.213	19.438	0.0	0.0
0.0	C1-C2;~1 Min		-0.884	-3.556	-34.245	-0.0	-0.0
-0.0	C1-C2;~1						
0.0	C3-C4;~1 Max		0.437	5.707	20.107	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-0.879	-4.036	-37.221	-0.0	-0.0
0.0	C1-C2;~2	Max	0.167	2.693	9.879	0.0	0.0
-0.0		Min	-0.465	-1.859	-18.745	-0.0	-0.0
0.0	C3-C4;~2	Max	0.216	2.943	10.246	0.0	0.0
-0.0		Min	-0.461	-2.085	-19.796	-0.0	-0.0
0.0		G1	-0.697	2.345	-16.465	-0.0	0.0
-0.0		G2	-0.239	0.953	-6.358	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.323	-1.109	0.350	0.0	-0.0
0.0		Q5_pc Y	-0.054	1.802	0.400	-0.0	0.0
-0.0		Q5_ps X	1.242	-1.076	0.295	0.0	-0.0
0.0		Q5_ps Y	-0.059	1.690	0.340	-0.0	0.0
0.0	INVSLU	Max	2.755	9.223	-15.252	-0.0	0.0
-0.0		Min	-1.890	-7.173	-93.365	-0.0	-0.0
0.0	INVSLE	Max	1.937	6.373	-11.800	-0.0	0.0
-0.0		Min	-1.228	-5.532	-69.608	-0.0	-0.0
5059	C1-C2;~1	Max	0.321	5.228	19.207	0.0	0.0
0.0		Min	-0.853	-3.559	-33.332	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.417	5.719	19.868	0.0	0.0
-0.0		Min	-0.856	-4.040	-36.241	-0.0	-0.0
0.0	C1-C2;~2	Max	0.160	2.702	9.778	0.0	0.0
-0.0		Min	-0.450	-1.862	-18.225	-0.0	-0.0
0.0	C3-C4;~2	Max	0.210	2.950	10.142	0.0	0.0
-0.0		Min	-0.450	-2.088	-19.257	-0.0	-0.0
-0.0		G1	-0.704	2.358	-15.847	-0.0	0.0
-0.0		G2	-0.245	0.956	-6.117	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.303	-1.113	0.345	0.0	-0.0
		Q5_pc Y	-0.048	1.800	0.421	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.223	-1.079	0.289	0.0	-0.0
0.0	Q5_ps Y		-0.053	1.689	0.360	-0.0	0.0
-0.0	INVS LU	Max	2.439	9.377	-13.703	-0.0	0.0
-0.0		Min	-2.121	-7.037	-90.209	-0.0	-0.0
-0.0	INVS LE	Max	1.697	6.496	-10.630	-0.0	0.0
-0.0		Min	-1.409	-5.422	-67.245	-0.0	-0.0
5060	C1-C2;~1	Max	0.797	5.096	19.465	0.0	0.0
0.0		Min	-1.258	-3.521	-37.516	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.979	5.595	20.118	0.0	0.0
-0.0		Min	-1.271	-3.984	-40.696	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.403	2.623	9.741	0.0	0.0
-0.0		Min	-0.637	-1.831	-20.653	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.486	2.871	10.096	0.0	0.0
-0.0		Min	-0.658	-2.049	-21.754	-0.0	-0.0
-0.0	G1		-0.619	2.198	-18.977	-0.0	0.0
-0.0	G2		-0.224	0.891	-7.344	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.433	-1.127	0.320	0.0	-0.0
-0.0	Q5_pc Y		-0.102	1.822	0.241	-0.0	0.0
0.0	Q5_ps X		1.350	-1.091	0.275	0.0	-0.0
-0.0	Q5_ps Y		-0.102	1.710	0.187	-0.0	-0.0
0.0							
0.0	INVS LU	Max	4.984	6.561	-22.532	-0.0	0.0
-0.0		Min	-0.702	-9.651	-105.207	-0.0	0.0
-0.0							
0.0	INVS LE	Max	3.629	4.289	-17.264	-0.0	0.0
-0.0		Min	-0.340	-7.477	-78.462	-0.0	0.0
-0.0							
5061	C1-C2;~1	Max	0.723	5.105	19.628	0.0	0.0
0.0		Min	-1.201	-3.527	-37.564	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	0.888	5.608	20.288	0.0	0.0
-0.0		Min	-1.205	-3.992	-40.761	-0.0	-0.0
0.0	C1-C2;~2	Max	0.368	2.630	9.843	0.0	0.0
-0.0		Min	-0.608	-1.835	-20.679	-0.0	-0.0
0.0	C3-C4;~2	Max	0.441	2.880	10.203	0.0	0.0
-0.0		Min	-0.626	-2.054	-21.790	-0.0	-0.0
0.0	G1		-0.625	2.222	-18.929	-0.0	0.0
0.0	G2		-0.215	0.907	-7.320	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.424	-1.122	0.330	0.0	-0.0
0.0	Q5_pc Y		-0.098	1.819	0.258	-0.0	0.0
-0.0	Q5_ps X		1.341	-1.087	0.283	0.0	-0.0
0.0	Q5_ps Y		-0.099	1.706	0.203	-0.0	0.0
0.0	INVSLU	Max	4.805	6.994	-22.237	0.0	0.0
-0.0		Min	-0.710	-9.241	-105.248	-0.0	-0.0
0.0	INVSLE	Max	3.491	4.626	-17.050	0.0	0.0
-0.0		Min	-0.350	-7.158	-78.495	-0.0	-0.0
5062	C1-C2;~1	Max	0.646	5.121	19.743	0.0	0.0
0.0		Min	-1.140	-3.533	-37.460	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.800	5.624	20.411	0.0	0.0
-0.0		Min	-1.138	-4.001	-40.653	-0.0	-0.0
0.0	C1-C2;~2	Max	0.328	2.639	9.921	0.0	0.0
-0.0		Min	-0.576	-1.839	-20.614	-0.0	-0.0
0.0	C3-C4;~2	Max	0.397	2.890	10.285	0.0	0.0
-0.0		Min	-0.592	-2.060	-21.724	-0.0	-0.0
0.0	G1		-0.636	2.241	-18.800	-0.0	0.0
0.0	G2		-0.216	0.916	-7.269	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.415	-1.116	0.338	0.0	-0.0
0.0	Q5_pc Y		-0.092	1.817	0.277	-0.0	0.0
-0.0	Q5_ps X		1.331	-1.083	0.290	0.0	-0.0
0.0	Q5_ps Y		-0.094	1.704	0.221	-0.0	0.0
0.0	INVS LU	Max	4.590	7.404	-21.736	0.0	0.0
-0.0		Min	-0.754	-8.859	-104.781	-0.0	-0.0
0.0	INVS LE	Max	3.328	4.945	-16.678	0.0	0.0
-0.0		Min	-0.388	-6.860	-78.148	-0.0	-0.0
5063	C1-C2;~1	Max	0.572	5.138	19.810	0.0	0.0
0.0		Min	-1.077	-3.538	-37.219	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.722	5.639	20.482	0.0	0.0
-0.0		Min	-1.074	-4.008	-40.401	-0.0	-0.0
0.0	C1-C2;~2	Max	0.289	2.649	9.974	0.0	0.0
-0.0		Min	-0.545	-1.843	-20.471	-0.0	-0.0
0.0	C3-C4;~2	Max	0.358	2.900	10.341	0.0	0.0
-0.0		Min	-0.559	-2.065	-21.578	-0.0	-0.0
-0.0	G1		-0.647	2.258	-18.590	-0.0	0.0
-0.0	G2		-0.220	0.922	-7.187	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.404	-1.112	0.345	0.0	-0.0
0.0	Q5_pc Y		-0.085	1.815	0.297	-0.0	0.0
-0.0	Q5_ps X		1.320	-1.079	0.295	0.0	-0.0
0.0	Q5_ps Y		-0.088	1.702	0.240	-0.0	0.0
0.0	INVS LU	Max	4.288	7.744	-21.061	0.0	0.0
-0.0		Min	-0.911	-8.547	-103.874	-0.0	-0.0
0.0	INVS LE	Max	3.098	5.210	-16.174	0.0	0.0
-0.0		Min	-0.500	-6.616	-77.471	-0.0	-0.0
5064	C1-C2;~1	Max	0.513	5.157	19.827	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.015	-3.543	-36.836	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.648	5.656	20.501	0.0	0.0
0.0		Min	-1.010	-4.016	-39.999	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.258	2.660	10.001	0.0	0.0
0.0		Min	-0.513	-1.847	-20.245	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.321	2.910	10.370	0.0	0.0
0.0		Min	-0.527	-2.070	-21.348	-0.0	-0.0
-0.0							
-0.0	G1		-0.660	2.274	-18.300	-0.0	0.0
-0.0	G2		-0.229	0.926	-7.075	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.392	-1.109	0.349	0.0	-0.0
-0.0	Q5_pc Y		-0.078	1.813	0.318	-0.0	0.0
0.0	Q5_ps X		1.309	-1.076	0.298	0.0	-0.0
-0.0	Q5_ps Y		-0.081	1.701	0.260	-0.0	0.0
0.0							
0.0	INVSLU	Max	3.890	8.015	-20.215	-0.0	0.0
0.0		Min	-1.181	-8.305	-102.520	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.794	5.422	-15.539	-0.0	0.0
0.0		Min	-0.685	-6.426	-76.459	-0.0	-0.0
-0.0							
5065	C1-C2;~1	Max	1.247	4.994	18.282	0.0	0.0
0.0		Min	-1.605	-3.478	-35.777	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.479	5.504	18.777	0.0	0.0
0.0		Min	-1.650	-3.928	-38.742	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.635	2.562	9.104	0.0	0.0
0.0		Min	-0.818	-1.803	-19.695	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.734	2.813	9.352	0.0	0.0
0.0		Min	-0.844	-2.015	-20.719	-0.0	-0.0
-0.0							
-0.0	G1		-0.543	2.121	-18.133	-0.0	0.0
-0.0	G2		-0.195	0.863	-7.013	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.441	-1.181	0.251	0.0	-0.0
0.0	Q5_pc Y	-0.139	1.826	0.159	-0.0	0.0
0.0	Q5_ps X	1.359	-1.142	0.215	0.0	-0.0
0.0	Q5_ps Y	-0.137	1.713	0.110	-0.0	0.0
0.0	INVS LU Max	6.647	4.764	-21.263	0.0	0.0
-0.0	Min	-0.172	-11.256	-99.366	-0.0	0.0
0.0	INVS LE Max	4.956	2.898	-16.261	0.0	0.0
-0.0	Min	0.097	-8.725	-74.081	-0.0	0.0
5066	C1-C2;~1 Max	1.161	5.006	18.514	0.0	0.0
0.0	Min	-1.538	-3.488	-36.412	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.375	5.519	19.077	0.0	0.0
0.0	Min	-1.580	-3.941	-39.443	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.594	2.571	9.206	0.0	0.0
0.0	Min	-0.785	-1.809	-20.056	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.682	2.823	9.502	0.0	0.0
0.0	Min	-0.810	-2.022	-21.105	-0.0	-0.0
-0.0	G1	-0.552	2.141	-18.462	-0.0	0.0
0.0	G2	-0.187	0.878	-7.137	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.442	-1.168	0.268	-0.0	-0.0
0.0	Q5_pc Y	-0.134	1.824	0.171	-0.0	0.0
0.0	Q5_ps X	1.359	-1.131	0.230	0.0	-0.0
0.0	Q5_ps Y	-0.133	1.709	0.121	-0.0	0.0
0.0	INVS LU Max	6.441	5.212	-21.971	0.0	0.0
-0.0	Min	-0.145	-10.842	-101.457	-0.0	0.0
0.0	INVS LE Max	4.799	3.245	-16.807	0.0	0.0
-0.0	Min	0.113	-8.404	-75.649	-0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5067	C1-C2;~1	Max	1.075	5.024	18.762	0.0	0.0
0.0		Min	-1.467	-3.497	-36.898	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.277	5.536	19.377	0.0	0.0
0.0		Min	-1.507	-3.953	-39.980	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.552	2.582	9.331	0.0	0.0
0.0		Min	-0.750	-1.815	-20.328	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.634	2.835	9.663	0.0	0.0
0.0		Min	-0.774	-2.029	-21.394	-0.0	-0.0
-0.0							
	G1		-0.565	2.157	-18.712	-0.0	0.0
-0.0							
	G2		-0.189	0.887	-7.235	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.442	-1.156	0.284	-0.0	-0.0
0.0							
	Q5_pc Y		-0.127	1.823	0.186	-0.0	0.0
0.0							
	Q5_ps X		1.358	-1.120	0.243	0.0	-0.0
0.0							
	Q5_ps Y		-0.127	1.708	0.134	-0.0	0.0
0.0							
	INVSLU	Max	6.192	5.638	-22.428	0.0	0.0
0.0		Min	-0.162	-10.453	-103.070	-0.0	-0.0
-0.0							
	INVSLE	Max	4.608	3.575	-17.161	0.0	0.0
0.0		Min	0.094	-8.102	-76.858	-0.0	-0.0
-0.0							
5068	C1-C2;~1	Max	0.989	5.044	19.037	0.0	0.0
0.0		Min	-1.395	-3.506	-37.244	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.180	5.554	19.669	0.0	0.0
0.0		Min	-1.432	-3.964	-40.372	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.508	2.594	9.487	0.0	0.0
0.0		Min	-0.715	-1.820	-20.518	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.586	2.846	9.830	0.0	0.0
0.0		Min	-0.737	-2.036	-21.602	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.579	2.172	-18.882	-0.0	0.0
-0.0	G2		-0.195	0.892	-7.301	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.440	-1.145	0.297	0.0	-0.0
0.0	Q5_pc Y		-0.119	1.822	0.202	-0.0	0.0
0.0	Q5_ps X		1.356	-1.110	0.255	0.0	-0.0
0.0	Q5_ps Y		-0.120	1.708	0.150	-0.0	0.0
0.0	INVSLE	Max	5.846	5.996	-22.653	0.0	0.0
-0.0		Min	-0.273	-10.132	-104.243	-0.0	-0.0
0.0	INVSLE	Max	4.343	3.852	-17.341	0.0	0.0
-0.0		Min	0.003	-7.852	-77.738	-0.0	-0.0
5069	C1-C2;~1	Max	0.898	5.066	19.273	0.0	0.0
0.0		Min	-1.335	-3.513	-37.455	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.082	5.573	19.915	0.0	0.0
-0.0		Min	-1.354	-3.974	-40.620	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.460	2.607	9.625	0.0	0.0
0.0		Min	-0.678	-1.826	-20.630	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.537	2.858	9.974	0.0	0.0
-0.0		Min	-0.699	-2.043	-21.728	-0.0	-0.0
0.0							
-0.0	G1		-0.596	2.187	-18.970	-0.0	0.0
-0.0	G2		-0.204	0.895	-7.336	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.437	-1.136	0.309	0.0	-0.0
0.0	Q5_pc Y		-0.111	1.821	0.220	-0.0	0.0
0.0	Q5_ps X		1.353	-1.100	0.265	0.0	-0.0
0.0	Q5_ps Y		-0.112	1.708	0.167	-0.0	0.0
0.0							
0.0	INVSLE	Max	5.403	6.289	-22.699	0.0	0.0
-0.0		Min	-0.473	-9.878	-104.978	-0.0	-0.0
0.0							
0.0	INVSLE	Max	4.003	4.079	-17.384	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.157	-7.654	-78.290	-0.0	-0.0
-0.0							
5070	C1-C2;~1	Max	1.710	4.884	16.857	0.0	0.0
0.0		Min	-1.956	-3.420	-31.393	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.023	5.411	17.297	0.0	0.0
0.0		Min	-2.013	-3.855	-33.909	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.880	2.496	8.530	0.0	0.0
0.0		Min	-0.990	-1.768	-17.246	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.019	2.751	8.754	0.0	0.0
0.0		Min	-1.021	-1.973	-18.121	-0.0	-0.0
-0.0							
-0.0	G1		-0.464	2.071	-15.538	0.0	0.0
-0.0	G2		-0.163	0.847	-6.001	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.407	-1.268	0.155	-0.0	-0.0
0.0	Q5_pc Y		-0.178	1.824	0.112	-0.0	0.0
0.0	Q5_ps X		1.328	-1.225	0.129	0.0	-0.0
0.0	Q5_ps Y		-0.175	1.710	0.065	-0.0	0.0
0.0							
0.0	INVSLU	Max	8.041	3.168	-14.841	0.0	0.0
0.0		Min	0.059	-12.625	-84.248	-0.0	0.0
-0.0							
0.0	INVSLE	Max	6.036	1.664	-11.363	0.0	0.0
0.0		Min	0.312	-9.791	-62.755	-0.0	0.0
-0.0							
5071	C1-C2;~1	Max	1.617	4.899	17.230	0.0	0.0
0.0		Min	-1.893	-3.434	-32.462	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.907	5.426	17.683	0.0	0.0
0.0		Min	-1.947	-3.872	-35.096	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.833	2.506	8.691	0.0	0.0
0.0		Min	-0.959	-1.776	-17.842	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.956	2.762	8.921	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.989	-1.982	-18.760	-0.0	-0.0
-0.0	G1		-0.474	2.082	-16.185	0.0	0.0
-0.0	G2		-0.159	0.858	-6.248	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.416	-1.249	0.176	-0.0	-0.0
0.0	Q5_pc Y		-0.173	1.824	0.116	-0.0	0.0
0.0	Q5_ps X		1.336	-1.207	0.148	-0.0	-0.0
0.0	Q5_ps Y		-0.170	1.708	0.068	-0.0	0.0
0.0	INVSLU	Max	7.903	3.525	-16.375	0.0	0.0
0.0		Min	0.151	-12.310	-87.944	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.930	1.941	-12.535	0.0	0.0
0.0		Min	0.377	-9.545	-65.525	-0.0	0.0
-0.0							
5072	C1-C2;~1	Max	1.527	4.916	17.559	0.0	0.0
0.0		Min	-1.826	-3.446	-33.449	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.796	5.443	18.025	0.0	0.0
0.0		Min	-1.878	-3.887	-36.174	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.786	2.518	8.829	0.0	0.0
0.0		Min	-0.927	-1.783	-18.393	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.897	2.774	9.064	0.0	0.0
0.0		Min	-0.956	-1.991	-19.340	-0.0	-0.0
-0.0							
-0.0	G1		-0.486	2.091	-16.772	-0.0	0.0
-0.0	G2		-0.160	0.864	-6.477	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.425	-1.231	0.197	-0.0	-0.0
0.0	Q5_pc Y		-0.166	1.824	0.123	-0.0	0.0
0.0	Q5_ps X		1.343	-1.190	0.167	-0.0	-0.0
0.0	Q5_ps Y		-0.164	1.708	0.075	-0.0	0.0
0.0							
0.0	INVSLU	Max	7.731	3.863	-17.793	0.0	0.0
0.0		Min	0.206	-12.014	-91.317	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	5.797	2.204	-13.616	0.0	0.0
-0.0		Min	0.413	-9.315	-68.052	-0.0	0.0
5073	C1-C2;~1	Max	1.431	4.938	17.844	0.0	0.0
0.0		Min	-1.756	-3.458	-34.341	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.681	5.461	18.320	0.0	0.0
-0.0		Min	-1.805	-3.902	-37.152	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.735	2.531	8.943	0.0	0.0
0.0		Min	-0.892	-1.790	-18.893	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.836	2.786	9.183	0.0	0.0
-0.0		Min	-0.920	-1.999	-19.867	-0.0	-0.0
-0.0	G1		-0.502	2.102	-17.297	-0.0	0.0
-0.0	G2		-0.166	0.868	-6.682	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.431	-1.213	0.217	-0.0	-0.0
0.0	Q5_pc Y		-0.158	1.823	0.132	-0.0	0.0
0.0	Q5_ps X		1.349	-1.173	0.184	0.0	-0.0
0.0	Q5_ps Y		-0.157	1.708	0.083	-0.0	0.0
0.0							
0.0	INVSLU	Max	7.428	4.209	-19.098	0.0	0.0
-0.0		Min	0.144	-11.714	-94.376	-0.0	0.0
0.0							
0.0	INVSLE	Max	5.562	2.471	-14.611	0.0	0.0
-0.0		Min	0.358	-9.080	-70.343	-0.0	0.0
5074	C1-C2;~1	Max	1.334	4.962	18.084	0.0	0.0
0.0		Min	-1.683	-3.468	-35.118	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.573	5.481	18.570	0.0	0.0
-0.0		Min	-1.730	-3.915	-38.018	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.682	2.545	9.035	0.0	0.0
-0.0		Min	-0.856	-1.797	-19.327	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.780	2.799	9.279	0.0	0.0
-0.0		Min	-0.883	-2.007	-20.334	-0.0	-0.0
-0.0	G1		-0.520	2.113	-17.752	-0.0	0.0
-0.0	G2		-0.176	0.869	-6.860	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.437	-1.196	0.235	-0.0	-0.0
0.0	Q5_pc Y		-0.149	1.824	0.144	-0.0	0.0
0.0	Q5_ps X		1.354	-1.158	0.200	0.0	-0.0
0.0	Q5_ps Y		-0.148	1.709	0.095	-0.0	0.0
0.0	INVSLU	Max	7.048	4.493	-20.275	0.0	0.0
-0.0		Min	0.003	-11.476	-97.091	-0.0	0.0
0.0	INVSLE	Max	5.268	2.690	-15.508	0.0	0.0
-0.0		Min	0.241	-8.896	-72.378	-0.0	0.0
5075	C1-C2;~1	Max	2.171	4.755	14.439	0.0	0.0
0.0		Min	-2.312	-3.328	-25.069	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.553	5.302	14.798	0.0	0.0
0.0		Min	-2.379	-3.746	-26.892	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.125	2.420	7.426	0.0	0.0
0.0		Min	-1.167	-1.718	-13.746	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.297	2.681	7.612	0.0	0.0
0.0		Min	-1.202	-1.915	-14.365	-0.0	-0.0
-0.0	G1		-0.382	2.049	-11.644	0.0	0.0
-0.0	G2		-0.132	0.842	-4.483	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.345	-1.393	0.038	-0.0	-0.0
0.0	Q5_pc Y		-0.226	1.826	0.110	0.0	0.0
0.0	Q5_ps X		1.270	-1.343	0.021	-0.0	-0.0
0.0	Q5_ps Y		-0.220	1.709	0.066	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	8.500	1.791	-6.187	0.0	0.0
		Min	-0.578	-13.712	-62.668	0.0	0.0
0.0	INVS LE	Max	6.388	0.589	-4.752	0.0	0.0
0.0		Min	-0.157	-10.651	-46.575	0.0	0.0
5076	C1-C2;~1	Max	2.068	4.781	14.993	0.0	0.0
0.0		Min	-2.236	-3.356	-26.445	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.437	5.329	15.369	0.0	0.0
0.0		Min	-2.300	-3.777	-28.434	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.072	2.436	7.685	0.0	0.0
0.0		Min	-1.129	-1.732	-14.505	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.235	2.697	7.879	0.0	0.0
0.0		Min	-1.163	-1.930	-15.189	-0.0	-0.0
-0.0	G1		-0.400	2.058	-12.494	0.0	0.0
0.0	G2		-0.132	0.851	-4.810	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.357	-1.363	0.066	-0.0	-0.0
0.0	Q5_pc Y		-0.216	1.822	0.101	-0.0	0.0
0.0	Q5_ps X		1.281	-1.314	0.047	-0.0	-0.0
0.0	Q5_ps Y		-0.211	1.705	0.057	-0.0	0.0
0.0	INVS LU	Max	8.539	2.072	-8.080	0.0	0.0
0.0		Min	-0.300	-13.501	-67.397	-0.0	0.0
0.0	INVS LE	Max	6.423	0.809	-6.204	0.0	0.0
0.0		Min	0.057	-10.484	-50.129	-0.0	0.0
5077	C1-C2;~1	Max	1.978	4.805	15.524	0.0	0.0
0.0		Min	-2.167	-3.376	-27.798	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.332	5.350	15.918	0.0	0.0
0.0		Min	-2.229	-3.802	-29.926	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.025	2.450	7.932	0.0	0.0
		Min	-1.094	-1.743	-15.253	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.180	2.711	8.134	0.0	0.0
		Min	-1.127	-1.943	-15.988	-0.0	-0.0
-0.0							
-0.0	G1		-0.414	2.062	-13.322	0.0	0.0
-0.0	G2		-0.134	0.855	-5.132	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.370	-1.336	0.089	-0.0	-0.0
0.0	Q5_pc Y		-0.207	1.820	0.100	-0.0	0.0
0.0	Q5_ps X		1.292	-1.290	0.068	-0.0	-0.0
0.0	Q5_ps Y		-0.203	1.703	0.055	-0.0	0.0
0.0							
0.0	INVSLU	Max	8.514	2.377	-9.845	0.0	0.0
0.0		Min	-0.109	-13.255	-71.914	-0.0	0.0
0.0							
0.0	INVSLE	Max	6.406	1.048	-7.550	0.0	0.0
0.0		Min	0.201	-10.288	-53.514	-0.0	0.0
0.0							
5078	C1-C2;~1	Max	1.890	4.829	16.011	0.0	0.0
0.0		Min	-2.098	-3.393	-29.076	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.229	5.370	16.421	0.0	0.0
-0.0		Min	-2.158	-3.822	-31.342	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.979	2.464	8.154	0.0	0.0
-0.0		Min	-1.060	-1.752	-15.961	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.127	2.724	8.365	0.0	0.0
-0.0		Min	-1.093	-1.954	-16.747	-0.0	-0.0
-0.0	G1		-0.429	2.065	-14.110	0.0	0.0
-0.0	G2		-0.139	0.856	-5.438	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.383	-1.312	0.111	-0.0	-0.0
0.0	Q5_pc Y		-0.198	1.821	0.101	-0.0	0.0
0.0	Q5_ps X		1.304	-1.267	0.089	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.195	1.704	0.055	-0.0	0.0
0.0	INVSLE Max		8.420	2.662	-11.572	0.0	0.0
-0.0	INVSLE Min		0.008	-13.023	-76.252	-0.0	0.0
0.0	INVSLE Max		6.334	1.272	-8.868	0.0	0.0
-0.0	INVSLE Min		0.287	-10.104	-56.765	-0.0	0.0
5079	C1-C2;~1 Max		1.802	4.854	16.455	0.0	0.0
0.0	C1-C2;~1 Min		-2.029	-3.407	-30.274	-0.0	-0.0
-0.0	C1-C2;~1 Max		1.802	4.854	16.455	0.0	0.0
0.0	C1-C2;~1 Min		-2.029	-3.407	-30.274	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.127	5.390	16.881	0.0	0.0
0.0	C3-C4;~1 Min		-2.087	-3.839	-32.672	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.127	5.390	16.881	0.0	0.0
0.0	C3-C4;~1 Min		-2.087	-3.839	-32.672	-0.0	-0.0
-0.0	C1-C2;~2 Max		0.931	2.479	8.353	0.0	0.0
0.0	C1-C2;~2 Min		-1.026	-1.760	-16.625	-0.0	-0.0
-0.0	C1-C2;~2 Max		0.931	2.479	8.353	0.0	0.0
0.0	C1-C2;~2 Min		-1.026	-1.760	-16.625	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.073	2.737	8.571	0.0	0.0
0.0	C3-C4;~2 Min		-1.057	-1.964	-17.460	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.073	2.737	8.571	0.0	0.0
0.0	C3-C4;~2 Min		-1.057	-1.964	-17.460	-0.0	-0.0
-0.0	G1		-0.445	2.068	-14.850	0.0	0.0
0.0	G2		-0.148	0.854	-5.727	0.0	0.0
-0.0	G2		-0.148	0.854	-5.727	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.395	-1.289	0.133	-0.0	-0.0
0.0	Q5_pc Y		-0.189	1.822	0.105	-0.0	0.0
0.0	Q5_ps X		1.316	-1.245	0.109	-0.0	-0.0
0.0	Q5_ps Y		-0.186	1.706	0.058	-0.0	0.0
0.0	INVSLE Max		8.257	2.921	-13.255	0.0	0.0
-0.0	INVSLE Min		0.057	-12.818	-80.391	-0.0	0.0
0.0	INVSLE Max		8.257	2.921	-13.255	0.0	0.0
-0.0	INVSLE Min		0.057	-12.818	-80.391	-0.0	0.0
0.0	INVSLE Max		6.206	1.474	-10.153	0.0	0.0
-0.0	INVSLE Min		0.318	-9.942	-59.866	-0.0	0.0
5080	C1-C2;~1 Max		2.595	4.565	10.737	0.0	0.0
0.0	C1-C2;~1 Min		-2.740	-3.134	-16.937	-0.0	-0.0
-0.0	C1-C2;~1 Max		2.595	4.565	10.737	0.0	0.0
0.0	C1-C2;~1 Min		-2.740	-3.134	-16.937	-0.0	-0.0
-0.0	C3-C4;~1 Max		3.004	5.122	10.987	0.0	0.0
0.0	C3-C4;~1 Min		3.004	5.122	10.987	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.816	-3.530	-18.086	-0.0	-0.0
0.0	C1-C2;~2	Max	1.352	2.320	5.606	0.0	0.0
-0.0		Min	-1.391	-1.628	-9.261	-0.0	-0.0
0.0	C3-C4;~2	Max	1.534	2.583	5.737	0.0	0.0
-0.0		Min	-1.430	-1.815	-9.650	-0.0	-0.0
-0.0		G1	-0.402	2.116	-6.995	0.0	0.0
-0.0		G2	-0.143	0.872	-2.682	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.251	-1.602	-0.030	0.0	0.0
0.0	Q5_pc Y		-0.299	1.851	0.104	-0.0	0.0
0.0	Q5_ps X		1.182	-1.541	-0.038	0.0	0.0
0.0	Q5_ps Y		-0.287	1.730	0.069	-0.0	0.0
0.0	INVSLU	Max	7.943	1.356	0.893	0.0	0.0
-0.0		Min	-2.164	-13.656	-38.543	0.0	-0.0
0.0	INVSLE	Max	5.955	0.262	0.636	0.0	0.0
-0.0		Min	-1.364	-10.611	-28.562	0.0	-0.0
5081	C1-C2;~1	Max	2.532	4.598	11.597	0.0	0.0
0.0		Min	-2.666	-3.193	-18.669	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.938	5.159	11.870	0.0	0.0
-0.0		Min	-2.739	-3.589	-19.952	-0.0	-0.0
0.0	C1-C2;~2	Max	1.323	2.339	6.038	0.0	0.0
-0.0		Min	-1.352	-1.654	-10.215	-0.0	-0.0
0.0	C3-C4;~2	Max	1.501	2.603	6.181	0.0	0.0
-0.0		Min	-1.390	-1.841	-10.648	-0.0	-0.0
-0.0		G1	-0.379	2.077	-7.924	0.0	0.0
0.0		G2	-0.124	0.867	-3.035	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.275	-1.554	-0.022	0.0	0.0
0.0	Q5_pc Y		-0.288	1.842	0.103	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	1.205	-1.496	-0.031	0.0	0.0
0.0	Q5_ps Y	-0.279	1.719	0.065	-0.0	0.0
0.0						
0.0	INVS LU Max	8.116	1.343	-0.167	0.0	0.0
0.0	Min	-1.843	-13.782	-43.311	-0.0	-0.0
-0.0						
0.0	INVS LE Max	6.084	0.249	-0.169	0.0	0.0
0.0	Min	-1.123	-10.709	-32.114	-0.0	-0.0
-0.0						
5082	C1-C2;~1 Max	2.469	4.635	12.395	0.0	0.0
0.0	Min	-2.589	-3.244	-20.354	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.861	5.198	12.690	0.0	0.0
0.0	Min	-2.660	-3.642	-21.769	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.293	2.358	6.435	0.0	0.0
0.0	Min	-1.312	-1.677	-11.143	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.461	2.624	6.589	0.0	0.0
0.0	Min	-1.348	-1.865	-11.621	-0.0	-0.0
-0.0						
-0.0	G1	-0.366	2.053	-8.863	0.0	0.0
0.0	G2	-0.111	0.864	-3.399	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.297	-1.508	-0.012	0.0	0.0
0.0	Q5_pc Y	-0.276	1.834	0.103	-0.0	0.0
0.0	Q5_ps X	1.225	-1.453	-0.023	0.0	0.0
0.0	Q5_ps Y	-0.269	1.711	0.063	-0.0	0.0
0.0						
0.0	INVS LU Max	8.247	1.373	-1.463	0.0	0.0
0.0	Min	-1.541	-13.862	-48.169	-0.0	0.0
-0.0						
0.0	INVS LE Max	6.183	0.269	-1.155	0.0	0.0
0.0	Min	-0.895	-10.772	-35.738	-0.0	0.0
-0.0						
5083	C1-C2;~1 Max	2.388	4.671	13.132	0.0	0.0
0.0	Min	-2.504	-3.280	-21.986	-0.0	-0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.772	5.233	13.449	0.0	0.0
-0.0		Min	-2.573	-3.683	-23.535	-0.0	-0.0
0.0	C1-C2;~2	Max	1.250	2.377	6.797	0.0	0.0
-0.0		Min	-1.267	-1.694	-12.043	-0.0	-0.0
0.0	C3-C4;~2	Max	1.414	2.643	6.962	0.0	0.0
-0.0		Min	-1.303	-1.884	-12.567	-0.0	-0.0
-0.0	G1		-0.361	2.041	-9.802	0.0	0.0
-0.0	G2		-0.108	0.859	-3.763	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.316	-1.466	0.002	0.0	-0.0
0.0	Q5_pc Y		-0.261	1.829	0.104	-0.0	0.0
0.0	Q5_ps X		1.243	-1.413	-0.011	-0.0	-0.0
0.0	Q5_ps Y		-0.255	1.707	0.063	-0.0	0.0
0.0	INVSLU	Max	8.355	1.456	-2.922	0.0	0.0
-0.0		Min	-1.231	-13.873	-53.039	-0.0	0.0
0.0	INVSLE	Max	6.267	0.332	-2.266	0.0	0.0
-0.0		Min	-0.658	-10.779	-39.376	-0.0	0.0
5084	C1-C2;~1	Max	2.283	4.708	13.811	0.0	0.0
0.0		Min	-2.410	-3.304	-23.554	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.669	5.265	14.149	0.0	0.0
-0.0		Min	-2.478	-3.716	-25.245	-0.0	-0.0
0.0	C1-C2;~2	Max	1.190	2.397	7.126	0.0	0.0
-0.0		Min	-1.218	-1.706	-12.908	-0.0	-0.0
0.0	C3-C4;~2	Max	1.360	2.661	7.301	0.0	0.0
-0.0		Min	-1.253	-1.900	-13.482	-0.0	-0.0
-0.0	G1		-0.366	2.041	-10.730	0.0	0.0
-0.0	G2		-0.116	0.851	-4.122	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	Q5_pc X		1.332	-1.427	0.019	-0.0	-0.0	
0.0	Q5_pc Y		-0.244	1.827	0.105	-0.0	0.0	
0.0	Q5_ps X		1.258	-1.376	0.004	-0.0	-0.0	
0.0	Q5_ps Y		-0.239	1.707	0.062	-0.0	0.0	
0.0	INVSLU	Max	8.443	1.598	-4.528	0.0	0.0	
-0.0		Min	-0.905	-13.815	-57.899	-0.0	0.0	
0.0	INVSLE	Max	6.338	0.440	-3.489	0.0	0.0	
0.0		Min	-0.409	-10.733	-43.010	-0.0	0.0	
5085	C1-C2;~1	Max	2.739	4.446	5.634	0.0	0.0	
0.0		Min	-3.099	-2.917	-8.183	-0.0	-0.0	
-0.0	C3-C4;~1	Max	3.178	5.004	5.765	0.0	0.0	
0.0		Min	-3.175	-3.287	-8.675	-0.0	-0.0	
-0.0	C1-C2;~2	Max	1.422	2.248	2.972	0.0	0.0	
0.0		Min	-1.584	-1.528	-4.461	-0.0	-0.0	
-0.0	C3-C4;~2	Max	1.618	2.509	3.042	0.0	0.0	
0.0		Min	-1.621	-1.703	-4.623	-0.0	-0.0	
-0.0	G1		-0.641	2.425	-2.973	0.0	0.0	
-0.0	G2		-0.235	0.996	-1.133	0.0	0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.112	-1.841	-0.023	0.0	0.0	
0.0	Q5_pc Y		-0.361	1.877	0.083	-0.0	0.0	
-0.0	Q5_ps X		1.052	-1.766	-0.026	0.0	0.0	
0.0	Q5_ps Y		-0.347	1.753	0.061	-0.0	0.0	
-0.0	INVSLU	Max	6.749	1.895	2.624	0.0	0.0	
0.0		Min	-3.829	-12.676	-17.020	-0.0	-0.0	
-0.0	INVSLE	Max	5.065	0.678	1.964	0.0	0.0	
0.0		Min	-2.622	-9.866	-12.576	-0.0	-0.0	
-0.0	5086	C1-C2;~1	Max	2.722	4.464	6.753	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.055	-2.968	-9.920	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.160	5.024	6.907	0.0	0.0
0.0		Min	-3.131	-3.339	-10.547	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.416	2.260	3.557	0.0	0.0
0.0		Min	-1.562	-1.552	-5.411	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.610	2.522	3.639	0.0	0.0
0.0		Min	-1.599	-1.727	-5.621	-0.0	-0.0
-0.0							
-0.0	G1		-0.603	2.355	-3.669	0.0	0.0
-0.0	G2		-0.215	0.976	-1.394	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.144	-1.794	-0.029	0.0	0.0
0.0	Q5_pc Y		-0.355	1.870	0.085	-0.0	0.0
-0.0	Q5_ps X		1.082	-1.722	-0.033	0.0	0.0
0.0	Q5_ps Y		-0.342	1.745	0.060	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.928	1.750	2.820	0.0	0.0
0.0		Min	-3.623	-12.907	-20.895	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.197	0.567	2.109	0.0	0.0
0.0		Min	-2.466	-10.040	-15.447	-0.0	-0.0
-0.0							
5087	C1-C2;~1	Max	2.700	4.485	7.832	0.0	0.0
0.0		Min	-3.013	-3.018	-11.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.135	5.048	8.008	0.0	0.0
0.0		Min	-3.087	-3.390	-12.426	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.407	2.274	4.118	0.0	0.0
0.0		Min	-1.540	-1.574	-6.358	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.599	2.537	4.212	0.0	0.0
0.0		Min	-1.576	-1.750	-6.624	-0.0	-0.0
-0.0							
-0.0	G1		-0.572	2.295	-4.406	0.0	0.0
-0.0	G2		-0.198	0.959	-1.678	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.175	-1.748	-0.036	0.0	0.0
0.0	Q5_pc Y	-0.349	1.864	0.087	-0.0	0.0
0.0	Q5_ps X	1.111	-1.678	-0.040	0.0	0.0
0.0	Q5_ps Y	-0.337	1.738	0.060	-0.0	0.0
-0.0	INVS LU Max	7.082	1.642	2.781	0.0	0.0
0.0	Min	-3.433	-13.105	-24.961	-0.0	-0.0
-0.0	INVS LE Max	5.311	0.485	2.075	0.0	0.0
0.0	Min	-2.321	-10.190	-18.463	-0.0	-0.0
-0.0						
5088	C1-C2;~1 Max	2.675	4.510	8.861	0.0	0.0
0.0	Min	-2.928	-3.072	-13.428	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	3.102	5.074	9.061	0.0	0.0
0.0	Min	-3.001	-3.449	-14.314	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.396	2.289	4.650	0.0	0.0
0.0	Min	-1.493	-1.598	-7.333	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.584	2.553	4.756	0.0	0.0
0.0	Min	-1.529	-1.777	-7.633	-0.0	-0.0
-0.0						
-0.0	G1	-0.504	2.214	-5.219	0.0	0.0
-0.0	G2	-0.169	0.928	-1.991	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.201	-1.697	-0.037	0.0	0.0
0.0	Q5_pc Y	-0.335	1.856	0.093	-0.0	0.0
0.0	Q5_ps X	1.136	-1.631	-0.042	0.0	0.0
0.0	Q5_ps Y	-0.323	1.731	0.062	-0.0	0.0
0.0						
0.0	INVS LU Max	7.390	1.462	2.450	0.0	0.0
0.0	Min	-3.012	-13.385	-29.273	-0.0	-0.0
-0.0						
0.0	INVS LE Max	5.541	0.347	1.822	0.0	0.0
0.0	Min	-2.003	-10.403	-21.664	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5089	C1-C2;~1	Max	2.638	4.535	9.828	0.0	0.0
0.0		Min	-2.835	-3.108	-15.191	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.058	5.096	10.053	0.0	0.0
0.0		Min	-2.909	-3.493	-16.206	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.377	2.304	5.145	0.0	0.0
0.0		Min	-1.443	-1.615	-8.301	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.562	2.567	5.263	0.0	0.0
0.0		Min	-1.480	-1.797	-8.644	-0.0	-0.0
-0.0							
	G1		-0.447	2.156	-6.087	0.0	0.0
-0.0							
	G2		-0.152	0.898	-2.325	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.227	-1.649	-0.036	0.0	0.0
0.0							
	Q5_pc Y		-0.318	1.852	0.097	-0.0	0.0
0.0							
	Q5_ps X		1.160	-1.585	-0.042	0.0	0.0
0.0							
	Q5_ps Y		-0.306	1.729	0.064	-0.0	0.0
0.0							
	INVSLU	Max	7.683	1.375	1.807	0.0	0.0
0.0		Min	-2.580	-13.554	-33.816	-0.0	-0.0
-0.0							
	INVSLE	Max	5.761	0.280	1.332	0.0	0.0
0.0		Min	-1.678	-10.532	-25.043	-0.0	-0.0
-0.0							
5090	C1-C2;~1	Max	2.675	4.375	0.053	0.0	0.0
0.0		Min	-3.314	-2.690	-0.626	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.120	4.932	0.059	0.0	0.0
0.0		Min	-3.383	-3.047	-0.504	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.376	2.197	0.027	0.0	0.0
0.0		Min	-1.701	-1.425	-0.337	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.577	2.456	0.030	0.0	0.0
0.0		Min	-1.733	-1.594	-0.262	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.984	2.831	-0.619	0.0	0.0
-0.0	G2		-0.371	1.149	-0.230	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.970	-2.046	0.038	0.0	0.0
-0.0	Q5_pc Y		-0.386	1.928	0.056	-0.0	0.0
0.0	Q5_ps X		0.918	-1.958	0.034	0.0	0.0
-0.0	Q5_ps Y		-0.369	1.802	0.045	-0.0	0.0
0.0	INVS LU	Max	5.433	3.121	-1.263	0.0	0.0
-0.0		Min	-5.092	-11.332	-2.290	-0.0	-0.0
0.0	INVS LE	Max	4.088	1.589	-0.951	0.0	0.0
-0.0		Min	-3.579	-8.845	-1.704	-0.0	-0.0
5091	C1-C2;~1	Max	2.705	4.390	1.051	0.0	0.0
0.0		Min	-3.281	-2.747	-1.798	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.151	4.948	1.107	0.0	0.0
-0.0		Min	-3.351	-3.103	-1.766	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.394	2.208	0.549	0.0	0.0
0.0		Min	-1.682	-1.451	-0.977	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.595	2.467	0.581	0.0	0.0
-0.0		Min	-1.715	-1.619	-0.952	-0.0	-0.0
-0.0							
-0.0	G1		-0.900	2.735	-0.867	0.0	0.0
-0.0	G2		-0.335	1.118	-0.324	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.996	-2.009	0.017	0.0	0.0
-0.0	Q5_pc Y		-0.386	1.911	0.051	-0.0	0.0
0.0	Q5_ps X		0.943	-1.924	0.015	0.0	0.0
-0.0	Q5_ps Y		-0.370	1.785	0.040	-0.0	0.0
0.0	INVS LU	Max	5.734	2.803	-0.018	0.0	0.0
-0.0		Min	-4.836	-11.682	-4.033	-0.0	-0.0
0.0	INVS LE	Max	4.311	1.353	-0.014	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.386	-9.109	-2.981	-0.0	-0.0
-0.0							
5092	C1-C2;~1	Max	2.727	4.406	2.251	0.0	0.0
0.0		Min	-3.246	-2.805	-3.326	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.173	4.965	2.322	0.0	0.0
0.0		Min	-3.315	-3.161	-3.446	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.408	2.219	1.189	0.0	0.0
0.0		Min	-1.663	-1.476	-1.810	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.609	2.479	1.228	0.0	0.0
0.0		Min	-1.696	-1.645	-1.837	-0.0	-0.0
-0.0							
-0.0	G1		-0.824	2.642	-1.262	0.0	0.0
-0.0	G2		-0.302	1.088	-0.474	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.024	-1.969	0.003	0.0	0.0
0.0	Q5_pc Y		-0.383	1.898	0.055	-0.0	0.0
-0.0	Q5_ps X		0.969	-1.886	0.000	0.0	0.0
0.0	Q5_ps Y		-0.368	1.772	0.041	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.012	2.505	1.071	0.0	0.0
0.0		Min	-4.590	-12.009	-6.815	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.517	1.131	0.803	0.0	0.0
0.0		Min	-3.200	-9.358	-5.031	-0.0	-0.0
-0.0							
5093	C1-C2;~1	Max	2.740	4.421	3.411	0.0	0.0
0.0		Min	-3.204	-2.852	-4.915	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.184	4.980	3.499	0.0	0.0
0.0		Min	-3.274	-3.210	-5.157	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.418	2.229	1.803	0.0	0.0
0.0		Min	-1.640	-1.498	-2.676	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.617	2.490	1.851	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.673	-1.667	-2.748	-0.0	-0.0
-0.0	G1		-0.756	2.560	-1.766	0.0	0.0
-0.0	G2		-0.274	1.057	-0.666	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.053	-1.927	-0.008	0.0	0.0
0.0	Q5_pc Y		-0.377	1.889	0.063	-0.0	0.0
-0.0	Q5_ps X		0.996	-1.847	-0.010	0.0	0.0
0.0	Q5_ps Y		-0.363	1.762	0.047	-0.0	0.0
-0.0							
	INVSLU	Max	6.273	2.248	1.830	0.0	0.0
0.0		Min	-4.340	-12.277	-9.970	-0.0	-0.0
-0.0							
	INVSLE	Max	4.712	0.941	1.372	0.0	0.0
0.0		Min	-3.010	-9.562	-7.361	-0.0	-0.0
-0.0							
5094	C1-C2;~1	Max	2.742	4.434	4.537	0.0	0.0
0.0		Min	-3.152	-2.888	-6.538	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.184	4.992	4.646	0.0	0.0
0.0		Min	-3.225	-3.251	-6.904	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.422	2.239	2.396	0.0	0.0
0.0		Min	-1.612	-1.514	-3.562	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.619	2.500	2.455	0.0	0.0
0.0		Min	-1.648	-1.686	-3.679	-0.0	-0.0
-0.0							
	G1		-0.695	2.488	-2.343	0.0	0.0
-0.0							
	G2		-0.253	1.025	-0.885	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.082	-1.884	-0.017	0.0	0.0
0.0							
	Q5_pc Y		-0.370	1.882	0.072	-0.0	0.0
-0.0							
	Q5_ps X		1.024	-1.807	-0.019	0.0	0.0
0.0							
	Q5_ps Y		-0.355	1.757	0.053	-0.0	0.0
0.0							
	INVSLU	Max	6.521	2.038	2.338	0.0	0.0
0.0		Min	-4.080	-12.482	-13.384	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.895	0.785	1.752	0.0	0.0
-0.0		Min	-2.813	-9.719	-9.885	-0.0	-0.0
5095	C1-C2;~1	Max	2.444	4.329	5.789	0.0	0.0
0.0		Min	-3.396	-2.511	-7.682	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.879	4.889	6.572	0.0	0.0
-0.0		Min	-3.451	-2.854	-7.460	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.243	2.160	3.127	0.0	0.0
0.0		Min	-1.747	-1.343	-4.208	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.442	2.419	3.477	0.0	0.0
-0.0		Min	-1.771	-1.504	-4.072	-0.0	-0.0
-0.0	G1		-1.340	3.230	-2.107	-0.0	-0.0
-0.0	G2		-0.506	1.307	-0.793	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.879	-2.174	0.109	-0.0	0.0
-0.0	Q5_pc Y		-0.339	2.068	0.000	-0.0	-0.0
0.0	Q5_ps X		0.833	-2.079	0.098	-0.0	0.0
-0.0	Q5_ps Y		-0.327	1.933	-0.020	-0.0	-0.0
0.0	INVSLU	Max	3.974	4.438	1.961	0.0	-0.0
-0.0		Min	-6.155	-9.928	-17.476	-0.0	-0.0
0.0	INVSLE	Max	3.001	2.571	1.304	0.0	-0.0
-0.0		Min	-4.384	-7.781	-13.080	-0.0	-0.0
5096	C1-C2;~1	Max	2.493	4.336	4.701	0.0	0.0
0.0		Min	-3.405	-2.549	-6.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.934	4.898	5.343	0.0	0.0
-0.0		Min	-3.459	-2.891	-5.997	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.270	2.167	2.540	0.0	0.0
-0.0		Min	-1.751	-1.360	-3.377	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.472	2.426	2.827	0.0	0.0
-0.0		Min	-1.774	-1.521	-3.268	-0.0	-0.0
-0.0		G1	-1.289	3.160	-1.650	-0.0	-0.0
-0.0		G2	-0.483	1.285	-0.613	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.895	-2.152	0.091	-0.0	0.0
-0.0	Q5_pc	Y	-0.352	2.037	0.006	-0.0	0.0
0.0	Q5_ps	X	0.847	-2.058	0.082	-0.0	0.0
-0.0	Q5_ps	Y	-0.339	1.903	-0.013	-0.0	0.0
0.0	INVSLU	Max	4.206	4.186	1.865	0.0	0.0
-0.0		Min	-6.035	-10.203	-13.846	-0.0	-0.0
0.0	INVSLE	Max	3.173	2.382	1.265	0.0	0.0
-0.0		Min	-4.293	-7.989	-10.360	-0.0	-0.0
5097	C1-C2;~1	Max	2.543	4.346	3.562	0.0	0.0
0.0		Min	-3.403	-2.589	-4.667	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.987	4.907	4.058	0.0	0.0
-0.0		Min	-3.457	-2.931	-4.526	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.298	2.174	1.924	0.0	0.0
0.0		Min	-1.749	-1.378	-2.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.501	2.434	2.147	0.0	0.0
-0.0		Min	-1.773	-1.540	-2.463	-0.0	-0.0
0.0							
-0.0		G1	-1.228	3.084	-1.246	-0.0	-0.0
-0.0		G2	-0.457	1.259	-0.461	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.911	-2.129	0.073	-0.0	0.0
-0.0	Q5_pc	Y	-0.363	2.006	0.014	-0.0	0.0
0.0	Q5_ps	X	0.863	-2.036	0.066	-0.0	0.0
-0.0	Q5_ps	Y	-0.350	1.874	-0.002	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	4.467	3.925	1.516	0.0	0.0
		Min	-5.873	-10.488	-10.395	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.368	2.187	1.037	0.0	0.0
		Min	-4.170	-8.205	-7.776	-0.0	-0.0
-0.0							
5098 0.0	C1-C2;~1	Max	2.591	4.357	2.371	0.0	0.0
		Min	-3.386	-2.625	-3.176	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.036	4.917	2.719	0.0	0.0
		Min	-3.443	-2.969	-3.068	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.326	2.182	1.279	0.0	0.0
		Min	-1.739	-1.395	-1.734	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.529	2.441	1.437	0.0	0.0
		Min	-1.765	-1.558	-1.668	-0.0	-0.0
-0.0							
-0.0	G1		-1.155	3.005	-0.915	-0.0	-0.0
-0.0	G2		-0.429	1.227	-0.337	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.929	-2.103	0.057	-0.0	0.0
0.0	Q5_pc Y		-0.373	1.977	0.022	-0.0	0.0
-0.0	Q5_ps X		0.880	-2.013	0.052	-0.0	0.0
0.0	Q5_ps Y		-0.360	1.847	0.009	-0.0	0.0
-0.0							
0.0	INVS LU	Max	4.763	3.664	0.890	0.0	0.0
		Min	-5.657	-10.769	-7.171	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.589	1.993	0.602	0.0	0.0
		Min	-4.006	-8.418	-5.362	-0.0	-0.0
-0.0							
5099 0.0	C1-C2;~1	Max	2.635	4.366	1.115	0.0	0.0
		Min	-3.355	-2.656	-1.725	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.081	4.924	1.315	0.0	0.0
		Min	-3.417	-3.007	-1.643	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.352	2.190	0.599	0.0	0.0
		Min	-1.722	-1.410	-0.943	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.554	2.449	0.693	0.0	0.0
		Min	-1.751	-1.575	-0.894	-0.0	-0.0
-0.0							
-0.0	G1		-1.072	2.921	-0.693	-0.0	-0.0
-0.0	G2		-0.401	1.190	-0.255	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.949	-2.076	0.044	-0.0	0.0
0.0	Q5_pc Y		-0.381	1.951	0.035	-0.0	0.0
-0.0	Q5_ps X		0.898	-1.987	0.040	-0.0	0.0
0.0	Q5_ps Y		-0.366	1.823	0.024	-0.0	0.0
-0.0							
0.0	INVSLU	Max	5.092	3.399	-0.104	0.0	0.0
		Min	-5.388	-11.044	-4.288	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.834	1.796	-0.111	0.0	0.0
		Min	-3.803	-8.626	-3.204	-0.0	-0.0
-0.0							
5100	C1-C2;~1	Max	1.626	4.352	12.631	0.0	0.0
0.0		Min	-2.794	-2.334	-21.181	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.937	4.887	14.341	0.0	0.0
		Min	-2.856	-2.660	-20.583	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.799	2.146	6.820	0.0	0.0
		Min	-1.424	-1.254	-11.800	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.939	2.392	7.585	0.0	0.0
		Min	-1.450	-1.408	-11.416	-0.0	-0.0
-0.0							
-0.0	G1		-1.586	3.743	-9.054	-0.0	-0.0
-0.0	G2		-0.611	1.502	-3.467	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.794	-2.270	0.258	0.0	0.0
0.0	Q5_pc Y		-0.237	2.305	-0.142	-0.0	-0.0
-0.0	Q5_ps X		0.754	-2.166	0.235	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.227	2.155	-0.180	-0.0	-0.0
-0.0	INVS LU	Max	1.901	7.291	-11.810	-0.0	-0.0
-0.0		Min	-5.999	-7.046	-60.230	-0.0	-0.0
-0.0	INVS LE	Max	1.486	4.731	-9.391	-0.0	-0.0
-0.0		Min	-4.260	-5.582	-45.223	-0.0	-0.0
5101 0.0	C1-C2;~1	Max	1.672	4.362	12.321	0.0	0.0
-0.0		Min	-2.893	-2.370	-20.138	-0.0	-0.0
0.0	C3-C4;~1	Max	1.995	4.903	13.985	0.0	0.0
-0.0		Min	-2.936	-2.692	-19.583	-0.0	-0.0
0.0	C1-C2;~2	Max	0.822	2.151	6.653	0.0	0.0
-0.0		Min	-1.481	-1.270	-11.200	-0.0	-0.0
0.0	C3-C4;~2	Max	0.969	2.399	7.397	0.0	0.0
-0.0		Min	-1.494	-1.422	-10.844	-0.0	-0.0
-0.0	G1		-1.607	3.718	-8.297	-0.0	-0.0
-0.0	G2		-0.612	1.503	-3.170	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.797	-2.269	0.246	0.0	0.0
-0.0	Q5_pc Y		-0.244	2.292	-0.128	-0.0	-0.0
0.0	Q5_ps X		0.757	-2.165	0.224	0.0	0.0
-0.0	Q5_ps Y		-0.236	2.141	-0.166	-0.0	0.0
-0.0	INVS LU	Max	1.800	7.118	-9.419	-0.0	-0.0
-0.0		Min	-6.291	-7.261	-55.927	-0.0	-0.0
-0.0	INVS LE	Max	1.399	4.600	-7.562	-0.0	-0.0
-0.0		Min	-4.488	-5.745	-41.980	-0.0	-0.0
5102 0.0	C1-C2;~1	Max	1.737	4.369	11.976	0.0	0.0
-0.0		Min	-3.021	-2.395	-19.085	-0.0	-0.0
0.0	C3-C4;~1	Max	2.082	4.917	13.590	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.030	-2.717	-18.554	-0.0	-0.0
0.0	C1-C2;~2	Max	0.855	2.155	6.468	0.0	0.0
-0.0		Min	-1.557	-1.282	-10.598	-0.0	-0.0
0.0	C3-C4;~2	Max	1.015	2.406	7.189	0.0	0.0
-0.0		Min	-1.546	-1.433	-10.259	-0.0	-0.0
-0.0		G1	-1.632	3.694	-7.545	-0.0	-0.0
-0.0		G2	-0.618	1.498	-2.877	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.800	-2.267	0.234	0.0	0.0
-0.0	Q5_pc Y		-0.250	2.278	-0.110	-0.0	-0.0
0.0	Q5_ps X		0.760	-2.164	0.213	0.0	0.0
-0.0	Q5_ps Y		-0.243	2.127	-0.148	-0.0	-0.0
-0.0	INVSLU	Max	1.807	6.875	-6.950	-0.0	-0.0
-0.0		Min	-6.534	-7.529	-51.483	-0.0	-0.0
-0.0	INVSLE	Max	1.396	4.414	-5.663	-0.0	-0.0
-0.0		Min	-4.677	-5.953	-38.619	-0.0	-0.0
5103	C1-C2;~1	Max	1.831	4.374	11.499	0.0	0.0
0.0		Min	-3.143	-2.412	-17.813	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.190	4.924	13.044	0.0	0.0
-0.0		Min	-3.134	-2.735	-17.321	-0.0	-0.0
0.0	C1-C2;~2	Max	0.906	2.158	6.210	0.0	0.0
-0.0		Min	-1.627	-1.290	-9.873	-0.0	-0.0
0.0	C3-C4;~2	Max	1.072	2.411	6.900	0.0	0.0
-0.0		Min	-1.604	-1.442	-9.560	-0.0	-0.0
-0.0		G1	-1.650	3.667	-6.733	-0.0	-0.0
-0.0		G2	-0.624	1.489	-2.564	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.805	-2.264	0.220	0.0	0.0
0.0	Q5_pc Y		-0.257	2.260	-0.096	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.764	-2.162	0.200	0.0	0.0
0.0	Q5_ps Y	-0.250	2.110	-0.132	-0.0	-0.0
-0.0						
-0.0	INVS LU Max	1.935	6.580	-4.886	-0.0	-0.0
-0.0	Min	-6.713	-7.836	-46.939	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	1.487	4.184	-4.081	-0.0	-0.0
-0.0	Min	-4.812	-6.192	-35.201	-0.0	-0.0
-0.0						
5104	C1-C2;~1 Max	1.930	4.370	10.947	0.0	0.0
0.0	Min	-3.197	-2.415	-16.498	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.302	4.923	12.416	0.0	0.0
-0.0	Min	-3.220	-2.742	-16.046	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.960	2.159	5.913	0.0	0.0
-0.0	Min	-1.650	-1.293	-9.128	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.132	2.413	6.568	0.0	0.0
-0.0	Min	-1.651	-1.447	-8.841	-0.0	-0.0
-0.0	G1	-1.646	3.628	-5.946	-0.0	-0.0
-0.0	G2	-0.625	1.468	-2.260	0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.811	-2.259	0.206	0.0	0.0
0.0	Q5_pc Y	-0.266	2.239	-0.080	-0.0	-0.0
-0.0	Q5_ps X	0.770	-2.157	0.187	0.0	0.0
0.0	Q5_ps Y	-0.258	2.092	-0.114	-0.0	-0.0
-0.0						
0.0	INVS LU Max	2.123	6.273	-2.984	-0.0	-0.0
-0.0	Min	-6.792	-8.141	-42.388	-0.0	-0.0
-0.0						
0.0	INVS LE Max	1.623	3.948	-2.617	-0.0	-0.0
-0.0	Min	-4.873	-6.428	-31.778	-0.0	-0.0
-0.0						
5105	C1-C2;~1 Max	2.034	4.361	10.302	0.0	0.0
0.0	Min	-3.246	-2.407	-15.107	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.419	4.915	11.682	0.0	0.0
-0.0		Min	-3.290	-2.743	-14.687	-0.0	-0.0
0.0	C1-C2;~2	Max	1.017	2.157	5.564	0.0	0.0
-0.0		Min	-1.674	-1.291	-8.343	-0.0	-0.0
0.0	C3-C4;~2	Max	1.194	2.412	6.180	0.0	0.0
-0.0		Min	-1.689	-1.449	-8.079	-0.0	-0.0
-0.0	G1		-1.622	3.579	-5.177	-0.0	-0.0
-0.0	G2		-0.622	1.437	-1.969	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.819	-2.250	0.190	0.0	0.0
-0.0	Q5_pc Y		-0.276	2.215	-0.062	-0.0	-0.0
0.0	Q5_ps X		0.777	-2.149	0.173	0.0	0.0
-0.0	Q5_ps Y		-0.266	2.072	-0.094	-0.0	-0.0
0.0	INVSLU	Max	2.380	5.948	-1.365	0.0	-0.0
-0.0		Min	-6.802	-8.440	-37.873	-0.0	-0.0
0.0	INVSLE	Max	1.813	3.701	-1.366	0.0	-0.0
-0.0		Min	-4.879	-6.657	-28.384	-0.0	-0.0
5106	C1-C2;~1	Max	1.468	4.334	13.399	0.0	0.0
0.0		Min	-2.466	-2.253	-25.302	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.728	4.832	15.229	0.0	0.0
-0.0		Min	-2.531	-2.578	-24.568	-0.0	-0.0
0.0	C1-C2;~2	Max	0.728	2.135	7.233	0.0	0.0
-0.0		Min	-1.243	-1.216	-14.206	-0.0	-0.0
0.0	C3-C4;~2	Max	0.842	2.366	8.053	0.0	0.0
-0.0		Min	-1.272	-1.369	-13.725	-0.0	-0.0
-0.0	G1		-1.460	3.877	-12.411	-0.0	-0.0
-0.0	G2		-0.565	1.552	-4.768	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.789	-2.268	0.305	0.0	0.0
-0.0	Q5_pc Y		-0.208	2.340	-0.223	-0.0	-0.0
-0.0	Q5_ps X		0.751	-2.162	0.278	0.0	0.0
-0.0	Q5_ps Y		-0.199	2.189	-0.261	-0.0	-0.0
-0.0	INVS LU	Max	2.980	7.680	-23.906	-0.0	-0.0
-0.0		Min	-4.190	-6.536	-79.171	-0.0	-0.0
-0.0	INVS LE	Max	2.350	5.008	-18.610	-0.0	-0.0
-0.0		Min	-2.856	-5.210	-59.506	-0.0	-0.0
5107	C1-C2;~1	Max	1.491	4.323	13.356	0.0	0.0
0.0		Min	-2.561	-2.268	-24.662	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.756	4.832	15.177	0.0	0.0
-0.0		Min	-2.619	-2.593	-23.972	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.737	2.132	7.210	0.0	0.0
-0.0		Min	-1.300	-1.224	-13.826	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.853	2.367	8.026	0.0	0.0
-0.0		Min	-1.324	-1.376	-13.376	-0.0	-0.0
-0.0							
-0.0	G1		-1.487	3.852	-11.820	-0.0	-0.0
-0.0	G2		-0.570	1.552	-4.535	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.790	-2.269	0.297	0.0	0.0
-0.0	Q5_pc Y		-0.214	2.334	-0.210	-0.0	0.0
-0.0	Q5_ps X		0.751	-2.163	0.271	0.0	0.0
-0.0	Q5_ps Y		-0.206	2.181	-0.248	-0.0	0.0
-0.0							
0.0	INVS LU	Max	2.737	7.707	-21.577	-0.0	-0.0
-0.0		Min	-4.591	-6.519	-75.895	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.160	5.038	-16.841	-0.0	-0.0
-0.0		Min	-3.163	-5.188	-57.037	-0.0	-0.0
-0.0							
5108	C1-C2;~1	Max	1.515	4.328	13.260	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0		Min	-2.637	-2.291	-23.922	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.789	4.845	15.065	0.0	0.0
0.0		Min	-2.688	-2.614	-23.260	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.746	2.134	7.159	0.0	0.0
0.0		Min	-1.343	-1.234	-13.391	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.866	2.373	7.967	0.0	0.0
0.0		Min	-1.362	-1.385	-12.960	-0.0	-0.0
-0.0							
-0.0	G1		-1.514	3.826	-11.183	-0.0	-0.0
-0.0	G2		-0.578	1.545	-4.288	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.791	-2.270	0.289	0.0	0.0
-0.0	Q5_pc Y		-0.220	2.327	-0.195	-0.0	0.0
-0.0	Q5_ps X		0.752	-2.164	0.263	0.0	0.0
-0.0	Q5_ps Y		-0.212	2.174	-0.233	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	2.509	7.703	-19.163	-0.0	-0.0
-0.0		Min	-4.959	-6.555	-72.315	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.979	5.042	-15.004	-0.0	-0.0
-0.0		Min	-3.447	-5.210	-54.337	-0.0	-0.0
-0.0							
5109	C1-C2;~1	Max	1.540	4.337	13.109	0.0	0.0
0.0		Min	-2.699	-2.311	-23.091	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.834	4.859	14.890	0.0	0.0
0.0		Min	-2.746	-2.633	-22.457	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.756	2.138	7.077	0.0	0.0
0.0		Min	-1.376	-1.243	-12.905	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.889	2.379	7.875	0.0	0.0
0.0		Min	-1.393	-1.395	-12.494	-0.0	-0.0
-0.0							
-0.0	G1		-1.539	3.798	-10.506	-0.0	-0.0
-0.0	G2		-0.587	1.535	-4.025	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.792	-2.270	0.279	0.0	0.0
0.0	Q5_pc Y	-0.226	2.320	-0.178	-0.0	0.0
-0.0	Q5_ps X	0.752	-2.165	0.254	0.0	0.0
-0.0	Q5_ps Y	-0.217	2.168	-0.217	-0.0	0.0
-0.0	INVS LU Max	2.298	7.639	-16.715	-0.0	-0.0
-0.0	Min	-5.310	-6.654	-68.493	-0.0	-0.0
-0.0	INVS LE Max	1.810	4.996	-13.138	-0.0	-0.0
-0.0	Min	-3.720	-5.281	-51.455	-0.0	-0.0
-0.0						
5110	C1-C2;~1 Max	1.580	4.345	12.899	0.0	0.0
0.0	Min	-2.752	-2.328	-22.175	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.882	4.874	14.649	0.0	0.0
-0.0	Min	-2.798	-2.650	-21.565	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.775	2.142	6.964	0.0	0.0
-0.0	Min	-1.404	-1.251	-12.374	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.913	2.386	7.747	0.0	0.0
-0.0	Min	-1.420	-1.403	-11.980	-0.0	-0.0
-0.0	G1	-1.563	3.771	-9.794	-0.0	-0.0
-0.0	G2	-0.598	1.522	-3.750	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.793	-2.270	0.269	0.0	0.0
0.0	Q5_pc Y	-0.232	2.313	-0.161	-0.0	0.0
-0.0	Q5_ps X	0.753	-2.166	0.245	0.0	0.0
0.0	Q5_ps Y	-0.223	2.161	-0.199	-0.0	-0.0
-0.0						
-0.0	INVS LU Max	2.092	7.502	-14.256	-0.0	-0.0
-0.0	Min	-5.654	-6.819	-64.453	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	1.643	4.893	-11.262	-0.0	-0.0
-0.0	Min	-3.989	-5.406	-48.409	-0.0	-0.0
-0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5111	C1-C2;~1	Max	1.350	4.360	12.955	0.0	0.0
0.0		Min	-2.128	-2.212	-27.118	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.580	4.813	14.733	0.0	0.0
0.0		Min	-2.229	-2.531	-26.325	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.683	2.145	6.992	0.0	0.0
0.0		Min	-1.057	-1.195	-15.314	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.785	2.357	7.790	0.0	0.0
0.0		Min	-1.113	-1.344	-14.792	-0.0	-0.0
-0.0							
	G1		-1.297	4.013	-14.608	-0.0	-0.0
-0.0							
	G2		-0.504	1.602	-5.623	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.793	-2.247	0.324	0.0	-0.0
-0.0							
	Q5_pc Y		-0.192	2.332	-0.286	-0.0	-0.0
0.0							
	Q5_ps X		0.755	-2.141	0.297	0.0	-0.0
-0.0							
	Q5_ps Y		-0.183	2.182	-0.321	-0.0	-0.0
0.0							
	INVSLU	Max	4.787	7.492	-33.979	-0.0	0.0
0.0		Min	-1.783	-6.620	-91.061	-0.0	-0.0
-0.0							
	INVSLE	Max	3.758	4.844	-26.239	-0.0	0.0
0.0		Min	-1.003	-5.298	-68.479	-0.0	-0.0
-0.0							
5112	C1-C2;~1	Max	1.372	4.337	13.142	0.0	0.0
0.0		Min	-2.204	-2.219	-27.021	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.608	4.804	14.944	0.0	0.0
0.0		Min	-2.302	-2.539	-26.263	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.692	2.136	7.093	0.0	0.0
0.0		Min	-1.098	-1.199	-15.251	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.796	2.354	7.901	0.0	0.0
0.0		Min	-1.153	-1.349	-14.753	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.330	3.990	-14.299	-0.0	-0.0
-0.0	G2	-0.511	1.604	-5.499	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.792	-2.252	0.323	0.0	-0.0
0.0	Q5_pc Y	-0.196	2.335	-0.277	-0.0	0.0
-0.0	Q5_ps X	0.754	-2.145	0.296	0.0	-0.0
-0.0	Q5_ps Y	-0.188	2.181	-0.313	-0.0	0.0
0.0	INVS LU Max	4.431	7.668	-32.289	0.0	-0.0
-0.0	Min	-2.274	-6.448	-89.523	-0.0	-0.0
0.0	INVS LE Max	3.482	4.985	-24.965	-0.0	-0.0
-0.0	Min	-1.378	-5.160	-67.318	-0.0	-0.0
5113 0.0	C1-C2;~1 Max	1.395	4.326	13.282	0.0	0.0
-0.0	Min	-2.287	-2.227	-26.777	-0.0	-0.0
0.0	C3-C4;~1 Max	1.637	4.804	15.101	0.0	0.0
-0.0	Min	-2.362	-2.548	-26.030	-0.0	-0.0
0.0	C1-C2;~2 Max	0.700	2.132	7.169	0.0	0.0
-0.0	Min	-1.146	-1.203	-15.098	-0.0	-0.0
0.0	C3-C4;~2 Max	0.807	2.354	7.985	0.0	0.0
-0.0	Min	-1.184	-1.353	-14.608	-0.0	-0.0
-0.0	G1	-1.363	3.963	-13.919	-0.0	-0.0
-0.0	G2	-0.523	1.597	-5.350	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.791	-2.256	0.320	0.0	-0.0
0.0	Q5_pc Y	-0.199	2.337	-0.266	-0.0	0.0
-0.0	Q5_ps X	0.753	-2.150	0.293	0.0	-0.0
0.0	Q5_ps Y	-0.191	2.183	-0.303	-0.0	0.0
0.0	INVS LU Max	4.068	7.795	-30.399	0.0	-0.0
-0.0	Min	-2.754	-6.337	-87.511	-0.0	-0.0
	INVS LE Max	3.200	5.087	-23.536	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.748	-5.069	-65.798	-0.0	-0.0
-0.0							
5114	C1-C2;~1	Max	1.419	4.322	13.373	0.0	0.0
0.0		Min	-2.363	-2.235	-26.398	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.666	4.808	15.202	0.0	0.0
0.0		Min	-2.435	-2.557	-25.661	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.709	2.130	7.218	0.0	0.0
0.0		Min	-1.190	-1.207	-14.866	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.818	2.356	8.038	0.0	0.0
0.0		Min	-1.225	-1.358	-14.383	-0.0	-0.0
-0.0							
-0.0	G1		-1.397	3.935	-13.471	-0.0	-0.0
-0.0	G2		-0.535	1.586	-5.176	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.790	-2.261	0.316	0.0	-0.0
-0.0	Q5_pc Y		-0.202	2.339	-0.253	-0.0	0.0
-0.0	Q5_ps X		0.752	-2.155	0.289	0.0	-0.0
-0.0	Q5_ps Y		-0.194	2.185	-0.290	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	3.679	7.837	-28.356	0.0	-0.0
-0.0		Min	-3.281	-6.317	-85.085	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	2.897	5.124	-21.988	0.0	-0.0
-0.0		Min	-2.153	-5.049	-63.967	-0.0	-0.0
-0.0							
5115	C1-C2;~1	Max	1.442	4.322	13.410	0.0	0.0
0.0		Min	-2.424	-2.243	-25.901	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.696	4.816	15.243	0.0	0.0
0.0		Min	-2.492	-2.567	-25.175	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.718	2.131	7.239	0.0	0.0
0.0		Min	-1.223	-1.211	-14.565	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.830	2.360	8.060	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.255	-1.363	-14.089	-0.0	-0.0
-0.0	G1		-1.428	3.907	-12.968	-0.0	-0.0
-0.0	G2		-0.548	1.572	-4.981	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.790	-2.264	0.311	0.0	0.0
-0.0	Q5_pc Y		-0.205	2.340	-0.239	-0.0	0.0
-0.0	Q5_ps X		0.751	-2.158	0.284	0.0	0.0
-0.0	Q5_ps Y		-0.197	2.186	-0.277	-0.0	0.0
0.0	INVSLU	Max	3.329	7.776	-26.195	-0.0	-0.0
-0.0		Min	-3.747	-6.402	-82.300	-0.0	-0.0
-0.0	INVSLE	Max	2.624	5.080	-20.350	-0.0	-0.0
-0.0		Min	-2.512	-5.111	-61.868	-0.0	-0.0
-0.0							
5116	C1-C2;~1	Max	2.391	4.328	6.846	0.0	0.0
0.0		Min	-3.393	-2.500	-9.200	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.822	4.889	7.764	0.0	0.0
-0.0		Min	-3.444	-2.838	-8.951	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.213	2.157	3.698	0.0	0.0
-0.0		Min	-1.746	-1.337	-5.046	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.411	2.415	4.108	0.0	0.0
-0.0		Min	-1.766	-1.496	-4.891	-0.0	-0.0
-0.0	G1		-1.388	3.285	-2.601	-0.0	-0.0
-0.0	G2		-0.521	1.335	-0.975	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.865	-2.194	0.125	-0.0	0.0
0.0	Q5_pc Y		-0.326	2.097	-0.014	-0.0	-0.0
-0.0	Q5_ps X		0.819	-2.097	0.113	-0.0	0.0
0.0	Q5_ps Y		-0.315	1.959	-0.038	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	3.750	4.661	1.931	0.0	-0.0
		Min	-6.267	-9.719	-21.196	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	2.834	2.737	1.246	0.0	-0.0
-0.0		Min	-4.470	-7.623	-15.868	-0.0	-0.0
5117	C1-C2;~1	Max	2.341	4.330	7.835	0.0	0.0
0.0		Min	-3.384	-2.492	-10.679	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.768	4.889	8.882	0.0	0.0
-0.0		Min	-3.429	-2.826	-10.400	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.185	2.155	4.233	0.0	0.0
0.0		Min	-1.740	-1.332	-5.865	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.381	2.412	4.700	0.0	0.0
-0.0		Min	-1.758	-1.489	-5.690	-0.0	-0.0
-0.0	G1		-1.425	3.335	-3.133	-0.0	-0.0
-0.0	G2		-0.532	1.360	-1.179	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.852	-2.212	0.142	-0.0	0.0
-0.0	Q5_pc Y		-0.312	2.126	-0.032	-0.0	-0.0
0.0	Q5_ps X		0.807	-2.114	0.128	-0.0	0.0
-0.0	Q5_ps Y		-0.303	1.985	-0.057	-0.0	-0.0
0.0	INVSLE	Max	3.558	4.867	1.642	0.0	-0.0
-0.0		Min	-6.341	-9.531	-25.021	-0.0	-0.0
0.0	INVSLE	Max	2.691	2.889	0.994	0.0	-0.0
-0.0		Min	-4.528	-7.481	-18.737	-0.0	-0.0
5118	C1-C2;~1	Max	2.234	4.346	8.761	0.0	0.0
0.0		Min	-3.367	-2.477	-12.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.648	4.906	9.930	0.0	0.0
-0.0		Min	-3.406	-2.807	-11.879	-0.0	-0.0
0.0	C1-C2;~2	Max	1.126	2.158	4.733	0.0	0.0
-0.0		Min	-1.734	-1.323	-6.715	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.317	2.415	5.254	0.0	0.0
-0.0		Min	-1.748	-1.479	-6.510	-0.0	-0.0
-0.0		G1	-1.521	3.427	-3.754	-0.0	-0.0
-0.0		G2	-0.568	1.398	-1.417	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.839	-2.228	0.158	0.0	0.0
-0.0	Q5_pc	Y	-0.300	2.156	-0.041	-0.0	-0.0
0.0	Q5_ps	X	0.795	-2.129	0.144	-0.0	0.0
-0.0	Q5_ps	Y	-0.292	2.013	-0.070	-0.0	-0.0
0.0	INVSLU	Max	3.076	5.246	1.032	0.0	0.0
-0.0		Min	-6.608	-9.176	-29.136	-0.0	-0.0
0.0	INVSLE	Max	2.331	3.173	0.503	0.0	0.0
-0.0		Min	-4.731	-7.213	-21.823	-0.0	-0.0
5119	C1-C2;~1	Max	2.132	4.356	9.582	0.0	0.0
0.0		Min	-3.318	-2.448	-13.684	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.533	4.913	10.862	0.0	0.0
-0.0		Min	-3.358	-2.778	-13.315	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.070	2.158	5.176	0.0	0.0
0.0		Min	-1.710	-1.309	-7.542	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.255	2.414	5.747	0.0	0.0
-0.0		Min	-1.724	-1.465	-7.309	-0.0	-0.0
0.0							
-0.0		G1	-1.584	3.508	-4.441	-0.0	-0.0
-0.0		G2	-0.598	1.423	-1.680	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.828	-2.240	0.174	0.0	0.0
-0.0	Q5_pc	Y	-0.288	2.186	-0.054	-0.0	-0.0
0.0	Q5_ps	X	0.785	-2.140	0.158	-0.0	0.0
-0.0	Q5_ps	Y	-0.279	2.043	-0.084	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	INVS LU	Max	2.690	5.606	0.010	0.0	-0.0
-0.0		Min	-6.753	-8.810	-33.441	-0.0	-0.0
-0.0	INVS LE	Max	2.043	3.443	-0.299	0.0	-0.0
-0.0		Min	-4.841	-6.937	-25.054	-0.0	-0.0
5120 0.0	C1-C2;~1	Max	1.234	4.408	11.488	0.0	0.0
-0.0		Min	-1.922	-2.187	-26.080	-0.0	-0.0
0.0	C3-C4;~1	Max	1.436	4.812	13.068	0.0	0.0
-0.0		Min	-2.019	-2.498	-25.286	-0.0	-0.0
0.0	C1-C2;~2	Max	0.638	2.164	6.199	0.0	0.0
-0.0		Min	-0.973	-1.180	-14.757	-0.0	-0.0
0.0	C3-C4;~2	Max	0.729	2.357	6.909	0.0	0.0
-0.0		Min	-1.027	-1.326	-14.235	-0.0	-0.0
-0.0	G1		-1.109	4.156	-15.105	-0.0	0.0
-0.0	G2		-0.434	1.656	-5.821	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.804	-2.206	0.312	0.0	-0.0
0.0	Q5_pc Y		-0.194	2.272	-0.316	-0.0	0.0
-0.0	Q5_ps X		0.766	-2.100	0.287	0.0	-0.0
0.0	Q5_ps Y		-0.184	2.124	-0.347	-0.0	0.0
0.0	INVS LU	Max	7.027	6.956	-39.291	-0.0	0.0
-0.0		Min	0.916	-7.002	-92.709	-0.0	0.0
0.0	INVS LE	Max	5.495	4.429	-30.228	-0.0	0.0
-0.0		Min	1.075	-5.607	-69.755	-0.0	0.0
5121 0.0	C1-C2;~1	Max	1.326	4.351	12.741	0.0	0.0
-0.0		Min	-2.093	-2.207	-27.195	-0.0	-0.0
0.0	C3-C4;~1	Max	1.550	4.800	14.490	0.0	0.0
-0.0		Min	-2.189	-2.524	-26.405	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.674	2.141	6.876	0.0	0.0
		Min	-1.042	-1.192	-15.375	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.773	2.352	7.661	0.0	0.0
		Min	-1.096	-1.340	-14.853	-0.0	-0.0
-0.0							
-0.0	G1		-1.259	4.045	-14.863	-0.0	-0.0
-0.0	G2		-0.485	1.625	-5.719	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.795	-2.239	0.325	0.0	-0.0
-0.0	Q5_pc Y		-0.193	2.321	-0.296	-0.0	0.0
0.0	Q5_ps X		0.757	-2.133	0.298	0.0	-0.0
-0.0	Q5_ps Y		-0.184	2.168	-0.331	-0.0	0.0
0.0							
-0.0	INVSLU	Max	5.259	7.489	-35.512	0.0	0.0
		Min	-1.219	-6.576	-92.371	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	4.126	4.843	-27.398	0.0	0.0
		Min	-0.567	-5.266	-69.473	-0.0	-0.0
-0.0							
5122	C1-C2;~1	Max	1.302	4.355	12.484	0.0	0.0
0.0		Min	-2.054	-2.201	-27.121	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.520	4.796	14.199	0.0	0.0
		Min	-2.149	-2.517	-26.329	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.664	2.143	6.737	0.0	0.0
		Min	-1.027	-1.188	-15.343	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.762	2.350	7.507	0.0	0.0
		Min	-1.080	-1.336	-14.820	-0.0	-0.0
-0.0							
-0.0	G1		-1.222	4.074	-15.041	-0.0	-0.0
-0.0	G2		-0.470	1.638	-5.789	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.797	-2.232	0.323	0.0	-0.0
-0.0	Q5_pc Y		-0.193	2.310	-0.304	-0.0	0.0
0.0	Q5_ps X		0.759	-2.125	0.297	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.185	2.157	-0.339	-0.0	0.0
0.0	INVS LU	Max	5.727	7.446	-36.816	0.0	0.0
-0.0		Min	-0.662	-6.584	-93.180	-0.0	-0.0
0.0	INVS LE	Max	4.488	4.811	-28.380	0.0	0.0
-0.0		Min	-0.137	-5.274	-70.089	-0.0	-0.0
5123	C1-C2;~1	Max	1.279	4.365	12.188	0.0	0.0
0.0		Min	-2.014	-2.196	-26.911	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.492	4.795	13.863	0.0	0.0
-0.0		Min	-2.108	-2.510	-26.129	-0.0	-0.0
0.0	C1-C2;~2	Max	0.656	2.147	6.578	0.0	0.0
-0.0		Min	-1.010	-1.185	-15.230	-0.0	-0.0
0.0	C3-C4;~2	Max	0.751	2.350	7.329	0.0	0.0
-0.0		Min	-1.063	-1.333	-14.715	-0.0	-0.0
-0.0	G1		-1.185	4.103	-15.141	-0.0	0.0
-0.0	G2		-0.456	1.649	-5.829	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.799	-2.224	0.321	0.0	-0.0
0.0	Q5_pc Y		-0.193	2.298	-0.310	-0.0	0.0
-0.0	Q5_ps X		0.761	-2.117	0.295	0.0	-0.0
0.0	Q5_ps Y		-0.185	2.146	-0.344	-0.0	0.0
0.0	INVS LU	Max	6.174	7.333	-37.890	0.0	0.0
-0.0		Min	-0.124	-6.666	-93.513	-0.0	-0.0
0.0	INVS LE	Max	4.835	4.723	-29.187	0.0	0.0
-0.0		Min	0.276	-5.340	-70.346	-0.0	-0.0
5124	C1-C2;~1	Max	1.257	4.379	11.855	0.0	0.0
0.0		Min	-1.971	-2.191	-26.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.463	4.799	13.485	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.066	-2.504	-25.794	-0.0	-0.0
0.0	C1-C2;~2	Max	0.647	2.153	6.398	0.0	0.0
-0.0		Min	-0.992	-1.183	-15.041	-0.0	-0.0
0.0	C3-C4;~2	Max	0.740	2.351	7.130	0.0	0.0
-0.0		Min	-1.046	-1.329	-14.529	-0.0	-0.0
-0.0		G1	-1.147	4.131	-15.164	-0.0	0.0
-0.0		G2	-0.443	1.657	-5.839	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.801	-2.215	0.317	0.0	-0.0
0.0		Q5_pc Y	-0.194	2.285	-0.314	-0.0	0.0
-0.0		Q5_ps X	0.764	-2.109	0.292	0.0	-0.0
0.0		Q5_ps Y	-0.185	2.134	-0.347	-0.0	0.0
0.0	INVSLU	Max	6.604	7.157	-38.721	0.0	0.0
-0.0		Min	0.397	-6.814	-93.369	-0.0	-0.0
0.0	INVSLE	Max	5.168	4.586	-29.808	0.0	0.0
-0.0		Min	0.677	-5.458	-70.246	-0.0	-0.0
5125	C1-C2;~1	Max	1.137	4.495	9.248	0.0	0.0
0.0		Min	-1.730	-2.193	-22.241	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.317	4.848	10.522	0.0	0.0
-0.0		Min	-1.831	-2.494	-21.575	-0.0	-0.0
0.0	C1-C2;~2	Max	0.601	2.201	4.990	0.0	0.0
-0.0		Min	-0.894	-1.178	-12.561	-0.0	-0.0
0.0	C3-C4;~2	Max	0.683	2.373	5.563	0.0	0.0
-0.0		Min	-0.949	-1.319	-12.129	-0.0	-0.0
-0.0		G1	-0.913	4.309	-13.705	-0.0	0.0
-0.0		G2	-0.359	1.713	-5.285	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.822	-2.146	0.267	0.0	-0.0
		Q5_pc Y	-0.217	2.158	-0.300	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.784	-2.041	0.247	0.0	-0.0
0.0	Q5_ps Y		-0.206	2.015	-0.326	-0.0	0.0
0.0	INVS LU	Max	9.506	6.488	-38.329	0.0	0.0
-0.0		Min	3.775	-7.309	-83.098	-0.0	0.0
0.0	INVS LE	Max	7.410	4.071	-29.441	-0.0	0.0
-0.0		Min	3.275	-5.861	-62.563	-0.0	0.0
5126	C1-C2;~1	Max	1.149	4.456	9.752	0.0	0.0
0.0		Min	-1.769	-2.188	-23.226	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.332	4.823	11.095	0.0	0.0
-0.0		Min	-1.864	-2.490	-22.540	-0.0	-0.0
0.0	C1-C2;~2	Max	0.606	2.185	5.263	0.0	0.0
-0.0		Min	-0.910	-1.177	-13.125	-0.0	-0.0
0.0	C3-C4;~2	Max	0.689	2.362	5.866	0.0	0.0
-0.0		Min	-0.963	-1.319	-12.678	-0.0	-0.0
-0.0	G1		-0.950	4.280	-14.146	-0.0	0.0
-0.0	G2		-0.369	1.713	-5.451	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.819	-2.158	0.279	0.0	-0.0
-0.0	Q5_pc Y		-0.213	2.181	-0.308	-0.0	0.0
0.0	Q5_ps X		0.781	-2.053	0.258	0.0	-0.0
-0.0	Q5_ps Y		-0.203	2.035	-0.336	-0.0	0.0
0.0							
0.0	INVS LU	Max	9.035	6.641	-39.072	0.0	0.0
-0.0		Min	3.246	-7.157	-85.959	-0.0	0.0
0.0	INVS LE	Max	7.047	4.192	-30.020	0.0	0.0
-0.0		Min	2.869	-5.738	-64.711	-0.0	0.0
5127	C1-C2;~1	Max	1.168	4.431	10.229	0.0	0.0
0.0		Min	-1.808	-2.185	-24.113	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.353	4.810	11.637	0.0	0.0
-0.0		Min	-1.901	-2.489	-23.391	-0.0	-0.0
0.0	C1-C2;~2	Max	0.613	2.175	5.520	0.0	0.0
-0.0		Min	-0.926	-1.176	-13.635	-0.0	-0.0
0.0	C3-C4;~2	Max	0.697	2.357	6.152	0.0	0.0
-0.0		Min	-0.979	-1.319	-13.162	-0.0	-0.0
-0.0	G1		-0.989	4.250	-14.506	-0.0	0.0
-0.0	G2		-0.382	1.704	-5.589	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.815	-2.171	0.289	0.0	-0.0
0.0	Q5_pc Y		-0.208	2.205	-0.313	-0.0	0.0
-0.0	Q5_ps X		0.777	-2.065	0.267	0.0	-0.0
0.0	Q5_ps Y		-0.198	2.057	-0.343	-0.0	0.0
0.0	INVSLU	Max	8.554	6.776	-39.535	0.0	0.0
-0.0		Min	2.694	-7.047	-88.362	-0.0	0.0
0.0	INVSLE	Max	6.677	4.296	-30.384	0.0	0.0
-0.0		Min	2.444	-5.649	-66.511	-0.0	0.0
5128	C1-C2;~1	Max	1.189	4.414	10.678	0.0	0.0
0.0		Min	-1.848	-2.184	-24.889	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.379	4.804	12.147	0.0	0.0
-0.0		Min	-1.941	-2.490	-24.141	-0.0	-0.0
0.0	C1-C2;~2	Max	0.621	2.167	5.762	0.0	0.0
-0.0		Min	-0.942	-1.177	-14.080	-0.0	-0.0
0.0	C3-C4;~2	Max	0.707	2.354	6.422	0.0	0.0
-0.0		Min	-0.995	-1.321	-13.589	-0.0	-0.0
-0.0	G1		-1.028	4.219	-14.785	-0.0	0.0
-0.0	G2		-0.397	1.693	-5.696	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.811	-2.183	0.298	0.0	-0.0
0.0	Q5_pc Y		-0.203	2.228	-0.317	-0.0	0.0
-0.0	Q5_ps X		0.773	-2.077	0.275	0.0	-0.0
0.0	Q5_ps Y		-0.194	2.079	-0.347	-0.0	0.0
0.0	INVS LU	Max	8.058	6.865	-39.724	0.0	0.0
-0.0		Min	2.115	-6.992	-90.293	-0.0	0.0
-0.0	INVS LE	Max	6.293	4.365	-30.539	0.0	0.0
-0.0		Min	1.999	-5.602	-67.956	-0.0	0.0
5129	C1-C2;~1	Max	1.211	4.404	11.098	0.0	0.0
0.0		Min	-1.887	-2.185	-25.548	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.407	4.802	12.625	0.0	0.0
-0.0		Min	-1.981	-2.493	-24.792	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.629	2.163	5.989	0.0	0.0
-0.0		Min	-0.958	-1.178	-14.456	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.718	2.353	6.675	0.0	0.0
-0.0		Min	-1.011	-1.323	-13.960	-0.0	-0.0
-0.0							
-0.0	G1		-1.068	4.189	-14.986	-0.0	0.0
-0.0	G2		-0.414	1.679	-5.772	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.807	-2.194	0.305	0.0	-0.0
0.0	Q5_pc Y		-0.199	2.250	-0.318	-0.0	0.0
-0.0	Q5_ps X		0.770	-2.089	0.281	0.0	-0.0
0.0	Q5_ps Y		-0.190	2.100	-0.349	-0.0	0.0
-0.0	INVS LU	Max	7.545	6.916	-39.643	0.0	0.0
-0.0		Min	1.518	-6.983	-91.749	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	5.896	4.402	-30.488	0.0	0.0
-0.0		Min	1.539	-5.594	-69.042	-0.0	0.0
-0.0							
5130	C1-C2;~1	Max	1.156	4.891	6.434	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.657	-2.272	-16.192	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.333	5.243	7.321	0.0	0.0
0.0		Min	-1.778	-2.578	-15.709	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.610	2.440	3.472	0.0	0.0
0.0		Min	-0.862	-1.206	-9.121	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.691	2.624	3.870	0.0	0.0
0.0		Min	-0.926	-1.349	-8.814	-0.0	-0.0
-0.0							
-0.0	G1		-0.724	4.480	-10.455	0.0	0.0
-0.0	G2		-0.288	1.777	-4.034	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.848	-2.068	0.194	0.0	-0.0
-0.0	Q5_pc Y		-0.261	1.991	-0.232	-0.0	0.0
0.0	Q5_ps X		0.809	-1.966	0.180	0.0	-0.0
-0.0	Q5_ps Y		-0.247	1.856	-0.252	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.998	6.550	-30.749	0.0	0.0
0.0		Min	6.273	-7.731	-62.908	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.336	4.107	-23.610	0.0	0.0
0.0		Min	5.208	-6.196	-47.401	-0.0	0.0
-0.0							
5131	C1-C2;~1	Max	1.135	4.780	7.036	0.0	0.0
0.0		Min	-1.662	-2.248	-17.565	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.315	5.135	8.006	0.0	0.0
0.0		Min	-1.778	-2.552	-17.053	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.601	2.378	3.797	0.0	0.0
0.0		Min	-0.865	-1.197	-9.900	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.684	2.560	4.232	0.0	0.0
0.0		Min	-0.927	-1.339	-9.572	-0.0	-0.0
-0.0							
-0.0	G1		-0.760	4.447	-11.249	0.0	0.0
-0.0	G2		-0.297	1.775	-4.337	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.843	-2.084	0.211	0.0	-0.0
-0.0	Q5_pc Y		-0.253	2.024	-0.251	-0.0	0.0
0.0	Q5_ps X		0.804	-1.981	0.196	0.0	-0.0
-0.0	Q5_ps Y		-0.240	1.885	-0.273	-0.0	0.0
0.0	INVSLE Max		11.555	6.606	-32.804	0.0	0.0
-0.0	INVSLE Min		5.864	-7.522	-67.775	-0.0	0.0
0.0	INVSLE Max		8.994	4.156	-25.191	0.0	0.0
-0.0	INVSLE Min		4.891	-6.032	-51.062	-0.0	0.0
5132	C1-C2;~1 Max		1.126	4.687	7.619	0.0	0.0
0.0	C1-C2;~1 Min		-1.672	-2.228	-18.858	-0.0	-0.0
-0.0	C3-C4;~1 Max		1.305	5.043	8.669	0.0	0.0
0.0	C3-C4;~1 Min		-1.783	-2.531	-18.311	-0.0	-0.0
-0.0	C1-C2;~2 Max		0.597	2.322	4.112	0.0	0.0
0.0	C1-C2;~2 Min		-0.869	-1.190	-10.634	-0.0	-0.0
-0.0	C3-C4;~2 Max		0.679	2.503	4.583	0.0	0.0
0.0	C3-C4;~2 Min		-0.929	-1.332	-10.282	-0.0	-0.0
-0.0	G1		-0.796	4.413	-11.972	0.0	0.0
-0.0	G2		-0.310	1.765	-4.614	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.838	-2.100	0.227	0.0	-0.0
-0.0	Q5_pc Y		-0.244	2.058	-0.266	-0.0	0.0
0.0	Q5_ps X		0.799	-1.996	0.210	0.0	-0.0
-0.0	Q5_ps Y		-0.232	1.917	-0.290	-0.0	0.0
0.0	INVSLE Max		11.091	6.643	-34.595	0.0	0.0
-0.0	INVSLE Min		5.415	-7.360	-72.236	-0.0	0.0
0.0	INVSLE Max		8.636	4.188	-26.567	0.0	0.0
-0.0	INVSLE Min		4.543	-5.905	-54.414	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5133	C1-C2;~1	Max	1.125	4.604	8.183	0.0	0.0
0.0		Min	-1.689	-2.213	-20.069	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.304	4.959	9.310	0.0	0.0
0.0		Min	-1.795	-2.515	-19.489	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.597	2.271	4.416	0.0	0.0
0.0		Min	-0.877	-1.184	-11.323	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.679	2.449	4.922	0.0	0.0
0.0		Min	-0.935	-1.326	-10.948	-0.0	-0.0
-0.0							
	G1		-0.834	4.378	-12.624	0.0	0.0
-0.0							
	G2		-0.324	1.752	-4.866	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.832	-2.115	0.241	0.0	-0.0
-0.0							
	Q5_pc Y		-0.235	2.091	-0.280	-0.0	0.0
0.0							
	Q5_ps X		0.795	-2.011	0.224	0.0	-0.0
-0.0							
	Q5_ps Y		-0.224	1.949	-0.305	-0.0	0.0
0.0							
	INVSLU	Max	10.597	6.625	-36.109	0.0	0.0
0.0		Min	4.915	-7.272	-76.276	-0.0	0.0
-0.0							
	INVSLE	Max	8.254	4.177	-27.732	0.0	0.0
0.0		Min	4.156	-5.835	-57.447	-0.0	0.0
-0.0							
5134	C1-C2;~1	Max	1.129	4.530	8.727	0.0	0.0
0.0		Min	-1.710	-2.201	-21.202	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.308	4.885	9.929	0.0	0.0
0.0		Min	-1.813	-2.503	-20.585	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.598	2.225	4.709	0.0	0.0
0.0		Min	-0.885	-1.181	-11.969	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.680	2.399	5.249	0.0	0.0
0.0		Min	-0.942	-1.322	-11.569	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.872	4.344	-13.204	0.0	0.0
-0.0	G2		-0.340	1.737	-5.089	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.827	-2.130	0.255	0.0	-0.0
0.0	Q5_pc Y		-0.226	2.124	-0.291	-0.0	0.0
-0.0	Q5_ps X		0.790	-2.026	0.236	0.0	-0.0
0.0	Q5_ps Y		-0.215	1.981	-0.317	-0.0	0.0
-0.0	INVS LU	Max	10.065	6.549	-37.358	0.0	0.0
-0.0		Min	4.362	-7.259	-79.910	-0.0	0.0
-0.0	INVS LE	Max	7.843	4.120	-28.694	0.0	0.0
-0.0		Min	3.729	-5.824	-60.175	-0.0	0.0
5135	C1-C2;~1	Max	1.269	5.474	3.231	0.0	0.0
0.0		Min	-1.689	-2.481	-8.453	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.444	5.839	3.676	0.0	0.0
0.0		Min	-1.829	-2.821	-8.172	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.657	2.768	1.743	0.0	0.0
0.0		Min	-0.873	-1.286	-4.749	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.737	2.966	1.943	0.0	0.0
0.0		Min	-0.945	-1.442	-4.573	-0.0	-0.0
-0.0	G1		-0.563	4.678	-5.639	0.0	0.0
-0.0	G2		-0.227	1.851	-2.178	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.878	-1.976	0.097	0.0	-0.0
0.0	Q5_pc Y		-0.325	1.781	-0.114	-0.0	0.0
-0.0	Q5_ps X		0.839	-1.877	0.091	0.0	-0.0
0.0	Q5_ps Y		-0.307	1.656	-0.127	-0.0	0.0
0.0	INVS LU	Max	14.169	7.020	-17.142	0.0	0.0
-0.0		Min	8.171	-8.229	-33.720	-0.0	0.0
0.0	INVS LE	Max	11.022	4.448	-13.167	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	6.696	-6.584	-25.432	-0.0	0.0
-0.0							
5136	C1-C2;~1	Max	1.236	5.334	3.895	0.0	0.0
0.0		Min	-1.677	-2.432	-10.113	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.413	5.695	4.432	0.0	0.0
0.0		Min	-1.813	-2.760	-9.796	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.643	2.693	2.102	0.0	0.0
0.0		Min	-0.869	-1.267	-5.684	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.725	2.888	2.343	0.0	0.0
0.0		Min	-0.939	-1.418	-5.484	-0.0	-0.0
-0.0							
-0.0	G1		-0.591	4.638	-6.710	0.0	0.0
-0.0	G2		-0.234	1.846	-2.588	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.872	-1.994	0.118	0.0	-0.0
-0.0	Q5_pc Y		-0.312	1.821	-0.141	-0.0	0.0
0.0	Q5_ps X		0.833	-1.894	0.111	0.0	-0.0
-0.0	Q5_ps Y		-0.296	1.693	-0.157	-0.0	0.0
0.0							
0.0	INVSLU	Max	13.814	6.990	-20.301	0.0	0.0
0.0		Min	7.888	-8.015	-40.191	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.746	4.433	-15.594	0.0	0.0
0.0		Min	6.473	-6.416	-30.309	-0.0	0.0
-0.0							
5137	C1-C2;~1	Max	1.210	5.205	4.549	0.0	0.0
0.0		Min	-1.668	-2.384	-11.724	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.388	5.563	5.176	0.0	0.0
0.0		Min	-1.800	-2.703	-11.366	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.632	2.622	2.455	0.0	0.0
0.0		Min	-0.866	-1.248	-6.593	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.714	2.814	2.736	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.934	-1.396	-6.366	-0.0	-0.0
-0.0	G1		-0.621	4.598	-7.730	0.0	0.0
-0.0	G2		-0.244	1.834	-2.981	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.866	-2.013	0.138	0.0	-0.0
-0.0	Q5_pc Y		-0.299	1.863	-0.167	-0.0	0.0
0.0	Q5_ps X		0.827	-1.912	0.129	0.0	-0.0
-0.0	Q5_ps Y		-0.285	1.732	-0.184	-0.0	0.0
0.0	INVSLU	Max	13.416	6.927	-23.254	0.0	0.0
0.0		Min	7.554	-7.855	-46.369	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.437	4.391	-17.862	0.0	0.0
0.0		Min	6.210	-6.290	-34.961	-0.0	0.0
-0.0							
5138	C1-C2;~1	Max	1.187	5.086	5.191	0.0	0.0
0.0		Min	-1.662	-2.340	-13.279	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.365	5.441	5.906	0.0	0.0
0.0		Min	-1.790	-2.653	-12.879	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.623	2.555	2.801	0.0	0.0
0.0		Min	-0.863	-1.231	-7.472	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.705	2.744	3.122	0.0	0.0
0.0		Min	-0.930	-1.377	-7.218	-0.0	-0.0
-0.0							
-0.0	G1		-0.653	4.559	-8.698	0.0	0.0
-0.0	G2		-0.256	1.819	-3.354	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.860	-2.031	0.158	0.0	-0.0
-0.0	Q5_pc Y		-0.287	1.906	-0.191	-0.0	0.0
0.0	Q5_ps X		0.821	-1.930	0.147	0.0	-0.0
-0.0	Q5_ps Y		-0.273	1.772	-0.209	-0.0	0.0
0.0							
0.0	INVSLU	Max	12.977	6.823	-25.988	0.0	0.0
0.0		Min	7.170	-7.761	-52.231	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	10.097	4.315	-19.959	0.0	0.0
-0.0		Min	5.909	-6.217	-39.373	-0.0	0.0
5139	C1-C2;~1	Max	1.168	4.978	5.820	0.0	0.0
0.0		Min	-1.658	-2.302	-14.770	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.346	5.333	6.622	0.0	0.0
-0.0		Min	-1.782	-2.612	-14.332	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.615	2.494	3.140	0.0	0.0
0.0		Min	-0.862	-1.217	-8.316	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.697	2.681	3.501	0.0	0.0
-0.0		Min	-0.928	-1.361	-8.036	-0.0	-0.0
-0.0	G1		-0.688	4.520	-9.609	0.0	0.0
-0.0	G2		-0.270	1.802	-3.705	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.854	-2.050	0.176	0.0	-0.0
-0.0	Q5_pc Y		-0.274	1.947	-0.213	-0.0	0.0
0.0	Q5_ps X		0.815	-1.947	0.164	0.0	-0.0
-0.0	Q5_ps Y		-0.261	1.812	-0.232	-0.0	0.0
0.0							
0.0	INVSLU	Max	12.501	6.687	-28.497	0.0	0.0
-0.0		Min	6.740	-7.728	-57.759	-0.0	0.0
0.0							
-0.0	INVSLE	Max	9.727	4.213	-21.884	0.0	0.0
0.0		Min	5.574	-6.191	-43.532	-0.0	0.0
-0.0							
5140	C1-C2;~1	Max	1.402	6.109	0.037	0.0	0.0
0.0		Min	-1.762	-2.722	-0.451	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.577	6.506	0.055	0.0	0.0
-0.0		Min	-1.922	-3.122	-0.334	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.711	3.117	0.018	0.0	0.0
-0.0		Min	-0.901	-1.379	-0.280	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.792	3.336	0.027	0.0	0.0
-0.0		Min	-0.980	-1.559	-0.203	-0.0	-0.0
-0.0	G1		-0.460	4.889	-0.197	0.0	0.0
-0.0	G2		-0.190	1.926	-0.076	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.911	-1.882	-0.009	-0.0	-0.0
-0.0	Q5_pc Y		-0.399	1.558	0.038	-0.0	0.0
0.0	Q5_ps X		0.870	-1.786	-0.008	-0.0	-0.0
-0.0	Q5_ps Y		-0.377	1.446	0.030	-0.0	0.0
0.0							
0.0	INVSLU	Max	15.488	7.736	-0.158	0.0	0.0
-0.0		Min	9.125	-8.649	-0.910	0.0	0.0
0.0							
-0.0	INVSLE	Max	12.058	4.966	-0.112	0.0	0.0
0.0		Min	7.467	-6.920	-0.664	0.0	0.0
-0.0							
5141	C1-C2;~1	Max	1.377	5.979	0.665	0.0	0.0
0.0		Min	-1.748	-2.674	-1.916	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.552	6.372	0.756	0.0	0.0
-0.0		Min	-1.903	-3.062	-1.802	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.700	3.046	0.359	0.0	0.0
0.0		Min	-0.895	-1.360	-1.073	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.781	3.263	0.400	0.0	0.0
-0.0		Min	-0.973	-1.535	-1.003	-0.0	-0.0
0.0							
-0.0	G1		-0.473	4.850	-1.300	0.0	0.0
-0.0	G2		-0.192	1.920	-0.503	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.904	-1.901	0.013	-0.0	-0.0
0.0	Q5_pc Y		-0.383	1.603	0.003	-0.0	0.0
-0.0	Q5_ps X		0.864	-1.805	0.013	-0.0	-0.0
0.0	Q5_ps Y		-0.363	1.488	-0.005	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	15.341	7.655	-3.835	0.0	0.0
		Min	9.051	-8.504	-7.467	0.0	0.0
-0.0							
0.0	INVS LE	Max	11.943	4.916	-2.942	0.0	0.0
		Min	7.404	-6.800	-5.630	0.0	0.0
-0.0							
5142 0.0	C1-C2;~1	Max	1.349	5.846	1.312	0.0	0.0
		Min	-1.733	-2.627	-3.570	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.524	6.235	1.492	0.0	0.0
		Min	-1.884	-3.003	-3.420	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.689	2.974	0.708	0.0	0.0
		Min	-0.890	-1.342	-2.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.770	3.187	0.789	0.0	0.0
		Min	-0.966	-1.512	-1.909	-0.0	-0.0
-0.0							
-0.0	G1		-0.491	4.806	-2.413	0.0	0.0
-0.0	G2		-0.197	1.908	-0.931	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.898	-1.920	0.036	0.0	-0.0
-0.0	Q5_pc Y		-0.368	1.647	-0.030	-0.0	0.0
0.0	Q5_ps X		0.858	-1.822	0.034	0.0	-0.0
-0.0	Q5_ps Y		-0.349	1.529	-0.040	-0.0	0.0
0.0							
0.0	INVS LU	Max	15.129	7.537	-7.341	0.0	0.0
		Min	8.912	-8.389	-14.238	0.0	0.0
-0.0							
0.0	INVS LE	Max	11.776	4.835	-5.639	0.0	0.0
		Min	7.291	-6.706	-10.743	0.0	0.0
-0.0							
5143 0.0	C1-C2;~1	Max	1.322	5.716	1.956	0.0	0.0
		Min	-1.719	-2.579	-5.222	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.497	6.099	2.225	0.0	0.0
		Min	-1.865	-2.943	-5.030	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.678	2.903	1.055	0.0	0.0
		Min	-0.884	-1.324	-2.930	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.759	3.112	1.176	0.0	0.0
		Min	-0.959	-1.489	-2.811	-0.0	-0.0
-0.0							
-0.0	G1		-0.512	4.763	-3.515	0.0	0.0
-0.0	G2		-0.205	1.893	-1.356	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.891	-1.939	0.057	0.0	-0.0
-0.0	Q5_pc Y		-0.354	1.691	-0.060	-0.0	0.0
0.0	Q5_ps X		0.851	-1.840	0.054	0.0	-0.0
-0.0	Q5_ps Y		-0.336	1.570	-0.071	-0.0	0.0
0.0							
0.0	INVSLU	Max	14.858	7.391	-10.744	0.0	0.0
		Min	8.715	-8.304	-20.905	0.0	0.0
-0.0							
0.0	INVSLE	Max	11.563	4.729	-8.255	0.0	0.0
		Min	7.132	-6.639	-15.774	0.0	0.0
-0.0							
5144	C1-C2;~1	Max	1.294	5.590	2.596	0.0	0.0
0.0		Min	-1.704	-2.530	-6.854	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.469	5.966	2.953	0.0	0.0
		Min	-1.846	-2.882	-6.619	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.667	2.833	1.401	0.0	0.0
		Min	-0.879	-1.305	-3.848	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.747	3.038	1.561	0.0	0.0
		Min	-0.952	-1.465	-3.701	-0.0	-0.0
-0.0							
-0.0	G1		-0.536	4.721	-4.593	0.0	0.0
-0.0	G2		-0.214	1.876	-1.772	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.885	-1.957	0.077	0.0	-0.0
-0.0	Q5_pc Y		-0.339	1.735	-0.088	-0.0	0.0
0.0	Q5_ps X		0.845	-1.858	0.073	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.322	1.611	-0.101	-0.0	0.0
0.0	INVS LU	Max	14.536	7.216	-14.023	0.0	0.0
-0.0		Min	8.468	-8.251	-27.421	-0.0	0.0
0.0	INVS LE	Max	11.310	4.598	-10.774	0.0	0.0
-0.0		Min	6.933	-6.598	-20.686	-0.0	0.0
5145 0.0	C1-C2;~1	Max	1.425	6.225	1.185	0.0	0.0
-0.0		Min	-1.775	-2.765	-0.654	-0.0	-0.0
0.0	C3-C4;~1	Max	1.600	6.630	1.238	0.0	0.0
-0.0		Min	-1.938	-3.175	-0.667	-0.0	-0.0
0.0	C1-C2;~2	Max	0.720	3.180	0.659	0.0	0.0
-0.0		Min	-0.906	-1.395	-0.380	-0.0	-0.0
0.0	C3-C4;~2	Max	0.801	3.405	0.691	0.0	0.0
-0.0		Min	-0.987	-1.579	-0.355	-0.0	-0.0
-0.0	G1		-0.446	4.931	0.698	0.0	0.0
-0.0	G2		-0.184	1.945	0.270	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.916	-1.867	-0.027	-0.0	-0.0
0.0	Q5_pc Y		-0.409	1.525	0.061	0.0	0.0
-0.0	Q5_ps X		0.875	-1.772	-0.023	-0.0	-0.0
0.0	Q5_ps Y		-0.387	1.414	0.053	0.0	0.0
0.0	INVS LU	Max	15.617	8.006	5.498	0.0	0.0
-0.0		Min	9.192	-8.590	2.817	0.0	0.0
0.0	INVS LE	Max	12.160	5.172	4.185	0.0	0.0
-0.0		Min	7.522	-6.873	2.207	0.0	0.0
5147 0.0	C1-C2;~1	Max	3.466	1.330	1.063	0.0	0.0
-0.0		Min	-8.049	-3.089	-0.490	-0.0	-0.0
0.0	C3-C4;~1	Max	3.731	1.435	1.085	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-8.752	-3.376	-0.548	-0.0	-0.0
0.0	C1-C2;~2	Max	1.714	0.654	0.597	0.0	0.0
-0.0		Min	-4.195	-1.610	-0.262	-0.0	-0.0
0.0	C3-C4;~2	Max	1.843	0.703	0.606	0.0	0.0
-0.0		Min	-4.522	-1.748	-0.289	-0.0	-0.0
0.0	G1		-6.256	-2.354	0.641	0.0	0.0
0.0	G2		-2.437	-0.915	0.249	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.566	0.225	0.008	0.0	-0.0
0.0	Q5_pc Y		1.601	0.531	-0.033	-0.0	-0.0
-0.0	Q5_ps X		0.548	0.218	0.007	0.0	-0.0
0.0	Q5_ps Y		1.497	0.494	-0.033	-0.0	-0.0
0.0	INVSLU	Max	5.057	1.739	4.704	0.0	0.0
-0.0		Min	-14.677	-5.711	2.440	0.0	0.0
0.0	INVSLE	Max	4.235	1.469	3.563	0.0	0.0
-0.0		Min	-10.169	-3.979	1.891	0.0	0.0
5148	C1-C2;~1	Max	3.451	1.270	0.000	0.0	0.0
0.0		Min	-8.016	-2.949	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.713	1.366	0.000	0.0	0.0
-0.0		Min	-8.714	-3.206	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	1.708	0.628	0.000	0.0	0.0
-0.0		Min	-4.177	-1.537	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	1.836	0.675	0.000	0.0	0.0
-0.0		Min	-4.501	-1.656	0.000	-0.0	-0.0
0.0	G1		-6.247	-2.298	0.000	0.0	0.0
0.0	G2		-2.434	-0.895	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.561	0.206	0.000	0.0	-0.0
	Q5_pc Y		1.621	0.596	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.543	0.200	0.000	0.0	-0.0
0.0	Q5_ps Y		1.516	0.558	0.000	-0.0	-0.0
0.0	INVS LU	Max	5.090	1.873	0.000	0.0	0.0
-0.0		Min	-14.605	-5.373	0.000	0.0	0.0
0.0	INVS LE	Max	4.260	1.567	0.000	0.0	0.0
-0.0		Min	-10.113	-3.720	0.000	0.0	0.0
5149	C1-C2;~1	Max	3.434	1.196	0.754	0.0	0.0
0.0		Min	-7.968	-2.774	-1.824	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.692	1.277	0.844	0.0	0.0
-0.0		Min	-8.657	-2.986	-1.992	-0.0	-0.0
0.0	C1-C2;~2	Max	1.702	0.599	0.406	0.0	0.0
-0.0		Min	-4.151	-1.445	-1.000	-0.0	-0.0
0.0	C3-C4;~2	Max	1.828	0.640	0.447	0.0	0.0
-0.0		Min	-4.469	-1.537	-1.097	-0.0	-0.0
0.0	G1		-6.223	-2.231	-1.294	0.0	0.0
0.0	G2		-2.425	-0.871	-0.498	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	0.180	-0.009	0.0	-0.0
0.0	Q5_pc Y		1.622	0.685	0.043	-0.0	-0.0
-0.0	Q5_ps X		0.544	0.174	-0.005	0.0	-0.0
0.0	Q5_ps Y		1.517	0.644	0.032	-0.0	0.0
0.0	INVS LU	Max	5.144	2.035	-3.620	0.0	0.0
-0.0		Min	-14.447	-4.954	-7.525	0.0	0.0
0.0	INVS LE	Max	4.302	1.686	-2.778	0.0	0.0
-0.0		Min	-9.994	-3.400	-5.665	0.0	0.0
5150	C1-C2;~1	Max	3.412	1.121	1.450	0.0	0.0
0.0		Min	-7.891	-2.599	-3.453	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	3.665	1.186	1.620	0.0	0.0
-0.0		Min	-8.565	-2.757	-3.725	-0.0	-0.0
0.0	C1-C2;~2	Max	1.693	0.569	0.779	0.0	0.0
-0.0		Min	-4.111	-1.356	-1.902	-0.0	-0.0
0.0	C3-C4;~2	Max	1.817	0.604	0.858	0.0	0.0
-0.0		Min	-4.420	-1.413	-2.056	-0.0	-0.0
0.0	G1		-6.173	-2.168	-2.399	0.0	0.0
0.0	G2		-2.406	-0.849	-0.925	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	0.155	-0.011	0.0	-0.0
0.0	Q5_pc Y		1.627	0.773	0.065	-0.0	0.0
-0.0	Q5_ps X		0.544	0.149	-0.005	0.0	-0.0
0.0	Q5_ps Y		1.522	0.730	0.050	-0.0	0.0
0.0	INVSLU	Max	5.250	2.180	-7.021	0.0	0.0
-0.0		Min	-14.188	-4.534	-14.355	0.0	0.0
0.0	INVSLE	Max	4.382	1.792	-5.394	0.0	0.0
-0.0		Min	-9.799	-3.078	-10.818	0.0	0.0
5151	C1-C2;~1	Max	3.385	1.043	2.147	0.0	0.0
0.0		Min	-7.797	-2.463	-5.075	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.632	1.093	2.399	0.0	0.0
-0.0		Min	-8.451	-2.522	-5.455	-0.0	-0.0
0.0	C1-C2;~2	Max	1.682	0.539	1.154	0.0	0.0
-0.0		Min	-4.062	-1.294	-2.799	-0.0	-0.0
0.0	C3-C4;~2	Max	1.804	0.567	1.271	0.0	0.0
-0.0		Min	-4.359	-1.287	-3.014	-0.0	-0.0
0.0	G1		-6.108	-2.108	-3.490	0.0	0.0
0.0	G2		-2.382	-0.828	-1.346	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.562	0.130	-0.012	0.0	-0.0
0.0	Q5_pc Y		1.633	0.858	0.085	-0.0	0.0
-0.0	Q5_ps X		0.543	0.124	-0.003	0.0	-0.0
0.0	Q5_ps Y		1.530	0.814	0.065	-0.0	0.0
0.0	INVS LU	Max	5.390	2.310	-10.341	0.0	0.0
-0.0		Min	-13.862	-4.114	-21.097	0.0	0.0
0.0	INVS LE	Max	4.489	1.887	-7.947	0.0	0.0
-0.0		Min	-9.554	-2.758	-15.903	0.0	0.0
5152	C1-C2;~1	Max	3.354	0.974	2.834	0.0	0.0
0.0		Min	-7.687	-2.386	-6.664	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.596	1.015	3.166	0.0	0.0
-0.0		Min	-8.317	-2.282	-7.141	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.670	0.511	1.523	0.0	0.0
-0.0		Min	-4.004	-1.254	-3.680	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.790	0.536	1.677	0.0	0.0
-0.0		Min	-4.286	-1.178	-3.949	-0.0	-0.0
0.0							
0.0	G1		-6.029	-2.054	-4.547	0.0	0.0
0.0	G2		-2.351	-0.808	-1.753	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.561	0.107	-0.012	0.0	-0.0
0.0	Q5_pc Y		1.640	0.938	0.102	-0.0	-0.0
-0.0	Q5_ps X		0.541	0.101	-0.001	0.0	-0.0
0.0	Q5_ps Y		1.537	0.894	0.078	-0.0	0.0
0.0	INVS LU	Max	5.560	2.439	-13.535	0.0	0.0
-0.0		Min	-13.474	-3.842	-27.633	0.0	0.0
0.0	INVS LE	Max	4.618	1.980	-10.402	0.0	0.0
-0.0		Min	-9.262	-2.547	-20.831	0.0	0.0
5153	C1-C2;~1	Max	3.322	0.931	3.523	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-7.564	-2.333	-8.240	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.558	0.969	3.935	0.0	0.0
0.0		Min	-8.172	-2.201	-8.823	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.657	0.494	1.894	0.0	0.0
0.0		Min	-3.939	-1.226	-4.553	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.774	0.518	2.084	0.0	0.0
0.0		Min	-4.208	-1.134	-4.881	-0.0	-0.0
-0.0							
0.0		G1	-5.937	-2.006	-5.585	0.0	0.0
0.0		G2	-2.316	-0.791	-2.151	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.560	0.086	-0.011	0.0	-0.0
-0.0	Q5_pc	Y	1.645	1.012	0.117	-0.0	0.0
0.0	Q5_ps	X	0.540	0.080	0.002	0.0	-0.0
-0.0	Q5_ps	Y	1.544	0.967	0.090	-0.0	0.0
0.0							
0.0	INVSLU	Max	5.755	2.586	-16.598	0.0	0.0
0.0		Min	-13.041	-3.694	-34.031	0.0	0.0
-0.0							
0.0	INVSLE	Max	4.765	2.087	-12.754	0.0	0.0
0.0		Min	-8.938	-2.430	-25.652	0.0	0.0
-0.0							
5154	C1-C2;~1	Max	3.286	0.914	4.265	0.0	0.0
0.0		Min	-7.419	-2.309	-9.908	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.515	0.953	4.765	0.0	0.0
0.0		Min	-8.006	-2.169	-10.607	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.643	0.487	2.293	0.0	0.0
0.0		Min	-3.862	-1.210	-5.477	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.757	0.512	2.524	0.0	0.0
0.0		Min	-4.119	-1.118	-5.871	-0.0	-0.0
-0.0							
0.0		G1	-5.825	-1.962	-6.663	0.0	0.0
0.0		G2	-2.273	-0.775	-2.569	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X	0.560	0.067	-0.006	0.0	-0.0	
-0.0	Q5_pc Y	1.649	1.082	0.123	-0.0	0.0	
0.0	Q5_ps X	0.540	0.060	0.008	0.0	-0.0	
-0.0	Q5_ps Y	1.548	1.037	0.091	-0.0	0.0	
0.0	INVS LU	Max	5.988	2.753	-19.719	0.0	0.0
0.0		Min	-12.534	-3.599	-40.691	0.0	0.0
-0.0	INVS LE	Max	4.942	2.208	-15.148	0.0	0.0
0.0		Min	-8.558	-2.353	-30.666	0.0	0.0
-0.0							
5155	C1-C2;~1	Max	3.249	0.927	4.993	0.0	0.0
0.0		Min	-7.261	-2.353	-11.529	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.471	0.979	5.577	0.0	0.0
0.0		Min	-7.830	-2.170	-12.331	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.627	0.493	2.684	0.0	0.0
0.0		Min	-3.777	-1.233	-6.378	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.739	0.523	2.954	0.0	0.0
0.0		Min	-4.023	-1.115	-6.830	-0.0	-0.0
-0.0							
0.0	G1		-5.701	-1.928	-7.697	0.0	0.0
0.0	G2		-2.226	-0.762	-2.969	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.561	0.052	-0.002	0.0	-0.0
-0.0	Q5_pc Y		1.651	1.144	0.128	-0.0	0.0
0.0	Q5_ps X		0.540	0.044	0.015	0.0	-0.0
-0.0	Q5_ps Y		1.552	1.100	0.093	-0.0	0.0
0.0							
0.0	INVS LU	Max	6.239	2.951	-22.662	0.0	0.0
0.0		Min	-11.988	-3.610	-47.068	0.0	0.0
-0.0							
0.0	INVS LE	Max	5.131	2.349	-17.404	0.0	0.0
0.0		Min	-8.151	-2.355	-35.466	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5156	C1-C2;~1	Max	3.208	0.959	5.715	0.0	0.0
0.0		Min	-7.087	-2.411	-13.109	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.422	1.037	6.383	0.0	0.0
0.0		Min	-7.635	-2.188	-14.017	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.611	0.507	3.072	0.0	0.0
0.0		Min	-3.683	-1.261	-7.256	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.720	0.546	3.381	0.0	0.0
0.0		Min	-3.917	-1.119	-7.768	-0.0	-0.0
-0.0							
	G1		-5.564	-1.901	-8.685	0.0	0.0
0.0	G2		-2.172	-0.751	-3.350	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.561	0.038	0.004	0.0	-0.0
-0.0	Q5_pc Y		1.652	1.199	0.130	-0.0	0.0
0.0	Q5_ps X		0.540	0.030	0.022	0.0	-0.0
-0.0	Q5_ps Y		1.554	1.155	0.092	-0.0	0.0
0.0							
	INVSLU	Max	6.509	3.159	-25.397	0.0	0.0
0.0		Min	-11.392	-3.654	-53.173	0.0	0.0
-0.0							
	INVSLE	Max	5.334	2.504	-19.501	0.0	0.0
0.0		Min	-7.706	-2.383	-40.058	0.0	0.0
-0.0							
5157	C1-C2;~1	Max	3.163	1.005	6.420	0.0	0.0
0.0		Min	-6.895	-2.475	-14.631	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.369	1.108	7.171	0.0	0.0
0.0		Min	-7.421	-2.214	-15.636	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.593	0.526	3.451	0.0	0.0
0.0		Min	-3.579	-1.292	-8.102	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.698	0.575	3.798	0.0	0.0
0.0		Min	-3.800	-1.125	-8.669	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-5.414	-1.880	-9.616	0.0	0.0
0.0	G2		-2.115	-0.743	-3.708	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	0.026	0.010	0.0	-0.0
0.0	Q5_pc Y		1.653	1.250	0.132	-0.0	0.0
-0.0	Q5_ps X		0.540	0.017	0.029	0.0	-0.0
0.0	Q5_ps Y		1.557	1.207	0.091	-0.0	0.0
0.0	INVS LU	Max	6.797	3.368	-27.917	0.0	0.0
-0.0		Min	-10.745	-3.719	-58.943	0.0	0.0
0.0	INVS LE	Max	5.549	2.656	-21.433	0.0	0.0
-0.0		Min	-7.225	-2.427	-44.398	0.0	0.0
5158	C1-C2;~1	Max	3.116	1.061	7.120	0.0	0.0
0.0		Min	-6.691	-2.544	-16.109	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.313	1.189	7.953	0.0	0.0
-0.0		Min	-7.195	-2.246	-17.220	-0.0	-0.0
0.0	C1-C2;~2	Max	1.573	0.548	3.827	0.0	0.0
-0.0		Min	-3.468	-1.324	-8.923	-0.0	-0.0
0.0	C3-C4;~2	Max	1.675	0.608	4.212	0.0	0.0
-0.0		Min	-3.677	-1.135	-9.551	-0.0	-0.0
0.0	G1		-5.253	-1.865	-10.501	0.0	0.0
0.0	G2		-2.053	-0.737	-4.048	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.563	0.015	0.016	0.0	-0.0
0.0	Q5_pc Y		1.654	1.298	0.131	-0.0	0.0
-0.0	Q5_ps X		0.540	0.006	0.038	0.0	-0.0
0.0	Q5_ps Y		1.558	1.255	0.088	-0.0	0.0
0.0	INVS LU	Max	7.101	3.577	-30.212	0.0	0.0
-0.0		Min	-10.062	-3.800	-64.430	0.0	0.0
0.0	INVS LE	Max	5.777	2.808	-23.193	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-6.716	-2.483	-48.523	0.0	0.0
-0.0							
5159	C1-C2;~1	Max	3.066	1.122	7.802	0.0	0.0
0.0		Min	-6.474	-2.616	-17.498	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.255	1.275	8.714	0.0	0.0
0.0		Min	-6.961	-2.281	-18.713	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.553	0.573	4.193	0.0	0.0
0.0		Min	-3.350	-1.358	-9.696	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.652	0.643	4.615	0.0	0.0
0.0		Min	-3.548	-1.145	-10.383	-0.0	-0.0
-0.0							
0.0	G1		-5.084	-1.853	-11.303	0.0	0.0
0.0	G2		-1.987	-0.732	-4.359	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	0.004	0.025	0.0	-0.0
-0.0	Q5_pc Y		1.654	1.347	0.122	-0.0	0.0
0.0	Q5_ps X		0.540	-0.006	0.048	0.0	-0.0
-0.0	Q5_ps Y		1.560	1.304	0.077	-0.0	0.0
0.0							
0.0	INVS LU	Max	7.421	3.784	-32.214	0.0	0.0
0.0		Min	-9.347	-3.893	-69.461	0.0	0.0
-0.0							
0.0	INVS LE	Max	6.016	2.960	-24.727	0.0	0.0
0.0		Min	-6.184	-2.548	-52.301	0.0	0.0
-0.0							
5160	C1-C2;~1	Max	3.015	1.186	8.461	0.0	0.0
0.0		Min	-6.247	-2.690	-18.819	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.194	1.369	9.450	0.0	0.0
0.0		Min	-6.716	-2.319	-20.125	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.532	0.600	4.548	0.0	0.0
0.0		Min	-3.225	-1.393	-10.432	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.627	0.684	5.005	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.414	-1.157	-11.172	-0.0	-0.0
-0.0	G1		-4.906	-1.844	-12.044	0.0	0.0
0.0	G2		-1.919	-0.729	-4.646	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.564	-0.006	0.034	0.0	-0.0
-0.0	Q5_pc Y		1.655	1.394	0.115	-0.0	0.0
0.0	Q5_ps X		0.540	-0.017	0.058	0.0	-0.0
-0.0	Q5_ps Y		1.562	1.351	0.068	-0.0	0.0
0.0	INVSLU	Max	7.750	3.996	-33.986	0.0	0.0
0.0		Min	-8.608	-3.993	-74.120	0.0	0.0
-0.0							
0.0	INVSLE	Max	6.262	3.115	-26.086	0.0	0.0
0.0		Min	-5.634	-2.617	-55.800	0.0	0.0
-0.0							
5161	C1-C2;~1	Max	2.958	1.252	9.103	0.0	0.0
0.0		Min	-6.001	-2.766	-20.062	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.128	1.520	10.168	0.0	0.0
0.0		Min	-6.451	-2.372	-21.461	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.509	0.626	4.893	0.0	0.0
0.0		Min	-3.091	-1.429	-11.124	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.600	0.768	5.385	0.0	0.0
0.0		Min	-3.268	-1.179	-11.918	-0.0	-0.0
-0.0							
0.0	G1		-4.717	-1.840	-12.711	0.0	0.0
0.0	G2		-1.846	-0.728	-4.904	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.564	-0.017	0.043	0.0	-0.0
-0.0	Q5_pc Y		1.656	1.439	0.105	-0.0	0.0
0.0	Q5_ps X		0.539	-0.028	0.068	0.0	-0.0
-0.0	Q5_ps Y		1.563	1.397	0.057	-0.0	0.0
0.0							
0.0	INVSLU	Max	8.091	4.273	-35.491	0.0	0.0
0.0		Min	-7.821	-4.103	-78.379	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	6.516	3.318	-27.242	0.0	0.0
-0.0		Min	-5.049	-2.694	-58.997	0.0	0.0
5162	C1-C2;~1	Max	2.900	1.318	9.725	0.0	0.0
0.0		Min	-5.760	-2.852	-21.237	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.060	1.669	10.863	0.0	0.0
-0.0		Min	-6.190	-2.498	-22.723	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.485	0.653	5.227	0.0	0.0
0.0		Min	-2.959	-1.474	-11.780	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.572	0.850	5.753	0.0	0.0
-0.0		Min	-3.124	-1.211	-12.624	-0.0	-0.0
0.0	G1		-4.536	-1.835	-13.312	0.0	0.0
0.0	G2		-1.776	-0.725	-5.135	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.563	-0.026	0.052	0.0	-0.0
0.0	Q5_pc Y		1.658	1.482	0.096	-0.0	0.0
-0.0	Q5_ps X		0.539	-0.037	0.078	0.0	-0.0
0.0	Q5_ps Y		1.566	1.439	0.047	-0.0	0.0
0.0							
-0.0	INVSLU	Max	8.405	4.550	-36.738	0.0	0.0
0.0		Min	-7.065	-4.221	-82.252	0.0	0.0
-0.0							
0.0	INVSLE	Max	6.751	3.522	-28.202	0.0	0.0
-0.0		Min	-4.488	-2.777	-61.903	0.0	0.0
5163	C1-C2;~1	Max	2.840	1.383	10.339	0.0	0.0
0.0		Min	-5.507	-2.935	-22.363	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.989	1.815	11.549	0.0	0.0
-0.0		Min	-5.919	-2.600	-23.941	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.461	0.680	5.557	0.0	0.0
		Min	-2.820	-1.516	-12.407	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.544	0.931	6.117	0.0	0.0
-0.0		Min	-2.975	-1.276	-13.305	-0.0	-0.0
0.0	G1		-4.348	-1.833	-13.863	0.0	0.0
0.0	G2		-1.703	-0.724	-5.346	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.035	0.061	0.0	-0.0
-0.0	Q5_pc Y		1.659	1.522	0.086	-0.0	0.0
0.0	Q5_ps X		0.538	-0.047	0.088	0.0	-0.0
-0.0	Q5_ps Y		1.568	1.480	0.036	-0.0	0.0
0.0							
0.0	INVSLU	Max	8.728	4.812	-37.730	0.0	0.0
-0.0		Min	-6.283	-4.340	-85.797	0.0	0.0
0.0							
0.0	INVSLE	Max	6.991	3.715	-28.967	0.0	0.0
-0.0		Min	-3.907	-2.862	-64.561	0.0	0.0
5164	C1-C2;~1	Max	2.778	1.479	10.921	0.0	0.0
0.0		Min	-5.248	-3.013	-23.357	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.916	1.957	12.199	0.0	0.0
-0.0		Min	-5.643	-2.703	-25.028	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.435	0.730	5.870	0.0	0.0
-0.0		Min	-2.677	-1.556	-12.961	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.514	1.009	6.461	0.0	0.0
-0.0		Min	-2.823	-1.328	-13.913	-0.0	-0.0
0.0							
0.0	G1		-4.157	-1.832	-14.307	0.0	0.0
0.0	G2		-1.629	-0.724	-5.520	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.042	0.072	0.0	-0.0
-0.0	Q5_pc Y		1.659	1.560	0.069	-0.0	0.0
0.0	Q5_ps X		0.537	-0.055	0.100	0.0	-0.0
-0.0	Q5_ps Y		1.569	1.517	0.018	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	9.051	5.061	-38.390	0.0	0.0	
		Min	-5.491	-4.456	-88.776	0.0	0.0	
-0.0								
0.0	INVS LE	Max	7.231	3.898	-29.478	0.0	0.0	
		Min	-3.319	-2.944	-66.792	0.0	0.0	
-0.0								
5165 0.0	C1-C2;~1	Max	2.715	1.585	11.473	0.0	0.0	
		Min	-4.985	-3.086	-24.267	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.843	2.095	12.816	0.0	0.0	
		Min	-5.374	-2.806	-26.015	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.410	0.788	6.166	0.0	0.0	
		Min	-2.515	-1.592	-13.469	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.484	1.086	6.787	0.0	0.0	
		Min	-2.675	-1.380	-14.465	-0.0	-0.0	
-0.0								
0.0	G1		-3.963	-1.833	-14.683	0.0	0.0	
0.0	G2		-1.555	-0.724	-5.666	0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.563	-0.049	0.082	0.0	-0.0	
0.0	Q5_pc Y		1.659	1.595	0.055	-0.0	0.0	
-0.0	Q5_ps X		0.537	-0.062	0.111	0.0	-0.0	
0.0	Q5_ps Y		1.570	1.552	0.002	-0.0	0.0	
0.0								
0.0	INVS LU	Max	9.372	5.299	-38.782	0.0	0.0	
		Min	-4.707	-4.567	-91.351	-0.0	0.0	
-0.0								
0.0	INVS LE	Max	7.470	4.073	-29.788	0.0	0.0	
		Min	-2.738	-3.022	-68.717	0.0	0.0	
-0.0								
5166 0.0	C1-C2;~1	Max	2.650	1.687	12.002	0.0	0.0	
		Min	-4.721	-3.154	-25.092	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	2.771	2.227	13.407	0.0	0.0	
		Min	-5.168	-2.906	-26.918	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.383	0.844	6.451	0.0	0.0
		Min	-2.377	-1.626	-13.928	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.455	1.159	7.100	0.0	0.0
		Min	-2.574	-1.430	-14.971	-0.0	-0.0
-0.0							
0.0	G1		-3.768	-1.836	-14.986	0.0	0.0
0.0	G2		-1.479	-0.725	-5.784	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.055	0.092	0.0	-0.0
-0.0	Q5_pc Y		1.659	1.628	0.040	-0.0	0.0
0.0	Q5_ps X		0.536	-0.068	0.121	0.0	-0.0
-0.0	Q5_ps Y		1.571	1.584	-0.013	-0.0	0.0
0.0							
0.0	INVSLU	Max	9.695	5.522	-38.902	0.0	0.0
		Min	-4.010	-4.672	-93.507	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.710	4.238	-29.891	0.0	0.0
		Min	-2.221	-3.096	-70.327	-0.0	-0.0
-0.0							
5167	C1-C2;~1	Max	2.587	1.786	12.497	0.0	0.0
0.0		Min	-4.522	-3.216	-25.819	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.705	2.352	13.960	0.0	0.0
		Min	-4.965	-3.004	-27.713	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.357	0.898	6.717	0.0	0.0
		Min	-2.288	-1.656	-14.333	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.427	1.229	7.393	0.0	0.0
		Min	-2.475	-1.479	-15.415	-0.0	-0.0
-0.0							
0.0	G1		-3.571	-1.840	-15.210	0.0	0.0
0.0	G2		-1.403	-0.727	-5.869	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.563	-0.060	0.101	0.0	-0.0
-0.0	Q5_pc Y		1.659	1.657	0.026	-0.0	0.0
0.0	Q5_ps X		0.536	-0.073	0.131	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.571	1.613	-0.027	-0.0	0.0
0.0	INVS LU	Max	10.022	5.731	-38.763	0.0	0.0
-0.0		Min	-3.319	-4.769	-95.203	-0.0	-0.0
0.0	INVS LE	Max	7.952	4.392	-29.798	0.0	0.0
-0.0		Min	-1.709	-3.165	-71.592	-0.0	-0.0
5168 0.0	C1-C2;~1	Max	2.531	1.883	12.974	0.0	0.0
-0.0		Min	-4.331	-3.271	-26.473	-0.0	-0.0
0.0	C3-C4;~1	Max	2.647	2.473	14.494	0.0	0.0
-0.0		Min	-4.773	-3.101	-28.435	-0.0	-0.0
0.0	C1-C2;~2	Max	1.334	0.951	6.973	0.0	0.0
-0.0		Min	-2.194	-1.682	-14.696	-0.0	-0.0
0.0	C3-C4;~2	Max	1.403	1.296	7.676	0.0	0.0
-0.0		Min	-2.379	-1.527	-15.819	-0.0	-0.0
0.0	G1		-3.375	-1.844	-15.371	0.0	0.0
0.0	G2		-1.327	-0.728	-5.930	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	-0.064	0.110	0.0	-0.0
0.0	Q5_pc Y		1.658	1.684	0.012	-0.0	0.0
-0.0	Q5_ps X		0.535	-0.078	0.140	-0.0	-0.0
0.0	Q5_ps Y		1.571	1.640	-0.039	-0.0	0.0
0.0	INVS LU	Max	10.357	5.930	-38.366	0.0	0.0
-0.0		Min	-2.645	-4.857	-96.518	-0.0	-0.0
0.0	INVS LE	Max	8.201	4.539	-29.509	0.0	0.0
-0.0		Min	-1.209	-3.227	-72.570	-0.0	-0.0
5169 0.0	C1-C2;~1	Max	2.485	1.977	13.409	0.0	0.0
-0.0		Min	-4.149	-3.319	-26.962	-0.0	-0.0
0.0	C3-C4;~1	Max	2.601	2.590	14.981	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
		Min	-4.635	-3.217	-28.988	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.315	1.003	7.207	0.0	0.0
0.0							
		Min	-2.103	-1.704	-14.963	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.384	1.361	7.934	0.0	0.0
0.0							
		Min	-2.319	-1.591	-16.122	-0.0	-0.0
-0.0							
	G1		-3.182	-1.848	-15.427	0.0	-0.0
0.0							
	G2		-1.253	-0.730	-5.954	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.562	-0.067	0.120	0.0	-0.0
-0.0							
	Q5_pc Y		1.657	1.708	-0.007	-0.0	0.0
0.0							
	Q5_ps X		0.535	-0.081	0.151	0.0	-0.0
-0.0							
	Q5_ps Y		1.570	1.663	-0.059	-0.0	0.0
0.0							
	INVSLU	Max	10.697	6.121	-37.656	0.0	0.0
0.0							
		Min	-2.054	-4.932	-97.229	-0.0	-0.0
-0.0							
	INVSLE	Max	8.453	4.680	-28.980	0.0	0.0
0.0							
		Min	-0.772	-3.279	-73.092	-0.0	-0.0
-0.0							
5170	C1-C2;~1	Max	2.450	2.073	13.806	0.0	0.0
0.0							
		Min	-3.993	-3.358	-27.356	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.569	2.707	15.425	0.0	0.0
0.0							
		Min	-4.517	-3.334	-29.434	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.300	1.056	7.420	0.0	0.0
0.0							
		Min	-2.027	-1.720	-15.176	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.370	1.427	8.169	0.0	0.0
0.0							
		Min	-2.268	-1.655	-16.366	-0.0	-0.0
-0.0							
	G1		-2.991	-1.849	-15.414	0.0	-0.0
0.0							
	G2		-1.179	-0.730	-5.951	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.562	-0.070	0.129	0.0	-0.0
-0.0							
	Q5_pc Y		1.655	1.730	-0.024	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.535	-0.084	0.161	0.0	-0.0
0.0	Q5_ps Y		1.568	1.684	-0.077	-0.0	0.0
0.0	INVS LU	Max	11.043	6.314	-36.720	0.0	-0.0
-0.0		Min	-1.502	-4.987	-97.513	-0.0	-0.0
0.0	INVS LE	Max	8.709	4.824	-28.280	0.0	-0.0
-0.0		Min	-0.363	-3.317	-73.294	-0.0	-0.0
5171	C1-C2;~1	Max	2.425	2.174	14.174	0.0	0.0
0.0		Min	-3.878	-3.386	-27.660	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.550	2.826	15.837	0.0	0.0
-0.0		Min	-4.413	-3.453	-29.783	-0.0	-0.0
0.0	C1-C2;~2	Max	1.289	1.112	7.618	0.0	0.0
-0.0		Min	-1.977	-1.729	-15.339	-0.0	-0.0
0.0	C3-C4;~2	Max	1.362	1.493	8.387	0.0	0.0
-0.0		Min	-2.223	-1.720	-16.554	-0.0	-0.0
0.0	G1		-2.803	-1.843	-15.330	0.0	-0.0
0.0	G2		-1.106	-0.728	-5.919	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	-0.071	0.138	0.0	-0.0
-0.0	Q5_pc Y		1.653	1.748	-0.041	-0.0	0.0
0.0	Q5_ps X		0.534	-0.085	0.170	0.0	-0.0
-0.0	Q5_ps Y		1.567	1.701	-0.093	-0.0	0.0
0.0							
0.0	INVS LU	Max	11.397	6.517	-35.539	0.0	-0.0
-0.0		Min	-0.979	-5.106	-97.375	-0.0	-0.0
0.0	INVS LE	Max	8.971	4.974	-27.393	0.0	-0.0
-0.0		Min	0.023	-3.403	-73.179	-0.0	-0.0
5172	C1-C2;~1	Max	2.414	2.283	14.498	0.0	0.0
0.0		Min	-3.778	-3.403	-27.857	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.548	2.950	16.201	0.0	0.0
-0.0		Min	-4.328	-3.575	-30.013	-0.0	-0.0
0.0	C1-C2;~2	Max	1.283	1.173	7.792	0.0	0.0
-0.0		Min	-1.933	-1.732	-15.442	-0.0	-0.0
0.0	C3-C4;~2	Max	1.360	1.563	8.580	0.0	0.0
-0.0		Min	-2.185	-1.787	-16.675	-0.0	-0.0
0.0	G1		-2.616	-1.827	-15.172	0.0	-0.0
0.0	G2		-1.034	-0.722	-5.857	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	-0.072	0.146	0.0	-0.0
0.0	Q5_pc Y		1.651	1.763	-0.056	-0.0	0.0
-0.0	Q5_ps X		0.534	-0.086	0.177	0.0	-0.0
0.0	Q5_ps Y		1.565	1.715	-0.108	-0.0	0.0
0.0	INVSLU	Max	11.760	6.737	-34.141	0.0	-0.0
-0.0		Min	-0.493	-5.245	-96.792	-0.0	-0.0
0.0	INVSLE	Max	9.239	5.137	-26.342	0.0	-0.0
-0.0		Min	0.382	-3.503	-72.731	-0.0	-0.0
5173	C1-C2;~1	Max	2.420	2.405	14.803	0.0	0.0
0.0		Min	-3.695	-3.409	-27.988	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.565	3.083	16.542	0.0	0.0
-0.0		Min	-4.262	-3.704	-30.172	-0.0	-0.0
0.0	C1-C2;~2	Max	1.285	1.241	7.955	0.0	0.0
-0.0		Min	-1.896	-1.728	-15.507	-0.0	-0.0
0.0	C3-C4;~2	Max	1.365	1.638	8.760	0.0	0.0
-0.0		Min	-2.154	-1.858	-16.755	-0.0	-0.0
0.0	G1		-2.431	-1.799	-14.962	0.0	-0.0
0.0	G2		-0.962	-0.711	-5.774	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.561	-0.072	0.153	0.0	-0.0
0.0	Q5_pc Y		1.648	1.775	-0.070	-0.0	0.0
0.0	Q5_ps X		0.533	-0.086	0.184	-0.0	-0.0
0.0	Q5_ps Y		1.561	1.726	-0.120	-0.0	0.0
0.0	INVSLU	Max	12.136	6.987	-32.530	0.0	-0.0
-0.0		Min	-0.046	-5.371	-95.868	-0.0	-0.0
0.0	INVSLE	Max	9.516	5.322	-25.129	0.0	-0.0
-0.0		Min	0.712	-3.595	-72.026	-0.0	-0.0
5174	C1-C2;~1	Max	2.450	2.552	15.046	0.0	0.0
0.0		Min	-3.634	-3.404	-27.903	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.604	3.241	16.815	0.0	0.0
0.0		Min	-4.219	-3.847	-30.115	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.295	1.324	8.086	0.0	0.0
0.0		Min	-1.867	-1.694	-15.444	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.380	1.725	8.905	0.0	0.0
0.0		Min	-2.133	-1.938	-16.707	-0.0	-0.0
-0.0	G1		-2.242	-1.748	-14.630	-0.0	-0.0
0.0	G2		-0.889	-0.691	-5.649	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.561	-0.071	0.160	0.0	-0.0
0.0	Q5_pc Y		1.644	1.783	-0.089	0.0	0.0
0.0	Q5_ps X		0.532	-0.085	0.192	0.0	-0.0
0.0	Q5_ps Y		1.558	1.734	-0.139	0.0	0.0
0.0	INVSLU	Max	12.537	7.298	-30.609	0.0	-0.0
-0.0		Min	0.366	-5.480	-94.254	-0.0	-0.0
0.0	INVSLE	Max	9.811	5.552	-23.678	0.0	-0.0
-0.0		Min	1.015	-3.676	-70.801	-0.0	-0.0
5175	C1-C2;~1	Max	2.499	2.676	15.240	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.601	-3.392	-27.723	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.662	3.370	17.034	0.0	0.0
0.0		Min	-4.202	-3.981	-29.952	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.314	1.394	8.190	0.0	0.0
0.0		Min	-1.850	-1.737	-15.329	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.402	1.797	9.021	0.0	0.0
0.0		Min	-2.121	-2.012	-16.599	-0.0	-0.0
-0.0							
0.0	G1		-2.069	-1.717	-14.240	-0.0	0.0
0.0	G2		-0.822	-0.679	-5.499	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.560	-0.069	0.167	0.0	-0.0
0.0	Q5_pc Y		1.640	1.789	-0.107	0.0	-0.0
0.0	Q5_ps X		0.532	-0.083	0.199	0.0	-0.0
0.0	Q5_ps Y		1.554	1.739	-0.156	0.0	-0.0
0.0							
0.0	INVSLU	Max	12.921	7.541	-28.526	0.0	-0.0
0.0		Min	0.702	-5.603	-92.258	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.094	5.732	-22.104	0.0	-0.0
0.0		Min	1.262	-3.766	-69.290	-0.0	-0.0
-0.0							
5176	C1-C2;~1	Max	2.563	2.755	15.394	0.0	0.0
0.0		Min	-3.592	-3.485	-27.451	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.731	3.447	17.208	0.0	0.0
0.0		Min	-4.207	-4.092	-29.682	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.338	1.438	8.273	0.0	0.0
0.0		Min	-1.842	-1.789	-15.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.429	1.839	9.112	0.0	0.0
0.0		Min	-2.119	-2.073	-16.432	-0.0	-0.0
-0.0							
0.0	G1		-1.919	-1.724	-13.789	-0.0	0.0
0.0	G2		-0.763	-0.682	-5.325	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.560	-0.065	0.173	0.0	-0.0
0.0	Q5_pc Y		1.637	1.794	-0.123	0.0	-0.0
0.0	Q5_ps X		0.531	-0.080	0.205	0.0	-0.0
0.0	Q5_ps Y		1.551	1.742	-0.171	0.0	-0.0
0.0	INVS LU	Max	13.272	7.657	-26.260	0.0	-0.0
-0.0		Min	0.960	-5.750	-89.872	-0.0	-0.0
0.0	INVS LE	Max	10.352	5.818	-20.390	0.0	-0.0
-0.0		Min	1.450	-3.873	-67.487	-0.0	-0.0
5177	C1-C2;~1	Max	2.636	2.792	15.489	0.0	0.0
0.0		Min	-3.604	-3.561	-27.082	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.810	3.478	17.316	0.0	0.0
-0.0		Min	-4.233	-4.183	-29.306	-0.0	-0.0
0.0	C1-C2;~2	Max	1.366	1.459	8.324	0.0	0.0
-0.0		Min	-1.842	-1.831	-14.942	-0.0	-0.0
0.0	C3-C4;~2	Max	1.459	1.855	9.170	0.0	0.0
-0.0		Min	-2.125	-2.122	-16.206	-0.0	-0.0
-0.0	G1		-1.793	-1.766	-13.289	-0.0	-0.0
-0.0	G2		-0.714	-0.699	-5.131	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.061	0.177	0.0	-0.0
0.0	Q5_pc Y		1.633	1.797	-0.137	0.0	-0.0
0.0	Q5_ps X		0.530	-0.075	0.208	0.0	-0.0
-0.0	Q5_ps Y		1.547	1.744	-0.182	0.0	-0.0
0.0	INVS LU	Max	13.584	7.655	-23.893	0.0	-0.0
-0.0		Min	1.137	-5.922	-87.151	-0.0	-0.0
0.0	INVS LE	Max	10.580	5.819	-18.598	0.0	-0.0
-0.0		Min	1.578	-3.998	-65.432	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5178	C1-C2;~1	Max	2.722	2.814	15.549	0.0	0.0
0.0		Min	-3.637	-3.632	-26.638	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.902	3.494	17.386	0.0	0.0
0.0		Min	-4.280	-4.269	-28.840	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.400	1.471	8.356	0.0	0.0
0.0		Min	-1.851	-1.870	-14.682	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.494	1.863	9.206	0.0	0.0
0.0		Min	-2.139	-2.168	-15.930	-0.0	-0.0
-0.0							
	G1		-1.683	-1.822	-12.740	0.0	-0.0
-0.0							
	G2		-0.672	-0.721	-4.916	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.558	-0.056	0.180	0.0	-0.0
0.0							
	Q5_pc Y		1.630	1.798	-0.148	-0.0	0.0
-0.0							
	Q5_ps X		0.529	-0.070	0.210	0.0	-0.0
0.0							
	Q5_ps Y		1.543	1.743	-0.191	-0.0	0.0
-0.0							
	INVSLU	Max	13.876	7.606	-21.404	0.0	-0.0
0.0		Min	1.247	-6.110	-84.133	-0.0	-0.0
-0.0							
	INVSLE	Max	10.795	5.784	-16.713	0.0	-0.0
0.0		Min	1.657	-4.135	-63.154	-0.0	-0.0
-0.0							
5179	C1-C2;~1	Max	2.820	2.887	15.511	0.0	0.0
0.0		Min	-3.683	-3.733	-25.988	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.004	3.569	17.346	0.0	0.0
0.0		Min	-4.338	-4.388	-28.157	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.438	1.512	8.335	0.0	0.0
0.0		Min	-1.865	-1.927	-14.303	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.534	1.906	9.185	0.0	0.0
0.0		Min	-2.158	-2.234	-15.529	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.579	-1.841	-12.098	-0.0	-0.0
-0.0	G2		-0.631	-0.729	-4.670	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.557	-0.050	0.183	0.0	-0.0
-0.0	Q5_pc Y		1.626	1.794	-0.164	0.0	0.0
0.0	Q5_ps X		0.528	-0.064	0.213	0.0	-0.0
-0.0	Q5_ps Y		1.540	1.738	-0.205	0.0	0.0
0.0	INVS LU	Max	14.157	7.675	-18.813	0.0	-0.0
-0.0		Min	1.317	-6.296	-80.571	-0.0	-0.0
0.0	INVS LE	Max	11.000	5.836	-14.747	0.0	-0.0
-0.0		Min	1.706	-4.274	-60.469	-0.0	-0.0
5180	C1-C2;~1	Max	2.915	2.944	15.427	0.0	0.0
0.0		Min	-3.734	-3.825	-25.270	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.101	3.638	17.255	0.0	0.0
-0.0		Min	-4.400	-4.496	-27.402	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.474	1.544	8.290	0.0	0.0
0.0		Min	-1.881	-1.978	-13.887	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.571	1.948	9.137	0.0	0.0
-0.0		Min	-2.178	-2.293	-15.089	-0.0	-0.0
-0.0							
-0.0	G1		-1.491	-1.864	-11.428	-0.0	-0.0
-0.0	G2		-0.597	-0.738	-4.411	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.555	-0.043	0.184	0.0	-0.0
-0.0	Q5_pc Y		1.623	1.788	-0.178	0.0	0.0
0.0	Q5_ps X		0.526	-0.057	0.214	0.0	-0.0
-0.0	Q5_ps Y		1.537	1.730	-0.218	0.0	-0.0
0.0	INVS LU	Max	14.390	7.734	-16.176	0.0	-0.0
-0.0		Min	1.341	-6.464	-76.795	-0.0	-0.0
0.0							
0.0	INVS LE	Max	11.169	5.881	-12.743	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	1.719	-4.398	-57.622	-0.0	-0.0
-0.0							
5181	C1-C2;~1	Max	3.002	2.959	15.290	0.0	0.0
0.0		Min	-3.786	-3.891	-24.470	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.221	3.646	17.105	0.0	0.0
0.0		Min	-4.464	-4.575	-26.553	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.508	1.551	8.216	0.0	0.0
0.0		Min	-1.898	-2.015	-13.428	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.629	1.952	9.057	0.0	0.0
0.0		Min	-2.199	-2.336	-14.598	-0.0	-0.0
-0.0							
-0.0	G1		-1.424	-1.906	-10.716	-0.0	-0.0
-0.0	G2		-0.570	-0.754	-4.136	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	-0.034	0.184	0.0	-0.0
0.0	Q5_pc Y		1.621	1.779	-0.190	0.0	0.0
-0.0	Q5_ps X		0.525	-0.048	0.213	0.0	-0.0
0.0	Q5_ps Y		1.534	1.719	-0.227	0.0	-0.0
-0.0							
0.0	INVS LU	Max	14.606	7.699	-13.486	0.0	-0.0
0.0		Min	1.315	-6.601	-72.767	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	11.326	5.857	-10.699	0.0	-0.0
0.0		Min	1.696	-4.498	-54.585	-0.0	-0.0
-0.0							
5182	C1-C2;~1	Max	3.088	2.932	15.093	0.0	0.0
0.0		Min	-3.838	-3.931	-23.592	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.340	3.599	16.888	0.0	0.0
0.0		Min	-4.527	-4.623	-25.618	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.545	1.535	8.110	0.0	0.0
0.0		Min	-1.914	-2.036	-12.927	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.690	1.922	8.942	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.220	-2.361	-14.060	-0.0	-0.0
-0.0	G1		-1.379	-1.967	-9.975	-0.0	-0.0
-0.0	G2		-0.553	-0.779	-3.847	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.552	-0.024	0.183	0.0	-0.0
0.0	Q5_pc Y		1.618	1.768	-0.201	0.0	0.0
-0.0	Q5_ps X		0.523	-0.038	0.210	0.0	-0.0
0.0	Q5_ps Y		1.530	1.707	-0.234	0.0	0.0
-0.0							
	INVSLU	Max	14.772	7.571	-10.791	0.0	-0.0
0.0		Min	1.239	-6.710	-68.535	-0.0	-0.0
-0.0							
	INVSLE	Max	11.445	5.766	-8.647	0.0	-0.0
0.0		Min	1.636	-4.577	-51.394	-0.0	-0.0
-0.0							
5183	C1-C2;~1	Max	3.198	2.892	14.855	0.0	0.0
0.0		Min	-3.892	-3.964	-22.650	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.449	3.530	16.624	0.0	0.0
0.0		Min	-4.592	-4.663	-24.608	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.601	1.512	7.982	0.0	0.0
0.0		Min	-1.931	-2.054	-12.392	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.746	1.880	8.802	0.0	0.0
0.0		Min	-2.242	-2.382	-13.483	-0.0	-0.0
-0.0							
	G1		-1.353	-2.038	-9.203	-0.0	-0.0
-0.0							
	G2		-0.543	-0.807	-3.545	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.550	-0.013	0.180	0.0	0.0
0.0							
	Q5_pc Y		1.616	1.755	-0.207	-0.0	0.0
-0.0							
	Q5_ps X		0.521	-0.026	0.205	0.0	0.0
0.0							
	Q5_ps Y		1.528	1.692	-0.236	-0.0	0.0
-0.0							
	INVSLU	Max	14.877	7.398	-8.082	0.0	-0.0
0.0		Min	1.113	-6.821	-64.119	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	11.519	5.641	-6.583	0.0	-0.0
-0.0		Min	1.539	-4.657	-48.064	-0.0	-0.0
5184	C1-C2;~1	Max	3.307	2.894	14.500	0.0	0.0
0.0		Min	-3.950	-4.033	-21.555	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.558	3.523	16.231	0.0	0.0
-0.0		Min	-4.663	-4.745	-23.434	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.657	1.513	7.791	0.0	0.0
0.0		Min	-1.950	-2.093	-11.773	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.802	1.878	8.593	0.0	0.0
-0.0		Min	-2.265	-2.426	-12.816	-0.0	-0.0
-0.0	G1		-1.343	-2.099	-8.393	0.0	-0.0
-0.0	G2		-0.539	-0.831	-3.233	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	-0.003	0.175	0.0	-0.0
-0.0	Q5_pc Y		1.616	1.740	-0.216	-0.0	0.0
0.0	Q5_ps X		0.518	-0.016	0.200	0.0	-0.0
-0.0	Q5_ps Y		1.527	1.676	-0.242	-0.0	0.0
0.0	INVSLU	Max	14.930	7.288	-5.500	0.0	-0.0
-0.0		Min	0.922	-7.006	-59.435	-0.0	-0.0
0.0	INVSLE	Max	11.552	5.561	-4.611	0.0	-0.0
-0.0		Min	1.392	-4.794	-44.534	-0.0	-0.0
5185	C1-C2;~1	Max	3.406	2.882	14.080	0.0	0.0
0.0		Min	-4.011	-4.092	-20.392	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.672	3.501	15.764	0.0	0.0
-0.0		Min	-4.736	-4.813	-22.191	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.708	1.505	7.564	0.0	0.0
-0.0		Min	-1.970	-2.125	-11.119	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.863	1.865	8.346	0.0	0.0
-0.0		Min	-2.289	-2.464	-12.114	-0.0	-0.0
-0.0		G1	-1.351	-2.154	-7.574	0.0	-0.0
-0.0		G2	-0.542	-0.853	-2.916	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.542	0.007	0.171	0.0	-0.0
-0.0	Q5_pc	Y	1.618	1.723	-0.224	-0.0	0.0
0.0	Q5_ps	X	0.514	-0.006	0.194	0.0	-0.0
-0.0	Q5_ps	Y	1.528	1.657	-0.247	-0.0	0.0
0.0	INVSLU	Max	14.934	7.177	-3.038	0.0	-0.0
-0.0		Min	0.671	-7.149	-54.681	-0.0	-0.0
0.0	INVSLE	Max	11.550	5.481	-2.727	0.0	-0.0
-0.0		Min	1.200	-4.900	-40.952	-0.0	-0.0
5186	C1-C2;~1	Max	3.492	2.838	13.565	0.0	0.0
0.0		Min	-4.088	-4.119	-19.125	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.775	3.432	15.191	0.0	0.0
-0.0		Min	-4.837	-4.845	-20.827	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.754	1.477	7.287	0.0	0.0
0.0		Min	-2.001	-2.140	-10.410	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.920	1.824	8.042	0.0	0.0
-0.0		Min	-2.334	-2.480	-11.347	-0.0	-0.0
-0.0		G1	-1.384	-2.205	-6.736	0.0	-0.0
-0.0		G2	-0.555	-0.873	-2.592	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.538	0.018	0.165	0.0	-0.0
-0.0	Q5_pc	Y	1.620	1.704	-0.227	-0.0	0.0
0.0	Q5_ps	X	0.510	0.006	0.186	0.0	-0.0
-0.0	Q5_ps	Y	1.529	1.636	-0.246	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	14.870	7.046	-0.787	0.0	-0.0
		Min	0.328	-7.196	-49.820	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	11.495	5.389	-1.003	0.0	-0.0
		Min	0.939	-4.933	-37.293	-0.0	-0.0
-0.0							
5187 0.0	C1-C2;~1	Max	3.574	2.764	12.946	0.0	0.0
		Min	-4.231	-4.113	-17.762	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.851	3.318	14.502	0.0	0.0
		Min	-4.998	-4.839	-19.359	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.800	1.433	6.954	0.0	0.0
		Min	-2.083	-2.136	-9.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.962	1.755	7.678	0.0	0.0
		Min	-2.424	-2.476	-10.526	-0.0	-0.0
-0.0							
-0.0	G1		-1.444	-2.252	-5.901	0.0	-0.0
-0.0	G2		-0.578	-0.892	-2.267	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.533	0.031	0.158	0.0	-0.0
0.0	Q5_pc Y		1.623	1.684	-0.228	-0.0	0.0
-0.0	Q5_ps X		0.506	0.019	0.177	0.0	-0.0
0.0	Q5_ps Y		1.531	1.614	-0.244	-0.0	0.0
-0.0							
0.0	INVS LU	Max	14.711	6.890	1.184	0.0	-0.0
		Min	-0.156	-7.155	-44.940	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	11.370	5.279	0.511	0.0	-0.0
		Min	0.574	-4.900	-33.625	-0.0	-0.0
-0.0							
5188 0.0	C1-C2;~1	Max	3.634	2.674	12.236	0.0	0.0
		Min	-4.379	-4.096	-16.313	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.904	3.182	13.711	0.0	0.0
		Min	-5.165	-4.822	-17.788	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.834	1.381	6.573	0.0	0.0
		Min	-2.166	-2.125	-8.847	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.991	1.673	7.259	0.0	0.0
		Min	-2.517	-2.465	-9.650	-0.0	-0.0
-0.0							
-0.0	G1		-1.534	-2.307	-5.066	-0.0	-0.0
-0.0	G2		-0.613	-0.914	-1.941	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.527	0.042	0.150	0.0	0.0
0.0	Q5_pc Y		1.629	1.666	-0.223	-0.0	-0.0
-0.0	Q5_ps X		0.501	0.031	0.167	0.0	0.0
0.0	Q5_ps Y		1.535	1.594	-0.235	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	14.461	6.699	2.903	-0.0	-0.0
		Min	-0.714	-7.106	-40.023	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.177	5.144	1.834	-0.0	-0.0
		Min	0.154	-4.860	-29.933	-0.0	-0.0
-0.0							
5189	C1-C2;~1	Max	3.676	2.601	11.353	0.0	0.0
0.0		Min	-4.539	-4.124	-14.759	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.939	3.066	12.723	0.0	0.0
		Min	-5.348	-4.855	-16.103	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.858	1.338	6.099	0.0	0.0
		Min	-2.257	-2.140	-7.991	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.010	1.604	6.736	0.0	0.0
		Min	-2.619	-2.482	-8.718	-0.0	-0.0
-0.0							
-0.0	G1		-1.658	-2.395	-4.299	0.0	-0.0
-0.0	G2		-0.661	-0.949	-1.646	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.519	0.048	0.138	0.0	-0.0
0.0	Q5_pc Y		1.639	1.653	-0.212	-0.0	0.0
-0.0	Q5_ps X		0.493	0.038	0.153	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.543	1.577	-0.221	-0.0	0.0
0.0	INVS LU Max		14.109	6.418	4.047	0.0	-0.0
-0.0	Min		-1.377	-7.251	-35.249	-0.0	-0.0
0.0	INVS LE Max		10.908	4.939	2.726	0.0	-0.0
-0.0	Min		-0.345	-4.966	-26.354	-0.0	-0.0
5190 0.0	C1-C2;~1 Max		3.695	2.527	10.390	0.0	0.0
-0.0	Min		-4.700	-4.130	-13.174	-0.0	-0.0
0.0	C3-C4;~1 Max		3.953	2.952	11.647	0.0	0.0
-0.0	Min		-5.533	-4.864	-14.389	-0.0	-0.0
0.0	C1-C2;~2 Max		1.869	1.294	5.581	0.0	0.0
-0.0	Min		-2.348	-2.142	-7.120	-0.0	-0.0
0.0	C3-C4;~2 Max		2.016	1.536	6.166	0.0	0.0
-0.0	Min		-2.722	-2.485	-7.774	-0.0	-0.0
-0.0	G1		-1.810	-2.453	-3.580	0.0	-0.0
-0.0	G2		-0.720	-0.972	-1.369	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.510	0.059	0.127	0.0	-0.0
-0.0	Q5_pc Y		1.650	1.630	-0.201	-0.0	0.0
0.0	Q5_ps X		0.485	0.050	0.140	0.0	-0.0
-0.0	Q5_ps Y		1.552	1.552	-0.208	-0.0	0.0
0.0	INVS LU Max		13.675	6.207	4.888	0.0	-0.0
-0.0	Min		-2.101	-7.278	-30.622	-0.0	-0.0
0.0	INVS LE Max		10.577	4.787	3.391	0.0	-0.0
-0.0	Min		-0.889	-4.985	-22.886	-0.0	-0.0
5191 0.0	C1-C2;~1 Max		3.688	2.453	9.305	0.0	0.0
-0.0	Min		-4.865	-4.083	-11.546	-0.0	-0.0
0.0	C3-C4;~1 Max		3.936	2.839	10.430	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.723	-4.813	-12.622	-0.0	-0.0
0.0	C1-C2;~2	Max	1.866	1.250	4.998	0.0	0.0
-0.0		Min	-2.441	-2.115	-6.230	-0.0	-0.0
0.0	C3-C4;~2	Max	2.006	1.468	5.522	0.0	0.0
-0.0		Min	-2.828	-2.455	-6.807	-0.0	-0.0
0.0	G1		-1.996	-2.441	-2.943	-0.0	-0.0
0.0	G2		-0.792	-0.967	-1.122	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.501	0.082	0.112	0.0	0.0
-0.0	Q5_pc Y		1.661	1.586	-0.181	-0.0	-0.0
0.0	Q5_ps X		0.477	0.073	0.124	0.0	0.0
-0.0	Q5_ps Y		1.561	1.506	-0.186	-0.0	-0.0
0.0	INVSLU	Max	13.134	6.165	5.242	-0.0	0.0
-0.0		Min	-2.895	-7.019	-26.203	-0.0	-0.0
0.0	INVSLE	Max	10.168	4.765	3.691	-0.0	0.0
-0.0		Min	-1.484	-4.789	-19.578	-0.0	-0.0
5192	C1-C2;~1	Max	3.676	2.389	8.134	0.0	0.0
0.0		Min	-4.921	-4.016	-9.924	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.913	2.737	9.116	0.0	0.0
-0.0		Min	-5.788	-4.739	-10.864	-0.0	-0.0
0.0	C1-C2;~2	Max	1.859	1.210	4.370	0.0	0.0
-0.0		Min	-2.473	-2.075	-5.346	-0.0	-0.0
0.0	C3-C4;~2	Max	1.993	1.408	4.827	0.0	0.0
-0.0		Min	-2.864	-2.413	-5.848	-0.0	-0.0
0.0	G1		-2.072	-2.394	-2.401	-0.0	-0.0
0.0	G2		-0.822	-0.948	-0.911	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.500	0.113	0.095	0.0	0.0
0.0	Q5_pc Y		1.661	1.524	-0.156	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps X		0.476	0.105	0.105	0.0	0.0
0.0	Q5_ps Y		1.559	1.444	-0.160	-0.0	-0.0
-0.0							
	INVS LU	Max	12.906	6.213	5.186	-0.0	0.0
0.0		Min	-3.181	-6.624	-22.068	-0.0	-0.0
-0.0							
	INVS LE	Max	9.996	4.813	3.684	-0.0	0.0
0.0		Min	-1.698	-4.493	-16.483	-0.0	-0.0
-0.0							
5193	C1-C2;~1	Max	3.654	2.336	6.916	0.0	0.0
0.0		Min	-4.983	-3.942	-8.285	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.882	2.649	7.749	0.0	0.0
0.0		Min	-5.860	-4.659	-9.076	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.847	1.177	3.716	0.0	0.0
0.0		Min	-2.508	-2.032	-4.456	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.975	1.356	4.103	0.0	0.0
0.0		Min	-2.904	-2.366	-4.877	-0.0	-0.0
-0.0							
	G1		-2.165	-2.329	-1.886	-0.0	-0.0
0.0	G2		-0.858	-0.922	-0.711	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.498	0.150	0.074	0.0	0.0
0.0	Q5_pc Y		1.661	1.453	-0.120	-0.0	-0.0
-0.0	Q5_ps X		0.475	0.141	0.083	0.0	0.0
0.0	Q5_ps Y		1.558	1.373	-0.124	-0.0	-0.0
-0.0							
	INVS LU	Max	12.631	6.314	4.936	-0.0	0.0
0.0		Min	-3.510	-6.168	-17.995	-0.0	-0.0
-0.0							
	INVS LE	Max	9.790	4.901	3.533	-0.0	0.0
0.0		Min	-1.945	-4.151	-13.436	-0.0	-0.0
-0.0							
5194	C1-C2;~1	Max	3.623	2.296	5.597	0.0	0.0
0.0		Min	-5.050	-3.882	-6.639	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	3.843	2.574	6.263	0.0	0.0
-0.0		Min	-5.939	-4.596	-7.284	-0.0	-0.0
0.0	C1-C2;~2	Max	1.831	1.153	3.008	0.0	0.0
-0.0		Min	-2.545	-1.995	-3.566	-0.0	-0.0
0.0	C3-C4;~2	Max	1.952	1.312	3.318	0.0	0.0
-0.0		Min	-2.947	-2.327	-3.908	-0.0	-0.0
0.0	G1		-2.274	-2.271	-1.470	-0.0	-0.0
0.0	G2		-0.900	-0.898	-0.554	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.497	0.193	0.057	0.0	0.0
-0.0	Q5_pc Y		1.661	1.370	-0.094	-0.0	-0.0
0.0	Q5_ps X		0.474	0.183	0.065	0.0	0.0
-0.0	Q5_ps Y		1.558	1.291	-0.099	-0.0	-0.0
0.0	INVSLU	Max	12.312	6.404	4.264	-0.0	0.0
-0.0		Min	-3.884	-5.740	-14.195	-0.0	-0.0
0.0	INVSLE	Max	9.551	4.982	3.065	-0.0	0.0
-0.0		Min	-2.225	-3.831	-10.595	-0.0	-0.0
5195	C1-C2;~1	Max	3.583	2.267	4.245	0.0	0.0
0.0		Min	-5.118	-3.813	-5.003	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.794	2.511	4.742	0.0	0.0
-0.0		Min	-6.021	-4.520	-5.505	-0.0	-0.0
0.0	C1-C2;~2	Max	1.809	1.135	2.283	0.0	0.0
-0.0		Min	-2.584	-1.953	-2.683	-0.0	-0.0
0.0	C3-C4;~2	Max	1.924	1.276	2.513	0.0	0.0
-0.0		Min	-2.992	-2.282	-2.949	-0.0	-0.0
0.0	G1		-2.397	-2.195	-1.099	-0.0	-0.0
0.0	G2		-0.948	-0.867	-0.413	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.494	0.236	0.040	0.0	0.0
-0.0	Q5_pc Y		1.664	1.285	-0.067	-0.0	-0.0
0.0	Q5_ps X		0.472	0.225	0.047	0.0	0.0
-0.0	Q5_ps Y		1.559	1.207	-0.073	-0.0	-0.0
0.0	INVSLU	Max	11.951	6.537	3.401	0.0	0.0
-0.0		Min	-4.295	-5.267	-10.554	-0.0	-0.0
0.0	INVSLE	Max	9.280	5.094	2.455	-0.0	0.0
-0.0		Min	-2.532	-3.479	-7.873	-0.0	-0.0
5196	C1-C2;~1	Max	3.531	2.261	2.824	0.0	0.0
0.0		Min	-5.187	-3.730	-3.368	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.731	2.460	3.141	0.0	0.0
-0.0		Min	-6.103	-4.421	-3.722	-0.0	-0.0
0.0	C1-C2;~2	Max	1.780	1.133	1.520	0.0	0.0
-0.0		Min	-2.622	-1.904	-1.803	-0.0	-0.0
0.0	C3-C4;~2	Max	1.889	1.247	1.666	0.0	0.0
-0.0		Min	-3.038	-2.224	-1.991	-0.0	-0.0
0.0	G1		-2.535	-2.098	-0.801	-0.0	-0.0
0.0	G2		-1.001	-0.828	-0.301	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.490	0.275	0.022	0.0	0.0
-0.0	Q5_pc Y		1.669	1.207	-0.035	-0.0	-0.0
0.0	Q5_ps X		0.469	0.263	0.028	0.0	0.0
-0.0	Q5_ps Y		1.562	1.131	-0.042	-0.0	-0.0
0.0	INVSLU	Max	11.545	6.714	2.214	0.0	0.0
-0.0		Min	-4.737	-4.749	-7.113	-0.0	-0.0
0.0	INVSLE	Max	8.976	5.237	1.602	0.0	0.0
0.0		Min	-2.862	-3.093	-5.302	-0.0	-0.0
5197	C1-C2;~1	Max	3.467	2.262	1.362	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-5.256	-3.633	-1.741	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.656	2.415	1.498	0.0	0.0
0.0		Min	-6.184	-4.297	-1.946	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.744	1.136	0.736	0.0	0.0
0.0		Min	-2.661	-1.848	-0.931	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.847	1.221	0.797	0.0	0.0
0.0		Min	-3.082	-2.153	-1.040	-0.0	-0.0
-0.0							
0.0	G1		-2.686	-1.990	-0.550	-0.0	-0.0
0.0	G2		-1.059	-0.784	-0.207	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.485	0.304	0.004	0.0	-0.0
0.0	Q5_pc Y		1.676	1.148	-0.004	-0.0	0.0
-0.0							
0.0	Q5_ps X		0.465	0.292	0.009	0.0	0.0
0.0	Q5_ps Y		1.568	1.073	-0.012	-0.0	0.0
-0.0							
0.0	INVSLU	Max	11.092	6.897	0.805	0.0	0.0
0.0		Min	-5.211	-4.231	-3.852	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.636	5.381	0.582	0.0	0.0
0.0		Min	-3.216	-2.709	-2.867	-0.0	-0.0
-0.0							
5198	C1-C2;~1	Max	3.388	2.244	0.000	0.0	0.0
0.0		Min	-5.330	-3.531	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.565	2.361	0.000	0.0	0.0
0.0		Min	-6.274	-4.156	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.701	1.127	0.000	0.0	0.0
0.0		Min	-2.702	-1.790	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.796	1.190	0.000	0.0	0.0
0.0		Min	-3.132	-2.075	0.000	-0.0	-0.0
-0.0							
0.0	G1		-2.864	-1.897	0.000	0.0	0.0
0.0	G2		-1.128	-0.747	0.000	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.478	0.317	0.000	0.0	0.0
-0.0	Q5_pc Y	1.688	1.118	0.000	-0.0	-0.0
-0.0	Q5_ps X	0.459	0.304	0.000	0.0	0.0
-0.0	Q5_ps Y	1.578	1.045	0.000	-0.0	-0.0
0.0	INVSLE Max	8.246	5.462	0.000	0.0	0.0
-0.0	INVSLE Min	-3.619	-2.397	0.000	-0.0	-0.0
0.0	INVSLE Max	8.246	5.462	0.000	0.0	0.0
-0.0	INVSLE Min	-3.619	-2.397	0.000	-0.0	-0.0
5199	C1-C2;~1 Max	3.305	2.173	1.328	0.0	0.0
0.0	C1-C2;~1 Min	-5.407	-3.440	-2.098	-0.0	-0.0
-0.0	C1-C2;~1 Min	-5.407	-3.440	-2.098	-0.0	-0.0
0.0	C3-C4;~1 Max	3.471	2.265	1.400	0.0	0.0
-0.0	C3-C4;~1 Min	-6.367	-4.013	-2.473	-0.0	-0.0
0.0	C3-C4;~1 Min	-6.367	-4.013	-2.473	-0.0	-0.0
0.0	C1-C2;~2 Max	1.656	1.086	0.703	0.0	0.0
-0.0	C1-C2;~2 Min	-2.746	-1.741	-1.112	-0.0	-0.0
0.0	C3-C4;~2 Max	1.744	1.133	0.733	0.0	0.0
-0.0	C3-C4;~2 Min	-3.184	-1.997	-1.294	-0.0	-0.0
0.0	G1	-3.048	-1.876	-0.931	0.0	0.0
0.0	G2	-1.199	-0.739	-0.358	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.482	0.304	-0.037	0.0	0.0
-0.0	Q5_pc Y	1.680	1.136	0.076	-0.0	-0.0
0.0	Q5_ps X	0.462	0.291	-0.030	0.0	0.0
-0.0	Q5_ps Y	1.568	1.064	0.055	-0.0	-0.0
0.0	Q5_ps Y	1.568	1.064	0.055	-0.0	-0.0
0.0	INVSLE Max	7.828	5.340	0.498	0.0	0.0
-0.0	INVSLE Min	-4.026	-2.301	-3.466	-0.0	-0.0
0.0	INVSLE Max	7.828	5.340	0.498	0.0	0.0
-0.0	INVSLE Min	-4.026	-2.301	-3.466	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5200	C1-C2;~1	Max	3.226	2.092	2.721	0.0	0.0
0.0		Min	-5.471	-3.339	-4.041	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.384	2.181	2.894	0.0	0.0
0.0		Min	-6.443	-3.845	-4.714	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.612	1.041	1.439	0.0	0.0
0.0		Min	-2.783	-1.687	-2.148	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.695	1.089	1.517	0.0	0.0
0.0		Min	-3.227	-1.907	-2.473	-0.0	-0.0
-0.0							
	G1		-3.209	-1.869	-1.552	0.0	0.0
0.0							
	G2		-1.261	-0.736	-0.598	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.484	0.273	-0.054	0.0	0.0
-0.0							
	Q5_pc Y		1.673	1.187	0.109	-0.0	-0.0
0.0							
	Q5_ps X		0.465	0.260	-0.044	0.0	0.0
-0.0							
	Q5_ps Y		1.561	1.115	0.078	-0.0	-0.0
0.0							
	INVSLU	Max	9.497	6.644	1.763	0.0	0.0
0.0		Min	-6.781	-3.628	-8.705	-0.0	-0.0
-0.0							
	INVSLE	Max	7.444	5.179	1.347	0.0	0.0
0.0		Min	-4.391	-2.271	-6.393	-0.0	-0.0
-0.0							
5201	C1-C2;~1	Max	3.147	2.040	4.100	0.0	0.0
0.0		Min	-5.522	-3.222	-6.025	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.296	2.137	4.379	0.0	0.0
0.0		Min	-6.503	-3.648	-7.004	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.568	1.018	2.165	0.0	0.0
0.0		Min	-2.812	-1.625	-3.207	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.646	1.073	2.293	0.0	0.0
0.0		Min	-3.261	-1.801	-3.679	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.353	-1.846	-2.226	-0.0	0.0
0.0	G2		-1.317	-0.728	-0.860	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.485	0.230	-0.068	0.0	0.0
0.0	Q5_pc Y		1.668	1.261	0.140	-0.0	-0.0
-0.0	Q5_ps X		0.467	0.218	-0.055	0.0	0.0
0.0	Q5_ps Y		1.555	1.189	0.097	-0.0	-0.0
0.0	INVS LU	Max	9.013	6.509	2.692	0.0	0.0
-0.0		Min	-7.219	-3.570	-12.927	-0.0	-0.0
0.0	INVS LE	Max	7.082	5.064	2.050	0.0	0.0
-0.0		Min	-4.720	-2.234	-9.501	-0.0	-0.0
5202	C1-C2;~1	Max	3.068	2.015	5.442	0.0	0.0
0.0		Min	-5.561	-3.129	-8.039	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.211	2.111	5.823	0.0	0.0
-0.0		Min	-6.548	-3.424	-9.322	-0.0	-0.0
0.0	C1-C2;~2	Max	1.524	1.013	2.869	0.0	0.0
-0.0		Min	-2.836	-1.574	-4.282	-0.0	-0.0
0.0	C3-C4;~2	Max	1.598	1.068	3.045	0.0	0.0
-0.0		Min	-3.288	-1.682	-4.900	-0.0	-0.0
0.0	G1		-3.480	-1.796	-2.969	-0.0	0.0
0.0	G2		-1.367	-0.709	-1.148	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.487	0.181	-0.080	0.0	0.0
0.0	Q5_pc Y		1.663	1.346	0.168	-0.0	-0.0
-0.0	Q5_ps X		0.469	0.169	-0.065	0.0	0.0
0.0	Q5_ps Y		1.550	1.275	0.115	-0.0	-0.0
0.0	INVS LU	Max	8.565	6.444	3.353	0.0	0.0
-0.0		Min	-7.604	-3.453	-17.395	-0.0	-0.0
0.0	INVS LE	Max	6.745	4.999	2.552	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-5.010	-2.152	-12.794	-0.0	-0.0
-0.0							
5203	C1-C2;~1	Max	2.999	2.001	6.774	0.0	0.0
0.0		Min	-5.591	-3.091	-10.096	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.146	2.100	7.263	0.0	0.0
0.0		Min	-6.585	-3.270	-11.696	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.487	1.012	3.566	0.0	0.0
0.0		Min	-2.854	-1.549	-5.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.565	1.069	3.792	0.0	0.0
0.0		Min	-3.310	-1.614	-6.152	-0.0	-0.0
-0.0							
0.0	G1		-3.592	-1.724	-3.765	-0.0	0.0
0.0	G2		-1.410	-0.681	-1.456	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.489	0.132	-0.093	0.0	0.0
-0.0	Q5_pc Y		1.657	1.431	0.199	-0.0	-0.0
0.0	Q5_ps X		0.471	0.120	-0.076	0.0	0.0
-0.0	Q5_ps Y		1.543	1.361	0.135	-0.0	-0.0
0.0							
0.0	INVSLU	Max	8.172	6.436	3.860	-0.0	0.0
0.0		Min	-7.948	-3.390	-22.092	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.450	4.976	2.939	-0.0	0.0
0.0		Min	-5.269	-2.111	-16.257	-0.0	-0.0
-0.0							
5204	C1-C2;~1	Max	2.946	1.995	8.112	0.0	0.0
0.0		Min	-5.616	-3.101	-12.290	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.091	2.108	8.707	0.0	0.0
0.0		Min	-6.617	-3.157	-14.237	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.461	1.015	4.262	0.0	0.0
0.0		Min	-2.870	-1.559	-6.553	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.539	1.078	4.536	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-3.330	-1.572	-7.493	-0.0	-0.0
-0.0	G1		-3.695	-1.651	-4.699	-0.0	0.0
0.0	G2		-1.451	-0.652	-1.823	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.492	0.090	-0.095	0.0	0.0
-0.0	Q5_pc	Y	1.651	1.502	0.208	-0.0	-0.0
0.0	Q5_ps	X	0.474	0.079	-0.075	0.0	-0.0
-0.0	Q5_ps	Y	1.536	1.434	0.132	-0.0	0.0
0.0	INVSLU	Max	7.809	6.428	3.996	0.0	0.0
0.0		Min	-8.267	-3.384	-27.353	-0.0	-0.0
-0.0	INVSLE	Max	6.178	4.953	3.050	0.0	0.0
0.0		Min	-5.510	-2.115	-20.144	-0.0	-0.0
-0.0							
5205	C1-C2;~1	Max	2.900	2.012	9.403	0.0	0.0
0.0		Min	-5.633	-3.114	-14.466	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.049	2.149	10.103	0.0	0.0
0.0		Min	-6.642	-3.065	-16.745	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.440	1.027	4.931	0.0	0.0
0.0		Min	-2.881	-1.569	-7.718	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.521	1.100	5.252	0.0	0.0
0.0		Min	-3.346	-1.537	-8.818	-0.0	-0.0
-0.0							
0.0	G1		-3.784	-1.554	-5.657	-0.0	0.0
0.0	G2		-1.485	-0.613	-2.198	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.495	0.054	-0.099	0.0	0.0
-0.0	Q5_pc	Y	1.643	1.563	0.222	-0.0	-0.0
0.0	Q5_ps	X	0.477	0.042	-0.076	0.0	0.0
-0.0	Q5_ps	Y	1.529	1.498	0.135	-0.0	-0.0
0.0							
0.0	INVSLU	Max	7.495	6.520	3.940	0.0	0.0
0.0		Min	-8.544	-3.400	-32.704	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	5.942	5.007	3.014	0.0	0.0
-0.0		Min	-5.720	-2.133	-24.100	-0.0	0.0
5206	C1-C2;~1	Max	2.862	2.057	10.671	0.0	0.0
0.0		Min	-5.639	-3.134	-16.666	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.008	2.233	11.476	0.0	0.0
-0.0		Min	-6.654	-3.011	-19.283	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.424	1.051	5.585	0.0	0.0
0.0		Min	-2.886	-1.581	-8.896	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.504	1.140	5.954	0.0	0.0
-0.0		Min	-3.355	-1.521	-10.160	-0.0	-0.0
0.0							
-0.0	G1		-3.856	-1.425	-6.656	-0.0	0.0
0.0							
0.0	G2		-1.513	-0.562	-2.589	-0.0	0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.498	0.022	-0.102	0.0	0.0
0.0	Q5_pc Y		1.636	1.618	0.235	-0.0	-0.0
-0.0	Q5_ps X		0.480	0.009	-0.076	0.0	0.0
0.0	Q5_ps Y		1.521	1.555	0.136	-0.0	-0.0
0.0							
0.0	INVSLU	Max	7.217	6.749	3.713	0.0	0.0
-0.0		Min	-8.771	-3.408	-38.236	-0.0	0.0
0.0							
-0.0	INVSLE	Max	5.733	5.163	2.849	0.0	0.0
0.0		Min	-5.892	-2.145	-28.193	-0.0	0.0
-0.0							
5207	C1-C2;~1	Max	2.783	2.145	11.882	0.0	0.0
0.0		Min	-5.625	-3.163	-18.877	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.925	2.384	12.789	0.0	0.0
-0.0		Min	-6.644	-3.028	-21.831	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.391	1.093	6.206	0.0	0.0
-0.0		Min	-2.883	-1.596	-10.081	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.470	1.207	6.620	0.0	0.0
-0.0		Min	-3.355	-1.542	-11.508	-0.0	-0.0
0.0	G1		-3.974	-1.247	-7.722	0.0	0.0
0.0	G2		-1.560	-0.491	-3.006	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.504	-0.005	-0.104	0.0	0.0
0.0	Q5_pc Y		1.622	1.664	0.247	-0.0	-0.0
-0.0	Q5_ps X		0.486	-0.019	-0.076	0.0	0.0
0.0	Q5_ps Y		1.507	1.605	0.137	-0.0	-0.0
0.0	INVSLU	Max	6.689	7.199	3.170	0.0	0.0
-0.0		Min	-9.148	-3.285	-44.012	-0.0	0.0
0.0	INVSLE	Max	5.334	5.486	2.446	0.0	0.0
-0.0		Min	-6.181	-2.058	-32.470	-0.0	0.0
5208	C1-C2;~1	Max	2.708	2.274	13.063	0.0	0.0
0.0		Min	-5.596	-3.197	-21.117	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.847	2.605	14.074	0.0	0.0
0.0		Min	-6.621	-3.102	-24.423	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.361	1.151	6.808	0.0	0.0
0.0		Min	-2.871	-1.611	-11.282	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.438	1.303	7.268	0.0	0.0
0.0		Min	-3.347	-1.588	-12.881	-0.0	-0.0
-0.0	G1		-4.067	-1.036	-8.843	-0.0	0.0
0.0	G2		-1.597	-0.406	-3.443	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.510	-0.027	-0.103	0.0	-0.0
-0.0	Q5_pc Y		1.607	1.704	0.256	-0.0	-0.0
0.0	Q5_ps X		0.492	-0.042	-0.073	0.0	-0.0
-0.0	Q5_ps Y		1.492	1.648	0.134	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	6.224	7.824	2.412	0.0	0.0
		Min	-9.451	-3.074	-50.020	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.982	5.941	1.882	0.0	0.0
		Min	-6.415	-1.905	-36.922	-0.0	0.0
-0.0							
5209 0.0	C1-C2;~1	Max	2.639	2.412	14.132	0.0	0.0
		Min	-5.557	-3.215	-23.312	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.774	2.834	15.242	0.0	0.0
		Min	-6.589	-3.201	-26.973	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.332	1.213	7.344	0.0	0.0
		Min	-2.853	-1.617	-12.460	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.408	1.402	7.848	0.0	0.0
		Min	-3.335	-1.644	-14.232	-0.0	-0.0
-0.0							
0.0	G1		-4.138	-0.852	-10.022	0.0	0.0
0.0	G2		-1.625	-0.332	-3.908	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.516	-0.047	-0.098	-0.0	-0.0
0.0	Q5_pc Y		1.593	1.737	0.256	0.0	0.0
-0.0	Q5_ps X		0.499	-0.063	-0.064	-0.0	-0.0
0.0	Q5_ps Y		1.478	1.685	0.122	0.0	0.0
0.0							
0.0	INVS LU	Max	5.819	8.342	1.197	0.0	0.0
		Min	-9.689	-2.952	-56.254	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.674	6.313	0.971	0.0	0.0
		Min	-6.600	-1.821	-41.550	-0.0	0.0
-0.0							
5210 0.0	C1-C2;~1	Max	2.574	2.570	15.137	0.0	0.0
		Min	-5.506	-3.256	-25.440	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.706	3.122	16.344	0.0	0.0
		Min	-6.544	-3.324	-29.429	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.305	1.283	7.846	0.0	0.0
		Min	-2.829	-1.637	-13.603	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.380	1.538	8.391	0.0	0.0
		Min	-3.315	-1.709	-15.537	-0.0	-0.0
-0.0							
0.0	G1		-4.186	-0.676	-11.183	0.0	0.0
0.0	G2		-1.644	-0.262	-4.365	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.523	-0.066	-0.093	-0.0	-0.0
-0.0	Q5_pc Y		1.577	1.771	0.258	0.0	0.0
0.0	Q5_ps X		0.505	-0.083	-0.057	-0.0	-0.0
-0.0	Q5_ps Y		1.463	1.722	0.112	0.0	0.0
0.0							
0.0	INVSLU	Max	5.467	8.933	-0.183	0.0	0.0
		Min	-9.861	-2.956	-62.442	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.407	6.741	-0.066	0.0	0.0
		Min	-6.737	-1.830	-46.149	-0.0	0.0
-0.0							
5211	C1-C2;~1	Max	2.510	2.746	16.087	0.0	0.0
0.0		Min	-5.432	-3.345	-27.528	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.639	3.451	17.390	0.0	0.0
		Min	-6.472	-3.465	-31.848	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.279	1.360	8.315	0.0	0.0
		Min	-2.791	-1.687	-14.726	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.352	1.702	8.901	0.0	0.0
		Min	-3.280	-1.783	-16.822	-0.0	-0.0
-0.0							
0.0	G1		-4.207	-0.501	-12.352	0.0	0.0
0.0	G2		-1.652	-0.191	-4.824	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.529	-0.086	-0.087	-0.0	-0.0
-0.0	Q5_pc Y		1.562	1.807	0.258	0.0	0.0
0.0	Q5_ps X		0.512	-0.104	-0.048	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.448	1.762	0.101	0.0	0.0
0.0	INVS LU	Max	5.164	9.624	-1.761	0.0	0.0
-0.0		Min	-9.949	-2.965	-68.696	-0.0	0.0
0.0	INVS LE	Max	4.176	7.245	-1.254	0.0	0.0
-0.0		Min	-6.811	-1.839	-50.801	-0.0	0.0
5212 0.0	C1-C2;~1	Max	2.447	2.933	16.962	0.0	0.0
-0.0		Min	-5.338	-3.445	-29.524	-0.0	-0.0
0.0	C3-C4;~1	Max	2.574	3.767	18.356	0.0	0.0
-0.0		Min	-6.375	-3.611	-34.149	-0.0	-0.0
0.0	C1-C2;~2	Max	1.254	1.442	8.743	0.0	0.0
-0.0		Min	-2.743	-1.742	-15.800	-0.0	-0.0
0.0	C3-C4;~2	Max	1.326	1.856	9.367	0.0	0.0
-0.0		Min	-3.232	-1.859	-18.046	-0.0	-0.0
0.0	G1		-4.204	-0.324	-13.488	0.0	0.0
0.0	G2		-1.651	-0.121	-5.269	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.535	-0.105	-0.081	-0.0	-0.0
0.0	Q5_pc Y		1.547	1.846	0.259	0.0	-0.0
-0.0	Q5_ps X		0.518	-0.124	-0.040	-0.0	-0.0
0.0	Q5_ps Y		1.433	1.803	0.092	0.0	0.0
0.0	INVS LU	Max	4.910	10.343	-3.502	0.0	0.0
0.0		Min	-9.956	-2.940	-74.849	-0.0	0.0
0.0	INVS LE	Max	3.980	7.772	-2.568	0.0	0.0
0.0		Min	-6.826	-1.821	-55.384	-0.0	0.0
5213 0.0	C1-C2;~1	Max	2.387	3.124	17.797	0.0	0.0
-0.0		Min	-5.234	-3.544	-31.479	-0.0	-0.0
0.0	C3-C4;~1	Max	2.512	4.089	19.283	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.269	-3.761	-36.410	-0.0	-0.0
0.0	C1-C2;~2	Max	1.229	1.525	9.147	0.0	0.0
-0.0		Min	-2.689	-1.798	-16.852	-0.0	-0.0
0.0	C3-C4;~2	Max	1.301	2.014	9.810	0.0	0.0
-0.0		Min	-3.179	-1.936	-19.249	-0.0	-0.0
0.0	G1		-4.184	-0.146	-14.611	0.0	0.0
0.0	G2		-1.644	-0.049	-5.709	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-0.124	-0.074	0.0	-0.0
0.0	Q5_pc Y		1.532	1.884	0.260	-0.0	-0.0
-0.0	Q5_ps X		0.524	-0.144	-0.032	0.0	-0.0
0.0	Q5_ps Y		1.418	1.844	0.083	-0.0	0.0
0.0	INVSLU	Max	4.699	11.085	-5.345	0.0	0.0
-0.0		Min	-9.912	-2.905	-80.997	-0.0	0.0
0.0	INVSLE	Max	3.817	8.316	-3.962	0.0	0.0
-0.0		Min	-6.802	-1.795	-59.966	-0.0	0.0
5214	C1-C2;~1	Max	2.333	3.391	18.519	0.0	0.0
0.0		Min	-5.132	-3.632	-33.266	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.456	4.459	20.091	0.0	0.0
-0.0		Min	-6.167	-3.921	-38.486	-0.0	-0.0
0.0	C1-C2;~2	Max	1.207	1.661	9.489	0.0	0.0
-0.0		Min	-2.635	-1.850	-17.814	-0.0	-0.0
0.0	C3-C4;~2	Max	1.278	2.204	10.188	0.0	0.0
-0.0		Min	-3.127	-2.019	-20.354	-0.0	-0.0
0.0	G1		-4.154	0.043	-15.663	0.0	0.0
0.0	G2		-1.633	0.026	-6.126	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.548	-0.140	-0.063	-0.0	-0.0
0.0	Q5_pc Y		1.516	1.916	0.251	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0							
-0.0	Q5_ps X		0.531	-0.161	-0.018	-0.0	-0.0
0.0	Q5_ps Y		1.403	1.878	0.064	0.0	0.0
0.0	INVS LU	Max	4.537	11.847	-7.368	0.0	0.0
-0.0		Min	-9.832	-2.915	-86.898	-0.0	0.0
0.0	INVS LE	Max	3.691	8.873	-5.494	0.0	0.0
-0.0		Min	-6.750	-1.806	-64.372	-0.0	0.0
5215	C1-C2;~1	Max	2.282	3.667	19.188	0.0	0.0
0.0		Min	-5.025	-3.726	-34.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.403	4.818	20.842	0.0	0.0
-0.0		Min	-6.061	-4.086	-40.434	-0.0	-0.0
0.0	C1-C2;~2	Max	1.187	1.803	9.803	0.0	0.0
-0.0		Min	-2.579	-1.904	-18.725	-0.0	-0.0
0.0	C3-C4;~2	Max	1.257	2.387	10.536	0.0	0.0
-0.0		Min	-3.073	-2.103	-21.393	-0.0	-0.0
0.0	G1		-4.112	0.219	-16.654	-0.0	0.0
0.0	G2		-1.617	0.097	-6.517	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.555	-0.155	-0.054	-0.0	-0.0
0.0	Q5_pc Y		1.499	1.947	0.245	0.0	0.0
-0.0	Q5_ps X		0.537	-0.176	-0.007	-0.0	-0.0
0.0	Q5_ps Y		1.387	1.911	0.050	0.0	0.0
0.0	INVS LU	Max	4.418	12.572	-9.387	0.0	0.0
-0.0		Min	-9.707	-2.952	-92.550	-0.0	0.0
0.0	INVS LE	Max	3.598	9.402	-7.025	0.0	0.0
-0.0		Min	-6.665	-1.838	-68.594	-0.0	0.0
5216	C1-C2;~1	Max	2.233	3.916	19.811	0.0	0.0
0.0		Min	-4.902	-3.831	-36.574	-0.0	-0.0
-0.0							

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.352	5.138	21.547	0.0	0.0
-0.0		Min	-5.936	-4.249	-42.303	-0.0	-0.0
0.0	C1-C2;~2	Max	1.167	1.930	10.091	0.0	0.0
-0.0		Min	-2.514	-1.925	-19.599	-0.0	-0.0
0.0	C3-C4;~2	Max	1.236	2.548	10.858	0.0	0.0
-0.0		Min	-3.009	-2.187	-22.390	-0.0	-0.0
0.0	G1		-4.052	0.371	-17.608	-0.0	0.0
0.0	G2		-1.593	0.157	-6.893	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.561	-0.170	-0.043	-0.0	-0.0
0.0	Q5_pc Y		1.483	1.979	0.236	0.0	0.0
-0.0	Q5_ps X		0.544	-0.192	0.005	-0.0	-0.0
0.0	Q5_ps Y		1.371	1.945	0.034	0.0	0.0
0.0	INVSLU	Max	4.344	13.230	-11.389	0.0	0.0
-0.0		Min	-9.514	-3.005	-98.012	-0.0	0.0
0.0	INVSLE	Max	3.539	9.883	-8.542	0.0	0.0
-0.0		Min	-6.528	-1.879	-72.675	0.0	0.0
5217	C1-C2;~1	Max	2.186	4.138	20.380	0.0	0.0
0.0		Min	-4.766	-3.943	-38.093	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.303	5.423	22.193	0.0	0.0
-0.0		Min	-5.794	-4.407	-44.050	-0.0	-0.0
0.0	C1-C2;~2	Max	1.148	2.041	10.351	0.0	0.0
-0.0		Min	-2.441	-1.996	-20.421	-0.0	-0.0
0.0	C3-C4;~2	Max	1.217	2.689	11.149	0.0	0.0
-0.0		Min	-2.935	-2.268	-23.324	-0.0	-0.0
0.0	G1		-3.973	0.499	-18.502	0.0	0.0
0.0	G2		-1.563	0.209	-7.244	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.567	-0.185	-0.033	-0.0	-0.0
0.0	Q5_pc Y		1.466	2.014	0.228	0.0	0.0
-0.0	Q5_ps X		0.550	-0.207	0.016	-0.0	-0.0
0.0	Q5_ps Y		1.355	1.981	0.019	0.0	0.0
0.0	INVS LU	Max	4.312	13.831	-13.331	0.0	0.0
-0.0		Min	-9.257	-3.064	-103.169	0.0	0.0
0.0	INVS LE	Max	3.511	10.323	-10.013	0.0	0.0
-0.0		Min	-6.345	-1.923	-76.529	0.0	0.0
5218	C1-C2;~1	Max	2.141	4.362	20.923	0.0	0.0
0.0		Min	-4.624	-4.060	-39.575	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.256	5.710	22.813	0.0	0.0
-0.0		Min	-5.647	-4.567	-45.757	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.130	2.155	10.596	0.0	0.0
-0.0		Min	-2.365	-2.068	-21.223	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.198	2.834	11.425	0.0	0.0
-0.0		Min	-2.858	-2.350	-24.239	-0.0	-0.0
0.0							
0.0	G1		-3.885	0.623	-19.370	0.0	0.0
0.0	G2		-1.528	0.258	-7.584	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.574	-0.198	-0.022	0.0	-0.0
0.0	Q5_pc Y		1.448	2.047	0.218	-0.0	0.0
-0.0	Q5_ps X		0.556	-0.221	0.028	0.0	-0.0
0.0	Q5_ps Y		1.338	2.015	0.003	-0.0	0.0
0.0	INVS LU	Max	4.313	14.434	-15.202	0.0	0.0
-0.0		Min	-8.963	-3.124	-108.162	-0.0	0.0
0.0	INVS LE	Max	3.507	10.765	-11.429	0.0	0.0
-0.0		Min	-6.134	-1.968	-80.259	-0.0	0.0
5219	C1-C2;~1	Max	2.101	4.655	21.375	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.490	-4.121	-40.864	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.215	6.073	23.336	0.0	0.0
0.0		Min	-5.510	-4.752	-47.252	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.114	2.308	10.792	0.0	0.0
0.0		Min	-2.293	-2.151	-21.919	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.181	3.020	11.649	0.0	0.0
0.0		Min	-2.786	-2.444	-25.039	-0.0	-0.0
-0.0							
0.0		G1	-3.795	0.788	-20.128	0.0	0.0
0.0		G2	-1.494	0.324	-7.886	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.579	-0.209	-0.007	-0.0	-0.0
-0.0	Q5_pc	Y	1.432	2.072	0.196	0.0	0.0
0.0	Q5_ps	X	0.562	-0.232	0.045	-0.0	-0.0
-0.0	Q5_ps	Y	1.322	2.042	-0.025	0.0	0.0
0.0							
0.0	INVSLU	Max	4.338	15.164	-16.978	0.0	0.0
0.0		Min	-8.668	-3.179	-112.624	0.0	0.0
-0.0							
0.0	INVSLE	Max	3.522	11.299	-12.771	0.0	0.0
0.0		Min	-5.921	-2.012	-83.593	0.0	0.0
-0.0							
5220	C1-C2;~1	Max	2.065	4.937	21.781	0.0	0.0
0.0		Min	-4.353	-4.283	-42.051	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.178	6.419	23.809	0.0	0.0
0.0		Min	-5.370	-4.938	-48.621	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.100	2.455	10.964	0.0	0.0
0.0		Min	-2.218	-2.234	-22.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.167	3.198	11.849	0.0	0.0
0.0		Min	-2.713	-2.538	-25.774	-0.0	-0.0
-0.0							
0.0		G1	-3.695	0.940	-20.819	-0.0	0.0
0.0		G2	-1.455	0.384	-8.160	-0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5222	C1-C2;~1	Max	2.040	5.365	22.456	0.0	0.0
0.0		Min	-4.070	-4.570	-44.162	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.150	6.939	24.610	0.0	0.0
0.0		Min	-5.070	-5.271	-51.049	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.092	2.673	11.236	0.0	0.0
0.0		Min	-2.056	-2.382	-23.709	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.156	3.459	12.170	0.0	0.0
0.0		Min	-2.546	-2.707	-27.082	-0.0	-0.0
-0.0							
	G1		-3.439	1.136	-22.020	0.0	0.0
0.0	G2		-1.355	0.463	-8.634	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.595	-0.234	0.035	-0.0	-0.0
-0.0	Q5_pc Y		1.381	2.147	0.132	0.0	0.0
0.0	Q5_ps X		0.578	-0.259	0.088	-0.0	-0.0
-0.0	Q5_ps Y		1.274	2.120	-0.100	0.0	0.0
0.0							
	INVSLU	Max	4.657	16.867	-21.570	0.0	0.0
0.0		Min	-7.576	-3.480	-123.947	0.0	0.0
-0.0							
	INVSLE	Max	3.747	12.545	-16.241	0.0	0.0
0.0		Min	-5.131	-2.240	-92.058	0.0	0.0
-0.0							
5223	C1-C2;~1	Max	2.046	5.551	22.739	0.0	0.0
0.0		Min	-3.941	-4.706	-45.097	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.153	7.166	24.959	0.0	0.0
0.0		Min	-4.921	-5.428	-52.118	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.094	2.769	11.343	0.0	0.0
0.0		Min	-1.982	-2.453	-24.218	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.158	3.574	12.305	0.0	0.0
0.0		Min	-2.462	-2.788	-27.660	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-3.295	1.208	-22.536	0.0	0.0
0.0	G2	-1.299	0.492	-8.835	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.600	-0.241	0.049	0.0	-0.0
0.0	Q5_pc Y	1.364	2.171	0.110	-0.0	0.0
-0.0	Q5_ps X	0.583	-0.266	0.102	0.0	-0.0
0.0	Q5_ps Y	1.258	2.144	-0.123	-0.0	0.0
0.0	INVS LU Max	4.849	17.303	-22.778	0.0	0.0
-0.0	Min	-7.157	-3.606	-127.030	0.0	0.0
0.0	INVS LE Max	3.885	12.865	-17.154	0.0	0.0
-0.0	Min	-4.826	-2.334	-94.363	0.0	0.0
5224	C1-C2;~1 Max	2.054	5.818	23.019	0.0	0.0
0.0	Min	-3.849	-4.869	-45.757	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.159	7.484	25.357	0.0	0.0
-0.0	Min	-4.789	-5.617	-52.889	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.098	2.909	11.471	0.0	0.0
-0.0	Min	-1.933	-2.537	-24.573	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.161	3.739	12.503	0.0	0.0
-0.0	Min	-2.386	-2.884	-28.072	-0.0	-0.0
-0.0						
0.0	G1	-3.159	1.339	-22.890	0.0	0.0
0.0	G2	-1.246	0.544	-8.979	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.604	-0.245	0.066	-0.0	-0.0
0.0	Q5_pc Y	1.348	2.188	0.078	0.0	0.0
-0.0	Q5_ps X	0.587	-0.270	0.119	-0.0	-0.0
0.0	Q5_ps Y	1.243	2.162	-0.158	0.0	0.0
0.0						
0.0	INVS LU Max	5.042	17.927	-23.542	0.0	0.0
-0.0	Min	-6.764	-3.698	-129.314	0.0	0.0
-0.0						
	INVS LE Max	4.025	13.322	-17.734	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-4.541	-2.405	-96.073	0.0	0.0
-0.0							
5225	C1-C2;~1	Max	2.065	6.070	23.326	0.0	0.0
0.0		Min	-3.758	-5.030	-46.319	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.168	7.780	25.773	0.0	0.0
0.0		Min	-4.655	-5.803	-53.533	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.103	3.041	11.628	0.0	0.0
0.0		Min	-1.883	-2.621	-24.874	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.165	3.893	12.725	0.0	0.0
0.0		Min	-2.310	-2.979	-28.416	-0.0	-0.0
-0.0							
0.0	G1		-3.018	1.456	-23.177	-0.0	0.0
0.0	G2		-1.191	0.591	-9.095	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.608	-0.248	0.081	-0.0	-0.0
-0.0	Q5_pc Y		1.333	2.204	0.048	0.0	0.0
0.0	Q5_ps X		0.591	-0.274	0.135	-0.0	-0.0
-0.0	Q5_ps Y		1.228	2.178	-0.190	0.0	0.0
0.0							
0.0	INVSLU	Max	5.250	18.500	-24.013	0.0	0.0
0.0		Min	-6.360	-3.805	-131.223	0.0	0.0
-0.0							
0.0	INVSLE	Max	4.175	13.741	-18.096	0.0	0.0
0.0		Min	-4.247	-2.488	-97.500	0.0	0.0
-0.0							
5226	C1-C2;~1	Max	2.083	6.261	23.671	0.0	0.0
0.0		Min	-3.659	-5.173	-46.762	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.182	8.001	26.174	0.0	0.0
0.0		Min	-4.542	-5.969	-54.036	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.111	3.139	11.826	0.0	0.0
0.0		Min	-1.829	-2.694	-25.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.172	4.005	12.948	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-2.250	-3.064	-28.684	-0.0	-0.0
-0.0	G1		-2.861	1.526	-23.382	-0.0	0.0
0.0	G2		-1.130	0.618	-9.177	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.611	-0.251	0.096	-0.0	-0.0
-0.0	Q5_pc Y		1.317	2.221	0.017	0.0	0.0
0.0	Q5_ps X		0.594	-0.276	0.150	-0.0	-0.0
-0.0	Q5_ps Y		1.214	2.195	-0.220	0.0	0.0
0.0	INVSLU	Max	5.489	18.908	-24.213	0.0	0.0
0.0		Min	-5.960	-3.949	-132.671	0.0	0.0
-0.0							
0.0	INVSLE	Max	4.348	14.039	-18.257	0.0	0.0
0.0		Min	-3.957	-2.596	-98.582	0.0	0.0
-0.0							
5227	C1-C2;~1	Max	2.107	6.387	23.964	0.0	0.0
0.0		Min	-3.556	-5.295	-47.075	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.203	8.146	26.517	0.0	0.0
0.0		Min	-4.422	-6.111	-54.378	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.122	3.202	11.997	0.0	0.0
0.0		Min	-1.772	-2.758	-25.278	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.182	4.076	13.143	0.0	0.0
0.0		Min	-2.186	-3.137	-28.865	-0.0	-0.0
-0.0							
-0.0	G1		-2.691	1.547	-23.500	0.0	0.0
-0.0	G2		-1.063	0.627	-9.223	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.614	-0.253	0.110	-0.0	-0.0
-0.0	Q5_pc Y		1.301	2.238	-0.012	0.0	0.0
0.0	Q5_ps X		0.597	-0.278	0.163	-0.0	-0.0
-0.0	Q5_ps Y		1.199	2.212	-0.248	0.0	0.0
0.0							
0.0	INVSLU	Max	5.759	19.150	-24.198	0.0	0.0
0.0		Min	-5.528	-4.127	-133.605	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.0							
0.0	INVSLE	Max	4.544	14.217	-18.255	0.0	0.0
-0.0		Min	-3.643	-2.727	-99.282	0.0	0.0
5228	C1-C2;~1	Max	2.139	6.495	24.228	0.0	0.0
0.0		Min	-3.456	-5.412	-47.303	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.231	8.266	26.829	0.0	0.0
-0.0		Min	-4.304	-6.248	-54.616	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.136	3.256	12.155	0.0	0.0
0.0		Min	-1.716	-2.820	-25.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.194	4.134	13.322	0.0	0.0
-0.0		Min	-2.123	-3.208	-28.991	-0.0	-0.0
-0.0	G1		-2.515	1.552	-23.555	0.0	0.0
-0.0	G2		-0.994	0.629	-9.244	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.617	-0.253	0.123	0.0	-0.0
0.0	Q5_pc Y		1.286	2.255	-0.041	-0.0	0.0
-0.0	Q5_ps X		0.599	-0.279	0.175	0.0	-0.0
0.0	Q5_ps Y		1.185	2.228	-0.274	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.053	19.335	-23.985	0.0	0.0
-0.0		Min	-5.084	-4.317	-134.157	0.0	-0.0
0.0							
-0.0	INVSLE	Max	4.757	14.353	-18.104	0.0	0.0
-0.0		Min	-3.321	-2.866	-99.697	0.0	-0.0
5229	C1-C2;~1	Max	2.172	6.684	24.394	0.0	0.0
0.0		Min	-3.373	-5.561	-47.222	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.260	8.497	27.033	0.0	0.0
-0.0		Min	-4.203	-6.421	-54.522	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.151	3.354	12.263	0.0	0.0
-0.0		Min	-1.669	-2.898	-25.343	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	1.207	4.258	13.448	0.0	0.0
-0.0		Min	-2.069	-3.296	-28.929	-0.0	-0.0
0.0	G1		-2.354	1.615	-23.438	0.0	-0.0
0.0	G2		-0.931	0.654	-9.202	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.618	-0.252	0.139	0.0	-0.0
0.0	Q5_pc	Y	1.272	2.265	-0.079	0.0	0.0
0.0	Q5_ps	X	0.601	-0.277	0.191	-0.0	-0.0
0.0	Q5_ps	Y	1.172	2.238	-0.311	0.0	0.0
0.0	INVSLU	Max	6.330	19.745	-23.488	0.0	0.0
-0.0		Min	-4.684	-4.471	-133.838	0.0	-0.0
0.0	INVSLE	Max	4.958	14.654	-17.740	0.0	0.0
-0.0		Min	-3.031	-2.982	-99.462	0.0	-0.0
5230	C1-C2;~1	Max	2.210	6.863	24.519	0.0	0.0
0.0		Min	-3.345	-5.707	-47.053	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.294	8.721	27.190	0.0	0.0
0.0		Min	-4.106	-6.591	-54.321	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.167	3.447	12.350	0.0	0.0
0.0		Min	-1.662	-2.974	-25.240	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.222	4.379	13.550	0.0	0.0
0.0		Min	-2.016	-3.384	-28.811	-0.0	-0.0
-0.0	G1		-2.194	1.668	-23.261	-0.0	-0.0
-0.0	G2		-0.868	0.675	-9.136	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.619	-0.249	0.154	-0.0	-0.0
0.0	Q5_pc	Y	1.258	2.272	-0.114	0.0	0.0
0.0	Q5_ps	X	0.602	-0.274	0.204	-0.0	-0.0
0.0	Q5_ps	Y	1.159	2.245	-0.344	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	6.613	20.126	-22.815	0.0	0.0
		Min	-4.292	-4.635	-133.132	0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.164	14.933	-17.241	0.0	0.0
		Min	-2.745	-3.106	-98.937	0.0	-0.0
-0.0							
5231 0.0	C1-C2;~1	Max	2.257	6.992	24.595	0.0	0.0
		Min	-3.324	-5.837	-46.756	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.337	8.874	27.294	0.0	0.0
		Min	-4.007	-6.743	-53.964	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.188	3.512	12.413	0.0	0.0
		Min	-1.659	-3.042	-25.068	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.241	4.460	13.626	0.0	0.0
		Min	-1.961	-3.462	-28.608	-0.0	-0.0
-0.0							
-0.0	G1		-2.025	1.683	-22.998	-0.0	-0.0
-0.0	G2		-0.802	0.681	-9.034	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.619	-0.245	0.167	-0.0	-0.0
0.0	Q5_pc Y		1.245	2.280	-0.149	0.0	0.0
0.0	Q5_ps X		0.602	-0.270	0.216	-0.0	-0.0
0.0	Q5_ps Y		1.148	2.252	-0.374	0.0	0.0
0.0							
0.0	INVS LU	Max	6.918	20.358	-21.922	0.0	0.0
		Min	-3.889	-4.828	-131.921	0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.386	15.104	-16.578	0.0	0.0
		Min	-2.453	-3.249	-98.036	0.0	-0.0
-0.0							
5232 0.0	C1-C2;~1	Max	2.377	7.076	24.618	0.0	0.0
		Min	-3.311	-5.954	-46.338	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.389	8.964	27.338	0.0	0.0
		Min	-3.970	-6.880	-53.464	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.212	3.553	12.448	0.0	0.0
-0.0		Min	-1.660	-3.104	-24.830	-0.0	-0.0
0.0	C3-C4;~2	Max	1.263	4.505	13.671	0.0	0.0
-0.0		Min	-1.950	-3.533	-28.330	-0.0	-0.0
-0.0	G1		-1.851	1.664	-22.656	0.0	-0.0
-0.0	G2		-0.734	0.674	-8.899	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.618	-0.241	0.178	0.0	-0.0
0.0	Q5_pc Y		1.232	2.287	-0.182	0.0	0.0
0.0	Q5_ps X		0.601	-0.266	0.226	-0.0	-0.0
0.0	Q5_ps Y		1.136	2.258	-0.402	0.0	0.0
0.0	INVSLU	Max	7.241	20.456	-20.832	0.0	0.0
-0.0		Min	-3.563	-5.050	-130.242	0.0	-0.0
0.0	INVSLE	Max	5.621	15.176	-15.765	0.0	0.0
-0.0		Min	-2.217	-3.413	-96.786	0.0	-0.0
5233	C1-C2;~1	Max	2.470	7.162	24.607	0.0	0.0
0.0		Min	-3.305	-6.077	-45.831	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.448	9.050	27.345	0.0	0.0
-0.0		Min	-3.945	-7.025	-52.851	-0.0	-0.0
0.0	C1-C2;~2	Max	1.238	3.595	12.467	0.0	0.0
-0.0		Min	-1.663	-3.169	-24.545	-0.0	-0.0
0.0	C3-C4;~2	Max	1.289	4.548	13.697	0.0	0.0
-0.0		Min	-1.946	-3.608	-27.991	-0.0	-0.0
-0.0	G1		-1.680	1.643	-22.249	0.0	-0.0
-0.0	G2		-0.667	0.665	-8.738	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.617	-0.235	0.189	0.0	-0.0
0.0	Q5_pc Y		1.220	2.292	-0.214	-0.0	0.0
0.0	Q5_ps X		0.600	-0.260	0.234	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.125	2.261	-0.428	-0.0	0.0
0.0	INVS LU	Max	7.601	20.540	-19.541	0.0	0.0
-0.0		Min	-3.256	-5.287	-128.190	0.0	-0.0
0.0	INVS LE	Max	5.884	15.237	-14.803	0.0	0.0
-0.0		Min	-1.996	-3.588	-95.255	0.0	-0.0
5234 0.0	C1-C2;~1	Max	2.549	7.342	24.487	0.0	0.0
-0.0		Min	-3.302	-6.246	-45.044	-0.0	-0.0
0.0	C3-C4;~1	Max	2.503	9.261	27.230	0.0	0.0
-0.0		Min	-3.926	-7.223	-51.932	-0.0	-0.0
0.0	C1-C2;~2	Max	1.298	3.688	12.429	0.0	0.0
-0.0		Min	-1.667	-3.258	-24.102	-0.0	-0.0
0.0	C3-C4;~2	Max	1.312	4.661	13.663	0.0	0.0
-0.0		Min	-1.944	-3.711	-27.481	-0.0	-0.0
-0.0	G1		-1.533	1.682	-21.685	0.0	-0.0
-0.0	G2		-0.609	0.680	-8.521	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.615	-0.228	0.200	0.0	-0.0
-0.0	Q5_pc Y		1.211	2.289	-0.254	0.0	0.0
0.0	Q5_ps X		0.598	-0.252	0.245	0.0	-0.0
-0.0	Q5_ps Y		1.117	2.257	-0.463	0.0	0.0
0.0	INVS LU	Max	7.926	20.861	-18.018	0.0	-0.0
-0.0		Min	-2.995	-5.513	-125.343	0.0	-0.0
0.0	INVS LE	Max	6.121	15.473	-13.665	0.0	-0.0
-0.0		Min	-1.807	-3.758	-93.131	0.0	-0.0
5235 0.0	C1-C2;~1	Max	2.632	7.508	24.324	0.0	0.0
-0.0		Min	-3.307	-6.408	-44.180	-0.0	-0.0
0.0	C3-C4;~1	Max	2.565	9.453	27.068	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.915	-7.412	-50.925	-0.0	-0.0
0.0	C1-C2;~2	Max	1.333	3.773	12.368	0.0	0.0
-0.0		Min	-1.674	-3.344	-23.619	-0.0	-0.0
0.0	C3-C4;~2	Max	1.338	4.766	13.603	0.0	0.0
-0.0		Min	-1.945	-3.808	-26.925	-0.0	-0.0
-0.0		G1	-1.387	1.707	-21.075	-0.0	-0.0
-0.0		G2	-0.551	0.690	-8.283	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.612	-0.220	0.211	0.0	-0.0
0.0	Q5_pc Y		1.201	2.285	-0.291	0.0	0.0
0.0	Q5_ps X		0.595	-0.244	0.254	-0.0	-0.0
-0.0	Q5_ps Y		1.109	2.252	-0.494	0.0	0.0
0.0	INVSLU	Max	8.242	21.136	-16.363	0.0	-0.0
-0.0		Min	-2.758	-5.745	-122.177	0.0	-0.0
0.0	INVSLE	Max	6.352	15.674	-12.426	0.0	-0.0
-0.0		Min	-1.637	-3.933	-90.768	0.0	-0.0
5236	C1-C2;~1	Max	2.732	7.589	24.103	0.0	0.0
0.0		Min	-3.325	-6.528	-43.196	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.641	9.536	26.840	0.0	0.0
-0.0		Min	-3.918	-7.553	-49.770	-0.0	-0.0
0.0	C1-C2;~2	Max	1.375	3.814	12.278	0.0	0.0
-0.0		Min	-1.689	-3.407	-23.073	-0.0	-0.0
0.0	C3-C4;~2	Max	1.371	4.810	13.510	0.0	0.0
-0.0		Min	-1.954	-3.881	-26.293	-0.0	-0.0
-0.0		G1	-1.232	1.677	-20.386	-0.0	-0.0
-0.0		G2	-0.490	0.678	-8.014	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.607	-0.210	0.220	0.0	-0.0
0.0	Q5_pc Y		1.191	2.282	-0.327	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
0.0	Q5_ps X		0.590	-0.234	0.261	-0.0	-0.0
0.0	Q5_ps Y		1.100	2.248	-0.523	0.0	0.0
0.0							
-0.0	INVS LU	Max	8.582	21.194	-14.544	0.0	-0.0
-0.0		Min	-2.541	-5.985	-118.556	0.0	-0.0
-0.0							
-0.0	INVS LE	Max	6.598	15.717	-11.064	0.0	-0.0
-0.0		Min	-1.482	-4.111	-88.066	0.0	-0.0
-0.0							
5237	C1-C2;~1	Max	2.861	7.569	23.818	0.0	0.0
0.0		Min	-3.358	-6.599	-42.115	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.733	9.482	26.541	0.0	0.0
-0.0		Min	-3.937	-7.637	-48.505	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.433	3.800	12.154	0.0	0.0
-0.0		Min	-1.712	-3.445	-22.475	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.411	4.778	13.380	0.0	0.0
-0.0		Min	-1.971	-3.925	-25.605	-0.0	-0.0
-0.0							
-0.0	G1		-1.068	1.582	-19.646	0.0	-0.0
-0.0	G2		-0.426	0.640	-7.723	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.602	-0.199	0.227	0.0	-0.0
0.0	Q5_pc Y		1.181	2.283	-0.360	0.0	0.0
0.0	Q5_ps X		0.585	-0.222	0.266	0.0	-0.0
0.0	Q5_ps Y		1.092	2.247	-0.549	0.0	0.0
0.0							
-0.0	INVS LU	Max	8.961	20.992	-12.635	0.0	-0.0
-0.0		Min	-2.343	-6.228	-114.596	0.0	-0.0
-0.0							
-0.0	INVS LE	Max	6.874	15.570	-9.631	0.0	-0.0
-0.0		Min	-1.342	-4.289	-85.110	0.0	-0.0
-0.0							
5238	C1-C2;~1	Max	3.027	7.488	23.481	0.0	0.0
0.0		Min	-3.408	-6.641	-40.928	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.842	9.346	26.183	0.0	0.0
-0.0		Min	-3.973	-7.688	-47.103	-0.0	-0.0
0.0	C1-C2;~2	Max	1.516	3.753	12.003	0.0	0.0
-0.0		Min	-1.743	-3.467	-21.824	-0.0	-0.0
0.0	C3-C4;~2	Max	1.459	4.700	13.220	0.0	0.0
-0.0		Min	-1.997	-3.951	-24.845	-0.0	-0.0
-0.0	G1		-0.898	1.450	-18.838	0.0	-0.0
-0.0	G2		-0.359	0.587	-7.403	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.596	-0.187	0.231	0.0	0.0
0.0	Q5_pc Y		1.171	2.284	-0.392	-0.0	0.0
0.0	Q5_ps X		0.579	-0.210	0.268	0.0	0.0
-0.0	Q5_ps Y		1.083	2.245	-0.571	-0.0	0.0
-0.0	INVSLU	Max	9.393	20.633	-10.618	0.0	-0.0
-0.0		Min	-2.164	-6.473	-110.260	0.0	-0.0
-0.0	INVSLE	Max	7.189	15.308	-8.118	0.0	-0.0
-0.0		Min	-1.216	-4.467	-81.874	0.0	-0.0
5239	C1-C2;~1	Max	3.173	7.457	23.021	0.0	0.0
0.0		Min	-3.460	-6.714	-39.511	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.950	9.272	25.688	0.0	0.0
-0.0		Min	-4.013	-7.774	-45.449	-0.0	-0.0
0.0	C1-C2;~2	Max	1.588	3.734	11.788	0.0	0.0
-0.0		Min	-1.774	-3.506	-21.048	-0.0	-0.0
0.0	C3-C4;~2	Max	1.505	4.656	12.989	0.0	0.0
-0.0		Min	-2.024	-3.996	-23.951	-0.0	-0.0
-0.0	G1		-0.747	1.344	-17.912	0.0	-0.0
-0.0	G2		-0.299	0.545	-7.043	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.588	-0.174	0.237	0.0	0.0
-0.0	Q5_pc Y		1.163	2.280	-0.432	-0.0	0.0
0.0	Q5_ps X		0.571	-0.196	0.271	0.0	0.0
-0.0	Q5_ps Y		1.076	2.240	-0.602	-0.0	0.0
-0.0	INVS LU	Max	9.772	20.381	-8.522	0.0	-0.0
-0.0		Min	-2.022	-6.735	-105.335	0.0	-0.0
-0.0	INVS LE	Max	7.464	15.124	-6.543	0.0	-0.0
-0.0		Min	-1.117	-4.658	-78.199	0.0	-0.0
5240	C1-C2;~1	Max	3.308	7.428	22.528	0.0	0.0
0.0		Min	-3.519	-6.792	-38.054	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.064	9.200	25.155	0.0	0.0
0.0		Min	-4.063	-7.865	-43.753	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.655	3.714	11.554	0.0	0.0
0.0		Min	-1.808	-3.547	-20.252	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.554	4.614	12.738	0.0	0.0
0.0		Min	-2.054	-4.044	-23.037	-0.0	-0.0
-0.0	G1		-0.607	1.237	-16.968	0.0	-0.0
-0.0	G2		-0.243	0.503	-6.674	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.579	-0.160	0.241	0.0	0.0
-0.0	Q5_pc Y		1.156	2.274	-0.467	-0.0	0.0
0.0	Q5_ps X		0.562	-0.182	0.274	0.0	0.0
-0.0	Q5_ps Y		1.072	2.231	-0.628	-0.0	0.0
-0.0	INVS LU	Max	10.113	20.122	-6.373	0.0	-0.0
-0.0		Min	-1.919	-7.010	-100.240	0.0	-0.0
-0.0	INVS LE	Max	7.712	14.934	-4.926	0.0	-0.0
-0.0		Min	-1.046	-4.860	-74.395	0.0	-0.0
5241	C1-C2;~1	Max	3.434	7.399	21.975	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.583	-6.877	-36.500	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.194	9.126	24.555	0.0	0.0
0.0		Min	-4.122	-7.964	-41.941	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.717	3.695	11.289	0.0	0.0
0.0		Min	-1.844	-3.593	-19.406	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.615	4.570	12.453	0.0	0.0
0.0		Min	-2.089	-4.096	-22.063	-0.0	-0.0
-0.0							
-0.0	G1		-0.483	1.125	-15.970	0.0	-0.0
-0.0	G2		-0.194	0.458	-6.283	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.569	-0.146	0.243	0.0	0.0
0.0	Q5_pc Y		1.152	2.264	-0.503	-0.0	0.0
-0.0	Q5_ps X		0.553	-0.167	0.273	0.0	0.0
0.0	Q5_ps Y		1.069	2.219	-0.653	-0.0	-0.0
-0.0							
-0.0	INVSLU	Max	10.410	19.839	-4.183	0.0	-0.0
-0.0		Min	-1.864	-7.309	-94.857	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	7.927	14.727	-3.276	0.0	-0.0
-0.0		Min	-1.012	-5.081	-70.375	-0.0	-0.0
-0.0							
5242	C1-C2;~1	Max	3.547	7.381	21.374	0.0	0.0
0.0		Min	-3.652	-6.978	-34.887	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.317	9.062	23.899	0.0	0.0
0.0		Min	-4.188	-8.082	-40.071	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.772	3.681	10.998	0.0	0.0
0.0		Min	-1.882	-3.647	-18.529	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.673	4.533	12.138	0.0	0.0
0.0		Min	-2.126	-4.158	-21.059	-0.0	-0.0
-0.0							
-0.0	G1		-0.378	1.010	-14.950	0.0	-0.0
-0.0	G2		-0.153	0.412	-5.881	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.131	0.244	0.0	0.0
0.0	Q5_pc Y		1.150	2.251	-0.536	-0.0	0.0
-0.0	Q5_ps X		0.543	-0.152	0.272	0.0	0.0
0.0	Q5_ps Y		1.068	2.204	-0.676	-0.0	-0.0
-0.0							
-0.0	INVS LU	Max	10.652	19.546	-2.002	0.0	-0.0
-0.0		Min	-1.859	-7.651	-89.327	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	8.101	14.511	-1.631	0.0	-0.0
-0.0		Min	-1.014	-5.334	-66.244	-0.0	-0.0
-0.0							
5243	C1-C2;~1	Max	3.649	7.375	20.739	0.0	0.0
0.0		Min	-3.725	-7.094	-33.214	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.440	9.011	23.207	0.0	0.0
-0.0		Min	-4.263	-8.217	-38.125	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.822	3.674	10.690	0.0	0.0
-0.0		Min	-1.923	-3.709	-17.620	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.730	4.503	11.804	0.0	0.0
-0.0		Min	-2.168	-4.228	-20.017	-0.0	-0.0
-0.0							
-0.0	G1		-0.287	0.891	-13.887	0.0	-0.0
-0.0	G2		-0.116	0.365	-5.460	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.549	-0.117	0.241	0.0	0.0
0.0	Q5_pc Y		1.150	2.234	-0.563	-0.0	0.0
-0.0	Q5_ps X		0.532	-0.136	0.266	0.0	0.0
0.0	Q5_ps Y		1.070	2.184	-0.692	0.0	0.0
-0.0							
-0.0	INVS LU	Max	10.847	19.242	0.193	0.0	-0.0
-0.0		Min	-1.905	-8.037	-83.619	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	8.239	14.287	0.026	0.0	-0.0
-0.0		Min	-1.053	-5.621	-61.981	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5244	C1-C2;~1	Max	3.749	7.352	19.904	0.0	0.0
0.0		Min	-3.808	-7.198	-31.270	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.576	8.938	22.288	0.0	0.0
0.0		Min	-4.352	-8.338	-35.864	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.869	3.658	10.275	0.0	0.0
0.0		Min	-1.968	-3.765	-16.571	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.792	4.462	11.352	0.0	0.0
0.0		Min	-2.216	-4.292	-18.811	-0.0	-0.0
-0.0							
	G1		-0.196	0.762	-12.736	0.0	-0.0
-0.0							
	G2		-0.080	0.314	-5.011	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.536	-0.102	0.238	0.0	0.0
0.0							
	Q5_pc Y		1.153	2.215	-0.586	-0.0	0.0
-0.0							
	Q5_ps X		0.519	-0.121	0.261	0.0	0.0
0.0							
	Q5_ps Y		1.075	2.163	-0.705	0.0	0.0
-0.0							
	INVSLU	Max	11.022	18.889	2.113	0.0	-0.0
-0.0		Min	-1.990	-8.421	-77.447	-0.0	-0.0
-0.0							
	INVSLE	Max	8.363	14.027	1.474	0.0	-0.0
-0.0		Min	-1.122	-5.908	-57.381	-0.0	-0.0
-0.0							
5245	C1-C2;~1	Max	3.848	7.303	19.012	0.0	0.0
0.0		Min	-3.907	-7.287	-29.278	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.720	8.831	21.305	0.0	0.0
0.0		Min	-4.459	-8.442	-33.556	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.917	3.629	9.829	0.0	0.0
0.0		Min	-2.021	-3.813	-15.498	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.858	4.403	10.866	0.0	0.0
0.0		Min	-2.273	-4.347	-17.582	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.118	0.617	-11.581	0.0	-0.0
-0.0	G2		-0.049	0.256	-4.559	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.522	-0.088	0.235	0.0	0.0
-0.0	Q5_pc Y		1.159	2.194	-0.601	0.0	0.0
0.0	Q5_ps X		0.505	-0.105	0.255	0.0	0.0
-0.0	Q5_ps Y		1.082	2.139	-0.708	0.0	0.0
-0.0	INVS LU	Max	11.162	18.467	3.885	0.0	-0.0
-0.0		Min	-2.139	-8.801	-71.258	-0.0	-0.0
-0.0	INVS LE	Max	8.459	13.716	2.810	0.0	-0.0
-0.0		Min	-1.239	-6.190	-52.771	-0.0	-0.0
5246	C1-C2;~1	Max	3.942	7.226	18.025	0.0	0.0
0.0		Min	-4.016	-7.362	-27.182	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.860	8.686	20.214	0.0	0.0
0.0		Min	-4.582	-8.528	-31.128	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.961	3.586	9.333	0.0	0.0
0.0		Min	-2.079	-3.854	-14.371	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.921	4.323	10.323	0.0	0.0
0.0		Min	-2.338	-4.392	-16.292	-0.0	-0.0
-0.0	G1		-0.062	0.454	-10.403	0.0	-0.0
-0.0	G2		-0.026	0.191	-4.096	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.507	-0.075	0.227	0.0	0.0
-0.0	Q5_pc Y		1.166	2.171	-0.605	0.0	0.0
0.0	Q5_ps X		0.491	-0.090	0.245	0.0	0.0
-0.0	Q5_ps Y		1.091	2.113	-0.702	0.0	-0.0
-0.0	INVS LU	Max	11.251	17.968	5.449	0.0	-0.0
-0.0		Min	-2.355	-9.178	-64.953	-0.0	-0.0
-0.0	INVS LE	Max	8.517	13.348	3.989	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.406	-6.470	-48.081	-0.0	-0.0
-0.0							
5247	C1-C2;~1	Max	4.028	7.124	16.958	0.0	0.0
0.0		Min	-4.134	-7.422	-25.030	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.991	8.505	19.031	0.0	0.0
0.0		Min	-4.716	-8.598	-28.650	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.002	3.530	8.793	0.0	0.0
0.0		Min	-2.143	-3.887	-13.216	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.981	4.224	9.731	0.0	0.0
0.0		Min	-2.408	-4.430	-14.978	-0.0	-0.0
-0.0							
-0.0	G1		-0.030	0.274	-9.241	0.0	-0.0
-0.0	G2		-0.012	0.120	-3.639	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.493	-0.061	0.218	0.0	0.0
0.0	Q5_pc Y		1.175	2.144	-0.601	0.0	-0.0
-0.0	Q5_ps X		0.477	-0.076	0.233	0.0	0.0
0.0	Q5_ps Y		1.101	2.084	-0.687	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	11.282	17.397	6.769	0.0	-0.0
-0.0		Min	-2.637	-9.552	-58.682	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	8.533	12.928	4.984	0.0	-0.0
-0.0		Min	-1.621	-6.748	-43.418	-0.0	-0.0
-0.0							
5248	C1-C2;~1	Max	4.113	7.005	15.823	0.0	0.0
0.0		Min	-4.264	-7.473	-22.820	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.119	8.302	17.770	0.0	0.0
0.0		Min	-4.865	-8.657	-26.098	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.044	3.466	8.216	0.0	0.0
0.0		Min	-2.212	-3.915	-12.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.039	4.114	9.098	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.487	-4.462	-13.627	-0.0	-0.0
-0.0	G1		-0.019	0.083	-8.077	0.0	-0.0
-0.0	G2		-0.007	0.043	-3.178	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.478	-0.050	0.206	-0.0	0.0
0.0	Q5_pc Y		1.186	2.114	-0.586	0.0	-0.0
-0.0	Q5_ps X		0.462	-0.062	0.218	-0.0	0.0
0.0	Q5_ps Y		1.113	2.051	-0.660	0.0	-0.0
-0.0							
	INVSLU	Max	11.278	16.776	7.886	0.0	-0.0
-0.0		Min	-2.985	-9.924	-52.390	-0.0	-0.0
-0.0							
	INVSLE	Max	8.522	12.473	5.827	0.0	-0.0
-0.0		Min	-1.886	-7.023	-38.744	-0.0	-0.0
-0.0							
5249	C1-C2;~1	Max	4.192	6.880	14.488	0.0	0.0
0.0		Min	-4.403	-7.525	-20.488	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.253	8.089	16.281	0.0	0.0
0.0		Min	-5.026	-8.718	-23.410	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.082	3.398	7.532	0.0	0.0
0.0		Min	-2.287	-3.944	-10.791	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.099	3.999	8.344	0.0	0.0
0.0		Min	-2.571	-4.494	-12.210	-0.0	-0.0
-0.0							
	G1		-0.018	-0.120	-6.980	0.0	-0.0
-0.0							
	G2		-0.005	-0.037	-2.749	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.462	-0.042	0.189	0.0	0.0
0.0							
	Q5_pc Y		1.202	2.081	-0.563	0.0	-0.0
-0.0							
	Q5_ps X		0.446	-0.052	0.199	0.0	0.0
0.0							
	Q5_ps Y		1.130	2.015	-0.628	0.0	-0.0
-0.0							
	INVSLU	Max	11.308	16.114	8.392	0.0	-0.0
-0.0		Min	-3.381	-10.321	-46.204	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	8.535	11.987	6.211	0.0	-0.0
-0.0		Min	-2.185	-7.317	-34.156	-0.0	-0.0
-0.0							
5250	C1-C2;~1	Max	4.253	6.744	13.098	0.0	0.0
0.0		Min	-4.557	-7.562	-18.149	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.378	7.864	14.728	0.0	0.0
0.0		Min	-5.206	-8.762	-20.730	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.111	3.326	6.817	0.0	0.0
0.0		Min	-2.369	-3.965	-9.547	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.155	3.878	7.556	0.0	0.0
0.0		Min	-2.665	-4.518	-10.799	-0.0	-0.0
-0.0							
-0.0	G1		-0.051	-0.319	-5.930	0.0	-0.0
-0.0	G2		-0.017	-0.116	-2.337	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.442	-0.030	0.173	0.0	0.0
0.0	Q5_pc Y		1.219	2.046	-0.530	0.0	-0.0
-0.0	Q5_ps X		0.426	-0.038	0.182	0.0	0.0
0.0	Q5_ps Y		1.148	1.978	-0.585	0.0	-0.0
-0.0							
	INVSLU	Max	11.256	15.452	8.661	0.0	-0.0
0.0		Min	-3.876	-10.676	-40.161	-0.0	-0.0
-0.0							
	INVSLE	Max	8.487	11.502	6.418	0.0	-0.0
0.0		Min	-2.559	-7.580	-29.676	-0.0	-0.0
-0.0							
5251	C1-C2;~1	Max	4.285	6.602	11.607	0.0	0.0
0.0		Min	-4.726	-7.577	-15.786	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.479	7.631	13.056	0.0	0.0
0.0		Min	-5.406	-8.781	-18.023	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.124	3.250	6.047	0.0	0.0
0.0		Min	-2.460	-3.973	-8.294	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	2.199	3.754	6.704	0.0	0.0
-0.0		Min	-2.771	-4.529	-9.379	-0.0	-0.0
-0.0	G1		-0.139	-0.500	-4.951	0.0	-0.0
-0.0	G2		-0.050	-0.188	-1.951	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.415	-0.008	0.151	0.0	0.0
-0.0	Q5_pc Y		1.236	2.011	-0.486	0.0	-0.0
0.0	Q5_ps X		0.400	-0.015	0.159	0.0	0.0
-0.0	Q5_ps Y		1.166	1.940	-0.533	0.0	-0.0
0.0	INVSLU	Max	11.061	14.833	8.518	0.0	-0.0
-0.0		Min	-4.508	-10.943	-34.313	-0.0	-0.0
0.0	INVSLE	Max	8.333	11.050	6.317	0.0	-0.0
-0.0		Min	-3.035	-7.776	-25.345	-0.0	-0.0
5252	C1-C2;~1	Max	4.308	6.460	10.057	0.0	0.0
0.0		Min	-4.835	-7.531	-13.466	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.557	7.408	11.315	0.0	0.0
0.0		Min	-5.534	-8.728	-15.381	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.132	3.176	5.244	0.0	0.0
0.0		Min	-2.519	-3.948	-7.066	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.233	3.638	5.815	0.0	0.0
0.0		Min	-2.838	-4.500	-7.995	-0.0	-0.0
-0.0	G1		-0.187	-0.609	-4.080	0.0	-0.0
-0.0	G2		-0.068	-0.231	-1.605	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.387	0.029	0.127	0.0	0.0
-0.0	Q5_pc Y		1.253	1.978	-0.434	0.0	-0.0
0.0	Q5_ps X		0.373	0.023	0.134	0.0	0.0
-0.0	Q5_ps Y		1.184	1.904	-0.473	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
						PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	INVS LU	Max	10.963	14.414	8.012	0.0	-0.0
-0.0		Min	-4.916	-10.930	-28.809	-0.0	-0.0
0.0	INVS LE	Max	8.253	10.748	5.948	0.0	-0.0
-0.0		Min	-3.342	-7.762	-21.270	-0.0	-0.0
5253 0.0	C1-C2;~1	Max	4.346	6.322	8.457	0.0	0.0
-0.0		Min	-4.955	-7.475	-11.126	-0.0	-0.0
0.0	C3-C4;~1	Max	4.631	7.192	9.517	0.0	0.0
-0.0		Min	-5.676	-8.664	-12.705	-0.0	-0.0
0.0	C1-C2;~2	Max	2.146	3.104	4.415	0.0	0.0
-0.0		Min	-2.584	-3.917	-5.831	-0.0	-0.0
0.0	C3-C4;~2	Max	2.267	3.526	4.896	0.0	0.0
-0.0		Min	-2.914	-4.466	-6.596	-0.0	-0.0
-0.0	G1		-0.265	-0.701	-3.231	0.0	-0.0
-0.0	G2		-0.098	-0.268	-1.268	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.354	0.074	0.094	0.0	0.0
-0.0	Q5_pc Y		1.270	1.946	-0.376	0.0	-0.0
0.0	Q5_ps X		0.341	0.068	0.100	0.0	0.0
-0.0	Q5_ps Y		1.202	1.869	-0.406	0.0	-0.0
0.0	INVS LU	Max	10.794	14.046	7.318	0.0	-0.0
-0.0		Min	-5.406	-10.862	-23.357	-0.0	-0.0
0.0	INVS LE	Max	8.120	10.485	5.436	0.0	-0.0
-0.0		Min	-3.711	-7.706	-17.236	-0.0	-0.0
5254 0.0	C1-C2;~1	Max	4.372	6.202	6.807	0.0	0.0
-0.0		Min	-5.086	-7.415	-8.883	-0.0	-0.0
0.0	C3-C4;~1	Max	4.695	7.004	7.654	0.0	0.0
-0.0		Min	-5.831	-8.597	-10.149	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	2.153	3.042	3.557	0.0	0.0
		Min	-2.656	-3.884	-4.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.294	3.429	3.940	0.0	0.0
		Min	-2.996	-4.430	-5.264	-0.0	-0.0
-0.0							
-0.0	G1		-0.368	-0.768	-2.542	0.0	-0.0
-0.0	G2		-0.138	-0.294	-0.999	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.312	0.125	0.075	0.0	0.0
0.0	Q5_pc Y		1.287	1.919	-0.311	0.0	-0.0
-0.0	Q5_ps X		0.301	0.118	0.081	0.0	0.0
0.0	Q5_ps Y		1.220	1.839	-0.336	0.0	-0.0
-0.0							
0.0	INVSLU	Max	10.556	13.766	6.131	0.0	0.0
		Min	-5.971	-10.748	-18.461	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.935	10.286	4.557	0.0	0.0
		Min	-4.136	-7.617	-13.618	-0.0	-0.0
-0.0							
5255	C1-C2;~1	Max	4.389	6.079	5.149	0.0	0.0
0.0		Min	-5.219	-7.356	-6.678	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.747	6.813	5.784	0.0	0.0
		Min	-5.990	-8.529	-7.643	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.155	2.978	2.693	0.0	0.0
		Min	-2.729	-3.851	-3.493	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.316	3.331	2.980	0.0	0.0
		Min	-3.081	-4.393	-3.960	-0.0	-0.0
-0.0							
-0.0	G1		-0.487	-0.840	-1.900	0.0	-0.0
-0.0	G2		-0.184	-0.322	-0.747	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.271	0.175	0.052	0.0	0.0
0.0	Q5_pc Y		1.305	1.891	-0.242	0.0	-0.0
-0.0	Q5_ps X		0.261	0.168	0.058	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.239	1.808	-0.261	0.0	-0.0
0.0	INVS LU Max		10.281	13.463	4.807	0.0	0.0
-0.0	Min		-6.561	-10.652	-13.755	-0.0	-0.0
0.0	INVS LE Max		7.724	10.070	3.576	0.0	0.0
-0.0	Min		-4.579	-7.540	-10.141	-0.0	-0.0
5256 0.0	C1-C2;~1 Max		4.396	5.948	3.430	0.0	0.0
-0.0	Min		-5.349	-7.299	-4.487	-0.0	-0.0
0.0	C3-C4;~1 Max		4.783	6.613	3.840	0.0	0.0
-0.0	Min		-6.148	-8.460	-5.150	-0.0	-0.0
0.0	C1-C2;~2 Max		2.152	2.911	1.796	0.0	0.0
-0.0	Min		-2.799	-3.820	-2.344	-0.0	-0.0
0.0	C3-C4;~2 Max		2.330	3.227	1.980	0.0	0.0
-0.0	Min		-3.165	-4.356	-2.665	-0.0	-0.0
-0.0	G1		-0.617	-0.927	-1.335	0.0	-0.0
-0.0	G2		-0.234	-0.355	-0.523	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.234	0.218	0.026	0.0	0.0
-0.0	Q5_pc Y		1.325	1.858	-0.166	0.0	-0.0
0.0	Q5_ps X		0.226	0.210	0.031	0.0	0.0
-0.0	Q5_ps Y		1.260	1.774	-0.180	0.0	-0.0
0.0	INVS LU Max		9.987	13.091	3.173	0.0	0.0
-0.0	Min		-7.156	-10.601	-9.263	-0.0	-0.0
0.0	INVS LE Max		7.499	9.803	2.365	0.0	0.0
-0.0	Min		-5.023	-7.499	-6.825	-0.0	-0.0
5257 0.0	C1-C2;~1 Max		4.397	5.807	1.680	0.0	0.0
-0.0	Min		-5.478	-7.242	-2.323	-0.0	-0.0
0.0	C3-C4;~1 Max		4.807	6.402	1.864	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.309	-8.384	-2.691	-0.0	-0.0
0.0	C1-C2;~2	Max	2.148	2.838	0.881	0.0	0.0
-0.0		Min	-2.869	-3.791	-1.211	-0.0	-0.0
0.0	C3-C4;~2	Max	2.338	3.118	0.962	0.0	0.0
-0.0		Min	-3.250	-4.318	-1.391	-0.0	-0.0
-0.0		G1	-0.755	-1.030	-0.828	0.0	-0.0
-0.0		G2	-0.288	-0.395	-0.323	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.207	0.245	-0.001	0.0	0.0
-0.0	Q5_pc Y		1.350	1.819	-0.085	0.0	-0.0
0.0	Q5_ps X		0.200	0.237	0.005	0.0	0.0
-0.0	Q5_ps Y		1.284	1.733	-0.094	0.0	-0.0
0.0	INVSLU	Max	9.689	12.632	1.315	0.0	0.0
-0.0		Min	-7.747	-10.604	-4.987	-0.0	-0.0
0.0	INVSLE	Max	7.272	9.468	0.986	0.0	0.0
-0.0		Min	-5.464	-7.500	-3.671	-0.0	-0.0
5258	C1-C2;~1	Max	4.418	5.662	0.000	0.0	0.0
0.0		Min	-5.611	-7.190	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.833	6.193	0.000	0.0	0.0
-0.0		Min	-6.483	-8.308	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	2.159	2.766	0.000	0.0	0.0
-0.0		Min	-2.939	-3.766	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	2.350	3.012	0.000	0.0	0.0
-0.0		Min	-3.340	-4.281	0.000	-0.0	-0.0
-0.0		G1	-0.906	-1.162	0.000	-0.0	-0.0
-0.0		G2	-0.347	-0.445	0.000	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.194	0.248	0.000	0.0	0.0
	Q5_pc Y		1.382	1.771	0.000	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0						
0.0	Q5_ps X		0.188	0.241	0.000	0.0
-0.0						
0.0	Q5_ps Y		1.315	1.685	0.000	0.0
-0.0						-0.0
0.0	INVSLE Max		9.414	12.065	0.000	0.0
0.0	INVSLE Min		-8.348	-10.699	0.000	-0.0
-0.0						
0.0	INVSLE Max		7.064	9.053	0.000	0.0
0.0	INVSLE Min		-5.909	-7.573	0.000	-0.0
-0.0						
5259	C1-C2;~1 Max		4.455	5.544	1.718	0.0
0.0	C1-C2;~1 Min		-5.738	-7.152	-2.287	-0.0
-0.0						
0.0	C3-C4;~1 Max		4.878	6.036	1.863	0.0
0.0	C3-C4;~1 Min		-6.658	-8.236	-2.703	-0.0
-0.0						
0.0	C1-C2;~2 Max		2.177	2.721	0.891	0.0
0.0	C1-C2;~2 Min		-3.004	-3.752	-1.196	-0.0
-0.0						
0.0	C3-C4;~2 Max		2.373	2.950	0.957	0.0
0.0	C3-C4;~2 Min		-3.430	-4.248	-1.394	-0.0
-0.0						
-0.0	G1		-1.022	-1.346	-0.740	-0.0
-0.0	G2		-0.392	-0.516	-0.279	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc X		0.209	0.222	-0.062	0.0
-0.0	Q5_pc Y		1.426	1.711	0.120	-0.0
-0.0	Q5_ps X		0.204	0.215	-0.050	0.0
-0.0	Q5_ps Y		1.356	1.626	0.113	-0.0
-0.0						
0.0	INVSLE Max		9.293	11.380	1.344	0.0
0.0	INVSLE Min		-8.847	-10.967	-5.036	-0.0
-0.0						
0.0	INVSLE Max		6.971	8.546	0.993	0.0
0.0	INVSLE Min		-6.275	-7.779	-3.716	-0.0
-0.0						
5260	C1-C2;~1 Max		4.497	5.424	3.525	0.0
0.0	C1-C2;~1 Min		-5.866	-7.091	-4.435	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	4.928	5.883	3.859	0.0	0.0
-0.0		Min	-6.842	-8.126	-5.192	-0.0	-0.0
0.0	C1-C2;~2	Max	2.198	2.674	1.828	0.0	0.0
-0.0		Min	-3.069	-3.727	-2.323	-0.0	-0.0
0.0	C3-C4;~2	Max	2.397	2.890	1.982	0.0	0.0
-0.0		Min	-3.523	-4.198	-2.682	-0.0	-0.0
-0.0	G1		-1.125	-1.504	-1.161	-0.0	0.0
-0.0	G2		-0.433	-0.576	-0.436	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.241	0.173	-0.093	0.0	0.0
-0.0	Q5_pc Y		1.477	1.641	0.238	0.0	-0.0
-0.0	Q5_ps X		0.236	0.168	-0.074	0.0	0.0
-0.0	Q5_ps Y		1.405	1.559	0.228	0.0	-0.0
0.0	INVSLU	Max	9.236	10.695	3.257	0.0	0.0
-0.0		Min	-9.313	-11.171	-9.392	-0.0	-0.0
0.0	INVSLE	Max	6.928	8.038	2.399	0.0	0.0
-0.0		Min	-6.616	-7.941	-6.939	-0.0	-0.0
5261	C1-C2;~1	Max	4.537	5.307	5.309	0.0	0.0
0.0		Min	-6.000	-7.000	-6.616	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.972	5.737	5.833	0.0	0.0
-0.0		Min	-7.040	-7.972	-7.723	-0.0	-0.0
0.0	C1-C2;~2	Max	2.218	2.627	2.749	0.0	0.0
-0.0		Min	-3.136	-3.688	-3.470	-0.0	-0.0
0.0	C3-C4;~2	Max	2.420	2.831	2.992	0.0	0.0
-0.0		Min	-3.623	-4.127	-3.993	-0.0	-0.0
-0.0	G1		-1.240	-1.615	-1.639	-0.0	0.0
0.0	G2		-0.478	-0.618	-0.615	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.284	0.110	-0.120	0.0	0.0
-0.0	Q5_pc Y		1.534	1.564	0.365	0.0	-0.0
-0.0	Q5_ps X		0.279	0.106	-0.095	0.0	0.0
-0.0	Q5_ps Y		1.458	1.486	0.352	0.0	-0.0
0.0	INVSLU	Max	9.171	10.074	4.965	0.0	0.0
-0.0		Min	-9.806	-11.249	-13.993	-0.0	-0.0
0.0	INVSLE	Max	6.878	7.576	3.651	0.0	0.0
-0.0		Min	-6.975	-8.010	-10.344	-0.0	-0.0
5262	C1-C2;~1	Max	4.572	5.192	7.034	0.0	0.0
0.0		Min	-6.139	-6.882	-8.814	-0.0	-0.0
-0.0	C3-C4;~1	Max	5.009	5.598	7.736	0.0	0.0
0.0		Min	-7.247	-7.780	-10.269	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.236	2.580	3.638	0.0	0.0
0.0		Min	-3.207	-3.635	-4.627	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.439	2.773	3.964	0.0	0.0
0.0		Min	-3.729	-4.035	-5.314	-0.0	-0.0
-0.0	G1		-1.368	-1.677	-2.196	-0.0	0.0
0.0	G2		-0.529	-0.641	-0.825	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.332	0.040	-0.147	0.0	0.0
-0.0	Q5_pc Y		1.594	1.484	0.497	0.0	-0.0
-0.0	Q5_ps X		0.327	0.037	-0.116	0.0	0.0
-0.0	Q5_ps Y		1.514	1.410	0.480	0.0	-0.0
0.0	INVSLU	Max	9.082	9.539	6.371	-0.0	0.0
-0.0		Min	-10.333	-11.192	-18.832	-0.0	-0.0
0.0	INVSLE	Max	6.811	7.177	4.676	-0.0	0.0
-0.0		Min	-7.357	-7.982	-13.926	-0.0	-0.0
5263	C1-C2;~1	Max	4.608	5.080	8.744	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-6.283	-6.746	-11.049	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.046	5.465	9.625	0.0	0.0
0.0		Min	-7.462	-7.567	-12.865	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.255	2.534	4.517	0.0	0.0
0.0		Min	-3.279	-3.573	-5.805	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.460	2.718	4.927	0.0	0.0
0.0		Min	-3.838	-3.933	-6.662	-0.0	-0.0
-0.0							
0.0	G1		-1.501	-1.706	-2.807	-0.0	0.0
0.0	G2		-0.582	-0.651	-1.055	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.381	-0.028	-0.176	0.0	0.0
-0.0	Q5_pc Y		1.656	1.403	0.637	0.0	-0.0
-0.0	Q5_ps X		0.376	-0.030	-0.139	0.0	0.0
-0.0	Q5_ps Y		1.571	1.333	0.615	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.990	9.069	7.620	-0.0	0.0
0.0		Min	-10.875	-11.050	-23.889	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.742	6.826	5.584	-0.0	0.0
0.0		Min	-7.752	-7.890	-17.671	-0.0	-0.0
-0.0							
5264	C1-C2;~1	Max	4.653	4.957	10.448	0.0	0.0
0.0		Min	-6.430	-6.598	-13.419	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.095	5.318	11.497	0.0	0.0
0.0		Min	-7.683	-7.341	-15.630	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.278	2.483	5.389	0.0	0.0
0.0		Min	-3.353	-3.505	-7.056	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.485	2.656	5.877	0.0	0.0
0.0		Min	-3.951	-3.825	-8.101	-0.0	-0.0
-0.0							
0.0	G1		-1.620	-1.738	-3.569	-0.0	0.0
0.0	G2		-0.629	-0.661	-1.348	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.426	-0.089	-0.193	0.0	0.0
-0.0	Q5_pc Y	1.719	1.322	0.794	0.0	-0.0
-0.0	Q5_ps X	0.422	-0.091	-0.148	0.0	0.0
-0.0	Q5_ps Y	1.630	1.258	0.766	0.0	-0.0
0.0	INVS LU Max	8.951	8.563	8.493	-0.0	0.0
-0.0	Min	-11.392	-10.906	-29.558	-0.0	-0.0
0.0	INVS LE Max	6.713	6.447	6.210	-0.0	0.0
-0.0	Min	-8.127	-7.797	-21.871	-0.0	-0.0
5265	C1-C2;~1 Max	4.699	4.837	12.096	0.0	0.0
0.0	Min	-6.575	-6.440	-15.764	-0.0	-0.0
-0.0	C3-C4;~1 Max	5.146	5.175	13.307	0.0	0.0
0.0	Min	-7.902	-7.104	-18.353	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.301	2.433	6.231	0.0	0.0
0.0	Min	-3.427	-3.431	-8.297	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.510	2.596	6.794	0.0	0.0
0.0	Min	-4.063	-3.711	-9.520	-0.0	-0.0
-0.0	G1	-1.735	-1.745	-4.357	-0.0	0.0
0.0	G2	-0.676	-0.662	-1.651	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.466	-0.142	-0.215	0.0	0.0
-0.0	Q5_pc Y	1.780	1.245	0.949	0.0	-0.0
-0.0	Q5_ps X	0.463	-0.145	-0.164	0.0	0.0
-0.0	Q5_ps Y	1.688	1.184	0.914	0.0	-0.0
0.0	INVS LU Max	8.919	8.119	9.169	-0.0	0.0
-0.0	Min	-11.900	-10.699	-35.280	-0.0	-0.0
0.0	INVS LE Max	6.688	6.116	6.687	-0.0	0.0
-0.0	Min	-8.496	-7.657	-26.111	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5266	C1-C2;~1	Max	4.701	4.701	13.689	0.0	0.0
0.0		Min	-6.719	-6.268	-18.153	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.141	5.013	15.051	0.0	0.0
0.0		Min	-8.124	-6.855	-21.138	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.309	2.376	7.040	0.0	0.0
0.0		Min	-3.503	-3.350	-9.563	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.516	2.528	7.673	0.0	0.0
0.0		Min	-4.181	-3.591	-10.974	-0.0	-0.0
-0.0							
	G1		-1.936	-1.760	-5.250	-0.0	0.0
0.0							
	G2		-0.756	-0.666	-1.994	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.499	-0.186	-0.237	0.0	0.0
-0.0							
	Q5_pc Y		1.840	1.172	1.115	0.0	-0.0
-0.0							
	Q5_ps X		0.498	-0.189	-0.179	0.0	0.0
-0.0							
	Q5_ps Y		1.743	1.115	1.074	0.0	-0.0
-0.0							
	INVSLU	Max	8.582	7.619	9.498	-0.0	0.0
0.0		Min	-12.638	-10.511	-41.365	-0.0	-0.0
-0.0							
	INVSLE	Max	6.435	5.741	6.905	-0.0	0.0
0.0		Min	-9.038	-7.532	-30.622	-0.0	-0.0
-0.0							
5267	C1-C2;~1	Max	4.688	4.580	15.178	0.0	0.0
0.0		Min	-6.848	-6.102	-20.514	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.119	4.871	16.676	0.0	0.0
0.0		Min	-8.326	-6.577	-23.886	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.310	2.323	7.793	0.0	0.0
0.0		Min	-3.573	-3.269	-10.817	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.515	2.467	8.489	0.0	0.0
0.0		Min	-4.290	-3.454	-12.412	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.145	-1.704	-6.215	-0.0	0.0
0.0	G2		-0.840	-0.641	-2.364	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.525	-0.219	-0.261	0.0	0.0
-0.0	Q5_pc Y		1.896	1.102	1.286	0.0	-0.0
-0.0	Q5_ps X		0.525	-0.223	-0.196	0.0	0.0
-0.0	Q5_ps Y		1.794	1.050	1.237	0.0	-0.0
0.0	INVS LU	Max	8.178	7.311	9.426	-0.0	0.0
0.0		Min	-13.385	-10.127	-47.647	-0.0	-0.0
0.0	INVS LE	Max	6.131	5.510	6.823	-0.0	0.0
0.0		Min	-9.588	-7.260	-35.282	-0.0	-0.0
5268	C1-C2;~1	Max	4.672	4.464	16.624	0.0	0.0
0.0		Min	-6.972	-5.958	-22.889	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.095	4.739	18.253	0.0	0.0
-0.0		Min	-8.522	-6.285	-26.661	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.311	2.272	8.520	0.0	0.0
-0.0		Min	-3.640	-3.196	-12.080	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.513	2.408	9.276	0.0	0.0
-0.0		Min	-4.396	-3.310	-13.866	-0.0	-0.0
0.0	G1		-2.351	-1.613	-7.235	-0.0	0.0
0.0	G2		-0.923	-0.603	-2.755	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.548	-0.246	-0.283	0.0	0.0
-0.0	Q5_pc Y		1.949	1.035	1.469	0.0	-0.0
-0.0	Q5_ps X		0.550	-0.252	-0.210	0.0	0.0
-0.0	Q5_ps Y		1.844	0.987	1.412	0.0	-0.0
0.0	INVS LU	Max	7.772	7.094	9.131	-0.0	0.0
-0.0		Min	-14.120	-9.652	-54.148	-0.0	-0.0
0.0	INVS LE	Max	5.826	5.347	6.572	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-10.131	-6.919	-40.104	-0.0	-0.0
-0.0							
5269	C1-C2;~1	Max	4.681	4.325	17.912	0.0	0.0
0.0		Min	-7.100	-5.791	-25.191	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.101	4.581	19.650	0.0	0.0
0.0		Min	-8.722	-5.983	-29.362	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.321	2.212	9.161	0.0	0.0
0.0		Min	-3.709	-3.112	-13.307	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.523	2.339	9.967	0.0	0.0
0.0		Min	-4.503	-3.161	-15.285	-0.0	-0.0
-0.0							
0.0	G1		-2.515	-1.537	-8.330	-0.0	0.0
0.0	G2		-0.989	-0.572	-3.181	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.573	-0.272	-0.302	-0.0	0.0
-0.0	Q5_pc Y		2.003	0.971	1.656	0.0	-0.0
-0.0	Q5_ps X		0.576	-0.280	-0.222	-0.0	0.0
-0.0	Q5_ps Y		1.894	0.926	1.589	0.0	-0.0
-0.0							
0.0	INVS LU	Max	7.515	6.789	8.319	-0.0	0.0
0.0		Min	-14.752	-9.220	-60.828	-0.0	0.0
-0.0							
0.0	INVS LE	Max	5.631	5.117	5.934	-0.0	0.0
0.0		Min	-10.595	-6.612	-45.065	-0.0	0.0
-0.0							
5270	C1-C2;~1	Max	4.689	4.194	19.116	0.0	0.0
0.0		Min	-7.209	-5.626	-27.409	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.106	4.436	20.952	0.0	0.0
0.0		Min	-8.901	-5.692	-31.954	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.330	2.155	9.756	0.0	0.0
0.0		Min	-3.767	-3.029	-14.492	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.532	2.275	10.607	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-4.599	-3.017	-16.648	-0.0	-0.0
-0.0	G1		-2.656	-1.453	-9.416	-0.0	0.0
0.0	G2		-1.047	-0.537	-3.601	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.598	-0.298	-0.324	-0.0	0.0
-0.0	Q5_pc Y		2.056	0.908	1.841	0.0	-0.0
-0.0	Q5_ps X		0.603	-0.307	-0.236	-0.0	0.0
-0.0	Q5_ps Y		1.943	0.867	1.765	0.0	-0.0
0.0	INVSLU	Max	7.298	6.526	7.303	0.0	0.0
0.0		Min	-15.314	-8.782	-67.433	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.466	4.919	5.141	0.0	0.0
0.0		Min	-11.009	-6.299	-49.974	-0.0	0.0
-0.0							
5271	C1-C2;~1	Max	4.679	4.079	20.240	0.0	0.0
0.0		Min	-7.281	-5.468	-29.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.091	4.312	22.165	0.0	0.0
0.0		Min	-9.034	-5.376	-34.489	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.331	2.103	10.307	0.0	0.0
0.0		Min	-3.806	-2.949	-15.649	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.532	2.219	11.198	0.0	0.0
0.0		Min	-4.672	-2.879	-17.984	-0.0	-0.0
-0.0							
0.0	G1		-2.777	-1.351	-10.518	-0.0	0.0
0.0	G2		-1.097	-0.495	-4.027	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.624	-0.324	-0.345	-0.0	0.0
-0.0	Q5_pc Y		2.106	0.847	2.033	0.0	-0.0
-0.0	Q5_ps X		0.630	-0.334	-0.249	-0.0	0.0
-0.0	Q5_ps Y		1.990	0.809	1.947	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.066	6.350	6.059	0.0	0.0
0.0		Min	-15.794	-8.378	-74.083	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	INVSLE	Max	5.289	4.786	4.176	0.0	0.0
0.0		Min	-11.363	-6.010	-54.918	-0.0	0.0
0.0							
5272	C1-C2;~1	Max	4.650	3.979	21.264	0.0	0.0
0.0		Min	-7.317	-5.317	-31.627	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.056	4.205	23.266	0.0	0.0
0.0		Min	-9.124	-5.180	-36.889	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.325	2.056	10.804	0.0	0.0
0.0		Min	-3.827	-2.871	-16.751	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.523	2.169	11.731	0.0	0.0
0.0		Min	-4.723	-2.775	-19.251	-0.0	-0.0
-0.0							
	G1		-2.881	-1.230	-11.597	-0.0	0.0
0.0							
	G2		-1.140	-0.446	-4.443	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.650	-0.350	-0.367	0.0	0.0
-0.0							
	Q5_pc Y		2.152	0.788	2.223	0.0	-0.0
-0.0							
	Q5_ps X		0.657	-0.360	-0.265	0.0	0.0
-0.0							
	Q5_ps Y		2.032	0.753	2.128	0.0	-0.0
-0.0							
	INVSLU	Max	6.817	6.260	4.611	-0.0	0.0
0.0		Min	-16.200	-8.013	-80.600	-0.0	0.0
0.0							
	INVSLE	Max	5.099	4.718	3.055	-0.0	0.0
0.0		Min	-11.664	-5.749	-59.768	-0.0	0.0
0.0							
5273	C1-C2;~1	Max	4.620	3.883	22.230	0.0	0.0
0.0		Min	-7.343	-5.158	-33.629	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.018	4.105	24.304	0.0	0.0
0.0		Min	-9.202	-4.980	-39.234	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.317	2.011	11.271	0.0	0.0
0.0		Min	-3.843	-2.788	-17.825	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	2.513	2.121	12.230	0.0	0.0
-0.0		Min	-4.768	-2.669	-20.491	-0.0	-0.0
0.0	G1		-2.973	-1.096	-12.671	-0.0	0.0
0.0	G2		-1.178	-0.392	-4.857	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.676	-0.373	-0.388	0.0	0.0
-0.0	Q5_pc Y		2.196	0.731	2.419	0.0	-0.0
-0.0	Q5_ps X		0.684	-0.385	-0.280	0.0	0.0
-0.0	Q5_ps Y		2.074	0.699	2.314	0.0	-0.0
0.0	INVSLU	Max	6.586	6.217	3.037	-0.0	0.0
0.0		Min	-16.565	-7.604	-87.094	-0.0	0.0
0.0	INVSLE	Max	4.922	4.685	1.838	-0.0	0.0
0.0		Min	-11.934	-5.455	-64.603	-0.0	0.0
5274	C1-C2;~1	Max	4.619	3.767	23.049	0.0	0.0
0.0		Min	-7.403	-4.960	-35.443	-0.0	-0.0
-0.0	C3-C4;~1	Max	5.015	3.988	25.177	0.0	0.0
0.0		Min	-9.318	-4.745	-41.373	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.321	1.958	11.658	0.0	0.0
0.0		Min	-3.876	-2.685	-18.799	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.517	2.066	12.641	0.0	0.0
0.0		Min	-4.832	-2.546	-21.623	-0.0	-0.0
-0.0	G1		-3.061	-0.949	-13.686	-0.0	0.0
0.0	G2		-1.215	-0.334	-5.253	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.700	-0.393	-0.405	0.0	0.0
-0.0	Q5_pc Y		2.240	0.675	2.610	0.0	-0.0
-0.0	Q5_ps X		0.709	-0.406	-0.290	-0.0	0.0
-0.0	Q5_ps Y		2.115	0.646	2.494	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	6.448	6.154	1.241	-0.0	0.0	
0.0		Min	-16.934	-7.140	-93.300	-0.0	0.0	
0.0	INVS LE	Max	4.815	4.637	0.454	-0.0	0.0	
0.0		Min	-12.206	-5.121	-69.228	-0.0	0.0	
5275 0.0	C1-C2;~1	Max	4.619	3.659	23.801	0.0	0.0	
-0.0		Min	-7.451	-4.767	-37.151	-0.0	-0.0	
0.0	C3-C4;~1	Max	5.013	3.881	25.977	0.0	0.0	
-0.0		Min	-9.419	-4.519	-43.374	-0.0	-0.0	
0.0	C1-C2;~2	Max	2.326	1.907	12.010	0.0	0.0	
-0.0		Min	-3.902	-2.584	-19.720	-0.0	-0.0	
0.0	C3-C4;~2	Max	2.522	2.015	13.016	0.0	0.0	
-0.0		Min	-4.887	-2.427	-22.684	-0.0	-0.0	
0.0	G1		-3.131	-0.803	-14.647	-0.0	0.0	
0.0	G2		-1.244	-0.276	-5.627	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.724	-0.411	-0.424	-0.0	0.0	
-0.0	Q5_pc Y		2.282	0.622	2.795	0.0	-0.0	
-0.0	Q5_ps X		0.733	-0.425	-0.303	-0.0	-0.0	
-0.0	Q5_ps Y		2.154	0.596	2.669	0.0	-0.0	
0.0	INVS LU	Max	6.351	6.117	-0.579	0.0	0.0	
0.0		Min	-17.240	-6.677	-99.234	-0.0	0.0	
0.0	INVS LE	Max	4.740	4.607	-0.948	0.0	0.0	
0.0		Min	-12.430	-4.787	-73.653	-0.0	0.0	
5276 0.0	C1-C2;~1	Max	4.602	3.566	24.493	0.0	0.0	
-0.0		Min	-7.458	-4.593	-38.782	-0.0	-0.0	
0.0	C3-C4;~1	Max	4.992	3.790	26.711	0.0	0.0	
-0.0		Min	-9.471	-4.312	-45.286	-0.0	-0.0	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	2.322	1.862	12.331	0.0	0.0
-0.0		Min	-3.907	-2.493	-20.599	-0.0	-0.0
0.0	C3-C4;~2	Max	2.517	1.971	13.355	0.0	0.0
-0.0		Min	-4.918	-2.318	-23.699	-0.0	-0.0
0.0	G1		-3.173	-0.662	-15.576	-0.0	0.0
0.0	G2		-1.263	-0.220	-5.987	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.748	-0.429	-0.443	-0.0	0.0
-0.0	Q5_pc Y		2.319	0.571	2.979	0.0	-0.0
-0.0	Q5_ps X		0.757	-0.443	-0.316	-0.0	-0.0
-0.0	Q5_ps Y		2.188	0.548	2.843	0.0	-0.0
0.0	INVSLU	Max	6.270	6.116	-2.402	0.0	0.0
0.0		Min	-17.429	-6.231	-104.960	-0.0	0.0
0.0	INVSLE	Max	4.677	4.605	-2.350	0.0	0.0
0.0		Min	-12.569	-4.465	-77.921	-0.0	0.0
5277	C1-C2;~1	Max	4.568	3.483	25.118	0.0	0.0
0.0		Min	-7.425	-4.436	-40.306	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.953	3.712	27.371	0.0	0.0
-0.0		Min	-9.474	-4.123	-47.069	-0.0	-0.0
0.0	C1-C2;~2	Max	2.311	1.822	12.616	0.0	0.0
-0.0		Min	-3.890	-2.410	-21.424	-0.0	-0.0
0.0	C3-C4;~2	Max	2.505	1.931	13.656	0.0	0.0
-0.0		Min	-4.923	-2.217	-24.648	-0.0	-0.0
0.0	G1		-3.190	-0.526	-16.452	-0.0	0.0
0.0	G2		-1.271	-0.166	-6.325	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.771	-0.446	-0.461	0.0	0.0
-0.0	Q5_pc Y		2.351	0.524	3.156	0.0	-0.0
-0.0	Q5_ps X		0.781	-0.461	-0.330	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		2.218	0.503	3.012	0.0	-0.0
0.0	INVS LU Max		6.198	6.148	-4.188	-0.0	0.0
0.0	Min		-17.510	-5.796	-110.362	-0.0	0.0
0.0	INVS LE Max		4.620	4.628	-3.721	-0.0	0.0
0.0	Min		-12.628	-4.149	-81.948	-0.0	0.0
5278 0.0	C1-C2;~1 Max		4.533	3.404	25.706	0.0	0.0
-0.0	Min		-7.384	-4.276	-41.785	-0.0	-0.0
0.0	C3-C4;~1 Max		4.912	3.640	27.990	0.0	0.0
-0.0	Min		-9.467	-3.933	-48.803	-0.0	-0.0
0.0	C1-C2;~2 Max		2.299	1.782	12.882	0.0	0.0
-0.0	Min		-3.870	-2.325	-22.225	-0.0	-0.0
0.0	C3-C4;~2 Max		2.491	1.893	13.935	0.0	0.0
-0.0	Min		-4.923	-2.116	-25.575	-0.0	-0.0
0.0	G1		-3.197	-0.385	-17.306	-0.0	0.0
0.0	G2		-1.276	-0.110	-6.654	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.792	-0.460	-0.480	0.0	0.0
-0.0	Q5_pc Y		2.381	0.478	3.334	-0.0	-0.0
-0.0	Q5_ps X		0.803	-0.476	-0.345	0.0	0.0
-0.0	Q5_ps Y		2.246	0.460	3.180	-0.0	-0.0
0.0	INVS LU Max		6.144	6.208	-5.918	0.0	0.0
0.0	Min		-17.553	-5.339	-115.590	-0.0	0.0
0.0	INVS LE Max		4.577	4.672	-5.049	0.0	0.0
0.0	Min		-12.660	-3.817	-85.843	-0.0	0.0
5279 0.0	C1-C2;~1 Max		4.528	3.307	26.180	0.0	0.0
-0.0	Min		-7.397	-4.066	-43.059	-0.0	-0.0
0.0	C3-C4;~1 Max		4.906	3.556	28.483	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-9.520	-3.700	-50.311	-0.0	-0.0
0.0	C1-C2;~2	Max	2.300	1.735	13.087	0.0	0.0
-0.0		Min	-3.878	-2.213	-22.916	-0.0	-0.0
0.0	C3-C4;~2	Max	2.492	1.850	14.149	0.0	0.0
-0.0		Min	-4.954	-1.992	-26.379	-0.0	-0.0
0.0	G1		-3.224	-0.213	-18.059	-0.0	0.0
0.0	G2		-1.288	-0.043	-6.949	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.811	-0.471	-0.492	0.0	0.0
-0.0	Q5_pc Y		2.412	0.432	3.500	0.0	-0.0
-0.0	Q5_ps X		0.822	-0.487	-0.352	-0.0	0.0
-0.0	Q5_ps Y		2.275	0.416	3.337	0.0	-0.0
0.0	INVS LU	Max	6.123	6.331	-7.581	0.0	0.0
0.0		Min	-17.693	-4.805	-120.254	-0.0	0.0
0.0	INVS LE	Max	4.559	4.759	-6.322	0.0	0.0
0.0		Min	-12.761	-3.427	-89.316	-0.0	0.0
5280	C1-C2;~1	Max	4.521	3.219	26.598	0.0	0.0
0.0		Min	-7.395	-3.862	-44.229	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.897	3.484	28.916	0.0	0.0
-0.0		Min	-9.555	-3.477	-51.688	-0.0	-0.0
0.0	C1-C2;~2	Max	2.300	1.690	13.265	0.0	0.0
-0.0		Min	-3.877	-2.105	-23.552	-0.0	-0.0
0.0	C3-C4;~2	Max	2.492	1.811	14.333	0.0	0.0
-0.0		Min	-4.975	-1.874	-27.116	-0.0	-0.0
0.0	G1		-3.236	-0.044	-18.748	-0.0	0.0
0.0	G2		-1.294	0.023	-7.217	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.828	-0.479	-0.505	-0.0	-0.0
	Q5_pc Y		2.440	0.388	3.658	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
-0.0	Q5_ps X		0.840	-0.497	-0.362	-0.0	-0.0
-0.0	Q5_ps Y		2.302	0.374	3.486	0.0	-0.0
-0.0							
0.0	INVS LU	Max	6.123	6.483	-9.154	0.0	0.0
-0.0		Min	-17.778	-4.298	-124.553	-0.0	0.0
0.0							
0.0	INVS LE	Max	4.557	4.866	-7.525	0.0	0.0
-0.0		Min	-12.823	-3.056	-92.518	-0.0	0.0
5281	C1-C2;~1	Max	4.493	3.146	26.959	0.0	0.0
0.0		Min	-7.337	-3.684	-45.313	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.864	3.428	29.285	0.0	0.0
-0.0		Min	-9.523	-3.281	-52.967	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.290	1.652	13.412	0.0	0.0
-0.0		Min	-3.847	-2.010	-24.144	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.481	1.779	14.483	0.0	0.0
-0.0		Min	-4.961	-1.769	-27.803	-0.0	-0.0
0.0	G1		-3.211	0.109	-19.392	-0.0	0.0
0.0	G2		-1.286	0.083	-7.467	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.845	-0.487	-0.518	-0.0	-0.0
-0.0	Q5_pc Y		2.462	0.347	3.813	0.0	-0.0
-0.0	Q5_ps X		0.857	-0.505	-0.371	-0.0	-0.0
-0.0	Q5_ps Y		2.323	0.335	3.633	0.0	-0.0
0.0							
0.0	INVS LU	Max	6.141	6.639	-10.634	0.0	0.0
-0.0		Min	-17.714	-3.839	-128.538	-0.0	0.0
0.0							
0.0	INVS LE	Max	4.567	4.977	-8.656	0.0	0.0
-0.0		Min	-12.775	-2.719	-95.484	-0.0	0.0
5282	C1-C2;~1	Max	4.444	3.083	27.259	0.0	0.0
0.0		Min	-7.230	-3.530	-46.280	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	4.810	3.383	29.588	0.0	0.0
-0.0		Min	-9.430	-3.110	-54.103	-0.0	-0.0
0.0	C1-C2;~2	Max	2.270	1.618	13.529	0.0	0.0
-0.0		Min	-3.790	-1.928	-24.673	-0.0	-0.0
0.0	C3-C4;~2	Max	2.459	1.751	14.600	0.0	0.0
-0.0		Min	-4.915	-1.676	-28.416	-0.0	-0.0
0.0	G1		-3.152	0.245	-19.963	-0.0	0.0
0.0	G2		-1.265	0.137	-7.687	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.861	-0.494	-0.532	-0.0	0.0
-0.0	Q5_pc Y		2.479	0.310	3.959	0.0	-0.0
-0.0	Q5_ps X		0.873	-0.513	-0.383	-0.0	0.0
-0.0	Q5_ps Y		2.338	0.300	3.771	0.0	-0.0
0.0	INVSLU	Max	6.176	6.794	-11.960	0.0	0.0
-0.0		Min	-17.511	-3.428	-132.067	-0.0	0.0
0.0	INVSLE	Max	4.589	5.088	-9.669	0.0	0.0
-0.0		Min	-12.626	-2.418	-98.110	-0.0	0.0
5283	C1-C2;~1	Max	4.393	3.027	27.519	0.0	0.0
0.0		Min	-7.112	-3.378	-47.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.753	3.345	29.846	0.0	0.0
-0.0		Min	-9.324	-2.944	-55.155	-0.0	-0.0
0.0	C1-C2;~2	Max	2.248	1.587	13.625	0.0	0.0
-0.0		Min	-3.727	-1.845	-25.165	-0.0	-0.0
0.0	C3-C4;~2	Max	2.436	1.726	14.695	0.0	0.0
-0.0		Min	-4.862	-1.586	-28.986	-0.0	-0.0
0.0	G1		-3.082	0.381	-20.492	0.0	0.0
0.0	G2		-1.240	0.190	-7.889	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.876	-0.499	-0.547	0.0	0.0
-0.0	Q5_pc Y		2.492	0.274	4.103	-0.0	-0.0
-0.0	Q5_ps X		0.888	-0.519	-0.395	0.0	0.0
-0.0	Q5_ps Y		2.350	0.266	3.907	-0.0	-0.0
0.0	INVSLU	Max	6.223	6.964	-13.145	0.0	0.0
-0.0		Min	-17.267	-3.010	-135.281	-0.0	0.0
0.0	INVSLE	Max	4.621	5.211	-10.575	0.0	0.0
-0.0		Min	-12.446	-2.111	-100.499	-0.0	0.0
5284	C1-C2;~1	Max	4.374	2.979	27.659	0.0	0.0
0.0		Min	-7.067	-3.188	-47.785	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.731	3.324	29.975	0.0	0.0
0.0		Min	-9.297	-2.753	-55.891	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.242	1.557	13.659	0.0	0.0
0.0		Min	-3.705	-1.740	-25.497	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.429	1.706	14.724	0.0	0.0
0.0		Min	-4.851	-1.480	-29.380	-0.0	-0.0
-0.0	G1		-3.052	0.556	-20.867	-0.0	0.0
0.0	G2		-1.229	0.257	-8.038	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.887	-0.501	-0.554	0.0	0.0
-0.0	Q5_pc Y		2.509	0.236	4.228	-0.0	-0.0
-0.0	Q5_ps X		0.899	-0.521	-0.400	-0.0	0.0
-0.0	Q5_ps Y		2.366	0.229	4.026	-0.0	-0.0
0.0	INVSLU	Max	6.270	7.211	-14.126	0.0	0.0
-0.0		Min	-17.183	-2.481	-137.656	-0.0	0.0
0.0	INVSLE	Max	4.654	5.390	-11.323	0.0	0.0
-0.0		Min	-12.384	-1.723	-102.263	-0.0	0.0
5285	C1-C2;~1	Max	4.351	2.945	27.756	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-7.007	-3.022	-48.296	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.706	3.318	30.056	0.0	0.0
0.0		Min	-9.249	-2.586	-56.499	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.233	1.532	13.673	0.0	0.0
0.0		Min	-3.674	-1.647	-25.776	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.420	1.691	14.730	0.0	0.0
0.0		Min	-4.829	-1.386	-29.707	-0.0	-0.0
-0.0							
0.0		G1	-3.010	0.724	-21.178	-0.0	-0.0
0.0		G2	-1.213	0.323	-8.160	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.896	-0.501	-0.563	-0.0	-0.0
-0.0	Q5_pc	Y	2.522	0.200	4.344	0.0	-0.0
-0.0	Q5_ps	X	0.909	-0.521	-0.407	-0.0	-0.0
-0.0	Q5_ps	Y	2.379	0.195	4.135	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.328	7.467	-14.939	0.0	0.0
0.0		Min	-17.052	-1.993	-139.608	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.695	5.575	-11.943	0.0	0.0
0.0		Min	-12.287	-1.366	-103.712	-0.0	0.0
-0.0							
5286	C1-C2;~1	Max	4.306	2.914	27.794	0.0	0.0
0.0		Min	-6.888	-2.882	-48.683	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.657	3.310	30.074	0.0	0.0
0.0		Min	-9.132	-2.444	-56.959	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.213	1.510	13.657	0.0	0.0
0.0		Min	-3.610	-1.567	-25.988	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.399	1.677	14.704	0.0	0.0
0.0		Min	-4.768	-1.306	-29.954	-0.0	-0.0
-0.0							
0.0		G1	-2.930	0.868	-21.412	-0.0	-0.0
0.0		G2	-1.183	0.378	-8.251	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.904	-0.500	-0.572	-0.0	-0.0
-0.0	Q5_pc Y		2.528	0.168	4.452	0.0	-0.0
-0.0	Q5_ps X		0.917	-0.521	-0.415	-0.0	-0.0
-0.0	Q5_ps Y		2.384	0.165	4.237	0.0	-0.0
	INVS LU	Max	6.401	7.686	-15.563	0.0	0.0
0.0		Min	-16.764	-1.573	-141.071	-0.0	0.0
-0.0							
	INVS LE	Max	4.747	5.733	-12.420	0.0	0.0
0.0		Min	-12.075	-1.059	-104.795	-0.0	0.0
-0.0							
5287	C1-C2;~1	Max	4.240	2.881	27.774	0.0	0.0
0.0		Min	-6.714	-2.762	-48.936	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.585	3.295	30.028	0.0	0.0
0.0		Min	-8.950	-2.321	-57.253	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.183	1.487	13.613	0.0	0.0
0.0		Min	-3.517	-1.500	-26.128	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.367	1.661	14.647	0.0	0.0
0.0		Min	-4.673	-1.236	-30.112	-0.0	-0.0
-0.0							
-0.0	G1		-2.814	0.986	-21.562	0.0	0.0
-0.0	G2		-1.139	0.424	-8.308	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.912	-0.499	-0.581	0.0	0.0
-0.0	Q5_pc Y		2.526	0.140	4.549	-0.0	-0.0
-0.0	Q5_ps X		0.924	-0.520	-0.424	-0.0	0.0
-0.0	Q5_ps Y		2.383	0.138	4.328	-0.0	-0.0
-0.0							
	INVS LU	Max	6.490	7.859	-15.986	0.0	0.0
0.0		Min	-16.330	-1.216	-142.003	0.0	0.0
-0.0							
	INVS LE	Max	4.810	5.859	-12.743	0.0	0.0
0.0		Min	-11.757	-0.797	-105.483	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5288	C1-C2;~1	Max	4.169	2.847	27.791	0.0	0.0
0.0		Min	-6.527	-2.644	-49.100	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.509	3.278	29.999	0.0	0.0
0.0		Min	-8.750	-2.201	-57.436	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.151	1.464	13.607	0.0	0.0
0.0		Min	-3.416	-1.433	-26.220	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.332	1.643	14.614	0.0	0.0
0.0		Min	-4.569	-1.168	-30.212	-0.0	-0.0
-0.0							
0.0	G1		-2.688	1.098	-21.655	0.0	0.0
0.0	G2		-1.091	0.467	-8.341	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.918	-0.496	-0.591	0.0	0.0
-0.0	Q5_pc Y		2.521	0.114	4.640	-0.0	-0.0
-0.0	Q5_ps X		0.930	-0.517	-0.435	0.0	0.0
-0.0	Q5_ps Y		2.378	0.113	4.414	-0.0	-0.0
-0.0							
	INVSLU	Max	6.588	8.023	-16.152	0.0	0.0
0.0		Min	-15.850	-0.864	-142.540	0.0	0.0
-0.0							
	INVSLE	Max	4.879	5.978	-12.873	0.0	0.0
0.0		Min	-11.405	-0.539	-105.876	0.0	0.0
-0.0							
5289	C1-C2;~1	Max	4.135	2.817	27.879	0.0	0.0
0.0		Min	-6.425	-2.494	-48.949	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.471	3.333	30.062	0.0	0.0
0.0		Min	-8.642	-2.057	-57.278	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.135	1.439	13.683	0.0	0.0
0.0		Min	-3.362	-1.347	-26.133	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.316	1.674	14.682	0.0	0.0
0.0		Min	-4.515	-1.086	-30.121	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.611	1.248	-21.581	0.0	0.0
0.0	G2		-1.061	0.524	-8.315	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.919	-0.490	-0.595	0.0	0.0
-0.0	Q5_pc Y		2.521	0.084	4.708	-0.0	-0.0
0.0	Q5_ps X		0.932	-0.512	-0.437	0.0	0.0
-0.0	Q5_ps Y		2.378	0.084	4.479	-0.0	-0.0
0.0	INVS LU	Max	6.670	8.338	-15.777	0.0	0.0
-0.0		Min	-15.571	-0.411	-142.162	0.0	0.0
0.0	INVS LE	Max	4.939	6.208	-12.596	0.0	0.0
-0.0		Min	-11.200	-0.207	-105.587	0.0	0.0
5290	C1-C2;~1	Max	4.096	2.790	27.923	0.0	0.0
0.0		Min	-6.308	-2.351	-48.710	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.429	3.390	30.080	0.0	0.0
-0.0		Min	-8.512	-1.924	-57.011	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.118	1.415	13.736	0.0	0.0
-0.0		Min	-3.300	-1.265	-25.998	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.298	1.704	14.727	0.0	0.0
-0.0		Min	-4.448	-1.010	-29.972	-0.0	-0.0
0.0							
-0.0	G1		-2.525	1.389	-21.449	-0.0	-0.0
-0.0	G2		-1.028	0.578	-8.266	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.919	-0.483	-0.599	-0.0	-0.0
-0.0	Q5_pc Y		2.516	0.056	4.766	0.0	-0.0
0.0	Q5_ps X		0.931	-0.504	-0.442	-0.0	-0.0
-0.0	Q5_ps Y		2.374	0.058	4.533	0.0	-0.0
0.0	INVS LU	Max	6.750	8.637	-15.234	0.0	0.0
-0.0		Min	-15.249	0.018	-141.386	0.0	0.0
0.0	INVS LE	Max	4.997	6.426	-12.191	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-10.964	0.106	-105.001	0.0	0.0
-0.0							
5291	C1-C2;~1	Max	4.032	2.760	27.908	0.0	0.0
0.0		Min	-6.132	-2.228	-48.336	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.361	3.424	30.034	0.0	0.0
0.0		Min	-8.309	-1.810	-56.577	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.087	1.392	13.762	0.0	0.0
0.0		Min	-3.204	-1.195	-25.791	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.266	1.723	14.741	0.0	0.0
0.0		Min	-4.340	-0.945	-29.734	-0.0	-0.0
-0.0							
-0.0	G1		-2.404	1.502	-21.233	-0.0	-0.0
-0.0	G2		-0.981	0.621	-8.182	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.917	-0.475	-0.603	-0.0	-0.0
0.0	Q5_pc Y		2.503	0.033	4.813	0.0	-0.0
0.0	Q5_ps X		0.929	-0.497	-0.448	-0.0	-0.0
0.0	Q5_ps Y		2.361	0.035	4.577	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.835	8.862	-14.491	0.0	0.0
0.0		Min	-14.774	0.377	-140.079	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.057	6.590	-11.634	0.0	0.0
0.0		Min	-10.616	0.369	-104.020	0.0	0.0
-0.0							
5292	C1-C2;~1	Max	3.945	2.723	27.834	0.0	0.0
0.0		Min	-5.900	-2.123	-47.838	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.267	3.430	29.925	0.0	0.0
0.0		Min	-8.042	-1.719	-55.994	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.045	1.367	13.757	0.0	0.0
0.0		Min	-3.078	-1.136	-25.516	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.221	1.726	14.724	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-4.197	-0.895	-29.416	-0.0	-0.0
-0.0	G1		-2.250	1.585	-20.939	0.0	-0.0
-0.0	G2		-0.921	0.652	-8.067	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.915	-0.466	-0.608	0.0	0.0
0.0	Q5_pc Y		2.481	0.015	4.847	-0.0	-0.0
0.0	Q5_ps X		0.926	-0.488	-0.454	-0.0	0.0
0.0	Q5_ps Y		2.340	0.018	4.608	-0.0	-0.0
0.0	INVSLU	Max	6.925	9.003	-13.562	0.0	0.0
-0.0		Min	-14.157	0.668	-138.276	0.0	-0.0
-0.0	INVSLE	Max	5.121	6.693	-10.934	0.0	0.0
-0.0		Min	-10.164	0.581	-102.669	0.0	0.0
-0.0							
5293	C1-C2;~1	Max	3.852	2.681	27.715	0.0	0.0
0.0		Min	-5.656	-2.019	-47.239	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.168	3.424	29.767	0.0	0.0
-0.0		Min	-7.759	-1.635	-55.280	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.000	1.340	13.730	0.0	0.0
-0.0		Min	-2.945	-1.078	-25.189	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.173	1.723	14.683	0.0	0.0
-0.0		Min	-4.047	-0.849	-29.030	-0.0	-0.0
-0.0	G1		-2.086	1.657	-20.581	0.0	0.0
-0.0	G2		-0.857	0.679	-7.925	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.911	-0.457	-0.614	0.0	0.0
0.0	Q5_pc Y		2.454	-0.002	4.873	-0.0	-0.0
0.0	Q5_ps X		0.922	-0.478	-0.463	0.0	0.0
0.0	Q5_ps Y		2.315	0.002	4.632	-0.0	-0.0
0.0							
0.0	INVSLU	Max	7.019	9.111	-12.465	0.0	0.0
		Min	-13.500	0.940	-136.050	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	5.188	6.772	-10.108	0.0	0.0
-0.0		Min	-9.684	0.780	-101.003	0.0	-0.0
5294	C1-C2;~1	Max	3.798	2.673	27.476	0.0	0.0
0.0		Min	-5.498	-1.888	-46.356	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.110	3.440	29.482	0.0	0.0
-0.0		Min	-7.571	-1.533	-54.250	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.974	1.336	13.642	0.0	0.0
0.0		Min	-2.861	-1.004	-24.702	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.146	1.731	14.577	0.0	0.0
-0.0		Min	-3.950	-0.795	-28.468	-0.0	-0.0
-0.0	G1		-1.969	1.758	-20.069	0.0	-0.0
-0.0	G2		-0.811	0.717	-7.729	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.902	-0.445	-0.614	0.0	0.0
0.0	Q5_pc Y		2.433	-0.024	4.871	-0.0	-0.0
0.0	Q5_ps X		0.913	-0.466	-0.464	0.0	0.0
0.0	Q5_ps Y		2.295	-0.019	4.630	-0.0	-0.0
0.0							
0.0	INVSLU	Max	7.105	9.280	-11.170	0.0	0.0
-0.0		Min	-13.045	1.287	-132.977	0.0	-0.0
0.0							
-0.0	INVSLE	Max	5.251	6.895	-9.128	0.0	0.0
0.0		Min	-9.350	1.033	-98.706	0.0	-0.0
-0.0							
5295	C1-C2;~1	Max	3.739	2.675	27.195	0.0	0.0
0.0		Min	-5.331	-1.761	-45.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.047	3.450	29.153	0.0	0.0
-0.0		Min	-7.367	-1.441	-53.136	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.945	1.340	13.533	0.0	0.0
-0.0		Min	-2.772	-0.932	-24.176	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	2.116	1.737	14.449	0.0	0.0
-0.0		Min	-3.843	-0.746	-27.862	-0.0	-0.0
-0.0	G1		-1.850	1.849	-19.513	0.0	-0.0
-0.0	G2		-0.764	0.751	-7.515	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.892	-0.432	-0.613	0.0	0.0
0.0	Q5_pc Y		2.407	-0.044	4.859	-0.0	0.0
0.0	Q5_ps X		0.901	-0.453	-0.466	-0.0	-0.0
0.0	Q5_ps Y		2.271	-0.039	4.618	-0.0	0.0
-0.0	INVS LU	Max	7.177	9.420	-9.742	0.0	0.0
-0.0		Min	-12.564	1.608	-129.579	0.0	-0.0
-0.0	INVS LE	Max	5.304	6.996	-8.045	0.0	0.0
-0.0		Min	-8.999	1.267	-96.166	0.0	-0.0
5296	C1-C2;~1	Max	3.657	2.661	26.853	0.0	0.0
0.0		Min	-5.114	-1.661	-44.327	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.958	3.435	28.759	0.0	0.0
0.0		Min	-7.099	-1.360	-51.878	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.904	1.335	13.393	0.0	0.0
0.0		Min	-2.654	-0.878	-23.588	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.072	1.730	14.288	0.0	0.0
0.0		Min	-3.700	-0.703	-27.182	-0.0	-0.0
-0.0	G1		-1.705	1.912	-18.885	0.0	-0.0
-0.0	G2		-0.707	0.774	-7.271	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.880	-0.419	-0.613	0.0	0.0
0.0	Q5_pc Y		2.372	-0.059	4.834	-0.0	0.0
0.0	Q5_ps X		0.889	-0.440	-0.469	-0.0	-0.0
0.0	Q5_ps Y		2.237	-0.053	4.593	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	INVS LU	Max	7.234	9.481	-8.163	0.0	0.0
-0.0		Min	-11.962	1.848	-125.724	0.0	-0.0
-0.0	INVS LE	Max	5.344	7.039	-6.847	0.0	0.0
-0.0		Min	-8.559	1.441	-93.284	0.0	-0.0
5297 0.0	C1-C2;~1	Max	3.552	2.625	26.451	0.0	0.0
-0.0		Min	-4.850	-1.581	-43.167	-0.0	-0.0
0.0	C3-C4;~1	Max	3.846	3.390	28.302	0.0	0.0
-0.0		Min	-6.773	-1.289	-50.519	-0.0	-0.0
0.0	C1-C2;~2	Max	1.851	1.318	13.221	0.0	0.0
-0.0		Min	-2.509	-0.836	-22.955	-0.0	-0.0
0.0	C3-C4;~2	Max	2.016	1.707	14.094	0.0	0.0
-0.0		Min	-3.525	-0.665	-26.452	-0.0	-0.0
-0.0	G1		-1.537	1.943	-18.208	0.0	-0.0
-0.0	G2		-0.640	0.784	-7.008	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.867	-0.405	-0.612	0.0	0.0
0.0	Q5_pc Y		2.326	-0.068	4.794	-0.0	-0.0
0.0	Q5_ps X		0.875	-0.426	-0.473	0.0	0.0
0.0	Q5_ps Y		2.194	-0.062	4.555	-0.0	-0.0
-0.0	INVS LU	Max	7.278	9.452	-6.501	0.0	0.0
-0.0		Min	-11.246	2.012	-121.540	0.0	-0.0
-0.0	INVS LE	Max	5.375	7.017	-5.583	0.0	0.0
-0.0		Min	-8.036	1.560	-90.158	0.0	-0.0
5298 0.0	C1-C2;~1	Max	3.445	2.579	25.995	0.0	0.0
-0.0		Min	-4.579	-1.499	-41.905	-0.0	-0.0
0.0	C3-C4;~1	Max	3.732	3.332	27.788	0.0	0.0
-0.0		Min	-6.436	-1.217	-49.030	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.796	1.296	13.021	0.0	0.0
-0.0		Min	-2.360	-0.794	-22.270	-0.0	-0.0
0.0	C3-C4;~2	Max	1.958	1.677	13.870	0.0	0.0
-0.0		Min	-3.342	-0.627	-25.654	-0.0	-0.0
-0.0	G1		-1.363	1.961	-17.469	0.0	0.0
-0.0	G2		-0.572	0.790	-6.718	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.852	-0.391	-0.613	0.0	0.0
0.0	Q5_pc Y		2.276	-0.076	4.742	-0.0	-0.0
0.0	Q5_ps X		0.859	-0.411	-0.479	0.0	0.0
0.0	Q5_ps Y		2.147	-0.070	4.505	-0.0	-0.0
-0.0	INVSLU	Max	7.322	9.377	-4.749	0.0	0.0
-0.0		Min	-10.501	2.152	-116.989	0.0	-0.0
-0.0	INVSLE	Max	5.407	6.961	-4.250	0.0	0.0
-0.0		Min	-7.492	1.661	-86.759	0.0	-0.0
5299	C1-C2;~1	Max	3.381	2.535	25.422	0.0	0.0
0.0		Min	-4.406	-1.394	-40.438	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.663	3.279	27.152	0.0	0.0
0.0		Min	-6.193	-1.127	-47.313	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.765	1.275	12.761	0.0	0.0
0.0		Min	-2.272	-0.737	-21.473	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.924	1.650	13.584	0.0	0.0
0.0		Min	-3.215	-0.579	-24.735	-0.0	-0.0
-0.0	G1		-1.225	1.992	-16.626	0.0	-0.0
-0.0	G2		-0.517	0.800	-6.395	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.832	-0.375	-0.608	0.0	0.0
0.0	Q5_pc Y		2.234	-0.092	4.662	-0.0	0.0
0.0	Q5_ps X		0.839	-0.395	-0.477	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		2.108	-0.085	4.428	-0.0	0.0
-0.0	INVS LU	Max	7.391	9.311	-2.941	0.0	0.0
-0.0		Min	-9.936	2.328	-111.861	0.0	-0.0
-0.0	INVS LE	Max	5.457	6.910	-2.870	0.0	0.0
-0.0		Min	-7.079	1.787	-82.930	0.0	-0.0
5300	C1-C2;~1	Max	3.308	2.486	24.811	0.0	0.0
0.0		Min	-4.229	-1.290	-38.924	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.585	3.220	26.476	0.0	0.0
0.0		Min	-5.942	-1.042	-45.546	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.728	1.252	12.481	0.0	0.0
0.0		Min	-2.182	-0.681	-20.653	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.886	1.621	13.276	0.0	0.0
0.0		Min	-3.085	-0.534	-23.791	-0.0	-0.0
-0.0	G1		-1.088	2.012	-15.761	0.0	-0.0
-0.0	G2		-0.462	0.806	-6.061	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.811	-0.359	-0.601	0.0	0.0
0.0	Q5_pc Y		2.186	-0.105	4.572	-0.0	0.0
0.0	Q5_ps X		0.817	-0.378	-0.475	0.0	0.0
0.0	Q5_ps Y		2.062	-0.098	4.342	-0.0	0.0
-0.0	INVS LU	Max	7.427	9.211	-1.088	0.0	0.0
-0.0		Min	-9.368	2.476	-106.547	0.0	-0.0
-0.0	INVS LE	Max	5.484	6.834	-1.452	0.0	0.0
-0.0		Min	-6.665	1.893	-78.961	0.0	-0.0
5301	C1-C2;~1	Max	3.204	2.422	24.131	0.0	0.0
0.0		Min	-4.013	-1.197	-37.305	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.474	3.139	25.728	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.636	-0.967	-43.648	-0.0	-0.0
0.0	C1-C2;~2	Max	1.675	1.221	12.165	0.0	0.0
-0.0		Min	-2.070	-0.631	-19.778	-0.0	-0.0
0.0	C3-C4;~2	Max	1.829	1.580	12.930	0.0	0.0
-0.0		Min	-2.923	-0.494	-22.781	-0.0	-0.0
-0.0		G1	-0.940	2.009	-14.841	0.0	-0.0
-0.0		G2	-0.403	0.803	-5.704	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.788	-0.342	-0.596	0.0	0.0
0.0	Q5_pc Y		2.124	-0.113	4.466	-0.0	0.0
0.0	Q5_ps X		0.793	-0.361	-0.475	0.0	0.0
0.0	Q5_ps Y		2.004	-0.105	4.240	-0.0	0.0
-0.0	INVSLU	Max	7.401	9.041	0.797	0.0	0.0
-0.0		Min	-8.721	2.572	-100.899	0.0	-0.0
-0.0	INVSLE	Max	5.464	6.706	-0.009	0.0	0.0
-0.0		Min	-6.195	1.960	-74.743	0.0	-0.0
5302	C1-C2;~1	Max	3.068	2.342	23.387	0.0	0.0
0.0		Min	-3.753	-1.113	-35.605	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.329	3.034	24.913	0.0	0.0
-0.0		Min	-5.270	-0.923	-41.655	-0.0	-0.0
0.0	C1-C2;~2	Max	1.604	1.181	11.815	0.0	0.0
-0.0		Min	-1.934	-0.586	-18.861	-0.0	-0.0
0.0	C3-C4;~2	Max	1.754	1.527	12.550	0.0	0.0
-0.0		Min	-2.727	-0.464	-21.723	-0.0	-0.0
-0.0		G1	-0.780	1.979	-13.887	0.0	-0.0
-0.0		G2	-0.339	0.790	-5.333	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.766	-0.325	-0.588	0.0	0.0
0.0	Q5_pc Y		2.048	-0.114	4.346	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
0.0	Q5_ps X		0.769	-0.344	-0.473	0.0	0.0
0.0	Q5_ps Y		1.933	-0.107	4.126	-0.0	0.0
0.0							
-0.0	INVS LU	Max	7.310	8.793	2.664	0.0	0.0
-0.0		Min	-7.986	2.609	-95.026	0.0	-0.0
-0.0							
-0.0	INVS LE	Max	5.396	6.522	1.425	0.0	0.0
-0.0		Min	-5.661	1.985	-70.358	0.0	-0.0
-0.0							
5303	C1-C2;~1	Max	2.918	2.250	22.573	0.0	0.0
0.0		Min	-3.476	-1.033	-33.798	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.170	2.915	24.024	0.0	0.0
-0.0		Min	-4.876	-0.865	-39.521	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.526	1.135	11.428	0.0	0.0
-0.0		Min	-1.789	-0.544	-17.888	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.671	1.466	12.130	0.0	0.0
-0.0		Min	-2.515	-0.434	-20.592	-0.0	-0.0
-0.0							
-0.0	G1		-0.615	1.934	-12.878	0.0	-0.0
-0.0	G2		-0.273	0.771	-4.939	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.742	-0.309	-0.583	0.0	0.0
0.0	Q5_pc Y		1.965	-0.114	4.211	-0.0	-0.0
0.0	Q5_ps X		0.744	-0.326	-0.475	0.0	0.0
0.0	Q5_ps Y		1.854	-0.107	3.997	-0.0	-0.0
0.0							
-0.0	INVS LU	Max	7.190	8.488	4.497	0.0	0.0
-0.0		Min	-7.209	2.602	-88.869	0.0	-0.0
-0.0							
-0.0	INVS LE	Max	5.306	6.294	2.834	0.0	0.0
-0.0		Min	-5.098	1.975	-65.764	0.0	-0.0
-0.0							
5304	C1-C2;~1	Max	2.807	2.145	21.606	0.0	0.0
0.0		Min	-3.244	-0.938	-31.797	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	3.050	2.785	22.976	0.0	0.0
-0.0		Min	-4.543	-0.794	-37.172	-0.0	-0.0
0.0	C1-C2;~2	Max	1.470	1.084	10.961	0.0	0.0
-0.0		Min	-1.668	-0.493	-16.814	-0.0	-0.0
0.0	C3-C4;~2	Max	1.610	1.401	11.627	0.0	0.0
-0.0		Min	-2.339	-0.397	-19.350	-0.0	-0.0
-0.0	G1		-0.464	1.884	-11.805	0.0	-0.0
-0.0	G2		-0.212	0.749	-4.526	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.716	-0.293	-0.571	0.0	0.0
0.0	Q5_pc Y		1.890	-0.122	4.043	-0.0	0.0
0.0	Q5_ps X		0.717	-0.309	-0.469	0.0	0.0
0.0	Q5_ps Y		1.783	-0.115	3.838	-0.0	0.0
-0.0	INVSLU	Max	7.134	8.124	6.092	0.0	0.0
-0.0		Min	-6.518	2.571	-82.386	0.0	-0.0
-0.0	INVSLE	Max	5.265	6.021	4.064	0.0	0.0
-0.0		Min	-4.596	1.947	-60.935	0.0	-0.0
5305	C1-C2;~1	Max	2.687	2.031	20.573	0.0	0.0
0.0		Min	-3.007	-0.843	-29.737	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.919	2.651	21.859	0.0	0.0
-0.0		Min	-4.206	-0.736	-34.757	-0.0	-0.0
0.0	C1-C2;~2	Max	1.408	1.027	10.458	0.0	0.0
-0.0		Min	-1.546	-0.443	-15.710	-0.0	-0.0
0.0	C3-C4;~2	Max	1.543	1.336	11.086	0.0	0.0
-0.0		Min	-2.162	-0.370	-18.075	-0.0	-0.0
-0.0	G1		-0.321	1.818	-10.725	0.0	-0.0
-0.0	G2		-0.154	0.721	-4.110	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.689	-0.278	-0.555	0.0	0.0
0.0	Q5_pc Y		1.807	-0.131	3.867	-0.0	0.0
0.0	Q5_ps X		0.689	-0.293	-0.459	0.0	0.0
0.0	Q5_ps Y		1.705	-0.123	3.670	-0.0	0.0
-0.0	INVS LU	Max	7.030	7.723	7.537	0.0	0.0
-0.0		Min	-5.842	2.506	-75.856	0.0	-0.0
-0.0	INVS LE	Max	5.188	5.721	5.182	0.0	0.0
-0.0		Min	-4.105	1.893	-56.075	0.0	-0.0
5306	C1-C2;~1	Max	2.538	1.899	19.436	0.0	0.0
0.0		Min	-2.749	-0.754	-27.566	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.759	2.498	20.634	0.0	0.0
0.0		Min	-3.841	-0.676	-32.203	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.330	0.961	9.900	0.0	0.0
0.0		Min	-1.411	-0.395	-14.548	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.459	1.263	10.487	0.0	0.0
0.0		Min	-1.970	-0.342	-16.731	-0.0	-0.0
-0.0	G1		-0.187	1.728	-9.619	0.0	-0.0
-0.0	G2		-0.099	0.685	-3.682	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.662	-0.263	-0.538	0.0	0.0
0.0	Q5_pc Y		1.712	-0.134	3.670	-0.0	0.0
0.0	Q5_ps X		0.661	-0.277	-0.450	0.0	0.0
0.0	Q5_ps Y		1.615	-0.127	3.482	-0.0	0.0
0.0	INVS LU	Max	6.836	7.261	8.764	0.0	0.0
0.0		Min	-5.157	2.398	-69.172	0.0	-0.0
-0.0	INVS LE	Max	5.044	5.376	6.135	0.0	0.0
0.0		Min	-3.611	1.808	-51.106	0.0	-0.0
-0.0	C1-C2;~1	Max	2.365	1.746	18.213	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.472	-0.669	-25.337	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.574	2.311	19.320	0.0	0.0
0.0		Min	-3.454	-0.612	-29.587	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.240	0.884	9.295	0.0	0.0
0.0		Min	-1.266	-0.351	-13.358	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.362	1.172	9.840	0.0	0.0
0.0		Min	-1.766	-0.310	-15.356	-0.0	-0.0
-0.0							
-0.0	G1		-0.057	1.610	-8.528	0.0	-0.0
-0.0	G2		-0.046	0.637	-3.260	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.637	-0.249	-0.518	0.0	0.0
0.0	Q5_pc Y		1.608	-0.135	3.458	-0.0	0.0
0.0	Q5_ps X		0.634	-0.262	-0.437	0.0	0.0
0.0	Q5_ps Y		1.517	-0.127	3.280	-0.0	0.0
0.0							
0.0	INVSLU	Max	6.572	6.712	9.742	0.0	-0.0
0.0		Min	-4.460	2.239	-62.507	0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.848	4.966	6.901	0.0	-0.0
0.0		Min	-3.109	1.687	-46.156	0.0	-0.0
-0.0							
5308	C1-C2;~1	Max	2.192	1.569	16.903	0.0	0.0
0.0		Min	-2.189	-0.582	-23.022	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.386	2.094	17.914	0.0	0.0
0.0		Min	-3.053	-0.540	-26.860	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.150	0.796	8.643	0.0	0.0
0.0		Min	-1.119	-0.305	-12.124	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.264	1.065	9.144	0.0	0.0
0.0		Min	-1.554	-0.275	-13.925	-0.0	-0.0
-0.0							
-0.0	G1		0.081	1.463	-7.424	0.0	-0.0
-0.0	G2		0.010	0.578	-2.831	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.614	-0.237	-0.497	0.0	0.0
0.0	Q5_pc Y		1.503	-0.139	3.227	-0.0	-0.0
0.0	Q5_ps X		0.609	-0.248	-0.424	0.0	0.0
0.0	Q5_ps Y		1.418	-0.132	3.061	-0.0	-0.0
-0.0	INVS LU	Max	6.319	6.061	10.504	0.0	-0.0
-0.0		Min	-3.729	2.022	-55.751	-0.0	-0.0
-0.0	INVS LE	Max	4.661	4.481	7.505	0.0	-0.0
-0.0		Min	-2.582	1.521	-41.142	-0.0	-0.0
-0.0							
5309	C1-C2;~1	Max	2.067	1.354	15.440	0.0	0.0
0.0		Min	-1.931	-0.478	-20.640	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.247	1.836	16.351	0.0	0.0
-0.0		Min	-2.679	-0.452	-24.068	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.086	0.689	7.908	0.0	0.0
-0.0		Min	-0.987	-0.251	-10.859	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.193	0.940	8.362	0.0	0.0
-0.0		Min	-1.360	-0.232	-12.465	-0.0	-0.0
-0.0							
-0.0	G1		0.250	1.277	-6.392	0.0	-0.0
-0.0	G2		0.079	0.503	-2.435	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.594	-0.229	-0.473	0.0	0.0
0.0	Q5_pc Y		1.415	-0.158	2.956	-0.0	0.0
0.0	Q5_ps X		0.586	-0.237	-0.407	0.0	0.0
0.0	Q5_ps Y		1.335	-0.150	2.804	-0.0	0.0
-0.0	INVS LU	Max	6.253	5.255	10.737	0.0	-0.0
-0.0		Min	-2.945	1.719	-49.150	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	4.612	3.881	7.714	0.0	-0.0
-0.0		Min	-2.012	1.292	-36.253	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5310	C1-C2;~1	Max	1.922	1.137	13.922	0.0	0.0
0.0		Min	-1.678	-0.378	-18.262	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.088	1.572	14.734	0.0	0.0
0.0		Min	-2.319	-0.366	-21.291	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.012	0.580	7.143	0.0	0.0
0.0		Min	-0.857	-0.198	-9.597	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.110	0.810	7.548	0.0	0.0
0.0		Min	-1.175	-0.190	-11.015	-0.0	-0.0
-0.0							
	G1		0.382	1.079	-5.413	0.0	-0.0
-0.0							
	G2		0.134	0.424	-2.059	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.564	-0.217	-0.442	0.0	0.0
0.0							
	Q5_pc Y		1.313	-0.176	2.682	-0.0	0.0
0.0							
	Q5_ps X		0.553	-0.223	-0.382	0.0	0.0
0.0							
	Q5_ps Y		1.238	-0.167	2.543	-0.0	0.0
0.0							
	INVSLU	Max	6.064	4.422	10.723	0.0	-0.0
0.0		Min	-2.250	1.399	-42.739	-0.0	-0.0
-0.0							
	INVSLE	Max	4.472	3.260	7.737	0.0	-0.0
0.0		Min	-1.511	1.049	-31.506	-0.0	-0.0
-0.0							
5311	C1-C2;~1	Max	1.715	0.940	12.300	0.0	0.0
0.0		Min	-1.426	-0.291	-15.855	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.865	1.313	13.006	0.0	0.0
0.0		Min	-1.974	-0.296	-18.478	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.903	0.484	6.319	0.0	0.0
0.0		Min	-0.727	-0.151	-8.324	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.992	0.681	6.673	0.0	0.0
0.0		Min	-0.999	-0.154	-9.550	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	0.427	0.881	-4.502	0.0	-0.0
-0.0	G2	0.154	0.346	-1.709	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.513	-0.197	-0.409	0.0	0.0
0.0	Q5_pc Y	1.177	-0.183	2.379	-0.0	0.0
0.0	Q5_ps X	0.501	-0.200	-0.356	0.0	0.0
0.0	Q5_ps Y	1.110	-0.173	2.256	-0.0	0.0
0.0	INVS LU Max	5.545	3.609	10.285	0.0	-0.0
-0.0	Min	-1.758	1.084	-36.502	-0.0	-0.0
0.0	INVS LE Max	4.088	2.657	7.446	0.0	-0.0
-0.0	Min	-1.164	0.812	-26.894	-0.0	-0.0
5312	C1-C2;~1 Max	1.490	0.819	10.616	0.0	0.0
0.0	Min	-1.184	-0.245	-13.488	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.625	1.134	11.218	0.0	0.0
0.0	Min	-1.643	-0.255	-15.724	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.784	0.422	5.462	0.0	0.0
0.0	Min	-0.602	-0.126	-7.074	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.865	0.588	5.764	0.0	0.0
0.0	Min	-0.830	-0.133	-8.119	-0.0	-0.0
-0.0	G1	0.437	0.776	-3.694	0.0	-0.0
-0.0	G2	0.160	0.304	-1.398	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.440	-0.166	-0.373	0.0	0.0
0.0	Q5_pc Y	1.025	-0.150	2.064	-0.0	0.0
0.0	Q5_ps X	0.429	-0.169	-0.327	0.0	0.0
0.0	Q5_ps Y	0.966	-0.142	1.957	-0.0	0.0
0.0	INVS LU Max	4.912	3.155	9.479	0.0	-0.0
-0.0	Min	-1.345	0.980	-30.608	-0.0	-0.0
-0.0	INVS LE Max	3.620	2.323	6.879	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.878	0.734	-22.539	-0.0	-0.0
-0.0							
5313	C1-C2;~1	Max	1.242	0.696	8.876	0.0	0.0
0.0		Min	-0.949	-0.205	-11.094	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.360	0.954	9.370	0.0	0.0
0.0		Min	-1.313	-0.217	-12.925	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.653	0.358	4.573	0.0	0.0
0.0		Min	-0.482	-0.106	-5.812	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.724	0.494	4.822	0.0	0.0
0.0		Min	-0.662	-0.113	-6.667	-0.0	-0.0
-0.0							
-0.0	G1		0.412	0.666	-2.908	0.0	-0.0
-0.0	G2		0.152	0.260	-1.095	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.352	-0.130	-0.344	0.0	0.0
0.0	Q5_pc Y		0.859	-0.116	1.731	-0.0	0.0
0.0	Q5_ps X		0.342	-0.133	-0.305	0.0	0.0
0.0	Q5_ps Y		0.809	-0.110	1.641	-0.0	0.0
0.0							
0.0	INVSLU	Max	4.149	2.688	8.462	0.0	-0.0
0.0		Min	-1.005	0.873	-24.752	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.055	1.981	6.156	0.0	-0.0
0.0		Min	-0.648	0.654	-18.217	-0.0	-0.0
-0.0							
5314	C1-C2;~1	Max	1.011	0.570	7.141	0.0	0.0
0.0		Min	-0.730	-0.167	-8.857	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.114	0.773	7.530	0.0	0.0
0.0		Min	-1.002	-0.180	-10.323	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.531	0.294	3.683	0.0	0.0
0.0		Min	-0.371	-0.087	-4.636	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.593	0.401	3.879	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.504	-0.093	-5.321	-0.0	-0.0
-0.0	G1		0.387	0.546	-2.286	0.0	-0.0
-0.0	G2		0.144	0.213	-0.860	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.248	-0.090	-0.290	0.0	0.0
0.0	Q5_pc Y		0.696	-0.088	1.393	-0.0	0.0
0.0	Q5_ps X		0.240	-0.092	-0.257	0.0	0.0
0.0	Q5_ps Y		0.656	-0.083	1.321	-0.0	0.0
0.0	INVSLU	Max	3.430	2.193	7.047	0.0	-0.0
0.0		Min	-0.680	0.744	-19.561	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.523	1.618	5.134	0.0	-0.0
0.0		Min	-0.428	0.557	-14.390	-0.0	-0.0
-0.0							
5315	C1-C2;~1	Max	0.765	0.441	5.389	0.0	0.0
0.0		Min	-0.520	-0.129	-6.652	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.851	0.593	5.674	0.0	0.0
0.0		Min	-0.706	-0.143	-7.762	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.401	0.228	2.783	0.0	0.0
0.0		Min	-0.265	-0.066	-3.478	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.453	0.307	2.926	0.0	0.0
0.0		Min	-0.355	-0.074	-3.997	-0.0	-0.0
-0.0							
0.0	G1		0.330	0.423	-1.712	0.0	-0.0
0.0	G2		0.124	0.165	-0.644	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.144	-0.051	-0.238	0.0	0.0
0.0	Q5_pc Y		0.524	-0.061	1.060	-0.0	0.0
0.0	Q5_ps X		0.138	-0.054	-0.210	0.0	0.0
0.0	Q5_ps Y		0.494	-0.058	1.005	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.622	1.698	5.479	0.0	-0.0
0.0		Min	-0.424	0.594	-14.568	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.927	1.254	3.998	0.0	-0.0
-0.0		Min	-0.260	0.445	-10.711	-0.0	-0.0
5316	C1-C2;~1	Max	0.506	0.308	3.580	0.0	0.0
0.0		Min	-0.326	-0.090	-4.461	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.570	0.407	3.759	0.0	0.0
-0.0		Min	-0.437	-0.102	-5.216	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.265	0.159	1.851	0.0	0.0
-0.0		Min	-0.166	-0.047	-2.330	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.304	0.211	1.940	0.0	0.0
-0.0		Min	-0.220	-0.053	-2.684	-0.0	-0.0
0.0	G1		0.236	0.297	-1.211	0.0	-0.0
0.0	G2		0.088	0.115	-0.455	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.056	-0.020	-0.183	0.0	0.0
0.0	Q5_pc Y		0.346	-0.035	0.713	-0.0	0.0
0.0	Q5_ps X		0.053	-0.022	-0.160	0.0	0.0
0.0	Q5_ps Y		0.325	-0.033	0.677	-0.0	0.0
0.0							
0.0	INVSLU	Max	1.731	1.185	3.609	0.0	0.0
-0.0		Min	-0.251	0.434	-9.789	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.269	0.877	2.637	0.0	0.0
-0.0		Min	-0.153	0.325	-7.193	-0.0	-0.0
5317	C1-C2;~1	Max	0.245	0.165	1.747	0.0	0.0
0.0		Min	-0.152	-0.048	-2.300	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.281	0.214	1.821	0.0	0.0
-0.0		Min	-0.202	-0.055	-2.707	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.128	0.085	0.904	0.0	0.0
		Min	-0.077	-0.025	-1.200	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.150	0.111	0.940	0.0	0.0
-0.0		Min	-0.102	-0.028	-1.392	-0.0	-0.0
0.0	G1		0.117	0.162	-0.763	0.0	-0.0
0.0	G2		0.044	0.063	-0.286	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.002	-0.001	-0.121	0.0	0.0
0.0	Q5_pc Y		0.168	-0.012	0.363	-0.0	0.0
0.0	Q5_ps X		0.001	-0.002	-0.105	0.0	0.0
0.0	Q5_ps Y		0.158	-0.011	0.346	-0.0	0.0
0.0	INVSLU	Max	0.821	0.637	1.537	0.0	0.0
-0.0		Min	-0.134	0.251	-5.230	-0.0	-0.0
0.0	INVSLE	Max	0.600	0.472	1.124	0.0	0.0
-0.0		Min	-0.084	0.188	-3.840	-0.0	-0.0
5318	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	0.000	-0.0	-0.0
0.0	G2		0.000	0.000	0.000	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc Y		0.000	0.000	0.000	-0.0	0.0
0.0	Q5_ps X		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_ps Y		0.000	0.000	0.000	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	0.000	0.000	0.000	0.0	0.0
		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.000	0.000	0.000	0.0	0.0
		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0							
5319 0.0	C1-C2;~1	Max	0.178	0.053	1.740	0.0	0.0
		Min	-0.223	-0.185	-2.396	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.235	0.061	1.954	0.0	0.0
		Min	-0.275	-0.220	-2.593	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.090	0.026	0.905	0.0	0.0
		Min	-0.113	-0.094	-1.243	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.120	0.030	0.997	0.0	0.0
		Min	-0.144	-0.111	-1.353	-0.0	-0.0
-0.0							
-0.0	G1		-0.047	-0.190	-0.782	-0.0	0.0
-0.0	G2		-0.016	-0.073	-0.300	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.070	-0.046	0.016	0.0	0.0
-0.0	Q5_pc Y		-0.117	0.080	-0.400	-0.0	0.0
0.0	Q5_ps X		0.068	-0.042	0.030	0.0	0.0
-0.0	Q5_ps Y		-0.109	0.076	-0.374	-0.0	0.0
0.0							
0.0	INVS LU	Max	0.366	-0.274	1.692	0.0	0.0
		Min	-0.532	-0.798	-5.167	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.265	-0.212	1.237	0.0	0.0
		Min	-0.384	-0.589	-3.790	-0.0	-0.0
-0.0							
5320 0.0	C1-C2;~1	Max	0.373	0.112	3.569	0.0	0.0
		Min	-0.444	-0.364	-4.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.476	0.128	4.043	0.0	0.0
		Min	-0.554	-0.426	-5.005	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.191	0.056	1.855	0.0	0.0
		Min	-0.223	-0.186	-2.416	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.244	0.063	2.061	0.0	0.0
		Min	-0.289	-0.217	-2.612	-0.0	-0.0
-0.0							
-0.0	G1		-0.071	-0.361	-1.245	-0.0	0.0
-0.0	G2		-0.023	-0.140	-0.480	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.193	-0.107	0.078	0.0	0.0
-0.0	Q5_pc Y		-0.212	0.147	-0.755	-0.0	0.0
0.0							
-0.0	Q5_ps X		0.189	-0.100	0.096	0.0	0.0
-0.0	Q5_ps Y		-0.197	0.140	-0.707	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.834	-0.545	3.917	0.0	0.0
-0.0		Min	-0.939	-1.557	-9.655	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.611	-0.421	2.863	0.0	0.0
-0.0		Min	-0.674	-1.151	-7.089	-0.0	-0.0
-0.0							
5321	C1-C2;~1	Max	0.569	0.175	5.373	0.0	0.0
0.0		Min	-0.679	-0.535	-6.941	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.712	0.202	6.105	0.0	0.0
-0.0		Min	-0.849	-0.621	-7.454	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.293	0.087	2.789	0.0	0.0
-0.0		Min	-0.340	-0.276	-3.610	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.365	0.099	3.110	0.0	0.0
-0.0		Min	-0.441	-0.318	-3.893	-0.0	-0.0
-0.0							
-0.0	G1		-0.101	-0.512	-1.767	-0.0	0.0
-0.0	G2		-0.032	-0.198	-0.682	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.350	-0.177	0.144	0.0	0.0
-0.0	Q5_pc Y		-0.288	0.205	-1.103	-0.0	0.0
0.0							
-0.0	Q5_ps X		0.341	-0.167	0.165	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.267	0.194	-1.034	-0.0	0.0
0.0	INVS LU	Max	1.362	-0.793	5.919	0.0	0.0
-0.0		Min	-1.375	-2.273	-14.372	-0.0	-0.0
0.0	INVS LE	Max	1.001	-0.614	4.322	0.0	0.0
-0.0		Min	-0.980	-1.683	-10.561	-0.0	-0.0
5322 0.0	C1-C2;~1	Max	0.760	0.246	7.119	0.0	0.0
-0.0		Min	-0.926	-0.696	-9.247	-0.0	-0.0
0.0	C3-C4;~1	Max	0.936	0.288	8.101	0.0	0.0
-0.0		Min	-1.161	-0.802	-9.916	-0.0	-0.0
0.0	C1-C2;~2	Max	0.392	0.123	3.691	0.0	0.0
-0.0		Min	-0.464	-0.360	-4.814	-0.0	-0.0
0.0	C3-C4;~2	Max	0.481	0.143	4.123	0.0	0.0
-0.0		Min	-0.602	-0.413	-5.185	-0.0	-0.0
0.0	G1		-0.149	-0.640	-2.365	-0.0	-0.0
0.0	G2		-0.049	-0.248	-0.914	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.521	-0.250	0.206	0.0	0.0
0.0	Q5_pc Y		-0.349	0.256	-1.437	-0.0	0.0
-0.0	Q5_ps X		0.509	-0.236	0.231	0.0	0.0
0.0	Q5_ps Y		-0.322	0.242	-1.347	-0.0	0.0
0.0	INVS LU	Max	1.894	-0.993	7.601	0.0	0.0
-0.0		Min	-1.874	-2.926	-19.309	-0.0	-0.0
0.0	INVS LE	Max	1.392	-0.771	5.543	0.0	0.0
-0.0		Min	-1.330	-2.169	-14.198	-0.0	-0.0
5323 0.0	C1-C2;~1	Max	0.947	0.323	8.844	0.0	0.0
-0.0		Min	-1.183	-0.845	-11.587	-0.0	-0.0
0.0	C3-C4;~1	Max	1.153	0.380	10.075	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.484	-0.971	-12.419	-0.0	-0.0
0.0	C1-C2;~2	Max	0.489	0.163	4.580	0.0	0.0
-0.0		Min	-0.594	-0.440	-6.038	-0.0	-0.0
0.0	C3-C4;~2	Max	0.592	0.191	5.123	0.0	0.0
-0.0		Min	-0.769	-0.502	-6.499	-0.0	-0.0
0.0	G1		-0.212	-0.747	-3.018	-0.0	-0.0
0.0	G2		-0.071	-0.290	-1.166	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.691	-0.318	0.270	0.0	0.0
0.0	Q5_pc Y		-0.406	0.304	-1.774	-0.0	0.0
-0.0	Q5_ps X		0.675	-0.302	0.298	0.0	0.0
0.0	Q5_ps Y		-0.373	0.287	-1.662	-0.0	0.0
0.0	INVSLU	Max	2.398	-1.138	9.108	0.0	0.0
-0.0		Min	-2.406	-3.535	-24.452	-0.0	-0.0
0.0	INVSLE	Max	1.763	-0.889	6.634	0.0	0.0
-0.0		Min	-1.703	-2.622	-17.989	-0.0	-0.0
5324	C1-C2;~1	Max	1.152	0.405	10.546	0.0	0.0
0.0		Min	-1.452	-0.995	-14.037	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.392	0.478	12.023	0.0	0.0
-0.0		Min	-1.818	-1.142	-15.047	-0.0	-0.0
0.0	C1-C2;~2	Max	0.596	0.206	5.454	0.0	0.0
-0.0		Min	-0.730	-0.520	-7.321	-0.0	-0.0
0.0	C3-C4;~2	Max	0.715	0.243	6.104	0.0	0.0
-0.0		Min	-0.943	-0.592	-7.883	-0.0	-0.0
0.0	G1		-0.266	-0.845	-3.809	-0.0	-0.0
0.0	G2		-0.091	-0.328	-1.476	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.849	-0.380	0.351	0.0	0.0
0.0	Q5_pc Y		-0.477	0.353	-2.087	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.831	-0.360	0.385	0.0	0.0
0.0	Q5_ps Y		-0.438	0.333	-1.955	-0.0	0.0
0.0	INVS LU	Max	2.950	-1.259	10.210	0.0	0.0
-0.0		Min	-2.911	-4.130	-30.091	-0.0	-0.0
0.0	INVS LE	Max	2.172	-0.989	7.422	0.0	0.0
-0.0		Min	-2.057	-3.065	-22.153	-0.0	-0.0
5325	C1-C2;~1	Max	1.344	0.485	12.192	0.0	0.0
0.0		Min	-1.722	-1.129	-16.460	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.618	0.577	13.906	0.0	0.0
0.0		Min	-2.154	-1.294	-17.637	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.696	0.248	6.297	0.0	0.0
0.0		Min	-0.868	-0.592	-8.594	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.832	0.296	7.051	0.0	0.0
0.0		Min	-1.118	-0.672	-9.249	-0.0	-0.0
-0.0	G1		-0.338	-0.920	-4.625	-0.0	0.0
0.0	G2		-0.118	-0.357	-1.796	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.991	-0.432	0.418	0.0	0.0
-0.0	Q5_pc Y		-0.548	0.398	-2.389	-0.0	0.0
0.0	Q5_ps X		0.971	-0.411	0.457	0.0	0.0
-0.0	Q5_ps Y		-0.503	0.375	-2.237	-0.0	0.0
0.0	INVS LU	Max	3.427	-1.338	11.095	0.0	0.0
-0.0		Min	-3.449	-4.642	-35.788	-0.0	-0.0
0.0	INVS LE	Max	2.525	-1.056	8.048	0.0	0.0
-0.0		Min	-2.436	-3.446	-26.361	-0.0	-0.0
5326	C1-C2;~1	Max	1.474	0.610	13.778	0.0	0.0
0.0		Min	-1.988	-1.343	-18.926	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.774	0.726	15.723	0.0	0.0
-0.0		Min	-2.495	-1.538	-20.277	-0.0	-0.0
0.0	C1-C2;~2	Max	0.761	0.314	7.106	0.0	0.0
-0.0		Min	-1.002	-0.706	-9.891	-0.0	-0.0
0.0	C3-C4;~2	Max	0.910	0.376	7.961	0.0	0.0
-0.0		Min	-1.297	-0.801	-10.646	-0.0	-0.0
0.0	G1		-0.484	-1.046	-5.543	-0.0	0.0
0.0	G2		-0.174	-0.405	-2.154	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.100	-0.489	0.483	0.0	0.0
0.0	Q5_pc Y		-0.605	0.466	-2.677	-0.0	0.0
-0.0	Q5_ps X		1.080	-0.465	0.528	0.0	0.0
0.0	Q5_ps Y		-0.554	0.440	-2.506	-0.0	0.0
0.0	INVSLU	Max	3.585	-1.501	11.609	0.0	0.0
-0.0		Min	-4.158	-5.438	-41.811	-0.0	-0.0
0.0	INVSLE	Max	2.641	-1.189	8.398	0.0	0.0
-0.0		Min	-2.948	-4.040	-30.815	-0.0	-0.0
5327	C1-C2;~1	Max	1.549	0.736	15.263	0.0	0.0
0.0		Min	-2.246	-1.522	-21.362	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.869	0.875	17.425	0.0	0.0
-0.0		Min	-2.835	-1.743	-22.882	-0.0	-0.0
0.0	C1-C2;~2	Max	0.796	0.382	7.859	0.0	0.0
-0.0		Min	-1.132	-0.803	-11.176	-0.0	-0.0
0.0	C3-C4;~2	Max	0.954	0.456	8.809	0.0	0.0
-0.0		Min	-1.479	-0.910	-12.028	-0.0	-0.0
0.0	G1		-0.690	-1.118	-6.529	-0.0	0.0
0.0	G2		-0.253	-0.433	-2.537	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.178	-0.534	0.537	0.0	0.0
0.0	Q5_pc Y		-0.648	0.528	-2.939	-0.0	0.0
-0.0	Q5_ps X		1.161	-0.508	0.589	0.0	0.0
0.0	Q5_ps Y		-0.592	0.498	-2.750	-0.0	0.0
0.0	INVS LU	Max	3.473	-1.563	11.697	-0.0	0.0
0.0		Min	-4.999	-6.057	-48.008	-0.0	-0.0
0.0	INVS LE	Max	2.556	-1.246	8.430	-0.0	0.0
0.0		Min	-3.562	-4.503	-35.404	-0.0	-0.0
5328	C1-C2;~1	Max	1.604	0.869	16.696	0.0	0.0
0.0		Min	-2.512	-1.685	-23.802	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.942	1.036	19.068	0.0	0.0
0.0		Min	-3.178	-1.930	-25.497	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.820	0.453	8.582	0.0	0.0
0.0		Min	-1.268	-0.893	-12.465	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.986	0.545	9.624	0.0	0.0
0.0		Min	-1.663	-1.010	-13.418	-0.0	-0.0
-0.0	G1		-0.918	-1.160	-7.567	-0.0	0.0
0.0	G2		-0.342	-0.448	-2.940	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.244	-0.571	0.600	0.0	-0.0
0.0	Q5_pc Y		-0.687	0.585	-3.193	-0.0	0.0
-0.0	Q5_ps X		1.229	-0.544	0.658	0.0	-0.0
0.0	Q5_ps Y		-0.626	0.551	-2.986	-0.0	0.0
0.0	INVS LU	Max	3.260	-1.536	11.531	-0.0	0.0
-0.0		Min	-5.890	-6.592	-54.380	-0.0	-0.0
0.0	INVS LE	Max	2.397	-1.236	8.272	-0.0	0.0
-0.0		Min	-4.215	-4.904	-40.125	-0.0	-0.0
5329	C1-C2;~1	Max	1.709	1.016	17.973	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.791	-1.855	-26.167	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.069	1.214	20.538	0.0	0.0
0.0		Min	-3.531	-2.124	-28.039	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.872	0.532	9.220	0.0	0.0
0.0		Min	-1.413	-0.986	-13.718	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.049	0.643	10.345	0.0	0.0
0.0		Min	-1.853	-1.115	-14.774	-0.0	-0.0
-0.0							
0.0	G1		-1.106	-1.188	-8.676	-0.0	0.0
0.0	G2		-0.415	-0.459	-3.373	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.320	-0.606	0.651	0.0	0.0
-0.0	Q5_pc Y		-0.742	0.642	-3.407	-0.0	0.0
0.0	Q5_ps X		1.306	-0.577	0.718	0.0	0.0
-0.0	Q5_ps Y		-0.675	0.605	-3.185	-0.0	0.0
0.0							
0.0	INVSLU	Max	3.261	-1.463	10.812	-0.0	0.0
0.0		Min	-6.676	-7.124	-60.900	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.398	-1.194	7.701	-0.0	0.0
0.0		Min	-4.787	-5.302	-44.964	-0.0	-0.0
-0.0							
5330	C1-C2;~1	Max	1.806	1.162	19.165	0.0	0.0
0.0		Min	-3.050	-2.015	-28.444	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.186	1.395	21.910	0.0	0.0
0.0		Min	-3.857	-2.307	-30.477	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.919	0.610	9.812	0.0	0.0
0.0		Min	-1.547	-1.074	-14.927	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.106	0.744	11.015	0.0	0.0
0.0		Min	-2.028	-1.213	-16.078	-0.0	-0.0
-0.0							
0.0	G1		-1.277	-1.198	-9.771	-0.0	0.0
0.0	G2		-0.482	-0.462	-3.801	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.399	-0.637	0.695	0.0	0.0
-0.0	Q5_pc Y	-0.793	0.694	-3.604	-0.0	-0.0
0.0	Q5_ps X	1.386	-0.608	0.770	0.0	0.0
-0.0	Q5_ps Y	-0.722	0.655	-3.367	-0.0	-0.0
0.0	INVS LU Max	3.275	-1.346	9.871	-0.0	0.0
0.0	Min	-7.401	-7.594	-67.338	-0.0	0.0
-0.0	INVS LE Max	2.408	-1.118	6.964	-0.0	0.0
0.0	Min	-5.314	-5.654	-49.747	-0.0	0.0
-0.0						
5331	C1-C2;~1 Max	1.866	1.320	20.272	0.0	0.0
0.0	Min	-3.267	-2.162	-30.659	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.262	1.580	23.186	0.0	0.0
0.0	Min	-4.135	-2.476	-32.851	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.948	0.694	10.358	0.0	0.0
0.0	Min	-1.658	-1.155	-16.105	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.141	0.846	11.633	0.0	0.0
0.0	Min	-2.178	-1.304	-17.350	-0.0	-0.0
-0.0						
0.0	G1	-1.441	-1.183	-10.880	-0.0	0.0
0.0	G2	-0.545	-0.455	-4.233	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.474	-0.667	0.739	0.0	0.0
-0.0	Q5_pc Y	-0.832	0.744	-3.784	-0.0	-0.0
0.0	Q5_ps X	1.462	-0.637	0.822	0.0	0.0
-0.0	Q5_ps Y	-0.757	0.701	-3.533	-0.0	-0.0
0.0						
0.0	INVS LU Max	3.214	-1.173	8.672	-0.0	0.0
0.0	Min	-8.074	-7.986	-73.789	-0.0	0.0
0.0						
0.0	INVS LE Max	2.360	-1.001	6.033	-0.0	0.0
0.0	Min	-5.805	-5.949	-54.545	-0.0	0.0
0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5332	C1-C2;~1	Max	1.890	1.491	21.277	0.0	0.0
0.0		Min	-3.445	-2.297	-32.759	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.295	1.770	24.347	0.0	0.0
0.0		Min	-4.371	-2.630	-35.097	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.956	0.788	10.850	0.0	0.0
0.0		Min	-1.750	-1.230	-17.225	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.154	0.952	12.191	0.0	0.0
0.0		Min	-2.305	-1.387	-18.557	-0.0	-0.0
-0.0							
	G1		-1.599	-1.142	-11.963	-0.0	0.0
0.0							
	G2		-0.607	-0.439	-4.653	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.544	-0.695	0.776	0.0	0.0
-0.0							
	Q5_pc Y		-0.859	0.789	-3.944	-0.0	0.0
0.0							
	Q5_ps X		1.533	-0.664	0.865	0.0	0.0
-0.0							
	Q5_ps Y		-0.780	0.744	-3.681	-0.0	0.0
0.0							
	INVSLU	Max	3.070	-0.940	7.247	-0.0	0.0
0.0		Min	-8.707	-8.300	-80.101	-0.0	0.0
0.0							
	INVSLE	Max	2.250	-0.838	4.931	-0.0	0.0
0.0		Min	-6.268	-6.185	-59.245	-0.0	0.0
0.0							
5333	C1-C2;~1	Max	1.905	1.671	22.218	0.0	0.0
0.0		Min	-3.614	-2.426	-34.798	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.317	1.965	25.434	0.0	0.0
0.0		Min	-4.594	-2.777	-37.280	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.959	0.887	11.306	0.0	0.0
0.0		Min	-1.837	-1.302	-18.314	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.161	1.059	12.709	0.0	0.0
0.0		Min	-2.426	-1.467	-19.732	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.756	-1.086	-13.039	-0.0	0.0
0.0	G2		-0.668	-0.417	-5.070	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.610	-0.719	0.814	0.0	-0.0
0.0	Q5_pc Y		-0.881	0.831	-4.093	-0.0	0.0
-0.0	Q5_ps X		1.600	-0.687	0.909	0.0	-0.0
0.0	Q5_ps Y		-0.799	0.783	-3.819	-0.0	0.0
0.0	INVS LU	Max	2.905	-0.661	5.667	-0.0	0.0
0.0		Min	-9.323	-8.559	-86.364	-0.0	-0.0
0.0	INVS LE	Max	2.124	-0.641	3.713	-0.0	0.0
0.0		Min	-6.719	-6.381	-63.913	-0.0	-0.0
5334	C1-C2;~1	Max	1.969	1.866	23.010	0.0	0.0
0.0		Min	-3.834	-2.560	-36.640	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.394	2.174	26.354	0.0	0.0
-0.0		Min	-4.874	-2.928	-39.259	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.990	0.994	11.683	0.0	0.0
-0.0		Min	-1.953	-1.375	-19.300	-0.0	-0.0
0.0							
-0.0	C3-C4;~2	Max	1.197	1.175	13.140	0.0	0.0
0.0		Min	-2.580	-1.549	-20.800	-0.0	-0.0
0.0							
0.0	G1		-1.918	-1.015	-14.051	-0.0	0.0
0.0	G2		-0.731	-0.389	-5.467	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.678	-0.740	0.849	0.0	0.0
0.0	Q5_pc Y		-0.915	0.873	-4.209	-0.0	0.0
-0.0	Q5_ps X		1.669	-0.708	0.952	0.0	0.0
0.0	Q5_ps Y		-0.829	0.823	-3.925	-0.0	0.0
0.0							
0.0	INVS LU	Max	2.852	-0.333	3.835	-0.0	0.0
0.0		Min	-9.981	-8.792	-92.317	-0.0	0.0
0.0							
	INVS LE	Max	2.084	-0.407	2.306	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-7.198	-6.557	-68.357	-0.0	0.0
0.0							
5335	C1-C2;~1	Max	2.028	2.061	23.734	0.0	0.0
0.0		Min	-4.037	-2.685	-38.372	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.464	2.379	27.197	0.0	0.0
0.0		Min	-5.132	-3.070	-41.111	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.019	1.101	12.025	0.0	0.0
0.0		Min	-2.059	-1.445	-20.229	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.231	1.289	13.532	0.0	0.0
0.0		Min	-2.721	-1.625	-21.801	-0.0	-0.0
-0.0							
0.0	G1		-2.065	-0.937	-15.008	-0.0	0.0
0.0	G2		-0.789	-0.358	-5.841	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.743	-0.759	0.876	0.0	0.0
-0.0	Q5_pc Y		-0.945	0.913	-4.312	-0.0	-0.0
0.0	Q5_ps X		1.734	-0.725	0.987	0.0	0.0
-0.0	Q5_ps Y		-0.856	0.860	-4.020	-0.0	-0.0
0.0							
0.0	INVSLU	Max	2.816	0.020	1.969	-0.0	0.0
0.0		Min	-10.576	-8.979	-98.007	-0.0	0.0
0.0							
0.0	INVSLE	Max	2.057	-0.154	0.874	-0.0	0.0
0.0		Min	-7.631	-6.698	-72.608	-0.0	0.0
0.0							
5336	C1-C2;~1	Max	2.057	2.256	24.396	0.0	0.0
0.0		Min	-4.188	-2.802	-40.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.499	2.582	27.969	0.0	0.0
0.0		Min	-5.327	-3.202	-42.874	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.031	1.209	12.334	0.0	0.0
0.0		Min	-2.139	-1.509	-21.116	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.245	1.400	13.886	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.828	-1.697	-22.757	-0.0	-0.0
-0.0	G1		-2.187	-0.846	-15.931	-0.0	0.0
0.0	G2		-0.836	-0.322	-6.201	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.802	-0.775	0.902	0.0	0.0
-0.0	Q5_pc Y		-0.965	0.949	-4.403	-0.0	-0.0
0.0	Q5_ps X		1.793	-0.742	1.019	0.0	0.0
-0.0	Q5_ps Y		-0.874	0.894	-4.103	-0.0	-0.0
0.0	INVS LU	Max	2.756	0.405	0.084	-0.0	0.0
0.0		Min	-11.054	-9.112	-103.479	-0.0	0.0
0.0	INVS LE	Max	2.011	0.124	-0.569	-0.0	0.0
0.0		Min	-7.978	-6.799	-76.695	-0.0	0.0
0.0							
5337	C1-C2;~1	Max	2.055	2.450	24.991	0.0	0.0
0.0		Min	-4.290	-2.911	-41.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.499	2.783	28.666	0.0	0.0
0.0		Min	-5.465	-3.324	-44.518	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.027	1.315	12.608	0.0	0.0
0.0		Min	-2.192	-1.569	-21.947	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.242	1.511	14.202	0.0	0.0
0.0		Min	-2.903	-1.762	-23.651	-0.0	-0.0
-0.0							
0.0	G1		-2.283	-0.744	-16.799	-0.0	0.0
0.0	G2		-0.873	-0.282	-6.537	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.855	-0.790	0.921	0.0	0.0
-0.0	Q5_pc Y		-0.974	0.983	-4.480	-0.0	0.0
0.0	Q5_ps X		1.847	-0.757	1.043	0.0	-0.0
-0.0	Q5_ps Y		-0.881	0.926	-4.173	-0.0	0.0
0.0							
0.0	INVS LU	Max	2.665	0.819	-1.772	-0.0	0.0
0.0		Min	-11.426	-9.195	-108.634	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0							
	INVSLE	Max	1.941	0.424	-1.988	-0.0	0.0
0.0		Min	-8.249	-6.863	-80.548	-0.0	0.0
0.0							
5338	C1-C2;~1	Max	2.048	2.649	25.548	0.0	0.0
0.0		Min	-4.382	-3.015	-43.054	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.492	2.986	29.319	0.0	0.0
0.0		Min	-5.591	-3.442	-46.114	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.020	1.424	12.861	0.0	0.0
0.0		Min	-2.240	-1.626	-22.753	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.234	1.623	14.495	0.0	0.0
0.0		Min	-2.973	-1.826	-24.522	-0.0	-0.0
-0.0							
0.0	G1		-2.375	-0.633	-17.645	-0.0	0.0
0.0	G2		-0.909	-0.238	-6.864	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.903	-0.803	0.938	0.0	-0.0
-0.0	Q5_pc Y		-0.980	1.015	-4.548	-0.0	0.0
0.0	Q5_ps X		1.895	-0.769	1.065	0.0	-0.0
-0.0	Q5_ps Y		-0.885	0.957	-4.236	-0.0	0.0
0.0							
	INVSLU	Max	2.565	1.264	-3.585	-0.0	0.0
0.0		Min	-11.772	-9.241	-113.605	-0.0	-0.0
0.0							
	INVSLE	Max	1.866	0.747	-3.372	-0.0	0.0
0.0		Min	-8.501	-6.899	-84.262	-0.0	-0.0
0.0							
5339	C1-C2;~1	Max	2.088	2.862	25.991	0.0	0.0
0.0		Min	-4.549	-3.123	-44.335	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.539	3.204	29.843	0.0	0.0
0.0		Min	-5.807	-3.563	-47.492	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.038	1.541	13.055	0.0	0.0
0.0		Min	-2.329	-1.686	-23.446	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.256	1.742	14.722	0.0	0.0
-0.0		Min	-3.094	-1.891	-25.274	-0.0	-0.0
0.0	G1		-2.502	-0.509	-18.386	-0.0	0.0
0.0	G2		-0.959	-0.189	-7.154	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.949	-0.814	0.954	0.0	-0.0
-0.0	Q5_pc Y		-0.997	1.048	-4.588	-0.0	0.0
0.0	Q5_ps X		1.941	-0.779	1.087	0.0	-0.0
-0.0	Q5_ps Y		-0.901	0.987	-4.271	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.498	1.756	-5.346	-0.0	0.0
0.0		Min	-12.276	-9.267	-118.007	-0.0	0.0
0.0							
0.0	INVSLE	Max	1.816	1.105	-4.711	-0.0	0.0
0.0		Min	-8.868	-6.920	-87.551	-0.0	0.0
0.0							
5340	C1-C2;~1	Max	2.125	3.079	26.381	0.0	0.0
0.0		Min	-4.697	-3.230	-45.512	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.581	3.425	30.307	0.0	0.0
-0.0		Min	-5.997	-3.685	-48.750	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.055	1.660	13.222	0.0	0.0
-0.0		Min	-2.408	-1.744	-24.085	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.274	1.864	14.919	0.0	0.0
-0.0		Min	-3.200	-1.955	-25.964	-0.0	-0.0
0.0	G1		-2.616	-0.379	-19.064	-0.0	-0.0
0.0	G2		-1.003	-0.138	-7.419	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.990	-0.822	0.963	0.0	-0.0
-0.0	Q5_pc Y		-1.012	1.080	-4.619	-0.0	0.0
0.0	Q5_ps X		1.983	-0.788	1.102	0.0	-0.0
-0.0	Q5_ps Y		-0.914	1.017	-4.298	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVSLE	Max	2.445	2.266	-7.019	-0.0	0.0
0.0		Min	-12.718	-9.276	-122.060	-0.0	0.0
0.0	INVSLE	Max	1.777	1.477	-5.982	-0.0	0.0
0.0		Min	-9.190	-6.929	-90.581	-0.0	0.0
5341 0.0	C1-C2;~1	Max	2.134	3.309	26.711	0.0	0.0
-0.0		Min	-4.785	-3.341	-46.597	-0.0	-0.0
0.0	C3-C4;~1	Max	2.591	3.659	30.704	0.0	0.0
-0.0		Min	-6.111	-3.810	-49.914	-0.0	-0.0
0.0	C1-C2;~2	Max	1.057	1.785	13.357	0.0	0.0
-0.0		Min	-2.454	-1.803	-24.676	-0.0	-0.0
0.0	C3-C4;~2	Max	1.277	1.991	15.081	0.0	0.0
-0.0		Min	-3.262	-2.021	-26.605	-0.0	-0.0
0.0	G1		-2.690	-0.240	-19.693	-0.0	-0.0
0.0	G2		-1.032	-0.084	-7.664	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		2.026	-0.830	0.969	0.0	-0.0
0.0	Q5_pc Y		-1.018	1.110	-4.636	-0.0	0.0
-0.0	Q5_ps X		2.019	-0.795	1.112	0.0	-0.0
0.0	Q5_ps Y		-0.918	1.046	-4.313	-0.0	0.0
0.0	INVSLE	Max	2.395	2.813	-8.612	-0.0	0.0
-0.0		Min	-13.000	-9.268	-125.791	-0.0	0.0
0.0	INVSLE	Max	1.739	1.875	-7.190	-0.0	0.0
-0.0		Min	-9.394	-6.925	-93.371	-0.0	0.0
5342 0.0	C1-C2;~1	Max	2.115	3.547	26.982	0.0	0.0
-0.0		Min	-4.815	-3.456	-47.562	-0.0	-0.0
0.0	C3-C4;~1	Max	2.569	3.902	31.033	0.0	0.0
-0.0		Min	-6.154	-3.940	-50.945	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.045	1.913	13.462	0.0	0.0
-0.0		Min	-2.469	-1.863	-25.205	-0.0	-0.0
0.0	C3-C4;~2	Max	1.263	2.121	15.209	0.0	0.0
-0.0		Min	-3.285	-2.087	-27.176	-0.0	-0.0
0.0	G1		-2.726	-0.094	-20.250	-0.0	0.0
0.0	G2		-1.046	-0.026	-7.878	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		2.056	-0.836	0.969	-0.0	-0.0
-0.0	Q5_pc Y		-1.015	1.138	-4.642	0.0	0.0
-0.0	Q5_ps X		2.049	-0.802	1.115	-0.0	-0.0
-0.0	Q5_ps Y		-0.915	1.072	-4.318	0.0	0.0
0.0	INVSLU	Max	2.346	3.389	-10.055	-0.0	0.0
-0.0		Min	-13.130	-9.246	-129.080	-0.0	0.0
0.0	INVSLE	Max	1.702	2.296	-8.284	-0.0	0.0
-0.0		Min	-9.488	-6.912	-95.832	-0.0	0.0
5343	C1-C2;~1	Max	2.090	3.792	27.211	0.0	0.0
0.0		Min	-4.832	-3.572	-48.451	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.540	4.151	31.314	0.0	0.0
-0.0		Min	-6.184	-4.072	-51.897	-0.0	-0.0
0.0	C1-C2;~2	Max	1.030	2.045	13.545	0.0	0.0
-0.0		Min	-2.479	-1.923	-25.694	-0.0	-0.0
0.0	C3-C4;~2	Max	1.245	2.255	15.312	0.0	0.0
-0.0		Min	-3.303	-2.154	-27.706	-0.0	-0.0
0.0	G1		-2.753	0.057	-20.762	-0.0	0.0
0.0	G2		-1.057	0.033	-8.074	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		2.081	-0.842	0.965	-0.0	-0.0
0.0	Q5_pc Y		-1.010	1.166	-4.639	0.0	0.0
-0.0	Q5_ps X		2.074	-0.807	1.114	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.909	1.098	-4.314	0.0	0.0
0.0	INVS LU	Max	2.295	3.992	-11.367	-0.0	0.0
-0.0		Min	-13.227	-9.208	-132.052	-0.0	0.0
0.0	INVS LE	Max	1.663	2.736	-9.276	-0.0	0.0
-0.0		Min	-9.558	-6.886	-98.054	-0.0	0.0
5344	C1-C2;~1	Max	2.109	4.047	27.322	0.0	0.0
0.0		Min	-4.936	-3.690	-49.049	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.561	4.410	31.460	0.0	0.0
-0.0		Min	-6.322	-4.207	-52.545	-0.0	-0.0
0.0	C1-C2;~2	Max	1.037	2.181	13.568	0.0	0.0
-0.0		Min	-2.535	-1.983	-26.020	-0.0	-0.0
0.0	C3-C4;~2	Max	1.252	2.393	15.348	0.0	0.0
-0.0		Min	-3.382	-2.222	-28.065	-0.0	-0.0
0.0	G1		-2.835	0.216	-21.120	-0.0	0.0
0.0	G2		-1.089	0.095	-8.215	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.102	-0.846	0.961	-0.0	-0.0
-0.0	Q5_pc Y		-1.014	1.193	-4.609	0.0	0.0
0.0	Q5_ps X		2.096	-0.811	1.115	-0.0	-0.0
-0.0	Q5_ps Y		-0.913	1.124	-4.285	0.0	0.0
0.0	INVS LU	Max	2.230	4.623	-12.486	-0.0	0.0
0.0		Min	-13.545	-9.158	-134.190	-0.0	0.0
0.0	INVS LE	Max	1.615	3.198	-10.119	-0.0	0.0
0.0		Min	-9.790	-6.851	-99.656	-0.0	0.0
5345	C1-C2;~1	Max	2.123	4.304	27.390	0.0	0.0
0.0		Min	-5.022	-3.809	-49.545	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.576	4.671	31.558	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.433	-4.344	-53.076	-0.0	-0.0
0.0	C1-C2;~2	Max	1.042	2.319	13.570	0.0	0.0
-0.0		Min	-2.581	-2.044	-26.293	-0.0	-0.0
0.0	C3-C4;~2	Max	1.257	2.532	15.361	0.0	0.0
-0.0		Min	-3.446	-2.289	-28.361	-0.0	-0.0
0.0		G1	-2.904	0.377	-21.413	-0.0	-0.0
0.0		G2	-1.116	0.158	-8.330	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	2.118	-0.849	0.952	-0.0	-0.0
-0.0		Q5_pc Y	-1.016	1.220	-4.573	0.0	0.0
-0.0		Q5_ps X	2.112	-0.814	1.109	-0.0	-0.0
-0.0		Q5_ps Y	-0.914	1.150	-4.250	0.0	0.0
0.0	INVSLU	Max	2.174	5.261	-13.436	0.0	0.0
-0.0		Min	-13.802	-9.106	-135.923	-0.0	0.0
0.0	INVSLE	Max	1.574	3.665	-10.834	0.0	0.0
-0.0		Min	-9.977	-6.814	-100.956	-0.0	0.0
5346	C1-C2;~1	Max	2.111	4.564	27.400	0.0	0.0
0.0		Min	-5.039	-3.928	-49.913	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.561	4.935	31.588	0.0	0.0
-0.0		Min	-6.457	-4.479	-53.467	-0.0	-0.0
0.0	C1-C2;~2	Max	1.034	2.457	13.543	0.0	0.0
-0.0		Min	-2.591	-2.103	-26.497	-0.0	-0.0
0.0	C3-C4;~2	Max	1.247	2.672	15.340	0.0	0.0
-0.0		Min	-3.459	-2.356	-28.581	-0.0	-0.0
0.0		G1	-2.926	0.540	-21.628	-0.0	-0.0
0.0		G2	-1.125	0.222	-8.412	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	2.129	-0.851	0.938	-0.0	-0.0
		Q5_pc Y	-1.010	1.245	-4.525	0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		2.124	-0.817	1.098	-0.0	-0.0
-0.0	Q5_ps Y		-0.908	1.173	-4.205	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.137	5.905	-14.203	0.0	0.0
-0.0		Min	-13.870	-9.045	-137.173	-0.0	0.0
0.0	INVS LE	Max	1.547	4.136	-11.409	0.0	0.0
-0.0		Min	-10.026	-6.772	-101.895	-0.0	0.0
5347	C1-C2;~1	Max	2.074	4.821	27.352	0.0	0.0
0.0		Min	-4.989	-4.044	-50.144	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.514	5.195	31.552	0.0	0.0
-0.0		Min	-6.395	-4.612	-53.704	-0.0	-0.0
0.0	C1-C2;~2	Max	1.013	2.593	13.487	0.0	0.0
-0.0		Min	-2.564	-2.160	-26.627	-0.0	-0.0
0.0	C3-C4;~2	Max	1.221	2.809	15.287	0.0	0.0
-0.0		Min	-3.423	-2.420	-28.716	-0.0	-0.0
-0.0	G1		-2.903	0.704	-21.760	-0.0	0.0
-0.0	G2		-1.116	0.286	-8.461	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.136	-0.853	0.920	-0.0	-0.0
-0.0	Q5_pc Y		-0.996	1.269	-4.469	0.0	0.0
-0.0	Q5_ps X		2.130	-0.819	1.081	-0.0	-0.0
-0.0	Q5_ps Y		-0.896	1.196	-4.151	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.118	6.548	-14.770	0.0	0.0
-0.0		Min	-13.754	-8.974	-137.909	-0.0	0.0
0.0	INVS LE	Max	1.532	4.607	-11.833	0.0	0.0
-0.0		Min	-9.941	-6.722	-102.450	-0.0	0.0
5348	C1-C2;~1	Max	2.037	5.079	27.261	0.0	0.0
0.0		Min	-4.925	-4.158	-50.281	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.462	5.456	31.466	0.0	0.0
-0.0		Min	-6.315	-4.743	-53.837	-0.0	-0.0
0.0	C1-C2;~2	Max	0.994	2.730	13.409	0.0	0.0
-0.0		Min	-2.530	-2.217	-26.708	-0.0	-0.0
0.0	C3-C4;~2	Max	1.192	2.947	15.209	0.0	0.0
-0.0		Min	-3.377	-2.484	-28.796	-0.0	-0.0
-0.0	G1		-2.869	0.869	-21.832	0.0	0.0
-0.0	G2		-1.103	0.351	-8.485	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.137	-0.854	0.896	-0.0	-0.0
-0.0	Q5_pc Y		-0.980	1.292	-4.403	0.0	0.0
0.0	Q5_ps X		2.131	-0.820	1.058	-0.0	-0.0
-0.0	Q5_ps Y		-0.881	1.218	-4.090	0.0	0.0
0.0	INVSLU	Max	2.103	7.199	-15.171	0.0	0.0
-0.0		Min	-13.592	-8.895	-138.255	-0.0	0.0
0.0	INVSLE	Max	1.519	5.084	-12.129	0.0	0.0
-0.0		Min	-9.821	-6.666	-102.716	-0.0	0.0
5349	C1-C2;~1	Max	2.039	5.338	27.186	0.0	0.0
0.0		Min	-4.953	-4.272	-50.098	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.456	5.718	31.429	0.0	0.0
-0.0		Min	-6.354	-4.875	-53.646	-0.0	-0.0
0.0	C1-C2;~2	Max	0.994	2.867	13.371	0.0	0.0
-0.0		Min	-2.546	-2.273	-26.607	-0.0	-0.0
0.0	C3-C4;~2	Max	1.187	3.086	15.202	0.0	0.0
-0.0		Min	-3.402	-2.547	-28.691	-0.0	-0.0
0.0	G1		-2.895	1.035	-21.738	0.0	0.0
0.0	G2		-1.113	0.416	-8.449	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		2.133	-0.855	0.874	-0.0	-0.0
-0.0	Q5_pc Y		-0.973	1.315	-4.314	0.0	0.0
0.0	Q5_ps X		2.128	-0.821	1.038	-0.0	-0.0
-0.0	Q5_ps Y		-0.874	1.240	-4.006	0.0	0.0
0.0	INVSLU	Max	2.052	7.854	-15.087	0.0	0.0
-0.0		Min	-13.681	-8.814	-137.702	-0.0	0.0
0.0	INVSLE	Max	1.483	5.563	-12.060	0.0	0.0
-0.0		Min	-9.887	-6.608	-102.311	-0.0	0.0
5350	C1-C2;~1	Max	2.037	5.595	27.206	0.0	0.0
0.0		Min	-4.966	-4.385	-49.824	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.453	5.978	31.446	0.0	0.0
-0.0		Min	-6.375	-5.005	-53.354	-0.0	-0.0
0.0	C1-C2;~2	Max	0.992	3.003	13.415	0.0	0.0
-0.0		Min	-2.553	-2.327	-26.458	-0.0	-0.0
0.0	C3-C4;~2	Max	1.183	3.223	15.246	0.0	0.0
-0.0		Min	-3.417	-2.609	-28.532	-0.0	-0.0
-0.0	G1		-2.909	1.199	-21.586	0.0	-0.0
-0.0	G2		-1.119	0.480	-8.390	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.125	-0.856	0.848	-0.0	-0.0
-0.0	Q5_pc Y		-0.963	1.338	-4.221	0.0	0.0
0.0	Q5_ps X		2.119	-0.822	1.014	-0.0	-0.0
-0.0	Q5_ps Y		-0.865	1.261	-3.919	0.0	0.0
0.0	INVSLU	Max	2.015	8.497	-14.693	0.0	0.0
-0.0		Min	-13.726	-8.737	-136.771	-0.0	0.0
0.0	INVSLE	Max	1.457	6.035	-11.758	0.0	0.0
-0.0		Min	-9.920	-6.553	-101.623	-0.0	0.0
5351	C1-C2;~1	Max	2.010	5.848	27.169	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.912	-4.497	-49.413	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.420	6.234	31.396	0.0	0.0
0.0		Min	-6.310	-5.133	-52.907	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.978	3.136	13.431	0.0	0.0
0.0		Min	-2.526	-2.381	-26.235	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.167	3.357	15.259	0.0	0.0
0.0		Min	-3.382	-2.670	-28.289	-0.0	-0.0
-0.0							
-0.0	G1		-2.879	1.360	-21.350	0.0	-0.0
-0.0	G2		-1.107	0.543	-8.296	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.111	-0.857	0.817	-0.0	-0.0
0.0	Q5_pc Y		-0.947	1.359	-4.118	0.0	0.0
-0.0	Q5_ps X		2.106	-0.823	0.983	-0.0	-0.0
0.0	Q5_ps Y		-0.851	1.281	-3.822	0.0	0.0
-0.0							
0.0	INVSLU	Max	1.999	9.128	-14.100	0.0	0.0
0.0		Min	-13.586	-8.663	-135.322	-0.0	0.0
-0.0							
0.0	INVSLE	Max	1.445	6.496	-11.306	0.0	0.0
0.0		Min	-9.819	-6.501	-100.551	-0.0	0.0
-0.0							
5352	C1-C2;~1	Max	1.958	6.097	27.076	0.0	0.0
0.0		Min	-4.793	-4.605	-48.876	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.358	6.483	31.281	0.0	0.0
0.0		Min	-6.160	-5.259	-52.324	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.951	3.267	13.418	0.0	0.0
0.0		Min	-2.463	-2.433	-25.945	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.135	3.488	15.239	0.0	0.0
0.0		Min	-3.298	-2.729	-27.970	-0.0	-0.0
-0.0							
-0.0	G1		-2.802	1.518	-21.036	0.0	0.0
-0.0	G2		-1.077	0.605	-8.171	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.093	-0.857	0.784	-0.0	-0.0
0.0	Q5_pc Y		-0.925	1.379	-4.009	0.0	0.0
-0.0	Q5_ps X		2.088	-0.823	0.948	-0.0	-0.0
0.0	Q5_ps Y		-0.830	1.300	-3.720	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.005	9.742	-13.317	0.0	0.0
-0.0		Min	-13.262	-8.592	-133.399	0.0	0.0
0.0							
0.0	INVS LE	Max	1.448	6.946	-10.708	0.0	0.0
-0.0		Min	-9.582	-6.451	-99.123	0.0	0.0
5353	C1-C2;~1	Max	1.907	6.343	26.939	0.0	0.0
0.0		Min	-4.654	-4.713	-48.235	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.291	6.732	31.116	0.0	0.0
-0.0		Min	-5.983	-5.385	-51.620	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.926	3.396	13.384	0.0	0.0
-0.0		Min	-2.390	-2.484	-25.599	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.102	3.617	15.195	0.0	0.0
-0.0		Min	-3.199	-2.788	-27.588	-0.0	-0.0
-0.0	G1		-2.713	1.673	-20.658	0.0	0.0
-0.0	G2		-1.042	0.666	-8.019	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.070	-0.858	0.744	-0.0	-0.0
0.0	Q5_pc Y		-0.901	1.399	-3.891	0.0	0.0
-0.0	Q5_ps X		2.065	-0.824	0.906	-0.0	-0.0
0.0	Q5_ps Y		-0.808	1.319	-3.611	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.020	10.352	-12.368	0.0	0.0
-0.0		Min	-12.878	-8.525	-131.066	0.0	0.0
0.0							
0.0	INVS LE	Max	1.458	7.392	-9.984	0.0	0.0
-0.0		Min	-9.301	-6.404	-97.390	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5354	C1-C2;~1	Max	1.909	6.585	26.684	0.0	0.0
0.0		Min	-4.603	-4.821	-47.304	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.280	6.977	30.816	0.0	0.0
0.0		Min	-5.915	-5.510	-50.616	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.931	3.522	13.290	0.0	0.0
0.0		Min	-2.362	-2.534	-25.092	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.097	3.745	15.083	0.0	0.0
0.0		Min	-3.162	-2.846	-27.035	-0.0	-0.0
-0.0							
	G1		-2.678	1.823	-20.126	0.0	0.0
-0.0							
	G2		-1.028	0.724	-7.813	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		2.043	-0.859	0.706	-0.0	-0.0
0.0							
	Q5_pc Y		-0.884	1.419	-3.754	0.0	0.0
-0.0							
	Q5_ps X		2.037	-0.826	0.868	-0.0	-0.0
0.0							
	Q5_ps Y		-0.793	1.337	-3.483	0.0	0.0
-0.0							
	INVSLU	Max	2.024	10.943	-11.218	0.0	0.0
0.0		Min	-12.715	-8.468	-127.908	0.0	0.0
-0.0							
	INVSLE	Max	1.463	7.825	-9.105	0.0	0.0
0.0		Min	-9.183	-6.364	-95.042	0.0	0.0
-0.0							
5355	C1-C2;~1	Max	1.905	6.821	26.391	0.0	0.0
0.0		Min	-4.540	-4.927	-46.302	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.274	7.218	30.471	0.0	0.0
0.0		Min	-5.833	-5.635	-49.537	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.932	3.646	13.176	0.0	0.0
0.0		Min	-2.330	-2.584	-24.547	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.098	3.870	14.949	0.0	0.0
0.0		Min	-3.120	-2.903	-26.444	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-2.635	1.966	-19.551	0.0	-0.0
-0.0	G2	-1.011	0.780	-7.588	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	2.010	-0.861	0.667	-0.0	-0.0
-0.0	Q5_pc Y	-0.865	1.438	-3.616	0.0	0.0
0.0	Q5_ps X	2.004	-0.828	0.828	-0.0	-0.0
-0.0	Q5_ps Y	-0.776	1.355	-3.354	0.0	0.0
0.0	INVS LU Max	2.043	11.510	-9.925	0.0	0.0
-0.0	Min	-12.520	-8.429	-124.446	0.0	0.0
0.0	INVS LE Max	1.479	8.240	-8.117	0.0	0.0
-0.0	Min	-9.041	-6.338	-92.465	0.0	0.0
5356	C1-C2;~1 Max	1.873	7.051	26.038	0.0	0.0
0.0	Min	-4.420	-5.032	-45.177	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.236	7.450	30.058	0.0	0.0
-0.0	Min	-5.684	-5.757	-48.326	-0.0	-0.0
0.0						
-0.0	C1-C2;~2 Max	0.919	3.765	13.032	0.0	0.0
0.0	Min	-2.268	-2.632	-23.938	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.083	3.991	14.780	0.0	0.0
-0.0	Min	-3.039	-2.958	-25.782	-0.0	-0.0
-0.0	G1	-2.554	2.102	-18.903	0.0	-0.0
-0.0	G2	-0.980	0.833	-7.334	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.973	-0.863	0.623	-0.0	-0.0
-0.0	Q5_pc Y	-0.840	1.456	-3.470	0.0	0.0
0.0	Q5_ps X	1.967	-0.830	0.781	-0.0	-0.0
-0.0	Q5_ps Y	-0.754	1.373	-3.218	0.0	0.0
0.0	INVS LU Max	2.064	12.046	-8.479	0.0	0.0
-0.0	Min	-12.179	-8.405	-120.543	0.0	0.0
0.0						
0.0	INVS LE Max	1.495	8.631	-7.011	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-8.793	-6.323	-89.559	0.0	0.0
-0.0							
5357	C1-C2;~1	Max	1.814	7.269	25.629	0.0	0.0
0.0		Min	-4.242	-5.133	-43.968	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.166	7.670	29.580	0.0	0.0
0.0		Min	-5.459	-5.876	-47.025	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.892	3.878	12.857	0.0	0.0
0.0		Min	-2.174	-2.678	-23.285	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.051	4.104	14.578	0.0	0.0
0.0		Min	-2.916	-3.012	-25.075	-0.0	-0.0
-0.0							
-0.0	G1		-2.434	2.226	-18.209	0.0	0.0
-0.0	G2		-0.933	0.881	-7.060	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.932	-0.865	0.578	-0.0	-0.0
0.0	Q5_pc Y		-0.811	1.473	-3.322	0.0	0.0
-0.0	Q5_ps X		1.926	-0.833	0.734	-0.0	-0.0
0.0	Q5_ps Y		-0.727	1.388	-3.080	0.0	0.0
-0.0							
-0.0	INVS LU	Max	2.091	12.540	-6.939	0.0	0.0
-0.0		Min	-11.680	-8.399	-116.335	0.0	0.0
-0.0							
-0.0	INVS LE	Max	1.514	8.993	-5.833	0.0	0.0
-0.0		Min	-8.429	-6.321	-86.425	0.0	0.0
-0.0							
5358	C1-C2;~1	Max	1.753	7.484	25.165	0.0	0.0
0.0		Min	-4.046	-5.234	-42.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.093	7.887	29.040	0.0	0.0
0.0		Min	-5.211	-5.996	-45.604	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.863	3.988	12.655	0.0	0.0
0.0		Min	-2.072	-2.723	-22.577	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.019	4.216	14.345	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-2.779	-3.065	-24.303	-0.0	-0.0
-0.0	G1		-2.301	2.344	-17.451	0.0	0.0
-0.0	G2		-0.881	0.927	-6.761	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.886	-0.869	0.528	-0.0	0.0
0.0	Q5_pc Y		-0.780	1.489	-3.166	0.0	0.0
-0.0	Q5_ps X		1.879	-0.836	0.679	-0.0	-0.0
0.0	Q5_ps Y		-0.699	1.404	-2.935	0.0	0.0
-0.0							
	INVSLU	Max	2.132	13.015	-5.309	0.0	0.0
-0.0		Min	-11.123	-8.408	-111.777	0.0	-0.0
-0.0							
	INVSLE	Max	1.544	9.340	-4.586	0.0	0.0
-0.0		Min	-8.023	-6.331	-83.029	0.0	-0.0
-0.0							
5359	C1-C2;~1	Max	1.742	7.687	24.589	0.0	0.0
0.0		Min	-3.926	-5.333	-41.124	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.078	8.095	28.371	0.0	0.0
0.0		Min	-5.054	-6.113	-43.966	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.862	4.093	12.394	0.0	0.0
0.0		Min	-2.009	-2.768	-21.755	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.016	4.323	14.044	0.0	0.0
0.0		Min	-2.694	-3.117	-23.414	-0.0	-0.0
-0.0							
	G1		-2.203	2.451	-16.592	0.0	0.0
-0.0							
	G2		-0.843	0.968	-6.427	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.835	-0.873	0.481	-0.0	0.0
0.0							
	Q5_pc Y		-0.753	1.505	-2.997	0.0	0.0
-0.0							
	Q5_ps X		1.828	-0.841	0.629	-0.0	-0.0
0.0							
	Q5_ps Y		-0.675	1.420	-2.778	0.0	0.0
-0.0							
	INVSLU	Max	2.205	13.453	-3.615	0.0	0.0
-0.0		Min	-10.725	-8.439	-106.663	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	1.600	9.660	-3.286	0.0	0.0
-0.0		Min	-7.733	-6.356	-79.218	0.0	0.0
-0.0							
5360	C1-C2;~1	Max	1.725	7.884	23.977	0.0	0.0
0.0		Min	-3.797	-5.433	-39.555	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.056	8.299	27.661	0.0	0.0
0.0		Min	-4.887	-6.232	-42.287	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.857	4.193	12.113	0.0	0.0
0.0		Min	-1.942	-2.812	-20.911	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.010	4.427	13.723	0.0	0.0
0.0		Min	-2.604	-3.169	-22.505	-0.0	-0.0
-0.0							
-0.0	G1		-2.100	2.547	-15.710	0.0	0.0
-0.0	G2		-0.803	1.006	-6.084	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.779	-0.880	0.435	-0.0	-0.0
0.0	Q5_pc Y		-0.726	1.522	-2.828	0.0	0.0
-0.0	Q5_ps X		1.772	-0.848	0.579	-0.0	-0.0
0.0	Q5_ps Y		-0.651	1.435	-2.621	0.0	0.0
-0.0							
	INVSLU	Max	2.269	13.856	-1.863	0.0	0.0
-0.0		Min	-10.306	-8.499	-101.382	0.0	0.0
-0.0							
	INVSLE	Max	1.650	9.953	-1.940	0.0	0.0
-0.0		Min	-7.428	-6.404	-75.281	0.0	0.0
-0.0							
5361	C1-C2;~1	Max	1.680	8.074	23.298	0.0	0.0
0.0		Min	-3.622	-5.532	-37.876	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.001	8.494	26.874	0.0	0.0
0.0		Min	-4.665	-6.351	-40.488	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.837	4.290	11.798	0.0	0.0
0.0		Min	-1.851	-2.856	-20.011	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	0.986	4.525	13.363	0.0	0.0
-0.0		Min	-2.484	-3.221	-21.534	-0.0	-0.0
-0.0	G1		-1.974	2.632	-14.775	0.0	0.0
-0.0	G2		-0.754	1.039	-5.718	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.719	-0.887	0.385	-0.0	0.0
-0.0	Q5_pc Y		-0.694	1.537	-2.653	0.0	0.0
0.0	Q5_ps X		1.712	-0.855	0.524	-0.0	-0.0
-0.0	Q5_ps Y		-0.622	1.449	-2.459	0.0	0.0
0.0	INVSLU	Max	2.306	14.211	-0.075	0.0	0.0
-0.0		Min	-9.787	-8.595	-95.790	0.0	0.0
0.0	INVSLE	Max	1.678	10.211	-0.565	0.0	0.0
-0.0		Min	-7.050	-6.478	-71.111	0.0	0.0
5362	C1-C2;~1	Max	1.605	8.254	22.561	0.0	0.0
0.0		Min	-3.399	-5.632	-36.119	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.912	8.678	26.021	0.0	0.0
0.0		Min	-4.384	-6.470	-38.608	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.802	4.381	11.451	0.0	0.0
0.0		Min	-1.735	-2.898	-19.070	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.944	4.618	12.967	0.0	0.0
0.0		Min	-2.331	-3.272	-20.519	-0.0	-0.0
-0.0	G1		-1.823	2.703	-13.808	0.0	0.0
-0.0	G2		-0.695	1.067	-5.338	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.656	-0.894	0.336	-0.0	0.0
-0.0	Q5_pc Y		-0.658	1.551	-2.478	0.0	0.0
0.0	Q5_ps X		1.648	-0.862	0.469	-0.0	-0.0
-0.0	Q5_ps Y		-0.589	1.462	-2.296	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	2.323	14.512	1.710	0.0	0.0	
		Min	-9.157	-8.729	-89.999	0.0	0.0	
-0.0								
0.0	INVS LE	Max	1.691	10.428	0.811	0.0	0.0	
		Min	-6.592	-6.581	-66.792	0.0	0.0	
-0.0								
5363 0.0	C1-C2;~1	Max	1.564	8.433	21.758	0.0	0.0	
		Min	-3.163	-5.735	-34.253	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.822	8.862	25.091	0.0	0.0	
		Min	-4.083	-6.595	-36.602	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.766	4.471	11.070	0.0	0.0	
		Min	-1.612	-2.942	-18.074	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.902	4.710	12.532	0.0	0.0	
		Min	-2.167	-3.324	-19.439	-0.0	-0.0	
-0.0								
-0.0	G1		-1.658	2.764	-12.785	0.0	0.0	
-0.0	G2		-0.631	1.090	-4.936	0.0	0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.589	-0.903	0.281	-0.0	0.0	
0.0	Q5_pc Y		-0.620	1.565	-2.298	0.0	0.0	
-0.0	Q5_ps X		1.580	-0.871	0.408	-0.0	0.0	
0.0	Q5_ps Y		-0.555	1.475	-2.129	0.0	0.0	
-0.0								
-0.0	INVS LU	Max	2.362	14.782	3.469	0.0	0.0	
		Min	-8.470	-8.902	-83.952	0.0	-0.0	
-0.0								
-0.0	INVS LE	Max	1.720	10.621	2.167	0.0	0.0	
		Min	-6.091	-6.713	-62.283	0.0	-0.0	
-0.0								
5364 0.0	C1-C2;~1	Max	1.510	8.601	20.808	0.0	0.0	
		Min	-2.984	-5.837	-32.196	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.796	9.038	23.994	0.0	0.0	
		Min	-3.849	-6.717	-34.399	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.761	4.554	10.610	0.0	0.0
-0.0		Min	-1.520	-2.985	-16.976	-0.0	-0.0
0.0	C3-C4;~2	Max	0.894	4.798	12.010	0.0	0.0
-0.0		Min	-2.040	-3.376	-18.255	-0.0	-0.0
-0.0	G1		-1.497	2.813	-11.704	0.0	0.0
-0.0	G2		-0.568	1.109	-4.517	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.518	-0.914	0.232	-0.0	0.0
-0.0	Q5_pc Y		-0.585	1.578	-2.111	0.0	0.0
0.0	Q5_ps X		1.509	-0.882	0.352	-0.0	0.0
-0.0	Q5_ps Y		-0.524	1.488	-1.956	0.0	0.0
-0.0	INVSLU	Max	2.517	15.007	5.006	0.0	0.0
-0.0		Min	-7.836	-9.104	-77.625	0.0	0.0
-0.0	INVSLE	Max	1.839	10.782	3.355	0.0	0.0
-0.0		Min	-5.628	-6.868	-57.571	0.0	0.0
5365	C1-C2;~1	Max	1.484	8.758	19.804	0.0	0.0
0.0		Min	-2.800	-5.939	-30.088	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.762	9.205	22.835	0.0	0.0
0.0		Min	-3.607	-6.842	-32.148	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.752	4.632	10.120	0.0	0.0
0.0		Min	-1.426	-3.029	-15.852	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.882	4.881	11.453	0.0	0.0
0.0		Min	-1.911	-3.428	-17.046	-0.0	-0.0
-0.0	G1		-1.335	2.844	-10.616	0.0	0.0
-0.0	G2		-0.505	1.121	-4.094	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.445	-0.928	0.188	-0.0	0.0
0.0	Q5_pc Y		-0.548	1.592	-1.930	0.0	-0.0
-0.0	Q5_ps X		1.435	-0.896	0.301	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.492	1.501	-1.787	0.0	-0.0
-0.0	INVS LU	Max	2.654	15.179	6.417	0.0	0.0
-0.0		Min	-7.195	-9.351	-71.282	0.0	0.0
-0.0	INVS LE	Max	1.943	10.902	4.448	0.0	0.0
-0.0		Min	-5.160	-7.056	-52.850	0.0	0.0
5366 0.0	C1-C2;~1	Max	1.422	8.898	18.700	0.0	0.0
-0.0		Min	-2.582	-6.042	-27.869	-0.0	-0.0
0.0	C3-C4;~1	Max	1.688	9.353	21.561	0.0	0.0
-0.0		Min	-3.326	-6.968	-29.772	-0.0	-0.0
0.0	C1-C2;~2	Max	0.724	4.700	9.576	0.0	0.0
-0.0		Min	-1.314	-3.071	-14.672	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	4.953	10.837	0.0	0.0
-0.0		Min	-1.760	-3.480	-15.772	-0.0	-0.0
-0.0	G1		-1.171	2.850	-9.506	0.0	0.0
-0.0	G2		-0.441	1.123	-3.662	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.370	-0.942	0.141	-0.0	0.0
-0.0	Q5_pc Y		-0.510	1.604	-1.748	0.0	-0.0
0.0	Q5_ps X		1.358	-0.910	0.247	-0.0	0.0
-0.0	Q5_ps Y		-0.457	1.513	-1.619	0.0	-0.0
0.0	INVS LU	Max	2.709	15.268	7.623	0.0	0.0
-0.0		Min	-6.524	-9.653	-64.823	0.0	0.0
0.0	INVS LE	Max	1.986	10.961	5.385	0.0	0.0
-0.0		Min	-4.671	-7.285	-48.046	0.0	0.0
5367 0.0	C1-C2;~1	Max	1.366	9.018	17.518	0.0	0.0
-0.0		Min	-2.326	-6.142	-25.597	-0.0	-0.0
0.0	C3-C4;~1	Max	1.574	9.479	20.199	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.001	-7.092	-27.346	-0.0	-0.0
0.0	C1-C2;~2	Max	0.678	4.757	8.990	0.0	0.0
-0.0		Min	-1.182	-3.111	-13.464	-0.0	-0.0
0.0	C3-C4;~2	Max	0.794	5.013	10.173	0.0	0.0
-0.0		Min	-1.586	-3.530	-14.473	-0.0	-0.0
-0.0		G1	-1.002	2.829	-8.412	0.0	0.0
-0.0		G2	-0.375	1.114	-3.235	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.293	-0.955	0.101	-0.0	0.0
-0.0	Q5_pc Y		-0.468	1.616	-1.572	0.0	0.0
0.0	Q5_ps X		1.281	-0.923	0.199	-0.0	0.0
-0.0	Q5_ps Y		-0.420	1.523	-1.456	0.0	0.0
0.0	INVSLU	Max	2.691	15.272	8.602	0.0	0.0
-0.0		Min	-5.813	-10.007	-58.413	0.0	-0.0
0.0	INVSLE	Max	1.973	10.957	6.150	0.0	0.0
-0.0		Min	-4.154	-7.553	-43.281	0.0	-0.0
5368	C1-C2;~1	Max	1.276	9.128	16.253	0.0	0.0
0.0		Min	-2.056	-6.246	-23.240	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.458	9.596	18.740	0.0	0.0
-0.0		Min	-2.659	-7.220	-24.819	-0.0	-0.0
0.0	C1-C2;~2	Max	0.629	4.809	8.359	0.0	0.0
-0.0		Min	-1.042	-3.152	-12.214	-0.0	-0.0
0.0	C3-C4;~2	Max	0.738	5.068	9.458	0.0	0.0
-0.0		Min	-1.402	-3.581	-13.123	-0.0	-0.0
-0.0		G1	-0.818	2.788	-7.308	0.0	0.0
-0.0		G2	-0.303	1.098	-2.804	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.218	-0.971	0.058	-0.0	0.0
0.0	Q5_pc Y		-0.426	1.627	-1.397	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	1.204	-0.938	0.147	-0.0	0.0
0.0	Q5_ps Y	-0.383	1.534	-1.294	0.0	0.0
-0.0						
	INVS LU Max	2.691	15.219	9.378	0.0	0.0
0.0	Min	-5.059	-10.411	-51.940	0.0	-0.0
-0.0						
	INVS LE Max	1.972	10.910	6.761	0.0	0.0
0.0	Min	-3.606	-7.858	-38.474	0.0	-0.0
-0.0						
5369	C1-C2;~1 Max	1.238	9.224	14.832	0.0	0.0
0.0	Min	-1.824	-6.345	-20.811	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.414	9.701	17.100	0.0	0.0
0.0	Min	-2.343	-7.344	-22.222	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.615	4.853	7.641	0.0	0.0
0.0	Min	-0.927	-3.191	-10.929	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.720	5.118	8.645	0.0	0.0
0.0	Min	-1.232	-3.630	-11.739	-0.0	-0.0
-0.0						
	G1	-0.593	2.734	-6.279	0.0	0.0
-0.0						
	G2	-0.215	1.076	-2.407	0.0	0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0						
	Q5_pc X	1.145	-0.989	0.019	-0.0	0.0
0.0						
	Q5_pc Y	-0.385	1.638	-1.223	0.0	0.0
-0.0						
	Q5_ps X	1.129	-0.956	0.100	-0.0	0.0
0.0						
	Q5_ps Y	-0.347	1.544	-1.133	0.0	0.0
-0.0						
	INVS LU Max	2.914	15.128	9.634	0.0	0.0
-0.0	Min	-4.219	-10.832	-45.652	0.0	-0.0
-0.0						
	INVS LE Max	2.139	10.836	6.981	0.0	0.0
-0.0	Min	-2.992	-8.175	-33.808	0.0	-0.0
-0.0						
5370	C1-C2;~1 Max	1.181	9.302	13.369	0.0	0.0
0.0	Min	-1.594	-6.447	-18.398	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.353	9.791	15.413	0.0	0.0
-0.0		Min	-2.041	-7.473	-19.652	-0.0	-0.0
0.0	C1-C2;~2	Max	0.592	4.888	6.899	0.0	0.0
-0.0		Min	-0.812	-3.231	-9.653	-0.0	-0.0
0.0	C3-C4;~2	Max	0.694	5.158	7.805	0.0	0.0
-0.0		Min	-1.073	-3.681	-10.371	-0.0	-0.0
-0.0	G1		-0.390	2.648	-5.305	0.0	0.0
-0.0	G2		-0.136	1.042	-2.030	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.060	-1.013	-0.009	-0.0	0.0
-0.0	Q5_pc Y		-0.343	1.650	-1.060	0.0	-0.0
0.0	Q5_ps X		1.042	-0.979	0.065	-0.0	0.0
-0.0	Q5_ps Y		-0.310	1.555	-0.982	0.0	-0.0
0.0	INVSLU	Max	3.045	14.953	9.668	0.0	0.0
-0.0		Min	-3.443	-11.323	-39.577	-0.0	-0.0
0.0	INVSLE	Max	2.237	10.698	7.036	0.0	0.0
-0.0		Min	-2.428	-8.545	-29.301	-0.0	-0.0
5371	C1-C2;~1	Max	1.069	9.348	11.803	0.0	0.0
0.0		Min	-1.355	-6.551	-15.956	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.229	9.846	13.606	0.0	0.0
-0.0		Min	-1.736	-7.606	-17.047	-0.0	-0.0
0.0	C1-C2;~2	Max	0.539	4.905	6.101	0.0	0.0
-0.0		Min	-0.691	-3.270	-8.365	-0.0	-0.0
0.0	C3-C4;~2	Max	0.633	5.180	6.900	0.0	0.0
-0.0		Min	-0.913	-3.731	-8.988	-0.0	-0.0
-0.0	G1		-0.248	2.510	-4.403	0.0	-0.0
-0.0	G2		-0.082	0.988	-1.681	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.947	-1.044	-0.036	-0.0	0.0
-0.0	Q5_pc Y		-0.297	1.661	-0.902	0.0	0.0
0.0	Q5_ps X		0.929	-1.009	0.029	-0.0	0.0
-0.0	Q5_ps Y		-0.268	1.566	-0.835	0.0	0.0
0.0	INVS LU	Max	2.915	14.624	9.301	0.0	0.0
-0.0		Min	-2.792	-11.925	-33.705	-0.0	-0.0
0.0	INVS LE	Max	2.142	10.447	6.788	0.0	0.0
-0.0		Min	-1.959	-8.997	-24.947	-0.0	-0.0
5372	C1-C2;~1	Max	0.896	9.383	10.182	0.0	0.0
0.0		Min	-1.109	-6.616	-13.563	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.034	9.892	11.735	0.0	0.0
-0.0		Min	-1.429	-7.689	-14.501	-0.0	-0.0
0.0	C1-C2;~2	Max	0.451	4.918	5.270	0.0	0.0
-0.0		Min	-0.565	-3.295	-7.105	-0.0	-0.0
0.0	C3-C4;~2	Max	0.533	5.200	5.959	0.0	0.0
-0.0		Min	-0.752	-3.764	-7.639	-0.0	-0.0
-0.0	G1		-0.178	2.429	-3.606	0.0	-0.0
-0.0	G2		-0.056	0.956	-1.372	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.806	-1.081	-0.057	-0.0	0.0
-0.0	Q5_pc Y		-0.247	1.672	-0.754	0.0	0.0
0.0	Q5_ps X		0.790	-1.045	-0.000	-0.0	0.0
-0.0	Q5_ps Y		-0.223	1.577	-0.698	0.0	0.0
0.0	INVS LU	Max	2.485	14.445	8.586	0.0	0.0
-0.0		Min	-2.290	-12.299	-28.190	-0.0	-0.0
0.0	INVS LE	Max	1.823	10.309	6.281	0.0	0.0
-0.0		Min	-1.606	-9.278	-20.859	-0.0	-0.0
5373	C1-C2;~1	Max	0.709	9.407	8.504	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.865	-6.686	-11.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.827	9.928	9.797	0.0	0.0
0.0		Min	-1.125	-7.778	-11.918	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.357	4.926	4.408	0.0	0.0
0.0		Min	-0.440	-3.321	-5.833	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.427	5.214	4.982	0.0	0.0
0.0		Min	-0.593	-3.798	-6.272	-0.0	-0.0
-0.0							
-0.0	G1		-0.125	2.325	-2.838	0.0	-0.0
-0.0	G2		-0.037	0.915	-1.074	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.647	-1.124	-0.088	-0.0	0.0
0.0	Q5_pc Y		-0.194	1.685	-0.605	0.0	0.0
-0.0	Q5_ps X		0.634	-1.086	-0.041	-0.0	0.0
0.0	Q5_ps Y		-0.176	1.589	-0.561	0.0	0.0
-0.0							
0.0	INVSLU	Max	1.984	14.206	7.664	0.0	0.0
0.0		Min	-1.816	-12.731	-22.741	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.454	10.127	5.619	0.0	0.0
0.0		Min	-1.275	-9.602	-16.823	-0.0	-0.0
-0.0							
5374	C1-C2;~1	Max	0.529	9.424	6.838	0.0	0.0
0.0		Min	-0.641	-6.752	-8.889	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.651	9.958	7.869	0.0	0.0
0.0		Min	-0.839	-7.864	-9.513	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.276	4.930	3.549	0.0	0.0
0.0		Min	-0.327	-3.346	-4.649	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.337	5.225	4.006	0.0	0.0
0.0		Min	-0.444	-3.830	-5.003	-0.0	-0.0
-0.0							
-0.0	G1		-0.062	2.215	-2.223	0.0	-0.0
-0.0	G2		-0.015	0.871	-0.841	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.474	-1.174	-0.088	-0.0	0.0
0.0	Q5_pc Y	-0.142	1.698	-0.474	0.0	-0.0
-0.0	Q5_ps X	0.464	-1.134	-0.048	-0.0	0.0
0.0	Q5_ps Y	-0.129	1.601	-0.438	0.0	0.0
-0.0						
	INVS LU Max	1.543	13.950	6.391	0.0	0.0
0.0	Min	-1.322	-13.165	-17.927	-0.0	-0.0
-0.0						
	INVS LE Max	1.130	9.932	4.693	0.0	0.0
0.0	Min	-0.929	-9.927	-13.258	-0.0	-0.0
-0.0						
5375	C1-C2;~1 Max	0.379	9.430	5.160	0.0	0.0
0.0	Min	-0.437	-6.820	-6.672	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	0.472	9.976	5.929	0.0	0.0
0.0	Min	-0.570	-7.953	-7.155	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.198	4.929	2.681	0.0	0.0
0.0	Min	-0.225	-3.371	-3.486	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.245	5.231	3.022	0.0	0.0
0.0	Min	-0.303	-3.864	-3.759	-0.0	-0.0
-0.0						
	G1	-0.018	2.084	-1.663	0.0	0.0
0.0	G2	0.000	0.819	-0.628	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.302	-1.226	-0.088	-0.0	0.0
0.0	Q5_pc Y	-0.090	1.711	-0.348	0.0	-0.0
-0.0	Q5_ps X	0.296	-1.184	-0.055	-0.0	0.0
0.0	Q5_ps Y	-0.082	1.614	-0.321	0.0	-0.0
-0.0						
	INVS LU Max	1.075	13.643	4.966	0.0	0.0
0.0	Min	-0.875	-13.642	-13.324	-0.0	-0.0
-0.0						
	INVS LE Max	0.787	9.699	3.653	0.0	0.0
0.0	Min	-0.618	-10.284	-9.849	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5376	C1-C2;~1	Max	0.232	9.418	3.425	0.0	0.0
0.0		Min	-0.258	-6.888	-4.472	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.289	9.975	3.921	0.0	0.0
0.0		Min	-0.330	-8.042	-4.811	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.122	4.918	1.782	0.0	0.0
0.0		Min	-0.134	-3.395	-2.334	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.150	5.226	2.000	0.0	0.0
0.0		Min	-0.176	-3.897	-2.525	-0.0	-0.0
-0.0							
	G1		0.002	1.928	-1.178	0.0	0.0
0.0	G2		0.005	0.758	-0.445	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.148	-1.274	-0.084	-0.0	0.0
0.0	Q5_pc Y		-0.043	1.723	-0.228	0.0	-0.0
-0.0	Q5_ps X		0.146	-1.230	-0.059	-0.0	0.0
0.0	Q5_ps Y		-0.039	1.625	-0.209	0.0	-0.0
-0.0							
	INVSLU	Max	0.591	13.266	3.249	0.0	0.0
0.0		Min	-0.512	-14.159	-8.949	-0.0	-0.0
-0.0							
	INVSLE	Max	0.431	9.414	2.394	0.0	0.0
0.0		Min	-0.366	-10.671	-6.611	-0.0	-0.0
-0.0							
5377	C1-C2;~1	Max	0.123	9.389	1.669	0.0	0.0
0.0		Min	-0.114	-6.953	-2.307	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.128	9.951	1.893	0.0	0.0
0.0		Min	-0.140	-8.131	-2.503	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.062	4.899	0.869	0.0	0.0
0.0		Min	-0.060	-3.418	-1.202	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.065	5.210	0.966	0.0	0.0
0.0		Min	-0.074	-3.930	-1.312	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		0.006	1.752	-0.746	0.0	0.0
0.0	G2		0.004	0.689	-0.282	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.034	-1.311	-0.072	-0.0	0.0
0.0	Q5_pc Y		-0.003	1.732	-0.114	0.0	-0.0
-0.0	Q5_ps X		0.035	-1.265	-0.054	-0.0	0.0
0.0	Q5_ps Y		-0.003	1.634	-0.103	0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.177	12.828	1.342	0.0	0.0
0.0		Min	-0.246	-14.701	-4.799	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.126	9.086	0.992	0.0	0.0
0.0		Min	-0.182	-11.075	-3.541	-0.0	-0.0
-0.0							
5378	C1-C2;~1	Max	0.142	9.344	0.000	0.0	0.0
0.0		Min	-0.106	-7.018	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.150	9.908	0.000	0.0	0.0
0.0		Min	-0.125	-8.232	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.074	4.872	0.000	0.0	0.0
0.0		Min	-0.052	-3.441	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.079	5.184	0.000	0.0	0.0
0.0		Min	-0.060	-3.970	0.000	-0.0	-0.0
-0.0							
0.0	G1		0.024	1.552	0.000	-0.0	0.0
0.0	G2		0.009	0.611	0.000	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		-0.020	-1.330	0.000	-0.0	0.0
0.0	Q5_pc Y		0.026	1.738	0.000	0.0	-0.0
-0.0	Q5_ps X		-0.019	-1.282	0.000	-0.0	0.0
0.0	Q5_ps Y		0.025	1.640	0.000	0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.187	12.342	0.000	0.0	0.0
0.0		Min	-0.231	-15.276	0.000	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.132	8.723	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.174	-11.503	0.000	-0.0	-0.0
-0.0							
5379	C1-C2;~1	Max	0.316	9.305	1.730	0.0	0.0
0.0		Min	-0.211	-7.120	-2.310	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.358	9.869	1.777	0.0	0.0
0.0		Min	-0.277	-8.375	-2.780	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.165	4.850	0.903	0.0	0.0
0.0		Min	-0.104	-3.492	-1.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.189	5.162	0.930	0.0	0.0
0.0		Min	-0.137	-4.043	-1.427	-0.0	-0.0
-0.0							
-0.0	G1		0.113	1.372	-0.815	-0.0	-0.0
-0.0	G2		0.043	0.540	-0.315	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.019	-1.338	-0.028	-0.0	0.0
-0.0	Q5_pc Y		0.041	1.742	0.082	0.0	-0.0
-0.0	Q5_ps X		0.017	-1.288	-0.019	-0.0	0.0
-0.0	Q5_ps Y		0.039	1.644	0.085	0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.696	11.922	1.254	0.0	0.0
0.0		Min	-0.236	-15.842	-5.046	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.510	8.411	0.941	0.0	0.0
0.0		Min	-0.174	-11.922	-3.714	-0.0	-0.0
-0.0							
5380	C1-C2;~1	Max	0.505	9.272	3.531	0.0	0.0
0.0		Min	-0.346	-7.212	-4.463	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.571	9.834	3.657	0.0	0.0
0.0		Min	-0.464	-8.517	-5.321	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.264	4.831	1.841	0.0	0.0
0.0		Min	-0.174	-3.540	-2.336	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.302	5.142	1.912	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.230	-4.119	-2.736	-0.0	-0.0
-0.0	G1		0.200	1.218	-1.310	-0.0	-0.0
-0.0	G2		0.076	0.480	-0.509	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.116	-1.324	-0.004	-0.0	0.0
-0.0	Q5_pc Y		0.046	1.742	0.163	0.0	-0.0
-0.0	Q5_ps X		0.109	-1.273	0.006	-0.0	0.0
-0.0	Q5_ps Y		0.045	1.646	0.164	0.0	-0.0
	INVSLU	Max	1.322	11.570	3.031	0.0	0.0
0.0		Min	-0.284	-16.340	-9.382	-0.0	-0.0
-0.0							
	INVSLE	Max	0.975	8.151	2.260	0.0	0.0
0.0		Min	-0.200	-12.292	-6.913	-0.0	-0.0
-0.0							
5381	C1-C2;~1	Max	0.684	9.232	5.298	0.0	0.0
0.0		Min	-0.496	-7.297	-6.642	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.764	9.790	5.503	0.0	0.0
0.0		Min	-0.676	-8.648	-7.896	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.357	4.809	2.760	0.0	0.0
0.0		Min	-0.251	-3.585	-3.481	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.404	5.118	2.875	0.0	0.0
0.0		Min	-0.337	-4.188	-4.065	-0.0	-0.0
-0.0							
	G1		0.260	1.072	-1.865	-0.0	-0.0
0.0	G2		0.098	0.423	-0.727	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.249	-1.297	0.025	-0.0	0.0
-0.0	Q5_pc Y		0.044	1.741	0.237	0.0	-0.0
0.0	Q5_ps X		0.236	-1.246	0.035	-0.0	0.0
-0.0	Q5_ps Y		0.045	1.646	0.238	0.0	-0.0
0.0							
	INVSLU	Max	1.959	11.231	4.575	0.0	-0.0
0.0		Min	-0.434	-16.795	-13.940	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.445	7.900	3.405	0.0	-0.0
-0.0		Min	-0.295	-12.628	-10.278	-0.0	-0.0
5382	C1-C2;~1	Max	0.844	9.187	6.997	0.0	0.0
0.0		Min	-0.658	-7.374	-8.830	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.933	9.739	7.276	0.0	0.0
-0.0		Min	-0.911	-8.769	-10.474	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.442	4.785	3.642	0.0	0.0
-0.0		Min	-0.333	-3.626	-4.634	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.494	5.091	3.799	0.0	0.0
-0.0		Min	-0.456	-4.253	-5.399	-0.0	-0.0
0.0	G1		0.283	0.932	-2.500	-0.0	-0.0
0.0	G2		0.107	0.368	-0.975	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.397	-1.262	0.054	-0.0	0.0
0.0	Q5_pc Y		0.038	1.738	0.305	0.0	-0.0
-0.0	Q5_ps X		0.379	-1.211	0.065	-0.0	0.0
0.0	Q5_ps Y		0.042	1.645	0.305	0.0	-0.0
0.0							
0.0	INVSLU	Max	2.529	10.897	5.799	0.0	-0.0
-0.0		Min	-0.676	-17.218	-18.712	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.866	7.653	4.312	0.0	-0.0
-0.0		Min	-0.455	-12.941	-13.804	-0.0	-0.0
5383	C1-C2;~1	Max	0.993	9.141	8.673	0.0	0.0
0.0		Min	-0.826	-7.446	-11.049	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.087	9.689	9.026	0.0	0.0
-0.0		Min	-1.161	-8.885	-13.097	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.520	4.761	4.510	0.0	0.0
		Min	-0.419	-3.665	-5.804	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.576	5.063	4.709	0.0	0.0
-0.0		Min	-0.583	-4.315	-6.757	-0.0	-0.0
0.0	G1		0.279	0.798	-3.190	-0.0	-0.0
0.0	G2		0.104	0.316	-1.245	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-1.225	0.084	-0.0	0.0
0.0	Q5_pc Y		0.030	1.735	0.368	0.0	-0.0
-0.0	Q5_ps X		0.519	-1.174	0.094	-0.0	0.0
0.0	Q5_ps Y		0.038	1.644	0.368	0.0	-0.0
-0.0	INVSLU	Max	3.033	10.578	6.840	0.0	-0.0
0.0		Min	-0.978	-17.620	-23.688	-0.0	-0.0
-0.0	INVSLE	Max	2.239	7.418	5.082	0.0	-0.0
0.0		Min	-0.660	-13.238	-17.482	-0.0	-0.0
-0.0							
5384	C1-C2;~1	Max	1.159	9.105	10.306	0.0	0.0
0.0		Min	-1.008	-7.516	-13.360	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.262	9.649	10.727	0.0	0.0
-0.0		Min	-1.427	-9.002	-15.837	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.608	4.742	5.354	0.0	0.0
-0.0		Min	-0.512	-3.702	-7.027	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.669	5.042	5.591	0.0	0.0
-0.0		Min	-0.720	-4.377	-8.182	-0.0	-0.0
-0.0							
0.0	G1		0.279	0.678	-4.023	-0.0	-0.0
0.0	G2		0.103	0.268	-1.575	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.672	-1.191	0.134	-0.0	0.0
-0.0	Q5_pc Y		0.026	1.733	0.425	0.0	-0.0
0.0	Q5_ps X		0.644	-1.140	0.146	-0.0	0.0
-0.0	Q5_ps Y		0.037	1.644	0.427	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
		INVSLE	Max	3.569	10.305	7.466	0.0
0.0			Min	-1.271	-17.993	-29.161	-0.0
-0.0							
		INVSLE	Max	2.636	7.217	5.544	0.0
0.0			Min	-0.859	-13.513	-21.531	-0.0
-0.0							
5385	C1-C2;~1	Max	1.309	9.072	11.880	0.0	0.0
0.0		Min	-1.194	-7.582	-15.643	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.421	9.612	12.365	0.0	0.0
0.0		Min	-1.697	-9.114	-18.532	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.688	4.724	6.166	0.0	0.0
0.0		Min	-0.608	-3.736	-8.238	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.753	5.022	6.439	0.0	0.0
0.0		Min	-0.859	-4.437	-9.585	-0.0	-0.0
-0.0							
	G1		0.254	0.567	-4.881	-0.0	-0.0
0.0	G2		0.091	0.224	-1.914	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.782	-1.161	0.172	-0.0	0.0
-0.0	Q5_pc Y		0.023	1.732	0.477	0.0	-0.0
0.0	Q5_ps X		0.751	-1.110	0.186	-0.0	0.0
-0.0	Q5_ps Y		0.037	1.644	0.481	0.0	-0.0
-0.0							
	INVSLE	Max	4.010	10.055	7.889	0.0	-0.0
0.0		Min	-1.606	-18.343	-34.682	-0.0	-0.0
-0.0							
	INVSLE	Max	2.965	7.033	5.852	0.0	-0.0
0.0		Min	-1.091	-13.772	-25.618	-0.0	-0.0
-0.0							
5386	C1-C2;~1	Max	1.452	8.945	13.386	0.0	0.0
0.0		Min	-1.390	-7.639	-17.961	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.573	9.477	13.931	0.0	0.0
0.0		Min	-1.977	-9.218	-21.276	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.764	4.655	6.941	0.0	0.0
		Min	-0.712	-3.769	-9.470	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.835	4.949	7.247	0.0	0.0
		Min	-1.004	-4.496	-11.018	-0.0	-0.0
-0.0							
0.0	G1		0.207	0.370	-5.844	-0.0	-0.0
0.0	G2		0.070	0.146	-2.294	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.868	-1.156	0.211	-0.0	0.0
-0.0	Q5_pc Y		0.022	1.733	0.521	0.0	-0.0
-0.0	Q5_ps X		0.835	-1.103	0.226	-0.0	0.0
-0.0	Q5_ps Y		0.039	1.647	0.528	0.0	-0.0
0.0	INVSLU	Max	4.378	9.438	7.939	0.0	-0.0
0.0		Min	-1.976	-18.919	-40.528	-0.0	-0.0
0.0							
0.0	INVSLE	Max	3.241	6.573	5.884	0.0	-0.0
0.0		Min	-1.351	-14.201	-29.948	-0.0	-0.0
0.0							
5387	C1-C2;~1	Max	1.534	8.800	14.779	0.0	0.0
0.0		Min	-1.578	-7.673	-20.240	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.662	9.324	15.377	0.0	0.0
		Min	-2.255	-9.293	-23.970	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.808	4.578	7.655	0.0	0.0
		Min	-0.809	-3.791	-10.687	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.883	4.866	7.990	0.0	0.0
		Min	-1.147	-4.541	-12.429	-0.0	-0.0
-0.0							
0.0	G1		0.086	0.182	-6.876	-0.0	-0.0
0.0	G2		0.020	0.072	-2.699	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.922	-1.161	0.244	-0.0	0.0
-0.0	Q5_pc Y		0.024	1.734	0.556	0.0	-0.0
-0.0	Q5_ps X		0.889	-1.106	0.261	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		0.044	1.650	0.565	0.0	-0.0
0.0	INVS LU	Max	4.456	8.798	7.577	-0.0	-0.0
0.0		Min	-2.492	-19.457	-46.542	-0.0	-0.0
0.0	INVS LE	Max	3.301	6.095	5.607	-0.0	-0.0
0.0		Min	-1.723	-14.602	-34.407	-0.0	-0.0
5388	C1-C2;~1	Max	1.591	8.652	16.113	0.0	0.0
0.0		Min	-1.764	-7.693	-22.520	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.725	9.167	16.762	0.0	0.0
0.0		Min	-2.539	-9.353	-26.673	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.839	4.498	8.337	0.0	0.0
0.0		Min	-0.907	-3.805	-11.905	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.917	4.782	8.699	0.0	0.0
0.0		Min	-1.296	-4.578	-13.848	-0.0	-0.0
-0.0	G1		-0.071	0.007	-7.963	-0.0	-0.0
0.0	G2		-0.044	0.002	-3.125	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.963	-1.168	0.287	0.0	-0.0
-0.0	Q5_pc Y		0.026	1.736	0.580	0.0	-0.0
-0.0	Q5_ps X		0.931	-1.110	0.305	0.0	0.0
-0.0	Q5_ps Y		0.049	1.653	0.592	0.0	0.0
0.0	INVS LU	Max	4.409	8.172	6.954	0.0	-0.0
0.0		Min	-3.081	-19.954	-52.727	-0.0	-0.0
0.0	INVS LE	Max	3.269	5.628	5.136	0.0	-0.0
0.0		Min	-2.150	-14.975	-38.995	-0.0	-0.0
5389	C1-C2;~1	Max	1.697	8.530	17.283	0.0	0.0
0.0		Min	-1.976	-7.707	-24.720	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.838	9.038	17.974	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.853	-9.406	-29.292	-0.0	-0.0
0.0	C1-C2;~2	Max	0.896	4.432	8.929	0.0	0.0
-0.0		Min	-1.018	-3.815	-13.085	-0.0	-0.0
0.0	C3-C4;~2	Max	0.978	4.713	9.315	0.0	0.0
-0.0		Min	-1.463	-4.609	-15.228	-0.0	-0.0
0.0		G1	-0.203	-0.133	-9.121	-0.0	-0.0
0.0		G2	-0.098	-0.055	-3.584	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.015	-1.166	0.320	-0.0	0.0
0.0		Q5_pc Y	0.025	1.736	0.598	0.0	-0.0
-0.0		Q5_ps X	0.982	-1.106	0.342	-0.0	0.0
-0.0		Q5_ps Y	0.050	1.655	0.615	0.0	-0.0
0.0	INVSLU	Max	4.524	7.672	5.817	-0.0	-0.0
0.0		Min	-3.636	-20.353	-59.069	-0.0	-0.0
0.0	INVSLE	Max	3.360	5.255	4.279	-0.0	-0.0
0.0		Min	-2.549	-15.273	-43.705	-0.0	-0.0
5390	C1-C2;~1	Max	1.790	8.408	18.363	0.0	0.0
0.0		Min	-2.175	-7.699	-26.832	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.938	8.910	19.092	0.0	0.0
-0.0		Min	-3.149	-9.434	-31.794	-0.0	-0.0
0.0	C1-C2;~2	Max	0.946	4.367	9.474	0.0	0.0
-0.0		Min	-1.123	-3.812	-14.222	-0.0	-0.0
0.0	C3-C4;~2	Max	1.032	4.644	9.880	0.0	0.0
-0.0		Min	-1.621	-4.628	-16.550	-0.0	-0.0
0.0		G1	-0.334	-0.248	-10.267	-0.0	-0.0
0.0		G2	-0.153	-0.101	-4.037	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.068	-1.160	0.350	-0.0	0.0
		Q5_pc Y	0.023	1.736	0.608	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.034	-1.099	0.376	-0.0	0.0
-0.0	Q5_ps Y		0.051	1.657	0.629	0.0	-0.0
0.0	INVS LU	Max	4.614	7.219	4.471	-0.0	0.0
0.0		Min	-4.174	-20.670	-65.319	-0.0	-0.0
0.0							
0.0	INVS LE	Max	3.430	4.916	3.264	-0.0	0.0
0.0		Min	-2.938	-15.511	-48.351	-0.0	-0.0
0.0							
5391	C1-C2;~1	Max	1.845	8.268	19.353	0.0	0.0
0.0		Min	-2.346	-7.653	-28.880	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.997	8.764	20.115	0.0	0.0
-0.0		Min	-3.402	-9.415	-34.225	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.976	4.292	9.970	0.0	0.0
-0.0		Min	-1.212	-3.790	-15.327	-0.0	-0.0
0.0							
-0.0	C3-C4;~2	Max	1.065	4.566	10.395	0.0	0.0
0.0		Min	-1.754	-4.622	-17.838	-0.0	-0.0
-0.0							
0.0	G1		-0.476	-0.338	-11.427	-0.0	-0.0
0.0	G2		-0.211	-0.137	-4.494	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.118	-1.155	0.383	-0.0	0.0
-0.0	Q5_pc Y		0.020	1.737	0.608	0.0	-0.0
0.0	Q5_ps X		1.084	-1.093	0.412	-0.0	0.0
-0.0	Q5_ps Y		0.050	1.659	0.635	0.0	-0.0
-0.0							
0.0	INVS LU	Max	4.601	6.774	2.875	-0.0	0.0
0.0		Min	-4.701	-20.893	-71.579	-0.0	-0.0
0.0							
0.0	INVS LE	Max	3.423	4.582	2.061	-0.0	0.0
0.0		Min	-3.318	-15.680	-53.009	-0.0	-0.0
0.0							
5392	C1-C2;~1	Max	1.863	8.111	20.239	0.0	0.0
0.0		Min	-2.486	-7.579	-30.815	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.017	8.600	21.029	0.0	0.0
-0.0		Min	-3.616	-9.352	-36.515	-0.0	-0.0
0.0	C1-C2;~2	Max	0.986	4.210	10.411	0.0	0.0
-0.0		Min	-1.285	-3.754	-16.374	-0.0	-0.0
0.0	C3-C4;~2	Max	1.075	4.479	10.851	0.0	0.0
-0.0		Min	-1.864	-4.593	-19.055	-0.0	-0.0
0.0	G1		-0.629	-0.405	-12.561	-0.0	-0.0
0.0	G2		-0.273	-0.165	-4.940	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.164	-1.150	0.413	-0.0	0.0
0.0	Q5_pc Y		0.016	1.737	0.600	0.0	-0.0
-0.0	Q5_ps X		1.130	-1.087	0.444	-0.0	0.0
0.0	Q5_ps Y		0.049	1.661	0.632	0.0	-0.0
0.0	INVSLU	Max	4.479	6.335	1.073	-0.0	0.0
0.0		Min	-5.221	-21.027	-77.693	-0.0	-0.0
0.0	INVSLE	Max	3.334	4.252	0.701	-0.0	0.0
0.0		Min	-3.696	-15.785	-57.564	-0.0	-0.0
5393	C1-C2;~1	Max	1.867	7.952	21.056	0.0	0.0
0.0		Min	-2.619	-7.497	-32.689	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.021	8.433	21.873	0.0	0.0
-0.0		Min	-3.821	-9.273	-38.736	-0.0	-0.0
0.0	C1-C2;~2	Max	0.988	4.126	10.816	0.0	0.0
-0.0		Min	-1.354	-3.716	-17.389	-0.0	-0.0
0.0	C3-C4;~2	Max	1.078	4.391	11.270	0.0	0.0
-0.0		Min	-1.972	-4.556	-20.237	-0.0	-0.0
0.0	G1		-0.792	-0.457	-13.688	-0.0	-0.0
0.0	G2		-0.339	-0.187	-5.382	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.208	-1.144	0.447	0.0	0.0
0.0	Q5_pc Y		0.012	1.738	0.584	-0.0	-0.0
-0.0	Q5_ps X		1.174	-1.080	0.480	0.0	0.0
0.0	Q5_ps Y		0.047	1.662	0.620	-0.0	-0.0
0.0	INVS LU	Max	4.308	5.924	-0.880	-0.0	0.0
0.0		Min	-5.753	-21.108	-83.753	-0.0	-0.0
0.0	INVS LE	Max	3.208	3.943	-0.772	-0.0	0.0
0.0		Min	-4.084	-15.849	-62.081	-0.0	-0.0
5394	C1-C2;~1	Max	1.911	7.821	21.724	0.0	0.0
0.0		Min	-2.798	-7.434	-34.373	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.068	8.297	22.561	0.0	0.0
0.0		Min	-4.093	-9.215	-40.743	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.013	4.057	11.140	0.0	0.0
0.0		Min	-1.449	-3.686	-18.305	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.104	4.319	11.605	0.0	0.0
0.0		Min	-2.120	-4.529	-21.310	-0.0	-0.0
-0.0	G1		-0.966	-0.502	-14.753	-0.0	-0.0
0.0	G2		-0.409	-0.205	-5.805	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.255	-1.134	0.478	-0.0	0.0
0.0	Q5_pc Y		0.004	1.737	0.564	0.0	-0.0
-0.0	Q5_ps X		1.220	-1.069	0.515	-0.0	0.0
0.0	Q5_ps Y		0.042	1.663	0.607	0.0	-0.0
0.0	INVS LU	Max	4.208	5.599	-3.044	-0.0	0.0
0.0		Min	-6.368	-21.170	-89.520	-0.0	-0.0
0.0	INVS LE	Max	3.137	3.699	-2.405	-0.0	0.0
0.0		Min	-4.530	-15.898	-66.386	-0.0	-0.0
5395	C1-C2;~1	Max	1.948	7.693	22.327	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.962	-7.360	-35.952	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.105	8.163	23.181	0.0	0.0
0.0		Min	-4.345	-9.143	-42.613	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.034	3.990	11.431	0.0	0.0
0.0		Min	-1.535	-3.652	-19.166	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.126	4.248	11.905	0.0	0.0
0.0		Min	-2.257	-4.494	-22.311	-0.0	-0.0
-0.0							
0.0		G1	-1.133	-0.530	-15.761	-0.0	-0.0
0.0		G2	-0.476	-0.217	-6.204	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.300	-1.123	0.505	-0.0	0.0
-0.0	Q5_pc	Y	-0.005	1.737	0.541	0.0	-0.0
0.0	Q5_ps	X	1.264	-1.058	0.544	-0.0	0.0
-0.0	Q5_ps	Y	0.035	1.664	0.589	0.0	-0.0
0.0							
0.0	INVSLU	Max	4.099	5.319	-5.222	-0.0	0.0
0.0		Min	-6.948	-21.171	-95.016	-0.0	-0.0
0.0							
0.0	INVSLE	Max	3.059	3.489	-4.050	-0.0	0.0
0.0		Min	-4.951	-15.902	-70.492	-0.0	-0.0
0.0							
5396	C1-C2;~1	Max	1.957	7.552	22.866	0.0	0.0
0.0		Min	-3.090	-7.255	-37.453	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.114	8.016	23.736	0.0	0.0
0.0		Min	-4.542	-9.027	-44.388	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.040	3.916	11.689	0.0	0.0
0.0		Min	-1.602	-3.601	-19.987	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.131	4.171	12.170	0.0	0.0
0.0		Min	-2.362	-4.436	-23.265	-0.0	-0.0
-0.0							
0.0		G1	-1.288	-0.533	-16.735	-0.0	-0.0
0.0		G2	-0.538	-0.219	-6.588	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.340	-1.114	0.530	-0.0	0.0
-0.0	Q5_pc Y	-0.013	1.738	0.514	0.0	-0.0
0.0	Q5_ps X	1.304	-1.049	0.572	-0.0	0.0
-0.0	Q5_ps Y	0.029	1.666	0.567	0.0	-0.0
0.0	INVSLE Max	3.947	5.067	-7.392	-0.0	0.0
0.0	INVSLE Min	-7.451	-21.069	-100.314	-0.0	-0.0
0.0	INVSLE Max	2.948	3.300	-5.687	-0.0	0.0
0.0	INVSLE Min	-5.316	-15.829	-74.447	-0.0	-0.0
0.0						
5397	C1-C2;~1 Max	1.938	7.398	23.342	0.0	0.0
0.0	C1-C2;~1 Min	-3.179	-7.120	-38.853	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.093	7.855	24.224	0.0	0.0
0.0	C3-C4;~1 Min	-4.684	-8.870	-46.036	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.030	3.836	11.913	0.0	0.0
0.0	C1-C2;~2 Min	-1.648	-3.534	-20.755	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.121	4.087	12.401	0.0	0.0
0.0	C3-C4;~2 Min	-2.437	-4.356	-24.154	-0.0	-0.0
-0.0						
0.0	G1	-1.430	-0.511	-17.654	-0.0	-0.0
0.0	G2	-0.595	-0.211	-6.949	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.376	-1.107	0.550	-0.0	0.0
-0.0	Q5_pc Y	-0.021	1.739	0.486	0.0	-0.0
0.0	Q5_ps X	1.339	-1.041	0.594	-0.0	0.0
-0.0	Q5_ps Y	0.024	1.669	0.544	0.0	-0.0
0.0						
0.0	INVSLE Max	3.748	4.839	-9.483	-0.0	0.0
0.0	INVSLE Min	-7.877	-20.870	-105.324	-0.0	-0.0
0.0						
0.0	INVSLE Max	2.801	3.127	-7.266	-0.0	0.0
0.0	INVSLE Min	-5.627	-15.685	-78.186	-0.0	-0.0
0.0						


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5398	C1-C2;~1	Max	1.912	7.243	23.777	0.0	0.0
0.0		Min	-3.261	-6.976	-40.203	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.064	7.692	24.671	0.0	0.0
0.0		Min	-4.813	-8.700	-47.629	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.017	3.755	12.115	0.0	0.0
0.0		Min	-1.690	-3.464	-21.498	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.106	4.003	12.609	0.0	0.0
0.0		Min	-2.504	-4.270	-25.016	-0.0	-0.0
-0.0							
	G1		-1.574	-0.478	-18.550	-0.0	0.0
0.0							
	G2		-0.653	-0.199	-7.299	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.408	-1.101	0.569	0.0	-0.0
-0.0							
	Q5_pc Y		-0.029	1.741	0.456	-0.0	0.0
0.0							
	Q5_ps X		1.370	-1.034	0.614	0.0	-0.0
-0.0							
	Q5_ps Y		0.017	1.671	0.519	-0.0	0.0
0.0							
	INVSLU	Max	3.523	4.634	-11.522	-0.0	0.0
0.0		Min	-8.294	-20.629	-110.151	-0.0	-0.0
0.0							
	INVSLE	Max	2.636	2.972	-8.804	-0.0	0.0
0.0		Min	-5.930	-15.510	-81.786	-0.0	-0.0
0.0							
5399	C1-C2;~1	Max	1.919	7.114	24.103	0.0	0.0
0.0		Min	-3.404	-6.864	-41.354	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.070	7.557	25.003	0.0	0.0
0.0		Min	-5.026	-8.571	-49.000	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.022	3.688	12.260	0.0	0.0
0.0		Min	-1.767	-3.410	-22.133	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.111	3.932	12.757	0.0	0.0
0.0		Min	-2.621	-4.205	-25.759	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.754	-0.457	-19.341	-0.0	-0.0
0.0	G2		-0.724	-0.192	-7.614	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.439	-1.092	0.584	-0.0	0.0
0.0	Q5_pc Y		-0.040	1.741	0.430	-0.0	-0.0
-0.0	Q5_ps X		1.401	-1.025	0.633	0.0	0.0
0.0	Q5_ps Y		0.008	1.672	0.498	0.0	-0.0
0.0	INVS LU	Max	3.305	4.464	-13.476	-0.0	0.0
0.0		Min	-8.866	-20.442	-114.432	-0.0	-0.0
0.0	INVS LE	Max	2.477	2.844	-10.275	-0.0	0.0
0.0		Min	-6.346	-15.373	-84.979	-0.0	-0.0
5400	C1-C2;~1	Max	1.924	6.984	24.379	0.0	0.0
0.0		Min	-3.538	-6.740	-42.407	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.072	7.421	25.285	0.0	0.0
0.0		Min	-5.230	-8.440	-50.244	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.026	3.621	12.379	0.0	0.0
0.0		Min	-1.839	-3.349	-22.717	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.113	3.862	12.879	0.0	0.0
0.0		Min	-2.735	-4.142	-26.437	-0.0	-0.0
-0.0	G1		-1.927	-0.422	-20.067	-0.0	-0.0
0.0	G2		-0.793	-0.179	-7.902	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.468	-1.084	0.595	-0.0	0.0
-0.0	Q5_pc Y		-0.052	1.741	0.404	0.0	-0.0
0.0	Q5_ps X		1.429	-1.017	0.645	-0.0	0.0
-0.0	Q5_ps Y		-0.001	1.673	0.476	0.0	-0.0
0.0	INVS LU	Max	3.089	4.319	-15.326	-0.0	0.0
0.0		Min	-9.411	-20.227	-118.360	-0.0	-0.0
0.0	INVS LE	Max	2.320	2.734	-11.666	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-6.744	-15.216	-87.908	-0.0	-0.0
0.0							
5401	C1-C2;~1	Max	1.908	6.840	24.596	0.0	0.0
0.0		Min	-3.633	-6.575	-43.372	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.054	7.270	25.505	0.0	0.0
0.0		Min	-5.377	-8.263	-51.386	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.019	3.547	12.468	0.0	0.0
0.0		Min	-1.889	-3.267	-23.255	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.104	3.784	12.968	0.0	0.0
0.0		Min	-2.816	-4.056	-27.064	-0.0	-0.0
-0.0							
	G1		-2.074	-0.356	-20.746	-0.0	-0.0
0.0							
	G2		-0.852	-0.153	-8.169	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.492	-1.078	0.602	-0.0	0.0
-0.0							
	Q5_pc Y		-0.062	1.742	0.375	0.0	-0.0
0.0							
	Q5_ps X		1.452	-1.011	0.655	-0.0	0.0
-0.0							
	Q5_ps Y		-0.010	1.674	0.451	0.0	-0.0
0.0							
	INVSLU	Max	2.869	4.200	-17.082	-0.0	0.0
0.0		Min	-9.848	-19.904	-121.970	-0.0	-0.0
-0.0							
	INVSLE	Max	2.159	2.643	-12.986	-0.0	0.0
0.0		Min	-7.062	-14.980	-90.600	-0.0	-0.0
-0.0							
5402	C1-C2;~1	Max	1.871	6.682	24.758	0.0	0.0
0.0		Min	-3.685	-6.376	-44.226	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.013	7.105	25.668	0.0	0.0
0.0		Min	-5.463	-8.044	-52.388	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.000	3.466	12.528	0.0	0.0
0.0		Min	-1.916	-3.166	-23.734	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.083	3.699	13.028	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.863	-3.948	-27.617	-0.0	-0.0
-0.0	G1		-2.195	-0.261	-21.349	-0.0	-0.0
0.0	G2		-0.900	-0.116	-8.405	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.511	-1.074	0.605	-0.0	0.0
-0.0	Q5_pc Y		-0.072	1.743	0.345	-0.0	-0.0
0.0	Q5_ps X		1.472	-1.007	0.659	-0.0	0.0
-0.0	Q5_ps Y		-0.018	1.677	0.425	-0.0	-0.0
0.0							
	INVSLU	Max	2.643	4.107	-18.671	-0.0	0.0
0.0		Min	-10.170	-19.482	-125.136	-0.0	-0.0
-0.0							
	INVSLE	Max	1.993	2.570	-14.178	-0.0	0.0
0.0		Min	-7.296	-14.671	-92.960	-0.0	-0.0
-0.0							
5403	C1-C2;~1	Max	1.827	6.522	24.878	0.0	0.0
0.0		Min	-3.736	-6.167	-45.008	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.964	6.937	25.787	0.0	0.0
0.0		Min	-5.530	-7.813	-53.304	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.977	3.384	12.565	0.0	0.0
0.0		Min	-1.945	-3.061	-24.175	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.058	3.613	13.065	0.0	0.0
0.0		Min	-2.897	-3.835	-28.127	-0.0	-0.0
-0.0							
	G1		-2.312	-0.155	-21.908	-0.0	0.0
0.0	G2		-0.947	-0.075	-8.623	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.528	-1.072	0.606	0.0	-0.0
-0.0	Q5_pc Y		-0.082	1.745	0.313	-0.0	0.0
0.0	Q5_ps X		1.488	-1.004	0.661	0.0	-0.0
-0.0	Q5_ps Y		-0.027	1.679	0.396	-0.0	0.0
0.0							
	INVSLU	Max	2.406	4.032	-20.120	-0.0	0.0
0.0		Min	-10.460	-19.022	-127.985	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	1.819	2.510	-15.264	-0.0	0.0
-0.0		Min	-7.508	-14.335	-95.083	-0.0	-0.0
5404	C1-C2;~1	Max	1.810	6.388	24.888	0.0	0.0
0.0		Min	-3.863	-6.002	-45.512	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.944	6.797	25.793	0.0	0.0
-0.0		Min	-5.680	-7.631	-53.910	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.970	3.316	12.547	0.0	0.0
0.0		Min	-2.018	-2.979	-24.459	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.049	3.540	13.043	0.0	0.0
-0.0		Min	-2.981	-3.746	-28.463	-0.0	-0.0
0.0	G1		-2.478	-0.077	-22.311	-0.0	-0.0
0.0	G2		-1.012	-0.045	-8.785	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.542	-1.068	0.604	0.0	-0.0
0.0	Q5_pc Y		-0.095	1.745	0.287	-0.0	-0.0
-0.0	Q5_ps X		1.502	-1.001	0.662	0.0	-0.0
0.0	Q5_ps Y		-0.038	1.679	0.374	0.0	-0.0
0.0							
0.0	INVSLU	Max	2.141	3.961	-21.338	-0.0	0.0
-0.0		Min	-10.928	-18.656	-130.024	-0.0	0.0
0.0							
-0.0	INVSLE	Max	1.626	2.455	-16.174	-0.0	0.0
0.0		Min	-7.849	-14.066	-96.601	-0.0	0.0
-0.0							
5405	C1-C2;~1	Max	1.789	6.254	24.861	0.0	0.0
0.0		Min	-3.980	-5.829	-45.923	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.920	6.656	25.760	0.0	0.0
-0.0		Min	-5.817	-7.435	-54.394	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.960	3.247	12.510	0.0	0.0
-0.0		Min	-2.086	-2.893	-24.693	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.037	3.468	13.002	0.0	0.0
-0.0		Min	-3.059	-3.651	-28.735	-0.0	-0.0
0.0	G1		-2.635	0.012	-22.646	-0.0	-0.0
0.0	G2		-1.074	-0.011	-8.918	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.555	-1.066	0.599	-0.0	-0.0
0.0	Q5_pc Y		-0.108	1.744	0.260	0.0	-0.0
-0.0	Q5_ps X		1.514	-0.999	0.658	0.0	-0.0
0.0	Q5_ps Y		-0.050	1.679	0.351	0.0	-0.0
-0.0	INVS LU	Max	1.885	3.904	-22.372	-0.0	0.0
0.0		Min	-11.359	-18.258	-131.660	-0.0	0.0
-0.0	INVS LE	Max	1.440	2.410	-16.945	-0.0	0.0
0.0		Min	-8.162	-13.774	-97.819	-0.0	0.0
-0.0							
5406	C1-C2;~1	Max	1.751	6.109	24.778	0.0	0.0
0.0		Min	-4.049	-5.619	-46.214	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.878	6.504	25.671	0.0	0.0
-0.0		Min	-5.895	-7.196	-54.733	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.941	3.173	12.445	0.0	0.0
-0.0		Min	-2.126	-2.786	-24.863	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.016	3.390	12.932	0.0	0.0
-0.0		Min	-3.103	-3.532	-28.930	-0.0	-0.0
0.0	G1		-2.757	0.130	-22.903	0.0	-0.0
0.0	G2		-1.122	0.036	-9.019	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.563	-1.066	0.591	-0.0	-0.0
0.0	Q5_pc Y		-0.120	1.744	0.232	0.0	-0.0
-0.0	Q5_ps X		1.522	-0.998	0.651	0.0	-0.0
0.0	Q5_ps Y		-0.061	1.680	0.325	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	1.648	3.874	-23.208	-0.0	0.0
		Min	-11.659	-17.760	-132.817	-0.0	0.0
-0.0							
0.0	INVS LE	Max	1.268	2.384	-17.566	-0.0	0.0
		Min	-8.381	-13.410	-98.679	-0.0	0.0
-0.0							
5407 0.0	C1-C2;~1	Max	1.695	5.954	24.646	0.0	0.0
		Min	-4.065	-5.377	-46.378	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.817	6.341	25.529	0.0	0.0
		Min	-5.907	-6.920	-54.913	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.912	3.094	12.354	0.0	0.0
		Min	-2.137	-2.663	-24.963	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.984	3.307	12.836	0.0	0.0
		Min	-3.111	-3.395	-29.038	-0.0	-0.0
-0.0							
-0.0	G1		-2.843	0.277	-23.072	-0.0	0.0
-0.0	G2		-1.156	0.093	-9.084	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.568	-1.067	0.579	-0.0	-0.0
-0.0	Q5_pc Y		-0.131	1.746	0.204	-0.0	-0.0
0.0	Q5_ps X		1.527	-1.000	0.641	0.0	-0.0
-0.0	Q5_ps Y		-0.071	1.681	0.299	-0.0	-0.0
0.0							
0.0	INVS LU	Max	1.430	3.872	-23.824	-0.0	0.0
		Min	-11.820	-17.172	-133.464	-0.0	0.0
-0.0							
0.0	INVS LE	Max	1.108	2.377	-18.022	-0.0	0.0
		Min	-8.498	-12.979	-99.160	-0.0	0.0
-0.0							
5408 0.0	C1-C2;~1	Max	1.634	5.799	24.472	0.0	0.0
		Min	-4.066	-5.128	-46.454	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.751	6.179	25.344	0.0	0.0
		Min	-5.899	-6.634	-54.982	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.880	3.015	12.242	0.0	0.0
		Min	-2.139	-2.536	-25.016	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.950	3.224	12.717	0.0	0.0
		Min	-3.106	-3.253	-29.089	-0.0	-0.0
-0.0							
0.0	G1		-2.920	0.432	-23.182	-0.0	0.0
0.0	G2		-1.186	0.154	-9.124	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.570	-1.070	0.565	0.0	-0.0
0.0	Q5_pc Y		-0.142	1.747	0.174	-0.0	0.0
0.0	Q5_ps X		1.528	-1.002	0.627	0.0	-0.0
0.0	Q5_ps Y		-0.082	1.683	0.270	-0.0	0.0
0.0	INVSLU	Max	1.214	3.886	-24.264	-0.0	0.0
		Min	-11.939	-16.556	-133.722	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.950	2.382	-18.345	-0.0	0.0
		Min	-8.584	-12.527	-99.349	-0.0	0.0
-0.0							
5409	C1-C2;~1	Max	1.594	5.667	24.200	0.0	0.0
0.0		Min	-4.137	-4.929	-46.227	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.708	6.040	25.058	0.0	0.0
		Min	-5.969	-6.402	-54.723	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.860	2.948	12.081	0.0	0.0
		Min	-2.182	-2.435	-24.895	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.928	3.153	12.548	0.0	0.0
		Min	-3.147	-3.138	-28.954	-0.0	-0.0
-0.0							
0.0	G1		-3.048	0.551	-23.122	-0.0	0.0
0.0	G2		-1.235	0.201	-9.103	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.569	-1.074	0.549	0.0	-0.0
0.0	Q5_pc Y		-0.156	1.746	0.151	-0.0	-0.0
0.0	Q5_ps X		1.528	-1.006	0.613	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.095	1.682	0.249	0.0	-0.0
0.0	INVSLE Max		0.961	3.881	-24.419	-0.0	0.0
-0.0	INVSLE Min		-12.229	-16.060	-133.112	-0.0	0.0
0.0	INVSLE Max		0.766	2.375	-18.452	-0.0	0.0
-0.0	INVSLE Min		-8.795	-12.163	-98.893	-0.0	0.0
5410	C1-C2;~1 Max		1.554	5.534	23.899	0.0	0.0
0.0	C1-C2;~1 Min		-4.198	-4.762	-45.920	-0.0	-0.0
-0.0	C1-C2;~1						
0.0	C3-C4;~1 Max		1.664	5.901	24.743	0.0	0.0
-0.0	C3-C4;~1 Min		-6.026	-6.159	-54.363	-0.0	-0.0
0.0	C1-C2;~2 Max		0.839	2.880	11.907	0.0	0.0
-0.0	C1-C2;~2 Min		-2.220	-2.361	-24.730	-0.0	-0.0
0.0	C3-C4;~2 Max		0.905	3.082	12.365	0.0	0.0
-0.0	C3-C4;~2 Min		-3.182	-3.018	-28.766	-0.0	-0.0
-0.0	G1		-3.164	0.676	-23.000	0.0	-0.0
-0.0	G2		-1.281	0.250	-9.056	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.567	-1.079	0.532	0.0	-0.0
0.0	Q5_pc Y		-0.171	1.745	0.128	0.0	-0.0
0.0	Q5_ps X		1.525	-1.012	0.596	0.0	-0.0
0.0	Q5_ps Y		-0.109	1.681	0.228	0.0	-0.0
0.0	INVSLE Max		0.723	3.879	-24.376	0.0	0.0
-0.0	INVSLE Min		-12.479	-15.544	-132.125	-0.0	0.0
0.0	INVSLE Max		0.594	2.370	-18.410	0.0	0.0
-0.0	INVSLE Min		-8.976	-11.785	-98.154	-0.0	0.0
5411	C1-C2;~1 Max		1.500	5.394	23.547	0.0	0.0
0.0	C1-C2;~1 Min		-4.214	-4.583	-45.485	-0.0	-0.0
-0.0	C1-C2;~1						
0.0	C3-C4;~1 Max		1.606	5.754	24.374	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.027	-5.879	-53.842	-0.0	-0.0
0.0	C1-C2;~2	Max	0.812	2.810	11.706	0.0	0.0
-0.0		Min	-2.232	-2.283	-24.497	-0.0	-0.0
0.0	C3-C4;~2	Max	0.875	3.008	12.155	0.0	0.0
-0.0		Min	-3.185	-2.878	-28.491	-0.0	-0.0
-0.0		G1	-3.244	0.827	-22.792	0.0	-0.0
-0.0		G2	-1.311	0.310	-8.974	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.561	-1.086	0.511	-0.0	-0.0
0.0	Q5_pc Y		-0.184	1.745	0.104	0.0	-0.0
0.0	Q5_ps X		1.519	-1.019	0.576	0.0	-0.0
0.0	Q5_ps Y		-0.122	1.680	0.204	0.0	-0.0
0.0	INVSLU	Max	0.517	3.899	-24.118	0.0	0.0
-0.0		Min	-12.597	-14.948	-130.629	-0.0	0.0
0.0	INVSLE	Max	0.444	2.379	-18.206	0.0	0.0
-0.0		Min	-9.062	-11.348	-97.035	-0.0	0.0
5412	C1-C2;~1	Max	1.432	5.247	23.228	0.0	0.0
0.0		Min	-4.177	-4.387	-44.935	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.533	5.600	23.987	0.0	0.0
-0.0		Min	-5.964	-5.567	-53.182	-0.0	-0.0
0.0	C1-C2;~2	Max	0.776	2.735	11.542	0.0	0.0
-0.0		Min	-2.214	-2.198	-24.200	-0.0	-0.0
0.0	C3-C4;~2	Max	0.836	2.929	11.942	0.0	0.0
-0.0		Min	-3.153	-2.722	-28.141	-0.0	-0.0
-0.0		G1	-3.285	1.002	-22.504	0.0	0.0
-0.0		G2	-1.327	0.379	-8.859	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.552	-1.095	0.488	-0.0	-0.0
0.0	Q5_pc Y		-0.196	1.746	0.081	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	1.511	-1.027	0.553	0.0	-0.0
0.0	Q5_ps Y	-0.134	1.681	0.181	-0.0	-0.0
0.0						
0.0	INVS LU Max	0.342	3.940	-23.608	0.0	0.0
0.0	Min	-12.574	-14.279	-128.664	-0.0	0.0
-0.0						
0.0	INVS LE Max	0.317	2.404	-17.813	0.0	0.0
0.0	Min	-9.043	-10.859	-95.568	-0.0	0.0
-0.0						
5413	C1-C2;~1 Max	1.362	5.101	22.936	0.0	0.0
0.0	Min	-4.128	-4.187	-44.287	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.457	5.445	23.626	0.0	0.0
0.0	Min	-5.883	-5.269	-52.393	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.739	2.661	11.408	0.0	0.0
0.0	Min	-2.189	-2.112	-23.852	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.797	2.851	11.760	0.0	0.0
0.0	Min	-3.110	-2.579	-27.723	-0.0	-0.0
-0.0						
-0.0	G1	-3.313	1.184	-22.148	-0.0	0.0
-0.0	G2	-1.337	0.451	-8.715	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.541	-1.105	0.462	-0.0	-0.0
0.0	Q5_pc Y	-0.209	1.747	0.056	-0.0	0.0
0.0	Q5_ps X	1.499	-1.038	0.527	0.0	-0.0
0.0	Q5_ps Y	-0.146	1.682	0.155	-0.0	0.0
0.0						
0.0	INVS LU Max	0.182	3.991	-22.829	0.0	0.0
0.0	Min	-12.502	-13.619	-126.288	-0.0	0.0
-0.0						
0.0	INVS LE Max	0.201	2.435	-17.219	0.0	0.0
0.0	Min	-8.989	-10.376	-93.793	-0.0	0.0
-0.0						
5414	C1-C2;~1 Max	1.325	4.977	22.648	0.0	0.0
0.0	Min	-4.153	-4.022	-43.372	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.416	5.311	23.318	0.0	0.0
-0.0		Min	-5.885	-5.058	-51.310	-0.0	-0.0
0.0	C1-C2;~2	Max	0.718	2.597	11.299	0.0	0.0
-0.0		Min	-2.205	-2.041	-23.352	-0.0	-0.0
0.0	C3-C4;~2	Max	0.773	2.782	11.641	0.0	0.0
-0.0		Min	-3.112	-2.488	-27.140	-0.0	-0.0
-0.0	G1		-3.384	1.327	-21.634	0.0	0.0
-0.0	G2		-1.363	0.508	-8.515	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.528	-1.118	0.436	0.0	-0.0
0.0	Q5_pc Y		-0.224	1.746	0.039	-0.0	-0.0
0.0	Q5_ps X		1.486	-1.050	0.501	0.0	-0.0
0.0	Q5_ps Y		-0.161	1.680	0.139	0.0	-0.0
0.0	INVSLU	Max	0.022	4.017	-21.598	0.0	0.0
-0.0		Min	-12.584	-13.125	-123.131	-0.0	0.0
0.0	INVSLE	Max	0.086	2.450	-16.285	0.0	0.0
-0.0		Min	-9.048	-10.014	-91.436	-0.0	0.0
5415	C1-C2;~1	Max	1.296	4.855	22.330	0.0	0.0
0.0		Min	-4.179	-3.858	-42.394	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.386	5.178	22.990	0.0	0.0
-0.0		Min	-5.887	-4.844	-50.150	-0.0	-0.0
0.0	C1-C2;~2	Max	0.700	2.535	11.175	0.0	0.0
-0.0		Min	-2.220	-1.969	-22.817	-0.0	-0.0
0.0	C3-C4;~2	Max	0.753	2.714	11.513	0.0	0.0
-0.0		Min	-3.113	-2.396	-26.517	-0.0	-0.0
-0.0	G1		-3.442	1.471	-21.073	0.0	0.0
-0.0	G2		-1.385	0.565	-8.295	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.512	-1.131	0.410	0.0	-0.0
0.0	Q5_pc Y		-0.239	1.744	0.022	0.0	-0.0
0.0	Q5_ps X		1.470	-1.064	0.474	0.0	-0.0
0.0	Q5_ps Y		-0.176	1.678	0.122	0.0	-0.0
0.0	INVSLU	Max	-0.103	4.037	-20.194	0.0	0.0
-0.0		Min	-12.643	-12.633	-119.670	-0.0	0.0
0.0	INVSLE	Max	-0.002	2.461	-15.220	0.0	0.0
-0.0		Min	-9.090	-9.654	-88.852	-0.0	0.0
5416	C1-C2;~1	Max	1.257	4.738	21.962	0.0	0.0
0.0		Min	-4.164	-3.690	-41.303	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.346	5.043	22.611	0.0	0.0
0.0		Min	-5.839	-4.617	-48.853	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.676	2.474	11.026	0.0	0.0
0.0		Min	-2.212	-1.896	-22.223	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.728	2.646	11.359	0.0	0.0
0.0		Min	-3.086	-2.299	-25.823	-0.0	-0.0
-0.0	G1		-3.466	1.633	-20.436	0.0	0.0
-0.0	G2		-1.393	0.630	-8.043	0.0	0.0
-0.0	G3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.494	-1.147	0.380	0.0	-0.0
0.0	Q5_pc Y		-0.253	1.744	0.005	0.0	-0.0
0.0	Q5_ps X		1.452	-1.079	0.445	0.0	-0.0
0.0	Q5_ps Y		-0.190	1.677	0.103	0.0	-0.0
0.0	INVSLU	Max	-0.193	4.068	-18.616	0.0	0.0
-0.0		Min	-12.583	-12.112	-115.776	-0.0	0.0
0.0	INVSLE	Max	-0.066	2.478	-14.025	0.0	0.0
-0.0		Min	-9.044	-9.274	-85.944	-0.0	0.0
5417	C1-C2;~1	Max	1.207	4.735	21.552	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-4.103	-3.528	-40.138	-0.0	-0.0
0.0	C3-C4;~1	Max	1.296	4.919	22.187	0.0	0.0
-0.0		Min	-5.735	-4.389	-47.469	-0.0	-0.0
0.0	C1-C2;~2	Max	0.647	2.419	10.852	0.0	0.0
-0.0		Min	-2.178	-1.826	-21.590	-0.0	-0.0
0.0	C3-C4;~2	Max	0.698	2.581	11.180	0.0	0.0
-0.0		Min	-3.029	-2.202	-25.084	-0.0	-0.0
-0.0	G1		-3.451	1.810	-19.747	0.0	0.0
-0.0	G2		-1.386	0.700	-7.770	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.473	-1.164	0.351	-0.0	-0.0
0.0	Q5_pc Y		-0.265	1.745	-0.011	-0.0	-0.0
0.0	Q5_ps X		1.432	-1.096	0.415	0.0	-0.0
0.0	Q5_ps Y		-0.203	1.677	0.086	-0.0	-0.0
0.0	INVS LU	Max	-0.232	4.125	-16.923	0.0	0.0
-0.0		Min	-12.390	-11.580	-111.591	-0.0	0.0
0.0	INVS LE	Max	-0.103	2.514	-12.741	0.0	0.0
-0.0		Min	-8.902	-8.887	-82.819	-0.0	0.0
5418	C1-C2;~1	Max	1.158	4.711	21.095	0.0	0.0
0.0		Min	-4.028	-3.400	-38.873	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.245	4.825	21.716	0.0	0.0
0.0		Min	-5.614	-4.186	-45.958	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.618	2.379	10.655	0.0	0.0
0.0		Min	-2.137	-1.769	-20.905	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.667	2.528	10.977	0.0	0.0
0.0		Min	-2.962	-2.115	-24.279	-0.0	-0.0
-0.0	G1		-3.421	1.991	-18.993	0.0	0.0
-0.0	G2		-1.373	0.772	-7.469	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.450	-1.183	0.319	-0.0	-0.0
0.0	Q5_pc Y	-0.278	1.746	-0.027	-0.0	0.0
0.0	Q5_ps X	1.409	-1.115	0.382	-0.0	-0.0
0.0	Q5_ps Y	-0.216	1.677	0.067	-0.0	0.0
0.0	INVS LU Max	-0.245	4.226	-15.122	0.0	0.0
-0.0	Min	-12.144	-11.081	-107.056	-0.0	0.0
0.0	INVS LE Max	-0.120	2.582	-11.376	0.0	0.0
-0.0	Min	-8.720	-8.524	-79.434	-0.0	0.0
5419	C1-C2;~1 Max	1.130	4.685	20.548	0.0	0.0
0.0	Min	-4.003	-3.308	-37.419	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.216	4.758	21.152	0.0	0.0
0.0	Min	-5.548	-4.023	-44.238	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.598	2.349	10.410	0.0	0.0
0.0	Min	-2.122	-1.727	-20.116	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.647	2.488	10.725	0.0	0.0
0.0	Min	-2.925	-2.044	-23.361	-0.0	-0.0
-0.0	G1	-3.414	2.140	-18.129	0.0	0.0
-0.0	G2	-1.369	0.832	-7.131	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.425	-1.205	0.289	-0.0	-0.0
0.0	Q5_pc Y	-0.293	1.744	-0.035	0.0	-0.0
0.0	Q5_ps X	1.384	-1.137	0.350	0.0	-0.0
0.0	Q5_ps Y	-0.231	1.674	0.057	0.0	-0.0
0.0	INVS LU Max	-0.254	4.325	-13.212	0.0	0.0
-0.0	Min	-11.976	-10.668	-102.009	0.0	0.0
0.0	INVS LE Max	-0.120	2.651	-9.929	0.0	0.0
-0.0	Min	-8.594	-8.223	-75.665	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


5420	C1-C2;~1	Max	1.104	4.663	19.975	0.0	0.0
0.0		Min	-3.973	-3.234	-35.928	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.190	4.713	20.563	0.0	0.0
0.0		Min	-5.476	-3.881	-42.478	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.580	2.327	10.150	0.0	0.0
0.0		Min	-2.106	-1.692	-19.307	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.627	2.457	10.458	0.0	0.0
0.0		Min	-2.885	-1.982	-22.423	-0.0	-0.0
-0.0							
	G1		-3.397	2.285	-17.239	0.0	0.0
-0.0							
	G2		-1.360	0.890	-6.781	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.398	-1.229	0.259	0.0	-0.0
0.0							
	Q5_pc Y		-0.308	1.742	-0.042	0.0	-0.0
0.0							
	Q5_ps X		1.358	-1.161	0.320	0.0	-0.0
0.0							
	Q5_ps Y		-0.247	1.670	0.047	0.0	-0.0
0.0							
	INVSLU	Max	-0.241	4.435	-11.230	0.0	0.0
0.0		Min	-11.775	-10.302	-96.800	-0.0	0.0
-0.0							
	INVSLE	Max	-0.101	2.727	-8.425	0.0	0.0
0.0		Min	-8.445	-7.957	-71.776	-0.0	0.0
-0.0							
5421	C1-C2;~1	Max	1.071	4.658	19.347	0.0	0.0
0.0		Min	-3.911	-3.178	-34.338	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.156	4.704	19.917	0.0	0.0
0.0		Min	-5.364	-3.769	-40.595	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.557	2.314	9.862	0.0	0.0
0.0		Min	-2.072	-1.664	-18.446	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.604	2.440	10.161	0.0	0.0
0.0		Min	-2.824	-1.931	-21.422	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-3.351	2.437	-16.292	0.0	0.0
-0.0	G2		-1.341	0.951	-6.407	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.369	-1.254	0.227	0.0	-0.0
0.0	Q5_pc Y		-0.322	1.741	-0.048	0.0	-0.0
0.0	Q5_ps X		1.329	-1.186	0.287	0.0	-0.0
0.0	Q5_ps Y		-0.261	1.669	0.038	0.0	-0.0
0.0	INVS LU	Max	-0.200	4.578	-9.189	0.0	0.0
-0.0		Min	-11.482	-9.994	-91.290	0.0	0.0
0.0	INVS LE	Max	-0.064	2.826	-6.876	0.0	0.0
-0.0		Min	-8.227	-7.736	-67.661	0.0	0.0
5422	C1-C2;~1	Max	1.030	4.717	18.676	0.0	0.0
0.0		Min	-3.814	-3.142	-32.680	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.115	4.731	19.225	0.0	0.0
-0.0		Min	-5.209	-3.686	-38.635	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.531	2.334	9.548	0.0	0.0
0.0		Min	-2.019	-1.644	-17.549	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.577	2.437	9.839	0.0	0.0
-0.0		Min	-2.739	-1.892	-20.380	-0.0	-0.0
-0.0	G1		-3.277	2.595	-15.306	0.0	0.0
-0.0	G2		-1.311	1.014	-6.017	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.338	-1.281	0.197	-0.0	-0.0
0.0	Q5_pc Y		-0.333	1.742	-0.054	0.0	-0.0
0.0	Q5_ps X		1.298	-1.212	0.255	-0.0	-0.0
0.0	Q5_ps Y		-0.274	1.668	0.028	0.0	-0.0
0.0	INVS LU	Max	-0.123	4.756	-7.128	0.0	0.0
-0.0		Min	-11.085	-9.743	-85.594	0.0	0.0
0.0	INVS LE	Max	-0.004	2.950	-5.311	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-7.934	-7.558	-63.408	0.0	0.0
-0.0							
5423	C1-C2;~1	Max	0.994	4.804	17.950	0.0	0.0
0.0		Min	-3.710	-3.122	-30.925	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.079	4.786	18.479	0.0	0.0
0.0		Min	-5.043	-3.626	-36.545	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.507	2.427	9.207	0.0	0.0
0.0		Min	-1.961	-1.631	-16.602	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.551	2.446	9.487	0.0	0.0
0.0		Min	-2.649	-1.862	-19.272	-0.0	-0.0
-0.0							
	G1		-3.185	2.755	-14.261	0.0	0.0
-0.0							
	G2		-1.273	1.079	-5.602	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.305	-1.310	0.164	-0.0	-0.0
0.0							
	Q5_pc Y		-0.344	1.744	-0.061	-0.0	0.0
0.0							
	Q5_ps X		1.266	-1.241	0.219	-0.0	-0.0
0.0							
	Q5_ps Y		-0.286	1.668	0.016	-0.0	0.0
0.0							
	INVS LU	Max	-0.001	4.988	-5.069	0.0	0.0
0.0		Min	-10.627	-9.532	-79.647	0.0	0.0
-0.0							
	INVS LE	Max	0.093	3.113	-3.749	0.0	0.0
0.0		Min	-7.595	-7.410	-58.970	0.0	0.0
-0.0							
5424	C1-C2;~1	Max	0.981	4.865	17.113	0.0	0.0
0.0		Min	-3.638	-3.102	-29.004	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.067	4.849	17.618	0.0	0.0
0.0		Min	-4.914	-3.579	-34.272	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.493	2.458	8.803	0.0	0.0
0.0		Min	-1.920	-1.618	-15.565	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.537	2.459	9.072	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.577	-1.838	-18.065	-0.0	-0.0
-0.0	G1		-3.091	2.901	-13.145	0.0	0.0
-0.0	G2		-1.234	1.137	-5.164	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.270	-1.342	0.134	-0.0	-0.0
0.0	Q5_pc Y		-0.358	1.742	-0.062	0.0	-0.0
0.0	Q5_ps X		1.231	-1.274	0.187	-0.0	-0.0
0.0	Q5_ps Y		-0.301	1.665	0.011	0.0	-0.0
0.0	INVSLU	Max	0.200	5.205	-3.174	0.0	0.0
-0.0		Min	-10.160	-9.331	-73.467	0.0	0.0
-0.0	INVSLE	Max	0.258	3.267	-2.314	0.0	0.0
-0.0		Min	-7.247	-7.268	-54.365	0.0	0.0
-0.0							
5425	C1-C2;~1	Max	0.973	4.922	16.237	0.0	0.0
0.0		Min	-3.561	-3.092	-27.042	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.059	4.950	16.717	0.0	0.0
0.0		Min	-4.779	-3.547	-31.957	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.481	2.486	8.377	0.0	0.0
0.0		Min	-1.877	-1.609	-14.506	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.524	2.496	8.634	0.0	0.0
0.0		Min	-2.502	-1.820	-16.838	-0.0	-0.0
-0.0							
-0.0	G1		-2.985	3.035	-12.015	0.0	0.0
-0.0	G2		-1.190	1.192	-4.720	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.233	-1.377	0.107	-0.0	-0.0
0.0	Q5_pc Y		-0.371	1.741	-0.064	0.0	-0.0
0.0	Q5_ps X		1.195	-1.308	0.158	-0.0	-0.0
0.0	Q5_ps Y		-0.315	1.662	0.004	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.442	5.420	-1.381	0.0	0.0
0.0		Min	-9.659	-9.186	-67.284	0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	0.444	3.420	-0.958	0.0	0.0
-0.0		Min	-6.874	-7.168	-49.761	0.0	0.0
5426	C1-C2;~1	Max	0.999	4.987	15.286	0.0	0.0
0.0		Min	-3.459	-3.100	-24.987	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.090	5.082	15.739	0.0	0.0
-0.0		Min	-4.611	-3.535	-29.523	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.496	2.517	7.909	0.0	0.0
0.0		Min	-1.820	-1.607	-13.399	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.542	2.552	8.154	0.0	0.0
-0.0		Min	-2.410	-1.810	-15.549	-0.0	-0.0
-0.0	G1		-2.858	3.154	-10.853	0.0	0.0
-0.0	G2		-1.139	1.241	-4.262	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.195	-1.413	0.079	-0.0	-0.0
0.0	Q5_pc Y		-0.382	1.743	-0.068	0.0	-0.0
0.0	Q5_ps X		1.157	-1.344	0.127	-0.0	-0.0
0.0	Q5_ps Y		-0.328	1.661	-0.005	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.746	5.640	0.246	0.0	0.0
-0.0		Min	-9.101	-9.130	-61.001	0.0	0.0
0.0							
-0.0	INVSLE	Max	0.676	3.573	0.269	0.0	0.0
0.0		Min	-6.459	-7.135	-45.089	0.0	0.0
-0.0							
5427	C1-C2;~1	Max	1.022	5.061	14.279	0.0	0.0
0.0		Min	-3.329	-3.124	-22.893	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.116	5.226	14.704	0.0	0.0
-0.0		Min	-4.406	-3.541	-27.050	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.511	2.553	7.409	0.0	0.0
-0.0		Min	-1.748	-1.612	-12.270	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-0.0							
0.0	C3-C4;~2	Max	0.558	2.613	7.639	0.0	0.0
-0.0		Min	-2.299	-1.807	-14.239	-0.0	-0.0
-0.0	G1		-2.710	3.259	-9.697	0.0	0.0
-0.0	G2		-1.079	1.284	-3.806	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.156	-1.450	0.055	-0.0	-0.0
0.0	Q5_pc Y		-0.390	1.747	-0.072	0.0	-0.0
0.0	Q5_ps X		1.119	-1.380	0.100	-0.0	-0.0
0.0	Q5_ps Y		-0.339	1.663	-0.014	0.0	-0.0
0.0	INVS LU	Max	1.058	5.823	1.693	0.0	0.0
-0.0		Min	-8.478	-9.158	-54.805	0.0	0.0
0.0	INVS LE	Max	0.911	3.698	1.357	0.0	0.0
-0.0		Min	-5.998	-7.166	-40.484	0.0	0.0
5428	C1-C2;~1	Max	1.052	5.140	13.209	0.0	0.0
0.0		Min	-3.186	-3.160	-20.730	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.149	5.386	13.604	0.0	0.0
0.0		Min	-4.187	-3.565	-24.482	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.530	2.591	6.874	0.0	0.0
0.0		Min	-1.669	-1.622	-11.106	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.577	2.680	7.089	0.0	0.0
0.0		Min	-2.179	-1.812	-12.882	-0.0	-0.0
-0.0	G1		-2.536	3.358	-8.523	0.0	0.0
-0.0	G2		-1.009	1.325	-3.341	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.117	-1.489	0.031	-0.0	-0.0
0.0	Q5_pc Y		-0.398	1.752	-0.077	-0.0	0.0
0.0	Q5_ps X		1.080	-1.418	0.072	-0.0	-0.0
0.0	Q5_ps Y		-0.348	1.666	-0.025	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	1.426	6.007	2.982	0.0	0.0	
		Min	-7.788	-9.232	-48.573	0.0	-0.0	
-0.0								
0.0	INVS LE	Max	1.188	3.823	2.323	0.0	0.0	
		Min	-5.489	-7.231	-35.856	0.0	-0.0	
-0.0								
5429 0.0	C1-C2;~1	Max	1.125	5.252	12.025	0.0	0.0	
		Min	-3.049	-3.181	-18.520	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.228	5.541	12.385	0.0	0.0	
		Min	-3.974	-3.580	-21.868	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.572	2.657	6.273	0.0	0.0	
		Min	-1.592	-1.626	-9.919	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.622	2.743	6.470	0.0	0.0	
		Min	-2.061	-1.813	-11.501	-0.0	-0.0	
-0.0								
-0.0	G1		-2.324	3.469	-7.407	0.0	0.0	
-0.0	G2		-0.924	1.371	-2.904	0.0	0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X		1.076	-1.530	0.010	-0.0	0.0	
0.0	Q5_pc Y		-0.408	1.756	-0.077	-0.0	0.0	
0.0	Q5_ps X		1.040	-1.459	0.048	-0.0	0.0	
0.0	Q5_ps Y		-0.360	1.667	-0.029	-0.0	0.0	
-0.0								
-0.0	INVS LU	Max	1.975	6.247	3.808	0.0	0.0	
		Min	-6.984	-9.227	-42.573	0.0	0.0	
-0.0								
-0.0	INVS LE	Max	1.601	3.992	2.937	0.0	0.0	
		Min	-4.892	-7.236	-31.409	0.0	0.0	
-0.0								
5430 0.0	C1-C2;~1	Max	1.199	5.411	10.815	0.0	0.0	
		Min	-2.913	-3.212	-16.335	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.308	5.778	11.140	0.0	0.0	
		Min	-3.760	-3.607	-19.294	-0.0	-0.0	
-0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.613	2.732	5.655	0.0	0.0
		Min	-1.515	-1.634	-8.744	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.667	2.870	5.833	0.0	0.0
		Min	-1.943	-1.819	-10.142	-0.0	-0.0
-0.0							
-0.0	G1		-2.110	3.545	-6.340	0.0	0.0
-0.0	G2		-0.838	1.403	-2.485	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.034	-1.576	-0.005	-0.0	0.0
0.0	Q5_pc Y		-0.419	1.758	-0.077	-0.0	0.0
0.0	Q5_ps X		0.998	-1.504	0.030	-0.0	0.0
0.0	Q5_ps Y		-0.374	1.667	-0.034	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.520	6.516	4.425	0.0	0.0
		Min	-6.183	-9.319	-36.799	0.0	0.0
-0.0							
0.0	INVSLE	Max	2.010	4.181	3.395	0.0	0.0
		Min	-4.298	-7.314	-27.131	0.0	0.0
-0.0							
5431	C1-C2;~1	Max	1.252	5.545	9.531	0.0	0.0
0.0		Min	-2.771	-3.268	-14.141	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.368	5.990	9.817	0.0	0.0
		Min	-3.538	-3.662	-16.703	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.643	2.803	4.995	0.0	0.0
		Min	-1.436	-1.653	-7.566	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.700	2.980	5.152	0.0	0.0
		Min	-1.821	-1.837	-8.776	-0.0	-0.0
-0.0							
-0.0	G1		-1.908	3.552	-5.332	0.0	0.0
-0.0	G2		-0.758	1.407	-2.088	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.986	-1.627	-0.018	-0.0	0.0
0.0	Q5_pc Y		-0.433	1.757	-0.076	-0.0	0.0
0.0	Q5_ps X		0.951	-1.555	0.013	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.390	1.663	-0.039	-0.0	0.0
0.0	INVS LU	Max	2.974	6.569	4.683	0.0	0.0
-0.0		Min	-5.423	-9.622	-31.256	0.0	-0.0
0.0	INVS LE	Max	2.351	4.209	3.581	0.0	0.0
-0.0		Min	-3.738	-7.551	-23.030	0.0	-0.0
5432	C1-C2;~1	Max	1.232	5.665	8.211	0.0	0.0
0.0		Min	-2.638	-3.312	-12.005	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.352	6.188	8.456	0.0	0.0
-0.0		Min	-3.326	-3.704	-14.188	-0.0	-0.0
0.0	C1-C2;~2	Max	0.631	2.866	4.311	0.0	0.0
-0.0		Min	-1.364	-1.667	-6.419	-0.0	-0.0
0.0	C3-C4;~2	Max	0.690	3.085	4.446	0.0	0.0
-0.0		Min	-1.707	-1.850	-7.451	-0.0	-0.0
-0.0	G1		-1.787	3.561	-4.421	0.0	0.0
-0.0	G2		-0.709	1.413	-1.728	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.935	-1.686	-0.026	-0.0	0.0
0.0	Q5_pc Y		-0.447	1.748	-0.075	-0.0	0.0
0.0	Q5_ps X		0.901	-1.612	0.001	-0.0	0.0
0.0	Q5_ps Y		-0.406	1.652	-0.043	-0.0	0.0
0.0	INVS LU	Max	3.068	6.633	4.614	0.0	0.0
-0.0		Min	-4.930	-9.867	-26.092	0.0	-0.0
0.0	INVS LE	Max	2.420	4.245	3.522	0.0	0.0
-0.0		Min	-3.379	-7.744	-19.213	0.0	-0.0
5433	C1-C2;~1	Max	1.213	5.774	6.850	0.0	0.0
0.0		Min	-2.506	-3.363	-9.854	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.337	6.375	7.053	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.115	-3.754	-11.642	-0.0	-0.0
0.0	C1-C2;~2	Max	0.619	2.923	3.604	0.0	0.0
-0.0		Min	-1.292	-1.684	-5.266	-0.0	-0.0
0.0	C3-C4;~2	Max	0.679	3.182	3.716	0.0	0.0
-0.0		Min	-1.594	-1.866	-6.111	-0.0	-0.0
-0.0		G1	-1.665	3.545	-3.531	0.0	0.0
-0.0		G2	-0.660	1.408	-1.377	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.881	-1.750	-0.038	-0.0	0.0
0.0	Q5_pc Y		-0.465	1.735	-0.078	-0.0	0.0
0.0	Q5_ps X		0.849	-1.674	-0.015	-0.0	0.0
0.0	Q5_ps Y		-0.426	1.637	-0.050	-0.0	0.0
0.0	INVSLU	Max	3.159	6.630	4.368	0.0	0.0
-0.0		Min	-4.437	-10.194	-21.010	0.0	-0.0
0.0	INVSLE	Max	2.487	4.231	3.329	0.0	0.0
-0.0		Min	-3.022	-7.998	-15.460	0.0	-0.0
5434	C1-C2;~1	Max	1.208	5.872	5.501	0.0	0.0
0.0		Min	-2.378	-3.413	-7.849	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.337	6.549	5.657	0.0	0.0
-0.0		Min	-2.913	-3.797	-9.278	-0.0	-0.0
0.0	C1-C2;~2	Max	0.614	2.973	2.899	0.0	0.0
-0.0		Min	-1.222	-1.702	-4.193	-0.0	-0.0
0.0	C3-C4;~2	Max	0.677	3.273	2.985	0.0	0.0
-0.0		Min	-1.485	-1.880	-4.867	-0.0	-0.0
-0.0		G1	-1.533	3.527	-2.786	0.0	0.0
-0.0		G2	-0.608	1.401	-1.086	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.827	-1.817	-0.038	-0.0	0.0
0.0	Q5_pc Y		-0.488	1.715	-0.066	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
0.0	Q5_ps X		0.796	-1.740	-0.019	-0.0	0.0
0.0	Q5_ps Y		-0.451	1.616	-0.043	-0.0	0.0
0.0							
0.0	INVS LU	Max	3.302	6.681	3.751	0.0	0.0
0.0		Min	-3.923	-10.557	-16.532	0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.593	4.254	2.858	0.0	0.0
0.0		Min	-2.649	-8.273	-12.157	0.0	-0.0
-0.0							
5435	C1-C2;~1	Max	1.205	5.954	4.143	0.0	0.0
0.0		Min	-2.257	-3.487	-5.886	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.338	6.703	4.255	0.0	0.0
0.0		Min	-2.720	-3.863	-6.971	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.611	3.015	2.186	0.0	0.0
0.0		Min	-1.156	-1.737	-3.141	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.676	3.352	2.248	0.0	0.0
0.0		Min	-1.381	-1.909	-3.655	-0.0	-0.0
-0.0							
-0.0	G1		-1.403	3.483	-2.092	0.0	0.0
-0.0	G2		-0.557	1.385	-0.815	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.773	-1.885	-0.036	-0.0	0.0
0.0	Q5_pc Y		-0.511	1.695	-0.058	-0.0	0.0
0.0	Q5_ps X		0.743	-1.806	-0.021	-0.0	0.0
0.0	Q5_ps Y		-0.474	1.595	-0.039	-0.0	0.0
0.0							
0.0	INVS LU	Max	3.449	6.659	2.982	0.0	0.0
0.0		Min	-3.420	-10.998	-12.279	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.702	4.222	2.273	0.0	0.0
0.0		Min	-2.283	-8.606	-9.023	-0.0	-0.0
-0.0							
5436	C1-C2;~1	Max	1.202	6.011	2.747	0.0	0.0
0.0		Min	-2.141	-3.608	-3.951	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.338	6.822	2.811	0.0	0.0
-0.0		Min	-2.537	-3.977	-4.693	-0.0	-0.0
0.0	C1-C2;~2	Max	0.607	3.043	1.452	0.0	0.0
-0.0		Min	-1.093	-1.806	-2.106	-0.0	-0.0
0.0	C3-C4;~2	Max	0.673	3.414	1.487	0.0	0.0
-0.0		Min	-1.283	-1.972	-2.457	-0.0	-0.0
-0.0	G1		-1.278	3.405	-1.467	0.0	0.0
-0.0	G2		-0.508	1.355	-0.570	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.723	-1.948	-0.032	-0.0	0.0
0.0	Q5_pc Y		-0.529	1.682	-0.049	-0.0	0.0
0.0	Q5_ps X		0.695	-1.867	-0.022	-0.0	0.0
0.0	Q5_ps Y		-0.494	1.581	-0.033	-0.0	0.0
0.0	INVSLU	Max	3.595	6.534	1.941	0.0	0.0
-0.0		Min	-2.937	-11.552	-8.278	-0.0	-0.0
0.0	INVSLE	Max	2.811	4.115	1.484	0.0	0.0
-0.0		Min	-1.931	-9.023	-6.079	-0.0	-0.0
5437	C1-C2;~1	Max	1.203	6.044	1.339	0.0	0.0
0.0		Min	-2.032	-3.732	-2.056	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.336	6.904	1.357	0.0	0.0
-0.0		Min	-2.368	-4.116	-2.462	-0.0	-0.0
0.0	C1-C2;~2	Max	0.606	3.059	0.708	0.0	0.0
-0.0		Min	-1.033	-1.877	-1.092	-0.0	-0.0
0.0	C3-C4;~2	Max	0.670	3.455	0.717	0.0	0.0
-0.0		Min	-1.192	-2.052	-1.287	-0.0	-0.0
0.0	G1		-1.155	3.299	-0.893	0.0	0.0
0.0	G2		-0.460	1.315	-0.345	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.680	-2.002	-0.024	-0.0	0.0
-0.0	Q5_pc Y		-0.539	1.680	-0.039	-0.0	0.0
0.0	Q5_ps X		0.653	-1.920	-0.018	-0.0	0.0
-0.0	Q5_ps Y		-0.505	1.578	-0.027	-0.0	0.0
0.0	INVS LU	Max	3.765	6.324	0.710	0.0	0.0
-0.0		Min	-2.461	-12.156	-4.516	-0.0	-0.0
0.0	INVS LE	Max	2.938	3.947	0.552	0.0	0.0
-0.0		Min	-1.584	-9.476	-3.314	-0.0	-0.0
5438	C1-C2;~1	Max	1.221	6.057	0.000	0.0	0.0
0.0		Min	-1.924	-3.843	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.350	6.949	0.000	0.0	0.0
-0.0		Min	-2.207	-4.249	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	0.616	3.064	0.000	0.0	0.0
-0.0		Min	-0.973	-1.938	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	0.676	3.478	0.000	0.0	0.0
-0.0		Min	-1.105	-2.128	0.000	-0.0	-0.0
-0.0	G1		-1.011	3.181	0.000	0.0	0.0
-0.0	G2		-0.403	1.270	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.649	-2.042	0.000	-0.0	0.0
-0.0	Q5_pc Y		-0.538	1.694	0.000	-0.0	0.0
0.0	Q5_ps X		0.622	-1.958	0.000	-0.0	0.0
-0.0	Q5_ps Y		-0.505	1.591	0.000	-0.0	0.0
0.0	INVS LU	Max	4.038	6.081	0.000	0.0	0.0
-0.0		Min	-1.932	-12.712	0.000	-0.0	-0.0
0.0	INVS LE	Max	3.142	3.757	0.000	0.0	0.0
-0.0		Min	-1.194	-9.891	0.000	-0.0	-0.0
5439	C1-C2;~1	Max	1.271	6.075	1.323	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.814	-3.912	-1.778	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.391	6.990	1.487	0.0	0.0
0.0		Min	-2.056	-4.348	-1.917	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.644	3.074	0.717	0.0	0.0
0.0		Min	-0.911	-1.975	-0.950	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.698	3.501	0.790	0.0	0.0
0.0		Min	-1.021	-2.185	-1.033	-0.0	-0.0
-0.0							
-0.0	G1		-0.828	3.116	-0.626	-0.0	-0.0
-0.0	G2		-0.332	1.246	-0.234	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.641	-2.068	0.003	-0.0	0.0
0.0	Q5_pc Y		-0.510	1.721	-0.010	-0.0	0.0
-0.0	Q5_ps X		0.614	-1.984	0.000	-0.0	0.0
0.0	Q5_ps Y		-0.480	1.619	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	4.506	6.006	0.529	0.0	0.0
0.0		Min	-1.300	-13.023	-4.086	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.492	3.698	0.374	0.0	0.0
0.0		Min	-0.723	-10.121	-3.042	-0.0	-0.0
-0.0							
5440	C1-C2;~1	Max	1.323	6.088	2.750	0.0	0.0
0.0		Min	-1.717	-3.957	-3.436	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.427	7.017	3.126	0.0	0.0
0.0		Min	-1.926	-4.431	-3.670	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.674	3.083	1.486	0.0	0.0
0.0		Min	-0.855	-1.998	-1.839	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.718	3.517	1.655	0.0	0.0
0.0		Min	-0.949	-2.232	-1.978	-0.0	-0.0
-0.0							
-0.0	G1		-0.660	3.073	-0.937	-0.0	-0.0
-0.0	G2		-0.266	1.231	-0.349	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.642	-2.081	0.018	-0.0	0.0
0.0	Q5_pc Y		-0.474	1.764	-0.003	-0.0	0.0
-0.0	Q5_ps X		0.614	-1.996	0.012	-0.0	0.0
0.0	Q5_ps Y		-0.445	1.662	0.010	-0.0	0.0
-0.0							
	INVS LU	Max	4.984	5.989	1.681	0.0	0.0
0.0		Min	-0.699	-13.211	-7.525	-0.0	-0.0
-0.0							
	INVS LE	Max	3.851	3.686	1.204	0.0	0.0
0.0		Min	-0.273	-10.259	-5.613	-0.0	-0.0
-0.0							
5441	C1-C2;~1	Max	1.369	6.087	4.137	0.0	0.0
0.0		Min	-1.630	-3.991	-5.102	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.455	7.022	4.723	0.0	0.0
0.0		Min	-1.814	-4.508	-5.432	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.703	3.085	2.233	0.0	0.0
0.0		Min	-0.804	-2.013	-2.735	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.734	3.521	2.497	0.0	0.0
0.0		Min	-0.886	-2.275	-2.932	-0.0	-0.0
-0.0							
	G1		-0.512	3.028	-1.296	-0.0	-0.0
-0.0							
	G2		-0.208	1.215	-0.484	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.649	-2.085	0.035	-0.0	0.0
-0.0	Q5_pc Y		-0.432	1.817	0.005	-0.0	0.0
-0.0	Q5_ps X		0.620	-2.001	0.025	-0.0	0.0
-0.0	Q5_ps Y		-0.404	1.714	0.021	-0.0	0.0
-0.0							
	INVS LU	Max	5.434	5.961	2.612	0.0	0.0
0.0		Min	-0.146	-13.357	-11.160	-0.0	-0.0
-0.0							
	INVS LE	Max	4.191	3.667	1.866	0.0	0.0
0.0		Min	0.143	-10.364	-8.330	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5442	C1-C2;~1	Max	1.409	6.075	5.457	0.0	0.0
0.0		Min	-1.571	-4.019	-6.769	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.470	7.007	6.238	0.0	0.0
0.0		Min	-1.746	-4.582	-7.193	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.733	3.080	2.943	0.0	0.0
0.0		Min	-0.771	-2.025	-3.634	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.743	3.516	3.297	0.0	0.0
0.0		Min	-0.852	-2.318	-3.888	-0.0	-0.0
-0.0							
	G1		-0.390	2.976	-1.728	-0.0	-0.0
-0.0							
	G2		-0.159	1.196	-0.646	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.658	-2.085	0.053	-0.0	0.0
-0.0							
	Q5_pc Y		-0.388	1.874	0.008	-0.0	0.0
-0.0							
	Q5_ps X		0.629	-2.001	0.040	-0.0	0.0
-0.0							
	Q5_ps Y		-0.361	1.771	0.027	-0.0	0.0
-0.0							
	INVSLU	Max	5.833	5.904	3.225	0.0	-0.0
0.0		Min	0.307	-13.494	-15.002	-0.0	-0.0
-0.0							
	INVSLE	Max	4.492	3.629	2.291	0.0	-0.0
0.0		Min	0.487	-10.463	-11.204	-0.0	-0.0
-0.0							
5443	C1-C2;~1	Max	1.475	6.057	6.740	0.0	0.0
0.0		Min	-1.553	-4.044	-8.448	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.478	6.984	7.714	0.0	0.0
0.0		Min	-1.721	-4.657	-8.972	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.771	3.073	3.634	0.0	0.0
0.0		Min	-0.768	-2.035	-4.542	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.742	3.505	4.076	0.0	0.0
0.0		Min	-0.848	-2.360	-4.855	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.287	2.921	-2.211	-0.0	-0.0
-0.0	G2		-0.118	1.176	-0.828	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.667	-2.084	0.070	-0.0	0.0
-0.0	Q5_pc Y		-0.347	1.930	0.011	-0.0	0.0
-0.0	Q5_ps X		0.637	-2.001	0.053	-0.0	0.0
-0.0	Q5_ps Y		-0.320	1.828	0.033	-0.0	0.0
0.0	INVS LU	Max	6.184	5.838	3.629	0.0	-0.0
-0.0		Min	0.664	-13.628	-19.023	-0.0	-0.0
0.0	INVS LE	Max	4.758	3.582	2.558	0.0	-0.0
-0.0		Min	0.758	-10.559	-14.212	-0.0	-0.0
5444	C1-C2;~1	Max	1.533	6.048	7.926	0.0	0.0
0.0		Min	-1.541	-4.075	-10.109	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.476	6.973	9.074	0.0	0.0
-0.0		Min	-1.699	-4.727	-10.738	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.803	3.070	4.273	0.0	0.0
-0.0		Min	-0.769	-2.051	-5.443	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.760	3.502	4.794	0.0	0.0
-0.0		Min	-0.844	-2.400	-5.821	-0.0	-0.0
-0.0							
-0.0	G1		-0.195	2.880	-2.780	-0.0	-0.0
-0.0	G2		-0.082	1.161	-1.047	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.674	-2.087	0.091	-0.0	0.0
-0.0	Q5_pc Y		-0.311	1.980	0.020	-0.0	0.0
0.0	Q5_ps X		0.643	-2.004	0.071	-0.0	0.0
-0.0	Q5_ps Y		-0.285	1.879	0.047	-0.0	0.0
0.0	INVS LU	Max	6.575	5.820	3.643	0.0	-0.0
-0.0		Min	1.000	-13.731	-23.267	-0.0	-0.0
-0.0							
	INVS LE	Max	5.054	3.573	2.534	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	1.014	-10.631	-17.387	-0.0	-0.0
-0.0							
5445	C1-C2;~1	Max	1.581	6.038	9.066	0.0	0.0
0.0		Min	-1.535	-4.117	-11.753	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.510	6.963	10.379	0.0	0.0
0.0		Min	-1.684	-4.795	-12.478	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.830	3.067	4.887	0.0	0.0
0.0		Min	-0.771	-2.075	-6.339	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.780	3.499	5.483	0.0	0.0
0.0		Min	-0.843	-2.439	-6.774	-0.0	-0.0
-0.0							
0.0	G1		-0.122	2.841	-3.374	-0.0	-0.0
0.0	G2		-0.053	1.146	-1.277	-0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.678	-2.092	0.111	-0.0	0.0
0.0	Q5_pc Y		-0.279	2.026	0.021	-0.0	0.0
-0.0							
0.0	Q5_ps X		0.647	-2.008	0.087	-0.0	0.0
0.0	Q5_ps Y		-0.253	1.925	0.052	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.912	5.804	3.478	0.0	-0.0
0.0		Min	1.283	-13.834	-27.579	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.309	3.564	2.376	0.0	-0.0
0.0		Min	1.230	-10.704	-20.615	-0.0	-0.0
-0.0							
5446	C1-C2;~1	Max	1.627	5.956	10.124	0.0	0.0
0.0		Min	-1.508	-4.161	-13.406	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.546	6.866	11.589	0.0	0.0
0.0		Min	-1.641	-4.864	-14.235	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.855	3.023	5.457	0.0	0.0
0.0		Min	-0.768	-2.100	-7.242	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.800	3.447	6.122	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.835	-2.479	-7.741	-0.0	-0.0
-0.0	G1		0.021	2.719	-4.066	-0.0	-0.0
0.0	G2		0.003	1.098	-1.544	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.687	-2.108	0.131	-0.0	0.0
0.0	Q5_pc Y		-0.252	2.061	0.019	-0.0	0.0
-0.0	Q5_ps X		0.655	-2.024	0.104	-0.0	0.0
0.0	Q5_ps Y		-0.226	1.962	0.055	-0.0	0.0
-0.0							
	INVSLU	Max	7.469	5.438	2.907	-0.0	-0.0
0.0		Min	1.820	-14.192	-32.192	-0.0	-0.0
-0.0							
	INVSLE	Max	5.731	3.290	1.913	-0.0	-0.0
0.0		Min	1.638	-10.969	-24.069	-0.0	-0.0
-0.0							
5447	C1-C2;~1	Max	1.654	5.851	11.063	0.0	0.0
0.0		Min	-1.501	-4.194	-15.017	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.567	6.743	12.661	0.0	0.0
0.0		Min	-1.627	-4.918	-15.944	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.869	2.965	5.963	0.0	0.0
0.0		Min	-0.773	-2.121	-8.127	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.811	3.381	6.689	0.0	0.0
0.0		Min	-0.837	-2.511	-8.687	-0.0	-0.0
-0.0							
	G1		0.105	2.584	-4.837	-0.0	-0.0
0.0	G2		0.035	1.045	-1.840	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.691	-2.130	0.150	-0.0	0.0
0.0	Q5_pc Y		-0.232	2.086	0.010	-0.0	0.0
-0.0	Q5_ps X		0.658	-2.045	0.119	-0.0	0.0
0.0	Q5_ps Y		-0.206	1.989	0.051	-0.0	0.0
-0.0							
	INVSLU	Max	7.854	4.988	1.871	-0.0	-0.0
0.0		Min	2.180	-14.588	-37.017	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	6.024	2.954	1.102	-0.0	-0.0
-0.0		Min	1.914	-11.263	-27.684	-0.0	-0.0
5448	C1-C2;~1	Max	1.666	5.737	11.922	0.0	0.0
0.0		Min	-1.511	-4.220	-16.598	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.578	6.610	13.642	0.0	0.0
-0.0		Min	-1.634	-4.961	-17.631	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.874	2.901	6.427	0.0	0.0
-0.0		Min	-0.783	-2.137	-8.998	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.817	3.309	7.207	0.0	0.0
-0.0		Min	-0.846	-2.537	-9.624	-0.0	-0.0
0.0	G1		0.152	2.451	-5.659	-0.0	-0.0
0.0	G2		0.053	0.993	-2.156	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.694	-2.152	0.172	0.0	0.0
-0.0	Q5_pc Y		-0.218	2.106	0.000	-0.0	0.0
0.0	Q5_ps X		0.661	-2.066	0.138	0.0	0.0
-0.0	Q5_ps Y		-0.191	2.011	0.046	-0.0	0.0
0.0	INVSLE	Max	8.137	4.521	0.522	0.0	-0.0
-0.0		Min	2.433	-14.974	-42.007	-0.0	-0.0
0.0	INVSLE	Max	6.242	2.603	0.056	0.0	-0.0
-0.0		Min	2.109	-11.551	-31.424	-0.0	-0.0
5449	C1-C2;~1	Max	1.680	5.652	12.626	0.0	0.0
0.0		Min	-1.541	-4.243	-18.083	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.593	6.512	14.444	0.0	0.0
-0.0		Min	-1.665	-5.000	-19.219	-0.0	-0.0
0.0	C1-C2;~2	Max	0.879	2.854	6.806	0.0	0.0
-0.0		Min	-0.802	-2.153	-9.820	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.822	3.255	7.631	0.0	0.0
-0.0		Min	-0.866	-2.560	-10.511	-0.0	-0.0
0.0	G1		0.188	2.357	-6.540	-0.0	-0.0
0.0	G2		0.067	0.955	-2.499	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.700	-2.167	0.191	-0.0	0.0
-0.0	Q5_pc Y		-0.206	2.127	-0.012	0.0	-0.0
0.0	Q5_ps X		0.666	-2.080	0.153	-0.0	0.0
-0.0	Q5_ps Y		-0.178	2.034	0.040	0.0	-0.0
0.0	INVSLU	Max	8.422	4.204	-1.344	-0.0	-0.0
-0.0		Min	2.645	-15.236	-47.133	-0.0	-0.0
0.0	INVSLE	Max	6.461	2.366	-1.379	-0.0	-0.0
-0.0		Min	2.275	-11.745	-35.271	-0.0	-0.0
5450	C1-C2;~1	Max	1.714	5.562	13.238	0.0	0.0
0.0		Min	-1.604	-4.246	-19.480	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.665	6.407	15.140	0.0	0.0
-0.0		Min	-1.738	-5.013	-20.706	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.892	2.804	7.137	0.0	0.0
0.0		Min	-0.834	-2.158	-10.599	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.835	3.199	7.998	0.0	0.0
-0.0		Min	-0.902	-2.569	-11.346	-0.0	-0.0
0.0	G1		0.204	2.283	-7.419	-0.0	-0.0
0.0	G2		0.073	0.926	-2.840	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.708	-2.179	0.210	-0.0	0.0
-0.0	Q5_pc Y		-0.195	2.149	-0.029	0.0	-0.0
0.0	Q5_ps X		0.672	-2.092	0.170	-0.0	0.0
-0.0	Q5_ps Y		-0.167	2.058	0.029	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	8.685	3.917	-3.457	-0.0	-0.0
		Min	2.751	-15.421	-52.228	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.664	2.152	-2.999	-0.0	-0.0
		Min	2.363	-11.883	-39.098	-0.0	-0.0
-0.0							
5451 0.0	C1-C2;~1	Max	1.761	5.453	13.751	0.0	0.0
		Min	-1.681	-4.220	-20.786	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.734	6.280	15.722	0.0	0.0
		Min	-1.825	-4.997	-22.100	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.910	2.743	7.414	0.0	0.0
		Min	-0.870	-2.147	-11.328	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.852	3.129	8.306	0.0	0.0
		Min	-0.943	-2.562	-12.131	-0.0	-0.0
-0.0							
0.0	G1		0.195	2.226	-8.300	-0.0	-0.0
0.0	G2		0.070	0.903	-3.182	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.715	-2.190	0.233	-0.0	0.0
-0.0	Q5_pc Y		-0.186	2.171	-0.049	0.0	-0.0
0.0	Q5_ps X		0.679	-2.103	0.190	-0.0	0.0
-0.0	Q5_ps Y		-0.157	2.081	0.015	0.0	-0.0
0.0	INVS LU	Max	8.897	3.612	-5.839	-0.0	-0.0
-0.0		Min	2.770	-15.555	-57.317	-0.0	-0.0
0.0	INVS LE	Max	6.828	1.923	-4.824	-0.0	-0.0
-0.0		Min	2.384	-11.982	-42.924	-0.0	-0.0
5452 0.0	C1-C2;~1	Max	1.797	5.325	14.172	0.0	0.0
-0.0		Min	-1.753	-4.166	-21.987	-0.0	-0.0
0.0	C3-C4;~1	Max	1.787	6.132	16.198	0.0	0.0
-0.0		Min	-1.907	-4.960	-23.374	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.925	2.671	7.641	0.0	0.0
		Min	-0.904	-2.120	-12.003	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.889	3.047	8.558	0.0	0.0
		Min	-0.981	-2.546	-12.852	-0.0	-0.0
-0.0							
0.0	G1		0.165	2.181	-9.159	-0.0	-0.0
0.0	G2		0.058	0.885	-3.514	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.723	-2.202	0.255	-0.0	0.0
0.0	Q5_pc Y		-0.177	2.193	-0.072	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.686	-2.114	0.209	-0.0	0.0
0.0	Q5_ps Y		-0.147	2.103	-0.003	0.0	-0.0
-0.0							
0.0	INVSLU	Max	9.026	3.288	-8.416	-0.0	-0.0
		Min	2.725	-15.648	-62.298	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.928	1.679	-6.795	-0.0	-0.0
		Min	2.357	-12.054	-46.673	-0.0	-0.0
-0.0							
5453	C1-C2;~1	Max	1.821	5.195	14.528	0.0	0.0
0.0		Min	-1.823	-4.102	-23.119	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.829	5.978	16.602	0.0	0.0
		Min	-1.987	-4.911	-24.581	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.932	2.597	7.833	0.0	0.0
		Min	-0.936	-2.087	-12.642	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.905	2.963	8.772	0.0	0.0
		Min	-1.018	-2.522	-13.539	-0.0	-0.0
-0.0							
0.0	G1		0.118	2.145	-10.007	-0.0	-0.0
0.0	G2		0.040	0.871	-3.841	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.731	-2.212	0.279	0.0	0.0
0.0	Q5_pc Y		-0.171	2.213	-0.096	-0.0	0.0
-0.0							
0.0	Q5_ps X		0.693	-2.124	0.231	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.141	2.124	-0.022	-0.0	0.0
0.0	INVS LU	Max	9.094	2.979	-11.111	-0.0	-0.0
-0.0		Min	2.628	-15.704	-67.209	-0.0	-0.0
0.0	INVS LE	Max	6.983	1.448	-8.854	-0.0	-0.0
-0.0		Min	2.290	-12.097	-50.371	-0.0	-0.0
5454 0.0	C1-C2;~1	Max	1.835	5.091	14.782	0.0	0.0
-0.0		Min	-1.905	-4.057	-24.116	-0.0	-0.0
0.0	C3-C4;~1	Max	1.872	5.856	16.889	0.0	0.0
-0.0		Min	-2.115	-4.879	-25.649	-0.0	-0.0
0.0	C1-C2;~2	Max	0.934	2.539	7.971	0.0	0.0
-0.0		Min	-0.974	-2.065	-13.207	-0.0	-0.0
0.0	C3-C4;~2	Max	0.920	2.896	8.924	0.0	0.0
-0.0		Min	-1.086	-2.508	-14.150	-0.0	-0.0
0.0	G1		0.054	2.115	-10.817	-0.0	-0.0
0.0	G2		0.015	0.858	-4.158	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.741	-2.217	0.297	-0.0	0.0
-0.0	Q5_pc Y		-0.169	2.230	-0.114	0.0	-0.0
-0.0	Q5_ps X		0.703	-2.129	0.247	-0.0	0.0
-0.0	Q5_ps Y		-0.137	2.142	-0.035	0.0	-0.0
0.0	INVS LU	Max	9.151	2.765	-13.909	-0.0	-0.0
-0.0		Min	2.434	-15.743	-71.870	-0.0	-0.0
0.0	INVS LE	Max	7.029	1.287	-10.986	-0.0	-0.0
-0.0		Min	2.152	-12.125	-53.881	-0.0	-0.0
5455 0.0	C1-C2;~1	Max	1.842	4.987	14.993	0.0	0.0
-0.0		Min	-1.986	-3.998	-25.045	-0.0	-0.0
0.0	C3-C4;~1	Max	1.911	5.734	17.127	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.240	-4.831	-26.640	-0.0	-0.0
0.0	C1-C2;~2	Max	0.931	2.479	8.085	0.0	0.0
-0.0		Min	-1.011	-2.035	-13.737	-0.0	-0.0
0.0	C3-C4;~2	Max	0.932	2.828	9.050	0.0	0.0
-0.0		Min	-1.153	-2.484	-14.720	-0.0	-0.0
0.0	G1		-0.018	2.100	-11.594	0.0	-0.0
0.0	G2		-0.013	0.852	-4.460	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.752	-2.220	0.314	-0.0	0.0
-0.0	Q5_pc Y		-0.168	2.246	-0.135	0.0	-0.0
-0.0	Q5_ps X		0.713	-2.132	0.261	-0.0	0.0
-0.0	Q5_ps Y		-0.135	2.159	-0.051	0.0	-0.0
0.0	INVSLU	Max	9.171	2.585	-16.686	-0.0	-0.0
-0.0		Min	2.214	-15.721	-76.336	-0.0	-0.0
0.0	INVSLE	Max	7.047	1.153	-13.100	-0.0	-0.0
-0.0		Min	1.994	-12.108	-57.243	-0.0	-0.0
5456	C1-C2;~1	Max	1.844	4.873	15.149	0.0	0.0
0.0		Min	-2.063	-3.911	-25.900	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.942	5.598	17.301	0.0	0.0
-0.0		Min	-2.360	-4.752	-27.553	-0.0	-0.0
0.0	C1-C2;~2	Max	0.927	2.414	8.169	0.0	0.0
-0.0		Min	-1.045	-1.990	-14.227	-0.0	-0.0
0.0	C3-C4;~2	Max	0.941	2.753	9.143	0.0	0.0
-0.0		Min	-1.217	-2.443	-15.247	-0.0	-0.0
0.0	G1		-0.100	2.107	-12.341	0.0	-0.0
0.0	G2		-0.045	0.855	-4.750	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.763	-2.224	0.329	-0.0	0.0
-0.0	Q5_pc Y		-0.168	2.261	-0.155	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
-0.0	Q5_ps X		0.722	-2.135	0.275	-0.0	0.0
-0.0	Q5_ps Y		-0.135	2.175	-0.067	0.0	-0.0
-0.0							
0.0	INVS LU	Max	9.146	2.425	-19.455	-0.0	-0.0
-0.0		Min	1.966	-15.618	-80.601	-0.0	-0.0
0.0							
-0.0	INVS LE	Max	7.032	1.033	-15.205	-0.0	-0.0
0.0		Min	1.815	-12.031	-60.454	-0.0	-0.0
-0.0							
5457	C1-C2;~1	Max	1.840	4.747	15.253	0.0	0.0
0.0		Min	-2.136	-3.798	-26.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.967	5.449	17.417	0.0	0.0
-0.0		Min	-2.469	-4.644	-28.371	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.921	2.342	8.226	0.0	0.0
0.0		Min	-1.078	-1.929	-14.672	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.949	2.670	9.204	0.0	0.0
-0.0		Min	-1.274	-2.385	-15.723	-0.0	-0.0
0.0							
0.0	G1		-0.190	2.134	-13.043	-0.0	-0.0
0.0	G2		-0.081	0.865	-5.022	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.773	-2.228	0.342	-0.0	0.0
-0.0	Q5_pc Y		-0.169	2.275	-0.176	0.0	-0.0
-0.0	Q5_ps X		0.732	-2.139	0.286	-0.0	0.0
-0.0	Q5_ps Y		-0.135	2.189	-0.085	0.0	-0.0
0.0							
-0.0	INVS LU	Max	9.079	2.279	-22.168	-0.0	-0.0
0.0		Min	1.700	-15.442	-84.599	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.985	0.923	-17.265	-0.0	-0.0
-0.0		Min	1.622	-11.900	-63.465	-0.0	-0.0
5458	C1-C2;~1	Max	1.828	4.621	15.314	0.0	0.0
0.0		Min	-2.229	-3.677	-27.380	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.999	5.298	17.485	0.0	0.0
-0.0		Min	-2.581	-4.529	-29.125	-0.0	-0.0
0.0	C1-C2;~2	Max	0.910	2.270	8.259	0.0	0.0
-0.0		Min	-1.124	-1.864	-15.083	-0.0	-0.0
0.0	C3-C4;~2	Max	0.964	2.586	9.240	0.0	0.0
-0.0		Min	-1.332	-2.324	-16.165	-0.0	-0.0
0.0	G1		-0.293	2.168	-13.718	-0.0	-0.0
0.0	G2		-0.121	0.877	-5.282	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.783	-2.231	0.355	0.0	0.0
-0.0	Q5_pc Y		-0.173	2.286	-0.198	-0.0	0.0
-0.0	Q5_ps X		0.741	-2.142	0.298	0.0	0.0
-0.0	Q5_ps Y		-0.137	2.201	-0.104	-0.0	0.0
0.0	INVSLU	Max	8.988	2.146	-24.827	-0.0	-0.0
-0.0		Min	1.395	-15.235	-88.389	-0.0	-0.0
0.0	INVSLE	Max	6.920	0.823	-19.283	-0.0	-0.0
-0.0		Min	1.400	-11.747	-66.319	-0.0	-0.0
5459	C1-C2;~1	Max	1.807	4.517	15.292	0.0	0.0
0.0		Min	-2.355	-3.589	-27.900	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.040	5.173	17.457	0.0	0.0
-0.0		Min	-2.721	-4.446	-29.688	-0.0	-0.0
0.0	C1-C2;~2	Max	0.891	2.211	8.247	0.0	0.0
-0.0		Min	-1.191	-1.818	-15.387	-0.0	-0.0
0.0	C3-C4;~2	Max	0.982	2.517	9.225	0.0	0.0
-0.0		Min	-1.405	-2.281	-16.496	-0.0	-0.0
0.0	G1		-0.420	2.182	-14.302	0.0	-0.0
0.0	G2		-0.170	0.882	-5.511	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.794	-2.230	0.363	-0.0	0.0
-0.0	Q5_pc Y		-0.179	2.293	-0.213	0.0	-0.0
-0.0	Q5_ps X		0.752	-2.141	0.304	-0.0	0.0
-0.0	Q5_ps Y		-0.143	2.208	-0.115	0.0	-0.0
0.0	INVS LU	Max	8.866	2.032	-27.354	-0.0	-0.0
-0.0		Min	1.010	-15.083	-91.652	-0.0	-0.0
0.0	INVS LE	Max	6.832	0.739	-21.196	-0.0	-0.0
-0.0		Min	1.119	-11.633	-68.776	-0.0	-0.0
5460	C1-C2;~1	Max	1.813	4.413	15.230	0.0	0.0
0.0		Min	-2.486	-3.487	-28.339	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.080	5.048	17.385	0.0	0.0
-0.0		Min	-2.862	-4.346	-30.152	-0.0	-0.0
0.0	C1-C2;~2	Max	0.888	2.151	8.214	0.0	0.0
-0.0		Min	-1.260	-1.763	-15.646	-0.0	-0.0
0.0	C3-C4;~2	Max	1.000	2.448	9.187	0.0	0.0
-0.0		Min	-1.480	-2.228	-16.772	-0.0	-0.0
0.0	G1		-0.553	2.212	-14.831	0.0	-0.0
0.0	G2		-0.222	0.893	-5.717	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.806	-2.228	0.369	-0.0	0.0
-0.0	Q5_pc Y		-0.187	2.298	-0.229	0.0	-0.0
-0.0	Q5_ps X		0.763	-2.139	0.309	-0.0	0.0
-0.0	Q5_ps Y		-0.150	2.213	-0.128	0.0	-0.0
0.0	INVS LU	Max	8.729	1.947	-29.756	0.0	-0.0
-0.0		Min	0.608	-14.872	-94.594	-0.0	-0.0
0.0	INVS LE	Max	6.733	0.677	-23.014	0.0	-0.0
-0.0		Min	0.825	-11.476	-70.993	-0.0	-0.0
5461	C1-C2;~1	Max	1.824	4.320	15.115	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.610	-3.345	-28.683	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.121	4.919	17.251	0.0	0.0
-0.0		Min	-2.995	-4.201	-30.517	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.888	2.101	8.152	0.0	0.0
-0.0		Min	-1.324	-1.685	-15.852	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.021	2.377	9.117	0.0	0.0
-0.0		Min	-1.549	-2.148	-16.993	-0.0	-0.0
0.0							
-0.0		G1	-0.685	2.277	-15.313	0.0	-0.0
-0.0		G2	-0.273	0.918	-5.905	0.0	-0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.817	-2.227	0.373	-0.0	0.0
-0.0	Q5_pc	Y	-0.196	2.303	-0.245	0.0	-0.0
0.0	Q5_ps	X	0.773	-2.138	0.314	-0.0	0.0
-0.0	Q5_ps	Y	-0.157	2.218	-0.142	0.0	-0.0
0.0							
0.0	INVSLU	Max	8.584	1.918	-32.055	0.0	-0.0
-0.0		Min	0.207	-14.538	-97.215	-0.0	-0.0
0.0							
0.0	INVSLE	Max	6.628	0.655	-24.752	0.0	-0.0
-0.0		Min	0.532	-11.227	-72.969	-0.0	-0.0
5462	C1-C2;~1	Max	1.848	4.246	14.959	0.0	0.0
0.0		Min	-2.719	-3.163	-28.935	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.154	4.806	17.072	0.0	0.0
-0.0		Min	-3.112	-4.011	-30.782	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.902	2.067	8.068	0.0	0.0
-0.0		Min	-1.381	-1.585	-16.009	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.038	2.321	9.022	0.0	0.0
-0.0		Min	-1.610	-2.042	-17.158	-0.0	-0.0
0.0							
-0.0		G1	-0.812	2.378	-15.731	0.0	-0.0
-0.0		G2	-0.323	0.957	-6.066	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.827	-2.227	0.377	-0.0	0.0
-0.0	Q5_pc Y	-0.205	2.307	-0.261	0.0	-0.0
0.0	Q5_ps X	0.782	-2.138	0.317	-0.0	0.0
-0.0	Q5_ps Y	-0.166	2.222	-0.157	0.0	-0.0
0.0	INVS LU Max	8.421	1.974	-34.164	0.0	-0.0
-0.0	INVS LU Min	-0.176	-14.080	-99.445	-0.0	-0.0
0.0	INVS LE Max	6.510	0.696	-26.346	-0.0	-0.0
-0.0	INVS LE Min	0.251	-10.888	-74.652	-0.0	-0.0
5463	C1-C2;~1 Max	1.871	4.194	14.762	0.0	0.0
0.0	C1-C2;~1 Min	-2.825	-3.000	-29.104	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.183	4.730	16.846	0.0	0.0
0.0	C3-C4;~1 Min	-3.223	-3.801	-30.951	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.914	2.050	7.962	0.0	0.0
0.0	C1-C2;~2 Min	-1.436	-1.502	-16.119	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.053	2.294	8.903	0.0	0.0
0.0	C3-C4;~2 Min	-1.667	-1.926	-17.269	-0.0	-0.0
-0.0	G1	-0.942	2.498	-16.099	-0.0	-0.0
-0.0	G2	-0.374	1.003	-6.207	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.837	-2.227	0.380	0.0	-0.0
-0.0	Q5_pc Y	-0.216	2.309	-0.279	-0.0	0.0
0.0	Q5_ps X	0.792	-2.137	0.320	0.0	-0.0
-0.0	Q5_ps Y	-0.175	2.224	-0.174	-0.0	0.0
0.0	INVS LU Max	8.237	2.117	-36.111	-0.0	0.0
-0.0	INVS LU Min	-0.567	-13.557	-101.321	-0.0	-0.0
0.0	INVS LE Max	6.375	0.801	-27.816	-0.0	0.0
-0.0	INVS LE Min	-0.035	-10.501	-76.069	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5464	C1-C2;~1	Max	1.901	4.148	14.489	0.0	0.0
0.0		Min	-2.952	-2.905	-29.028	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.220	4.661	16.532	0.0	0.0
0.0		Min	-3.355	-3.624	-30.874	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.930	2.034	7.814	0.0	0.0
0.0		Min	-1.501	-1.464	-16.083	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.072	2.269	8.737	0.0	0.0
0.0		Min	-1.735	-1.829	-17.234	-0.0	-0.0
-0.0							
	G1		-1.092	2.592	-16.336	0.0	-0.0
-0.0							
	G2		-0.432	1.039	-6.301	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.848	-2.224	0.379	-0.0	0.0
-0.0							
	Q5_pc Y		-0.229	2.307	-0.289	0.0	-0.0
0.0							
	Q5_ps X		0.802	-2.134	0.318	-0.0	0.0
-0.0							
	Q5_ps Y		-0.187	2.222	-0.182	0.0	-0.0
0.0							
	INVS LU	Max	8.026	2.227	-37.777	0.0	-0.0
0.0		Min	-1.027	-13.110	-102.457	-0.0	-0.0
-0.0							
	INVS LE	Max	6.220	0.884	-29.070	-0.0	-0.0
0.0		Min	-0.373	-10.169	-76.931	-0.0	-0.0
-0.0							
5465	C1-C2;~1	Max	1.932	4.243	14.191	0.0	0.0
0.0		Min	-3.078	-2.812	-28.879	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.259	4.594	16.192	0.0	0.0
0.0		Min	-3.484	-3.437	-30.716	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.948	2.071	7.654	0.0	0.0
0.0		Min	-1.566	-1.427	-16.008	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.093	2.244	8.557	0.0	0.0
0.0		Min	-1.801	-1.726	-17.153	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.242	2.696	-16.514	0.0	-0.0
-0.0	G2	-0.490	1.080	-6.372	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.859	-2.220	0.377	-0.0	0.0
0.0	Q5_pc Y	-0.243	2.302	-0.299	0.0	-0.0
-0.0	Q5_ps X	0.812	-2.130	0.317	-0.0	0.0
0.0	Q5_ps Y	-0.200	2.217	-0.192	0.0	-0.0
0.0	INVS LU Max	7.810	2.364	-39.220	0.0	0.0
-0.0	Min	-1.488	-12.622	-103.224	-0.0	-0.0
0.0	INVS LE Max	6.061	0.987	-30.156	0.0	0.0
-0.0	Min	-0.712	-9.807	-77.516	-0.0	-0.0
5466 0.0	C1-C2;~1 Max	1.960	4.320	13.851	0.0	0.0
-0.0	Min	-3.194	-2.711	-28.622	-0.0	-0.0
0.0	C3-C4;~1 Max	2.289	4.526	15.802	0.0	0.0
-0.0	Min	-3.601	-3.241	-30.439	-0.0	-0.0
0.0	C1-C2;~2 Max	0.963	2.126	7.470	0.0	0.0
-0.0	Min	-1.625	-1.386	-15.871	-0.0	-0.0
0.0	C3-C4;~2 Max	1.110	2.220	8.352	0.0	0.0
-0.0	Min	-1.861	-1.620	-17.005	-0.0	-0.0
-0.0	G1	-1.389	2.824	-16.617	0.0	-0.0
-0.0	G2	-0.547	1.129	-6.412	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.869	-2.216	0.374	-0.0	0.0
0.0	Q5_pc Y	-0.258	2.297	-0.310	0.0	-0.0
-0.0	Q5_ps X	0.822	-2.125	0.314	-0.0	0.0
0.0	Q5_ps Y	-0.214	2.211	-0.203	0.0	-0.0
0.0	INVS LU Max	7.583	2.546	-40.430	0.0	0.0
-0.0	Min	-1.933	-12.074	-103.529	-0.0	-0.0
0.0	INVS LE Max	5.894	1.122	-31.064	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.039	-9.401	-77.754	-0.0	-0.0
-0.0							
5467	C1-C2;~1	Max	1.980	4.408	13.477	0.0	0.0
0.0		Min	-3.300	-2.605	-28.261	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.311	4.460	15.375	0.0	0.0
0.0		Min	-3.722	-3.113	-30.046	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.975	2.188	7.269	0.0	0.0
0.0		Min	-1.679	-1.344	-15.677	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.121	2.197	8.126	0.0	0.0
0.0		Min	-1.926	-1.569	-16.789	-0.0	-0.0
-0.0							
-0.0	G1		-1.530	2.971	-16.642	0.0	-0.0
-0.0	G2		-0.602	1.186	-6.422	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.879	-2.212	0.370	-0.0	0.0
-0.0	Q5_pc Y		-0.273	2.290	-0.321	0.0	-0.0
0.0	Q5_ps X		0.832	-2.120	0.311	-0.0	0.0
-0.0	Q5_ps Y		-0.229	2.203	-0.214	0.0	-0.0
0.0							
0.0	INVSLU	Max	7.343	2.764	-41.381	0.0	0.0
0.0		Min	-2.384	-11.581	-103.365	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.717	1.285	-31.776	0.0	0.0
0.0		Min	-1.371	-9.036	-77.641	-0.0	-0.0
-0.0							
5468	C1-C2;~1	Max	1.999	4.495	13.066	0.0	0.0
0.0		Min	-3.405	-2.511	-27.808	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.330	4.402	14.906	0.0	0.0
0.0		Min	-3.846	-2.990	-29.548	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.985	2.248	7.047	0.0	0.0
0.0		Min	-1.732	-1.307	-15.431	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.132	2.177	7.878	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.993	-1.520	-16.514	-0.0	-0.0
-0.0	G1		-1.675	3.121	-16.600	-0.0	0.0
-0.0	G2		-0.658	1.244	-6.403	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.890	-2.206	0.365	0.0	-0.0
-0.0	Q5_pc Y		-0.290	2.280	-0.332	-0.0	0.0
0.0	Q5_ps X		0.842	-2.115	0.308	0.0	-0.0
-0.0	Q5_ps Y		-0.245	2.193	-0.227	-0.0	0.0
0.0	INVSLU	Max	7.087	3.124	-42.106	-0.0	0.0
0.0		Min	-2.852	-11.084	-102.776	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.528	1.554	-32.317	-0.0	0.0
0.0		Min	-1.716	-8.667	-77.209	-0.0	-0.0
-0.0							
5469	C1-C2;~1	Max	2.021	4.558	12.606	0.0	0.0
0.0		Min	-3.522	-2.430	-27.160	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.353	4.349	14.380	0.0	0.0
0.0		Min	-3.984	-2.881	-28.855	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.997	2.294	6.799	0.0	0.0
0.0		Min	-1.791	-1.274	-15.070	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.144	2.158	7.600	0.0	0.0
0.0		Min	-2.068	-1.476	-16.124	-0.0	-0.0
-0.0							
-0.0	G1		-1.833	3.245	-16.435	0.0	0.0
-0.0	G2		-0.719	1.292	-6.342	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.901	-2.199	0.357	-0.0	-0.0
-0.0	Q5_pc Y		-0.309	2.266	-0.336	0.0	-0.0
0.0	Q5_ps X		0.852	-2.107	0.301	-0.0	0.0
-0.0	Q5_ps Y		-0.264	2.179	-0.231	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.809	3.478	-42.487	0.0	0.0
0.0		Min	-3.368	-10.644	-101.498	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	5.322	1.818	-32.594	0.0	0.0
-0.0		Min	-2.096	-8.341	-76.259	-0.0	0.0
5470	C1-C2;~1	Max	2.042	4.614	12.127	0.0	0.0
0.0		Min	-3.640	-2.361	-26.438	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.375	4.308	13.834	0.0	0.0
-0.0		Min	-4.122	-2.784	-28.086	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.009	2.334	6.541	0.0	0.0
0.0		Min	-1.851	-1.247	-14.667	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.155	2.145	7.312	0.0	0.0
-0.0		Min	-2.143	-1.437	-15.691	-0.0	-0.0
-0.0	G1		-1.994	3.366	-16.206	0.0	-0.0
-0.0	G2		-0.782	1.338	-6.255	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.912	-2.190	0.349	-0.0	0.0
-0.0	Q5_pc Y		-0.330	2.249	-0.341	0.0	-0.0
0.0	Q5_ps X		0.863	-2.099	0.293	-0.0	0.0
-0.0	Q5_ps Y		-0.283	2.161	-0.236	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.523	3.813	-42.604	0.0	0.0
-0.0		Min	-3.891	-10.222	-99.824	-0.0	0.0
0.0							
-0.0	INVSLE	Max	5.110	2.068	-32.672	0.0	0.0
0.0		Min	-2.483	-8.028	-75.010	-0.0	0.0
-0.0							
5471	C1-C2;~1	Max	2.059	4.671	11.614	0.0	0.0
0.0		Min	-3.774	-2.300	-25.615	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.392	4.296	13.248	0.0	0.0
-0.0		Min	-4.251	-2.692	-27.204	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.017	2.374	6.264	0.0	0.0
-0.0		Min	-1.924	-1.222	-14.209	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.164	2.148	7.002	0.0	0.0
-0.0		Min	-2.213	-1.400	-15.194	-0.0	-0.0
-0.0	G1		-2.150	3.493	-15.895	0.0	-0.0
-0.0	G2		-0.843	1.387	-6.135	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.924	-2.181	0.339	-0.0	0.0
0.0	Q5_pc Y		-0.351	2.230	-0.345	0.0	-0.0
-0.0	Q5_ps X		0.874	-2.089	0.286	-0.0	0.0
0.0	Q5_ps Y		-0.304	2.142	-0.242	0.0	-0.0
-0.0	INVS LU	Max	6.233	4.163	-42.442	0.0	0.0
0.0		Min	-4.397	-9.791	-97.673	-0.0	0.0
-0.0	INVS LE	Max	4.895	2.331	-32.538	0.0	0.0
0.0		Min	-2.856	-7.709	-73.404	-0.0	0.0
-0.0							
5472	C1-C2;~1	Max	2.069	4.735	11.077	0.0	0.0
0.0		Min	-3.898	-2.252	-24.700	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.401	4.323	12.635	0.0	0.0
-0.0		Min	-4.365	-2.613	-26.228	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.023	2.416	5.974	0.0	0.0
-0.0		Min	-1.993	-1.203	-13.698	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.169	2.176	6.678	0.0	0.0
-0.0		Min	-2.275	-1.368	-14.645	-0.0	-0.0
-0.0	G1		-2.300	3.629	-15.506	0.0	0.0
-0.0	G2		-0.901	1.440	-5.984	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.935	-2.171	0.329	-0.0	0.0
0.0	Q5_pc Y		-0.374	2.209	-0.348	0.0	-0.0
-0.0	Q5_ps X		0.885	-2.079	0.277	-0.0	0.0
0.0	Q5_ps Y		-0.326	2.120	-0.248	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	5.942	4.541	-41.983	0.0	0.0
		Min	-4.875	-9.356	-95.075	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.680	2.613	-32.180	0.0	0.0
		Min	-3.208	-7.387	-71.461	-0.0	0.0
-0.0							
5473 0.0	C1-C2;~1	Max	2.077	4.802	10.510	0.0	0.0
		Min	-4.019	-2.221	-23.702	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.408	4.437	11.988	0.0	0.0
		Min	-4.475	-2.552	-25.157	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.027	2.458	5.669	0.0	0.0
		Min	-2.059	-1.190	-13.142	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.172	2.237	6.336	0.0	0.0
		Min	-2.334	-1.344	-14.042	-0.0	-0.0
-0.0							
-0.0	G1		-2.448	3.768	-15.050	-0.0	0.0
-0.0	G2		-0.958	1.493	-5.805	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.947	-2.161	0.319	0.0	-0.0
-0.0	Q5_pc Y		-0.398	2.186	-0.353	-0.0	0.0
0.0	Q5_ps X		0.896	-2.068	0.269	0.0	-0.0
-0.0	Q5_ps Y		-0.349	2.096	-0.257	-0.0	0.0
0.0							
0.0	INVS LU	Max	5.650	4.927	-41.271	-0.0	0.0
		Min	-5.346	-8.936	-92.053	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.462	2.902	-31.630	-0.0	0.0
		Min	-3.556	-7.075	-69.199	-0.0	0.0
-0.0							
5474 0.0	C1-C2;~1	Max	2.086	4.853	9.903	0.0	0.0
		Min	-4.145	-2.205	-22.542	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.416	4.515	11.296	0.0	0.0
		Min	-4.592	-2.517	-23.921	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.032	2.490	5.342	0.0	0.0
-0.0		Min	-2.129	-1.184	-12.495	-0.0	-0.0
0.0	C3-C4;~2	Max	1.176	2.287	5.970	0.0	0.0
-0.0		Min	-2.397	-1.330	-13.346	-0.0	-0.0
-0.0	G1		-2.603	3.881	-14.464	0.0	0.0
-0.0	G2		-1.018	1.537	-5.581	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.959	-2.149	0.305	-0.0	-0.0
0.0	Q5_pc Y		-0.424	2.159	-0.349	0.0	-0.0
-0.0	Q5_ps X		0.907	-2.056	0.257	-0.0	0.0
0.0	Q5_ps Y		-0.374	2.068	-0.255	0.0	-0.0
0.0	INVSLU	Max	5.345	5.244	-40.183	0.0	0.0
-0.0		Min	-5.841	-8.591	-88.353	-0.0	0.0
0.0	INVSLE	Max	4.236	3.141	-30.792	0.0	0.0
-0.0		Min	-3.922	-6.820	-66.428	-0.0	0.0
5475	C1-C2;~1	Max	2.091	4.916	9.287	0.0	0.0
0.0		Min	-4.260	-2.203	-21.335	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.419	4.605	10.593	0.0	0.0
-0.0		Min	-4.696	-2.507	-22.641	-0.0	-0.0
0.0	C1-C2;~2	Max	1.035	2.526	5.009	0.0	0.0
-0.0		Min	-2.192	-1.183	-11.822	-0.0	-0.0
0.0	C3-C4;~2	Max	1.177	2.341	5.599	0.0	0.0
-0.0		Min	-2.454	-1.325	-12.626	-0.0	-0.0
-0.0	G1		-2.748	4.000	-13.828	0.0	0.0
-0.0	G2		-1.074	1.583	-5.337	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.971	-2.136	0.291	-0.0	0.0
0.0	Q5_pc Y		-0.450	2.129	-0.345	0.0	-0.0
-0.0	Q5_ps X		0.919	-2.043	0.245	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.399	2.037	-0.253	0.0	-0.0
0.0	INVS LU	Max	5.055	5.592	-38.837	0.0	0.0
-0.0		Min	-6.298	-8.273	-84.324	-0.0	0.0
0.0	INVS LE	Max	4.020	3.402	-29.759	0.0	0.0
-0.0		Min	-4.260	-6.584	-63.407	-0.0	0.0
5476 0.0	C1-C2;~1	Max	2.092	5.013	8.650	0.0	0.0
-0.0		Min	-4.369	-2.218	-20.053	-0.0	-0.0
0.0	C3-C4;~1	Max	2.418	4.730	9.866	0.0	0.0
-0.0		Min	-4.793	-2.519	-21.281	-0.0	-0.0
0.0	C1-C2;~2	Max	1.035	2.578	4.666	0.0	0.0
-0.0		Min	-2.253	-1.189	-11.108	-0.0	-0.0
0.0	C3-C4;~2	Max	1.177	2.411	5.215	0.0	0.0
-0.0		Min	-2.507	-1.330	-11.863	-0.0	-0.0
-0.0	G1		-2.890	4.148	-13.122	0.0	0.0
-0.0	G2		-1.129	1.640	-5.065	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.983	-2.123	0.276	-0.0	0.0
0.0	Q5_pc Y		-0.478	2.100	-0.340	0.0	-0.0
-0.0	Q5_ps X		0.930	-2.030	0.232	-0.0	0.0
0.0	Q5_ps Y		-0.426	2.007	-0.252	0.0	-0.0
0.0	INVS LU	Max	4.754	6.054	-37.215	0.0	0.0
-0.0		Min	-6.751	-7.936	-79.875	-0.0	0.0
0.0	INVS LE	Max	3.797	3.747	-28.515	0.0	0.0
-0.0		Min	-4.594	-6.333	-60.070	-0.0	0.0
5477 0.0	C1-C2;~1	Max	2.084	5.141	7.994	0.0	0.0
-0.0		Min	-4.450	-2.249	-18.689	-0.0	-0.0
0.0	C3-C4;~1	Max	2.406	4.886	9.118	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.858	-2.551	-19.837	-0.0	-0.0
0.0	C1-C2;~2	Max	1.031	2.644	4.312	0.0	0.0
-0.0		Min	-2.298	-1.201	-10.348	-0.0	-0.0
0.0	C3-C4;~2	Max	1.171	2.496	4.819	0.0	0.0
-0.0		Min	-2.541	-1.343	-11.054	-0.0	-0.0
-0.0		G1	-3.009	4.319	-12.339	0.0	0.0
-0.0		G2	-1.175	1.706	-4.761	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.994	-2.111	0.260	-0.0	-0.0
0.0		Q5_pc Y	-0.505	2.072	-0.332	0.0	-0.0
-0.0		Q5_ps X	0.942	-2.017	0.219	-0.0	-0.0
0.0		Q5_ps Y	-0.453	1.977	-0.249	0.0	-0.0
0.0	INVSLU	Max	4.480	6.602	-35.311	0.0	0.0
-0.0		Min	-7.117	-7.582	-74.999	-0.0	0.0
-0.0	INVSLE	Max	3.592	4.156	-27.057	0.0	0.0
-0.0		Min	-4.866	-6.069	-56.411	-0.0	0.0
5478	C1-C2;~1	Max	2.072	5.322	7.316	0.0	0.0
0.0		Min	-4.519	-2.295	-17.254	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.391	5.057	8.345	0.0	0.0
-0.0		Min	-4.912	-2.600	-18.310	-0.0	-0.0
0.0	C1-C2;~2	Max	1.024	2.745	3.946	0.0	0.0
-0.0		Min	-2.336	-1.219	-9.550	-0.0	-0.0
0.0	C3-C4;~2	Max	1.162	2.587	4.411	0.0	0.0
-0.0		Min	-2.570	-1.362	-10.198	-0.0	-0.0
-0.0		G1	-3.118	4.493	-11.492	0.0	0.0
-0.0		G2	-1.217	1.774	-4.432	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.006	-2.098	0.244	0.0	-0.0
		Q5_pc Y	-0.533	2.042	-0.325	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.953	-2.004	0.206	0.0	-0.0
0.0	Q5_ps Y		-0.480	1.946	-0.247	-0.0	0.0
0.0	INVS LU	Max	4.216	7.229	-33.169	0.0	0.0
-0.0		Min	-7.453	-7.242	-69.737	-0.0	0.0
0.0	INVS LE	Max	3.394	4.623	-25.418	0.0	0.0
-0.0		Min	-5.115	-5.816	-52.463	-0.0	0.0
5479	C1-C2;~1	Max	2.061	5.494	6.613	0.0	0.0
0.0		Min	-4.593	-2.350	-15.704	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.377	5.210	7.542	0.0	0.0
-0.0		Min	-4.972	-2.659	-16.666	-0.0	-0.0
0.0	C1-C2;~2	Max	1.018	2.842	3.567	0.0	0.0
-0.0		Min	-2.378	-1.241	-8.689	-0.0	-0.0
0.0	C3-C4;~2	Max	1.155	2.665	3.987	0.0	0.0
-0.0		Min	-2.602	-1.386	-9.278	-0.0	-0.0
-0.0	G1		-3.231	4.632	-10.541	0.0	0.0
-0.0	G2		-1.261	1.827	-4.067	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.018	-2.084	0.224	-0.0	-0.0
-0.0	Q5_pc Y		-0.563	2.009	-0.308	0.0	-0.0
0.0	Q5_ps X		0.964	-1.989	0.189	-0.0	-0.0
-0.0	Q5_ps Y		-0.509	1.911	-0.236	0.0	-0.0
0.0							
0.0	INVS LU	Max	3.943	7.773	-30.687	0.0	0.0
-0.0		Min	-7.810	-6.985	-63.924	0.0	0.0
0.0	INVS LE	Max	3.190	5.028	-23.519	0.0	0.0
-0.0		Min	-5.380	-5.625	-48.097	0.0	0.0
5480	C1-C2;~1	Max	2.048	5.664	5.904	0.0	0.0
0.0		Min	-4.656	-2.419	-14.116	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.359	5.419	6.734	0.0	0.0
-0.0		Min	-5.023	-2.734	-14.990	-0.0	-0.0
0.0	C1-C2;~2	Max	1.011	2.936	3.185	0.0	0.0
-0.0		Min	-2.413	-1.268	-7.807	-0.0	-0.0
0.0	C3-C4;~2	Max	1.145	2.783	3.559	0.0	0.0
-0.0		Min	-2.628	-1.415	-8.341	-0.0	-0.0
-0.0	G1		-3.335	4.768	-9.547	0.0	0.0
-0.0	G2		-1.301	1.880	-3.684	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.030	-2.069	0.204	-0.0	-0.0
0.0	Q5_pc Y		-0.594	1.973	-0.290	0.0	-0.0
-0.0	Q5_ps X		0.976	-1.974	0.172	-0.0	0.0
0.0	Q5_ps Y		-0.539	1.873	-0.222	0.0	-0.0
0.0	INVSLU	Max	3.690	8.304	-27.983	0.0	0.0
-0.0		Min	-8.130	-6.757	-57.833	0.0	0.0
0.0	INVSLE	Max	3.000	5.425	-21.449	0.0	0.0
-0.0		Min	-5.618	-5.455	-43.521	0.0	0.0
5481	C1-C2;~1	Max	2.027	5.845	5.178	0.0	0.0
0.0		Min	-4.696	-2.498	-12.461	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.333	5.655	5.906	0.0	0.0
-0.0		Min	-5.046	-2.827	-13.238	-0.0	-0.0
0.0	C1-C2;~2	Max	1.000	3.036	2.793	0.0	0.0
-0.0		Min	-2.435	-1.300	-6.889	-0.0	-0.0
0.0	C3-C4;~2	Max	1.132	2.918	3.122	0.0	0.0
-0.0		Min	-2.640	-1.452	-7.362	-0.0	-0.0
-0.0	G1		-3.418	4.914	-8.490	0.0	0.0
-0.0	G2		-1.333	1.936	-3.277	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.042	-2.053	0.183	-0.0	-0.0
0.0	Q5_pc Y		-0.626	1.935	-0.269	0.0	-0.0
-0.0	Q5_ps X		0.988	-1.958	0.154	-0.0	-0.0
0.0	Q5_ps Y		-0.570	1.834	-0.208	0.0	-0.0
0.0	INVS LU	Max	3.465	8.876	-25.042	0.0	0.0
-0.0		Min	-8.373	-6.527	-51.371	0.0	0.0
-0.0	INVS LE	Max	2.831	5.852	-19.198	0.0	0.0
-0.0		Min	-5.798	-5.284	-38.664	0.0	0.0
5482	C1-C2;~1	Max	1.999	6.040	4.444	0.0	0.0
0.0		Min	-4.710	-2.584	-10.764	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.299	6.039	5.069	0.0	0.0
-0.0		Min	-5.039	-2.931	-11.445	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.985	3.142	2.397	0.0	0.0
-0.0		Min	-2.445	-1.334	-5.946	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.114	3.099	2.679	0.0	0.0
-0.0		Min	-2.636	-1.494	-6.362	-0.0	-0.0
-0.0							
-0.0	G1		-3.478	5.076	-7.386	0.0	0.0
-0.0	G2		-1.357	1.998	-2.850	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.054	-2.037	0.161	-0.0	-0.0
0.0	Q5_pc Y		-0.660	1.894	-0.246	0.0	-0.0
-0.0	Q5_ps X		1.000	-1.941	0.135	-0.0	-0.0
0.0	Q5_ps Y		-0.604	1.791	-0.192	0.0	-0.0
-0.0	INVS LU	Max	3.276	9.498	-21.885	0.0	0.0
-0.0		Min	-8.528	-6.279	-44.622	0.0	0.0
-0.0							
-0.0	INVS LE	Max	2.689	6.317	-16.781	0.0	0.0
-0.0		Min	-5.914	-5.099	-33.591	0.0	0.0
-0.0							
5483	C1-C2;~1	Max	1.968	6.301	3.695	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.706	-2.672	-9.013	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.269	6.383	4.215	0.0	0.0
0.0		Min	-5.014	-3.040	-9.587	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.969	3.249	1.993	0.0	0.0
0.0		Min	-2.444	-1.369	-4.977	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.100	3.287	2.228	0.0	0.0
0.0		Min	-2.621	-1.537	-5.326	-0.0	-0.0
-0.0							
-0.0	G1		-3.522	5.243	-6.231	0.0	0.0
-0.0	G2		-1.374	2.062	-2.402	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.067	-2.018	0.138	0.0	-0.0
-0.0	Q5_pc Y		-0.697	1.846	-0.221	-0.0	0.0
0.0	Q5_ps X		1.012	-1.922	0.117	0.0	-0.0
-0.0	Q5_ps Y		-0.640	1.741	-0.175	-0.0	0.0
0.0							
-0.0	INVSLU	Max	3.127	10.338	-18.536	0.0	0.0
-0.0		Min	-8.627	-6.016	-37.568	0.0	0.0
-0.0							
-0.0	INVSLE	Max	2.576	6.943	-14.218	0.0	0.0
-0.0		Min	-5.988	-4.901	-28.285	0.0	0.0
-0.0							
5484	C1-C2;~1	Max	1.943	6.560	2.971	0.0	0.0
0.0		Min	-4.693	-2.756	-7.287	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.238	6.706	3.389	0.0	0.0
0.0		Min	-4.982	-3.143	-7.756	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.958	3.403	1.603	0.0	0.0
0.0		Min	-2.439	-1.403	-4.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.087	3.463	1.792	0.0	0.0
0.0		Min	-2.603	-1.578	-4.307	-0.0	-0.0
-0.0							
-0.0	G1		-3.556	5.390	-5.070	0.0	0.0
-0.0	G2		-1.388	2.118	-1.956	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.081	-1.998	0.113	-0.0	-0.0
-0.0	Q5_pc Y	-0.737	1.789	-0.187	0.0	0.0
0.0	Q5_ps X	1.025	-1.902	0.095	-0.0	-0.0
-0.0	Q5_ps Y	-0.680	1.683	-0.147	0.0	0.0
0.0						
-0.0	INVS LU Max	3.005	11.109	-15.110	0.0	0.0
-0.0	Min	-8.688	-5.783	-30.493	0.0	0.0
-0.0						
-0.0	INVS LE Max	2.484	7.520	-11.591	0.0	0.0
-0.0	Min	-6.034	-4.726	-22.961	0.0	0.0
-0.0						
5485	C1-C2;~1 Max	1.916	6.816	2.249	0.0	0.0
0.0	Min	-4.667	-2.840	-5.550	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.209	7.026	2.566	0.0	0.0
-0.0	Min	-4.938	-3.247	-5.924	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.946	3.536	1.213	0.0	0.0
-0.0	Min	-2.426	-1.436	-3.060	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.074	3.638	1.357	0.0	0.0
-0.0	Min	-2.579	-1.620	-3.287	-0.0	-0.0
-0.0						
-0.0	G1	-3.576	5.533	-3.892	0.0	0.0
-0.0	G2	-1.396	2.171	-1.502	0.0	0.0
-0.0						
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	1.095	-1.976	0.088	-0.0	-0.0
-0.0	Q5_pc Y	-0.780	1.726	-0.150	0.0	-0.0
0.0	Q5_ps X	1.039	-1.879	0.074	-0.0	-0.0
-0.0	Q5_ps Y	-0.721	1.620	-0.118	0.0	-0.0
0.0						
-0.0	INVS LU Max	2.920	11.871	-11.549	0.0	0.0
-0.0	Min	-8.698	-5.553	-23.281	0.0	0.0
-0.0						
-0.0	INVS LE Max	2.419	8.090	-8.860	0.0	0.0
-0.0	Min	-6.041	-4.553	-17.530	0.0	0.0
-0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5486	C1-C2;~1	Max	1.889	7.065	1.519	0.0	0.0
0.0		Min	-4.622	-2.922	-3.779	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.177	7.335	1.733	0.0	0.0
0.0		Min	-4.874	-3.347	-4.048	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.934	3.667	0.819	0.0	0.0
0.0		Min	-2.403	-1.469	-2.081	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.062	3.806	0.916	0.0	0.0
0.0		Min	-2.544	-1.660	-2.244	-0.0	-0.0
-0.0							
	G1		-3.578	5.672	-2.677	0.0	0.0
-0.0							
	G2		-1.398	2.223	-1.033	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.109	-1.953	0.061	-0.0	-0.0
-0.0							
	Q5_pc Y		-0.824	1.663	-0.110	0.0	0.0
0.0							
	Q5_ps X		1.052	-1.857	0.051	-0.0	-0.0
-0.0							
	Q5_ps Y		-0.764	1.556	-0.086	0.0	-0.0
0.0							
	INVSLU	Max	2.877	12.613	-7.849	0.0	0.0
-0.0		Min	-8.638	-5.324	-15.851	0.0	0.0
-0.0							
	INVSLE	Max	2.386	8.647	-6.020	0.0	0.0
-0.0		Min	-5.995	-4.379	-11.932	0.0	0.0
-0.0							
5487	C1-C2;~1	Max	1.861	7.303	0.789	0.0	0.0
0.0		Min	-4.562	-2.999	-2.001	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.142	7.625	0.901	0.0	0.0
0.0		Min	-4.795	-3.444	-2.166	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.923	3.793	0.426	0.0	0.0
0.0		Min	-2.372	-1.500	-1.098	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.048	3.965	0.476	0.0	0.0
0.0		Min	-2.500	-1.698	-1.199	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-3.564	5.804	-1.447	0.0	0.0
-0.0	G2		-1.393	2.273	-0.558	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.123	-1.931	0.034	-0.0	-0.0
0.0	Q5_pc Y		-0.870	1.601	-0.066	0.0	0.0
-0.0	Q5_ps X		1.066	-1.835	0.028	-0.0	-0.0
0.0	Q5_ps Y		-0.808	1.494	-0.051	0.0	0.0
-0.0	INVS LU	Max	2.874	13.317	-4.057	0.0	0.0
-0.0		Min	-8.513	-5.102	-8.317	0.0	0.0
-0.0	INVS LE	Max	2.383	9.175	-3.108	0.0	0.0
-0.0		Min	-5.902	-4.211	-6.255	0.0	0.0
5488	C1-C2;~1	Max	1.830	7.520	0.000	0.0	0.0
0.0		Min	-4.480	-3.071	0.000	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.104	7.880	0.000	0.0	0.0
0.0		Min	-4.695	-3.532	0.000	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.911	3.908	0.000	0.0	0.0
0.0		Min	-2.328	-1.529	0.000	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.033	4.105	0.000	0.0	0.0
0.0		Min	-2.445	-1.733	0.000	-0.0	-0.0
-0.0	G1		-3.526	5.919	0.000	0.0	0.0
-0.0	G2		-1.379	2.315	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.138	-1.909	0.000	-0.0	-0.0
0.0	Q5_pc Y		-0.919	1.542	0.000	-0.0	0.0
-0.0	Q5_ps X		1.080	-1.814	0.000	0.0	-0.0
0.0	Q5_ps Y		-0.855	1.436	0.000	-0.0	0.0
-0.0	INVS LU	Max	2.922	13.940	0.000	0.0	0.0
-0.0		Min	-8.304	-4.905	0.000	0.0	0.0
-0.0	INVS LE	Max	2.419	9.644	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.745	-4.061	0.000	0.0	0.0
-0.0							
5489	C1-C2;~1	Max	1.809	7.682	1.117	0.0	0.0
0.0		Min	-4.415	-3.127	-0.500	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.079	8.068	1.138	0.0	0.0
0.0		Min	-4.619	-3.601	-0.571	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.902	3.995	0.626	0.0	0.0
0.0		Min	-2.294	-1.551	-0.269	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.023	4.208	0.638	0.0	0.0
0.0		Min	-2.404	-1.761	-0.300	-0.0	-0.0
-0.0							
-0.0	G1		-3.490	6.001	0.687	0.0	0.0
-0.0	G2		-1.366	2.346	0.266	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.144	-1.890	-0.023	0.0	-0.0
-0.0	Q5_pc Y		-0.936	1.488	0.051	-0.0	0.0
0.0	Q5_ps X		1.086	-1.795	-0.022	0.0	-0.0
-0.0	Q5_ps Y		-0.872	1.383	0.049	-0.0	0.0
0.0							
-0.0	INVSLU	Max	2.978	14.390	5.026	0.0	0.0
-0.0		Min	-8.122	-4.765	2.628	0.0	0.0
-0.0							
-0.0	INVSLE	Max	2.461	9.983	3.803	0.0	0.0
-0.0		Min	-5.609	-3.954	2.033	0.0	0.0
-0.0							
5490	C1-C2;~1	Max	3.773	1.219	1.075	0.0	0.0
0.0		Min	-8.612	-2.762	-0.495	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.080	1.302	1.109	0.0	0.0
0.0		Min	-9.117	-3.100	-0.550	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.855	0.609	0.602	0.0	0.0
0.0		Min	-4.539	-1.425	-0.265	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.995	0.650	0.619	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.742	-1.595	-0.291	-0.0	-0.0
-0.0	G1		-6.383	-2.183	0.647	0.0	0.0
0.0	G2		-2.488	-0.854	0.250	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.648	0.137	0.010	0.0	0.0
-0.0	Q5_pc Y		1.256	0.805	-0.038	-0.0	-0.0
0.0	Q5_ps X		0.620	0.137	0.008	0.0	0.0
-0.0	Q5_ps Y		1.186	0.747	-0.035	-0.0	-0.0
0.0	INVSLU	Max	4.659	2.388	4.719	0.0	0.0
0.0		Min	-15.419	-5.004	2.410	0.0	0.0
-0.0							
0.0	INVSLE	Max	3.950	1.953	3.574	0.0	0.0
0.0		Min	-10.754	-3.415	1.869	0.0	0.0
-0.0							
5491	C1-C2;~1	Max	3.750	1.172	0.000	0.0	0.0
0.0		Min	-8.590	-2.671	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.054	1.244	0.000	0.0	0.0
0.0		Min	-9.084	-2.982	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.843	0.590	0.000	0.0	0.0
0.0		Min	-4.527	-1.377	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.981	0.628	0.000	0.0	0.0
0.0		Min	-4.724	-1.530	0.000	-0.0	-0.0
-0.0							
0.0	G1		-6.384	-2.168	0.000	0.0	0.0
0.0	G2		-2.488	-0.847	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.645	0.127	0.000	-0.0	0.0
-0.0	Q5_pc Y		1.267	0.848	0.000	0.0	-0.0
0.0	Q5_ps X		0.617	0.127	0.000	-0.0	0.0
-0.0	Q5_ps Y		1.198	0.790	0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	4.638	2.390	0.000	0.0	0.0
0.0		Min	-15.380	-4.842	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	3.934	1.951	0.000	0.0	0.0
-0.0		Min	-10.725	-3.293	0.000	0.0	0.0
5492	C1-C2;~1	Max	3.717	1.111	0.659	0.0	0.0
0.0		Min	-8.549	-2.557	-1.894	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.015	1.171	0.733	0.0	0.0
-0.0		Min	-9.026	-2.827	-1.775	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.825	0.567	0.354	0.0	0.0
0.0		Min	-4.506	-1.318	-1.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.960	0.599	0.388	0.0	0.0
-0.0		Min	-4.692	-1.446	-0.990	-0.0	-0.0
0.0	G1		-6.372	-2.152	-1.261	0.0	0.0
0.0	G2		-2.482	-0.839	-0.487	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.641	0.114	0.012	-0.0	-0.0
0.0	Q5_pc Y		1.283	0.901	-0.015	0.0	0.0
-0.0	Q5_ps X		0.613	0.113	0.009	-0.0	-0.0
0.0	Q5_ps Y		1.214	0.843	-0.004	0.0	-0.0
0.0							
-0.0	INVSLU	Max	4.638	2.378	-3.794	0.0	0.0
0.0		Min	-15.277	-4.641	-7.369	0.0	0.0
-0.0							
0.0	INVSLE	Max	3.934	1.938	-2.910	0.0	0.0
-0.0		Min	-10.647	-3.142	-5.556	0.0	0.0
5493	C1-C2;~1	Max	3.678	1.048	1.303	0.0	0.0
0.0		Min	-8.484	-2.444	-3.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.975	1.095	1.451	0.0	0.0
-0.0		Min	-8.944	-2.661	-3.377	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.804	0.542	0.700	0.0	0.0
-0.0		Min	-4.472	-1.260	-1.995	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.941	0.569	0.768	0.0	0.0
-0.0		Min	-4.648	-1.356	-1.886	-0.0	-0.0
0.0	G1		-6.335	-2.142	-2.355	0.0	0.0
0.0	G2		-2.467	-0.834	-0.910	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.637	0.102	0.013	-0.0	0.0
-0.0	Q5_pc	Y	1.300	0.954	-0.002	-0.0	-0.0
0.0	Q5_ps	X	0.608	0.100	0.009	-0.0	0.0
-0.0	Q5_ps	Y	1.232	0.898	0.014	-0.0	-0.0
0.0							
0.0	INVSLU	Max	4.695	2.347	-7.307	0.0	0.0
-0.0		Min	-15.087	-4.441	-14.082	0.0	0.0
0.0							
0.0	INVSLE	Max	3.976	1.909	-5.610	0.0	0.0
-0.0		Min	-10.504	-2.991	-10.627	0.0	0.0
5494	C1-C2;~1	Max	3.639	0.989	1.941	0.0	0.0
0.0		Min	-8.406	-2.340	-5.192	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.938	1.029	2.162	0.0	0.0
-0.0		Min	-8.849	-2.501	-4.964	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.784	0.519	1.044	0.0	0.0
-0.0		Min	-4.431	-1.208	-2.920	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.924	0.544	1.145	0.0	0.0
-0.0		Min	-4.596	-1.268	-2.773	-0.0	-0.0
0.0							
0.0	G1		-6.285	-2.133	-3.430	0.0	0.0
0.0	G2		-2.447	-0.829	-1.325	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.633	0.089	0.014	-0.0	-0.0
-0.0	Q5_pc	Y	1.316	1.007	0.011	-0.0	-0.0
0.0	Q5_ps	X	0.604	0.086	0.008	-0.0	0.0
-0.0	Q5_ps	Y	1.248	0.953	0.033	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	4.794	2.324	-10.727	0.0	0.0	
		Min	-14.838	-4.255	-20.681	0.0	0.0	
-0.0								
0.0	INVS LE	Max	4.050	1.888	-8.238	0.0	0.0	
		Min	-10.317	-2.852	-15.610	0.0	0.0	
-0.0								
5495 0.0	C1-C2;~1	Max	3.606	0.950	2.576	0.0	0.0	
		Min	-8.313	-2.264	-6.792	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	3.898	0.989	2.869	0.0	0.0	
		Min	-8.741	-2.365	-6.519	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.769	0.504	1.385	0.0	0.0	
		Min	-4.382	-1.180	-3.820	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.906	0.528	1.520	0.0	0.0	
		Min	-4.538	-1.190	-3.644	-0.0	-0.0	
-0.0								
0.0	G1		-6.220	-2.126	-4.471	0.0	0.0	
0.0	G2		-2.421	-0.825	-1.726	0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.629	0.076	0.015	0.0	-0.0	
0.0	Q5_pc Y		1.332	1.061	0.024	-0.0	-0.0	
-0.0	Q5_ps X		0.600	0.072	0.009	-0.0	0.0	
0.0	Q5_ps Y		1.264	1.008	0.050	-0.0	-0.0	
0.0								
0.0	INVS LU	Max	4.927	2.331	-13.989	0.0	0.0	
		Min	-14.534	-4.105	-27.075	0.0	0.0	
-0.0								
0.0	INVS LE	Max	4.150	1.888	-10.745	0.0	0.0	
		Min	-10.088	-2.738	-20.435	0.0	0.0	
-0.0								
5496 0.0	C1-C2;~1	Max	3.568	0.928	3.199	0.0	0.0	
		Min	-8.204	-2.276	-8.374	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	3.855	0.967	3.564	0.0	0.0	
		Min	-8.616	-2.261	-8.048	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.752	0.495	1.720	0.0	0.0
-0.0		Min	-4.301	-1.186	-4.713	-0.0	-0.0
0.0	C3-C4;~2	Max	1.886	0.520	1.888	0.0	0.0
-0.0		Min	-4.469	-1.122	-4.501	-0.0	-0.0
0.0	G1		-6.140	-2.121	-5.487	0.0	0.0
0.0	G2		-2.390	-0.822	-2.116	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.625	0.063	0.016	0.0	-0.0
0.0	Q5_pc Y		1.347	1.114	0.037	-0.0	-0.0
-0.0	Q5_ps X		0.596	0.058	0.008	-0.0	0.0
0.0	Q5_ps Y		1.280	1.064	0.069	-0.0	-0.0
0.0	INVSLU	Max	5.090	2.364	-17.121	0.0	0.0
-0.0		Min	-14.171	-4.019	-33.305	0.0	0.0
0.0	INVSLE	Max	4.272	1.908	-13.151	0.0	0.0
-0.0		Min	-9.815	-2.672	-25.134	0.0	0.0
5497	C1-C2;~1	Max	3.524	0.920	3.866	0.0	0.0
0.0		Min	-8.069	-2.308	-10.044	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.811	0.962	4.308	0.0	0.0
-0.0		Min	-8.461	-2.210	-9.657	-0.0	-0.0
0.0	C1-C2;~2	Max	1.731	0.493	2.079	0.0	0.0
-0.0		Min	-4.238	-1.202	-5.656	-0.0	-0.0
0.0	C3-C4;~2	Max	1.868	0.518	2.282	0.0	0.0
-0.0		Min	-4.385	-1.127	-5.404	-0.0	-0.0
0.0	G1		-6.037	-2.117	-6.536	0.0	0.0
0.0	G2		-2.350	-0.820	-2.523	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.620	0.049	0.017	-0.0	-0.0
0.0	Q5_pc Y		1.365	1.172	0.051	-0.0	-0.0
-0.0	Q5_ps X		0.591	0.043	0.008	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.297	1.123	0.087	0.0	-0.0
0.0	INVS LU	Max	5.309	2.460	-20.301	0.0	0.0
-0.0		Min	-13.715	-4.095	-39.767	0.0	0.0
0.0	INVS LE	Max	4.436	1.953	-15.590	0.0	0.0
-0.0		Min	-9.473	-2.724	-30.003	0.0	0.0
5498	C1-C2;~1	Max	3.483	0.931	4.532	0.0	0.0
0.0		Min	-7.866	-2.368	-11.664	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.763	0.979	5.049	0.0	0.0
-0.0		Min	-8.289	-2.239	-11.229	-0.0	-0.0
0.0	C1-C2;~2	Max	1.715	0.498	2.437	0.0	0.0
-0.0		Min	-4.167	-1.232	-6.571	-0.0	-0.0
0.0	C3-C4;~2	Max	1.849	0.526	2.675	0.0	0.0
-0.0		Min	-4.291	-1.141	-6.287	-0.0	-0.0
0.0	G1		-5.920	-2.114	-7.548	0.0	0.0
0.0	G2		-2.304	-0.818	-2.914	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.615	0.035	0.019	-0.0	-0.0
0.0	Q5_pc Y		1.382	1.229	0.061	-0.0	-0.0
-0.0	Q5_ps X		0.586	0.028	0.009	-0.0	0.0
0.0	Q5_ps Y		1.315	1.181	0.102	0.0	-0.0
0.0	INVS LU	Max	5.554	2.582	-23.288	0.0	0.0
-0.0		Min	-13.205	-4.202	-45.961	0.0	0.0
0.0	INVS LE	Max	4.620	2.023	-17.881	0.0	0.0
-0.0		Min	-9.091	-2.798	-34.668	0.0	0.0
5499	C1-C2;~1	Max	3.441	0.960	5.183	0.0	0.0
0.0		Min	-7.714	-2.445	-13.236	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.713	1.022	5.775	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
-0.0		Min	-8.107	-2.286	-12.751	-0.0	-0.0
0.0	C1-C2;~2	Max	1.698	0.510	2.787	0.0	0.0
-0.0		Min	-4.084	-1.271	-7.460	-0.0	-0.0
0.0	C3-C4;~2	Max	1.829	0.543	3.059	0.0	0.0
-0.0		Min	-4.191	-1.163	-7.143	-0.0	-0.0
0.0	G1		-5.789	-2.113	-8.509	0.0	0.0
0.0	G2		-2.253	-0.818	-3.284	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.611	0.022	0.022	-0.0	-0.0
0.0	Q5_pc Y		1.399	1.285	0.072	0.0	-0.0
-0.0	Q5_ps X		0.581	0.014	0.010	-0.0	0.0
0.0	Q5_ps Y		1.332	1.238	0.117	0.0	-0.0
0.0	INVSLU	Max	5.825	2.717	-26.070	0.0	0.0
-0.0		Min	-12.650	-4.331	-51.863	0.0	0.0
0.0	INVSLE	Max	4.823	2.120	-20.015	0.0	0.0
-0.0		Min	-8.676	-2.889	-39.112	0.0	0.0
5500	C1-C2;~1	Max	3.397	0.999	5.826	0.0	0.0
0.0		Min	-7.543	-2.531	-14.744	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.662	1.083	6.492	0.0	0.0
-0.0		Min	-7.915	-2.343	-14.219	-0.0	-0.0
0.0	C1-C2;~2	Max	1.680	0.526	3.133	0.0	0.0
-0.0		Min	-3.991	-1.314	-8.314	-0.0	-0.0
0.0	C3-C4;~2	Max	1.808	0.569	3.439	0.0	0.0
-0.0		Min	-4.085	-1.190	-7.969	-0.0	-0.0
0.0	G1		-5.646	-2.113	-9.417	0.0	0.0
0.0	G2		-2.198	-0.818	-3.633	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.606	0.009	0.024	-0.0	-0.0
0.0	Q5_pc Y		1.415	1.339	0.080	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.577	0.000	0.012	-0.0	0.0
0.0	Q5_ps Y	1.347	1.293	0.130	0.0	-0.0
0.0	INVS LU Max	6.120	2.858	-28.625	0.0	0.0
-0.0	Min	-12.056	-4.471	-57.437	0.0	0.0
0.0	INVS LE Max	5.043	2.234	-21.975	0.0	0.0
-0.0	Min	-8.232	-2.987	-43.307	0.0	0.0
5501	C1-C2;~1 Max	3.350	1.047	6.452	0.0	0.0
0.0	Min	-7.357	-2.623	-16.204	-0.0	-0.0
-0.0	C3-C4;~1 Max	3.606	1.154	7.188	0.0	0.0
0.0	Min	-7.705	-2.405	-15.632	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.661	0.546	3.469	0.0	0.0
0.0	Min	-3.889	-1.361	-9.143	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.786	0.598	3.808	0.0	0.0
0.0	Min	-3.970	-1.219	-8.765	-0.0	-0.0
-0.0	G1	-5.491	-2.115	-10.272	0.0	0.0
0.0	G2	-2.138	-0.819	-3.961	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.602	-0.003	0.027	-0.0	-0.0
-0.0	Q5_pc Y	1.431	1.390	0.088	0.0	-0.0
0.0	Q5_ps X	0.572	-0.012	0.014	-0.0	0.0
-0.0	Q5_ps Y	1.362	1.344	0.142	0.0	-0.0
0.0	INVS LU Max	6.434	2.996	-30.965	0.0	0.0
-0.0	Min	-11.412	-4.620	-62.702	0.0	0.0
0.0	INVS LE Max	5.278	2.353	-23.770	0.0	0.0
-0.0	Min	-7.750	-3.092	-47.268	0.0	0.0
5502	C1-C2;~1 Max	3.299	1.100	7.055	0.0	0.0
0.0	Min	-7.158	-2.714	-17.570	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	3.546	1.230	7.861	0.0	0.0
-0.0		Min	-7.478	-2.470	-16.948	-0.0	-0.0
0.0	C1-C2;~2	Max	1.640	0.567	3.794	0.0	0.0
-0.0		Min	-3.780	-1.406	-9.919	-0.0	-0.0
0.0	C3-C4;~2	Max	1.761	0.629	4.164	0.0	0.0
-0.0		Min	-3.845	-1.250	-9.507	-0.0	-0.0
0.0	G1		-5.325	-2.119	-11.041	0.0	0.0
0.0	G2		-2.074	-0.821	-4.259	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.598	-0.014	0.030	-0.0	-0.0
0.0	Q5_pc Y		1.445	1.437	0.094	0.0	-0.0
-0.0	Q5_ps X		0.568	-0.024	0.016	-0.0	0.0
0.0	Q5_ps Y		1.376	1.392	0.153	0.0	-0.0
0.0	INVSLU	Max	6.760	3.143	-32.996	0.0	0.0
-0.0		Min	-10.724	-4.769	-67.497	0.0	0.0
0.0	INVSLE	Max	5.521	2.471	-25.328	0.0	0.0
-0.0		Min	-7.237	-3.198	-50.872	0.0	0.0
5503	C1-C2;~1	Max	3.244	1.155	7.651	0.0	0.0
0.0		Min	-6.945	-2.803	-18.867	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.481	1.308	8.524	0.0	0.0
-0.0		Min	-7.236	-2.534	-18.208	-0.0	-0.0
0.0	C1-C2;~2	Max	1.617	0.590	4.114	0.0	0.0
-0.0		Min	-3.663	-1.450	-10.656	-0.0	-0.0
0.0	C3-C4;~2	Max	1.735	0.660	4.516	0.0	0.0
-0.0		Min	-3.711	-1.280	-10.218	-0.0	-0.0
0.0	G1		-5.149	-2.124	-11.755	0.0	0.0
0.0	G2		-2.006	-0.823	-4.536	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.594	-0.023	0.034	-0.0	-0.0
0.0	Q5_pc Y		1.459	1.481	0.097	0.0	-0.0
-0.0	Q5_ps X		0.564	-0.034	0.019	-0.0	0.0
0.0	Q5_ps Y		1.390	1.437	0.159	0.0	-0.0
0.0	INVS LU	Max	7.095	3.300	-34.786	0.0	0.0
-0.0		Min	-9.999	-4.915	-71.938	-0.0	0.0
0.0	INVS LE	Max	5.771	2.586	-26.702	0.0	0.0
-0.0		Min	-6.697	-3.301	-54.209	-0.0	0.0
5504	C1-C2;~1	Max	3.187	1.212	8.221	0.0	0.0
0.0		Min	-6.714	-2.896	-20.074	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.414	1.395	9.160	0.0	0.0
-0.0		Min	-6.983	-2.611	-19.379	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.594	0.614	4.421	0.0	0.0
-0.0		Min	-3.535	-1.498	-11.343	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.707	0.700	4.852	0.0	0.0
-0.0		Min	-3.571	-1.320	-10.879	-0.0	-0.0
0.0	G1		-4.963	-2.132	-12.391	0.0	0.0
0.0	G2		-1.934	-0.826	-4.781	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.591	-0.032	0.038	-0.0	-0.0
0.0	Q5_pc Y		1.472	1.522	0.099	0.0	-0.0
-0.0	Q5_ps X		0.560	-0.043	0.022	-0.0	0.0
0.0	Q5_ps Y		1.402	1.478	0.166	0.0	-0.0
0.0	INVS LU	Max	7.444	3.464	-36.312	0.0	0.0
-0.0		Min	-9.241	-5.068	-75.956	-0.0	0.0
0.0	INVS LE	Max	6.031	2.707	-27.876	0.0	0.0
-0.0		Min	-6.133	-3.411	-57.228	-0.0	0.0
5505	C1-C2;~1	Max	3.131	1.271	8.779	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0		Min	-6.488	-2.998	-21.212	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.349	1.531	9.781	0.0	0.0
0.0		Min	-6.741	-2.691	-20.488	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.571	0.638	4.720	0.0	0.0
0.0		Min	-3.410	-1.553	-11.992	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.681	0.774	5.181	0.0	0.0
0.0		Min	-3.437	-1.362	-11.507	-0.0	-0.0
-0.0							
0.0	G1		-4.787	-2.135	-12.965	0.0	0.0
0.0	G2		-1.865	-0.827	-5.001	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.587	-0.039	0.042	-0.0	-0.0
-0.0	Q5_pc Y		1.484	1.559	0.100	0.0	-0.0
0.0	Q5_ps X		0.557	-0.051	0.026	-0.0	0.0
-0.0	Q5_ps Y		1.414	1.516	0.169	0.0	-0.0
0.0							
0.0	INVSLU	Max	7.769	3.700	-37.576	0.0	0.0
0.0		Min	-8.523	-5.221	-79.596	-0.0	0.0
-0.0							
0.0	INVSLE	Max	6.272	2.881	-28.849	0.0	0.0
0.0		Min	-5.598	-3.520	-59.962	-0.0	0.0
-0.0							
5506	C1-C2;~1	Max	3.072	1.330	9.314	0.0	0.0
0.0		Min	-6.248	-3.097	-22.286	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.279	1.665	10.377	0.0	0.0
0.0		Min	-6.484	-2.768	-21.531	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.547	0.662	5.008	0.0	0.0
0.0		Min	-3.276	-1.606	-12.605	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.652	0.848	5.497	0.0	0.0
0.0		Min	-3.295	-1.402	-12.098	-0.0	-0.0
-0.0							
0.0	G1		-4.601	-2.139	-13.481	0.0	0.0
0.0	G2		-1.794	-0.828	-5.197	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.584	-0.046	0.046	-0.0	-0.0
-0.0	Q5_pc Y		1.495	1.595	0.099	0.0	-0.0
0.0	Q5_ps X		0.554	-0.058	0.029	-0.0	0.0
-0.0	Q5_ps Y		1.424	1.552	0.173	0.0	-0.0
0.0							
	INVSLU	Max	8.102	3.928	-38.599	0.0	0.0
0.0		Min	-7.769	-5.371	-82.872	-0.0	0.0
-0.0							
	INVSLE	Max	6.520	3.049	-29.640	0.0	0.0
0.0		Min	-5.037	-3.627	-62.421	-0.0	0.0
-0.0							
5507	C1-C2;~1	Max	3.008	1.389	9.817	0.0	0.0
0.0		Min	-5.997	-3.191	-23.232	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.204	1.794	10.937	0.0	0.0
0.0		Min	-6.215	-2.841	-22.439	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.521	0.687	5.279	0.0	0.0
0.0		Min	-3.137	-1.657	-13.145	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.622	0.920	5.794	0.0	0.0
0.0		Min	-3.145	-1.439	-12.612	-0.0	-0.0
-0.0							
	G1		-4.410	-2.144	-13.892	0.0	0.0
0.0							
	G2		-1.720	-0.830	-5.357	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.580	-0.052	0.051	-0.0	-0.0
-0.0	Q5_pc Y		1.507	1.628	0.097	0.0	-0.0
0.0	Q5_ps X		0.550	-0.065	0.033	-0.0	0.0
-0.0	Q5_ps Y		1.435	1.585	0.174	0.0	-0.0
0.0							
	INVSLU	Max	8.437	4.149	-39.287	0.0	0.0
0.0		Min	-6.991	-5.511	-85.589	-0.0	0.0
-0.0							
	INVSLE	Max	6.768	3.212	-30.173	0.0	0.0
0.0		Min	-4.458	-3.727	-64.458	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5508	C1-C2;~1	Max	2.941	1.469	10.306	0.0	0.0
0.0		Min	-5.737	-3.277	-24.091	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.125	1.920	11.482	0.0	0.0
0.0		Min	-5.937	-2.984	-23.278	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.493	0.728	5.542	0.0	0.0
0.0		Min	-2.992	-1.703	-13.636	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.590	0.989	6.083	0.0	0.0
0.0		Min	-2.991	-1.472	-13.087	-0.0	-0.0
-0.0							
0.0	G1		-4.216	-2.149	-14.242	0.0	0.0
0.0	G2		-1.645	-0.832	-5.493	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.577	-0.057	0.056	-0.0	-0.0
-0.0	Q5_pc Y		1.517	1.658	0.093	0.0	-0.0
0.0	Q5_ps X		0.547	-0.071	0.038	-0.0	0.0
-0.0	Q5_ps Y		1.446	1.616	0.172	0.0	-0.0
0.0							
	INVSLU	Max	8.767	4.364	-39.713	0.0	0.0
0.0		Min	-6.198	-5.637	-87.904	-0.0	0.0
-0.0							
	INVSLE	Max	7.014	3.371	-30.507	0.0	0.0
0.0		Min	-3.869	-3.817	-66.192	-0.0	0.0
-0.0							
5509	C1-C2;~1	Max	2.872	1.559	10.765	0.0	0.0
0.0		Min	-5.469	-3.356	-24.847	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.045	2.043	11.993	0.0	0.0
0.0		Min	-5.656	-3.076	-24.016	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.465	0.776	5.789	0.0	0.0
0.0		Min	-2.842	-1.744	-14.066	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.557	1.057	6.353	0.0	0.0
0.0		Min	-2.761	-1.534	-13.505	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-4.021	-2.153	-14.513	0.0	0.0
0.0	G2		-1.569	-0.833	-5.597	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.574	-0.062	0.062	-0.0	-0.0
0.0	Q5_pc Y		1.528	1.687	0.087	0.0	0.0
-0.0	Q5_ps X		0.544	-0.076	0.043	-0.0	0.0
0.0	Q5_ps Y		1.455	1.644	0.169	0.0	-0.0
0.0	INVS LU	Max	9.094	4.576	-39.875	0.0	0.0
-0.0		Min	-5.402	-5.749	-89.767	-0.0	0.0
0.0	INVS LE	Max	7.256	3.527	-30.641	0.0	0.0
-0.0		Min	-3.278	-3.896	-67.587	-0.0	0.0
5510	C1-C2;~1	Max	2.802	1.648	11.202	0.0	0.0
0.0		Min	-5.194	-3.425	-25.504	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.962	2.162	12.479	0.0	0.0
-0.0		Min	-5.442	-3.165	-24.668	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.436	0.825	6.024	0.0	0.0
-0.0		Min	-2.688	-1.779	-14.440	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.523	1.122	6.611	0.0	0.0
-0.0		Min	-2.729	-1.578	-13.873	-0.0	-0.0
0.0	G1		-3.826	-2.156	-14.712	0.0	0.0
0.0	G2		-1.493	-0.834	-5.672	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.571	-0.065	0.067	-0.0	-0.0
0.0	Q5_pc Y		1.538	1.712	0.081	0.0	0.0
-0.0	Q5_ps X		0.541	-0.080	0.048	-0.0	0.0
0.0	Q5_ps Y		1.464	1.670	0.164	0.0	-0.0
0.0	INVS LU	Max	9.415	4.784	-39.769	0.0	0.0
-0.0		Min	-4.699	-5.842	-91.191	-0.0	-0.0
0.0	INVS LE	Max	7.494	3.682	-30.572	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-2.756	-3.961	-68.652	-0.0	-0.0
-0.0							
5511	C1-C2;~1	Max	2.728	1.734	11.607	0.0	0.0
0.0		Min	-4.911	-3.485	-26.061	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.876	2.276	12.930	0.0	0.0
0.0		Min	-5.224	-3.249	-25.224	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.406	0.872	6.241	0.0	0.0
0.0		Min	-2.530	-1.808	-14.756	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.487	1.185	6.850	0.0	0.0
0.0		Min	-2.622	-1.619	-14.187	-0.0	-0.0
-0.0							
0.0	G1		-3.629	-2.158	-14.842	0.0	0.0
0.0	G2		-1.417	-0.835	-5.719	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.568	-0.068	0.073	-0.0	-0.0
-0.0	Q5_pc Y		1.547	1.735	0.073	0.0	0.0
0.0	Q5_ps X		0.538	-0.083	0.053	-0.0	0.0
-0.0	Q5_ps Y		1.472	1.693	0.159	0.0	-0.0
0.0							
0.0	INVSLU	Max	9.728	4.985	-39.421	0.0	0.0
0.0		Min	-3.991	-5.916	-92.189	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.726	3.831	-30.319	0.0	0.0
0.0		Min	-2.230	-4.012	-69.396	-0.0	-0.0
-0.0							
5512	C1-C2;~1	Max	2.650	1.817	11.967	0.0	0.0
0.0		Min	-4.671	-3.534	-26.454	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.785	2.382	13.331	0.0	0.0
0.0		Min	-5.003	-3.328	-25.606	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.374	0.916	6.436	0.0	0.0
0.0		Min	-2.404	-1.831	-14.975	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.450	1.243	7.062	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.512	-1.657	-14.397	-0.0	-0.0
-0.0	G1		-3.433	-2.160	-14.864	0.0	-0.0
0.0	G2		-1.342	-0.835	-5.729	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.565	-0.070	0.078	-0.0	-0.0
-0.0	Q5_pc	Y	1.555	1.756	0.064	0.0	0.0
0.0	Q5_ps	X	0.535	-0.085	0.058	-0.0	0.0
-0.0	Q5_ps	Y	1.480	1.713	0.152	0.0	-0.0
0.0	INVSLU	Max	10.029	5.180	-38.752	0.0	0.0
0.0		Min	-3.285	-5.967	-92.602	-0.0	-0.0
-0.0	INVSLE	Max	7.949	3.976	-29.821	0.0	0.0
0.0		Min	-1.705	-4.047	-69.699	-0.0	-0.0
-0.0							
5513	C1-C2;~1	Max	2.571	1.899	12.310	0.0	0.0
0.0		Min	-4.429	-3.571	-26.758	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.696	2.487	13.712	0.0	0.0
0.0		Min	-4.783	-3.403	-25.913	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.341	0.961	6.620	0.0	0.0
0.0		Min	-2.278	-1.847	-15.141	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.414	1.301	7.264	0.0	0.0
0.0		Min	-2.404	-1.691	-14.565	-0.0	-0.0
-0.0							
0.0	G1		-3.239	-2.156	-14.828	0.0	-0.0
0.0	G2		-1.266	-0.834	-5.716	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.562	-0.071	0.083	-0.0	-0.0
-0.0	Q5_pc	Y	1.564	1.773	0.054	0.0	0.0
0.0	Q5_ps	X	0.532	-0.087	0.063	-0.0	0.0
-0.0	Q5_ps	Y	1.487	1.731	0.143	0.0	-0.0
0.0							
0.0	INVSLU	Max	10.322	5.379	-37.841	0.0	0.0
0.0		Min	-2.589	-5.991	-92.625	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	8.166	4.124	-29.138	0.0	0.0
-0.0		Min	-1.190	-4.062	-69.708	-0.0	-0.0
5514	C1-C2;~1	Max	2.496	1.984	12.613	0.0	0.0
0.0		Min	-4.186	-3.598	-26.944	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.616	2.594	14.049	0.0	0.0
-0.0		Min	-4.574	-3.474	-26.110	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.310	1.007	6.783	0.0	0.0
-0.0		Min	-2.150	-1.856	-15.239	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.381	1.359	7.443	0.0	0.0
-0.0		Min	-2.298	-1.723	-14.669	-0.0	-0.0
0.0	G1		-3.047	-2.144	-14.716	0.0	-0.0
0.0	G2		-1.192	-0.829	-5.672	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.559	-0.072	0.089	-0.0	-0.0
0.0	Q5_pc Y		1.571	1.789	0.043	0.0	0.0
-0.0	Q5_ps X		0.529	-0.087	0.068	-0.0	0.0
0.0	Q5_ps Y		1.494	1.745	0.133	0.0	-0.0
0.0							
0.0	INVSLU	Max	10.616	5.596	-36.698	0.0	-0.0
-0.0		Min	-1.918	-5.982	-92.197	-0.0	-0.0
0.0							
0.0	INVSLE	Max	8.383	4.285	-28.280	0.0	-0.0
-0.0		Min	-0.692	-4.052	-69.379	-0.0	-0.0
5515	C1-C2;~1	Max	2.430	2.076	12.886	0.0	0.0
0.0		Min	-3.993	-3.610	-27.021	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.547	2.706	14.352	0.0	0.0
-0.0		Min	-4.391	-3.568	-26.210	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.283	1.057	6.930	0.0	0.0
		Min	-2.045	-1.857	-15.273	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.352	1.421	7.603	0.0	0.0
-0.0		Min	-2.208	-1.772	-14.717	-0.0	-0.0
0.0	G1		-2.858	-2.121	-14.536	0.0	-0.0
0.0	G2		-1.118	-0.820	-5.600	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.556	-0.071	0.094	-0.0	-0.0
0.0	Q5_pc Y		1.578	1.801	0.032	0.0	0.0
-0.0	Q5_ps X		0.527	-0.087	0.073	-0.0	0.0
0.0	Q5_ps Y		1.500	1.758	0.123	0.0	-0.0
0.0	INVSLU	Max	10.912	5.837	-35.325	0.0	-0.0
-0.0		Min	-1.295	-5.932	-91.348	-0.0	-0.0
0.0	INVSLE	Max	8.601	4.465	-27.248	0.0	-0.0
-0.0		Min	-0.230	-4.013	-68.734	-0.0	-0.0
5516	C1-C2;~1	Max	2.373	2.176	13.116	0.0	0.0
0.0		Min	-3.794	-3.607	-26.982	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.486	2.827	14.607	0.0	0.0
0.0		Min	-4.254	-3.684	-26.205	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.259	1.111	7.054	0.0	0.0
0.0		Min	-1.943	-1.848	-15.239	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.326	1.486	7.739	0.0	0.0
0.0		Min	-2.149	-1.837	-14.706	-0.0	-0.0
-0.0	G1		-2.669	-2.083	-14.287	0.0	-0.0
0.0	G2		-1.045	-0.805	-5.501	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.553	-0.071	0.099	-0.0	-0.0
0.0	Q5_pc Y		1.585	1.812	0.019	0.0	0.0
0.0	Q5_ps X		0.524	-0.087	0.078	-0.0	0.0
0.0	Q5_ps Y		1.505	1.767	0.111	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	11.209	6.112	-33.749	0.0	-0.0
		Min	-0.743	-5.939	-90.073	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	8.820	4.670	-26.060	0.0	-0.0
		Min	0.179	-4.016	-67.768	-0.0	-0.0
-0.0							
5517 0.0	C1-C2;~1	Max	2.327	2.289	13.293	0.0	0.0
		Min	-3.638	-3.585	-26.802	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.438	2.959	14.803	0.0	0.0
		Min	-4.132	-3.808	-26.040	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.239	1.171	7.149	0.0	0.0
		Min	-1.867	-1.828	-15.122	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.306	1.558	7.843	0.0	0.0
		Min	-2.095	-1.906	-14.599	-0.0	-0.0
-0.0							
0.0	G1		-2.485	-2.025	-13.962	-0.0	-0.0
0.0	G2		-0.974	-0.782	-5.377	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.551	-0.069	0.103	0.0	-0.0
0.0	Q5_pc Y		1.591	1.820	0.007	-0.0	0.0
0.0	Q5_ps X		0.522	-0.085	0.083	0.0	-0.0
0.0	Q5_ps Y		1.510	1.774	0.098	0.0	0.0
0.0							
0.0	INVS LU	Max	11.500	6.435	-32.004	0.0	-0.0
		Min	-0.232	-5.977	-88.356	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	9.035	4.909	-24.741	0.0	-0.0
		Min	0.556	-4.042	-66.470	-0.0	-0.0
-0.0							
5518 0.0	C1-C2;~1	Max	2.297	2.385	13.438	0.0	0.0
		Min	-3.528	-3.564	-26.533	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.413	3.071	14.963	0.0	0.0
		Min	-4.038	-3.922	-25.791	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.226	1.222	7.227	0.0	0.0
-0.0		Min	-1.818	-1.808	-14.954	-0.0	-0.0
0.0	C3-C4;~2	Max	1.294	1.619	7.927	0.0	0.0
-0.0		Min	-2.053	-1.970	-14.443	-0.0	-0.0
0.0		G1	-2.313	-1.981	-13.581	-0.0	0.0
0.0		G2	-0.908	-0.765	-5.230	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.548	-0.067	0.107	0.0	-0.0
0.0	Q5_pc	Y	1.596	1.825	-0.005	-0.0	0.0
0.0	Q5_ps	X	0.520	-0.083	0.087	0.0	-0.0
0.0	Q5_ps	Y	1.514	1.779	0.086	-0.0	0.0
0.0	INVSLU	Max	11.789	6.708	-30.084	0.0	-0.0
-0.0		Min	0.208	-6.019	-86.297	-0.0	-0.0
0.0	INVSLE	Max	9.247	5.113	-23.289	0.0	-0.0
-0.0		Min	0.881	-4.071	-64.914	-0.0	-0.0
5519	C1-C2;~1	Max	2.302	2.449	13.539	0.0	0.0
0.0		Min	-3.462	-3.551	-26.169	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.424	3.145	15.074	0.0	0.0
-0.0		Min	-3.990	-4.017	-25.454	-0.0	-0.0
0.0	C1-C2;~2	Max	1.226	1.256	7.281	0.0	0.0
-0.0		Min	-1.787	-1.773	-14.732	-0.0	-0.0
0.0	C3-C4;~2	Max	1.297	1.658	7.986	0.0	0.0
-0.0		Min	-2.029	-2.022	-14.239	-0.0	-0.0
0.0		G1	-2.160	-1.969	-13.144	-0.0	-0.0
0.0		G2	-0.848	-0.761	-5.061	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.546	-0.063	0.111	0.0	-0.0
0.0	Q5_pc	Y	1.600	1.827	-0.018	-0.0	0.0
0.0	Q5_ps	X	0.518	-0.079	0.090	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.517	1.780	0.073	-0.0	0.0
0.0	INVSLE Max		12.083	6.885	-28.012	0.0	-0.0
-0.0	INVSLE Min		0.545	-6.074	-83.889	-0.0	-0.0
0.0	INVSLE Max		9.463	5.246	-21.721	0.0	-0.0
-0.0	INVSLE Min		1.130	-4.109	-63.096	-0.0	-0.0
5520	C1-C2;~1 Max		2.333	2.482	13.598	0.0	0.0
0.0	C1-C2;~1 Min		-3.433	-3.490	-25.727	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.461	3.183	15.138	0.0	0.0
0.0	C3-C4;~1 Min		-3.977	-4.093	-25.041	-0.0	-0.0
-0.0	C1-C2;~2 Max		1.238	1.273	7.314	0.0	0.0
0.0	C1-C2;~2 Min		-1.771	-1.784	-14.467	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.311	1.677	8.020	0.0	0.0
0.0	C3-C4;~2 Min		-2.019	-2.063	-13.993	-0.0	-0.0
-0.0	G1		-2.029	-1.985	-12.665	-0.0	-0.0
0.0	G2		-0.798	-0.767	-4.874	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.544	-0.057	0.114	0.0	-0.0
0.0	Q5_pc Y		1.604	1.826	-0.030	-0.0	0.0
-0.0	Q5_ps X		0.516	-0.074	0.094	0.0	-0.0
0.0	Q5_ps Y		1.519	1.778	0.061	-0.0	0.0
-0.0	INVSLE Max		12.367	6.967	-25.832	0.0	-0.0
0.0	INVSLE Min		0.789	-6.142	-81.205	-0.0	-0.0
-0.0	INVSLE Max		9.672	5.310	-20.068	0.0	-0.0
0.0	INVSLE Min		1.309	-4.157	-61.070	-0.0	-0.0
-0.0	C1-C2;~1 Max		2.383	2.505	13.599	0.0	0.0
5521	C1-C2;~1 Min		-3.428	-3.537	-25.163	-0.0	-0.0
0.0	C3-C4;~1 Max		2.517	3.206	15.136	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.991	-4.163	-24.517	-0.0	-0.0
0.0	C1-C2;~2	Max	1.256	1.283	7.314	0.0	0.0
-0.0		Min	-1.765	-1.807	-14.131	-0.0	-0.0
0.0	C3-C4;~2	Max	1.332	1.689	8.020	0.0	0.0
-0.0		Min	-2.020	-2.101	-13.684	-0.0	-0.0
0.0	G1		-1.915	-2.011	-12.129	0.0	-0.0
0.0	G2		-0.754	-0.777	-4.664	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.542	-0.051	0.116	-0.0	0.0
-0.0	Q5_pc Y		1.606	1.822	-0.043	0.0	0.0
0.0	Q5_ps X		0.515	-0.067	0.096	-0.0	0.0
-0.0	Q5_ps Y		1.521	1.773	0.048	0.0	0.0
0.0	INVSLU	Max	12.640	7.013	-23.558	0.0	-0.0
-0.0		Min	0.962	-6.214	-78.172	-0.0	-0.0
0.0	INVSLE	Max	9.872	5.348	-18.343	0.0	-0.0
-0.0		Min	1.436	-4.207	-58.782	-0.0	-0.0
5522	C1-C2;~1	Max	2.452	2.567	13.552	0.0	0.0
0.0		Min	-3.445	-3.618	-24.512	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.592	3.268	15.082	0.0	0.0
-0.0		Min	-4.027	-4.261	-23.888	-0.0	-0.0
0.0	C1-C2;~2	Max	1.283	1.317	7.289	0.0	0.0
-0.0		Min	-1.767	-1.854	-13.746	-0.0	-0.0
0.0	C3-C4;~2	Max	1.361	1.722	7.991	0.0	0.0
-0.0		Min	-2.030	-2.155	-13.314	-0.0	-0.0
0.0	G1		-1.805	-2.000	-11.544	-0.0	-0.0
0.0	G2		-0.711	-0.773	-4.439	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.541	-0.045	0.118	0.0	-0.0
0.0	Q5_pc Y		1.609	1.817	-0.055	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.513	-0.061	0.098	0.0	-0.0
0.0	Q5_ps Y	1.521	1.766	0.035	0.0	0.0
-0.0						
0.0	INVS LU Max	12.915	7.161	-21.201	0.0	-0.0
-0.0	Min	1.083	-6.274	-74.866	-0.0	-0.0
0.0						
-0.0	INVS LE Max	10.074	5.459	-16.551	0.0	-0.0
0.0	Min	1.524	-4.250	-56.287	-0.0	-0.0
-0.0						
5523	C1-C2;~1 Max	2.532	2.617	13.457	0.0	0.0
0.0	Min	-3.480	-3.688	-23.774	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.675	3.315	14.973	0.0	0.0
-0.0	Min	-4.078	-4.346	-23.175	-0.0	-0.0
0.0						
-0.0	C1-C2;~2 Max	1.313	1.343	7.238	0.0	0.0
0.0	Min	-1.776	-1.894	-13.312	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.392	1.746	7.934	0.0	0.0
-0.0	Min	-2.045	-2.202	-12.898	-0.0	-0.0
0.0	G1	-1.709	-1.991	-10.916	-0.0	-0.0
0.0	G2	-0.674	-0.769	-4.196	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.539	-0.038	0.119	0.0	-0.0
0.0	Q5_pc Y	1.610	1.809	-0.066	-0.0	0.0
-0.0						
0.0	Q5_ps X	0.512	-0.054	0.100	0.0	-0.0
-0.0	Q5_ps Y	1.521	1.758	0.023	-0.0	0.0
0.0						
-0.0	INVS LU Max	13.162	7.290	-18.780	0.0	-0.0
0.0	Min	1.148	-6.309	-71.304	-0.0	-0.0
-0.0						
0.0	INVS LE Max	10.254	5.558	-14.709	0.0	-0.0
-0.0	Min	1.569	-4.275	-53.599	-0.0	-0.0
5524	C1-C2;~1 Max	2.610	2.634	13.310	0.0	0.0
0.0	Min	-3.521	-3.732	-22.955	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.755	3.326	14.807	0.0	0.0
-0.0		Min	-4.133	-4.401	-22.385	-0.0	-0.0
0.0	C1-C2;~2	Max	1.343	1.350	7.160	0.0	0.0
-0.0		Min	-1.787	-1.918	-12.834	-0.0	-0.0
0.0	C3-C4;~2	Max	1.422	1.750	7.846	0.0	0.0
-0.0		Min	-2.061	-2.232	-12.440	-0.0	-0.0
-0.0	G1		-1.632	-1.999	-10.253	-0.0	-0.0
-0.0	G2		-0.644	-0.772	-3.940	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.538	-0.029	0.120	0.0	-0.0
-0.0	Q5_pc Y		1.611	1.799	-0.077	-0.0	0.0
0.0	Q5_ps X		0.511	-0.045	0.100	0.0	-0.0
-0.0	Q5_ps Y		1.521	1.746	0.011	-0.0	0.0
0.0	INVSLU	Max	13.362	7.358	-16.320	0.0	-0.0
-0.0		Min	1.164	-6.311	-67.514	-0.0	-0.0
0.0	INVSLE	Max	10.399	5.612	-12.835	0.0	-0.0
-0.0		Min	1.578	-4.273	-50.740	-0.0	-0.0
5525	C1-C2;~1	Max	2.684	2.617	13.112	0.0	0.0
0.0		Min	-3.566	-3.752	-22.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.828	3.301	14.583	0.0	0.0
-0.0		Min	-4.190	-4.427	-21.524	-0.0	-0.0
0.0	C1-C2;~2	Max	1.371	1.339	7.054	0.0	0.0
-0.0		Min	-1.801	-1.929	-12.317	-0.0	-0.0
0.0	C3-C4;~2	Max	1.450	1.735	7.728	0.0	0.0
-0.0		Min	-2.079	-2.245	-11.943	-0.0	-0.0
-0.0	G1		-1.575	-2.023	-9.558	-0.0	-0.0
-0.0	G2		-0.622	-0.782	-3.669	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.537	-0.019	0.119	0.0	-0.0
-0.0	Q5_pc Y		1.611	1.784	-0.086	-0.0	0.0
0.0	Q5_ps X		0.510	-0.035	0.100	0.0	-0.0
-0.0	Q5_ps Y		1.520	1.730	0.001	-0.0	0.0
0.0	INVSLU	Max	13.507	7.360	-13.844	0.0	-0.0
-0.0		Min	1.133	-6.285	-63.534	-0.0	-0.0
0.0	INVSLE	Max	10.504	5.618	-10.946	0.0	-0.0
-0.0		Min	1.552	-4.251	-47.737	-0.0	-0.0
5526	C1-C2;~1	Max	2.753	2.591	12.852	0.0	0.0
0.0		Min	-3.615	-3.766	-21.086	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.895	3.264	14.292	0.0	0.0
0.0		Min	-4.249	-4.447	-20.583	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.397	1.323	6.914	0.0	0.0
0.0		Min	-1.815	-1.936	-11.751	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.475	1.713	7.574	0.0	0.0
0.0		Min	-2.098	-2.255	-11.403	-0.0	-0.0
-0.0	G1		-1.538	-2.054	-8.839	-0.0	-0.0
-0.0	G2		-0.608	-0.794	-3.388	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.536	-0.007	0.119	-0.0	0.0
-0.0	Q5_pc Y		1.611	1.767	-0.096	0.0	0.0
0.0	Q5_ps X		0.510	-0.023	0.100	-0.0	0.0
-0.0	Q5_ps Y		1.519	1.712	-0.012	0.0	0.0
0.0	INVSLU	Max	13.595	7.330	-11.393	0.0	-0.0
-0.0		Min	1.052	-6.261	-59.367	-0.0	-0.0
0.0	INVSLE	Max	10.566	5.601	-9.073	0.0	-0.0
-0.0		Min	1.489	-4.230	-44.593	-0.0	-0.0
5527	C1-C2;~1	Max	2.820	2.608	12.537	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.671	-3.820	-20.043	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.959	3.263	13.938	0.0	0.0
0.0		Min	-4.315	-4.511	-19.568	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.422	1.332	6.745	0.0	0.0
0.0		Min	-1.832	-1.967	-11.151	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.499	1.712	7.387	0.0	0.0
0.0		Min	-2.118	-2.290	-10.824	-0.0	-0.0
-0.0							
-0.0	G1		-1.518	-2.071	-8.094	0.0	-0.0
-0.0	G2		-0.601	-0.801	-3.101	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.536	0.004	0.118	0.0	-0.0
0.0	Q5_pc Y		1.609	1.748	-0.107	0.0	0.0
-0.0	Q5_ps X		0.510	-0.012	0.099	0.0	0.0
0.0	Q5_ps Y		1.516	1.692	-0.024	0.0	0.0
-0.0							
0.0	INVSLU	Max	13.625	7.336	-8.969	0.0	-0.0
0.0		Min	0.909	-6.306	-55.054	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.584	5.609	-7.216	0.0	-0.0
0.0		Min	1.379	-4.263	-41.337	-0.0	-0.0
-0.0							
5528	C1-C2;~1	Max	2.891	2.624	12.148	0.0	0.0
0.0		Min	-3.729	-3.866	-18.917	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.018	3.257	13.502	0.0	0.0
0.0		Min	-4.384	-4.564	-18.467	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.452	1.341	6.537	0.0	0.0
0.0		Min	-1.850	-1.993	-10.508	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.521	1.707	7.156	0.0	0.0
0.0		Min	-2.140	-2.320	-10.198	-0.0	-0.0
-0.0							
-0.0	G1		-1.517	-2.082	-7.328	0.0	-0.0
-0.0	G2		-0.601	-0.805	-2.806	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.536	0.016	0.115	0.0	-0.0
0.0	Q5_pc Y		1.607	1.727	-0.113	0.0	0.0
-0.0	Q5_ps X		0.510	0.000	0.097	0.0	-0.0
0.0	Q5_ps Y		1.512	1.669	-0.033	0.0	0.0
-0.0							
	INVSLU	Max	13.592	7.351	-6.666	0.0	-0.0
0.0		Min	0.707	-6.316	-50.638	-0.0	-0.0
-0.0							
	INVSLE	Max	10.554	5.624	-5.450	0.0	-0.0
0.0		Min	1.223	-4.270	-38.006	-0.0	-0.0
-0.0							
5529	C1-C2;~1	Max	2.977	2.621	11.683	0.0	0.0
0.0		Min	-3.789	-3.884	-17.704	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.093	3.226	12.981	0.0	0.0
0.0		Min	-4.455	-4.585	-17.286	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.494	1.339	6.287	0.0	0.0
0.0		Min	-1.868	-2.002	-9.816	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.557	1.689	6.880	0.0	0.0
0.0		Min	-2.163	-2.331	-9.530	-0.0	-0.0
-0.0							
	G1		-1.538	-2.088	-6.555	0.0	-0.0
-0.0							
	G2		-0.609	-0.808	-2.507	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.536	0.030	0.112	0.0	-0.0
0.0	Q5_pc Y		1.604	1.702	-0.119	-0.0	0.0
-0.0	Q5_ps X		0.511	0.014	0.094	0.0	-0.0
0.0	Q5_ps Y		1.508	1.643	-0.042	0.0	0.0
-0.0							
	INVSLU	Max	13.527	7.364	-4.525	0.0	-0.0
0.0		Min	0.450	-6.245	-46.164	-0.0	-0.0
-0.0							
	INVSLE	Max	10.499	5.639	-3.806	0.0	-0.0
0.0		Min	1.027	-4.215	-34.634	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5530	C1-C2;~1	Max	3.054	2.594	11.131	0.0	0.0
0.0		Min	-3.851	-3.872	-16.410	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.160	3.169	12.363	0.0	0.0
0.0		Min	-4.526	-4.573	-16.026	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.535	1.324	5.990	0.0	0.0
0.0		Min	-1.887	-1.995	-9.082	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.589	1.656	6.553	0.0	0.0
0.0		Min	-2.185	-2.323	-8.819	-0.0	-0.0
-0.0							
	G1		-1.584	-2.091	-5.782	-0.0	-0.0
-0.0							
	G2		-0.627	-0.809	-2.207	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.537	0.046	0.107	0.0	0.0
0.0							
	Q5_pc Y		1.601	1.673	-0.120	-0.0	0.0
-0.0							
	Q5_ps X		0.511	0.030	0.090	0.0	0.0
0.0							
	Q5_ps Y		1.504	1.612	-0.047	0.0	0.0
-0.0							
	INVSLU	Max	13.396	7.366	-2.617	0.0	-0.0
0.0		Min	0.138	-6.098	-41.678	-0.0	-0.0
-0.0							
	INVSLE	Max	10.396	5.647	-2.338	0.0	-0.0
0.0		Min	0.788	-4.104	-31.256	-0.0	-0.0
-0.0							
5531	C1-C2;~1	Max	3.135	2.555	10.483	0.0	0.0
0.0		Min	-3.989	-3.854	-15.035	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.211	3.099	11.641	0.0	0.0
0.0		Min	-4.672	-4.554	-14.697	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.581	1.303	5.642	0.0	0.0
0.0		Min	-1.963	-1.985	-8.305	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.614	1.615	6.171	0.0	0.0
0.0		Min	-2.263	-2.311	-8.074	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-1.657	-2.100	-5.034	-0.0	-0.0
-0.0	G2		-0.656	-0.813	-1.916	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.538	0.063	0.103	0.0	0.0
-0.0	Q5_pc Y		1.596	1.639	-0.125	-0.0	0.0
0.0	Q5_ps X		0.513	0.048	0.088	-0.0	0.0
-0.0	Q5_ps Y		1.498	1.578	-0.056	-0.0	0.0
0.0	INVS LU	Max	13.182	7.337	-0.994	-0.0	-0.0
-0.0		Min	-0.332	-5.945	-37.231	-0.0	-0.0
0.0	INVS LE	Max	10.231	5.632	-1.085	-0.0	-0.0
-0.0		Min	0.433	-3.987	-27.911	-0.0	-0.0
5532	C1-C2;~1	Max	3.197	2.532	9.755	0.0	0.0
0.0		Min	-4.157	-3.885	-13.609	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.264	3.043	10.832	0.0	0.0
-0.0		Min	-4.852	-4.587	-13.310	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.616	1.290	5.251	0.0	0.0
0.0		Min	-2.059	-2.002	-7.503	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.645	1.583	5.742	0.0	0.0
-0.0		Min	-2.365	-2.330	-7.299	-0.0	-0.0
-0.0	G1		-1.764	-2.136	-4.305	0.0	-0.0
-0.0	G2		-0.698	-0.827	-1.636	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.540	0.083	0.098	0.0	0.0
-0.0	Q5_pc Y		1.589	1.601	-0.126	0.0	-0.0
0.0	Q5_ps X		0.515	0.068	0.084	-0.0	0.0
-0.0	Q5_ps Y		1.489	1.538	-0.062	0.0	-0.0
0.0	INVS LU	Max	12.892	7.219	0.381	0.0	-0.0
-0.0		Min	-0.925	-5.963	-32.839	-0.0	-0.0
0.0	INVS LE	Max	10.008	5.550	-0.019	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.015	-4.001	-24.610	-0.0	-0.0
-0.0							
5533	C1-C2;~1	Max	3.237	2.509	8.924	0.0	0.0
0.0		Min	-4.329	-3.898	-12.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.298	2.984	9.906	0.0	0.0
0.0		Min	-5.037	-4.600	-11.876	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.640	1.277	4.803	0.0	0.0
0.0		Min	-2.159	-2.010	-6.683	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.664	1.548	5.252	0.0	0.0
0.0		Min	-2.470	-2.337	-6.502	-0.0	-0.0
-0.0							
-0.0	G1		-1.901	-2.149	-3.629	0.0	-0.0
-0.0	G2		-0.751	-0.832	-1.376	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	0.101	0.091	0.0	0.0
0.0	Q5_pc Y		1.580	1.563	-0.121	0.0	-0.0
-0.0	Q5_ps X		0.518	0.086	0.078	-0.0	0.0
0.0	Q5_ps Y		1.480	1.499	-0.063	0.0	-0.0
-0.0							
0.0	INVSLU	Max	12.511	7.148	1.380	0.0	-0.0
0.0		Min	-1.584	-5.904	-28.604	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.718	5.503	0.765	0.0	-0.0
0.0		Min	-0.512	-3.957	-21.430	-0.0	-0.0
-0.0							
5534	C1-C2;~1	Max	3.258	2.479	7.990	0.0	0.0
0.0		Min	-4.508	-3.860	-10.646	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.314	2.913	8.871	0.0	0.0
0.0		Min	-5.228	-4.559	-10.416	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.652	1.259	4.301	0.0	0.0
0.0		Min	-2.262	-1.987	-5.849	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.674	1.506	4.703	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.578	-2.313	-5.693	-0.0	-0.0
-0.0	G1		-2.070	-2.110	-3.028	-0.0	-0.0
0.0	G2		-0.817	-0.818	-1.145	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.545	0.116	0.085	0.0	0.0
0.0	Q5_pc Y		1.572	1.531	-0.118	-0.0	-0.0
-0.0	Q5_ps X		0.520	0.103	0.073	0.0	0.0
0.0	Q5_ps Y		1.471	1.465	-0.065	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	12.039	7.197	1.981	-0.0	-0.0
0.0		Min	-2.321	-5.647	-24.580	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.360	5.547	1.249	-0.0	-0.0
0.0		Min	-1.068	-3.763	-18.409	-0.0	-0.0
-0.0							
5535	C1-C2;~1	Max	3.258	2.447	6.965	0.0	0.0
0.0		Min	-4.572	-3.802	-9.155	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.309	2.836	7.735	0.0	0.0
0.0		Min	-5.296	-4.499	-8.952	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.652	1.240	3.750	0.0	0.0
0.0		Min	-2.298	-1.954	-5.023	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.671	1.460	4.101	0.0	0.0
0.0		Min	-2.617	-2.277	-4.887	-0.0	-0.0
-0.0							
0.0	G1		-2.138	-2.051	-2.516	-0.0	-0.0
0.0	G2		-0.843	-0.797	-0.947	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	0.129	0.077	0.0	0.0
0.0	Q5_pc Y		1.567	1.506	-0.111	-0.0	-0.0
-0.0	Q5_ps X		0.522	0.116	0.066	0.0	0.0
0.0	Q5_ps Y		1.466	1.436	-0.064	-0.0	0.0
-0.0							
0.0	INVSLU	Max	11.843	7.289	2.182	-0.0	0.0
0.0		Min	-2.594	-5.323	-20.819	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	9.212	5.623	1.434	-0.0	-0.0
-0.0		Min	-1.273	-3.518	-15.589	-0.0	-0.0
5536	C1-C2;~1	Max	3.249	2.417	5.902	0.0	0.0
0.0		Min	-4.638	-3.738	-7.655	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.296	2.764	6.558	0.0	0.0
-0.0		Min	-5.366	-4.431	-7.489	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.647	1.221	3.177	0.0	0.0
0.0		Min	-2.336	-1.915	-4.195	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.663	1.418	3.477	0.0	0.0
-0.0		Min	-2.656	-2.237	-4.083	-0.0	-0.0
0.0	G1		-2.221	-1.981	-2.045	-0.0	-0.0
0.0	G2		-0.876	-0.772	-0.765	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.548	0.139	0.071	0.0	0.0
-0.0	Q5_pc Y		1.562	1.483	-0.109	-0.0	0.0
0.0	Q5_ps X		0.524	0.127	0.061	0.0	0.0
-0.0	Q5_ps Y		1.460	1.410	-0.067	-0.0	0.0
0.0	INVSLE	Max	11.602	7.413	2.209	-0.0	0.0
-0.0		Min	-2.902	-4.970	-17.175	-0.0	-0.0
0.0	INVSLE	Max	9.030	5.724	1.488	-0.0	0.0
-0.0		Min	-1.505	-3.252	-12.856	-0.0	-0.0
5537	C1-C2;~1	Max	3.230	2.389	4.794	0.0	0.0
0.0		Min	-4.708	-3.686	-6.152	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.272	2.701	5.338	0.0	0.0
-0.0		Min	-5.439	-4.378	-6.015	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.637	1.204	2.580	0.0	0.0
-0.0		Min	-2.377	-1.884	-3.367	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	1.650	1.382	2.830	0.0	0.0
-0.0		Min	-2.698	-2.205	-3.275	-0.0	-0.0
0.0	G1		-2.319	-1.921	-1.602	-0.0	-0.0
0.0	G2		-0.914	-0.752	-0.597	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.550	0.146	0.066	0.0	0.0
-0.0	Q5_pc Y		1.556	1.466	-0.107	-0.0	-0.0
0.0	Q5_ps X		0.526	0.137	0.057	-0.0	0.0
-0.0	Q5_ps Y		1.454	1.388	-0.071	0.0	-0.0
0.0	INVSLU	Max	11.310	7.520	2.072	-0.0	0.0
-0.0		Min	-3.249	-4.675	-13.631	-0.0	-0.0
0.0	INVSLE	Max	8.811	5.810	1.418	-0.0	0.0
-0.0		Min	-1.766	-3.028	-10.200	-0.0	-0.0
5538	C1-C2;~1	Max	3.200	2.365	3.621	0.0	0.0
0.0		Min	-4.779	-3.627	-4.653	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.238	2.641	4.042	0.0	0.0
-0.0		Min	-5.512	-4.314	-4.537	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.620	1.187	1.949	0.0	0.0
0.0		Min	-2.418	-1.848	-2.544	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.631	1.347	2.143	0.0	0.0
-0.0		Min	-2.740	-2.166	-2.467	-0.0	-0.0
0.0	G1		-2.431	-1.850	-1.221	-0.0	-0.0
0.0	G2		-0.957	-0.727	-0.454	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.552	0.151	0.057	-0.0	0.0
-0.0	Q5_pc Y		1.549	1.453	-0.096	0.0	-0.0
0.0	Q5_ps X		0.528	0.143	0.049	-0.0	0.0
-0.0	Q5_ps Y		1.448	1.371	-0.067	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	10.974	7.651	1.646	-0.0	0.0
		Min	-3.626	-4.354	-10.266	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	8.559	5.913	1.132	-0.0	0.0
		Min	-2.050	-2.785	-7.679	-0.0	-0.0
-0.0							
5539 0.0	C1-C2;~1	Max	3.160	2.358	2.400	0.0	0.0
		Min	-4.851	-3.553	-3.166	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.197	2.585	2.697	0.0	0.0
		Min	-5.585	-4.228	-3.073	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.597	1.184	1.290	0.0	0.0
		Min	-2.459	-1.804	-1.730	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.607	1.314	1.429	0.0	0.0
		Min	-2.782	-2.116	-1.670	-0.0	-0.0
-0.0							
0.0	G1		-2.556	-1.763	-0.907	0.0	-0.0
0.0	G2		-1.006	-0.696	-0.335	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	0.153	0.049	-0.0	0.0
-0.0	Q5_pc Y		1.543	1.446	-0.087	0.0	-0.0
0.0	Q5_ps X		0.530	0.146	0.042	-0.0	0.0
-0.0	Q5_ps Y		1.442	1.360	-0.064	0.0	0.0
0.0	INVS LU	Max	10.598	7.810	0.962	0.0	0.0
-0.0		Min	-4.036	-3.990	-7.109	-0.0	-0.0
0.0	INVS LE	Max	8.277	6.036	0.653	0.0	0.0
-0.0		Min	-2.357	-2.511	-5.314	-0.0	-0.0
5540 0.0	C1-C2;~1	Max	3.112	2.358	1.137	0.0	0.0
-0.0		Min	-4.925	-3.465	-1.675	-0.0	-0.0
0.0	C3-C4;~1	Max	3.157	2.531	1.301	0.0	0.0
-0.0		Min	-5.659	-4.117	-1.606	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.569	1.185	0.610	0.0	0.0
-0.0		Min	-2.502	-1.752	-0.917	-0.0	-0.0
0.0	C3-C4;~2	Max	1.586	1.283	0.688	0.0	0.0
-0.0		Min	-2.824	-2.052	-0.873	-0.0	-0.0
0.0	G1		-2.695	-1.667	-0.624	0.0	-0.0
0.0	G2		-1.059	-0.660	-0.230	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.556	0.151	0.037	-0.0	0.0
-0.0	Q5_pc Y		1.538	1.444	-0.070	0.0	-0.0
-0.0	Q5_ps X		0.531	0.146	0.032	-0.0	0.0
-0.0	Q5_ps Y		1.437	1.356	-0.054	0.0	-0.0
0.0	INVSLU	Max	10.193	7.969	0.090	0.0	-0.0
-0.0		Min	-4.477	-3.604	-4.054	-0.0	-0.0
0.0	INVSLE	Max	7.972	6.158	0.032	0.0	-0.0
-0.0		Min	-2.689	-2.222	-3.028	-0.0	-0.0
5541	C1-C2;~1	Max	3.047	2.342	0.000	0.0	0.0
0.0		Min	-5.001	-3.373	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.110	2.474	0.000	0.0	0.0
-0.0		Min	-5.732	-3.987	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	1.533	1.177	0.000	0.0	0.0
-0.0		Min	-2.546	-1.699	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	1.562	1.249	0.000	0.0	0.0
-0.0		Min	-2.866	-1.979	0.000	-0.0	-0.0
0.0	G1		-2.856	-1.583	0.000	0.0	0.0
0.0	G2		-1.121	-0.628	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.558	0.147	0.000	-0.0	0.0
0.0	Q5_pc Y		1.531	1.447	0.000	0.0	-0.0
-0.0	Q5_ps X		0.533	0.142	0.000	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.431	1.357	0.000	0.0	-0.0
0.0	INVS LU	Max	9.724	8.066	0.000	0.0	0.0
-0.0		Min	-4.969	-3.260	0.000	-0.0	-0.0
0.0	INVS LE	Max	7.620	6.231	0.000	0.0	0.0
-0.0		Min	-3.059	-1.966	0.000	-0.0	-0.0
5542	C1-C2;~1	Max	2.976	2.289	1.037	0.0	0.0
0.0		Min	-5.072	-3.296	-1.865	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.058	2.396	1.134	0.0	0.0
-0.0		Min	-5.799	-3.853	-1.749	-0.0	-0.0
0.0	C1-C2;~2	Max	1.492	1.147	0.543	0.0	0.0
-0.0		Min	-2.588	-1.658	-1.000	-0.0	-0.0
0.0	C3-C4;~2	Max	1.535	1.203	0.590	0.0	0.0
-0.0		Min	-2.905	-1.906	-0.943	-0.0	-0.0
0.0	G1		-3.019	-1.559	-0.842	0.0	0.0
0.0	G2		-1.183	-0.617	-0.313	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.560	0.141	0.023	-0.0	-0.0
0.0	Q5_pc Y		1.524	1.451	-0.053	0.0	0.0
-0.0	Q5_ps X		0.534	0.136	0.016	-0.0	-0.0
0.0	Q5_ps Y		1.425	1.364	-0.043	0.0	0.0
0.0	INVS LU	Max	9.240	7.942	0.046	0.0	0.0
-0.0		Min	-5.459	-3.107	-4.098	-0.0	0.0
0.0	INVS LE	Max	7.257	6.134	0.032	0.0	0.0
-0.0		Min	-3.428	-1.857	-3.030	-0.0	0.0
5543	C1-C2;~1	Max	2.920	2.220	2.194	0.0	0.0
0.0		Min	-5.131	-3.214	-3.535	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.009	2.313	2.359	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.854	-3.697	-3.464	-0.0	-0.0
0.0	C1-C2;~2	Max	1.462	1.106	1.157	0.0	0.0
-0.0		Min	-2.623	-1.613	-1.897	-0.0	-0.0
0.0	C3-C4;~2	Max	1.510	1.153	1.234	0.0	0.0
-0.0		Min	-2.938	-1.822	-1.849	-0.0	-0.0
0.0	G1		-3.161	-1.545	-1.355	0.0	0.0
0.0	G2		-1.238	-0.608	-0.508	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.562	0.132	0.018	-0.0	0.0
0.0	Q5_pc Y		1.518	1.460	-0.050	0.0	-0.0
-0.0	Q5_ps X		0.536	0.126	0.010	-0.0	0.0
0.0	Q5_ps Y		1.419	1.376	-0.039	0.0	-0.0
0.0	INVSLU	Max	8.804	7.752	0.853	0.0	0.0
-0.0		Min	-5.892	-2.989	-7.193	-0.0	-0.0
0.0	INVSLE	Max	6.929	5.986	0.638	0.0	0.0
-0.0		Min	-3.755	-1.776	-5.315	-0.0	-0.0
5544	C1-C2;~1	Max	2.871	2.166	3.330	0.0	0.0
0.0		Min	-5.184	-3.119	-5.215	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.961	2.263	3.559	0.0	0.0
-0.0		Min	-5.905	-3.517	-5.175	-0.0	-0.0
0.0	C1-C2;~2	Max	1.437	1.076	1.759	0.0	0.0
-0.0		Min	-2.655	-1.562	-2.800	-0.0	-0.0
0.0	C3-C4;~2	Max	1.485	1.127	1.863	0.0	0.0
-0.0		Min	-2.968	-1.725	-2.761	-0.0	-0.0
0.0	G1		-3.291	-1.521	-1.891	0.0	0.0
0.0	G2		-1.288	-0.594	-0.711	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.564	0.121	0.011	0.0	0.0
	Q5_pc Y		1.511	1.473	-0.041	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.538	0.113	0.001	-0.0	0.0
0.0	Q5_ps Y	1.414	1.395	-0.030	0.0	-0.0
0.0	INVS LU Max	8.397	7.610	1.520	0.0	0.0
-0.0	Min	-6.292	-2.843	-10.398	-0.0	-0.0
0.0	INVS LE Max	6.623	5.871	1.139	0.0	0.0
-0.0	Min	-4.056	-1.675	-7.684	-0.0	-0.0
5545	C1-C2;~1 Max	2.823	2.139	4.440	0.0	0.0
0.0	Min	-5.230	-3.049	-6.930	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.915	2.247	4.736	0.0	0.0
0.0	Min	-5.951	-3.351	-6.935	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.413	1.065	2.344	0.0	0.0
0.0	Min	-2.683	-1.527	-3.722	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.462	1.125	2.478	0.0	0.0
0.0	Min	-2.996	-1.642	-3.699	-0.0	-0.0
-0.0	G1	-3.408	-1.476	-2.498	-0.0	0.0
0.0	G2	-1.333	-0.573	-0.942	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.566	0.107	0.005	0.0	0.0
-0.0	Q5_pc Y	1.505	1.492	-0.031	-0.0	-0.0
0.0	Q5_ps X	0.539	0.096	-0.007	0.0	0.0
-0.0	Q5_ps Y	1.408	1.419	-0.021	-0.0	-0.0
0.0	INVS LU Max	8.023	7.547	1.964	0.0	0.0
-0.0	Min	-6.656	-2.695	-13.849	-0.0	-0.0
0.0	INVS LE Max	6.341	5.814	1.471	0.0	0.0
-0.0	Min	-4.331	-1.574	-10.238	-0.0	-0.0
5546	C1-C2;~1 Max	2.778	2.133	5.501	0.0	0.0
0.0	Min	-5.267	-3.072	-8.661	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.871	2.246	5.863	0.0	0.0
-0.0		Min	-5.989	-3.242	-8.687	-0.0	-0.0
0.0	C1-C2;~2	Max	1.389	1.067	2.901	0.0	0.0
-0.0		Min	-2.706	-1.541	-4.654	-0.0	-0.0
0.0	C3-C4;~2	Max	1.440	1.129	3.062	0.0	0.0
-0.0		Min	-3.019	-1.602	-4.635	-0.0	-0.0
0.0	G1		-3.510	-1.416	-3.155	-0.0	0.0
0.0	G2		-1.373	-0.545	-1.192	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.568	0.090	-0.003	0.0	0.0
0.0	Q5_pc Y		1.499	1.516	-0.018	-0.0	-0.0
-0.0	Q5_ps X		0.541	0.077	-0.017	0.0	0.0
0.0	Q5_ps Y		1.402	1.449	-0.008	-0.0	-0.0
0.0	INVSLU	Max	7.681	7.532	2.158	-0.0	0.0
-0.0		Min	-6.978	-2.605	-17.517	-0.0	-0.0
0.0	INVSLE	Max	6.084	5.792	1.615	-0.0	0.0
-0.0		Min	-4.574	-1.515	-12.956	-0.0	-0.0
5547	C1-C2;~1	Max	2.731	2.128	6.593	0.0	0.0
0.0		Min	-5.296	-3.112	-10.494	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.831	2.254	7.027	0.0	0.0
-0.0		Min	-6.018	-3.144	-10.531	-0.0	-0.0
0.0	C1-C2;~2	Max	1.366	1.070	3.473	0.0	0.0
-0.0		Min	-2.725	-1.567	-5.642	-0.0	-0.0
0.0	C3-C4;~2	Max	1.421	1.138	3.665	0.0	0.0
-0.0		Min	-3.038	-1.567	-5.620	-0.0	-0.0
0.0	G1		-3.602	-1.361	-3.869	-0.0	0.0
0.0	G2		-1.409	-0.520	-1.467	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.570	0.070	-0.010	0.0	0.0
0.0	Q5_pc Y		1.492	1.546	-0.007	-0.0	-0.0
-0.0	Q5_ps X		0.543	0.056	-0.026	0.0	0.0
0.0	Q5_ps Y		1.396	1.483	0.004	-0.0	-0.0
0.0	INVS LU	Max	7.359	7.502	2.242	0.0	0.0
-0.0		Min	-7.273	-2.568	-21.479	-0.0	-0.0
0.0	INVS LE	Max	5.842	5.758	1.676	-0.0	0.0
-0.0		Min	-4.798	-1.495	-15.894	-0.0	-0.0
5548	C1-C2;~1	Max	2.686	2.141	7.661	0.0	0.0
0.0		Min	-5.316	-3.156	-12.348	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.798	2.290	8.170	0.0	0.0
-0.0		Min	-6.039	-3.066	-12.429	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.343	1.080	4.028	0.0	0.0
-0.0		Min	-2.738	-1.593	-6.642	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.407	1.158	4.254	0.0	0.0
-0.0		Min	-3.051	-1.540	-6.634	-0.0	-0.0
0.0	G1		-3.681	-1.289	-4.644	-0.0	0.0
0.0	G2		-1.440	-0.489	-1.766	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.571	0.048	-0.016	0.0	0.0
0.0	Q5_pc Y		1.486	1.580	0.003	-0.0	-0.0
-0.0	Q5_ps X		0.544	0.032	-0.034	0.0	0.0
0.0	Q5_ps Y		1.390	1.522	0.014	-0.0	-0.0
0.0	INVS LU	Max	7.077	7.554	2.144	0.0	0.0
-0.0		Min	-7.528	-2.643	-25.694	-0.0	0.0
0.0	INVS LE	Max	5.628	5.784	1.597	0.0	0.0
-0.0		Min	-4.992	-1.558	-19.021	-0.0	0.0
5549	C1-C2;~1	Max	2.651	2.179	8.685	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-5.331	-3.207	-14.200	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.767	2.369	9.269	0.0	0.0
0.0		Min	-6.057	-3.028	-14.308	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.327	1.101	4.558	0.0	0.0
0.0		Min	-2.749	-1.622	-7.642	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.393	1.195	4.817	0.0	0.0
0.0		Min	-3.064	-1.531	-7.639	-0.0	-0.0
-0.0							
0.0	G1		-3.748	-1.194	-5.446	-0.0	0.0
0.0	G2		-1.466	-0.449	-2.076	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.573	0.024	-0.021	0.0	0.0
-0.0	Q5_pc Y		1.480	1.619	0.015	-0.0	-0.0
0.0	Q5_ps X		0.546	0.007	-0.042	0.0	0.0
-0.0	Q5_ps Y		1.384	1.566	0.025	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.827	7.727	1.866	0.0	0.0
0.0		Min	-7.748	-2.714	-30.001	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.439	5.902	1.383	0.0	0.0
0.0		Min	-5.160	-1.616	-22.219	-0.0	0.0
-0.0							
5550	C1-C2;~1	Max	2.588	2.256	9.663	0.0	0.0
0.0		Min	-5.347	-3.265	-16.076	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.705	2.513	10.324	0.0	0.0
0.0		Min	-6.082	-3.061	-16.219	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.300	1.138	5.061	0.0	0.0
0.0		Min	-2.762	-1.653	-8.655	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.367	1.260	5.353	0.0	0.0
0.0		Min	-3.082	-1.558	-8.661	-0.0	-0.0
-0.0							
0.0	G1		-3.865	-1.060	-6.319	0.0	0.0
0.0	G2		-1.512	-0.394	-2.412	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.577	-0.002	-0.025	0.0	0.0
-0.0	Q5_pc Y		1.467	1.664	0.024	-0.0	-0.0
0.0	Q5_ps X		0.550	-0.020	-0.048	0.0	0.0
-0.0	Q5_ps Y		1.371	1.614	0.035	-0.0	-0.0
0.0	INVS LU	Max	6.354	8.096	1.313	0.0	0.0
0.0		Min	-8.148	-2.700	-34.566	-0.0	0.0
-0.0							
0.0	INVS LE	Max	5.081	6.165	0.961	0.0	0.0
0.0		Min	-5.465	-1.610	-25.612	-0.0	0.0
-0.0							
5551	C1-C2;~1	Max	2.529	2.368	10.556	0.0	0.0
0.0		Min	-5.345	-3.321	-17.928	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.646	2.712	11.294	0.0	0.0
0.0		Min	-6.088	-3.139	-18.073	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.275	1.189	5.515	0.0	0.0
0.0		Min	-2.765	-1.680	-9.657	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.342	1.346	5.840	0.0	0.0
0.0		Min	-3.090	-1.605	-9.654	-0.0	-0.0
-0.0							
0.0	G1		-3.952	-0.896	-7.228	0.0	0.0
0.0	G2		-1.547	-0.328	-2.762	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.581	-0.029	-0.029	0.0	0.0
-0.0	Q5_pc Y		1.454	1.713	0.033	-0.0	-0.0
0.0	Q5_ps X		0.554	-0.048	-0.053	0.0	0.0
-0.0	Q5_ps Y		1.358	1.665	0.044	-0.0	-0.0
0.0							
0.0	INVS LU	Max	5.948	8.606	0.445	0.0	0.0
0.0		Min	-8.460	-2.621	-39.260	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.773	6.534	0.300	0.0	0.0
0.0		Min	-5.706	-1.554	-29.107	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5552	C1-C2;~1	Max	2.473	2.485	11.410	0.0	0.0
0.0		Min	-5.323	-3.363	-19.755	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.590	2.913	12.222	0.0	0.0
0.0		Min	-6.073	-3.232	-19.897	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.252	1.242	5.947	0.0	0.0
0.0		Min	-2.757	-1.699	-10.647	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.318	1.433	6.304	0.0	0.0
0.0		Min	-3.085	-1.657	-10.633	-0.0	-0.0
-0.0							
	G1		-4.012	-0.753	-8.138	0.0	0.0
0.0							
	G2		-1.571	-0.271	-3.117	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.584	-0.053	-0.032	0.0	0.0
-0.0							
	Q5_pc Y		1.442	1.754	0.043	0.0	-0.0
0.0							
	Q5_ps X		0.558	-0.073	-0.059	0.0	0.0
-0.0							
	Q5_ps Y		1.346	1.710	0.054	0.0	-0.0
0.0							
	INVSLU	Max	5.602	9.015	-0.553	0.0	0.0
0.0		Min	-8.688	-2.614	-43.991	-0.0	0.0
-0.0							
	INVSLE	Max	4.510	6.826	-0.461	0.0	0.0
0.0		Min	-5.883	-1.555	-32.632	-0.0	0.0
-0.0							
5553	C1-C2;~1	Max	2.419	2.615	12.213	0.0	0.0
0.0		Min	-5.284	-3.407	-21.553	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.535	3.126	13.102	0.0	0.0
0.0		Min	-6.038	-3.341	-21.730	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.229	1.300	6.347	0.0	0.0
0.0		Min	-2.739	-1.720	-11.621	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.296	1.525	6.738	0.0	0.0
0.0		Min	-3.070	-1.716	-11.615	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-4.049	-0.615	-9.084	0.0	0.0
0.0	G2		-1.586	-0.216	-3.485	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.587	-0.076	-0.032	0.0	0.0
0.0	Q5_pc Y		1.431	1.794	0.049	0.0	-0.0
-0.0	Q5_ps X		0.561	-0.096	-0.061	0.0	0.0
0.0	Q5_ps Y		1.334	1.752	0.059	0.0	0.0
0.0	INVS LU	Max	5.304	9.434	-1.775	0.0	0.0
-0.0		Min	-8.844	-2.615	-48.884	-0.0	0.0
0.0	INVS LE	Max	4.282	7.125	-1.392	0.0	0.0
-0.0		Min	-6.008	-1.561	-36.282	-0.0	0.0
5554	C1-C2;~1	Max	2.367	2.760	12.946	0.0	0.0
0.0		Min	-5.235	-3.465	-23.289	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.482	3.349	13.909	0.0	0.0
-0.0		Min	-5.998	-3.465	-23.486	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.208	1.364	6.709	0.0	0.0
-0.0		Min	-2.715	-1.746	-12.562	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.274	1.621	7.131	0.0	0.0
-0.0		Min	-3.052	-1.781	-12.557	-0.0	-0.0
0.0	G1		-4.068	-0.478	-10.021	0.0	0.0
0.0	G2		-1.595	-0.160	-3.850	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.590	-0.098	-0.031	0.0	-0.0
0.0	Q5_pc Y		1.419	1.835	0.055	0.0	0.0
-0.0	Q5_ps X		0.564	-0.119	-0.062	-0.0	0.0
0.0	Q5_ps Y		1.322	1.795	0.065	0.0	0.0
0.0	INVS LU	Max	5.048	9.898	-3.174	0.0	0.0
-0.0		Min	-8.954	-2.603	-53.757	-0.0	0.0
0.0	INVS LE	Max	4.086	7.460	-2.459	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-6.097	-1.556	-39.921	-0.0	0.0
-0.0							
5555	C1-C2;~1	Max	2.317	2.922	13.628	0.0	0.0
0.0		Min	-5.176	-3.534	-24.967	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.432	3.593	14.666	0.0	0.0
0.0		Min	-5.952	-3.599	-25.208	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.187	1.436	7.041	0.0	0.0
0.0		Min	-2.686	-1.777	-13.472	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.253	1.730	7.495	0.0	0.0
0.0		Min	-3.031	-1.850	-13.480	-0.0	-0.0
-0.0							
0.0	G1		-4.072	-0.339	-10.955	0.0	0.0
0.0	G2		-1.597	-0.105	-4.212	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.594	-0.118	-0.029	0.0	-0.0
-0.0	Q5_pc Y		1.406	1.875	0.060	0.0	-0.0
0.0	Q5_ps X		0.568	-0.140	-0.061	-0.0	-0.0
-0.0	Q5_ps Y		1.309	1.837	0.068	0.0	0.0
0.0							
0.0	INVSLU	Max	4.832	10.426	-4.714	0.0	0.0
0.0		Min	-9.018	-2.658	-58.651	-0.0	0.0
-0.0							
0.0	INVSLE	Max	3.919	7.843	-3.634	0.0	0.0
0.0		Min	-6.153	-1.598	-43.579	-0.0	0.0
-0.0							
5556	C1-C2;~1	Max	2.270	3.086	14.235	0.0	0.0
0.0		Min	-5.105	-3.626	-26.547	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.384	3.895	15.344	0.0	0.0
0.0		Min	-5.893	-3.736	-26.812	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.167	1.508	7.332	0.0	0.0
0.0		Min	-2.649	-1.827	-14.330	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.233	1.883	7.816	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-3.001	-1.922	-14.341	-0.0	-0.0
-0.0	G1		-4.057	-0.197	-11.849	0.0	0.0
0.0	G2		-1.593	-0.048	-4.559	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.597	-0.137	-0.026	0.0	-0.0
-0.0	Q5_pc	Y	1.394	1.914	0.064	-0.0	-0.0
0.0	Q5_ps	X	0.571	-0.159	-0.060	-0.0	-0.0
-0.0	Q5_ps	Y	1.297	1.878	0.073	-0.0	-0.0
0.0	INVSLU	Max	4.662	11.046	-6.384	0.0	0.0
0.0		Min	-9.022	-2.702	-63.411	-0.0	0.0
-0.0	INVSLE	Max	3.787	8.296	-4.911	0.0	0.0
0.0		Min	-6.163	-1.632	-47.144	-0.0	0.0
-0.0							
5557	C1-C2;~1	Max	2.227	3.246	14.801	0.0	0.0
0.0		Min	-5.024	-3.702	-28.062	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.341	4.208	15.978	0.0	0.0
0.0		Min	-5.820	-3.871	-28.346	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.150	1.578	7.600	0.0	0.0
0.0		Min	-2.607	-1.872	-15.152	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.215	2.045	8.113	0.0	0.0
0.0		Min	-2.964	-1.992	-15.164	-0.0	-0.0
-0.0							
0.0	G1		-4.025	-0.047	-12.703	0.0	0.0
0.0	G2		-1.581	0.013	-4.895	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.599	-0.154	-0.022	0.0	-0.0
-0.0	Q5_pc	Y	1.383	1.947	0.068	0.0	-0.0
0.0	Q5_ps	X	0.574	-0.177	-0.058	0.0	-0.0
-0.0	Q5_ps	Y	1.285	1.914	0.075	0.0	0.0
0.0							
0.0	INVSLU	Max	4.543	11.644	-8.092	0.0	0.0
0.0		Min	-8.964	-2.767	-68.052	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	3.694	8.731	-6.217	0.0	0.0
-0.0		Min	-6.126	-1.684	-50.622	-0.0	0.0
5558	C1-C2;~1	Max	2.187	3.408	15.328	0.0	0.0
0.0		Min	-4.930	-3.782	-29.503	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.300	4.509	16.573	0.0	0.0
-0.0		Min	-5.733	-4.010	-29.839	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.133	1.650	7.845	0.0	0.0
0.0		Min	-2.557	-1.919	-15.934	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.198	2.200	8.387	0.0	0.0
-0.0		Min	-2.919	-2.065	-15.964	-0.0	-0.0
0.0	G1		-3.975	0.091	-13.533	-0.0	0.0
0.0	G2		-1.562	0.068	-5.221	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.601	-0.169	-0.017	0.0	-0.0
0.0	Q5_pc Y		1.372	1.978	0.069	0.0	0.0
-0.0	Q5_ps X		0.577	-0.193	-0.053	-0.0	-0.0
0.0	Q5_ps Y		1.274	1.947	0.074	0.0	0.0
0.0							
-0.0	INVSLU	Max	4.467	12.209	-9.823	0.0	0.0
0.0		Min	-8.847	-2.853	-72.603	-0.0	0.0
-0.0							
0.0	INVSLE	Max	3.633	9.141	-7.540	0.0	0.0
-0.0		Min	-6.046	-1.752	-54.034	-0.0	0.0
5559	C1-C2;~1	Max	2.148	3.565	15.805	0.0	0.0
0.0		Min	-4.830	-3.875	-30.862	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.260	4.788	17.116	0.0	0.0
-0.0		Min	-5.641	-4.150	-31.237	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.117	1.719	8.065	0.0	0.0
-0.0		Min	-2.503	-1.971	-16.673	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.182	2.341	8.634	0.0	0.0
-0.0		Min	-2.871	-2.137	-16.715	-0.0	-0.0
0.0	G1		-3.914	0.206	-14.314	-0.0	0.0
0.0	G2		-1.539	0.115	-5.527	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.603	-0.184	-0.011	0.0	-0.0
0.0	Q5_pc Y		1.361	2.009	0.068	0.0	0.0
-0.0	Q5_ps X		0.579	-0.208	-0.049	-0.0	-0.0
0.0	Q5_ps Y		1.262	1.980	0.072	0.0	0.0
-0.0	INVSLU	Max	4.425	12.729	-11.529	0.0	0.0
0.0		Min	-8.692	-2.955	-76.929	-0.0	0.0
-0.0	INVSLE	Max	3.598	9.520	-8.843	0.0	0.0
0.0		Min	-5.936	-1.830	-57.279	-0.0	0.0
-0.0							
5560	C1-C2;~1	Max	2.111	3.756	16.250	0.0	0.0
0.0		Min	-4.722	-3.976	-32.153	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.222	5.050	17.625	0.0	0.0
-0.0		Min	-5.544	-4.291	-32.581	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.102	1.816	8.265	0.0	0.0
-0.0		Min	-2.446	-2.025	-17.376	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.166	2.475	8.861	0.0	0.0
-0.0		Min	-2.821	-2.210	-17.437	-0.0	-0.0
0.0	G1		-3.841	0.302	-15.061	0.0	0.0
0.0	G2		-1.512	0.154	-5.818	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.605	-0.197	-0.004	0.0	-0.0
0.0	Q5_pc Y		1.349	2.040	0.065	0.0	0.0
-0.0	Q5_ps X		0.582	-0.222	-0.043	-0.0	-0.0
0.0	Q5_ps Y		1.250	2.013	0.067	0.0	0.0


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
		INVSLE	Max	3.586	9.876	-10.104	0.0	0.0
			Min	-5.800	-1.913	-60.388	0.0	0.0
0.0								
-0.0								
		INVSLE	Max	3.586	9.876	-10.104	0.0	0.0
			Min	-5.800	-1.913	-60.388	0.0	0.0
0.0								
-0.0								
5561	C1-C2;~1	INVSLE	Max	2.077	3.953	16.643	0.0	0.0
0.0			Min	-4.608	-4.076	-33.343	-0.0	-0.0
-0.0								
		INVSLE	Max	2.187	5.310	18.079	0.0	0.0
			Min	-5.439	-4.434	-33.802	-0.0	-0.0
0.0								
-0.0								
		INVSLE	Max	1.088	1.919	8.439	0.0	0.0
			Min	-2.384	-2.080	-18.024	-0.0	-0.0
0.0								
-0.0								
		INVSLE	Max	1.152	2.608	9.060	0.0	0.0
			Min	-2.765	-2.283	-18.093	-0.0	-0.0
0.0								
-0.0								
		G1		-3.758	0.397	-15.742	0.0	0.0
0.0		G2		-1.480	0.192	-6.083	0.0	0.0
0.0		Q3		0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc X		0.607	-0.209	0.002	0.0	-0.0
-0.0		Q5_pc Y		1.338	2.071	0.060	-0.0	-0.0
0.0		Q5_ps X		0.584	-0.235	-0.038	-0.0	-0.0
-0.0		Q5_ps Y		1.238	2.044	0.062	-0.0	0.0
0.0								
		INVSLE	Max	4.434	13.708	-14.764	0.0	0.0
			Min	-8.269	-3.173	-84.912	-0.0	0.0
0.0								
-0.0								
		INVSLE	Max	3.598	10.235	-11.312	0.0	0.0
			Min	-5.633	-1.994	-63.265	-0.0	0.0
0.0								
-0.0								
5562	C1-C2;~1	INVSLE	Max	2.047	4.187	17.007	0.0	0.0
0.0			Min	-4.492	-4.157	-34.477	-0.0	-0.0
-0.0								
		INVSLE	Max	2.156	5.609	18.500	0.0	0.0
			Min	-5.330	-4.585	-34.949	-0.0	-0.0
0.0								
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.076	2.042	8.597	0.0	0.0
-0.0		Min	-2.321	-2.078	-18.642	-0.0	-0.0
0.0	C3-C4;~2	Max	1.139	2.763	9.242	0.0	0.0
-0.0		Min	-2.706	-2.362	-18.710	-0.0	-0.0
0.0		G1	-3.667	0.533	-16.377	0.0	0.0
0.0		G2	-1.446	0.246	-6.334	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.608	-0.220	0.009	0.0	-0.0
0.0	Q5_pc	Y	1.327	2.097	0.054	-0.0	0.0
-0.0	Q5_ps	X	0.586	-0.246	-0.032	-0.0	-0.0
0.0	Q5_ps	Y	1.227	2.072	0.054	0.0	0.0
0.0	INVSLU	Max	4.481	14.281	-16.254	0.0	0.0
-0.0		Min	-8.013	-3.255	-88.507	-0.0	0.0
0.0	INVSLE	Max	3.630	10.652	-12.447	0.0	0.0
-0.0		Min	-5.448	-2.058	-65.960	-0.0	0.0
5563	C1-C2;~1	Max	2.018	4.415	17.331	0.0	0.0
0.0		Min	-4.364	-4.239	-35.509	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.127	5.895	18.881	0.0	0.0
-0.0		Min	-5.207	-4.738	-36.012	-0.0	-0.0
0.0	C1-C2;~2	Max	1.065	2.161	8.733	0.0	0.0
-0.0		Min	-2.251	-2.146	-19.205	-0.0	-0.0
0.0	C3-C4;~2	Max	1.128	2.910	9.402	0.0	0.0
-0.0		Min	-2.640	-2.440	-19.282	-0.0	-0.0
0.0		G1	-3.564	0.659	-16.956	-0.0	0.0
0.0		G2	-1.406	0.297	-6.562	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.609	-0.230	0.017	0.0	-0.0
0.0	Q5_pc	Y	1.317	2.122	0.043	0.0	0.0
-0.0	Q5_ps	X	0.587	-0.257	-0.025	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.217	2.098	0.043	0.0	0.0
0.0	INVS LU	Max	4.556	14.822	-17.648	0.0	0.0
-0.0		Min	-7.715	-3.351	-91.831	-0.0	0.0
0.0	INVS LE	Max	3.682	11.045	-13.509	0.0	0.0
-0.0		Min	-5.232	-2.133	-68.454	-0.0	0.0
5564 0.0	C1-C2;~1	Max	1.992	4.613	17.610	0.0	0.0
-0.0		Min	-4.225	-4.334	-36.451	-0.0	-0.0
0.0	C3-C4;~1	Max	2.099	6.143	19.213	0.0	0.0
-0.0		Min	-5.074	-4.887	-36.974	-0.0	-0.0
0.0	C1-C2;~2	Max	1.054	2.263	8.846	0.0	0.0
-0.0		Min	-2.174	-2.213	-19.720	-0.0	-0.0
0.0	C3-C4;~2	Max	1.117	3.036	9.536	0.0	0.0
-0.0		Min	-2.568	-2.517	-19.801	-0.0	-0.0
0.0	G1		-3.446	0.753	-17.475	-0.0	0.0
0.0	G2		-1.360	0.334	-6.767	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.610	-0.239	0.026	0.0	-0.0
0.0	Q5_pc Y		1.307	2.146	0.031	0.0	0.0
-0.0	Q5_ps X		0.589	-0.266	-0.018	-0.0	-0.0
0.0	Q5_ps Y		1.206	2.123	0.031	0.0	0.0
0.0	INVS LU	Max	4.655	15.278	-18.936	0.0	0.0
-0.0		Min	-7.380	-3.476	-94.846	-0.0	0.0
0.0	INVS LE	Max	3.752	11.378	-14.490	0.0	0.0
-0.0		Min	-4.989	-2.227	-70.715	-0.0	0.0
5565 0.0	C1-C2;~1	Max	1.968	4.782	17.855	0.0	0.0
-0.0		Min	-4.078	-4.357	-37.304	-0.0	-0.0
0.0	C3-C4;~1	Max	2.074	6.353	19.509	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.934	-5.029	-37.854	-0.0	-0.0
0.0	C1-C2;~2	Max	1.045	2.350	8.941	0.0	0.0
-0.0		Min	-2.092	-2.277	-20.187	-0.0	-0.0
0.0	C3-C4;~2	Max	1.107	3.142	9.651	0.0	0.0
-0.0		Min	-2.491	-2.590	-20.276	-0.0	-0.0
0.0		G1	-3.318	0.817	-17.939	0.0	0.0
0.0		G2	-1.311	0.360	-6.948	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.610	-0.246	0.035	0.0	-0.0
0.0		Q5_pc Y	1.296	2.171	0.017	0.0	0.0
-0.0		Q5_ps X	0.590	-0.274	-0.010	-0.0	-0.0
0.0		Q5_ps Y	1.195	2.148	0.016	0.0	0.0
0.0	INVSLU	Max	4.780	15.652	-20.065	0.0	0.0
-0.0		Min	-7.014	-3.622	-97.567	0.0	0.0
0.0	INVSLE	Max	3.841	11.651	-15.350	0.0	0.0
-0.0		Min	-4.723	-2.337	-72.755	0.0	0.0
5566	C1-C2;~1	Max	1.952	4.947	18.047	0.0	0.0
0.0		Min	-3.933	-4.480	-38.023	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.057	6.557	19.761	0.0	0.0
-0.0		Min	-4.794	-5.173	-38.587	-0.0	-0.0
0.0	C1-C2;~2	Max	1.039	2.434	9.009	0.0	0.0
-0.0		Min	-2.009	-2.341	-20.581	-0.0	-0.0
0.0	C3-C4;~2	Max	1.101	3.245	9.748	0.0	0.0
-0.0		Min	-2.414	-2.663	-20.672	-0.0	-0.0
0.0		G1	-3.183	0.875	-18.317	0.0	0.0
0.0		G2	-1.259	0.384	-7.095	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.610	-0.253	0.043	-0.0	-0.0
0.0		Q5_pc Y	1.286	2.194	0.003	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.591	-0.281	-0.002	-0.0	-0.0
0.0	Q5_ps Y		1.185	2.172	0.002	0.0	0.0
0.0	INVS LU	Max	4.933	16.014	-21.012	0.0	0.0
-0.0		Min	-6.633	-3.771	-99.859	0.0	0.0
0.0	INVS LE	Max	3.951	11.915	-16.074	0.0	0.0
-0.0		Min	-4.445	-2.448	-74.474	0.0	0.0
5567	C1-C2;~1	Max	1.948	5.171	18.283	0.0	0.0
0.0		Min	-3.805	-4.622	-38.653	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.051	6.823	20.089	0.0	0.0
-0.0		Min	-4.670	-5.338	-39.210	-0.0	-0.0
0.0	C1-C2;~2	Max	1.038	2.551	9.117	0.0	0.0
-0.0		Min	-1.935	-2.415	-20.924	-0.0	-0.0
0.0	C3-C4;~2	Max	1.099	3.382	9.911	0.0	0.0
-0.0		Min	-2.343	-2.748	-21.006	-0.0	-0.0
0.0	G1		-3.052	0.986	-18.635	0.0	0.0
0.0	G2		-1.209	0.428	-7.223	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.610	-0.259	0.052	0.0	-0.0
-0.0	Q5_pc Y		1.278	2.214	-0.013	-0.0	0.0
0.0	Q5_ps X		0.591	-0.286	0.006	-0.0	-0.0
-0.0	Q5_ps Y		1.176	2.191	-0.014	0.0	0.0
0.0							
0.0	INVS LU	Max	5.101	16.521	-21.661	0.0	0.0
-0.0		Min	-6.272	-3.882	-101.809	0.0	0.0
0.0	INVS LE	Max	4.072	12.285	-16.573	0.0	0.0
-0.0		Min	-4.182	-2.533	-75.935	0.0	0.0
5568	C1-C2;~1	Max	1.952	5.384	18.526	0.0	0.0
0.0		Min	-3.676	-4.763	-39.152	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.052	7.073	20.422	0.0	0.0
-0.0		Min	-4.540	-5.501	-39.718	-0.0	-0.0
0.0	C1-C2;~2	Max	1.040	2.661	9.241	0.0	0.0
-0.0		Min	-1.860	-2.488	-21.193	-0.0	-0.0
0.0	C3-C4;~2	Max	1.100	3.511	10.087	0.0	0.0
-0.0		Min	-2.269	-2.831	-21.276	-0.0	-0.0
0.0	G1		-2.914	1.086	-18.876	-0.0	0.0
0.0	G2		-1.155	0.467	-7.320	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.610	-0.263	0.062	0.0	-0.0
0.0	Q5_pc Y		1.269	2.232	-0.033	0.0	0.0
-0.0	Q5_ps X		0.591	-0.291	0.015	-0.0	-0.0
0.0	Q5_ps Y		1.167	2.210	-0.034	0.0	0.0
0.0	INVSLU	Max	5.291	16.992	-22.068	0.0	0.0
-0.0		Min	-5.894	-4.001	-103.369	-0.0	0.0
0.0	INVSLE	Max	4.210	12.629	-16.889	0.0	0.0
-0.0		Min	-3.906	-2.623	-77.104	-0.0	0.0
5569	C1-C2;~1	Max	1.962	5.552	18.799	0.0	0.0
0.0		Min	-3.542	-4.890	-39.529	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.059	7.270	20.740	0.0	0.0
-0.0		Min	-4.405	-5.649	-40.103	-0.0	-0.0
0.0	C1-C2;~2	Max	1.045	2.747	9.397	0.0	0.0
-0.0		Min	-1.780	-2.554	-21.395	-0.0	-0.0
0.0	C3-C4;~2	Max	1.103	3.611	10.264	0.0	0.0
-0.0		Min	-2.191	-2.906	-21.482	-0.0	-0.0
0.0	G1		-2.764	1.148	-19.043	-0.0	0.0
0.0	G2		-1.097	0.492	-7.386	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.609	-0.266	0.072	0.0	-0.0
0.0	Q5_pc Y		1.261	2.249	-0.053	0.0	0.0
-0.0	Q5_ps X		0.591	-0.294	0.023	-0.0	-0.0
0.0	Q5_ps Y		1.159	2.227	-0.053	0.0	0.0
0.0	INVS LU	Max	5.504	17.346	-22.252	0.0	0.0
-0.0		Min	-5.493	-4.144	-104.519	0.0	0.0
0.0	INVS LE	Max	4.364	12.888	-17.038	0.0	0.0
-0.0		Min	-3.614	-2.731	-77.967	0.0	0.0
5570	C1-C2;~1	Max	1.977	5.675	19.037	0.0	0.0
0.0		Min	-3.424	-5.004	-39.787	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.070	7.417	21.018	0.0	0.0
-0.0		Min	-4.265	-5.781	-40.370	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.052	2.810	9.537	0.0	0.0
-0.0		Min	-1.712	-2.613	-21.531	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.109	3.685	10.422	0.0	0.0
-0.0		Min	-2.109	-2.974	-21.622	-0.0	-0.0
-0.0	G1		-2.604	1.172	-19.137	0.0	0.0
-0.0	G2		-1.034	0.502	-7.423	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.607	-0.267	0.082	0.0	-0.0
0.0	Q5_pc Y		1.253	2.266	-0.074	0.0	0.0
-0.0	Q5_ps X		0.590	-0.295	0.032	-0.0	-0.0
0.0	Q5_ps Y		1.151	2.243	-0.074	0.0	0.0
0.0	INVS LU	Max	5.741	17.586	-22.247	0.0	0.0
-0.0		Min	-5.069	-4.310	-105.269	0.0	-0.0
0.0	INVS LE	Max	4.535	13.064	-17.044	0.0	0.0
-0.0		Min	-3.304	-2.853	-78.530	0.0	-0.0
5571	C1-C2;~1	Max	1.996	5.788	19.223	0.0	0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-3.327	-5.115	-39.902	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.086	7.547	21.238	0.0	0.0
0.0		Min	-4.135	-5.911	-40.495	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.061	2.867	9.650	0.0	0.0
0.0		Min	-1.659	-2.671	-21.589	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.116	3.751	10.550	0.0	0.0
0.0		Min	-2.033	-3.041	-21.686	-0.0	-0.0
-0.0							
0.0		G1	-2.442	1.186	-19.145	0.0	0.0
0.0		G2	-0.972	0.507	-7.425	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.605	-0.267	0.091	-0.0	-0.0
0.0	Q5_pc	Y	1.246	2.281	-0.096	-0.0	0.0
0.0	Q5_ps	X	0.589	-0.296	0.041	-0.0	-0.0
0.0	Q5_ps	Y	1.143	2.257	-0.095	0.0	0.0
0.0							
0.0	INVSLU	Max	5.989	17.793	-22.061	0.0	0.0
0.0		Min	-4.652	-4.482	-105.573	0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.716	13.215	-16.913	0.0	0.0
0.0		Min	-3.000	-2.980	-78.760	0.0	-0.0
-0.0							
5572	C1-C2;~1	Max	2.015	5.968	19.377	0.0	0.0
0.0		Min	-3.240	-5.249	-39.920	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.102	7.738	21.422	0.0	0.0
0.0		Min	-4.043	-6.068	-40.495	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.069	2.961	9.747	0.0	0.0
0.0		Min	-1.611	-2.742	-21.590	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.124	3.848	10.661	0.0	0.0
0.0		Min	-1.984	-3.122	-21.677	-0.0	-0.0
-0.0							
0.0		G1	-2.296	1.255	-19.089	0.0	0.0
0.0		G2	-0.915	0.534	-7.407	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.603	-0.267	0.101	0.0	-0.0
0.0	Q5_pc Y		1.240	2.294	-0.119	-0.0	0.0
0.0	Q5_ps X		0.587	-0.295	0.050	-0.0	-0.0
0.0	Q5_ps Y		1.137	2.269	-0.116	0.0	0.0
0.0	INVS LU	Max	6.220	18.150	-21.706	0.0	0.0
0.0		Min	-4.308	-4.617	-105.506	0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.884	13.477	-16.652	0.0	0.0
0.0		Min	-2.749	-3.082	-78.710	0.0	-0.0
-0.0							
5573	C1-C2;~1	Max	2.039	6.137	19.486	0.0	0.0
0.0		Min	-3.152	-5.380	-39.798	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.121	7.911	21.556	0.0	0.0
0.0		Min	-3.950	-6.221	-40.355	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.080	3.049	9.822	0.0	0.0
0.0		Min	-1.562	-2.810	-21.514	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.133	3.936	10.747	0.0	0.0
0.0		Min	-1.934	-3.201	-21.593	-0.0	-0.0
-0.0							
-0.0	G1		-2.146	1.314	-18.946	-0.0	-0.0
-0.0	G2		-0.857	0.557	-7.354	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.600	-0.266	0.111	0.0	-0.0
0.0	Q5_pc Y		1.235	2.305	-0.143	0.0	0.0
0.0	Q5_ps X		0.585	-0.293	0.059	-0.0	-0.0
0.0	Q5_ps Y		1.132	2.279	-0.140	0.0	0.0
0.0							
0.0	INVS LU	Max	6.457	18.469	-21.156	0.0	0.0
0.0		Min	-3.961	-4.757	-104.994	0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.056	13.711	-16.245	0.0	0.0
0.0		Min	-2.497	-3.187	-78.328	0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5574	C1-C2;~1	Max	2.133	6.260	19.549	0.0	0.0
0.0		Min	-3.100	-5.495	-39.555	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.146	8.030	21.639	0.0	0.0
0.0		Min	-3.852	-6.355	-40.096	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.094	3.112	9.873	0.0	0.0
0.0		Min	-1.539	-2.870	-21.371	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.144	3.995	10.808	0.0	0.0
0.0		Min	-1.881	-3.270	-21.444	-0.0	-0.0
-0.0							
	G1		-1.987	1.336	-18.733	-0.0	-0.0
-0.0							
	G2		-0.795	0.566	-7.272	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.597	-0.262	0.120	0.0	-0.0
0.0							
	Q5_pc Y		1.230	2.314	-0.168	0.0	0.0
0.0							
	Q5_ps X		0.582	-0.290	0.068	-0.0	-0.0
0.0							
	Q5_ps Y		1.127	2.287	-0.163	0.0	0.0
0.0							
	INVSLU	Max	6.711	18.669	-20.434	0.0	0.0
0.0		Min	-3.601	-4.917	-104.079	0.0	-0.0
-0.0							
	INVSLE	Max	5.240	13.857	-15.707	0.0	0.0
0.0		Min	-2.234	-3.305	-77.643	0.0	-0.0
-0.0							
5575	C1-C2;~1	Max	2.207	6.333	19.568	0.0	0.0
0.0		Min	-3.073	-5.592	-39.186	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.176	8.099	21.674	0.0	0.0
0.0		Min	-3.763	-6.469	-39.711	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.139	3.149	9.903	0.0	0.0
0.0		Min	-1.534	-2.921	-21.159	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.158	4.029	10.844	0.0	0.0
0.0		Min	-1.834	-3.328	-21.228	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.820	1.319	-18.444	0.0	-0.0
-0.0	G2	-0.729	0.559	-7.159	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.593	-0.257	0.129	0.0	-0.0
0.0	Q5_pc Y	1.226	2.323	-0.193	0.0	0.0
0.0	Q5_ps X	0.579	-0.285	0.077	-0.0	-0.0
0.0	Q5_ps Y	1.123	2.294	-0.187	0.0	0.0
0.0	INVS LU Max	7.025	18.752	-19.533	0.0	0.0
-0.0	Min	-3.242	-5.095	-102.750	0.0	-0.0
0.0	INVS LE Max	5.468	13.919	-15.032	0.0	0.0
-0.0	Min	-1.973	-3.436	-76.649	0.0	-0.0
5576 0.0	C1-C2;~1 Max	2.289	6.390	19.533	0.0	0.0
-0.0	Min	-3.052	-5.686	-38.678	-0.0	-0.0
0.0	C3-C4;~1 Max	2.211	8.150	21.649	0.0	0.0
-0.0	Min	-3.728	-6.579	-39.202	-0.0	-0.0
0.0	C1-C2;~2 Max	1.174	3.177	9.904	0.0	0.0
-0.0	Min	-1.532	-2.971	-20.869	-0.0	-0.0
0.0	C3-C4;~2 Max	1.174	4.055	10.850	0.0	0.0
-0.0	Min	-1.826	-3.385	-20.945	-0.0	-0.0
-0.0	G1	-1.655	1.288	-18.081	0.0	-0.0
-0.0	G2	-0.665	0.547	-7.016	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.589	-0.251	0.138	-0.0	-0.0
0.0	Q5_pc Y	1.222	2.330	-0.218	-0.0	0.0
0.0	Q5_ps X	0.575	-0.278	0.086	-0.0	-0.0
0.0	Q5_ps Y	1.119	2.300	-0.210	0.0	0.0
0.0	INVS LU Max	7.363	18.793	-18.477	0.0	0.0
-0.0	Min	-2.960	-5.285	-101.018	0.0	-0.0
	INVS LE Max	5.714	13.950	-14.241	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.770	-3.575	-75.353	0.0	-0.0
-0.0							
5577	C1-C2;~1	Max	2.363	6.511	19.463	0.0	0.0
0.0		Min	-3.038	-5.810	-38.079	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.244	8.263	21.583	0.0	0.0
0.0		Min	-3.701	-6.725	-38.577	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.205	3.239	9.887	0.0	0.0
0.0		Min	-1.532	-3.036	-20.528	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.189	4.113	10.835	0.0	0.0
0.0		Min	-1.821	-3.461	-20.596	-0.0	-0.0
-0.0							
-0.0	G1		-1.512	1.304	-17.659	0.0	-0.0
-0.0	G2		-0.610	0.552	-6.854	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.584	-0.245	0.147	0.0	-0.0
0.0	Q5_pc Y		1.220	2.335	-0.243	-0.0	0.0
0.0	Q5_ps X		0.571	-0.271	0.095	-0.0	-0.0
0.0	Q5_ps Y		1.117	2.303	-0.234	0.0	0.0
0.0							
0.0	INVSLU	Max	7.661	18.974	-17.280	0.0	-0.0
0.0		Min	-2.722	-5.463	-98.934	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.931	14.083	-13.340	0.0	-0.0
0.0		Min	-1.597	-3.708	-73.792	0.0	-0.0
-0.0							
5578	C1-C2;~1	Max	2.464	6.621	19.336	0.0	0.0
0.0		Min	-3.032	-5.929	-37.342	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.282	8.359	21.454	0.0	0.0
0.0		Min	-3.681	-6.866	-37.806	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.255	3.296	9.841	0.0	0.0
0.0		Min	-1.535	-3.100	-20.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.206	4.161	10.789	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.819	-3.534	-20.168	-0.0	-0.0
-0.0	G1		-1.373	1.311	-17.152	0.0	-0.0
-0.0	G2		-0.555	0.555	-6.659	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.579	-0.237	0.155	0.0	-0.0
0.0	Q5_pc Y		1.219	2.338	-0.269	0.0	0.0
0.0	Q5_ps X		0.566	-0.263	0.102	-0.0	-0.0
0.0	Q5_ps Y		1.116	2.304	-0.258	0.0	0.0
0.0	INVSLU	Max	7.983	19.118	-15.927	0.0	-0.0
0.0		Min	-2.507	-5.645	-96.412	0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.165	14.189	-12.321	0.0	-0.0
0.0		Min	-1.442	-3.842	-71.904	0.0	-0.0
-0.0							
5579	C1-C2;~1	Max	2.584	6.688	19.165	0.0	0.0
0.0		Min	-3.035	-6.028	-36.509	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.328	8.417	21.276	0.0	0.0
0.0		Min	-3.668	-6.983	-36.944	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.316	3.331	9.772	0.0	0.0
0.0		Min	-1.544	-3.152	-19.643	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.227	4.193	10.716	0.0	0.0
0.0		Min	-1.821	-3.595	-19.693	-0.0	-0.0
-0.0							
-0.0	G1		-1.230	1.287	-16.592	0.0	-0.0
-0.0	G2		-0.499	0.545	-6.441	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.573	-0.228	0.163	0.0	-0.0
0.0	Q5_pc Y		1.219	2.340	-0.294	0.0	0.0
0.0	Q5_ps X		0.561	-0.253	0.110	-0.0	-0.0
0.0	Q5_ps Y		1.116	2.304	-0.281	0.0	0.0
-0.0							
0.0	INVSLU	Max	8.330	19.172	-14.446	0.0	-0.0
0.0		Min	-2.305	-5.830	-93.571	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	6.418	14.230	-11.204	0.0	-0.0
0.0		Min	-1.297	-3.978	-69.776	0.0	-0.0
-0.0							
5580	C1-C2;~1	Max	2.714	6.709	18.940	0.0	0.0
0.0		Min	-3.048	-6.106	-35.578	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.441	8.415	21.037	0.0	0.0
0.0		Min	-3.663	-7.076	-35.971	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.382	3.341	9.675	0.0	0.0
0.0		Min	-1.557	-3.193	-19.125	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.251	4.192	10.613	0.0	0.0
0.0		Min	-1.828	-3.643	-19.161	-0.0	-0.0
-0.0							
	G1		-1.083	1.230	-15.974	0.0	-0.0
-0.0							
	G2		-0.442	0.522	-6.199	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.566	-0.217	0.170	0.0	-0.0
0.0							
	Q5_pc Y		1.220	2.340	-0.318	0.0	0.0
-0.0							
	Q5_ps X		0.555	-0.241	0.117	-0.0	-0.0
0.0							
	Q5_ps Y		1.118	2.301	-0.303	0.0	0.0
-0.0							
	INVSLU	Max	8.689	19.103	-12.870	0.0	-0.0
-0.0		Min	-2.117	-6.022	-90.403	0.0	-0.0
-0.0							
	INVSLE	Max	6.679	14.180	-10.013	0.0	-0.0
-0.0		Min	-1.162	-4.119	-67.403	0.0	-0.0
-0.0							
5581	C1-C2;~1	Max	2.844	6.714	18.658	0.0	0.0
0.0		Min	-3.070	-6.180	-34.530	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.525	8.388	20.734	0.0	0.0
0.0		Min	-3.668	-7.165	-34.902	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.447	3.342	9.549	0.0	0.0
0.0		Min	-1.575	-3.233	-18.542	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.278	4.176	10.477	0.0	0.0
-0.0		Min	-1.839	-3.689	-18.577	-0.0	-0.0
-0.0	G1		-0.944	1.158	-15.305	0.0	-0.0
-0.0	G2		-0.387	0.493	-5.937	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.205	0.177	-0.0	-0.0
0.0	Q5_pc Y		1.222	2.338	-0.341	0.0	0.0
-0.0	Q5_ps X		0.548	-0.229	0.124	-0.0	-0.0
0.0	Q5_ps Y		1.120	2.297	-0.323	0.0	0.0
-0.0							
-0.0	INVSLU	Max	9.034	18.975	-11.225	0.0	-0.0
-0.0		Min	-1.956	-6.228	-86.948	0.0	-0.0
-0.0							
-0.0	INVSLE	Max	6.930	14.088	-8.769	0.0	-0.0
-0.0		Min	-1.048	-4.270	-64.814	0.0	-0.0
-0.0							
5582	C1-C2;~1	Max	2.950	6.770	18.339	0.0	0.0
0.0		Min	-3.094	-6.291	-33.422	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.597	8.422	20.388	0.0	0.0
-0.0		Min	-3.676	-7.295	-33.751	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.501	3.370	9.402	0.0	0.0
-0.0		Min	-1.592	-3.292	-17.929	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.302	4.195	10.318	0.0	0.0
-0.0		Min	-1.850	-3.757	-17.951	-0.0	-0.0
-0.0	G1		-0.830	1.115	-14.590	0.0	-0.0
-0.0	G2		-0.343	0.475	-5.661	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.552	-0.192	0.184	0.0	-0.0
0.0	Q5_pc Y		1.225	2.335	-0.363	0.0	0.0
-0.0	Q5_ps X		0.541	-0.216	0.131	-0.0	-0.0
0.0	Q5_ps Y		1.124	2.292	-0.344	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	9.313	18.952	-9.498	0.0	-0.0
		Min	-1.837	-6.469	-83.241	0.0	-0.0
-0.0							
0.0	INVS LE	Max	7.133	14.071	-7.460	0.0	-0.0
		Min	-0.963	-4.448	-62.036	0.0	-0.0
-0.0							
5583 0.0	C1-C2;~1	Max	3.055	6.818	17.957	0.0	0.0
		Min	-3.127	-6.397	-32.204	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.671	8.443	19.973	0.0	0.0
		Min	-3.696	-7.420	-32.470	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.553	3.393	9.223	0.0	0.0
		Min	-1.614	-3.348	-17.257	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.363	4.208	10.124	0.0	0.0
		Min	-1.866	-3.822	-17.255	-0.0	-0.0
-0.0							
-0.0	G1		-0.728	1.066	-13.813	0.0	-0.0
-0.0	G2		-0.303	0.454	-5.359	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.545	-0.179	0.189	0.0	-0.0
0.0	Q5_pc Y		1.230	2.330	-0.385	0.0	0.0
-0.0	Q5_ps X		0.534	-0.201	0.137	-0.0	-0.0
0.0	Q5_ps Y		1.129	2.284	-0.363	0.0	0.0
-0.0							
0.0	INVS LU	Max	9.566	18.901	-7.717	0.0	-0.0
		Min	-1.761	-6.708	-79.207	0.0	-0.0
-0.0							
0.0	INVS LE	Max	7.315	14.034	-6.108	0.0	-0.0
		Min	-0.911	-4.625	-59.013	0.0	-0.0
-0.0							
5584 0.0	C1-C2;~1	Max	3.168	6.831	17.527	0.0	0.0
		Min	-3.178	-6.479	-30.904	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.759	8.421	19.503	0.0	0.0
		Min	-3.732	-7.517	-31.122	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.609	3.399	9.018	0.0	0.0
		Min	-1.645	-3.392	-16.542	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.403	4.197	9.901	0.0	0.0
		Min	-1.892	-3.872	-16.525	-0.0	-0.0
-0.0							
-0.0	G1		-0.627	0.998	-13.005	0.0	-0.0
-0.0	G2		-0.263	0.427	-5.044	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.536	-0.164	0.194	0.0	-0.0
0.0	Q5_pc Y		1.237	2.322	-0.404	0.0	0.0
-0.0	Q5_ps X		0.526	-0.186	0.142	-0.0	-0.0
0.0	Q5_ps Y		1.136	2.273	-0.381	0.0	0.0
-0.0							
-0.0	INVSLU	Max	9.810	18.769	-5.904	0.0	-0.0
		Min	-1.731	-6.926	-74.976	0.0	-0.0
-0.0							
-0.0	INVSLE	Max	7.491	13.938	-4.730	0.0	-0.0
		Min	-0.893	-4.786	-55.840	0.0	-0.0
-0.0							
5585	C1-C2;~1	Max	3.291	6.805	17.038	0.0	0.0
0.0		Min	-3.248	-6.539	-29.511	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.880	8.350	18.966	0.0	0.0
		Min	-3.788	-7.586	-29.670	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.670	3.385	8.782	0.0	0.0
		Min	-1.685	-3.424	-15.780	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.463	4.160	9.643	0.0	0.0
		Min	-1.927	-3.909	-15.741	-0.0	-0.0
-0.0							
-0.0	G1		-0.527	0.907	-12.151	0.0	-0.0
-0.0	G2		-0.223	0.390	-4.710	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.527	-0.148	0.197	0.0	-0.0
0.0	Q5_pc Y		1.245	2.312	-0.422	0.0	0.0
-0.0	Q5_ps X		0.517	-0.169	0.146	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.145	2.260	-0.395	0.0	0.0
-0.0	INVSLE Max		10.049	18.547	-4.082	0.0	-0.0
-0.0	INVSLE Min		-1.749	-7.128	-70.500	0.0	-0.0
-0.0	INVSLE Max		7.661	13.776	-3.344	0.0	-0.0
-0.0	INVSLE Min		-0.913	-4.935	-52.485	0.0	-0.0
5586 0.0	C1-C2;~1 Max		3.414	6.759	16.488	0.0	0.0
-0.0	C1-C2;~1 Min		-3.329	-6.593	-28.025	-0.0	-0.0
0.0	C3-C4;~1 Max		3.003	8.250	18.361	0.0	0.0
-0.0	C3-C4;~1 Min		-3.859	-7.649	-28.162	-0.0	-0.0
0.0	C1-C2;~2 Max		1.730	3.360	8.513	0.0	0.0
-0.0	C1-C2;~2 Min		-1.731	-3.453	-14.968	-0.0	-0.0
0.0	C3-C4;~2 Max		1.525	4.107	9.349	0.0	0.0
-0.0	C3-C4;~2 Min		-1.969	-3.942	-14.927	-0.0	-0.0
-0.0	G1		-0.436	0.797	-11.278	0.0	-0.0
-0.0	G2		-0.187	0.346	-4.368	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.517	-0.130	0.201	-0.0	-0.0
-0.0	Q5_pc Y		1.255	2.299	-0.435	0.0	0.0
0.0	Q5_ps X		0.508	-0.151	0.150	-0.0	-0.0
-0.0	Q5_ps Y		1.156	2.245	-0.407	0.0	0.0
-0.0	INVSLE Max		10.261	18.254	-2.318	0.0	-0.0
-0.0	INVSLE Min		-1.817	-7.349	-65.906	-0.0	-0.0
-0.0	INVSLE Max		7.810	13.562	-1.999	0.0	-0.0
-0.0	INVSLE Min		-0.969	-5.097	-49.043	-0.0	-0.0
5587 0.0	C1-C2;~1 Max		3.509	6.745	15.883	0.0	0.0
-0.0	C1-C2;~1 Min		-3.403	-6.690	-26.465	-0.0	-0.0
0.0	C3-C4;~1 Max		3.104	8.183	17.694	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.927	-7.761	-26.572	-0.0	-0.0
0.0	C1-C2;~2	Max	1.777	3.351	8.214	0.0	0.0
-0.0		Min	-1.772	-3.506	-14.118	-0.0	-0.0
0.0	C3-C4;~2	Max	1.575	4.072	9.023	0.0	0.0
-0.0		Min	-2.008	-4.001	-14.071	-0.0	-0.0
-0.0		G1	-0.365	0.685	-10.369	0.0	-0.0
-0.0		G2	-0.160	0.301	-4.017	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.507	-0.112	0.203	-0.0	-0.0
-0.0	Q5_pc Y		1.267	2.287	-0.445	0.0	0.0
0.0	Q5_ps X		0.498	-0.131	0.154	-0.0	-0.0
-0.0	Q5_ps Y		1.168	2.229	-0.416	0.0	0.0
-0.0	INVSLU	Max	10.408	17.968	-0.616	0.0	-0.0
-0.0		Min	-1.910	-7.672	-61.175	0.0	-0.0
-0.0	INVSLE	Max	7.913	13.351	-0.701	0.0	-0.0
-0.0		Min	-1.043	-5.337	-45.500	0.0	-0.0
5588	C1-C2;~1	Max	3.598	6.721	15.186	0.0	0.0
0.0		Min	-3.490	-6.782	-24.790	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.200	8.103	16.921	0.0	0.0
-0.0		Min	-4.011	-7.864	-24.853	-0.0	-0.0
0.0	C1-C2;~2	Max	1.820	3.336	7.867	0.0	0.0
-0.0		Min	-1.820	-3.555	-13.209	-0.0	-0.0
0.0	C3-C4;~2	Max	1.623	4.029	8.642	0.0	0.0
-0.0		Min	-2.056	-4.055	-13.148	-0.0	-0.0
-0.0		G1	-0.314	0.567	-9.425	0.0	-0.0
-0.0		G2	-0.139	0.254	-3.650	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.497	-0.092	0.202	-0.0	-0.0
0.0	Q5_pc Y		1.280	2.271	-0.449	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.488	-0.111	0.155	-0.0	-0.0
0.0	Q5_ps Y	1.182	2.210	-0.419	0.0	0.0
-0.0						
-0.0	INVS LU Max	10.505	17.656	0.928	0.0	-0.0
-0.0	Min	-2.072	-7.988	-56.276	0.0	-0.0
-0.0						
-0.0	INVS LE Max	7.977	13.122	0.476	0.0	-0.0
-0.0	Min	-1.169	-5.571	-41.837	0.0	-0.0
-0.0						
5589	C1-C2;~1 Max	3.689	6.669	14.417	0.0	0.0
0.0	Min	-3.600	-6.846	-23.037	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	3.301	7.989	16.070	0.0	0.0
-0.0	Min	-4.122	-7.936	-23.085	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.864	3.307	7.481	0.0	0.0
-0.0	Min	-1.879	-3.590	-12.259	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.672	3.968	8.218	0.0	0.0
-0.0	Min	-2.116	-4.093	-12.201	-0.0	-0.0
-0.0						
-0.0	G1	-0.279	0.444	-8.483	0.0	-0.0
-0.0	G2	-0.125	0.205	-3.284	0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.486	-0.071	0.201	-0.0	-0.0
0.0	Q5_pc Y	1.296	2.253	-0.448	0.0	0.0
-0.0						
0.0	Q5_ps X	0.477	-0.089	0.155	-0.0	-0.0
-0.0	Q5_ps Y	1.198	2.189	-0.418	0.0	0.0
-0.0						
0.0	INVS LU Max	10.558	17.308	2.299	0.0	-0.0
-0.0	Min	-2.320	-8.246	-51.367	0.0	-0.0
-0.0						
0.0	INVS LE Max	8.007	12.867	1.523	0.0	-0.0
-0.0	Min	-1.359	-5.762	-38.170	0.0	-0.0
-0.0						
5590	C1-C2;~1 Max	3.781	6.588	13.560	0.0	0.0
0.0	Min	-3.734	-6.883	-21.206	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	3.409	7.840	15.117	0.0	0.0
-0.0		Min	-4.264	-7.975	-21.227	-0.0	-0.0
0.0	C1-C2;~2	Max	1.907	3.263	7.047	0.0	0.0
-0.0		Min	-1.952	-3.610	-11.271	-0.0	-0.0
0.0	C3-C4;~2	Max	1.725	3.889	7.741	0.0	0.0
-0.0		Min	-2.192	-4.114	-11.207	-0.0	-0.0
-0.0	G1		-0.260	0.312	-7.539	0.0	-0.0
-0.0	G2		-0.117	0.152	-2.916	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.473	-0.048	0.195	0.0	0.0
-0.0	Q5_pc Y		1.314	2.231	-0.440	0.0	0.0
0.0	Q5_ps X		0.465	-0.065	0.152	-0.0	-0.0
-0.0	Q5_ps Y		1.216	2.165	-0.410	0.0	0.0
0.0	INVSLU	Max	10.569	16.912	3.457	0.0	-0.0
-0.0		Min	-2.657	-8.455	-46.401	0.0	-0.0
0.0	INVSLE	Max	8.005	12.578	2.408	0.0	-0.0
-0.0		Min	-1.616	-5.915	-34.465	0.0	-0.0
5591	C1-C2;~1	Max	3.865	6.486	12.623	0.0	0.0
0.0		Min	-3.876	-6.913	-19.316	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.513	7.664	14.077	0.0	0.0
-0.0		Min	-4.418	-8.005	-19.351	-0.0	-0.0
0.0	C1-C2;~2	Max	1.946	3.208	6.568	0.0	0.0
-0.0		Min	-2.028	-3.627	-10.253	-0.0	-0.0
0.0	C3-C4;~2	Max	1.775	3.795	7.217	0.0	0.0
-0.0		Min	-2.275	-4.130	-10.205	-0.0	-0.0
-0.0	G1		-0.257	0.163	-6.635	0.0	-0.0
-0.0	G2		-0.115	0.093	-2.563	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.460	-0.023	0.191	0.0	0.0
-0.0	Q5_pc Y		1.334	2.208	-0.426	0.0	0.0
0.0	Q5_ps X		0.452	-0.040	0.151	0.0	0.0
-0.0	Q5_ps Y		1.237	2.138	-0.397	0.0	0.0
-0.0	INVSLU	Max	10.537	16.447	4.351	0.0	-0.0
-0.0		Min	-3.045	-8.682	-41.543	-0.0	-0.0
-0.0	INVSLE	Max	7.971	12.239	3.096	0.0	-0.0
-0.0		Min	-1.912	-6.081	-30.843	-0.0	-0.0
5592	C1-C2;~1	Max	3.920	6.397	11.628	0.0	0.0
0.0		Min	-3.997	-6.992	-17.391	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.592	7.497	12.971	0.0	0.0
0.0		Min	-4.554	-8.090	-17.435	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.971	3.159	6.059	0.0	0.0
0.0		Min	-2.094	-3.670	-9.219	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.812	3.704	6.658	0.0	0.0
0.0		Min	-2.346	-4.175	-9.184	-0.0	-0.0
-0.0	G1		-0.264	-0.026	-5.739	0.0	-0.0
-0.0	G2		-0.117	0.018	-2.217	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.447	0.005	0.185	-0.0	0.0
-0.0	Q5_pc Y		1.353	2.185	-0.407	0.0	-0.0
0.0	Q5_ps X		0.438	-0.011	0.148	-0.0	-0.0
-0.0	Q5_ps Y		1.257	2.112	-0.380	0.0	0.0
-0.0	INVSLU	Max	10.473	15.876	5.076	0.0	-0.0
-0.0		Min	-3.403	-9.099	-36.705	-0.0	-0.0
-0.0	INVSLE	Max	7.915	11.818	3.656	0.0	-0.0
-0.0		Min	-2.183	-6.390	-27.238	-0.0	-0.0
5593	C1-C2;~1	Max	3.958	6.301	10.522	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.132	-7.059	-15.417	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.657	7.320	11.740	0.0	0.0
0.0		Min	-4.705	-8.159	-15.438	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.986	3.107	5.490	0.0	0.0
0.0		Min	-2.166	-3.707	-8.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.842	3.610	6.033	0.0	0.0
0.0		Min	-2.426	-4.213	-8.124	-0.0	-0.0
-0.0							
-0.0	G1		-0.306	-0.207	-4.884	0.0	-0.0
-0.0	G2		-0.132	-0.054	-1.886	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.434	0.032	0.174	-0.0	0.0
0.0	Q5_pc Y		1.376	2.159	-0.380	0.0	-0.0
-0.0	Q5_ps X		0.425	0.017	0.140	-0.0	-0.0
0.0	Q5_ps Y		1.280	2.083	-0.354	0.0	0.0
-0.0							
0.0	INVSLU	Max	10.319	15.306	5.447	0.0	-0.0
0.0		Min	-3.853	-9.478	-31.928	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.791	11.399	3.951	0.0	-0.0
0.0		Min	-2.523	-6.671	-23.684	-0.0	-0.0
-0.0							
5594	C1-C2;~1	Max	3.982	6.196	9.335	0.0	0.0
0.0		Min	-4.303	-7.085	-13.427	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.743	7.135	10.420	0.0	0.0
0.0		Min	-4.897	-8.184	-13.445	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.994	3.051	4.876	0.0	0.0
0.0		Min	-2.259	-3.722	-7.100	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.881	3.512	5.359	0.0	0.0
0.0		Min	-2.527	-4.226	-7.068	-0.0	-0.0
-0.0							
-0.0	G1		-0.398	-0.354	-4.102	0.0	-0.0
-0.0	G2		-0.166	-0.113	-1.582	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.424	0.054	0.163	0.0	0.0
0.0	Q5_pc Y		1.402	2.128	-0.346	0.0	-0.0
-0.0	Q5_ps X		0.414	0.040	0.132	-0.0	0.0
0.0	Q5_ps Y		1.307	2.048	-0.323	0.0	-0.0
-0.0							
	INVS LU	Max	10.036	14.800	5.478	0.0	-0.0
0.0		Min	-4.474	-9.710	-27.362	-0.0	-0.0
-0.0							
	INVS LE	Max	7.571	11.029	3.990	0.0	-0.0
0.0		Min	-2.990	-6.843	-20.290	-0.0	-0.0
-0.0							
5595	C1-C2;~1	Max	3.983	6.072	8.057	0.0	0.0
0.0		Min	-4.423	-7.035	-11.441	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.835	6.936	8.997	0.0	0.0
0.0		Min	-5.031	-8.123	-11.427	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.990	2.986	4.212	0.0	0.0
0.0		Min	-2.323	-3.695	-6.044	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.920	3.408	4.631	0.0	0.0
0.0		Min	-2.598	-4.195	-6.003	-0.0	-0.0
-0.0							
	G1		-0.451	-0.431	-3.398	0.0	-0.0
-0.0							
	G2		-0.184	-0.146	-1.306	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.416	0.071	0.149	0.0	0.0
0.0	Q5_pc Y		1.427	2.090	-0.306	0.0	-0.0
-0.0	Q5_ps X		0.405	0.059	0.121	0.0	0.0
0.0	Q5_ps Y		1.334	2.008	-0.284	0.0	-0.0
-0.0							
	INVS LU	Max	9.839	14.445	5.140	0.0	-0.0
0.0		Min	-4.900	-9.646	-23.001	-0.0	-0.0
-0.0							
	INVS LE	Max	7.416	10.775	3.754	0.0	-0.0
0.0		Min	-3.311	-6.792	-17.051	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5596	C1-C2;~1	Max	3.976	5.943	6.742	0.0	0.0
0.0		Min	-4.553	-6.975	-9.462	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.923	6.729	7.535	0.0	0.0
0.0		Min	-5.177	-8.051	-9.447	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.981	2.918	3.527	0.0	0.0
0.0		Min	-2.393	-3.663	-4.994	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.957	3.301	3.881	0.0	0.0
0.0		Min	-2.675	-4.158	-4.959	-0.0	-0.0
-0.0							
	G1		-0.525	-0.503	-2.754	0.0	-0.0
-0.0							
	G2		-0.210	-0.178	-1.055	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.410	0.084	0.136	0.0	0.0
0.0							
	Q5_pc Y		1.455	2.051	-0.261	0.0	-0.0
-0.0							
	Q5_ps X		0.398	0.074	0.112	0.0	0.0
0.0							
	Q5_ps Y		1.363	1.965	-0.242	0.0	-0.0
-0.0							
	INVSLU	Max	9.590	14.089	4.598	0.0	-0.0
0.0		Min	-5.384	-9.555	-18.818	-0.0	-0.0
-0.0							
	INVSLE	Max	7.222	10.519	3.364	0.0	-0.0
0.0		Min	-3.676	-6.722	-13.946	-0.0	-0.0
-0.0							
5597	C1-C2;~1	Max	3.958	5.817	5.459	0.0	0.0
0.0		Min	-4.672	-6.928	-7.586	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.002	6.524	6.111	0.0	0.0
0.0		Min	-5.310	-7.995	-7.556	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.968	2.852	2.857	0.0	0.0
0.0		Min	-2.457	-3.639	-4.000	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.989	3.194	3.149	0.0	0.0
0.0		Min	-2.745	-4.129	-3.963	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.601	-0.590	-2.167	0.0	-0.0
-0.0	G2		-0.237	-0.215	-0.828	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.407	0.094	0.125	-0.0	0.0
-0.0	Q5_pc Y		1.483	2.011	-0.216	0.0	-0.0
0.0	Q5_ps X		0.393	0.086	0.104	-0.0	0.0
-0.0	Q5_ps Y		1.393	1.923	-0.200	0.0	-0.0
0.0	INVS LU	Max	9.393	13.692	3.944	0.0	0.0
-0.0		Min	-5.846	-9.529	-14.936	-0.0	-0.0
0.0	INVS LE	Max	7.067	10.233	2.890	0.0	0.0
-0.0		Min	-4.023	-6.700	-11.066	-0.0	-0.0
5598	C1-C2;~1	Max	3.933	5.690	4.106	0.0	0.0
0.0		Min	-4.798	-6.875	-5.712	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.072	6.319	4.608	0.0	0.0
-0.0		Min	-5.451	-7.929	-5.645	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.951	2.786	2.150	0.0	0.0
0.0		Min	-2.525	-3.611	-3.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.018	3.088	2.375	0.0	0.0
-0.0		Min	-2.819	-4.095	-2.960	-0.0	-0.0
0.0							
-0.0	G1		-0.697	-0.671	-1.636	0.0	-0.0
-0.0	G2		-0.271	-0.250	-0.623	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.407	0.100	0.107	-0.0	0.0
-0.0	Q5_pc Y		1.513	1.969	-0.165	0.0	-0.0
0.0	Q5_ps X		0.392	0.095	0.089	-0.0	0.0
-0.0	Q5_ps Y		1.424	1.879	-0.151	0.0	-0.0
0.0	INVS LU	Max	9.223	13.295	3.012	0.0	0.0
-0.0		Min	-6.356	-9.486	-11.217	-0.0	-0.0
0.0							
0.0	INVS LE	Max	6.932	9.947	2.208	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.406	-6.665	-8.310	-0.0	-0.0
-0.0							
5599	C1-C2;~1	Max	3.929	5.574	2.715	0.0	0.0
0.0		Min	-4.934	-6.813	-3.863	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.138	6.124	3.064	0.0	0.0
0.0		Min	-5.606	-7.849	-3.770	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.948	2.728	1.420	0.0	0.0
0.0		Min	-2.599	-3.579	-2.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.045	2.987	1.579	0.0	0.0
0.0		Min	-2.901	-4.054	-1.978	-0.0	-0.0
-0.0							
0.0	G1		-0.817	-0.740	-1.179	0.0	-0.0
0.0	G2		-0.315	-0.280	-0.446	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.410	0.102	0.090	-0.0	-0.0
-0.0	Q5_pc Y		1.545	1.925	-0.109	0.0	-0.0
-0.0	Q5_ps X		0.393	0.098	0.075	-0.0	-0.0
-0.0	Q5_ps Y		1.457	1.833	-0.099	0.0	-0.0
-0.0							
0.0	INVSLU	Max	9.008	12.919	1.839	0.0	0.0
0.0		Min	-6.927	-9.409	-7.709	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.764	9.675	1.346	0.0	0.0
0.0		Min	-4.834	-6.608	-5.712	-0.0	-0.0
-0.0							
5600	C1-C2;~1	Max	3.953	5.458	1.287	0.0	0.0
0.0		Min	-5.079	-6.743	-2.016	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.202	5.943	1.473	0.0	0.0
0.0		Min	-5.776	-7.753	-1.880	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.955	2.669	0.671	0.0	0.0
0.0		Min	-2.676	-3.544	-1.063	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.073	2.894	0.757	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.991	-4.006	-0.997	-0.0	-0.0
-0.0	G1		-0.956	-0.800	-0.751	0.0	-0.0
0.0	G2		-0.366	-0.305	-0.280	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.416	0.099	0.066	-0.0	0.0
-0.0	Q5_pc Y		1.580	1.877	-0.049	0.0	-0.0
-0.0	Q5_ps X		0.397	0.097	0.056	-0.0	0.0
-0.0	Q5_ps Y		1.493	1.784	-0.042	0.0	-0.0
0.0	INVSLU	Max	8.768	12.550	0.518	0.0	0.0
-0.0		Min	-7.546	-9.317	-4.311	-0.0	-0.0
0.0	INVSLE	Max	6.578	9.407	0.372	0.0	0.0
-0.0		Min	-5.296	-6.540	-3.196	-0.0	-0.0
5601	C1-C2;~1	Max	3.972	5.366	0.000	0.0	0.0
0.0		Min	-5.226	-6.677	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.265	5.812	0.000	0.0	0.0
-0.0		Min	-5.953	-7.648	0.000	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.960	2.629	0.000	0.0	0.0
-0.0		Min	-2.755	-3.512	0.000	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.104	2.836	0.000	0.0	0.0
-0.0		Min	-3.083	-3.955	0.000	-0.0	-0.0
0.0	G1		-1.111	-0.876	0.000	0.0	0.0
-0.0	G2		-0.424	-0.335	0.000	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.424	0.093	0.000	-0.0	0.0
-0.0	Q5_pc Y		1.618	1.826	0.000	0.0	-0.0
-0.0	Q5_ps X		0.404	0.091	0.000	-0.0	0.0
-0.0	Q5_ps Y		1.531	1.733	0.000	0.0	-0.0
0.0	INVSLU	Max	8.519	12.180	0.000	0.0	0.0
		Min	-8.188	-9.277	0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	6.386	9.137	0.000	0.0	0.0
-0.0		Min	-5.774	-6.514	0.000	-0.0	-0.0
5602	C1-C2;~1	Max	4.006	5.264	1.393	0.0	0.0
0.0		Min	-5.353	-6.628	-1.950	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.320	5.694	1.561	0.0	0.0
-0.0		Min	-6.119	-7.548	-1.977	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.976	2.584	0.717	0.0	0.0
0.0		Min	-2.821	-3.492	-1.043	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.131	2.789	0.797	0.0	0.0
-0.0		Min	-3.169	-3.907	-1.025	-0.0	-0.0
-0.0	G1		-1.235	-0.999	-0.687	-0.0	0.0
-0.0	G2		-0.472	-0.380	-0.243	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.435	0.084	0.029	-0.0	-0.0
-0.0	Q5_pc Y		1.658	1.771	0.087	0.0	-0.0
-0.0	Q5_ps X		0.415	0.081	0.020	-0.0	-0.0
-0.0	Q5_ps Y		1.569	1.681	0.090	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.360	11.674	0.622	0.0	0.0
-0.0		Min	-8.718	-9.391	-4.311	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	6.264	8.761	0.438	0.0	0.0
0.0		Min	-6.166	-6.606	-3.204	-0.0	-0.0
-0.0							
5603	C1-C2;~1	Max	4.043	5.172	2.884	0.0	0.0
0.0		Min	-5.471	-6.571	-3.712	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.369	5.580	3.189	0.0	0.0
-0.0		Min	-6.286	-7.427	-3.878	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.995	2.547	1.492	0.0	0.0
0.0		Min	-2.883	-3.468	-1.984	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	2.155	2.743	1.634	0.0	0.0
-0.0		Min	-3.255	-3.850	-2.031	-0.0	-0.0
-0.0	G1		-1.339	-1.114	-1.050	-0.0	0.0
-0.0	G2		-0.514	-0.420	-0.371	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.448	0.072	0.014	-0.0	0.0
-0.0	Q5_pc Y		1.700	1.713	0.168	0.0	-0.0
-0.0	Q5_ps X		0.428	0.067	0.003	-0.0	0.0
-0.0	Q5_ps Y		1.609	1.625	0.170	0.0	-0.0
0.0	INVSLU	Max	8.261	11.152	1.996	0.0	0.0
-0.0		Min	-9.184	-9.490	-7.846	-0.0	-0.0
0.0	INVSLE	Max	6.187	8.373	1.440	0.0	0.0
-0.0		Min	-6.508	-6.689	-5.829	-0.0	-0.0
5604	C1-C2;~1	Max	4.081	5.080	4.339	0.0	0.0
0.0		Min	-5.592	-6.502	-5.474	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.416	5.472	4.769	0.0	0.0
0.0		Min	-6.464	-7.286	-5.780	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.015	2.510	2.247	0.0	0.0
0.0		Min	-2.945	-3.438	-2.927	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.178	2.699	2.445	0.0	0.0
0.0		Min	-3.346	-3.783	-3.027	-0.0	-0.0
-0.0	G1		-1.442	-1.208	-1.443	-0.0	0.0
-0.0	G2		-0.557	-0.452	-0.511	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.463	0.056	-0.006	-0.0	0.0
-0.0	Q5_pc Y		1.745	1.651	0.252	0.0	-0.0
-0.0	Q5_ps X		0.445	0.048	-0.018	-0.0	0.0
-0.0	Q5_ps Y		1.652	1.568	0.253	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	8.180	10.656	3.210	0.0	0.0
		Min	-9.649	-9.540	-11.485	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.125	8.002	2.321	0.0	0.0
		Min	-6.849	-6.738	-8.530	-0.0	-0.0
-0.0							
5605 0.0	C1-C2;~1	Max	4.120	4.991	5.760	0.0	0.0
		Min	-5.717	-6.418	-7.266	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.462	5.368	6.315	0.0	0.0
		Min	-6.652	-7.126	-7.726	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.035	2.474	2.981	0.0	0.0
		Min	-3.008	-3.402	-3.887	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.201	2.656	3.236	0.0	0.0
		Min	-3.442	-3.706	-4.047	-0.0	-0.0
-0.0							
0.0	G1		-1.547	-1.276	-1.910	-0.0	0.0
0.0	G2		-0.601	-0.473	-0.680	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.482	0.036	-0.026	-0.0	0.0
-0.0	Q5_pc Y		1.792	1.588	0.342	0.0	-0.0
-0.0	Q5_ps X		0.466	0.025	-0.039	-0.0	0.0
-0.0	Q5_ps Y		1.696	1.508	0.342	0.0	-0.0
0.0	INVS LU	Max	8.106	10.203	4.202	-0.0	0.0
-0.0		Min	-10.124	-9.521	-15.371	-0.0	-0.0
0.0	INVS LE	Max	6.069	7.663	3.035	-0.0	0.0
-0.0		Min	-7.195	-6.736	-11.417	-0.0	-0.0
5606 0.0	C1-C2;~1	Max	4.158	4.899	7.113	0.0	0.0
-0.0		Min	-5.840	-6.320	-9.061	-0.0	-0.0
0.0	C3-C4;~1	Max	4.506	5.264	7.784	0.0	0.0
-0.0		Min	-6.840	-6.948	-9.654	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	2.054	2.435	3.679	0.0	0.0
		Min	-3.071	-3.358	-4.851	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.224	2.612	3.986	0.0	0.0
		Min	-3.539	-3.621	-5.059	-0.0	-0.0
-0.0							
0.0	G1		-1.650	-1.323	-2.435	-0.0	0.0
0.0	G2		-0.644	-0.486	-0.870	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.502	0.013	-0.050	0.0	0.0
-0.0	Q5_pc Y		1.841	1.522	0.433	0.0	-0.0
-0.0	Q5_ps X		0.488	-0.001	-0.065	0.0	0.0
-0.0	Q5_ps Y		1.741	1.447	0.431	0.0	-0.0
0.0	INVSLU	Max	8.043	9.781	4.923	-0.0	0.0
-0.0		Min	-10.588	-9.443	-19.397	-0.0	-0.0
0.0	INVSLE	Max	6.021	7.347	3.547	-0.0	0.0
-0.0		Min	-7.534	-6.691	-14.410	-0.0	-0.0
5607	C1-C2;~1	Max	4.201	4.796	8.506	0.0	0.0
0.0		Min	-5.961	-6.210	-10.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.556	5.144	9.299	0.0	0.0
-0.0		Min	-7.028	-6.756	-11.677	-0.0	-0.0
0.0	C1-C2;~2	Max	2.076	2.393	4.394	0.0	0.0
-0.0		Min	-3.133	-3.308	-5.870	-0.0	-0.0
0.0	C3-C4;~2	Max	2.249	2.562	4.757	0.0	0.0
-0.0		Min	-3.635	-3.529	-6.123	-0.0	-0.0
0.0	G1		-1.738	-1.375	-3.015	-0.0	0.0
0.0	G2		-0.682	-0.501	-1.084	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.526	-0.015	-0.075	0.0	0.0
-0.0	Q5_pc Y		1.892	1.451	0.529	0.0	-0.0
-0.0	Q5_ps X		0.513	-0.031	-0.091	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.789	1.381	0.525	0.0	-0.0
0.0	INVS LU	Max	8.030	9.310	5.547	-0.0	0.0
-0.0		Min	-11.015	-9.367	-23.722	-0.0	-0.0
0.0	INVS LE	Max	6.010	6.994	3.984	-0.0	0.0
-0.0		Min	-7.845	-6.647	-17.626	-0.0	-0.0
5608 0.0	C1-C2;~1	Max	4.243	4.693	9.868	0.0	0.0
-0.0		Min	-6.078	-6.117	-12.864	-0.0	-0.0
0.0	C3-C4;~1	Max	4.604	5.026	10.782	0.0	0.0
-0.0		Min	-7.212	-6.555	-13.747	-0.0	-0.0
0.0	C1-C2;~2	Max	2.096	2.349	5.092	0.0	0.0
-0.0		Min	-3.192	-3.270	-6.899	-0.0	-0.0
0.0	C3-C4;~2	Max	2.273	2.512	5.510	0.0	0.0
-0.0		Min	-3.729	-3.431	-7.213	-0.0	-0.0
0.0	G1		-1.822	-1.405	-3.654	-0.0	0.0
0.0	G2		-0.718	-0.508	-1.321	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.552	-0.046	-0.097	0.0	0.0
-0.0	Q5_pc Y		1.944	1.380	0.636	0.0	-0.0
-0.0	Q5_ps X		0.540	-0.064	-0.114	-0.0	0.0
-0.0	Q5_ps Y		1.837	1.315	0.630	0.0	-0.0
0.0	INVS LU	Max	8.023	8.884	5.993	-0.0	0.0
-0.0		Min	-11.429	-9.234	-28.268	-0.0	-0.0
0.0	INVS LE	Max	6.004	6.675	4.287	-0.0	0.0
-0.0		Min	-8.146	-6.562	-21.007	-0.0	-0.0
5609 0.0	C1-C2;~1	Max	4.255	4.580	11.146	0.0	0.0
-0.0		Min	-6.209	-6.061	-14.780	-0.0	-0.0
0.0	C3-C4;~1	Max	4.619	4.895	12.171	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-7.414	-6.351	-15.801	-0.0	-0.0
0.0	C1-C2;~2	Max	2.108	2.302	5.743	0.0	0.0
-0.0		Min	-3.262	-3.246	-7.935	-0.0	-0.0
0.0	C3-C4;~2	Max	2.286	2.457	6.211	0.0	0.0
-0.0		Min	-3.835	-3.334	-8.297	-0.0	-0.0
0.0	G1		-1.987	-1.446	-4.373	-0.0	0.0
0.0	G2		-0.785	-0.520	-1.589	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.582	-0.079	-0.120	-0.0	0.0
-0.0	Q5_pc Y		1.995	1.308	0.747	0.0	-0.0
-0.0	Q5_ps X		0.572	-0.098	-0.139	-0.0	0.0
-0.0	Q5_ps Y		1.884	1.247	0.738	0.0	-0.0
0.0	INVSLU	Max	7.762	8.398	6.088	-0.0	0.0
-0.0		Min	-12.074	-9.138	-33.019	-0.0	-0.0
0.0	INVSLE	Max	5.805	6.311	4.326	-0.0	0.0
-0.0		Min	-8.622	-6.504	-24.543	-0.0	-0.0
5610	C1-C2;~1	Max	4.263	4.478	12.350	0.0	0.0
0.0		Min	-6.342	-5.981	-16.691	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.629	4.777	13.482	0.0	0.0
-0.0		Min	-7.622	-6.129	-17.869	-0.0	-0.0
0.0	C1-C2;~2	Max	2.118	2.258	6.351	0.0	0.0
-0.0		Min	-3.333	-3.208	-8.970	-0.0	-0.0
0.0	C3-C4;~2	Max	2.298	2.406	6.869	0.0	0.0
-0.0		Min	-3.945	-3.225	-9.389	-0.0	-0.0
0.0	G1		-2.165	-1.426	-5.167	-0.0	0.0
0.0	G2		-0.857	-0.510	-1.885	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.615	-0.115	-0.141	0.0	0.0
	Q5_pc Y		2.045	1.238	0.868	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		0.606	-0.136	-0.162	-0.0	0.0
-0.0	Q5_ps Y		1.931	1.181	0.855	0.0	-0.0
-0.0							
0.0	INVS LU	Max	7.463	8.070	5.873	-0.0	0.0
-0.0		Min	-12.757	-8.882	-38.013	-0.0	-0.0
0.0	INVS LE	Max	5.578	6.065	4.132	-0.0	0.0
-0.0		Min	-9.127	-6.327	-28.260	-0.0	-0.0
5611	C1-C2;~1	Max	4.268	4.376	13.446	0.0	0.0
0.0		Min	-6.468	-5.876	-18.557	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.636	4.660	14.673	0.0	0.0
-0.0		Min	-7.820	-5.885	-19.860	-0.0	-0.0
0.0	C1-C2;~2	Max	2.127	2.213	6.902	0.0	0.0
-0.0		Min	-3.400	-3.156	-9.985	-0.0	-0.0
0.0	C3-C4;~2	Max	2.309	2.354	7.462	0.0	0.0
-0.0		Min	-4.050	-3.091	-10.443	-0.0	-0.0
0.0	G1		-2.336	-1.369	-6.004	-0.0	0.0
0.0	G2		-0.926	-0.486	-2.196	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.649	-0.152	-0.164	0.0	0.0
-0.0	Q5_pc Y		2.094	1.168	0.991	0.0	-0.0
-0.0	Q5_ps X		0.641	-0.173	-0.187	0.0	0.0
-0.0	Q5_ps Y		1.977	1.115	0.974	0.0	-0.0
0.0	INVS LU	Max	7.171	7.812	5.322	-0.0	0.0
-0.0		Min	-13.414	-8.526	-43.080	-0.0	-0.0
0.0	INVS LE	Max	5.357	5.872	3.685	-0.0	0.0
-0.0		Min	-9.612	-6.075	-32.037	-0.0	-0.0
5612	C1-C2;~1	Max	4.286	4.254	14.487	0.0	0.0
0.0		Min	-6.583	-5.749	-20.391	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	4.656	4.521	15.802	0.0	0.0
-0.0		Min	-8.002	-5.631	-21.814	-0.0	-0.0
0.0	C1-C2;~2	Max	2.140	2.160	7.421	0.0	0.0
-0.0		Min	-3.460	-3.094	-10.983	-0.0	-0.0
0.0	C3-C4;~2	Max	2.323	2.294	8.022	0.0	0.0
-0.0		Min	-4.146	-3.001	-11.480	-0.0	-0.0
0.0	G1		-2.466	-1.319	-6.850	-0.0	0.0
0.0	G2		-0.979	-0.465	-2.516	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.679	-0.186	-0.188	0.0	0.0
-0.0	Q5_pc Y		2.142	1.096	1.116	0.0	-0.0
-0.0	Q5_ps X		0.672	-0.208	-0.212	0.0	0.0
-0.0	Q5_ps Y		2.021	1.047	1.095	0.0	-0.0
0.0	INVSLU	Max	7.001	7.476	4.611	-0.0	0.0
-0.0		Min	-13.943	-8.362	-48.180	-0.0	0.0
0.0	INVSLE	Max	5.227	5.618	3.116	-0.0	0.0
-0.0		Min	-10.002	-5.967	-35.840	-0.0	0.0
5613	C1-C2;~1	Max	4.297	4.134	15.458	0.0	0.0
0.0		Min	-6.675	-5.616	-22.184	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.670	4.387	16.854	0.0	0.0
-0.0		Min	-8.158	-5.454	-23.763	-0.0	-0.0
0.0	C1-C2;~2	Max	2.149	2.108	7.901	0.0	0.0
-0.0		Min	-3.509	-3.028	-11.961	-0.0	-0.0
0.0	C3-C4;~2	Max	2.335	2.235	8.539	0.0	0.0
-0.0		Min	-4.229	-2.911	-12.514	-0.0	-0.0
0.0	G1		-2.575	-1.261	-7.739	-0.0	0.0
0.0	G2		-1.024	-0.441	-2.852	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.707	-0.218	-0.208	0.0	0.0
-0.0	Q5_pc Y		2.186	1.027	1.253	0.0	0.0
-0.0	Q5_ps X		0.701	-0.241	-0.234	-0.0	0.0
-0.0	Q5_ps Y		2.063	0.981	1.226	0.0	0.0
0.0	INVSLU	Max	6.860	7.167	3.668	0.0	0.0
-0.0		Min	-14.393	-8.185	-53.420	-0.0	0.0
0.0	INVSLE	Max	5.119	5.386	2.373	0.0	0.0
-0.0		Min	-10.332	-5.849	-39.748	-0.0	0.0
5614	C1-C2;~1	Max	4.300	4.028	16.339	0.0	0.0
0.0		Min	-6.747	-5.490	-23.904	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.674	4.272	17.807	0.0	0.0
0.0		Min	-8.295	-5.287	-25.623	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.156	2.061	8.332	0.0	0.0
0.0		Min	-3.547	-2.965	-12.901	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.342	2.183	9.004	0.0	0.0
0.0		Min	-4.301	-2.824	-13.504	-0.0	-0.0
-0.0	G1		-2.670	-1.191	-8.627	-0.0	0.0
0.0	G2		-1.063	-0.412	-3.188	-0.0	0.0
0.0	G3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.734	-0.247	-0.228	0.0	0.0
-0.0	Q5_pc Y		2.226	0.963	1.393	0.0	0.0
-0.0	Q5_ps X		0.729	-0.271	-0.255	-0.0	0.0
-0.0	Q5_ps Y		2.100	0.920	1.360	0.0	0.0
0.0	INVSLU	Max	6.717	6.934	2.523	0.0	0.0
-0.0		Min	-14.798	-7.978	-58.615	-0.0	0.0
0.0	INVSLE	Max	5.009	5.210	1.476	0.0	0.0
-0.0		Min	-10.631	-5.708	-43.626	-0.0	0.0
5615	C1-C2;~1	Max	4.296	3.937	17.152	0.0	0.0


MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0						
-0.0	Min	-6.801	-5.370	-25.558	-0.0	-0.0
0.0	C3-C4;~1	Max	4.669	4.174	18.685	0.0
-0.0	Min	-8.414	-5.128	-27.437	-0.0	-0.0
0.0	C1-C2;~2	Max	2.159	2.020	8.726	0.0
-0.0	Min	-3.576	-2.904	-13.806	-0.0	-0.0
0.0	C3-C4;~2	Max	2.346	2.138	9.427	0.0
-0.0	Min	-4.365	-2.740	-14.468	-0.0	-0.0
0.0	G1		-2.754	-1.107	-9.518	0.0
0.0	G2		-1.099	-0.378	-3.525	0.0
0.0	Q3		0.000	0.000	0.000	0.0
-0.0	Q5_pc X		0.760	-0.275	-0.247	0.0
-0.0	Q5_pc Y		2.263	0.903	1.540	-0.0
-0.0	Q5_ps X		0.756	-0.299	-0.275	0.0
-0.0	Q5_ps Y		2.134	0.864	1.501	-0.0
0.0	INVSLU	Max	6.566	6.776	1.223	-0.0
-0.0	Min	-15.168	-7.734	-63.814	-0.0	0.0
0.0	INVSLE	Max	4.893	5.091	0.461	-0.0
-0.0	Min	-10.905	-5.537	-47.509	-0.0	0.0
5616	C1-C2;~1	Max	4.289	3.848	17.869	0.0
0.0	Min	-6.844	-5.240	-27.104	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.661	4.080	19.457	0.0
0.0	Min	-8.518	-4.959	-29.122	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.161	1.978	9.069	0.0
0.0	Min	-3.598	-2.837	-14.655	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.348	2.094	9.795	0.0
0.0	Min	-4.421	-2.651	-15.366	-0.0	-0.0
-0.0	G1		-2.826	-1.007	-10.378	0.0
0.0	G2		-1.131	-0.338	-3.849	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.783	-0.301	-0.266	0.0	0.0
-0.0	Q5_pc Y		2.296	0.845	1.687	-0.0	-0.0
-0.0	Q5_ps X		0.781	-0.326	-0.295	-0.0	0.0
-0.0	Q5_ps Y		2.165	0.809	1.641	-0.0	-0.0
0.0	INVS LU	Max	6.432	6.663	-0.233	-0.0	0.0
-0.0		Min	-15.494	-7.439	-68.850	-0.0	0.0
0.0	INVS LE	Max	4.789	5.006	-0.673	-0.0	0.0
-0.0		Min	-11.145	-5.327	-51.276	-0.0	0.0
5617	C1-C2;~1	Max	4.299	3.740	18.532	0.0	0.0
0.0		Min	-6.900	-5.073	-28.580	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.671	3.969	20.167	0.0	0.0
-0.0		Min	-8.633	-4.757	-30.726	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.169	1.929	9.383	0.0	0.0
-0.0		Min	-3.627	-2.752	-15.466	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.357	2.043	10.131	0.0	0.0
-0.0		Min	-4.482	-2.546	-16.222	-0.0	-0.0
0.0	G1		-2.888	-0.891	-11.203	-0.0	0.0
0.0	G2		-1.157	-0.292	-4.165	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.805	-0.325	-0.285	0.0	0.0
-0.0	Q5_pc Y		2.332	0.782	1.834	0.0	-0.0
-0.0	Q5_ps X		0.805	-0.351	-0.314	-0.0	0.0
-0.0	Q5_ps Y		2.198	0.749	1.780	0.0	-0.0
0.0	INVS LU	Max	6.370	6.535	-1.746	-0.0	0.0
-0.0		Min	-15.788	-7.078	-73.752	-0.0	0.0
0.0	INVS LE	Max	4.741	4.909	-1.850	-0.0	0.0
-0.0		Min	-11.362	-5.071	-54.943	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


5618	C1-C2;~1	Max	4.303	3.637	19.139	0.0	0.0
0.0		Min	-6.935	-4.907	-29.977	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.676	3.865	20.816	0.0	0.0
0.0		Min	-8.721	-4.558	-32.279	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.174	1.881	9.666	0.0	0.0
0.0		Min	-3.645	-2.667	-16.234	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.363	1.994	10.434	0.0	0.0
0.0		Min	-4.529	-2.442	-17.050	-0.0	-0.0
-0.0							
0.0	G1		-2.929	-0.774	-12.010	-0.0	0.0
0.0	G2		-1.176	-0.246	-4.474	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.825	-0.348	-0.301	0.0	0.0
-0.0	Q5_pc Y		2.363	0.721	1.984	0.0	-0.0
-0.0	Q5_ps X		0.826	-0.374	-0.330	0.0	0.0
-0.0	Q5_ps Y		2.227	0.691	1.923	0.0	-0.0
-0.0							
	INVSLU	Max	6.334	6.432	-3.298	0.0	0.0
0.0		Min	-16.005	-6.707	-78.548	-0.0	0.0
-0.0							
	INVSLE	Max	4.712	4.831	-3.055	0.0	0.0
0.0		Min	-11.521	-4.806	-58.531	-0.0	0.0
-0.0							
5619	C1-C2;~1	Max	4.297	3.548	19.684	0.0	0.0
0.0		Min	-6.941	-4.761	-31.288	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.669	3.777	21.398	0.0	0.0
0.0		Min	-8.778	-4.381	-33.728	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.174	1.839	9.918	0.0	0.0
0.0		Min	-3.647	-2.591	-16.957	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.364	1.952	10.701	0.0	0.0
0.0		Min	-4.559	-2.349	-17.825	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.949	-0.663	-12.774	-0.0	0.0
0.0	G2		-1.187	-0.202	-4.766	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.844	-0.368	-0.317	0.0	0.0
-0.0	Q5_pc Y		2.388	0.665	2.129	0.0	-0.0
-0.0	Q5_ps X		0.846	-0.395	-0.347	0.0	0.0
-0.0	Q5_ps Y		2.251	0.638	2.061	0.0	-0.0
0.0	INVS LU	Max	6.308	6.367	-4.846	0.0	0.0
-0.0		Min	-16.143	-6.357	-83.099	-0.0	0.0
0.0	INVS LE	Max	4.690	4.782	-4.255	0.0	0.0
-0.0		Min	-11.622	-4.554	-61.936	-0.0	0.0
5620	C1-C2;~1	Max	4.281	3.471	20.185	0.0	0.0
0.0		Min	-6.920	-4.630	-32.528	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.651	3.705	21.929	0.0	0.0
-0.0		Min	-8.805	-4.222	-35.114	-0.0	-0.0
0.0	C1-C2;~2	Max	2.170	1.803	10.144	0.0	0.0
-0.0		Min	-3.634	-2.523	-17.643	-0.0	-0.0
0.0	C3-C4;~2	Max	2.359	1.916	10.942	0.0	0.0
-0.0		Min	-4.574	-2.264	-18.566	-0.0	-0.0
0.0	G1		-2.951	-0.558	-13.508	-0.0	0.0
0.0	G2		-1.191	-0.160	-5.045	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.861	-0.387	-0.333	0.0	0.0
-0.0	Q5_pc Y		2.408	0.615	2.273	0.0	-0.0
-0.0	Q5_ps X		0.864	-0.414	-0.362	-0.0	0.0
-0.0	Q5_ps Y		2.269	0.590	2.197	0.0	-0.0
0.0	INVS LU	Max	6.287	6.339	-6.355	0.0	0.0
-0.0		Min	-16.212	-6.020	-87.455	-0.0	0.0
0.0	INVS LE	Max	4.673	4.761	-5.423	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-11.673	-4.312	-65.194	-0.0	0.0
-0.0							
5621	C1-C2;~1	Max	4.262	3.396	20.620	0.0	0.0
0.0		Min	-6.889	-4.493	-33.665	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.629	3.635	22.388	0.0	0.0
0.0		Min	-8.819	-4.059	-36.369	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.165	1.767	10.338	0.0	0.0
0.0		Min	-3.617	-2.452	-18.272	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.353	1.881	11.146	0.0	0.0
0.0		Min	-4.582	-2.177	-19.239	-0.0	-0.0
-0.0							
0.0	G1		-2.945	-0.444	-14.182	0.0	0.0
0.0	G2		-1.191	-0.115	-5.301	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.877	-0.404	-0.348	0.0	0.0
-0.0	Q5_pc Y		2.426	0.566	2.407	-0.0	-0.0
-0.0	Q5_ps X		0.881	-0.431	-0.378	-0.0	0.0
-0.0	Q5_ps Y		2.286	0.544	2.324	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.278	6.337	-7.819	0.0	0.0
0.0		Min	-16.243	-5.654	-91.475	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.664	4.760	-6.554	0.0	0.0
0.0		Min	-11.695	-4.047	-68.201	-0.0	0.0
-0.0							
5622	C1-C2;~1	Max	4.263	3.304	21.017	0.0	0.0
0.0		Min	-6.893	-4.306	-34.741	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.630	3.551	22.805	0.0	0.0
0.0		Min	-8.866	-3.850	-37.543	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.167	1.722	10.511	0.0	0.0
0.0		Min	-3.618	-2.353	-18.869	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.357	1.838	11.329	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-4.608	-2.067	-19.869	-0.0	-0.0
-0.0	G1		-2.954	-0.297	-14.814	-0.0	0.0
0.0	G2		-1.197	-0.058	-5.544	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.891	-0.420	-0.362	0.0	0.0
-0.0	Q5_pc	Y	2.447	0.511	2.536	0.0	-0.0
-0.0	Q5_ps	X	0.897	-0.448	-0.392	-0.0	0.0
-0.0	Q5_ps	Y	2.306	0.491	2.445	0.0	-0.0
0.0	INVSLU	Max	6.296	6.353	-9.203	0.0	0.0
-0.0		Min	-16.329	-5.173	-95.238	-0.0	0.0
0.0	INVSLE	Max	4.676	4.771	-7.621	0.0	0.0
-0.0		Min	-11.757	-3.699	-71.013	-0.0	0.0
5623	C1-C2;~1	Max	4.257	3.214	21.360	0.0	0.0
0.0		Min	-6.877	-4.119	-35.714	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.623	3.472	23.164	0.0	0.0
0.0		Min	-8.888	-3.645	-38.624	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.167	1.678	10.656	0.0	0.0
0.0		Min	-3.608	-2.255	-19.410	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.356	1.798	11.481	0.0	0.0
0.0		Min	-4.619	-1.959	-20.449	-0.0	-0.0
-0.0	G1		-2.948	-0.149	-15.394	-0.0	0.0
0.0	G2		-1.197	-0.000	-5.768	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.904	-0.435	-0.375	0.0	0.0
-0.0	Q5_pc	Y	2.465	0.457	2.660	0.0	-0.0
-0.0	Q5_ps	X	0.911	-0.463	-0.405	0.0	0.0
-0.0	Q5_ps	Y	2.323	0.440	2.562	0.0	-0.0
0.0	INVSLU	Max	6.326	6.382	-10.513	0.0	0.0
-0.0		Min	-16.351	-4.689	-98.714	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.697	4.791	-8.630	0.0	0.0
-0.0		Min	-11.772	-3.348	-73.609	-0.0	0.0
5624	C1-C2;~1	Max	4.236	3.137	21.647	0.0	0.0
0.0		Min	-6.820	-3.953	-36.595	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.600	3.407	23.460	0.0	0.0
-0.0		Min	-8.863	-3.463	-39.596	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.159	1.639	10.772	0.0	0.0
0.0		Min	-3.575	-2.167	-19.902	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.348	1.763	11.601	0.0	0.0
-0.0		Min	-4.606	-1.862	-20.973	-0.0	-0.0
0.0	G1		-2.913	-0.015	-15.920	-0.0	0.0
0.0	G2		-1.185	0.052	-5.969	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.916	-0.448	-0.387	0.0	0.0
-0.0	Q5_pc Y		2.476	0.409	2.776	0.0	-0.0
-0.0	Q5_ps X		0.924	-0.476	-0.417	0.0	0.0
-0.0	Q5_ps Y		2.333	0.394	2.672	0.0	-0.0
0.0	INVSLE	Max	6.365	6.457	-11.735	0.0	0.0
-0.0		Min	-16.267	-4.285	-101.858	-0.0	0.0
0.0	INVSLE	Max	4.725	4.843	-9.570	0.0	0.0
-0.0		Min	-11.709	-3.054	-75.958	-0.0	0.0
5625	C1-C2;~1	Max	4.200	3.071	21.889	0.0	0.0
0.0		Min	-6.724	-3.808	-37.388	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.560	3.353	23.707	0.0	0.0
-0.0		Min	-8.795	-3.306	-40.478	-0.0	-0.0
0.0	C1-C2;~2	Max	2.144	1.606	10.865	0.0	0.0
-0.0		Min	-3.522	-2.090	-20.346	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	2.332	1.734	11.696	0.0	0.0
-0.0		Min	-4.570	-1.779	-21.450	-0.0	-0.0
0.0	G1		-2.853	0.103	-16.394	-0.0	0.0
0.0	G2		-1.164	0.098	-6.149	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.925	-0.459	-0.397	0.0	0.0
-0.0	Q5_pc Y		2.481	0.367	2.891	0.0	-0.0
-0.0	Q5_ps X		0.934	-0.487	-0.428	-0.0	0.0
-0.0	Q5_ps Y		2.337	0.354	2.780	0.0	-0.0
0.0	INVSLU	Max	6.412	6.553	-12.828	0.0	0.0
-0.0		Min	-16.083	-3.940	-104.681	-0.0	0.0
0.0	INVSLE	Max	4.758	4.911	-10.411	0.0	0.0
-0.0		Min	-11.574	-2.801	-78.065	-0.0	0.0
5626	C1-C2;~1	Max	4.161	3.008	22.068	0.0	0.0
0.0		Min	-6.620	-3.662	-38.050	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.517	3.301	23.886	0.0	0.0
-0.0		Min	-8.713	-3.149	-41.207	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.128	1.573	10.927	0.0	0.0
0.0		Min	-3.464	-2.012	-20.718	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.315	1.705	11.757	0.0	0.0
-0.0		Min	-4.526	-1.695	-21.844	-0.0	-0.0
0.0	G1		-2.784	0.222	-16.788	0.0	0.0
0.0	G2		-1.140	0.143	-6.298	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.933	-0.469	-0.407	0.0	0.0
-0.0	Q5_pc Y		2.483	0.326	2.993	-0.0	-0.0
-0.0	Q5_ps X		0.943	-0.496	-0.439	-0.0	-0.0
-0.0	Q5_ps Y		2.339	0.315	2.876	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	INVS LU	Max	6.465	6.661	-13.784	0.0	0.0
		Min	-15.865	-3.584	-107.047	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.796	4.987	-11.146	0.0	0.0
		Min	-11.414	-2.539	-79.830	-0.0	0.0
-0.0							
5627	C1-C2;~1	Max	4.146	2.932	22.208	0.0	0.0
0.0		Min	-6.567	-3.468	-38.617	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.500	3.243	24.022	0.0	0.0
		Min	-8.683	-2.949	-41.820	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.122	1.533	10.969	0.0	0.0
		Min	-3.434	-1.908	-21.035	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.309	1.671	11.797	0.0	0.0
		Min	-4.511	-1.588	-22.174	-0.0	-0.0
-0.0							
0.0	G1		-2.748	0.378	-17.123	-0.0	0.0
0.0	G2		-1.127	0.203	-6.429	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.940	-0.478	-0.416	0.0	0.0
-0.0	Q5_pc Y		2.491	0.278	3.088	0.0	-0.0
-0.0	Q5_ps X		0.951	-0.505	-0.448	0.0	0.0
-0.0	Q5_ps Y		2.346	0.269	2.965	0.0	-0.0
0.0	INVS LU	Max	6.517	6.811	-14.604	0.0	0.0
-0.0		Min	-15.763	-3.109	-109.049	-0.0	0.0
0.0	INVS LE	Max	4.834	5.094	-11.775	0.0	0.0
-0.0		Min	-11.338	-2.190	-81.323	-0.0	0.0
5628	C1-C2;~1	Max	4.124	2.862	22.294	0.0	0.0
0.0		Min	-6.494	-3.278	-39.056	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.476	3.192	24.098	0.0	0.0
		Min	-8.628	-2.758	-42.309	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	2.113	1.495	10.982	0.0	0.0
		Min	-3.393	-1.807	-21.280	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.299	1.640	11.806	0.0	0.0
		Min	-4.481	-1.486	-22.437	-0.0	-0.0
-0.0							
0.0	G1		-2.700	0.532	-17.387	-0.0	-0.0
0.0	G2		-1.110	0.262	-6.531	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.945	-0.485	-0.424	0.0	0.0
-0.0	Q5_pc Y		2.495	0.232	3.177	0.0	0.0
-0.0	Q5_ps X		0.957	-0.512	-0.456	0.0	0.0
-0.0	Q5_ps Y		2.350	0.224	3.048	0.0	0.0
0.0	INVSLU	Max	6.573	6.968	-15.273	0.0	0.0
-0.0		Min	-15.608	-2.640	-110.642	-0.0	0.0
0.0	INVSLE	Max	4.874	5.206	-12.289	0.0	0.0
-0.0		Min	-11.224	-1.847	-82.508	-0.0	0.0
5629	C1-C2;~1	Max	4.084	2.805	22.329	0.0	0.0
0.0		Min	-6.376	-3.115	-39.374	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.433	3.153	24.119	0.0	0.0
-0.0		Min	-8.519	-2.596	-42.670	-0.0	-0.0
0.0	C1-C2;~2	Max	2.095	1.464	10.971	0.0	0.0
-0.0		Min	-3.327	-1.719	-21.458	-0.0	-0.0
0.0	C3-C4;~2	Max	2.280	1.614	11.788	0.0	0.0
-0.0		Min	-4.422	-1.399	-22.631	-0.0	-0.0
0.0	G1		-2.621	0.664	-17.578	-0.0	-0.0
0.0	G2		-1.080	0.313	-6.605	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.948	-0.490	-0.430	0.0	0.0
-0.0	Q5_pc Y		2.490	0.191	3.257	0.0	0.0
-0.0	Q5_ps X		0.961	-0.517	-0.463	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		2.346	0.186	3.123	0.0	0.0
0.0	INVS LU Max		6.634	7.112	-15.778	0.0	0.0
-0.0	Min		-15.334	-2.233	-111.807	-0.0	0.0
0.0	INVS LE Max		4.918	5.309	-12.676	0.0	0.0
-0.0	Min		-11.022	-1.548	-83.374	-0.0	0.0
5630 0.0	C1-C2;~1 Max		4.027	2.759	22.316	0.0	0.0
-0.0	Min		-6.215	-2.977	-39.576	-0.0	-0.0
0.0	C3-C4;~1 Max		4.371	3.122	24.087	0.0	0.0
-0.0	Min		-8.360	-2.461	-42.908	-0.0	-0.0
0.0	C1-C2;~2 Max		2.068	1.437	10.936	0.0	0.0
-0.0	Min		-3.237	-1.645	-21.570	-0.0	-0.0
0.0	C3-C4;~2 Max		2.252	1.593	11.744	0.0	0.0
-0.0	Min		-4.337	-1.326	-22.759	-0.0	-0.0
-0.0	G1		-2.512	0.773	-17.700	0.0	0.0
-0.0	G2		-1.039	0.354	-6.651	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.949	-0.494	-0.435	0.0	0.0
-0.0	Q5_pc Y		2.478	0.158	3.331	0.0	-0.0
-0.0	Q5_ps X		0.962	-0.520	-0.469	0.0	0.0
-0.0	Q5_ps Y		2.334	0.154	3.192	0.0	-0.0
0.0	INVS LU Max		6.702	7.239	-16.115	0.0	0.0
-0.0	Min		-14.945	-1.884	-112.556	0.0	0.0
0.0	INVS LE Max		4.967	5.400	-12.935	0.0	0.0
-0.0	Min		-10.738	-1.291	-83.929	0.0	0.0
5631 0.0	C1-C2;~1 Max		3.967	2.715	22.328	0.0	0.0
-0.0	Min		-6.045	-2.844	-39.843	-0.0	-0.0
0.0	C3-C4;~1 Max		4.306	3.091	24.089	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-8.191	-2.333	-42.999	-0.0	-0.0
0.0	C1-C2;~2	Max	2.040	1.412	10.934	0.0	0.0
-0.0		Min	-3.144	-1.572	-21.606	-0.0	-0.0
0.0	C3-C4;~2	Max	2.222	1.572	11.741	0.0	0.0
-0.0		Min	-4.247	-1.257	-22.807	-0.0	-0.0
-0.0		G1	-2.396	0.877	-17.739	0.0	0.0
-0.0		G2	-0.996	0.394	-6.665	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.948	-0.496	-0.439	0.0	0.0
-0.0	Q5_pc Y		2.462	0.125	3.392	-0.0	-0.0
0.0	Q5_ps X		0.962	-0.521	-0.473	-0.0	-0.0
-0.0	Q5_ps Y		2.319	0.123	3.248	-0.0	-0.0
0.0	INVS LU	Max	6.773	7.360	-16.160	0.0	0.0
-0.0		Min	-14.529	-1.544	-112.835	-0.0	-0.0
0.0	INVS LE	Max	5.018	5.488	-12.974	0.0	0.0
-0.0		Min	-10.433	-1.041	-84.133	-0.0	-0.0
5632	C1-C2;~1	Max	3.935	2.667	22.433	0.0	0.0
0.0		Min	-5.944	-2.675	-39.608	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.271	3.061	24.179	0.0	0.0
-0.0		Min	-8.091	-2.177	-42.963	-0.0	-0.0
0.0	C1-C2;~2	Max	2.025	1.382	11.012	0.0	0.0
-0.0		Min	-3.088	-1.479	-21.585	-0.0	-0.0
0.0	C3-C4;~2	Max	2.206	1.548	11.814	0.0	0.0
-0.0		Min	-4.195	-1.171	-22.782	-0.0	-0.0
0.0		G1	-2.323	1.014	-17.717	0.0	0.0
0.0		G2	-0.968	0.445	-6.659	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.946	-0.497	-0.441	0.0	0.0
0.0	Q5_pc Y		2.454	0.085	3.445	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.961	-0.521	-0.476	0.0	0.0
0.0	Q5_ps Y	2.312	0.084	3.296	0.0	-0.0
-0.0						
	INVS LU Max	6.833	7.528	-15.879	0.0	0.0
0.0	Min	-14.274	-1.110	-112.721	0.0	0.0
-0.0						
	INVS LE Max	5.062	5.610	-12.765	0.0	0.0
0.0	Min	-10.246	-0.723	-84.041	0.0	0.0
-0.0						
5633	C1-C2;~1 Max	3.896	2.625	22.483	0.0	0.0
0.0	Min	-5.826	-2.519	-39.436	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	4.230	3.034	24.209	0.0	0.0
0.0	Min	-7.970	-2.032	-42.778	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	2.007	1.354	11.063	0.0	0.0
0.0	Min	-3.023	-1.393	-21.486	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	2.187	1.525	11.859	0.0	0.0
0.0	Min	-4.131	-1.090	-22.678	-0.0	-0.0
-0.0						
	G1	-2.243	1.146	-17.611	-0.0	-0.0
-0.0						
	G2	-0.937	0.495	-6.620	0.0	-0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.942	-0.496	-0.443	0.0	0.0
0.0	Q5_pc Y	2.442	0.046	3.488	0.0	0.0
-0.0						
	Q5_ps X	0.957	-0.520	-0.478	0.0	0.0
0.0	Q5_ps Y	2.301	0.047	3.336	0.0	0.0
-0.0						
	INVS LU Max	6.887	7.690	-15.428	0.0	0.0
0.0	Min	-13.978	-0.700	-112.139	0.0	-0.0
-0.0						
	INVS LE Max	5.101	5.727	-12.427	0.0	0.0
0.0	Min	-10.030	-0.423	-83.600	0.0	-0.0
-0.0						
5634	C1-C2;~1 Max	3.837	2.587	22.484	0.0	0.0
0.0	Min	-5.658	-2.385	-39.149	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	4.166	3.007	24.187	0.0	0.0
-0.0		Min	-7.791	-1.913	-42.471	-0.0	-0.0
0.0	C1-C2;~2	Max	1.978	1.329	11.090	0.0	0.0
-0.0		Min	-2.929	-1.319	-21.323	-0.0	-0.0
0.0	C3-C4;~2	Max	2.157	1.503	11.878	0.0	0.0
-0.0		Min	-4.034	-1.025	-22.507	-0.0	-0.0
-0.0	G1		-2.134	1.255	-17.436	0.0	-0.0
-0.0	G2		-0.895	0.536	-6.553	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.936	-0.494	-0.443	0.0	0.0
0.0	Q5_pc Y		2.420	0.014	3.521	0.0	0.0
0.0	Q5_ps X		0.952	-0.517	-0.478	0.0	0.0
0.0	Q5_ps Y		2.280	0.016	3.365	0.0	0.0
0.0	INVSLU	Max	6.937	7.819	-14.814	0.0	0.0
-0.0		Min	-13.561	-0.351	-111.138	0.0	-0.0
0.0	INVSLE	Max	5.136	5.820	-11.963	0.0	0.0
-0.0		Min	-9.725	-0.166	-82.845	0.0	-0.0
5635	C1-C2;~1	Max	3.758	2.550	22.434	0.0	0.0
0.0		Min	-5.443	-2.269	-38.740	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.081	2.976	24.110	0.0	0.0
-0.0		Min	-7.555	-1.821	-42.034	-0.0	-0.0
0.0	C1-C2;~2	Max	1.939	1.305	11.091	0.0	0.0
-0.0		Min	-2.810	-1.254	-21.092	-0.0	-0.0
0.0	C3-C4;~2	Max	2.115	1.481	11.869	0.0	0.0
-0.0		Min	-3.908	-0.976	-22.267	-0.0	-0.0
-0.0	G1		-1.995	1.340	-17.189	0.0	0.0
-0.0	G2		-0.842	0.567	-6.458	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.928	-0.491	-0.441	0.0	0.0
0.0	Q5_pc Y		2.388	-0.012	3.545	-0.0	-0.0
0.0	Q5_ps X		0.944	-0.513	-0.478	0.0	0.0
0.0	Q5_ps Y		2.250	-0.009	3.386	-0.0	-0.0
0.0	INVSLU	Max	6.983	7.909	-14.034	0.0	0.0
-0.0		Min	-13.024	-0.055	-109.708	0.0	-0.0
0.0	INVSLE	Max	5.169	5.885	-11.373	0.0	0.0
-0.0		Min	-9.333	0.051	-81.770	0.0	-0.0
5636	C1-C2;~1	Max	3.674	2.507	22.327	0.0	0.0
0.0		Min	-5.223	-2.154	-38.398	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.991	2.940	23.972	0.0	0.0
0.0		Min	-7.309	-1.731	-41.472	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.897	1.279	11.064	0.0	0.0
0.0		Min	-2.688	-1.190	-20.787	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.071	1.459	11.830	0.0	0.0
0.0		Min	-3.775	-0.929	-21.960	-0.0	-0.0
-0.0	G1		-1.851	1.414	-16.869	0.0	0.0
-0.0	G2		-0.786	0.594	-6.334	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.918	-0.486	-0.438	0.0	0.0
0.0	Q5_pc Y		2.352	-0.036	3.555	-0.0	-0.0
0.0	Q5_ps X		0.934	-0.507	-0.475	0.0	-0.0
0.0	Q5_ps Y		2.216	-0.032	3.394	-0.0	-0.0
0.0	INVSLU	Max	7.026	7.977	-13.111	0.0	0.0
-0.0		Min	-12.461	0.225	-107.859	0.0	-0.0
0.0	INVSLE	Max	5.199	5.934	-10.673	0.0	0.0
-0.0		Min	-8.922	0.257	-80.383	0.0	-0.0
5637	C1-C2;~1	Max	3.622	2.455	22.181	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-5.080	-2.007	-37.757	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.935	2.934	23.792	0.0	0.0
0.0		Min	-7.136	-1.616	-40.792	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.872	1.246	11.016	0.0	0.0
0.0		Min	-2.611	-1.108	-20.429	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.044	1.458	11.770	0.0	0.0
0.0		Min	-3.684	-0.867	-21.587	-0.0	-0.0
-0.0							
-0.0	G1		-1.752	1.510	-16.491	0.0	0.0
-0.0	G2		-0.747	0.630	-6.193	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.907	-0.480	-0.433	0.0	0.0
0.0	Q5_pc Y		2.326	-0.068	3.555	-0.0	-0.0
0.0	Q5_ps X		0.923	-0.500	-0.471	0.0	0.0
0.0	Q5_ps Y		2.192	-0.063	3.392	-0.0	-0.0
0.0							
0.0	INVSLU	Max	7.063	8.110	-12.055	0.0	0.0
0.0		Min	-12.070	0.576	-105.643	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.225	6.031	-9.868	0.0	0.0
0.0		Min	-8.637	0.515	-78.719	0.0	-0.0
-0.0							
5638	C1-C2;~1	Max	3.563	2.402	21.971	0.0	0.0
0.0		Min	-4.926	-1.870	-36.803	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.872	2.921	23.544	0.0	0.0
0.0		Min	-6.948	-1.507	-39.958	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.843	1.213	10.936	0.0	0.0
0.0		Min	-2.528	-1.032	-19.997	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.013	1.453	11.675	0.0	0.0
0.0		Min	-3.584	-0.810	-21.131	-0.0	-0.0
-0.0							
-0.0	G1		-1.650	1.598	-16.032	0.0	-0.0
-0.0	G2		-0.707	0.662	-6.018	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.894	-0.472	-0.428	0.0	0.0
0.0	Q5_pc Y		2.294	-0.099	3.541	0.0	0.0
0.0	Q5_ps X		0.910	-0.491	-0.466	0.0	0.0
0.0	Q5_ps Y		2.162	-0.092	3.378	0.0	0.0
0.0	INVS LU	Max	7.080	8.219	-10.864	0.0	0.0
-0.0		Min	-11.657	0.901	-102.967	0.0	-0.0
0.0	INVS LE	Max	5.237	6.110	-8.960	0.0	0.0
-0.0		Min	-8.336	0.752	-76.711	0.0	-0.0
5639	C1-C2;~1	Max	3.481	2.351	21.714	0.0	0.0
0.0		Min	-4.726	-1.750	-35.948	-0.0	-0.0
0.0	C3-C4;~1	Max	3.784	2.900	23.247	0.0	0.0
-0.0		Min	-6.707	-1.414	-39.032	-0.0	-0.0
0.0	C1-C2;~2	Max	1.801	1.182	10.833	0.0	0.0
-0.0		Min	-2.418	-0.966	-19.517	-0.0	-0.0
0.0	C3-C4;~2	Max	1.969	1.444	11.555	0.0	0.0
-0.0		Min	-3.454	-0.760	-20.627	-0.0	-0.0
-0.0	G1		-1.527	1.665	-15.520	0.0	-0.0
-0.0	G2		-0.659	0.686	-5.824	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.879	-0.464	-0.420	0.0	0.0
0.0	Q5_pc Y		2.251	-0.123	3.518	0.0	0.0
0.0	Q5_ps X		0.895	-0.482	-0.459	0.0	0.0
0.0	Q5_ps Y		2.122	-0.116	3.354	0.0	0.0
0.0	INVS LU	Max	7.072	8.282	-9.551	0.0	0.0
-0.0		Min	-11.143	1.170	-99.961	0.0	-0.0
0.0	INVS LE	Max	5.231	6.156	-7.956	0.0	0.0
-0.0		Min	-7.962	0.950	-74.457	0.0	-0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5640	C1-C2;~1	Max	3.377	2.301	21.398	0.0	0.0
0.0		Min	-4.481	-1.650	-34.999	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.673	2.866	22.887	0.0	0.0
0.0		Min	-6.414	-1.335	-37.994	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.748	1.152	10.699	0.0	0.0
0.0		Min	-2.283	-0.911	-18.987	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.912	1.428	11.403	0.0	0.0
0.0		Min	-3.297	-0.717	-20.065	-0.0	-0.0
-0.0							
	G1		-1.383	1.709	-14.953	0.0	-0.0
-0.0							
	G2		-0.602	0.701	-5.606	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.862	-0.454	-0.412	0.0	0.0
0.0							
	Q5_pc Y		2.196	-0.140	3.482	-0.0	0.0
0.0							
	Q5_ps X		0.878	-0.471	-0.452	0.0	0.0
0.0							
	Q5_ps Y		2.070	-0.132	3.319	-0.0	0.0
0.0							
	INVSLU	Max	7.044	8.295	-8.157	0.0	0.0
0.0		Min	-10.527	1.381	-96.614	0.0	-0.0
-0.0							
	INVSLE	Max	5.208	6.165	-6.888	0.0	0.0
0.0		Min	-7.514	1.104	-71.948	0.0	-0.0
-0.0							
5641	C1-C2;~1	Max	3.268	2.243	21.024	0.0	0.0
0.0		Min	-4.261	-1.549	-33.945	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.557	2.814	22.466	0.0	0.0
0.0		Min	-6.114	-1.257	-36.858	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.692	1.119	10.535	0.0	0.0
0.0		Min	-2.168	-0.854	-18.399	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.853	1.402	11.219	0.0	0.0
0.0		Min	-3.136	-0.675	-19.451	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.235	1.737	-14.334	0.0	0.0
-0.0	G2	-0.544	0.710	-5.368	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.843	-0.443	-0.401	0.0	0.0
0.0	Q5_pc Y	2.137	-0.155	3.431	-0.0	-0.0
0.0	Q5_ps X	0.859	-0.459	-0.442	0.0	-0.0
0.0	Q5_ps Y	2.015	-0.146	3.269	-0.0	-0.0
-0.0	INVS LU Max	7.008	8.256	-6.701	0.0	0.0
-0.0	Min	-9.894	1.568	-92.964	0.0	-0.0
-0.0	INVS LE Max	5.181	6.136	-5.771	0.0	0.0
-0.0	Min	-7.054	1.241	-69.213	0.0	-0.0
5642 0.0	C1-C2;~1 Max	3.195	2.192	20.610	0.0	0.0
-0.0	Min	-4.102	-1.428	-32.828	-0.0	-0.0
0.0	C3-C4;~1 Max	3.478	2.756	22.002	0.0	0.0
-0.0	Min	-5.890	-1.158	-35.638	-0.0	-0.0
0.0	C1-C2;~2 Max	1.656	1.095	10.350	0.0	0.0
-0.0	Min	-2.087	-0.788	-17.778	-0.0	-0.0
0.0	C3-C4;~2 Max	1.814	1.374	11.014	0.0	0.0
-0.0	Min	-3.019	-0.621	-18.794	-0.0	-0.0
-0.0	G1	-1.125	1.772	-13.671	0.0	-0.0
-0.0	G2	-0.499	0.721	-5.118	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.823	-0.431	-0.389	0.0	0.0
0.0	Q5_pc Y	2.090	-0.177	3.369	-0.0	0.0
0.0	Q5_ps X	0.839	-0.446	-0.430	0.0	0.0
0.0	Q5_ps Y	1.970	-0.168	3.208	-0.0	0.0
0.0	INVS LU Max	6.991	8.203	-5.171	0.0	0.0
-0.0	Min	-9.418	1.778	-89.049	0.0	-0.0
	INVS LE Max	5.169	6.096	-4.594	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-6.707	1.394	-66.277	0.0	-0.0
-0.0							
5643	C1-C2;~1	Max	3.114	2.143	20.129	0.0	0.0
0.0		Min	-3.941	-1.312	-31.605	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.392	2.688	21.467	0.0	0.0
0.0		Min	-5.659	-1.063	-34.284	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.614	1.072	10.130	0.0	0.0
0.0		Min	-2.004	-0.725	-17.101	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.770	1.341	10.771	0.0	0.0
0.0		Min	-2.898	-0.569	-18.066	-0.0	-0.0
-0.0							
-0.0	G1		-1.019	1.798	-12.947	0.0	-0.0
-0.0	G2		-0.457	0.728	-4.843	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.802	-0.418	-0.377	0.0	0.0
0.0	Q5_pc Y		2.036	-0.198	3.290	0.0	0.0
0.0	Q5_ps X		0.817	-0.431	-0.418	0.0	0.0
0.0	Q5_ps Y		1.920	-0.187	3.131	0.0	0.0
0.0							
0.0	INVSLU	Max	6.942	8.113	-3.603	0.0	0.0
0.0		Min	-8.942	1.959	-84.788	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.132	6.027	-3.386	0.0	0.0
0.0		Min	-6.362	1.525	-63.084	0.0	-0.0
-0.0							
5644	C1-C2;~1	Max	3.005	2.090	19.598	0.0	0.0
0.0		Min	-3.747	-1.209	-30.309	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.275	2.613	20.880	0.0	0.0
0.0		Min	-5.379	-0.979	-32.861	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.558	1.047	9.885	0.0	0.0
0.0		Min	-1.905	-0.668	-16.384	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.710	1.305	10.501	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.750	-0.523	-17.302	-0.0	-0.0
-0.0	G1		-0.903	1.806	-12.192	0.0	-0.0
-0.0	G2		-0.410	0.729	-4.555	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.780	-0.404	-0.362	0.0	0.0
0.0	Q5_pc Y		1.969	-0.213	3.199	0.0	0.0
0.0	Q5_ps X		0.794	-0.416	-0.404	0.0	0.0
0.0	Q5_ps Y		1.857	-0.201	3.044	0.0	0.0
0.0	INVSLU	Max	6.834	7.985	-2.008	0.0	0.0
0.0		Min	-8.393	2.096	-80.317	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.053	5.931	-2.153	0.0	0.0
0.0		Min	-5.964	1.624	-59.733	0.0	-0.0
-0.0							
5645	C1-C2;~1	Max	2.868	2.028	19.004	0.0	0.0
0.0		Min	-3.518	-1.115	-28.926	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.128	2.528	20.227	0.0	0.0
0.0		Min	-5.047	-0.904	-31.333	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.487	1.017	9.606	0.0	0.0
0.0		Min	-1.787	-0.616	-15.621	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.634	1.262	10.197	0.0	0.0
0.0		Min	-2.574	-0.482	-16.485	-0.0	-0.0
-0.0							
-0.0	G1		-0.775	1.797	-11.393	0.0	-0.0
-0.0	G2		-0.358	0.723	-4.250	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.755	-0.390	-0.347	0.0	0.0
0.0	Q5_pc Y		1.889	-0.221	3.094	-0.0	0.0
0.0	Q5_ps X		0.769	-0.401	-0.389	0.0	0.0
0.0	Q5_ps Y		1.781	-0.209	2.943	-0.0	0.0
0.0							
0.0	INVSLU	Max	6.672	7.809	-0.415	0.0	0.0
0.0		Min	-7.764	2.190	-75.590	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.932	5.800	-0.919	0.0	0.0
-0.0		Min	-5.510	1.690	-56.193	0.0	-0.0
5646	C1-C2;~1	Max	2.725	1.949	18.350	0.0	0.0
0.0		Min	-3.279	-1.019	-27.461	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.974	2.422	19.512	0.0	0.0
-0.0		Min	-4.702	-0.829	-29.748	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.413	0.979	9.295	0.0	0.0
0.0		Min	-1.665	-0.562	-14.815	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.554	1.210	9.858	0.0	0.0
-0.0		Min	-2.390	-0.441	-15.637	-0.0	-0.0
-0.0	G1		-0.643	1.768	-10.574	0.0	0.0
-0.0	G2		-0.305	0.710	-3.937	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.729	-0.374	-0.328	0.0	0.0
0.0	Q5_pc Y		1.803	-0.226	2.980	-0.0	-0.0
0.0	Q5_ps X		0.742	-0.384	-0.370	0.0	0.0
0.0	Q5_ps Y		1.700	-0.214	2.833	-0.0	-0.0
0.0							
0.0	INVSLU	Max	6.492	7.564	1.124	0.0	0.0
-0.0		Min	-7.117	2.246	-70.741	0.0	-0.0
0.0							
0.0	INVSLE	Max	4.798	5.618	0.275	0.0	0.0
-0.0		Min	-5.042	1.728	-52.561	0.0	-0.0
5647	C1-C2;~1	Max	2.623	1.851	17.639	0.0	0.0
0.0		Min	-3.084	-0.903	-25.924	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.863	2.294	18.738	0.0	0.0
-0.0		Min	-4.422	-0.740	-28.080	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.361	0.931	8.954	0.0	0.0
		Min	-1.565	-0.497	-13.970	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	1.497	1.147	9.489	0.0	0.0
-0.0		Min	-2.244	-0.393	-14.747	-0.0	-0.0
-0.0	G1		-0.526	1.725	-9.720	0.0	-0.0
-0.0	G2		-0.258	0.691	-3.614	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.701	-0.357	-0.307	0.0	0.0
0.0	Q5_pc Y		1.729	-0.237	2.857	-0.0	0.0
0.0	Q5_ps X		0.713	-0.365	-0.349	0.0	-0.0
0.0	Q5_ps Y		1.631	-0.225	2.714	-0.0	0.0
0.0	INVSLU	Max	6.381	7.240	2.601	0.0	0.0
-0.0		Min	-6.567	2.282	-65.746	0.0	-0.0
0.0	INVSLE	Max	4.716	5.375	1.423	0.0	0.0
-0.0		Min	-4.644	1.750	-48.823	0.0	-0.0
5648	C1-C2;~1	Max	2.510	1.742	16.832	0.0	0.0
0.0		Min	-2.889	-0.792	-24.278	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.741	2.152	17.864	0.0	0.0
0.0		Min	-4.139	-0.654	-26.281	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.303	0.878	8.562	0.0	0.0
0.0		Min	-1.465	-0.436	-13.068	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.434	1.077	9.066	0.0	0.0
0.0		Min	-2.098	-0.346	-13.789	-0.0	-0.0
-0.0	G1		-0.420	1.666	-8.831	0.0	-0.0
-0.0	G2		-0.215	0.665	-3.278	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.671	-0.338	-0.286	0.0	0.0
0.0	Q5_pc Y		1.650	-0.247	2.716	0.0	0.0
0.0	Q5_ps X		0.682	-0.344	-0.328	0.0	-0.0
0.0	Q5_ps Y		1.556	-0.234	2.579	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	6.217	6.865	3.912	0.0	0.0
-0.0		Min	-6.040	2.282	-60.573	0.0	-0.0
0.0	INVS LE	Max	4.594	5.095	2.446	0.0	0.0
-0.0		Min	-4.265	1.745	-44.958	0.0	-0.0
5649 0.0	C1-C2;~1	Max	2.363	1.631	15.953	0.0	0.0
-0.0		Min	-2.669	-0.695	-22.563	-0.0	-0.0
0.0	C3-C4;~1	Max	2.582	2.008	16.916	0.0	0.0
-0.0		Min	-3.824	-0.576	-24.430	-0.0	-0.0
0.0	C1-C2;~2	Max	1.227	0.824	8.130	0.0	0.0
-0.0		Min	-1.353	-0.382	-12.130	-0.0	-0.0
0.0	C3-C4;~2	Max	1.351	1.006	8.603	0.0	0.0
-0.0		Min	-1.936	-0.304	-12.804	-0.0	-0.0
-0.0	G1		-0.324	1.594	-7.944	0.0	-0.0
-0.0	G2		-0.175	0.635	-2.943	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.639	-0.318	-0.262	0.0	0.0
0.0	Q5_pc Y		1.555	-0.251	2.568	0.0	0.0
0.0	Q5_ps X		0.649	-0.323	-0.303	0.0	0.0
0.0	Q5_ps Y		1.466	-0.238	2.438	0.0	0.0
0.0	INVS LU	Max	5.944	6.467	5.055	0.0	0.0
-0.0		Min	-5.502	2.244	-55.385	0.0	-0.0
0.0	INVS LE	Max	4.391	4.797	3.342	0.0	0.0
-0.0		Min	-3.880	1.712	-41.086	0.0	-0.0
5650 0.0	C1-C2;~1	Max	2.181	1.514	14.982	0.0	0.0
-0.0		Min	-2.424	-0.607	-20.774	-0.0	-0.0
0.0	C3-C4;~1	Max	2.385	1.860	15.874	0.0	0.0
-0.0		Min	-3.481	-0.505	-22.488	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.131	0.766	7.650	0.0	0.0
		Min	-1.227	-0.333	-11.154	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.249	0.933	8.090	0.0	0.0
		Min	-1.759	-0.265	-11.773	-0.0	-0.0
-0.0							
-0.0	G1		-0.237	1.507	-7.053	0.0	-0.0
-0.0	G2		-0.139	0.600	-2.606	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.605	-0.298	-0.238	0.0	0.0
0.0	Q5_pc Y		1.443	-0.249	2.406	-0.0	0.0
0.0	Q5_ps X		0.614	-0.302	-0.277	0.0	0.0
0.0	Q5_ps Y		1.362	-0.236	2.284	-0.0	0.0
0.0							
0.0	INVSLU	Max	5.567	6.037	5.987	0.0	-0.0
		Min	-4.951	2.169	-50.133	0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.111	4.477	4.079	0.0	-0.0
		Min	-3.488	1.652	-37.171	0.0	-0.0
-0.0							
5651	C1-C2;~1	Max	1.990	1.380	13.931	0.0	0.0
0.0		Min	-2.172	-0.520	-18.936	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.180	1.696	14.750	0.0	0.0
		Min	-3.129	-0.433	-20.525	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.032	0.700	7.125	0.0	0.0
		Min	-1.099	-0.284	-10.154	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.141	0.852	7.531	0.0	0.0
		Min	-1.579	-0.225	-10.733	-0.0	-0.0
-0.0							
-0.0	G1		-0.152	1.396	-6.201	0.0	-0.0
-0.0	G2		-0.104	0.555	-2.284	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.568	-0.276	-0.208	0.0	0.0
0.0	Q5_pc Y		1.324	-0.243	2.238	-0.0	-0.0
0.0	Q5_ps X		0.576	-0.279	-0.245	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.250	-0.230	2.123	-0.0	-0.0
0.0	INVS LU	Max	5.160	5.540	6.662	0.0	-0.0
-0.0		Min	-4.391	2.050	-44.988	-0.0	-0.0
0.0	INVS LE	Max	3.809	4.107	4.622	0.0	-0.0
-0.0		Min	-3.090	1.559	-33.339	-0.0	-0.0
5652	C1-C2;~1	Max	1.849	1.214	12.821	0.0	0.0
0.0		Min	-1.949	-0.417	-17.062	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.025	1.506	13.566	0.0	0.0
-0.0		Min	-2.816	-0.370	-18.520	-0.0	-0.0
0.0	C1-C2;~2	Max	0.959	0.618	6.569	0.0	0.0
-0.0		Min	-0.985	-0.225	-9.136	-0.0	-0.0
0.0	C3-C4;~2	Max	1.061	0.762	6.939	0.0	0.0
-0.0		Min	-1.419	-0.187	-9.674	-0.0	-0.0
-0.0	G1		-0.052	1.248	-5.357	0.0	-0.0
-0.0	G2		-0.062	0.496	-1.969	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.526	-0.251	-0.178	0.0	0.0
0.0	Q5_pc Y		1.217	-0.241	2.060	-0.0	0.0
0.0	Q5_ps X		0.533	-0.253	-0.213	0.0	0.0
0.0	Q5_ps Y		1.148	-0.229	1.953	-0.0	0.0
0.0	INVS LU	Max	4.904	4.915	7.165	0.0	-0.0
-0.0		Min	-3.821	1.867	-39.859	0.0	-0.0
0.0	INVS LE	Max	3.620	3.642	5.037	0.0	-0.0
-0.0		Min	-2.681	1.418	-29.521	0.0	-0.0
5653	C1-C2;~1	Max	1.689	1.039	11.598	0.0	0.0
0.0		Min	-1.732	-0.317	-15.140	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.851	1.305	12.265	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.510	-0.298	-16.430	-0.0	-0.0
0.0	C1-C2;~2	Max	0.877	0.531	5.951	0.0	0.0
-0.0		Min	-0.875	-0.168	-8.096	-0.0	-0.0
0.0	C3-C4;~2	Max	0.970	0.665	6.284	0.0	0.0
-0.0		Min	-1.265	-0.150	-8.572	-0.0	-0.0
-0.0		G1	0.014	1.086	-4.552	0.0	-0.0
-0.0		G2	-0.033	0.431	-1.668	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.486	-0.226	-0.150	0.0	0.0
0.0	Q5_pc Y		1.102	-0.237	1.860	-0.0	0.0
0.0	Q5_ps X		0.492	-0.227	-0.183	0.0	-0.0
0.0	Q5_ps Y		1.040	-0.225	1.763	-0.0	0.0
0.0	INVSLU	Max	4.551	4.255	7.313	0.0	-0.0
-0.0		Min	-3.321	1.640	-34.773	-0.0	-0.0
0.0	INVSLE	Max	3.358	3.149	5.185	0.0	-0.0
-0.0		Min	-2.325	1.244	-25.742	-0.0	-0.0
5654	C1-C2;~1	Max	1.474	0.870	10.292	0.0	0.0
0.0		Min	-1.506	-0.233	-13.204	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.620	1.109	10.880	0.0	0.0
-0.0		Min	-2.187	-0.237	-14.339	-0.0	-0.0
0.0	C1-C2;~2	Max	0.764	0.447	5.287	0.0	0.0
-0.0		Min	-0.760	-0.122	-7.052	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	0.571	5.582	0.0	0.0
-0.0		Min	-1.102	-0.119	-7.473	-0.0	-0.0
-0.0		G1	0.020	0.921	-3.819	0.0	-0.0
-0.0		G2	-0.027	0.365	-1.395	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.456	-0.206	-0.118	0.0	0.0
0.0	Q5_pc Y		0.974	-0.231	1.652	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	0.459	-0.206	-0.148	0.0	0.0
0.0	Q5_ps Y	0.919	-0.219	1.565	-0.0	0.0
0.0						
0.0	INVS LU Max	3.969	3.606	7.125	0.0	-0.0
0.0	Min	-2.924	1.373	-29.894	-0.0	-0.0
-0.0						
0.0	INVS LE Max	2.927	2.665	5.081	0.0	-0.0
0.0	Min	-2.049	1.042	-22.120	-0.0	-0.0
-0.0						
5655	C1-C2;~1 Max	1.257	0.771	8.892	0.0	0.0
0.0	Min	-1.283	-0.192	-11.268	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.387	0.972	9.399	0.0	0.0
0.0	Min	-1.863	-0.206	-12.218	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.651	0.396	4.573	0.0	0.0
0.0	Min	-0.647	-0.099	-6.012	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.726	0.501	4.828	0.0	0.0
0.0	Min	-0.938	-0.104	-6.363	-0.0	-0.0
-0.0						
-0.0	G1	0.015	0.833	-3.162	0.0	-0.0
-0.0	G2	-0.024	0.329	-1.149	0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.434	-0.194	-0.088	0.0	0.0
0.0	Q5_pc Y	0.846	-0.201	1.427	-0.0	0.0
0.0	Q5_ps X	0.434	-0.192	-0.116	0.0	0.0
0.0	Q5_ps Y	0.798	-0.190	1.351	-0.0	0.0
0.0						
0.0	INVS LU Max	3.375	3.227	6.564	0.0	-0.0
0.0	Min	-2.536	1.274	-25.187	-0.0	-0.0
-0.0						
0.0	INVS LE Max	2.487	2.386	4.698	0.0	-0.0
0.0	Min	-1.779	0.966	-18.631	-0.0	-0.0
-0.0						
5656	C1-C2;~1 Max	1.026	0.667	7.453	0.0	0.0
0.0	Min	-1.060	-0.154	-9.341	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.139	0.829	7.880	0.0	0.0
-0.0		Min	-1.537	-0.175	-10.130	-0.0	-0.0
0.0	C1-C2;~2	Max	0.530	0.342	3.836	0.0	0.0
-0.0		Min	-0.534	-0.079	-4.978	-0.0	-0.0
0.0	C3-C4;~2	Max	0.596	0.427	4.051	0.0	0.0
-0.0		Min	-0.774	-0.088	-5.271	-0.0	-0.0
-0.0	G1		-0.007	0.737	-2.563	0.0	-0.0
-0.0	G2		-0.027	0.290	-0.927	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.418	-0.183	-0.054	0.0	0.0
0.0	Q5_pc Y		0.717	-0.171	1.205	-0.0	-0.0
0.0	Q5_ps X		0.414	-0.180	-0.079	0.0	0.0
0.0	Q5_ps Y		0.676	-0.162	1.141	-0.0	-0.0
0.0	INVSLU	Max	2.721	2.831	5.806	0.0	-0.0
-0.0		Min	-2.182	1.147	-20.676	-0.0	-0.0
0.0	INVSLE	Max	2.002	2.094	4.168	0.0	-0.0
-0.0		Min	-1.535	0.871	-15.288	-0.0	-0.0
5657	C1-C2;~1	Max	0.816	0.553	6.038	0.0	0.0
0.0		Min	-0.851	-0.124	-7.494	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.914	0.676	6.389	0.0	0.0
-0.0		Min	-1.227	-0.140	-8.115	-0.0	-0.0
0.0	C1-C2;~2	Max	0.421	0.284	3.109	0.0	0.0
-0.0		Min	-0.429	-0.064	-3.989	-0.0	-0.0
0.0	C3-C4;~2	Max	0.478	0.348	3.288	0.0	0.0
-0.0		Min	-0.618	-0.071	-4.219	-0.0	-0.0
-0.0	G1		-0.024	0.627	-2.013	0.0	-0.0
-0.0	G2		-0.027	0.245	-0.726	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.410	-0.175	-0.019	0.0	0.0
0.0	Q5_pc Y		0.599	-0.144	0.988	-0.0	-0.0
0.0	Q5_ps X		0.402	-0.170	-0.042	0.0	0.0
0.0	Q5_ps Y		0.565	-0.136	0.935	-0.0	-0.0
0.0	INVSLU	Max	2.141	2.398	4.942	0.0	-0.0
-0.0		Min	-1.828	0.976	-16.419	-0.0	-0.0
0.0	INVSLE	Max	1.572	1.772	3.555	0.0	-0.0
-0.0		Min	-1.289	0.746	-12.135	-0.0	-0.0
5658	C1-C2;~1	Max	0.597	0.436	4.551	0.0	0.0
0.0		Min	-0.648	-0.093	-5.647	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.678	0.520	4.824	0.0	0.0
0.0		Min	-0.933	-0.105	-6.077	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.307	0.224	2.344	0.0	0.0
0.0		Min	-0.326	-0.048	-3.003	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.354	0.268	2.484	0.0	0.0
0.0		Min	-0.471	-0.053	-3.158	-0.0	-0.0
-0.0	G1		-0.061	0.509	-1.520	0.0	-0.0
0.0	G2		-0.036	0.198	-0.547	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.411	-0.170	0.010	0.0	-0.0
-0.0	Q5_pc Y		0.482	-0.117	0.752	-0.0	0.0
0.0	Q5_ps X		0.398	-0.163	-0.011	0.0	-0.0
0.0	Q5_ps Y		0.455	-0.111	0.711	-0.0	0.0
0.0	INVSLU	Max	1.515	1.942	3.786	0.0	-0.0
-0.0		Min	-1.527	0.770	-12.285	-0.0	-0.0
0.0	INVSLE	Max	1.108	1.434	2.726	0.0	-0.0
-0.0		Min	-1.082	0.595	-9.078	-0.0	-0.0
5659	C1-C2;~1	Max	0.364	0.319	3.022	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.463	-0.062	-3.824	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.420	0.369	3.219	0.0	0.0
0.0		Min	-0.653	-0.070	-4.072	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.186	0.164	1.556	0.0	0.0
0.0		Min	-0.235	-0.032	-2.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.219	0.190	1.657	0.0	0.0
0.0		Min	-0.333	-0.035	-2.116	-0.0	-0.0
-0.0							
0.0	G1		-0.125	0.387	-1.099	0.0	0.0
0.0	G2		-0.055	0.149	-0.395	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.421	-0.169	0.040	0.0	-0.0
-0.0	Q5_pc Y		0.365	-0.093	0.515	-0.0	0.0
0.0	Q5_ps X		0.403	-0.161	0.022	0.0	-0.0
-0.0	Q5_ps Y		0.344	-0.087	0.487	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.872	1.479	2.389	0.0	0.0
0.0		Min	-1.334	0.541	-8.382	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.628	1.090	1.716	0.0	0.0
0.0		Min	-0.950	0.424	-6.194	-0.0	-0.0
-0.0							
5660	C1-C2;~1	Max	0.122	0.200	1.454	0.0	0.0
0.0		Min	-0.287	-0.032	-2.002	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.146	0.223	1.569	0.0	0.0
0.0		Min	-0.388	-0.036	-2.067	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.060	0.102	0.745	0.0	0.0
0.0		Min	-0.149	-0.016	-1.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.075	0.114	0.805	0.0	0.0
0.0		Min	-0.203	-0.018	-1.076	-0.0	-0.0
-0.0							
0.0	G1		-0.210	0.260	-0.711	0.0	-0.0
0.0	G2		-0.083	0.100	-0.255	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.439	-0.171	0.061	-0.0	-0.0
-0.0	Q5_pc Y		0.246	-0.070	0.268	-0.0	0.0
0.0	Q5_ps X		0.419	-0.162	0.047	-0.0	-0.0
-0.0	Q5_ps Y		0.232	-0.066	0.252	-0.0	0.0
0.0	INVSLE	Max	0.399	1.004	0.814	0.0	0.0
0.0		Min	-1.250	0.282	-4.576	-0.0	-0.0
-0.0	INVSLE	Max	0.252	0.736	0.572	0.0	0.0
0.0		Min	-0.893	0.230	-3.385	-0.0	-0.0
-0.0							
5661	C1-C2;~1	Max	0.021	0.095	0.000	0.0	0.0
0.0		Min	-0.252	-0.008	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.022	0.100	0.000	0.0	0.0
0.0		Min	-0.265	-0.008	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.011	0.051	0.000	0.0	0.0
0.0		Min	-0.134	-0.004	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.011	0.052	0.000	0.0	0.0
0.0		Min	-0.139	-0.004	0.000	-0.0	-0.0
-0.0							
0.0	G1		-0.298	0.112	0.000	0.0	0.0
0.0	G2		-0.113	0.043	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.467	-0.176	0.000	0.0	-0.0
-0.0	Q5_pc Y		0.128	-0.048	0.000	-0.0	0.0
0.0	Q5_ps X		0.444	-0.167	0.000	0.0	-0.0
-0.0	Q5_ps Y		0.122	-0.046	0.000	-0.0	0.0
0.0							
0.0	INVSLE	Max	0.129	0.529	0.000	0.0	0.0
0.0		Min	-1.406	-0.049	0.000	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.046	0.374	0.000	0.0	0.0
0.0		Min	-0.993	-0.017	0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5662	C1-C2;~1	Max	0.111	0.109	1.397	0.0	0.0
0.0		Min	-0.367	-0.135	-2.063	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.156	0.138	1.633	0.0	0.0
0.0		Min	-0.433	-0.160	-1.961	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.054	0.056	0.719	0.0	0.0
0.0		Min	-0.188	-0.071	-1.085	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.076	0.072	0.827	0.0	0.0
0.0		Min	-0.228	-0.083	-1.035	-0.0	-0.0
-0.0							
	G1		-0.333	-0.052	-0.709	-0.0	0.0
-0.0							
	G2		-0.126	-0.020	-0.266	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.503	-0.181	0.113	0.0	-0.0
-0.0							
	Q5_pc Y		0.030	0.007	-0.216	-0.0	0.0
0.0							
	Q5_ps X		0.480	-0.174	0.098	0.0	-0.0
-0.0							
	Q5_ps Y		0.031	0.005	-0.208	-0.0	0.0
0.0							
	INVSLU	Max	0.227	0.170	0.835	0.0	0.0
0.0		Min	-1.634	-0.567	-4.544	-0.0	-0.0
-0.0							
	INVSLE	Max	0.116	0.103	0.591	0.0	0.0
0.0		Min	-1.175	-0.412	-3.365	-0.0	-0.0
-0.0							
5663	C1-C2;~1	Max	0.272	0.161	2.896	0.0	0.0
0.0		Min	-0.560	-0.297	-3.936	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.366	0.219	3.335	0.0	0.0
0.0		Min	-0.686	-0.347	-3.819	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.135	0.078	1.498	0.0	0.0
0.0		Min	-0.285	-0.156	-2.068	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.182	0.111	1.695	0.0	0.0
0.0		Min	-0.359	-0.181	-2.000	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-0.356	-0.199	-1.102	-0.0	0.0
-0.0	G2		-0.135	-0.076	-0.418	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.548	-0.192	0.152	0.0	-0.0
0.0	Q5_pc Y		-0.064	0.059	-0.455	-0.0	0.0
-0.0	Q5_ps X		0.527	-0.185	0.132	0.0	-0.0
0.0	Q5_ps Y		-0.055	0.054	-0.435	-0.0	0.0
0.0	INVS LU	Max	0.460	-0.090	2.446	0.0	0.0
-0.0		Min	-1.996	-1.198	-8.189	-0.0	-0.0
0.0	INVS LE	Max	0.287	-0.090	1.761	0.0	0.0
-0.0		Min	-1.437	-0.885	-6.056	-0.0	-0.0
5664	C1-C2;~1	Max	0.432	0.225	4.358	0.0	0.0
0.0		Min	-0.763	-0.471	-5.801	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.568	0.307	4.990	0.0	0.0
-0.0		Min	-0.958	-0.521	-5.689	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.217	0.109	2.256	0.0	0.0
0.0		Min	-0.386	-0.238	-3.050	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.285	0.156	2.538	0.0	0.0
-0.0		Min	-0.501	-0.272	-2.991	-0.0	-0.0
0.0	G1		-0.391	-0.329	-1.519	-0.0	0.0
0.0	G2		-0.151	-0.125	-0.581	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.603	-0.204	0.180	0.0	-0.0
0.0	Q5_pc Y		-0.151	0.107	-0.688	-0.0	0.0
-0.0	Q5_ps X		0.584	-0.200	0.156	0.0	-0.0
0.0	Q5_ps Y		-0.136	0.099	-0.657	-0.0	0.0
0.0	INVS LU	Max	0.758	-0.303	3.896	0.0	0.0
-0.0		Min	-2.387	-1.789	-11.912	-0.0	-0.0
0.0	INVS LE	Max	0.532	-0.254	2.811	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.717	-1.328	-8.807	-0.0	-0.0
-0.0							
5665	C1-C2;~1	Max	0.590	0.291	5.782	0.0	0.0
0.0		Min	-0.975	-0.624	-7.690	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.754	0.397	6.605	0.0	0.0
0.0		Min	-1.241	-0.682	-7.588	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.298	0.141	2.993	0.0	0.0
0.0		Min	-0.491	-0.315	-4.047	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.380	0.202	3.357	0.0	0.0
0.0		Min	-0.649	-0.357	-3.992	-0.0	-0.0
-0.0							
0.0	G1		-0.443	-0.440	-2.007	-0.0	0.0
0.0	G2		-0.173	-0.167	-0.769	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.667	-0.220	0.211	0.0	-0.0
-0.0	Q5_pc Y		-0.233	0.152	-0.919	-0.0	0.0
0.0	Q5_ps X		0.652	-0.216	0.184	0.0	-0.0
-0.0	Q5_ps Y		-0.211	0.140	-0.877	-0.0	0.0
0.0							
0.0	INVSLU	Max	1.076	-0.477	5.110	0.0	0.0
0.0		Min	-2.817	-2.330	-15.842	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.770	-0.390	3.685	0.0	0.0
0.0		Min	-2.025	-1.733	-11.713	-0.0	-0.0
-0.0							
5666	C1-C2;~1	Max	0.741	0.362	7.137	0.0	0.0
0.0		Min	-1.196	-0.768	-9.574	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.930	0.492	8.142	0.0	0.0
0.0		Min	-1.527	-0.835	-9.465	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.375	0.177	3.692	0.0	0.0
0.0		Min	-0.603	-0.388	-5.045	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.470	0.250	4.135	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.798	-0.437	-4.984	-0.0	-0.0
-0.0	G1		-0.504	-0.534	-2.549	-0.0	-0.0
0.0	G2		-0.199	-0.202	-0.979	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.740	-0.239	0.230	0.0	0.0
-0.0	Q5_pc Y		-0.312	0.195	-1.136	-0.0	0.0
0.0	Q5_ps X		0.727	-0.236	0.199	0.0	0.0
-0.0	Q5_ps Y		-0.282	0.180	-1.083	-0.0	0.0
0.0	INVS LU	Max	1.381	-0.609	6.041	0.0	0.0
0.0		Min	-3.268	-2.830	-19.920	-0.0	-0.0
-0.0	INVS LE	Max	0.998	-0.495	4.347	0.0	0.0
0.0		Min	-2.347	-2.108	-14.733	-0.0	-0.0
-0.0							
5667	C1-C2;~1	Max	0.912	0.443	8.546	0.0	0.0
0.0		Min	-1.431	-0.916	-11.585	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.135	0.597	9.744	0.0	0.0
0.0		Min	-1.828	-0.999	-11.452	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.463	0.217	4.417	0.0	0.0
0.0		Min	-0.722	-0.465	-6.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.574	0.304	4.945	0.0	0.0
0.0		Min	-0.955	-0.524	-6.036	-0.0	-0.0
-0.0							
0.0	G1		-0.552	-0.623	-3.151	-0.0	-0.0
0.0	G2		-0.219	-0.236	-1.215	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.825	-0.263	0.251	0.0	0.0
-0.0	Q5_pc Y		-0.397	0.242	-1.362	-0.0	0.0
0.0	Q5_ps X		0.814	-0.261	0.216	0.0	0.0
-0.0	Q5_ps Y		-0.360	0.224	-1.299	-0.0	0.0
0.0							
0.0	INVS LU	Max	1.783	-0.721	6.889	0.0	0.0
0.0		Min	-3.702	-3.348	-24.358	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.298	-0.586	4.943	0.0	0.0
-0.0		Min	-2.655	-2.497	-18.021	-0.0	-0.0
5668	C1-C2;~1	Max	1.074	0.529	9.916	0.0	0.0
0.0		Min	-1.662	-1.050	-13.602	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.328	0.704	11.305	0.0	0.0
-0.0		Min	-2.124	-1.152	-13.469	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.546	0.261	5.120	0.0	0.0
-0.0		Min	-0.838	-0.537	-7.184	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.673	0.359	5.731	0.0	0.0
-0.0		Min	-1.110	-0.605	-7.105	-0.0	-0.0
0.0	G1		-0.609	-0.693	-3.811	-0.0	0.0
0.0	G2		-0.242	-0.263	-1.473	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.916	-0.289	0.282	0.0	0.0
0.0	Q5_pc Y		-0.477	0.286	-1.587	-0.0	0.0
-0.0	Q5_ps X		0.906	-0.288	0.244	0.0	0.0
0.0	Q5_ps Y		-0.433	0.265	-1.512	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.155	-0.790	7.530	0.0	0.0
-0.0		Min	-4.153	-3.816	-28.950	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.575	-0.645	5.385	0.0	0.0
-0.0		Min	-2.976	-2.848	-21.425	-0.0	-0.0
5669	C1-C2;~1	Max	1.186	0.652	11.195	0.0	0.0
0.0		Min	-1.880	-1.253	-15.616	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.456	0.843	12.763	0.0	0.0
-0.0		Min	-2.408	-1.390	-15.460	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.603	0.326	5.773	0.0	0.0
		Min	-0.949	-0.651	-8.259	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.736	0.431	6.462	0.0	0.0
-0.0		Min	-1.259	-0.731	-8.165	-0.0	-0.0
0.0	G1		-0.722	-0.819	-4.548	-0.0	0.0
0.0	G2		-0.287	-0.311	-1.760	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.014	-0.318	0.308	0.0	0.0
-0.0	Q5_pc Y		-0.539	0.348	-1.796	-0.0	0.0
0.0	Q5_ps X		1.005	-0.316	0.265	0.0	0.0
-0.0	Q5_ps Y		-0.489	0.322	-1.711	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.305	-0.946	7.790	0.0	0.0
-0.0		Min	-4.735	-4.588	-33.753	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.685	-0.774	5.542	-0.0	0.0
-0.0		Min	-3.395	-3.425	-24.991	-0.0	-0.0
5670	C1-C2;~1	Max	1.256	0.772	12.393	0.0	0.0
0.0		Min	-2.089	-1.403	-17.612	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.531	0.978	14.133	0.0	0.0
-0.0		Min	-2.682	-1.596	-17.447	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.639	0.389	6.381	0.0	0.0
-0.0		Min	-1.055	-0.749	-9.328	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.771	0.502	7.145	0.0	0.0
-0.0		Min	-1.405	-0.840	-9.225	-0.0	-0.0
0.0	G1		-0.880	-0.904	-5.357	-0.0	0.0
0.0	G2		-0.348	-0.343	-2.074	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.118	-0.347	0.338	0.0	0.0
-0.0	Q5_pc Y		-0.586	0.402	-1.994	-0.0	0.0
0.0	Q5_ps X		1.109	-0.345	0.291	0.0	-0.0
-0.0	Q5_ps Y		-0.531	0.373	-1.901	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	2.285	-1.022	7.706	-0.0	0.0	
		Min	-5.415	-5.220	-38.739	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	1.666	-0.841	5.442	-0.0	0.0	
		Min	-3.888	-3.898	-28.697	-0.0	-0.0	
-0.0								
5671 0.0	C1-C2;~1	Max	1.311	0.899	13.481	0.0	0.0	
		Min	-2.297	-1.570	-19.554	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.591	1.132	15.379	0.0	0.0	
		Min	-2.954	-1.787	-19.355	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.665	0.456	6.929	0.0	0.0	
		Min	-1.161	-0.839	-10.373	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.798	0.586	7.761	0.0	0.0	
		Min	-1.550	-0.942	-10.247	-0.0	-0.0	
-0.0								
0.0	G1		-1.054	-0.956	-6.204	-0.0	0.0	
0.0	G2		-0.415	-0.364	-2.401	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		1.222	-0.377	0.361	0.0	-0.0	
0.0	Q5_pc Y		-0.627	0.454	-2.172	-0.0	0.0	
-0.0	Q5_ps X		1.213	-0.374	0.310	0.0	-0.0	
0.0	Q5_ps Y		-0.567	0.422	-2.071	-0.0	0.0	
0.0								
0.0	INVS LU	Max	2.211	-1.009	7.256	-0.0	0.0	
		Min	-6.123	-5.766	-43.815	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	1.607	-0.843	5.066	-0.0	0.0	
		Min	-4.403	-4.306	-32.474	-0.0	-0.0	
-0.0								
5672 0.0	C1-C2;~1	Max	1.403	1.054	14.511	0.0	0.0	
		Min	-2.524	-1.745	-21.460	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.710	1.309	16.561	0.0	0.0	
		Min	-3.243	-1.987	-21.222	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.710	0.540	7.446	0.0	0.0
		Min	-1.277	-0.934	-11.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.857	0.683	8.344	0.0	0.0
		Min	-1.704	-1.049	-11.249	-0.0	-0.0
-0.0							
0.0	G1		-1.193	-0.991	-7.059	-0.0	0.0
0.0	G2		-0.469	-0.377	-2.736	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.321	-0.408	0.380	0.0	0.0
-0.0	Q5_pc Y		-0.681	0.509	-2.341	-0.0	0.0
0.0	Q5_ps X		1.312	-0.404	0.326	0.0	0.0
-0.0	Q5_ps Y		-0.616	0.474	-2.232	-0.0	-0.0
0.0							
0.0	INVSLU	Max	2.329	-0.938	6.631	-0.0	0.0
		Min	-6.736	-6.304	-48.912	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.694	-0.802	4.560	-0.0	0.0
		Min	-4.844	-4.709	-36.271	-0.0	-0.0
-0.0							
5673	C1-C2;~1	Max	1.493	1.229	15.463	0.0	0.0
0.0		Min	-2.734	-1.914	-23.314	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.821	1.496	17.656	0.0	0.0
		Min	-3.511	-2.182	-23.066	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.754	0.637	7.919	0.0	0.0
		Min	-1.384	-1.027	-12.402	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.912	0.785	8.879	0.0	0.0
		Min	-1.846	-1.153	-12.241	-0.0	-0.0
-0.0							
0.0	G1		-1.318	-1.004	-7.953	-0.0	0.0
0.0	G2		-0.517	-0.382	-3.084	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.413	-0.439	0.408	0.0	0.0
-0.0	Q5_pc Y		-0.730	0.563	-2.499	-0.0	-0.0
0.0	Q5_ps X		1.404	-0.434	0.351	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.660	0.525	-2.382	-0.0	-0.0
0.0	INVS LU	Max	2.450	-0.814	5.740	-0.0	0.0
-0.0		Min	-7.291	-6.793	-54.067	-0.0	0.0
0.0	INVS LE	Max	1.783	-0.722	3.854	-0.0	0.0
-0.0		Min	-5.244	-5.076	-40.115	-0.0	0.0
5674 0.0	C1-C2;~1	Max	1.562	1.401	16.325	0.0	0.0
-0.0		Min	-2.915	-2.068	-25.089	-0.0	-0.0
0.0	C3-C4;~1	Max	1.896	1.677	18.650	0.0	0.0
-0.0		Min	-3.746	-2.359	-24.824	-0.0	-0.0
0.0	C1-C2;~2	Max	0.788	0.733	8.344	0.0	0.0
-0.0		Min	-1.476	-1.111	-13.364	-0.0	-0.0
0.0	C3-C4;~2	Max	0.948	0.885	9.360	0.0	0.0
-0.0		Min	-1.971	-1.248	-13.189	-0.0	-0.0
0.0	G1		-1.440	-1.001	-8.844	-0.0	0.0
0.0	G2		-0.565	-0.381	-3.431	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.496	-0.467	0.431	0.0	0.0
0.0	Q5_pc Y		-0.768	0.613	-2.642	-0.0	-0.0
-0.0	Q5_ps X		1.487	-0.461	0.372	0.0	0.0
0.0	Q5_ps Y		-0.694	0.572	-2.519	-0.0	-0.0
0.0	INVS LU	Max	2.500	-0.657	4.629	-0.0	0.0
-0.0		Min	-7.809	-7.210	-59.175	-0.0	0.0
0.0	INVS LE	Max	1.818	-0.617	2.981	-0.0	0.0
-0.0		Min	-5.619	-5.389	-43.928	-0.0	0.0
5675 0.0	C1-C2;~1	Max	1.610	1.570	17.117	0.0	0.0
-0.0		Min	-3.068	-2.209	-26.790	-0.0	-0.0
0.0	C3-C4;~1	Max	1.935	1.854	19.567	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.951	-2.521	-26.528	-0.0	-0.0
0.0	C1-C2;~2	Max	0.815	0.826	8.731	0.0	0.0
-0.0		Min	-1.555	-1.188	-14.288	-0.0	-0.0
0.0	C3-C4;~2	Max	0.964	0.983	9.800	0.0	0.0
-0.0		Min	-2.080	-1.334	-14.109	-0.0	-0.0
0.0		G1	-1.561	-0.981	-9.735	-0.0	0.0
0.0		G2	-0.612	-0.373	-3.776	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.571	-0.492	0.458	0.0	0.0
0.0		Q5_pc Y	-0.793	0.658	-2.776	-0.0	0.0
-0.0		Q5_ps X	1.563	-0.484	0.396	0.0	0.0
0.0		Q5_ps Y	-0.716	0.615	-2.646	-0.0	0.0
0.0	INVSLU	Max	2.472	-0.465	3.342	-0.0	0.0
-0.0		Min	-8.302	-7.557	-64.237	-0.0	0.0
0.0	INVSLE	Max	1.795	-0.484	1.977	-0.0	0.0
-0.0		Min	-5.976	-5.650	-47.711	-0.0	0.0
5676	C1-C2;~1	Max	1.652	1.747	17.814	0.0	0.0
0.0		Min	-3.214	-2.345	-28.379	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.965	2.039	20.377	0.0	0.0
-0.0		Min	-4.145	-2.677	-28.109	-0.0	-0.0
0.0	C1-C2;~2	Max	0.837	0.924	9.067	0.0	0.0
-0.0		Min	-1.629	-1.261	-15.153	-0.0	-0.0
0.0	C3-C4;~2	Max	0.976	1.085	10.184	0.0	0.0
-0.0		Min	-2.184	-1.417	-14.965	-0.0	-0.0
0.0		G1	-1.682	-0.941	-10.592	-0.0	0.0
0.0		G2	-0.659	-0.357	-4.108	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.641	-0.517	0.479	0.0	-0.0
		Q5_pc Y	-0.815	0.702	-2.894	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.634	-0.508	0.415	-0.0	-0.0
0.0	Q5_ps Y		-0.735	0.656	-2.758	-0.0	0.0
0.0	INVS LU	Max	2.420	-0.218	1.885	-0.0	0.0
-0.0		Min	-8.783	-7.849	-69.146	-0.0	-0.0
0.0	INVS LE	Max	1.754	-0.310	0.843	-0.0	0.0
-0.0		Min	-6.326	-5.869	-51.386	-0.0	-0.0
5677	C1-C2;~1	Max	1.716	1.946	18.456	0.0	0.0
0.0		Min	-3.397	-2.486	-29.893	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.046	2.247	21.124	0.0	0.0
-0.0		Min	-4.380	-2.840	-29.610	-0.0	-0.0
0.0	C1-C2;~2	Max	0.867	1.033	9.374	0.0	0.0
-0.0		Min	-1.723	-1.337	-15.980	-0.0	-0.0
0.0	C3-C4;~2	Max	1.016	1.199	10.536	0.0	0.0
-0.0		Min	-2.309	-1.503	-15.779	-0.0	-0.0
0.0	G1		-1.805	-0.881	-11.412	-0.0	0.0
0.0	G2		-0.707	-0.334	-4.429	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.712	-0.543	0.499	0.0	0.0
-0.0	Q5_pc Y		-0.851	0.748	-3.002	-0.0	0.0
0.0	Q5_ps X		1.705	-0.532	0.434	0.0	0.0
-0.0	Q5_ps Y		-0.767	0.699	-2.861	-0.0	0.0
0.0							
0.0	INVS LU	Max	2.468	0.098	0.359	-0.0	0.0
-0.0		Min	-9.289	-8.115	-73.918	-0.0	0.0
0.0	INVS LE	Max	1.789	-0.085	-0.341	-0.0	0.0
-0.0		Min	-6.691	-6.069	-54.961	-0.0	0.0
5678	C1-C2;~1	Max	1.771	2.154	19.039	0.0	0.0
0.0		Min	-3.561	-2.625	-31.321	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.120	2.461	21.805	0.0	0.0
-0.0		Min	-4.591	-2.999	-31.053	-0.0	-0.0
0.0	C1-C2;~2	Max	0.892	1.146	9.648	0.0	0.0
-0.0		Min	-1.807	-1.411	-16.760	-0.0	-0.0
0.0	C3-C4;~2	Max	1.051	1.315	10.852	0.0	0.0
-0.0		Min	-2.422	-1.586	-16.563	-0.0	-0.0
0.0	G1		-1.913	-0.808	-12.213	-0.0	0.0
0.0	G2		-0.749	-0.305	-4.742	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.777	-0.569	0.521	0.0	0.0
0.0	Q5_pc Y		-0.882	0.793	-3.098	-0.0	-0.0
-0.0	Q5_ps X		1.770	-0.557	0.456	0.0	0.0
0.0	Q5_ps Y		-0.795	0.742	-2.952	-0.0	-0.0
0.0	INVSLU	Max	2.521	0.456	-1.228	-0.0	0.0
-0.0		Min	-9.736	-8.343	-78.525	-0.0	0.0
0.0	INVSLE	Max	1.828	0.172	-1.570	-0.0	0.0
-0.0		Min	-7.014	-6.240	-58.414	-0.0	0.0
5679	C1-C2;~1	Max	1.807	2.354	19.560	0.0	0.0
0.0		Min	-3.686	-2.754	-32.660	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.162	2.667	22.416	0.0	0.0
-0.0		Min	-4.755	-3.148	-32.397	-0.0	-0.0
0.0	C1-C2;~2	Max	0.908	1.255	9.890	0.0	0.0
-0.0		Min	-1.870	-1.480	-17.494	-0.0	-0.0
0.0	C3-C4;~2	Max	1.071	1.427	11.132	0.0	0.0
-0.0		Min	-2.509	-1.664	-17.296	-0.0	-0.0
0.0	G1		-2.000	-0.729	-12.969	-0.0	0.0
0.0	G2		-0.783	-0.274	-5.037	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.833	-0.593	0.539	0.0	0.0
0.0	Q5_pc Y		-0.903	0.835	-3.181	-0.0	-0.0
-0.0	Q5_ps X		1.827	-0.579	0.473	0.0	0.0
0.0	Q5_ps Y		-0.813	0.782	-3.031	-0.0	-0.0
0.0	INVS LU	Max	2.544	0.828	-2.819	-0.0	0.0
-0.0		Min	-10.095	-8.525	-82.898	-0.0	0.0
0.0	INVS LE	Max	1.844	0.440	-2.799	-0.0	0.0
-0.0		Min	-7.273	-6.377	-61.693	-0.0	0.0
5680	C1-C2;~1	Max	1.824	2.550	20.034	0.0	0.0
0.0		Min	-3.775	-2.874	-33.923	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.174	2.866	22.972	0.0	0.0
-0.0		Min	-4.877	-3.286	-33.675	-0.0	-0.0
0.0	C1-C2;~2	Max	0.917	1.362	10.107	0.0	0.0
-0.0		Min	-1.915	-1.544	-18.187	-0.0	-0.0
0.0	C3-C4;~2	Max	1.074	1.536	11.383	0.0	0.0
-0.0		Min	-2.573	-1.736	-17.993	-0.0	-0.0
0.0	G1		-2.069	-0.643	-13.694	-0.0	0.0
0.0	G2		-0.810	-0.240	-5.317	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.882	-0.614	0.556	0.0	0.0
0.0	Q5_pc Y		-0.912	0.874	-3.254	-0.0	0.0
-0.0	Q5_ps X		1.877	-0.599	0.489	0.0	-0.0
0.0	Q5_ps Y		-0.820	0.819	-3.099	-0.0	0.0
0.0	INVS LU	Max	2.531	1.214	-4.386	-0.0	0.0
-0.0		Min	-10.376	-8.665	-87.051	-0.0	0.0
0.0	INVS LE	Max	1.833	0.719	-4.006	-0.0	0.0
-0.0		Min	-7.476	-6.482	-64.806	-0.0	0.0
5681	C1-C2;~1	Max	1.838	2.751	20.441	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-3.856	-2.991	-35.078	-0.0	-0.0
0.0	C3-C4;~1	Max	2.178	3.069	23.454	0.0	0.0
-0.0		Min	-4.989	-3.421	-34.829	-0.0	-0.0
0.0	C1-C2;~2	Max	0.923	1.472	10.290	0.0	0.0
-0.0		Min	-1.956	-1.605	-18.823	-0.0	-0.0
0.0	C3-C4;~2	Max	1.073	1.646	11.596	0.0	0.0
-0.0		Min	-2.633	-1.805	-18.625	-0.0	-0.0
0.0	G1		-2.135	-0.546	-14.359	-0.0	0.0
0.0	G2		-0.836	-0.202	-5.573	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.926	-0.636	0.566	-0.0	-0.0
0.0	Q5_pc Y		-0.918	0.911	-3.311	-0.0	0.0
-0.0	Q5_ps X		1.922	-0.619	0.499	-0.0	-0.0
0.0	Q5_ps Y		-0.825	0.854	-3.154	-0.0	0.0
0.0	INVSLU	Max	2.504	1.632	-5.916	-0.0	0.0
-0.0		Min	-10.638	-8.770	-90.893	-0.0	-0.0
0.0	INVSLE	Max	1.812	1.023	-5.183	-0.0	0.0
-0.0		Min	-7.666	-6.561	-67.688	-0.0	-0.0
5682	C1-C2;~1	Max	1.871	2.973	20.809	0.0	0.0
0.0		Min	-3.992	-3.113	-36.167	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.228	3.292	23.890	0.0	0.0
0.0		Min	-5.165	-3.561	-35.904	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.936	1.592	10.452	0.0	0.0
0.0		Min	-2.027	-1.669	-19.425	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.096	1.766	11.787	0.0	0.0
0.0		Min	-2.729	-1.877	-19.214	-0.0	-0.0
-0.0	G1		-2.234	-0.432	-14.979	-0.0	0.0
0.0	G2		-0.876	-0.158	-5.817	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.973	-0.657	0.574	0.0	0.0
-0.0	Q5_pc Y	-0.937	0.949	-3.359	-0.0	0.0
0.0	Q5_ps X	1.970	-0.639	0.507	0.0	-0.0
-0.0	Q5_ps Y	-0.841	0.890	-3.199	-0.0	0.0
0.0	INVSLE Max	2.510	2.106	-7.376	-0.0	0.0
0.0	INVSLE Min	-11.021	-8.854	-94.498	-0.0	0.0
-0.0	INVSLE Max	1.817	1.368	-6.303	-0.0	0.0
0.0	INVSLE Min	-7.943	-6.624	-70.390	-0.0	0.0
-0.0						
5683	C1-C2;~1 Max	1.896	3.206	21.120	0.0	0.0
0.0	C1-C2;~1 Min	-4.110	-3.234	-37.147	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.270	3.526	24.261	0.0	0.0
0.0	C3-C4;~1 Min	-5.319	-3.701	-36.883	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.945	1.719	10.584	0.0	0.0
0.0	C1-C2;~2 Min	-2.087	-1.732	-19.968	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.116	1.892	11.944	0.0	0.0
0.0	C3-C4;~2 Min	-2.812	-1.949	-19.752	-0.0	-0.0
-0.0						
0.0	G1	-2.321	-0.307	-15.548	-0.0	-0.0
0.0	G2	-0.910	-0.109	-6.039	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	2.015	-0.679	0.581	0.0	0.0
-0.0	Q5_pc Y	-0.953	0.986	-3.391	-0.0	-0.0
0.0	Q5_ps X	2.012	-0.660	0.514	0.0	0.0
-0.0	Q5_ps Y	-0.855	0.926	-3.230	-0.0	-0.0
0.0						
0.0	INVSLE Max	2.522	2.613	-8.778	-0.0	0.0
0.0	INVSLE Min	-11.351	-8.918	-97.783	-0.0	0.0
-0.0						
0.0	INVSLE Max	1.826	1.737	-7.377	-0.0	0.0
0.0	INVSLE Min	-8.181	-6.673	-72.854	-0.0	0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5684	C1-C2;~1	Max	1.904	3.439	21.375	0.0	0.0
0.0		Min	-4.180	-3.353	-38.032	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.285	3.758	24.567	0.0	0.0
0.0		Min	-5.412	-3.837	-37.758	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.946	1.845	10.687	0.0	0.0
0.0		Min	-2.123	-1.793	-20.461	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.122	2.018	12.067	0.0	0.0
0.0		Min	-2.861	-2.018	-20.236	-0.0	-0.0
-0.0							
	G1		-2.376	-0.178	-16.061	-0.0	-0.0
0.0							
	G2		-0.932	-0.058	-6.238	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		2.049	-0.700	0.583	0.0	0.0
-0.0							
	Q5_pc Y		-0.959	1.023	-3.412	-0.0	-0.0
0.0							
	Q5_ps X		2.046	-0.679	0.517	0.0	0.0
-0.0							
	Q5_ps Y		-0.860	0.960	-3.250	-0.0	-0.0
0.0							
	INVSLU	Max	2.525	3.131	-10.100	-0.0	0.0
0.0		Min	-11.554	-8.963	-100.751	-0.0	0.0
-0.0							
	INVSLE	Max	1.829	2.114	-8.387	-0.0	0.0
0.0		Min	-8.327	-6.708	-75.081	-0.0	0.0
-0.0							
5685	C1-C2;~1	Max	1.895	3.668	21.583	0.0	0.0
0.0		Min	-4.205	-3.466	-38.825	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.272	3.986	24.821	0.0	0.0
0.0		Min	-5.449	-3.968	-38.547	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.940	1.970	10.766	0.0	0.0
0.0		Min	-2.135	-1.852	-20.903	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.112	2.142	12.165	0.0	0.0
0.0		Min	-2.879	-2.084	-20.674	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-2.401	-0.045	-16.522	-0.0	0.0
0.0	G2	-0.941	-0.007	-6.416	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	2.075	-0.719	0.585	0.0	0.0
-0.0	Q5_pc Y	-0.955	1.057	-3.423	0.0	0.0
-0.0	Q5_ps X	2.073	-0.696	0.519	-0.0	-0.0
-0.0	Q5_ps Y	-0.856	0.993	-3.261	-0.0	0.0
0.0	INVS LU Max	2.518	3.655	-11.301	-0.0	0.0
-0.0	Min	-11.638	-8.986	-103.385	-0.0	0.0
0.0	INVS LE Max	1.823	2.496	-9.303	-0.0	0.0
-0.0	Min	-8.386	-6.726	-77.057	-0.0	0.0
5686	C1-C2;~1 Max	1.881	3.898	21.729	0.0	0.0
0.0	Min	-4.220	-3.576	-39.482	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.251	4.215	25.004	0.0	0.0
-0.0	Min	-5.472	-4.095	-39.191	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.931	2.094	10.815	0.0	0.0
-0.0	Min	-2.142	-1.908	-21.272	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.099	2.265	12.227	0.0	0.0
-0.0	Min	-2.890	-2.148	-21.034	-0.0	-0.0
-0.0						
0.0	G1	-2.418	0.093	-16.902	-0.0	0.0
0.0	G2	-0.948	0.047	-6.560	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	2.096	-0.737	0.583	-0.0	-0.0
0.0	Q5_pc Y	-0.949	1.090	-3.423	0.0	0.0
-0.0	Q5_ps X	2.094	-0.713	0.517	-0.0	-0.0
0.0	Q5_ps Y	-0.849	1.024	-3.261	0.0	0.0
0.0						
0.0	INVS LU Max	2.503	4.192	-12.368	-0.0	0.0
-0.0	Min	-11.695	-8.988	-105.585	-0.0	-0.0
-0.0						
	INVS LE Max	1.812	2.889	-10.117	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-8.426	-6.729	-78.709	-0.0	-0.0
-0.0							
5687	C1-C2;~1	Max	1.886	4.137	21.837	0.0	0.0
0.0		Min	-4.302	-3.688	-40.042	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.271	4.452	25.142	0.0	0.0
0.0		Min	-5.579	-4.224	-39.724	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.928	2.223	10.843	0.0	0.0
0.0		Min	-2.185	-1.965	-21.586	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.107	2.392	12.267	0.0	0.0
0.0		Min	-2.950	-2.212	-21.330	-0.0	-0.0
-0.0							
0.0	G1		-2.485	0.240	-17.223	-0.0	0.0
0.0	G2		-0.974	0.105	-6.687	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.119	-0.756	0.578	-0.0	0.0
-0.0	Q5_pc Y		-0.954	1.122	-3.413	0.0	0.0
0.0	Q5_ps X		2.118	-0.730	0.513	-0.0	-0.0
-0.0	Q5_ps Y		-0.854	1.055	-3.252	0.0	0.0
0.0							
0.0	INVSLU	Max	2.479	4.758	-13.306	-0.0	0.0
0.0		Min	-11.933	-8.974	-107.448	-0.0	0.0
-0.0							
0.0	INVSLE	Max	1.795	3.302	-10.828	-0.0	0.0
0.0		Min	-8.598	-6.720	-80.108	-0.0	0.0
-0.0							
5688	C1-C2;~1	Max	1.885	4.381	21.889	0.0	0.0
0.0		Min	-4.367	-3.799	-40.468	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.285	4.693	25.215	0.0	0.0
0.0		Min	-5.668	-4.353	-40.136	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.924	2.355	10.843	0.0	0.0
0.0		Min	-2.219	-2.021	-21.825	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.113	2.521	12.274	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.000	-2.276	-21.560	-0.0	-0.0
-0.0	G1		-2.539	0.393	-17.471	-0.0	-0.0
0.0	G2		-0.996	0.165	-6.784	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.138	-0.775	0.571	-0.0	0.0
-0.0	Q5_pc Y		-0.957	1.154	-3.390	0.0	-0.0
0.0	Q5_ps X		2.137	-0.747	0.506	-0.0	0.0
-0.0	Q5_ps Y		-0.856	1.085	-3.230	0.0	-0.0
0.0	INVS LU	Max	2.456	5.338	-14.103	-0.0	0.0
0.0		Min	-12.128	-8.951	-108.877	-0.0	0.0
-0.0							
0.0	INVS LE	Max	1.779	3.725	-11.431	-0.0	0.0
0.0		Min	-8.739	-6.705	-81.183	-0.0	0.0
-0.0							
5689	C1-C2;~1	Max	1.871	4.623	21.892	0.0	0.0
0.0		Min	-4.379	-3.908	-40.771	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.274	4.932	25.233	0.0	0.0
0.0		Min	-5.691	-4.478	-40.428	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.913	2.486	10.818	0.0	0.0
0.0		Min	-2.225	-2.075	-21.995	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.105	2.649	12.255	0.0	0.0
0.0		Min	-3.014	-2.337	-21.725	-0.0	-0.0
-0.0							
0.0	G1		-2.556	0.547	-17.648	-0.0	-0.0
0.0	G2		-1.002	0.225	-6.852	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.149	-0.792	0.563	-0.0	0.0
-0.0	Q5_pc Y		-0.952	1.184	-3.359	0.0	-0.0
-0.0	Q5_ps X		2.148	-0.763	0.498	-0.0	0.0
-0.0	Q5_ps Y		-0.851	1.115	-3.201	0.0	-0.0
-0.0							
0.0	INVS LU	Max	2.439	5.915	-14.735	0.0	0.0
0.0		Min	-12.181	-8.920	-109.886	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.766	4.148	-11.908	0.0	0.0
-0.0		Min	-8.777	-6.683	-81.943	-0.0	0.0
5690	C1-C2;~1	Max	1.841	4.863	21.845	0.0	0.0
0.0		Min	-4.339	-4.014	-40.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.237	5.168	25.194	0.0	0.0
-0.0		Min	-5.647	-4.600	-40.603	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.897	2.615	10.769	0.0	0.0
0.0		Min	-2.203	-2.128	-22.099	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.085	2.776	12.207	0.0	0.0
-0.0		Min	-2.989	-2.397	-21.826	-0.0	-0.0
-0.0	G1		-2.534	0.701	-17.755	-0.0	0.0
-0.0	G2		-0.994	0.285	-6.891	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.151	-0.810	0.552	-0.0	0.0
-0.0	Q5_pc Y		-0.939	1.214	-3.318	0.0	0.0
-0.0	Q5_ps X		2.151	-0.779	0.488	-0.0	-0.0
-0.0	Q5_ps Y		-0.839	1.143	-3.163	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.427	6.492	-15.205	0.0	0.0
-0.0		Min	-12.089	-8.880	-110.478	-0.0	0.0
0.0							
-0.0	INVSLE	Max	1.756	4.570	-12.261	0.0	0.0
0.0		Min	-8.710	-6.656	-82.391	-0.0	0.0
-0.0							
5691	C1-C2;~1	Max	1.808	5.098	21.747	0.0	0.0
0.0		Min	-4.285	-4.116	-40.999	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.193	5.399	25.095	0.0	0.0
-0.0		Min	-5.583	-4.719	-40.640	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.878	2.741	10.695	0.0	0.0
-0.0		Min	-2.175	-2.178	-22.126	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.061	2.900	12.130	0.0	0.0
-0.0		Min	-2.952	-2.455	-21.852	-0.0	-0.0
-0.0	G1		-2.503	0.853	-17.780	0.0	0.0
-0.0	G2		-0.982	0.344	-6.897	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.149	-0.826	0.539	-0.0	-0.0
-0.0	Q5_pc Y		-0.924	1.242	-3.268	0.0	0.0
0.0	Q5_ps X		2.149	-0.794	0.476	-0.0	-0.0
-0.0	Q5_ps Y		-0.824	1.170	-3.116	0.0	0.0
0.0	INVSLU	Max	2.411	7.063	-15.504	0.0	0.0
-0.0		Min	-11.955	-8.832	-110.613	-0.0	-0.0
0.0	INVSLE	Max	1.744	4.988	-12.483	0.0	0.0
-0.0		Min	-8.611	-6.621	-82.499	-0.0	-0.0
5692	C1-C2;~1	Max	1.807	5.333	21.736	0.0	0.0
0.0		Min	-4.305	-4.217	-40.942	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.186	5.629	25.092	0.0	0.0
0.0		Min	-5.608	-4.835	-40.556	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.877	2.867	10.695	0.0	0.0
0.0		Min	-2.186	-2.227	-22.095	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.055	3.022	12.137	0.0	0.0
0.0		Min	-2.968	-2.511	-21.807	-0.0	-0.0
-0.0	G1		-2.527	1.007	-17.743	0.0	0.0
0.0	G2		-0.991	0.404	-6.883	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.149	-0.842	0.525	-0.0	0.0
-0.0	Q5_pc Y		-0.918	1.270	-3.211	0.0	0.0
0.0	Q5_ps X		2.149	-0.808	0.463	-0.0	-0.0
-0.0	Q5_ps Y		-0.819	1.196	-3.062	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.370	7.633	-15.467	0.0	0.0
		Min	-12.021	-8.779	-110.392	-0.0	0.0
-0.0							
0.0	INVS LE	Max	1.714	5.404	-12.451	0.0	0.0
		Min	-8.659	-6.583	-82.337	-0.0	0.0
-0.0							
5693 0.0	C1-C2;~1	Max	1.801	5.566	21.756	0.0	0.0
		Min	-4.311	-4.316	-40.741	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.174	5.857	25.106	0.0	0.0
		Min	-5.615	-4.951	-40.332	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.874	2.992	10.733	0.0	0.0
		Min	-2.191	-2.276	-21.984	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.048	3.143	12.174	0.0	0.0
		Min	-2.974	-2.566	-21.685	-0.0	-0.0
-0.0							
-0.0	G1		-2.541	1.161	-17.623	0.0	-0.0
-0.0	G2		-0.997	0.464	-6.836	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.145	-0.859	0.507	-0.0	0.0
0.0	Q5_pc Y		-0.911	1.296	-3.141	0.0	-0.0
-0.0	Q5_ps X		2.144	-0.823	0.446	-0.0	0.0
0.0	Q5_ps Y		-0.813	1.222	-2.997	0.0	-0.0
-0.0							
0.0	INVS LU	Max	2.329	8.198	-15.156	0.0	0.0
		Min	-12.047	-8.726	-109.704	-0.0	0.0
-0.0							
0.0	INVS LE	Max	1.685	5.817	-12.211	0.0	0.0
		Min	-8.678	-6.546	-81.828	-0.0	0.0
-0.0							
5694 0.0	C1-C2;~1	Max	1.819	5.798	21.728	0.0	0.0
		Min	-4.266	-4.416	-40.425	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.143	6.085	25.066	0.0	0.0
		Min	-5.554	-5.067	-39.993	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.861	3.115	10.747	0.0	0.0
-0.0		Min	-2.169	-2.324	-21.809	-0.0	-0.0
0.0	C3-C4;~2	Max	1.032	3.265	12.184	0.0	0.0
-0.0		Min	-2.942	-2.621	-21.501	-0.0	-0.0
-0.0	G1		-2.517	1.313	-17.434	0.0	-0.0
-0.0	G2		-0.988	0.524	-6.761	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.132	-0.875	0.489	-0.0	0.0
-0.0	Q5_pc Y		-0.897	1.322	-3.066	0.0	-0.0
0.0	Q5_ps X		2.132	-0.838	0.429	-0.0	0.0
-0.0	Q5_ps Y		-0.800	1.247	-2.925	0.0	-0.0
0.0	INVSLU	Max	2.301	8.757	-14.676	0.0	0.0
-0.0		Min	-11.929	-8.678	-108.607	0.0	0.0
0.0	INVSLE	Max	1.664	6.227	-11.842	0.0	0.0
-0.0		Min	-8.593	-6.512	-81.012	0.0	0.0
5695	C1-C2;~1	Max	1.792	6.028	21.651	0.0	0.0
0.0		Min	-4.170	-4.515	-39.983	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.088	6.313	24.969	0.0	0.0
-0.0		Min	-5.427	-5.182	-39.532	-0.0	-0.0
0.0	C1-C2;~2	Max	0.839	3.237	10.737	0.0	0.0
-0.0		Min	-2.119	-2.371	-21.563	-0.0	-0.0
0.0	C3-C4;~2	Max	1.004	3.385	12.167	0.0	0.0
-0.0		Min	-2.871	-2.675	-21.250	-0.0	-0.0
-0.0	G1		-2.455	1.464	-17.172	0.0	0.0
-0.0	G2		-0.964	0.583	-6.656	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.112	-0.892	0.469	-0.0	0.0
-0.0	Q5_pc Y		-0.876	1.348	-2.982	0.0	0.0
0.0	Q5_ps X		2.112	-0.853	0.409	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.781	1.272	-2.846	0.0	0.0
0.0	INVSLE Max		2.280	9.313	-14.033	0.0	0.0
-0.0	INVSLE Min		-11.667	-8.633	-107.084	0.0	0.0
0.0	INVSLE Max		1.648	6.633	-11.348	0.0	0.0
-0.0	INVSLE Min		-8.402	-6.480	-79.878	0.0	0.0
5696 0.0	C1-C2;~1 Max		1.783	6.250	21.521	0.0	0.0
-0.0	C1-C2;~1 Min		-4.055	-4.610	-39.411	-0.0	-0.0
0.0	C3-C4;~1 Max		2.026	6.533	24.811	0.0	0.0
-0.0	C3-C4;~1 Min		-5.279	-5.294	-38.956	-0.0	-0.0
0.0	C1-C2;~2 Max		0.853	3.355	10.699	0.0	0.0
-0.0	C1-C2;~2 Min		-2.060	-2.417	-21.245	-0.0	-0.0
0.0	C3-C4;~2 Max		0.973	3.502	12.118	0.0	0.0
-0.0	C3-C4;~2 Min		-2.789	-2.728	-20.936	-0.0	-0.0
-0.0	G1		-2.382	1.609	-16.840	0.0	0.0
-0.0	G2		-0.935	0.639	-6.522	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.087	-0.908	0.448	-0.0	-0.0
-0.0	Q5_pc Y		-0.853	1.373	-2.892	0.0	0.0
0.0	Q5_ps X		2.087	-0.868	0.390	-0.0	-0.0
-0.0	Q5_ps Y		-0.760	1.295	-2.762	0.0	0.0
0.0	INVSLE Max		2.260	9.848	-13.236	0.0	0.0
-0.0	INVSLE Min		-11.358	-8.590	-105.141	0.0	-0.0
0.0	INVSLE Max		1.632	7.025	-10.737	0.0	0.0
-0.0	INVSLE Min		-8.177	-6.450	-78.430	0.0	-0.0
5697 0.0	C1-C2;~1 Max		1.760	6.461	21.353	0.0	0.0
-0.0	C1-C2;~1 Min		-4.005	-4.702	-38.744	-0.0	-0.0
0.0	C3-C4;~1 Max		1.999	6.741	24.609	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.215	-5.401	-38.270	-0.0	-0.0
0.0	C1-C2;~2	Max	0.843	3.467	10.642	0.0	0.0
-0.0		Min	-2.035	-2.460	-20.873	-0.0	-0.0
0.0	C3-C4;~2	Max	0.959	3.611	12.048	0.0	0.0
-0.0		Min	-2.757	-2.777	-20.559	-0.0	-0.0
-0.0		G1	-2.357	1.745	-16.449	0.0	0.0
-0.0		G2	-0.925	0.692	-6.371	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.064	-0.924	0.426	-0.0	0.0
-0.0	Q5_pc Y		-0.838	1.396	-2.796	0.0	0.0
0.0	Q5_ps X		2.063	-0.882	0.369	-0.0	-0.0
-0.0	Q5_ps Y		-0.747	1.318	-2.671	0.0	0.0
0.0	INVSLU	Max	2.222	10.350	-12.307	0.0	0.0
-0.0		Min	-11.232	-8.554	-102.867	0.0	0.0
0.0	INVSLE	Max	1.604	7.392	-10.022	0.0	0.0
-0.0		Min	-8.087	-6.425	-76.731	0.0	0.0
5698	C1-C2;~1	Max	1.739	6.667	21.123	0.0	0.0
0.0		Min	-3.946	-4.792	-37.940	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.967	6.943	24.335	0.0	0.0
-0.0		Min	-5.140	-5.506	-37.439	-0.0	-0.0
0.0	C1-C2;~2	Max	0.836	3.575	10.555	0.0	0.0
-0.0		Min	-2.006	-2.501	-20.426	-0.0	-0.0
0.0	C3-C4;~2	Max	0.943	3.717	11.943	0.0	0.0
-0.0		Min	-2.719	-2.826	-20.103	-0.0	-0.0
-0.0		G1	-2.325	1.876	-15.978	0.0	-0.0
-0.0		G2	-0.913	0.743	-6.187	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.037	-0.940	0.400	-0.0	0.0
0.0	Q5_pc Y		-0.822	1.418	-2.689	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		2.035	-0.896	0.344	-0.0	0.0
0.0	Q5_ps Y		-0.733	1.339	-2.570	0.0	-0.0
-0.0							
	INVS LU	Max	2.177	10.828	-11.242	0.0	0.0
0.0		Min	-11.083	-8.531	-100.153	0.0	0.0
-0.0							
	INVS LE	Max	1.572	7.741	-9.202	0.0	0.0
0.0		Min	-7.979	-6.410	-74.704	0.0	0.0
-0.0							
5699	C1-C2;~1	Max	1.718	6.872	20.850	0.0	0.0
0.0		Min	-3.845	-4.883	-37.045	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.921	7.145	24.012	0.0	0.0
0.0		Min	-5.011	-5.613	-36.524	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.830	3.683	10.444	0.0	0.0
0.0		Min	-1.955	-2.543	-19.930	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.922	3.823	11.812	0.0	0.0
0.0		Min	-2.652	-2.874	-19.603	-0.0	-0.0
-0.0							
	G1		-2.264	2.002	-15.454	0.0	-0.0
-0.0							
	G2		-0.889	0.792	-5.981	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.002	-0.956	0.376	-0.0	0.0
0.0	Q5_pc Y		-0.801	1.441	-2.579	0.0	-0.0
-0.0							
	Q5_ps X		2.000	-0.912	0.320	-0.0	0.0
0.0	Q5_ps Y		-0.713	1.361	-2.467	0.0	-0.0
-0.0							
	INVS LU	Max	2.142	11.294	-10.046	0.0	0.0
0.0		Min	-10.821	-8.523	-97.116	0.0	0.0
-0.0							
	INVS LE	Max	1.545	8.081	-8.282	0.0	0.0
0.0		Min	-7.790	-6.407	-72.434	0.0	0.0
-0.0							
5700	C1-C2;~1	Max	1.694	7.074	20.521	0.0	0.0
0.0		Min	-3.700	-4.974	-36.054	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.853	7.346	23.624	0.0	0.0
-0.0		Min	-4.826	-5.721	-35.508	-0.0	-0.0
0.0	C1-C2;~2	Max	0.825	3.788	10.305	0.0	0.0
-0.0		Min	-1.881	-2.585	-19.384	-0.0	-0.0
0.0	C3-C4;~2	Max	0.891	3.928	11.648	0.0	0.0
-0.0		Min	-2.553	-2.923	-19.050	-0.0	-0.0
-0.0	G1		-2.171	2.123	-14.876	0.0	0.0
-0.0	G2		-0.853	0.839	-5.753	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.960	-0.974	0.348	-0.0	0.0
-0.0	Q5_pc Y		-0.773	1.463	-2.463	0.0	0.0
0.0	Q5_ps X		1.958	-0.928	0.294	-0.0	0.0
-0.0	Q5_ps Y		-0.688	1.382	-2.357	0.0	0.0
0.0	INVSLU	Max	2.107	11.744	-8.763	0.0	0.0
-0.0		Min	-10.438	-8.531	-93.762	0.0	0.0
0.0	INVSLE	Max	1.519	8.409	-7.294	0.0	0.0
-0.0		Min	-7.513	-6.414	-69.928	0.0	0.0
5701	C1-C2;~1	Max	1.662	7.264	20.140	0.0	0.0
0.0		Min	-3.537	-5.062	-34.960	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.779	7.535	23.177	0.0	0.0
-0.0		Min	-4.619	-5.825	-34.404	-0.0	-0.0
0.0	C1-C2;~2	Max	0.814	3.887	10.138	0.0	0.0
-0.0		Min	-1.797	-2.625	-18.780	-0.0	-0.0
0.0	C3-C4;~2	Max	0.857	4.026	11.454	0.0	0.0
-0.0		Min	-2.441	-2.970	-18.449	-0.0	-0.0
-0.0	G1		-2.067	2.232	-14.247	0.0	0.0
-0.0	G2		-0.812	0.881	-5.504	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.914	-0.991	0.322	-0.0	-0.0
-0.0	Q5_pc Y		-0.744	1.485	-2.343	0.0	0.0
0.0	Q5_ps X		1.911	-0.943	0.268	-0.0	-0.0
-0.0	Q5_ps Y		-0.662	1.403	-2.243	0.0	0.0
0.0	INVS LU	Max	2.077	12.156	-7.404	0.0	0.0
-0.0		Min	-10.005	-8.551	-90.105	0.0	-0.0
0.0	INVS LE	Max	1.496	8.710	-6.246	0.0	0.0
-0.0		Min	-7.199	-6.432	-67.193	0.0	-0.0
5702	C1-C2;~1	Max	1.609	7.434	19.722	0.0	0.0
0.0		Min	-3.424	-5.144	-33.803	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.745	7.703	22.687	0.0	0.0
-0.0		Min	-4.470	-5.921	-33.224	-0.0	-0.0
0.0	C1-C2;~2	Max	0.788	3.975	9.952	0.0	0.0
-0.0		Min	-1.740	-2.661	-18.145	-0.0	-0.0
0.0	C3-C4;~2	Max	0.843	4.113	11.238	0.0	0.0
-0.0		Min	-2.363	-3.012	-17.807	-0.0	-0.0
-0.0	G1		-1.996	2.325	-13.576	0.0	0.0
-0.0	G2		-0.784	0.917	-5.244	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.869	-1.007	0.294	-0.0	0.0
-0.0	Q5_pc Y		-0.721	1.504	-2.218	0.0	0.0
0.0	Q5_ps X		1.865	-0.958	0.242	-0.0	0.0
-0.0	Q5_ps Y		-0.642	1.421	-2.125	0.0	0.0
0.0	INVS LU	Max	2.069	12.511	-5.967	0.0	0.0
-0.0		Min	-9.685	-8.589	-86.220	0.0	0.0
0.0	INVS LE	Max	1.491	8.968	-5.135	0.0	0.0
-0.0		Min	-6.967	-6.461	-64.286	0.0	0.0
5703	C1-C2;~1	Max	1.555	7.594	19.239	0.0	0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-3.305	-5.224	-32.536	-0.0	-0.0
0.0	C3-C4;~1	Max	1.704	7.861	22.122	0.0	0.0
-0.0		Min	-4.314	-6.016	-31.921	-0.0	-0.0
0.0	C1-C2;~2	Max	0.762	4.057	9.732	0.0	0.0
-0.0		Min	-1.680	-2.697	-17.450	-0.0	-0.0
0.0	C3-C4;~2	Max	0.827	4.195	10.984	0.0	0.0
-0.0		Min	-2.281	-3.054	-17.009	-0.0	-0.0
-0.0	G1		-1.922	2.407	-12.844	0.0	0.0
-0.0	G2		-0.755	0.948	-4.959	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.820	-1.023	0.262	-0.0	0.0
-0.0	Q5_pc Y		-0.696	1.522	-2.084	0.0	-0.0
0.0	Q5_ps X		1.815	-0.973	0.211	-0.0	0.0
-0.0	Q5_ps Y		-0.620	1.439	-1.999	0.0	-0.0
0.0	INVSLU	Max	2.048	12.823	-4.484	0.0	0.0
-0.0		Min	-9.352	-8.651	-82.024	0.0	0.0
0.0	INVSLE	Max	1.477	9.194	-3.987	0.0	0.0
-0.0		Min	-6.725	-6.510	-61.146	0.0	0.0
5704	C1-C2;~1	Max	1.502	7.754	18.713	0.0	0.0
0.0		Min	-3.156	-5.308	-31.196	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.637	8.022	21.508	0.0	0.0
-0.0		Min	-4.121	-6.116	-30.558	-0.0	-0.0
0.0	C1-C2;~2	Max	0.739	4.139	9.489	0.0	0.0
-0.0		Min	-1.604	-2.733	-16.717	-0.0	-0.0
0.0	C3-C4;~2	Max	0.796	4.277	10.703	0.0	0.0
-0.0		Min	-2.179	-3.097	-16.282	-0.0	-0.0
-0.0	G1		-1.832	2.481	-12.082	0.0	0.0
-0.0	G2		-0.720	0.977	-4.661	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.765	-1.041	0.232	-0.0	0.0
0.0	Q5_pc Y	-0.668	1.541	-1.949	0.0	-0.0
-0.0	Q5_ps X	1.759	-0.989	0.182	-0.0	0.0
0.0	Q5_ps Y	-0.595	1.457	-1.871	0.0	-0.0
-0.0						
	INVS LU Max	2.000	13.114	-2.961	0.0	0.0
0.0	Min	-8.951	-8.747	-77.619	0.0	0.0
-0.0						
	INVS LE Max	1.442	9.404	-2.806	0.0	0.0
0.0	Min	-6.435	-6.583	-57.849	0.0	0.0
-0.0						
5705	C1-C2;~1 Max	1.447	7.916	18.125	0.0	0.0
0.0	Min	-2.973	-5.397	-29.764	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.546	8.186	20.823	0.0	0.0
0.0	Min	-3.888	-6.222	-29.099	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.716	4.221	9.214	0.0	0.0
0.0	Min	-1.511	-2.772	-15.936	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.753	4.360	10.387	0.0	0.0
0.0	Min	-2.055	-3.142	-15.509	-0.0	-0.0
-0.0						
	G1	-1.721	2.548	-11.277	0.0	0.0
-0.0						
	G2	-0.677	1.003	-4.345	0.0	0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.702	-1.060	0.199	-0.0	0.0
0.0	Q5_pc Y	-0.635	1.560	-1.809	0.0	0.0
-0.0	Q5_ps X	1.696	-1.007	0.150	-0.0	0.0
0.0	Q5_ps Y	-0.565	1.475	-1.739	0.0	0.0
-0.0						
	INVS LU Max	1.928	13.382	-1.433	0.0	0.0
0.0	Min	-8.473	-8.877	-72.982	0.0	0.0
-0.0						
	INVS LE Max	1.389	9.597	-1.620	0.0	0.0
0.0	Min	-6.089	-6.684	-54.378	0.0	0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5706	C1-C2;~1	Max	1.385	8.067	17.485	0.0	0.0
0.0		Min	-2.774	-5.484	-28.250	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.449	8.338	20.079	0.0	0.0
0.0		Min	-3.634	-6.326	-27.591	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.688	4.296	8.910	0.0	0.0
0.0		Min	-1.410	-2.809	-15.111	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.706	4.437	10.038	0.0	0.0
0.0		Min	-1.919	-3.186	-14.702	-0.0	-0.0
-0.0							
	G1		-1.596	2.601	-10.454	0.0	0.0
-0.0							
	G2		-0.628	1.023	-4.021	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.634	-1.078	0.171	-0.0	-0.0
0.0							
	Q5_pc Y		-0.599	1.578	-1.672	0.0	0.0
-0.0							
	Q5_ps X		1.628	-1.025	0.125	-0.0	-0.0
0.0							
	Q5_ps Y		-0.533	1.492	-1.608	0.0	0.0
-0.0							
	INVSLU	Max	1.863	13.598	0.058	0.0	0.0
0.0		Min	-7.941	-9.039	-68.195	0.0	-0.0
-0.0							
	INVSLE	Max	1.341	9.750	-0.459	0.0	0.0
0.0		Min	-5.703	-6.807	-50.794	0.0	-0.0
-0.0							
5707	C1-C2;~1	Max	1.305	8.195	16.790	0.0	0.0
0.0		Min	-2.602	-5.564	-26.664	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.392	8.467	19.273	0.0	0.0
0.0		Min	-3.409	-6.422	-26.006	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.647	4.360	8.577	0.0	0.0
0.0		Min	-1.322	-2.842	-14.248	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.683	4.502	9.657	0.0	0.0
0.0		Min	-1.801	-3.226	-13.852	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.473	2.635	-9.596	0.0	0.0
-0.0	G2	-0.580	1.036	-3.689	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.565	-1.096	0.147	-0.0	0.0
-0.0	Q5_pc Y	-0.567	1.593	-1.535	0.0	0.0
0.0	Q5_ps X	1.558	-1.041	0.102	-0.0	0.0
-0.0	Q5_ps Y	-0.505	1.507	-1.478	0.0	-0.0
0.0	INVS LU Max	1.878	13.743	1.493	0.0	0.0
-0.0	Min	-7.422	-9.225	-63.284	0.0	0.0
0.0	INVS LE Max	1.354	9.851	0.658	0.0	0.0
-0.0	Min	-5.326	-6.950	-47.120	0.0	0.0
5708	C1-C2;~1 Max	1.222	8.308	16.002	0.0	0.0
0.0	Min	-2.424	-5.643	-24.962	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.329	8.582	18.358	0.0	0.0
0.0	Min	-3.179	-6.516	-24.300	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.603	4.416	8.193	0.0	0.0
0.0	Min	-1.232	-2.875	-13.325	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.655	4.559	9.220	0.0	0.0
0.0	Min	-1.679	-3.265	-12.943	-0.0	-0.0
-0.0	G1	-1.351	2.649	-8.706	0.0	0.0
-0.0	G2	-0.532	1.040	-3.343	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.492	-1.113	0.120	-0.0	0.0
-0.0	Q5_pc Y	-0.535	1.608	-1.396	0.0	-0.0
0.0	Q5_ps X	1.483	-1.057	0.078	-0.0	0.0
-0.0	Q5_ps Y	-0.476	1.521	-1.346	0.0	-0.0
0.0	INVS LU Max	1.873	13.823	2.770	0.0	0.0
-0.0	Min	-6.898	-9.453	-58.225	0.0	0.0
0.0	INVS LE Max	1.353	9.903	1.656	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-4.946	-7.124	-43.340	0.0	0.0
-0.0							
5709	C1-C2;~1	Max	1.140	8.418	15.147	0.0	0.0
0.0		Min	-2.230	-5.727	-23.189	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.239	8.695	17.370	0.0	0.0
0.0		Min	-2.928	-6.617	-22.548	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.563	4.469	7.773	0.0	0.0
0.0		Min	-1.133	-2.909	-12.365	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.613	4.614	8.742	0.0	0.0
0.0		Min	-1.547	-3.306	-12.005	-0.0	-0.0
-0.0							
-0.0	G1		-1.229	2.645	-7.818	0.0	0.0
-0.0	G2		-0.485	1.039	-2.998	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.411	-1.133	0.102	-0.0	0.0
0.0	Q5_pc Y		-0.499	1.623	-1.264	0.0	-0.0
-0.0	Q5_ps X		1.402	-1.076	0.061	-0.0	0.0
0.0	Q5_ps Y		-0.444	1.535	-1.220	0.0	-0.0
-0.0							
0.0	INVS LU	Max	1.801	13.858	3.896	0.0	0.0
0.0		Min	-6.366	-9.734	-53.132	0.0	0.0
-0.0							
0.0	INVS LE	Max	1.301	9.922	2.538	0.0	0.0
0.0		Min	-4.561	-7.337	-39.537	0.0	0.0
-0.0							
5710	C1-C2;~1	Max	1.066	8.523	14.205	0.0	0.0
0.0		Min	-2.015	-5.816	-21.336	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.123	8.807	16.280	0.0	0.0
0.0		Min	-2.653	-6.724	-20.714	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.531	4.518	7.306	0.0	0.0
0.0		Min	-1.024	-2.945	-11.365	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.556	4.668	8.211	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.401	-3.349	-11.027	-0.0	-0.0
-0.0	G1		-1.105	2.624	-6.929	0.0	0.0
-0.0	G2		-0.437	1.030	-2.652	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.324	-1.155	0.084	-0.0	0.0
0.0	Q5_pc Y		-0.459	1.639	-1.133	0.0	-0.0
-0.0	Q5_ps X		1.315	-1.097	0.045	-0.0	0.0
0.0	Q5_ps Y		-0.409	1.550	-1.095	0.0	-0.0
-0.0							
	INVSLU	Max	1.686	13.849	4.819	0.0	0.0
0.0		Min	-5.811	-10.068	-48.002	0.0	-0.0
-0.0							
	INVSLE	Max	1.204	9.907	3.267	0.0	0.0
0.0		Min	-4.161	-7.591	-35.709	0.0	-0.0
-0.0							
5711	C1-C2;~1	Max	0.993	8.611	13.194	0.0	0.0
0.0		Min	-1.787	-5.903	-19.437	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.998	8.902	15.117	0.0	0.0
0.0		Min	-2.359	-6.828	-18.871	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.500	4.559	6.799	0.0	0.0
0.0		Min	-0.908	-2.979	-10.342	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.496	4.714	7.638	0.0	0.0
0.0		Min	-1.245	-3.391	-10.036	-0.0	-0.0
-0.0							
	G1		-0.969	2.582	-6.081	0.0	0.0
-0.0							
	G2		-0.385	1.013	-2.321	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.230	-1.177	0.078	-0.0	0.0
0.0	Q5_pc Y		-0.417	1.654	-1.011	0.0	0.0
-0.0	Q5_ps X		1.220	-1.119	0.042	0.0	0.0
0.0	Q5_ps Y		-0.371	1.564	-0.977	0.0	0.0
-0.0							
	INVSLU	Max	1.594	13.776	5.514	0.0	0.0
0.0		Min	-5.204	-10.438	-42.952	0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.109	9.844	3.823	0.0	0.0
-0.0		Min	-3.724	-7.871	-31.943	0.0	-0.0
5712	C1-C2;~1	Max	0.919	8.674	12.128	0.0	0.0
0.0		Min	-1.563	-5.980	-17.506	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.915	8.973	13.890	0.0	0.0
-0.0		Min	-2.065	-6.921	-16.994	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.466	4.587	6.262	0.0	0.0
0.0		Min	-0.796	-3.009	-9.303	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.459	4.747	7.031	0.0	0.0
-0.0		Min	-1.089	-3.427	-9.027	-0.0	-0.0
-0.0	G1		-0.797	2.521	-5.243	0.0	0.0
-0.0	G2		-0.318	0.989	-1.999	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.129	-1.199	0.071	-0.0	0.0
-0.0	Q5_pc Y		-0.377	1.667	-0.890	0.0	0.0
0.0	Q5_ps X		1.120	-1.140	0.039	-0.0	0.0
-0.0	Q5_ps Y		-0.335	1.577	-0.862	0.0	0.0
0.0	INVSLE	Max	1.633	13.641	6.050	0.0	0.0
-0.0		Min	-4.480	-10.818	-37.937	0.0	-0.0
0.0	INVSLE	Max	1.142	9.736	4.259	0.0	0.0
-0.0		Min	-3.197	-8.159	-28.205	0.0	-0.0
5713	C1-C2;~1	Max	0.829	8.714	10.956	0.0	0.0
0.0		Min	-1.347	-6.055	-15.524	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.824	9.021	12.543	0.0	0.0
-0.0		Min	-1.779	-7.011	-15.044	-0.0	-0.0
0.0	C1-C2;~2	Max	0.421	4.602	5.667	0.0	0.0
-0.0		Min	-0.687	-3.037	-8.240	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.417	4.767	6.360	0.0	0.0
-0.0		Min	-0.938	-3.461	-7.990	-0.0	-0.0
-0.0	G1		-0.642	2.428	-4.445	0.0	0.0
-0.0	G2		-0.258	0.952	-1.691	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.030	-1.220	0.063	-0.0	0.0
-0.0	Q5_pc Y		-0.336	1.680	-0.771	0.0	-0.0
0.0	Q5_ps X		1.019	-1.160	0.033	-0.0	0.0
-0.0	Q5_ps Y		-0.298	1.589	-0.748	0.0	-0.0
0.0	INVSLU	Max	1.626	13.410	6.250	0.0	0.0
-0.0		Min	-3.800	-11.256	-33.029	0.0	-0.0
0.0	INVSLE	Max	1.139	9.558	4.442	0.0	0.0
-0.0		Min	-2.704	-8.490	-24.550	0.0	-0.0
5714	C1-C2;~1	Max	0.714	8.737	9.713	0.0	0.0
0.0		Min	-1.142	-6.136	-13.533	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.705	9.056	11.119	0.0	0.0
0.0		Min	-1.507	-7.107	-13.106	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.364	4.607	5.032	0.0	0.0
0.0		Min	-0.584	-3.067	-7.175	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.359	4.780	5.646	0.0	0.0
0.0		Min	-0.795	-3.497	-6.957	-0.0	-0.0
-0.0	G1		-0.534	2.296	-3.722	0.0	0.0
-0.0	G2		-0.215	0.901	-1.412	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.937	-1.240	0.064	-0.0	0.0
-0.0	Q5_pc Y		-0.295	1.693	-0.660	0.0	0.0
0.0	Q5_ps X		0.926	-1.181	0.036	-0.0	0.0
-0.0	Q5_ps Y		-0.262	1.601	-0.641	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	1.503	13.077	6.143	0.0	0.0
		Min	-3.254	-11.791	-28.326	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.048	9.302	4.394	0.0	0.0
		Min	-2.311	-8.893	-21.050	-0.0	-0.0
-0.0							
5715 0.0	C1-C2;~1	Max	0.572	8.763	8.385	0.0	0.0
		Min	-0.948	-6.190	-11.546	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.549	9.098	9.599	0.0	0.0
		Min	-1.249	-7.172	-11.120	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.291	4.617	4.349	0.0	0.0
		Min	-0.486	-3.088	-6.116	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.279	4.798	4.880	0.0	0.0
		Min	-0.660	-3.522	-5.923	-0.0	-0.0
-0.0							
-0.0	G1		-0.482	2.221	-3.077	0.0	-0.0
-0.0	G2		-0.194	0.872	-1.163	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.854	-1.260	0.062	-0.0	0.0
0.0	Q5_pc Y		-0.254	1.705	-0.552	0.0	0.0
-0.0	Q5_ps X		0.841	-1.201	0.037	-0.0	0.0
0.0	Q5_ps Y		-0.227	1.611	-0.537	0.0	0.0
-0.0							
0.0	INVS LU	Max	1.240	12.912	5.687	0.0	0.0
		Min	-2.870	-12.121	-23.854	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.855	9.174	4.084	0.0	0.0
		Min	-2.039	-9.142	-17.724	-0.0	-0.0
-0.0							
5716 0.0	C1-C2;~1	Max	0.424	8.777	7.029	0.0	0.0
		Min	-0.757	-6.243	-9.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.390	9.130	8.051	0.0	0.0
		Min	-0.995	-7.235	-9.219	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.216	4.619	3.649	0.0	0.0
		Min	-0.390	-3.108	-5.066	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.198	4.811	4.097	0.0	0.0
		Min	-0.527	-3.547	-4.906	-0.0	-0.0
-0.0							
-0.0	G1		-0.441	2.128	-2.491	0.0	-0.0
-0.0	G2		-0.176	0.836	-0.936	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.778	-1.278	0.070	-0.0	0.0
0.0	Q5_pc Y		-0.215	1.716	-0.453	0.0	0.0
-0.0	Q5_ps X		0.762	-1.220	0.047	0.0	0.0
0.0	Q5_ps Y		-0.192	1.621	-0.441	0.0	0.0
-0.0							
0.0	INVSLU	Max	0.962	12.694	5.053	0.0	0.0
		Min	-2.517	-12.487	-19.553	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.650	9.006	3.641	0.0	0.0
		Min	-1.791	-9.418	-14.526	-0.0	-0.0
-0.0							
5717	C1-C2;~1	Max	0.293	8.780	5.693	0.0	0.0
0.0		Min	-0.578	-6.290	-7.681	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.255	9.149	6.531	0.0	0.0
		Min	-0.751	-7.291	-7.387	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.149	4.617	2.958	0.0	0.0
		Min	-0.299	-3.125	-4.061	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.129	4.818	3.326	0.0	0.0
		Min	-0.398	-3.567	-3.928	-0.0	-0.0
-0.0							
-0.0	G1		-0.384	2.028	-1.953	0.0	0.0
-0.0	G2		-0.152	0.798	-0.732	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.712	-1.292	0.081	0.0	0.0
0.0	Q5_pc Y		-0.178	1.726	-0.358	0.0	0.0
-0.0	Q5_ps X		0.693	-1.235	0.060	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.160	1.629	-0.349	0.0	0.0
0.0	INVS LU Max		0.755	12.450	4.315	0.0	0.0
-0.0	Min		-2.141	-12.851	-15.514	-0.0	-0.0
0.0	INVS LE Max		0.496	8.818	3.117	0.0	0.0
-0.0	Min		-1.524	-9.692	-11.523	-0.0	-0.0
5718 0.0	C1-C2;~1 Max		0.170	8.769	4.289	0.0	0.0
-0.0	Min		-0.423	-6.336	-5.790	-0.0	-0.0
0.0	C3-C4;~1 Max		0.127	9.155	4.931	0.0	0.0
-0.0	Min		-0.540	-7.345	-5.549	-0.0	-0.0
0.0	C1-C2;~2 Max		0.084	4.606	2.230	0.0	0.0
-0.0	Min		-0.221	-3.142	-3.059	-0.0	-0.0
0.0	C3-C4;~2 Max		0.062	4.818	2.513	0.0	0.0
-0.0	Min		-0.288	-3.587	-2.948	-0.0	-0.0
0.0	G1		-0.341	1.909	-1.474	0.0	0.0
-0.0	G2		-0.133	0.752	-0.551	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.656	-1.303	0.083	-0.0	-0.0
-0.0	Q5_pc Y		-0.144	1.734	-0.263	0.0	0.0
0.0	Q5_ps X		0.633	-1.247	0.064	0.0	-0.0
-0.0	Q5_ps Y		-0.130	1.637	-0.258	0.0	0.0
0.0	INVS LU Max		0.550	12.150	3.299	0.0	0.0
-0.0	Min		-1.853	-13.247	-11.648	-0.0	-0.0
0.0	INVS LE Max		0.345	8.590	2.386	0.0	0.0
-0.0	Min		-1.306	-9.991	-8.651	-0.0	-0.0
5719 0.0	C1-C2;~1 Max		0.111	8.747	2.852	0.0	0.0
-0.0	Min		-0.322	-6.383	-3.928	-0.0	-0.0
0.0	C3-C4;~1 Max		0.083	9.151	3.297	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-0.398	-7.402	-3.745	-0.0	-0.0
0.0	C1-C2;~2	Max	0.056	4.591	1.481	0.0	0.0
-0.0		Min	-0.166	-3.158	-2.074	-0.0	-0.0
0.0	C3-C4;~2	Max	0.042	4.813	1.679	0.0	0.0
-0.0		Min	-0.208	-3.607	-1.988	-0.0	-0.0
0.0	G1		-0.320	1.769	-1.069	0.0	0.0
0.0	G2		-0.123	0.699	-0.398	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.610	-1.312	0.089	0.0	-0.0
-0.0	Q5_pc Y		-0.112	1.743	-0.175	0.0	0.0
0.0	Q5_ps X		0.585	-1.257	0.072	0.0	-0.0
-0.0	Q5_ps Y		-0.103	1.644	-0.173	0.0	0.0
0.0	INVSLU	Max	0.385	11.798	2.058	0.0	0.0
-0.0		Min	-1.725	-13.684	-8.012	-0.0	-0.0
0.0	INVSLE	Max	0.222	8.324	1.484	0.0	0.0
-0.0		Min	-1.211	-10.320	-5.951	-0.0	-0.0
5720	C1-C2;~1	Max	0.088	8.716	1.376	0.0	0.0
0.0		Min	-0.297	-6.432	-2.067	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.082	9.137	1.614	0.0	0.0
-0.0		Min	-0.337	-7.462	-1.944	-0.0	-0.0
0.0	C1-C2;~2	Max	0.045	4.571	0.711	0.0	0.0
-0.0		Min	-0.153	-3.175	-1.091	-0.0	-0.0
0.0	C3-C4;~2	Max	0.042	4.803	0.819	0.0	0.0
-0.0		Min	-0.168	-3.629	-1.032	-0.0	-0.0
0.0	G1		-0.314	1.612	-0.699	0.0	0.0
0.0	G2		-0.120	0.639	-0.258	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.577	-1.317	0.087	-0.0	-0.0
0.0	Q5_pc Y		-0.084	1.750	-0.090	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.549	-1.264	0.073	-0.0	-0.0
0.0	Q5_ps Y	-0.078	1.650	-0.091	0.0	0.0
-0.0						
	INVS LU Max	0.259	11.403	0.647	0.0	0.0
0.0	Min	-1.676	-14.156	-4.484	-0.0	0.0
-0.0						
	INVS LE Max	0.128	8.026	0.456	0.0	0.0
0.0	Min	-1.183	-10.674	-3.333	-0.0	0.0
-0.0						
5721	C1-C2;~1 Max	0.149	8.672	0.000	0.0	0.0
0.0	Min	-0.353	-6.495	0.000	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	0.171	9.108	0.000	0.0	0.0
0.0	Min	-0.452	-7.522	0.000	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.074	4.544	0.000	0.0	0.0
0.0	Min	-0.179	-3.203	0.000	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.086	4.784	0.000	0.0	0.0
0.0	Min	-0.230	-3.650	0.000	-0.0	-0.0
-0.0						
	G1	-0.300	1.434	0.000	-0.0	0.0
0.0	G2	-0.116	0.570	0.000	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.554	-1.319	0.000	0.0	-0.0
0.0	Q5_pc Y	-0.060	1.756	0.000	0.0	0.0
-0.0						
	Q5_ps X	0.524	-1.266	0.000	0.0	-0.0
0.0	Q5_ps Y	-0.055	1.656	0.000	0.0	0.0
-0.0						
	INVS LU Max	0.278	10.956	0.000	0.0	0.0
0.0	Min	-1.734	-14.657	0.000	-0.0	-0.0
-0.0						
	INVS LE Max	0.143	7.689	0.000	0.0	0.0
0.0	Min	-1.252	-11.049	0.000	-0.0	-0.0
-0.0						
5722	C1-C2;~1 Max	0.296	8.631	1.298	0.0	0.0
0.0	Min	-0.454	-6.552	-1.875	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	0.348	9.078	1.370	0.0	0.0
-0.0		Min	-0.617	-7.589	-1.910	-0.0	-0.0
0.0	C1-C2;~2	Max	0.150	4.520	0.674	0.0	0.0
-0.0		Min	-0.229	-3.229	-1.004	-0.0	-0.0
0.0	C3-C4;~2	Max	0.180	4.766	0.715	0.0	0.0
-0.0		Min	-0.311	-3.678	-1.002	-0.0	-0.0
-0.0	G1		-0.232	1.278	-0.741	-0.0	-0.0
-0.0	G2		-0.092	0.510	-0.275	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.541	-1.318	0.101	0.0	0.0
-0.0	Q5_pc Y		-0.040	1.761	0.058	0.0	-0.0
0.0	Q5_ps X		0.513	-1.265	0.087	0.0	-0.0
-0.0	Q5_ps Y		-0.035	1.660	0.049	0.0	-0.0
0.0	INVSLU	Max	0.562	10.569	0.443	0.0	0.0
-0.0		Min	-1.769	-15.101	-4.168	-0.0	-0.0
0.0	INVSLE	Max	0.359	7.400	0.314	0.0	0.0
-0.0		Min	-1.275	-11.380	-3.088	-0.0	-0.0
5723	C1-C2;~1	Max	0.455	8.592	2.735	0.0	0.0
0.0		Min	-0.569	-6.599	-3.591	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.528	9.046	2.853	0.0	0.0
-0.0		Min	-0.807	-7.658	-3.794	-0.0	-0.0
0.0	C1-C2;~2	Max	0.233	4.497	1.425	0.0	0.0
-0.0		Min	-0.286	-3.249	-1.921	-0.0	-0.0
0.0	C3-C4;~2	Max	0.276	4.748	1.491	0.0	0.0
-0.0		Min	-0.406	-3.708	-1.983	-0.0	-0.0
-0.0	G1		-0.167	1.144	-1.161	-0.0	0.0
0.0	G2		-0.071	0.457	-0.433	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.540	-1.314	0.120	0.0	-0.0
-0.0	Q5_pc Y		-0.023	1.765	0.125	0.0	-0.0
-0.0	Q5_ps X		0.513	-1.262	0.102	0.0	-0.0
-0.0	Q5_ps Y		-0.016	1.664	0.110	0.0	-0.0
0.0	INVS LU	Max	0.956	10.238	1.635	0.0	0.0
-0.0		Min	-1.818	-15.488	-7.564	-0.0	-0.0
0.0	INVS LE	Max	0.677	7.152	1.194	0.0	0.0
-0.0		Min	-1.306	-11.669	-5.604	-0.0	-0.0
5724	C1-C2;~1	Max	0.608	8.553	4.137	0.0	0.0
0.0		Min	-0.701	-6.655	-5.306	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.695	9.011	4.295	0.0	0.0
-0.0		Min	-1.016	-7.726	-5.678	-0.0	-0.0
0.0	C1-C2;~2	Max	0.314	4.475	2.157	0.0	0.0
-0.0		Min	-0.353	-3.276	-2.840	-0.0	-0.0
0.0	C3-C4;~2	Max	0.365	4.728	2.245	0.0	0.0
-0.0		Min	-0.510	-3.737	-2.966	-0.0	-0.0
0.0	G1		-0.121	1.015	-1.607	-0.0	-0.0
0.0	G2		-0.059	0.405	-0.601	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.549	-1.307	0.130	0.0	-0.0
-0.0	Q5_pc Y		-0.010	1.767	0.187	0.0	-0.0
-0.0	Q5_ps X		0.525	-1.254	0.108	0.0	-0.0
-0.0	Q5_ps Y		-0.001	1.668	0.166	0.0	-0.0
0.0	INVS LU	Max	1.383	9.924	2.716	0.0	-0.0
-0.0		Min	-1.916	-15.852	-11.085	-0.0	-0.0
0.0	INVS LE	Max	0.999	6.918	1.987	0.0	-0.0
-0.0		Min	-1.371	-11.939	-8.210	-0.0	-0.0
5725	C1-C2;~1	Max	0.754	8.512	5.499	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.841	-6.724	-7.045	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.845	8.973	5.699	0.0	0.0
0.0		Min	-1.244	-7.824	-7.598	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.393	4.452	2.866	0.0	0.0
0.0		Min	-0.424	-3.314	-3.773	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.444	4.707	2.977	0.0	0.0
0.0		Min	-0.624	-3.788	-3.969	-0.0	-0.0
-0.0							
0.0	G1		-0.101	0.890	-2.124	-0.0	-0.0
0.0	G2		-0.057	0.355	-0.798	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.569	-1.295	0.143	0.0	0.0
-0.0	Q5_pc Y		0.001	1.769	0.244	0.0	-0.0
-0.0	Q5_ps X		0.548	-1.241	0.118	0.0	0.0
-0.0	Q5_ps Y		0.013	1.671	0.218	0.0	-0.0
-0.0							
0.0	INVSLU	Max	1.760	9.623	3.562	0.0	-0.0
0.0		Min	-2.084	-16.238	-14.827	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.285	6.694	2.606	0.0	-0.0
0.0		Min	-1.487	-12.226	-10.983	-0.0	-0.0
-0.0							
5726	C1-C2;~1	Max	0.893	8.470	6.792	0.0	0.0
0.0		Min	-0.988	-6.785	-8.783	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.985	8.933	7.030	0.0	0.0
0.0		Min	-1.483	-7.923	-9.494	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.467	4.429	3.539	0.0	0.0
0.0		Min	-0.498	-3.347	-4.710	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.519	4.685	3.670	0.0	0.0
0.0		Min	-0.745	-3.841	-4.964	-0.0	-0.0
-0.0							
0.0	G1		-0.100	0.774	-2.697	-0.0	-0.0
0.0	G2		-0.062	0.308	-1.015	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.599	-1.281	0.146	-0.0	0.0
-0.0	Q5_pc Y		0.009	1.771	0.296	0.0	-0.0
-0.0	Q5_ps X		0.580	-1.227	0.118	-0.0	0.0
-0.0	Q5_ps Y		0.024	1.673	0.266	0.0	-0.0
0.0	INVS LU	Max	2.107	9.337	4.144	0.0	-0.0
-0.0		Min	-2.303	-16.605	-18.696	-0.0	-0.0
0.0	INVS LE	Max	1.548	6.482	3.027	0.0	-0.0
-0.0		Min	-1.639	-12.499	-13.853	-0.0	-0.0
5727	C1-C2;~1	Max	1.050	8.431	8.132	0.0	0.0
0.0		Min	-1.149	-6.838	-10.636	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.148	8.895	8.411	0.0	0.0
-0.0		Min	-1.737	-8.015	-11.500	-0.0	-0.0
0.0	C1-C2;~2	Max	0.551	4.407	4.234	0.0	0.0
-0.0		Min	-0.580	-3.375	-5.709	-0.0	-0.0
0.0	C3-C4;~2	Max	0.606	4.664	4.389	0.0	0.0
-0.0		Min	-0.873	-3.891	-6.018	-0.0	-0.0
0.0	G1		-0.090	0.670	-3.333	-0.0	-0.0
0.0	G2		-0.063	0.265	-1.260	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.641	-1.264	0.152	-0.0	0.0
-0.0	Q5_pc Y		0.017	1.772	0.349	0.0	-0.0
-0.0	Q5_ps X		0.623	-1.209	0.120	-0.0	0.0
-0.0	Q5_ps Y		0.035	1.676	0.314	0.0	-0.0
0.0	INVS LU	Max	2.529	9.082	4.619	0.0	-0.0
-0.0		Min	-2.518	-16.935	-22.891	-0.0	-0.0
0.0	INVS LE	Max	1.867	6.292	3.365	0.0	-0.0
-0.0		Min	-1.787	-12.744	-16.966	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5728	C1-C2;~1	Max	1.193	8.389	9.433	0.0	0.0
0.0		Min	-1.309	-6.882	-12.497	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.298	8.854	9.755	0.0	0.0
0.0		Min	-1.987	-8.096	-13.544	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.627	4.385	4.907	0.0	0.0
0.0		Min	-0.660	-3.399	-6.715	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.686	4.641	5.085	0.0	0.0
0.0		Min	-0.999	-3.934	-7.093	-0.0	-0.0
-0.0							
	G1		-0.099	0.575	-4.028	-0.0	-0.0
0.0	G2		-0.071	0.227	-1.529	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.689	-1.245	0.166	-0.0	0.0
-0.0	Q5_pc Y		0.022	1.772	0.397	0.0	-0.0
-0.0	Q5_ps X		0.672	-1.190	0.130	-0.0	0.0
-0.0	Q5_ps Y		0.044	1.678	0.357	0.0	-0.0
-0.0							
	INVSLU	Max	2.903	8.843	4.890	0.0	-0.0
0.0		Min	-2.773	-17.230	-27.280	-0.0	-0.0
-0.0							
	INVSLE	Max	2.149	6.115	3.552	0.0	-0.0
0.0		Min	-1.964	-12.963	-20.224	-0.0	-0.0
-0.0							
5729	C1-C2;~1	Max	1.328	8.253	10.642	0.0	0.0
0.0		Min	-1.469	-6.907	-14.359	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.443	8.717	11.004	0.0	0.0
0.0		Min	-2.233	-8.158	-15.561	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.698	4.311	5.530	0.0	0.0
0.0		Min	-0.741	-3.415	-7.726	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.763	4.567	5.731	0.0	0.0
0.0		Min	-1.123	-3.970	-8.158	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.118	0.402	-4.803	-0.0	-0.0
0.0	G2		-0.082	0.158	-1.827	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.747	-1.223	0.175	-0.0	0.0
-0.0	Q5_pc Y		0.026	1.771	0.439	0.0	-0.0
-0.0	Q5_ps X		0.730	-1.167	0.137	-0.0	0.0
-0.0	Q5_ps Y		0.050	1.677	0.393	0.0	-0.0
0.0	INVS LU	Max	3.267	8.262	4.800	-0.0	-0.0
-0.0		Min	-3.041	-17.706	-31.852	-0.0	-0.0
0.0	INVS LE	Max	2.423	5.680	3.469	-0.0	-0.0
-0.0		Min	-2.150	-13.319	-23.623	-0.0	-0.0
5730	C1-C2;~1	Max	1.410	8.108	11.766	0.0	0.0
0.0		Min	-1.617	-6.920	-16.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.530	8.571	12.167	0.0	0.0
-0.0		Min	-2.459	-8.208	-17.579	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.741	4.233	6.107	0.0	0.0
-0.0		Min	-0.817	-3.424	-8.732	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.809	4.488	6.329	0.0	0.0
-0.0		Min	-1.238	-4.000	-9.226	-0.0	-0.0
0.0	G1		-0.194	0.235	-5.651	-0.0	-0.0
0.0	G2		-0.115	0.091	-2.153	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.813	-1.197	0.190	0.0	0.0
0.0	Q5_pc Y		0.027	1.768	0.472	0.0	-0.0
-0.0	Q5_ps X		0.795	-1.141	0.149	0.0	0.0
-0.0	Q5_ps Y		0.054	1.677	0.423	0.0	-0.0
0.0	INVS LU	Max	3.426	7.676	4.374	-0.0	-0.0
0.0		Min	-3.423	-18.158	-36.632	-0.0	-0.0
0.0							
	INVS LE	Max	2.543	5.242	3.133	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.422	-13.658	-27.179	-0.0	-0.0
0.0							
5731	C1-C2;~1	Max	1.467	7.959	12.779	0.0	0.0
0.0		Min	-1.768	-6.915	-18.006	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.597	8.420	13.215	0.0	0.0
0.0		Min	-2.685	-8.240	-19.512	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.771	4.153	6.624	0.0	0.0
0.0		Min	-0.894	-3.424	-9.716	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.845	4.408	6.865	0.0	0.0
0.0		Min	-1.352	-4.020	-10.254	-0.0	-0.0
-0.0							
	G1		-0.304	0.084	-6.539	-0.0	-0.0
0.0							
	G2		-0.160	0.030	-2.494	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.881	-1.170	0.200	-0.0	0.0
-0.0							
	Q5_pc Y		0.026	1.765	0.497	0.0	-0.0
0.0							
	Q5_ps X		0.861	-1.114	0.155	-0.0	0.0
-0.0							
	Q5_ps Y		0.056	1.675	0.444	0.0	-0.0
-0.0							
	INVS LU	Max	3.497	7.117	3.608	0.0	-0.0
0.0		Min	-3.869	-18.551	-41.468	-0.0	-0.0
0.0							
	INVS LE	Max	2.597	4.824	2.542	0.0	-0.0
0.0		Min	-2.742	-13.954	-30.782	-0.0	-0.0
0.0							
5732	C1-C2;~1	Max	1.568	7.834	13.732	0.0	0.0
0.0		Min	-1.945	-6.900	-19.770	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.712	8.293	14.200	0.0	0.0
0.0		Min	-2.937	-8.257	-21.402	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.824	4.086	7.108	0.0	0.0
0.0		Min	-0.985	-3.418	-10.683	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.907	4.339	7.367	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.480	-4.032	-11.261	-0.0	-0.0
-0.0	G1		-0.396	-0.029	-7.435	-0.0	-0.0
0.0	G2		-0.198	-0.015	-2.842	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.946	-1.147	0.208	-0.0	0.0
-0.0	Q5_pc	Y	0.025	1.763	0.518	0.0	-0.0
0.0	Q5_ps	X	0.925	-1.091	0.161	-0.0	0.0
-0.0	Q5_ps	Y	0.058	1.675	0.461	0.0	-0.0
-0.0							
0.0	INVSLU	Max	3.705	6.677	2.672	-0.0	-0.0
0.0		Min	-4.274	-18.838	-46.323	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.755	4.495	1.823	-0.0	-0.0
0.0		Min	-3.029	-14.170	-34.401	-0.0	-0.0
-0.0							
5733	C1-C2;~1	Max	1.668	7.706	14.602	0.0	0.0
0.0		Min	-2.114	-6.861	-21.482	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.817	8.162	15.102	0.0	0.0
0.0		Min	-3.188	-8.247	-23.273	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.877	4.018	7.547	0.0	0.0
0.0		Min	-1.071	-3.398	-11.624	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.964	4.270	7.824	0.0	0.0
0.0		Min	-1.610	-4.029	-12.259	-0.0	-0.0
-0.0							
0.0	G1		-0.491	-0.118	-8.373	-0.0	-0.0
0.0	G2		-0.237	-0.052	-3.206	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.007	-1.128	0.223	-0.0	0.0
-0.0	Q5_pc	Y	0.024	1.760	0.531	0.0	-0.0
0.0	Q5_ps	X	0.985	-1.071	0.174	-0.0	0.0
-0.0	Q5_ps	Y	0.059	1.674	0.472	0.0	-0.0
-0.0							
0.0	INVSLU	Max	3.889	6.278	1.477	-0.0	0.0
0.0		Min	-4.681	-19.042	-51.284	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0								
0.0	INVSLE	Max	2.896	4.196	0.910	-0.0	0.0	
-0.0		Min	-3.318	-14.325	-38.102	-0.0	-0.0	
5734	C1-C2;~1	Max	1.733	7.569	15.381	0.0	0.0	
0.0		Min	-2.257	-6.800	-23.122	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.887	8.021	15.909	0.0	0.0	
-0.0		Min	-3.413	-8.216	-25.050	-0.0	-0.0	
0.0								
-0.0	C1-C2;~2	Max	0.912	3.946	7.938	0.0	0.0	
0.0		Min	-1.144	-3.366	-12.528	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	1.001	4.195	8.230	0.0	0.0	
-0.0		Min	-1.728	-4.015	-13.210	-0.0	-0.0	
0.0	G1		-0.593	-0.191	-9.307	-0.0	-0.0	
0.0	G2		-0.279	-0.082	-3.568	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		1.062	-1.110	0.237	-0.0	0.0	
0.0	Q5_pc Y		0.023	1.758	0.536	0.0	-0.0	
-0.0	Q5_ps X		1.038	-1.053	0.186	-0.0	0.0	
-0.0	Q5_ps Y		0.060	1.674	0.475	0.0	-0.0	
0.0	INVSLE	Max	3.980	5.892	0.078	-0.0	0.0	
0.0		Min	-5.086	-19.193	-56.182	-0.0	-0.0	
0.0								
0.0	INVSLE	Max	2.966	3.907	-0.159	-0.0	0.0	
0.0		Min	-3.608	-14.441	-41.761	-0.0	-0.0	
5735	C1-C2;~1	Max	1.763	7.423	16.088	0.0	0.0	
0.0		Min	-2.376	-6.720	-24.690	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.919	7.871	16.641	0.0	0.0	
-0.0		Min	-3.602	-8.166	-26.774	-0.0	-0.0	
0.0								
0.0	C1-C2;~2	Max	0.928	3.868	8.289	0.0	0.0	
		Min	-1.205	-3.324	-13.395	-0.0	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.019	4.116	8.595	0.0	0.0
-0.0		Min	-1.826	-3.991	-14.134	-0.0	-0.0
0.0	G1		-0.704	-0.250	-10.244	-0.0	0.0
0.0	G2		-0.325	-0.106	-3.931	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.111	-1.094	0.254	-0.0	0.0
-0.0	Q5_pc Y		0.021	1.756	0.535	0.0	-0.0
0.0	Q5_ps X		1.086	-1.036	0.201	0.0	0.0
-0.0	Q5_ps Y		0.060	1.674	0.472	0.0	-0.0
0.0							
0.0	INVSLU	Max	3.973	5.514	-1.492	-0.0	0.0
0.0		Min	-5.481	-19.298	-61.066	-0.0	-0.0
0.0							
0.0	INVSLE	Max	2.963	3.623	-1.355	-0.0	0.0
0.0		Min	-3.892	-14.522	-45.412	-0.0	-0.0
0.0							
5736	C1-C2;~1	Max	1.781	7.277	16.701	0.0	0.0
0.0		Min	-2.493	-6.626	-26.154	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.939	7.721	17.276	0.0	0.0
-0.0		Min	-3.784	-8.099	-28.368	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.938	3.791	8.590	0.0	0.0
-0.0		Min	-1.265	-3.274	-14.206	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.030	4.036	8.908	0.0	0.0
-0.0		Min	-1.921	-3.957	-14.992	-0.0	-0.0
0.0	G1		-0.828	-0.292	-11.145	-0.0	0.0
0.0	G2		-0.375	-0.125	-4.279	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.157	-1.080	0.267	0.0	-0.0
-0.0	Q5_pc Y		0.017	1.755	0.527	-0.0	-0.0
0.0	Q5_ps X		1.132	-1.021	0.213	0.0	-0.0
-0.0	Q5_ps Y		0.059	1.674	0.464	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	3.915	5.168	-3.212	-0.0	0.0
		Min	-5.895	-19.347	-65.781	-0.0	-0.0
0.0	INVS LE	Max	2.921	3.363	-2.666	-0.0	0.0
0.0		Min	-4.191	-14.562	-48.943	-0.0	-0.0
5737 0.0	C1-C2;~1	Max	1.837	7.156	17.256	0.0	0.0
-0.0		Min	-2.651	-6.555	-27.543	-0.0	-0.0
0.0	C3-C4;~1	Max	1.997	7.595	17.852	0.0	0.0
-0.0		Min	-4.017	-8.037	-29.878	-0.0	-0.0
0.0	C1-C2;~2	Max	0.969	3.728	8.862	0.0	0.0
-0.0		Min	-1.348	-3.240	-14.979	-0.0	-0.0
0.0	C3-C4;~2	Max	1.062	3.970	9.190	0.0	0.0
-0.0		Min	-2.045	-3.926	-15.805	-0.0	-0.0
0.0	G1		-0.964	-0.320	-12.011	-0.0	-0.0
0.0	G2		-0.430	-0.137	-4.618	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.205	-1.067	0.281	-0.0	0.0
0.0	Q5_pc Y		0.012	1.753	0.516	0.0	-0.0
-0.0	Q5_ps X		1.179	-1.007	0.226	-0.0	0.0
0.0	Q5_ps Y		0.056	1.673	0.452	0.0	-0.0
0.0	INVS LU	Max	3.911	4.903	-4.990	-0.0	0.0
0.0		Min	-6.377	-19.355	-70.353	-0.0	-0.0
0.0	INVS LE	Max	2.922	3.164	-4.022	-0.0	0.0
0.0		Min	-4.539	-14.571	-52.370	-0.0	-0.0
5738 0.0	C1-C2;~1	Max	1.886	7.034	17.750	0.0	0.0
-0.0		Min	-2.798	-6.470	-28.850	-0.0	-0.0
0.0	C3-C4;~1	Max	2.048	7.468	18.363	0.0	0.0
-0.0		Min	-4.240	-7.951	-31.329	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.996	3.664	9.100	0.0	0.0
-0.0		Min	-1.425	-3.198	-15.707	-0.0	-0.0
0.0	C3-C4;~2	Max	1.090	3.903	9.437	0.0	0.0
-0.0		Min	-2.165	-3.882	-16.588	-0.0	-0.0
0.0	G1		-1.097	-0.327	-12.857	-0.0	-0.0
0.0	G2		-0.484	-0.142	-4.950	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.251	-1.056	0.297	-0.0	0.0
0.0	Q5_pc Y		0.007	1.751	0.500	0.0	-0.0
-0.0	Q5_ps X		1.223	-0.996	0.242	-0.0	0.0
0.0	Q5_ps Y		0.053	1.674	0.437	0.0	-0.0
0.0	INVSLU	Max	3.892	4.677	-6.821	-0.0	0.0
0.0		Min	-6.848	-19.292	-74.805	-0.0	-0.0
0.0	INVSLE	Max	2.910	2.995	-5.415	-0.0	0.0
0.0		Min	-4.879	-14.526	-55.707	-0.0	-0.0
5739	C1-C2;~1	Max	1.909	6.903	18.184	0.0	0.0
0.0		Min	-2.911	-6.364	-30.072	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.070	7.332	18.811	0.0	0.0
-0.0		Min	-4.419	-7.839	-32.674	-0.0	-0.0
0.0	C1-C2;~2	Max	1.008	3.596	9.306	0.0	0.0
-0.0		Min	-1.484	-3.146	-16.390	-0.0	-0.0
0.0	C3-C4;~2	Max	1.102	3.832	9.651	0.0	0.0
-0.0		Min	-2.261	-3.823	-17.316	-0.0	-0.0
0.0	G1		-1.217	-0.316	-13.659	-0.0	-0.0
0.0	G2		-0.532	-0.139	-5.262	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.291	-1.048	0.310	-0.0	0.0
0.0	Q5_pc Y		0.001	1.751	0.483	0.0	-0.0
-0.0	Q5_ps X		1.262	-0.986	0.254	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.049	1.674	0.420	0.0	-0.0
0.0	INVSLE Max		3.830	4.472	-8.638	-0.0	0.0
-0.0	INVSLE Min		-7.254	-19.161	-79.013	-0.0	-0.0
0.0	INVSLE Max		2.865	2.840	-6.797	-0.0	0.0
-0.0	INVSLE Min		-5.173	-14.432	-58.861	-0.0	-0.0
5740	C1-C2;~1 Max		1.905	6.763	18.568	0.0	0.0
0.0	C1-C2;~1 Min		-2.992	-6.240	-31.219	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.065	7.186	19.209	0.0	0.0
0.0	C3-C4;~1 Min		-4.551	-7.704	-33.952	-0.0	-0.0
-0.0	C1-C2;~2 Max		1.007	3.523	9.486	0.0	0.0
0.0	C1-C2;~2 Min		-1.525	-3.084	-17.033	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.100	3.756	9.838	0.0	0.0
0.0	C3-C4;~2 Min		-2.331	-3.753	-18.010	-0.0	-0.0
-0.0	G1		-1.326	-0.289	-14.428	-0.0	-0.0
0.0	G2		-0.577	-0.130	-5.561	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.326	-1.042	0.323	-0.0	0.0
-0.0	Q5_pc Y		-0.006	1.750	0.463	0.0	-0.0
0.0	Q5_ps X		1.296	-0.979	0.267	0.0	0.0
-0.0	Q5_ps Y		0.044	1.675	0.401	0.0	-0.0
0.0	INVSLE Max		3.721	4.281	-10.421	-0.0	0.0
-0.0	INVSLE Min		-7.597	-18.971	-83.021	-0.0	-0.0
0.0	INVSLE Max		2.786	2.697	-8.149	-0.0	0.0
-0.0	INVSLE Min		-5.421	-14.294	-61.866	-0.0	-0.0
5741	C1-C2;~1 Max		1.891	6.623	18.890	0.0	0.0
0.0	C1-C2;~1 Min		-3.068	-6.107	-32.265	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.050	7.041	19.541	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.670	-7.578	-35.099	-0.0	-0.0
0.0	C1-C2;~2	Max	1.000	3.450	9.633	0.0	0.0
-0.0		Min	-1.564	-3.018	-17.622	-0.0	-0.0
0.0	C3-C4;~2	Max	1.092	3.680	9.992	0.0	0.0
-0.0		Min	-2.394	-3.692	-18.635	-0.0	-0.0
0.0	G1		-1.440	-0.250	-15.136	-0.0	0.0
0.0	G2		-0.623	-0.117	-5.834	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.358	-1.037	0.330	0.0	-0.0
0.0	Q5_pc Y		-0.013	1.750	0.444	-0.0	-0.0
-0.0	Q5_ps X		1.328	-0.973	0.275	0.0	-0.0
0.0	Q5_ps Y		0.039	1.677	0.382	-0.0	-0.0
0.0	INVS LU	Max	3.581	4.115	-12.141	-0.0	0.0
0.0		Min	-7.935	-18.770	-86.705	-0.0	-0.0
0.0	INVS LE	Max	2.683	2.571	-9.454	-0.0	0.0
0.0		Min	-5.667	-14.147	-64.627	-0.0	-0.0
5742	C1-C2;~1	Max	1.906	6.506	19.173	0.0	0.0
0.0		Min	-3.197	-5.993	-33.249	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.064	6.918	19.833	0.0	0.0
-0.0		Min	-4.854	-7.471	-36.162	-0.0	-0.0
0.0	C1-C2;~2	Max	1.010	3.390	9.761	0.0	0.0
-0.0		Min	-1.634	-2.961	-18.179	-0.0	-0.0
0.0	C3-C4;~2	Max	1.101	3.617	10.123	0.0	0.0
-0.0		Min	-2.494	-3.640	-19.215	-0.0	-0.0
0.0	G1		-1.592	-0.219	-15.799	-0.0	-0.0
0.0	G2		-0.683	-0.105	-6.095	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.393	-1.031	0.336	-0.0	0.0
0.0	Q5_pc Y		-0.022	1.749	0.425	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.362	-0.967	0.281	-0.0	0.0
0.0	Q5_ps Y		0.032	1.677	0.364	0.0	-0.0
0.0	INVS LU	Max	3.442	3.984	-13.775	-0.0	0.0
0.0		Min	-8.403	-18.589	-90.133	-0.0	-0.0
0.0	INVS LE	Max	2.583	2.473	-10.690	-0.0	0.0
0.0		Min	-6.006	-14.014	-67.195	-0.0	-0.0
5743	C1-C2;~1	Max	1.917	6.387	19.398	0.0	0.0
0.0		Min	-3.319	-5.864	-34.127	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.073	6.793	20.065	0.0	0.0
-0.0		Min	-5.029	-7.344	-37.128	-0.0	-0.0
0.0	C1-C2;~2	Max	1.016	3.328	9.858	0.0	0.0
-0.0		Min	-1.700	-2.896	-18.676	-0.0	-0.0
0.0	C3-C4;~2	Max	1.107	3.552	10.224	0.0	0.0
-0.0		Min	-2.591	-3.578	-19.744	-0.0	-0.0
0.0	G1		-1.740	-0.170	-16.410	-0.0	-0.0
0.0	G2		-0.742	-0.088	-6.335	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.426	-1.027	0.341	-0.0	0.0
0.0	Q5_pc Y		-0.031	1.748	0.405	0.0	-0.0
-0.0	Q5_ps X		1.393	-0.962	0.287	-0.0	0.0
0.0	Q5_ps Y		0.024	1.677	0.345	0.0	-0.0
0.0	INVS LU	Max	3.298	3.877	-15.335	-0.0	0.0
-0.0		Min	-8.855	-18.354	-93.274	-0.0	-0.0
0.0	INVS LE	Max	2.479	2.392	-11.869	-0.0	0.0
-0.0		Min	-6.334	-13.842	-69.548	-0.0	-0.0
5744	C1-C2;~1	Max	1.909	6.256	19.569	0.0	0.0
0.0		Min	-3.407	-5.708	-34.916	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.062	6.655	20.241	0.0	0.0
-0.0		Min	-5.159	-7.187	-37.983	-0.0	-0.0
0.0	C1-C2;~2	Max	1.013	3.261	9.926	0.0	0.0
-0.0		Min	-1.747	-2.817	-19.126	-0.0	-0.0
0.0	C3-C4;~2	Max	1.103	3.481	10.295	0.0	0.0
-0.0		Min	-2.664	-3.501	-20.216	-0.0	-0.0
0.0	G1		-1.866	-0.098	-16.963	-0.0	-0.0
0.0	G2		-0.792	-0.061	-6.551	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.453	-1.026	0.344	-0.0	0.0
0.0	Q5_pc Y		-0.040	1.748	0.385	0.0	-0.0
-0.0	Q5_ps X		1.419	-0.960	0.290	-0.0	0.0
0.0	Q5_ps Y		0.016	1.678	0.325	0.0	-0.0
0.0	INVSLU	Max	3.147	3.787	-16.796	-0.0	0.0
-0.0		Min	-9.218	-18.047	-96.090	-0.0	-0.0
0.0	INVSLE	Max	2.368	2.323	-12.972	-0.0	0.0
-0.0		Min	-6.597	-13.617	-71.657	-0.0	-0.0
5745	C1-C2;~1	Max	1.881	6.114	19.694	0.0	0.0
0.0		Min	-3.458	-5.528	-35.616	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.031	6.508	20.369	0.0	0.0
-0.0		Min	-5.241	-7.004	-38.747	-0.0	-0.0
0.0	C1-C2;~2	Max	0.999	3.188	9.972	0.0	0.0
-0.0		Min	-1.774	-2.726	-19.528	-0.0	-0.0
0.0	C3-C4;~2	Max	1.087	3.405	10.341	0.0	0.0
-0.0		Min	-2.709	-3.411	-20.641	-0.0	-0.0
0.0	G1		-1.969	-0.006	-17.464	-0.0	0.0
0.0	G2		-0.833	-0.025	-6.745	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.475	-1.028	0.346	-0.0	0.0
0.0	Q5_pc Y		-0.048	1.748	0.363	-0.0	-0.0
-0.0	Q5_ps X		1.441	-0.961	0.293	-0.0	0.0
0.0	Q5_ps Y		0.009	1.680	0.304	0.0	-0.0
0.0	INVS LU	Max	2.983	3.713	-18.127	-0.0	0.0
-0.0		Min	-9.490	-17.675	-98.587	-0.0	-0.0
0.0	INVS LE	Max	2.248	2.266	-13.975	-0.0	0.0
-0.0		Min	-6.794	-13.344	-73.526	-0.0	-0.0
5746	C1-C2;~1	Max	1.845	5.975	19.764	0.0	0.0
0.0		Min	-3.502	-5.344	-36.190	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.992	6.361	20.439	0.0	0.0
-0.0		Min	-5.307	-6.813	-39.366	-0.0	-0.0
0.0	C1-C2;~2	Max	0.981	3.116	9.988	0.0	0.0
-0.0		Min	-1.798	-2.632	-19.860	-0.0	-0.0
0.0	C3-C4;~2	Max	1.066	3.329	10.358	0.0	0.0
-0.0		Min	-2.747	-3.316	-20.987	-0.0	-0.0
0.0	G1		-2.071	0.096	-17.882	-0.0	0.0
0.0	G2		-0.873	0.013	-6.905	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.495	-1.031	0.344	0.0	-0.0
0.0	Q5_pc Y		-0.057	1.748	0.342	-0.0	0.0
-0.0	Q5_ps X		1.460	-0.963	0.292	0.0	-0.0
0.0	Q5_ps Y		0.002	1.681	0.284	-0.0	-0.0
0.0	INVS LU	Max	2.802	3.657	-19.296	-0.0	0.0
-0.0		Min	-9.742	-17.274	-100.652	-0.0	-0.0
0.0	INVS LE	Max	2.116	2.221	-14.855	-0.0	0.0
-0.0		Min	-6.977	-13.050	-75.073	-0.0	-0.0
5747	C1-C2;~1	Max	1.831	5.856	19.797	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.617	-5.191	-36.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.975	6.237	20.471	0.0	0.0
0.0		Min	-5.436	-6.653	-39.866	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.975	3.055	9.986	0.0	0.0
0.0		Min	-1.865	-2.555	-20.139	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.058	3.265	10.355	0.0	0.0
0.0		Min	-2.819	-3.238	-21.267	-0.0	-0.0
-0.0							
0.0	G1		-2.218	0.175	-18.238	-0.0	0.0
0.0	G2		-0.930	0.043	-7.047	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.517	-1.033	0.341	-0.0	0.0
-0.0	Q5_pc Y		-0.069	1.748	0.322	0.0	-0.0
0.0	Q5_ps X		1.480	-0.964	0.290	-0.0	0.0
-0.0	Q5_ps Y		-0.009	1.681	0.265	0.0	-0.0
0.0							
0.0	INVSLU	Max	2.594	3.606	-20.306	-0.0	0.0
0.0		Min	-10.140	-16.941	-102.374	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.964	2.182	-15.614	-0.0	0.0
0.0		Min	-7.266	-12.805	-76.360	-0.0	-0.0
-0.0							
5748	C1-C2;~1	Max	1.814	5.738	19.775	0.0	0.0
0.0		Min	-3.725	-5.038	-37.025	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.954	6.112	20.446	0.0	0.0
0.0		Min	-5.552	-6.478	-40.243	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.967	2.994	9.956	0.0	0.0
0.0		Min	-1.929	-2.479	-20.345	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.049	3.201	10.322	0.0	0.0
0.0		Min	-2.885	-3.151	-21.480	-0.0	-0.0
-0.0							
0.0	G1		-2.359	0.267	-18.522	-0.0	-0.0
0.0	G2		-0.985	0.079	-7.159	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.536	-1.036	0.336	-0.0	0.0
-0.0	Q5_pc Y	-0.081	1.747	0.302	0.0	-0.0
0.0	Q5_ps X	1.498	-0.967	0.286	-0.0	0.0
-0.0	Q5_ps Y	-0.020	1.682	0.245	0.0	-0.0
0.0	INVS LU Max	2.385	3.571	-21.159	-0.0	0.0
0.0	INVS LU Min	-10.511	-16.570	-103.694	-0.0	-0.0
-0.0	INVS LE Max	1.812	2.153	-16.254	-0.0	0.0
0.0	INVS LE Min	-7.536	-12.533	-77.346	-0.0	-0.0
-0.0						
5749	C1-C2;~1 Max	1.782	5.611	19.709	0.0	0.0
0.0	C1-C2;~1 Min	-3.794	-4.893	-37.262	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.918	5.979	20.375	0.0	0.0
0.0	C3-C4;~1 Min	-5.619	-6.270	-40.495	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.951	2.929	9.903	0.0	0.0
0.0	C1-C2;~2 Min	-1.971	-2.416	-20.486	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.031	3.132	10.267	0.0	0.0
0.0	C3-C4;~2 Min	-2.925	-3.047	-21.625	-0.0	-0.0
-0.0						
0.0	G1	-2.470	0.383	-18.732	-0.0	-0.0
0.0	G2	-1.029	0.124	-7.241	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.550	-1.043	0.329	-0.0	0.0
-0.0	Q5_pc Y	-0.091	1.747	0.282	0.0	-0.0
0.0	Q5_ps X	1.511	-0.973	0.281	-0.0	0.0
-0.0	Q5_ps Y	-0.030	1.683	0.226	0.0	-0.0
0.0						
0.0	INVS LU Max	2.189	3.554	-21.832	-0.0	0.0
0.0	INVS LU Min	-10.775	-16.127	-104.600	-0.0	-0.0
-0.0						
0.0	INVS LE Max	1.669	2.137	-16.756	-0.0	0.0
0.0	INVS LE Min	-7.728	-12.208	-78.022	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5750	C1-C2;~1	Max	1.735	5.478	19.597	0.0	0.0
0.0		Min	-3.821	-4.733	-37.387	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.867	5.838	20.257	0.0	0.0
0.0		Min	-5.635	-6.035	-40.628	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.927	2.861	9.827	0.0	0.0
0.0		Min	-1.989	-2.346	-20.564	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.004	3.060	10.186	0.0	0.0
0.0		Min	-2.936	-2.929	-21.707	-0.0	-0.0
-0.0							
	G1		-2.551	0.522	-18.870	-0.0	0.0
-0.0							
	G2		-1.060	0.177	-7.293	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.559	-1.053	0.322	-0.0	0.0
-0.0							
	Q5_pc Y		-0.102	1.748	0.261	-0.0	-0.0
0.0							
	Q5_ps X		1.519	-0.982	0.275	-0.0	-0.0
-0.0							
	Q5_ps Y		-0.039	1.684	0.207	0.0	-0.0
0.0							
	INVSLU	Max	2.003	3.558	-22.330	-0.0	0.0
0.0		Min	-10.931	-15.617	-105.104	-0.0	0.0
-0.0							
	INVSLE	Max	1.532	2.136	-17.127	-0.0	0.0
0.0		Min	-7.841	-11.834	-78.397	-0.0	0.0
-0.0							
5751	C1-C2;~1	Max	1.681	5.346	19.440	0.0	0.0
0.0		Min	-3.832	-4.571	-37.384	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.809	5.700	20.092	0.0	0.0
0.0		Min	-5.630	-5.798	-40.623	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.899	2.793	9.729	0.0	0.0
0.0		Min	-1.998	-2.275	-20.569	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.974	2.988	10.083	0.0	0.0
0.0		Min	-2.935	-2.810	-21.714	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.624	0.666	-18.922	-0.0	0.0
0.0	G2		-1.088	0.233	-7.311	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.565	-1.064	0.313	0.0	-0.0
0.0	Q5_pc Y		-0.112	1.748	0.243	-0.0	0.0
0.0	Q5_ps X		1.525	-0.992	0.267	0.0	-0.0
0.0	Q5_ps Y		-0.049	1.685	0.189	-0.0	-0.0
0.0	INVS LU	Max	1.814	3.575	-22.636	-0.0	0.0
-0.0		Min	-11.045	-15.094	-105.164	-0.0	0.0
0.0	INVS LE	Max	1.392	2.145	-17.352	-0.0	0.0
-0.0		Min	-7.924	-11.451	-78.442	-0.0	0.0
5752	C1-C2;~1	Max	1.643	5.233	19.250	0.0	0.0
0.0		Min	-3.897	-4.436	-37.283	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.767	5.582	19.893	0.0	0.0
-0.0		Min	-5.681	-5.611	-40.491	-0.0	-0.0
0.0	C1-C2;~2	Max	0.880	2.735	9.614	0.0	0.0
-0.0		Min	-2.039	-2.216	-20.517	-0.0	-0.0
0.0	C3-C4;~2	Max	0.952	2.927	9.963	0.0	0.0
-0.0		Min	-2.966	-2.720	-21.648	-0.0	-0.0
0.0	G1		-2.743	0.777	-18.910	-0.0	0.0
0.0	G2		-1.134	0.276	-7.309	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.573	-1.074	0.302	-0.0	0.0
0.0	Q5_pc Y		-0.125	1.747	0.225	0.0	-0.0
0.0	Q5_ps X		1.532	-1.002	0.258	-0.0	-0.0
0.0	Q5_ps Y		-0.062	1.685	0.172	0.0	-0.0
0.0	INVS LU	Max	1.590	3.574	-22.778	-0.0	0.0
-0.0		Min	-11.297	-14.681	-104.839	-0.0	0.0
0.0	INVS LE	Max	1.229	2.141	-17.450	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-8.107	-11.148	-78.196	-0.0	0.0
-0.0							
5753	C1-C2;~1	Max	1.604	5.121	19.008	0.0	0.0
0.0		Min	-3.957	-4.298	-37.049	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.723	5.464	19.639	0.0	0.0
0.0		Min	-5.723	-5.447	-40.217	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.860	2.678	9.472	0.0	0.0
0.0		Min	-2.077	-2.156	-20.391	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.930	2.866	9.815	0.0	0.0
0.0		Min	-2.993	-2.649	-21.504	-0.0	-0.0
-0.0							
	G1		-2.854	0.895	-18.813	0.0	-0.0
-0.0							
	G2		-1.176	0.323	-7.272	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.579	-1.085	0.289	-0.0	0.0
0.0							
	Q5_pc Y		-0.139	1.746	0.208	0.0	-0.0
0.0							
	Q5_ps X		1.537	-1.012	0.247	-0.0	0.0
0.0							
	Q5_ps Y		-0.075	1.684	0.155	0.0	-0.0
0.0							
	INVSLU	Max	1.374	3.579	-22.742	0.0	0.0
0.0		Min	-11.521	-14.294	-104.066	-0.0	0.0
-0.0							
	INVSLE	Max	1.072	2.142	-17.413	0.0	0.0
0.0		Min	-8.270	-10.865	-77.615	-0.0	0.0
-0.0							
5754	C1-C2;~1	Max	1.554	5.006	18.733	0.0	0.0
0.0		Min	-3.979	-4.147	-36.707	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.670	5.340	19.348	0.0	0.0
0.0		Min	-5.722	-5.264	-39.826	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.834	2.618	9.317	0.0	0.0
0.0		Min	-2.094	-2.090	-20.204	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.902	2.803	9.649	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.997	-2.570	-21.297	-0.0	-0.0
-0.0	G1		-2.934	1.036	-18.644	0.0	-0.0
-0.0	G2		-1.207	0.378	-7.206	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.581	-1.100	0.275	-0.0	0.0
0.0	Q5_pc Y		-0.151	1.746	0.192	0.0	-0.0
0.0	Q5_ps X		1.538	-1.026	0.235	-0.0	0.0
0.0	Q5_ps Y		-0.088	1.685	0.140	0.0	-0.0
0.0	INVSLU	Max	1.180	3.600	-22.515	0.0	0.0
0.0		Min	-11.643	-13.858	-102.895	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.930	2.153	-17.233	0.0	0.0
0.0		Min	-8.358	-10.546	-76.737	-0.0	0.0
-0.0							
5755	C1-C2;~1	Max	1.493	4.887	18.486	0.0	0.0
0.0		Min	-3.962	-3.984	-36.249	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.604	5.210	19.048	0.0	0.0
0.0		Min	-5.674	-5.062	-39.312	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.803	2.556	9.192	0.0	0.0
0.0		Min	-2.089	-2.020	-19.951	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.868	2.736	9.488	0.0	0.0
0.0		Min	-2.975	-2.483	-21.025	-0.0	-0.0
-0.0							
-0.0	G1		-2.982	1.199	-18.400	0.0	0.0
-0.0	G2		-1.225	0.441	-7.110	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.578	-1.118	0.260	-0.0	0.0
0.0	Q5_pc Y		-0.163	1.747	0.175	0.0	-0.0
0.0	Q5_ps X		1.534	-1.044	0.222	-0.0	-0.0
0.0	Q5_ps Y		-0.099	1.686	0.125	0.0	-0.0
0.0							
0.0	INVSLU	Max	1.007	3.641	-22.060	0.0	0.0
0.0		Min	-11.658	-13.372	-101.314	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	0.803	2.178	-16.880	0.0	0.0
0.0		Min	-8.368	-10.191	-75.552	-0.0	0.0
-0.0							
5756	C1-C2;~1	Max	1.426	4.775	18.259	0.0	0.0
0.0		Min	-3.927	-3.826	-35.673	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.532	5.086	18.753	0.0	0.0
0.0		Min	-5.602	-4.862	-38.685	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.768	2.498	9.092	0.0	0.0
0.0		Min	-2.074	-1.951	-19.631	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.831	2.671	9.339	0.0	0.0
0.0		Min	-2.940	-2.397	-20.690	-0.0	-0.0
-0.0							
-0.0	G1		-3.017	1.364	-18.081	-0.0	0.0
-0.0	G2		-1.237	0.506	-6.983	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.573	-1.137	0.245	0.0	-0.0
0.0	Q5_pc Y		-0.175	1.748	0.162	-0.0	0.0
0.0	Q5_ps X		1.528	-1.062	0.209	0.0	-0.0
0.0	Q5_ps Y		-0.111	1.687	0.112	-0.0	0.0
0.0							
	INVSLU	Max	0.842	3.691	-21.366	0.0	0.0
0.0		Min	-11.620	-12.885	-99.347	-0.0	0.0
-0.0							
	INVSLE	Max	0.681	2.210	-16.348	0.0	0.0
0.0		Min	-8.340	-9.836	-74.079	-0.0	0.0
-0.0							
5757	C1-C2;~1	Max	1.371	4.798	18.063	0.0	0.0
0.0		Min	-3.932	-3.703	-35.006	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.473	4.983	18.548	0.0	0.0
0.0		Min	-5.572	-4.696	-37.947	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.739	2.451	9.023	0.0	0.0
0.0		Min	-2.081	-1.897	-19.258	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	0.800	2.617	9.267	0.0	0.0
-0.0		Min	-2.928	-2.325	-20.293	-0.0	-0.0
-0.0	G1		-3.088	1.492	-17.700	0.0	0.0
-0.0	G2		-1.263	0.557	-6.836	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.569	-1.155	0.228	-0.0	0.0
0.0	Q5_pc Y		-0.190	1.747	0.150	0.0	-0.0
0.0	Q5_ps X		1.523	-1.080	0.194	-0.0	-0.0
0.0	Q5_ps Y		-0.126	1.686	0.100	0.0	-0.0
0.0	INVSLU	Max	0.654	3.718	-20.354	0.0	0.0
-0.0		Min	-11.680	-12.492	-97.032	-0.0	0.0
0.0	INVSLE	Max	0.544	2.226	-15.575	0.0	0.0
-0.0		Min	-8.383	-9.549	-72.343	-0.0	0.0
5758	C1-C2;~1	Max	1.316	4.773	17.814	0.0	0.0
0.0		Min	-3.929	-3.595	-34.215	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.412	4.893	18.290	0.0	0.0
0.0		Min	-5.530	-4.540	-37.061	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.710	2.411	8.928	0.0	0.0
0.0		Min	-2.085	-1.848	-18.816	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.768	2.568	9.168	0.0	0.0
0.0		Min	-2.910	-2.258	-19.815	-0.0	-0.0
-0.0	G1		-3.150	1.621	-17.235	0.0	0.0
-0.0	G2		-1.286	0.607	-6.656	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.563	-1.175	0.208	-0.0	0.0
0.0	Q5_pc Y		-0.204	1.746	0.139	0.0	-0.0
0.0	Q5_ps X		1.517	-1.099	0.176	-0.0	0.0
0.0	Q5_ps Y		-0.142	1.684	0.090	0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	0.477	3.756	-19.184	0.0	0.0
		Min	-11.708	-12.121	-94.283	-0.0	0.0
-0.0							
0.0	INVS LE	Max	0.415	2.250	-14.682	0.0	0.0
		Min	-8.402	-9.278	-70.283	-0.0	0.0
-0.0							
5759 0.0	C1-C2;~1	Max	1.262	4.756	17.532	0.0	0.0
		Min	-3.906	-3.490	-33.342	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.353	4.810	17.997	0.0	0.0
		Min	-5.462	-4.379	-36.093	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.681	2.374	8.814	0.0	0.0
		Min	-2.075	-1.801	-18.330	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.736	2.522	9.050	0.0	0.0
		Min	-2.877	-2.188	-19.295	-0.0	-0.0
-0.0							
-0.0	G1		-3.185	1.766	-16.715	0.0	0.0
-0.0	G2		-1.298	0.665	-6.453	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.553	-1.198	0.189	-0.0	0.0
0.0	Q5_pc Y		-0.218	1.747	0.129	0.0	-0.0
0.0	Q5_ps X		1.506	-1.121	0.159	-0.0	0.0
0.0	Q5_ps Y		-0.156	1.684	0.081	0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.364	3.814	-17.868	0.0	0.0
		Min	-11.660	-11.735	-91.230	-0.0	0.0
-0.0							
0.0	INVS LE	Max	0.312	2.287	-13.678	0.0	0.0
		Min	-8.366	-8.997	-67.995	-0.0	0.0
-0.0							
5760 0.0	C1-C2;~1	Max	1.212	4.747	17.204	0.0	0.0
		Min	-3.860	-3.395	-32.384	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.301	4.738	17.656	0.0	0.0
		Min	-5.370	-4.219	-35.024	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.653	2.413	8.677	0.0	0.0
-0.0		Min	-2.052	-1.758	-17.798	-0.0	-0.0
0.0	C3-C4;~2	Max	0.706	2.480	8.907	0.0	0.0
-0.0		Min	-2.828	-2.118	-18.722	-0.0	-0.0
-0.0	G1		-3.190	1.926	-16.136	0.0	0.0
-0.0	G2		-1.298	0.728	-6.226	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.539	-1.224	0.169	-0.0	0.0
0.0	Q5_pc Y		-0.230	1.748	0.120	0.0	-0.0
0.0	Q5_ps X		1.492	-1.147	0.141	-0.0	0.0
0.0	Q5_ps Y		-0.169	1.685	0.073	0.0	-0.0
0.0	INVSLU	Max	0.289	3.912	-16.445	0.0	0.0
-0.0		Min	-11.538	-11.339	-87.868	-0.0	0.0
0.0	INVSLE	Max	0.242	2.354	-12.593	0.0	0.0
-0.0		Min	-8.277	-8.710	-65.476	-0.0	0.0
5761	C1-C2;~1	Max	1.158	4.775	16.837	0.0	0.0
0.0		Min	-3.797	-3.312	-31.334	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.247	4.680	17.277	0.0	0.0
-0.0		Min	-5.256	-4.070	-33.872	-0.0	-0.0
0.0	C1-C2;~2	Max	0.622	2.423	8.519	0.0	0.0
-0.0		Min	-2.019	-1.720	-17.214	-0.0	-0.0
0.0	C3-C4;~2	Max	0.675	2.444	8.743	0.0	0.0
-0.0		Min	-2.767	-2.053	-18.104	-0.0	-0.0
-0.0	G1		-3.179	2.085	-15.501	-0.0	0.0
-0.0	G2		-1.292	0.791	-5.976	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.523	-1.252	0.149	0.0	-0.0
0.0	Q5_pc Y		-0.242	1.749	0.114	-0.0	0.0
0.0	Q5_ps X		1.476	-1.174	0.123	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.181	1.686	0.067	-0.0	0.0
0.0	INVSLE Max		0.235	4.127	-14.922	0.0	0.0
-0.0	INVSLE Min		-11.355	-10.962	-84.242	-0.0	0.0
0.0	INVSLE Max		0.188	2.507	-11.432	0.0	0.0
-0.0	INVSLE Min		-8.143	-8.437	-62.759	-0.0	0.0
5762	C1-C2;~1 Max		1.114	4.814	16.441	0.0	0.0
0.0	C1-C2;~1 Min		-3.760	-3.247	-30.228	-0.0	-0.0
-0.0	C3-C4;~1 Max		1.201	4.634	16.866	0.0	0.0
0.0	C3-C4;~1 Min		-5.167	-3.946	-32.646	-0.0	-0.0
-0.0	C1-C2;~2 Max		0.596	2.448	8.345	0.0	0.0
0.0	C1-C2;~2 Min		-2.000	-1.689	-16.600	-0.0	-0.0
-0.0	C3-C4;~2 Max		0.647	2.413	8.563	0.0	0.0
0.0	C3-C4;~2 Min		-2.720	-1.998	-17.445	-0.0	-0.0
-0.0	G1		-3.187	2.209	-14.819	0.0	0.0
-0.0	G2		-1.293	0.841	-5.713	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.508	-1.278	0.128	-0.0	0.0
0.0	Q5_pc Y		-0.258	1.748	0.111	0.0	-0.0
0.0	Q5_ps X		1.460	-1.200	0.103	-0.0	0.0
0.0	Q5_ps Y		-0.198	1.684	0.065	0.0	-0.0
0.0	INVSLE Max		0.183	4.317	-13.304	0.0	0.0
-0.0	INVSLE Min		-11.213	-10.655	-80.374	0.0	0.0
0.0	INVSLE Max		0.142	2.643	-10.195	0.0	0.0
-0.0	INVSLE Min		-8.037	-8.214	-59.860	0.0	0.0
5763	C1-C2;~1 Max		1.070	4.852	15.993	0.0	0.0
0.0	C1-C2;~1 Min		-3.716	-3.195	-29.026	-0.0	-0.0
-0.0	C3-C4;~1 Max		1.156	4.599	16.403	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.067	-3.833	-31.296	-0.0	-0.0
0.0	C1-C2;~2	Max	0.570	2.470	8.144	0.0	0.0
-0.0		Min	-1.978	-1.663	-15.934	-0.0	-0.0
0.0	C3-C4;~2	Max	0.619	2.388	8.354	0.0	0.0
-0.0		Min	-2.668	-1.948	-16.723	-0.0	-0.0
-0.0		G1	-3.186	2.327	-14.074	0.0	0.0
-0.0		G2	-1.290	0.888	-5.423	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.491	-1.306	0.103	-0.0	0.0
0.0	Q5_pc Y		-0.273	1.748	0.109	0.0	-0.0
0.0	Q5_ps X		1.442	-1.227	0.081	-0.0	0.0
0.0	Q5_ps Y		-0.214	1.683	0.063	0.0	-0.0
0.0	INVSLU	Max	0.146	4.485	-11.611	0.0	0.0
-0.0		Min	-11.037	-10.386	-76.200	0.0	0.0
0.0	INVSLE	Max	0.118	2.762	-8.902	0.0	0.0
-0.0		Min	-7.906	-8.020	-56.731	0.0	0.0
5764	C1-C2;~1	Max	1.024	4.900	15.512	0.0	0.0
0.0		Min	-3.654	-3.155	-27.761	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.108	4.583	15.906	0.0	0.0
-0.0		Min	-4.947	-3.733	-29.892	-0.0	-0.0
0.0	C1-C2;~2	Max	0.543	2.497	7.925	0.0	0.0
-0.0		Min	-1.946	-1.643	-15.233	-0.0	-0.0
0.0	C3-C4;~2	Max	0.591	2.370	8.127	0.0	0.0
-0.0		Min	-2.605	-1.903	-15.970	-0.0	-0.0
-0.0		G1	-3.166	2.452	-13.293	0.0	0.0
-0.0		G2	-1.280	0.938	-5.119	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.471	-1.337	0.080	-0.0	0.0
0.0	Q5_pc Y		-0.286	1.749	0.109	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q5_ps X		1.422	-1.258	0.059	-0.0	0.0
0.0	Q5_ps Y		-0.229	1.683	0.063	0.0	-0.0
0.0							
0.0	INVS LU	Max	0.130	4.655	-9.844	0.0	0.0
0.0		Min	-10.802	-10.148	-71.867	0.0	0.0
-0.0							
0.0	INVS LE	Max	0.110	2.882	-7.553	0.0	0.0
0.0		Min	-7.732	-7.849	-53.481	0.0	0.0
-0.0							
5765	C1-C2;~1	Max	0.975	4.961	14.983	0.0	0.0
0.0		Min	-3.569	-3.127	-26.417	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.058	4.678	15.359	0.0	0.0
0.0		Min	-4.802	-3.653	-28.393	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.514	2.530	7.680	0.0	0.0
0.0		Min	-1.901	-1.627	-14.491	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.561	2.363	7.874	0.0	0.0
0.0		Min	-2.528	-1.866	-15.168	-0.0	-0.0
-0.0							
-0.0	G1		-3.122	2.586	-12.464	0.0	0.0
-0.0	G2		-1.260	0.992	-4.795	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.447	-1.372	0.055	-0.0	0.0
0.0	Q5_pc Y		-0.298	1.751	0.110	0.0	-0.0
0.0	Q5_ps X		1.398	-1.292	0.037	-0.0	0.0
0.0	Q5_ps Y		-0.242	1.684	0.064	0.0	-0.0
0.0							
0.0	INVS LU	Max	0.139	4.832	-8.050	0.0	0.0
0.0		Min	-10.500	-9.948	-67.313	0.0	0.0
-0.0							
0.0	INVS LE	Max	0.120	3.005	-6.183	0.0	0.0
0.0		Min	-7.509	-7.709	-50.067	0.0	0.0
-0.0							
5766	C1-C2;~1	Max	0.925	5.028	14.415	0.0	0.0
0.0		Min	-3.467	-3.113	-25.007	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.006	4.742	14.773	0.0	0.0
-0.0		Min	-4.636	-3.599	-26.856	-0.0	-0.0
0.0	C1-C2;~2	Max	0.485	2.565	7.412	0.0	0.0
-0.0		Min	-1.847	-1.616	-13.711	-0.0	-0.0
0.0	C3-C4;~2	Max	0.530	2.386	7.598	0.0	0.0
-0.0		Min	-2.439	-1.840	-14.345	-0.0	-0.0
-0.0	G1		-3.059	2.718	-11.611	0.0	0.0
-0.0	G2		-1.233	1.045	-4.460	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.421	-1.408	0.033	0.0	-0.0
0.0	Q5_pc Y		-0.310	1.753	0.112	-0.0	0.0
0.0	Q5_ps X		1.371	-1.328	0.017	0.0	-0.0
0.0	Q5_ps Y		-0.255	1.684	0.067	-0.0	0.0
0.0	INVS LU	Max	0.182	5.003	-6.274	0.0	0.0
-0.0		Min	-10.127	-9.798	-62.674	0.0	0.0
0.0	INVS LE	Max	0.155	3.124	-4.826	0.0	0.0
-0.0		Min	-7.234	-7.606	-46.589	0.0	0.0
5768	C1-C2;~1	Max	0.850	5.113	13.121	0.0	0.0
0.0		Min	-3.278	-3.097	-21.962	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.929	4.886	13.438	0.0	0.0
-0.0		Min	-4.308	-3.534	-23.520	-0.0	-0.0
0.0	C1-C2;~2	Max	0.436	2.606	6.790	0.0	0.0
-0.0		Min	-1.745	-1.601	-12.031	-0.0	-0.0
0.0	C3-C4;~2	Max	0.478	2.460	6.956	0.0	0.0
-0.0		Min	-2.264	-1.804	-12.559	-0.0	-0.0
-0.0	G1		-2.906	2.930	-9.787	0.0	0.0
-0.0	G2		-1.168	1.130	-3.755	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.365	-1.482	-0.006	-0.0	0.0
0.0	Q5_pc Y		-0.340	1.750	0.115	0.0	-0.0
0.0	Q5_ps X		1.314	-1.401	-0.018	-0.0	0.0
0.0	Q5_ps Y		-0.288	1.679	0.072	0.0	-0.0
0.0	INVSLU	Max	0.395	5.214	-2.928	0.0	0.0
-0.0		Min	-9.265	-9.609	-53.027	0.0	0.0
0.0	INVSLE	Max	0.325	3.266	-2.274	0.0	0.0
-0.0		Min	-6.593	-7.481	-39.370	0.0	0.0
5769	C1-C2;~1	Max	0.886	5.072	13.805	0.0	0.0
0.0		Min	-3.376	-3.100	-23.532	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.966	4.815	14.144	0.0	0.0
0.0		Min	-4.476	-3.558	-25.246	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.460	2.587	7.121	0.0	0.0
0.0		Min	-1.798	-1.607	-12.897	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.503	2.422	7.298	0.0	0.0
0.0		Min	-2.354	-1.819	-13.482	-0.0	-0.0
-0.0	G1		-2.989	2.831	-10.719	0.0	0.0
-0.0	G2		-1.203	1.090	-4.116	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.394	-1.444	0.014	-0.0	0.0
0.0	Q5_pc Y		-0.325	1.751	0.114	0.0	-0.0
0.0	Q5_ps X		1.344	-1.363	-0.000	-0.0	0.0
0.0	Q5_ps Y		-0.271	1.682	0.070	0.0	-0.0
0.0	INVSLU	Max	0.278	5.130	-4.537	0.0	0.0
-0.0		Min	-9.714	-9.674	-57.918	0.0	0.0
0.0	INVSLE	Max	0.232	3.211	-3.500	0.0	0.0
-0.0		Min	-6.927	-7.521	-43.027	0.0	0.0
5770	C1-C2;~1	Max	0.816	5.157	12.386	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.172	-3.108	-20.336	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.894	4.963	12.682	0.0	0.0
0.0		Min	-4.131	-3.526	-21.759	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.413	2.626	6.429	0.0	0.0
0.0		Min	-1.687	-1.601	-11.134	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.453	2.512	6.584	0.0	0.0
0.0		Min	-2.170	-1.796	-11.616	-0.0	-0.0
-0.0							
-0.0	G1		-2.811	3.019	-8.851	0.0	0.0
-0.0	G2		-1.129	1.167	-3.392	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.333	-1.523	-0.019	-0.0	0.0
0.0	Q5_pc Y		-0.354	1.751	0.114	0.0	-0.0
0.0	Q5_ps X		1.283	-1.441	-0.030	-0.0	0.0
0.0	Q5_ps Y		-0.303	1.678	0.074	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.519	5.256	-1.458	0.0	0.0
0.0		Min	-8.793	-9.618	-48.158	0.0	0.0
-0.0							
0.0	INVSLE	Max	0.422	3.287	-1.154	0.0	0.0
0.0		Min	-6.244	-7.496	-35.732	0.0	0.0
-0.0							
5771	C1-C2;~1	Max	0.783	5.206	11.583	0.0	0.0
0.0		Min	-3.052	-3.131	-18.649	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.859	5.047	11.856	0.0	0.0
0.0		Min	-3.942	-3.535	-19.922	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.390	2.647	6.030	0.0	0.0
0.0		Min	-1.622	-1.607	-10.205	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.430	2.552	6.173	0.0	0.0
0.0		Min	-2.068	-1.795	-10.633	-0.0	-0.0
-0.0							
-0.0	G1		-2.700	3.099	-7.906	0.0	0.0
-0.0	G2		-1.083	1.200	-3.026	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.298	-1.568	-0.031	-0.0	0.0
0.0	Q5_pc Y		-0.366	1.753	0.112	0.0	-0.0
0.0	Q5_ps X		1.248	-1.485	-0.040	-0.0	0.0
0.0	Q5_ps Y		-0.317	1.678	0.073	0.0	-0.0
0.0	INVSLE	Max	0.654	5.261	-0.167	0.0	0.0
-0.0		Min	-8.288	-9.693	-43.267	0.0	0.0
0.0	INVSLE	Max	0.528	3.280	-0.172	0.0	0.0
-0.0		Min	-5.871	-7.563	-32.083	0.0	0.0
5772	C1-C2;~1	Max	0.767	5.252	10.731	0.0	0.0
0.0		Min	-2.918	-3.161	-16.933	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.833	5.194	10.980	0.0	0.0
-0.0		Min	-3.733	-3.554	-18.093	-0.0	-0.0
0.0	C1-C2;~2	Max	0.380	2.666	5.601	0.0	0.0
-0.0		Min	-1.548	-1.615	-9.260	-0.0	-0.0
0.0	C3-C4;~2	Max	0.412	2.592	5.732	0.0	0.0
-0.0		Min	-1.955	-1.799	-9.654	-0.0	-0.0
-0.0	G1		-2.567	3.171	-6.995	0.0	0.0
-0.0	G2		-1.029	1.230	-2.672	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.261	-1.615	-0.036	0.0	-0.0
0.0	Q5_pc Y		-0.379	1.754	0.110	-0.0	0.0
0.0	Q5_ps X		1.211	-1.531	-0.043	0.0	-0.0
0.0	Q5_ps Y		-0.331	1.677	0.073	-0.0	0.0
0.0	INVSLE	Max	0.836	5.244	0.912	0.0	0.0
-0.0		Min	-7.711	-9.802	-38.534	0.0	-0.0
0.0	INVSLE	Max	0.668	3.257	0.649	0.0	0.0
-0.0		Min	-5.445	-7.655	-28.556	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5773	C1-C2;~1	Max	0.794	5.306	9.836	0.0	0.0
0.0		Min	-2.775	-3.179	-15.192	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.850	5.314	10.062	0.0	0.0
0.0		Min	-3.512	-3.565	-16.237	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.396	2.695	5.148	0.0	0.0
0.0		Min	-1.469	-1.618	-8.303	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.420	2.623	5.267	0.0	0.0
0.0		Min	-1.835	-1.799	-8.660	-0.0	-0.0
-0.0							
	G1		-2.396	3.246	-6.088	0.0	0.0
-0.0							
	G2		-0.960	1.261	-2.324	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.222	-1.663	-0.039	-0.0	0.0
0.0							
	Q5_pc Y		-0.395	1.752	0.107	0.0	-0.0
0.0							
	Q5_ps X		1.172	-1.579	-0.045	-0.0	0.0
0.0							
	Q5_ps Y		-0.349	1.673	0.073	0.0	-0.0
0.0							
	INVSLU	Max	1.161	5.294	1.844	0.0	0.0
0.0		Min	-7.006	-9.847	-33.852	0.0	0.0
-0.0							
	INVSLE	Max	0.915	3.284	1.358	0.0	0.0
0.0		Min	-4.922	-7.697	-25.069	0.0	0.0
-0.0							
5774	C1-C2;~1	Max	0.833	5.359	8.861	0.0	0.0
0.0		Min	-2.632	-3.204	-13.422	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.885	5.425	9.062	0.0	0.0
0.0		Min	-3.289	-3.585	-14.320	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.421	2.727	4.649	0.0	0.0
0.0		Min	-1.389	-1.624	-7.331	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.441	2.697	4.755	0.0	0.0
0.0		Min	-1.714	-1.803	-7.637	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-2.219	3.288	-5.213	0.0	0.0
-0.0	G2	-0.888	1.279	-1.987	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.181	-1.712	-0.042	-0.0	0.0
0.0	Q5_pc Y	-0.411	1.752	0.102	0.0	-0.0
0.0	Q5_ps X	1.133	-1.627	-0.046	-0.0	0.0
0.0	Q5_ps Y	-0.366	1.670	0.072	0.0	-0.0
0.0	INVS LU Max	1.515	5.344	2.473	0.0	0.0
-0.0	Min	-6.283	-9.972	-29.277	0.0	0.0
0.0	INVS LE Max	1.206	3.313	1.837	0.0	0.0
-0.0	Min	-4.386	-7.800	-21.668	0.0	0.0
5775	C1-C2;~1 Max	0.869	5.387	7.833	0.0	0.0
0.0	Min	-2.499	-3.246	-11.657	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.917	5.581	8.010	0.0	0.0
0.0	Min	-3.079	-3.623	-12.430	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.442	2.743	4.118	0.0	0.0
0.0	Min	-1.314	-1.638	-6.363	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.459	2.774	4.212	0.0	0.0
0.0	Min	-1.599	-1.814	-6.627	-0.0	-0.0
-0.0	G1	-2.050	3.278	-4.405	0.0	0.0
-0.0	G2	-0.820	1.278	-1.676	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.142	-1.761	-0.039	-0.0	0.0
-0.0	Q5_pc Y	-0.422	1.757	0.098	-0.0	0.0
0.0	Q5_ps X	1.094	-1.675	-0.043	-0.0	0.0
0.0	Q5_ps Y	-0.380	1.673	0.070	-0.0	-0.0
0.0	INVS LU Max	1.843	5.336	2.807	0.0	0.0
-0.0	Min	-5.607	-10.260	-24.963	0.0	-0.0
0.0	INVS LE Max	1.480	3.294	2.093	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.886	-8.023	-18.464	0.0	-0.0
-0.0							
5776	C1-C2;~1	Max	0.854	5.405	6.741	0.0	0.0
0.0		Min	-2.386	-3.277	-9.912	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.901	5.754	6.894	0.0	0.0
0.0		Min	-2.894	-3.650	-10.537	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.433	2.754	3.550	0.0	0.0
0.0		Min	-1.252	-1.647	-5.408	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.449	2.865	3.631	0.0	0.0
0.0		Min	-1.499	-1.822	-5.617	-0.0	-0.0
-0.0							
-0.0	G1		-1.950	3.280	-3.668	0.0	0.0
-0.0	G2		-0.778	1.283	-1.391	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.103	-1.809	-0.035	-0.0	0.0
0.0	Q5_pc Y		-0.424	1.763	0.092	-0.0	0.0
-0.0	Q5_ps X		1.055	-1.723	-0.038	-0.0	0.0
0.0	Q5_ps Y		-0.385	1.675	0.066	-0.0	0.0
-0.0							
0.0	INVSLU	Max	1.937	5.444	2.815	0.0	0.0
0.0		Min	-5.172	-10.510	-20.882	0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.550	3.361	2.103	0.0	0.0
0.0		Min	-3.569	-8.215	-15.438	0.0	-0.0
-0.0							
5777	C1-C2;~1	Max	0.841	5.520	5.629	0.0	0.0
0.0		Min	-2.273	-3.315	-8.188	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.898	5.919	5.760	0.0	0.0
0.0		Min	-2.707	-3.682	-8.698	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.422	2.797	2.969	0.0	0.0
0.0		Min	-1.190	-1.660	-4.465	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.449	2.951	3.038	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-1.399	-1.831	-4.635	-0.0	-0.0
-0.0	G1		-1.845	3.264	-2.986	0.0	0.0
-0.0	G2		-0.734	1.281	-1.128	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.065	-1.857	-0.025	-0.0	0.0
0.0	Q5_pc Y		-0.425	1.772	0.085	-0.0	0.0
-0.0	Q5_ps X		1.018	-1.769	-0.028	0.0	0.0
0.0	Q5_ps Y		-0.388	1.680	0.063	-0.0	0.0
-0.0							
	INVSLU	Max	2.059	5.499	2.644	0.0	0.0
0.0		Min	-4.727	-10.805	-17.028	0.0	-0.0
-0.0							
	INVSLE	Max	1.640	3.388	1.978	0.0	0.0
0.0		Min	-3.244	-8.441	-12.582	0.0	-0.0
-0.0							
5778	C1-C2;~1	Max	0.845	5.592	4.544	0.0	0.0
0.0		Min	-2.159	-3.367	-6.551	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.907	6.074	4.656	0.0	0.0
0.0		Min	-2.521	-3.711	-6.941	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.426	2.834	2.399	0.0	0.0
0.0		Min	-1.127	-1.685	-3.570	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.455	3.031	2.459	0.0	0.0
0.0		Min	-1.298	-1.840	-3.698	-0.0	-0.0
-0.0							
	G1		-1.727	3.250	-2.358	0.0	0.0
-0.0							
	G2		-0.685	1.280	-0.889	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.030	-1.900	-0.015	0.0	0.0
0.0							
	Q5_pc Y		-0.425	1.782	0.080	-0.0	0.0
-0.0							
	Q5_ps X		0.983	-1.813	-0.018	0.0	0.0
0.0							
	Q5_ps Y		-0.391	1.686	0.060	-0.0	0.0
-0.0							
	INVSLU	Max	2.239	5.561	2.359	0.0	0.0
0.0		Min	-4.244	-11.069	-13.441	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	1.774	3.422	1.766	0.0	0.0
-0.0		Min	-2.890	-8.643	-9.927	0.0	-0.0
5779	C1-C2;~1	Max	0.855	5.650	3.410	0.0	0.0
0.0		Min	-2.048	-3.421	-4.927	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.918	6.210	3.501	0.0	0.0
-0.0		Min	-2.341	-3.763	-5.178	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.434	2.862	1.801	0.0	0.0
0.0		Min	-1.066	-1.712	-2.684	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.461	3.101	1.851	0.0	0.0
-0.0		Min	-1.201	-1.866	-2.759	-0.0	-0.0
-0.0	G1		-1.607	3.215	-1.782	0.0	0.0
-0.0	G2		-0.635	1.271	-0.670	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.997	-1.942	-0.007	0.0	0.0
-0.0	Q5_pc Y		-0.423	1.795	0.072	-0.0	-0.0
0.0	Q5_ps X		0.950	-1.854	-0.010	0.0	0.0
-0.0	Q5_ps Y		-0.392	1.694	0.056	0.0	-0.0
0.0	INVSLE	Max	2.433	5.561	1.824	0.0	0.0
-0.0		Min	-3.760	-11.397	-10.022	-0.0	-0.0
0.0	INVSLE	Max	1.918	3.410	1.366	0.0	0.0
-0.0		Min	-2.536	-8.893	-7.399	-0.0	-0.0
5780	C1-C2;~1	Max	0.868	5.689	2.250	0.0	0.0
0.0		Min	-1.945	-3.491	-3.338	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.929	6.322	2.322	0.0	0.0
-0.0		Min	-2.177	-3.819	-3.464	-0.0	-0.0
0.0	C1-C2;~2	Max	0.445	2.880	1.187	0.0	0.0
-0.0		Min	-1.009	-1.749	-1.817	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	0.469	3.159	1.227	0.0	0.0
-0.0		Min	-1.112	-1.893	-1.847	-0.0	-0.0
-0.0	G1		-1.491	3.153	-1.277	0.0	0.0
-0.0	G2		-0.587	1.251	-0.478	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.965	-1.981	0.003	0.0	0.0
-0.0	Q5_pc Y		-0.419	1.811	0.064	0.0	-0.0
0.0	Q5_ps X		0.919	-1.893	0.001	0.0	0.0
-0.0	Q5_ps Y		-0.390	1.706	0.050	0.0	-0.0
0.0	INVSLU	Max	2.630	5.480	1.065	0.0	0.0
-0.0		Min	-3.301	-11.776	-6.861	-0.0	-0.0
0.0	INVSLE	Max	2.065	3.338	0.798	0.0	0.0
-0.0		Min	-2.199	-9.180	-5.065	-0.0	-0.0
5781	C1-C2;~1	Max	0.896	5.711	1.068	0.0	0.0
0.0		Min	-1.851	-3.585	-1.759	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.942	6.407	1.117	0.0	0.0
0.0		Min	-2.031	-3.901	-1.763	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.461	2.889	0.560	0.0	0.0
0.0		Min	-0.956	-1.803	-0.957	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.477	3.202	0.588	0.0	0.0
0.0		Min	-1.032	-1.939	-0.936	-0.0	-0.0
-0.0	G1		-1.378	3.068	-0.798	0.0	0.0
-0.0	G2		-0.541	1.222	-0.297	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.937	-2.018	0.012	-0.0	-0.0
-0.0	Q5_pc Y		-0.414	1.829	0.052	-0.0	-0.0
0.0	Q5_ps X		0.890	-1.930	0.010	-0.0	-0.0
-0.0	Q5_ps Y		-0.386	1.721	0.041	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.841	5.328	0.158	0.0	0.0
		Min	-2.858	-12.221	-3.823	-0.0	0.0
-0.0							
0.0	INVS LE	Max	2.223	3.214	0.117	0.0	0.0
		Min	-1.873	-9.516	-2.825	-0.0	0.0
-0.0							
5782 0.0	C1-C2;~1	Max	0.944	5.717	0.000	0.0	0.0
		Min	-1.757	-3.670	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.961	6.463	0.000	0.0	0.0
		Min	-1.897	-4.000	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.488	2.890	0.000	0.0	0.0
		Min	-0.903	-1.852	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.490	3.229	0.000	0.0	0.0
		Min	-0.959	-1.996	0.000	-0.0	-0.0
-0.0							
-0.0	G1		-1.248	2.970	0.000	-0.0	0.0
-0.0	G2		-0.490	1.187	0.000	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.910	-2.052	0.000	0.0	0.0
0.0	Q5_pc Y		-0.407	1.849	0.000	0.0	-0.0
-0.0	Q5_ps X		0.864	-1.963	0.000	0.0	0.0
0.0	Q5_ps Y		-0.380	1.739	0.000	0.0	-0.0
-0.0							
0.0	INVS LU	Max	3.121	5.135	0.000	0.0	0.0
		Min	-2.376	-12.683	0.000	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.434	3.063	0.000	0.0	0.0
		Min	-1.517	-9.863	0.000	-0.0	-0.0
-0.0							
5783 0.0	C1-C2;~1	Max	1.020	5.727	1.114	0.0	0.0
		Min	-1.656	-3.725	-1.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.994	6.507	1.300	0.0	0.0
		Min	-1.768	-4.080	-1.596	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.531	2.895	0.600	0.0	0.0
		Min	-0.841	-1.882	-0.915	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.511	3.252	0.686	0.0	0.0
		Min	-0.886	-2.043	-0.869	-0.0	-0.0
-0.0							
-0.0	G1		-1.089	2.912	-0.628	-0.0	-0.0
-0.0	G2		-0.429	1.165	-0.230	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.885	-2.083	0.041	0.0	0.0
0.0	Q5_pc Y		-0.400	1.869	0.032	0.0	0.0
-0.0	Q5_ps X		0.840	-1.994	0.037	0.0	0.0
0.0	Q5_ps Y		-0.373	1.758	0.022	0.0	-0.0
-0.0							
0.0	INVSLU	Max	3.552	5.060	0.036	-0.0	0.0
		Min	-1.805	-12.982	-4.049	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.759	3.002	-0.006	-0.0	0.0
		Min	-1.091	-10.085	-3.026	-0.0	-0.0
-0.0							
5784	C1-C2;~1	Max	1.103	5.731	2.344	0.0	0.0
0.0		Min	-1.565	-3.760	-3.165	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.055	6.530	2.690	0.0	0.0
		Min	-1.660	-4.150	-3.057	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.578	2.897	1.265	0.0	0.0
		Min	-0.792	-1.901	-1.730	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.544	3.266	1.422	0.0	0.0
		Min	-0.823	-2.084	-1.663	-0.0	-0.0
-0.0							
-0.0	G1		-0.945	2.871	-0.930	-0.0	-0.0
-0.0	G2		-0.374	1.148	-0.342	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.864	-2.112	0.059	0.0	0.0
0.0	Q5_pc Y		-0.392	1.890	0.030	0.0	-0.0
-0.0	Q5_ps X		0.819	-2.022	0.053	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.362	1.780	0.016	0.0	-0.0
0.0	INVS LU Max		4.008	5.020	0.838	0.0	0.0
-0.0	Min		-1.276	-13.200	-7.172	-0.0	-0.0
0.0	INVS LE Max		3.103	2.969	0.562	0.0	0.0
-0.0	Min		-0.696	-10.246	-5.364	-0.0	-0.0
5785 0.0	C1-C2;~1 Max		1.189	5.723	3.535	0.0	0.0
-0.0	Min		-1.494	-3.785	-4.655	-0.0	-0.0
0.0	C3-C4;~1 Max		1.118	6.533	4.029	0.0	0.0
-0.0	Min		-1.583	-4.218	-4.514	-0.0	-0.0
0.0	C1-C2;~2 Max		0.626	2.894	1.909	0.0	0.0
-0.0	Min		-0.747	-1.913	-2.545	-0.0	-0.0
0.0	C3-C4;~2 Max		0.578	3.267	2.131	0.0	0.0
-0.0	Min		-0.778	-2.123	-2.458	-0.0	-0.0
-0.0	G1		-0.817	2.828	-1.262	-0.0	-0.0
-0.0	G2		-0.326	1.130	-0.466	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.844	-2.137	0.075	0.0	0.0
-0.0	Q5_pc Y		-0.381	1.913	0.021	0.0	-0.0
0.0	Q5_ps X		0.801	-2.047	0.068	0.0	0.0
-0.0	Q5_ps Y		-0.350	1.805	0.005	0.0	-0.0
0.0	INVS LU Max		4.447	4.964	1.462	0.0	0.0
-0.0	Min		-0.815	-13.397	-10.397	-0.0	-0.0
0.0	INVS LE Max		3.435	2.926	0.996	0.0	0.0
-0.0	Min		-0.350	-10.389	-7.778	-0.0	-0.0
5786 0.0	C1-C2;~1 Max		1.274	5.704	4.678	0.0	0.0
-0.0	Min		-1.448	-3.804	-6.156	-0.0	-0.0
0.0	C3-C4;~1 Max		1.178	6.517	5.319	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.554	-4.282	-5.985	-0.0	-0.0
0.0	C1-C2;~2	Max	0.673	2.884	2.527	0.0	0.0
-0.0		Min	-0.718	-1.920	-3.369	-0.0	-0.0
0.0	C3-C4;~2	Max	0.611	3.260	2.814	0.0	0.0
-0.0		Min	-0.764	-2.160	-3.263	-0.0	-0.0
-0.0		G1	-0.709	2.781	-1.661	-0.0	-0.0
-0.0		G2	-0.286	1.109	-0.615	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.827	-2.160	0.093	0.0	0.0
-0.0	Q5_pc Y		-0.370	1.939	0.013	-0.0	-0.0
0.0	Q5_ps X		0.784	-2.069	0.084	0.0	0.0
-0.0	Q5_ps Y		-0.336	1.834	-0.005	-0.0	-0.0
0.0	INVSLU	Max	4.852	4.884	1.830	0.0	-0.0
-0.0		Min	-0.455	-13.583	-13.827	-0.0	-0.0
0.0	INVSLE	Max	3.742	2.866	1.239	0.0	-0.0
-0.0		Min	-0.079	-10.525	-10.347	-0.0	-0.0
5787	C1-C2;~1	Max	1.354	5.679	5.761	0.0	0.0
0.0		Min	-1.428	-3.814	-7.659	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.235	6.491	6.537	0.0	0.0
-0.0		Min	-1.540	-4.341	-7.452	-0.0	-0.0
0.0	C1-C2;~2	Max	0.718	2.872	3.112	0.0	0.0
-0.0		Min	-0.708	-1.923	-4.197	-0.0	-0.0
0.0	C3-C4;~2	Max	0.641	3.247	3.459	0.0	0.0
-0.0		Min	-0.758	-2.194	-4.068	-0.0	-0.0
-0.0		G1	-0.617	2.735	-2.115	-0.0	-0.0
-0.0		G2	-0.252	1.090	-0.786	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.812	-2.180	0.109	-0.0	0.0
0.0	Q5_pc Y		-0.356	1.967	-0.001	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps X		0.770	-2.088	0.099	-0.0	0.0
0.0	Q5_ps Y		-0.321	1.864	-0.021	-0.0	-0.0
-0.0							
	INVS LU	Max	5.224	4.799	1.939	0.0	-0.0
0.0		Min	-0.145	-13.748	-17.420	-0.0	-0.0
-0.0							
	INVS LE	Max	4.024	2.803	1.286	0.0	-0.0
0.0		Min	0.155	-10.645	-13.040	-0.0	-0.0
-0.0							
5788	C1-C2;~1	Max	1.428	5.660	6.802	0.0	0.0
0.0		Min	-1.416	-3.817	-9.166	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.286	6.473	7.713	0.0	0.0
0.0		Min	-1.546	-4.390	-8.916	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.760	2.863	3.675	0.0	0.0
0.0		Min	-0.703	-1.921	-5.029	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.668	3.239	4.081	0.0	0.0
0.0		Min	-0.766	-2.222	-4.874	-0.0	-0.0
-0.0							
	G1		-0.531	2.707	-2.606	-0.0	-0.0
-0.0							
	G2		-0.219	1.077	-0.974	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.800	-2.198	0.125	0.0	0.0
0.0	Q5_pc Y		-0.340	1.996	-0.014	-0.0	0.0
-0.0							
	Q5_ps X		0.758	-2.105	0.114	0.0	0.0
0.0	Q5_ps Y		-0.303	1.895	-0.038	-0.0	-0.0
-0.0							
	INVS LU	Max	5.584	4.769	1.864	0.0	-0.0
0.0		Min	0.129	-13.853	-21.147	-0.0	-0.0
-0.0							
	INVS LE	Max	4.298	2.781	1.195	0.0	-0.0
0.0		Min	0.364	-10.719	-15.833	-0.0	-0.0
-0.0							
5789	C1-C2;~1	Max	1.497	5.639	7.808	0.0	0.0
0.0		Min	-1.424	-3.830	-10.666	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.333	6.452	8.851	0.0	0.0
-0.0		Min	-1.558	-4.431	-10.383	-0.0	-0.0
0.0	C1-C2;~2	Max	0.798	2.853	4.219	0.0	0.0
-0.0		Min	-0.711	-1.929	-5.860	-0.0	-0.0
0.0	C3-C4;~2	Max	0.693	3.229	4.684	0.0	0.0
-0.0		Min	-0.776	-2.245	-5.683	-0.0	-0.0
-0.0	G1		-0.458	2.685	-3.136	-0.0	-0.0
-0.0	G2		-0.192	1.067	-1.178	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.789	-2.213	0.143	0.0	0.0
-0.0	Q5_pc Y		-0.323	2.026	-0.025	-0.0	-0.0
0.0	Q5_ps X		0.747	-2.121	0.130	0.0	0.0
-0.0	Q5_ps Y		-0.285	1.927	-0.050	-0.0	-0.0
0.0	INVSLU	Max	5.907	4.746	1.618	0.0	-0.0
-0.0		Min	0.363	-13.930	-24.988	-0.0	-0.0
0.0	INVSLE	Max	4.543	2.765	0.976	0.0	-0.0
-0.0		Min	0.542	-10.774	-18.713	-0.0	-0.0
5790	C1-C2;~1	Max	1.557	5.541	8.725	0.0	0.0
0.0		Min	-1.415	-3.834	-12.171	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.374	6.344	9.890	0.0	0.0
-0.0		Min	-1.550	-4.450	-11.845	-0.0	-0.0
0.0	C1-C2;~2	Max	0.831	2.797	4.714	0.0	0.0
-0.0		Min	-0.716	-1.933	-6.698	-0.0	-0.0
0.0	C3-C4;~2	Max	0.715	3.170	5.233	0.0	0.0
-0.0		Min	-0.782	-2.256	-6.493	-0.0	-0.0
0.0	G1		-0.315	2.597	-3.751	-0.0	-0.0
0.0	G2		-0.137	1.032	-1.414	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.780	-2.224	0.159	0.0	0.0
-0.0	Q5_pc Y		-0.307	2.061	-0.037	0.0	-0.0
0.0	Q5_ps X		0.739	-2.132	0.145	0.0	0.0
-0.0	Q5_ps Y		-0.268	1.963	-0.066	0.0	-0.0
0.0	INVS LU	Max	6.440	4.410	0.989	-0.0	-0.0
-0.0		Min	0.842	-14.167	-29.080	-0.0	-0.0
0.0	INVS LE	Max	4.949	2.514	0.469	-0.0	-0.0
-0.0		Min	0.906	-10.950	-21.783	-0.0	-0.0
5791	C1-C2;~1	Max	1.600	5.423	9.543	0.0	0.0
0.0		Min	-1.423	-3.824	-13.642	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.406	6.215	10.819	0.0	0.0
-0.0		Min	-1.563	-4.452	-13.279	-0.0	-0.0
0.0	C1-C2;~2	Max	0.854	2.731	5.155	0.0	0.0
-0.0		Min	-0.727	-1.929	-7.521	-0.0	-0.0
0.0	C3-C4;~2	Max	0.730	3.098	5.724	0.0	0.0
-0.0		Min	-0.795	-2.256	-7.292	-0.0	-0.0
0.0	G1		-0.218	2.507	-4.441	-0.0	-0.0
0.0	G2		-0.100	0.996	-1.679	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.775	-2.231	0.176	0.0	0.0
-0.0	Q5_pc Y		-0.290	2.097	-0.049	0.0	-0.0
0.0	Q5_ps X		0.733	-2.138	0.160	0.0	0.0
-0.0	Q5_ps Y		-0.250	2.001	-0.079	0.0	-0.0
0.0	INVS LU	Max	6.849	4.027	-0.040	-0.0	-0.0
-0.0		Min	1.184	-14.388	-33.379	-0.0	-0.0
0.0	INVS LE	Max	5.261	2.227	-0.338	-0.0	-0.0
-0.0		Min	1.168	-11.116	-25.010	-0.0	-0.0
5792	C1-C2;~1	Max	1.635	5.300	10.263	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.451	-3.802	-15.074	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.432	6.078	11.637	0.0	0.0
0.0		Min	-1.599	-4.443	-14.668	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.871	2.661	5.544	0.0	0.0
0.0		Min	-0.745	-1.919	-8.326	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.742	3.023	6.157	0.0	0.0
0.0		Min	-0.816	-2.252	-8.068	-0.0	-0.0
-0.0							
0.0	G1		-0.154	2.424	-5.178	-0.0	-0.0
0.0	G2		-0.074	0.964	-1.960	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.772	-2.235	0.192	-0.0	0.0
0.0	Q5_pc Y		-0.272	2.132	-0.063	-0.0	-0.0
-0.0							
0.0	Q5_ps X		0.730	-2.143	0.174	-0.0	0.0
0.0	Q5_ps Y		-0.232	2.037	-0.096	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.179	3.651	-1.413	0.0	-0.0
0.0		Min	1.423	-14.577	-37.818	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.513	1.945	-1.404	0.0	-0.0
0.0		Min	1.353	-11.258	-28.345	-0.0	-0.0
-0.0							
5793	C1-C2;~1	Max	1.673	5.210	10.895	0.0	0.0
0.0		Min	-1.514	-3.780	-16.449	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.469	5.979	12.356	0.0	0.0
0.0		Min	-1.679	-4.447	-15.994	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.888	2.611	5.885	0.0	0.0
0.0		Min	-0.777	-1.908	-9.103	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.756	2.968	6.537	0.0	0.0
0.0		Min	-0.856	-2.257	-8.813	-0.0	-0.0
-0.0							
0.0	G1		-0.104	2.376	-5.938	-0.0	-0.0
0.0	G2		-0.054	0.945	-2.255	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.769	-2.239	0.206	0.0	0.0
0.0	Q5_pc Y	-0.256	2.163	-0.079	-0.0	-0.0
-0.0	Q5_ps X	0.727	-2.147	0.187	0.0	0.0
0.0	Q5_ps Y	-0.215	2.068	-0.114	0.0	-0.0
-0.0						
	INVSLU Max	7.502	3.425	-3.065	-0.0	-0.0
0.0	Min	1.593	-14.680	-42.323	-0.0	-0.0
-0.0						
	INVSLE Max	5.761	1.777	-2.680	-0.0	-0.0
0.0	Min	1.487	-11.336	-31.732	-0.0	-0.0
-0.0						
5794	C1-C2;~1 Max	1.727	5.118	11.440	0.0	0.0
0.0	Min	-1.605	-3.740	-17.746	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.531	5.875	12.978	0.0	0.0
0.0	Min	-1.783	-4.433	-17.256	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.909	2.559	6.179	0.0	0.0
0.0	Min	-0.821	-1.888	-9.838	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.779	2.911	6.865	0.0	0.0
0.0	Min	-0.905	-2.252	-9.526	-0.0	-0.0
-0.0						
	G1	-0.073	2.347	-6.723	-0.0	-0.0
0.0	G2	-0.042	0.933	-2.559	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.767	-2.243	0.221	0.0	0.0
0.0	Q5_pc Y	-0.240	2.190	-0.093	0.0	-0.0
-0.0	Q5_ps X	0.725	-2.151	0.201	0.0	0.0
0.0	Q5_ps Y	-0.199	2.096	-0.130	0.0	-0.0
-0.0						
	INVSLU Max	7.805	3.234	-4.989	-0.0	0.0
0.0	Min	1.685	-14.719	-46.864	-0.0	-0.0
-0.0						
	INVSLE Max	5.994	1.635	-4.161	-0.0	0.0
0.0	Min	1.563	-11.365	-35.150	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5795	C1-C2;~1	Max	1.783	5.012	11.899	0.0	0.0
0.0		Min	-1.695	-3.681	-18.961	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.631	5.754	13.502	0.0	0.0
0.0		Min	-1.884	-4.397	-18.437	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.930	2.498	6.426	0.0	0.0
0.0		Min	-0.863	-1.856	-10.530	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.801	2.844	7.142	0.0	0.0
0.0		Min	-0.952	-2.235	-10.195	-0.0	-0.0
-0.0							
	G1		-0.062	2.331	-7.507	-0.0	-0.0
0.0							
	G2		-0.038	0.926	-2.862	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.766	-2.247	0.234	0.0	0.0
0.0							
	Q5_pc Y		-0.227	2.214	-0.110	0.0	-0.0
-0.0							
	Q5_ps X		0.723	-2.155	0.213	0.0	0.0
0.0							
	Q5_ps Y		-0.186	2.122	-0.147	0.0	-0.0
-0.0							
	INVSLU	Max	8.051	3.036	-7.139	-0.0	-0.0
0.0		Min	1.724	-14.712	-51.386	-0.0	-0.0
-0.0							
	INVSLE	Max	6.184	1.487	-5.813	-0.0	-0.0
0.0		Min	1.599	-11.361	-38.557	-0.0	-0.0
-0.0							
5796	C1-C2;~1	Max	1.824	4.892	12.283	0.0	0.0
0.0		Min	-1.777	-3.604	-20.087	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.708	5.616	13.942	0.0	0.0
0.0		Min	-1.975	-4.344	-19.541	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.945	2.430	6.633	0.0	0.0
0.0		Min	-0.901	-1.815	-11.174	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.842	2.767	7.374	0.0	0.0
0.0		Min	-0.995	-2.208	-10.822	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-0.069	2.325	-8.283	-0.0	-0.0
0.0	G2		-0.041	0.923	-3.161	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.765	-2.249	0.247	0.0	0.0
0.0	Q5_pc Y		-0.215	2.236	-0.126	0.0	-0.0
-0.0	Q5_ps X		0.722	-2.157	0.225	0.0	0.0
0.0	Q5_ps Y		-0.174	2.145	-0.164	0.0	-0.0
-0.0							
0.0	INVS LU	Max	8.221	2.826	-9.459	-0.0	-0.0
0.0		Min	1.716	-14.669	-55.843	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.316	1.330	-7.593	-0.0	-0.0
0.0		Min	1.599	-11.329	-41.919	-0.0	-0.0
-0.0							
5797	C1-C2;~1	Max	1.855	4.773	12.597	0.0	0.0
0.0		Min	-1.859	-3.520	-21.134	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.774	5.478	14.302	0.0	0.0
0.0		Min	-2.080	-4.283	-20.563	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.955	2.361	6.802	0.0	0.0
0.0		Min	-0.939	-1.770	-11.775	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.867	2.690	7.565	0.0	0.0
0.0		Min	-1.047	-2.176	-11.406	-0.0	-0.0
-0.0							
0.0	G1		-0.096	2.327	-9.038	-0.0	-0.0
0.0	G2		-0.051	0.923	-3.452	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.765	-2.251	0.258	0.0	0.0
0.0	Q5_pc Y		-0.205	2.255	-0.145	-0.0	-0.0
-0.0	Q5_ps X		0.722	-2.159	0.235	0.0	0.0
0.0	Q5_ps Y		-0.164	2.165	-0.183	0.0	-0.0
-0.0							
0.0	INVS LU	Max	8.326	2.643	-11.889	-0.0	-0.0
0.0		Min	1.637	-14.593	-60.193	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.398	1.193	-9.455	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	1.545	-11.273	-45.201	-0.0	-0.0
-0.0							
5798	C1-C2;~1	Max	1.879	4.682	12.852	0.0	0.0
0.0		Min	-1.955	-3.452	-22.107	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.843	5.371	14.594	0.0	0.0
0.0		Min	-2.223	-4.235	-21.500	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.959	2.309	6.939	0.0	0.0
0.0		Min	-0.983	-1.733	-12.337	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.892	2.631	7.719	0.0	0.0
0.0		Min	-1.123	-2.152	-11.944	-0.0	-0.0
-0.0							
0.0	G1		-0.143	2.334	-9.765	-0.0	-0.0
0.0	G2		-0.069	0.925	-3.735	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.766	-2.252	0.269	0.0	0.0
-0.0	Q5_pc Y		-0.196	2.272	-0.162	-0.0	-0.0
-0.0	Q5_ps X		0.723	-2.160	0.245	-0.0	0.0
0.0	Q5_ps Y		-0.154	2.183	-0.201	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.385	2.555	-14.347	-0.0	-0.0
0.0		Min	1.470	-14.503	-64.377	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.447	1.128	-11.335	-0.0	-0.0
0.0		Min	1.427	-11.205	-48.358	-0.0	-0.0
-0.0							
5799	C1-C2;~1	Max	1.897	4.593	13.053	0.0	0.0
0.0		Min	-2.053	-3.373	-22.999	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.917	5.266	14.827	0.0	0.0
0.0		Min	-2.367	-4.174	-22.369	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.962	2.257	7.047	0.0	0.0
0.0		Min	-1.028	-1.690	-12.855	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.923	2.572	7.841	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.199	-2.120	-12.446	-0.0	-0.0
-0.0	G1		-0.202	2.355	-10.470	0.0	-0.0
0.0	G2		-0.092	0.933	-4.010	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.767	-2.252	0.279	-0.0	0.0
-0.0	Q5_pc Y		-0.188	2.286	-0.178	-0.0	-0.0
-0.0	Q5_ps X		0.724	-2.161	0.254	-0.0	0.0
-0.0	Q5_ps Y		-0.146	2.198	-0.217	0.0	-0.0
	INVSLU	Max	8.434	2.501	-16.822	0.0	-0.0
0.0		Min	1.269	-14.356	-68.389	-0.0	-0.0
-0.0							
	INVSLE	Max	6.488	1.088	-13.223	0.0	-0.0
0.0		Min	1.283	-11.094	-51.384	-0.0	-0.0
-0.0							
5800	C1-C2;~1	Max	1.915	4.493	13.204	0.0	0.0
0.0		Min	-2.145	-3.271	-23.819	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.995	5.147	15.001	0.0	0.0
0.0		Min	-2.499	-4.087	-23.166	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.965	2.199	7.128	0.0	0.0
0.0		Min	-1.070	-1.634	-13.333	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.959	2.505	7.933	0.0	0.0
0.0		Min	-1.269	-2.074	-12.908	-0.0	-0.0
-0.0							
	G1		-0.268	2.394	-11.141	0.0	-0.0
-0.0							
	G2		-0.118	0.948	-4.270	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.769	-2.251	0.288	-0.0	0.0
-0.0							
	Q5_pc Y		-0.181	2.297	-0.195	-0.0	-0.0
-0.0							
	Q5_ps X		0.726	-2.160	0.263	-0.0	0.0
-0.0							
	Q5_ps Y		-0.139	2.211	-0.233	0.0	-0.0
-0.0							
	INVSLU	Max	8.507	2.458	-19.275	0.0	-0.0
0.0		Min	1.056	-14.143	-72.200	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	6.546	1.057	-15.093	0.0	-0.0
-0.0		Min	1.129	-10.934	-54.259	-0.0	-0.0
5801	C1-C2;~1	Max	1.928	4.387	13.305	0.0	0.0
0.0		Min	-2.254	-3.149	-24.555	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.069	5.016	15.119	0.0	0.0
-0.0		Min	-2.621	-3.979	-23.888	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.968	2.139	7.182	0.0	0.0
0.0		Min	-1.126	-1.567	-13.765	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.996	2.431	7.995	0.0	0.0
-0.0		Min	-1.333	-2.015	-13.330	-0.0	-0.0
-0.0	G1		-0.341	2.447	-11.779	-0.0	-0.0
-0.0	G2		-0.146	0.968	-4.516	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.772	-2.250	0.297	0.0	0.0
-0.0	Q5_pc Y		-0.176	2.307	-0.210	-0.0	-0.0
-0.0	Q5_ps X		0.728	-2.159	0.271	-0.0	0.0
-0.0	Q5_ps Y		-0.134	2.221	-0.248	0.0	-0.0
0.0	INVSLE	Max	8.547	2.421	-21.690	-0.0	-0.0
-0.0		Min	0.826	-13.874	-75.785	-0.0	-0.0
0.0	INVSLE	Max	6.579	1.030	-16.932	-0.0	-0.0
-0.0		Min	0.963	-10.733	-56.963	-0.0	-0.0
5802	C1-C2;~1	Max	1.934	4.301	13.360	0.0	0.0
0.0		Min	-2.370	-3.066	-25.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.140	4.898	15.184	0.0	0.0
-0.0		Min	-2.743	-3.864	-24.525	-0.0	-0.0
0.0	C1-C2;~2	Max	0.966	2.092	7.212	0.0	0.0
-0.0		Min	-1.187	-1.528	-14.149	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.032	2.367	8.029	0.0	0.0
-0.0		Min	-1.396	-1.951	-13.704	-0.0	-0.0
0.0	G1		-0.428	2.506	-12.371	-0.0	-0.0
0.0	G2		-0.180	0.990	-4.744	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.775	-2.248	0.304	0.0	0.0
-0.0	Q5_pc	Y	-0.172	2.314	-0.226	-0.0	-0.0
-0.0	Q5_ps	X	0.731	-2.157	0.278	0.0	0.0
-0.0	Q5_ps	Y	-0.130	2.230	-0.264	0.0	-0.0
0.0	INVSLU	Max	8.545	2.413	-24.032	-0.0	-0.0
-0.0		Min	0.559	-13.582	-79.107	-0.0	-0.0
0.0	INVSLE	Max	6.581	1.025	-18.713	-0.0	-0.0
-0.0		Min	0.768	-10.515	-59.469	-0.0	-0.0
5803	C1-C2;~1	Max	1.949	4.247	13.366	0.0	0.0
0.0		Min	-2.513	-3.009	-25.766	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.228	4.811	15.193	0.0	0.0
0.0		Min	-2.890	-3.774	-25.058	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.968	2.067	7.215	0.0	0.0
0.0		Min	-1.261	-1.505	-14.482	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.079	2.322	8.034	0.0	0.0
0.0		Min	-1.473	-1.902	-14.019	-0.0	-0.0
-0.0	G1		-0.543	2.544	-12.914	0.0	-0.0
0.0	G2		-0.224	1.005	-4.957	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.779	-2.245	0.310	-0.0	0.0
-0.0	Q5_pc	Y	-0.169	2.320	-0.241	-0.0	-0.0
-0.0	Q5_ps	X	0.735	-2.154	0.283	-0.0	0.0
-0.0	Q5_ps	Y	-0.127	2.236	-0.278	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	8.518	2.422	-26.296	0.0	-0.0
		Min	0.206	-13.342	-82.149	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.563	1.033	-20.431	0.0	-0.0
		Min	0.511	-10.335	-61.763	-0.0	-0.0
-0.0							
5804 0.0	C1-C2;~1	Max	1.987	4.208	13.320	0.0	0.0
		Min	-2.659	-2.945	-26.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.312	4.754	15.142	0.0	0.0
		Min	-3.039	-3.669	-25.485	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.983	2.052	7.189	0.0	0.0
		Min	-1.338	-1.479	-14.744	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.124	2.301	8.007	0.0	0.0
		Min	-1.551	-1.846	-14.273	-0.0	-0.0
-0.0							
-0.0	G1		-0.667	2.597	-13.404	0.0	-0.0
-0.0	G2		-0.272	1.025	-5.149	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.784	-2.241	0.316	-0.0	0.0
-0.0	Q5_pc Y		-0.167	2.323	-0.254	-0.0	0.0
-0.0	Q5_ps X		0.739	-2.150	0.288	-0.0	0.0
-0.0	Q5_ps Y		-0.125	2.240	-0.291	-0.0	-0.0
-0.0							
0.0	INVS LU	Max	8.463	2.497	-28.462	0.0	-0.0
		Min	-0.172	-13.055	-84.850	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.525	1.090	-22.074	0.0	-0.0
		Min	0.234	-10.120	-63.801	-0.0	-0.0
-0.0							
5805 0.0	C1-C2;~1	Max	2.025	4.173	13.227	0.0	0.0
		Min	-2.796	-2.870	-26.560	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.384	4.695	15.039	0.0	0.0
		Min	-3.178	-3.533	-25.826	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.999	2.041	7.139	0.0	0.0
		Min	-1.410	-1.449	-14.960	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.163	2.279	7.952	0.0	0.0
		Min	-1.623	-1.771	-14.479	-0.0	-0.0
-0.0							
-0.0	G1		-0.789	2.681	-13.844	0.0	-0.0
-0.0	G2		-0.319	1.057	-5.320	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.788	-2.237	0.320	-0.0	0.0
-0.0	Q5_pc Y		-0.166	2.323	-0.267	-0.0	0.0
0.0	Q5_ps X		0.743	-2.146	0.292	-0.0	0.0
-0.0	Q5_ps Y		-0.125	2.241	-0.303	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.383	2.618	-30.515	0.0	-0.0
		Min	-0.545	-12.671	-87.248	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.469	1.181	-23.630	0.0	-0.0
		Min	-0.039	-9.834	-65.611	-0.0	-0.0
-0.0							
5806	C1-C2;~1	Max	2.076	4.271	13.093	0.0	0.0
0.0		Min	-2.919	-2.784	-26.820	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.443	4.634	14.887	0.0	0.0
		Min	-3.305	-3.362	-26.082	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.027	2.053	7.067	0.0	0.0
		Min	-1.475	-1.415	-15.122	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.194	2.258	7.872	0.0	0.0
		Min	-1.690	-1.676	-14.638	-0.0	-0.0
-0.0							
-0.0	G1		-0.908	2.797	-14.229	0.0	-0.0
-0.0	G2		-0.365	1.102	-5.469	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.793	-2.233	0.322	-0.0	0.0
-0.0	Q5_pc Y		-0.167	2.322	-0.279	-0.0	-0.0
0.0	Q5_ps X		0.748	-2.142	0.295	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.126	2.240	-0.315	0.0	-0.0
0.0	INVSLE Max		8.279	2.787	-32.407	0.0	-0.0
-0.0	INVSLE Min		-0.907	-12.186	-89.292	-0.0	-0.0
0.0	INVSLE Max		6.394	1.307	-25.062	0.0	-0.0
-0.0	INVSLE Min		-0.305	-9.474	-67.156	-0.0	-0.0
5807 0.0	C1-C2;~1 Max		2.119	4.387	12.920	0.0	0.0
-0.0	C1-C2;~1 Min		-3.035	-2.692	-26.973	-0.0	-0.0
0.0	C3-C4;~1 Max		2.490	4.571	14.692	0.0	0.0
-0.0	C3-C4;~1 Min		-3.440	-3.231	-26.236	-0.0	-0.0
0.0	C1-C2;~2 Max		1.050	2.159	6.973	0.0	0.0
-0.0	C1-C2;~2 Min		-1.535	-1.378	-15.222	-0.0	-0.0
0.0	C3-C4;~2 Max		1.219	2.236	7.768	0.0	0.0
-0.0	C3-C4;~2 Min		-1.766	-1.615	-14.739	-0.0	-0.0
-0.0	G1		-1.028	2.928	-14.548	-0.0	-0.0
-0.0	G2		-0.411	1.152	-5.591	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.798	-2.228	0.324	0.0	-0.0
0.0	Q5_pc Y		-0.168	2.318	-0.289	-0.0	-0.0
-0.0	Q5_ps X		0.752	-2.137	0.297	0.0	-0.0
0.0	Q5_ps Y		-0.128	2.237	-0.325	0.0	-0.0
0.0	INVSLE Max		8.146	2.982	-34.108	-0.0	0.0
-0.0	INVSLE Min		-1.296	-11.723	-90.938	-0.0	-0.0
0.0	INVSLE Max		6.298	1.453	-26.347	-0.0	0.0
-0.0	INVSLE Min		-0.591	-9.131	-68.401	-0.0	-0.0
5808 0.0	C1-C2;~1 Max		2.166	4.473	12.702	0.0	0.0
-0.0	C1-C2;~1 Min		-3.167	-2.621	-26.990	-0.0	-0.0
0.0	C3-C4;~1 Max		2.544	4.515	14.445	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.595	-3.141	-26.234	-0.0	-0.0
0.0	C1-C2;~2	Max	1.077	2.218	6.855	0.0	0.0
-0.0		Min	-1.603	-1.350	-15.242	-0.0	-0.0
0.0	C3-C4;~2	Max	1.248	2.216	7.637	0.0	0.0
-0.0		Min	-1.851	-1.579	-14.745	-0.0	-0.0
-0.0		G1	-1.170	3.032	-14.786	0.0	-0.0
-0.0		G2	-0.466	1.192	-5.686	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.804	-2.222	0.324	-0.0	0.0
0.0		Q5_pc Y	-0.171	2.312	-0.298	-0.0	-0.0
-0.0		Q5_ps X	0.758	-2.131	0.297	-0.0	0.0
0.0		Q5_ps Y	-0.131	2.231	-0.333	0.0	-0.0
0.0	INVSLU	Max	7.978	3.146	-35.612	0.0	-0.0
-0.0		Min	-1.756	-11.351	-92.133	-0.0	-0.0
0.0	INVSLE	Max	6.175	1.576	-27.481	0.0	-0.0
-0.0		Min	-0.929	-8.854	-69.305	-0.0	-0.0
5809	C1-C2;~1	Max	2.211	4.561	12.440	0.0	0.0
0.0		Min	-3.308	-2.551	-26.895	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.593	4.466	14.149	0.0	0.0
-0.0		Min	-3.746	-3.050	-26.129	-0.0	-0.0
0.0	C1-C2;~2	Max	1.101	2.278	6.714	0.0	0.0
-0.0		Min	-1.679	-1.322	-15.197	-0.0	-0.0
0.0	C3-C4;~2	Max	1.274	2.199	7.481	0.0	0.0
-0.0		Min	-1.935	-1.543	-14.694	-0.0	-0.0
-0.0		G1	-1.315	3.145	-14.956	0.0	-0.0
-0.0		G2	-0.522	1.236	-5.755	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.810	-2.215	0.323	-0.0	0.0
0.0		Q5_pc Y	-0.175	2.303	-0.306	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.763	-2.125	0.296	-0.0	0.0
0.0	Q5_ps Y		-0.135	2.223	-0.340	0.0	-0.0
0.0	INVS LU	Max	7.793	3.466	-36.911	0.0	-0.0
-0.0		Min	-2.222	-10.956	-92.901	-0.0	-0.0
0.0	INVS LE	Max	6.039	1.816	-28.459	0.0	-0.0
-0.0		Min	-1.272	-8.560	-69.890	-0.0	-0.0
5810	C1-C2;~1	Max	2.249	4.664	12.147	0.0	0.0
0.0		Min	-3.457	-2.478	-26.692	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.635	4.420	13.816	0.0	0.0
-0.0		Min	-3.888	-2.954	-25.925	-0.0	-0.0
0.0	C1-C2;~2	Max	1.122	2.346	6.556	0.0	0.0
-0.0		Min	-1.762	-1.293	-15.089	-0.0	-0.0
0.0	C3-C4;~2	Max	1.296	2.183	7.305	0.0	0.0
-0.0		Min	-2.014	-1.504	-14.585	-0.0	-0.0
-0.0	G1		-1.456	3.278	-15.056	0.0	-0.0
-0.0	G2		-0.577	1.287	-5.794	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.816	-2.208	0.320	-0.0	-0.0
0.0	Q5_pc Y		-0.180	2.293	-0.312	-0.0	0.0
-0.0	Q5_ps X		0.769	-2.118	0.294	-0.0	0.0
0.0	Q5_ps Y		-0.140	2.213	-0.345	0.0	-0.0
0.0	INVS LU	Max	7.598	3.898	-37.979	0.0	-0.0
-0.0		Min	-2.676	-10.513	-93.242	-0.0	-0.0
0.0	INVS LE	Max	5.896	2.138	-29.260	0.0	-0.0
-0.0		Min	-1.606	-8.231	-70.153	-0.0	-0.0
5811	C1-C2;~1	Max	2.281	4.781	11.816	0.0	0.0
0.0		Min	-3.598	-2.412	-26.370	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	2.670	4.420	13.440	0.0	0.0
-0.0		Min	-4.020	-2.861	-25.611	-0.0	-0.0
0.0	C1-C2;~2	Max	1.139	2.424	6.377	0.0	0.0
-0.0		Min	-1.841	-1.266	-14.911	-0.0	-0.0
0.0	C3-C4;~2	Max	1.315	2.198	7.106	0.0	0.0
-0.0		Min	-2.088	-1.467	-14.413	-0.0	-0.0
-0.0	G1		-1.594	3.428	-15.082	0.0	-0.0
-0.0	G2		-0.631	1.345	-5.804	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.822	-2.201	0.316	-0.0	-0.0
0.0	Q5_pc Y		-0.186	2.279	-0.316	-0.0	0.0
-0.0	Q5_ps X		0.775	-2.110	0.291	-0.0	-0.0
0.0	Q5_ps Y		-0.147	2.200	-0.349	0.0	-0.0
0.0	INVSLU	Max	7.392	4.377	-38.821	0.0	0.0
-0.0		Min	-3.120	-10.044	-93.135	-0.0	-0.0
0.0	INVSLE	Max	5.744	2.495	-29.891	0.0	0.0
-0.0		Min	-1.933	-7.883	-70.081	-0.0	-0.0
5812	C1-C2;~1	Max	2.308	4.895	11.460	0.0	0.0
0.0		Min	-3.735	-2.353	-25.950	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.700	4.472	13.037	0.0	0.0
-0.0		Min	-4.147	-2.774	-25.211	-0.0	-0.0
0.0	C1-C2;~2	Max	1.154	2.498	6.185	0.0	0.0
-0.0		Min	-1.918	-1.243	-14.676	-0.0	-0.0
0.0	C3-C4;~2	Max	1.330	2.238	6.892	0.0	0.0
-0.0		Min	-2.158	-1.432	-14.191	-0.0	-0.0
-0.0	G1		-1.734	3.577	-15.040	-0.0	0.0
-0.0	G2		-0.685	1.403	-5.787	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.828	-2.192	0.311	0.0	-0.0
0.0	Q5_pc Y		-0.194	2.264	-0.319	0.0	-0.0
-0.0	Q5_ps X		0.781	-2.102	0.287	0.0	-0.0
0.0	Q5_ps Y		-0.155	2.185	-0.351	0.0	-0.0
0.0	INVSLU	Max	7.166	4.851	-39.415	-0.0	0.0
-0.0		Min	-3.568	-9.577	-92.621	-0.0	-0.0
0.0	INVSLE	Max	5.576	2.849	-30.333	-0.0	0.0
-0.0		Min	-2.264	-7.537	-69.702	-0.0	-0.0
5813	C1-C2;~1	Max	2.336	4.978	11.068	0.0	0.0
0.0		Min	-3.882	-2.305	-25.390	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.730	4.560	12.591	0.0	0.0
-0.0		Min	-4.281	-2.700	-24.657	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.170	2.553	5.973	0.0	0.0
-0.0		Min	-2.000	-1.223	-14.359	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.346	2.297	6.657	0.0	0.0
-0.0		Min	-2.233	-1.402	-13.878	-0.0	-0.0
-0.0	G1		-1.887	3.701	-14.904	0.0	0.0
-0.0	G2		-0.744	1.451	-5.738	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.835	-2.183	0.305	0.0	-0.0
0.0	Q5_pc Y		-0.202	2.247	-0.319	-0.0	0.0
-0.0	Q5_ps X		0.788	-2.093	0.281	-0.0	-0.0
0.0	Q5_ps Y		-0.164	2.167	-0.350	0.0	-0.0
0.0	INVSLU	Max	6.912	5.238	-39.727	0.0	0.0
-0.0		Min	-4.056	-9.172	-91.577	-0.0	-0.0
0.0	INVSLE	Max	5.389	3.138	-30.559	0.0	0.0
-0.0		Min	-2.624	-7.236	-68.923	-0.0	-0.0
5814	C1-C2;~1	Max	2.361	5.051	10.644	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.028	-2.268	-24.728	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.757	4.641	12.109	0.0	0.0
0.0		Min	-4.413	-2.638	-24.006	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.183	2.600	5.744	0.0	0.0
0.0		Min	-2.082	-1.209	-13.981	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.360	2.350	6.402	0.0	0.0
0.0		Min	-2.306	-1.378	-13.509	-0.0	-0.0
-0.0							
-0.0		G1	-2.043	3.819	-14.697	0.0	-0.0
-0.0		G2	-0.804	1.496	-5.660	0.0	-0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.842	-2.173	0.297	-0.0	-0.0
-0.0	Q5_pc Y		-0.212	2.227	-0.318	-0.0	0.0
0.0	Q5_ps X		0.794	-2.082	0.274	-0.0	-0.0
-0.0	Q5_ps Y		-0.174	2.147	-0.348	0.0	-0.0
0.0							
0.0	INVSLU	Max	6.645	5.596	-39.799	0.0	0.0
0.0		Min	-4.550	-8.792	-90.101	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.191	3.407	-30.602	0.0	0.0
0.0		Min	-2.989	-6.954	-67.820	-0.0	0.0
-0.0							
5815	C1-C2;~1	Max	2.384	5.123	10.197	0.0	0.0
0.0		Min	-4.169	-2.240	-23.967	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.781	4.723	11.600	0.0	0.0
0.0		Min	-4.541	-2.582	-23.268	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.195	2.646	5.503	0.0	0.0
0.0		Min	-2.161	-1.197	-13.548	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.373	2.402	6.133	0.0	0.0
0.0		Min	-2.376	-1.355	-13.091	-0.0	-0.0
-0.0							
-0.0		G1	-2.196	3.942	-14.416	0.0	-0.0
-0.0		G2	-0.864	1.544	-5.553	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.849	-2.163	0.288	-0.0	-0.0
-0.0	Q5_pc Y	-0.222	2.205	-0.315	-0.0	0.0
0.0	Q5_ps X	0.801	-2.072	0.266	-0.0	-0.0
-0.0	Q5_ps Y	-0.185	2.125	-0.344	0.0	-0.0
0.0	INVSLE Max	6.374	5.962	-39.608	0.0	0.0
-0.0	INVSLE Min	-5.037	-8.409	-88.191	-0.0	0.0
0.0	INVSLE Max	4.991	3.681	-30.446	0.0	0.0
-0.0	INVSLE Min	-3.349	-6.670	-66.391	-0.0	0.0
5816	C1-C2;~1 Max	2.403	5.203	9.720	0.0	0.0
0.0	C1-C2;~1 Min	-4.303	-2.224	-23.106	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.800	4.814	11.058	0.0	0.0
0.0	C3-C4;~1 Min	-4.661	-2.541	-22.434	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.206	2.694	5.245	0.0	0.0
0.0	C1-C2;~2 Min	-2.236	-1.191	-13.057	-0.0	-0.0
-0.0	C3-C4;~2 Max	1.383	2.459	5.846	0.0	0.0
0.0	C3-C4;~2 Min	-2.442	-1.338	-12.618	-0.0	-0.0
-0.0	G1	-2.346	4.072	-14.059	0.0	0.0
-0.0	G2	-0.921	1.595	-5.415	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.856	-2.151	0.278	-0.0	-0.0
-0.0	Q5_pc Y	-0.234	2.181	-0.310	-0.0	0.0
0.0	Q5_ps X	0.809	-2.060	0.257	-0.0	-0.0
-0.0	Q5_ps Y	-0.197	2.101	-0.338	0.0	0.0
0.0	INVSLE Max	6.103	6.350	-39.157	0.0	0.0
-0.0	INVSLE Min	-5.510	-8.031	-85.837	-0.0	0.0
0.0	INVSLE Max	4.790	3.972	-30.092	0.0	0.0
-0.0	INVSLE Min	-3.699	-6.389	-64.628	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5817	C1-C2;~1	Max	2.418	5.286	9.226	0.0	0.0
0.0		Min	-4.430	-2.217	-22.156	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.815	4.912	10.497	0.0	0.0
0.0		Min	-4.771	-2.521	-21.523	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.213	2.743	4.979	0.0	0.0
0.0		Min	-2.307	-1.188	-12.514	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.390	2.517	5.550	0.0	0.0
0.0		Min	-2.503	-1.330	-12.102	-0.0	-0.0
-0.0							
	G1		-2.492	4.203	-13.637	-0.0	0.0
-0.0							
	G2		-0.978	1.645	-5.250	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.864	-2.139	0.267	0.0	-0.0
-0.0							
	Q5_pc Y		-0.246	2.155	-0.302	0.0	0.0
0.0							
	Q5_ps X		0.816	-2.049	0.247	-0.0	-0.0
-0.0							
	Q5_ps Y		-0.209	2.074	-0.329	0.0	0.0
0.0							
	INVSLU	Max	5.827	6.741	-38.438	0.0	0.0
0.0		Min	-5.969	-7.678	-83.065	-0.0	0.0
-0.0							
	INVSLE	Max	4.585	4.266	-29.535	0.0	0.0
0.0		Min	-4.038	-6.128	-62.551	-0.0	0.0
-0.0							
5818	C1-C2;~1	Max	2.431	5.351	8.704	0.0	0.0
0.0		Min	-4.559	-2.222	-21.095	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.828	4.994	9.903	0.0	0.0
0.0		Min	-4.881	-2.522	-20.493	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.220	2.779	4.697	0.0	0.0
0.0		Min	-2.380	-1.189	-11.909	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.397	2.565	5.236	0.0	0.0
0.0		Min	-2.564	-1.330	-11.518	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-2.644	4.307	-13.120	0.0	0.0
-0.0	G2		-1.036	1.685	-5.054	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.871	-2.127	0.254	-0.0	-0.0
0.0	Q5_pc Y		-0.260	2.127	-0.292	-0.0	0.0
-0.0	Q5_ps X		0.823	-2.036	0.235	-0.0	-0.0
0.0	Q5_ps Y		-0.223	2.045	-0.318	0.0	0.0
0.0	INVS LU	Max	5.535	7.057	-37.427	0.0	0.0
-0.0		Min	-6.440	-7.400	-79.801	-0.0	0.0
0.0	INVS LE	Max	4.368	4.504	-28.753	0.0	0.0
-0.0		Min	-4.387	-5.921	-60.102	-0.0	0.0
5819	C1-C2;~1	Max	2.438	5.427	8.158	0.0	0.0
0.0		Min	-4.675	-2.240	-19.967	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.834	5.090	9.282	0.0	0.0
-0.0		Min	-4.976	-2.541	-19.391	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.224	2.819	4.402	0.0	0.0
0.0		Min	-2.445	-1.196	-11.266	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.400	2.617	4.907	0.0	0.0
-0.0		Min	-2.617	-1.337	-10.894	-0.0	-0.0
-0.0	G1		-2.786	4.415	-12.540	0.0	0.0
-0.0	G2		-1.091	1.727	-4.832	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.879	-2.113	0.241	-0.0	-0.0
0.0	Q5_pc Y		-0.274	2.097	-0.281	-0.0	0.0
-0.0	Q5_ps X		0.831	-2.022	0.223	-0.0	-0.0
0.0	Q5_ps Y		-0.238	2.015	-0.305	0.0	0.0
0.0	INVS LU	Max	5.252	7.409	-36.165	0.0	0.0
-0.0		Min	-6.874	-7.152	-76.157	0.0	0.0
0.0	INVS LE	Max	4.157	4.767	-27.780	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.708	-5.737	-57.366	-0.0	0.0
-0.0							
5820	C1-C2;~1	Max	2.445	5.557	7.599	0.0	0.0
0.0		Min	-4.791	-2.275	-18.770	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.840	5.221	8.646	0.0	0.0
0.0		Min	-5.072	-2.578	-18.226	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.228	2.889	4.101	0.0	0.0
0.0		Min	-2.511	-1.210	-10.585	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.403	2.686	4.571	0.0	0.0
0.0		Min	-2.670	-1.352	-10.235	-0.0	-0.0
-0.0							
-0.0	G1		-2.929	4.550	-11.898	0.0	0.0
-0.0	G2		-1.147	1.779	-4.585	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.887	-2.100	0.226	-0.0	-0.0
-0.0	Q5_pc Y		-0.289	2.065	-0.267	-0.0	0.0
0.0	Q5_ps X		0.839	-2.008	0.210	-0.0	-0.0
-0.0	Q5_ps Y		-0.254	1.982	-0.290	0.0	0.0
0.0							
0.0	INVSLU	Max	4.960	7.884	-34.645	0.0	0.0
0.0		Min	-7.318	-6.877	-72.137	0.0	0.0
-0.0							
0.0	INVSLE	Max	3.939	5.123	-26.610	0.0	0.0
0.0		Min	-5.037	-5.531	-54.347	0.0	0.0
-0.0							
5821	C1-C2;~1	Max	2.445	5.745	7.015	0.0	0.0
0.0		Min	-4.885	-2.327	-17.486	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.838	5.383	7.981	0.0	0.0
0.0		Min	-5.148	-2.634	-16.975	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.228	2.994	3.785	0.0	0.0
0.0		Min	-2.564	-1.231	-9.857	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.401	2.769	4.219	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-2.711	-1.374	-9.528	-0.0	-0.0
-0.0	G1		-3.053	4.705	-11.178	0.0	0.0
-0.0	G2		-1.195	1.839	-4.306	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.895	-2.085	0.211	-0.0	-0.0
-0.0	Q5_pc Y		-0.304	2.030	-0.252	-0.0	0.0
0.0	Q5_ps X		0.847	-1.994	0.196	-0.0	-0.0
-0.0	Q5_ps Y		-0.270	1.946	-0.274	0.0	0.0
0.0	INVSLU	Max	4.690	8.478	-32.863	0.0	0.0
0.0		Min	-7.701	-6.587	-67.697	0.0	0.0
-0.0							
0.0	INVSLE	Max	3.739	5.566	-25.242	0.0	0.0
0.0		Min	-5.321	-5.315	-51.012	0.0	0.0
-0.0							
5822	C1-C2;~1	Max	2.440	5.942	6.420	0.0	0.0
0.0		Min	-4.963	-2.396	-16.130	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.830	5.558	7.305	0.0	0.0
0.0		Min	-5.205	-2.708	-15.663	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.224	3.103	3.464	0.0	0.0
0.0		Min	-2.608	-1.258	-9.087	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.397	2.858	3.862	0.0	0.0
0.0		Min	-2.743	-1.404	-8.788	-0.0	-0.0
-0.0							
-0.0	G1		-3.166	4.861	-10.401	-0.0	0.0
-0.0	G2		-1.238	1.900	-4.005	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.903	-2.070	0.194	0.0	-0.0
-0.0	Q5_pc Y		-0.321	1.992	-0.234	0.0	0.0
0.0	Q5_ps X		0.855	-1.978	0.180	-0.0	-0.0
-0.0	Q5_ps Y		-0.288	1.907	-0.254	0.0	0.0
0.0							
0.0	INVSLU	Max	4.431	9.084	-30.838	0.0	0.0
0.0		Min	-8.042	-6.318	-62.896	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	3.544	6.018	-23.688	0.0	0.0
-0.0		Min	-5.574	-5.115	-47.403	0.0	0.0
5823	C1-C2;~1	Max	2.432	6.099	5.807	0.0	0.0
0.0		Min	-5.040	-2.469	-14.696	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.819	5.752	6.608	0.0	0.0
-0.0		Min	-5.259	-2.791	-14.268	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.220	3.189	3.134	0.0	0.0
0.0		Min	-2.652	-1.287	-8.275	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.391	2.966	3.493	0.0	0.0
-0.0		Min	-2.773	-1.437	-8.001	-0.0	-0.0
-0.0	G1		-3.280	4.980	-9.548	0.0	0.0
-0.0	G2		-1.283	1.945	-3.679	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.911	-2.053	0.176	-0.0	-0.0
-0.0	Q5_pc Y		-0.339	1.951	-0.213	-0.0	0.0
0.0	Q5_ps X		0.863	-1.961	0.164	-0.0	-0.0
-0.0	Q5_ps Y		-0.306	1.865	-0.232	0.0	0.0
0.0							
0.0	INVSLU	Max	4.163	9.566	-28.545	0.0	0.0
-0.0		Min	-8.384	-6.132	-57.688	0.0	0.0
0.0							
-0.0	INVSLE	Max	3.344	6.379	-21.927	0.0	0.0
0.0		Min	-5.828	-4.975	-43.487	0.0	0.0
-0.0							
5824	C1-C2;~1	Max	2.420	6.248	5.176	0.0	0.0
0.0		Min	-5.106	-2.544	-13.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.804	5.951	5.889	0.0	0.0
-0.0		Min	-5.300	-2.883	-12.810	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.214	3.270	2.793	0.0	0.0
-0.0		Min	-2.690	-1.317	-7.433	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.382	3.079	3.113	0.0	0.0
-0.0		Min	-2.795	-1.473	-7.181	-0.0	-0.0
-0.0		G1	-3.385	5.092	-8.635	0.0	0.0
-0.0		G2	-1.323	1.989	-3.328	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.920	-2.036	0.158	-0.0	-0.0
0.0	Q5_pc	Y	-0.358	1.907	-0.191	-0.0	0.0
-0.0	Q5_ps	X	0.871	-1.944	0.147	-0.0	-0.0
0.0	Q5_ps	Y	-0.326	1.821	-0.209	0.0	0.0
-0.0	INVSLU	Max	3.908	10.021	-26.027	0.0	0.0
0.0		Min	-8.687	-5.971	-52.151	0.0	0.0
-0.0	INVSLE	Max	3.153	6.720	-19.994	0.0	0.0
0.0		Min	-6.054	-4.854	-39.320	0.0	0.0
-0.0							
5825	C1-C2;~1	Max	2.405	6.402	4.536	0.0	0.0
0.0		Min	-5.157	-2.621	-11.658	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.785	6.159	5.161	0.0	0.0
-0.0		Min	-5.328	-2.979	-11.303	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.205	3.352	2.448	0.0	0.0
-0.0		Min	-2.720	-1.348	-6.558	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.372	3.196	2.728	0.0	0.0
-0.0		Min	-2.811	-1.511	-6.333	-0.0	-0.0
-0.0		G1	-3.475	5.211	-7.672	0.0	0.0
-0.0		G2	-1.358	2.035	-2.957	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.928	-2.018	0.138	-0.0	-0.0
0.0	Q5_pc	Y	-0.377	1.862	-0.167	-0.0	0.0
-0.0	Q5_ps	X	0.880	-1.926	0.129	-0.0	-0.0
0.0	Q5_ps	Y	-0.346	1.774	-0.184	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	3.677	10.493	-23.290	0.0	0.0
		Min	-8.945	-5.803	-46.297	0.0	0.0
-0.0							
0.0	INVS LE	Max	2.980	7.074	-17.894	0.0	0.0
		Min	-6.246	-4.728	-34.914	0.0	0.0
-0.0							
5826 0.0	C1-C2;~1	Max	2.386	6.560	3.881	0.0	0.0
		Min	-5.191	-2.701	-10.061	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.761	6.375	4.416	0.0	0.0
		Min	-5.341	-3.077	-9.743	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.195	3.437	2.094	0.0	0.0
		Min	-2.741	-1.379	-5.657	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.360	3.318	2.335	0.0	0.0
		Min	-2.818	-1.550	-5.455	-0.0	-0.0
-0.0							
-0.0	G1		-3.549	5.340	-6.657	0.0	0.0
-0.0	G2		-1.387	2.085	-2.565	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.936	-2.000	0.118	-0.0	-0.0
-0.0	Q5_pc Y		-0.396	1.815	-0.142	-0.0	0.0
0.0	Q5_ps X		0.888	-1.907	0.111	-0.0	-0.0
-0.0	Q5_ps Y		-0.365	1.726	-0.158	0.0	0.0
0.0							
0.0	INVS LU	Max	3.471	10.985	-20.348	0.0	0.0
		Min	-9.153	-5.626	-40.148	0.0	0.0
-0.0							
0.0	INVS LE	Max	2.825	7.442	-15.636	0.0	0.0
		Min	-6.401	-4.595	-30.284	0.0	0.0
-0.0							
5827 0.0	C1-C2;~1	Max	2.362	6.714	3.224	0.0	0.0
		Min	-5.208	-2.782	-8.417	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.732	6.710	3.669	0.0	0.0
		Min	-5.334	-3.176	-8.148	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.182	3.520	1.740	0.0	0.0
-0.0		Min	-2.752	-1.411	-4.729	-0.0	-0.0
0.0	C3-C4;~2	Max	1.344	3.440	1.939	0.0	0.0
-0.0		Min	-2.814	-1.590	-4.559	-0.0	-0.0
-0.0	G1		-3.607	5.467	-5.605	0.0	0.0
-0.0	G2		-1.409	2.134	-2.158	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.944	-1.981	0.097	-0.0	-0.0
0.0	Q5_pc Y		-0.415	1.768	-0.115	-0.0	0.0
-0.0	Q5_ps X		0.896	-1.889	0.091	-0.0	-0.0
0.0	Q5_ps Y		-0.385	1.677	-0.129	0.0	0.0
0.0	INVSLU	Max	3.284	11.460	-17.215	0.0	0.0
-0.0		Min	-9.304	-5.457	-33.737	0.0	0.0
0.0	INVSLE	Max	2.684	7.797	-13.232	0.0	0.0
-0.0		Min	-6.515	-4.470	-25.455	0.0	0.0
5828	C1-C2;~1	Max	2.335	6.908	2.593	0.0	0.0
0.0		Min	-5.214	-2.856	-6.816	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.699	6.975	2.950	0.0	0.0
-0.0		Min	-5.313	-3.267	-6.591	-0.0	-0.0
0.0	C1-C2;~2	Max	1.167	3.583	1.399	0.0	0.0
-0.0		Min	-2.757	-1.441	-3.828	-0.0	-0.0
0.0	C3-C4;~2	Max	1.326	3.616	1.559	0.0	0.0
-0.0		Min	-2.803	-1.626	-3.686	-0.0	-0.0
-0.0	G1		-3.653	5.567	-4.562	0.0	0.0
-0.0	G2		-1.426	2.174	-1.757	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.951	-1.963	0.077	-0.0	-0.0
0.0	Q5_pc Y		-0.433	1.723	-0.087	0.0	0.0
-0.0	Q5_ps X		0.903	-1.870	0.072	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.404	1.630	-0.099	0.0	0.0
0.0	INVS LU	Max	3.116	12.017	-14.056	0.0	0.0
-0.0		Min	-9.412	-5.345	-27.396	0.0	0.0
0.0	INVS LE	Max	2.556	8.211	-10.804	0.0	0.0
-0.0		Min	-6.597	-4.387	-20.674	0.0	0.0
5829	C1-C2;~1	Max	2.304	7.098	1.951	0.0	0.0
0.0		Min	-5.206	-2.928	-5.194	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.662	7.228	2.219	0.0	0.0
-0.0		Min	-5.277	-3.356	-5.003	-0.0	-0.0
0.0	C1-C2;~2	Max	1.150	3.702	1.053	0.0	0.0
-0.0		Min	-2.755	-1.470	-2.916	-0.0	-0.0
0.0	C3-C4;~2	Max	1.307	3.755	1.173	0.0	0.0
-0.0		Min	-2.783	-1.661	-2.796	-0.0	-0.0
-0.0	G1		-3.686	5.657	-3.485	0.0	0.0
-0.0	G2		-1.438	2.210	-1.343	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.959	-1.945	0.056	-0.0	-0.0
0.0	Q5_pc Y		-0.451	1.678	-0.059	0.0	0.0
-0.0	Q5_ps X		0.911	-1.852	0.053	-0.0	-0.0
0.0	Q5_ps Y		-0.423	1.582	-0.070	0.0	0.0
0.0	INVS LU	Max	2.972	12.536	-10.757	0.0	0.0
-0.0		Min	-9.471	-5.255	-20.870	0.0	0.0
0.0	INVS LE	Max	2.446	8.598	-8.267	0.0	0.0
-0.0		Min	-6.643	-4.322	-15.751	0.0	0.0
5830	C1-C2;~1	Max	2.272	7.281	1.307	0.0	0.0
0.0		Min	-5.187	-2.999	-3.540	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.624	7.472	1.487	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.234	-3.444	-3.393	-0.0	-0.0
0.0	C1-C2;~2	Max	1.133	3.798	0.705	0.0	0.0
-0.0		Min	-2.737	-1.498	-1.987	-0.0	-0.0
0.0	C3-C4;~2	Max	1.287	3.889	0.786	0.0	0.0
-0.0		Min	-2.760	-1.696	-1.895	-0.0	-0.0
-0.0		G1	-3.706	5.741	-2.384	0.0	0.0
-0.0		G2	-1.446	2.244	-0.919	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.966	-1.927	0.035	-0.0	-0.0
0.0		Q5_pc Y	-0.468	1.632	-0.031	0.0	0.0
-0.0		Q5_ps X	0.918	-1.833	0.034	-0.0	-0.0
0.0		Q5_ps Y	-0.441	1.534	-0.040	0.0	0.0
0.0	INVSLU	Max	2.858	13.028	-7.323	0.0	0.0
-0.0		Min	-9.489	-5.178	-14.173	0.0	0.0
0.0	INVSLE	Max	2.359	8.963	-5.626	0.0	0.0
-0.0		Min	-6.658	-4.266	-10.696	0.0	0.0
5831	C1-C2;~1	Max	2.240	7.456	0.660	0.0	0.0
0.0		Min	-5.149	-3.067	-1.874	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.586	7.702	0.750	0.0	0.0
-0.0		Min	-5.187	-3.528	-1.769	-0.0	-0.0
0.0	C1-C2;~2	Max	1.116	3.890	0.356	0.0	0.0
-0.0		Min	-2.735	-1.525	-1.052	-0.0	-0.0
0.0	C3-C4;~2	Max	1.266	4.015	0.396	0.0	0.0
-0.0		Min	-2.734	-1.729	-0.986	-0.0	-0.0
-0.0		G1	-3.714	5.819	-1.263	0.0	0.0
-0.0		G2	-1.448	2.276	-0.486	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.972	-1.909	0.014	-0.0	-0.0
		Q5_pc Y	-0.484	1.585	-0.002	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.925	-1.814	0.014	-0.0	-0.0
0.0	Q5_ps Y		-0.458	1.485	-0.010	0.0	0.0
0.0	INVS LU	Max	2.779	13.484	-3.795	0.0	0.0
-0.0		Min	-9.466	-5.112	-7.363	0.0	0.0
0.0	INVS LE	Max	2.298	9.302	-2.912	0.0	0.0
-0.0		Min	-6.642	-4.218	-5.554	0.0	0.0
5832	C1-C2;~1	Max	2.206	7.615	0.000	0.0	0.0
0.0		Min	-5.119	-3.131	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.546	7.906	0.000	0.0	0.0
-0.0		Min	-5.131	-3.607	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	1.098	3.974	0.000	0.0	0.0
-0.0		Min	-2.718	-1.550	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	1.245	4.127	0.000	0.0	0.0
-0.0		Min	-2.703	-1.760	0.000	-0.0	-0.0
-0.0	G1		-3.701	5.884	0.000	0.0	0.0
-0.0	G2		-1.443	2.303	0.000	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.979	-1.890	0.000	-0.0	-0.0
0.0	Q5_pc Y		-0.501	1.538	0.000	0.0	0.0
-0.0	Q5_ps X		0.932	-1.795	0.000	-0.0	-0.0
0.0	Q5_ps Y		-0.475	1.436	0.000	0.0	0.0
0.0	INVS LU	Max	2.748	13.878	0.000	0.0	0.0
-0.0		Min	-9.379	-5.065	0.000	0.0	0.0
0.0	INVS LE	Max	2.274	9.595	0.000	0.0	0.0
-0.0		Min	-6.578	-4.185	0.000	0.0	0.0
5833	C1-C2;~1	Max	2.177	7.742	1.208	0.0	0.0
0.0		Min	-5.082	-3.185	-0.537	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.511	8.065	1.241	0.0	0.0
-0.0		Min	-5.078	-3.671	-0.609	-0.0	-0.0
0.0	C1-C2;~2	Max	1.082	4.042	0.675	0.0	0.0
-0.0		Min	-2.698	-1.571	-0.289	-0.0	-0.0
0.0	C3-C4;~2	Max	1.227	4.215	0.694	0.0	0.0
-0.0		Min	-2.658	-1.786	-0.321	-0.0	-0.0
-0.0	G1		-3.680	5.931	0.744	0.0	0.0
-0.0	G2		-1.435	2.322	0.288	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.985	-1.873	-0.024	-0.0	-0.0
0.0	Q5_pc Y		-0.516	1.496	0.050	0.0	0.0
-0.0	Q5_ps X		0.938	-1.778	-0.021	-0.0	-0.0
0.0	Q5_ps Y		-0.490	1.394	0.045	0.0	0.0
0.0	INVSLU	Max	2.745	14.177	5.248	0.0	0.0
-0.0		Min	-9.279	-5.038	2.659	0.0	0.0
0.0	INVSLE	Max	2.271	9.817	3.972	0.0	0.0
-0.0		Min	-6.504	-4.167	2.061	0.0	0.0
5846 0.0	C1-C2;~1	Max	3.172	0.964	3.524	0.0	0.0
-0.0		Min	-7.049	-2.413	-8.247	-0.0	-0.0
0.0	C3-C4;~1	Max	3.384	1.003	3.937	0.0	0.0
-0.0		Min	-7.612	-2.298	-8.830	-0.0	-0.0
0.0	C1-C2;~2	Max	1.594	0.508	1.894	0.0	0.0
-0.0		Min	-3.655	-1.271	-4.556	-0.0	-0.0
0.0	C3-C4;~2	Max	1.702	0.532	2.085	0.0	0.0
-0.0		Min	-3.898	-1.186	-4.885	-0.0	-0.0
0.0	G1		-5.604	-2.097	-5.591	0.0	0.0
0.0	G2		-2.185	-0.818	-2.154	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.558	0.082	-0.011	0.0	-0.0
0.0	Q5_pc Y		1.646	1.026	0.118	-0.0	-0.0
-0.0	Q5_ps X		0.537	0.075	0.001	0.0	-0.0
0.0	Q5_ps Y		1.548	0.982	0.091	-0.0	0.0
0.0	INVS LU	Max	6.831	2.189	-16.611	0.0	0.0
-0.0		Min	-10.975	-4.269	-34.058	0.0	0.0
0.0	INVS LE	Max	5.588	1.779	-12.764	0.0	0.0
-0.0		Min	-7.382	-2.868	-25.672	0.0	0.0
5847	C1-C2;~1	Max	2.284	1.382	3.528	0.0	0.0
0.0		Min	-3.976	-3.657	-8.265	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.396	1.469	3.941	0.0	0.0
-0.0		Min	-4.551	-3.998	-8.852	-0.0	-0.0
0.0	C1-C2;~2	Max	1.220	0.685	1.897	0.0	0.0
-0.0		Min	-1.997	-1.921	-4.567	-0.0	-0.0
0.0	C3-C4;~2	Max	1.287	0.727	2.088	0.0	0.0
-0.0		Min	-2.258	-2.092	-4.897	-0.0	-0.0
0.0	G1		-3.213	-2.949	-5.618	0.0	0.0
0.0	G2		-1.258	-1.127	-2.169	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.556	0.062	-0.011	-0.0	0.0
0.0	Q5_pc Y		1.616	1.099	0.118	0.0	-0.0
-0.0	Q5_ps X		0.532	0.062	0.002	-0.0	0.0
0.0	Q5_ps Y		1.518	1.038	0.088	0.0	-0.0
0.0	INVS LU	Max	15.685	-0.320	-16.530	0.0	0.0
-0.0		Min	3.399	-9.679	-34.013	-0.0	0.0
0.0	INVS LE	Max	12.369	-0.128	-12.694	0.0	0.0
-0.0		Min	3.484	-6.914	-25.629	-0.0	0.0
5856	C1-C2;~1	Max	2.979	1.010	7.123	0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0							
-0.0	Min	-6.259	-2.470	-16.122	-0.0	-0.0	
0.0	C3-C4;~1	Max	3.156	1.107	7.957	0.0	0.0
-0.0	Min	-6.730	-2.238	-17.233	-0.0	-0.0	
0.0	C1-C2;~2	Max	1.516	0.529	3.829	0.0	0.0
-0.0	Min	-3.228	-1.285	-8.931	-0.0	-0.0	
0.0	C3-C4;~2	Max	1.610	0.577	4.214	0.0	0.0
-0.0	Min	-3.417	-1.134	-9.559	-0.0	-0.0	
0.0	G1		-4.997	-1.939	-10.513	0.0	0.0
0.0	G2		-1.951	-0.757	-4.052	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.559	0.014	0.016	0.0	-0.0
0.0	Q5_pc Y		1.659	1.305	0.132	-0.0	0.0
-0.0	Q5_ps X		0.535	0.005	0.037	0.0	-0.0
0.0	Q5_ps Y		1.566	1.262	0.090	-0.0	0.0
0.0	INVSLU	Max	7.838	3.071	-30.231	0.0	0.0
-0.0	Min	-8.494	-4.109	-64.475	0.0	0.0	
0.0	INVSLE	Max	6.338	2.420	-23.208	0.0	0.0
-0.0	Min	-5.538	-2.724	-48.556	0.0	0.0	
5857	C1-C2;~1	Max	2.274	1.108	7.133	0.0	0.0
0.0	Min	-3.955	-3.096	-16.157	-0.0	-0.0	
-0.0	C3-C4;~1	Max	2.384	1.146	7.967	0.0	0.0
0.0	Min	-4.538	-3.327	-17.271	-0.0	-0.0	
-0.0	C1-C2;~2	Max	1.217	0.577	3.834	0.0	0.0
0.0	Min	-1.988	-1.624	-8.951	-0.0	-0.0	
-0.0	C3-C4;~2	Max	1.284	0.602	4.220	0.0	0.0
0.0	Min	-2.252	-1.721	-9.580	-0.0	-0.0	
-0.0	G1		-3.194	-2.762	-10.555	0.0	0.0
0.0	G2		-1.250	-1.057	-4.074	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.546	0.006	0.017	-0.0	0.0
-0.0	Q5_pc Y		1.664	1.349	0.131	0.0	-0.0
0.0	Q5_ps X		0.523	0.007	0.039	-0.0	0.0
-0.0	Q5_ps Y		1.565	1.278	0.086	0.0	-0.0
0.0	INVSLE	Max	14.183	0.340	-30.133	0.0	0.0
0.0		Min	1.842	-8.127	-64.440	-0.0	0.0
-0.0	INVSLE	Max	11.187	0.374	-23.124	0.0	0.0
0.0		Min	2.268	-5.718	-48.519	-0.0	0.0
-0.0							
5866	C1-C2;~1	Max	2.725	1.294	10.344	0.0	0.0
0.0		Min	-5.192	-2.783	-22.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.857	1.597	11.554	0.0	0.0
0.0		Min	-5.581	-2.527	-23.959	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.413	0.645	5.560	0.0	0.0
0.0		Min	-2.643	-1.432	-12.417	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.489	0.811	6.119	0.0	0.0
0.0		Min	-2.785	-1.215	-13.315	-0.0	-0.0
-0.0							
0.0	G1		-4.195	-1.879	-13.876	0.0	0.0
0.0	G2		-1.641	-0.734	-5.351	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.036	0.061	0.0	-0.0
-0.0	Q5_pc Y		1.666	1.529	0.087	-0.0	0.0
0.0	Q5_ps X		0.533	-0.047	0.088	0.0	-0.0
-0.0	Q5_ps Y		1.577	1.485	0.037	-0.0	0.0
0.0							
0.0	INVSLE	Max	9.048	4.222	-37.749	0.0	0.0
0.0		Min	-5.343	-4.443	-85.848	0.0	0.0
-0.0							
0.0	INVSLE	Max	7.234	3.268	-28.982	0.0	0.0
0.0		Min	-3.204	-2.947	-64.599	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5867	C1-C2;~1	Max	2.273	1.024	10.359	0.0	0.0
0.0		Min	-3.949	-2.769	-22.423	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.383	1.068	11.571	0.0	0.0
0.0		Min	-4.541	-2.998	-24.006	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.219	0.548	5.568	0.0	0.0
0.0		Min	-1.986	-1.440	-12.441	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.285	0.575	6.128	0.0	0.0
0.0		Min	-2.253	-1.521	-13.341	-0.0	-0.0
-0.0							
0.0	G1		-3.191	-2.571	-13.929	0.0	0.0
0.0	G2		-1.248	-0.984	-5.377	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.542	-0.035	0.062	-0.0	0.0
-0.0	Q5_pc Y		1.691	1.552	0.086	0.0	-0.0
0.0	Q5_ps X		0.519	-0.032	0.090	-0.0	0.0
-0.0	Q5_ps Y		1.590	1.470	0.033	0.0	-0.0
0.0							
	INVSLU	Max	12.282	1.617	-37.629	0.0	0.0
0.0		Min	-0.109	-6.807	-85.813	-0.0	0.0
-0.0							
	INVSLE	Max	9.708	1.279	-28.881	0.0	0.0
0.0		Min	0.755	-4.695	-64.561	-0.0	0.0
-0.0							
5876	C1-C2;~1	Max	2.473	1.716	12.980	0.0	0.0
0.0		Min	-4.226	-3.085	-26.493	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.586	2.235	14.501	0.0	0.0
0.0		Min	-4.699	-2.988	-28.457	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.309	0.863	6.976	0.0	0.0
0.0		Min	-2.137	-1.580	-14.708	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.377	1.166	7.680	0.0	0.0
0.0		Min	-2.343	-1.466	-15.832	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-3.333	-1.865	-15.384	0.0	0.0
0.0	G2		-1.308	-0.728	-5.935	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.559	-0.065	0.110	0.0	-0.0
0.0	Q5_pc Y		1.665	1.689	0.013	-0.0	0.0
-0.0	Q5_ps X		0.532	-0.078	0.140	0.0	-0.0
0.0	Q5_ps Y		1.578	1.643	-0.039	-0.0	0.0
0.0	INVS LU	Max	10.300	5.432	-38.384	0.0	0.0
-0.0		Min	-2.533	-4.791	-96.574	-0.0	-0.0
0.0	INVS LE	Max	8.156	4.163	-29.522	0.0	0.0
-0.0		Min	-1.128	-3.184	-72.611	-0.0	-0.0
5877	C1-C2;~1	Max	2.278	1.050	13.002	0.0	0.0
0.0		Min	-3.953	-2.456	-26.539	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.388	1.101	14.525	0.0	0.0
-0.0		Min	-4.556	-2.708	-28.517	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.222	0.563	6.988	0.0	0.0
-0.0		Min	-1.988	-1.228	-14.732	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.289	0.593	7.692	0.0	0.0
-0.0		Min	-2.260	-1.312	-15.866	-0.0	-0.0
0.0	G1		-3.191	-2.386	-15.438	0.0	0.0
0.0	G2		-1.248	-0.912	-5.962	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.544	-0.058	0.111	-0.0	0.0
0.0	Q5_pc Y		1.697	1.697	0.012	0.0	-0.0
-0.0	Q5_ps X		0.521	-0.054	0.142	-0.0	0.0
0.0	Q5_ps Y		1.596	1.607	-0.044	0.0	-0.0
0.0	INVS LU	Max	10.228	2.997	-38.249	0.0	0.0
-0.0		Min	-2.202	-5.398	-96.556	-0.0	-0.0
0.0	INVS LE	Max	8.115	2.319	-29.410	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.866	-3.607	-72.585	-0.0	-0.0
-0.0							
5886	C1-C2;~1	Max	2.379	2.178	14.809	0.0	0.0
0.0		Min	-3.700	-3.226	-28.007	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.514	2.785	16.550	0.0	0.0
0.0		Min	-4.267	-3.556	-30.192	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.268	1.118	7.959	0.0	0.0
0.0		Min	-1.896	-1.629	-15.518	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.344	1.472	8.764	0.0	0.0
0.0		Min	-2.154	-1.778	-16.767	-0.0	-0.0
-0.0							
0.0	G1		-2.517	-1.844	-14.972	0.0	-0.0
0.0	G2		-0.992	-0.719	-5.778	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.073	0.153	0.0	-0.0
0.0	Q5_pc Y		1.654	1.781	-0.069	-0.0	0.0
-0.0							
0.0	Q5_ps X		0.531	-0.086	0.184	-0.0	-0.0
0.0	Q5_ps Y		1.567	1.731	-0.119	-0.0	0.0
-0.0							
0.0	INVSLU	Max	11.627	6.445	-32.538	0.0	-0.0
0.0		Min	-0.504	-5.323	-95.914	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.129	4.916	-25.135	0.0	-0.0
0.0		Min	0.364	-3.564	-72.059	-0.0	-0.0
-0.0							
5887	C1-C2;~1	Max	2.289	1.139	14.830	0.0	0.0
0.0		Min	-3.964	-2.278	-28.046	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.400	1.203	16.573	0.0	0.0
0.0		Min	-4.580	-2.691	-30.259	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.229	0.603	7.970	0.0	0.0
0.0		Min	-1.993	-1.094	-15.540	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.296	0.639	8.776	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.271	-1.279	-16.808	-0.0	-0.0
-0.0	G1		-3.194	-2.207	-15.010	0.0	-0.0
0.0	G2		-1.249	-0.842	-5.799	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.550	-0.062	0.154	-0.0	0.0
0.0	Q5_pc Y		1.688	1.783	-0.072	0.0	-0.0
0.0	Q5_ps X		0.527	-0.058	0.187	-0.0	0.0
0.0	Q5_ps Y		1.586	1.687	-0.125	0.0	-0.0
0.0	INVSLU	Max	8.287	4.275	-32.401	0.0	-0.0
0.0		Min	-4.173	-4.356	-95.901	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.609	3.289	-25.021	0.0	-0.0
0.0		Min	-2.395	-2.798	-72.038	-0.0	-0.0
-0.0							
5896	C1-C2;~1	Max	2.613	2.514	15.555	0.0	0.0
0.0		Min	-3.627	-3.461	-26.651	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.782	3.144	17.393	0.0	0.0
0.0		Min	-4.266	-4.077	-28.854	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.357	1.301	8.359	0.0	0.0
0.0		Min	-1.849	-1.774	-14.690	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.447	1.667	9.210	0.0	0.0
0.0		Min	-2.135	-2.062	-15.938	-0.0	-0.0
-0.0							
-0.0	G1		-1.875	-1.881	-12.746	0.0	-0.0
-0.0	G2		-0.743	-0.734	-4.918	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.559	-0.057	0.180	0.0	0.0
0.0	Q5_pc Y		1.633	1.808	-0.148	-0.0	0.0
-0.0	Q5_ps X		0.530	-0.070	0.211	0.0	0.0
0.0	Q5_ps Y		1.546	1.752	-0.191	-0.0	0.0
-0.0							
0.0	INVSLU	Max	12.929	7.090	-21.402	0.0	-0.0
0.0		Min	0.474	-5.913	-84.160	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	10.079	5.402	-16.711	0.0	-0.0
-0.0		Min	1.071	-3.989	-63.174	-0.0	-0.0
5897	C1-C2;~1	Max	2.303	1.281	15.569	0.0	0.0
0.0		Min	-3.976	-2.492	-26.653	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.415	1.369	17.408	0.0	0.0
-0.0		Min	-4.606	-3.004	-28.871	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.237	0.666	8.367	0.0	0.0
-0.0		Min	-2.000	-1.233	-14.688	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.305	0.712	9.218	0.0	0.0
-0.0		Min	-2.284	-1.468	-15.947	-0.0	-0.0
0.0	G1		-3.189	-2.043	-12.762	0.0	-0.0
0.0	G2		-1.248	-0.777	-4.931	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.558	-0.050	0.182	-0.0	0.0
-0.0	Q5_pc Y		1.665	1.816	-0.151	0.0	-0.0
0.0	Q5_ps X		0.535	-0.046	0.214	-0.0	0.0
-0.0	Q5_ps Y		1.563	1.716	-0.197	0.0	-0.0
0.0	INVSLE	Max	6.782	5.570	-21.293	0.0	-0.0
0.0		Min	-5.693	-3.656	-84.097	-0.0	-0.0
0.0							
0.0	INVSLE	Max	5.430	4.308	-16.620	-0.0	-0.0
0.0		Min	-3.588	-2.244	-63.117	-0.0	-0.0
5906	C1-C2;~1	Max	2.979	2.608	14.863	0.0	0.0
0.0		Min	-3.847	-3.779	-22.660	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.154	3.206	16.633	0.0	0.0
-0.0		Min	-4.538	-4.459	-24.618	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.497	1.344	7.986	0.0	0.0
		Min	-1.918	-1.951	-12.397	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.590	1.691	8.807	0.0	0.0
-0.0		Min	-2.225	-2.269	-13.488	-0.0	-0.0
-0.0		G1	-1.589	-2.029	-9.205	-0.0	-0.0
-0.0		G2	-0.632	-0.792	-3.546	-0.0	-0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.553	-0.016	0.180	0.0	0.0
0.0	Q5_pc	Y	1.614	1.767	-0.207	-0.0	-0.0
-0.0	Q5_ps	X	0.525	-0.029	0.205	0.0	0.0
0.0	Q5_ps	Y	1.525	1.704	-0.236	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	13.588	7.184	-8.069	0.0	-0.0
-0.0		Min	0.298	-6.343	-64.130	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.547	5.488	-6.573	0.0	-0.0
-0.0		Min	0.918	-4.297	-48.072	-0.0	-0.0
5907	C1-C2;~1	Max	2.324	1.531	14.859	0.0	0.0
0.0		Min	-4.002	-2.814	-22.641	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.437	1.628	16.628	0.0	0.0
-0.0		Min	-4.641	-3.395	-24.599	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.248	0.772	7.984	0.0	0.0
-0.0		Min	-2.015	-1.413	-12.385	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.316	0.823	8.804	0.0	0.0
-0.0		Min	-2.302	-1.682	-13.476	-0.0	-0.0
-0.0							
0.0		G1	-3.190	-1.895	-9.208	-0.0	-0.0
0.0		G2	-1.249	-0.719	-3.554	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.564	-0.022	0.183	-0.0	0.0
0.0	Q5_pc	Y	1.637	1.798	-0.210	0.0	0.0
-0.0	Q5_ps	X	0.541	-0.020	0.209	-0.0	0.0
0.0	Q5_ps	Y	1.536	1.698	-0.242	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	6.046	6.970	-8.030	-0.0	-0.0
		Min	-6.456	-3.048	-64.065	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.831	5.408	-6.539	-0.0	-0.0
		Min	-4.212	-1.773	-48.018	-0.0	-0.0
-0.0							
5916 0.0	C1-C2;~1	Max	3.233	2.533	12.245	0.0	0.0
		Min	-4.142	-3.915	-16.319	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.435	3.001	13.721	0.0	0.0
		Min	-4.898	-4.623	-17.794	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.610	1.299	6.578	0.0	0.0
		Min	-2.031	-2.024	-8.850	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.722	1.567	7.264	0.0	0.0
		Min	-2.367	-2.355	-9.653	-0.0	-0.0
-0.0							
-0.0	G1		-1.732	-2.183	-5.062	-0.0	-0.0
-0.0	G2		-0.688	-0.855	-1.940	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.537	0.044	0.151	0.0	0.0
0.0	Q5_pc Y		1.614	1.666	-0.224	-0.0	-0.0
-0.0	Q5_ps X		0.510	0.032	0.167	0.0	0.0
0.0	Q5_ps Y		1.520	1.595	-0.235	-0.0	-0.0
-0.0							
0.0	INVS LU	Max	13.140	6.961	2.931	-0.0	-0.0
		Min	-1.016	-6.330	-40.016	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	10.187	5.349	1.856	-0.0	-0.0
		Min	-0.084	-4.275	-29.927	-0.0	-0.0
-0.0							
5917 0.0	C1-C2;~1	Max	2.398	1.970	12.236	0.0	0.0
		Min	-4.087	-3.158	-16.311	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.511	2.070	13.708	0.0	0.0
		Min	-4.721	-3.803	-17.788	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.284	1.002	6.573	0.0	0.0
		Min	-2.065	-1.596	-8.847	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.353	1.053	7.257	0.0	0.0
		Min	-2.351	-1.897	-9.650	-0.0	-0.0
-0.0							
0.0	G1		-3.160	-1.727	-5.073	-0.0	-0.0
0.0	G2		-1.238	-0.660	-1.951	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.560	0.025	0.152	-0.0	0.0
0.0	Q5_pc Y		1.602	1.722	-0.223	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.538	0.025	0.170	-0.0	0.0
0.0	Q5_ps Y		1.501	1.622	-0.238	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.607	8.247	2.906	-0.0	-0.0
		Min	-6.039	-2.782	-40.016	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.241	6.356	1.838	-0.0	-0.0
		Min	-3.914	-1.584	-29.926	-0.0	-0.0
-0.0							
5926	C1-C2;~1	Max	3.243	2.326	6.919	0.0	0.0
0.0		Min	-4.623	-3.803	-8.285	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.424	2.643	7.753	0.0	0.0
		Min	-5.449	-4.496	-9.076	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.615	1.172	3.718	0.0	0.0
		Min	-2.303	-1.954	-4.455	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.713	1.353	4.106	0.0	0.0
		Min	-2.673	-2.276	-4.876	-0.0	-0.0
-0.0							
0.0	G1		-2.230	-2.153	-1.881	-0.0	-0.0
0.0	G2		-0.881	-0.843	-0.709	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.507	0.121	0.075	0.0	0.0
0.0	Q5_pc Y		1.644	1.511	-0.122	-0.0	-0.0
-0.0							
0.0	Q5_ps X		0.484	0.112	0.083	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.542	1.434	-0.125	-0.0	-0.0
0.0	INVS LU	Max	11.718	6.879	4.957	-0.0	0.0
0.0		Min	-3.221	-5.480	-17.981	-0.0	-0.0
0.0	INVS LE	Max	9.107	5.322	3.549	-0.0	0.0
0.0		Min	-1.740	-3.632	-13.426	-0.0	-0.0
5927 0.0	C1-C2;~1	Max	2.536	2.342	6.909	0.0	0.0
-0.0		Min	-4.084	-3.433	-8.281	-0.0	-0.0
0.0	C3-C4;~1	Max	2.652	2.455	7.737	0.0	0.0
-0.0		Min	-4.693	-4.131	-9.084	-0.0	-0.0
0.0	C1-C2;~2	Max	1.347	1.202	3.712	0.0	0.0
-0.0		Min	-2.082	-1.737	-4.454	-0.0	-0.0
0.0	C3-C4;~2	Max	1.417	1.254	4.097	0.0	0.0
-0.0		Min	-2.359	-2.063	-4.880	-0.0	-0.0
-0.0	G1		-2.798	-1.607	-1.897	-0.0	-0.0
-0.0	G2		-1.095	-0.606	-0.723	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.551	0.064	0.081	-0.0	0.0
-0.0	Q5_pc Y		1.578	1.640	-0.132	0.0	-0.0
0.0	Q5_ps X		0.528	0.061	0.091	-0.0	0.0
-0.0	Q5_ps Y		1.481	1.545	-0.139	0.0	-0.0
0.0	INVS LU	Max	8.110	9.099	4.930	-0.0	0.0
-0.0		Min	-4.646	-2.744	-18.015	-0.0	-0.0
0.0	INVS LE	Max	6.366	7.002	3.529	-0.0	0.0
-0.0		Min	-2.872	-1.551	-13.450	-0.0	-0.0
5946 0.0	C1-C2;~1	Max	2.854	2.097	6.778	0.0	0.0
-0.0		Min	-5.078	-3.088	-10.095	-0.0	-0.0
0.0	C3-C4;~1	Max	3.000	2.205	7.266	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-5.971	-3.326	-11.695	-0.0	-0.0
0.0	C1-C2;~2	Max	1.431	1.051	3.568	0.0	0.0
-0.0		Min	-2.564	-1.545	-5.380	-0.0	-0.0
0.0	C3-C4;~2	Max	1.511	1.111	3.794	0.0	0.0
-0.0		Min	-2.968	-1.636	-6.152	-0.0	-0.0
0.0		G1	-3.365	-1.581	-3.760	-0.0	0.0
0.0		G2	-1.321	-0.614	-1.454	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.490	0.088	-0.093	0.0	0.0
0.0		Q5_pc Y	1.652	1.518	0.198	-0.0	-0.0
-0.0		Q5_ps X	0.470	0.077	-0.075	0.0	0.0
0.0		Q5_ps Y	1.542	1.449	0.135	-0.0	-0.0
0.0	INVSLU	Max	8.370	7.125	3.876	-0.0	0.0
-0.0		Min	-6.714	-3.076	-22.077	-0.0	-0.0
0.0	INVSLE	Max	6.592	5.490	2.952	-0.0	0.0
-0.0		Min	-4.361	-1.863	-16.246	-0.0	-0.0
5947	C1-C2;~1	Max	2.906	2.733	6.780	0.0	0.0
0.0		Min	-4.070	-3.614	-10.107	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.066	2.796	7.266	0.0	0.0
-0.0		Min	-4.654	-4.297	-11.720	-0.0	-0.0
0.0	C1-C2;~2	Max	1.505	1.397	3.570	0.0	0.0
-0.0		Min	-2.104	-1.805	-5.386	-0.0	-0.0
0.0	C3-C4;~2	Max	1.594	1.426	3.794	0.0	0.0
-0.0		Min	-2.373	-2.122	-6.164	-0.0	-0.0
0.0		G1	-1.895	-1.424	-3.779	0.0	0.0
0.0		G2	-0.747	-0.533	-1.469	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.514	-0.003	-0.087	-0.0	0.0
0.0		Q5_pc Y	1.597	1.719	0.187	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.491	-0.003	-0.068	-0.0	0.0
0.0	Q5_ps Y		1.505	1.621	0.120	0.0	-0.0
0.0	INVS LU	Max	11.372	9.626	3.847	0.0	0.0
-0.0		Min	-1.923	-3.044	-22.121	-0.0	-0.0
0.0	INVS LE	Max	8.802	7.391	2.931	0.0	0.0
-0.0		Min	-0.833	-1.765	-16.279	-0.0	-0.0
5956	C1-C2;~1	Max	2.624	2.278	13.068	0.0	0.0
0.0		Min	-5.055	-3.171	-21.119	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.757	2.543	14.079	0.0	0.0
-0.0		Min	-5.968	-3.096	-24.425	-0.0	-0.0
0.0	C1-C2;~2	Max	1.336	1.151	6.811	0.0	0.0
-0.0		Min	-2.563	-1.599	-11.283	-0.0	-0.0
0.0	C3-C4;~2	Max	1.411	1.277	7.271	0.0	0.0
-0.0		Min	-2.980	-1.581	-12.882	-0.0	-0.0
0.0	G1		-3.739	-1.001	-8.841	-0.0	0.0
0.0	G2		-1.467	-0.382	-3.442	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.507	-0.039	-0.103	0.0	-0.0
-0.0	Q5_pc Y		1.608	1.732	0.257	-0.0	0.0
0.0	Q5_ps X		0.488	-0.053	-0.073	0.0	-0.0
-0.0	Q5_ps Y		1.498	1.675	0.135	-0.0	0.0
0.0							
0.0	INVS LU	Max	6.812	8.120	2.429	0.0	0.0
-0.0		Min	-7.860	-2.712	-50.014	-0.0	0.0
0.0	INVS LE	Max	5.416	6.176	1.894	0.0	0.0
-0.0		Min	-5.237	-1.617	-36.918	-0.0	0.0
5957	C1-C2;~1	Max	3.003	2.787	13.067	0.0	0.0
0.0		Min	-4.052	-3.607	-21.127	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	3.188	2.860	14.076	0.0	0.0
-0.0		Min	-4.643	-4.210	-24.442	-0.0	-0.0
0.0	C1-C2;~2	Max	1.547	1.414	6.810	0.0	0.0
-0.0		Min	-2.107	-1.795	-11.287	-0.0	-0.0
0.0	C3-C4;~2	Max	1.646	1.449	7.269	0.0	0.0
-0.0		Min	-2.379	-2.055	-12.890	-0.0	-0.0
-0.0	G1		-1.612	-1.358	-8.858	0.0	0.0
-0.0	G2		-0.635	-0.512	-3.457	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.514	-0.107	-0.102	-0.0	0.0
0.0	Q5_pc Y		1.575	1.899	0.256	-0.0	-0.0
-0.0	Q5_ps X		0.490	-0.101	-0.070	-0.0	-0.0
0.0	Q5_ps Y		1.487	1.793	0.130	0.0	-0.0
0.0	INVSLU	Max	12.565	9.425	2.402	0.0	0.0
-0.0		Min	-0.842	-3.538	-50.057	-0.0	0.0
0.0	INVSLE	Max	9.699	7.225	1.875	0.0	0.0
-0.0		Min	-0.021	-2.124	-36.949	-0.0	0.0
5966	C1-C2;~1	Max	2.357	2.953	17.802	0.0	0.0
0.0		Min	-4.756	-3.468	-31.485	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.478	3.621	19.288	0.0	0.0
-0.0		Min	-5.685	-3.652	-36.417	-0.0	-0.0
0.0	C1-C2;~2	Max	1.226	1.453	9.150	0.0	0.0
-0.0		Min	-2.412	-1.757	-16.856	-0.0	-0.0
0.0	C3-C4;~2	Max	1.297	1.754	9.813	0.0	0.0
-0.0		Min	-2.844	-1.881	-19.253	-0.0	-0.0
0.0	G1		-3.837	-0.287	-14.613	0.0	0.0
0.0	G2		-1.508	-0.095	-5.709	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.538	-0.138	-0.075	0.0	-0.0
0.0	Q5_pc Y		1.533	1.919	0.260	-0.0	-0.0
-0.0	Q5_ps X		0.520	-0.156	-0.032	0.0	-0.0
0.0	Q5_ps Y		1.424	1.874	0.084	-0.0	0.0
0.0	INVS LU	Max	5.560	10.404	-5.334	0.0	0.0
-0.0		Min	-8.219	-2.869	-81.005	-0.0	0.0
0.0	INVS LE	Max	4.461	7.825	-3.954	0.0	0.0
-0.0		Min	-5.542	-1.751	-59.972	-0.0	0.0
5967	C1-C2;~1	Max	2.887	2.741	17.817	0.0	0.0
0.0		Min	-3.946	-3.599	-31.516	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.053	2.822	19.303	0.0	0.0
-0.0		Min	-4.535	-4.112	-36.460	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.501	1.372	9.158	0.0	0.0
-0.0		Min	-2.065	-1.794	-16.873	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	1.592	1.411	9.821	0.0	0.0
-0.0		Min	-2.337	-1.990	-19.275	-0.0	-0.0
-0.0	G1		-1.622	-1.303	-14.640	0.0	0.0
-0.0	G2		-0.638	-0.489	-5.727	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.533	-0.197	-0.073	-0.0	-0.0
0.0	Q5_pc Y		1.512	2.081	0.257	0.0	-0.0
-0.0	Q5_ps X		0.509	-0.187	-0.029	-0.0	-0.0
0.0	Q5_ps Y		1.427	1.969	0.077	0.0	0.0
0.0	INVS LU	Max	12.845	8.733	-5.256	0.0	0.0
-0.0		Min	-0.120	-4.372	-80.998	-0.0	0.0
0.0	INVS LE	Max	9.922	6.700	-3.887	0.0	0.0
-0.0		Min	0.519	-2.731	-59.958	-0.0	0.0
5976	C1-C2;~1	Max	2.146	3.827	20.928	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.244	-3.900	-39.585	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.260	5.029	22.818	0.0	0.0
0.0		Min	-5.175	-4.356	-45.767	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.141	1.862	10.598	0.0	0.0
0.0		Min	-2.140	-1.975	-21.228	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.209	2.471	11.428	0.0	0.0
0.0		Min	-2.581	-2.247	-24.245	-0.0	-0.0
-0.0							
0.0		G1	-3.591	0.359	-19.375	0.0	0.0
0.0		G2	-1.414	0.165	-7.586	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.570	-0.210	-0.023	0.0	-0.0
-0.0	Q5_pc	Y	1.451	2.080	0.218	-0.0	0.0
0.0	Q5_ps	X	0.552	-0.230	0.028	0.0	-0.0
-0.0	Q5_ps	Y	1.344	2.042	0.004	-0.0	0.0
0.0							
0.0	INVSLU	Max	5.153	13.119	-15.199	0.0	0.0
0.0		Min	-7.495	-3.293	-108.181	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.135	9.802	-11.426	0.0	0.0
0.0		Min	-5.040	-2.079	-80.272	-0.0	0.0
-0.0							
5977	C1-C2;~1	Max	2.755	2.712	20.934	0.0	0.0
0.0		Min	-3.850	-3.541	-39.585	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.893	2.837	22.824	0.0	0.0
0.0		Min	-4.430	-4.157	-45.772	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.445	1.352	10.602	0.0	0.0
0.0		Min	-2.020	-1.765	-21.227	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.525	1.422	11.431	0.0	0.0
0.0		Min	-2.287	-2.043	-24.245	-0.0	-0.0
-0.0							
0.0		G1	-1.719	-1.241	-19.386	0.0	0.0
0.0		G2	-0.677	-0.461	-7.598	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.555	-0.250	-0.021	-0.0	-0.0
-0.0	Q5_pc Y	1.454	2.217	0.215	0.0	0.0
0.0	Q5_ps X	0.530	-0.239	0.031	-0.0	-0.0
-0.0	Q5_ps Y	1.370	2.102	-0.003	0.0	0.0
0.0						
-0.0	INVS LU Max	11.899	8.094	-15.119	0.0	0.0
-0.0	Min	-0.604	-5.339	-108.111	-0.0	0.0
-0.0						
-0.0	INVS LE Max	9.182	6.217	-11.358	0.0	0.0
-0.0	Min	0.115	-3.437	-80.212	-0.0	0.0
-0.0						
5986	C1-C2;~1 Max	2.095	4.851	22.743	0.0	0.0
0.0	Min	-3.748	-4.418	-45.108	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.202	6.303	24.963	0.0	0.0
-0.0	Min	-4.607	-5.113	-52.130	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.122	2.395	11.345	0.0	0.0
-0.0	Min	-1.867	-2.314	-24.225	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.187	3.124	12.307	0.0	0.0
-0.0	Min	-2.268	-2.637	-27.667	-0.0	-0.0
-0.0						
0.0	G1	-3.083	0.856	-22.542	0.0	0.0
0.0	G2	-1.217	0.363	-8.837	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.597	-0.250	0.048	0.0	-0.0
-0.0	Q5_pc Y	1.369	2.200	0.111	-0.0	0.0
0.0	Q5_ps X	0.579	-0.273	0.101	0.0	-0.0
-0.0	Q5_ps Y	1.265	2.166	-0.123	-0.0	0.0
0.0						
0.0	INVS LU Max	5.507	15.469	-22.779	0.0	0.0
-0.0	Min	-6.149	-3.904	-127.054	0.0	0.0
-0.0						
0.0	INVS LE Max	4.375	11.515	-17.154	0.0	0.0
-0.0	Min	-4.077	-2.542	-94.381	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5987	C1-C2;~1	Max	2.641	2.778	22.748	0.0	0.0
0.0		Min	-3.754	-3.640	-45.098	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.761	2.919	24.968	0.0	0.0
0.0		Min	-4.325	-4.259	-52.139	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.395	1.398	11.348	0.0	0.0
0.0		Min	-1.972	-1.847	-24.216	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.467	1.479	12.310	0.0	0.0
0.0		Min	-2.235	-2.131	-27.670	-0.0	-0.0
-0.0							
0.0	G1		-1.788	-1.186	-22.556	0.0	0.0
0.0	G2		-0.705	-0.440	-8.850	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.575	-0.277	0.050	-0.0	-0.0
-0.0	Q5_pc Y		1.396	2.313	0.107	0.0	0.0
0.0	Q5_ps X		0.550	-0.264	0.105	-0.0	-0.0
-0.0	Q5_ps Y		1.313	2.194	-0.129	0.0	0.0
0.0							
	INVSLU	Max	10.228	7.357	-22.679	0.0	0.0
0.0		Min	-1.850	-6.496	-126.967	-0.0	0.0
-0.0							
	INVSLE	Max	7.884	5.641	-17.069	0.0	0.0
0.0		Min	-0.877	-4.312	-94.305	-0.0	0.0
-0.0							
5996	C1-C2;~1	Max	2.177	5.709	24.232	0.0	0.0
0.0		Min	-3.420	-5.076	-47.316	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.269	7.320	26.833	0.0	0.0
0.0		Min	-4.149	-5.878	-54.630	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.159	2.836	12.157	0.0	0.0
0.0		Min	-1.703	-2.656	-25.407	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.217	3.644	13.324	0.0	0.0
0.0		Min	-2.027	-3.028	-28.999	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-2.417	1.155	-23.562	0.0	0.0
-0.0	G2		-0.958	0.483	-9.246	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.614	-0.260	0.123	0.0	-0.0
0.0	Q5_pc Y		1.292	2.280	-0.040	-0.0	0.0
-0.0	Q5_ps X		0.596	-0.283	0.175	0.0	-0.0
0.0	Q5_ps Y		1.192	2.245	-0.273	-0.0	0.0
0.0	INVS LU	Max	6.337	17.233	-23.988	0.0	0.0
-0.0		Min	-4.653	-4.688	-134.185	0.0	-0.0
0.0	INVS LE	Max	4.966	12.803	-18.106	0.0	0.0
-0.0		Min	-3.002	-3.130	-99.717	0.0	-0.0
5997	C1-C2;~1	Max	2.510	2.868	24.238	0.0	0.0
0.0		Min	-3.636	-3.774	-47.319	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.624	3.027	26.840	0.0	0.0
-0.0		Min	-4.207	-4.417	-54.663	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.337	1.456	12.160	0.0	0.0
0.0		Min	-1.912	-1.944	-25.408	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.406	1.545	13.327	0.0	0.0
-0.0		Min	-2.174	-2.240	-29.020	-0.0	-0.0
0.0							
0.0	G1		-1.855	-1.169	-23.577	0.0	0.0
0.0	G2		-0.733	-0.433	-9.260	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.591	-0.277	0.126	-0.0	-0.0
0.0	Q5_pc Y		1.336	2.367	-0.044	0.0	0.0
0.0	Q5_ps X		0.566	-0.264	0.179	-0.0	-0.0
0.0	Q5_ps Y		1.256	2.247	-0.280	0.0	0.0
0.0							
0.0	INVS LU	Max	8.118	6.857	-23.881	0.0	0.0
-0.0		Min	-3.508	-7.452	-134.137	-0.0	-0.0
0.0							
0.0	INVS LE	Max	6.255	5.244	-18.016	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-2.179	-5.039	-99.671	-0.0	-0.0
-0.0							
6006	C1-C2;~1	Max	2.457	6.345	24.611	0.0	0.0
0.0		Min	-3.330	-5.692	-45.843	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.446	7.979	27.349	0.0	0.0
0.0		Min	-3.971	-6.596	-52.863	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.243	3.163	12.469	0.0	0.0
0.0		Min	-1.687	-2.977	-24.552	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.294	3.976	13.700	0.0	0.0
0.0		Min	-1.972	-3.397	-27.998	-0.0	-0.0
-0.0							
-0.0	G1		-1.705	1.228	-22.255	0.0	-0.0
-0.0	G2		-0.679	0.511	-8.740	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.617	-0.240	0.189	0.0	-0.0
0.0	Q5_pc Y		1.227	2.314	-0.213	-0.0	0.0
0.0	Q5_ps X		0.599	-0.262	0.234	0.0	-0.0
0.0	Q5_ps Y		1.132	2.275	-0.427	-0.0	0.0
0.0							
0.0	INVSLU	Max	7.428	18.219	-19.543	0.0	0.0
0.0		Min	-3.459	-5.622	-128.213	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.750	13.525	-14.804	0.0	0.0
0.0		Min	-2.150	-3.826	-95.272	0.0	-0.0
-0.0							
6007	C1-C2;~1	Max	2.401	2.974	24.615	0.0	0.0
0.0		Min	-3.531	-3.939	-45.833	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.513	3.166	27.354	0.0	0.0
0.0		Min	-4.102	-4.634	-52.871	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.286	1.519	12.471	0.0	0.0
0.0		Min	-1.855	-2.050	-24.543	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.353	1.624	13.702	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.116	-2.371	-28.000	-0.0	-0.0
-0.0	G1		-1.915	-1.191	-22.267	0.0	-0.0
-0.0	G2		-0.758	-0.442	-8.753	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.599	-0.250	0.191	-0.0	-0.0
0.0	Q5_pc Y		1.284	2.376	-0.217	0.0	0.0
-0.0	Q5_ps X		0.573	-0.238	0.238	-0.0	-0.0
0.0	Q5_ps Y		1.205	2.256	-0.434	0.0	0.0
-0.0							
0.0	INVSLU	Max	5.980	6.677	-19.440	0.0	-0.0
0.0		Min	-5.263	-8.130	-128.133	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.605	5.088	-14.718	0.0	-0.0
0.0		Min	-3.552	-5.564	-95.202	-0.0	-0.0
-0.0							
6016	C1-C2;~1	Max	2.894	6.703	23.485	0.0	0.0
0.0		Min	-3.409	-6.232	-40.937	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.767	8.302	26.188	0.0	0.0
0.0		Min	-3.979	-7.231	-47.112	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.449	3.343	12.005	0.0	0.0
0.0		Min	-1.752	-3.261	-21.829	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.432	4.143	13.223	0.0	0.0
0.0		Min	-2.008	-3.724	-24.850	-0.0	-0.0
-0.0							
-0.0	G1		-1.030	1.069	-18.842	0.0	-0.0
-0.0	G2		-0.414	0.447	-7.405	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.598	-0.191	0.231	0.0	0.0
0.0	Q5_pc Y		1.177	2.300	-0.392	-0.0	0.0
0.0	Q5_ps X		0.582	-0.212	0.268	0.0	0.0
0.0	Q5_ps Y		1.088	2.255	-0.571	-0.0	0.0
0.0							
-0.0	INVSLU	Max	8.715	18.423	-10.615	0.0	-0.0
-0.0		Min	-2.683	-6.686	-110.276	0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	6.676	13.676	-8.115	0.0	-0.0
-0.0		Min	-1.610	-4.617	-81.886	0.0	-0.0
-0.0							
6017	C1-C2;~1	Max	2.318	3.051	23.492	0.0	0.0
0.0		Min	-3.438	-4.085	-40.931	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.427	3.271	26.195	0.0	0.0
0.0		Min	-4.003	-4.833	-47.114	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.244	1.570	12.009	0.0	0.0
0.0		Min	-1.800	-2.144	-21.824	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.309	1.687	13.226	0.0	0.0
0.0		Min	-2.057	-2.492	-24.848	-0.0	-0.0
-0.0							
-0.0	G1		-1.949	-1.241	-18.849	0.0	-0.0
-0.0	G2		-0.773	-0.460	-7.415	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.594	-0.202	0.234	-0.0	-0.0
0.0	Q5_pc Y		1.242	2.341	-0.394	0.0	0.0
-0.0	Q5_ps X		0.569	-0.192	0.272	-0.0	-0.0
0.0	Q5_ps Y		1.165	2.222	-0.575	0.0	0.0
-0.0							
	INVSLU	Max	4.135	6.799	-10.530	0.0	-0.0
0.0		Min	-6.781	-8.355	-110.207	-0.0	-0.0
0.0							
	INVSLE	Max	3.176	5.161	-8.044	0.0	-0.0
0.0		Min	-4.745	-5.752	-81.825	-0.0	-0.0
0.0							
6026	C1-C2;~1	Max	3.374	6.703	20.745	0.0	0.0
0.0		Min	-3.652	-6.670	-33.221	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.190	8.121	23.214	0.0	0.0
0.0		Min	-4.190	-7.743	-38.132	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.682	3.331	10.693	0.0	0.0
0.0		Min	-1.891	-3.493	-17.624	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.613	4.038	11.807	0.0	0.0
-0.0		Min	-2.136	-3.989	-20.021	-0.0	-0.0
-0.0		G1	-0.533	0.616	-13.888	0.0	-0.0
-0.0		G2	-0.217	0.266	-5.461	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.556	-0.119	0.241	0.0	0.0
-0.0	Q5_pc	Y	1.156	2.236	-0.562	-0.0	0.0
0.0	Q5_ps	X	0.540	-0.137	0.266	0.0	0.0
-0.0	Q5_ps	Y	1.074	2.181	-0.691	0.0	0.0
0.0	INVSLU	Max	9.732	17.506	0.202	0.0	-0.0
-0.0		Min	-2.561	-7.936	-83.627	-0.0	-0.0
0.0	INVSLE	Max	7.403	13.007	0.033	0.0	-0.0
-0.0		Min	-1.549	-5.541	-61.987	-0.0	-0.0
6027	C1-C2;~1	Max	2.213	3.109	20.767	0.0	0.0
0.0		Min	-3.319	-4.201	-33.257	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.320	3.325	23.237	0.0	0.0
-0.0		Min	-3.874	-4.981	-38.182	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.189	1.609	10.704	0.0	0.0
0.0		Min	-1.724	-2.216	-17.644	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.253	1.725	11.819	0.0	0.0
-0.0		Min	-1.975	-2.580	-20.047	-0.0	-0.0
0.0							
0.0		G1	-2.011	-1.313	-13.916	0.0	-0.0
0.0		G2	-0.797	-0.491	-5.480	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.572	-0.135	0.244	-0.0	-0.0
0.0	Q5_pc	Y	1.206	2.247	-0.561	0.0	0.0
0.0	Q5_ps	X	0.548	-0.127	0.271	-0.0	-0.0
0.0	Q5_ps	Y	1.130	2.132	-0.693	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.989	7.157	0.302	0.0	-0.0
		Min	-7.544	-8.100	-83.624	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.294	5.404	0.117	0.0	-0.0
		Min	-5.347	-5.598	-61.975	-0.0	-0.0
-0.0							
6036 0.0	C1-C2;~1	Max	3.719	6.417	15.828	0.0	0.0
		Min	-4.076	-6.982	-22.823	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.703	7.538	17.776	0.0	0.0
		Min	-4.654	-8.102	-26.101	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.845	3.169	8.219	0.0	0.0
		Min	-2.121	-3.660	-12.034	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.843	3.721	9.101	0.0	0.0
		Min	-2.385	-4.178	-13.628	-0.0	-0.0
-0.0							
-0.0	G1		-0.323	-0.035	-8.075	0.0	-0.0
-0.0	G2		-0.132	0.006	-3.177	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.487	-0.041	0.206	-0.0	0.0
0.0	Q5_pc Y		1.183	2.106	-0.586	0.0	-0.0
-0.0	Q5_ps X		0.473	-0.054	0.218	-0.0	0.0
0.0	Q5_ps Y		1.106	2.040	-0.660	0.0	-0.0
-0.0							
0.0	INVS LU	Max	9.934	15.657	7.902	0.0	-0.0
		Min	-3.500	-9.247	-52.385	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	7.518	11.656	5.839	0.0	-0.0
		Min	-2.275	-6.511	-38.740	-0.0	-0.0
-0.0							
6037 0.0	C1-C2;~1	Max	2.088	3.128	15.818	0.0	0.0
		Min	-3.102	-4.201	-22.818	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.189	3.318	17.762	0.0	0.0
		Min	-3.614	-4.981	-26.100	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.117	1.626	8.214	0.0	0.0
		Min	-1.585	-2.222	-12.033	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.178	1.731	9.094	0.0	0.0
		Min	-1.815	-2.587	-13.628	-0.0	-0.0
-0.0							
0.0	G1		-1.991	-1.298	-8.092	0.0	-0.0
0.0	G2		-0.791	-0.486	-3.193	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.533	-0.054	0.209	-0.0	0.0
0.0	Q5_pc Y		1.151	2.059	-0.576	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.511	-0.050	0.223	-0.0	-0.0
0.0	Q5_ps Y		1.077	1.952	-0.654	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.824	7.968	7.852	0.0	-0.0
		Min	-7.082	-6.942	-52.399	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.185	6.017	5.803	0.0	-0.0
		Min	-4.999	-4.754	-38.750	-0.0	-0.0
-0.0							
6046	C1-C2;~1	Max	3.878	5.873	8.459	0.0	0.0
0.0		Min	-4.619	-6.996	-11.125	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.113	6.660	9.520	0.0	0.0
		Min	-5.296	-8.110	-12.704	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.915	2.881	4.416	0.0	0.0
		Min	-2.413	-3.668	-5.830	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.023	3.258	4.897	0.0	0.0
		Min	-2.723	-4.182	-6.595	-0.0	-0.0
-0.0							
0.0	G1		-0.500	-0.673	-3.226	0.0	-0.0
0.0	G2		-0.197	-0.248	-1.266	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.392	0.041	0.095	0.0	0.0
0.0	Q5_pc Y		1.261	1.918	-0.375	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.379	0.033	0.101	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		1.188	1.842	-0.406	0.0	-0.0
0.0	INVS LU	Max	9.554	13.469	7.332	0.0	0.0
-0.0		Min	-5.418	-9.922	-23.344	-0.0	-0.0
0.0	INVS LE	Max	7.200	10.066	5.447	0.0	0.0
-0.0		Min	-3.722	-7.005	-17.226	-0.0	-0.0
6047 0.0	C1-C2;~1	Max	1.992	3.239	8.448	0.0	0.0
-0.0		Min	-2.780	-4.199	-11.123	-0.0	-0.0
0.0	C3-C4;~1	Max	2.094	3.455	9.503	0.0	0.0
-0.0		Min	-3.230	-4.968	-12.716	-0.0	-0.0
0.0	C1-C2;~2	Max	1.056	1.677	4.411	0.0	0.0
-0.0		Min	-1.407	-2.219	-5.829	-0.0	-0.0
0.0	C3-C4;~2	Max	1.116	1.792	4.889	0.0	0.0
-0.0		Min	-1.610	-2.580	-6.601	-0.0	-0.0
-0.0	G1		-1.676	-1.103	-3.247	0.0	-0.0
-0.0	G2		-0.670	-0.407	-1.284	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.493	-0.003	0.106	-0.0	0.0
-0.0	Q5_pc Y		1.146	1.814	-0.368	0.0	-0.0
0.0	Q5_ps X		0.472	-0.002	0.114	-0.0	-0.0
-0.0	Q5_ps Y		1.074	1.720	-0.402	0.0	-0.0
0.0	INVS LU	Max	3.519	8.931	7.279	0.0	0.0
-0.0		Min	-5.732	-5.705	-23.378	-0.0	-0.0
0.0	INVS LE	Max	2.707	6.753	5.409	0.0	0.0
-0.0		Min	-3.993	-3.847	-17.251	-0.0	-0.0
6066 0.0	C1-C2;~1	Max	4.155	4.907	8.748	0.0	0.0
-0.0		Min	-5.687	-6.368	-11.049	-0.0	-0.0
0.0	C3-C4;~1	Max	4.531	5.280	9.629	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.750	-7.119	-12.865	-0.0	-0.0
0.0	C1-C2;~2	Max	2.053	2.448	4.520	0.0	0.0
-0.0		Min	-2.974	-3.370	-5.805	-0.0	-0.0
0.0	C3-C4;~2	Max	2.231	2.626	4.930	0.0	0.0
-0.0		Min	-3.476	-3.700	-6.662	-0.0	-0.0
0.0	G1		-1.495	-1.447	-2.802	-0.0	0.0
0.0	G2		-0.586	-0.541	-1.053	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.417	-0.073	-0.175	0.0	0.0
-0.0	Q5_pc Y		1.618	1.363	0.638	0.0	-0.0
-0.0	Q5_ps X		0.411	-0.077	-0.138	0.0	0.0
-0.0	Q5_ps Y		1.532	1.298	0.616	0.0	-0.0
0.0	INVSLU	Max	8.246	9.437	7.637	-0.0	0.0
-0.0		Min	-9.896	-9.755	-23.879	-0.0	-0.0
0.0	INVSLE	Max	6.191	7.107	5.597	-0.0	0.0
-0.0		Min	-7.032	-6.928	-17.663	-0.0	-0.0
6067	C1-C2;~1	Max	1.857	3.549	8.745	0.0	0.0
0.0		Min	-2.179	-4.166	-11.062	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.959	3.765	9.622	0.0	0.0
-0.0		Min	-2.514	-4.827	-12.893	-0.0	-0.0
0.0	C1-C2;~2	Max	0.968	1.808	4.518	0.0	0.0
-0.0		Min	-1.103	-2.188	-5.811	-0.0	-0.0
0.0	C3-C4;~2	Max	1.029	1.918	4.925	0.0	0.0
-0.0		Min	-1.258	-2.496	-6.675	-0.0	-0.0
0.0	G1		-0.849	-0.571	-2.828	-0.0	0.0
0.0	G2		-0.353	-0.200	-1.071	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.542	-0.146	-0.167	-0.0	0.0
	Q5_pc Y		1.328	1.233	0.641	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		0.516	-0.139	-0.128	-0.0	-0.0
-0.0	Q5_ps Y		1.250	1.170	0.617	0.0	-0.0
-0.0							
0.0	INVS LU	Max	5.787	10.364	7.604	0.0	0.0
-0.0		Min	-2.640	-3.455	-23.946	-0.0	-0.0
0.0	INVS LE	Max	4.387	7.858	5.573	0.0	0.0
-0.0		Min	-1.678	-2.214	-17.712	-0.0	-0.0
6076	C1-C2;~1	Max	4.206	4.385	16.630	0.0	0.0
0.0		Min	-6.229	-5.694	-22.893	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.577	4.659	18.260	0.0	0.0
-0.0		Min	-7.601	-6.033	-26.664	-0.0	-0.0
0.0	C1-C2;~2	Max	2.097	2.226	8.524	0.0	0.0
-0.0		Min	-3.258	-3.049	-12.082	-0.0	-0.0
0.0	C3-C4;~2	Max	2.277	2.360	9.280	0.0	0.0
-0.0		Min	-3.923	-3.170	-13.867	-0.0	-0.0
0.0	G1		-2.154	-1.382	-7.233	-0.0	0.0
0.0	G2		-0.852	-0.507	-2.754	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.556	-0.255	-0.283	0.0	0.0
-0.0	Q5_pc Y		1.883	1.014	1.470	0.0	-0.0
-0.0	Q5_ps X		0.555	-0.262	-0.210	0.0	0.0
-0.0	Q5_ps Y		1.779	0.968	1.412	0.0	-0.0
0.0	INVS LU	Max	7.400	7.686	9.150	-0.0	0.0
-0.0		Min	-12.430	-8.572	-54.143	-0.0	-0.0
0.0	INVS LE	Max	5.551	5.799	6.587	-0.0	0.0
-0.0		Min	-8.887	-6.108	-40.101	-0.0	-0.0
6077	C1-C2;~1	Max	1.740	3.664	16.624	0.0	0.0
0.0		Min	-1.910	-4.136	-22.894	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.850	3.885	18.250	0.0	0.0
-0.0		Min	-2.219	-4.738	-26.675	-0.0	-0.0
0.0	C1-C2;~2	Max	0.907	1.856	8.520	0.0	0.0
-0.0		Min	-0.975	-2.165	-12.083	-0.0	-0.0
0.0	C3-C4;~2	Max	0.973	1.964	9.275	0.0	0.0
-0.0		Min	-1.119	-2.444	-13.872	-0.0	-0.0
-0.0	G1		-0.539	-0.365	-7.250	-0.0	0.0
-0.0	G2		-0.230	-0.121	-2.769	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.667	-0.305	-0.282	-0.0	0.0
-0.0	Q5_pc Y		1.473	0.914	1.470	0.0	-0.0
-0.0	Q5_ps X		0.633	-0.292	-0.207	-0.0	-0.0
-0.0	Q5_ps Y		1.389	0.870	1.411	0.0	-0.0
0.0	INVSLU	Max	7.122	10.487	9.115	-0.0	0.0
-0.0		Min	-1.022	-2.799	-54.180	-0.0	-0.0
0.0	INVSLE	Max	5.377	7.972	6.561	-0.0	0.0
-0.0		Min	-0.460	-1.748	-40.128	-0.0	-0.0
6086	C1-C2;~1	Max	4.184	3.872	22.237	0.0	0.0
0.0		Min	-6.556	-5.029	-33.637	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.541	4.090	24.311	0.0	0.0
-0.0		Min	-8.210	-4.884	-39.242	-0.0	-0.0
0.0	C1-C2;~2	Max	2.110	1.997	11.274	0.0	0.0
-0.0		Min	-3.435	-2.712	-17.829	-0.0	-0.0
0.0	C3-C4;~2	Max	2.288	2.105	12.234	0.0	0.0
-0.0		Min	-4.254	-2.611	-20.495	-0.0	-0.0
0.0	G1		-2.650	-0.981	-12.672	-0.0	0.0
0.0	G2		-1.057	-0.342	-4.857	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.692	-0.387	-0.389	0.0	0.0
-0.0	Q5_pc Y		2.118	0.719	2.419	0.0	-0.0
-0.0	Q5_ps X		0.695	-0.398	-0.281	0.0	0.0
-0.0	Q5_ps Y		1.999	0.689	2.314	0.0	-0.0
0.0	INVSLU	Max	6.653	6.681	3.049	-0.0	0.0
-0.0		Min	-14.374	-6.924	-87.103	-0.0	0.0
0.0	INVSLE	Max	4.978	5.043	1.847	-0.0	0.0
-0.0		Min	-10.315	-4.939	-64.609	-0.0	0.0
6087	C1-C2;~1	Max	1.658	3.771	22.254	0.0	0.0
0.0		Min	-1.845	-4.231	-33.668	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.787	3.992	24.328	0.0	0.0
0.0		Min	-2.189	-4.810	-39.286	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.869	1.905	11.283	0.0	0.0
0.0		Min	-0.953	-2.209	-17.846	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.945	2.011	12.242	0.0	0.0
0.0		Min	-1.114	-2.474	-20.518	-0.0	-0.0
-0.0	G1		-0.508	-0.355	-12.698	-0.0	0.0
-0.0	G2		-0.219	-0.114	-4.874	-0.0	0.0
0.0	G3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.807	-0.438	-0.387	-0.0	0.0
-0.0	Q5_pc Y		1.609	0.680	2.420	0.0	-0.0
-0.0	Q5_ps X		0.767	-0.419	-0.276	-0.0	-0.0
-0.0	Q5_ps Y		1.518	0.649	2.314	0.0	-0.0
0.0	INVSLU	Max	8.132	10.036	3.130	-0.0	0.0
-0.0		Min	-0.131	-3.070	-87.106	-0.0	0.0
0.0	INVSLE	Max	6.120	7.658	1.915	-0.0	0.0
-0.0		Min	0.213	-1.959	-64.603	-0.0	0.0
6096	C1-C2;~1	Max	4.121	3.429	25.712	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-6.604	-4.265	-41.795	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.466	3.643	27.996	0.0	0.0
0.0		Min	-8.470	-3.972	-48.814	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.098	1.790	12.885	0.0	0.0
0.0		Min	-3.462	-2.313	-22.231	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.275	1.891	13.938	0.0	0.0
0.0		Min	-4.402	-2.129	-25.580	-0.0	-0.0
-0.0							
0.0		G1	-2.834	-0.395	-17.310	0.0	0.0
0.0		G2	-1.140	-0.109	-6.655	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.810	-0.473	-0.480	0.0	0.0
-0.0	Q5_pc	Y	2.294	0.483	3.335	-0.0	-0.0
-0.0	Q5_ps	X	0.816	-0.488	-0.345	0.0	0.0
-0.0	Q5_ps	Y	2.163	0.465	3.181	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.386	6.393	-5.914	0.0	0.0
0.0		Min	-15.205	-5.152	-115.610	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.763	4.819	-5.046	0.0	0.0
0.0		Min	-10.925	-3.668	-85.858	-0.0	0.0
-0.0							
6097	C1-C2;~1	Max	1.641	3.792	25.720	0.0	0.0
0.0		Min	-1.901	-4.256	-41.796	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.787	4.003	28.004	0.0	0.0
0.0		Min	-2.302	-4.805	-48.820	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.860	1.920	12.889	0.0	0.0
0.0		Min	-0.987	-2.223	-22.230	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.946	2.019	13.942	0.0	0.0
0.0		Min	-1.177	-2.470	-25.581	-0.0	-0.0
-0.0							
0.0		G1	-0.578	-0.389	-17.321	-0.0	0.0
0.0		G2	-0.251	-0.123	-6.667	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.913	-0.519	-0.477	-0.0	-0.0
-0.0	Q5_pc Y	1.722	0.542	3.335	-0.0	-0.0
-0.0	Q5_ps X	0.870	-0.497	-0.340	-0.0	-0.0
-0.0	Q5_ps Y	1.625	0.518	3.181	0.0	-0.0
-0.0	INVS LU Max	8.210	8.875	-5.831	-0.0	0.0
-0.0	Min	-0.410	-3.990	-115.547	-0.0	0.0
-0.0	INVS LE Max	6.131	6.785	-4.975	-0.0	0.0
-0.0	Min	-0.025	-2.673	-85.802	-0.0	0.0
6106	C1-C2;~1 Max	4.002	3.036	27.524	0.0	0.0
0.0	Min	-6.363	-3.451	-47.186	-0.0	-0.0
-0.0	C3-C4;~1 Max	4.333	3.292	29.852	0.0	0.0
0.0	Min	-8.352	-3.063	-55.168	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.054	1.594	13.627	0.0	0.0
0.0	Min	-3.333	-1.882	-25.171	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.228	1.709	14.698	0.0	0.0
0.0	Min	-4.349	-1.646	-28.993	-0.0	-0.0
-0.0	G1	-2.728	0.256	-20.497	0.0	0.0
0.0	G2	-1.106	0.146	-7.891	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.895	-0.512	-0.547	0.0	0.0
-0.0	Q5_pc Y	2.401	0.294	4.103	-0.0	-0.0
-0.0	Q5_ps X	0.902	-0.529	-0.396	0.0	0.0
-0.0	Q5_ps Y	2.264	0.285	3.908	-0.0	-0.0
-0.0	INVS LU Max	6.456	6.714	-13.145	0.0	0.0
0.0	Min	-14.992	-3.312	-135.307	-0.0	0.0
-0.0	INVS LE Max	4.799	5.031	-10.575	0.0	0.0
0.0	Min	-10.768	-2.327	-100.518	-0.0	0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

6107	C1-C2;~1	Max	1.632	3.785	27.531	0.0	0.0
0.0		Min	-1.952	-4.283	-47.179	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.794	3.982	29.859	0.0	0.0
0.0		Min	-2.399	-4.762	-55.179	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.854	1.922	13.631	0.0	0.0
0.0		Min	-1.018	-2.249	-25.164	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.949	2.014	14.701	0.0	0.0
0.0		Min	-1.231	-2.448	-28.997	-0.0	-0.0
-0.0							
	G1		-0.634	-0.407	-20.511	0.0	0.0
0.0							
	G2		-0.274	-0.131	-7.904	0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.992	-0.561	-0.544	-0.0	-0.0
-0.0							
	Q5_pc Y		1.809	0.454	4.104	-0.0	-0.0
-0.0							
	Q5_ps X		0.946	-0.536	-0.390	-0.0	-0.0
-0.0							
	Q5_ps Y		1.707	0.434	3.908	-0.0	-0.0
-0.0							
	INVSLU	Max	7.726	7.262	-13.039	0.0	0.0
-0.0		Min	-1.189	-5.554	-135.228	-0.0	-0.0
-0.0							
	INVSLE	Max	5.726	5.533	-10.485	0.0	0.0
-0.0		Min	-0.637	-3.885	-100.448	-0.0	-0.0
-0.0							
6116	C1-C2;~1	Max	3.811	2.741	27.796	0.0	0.0
0.0		Min	-5.847	-2.684	-49.113	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.128	3.070	30.004	0.0	0.0
0.0		Min	-7.865	-2.275	-57.450	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.969	1.433	13.609	0.0	0.0
0.0		Min	-3.053	-1.467	-26.228	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.140	1.573	14.616	0.0	0.0
0.0		Min	-4.097	-1.220	-30.221	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-2.389	0.868	-21.661	0.0	0.0
-0.0	G2	-0.979	0.381	-8.343	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.939	-0.509	-0.592	0.0	0.0
-0.0	Q5_pc Y	2.431	0.151	4.641	-0.0	-0.0
0.0	Q5_ps X	0.946	-0.526	-0.435	0.0	0.0
-0.0	Q5_ps Y	2.292	0.148	4.415	-0.0	-0.0
0.0	INVS LU Max	6.676	7.218	-16.153	0.0	0.0
-0.0	Min	-13.890	-1.466	-142.569	0.0	0.0
0.0	INVS LE Max	4.946	5.383	-12.874	0.0	0.0
-0.0	Min	-9.964	-0.981	-105.897	0.0	0.0
6117	C1-C2;~1 Max	1.620	3.789	27.802	0.0	0.0
0.0	Min	-1.985	-4.368	-49.114	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.797	3.975	30.010	0.0	0.0
0.0	Min	-2.466	-4.835	-57.483	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.847	1.930	13.612	0.0	0.0
0.0	Min	-1.038	-2.312	-26.228	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.950	2.016	14.619	0.0	0.0
0.0	Min	-1.271	-2.504	-30.240	-0.0	-0.0
-0.0	G1	-0.675	-0.445	-21.676	0.0	0.0
-0.0	G2	-0.291	-0.146	-8.357	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	1.036	-0.566	-0.588	-0.0	-0.0
-0.0	Q5_pc Y	1.848	0.418	4.643	-0.0	-0.0
-0.0	Q5_ps X	0.989	-0.541	-0.429	-0.0	-0.0
-0.0	Q5_ps Y	1.745	0.400	4.417	-0.0	-0.0
0.0	INVS LU Max	6.686	5.597	-16.048	0.0	0.0
-0.0	Min	-2.396	-7.316	-142.520	-0.0	-0.0
0.0	INVS LE Max	4.907	4.242	-12.786	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.574	-5.248	-105.850	-0.0	-0.0
-0.0							
6126	C1-C2;~1	Max	3.538	2.527	27.720	0.0	0.0
0.0		Min	-5.085	-2.067	-47.251	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.837	2.917	29.773	0.0	0.0
0.0		Min	-7.017	-1.682	-55.293	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.837	1.299	13.732	0.0	0.0
0.0		Min	-2.636	-1.122	-25.195	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.002	1.459	14.686	0.0	0.0
0.0		Min	-3.648	-0.889	-29.037	-0.0	-0.0
-0.0							
-0.0	G1		-1.874	1.347	-20.587	0.0	0.0
-0.0	G2		-0.780	0.562	-7.927	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.934	-0.468	-0.615	0.0	0.0
0.0	Q5_pc Y		2.369	0.054	4.874	-0.0	-0.0
0.0	Q5_ps X		0.941	-0.486	-0.464	0.0	0.0
0.0	Q5_ps Y		2.234	0.055	4.633	-0.0	-0.0
0.0							
0.0	INVSLU	Max	6.889	7.626	-12.465	0.0	0.0
0.0		Min	-12.028	0.055	-136.077	0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.090	5.670	-10.108	0.0	0.0
0.0		Min	-8.606	0.125	-101.022	0.0	-0.0
-0.0							
6127	C1-C2;~1	Max	1.613	3.809	27.728	0.0	0.0
0.0		Min	-1.986	-4.424	-47.243	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.802	3.986	29.781	0.0	0.0
0.0		Min	-2.480	-4.904	-55.305	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.841	1.946	13.736	0.0	0.0
0.0		Min	-1.036	-2.347	-25.188	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.951	2.028	14.690	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-1.276	-2.545	-29.041	-0.0	-0.0
-0.0	G1		-0.696	-0.500	-20.601	0.0	0.0
-0.0	G2		-0.300	-0.169	-7.940	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.039	-0.539	-0.611	-0.0	-0.0
0.0	Q5_pc Y		1.826	0.433	4.877	-0.0	-0.0
0.0	Q5_ps X		0.991	-0.515	-0.457	-0.0	-0.0
0.0	Q5_ps Y		1.724	0.413	4.636	-0.0	-0.0
0.0	INVSLU	Max	5.309	4.147	-12.356	0.0	0.0
0.0		Min	-3.759	-8.826	-135.999	0.0	-0.0
0.0	INVSLE	Max	3.842	3.112	-10.016	0.0	0.0
0.0		Min	-2.631	-6.426	-100.954	0.0	-0.0
6136	C1-C2;~1	Max	3.180	2.265	26.000	0.0	0.0
0.0		Min	-4.145	-1.534	-41.915	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.455	2.768	27.794	0.0	0.0
0.0		Min	-5.876	-1.239	-49.040	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.657	1.142	13.024	0.0	0.0
0.0		Min	-2.122	-0.824	-22.275	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.812	1.380	13.873	0.0	0.0
0.0		Min	-3.039	-0.649	-25.660	-0.0	-0.0
-0.0	G1		-1.260	1.613	-17.473	0.0	0.0
-0.0	G2		-0.538	0.658	-6.720	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.877	-0.403	-0.613	0.0	0.0
0.0	Q5_pc Y		2.201	-0.001	4.744	-0.0	-0.0
0.0	Q5_ps X		0.882	-0.419	-0.479	0.0	0.0
0.0	Q5_ps Y		2.077	0.001	4.506	-0.0	-0.0
0.0	INVSLU	Max	6.926	7.691	-4.745	0.0	0.0
-0.0		Min	-9.634	1.159	-117.010	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
	INVSLE	Max	5.107	5.707	-4.247	0.0	0.0
-0.0		Min	-6.866	0.922	-86.774	0.0	-0.0
-0.0							
6137	C1-C2;~1	Max	1.607	3.853	26.008	0.0	0.0
0.0		Min	-2.044	-4.451	-41.915	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.807	4.026	27.802	0.0	0.0
0.0		Min	-2.523	-4.974	-49.047	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.833	1.975	13.028	0.0	0.0
0.0		Min	-1.079	-2.352	-22.274	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.949	2.055	13.878	0.0	0.0
0.0		Min	-1.310	-2.575	-25.661	-0.0	-0.0
-0.0							
-0.0	G1		-0.692	-0.564	-17.484	0.0	0.0
-0.0	G2		-0.299	-0.195	-6.731	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.997	-0.491	-0.609	-0.0	-0.0
0.0	Q5_pc Y		1.736	0.487	4.747	-0.0	-0.0
0.0	Q5_ps X		0.952	-0.468	-0.472	-0.0	-0.0
0.0	Q5_ps Y		1.639	0.463	4.510	-0.0	-0.0
0.0							
	INVSLU	Max	3.798	3.220	-4.659	0.0	0.0
0.0		Min	-5.172	-9.812	-116.950	0.0	-0.0
0.0							
	INVSLE	Max	2.685	2.377	-4.174	0.0	0.0
0.0		Min	-3.728	-7.212	-86.720	0.0	-0.0
0.0							
6146	C1-C2;~1	Max	2.713	1.867	22.579	0.0	0.0
0.0		Min	-3.205	-1.063	-33.805	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.960	2.371	24.030	0.0	0.0
0.0		Min	-4.535	-0.841	-39.529	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.416	0.927	11.432	0.0	0.0
0.0		Min	-1.636	-0.567	-17.892	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.558	1.181	12.134	0.0	0.0
-0.0		Min	-2.328	-0.433	-20.596	-0.0	-0.0
-0.0	G1		-0.637	1.588	-12.879	0.0	-0.0
-0.0	G2		-0.288	0.639	-4.940	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.770	-0.321	-0.583	0.0	0.0
0.0	Q5_pc Y		1.909	-0.018	4.213	-0.0	-0.0
0.0	Q5_ps X		0.771	-0.335	-0.475	0.0	0.0
0.0	Q5_ps Y		1.801	-0.017	3.999	-0.0	-0.0
0.0	INVSLU	Max	6.569	6.882	4.510	0.0	0.0
-0.0		Min	-6.985	1.668	-88.878	0.0	-0.0
0.0	INVSLE	Max	4.837	5.099	2.844	0.0	0.0
-0.0		Min	-4.948	1.280	-65.771	0.0	-0.0
6147	C1-C2;~1	Max	1.623	4.002	22.599	0.0	0.0
0.0		Min	-2.114	-4.596	-33.837	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.834	4.181	24.051	0.0	0.0
0.0		Min	-2.571	-5.208	-39.576	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.835	2.058	11.442	0.0	0.0
0.0		Min	-1.124	-2.418	-17.910	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.956	2.141	12.144	0.0	0.0
0.0		Min	-1.341	-2.694	-20.620	-0.0	-0.0
-0.0	G1		-0.699	-0.650	-12.905	0.0	-0.0
0.0	G2		-0.298	-0.231	-4.956	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.909	-0.432	-0.579	0.0	-0.0
0.0	Q5_pc Y		1.577	0.571	4.217	-0.0	-0.0
0.0	Q5_ps X		0.868	-0.411	-0.468	-0.0	-0.0
0.0	Q5_ps Y		1.490	0.543	4.003	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
	INVS LU	Max	2.679	3.214	4.600	0.0	0.0
0.0		Min	-6.106	-10.490	-88.886	0.0	-0.0
-0.0							
	INVS LE	Max	1.853	2.325	2.919	0.0	-0.0
0.0		Min	-4.444	-7.750	-65.768	0.0	-0.0
-0.0							
6156	C1-C2;~1	Max	2.059	1.289	16.909	0.0	0.0
0.0		Min	-2.135	-0.646	-23.025	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.256	1.631	17.920	0.0	0.0
0.0		Min	-3.000	-0.494	-26.863	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.076	0.638	8.646	0.0	0.0
0.0		Min	-1.085	-0.345	-12.126	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.191	0.809	9.148	0.0	0.0
0.0		Min	-1.525	-0.252	-13.927	-0.0	-0.0
-0.0							
	G1		-0.098	1.214	-7.422	0.0	-0.0
-0.0							
	G2		-0.067	0.484	-2.830	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.630	-0.244	-0.497	0.0	0.0
0.0							
	Q5_pc Y		1.460	-0.009	3.229	-0.0	-0.0
0.0							
	Q5_ps X		0.626	-0.252	-0.425	0.0	0.0
0.0							
	Q5_ps Y		1.377	-0.009	3.063	-0.0	-0.0
0.0							
	INVS LU	Max	5.482	4.906	10.523	0.0	-0.0
0.0		Min	-4.240	1.393	-55.747	-0.0	-0.0
-0.0							
	INVS LE	Max	4.030	3.627	7.519	0.0	-0.0
0.0		Min	-2.977	1.057	-41.139	-0.0	-0.0
-0.0							
6157	C1-C2;~1	Max	1.722	4.395	16.903	0.0	0.0
0.0		Min	-2.230	-4.916	-23.027	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.942	4.597	17.913	0.0	0.0
0.0		Min	-2.646	-5.615	-26.871	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.881	2.270	8.643	0.0	0.0
		Min	-1.186	-2.582	-12.127	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.006	2.368	9.143	0.0	0.0
		Min	-1.382	-2.899	-13.931	-0.0	-0.0
-0.0							
0.0	G1		-0.693	-0.630	-7.440	0.0	-0.0
0.0	G2		-0.293	-0.225	-2.845	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.765	-0.380	-0.493	0.0	-0.0
0.0	Q5_pc Y		1.311	0.707	3.230	-0.0	-0.0
0.0	Q5_ps X		0.730	-0.361	-0.418	-0.0	-0.0
0.0	Q5_ps Y		1.239	0.670	3.064	-0.0	-0.0
0.0							
0.0	INVSLU	Max	1.956	4.753	10.492	0.0	-0.0
		Min	-6.597	-10.306	-55.780	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.339	3.461	7.497	0.0	-0.0
		Min	-4.822	-7.599	-41.163	-0.0	-0.0
-0.0							
6166	C1-C2;~1	Max	1.206	0.682	8.879	0.0	0.0
0.0		Min	-1.069	-0.336	-11.093	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.326	0.770	9.373	0.0	0.0
		Min	-1.487	-0.256	-12.924	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.631	0.355	4.575	0.0	0.0
		Min	-0.539	-0.180	-5.811	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.702	0.391	4.824	0.0	0.0
		Min	-0.749	-0.131	-6.666	-0.0	-0.0
-0.0							
0.0	G1		0.148	0.594	-2.904	0.0	-0.0
0.0	G2		0.040	0.236	-1.094	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.454	-0.183	-0.342	0.0	0.0
0.0	Q5_pc Y		0.859	0.028	1.733	-0.0	0.0
0.0	Q5_ps X		0.444	-0.183	-0.303	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.811	0.026	1.643	-0.0	0.0
0.0	INVS LU	Max	3.417	2.371	8.478	0.0	-0.0
-0.0		Min	-1.926	0.549	-24.743	-0.0	-0.0
0.0	INVS LE	Max	2.506	1.745	6.167	0.0	-0.0
-0.0		Min	-1.338	0.420	-18.209	-0.0	-0.0
6167 0.0	C1-C2;~1	Max	1.775	4.766	8.871	0.0	0.0
-0.0		Min	-2.169	-4.953	-11.102	-0.0	-0.0
0.0	C3-C4;~1	Max	1.976	4.998	9.362	0.0	0.0
-0.0		Min	-2.492	-5.675	-12.944	-0.0	-0.0
0.0	C1-C2;~2	Max	0.905	2.474	4.570	0.0	0.0
-0.0		Min	-1.151	-2.591	-5.816	-0.0	-0.0
0.0	C3-C4;~2	Max	1.018	2.591	4.817	0.0	0.0
-0.0		Min	-1.296	-2.919	-6.677	-0.0	-0.0
-0.0	G1		-0.568	-0.295	-2.933	0.0	-0.0
-0.0	G2		-0.245	-0.093	-1.112	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.635	-0.372	-0.324	0.0	-0.0
0.0	Q5_pc Y		0.950	0.853	1.736	-0.0	0.0
0.0	Q5_ps X		0.606	-0.356	-0.282	0.0	-0.0
0.0	Q5_ps Y		0.899	0.806	1.647	-0.0	0.0
0.0	INVS LU	Max	1.587	6.805	8.438	0.0	-0.0
-0.0		Min	-6.155	-9.139	-24.801	-0.0	-0.0
0.0	INVS LE	Max	1.089	4.983	6.138	0.0	-0.0
-0.0		Min	-4.519	-6.714	-18.252	-0.0	-0.0
6186 0.0	C1-C2;~1	Max	0.618	0.686	8.847	0.0	0.0
-0.0		Min	-0.902	-1.146	-11.585	-0.0	-0.0
0.0	C3-C4;~1	Max	0.727	0.794	10.079	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.164	-1.338	-12.418	-0.0	-0.0
0.0	C1-C2;~2	Max	0.322	0.342	4.582	0.0	0.0
-0.0		Min	-0.454	-0.613	-6.037	-0.0	-0.0
0.0	C3-C4;~2	Max	0.369	0.401	5.125	0.0	0.0
-0.0		Min	-0.605	-0.705	-6.498	-0.0	-0.0
-0.0		G1	-0.324	-0.533	-3.013	-0.0	-0.0
-0.0		G2	-0.125	-0.203	-1.164	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.756	-0.381	0.272	0.0	0.0
0.0		Q5_pc Y	-0.267	0.389	-1.774	-0.0	0.0
-0.0		Q5_ps X	0.741	-0.366	0.300	0.0	0.0
0.0		Q5_ps Y	-0.241	0.366	-1.663	-0.0	0.0
0.0	INVSLU	Max	1.533	-0.012	9.126	0.0	0.0
-0.0		Min	-2.382	-3.590	-24.439	-0.0	-0.0
0.0	INVSLE	Max	1.112	-0.057	6.647	0.0	0.0
-0.0		Min	-1.688	-2.656	-17.980	-0.0	-0.0
6187	C1-C2;~1	Max	1.740	5.280	8.843	0.0	0.0
0.0		Min	-1.831	-4.647	-11.593	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.735	5.590	10.071	0.0	0.0
-0.0		Min	-1.868	-5.360	-12.434	-0.0	-0.0
0.0	C1-C2;~2	Max	0.910	2.759	4.580	0.0	0.0
-0.0		Min	-0.965	-2.415	-6.041	-0.0	-0.0
0.0	C3-C4;~2	Max	0.889	2.924	5.120	0.0	0.0
-0.0		Min	-0.962	-2.739	-6.506	-0.0	-0.0
0.0		G1	-0.241	0.613	-3.035	-0.0	0.0
0.0		G2	-0.115	0.253	-1.180	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.838	-0.577	0.289	0.0	-0.0
		Q5_pc Y	0.287	1.029	-1.767	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.798	-0.557	0.320	0.0	-0.0
0.0	Q5_ps Y		0.276	0.970	-1.655	-0.0	0.0
0.0	INVS LU	Max	2.261	10.288	9.088	0.0	0.0
-0.0		Min	-4.118	-6.347	-24.475	-0.0	-0.0
0.0	INVS LE	Max	1.604	7.565	6.619	0.0	0.0
-0.0		Min	-3.010	-4.620	-18.006	-0.0	-0.0
6196	C1-C2;~1	Max	1.213	1.126	16.701	0.0	0.0
0.0		Min	-2.031	-1.826	-23.805	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.443	1.343	19.074	0.0	0.0
-0.0		Min	-2.606	-2.112	-25.500	-0.0	-0.0
0.0	C1-C2;~2	Max	0.624	0.575	8.585	0.0	0.0
-0.0		Min	-1.027	-0.982	-12.466	-0.0	-0.0
0.0	C3-C4;~2	Max	0.727	0.700	9.627	0.0	0.0
-0.0		Min	-1.366	-1.118	-13.420	-0.0	-0.0
0.0	G1		-0.891	-0.852	-7.565	-0.0	0.0
0.0	G2		-0.342	-0.326	-2.939	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.217	-0.602	0.600	0.0	-0.0
0.0	Q5_pc Y		-0.574	0.644	-3.195	-0.0	0.0
-0.0	Q5_ps X		1.202	-0.578	0.658	0.0	-0.0
0.0	Q5_ps Y		-0.520	0.606	-2.988	-0.0	0.0
0.0	INVS LU	Max	2.428	-0.253	11.550	-0.0	0.0
-0.0		Min	-5.228	-6.077	-54.377	-0.0	-0.0
0.0	INVS LE	Max	1.770	-0.283	8.286	-0.0	0.0
-0.0		Min	-3.739	-4.511	-40.122	-0.0	-0.0
6197	C1-C2;~1	Max	1.727	5.316	16.693	0.0	0.0
0.0		Min	-1.686	-4.352	-23.805	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.641	5.647	19.064	0.0	0.0
-0.0		Min	-1.618	-5.023	-25.504	-0.0	-0.0
0.0	C1-C2;~2	Max	0.929	2.786	8.581	0.0	0.0
-0.0		Min	-0.882	-2.254	-12.467	-0.0	-0.0
0.0	C3-C4;~2	Max	0.852	2.967	9.621	0.0	0.0
-0.0		Min	-0.834	-2.557	-13.422	-0.0	-0.0
-0.0	G1		-0.136	0.956	-7.583	-0.0	0.0
-0.0	G2		-0.068	0.385	-2.953	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.192	-0.719	0.602	0.0	-0.0
0.0	Q5_pc Y		0.041	1.063	-3.192	-0.0	0.0
-0.0	Q5_ps X		1.135	-0.694	0.664	0.0	-0.0
0.0	Q5_ps Y		0.045	1.000	-2.984	-0.0	0.0
0.0	INVSLU	Max	3.489	11.400	11.509	-0.0	0.0
-0.0		Min	-3.265	-4.918	-54.403	-0.0	-0.0
0.0	INVSLE	Max	2.500	8.394	8.257	-0.0	0.0
-0.0		Min	-2.344	-3.552	-40.141	-0.0	-0.0
6206	C1-C2;~1	Max	1.519	1.900	22.224	0.0	0.0
0.0		Min	-2.973	-2.490	-34.805	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.829	2.194	25.441	0.0	0.0
-0.0		Min	-3.823	-2.859	-37.287	-0.0	-0.0
0.0	C1-C2;~2	Max	0.770	1.002	11.310	0.0	0.0
-0.0		Min	-1.510	-1.342	-18.318	-0.0	-0.0
0.0	C3-C4;~2	Max	0.913	1.174	12.713	0.0	0.0
-0.0		Min	-2.018	-1.516	-19.735	-0.0	-0.0
0.0	G1		-1.552	-0.801	-13.040	-0.0	0.0
0.0	G2		-0.599	-0.304	-5.071	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.601	-0.740	0.814	0.0	-0.0
0.0	Q5_pc Y		-0.773	0.858	-4.094	-0.0	0.0
-0.0	Q5_ps X		1.588	-0.711	0.910	0.0	-0.0
0.0	Q5_ps Y		-0.698	0.808	-3.820	-0.0	0.0
0.0	INVSLU	Max	2.576	0.543	5.679	-0.0	0.0
-0.0		Min	-7.936	-7.824	-86.374	-0.0	-0.0
0.0	INVSLE	Max	1.873	0.261	3.722	-0.0	0.0
-0.0		Min	-5.699	-5.823	-63.919	-0.0	-0.0
6207	C1-C2;~1	Max	1.608	5.000	22.243	0.0	0.0
0.0		Min	-1.546	-4.000	-34.838	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.502	5.311	25.462	0.0	0.0
-0.0		Min	-1.450	-4.614	-37.326	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.873	2.626	11.319	0.0	0.0
-0.0		Min	-0.799	-2.067	-18.336	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.797	2.797	12.723	0.0	0.0
-0.0		Min	-0.734	-2.344	-19.756	-0.0	-0.0
-0.0							
-0.0	G1		-0.138	0.980	-13.066	-0.0	0.0
-0.0	G2		-0.070	0.394	-5.087	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.539	-0.806	0.817	0.0	-0.0
0.0	Q5_pc Y		-0.126	1.069	-4.095	-0.0	0.0
-0.0	Q5_ps X		1.466	-0.776	0.917	0.0	-0.0
0.0	Q5_ps Y		-0.111	1.006	-3.819	-0.0	0.0
0.0	INVSLU	Max	4.712	11.212	5.766	-0.0	0.0
-0.0		Min	-2.315	-4.112	-86.367	-0.0	-0.0
0.0	INVSLE	Max	3.386	8.260	3.795	-0.0	0.0
-0.0		Min	-1.614	-2.948	-63.906	-0.0	-0.0
6216	C1-C2;~1	Max	1.653	2.820	25.553	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-3.626	-3.055	-43.064	-0.0	-0.0
0.0	C3-C4;~1	Max	2.007	3.148	29.325	0.0	0.0
-0.0		Min	-4.676	-3.493	-46.124	-0.0	-0.0
0.0	C1-C2;~2	Max	0.826	1.506	12.864	0.0	0.0
-0.0		Min	-1.848	-1.645	-22.759	-0.0	-0.0
0.0	C3-C4;~2	Max	0.993	1.697	14.498	0.0	0.0
-0.0		Min	-2.480	-1.849	-24.527	-0.0	-0.0
0.0	G1		-2.067	-0.426	-17.649	-0.0	0.0
0.0	G2		-0.801	-0.156	-6.865	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.893	-0.813	0.938	0.0	-0.0
0.0	Q5_pc Y		-0.875	1.020	-4.549	-0.0	0.0
-0.0	Q5_ps X		1.881	-0.780	1.065	0.0	-0.0
0.0	Q5_ps Y		-0.788	0.960	-4.237	-0.0	0.0
0.0	INVSLU	Max	2.546	2.188	-3.580	-0.0	0.0
-0.0		Min	-9.885	-8.615	-113.625	-0.0	-0.0
0.0	INVSLE	Max	1.846	1.441	-3.368	-0.0	0.0
-0.0		Min	-7.110	-6.424	-84.276	-0.0	-0.0
6217	C1-C2;~1	Max	1.485	4.804	25.561	0.0	0.0
0.0		Min	-1.467	-3.869	-43.064	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.408	5.101	29.333	0.0	0.0
-0.0		Min	-1.389	-4.458	-46.125	-0.0	-0.0
0.0	C1-C2;~2	Max	0.803	2.522	12.868	0.0	0.0
-0.0		Min	-0.749	-2.000	-22.758	-0.0	-0.0
0.0	C3-C4;~2	Max	0.742	2.685	14.503	0.0	0.0
-0.0		Min	-0.698	-2.265	-24.526	-0.0	-0.0
0.0	G1		-0.198	0.911	-17.660	-0.0	0.0
0.0	G2		-0.097	0.367	-6.877	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.780	-0.834	0.943	-0.0	-0.0
-0.0	Q5_pc Y	-0.222	1.084	-4.550	-0.0	0.0
0.0	Q5_ps X	1.698	-0.802	1.073	-0.0	-0.0
-0.0	Q5_ps Y	-0.201	1.021	-4.236	-0.0	0.0
0.0						
-0.0	INVS LU Max	5.444	10.073	-3.496	-0.0	0.0
-0.0	Min	-1.772	-4.782	-113.553	-0.0	-0.0
-0.0						
-0.0	INVS LE Max	3.880	7.374	-3.296	-0.0	0.0
-0.0	Min	-1.209	-3.485	-84.214	-0.0	-0.0
-0.0						
6226	C1-C2;~1 Max	1.680	3.882	27.216	0.0	0.0
0.0	Min	-3.997	-3.591	-48.463	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.058	4.229	31.319	0.0	0.0
-0.0	Min	-5.173	-4.101	-51.909	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	0.827	2.080	13.548	0.0	0.0
-0.0	Min	-2.041	-1.923	-25.701	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.008	2.280	15.315	0.0	0.0
-0.0	Min	-2.753	-2.158	-27.714	-0.0	-0.0
-0.0						
0.0	G1	-2.385	0.166	-20.768	-0.0	0.0
0.0	G2	-0.925	0.076	-8.076	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	2.070	-0.842	0.965	0.0	-0.0
-0.0	Q5_pc Y	-0.910	1.153	-4.640	0.0	0.0
-0.0	Q5_ps X	2.058	-0.809	1.114	0.0	-0.0
-0.0	Q5_ps Y	-0.818	1.086	-4.316	0.0	0.0
-0.0						
0.0	INVS LU Max	2.469	4.468	-11.366	-0.0	0.0
-0.0	Min	-11.019	-8.852	-132.078	-0.0	0.0
-0.0						
0.0	INVS LE Max	1.787	3.096	-9.276	-0.0	0.0
-0.0	Min	-7.929	-6.617	-98.073	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6227	C1-C2;~1	Max	1.446	4.689	27.223	0.0	0.0
0.0		Min	-1.449	-3.821	-48.455	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.375	4.981	31.327	0.0	0.0
0.0		Min	-1.382	-4.399	-51.913	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.784	2.456	13.551	0.0	0.0
0.0		Min	-0.735	-1.976	-25.693	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.724	2.616	15.319	0.0	0.0
0.0		Min	-0.692	-2.236	-27.714	-0.0	-0.0
-0.0							
0.0	G1		-0.251	0.864	-20.781	-0.0	0.0
0.0	G2		-0.117	0.347	-8.089	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.940	-0.828	0.971	-0.0	-0.0
-0.0	Q5_pc Y		-0.283	1.098	-4.640	0.0	0.0
0.0	Q5_ps X		1.851	-0.795	1.123	-0.0	-0.0
-0.0	Q5_ps Y		-0.259	1.035	-4.314	0.0	0.0
0.0							
	INVSLU	Max	6.198	8.292	-11.260	-0.0	0.0
-0.0		Min	-1.405	-6.348	-131.988	-0.0	-0.0
-0.0							
	INVSLE	Max	4.375	5.985	-9.186	-0.0	0.0
-0.0		Min	-0.872	-4.713	-97.995	-0.0	-0.0
-0.0							
6236	C1-C2;~1	Max	1.630	5.007	27.266	0.0	0.0
0.0		Min	-4.060	-4.105	-50.294	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.992	5.363	31.471	0.0	0.0
0.0		Min	-5.279	-4.688	-53.851	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.793	2.682	13.411	0.0	0.0
0.0		Min	-2.073	-2.180	-26.716	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.965	2.884	15.212	0.0	0.0
0.0		Min	-2.813	-2.446	-28.804	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-2.483	0.859	-21.839	0.0	0.0
-0.0	G2	-0.964	0.347	-8.487	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	2.129	-0.846	0.896	-0.0	-0.0
-0.0	Q5_pc Y	-0.889	1.265	-4.404	0.0	0.0
0.0	Q5_ps X	2.117	-0.812	1.058	-0.0	-0.0
-0.0	Q5_ps Y	-0.797	1.192	-4.091	0.0	0.0
0.0	INVS LU Max	2.348	7.036	-15.172	0.0	0.0
-0.0	Min	-11.300	-8.808	-138.284	-0.0	0.0
0.0	INVS LE Max	1.696	4.965	-12.130	0.0	0.0
-0.0	Min	-8.130	-6.602	-102.737	-0.0	0.0
6237	C1-C2;~1 Max	1.463	4.593	27.272	0.0	0.0
0.0	Min	-1.452	-3.781	-50.295	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.393	4.871	31.478	0.0	0.0
0.0	Min	-1.412	-4.351	-53.877	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.793	2.402	13.414	0.0	0.0
0.0	Min	-0.733	-1.957	-26.716	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.734	2.554	15.215	0.0	0.0
0.0	Min	-0.704	-2.213	-28.821	-0.0	-0.0
-0.0	G1	-0.271	0.807	-21.853	0.0	0.0
0.0	G2	-0.127	0.324	-8.500	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	2.006	-0.802	0.902	-0.0	-0.0
-0.0	Q5_pc Y	-0.309	1.109	-4.403	0.0	0.0
0.0	Q5_ps X	1.914	-0.770	1.067	-0.0	-0.0
-0.0	Q5_ps Y	-0.283	1.046	-4.089	0.0	0.0
0.0	INVS LU Max	6.470	6.176	-15.068	0.0	0.0
-0.0	Min	-1.333	-8.270	-138.223	-0.0	-0.0
0.0	INVS LE Max	4.570	4.343	-12.042	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.793	-6.209	-102.681	-0.0	-0.0
-0.0							
6246	C1-C2;~1	Max	1.508	6.099	26.943	0.0	0.0
0.0		Min	-3.835	-4.585	-48.247	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.835	6.457	31.121	0.0	0.0
0.0		Min	-4.985	-5.243	-51.633	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.729	3.259	13.387	0.0	0.0
0.0		Min	-1.960	-2.411	-25.606	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.882	3.460	15.197	0.0	0.0
0.0		Min	-2.655	-2.708	-27.595	-0.0	-0.0
-0.0							
-0.0	G1		-2.351	1.547	-20.664	0.0	0.0
-0.0	G2		-0.913	0.615	-8.021	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.066	-0.842	0.743	-0.0	-0.0
0.0	Q5_pc Y		-0.820	1.360	-3.892	0.0	0.0
-0.0	Q5_ps X		2.055	-0.808	0.906	-0.0	-0.0
0.0	Q5_ps Y		-0.734	1.282	-3.612	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.221	9.538	-12.368	0.0	0.0
0.0		Min	-10.706	-8.704	-131.091	0.0	0.0
-0.0							
0.0	INVSLE	Max	1.602	6.787	-9.984	0.0	0.0
0.0		Min	-7.697	-6.544	-97.408	0.0	0.0
-0.0							
6247	C1-C2;~1	Max	1.515	4.510	26.950	0.0	0.0
0.0		Min	-1.460	-3.748	-48.238	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.437	4.783	31.129	0.0	0.0
0.0		Min	-1.489	-4.312	-51.636	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.817	2.358	13.390	0.0	0.0
0.0		Min	-0.732	-1.940	-25.598	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.757	2.507	15.201	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.746	-2.193	-27.595	-0.0	-0.0
-0.0	G1		-0.257	0.749	-20.677	0.0	0.0
-0.0	G2		-0.122	0.300	-8.034	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.970	-0.774	0.749	-0.0	-0.0
0.0	Q5_pc Y		-0.302	1.122	-3.891	0.0	0.0
-0.0	Q5_ps X		1.880	-0.742	0.915	-0.0	-0.0
0.0	Q5_ps Y		-0.277	1.059	-3.610	0.0	0.0
-0.0							
	INVSLU	Max	6.234	4.101	-12.263	0.0	0.0
0.0		Min	-1.515	-10.198	-131.000	0.0	-0.0
0.0							
	INVSLE	Max	4.399	2.732	-9.896	0.0	0.0
0.0		Min	-0.969	-7.710	-97.330	0.0	-0.0
0.0							
6256	C1-C2;~1	Max	1.431	7.087	25.171	0.0	0.0
0.0		Min	-3.320	-5.040	-42.661	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.628	7.455	29.047	0.0	0.0
0.0		Min	-4.323	-5.776	-45.614	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.693	3.773	12.658	0.0	0.0
0.0		Min	-1.695	-2.621	-22.582	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.787	3.978	14.348	0.0	0.0
0.0		Min	-2.298	-2.951	-24.309	-0.0	-0.0
-0.0							
	G1		-2.005	2.123	-17.456	0.0	0.0
-0.0							
	G2		-0.779	0.839	-6.763	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.888	-0.848	0.528	-0.0	0.0
0.0							
	Q5_pc Y		-0.712	1.442	-3.166	0.0	0.0
-0.0							
	Q5_ps X		1.876	-0.814	0.679	-0.0	-0.0
0.0							
	Q5_ps Y		-0.636	1.360	-2.936	0.0	0.0
-0.0							
	INVSLU	Max	2.127	11.668	-5.305	0.0	0.0
0.0		Min	-9.305	-8.788	-111.796	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.535	8.336	-4.583	0.0	0.0
-0.0		Min	-6.682	-6.625	-83.043	0.0	-0.0
6257	C1-C2;~1	Max	1.607	4.445	25.178	0.0	0.0
0.0		Min	-1.519	-3.720	-42.661	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.525	4.718	29.054	0.0	0.0
-0.0		Min	-1.591	-4.281	-45.613	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.860	2.324	12.662	0.0	0.0
0.0		Min	-0.768	-1.927	-22.581	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.797	2.473	14.352	0.0	0.0
-0.0		Min	-0.803	-2.178	-24.307	-0.0	-0.0
-0.0	G1		-0.210	0.701	-17.466	0.0	0.0
-0.0	G2		-0.106	0.280	-6.774	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.841	-0.761	0.533	-0.0	-0.0
-0.0	Q5_pc Y		-0.267	1.141	-3.166	0.0	0.0
0.0	Q5_ps X		1.755	-0.728	0.687	-0.0	-0.0
-0.0	Q5_ps Y		-0.245	1.078	-2.935	0.0	0.0
0.0	INVSLE	Max	5.540	2.416	-5.223	0.0	0.0
0.0		Min	-2.090	-11.786	-111.723	0.0	-0.0
0.0							
0.0	INVSLE	Max	3.966	1.414	-4.513	0.0	0.0
0.0		Min	-1.441	-8.954	-82.980	0.0	-0.0
6266	C1-C2;~1	Max	1.269	7.890	21.764	0.0	0.0
0.0		Min	-2.563	-5.469	-34.261	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.358	8.276	25.098	0.0	0.0
-0.0		Min	-3.349	-6.289	-36.610	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.632	4.181	11.073	0.0	0.0
0.0		Min	-1.306	-2.808	-18.078	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.667	4.394	12.536	0.0	0.0
-0.0		Min	-1.774	-3.172	-19.443	-0.0	-0.0
-0.0	G1		-1.472	2.470	-12.787	0.0	0.0
-0.0	G2		-0.570	0.974	-4.937	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.599	-0.876	0.281	-0.0	0.0
-0.0	Q5_pc Y		-0.568	1.511	-2.298	0.0	0.0
0.0	Q5_ps X		1.586	-0.842	0.407	-0.0	0.0
-0.0	Q5_ps Y		-0.507	1.426	-2.130	0.0	0.0
0.0	INVSLU	Max	2.060	13.058	3.481	0.0	0.0
-0.0		Min	-7.179	-9.324	-83.961	0.0	-0.0
0.0	INVSLE	Max	1.483	9.337	2.176	0.0	0.0
-0.0		Min	-5.141	-7.040	-62.290	0.0	-0.0
6267	C1-C2;~1	Max	1.745	4.320	21.781	0.0	0.0
0.0		Min	-1.618	-3.650	-34.292	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.675	4.590	25.116	0.0	0.0
0.0		Min	-1.721	-4.201	-36.646	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.933	2.263	11.081	0.0	0.0
0.0		Min	-0.828	-1.895	-18.095	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.875	2.411	12.545	0.0	0.0
0.0		Min	-0.874	-2.143	-19.463	-0.0	-0.0
-0.0	G1		-0.160	0.632	-12.813	0.0	0.0
0.0	G2		-0.085	0.253	-4.954	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.627	-0.778	0.285	-0.0	-0.0
-0.0	Q5_pc Y		-0.217	1.174	-2.299	0.0	0.0
0.0	Q5_ps X		1.550	-0.744	0.415	-0.0	-0.0
-0.0	Q5_ps Y		-0.200	1.109	-2.129	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	4.852	1.429	3.563	0.0	0.0
		Min	-2.756	-12.553	-83.953	0.0	-0.0
-0.0							
0.0	INVS LE	Max	3.483	0.638	2.245	0.0	0.0
		Min	-1.935	-9.562	-62.275	0.0	-0.0
-0.0							
6276 0.0	C1-C2;~1	Max	0.970	8.467	16.259	0.0	0.0
		Min	-1.620	-5.897	-23.244	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.977	8.883	18.747	0.0	0.0
		Min	-2.122	-6.814	-24.822	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.494	4.461	8.362	0.0	0.0
		Min	-0.825	-2.984	-12.216	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.490	4.690	9.461	0.0	0.0
		Min	-1.119	-3.388	-13.125	-0.0	-0.0
-0.0							
-0.0	G1		-0.811	2.481	-7.305	0.0	0.0
-0.0	G2		-0.312	0.976	-2.802	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.218	-0.944	0.058	-0.0	0.0
0.0	Q5_pc Y		-0.389	1.574	-1.397	0.0	0.0
-0.0	Q5_ps X		1.203	-0.908	0.147	-0.0	0.0
0.0	Q5_ps Y		-0.348	1.486	-1.295	0.0	0.0
-0.0							
0.0	INVS LU	Max	1.943	13.394	9.397	0.0	0.0
		Min	-4.489	-10.629	-51.935	0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.366	9.554	6.775	0.0	0.0
		Min	-3.194	-8.031	-38.470	0.0	-0.0
-0.0							
6277 0.0	C1-C2;~1	Max	1.816	4.143	16.253	0.0	0.0
		Min	-1.717	-3.481	-23.246	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.766	4.415	18.737	0.0	0.0
		Min	-1.854	-4.002	-24.827	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.966	2.184	8.358	0.0	0.0
		Min	-0.891	-1.825	-12.218	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.917	2.334	9.456	0.0	0.0
		Min	-0.948	-2.062	-13.128	-0.0	-0.0
-0.0							
0.0	G1		-0.169	0.664	-7.324	0.0	0.0
0.0	G2		-0.088	0.266	-2.817	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.304	-0.861	0.062	-0.0	-0.0
0.0	Q5_pc Y		-0.145	1.253	-1.399	0.0	0.0
-0.0							
0.0	Q5_ps X		1.241	-0.822	0.154	-0.0	-0.0
0.0	Q5_ps Y		-0.134	1.184	-1.295	0.0	0.0
-0.0							
0.0	INVSLU	Max	3.587	1.558	9.360	0.0	0.0
		Min	-3.715	-12.061	-51.969	0.0	-0.0
-0.0							
0.0	INVSLE	Max	2.565	0.734	6.748	0.0	0.0
		Min	-2.670	-9.187	-38.494	0.0	-0.0
-0.0							
6286	C1-C2;~1	Max	0.505	8.727	8.508	0.0	0.0
0.0		Min	-0.647	-6.272	-11.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.435	9.191	9.802	0.0	0.0
		Min	-0.865	-7.289	-11.917	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.261	4.573	4.411	0.0	0.0
		Min	-0.333	-3.129	-5.833	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.221	4.829	4.985	0.0	0.0
		Min	-0.456	-3.574	-6.272	-0.0	-0.0
-0.0							
0.0	G1		-0.261	2.121	-2.832	0.0	-0.0
0.0	G2		-0.102	0.833	-1.072	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.760	-1.079	-0.086	-0.0	0.0
0.0	Q5_pc Y		-0.190	1.636	-0.606	0.0	0.0
-0.0							
0.0	Q5_ps X		0.744	-1.038	-0.038	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.169	1.544	-0.561	0.0	0.0
0.0	INVSLE Max		1.375	12.665	7.683	0.0	0.0
-0.0	INVSLE Min		-1.945	-12.528	-22.730	-0.0	-0.0
0.0	INVSLE Max		0.958	8.985	5.633	0.0	0.0
-0.0	INVSLE Min		-1.368	-9.458	-16.814	-0.0	-0.0
6287 0.0	C1-C2;~1 Max		1.676	4.243	8.507	0.0	0.0
-0.0	C1-C2;~1 Min		-1.728	-3.365	-11.156	-0.0	-0.0
0.0	C3-C4;~1 Max		1.670	4.539	9.796	0.0	0.0
-0.0	C3-C4;~1 Min		-1.888	-3.862	-11.941	-0.0	-0.0
0.0	C1-C2;~2 Max		0.877	2.245	4.410	0.0	0.0
-0.0	C1-C2;~2 Min		-0.907	-1.787	-5.839	-0.0	-0.0
0.0	C3-C4;~2 Max		0.861	2.410	4.982	0.0	0.0
-0.0	C3-C4;~2 Min		-0.971	-2.015	-6.284	-0.0	-0.0
-0.0	G1		-0.280	1.022	-2.856	0.0	0.0
-0.0	G2		-0.137	0.405	-1.089	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.963	-1.010	-0.066	0.0	-0.0
-0.0	Q5_pc Y		-0.052	1.363	-0.610	0.0	0.0
0.0	Q5_ps X		0.917	-0.966	-0.016	0.0	-0.0
-0.0	Q5_ps Y		-0.046	1.286	-0.563	0.0	0.0
0.0	INVSLE Max		2.161	2.856	7.655	0.0	0.0
-0.0	INVSLE Min		-4.385	-10.939	-22.789	-0.0	-0.0
0.0	INVSLE Max		1.521	1.695	5.613	0.0	0.0
-0.0	INVSLE Min		-3.199	-8.341	-16.857	-0.0	-0.0
6306 0.0	C1-C2;~1 Max		0.895	8.540	8.676	0.0	0.0
-0.0	C1-C2;~1 Min		-0.856	-6.789	-11.048	-0.0	-0.0
0.0	C3-C4;~1 Max		0.983	9.054	9.030	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.227	-8.051	-13.095	-0.0	-0.0
0.0	C1-C2;~2	Max	0.471	4.452	4.512	0.0	0.0
-0.0		Min	-0.432	-3.332	-5.803	-0.0	-0.0
0.0	C3-C4;~2	Max	0.522	4.736	4.711	0.0	0.0
-0.0		Min	-0.615	-3.890	-6.756	-0.0	-0.0
0.0	G1		0.049	0.909	-3.185	-0.0	-0.0
0.0	G2		0.004	0.357	-1.243	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.640	-1.217	0.087	-0.0	0.0
0.0	Q5_pc Y		0.021	1.711	0.367	0.0	-0.0
-0.0	Q5_ps X		0.616	-1.166	0.097	-0.0	0.0
-0.0	Q5_ps Y		0.032	1.620	0.368	0.0	-0.0
0.0	INVSLU	Max	2.395	9.864	6.856	0.0	-0.0
-0.0		Min	-1.739	-16.308	-23.674	-0.0	-0.0
0.0	INVSLE	Max	1.754	6.886	5.094	0.0	-0.0
-0.0		Min	-1.223	-12.272	-17.471	-0.0	-0.0
6307	C1-C2;~1	Max	1.094	4.738	8.665	0.0	0.0
0.0		Min	-1.497	-3.297	-11.050	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.224	5.118	9.014	0.0	0.0
-0.0		Min	-1.717	-3.783	-13.110	-0.0	-0.0
0.0	C1-C2;~2	Max	0.568	2.499	4.506	0.0	0.0
-0.0		Min	-0.804	-1.774	-5.805	-0.0	-0.0
0.0	C3-C4;~2	Max	0.643	2.705	4.703	0.0	0.0
-0.0		Min	-0.899	-2.002	-6.764	-0.0	-0.0
0.0	G1		-0.616	1.947	-3.208	-0.0	-0.0
0.0	G2		-0.270	0.761	-1.260	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.823	-1.244	0.106	0.0	-0.0
	Q5_pc Y		0.046	1.559	0.363	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.784	-1.194	0.119	0.0	-0.0
0.0	Q5_ps Y	0.048	1.469	0.366	0.0	-0.0
0.0	INVS LU Max	0.397	6.367	6.808	0.0	-0.0
-0.0	Min	-5.055	-8.456	-23.713	-0.0	-0.0
0.0	INVS LE Max	0.212	4.292	5.060	0.0	-0.0
-0.0	Min	-3.717	-6.480	-17.500	-0.0	-0.0
6316	C1-C2;~1 Max	1.390	8.143	16.119	0.0	0.0
0.0	Min	-1.613	-6.966	-22.523	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.519	8.636	16.768	0.0	0.0
-0.0	Min	-2.359	-8.404	-26.677	-0.0	-0.0
0.0	C1-C2;~2 Max	0.733	4.238	8.340	0.0	0.0
-0.0	Min	-0.820	-3.432	-11.906	-0.0	-0.0
0.0	C3-C4;~2 Max	0.809	4.510	8.703	0.0	0.0
-0.0	Min	-1.195	-4.085	-13.850	-0.0	-0.0
0.0	G1	-0.237	0.284	-7.960	-0.0	-0.0
0.0	G2	-0.119	0.108	-3.124	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.960	-1.201	0.287	0.0	0.0
0.0	Q5_pc Y	0.027	1.730	0.580	0.0	0.0
-0.0	Q5_ps X	0.930	-1.142	0.306	0.0	0.0
-0.0	Q5_ps Y	0.050	1.645	0.592	0.0	0.0
0.0	INVS LU Max	3.550	7.998	6.972	0.0	-0.0
-0.0	Min	-3.413	-18.119	-52.722	-0.0	-0.0
0.0	INVS LE Max	2.621	5.495	5.150	0.0	-0.0
-0.0	Min	-2.409	-13.620	-38.991	-0.0	-0.0
6317	C1-C2;~1 Max	0.693	5.109	16.108	0.0	0.0
0.0	Min	-1.211	-3.437	-22.520	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	0.812	5.533	16.755	0.0	0.0
-0.0		Min	-1.425	-3.944	-26.682	-0.0	-0.0
0.0	C1-C2;~2	Max	0.366	2.679	8.334	0.0	0.0
-0.0		Min	-0.658	-1.838	-11.906	-0.0	-0.0
0.0	C3-C4;~2	Max	0.436	2.906	8.695	0.0	0.0
-0.0		Min	-0.757	-2.075	-13.852	-0.0	-0.0
-0.0	G1		-0.756	2.283	-7.978	-0.0	-0.0
-0.0	G2		-0.322	0.895	-3.139	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.022	-1.259	0.292	0.0	-0.0
0.0	Q5_pc Y		0.028	1.666	0.576	0.0	-0.0
-0.0	Q5_ps X		0.972	-1.211	0.313	0.0	-0.0
0.0	Q5_ps Y		0.032	1.568	0.591	0.0	-0.0
0.0	INVSLU	Max	0.002	8.308	6.928	-0.0	-0.0
-0.0		Min	-4.889	-7.484	-52.749	-0.0	-0.0
0.0	INVSLE	Max	-0.121	5.731	5.118	-0.0	-0.0
-0.0		Min	-3.585	-5.744	-39.011	-0.0	-0.0
6326	C1-C2;~1	Max	1.625	7.567	21.062	0.0	0.0
0.0		Min	-2.287	-6.815	-32.696	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.770	8.033	21.879	0.0	0.0
-0.0		Min	-3.403	-8.342	-38.744	-0.0	-0.0
0.0	C1-C2;~2	Max	0.860	3.934	10.819	0.0	0.0
-0.0		Min	-1.167	-3.367	-17.393	-0.0	-0.0
0.0	C3-C4;~2	Max	0.945	4.191	11.273	0.0	0.0
-0.0		Min	-1.742	-4.067	-20.242	-0.0	-0.0
0.0	G1		-0.806	-0.092	-13.690	-0.0	-0.0
0.0	G2		-0.352	-0.046	-5.382	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.214	-1.164	0.447	0.0	0.0
0.0	Q5_pc Y		0.011	1.744	0.584	-0.0	-0.0
-0.0	Q5_ps X		1.180	-1.100	0.480	0.0	0.0
-0.0	Q5_ps Y		0.046	1.666	0.620	-0.0	-0.0
0.0	INVSLU	Max	3.718	6.257	-0.870	-0.0	0.0
0.0		Min	-5.451	-18.988	-83.761	-0.0	-0.0
0.0	INVSLE	Max	2.758	4.191	-0.764	-0.0	0.0
0.0		Min	-3.872	-14.277	-62.087	-0.0	-0.0
6327	C1-C2;~1	Max	0.394	5.338	21.079	0.0	0.0
0.0		Min	-0.856	-3.588	-32.726	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.490	5.763	21.896	0.0	0.0
0.0		Min	-1.019	-4.123	-38.788	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.205	2.800	10.828	0.0	0.0
0.0		Min	-0.451	-1.904	-17.409	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.262	3.028	11.282	0.0	0.0
0.0		Min	-0.528	-2.154	-20.265	-0.0	-0.0
-0.0	G1		-0.775	2.296	-13.717	-0.0	0.0
-0.0	G2		-0.331	0.899	-5.400	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.232	-1.233	0.451	0.0	-0.0
0.0	Q5_pc Y		-0.007	1.769	0.585	-0.0	-0.0
-0.0	Q5_ps X		1.172	-1.186	0.486	0.0	-0.0
0.0	Q5_ps Y		0.000	1.667	0.623	0.0	-0.0
0.0	INVSLU	Max	0.562	9.469	-0.787	-0.0	0.0
-0.0		Min	-4.035	-7.060	-83.763	-0.0	-0.0
0.0	INVSLE	Max	0.246	6.588	-0.694	-0.0	0.0
-0.0		Min	-2.947	-5.420	-62.080	-0.0	-0.0
6336	C1-C2;~1	Max	1.647	6.944	23.783	0.0	0.0

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0							
-0.0	Min	-2.823	-6.349	-40.212	-0.0	-0.0	
0.0	C3-C4;~1	Max	1.786	7.383	24.676	0.0	0.0
-0.0	Min	-4.218	-7.891	-47.640	-0.0	-0.0	
0.0	C1-C2;~2	Max	0.875	3.610	12.118	0.0	0.0
-0.0	Min	-1.451	-3.140	-21.504	-0.0	-0.0	
0.0	C3-C4;~2	Max	0.958	3.851	12.612	0.0	0.0
-0.0	Min	-2.181	-3.854	-25.022	-0.0	-0.0	
0.0	G1		-1.457	-0.112	-18.554	-0.0	0.0
0.0	G2		-0.614	-0.058	-7.301	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.406	-1.114	0.569	0.0	0.0
0.0	Q5_pc Y		-0.026	1.754	0.456	-0.0	0.0
-0.0	Q5_ps X		1.368	-1.049	0.615	0.0	-0.0
0.0	Q5_ps Y		0.019	1.680	0.518	-0.0	0.0
0.0	INVS LU	Max	3.228	5.142	-11.519	-0.0	0.0
0.0	Min	-7.410	-18.635	-110.170	-0.0	-0.0	
0.0	INVS LE	Max	2.406	3.348	-8.801	-0.0	0.0
0.0	Min	-5.287	-14.031	-81.801	-0.0	-0.0	
6337	C1-C2;~1	Max	0.350	5.344	23.790	0.0	0.0
0.0	Min	-0.822	-3.631	-40.212	-0.0	-0.0	
-0.0	C3-C4;~1	Max	0.431	5.757	24.684	0.0	0.0
0.0	Min	-0.923	-4.170	-47.647	-0.0	-0.0	
-0.0	C1-C2;~2	Max	0.176	2.800	12.122	0.0	0.0
0.0	Min	-0.413	-1.917	-21.502	-0.0	-0.0	
-0.0	C3-C4;~2	Max	0.219	3.022	12.616	0.0	0.0
0.0	Min	-0.466	-2.168	-25.023	-0.0	-0.0	
-0.0	G1		-0.774	2.205	-18.565	-0.0	0.0
0.0	G2		-0.333	0.860	-7.313	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.366	-1.183	0.574	0.0	-0.0
-0.0	Q5_pc Y		-0.036	1.813	0.457	-0.0	-0.0
0.0	Q5_ps X		1.300	-1.138	0.621	0.0	-0.0
-0.0	Q5_ps Y		-0.026	1.711	0.521	0.0	-0.0
0.0							
-0.0	INVSLU	Max	1.573	9.114	-11.432	-0.0	0.0
-0.0		Min	-3.252	-7.551	-110.112	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.988	6.277	-8.728	-0.0	0.0
-0.0		Min	-2.297	-5.826	-81.748	-0.0	-0.0
-0.0							
6346	C1-C2;~1	Max	1.544	6.293	24.882	0.0	0.0
0.0		Min	-3.212	-5.609	-45.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.668	6.701	25.792	0.0	0.0
-0.0		Min	-4.789	-7.104	-53.318	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.827	3.276	12.568	0.0	0.0
-0.0		Min	-1.662	-2.768	-24.182	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.900	3.500	13.067	0.0	0.0
-0.0		Min	-2.496	-3.469	-28.135	-0.0	-0.0
-0.0							
0.0	G1		-2.084	0.171	-21.914	-0.0	0.0
0.0	G2		-0.863	0.049	-8.625	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.520	-1.080	0.606	0.0	-0.0
-0.0	Q5_pc Y		-0.076	1.761	0.313	-0.0	0.0
0.0	Q5_ps X		1.479	-1.014	0.661	0.0	-0.0
-0.0	Q5_ps Y		-0.023	1.691	0.396	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.413	4.501	-20.121	-0.0	0.0
-0.0		Min	-9.040	-17.306	-128.010	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.817	2.854	-15.264	-0.0	0.0
-0.0		Min	-6.465	-13.064	-95.101	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6347	C1-C2;~1	Max	0.585	5.271	24.889	0.0	0.0
0.0		Min	-1.071	-3.612	-45.013	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.611	5.670	25.799	0.0	0.0
0.0		Min	-1.144	-4.130	-53.330	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.303	2.754	12.571	0.0	0.0
0.0		Min	-0.548	-1.899	-24.176	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.302	2.969	13.071	0.0	0.0
0.0		Min	-0.589	-2.141	-28.139	-0.0	-0.0
-0.0							
	G1		-0.781	2.137	-21.929	-0.0	0.0
0.0							
	G2		-0.334	0.834	-8.639	-0.0	0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.443	-1.136	0.610	0.0	-0.0
-0.0							
	Q5_pc Y		-0.069	1.834	0.315	-0.0	-0.0
0.0							
	Q5_ps X		1.373	-1.093	0.667	0.0	-0.0
-0.0							
	Q5_ps Y		-0.057	1.731	0.400	0.0	-0.0
0.0							
	INVSLU	Max	3.088	7.958	-20.012	-0.0	0.0
0.0		Min	-2.235	-8.574	-127.934	-0.0	-0.0
-0.0							
	INVSLE	Max	2.141	5.364	-15.172	-0.0	0.0
0.0		Min	-1.545	-6.638	-95.034	-0.0	-0.0
-0.0							
6356	C1-C2;~1	Max	1.342	5.640	24.476	0.0	0.0
0.0		Min	-3.442	-4.792	-46.467	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.447	6.015	25.348	0.0	0.0
0.0		Min	-5.053	-6.057	-54.997	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.725	2.943	12.244	0.0	0.0
0.0		Min	-1.800	-2.381	-25.024	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.789	3.149	12.720	0.0	0.0
0.0		Min	-2.650	-2.950	-29.098	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-2.603	0.674	-23.189	-0.0	0.0
0.0	G2		-1.067	0.245	-9.127	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.559	-1.073	0.565	0.0	-0.0
0.0	Q5_pc Y		-0.133	1.765	0.174	-0.0	0.0
0.0	Q5_ps X		1.516	-1.007	0.627	0.0	-0.0
0.0	Q5_ps Y		-0.076	1.698	0.270	-0.0	0.0
0.0	INVS LU	Max	1.479	4.172	-24.267	-0.0	0.0
-0.0		Min	-10.102	-15.302	-133.749	-0.0	0.0
0.0	INVS LE	Max	1.140	2.586	-18.347	-0.0	0.0
-0.0		Min	-7.230	-11.604	-99.370	-0.0	0.0
6357	C1-C2;~1	Max	0.983	5.169	24.482	0.0	0.0
0.0		Min	-1.373	-3.564	-46.469	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.991	5.558	25.354	0.0	0.0
-0.0		Min	-1.425	-4.058	-55.031	-0.0	-0.0
0.0	C1-C2;~2	Max	0.523	2.692	12.247	0.0	0.0
-0.0		Min	-0.706	-1.869	-25.024	-0.0	-0.0
0.0	C3-C4;~2	Max	0.503	2.901	12.723	0.0	0.0
-0.0		Min	-0.734	-2.100	-29.118	-0.0	-0.0
0.0	G1		-0.756	2.082	-23.204	-0.0	0.0
-0.0	G2		-0.323	0.811	-9.141	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.466	-1.112	0.568	0.0	-0.0
0.0	Q5_pc Y		-0.108	1.849	0.176	-0.0	-0.0
0.0	Q5_ps X		1.394	-1.069	0.632	0.0	-0.0
0.0	Q5_ps Y		-0.093	1.746	0.274	0.0	-0.0
0.0	INVS LU	Max	4.657	6.273	-24.160	0.0	0.0
-0.0		Min	-1.381	-10.037	-133.703	-0.0	-0.0
0.0	INVS LE	Max	3.342	4.052	-18.257	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.879	-7.783	-99.324	-0.0	-0.0
-0.0							
6366	C1-C2;~1	Max	1.116	5.007	22.940	0.0	0.0
0.0		Min	-3.508	-4.002	-44.299	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.206	5.348	23.630	0.0	0.0
0.0		Min	-5.034	-5.015	-52.406	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.605	2.622	11.410	0.0	0.0
0.0		Min	-1.847	-2.038	-23.858	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.658	2.810	11.762	0.0	0.0
0.0		Min	-2.646	-2.476	-27.731	-0.0	-0.0
-0.0							
-0.0	G1		-2.939	1.317	-22.155	-0.0	0.0
-0.0	G2		-1.195	0.498	-8.717	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.529	-1.103	0.462	-0.0	-0.0
0.0	Q5_pc Y		-0.197	1.767	0.055	-0.0	0.0
0.0	Q5_ps X		1.485	-1.037	0.527	0.0	-0.0
0.0	Q5_ps Y		-0.137	1.699	0.155	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.808	4.020	-22.831	0.0	0.0
0.0		Min	-10.480	-13.151	-126.312	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.598	2.446	-17.220	0.0	0.0
0.0		Min	-7.497	-10.037	-93.811	-0.0	0.0
-0.0							
6367	C1-C2;~1	Max	1.446	5.063	22.946	0.0	0.0
0.0		Min	-1.722	-3.510	-44.290	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.532	5.460	23.636	0.0	0.0
0.0		Min	-1.772	-3.984	-52.417	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.770	2.626	11.413	0.0	0.0
0.0		Min	-0.876	-1.834	-23.851	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.790	2.835	11.765	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.903	-2.057	-27.734	-0.0	-0.0
-0.0	G1		-0.701	2.046	-22.169	-0.0	0.0
-0.0	G2		-0.299	0.797	-8.731	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.434	-1.123	0.465	0.0	-0.0
0.0	Q5_pc Y		-0.150	1.856	0.057	-0.0	-0.0
0.0	Q5_ps X		1.363	-1.080	0.531	0.0	-0.0
0.0	Q5_ps Y		-0.133	1.753	0.159	0.0	-0.0
0.0	INVSLU	Max	6.217	4.411	-22.724	0.0	0.0
0.0		Min	-0.825	-11.678	-126.233	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.598	2.611	-17.130	0.0	0.0
0.0		Min	-0.428	-9.059	-93.741	-0.0	-0.0
-0.0							
6376	C1-C2;~1	Max	0.904	4.702	21.100	0.0	0.0
0.0		Min	-3.385	-3.373	-38.883	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.990	4.838	21.721	0.0	0.0
0.0		Min	-4.752	-4.112	-45.968	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.483	2.390	10.658	0.0	0.0
0.0		Min	-1.785	-1.759	-20.910	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.531	2.538	10.980	0.0	0.0
0.0		Min	-2.494	-2.087	-24.285	-0.0	-0.0
-0.0							
-0.0	G1		-3.035	2.007	-18.997	-0.0	0.0
-0.0	G2		-1.227	0.772	-7.471	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.440	-1.177	0.319	-0.0	-0.0
0.0	Q5_pc Y		-0.263	1.766	-0.027	-0.0	0.0
0.0	Q5_ps X		1.396	-1.110	0.382	-0.0	-0.0
0.0	Q5_ps Y		-0.204	1.695	0.066	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.440	4.044	-15.119	0.0	0.0
0.0		Min	-10.082	-11.218	-107.074	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	0.346	2.432	-11.375	0.0	0.0
-0.0		Min	-7.196	-8.637	-79.447	-0.0	0.0
6377	C1-C2;~1	Max	1.876	4.962	21.106	0.0	0.0
0.0		Min	-2.057	-3.452	-38.883	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.054	5.379	21.727	0.0	0.0
-0.0		Min	-2.116	-3.908	-45.975	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.992	2.558	10.661	0.0	0.0
0.0		Min	-1.037	-1.797	-20.910	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.055	2.773	10.984	0.0	0.0
-0.0		Min	-1.068	-2.012	-24.286	-0.0	-0.0
-0.0	G1		-0.621	2.038	-19.009	0.0	0.0
-0.0	G2		-0.266	0.793	-7.483	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.358	-1.176	0.321	0.0	-0.0
0.0	Q5_pc Y		-0.193	1.857	-0.025	0.0	-0.0
0.0	Q5_ps X		1.290	-1.130	0.385	0.0	-0.0
0.0	Q5_ps Y		-0.175	1.754	0.070	0.0	-0.0
0.0							
0.0	INVSLU	Max	7.393	2.673	-15.035	0.0	0.0
0.0		Min	-0.681	-13.206	-107.011	0.0	0.0
0.0							
0.0	INVSLE	Max	5.510	1.265	-11.303	0.0	0.0
0.0		Min	-0.290	-10.250	-79.390	0.0	0.0
0.0							
6386	C1-C2;~1	Max	0.726	4.727	17.956	0.0	0.0
0.0		Min	-3.064	-3.160	-30.931	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.811	4.818	18.484	0.0	0.0
-0.0		Min	-4.194	-3.654	-36.553	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.372	2.359	9.210	0.0	0.0
0.0		Min	-1.610	-1.649	-16.606	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.415	2.468	9.490	0.0	0.0
-0.0		Min	-2.192	-1.877	-19.276	-0.0	-0.0
-0.0	G1		-2.833	2.644	-14.263	0.0	0.0
-0.0	G2		-1.139	1.028	-5.603	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.297	-1.299	0.164	-0.0	-0.0
0.0	Q5_pc Y		-0.329	1.763	-0.062	-0.0	0.0
0.0	Q5_ps X		1.255	-1.231	0.219	-0.0	-0.0
0.0	Q5_ps Y		-0.274	1.687	0.015	-0.0	0.0
0.0	INVSLU	Max	0.529	4.500	-5.058	0.0	0.0
-0.0		Min	-8.742	-10.111	-79.654	0.0	0.0
0.0	INVSLE	Max	0.438	2.735	-3.741	0.0	0.0
-0.0		Min	-6.204	-7.852	-58.975	0.0	0.0
6387	C1-C2;~1	Max	2.314	4.848	17.971	0.0	0.0
0.0		Min	-2.400	-3.386	-30.962	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.582	5.285	18.499	0.0	0.0
0.0		Min	-2.467	-3.825	-36.596	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.214	2.485	9.218	0.0	0.0
0.0		Min	-1.205	-1.757	-16.623	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.316	2.705	9.498	0.0	0.0
0.0		Min	-1.238	-1.963	-19.299	-0.0	-0.0
-0.0	G1		-0.509	2.015	-14.290	0.0	0.0
0.0	G2		-0.218	0.787	-5.620	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.248	-1.273	0.165	0.0	-0.0
0.0	Q5_pc Y		-0.244	1.853	-0.059	0.0	0.0
-0.0	Q5_ps X		1.185	-1.222	0.221	0.0	-0.0
0.0	Q5_ps Y		-0.226	1.751	0.020	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	INVS LU	Max	8.064	1.530	-4.977	0.0	0.0		
		Min	-1.000	-14.105	-79.653	0.0	0.0		
-0.0									
0.0	INVS LE	Max	6.049	0.394	-3.672	0.0	0.0		
		Min	-0.498	-10.940	-58.966	0.0	0.0		
-0.0									
6396 0.0	C1-C2;~1	Max	0.750	4.995	13.214	0.0	0.0		
		Min	-2.613	-3.204	-20.733	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	0.836	5.285	13.609	0.0	0.0		
		Min	-3.441	-3.615	-24.484	-0.0	-0.0		
-0.0									
0.0	C1-C2;~2	Max	0.372	2.510	6.877	0.0	0.0		
		Min	-1.356	-1.644	-11.108	-0.0	-0.0		
-0.0									
0.0	C3-C4;~2	Max	0.412	2.630	7.092	0.0	0.0		
		Min	-1.776	-1.837	-12.883	-0.0	-0.0		
-0.0									
-0.0	G1		-2.305	3.124	-8.521	0.0	0.0		
-0.0	G2		-0.922	1.226	-3.340	0.0	0.0		
-0.0	Q3		0.000	0.000	0.000	0.0	0.0		
0.0	Q5_pc X		1.109	-1.478	0.030	-0.0	-0.0		
0.0	Q5_pc Y		-0.385	1.769	-0.078	-0.0	0.0		
0.0	Q5_ps X		1.070	-1.408	0.072	-0.0	-0.0		
0.0	Q5_ps Y		-0.338	1.684	-0.026	-0.0	0.0		
0.0									
0.0	INVS LU	Max	1.340	5.153	3.000	0.0	0.0		
		Min	-6.463	-10.045	-48.566	0.0	-0.0		
-0.0									
0.0	INVS LE	Max	1.088	3.177	2.336	0.0	0.0		
		Min	-4.519	-7.846	-35.850	0.0	-0.0		
-0.0									
6397 0.0	C1-C2;~1	Max	2.657	4.690	13.214	0.0	0.0		
		Min	-2.759	-3.257	-20.738	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	3.030	5.142	13.607	0.0	0.0		
		Min	-2.833	-3.681	-24.500	-0.0	-0.0		
-0.0									


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.377	2.393	6.877	0.0	0.0
-0.0		Min	-1.390	-1.690	-11.111	-0.0	-0.0
0.0	C3-C4;~2	Max	1.534	2.616	7.091	0.0	0.0
-0.0		Min	-1.425	-1.889	-12.891	-0.0	-0.0
0.0	G1		-0.460	2.038	-8.536	0.0	0.0
0.0	G2		-0.197	0.799	-3.354	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.095	-1.445	0.031	0.0	-0.0
0.0	Q5_pc Y		-0.304	1.858	-0.078	-0.0	0.0
0.0	Q5_ps X		1.039	-1.386	0.073	0.0	-0.0
0.0	Q5_ps Y		-0.283	1.755	-0.022	0.0	-0.0
0.0	INVSLU	Max	7.646	1.078	2.976	0.0	0.0
-0.0		Min	-2.241	-14.178	-48.609	0.0	0.0
0.0	INVSLE	Max	5.743	0.067	2.319	0.0	0.0
-0.0		Min	-1.434	-10.986	-35.882	0.0	0.0
6406	C1-C2;~1	Max	0.905	5.491	6.854	0.0	0.0
0.0		Min	-2.084	-3.355	-9.853	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.012	6.025	7.057	0.0	0.0
-0.0		Min	-2.583	-3.749	-11.642	-0.0	-0.0
0.0	C1-C2;~2	Max	0.454	2.755	3.606	0.0	0.0
-0.0		Min	-1.058	-1.685	-5.266	-0.0	-0.0
0.0	C3-C4;~2	Max	0.503	2.984	3.718	0.0	0.0
-0.0		Min	-1.305	-1.869	-6.110	-0.0	-0.0
-0.0	G1		-1.601	3.293	-3.526	0.0	0.0
-0.0	G2		-0.640	1.300	-1.375	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.898	-1.719	-0.037	-0.0	0.0
0.0	Q5_pc Y		-0.427	1.776	-0.077	-0.0	0.0
0.0	Q5_ps X		0.863	-1.644	-0.014	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		-0.389	1.681	-0.050	-0.0	0.0
0.0	INVSLE Max		2.675	5.579	4.386	0.0	0.0
-0.0	INVSLE Min		-3.795	-10.813	-20.996	0.0	-0.0
0.0	INVSLE Max		2.117	3.447	3.342	0.0	0.0
-0.0	INVSLE Min		-2.556	-8.459	-15.449	0.0	-0.0
6407 0.0	C1-C2;~1 Max		2.653	4.593	6.858	0.0	0.0
-0.0	C1-C2;~1 Min		-2.975	-3.075	-9.867	-0.0	-0.0
0.0	C3-C4;~1 Max		3.092	5.085	7.058	0.0	0.0
-0.0	C3-C4;~1 Min		-3.054	-3.476	-11.670	-0.0	-0.0
0.0	C1-C2;~2 Max		1.354	2.324	3.608	0.0	0.0
-0.0	C1-C2;~2 Min		-1.503	-1.602	-5.274	-0.0	-0.0
0.0	C3-C4;~2 Max		1.556	2.560	3.719	0.0	0.0
-0.0	C3-C4;~2 Min		-1.540	-1.790	-6.124	-0.0	-0.0
-0.0	G1		-0.660	2.292	-3.547	0.0	0.0
-0.0	G2		-0.278	0.897	-1.390	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.932	-1.680	-0.032	0.0	-0.0
0.0	Q5_pc Y		-0.329	1.876	-0.071	0.0	-0.0
0.0	Q5_ps X		0.884	-1.610	-0.009	0.0	-0.0
0.0	Q5_ps Y		-0.306	1.770	-0.041	0.0	-0.0
0.0	INVSLE Max		6.414	1.499	4.362	0.0	0.0
-0.0	INVSLE Min		-3.562	-13.436	-21.048	0.0	-0.0
0.0	INVSLE Max		4.829	0.385	3.325	0.0	0.0
-0.0	INVSLE Min		-2.435	-10.428	-15.488	0.0	-0.0
6426 0.0	C1-C2;~1 Max		1.227	5.756	6.745	0.0	0.0
-0.0	C1-C2;~1 Min		-1.488	-3.792	-8.447	-0.0	-0.0
0.0	C3-C4;~1 Max		1.253	6.620	7.719	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-1.630	-4.349	-8.971	-0.0	-0.0
0.0	C1-C2;~2	Max	0.633	2.901	3.636	0.0	0.0
-0.0		Min	-0.750	-1.900	-4.541	-0.0	-0.0
0.0	C3-C4;~2	Max	0.636	3.304	4.079	0.0	0.0
-0.0		Min	-0.820	-2.185	-4.855	-0.0	-0.0
-0.0		G1	-0.442	2.883	-2.205	0.0	-0.0
-0.0		G2	-0.183	1.152	-0.825	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.687	-2.070	0.071	-0.0	0.0
-0.0		Q5_pc Y	-0.315	1.959	0.011	-0.0	0.0
-0.0		Q5_ps X	0.655	-1.986	0.054	-0.0	0.0
-0.0		Q5_ps Y	-0.287	1.857	0.033	-0.0	0.0
0.0	INVSLU	Max	5.367	5.292	3.653	0.0	-0.0
-0.0		Min	0.239	-13.243	-19.007	-0.0	-0.0
0.0	INVSLE	Max	4.142	3.182	2.576	0.0	-0.0
-0.0		Min	0.435	-10.272	-14.200	-0.0	-0.0
6427	C1-C2;~1	Max	2.189	4.447	6.737	0.0	0.0
0.0		Min	-3.001	-2.655	-8.443	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.590	5.009	7.707	0.0	0.0
-0.0		Min	-3.125	-3.023	-8.973	-0.0	-0.0
0.0	C1-C2;~2	Max	1.097	2.216	3.633	0.0	0.0
-0.0		Min	-1.519	-1.407	-4.539	-0.0	-0.0
0.0	C3-C4;~2	Max	1.280	2.476	4.073	0.0	0.0
-0.0		Min	-1.580	-1.580	-4.856	-0.0	-0.0
0.0		G1	-1.229	3.028	-2.217	-0.0	-0.0
0.0		G2	-0.496	1.183	-0.837	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc X	0.747	-2.074	0.078	0.0	0.0
0.0		Q5_pc Y	-0.247	2.033	0.017	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q5_ps X	0.709	-1.985	0.061	0.0	0.0
0.0	Q5_ps Y	-0.226	1.916	0.042	0.0	-0.0
-0.0						
0.0	INVS LU Max	3.769	3.716	3.631	0.0	0.0
-0.0	Min	-5.292	-10.862	-19.028	-0.0	-0.0
0.0						
-0.0	INVS LE Max	2.871	2.033	2.561	0.0	0.0
0.0	Min	-3.741	-8.489	-14.214	-0.0	-0.0
-0.0						
6436	C1-C2;~1 Max	1.465	5.493	11.932	0.0	0.0
0.0	Min	-1.518	-3.912	-16.604	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	1.424	6.325	13.654	0.0	0.0
-0.0	Min	-1.643	-4.574	-17.637	-0.0	-0.0
0.0						
-0.0	C1-C2;~2 Max	0.762	2.761	6.432	0.0	0.0
0.0	Min	-0.790	-1.974	-9.001	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	0.725	3.149	7.213	0.0	0.0
-0.0	Min	-0.854	-2.320	-9.627	-0.0	-0.0
0.0	G1	-0.071	2.540	-5.654	-0.0	-0.0
0.0	G2	-0.038	1.019	-2.154	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.700	-2.161	0.173	0.0	0.0
-0.0	Q5_pc Y	-0.212	2.108	-0.000	-0.0	0.0
0.0	Q5_ps X	0.666	-2.074	0.139	0.0	0.0
-0.0	Q5_ps Y	-0.183	2.012	0.045	-0.0	0.0
0.0						
-0.0	INVS LU Max	7.064	4.393	0.556	0.0	-0.0
0.0	Min	1.607	-14.209	-41.998	-0.0	-0.0
-0.0						
0.0	INVS LE Max	5.431	2.511	0.082	0.0	-0.0
-0.0	Min	1.483	-10.981	-31.417	-0.0	-0.0
6437	C1-C2;~1 Max	1.733	4.376	11.928	0.0	0.0
0.0	Min	-2.718	-2.465	-16.597	-0.0	-0.0
-0.0						


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.053	4.945	13.646	0.0	0.0
-0.0		Min	-2.850	-2.823	-17.632	-0.0	-0.0
0.0	C1-C2;~2	Max	0.851	2.169	6.430	0.0	0.0
-0.0		Min	-1.368	-1.319	-8.998	-0.0	-0.0
0.0	C3-C4;~2	Max	0.996	2.430	7.209	0.0	0.0
-0.0		Min	-1.437	-1.487	-9.624	-0.0	-0.0
-0.0	G1		-1.419	3.369	-5.662	-0.0	-0.0
-0.0	G2		-0.567	1.323	-2.164	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.744	-2.193	0.179	0.0	0.0
-0.0	Q5_pc Y		-0.201	2.177	-0.003	0.0	-0.0
-0.0	Q5_ps X		0.706	-2.096	0.144	0.0	0.0
-0.0	Q5_ps Y		-0.182	2.051	0.046	0.0	-0.0
0.0	INVSLU	Max	2.407	5.102	0.545	0.0	-0.0
-0.0		Min	-5.551	-9.331	-42.001	-0.0	-0.0
0.0	INVSLE	Max	1.861	3.068	0.075	0.0	-0.0
-0.0		Min	-3.935	-7.330	-31.417	-0.0	-0.0
6446 0.0	C1-C2;~1	Max	1.667	5.019	14.536	0.0	0.0
-0.0		Min	-1.826	-3.751	-23.130	-0.0	-0.0
0.0	C3-C4;~1	Max	1.726	5.772	16.611	0.0	0.0
-0.0		Min	-1.994	-4.510	-24.592	-0.0	-0.0
0.0	C1-C2;~2	Max	0.848	2.496	7.838	0.0	0.0
-0.0		Min	-0.937	-1.896	-12.648	-0.0	-0.0
0.0	C3-C4;~2	Max	0.849	2.848	8.777	0.0	0.0
-0.0		Min	-1.020	-2.301	-13.545	-0.0	-0.0
0.0	G1		-0.071	2.324	-10.009	-0.0	-0.0
0.0	G2		-0.039	0.930	-3.841	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.737	-2.218	0.280	0.0	0.0
-0.0	Q5_pc Y		-0.167	2.226	-0.096	-0.0	0.0
0.0	Q5_ps X		0.699	-2.129	0.231	0.0	0.0
-0.0	Q5_ps Y		-0.135	2.135	-0.023	-0.0	0.0
0.0	INVS LU	Max	8.166	3.287	-11.095	-0.0	-0.0
-0.0		Min	1.817	-14.601	-67.223	-0.0	-0.0
0.0	INVS LE	Max	6.279	1.683	-8.842	-0.0	-0.0
-0.0		Min	1.674	-11.270	-50.381	-0.0	-0.0
6447	C1-C2;~1	Max	1.422	4.356	14.538	0.0	0.0
0.0		Min	-2.192	-2.385	-23.120	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.664	4.904	16.612	0.0	0.0
-0.0		Min	-2.316	-2.736	-24.583	-0.0	-0.0
0.0	C1-C2;~2	Max	0.715	2.147	7.839	0.0	0.0
-0.0		Min	-1.088	-1.278	-12.642	-0.0	-0.0
0.0	C3-C4;~2	Max	0.821	2.399	8.778	0.0	0.0
-0.0		Min	-1.154	-1.442	-13.539	-0.0	-0.0
-0.0	G1		-1.306	3.538	-10.014	-0.0	-0.0
-0.0	G2		-0.528	1.383	-3.850	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.777	-2.257	0.284	0.0	0.0
-0.0	Q5_pc Y		-0.184	2.300	-0.096	0.0	-0.0
0.0	Q5_ps X		0.739	-2.157	0.236	0.0	0.0
-0.0	Q5_ps Y		-0.164	2.170	-0.020	0.0	-0.0
-0.0	INVS LU	Max	2.130	6.180	-11.044	-0.0	-0.0
-0.0		Min	-4.641	-8.275	-67.169	-0.0	-0.0
-0.0	INVS LE	Max	1.659	3.853	-8.798	-0.0	-0.0
-0.0		Min	-3.253	-6.548	-50.334	-0.0	-0.0
6456	C1-C2;~1	Max	1.698	4.494	15.322	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-2.165	-3.325	-27.394	-0.0	-0.0
0.0	C3-C4;~1	Max	1.918	5.149	17.493	0.0	0.0
-0.0		Min	-2.479	-4.131	-29.140	-0.0	-0.0
0.0	C1-C2;~2	Max	0.843	2.198	8.263	0.0	0.0
-0.0		Min	-1.090	-1.667	-15.092	-0.0	-0.0
0.0	C3-C4;~2	Max	0.931	2.504	9.244	0.0	0.0
-0.0		Min	-1.270	-2.102	-16.174	-0.0	-0.0
0.0	G1		-0.404	2.368	-13.725	-0.0	-0.0
0.0	G2		-0.169	0.946	-5.284	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.785	-2.237	0.356	0.0	0.0
-0.0	Q5_pc Y		-0.170	2.300	-0.199	-0.0	0.0
-0.0	Q5_ps X		0.743	-2.147	0.298	0.0	0.0
-0.0	Q5_ps Y		-0.134	2.212	-0.105	-0.0	0.0
0.0	INVSLU	Max	8.340	2.668	-24.825	-0.0	-0.0
-0.0		Min	0.992	-14.001	-88.420	-0.0	-0.0
0.0	INVSLE	Max	6.429	1.219	-19.281	-0.0	-0.0
-0.0		Min	1.091	-10.822	-66.341	-0.0	-0.0
6457	C1-C2;~1	Max	1.294	4.332	15.341	0.0	0.0
0.0		Min	-2.004	-2.305	-27.406	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.504	4.829	17.514	0.0	0.0
-0.0		Min	-2.123	-2.640	-29.163	-0.0	-0.0
0.0	C1-C2;~2	Max	0.666	2.133	8.273	0.0	0.0
-0.0		Min	-1.011	-1.240	-15.095	-0.0	-0.0
0.0	C3-C4;~2	Max	0.760	2.364	9.255	0.0	0.0
-0.0		Min	-1.075	-1.396	-16.185	-0.0	-0.0
0.0	G1		-1.186	3.674	-13.746	-0.0	-0.0
-0.0	G2		-0.482	1.436	-5.299	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.799	-2.272	0.357	0.0	0.0
-0.0	Q5_pc Y	-0.187	2.360	-0.197	0.0	-0.0
-0.0	Q5_ps X	0.760	-2.171	0.299	-0.0	0.0
-0.0	Q5_ps Y	-0.168	2.228	-0.100	0.0	-0.0
-0.0	INVS LU Max	3.361	6.687	-24.706	-0.0	-0.0
-0.0	Min	-2.974	-7.644	-88.363	-0.0	-0.0
-0.0	INVS LE Max	2.626	4.207	-19.182	-0.0	-0.0
-0.0	Min	-1.959	-6.094	-66.288	-0.0	-0.0
6466	C1-C2;~1 Max	1.767	4.160	14.768	0.0	0.0
0.0	Min	-2.650	-2.843	-29.121	-0.0	-0.0
-0.0	C3-C4;~1 Max	2.053	4.682	16.853	0.0	0.0
0.0	Min	-3.012	-3.454	-30.970	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.867	2.039	7.965	0.0	0.0
0.0	Min	-1.339	-1.441	-16.129	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.992	2.278	8.906	0.0	0.0
0.0	Min	-1.548	-1.732	-17.280	-0.0	-0.0
-0.0	G1	-0.954	2.677	-16.109	-0.0	-0.0
-0.0	G2	-0.382	1.064	-6.211	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.835	-2.233	0.381	0.0	-0.0
-0.0	Q5_pc Y	-0.213	2.323	-0.280	-0.0	0.0
0.0	Q5_ps X	0.791	-2.142	0.321	0.0	-0.0
-0.0	Q5_ps Y	-0.173	2.236	-0.175	-0.0	0.0
0.0	INVS LU Max	7.900	2.740	-36.117	-0.0	0.0
-0.0	Min	-0.442	-12.426	-101.363	-0.0	-0.0
-0.0	INVS LE Max	6.121	1.272	-27.820	-0.0	0.0
0.0	Min	0.054	-9.653	-76.100	-0.0	-0.0
-0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6467	C1-C2;~1	Max	1.179	4.330	14.786	0.0	0.0
0.0		Min	-1.827	-2.232	-29.152	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.363	4.773	16.872	0.0	0.0
0.0		Min	-1.945	-2.555	-31.027	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.622	2.131	7.974	0.0	0.0
0.0		Min	-0.938	-1.205	-16.146	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.705	2.339	8.917	0.0	0.0
0.0		Min	-1.001	-1.356	-17.316	-0.0	-0.0
-0.0							
	G1		-1.062	3.826	-16.142	-0.0	-0.0
-0.0							
	G2		-0.433	1.494	-6.230	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.827	-2.265	0.382	0.0	0.0
-0.0							
	Q5_pc Y		-0.220	2.377	-0.278	0.0	-0.0
0.0							
	Q5_ps X		0.788	-2.163	0.321	-0.0	0.0
-0.0							
	Q5_ps Y		-0.199	2.244	-0.170	0.0	-0.0
0.0							
	INVSLU	Max	5.262	6.806	-35.985	-0.0	-0.0
0.0		Min	-0.691	-7.364	-101.338	-0.0	-0.0
-0.0							
	INVSLE	Max	4.105	4.278	-27.711	-0.0	-0.0
0.0		Min	-0.195	-5.901	-76.069	-0.0	-0.0
-0.0							
6476	C1-C2;~1	Max	1.836	4.399	13.072	0.0	0.0
0.0		Min	-3.139	-2.430	-27.828	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.139	4.384	14.912	0.0	0.0
0.0		Min	-3.513	-2.879	-29.568	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.900	2.196	7.050	0.0	0.0
0.0		Min	-1.589	-1.275	-15.443	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.033	2.171	7.881	0.0	0.0
0.0		Min	-1.806	-1.476	-16.526	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-1.592	3.209	-16.613	-0.0	0.0
-0.0	G2	-0.630	1.269	-6.408	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.887	-2.210	0.366	0.0	-0.0
0.0	Q5_pc Y	-0.288	2.292	-0.333	-0.0	0.0
-0.0	Q5_ps X	0.839	-2.118	0.308	0.0	-0.0
0.0	Q5_ps Y	-0.244	2.204	-0.228	-0.0	0.0
0.0	INVS LU Max	7.078	3.434	-42.121	-0.0	0.0
-0.0	Min	-2.149	-10.517	-102.828	-0.0	-0.0
0.0	INVS LE Max	5.524	1.789	-32.328	-0.0	0.0
-0.0	Min	-1.192	-8.239	-77.247	-0.0	0.0
6477	C1-C2;~1 Max	1.159	4.382	13.090	0.0	0.0
0.0	Min	-1.736	-2.195	-27.866	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.331	4.774	14.933	0.0	0.0
0.0	Min	-1.866	-2.511	-29.623	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.615	2.153	7.060	0.0	0.0
0.0	Min	-0.900	-1.186	-15.463	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.694	2.340	7.892	0.0	0.0
0.0	Min	-0.968	-1.333	-16.558	-0.0	-0.0
-0.0	G1	-0.925	4.000	-16.661	-0.0	0.0
-0.0	G2	-0.381	1.560	-6.433	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X	0.862	-2.235	0.367	-0.0	-0.0
0.0	Q5_pc Y	-0.278	2.343	-0.333	0.0	-0.0
-0.0	Q5_ps X	0.821	-2.133	0.309	-0.0	0.0
0.0	Q5_ps Y	-0.255	2.212	-0.224	0.0	-0.0
0.0	INVS LU Max	7.607	6.526	-41.991	0.0	0.0
-0.0	Min	1.739	-7.525	-102.802	-0.0	-0.0
0.0	INVS LE Max	5.915	4.054	-32.220	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	1.683	-6.042	-77.216	-0.0	-0.0
-0.0							
6486	C1-C2;~1	Max	1.874	4.712	10.514	0.0	0.0
0.0		Min	-3.621	-2.205	-23.717	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.176	4.405	11.993	0.0	0.0
0.0		Min	-4.011	-2.522	-25.173	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.920	2.405	5.671	0.0	0.0
0.0		Min	-1.844	-1.184	-13.151	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.052	2.215	6.339	0.0	0.0
0.0		Min	-2.076	-1.332	-14.051	-0.0	-0.0
-0.0							
-0.0	G1		-2.249	3.810	-15.061	-0.0	0.0
-0.0	G2		-0.884	1.501	-5.810	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.941	-2.165	0.319	0.0	-0.0
-0.0	Q5_pc Y		-0.393	2.200	-0.354	-0.0	0.0
0.0	Q5_ps X		0.891	-2.072	0.269	0.0	-0.0
-0.0	Q5_ps Y		-0.346	2.109	-0.258	-0.0	0.0
0.0							
0.0	INVSLU	Max	6.064	5.062	-41.288	-0.0	0.0
0.0		Min	-3.983	-8.663	-92.098	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.781	3.006	-31.642	-0.0	0.0
0.0		Min	-2.535	-6.867	-69.232	-0.0	0.0
-0.0							
6487	C1-C2;~1	Max	1.234	4.518	10.527	0.0	0.0
0.0		Min	-1.737	-2.183	-23.753	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.401	4.807	12.008	0.0	0.0
0.0		Min	-1.884	-2.488	-25.211	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.646	2.226	5.678	0.0	0.0
0.0		Min	-0.898	-1.176	-13.171	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.724	2.355	6.347	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-0.972	-1.319	-14.071	-0.0	-0.0
-0.0	G1		-0.783	4.187	-15.108	-0.0	0.0
-0.0	G2		-0.326	1.632	-5.834	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.903	-2.184	0.320	-0.0	-0.0
-0.0	Q5_pc Y		-0.361	2.251	-0.353	0.0	-0.0
0.0	Q5_ps X		0.861	-2.083	0.269	-0.0	-0.0
-0.0	Q5_ps Y		-0.334	2.124	-0.254	0.0	-0.0
0.0	INVS LU	Max	10.196	6.160	-41.167	0.0	0.0
0.0		Min	4.136	-7.741	-92.049	-0.0	0.0
-0.0							
0.0	INVS LE	Max	7.907	3.771	-31.541	0.0	0.0
0.0		Min	3.538	-6.225	-69.184	-0.0	0.0
-0.0							
6496	C1-C2;~1	Max	1.868	5.214	7.319	0.0	0.0
0.0		Min	-4.017	-2.283	-17.265	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.162	4.993	8.348	0.0	0.0
0.0		Min	-4.345	-2.588	-18.322	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.921	2.681	3.948	0.0	0.0
0.0		Min	-2.064	-1.214	-9.557	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.050	2.548	4.412	0.0	0.0
0.0		Min	-2.255	-1.357	-10.205	-0.0	-0.0
-0.0							
-0.0	G1		-2.816	4.475	-11.502	0.0	0.0
-0.0	G2		-1.104	1.758	-4.436	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.999	-2.101	0.244	0.0	-0.0
-0.0	Q5_pc Y		-0.526	2.054	-0.326	-0.0	0.0
0.0	Q5_ps X		0.947	-2.007	0.206	0.0	-0.0
-0.0	Q5_ps Y		-0.475	1.959	-0.249	-0.0	0.0
0.0							
0.0	INVS LU	Max	5.061	7.082	-33.186	0.0	0.0
0.0		Min	-5.522	-7.232	-69.777	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	4.041	4.516	-25.431	0.0	0.0
-0.0		Min	-3.665	-5.807	-52.492	-0.0	0.0
6497	C1-C2;~1	Max	1.396	4.760	7.327	0.0	0.0
0.0		Min	-1.825	-2.226	-17.295	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.569	5.052	8.357	0.0	0.0
-0.0		Min	-1.998	-2.528	-18.354	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.712	2.356	3.952	0.0	0.0
0.0		Min	-0.930	-1.189	-9.574	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.792	2.503	4.417	0.0	0.0
-0.0		Min	-1.015	-1.331	-10.223	-0.0	-0.0
-0.0	G1		-0.641	4.396	-11.540	0.0	0.0
-0.0	G2		-0.271	1.712	-4.456	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.947	-2.114	0.245	-0.0	-0.0
-0.0	Q5_pc Y		-0.460	2.102	-0.325	0.0	-0.0
0.0	Q5_ps X		0.904	-2.015	0.206	-0.0	-0.0
-0.0	Q5_ps Y		-0.429	1.982	-0.245	0.0	-0.0
0.0							
0.0	INVSLU	Max	12.694	5.963	-33.086	0.0	0.0
-0.0		Min	6.174	-8.074	-69.732	0.0	0.0
0.0							
-0.0	INVSLE	Max	9.830	3.619	-25.347	0.0	0.0
0.0		Min	5.127	-6.498	-52.448	0.0	0.0
-0.0							
6506	C1-C2;~1	Max	1.803	6.174	3.697	0.0	0.0
0.0		Min	-4.145	-2.634	-9.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.079	6.264	4.217	0.0	0.0
-0.0		Min	-4.393	-2.994	-9.593	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.897	3.191	1.994	0.0	0.0
-0.0		Min	-2.138	-1.353	-4.980	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.0							
0.0	C3-C4;~2	Max	1.019	3.219	2.229	0.0	0.0
-0.0		Min	-2.278	-1.518	-5.329	-0.0	-0.0
-0.0	G1		-3.154	5.156	-6.238	0.0	0.0
-0.0	G2		-1.235	2.021	-2.405	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.058	-2.021	0.138	0.0	-0.0
0.0	Q5_pc Y		-0.681	1.860	-0.223	-0.0	0.0
-0.0	Q5_ps X		1.004	-1.926	0.117	0.0	-0.0
0.0	Q5_ps Y		-0.627	1.758	-0.176	-0.0	0.0
0.0	INVSLU	Max	4.329	9.897	-18.548	0.0	0.0
-0.0		Min	-6.312	-6.238	-37.592	0.0	0.0
0.0	INVSLE	Max	3.496	6.615	-14.227	0.0	0.0
-0.0		Min	-4.246	-5.068	-28.304	0.0	0.0
6507	C1-C2;~1	Max	1.568	5.316	3.701	0.0	0.0
0.0		Min	-1.922	-2.392	-9.037	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.765	5.618	4.221	0.0	0.0
0.0		Min	-2.123	-2.711	-9.614	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.785	2.676	1.996	0.0	0.0
0.0		Min	-0.967	-1.252	-4.990	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.880	2.840	2.231	0.0	0.0
0.0		Min	-1.063	-1.400	-5.341	-0.0	-0.0
-0.0	G1		-0.513	4.622	-6.263	0.0	0.0
-0.0	G2		-0.223	1.799	-2.419	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.992	-2.025	0.139	-0.0	-0.0
0.0	Q5_pc Y		-0.568	1.900	-0.222	0.0	0.0
-0.0	Q5_ps X		0.947	-1.929	0.116	-0.0	-0.0
0.0	Q5_ps Y		-0.532	1.787	-0.173	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	14.757	6.253	-18.464	0.0	0.0
		Min	7.723	-8.636	-37.543	0.0	0.0
-0.0							
0.0	INVS LE	Max	11.429	3.824	-14.155	0.0	0.0
		Min	6.350	-6.935	-28.257	0.0	0.0
-0.0							
6532 0.0	C1-C2;~1	Max	3.442	0.948	3.201	0.0	0.0
		Min	-7.745	-2.391	-8.382	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.719	0.986	3.566	0.0	0.0
		Min	-8.198	-2.398	-8.055	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.696	0.504	1.721	0.0	0.0
		Min	-4.060	-1.252	-4.717	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.830	0.528	1.889	0.0	0.0
		Min	-4.233	-1.191	-4.505	-0.0	-0.0
-0.0							
0.0	G1		-5.834	-2.230	-5.493	0.0	0.0
0.0	G2		-2.274	-0.872	-2.118	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.626	0.062	0.016	0.0	0.0
-0.0	Q5_pc Y		1.340	1.118	0.037	-0.0	-0.0
0.0	Q5_ps X		0.598	0.058	0.008	-0.0	0.0
-0.0	Q5_ps Y		1.269	1.065	0.069	-0.0	-0.0
0.0							
0.0	INVS LU	Max	6.210	2.066	-17.135	0.0	0.0
		Min	-12.291	-4.516	-33.332	0.0	0.0
-0.0							
0.0	INVS LE	Max	5.131	1.686	-13.161	0.0	0.0
		Min	-8.394	-3.041	-25.153	0.0	0.0
-0.0							
6533 0.0	C1-C2;~1	Max	2.426	1.285	3.205	0.0	0.0
		Min	-4.215	-3.390	-8.409	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.556	1.357	3.571	0.0	0.0
		Min	-4.771	-3.745	-8.074	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.272	0.646	1.724	0.0	0.0
-0.0		Min	-2.097	-1.781	-4.731	-0.0	-0.0
0.0	C3-C4;~2	Max	1.345	0.684	1.892	0.0	0.0
-0.0		Min	-2.350	-1.955	-4.516	-0.0	-0.0
0.0	G1		-3.423	-2.898	-5.519	0.0	0.0
0.0	G2		-1.350	-1.149	-2.134	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.617	0.055	0.016	0.0	-0.0
0.0	Q5_pc Y		1.325	1.153	0.037	-0.0	-0.0
-0.0	Q5_ps X		0.593	0.060	0.009	0.0	-0.0
0.0	Q5_ps Y		1.239	1.074	0.068	-0.0	-0.0
0.0	INVSLU	Max	14.812	-0.289	-17.056	0.0	0.0
-0.0		Min	2.535	-9.251	-33.295	0.0	0.0
0.0	INVSLE	Max	11.719	-0.133	-13.093	0.0	0.0
-0.0		Min	2.802	-6.618	-25.117	0.0	0.0
6542	C1-C2;~1	Max	3.248	1.007	6.455	0.0	0.0
0.0		Min	-6.996	-2.610	-16.218	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.489	1.089	7.192	0.0	0.0
-0.0		Min	-7.377	-2.397	-15.646	-0.0	-0.0
0.0	C1-C2;~2	Max	1.618	0.531	3.471	0.0	0.0
-0.0		Min	-3.641	-1.357	-9.151	-0.0	-0.0
0.0	C3-C4;~2	Max	1.737	0.573	3.810	0.0	0.0
-0.0		Min	-3.784	-1.218	-8.772	-0.0	-0.0
0.0	G1		-5.266	-2.213	-10.284	0.0	0.0
0.0	G2		-2.054	-0.866	-3.966	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.603	-0.002	0.027	-0.0	-0.0
0.0	Q5_pc Y		1.426	1.390	0.088	0.0	-0.0
-0.0	Q5_ps X		0.574	-0.010	0.014	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.353	1.339	0.142	0.0	-0.0
0.0	INVSLE Max		7.229	2.745	-30.985	0.0	0.0
-0.0	INVSLE Min		-10.007	-4.812	-62.746	0.0	0.0
0.0	INVSLE Max		5.888	2.136	-23.786	0.0	0.0
-0.0	INVSLE Min		-6.690	-3.231	-47.301	0.0	0.0
6543	C1-C2;~1 Max		2.369	1.051	6.466	0.0	0.0
0.0	C1-C2;~1 Min		-4.139	-2.788	-16.264	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.492	1.087	7.204	0.0	0.0
0.0	C3-C4;~1 Min		-4.698	-3.107	-15.681	-0.0	-0.0
-0.0	C1-C2;~2 Max		1.250	0.556	3.477	0.0	0.0
0.0	C1-C2;~2 Min		-2.065	-1.447	-9.176	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.321	0.580	3.816	0.0	0.0
0.0	C3-C4;~2 Min		-2.319	-1.594	-8.793	-0.0	-0.0
-0.0	G1		-3.399	-2.708	-10.326	0.0	0.0
0.0	G2		-1.340	-1.076	-3.987	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.595	0.003	0.028	0.0	-0.0
-0.0	Q5_pc Y		1.414	1.391	0.086	-0.0	-0.0
0.0	Q5_ps X		0.571	0.010	0.015	-0.0	-0.0
-0.0	Q5_ps Y		1.324	1.300	0.140	-0.0	-0.0
0.0	INVSLE Max		13.371	0.746	-30.888	0.0	0.0
0.0	INVSLE Min		1.119	-7.435	-62.725	0.0	0.0
-0.0	INVSLE Max		10.581	0.643	-23.703	0.0	0.0
0.0	INVSLE Min		1.694	-5.221	-47.274	0.0	0.0
-0.0	C1-C2;~1 Max		2.996	1.255	9.318	0.0	0.0
6552	C1-C2;~1 Min		-5.942	-3.024	-22.304	-0.0	-0.0
0.0	C3-C4;~1 Max		3.192	1.477	10.382	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.284	-2.668	-21.549	-0.0	-0.0
0.0	C1-C2;~2	Max	1.515	0.634	5.011	0.0	0.0
-0.0		Min	-3.099	-1.571	-12.616	-0.0	-0.0
0.0	C3-C4;~2	Max	1.616	0.746	5.500	0.0	0.0
-0.0		Min	-3.180	-1.344	-12.109	-0.0	-0.0
0.0	G1		-4.484	-2.219	-13.494	0.0	0.0
0.0	G2		-1.752	-0.868	-5.202	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.584	-0.044	0.047	-0.0	-0.0
0.0	Q5_pc Y		1.492	1.591	0.099	0.0	-0.0
-0.0	Q5_ps X		0.555	-0.054	0.029	-0.0	0.0
0.0	Q5_ps Y		1.418	1.542	0.173	0.0	-0.0
0.0	INVSLU	Max	8.490	3.589	-38.619	0.0	0.0
-0.0		Min	-6.988	-5.352	-82.924	-0.0	0.0
0.0	INVSLE	Max	6.820	2.804	-29.655	0.0	0.0
-0.0		Min	-4.447	-3.606	-62.460	-0.0	0.0
6553	C1-C2;~1	Max	2.331	1.031	9.336	0.0	0.0
0.0		Min	-4.090	-2.416	-22.366	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.449	1.078	10.401	0.0	0.0
-0.0		Min	-4.652	-2.719	-21.591	-0.0	-0.0
0.0	C1-C2;~2	Max	1.236	0.552	5.020	0.0	0.0
-0.0		Min	-2.045	-1.207	-12.650	-0.0	-0.0
0.0	C3-C4;~2	Max	1.305	0.581	5.510	0.0	0.0
-0.0		Min	-2.300	-1.326	-12.130	-0.0	-0.0
0.0	G1		-3.391	-2.521	-13.548	0.0	0.0
0.0	G2		-1.336	-1.005	-5.229	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.575	-0.032	0.048	-0.0	-0.0
0.0	Q5_pc Y		1.494	1.576	0.096	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
-0.0	Q5_ps X	0.552	-0.024	0.031	-0.0	-0.0
0.0	Q5_ps Y	1.400	1.476	0.169	0.0	-0.0
	INVS LU Max	11.532	2.203	-38.503	0.0	0.0
0.0	INVS LU Min	-0.744	-5.884	-82.913	0.0	0.0
-0.0						
	INVS LE Max	9.145	1.697	-29.556	0.0	0.0
0.0	INVS LE Min	0.251	-4.025	-62.440	0.0	0.0
-0.0						
6562	C1-C2;~1 Max	2.683	1.591	11.613	0.0	0.0
0.0	C1-C2;~1 Min	-4.769	-3.345	-26.083	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	2.825	2.061	12.937	0.0	0.0
0.0	C3-C4;~1 Min	-5.156	-3.129	-25.246	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.387	0.796	6.245	0.0	0.0
0.0	C1-C2;~2 Min	-2.445	-1.734	-14.769	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.466	1.068	6.853	0.0	0.0
0.0	C3-C4;~2 Min	-2.579	-1.551	-14.200	-0.0	-0.0
-0.0						
	G1	-3.625	-2.211	-14.855	0.0	0.0
0.0	G2	-1.419	-0.865	-5.724	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.568	-0.065	0.073	-0.0	-0.0
-0.0	Q5_pc Y	1.547	1.730	0.073	0.0	0.0
0.0	Q5_ps X	0.539	-0.077	0.053	-0.0	0.0
-0.0	Q5_ps Y	1.469	1.680	0.159	0.0	-0.0
0.0						
	INVS LU Max	9.698	4.730	-39.438	0.0	0.0
0.0	INVS LU Min	-3.861	-5.682	-92.246	-0.0	-0.0
-0.0						
	INVS LE Max	7.708	3.652	-30.331	0.0	0.0
0.0	INVS LE Min	-2.130	-3.830	-69.438	-0.0	-0.0
-0.0						
6563	C1-C2;~1 Max	2.306	1.069	11.634	0.0	0.0
0.0	C1-C2;~1 Min	-4.056	-2.206	-26.185	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.420	1.122	12.960	0.0	0.0
-0.0		Min	-4.625	-2.571	-25.309	-0.0	-0.0
0.0	C1-C2;~2	Max	1.227	0.572	6.256	0.0	0.0
-0.0		Min	-2.030	-1.068	-14.834	-0.0	-0.0
0.0	C3-C4;~2	Max	1.295	0.604	6.866	0.0	0.0
-0.0		Min	-2.288	-1.218	-14.238	-0.0	-0.0
0.0	G1		-3.384	-2.336	-14.906	0.0	0.0
0.0	G2		-1.334	-0.935	-5.750	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.559	-0.049	0.074	-0.0	-0.0
0.0	Q5_pc Y		1.560	1.704	0.069	-0.0	0.0
-0.0	Q5_ps X		0.537	-0.040	0.055	-0.0	-0.0
0.0	Q5_ps Y		1.462	1.596	0.155	0.0	0.0
0.0	INVS LU	Max	9.533	3.555	-39.310	0.0	0.0
-0.0		Min	-2.785	-4.658	-92.290	-0.0	-0.0
0.0	INVS LE	Max	7.590	2.718	-30.225	0.0	0.0
-0.0		Min	-1.326	-3.075	-69.459	-0.0	-0.0
6572	C1-C2;~1	Max	2.374	1.996	13.125	0.0	0.0
0.0		Min	-3.834	-3.443	-27.007	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.488	2.565	14.617	0.0	0.0
-0.0		Min	-4.319	-3.542	-26.229	-0.0	-0.0
0.0	C1-C2;~2	Max	1.259	1.015	7.058	0.0	0.0
-0.0		Min	-1.953	-1.759	-15.254	-0.0	-0.0
0.0	C3-C4;~2	Max	1.327	1.344	7.744	0.0	0.0
-0.0		Min	-2.175	-1.759	-14.720	-0.0	-0.0
0.0	G1		-2.784	-2.151	-14.300	0.0	-0.0
0.0	G2		-1.093	-0.841	-5.506	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.553	-0.066	0.099	-0.0	-0.0
0.0	Q5_pc Y		1.587	1.805	0.019	0.0	0.0
-0.0	Q5_ps X		0.525	-0.079	0.078	-0.0	-0.0
0.0	Q5_ps Y		1.506	1.752	0.111	0.0	0.0
0.0	INVS LU	Max	10.794	5.800	-33.760	0.0	-0.0
-0.0		Min	-1.253	-5.692	-90.132	-0.0	-0.0
0.0	INVS LE	Max	8.509	4.450	-26.068	0.0	-0.0
-0.0		Min	-0.203	-3.822	-67.812	-0.0	-0.0
6573	C1-C2;~1	Max	2.292	1.203	13.151	0.0	0.0
0.0		Min	-4.036	-2.286	-27.116	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.403	1.256	14.646	0.0	0.0
-0.0		Min	-4.612	-2.755	-26.301	-0.0	-0.0
0.0	C1-C2;~2	Max	1.223	0.631	7.072	0.0	0.0
-0.0		Min	-2.022	-1.111	-15.323	-0.0	-0.0
0.0	C3-C4;~2	Max	1.290	0.663	7.759	0.0	0.0
-0.0		Min	-2.283	-1.325	-14.764	-0.0	-0.0
0.0	G1		-3.379	-2.158	-14.345	-0.0	-0.0
0.0	G2		-1.332	-0.869	-5.530	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.548	-0.048	0.101	-0.0	-0.0
0.0	Q5_pc Y		1.606	1.773	0.015	-0.0	0.0
-0.0	Q5_ps X		0.526	-0.039	0.080	-0.0	0.0
0.0	Q5_ps Y		1.506	1.660	0.107	0.0	0.0
0.0	INVS LU	Max	7.625	4.671	-33.637	0.0	-0.0
-0.0		Min	-4.738	-4.029	-90.196	-0.0	-0.0
0.0	INVS LE	Max	6.105	3.567	-25.966	0.0	-0.0
-0.0		Min	-2.839	-2.575	-67.848	-0.0	-0.0
6582	C1-C2;~1	Max	2.302	2.307	13.611	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.433	-3.370	-25.188	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.427	2.918	15.150	0.0	0.0
0.0		Min	-3.989	-3.974	-24.540	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.225	1.181	7.321	0.0	0.0
0.0		Min	-1.770	-1.713	-14.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.297	1.534	8.027	0.0	0.0
0.0		Min	-2.022	-1.996	-13.697	-0.0	-0.0
-0.0							
-0.0	G1		-2.104	-2.085	-12.139	0.0	-0.0
-0.0	G2		-0.830	-0.816	-4.668	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.542	-0.046	0.117	-0.0	0.0
0.0	Q5_pc Y		1.611	1.814	-0.043	0.0	0.0
-0.0	Q5_ps X		0.515	-0.059	0.097	-0.0	0.0
0.0	Q5_ps Y		1.524	1.757	0.048	0.0	0.0
-0.0							
0.0	INVSLU	Max	11.783	6.676	-23.556	0.0	-0.0
0.0		Min	0.221	-5.894	-78.222	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.226	5.110	-18.341	0.0	-0.0
0.0		Min	0.876	-3.959	-58.819	-0.0	-0.0
-0.0							
6583	C1-C2;~1	Max	2.284	1.430	13.637	0.0	0.0
0.0		Min	-4.019	-2.579	-25.251	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.395	1.475	15.180	0.0	0.0
0.0		Min	-4.603	-3.113	-24.570	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.222	0.732	7.335	0.0	0.0
0.0		Min	-2.015	-1.283	-14.183	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.288	0.757	8.043	0.0	0.0
0.0		Min	-2.279	-1.530	-13.712	-0.0	-0.0
-0.0							
0.0	G1		-3.362	-2.001	-12.170	-0.0	-0.0
0.0	G2		-1.325	-0.812	-4.686	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	-0.031	0.119	0.0	-0.0
0.0	Q5_pc Y		1.631	1.789	-0.046	-0.0	0.0
-0.0	Q5_ps X		0.521	-0.022	0.098	-0.0	0.0
0.0	Q5_ps Y		1.529	1.673	0.044	0.0	0.0
-0.0							
	INVSLU	Max	6.143	5.632	-23.456	0.0	-0.0
0.0		Min	-6.239	-3.781	-78.251	-0.0	-0.0
0.0							
	INVSLE	Max	4.940	4.366	-18.259	0.0	-0.0
0.0		Min	-4.015	-2.368	-58.832	-0.0	-0.0
0.0							
6592	C1-C2;~1	Max	2.614	2.461	12.867	0.0	0.0
0.0		Min	-3.572	-3.591	-21.105	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.754	3.038	14.308	0.0	0.0
0.0		Min	-4.197	-4.254	-20.602	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.343	1.261	6.922	0.0	0.0
0.0		Min	-1.803	-1.838	-11.761	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.421	1.593	7.582	0.0	0.0
0.0		Min	-2.082	-2.148	-11.414	-0.0	-0.0
-0.0							
	G1		-1.750	-2.057	-8.842	-0.0	-0.0
-0.0							
	G2		-0.693	-0.807	-3.389	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.535	-0.003	0.119	-0.0	0.0
0.0	Q5_pc Y		1.619	1.762	-0.097	0.0	0.0
-0.0	Q5_ps X		0.509	-0.016	0.100	-0.0	0.0
0.0	Q5_ps Y		1.526	1.699	-0.012	0.0	0.0
-0.0							
	INVSLU	Max	12.563	7.233	-11.369	0.0	-0.0
0.0		Min	0.266	-5.782	-59.390	-0.0	-0.0
-0.0							
	INVSLE	Max	9.784	5.542	-9.055	0.0	-0.0
0.0		Min	0.891	-3.864	-44.610	-0.0	-0.0
-0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6593	C1-C2;~1	Max	2.287	1.889	12.886	0.0	0.0
0.0		Min	-4.017	-2.938	-21.129	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.396	1.958	14.330	0.0	0.0
0.0		Min	-4.605	-3.538	-20.611	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.224	0.986	6.932	0.0	0.0
0.0		Min	-2.015	-1.480	-11.774	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.290	1.029	7.594	0.0	0.0
0.0		Min	-2.281	-1.759	-11.417	-0.0	-0.0
-0.0							
0.0	G1		-3.351	-1.867	-8.854	-0.0	-0.0
0.0	G2		-1.320	-0.765	-3.401	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	0.000	0.121	0.0	-0.0
0.0	Q5_pc Y		1.635	1.763	-0.100	-0.0	0.0
-0.0	Q5_ps X		0.521	0.008	0.102	0.0	0.0
0.0	Q5_ps Y		1.534	1.645	-0.015	-0.0	0.0
-0.0							
	INVSLU	Max	5.409	7.058	-11.324	0.0	-0.0
0.0		Min	-6.987	-3.536	-59.412	-0.0	-0.0
0.0							
	INVSLE	Max	4.342	5.449	-9.017	0.0	-0.0
0.0		Min	-4.623	-2.163	-44.621	-0.0	-0.0
0.0							
6602	C1-C2;~1	Max	2.856	2.458	10.502	0.0	0.0
0.0		Min	-3.833	-3.674	-15.046	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.987	2.939	11.662	0.0	0.0
0.0		Min	-4.506	-4.359	-14.708	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.432	1.249	5.652	0.0	0.0
0.0		Min	-1.882	-1.883	-8.311	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.505	1.526	6.182	0.0	0.0
0.0		Min	-2.180	-2.203	-8.079	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	G1		-1.836	-1.998	-5.026	-0.0	-0.0
-0.0	G2		-0.727	-0.784	-1.913	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.534	0.061	0.103	0.0	0.0
-0.0	Q5_pc Y		1.608	1.647	-0.124	-0.0	0.0
0.0	Q5_ps X		0.509	0.049	0.088	-0.0	0.0
-0.0	Q5_ps Y		1.511	1.579	-0.055	-0.0	0.0
0.0	INVS LU	Max	12.204	7.548	-0.936	-0.0	-0.0
-0.0		Min	-0.806	-5.269	-37.216	-0.0	-0.0
0.0	INVS LE	Max	9.490	5.801	-1.041	-0.0	-0.0
-0.0		Min	0.068	-3.473	-27.899	-0.0	-0.0
6603	C1-C2;~1	Max	2.337	2.324	10.528	0.0	0.0
0.0		Min	-4.046	-3.308	-15.069	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.446	2.350	11.693	0.0	0.0
-0.0		Min	-4.619	-3.974	-14.720	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.248	1.227	5.666	0.0	0.0
-0.0		Min	-2.034	-1.678	-8.322	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.314	1.234	6.198	0.0	0.0
-0.0		Min	-2.294	-1.989	-8.086	-0.0	-0.0
-0.0							
-0.0	G1		-3.292	-1.778	-5.026	-0.0	-0.0
-0.0	G2		-1.293	-0.729	-1.920	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.549	0.042	0.105	0.0	-0.0
-0.0	Q5_pc Y		1.609	1.698	-0.127	-0.0	0.0
0.0	Q5_ps X		0.527	0.048	0.089	0.0	-0.0
-0.0	Q5_ps Y		1.512	1.581	-0.058	-0.0	0.0
0.0	INVS LU	Max	5.982	8.218	-0.914	0.0	-0.0
-0.0		Min	-6.454	-3.375	-37.271	-0.0	-0.0
-0.0							
	INVS LE	Max	4.766	6.340	-1.024	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.231	-2.021	-27.938	-0.0	-0.0
-0.0							
6612	C1-C2;~1	Max	2.930	2.418	5.911	0.0	0.0
0.0		Min	-4.347	-3.615	-7.656	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.033	2.742	6.569	0.0	0.0
0.0		Min	-5.056	-4.291	-7.490	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.467	1.220	3.182	0.0	0.0
0.0		Min	-2.168	-1.845	-4.195	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.522	1.405	3.483	0.0	0.0
0.0		Min	-2.480	-2.158	-4.083	-0.0	-0.0
-0.0							
-0.0	G1		-2.301	-1.839	-2.036	-0.0	-0.0
-0.0	G2		-0.907	-0.728	-0.761	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.542	0.136	0.071	0.0	-0.0
0.0	Q5_pc Y		1.578	1.492	-0.109	-0.0	0.0
-0.0	Q5_ps X		0.517	0.126	0.061	0.0	-0.0
0.0	Q5_ps Y		1.479	1.415	-0.067	-0.0	0.0
-0.0							
0.0	INVSLU	Max	10.897	7.802	2.248	-0.0	0.0
0.0		Min	-2.864	-4.379	-17.151	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.498	6.018	1.517	-0.0	0.0
0.0		Min	-1.485	-2.805	-12.838	-0.0	-0.0
-0.0							
6613	C1-C2;~1	Max	2.434	2.447	5.936	0.0	0.0
0.0		Min	-4.002	-3.535	-7.676	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.543	2.458	6.599	0.0	0.0
0.0		Min	-4.564	-4.251	-7.499	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.291	1.256	3.195	0.0	0.0
0.0		Min	-2.027	-1.794	-4.205	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.357	1.255	3.498	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-2.284	-2.129	-4.087	-0.0	-0.0
-0.0	G1		-2.935	-1.725	-2.029	-0.0	-0.0
0.0	G2		-1.153	-0.718	-0.766	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	0.087	0.073	0.0	0.0
0.0	Q5_pc Y		1.564	1.596	-0.111	-0.0	0.0
-0.0	Q5_ps X		0.538	0.093	0.063	0.0	0.0
0.0	Q5_ps Y		1.470	1.481	-0.069	-0.0	0.0
-0.0							
	INVSLU	Max	7.413	8.456	2.261	0.0	0.0
0.0		Min	-4.997	-3.475	-17.210	-0.0	-0.0
-0.0							
	INVSLE	Max	5.844	6.527	1.527	0.0	0.0
0.0		Min	-3.140	-2.098	-12.881	-0.0	-0.0
-0.0							
6632	C1-C2;~1	Max	2.658	2.206	5.505	0.0	0.0
0.0		Min	-4.905	-3.057	-8.657	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.773	2.316	5.867	0.0	0.0
0.0		Min	-5.639	-3.282	-8.681	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.337	1.097	2.904	0.0	0.0
0.0		Min	-2.494	-1.529	-4.652	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.404	1.157	3.065	0.0	0.0
0.0		Min	-2.817	-1.617	-4.632	-0.0	-0.0
-0.0							
	G1		-3.362	-1.306	-3.145	-0.0	0.0
0.0	G2		-1.317	-0.514	-1.188	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.575	0.082	-0.003	0.0	0.0
-0.0	Q5_pc Y		1.489	1.536	-0.018	-0.0	-0.0
0.0	Q5_ps X		0.549	0.071	-0.017	0.0	0.0
-0.0	Q5_ps Y		1.391	1.465	-0.007	-0.0	-0.0
0.0							
	INVSLU	Max	7.877	7.999	2.191	-0.0	0.0
0.0		Min	-6.159	-2.322	-17.481	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	6.232	6.148	1.640	-0.0	0.0
-0.0		Min	-3.966	-1.293	-12.930	-0.0	-0.0
6633	C1-C2;~1	Max	2.616	2.672	5.506	0.0	0.0
0.0		Min	-3.831	-3.587	-8.653	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.715	2.719	5.869	0.0	0.0
-0.0		Min	-4.381	-4.325	-8.664	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.370	1.362	2.904	0.0	0.0
0.0		Min	-1.974	-1.803	-4.649	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.432	1.384	3.067	0.0	0.0
-0.0		Min	-2.226	-2.143	-4.623	-0.0	-0.0
-0.0	G1		-2.057	-1.547	-3.138	0.0	0.0
-0.0	G2		-0.812	-0.649	-1.192	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.589	0.020	-0.002	0.0	0.0
-0.0	Q5_pc Y		1.463	1.676	-0.018	-0.0	-0.0
0.0	Q5_ps X		0.565	0.029	-0.016	0.0	0.0
-0.0	Q5_ps Y		1.373	1.558	-0.007	-0.0	-0.0
0.0							
0.0	INVSLU	Max	10.297	8.868	2.159	0.0	0.0
-0.0		Min	-1.916	-3.658	-17.493	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	8.018	6.828	1.616	0.0	0.0
0.0		Min	-0.834	-2.227	-12.938	-0.0	-0.0
-0.0							
6642	C1-C2;~1	Max	2.468	2.375	10.565	0.0	0.0
0.0		Min	-4.982	-3.283	-17.930	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.583	2.636	11.302	0.0	0.0
-0.0		Min	-5.741	-3.133	-18.074	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.257	1.191	5.520	0.0	0.0
-0.0		Min	-2.551	-1.660	-9.659	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.323	1.314	5.845	0.0	0.0
-0.0		Min	-2.888	-1.598	-9.655	-0.0	-0.0
0.0	G1		-3.745	-0.885	-7.221	0.0	0.0
0.0	G2		-1.467	-0.338	-2.759	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.586	-0.039	-0.029	0.0	0.0
0.0	Q5_pc Y		1.444	1.742	0.034	-0.0	-0.0
-0.0	Q5_ps X		0.560	-0.054	-0.054	0.0	0.0
0.0	Q5_ps Y		1.348	1.685	0.045	-0.0	-0.0
0.0	INVSLU	Max	6.425	8.779	0.486	0.0	0.0
-0.0		Min	-7.414	-2.347	-39.233	-0.0	0.0
0.0	INVSLE	Max	5.134	6.679	0.331	0.0	0.0
-0.0		Min	-4.924	-1.330	-29.086	-0.0	0.0
6643	C1-C2;~1	Max	2.599	2.697	10.566	0.0	0.0
0.0		Min	-3.697	-3.470	-17.931	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.695	2.761	11.304	0.0	0.0
0.0		Min	-4.243	-4.184	-18.068	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.364	1.365	5.521	0.0	0.0
0.0		Min	-1.923	-1.722	-9.658	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.425	1.395	5.847	0.0	0.0
0.0		Min	-2.174	-2.046	-9.652	-0.0	-0.0
-0.0	G1		-1.778	-1.421	-7.224	0.0	0.0
0.0	G2		-0.700	-0.594	-2.768	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.593	-0.089	-0.029	0.0	0.0
-0.0	Q5_pc Y		1.417	1.870	0.037	-0.0	-0.0
0.0	Q5_ps X		0.568	-0.076	-0.053	0.0	0.0
-0.0	Q5_ps Y		1.331	1.747	0.047	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	11.331	8.819	0.458	0.0	0.0
		Min	-0.587	-3.923	-39.260	-0.0	0.0
-0.0							
0.0	INVS LE	Max	8.804	6.777	0.310	0.0	0.0
		Min	0.165	-2.413	-29.105	-0.0	0.0
-0.0							
6652 0.0	C1-C2;~1	Max	2.246	2.948	14.244	0.0	0.0
		Min	-4.775	-3.609	-26.560	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.359	3.554	15.352	0.0	0.0
		Min	-5.567	-3.648	-26.823	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.164	1.449	7.337	0.0	0.0
		Min	-2.453	-1.822	-14.337	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.229	1.713	7.821	0.0	0.0
		Min	-2.810	-1.875	-14.347	-0.0	-0.0
-0.0							
0.0	G1		-3.827	-0.361	-11.853	0.0	0.0
0.0	G2		-1.502	-0.126	-4.560	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.599	-0.141	-0.026	0.0	0.0
-0.0	Q5_pc Y		1.387	1.933	0.065	-0.0	-0.0
0.0	Q5_ps X		0.574	-0.159	-0.060	-0.0	0.0
-0.0	Q5_ps Y		1.290	1.887	0.073	-0.0	-0.0
0.0							
0.0	INVS LU	Max	5.344	10.524	-6.367	0.0	0.0
		Min	-7.853	-2.678	-63.421	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.305	7.931	-4.898	0.0	0.0
		Min	-5.286	-1.591	-47.151	-0.0	0.0
-0.0							
6653 0.0	C1-C2;~1	Max	2.457	2.703	14.259	0.0	0.0
		Min	-3.524	-3.390	-26.607	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.560	2.781	15.369	0.0	0.0
		Min	-4.067	-4.047	-26.850	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.306	1.353	7.345	0.0	0.0
-0.0		Min	-1.851	-1.665	-14.362	-0.0	-0.0
0.0	C3-C4;~2	Max	1.369	1.391	7.830	0.0	0.0
-0.0		Min	-2.100	-1.949	-14.362	-0.0	-0.0
0.0	G1		-1.725	-1.325	-11.879	0.0	0.0
0.0	G2		-0.675	-0.556	-4.577	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.591	-0.176	-0.025	0.0	-0.0
0.0	Q5_pc Y		1.369	2.041	0.064	-0.0	-0.0
-0.0	Q5_ps X		0.565	-0.159	-0.059	0.0	-0.0
0.0	Q5_ps Y		1.288	1.912	0.073	-0.0	-0.0
-0.0	INVSLU	Max	11.668	8.364	-6.305	0.0	0.0
-0.0		Min	0.257	-4.527	-63.417	-0.0	0.0
-0.0	INVSLE	Max	9.068	6.418	-4.844	0.0	0.0
-0.0		Min	0.797	-2.859	-47.140	-0.0	0.0
6662	C1-C2;~1	Max	2.074	3.602	16.651	0.0	0.0
0.0		Min	-4.325	-3.981	-33.362	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.183	4.705	18.086	0.0	0.0
0.0		Min	-5.145	-4.262	-33.819	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.093	1.740	8.443	0.0	0.0
0.0		Min	-2.214	-2.025	-18.035	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.157	2.290	9.064	0.0	0.0
0.0		Min	-2.591	-2.196	-18.103	-0.0	-0.0
-0.0	G1		-3.549	0.115	-15.752	0.0	0.0
0.0	G2		-1.396	0.066	-6.086	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.607	-0.210	0.002	0.0	-0.0
0.0	Q5_pc Y		1.334	2.085	0.061	-0.0	-0.0
-0.0	Q5_ps X		0.584	-0.231	-0.038	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.235	2.047	0.063	-0.0	0.0
0.0	INVS LU	Max	5.090	12.545	-14.765	0.0	0.0
-0.0		Min	-7.204	-3.315	-84.947	-0.0	0.0
0.0	INVS LE	Max	4.092	9.394	-11.313	0.0	0.0
-0.0		Min	-4.836	-2.076	-63.291	-0.0	0.0
6663 0.0	C1-C2;~1	Max	2.368	2.704	16.663	0.0	0.0
-0.0		Min	-3.448	-3.459	-33.407	-0.0	-0.0
0.0	C3-C4;~1	Max	2.475	2.819	18.100	0.0	0.0
-0.0		Min	-3.991	-4.128	-33.845	-0.0	-0.0
0.0	C1-C2;~2	Max	1.267	1.348	8.450	0.0	0.0
-0.0		Min	-1.814	-1.726	-18.057	-0.0	-0.0
0.0	C3-C4;~2	Max	1.332	1.411	9.071	0.0	0.0
-0.0		Min	-2.063	-2.024	-18.115	-0.0	-0.0
0.0	G1		-1.778	-1.243	-15.779	0.0	0.0
0.0	G2		-0.692	-0.524	-6.104	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.590	-0.228	0.003	0.0	-0.0
0.0	Q5_pc Y		1.339	2.170	0.061	-0.0	-0.0
-0.0	Q5_ps X		0.562	-0.209	-0.037	0.0	-0.0
0.0	Q5_ps Y		1.260	2.037	0.062	-0.0	0.0
-0.0	INVS LU	Max	10.951	7.706	-14.699	0.0	0.0
-0.0		Min	-0.188	-5.578	-84.934	0.0	0.0
-0.0	INVS LE	Max	8.499	5.895	-11.256	0.0	0.0
-0.0		Min	0.427	-3.657	-63.274	0.0	0.0
6672 0.0	C1-C2;~1	Max	1.971	4.400	18.055	0.0	0.0
-0.0		Min	-3.718	-4.366	-38.050	-0.0	-0.0
0.0	C3-C4;~1	Max	2.076	5.788	19.769	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.557	-4.902	-38.611	-0.0	-0.0
0.0	C1-C2;~2	Max	1.053	2.150	9.013	0.0	0.0
-0.0		Min	-1.876	-2.222	-20.596	-0.0	-0.0
0.0	C3-C4;~2	Max	1.114	2.850	9.752	0.0	0.0
-0.0		Min	-2.271	-2.529	-20.685	-0.0	-0.0
0.0	G1		-3.020	0.509	-18.331	0.0	0.0
0.0	G2		-1.192	0.224	-7.100	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.609	-0.251	0.043	-0.0	-0.0
0.0	Q5_pc Y		1.285	2.205	0.003	-0.0	0.0
-0.0	Q5_ps X		0.589	-0.274	-0.002	-0.0	-0.0
0.0	Q5_ps Y		1.186	2.169	0.002	0.0	0.0
0.0	INVSLU	Max	5.418	14.437	-21.022	0.0	0.0
-0.0		Min	-5.850	-3.964	-99.913	0.0	0.0
0.0	INVSLE	Max	4.312	10.770	-16.082	0.0	0.0
-0.0		Min	-3.863	-2.567	-74.513	-0.0	0.0
6673	C1-C2;~1	Max	2.316	2.759	18.070	0.0	0.0
0.0		Min	-3.406	-3.554	-38.135	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.423	2.896	19.784	0.0	0.0
-0.0		Min	-3.948	-4.228	-38.654	-0.0	-0.0
0.0	C1-C2;~2	Max	1.242	1.386	9.021	0.0	0.0
-0.0		Min	-1.788	-1.804	-20.646	-0.0	-0.0
0.0	C3-C4;~2	Max	1.306	1.465	9.760	0.0	0.0
-0.0		Min	-2.035	-2.108	-20.708	-0.0	-0.0
0.0	G1		-1.826	-1.192	-18.368	0.0	0.0
0.0	G2		-0.709	-0.501	-7.122	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.586	-0.258	0.045	0.0	-0.0
0.0	Q5_pc Y		1.315	2.269	0.003	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.558	-0.238	-0.001	-0.0	-0.0
0.0	Q5_ps Y		1.238	2.134	0.002	-0.0	0.0
0.0	INVS LU	Max	9.522	7.326	-20.935	0.0	0.0
-0.0		Min	-1.444	-6.375	-99.908	0.0	0.0
0.0	INVS LE	Max	7.378	5.595	-16.008	0.0	0.0
-0.0		Min	-0.570	-4.252	-74.500	0.0	0.0
6682	C1-C2;~1	Max	2.020	5.157	19.232	0.0	0.0
0.0		Min	-3.228	-4.798	-39.931	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.111	6.682	21.247	0.0	0.0
-0.0		Min	-4.004	-5.557	-40.522	-0.0	-0.0
0.0	C1-C2;~2	Max	1.075	2.548	9.654	0.0	0.0
-0.0		Min	-1.602	-2.513	-21.606	-0.0	-0.0
0.0	C3-C4;~2	Max	1.132	3.313	10.555	0.0	0.0
-0.0		Min	-1.961	-2.866	-21.702	-0.0	-0.0
-0.0	G1		-2.340	0.782	-19.160	0.0	0.0
-0.0	G2		-0.927	0.333	-7.431	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.602	-0.264	0.091	-0.0	-0.0
0.0	Q5_pc Y		1.248	2.287	-0.095	-0.0	0.0
-0.0	Q5_ps X		0.584	-0.287	0.041	-0.0	-0.0
0.0	Q5_ps Y		1.149	2.251	-0.094	0.0	0.0
0.0	INVS LU	Max	6.212	15.960	-22.074	0.0	0.0
-0.0		Min	-4.289	-4.680	-105.633	0.0	-0.0
0.0	INVS LE	Max	4.876	11.879	-16.921	0.0	0.0
-0.0		Min	-2.736	-3.105	-78.805	0.0	-0.0
6683	C1-C2;~1	Max	2.263	2.839	19.247	0.0	0.0
0.0		Min	-3.361	-3.675	-40.041	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	2.370	2.986	21.264	0.0	0.0
-0.0		Min	-3.898	-4.366	-40.583	-0.0	-0.0
0.0	C1-C2;~2	Max	1.215	1.438	9.662	0.0	0.0
-0.0		Min	-1.758	-1.892	-21.674	-0.0	-0.0
0.0	C3-C4;~2	Max	1.279	1.523	10.563	0.0	0.0
-0.0		Min	-2.003	-2.208	-21.736	-0.0	-0.0
0.0	G1		-1.874	-1.172	-19.199	0.0	0.0
0.0	G2		-0.725	-0.492	-7.454	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.577	-0.263	0.093	0.0	-0.0
0.0	Q5_pc Y		1.296	2.331	-0.096	-0.0	0.0
0.0	Q5_ps X		0.549	-0.243	0.043	-0.0	-0.0
0.0	Q5_ps Y		1.220	2.195	-0.095	0.0	0.0
0.0	INVSLU	Max	7.730	6.948	-21.984	0.0	0.0
-0.0		Min	-3.066	-7.172	-105.651	0.0	-0.0
0.0	INVSLE	Max	5.981	5.291	-16.846	0.0	0.0
-0.0		Min	-1.843	-4.858	-78.809	0.0	-0.0
6692	C1-C2;~1	Max	2.276	5.732	19.543	0.0	0.0
0.0		Min	-3.061	-5.328	-38.705	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.228	7.277	21.659	0.0	0.0
-0.0		Min	-3.709	-6.179	-39.227	-0.0	-0.0
0.0	C1-C2;~2	Max	1.173	2.844	9.909	0.0	0.0
-0.0		Min	-1.547	-2.791	-20.885	-0.0	-0.0
0.0	C3-C4;~2	Max	1.185	3.615	10.855	0.0	0.0
-0.0		Min	-1.831	-3.186	-20.959	-0.0	-0.0
-0.0	G1		-1.625	0.892	-18.095	0.0	-0.0
-0.0	G2		-0.648	0.376	-7.021	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.584	-0.248	0.139	-0.0	-0.0
0.0	Q5_pc Y		1.227	2.331	-0.218	-0.0	0.0
0.0	Q5_ps X		0.569	-0.270	0.086	-0.0	-0.0
0.0	Q5_ps Y		1.128	2.289	-0.210	0.0	0.0
0.0	INVSLU	Max	7.236	16.914	-18.485	0.0	0.0
-0.0		Min	-3.052	-5.447	-101.074	0.0	-0.0
0.0	INVSLE	Max	5.608	12.577	-14.246	0.0	0.0
-0.0		Min	-1.849	-3.677	-75.395	0.0	-0.0
6693	C1-C2;~1	Max	2.212	2.955	19.562	0.0	0.0
0.0		Min	-3.309	-3.846	-38.795	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.318	3.105	21.680	0.0	0.0
0.0		Min	-3.839	-4.555	-39.277	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.187	1.504	9.919	0.0	0.0
0.0		Min	-1.724	-1.999	-20.938	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.251	1.591	10.866	0.0	0.0
0.0		Min	-1.964	-2.325	-20.984	-0.0	-0.0
-0.0	G1		-1.912	-1.187	-18.131	0.0	-0.0
-0.0	G2		-0.738	-0.497	-7.043	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.562	-0.243	0.140	0.0	-0.0
0.0	Q5_pc Y		1.286	2.353	-0.219	-0.0	0.0
0.0	Q5_ps X		0.534	-0.224	0.088	-0.0	-0.0
0.0	Q5_ps Y		1.210	2.218	-0.211	0.0	0.0
0.0	INVSLU	Max	5.905	6.703	-18.389	0.0	0.0
-0.0		Min	-4.721	-7.874	-101.075	0.0	-0.0
0.0	INVSLE	Max	4.561	5.082	-14.166	0.0	0.0
-0.0		Min	-3.138	-5.402	-75.386	0.0	-0.0
6702	C1-C2;~1	Max	2.698	6.078	18.669	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.080	-5.802	-34.552	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.482	7.544	20.746	0.0	0.0
0.0		Min	-3.656	-6.736	-34.923	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.364	3.018	9.554	0.0	0.0
0.0		Min	-1.587	-3.040	-18.555	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.279	3.745	10.483	0.0	0.0
0.0		Min	-1.843	-3.474	-18.589	-0.0	-0.0
-0.0							
-0.0	G1		-0.996	0.818	-15.314	0.0	-0.0
-0.0	G2		-0.401	0.344	-5.940	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.554	-0.202	0.177	-0.0	-0.0
0.0	Q5_pc Y		1.228	2.335	-0.341	0.0	0.0
0.0	Q5_ps X		0.540	-0.222	0.124	-0.0	-0.0
0.0	Q5_ps Y		1.130	2.284	-0.324	0.0	0.0
-0.0							
-0.0	INVSLU	Max	8.453	17.196	-11.221	0.0	-0.0
-0.0		Min	-2.335	-6.285	-86.987	0.0	-0.0
-0.0							
-0.0	INVSLE	Max	6.482	12.784	-8.766	0.0	-0.0
-0.0		Min	-1.345	-4.298	-64.844	0.0	-0.0
-0.0							
6703	C1-C2;~1	Max	2.182	3.068	18.688	0.0	0.0
0.0		Min	-3.271	-4.023	-34.605	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.286	3.224	20.768	0.0	0.0
0.0		Min	-3.785	-4.757	-34.953	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.167	1.568	9.564	0.0	0.0
0.0		Min	-1.693	-2.106	-18.582	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.230	1.659	10.494	0.0	0.0
0.0		Min	-1.925	-2.446	-18.602	-0.0	-0.0
-0.0							
-0.0	G1		-1.937	-1.229	-15.339	0.0	-0.0
-0.0	G2		-0.745	-0.514	-5.957	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.540	-0.201	0.179	0.0	-0.0
0.0	Q5_pc Y		1.285	2.336	-0.342	-0.0	0.0
-0.0	Q5_ps X		0.513	-0.182	0.126	-0.0	-0.0
0.0	Q5_ps Y		1.211	2.203	-0.325	0.0	0.0
-0.0							
	INVS LU	Max	4.407	6.637	-11.141	0.0	-0.0
0.0		Min	-6.102	-8.343	-86.980	0.0	-0.0
0.0							
	INVS LE	Max	3.391	5.005	-8.699	0.0	-0.0
0.0		Min	-4.223	-5.780	-64.831	0.0	-0.0
0.0							
6712	C1-C2;~1	Max	3.175	6.189	16.501	0.0	0.0
0.0		Min	-3.309	-6.196	-28.042	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.845	7.479	18.375	0.0	0.0
0.0		Min	-3.826	-7.198	-28.176	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.601	3.069	8.520	0.0	0.0
0.0		Min	-1.726	-3.248	-14.977	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.421	3.705	9.357	0.0	0.0
0.0		Min	-1.960	-3.713	-14.935	-0.0	-0.0
-0.0							
	G1		-0.562	0.553	-11.280	0.0	-0.0
-0.0							
	G2		-0.230	0.237	-4.369	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.512	-0.130	0.201	-0.0	-0.0
0.0	Q5_pc Y		1.260	2.292	-0.436	0.0	0.0
-0.0	Q5_ps X		0.500	-0.147	0.151	-0.0	-0.0
0.0	Q5_ps Y		1.165	2.230	-0.408	0.0	0.0
-0.0							
	INVS LU	Max	9.359	16.772	-2.294	0.0	-0.0
-0.0		Min	-2.361	-7.168	-65.923	-0.0	-0.0
-0.0							
	INVS LE	Max	7.123	12.476	-1.981	0.0	-0.0
-0.0		Min	-1.391	-4.952	-49.055	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6713	C1-C2;~1	Max	2.147	3.152	16.525	0.0	0.0
0.0		Min	-3.205	-4.177	-28.105	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.250	3.321	18.404	0.0	0.0
0.0		Min	-3.692	-4.939	-28.210	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.142	1.620	8.533	0.0	0.0
0.0		Min	-1.643	-2.199	-15.009	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.204	1.717	9.372	0.0	0.0
0.0		Min	-1.862	-2.553	-14.953	-0.0	-0.0
-0.0							
	G1		-1.951	-1.298	-11.304	0.0	-0.0
-0.0							
	G2		-0.748	-0.538	-4.385	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.516	-0.139	0.204	0.0	0.0
0.0							
	Q5_pc Y		1.290	2.282	-0.439	-0.0	0.0
-0.0							
	Q5_ps X		0.489	-0.123	0.153	0.0	-0.0
0.0							
	Q5_ps Y		1.216	2.151	-0.411	0.0	0.0
-0.0							
	INVSLU	Max	3.420	7.107	-2.211	0.0	-0.0
0.0		Min	-6.922	-8.151	-65.931	0.0	-0.0
0.0							
	INVSLE	Max	2.613	5.354	-1.912	0.0	-0.0
0.0		Min	-4.877	-5.644	-49.053	0.0	-0.0
0.0							
6722	C1-C2;~1	Max	3.510	6.024	12.638	0.0	0.0
0.0		Min	-3.783	-6.486	-19.324	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.218	7.064	14.094	0.0	0.0
0.0		Min	-4.316	-7.528	-19.358	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.759	2.974	6.577	0.0	0.0
0.0		Min	-1.984	-3.404	-10.257	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.631	3.484	7.226	0.0	0.0
0.0		Min	-2.227	-3.885	-10.208	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-0.449	0.084	-6.627	0.0	-0.0
-0.0	G2	-0.182	0.049	-2.559	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.459	-0.033	0.191	0.0	0.0
-0.0	Q5_pc Y	1.335	2.194	-0.427	0.0	-0.0
0.0	Q5_ps X	0.448	-0.046	0.151	0.0	0.0
-0.0	Q5_ps Y	1.243	2.120	-0.398	0.0	0.0
-0.0	INVS LU Max	9.427	15.529	4.401	0.0	-0.0
-0.0	Min	-3.540	-8.120	-41.526	-0.0	-0.0
-0.0	INVS LE Max	7.134	11.569	3.134	0.0	-0.0
-0.0	Min	-2.293	-5.656	-30.830	-0.0	-0.0
6723 0.0	C1-C2;~1 Max	2.054	3.200	12.656	0.0	0.0
-0.0	Min	-3.002	-4.237	-19.342	-0.0	-0.0
0.0	C3-C4;~1 Max	2.162	3.383	14.115	0.0	0.0
-0.0	Min	-3.435	-5.017	-19.366	-0.0	-0.0
0.0	C1-C2;~2 Max	1.085	1.651	6.586	0.0	0.0
-0.0	Min	-1.518	-2.239	-10.265	-0.0	-0.0
0.0	C3-C4;~2 Max	1.149	1.754	7.237	0.0	0.0
-0.0	Min	-1.714	-2.604	-10.212	-0.0	-0.0
-0.0	G1	-1.864	-1.315	-6.627	0.0	-0.0
-0.0	G2	-0.711	-0.544	-2.567	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.497	-0.054	0.191	0.0	0.0
-0.0	Q5_pc Y	1.302	2.153	-0.429	0.0	-0.0
0.0	Q5_ps X	0.468	-0.042	0.151	0.0	0.0
-0.0	Q5_ps Y	1.230	2.031	-0.400	0.0	-0.0
0.0	INVS LU Max	3.413	7.853	4.405	0.0	-0.0
-0.0	Min	-6.486	-7.361	-41.567	-0.0	-0.0
	INVS LE Max	2.607	5.923	3.137	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.552	-5.060	-30.859	-0.0	-0.0
-0.0							
6732	C1-C2;~1	Max	3.567	5.629	6.750	0.0	0.0
0.0		Min	-4.339	-6.583	-9.462	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.627	6.346	7.544	0.0	0.0
0.0		Min	-4.949	-7.614	-9.445	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.754	2.761	3.531	0.0	0.0
0.0		Min	-2.284	-3.457	-4.993	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.814	3.105	3.886	0.0	0.0
0.0		Min	-2.561	-3.932	-4.957	-0.0	-0.0
-0.0							
-0.0	G1		-0.701	-0.450	-2.744	0.0	-0.0
-0.0	G2		-0.272	-0.168	-1.051	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.408	0.075	0.136	0.0	0.0
0.0	Q5_pc Y		1.449	2.034	-0.261	0.0	-0.0
-0.0	Q5_ps X		0.394	0.066	0.112	0.0	0.0
0.0	Q5_ps Y		1.361	1.948	-0.242	0.0	-0.0
-0.0							
0.0	INVSLU	Max	8.650	13.695	4.637	0.0	0.0
0.0		Min	-5.536	-8.812	-18.791	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.518	10.234	3.394	0.0	0.0
0.0		Min	-3.796	-6.167	-13.926	-0.0	-0.0
-0.0							
6733	C1-C2;~1	Max	1.960	3.250	6.767	0.0	0.0
0.0		Min	-2.711	-4.202	-9.470	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.074	3.430	7.566	0.0	0.0
0.0		Min	-3.096	-4.987	-9.441	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.028	1.678	3.540	0.0	0.0
0.0		Min	-1.359	-2.224	-4.996	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.094	1.779	3.897	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.536	-2.591	-4.955	-0.0	-0.0
-0.0	G1		-1.549	-1.194	-2.733	0.0	-0.0
0.0	G2		-0.585	-0.501	-1.053	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.487	0.030	0.137	0.0	0.0
0.0	Q5_pc Y		1.357	1.946	-0.262	0.0	-0.0
-0.0	Q5_ps X		0.457	0.040	0.113	0.0	0.0
0.0	Q5_ps Y		1.284	1.834	-0.243	0.0	-0.0
-0.0							
0.0	INVSLU	Max	4.173	8.582	4.639	0.0	0.0
0.0		Min	-5.250	-6.282	-18.832	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.177	6.482	3.395	0.0	0.0
0.0		Min	-3.622	-4.270	-13.956	-0.0	-0.0
-0.0							
6752	C1-C2;~1	Max	3.830	4.799	7.120	0.0	0.0
0.0		Min	-5.423	-6.069	-9.058	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.145	5.161	7.791	0.0	0.0
0.0		Min	-6.382	-6.725	-9.650	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.908	2.384	3.682	0.0	0.0
0.0		Min	-2.852	-3.218	-4.849	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.064	2.559	3.990	0.0	0.0
0.0		Min	-3.303	-3.499	-5.057	-0.0	-0.0
-0.0							
0.0	G1		-1.647	-1.147	-2.424	-0.0	0.0
0.0	G2		-0.640	-0.429	-0.866	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.523	0.013	-0.050	0.0	0.0
-0.0	Q5_pc Y		1.823	1.518	0.433	0.0	-0.0
-0.0	Q5_ps X		0.508	0.002	-0.065	0.0	0.0
-0.0	Q5_ps Y		1.724	1.443	0.431	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.602	10.130	4.959	-0.0	0.0
0.0		Min	-9.893	-8.648	-19.365	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	INVSLE	Max	5.696	7.615	3.574	-0.0	0.0
-0.0		Min	-7.020	-6.092	-14.386	-0.0	-0.0
6753	C1-C2;~1	Max	1.794	3.477	7.129	0.0	0.0
0.0		Min	-2.165	-4.143	-9.061	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.921	3.671	7.804	0.0	0.0
-0.0		Min	-2.525	-4.894	-9.640	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.934	1.776	3.687	0.0	0.0
0.0		Min	-1.091	-2.184	-4.850	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.007	1.879	3.997	0.0	0.0
-0.0		Min	-1.260	-2.534	-5.052	-0.0	-0.0
-0.0	G1		-0.803	-0.716	-2.415	-0.0	0.0
-0.0	G2		-0.299	-0.313	-0.869	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.629	-0.039	-0.049	0.0	0.0
-0.0	Q5_pc Y		1.573	1.426	0.436	0.0	-0.0
-0.0	Q5_ps X		0.592	-0.025	-0.064	0.0	0.0
-0.0	Q5_ps Y		1.487	1.343	0.434	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.316	9.809	4.949	0.0	0.0
-0.0		Min	-2.517	-4.321	-19.385	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	4.769	7.435	3.567	0.0	0.0
0.0		Min	-1.565	-2.842	-14.400	-0.0	-0.0
-0.0							
6762	C1-C2;~1	Max	3.924	4.360	13.459	0.0	0.0
0.0		Min	-5.948	-5.675	-18.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.260	4.645	14.687	0.0	0.0
-0.0		Min	-7.214	-5.844	-19.864	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	1.969	2.199	6.909	0.0	0.0
-0.0		Min	-3.126	-3.039	-9.987	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	2.137	2.339	7.470	0.0	0.0
-0.0		Min	-3.737	-3.071	-10.445	-0.0	-0.0
0.0	G1		-2.210	-1.222	-5.995	-0.0	0.0
0.0	G2		-0.871	-0.443	-2.193	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.669	-0.155	-0.165	0.0	0.0
-0.0	Q5_pc Y		2.055	1.175	0.991	0.0	-0.0
-0.0	Q5_ps X		0.658	-0.171	-0.187	0.0	0.0
-0.0	Q5_ps Y		1.940	1.121	0.975	0.0	-0.0
0.0	INVSLU	Max	6.962	8.357	5.368	-0.0	0.0
-0.0		Min	-12.228	-7.919	-43.059	-0.0	-0.0
0.0	INVSLE	Max	5.205	6.292	3.719	-0.0	0.0
-0.0		Min	-8.736	-5.607	-32.021	-0.0	-0.0
6763	C1-C2;~1	Max	1.696	3.607	13.467	0.0	0.0
0.0		Min	-1.960	-4.127	-18.568	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.828	3.821	14.697	0.0	0.0
0.0		Min	-2.319	-4.843	-19.864	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.884	1.831	6.913	0.0	0.0
0.0		Min	-0.998	-2.168	-9.989	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.962	1.939	7.475	0.0	0.0
0.0		Min	-1.170	-2.501	-10.445	-0.0	-0.0
-0.0	G1		-0.560	-0.477	-5.995	-0.0	0.0
0.0	G2		-0.208	-0.211	-2.200	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.770	-0.193	-0.164	0.0	0.0
-0.0	Q5_pc Y		1.681	1.111	0.999	0.0	-0.0
-0.0	Q5_ps X		0.726	-0.172	-0.186	0.0	0.0
-0.0	Q5_ps Y		1.589	1.048	0.982	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	7.424	10.118	5.363	-0.0	0.0	
		Min	-1.201	-3.579	-43.093	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	5.592	7.690	3.716	-0.0	0.0	
		Min	-0.573	-2.307	-32.044	-0.0	-0.0	
-0.0								
6772 0.0	C1-C2;~1	Max	3.942	3.894	17.881	0.0	0.0	
		Min	-6.239	-5.172	-27.119	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	4.282	4.119	19.469	0.0	0.0	
		Min	-7.785	-4.958	-29.135	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	1.997	1.994	9.076	0.0	0.0	
		Min	-3.279	-2.791	-14.663	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	2.170	2.107	9.802	0.0	0.0	
		Min	-4.040	-2.646	-15.373	-0.0	-0.0	
-0.0								
0.0	G1		-2.576	-0.977	-10.380	-0.0	0.0	
0.0	G2		-1.026	-0.339	-3.850	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		0.796	-0.300	-0.266	0.0	0.0	
-0.0	Q5_pc Y		2.236	0.861	1.688	-0.0	-0.0	
-0.0	Q5_ps X		0.790	-0.319	-0.295	-0.0	0.0	
-0.0	Q5_ps Y		2.109	0.823	1.642	-0.0	-0.0	
0.0	INVS LU	Max	6.490	7.120	-0.211	-0.0	0.0	
-0.0		Min	-13.825	-6.974	-68.865	-0.0	0.0	
0.0	INVS LE	Max	4.837	5.365	-0.657	-0.0	0.0	
-0.0		Min	-9.913	-4.959	-51.286	-0.0	0.0	
6773 0.0	C1-C2;~1	Max	1.632	3.750	17.904	0.0	0.0	
-0.0		Min	-1.911	-4.214	-27.166	-0.0	-0.0	
0.0	C3-C4;~1	Max	1.777	3.978	19.496	0.0	0.0	
-0.0		Min	-2.269	-4.886	-29.168	-0.0	-0.0	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.853	1.892	9.088	0.0	0.0
		Min	-0.983	-2.206	-14.689	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.939	2.003	9.816	0.0	0.0
		Min	-1.156	-2.514	-15.391	-0.0	-0.0
-0.0							
0.0	G1		-0.530	-0.398	-10.403	-0.0	0.0
0.0	G2		-0.194	-0.173	-3.865	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.885	-0.331	-0.263	0.0	0.0
-0.0	Q5_pc Y		1.752	0.825	1.693	0.0	-0.0
-0.0	Q5_ps X		0.834	-0.306	-0.292	0.0	0.0
-0.0	Q5_ps Y		1.656	0.780	1.646	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	8.212	9.801	-0.127	0.0	0.0
		Min	-0.403	-3.651	-68.870	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	6.179	7.470	-0.587	0.0	0.0
		Min	0.031	-2.385	-51.282	-0.0	0.0
-0.0							
6782	C1-C2;~1	Max	3.911	3.473	20.630	0.0	0.0
0.0		Min	-6.244	-4.525	-33.685	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.248	3.681	22.399	0.0	0.0
		Min	-8.007	-4.163	-36.389	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.995	1.800	10.343	0.0	0.0
		Min	-3.277	-2.459	-18.283	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.170	1.902	11.152	0.0	0.0
		Min	-4.160	-2.229	-19.249	-0.0	-0.0
-0.0							
0.0	G1		-2.639	-0.516	-14.191	0.0	0.0
0.0	G2		-1.062	-0.156	-5.304	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.886	-0.404	-0.348	0.0	0.0
-0.0	Q5_pc Y		2.349	0.596	2.409	-0.0	-0.0
-0.0	Q5_ps X		0.884	-0.424	-0.377	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		2.214	0.572	2.326	-0.0	-0.0
0.0	INVS LU	Max	6.427	6.557	-7.815	0.0	0.0
-0.0		Min	-14.346	-5.593	-91.516	-0.0	0.0
0.0	INVS LE	Max	4.776	4.941	-6.551	0.0	0.0
-0.0		Min	-10.298	-3.980	-68.230	-0.0	0.0
6783 0.0	C1-C2;~1	Max	1.613	3.790	20.648	0.0	0.0
-0.0		Min	-1.958	-4.233	-33.723	-0.0	-0.0
0.0	C3-C4;~1	Max	1.772	4.013	22.420	0.0	0.0
-0.0		Min	-2.341	-4.857	-36.418	-0.0	-0.0
0.0	C1-C2;~2	Max	0.843	1.912	10.353	0.0	0.0
-0.0		Min	-1.013	-2.215	-18.304	-0.0	-0.0
0.0	C3-C4;~2	Max	0.937	2.019	11.163	0.0	0.0
-0.0		Min	-1.200	-2.496	-19.263	-0.0	-0.0
0.0	G1		-0.591	-0.394	-14.215	-0.0	0.0
0.0	G2		-0.216	-0.168	-5.320	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.962	-0.429	-0.345	0.0	0.0
-0.0	Q5_pc Y		1.815	0.643	2.417	-0.0	-0.0
-0.0	Q5_ps X		0.906	-0.400	-0.375	0.0	0.0
-0.0	Q5_ps Y		1.715	0.608	2.333	-0.0	-0.0
-0.0	INVS LU	Max	8.285	8.611	-7.729	0.0	0.0
-0.0		Min	-0.535	-4.520	-91.510	-0.0	0.0
-0.0	INVS LE	Max	6.210	6.556	-6.480	0.0	0.0
-0.0		Min	-0.081	-3.085	-68.218	-0.0	0.0
6792 0.0	C1-C2;~1	Max	3.809	3.095	22.078	0.0	0.0
-0.0		Min	-5.969	-3.780	-38.076	-0.0	-0.0
0.0	C3-C4;~1	Max	4.137	3.325	23.897	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-7.869	-3.334	-41.233	-0.0	-0.0
0.0	C1-C2;~2	Max	1.954	1.617	10.932	0.0	0.0
-0.0		Min	-3.121	-2.067	-20.733	-0.0	-0.0
0.0	C3-C4;~2	Max	2.129	1.724	11.763	0.0	0.0
-0.0		Min	-4.087	-1.790	-21.859	-0.0	-0.0
0.0		G1	-2.461	0.056	-16.801	0.0	0.0
0.0		G2	-1.002	0.068	-6.303	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.940	-0.470	-0.407	0.0	0.0
-0.0		Q5_pc Y	2.398	0.371	2.996	-0.0	-0.0
-0.0		Q5_ps X	0.943	-0.491	-0.439	-0.0	-0.0
-0.0		Q5_ps Y	2.259	0.357	2.878	-0.0	-0.0
0.0	INVSLU	Max	6.553	6.546	-13.788	0.0	0.0
-0.0		Min	-13.971	-3.892	-107.105	-0.0	0.0
0.0	INVSLE	Max	4.857	4.918	-11.149	0.0	0.0
-0.0		Min	-10.026	-2.751	-79.874	-0.0	0.0
6793	C1-C2;~1	Max	1.601	3.794	22.098	0.0	0.0
0.0		Min	-2.028	-4.227	-38.151	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.774	4.006	23.918	0.0	0.0
-0.0		Min	-2.442	-4.812	-41.279	-0.0	-0.0
0.0	C1-C2;~2	Max	0.836	1.918	10.942	0.0	0.0
-0.0		Min	-1.060	-2.213	-20.779	-0.0	-0.0
0.0	C3-C4;~2	Max	0.938	2.019	11.773	0.0	0.0
-0.0		Min	-1.263	-2.472	-21.882	-0.0	-0.0
0.0		G1	-0.638	-0.408	-16.836	0.0	0.0
0.0		G2	-0.235	-0.168	-6.323	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.009	-0.499	-0.404	0.0	0.0
		Q5_pc Y	1.851	0.513	3.005	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
-0.0	Q5_ps X		0.951	-0.467	-0.436	0.0	0.0
-0.0	Q5_ps Y		1.749	0.487	2.887	-0.0	-0.0
-0.0							
-0.0	INVS LU	Max	7.574	7.187	-13.681	0.0	0.0
-0.0		Min	-1.450	-5.641	-107.105	-0.0	0.0
-0.0							
-0.0	INVS LE	Max	5.632	5.463	-11.061	0.0	0.0
-0.0		Min	-0.806	-3.971	-79.864	-0.0	0.0
-0.0							
6802	C1-C2;~1	Max	3.624	2.759	22.338	0.0	0.0
0.0		Min	-5.435	-3.004	-39.871	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.939	3.037	24.100	0.0	0.0
-0.0		Min	-7.374	-2.532	-43.027	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.868	1.445	10.939	0.0	0.0
-0.0		Min	-2.824	-1.653	-21.623	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.039	1.567	11.746	0.0	0.0
-0.0		Min	-3.823	-1.363	-22.823	-0.0	-0.0
-0.0							
0.0	G1		-2.094	0.644	-17.754	0.0	0.0
0.0	G2		-0.865	0.293	-6.670	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.953	-0.500	-0.439	0.0	0.0
0.0	Q5_pc Y		2.370	0.182	3.395	-0.0	-0.0
-0.0	Q5_ps X		0.959	-0.519	-0.473	-0.0	-0.0
0.0	Q5_ps Y		2.234	0.177	3.251	-0.0	-0.0
-0.0							
0.0	INVS LU	Max	6.723	6.878	-16.167	0.0	0.0
-0.0		Min	-12.816	-2.178	-112.901	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.972	5.141	-12.979	0.0	0.0
-0.0		Min	-9.185	-1.500	-84.181	-0.0	-0.0
-0.0							
6803	C1-C2;~1	Max	1.596	3.798	22.357	0.0	0.0
0.0		Min	-2.139	-4.245	-39.769	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.781	4.000	24.120	0.0	0.0
-0.0		Min	-2.573	-4.782	-43.088	-0.0	-0.0
0.0	C1-C2;~2	Max	0.832	1.926	10.948	0.0	0.0
-0.0		Min	-1.136	-2.226	-21.686	-0.0	-0.0
0.0	C3-C4;~2	Max	0.940	2.020	11.756	0.0	0.0
-0.0		Min	-1.352	-2.452	-22.857	-0.0	-0.0
-0.0	G1		-0.674	-0.440	-17.791	0.0	0.0
-0.0	G2		-0.248	-0.178	-6.691	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.020	-0.539	-0.436	0.0	0.0
-0.0	Q5_pc Y		1.839	0.424	3.405	-0.0	-0.0
-0.0	Q5_ps X		0.961	-0.506	-0.470	0.0	0.0
-0.0	Q5_ps Y		1.737	0.403	3.261	-0.0	-0.0
0.0	INVSLU	Max	6.505	5.721	-16.061	0.0	0.0
-0.0		Min	-2.684	-7.104	-112.922	0.0	0.0
0.0	INVSLE	Max	4.793	4.320	-12.892	0.0	0.0
-0.0		Min	-1.769	-5.108	-84.187	0.0	0.0
6812	C1-C2;~1	Max	3.351	2.472	22.338	0.0	0.0
0.0		Min	-4.702	-2.276	-38.423	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.647	2.797	23.984	0.0	0.0
-0.0		Min	-6.582	-1.838	-41.498	-0.0	-0.0
0.0	C1-C2;~2	Max	1.733	1.287	11.069	0.0	0.0
-0.0		Min	-2.419	-1.261	-20.802	-0.0	-0.0
0.0	C3-C4;~2	Max	1.896	1.423	11.836	0.0	0.0
-0.0		Min	-3.401	-0.990	-21.975	-0.0	-0.0
-0.0	G1		-1.608	1.142	-16.883	0.0	0.0
-0.0	G2		-0.677	0.481	-6.339	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.923	-0.494	-0.438	0.0	0.0
-0.0	Q5_pc Y		2.257	0.032	3.558	-0.0	-0.0
0.0	Q5_ps X		0.931	-0.510	-0.475	0.0	-0.0
-0.0	Q5_ps Y		2.127	0.032	3.398	-0.0	-0.0
0.0	INVS LU	Max	6.783	7.168	-13.114	0.0	0.0
-0.0		Min	-11.089	-0.569	-107.920	0.0	-0.0
0.0	INVS LE	Max	5.007	5.340	-10.675	0.0	0.0
-0.0		Min	-7.931	-0.326	-80.427	0.0	-0.0
6813	C1-C2;~1	Max	1.600	3.812	22.359	0.0	0.0
0.0		Min	-2.210	-4.285	-38.305	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.795	4.003	24.006	0.0	0.0
-0.0		Min	-2.657	-4.804	-41.545	-0.0	-0.0
0.0	C1-C2;~2	Max	0.830	1.938	11.079	0.0	0.0
-0.0		Min	-1.184	-2.250	-20.849	-0.0	-0.0
0.0	C3-C4;~2	Max	0.944	2.027	11.847	0.0	0.0
-0.0		Min	-1.410	-2.464	-21.999	-0.0	-0.0
-0.0	G1		-0.690	-0.488	-16.917	0.0	0.0
-0.0	G2		-0.252	-0.194	-6.360	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.993	-0.549	-0.435	0.0	0.0
0.0	Q5_pc Y		1.771	0.378	3.570	-0.0	-0.0
0.0	Q5_ps X		0.935	-0.516	-0.472	0.0	0.0
0.0	Q5_ps Y		1.672	0.360	3.409	-0.0	-0.0
0.0	INVS LU	Max	5.269	4.353	-13.004	0.0	0.0
0.0		Min	-3.929	-8.527	-107.924	0.0	-0.0
0.0	INVS LE	Max	3.838	3.247	-10.585	0.0	0.0
0.0		Min	-2.739	-6.220	-80.420	0.0	-0.0
6822	C1-C2;~1	Max	2.980	2.197	21.036	0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0							
-0.0		Min	-3.885	-1.661	-33.966	-0.0	-0.0
0.0	C3-C4;~1	Max	3.253	2.523	22.478	0.0	0.0
-0.0		Min	-5.537	-1.341	-36.879	-0.0	-0.0
0.0	C1-C2;~2	Max	1.543	1.129	10.541	0.0	0.0
-0.0		Min	-1.982	-0.922	-18.411	-0.0	-0.0
0.0	C3-C4;~2	Max	1.696	1.262	11.226	0.0	0.0
-0.0		Min	-2.842	-0.727	-19.463	-0.0	-0.0
-0.0	G1		-1.086	1.458	-14.343	0.0	0.0
-0.0	G2		-0.471	0.595	-5.371	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.849	-0.456	-0.401	0.0	0.0
0.0	Q5_pc Y		2.046	-0.080	3.435	-0.0	-0.0
0.0	Q5_ps X		0.856	-0.467	-0.442	0.0	-0.0
0.0	Q5_ps Y		1.929	-0.074	3.272	-0.0	-0.0
-0.0	INVSLU	Max	6.562	7.133	-6.693	0.0	0.0
-0.0		Min	-8.987	0.663	-93.008	0.0	-0.0
-0.0	INVSLE	Max	4.837	5.301	-5.766	0.0	0.0
-0.0		Min	-6.409	0.569	-69.245	0.0	-0.0
6823	C1-C2;~1	Max	1.603	3.836	21.055	0.0	0.0
0.0		Min	-2.253	-4.357	-34.005	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.809	4.020	22.499	0.0	0.0
0.0		Min	-2.651	-4.907	-36.910	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.827	1.956	10.551	0.0	0.0
0.0		Min	-1.212	-2.295	-18.432	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.945	2.041	11.237	0.0	0.0
0.0		Min	-1.406	-2.530	-19.477	-0.0	-0.0
-0.0	G1		-0.685	-0.541	-14.367	0.0	0.0
-0.0	G2		-0.246	-0.215	-5.387	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.930	-0.532	-0.399	0.0	0.0
0.0	Q5_pc Y		1.644	0.372	3.448	-0.0	-0.0
0.0	Q5_ps X		0.873	-0.499	-0.439	0.0	0.0
0.0	Q5_ps Y		1.552	0.354	3.284	-0.0	-0.0
0.0	INVSLE Max		2.935	2.433	-5.691	0.0	0.0
0.0	INVSLE Min		-3.497	-7.132	-69.237	0.0	-0.0
6832	C1-C2;~1 Max		2.480	1.834	18.363	0.0	0.0
0.0	C1-C2;~1 Min		-3.011	-1.130	-27.477	-0.0	-0.0
-0.0	C3-C4;~1 Max		2.720	2.123	19.526	0.0	0.0
0.0	C3-C4;~1 Min		-4.295	-0.913	-29.763	-0.0	-0.0
-0.0	C1-C2;~2 Max		1.284	0.931	9.302	0.0	0.0
0.0	C1-C2;~2 Min		-1.528	-0.628	-14.823	-0.0	-0.0
-0.0	C3-C4;~2 Max		1.420	1.050	9.866	0.0	0.0
0.0	C3-C4;~2 Min		-2.184	-0.495	-15.645	-0.0	-0.0
-0.0	G1		-0.607	1.517	-10.577	0.0	0.0
-0.0	G2		-0.277	0.608	-3.937	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.737	-0.393	-0.328	0.0	0.0
0.0	Q5_pc Y		1.721	-0.148	2.984	-0.0	-0.0
0.0	Q5_ps X		0.742	-0.399	-0.371	0.0	0.0
0.0	Q5_ps Y		1.623	-0.140	2.837	-0.0	-0.0
0.0	INVSLE Max		4.300	4.808	0.295	0.0	0.0
0.0	INVSLE Min		-4.780	1.084	-52.575	0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6833	C1-C2;~1	Max	1.637	3.912	18.387	0.0	0.0
0.0		Min	-2.293	-4.463	-27.524	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.850	4.088	19.551	0.0	0.0
0.0		Min	-2.610	-5.023	-29.796	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.840	2.002	9.315	0.0	0.0
0.0		Min	-1.238	-2.354	-14.849	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.962	2.083	9.879	0.0	0.0
0.0		Min	-1.379	-2.596	-15.663	-0.0	-0.0
-0.0							
	G1		-0.660	-0.606	-10.601	0.0	0.0
-0.0							
	G2		-0.234	-0.236	-3.953	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.834	-0.493	-0.326	0.0	0.0
0.0							
	Q5_pc Y		1.455	0.390	2.997	-0.0	-0.0
0.0							
	Q5_ps X		0.780	-0.463	-0.368	0.0	0.0
0.0							
	Q5_ps Y		1.373	0.372	2.849	-0.0	-0.0
0.0							
	INVSLU	Max	2.916	3.163	1.241	0.0	0.0
0.0		Min	-5.723	-10.026	-70.773	0.0	-0.0
0.0							
	INVSLE	Max	2.044	2.282	0.369	0.0	0.0
0.0		Min	-4.162	-7.422	-52.575	0.0	-0.0
0.0							
6842	C1-C2;~1	Max	1.803	1.298	13.947	0.0	0.0
0.0		Min	-2.056	-0.657	-18.943	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.988	1.507	14.766	0.0	0.0
0.0		Min	-2.940	-0.513	-20.532	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.932	0.656	7.134	0.0	0.0
0.0		Min	-1.039	-0.366	-10.157	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.038	0.747	7.539	0.0	0.0
0.0		Min	-1.488	-0.276	-10.737	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-0.259	1.234	-6.193	0.0	-0.0
-0.0	G2	-0.130	0.489	-2.281	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.587	-0.305	-0.209	0.0	0.0
0.0	Q5_pc Y	1.259	-0.170	2.243	-0.0	-0.0
0.0	Q5_ps X	0.588	-0.306	-0.246	0.0	0.0
0.0	Q5_ps Y	1.188	-0.161	2.127	-0.0	-0.0
0.0	INVS LU Max	4.377	4.857	6.714	0.0	-0.0
-0.0	Min	-4.543	1.386	-44.976	-0.0	-0.0
0.0	INVS LE Max	3.215	3.596	4.661	0.0	-0.0
-0.0	Min	-3.224	1.065	-33.329	-0.0	-0.0
6843 0.0	C1-C2;~1 Max	1.749	4.171	13.962	0.0	0.0
-0.0	Min	-2.314	-4.636	-18.953	-0.0	-0.0
0.0	C3-C4;~1 Max	1.960	4.344	14.784	0.0	0.0
-0.0	Min	-2.529	-5.192	-20.541	-0.0	-0.0
0.0	C1-C2;~2 Max	0.896	2.149	7.142	0.0	0.0
-0.0	Min	-1.243	-2.446	-10.162	-0.0	-0.0
0.0	C3-C4;~2 Max	1.015	2.230	7.549	0.0	0.0
-0.0	Min	-1.317	-2.683	-10.741	-0.0	-0.0
-0.0	G1	-0.587	-0.572	-6.194	0.0	-0.0
-0.0	G2	-0.200	-0.219	-2.288	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.701	-0.429	-0.209	0.0	0.0
0.0	Q5_pc Y	1.157	0.434	2.259	-0.0	-0.0
0.0	Q5_ps X	0.651	-0.405	-0.246	0.0	0.0
0.0	Q5_ps Y	1.090	0.414	2.143	-0.0	-0.0
0.0	INVS LU Max	2.344	4.172	6.725	0.0	0.0
-0.0	Min	-5.799	-9.484	-45.029	-0.0	-0.0
	INVS LE Max	1.633	3.043	4.669	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.244	-7.014	-33.366	-0.0	-0.0
-0.0							
6852	C1-C2;~1	Max	0.963	0.734	7.462	0.0	0.0
0.0		Min	-1.117	-0.317	-9.340	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.071	0.800	7.889	0.0	0.0
0.0		Min	-1.582	-0.240	-10.129	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.495	0.378	3.840	0.0	0.0
0.0		Min	-0.563	-0.169	-4.977	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.557	0.405	4.056	0.0	0.0
0.0		Min	-0.801	-0.122	-5.270	-0.0	-0.0
-0.0							
-0.0	G1		-0.177	0.683	-2.553	0.0	-0.0
-0.0	G2		-0.079	0.268	-0.923	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.428	-0.212	-0.054	0.0	0.0
0.0	Q5_pc Y		0.682	-0.108	1.207	-0.0	-0.0
0.0	Q5_ps X		0.421	-0.208	-0.079	0.0	0.0
0.0	Q5_ps Y		0.643	-0.102	1.143	-0.0	-0.0
0.0							
0.0	INVSLU	Max	2.128	2.647	5.847	0.0	-0.0
0.0		Min	-2.681	0.757	-20.650	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.555	1.953	4.198	0.0	-0.0
0.0		Min	-1.916	0.581	-15.268	-0.0	-0.0
-0.0							
6853	C1-C2;~1	Max	1.765	4.513	7.477	0.0	0.0
0.0		Min	-2.094	-4.684	-9.348	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.951	4.691	7.908	0.0	0.0
0.0		Min	-2.311	-5.270	-10.126	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.904	2.341	3.849	0.0	0.0
0.0		Min	-1.104	-2.460	-4.980	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.008	2.427	4.066	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.197	-2.714	-5.268	-0.0	-0.0
-0.0	G1		-0.411	-0.296	-2.544	0.0	-0.0
0.0	G2		-0.121	-0.113	-0.926	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.577	-0.350	-0.052	0.0	0.0
0.0	Q5_pc Y		0.793	0.539	1.218	-0.0	0.0
0.0	Q5_ps X		0.530	-0.330	-0.077	0.0	0.0
0.0	Q5_ps Y		0.746	0.513	1.153	-0.0	0.0
0.0	INVSLU	Max	2.138	5.939	5.851	0.0	0.0
0.0		Min	-5.043	-8.479	-20.688	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.510	4.358	4.200	0.0	0.0
0.0		Min	-3.704	-6.250	-15.296	-0.0	-0.0
-0.0							
6872	C1-C2;~1	Max	0.519	0.701	7.146	0.0	0.0
0.0		Min	-0.987	-1.019	-9.573	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.547	0.822	8.152	0.0	0.0
0.0		Min	-1.246	-1.167	-9.463	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.271	0.347	3.696	0.0	0.0
0.0		Min	-0.503	-0.541	-5.044	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.269	0.413	4.141	0.0	0.0
0.0		Min	-0.654	-0.609	-4.983	-0.0	-0.0
-0.0							
0.0	G1		-0.600	-0.388	-2.539	-0.0	-0.0
0.0	G2		-0.224	-0.148	-0.974	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.754	-0.222	0.230	0.0	0.0
-0.0	Q5_pc Y		-0.232	0.233	-1.138	-0.0	0.0
0.0	Q5_ps X		0.738	-0.217	0.199	0.0	0.0
-0.0	Q5_ps Y		-0.208	0.217	-1.085	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.690	0.265	6.083	0.0	0.0
0.0		Min	-3.144	-2.839	-19.894	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	0.447	0.161	4.377	0.0	0.0
-0.0		Min	-2.261	-2.108	-14.713	-0.0	-0.0
6873	C1-C2;~1	Max	1.580	5.012	7.161	0.0	0.0
0.0		Min	-1.706	-4.447	-9.591	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.619	5.206	8.172	0.0	0.0
-0.0		Min	-1.673	-5.074	-9.460	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.802	2.622	3.704	0.0	0.0
0.0		Min	-0.897	-2.311	-5.051	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.837	2.720	4.151	0.0	0.0
-0.0		Min	-0.868	-2.590	-4.981	-0.0	-0.0
-0.0	G1		-0.126	0.517	-2.529	-0.0	0.0
-0.0	G2		-0.005	0.198	-0.978	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.841	-0.341	0.235	0.0	0.0
-0.0	Q5_pc Y		0.189	0.766	-1.146	-0.0	0.0
0.0	Q5_ps X		0.782	-0.321	0.204	0.0	0.0
-0.0	Q5_ps Y		0.178	0.726	-1.093	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.705	9.245	6.087	0.0	0.0
-0.0		Min	-3.297	-6.011	-19.955	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	1.937	6.815	4.380	0.0	0.0
0.0		Min	-2.397	-4.384	-14.758	-0.0	-0.0
-0.0							
6882	C1-C2;~1	Max	1.097	1.146	13.496	0.0	0.0
0.0		Min	-1.912	-1.730	-19.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.142	1.374	15.396	0.0	0.0
-0.0		Min	-2.459	-1.983	-19.362	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.578	0.580	6.937	0.0	0.0
-0.0		Min	-0.970	-0.925	-10.377	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	C3-C4;~2	Max	0.566	0.709	7.771	0.0	0.0
-0.0		Min	-1.292	-1.043	-10.250	-0.0	-0.0
0.0	G1		-1.031	-0.764	-6.196	-0.0	0.0
0.0	G2		-0.393	-0.292	-2.398	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.224	-0.365	0.361	0.0	-0.0
-0.0	Q5_pc	Y	-0.523	0.476	-2.176	-0.0	0.0
0.0	Q5_ps	X	1.208	-0.359	0.310	0.0	-0.0
-0.0	Q5_ps	Y	-0.471	0.445	-2.075	-0.0	0.0
0.0							
0.0	INVSLU	Max	1.547	-0.007	7.309	-0.0	0.0
-0.0		Min	-5.518	-5.397	-43.801	-0.0	-0.0
0.0							
0.0	INVSLE	Max	1.104	-0.088	5.106	-0.0	0.0
-0.0		Min	-3.966	-4.017	-32.463	-0.0	-0.0
6883	C1-C2;~1	Max	1.548	5.060	13.511	0.0	0.0
0.0		Min	-1.546	-4.179	-19.581	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.408	5.267	15.414	0.0	0.0
-0.0		Min	-1.464	-4.799	-19.369	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.811	2.657	6.945	0.0	0.0
-0.0		Min	-0.806	-2.160	-10.384	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.728	2.764	7.780	0.0	0.0
-0.0		Min	-0.749	-2.438	-10.253	-0.0	-0.0
0.0							
0.0	G1		-0.092	0.841	-6.196	-0.0	0.0
0.0	G2		0.005	0.326	-2.406	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	1.211	-0.446	0.368	0.0	0.0
-0.0	Q5_pc	Y	-0.019	0.856	-2.189	-0.0	0.0
0.0	Q5_ps	X	1.136	-0.423	0.317	0.0	0.0
-0.0	Q5_ps	Y	-0.018	0.809	-2.086	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	INVS LU	Max	3.676	10.412	7.317	-0.0	0.0	
		Min	-2.681	-4.718	-43.866	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	2.640	7.685	5.112	-0.0	0.0	
		Min	-1.908	-3.407	-32.510	-0.0	-0.0	
-0.0								
6892 0.0	C1-C2;~1	Max	1.453	1.936	17.827	0.0	0.0	
		Min	-2.684	-2.444	-28.395	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.512	2.219	20.391	0.0	0.0	
		Min	-3.471	-2.800	-28.124	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	0.755	1.015	9.074	0.0	0.0	
		Min	-1.362	-1.309	-15.162	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	0.746	1.173	10.192	0.0	0.0	
		Min	-1.828	-1.475	-14.973	-0.0	-0.0	
-0.0								
0.0	G1		-1.488	-0.770	-10.594	-0.0	0.0	
0.0	G2		-0.570	-0.293	-4.109	-0.0	0.0	
0.0	Q3		0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc X		1.618	-0.508	0.480	0.0	-0.0	
0.0	Q5_pc Y		-0.709	0.716	-2.898	-0.0	0.0	
-0.0	Q5_ps X		1.602	-0.496	0.416	-0.0	-0.0	
0.0	Q5_ps Y		-0.638	0.671	-2.761	-0.0	0.0	
0.0								
0.0	INVS LU	Max	2.066	0.731	1.911	-0.0	0.0	
		Min	-7.573	-7.334	-69.167	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	1.480	0.410	0.863	-0.0	0.0	
		Min	-5.445	-5.468	-51.401	-0.0	-0.0	
-0.0								
6893 0.0	C1-C2;~1	Max	1.468	4.892	17.851	0.0	0.0	
		Min	-1.472	-3.915	-28.445	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	1.276	5.135	20.418	0.0	0.0	
		Min	-1.372	-4.516	-28.156	-0.0	-0.0	
-0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.774	2.569	9.086	0.0	0.0
-0.0		Min	-0.759	-2.015	-15.189	-0.0	-0.0
0.0	C3-C4;~2	Max	0.659	2.699	10.206	0.0	0.0
-0.0		Min	-0.692	-2.285	-14.990	-0.0	-0.0
0.0	G1		-0.136	0.911	-10.619	-0.0	0.0
0.0	G2		-0.012	0.356	-4.125	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.535	-0.564	0.488	0.0	0.0
0.0	Q5_pc Y		-0.158	0.940	-2.907	-0.0	0.0
-0.0	Q5_ps X		1.444	-0.540	0.425	0.0	-0.0
0.0	Q5_ps Y		-0.148	0.887	-2.770	-0.0	0.0
-0.0	INVSLU	Max	4.704	10.573	1.998	-0.0	0.0
-0.0		Min	-2.026	-4.148	-69.200	-0.0	-0.0
-0.0	INVSLE	Max	3.393	7.801	0.934	-0.0	0.0
-0.0		Min	-1.388	-2.978	-51.417	-0.0	-0.0
6902	C1-C2;~1	Max	1.637	2.869	20.452	0.0	0.0
0.0		Min	-3.216	-3.047	-35.099	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.718	3.181	23.466	0.0	0.0
0.0		Min	-4.180	-3.492	-34.849	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.833	1.524	10.295	0.0	0.0
0.0		Min	-1.632	-1.628	-18.835	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.842	1.697	11.603	0.0	0.0
0.0		Min	-2.203	-1.834	-18.636	-0.0	-0.0
-0.0	G1		-1.836	-0.424	-14.368	-0.0	0.0
0.0	G2		-0.706	-0.157	-5.576	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.892	-0.629	0.568	-0.0	-0.0
0.0	Q5_pc Y		-0.811	0.916	-3.314	-0.0	0.0
-0.0	Q5_ps X		1.879	-0.610	0.501	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps	Y	-0.728	0.860	-3.157	-0.0	0.0
0.0	INVSLE	Max	2.374	2.341	-5.908	-0.0	0.0
-0.0		Min	-8.993	-8.316	-90.937	-0.0	-0.0
0.0	INVSLE	Max	1.703	1.563	-5.178	-0.0	0.0
-0.0		Min	-6.465	-6.209	-67.720	-0.0	-0.0
6903	C1-C2;~1	Max	1.399	4.788	20.471	0.0	0.0
0.0		Min	-1.435	-3.831	-35.139	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.205	5.053	23.488	0.0	0.0
-0.0		Min	-1.363	-4.426	-34.877	-0.0	-0.0
0.0	C1-C2;~2	Max	0.730	2.513	10.306	0.0	0.0
-0.0		Min	-0.732	-1.970	-18.857	-0.0	-0.0
0.0	C3-C4;~2	Max	0.616	2.656	11.614	0.0	0.0
-0.0		Min	-0.686	-2.238	-18.649	-0.0	-0.0
0.0	G1		-0.208	0.879	-14.392	-0.0	0.0
0.0	G2		-0.039	0.345	-5.594	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	1.756	-0.649	0.575	0.0	-0.0
0.0	Q5_pc	Y	-0.240	0.998	-3.323	-0.0	0.0
-0.0	Q5_ps	X	1.656	-0.622	0.508	0.0	-0.0
0.0	Q5_ps	Y	-0.226	0.941	-3.165	-0.0	0.0
-0.0	INVSLE	Max	5.521	9.669	-5.822	-0.0	0.0
-0.0		Min	-1.467	-4.924	-90.950	-0.0	0.0
-0.0	INVSLE	Max	3.998	7.081	-5.107	-0.0	0.0
-0.0		Min	-0.944	-3.596	-67.722	-0.0	0.0
6912	C1-C2;~1	Max	1.681	3.929	21.740	0.0	0.0
0.0		Min	-3.526	-3.587	-39.509	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.788	4.247	25.016	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.580	-4.112	-39.217	-0.0	-0.0
0.0	C1-C2;~2	Max	0.834	2.101	10.820	0.0	0.0
-0.0		Min	-1.792	-1.907	-21.288	-0.0	-0.0
0.0	C3-C4;~2	Max	0.870	2.275	12.233	0.0	0.0
-0.0		Min	-2.416	-2.150	-21.048	-0.0	-0.0
0.0		G1	-2.050	0.152	-16.915	-0.0	0.0
0.0		G2	-0.791	0.069	-6.565	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	2.057	-0.732	0.584	-0.0	-0.0
-0.0		Q5_pc Y	-0.846	1.086	-3.426	0.0	0.0
-0.0		Q5_ps X	2.045	-0.707	0.518	-0.0	-0.0
-0.0		Q5_ps Y	-0.757	1.021	-3.264	0.0	0.0
0.0	INVSLU	Max	2.494	4.531	-12.371	-0.0	0.0
-0.0		Min	-9.807	-8.708	-105.646	-0.0	-0.0
0.0	INVSLE	Max	1.790	3.148	-10.119	-0.0	0.0
-0.0		Min	-7.048	-6.514	-78.755	-0.0	-0.0
6913	C1-C2;~1	Max	1.378	4.712	21.760	0.0	0.0
0.0		Min	-1.433	-3.801	-39.587	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.167	4.994	25.039	0.0	0.0
-0.0		Min	-1.367	-4.393	-39.260	-0.0	-0.0
0.0	C1-C2;~2	Max	0.716	2.469	10.830	0.0	0.0
-0.0		Min	-0.728	-1.955	-21.335	-0.0	-0.0
0.0	C3-C4;~2	Max	0.591	2.623	12.244	0.0	0.0
-0.0		Min	-0.685	-2.222	-21.071	-0.0	-0.0
0.0		G1	-0.253	0.845	-16.950	-0.0	0.0
0.0		G2	-0.059	0.334	-6.587	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.902	-0.719	0.592	-0.0	-0.0
		Q5_pc Y	-0.292	1.046	-3.434	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.796	-0.690	0.526	-0.0	-0.0
0.0	Q5_ps Y		-0.275	0.986	-3.271	0.0	0.0
-0.0	INVS LU	Max	5.941	8.139	-12.266	-0.0	0.0
-0.0		Min	-1.397	-6.416	-105.691	-0.0	0.0
-0.0	INVS LE	Max	4.226	5.877	-10.032	-0.0	0.0
-0.0		Min	-0.867	-4.765	-78.778	-0.0	0.0
6922	C1-C2;~1	Max	1.648	5.040	21.756	0.0	0.0
0.0		Min	-3.587	-4.084	-41.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.747	5.351	25.106	0.0	0.0
-0.0		Min	-4.673	-4.685	-40.667	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.803	2.701	10.699	0.0	0.0
-0.0		Min	-1.825	-2.156	-22.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.844	2.868	12.136	0.0	0.0
-0.0		Min	-2.468	-2.431	-21.868	-0.0	-0.0
-0.0	G1		-2.114	0.847	-17.795	0.0	0.0
-0.0	G2		-0.816	0.341	-6.902	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.112	-0.823	0.541	-0.0	-0.0
0.0	Q5_pc Y		-0.831	1.231	-3.271	0.0	0.0
-0.0	Q5_ps X		2.100	-0.791	0.477	-0.0	-0.0
0.0	Q5_ps Y		-0.742	1.159	-3.118	0.0	0.0
-0.0							
0.0	INVS LU	Max	2.497	6.983	-15.512	0.0	0.0
-0.0		Min	-10.002	-8.780	-110.680	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	1.769	4.929	-12.489	0.0	0.0
-0.0		Min	-7.186	-6.583	-82.548	-0.0	-0.0
-0.0							
6923	C1-C2;~1	Max	1.375	4.626	21.775	0.0	0.0
0.0		Min	-1.437	-3.772	-41.129	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.175	4.914	25.127	0.0	0.0
-0.0		Min	-1.395	-4.360	-40.724	-0.0	-0.0
0.0	C1-C2;~2	Max	0.710	2.419	10.708	0.0	0.0
-0.0		Min	-0.726	-1.941	-22.207	-0.0	-0.0
0.0	C3-C4;~2	Max	0.593	2.577	12.146	0.0	0.0
-0.0		Min	-0.697	-2.207	-21.900	-0.0	-0.0
0.0	G1		-0.272	0.804	-17.832	0.0	0.0
0.0	G2		-0.067	0.321	-6.925	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.961	-0.785	0.549	-0.0	-0.0
-0.0	Q5_pc Y		-0.315	1.091	-3.277	0.0	0.0
-0.0	Q5_ps X		1.852	-0.753	0.485	-0.0	-0.0
-0.0	Q5_ps Y		-0.297	1.028	-3.124	0.0	0.0
0.0	INVSLU	Max	6.082	6.234	-15.411	0.0	0.0
-0.0		Min	-1.414	-8.249	-110.755	-0.0	0.0
0.0	INVSLE	Max	4.315	4.388	-12.405	0.0	0.0
-0.0		Min	-0.861	-6.194	-82.594	-0.0	0.0
6932	C1-C2;~1	Max	1.585	6.100	21.531	0.0	0.0
0.0		Min	-3.384	-4.537	-39.438	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.602	6.403	24.822	0.0	0.0
-0.0		Min	-4.411	-5.213	-38.981	-0.0	-0.0
0.0	C1-C2;~2	Max	0.774	3.265	10.704	0.0	0.0
-0.0		Min	-1.720	-2.375	-21.261	-0.0	-0.0
0.0	C3-C4;~2	Max	0.767	3.426	12.124	0.0	0.0
-0.0		Min	-2.326	-2.682	-20.950	-0.0	-0.0
-0.0	G1		-2.018	1.538	-16.853	0.0	0.0
-0.0	G2		-0.780	0.611	-6.527	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		2.055	-0.908	0.450	-0.0	-0.0
-0.0	Q5_pc Y		-0.772	1.355	-2.894	0.0	0.0
0.0	Q5_ps X		2.043	-0.869	0.391	-0.0	-0.0
-0.0	Q5_ps Y		-0.689	1.278	-2.764	0.0	0.0
0.0	INVS LU	Max	2.394	9.349	-13.241	0.0	0.0
-0.0		Min	-9.519	-8.772	-105.202	0.0	-0.0
0.0	INVS LE	Max	1.643	6.649	-10.741	0.0	0.0
-0.0		Min	-6.835	-6.593	-78.474	0.0	-0.0
6933	C1-C2;~1	Max	1.404	4.551	21.551	0.0	0.0
0.0		Min	-1.448	-3.742	-39.516	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.230	4.846	24.845	0.0	0.0
-0.0		Min	-1.471	-4.327	-39.023	-0.0	-0.0
0.0	C1-C2;~2	Max	0.722	2.378	10.714	0.0	0.0
-0.0		Min	-0.728	-1.927	-21.308	-0.0	-0.0
0.0	C3-C4;~2	Max	0.623	2.540	12.135	0.0	0.0
-0.0		Min	-0.738	-2.191	-20.972	-0.0	-0.0
-0.0	G1		-0.259	0.762	-16.888	0.0	0.0
-0.0	G2		-0.063	0.307	-6.549	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.929	-0.850	0.457	-0.0	-0.0
-0.0	Q5_pc Y		-0.308	1.134	-2.900	0.0	0.0
0.0	Q5_ps X		1.821	-0.815	0.398	-0.0	-0.0
-0.0	Q5_ps Y		-0.291	1.069	-2.769	0.0	0.0
0.0	INVS LU	Max	5.938	4.343	-13.138	0.0	0.0
0.0		Min	-1.496	-10.081	-105.246	0.0	0.0
0.0	INVS LE	Max	4.232	2.910	-10.656	0.0	0.0
0.0		Min	-0.958	-7.623	-78.497	0.0	0.0
6942	C1-C2;~1	Max	1.489	7.019	20.150	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.946	-4.947	-34.980	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.368	7.315	23.188	0.0	0.0
0.0		Min	-3.858	-5.694	-34.423	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.745	3.747	10.143	0.0	0.0
0.0		Min	-1.495	-2.563	-18.792	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.650	3.903	11.460	0.0	0.0
0.0		Min	-2.033	-2.901	-18.459	-0.0	-0.0
-0.0							
-0.0	G1		-1.777	2.100	-14.256	0.0	0.0
-0.0	G2		-0.686	0.830	-5.508	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.890	-0.992	0.323	-0.0	-0.0
0.0	Q5_pc Y		-0.677	1.460	-2.344	0.0	0.0
-0.0	Q5_ps X		1.877	-0.946	0.269	-0.0	-0.0
0.0	Q5_ps Y		-0.603	1.379	-2.245	0.0	0.0
-0.0							
0.0	INVSLU	Max	2.275	11.276	-7.400	0.0	0.0
0.0		Min	-8.456	-8.915	-90.147	0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.548	8.045	-6.242	0.0	0.0
0.0		Min	-6.067	-6.717	-67.224	0.0	-0.0
-0.0							
6943	C1-C2;~1	Max	1.463	4.489	20.168	0.0	0.0
0.0		Min	-1.495	-3.710	-35.023	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.342	4.790	23.209	0.0	0.0
0.0		Min	-1.562	-4.290	-34.449	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.750	2.346	10.153	0.0	0.0
0.0		Min	-0.754	-1.912	-18.814	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.683	2.512	11.471	0.0	0.0
0.0		Min	-0.788	-2.175	-18.472	-0.0	-0.0
-0.0							
-0.0	G1		-0.219	0.727	-14.281	0.0	0.0
-0.0	G2		-0.046	0.296	-5.525	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.808	-0.917	0.330	-0.0	-0.0
0.0	Q5_pc Y	-0.276	1.179	-2.349	0.0	0.0
-0.0	Q5_ps X	1.705	-0.880	0.276	-0.0	-0.0
0.0	Q5_ps Y	-0.262	1.111	-2.249	0.0	0.0
-0.0						
	INVS LU Max	5.563	2.815	-7.318	0.0	0.0
0.0	Min	-1.775	-11.565	-90.160	0.0	0.0
0.0						
	INVS LE Max	4.025	1.707	-6.175	0.0	0.0
0.0	Min	-1.170	-8.788	-67.226	0.0	0.0
0.0						
6952	C1-C2;~1 Max	1.281	7.736	17.496	0.0	0.0
0.0	Min	-2.309	-5.326	-28.265	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	1.063	8.039	20.092	0.0	0.0
0.0	Min	-3.032	-6.146	-27.604	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	0.659	4.111	8.916	0.0	0.0
0.0	Min	-1.171	-2.728	-15.119	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	0.507	4.272	10.045	0.0	0.0
0.0	Min	-1.595	-3.096	-14.709	-0.0	-0.0
-0.0						
	G1	-1.416	2.424	-10.456	0.0	0.0
-0.0						
	G2	-0.546	0.956	-4.022	0.0	0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.624	-1.083	0.172	-0.0	-0.0
0.0	Q5_pc Y	-0.550	1.552	-1.673	0.0	0.0
-0.0	Q5_ps X	1.609	-1.032	0.125	-0.0	-0.0
0.0	Q5_ps Y	-0.490	1.466	-1.609	0.0	0.0
-0.0						
	INVS LU Max	1.992	12.472	0.080	0.0	0.0
0.0	Min	-6.867	-9.470	-68.213	0.0	-0.0
-0.0						
	INVS LE Max	1.353	8.900	-0.443	0.0	0.0
0.0	Min	-4.922	-7.146	-50.807	0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6953	C1-C2;~1	Max	1.569	4.387	17.518	0.0	0.0
0.0		Min	-1.557	-3.638	-28.322	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.500	4.706	20.118	0.0	0.0
0.0		Min	-1.648	-4.206	-27.634	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.808	2.297	8.928	0.0	0.0
0.0		Min	-0.794	-1.882	-15.149	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.771	2.472	10.059	0.0	0.0
0.0		Min	-0.835	-2.140	-14.725	-0.0	-0.0
-0.0							
	G1		-0.153	0.694	-10.480	0.0	0.0
-0.0							
	G2		-0.024	0.286	-4.038	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.611	-1.002	0.178	-0.0	0.0
0.0							
	Q5_pc Y		-0.224	1.240	-1.675	0.0	0.0
0.0							
	Q5_ps X		1.516	-0.963	0.131	-0.0	-0.0
0.0							
	Q5_ps Y		-0.215	1.168	-1.611	0.0	0.0
0.0							
	INVSLU	Max	4.796	1.916	0.161	0.0	0.0
0.0		Min	-2.447	-12.348	-68.250	0.0	-0.0
0.0							
	INVSLE	Max	3.454	0.989	-0.376	0.0	0.0
0.0		Min	-1.696	-9.411	-50.827	0.0	-0.0
0.0							
6962	C1-C2;~1	Max	0.893	8.194	13.206	0.0	0.0
0.0		Min	-1.500	-5.687	-19.442	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.654	8.521	15.130	0.0	0.0
0.0		Min	-1.975	-6.581	-18.875	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.468	4.331	6.806	0.0	0.0
0.0		Min	-0.762	-2.875	-10.344	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.313	4.508	7.645	0.0	0.0
0.0		Min	-1.037	-3.272	-10.038	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-0.961	2.390	-6.073	0.0	0.0
-0.0	G2	-0.370	0.941	-2.318	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.245	-1.188	0.078	-0.0	0.0
-0.0	Q5_pc Y	-0.386	1.632	-1.011	0.0	0.0
0.0	Q5_ps X	1.228	-1.133	0.042	-0.0	0.0
-0.0	Q5_ps Y	-0.345	1.542	-0.978	0.0	0.0
0.0	INVS LU Max	1.478	12.586	5.559	0.0	0.0
-0.0	Min	-4.782	-10.738	-42.933	0.0	-0.0
0.0	INVS LE Max	0.997	8.950	3.857	0.0	0.0
-0.0	Min	-3.421	-8.110	-31.929	0.0	-0.0
6963	C1-C2;~1 Max	1.597	4.220	13.215	0.0	0.0
0.0	Min	-1.616	-3.449	-19.458	-0.0	-0.0
-0.0	C3-C4;~1 Max	1.621	4.565	15.141	0.0	0.0
0.0	Min	-1.726	-3.980	-18.874	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.819	2.222	6.811	0.0	0.0
0.0	Min	-0.832	-1.806	-10.350	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.837	2.414	7.651	0.0	0.0
0.0	Min	-0.879	-2.051	-10.036	-0.0	-0.0
-0.0	G1	-0.116	0.770	-6.072	0.0	0.0
-0.0	G2	-0.011	0.319	-2.325	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.308	-1.133	0.083	-0.0	0.0
-0.0	Q5_pc Y	-0.152	1.352	-1.016	0.0	0.0
0.0	Q5_ps X	1.229	-1.091	0.047	0.0	0.0
-0.0	Q5_ps Y	-0.147	1.272	-0.982	0.0	0.0
0.0	INVS LU Max	3.753	2.082	5.552	0.0	0.0
-0.0	Min	-3.121	-11.889	-42.985	0.0	-0.0
0.0	INVS LE Max	2.690	1.105	3.852	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-2.228	-9.063	-31.966	0.0	-0.0
-0.0							
6972	C1-C2;~1	Max	0.399	8.314	7.036	0.0	0.0
0.0		Min	-0.683	-5.969	-9.570	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.211	8.691	8.058	0.0	0.0
0.0		Min	-0.888	-6.923	-9.216	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.206	4.372	3.653	0.0	0.0
0.0		Min	-0.345	-2.980	-5.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.101	4.578	4.101	0.0	0.0
0.0		Min	-0.461	-3.402	-4.905	-0.0	-0.0
-0.0							
-0.0	G1		-0.551	1.986	-2.481	0.0	-0.0
-0.0	G2		-0.209	0.784	-0.932	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.800	-1.297	0.070	0.0	0.0
0.0	Q5_pc Y		-0.203	1.696	-0.452	0.0	0.0
-0.0	Q5_ps X		0.780	-1.240	0.047	0.0	0.0
0.0	Q5_ps Y		-0.182	1.601	-0.441	0.0	0.0
-0.0							
0.0	INVSLU	Max	0.711	11.647	5.089	0.0	0.0
0.0		Min	-2.655	-12.485	-19.524	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	0.456	8.223	3.668	0.0	0.0
0.0		Min	-1.897	-9.427	-14.504	-0.0	-0.0
-0.0							
6973	C1-C2;~1	Max	1.580	4.225	7.045	0.0	0.0
0.0		Min	-1.675	-3.286	-9.583	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.696	4.584	8.071	0.0	0.0
0.0		Min	-1.810	-3.782	-9.209	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.812	2.237	3.658	0.0	0.0
0.0		Min	-0.874	-1.745	-5.069	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.877	2.434	4.108	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0		Min	-0.928	-1.976	-4.901	-0.0	-0.0
-0.0	G1		-0.155	1.099	-2.470	0.0	0.0
0.0	G2		-0.023	0.453	-0.935	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.953	-1.249	0.075	-0.0	0.0
0.0	Q5_pc Y		-0.070	1.459	-0.455	0.0	0.0
-0.0	Q5_ps X		0.889	-1.203	0.052	-0.0	0.0
0.0	Q5_ps Y		-0.072	1.372	-0.443	0.0	0.0
-0.0							
	INVSLU	Max	2.818	3.181	5.079	0.0	0.0
0.0		Min	-3.631	-10.739	-19.572	-0.0	-0.0
-0.0							
	INVSLE	Max	2.014	1.922	3.660	0.0	0.0
0.0		Min	-2.636	-8.194	-14.539	-0.0	-0.0
-0.0							
6992	C1-C2;~1	Max	0.788	8.020	6.801	0.0	0.0
0.0		Min	-1.012	-6.301	-8.783	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.882	8.474	7.039	0.0	0.0
0.0		Min	-1.472	-7.396	-9.492	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.409	4.196	3.543	0.0	0.0
0.0		Min	-0.511	-3.091	-4.709	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.464	4.446	3.675	0.0	0.0
0.0		Min	-0.742	-3.570	-4.962	-0.0	-0.0
-0.0							
	G1		-0.265	0.841	-2.686	-0.0	-0.0
0.0	G2		-0.114	0.336	-1.011	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.602	-1.256	0.146	-0.0	0.0
-0.0	Q5_pc Y		0.009	1.750	0.296	0.0	0.0
-0.0	Q5_ps X		0.581	-1.203	0.118	-0.0	0.0
-0.0	Q5_ps Y		0.022	1.655	0.266	0.0	-0.0
-0.0							
	INVSLU	Max	1.535	8.872	4.182	0.0	-0.0
0.0		Min	-2.727	-15.703	-18.667	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	1.115	6.139	3.055	0.0	-0.0
-0.0		Min	-1.962	-11.831	-13.831	-0.0	-0.0
6993	C1-C2;~1	Max	1.253	4.716	6.817	0.0	0.0
0.0		Min	-1.622	-3.326	-8.792	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.395	5.097	7.058	0.0	0.0
-0.0		Min	-1.731	-3.812	-9.490	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.650	2.477	3.552	0.0	0.0
0.0		Min	-0.867	-1.772	-4.712	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.732	2.685	3.685	0.0	0.0
-0.0		Min	-0.901	-2.001	-4.961	-0.0	-0.0
-0.0	G1		-0.457	1.926	-2.677	-0.0	-0.0
-0.0	G2		-0.144	0.774	-1.014	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.751	-1.249	0.151	-0.0	0.0
-0.0	Q5_pc Y		0.036	1.610	0.295	0.0	0.0
-0.0	Q5_ps X		0.697	-1.203	0.123	-0.0	0.0
-0.0	Q5_ps Y		0.027	1.514	0.265	0.0	0.0
-0.0							
0.0	INVSLU	Max	1.283	6.386	4.177	0.0	0.0
-0.0		Min	-4.289	-8.539	-18.693	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	0.876	4.303	3.051	0.0	0.0
0.0		Min	-3.151	-6.538	-13.850	-0.0	-0.0
-0.0							
7002	C1-C2;~1	Max	1.252	7.560	12.795	0.0	0.0
0.0		Min	-1.612	-6.371	-18.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.370	8.011	13.231	0.0	0.0
-0.0		Min	-2.413	-7.617	-19.519	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.659	3.949	6.632	0.0	0.0
-0.0		Min	-0.814	-3.135	-9.720	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.725	4.198	6.874	0.0	0.0
-0.0		Min	-1.215	-3.694	-10.257	-0.0	-0.0
0.0	G1		-0.402	0.264	-6.531	-0.0	-0.0
0.0	G2		-0.184	0.105	-2.490	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.882	-1.156	0.200	-0.0	0.0
0.0	Q5_pc Y		0.024	1.754	0.498	0.0	-0.0
-0.0	Q5_ps X		0.857	-1.101	0.155	-0.0	0.0
0.0	Q5_ps Y		0.050	1.665	0.444	0.0	-0.0
0.0	INVS LU	Max	2.763	7.013	3.656	0.0	-0.0
0.0		Min	-3.931	-17.243	-41.452	-0.0	-0.0
0.0	INVS LE	Max	2.036	4.750	2.578	0.0	-0.0
0.0		Min	-2.805	-12.984	-30.769	-0.0	-0.0
7003	C1-C2;~1	Max	0.888	5.042	12.812	0.0	0.0
0.0		Min	-1.527	-3.461	-18.027	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.017	5.440	13.250	0.0	0.0
0.0		Min	-1.614	-3.957	-19.531	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.468	2.636	6.642	0.0	0.0
0.0		Min	-0.855	-1.832	-9.725	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.543	2.850	6.884	0.0	0.0
0.0		Min	-0.877	-2.066	-10.262	-0.0	-0.0
-0.0	G1		-0.645	2.209	-6.531	-0.0	-0.0
0.0	G2		-0.224	0.885	-2.498	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.936	-1.185	0.205	-0.0	0.0
-0.0	Q5_pc Y		0.034	1.692	0.495	0.0	-0.0
-0.0	Q5_ps X		0.875	-1.142	0.160	-0.0	0.0
-0.0	Q5_ps Y		0.027	1.593	0.443	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	0.734	8.076	3.654	0.0	0.0
		Min	-4.504	-7.656	-41.493	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	0.449	5.560	2.577	0.0	0.0
		Min	-3.306	-5.868	-30.799	-0.0	-0.0
-0.0							
7012 0.0	C1-C2;~1	Max	1.528	6.954	16.713	0.0	0.0
		Min	-2.220	-6.127	-26.169	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.675	7.387	17.290	0.0	0.0
		Min	-3.339	-7.446	-28.383	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.803	3.629	8.597	0.0	0.0
		Min	-1.128	-3.020	-14.215	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.889	3.868	8.915	0.0	0.0
		Min	-1.695	-3.616	-15.000	-0.0	-0.0
-0.0							
0.0	G1		-0.778	-0.026	-11.148	-0.0	0.0
0.0	G2		-0.340	-0.015	-4.280	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.141	-1.083	0.268	0.0	-0.0
-0.0	Q5_pc Y		0.015	1.754	0.527	0.0	-0.0
0.0	Q5_ps X		1.111	-1.025	0.214	0.0	-0.0
-0.0	Q5_ps Y		0.052	1.671	0.464	0.0	-0.0
0.0							
0.0	INVS LU	Max	3.349	5.407	-3.190	-0.0	0.0
		Min	-5.473	-17.774	-65.797	-0.0	-0.0
0.0							
0.0	INVS LE	Max	2.481	3.544	-2.650	-0.0	0.0
		Min	-3.902	-13.394	-48.955	-0.0	-0.0
0.0							
7013 0.0	C1-C2;~1	Max	0.513	5.218	16.739	0.0	0.0
		Min	-1.213	-3.572	-26.218	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.625	5.638	17.316	0.0	0.0
		Min	-1.314	-4.068	-28.419	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.271	2.723	8.611	0.0	0.0
		Min	-0.683	-1.879	-14.241	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.338	2.945	8.930	0.0	0.0
		Min	-0.728	-2.113	-15.018	-0.0	-0.0
-0.0							
0.0	G1		-0.732	2.246	-11.173	-0.0	0.0
0.0	G2		-0.261	0.904	-4.297	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.137	-1.141	0.274	0.0	0.0
-0.0	Q5_pc Y		-0.003	1.765	0.528	-0.0	-0.0
-0.0	Q5_ps X		1.069	-1.102	0.220	0.0	0.0
-0.0	Q5_ps Y		-0.007	1.661	0.465	-0.0	-0.0
-0.0							
-0.0	INVSLU	Max	0.904	9.043	-3.110	-0.0	0.0
		Min	-3.954	-7.238	-65.804	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.521	6.277	-2.583	-0.0	0.0
		Min	-2.882	-5.548	-48.952	-0.0	-0.0
-0.0							
7022	C1-C2;~1	Max	1.682	6.353	18.901	0.0	0.0
0.0		Min	-2.705	-5.618	-32.285	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.769	6.759	19.552	0.0	0.0
		Min	-4.088	-6.973	-35.120	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.858	3.317	9.639	0.0	0.0
		Min	-1.383	-2.767	-17.634	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.943	3.541	9.997	0.0	0.0
		Min	-2.096	-3.389	-18.646	-0.0	-0.0
-0.0							
0.0	G1		-1.275	0.041	-15.145	-0.0	0.0
0.0	G2		-0.542	0.006	-5.838	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.336	-1.046	0.331	0.0	-0.0
-0.0	Q5_pc Y		-0.012	1.754	0.444	-0.0	-0.0
0.0	Q5_ps X		1.301	-0.985	0.276	0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.033	1.678	0.382	-0.0	-0.0
0.0	INVS LU	Max	3.260	4.463	-12.138	-0.0	0.0
0.0		Min	-7.052	-17.234	-86.744	-0.0	-0.0
0.0	INVS LE	Max	2.425	2.829	-9.452	-0.0	0.0
0.0		Min	-5.035	-13.009	-64.656	-0.0	-0.0
7023	C1-C2;~1	Max	0.355	5.188	18.920	0.0	0.0
0.0		Min	-0.965	-3.578	-32.326	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.434	5.618	19.573	0.0	0.0
0.0		Min	-1.069	-4.068	-35.149	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.184	2.702	9.649	0.0	0.0
0.0		Min	-0.517	-1.876	-17.656	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.228	2.927	10.008	0.0	0.0
0.0		Min	-0.574	-2.106	-18.660	-0.0	-0.0
-0.0	G1		-0.767	2.181	-15.170	-0.0	0.0
0.0	G2		-0.275	0.882	-5.855	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.283	-1.112	0.338	0.0	-0.0
-0.0	Q5_pc Y		-0.036	1.795	0.442	-0.0	-0.0
0.0	Q5_ps X		1.209	-1.075	0.282	0.0	-0.0
-0.0	Q5_ps Y		-0.036	1.688	0.381	-0.0	-0.0
0.0	INVS LU	Max	1.872	8.721	-12.062	-0.0	0.0
-0.0		Min	-2.846	-7.586	-86.733	-0.0	-0.0
-0.0	INVS LE	Max	1.257	6.005	-9.388	-0.0	0.0
-0.0		Min	-2.018	-5.835	-64.641	-0.0	-0.0
-0.0	C1-C2;~1	Max	1.629	5.749	19.774	0.0	0.0
0.0		Min	-3.049	-4.962	-36.215	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.706	6.127	20.449	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.603	-6.226	-39.392	-0.0	-0.0
0.0	C1-C2;~2	Max	0.836	3.007	9.993	0.0	0.0
-0.0		Min	-1.565	-2.453	-19.875	-0.0	-0.0
0.0	C3-C4;~2	Max	0.914	3.215	10.363	0.0	0.0
-0.0		Min	-2.379	-3.021	-21.002	-0.0	-0.0
0.0		G1	-1.809	0.378	-17.895	-0.0	0.0
0.0		G2	-0.754	0.133	-6.911	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.470	-1.043	0.345	0.0	-0.0
0.0		Q5_pc Y	-0.054	1.755	0.342	-0.0	0.0
-0.0		Q5_ps X	1.431	-0.979	0.293	0.0	-0.0
0.0		Q5_ps Y	-0.002	1.684	0.284	-0.0	-0.0
0.0	INVSLU	Max	2.723	3.943	-19.303	-0.0	0.0
-0.0		Min	-8.441	-15.893	-100.709	-0.0	-0.0
0.0	INVSLE	Max	2.038	2.425	-14.860	-0.0	0.0
-0.0		Min	-6.036	-12.034	-75.115	-0.0	-0.0
7033	C1-C2;~1	Max	0.369	5.096	19.793	0.0	0.0
0.0		Min	-0.938	-3.535	-36.292	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.441	5.533	20.469	0.0	0.0
-0.0		Min	-0.975	-4.017	-39.439	-0.0	-0.0
0.0	C1-C2;~2	Max	0.184	2.648	10.003	0.0	0.0
-0.0		Min	-0.481	-1.849	-19.922	-0.0	-0.0
0.0	C3-C4;~2	Max	0.219	2.874	10.373	0.0	0.0
-0.0		Min	-0.497	-2.076	-21.026	-0.0	-0.0
0.0		G1	-0.778	2.129	-17.931	-0.0	0.0
0.0		G2	-0.282	0.863	-6.933	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.385	-1.102	0.351	0.0	-0.0
0.0		Q5_pc Y	-0.066	1.809	0.340	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		1.307	-1.065	0.299	0.0	-0.0
0.0	Q5_ps Y		-0.064	1.701	0.282	-0.0	-0.0
0.0	INVS LU	Max	2.947	7.512	-19.203	-0.0	0.0
-0.0		Min	-1.941	-8.638	-100.711	-0.0	0.0
0.0	INVS LE	Max	2.070	5.046	-14.778	-0.0	0.0
-0.0		Min	-1.262	-6.675	-75.107	-0.0	0.0
7042	C1-C2;~1	Max	1.460	5.170	19.448	0.0	0.0
0.0		Min	-3.293	-4.295	-37.412	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.532	5.518	20.100	0.0	0.0
-0.0		Min	-4.867	-5.383	-40.650	-0.0	-0.0
0.0	C1-C2;~2	Max	0.759	2.710	9.733	0.0	0.0
-0.0		Min	-1.710	-2.160	-20.585	-0.0	-0.0
0.0	C3-C4;~2	Max	0.827	2.901	10.088	0.0	0.0
-0.0		Min	-2.533	-2.629	-21.730	-0.0	-0.0
0.0	G1		-2.300	0.908	-18.937	-0.0	0.0
0.0	G2		-0.946	0.339	-7.317	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.542	-1.078	0.314	0.0	-0.0
0.0	Q5_pc Y		-0.105	1.757	0.242	-0.0	0.0
0.0	Q5_ps X		1.498	-1.010	0.269	0.0	-0.0
0.0	Q5_ps Y		-0.049	1.689	0.188	-0.0	-0.0
0.0	INVS LU	Max	1.958	3.717	-22.648	-0.0	0.0
-0.0		Min	-9.455	-14.162	-105.225	-0.0	0.0
0.0	INVS LE	Max	1.484	2.235	-17.360	-0.0	0.0
-0.0		Min	-6.765	-10.774	-78.487	-0.0	0.0
7043	C1-C2;~1	Max	0.612	5.003	19.465	0.0	0.0
0.0		Min	-1.137	-3.492	-37.508	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	0.653	5.449	20.117	0.0	0.0
-0.0		Min	-1.175	-3.960	-40.709	-0.0	-0.0
0.0	C1-C2;~2	Max	0.314	2.590	9.741	0.0	0.0
-0.0		Min	-0.587	-1.821	-20.648	-0.0	-0.0
0.0	C3-C4;~2	Max	0.326	2.818	10.096	0.0	0.0
-0.0		Min	-0.610	-2.041	-21.763	-0.0	-0.0
-0.0	G1		-0.763	2.088	-18.976	-0.0	0.0
-0.0	G2		-0.277	0.850	-7.340	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.441	-1.124	0.319	0.0	-0.0
0.0	Q5_pc Y		-0.101	1.818	0.240	-0.0	0.0
-0.0	Q5_ps X		1.361	-1.085	0.274	0.0	-0.0
0.0	Q5_ps Y		-0.097	1.709	0.187	-0.0	-0.0
0.0	INVSLU	Max	4.226	5.958	-22.554	-0.0	0.0
-0.0		Min	-1.139	-10.016	-105.243	-0.0	0.0
0.0	INVSLE	Max	3.049	3.833	-17.281	-0.0	0.0
-0.0		Min	-0.678	-7.757	-78.490	-0.0	0.0
7052	C1-C2;~1	Max	1.235	4.689	18.266	0.0	0.0
0.0		Min	-3.369	-3.656	-35.697	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.273	4.989	18.761	0.0	0.0
-0.0		Min	-4.836	-4.579	-38.709	-0.0	-0.0
0.0	C1-C2;~2	Max	0.652	2.456	9.096	0.0	0.0
-0.0		Min	-1.771	-1.880	-19.645	-0.0	-0.0
0.0	C3-C4;~2	Max	0.695	2.624	9.344	0.0	0.0
-0.0		Min	-2.533	-2.281	-20.704	-0.0	-0.0
-0.0	G1		-2.668	1.538	-18.094	-0.0	0.0
-0.0	G2		-1.087	0.586	-6.988	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		1.552	-1.151	0.246	0.0	-0.0
0.0	Q5_pc Y		-0.164	1.759	0.161	-0.0	0.0
0.0	Q5_ps X		1.505	-1.080	0.209	0.0	-0.0
0.0	Q5_ps Y		-0.107	1.692	0.111	-0.0	0.0
0.0	INVSLU	Max	1.229	3.682	-21.376	0.0	0.0
-0.0		Min	-9.892	-12.401	-99.402	-0.0	0.0
0.0	INVSLE	Max	0.897	2.183	-16.355	0.0	0.0
-0.0		Min	-7.075	-9.495	-74.119	-0.0	0.0
7053	C1-C2;~1	Max	0.962	4.910	18.282	0.0	0.0
0.0		Min	-1.434	-3.443	-35.770	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.033	5.372	18.776	0.0	0.0
0.0		Min	-1.474	-3.894	-38.752	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.500	2.530	9.104	0.0	0.0
0.0		Min	-0.736	-1.789	-19.690	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.515	2.762	9.352	0.0	0.0
0.0		Min	-0.760	-2.002	-20.726	-0.0	-0.0
-0.0	G1		-0.721	2.067	-18.131	-0.0	0.0
-0.0	G2		-0.261	0.844	-7.010	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.450	-1.179	0.251	0.0	-0.0
0.0	Q5_pc Y		-0.140	1.821	0.159	-0.0	0.0
0.0	Q5_ps X		1.371	-1.138	0.215	0.0	-0.0
0.0	Q5_ps Y		-0.133	1.712	0.109	-0.0	-0.0
0.0	INVSLU	Max	5.450	4.346	-21.283	0.0	0.0
-0.0		Min	-0.595	-11.442	-99.398	-0.0	0.0
0.0	INVSLE	Max	4.014	2.580	-16.277	0.0	0.0
-0.0		Min	-0.232	-8.872	-74.106	-0.0	0.0
7062	C1-C2;~1	Max	1.011	4.705	16.845	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.292	-3.261	-31.353	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.049	4.678	17.284	0.0	0.0
0.0		Min	-4.582	-3.923	-33.890	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.540	2.382	8.523	0.0	0.0
0.0		Min	-1.738	-1.699	-17.224	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.568	2.441	8.747	0.0	0.0
0.0		Min	-2.401	-1.994	-18.113	-0.0	-0.0
-0.0							
-0.0		G1	-2.845	2.165	-15.511	-0.0	0.0
-0.0		G2	-1.149	0.835	-5.980	-0.0	0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.507	-1.262	0.150	0.0	-0.0
0.0	Q5_pc Y		-0.229	1.761	0.113	-0.0	0.0
0.0	Q5_ps X		1.457	-1.188	0.124	0.0	-0.0
0.0	Q5_ps Y		-0.174	1.691	0.067	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.780	3.879	-14.923	0.0	0.0
0.0		Min	-9.713	-10.938	-84.278	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.576	2.300	-11.432	0.0	0.0
0.0		Min	-6.935	-8.441	-62.786	-0.0	0.0
-0.0							
7063	C1-C2;~1	Max	1.326	4.819	16.857	0.0	0.0
0.0		Min	-1.766	-3.386	-31.388	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.501	5.305	17.297	0.0	0.0
0.0		Min	-1.817	-3.821	-33.915	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.690	2.469	8.530	0.0	0.0
0.0		Min	-0.897	-1.754	-17.244	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.747	2.708	8.754	0.0	0.0
0.0		Min	-0.925	-1.958	-18.125	-0.0	-0.0
-0.0							
-0.0		G1	-0.660	2.070	-15.537	0.0	0.0
-0.0		G2	-0.236	0.850	-5.997	0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.415	-1.269	0.154	-0.0	-0.0
0.0	Q5_pc Y		-0.182	1.820	0.111	-0.0	0.0
0.0	Q5_ps X		1.338	-1.223	0.128	0.0	-0.0
0.0	Q5_ps Y		-0.174	1.709	0.065	-0.0	0.0
0.0	INVS LU	Max	6.672	2.973	-14.852	0.0	0.0
0.0		Min	-0.354	-12.622	-84.267	-0.0	0.0
0.0	INVS LE	Max	5.004	1.515	-11.372	0.0	0.0
0.0		Min	-0.011	-9.795	-62.770	-0.0	0.0
7072	C1-C2;~1	Max	0.763	4.930	14.423	0.0	0.0
0.0		Min	-3.003	-3.135	-25.019	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.823	4.711	14.781	0.0	0.0
0.0		Min	-4.045	-3.586	-26.866	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.407	2.504	7.417	0.0	0.0
0.0		Min	-1.587	-1.626	-13.718	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.434	2.401	7.602	0.0	0.0
0.0		Min	-2.117	-1.835	-14.351	-0.0	-0.0
-0.0	G1		-2.779	2.696	-11.615	0.0	0.0
-0.0	G2		-1.114	1.049	-4.462	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.412	-1.416	0.034	0.0	-0.0
0.0	Q5_pc Y		-0.295	1.765	0.111	-0.0	0.0
0.0	Q5_ps X		1.361	-1.339	0.018	0.0	-0.0
0.0	Q5_ps Y		-0.244	1.690	0.066	-0.0	0.0
0.0	INVS LU	Max	0.634	4.472	-6.259	0.0	0.0
0.0		Min	-8.725	-10.200	-62.683	0.0	0.0
-0.0	INVS LE	Max	0.486	2.706	-4.815	0.0	0.0
0.0		Min	-6.201	-7.927	-46.596	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7073	C1-C2;~1	Max	1.795	4.712	14.438	0.0	0.0
0.0		Min	-2.105	-3.299	-25.062	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.044	5.227	14.797	0.0	0.0
0.0		Min	-2.167	-3.716	-26.894	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.933	2.400	7.425	0.0	0.0
0.0		Min	-1.064	-1.706	-13.742	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.032	2.648	7.611	0.0	0.0
0.0		Min	-1.096	-1.902	-14.366	-0.0	-0.0
-0.0							
	G1		-0.574	2.094	-11.641	0.0	0.0
-0.0							
	G2		-0.205	0.862	-4.479	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.349	-1.400	0.038	-0.0	-0.0
0.0							
	Q5_pc Y		-0.232	1.823	0.110	-0.0	0.0
0.0							
	Q5_ps X		1.276	-1.347	0.021	-0.0	-0.0
0.0							
	Q5_ps Y		-0.221	1.710	0.065	-0.0	0.0
0.0							
	INVSLU	Max	7.292	1.893	-6.197	0.0	0.0
0.0		Min	-0.821	-13.462	-62.678	0.0	0.0
0.0							
	INVSLE	Max	5.482	0.670	-4.761	0.0	0.0
0.0		Min	-0.347	-10.461	-46.584	0.0	0.0
0.0							
7080	C1-C2;~1	Max	0.592	5.089	10.739	0.0	0.0
0.0		Min	-2.535	-3.196	-16.936	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.665	5.190	10.989	0.0	0.0
0.0		Min	-3.270	-3.586	-18.094	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.296	2.569	5.606	0.0	0.0
0.0		Min	-1.332	-1.631	-9.262	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.331	2.592	5.737	0.0	0.0
0.0		Min	-1.701	-1.814	-9.654	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	G1	-2.407	3.034	-6.989	0.0	0.0
-0.0	G2	-0.958	1.188	-2.669	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.264	-1.621	-0.036	0.0	-0.0
0.0	Q5_pc Y	-0.362	1.772	0.109	-0.0	0.0
0.0	Q5_ps X	1.213	-1.540	-0.043	0.0	-0.0
0.0	Q5_ps Y	-0.317	1.690	0.072	-0.0	0.0
0.0	INVSLE Max	1.023	4.622	0.950	0.0	0.0
-0.0	INVSLE Min	-6.796	-10.415	-38.507	0.0	-0.0
0.0	INVSLE Max	0.800	2.775	0.678	0.0	0.0
-0.0	INVSLE Min	-4.773	-8.127	-28.535	0.0	-0.0
7081	C1-C2;~1 Max	2.216	4.569	10.740	0.0	0.0
0.0	C1-C2;~1 Min	-2.504	-3.133	-16.936	-0.0	-0.0
-0.0	C1-C2;~1 Max	2.542	5.108	10.990	0.0	0.0
0.0	C1-C2;~1 Min	-2.576	-3.527	-18.088	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.153	2.317	5.607	0.0	0.0
0.0	C1-C2;~2 Min	-1.269	-1.626	-9.261	-0.0	-0.0
-0.0	C1-C2;~2 Max	1.292	2.572	5.739	0.0	0.0
0.0	C1-C2;~2 Min	-1.306	-1.812	-9.651	-0.0	-0.0
-0.0	G1	-0.554	2.202	-6.992	0.0	0.0
-0.0	G2	-0.200	0.908	-2.678	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.250	-1.608	-0.031	-0.0	0.0
0.0	Q5_pc Y	-0.302	1.847	0.104	-0.0	0.0
0.0	Q5_ps X	1.183	-1.545	-0.038	0.0	0.0
0.0	Q5_ps Y	-0.287	1.729	0.068	-0.0	0.0
0.0	INVSLE Max	7.093	1.675	0.916	0.0	0.0
-0.0	INVSLE Min	-2.065	-13.305	-38.527	0.0	-0.0
-0.0	INVSLE Max	5.329	0.508	0.654	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-1.289	-10.342	-28.549	0.0	-0.0
-0.0							
7090	C1-C2;~1	Max	0.679	5.312	5.634	0.0	0.0
0.0		Min	-1.992	-3.313	-8.184	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.755	5.743	5.764	0.0	0.0
0.0		Min	-2.394	-3.687	-8.692	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.351	2.670	2.971	0.0	0.0
0.0		Min	-1.028	-1.662	-4.462	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.387	2.844	3.041	0.0	0.0
0.0		Min	-1.223	-1.837	-4.632	-0.0	-0.0
-0.0							
-0.0	G1		-1.813	3.086	-2.976	0.0	0.0
-0.0	G2		-0.715	1.222	-1.124	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.077	-1.861	-0.025	0.0	0.0
0.0	Q5_pc Y		-0.415	1.785	0.084	-0.0	0.0
0.0	Q5_ps X		1.028	-1.776	-0.028	0.0	0.0
0.0	Q5_ps Y		-0.378	1.689	0.062	-0.0	0.0
0.0							
0.0	INVSLU	Max	1.949	4.784	2.676	0.0	0.0
0.0		Min	-4.316	-11.298	-16.992	0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.510	2.849	2.002	0.0	0.0
0.0		Min	-2.945	-8.815	-12.556	0.0	-0.0
-0.0							
7091	C1-C2;~1	Max	2.422	4.480	5.635	0.0	0.0
0.0		Min	-2.855	-2.950	-8.181	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.804	5.036	5.767	0.0	0.0
0.0		Min	-2.930	-3.317	-8.674	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.253	2.256	2.972	0.0	0.0
0.0		Min	-1.455	-1.540	-4.460	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.422	2.516	3.043	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1.491	-1.713	-4.623	-0.0	-0.0
-0.0	G1		-0.717	2.502	-2.969	0.0	0.0
0.0	G2		-0.261	1.032	-1.128	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.109	-1.846	-0.023	-0.0	0.0
0.0	Q5_pc Y		-0.365	1.870	0.083	-0.0	0.0
0.0	Q5_ps X		1.050	-1.769	-0.026	-0.0	0.0
0.0	Q5_ps Y		-0.348	1.748	0.061	-0.0	0.0
0.0	INVSLU	Max	6.234	2.232	2.647	0.0	0.0
0.0		Min	-3.502	-12.411	-16.998	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.688	0.931	1.981	0.0	0.0
0.0		Min	-2.376	-9.666	-12.560	-0.0	-0.0
-0.0							
7110	C1-C2;~1	Max	1.103	5.431	5.769	0.0	0.0
0.0		Min	-1.383	-3.616	-7.660	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.995	6.207	6.547	0.0	0.0
0.0		Min	-1.510	-4.116	-7.453	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.578	2.728	3.117	0.0	0.0
0.0		Min	-0.691	-1.810	-4.197	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.515	3.088	3.464	0.0	0.0
0.0		Min	-0.753	-2.063	-4.068	-0.0	-0.0
-0.0							
0.0	G1		-0.740	2.717	-2.106	-0.0	-0.0
0.0	G2		-0.293	1.091	-0.782	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.815	-2.178	0.109	-0.0	0.0
0.0	Q5_pc Y		-0.365	1.983	-0.001	-0.0	-0.0
-0.0							
0.0	Q5_ps X		0.773	-2.086	0.099	-0.0	0.0
0.0	Q5_ps Y		-0.332	1.878	-0.022	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	4.433	4.463	1.976	0.0	-0.0
0.0		Min	-0.563	-13.394	-17.399	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	3.427	2.556	1.314	0.0	-0.0
-0.0		Min	-0.165	-10.380	-13.023	-0.0	-0.0
7111	C1-C2;~1	Max	2.261	4.356	5.792	0.0	0.0
0.0		Min	-3.162	-2.573	-7.680	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.670	4.924	6.576	0.0	0.0
-0.0		Min	-3.227	-2.912	-7.463	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.145	2.165	3.129	0.0	0.0
0.0		Min	-1.616	-1.366	-4.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.332	2.427	3.479	0.0	0.0
-0.0		Min	-1.647	-1.525	-4.073	-0.0	-0.0
-0.0	G1		-1.272	3.215	-2.102	-0.0	-0.0
-0.0	G2		-0.476	1.308	-0.788	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.874	-2.175	0.109	-0.0	0.0
0.0	Q5_pc Y		-0.344	2.061	0.000	-0.0	0.0
-0.0	Q5_ps X		0.828	-2.080	0.099	-0.0	0.0
0.0	Q5_ps Y		-0.329	1.929	-0.020	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	4.009	4.470	1.987	0.0	0.0
-0.0		Min	-5.526	-10.024	-17.455	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	3.035	2.593	1.322	0.0	-0.0
-0.0		Min	-3.911	-7.853	-13.064	-0.0	-0.0
-0.0							
7120	C1-C2;~1	Max	1.384	5.079	10.280	0.0	0.0
0.0		Min	-1.472	-3.565	-15.085	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.256	5.826	11.656	0.0	0.0
-0.0		Min	-1.622	-4.173	-14.679	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.726	2.532	5.553	0.0	0.0
0.0		Min	-0.756	-1.791	-8.332	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	0.638	2.880	6.167	0.0	0.0
-0.0		Min	-0.829	-2.105	-8.074	-0.0	-0.0
0.0	G1		-0.327	2.505	-5.171	-0.0	-0.0
0.0	G2		-0.136	1.004	-1.957	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	X	0.776	-2.233	0.192	-0.0	0.0
-0.0	Q5_pc	Y	-0.278	2.147	-0.064	-0.0	-0.0
-0.0	Q5_ps	X	0.734	-2.140	0.174	-0.0	0.0
-0.0	Q5_ps	Y	-0.241	2.047	-0.096	-0.0	-0.0
0.0	INVSLU	Max	6.148	3.588	-1.360	0.0	-0.0
-0.0		Min	0.694	-13.931	-37.806	-0.0	-0.0
0.0	INVSLE	Max	4.731	1.901	-1.364	0.0	-0.0
-0.0		Min	0.795	-10.778	-28.335	-0.0	-0.0
7121	C1-C2;~1	Max	1.938	4.331	10.307	0.0	0.0
0.0		Min	-3.046	-2.438	-15.108	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.308	4.891	11.689	0.0	0.0
0.0		Min	-3.113	-2.772	-14.693	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.966	2.141	5.567	0.0	0.0
0.0		Min	-1.558	-1.302	-8.343	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.136	2.397	6.184	0.0	0.0
0.0		Min	-1.589	-1.459	-8.081	-0.0	-0.0
-0.0	G1		-1.504	3.502	-5.173	-0.0	-0.0
0.0	G2		-0.574	1.412	-1.965	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	0.816	-2.249	0.191	0.0	0.0
-0.0	Q5_pc	Y	-0.279	2.208	-0.062	-0.0	-0.0
0.0	Q5_ps	X	0.774	-2.148	0.173	0.0	0.0
-0.0	Q5_ps	Y	-0.266	2.070	-0.095	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	2.693	5.689	-1.337	-0.0	-0.0
		Min	-6.094	-8.703	-37.855	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	2.056	3.504	-1.345	-0.0	-0.0
		Min	-4.345	-6.857	-28.370	-0.0	-0.0
-0.0							
7130 0.0	C1-C2;~1	Max	1.648	4.609	12.611	0.0	0.0
		Min	-1.863	-3.267	-21.152	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.695	5.286	14.318	0.0	0.0
		Min	-2.073	-3.977	-20.580	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.835	2.265	6.809	0.0	0.0
		Min	-0.941	-1.634	-11.785	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.822	2.582	7.573	0.0	0.0
		Min	-1.044	-2.010	-11.416	-0.0	-0.0
-0.0							
0.0	G1		-0.239	2.489	-9.041	-0.0	-0.0
0.0	G2		-0.101	0.996	-3.453	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.765	-2.253	0.258	0.0	0.0
-0.0	Q5_pc Y		-0.213	2.260	-0.145	-0.0	-0.0
-0.0	Q5_ps X		0.723	-2.160	0.235	0.0	0.0
-0.0	Q5_ps Y		-0.175	2.165	-0.183	0.0	-0.0
0.0	INVS LU	Max	7.402	2.893	-11.866	-0.0	-0.0
-0.0		Min	0.937	-13.681	-60.215	-0.0	-0.0
0.0	INVS LE	Max	5.693	1.381	-9.438	-0.0	-0.0
-0.0		Min	1.007	-10.595	-45.218	-0.0	-0.0
7131 0.0	C1-C2;~1	Max	1.614	4.304	12.632	0.0	0.0
-0.0		Min	-2.709	-2.361	-21.179	-0.0	-0.0
0.0	C3-C4;~1	Max	1.922	4.836	14.343	0.0	0.0
-0.0		Min	-2.784	-2.684	-20.590	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.793	2.123	6.821	0.0	0.0
		Min	-1.374	-1.264	-11.799	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.932	2.367	7.586	0.0	0.0
		Min	-1.408	-1.416	-11.420	-0.0	-0.0
-0.0							
-0.0	G1		-1.483	3.641	-9.053	-0.0	-0.0
-0.0	G2		-0.567	1.469	-3.464	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.791	-2.270	0.258	0.0	0.0
-0.0	Q5_pc Y		-0.237	2.299	-0.142	-0.0	-0.0
-0.0	Q5_ps X		0.751	-2.167	0.235	0.0	0.0
-0.0	Q5_ps Y		-0.225	2.155	-0.181	-0.0	-0.0
-0.0							
-0.0	INVSLU	Max	2.283	6.691	-11.811	-0.0	-0.0
		Min	-5.494	-7.599	-60.231	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.773	4.265	-9.392	-0.0	-0.0
		Min	-3.882	-6.014	-45.224	-0.0	-0.0
-0.0							
7140	C1-C2;~1	Max	1.778	4.242	13.371	0.0	0.0
0.0		Min	-2.310	-2.914	-25.230	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.052	4.801	15.197	0.0	0.0
		Min	-2.652	-3.547	-24.548	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.876	2.069	7.218	0.0	0.0
		Min	-1.155	-1.470	-14.163	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.990	2.323	8.036	0.0	0.0
		Min	-1.347	-1.780	-13.717	-0.0	-0.0
-0.0							
0.0	G1		-0.502	2.706	-12.380	-0.0	-0.0
0.0	G2		-0.203	1.078	-4.748	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.775	-2.251	0.304	0.0	0.0
-0.0	Q5_pc Y		-0.178	2.316	-0.226	-0.0	-0.0
-0.0	Q5_ps X		0.732	-2.158	0.278	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.140	2.225	-0.264	0.0	-0.0
0.0	INVS LU Max		7.911	2.837	-24.031	-0.0	-0.0
-0.0	Min		0.166	-12.602	-79.154	-0.0	-0.0
0.0	INVS LE Max		6.094	1.338	-18.712	-0.0	-0.0
-0.0	Min		0.461	-9.790	-59.504	-0.0	-0.0
7141 0.0	C1-C2;~1 Max		1.485	4.263	13.399	0.0	0.0
-0.0	Min		-2.446	-2.256	-25.298	-0.0	-0.0
0.0	C3-C4;~1 Max		1.748	4.757	15.229	0.0	0.0
-0.0	Min		-2.545	-2.580	-24.579	-0.0	-0.0
0.0	C1-C2;~2 Max		0.736	2.104	7.233	0.0	0.0
-0.0	Min		-1.229	-1.216	-14.203	-0.0	-0.0
0.0	C3-C4;~2 Max		0.851	2.334	8.053	0.0	0.0
-0.0	Min		-1.281	-1.368	-13.733	-0.0	-0.0
-0.0	G1		-1.386	3.779	-12.411	-0.0	-0.0
-0.0	G2		-0.533	1.520	-4.766	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.788	-2.267	0.305	0.0	0.0
-0.0	Q5_pc Y		-0.207	2.338	-0.224	-0.0	-0.0
-0.0	Q5_ps X		0.749	-2.163	0.278	0.0	0.0
-0.0	Q5_ps Y		-0.194	2.192	-0.261	-0.0	-0.0
-0.0	INVS LU Max		3.231	6.949	-23.921	-0.0	-0.0
-0.0	Min		-3.983	-7.165	-79.180	-0.0	-0.0
-0.0	INVS LE Max		2.533	4.439	-18.622	-0.0	-0.0
-0.0	Min		-2.706	-5.704	-59.514	-0.0	-0.0
7150 0.0	C1-C2;~1 Max		1.999	4.389	12.930	0.0	0.0
-0.0	Min		-2.898	-2.567	-27.000	-0.0	-0.0
0.0	C3-C4;~1 Max		2.356	4.526	14.703	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-3.257	-3.059	-26.263	-0.0	-0.0
0.0	C1-C2;~2	Max	0.987	2.172	6.978	0.0	0.0
-0.0		Min	-1.462	-1.330	-15.238	-0.0	-0.0
0.0	C3-C4;~2	Max	1.150	2.222	7.774	0.0	0.0
-0.0		Min	-1.664	-1.548	-14.755	-0.0	-0.0
-0.0		G1	-1.019	3.127	-14.562	-0.0	-0.0
-0.0		G2	-0.404	1.239	-5.596	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.796	-2.231	0.324	0.0	-0.0
0.0		Q5_pc Y	-0.172	2.319	-0.289	-0.0	-0.0
-0.0		Q5_ps X	0.752	-2.138	0.297	0.0	-0.0
0.0		Q5_ps Y	-0.134	2.230	-0.325	0.0	-0.0
0.0	INVSLU	Max	7.765	3.401	-34.120	-0.0	0.0
-0.0		Min	-1.246	-11.012	-91.003	-0.0	-0.0
0.0	INVSLE	Max	6.005	1.759	-26.356	-0.0	0.0
-0.0		Min	-0.564	-8.608	-68.448	-0.0	-0.0
7151	C1-C2;~1	Max	1.394	4.292	12.955	0.0	0.0
0.0		Min	-2.186	-2.207	-27.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.633	4.737	14.733	0.0	0.0
-0.0		Min	-2.299	-2.525	-26.333	-0.0	-0.0
0.0	C1-C2;~2	Max	0.702	2.116	6.992	0.0	0.0
-0.0		Min	-1.084	-1.192	-15.309	-0.0	-0.0
0.0	C3-C4;~2	Max	0.807	2.325	7.789	0.0	0.0
-0.0		Min	-1.148	-1.341	-14.798	-0.0	-0.0
-0.0		G1	-1.278	3.936	-14.607	-0.0	-0.0
-0.0		G2	-0.494	1.578	-5.620	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.793	-2.246	0.325	0.0	-0.0
0.0		Q5_pc Y	-0.191	2.332	-0.287	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0							
-0.0	Q5_ps X		0.754	-2.141	0.297	0.0	-0.0
0.0	Q5_ps Y		-0.179	2.186	-0.322	0.0	-0.0
0.0	INVS LU	Max	4.876	6.809	-34.003	-0.0	0.0
-0.0		Min	-1.860	-7.192	-91.075	-0.0	-0.0
0.0	INVS LE	Max	3.817	4.311	-26.259	-0.0	0.0
-0.0		Min	-1.067	-5.749	-68.491	-0.0	-0.0
7160	C1-C2;~1	Max	2.166	4.833	11.467	0.0	0.0
0.0		Min	-3.503	-2.288	-25.974	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.539	4.426	13.044	0.0	0.0
-0.0		Min	-3.891	-2.670	-25.234	-0.0	-0.0
0.0	C1-C2;~2	Max	1.078	2.467	6.188	0.0	0.0
-0.0		Min	-1.788	-1.217	-14.691	-0.0	-0.0
0.0	C3-C4;~2	Max	1.246	2.217	6.897	0.0	0.0
-0.0		Min	-2.016	-1.392	-14.205	-0.0	-0.0
-0.0	G1		-1.647	3.704	-15.054	-0.0	0.0
-0.0	G2		-0.647	1.462	-5.792	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.825	-2.194	0.312	0.0	-0.0
-0.0	Q5_pc Y		-0.194	2.264	-0.319	0.0	-0.0
0.0	Q5_ps X		0.779	-2.102	0.287	0.0	-0.0
-0.0	Q5_ps Y		-0.157	2.177	-0.351	0.0	-0.0
0.0	INVS LU	Max	7.106	5.001	-39.435	-0.0	0.0
-0.0		Min	-3.060	-9.203	-92.683	-0.0	-0.0
0.0	INVS LE	Max	5.530	2.951	-30.347	0.0	0.0
-0.0		Min	-1.890	-7.268	-69.748	-0.0	-0.0
7161	C1-C2;~1	Max	1.297	4.358	11.488	0.0	0.0
0.0		Min	-2.023	-2.184	-26.073	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.511	4.753	13.068	0.0	0.0
-0.0		Min	-2.127	-2.494	-25.295	-0.0	-0.0
0.0	C1-C2;~2	Max	0.665	2.144	6.200	0.0	0.0
-0.0		Min	-1.016	-1.178	-14.752	-0.0	-0.0
0.0	C3-C4;~2	Max	0.760	2.332	6.909	0.0	0.0
-0.0		Min	-1.073	-1.324	-14.241	-0.0	-0.0
-0.0	G1		-1.156	4.113	-15.106	-0.0	0.0
-0.0	G2		-0.449	1.645	-5.819	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.805	-2.205	0.312	0.0	-0.0
0.0	Q5_pc Y		-0.194	2.272	-0.316	-0.0	0.0
-0.0	Q5_ps X		0.767	-2.101	0.287	0.0	-0.0
0.0	Q5_ps Y		-0.182	2.130	-0.348	0.0	-0.0
0.0	INVSLU	Max	6.893	6.434	-39.317	-0.0	0.0
-0.0		Min	0.533	-7.440	-92.727	-0.0	0.0
0.0	INVSLE	Max	5.383	4.016	-30.249	-0.0	0.0
-0.0		Min	0.779	-5.958	-69.769	-0.0	0.0
7170	C1-C2;~1	Max	2.248	5.213	9.231	0.0	0.0
0.0		Min	-4.091	-2.205	-22.176	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.622	4.871	10.503	0.0	0.0
-0.0		Min	-4.421	-2.505	-21.542	-0.0	-0.0
0.0	C1-C2;~2	Max	1.122	2.697	4.982	0.0	0.0
-0.0		Min	-2.117	-1.183	-12.526	-0.0	-0.0
0.0	C3-C4;~2	Max	1.289	2.491	5.553	0.0	0.0
-0.0		Min	-2.308	-1.324	-12.113	-0.0	-0.0
-0.0	G1		-2.305	4.289	-13.651	-0.0	0.0
-0.0	G2		-0.902	1.688	-5.256	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.859	-2.141	0.267	0.0	-0.0
0.0	Q5_pc Y		-0.242	2.154	-0.302	0.0	0.0
-0.0	Q5_ps X		0.812	-2.048	0.247	-0.0	-0.0
0.0	Q5_ps Y		-0.207	2.066	-0.329	0.0	0.0
0.0	INVS LU	Max	6.160	6.709	-38.462	0.0	0.0
-0.0		Min	-4.895	-7.587	-83.123	-0.0	0.0
0.0	INVS LE	Max	4.838	4.231	-29.552	0.0	0.0
-0.0		Min	-3.236	-6.071	-62.594	-0.0	0.0
7171	C1-C2;~1	Max	1.199	4.495	9.248	0.0	0.0
0.0		Min	-1.859	-2.192	-22.238	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.389	4.810	10.522	0.0	0.0
-0.0		Min	-1.960	-2.493	-21.583	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.627	2.210	4.991	0.0	0.0
-0.0		Min	-0.950	-1.178	-12.560	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.714	2.358	5.563	0.0	0.0
-0.0		Min	-1.006	-1.319	-12.135	-0.0	-0.0
-0.0	G1		-1.027	4.300	-13.705	0.0	0.0
-0.0	G2		-0.401	1.716	-5.283	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.825	-2.146	0.267	0.0	-0.0
0.0	Q5_pc Y		-0.219	2.158	-0.301	-0.0	0.0
-0.0	Q5_ps X		0.787	-2.042	0.247	0.0	-0.0
0.0	Q5_ps Y		-0.205	2.021	-0.327	0.0	0.0
0.0	INVS LU	Max	9.074	6.121	-38.355	0.0	0.0
-0.0		Min	3.068	-7.623	-83.122	-0.0	0.0
0.0	INVS LE	Max	7.073	3.775	-29.462	-0.0	0.0
-0.0		Min	2.734	-6.118	-62.582	-0.0	0.0
7180	C1-C2;~1	Max	2.250	5.853	6.424	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.536	-2.394	-16.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.615	5.512	7.309	0.0	0.0
0.0		Min	-4.779	-2.706	-15.678	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.122	3.049	3.466	0.0	0.0
0.0		Min	-2.368	-1.258	-9.096	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.284	2.832	3.864	0.0	0.0
0.0		Min	-2.504	-1.403	-8.796	-0.0	-0.0
-0.0							
-0.0	G1		-2.896	4.886	-10.413	0.0	0.0
-0.0	G2		-1.131	1.918	-4.010	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.897	-2.070	0.194	0.0	-0.0
-0.0	Q5_pc Y		-0.313	1.991	-0.234	0.0	0.0
0.0	Q5_ps X		0.849	-1.977	0.180	-0.0	-0.0
-0.0	Q5_ps Y		-0.280	1.900	-0.254	0.0	0.0
0.0							
0.0	INVSLU	Max	5.131	8.822	-30.862	0.0	0.0
0.0		Min	-6.465	-6.460	-62.945	0.0	0.0
-0.0							
0.0	INVSLE	Max	4.079	5.811	-23.706	0.0	0.0
0.0		Min	-4.391	-5.232	-47.440	0.0	0.0
-0.0							
7181	C1-C2;~1	Max	1.142	4.923	6.434	0.0	0.0
0.0		Min	-1.735	-2.279	-16.190	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.321	5.240	7.321	0.0	0.0
0.0		Min	-1.846	-2.585	-15.712	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.606	2.465	3.472	0.0	0.0
0.0		Min	-0.898	-1.209	-9.120	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.688	2.626	3.870	0.0	0.0
0.0		Min	-0.958	-1.352	-8.816	-0.0	-0.0
-0.0							
-0.0	G1		-0.900	4.507	-10.455	0.0	0.0
-0.0	G2		-0.353	1.793	-4.032	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.851	-2.068	0.194	0.0	-0.0
-0.0	Q5_pc Y		-0.264	1.992	-0.233	-0.0	0.0
0.0	Q5_ps X		0.812	-1.967	0.180	-0.0	-0.0
-0.0	Q5_ps Y		-0.249	1.862	-0.253	0.0	0.0
0.0	INVS LU	Max	11.188	6.371	-30.772	0.0	0.0
-0.0		Min	5.380	-7.917	-62.930	-0.0	0.0
0.0	INVS LE	Max	8.713	3.952	-23.629	0.0	0.0
-0.0		Min	4.524	-6.355	-47.419	-0.0	0.0
7190	C1-C2;~1	Max	2.167	6.570	3.226	0.0	0.0
0.0		Min	-4.734	-2.757	-8.425	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.511	6.658	3.670	0.0	0.0
0.0		Min	-4.876	-3.148	-8.156	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.077	3.436	1.741	0.0	0.0
0.0		Min	-2.483	-1.401	-4.734	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.228	3.440	1.940	0.0	0.0
0.0		Min	-2.557	-1.578	-4.564	-0.0	-0.0
-0.0	G1		-3.284	5.421	-5.612	0.0	0.0
-0.0	G2		-1.282	2.125	-2.160	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.937	-1.981	0.097	-0.0	-0.0
-0.0	Q5_pc Y		-0.403	1.768	-0.115	-0.0	0.0
0.0	Q5_ps X		0.889	-1.887	0.091	-0.0	-0.0
-0.0	Q5_ps Y		-0.372	1.673	-0.129	0.0	0.0
0.0	INVS LU	Max	4.279	11.034	-17.231	0.0	0.0
-0.0		Min	-7.380	-5.769	-33.767	0.0	0.0
0.0	INVS LE	Max	3.447	7.467	-13.244	0.0	0.0
-0.0		Min	-5.065	-4.715	-25.477	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7191	C1-C2;~1	Max	1.176	5.548	3.231	0.0	0.0
0.0		Min	-1.703	-2.502	-8.452	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.353	5.893	3.676	0.0	0.0
0.0		Min	-1.831	-2.846	-8.174	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.621	2.814	1.743	0.0	0.0
0.0		Min	-0.884	-1.294	-4.748	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.702	2.999	1.943	0.0	0.0
0.0		Min	-0.951	-1.452	-4.574	-0.0	-0.0
-0.0							
	G1		-0.780	4.734	-5.639	0.0	0.0
-0.0							
	G2		-0.309	1.879	-2.176	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.883	-1.977	0.097	0.0	-0.0
-0.0							
	Q5_pc Y		-0.330	1.780	-0.114	-0.0	0.0
0.0							
	Q5_ps X		0.843	-1.878	0.091	-0.0	-0.0
-0.0							
	Q5_ps Y		-0.311	1.658	-0.128	-0.0	0.0
0.0							
	INVSLU	Max	13.049	7.068	-17.158	0.0	0.0
0.0		Min	7.161	-8.287	-33.735	-0.0	0.0
-0.0							
	INVSLE	Max	10.164	4.465	-13.180	0.0	0.0
0.0		Min	5.920	-6.646	-25.444	-0.0	0.0
-0.0							
7206	C1-C2;~1	Max	1.557	7.061	22.664	0.0	0.0
0.0		Min	-3.088	-4.998	-38.445	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.446	7.390	26.122	0.0	0.0
0.0		Min	-4.052	-5.740	-39.944	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.782	3.764	11.403	0.0	0.0
0.0		Min	-1.571	-2.594	-20.495	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.689	3.944	12.906	0.0	0.0
0.0		Min	-2.141	-2.928	-21.334	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	G1	-1.848	2.115	-15.880	0.0	0.0
0.0	G2	-0.716	0.836	-6.185	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.897	-0.919	0.459	-0.0	-0.0
0.0	Q5_pc Y	-0.683	1.452	-2.755	0.0	0.0
-0.0	Q5_ps X	1.886	-0.879	0.519	-0.0	-0.0
0.0	Q5_ps Y	-0.609	1.371	-2.584	0.0	0.0
-0.0						
0.0	INVS LU Max	2.277	11.485	-6.456	0.0	0.0
0.0	Min	-8.785	-8.855	-100.603	0.0	-0.0
-0.0						
0.0	INVS LE Max	1.579	8.200	-5.505	0.0	0.0
0.0	Min	-6.306	-6.673	-74.876	0.0	-0.0
-0.0						
7207	C1-C2;~1 Max	2.042	5.595	6.880	0.0	0.0
0.0	Min	-4.268	-2.336	-16.398	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.367	5.283	7.838	0.0	0.0
0.0	Min	-4.559	-2.644	-16.747	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.009	2.900	3.712	0.0	0.0
0.0	Min	-2.210	-1.235	-9.167	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.152	2.706	4.143	0.0	0.0
0.0	Min	-2.377	-1.379	-9.365	-0.0	-0.0
-0.0						
-0.0	G1	-2.847	4.703	-11.011	0.0	0.0
-0.0	G2	-1.114	1.847	-4.270	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.948	-2.086	0.216	0.0	-0.0
-0.0	Q5_pc Y	-0.419	2.024	-0.262	-0.0	0.0
0.0	Q5_ps X	0.898	-1.993	0.187	-0.0	-0.0
-0.0	Q5_ps Y	-0.377	1.932	-0.223	0.0	0.0
0.0						
0.0	INVS LU Max	5.087	8.087	-31.830	0.0	0.0
0.0	Min	-5.969	-6.791	-65.492	0.0	0.0
-0.0						
0.0	INVS LE Max	4.053	5.264	-24.427	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-4.010	-5.479	-49.327	0.0	0.0
-0.0							
7208	C1-C2;~1	Max	2.106	3.677	18.792	0.0	0.0
0.0		Min	-4.273	-4.010	-35.706	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.218	4.897	20.455	0.0	0.0
0.0		Min	-5.153	-4.311	-39.742	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.116	1.773	9.522	0.0	0.0
0.0		Min	-2.170	-2.042	-19.282	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.181	2.396	10.247	0.0	0.0
0.0		Min	-2.582	-2.221	-21.134	-0.0	-0.0
-0.0							
-0.0	G1		-3.563	0.189	-17.588	0.0	0.0
-0.0	G2		-1.402	0.098	-6.886	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.589	-0.214	0.001	0.0	-0.0
-0.0	Q5_pc Y		1.391	2.093	0.121	-0.0	0.0
0.0	Q5_ps X		0.569	-0.235	0.011	-0.0	-0.0
-0.0	Q5_ps Y		1.288	2.057	0.002	0.0	0.0
0.0							
0.0	INVSLU	Max	5.120	12.847	-15.106	0.0	0.0
0.0		Min	-7.333	-3.352	-96.590	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.112	9.612	-11.476	0.0	0.0
0.0		Min	-4.927	-2.108	-71.817	-0.0	0.0
-0.0							
7209	C1-C2;~1	Max	1.562	1.888	20.011	0.0	0.0
0.0		Min	-2.785	-2.440	-31.327	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.595	2.181	22.900	0.0	0.0
0.0		Min	-3.621	-2.799	-32.667	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.820	0.992	10.184	0.0	0.0
0.0		Min	-1.412	-1.312	-16.607	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.788	1.162	11.443	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-1.908	-1.481	-17.332	-0.0	-0.0
-0.0	G1		-1.520	-0.785	-11.860	-0.0	0.0
-0.0	G2		-0.584	-0.299	-4.644	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.630	-0.628	0.680	0.0	-0.0
-0.0	Q5_pc Y		-0.731	0.785	-3.496	-0.0	0.0
0.0	Q5_ps X		1.616	-0.607	0.707	0.0	-0.0
-0.0	Q5_ps Y		-0.658	0.737	-3.286	-0.0	0.0
0.0	INVSLU	Max	2.176	0.612	3.675	-0.0	0.0
0.0		Min	-7.798	-7.525	-77.633	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.564	0.318	2.205	-0.0	0.0
0.0		Min	-5.607	-5.605	-57.557	-0.0	-0.0
-0.0							
7210	C1-C2;~1	Max	2.757	2.188	6.114	0.0	0.0
0.0		Min	-4.991	-3.078	-9.152	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.887	2.293	6.538	0.0	0.0
0.0		Min	-5.804	-3.304	-10.219	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.384	1.090	3.219	0.0	0.0
0.0		Min	-2.529	-1.538	-4.922	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.458	1.148	3.412	0.0	0.0
0.0		Min	-2.892	-1.626	-5.407	-0.0	-0.0
-0.0							
-0.0	G1		-3.363	-1.380	-3.541	0.0	0.0
-0.0	G2		-1.319	-0.539	-1.399	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.532	0.075	-0.030	0.0	0.0
-0.0	Q5_pc Y		1.571	1.548	0.059	-0.0	-0.0
0.0	Q5_ps X		0.509	0.064	-0.023	0.0	0.0
-0.0	Q5_ps Y		1.467	1.477	0.019	-0.0	-0.0
0.0							
0.0	INVSLU	Max	8.127	7.892	2.550	0.0	0.0
0.0		Min	-6.433	-2.451	-20.176	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	6.415	6.068	1.939	0.0	0.0
-0.0		Min	-4.161	-1.388	-14.887	-0.0	-0.0
7211	C1-C2;~1	Max	3.324	6.405	18.606	0.0	0.0
0.0		Min	-3.511	-6.374	-29.951	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.984	7.774	20.775	0.0	0.0
-0.0		Min	-4.039	-7.406	-33.128	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.666	3.179	9.597	0.0	0.0
0.0		Min	-1.824	-3.338	-16.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.523	3.855	10.572	0.0	0.0
-0.0		Min	-2.064	-3.816	-17.459	-0.0	-0.0
0.0	G1		-0.547	0.583	-12.626	0.0	-0.0
0.0	G2		-0.224	0.251	-4.970	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.537	-0.132	0.235	-0.0	0.0
-0.0	Q5_pc Y		1.205	2.273	-0.502	0.0	0.0
0.0	Q5_ps X		0.524	-0.150	0.228	-0.0	-0.0
-0.0	Q5_ps Y		1.115	2.215	-0.562	0.0	0.0
0.0	INVSLE	Max	9.583	17.168	-1.176	0.0	-0.0
-0.0		Min	-2.525	-7.415	-74.848	0.0	-0.0
0.0	INVSLE	Max	7.289	12.766	-1.068	0.0	-0.0
-0.0		Min	-1.519	-5.141	-55.573	0.0	-0.0
7212	C1-C2;~1	Max	2.544	2.373	11.772	0.0	0.0
0.0		Min	-5.017	-3.301	-19.063	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.668	2.642	12.644	0.0	0.0
-0.0		Min	-5.854	-3.132	-21.230	-0.0	-0.0
0.0	C1-C2;~2	Max	1.295	1.190	6.139	0.0	0.0
-0.0		Min	-2.556	-1.670	-10.266	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.366	1.316	6.531	0.0	0.0
-0.0		Min	-2.933	-1.598	-11.255	-0.0	-0.0
0.0	G1		-3.744	-0.900	-8.083	0.0	0.0
-0.0	G2		-1.468	-0.342	-3.159	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.547	-0.046	-0.057	0.0	-0.0
0.0	Q5_pc Y		1.525	1.751	0.133	-0.0	-0.0
-0.0	Q5_ps X		0.524	-0.061	-0.049	0.0	-0.0
0.0	Q5_ps Y		1.422	1.694	0.065	-0.0	0.0
-0.0	INVSLU	Max	6.606	8.758	1.095	0.0	0.0
0.0		Min	-7.645	-2.417	-44.875	-0.0	0.0
-0.0	INVSLE	Max	5.266	6.661	0.845	0.0	0.0
0.0		Min	-5.087	-1.383	-33.189	-0.0	0.0
-0.0							
7213	C1-C2;~1	Max	2.053	5.055	9.887	0.0	0.0
0.0		Min	-3.845	-2.207	-22.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.390	4.700	11.264	0.0	0.0
-0.0		Min	-4.214	-2.514	-23.021	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.016	2.607	5.334	0.0	0.0
0.0		Min	-1.973	-1.184	-12.620	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.165	2.391	5.954	0.0	0.0
-0.0		Min	-2.190	-1.328	-12.888	-0.0	-0.0
0.0							
-0.0	G1		-2.266	4.076	-14.421	-0.0	0.0
-0.0	G2		-0.889	1.605	-5.586	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.900	-2.153	0.291	0.0	-0.0
0.0	Q5_pc Y		-0.316	2.180	-0.310	-0.0	0.0
-0.0	Q5_ps X		0.851	-2.061	0.253	-0.0	-0.0
0.0	Q5_ps Y		-0.275	2.092	-0.264	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	6.122	6.068	-39.578	0.0	0.0
		Min	-4.413	-8.074	-86.420	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.817	3.754	-30.377	0.0	0.0
		Min	-2.867	-6.431	-65.034	-0.0	0.0
-0.0							
7214 0.0	C1-C2;~1	Max	1.852	4.361	13.870	0.0	0.0
		Min	-2.761	-2.705	-27.523	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.173	4.607	15.801	0.0	0.0
		Min	-3.131	-3.233	-28.172	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.906	2.149	7.483	0.0	0.0
		Min	-1.394	-1.386	-15.361	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.050	2.253	8.353	0.0	0.0
		Min	-1.605	-1.619	-15.739	-0.0	-0.0
-0.0							
-0.0	G1		-0.971	2.936	-15.388	-0.0	-0.0
-0.0	G2		-0.387	1.164	-5.954	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.816	-2.232	0.352	0.0	-0.0
-0.0	Q5_pc Y		-0.189	2.327	-0.266	-0.0	-0.0
0.0	Q5_ps X		0.771	-2.140	0.306	0.0	0.0
-0.0	Q5_ps Y		-0.150	2.241	-0.221	0.0	-0.0
0.0							
-0.0	INVS LU	Max	7.820	3.143	-34.877	-0.0	-0.0
		Min	-0.809	-11.630	-94.875	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	6.054	1.568	-26.911	-0.0	-0.0
		Min	-0.229	-9.065	-71.308	-0.0	-0.0
-0.0							
7216 0.0	C1-C2;~1	Max	1.012	0.737	8.115	0.0	0.0
		Min	-1.070	-0.347	-10.190	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.130	0.811	8.574	0.0	0.0
		Min	-1.514	-0.263	-11.532	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.523	0.384	4.177	0.0	0.0
		Min	-0.539	-0.188	-5.381	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.592	0.413	4.408	0.0	0.0
		Min	-0.767	-0.136	-5.974	-0.0	-0.0
-0.0							
0.0	G1		-0.073	0.663	-2.833	0.0	-0.0
0.0	G2		-0.042	0.261	-1.090	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.465	-0.207	-0.152	0.0	0.0
0.0	Q5_pc Y		0.778	-0.043	1.492	-0.0	0.0
0.0	Q5_ps X		0.455	-0.205	-0.133	0.0	0.0
0.0	Q5_ps Y		0.735	-0.041	1.417	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.445	2.653	6.633	0.0	0.0
		Min	-2.525	0.716	-23.195	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.783	1.957	4.788	0.0	0.0
		Min	-1.795	0.550	-17.109	-0.0	-0.0
-0.0							
7217	C1-C2;~1	Max	1.156	5.573	6.196	0.0	0.0
0.0		Min	-1.428	-3.711	-7.880	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.099	6.403	7.063	0.0	0.0
		Min	-1.553	-4.244	-8.090	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.601	2.801	3.344	0.0	0.0
		Min	-0.717	-1.858	-4.285	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.564	3.188	3.735	0.0	0.0
		Min	-0.779	-2.129	-4.399	-0.0	-0.0
-0.0							
-0.0	G1		-0.612	2.769	-2.246	-0.0	-0.0
-0.0	G2		-0.246	1.110	-0.879	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.754	-2.120	0.102	0.0	0.0
0.0	Q5_pc Y		-0.326	1.991	0.026	0.0	-0.0
-0.0	Q5_ps X		0.716	-2.032	0.088	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.296	1.887	0.038	0.0	-0.0
0.0	INVS LU Max		4.783	4.724	2.316	0.0	0.0
-0.0	Min		-0.231	-13.466	-18.324	-0.0	-0.0
0.0	INVS LE Max		3.695	2.752	1.574	0.0	0.0
-0.0	Min		0.082	-10.439	-13.701	-0.0	-0.0
7218 0.0	C1-C2;~1 Max		2.529	1.883	20.456	0.0	0.0
-0.0	Min		-3.069	-1.170	-30.608	-0.0	-0.0
0.0	C3-C4;~1 Max		2.772	2.271	21.762	0.0	0.0
-0.0	Min		-4.384	-0.925	-34.627	-0.0	-0.0
0.0	C1-C2;~2 Max		1.313	0.948	10.358	0.0	0.0
-0.0	Min		-1.562	-0.643	-16.318	-0.0	-0.0
0.0	C3-C4;~2 Max		1.452	1.126	10.991	0.0	0.0
-0.0	Min		-2.238	-0.493	-18.106	-0.0	-0.0
0.0	G1		-0.620	1.551	-11.770	0.0	-0.0
0.0	G2		-0.284	0.624	-4.489	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.764	-0.362	-0.431	0.0	0.0
0.0	Q5_pc Y		1.813	-0.082	3.618	-0.0	-0.0
0.0	Q5_ps X		0.768	-0.373	-0.388	0.0	0.0
0.0	Q5_ps Y		1.710	-0.077	3.438	-0.0	-0.0
0.0	INVS LU Max		6.061	6.746	2.740	0.0	0.0
-0.0	Min		-6.863	1.449	-79.899	0.0	-0.0
0.0	INVS LE Max		4.458	5.004	1.503	0.0	0.0
-0.0	Min		-4.874	1.128	-59.228	0.0	-0.0
7219 0.0	C1-C2;~1 Max		3.393	2.519	25.039	0.0	0.0
-0.0	Min		-4.788	-2.257	-42.689	-0.0	-0.0
0.0	C3-C4;~1 Max		3.686	2.883	26.889	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-6.740	-1.820	-48.276	-0.0	-0.0
0.0	C1-C2;~2	Max	1.758	1.305	12.406	0.0	0.0
-0.0		Min	-2.465	-1.241	-22.911	-0.0	-0.0
0.0	C3-C4;~2	Max	1.920	1.456	13.266	0.0	0.0
-0.0		Min	-3.491	-0.973	-25.410	-0.0	-0.0
0.0		G1	-1.684	1.204	-18.768	0.0	0.0
0.0		G2	-0.709	0.507	-7.181	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.935	-0.486	-0.505	0.0	0.0
0.0	Q5_pc Y		2.299	0.053	4.232	-0.0	-0.0
0.0	Q5_ps X		0.944	-0.504	-0.438	-0.0	-0.0
0.0	Q5_ps Y		2.167	0.053	4.030	-0.0	-0.0
0.0	INVSLU	Max	6.831	7.378	-12.643	0.0	0.0
-0.0		Min	-11.381	-0.435	-121.732	0.0	-0.0
0.0	INVSLE	Max	5.044	5.492	-10.290	0.0	0.0
-0.0		Min	-8.140	-0.231	-90.533	0.0	-0.0
7220	C1-C2;~1	Max	1.659	6.104	24.247	0.0	0.0
0.0		Min	-3.550	-4.563	-43.438	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.672	6.433	27.983	0.0	0.0
-0.0		Min	-4.641	-5.230	-45.166	-0.0	-0.0
0.0	C1-C2;~2	Max	0.817	3.265	12.051	0.0	0.0
-0.0		Min	-1.809	-2.394	-23.205	-0.0	-0.0
0.0	C3-C4;~2	Max	0.801	3.445	13.666	0.0	0.0
-0.0		Min	-2.457	-2.696	-24.169	-0.0	-0.0
0.0		G1	-2.116	1.545	-18.791	0.0	0.0
0.0		G2	-0.820	0.614	-7.326	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		2.065	-0.875	0.629	-0.0	-0.0
0.0	Q5_pc Y		-0.782	1.358	-3.393	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	2.056	-0.838	0.692	-0.0	-0.0
0.0	Q5_ps Y	-0.697	1.281	-3.182	0.0	0.0
0.0						
0.0	INVS LU Max	2.378	9.452	-12.679	0.0	0.0
0.0	Min	-9.932	-8.737	-117.536	0.0	-0.0
-0.0						
0.0	INVS LE Max	1.657	6.725	-10.275	0.0	0.0
0.0	Min	-7.135	-6.568	-87.495	0.0	-0.0
-0.0						
7221	C1-C2;~1 Max	3.021	2.501	11.303	0.0	0.0
0.0	Min	-3.964	-3.751	-15.368	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	3.175	3.003	12.611	0.0	0.0
0.0	Min	-4.674	-4.456	-16.110	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.503	1.276	6.077	0.0	0.0
0.0	Min	-1.940	-1.926	-8.416	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.587	1.566	6.681	0.0	0.0
0.0	Min	-2.253	-2.256	-8.771	-0.0	-0.0
-0.0						
0.0	G1	-1.779	-2.056	-5.100	-0.0	-0.0
0.0	G2	-0.705	-0.806	-1.979	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.534	0.043	0.137	-0.0	0.0
0.0	Q5_pc Y	1.615	1.680	-0.189	0.0	-0.0
0.0	Q5_ps X	0.508	0.032	0.142	-0.0	0.0
0.0	Q5_ps Y	1.519	1.610	-0.170	0.0	-0.0
0.0						
0.0	INVS LU Max	12.654	7.494	0.606	0.0	-0.0
0.0	Min	-0.850	-5.601	-38.508	-0.0	-0.0
-0.0						
0.0	INVS LE Max	9.826	5.755	0.118	0.0	-0.0
0.0	Min	0.038	-3.721	-28.830	-0.0	-0.0
-0.0						
7222	C1-C2;~1 Max	1.601	5.991	22.338	0.0	0.0
0.0	Min	-3.089	-5.207	-40.510	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~1	Max	1.654	6.383	23.131	0.0	0.0
-0.0		Min	-4.661	-6.645	-46.234	-0.0	-0.0
0.0	C1-C2;~2	Max	0.812	3.126	11.285	0.0	0.0
-0.0		Min	-1.592	-2.562	-21.915	-0.0	-0.0
0.0	C3-C4;~2	Max	0.888	3.342	11.720	0.0	0.0
-0.0		Min	-2.416	-3.237	-24.472	-0.0	-0.0
-0.0	G1		-1.887	0.313	-19.939	-0.0	0.0
-0.0	G2		-0.787	0.105	-7.820	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.498	-1.060	0.499	0.0	-0.0
0.0	Q5_pc Y		-0.060	1.761	0.334	-0.0	-0.0
-0.0	Q5_ps X		1.458	-0.994	0.506	0.0	-0.0
0.0	Q5_ps Y		-0.007	1.691	0.354	-0.0	-0.0
0.0	INVSLU	Max	2.607	4.236	-19.569	-0.0	0.0
-0.0		Min	-8.614	-16.522	-114.108	-0.0	-0.0
0.0	INVSLE	Max	1.954	2.648	-14.964	-0.0	0.0
-0.0		Min	-6.159	-12.493	-84.926	-0.0	-0.0
7223	C1-C2;~1	Max	0.792	8.259	7.679	0.0	0.0
0.0		Min	-0.916	-6.538	-9.859	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.877	8.746	7.970	0.0	0.0
-0.0		Min	-1.340	-7.718	-11.307	-0.0	-0.0
0.0	C1-C2;~2	Max	0.417	4.312	3.995	0.0	0.0
-0.0		Min	-0.461	-3.207	-5.228	-0.0	-0.0
0.0	C3-C4;~2	Max	0.464	4.581	4.158	0.0	0.0
-0.0		Min	-0.673	-3.726	-5.867	-0.0	-0.0
-0.0	G1		-0.168	0.852	-3.034	-0.0	-0.0
-0.0	G2		-0.078	0.338	-1.208	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_pc X		0.653	-1.225	0.169	0.0	0.0
-0.0	Q5_pc Y		0.015	1.731	0.324	0.0	0.0
0.0	Q5_ps X		0.629	-1.173	0.169	0.0	0.0
-0.0	Q5_ps Y		0.027	1.638	0.317	0.0	0.0
0.0	INVS LU	Max	1.690	9.256	4.996	0.0	0.0
-0.0		Min	-2.479	-16.086	-21.612	-0.0	-0.0
0.0	INVS LE	Max	1.224	6.428	3.686	0.0	0.0
-0.0		Min	-1.777	-12.113	-15.980	-0.0	-0.0
7224	C1-C2;~1	Max	1.664	6.614	21.345	0.0	0.0
0.0		Min	-2.722	-5.947	-36.179	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.732	7.036	22.118	0.0	0.0
-0.0		Min	-4.121	-7.413	-41.326	-0.0	-0.0
0.0	C1-C2;~2	Max	0.840	3.445	10.880	0.0	0.0
-0.0		Min	-1.394	-2.935	-19.496	-0.0	-0.0
0.0	C3-C4;~2	Max	0.924	3.678	11.306	0.0	0.0
-0.0		Min	-2.118	-3.613	-21.791	-0.0	-0.0
-0.0	G1		-1.328	-0.013	-16.874	-0.0	0.0
-0.0	G2		-0.565	-0.019	-6.619	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.377	-1.077	0.477	0.0	-0.0
0.0	Q5_pc Y		-0.016	1.756	0.455	-0.0	-0.0
-0.0	Q5_ps X		1.342	-1.013	0.479	0.0	-0.0
0.0	Q5_ps Y		0.030	1.682	0.463	-0.0	-0.0
0.0	INVS LU	Max	3.225	4.778	-11.961	-0.0	0.0
-0.0		Min	-7.156	-17.889	-98.468	-0.0	-0.0
0.0	INVS LE	Max	2.398	3.069	-9.238	-0.0	0.0
-0.0		Min	-5.108	-13.488	-73.253	-0.0	-0.0
7225	C1-C2;~1	Max	1.723	5.022	24.520	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-3.757	-4.093	-45.235	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.818	5.355	28.299	0.0	0.0
0.0		Min	-4.908	-4.685	-47.111	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.846	2.691	12.060	0.0	0.0
0.0		Min	-1.915	-2.168	-24.177	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.878	2.875	13.679	0.0	0.0
0.0		Min	-2.601	-2.438	-25.227	-0.0	-0.0
-0.0							
0.0		G1	-2.221	0.852	-19.851	0.0	0.0
0.0		G2	-0.860	0.344	-7.747	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	X	2.124	-0.835	0.752	-0.0	-0.0
-0.0	Q5_pc	Y	-0.843	1.247	-3.837	0.0	0.0
0.0	Q5_ps	X	2.115	-0.802	0.812	-0.0	-0.0
-0.0	Q5_ps	Y	-0.752	1.175	-3.599	0.0	0.0
0.0							
0.0	INVSLU	Max	2.467	7.006	-15.154	0.0	0.0
0.0		Min	-10.436	-8.794	-123.865	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	1.774	4.945	-12.175	0.0	0.0
0.0		Min	-7.500	-6.593	-92.190	-0.0	-0.0
-0.0							
7226	C1-C2;~1	Max	0.651	5.077	11.931	0.0	0.0
0.0		Min	-2.566	-3.227	-18.701	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.728	5.243	12.251	0.0	0.0
0.0		Min	-3.355	-3.629	-21.271	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.326	2.556	6.215	0.0	0.0
0.0		Min	-1.340	-1.649	-10.109	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.361	2.614	6.387	0.0	0.0
0.0		Min	-1.736	-1.837	-11.256	-0.0	-0.0
-0.0							
-0.0		G1	-2.382	3.050	-7.808	0.0	0.0
-0.0		G2	-0.951	1.195	-3.062	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.192	-1.543	0.011	-0.0	-0.0
0.0	Q5_pc Y	-0.368	1.776	0.018	-0.0	0.0
0.0	Q5_ps X	1.147	-1.467	0.030	0.0	-0.0
0.0	Q5_ps Y	-0.322	1.693	0.035	-0.0	0.0
0.0	INVS LU Max	1.040	4.746	1.532	0.0	0.0
-0.0	INVS LU Min	-6.771	-10.429	-43.754	0.0	0.0
0.0	INVS LE Max	0.824	2.867	1.184	0.0	0.0
-0.0	INVS LE Min	-4.754	-8.137	-32.360	0.0	0.0
7228	C1-C2;~1 Max	1.024	8.333	14.670	0.0	0.0
0.0	C1-C2;~1 Min	-1.558	-5.799	-21.023	-0.0	-0.0
-0.0	C3-C4;~1 Max	0.772	8.703	16.865	0.0	0.0
0.0	C3-C4;~1 Min	-2.061	-6.704	-21.800	-0.0	-0.0
-0.0	C1-C2;~2 Max	0.547	4.397	7.549	0.0	0.0
0.0	C1-C2;~2 Min	-0.790	-2.932	-11.131	-0.0	-0.0
-0.0	C3-C4;~2 Max	0.375	4.599	8.514	0.0	0.0
0.0	C3-C4;~2 Min	-1.083	-3.333	-11.565	-0.0	-0.0
-0.0	G1	-0.926	2.427	-6.750	0.0	0.0
0.0	G2	-0.356	0.955	-2.621	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.251	-1.062	0.102	-0.0	-0.0
0.0	Q5_pc Y	-0.386	1.603	-1.215	0.0	0.0
-0.0	Q5_ps X	1.235	-1.016	0.139	-0.0	-0.0
0.0	Q5_ps Y	-0.344	1.514	-1.141	0.0	0.0
-0.0	INVS LU Max	1.643	12.953	7.083	0.0	0.0
0.0	INVS LU Min	-4.856	-10.732	-47.303	0.0	-0.0
-0.0	INVS LE Max	1.118	9.224	5.023	0.0	0.0
0.0	INVS LE Min	-3.475	-8.107	-35.100	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7229	C1-C2;~1	Max	2.395	5.969	22.084	0.0	0.0
0.0		Min	-3.200	-5.466	-41.349	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.340	7.613	24.513	0.0	0.0
0.0		Min	-3.847	-6.337	-45.929	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.231	2.968	11.193	0.0	0.0
0.0		Min	-1.621	-2.860	-22.279	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.242	3.794	12.282	0.0	0.0
0.0		Min	-1.906	-3.264	-24.383	-0.0	-0.0
-0.0							
0.0	G1		-1.642	0.991	-20.207	0.0	-0.0
0.0	G2		-0.655	0.417	-7.932	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.602	-0.248	0.176	-0.0	-0.0
0.0	Q5_pc Y		1.225	2.328	-0.231	-0.0	0.0
-0.0	Q5_ps X		0.586	-0.271	0.178	-0.0	-0.0
0.0	Q5_ps Y		1.128	2.289	-0.344	0.0	0.0
-0.0							
	INVSLU	Max	7.401	17.453	-18.884	0.0	0.0
0.0		Min	-3.232	-5.568	-114.396	0.0	-0.0
-0.0							
	INVSLE	Max	5.729	12.969	-14.437	0.0	0.0
0.0		Min	-1.983	-3.773	-85.155	0.0	-0.0
-0.0							
7230	C1-C2;~1	Max	3.307	0.956	3.366	0.0	0.0
0.0		Min	-7.397	-2.420	-8.064	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.552	0.994	3.756	0.0	0.0
0.0		Min	-7.903	-2.315	-8.268	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.645	0.506	1.810	0.0	0.0
0.0		Min	-3.858	-1.270	-4.512	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.766	0.530	1.989	0.0	0.0
0.0		Min	-4.065	-1.192	-4.603	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-5.720	-2.165	-5.584	0.0	0.0
0.0	G2		-2.230	-0.846	-2.179	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.592	0.071	0.009	0.0	-0.0
0.0	Q5_pc Y		1.494	1.075	0.060	-0.0	-0.0
-0.0	Q5_ps X		0.567	0.066	0.014	0.0	-0.0
0.0	Q5_ps Y		1.409	1.027	0.052	-0.0	-0.0
0.0	INVS LU	Max	6.521	2.125	-16.884	0.0	0.0
-0.0		Min	-11.632	-4.417	-33.224	0.0	0.0
0.0	INVS LE	Max	5.360	1.730	-12.977	0.0	0.0
-0.0		Min	-7.887	-2.973	-25.072	0.0	0.0
7231	C1-C2;~1	Max	3.114	1.016	6.799	0.0	0.0
0.0		Min	-6.627	-2.610	-15.764	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.323	1.113	7.585	0.0	0.0
-0.0		Min	-7.047	-2.361	-16.167	-0.0	-0.0
0.0	C1-C2;~2	Max	1.567	0.533	3.655	0.0	0.0
-0.0		Min	-3.442	-1.362	-8.831	-0.0	-0.0
0.0	C3-C4;~2	Max	1.674	0.581	4.017	0.0	0.0
-0.0		Min	-3.598	-1.202	-9.013	-0.0	-0.0
0.0	G1		-5.132	-2.077	-10.454	0.0	0.0
0.0	G2		-2.003	-0.813	-4.056	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.581	0.006	0.029	0.0	-0.0
0.0	Q5_pc Y		1.543	1.348	0.090	-0.0	-0.0
-0.0	Q5_ps X		0.554	-0.003	0.036	-0.0	-0.0
0.0	Q5_ps Y		1.460	1.303	0.086	0.0	-0.0
0.0	INVS LU	Max	7.534	2.916	-30.423	0.0	0.0
-0.0		Min	-9.243	-4.557	-62.649	0.0	0.0
0.0	INVS LE	Max	6.113	2.291	-23.361	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-6.109	-3.049	-47.221	0.0	0.0
-0.0							
7232	C1-C2;~1	Max	1.989	4.746	12.288	0.0	0.0
0.0		Min	-3.285	-2.364	-26.390	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.328	4.391	14.000	0.0	0.0
0.0		Min	-3.701	-2.787	-26.947	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.982	2.413	6.630	0.0	0.0
0.0		Min	-1.664	-1.249	-14.767	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.133	2.184	7.400	0.0	0.0
0.0		Min	-1.909	-1.439	-15.084	-0.0	-0.0
-0.0							
-0.0	G1		-1.607	3.484	-15.897	-0.0	0.0
-0.0	G2		-0.634	1.376	-6.154	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.856	-2.203	0.337	0.0	-0.0
-0.0	Q5_pc Y		-0.238	2.283	-0.307	-0.0	-0.0
0.0	Q5_ps X		0.809	-2.111	0.294	0.0	-0.0
-0.0	Q5_ps Y		-0.198	2.197	-0.260	0.0	-0.0
0.0							
0.0	INVS LU	Max	7.096	4.442	-40.455	0.0	0.0
0.0		Min	-2.583	-9.837	-96.340	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.531	2.536	-31.099	0.0	0.0
0.0		Min	-1.525	-7.736	-72.450	-0.0	-0.0
-0.0							
7233	C1-C2;~1	Max	1.326	7.821	14.386	0.0	0.0
0.0		Min	-1.594	-6.659	-20.170	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.386	8.296	14.925	0.0	0.0
0.0		Min	-2.386	-8.005	-23.059	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.689	4.077	7.448	0.0	0.0
0.0		Min	-0.807	-3.278	-10.752	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.734	4.339	7.748	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0		Min	-1.205	-3.886	-12.032	-0.0	-0.0
-0.0	G1		-0.360	0.256	-7.305	-0.0	-0.0
-0.0	G2		-0.167	0.099	-2.868	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.938	-1.171	0.277	0.0	-0.0
-0.0	Q5_pc Y		0.029	1.743	0.526	0.0	-0.0
-0.0	Q5_ps X		0.910	-1.114	0.272	0.0	-0.0
-0.0	Q5_ps Y		0.053	1.657	0.513	0.0	-0.0
	INVSLU	Max	2.914	7.390	4.897	-0.0	0.0
0.0		Min	-3.867	-17.754	-47.328	-0.0	-0.0
-0.0							
	INVSLE	Max	2.143	5.035	3.556	-0.0	0.0
0.0		Min	-2.755	-13.358	-35.059	-0.0	-0.0
-0.0							
7234	C1-C2;~1	Max	3.867	3.102	24.811	0.0	0.0
0.0		Min	-6.087	-3.721	-42.565	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.193	3.353	26.885	0.0	0.0
0.0		Min	-8.056	-3.284	-48.080	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.986	1.623	12.284	0.0	0.0
0.0		Min	-3.182	-2.031	-22.857	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.159	1.737	13.236	0.0	0.0
0.0		Min	-4.187	-1.762	-25.330	-0.0	-0.0
-0.0							
	G1		-2.542	0.111	-18.682	0.0	0.0
-0.0							
	G2		-1.036	0.091	-7.145	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.923	-0.496	-0.458	0.0	0.0
-0.0							
	Q5_pc Y		2.388	0.342	3.559	-0.0	-0.0
-0.0							
	Q5_ps X		0.929	-0.515	-0.389	-0.0	0.0
-0.0							
	Q5_ps Y		2.251	0.330	3.400	-0.0	-0.0
-0.0							
	INVSLU	Max	6.515	6.627	-13.327	0.0	0.0
0.0		Min	-14.321	-3.817	-120.935	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.835	4.974	-10.765	0.0	0.0
-0.0		Min	-10.281	-2.696	-90.000	-0.0	0.0
7235	C1-C2;~1	Max	2.861	1.293	9.847	0.0	0.0
0.0		Min	-5.538	-3.022	-21.824	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.025	1.566	10.986	0.0	0.0
-0.0		Min	-5.925	-2.628	-22.408	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.464	0.647	5.294	0.0	0.0
0.0		Min	-2.865	-1.577	-12.237	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.552	0.791	5.819	0.0	0.0
-0.0		Min	-2.979	-1.325	-12.503	-0.0	-0.0
0.0	G1		-4.340	-2.051	-13.753	0.0	0.0
0.0	G2		-1.697	-0.802	-5.329	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.571	-0.041	0.062	-0.0	-0.0
0.0	Q5_pc Y		1.580	1.563	0.072	0.0	0.0
-0.0	Q5_ps X		0.544	-0.052	0.070	-0.0	-0.0
0.0	Q5_ps Y		1.499	1.518	0.073	0.0	-0.0
0.0							
-0.0	INVSLU	Max	8.770	3.948	-37.893	0.0	0.0
0.0		Min	-6.156	-5.060	-83.104	-0.0	0.0
-0.0							
0.0	INVSLE	Max	7.028	3.068	-29.101	0.0	0.0
-0.0		Min	-3.818	-3.397	-62.581	-0.0	0.0
7236	C1-C2;~1	Max	1.945	6.406	3.465	0.0	0.0
0.0		Min	-4.434	-2.700	-8.525	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.246	6.470	3.948	0.0	0.0
-0.0		Min	-4.631	-3.076	-8.714	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.957	3.314	1.869	0.0	0.0
-0.0		Min	-2.307	-1.379	-4.759	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.088	3.336	2.087	0.0	0.0
-0.0		Min	-2.415	-1.550	-4.865	-0.0	-0.0
-0.0	G1		-3.214	5.303	-5.966	0.0	0.0
-0.0	G2		-1.256	2.079	-2.324	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.997	-2.002	0.114	-0.0	-0.0
0.0	Q5_pc Y		-0.541	1.816	-0.151	-0.0	0.0
-0.0	Q5_ps X		0.946	-1.908	0.097	-0.0	-0.0
0.0	Q5_ps Y		-0.498	1.719	-0.125	0.0	0.0
-0.0	INVSLU	Max	4.251	10.511	-17.891	0.0	0.0
0.0		Min	-6.828	-5.979	-35.257	0.0	0.0
-0.0	INVSLE	Max	3.431	7.075	-13.743	0.0	0.0
0.0		Min	-4.642	-4.873	-26.586	0.0	0.0
-0.0							
7237	C1-C2;~1	Max	1.002	4.747	18.975	0.0	0.0
0.0		Min	-3.312	-3.329	-35.013	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.016	4.767	19.505	0.0	0.0
-0.0		Min	-4.659	-4.037	-39.878	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.536	2.359	9.592	0.0	0.0
-0.0		Min	-1.743	-1.734	-18.981	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.546	2.492	9.865	0.0	0.0
-0.0		Min	-2.439	-2.048	-21.158	-0.0	-0.0
-0.0							
0.0	G1		-2.904	2.119	-17.278	0.0	0.0
0.0	G2		-1.175	0.815	-6.775	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.475	-1.219	0.250	0.0	-0.0
0.0	Q5_pc Y		-0.239	1.769	0.053	-0.0	0.0
0.0	Q5_ps X		1.428	-1.148	0.272	0.0	-0.0
0.0	Q5_ps Y		-0.182	1.700	0.085	-0.0	-0.0


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	0.637	3.986	-15.114	0.0	0.0
-0.0		Min	-9.860	-11.084	-95.730	-0.0	0.0
0.0	INVS LE	Max	0.478	2.382	-11.488	0.0	0.0
-0.0		Min	-7.040	-8.545	-71.170	-0.0	0.0
7238 0.0	C1-C2;~1	Max	2.349	2.089	13.990	0.0	0.0
-0.0		Min	-3.734	-3.425	-26.878	-0.0	-0.0
0.0	C3-C4;~1	Max	2.463	2.710	15.608	0.0	0.0
-0.0		Min	-4.251	-3.538	-27.826	-0.0	-0.0
0.0	C1-C2;~2	Max	1.253	1.065	7.521	0.0	0.0
-0.0		Min	-1.910	-1.748	-15.018	-0.0	-0.0
0.0	C3-C4;~2	Max	1.321	1.427	8.267	0.0	0.0
-0.0		Min	-2.148	-1.760	-15.479	-0.0	-0.0
0.0	G1		-2.656	-2.016	-14.691	0.0	-0.0
0.0	G2		-1.045	-0.787	-5.693	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.555	-0.072	0.135	-0.0	-0.0
0.0	Q5_pc Y		1.623	1.800	-0.047	0.0	0.0
0.0	Q5_ps X		0.527	-0.086	0.144	-0.0	-0.0
0.0	Q5_ps Y		1.539	1.751	-0.037	0.0	0.0
0.0	INVS LU	Max	11.153	6.146	-32.902	0.0	-0.0
-0.0		Min	-0.832	-5.531	-91.781	-0.0	-0.0
0.0	INVS LE	Max	8.777	4.700	-25.421	0.0	-0.0
-0.0		Min	0.115	-3.709	-69.017	-0.0	-0.0
7239 0.0	C1-C2;~1	Max	4.044	4.403	14.981	0.0	0.0
-0.0		Min	-6.082	-5.713	-20.629	-0.0	-0.0
0.0	C3-C4;~1	Max	4.398	4.682	16.400	0.0	0.0
-0.0		Min	-7.409	-5.940	-23.232	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	2.025	2.224	7.681	0.0	0.0
		Min	-3.189	-3.055	-10.974	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.200	2.361	8.335	0.0	0.0
		Min	-3.830	-3.121	-12.138	-0.0	-0.0
-0.0							
-0.0	G1		-2.210	-1.268	-6.674	-0.0	0.0
-0.0	G2		-0.873	-0.461	-2.533	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.621	-0.215	-0.211	0.0	0.0
-0.0	Q5_pc Y		1.971	1.092	1.245	0.0	-0.0
-0.0	Q5_ps X		0.615	-0.227	-0.178	-0.0	0.0
-0.0	Q5_ps Y		1.862	1.042	1.202	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.031	8.209	6.878	-0.0	0.0
		Min	-12.457	-8.096	-48.868	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.263	6.189	4.870	-0.0	0.0
		Min	-8.910	-5.743	-36.256	-0.0	-0.0
-0.0							
7240	C1-C2;~1	Max	1.735	4.330	14.367	0.0	0.0
0.0		Min	-2.213	-3.070	-25.844	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.950	4.934	16.368	0.0	0.0
		Min	-2.565	-3.872	-26.436	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.858	2.106	7.751	0.0	0.0
		Min	-1.109	-1.533	-14.354	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.939	2.384	8.652	0.0	0.0
		Min	-1.311	-1.963	-14.692	-0.0	-0.0
-0.0							
-0.0	G1		-0.441	2.562	-13.089	-0.0	-0.0
-0.0	G2		-0.181	1.021	-5.062	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
-0.0	Q5_pc X		0.780	-2.243	0.331	0.0	0.0
-0.0	Q5_pc Y		-0.170	2.317	-0.194	-0.0	-0.0
-0.0	Q5_ps X		0.738	-2.152	0.288	0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_ps Y		-0.132	2.228	-0.155	0.0	-0.0
-0.0	INVS LU	Max	8.096	2.740	-24.408	-0.0	-0.0
-0.0		Min	0.597	-13.320	-82.790	-0.0	-0.0
-0.0	INVS LE	Max	6.239	1.267	-18.991	-0.0	-0.0
-0.0		Min	0.788	-10.320	-62.193	-0.0	-0.0
7242 0.0	C1-C2;~1	Max	1.422	5.383	21.970	0.0	0.0
-0.0		Min	-3.306	-4.515	-41.791	-0.0	-0.0
0.0	C3-C4;~1	Max	1.468	5.743	22.733	0.0	0.0
-0.0		Min	-4.927	-5.663	-47.698	-0.0	-0.0
0.0	C1-C2;~2	Max	0.729	2.815	10.993	0.0	0.0
-0.0		Min	-1.717	-2.258	-22.659	-0.0	-0.0
0.0	C3-C4;~2	Max	0.795	3.013	11.408	0.0	0.0
-0.0		Min	-2.570	-2.752	-25.314	-0.0	-0.0
-0.0	G1		-2.386	0.838	-21.099	-0.0	0.0
-0.0	G2		-0.983	0.309	-8.275	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.551	-1.075	0.460	0.0	-0.0
0.0	Q5_pc Y		-0.114	1.765	0.216	-0.0	-0.0
-0.0	Q5_ps X		1.509	-1.007	0.474	0.0	-0.0
0.0	Q5_ps Y		-0.056	1.698	0.245	-0.0	-0.0
0.0	INVS LU	Max	1.783	3.985	-23.256	-0.0	0.0
-0.0		Min	-9.642	-14.591	-119.165	-0.0	0.0
0.0	INVS LE	Max	1.357	2.439	-17.711	-0.0	0.0
-0.0		Min	-6.899	-11.085	-88.693	-0.0	-0.0
7243 0.0	C1-C2;~1	Max	0.775	5.396	6.216	0.0	0.0
-0.0		Min	-2.042	-3.355	-8.951	-0.0	-0.0
0.0	C3-C4;~1	Max	0.867	5.878	6.381	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-2.492	-3.736	-10.196	-0.0	-0.0
0.0	C1-C2;~2	Max	0.395	2.709	3.271	0.0	0.0
-0.0		Min	-1.046	-1.682	-4.832	-0.0	-0.0
0.0	C3-C4;~2	Max	0.438	2.910	3.361	0.0	0.0
-0.0		Min	-1.265	-1.861	-5.387	-0.0	-0.0
-0.0		G1	-1.744	3.143	-3.342	0.0	0.0
-0.0		G2	-0.692	1.243	-1.327	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.993	-1.782	-0.016	-0.0	0.0
0.0	Q5_pc Y		-0.413	1.791	0.021	-0.0	0.0
0.0	Q5_ps X		0.951	-1.702	-0.005	0.0	-0.0
0.0	Q5_ps Y		-0.376	1.695	0.035	-0.0	0.0
0.0	INVSLU	Max	2.098	4.947	3.016	0.0	0.0
-0.0		Min	-4.225	-11.255	-19.402	-0.0	-0.0
0.0	INVSLE	Max	1.672	2.972	2.292	0.0	0.0
-0.0		Min	-2.879	-8.791	-14.311	-0.0	-0.0
7244	C1-C2;~1	Max	1.851	1.330	15.362	0.0	0.0
0.0		Min	-2.058	-0.707	-20.920	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.045	1.592	16.275	0.0	0.0
-0.0		Min	-2.944	-0.538	-23.651	-0.0	-0.0
0.0	C1-C2;~2	Max	0.960	0.668	7.854	0.0	0.0
-0.0		Min	-1.041	-0.391	-11.097	-0.0	-0.0
0.0	C3-C4;~2	Max	1.072	0.788	8.306	0.0	0.0
-0.0		Min	-1.494	-0.284	-12.308	-0.0	-0.0
0.0		G1	-0.216	1.242	-6.867	0.0	-0.0
0.0		G2	-0.114	0.494	-2.613	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.619	-0.279	-0.330	0.0	0.0
0.0	Q5_pc Y		1.363	-0.092	2.756	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0						
0.0	Q5_ps X	0.618	-0.284	-0.301	0.0	0.0
0.0	Q5_ps Y	1.287	-0.087	2.617	-0.0	-0.0
0.0						
0.0	INVS LU Max	4.650	5.002	8.247	0.0	-0.0
0.0	Min	-4.539	1.396	-50.615	-0.0	-0.0
-0.0						
0.0	INVS LE Max	3.410	3.703	5.814	0.0	-0.0
0.0	Min	-3.215	1.069	-37.420	-0.0	-0.0
-0.0						
7245	C1-C2;~1 Max	2.559	1.670	12.317	0.0	0.0
0.0	Min	-4.456	-3.336	-25.664	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	2.680	2.187	13.742	0.0	0.0
0.0	Min	-4.887	-3.087	-26.416	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	1.341	0.835	6.622	0.0	0.0
0.0	Min	-2.274	-1.733	-14.383	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	1.411	1.136	7.279	0.0	0.0
0.0	Min	-2.442	-1.527	-14.730	-0.0	-0.0
-0.0						
0.0	G1	-3.481	-2.044	-15.186	0.0	0.0
0.0	G2	-1.364	-0.799	-5.883	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.563	-0.067	0.100	-0.0	-0.0
-0.0	Q5_pc Y	1.608	1.715	0.021	0.0	0.0
0.0	Q5_ps X	0.534	-0.080	0.109	-0.0	-0.0
-0.0	Q5_ps Y	1.526	1.669	0.027	0.0	-0.0
0.0						
0.0	INVS LU Max	9.964	5.138	-38.580	0.0	0.0
0.0	Min	-3.144	-5.406	-92.973	-0.0	-0.0
-0.0						
0.0	INVS LE Max	7.906	3.949	-29.682	0.0	0.0
0.0	Min	-1.589	-3.632	-69.960	-0.0	-0.0
-0.0						
7246	C1-C2;~1 Max	0.468	8.517	7.730	0.0	0.0
0.0	Min	-0.666	-6.125	-10.196	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	0.279	8.937	8.881	0.0	0.0
-0.0		Min	-0.880	-7.109	-10.607	-0.0	-0.0
0.0	C1-C2;~2	Max	0.249	4.470	4.008	0.0	0.0
-0.0		Min	-0.340	-3.056	-5.380	-0.0	-0.0
0.0	C3-C4;~2	Max	0.136	4.701	4.516	0.0	0.0
-0.0		Min	-0.461	-3.489	-5.603	-0.0	-0.0
0.0	G1		-0.465	2.038	-2.755	0.0	0.0
0.0	G2		-0.178	0.803	-1.084	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.811	-1.179	0.046	-0.0	0.0
-0.0	Q5_pc Y		-0.197	1.666	-0.537	0.0	0.0
0.0	Q5_ps X		0.792	-1.131	0.069	-0.0	0.0
-0.0	Q5_ps Y		-0.176	1.573	-0.501	0.0	0.0
0.0	INVSLU	Max	0.874	12.088	5.902	0.0	0.0
-0.0		Min	-2.569	-12.574	-21.374	-0.0	-0.0
0.0	INVSLE	Max	0.574	8.553	4.290	0.0	0.0
-0.0		Min	-1.834	-9.493	-15.843	-0.0	-0.0
7247	C1-C2;~1	Max	1.204	1.112	15.033	0.0	0.0
0.0		Min	-1.942	-1.746	-21.442	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.210	1.333	17.161	0.0	0.0
-0.0		Min	-2.511	-2.012	-22.377	-0.0	-0.0
0.0	C1-C2;~2	Max	0.643	0.566	7.725	0.0	0.0
-0.0		Min	-0.983	-0.938	-11.307	-0.0	-0.0
0.0	C3-C4;~2	Max	0.602	0.692	8.659	0.0	0.0
-0.0		Min	-1.318	-1.064	-11.808	-0.0	-0.0
-0.0	G1		-1.003	-0.798	-6.940	-0.0	0.0
-0.0	G2		-0.383	-0.305	-2.728	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		1.246	-0.490	0.511	0.0	-0.0
0.0	Q5_pc Y		-0.543	0.559	-2.684	-0.0	0.0
-0.0	Q5_ps X		1.230	-0.474	0.526	0.0	-0.0
0.0	Q5_ps Y		-0.490	0.524	-2.525	-0.0	0.0
0.0	INVSLU	Max	1.705	-0.120	9.018	-0.0	0.0
-0.0		Min	-5.562	-5.642	-49.189	-0.0	-0.0
0.0	INVSLE	Max	1.221	-0.176	6.392	-0.0	0.0
-0.0		Min	-3.996	-4.192	-36.367	-0.0	-0.0
7248	C1-C2;~1	Max	2.103	5.371	21.740	0.0	0.0
0.0		Min	-3.309	-4.908	-42.647	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.192	6.994	24.049	0.0	0.0
-0.0		Min	-4.077	-5.681	-47.458	-0.0	-0.0
0.0	C1-C2;~2	Max	1.119	2.660	10.910	0.0	0.0
-0.0		Min	-1.642	-2.568	-23.032	-0.0	-0.0
0.0	C3-C4;~2	Max	1.176	3.481	11.944	0.0	0.0
-0.0		Min	-1.994	-2.928	-25.254	-0.0	-0.0
0.0	G1		-2.357	0.889	-21.397	0.0	0.0
0.0	G2		-0.934	0.378	-8.392	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.609	-0.266	0.119	-0.0	-0.0
0.0	Q5_pc Y		1.268	2.290	-0.084	-0.0	0.0
0.0	Q5_ps X		0.592	-0.290	0.125	-0.0	-0.0
0.0	Q5_ps Y		1.168	2.257	-0.211	0.0	0.0
0.0	INVSLU	Max	6.307	16.479	-22.840	0.0	0.0
-0.0		Min	-4.439	-4.756	-119.590	0.0	-0.0
0.0	INVSLE	Max	4.944	12.257	-17.378	0.0	0.0
-0.0		Min	-2.847	-3.168	-89.029	0.0	-0.0
7249	C1-C2;~1	Max	1.434	5.262	11.039	0.0	0.0


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0							
-0.0	Min	-1.490	-3.743	-15.531	-0.0	-0.0	
0.0	C3-C4;~1 Max	1.324	6.060	12.578	0.0	0.0	
-0.0	Min	-1.624	-4.394	-15.907	-0.0	-0.0	
0.0	C1-C2;~2 Max	0.749	2.631	5.957	0.0	0.0	
-0.0	Min	-0.770	-1.884	-8.502	-0.0	-0.0	
0.0	C3-C4;~2 Max	0.675	3.004	6.650	0.0	0.0	
-0.0	Min	-0.837	-2.224	-8.712	-0.0	-0.0	
-0.0	G1	-0.211	2.504	-5.467	-0.0	-0.0	
-0.0	G2	-0.091	1.004	-2.107	-0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc X	0.737	-2.198	0.190	0.0	0.0	
-0.0	Q5_pc Y	-0.234	2.146	-0.024	0.0	-0.0	
0.0	Q5_ps X	0.699	-2.108	0.164	0.0	0.0	
-0.0	Q5_ps Y	-0.201	2.047	-0.008	0.0	-0.0	
0.0	INVSLU Max	6.556	3.868	-0.788	-0.0	-0.0	
-0.0	Min	1.100	-14.202	-39.585	-0.0	-0.0	
-0.0	INVSLE Max	5.043	2.112	-0.925	-0.0	-0.0	
-0.0	Min	1.099	-10.980	-29.638	-0.0	-0.0	
7250	C1-C2;~1 Max	1.400	7.820	19.618	0.0	0.0	
0.0	Min	-2.419	-5.403	-30.907	-0.0	-0.0	
-0.0	C3-C4;~1 Max	1.164	8.161	22.581	0.0	0.0	
0.0	Min	-3.189	-6.223	-32.070	-0.0	-0.0	
-0.0	C1-C2;~2 Max	0.730	4.150	9.987	0.0	0.0	
0.0	Min	-1.228	-2.770	-16.429	-0.0	-0.0	
-0.0	C3-C4;~2 Max	0.560	4.336	11.283	0.0	0.0	
0.0	Min	-1.681	-3.137	-17.081	-0.0	-0.0	
-0.0	G1	-1.443	2.447	-11.665	0.0	0.0	
0.0	G2	-0.558	0.965	-4.534	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	1.628	-0.977	0.261	-0.0	-0.0
0.0	Q5_pc Y	-0.554	1.532	-1.988	0.0	0.0
-0.0	Q5_ps X	1.615	-0.934	0.311	-0.0	-0.0
0.0	Q5_ps Y	-0.493	1.447	-1.866	0.0	0.0
-0.0						
	INVS LU Max	2.088	12.763	1.666	0.0	0.0
0.0	Min	-7.091	-9.414	-75.693	0.0	-0.0
-0.0						
	INVS LE Max	1.459	9.117	0.783	0.0	0.0
0.0	Min	-5.085	-7.107	-56.254	0.0	-0.0
-0.0						
7251	C1-C2;~1 Max	3.645	6.195	14.161	0.0	0.0
0.0	Min	-3.965	-6.670	-20.551	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	3.472	7.285	15.852	0.0	0.0
0.0	Min	-4.521	-7.752	-22.669	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	1.817	3.058	7.359	0.0	0.0
0.0	Min	-2.072	-3.496	-10.916	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	1.743	3.594	8.120	0.0	0.0
0.0	Min	-2.325	-3.997	-11.888	-0.0	-0.0
-0.0						
	G1	-0.405	0.061	-7.412	0.0	-0.0
0.0	G2	-0.164	0.042	-2.932	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X	0.478	-0.047	0.210	-0.0	0.0
0.0	Q5_pc Y	1.254	2.159	-0.495	0.0	-0.0
-0.0	Q5_ps X	0.465	-0.059	0.203	-0.0	0.0
0.0	Q5_ps Y	1.170	2.089	-0.528	0.0	-0.0
-0.0						
	INVS LU Max	9.627	15.754	5.713	0.0	-0.0
0.0	Min	-3.655	-8.432	-47.180	-0.0	-0.0
-0.0						
	INVS LE Max	7.285	11.736	4.163	0.0	-0.0
0.0	Min	-2.387	-5.892	-34.951	-0.0	-0.0
-0.0						


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7253	C1-C2;~1	Max	1.213	4.823	20.611	0.0	0.0
0.0		Min	-3.391	-3.797	-39.875	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.228	5.144	21.202	0.0	0.0
0.0		Min	-4.913	-4.778	-45.440	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.629	2.527	10.257	0.0	0.0
0.0		Min	-1.779	-1.945	-21.633	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.669	2.706	10.556	0.0	0.0
0.0		Min	-2.573	-2.370	-24.123	-0.0	-0.0
-0.0							
	G1		-2.746	1.474	-20.159	-0.0	0.0
-0.0							
	G2		-1.120	0.559	-7.905	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		1.541	-1.127	0.371	0.0	-0.0
0.0							
	Q5_pc Y		-0.174	1.768	0.116	-0.0	0.0
0.0							
	Q5_ps X		1.496	-1.058	0.390	0.0	-0.0
0.0							
	Q5_ps Y		-0.115	1.701	0.149	-0.0	-0.0
0.0							
	INVSLU	Max	1.084	3.883	-21.969	0.0	0.0
0.0		Min	-10.082	-12.695	-112.605	-0.0	0.0
-0.0							
	INVSLE	Max	0.791	2.336	-16.695	0.0	0.0
0.0		Min	-7.211	-9.708	-83.783	-0.0	0.0
-0.0							
7254	C1-C2;~1	Max	3.018	2.254	23.521	0.0	0.0
0.0		Min	-3.955	-1.674	-37.919	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.290	2.626	25.139	0.0	0.0
0.0		Min	-5.648	-1.342	-42.907	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.567	1.150	11.784	0.0	0.0
0.0		Min	-2.022	-0.919	-20.292	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.720	1.301	12.551	0.0	0.0
0.0		Min	-2.907	-0.717	-22.520	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	G1		-1.135	1.512	-15.932	0.0	0.0
0.0	G2		-0.492	0.618	-6.091	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.871	-0.435	-0.484	0.0	0.0
0.0	Q5_pc Y		2.111	-0.032	4.107	-0.0	-0.0
0.0	Q5_ps X		0.879	-0.449	-0.427	0.0	0.0
0.0	Q5_ps Y		1.991	-0.029	3.907	-0.0	-0.0
0.0	INVS LU	Max	6.685	7.365	-5.804	0.0	0.0
-0.0		Min	-9.181	0.778	-105.061	0.0	-0.0
0.0	INVS LE	Max	4.927	5.470	-5.086	0.0	0.0
-0.0		Min	-6.545	0.649	-78.061	0.0	-0.0
7255	C1-C2;~1	Max	2.298	2.985	16.014	0.0	0.0
0.0		Min	-4.760	-3.672	-28.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.415	3.635	17.312	0.0	0.0
-0.0		Min	-5.623	-3.668	-31.609	-0.0	-0.0
0.0	C1-C2;~2	Max	1.194	1.465	8.238	0.0	0.0
-0.0		Min	-2.429	-1.866	-15.320	-0.0	-0.0
0.0	C3-C4;~2	Max	1.262	1.752	8.812	0.0	0.0
-0.0		Min	-2.825	-1.885	-16.788	-0.0	-0.0
-0.0	G1		-3.832	-0.327	-13.276	0.0	0.0
-0.0	G2		-1.505	-0.110	-5.189	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.569	-0.146	-0.040	0.0	-0.0
0.0	Q5_pc Y		1.459	1.940	0.146	-0.0	-0.0
-0.0	Q5_ps X		0.548	-0.165	-0.031	-0.0	-0.0
0.0	Q5_ps Y		1.355	1.895	0.050	-0.0	0.0
0.0	INVS LU	Max	5.439	10.620	-5.979	0.0	0.0
-0.0		Min	-8.039	-2.735	-72.284	-0.0	0.0
0.0	INVS LE	Max	4.372	7.997	-4.518	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-5.417	-1.637	-53.614	-0.0	0.0
-0.0							
7256	C1-C2;~1	Max	0.583	0.683	7.949	0.0	0.0
0.0		Min	-0.940	-1.060	-10.463	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.575	0.800	9.062	0.0	0.0
0.0		Min	-1.195	-1.229	-10.940	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.313	0.339	4.113	0.0	0.0
0.0		Min	-0.479	-0.565	-5.492	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.285	0.403	4.603	0.0	0.0
0.0		Min	-0.625	-0.645	-5.743	-0.0	-0.0
-0.0							
	G1		-0.521	-0.443	-2.871	-0.0	0.0
-0.0							
	G2		-0.197	-0.169	-1.149	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc X		0.792	-0.312	0.299	0.0	-0.0
-0.0							
	Q5_pc Y		-0.242	0.308	-1.446	-0.0	0.0
0.0							
	Q5_ps X		0.774	-0.302	0.310	0.0	-0.0
-0.0							
	Q5_ps Y		-0.217	0.289	-1.360	-0.0	0.0
0.0							
	INVSLU	Max	0.890	0.187	7.100	0.0	0.0
0.0		Min	-3.018	-3.115	-22.504	-0.0	-0.0
-0.0							
	INVSLE	Max	0.591	0.098	5.138	0.0	0.0
0.0		Min	-2.166	-2.306	-16.599	-0.0	-0.0
-0.0							
7257	C1-C2;~1	Max	3.069	2.381	6.351	0.0	0.0
0.0		Min	-4.480	-3.669	-7.800	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.203	2.711	7.088	0.0	0.0
0.0		Min	-5.249	-4.367	-8.245	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.527	1.200	3.416	0.0	0.0
0.0		Min	-2.233	-1.875	-4.243	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.598	1.387	3.756	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-2.575	-2.199	-4.451	-0.0	-0.0
-0.0	G1		-2.260	-1.943	-2.049	-0.0	-0.0
0.0	G2		-0.892	-0.765	-0.813	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.523	0.115	0.091	0.0	0.0
-0.0	Q5_pc Y		1.615	1.532	-0.147	-0.0	-0.0
0.0	Q5_ps X		0.499	0.106	0.095	-0.0	0.0
-0.0	Q5_ps Y		1.514	1.454	-0.142	0.0	-0.0
0.0	INVS LU	Max	11.300	7.618	3.115	0.0	0.0
0.0		Min	-3.017	-4.695	-17.850	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	8.797	5.878	2.169	0.0	0.0
0.0		Min	-1.593	-3.038	-13.341	-0.0	-0.0
-0.0							
7258	C1-C2;~1	Max	3.984	3.489	23.175	0.0	0.0
0.0		Min	-6.368	-4.488	-37.695	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.322	3.709	25.202	0.0	0.0
0.0		Min	-8.201	-4.143	-42.549	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.032	1.811	11.616	0.0	0.0
0.0		Min	-3.338	-2.434	-20.196	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.207	1.917	12.547	0.0	0.0
0.0		Min	-4.258	-2.217	-22.374	-0.0	-0.0
-0.0							
-0.0	G1		-2.706	-0.486	-15.774	-0.0	0.0
-0.0	G2		-1.091	-0.142	-6.025	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.854	-0.444	-0.395	0.0	0.0
-0.0	Q5_pc Y		2.314	0.547	2.878	-0.0	-0.0
-0.0	Q5_ps X		0.857	-0.462	-0.334	-0.0	0.0
-0.0	Q5_ps Y		2.181	0.525	2.756	-0.0	-0.0
-0.0							
0.0	INVS LU	Max	6.386	6.512	-6.958	0.0	0.0
0.0		Min	-14.685	-5.537	-103.602	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0							
0.0	INVSLE	Max	4.753	4.909	-5.883	0.0	0.0
-0.0		Min	-10.546	-3.943	-77.088	-0.0	0.0
7259	C1-C2;~1	Max	2.843	6.328	21.080	0.0	0.0
0.0		Min	-3.261	-5.963	-36.934	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.609	7.882	23.471	0.0	0.0
-0.0		Min	-3.835	-6.921	-40.964	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.429	3.148	10.781	0.0	0.0
0.0		Min	-1.679	-3.120	-19.823	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.359	3.923	11.855	0.0	0.0
-0.0		Min	-1.935	-3.565	-21.676	-0.0	-0.0
0.0	G1		-0.996	0.899	-17.099	0.0	-0.0
0.0	G2		-0.401	0.379	-6.722	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.578	-0.202	0.218	-0.0	-0.0
-0.0	Q5_pc Y		1.201	2.322	-0.379	-0.0	0.0
0.0	Q5_ps X		0.564	-0.223	0.216	-0.0	-0.0
-0.0	Q5_ps Y		1.107	2.276	-0.470	0.0	0.0
0.0	INVSLU	Max	8.664	17.711	-10.993	0.0	-0.0
-0.0		Min	-2.512	-6.452	-98.662	0.0	-0.0
0.0	INVSLE	Max	6.638	13.160	-8.512	0.0	-0.0
-0.0		Min	-1.481	-4.430	-73.401	0.0	-0.0
7262	C1-C2;~1	Max	3.696	5.742	7.545	0.0	0.0
0.0		Min	-4.510	-6.739	-10.029	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.877	6.496	8.462	0.0	0.0
-0.0		Min	-5.150	-7.817	-11.081	-0.0	-0.0
0.0	C1-C2;~2	Max	1.836	2.816	3.941	0.0	0.0
-0.0		Min	-2.366	-3.534	-5.300	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.0							
0.0	C3-C4;~2	Max	1.923	3.177	4.354	0.0	0.0
-0.0		Min	-2.657	-4.032	-5.781	-0.0	-0.0
0.0	G1		-0.631	-0.510	-3.083	0.0	-0.0
0.0	G2		-0.246	-0.188	-1.241	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.409	0.042	0.140	-0.0	0.0
-0.0	Q5_pc Y		1.353	1.979	-0.312	0.0	-0.0
-0.0	Q5_ps X		0.395	0.035	0.138	-0.0	0.0
-0.0	Q5_ps Y		1.272	1.898	-0.328	0.0	-0.0
0.0	INVSLU	Max	8.990	13.777	5.484	0.0	0.0
-0.0		Min	-5.632	-9.108	-21.460	-0.0	-0.0
0.0	INVSLE	Max	6.774	10.298	4.048	0.0	0.0
-0.0		Min	-3.877	-6.390	-15.868	-0.0	-0.0
7264	C1-C2;~1	Max	2.031	4.576	20.406	0.0	0.0
0.0		Min	-3.698	-4.418	-40.679	-0.0	-0.0
-0.0	C3-C4;~1	Max	2.135	6.052	22.373	0.0	0.0
0.0		Min	-4.562	-4.986	-45.255	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.087	2.246	10.183	0.0	0.0
0.0		Min	-1.847	-2.258	-21.983	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.149	2.996	11.034	0.0	0.0
0.0		Min	-2.256	-2.571	-24.084	-0.0	-0.0
-0.0	G1		-3.036	0.610	-20.470	0.0	0.0
0.0	G2		-1.199	0.267	-8.021	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.604	-0.254	0.057	0.0	-0.0
-0.0	Q5_pc Y		1.325	2.211	0.040	-0.0	0.0
0.0	Q5_ps X		0.585	-0.278	0.066	-0.0	-0.0
-0.0	Q5_ps Y		1.223	2.179	-0.089	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	INVS LU	Max	5.476	14.874	-21.798	0.0	0.0
		Min	-5.951	-4.008	-113.199	-0.0	0.0
-0.0							
0.0	INVS LE	Max	4.353	11.087	-16.547	0.0	0.0
		Min	-3.935	-2.605	-84.244	-0.0	0.0
-0.0							
7266 0.0	C1-C2;~1	Max	1.671	4.789	13.554	0.0	0.0
		Min	-1.833	-3.506	-21.730	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.690	5.507	15.442	0.0	0.0
		Min	-2.021	-4.271	-22.245	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.850	2.365	7.313	0.0	0.0
		Min	-0.933	-1.763	-11.992	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.826	2.700	8.163	0.0	0.0
		Min	-1.025	-2.172	-12.283	-0.0	-0.0
-0.0							
-0.0	G1		-0.153	2.410	-9.545	-0.0	-0.0
-0.0	G2		-0.069	0.965	-3.690	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.752	-2.235	0.274	0.0	0.0
0.0	Q5_pc Y		-0.182	2.256	-0.104	-0.0	-0.0
-0.0	Q5_ps X		0.711	-2.144	0.237	0.0	0.0
0.0	Q5_ps Y		-0.148	2.164	-0.076	0.0	-0.0
-0.0							
-0.0	INVS LU	Max	7.741	3.042	-11.733	-0.0	-0.0
		Min	1.377	-14.219	-63.104	-0.0	-0.0
-0.0							
-0.0	INVS LE	Max	5.953	1.494	-9.339	-0.0	-0.0
		Min	1.339	-10.992	-47.355	-0.0	-0.0
-0.0							
7267 0.0	C1-C2;~1	Max	2.793	2.528	13.841	0.0	0.0
		Min	-3.705	-3.643	-21.447	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.954	3.163	15.443	0.0	0.0
		Min	-4.363	-4.317	-22.381	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	1.419	1.299	7.441	0.0	0.0
		Min	-1.859	-1.868	-11.842	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.505	1.671	8.180	0.0	0.0
		Min	-2.152	-2.184	-12.292	-0.0	-0.0
-0.0							
0.0	G1		-1.670	-2.044	-9.043	-0.0	-0.0
0.0	G2		-0.663	-0.800	-3.512	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.543	-0.016	0.162	-0.0	0.0
0.0	Q5_pc Y		1.620	1.781	-0.175	0.0	-0.0
-0.0							
0.0	Q5_ps X		0.516	-0.029	0.169	-0.0	0.0
0.0	Q5_ps Y		1.529	1.719	-0.159	0.0	-0.0
-0.0							
0.0	INVSLU	Max	13.088	7.328	-9.982	0.0	-0.0
		Min	0.294	-5.976	-61.360	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.175	5.605	-8.021	0.0	-0.0
		Min	0.914	-4.012	-46.056	-0.0	-0.0
-0.0							
7269	C1-C2;~1	Max	2.446	2.399	14.600	0.0	0.0
0.0		Min	-3.519	-3.386	-25.389	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.596	3.065	16.290	0.0	0.0
		Min	-4.116	-3.994	-26.377	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.286	1.234	7.849	0.0	0.0
		Min	-1.805	-1.724	-14.112	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.369	1.623	8.628	0.0	0.0
		Min	-2.075	-2.009	-14.589	-0.0	-0.0
-0.0							
0.0	G1		-1.996	-2.007	-12.477	-0.0	-0.0
0.0	G2		-0.789	-0.784	-4.839	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		0.549	-0.055	0.159	-0.0	0.0
0.0	Q5_pc Y		1.625	1.822	-0.119	0.0	0.0
0.0	Q5_ps X		0.521	-0.069	0.168	-0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		1.538	1.766	-0.106	0.0	-0.0
0.0	INVS LU	Max	12.338	6.902	-22.469	0.0	-0.0
-0.0		Min	0.351	-5.906	-80.355	-0.0	-0.0
0.0	INVS LE	Max	9.639	5.271	-17.529	0.0	-0.0
-0.0		Min	0.977	-3.974	-60.387	-0.0	-0.0
7270	C1-C2;~1	Max	4.037	3.918	20.046	0.0	0.0
0.0		Min	-6.370	-5.166	-30.318	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.384	4.146	21.876	0.0	0.0
-0.0		Min	-7.986	-4.973	-34.173	-0.0	-0.0
0.0	C1-C2;~2	Max	2.043	2.010	10.168	0.0	0.0
-0.0		Min	-3.341	-2.782	-16.194	-0.0	-0.0
0.0	C3-C4;~2	Max	2.218	2.123	11.010	0.0	0.0
-0.0		Min	-4.139	-2.653	-17.921	-0.0	-0.0
-0.0	G1		-2.614	-0.979	-11.570	-0.0	0.0
-0.0	G2		-1.043	-0.339	-4.405	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		0.752	-0.352	-0.310	0.0	0.0
-0.0	Q5_pc Y		2.177	0.790	2.062	0.0	-0.0
-0.0	Q5_ps X		0.751	-0.368	-0.262	-0.0	0.0
-0.0	Q5_ps Y		2.054	0.756	1.981	0.0	-0.0
0.0	INVS LU	Max	6.495	7.000	1.311	-0.0	0.0
-0.0		Min	-14.125	-6.992	-78.066	-0.0	0.0
0.0	INVS LE	Max	4.848	5.281	0.517	-0.0	0.0
-0.0		Min	-10.135	-4.979	-58.006	-0.0	0.0
7271	C1-C2;~1	Max	1.694	2.821	23.006	0.0	0.0
0.0		Min	-3.357	-3.034	-38.777	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.790	3.147	26.399	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0		Min	-4.373	-3.474	-40.413	-0.0	-0.0
0.0	C1-C2;~2	Max	0.861	1.502	11.582	0.0	0.0
-0.0		Min	-1.706	-1.629	-20.635	-0.0	-0.0
0.0	C3-C4;~2	Max	0.878	1.688	13.053	0.0	0.0
-0.0		Min	-2.311	-1.833	-21.532	-0.0	-0.0
-0.0		G1	-1.908	-0.430	-16.032	-0.0	0.0
-0.0		G2	-0.737	-0.158	-6.270	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	1.902	-0.722	0.787	0.0	-0.0
0.0		Q5_pc Y	-0.825	0.966	-3.933	-0.0	0.0
-0.0		Q5_ps X	1.891	-0.697	0.828	0.0	-0.0
0.0		Q5_ps Y	-0.740	0.908	-3.692	-0.0	0.0
0.0	INVSLU	Max	2.417	2.233	-4.848	-0.0	0.0
-0.0		Min	-9.326	-8.444	-102.122	-0.0	-0.0
0.0	INVSLE	Max	1.739	1.479	-4.365	-0.0	0.0
-0.0		Min	-6.706	-6.301	-75.896	-0.0	-0.0
7272	C1-C2;~1	Max	3.981	4.869	7.890	0.0	0.0
0.0		Min	-5.565	-6.204	-10.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.330	5.233	8.659	0.0	0.0
-0.0		Min	-6.580	-6.905	-11.291	-0.0	-0.0
0.0	C1-C2;~2	Max	1.977	2.421	4.076	0.0	0.0
-0.0		Min	-2.919	-3.286	-5.305	-0.0	-0.0
0.0	C3-C4;~2	Max	2.145	2.596	4.431	0.0	0.0
-0.0		Min	-3.396	-3.590	-5.876	-0.0	-0.0
-0.0		G1	-1.611	-1.244	-2.715	-0.0	0.0
-0.0		G2	-0.628	-0.465	-1.041	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
-0.0		Q5_pc X	0.481	-0.044	-0.089	0.0	0.0
		Q5_pc Y	1.723	1.437	0.544	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	Q5_ps X		0.469	-0.051	-0.069	-0.0	0.0
-0.0	Q5_ps Y		1.630	1.367	0.524	0.0	-0.0
-0.0							
0.0	INVS LU	Max	7.764	9.999	5.790	0.0	0.0
-0.0		Min	-10.065	-8.974	-22.120	-0.0	-0.0
0.0	INVS LE	Max	5.823	7.525	4.207	0.0	0.0
-0.0		Min	-7.154	-6.337	-16.395	-0.0	-0.0
7273	C1-C2;~1	Max	0.764	4.898	16.181	0.0	0.0
0.0		Min	-3.022	-3.174	-27.863	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.810	4.778	16.624	0.0	0.0
-0.0		Min	-4.125	-3.655	-31.698	-0.0	-0.0
0.0	C1-C2;~2	Max	0.403	2.479	8.308	0.0	0.0
-0.0		Min	-1.590	-1.649	-15.087	-0.0	-0.0
0.0	C3-C4;~2	Max	0.421	2.439	8.541	0.0	0.0
-0.0		Min	-2.153	-1.870	-16.802	-0.0	-0.0
0.0	G1		-2.803	2.673	-12.981	0.0	0.0
0.0	G2		-1.126	1.039	-5.085	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc X		1.360	-1.352	0.113	-0.0	-0.0
0.0	Q5_pc Y		-0.306	1.770	0.033	-0.0	0.0
0.0	Q5_ps X		1.314	-1.279	0.136	0.0	-0.0
0.0	Q5_ps Y		-0.253	1.695	0.058	-0.0	0.0
0.0							
0.0	INVS LU	Max	0.537	4.474	-5.792	0.0	0.0
-0.0		Min	-8.795	-10.258	-71.230	0.0	0.0
0.0	INVS LE	Max	0.425	2.708	-4.373	0.0	0.0
-0.0		Min	-6.251	-7.969	-52.831	0.0	0.0
7274	C1-C2;~1	Max	1.733	3.896	24.488	0.0	0.0
0.0		Min	-3.692	-3.584	-43.620	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	C3-C4;~1	Max	1.861	4.231	28.179	0.0	0.0
-0.0		Min	-4.816	-4.101	-45.422	-0.0	-0.0
0.0	C1-C2;~2	Max	0.860	2.085	12.189	0.0	0.0
-0.0		Min	-1.881	-1.913	-23.282	-0.0	-0.0
0.0	C3-C4;~2	Max	0.906	2.273	13.780	0.0	0.0
-0.0		Min	-2.551	-2.151	-24.277	-0.0	-0.0
-0.0	G1		-2.149	0.154	-18.874	-0.0	0.0
-0.0	G2		-0.831	0.071	-7.372	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		2.069	-0.787	0.808	-0.0	-0.0
0.0	Q5_pc Y		-0.859	1.118	-4.034	0.0	0.0
-0.0	Q5_ps X		2.059	-0.758	0.860	-0.0	-0.0
0.0	Q5_ps Y		-0.768	1.052	-3.785	0.0	0.0
0.0	INVSLU	Max	2.508	4.482	-11.742	-0.0	0.0
-0.0		Min	-10.230	-8.779	-118.363	-0.0	-0.0
0.0	INVSLE	Max	1.805	3.109	-9.609	-0.0	0.0
-0.0		Min	-7.354	-6.564	-88.050	-0.0	-0.0
7275	C1-C2;~1	Max	3.673	2.770	25.076	0.0	0.0
0.0		Min	-5.547	-2.945	-44.300	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.984	3.081	27.061	0.0	0.0
-0.0		Min	-7.558	-2.476	-50.111	-0.0	-0.0
0.0	C1-C2;~2	Max	1.896	1.450	12.279	0.0	0.0
-0.0		Min	-2.884	-1.616	-23.804	-0.0	-0.0
0.0	C3-C4;~2	Max	2.065	1.584	13.186	0.0	0.0
-0.0		Min	-3.925	-1.331	-26.420	-0.0	-0.0
-0.0	G1		-2.180	0.708	-19.742	0.0	0.0
-0.0	G2		-0.901	0.320	-7.555	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	Q5_pc X		0.952	-0.509	-0.494	0.0	0.0
0.0	Q5_pc Y		2.388	0.177	4.030	-0.0	-0.0
-0.0	Q5_ps X		0.960	-0.528	-0.424	-0.0	-0.0
0.0	Q5_ps Y		2.250	0.172	3.843	-0.0	-0.0
0.0	INVS LU	Max	6.717	7.013	-15.957	0.0	0.0
-0.0		Min	-13.163	-2.036	-127.394	-0.0	-0.0
0.0	INVS LE	Max	4.971	5.238	-12.782	0.0	0.0
-0.0		Min	-9.436	-1.398	-94.791	-0.0	-0.0
7276	C1-C2;~1	Max	1.608	7.227	18.872	0.0	0.0
0.0		Min	-2.229	-6.450	-29.360	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.670	7.678	19.568	0.0	0.0
-0.0		Min	-3.363	-7.881	-33.545	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	0.819	3.764	9.700	0.0	0.0
-0.0		Min	-1.135	-3.183	-15.746	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	0.887	4.012	10.085	0.0	0.0
-0.0		Min	-1.712	-3.834	-17.606	-0.0	-0.0
-0.0	G1		-0.793	-0.059	-12.463	-0.0	-0.0
-0.0	G2		-0.348	-0.031	-4.886	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc X		1.190	-1.117	0.387	0.0	-0.0
-0.0	Q5_pc Y		0.017	1.751	0.555	-0.0	-0.0
-0.0	Q5_ps X		1.158	-1.056	0.385	0.0	-0.0
-0.0	Q5_ps Y		0.053	1.671	0.549	0.0	-0.0
0.0	INVS LU	Max	3.418	5.762	-2.152	-0.0	0.0
-0.0		Min	-5.519	-18.394	-74.853	-0.0	-0.0
0.0	INVS LE	Max	2.529	3.813	-1.796	-0.0	0.0
-0.0		Min	-3.932	-13.847	-55.574	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


BEAM ELEMENT FORCES & MOMENTS DEFAULT PRINTOUT.
kN , mm

Unit System :

ELEM MENT-y	MAT MOMENT-z	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MO
4862 64.7	2 4.3	62	C1-C2;~1	Max	I	13.7	29.5	0.2	207.1
				J	13.7	29.5	0.2	207.1	
93.2	6678.1			Min	I	-23.1	-11.1	-0.4	-159.4
-128.6	-5.9			J	-23.1	-11.1	-0.4	-159.4	
-55.6	-17678.4								
			C3-C4;~1	Max	I	16.3	5.3	0.7	48.0
222.4	4.8			J	16.3	5.3	0.7	48.0	
128.9	11374.6			Min	I	-17.3	-19.0	-0.4	-146.9
-148.6	-1.3			J	-17.3	-19.0	-0.4	-146.9	
-219.0	-3205.4								
			C1-C2;~2	Max	I	9.1	21.3	0.1	149.4
40.5	2.8			J	9.1	21.3	0.1	149.4	
51.2	3594.4			Min	I	-15.9	-6.0	-0.2	-107.6
-74.2	-4.3			J	-15.9	-6.0	-0.2	-107.6	
-35.1	-12770.4								
			C3-C4;~2	Max	I	10.6	3.5	0.5	31.8
156.8	3.2			J	10.6	3.5	0.5	31.8	
75.5	7301.7			Min	I	-11.8	-12.2	-0.3	-99.0
-87.1	-0.9			J	-11.8	-12.2	-0.3	-99.0	
-155.9	-2073.7								
			G1	I	3.2	-6.6	-0.6	-5.9	
-107.3	1.1			J	3.2	-6.6	0.3	-5.9	
7.4	3980.8								
			G2	I	3.8	-7.5	-0.1	-10.9	
-17.5	0.9			J	3.8	-7.5	-0.1	-10.9	
18.7	4487.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-0.8	2.4	0.0	3.0	
1.1	167.9			J	-0.8	2.4	0.0	3.0	
-1.9	-1284.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.6	-501.1	Q5_pc	Y	I	1.8	-7.2	0.0	-8.5
				J	1.8	-7.2	0.0	-8.5
-10.4	3836.3							
2.7	159.1	Q5_ps	X	I	-1.2	3.0	0.0	3.3
				J	-1.2	3.0	0.0	3.3
-4.4	-1616.6							
12.0	-474.6	Q5_ps	Y	I	3.0	-8.9	0.0	-9.5
				J	3.0	-8.9	0.0	-9.5
-8.6	4862.5							
3188.5	718.1	INVSLU	Max	I	-281.4	-15.0	8.1	58.4
				J	-281.4	-15.0	9.3	58.4
1559.5	55567.3							
			Min	I	-337.9	-93.3	6.5	-451.7
2666.7	-715.7			J	-337.9	-93.3	7.7	-451.7
2047.9	9440.3							
		INVSLE	Max	I	-236.9	-16.3	6.4	22.7
2493.5	479.3			J	-236.9	-16.3	7.3	22.7
1236.6	43748.2							
			Min	I	-278.5	-73.4	5.1	-354.0
2108.6	-477.4			J	-278.5	-73.4	6.0	-354.0
1597.0	10091.6							
4863	2	62 C1-C2;~1	Max	I	16.7	11.8	0.2	128.3
84.9	5123.0			J	16.7	11.8	0.2	128.3
330.0	8699.1							
			Min	I	-23.3	-49.9	-0.9	-340.7
-338.3	-29148.4			J	-23.3	-49.9	-0.9	-340.7
-82.3	-5555.6							
		C3-C4;~1	Max	I	19.5	23.4	0.3	88.0
130.5	13436.4			J	19.5	23.4	0.3	88.0
424.2	2969.4							
			Min	I	-15.9	-29.8	-1.1	-226.7
-410.9	-19890.3			J	-15.9	-29.8	-1.1	-226.7
-116.3	-5296.2							
		C1-C2;~2	Max	I	11.4	7.1	0.1	84.4
45.3	2492.3			J	11.4	7.1	0.1	84.4
185.0	6215.7							
			Min	I	-17.0	-34.6	-0.5	-234.6
-190.2	-19820.8			J	-17.0	-34.6	-0.5	-234.6
-44.0	-3619.9							
		C3-C4;~2	Max	I	13.2	15.4	0.2	50.3
76.2	8831.9			J	13.2	15.4	0.2	50.3
246.7	2025.6							
			Min	I	-11.4	-20.5	-0.7	-154.8
-235.6	-13573.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-66.3	-3339.1		J	-11.4	-20.5	-0.7	-154.8
-341.9	-402.6	G1	I	3.4	1.5	-1.3	13.2
204.0	-1474.1		J	3.4	1.5	-0.2	13.2
-106.4	3599.7	G2	I	1.8	7.3	-0.3	34.8
106.9	-1752.3		J	1.8	7.3	-0.3	34.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.1	-1843.5	Q5_pc X	I	-0.0	-3.0	0.0	-13.3
-1.8	355.3		J	-0.0	-3.0	0.0	-13.3
0.0	5429.1	Q5_pc Y	I	-1.9	8.9	0.0	40.1
-2.1	-1131.8		J	-1.9	8.9	0.0	40.1
3.0	-2321.3	Q5_ps X	I	-0.2	-3.8	0.0	-18.1
-3.3	480.9		J	-0.2	-3.8	0.0	-18.1
-4.4	6929.5	Q5_ps Y	I	-1.6	11.5	-0.0	54.8
3.1	-1528.6		J	-1.6	11.5	-0.0	54.8
611.7	75149.6	INVS LU Max	I	-632.4	132.5	1.0	439.6
69.1	-3336.1		J	-632.4	132.5	2.5	439.6
-122.9	7887.8	Min	I	-693.6	17.5	-1.0	-265.8
-664.4	-24617.3		J	-693.6	17.5	0.5	-265.8
525.3	59869.2	INVS LE Max	I	-522.7	105.3	0.9	338.2
-2.7	-3670.3		J	-522.7	105.3	2.0	338.2
-18.5	10769.5	Min	I	-567.8	21.3	-0.6	-179.0
-545.7	-19283.3		J	-567.8	21.3	0.5	-179.0
4864	2	62 C1-C2;~1 Max	I	11.9	3.8	0.3	55.4
110.7	8705.0		J	11.9	3.8	0.3	55.4
432.1	13588.4	Min	I	-23.8	-15.2	-1.2	-299.6
-427.7	-5556.9		J	-23.8	-15.2	-1.2	-299.6
-109.3	-3311.9	C3-C4;~1 Max	I	11.7	1.2	0.4	51.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
152.7	2972.4			J	11.7	1.2	0.4	51.9
559.4	7591.7							
		Min		I	-27.6	-10.3	-1.5	-205.6
-534.1	-5298.1							
				J	-27.6	-10.3	-1.5	-205.6
-129.5	-3043.7							
		C1-C2;~2	Max	I	7.7	2.7	0.2	33.1
59.2	6219.9							
				J	7.7	2.7	0.2	33.1
242.1	9678.3							
		Min		I	-14.7	-10.6	-0.7	-205.4
-239.5	-3620.9							
				J	-14.7	-10.6	-0.7	-205.4
-58.5	-2199.9							
		C3-C4;~2	Max	I	7.4	0.6	0.2	24.9
86.3	2027.8							
				J	7.4	0.6	0.2	24.9
326.7	5363.0							
		Min		I	-17.4	-6.9	-0.9	-139.0
-308.0	-3340.5							
				J	-17.4	-6.9	-0.9	-139.0
-69.4	-1930.5							
		G1		I	-13.6	-1.8	-1.5	-1.1
-398.6	-1473.8							
				J	-13.6	-1.8	-0.4	-1.1
270.5	-126.4							
		G2		I	-5.0	-1.1	-0.3	14.1
-125.4	-1753.0							
				J	-5.0	-1.1	-0.3	14.1
128.2	-963.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	0.8	0.0	0.0	-7.7
1.4	355.5							
				J	0.8	0.0	0.0	-7.7
-0.5	349.7							
		Q5_pc	Y	I	-4.6	-0.1	0.0	23.0
4.0	-1132.4							
				J	-4.6	-0.1	0.0	23.0
-6.9	-1080.8							
		Q5_ps	X	I	0.8	0.0	0.0	-11.0
2.7	481.2							
				J	0.8	0.0	0.0	-11.0
-1.9	477.0							
		Q5_ps	Y	I	-4.5	-0.1	0.0	32.9
-0.9	-1529.5							
				J	-4.5	-0.1	0.0	32.9
-2.1	-1470.3							
		INVSLU	Max	I	-912.9	3.5	0.6	147.1
507.9	-3334.7							
				J	-912.9	3.5	2.1	147.1
460.4	4469.0							
		Min		I	-974.5	-22.4	-2.0	-373.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-426.5	-24626.5			J	-974.5	-22.4	-0.5	-373.6
-482.0	-20291.8							
			INVSLE Max	I	-740.9	2.7	0.6	108.8
425.7	-3669.9			J	-740.9	2.7	1.7	108.8
304.6	2091.3		Min	I	-785.9	-16.5	-1.3	-273.8
-265.9	-19290.6			J	-785.9	-16.5	-0.2	-273.8
-392.5	-16106.0							
4865	2	62	C1-C2;~1 Max	I	9.2	8.3	0.3	57.0
120.6	13587.3			J	9.2	8.3	0.3	57.0
466.1	16204.0		Min	I	-42.5	-13.3	-1.2	-224.3
-445.0	-3311.2			J	-42.5	-13.3	-1.2	-224.3
-121.4	-1852.0							
			C3-C4;~1 Max	I	10.1	1.9	0.4	40.2
150.9	7590.9			J	10.1	1.9	0.4	40.2
608.0	10393.9		Min	I	-48.9	-6.9	-1.6	-151.4
-569.2	-3042.6			J	-48.9	-6.9	-1.6	-151.4
-137.5	-1727.8							
			C1-C2;~2 Max	I	4.9	5.9	0.2	35.0
64.5	9677.6			J	4.9	5.9	0.2	35.0
261.4	11417.4		Min	I	-25.5	-9.3	-0.7	-152.8
-248.5	-2199.4			J	-25.5	-9.3	-0.7	-152.8
-65.0	-1118.9							
			C3-C4;~2 Max	I	5.3	1.1	0.2	19.4
82.5	5362.4			J	5.3	1.1	0.2	19.4
356.3	7247.6		Min	I	-29.9	-4.7	-0.9	-100.7
-329.8	-1929.7			J	-29.9	-4.7	-0.9	-100.7
-72.5	-1027.0							
			G1	I	-30.3	-0.3	-1.5	0.7
-408.6	-126.2			J	-30.3	-0.3	-0.4	0.7
288.5	121.2							
			G2	I	-11.8	-0.2	-0.4	4.7
-130.0	-962.9			J	-11.8	-0.2	-0.4	4.7
135.4	-829.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	1.8	-0.0	0.0	-4.1
4.0	350.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.6	379.7		J	1.8	-0.0	0.0	-4.1
-2.0	-1082.0	Q5_pc Y	I	-7.7	0.1	-0.0	11.9
-1.9	-1177.9		J	-7.7	0.1	-0.0	11.9
5.5	477.3	Q5_ps X	I	1.8	-0.1	0.0	-5.9
-4.2	517.6		J	1.8	-0.1	0.0	-5.9
-7.3	-1471.3	Q5_ps Y	I	-7.6	0.2	-0.0	17.3
3.0	-1598.0		J	-7.6	0.2	-0.0	17.3
288.0	4471.5	INVS LU Max	I	-1175.1	9.2	0.0	51.1
721.5	9623.8		J	-1175.1	9.2	1.5	51.1
-691.4	-20289.2	Min	I	-1268.7	-20.1	-2.7	-350.0
-289.7	-17219.3		J	-1268.7	-20.1	-1.2	-350.0
244.3	2093.2	INVS LE Max	I	-942.8	6.7	0.1	31.8
512.8	5987.7		J	-942.8	6.7	1.2	31.8
-480.6	-16103.7	Min	I	-1011.1	-15.0	-1.9	-263.8
-235.9	-13640.0		J	-1011.1	-15.0	-0.8	-263.8
4866	2	62 C1-C2;~1 Max	I	13.2	5.9	0.3	137.1
122.8	16207.4		J	13.2	5.9	0.3	137.1
476.3	25363.5	Min	I	-59.7	-21.5	-1.2	-169.9
-439.6	-1852.4		J	-59.7	-21.5	-1.2	-169.9
-126.5	-2853.7						
152.3	10396.2	C3-C4;~1 Max	I	14.6	3.1	0.4	62.4
614.3	17435.8		J	14.6	3.1	0.4	62.4
-559.6	-1728.3	Min	I	-68.2	-13.0	-1.6	-111.9
-143.3	-2633.1		J	-68.2	-13.0	-1.6	-111.9
65.7	11419.7	C1-C2;~2 Max	I	7.1	4.0	0.2	93.1
268.6	17660.1		J	7.1	4.0	0.2	93.1
-246.3	-1119.1	Min	I	-35.4	-15.1	-0.7	-114.6
-67.8	-1510.9		J	-35.4	-15.1	-0.7	-114.6
83.0	7249.1	C3-C4;~2 Max	I	7.7	1.7	0.2	32.1
			J	7.7	1.7	0.2	32.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
361.2	11992.4		Min	I	-41.1	-8.9	-0.9	-73.1
-325.2	-1027.3			J	-41.1	-8.9	-0.9	-73.1
-75.5	-1314.4							
		G1		I	-44.5	-0.0	-1.5	2.6
-394.5	121.2			J	-44.5	-0.0	-0.4	2.6
283.3	152.3							
		G2		I	-17.4	1.0	-0.3	-1.9
-123.8	-829.7			J	-17.4	1.0	-0.3	-1.9
132.0	-1574.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	2.6	-0.4	0.0	-1.0
6.5	378.5			J	2.6	-0.4	0.0	-1.0
-5.0	661.3							
		Q5_pc Y		I	-10.5	1.2	-0.0	2.7
-8.4	-1174.1			J	-10.5	1.2	-0.0	2.7
3.9	-2058.9							
		Q5_ps X		I	2.5	-0.6	0.0	-1.6
7.9	516.5			J	2.5	-0.6	0.0	-1.6
-6.3	920.1							
		Q5_ps Y		I	-10.3	1.7	-0.0	4.3
-12.8	-1594.5			J	-10.3	1.7	-0.0	4.3
7.8	-2849.5							
		INVSLU Max		I	-1390.4	6.6	-0.2	64.0
214.8	9621.8			J	-1390.4	6.6	1.3	64.0
838.2	24626.2							
		Min		I	-1521.3	-32.7	-2.9	-355.2
-761.5	-17217.4			J	-1521.3	-32.7	-1.4	-355.2
-193.5	-17781.4							
		INVSLE Max		I	-1106.9	4.5	-0.1	35.0
180.1	5986.2			J	-1106.9	4.5	1.0	35.0
607.2	17264.5							
		Min		I	-1202.5	-24.4	-2.1	-275.1
-541.9	-13639.2			J	-1202.5	-24.4	-1.0	-275.1
-156.3	-13694.7							
		62 C1-C2;~1 Max		I	16.7	87.1	0.4	399.2
4867	2			J	16.7	87.1	0.4	399.2
164.9	25357.9							
		Min		I	-84.2	-13.8	-1.1	-63.0
421.9	7241.5			J	-84.2	-13.8	-1.1	-63.0
-388.0	-2852.7							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-157.1	-39045.9						
		C3-C4;~1 Max	I	18.4	67.2	0.5	266.3
198.8	17431.4		J	18.4	67.2	0.5	266.3
521.5	8021.5						
		Min	I	-89.9	-14.5	-1.4	-79.3
-484.3	-2632.0		J	-89.9	-14.5	-1.4	-79.3
-180.4	-32700.4						
		C1-C2;~2 Max	I	8.9	59.0	0.2	276.5
94.9	17656.2		J	8.9	59.0	0.2	276.5
235.3	3795.5						
		Min	I	-50.8	-7.2	-0.6	-36.7
-215.7	-1510.3		J	-50.8	-7.2	-0.6	-36.7
-87.9	-26004.1						
		C3-C4;~2 Max	I	9.7	45.2	0.3	182.5
116.0	11989.3		J	9.7	45.2	0.3	182.5
297.1	4252.5						
		Min	I	-54.6	-7.6	-0.8	-46.1
-275.6	-1313.8		J	-54.6	-7.6	-0.8	-46.1
-100.8	-21829.2						
		G1	I	-54.8	0.3	-1.4	6.4
-368.2	152.7		J	-54.8	0.3	-0.3	6.4
266.3	-83.3						
		G2	I	-20.0	-8.1	-0.4	-29.0
-123.5	-1574.0		J	-20.0	-8.1	-0.4	-29.0
137.2	4378.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.1	2.9	0.0	9.6
12.3	660.6		J	3.1	2.9	0.0	9.6
-11.7	-1476.8						
		Q5_pc Y	I	-12.4	-9.1	-0.1	-30.4
-25.3	-2056.7		J	-12.4	-9.1	-0.1	-30.4
23.6	4581.3						
		Q5_ps X	I	2.8	4.2	0.0	13.7
15.3	919.3		J	2.8	4.2	0.0	13.7
-15.1	-2151.3						
		Q5_ps Y	I	-11.3	-13.0	-0.1	-43.1
-34.7	-2847.0		J	-11.3	-13.0	-0.1	-43.1
34.0	6649.5						
		INVSLU Max	I	-1565.1	58.8	0.2	314.6
329.2	24624.8						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
603.9	53349.2		J	-1565.1	58.8	1.7	314.6
		Min	I	-1733.6	-96.7	-2.4	-385.9
-638.5	-17768.8		J	-1733.6	-96.7	-1.0	-385.9
-386.2	-19201.0						
		INVSLE Max	I	-1239.5	37.8	0.2	210.6
264.2	17264.1		J	-1239.5	37.8	1.3	210.6
429.2	41701.4						
		Min	I	-1362.6	-75.3	-1.7	-304.3
-449.3	-13685.1		J	-1362.6	-75.3	-0.6	-304.3
-301.2	-10995.3						
4868	2	62 C1-C2;~1 Max	I	21.3	12.4	0.3	52.9
121.5	7247.0		J	21.3	12.4	0.3	52.9
522.9	26250.9						
		Min	I	-98.7	-81.6	-1.3	-480.7
-478.6	-39012.1		J	-98.7	-81.6	-1.3	-480.7
-128.7	-2659.0						
		C3-C4;~1 Max	I	23.6	13.2	0.4	66.6
138.1	8025.3		J	23.6	13.2	0.4	66.6
633.2	18262.5						
		Min	I	-106.8	-63.8	-1.5	-345.8
-577.5	-32680.2		J	-106.8	-63.8	-1.5	-345.8
-145.7	-2581.1						
		C1-C2;~2 Max	I	11.4	6.4	0.2	25.1
64.6	3798.5		J	11.4	6.4	0.2	25.1
303.7	18303.7						
		Min	I	-58.7	-55.4	-0.7	-329.1
-277.1	-25980.4		J	-58.7	-55.4	-0.7	-329.1
-68.7	-1350.2						
		C3-C4;~2 Max	I	12.5	6.9	0.2	31.3
72.2	4255.3		J	12.5	6.9	0.2	31.3
378.2	12566.9						
		Min	I	-64.2	-43.1	-0.9	-232.4
-343.6	-21816.2		J	-64.2	-43.1	-0.9	-232.4
-76.5	-1241.8						
		G1	I	-65.1	-0.2	-1.3	1.7
-356.7	-73.7		J	-65.1	-0.2	-0.1	1.7
236.5	108.8						
		G2	I	-24.1	7.5	-0.3	34.2
-97.6	4382.2		J	-24.1	7.5	-0.3	34.2
113.6	-1637.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4.5	-1432.2	Q5_pc X	I	4.3	-2.7	0.0	-13.4
-3.7	703.6		J	4.3	-2.7	0.0	-13.4
-1.1	4444.1	Q5_pc Y	I	-16.2	8.3	-0.0	41.2
-1.1	-2196.0		J	-16.2	8.3	-0.0	41.2
3.7	-2108.8	Q5_ps X	I	4.0	-3.9	0.0	-19.4
-3.3	965.6		J	4.0	-3.9	0.0	-19.4
1.2	6518.8	Q5_ps Y	I	-15.0	11.9	0.0	59.5
-2.5	-2996.5		J	-15.0	11.9	0.0	59.5
164.5	53205.8	INVS LU Max	I	-1706.4	87.9	-0.5	360.1
938.0	26660.6		J	-1706.4	87.9	1.2	360.1
-809.7	-18983.0	Min	I	-1911.7	-57.0	-3.0	-457.5
-120.2	-17072.0		J	-1911.7	-57.0	-1.4	-457.5
126.1	41610.6	INVS LE Max	I	-1345.8	68.5	-0.3	274.5
695.0	18785.3		J	-1345.8	68.5	0.9	274.5
-594.9	-10842.0	Min	I	-1495.7	-37.0	-2.2	-322.2
-88.3	-13129.9		J	-1495.7	-37.0	-1.0	-322.2
4869	2	62 C1-C2;~1 Max	I	26.6	23.8	0.3	152.3
124.4	26257.3		J	26.6	23.8	0.3	152.3
432.0	14826.3	Min	I	-109.8	-4.2	-1.0	-236.8
-385.9	-2659.9		J	-109.8	-4.2	-1.0	-236.8
-130.9	-1682.5						
170.8	18268.1	C3-C4;~1 Max	I	29.5	14.2	0.4	110.5
560.9	9377.5		J	29.5	14.2	0.4	110.5
-491.9	-2581.5	Min	I	-121.6	-2.9	-1.3	-161.5
-148.1	-1791.0		J	-121.6	-2.9	-1.3	-161.5
66.2	18308.0	C1-C2;~2 Max	I	14.3	16.7	0.2	101.1
244.1	10480.7		J	14.3	16.7	0.2	101.1
-217.4	-1350.6	Min	I	-64.5	-2.7	-0.6	-161.1
-70.0	-970.4		J	-64.5	-2.7	-0.6	-161.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
96.1	12570.6	C3-C4;~2 Max	I	15.6	9.8	0.2	67.2
			J	15.6	9.8	0.2	67.2
330.6	6525.3	Min	I	-72.3	-1.5	-0.8	-107.1
-286.8	-1241.9		J	-72.3	-1.5	-0.8	-107.1
-77.9	-971.7						
		G1	I	-77.5	0.1	-1.3	4.8
-336.0	109.2		J	-77.5	0.1	-0.1	4.8
217.9	31.6						
		G2	I	-29.8	-1.3	-0.3	7.5
-99.7	-1637.7		J	-29.8	-1.3	-0.3	7.5
114.9	-595.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.6	0.5	0.0	-3.1
9.7	703.7		J	5.6	0.5	0.0	-3.1
-8.1	327.9						
		Q5_pc Y	I	-20.7	-1.5	-0.0	9.3
-16.7	-2196.3		J	-20.7	-1.5	-0.0	9.3
11.9	-1031.1						
		Q5_ps X	I	5.5	0.7	0.0	-4.6
11.0	965.8		J	5.5	0.7	0.0	-4.6
-9.3	421.4						
		Q5_ps Y	I	-19.9	-2.1	-0.0	13.7
-20.7	-2997.2		J	-19.9	-2.1	-0.0	13.7
15.7	-1315.1						
		INVS LU Max	I	-1834.1	30.9	-0.5	301.6
149.9	26664.5		J	-1834.1	30.9	1.2	301.6
841.8	12276.9	Min	I	-2075.3	-9.6	-2.8	-240.4
-774.8	-17078.7		J	-2075.3	-9.6	-1.2	-240.4
-136.8	-12012.5						
		INVS LE Max	I	-1441.0	22.7	-0.3	228.1
120.9	18787.7		J	-1441.0	22.7	0.9	228.1
618.6	8261.8	Min	I	-1616.9	-7.1	-2.1	-172.2
-561.9	-13135.2		J	-1616.9	-7.1	-0.9	-172.2
-104.6	-9592.8						
4870	2	62 C1-C2;~1 Max	I	30.8	11.8	0.3	190.5
125.2	14822.7		J	30.8	11.8	0.3	190.5
426.3	14909.7						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-371.8	-1683.0		Min	I	-122.5	-11.8	-1.0	-195.7
				J	-122.5	-11.8	-1.0	-195.7
-133.4	-1520.0							
		C3-C4;~1	Max	I	34.2	5.9	0.4	136.0
178.8	9374.8			J	34.2	5.9	0.4	136.0
549.0	9502.1							
			Min	I	-134.3	-5.8	-1.3	-127.7
-473.6	-1790.8			J	-134.3	-5.8	-1.3	-127.7
-151.1	-1687.5							
		C1-C2;~2	Max	I	16.5	8.3	0.2	128.0
66.4	10478.3			J	16.5	8.3	0.2	128.0
242.2	10523.3							
			Min	I	-71.6	-8.4	-0.6	-132.0
-210.1	-970.8			J	-71.6	-8.4	-0.6	-132.0
-71.2	-839.5							
		C3-C4;~2	Max	I	18.0	3.9	0.2	85.6
101.6	6523.5			J	18.0	3.9	0.2	85.6
324.6	6579.2							
			Min	I	-79.4	-3.9	-0.8	-83.4
-277.0	-971.6			J	-79.4	-3.9	-0.8	-83.4
-79.3	-870.1							
		G1		I	-87.9	0.0	-1.2	5.4
-314.8	31.6			J	-87.9	0.0	-0.0	5.4
200.7	28.3							
		G2		I	-33.9	0.0	-0.2	2.4
-90.5	-594.9			J	-33.9	0.0	-0.2	2.4
107.5	-599.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	6.1	-0.0	0.0	-1.1
9.0	327.8			J	6.1	-0.0	0.0	-1.1
-7.8	341.4							
		Q5_pc	Y	I	-22.6	0.1	-0.0	2.9
-14.7	-1030.7			J	-22.6	0.1	-0.0	2.9
11.0	-1076.3							
		Q5_ps	X	I	5.9	-0.0	0.0	-1.7
10.1	421.2			J	5.9	-0.0	0.0	-1.7
-8.9	436.8							
		Q5_ps	Y	I	-21.8	0.1	-0.0	4.5
-17.9	-1314.6			J	-21.8	0.1	-0.0	4.5
14.1	-1365.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

200.8	12275.2	INVS LU	Max	I	-1969.7	15.2	-0.4	260.9
				J	-1969.7	15.2	1.2	260.9
834.4	13022.5		Min	I	-2237.9	-16.8	-2.7	-265.7
-706.5	-12008.3			J	-2237.9	-16.8	-1.1	-265.7
-130.5	-11321.0							
		INVS LE	Max	I	-1542.2	11.2	-0.3	191.7
157.5	8260.9			J	-1542.2	11.2	0.9	191.7
614.1	8856.4		Min	I	-1737.8	-12.5	-2.0	-198.0
-512.6	-9589.5			J	-1737.8	-12.5	-0.8	-198.0
-99.1	-9032.3							
4871	2	62 C1-C2;~1	Max	I	34.9	4.2	0.3	234.2
126.0	14913.4			J	34.9	4.2	0.3	234.2
421.4	27279.5		Min	I	-135.6	-25.0	-1.0	-161.9
-356.2	-1519.2			J	-135.6	-25.0	-1.0	-161.9
-135.5	-2171.5							
		C3-C4;~1	Max	I	38.7	3.0	0.4	166.1
188.3	9504.9			J	38.7	3.0	0.4	166.1
536.6	19358.3		Min	I	-147.5	-15.7	-1.2	-109.6
-451.8	-1687.4			J	-147.5	-15.7	-1.2	-109.6
-155.9	-2633.5							
		C1-C2;~2	Max	I	18.7	2.6	0.2	158.7
66.5	10525.8			J	18.7	2.6	0.2	158.7
241.2	18904.6		Min	I	-79.1	-17.4	-0.6	-108.0
-202.2	-838.9			J	-79.1	-17.4	-0.6	-108.0
-72.1	-946.2							
		C3-C4;~2	Max	I	20.4	1.5	0.2	105.1
108.0	6581.1			J	20.4	1.5	0.2	105.1
318.8	13142.1		Min	I	-86.8	-10.7	-0.7	-67.9
-265.1	-870.0			J	-86.8	-10.7	-0.7	-67.9
-82.0	-1172.9							
		G1		I	-97.4	-0.2	-1.2	5.7
-290.1	28.3			J	-97.4	-0.2	0.0	5.7
180.4	170.6							
		G2		I	-37.6	1.3	-0.2	-2.9
-80.0	-599.6			J	-37.6	1.3	-0.2	-2.9
98.3	-1658.9							
		Q3		I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
8.9	341.6	Q5_pc X	I	6.4	-0.5	0.0	0.9
-7.8	760.7		J	6.4	-0.5	0.0	0.9
-14.2	-1076.8	Q5_pc Y	I	-24.3	1.6	-0.0	-3.4
10.5	-2388.3		J	-24.3	1.6	-0.0	-3.4
9.7	437.0	Q5_ps X	I	6.2	-0.8	0.0	1.3
-8.5	1040.6		J	6.2	-0.8	0.0	1.3
-16.6	-1366.3	Q5_ps Y	I	-23.4	2.4	-0.0	-4.6
12.7	-3241.5		J	-23.4	2.4	-0.0	-4.6
231.1	13024.5	INVS LU Max	I	-2092.6	8.2	-0.3	233.7
791.3	30011.8		J	-2092.6	8.2	1.3	233.7
-658.5	-11324.9	Min	I	-2387.7	-34.1	-2.6	-307.2
-162.6	-15410.6		J	-2387.7	-34.1	-1.0	-307.2
179.3	8857.6	INVS LE Max	I	-1634.0	5.9	-0.2	165.0
583.0	21393.0		J	-1634.0	5.9	1.0	165.0
-477.8	-9035.4	Min	I	-1849.4	-25.2	-1.9	-235.2
-122.2	-11733.8		J	-1849.4	-25.2	-0.7	-235.2
4872	2	62 C1-C2;~1 Max	I	39.5	87.5	0.5	485.5
209.3	27273.3		J	39.5	87.5	0.5	485.5
349.9	6058.3	Min	I	-158.8	-10.2	-0.8	-54.4
-296.9	-2170.4		J	-158.8	-10.2	-0.8	-54.4
-194.2	-42691.2						
248.4	19352.9	C3-C4;~1 Max	I	43.8	70.4	0.6	349.0
429.5	6711.9		J	43.8	70.4	0.6	349.0
-373.7	-2632.1	Min	I	-168.3	-11.5	-1.0	-54.4
-223.6	-36958.6		J	-168.3	-11.5	-1.0	-54.4
125.0	18900.4	C1-C2;~2 Max	I	21.2	58.6	0.3	331.1
197.7	2716.6		J	21.2	58.6	0.3	331.1
-166.7	-945.7	Min	I	-93.5	-4.5	-0.5	-25.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-112.1	-27954.9		J	-93.5	-4.5	-0.5	-25.1
150.1	13138.5	C3-C4;~2 Max	I	23.1	46.5	0.4	234.7
247.3	2921.0		J	23.1	46.5	0.4	234.7
-214.7	-1172.2	Min	I	-99.7	-5.0	-0.6	-24.4
-129.6	-24097.6		J	-99.7	-5.0	-0.6	-24.4
-254.6	170.9	G1	I	-106.7	0.8	-1.1	11.3
146.7	-428.8		J	-106.7	0.8	0.1	11.3
-75.0	-1658.2	G2	I	-40.1	-7.7	-0.2	-29.2
95.8	4485.5		J	-40.1	-7.7	-0.2	-29.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
13.3	760.3	Q5_pc X	I	6.4	2.9	0.0	11.6
-13.2	-1530.4		J	6.4	2.9	0.0	11.6
-28.0	-2387.0	Q5_pc Y	I	-24.8	-9.0	-0.1	-36.9
27.6	4775.0		J	-24.8	-9.0	-0.1	-36.9
15.8	1040.1	Q5_ps X	I	6.0	4.2	0.0	16.9
-16.1	-2292.7		J	6.0	4.2	0.0	16.9
-35.7	-3240.0	Q5_ps Y	I	-23.1	-13.0	-0.1	-53.0
36.2	7106.5		J	-23.1	-13.0	-0.1	-53.0
370.1	30008.8	INVSLE Max	I	-2197.9	69.0	0.0	470.8
646.0	51276.9		J	-2197.9	69.0	1.6	470.8
-520.0	-15400.9	Min	I	-2528.8	-83.5	-2.3	-331.2
-285.5	-25256.8		J	-2528.8	-83.5	-0.7	-331.2
287.1	21391.4	INVSLE Max	I	-1713.0	46.2	0.0	330.5
466.4	39961.3		J	-1713.0	46.2	1.2	330.5
-368.5	-11726.3	Min	I	-1954.8	-64.7	-1.6	-255.2
-219.9	-15622.4		J	-1954.8	-64.7	-0.4	-255.2
4873	2	62 C1-C2;~1 Max	I	44.4	10.2	0.3	47.2


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
124.8	6060.9		J	44.4	10.2	0.3	47.2
463.4	27308.2						
		Min	I	-169.6	-87.4	-1.1	-485.6
-401.2	-42686.2						
			J	-169.6	-87.4	-1.1	-485.6
-136.0	-2174.0						
		C3-C4;~1 Max	I	49.2	11.6	0.4	70.3
143.8	6710.1						
			J	49.2	11.6	0.4	70.3
565.0	19376.0						
		Min	I	-181.0	-70.2	-1.3	-353.7
-490.6	-36955.6						
			J	-181.0	-70.2	-1.3	-353.7
-155.5	-2916.4						
		C1-C2;~2 Max	I	23.8	4.5	0.2	20.4
65.7	2718.1						
			J	23.8	4.5	0.2	20.4
272.8	18924.8						
		Min	I	-99.4	-58.6	-0.6	-331.8
-235.6	-27951.4						
			J	-99.4	-58.6	-0.6	-331.8
-72.3	-943.4						
		C3-C4;~2 Max	I	26.0	5.1	0.2	32.8
74.2	2919.9						
			J	26.0	5.1	0.2	32.8
342.3	13150.9						
		Min	I	-106.9	-46.4	-0.8	-235.8
-296.1	-24096.5						
			J	-106.9	-46.4	-0.8	-235.8
-81.1	-1368.0						
		G1	I	-114.1	-0.7	-1.1	-0.5
-246.1	-425.3						
			J	-114.1	-0.7	0.1	-0.5
140.4	155.8						
		G2	I	-43.0	7.7	-0.2	33.7
-55.6	4486.8						
			J	-43.0	7.7	-0.2	33.7
77.4	-1659.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.1	-2.9	0.0	-13.3
4.0	-1529.8						
			J	7.1	-2.9	0.0	-13.3
-3.9	777.0						
		Q5_pc Y	I	-27.1	9.0	0.0	41.0
0.5	4772.9						
			J	-27.1	9.0	0.0	41.0
-1.0	-2441.2						
		Q5_ps X	I	6.7	-4.2	0.0	-19.3
2.8	-2292.0						
			J	6.7	-4.2	0.0	-19.3
-3.0	1055.1						
		Q5_ps Y	I	-25.3	13.0	0.0	59.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.3	7104.1			J	-25.3	13.0	0.0	59.3
-3.9	-3288.9							
		INVSLE Max	I		-2274.7	83.3	-0.6	365.2
105.3	51277.0			J	-2274.7	83.3	1.0	365.2
893.4	30276.4	Min	I		-2634.3	-69.2	-2.9	-460.3
-758.5	-25243.0			J	-2634.3	-69.2	-1.3	-460.3
-86.4	-15566.7							
		INVSLE Max	I		-1770.3	64.6	-0.4	280.8
77.8	39961.9			J	-1770.3	64.6	0.8	280.8
666.0	21603.2	Min	I		-2033.1	-46.3	-2.1	-324.2
-561.5	-15612.1			J	-2033.1	-46.3	-0.9	-324.2
-59.2	-11826.5							
4874	2	62 C1-C2;~1 Max	I		48.8	25.1	0.4	166.3
159.2	27314.7			J	48.8	25.1	0.4	166.3
357.1	14893.8	Min	I		-171.5	-4.2	-0.8	-234.9
-294.0	-2174.6			J	-171.5	-4.2	-0.8	-234.9
-138.9	-1737.1							
		C3-C4;~1 Max	I		54.1	15.8	0.5	127.3
214.7	19381.7			J	54.1	15.8	0.5	127.3
475.3	9476.5	Min	I		-186.2	-3.0	-1.1	-159.4
-386.9	-2916.8			J	-186.2	-3.0	-1.1	-159.4
-173.2	-2047.7							
		C1-C2;~2 Max	I		26.1	17.5	0.2	109.7
88.9	18929.2			J	26.1	17.5	0.2	109.7
204.1	10505.4	Min	I		-99.8	-2.6	-0.5	-159.6
-167.0	-943.7			J	-99.8	-2.6	-0.5	-159.6
-73.2	-968.1							
		C3-C4;~2 Max	I		28.5	10.7	0.3	78.6
125.6	13154.8			J	28.5	10.7	0.3	78.6
284.2	6549.5	Min	I		-109.3	-1.5	-0.6	-105.5
-228.2	-1368.0			J	-109.3	-1.5	-0.6	-105.5
-93.5	-1103.5							
		G1	I		-119.1	0.2	-1.0	5.0
-209.4	156.1			J	-119.1	0.2	0.2	5.0
108.0	-4.2							
		G2	I		-46.1	-1.3	-0.2	7.5
-51.9	-1659.9			J	-46.1	-1.3	-0.2	7.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
73.6	-594.5						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	8.0	0.5	0.0
9.5	777.1			J	8.0	0.5	0.0
-8.5	370.8						
			Q5_pc Y	I	-30.4	-1.6	-0.0
-16.6	-2441.6			J	-30.4	-1.6	-0.0
13.3	-1172.6						
			Q5_ps X	I	7.8	0.7	0.0
10.4	1055.4			J	7.8	0.7	0.0
-9.3	461.5						
			Q5_ps Y	I	-29.2	-2.3	-0.0
-19.5	-3289.6			J	-29.2	-2.3	-0.0
15.8	-1447.4						
			INVSLE Max	I	-2334.4	33.8	-0.2
289.3	30279.7			J	-2334.4	33.8	1.4
734.7	13593.2		Min	I	-2713.5	-8.6	-2.4
-552.6	-15573.8			J	-2713.5	-8.6	-0.8
-164.7	-11388.5						
			INVSLE Max	I	-1814.4	24.9	-0.2
220.8	21605.1			J	-1814.4	24.9	1.0
542.6	9321.0		Min	I	-2091.2	-6.2	-1.8
-400.7	-11832.1			J	-2091.2	-6.2	-0.6
-121.8	-9027.7						
4875	2	62	C1-C2;~1 Max	I	53.5	11.8	0.4
157.0	14889.7			J	53.5	11.8	0.4
347.3	14891.7		Min	I	-179.9	-11.8	-0.8
-279.9	-1737.6			J	-179.9	-11.8	-0.8
-138.4	-1737.0						
			C3-C4;~1 Max	I	59.3	5.9	0.5
219.4	9473.2			J	59.3	5.9	0.5
462.3	9507.1		Min	I	-194.6	-5.8	-1.0
-371.6	-2047.4			J	-194.6	-5.8	-1.0
-176.5	-2069.6						
			C1-C2;~2 Max	I	28.7	8.3	0.2
87.2	10502.6			J	28.7	8.3	0.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
200.1	10496.7		Min	I	-104.4	-8.4	-0.4	-130.5
-159.8	-968.6			J	-104.4	-8.4	-0.4	-130.5
-72.7	-962.1							
128.6	6547.4	C3-C4;~2	Max	I	31.3	3.9	0.3	89.7
278.5	6559.7			J	31.3	3.9	0.3	89.7
-220.8	-1103.3		Min	I	-113.8	-3.9	-0.6	-81.9
-95.7	-1108.1			J	-113.8	-3.9	-0.6	-81.9
-187.2	-4.1		G1	I	-124.2	-0.0	-0.9	5.3
87.2	1.9			J	-124.2	-0.0	0.3	5.3
-41.9	-594.1		G2	I	-48.1	0.0	-0.1	2.4
64.5	-595.3			J	-48.1	0.0	-0.1	2.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
8.5	370.6	Q5_pc	X	I	8.3	-0.0	0.0	-0.7
-7.8	383.6			J	8.3	-0.0	0.0	-0.7
-14.1	-1172.2	Q5_pc	Y	I	-31.8	0.0	-0.0	1.5
11.6	-1211.9			J	-31.8	0.0	-0.0	1.5
9.2	461.4	Q5_ps	X	I	8.1	-0.0	0.0	-1.0
-8.4	474.6			J	8.1	-0.0	0.0	-1.0
-16.1	-1446.8	Q5_ps	Y	I	-30.6	0.1	-0.0	2.3
13.3	-1487.3			J	-30.6	0.1	-0.0	2.3
317.5	13590.6	INVS LU	Max	I	-2411.2	16.0	-0.2	278.1
709.5	13583.8			J	-2411.2	16.0	1.4	278.1
-505.8	-11384.4		Min	I	-2811.3	-16.0	-2.3	-255.5
-173.6	-11495.4			J	-2811.3	-16.0	-0.7	-255.5
241.2	9319.3	INVS LE	Max	I	-1871.7	11.8	-0.1	205.5
524.5	9318.2			J	-1871.7	11.8	1.1	205.5
-366.7	-9024.4		Min	I	-2163.7	-11.8	-1.7	-189.6
				J	-2163.7	-11.8	-0.5	-189.6

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-128.2	-9097.4								
4876	2	62	C1-C2;~1 Max	I	57.2	4.1	0.4	240.4	
171.9	14896.9			J	57.2	4.1	0.4	240.4	
362.9	27477.7								
			Min	I	-186.6	-25.4	-0.8	-160.2	
-285.7	-1736.0			J	-186.6	-25.4	-0.8	-160.2	
-153.4	-1995.8								
			C3-C4;~1 Max	I	63.5	3.1	0.5	162.7	
242.0	9511.1			J	63.5	3.1	0.5	162.7	
475.2	19655.3								
			Min	I	-201.5	-16.1	-1.1	-110.0	
-375.9	-2069.4			J	-201.5	-16.1	-1.1	-110.0	
-197.7	-2977.0								
			C1-C2;~2 Max	I	30.7	2.5	0.2	162.4	
95.4	10500.3			J	30.7	2.5	0.2	162.4	
210.7	19012.8								
			Min	I	-108.1	-17.6	-0.5	-106.6	
-163.9	-961.3			J	-108.1	-17.6	-0.5	-106.6	
-80.9	-810.1								
			C3-C4;~2 Max	I	33.5	1.5	0.3	108.6	
142.0	6562.4			J	33.5	1.5	0.3	108.6	
287.3	13288.0								
			Min	I	-117.6	-10.9	-0.6	-66.5	
-223.9	-1107.9			J	-117.6	-10.9	-0.6	-66.5	
-107.8	-1375.4								
			G1	I	-127.9	-0.3	-0.9	5.5	
-171.2	2.0			J	-127.9	-0.3	0.3	5.5	
74.5	237.2								
			G2	I	-49.6	1.3	-0.1	-2.6	
-34.8	-595.8			J	-49.6	1.3	-0.1	-2.6	
58.2	-1646.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	8.5	-0.6	0.0	1.3	
8.7	383.8			J	8.5	-0.6	0.0	1.3	
-7.9	825.9								
			Q5_pc Y	I	-33.3	1.7	-0.0	-4.7	
-14.2	-1212.5			J	-33.3	1.7	-0.0	-4.7	
11.1	-2592.0								
			Q5_ps X	I	8.3	-0.8	0.0	1.9	
9.2	474.9			J	8.3	-0.8	0.0	1.9	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.3	1106.4						
-15.5	-1488.1	Q5_ps Y	I	-32.0	2.4	-0.0	-6.6
12.1	-3446.0		J	-32.0	2.4	-0.0	-6.6
355.8	13589.2	INVSLU Max	I	-2505.5	8.8	-0.1	248.4
692.5	30465.4		J	-2505.5	8.8	1.5	248.4
-503.7	-11497.8	Min	I	-2923.1	-34.1	-2.3	-300.9
-235.9	-15988.1		J	-2923.1	-34.1	-0.7	-300.9
269.3	9322.0	INVSLE Max	I	-1943.1	6.4	-0.0	176.8
511.7	21747.1		J	-1943.1	6.4	1.2	176.8
-365.6	-9099.3	Min	I	-2248.0	-25.2	-1.7	-229.5
-174.5	-12107.2		J	-2248.0	-25.2	-0.5	-229.5
4877	2	62 C1-C2;~1 Max	I	60.0	88.6	0.6	494.9
264.1	27473.2		J	60.0	88.6	0.6	494.9
282.9	5543.3	Min	I	-202.6	-9.3	-0.6	-48.7
-220.5	-1995.1		J	-202.6	-9.3	-0.6	-48.7
-239.4	-43524.3						
326.6	19651.3	C3-C4;~1 Max	I	66.5	71.9	0.8	360.9
351.7	6837.2		J	66.5	71.9	0.8	360.9
-286.2	-2976.3	Min	I	-213.9	-11.8	-0.8	-55.4
-277.1	-38042.9		J	-213.9	-11.8	-0.8	-55.4
159.7	19009.8	C1-C2;~2 Max	I	32.2	59.2	0.4	336.6
161.4	2286.9		J	32.2	59.2	0.4	336.6
-124.4	-809.8	Min	I	-118.4	-3.8	-0.4	-21.1
-140.3	-28391.2		J	-118.4	-3.8	-0.4	-21.1
202.0	13285.4	C3-C4;~2 Max	I	35.1	47.3	0.5	240.9
204.3	2866.0		J	35.1	47.3	0.5	240.9
-165.6	-1375.2	Min	I	-125.6	-5.0	-0.5	-24.0
-163.5	-24620.9		J	-125.6	-5.0	-0.5	-24.0
-130.1	237.4	G1	I	-130.1	1.2	-0.8	13.2
34.5	-735.9		J	-130.1	1.2	0.4	13.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-27.7	-1645.6	G2	I	-49.2	-7.6	-0.1	-28.3
			J	-49.2	-7.6	-0.1	-28.3
53.5	4422.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	8.0	3.0	0.0	12.5
12.9	825.6		J	8.0	3.0	0.0	12.5
-13.3	-1601.8						
		Q5_pc Y	I	-32.5	-9.5	-0.1	-39.5
-27.8	-2591.2		J	-32.5	-9.5	-0.1	-39.5
28.3	4972.3						
		Q5_ps X	I	7.6	4.4	0.0	18.0
15.1	1106.1		J	7.6	4.4	0.0	18.0
-15.8	-2377.4						
		Q5_ps Y	I	-30.4	-13.5	-0.1	-56.4
-34.6	-3445.1		J	-30.4	-13.5	-0.1	-56.4
36.0	7344.1						
		INVSLE Max	I	-2561.8	73.1	0.3	494.0
533.2	30462.5		J	-2561.8	73.1	2.0	494.0
507.4	49884.4	Min	I	-2998.8	-82.0	-1.9	-326.7
-344.0	-15982.5		J	-2998.8	-82.0	-0.3	-326.7
-392.4	-28233.7						
		INVSLE Max	I	-1985.7	49.4	0.3	348.7
405.8	21745.4		J	-1985.7	49.4	1.5	348.7
365.1	38809.6	Min	I	-2305.0	-63.4	-1.4	-250.3
-240.3	-12102.8		J	-2305.0	-63.4	-0.2	-250.3
-297.6	-17908.2						
4878	2	62 C1-C2;~1 Max	I	64.0	9.2	0.4	43.7
141.8	5543.4		J	64.0	9.2	0.4	43.7
415.1	27487.1	Min	I	-207.2	-88.6	-0.9	-485.7
-341.2	-43518.4		J	-207.2	-88.6	-0.9	-485.7
-149.0	-2014.1						
		C3-C4;~1 Max	I	70.9	11.8	0.4	69.6
176.2	6834.4		J	70.9	11.8	0.4	69.6
512.9	19643.8	Min	I	-219.5	-71.9	-1.2	-355.1
-423.5	-38036.1		J	-219.5	-71.9	-1.2	-355.1
-171.3	-3003.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
74.3	2286.9	C1-C2;~2 Max	I	34.3	3.8	0.2	18.0
			J	34.3	3.8	0.2	18.0
249.1	19017.4						
		Min	I	-120.7	-59.2	-0.6	-331.8
-204.3	-28386.7		J	-120.7	-59.2	-0.6	-331.8
-78.2	-818.7						
		C3-C4;~2 Max	I	37.4	5.0	0.2	32.8
93.7	2864.3		J	37.4	5.0	0.2	32.8
316.7	13275.5						
		Min	I	-128.6	-47.3	-0.7	-236.5
-260.6	-24616.5		J	-128.6	-47.3	-0.7	-236.5
-88.1	-1386.1						
		G1	I	-132.0	-1.2	-0.8	-4.0
-135.5	-734.9		J	-132.0	-1.2	0.4	-4.0
41.1	227.8						
		G2	I	-49.9	7.6	-0.1	33.3
-12.9	4422.7		J	-49.9	7.6	-0.1	33.3
39.3	-1651.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	8.2	-3.0	0.0	-13.8
3.3	-1602.0		J	8.2	-3.0	0.0	-13.8
-3.7	834.2						
		Q5_pc Y	I	-33.3	9.5	0.0	42.2
2.5	4972.7		J	-33.3	9.5	0.0	42.2
-1.8	-2619.9						
		Q5_ps X	I	7.7	-4.4	0.0	-19.7
1.6	-2377.5		J	7.7	-4.4	0.0	-19.7
-2.4	1114.2						
		Q5_ps Y	I	-31.1	13.5	0.0	60.2
7.8	7344.4		J	-31.1	13.5	0.0	60.2
-6.1	-3472.1						
		INVSLU Max	I	-2576.7	81.9	-0.3	360.2
234.0	49877.4		J	-2576.7	81.9	1.3	360.2
783.8	30631.6						
		Min	I	-3028.7	-73.3	-2.5	-468.1
-581.6	-28231.1		J	-3028.7	-73.3	-0.9	-468.1
-146.6	-15913.3						
		INVSLE Max	I	-1996.6	63.4	-0.3	276.1
171.8	38804.4		J	-1996.6	63.4	0.9	276.1
585.7	21865.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-431.8	-17906.2		Min	I	-2327.0	-49.5	-1.9	-329.9	
				J	-2327.0	-49.5	-0.7	-329.9	
-103.0	-12052.2								
4879	2	62	C1-C2;~1	Max	I	67.6	25.3	0.5	167.4
202.1	27491.5				J	67.6	25.3	0.5	167.4
311.2	14913.9								
			Min	I	-202.1	-4.1	-0.7	-232.7	
-236.1	-2014.3			J	-202.1	-4.1	-0.7	-232.7	
-170.2	-1802.0								
			C3-C4;~1	Max	I	74.9	16.2	0.6	125.9
276.7	19647.7			J	74.9	16.2	0.6	125.9	
425.3	9510.0								
			Min	I	-217.6	-3.1	-0.9	-157.0	
-321.9	-3003.1			J	-217.6	-3.1	-0.9	-157.0	
-217.3	-2149.3								
			C1-C2;~2	Max	I	36.2	17.6	0.3	110.7
115.1	19020.4			J	36.2	17.6	0.3	110.7	
180.7	10504.7								
			Min	I	-116.9	-2.5	-0.4	-158.0	
-135.6	-818.8			J	-116.9	-2.5	-0.4	-158.0	
-91.2	-997.0								
			C3-C4;~2	Max	I	39.6	10.9	0.3	78.1
165.6	13278.1			J	39.6	10.9	0.3	78.1	
258.8	6552.6								
			Min	I	-126.7	-1.5	-0.6	-104.2	
-192.8	-1386.0			J	-126.7	-1.5	-0.6	-104.2	
-120.3	-1151.4								
			G1	I	-132.5	0.3	-0.7	3.6	
-101.5	228.0			J	-132.5	0.3	0.5	3.6	
10.6	-3.5								
			G2	I	-51.4	-1.3	-0.1	7.6	
-10.7	-1651.8			J	-51.4	-1.3	-0.1	7.6	
36.4	-603.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	8.8	0.5	0.0	-2.6	
8.7	834.5			J	8.8	0.5	0.0	-2.6	
-8.2	401.0								
			Q5_pc Y	I	-35.7	-1.7	-0.0	7.3	
-14.6	-2620.6			J	-35.7	-1.7	-0.0	7.3	
12.3	-1270.7								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9.4	1114.5	Q5_ps X	I	8.6	0.8	0.0	-3.6
-8.7	491.2		J	8.6	0.8	0.0	-3.6
-16.4	-3473.0	Q5_ps Y	I	-34.3	-2.4	-0.0	10.4
13.6	-1543.0		J	-34.3	-2.4	-0.0	10.4
429.0	30634.1	INVS LU Max	I	-2577.0	33.9	0.0	327.9
621.0	13937.9		J	-2577.0	33.9	1.7	327.9
-405.4	-15918.6	Min	I	-3036.1	-9.0	-2.1	-225.3
-268.5	-11384.6		J	-3036.1	-9.0	-0.5	-225.3
324.0	21866.5	INVS LE Max	I	-1996.2	25.0	0.0	248.7
458.1	9570.5		J	-1996.2	25.0	1.2	248.7
-292.1	-12056.4	Min	I	-2331.5	-6.5	-1.5	-160.2
-199.2	-9017.5		J	-2331.5	-6.5	-0.3	-160.2
4880	2	62 C1-C2;~1 Max	I	71.0	11.8	0.5	200.7
202.4	14911.4		J	71.0	11.8	0.5	200.7
305.6	14880.5	Min	I	-204.8	-11.9	-0.7	-191.5
-225.9	-1802.2		J	-204.8	-11.9	-0.7	-191.5
-176.0	-1771.4						
283.6	9508.1	C3-C4;~1 Max	I	78.6	5.9	0.6	140.7
413.0	9513.6		J	78.6	5.9	0.6	140.7
-306.6	-2149.0	Min	I	-219.4	-5.9	-0.9	-123.1
-228.9	-2114.9		J	-219.4	-5.9	-0.9	-123.1
114.6	10503.1	C1-C2;~2 Max	I	38.1	8.3	0.3	134.5
178.7	10482.4		J	38.1	8.3	0.3	134.5
-130.5	-997.2	Min	I	-118.2	-8.4	-0.4	-128.9
-94.3	-978.4		J	-118.2	-8.4	-0.4	-128.9
169.4	6551.3	C3-C4;~2 Max	I	41.5	3.9	0.4	89.1
252.1	6555.6		J	41.5	3.9	0.4	89.1
-184.4	-1151.3	Min	I	-127.3	-3.9	-0.5	-80.5
-127.4	-1128.7		J	-127.3	-3.9	-0.5	-80.5
-81.6	-3.4	G1	I	-133.4	-0.0	-0.7	4.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.9	22.7		J	-133.4	-0.0	0.5	4.0
-1.5	-603.2	G2	I	-51.8	0.0	-0.0	2.5
27.8	-610.0		J	-51.8	0.0	-0.0	2.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
8.0	400.8	Q5_pc X	I	8.6	-0.0	0.0	-0.5
-7.8	408.6		J	8.6	-0.0	0.0	-0.5
-12.5	-1270.1	Q5_pc Y	I	-35.9	0.0	-0.0	1.0
11.0	-1292.2		J	-35.9	0.0	-0.0	1.0
8.3	491.0	Q5_ps X	I	8.4	-0.0	0.0	-0.7
-8.1	499.0		J	8.4	-0.0	0.0	-0.7
-13.5	-1542.3	Q5_ps Y	I	-34.5	0.0	-0.0	1.4
11.7	-1564.9		J	-34.5	0.0	-0.0	1.4
464.9	13936.5	INVSLE Max	I	-2583.3	15.6	0.1	279.1
595.8	14158.5		J	-2583.3	15.6	1.7	279.1
-354.5	-11381.2	Min	I	-3050.4	-16.4	-2.0	-252.1
-290.6	-11111.2		J	-3050.4	-16.4	-0.4	-252.1
350.5	9569.7	INVSLE Max	I	-2000.5	11.6	0.1	206.4
439.6	9729.2		J	-2000.5	11.6	1.3	206.4
-254.8	-9014.9	Min	I	-2341.7	-12.1	-1.5	-187.0
-215.6	-8816.9		J	-2341.7	-12.1	-0.3	-187.0
4881	2	62 C1-C2;~1 Max	I	74.3	4.2	0.5	241.9
206.1	14883.0		J	74.3	4.2	0.5	241.9
303.1	27597.1	Min	I	-207.7	-25.7	-0.6	-157.8
-215.6	-1770.8		J	-207.7	-25.7	-0.6	-157.8
-182.6	-2018.5						
294.0	9515.7	C3-C4;~1 Max	I	82.4	3.3	0.7	164.9
403.1	19815.1		J	82.4	3.3	0.7	164.9
-291.0	-2114.7	Min	I	-222.8	-16.4	-0.9	-109.6


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-239.5	-2973.6		J	-222.8	-16.4	-0.9	-109.6
116.1	10484.2	C1-C2;~2 Max	I	39.9	2.5	0.3	163.7
178.6	19085.4		J	39.9	2.5	0.3	163.7
-125.1	-977.9	Min	I	-119.6	-17.8	-0.4	-104.8
-97.8	-818.9		J	-119.6	-17.8	-0.4	-104.8
175.7	6557.0	C3-C4;~2 Max	I	43.5	1.6	0.4	109.9
247.3	13379.1		J	43.5	1.6	0.4	109.9
-175.6	-1128.6	Min	I	-128.9	-11.0	-0.5	-67.7
-133.4	-1356.5		J	-128.9	-11.0	-0.5	-67.7
-60.9	22.8	G1	I	-133.9	-0.4	-0.6	4.6
-29.1	356.2		J	-133.9	-0.4	0.6	4.6
7.7	-610.3	G2	I	-52.0	1.3	-0.0	-2.6
18.4	-1684.2		J	-52.0	1.3	-0.0	-2.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.5	408.7	Q5_pc X	I	8.5	-0.6	0.0	1.6
-7.3	868.3		J	8.5	-0.6	0.0	1.6
-11.1	-1292.4	Q5_pc Y	I	-36.1	1.8	-0.0	-5.5
9.2	-2712.8		J	-36.1	1.8	-0.0	-5.5
7.6	499.1	Q5_ps X	I	8.3	-0.8	0.0	2.3
-7.2	1149.4		J	8.3	-0.8	0.0	2.3
-11.3	-1565.2	Q5_ps Y	I	-34.6	2.5	-0.0	-7.8
9.0	-3566.9		J	-34.6	2.5	-0.0	-7.8
491.9	14159.9	INVSLU Max	I	-2578.2	8.5	0.2	250.0
550.5	31599.9		J	-2578.2	8.5	1.8	250.0
-317.9	-11113.4	Min	I	-3055.1	-35.0	-1.9	-299.5
-333.6	-15279.4		J	-3055.1	-35.0	-0.3	-299.5
		INVSLE Max	I	-1996.7	6.2	0.2	178.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
370.4	9730.0			J	-1996.7	6.2	1.4	178.0	
406.4	22567.7								
			Min	I	-2345.2	-25.8	-1.4	-228.3	
-228.0	-8818.7								
				J	-2345.2	-25.8	-0.2	-228.3	
-247.2	-11580.6								
4882	2	62	C1-C2;~1	Max	I	78.6	90.2	0.7	501.6
300.6	27593.0								
				J	78.6	90.2	0.7	501.6	
230.7	6321.5								
			Min	I	-224.6	-10.4	-0.5	-52.0	
-165.7	-2018.2								
				J	-224.6	-10.4	-0.5	-52.0	
-272.5	-44618.9								
			C3-C4;~1	Max	I	87.1	73.6	0.9	369.7
376.7	19811.5								
				J	87.1	73.6	0.9	369.7	
288.9	7573.0								
			Min	I	-236.8	-12.9	-0.6	-61.4	
-220.2	-2973.2								
				J	-236.8	-12.9	-0.6	-61.4	
-319.7	-39168.1								
			C1-C2;~2	Max	I	42.2	60.1	0.4	340.6
180.8	19082.6								
				J	42.2	60.1	0.4	340.6	
133.3	2705.2								
			Min	I	-130.4	-4.4	-0.3	-23.1	
-94.4	-818.8								
				J	-130.4	-4.4	-0.3	-23.1	
-159.2	-28997.2								
			C3-C4;~2	Max	I	46.0	48.2	0.5	245.7
233.1	13376.7								
				J	46.0	48.2	0.5	245.7	
169.5	3218.1								
			Min	I	-138.0	-5.5	-0.4	-27.1	
-128.7	-1356.4								
				J	-138.0	-5.5	-0.4	-27.1	
-188.9	-25221.8								
			G1	I	-135.0	1.9	-0.6	14.3	
-27.4	356.2								
				J	-135.0	1.9	0.6	14.3	
-65.6	-1143.0								
			G2	I	-51.2	-7.7	-0.0	-28.8	
11.3	-1683.7								
				J	-51.2	-7.7	-0.0	-28.8	
15.5	4495.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	7.7	3.2	0.0	13.2
11.7	868.1								
				J	7.7	3.2	0.0	13.2	
-12.5	-1697.5								
			Q5_pc	Y	I	-34.2	-9.9	-0.1	-41.6
-24.7	-2712.1								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
26.0	5197.3		J	-34.2	-9.9	-0.1	-41.6
13.7	1149.1	Q5_ps X	I	7.3	4.5	0.0	18.9
-14.7	-2477.9		J	7.3	4.5	0.0	18.9
-30.4	-3566.0	Q5_ps Y	I	-32.0	-13.9	-0.1	-58.9
32.6	7578.6		J	-32.0	-13.9	-0.1	-58.9
666.0	31597.5	INVSLU Max	I	-2562.1	74.6	0.7	500.0
339.5	52453.1		J	-2562.1	74.6	2.3	500.0
-184.3	-15274.1	Min	I	-3061.0	-84.5	-1.5	-339.6
-528.9	-28172.4		J	-3061.0	-84.5	0.2	-339.6
504.5	22566.3	INVSLE Max	I	-1985.0	50.4	0.5	352.9
240.6	40704.1		J	-1985.0	50.4	1.7	352.9
-122.0	-11576.4	Min	I	-2350.0	-65.2	-1.1	-260.1
-399.2	-17829.9		J	-2350.0	-65.2	0.1	-260.1
4883	2	62 C1-C2;~1 Max	I	83.1	10.4	0.4	40.6
180.0	6321.1		J	83.1	10.4	0.4	40.6
353.6	27662.5	Min	I	-227.6	-90.3	-0.8	-485.7
-278.6	-44615.9		J	-227.6	-90.3	-0.8	-485.7
-166.1	-2026.1						
224.7	7570.0	C3-C4;~1 Max	I	92.1	12.8	0.5	61.9
443.3	19840.6		J	92.1	12.8	0.5	61.9
-351.3	-39165.4	Min	I	-240.6	-73.7	-1.0	-354.8
-205.5	-2895.0		J	-240.6	-73.7	-1.0	-354.8
97.6	2705.1	C1-C2;~2 Max	I	44.6	4.4	0.2	16.6
215.8	19132.1		J	44.6	4.4	0.2	16.6
-169.8	-28994.4	Min	I	-131.7	-60.1	-0.5	-332.3
-86.0	-823.5		J	-131.7	-60.1	-0.5	-332.3
124.1	3216.3	C3-C4;~2 Max	I	48.6	5.5	0.3	28.6
278.2	13394.5		J	48.6	5.5	0.3	28.6
-220.0	-25219.6	Min	I	-139.9	-48.2	-0.6	-237.0
-107.9	-1298.6		J	-139.9	-48.2	-0.6	-237.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-29.6	-1145.8	G1	I	-134.1	-1.9	-0.6	-8.3
			J	-134.1	-1.9	0.6	-8.3
-64.7	384.8						
		G2	I	-50.7	7.7	0.0	34.1
28.5	4494.5		J	-50.7	7.7	0.0	34.1
-1.9	-1684.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.5	-3.2	0.0	-14.3
3.1	-1697.4		J	7.5	-3.2	0.0	-14.3
-3.9	864.6						
		Q5_pc Y	I	-33.8	9.9	0.0	43.3
3.4	5196.6		J	-33.8	9.9	0.0	43.3
-1.7	-2704.7						
		Q5_ps X	I	7.1	-4.5	0.0	-20.1
1.0	-2477.7		J	7.1	-4.5	0.0	-20.1
-2.1	1145.6						
		Q5_ps Y	I	-31.5	13.9	0.0	61.0
9.8	7577.8		J	-31.5	13.9	0.0	61.0
-7.3	-3558.9						
		INVS LU Max	I	-2517.8	86.6	-0.0	366.2
369.9	52435.3		J	-2517.8	86.6	1.6	366.2
630.9	29847.9						
		Min	I	-3027.8	-72.4	-2.1	-458.6
-413.7	-28181.8		J	-3027.8	-72.4	-0.5	-458.6
-251.9	-17022.3						
		INVS LE Max	I	-1951.6	66.8	-0.0	278.6
271.7	40690.9		J	-1951.6	66.8	1.2	278.6
473.0	21268.8						
		Min	I	-2324.9	-48.8	-1.6	-322.7
-308.4	-17837.0		J	-2324.9	-48.8	-0.4	-322.7
-180.5	-12874.1						
4884	2	62 C1-C2;~1 Max	I	86.6	25.6	0.6	166.2
247.3	27667.2		J	86.6	25.6	0.6	166.2
249.9	14909.8						
		Min	I	-218.2	-4.2	-0.5	-230.8
-176.8	-2026.8		J	-218.2	-4.2	-0.5	-230.8
-207.0	-1704.9						
		C3-C4;~1 Max	I	95.9	16.4	0.7	122.1
332.3	19844.8		J	95.9	16.4	0.7	122.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
354.6	9519.8		Min	I	-234.3	-3.2	-0.8	-154.9
-251.8	-2895.5			J	-234.3	-3.2	-0.8	-154.9
-260.5	-2049.1							
142.4	19135.2	C1-C2;~2	Max	I	46.4	17.7	0.3	110.4
147.0	10508.2			J	46.4	17.7	0.3	110.4
-102.5	-823.8		Min	I	-125.4	-2.5	-0.3	-156.8
-112.7	-935.7			J	-125.4	-2.5	-0.3	-156.8
200.2	13397.2	C3-C4;~2	Max	I	50.7	11.0	0.4	76.3
219.1	6561.4			J	50.7	11.0	0.4	76.3
-153.0	-1298.7		Min	I	-135.3	-1.5	-0.5	-103.1
-145.8	-1088.5			J	-135.3	-1.5	-0.5	-103.1
6.0	384.9		G1	I	-130.8	0.4	-0.5	1.6
-99.2	81.3			J	-130.8	0.4	0.7	1.6
30.8	-1684.4		G2	I	-50.9	-1.3	0.0	7.7
-5.9	-606.1			J	-50.9	-1.3	0.0	7.7
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
8.4	865.3	Q5_pc	X	I	7.9	0.6	0.0	-2.6
-8.3	401.1			J	7.9	0.6	0.0	-2.6
-13.8	-2707.1	Q5_pc	Y	I	-35.4	-1.8	-0.0	7.1
12.3	-1275.6			J	-35.4	-1.8	-0.0	7.1
8.6	1146.4	Q5_ps	X	I	7.7	0.8	0.0	-3.5
-8.4	490.8			J	7.7	0.8	0.0	-3.5
-14.4	-3561.4	Q5_ps	Y	I	-33.9	-2.5	-0.0	9.9
12.4	-1546.7			J	-33.9	-2.5	-0.0	9.9
540.8	29851.8	INVSLU	Max	I	-2456.4	37.3	0.3	336.3
467.6	10469.5			J	-2456.4	37.3	2.0	336.3
-272.5	-17030.6		Min	I	-2966.0	-6.2	-1.7	-212.3
				J	-2966.0	-6.2	-0.1	-212.3

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-385.0	-14721.1							
		INVSLE	Max	I	-1905.2	27.5	0.3	254.9
405.7	21271.2			J	-1905.2	27.5	1.5	254.9
345.4	6989.6							
		Min		I	-2277.9	-4.5	-1.3	-150.5
-195.0	-12880.3			J	-2277.9	-4.5	-0.1	-150.5
-284.5	-11500.0							
4885	2	62 C1-C2;~1	Max	I	90.1	11.8	0.6	200.3
249.3	14907.3			J	90.1	11.8	0.6	200.3
241.1	14904.5							
		Min		I	-216.9	-12.0	-0.5	-189.8
-164.9	-1705.3			J	-216.9	-12.0	-0.5	-189.8
-215.1	-1639.8							
		C3-C4;~1	Max	I	99.8	5.8	0.8	138.1
342.2	9517.9			J	99.8	5.8	0.8	138.1
338.3	9539.7							
		Min		I	-232.7	-6.0	-0.7	-121.1
-234.8	-2049.0			J	-232.7	-6.0	-0.7	-121.1
-274.9	-1953.9							
		C1-C2;~2	Max	I	48.3	8.3	0.3	134.7
142.8	10506.5			J	48.3	8.3	0.3	134.7
143.0	10515.7							
		Min		I	-124.2	-8.5	-0.3	-127.6
-96.2	-936.0			J	-124.2	-8.5	-0.3	-127.6
-117.3	-904.3							
		C3-C4;~2	Max	I	52.7	3.9	0.4	86.8
206.0	6560.2			J	52.7	3.9	0.4	86.8
209.9	6583.8							
		Min		I	-133.9	-4.0	-0.4	-79.3
-143.3	-1088.5			J	-133.9	-4.0	-0.4	-79.3
-154.7	-1040.3							
		G1		I	-128.0	-0.1	-0.4	2.5
28.3	81.3			J	-128.0	-0.1	0.8	2.5
-124.1	142.5							
		G2		I	-49.9	-0.0	0.1	2.5
41.3	-605.8			J	-49.9	-0.0	0.1	2.5
-16.7	-605.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.5	-0.0	0.0	-0.5
7.7	402.2			J	7.5	-0.0	0.0	-0.5
-7.9	403.0							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-12.2	-1278.7	Q5_pc	Y	I	-35.1	-0.0	-0.0	0.5
				J	-35.1	-0.0	-0.0	0.5
11.3	-1274.9							
		Q5_ps	X	I	7.4	-0.0	0.0	-0.6
7.6	491.7			J	7.4	-0.0	0.0	-0.6
-7.7	492.8							
		Q5_ps	Y	I	-33.7	-0.0	-0.0	0.7
-11.8	-1549.6			J	-33.7	-0.0	-0.0	0.7
10.6	-1545.9							
		INVSLU	Max	I	-2397.9	18.8	0.4	289.9
582.7	10471.4			J	-2397.9	18.8	2.0	289.9
441.1	8164.7							
			Min	I	-2909.9	-13.3	-1.6	-237.6
-218.2	-14721.2			J	-2909.9	-13.3	-0.0	-237.6
-407.0	-16889.1							
		INVSLE	Max	I	-1861.0	13.9	0.3	214.2
436.0	6990.9			J	-1861.0	13.9	1.5	214.2
326.4	5265.2							
			Min	I	-2235.6	-9.9	-1.2	-176.5
-155.6	-11499.8			J	-2235.6	-9.9	0.0	-176.5
-300.4	-13123.2							
4886	2	62 C1-C2;~1	Max	I	93.1	4.4	0.6	242.8
256.0	14907.2			J	93.1	4.4	0.6	242.8
236.3	28458.9							
			Min	I	-218.3	-26.5	-0.5	-155.8
-153.5	-1639.2			J	-218.3	-26.5	-0.5	-155.8
-224.7	-2591.7							
		C3-C4;~1	Max	I	103.2	3.5	0.8	167.1
356.5	9541.8			J	103.2	3.5	0.8	167.1
324.4	20597.2							
			Min	I	-234.6	-17.2	-0.7	-109.1
-216.8	-1953.8			J	-234.6	-17.2	-0.7	-109.1
-289.4	-3139.0							
		C1-C2;~2	Max	I	50.0	2.6	0.3	164.5
146.2	10517.5			J	50.0	2.6	0.3	164.5
141.5	19595.7							
			Min	I	-125.1	-18.3	-0.3	-103.0
-90.0	-903.9			J	-125.1	-18.3	-0.3	-103.0
-122.5	-1132.4							
		C3-C4;~2	Max	I	54.5	1.7	0.5	111.2
214.9	6585.2			J	54.5	1.7	0.5	111.2
202.5	13828.0							
			Min	I	-135.1	-11.5	-0.4	-66.9

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-132.9	-1040.1		J	-135.1	-11.5	-0.4	-66.9
-163.3	-1382.1						
		G1	I	-124.6	-0.6	-0.3	3.8
52.7	142.6		J	-124.6	-0.6	0.9	3.8
-150.0	660.1						
		G2	I	-48.8	1.4	0.1	-2.7
52.2	-605.9		J	-48.8	1.4	0.1	-2.7
-28.9	-1716.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	-0.6	0.0	1.7
7.1	402.0		J	7.2	-0.6	0.0	1.7
-7.1	880.5						
		Q5_pc Y	I	-34.8	1.8	-0.0	-6.1
-10.5	-1272.1		J	-34.8	1.8	-0.0	-6.1
9.0	-2722.3						
		Q5_ps X	I	7.2	-0.8	0.0	2.4
6.8	492.0		J	7.2	-0.8	0.0	2.4
-6.5	1165.2						
		Q5_ps Y	I	-33.5	2.5	-0.0	-8.6
-9.3	-1543.3		J	-33.5	2.5	-0.0	-8.6
7.1	-3582.3						
		INVSLE Max	I	-2326.9	12.3	0.5	264.8
594.4	8163.6		J	-2326.9	12.3	2.1	264.8
392.2	23958.3	Min	I	-2845.5	-32.7	-1.5	-284.3
-198.6	-16888.5		J	-2845.5	-32.7	0.1	-284.3
-452.5	-24150.6						
		INVSLE Max	I	-1808.0	9.0	0.4	188.3
444.2	5264.4		J	-1808.0	9.0	1.6	188.3
291.1	16849.3	Min	I	-2187.6	-24.1	-1.1	-217.6
-141.8	-13123.1		J	-2187.6	-24.1	0.1	-217.6
-333.4	-18207.4						
4887	2	62 C1-C2;~1 Max	I	96.9	93.3	0.8	514.3
353.5	28455.5		J	96.9	93.3	0.8	514.3
164.2	7873.6	Min	I	-227.4	-13.0	-0.3	-62.4
-106.1	-2591.6		J	-227.4	-13.0	-0.3	-62.4
-315.9	-46418.8						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
439.8	20594.4	C3-C4;~1	Max	I	107.4	76.5	1.0	383.4
				J	107.4	76.5	1.0	383.4
211.7	9034.3		Min	I	-241.9	-15.0	-0.4	-72.7
-149.2	-3138.5			J	-241.9	-15.0	-0.4	-72.7
-383.6	-40828.3							
212.6	19593.4	C1-C2;~2	Max	I	52.0	61.9	0.5	348.1
				J	52.0	61.9	0.5	348.1
95.2	3553.0		Min	I	-130.9	-5.8	-0.2	-28.8
-60.1	-1132.4			J	-130.9	-5.8	-0.2	-28.8
-183.9	-30033.5							
272.2	13826.1	C3-C4;~2	Max	I	56.7	49.8	0.6	253.2
				J	56.7	49.8	0.6	253.2
124.8	4022.5		Min	I	-139.8	-6.6	-0.3	-33.1
-87.5	-1381.9			J	-139.8	-6.6	-0.3	-33.1
-228.4	-26167.0							
86.8	660.6	G1		I	-122.0	2.8	-0.3	16.7
				J	-122.0	2.8	0.9	16.7
-190.0	-1618.2							
55.7	-1716.0	G2		I	-46.6	-8.0	0.1	-30.1
				J	-46.6	-8.0	0.1	-30.1
-32.6	4668.8							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
11.1	880.5	Q5_pc	X	I	6.3	3.4	0.0	13.8
				J	6.3	3.4	0.0	13.8
-12.0	-1834.7							
-23.4	-2722.4	Q5_pc	Y	I	-32.4	-10.1	-0.1	-43.0
				J	-32.4	-10.1	-0.1	-43.0
24.8	5402.8							
12.6	1165.2	Q5_ps	X	I	6.0	4.7	0.0	19.5
				J	6.0	4.7	0.0	19.5
-13.7	-2626.4							
-27.6	-3582.2	Q5_ps	Y	I	-30.5	-14.2	-0.1	-60.5
				J	-30.5	-14.2	-0.1	-60.5
29.5	7775.6							
781.3	23956.3	INVSLU	Max	I	-2255.8	79.1	1.0	518.3
				J	-2255.8	79.1	2.7	518.3
146.5	45076.3							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-55.9	-24147.7	Min	I	-2785.7	-86.3	-1.1	-351.7
			J	-2785.7	-86.3	0.6	-351.7
-701.7	-39545.4						
		INVSLE Max	I	-1755.4	53.5	0.8	364.8
588.0	16848.1		J	-1755.4	53.5	2.0	364.8
99.6	35838.2						
		Min	I	-2143.5	-67.1	-0.8	-273.9
-29.1	-18205.0		J	-2143.5	-67.1	0.4	-273.9
-525.4	-26098.2						
4888	2	62 C1-C2;~1 Max	I	99.4	12.9	0.5	49.7
239.9	7967.3		J	99.4	12.9	0.5	49.7
277.2	28691.2						
		Min	I	-223.9	-91.6	-0.6	-491.9
-208.6	-46742.2		J	-223.9	-91.6	-0.6	-491.9
-211.7	-2668.0						
		C3-C4;~1 Max	I	110.1	14.9	0.7	60.3
293.1	9134.9		J	110.1	14.9	0.7	60.3
351.2	20734.9						
		Min	I	-238.0	-75.1	-0.7	-360.1
-260.9	-41151.1		J	-238.0	-75.1	-0.7	-360.1
-263.6	-3126.9						
		C1-C2;~2 Max	I	53.3	5.8	0.3	21.5
135.5	3609.0		J	53.3	5.8	0.3	21.5
172.7	19749.5						
		Min	I	-128.9	-60.7	-0.4	-335.4
-130.5	-30225.9		J	-128.9	-60.7	-0.4	-335.4
-113.0	-1170.1						
		C3-C4;~2 Max	I	58.1	6.6	0.4	26.6
167.9	4082.8		J	58.1	6.6	0.4	26.6
224.5	13911.2						
		Min	I	-137.4	-48.9	-0.5	-240.0
-166.6	-26359.9		J	-137.4	-48.9	-0.5	-240.0
-143.5	-1354.8						
		G1	I	-114.3	-3.0	-0.3	-13.1
87.3	-1819.9		J	-114.3	-3.0	1.0	-13.1
-200.2	668.6						
		G2	I	-43.8	7.7	0.2	35.0
76.9	4592.9		J	-43.8	7.7	0.2	35.0
-54.3	-1770.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.7	-3.3	0.0	-15.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.0	-1815.8			J	5.7	-3.3	0.0	-15.0
-4.0	877.9							
		Q5_pc	Y	I	-31.6	9.8	0.0	43.0
3.2	5372.3			J	-31.6	9.8	0.0	43.0
-1.8	-2685.2							
		Q5_ps	X	I	5.5	-4.6	0.0	-21.0
0.4	-2608.7			J	5.5	-4.6	0.0	-21.0
-1.5	1169.4							
		Q5_ps	Y	I	-29.8	13.7	0.0	60.4
11.1	7748.0			J	-29.8	13.7	0.0	60.4
-9.1	-3562.0							
		INVSLU	Max	I	-2167.3	63.2	0.3	-435.5
530.4	45450.0			J	-2167.3	63.2	2.0	-435.5
413.2	41753.7							
			Min	I	-2694.1	-98.9	-1.6	-1264.8
-223.3	-39654.2			J	-2694.1	-98.9	0.1	-1264.8
-424.0	-6568.0							
		INVSLE	Max	I	-1689.6	50.0	0.2	-315.0
388.6	36170.1			J	-1689.6	50.0	1.5	-315.0
313.1	30068.9							
			Min	I	-2075.6	-68.3	-1.2	-919.7
-169.3	-26153.8			J	-2075.6	-68.3	0.0	-919.7
-306.5	-5150.2							
		62 C1-C2;~1	Max	I	101.1	26.6	0.7	163.8
4889	2			J	101.1	26.6	0.7	163.8
315.3	28693.8							
			Min	I	-203.3	-4.7	-0.4	-229.7
183.4	14710.4			J	-203.3	-4.7	-0.4	-229.7
-118.1	-2668.4							
-260.1	-1497.3							
		C3-C4;~1	Max	I	112.0	17.3	0.9	116.5
407.3	20736.9			J	112.0	17.3	0.9	116.5
269.5	9451.4							
			Min	I	-221.6	-3.5	-0.5	-153.5
-170.2	-3127.4			J	-221.6	-3.5	-0.5	-153.5
-333.9	-1853.9							
		C1-C2;~2	Max	I	54.2	18.3	0.4	109.2
184.5	19751.3			J	54.2	18.3	0.4	109.2
109.4	10384.4							
			Min	I	-115.4	-2.7	-0.2	-156.1
-69.6	-1170.2			J	-115.4	-2.7	-0.2	-156.1
-143.6	-800.6							
		C3-C4;~2	Max	I	59.2	11.5	0.5	73.1
247.3	13912.6							


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
168.9	6532.6		J	59.2	11.5	0.5	73.1	
		Min	I	-126.5	-1.6	-0.3	-102.6	
-104.3	-1354.9		J	-126.5	-1.6	-0.3	-102.6	
-191.1	-968.9							
		G1	I	-105.4	0.7	-0.2	-1.3	
121.3	667.3		J	-105.4	0.7	1.0	-1.3	
-234.2	123.6							
		G2	I	-42.0	-1.4	0.2	7.0	
77.6	-1771.1		J	-42.0	-1.4	0.2	7.0	
-57.6	-656.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	5.9	0.6	0.0	-2.8	
8.2	883.1		J	5.9	0.6	0.0	-2.8	
-8.1	387.2							
		Q5_pc Y	I	-33.3	-1.8	-0.0	6.5	
-12.8	-2687.5		J	-33.3	-1.8	-0.0	6.5	
10.6	-1193.7							
		Q5_ps X	I	6.1	0.8	0.0	-3.9	
7.9	1174.5		J	6.1	0.8	0.0	-3.9	
-7.5	480.9							
		Q5_ps Y	I	-32.4	-2.5	-0.0	9.0	
-12.1	-3564.4		J	-32.4	-2.5	-0.0	9.0	
8.8	-1471.3							
		INVSLU Max	I	-2059.8	24.6	0.7	-77.3	
659.2	41764.6		J	-2059.8	24.6	2.3	-77.3	
265.8	32177.4							
		Min	I	-2570.2	-20.9	-1.3	-620.0	
-143.3	-6566.5		J	-2570.2	-20.9	0.3	-620.0	
-567.8	7666.9							
		INVSLE Max	I	-1609.8	18.1	0.5	-51.5	
493.7	30076.8		J	-1609.8	18.1	1.7	-51.5	
194.6	23060.3							
		Min	I	-1983.4	-15.3	-1.0	-452.7	
-99.1	-5148.9		J	-1983.4	-15.3	0.3	-452.7	
-421.5	5063.6							
		62 C1-C2;~1 Max	I	106.4	10.6	0.7	196.8	
4890	2		J	106.4	10.6	0.7	196.8	
328.3	14709.7							
		Min	I	-206.4	-17.3	-0.3	-185.8	
163.1	20157.7							
-100.2	-1496.8							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-282.9	-2119.7		J	-206.4	-17.3	-0.3	-185.8
428.8	9451.3	C3-C4;~1 Max	I	117.8	5.4	1.0	129.9
236.4	12851.7		J	117.8	5.4	1.0	129.9
-141.5	-1852.7	Min	I	-226.0	-8.8	-0.5	-125.0
-366.9	-2521.3		J	-226.0	-8.8	-0.5	-125.0
192.2	10383.9	C1-C2;~2 Max	I	57.0	7.4	0.4	132.7
97.7	14217.7		J	57.0	7.4	0.4	132.7
-59.2	-800.3	Min	I	-117.2	-12.2	-0.2	-124.7
-157.7	-1144.9		J	-117.2	-12.2	-0.2	-124.7
261.0	6532.6	C3-C4;~2 Max	I	62.2	3.4	0.6	85.6
148.2	8854.5		J	62.2	3.4	0.6	85.6
-86.3	-968.3	Min	I	-129.1	-6.0	-0.3	-77.3
-212.5	-1318.9		J	-129.1	-6.0	-0.3	-77.3
150.8	124.9	G1	I	-102.7	-0.1	-0.1	-1.3
-272.1	170.0		J	-102.7	-0.1	1.1	-1.3
90.7	-655.3	G2	I	-41.2	0.4	0.2	0.4
-73.8	-961.6		J	-41.2	0.4	0.2	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.5	392.6	Q5_pc X	I	5.6	-0.2	0.0	-0.4
-7.6	549.8		J	5.6	-0.2	0.0	-0.4
-10.3	-1195.6	Q5_pc Y	I	-33.7	0.5	-0.0	-0.6
7.5	-1628.2		J	-33.7	0.5	-0.0	-0.6
6.9	486.0	Q5_ps X	I	5.8	-0.2	0.0	-0.5
-6.7	688.5		J	5.8	-0.2	0.0	-0.5
-8.7	-1473.0	Q5_ps Y	I	-32.9	0.7	-0.0	-0.9
5.1	-2024.1		J	-32.9	0.7	-0.0	-0.9
		INVSLU Max	I	-1964.3	18.9	1.0	333.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
793.7	32175.6			J	-1964.3	18.9	2.7	333.2
82.8	36574.2							
			Min	I	-2489.2	-19.8	-0.9	-184.4
5.2	7664.3							
				J	-2489.2	-19.8	0.7	-184.4
-745.2	3026.8							
			INVSLE Max	I	-1540.5	14.1	0.8	246.0
596.2	23058.8							
				J	-1540.5	14.1	2.0	246.0
53.4	26137.9							
			Min	I	-1924.8	-14.4	-0.7	-137.3
13.6	5061.7							
				J	-1924.8	-14.4	0.6	-137.3
-558.9	1505.1							
4891	2	70	C1-C2;~1 Max	I	121.7	6.0	0.9	295.8
392.1	20147.5							
				J	121.7	6.0	0.9	295.8
184.7	34829.2							
			Min	I	-226.9	-28.2	-0.3	-183.0
-95.5	-2122.1							
				J	-226.9	-28.2	-0.3	-183.0
-335.7	-3316.9							
			C3-C4;~1 Max	I	135.0	3.7	1.2	205.5
516.9	12840.4							
				J	135.0	3.7	1.2	205.5
262.9	24308.9							
			Min	I	-249.4	-16.9	-0.5	-133.5
-135.1	-2524.2							
				J	-249.4	-16.9	-0.5	-133.5
-440.4	-3816.5							
			C1-C2;~2 Max	I	65.3	3.7	0.5	200.9
230.3	14211.4							
				J	65.3	3.7	0.5	200.9
111.8	24200.2							
			Min	I	-128.7	-19.7	-0.2	-120.2
-56.7	-1146.9							
				J	-128.7	-19.7	-0.2	-120.2
-186.5	-1506.0							
			C3-C4;~2 Max	I	71.3	1.8	0.7	136.8
316.4	8847.6							
				J	71.3	1.8	0.7	136.8
166.0	16481.3							
			Min	I	-142.5	-11.4	-0.3	-81.4
-82.9	-1321.2							
				J	-142.5	-11.4	-0.3	-81.4
-255.1	-1736.9							
			G1	I	-106.2	-0.7	-0.1	-1.9
197.4	162.7							
				J	-106.2	-0.7	1.4	-1.9
-345.5	700.2							
			G2	I	-42.8	1.2	0.3	-8.2
117.8	-964.4							
				J	-42.8	1.2	0.3	-8.2
-97.0	-1966.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
7.7	556.0	Q5_pc X	I	5.5	-0.6	0.0	2.7
-8.0	1057.6		J	5.5	-0.6	0.0	2.7
-8.1	-1629.8	Q5_pc Y	I	-35.2	1.7	-0.0	-9.9
7.0	-3067.3		J	-35.2	1.7	-0.0	-9.9
6.7	694.3	Q5_ps X	I	5.7	-0.8	0.0	3.8
-6.5	1374.3		J	5.7	-0.8	0.0	3.8
-5.7	-2025.6	Q5_ps Y	I	-34.3	2.4	-0.0	-13.8
3.2	-3962.7		J	-34.3	2.4	-0.0	-13.8
956.0	36577.2	INVS LU Max	I	-1868.9	24.2	1.2	809.6
110.1	45729.0		J	-1868.9	24.2	3.2	809.6
61.2	3036.7	Min	I	-2451.1	-25.1	-1.1	145.5
-853.6	-12339.8		J	-2451.1	-25.1	1.0	145.5
721.8	26141.3	INVS LE Max	I	-1474.0	17.7	0.9	590.4
76.9	32952.2		J	-1474.0	17.7	2.4	590.4
60.0	1513.8	Min	I	-1900.5	-18.6	-0.8	99.7
-635.9	-9417.0		J	-1900.5	-18.6	0.7	99.7
4892	2	70 C1-C2;~1 Max	I	137.0	117.2	1.1	589.1
499.3	34829.0		J	137.0	117.2	1.1	589.1
117.1	13938.1	Min	I	-248.3	-20.9	-0.2	-82.8
-68.8	-3318.4		J	-248.3	-20.9	-0.2	-82.8
-445.2	-62950.6						
599.4	24309.5	C3-C4;~1 Max	I	151.9	96.7	1.4	438.8
160.3	14943.8		J	151.9	96.7	1.4	438.8
-99.3	-3815.6	Min	I	-268.8	-22.5	-0.3	-93.1
-538.4	-55594.7		J	-268.8	-22.5	-0.3	-93.1
300.9	24199.6	C1-C2;~2 Max	I	73.5	77.2	0.7	399.4
66.7	6571.3		J	73.5	77.2	0.7	399.4
-38.6	-1506.9	Min	I	-141.3	-9.8	-0.1	-38.9
-259.2	-40270.4		J	-141.3	-9.8	-0.1	-38.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

370.3	16481.3	C3-C4; ~2	Max	I	80.3	62.6	0.8	290.0	
				J	80.3	62.6	0.8	290.0	
93.6	6939.8		Min	I	-153.6	-10.4	-0.2	-43.0	
-57.2	-1736.1			J	-153.6	-10.4	-0.2	-43.0	
-321.5	-35298.5								
		G1		I	-104.3	3.3	-0.0	9.0	
217.4	703.1			J	-104.3	3.3	1.5	9.0	
-376.4	-2039.2								
		G2		I	-40.6	-10.7	0.2	-41.3	
111.7	-1964.5			J	-40.6	-10.7	0.2	-41.3	
-92.4	6864.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	4.3	4.7	0.0	17.2	
13.6	1064.1			J	4.3	4.7	0.0	17.2	
-14.7	-2776.9								
		Q5_pc	Y	I	-32.4	-12.9	-0.1	-50.0	
-26.7	-3069.8			J	-32.4	-12.9	-0.1	-50.0	
28.2	7508.1								
		Q5_ps	X	I	4.3	6.4	0.0	23.8	
15.1	1380.3			J	4.3	6.4	0.0	23.8	
-16.3	-3894.0								
		Q5_ps	Y	I	-30.9	-17.8	-0.1	-70.0	
-31.4	-3964.7			J	-30.9	-17.8	-0.1	-70.0	
32.9	10686.7								
		INVSLE	Max	I	-1734.7	122.6	1.6	1457.9	
1075.0	45722.9			J	-1734.7	122.6	3.6	1457.9	
-82.4	61656.3		Min	I	-2361.1	-89.1	-0.8	446.9	
83.5	-12349.8			J	-2361.1	-89.1	1.2	446.9	-
1076.5	-57015.8								
		INVSLE	Max	I	-1375.6	84.4	1.2	1060.1	
809.4	32947.3			J	-1375.6	84.4	2.7	1060.1	
-72.5	49017.8		Min	I	-1835.3	-70.7	-0.6	317.9	
78.5	-9424.4			J	-1835.3	-70.7	0.9	317.9	
-805.1	-37886.4								
4893	2	70 C1-C2; ~1	Max	I	146.1	21.1	0.8	80.4	
366.3	13955.6			J	146.1	21.1	0.8	80.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
242.8	35742.2		Min	I	-251.4	-118.3	-0.5	-596.2
-175.1	-62933.7			J	-251.4	-118.3	-0.5	-596.2
-333.7	-3455.9							
		C3-C4;~1	Max	I	162.0	22.7	1.0	84.9
440.9	14964.6			J	162.0	22.7	1.0	84.9
304.7	25336.2		Min	I	-272.5	-98.1	-0.6	-442.8
-212.8	-55590.9			J	-272.5	-98.1	-0.6	-442.8
-412.9	-3923.9							
		C1-C2;~2	Max	I	78.3	9.9	0.5	37.2
210.7	6580.6			J	78.3	9.9	0.5	37.2
154.7	24802.6		Min	I	-142.9	-77.9	-0.3	-404.0
-112.5	-40259.5			J	-142.9	-77.9	-0.3	-404.0
-183.6	-1570.8							
		C3-C4;~2	Max	I	85.6	10.4	0.6	38.7
256.9	6950.7			J	85.6	10.4	0.6	38.7
197.9	17179.7		Min	I	-155.4	-63.6	-0.4	-294.5
-138.3	-35297.8			J	-155.4	-63.6	-0.4	-294.5
-231.8	-1789.3							
		G1		I	-96.8	-3.4	0.0	-19.4
231.8	-2001.9			J	-96.8	-3.4	1.5	-19.4
-397.3	804.3							
		G2		I	-37.8	10.8	0.3	41.3
143.3	6879.4			J	-37.8	10.8	0.3	41.3
-126.7	-2034.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	3.2	-4.7	0.0	-19.3
4.6	-2766.1			J	3.2	-4.7	0.0	-19.3
-5.9	1108.0							
		Q5_pc	Y	I	-30.3	13.0	0.0	50.7
1.6	7498.8			J	-30.3	13.0	0.0	50.7
0.1	-3170.8							
		Q5_ps	X	I	3.3	-6.5	0.0	-26.6
0.7	-3883.8			J	3.3	-6.5	0.0	-26.6
-2.0	1442.5							
		Q5_ps	Y	I	-29.0	18.0	0.0	70.4
12.2	10678.1			J	-29.0	18.0	0.0	70.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-10.4	-4103.2						
733.5	61676.7	INVSLE Max	I	-1572.0	103.4	0.8	-76.9
241.2	35527.4		J	-1572.0	103.4	2.8	-76.9
-157.3	-56983.8	Min	I	-2213.1	-110.2	-1.5	-1087.7
-738.3	-24148.5		J	-2213.1	-110.2	0.5	-1087.7
536.0	49035.1	INVSLE Max	I	-1254.3	81.8	0.5	-40.6
190.0	24974.6		J	-1254.3	81.8	2.1	-40.6
-123.3	-37861.7	Min	I	-1725.2	-74.7	-1.1	-782.6
-534.7	-18562.4		J	-1725.2	-74.7	0.4	-782.6
4894	2	70 C1-C2;~1 Max	I	151.8	25.9	1.0	177.9
456.9	35745.9		J	151.8	25.9	1.0	177.9
125.3	26184.2	Min	I	-234.9	-11.3	-0.2	-300.6
-71.2	-3456.2		J	-234.9	-11.3	-0.2	-300.6
-398.7	-2754.7						
569.0	25339.2	C3-C4;~1 Max	I	168.5	15.0	1.3	123.1
200.8	17556.0		J	168.5	15.0	1.3	123.1
-106.8	-3924.6	Min	I	-260.2	-5.1	-0.4	-207.0
-497.3	-3243.9		J	-260.2	-5.1	-0.4	-207.0
270.3	24805.2	C1-C2;~2 Max	I	81.4	18.1	0.6	117.9
75.2	18392.2		J	81.4	18.1	0.6	117.9
-42.8	-1570.7	Min	I	-131.7	-7.6	-0.1	-204.8
-225.9	-1490.8		J	-131.7	-7.6	-0.1	-204.8
347.1	17181.9	C3-C4;~2 Max	I	89.0	10.1	0.8	76.0
127.7	12080.9		J	89.0	10.1	0.8	76.0
-66.2	-1789.6	Min	I	-146.9	-2.8	-0.2	-139.5
-290.0	-1695.4		J	-146.9	-2.8	-0.2	-139.5
270.4	802.6	G1	I	-84.5	0.5	0.1	-8.1
-439.2	374.8		J	-84.5	0.5	1.6	-8.1
142.0	-2036.2	G2	I	-34.6	-0.8	0.3	7.7
-129.4	-1347.3		J	-34.6	-0.8	0.3	7.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	2.7	0.4	0.0
11.1	1115.0			J	2.7	0.4	0.0
-11.6	783.1						-4.4
			Q5_pc Y	I	-30.6	-1.2	-0.0
-17.6	-3174.2			J	-30.6	-1.2	-0.0
16.0	-2214.4						9.4
			Q5_ps X	I	3.2	0.6	0.0
10.1	1449.3			J	3.2	0.6	0.0
-10.1	989.6						-5.9
			Q5_ps Y	I	-30.1	-1.6	-0.0
-15.5	-4106.7			J	-30.1	-1.6	-0.0
12.3	-2775.8						12.9
			INVSLE Max	I	-1372.7	34.6	1.0
838.5	35539.0			J	-1372.7	34.6	3.1
107.7	22969.1		Min	I	-2006.5	-17.7	-1.3
-105.6	-24150.8			J	-2006.5	-17.7	0.8
-863.5	-20824.9						-503.7
			INVSLE Max	I	-1104.8	26.4	0.8
619.8	24983.0			J	-1104.8	26.4	2.3
85.5	15075.8		Min	I	-1570.2	-12.2	-1.0
-77.2	-18563.7			J	-1570.2	-12.2	0.6
-631.8	-17009.5						-361.0
			70 C1-C2;~1 Max	I	164.0	17.9	1.1
4895	2			J	164.0	17.9	1.1
473.5	26180.7						219.3
			Min	I	-237.0	-17.8	-0.2
93.7	26081.8			J	-237.0	-17.8	-0.2
-39.3	-2755.3						-248.9
-425.4	-2263.1						-248.9
			C3-C4;~1 Max	I	182.2	9.4	1.4
594.8	17553.4			J	182.2	9.4	1.4
154.2	17407.5		Min	I	-264.1	-9.3	-0.3
-71.0	-3243.6			J	-264.1	-9.3	-0.3
-531.5	-3016.1						-178.0
			C1-C2;~2 Max	I	87.9	12.6	0.6
281.7	18389.8			J	87.9	12.6	0.6
56.9	18336.9		Min	I	-132.4	-12.5	-0.1
							-168.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-23.5	-1491.4		J	-132.4	-12.5	-0.1	-168.9
-244.1	-1123.2						
365.2	12079.2	C3-C4; ~2 Max	I	96.2	6.2	0.8	91.8
99.0	12014.0		J	96.2	6.2	0.8	91.8
-45.0	-1695.3	Min	I	-148.6	-6.1	-0.2	-113.9
-313.9	-1524.6		J	-148.6	-6.1	-0.2	-113.9
304.5	375.1	G1	I	-73.7	0.1	0.2	-8.3
-480.3	276.7		J	-73.7	0.1	1.7	-8.3
157.0	-1346.8	G2	I	-30.6	0.1	0.4	-1.3
-146.6	-1412.8		J	-30.6	0.1	0.4	-1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
11.1	789.0	Q5_pc X	I	1.7	-0.0	0.0	-0.6
-12.0	818.6		J	1.7	-0.0	0.0	-0.6
-16.7	-2216.4	Q5_pc Y	I	-29.8	0.1	-0.0	-0.4
15.2	-2270.9		J	-29.8	0.1	-0.0	-0.4
9.7	995.1	Q5_ps X	I	2.3	-0.0	0.0	-0.9
-10.0	1026.0		J	2.3	-0.0	0.0	-0.9
-13.4	-2777.5	Q5_ps Y	I	-29.4	0.0	-0.0	-0.5
10.7	-2817.2		J	-29.4	0.0	-0.0	-0.5
894.0	22965.1	INVSLU Max	I	-1125.3	24.9	1.2	370.6
22.8	22333.1		J	-1125.3	24.9	3.2	370.6
-34.9	-20828.6	Min	I	-1781.3	-23.4	-1.1	-262.6
-930.4	-21205.1		J	-1781.3	-23.4	1.0	-262.6
655.7	15072.7	INVSLE Max	I	-918.3	18.6	0.9	278.7
27.5	14435.2		J	-918.3	18.6	2.4	278.7
-30.1	-17011.3	Min	I	-1400.3	-17.1	-0.8	-190.3
-676.5	-17387.9		J	-1400.3	-17.1	0.7	-190.3


MIDAS

PROJECT TITLE :

	Company				Client				
	Author				File Name				
4896	2	70	C1-C2;~1	Max	I	189.7	10.9	1.2	274.2
515.0	26086.1				J	189.7	10.9	1.2	274.2
45.5	34946.6			Min	I	-260.3	-25.3	-0.1	-224.3
-27.8	-2262.4				J	-260.3	-25.3	-0.1	-224.3
-458.3	-3553.2								
644.9	17411.0		C3-C4;~1	Max	I	211.3	4.9	1.5	184.6
89.8	24620.8				J	211.3	4.9	1.5	184.6
-45.6	-3015.8			Min	I	-291.1	-14.0	-0.1	-174.2
-571.9	-3648.4				J	-291.1	-14.0	-0.1	-174.2
307.1	18339.8		C1-C2;~2	Max	I	101.7	7.4	0.7	187.1
28.3	24357.7				J	101.7	7.4	0.7	187.1
-14.7	-1122.6			Min	I	-145.3	-17.8	-0.0	-151.7
-269.4	-1603.8				J	-145.3	-17.8	-0.0	-151.7
397.6	12016.2		C3-C4;~2	Max	I	111.6	2.8	0.9	123.3
59.8	16846.6				J	111.6	2.8	0.9	123.3
-26.5	-1524.3			Min	I	-163.8	-9.6	-0.1	-112.8
-346.0	-1649.6				J	-163.8	-9.6	-0.1	-112.8
336.6	277.3			G1	I	-66.8	-0.0	0.3	-8.5
-522.7	280.3				J	-66.8	-0.0	1.8	-8.5
170.6	-1413.0			G2	I	-27.7	1.1	0.4	-10.4
-164.7	-2314.4				J	-27.7	1.1	0.4	-10.4
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
10.9	824.6		Q5_pc	X	I	0.8	-0.4	0.0	3.3
-11.4	1192.7				J	0.8	-0.4	0.0	3.3
-12.7	-2273.7		Q5_pc	Y	I	-29.0	1.2	-0.0	-10.5
9.8	-3291.3				J	-29.0	1.2	-0.0	-10.5
9.1	1031.8		Q5_ps	X	I	1.4	-0.6	0.0	4.4
-9.0	1529.0				J	1.4	-0.6	0.0	4.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.9	-2820.0	Q5_ps Y	I	-28.6	1.6	-0.0	-14.1
4.4	-4171.5		J	-28.6	1.6	-0.0	-14.1
842.8	22340.8	INVS LU Max	I	-815.8	15.8	1.0	527.0
37.0	35230.8		J	-815.8	15.8	3.1	527.0
-112.3	-21209.5	Min	I	-1546.4	-35.2	-1.2	-164.8
-876.9	-23393.5		J	-1546.4	-35.2	0.9	-164.8
610.1	14440.6	INVS LE Max	I	-683.6	11.2	0.7	387.3
47.3	24268.6		J	-683.6	11.2	2.2	387.3
-95.7	-17389.7	Min	I	-1220.9	-26.4	-0.9	-123.7
-628.2	-18473.9		J	-1220.9	-26.4	0.6	-123.7
4897	2	70 C1-C2;~1 Max	I	235.9	123.9	1.8	564.5
742.7	34941.6		J	235.9	123.9	1.8	564.5
81.8	16397.2	Min	I	-325.0	-24.1	-0.2	-86.4
-106.7	-3553.2		J	-325.0	-24.1	-0.2	-86.4
-700.5	-79517.2						
861.5	24616.6	C3-C4;~1 Max	I	263.0	102.6	2.0	413.5
91.9	15782.8		J	263.0	102.6	2.0	413.5
-118.8	-3648.0	Min	I	-359.9	-23.2	-0.3	-102.3
-813.5	-67221.0		J	-359.9	-23.2	-0.3	-102.3
446.1	24354.2	C1-C2;~2 Max	I	126.5	82.2	1.1	385.4
43.2	7726.8		J	126.5	82.2	1.1	385.4
-56.8	-1604.0	Min	I	-183.2	-11.3	-0.1	-41.3
-419.6	-52607.9		J	-183.2	-11.3	-0.1	-41.3
529.8	16843.8	C3-C4;~2 Max	I	138.9	67.3	1.3	276.0
47.5	7295.3		J	138.9	67.3	1.3	276.0
-62.1	-1649.4	Min	I	-204.0	-10.6	-0.1	-51.0
-498.9	-44145.3		J	-204.0	-10.6	-0.1	-51.0
378.1	280.4	G1	I	-66.9	-0.5	0.4	-9.7
-580.0	680.9		J	-66.9	-0.5	1.9	-9.7
171.7	-2313.6	G2	I	-25.8	-13.2	0.4	-50.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-168.5	8552.7		J	-25.8	-13.2	0.4	-50.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
18.0	1197.6	Q5_pc X	I	-2.0	5.9	0.0	20.7
-20.2	-3642.0		J	-2.0	5.9	0.0	20.7
-25.2	-3292.6	Q5_pc Y	I	-25.0	-15.5	-0.1	-56.7
25.4	9441.4		J	-25.0	-15.5	-0.1	-56.7
18.7	1533.6	Q5_ps X	I	-1.5	7.8	0.0	27.7
-20.9	-4848.6		J	-1.5	7.8	0.0	27.7
-28.9	-4172.5	Q5_ps Y	I	-23.9	-20.5	-0.1	-76.0
29.2	12661.6		J	-23.9	-20.5	-0.1	-76.0
1133.7	35223.5	INVSLE Max	I	-474.6	121.7	1.9	922.6
-20.6	64655.5		J	-474.6	121.7	4.0	922.6
-235.1	-23396.4	Min	I	-1360.5	-106.0	-1.3	-79.5
1288.6	-81823.5		J	-1360.5	-106.0	0.8	-79.5
820.4	24263.0	INVSLE Max	I	-423.7	84.8	1.4	672.1
8.2	49205.3		J	-423.7	84.8	2.9	672.1
-190.2	-18476.0	Min	I	-1076.6	-81.8	-1.0	-62.7
-927.7	-58038.8		J	-1076.6	-81.8	0.5	-62.7
4898	2	70 C1-C2;~1 Max	I	320.7	23.4	2.1	108.0
837.1	16343.9		J	320.7	23.4	2.1	108.0
336.4	45922.6	Min	I	-435.0	-149.6	-0.8	-830.7
-305.0	-79362.2		J	-435.0	-149.6	-0.8	-830.7
-893.9	-21938.6	C3-C4;~1 Max	I	358.1	22.4	2.4	100.4
977.7	15729.1		J	358.1	22.4	2.4	100.4
371.3	34186.5	Min	I	-487.0	-121.2	-0.9	-644.2
-335.9	-67081.6		J	-487.0	-121.2	-0.9	-644.2
1039.5	-15690.9	C1-C2;~2 Max	I	171.9	10.9	1.2	50.4
479.1	7696.4						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
180.5	32037.2		J	171.9	10.9	1.2	50.4
-163.8	-52515.4	Min	I	-245.3	-101.7	-0.4	-575.1
-510.1	-14937.6		J	-245.3	-101.7	-0.4	-575.1
568.2	7264.2	C3-C4;~2 Max	I	189.1	10.2	1.4	46.2
196.0	23711.5		J	189.1	10.2	1.4	46.2
-177.5	-44062.9	Min	I	-276.8	-81.7	-0.5	-442.7
-601.4	-10073.3		J	-276.8	-81.7	-0.5	-442.7
458.4	762.4	G1	I	-79.1	0.8	0.6	-5.4
-690.7	140.2		J	-79.1	0.8	2.2	-5.4
229.1	8583.5	G2	I	-29.8	13.1	0.6	51.7
-236.8	-2165.8		J	-29.8	13.1	0.6	51.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
14.8	-3629.3	Q5_pc X	I	-6.0	-5.8	0.0	-24.6
-19.4	1161.4		J	-6.0	-5.8	0.0	-24.6
5.2	9428.4	Q5_pc Y	I	-22.5	15.5	0.0	63.1
-4.4	-3315.6		J	-22.5	15.5	0.0	63.1
8.7	-4836.6	Q5_ps X	I	-5.1	-7.6	0.0	-32.6
-13.1	1442.9		J	-5.1	-7.6	0.0	-32.6
17.6	12649.1	Q5_ps Y	I	-21.6	20.3	0.0	83.8
-16.6	-4051.0		J	-21.6	20.3	0.0	83.8
911.0	64460.6	INVSLU Max	I	-32.8	104.6	1.4	556.4
867.7	50337.6		J	-32.8	104.6	3.4	556.4
-888.9	-81713.8	Min	I	-1214.2	-156.8	-3.2	-824.3
1071.7	-47242.9		J	-1214.2	-156.8	-1.1	-824.3
613.0	49050.2	INVSLE Max	I	-84.9	79.7	0.8	425.6
719.5	36315.3		J	-84.9	79.7	2.4	425.6
-718.3	-57970.0	Min	I	-957.0	-111.9	-2.5	-588.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-714.5	-35524.6			J	-957.0	-111.9	-1.0	-588.7	
4899	2	70	C1-C2;~1	Max	I	528.5	29.5	4.1	167.3
1485.2	45934.2				J	528.5	29.5	4.1	167.3
918.3	77044.4			Min	I	-714.6	-43.1	-1.9	-569.6
-671.2	-21938.9				J	-714.6	-43.1	-1.9	-569.6
1860.3	-35448.3								-
			C3-C4;~1	Max	I	591.0	20.9	4.7	127.4
1720.6	34195.2				J	591.0	20.9	4.7	127.4
1022.0	53097.4			Min	I	-813.1	-27.0	-2.1	-407.5
-745.8	-15690.9				J	-813.1	-27.0	-2.1	-407.5
2136.4	-27051.5								-
			C1-C2;~2	Max	I	283.2	20.2	2.3	105.6
855.1	32045.3				J	283.2	20.2	2.3	105.6
492.5	54489.9			Min	I	-401.5	-30.2	-1.0	-398.2
-360.1	-14937.6				J	-401.5	-30.2	-1.0	-398.2
1063.3	-24311.6								-
			C3-C4;~2	Max	I	312.0	13.7	2.7	74.0
1009.1	23717.5				J	312.0	13.7	2.7	74.0
539.9	37298.6			Min	I	-461.7	-17.9	-1.1	-283.4
-394.1	-10072.9				J	-461.7	-17.9	-1.1	-283.4
1239.7	-17858.9								-
			G1		I	-138.3	-0.2	1.1	-5.6
591.2	140.0				J	-138.3	-0.2	2.6	-5.6
-930.9	327.9								
			G2		I	-51.7	-0.7	0.7	13.8
262.2	-2166.7				J	-51.7	-0.7	0.7	13.8
-309.9	-1594.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-12.8	-0.3	0.1	-8.0
30.9	1166.8				J	-12.8	-0.3	0.1	-8.0
-42.3	1414.6								
			Q5_pc	Y	I	-25.7	1.0	-0.0	17.9
-3.7	-3318.6				J	-25.7	1.0	-0.0	17.9
-0.6	-4144.8								
			Q5_ps	X	I	-10.9	-0.3	0.1	-10.8
26.9	1448.1								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-36.6	1669.0		J	-10.9	-0.3	0.1	-10.8	
0.2	-4054.2	Q5_ps Y	I	-25.5	0.9	0.0	24.7	
-6.0	-4794.4		J	-25.5	0.9	0.0	24.7	
1215.2	50353.5	INVS LU Max	I	864.5	38.0	2.1	500.0	
2955.5	95349.2		J	864.5	38.0	4.2	500.0	
2170.2	-47248.6	Min	I	-1077.2	-61.8	-7.3	-527.0	-
1384.5	-63976.4		J	-1077.2	-61.8	-5.2	-527.0	-
776.2	36326.8	INVS LE Max	I	615.3	27.6	1.2	383.0	
2381.5	69998.2		J	615.3	27.6	2.7	383.0	
1727.3	-35528.6	Min	I	-819.6	-46.2	-5.8	-375.3	-
-827.7	-47468.2		J	-819.6	-46.2	-4.2	-375.3	
4900	2	70 C1-C2;~1 Max	I	748.6	88.6	10.1	704.0	
3965.9	77040.1		J	748.6	88.6	10.1	704.0	
1750.3	97004.6	Min	I	-947.1	-148.2	-4.3	-1044.7	-
1764.7	-35448.8		J	-947.1	-148.2	-4.3	-1044.7	-
4380.0	-15000.1							
4626.1	53094.5	C3-C4;~1 Max	I	838.5	54.3	11.9	448.7	
1949.0	68715.2		J	838.5	54.3	11.9	448.7	
1967.2	-27051.1	Min	I	-1076.9	-99.6	-4.8	-742.3	-
5140.9	-11958.8		J	-1076.9	-99.6	-4.8	-742.3	-
2308.6	54486.9	C1-C2;~2 Max	I	401.2	61.7	5.9	481.8	
938.5	69484.5		J	401.2	61.7	5.9	481.8	
-946.4	-24312.1	Min	I	-532.1	-106.0	-2.3	-733.2	-
2538.7	-9319.5		J	-532.1	-106.0	-2.3	-733.2	-
2739.8	37296.5	C3-C4;~2 Max	I	442.7	36.0	7.0	299.4	
1029.3	48976.6		J	442.7	36.0	7.0	299.4	
1039.1	-17858.8	Min	I	-611.0	-71.0	-2.5	-505.7	-
3034.6	-6733.6		J	-611.0	-71.0	-2.5	-505.7	-
1601.4	328.5	G1	I	-112.1	1.1	4.0	-8.9	
2290.7	-607.3		J	-112.1	1.1	5.5	-8.9	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

635.7	-1594.3	G2	I	-44.6	2.4	1.8	5.1	
-829.6	-3590.8		J	-44.6	2.4	1.8	5.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
94.6	1419.0	Q5_pc X	I	-17.6	-0.7	0.3	-3.4	
-126.0	1968.5		J	-17.6	-0.7	0.3	-3.4	
-47.0	-4146.4	Q5_pc Y	I	-33.5	1.7	-0.2	6.2	
100.1	-5551.7		J	-33.5	1.7	-0.2	6.2	
82.7	1673.1	Q5_ps X	I	-15.1	-0.9	0.2	-4.3	
-109.1	2428.0		J	-15.1	-0.9	0.2	-4.3	
-33.5	-4795.8	Q5_ps Y	I	-33.2	2.3	-0.1	7.7	
75.0	-6680.8		J	-33.2	2.3	-0.1	7.7	
3625.1	95346.0	INVSLU Max	I	1901.8	114.1	9.5	1234.7	
4739.4	129359.2		J	1901.8	114.1	11.6	1234.7	
5446.2	-63977.4	Min	I	-744.3	-208.6	-13.4	-1137.2	-
5058.7	-31840.2		J	-744.3	-208.6	-11.4	-1137.2	-
2362.8	69995.7	INVSLE Max	I	1422.5	83.7	6.3	936.4	
3810.6	95710.2		J	1422.5	83.7	7.8	936.4	
4344.0	-47468.8	Min	I	-533.0	-155.2	-10.7	-819.7	-
3430.4	-22956.5		J	-533.0	-155.2	-9.2	-819.7	-
4901	2	70 C1-C2;~1 Max	I	771.0	110.8	11.8	956.9	
4876.1	97011.8		J	771.0	110.8	11.8	956.9	
1639.7	101750.1	Min	I	-812.3	-109.3	-4.2	-739.4	-
1821.0	-14997.9		J	-812.3	-109.3	-4.2	-739.4	-
4826.3	-29665.5							
5736.7	68721.3	C3-C4;~1 Max	I	866.3	68.7	13.9	658.7	
1827.3	71644.4		J	866.3	68.7	13.9	658.7	
2029.9	-11957.1	Min	I	-921.0	-69.2	-4.7	-509.5	-
5723.8	-23407.8		J	-921.0	-69.2	-4.7	-509.5	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2798.8	69489.9	C1-C2;~2	Max	I	413.0	78.1	6.8	666.4	
				J	413.0	78.1	6.8	666.4	
878.8	72509.9		Min	I	-457.3	-77.8	-2.3	-512.4	
-976.2	-9317.8			J	-457.3	-77.8	-2.3	-512.4	-
2770.4	-19145.1								
		C3-C4;~2	Max	I	457.2	47.9	8.1	453.2	
3353.1	48981.1			J	457.2	47.9	8.1	453.2	
964.5	50872.4		Min	I	-522.4	-46.9	-2.5	-337.3	-
1071.8	-6732.3			J	-522.4	-46.9	-2.5	-337.3	-
3350.2	-14357.8								
		G1		I	76.0	0.5	6.1	-7.1	
2617.0	-608.5			J	76.0	0.5	7.6	-7.1	-
2991.0	-1054.4								
		G2		I	29.4	-1.0	2.6	-25.3	
1047.3	-3591.8			J	29.4	-1.0	2.6	-25.3	-
1114.8	-2751.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-14.9	0.8	0.4	11.6	
161.5	1973.2			J	-14.9	0.8	0.4	11.6	
-175.6	1300.5								
		Q5_pc	Y	I	-37.3	-2.1	-0.5	-31.1	
-175.7	-5554.0			J	-37.3	-2.1	-0.5	-31.1	
213.9	-3851.0								
		Q5_ps	X	I	-13.3	1.0	0.4	15.1	
138.5	2432.6			J	-13.3	1.0	0.4	15.1	
-150.3	1626.2								
		Q5_ps	Y	I	-34.8	-2.5	-0.4	-40.9	
-136.3	-6683.1			J	-34.8	-2.5	-0.4	-40.9	
167.9	-4626.8								
		INVSLU	Max	I	2300.6	129.3	14.7	1243.4	
6135.1	129366.4			J	2300.6	129.3	16.8	1243.4	
3762.2	152474.6		Min	I	-179.4	-171.6	-11.3	-1102.5	-
4666.1	-31843.9			J	-179.4	-171.6	-9.2	-1102.5	-
6816.7	-31868.2								
		INVSLE	Max	I	1717.1	94.8	10.2	928.8	
4258.2	95715.4			J	1717.1	94.8	11.8	928.8	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3024.5	113659.2		Min	I	-115.0	-127.9	-9.0	-804.8	-
3719.3	-22959.1			J	-115.0	-127.9	-7.4	-804.8	-
4783.2	-22377.6								
4902	2	70	C1-C2;~1	Max	I	814.1	234.5	12.1	1454.4
5041.0	101742.0			J	814.1	234.5	12.1	1454.4	
1534.3	23311.3		Min	I	-713.8	-31.6	-3.9	-357.2	-
1670.1	-29663.0			J	-713.8	-31.6	-3.9	-357.2	-
4948.0	-106721.8								
			C3-C4;~1	Max	I	916.3	175.8	14.2	1078.6
5900.6	71640.5			J	916.3	175.8	14.2	1078.6	
1716.1	20178.0		Min	I	-808.3	-27.0	-4.4	-314.1	-
1867.7	-23403.5			J	-808.3	-27.0	-4.4	-314.1	-
5810.8	-85261.8								
			C1-C2;~2	Max	I	435.9	163.5	6.9	1026.1
2882.2	72504.2			J	435.9	163.5	6.9	1026.1	
821.6	11152.4		Min	I	-402.8	-14.6	-2.1	-228.1	
-894.6	-19144.5			J	-402.8	-14.6	-2.1	-228.1	-
2830.9	-71200.4								
			C3-C4;~2	Max	I	483.6	121.3	8.3	755.1
3431.2	50869.6			J	483.6	121.3	8.3	755.1	
905.2	8977.1		Min	I	-458.1	-12.0	-2.3	-189.1	
-985.5	-14356.3			J	-458.1	-12.0	-2.3	-189.1	-
3381.7	-56484.8								
			G1	I	241.8	-3.0	6.7	-14.3	
2934.7	-1046.5			J	241.8	-3.0	8.2	-14.3	-
3200.2	1440.1								
			G2	I	93.5	-17.6	2.8	-73.5	
1151.6	-2747.4			J	93.5	-17.6	2.8	-73.5	-
1177.1	11729.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-15.1	8.4	0.5	33.8
202.9	1304.5			J	-15.1	8.4	0.5	33.8	
-211.1	-5585.4								
			Q5_pc	Y	I	-36.4	-21.4	-0.7	-87.7
-290.0	-3852.1			J	-36.4	-21.4	-0.7	-87.7	
313.9	13718.4								

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

180.2	1629.7	Q5_ps X	I	-13.9	10.7	0.4	44.1	
-186.8	-7145.0		J	-13.9	10.7	0.4	44.1	
-250.0	-4627.3	Q5_ps Y	I	-33.2	-27.1	-0.6	-114.4	
269.5	17655.2		J	-33.2	-27.1	-0.6	-114.4	
7253.8	152469.5	INVS LU Max	I	2751.8	277.4	17.3	1538.9	
2867.3	103515.7		J	2751.8	277.4	19.4	1538.9	
3755.4	-31860.9	Min	I	358.0	-120.3	-9.1	-1064.6	-
7859.0	-96722.1		J	358.0	-120.3	-7.0	-1064.6	-
5130.6	113654.8	INVS LE Max	I	2053.9	203.1	12.3	1134.3	
2311.7	77573.7		J	2053.9	203.1	13.8	1134.3	
2985.7	-22372.6	Min	I	285.5	-88.7	-7.2	-782.5	-
5591.9	-68921.5		J	285.5	-88.7	-5.7	-782.5	-
4903	2	70 C1-C2;~1 Max	I	860.1	32.1	11.4	333.7	
4758.3	23263.4		J	860.1	32.1	11.4	333.7	
1586.3	100956.3	Min	I	-630.9	-242.4	-4.0	-1605.4	-
1683.6	-106396.2		J	-630.9	-242.4	-4.0	-1605.4	-
4594.8	-28290.0							
5722.0	20067.3	C3-C4;~1 Max	I	971.5	26.4	13.7	305.6	
1765.5	71502.5		J	971.5	26.4	13.7	305.6	
1873.6	-84995.4	Min	I	-717.6	-184.3	-4.4	-1215.5	-
5551.0	-21962.4		J	-717.6	-184.3	-4.4	-1215.5	-
2699.0	11133.6	C1-C2;~2 Max	I	460.3	14.8	6.4	206.2	
849.5	71899.2		J	460.3	14.8	6.4	206.2	
-902.1	-71019.6	Min	I	-357.4	-169.4	-2.1	-1131.8	
2602.7	-18171.5		J	-357.4	-169.4	-2.1	-1131.8	-
3310.3	8908.9	C3-C4;~2 Max	I	512.5	11.0	7.9	170.8	
931.3	50730.9		J	512.5	11.0	7.9	170.8	
-988.8	-56336.6	Min	I	-407.6	-127.6	-2.3	-855.2	
3208.8	-13253.1		J	-407.6	-127.6	-2.3	-855.2	-
		G1	I	401.8	3.2	6.4	15.4	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2872.6	1687.1		J	401.8	3.2	8.0	15.4	-
3046.4	-951.8							
		G2	I	156.0	17.9	2.8	82.7	
1175.8	11825.0		J	156.0	17.9	2.8	82.7	-
1165.0	-2894.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-17.1	-8.2	0.5	-37.1	
212.5	-5554.0		J	-17.1	-8.2	0.5	-37.1	
-216.8	1161.3							
		Q5_pc Y	I	-32.7	20.7	-0.8	92.3	
-315.6	13669.2		J	-32.7	20.7	-0.8	92.3	
329.4	-3353.2							
		Q5_ps X	I	-16.3	-10.5	0.4	-47.8	
176.5	-7116.7		J	-16.3	-10.5	0.4	-47.8	
-180.0	1527.0							
		Q5_ps Y	I	-28.3	26.5	-0.6	118.1	
-242.0	17611.5		J	-28.3	26.5	-0.6	118.1	
253.4	-4222.1							
		INVSLE Max	I	3194.6	159.3	17.1	1247.6	
7296.5	103268.9		J	3194.6	159.3	19.2	1247.6	
2829.1	118747.4							
		Min	I	855.4	-248.5	-8.8	-1536.3	-
3525.6	-96376.1		J	855.4	-248.5	-6.7	-1536.3	-
7641.0	-61770.9							
		INVSLE Max	I	2384.0	118.3	12.2	924.4	
5188.3	77373.6		J	2384.0	118.3	13.7	924.4	
2253.2	88138.4							
		Min	I	655.5	-181.0	-6.9	-1125.4	-
2786.0	-68689.0		J	655.5	-181.0	-5.4	-1125.4	-
5458.5	-45131.8							
		70 C1-C2;~1 Max	I	901.1	108.1	10.6	679.7	
4904	2		J	901.1	108.1	10.6	679.7	
4467.4	100968.0							
		Min	I	-540.9	-132.7	-4.3	-1134.5	-
1724.3	112683.1		J	-540.9	-132.7	-4.3	-1134.5	-
1788.0	-28275.3							
		C3-C4;~1 Max	I	1024.6	70.2	12.7	470.4	
4219.6	-16405.8		J	1024.6	70.2	12.7	470.4	
5381.2	71516.0							
		Min	I	-623.5	-87.7	-4.8	-813.4	-
1938.0	82852.3							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2006.7	-21945.6			J	-623.5	-87.7	-4.8	-813.4	-
5098.6	-15487.0								
2514.7	71908.3	C1-C2;~2	Max	I	481.1	76.5	5.9	468.2	
				J	481.1	76.5	5.9	468.2	
922.6	80327.6		Min	I	-309.8	-94.0	-2.3	-797.2	
-957.1	-18162.6			J	-309.8	-94.0	-2.3	-797.2	-
2370.2	-9717.3								
		C3-C4;~2	Max	I	539.1	47.1	7.3	298.2	
3093.1	50741.0			J	539.1	47.1	7.3	298.2	
1021.8	58895.8		Min	I	-357.5	-61.7	-2.5	-570.3	-
1058.3	-13242.8			J	-357.5	-61.7	-2.5	-570.3	-
2925.3	-8003.0								
		G1		I	583.2	0.2	5.3	7.3	
2453.1	-943.7			J	583.2	0.2	6.8	7.3	-
2498.7	-1126.6								
		G2		I	227.5	2.4	2.3	33.4	
991.3	-2892.1			J	227.5	2.4	2.3	33.4	
-930.4	-4857.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-17.9	-0.8	0.5	-14.1	
217.5	1166.6			J	-17.9	-0.8	0.5	-14.1	
-215.7	1849.3								
		Q5_pc	Y	I	-32.9	2.0	-0.8	34.2	
-340.2	-3357.2			J	-32.9	2.0	-0.8	34.2	
337.3	-5023.7								
		Q5_ps	X	I	-18.0	-1.1	0.5	-17.9	
187.3	1532.1			J	-18.0	-1.1	0.5	-17.9	
-185.8	2466.5								
		Q5_ps	Y	I	-26.0	2.8	-0.7	42.9	
-280.6	-4226.2			J	-26.0	2.8	-0.7	42.9	
278.4	-6509.5								
		INVSLU	Max	I	3648.9	193.4	16.1	1111.7	
6961.4	118750.9			J	3648.9	193.4	18.1	1111.7	
3011.8	98506.6		Min	I	1364.7	-135.3	-9.1	-1399.0	-
3624.6	-61770.6			J	1364.7	-135.3	-7.0	-1399.0	-
7094.8	-84806.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4973.4	88140.0	INVSLE Max	I	2721.1	143.7	11.5	825.1	
			J	2721.1	143.7	13.0	825.1	
2353.9	72545.7	Min	I	1033.4	-99.5	-7.1	-1030.1	-
2822.7	-45132.0		J	1033.4	-99.5	-5.5	-1030.1	-
5087.4	-62571.7							
4905	2	70 C1-C2;~1 Max	I	1002.4	153.8	8.1	1000.7	
3632.1	112684.8		J	1002.4	153.8	8.1	1000.7	
1721.9	141947.3	Min	I	-459.1	-143.6	-4.4	-750.3	-
1922.5	-16409.6		J	-459.1	-143.6	-4.4	-750.3	-
3020.5	-43054.8							
		C3-C4;~1 Max	I	1147.2	106.5	9.8	701.2	
4381.4	82852.7		J	1147.2	106.5	9.8	701.2	
1953.9	102078.5	Min	I	-543.7	-97.0	-5.0	-526.8	-
2176.5	-15489.6		J	-543.7	-97.0	-5.0	-526.8	-
3649.5	-37424.3							
		C1-C2;~2 Max	I	528.2	108.8	4.5	703.5	
2022.1	80328.7		J	528.2	108.8	4.5	703.5	
918.7	100981.0	Min	I	-260.2	-101.5	-2.4	-519.1	-
1026.9	-9719.8		J	-260.2	-101.5	-2.4	-519.1	-
1676.0	-28149.3							
		C3-C4;~2 Max	I	595.9	71.3	5.5	486.3	
2486.7	58896.2		J	595.9	71.3	5.5	486.3	
1027.4	72476.5	Min	I	-308.1	-66.0	-2.6	-347.9	-
1145.8	-8004.5		J	-308.1	-66.0	-2.6	-347.9	-
2063.6	-22130.7							
		G1	I	819.1	0.9	2.6	3.9	
1485.4	-1127.8		J	819.1	0.9	4.1	3.9	-
1298.7	-1907.2							
		G2	I	319.0	-0.5	1.3	-7.6	
616.7	-4857.3		J	319.0	-0.5	1.3	-7.6	
-464.5	-4434.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-17.8	0.7	0.4	4.2	
188.4	1852.4		J	-17.8	0.7	0.4	4.2	
-165.1	1239.6							
		Q5_pc Y	I	-38.3	-1.6	-0.6	-11.0	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-280.3	-5024.5		J	-38.3	-1.6	-0.6	-11.0	
237.1	-3679.3							
163.6	2469.4	Q5_ps X	I	-18.7	0.9	0.4	5.8	
-143.8	1769.3		J	-18.7	0.9	0.4	5.8	
-233.9	-6510.3	Q5_ps Y	I	-29.1	-1.9	-0.5	-15.6	
198.1	-4918.8		J	-29.1	-1.9	-0.5	-15.6	
5432.5	98514.8	INVS LU Max	I	4341.2	225.2	11.7	839.2	
2916.6	123555.7		J	4341.2	225.2	13.8	839.2	
3925.3	-84806.8	Min	I	1989.6	-179.2	-9.3	-1544.4	-
5074.8	-132819.9		J	1989.6	-179.2	-7.3	-1544.4	-
3881.1	72551.7	INVS LE Max	I	3234.7	167.0	8.4	623.0	
2246.6	90907.5		J	3234.7	167.0	9.9	623.0	
3013.3	-62572.1	Min	I	1497.9	-132.3	-7.2	-1141.2	-
3641.3	-98509.7		J	1497.9	-132.3	-5.6	-1141.2	-
4906	2	83 C1-C2;~1 Max	I	1275.7	164.7	78.4	20015.5	3
6835.1	141949.1		J	1275.7	164.7	78.4	20015.5	1
7778.4	141239.0	Min	I	-528.5	-108.1	-53.3	-7809.5	-2
6126.5	-43056.1		J	-528.5	-108.1	-53.3	-7809.5	-2
7655.7	-82644.5	C3-C4;~1 Max	I	1462.1	112.9	95.5	14791.6	4
4674.8	102079.5		J	1462.1	112.9	95.5	14791.6	2
0283.6	101033.4	Min	I	-628.8	-72.4	-60.8	-6306.4	-2
9766.4	-37425.5		J	-628.8	-72.4	-60.8	-6306.4	-3
3941.4	-67865.3	C1-C2;~2 Max	I	670.2	115.1	43.1	14090.5	2
0285.3	100982.4		J	670.2	115.1	43.1	14090.5	
9460.2	98653.9	Min	I	-296.5	-74.7	-28.4	-5173.8	-1
3948.6	-28150.4		J	-296.5	-74.7	-28.4	-5173.8	-1
5221.1	-54357.4	C3-C4;~2 Max	I	757.7	78.1	53.6	10355.8	2
5036.4	72477.3		J	757.7	78.1	53.6	10355.8	1
0648.0	66271.6	Min	I	-352.8	-45.6	-32.0	-3836.9	-1
5672.2	-22131.8		J	-352.8	-45.6	-32.0	-3836.9	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9029.7	-41956.8							
		G1	I	1102.9	0.6	19.4	-31.5	
8547.3	-1906.3		J	1102.9	0.6	24.0	-31.5	-
9291.4	-2429.0							
		G2	I	430.3	-5.5	8.6	-611.6	
3439.2	-4433.6		J	430.3	-5.5	8.6	-611.6	-
3607.7	128.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-29.5	3.2	4.5	274.1	
2100.6	1243.9		J	-29.5	3.2	4.5	274.1	-
1631.7	-1417.4							
		Q5_pc Y	I	-31.6	-7.4	-6.4	-683.6	-
2868.3	-3681.1		J	-31.6	-7.4	-6.4	-683.6	
2374.0	2386.0							
		Q5_ps X	I	-30.7	4.0	3.9	364.4	
1844.4	1773.3		J	-30.7	4.0	3.9	364.4	-
1402.8	-1504.3							
		Q5_ps Y	I	-20.4	-9.2	-5.3	-912.4	-
2424.5	-4920.4		J	-20.4	-9.2	-5.3	-912.4	
1941.2	2667.2							
		INVSLU Max	I	5543.6	207.5	114.9	25699.0	5
3054.2	123554.5		J	5543.6	207.5	121.1	25699.0	3
3441.5	139097.2							
		Min	I	2664.0	-174.0	-107.6	-13095.4	-5
2604.4	-132828.6		J	2664.0	-174.0	-101.5	-13095.4	-4
4035.5	-167440.3							
		INVSLE Max	I	4134.5	153.3	82.0	18997.7	3
7805.9	90906.6		J	4134.5	153.3	86.6	18997.7	2
5504.5	102462.9							
		Min	I	2005.7	-128.4	-82.0	-9647.7	-4
0077.3	-98516.0		J	2005.7	-128.4	-77.4	-9647.7	-3
1569.3	-124283.7							
		83 C1-C2;~1 Max	I	1493.6	328.2	57.8	23245.3	2
4907	2		J	1493.6	328.2	57.8	23245.3	1
4860.0	141229.1							
		Min	I	-562.0	-43.1	-28.1	-7046.0	-1
0037.2	46610.0		J	-562.0	-43.1	-28.1	-7046.0	-2
3059.8	-82646.4							
		C3-C4;~1 Max	I	1713.2	248.5	67.5	17591.4	2
2692.3	-192905.6							
9110.8	101025.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1783.2	44802.1		J	1713.2	248.5	67.5	17591.4	1
		Min	I	-656.6	-45.7	-32.7	-6625.2	-1
5144.3	-67866.7		J	-656.6	-45.7	-32.7	-6625.2	-2
6445.0	-155970.9							
		C1-C2;~2 Max	I	785.2	230.1	33.0	16348.9	1
4190.1	98647.3		J	785.2	230.1	33.0	16348.9	
5307.4	25975.4							
		Min	I	-309.1	-19.8	-14.9	-4578.2	-
6934.8	-54358.9		J	-309.1	-19.8	-14.9	-4578.2	-1
2985.3	-129085.1							
		C3-C4;~2 Max	I	888.9	173.5	39.0	12334.6	1
6802.6	66266.0		J	888.9	173.5	39.0	12334.6	
6137.0	19887.3							
		Min	I	-358.5	-19.8	-17.1	-3921.5	-
7924.5	-41958.2		J	-358.5	-19.8	-17.1	-3921.5	-1
5288.1	-104522.8							
		G1	I	1319.7	-4.0	17.6	-247.1	
7235.4	-2430.7		J	1319.7	-4.0	22.2	-247.1	-
9114.9	892.7							
		G2	I	514.7	-24.0	6.7	-1109.2	
2499.5	128.6		J	514.7	-24.0	6.7	-1109.2	-
2980.3	19892.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-45.4	11.3	3.4	487.4	
1441.7	-1414.9		J	-45.4	11.3	3.4	487.4	-
1356.2	-10717.8							
		Q5_pc Y	I	-10.8	-27.2	-6.1	-1182.7	-
2509.0	2385.8		J	-10.8	-27.2	-6.1	-1182.7	
2476.7	24741.3							
		Q5_ps X	I	-46.0	14.5	3.2	644.1	
1360.0	-1502.2		J	-46.0	14.5	3.2	644.1	-
1286.2	-13390.2							
		Q5_ps Y	I	0.3	-34.8	-5.8	-1573.0	-
2390.2	2667.4		J	0.3	-34.8	-5.8	-1573.0	
2369.2	31292.8							
		INVSLU Max	I	6567.2	379.8	91.3	29161.3	3
7357.4	139083.0		J	6567.2	379.8	97.4	29161.3	1
5802.5	103616.8							
		Min	I	3286.3	-173.9	-55.0	-13860.9	-2
6903.3	-167443.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0263.6	-264263.7		J	3286.3	-173.9	-48.8	-13860.9	-4
6882.1	102452.4	INVSLE Max	I	4900.1	278.7	65.9	21506.4	2
2018.3	75417.7		J	4900.1	278.7	70.4	21506.4	1
0383.9	-124286.2	Min	I	2475.9	-127.9	-41.7	-10204.3	-2
9181.9	-193787.5		J	2475.9	-127.9	-37.1	-10204.3	-2
4908	2	83 C1-C2;~1 Max	I	1636.4	51.8	37.4	7705.9	1
5916.9	46558.8		J	1636.4	51.8	37.4	7705.9	1
0210.3	170376.7	Min	I	-541.5	-352.7	-26.5	-21219.3	-1
1461.9	-192936.1		J	-541.5	-352.7	-26.5	-21219.3	-1
4734.1	-96387.2							
0537.8	44722.9	C3-C4;~1 Max	I	1881.5	50.6	48.5	6896.9	2
0643.1	127762.5		J	1881.5	50.6	48.5	6896.9	1
1165.4	-155996.7	Min	I	-629.2	-266.1	-26.6	-15801.6	-1
9168.1	-82153.5		J	-629.2	-266.1	-26.6	-15801.6	-1
8659.5	25952.4	C1-C2;~2 Max	I	856.3	23.9	20.4	4979.6	
6165.2	119244.7		J	856.3	23.9	20.4	4979.6	
6615.6	-129118.9	Min	I	-292.4	-246.7	-15.6	-14909.3	-
8019.8	-63433.5		J	-292.4	-246.7	-15.6	-14909.3	-
1375.1	19844.3	C3-C4;~2 Max	I	972.7	21.9	26.9	4080.0	1
6256.0	85240.0		J	972.7	21.9	26.9	4080.0	
6090.5	-104550.4	Min	I	-335.8	-185.5	-15.0	-11096.8	-
0637.9	-51271.6		J	-335.8	-185.5	-15.0	-11096.8	-1
7701.6	865.4	G1	I	1527.5	8.3	19.0	362.5	
9722.5	-5905.6		J	1527.5	8.3	23.6	362.5	-
3501.4	19882.2	G2	I	594.4	28.5	9.2	1029.0	
4034.9	-3493.1		J	594.4	28.5	9.2	1029.0	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
983.6	-10711.3	Q5_pc X	I	-56.5	-11.9	2.3	-371.8	
			J	-56.5	-11.9	2.3	-371.8	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-940.2	-980.8									
1739.2	24730.7	Q5_pc	Y	I	8.6	28.7	-4.3	913.3	-	
1754.4	1240.3			J	8.6	28.7	-4.3	913.3		
744.3	-13384.4	Q5_ps	X	I	-56.9	-15.5	1.8	-496.6		
-709.3	-664.6			J	-56.9	-15.5	1.8	-496.6		
1210.3	31283.5	Q5_ps	Y	I	19.9	37.5	-3.0	1203.4	-	
1233.4	598.4			J	19.9	37.5	-3.0	1203.4		
6699.0	103336.4	INVS LU	Max	I	7362.4	176.5	67.1	15759.5	2	
2655.3	183267.0			J	7362.4	176.5	73.2	15759.5	1	
9631.2	-264497.0		Min	I	3871.3	-421.3	-41.9	-24933.3	-1	
0747.6	-179096.8			J	3871.3	-421.3	-35.8	-24933.3	-3	
9264.1	75206.1	INVS LE	Max	I	5491.9	129.9	48.6	11674.5	1	
9547.0	135117.1			J	5491.9	129.9	53.1	11674.5		
4822.7	-193965.7		Min	I	2913.4	-309.1	-31.6	-18346.6	-1	
2369.3	-133135.2			J	2913.4	-309.1	-27.0	-18346.6	-2	
4909	2	83 C1-C2;~1	Max	I	1770.6	116.1	39.3	9364.8	1	
7099.8	170389.0			J	1770.6	116.1	39.3	9364.8		
6296.2	214592.0		Min	I	-512.0	-221.3	-15.7	-15535.7	-	
6600.8	-96383.4			J	-512.0	-221.3	-15.7	-15535.7	-1	
5136.2	-58868.9									
1322.6	127770.8	C3-C4;~1	Max	I	2042.9	77.9	49.6	6644.7	2	
7993.0	160307.7			J	2042.9	77.9	49.6	6644.7		
8426.3	-82150.5		Min	I	-590.1	-153.6	-20.1	-11588.5	-	
9275.8	-55724.7			J	-590.1	-153.6	-20.1	-11588.5	-1	
9833.5	119254.2	C1-C2;~2	Max	I	920.2	79.3	22.3	6343.2		
3636.9	151214.2			J	920.2	79.3	22.3	6343.2		
3478.9	-63431.0		Min	I	-271.3	-155.5	-8.7	-10896.9	-	
8501.1	-36304.5			J	-271.3	-155.5	-8.7	-10896.9	-	
2479.5	85247.4	C3-C4;~2	Max	I	1050.1	47.8	28.8	4113.7	1	
4670.0	112998.8			J	1050.1	47.8	28.8	4113.7		

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4536.1	-51269.7		Min	I	-307.6	-107.6	-11.2	-7734.1	-
				J	-307.6	-107.6	-11.2	-7734.1	-1
1068.8	-31261.1								
			G1	I	1754.1	2.7	19.3	61.7	
7652.0	-5907.3			J	1754.1	2.7	23.8	61.7	-
9997.4	-8147.4								
			G2	I	680.6	9.9	8.0	404.5	
2900.0	-3494.8			J	680.6	9.9	8.0	404.5	-
3672.0	-11608.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-63.5	-3.4	2.3	-105.7	
975.5	-977.2			J	-63.5	-3.4	2.3	-105.7	
-922.8	1793.0								
			Q5_pc Y	I	21.4	8.2	-4.8	290.6	-
1979.6	1237.3			J	21.4	8.2	-4.8	290.6	
1924.6	-5446.8								
			Q5_ps X	I	-64.4	-4.7	2.0	-147.6	
866.2	-661.0			J	-64.4	-4.7	2.0	-147.6	
-793.3	3186.4								
			Q5_ps Y	I	33.7	11.3	-4.1	381.6	-
1746.4	595.1			J	33.7	11.3	-4.1	381.6	
1634.2	-8672.0								
			INVSLU Max	I	8140.6	171.5	74.8	15826.9	3
0696.4	183267.5			J	8140.6	171.5	81.0	15826.9	
7200.1	240598.3								
			Min	I	4471.7	-298.6	-27.8	-18311.7	-1
3027.8	-179102.3			J	4471.7	-298.6	-21.6	-18311.7	-3
3077.0	-138378.1								
			INVSLE Max	I	6069.4	126.7	54.6	11734.4	2
2343.7	135117.6			J	6069.4	126.7	59.1	11734.4	
5386.1	177154.3								
			Min	I	3360.2	-220.5	-20.8	-13514.8	-
9780.7	-133139.6			J	3360.2	-220.5	-16.3	-13514.8	-2
4192.2	-102842.7								
4910	2	83	C1-C2;~1 Max	I	1906.3	181.5	35.2	12581.1	1
4800.2	214592.7			J	1906.3	181.5	35.2	12581.1	
5798.4	210463.5								
			Min	I	-513.3	-168.2	-14.8	-9874.9	-
6366.6	-58869.7			J	-513.3	-168.2	-14.8	-9874.9	-1
3997.7	-53450.8								

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

9301.0	160308.2	C3-C4;~1	Max	I	2208.1	127.0	45.8	9018.7	1
				J	2208.1	127.0	45.8	9018.7	
7558.1	156417.7		Min	I	-587.7	-113.9	-18.9	-7020.2	-
8020.8	-55725.2			J	-587.7	-113.9	-18.9	-7020.2	-1
8242.0	-50299.9								
		C1-C2;~2	Max	I	982.4	127.6	19.8	8778.5	
8380.4	151214.5			J	982.4	127.6	19.8	8778.5	
3426.1	148368.3		Min	I	-274.4	-117.9	-8.4	-6809.2	-
3468.5	-36305.1			J	-274.4	-117.9	-8.4	-6809.2	-
7811.6	-32282.3								
		C3-C4;~2	Max	I	1126.8	85.3	26.4	5917.4	1
1202.7	112999.0			J	1126.8	85.3	26.4	5917.4	
4507.8	110322.9		Min	I	-308.2	-75.6	-10.8	-4479.1	-
4401.4	-31261.6			J	-308.2	-75.6	-10.8	-4479.1	-1
0438.1	-27143.7								
		G1		I	2002.1	-1.0	19.1	-107.4	
7363.1	-8145.8			J	2002.1	-1.0	23.6	-107.4	-1
0129.4	-7343.3								
		G2		I	774.7	-0.4	8.1	-114.7	
2898.2	-11607.7			J	774.7	-0.4	8.1	-114.7	-
3753.9	-11283.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-67.1	1.8	1.9	137.9	
811.7	1794.9			J	-67.1	1.8	1.9	137.9	
-783.2	325.4								
		Q5_pc	Y	I	28.3	-3.7	-4.2	-264.7	-
1739.3	-5447.1			J	28.3	-3.7	-4.2	-264.7	
1729.1	-2384.1								
		Q5_ps	X	I	-68.6	1.7	1.6	165.4	
692.8	3188.1			J	-68.6	1.7	1.6	165.4	
-655.7	1795.9								
		Q5_ps	Y	I	42.1	-3.5	-3.6	-339.6	-
1472.4	-8672.2			J	42.1	-3.5	-3.6	-339.6	
1434.9	-5770.9								
		INVSLU	Max	I	8950.3	195.7	70.8	18749.2	2
7344.9	240606.4			J	8950.3	195.7	76.9	18749.2	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4815.5	275403.8		Min	I	5055.0	-283.1	-24.3	-12042.6	-1	
2670.2	-138372.7			J	5055.0	-283.1	-18.1	-12042.6	-3	
3127.1	-85171.8									
		INVSLE	Max	I	6669.5	144.5	51.8	13879.8	1	
9964.9	177160.3			J	6669.5	144.5	56.3	13879.8		
3560.3	203356.4		Min	I	3793.0	-209.7	-18.0	-8893.7	-	
9444.0	-102838.7			J	3793.0	-209.7	-13.5	-8893.7	-2	
4314.7	-63418.8									
4911	2	83	C1-C2;~1	Max	I	2041.4	237.3	32.3	17411.4	1
3693.7	210462.7			J	2041.4	237.3	32.3	17411.4		
6977.7	148188.0		Min	I	-516.9	-93.2	-17.1	-5437.1	-	
7078.1	-53448.7			J	-516.9	-93.2	-17.1	-5437.1	-1	
2787.3	-93878.2									
		C3-C4;~1	Max	I	2374.2	168.4	42.5	12709.3	1	
7902.7	156417.3			J	2374.2	168.4	42.5	12709.3		
8675.3	109580.8		Min	I	-591.5	-60.7	-21.0	-3705.9	-	
8713.3	-50298.6			J	-591.5	-60.7	-21.0	-3705.9	-1	
6916.5	-79435.1									
		C1-C2;~2	Max	I	1042.7	166.7	18.1	12275.1		
7778.8	148367.9			J	1042.7	166.7	18.1	12275.1		
4187.8	102997.9		Min	I	-278.1	-61.8	-9.9	-3526.1	-	
3909.0	-32280.8			J	-278.1	-61.8	-9.9	-3526.1	-	
7080.5	-61337.7									
		C3-C4;~2	Max	I	1202.1	118.1	24.5	8927.2	1	
0420.9	110322.9			J	1202.1	118.1	24.5	8927.2		
5187.1	72066.7		Min	I	-312.1	-34.0	-12.0	-1936.4	-	
4770.4	-27142.7			J	-312.1	-34.0	-12.0	-1936.4	-	
9626.2	-49034.2									
		G1		I	2251.1	-9.0	15.0	-177.9		
5543.1	-7344.7			J	2251.1	-9.0	19.5	-177.9	-	
8564.1	24.3									
		G2		I	869.4	-13.3	6.7	-664.0		
2218.9	-11284.7			J	869.4	-13.3	6.7	-664.0	-	
3251.8	-384.1									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
592.4	327.6	Q5_pc X	I	-70.5	8.2	1.4	404.0	
-518.6	-6423.7		J	-70.5	8.2	1.4	404.0	
1350.3	-2385.4	Q5_pc Y	I	35.9	-17.9	-3.1	-871.7	-
1227.1	12258.9		J	35.9	-17.9	-3.1	-871.7	
496.9	1798.1	Q5_ps X	I	-72.7	9.6	1.1	514.1	
-396.5	-6096.2		J	-72.7	9.6	1.1	514.1	
1131.7	-5772.5	Q5_ps Y	I	51.3	-21.3	-2.5	-1143.5	-
939.7	11655.4		J	51.3	-21.3	-2.5	-1143.5	
4245.9	275400.4	INVSLU Max	I	9742.0	216.6	62.9	24414.2	2
6980.5	298357.0		J	9742.0	216.6	69.0	24414.2	
4116.0	-85173.7	Min	I	5611.4	-261.7	-28.5	-8000.3	-1
9777.2	-50498.5		J	5611.4	-261.7	-22.4	-8000.3	-2
7768.4	203353.7	INVSLE Max	I	7255.8	158.5	46.2	18018.6	1
5141.2	220288.7		J	7255.8	158.5	50.7	18018.6	
0467.8	-63420.2	Min	I	4205.5	-193.4	-21.1	-5875.9	-1
1923.2	-36488.2		J	4205.5	-193.4	-16.6	-5875.9	-2
4912	2	83 C1-C2;~1 Max	I	2146.8	364.7	30.5	20939.1	1
2050.6	148172.5		J	2146.8	364.7	30.5	20939.1	
4025.4	58773.9	Min	I	-524.4	-66.7	-12.6	-7158.5	-
6466.0	-93884.6		J	-524.4	-66.7	-12.6	-7158.5	-1
3000.8	-185893.0							
5616.7	109569.9	C3-C4;~1 Max	I	2500.3	266.8	38.8	15509.9	1
6489.8	68081.6		J	2500.3	266.8	38.8	15509.9	
8699.8	-79438.9	Min	I	-599.3	-70.1	-18.0	-6480.2	-
6193.1	-146514.4		J	-599.3	-70.1	-18.0	-6480.2	-1
6831.2	102986.2	C1-C2;~2 Max	I	1087.9	256.1	17.3	14692.7	
2028.6	28209.4		J	1087.9	256.1	17.3	14692.7	
3313.0	-61342.2	Min	I	-282.4	-32.4	-6.4	-4664.1	-
7326.7	-122725.0		J	-282.4	-32.4	-6.4	-4664.1	-
		C3-C4;~2 Max	I	1257.2	187.6	22.4	10862.6	

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9070.6	72058.1			J	1257.2	187.6	22.4	10862.6	
3456.6	31350.3		Min	I	-316.6	-31.2	-9.3	-3805.1	-
4473.5	-49036.9			J	-316.6	-31.2	-9.3	-3805.1	-
9293.4	-97493.0								
		G1		I	2447.1	-33.6	12.3	11.7	
3302.2	25.0			J	2447.1	-33.6	16.8	11.7	-
8591.3	27514.1								
		G2		I	943.0	-40.1	5.5	-847.9	
1365.0	-382.0			J	943.0	-40.1	5.5	-847.9	-
3128.9	32460.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-74.1	18.1	0.2	508.4	
196.7	-6423.3			J	-74.1	18.1	0.2	508.4	
3.4	-21283.6								
		Q5_pc Y		I	45.2	-39.6	-1.1	-1121.5	
-622.6	12260.6			J	45.2	-39.6	-1.1	-1121.5	
272.0	44667.0								
		Q5_ps X		I	-76.5	22.1	0.2	654.8	
168.6	-6096.1			J	-76.5	22.1	0.2	654.8	
18.3	-24180.3								
		Q5_ps Y		I	61.0	-49.1	-0.9	-1478.7	
-553.1	11657.7			J	61.0	-49.1	-0.9	-1478.7	
224.2	51846.8								
		INVS LU Max		I	10385.5	319.1	69.8	28509.4	2
1775.2	298345.4			J	10385.5	319.1	75.9	28509.4	-
6844.0	390426.1		Min	I	6067.7	-339.2	-8.8	-11441.1	-1
2172.8	-50500.7			J	6067.7	-339.2	-2.6	-11441.1	-3
7955.4	-32840.2								
		INVS LE Max		I	7732.7	232.3	51.8	21025.3	1
6115.4	220280.1			J	7732.7	232.3	56.3	21025.3	-
5194.8	287509.8		Min	I	4544.2	-250.0	-6.3	-8418.1	-
8948.3	-36489.7			J	4544.2	-250.0	-1.7	-8418.1	-2
8204.0	-20065.2								
		83 C1-C2;~1 Max		I	2117.2	64.5	13.7	7436.5	
4913	2			J	2117.2	64.5	13.7	7436.5	1
5239.3	57298.5								
3545.9	147490.2		Min	I	-515.4	-360.5	-35.6	-21042.6	-1

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5927.1	-183509.5		J	-515.4	-360.5	-35.6	-21042.6	-
6102.0	-92911.6							
7256.8	65349.1	C3-C4;~1 Max	I	2467.6	69.4	17.4	7056.8	
8195.6	107403.4		J	2467.6	69.4	17.4	7056.8	1
0412.3	-144089.9	Min	I	-589.0	-262.8	-46.7	-15531.4	-2
7591.6	-79379.3		J	-589.0	-262.8	-46.7	-15531.4	-
2623.8	27433.4	C1-C2;~2 Max	I	1067.9	31.4	6.9	4788.7	
7483.4	102717.0		J	1067.9	31.4	6.9	4788.7	
8657.0	-121269.8	Min	I	-277.5	-253.3	-19.5	-14705.2	-
3110.8	-61086.2		J	-277.5	-253.3	-19.5	-14705.2	-
3819.0	29894.2	C3-C4;~2 Max	I	1236.0	30.7	8.9	4046.8	
0096.3	69266.1		J	1236.0	30.7	8.9	4046.8	1
1047.1	-95948.3	Min	I	-311.2	-184.9	-25.6	-10844.2	-1
3931.3	-49270.8		J	-311.2	-184.9	-25.6	-10844.2	-
1449.3	27180.3	G1	I	2446.6	34.3	-23.6	429.5	-1
6146.7	-1168.6		J	2446.6	34.3	-19.0	429.5	
4259.3	32289.3	G2	I	943.4	40.2	-8.2	1047.1	-
2501.4	-917.6		J	943.4	40.2	-8.2	1047.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-30.7	-21246.8	Q5_pc X	I	-74.2	-17.9	-0.3	-452.8	
242.3	-6417.3		J	-74.2	-17.9	-0.3	-452.8	
-83.2	44302.4	Q5_pc Y	I	49.2	38.5	0.2	987.0	
-283.9	12468.5		J	49.2	38.5	0.2	987.0	
-2.3	-24141.5	Q5_ps X	I	-76.8	-21.9	-0.2	-612.3	
197.0	-6073.2		J	-76.8	-21.9	-0.2	-612.3	
-150.6	51485.0	Q5_ps Y	I	64.9	48.0	0.0	1362.6	
-186.1	11831.3		J	64.9	48.0	0.0	1362.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5251.9	382152.0	INVSLE Max	I	10368.3	345.4	2.8	12472.6	-
			J	10368.3	345.4	9.0	12472.6	2
4458.2	285122.9	Min	I	6108.2	-304.4	-84.3	-27750.7	-4
2755.1	-33551.4		J	6108.2	-304.4	-78.1	-27750.7	-1
0865.6	-61862.9							
3803.0	281438.2	INVSLE Max	I	7720.5	254.7	2.4	9170.7	-
			J	7720.5	254.7	6.9	9170.7	1
7925.9	210489.1	Min	I	4574.8	-221.5	-62.1	-20492.8	-3
1572.1	-20583.2		J	4574.8	-221.5	-57.5	-20492.8	-
8202.0	-44874.9							
4914	2	83 C1-C2;~1 Max	I	1947.7	91.5	17.7	5712.9	
7868.4	147505.5		J	1947.7	91.5	17.7	5712.9	1
5358.2	209177.2	Min	I	-486.4	-235.9	-37.3	-17619.6	-1
5483.5	-92905.1		J	-486.4	-235.9	-37.3	-17619.6	-
6769.4	-51302.6							
9196.3	107414.1	C3-C4;~1 Max	I	2268.4	60.1	20.7	4240.9	
			J	2268.4	60.1	20.7	4240.9	2
0921.7	154994.3	Min	I	-557.0	-167.7	-50.8	-12864.8	-2
1085.7	-79375.5		J	-557.0	-167.7	-50.8	-12864.8	-
7946.9	-49891.1							
4598.7	102728.5	C1-C2;~2 Max	I	980.3	61.0	10.1	3617.1	
			J	980.3	61.0	10.1	3617.1	
8501.1	147746.3	Min	I	-261.8	-165.8	-20.3	-12348.1	-
8289.7	-61081.8		J	-261.8	-165.8	-20.3	-12348.1	-
3713.3	-31504.6							
5382.9	69274.9	C3-C4;~2 Max	I	1134.6	33.5	11.8	2127.9	
			J	1134.6	33.5	11.8	2127.9	1
1619.0	109601.5	Min	I	-294.1	-117.5	-27.8	-8987.3	-1
1324.4	-49268.0		J	-294.1	-117.5	-27.8	-8987.3	-
4380.6	-27135.7							
1507.5	-1169.4	G1	I	2246.6	9.2	-26.5	574.1	-1
			J	2246.6	9.2	-21.9	574.1	
8513.7	-8759.3							
4432.6	-919.7	G2	I	868.4	13.3	-9.5	848.6	-
			J	868.4	13.3	-9.5	848.6	
3414.6	-11911.8							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
-477.7	-6415.0	Q5_pc X	I	-69.6	-8.1	-1.3	-356.9	
594.2	293.4		J	-69.6	-8.1	-1.3	-356.9	
750.5	12465.8	Q5_pc Y	I	43.5	17.1	2.1	754.4	
-956.6	-1671.1		J	43.5	17.1	2.1	754.4	
-339.4	-6070.7	Q5_ps X	I	-72.1	-9.5	-1.0	-480.2	
480.4	1793.6		J	-72.1	-9.5	-1.0	-480.2	
434.2	11828.0	Q5_ps Y	I	58.3	20.5	1.4	1045.7	
-703.6	-5122.1		J	58.3	20.5	1.4	1045.7	
7925.8	285132.7	INVS LU Max	I	9648.3	263.4	22.6	8990.3	
7298.6	255812.5		J	9648.3	263.4	28.8	8990.3	2
4305.8	-61860.1	Min	I	5708.8	-209.4	-77.6	-23866.5	-3
3395.8	-98843.2		J	5708.8	-209.4	-71.5	-23866.5	-1
6070.7	210496.5	INVS LE Max	I	7188.2	194.7	17.3	6596.4	
9861.0	188928.6		J	7188.2	194.7	21.9	6596.4	1
5111.9	-44873.1	Min	I	4279.3	-153.3	-56.7	-17641.4	-2
0155.5	-73556.5		J	4279.3	-153.3	-52.1	-17641.4	-1
4915	2	83 C1-C2;~1 Max	I	1744.6	167.1	15.3	10203.8	
6653.0	209178.0		J	1744.6	167.1	15.3	10203.8	1
6483.9	213421.2	Min	I	-455.6	-180.3	-40.1	-12680.7	-1
6668.8	-51304.6		J	-455.6	-180.3	-40.1	-12680.7	-
6022.7	-53285.9							
8135.0	154994.7	C3-C4;~1 Max	I	2025.4	113.2	18.5	7493.1	
2495.4	159511.1		J	2025.4	113.2	18.5	7493.1	2
2533.2	-49892.3	Min	I	-523.7	-127.5	-54.5	-9225.3	-2
7274.1	-50407.5		J	-523.7	-127.5	-54.5	-9225.3	-
3818.5	147746.7	C1-C2;~2 Max	I	876.6	117.0	8.5	6927.4	
9088.9	150885.3		J	876.6	117.0	8.5	6927.4	
8980.2	-31506.1	Min	I	-244.5	-127.0	-21.9	-8803.5	-
			J	-244.5	-127.0	-21.9	-8803.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3253.6	-32899.2								
		C3-C4;~2	Max	I	1011.9	75.0	10.5	4653.4	
4721.5	109601.6			J	1011.9	75.0	10.5	4653.4	1
2443.3	112867.2								
			Min	I	-275.5	-85.6	-29.8	-5971.5	-1
2153.3	-27136.6			J	-275.5	-85.6	-29.8	-5971.5	-
3998.4	-27778.6								
		G1		I	1993.6	1.5	-30.9	470.3	-1
3189.8	-8757.9			J	1993.6	1.5	-26.4	470.3	1
0478.9	-9965.2								
		G2		I	772.5	0.6	-11.1	282.1	-
4987.5	-11910.5			J	772.5	0.6	-11.1	282.1	
4155.3	-12429.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-63.9	-1.9	-1.6	-104.7	
-633.3	294.1			J	-63.9	-1.9	-1.6	-104.7	
715.9	1868.4								
		Q5_pc	Y	I	35.2	3.6	2.7	183.4	
1044.7	-1670.7			J	35.2	3.6	2.7	183.4	-
1177.0	-4616.0								
		Q5_ps	X	I	-65.8	-1.8	-1.3	-142.9	
-493.8	1794.2			J	-65.8	-1.8	-1.3	-142.9	
582.9	3290.2								
		Q5_ps	Y	I	48.2	3.4	1.9	274.1	
727.7	-5121.5			J	48.2	3.4	1.9	274.1	
-880.3	-7919.4								
		INVSLE	Max	I	8744.3	283.9	16.5	13083.0	
5121.9	255817.1			J	8744.3	283.9	22.7	13083.0	3
1085.0	218678.0								
			Min	I	5188.0	-191.5	-86.9	-18141.2	-3
8160.8	-98841.8			J	5188.0	-191.5	-80.7	-18141.2	-1
1222.3	-149685.3								
		INVSLE	Max	I	6520.2	210.3	12.8	9649.0	
4016.3	188932.0			J	6520.2	210.3	17.4	9649.0	2
2595.5	161046.6								
			Min	I	3894.5	-141.4	-63.4	-13455.6	-2
7905.6	-73555.5			J	3894.5	-141.4	-58.8	-13455.6	-
8586.3	-111199.7								
		83 C1-C2;~1	Max	I	1550.1	219.1	14.9	15807.8	
4916	2								
6586.7	213420.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8198.4	168437.7		J	1550.1	219.1	14.9	15807.8	1
		Min	I	-430.4	-116.4	-43.0	-9313.8	-1
7295.0	-53285.6		J	-430.4	-116.4	-43.0	-9313.8	-
5712.5	-86911.4							
		C3-C4;~1 Max	I	1793.0	151.5	18.2	11924.1	
8034.2	159510.7		J	1793.0	151.5	18.2	11924.1	2
4103.2	125248.4							
		Min	I	-495.6	-79.8	-57.1	-6764.6	-2
3117.5	-50407.2		J	-495.6	-79.8	-57.1	-6764.6	-
7106.4	-72366.7							
		C1-C2;~2 Max	I	776.8	154.1	8.2	10991.7	
3753.6	150884.9		J	776.8	154.1	8.2	10991.7	1
0212.6	118659.0							
		Min	I	-229.4	-80.0	-23.7	-6295.1	-
9401.5	-32898.9		J	-229.4	-80.0	-23.7	-6295.1	-
3012.1	-57205.0							
		C3-C4;~2 Max	I	894.3	106.3	10.2	7781.3	
4645.9	112867.0		J	894.3	106.3	10.2	7781.3	1
3486.7	85040.4							
		Min	I	-258.9	-49.2	-31.5	-4155.8	-1
2547.4	-27778.3		J	-258.9	-49.2	-31.5	-4155.8	-
3873.4	-43591.0							
		G1	I	1743.6	-3.2	-31.6	251.0	-1
3237.7	-9967.0		J	1743.6	-3.2	-27.1	251.0	1
1015.1	-7334.9							
		G2	I	678.0	-10.0	-11.2	-262.7	-
4978.8	-12430.3		J	678.0	-10.0	-11.2	-262.7	
4252.9	-4182.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-57.1	2.8	-1.7	121.0	
-653.9	1869.6		J	-57.1	2.8	-1.7	121.0	
761.4	-462.7							
		Q5_pc Y	I	25.7	-7.0	2.8	-322.8	
1075.2	-4616.9		J	25.7	-7.0	2.8	-322.8	-
1270.1	1165.0							
		Q5_ps X	I	-58.7	4.2	-1.4	155.1	
-518.7	3291.4		J	-58.7	4.2	-1.4	155.1	
645.4	-163.0							
		Q5_ps Y	I	37.2	-10.2	2.2	-402.8	
767.6	-7920.4							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1011.7	476.7		J	37.2	-10.2	2.2	-402.8	-
6476.9	218670.7	INVS LU Max	I	7837.3	292.0	17.1	19295.3	
4085.1	163140.4		J	7837.3	292.0	23.3	19295.3	3
7513.4	-149692.9	Min	I	4644.9	-173.5	-89.7	-15199.9	-3
0334.0	-183677.7		J	4644.9	-173.5	-83.6	-15199.9	-1
5054.5	161041.0	INVS LE Max	I	5849.9	215.6	13.4	14221.1	
4763.8	120369.0		J	5849.9	215.6	17.9	14221.1	2
7387.6	-111205.3	Min	I	3492.8	-128.3	-65.4	-11287.9	-2
7969.9	-136378.0		J	3492.8	-128.3	-60.8	-11287.9	-
4917	2	83 C1-C2;~1 Max	I	1377.6	350.7	22.8	21346.3	
9481.7	168424.0		J	1377.6	350.7	22.8	21346.3	1
5465.1	43961.2	Min	I	-428.6	-50.2	-37.5	-7394.6	-1
5571.5	-86913.2		J	-428.6	-50.2	-37.5	-7394.6	-
9468.8	-172256.5							
9931.1	125238.3	C3-C4;~1 Max	I	1590.3	264.3	23.1	15831.0	
1496.3	39349.7		J	1590.3	264.3	23.1	15831.0	2
1538.5	-72367.5	Min	I	-505.1	-51.9	-52.1	-6748.5	-2
9333.0	-139424.3		J	-505.1	-51.9	-52.1	-6748.5	-
5800.3	118649.0	C1-C2;~2 Max	I	688.1	245.8	13.8	14933.1	
8130.6	25427.6		J	688.1	245.8	13.8	14933.1	
8155.5	-57206.4	Min	I	-231.1	-23.6	-19.7	-4770.0	-
5653.3	-115408.0		J	-231.1	-23.6	-19.7	-4770.0	-
5999.6	85032.6	C3-C4;~2 Max	I	791.4	184.7	13.7	11086.8	
1312.7	17048.9		J	791.4	184.7	13.7	11086.8	1
1280.7	-43592.2	Min	I	-270.1	-22.6	-27.3	-3954.8	-1
5430.3	-93704.6		J	-270.1	-22.6	-27.3	-3954.8	-
3267.7	-7333.5	G1	I	1520.8	-11.6	-32.2	-94.3	-1
1443.0	2263.3		J	1520.8	-11.6	-27.6	-94.3	1
5473.3	-4181.3	G2	I	593.9	-30.0	-12.7	-915.2	-
5022.8	20610.6		J	593.9	-30.0	-12.7	-915.2	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-531.7	-462.7	Q5_pc X	I	-46.8	10.6	-1.4	368.9	
			J	-46.8	10.6	-1.4	368.9	
590.6	-9237.0							
716.3	1165.9	Q5_pc Y	I	10.3	-24.9	1.8	-883.5	
			J	10.3	-24.9	1.8	-883.5	
-790.1	21782.3							
-300.9	-163.2	Q5_ps X	I	-48.3	14.5	-0.8	490.3	
			J	-48.3	14.5	-0.8	490.3	
353.4	-12110.5							
186.2	478.0	Q5_ps Y	I	20.8	-33.9	0.5	-1168.6	
			J	20.8	-33.9	0.5	-1168.6	
-249.0	28511.6							
9753.4	163134.6	INVS LU Max	I	7043.1	405.3	26.5	25559.6	
			J	7043.1	405.3	32.7	25559.6	2
8124.2	88602.2							
4020.1	-183669.3	Min	I	4130.1	-183.2	-78.3	-14830.8	-3
			J	4130.1	-183.2	-72.1	-14830.8	-1
5100.8	-242499.9							
7559.3	120364.7	INVS LE Max	I	5262.7	297.3	20.6	18792.5	
			J	5262.7	297.3	25.2	18792.5	2
0309.6	64819.0							
4769.9	-136371.6	Min	I	3111.1	-135.3	-56.8	-11008.6	-2
			J	3111.1	-135.3	-52.2	-11008.6	-1
1603.6	-177537.5							
4918	2	83 C1-C2;~1 Max	I	1228.1	42.7	13.0	7428.2	
5184.5	43956.8		J	1228.1	42.7	13.0	7428.2	2
1603.3	162358.4							
0977.0	-172188.5	Min	I	-444.2	-345.1	-49.1	-22421.3	-2
			J	-444.2	-345.1	-49.1	-22421.3	-
6184.1	-76688.7							
6075.7	39344.7	C3-C4;~1 Max	I	1410.8	41.3	14.9	6940.5	
			J	1410.8	41.3	14.9	6940.5	2
7212.1	116335.3							
6182.3	-139366.3	Min	I	-521.4	-262.5	-61.6	-17008.3	-2
			J	-521.4	-262.5	-61.6	-17008.3	-
7007.8	-60007.0							
2555.0	25424.9	C1-C2;~2 Max	I	612.8	19.9	6.5	4702.0	
			J	612.8	19.9	6.5	4702.0	1
2287.1	114015.9							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1849.3	-115357.3		Min	I	-244.9	-242.7	-27.9	-15702.9	-1
				J	-244.9	-242.7	-27.9	-15702.9	-
3133.7	-49845.2								
		C3-C4;~2	Max	I	700.2	18.3	7.4	4029.1	
3000.0	17047.3			J	700.2	18.3	7.4	4029.1	1
5331.9	81132.3								
			Min	I	-285.2	-184.0	-34.6	-11870.2	-1
4603.5	-93661.2			J	-285.2	-184.0	-34.6	-11870.2	-
3537.2	-37334.7								
			G1	I	1315.4	8.6	-30.9	728.9	-1
3072.1	2263.7			J	1315.4	8.6	-26.1	728.9	1
1586.9	-5194.5								
			G2	I	515.6	27.3	-10.2	1336.3	-
4596.1	20610.1			J	515.6	27.3	-10.2	1336.3	
4277.2	-3036.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-34.0	-10.6	-2.1	-425.3	
-883.1	-9203.6			J	-34.0	-10.6	-2.1	-425.3	
954.5	-17.1								
			Q5_pc Y	I	-8.9	24.5	3.5	977.4	
1493.2	21697.0			J	-8.9	24.5	3.5	977.4	-
1571.4	513.4								
			Q5_ps X	I	-35.8	-14.1	-2.0	-601.9	
-823.3	-12078.6			J	-35.8	-14.1	-2.0	-601.9	
886.6	174.5								
			Q5_ps Y	I	1.3	32.7	3.2	1389.2	
1362.2	28430.0			J	1.3	32.7	3.2	1389.2	-
1425.7	66.1								
			INVSLU Max	I	6292.8	182.5	15.9	14603.0	
4917.4	88621.5			J	6292.8	182.5	22.3	14603.0	3
7210.8	140323.4								
			Min	I	3623.2	-385.1	-93.9	-27453.0	-4
1318.6	-242229.2			J	3623.2	-385.1	-87.4	-27453.0	-1
1814.7	-183314.3								
			INVSLE Max	I	4706.7	134.8	12.7	10762.1	
4000.0	64841.7			J	4706.7	134.8	17.5	10762.1	2
6889.6	103477.7								
			Min	I	2733.8	-282.4	-68.1	-20260.2	-3
0049.9	-177340.0			J	2733.8	-282.4	-63.3	-20260.2	-
9216.0	-136185.4								

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4919	2	83	C1-C2;~1	Max	I	1095.0	114.7	18.6	9489.3	
8440.1	162372.2				J	1095.0	114.7	18.6	9489.3	2
1113.3	206090.7									
				Min	I	-455.8	-199.0	-46.9	-18111.8	-1
9498.2	-76685.9				J	-455.8	-199.0	-46.9	-18111.8	-
7809.8	-47134.5									
			C3-C4;~1	Max	I	1258.4	76.4	20.5	7387.7	
9115.8	116346.3				J	1258.4	76.4	20.5	7387.7	2
8311.4	153509.7									
				Min	I	-547.8	-138.8	-63.5	-13380.5	-2
6729.2	-60005.0				J	-547.8	-138.8	-63.5	-13380.5	-
8666.7	-39300.5									
			C1-C2;~2	Max	I	547.5	79.5	9.9	6267.0	
4659.4	114026.1				J	547.5	79.5	9.9	6267.0	1
1526.1	146348.7									
				Min	I	-255.3	-140.5	-25.3	-12659.6	-1
0406.2	-49843.4				J	-255.3	-140.5	-25.3	-12659.6	-
4027.2	-29063.1									
			C3-C4;~2	Max	I	626.1	48.5	10.9	4389.3	
4985.1	81140.5				J	626.1	48.5	10.9	4389.3	1
5469.7	108662.1									
				Min	I	-307.3	-97.7	-34.4	-9310.4	-1
4368.4	-37333.4				J	-307.3	-97.7	-34.4	-9310.4	-
4478.4	-21947.2									
			G1		I	1119.8	0.4	-33.6	459.6	-1
4202.9	-5194.4				J	1119.8	0.4	-28.8	459.6	1
2819.7	-5559.0									
			G2		I	440.2	7.3	-12.4	746.1	-
5571.2	-3037.6				J	440.2	7.3	-12.4	746.1	
5191.5	-9352.2									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-22.0	-3.2	-1.8	-209.7	
-729.1	-16.7				J	-22.0	-3.2	-1.8	-209.7	
824.4	2772.1									
			Q5_pc	Y	I	-26.6	7.3	2.5	481.0	
1015.3	512.6				J	-26.6	7.3	2.5	481.0	-
1157.3	-5829.6									
			Q5_ps	X	I	-24.2	-4.2	-1.4	-306.4	
-545.1	175.1				J	-24.2	-4.2	-1.4	-306.4	
658.2	3841.7									

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

594.9	64.8	Q5_ps Y	I	-16.5	9.7	1.6	705.7	
-780.8	-8341.0		J	-16.5	9.7	1.6	705.7	
2176.0	140336.6	INVS LU Max	I	5553.5	189.4	29.5	15336.2	1
5830.4	179965.5		J	5553.5	189.4	36.0	15336.2	3
8042.4	-183314.5	Min	I	3067.1	-247.4	-88.5	-22791.2	-3
6173.1	-172381.7		J	3067.1	-247.4	-82.0	-22791.2	-1
9602.0	103487.6	INVS LE Max	I	4157.2	140.1	23.3	11306.8	
5677.5	132249.0		J	4157.2	140.1	28.1	11306.8	2
7461.4	-136185.7	Min	I	2318.9	-182.5	-63.7	-16871.5	-2
2689.4	-127971.7		J	2318.9	-182.5	-58.9	-16871.5	-1
4920	2	83 C1-C2;~1 Max	I	966.0	163.8	25.6	11761.2	
9432.9	206084.9		J	966.0	163.8	25.6	11761.2	3
0457.0	174991.3	Min	I	-456.5	-147.6	-63.9	-15404.1	-2
4898.1	-47135.9		J	-456.5	-147.6	-63.9	-15404.1	-1
2765.7	-31163.8							
0504.7	153505.0	C3-C4;~1 Max	I	1116.7	113.8	27.8	9039.1	1
0410.8	131948.2		J	1116.7	113.8	27.8	9039.1	4
3313.0	-39301.2	Min	I	-556.3	-99.1	-85.1	-10782.7	-3
3788.0	-28316.4		J	-556.3	-99.1	-85.1	-10782.7	-1
4878.3	146344.4	C1-C2;~2 Max	I	484.1	115.9	13.4	7965.3	
6629.6	124501.5		J	484.1	115.9	13.4	7965.3	1
3470.5	-29064.3	Min	I	-260.3	-103.8	-34.7	-10765.6	-1
6743.0	-18503.7		J	-260.3	-103.8	-34.7	-10765.6	-
5450.0	108658.7	C3-C4;~2 Max	I	557.1	75.5	14.5	5674.3	
2044.0	93534.2		J	557.1	75.5	14.5	5674.3	2
8032.3	-21947.8	Min	I	-319.1	-66.2	-46.3	-7469.1	-1
7247.2	-14598.8		J	-319.1	-66.2	-46.3	-7469.1	-
6454.5	-5557.9	G1	I	941.9	-2.2	-41.7	379.6	-1
7602.3	-3665.2		J	941.9	-2.2	-36.9	379.6	1
		G2	I	370.3	-0.9	-15.5	321.4	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6379.7	-9351.3			J	370.3	-0.9	-15.5	321.4	
7055.1	-8569.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-10.2	-0.3	-2.2	-48.1	
-866.7	2771.8			J	-10.2	-0.3	-2.2	-48.1	
1042.7	3037.7								
			Q5_pc Y	I	-41.2	0.7	2.7	102.0	
1087.1	-5828.2			J	-41.2	0.7	2.7	102.0	-
1236.7	-6433.6								
			Q5_ps X	I	-12.7	-0.3	-1.7	-86.4	
-673.1	3841.4			J	-12.7	-0.3	-1.7	-86.4	
825.0	4077.6								
			Q5_ps Y	I	-31.3	0.6	1.6	190.1	
653.4	-8339.6			J	-31.3	0.6	1.6	190.1	
-752.1	-8882.3								
			INVS LU Max	I	4775.0	202.8	44.7	16852.1	1
5730.2	179963.3			J	4775.0	202.8	51.2	16852.1	4
9289.8	154979.5								
			Min	I	2442.3	-218.9	-112.5	-20004.6	-4
5380.5	-172375.6			J	2442.3	-218.9	-106.0	-20004.6	-2
6104.6	-134910.5								
			INVS LE Max	I	3573.2	150.1	35.8	12439.6	1
2609.1	132247.6			J	3573.2	150.1	40.6	12439.6	3
5015.1	113772.3								
			Min	I	1850.8	-162.2	-80.3	-14848.0	-3
2513.2	-127967.1			J	1850.8	-162.2	-75.5	-14848.0	-2
0667.8	-100103.2								
		69	C1-C2;~1 Max	I	793.6	181.9	5.0	2364.5	
4921	2			J	793.6	181.9	5.0	2364.5	
2000.0	174998.4								
			Min	I	-443.7	-129.7	-14.5	-1559.1	-
6876.5	127841.4			J	-443.7	-129.7	-14.5	-1559.1	-
5726.0	-31162.1								
2326.6	-40931.8								
			C3-C4;~1 Max	I	902.6	125.7	5.4	1801.1	
2210.4	131955.1			J	902.6	125.7	5.4	1801.1	
9035.6	93344.2								
			Min	I	-527.6	-87.2	-19.2	-1084.1	-
7556.2	-28316.9			J	-527.6	-87.2	-19.2	-1084.1	-
2532.6	-35687.6								
			C1-C2;~2 Max	I	401.6	128.3	2.6	1637.2	

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1027.0	124506.0			J	401.6	128.3	2.6	1637.2		
3751.8	90801.3									
		Min		I	-258.9	-90.6	-7.9	-1066.4		-
3121.8	-18501.8									
				J	-258.9	-90.6	-7.9	-1066.4		-
1191.4	-26212.7									
		C3-C4;~2 Max		I	451.4	88.2	2.8	1182.0		
1132.9	93538.6									
				J	451.4	88.2	2.8	1182.0		
4925.1	66006.1									
		Min		I	-308.2	-57.2	-10.4	-693.2		-
4116.5	-14598.3									
				J	-308.2	-57.2	-10.4	-693.2		-
1284.5	-20975.7									
		G1		I	712.6	-1.6	-10.9	31.5		-
3977.1	-3665.6									
				J	712.6	-1.6	-8.7	31.5		
4500.8	-2253.6									
		G2		I	281.6	-5.1	-3.9	-46.5		-
1509.3	-8570.6									
				J	281.6	-5.1	-3.9	-46.5		
1832.0	-4169.6									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0									
				J	0.0	0.0	0.0	0.0		
0.0	0.0									
		Q5_pc X		I	-1.8	1.6	-0.4	26.8		
-149.9	3038.8									
				J	-1.8	1.6	-0.4	26.8		
171.6	1682.2									
		Q5_pc Y		I	-47.3	-3.6	0.5	-63.1		
178.3	-6435.0									
				J	-47.3	-3.6	0.5	-63.1		
-220.7	-3286.3									
		Q5_ps X		I	-4.4	2.2	-0.3	33.6		
-111.1	4078.8									
				J	-4.4	2.2	-0.3	33.6		
127.6	2182.5									
		Q5_ps Y		I	-38.2	-5.1	0.2	-79.3		
89.5	-8884.0									
				J	-38.2	-5.1	0.2	-79.3		
-118.4	-4477.7									
		INVS LU Max		I	3805.4	194.4	7.2	3405.4		
3073.1	154986.6									
				J	3805.4	194.4	10.1	3405.4		1
1530.8	135664.4									
		Min		I	1789.4	-232.8	-26.8	-2005.0		-1
0432.8	-134913.0									
				J	1789.4	-232.8	-23.9	-2005.0		-
4483.4	-98094.8									
		INVS LE Max		I	2848.0	143.4	5.9	2509.6		
2504.8	113777.2									
				J	2848.0	143.4	8.1	2509.6		
8239.5	99986.0									
		Min		I	1361.0	-172.6	-19.2	-1489.7		-

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7475.8	-100105.2			J	1361.0	-172.6	-17.1	-1489.7	-
3593.4	-72730.8								
4922	2	69	C1-C2;~1	Max	I	667.5	276.4	5.6	3498.5
2359.0	127820.8				J	667.5	276.4	5.6	3498.5
8522.6	28656.5			Min	I	-475.3	-38.8	-19.2	-890.7
8081.5	-40935.9				J	-475.3	-38.8	-19.2	-890.7
2473.3	-124424.4								
			C3-C4;~1	Max	I	738.7	212.3	6.1	2662.7
2571.8	93327.0				J	738.7	212.3	6.1	2662.7
1215.9	28625.6			Min	I	-556.0	-43.7	-25.3	-831.4
0680.9	-35692.9				J	-556.0	-43.7	-25.3	-831.4
2709.9	-99789.5								
			C1-C2;~2	Max	I	348.7	193.1	2.8	2449.4
1175.5	90787.9				J	348.7	193.1	2.8	2449.4
4655.8	13929.3			Min	I	-285.2	-18.2	-10.5	-554.4
4407.1	-26216.1				J	-285.2	-18.2	-10.5	-554.4
1230.6	-83230.3								
			C3-C4;~2	Max	I	381.2	147.1	3.0	1860.3
1266.8	65994.9				J	381.2	147.1	3.0	1860.3
6112.5	12186.7			Min	I	-332.9	-19.2	-13.8	-468.7
5812.0	-20980.2				J	-332.9	-19.2	-13.8	-468.7
1335.6	-66340.6								
			G1		I	481.8	-5.6	-15.3	4.9
6165.3	-2260.8				J	481.8	-5.6	-13.1	4.9
6145.1	2614.3								
			G2		I	190.3	-22.6	-5.7	-162.7
2428.5	-4171.2				J	190.3	-22.6	-5.7	-162.7
2536.3	15416.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	3.5	8.9	-0.3	74.8
-148.5	1681.9				J	3.5	8.9	-0.3	74.8
146.4	-6063.2								
			Q5_pc	Y	I	-53.3	-20.5	0.4	-172.1
180.9	-3283.8				J	-53.3	-20.5	0.4	-172.1
-183.7	14503.4								
			Q5_ps	X	I	1.7	12.0	-0.2	98.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-84.3	2182.0			J	1.7	12.0	-0.2	98.5	
82.4	-8207.8								
		Q5_ps	Y	I	-46.9	-27.6	0.1	-227.8	
29.9	-4475.0			J	-46.9	-27.6	0.1	-227.8	
-31.9	19464.1								
		INVSLU	Max	I	3140.3	282.4	8.0	4334.5	
3583.9	135644.3			J	3140.3	282.4	10.9	4334.5	1
4515.6	106465.2								
		Min		I	1296.4	-186.7	-35.1	-1900.9	-1
4632.9	-98088.1			J	1296.4	-186.7	-32.2	-1900.9	-
4615.0	-126300.3								
		INVSLE	Max	I	2355.5	206.5	6.7	3184.5	
2963.7	99971.8			J	2355.5	206.5	8.8	3184.5	1
0393.4	78720.6								
		Min		I	996.7	-138.2	-25.2	-1411.3	-1
0506.1	-72725.4			J	996.7	-138.2	-23.1	-1411.3	-
3752.9	-91764.5								
		69 C1-C2;~1	Max	I	583.1	36.6	5.9	911.6	
4923	2			J	583.1	36.6	5.9	911.6	
2495.2	28616.5								
		Min		I	-516.4	-268.9	-21.8	-3512.3	-
9637.0	119986.7			J	-516.4	-268.9	-21.8	-3512.3	-
9309.1	-124530.1								
2607.5	-39226.5								
		C3-C4;~1	Max	I	632.9	41.4	6.5	958.1	
2775.6	28572.9			J	632.9	41.4	6.5	958.1	1
2401.9	85973.7								
		Min		I	-600.3	-205.4	-28.1	-2675.3	-1
1968.3	-99913.4			J	-600.3	-205.4	-28.1	-2675.3	-
2896.4	-34185.7								
		C1-C2;~2	Max	I	311.9	17.1	3.0	563.5	
1265.5	13912.9			J	311.9	17.1	3.0	563.5	
5274.6	84839.7								
		Min		I	-313.8	-188.0	-11.9	-2477.0	-
5093.2	-83286.7			J	-313.8	-188.0	-11.9	-2477.0	-
1317.4	-24790.6								
		C3-C4;~2	Max	I	335.1	18.2	3.3	533.9	
1392.4	12174.1			J	335.1	18.2	3.3	533.9	
6780.6	60403.8								
		Min		I	-364.1	-142.4	-15.4	-1876.8	-
6530.6	-66417.0			J	-364.1	-142.4	-15.4	-1876.8	-
1448.0	-19845.6								
		G1		I	312.5	3.9	-17.5	84.6	-
7178.4	2400.5			J	312.5	3.9	-15.4	84.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7050.0	-957.2							
		G2	I	123.8	20.9	-6.3	206.8	-
2717.1	15332.2		J	123.8	20.9	-6.3	206.8	
2781.4	-2787.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	10.7	-8.9	-0.4	-75.6	
-165.7	-6077.8		J	10.7	-8.9	-0.4	-75.6	
162.7	1602.8							
		Q5_pc Y	I	-63.8	20.1	0.6	171.0	
258.1	14529.2		J	-63.8	20.1	0.6	171.0	
-254.2	-2882.7							
		Q5_ps X	I	9.0	-11.7	-0.3	-103.9	
-124.6	-8220.3		J	9.0	-11.7	-0.3	-103.9	
122.5	1952.2							
		Q5_ps Y	I	-58.3	26.8	0.4	236.0	
157.0	19485.1		J	-58.3	26.8	0.4	236.0	
-154.6	-3727.8							
		INVS LU Max	I	2650.5	132.7	8.4	2356.4	
3673.3	106470.4		J	2650.5	132.7	11.3	2356.4	1
6249.2	168433.1							
		Min	I	870.9	-322.4	-39.5	-3986.4	-1
6695.6	-126430.2		J	870.9	-322.4	-36.6	-3986.4	-
4861.1	-51693.6							
		INVS LE Max	I	1990.8	97.4	7.1	1734.1	
3070.9	78737.2		J	1990.8	97.4	9.2	1734.1	1
1618.3	125025.8							
		Min	I	681.1	-237.0	-28.3	-2941.5	-1
1982.8	-91844.5		J	681.1	-237.0	-26.2	-2941.5	-
3985.1	-37646.6							
		69 C1-C2;~1 Max	I	506.6	114.0	6.1	1533.0	
4924	2		J	506.6	114.0	6.1	1533.0	
2623.3	119987.0							
		Min	I	-574.5	-145.8	-22.8	-2593.9	-
9975.5	132568.5		J	-574.5	-145.8	-22.8	-2593.9	-
9762.9	-39223.4							
2698.2	-25141.0							
		C3-C4;~1 Max	I	538.1	76.0	6.8	1181.6	
2918.8	85974.9		J	538.1	76.0	6.8	1181.6	1
2851.4	98988.5							
		Min	I	-668.9	-98.0	-29.4	-1886.3	-1
2649.1	-34184.1		J	-668.9	-98.0	-29.4	-1886.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2995.8	-22806.1								
		C1-C2;~2	Max	I	277.6	80.1	3.1	1033.7	
1340.1	84841.5			J	277.6	80.1	3.1	1033.7	
5490.8	94030.7								
			Min	I	-350.7	-102.8	-12.5	-1818.0	-
5359.2	-24788.7			J	-350.7	-102.8	-12.5	-1818.0	-
1369.8	-14958.8								
		C3-C4;~2	Max	I	292.9	50.2	3.4	723.5	
1474.1	60406.2			J	292.9	50.2	3.4	723.5	
7054.4	69823.0								
			Min	I	-408.4	-68.6	-16.1	-1313.4	-
6926.8	-19844.7			J	-408.4	-68.6	-16.1	-1313.4	-
1504.6	-11618.3								
		G1		I	143.3	-0.7	-18.4	70.3	-
7660.1	-965.6			J	143.3	-0.7	-16.3	70.3	
7363.1	-362.4								
		G2		I	58.0	2.7	-6.8	109.0	-
2960.9	-2791.5			J	58.0	2.7	-6.8	109.0	
2956.9	-5105.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	16.4	-1.3	-0.2	-34.1	
-107.7	1603.5			J	16.4	-1.3	-0.2	-34.1	
98.5	2742.2								
		Q5_pc	Y	I	-72.5	2.8	0.3	76.1	
146.2	-2881.1			J	-72.5	2.8	0.3	76.1	
-129.0	-5345.2								
		Q5_ps	X	I	14.7	-1.7	-0.1	-47.6	
-55.3	1953.1			J	14.7	-1.7	-0.1	-47.6	
49.0	3427.7								
		Q5_ps	Y	I	-67.4	3.7	0.0	106.7	
17.8	-3726.8			J	-67.4	3.7	0.0	106.7	
-6.3	-6973.0								
		INVSLU	Max	I	2136.2	165.5	10.6	2580.6	
4731.7	168426.5			J	2136.2	165.5	13.5	2580.6	1
5885.8	179747.1								
			Min	I	376.3	-190.3	-38.9	-3127.8	-1
6548.2	-51693.5			J	376.3	-190.3	-36.0	-3127.8	-
5740.1	-42782.2								
		INVSLE	Max	I	1607.2	121.9	8.9	1900.7	
3939.2	125021.5								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1276.5	133732.1		J	1607.2	121.9	11.1	1900.7	1
		Min	I	313.3	-141.3	-27.7	-2317.6	-1
1804.2	-37646.2		J	313.3	-141.3	-25.6	-2317.6	-
4725.4	-30391.8							
4925	2	69 C1-C2;~1 Max	I	445.3	138.7	6.1	2189.0	
2617.1	132563.4		J	445.3	138.7	6.1	2189.0	
9846.6	132864.0	Min	I	-631.3	-136.3	-22.6	-1961.3	-
9767.0	-25140.8		J	-631.3	-136.3	-22.6	-1961.3	-
2663.0	-26279.2							
		C3-C4;~1 Max	I	462.8	94.8	6.8	1667.2	
2908.1	98984.7		J	462.8	94.8	6.8	1667.2	1
2542.0	98594.5	Min	I	-739.9	-93.1	-28.9	-1394.7	-1
2529.5	-22805.1		J	-739.9	-93.1	-28.9	-1394.7	-
2949.5	-23399.1							
		C1-C2;~2 Max	I	249.3	98.4	3.1	1513.0	
1336.5	94026.8		J	249.3	98.4	3.1	1513.0	
5452.0	94135.8	Min	I	-383.0	-96.4	-12.5	-1356.0	-
5388.9	-14958.6		J	-383.0	-96.4	-12.5	-1356.0	-
1347.9	-15880.3							
		C3-C4;~2 Max	I	258.5	63.4	3.4	1090.8	
1468.4	69820.1		J	258.5	63.4	3.4	1090.8	
6919.1	69380.1	Min	I	-448.9	-63.1	-15.9	-895.9	-
6890.9	-11617.5		J	-448.9	-63.1	-15.9	-895.9	-
1477.5	-12131.1							
		G1	I	-22.1	-1.2	-18.1	70.6	-
7582.4	-361.4		J	-22.1	-1.2	-15.9	70.6	
7132.8	691.9							
		G2	I	-7.7	-0.4	-6.7	30.0	-
2921.4	-5104.5		J	-7.7	-0.4	-6.7	30.0	
2857.0	-4722.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	20.7	-0.3	-0.1	-2.8	
-62.4	2743.1		J	20.7	-0.3	-0.1	-2.8	
47.1	2986.2							
		Q5_pc Y	I	-79.1	0.4	0.1	4.1	
59.6	-5343.0		J	-79.1	0.4	0.1	4.1	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-27.7	-5727.5							
		Q5_ps X	I	19.5	-0.3	-0.0	-4.9	
-16.2	3428.5		J	19.5	-0.3	-0.0	-4.9	
4.9	3671.2							
		Q5_ps Y	I	-75.6	0.4	-0.2	8.1	
-55.3	-6970.8		J	-75.6	0.4	-0.2	8.1	
78.5	-7350.4							
		INVS LU Max	I	1613.9	186.7	12.1	2985.2	
5324.8	179742.4		J	1613.9	186.7	15.0	2985.2	1
4606.6	181241.2							
		Min	I	-152.2	-185.3	-36.3	-2625.1	-1
5628.4	-42775.7		J	-152.2	-185.3	-33.5	-2625.1	-
6391.7	-43911.6							
		INVS LE Max	I	1217.3	138.2	10.2	2195.3	
4463.1	133728.8		J	1217.3	138.2	12.3	2195.3	1
0258.7	134922.8							
		Min	I	-80.4	-137.3	-25.7	-1960.0	-1
1049.4	-30387.0		J	-80.4	-137.3	-23.5	-1960.0	-
5289.4	-31093.4							
4926	2	69 C1-C2;~1 Max	I	400.5	149.0	5.8	2824.3	
2509.5	132869.6		J	400.5	149.0	5.8	2824.3	
9511.9	116543.9							
		Min	I	-721.3	-107.7	-21.9	-1326.5	-
9476.2	-26279.1		J	-721.3	-107.7	-21.9	-1326.5	-
2571.5	-38420.3							
		C3-C4;~1 Max	I	411.2	101.0	6.4	2095.5	
2773.2	98599.0		J	411.2	101.0	6.4	2095.5	1
1915.0	83015.8							
		Min	I	-842.6	-70.3	-27.6	-940.5	-1
1999.2	-23399.7		J	-842.6	-70.3	-27.6	-940.5	-
2813.0	-32243.8							
		C1-C2;~2 Max	I	227.4	106.2	2.9	1967.0	
1267.3	94139.9		J	227.4	106.2	2.9	1967.0	
5355.2	82582.3							
		Min	I	-435.2	-75.8	-12.3	-883.7	-
5308.8	-15880.2		J	-435.2	-75.8	-12.3	-883.7	-
1288.8	-25165.6							
		C3-C4;~2 Max	I	233.4	71.6	3.2	1453.3	
1386.4	69383.2		J	233.4	71.6	3.2	1453.3	
6680.2	58300.7							
		Min	I	-506.6	-46.6	-15.4	-561.1	-
6699.3	-12131.6		J	-506.6	-46.6	-15.4	-561.1	-
1393.9	-19382.1							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6943.3	692.1		G1	I	-180.2	-0.7	-16.5	81.3	-
				J	-180.2	-0.7	-14.3	81.3	
6392.1	1279.1								
			G2	I	-69.0	-2.7	-6.0	-44.6	-
2660.3	-4722.7			J	-69.0	-2.7	-6.0	-44.6	
2556.1	-2421.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	23.4	0.5	0.0	28.3	
4.2	2987.2			J	23.4	0.5	0.0	28.3	
-27.4	2523.3								
			Q5_pc Y	I	-81.9	-1.4	-0.2	-67.5	
-80.2	-5724.8			J	-81.9	-1.4	-0.2	-67.5	
133.6	-4554.5								
			Q5_ps X	I	22.4	0.8	0.1	37.8	
39.5	3672.2			J	22.4	0.8	0.1	37.8	
-57.3	2946.7								
			Q5_ps Y	I	-79.1	-2.1	-0.4	-90.1	
-170.2	-7348.0			J	-79.1	-2.1	-0.4	-90.1	
211.5	-5568.9								
			INVSLU Max	I	1117.3	200.5	15.7	3490.3	
6762.4	181243.4			J	1117.3	200.5	18.6	3490.3	1
2017.6	159772.7								
			Min	I	-722.6	-148.4	-30.7	-2234.9	-1
3324.6	-43912.0			J	-722.6	-148.4	-27.8	-2234.9	-
8105.7	-57627.1								
			INVSLE Max	I	845.3	149.0	13.1	2542.7	
5627.6	134924.3			J	845.3	149.0	15.3	2542.7	
8209.0	118543.9								
			Min	I	-506.7	-109.2	-21.2	-1689.2	-
9241.0	-31094.1			J	-506.7	-109.2	-19.1	-1689.2	-
6679.4	-41885.7								
		69	C1-C2;~1 Max	I	410.0	270.7	5.3	3554.5	
4927	2			J	410.0	270.7	5.3	3554.5	
2309.8	116531.0								
			Min	I	-871.8	-33.8	-16.3	-558.5	-
6585.4	21697.8			J	-871.8	-33.8	-16.3	-558.5	-
7539.9	-38423.8								
2254.5	-132361.5								
			C3-C4;~1 Max	I	422.4	207.6	5.6	2722.6	
2479.4	83004.1			J	422.4	207.6	5.6	2722.6	
8497.1	26884.7								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9730.9	-32247.2		Min	I	-1019.3	-41.3	-21.0	-548.9	-
				J	-1019.3	-41.3	-21.0	-548.9	-
2396.1	-107186.4								
		C1-C2;~2	Max	I	228.8	189.3	2.7	2486.3	
1173.4	82573.9			J	228.8	189.3	2.7	2486.3	
3696.2	9887.0								
			Min	I	-514.0	-15.8	-9.1	-313.8	-
4208.7	-25168.5			J	-514.0	-15.8	-9.1	-313.8	-
1170.8	-90373.0								
		C3-C4;~2	Max	I	234.9	143.5	2.8	1894.4	
1240.4	58293.0			J	234.9	143.5	2.8	1894.4	
4801.0	11593.5								
			Min	I	-597.1	-18.3	-11.8	-254.1	-
5452.0	-19385.2			J	-597.1	-18.3	-11.8	-254.1	-
1227.8	-72406.5								
			G1	I	-351.3	2.4	-12.3	110.6	-
5481.3	1275.8			J	-351.3	2.4	-10.2	110.6	
4262.4	-786.5								
			G2	I	-136.8	-17.3	-4.5	-128.9	-
2127.1	-2422.0			J	-136.8	-17.3	-4.5	-128.9	
1756.9	12553.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	27.1	8.1	0.2	71.6	
99.6	2524.4			J	27.1	8.1	0.2	71.6	
-113.3	-4487.0								
			Q5_pc Y	I	-87.0	-18.1	-0.7	-166.7	
-295.7	-4551.7			J	-87.0	-18.1	-0.7	-166.7	
327.3	11119.6								
			Q5_ps X	I	26.6	10.9	0.3	97.5	
132.6	2947.6			J	26.6	10.9	0.3	97.5	
-139.3	-6495.0								
			Q5_ps Y	I	-85.9	-24.5	-0.9	-226.5	
-378.6	-5565.9			J	-85.9	-24.5	-0.9	-226.5	
393.1	15637.1								
			INVSLU Max	I	830.9	323.6	20.5	4093.4	
8940.7	159763.6			J	830.9	323.6	23.4	4093.4	
5201.0	94978.6								
			Min	I	-1272.0	-130.2	-16.8	-1759.3	-
8075.3	-57618.5			J	-1272.0	-130.2	-13.9	-1759.3	-1
0094.0	-140019.1								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7385.3	118538.4		INVSLE Max	I	633.9	236.0	17.0	2949.9	
				J	633.9	236.0	19.1	2949.9	
3021.3	72281.1		Min	I	-912.2	-97.7	-10.5	-1363.1	-
5179.7	-41878.4			J	-912.2	-97.7	-8.4	-1363.1	-
8264.6	-100308.6								
4928	2	69	C1-C2;~1 Max	I	304.8	29.8	2.6	493.7	
1245.7	21719.0			J	304.8	29.8	2.6	493.7	
3403.7	59110.8		Min	I	-664.0	-137.6	-8.5	-1384.2	-
3983.4	-132544.3			J	-664.0	-137.6	-8.5	-1384.2	-
-993.6	-27917.7								
			C3-C4;~1 Max	I	314.7	36.4	2.8	514.0	
1326.3	26888.6			J	314.7	36.4	2.8	514.0	
4090.3	43784.4		Min	I	-784.5	-119.8	-10.3	-1020.2	-
4797.0	-107345.8			J	-784.5	-119.8	-10.3	-1020.2	-
1062.5	-22899.7								
			C1-C2;~2 Max	I	168.7	13.6	1.3	302.3	
648.6	9905.4			J	168.7	13.6	1.3	302.3	
1968.8	41245.4		Min	I	-386.0	-91.1	-4.9	-945.3	-
2289.5	-90490.7			J	-386.0	-91.1	-4.9	-945.3	-
-513.1	-18548.3								
			C3-C4;~2 Max	I	173.3	15.8	1.4	276.1	
682.2	11604.9			J	173.3	15.8	1.4	276.1	
2362.7	30302.9		Min	I	-453.5	-79.0	-5.9	-683.6	-
2749.9	-72507.6			J	-453.5	-79.0	-5.9	-683.6	-
-541.7	-13994.9								
			G1	I	-313.2	-1.9	-6.1	24.7	-
2524.3	-904.9			J	-313.2	-1.9	-4.0	24.7	-
1837.6	750.5								
			G2	I	-120.8	16.8	-1.9	129.8	
-887.1	12508.8			J	-120.8	16.8	-1.9	129.8	
744.6	-2014.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	24.9	-6.9	0.1	-55.8	
63.5	-4484.9			J	24.9	-6.9	0.1	-55.8	
-42.7	1523.0								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-183.9	11116.1	Q5_pc	Y	I	-74.6	16.4	-0.4	121.0	
				J	-74.6	16.4	-0.4	121.0	
121.1	-3058.9								
61.8	-6492.9	Q5_ps	X	I	24.7	-9.6	0.1	-74.8	
				J	24.7	-9.6	0.1	-74.8	
-39.8	1840.5								
-183.9	15633.1	Q5_ps	Y	I	-74.3	22.4	-0.3	162.9	
				J	-74.3	22.4	-0.3	162.9	
118.4	-3783.4								
6002.3	95291.2	INVS LU	Max	I	19.8	125.7	10.3	822.9	
				J	19.8	125.7	13.2	822.9	
2963.2	77937.2								
			Min	I	-1598.3	-138.6	-7.9	-1957.5	-
2595.2	-139952.0			J	-1598.3	-138.6	-5.0	-1957.5	-
4211.0	-45057.3								
4941.3	72550.1	INVS LE	Max	I	-12.4	96.2	8.6	602.3	
				J	-12.4	96.2	10.7	602.3	
1857.4	56648.7								
			Min	I	-1201.1	-97.4	-4.8	-1441.1	-
1402.6	-100222.0			J	-1201.1	-97.4	-2.7	-1441.1	-
3440.7	-34050.5								
4929	2	69 C1-C2;~1	Max	I	185.3	42.9	1.4	585.1	
612.2	59111.5			J	185.3	42.9	1.4	585.1	
2185.9	35586.7								
			Min	I	-401.0	-30.4	-5.1	-667.0	-
2213.6	-27915.3			J	-401.0	-30.4	-5.1	-667.0	-
-599.1	-4798.0								
676.9	43784.4	C3-C4;~1	Max	I	190.6	30.6	1.5	500.3	
				J	190.6	30.6	1.5	500.3	
2764.1	24997.6								
			Min	I	-476.8	-22.6	-6.4	-459.0	-
2783.9	-22899.7			J	-476.8	-22.6	-6.4	-459.0	-
-662.5	-6862.6								
308.8	41246.3	C1-C2;~2	Max	I	102.8	30.2	0.7	388.5	
				J	102.8	30.2	0.7	388.5	
1239.6	24815.0								
			Min	I	-232.6	-20.8	-2.9	-450.3	-
1251.3	-18546.7			J	-232.6	-20.8	-2.9	-450.3	-
-301.8	-2167.8								
337.7	30303.3	C3-C4;~2	Max	I	105.3	20.5	0.8	301.0	
				J	105.3	20.5	0.8	301.0	
1576.4	17096.4								
			Min	I	-275.3	-14.6	-3.6	-303.1	-
1573.9	-13994.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-330.2	-3310.4		J	-275.3	-14.6	-3.6	-303.1	
1692.9	748.2	G1	I	-195.5	0.1	-4.6	45.4	-
1330.9	651.9		J	-195.5	0.1	-2.4	45.4	
-606.4	-2016.0	G2	I	-78.1	0.2	-1.4	54.7	
579.1	-2223.1		J	-78.1	0.2	-1.4	54.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
47.2	1524.5	Q5_pc X	I	21.6	0.2	0.1	-16.7	
-35.5	1327.5		J	21.6	0.2	0.1	-16.7	
-116.0	-3055.4	Q5_pc Y	I	-61.3	-0.3	-0.2	35.4	
83.4	-2782.5		J	-61.3	-0.3	-0.2	35.4	
52.3	1842.1	Q5_ps X	I	21.5	0.2	0.1	-22.7	
-38.8	1667.7		J	21.5	0.2	0.1	-22.7	
-130.1	-3780.4	Q5_ps Y	I	-61.0	-0.3	-0.3	48.1	
94.1	-3558.6		J	-61.0	-0.3	-0.3	48.1	
2276.5	77942.8	INVS LU Max	I	-789.4	71.7	3.6	792.2	
2710.8	34285.3		J	-789.4	71.7	6.5	792.2	
2604.3	-45043.2	Min	I	-1800.7	-27.8	-7.6	-961.7	-
2065.3	-28029.7		J	-1800.7	-27.8	-4.7	-961.7	-
1881.7	56653.9	INVS LE Max	I	-656.2	54.6	3.0	579.9	
1846.9	23019.7		J	-656.2	54.6	5.2	579.9	
1718.3	-34039.4	Min	I	-1397.1	-19.1	-5.2	-714.6	-
1679.9	-22768.6		J	-1397.1	-19.1	-3.0	-714.6	-
4930	2	69 C1-C2;~1 Max	I	133.0	24.2	1.0	693.6	
425.2	35583.9		J	133.0	24.2	1.0	693.6	
1707.2	35368.3	Min	I	-300.5	-20.9	-3.8	-503.7	-
1580.7	-4797.7		J	-300.5	-20.9	-3.8	-503.7	
-459.1	-5578.1	C3-C4;~1 Max	I	136.4	13.8	1.2	549.7	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
484.8	24994.6			J	136.4	13.8	1.2	549.7	
2176.6	24303.5		Min	I	-356.5	-11.9	-4.8	-355.3	-
2014.1	-6862.4			J	-356.5	-11.9	-4.8	-355.3	
-518.5	-6582.7								
			C1-C2;~2 Max	I	73.6	17.1	0.5	467.6	
225.4	24813.2			J	73.6	17.1	0.5	467.6	
970.3	24632.1		Min	I	-173.3	-14.5	-2.2	-333.3	
-894.3	-2168.0			J	-173.3	-14.5	-2.2	-333.3	
-240.2	-3029.3								
			C3-C4;~2 Max	I	75.1	9.1	0.6	342.9	
252.0	17094.4			J	75.1	9.1	0.6	342.9	
1246.6	16541.1		Min	I	-204.7	-7.6	-2.8	-206.0	-
1141.2	-3310.4			J	-204.7	-7.6	-2.8	-206.0	
-266.8	-3126.4								
			G1	I	-160.1	-0.4	-3.8	49.7	-
1329.5	651.3			J	-160.1	-0.4	-1.7	49.7	
1057.2	961.8								
			G2	I	-65.1	-0.3	-1.1	23.0	
-463.5	-2222.9			J	-65.1	-0.3	-1.1	23.0	
471.3	-1976.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	20.2	0.0	0.1	-4.1	
30.5	1329.1			J	20.2	0.0	0.1	-4.1	
-23.1	1289.2								
			Q5_pc Y	I	-55.6	-0.1	-0.1	6.3	
-64.8	-2778.4			J	-55.6	-0.1	-0.1	6.3	
44.6	-2663.6								
			Q5_ps X	I	20.1	0.0	0.1	-5.4	
34.3	1669.1			J	20.1	0.0	0.1	-5.4	
-25.6	1637.8								
			Q5_ps Y	I	-55.2	-0.1	-0.1	8.4	
-75.4	-3554.6			J	-55.2	-0.1	-0.1	8.4	
52.8	-3447.7								
			INVSLU Max	I	-1284.0	40.0	0.8	933.0	
950.1	34277.7			J	-1284.0	40.0	3.7	933.0	
2705.7	27656.4		Min	I	-2049.6	-21.1	-7.5	-694.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2540.2	-28025.9			J	-2049.6	-21.1	-4.6	-694.6	-
1013.2	-33772.0								
		INVSLE	Max	I	-1039.9	30.1	0.8	674.1	
797.6	23014.3			J	-1039.9	30.1	2.9	674.1	
1922.9	17686.6		Min	I	-1599.6	-15.1	-5.3	-530.8	-
1779.2	-22766.0			J	-1599.6	-15.1	-3.2	-530.8	
-825.8	-27460.7								
4931	2	69	C1-C2;~1	Max	I	110.1	16.0	0.9	789.6
397.8	35371.2			J	110.1	16.0	0.9	789.6	
1474.7	43421.5		Min	I	-265.8	-27.4	-3.2	-397.2	-
1322.1	-5577.9			J	-265.8	-27.4	-3.2	-397.2	
-401.6	-5697.1								
		C3-C4;~1	Max	I	113.0	8.2	1.1	615.6	
516.8	24305.8			J	113.0	8.2	1.1	615.6	
1878.9	30797.7		Min	I	-311.4	-15.4	-4.1	-308.8	-
1687.9	-6583.2			J	-311.4	-15.4	-4.1	-308.8	
-466.2	-7600.3								
		C1-C2;~2	Max	I	60.5	11.0	0.5	532.6	
209.7	24634.2			J	60.5	11.0	0.5	532.6	
842.9	30079.3		Min	I	-152.9	-19.2	-1.8	-253.9	
-742.5	-3029.0			J	-152.9	-19.2	-1.8	-253.9	
-213.9	-2601.5								
		C3-C4;~2	Max	I	61.7	4.7	0.6	384.0	
278.2	16542.6			J	61.7	4.7	0.6	384.0	
1082.5	20838.9		Min	I	-178.0	-10.1	-2.3	-173.6	
-951.5	-3126.6			J	-178.0	-10.1	-2.3	-173.6	
-242.5	-3425.7								
		G1		I	-151.1	-0.7	-3.4	55.3	-
1116.0	961.6			J	-151.1	-0.7	-1.2	55.3	
884.4	1568.5								
		G2		I	-61.6	0.5	-0.9	-3.0	
-378.1	-1977.0			J	-61.6	0.5	-0.9	-3.0	
399.9	-2440.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	19.6	-0.4	0.0	6.8	
24.1	1291.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-18.3	1633.0		J	19.6	-0.4	0.0	6.8	
-43.9	-2659.1	Q5_pc Y	I	-52.6	0.9	-0.1	-19.0	
28.2	-3402.2		J	-52.6	0.9	-0.1	-19.0	
26.9	1639.6	Q5_ps X	I	19.3	-0.5	0.1	9.9	
-19.4	2115.2		J	19.3	-0.5	0.1	9.9	
-51.8	-3443.6	Q5_ps Y	I	-52.0	1.2	-0.1	-26.8	
33.1	-4469.1		J	-52.0	1.2	-0.1	-26.8	
816.0	27657.7	INVS LU Max	I	-1637.8	25.2	0.3	1182.2	
2426.5	36673.5		J	-1637.8	25.2	3.2	1182.2	
2239.3	-33767.3	Min	I	-2305.4	-34.9	-6.8	-454.1	-
-790.1	-38330.0		J	-2305.4	-34.9	-3.9	-454.1	
661.8	17687.9	INVS LE Max	I	-1311.4	17.8	0.4	843.4	
1751.2	25017.9		J	-1311.4	17.8	2.5	843.4	
1595.6	-27457.5	Min	I	-1798.9	-26.6	-4.9	-366.1	-
-627.8	-30086.6		J	-1798.9	-26.6	-2.8	-366.1	
4932	2	69 C1-C2;~1 Max	I	103.0	131.0	1.3	1372.8	
629.2	43418.9		J	103.0	131.0	1.3	1372.8	
1212.0	16806.5	Min	I	-273.7	-25.7	-2.7	-218.6	-
1107.5	-5697.2		J	-273.7	-25.7	-2.7	-218.6	
-537.6	-72574.3							
727.0	30795.7	C3-C4;~1 Max	I	106.2	108.2	1.6	1036.9	
1539.5	21828.5		J	106.2	108.2	1.6	1036.9	
1426.4	-7599.3	Min	I	-311.6	-33.2	-3.4	-274.0	-
-624.5	-63177.7		J	-311.6	-33.2	-3.4	-274.0	
368.5	30077.3	C1-C2;~2 Max	I	56.1	86.6	0.8	926.6	
677.1	7479.1		J	56.1	86.6	0.8	926.6	
-608.9	-2601.8	Min	I	-158.7	-11.5	-1.5	-97.6	
-304.4	-46726.3		J	-158.7	-11.5	-1.5	-97.6	
423.1	20837.3	C3-C4;~2 Max	I	57.4	70.4	0.9	687.1	
			J	57.4	70.4	0.9	687.1	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
851.5	9345.7		Min	I	-179.3	-14.3	-1.9	-118.5	
-780.0	-3425.3			J	-179.3	-14.3	-1.9	-118.5	
-350.1	-40257.1								
		G1		I	-155.3	7.3	-3.0	94.6	
-961.1	1570.0			J	-155.3	7.3	-0.9	94.6	
746.2	-4737.8								
		G2		I	-61.3	-12.7	-0.9	-77.4	
-353.8	-2439.3			J	-61.3	-12.7	-0.9	-77.4	
389.5	8546.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	18.7	6.2	0.1	43.7	
38.0	1634.8			J	18.7	6.2	0.1	43.7	
-37.0	-3736.4								
		Q5_pc Y		I	-49.6	-14.1	-0.2	-102.5	
-70.5	-3397.2			J	-49.6	-14.1	-0.2	-102.5	
66.2	8831.1								
		Q5_ps X		I	18.0	8.7	0.1	62.0	
47.9	2116.7			J	18.0	8.7	0.1	62.0	
-46.9	-5462.4								
		Q5_ps Y		I	-48.1	-19.6	-0.2	-143.6	
-93.5	-4464.1			J	-48.1	-19.6	-0.2	-143.6	
89.6	12556.5								
		INVSLE Max		I	-1862.2	119.4	0.7	2078.4	
976.2	36661.1			J	-1862.2	119.4	3.5	2078.4	
2196.9	73198.7		Min	I	-2515.6	-127.7	-6.4	-329.3	-
2057.7	-38328.6			J	-2515.6	-127.7	-3.5	-329.3	
-843.6	-70141.1								
		INVSLE Max		I	-1482.3	80.6	0.6	1486.1	
773.8	25009.0			J	-1482.3	80.6	2.7	1486.1	
1578.9	57729.6		Min	I	-1959.7	-100.6	-4.6	-283.7	-
1464.1	-30085.9			J	-1959.7	-100.6	-2.4	-283.7	
-664.5	-47270.5								
4933	2	69 C1-C2;~1	Max	I	97.5	25.1	0.9	184.2	
401.1	16792.5			J	97.5	25.1	0.9	184.2	
1449.5	41378.6		Min	I	-268.4	-127.2	-3.2	-1245.4	-
1293.0	-72589.3			J	-268.4	-127.2	-3.2	-1245.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-400.4	-5046.8							
		C3-C4;~1	Max	I	101.1	32.7	1.1	303.0
498.4	21814.5			J	101.1	32.7	1.1	303.0
1773.8	28804.5							
			Min	I	-304.6	-105.5	-3.9	-917.9
1588.0	-63179.8			J	-304.6	-105.5	-3.9	-917.9
-480.4	-6716.8							
		C1-C2;~2	Max	I	52.5	11.2	0.5	80.7
206.4	7471.4			J	52.5	11.2	0.5	80.7
844.9	28745.7							
			Min	I	-155.0	-84.0	-1.8	-848.9
-740.8	-46736.9			J	-155.0	-84.0	-1.8	-848.9
-209.7	-2276.1							
		C3-C4;~2	Max	I	53.9	14.1	0.6	135.0
252.6	9337.6			J	53.9	14.1	0.6	135.0
1040.3	19506.9							
			Min	I	-174.5	-68.5	-2.3	-610.8
-915.8	-40257.3			J	-174.5	-68.5	-2.3	-610.8
-244.3	-2933.7							
			G1	I	-158.3	-7.1	-2.8	-12.1
-859.0	-4758.9			J	-158.3	-7.1	-0.7	-12.1
659.2	1425.1							
			G2	I	-62.5	12.4	-0.6	110.0
-244.8	8538.2			J	-62.5	12.4	-0.6	110.0
286.5	-2242.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	19.3	-6.1	0.0	-49.2
5.7	-3734.7			J	19.3	-6.1	0.0	-49.2
-5.1	1533.9							
			Q5_pc Y	I	-50.5	13.8	0.0	107.1
0.8	8837.3			J	-50.5	13.8	0.0	107.1
-3.7	-3149.8							
			Q5_ps X	I	18.5	-8.6	-0.0	-69.5
-0.1	-5460.9			J	18.5	-8.6	-0.0	-69.5
0.7	1982.1							
			Q5_ps Y	I	-48.9	19.3	0.0	149.8
11.7	12562.5			J	-48.9	19.3	0.0	149.8
-14.3	-4135.7							
			INVSLU Max	I	-1996.1	109.2	-0.8	-50.5
329.9	73159.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2848.7	48886.4		J	-1996.1	109.2	2.0	-50.5	
		Min	I	-2634.8	-131.6	-7.6	-2333.6	-
2497.0	-70192.5		J	-2634.8	-131.6	-4.7	-2333.6	
-203.6	-21712.0							
		INVSLE Max	I	-1583.3	86.0	-0.6	-11.8	
242.6	57700.4		J	-1583.3	86.0	1.5	-11.8	
2123.9	34874.5		Min	-2049.7	-90.6	-5.7	-1688.7	-
1850.6	-47308.1		J	-2049.7	-90.6	-3.5	-1688.7	
-136.4	-17000.6							
4934	2	69 C1-C2;~1 Max	I	85.9	31.7	1.0	449.5	
507.7	41378.9		J	85.9	31.7	1.0	449.5	
1221.2	23838.5		Min	-242.4	-7.3	-2.6	-682.3	-
1055.1	-5046.1		J	-242.4	-7.3	-2.6	-682.3	
-411.4	-2984.0							
		C3-C4;~1 Max	I	89.6	18.6	1.3	403.5	
663.0	28804.1		J	89.6	18.6	1.3	403.5	
1617.6	15401.1		Min	-282.1	-5.5	-3.5	-473.7	-
1388.0	-6716.6		J	-282.1	-5.5	-3.5	-473.7	
-492.9	-4168.5							
		C1-C2;~2 Max	I	45.7	22.2	0.5	291.3	
278.3	28746.2		J	45.7	22.2	0.5	291.3	
693.4	16726.7		Min	-138.7	-4.5	-1.5	-460.2	
-584.4	-2275.5		J	-138.7	-4.5	-1.5	-460.2	
-215.3	-1554.5							
		C3-C4;~2 Max	I	47.1	12.6	0.7	232.0	
372.7	19507.0		J	47.1	12.6	0.7	232.0	
935.3	10511.9		Min	-160.2	-2.6	-2.0	-312.6	
-779.5	-2933.2		J	-160.2	-2.6	-2.0	-312.6	
-254.4	-1975.7							
		G1	I	-153.9	1.0	-2.7	27.4	
-790.9	1422.7		J	-153.9	1.0	-0.6	27.4	
617.9	538.3							
		G2	I	-62.8	-1.3	-0.7	38.9	
-262.0	-2244.0		J	-62.8	-1.3	-0.7	38.9	
306.8	-1107.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

28.5	1536.0	Q5_pc X	I	20.5	0.8	0.1	-14.1	
-25.6	806.1		J	20.5	0.8	0.1	-14.1	
-48.6	-3143.9	Q5_pc Y	I	-53.0	-1.8	-0.1	27.5	
41.0	-1587.3		J	-53.0	-1.8	-0.1	27.5	
31.6	1984.1	Q5_ps X	I	20.1	1.1	0.1	-19.6	
-26.9	1010.8		J	20.1	1.1	0.1	-19.6	
-56.5	-4130.3	Q5_ps Y	I	-52.0	-2.4	-0.1	37.9	
45.8	-2040.6		J	-52.0	-2.4	-0.1	37.9	
483.7	48887.3	INVS LU Max	I	-2100.8	26.9	-0.8	233.7	
2815.8	38951.5		J	-2100.8	26.9	2.1	233.7	
2372.7	-21700.6	Min	I	-2697.9	-29.0	-7.4	-1343.8	-
-107.2	-1715.1		J	-2697.9	-29.0	-4.5	-1343.8	
354.9	34875.8	INVS LE Max	I	-1659.5	19.7	-0.6	189.3	
2107.1	27652.9		J	-1659.5	19.7	1.5	189.3	
1754.5	-16992.3	Min	I	-2094.8	-21.4	-5.5	-975.6	-
-52.6	-2258.8		J	-2094.8	-21.4	-3.4	-975.6	
4935	2	67 C1-C2;~1 Max	I	72.2	20.8	0.9	429.0	
416.7	23849.7		J	72.2	20.8	0.9	429.0	
939.3	15544.6	Min	I	-213.6	-11.1	-2.0	-413.5	
-820.8	-2982.5		J	-213.6	-11.1	-2.0	-413.5	
-343.8	-1949.5							
561.0	15413.1	C3-C4;~1 Max	I	75.5	11.0	1.2	344.7	
1229.4	10020.6		J	75.5	11.0	1.2	344.7	
1068.8	-4166.4	Min	I	-248.6	-6.6	-2.7	-301.2	-
-444.9	-2757.6		J	-248.6	-6.6	-2.7	-301.2	
226.7	16733.4	C1-C2;~2 Max	I	37.9	14.7	0.5	284.3	
533.3	10915.2		J	37.9	14.7	0.5	284.3	
-455.3	-1552.8	Min	I	-121.8	-7.6	-1.1	-274.9	
-178.0	-1028.3		J	-121.8	-7.6	-1.1	-274.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
314.3	10519.0	C3-C4;~2	Max	I	39.1	7.5	0.6	207.3
				J	39.1	7.5	0.6	207.3
710.3	6855.8		Min	I	-140.6	-3.9	-1.5	-175.9
-601.0	-1973.8			J	-140.6	-3.9	-1.5	-175.9
-233.5	-1322.0							
		G1		I	-141.4	0.2	-2.0	26.0
-571.1	544.8			J	-141.4	0.2	-0.4	26.0
430.4	401.5							
		G2		I	-58.0	-0.5	-0.5	12.7
-184.3	-1105.2			J	-58.0	-0.5	-0.5	12.7
214.3	-635.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	19.3	0.3	0.0	-3.1
22.3	809.1			J	19.3	0.3	0.0	-3.1
-17.1	519.7							
		Q5_pc	Y	I	-50.0	-0.7	-0.1	4.0
-37.6	-1583.3			J	-50.0	-0.7	-0.1	4.0
23.7	-985.1							
		Q5_ps	X	I	19.0	0.4	0.0	-4.1
23.8	1013.7			J	19.0	0.4	0.0	-4.1
-17.6	644.4							
		Q5_ps	Y	I	-49.2	-0.9	-0.1	5.0
-41.7	-2036.9			J	-49.2	-0.9	-0.1	5.0
26.1	-1253.7							
		INVSLE	Max	I	-2179.5	25.4	-0.6	517.4
310.4	38944.1			J	-2179.5	25.4	1.6	517.4
2164.2	30060.3		Min	I	-2707.2	-19.0	-5.8	-627.0
1957.6	-1727.6			J	-2707.2	-19.0	-3.7	-627.0
-138.8	3579.0							
		INVSLE	Max	I	-1711.8	18.5	-0.5	382.2
213.6	27646.3			J	-1711.8	18.5	1.1	382.2
1614.8	21399.6		Min	I	-2096.0	-14.3	-4.3	-465.1
1461.4	-2269.8			J	-2096.0	-14.3	-2.7	-465.1
-87.9	1915.2							
		67 C1-C2;~1	Max	I	69.0	5.3	0.9	534.8
4936	2			J	69.0	5.3	0.9	534.8
448.9	15544.3							
885.7	32781.8							

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-733.4	-1949.5	Min	I	-209.2	-30.0	-1.9	-335.4
			J	-209.2	-30.0	-1.9	-335.4
-376.6	-4337.9						
621.9	10019.7	C3-C4;~1 Max	I	72.6	5.7	1.3	410.5
			J	72.6	5.7	1.3	410.5
1143.2	24226.9						
		Min	I	-242.5	-20.2	-2.4	-262.5
-947.7	-2758.3		J	-242.5	-20.2	-2.4	-262.5
-498.8	-6256.9						
		C1-C2;~2 Max	I	35.9	3.0	0.5	358.6
247.1	10915.1		J	35.9	3.0	0.5	358.6
504.0	22339.6						
		Min	I	-119.0	-20.5	-1.0	-218.1
-404.6	-1028.4		J	-119.0	-20.5	-1.0	-218.1
-198.6	-1916.5						
		C3-C4;~2 Max	I	37.2	2.4	0.7	250.7
354.1	6855.4		J	37.2	2.4	0.7	250.7
662.4	16053.5						
		Min	I	-136.8	-13.3	-1.4	-151.0
-531.1	-1322.4		J	-136.8	-13.3	-1.4	-151.0
-267.7	-2683.5						
		G1	I	-140.2	-1.9	-1.7	33.0
-462.0	400.2		J	-140.2	-1.9	-0.1	33.0
342.3	2025.4						
		G2	I	-57.3	1.5	-0.4	-2.8
-137.9	-636.5		J	-57.3	1.5	-0.4	-2.8
175.1	-1956.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	18.6	-0.9	0.0	4.3
17.5	522.0		J	18.6	-0.9	0.0	4.3
-13.7	1326.9						
		Q5_pc Y	I	-48.5	2.0	-0.0	-12.1
-25.7	-978.6		J	-48.5	2.0	-0.0	-12.1
15.3	-2700.9						
		Q5_ps X	I	18.2	-1.3	0.0	6.4
18.3	646.6		J	18.2	-1.3	0.0	6.4
-13.2	1793.5						
		Q5_ps Y	I	-47.6	2.8	-0.1	-17.7
-28.1	-1247.7		J	-47.6	2.8	-0.1	-17.7
15.5	-3669.8						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

725.7	30059.6	INVSLE Max	I	-2266.1	31.8	0.3	1143.6	
			J	-2266.1	31.8	2.5	1143.6	
1766.7	35511.9	Min	I	-2778.7	-20.0	-4.8	-53.0	-
1439.6	3589.6		J	-2778.7	-20.0	-2.6	-53.0	
-477.6	-22052.0							
		INVSLE Max	I	-1773.3	23.5	0.2	828.7	
535.5	21399.7		J	-1773.3	23.5	1.8	828.7	
1315.2	25230.3	Min	I	-2146.5	-14.6	-3.5	-56.0	-
1065.0	1922.8		J	-2146.5	-14.6	-1.9	-56.0	
-345.2	-17049.5							
4937	2	67 C1-C2;~1 Max	I	72.5	97.4	1.3	1099.0	
629.3	32781.9		J	72.5	97.4	1.3	1099.0	
726.2	10586.6	Min	I	-233.2	-17.2	-1.6	-162.0	
-621.6	-4338.4		J	-233.2	-17.2	-1.6	-162.0	
-540.9	-51663.5							
		C3-C4;~1 Max	I	76.8	80.9	1.6	825.4	
773.9	24227.3		J	76.8	80.9	1.6	825.4	
918.3	15012.9	Min	I	-262.1	-24.5	-2.0	-226.9	
-804.1	-6257.1		J	-262.1	-24.5	-2.0	-226.9	
-643.3	-45965.2							
		C1-C2;~2 Max	I	37.3	64.1	0.8	738.6	
371.7	22339.4		J	37.3	64.1	0.8	738.6	
403.1	4618.3	Min	I	-133.8	-7.5	-0.9	-70.7	
-336.5	-1916.8		J	-133.8	-7.5	-0.9	-70.7	
-311.2	-33194.0							
		C3-C4;~2 Max	I	38.9	52.2	0.9	541.2	
461.1	16053.5		J	38.9	52.2	0.9	541.2	
507.6	6359.2	Min	I	-149.0	-10.4	-1.1	-97.2	
-436.8	-2683.8		J	-149.0	-10.4	-1.1	-97.2	
-368.8	-29248.5							
		G1	I	-148.4	8.4	-1.5	89.9	
-378.6	2027.4		J	-148.4	8.4	0.1	89.9	
259.2	-5261.3							
		G2	I	-58.6	-7.9	-0.4	-61.6	
-130.9	-1954.9		J	-58.6	-7.9	-0.4	-61.6	
174.5	4879.9							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
28.4	1329.6	Q5_pc X	I	17.5	4.5	0.1	37.9
-28.6	-2611.8		J	17.5	4.5	0.1	37.9
-47.4	-2694.7	Q5_pc Y	I	-46.3	-9.7	-0.1	-83.7
45.8	5671.9		J	-46.3	-9.7	-0.1	-83.7
34.8	1796.0	Q5_ps X	I	16.7	6.5	0.1	54.4
-34.9	-3815.1		J	16.7	6.5	0.1	54.4
-61.0	-3663.7	Q5_ps Y	I	-44.5	-13.6	-0.1	-119.1
59.9	8144.3		J	-44.5	-13.6	-0.1	-119.1
1008.5	35496.5	INVS LU Max	I	-2343.3	115.9	0.8	2315.9
1513.7	35210.2		J	-2343.3	115.9	3.0	2315.9
1207.1	-22056.5	Min	I	-2884.1	-66.1	-4.2	375.3
-677.0	-65012.4		J	-2884.1	-66.1	-2.1	375.3
762.0	25219.1	INVS LE Max	I	-1829.9	80.4	0.7	1673.6
1105.5	28982.7		J	-1829.9	80.4	2.3	1673.6
-872.9	-17053.5	Min	I	-2224.3	-53.1	-3.1	247.3
-511.2	-44500.0		J	-2224.3	-53.1	-1.5	247.3
4938	2	67 C1-C2;~1 Max	I	73.6	17.2	0.9	144.0
413.1	10575.3		J	73.6	17.2	0.9	144.0
919.4	32835.6	Min	I	-236.2	-97.5	-2.0	-1056.1
-778.9	-51654.1		J	-236.2	-97.5	-2.0	-1056.1
-365.0	-4365.9						
548.4	15002.5	C3-C4;~1 Max	I	78.5	24.6	1.2	220.6
1131.8	24350.5		J	78.5	24.6	1.2	220.6
-963.1	-45961.4	Min	I	-266.2	-81.1	-2.4	-786.7
-480.2	-6301.1		J	-266.2	-81.1	-2.4	-786.7
219.8	4611.9	C1-C2;~2 Max	I	37.5	7.5	0.5	63.5
539.3	22363.9		J	37.5	7.5	0.5	63.5
-447.0	-33188.6	Min	I	-134.9	-64.1	-1.1	-717.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-188.9	-1926.2		J	-134.9	-64.1	-1.1	-717.3
292.5	6352.9	C3-C4;~2 Max	I	39.3	10.4	0.6	94.0
672.5	16128.2		J	39.3	10.4	0.6	94.0
-560.6	-29246.5	Min	I	-150.8	-52.3	-1.4	-520.5
-247.8	-2700.4		J	-150.8	-52.3	-1.4	-520.5
-316.2	-5265.6	G1	I	-151.6	-8.5	-1.4	-54.8
201.1	2065.0		J	-151.6	-8.5	0.2	-54.8
-55.1	4878.4	G2	I	-59.9	7.9	-0.2	76.3
100.2	-1957.3		J	-59.9	7.9	-0.2	76.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.9	-2609.1	Q5_pc X	I	17.7	-4.6	0.0	-42.2
-2.2	1346.2		J	17.7	-4.6	0.0	-42.2
9.0	5680.3	Q5_pc Y	I	-47.5	9.7	0.0	86.0
-10.5	-2731.8		J	-47.5	9.7	0.0	86.0
-3.6	-3812.6	Q5_ps X	I	17.0	-6.5	-0.0	-59.9
3.4	1816.1		J	17.0	-6.5	-0.0	-59.9
19.8	8152.4	Q5_ps Y	I	-45.7	13.7	0.0	121.0
-20.9	-3704.2		J	-45.7	13.7	0.0	121.0
670.7	35185.3	INVSLU Max	I	-2392.2	60.4	0.1	-684.7
1827.3	40580.1		J	-2392.2	60.4	2.3	-684.7
1386.0	-65025.6	Min	I	-2942.9	-121.8	-4.8	-2562.9
-367.8	-17171.7		J	-2942.9	-121.8	-2.6	-2562.9
483.4	28962.8	INVSLE Max	I	-1866.3	48.9	0.0	-479.4
1371.5	29018.1		J	-1866.3	48.9	1.6	-479.4
1038.9	-44510.2	Min	I	-2268.0	-84.8	-3.6	-1859.2
-253.1	-13396.8		J	-2268.0	-84.8	-2.0	-1859.2
4939	2	67 C1-C2;~1 Max	I	70.0	30.4	1.1	348.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
538.1	32836.8		J	70.0	30.4	1.1	348.7
736.5	15026.0	Min	I	-219.9	-5.0	-1.5	-503.2
-596.9	-4365.9		J	-219.9	-5.0	-1.5	-503.2
-434.5	-2078.9						
737.0	24351.3	C3-C4;~1 Max	I	75.1	20.6	1.5	294.1
987.5	9515.3		J	75.1	20.6	1.5	294.1
-791.3	-6301.6	Min	I	-254.5	-5.8	-2.1	-351.5
-566.3	-2728.7		J	-254.5	-5.8	-2.1	-351.5
302.2	22364.8	C1-C2;~2 Max	I	35.2	20.8	0.6	228.2
415.7	10576.5		J	35.2	20.8	0.6	228.2
-325.9	-1926.1	Min	I	-124.5	-2.7	-0.8	-339.3
-233.0	-1141.2		J	-124.5	-2.7	-0.8	-339.3
427.4	16128.9	C3-C4;~2 Max	I	37.3	13.6	0.8	170.8
573.5	6520.1		J	37.3	13.6	0.8	170.8
-442.4	-2700.4	Min	I	-142.9	-2.4	-1.2	-231.1
-307.4	-1321.5		J	-142.9	-2.4	-1.2	-231.1
-248.6	2063.5	G1	I	-147.6	1.9	-1.3	2.9
146.4	378.9		J	-147.6	1.9	0.3	2.9
-60.5	-1958.3	G2	I	-60.3	-1.6	-0.2	17.4
104.6	-569.7		J	-60.3	-1.6	-0.2	17.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
17.8	1349.2	Q5_pc X	I	19.1	1.0	0.0	-8.3
-14.8	499.1		J	19.1	1.0	0.0	-8.3
-23.9	-2724.6	Q5_pc Y	I	-51.4	-2.1	-0.0	14.1
15.1	-922.3		J	-51.4	-2.1	-0.0	14.1
19.2	1819.1	Q5_ps X	I	18.8	1.4	0.0	-11.5
-14.8	612.8		J	18.8	1.4	0.0	-11.5
		Q5_ps Y	I	-50.3	-2.9	-0.0	19.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-27.0	-3697.6			J	-50.3	-2.9	-0.0	19.2
15.9	-1160.4							
		INVSLE	Max	I	-2447.3	15.1	0.6	-178.5
936.6	40584.5			J	-2447.3	15.1	2.8	-178.5
1565.9	39056.9		Min	I	-2984.8	-37.5	-4.2	-1354.0
1169.6	-17156.6			J	-2984.8	-37.5	-2.1	-1354.0
-558.8	13428.0							
		INVSLE	Max	I	-1908.0	10.8	0.5	-118.4
697.9	29022.0			J	-1908.0	10.8	2.1	-118.4
1162.5	28223.5		Min	I	-2299.3	-27.9	-3.1	-987.3
-859.0	-13385.9			J	-2299.3	-27.9	-1.5	-987.3
-409.4	9362.1							
4940	2	67 C1-C2;~1	Max	I	69.2	11.9	1.2	426.2
552.8	15024.0			J	69.2	11.9	1.2	426.2
718.6	15081.4		Min	I	-215.6	-11.9	-1.5	-415.4
-562.9	-2079.5			J	-215.6	-11.9	-1.5	-415.4
-454.9	-2062.0							
		C3-C4;~1	Max	I	75.2	6.2	1.6	332.2
772.6	9513.7			J	75.2	6.2	1.6	332.2
951.3	9528.1		Min	I	-249.3	-6.2	-2.0	-313.6
-743.0	-2728.6			J	-249.3	-6.2	-2.0	-313.6
-603.9	-2752.8							
		C1-C2;~2	Max	I	34.8	8.4	0.6	283.6
309.2	10575.1			J	34.8	8.4	0.6	283.6
406.9	10611.0		Min	I	-121.7	-8.4	-0.8	-276.6
-306.6	-1141.7			J	-121.7	-8.4	-0.8	-276.6
-243.7	-1125.9							
		C3-C4;~2	Max	I	37.3	4.0	0.9	201.3
446.7	6519.1			J	37.3	4.0	0.9	201.3
553.8	6523.5		Min	I	-139.5	-4.0	-1.1	-189.9
-415.5	-1321.5			J	-139.5	-4.0	-1.1	-189.9
-328.1	-1329.6							
		G1		I	-146.5	-0.0	-1.1	9.0
-187.1	378.8			J	-146.5	-0.0	0.5	9.0
92.3	402.6							
		G2		I	-60.1	-0.0	-0.1	3.8
-32.1	-569.4			J	-60.1	-0.0	-0.1	3.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
80.2	-559.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	19.4	-0.0	0.0	-1.9
16.1	502.2		J	19.4	-0.0	0.0	-1.9
-13.7	508.0						
		Q5_pc Y	I	-52.9	-0.0	-0.0	0.9
-19.9	-914.5		J	-52.9	-0.0	-0.0	0.9
12.0	-908.0						
		Q5_ps X	I	19.1	-0.0	0.0	-2.3
16.6	615.6		J	19.1	-0.0	0.0	-2.3
-13.0	624.1						
		Q5_ps Y	I	-51.8	-0.0	-0.0	0.3
-21.0	-1152.8		J	-51.8	-0.0	-0.0	0.3
11.3	-1141.2						
		INVSLE Max	I	-2516.8	15.6	0.9	585.2
1093.5	39043.3		J	-2516.8	15.6	3.0	585.2
1513.7	39557.3	Min	I	-3050.1	-16.6	-4.0	-554.3
-988.4	13431.3		J	-3050.1	-16.6	-1.8	-554.3
-610.5	13846.8						
		INVSLE Max	I	-1960.2	11.5	0.6	433.2
812.5	28213.9		J	-1960.2	11.5	2.2	433.2
1124.7	28605.1	Min	I	-2348.2	-12.3	-2.9	-410.7
-727.1	9364.0		J	-2348.2	-12.3	-1.3	-410.7
-446.9	9681.3						
		67 C1-C2;~1 Max	I	73.9	5.1	1.2	515.6
4941	2		J	73.9	5.1	1.2	515.6
568.1	15083.5						
		Min	I	-225.2	-30.8	-1.4	-338.9
699.6	33158.3		J	-225.2	-30.8	-1.4	-338.9
-536.0	-2061.6						
-479.8	-4275.2						
		C3-C4;~1 Max	I	80.6	6.0	1.7	385.8
804.6	9529.8		J	80.6	6.0	1.7	385.8
910.2	24635.5	Min	I	-259.5	-20.9	-1.9	-276.5
-696.1	-2753.1		J	-259.5	-20.9	-1.9	-276.5
-637.3	-6455.1						
		C1-C2;~2 Max	I	37.3	2.7	0.7	346.9
317.2	10612.4		J	37.3	2.7	0.7	346.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
398.5	22542.9		Min	I	-127.1	-20.9	-0.8	-221.5
-293.0	-1125.6			J	-127.1	-20.9	-0.8	-221.5
-258.1	-1857.5							
		C3-C4;~2	Max	I	40.3	2.5	0.9	240.4
465.1	6524.6			J	40.3	2.5	0.9	240.4
533.0	16276.1		Min	I	-145.1	-13.7	-1.1	-159.6
-390.4	-1329.7			J	-145.1	-13.7	-1.1	-159.6
-346.4	-2741.4							
		G1		I	-151.3	-2.2	-1.0	15.4
-128.7	402.6			J	-151.3	-2.2	0.6	15.4
31.8	2276.2							
		G2		I	-61.8	1.5	-0.1	-9.8
-6.0	-559.8			J	-61.8	1.5	-0.1	-9.8
52.2	-1873.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	19.2	-1.0	0.0	4.7
14.6	511.2			J	19.2	-1.0	0.0	4.7
-11.9	1393.8							
		Q5_pc	Y	I	-53.1	2.0	-0.0	-12.0
-16.7	-899.6			J	-53.1	2.0	-0.0	-12.0
8.9	-2618.6							
		Q5_ps	X	I	18.8	-1.4	0.0	7.1
14.4	627.2			J	18.8	-1.4	0.0	7.1
-10.3	1879.8							
		Q5_ps	Y	I	-51.9	2.8	-0.0	-18.3
-16.2	-1133.4			J	-51.9	2.8	-0.0	-18.3
6.2	-3562.6							
		INVSLE	Max	I	-2537.8	37.3	1.2	1420.4
1189.6	39557.2			J	-2537.8	37.3	3.4	1420.4
1309.1	41746.3		Min	I	-3092.5	-15.9	-3.6	245.4
-866.3	13858.4			J	-3092.5	-15.9	-1.4	245.4
-801.6	-16445.1							
		INVSLE	Max	I	-1975.8	27.7	0.9	1036.5
882.9	28605.6			J	-1975.8	27.7	2.5	1036.5
975.6	29925.6		Min	I	-2379.6	-11.4	-2.7	167.8
-637.7	9689.4			J	-2379.6	-11.4	-1.1	167.8


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-586.2	-12830.0								
4942	2	67	C1-C2;~1	Max	I	81.8	99.1	1.6	1093.3
750.6	33157.9				J	81.8	99.1	1.6	1093.3
559.2	10674.1								
				Min	I	-251.9	-17.2	-1.2	-160.1
-452.6	-4275.5				J	-251.9	-17.2	-1.2	-160.1
-650.5	-52751.2								
			C3-C4;~1	Max	I	89.6	82.6	2.0	821.6
947.9	24635.5				J	89.6	82.6	2.0	821.6
708.7	15831.6								
				Min	I	-282.6	-25.7	-1.5	-239.5
-588.5	-6455.0				J	-282.6	-25.7	-1.5	-239.5
-798.3	-47020.6								
			C1-C2;~2	Max	I	41.5	65.0	0.9	736.4
442.0	22542.3				J	41.5	65.0	0.9	736.4
308.0	4658.1								
				Min	I	-143.4	-7.5	-0.6	-71.0
-241.2	-1857.7				J	-143.4	-7.5	-0.6	-71.0
-373.6	-33791.5								
			C3-C4;~2	Max	I	45.0	53.1	1.2	539.0
564.9	16275.9				J	45.0	53.1	1.2	539.0
391.1	6743.0								
				Min	I	-159.3	-10.9	-0.8	-103.4
-317.0	-2741.5				J	-159.3	-10.9	-0.8	-103.4
-459.1	-29819.2								
				G1	I	-159.4	9.4	-0.8	79.0
-68.1	2278.0				J	-159.4	9.4	0.8	79.0
-37.8	-5836.4								
				G2	I	-63.0	-7.5	-0.1	-66.3
-8.3	-1872.1				J	-63.0	-7.5	-0.1	-66.3
57.0	4643.8								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	17.9	4.8	0.1	40.0
27.2	1397.2				J	17.9	4.8	0.1	40.0
-28.2	-2739.8								
			Q5_pc	Y	I	-51.1	-9.1	-0.1	-80.0
-41.1	-2610.2				J	-51.1	-9.1	-0.1	-80.0
41.1	5304.0								
			Q5_ps	X	I	17.1	6.8	0.1	57.4
32.8	1882.9				J	17.1	6.8	0.1	57.4


MIDAS

PROJECT TITLE :

		Company			Client						
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G					
-33.6	-3985.2										
			Q5_ps	Y	I	-49.1	-13.0	-0.1	-115.4		
-51.5	-3554.5				J	-49.1	-13.0	-0.1	-115.4		
51.8	7707.1										
			INVSLU	Max	I	-2545.7	128.9	1.7	2743.6		
1434.3	41727.6				J	-2545.7	128.9	3.9	2743.6		
1122.6	32149.4										
			Min		I	-3140.1	-56.1	-3.2	800.3		
-713.9	-16448.2				J	-3140.1	-56.1	-1.0	800.3		
-985.9	-69984.7										
			INVSLE	Max	I	-1981.4	90.3	1.3	1994.3		
1076.9	29912.1				J	-1981.4	90.3	2.9	1994.3		
818.1	26598.9										
			Min		I	-2414.9	-45.5	-2.3	565.5		
-508.8	-12833.0				J	-2414.9	-45.5	-0.7	565.5		
-738.3	-48348.7										
		4943	2	67	C1-C2;~1	Max	I	86.4	17.2	1.2	149.6
549.7	10671.8				J	86.4	17.2	1.2	149.6		
751.4	33143.0										
			Min		I	-255.8	-99.1	-1.6	-1088.7		
-627.2	-52737.7				J	-255.8	-99.1	-1.6	-1088.7		
-469.5	-4277.0										
			C3-C4;~1	Max	I	94.9	25.7	1.6	225.6		
721.3	15829.0				J	94.9	25.7	1.6	225.6		
927.7	24642.0										
			Min		I	-286.7	-82.6	-1.9	-816.7		
-753.8	-47011.9				J	-286.7	-82.6	-1.9	-816.7		
-627.8	-6463.3										
			C1-C2;~2	Max	I	44.1	7.5	0.6	65.5		
302.1	4657.3				J	44.1	7.5	0.6	65.5		
443.4	22533.7										
			Min		I	-145.3	-65.0	-0.9	-734.5		
-364.0	-33783.5				J	-145.3	-65.0	-0.9	-734.5		
-247.8	-1860.0										
			C3-C4;~2	Max	I	47.8	10.9	0.8	96.1		
393.8	6742.0				J	47.8	10.9	0.8	96.1		
558.5	16283.0										
			Min		I	-161.4	-53.2	-1.2	-536.9		
-443.4	-29814.6				J	-161.4	-53.2	-1.2	-536.9		
-330.7	-2746.5										
			G1		I	-159.6	-9.4	-0.7	-81.6		
-11.0	-5831.6				J	-159.6	-9.4	0.9	-81.6		
-95.5	2276.0										


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
65.5	4645.5	G2	I	-63.0	7.5	0.1	65.1
			J	-63.0	7.5	0.1	65.1
-16.9	-1872.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	17.6	-4.8	0.0	-43.6
1.2	-2734.9		J	17.6	-4.8	0.0	-43.6
-2.4	1393.9						
		Q5_pc Y	I	-51.9	9.2	0.0	80.4
13.3	5313.8		J	-51.9	9.2	0.0	80.4
-13.2	-2613.0						
		Q5_ps X	I	16.8	-6.8	-0.0	-61.7
-5.6	-3980.5		J	16.8	-6.8	-0.0	-61.7
4.4	1881.1						
		Q5_ps Y	I	-49.8	13.0	0.1	113.3
26.3	7716.3		J	-49.8	13.0	0.1	113.3
-25.8	-3553.6						
		INVSLE Max	I	-2535.2	60.1	1.0	-716.3
1079.4	32147.0		J	-2535.2	60.1	3.1	-716.3
1415.9	38250.1						
		Min	I	-3143.8	-124.9	-3.8	-2635.3
-935.9	-69983.0		J	-3143.8	-124.9	-1.6	-2635.3
-707.7	-19921.7						
		INVSLE Max	I	-1973.6	48.5	0.7	-502.6
783.5	26595.9		J	-1973.6	48.5	2.3	-502.6
1069.7	27335.6						
		Min	I	-2417.5	-87.3	-2.9	-1913.3
-707.6	-48347.5		J	-2417.5	-87.3	-1.2	-1913.3
-501.6	-15406.2						
4944	2	67 C1-C2;~1 Max	I	86.4	30.8	1.4	333.7
691.3	33143.8		J	86.4	30.8	1.4	333.7
563.3	15049.2						
		Min	I	-237.1	-5.0	-1.2	-514.1
-452.4	-4277.2		J	-237.1	-5.0	-1.2	-514.1
-555.3	-2084.0						
		C3-C4;~1 Max	I	95.1	21.0	1.9	271.5
923.9	24642.5		J	95.1	21.0	1.9	271.5
777.5	9525.4						
		Min	I	-272.1	-6.0	-1.6	-383.7
-582.8	-6463.9		J	-272.1	-6.0	-1.6	-383.7
-739.3	-2759.6						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name				
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
393.9	22534.5	C1-C2;~2 Max	I	44.4	21.0	0.8	219.5
			J	44.4	21.0	0.8	219.5
315.3	10592.2	Min	I	-133.5	-2.7	-0.6	-346.6
-246.6	-1860.0		J	-133.5	-2.7	-0.6	-346.6
-301.4	-1147.4						
537.2	16283.5	C3-C4;~2 Max	I	48.2	13.8	1.1	158.1
			J	48.2	13.8	1.1	158.1
454.9	6527.0	Min	I	-151.8	-2.5	-0.9	-239.3
-324.7	-2746.7		J	-151.8	-2.5	-0.9	-239.3
-407.2	-1336.4						
		G1	I	-152.0	2.2	-0.5	-18.0
62.1	2274.2		J	-152.0	2.2	1.1	-18.0
-160.9	404.6						
		G2	I	-62.0	-1.5	0.1	8.6
61.9	-1874.0		J	-62.0	-1.5	0.1	8.6
-16.2	-557.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	18.4	1.0	0.0	-8.2
17.8	1397.6		J	18.4	1.0	0.0	-8.2
-15.9	507.8						
		Q5_pc Y	I	-55.4	-2.0	-0.0	12.6
-20.1	-2604.0		J	-55.4	-2.0	-0.0	12.6
13.0	-902.4						
		Q5_ps X	I	18.1	1.5	0.0	-11.3
18.2	1884.7		J	18.1	1.5	0.0	-11.3
-14.8	626.1						
		Q5_ps Y	I	-54.0	-2.8	-0.0	16.6
-20.5	-3545.3		J	-54.0	-2.8	-0.0	16.6
11.3	-1129.9						
		INVSLU Max	I	-2508.5	19.1	1.4	-170.2
1293.2	38253.4		J	-2508.5	19.1	3.6	-170.2
1191.0	33277.6	Min	I	-3103.9	-34.1	-3.3	-1337.5
-777.0	-19904.3		J	-3103.9	-34.1	-1.2	-1337.5
-885.3	7611.5						
		INVSLE Max	I	-1954.1	13.8	1.0	-111.4
958.3	27338.9		J	-1954.1	13.8	2.6	-111.4
889.2	23950.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-572.5	-15393.7	Min	I	-2387.8	-25.3	-2.5	-974.3
			J	-2387.8	-25.3	-0.9	-974.3
-646.7	5059.2						
4945	2	67 C1-C2;~1	Max	I	88.4	12.0	412.4
711.7	15047.4			J	88.4	12.0	412.4
539.1	15073.2						
		Min	I	-232.5	-12.0	-1.1	-426.5
-421.7	-2084.5			J	-232.5	-12.0	-426.5
-583.3	-2071.5						
		C3-C4;~1	Max	I	97.5	6.3	310.7
966.1	9524.1			J	97.5	6.3	310.7
734.8	9519.0						
		Min	I	-267.2	-6.2	-1.5	-332.4
-541.0	-2759.4			J	-267.2	-6.2	-332.4
-789.9	-2766.1						
		C1-C2;~2	Max	I	45.6	8.5	275.6
404.1	10590.9			J	45.6	8.5	275.6
302.1	10607.9						
		Min	I	-130.6	-8.5	-0.6	-283.9
-229.0	-1147.8			J	-130.6	-8.5	-283.9
-316.2	-1132.5						
		C3-C4;~2	Max	I	49.6	4.0	189.3
559.9	6526.1			J	49.6	4.0	189.3
430.2	6521.2						
		Min	I	-148.8	-4.0	-0.8	-201.2
-301.5	-1336.4			J	-148.8	-4.0	-201.2
-435.5	-1334.8						
		G1	I	-147.7	0.0	-0.4	-11.4
126.2	404.7			J	-147.7	0.0	-11.4
-225.1	373.0						
		G2	I	-60.4	0.0	0.2	-4.9
91.4	-557.3			J	-60.4	0.0	-4.9
-44.4	-565.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	18.3	-0.0	0.0	-1.4
16.5	511.1			J	18.3	-0.0	-1.4
-15.2	516.2						
		Q5_pc Y	I	-56.4	-0.0	-0.0	0.3
-17.1	-893.4			J	-56.4	-0.0	0.3
11.2	-882.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
15.9	629.3	Q5_ps X	I	18.0	-0.0	0.0	-1.5
			J	18.0	-0.0	0.0	-1.5
-13.4	636.2						
		Q5_ps Y	I	-55.0	-0.0	-0.0	-1.2
-15.5	-1121.2		J	-55.0	-0.0	-0.0	-1.2
7.9	-1103.1						
		INVS LU Max	I	-2470.4	18.2	1.8	580.4
1487.2	33262.6		J	-2470.4	18.2	4.0	580.4
1081.7	31533.7	Min	I	-3064.4	-14.1	-3.0	-554.6
-578.2	7615.4		J	-3064.4	-14.1	-0.8	-554.6
1004.0	5862.0						
		INVS LE Max	I	-1925.9	13.5	1.3	430.6
1099.2	23940.3		J	-1925.9	13.5	2.9	430.6
810.1	22643.5	Min	I	-2358.3	-10.5	-2.2	-409.9
-428.4	5061.4		J	-2358.3	-10.5	-0.6	-409.9
-732.9	3745.1						
4946	2	67 C1-C2;~1 Max	I	94.2	5.3	1.5	502.9
727.4	15075.7		J	94.2	5.3	1.5	502.9
519.5	33114.8	Min	I	-240.7	-30.7	-1.1	-350.1
-398.7	-2071.0		J	-240.7	-30.7	-1.1	-350.1
-612.8	-4601.2						
		C3-C4;~1 Max	I	104.2	6.3	2.1	353.8
999.7	9521.1		J	104.2	6.3	2.1	353.8
692.9	24565.8	Min	I	-276.3	-20.8	-1.4	-295.2
-499.0	-2766.3		J	-276.3	-20.8	-1.4	-295.2
-834.8	-6734.1						
		C1-C2;~2 Max	I	48.8	2.9	0.9	339.7
412.0	10609.6		J	48.8	2.9	0.9	339.7
292.8	22509.1	Min	I	-135.3	-20.9	-0.6	-228.7
-217.4	-1132.0		J	-135.3	-20.9	-0.6	-228.7
-333.2	-2042.2						
		C3-C4;~2 Max	I	53.2	2.7	1.2	232.9
578.8	6522.6		J	53.2	2.7	1.2	232.9
408.0	16234.1	Min	I	-154.1	-13.7	-0.8	-170.6
-278.7	-1334.9		J	-154.1	-13.7	-0.8	-170.6
-461.4	-2903.9						
		G1	I	-148.2	-1.9	-0.3	-5.0
182.5	373.2						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-289.8	1985.1		J	-148.2	-1.9	1.3	-5.0
117.0	-566.1	G2	I	-60.5	1.6	0.2	-18.2
-74.4	-1970.1		J	-60.5	1.6	0.2	-18.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
14.5	519.8	Q5_pc X	I	17.9	-1.1	0.0	5.8
-12.7	1451.4		J	17.9	-1.1	0.0	5.8
-13.9	-874.4	Q5_pc Y	I	-56.4	1.8	-0.0	-11.8
8.0	-2463.1		J	-56.4	1.8	-0.0	-11.8
13.1	639.7	Q5_ps X	I	17.6	-1.5	0.0	8.5
-9.9	1949.8		J	17.6	-1.5	0.0	8.5
-10.7	-1095.4	Q5_ps Y	I	-54.9	2.6	-0.0	-18.7
2.8	-3361.4		J	-54.9	2.6	-0.0	-18.7
1526.4	31532.6	INVSLE Max	I	-2388.4	36.4	2.0	1289.0
919.1	34522.0		J	-2388.4	36.4	4.2	1289.0
-522.9	5872.0	Min	I	-3003.5	-16.8	-2.7	116.2
1166.1	-23707.6		J	-3003.5	-16.8	-0.6	116.2
1127.1	22643.2	INVSLE Max	I	-1864.6	27.1	1.5	939.6
692.4	24542.5		J	-1864.6	27.1	3.1	939.6
-389.0	3752.0	Min	I	-2312.7	-12.1	-2.0	72.5
-850.5	-18262.1		J	-2312.7	-12.1	-0.4	72.5
4947	2	67 C1-C2;~1 Max	I	102.1	99.1	2.0	1073.6
911.9	33113.8		J	102.1	99.1	2.0	1073.6
390.8	11729.5	Min	I	-260.2	-18.8	-0.8	-163.6
-324.6	-4601.4		J	-260.2	-18.8	-0.8	-163.6
-795.4	-52755.7						
1144.8	24565.2	C3-C4;~1 Max	I	113.2	82.5	2.5	804.1
501.0	16742.0		J	113.2	82.5	2.5	804.1
-409.9	-6734.1	Min	I	-291.6	-27.1	-1.0	-249.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1005.8	-46964.1		J	-291.6	-27.1	-1.0	-249.5	-
		C1-C2;~2	Max	I	53.1	64.9	1.1	725.9
537.0	22508.2		J	53.1	64.9	1.1	725.9	
208.8	5239.0		Min	I	-147.3	-8.4	-0.4	-73.3
-170.6	-2042.4		J	-147.3	-8.4	-0.4	-73.3	
-455.5	-33741.7							
		C3-C4;~2	Max	I	58.0	53.0	1.5	529.2
679.2	16233.5		J	58.0	53.0	1.5	529.2	
271.3	7257.4		Min	I	-163.7	-11.7	-0.6	-108.0
-217.3	-2904.1		J	-163.7	-11.7	-0.6	-108.0	
-580.1	-29760.0							
		G1	I	-150.1	8.2	-0.1	50.6	
241.2	1986.3		J	-150.1	8.2	1.5	50.6	
-360.5	-5081.5							
		G2	I	-59.3	-8.0	0.2	-77.3	
114.6	-1969.1		J	-59.3	-8.0	0.2	-77.3	
-70.4	4930.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	X	I	16.2	5.1	0.1	43.2
27.1	1454.5		J	16.2	5.1	0.1	43.2	
-28.8	-2959.1							
		Q5_pc	Y	I	-54.6	-8.4	-0.1	-75.0
-37.0	-2454.7		J	-54.6	-8.4	-0.1	-75.0	
38.3	4848.1							
		Q5_ps	X	I	15.4	7.1	0.1	61.3
31.6	1952.7		J	15.4	7.1	0.1	61.3	
-33.3	-4231.9							
		Q5_ps	Y	I	-52.3	-12.1	-0.1	-109.6
-44.0	-3353.3		J	-52.3	-12.1	-0.1	-109.6	
45.8	7139.7							
		INVSLU	Max	I	-2325.4	118.4	2.6	2417.1
1807.1	34505.4		J	-2325.4	118.4	4.8	2417.1	
690.3	34474.4		Min	I	-2970.1	-67.2	-2.3	495.9
-358.3	-23707.6		J	-2970.1	-67.2	-0.1	495.9	
1412.8	-68074.0							
		INVSLE	Max	I	-1817.5	82.4	2.0	1752.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1347.7	24530.6			J	-1817.5	82.4	3.6	1752.1	
503.5	28453.2								
			Min	I	-2287.8	-53.9	-1.7	339.0	
-251.3	-18262.9								
				J	-2287.8	-53.9	-0.1	339.0	
1049.2	-46862.2								
4948	2	67	C1-C2;~1	Max	I	105.5	18.8	1.6	165.7
726.9	11742.9								
				J	105.5	18.8	1.6	165.7	
600.3	32886.2								
			Min	I	-258.1	-98.8	-1.3	-1104.1	
-491.5	-52787.8								
				J	-258.1	-98.8	-1.3	-1104.1	
-641.7	-4569.1								
			C3-C4;~1	Max	I	117.1	27.0	2.1	232.9
938.2	16756.0								
				J	117.1	27.0	2.1	232.9	
707.8	24378.6								
			Min	I	-289.4	-82.3	-1.4	-829.7	
-557.1	-46991.9								
				J	-289.4	-82.3	-1.4	-829.7	
-850.5	-6685.6								
			C1-C2;~2	Max	I	55.0	8.4	0.9	72.8
408.1	5246.8								
				J	55.0	8.4	0.9	72.8	
357.8	22359.9								
			Min	I	-146.2	-64.7	-0.7	-741.1	
-288.3	-33760.3								
				J	-146.2	-64.7	-0.7	-741.1	
-349.1	-2029.6								
			C3-C4;~2	Max	I	60.2	11.7	1.1	99.8
520.1	7265.6								
				J	60.2	11.7	1.1	99.8	
429.4	16117.8								
			Min	I	-162.5	-52.9	-0.9	-543.5	
-329.5	-29776.3								
				J	-162.5	-52.9	-0.9	-543.5	
-460.1	-2884.2								
			G1	I	-143.9	-8.1	0.0	-88.3	
306.4	-5094.7								
				J	-143.9	-8.1	1.6	-88.3	
-428.8	1934.0								
			G2	I	-57.1	8.0	0.4	62.3	
191.7	4926.2								
				J	-57.1	8.0	0.4	62.3	
-149.4	-1970.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	15.5	-5.1	0.0	-45.6
1.4	-2953.8								
				J	15.5	-5.1	0.0	-45.6	
-3.3	1426.6								
			Q5_pc	Y	I	-56.1	8.4	0.0	72.8
16.9	4861.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-16.5	-2429.5		J	-56.1	8.4	0.0	72.8
-7.0	-4227.0	Q5_ps X	I	14.9	-7.1	-0.0	-63.9
5.3	1922.8		J	14.9	-7.1	-0.0	-63.9
32.3	7152.0	Q5_ps Y	I	-53.8	12.1	0.1	103.4
-31.7	-3322.8		J	-53.8	12.1	0.1	103.4
1445.7	34539.3	INVSLU Max	I	-2270.5	61.8	1.9	-469.3
967.2	38762.7		J	-2270.5	61.8	4.1	-469.3
-603.4	-68094.6	Min	I	-2920.4	-123.2	-2.9	-2405.1
1166.3	-19032.2		J	-2920.4	-123.2	-0.7	-2405.1
1048.3	28503.2	INVSLE Max	I	-1777.2	50.0	1.4	-317.0
742.7	27653.8		J	-1777.2	50.0	3.0	-317.0
-467.3	-46873.8	Min	I	-2251.1	-85.9	-2.2	-1741.3
-835.5	-14833.3		J	-2251.1	-85.9	-0.6	-1741.3
4949	2	67 C1-C2;~1 Max	I	104.3	30.3	1.9	327.2
870.2	32886.9		J	104.3	30.3	1.9	327.2
430.1	15356.9	Min	I	-232.8	-5.3	-0.9	-530.8
-329.6	-4569.2		J	-232.8	-5.3	-0.9	-530.8
-737.0	-1906.5						
1145.9	24379.0	C3-C4;~1 Max	I	116.0	20.4	2.4	256.2
565.2	9911.7		J	116.0	20.4	2.4	256.2
-414.7	-6686.0	Min	I	-269.0	-6.1	-1.1	-405.2
-977.7	-2786.3		J	-269.0	-6.1	-1.1	-405.2
499.0	22360.6	C1-C2;~2 Max	I	54.6	20.7	1.0	214.5
240.7	10781.5		J	54.6	20.7	1.0	214.5
-178.3	-2029.5	Min	I	-130.3	-2.9	-0.5	-356.8
-406.7	-1000.7		J	-130.3	-2.9	-0.5	-356.8
665.3	16118.3	C3-C4;~2 Max	I	59.7	13.5	1.4	148.7
330.1	6781.5		J	59.7	13.5	1.4	148.7
-231.1	-2884.3	Min	I	-149.4	-2.6	-0.6	-247.6
-544.5	-1325.3		J	-149.4	-2.6	-0.6	-247.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

380.9	1932.2	G1	I	-132.0	1.8	0.2	-34.1	
			J	-132.0	1.8	1.8	-34.1	
-502.0	391.4							
		G2	I	-54.7	-1.5	0.4	3.1	
190.0	-1971.4		J	-54.7	-1.5	0.4	3.1	
-153.6	-636.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	16.2	1.0	0.0	-8.2	
16.6	1430.8		J	16.2	1.0	0.0	-8.2	
-15.1	532.7							
		Q5_pc Y	I	-61.0	-1.7	-0.0	10.0	
-9.1	-2419.4		J	-61.0	-1.7	-0.0	10.0	
0.5	-910.7							
		Q5_ps X	I	16.1	1.5	0.0	-11.3	
15.4	1926.9		J	16.1	1.5	0.0	-11.3	
-12.2	669.1							
		Q5_ps Y	I	-59.4	-2.5	-0.0	13.0	
-6.2	-3313.4		J	-59.4	-2.5	-0.0	13.0	
-4.6	-1153.9							
		INVSLU Max	I	-2192.5	13.0	2.5	-81.2	
1711.2	38764.7		J	-2192.5	13.0	4.7	-81.2	
711.9	39309.9							
		Min	I	-2821.9	-39.3	-2.4	-1257.4	
-425.5	-19013.6		J	-2821.9	-39.3	-0.2	-1257.4	-
1398.2	13177.2							
		INVSLE Max	I	-1720.7	9.4	1.8	-44.3	
1266.5	27656.2		J	-1720.7	9.4	3.4	-44.3	
534.2	28279.4							
		Min	I	-2178.8	-29.1	-1.8	-914.2	
-314.0	-14820.0		J	-2178.8	-29.1	-0.2	-914.2	-
1026.8	9043.3							
		67 C1-C2;~1 Max	I	109.2	11.0	2.0	404.6	
4950	2		J	109.2	11.0	2.0	404.6	
917.3	15357.5							
		Min	I	-233.3	-20.6	-0.8	-422.9	
397.9	23728.3		J	-233.3	-20.6	-0.8	-422.9	
-292.1	-1906.5							
-809.1	-2914.8							
		C3-C4;~1 Max	I	121.5	6.6	2.7	293.7	
1221.6	9912.9		J	121.5	6.6	2.7	293.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
500.7	15267.1		Min	I	-272.2	-10.9	-1.0	-338.6
-356.7	-2785.9			J	-272.2	-10.9	-1.0	-338.6
1080.7	-4269.0							-
		C1-C2;~2	Max	I	57.3	7.6	1.1	271.0
526.0	10781.7			J	57.3	7.6	1.1	271.0
222.1	16629.4		Min	I	-130.3	-14.6	-0.4	-280.9
-155.8	-1000.7			J	-130.3	-14.6	-0.4	-280.9
-449.3	-1508.1							
		C3-C4;~2	Max	I	62.7	3.9	1.5	174.3
709.0	6782.0			J	62.7	3.9	1.5	174.3
290.0	10403.8		Min	I	-151.1	-7.4	-0.6	-203.6
-195.8	-1325.0			J	-151.1	-7.4	-0.6	-203.6
-605.0	-2005.9							
		G1		I	-128.9	-0.2	0.4	-28.0
463.0	392.7			J	-128.9	-0.2	2.0	-28.0
-600.9	549.8							
		G2		I	-54.0	0.6	0.5	-12.6
226.5	-636.1			J	-54.0	0.6	0.5	-12.6
-196.4	-1116.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	16.4	-0.4	0.0	0.4
14.1	537.8			J	16.4	-0.4	0.0	0.4
-11.8	871.7							
		Q5_pc	Y	I	-65.9	0.5	0.0	-3.6
3.4	-898.1			J	-65.9	0.5	0.0	-3.6
-17.2	-1368.9							
		Q5_ps	X	I	16.5	-0.5	0.0	0.7
11.8	673.9			J	16.5	-0.5	0.0	0.7
-7.9	1104.6							
		Q5_ps	Y	I	-64.3	0.7	0.0	-6.6
7.9	-1141.8			J	-64.3	0.7	0.0	-6.6
-23.6	-1756.9							
		INVSLU	Max	I	-2107.0	14.9	3.5	566.3
2095.1	39294.2			J	-2107.0	14.9	5.7	566.3
276.9	51388.5		Min	I	-2757.1	-28.8	-1.5	-557.3
-61.0	13184.0			J	-2757.1	-28.8	0.7	-557.3
								-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1889.0	11128.1							
		INVSLE	Max	I	-1661.2	11.3	2.6	419.5
1557.9	28268.4			J	-1661.2	11.3	4.2	419.5
196.7	36951.4							
		Min		I	-2133.9	-21.0	-1.1	-412.3
-37.4	9047.3			J	-2133.9	-21.0	0.5	-412.3
1405.4	7311.4							-
4951	2	69 C1-C2;~1	Max	I	131.2	7.2	2.6	674.5
1187.4	23714.7			J	131.2	7.2	2.6	674.5
483.8	41525.2							
		Min		I	-266.3	-31.8	-0.9	-442.6
-332.8	-2915.9			J	-266.3	-31.8	-0.9	-442.6
1038.9	-5249.9							-
		C3-C4;~1	Max	I	146.4	5.7	3.4	469.4
1593.6	15252.9			J	146.4	5.7	3.4	469.4
594.9	28916.3							
		Min		I	-310.7	-18.7	-1.1	-398.9
-379.5	-4269.8			J	-310.7	-18.7	-1.1	-398.9
1393.6	-7197.3							-
		C1-C2;~2	Max	I	69.1	4.4	1.4	456.9
682.6	16621.2			J	69.1	4.4	1.4	456.9
271.9	28750.2							
		Min		I	-148.6	-22.2	-0.5	-286.8
-179.1	-1509.8			J	-148.6	-22.2	-0.5	-286.8
-576.3	-2361.4							
		C3-C4;~2	Max	I	75.8	2.6	2.0	310.9
928.1	10395.4			J	75.8	2.6	2.0	310.9
346.8	19498.0							
		Min		I	-172.6	-12.6	-0.6	-228.2
-206.6	-2007.3			J	-172.6	-12.6	-0.6	-228.2
-779.0	-3135.6							
		G1		I	-138.5	-1.2	0.6	-31.7
649.5	542.8			J	-138.5	-1.2	2.8	-31.7
-821.3	1546.8							
		G2		I	-57.9	1.3	0.7	-39.7
317.2	-1119.1			J	-57.9	1.3	0.7	-39.7
-273.6	-2244.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	17.4	-0.9	0.0	12.9
13.6	877.5			J	17.4	-0.9	0.0	12.9
-13.3	1698.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

23.5	-1351.6	Q5_pc	Y	I	-73.2	1.4	0.1	-22.4	
-26.6	-2589.7			J	-73.2	1.4	0.1	-22.4	
10.2	1110.0	Q5_ps	X	I	17.4	-1.3	0.0	17.9	
-7.3	2211.5			J	17.4	-1.3	0.0	17.9	
29.6	-1740.4	Q5_ps	Y	I	-71.3	1.9	0.1	-34.3	
-36.4	-3422.9			J	-71.3	1.9	0.1	-34.3	
2739.0	51378.2	INVSLU	Max	I	-2011.7	29.7	4.4	1425.9	
417.3	60268.8			J	-2011.7	29.7	7.3	1425.9	
33.1	11166.3		Min	I	-2760.5	-25.5	-1.9	-122.4	
2315.0	-10168.2			J	-2760.5	-25.5	1.0	-122.4	-
2046.2	36946.7	INVSLE	Max	I	-1597.5	21.8	3.3	1037.3	
313.0	43517.1			J	-1597.5	21.8	5.4	1037.3	
44.9	7340.3		Min	I	-2142.4	-18.9	-1.4	-106.6	
1707.3	-8313.2			J	-2142.4	-18.9	0.8	-106.6	-
4952	2	69 C1-C2;~1	Max	I	157.4	131.8	3.1	1261.0	
1432.9	41526.3			J	157.4	131.8	3.1	1261.0	
352.7	20684.4		Min	I	-307.8	-29.8	-0.8	-206.6	
-326.1	-5251.3			J	-307.8	-29.8	-0.8	-206.6	-
1280.5	-76072.1								
1760.8	28918.0	C3-C4;~1	Max	I	176.0	109.8	3.9	934.0	
424.1	26238.6			J	176.0	109.8	3.9	934.0	
-366.4	-7198.8		Min	I	-349.4	-38.4	-0.9	-321.4	
1595.8	-66782.9			J	-349.4	-38.4	-0.9	-321.4	-
845.2	28750.5	C1-C2;~2	Max	I	83.1	86.2	1.8	857.1	
183.4	9442.6			J	83.1	86.2	1.8	857.1	
-175.5	-2362.4		Min	I	-172.6	-13.6	-0.4	-92.7	
-736.3	-48432.4			J	-172.6	-13.6	-0.4	-92.7	
1040.2	19498.6	C3-C4;~2	Max	I	91.4	70.6	2.3	619.5	
222.1	11626.6			J	91.4	70.6	2.3	619.5	
			Min	I	-194.8	-17.0	-0.5	-141.3	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-193.2	-3136.6		J	-194.8	-17.0	-0.5	-141.3	
-918.6	-42120.0							
		G1	I	-143.7	6.9	0.8	6.5	
688.8	1549.3		J	-143.7	6.9	2.9	6.5	
-890.0	-4420.2							
		G2	I	-58.0	-12.5	0.6	-112.2	
293.3	-2242.6		J	-58.0	-12.5	0.6	-112.2	
-254.1	8595.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	15.6	7.6	0.1	55.9	
37.0	1705.3		J	15.6	7.6	0.1	55.9	
-39.0	-4860.2							
		Q5_pc Y	I	-74.6	-10.7	-0.0	-83.7	
-15.5	-2571.8		J	-74.6	-10.7	-0.0	-83.7	
14.7	6722.4							
		Q5_ps X	I	15.2	10.4	0.1	77.7	
42.4	2218.1		J	15.2	10.4	0.1	77.7	
-43.6	-6778.4							
		Q5_ps Y	I	-71.9	-15.3	-0.1	-123.2	
-23.2	-3405.7		J	-71.9	-15.3	-0.1	-123.2	
21.6	9890.6							
		INVSLE Max	I	-1869.5	145.2	4.7	2639.4	
2838.9	60245.1		J	-1869.5	145.2	7.6	2639.4	
298.0	80025.5							
		Min	I	-2713.3	-103.8	-1.9	352.4	
-99.3	-10163.0		J	-2713.3	-103.8	1.0	352.4	-
2499.0	-70194.3							
		INVSLE Max	I	-1493.5	100.8	3.5	1919.6	
2111.1	43500.4		J	-1493.5	100.8	5.6	1919.6	
221.0	63114.6							
		Min	I	-2108.5	-82.2	-1.4	236.7	
-60.4	-8310.9		J	-2108.5	-82.2	0.8	236.7	-
1845.7	-47263.0							
		69 C1-C2;~1 Max	I	183.2	30.5	2.6	254.1	
4953	2		J	183.2	30.5	2.6	254.1	
1164.7	20637.2							
		Min	I	-343.8	-135.2	-1.1	-1403.6	
541.8	44095.9		J	-343.8	-135.2	-1.1	-1403.6	-
-439.1	-75915.5							
1087.3	-6067.8							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1501.8	26184.9	C3-C4;~1 Max	I	205.2	38.8	3.4	306.6
			J	205.2	38.8	3.4	306.6
623.4	31529.2	Min	I	-386.9	-113.0	-1.3	-1071.3
-501.5	-66641.4		J	-386.9	-113.0	-1.3	-1071.3
1425.6	-8003.9						-
		C1-C2;~2 Max	I	96.9	13.9	1.5	115.7
659.7	9415.6		J	96.9	13.9	1.5	115.7
320.7	30427.0	Min	I	-193.5	-88.5	-0.7	-941.1
-255.2	-48339.2		J	-193.5	-88.5	-0.7	-941.1
-603.2	-2765.0						
		C3-C4;~2 Max	I	106.7	17.1	1.9	136.4
838.1	11596.4		J	106.7	17.1	1.9	136.4
376.2	21242.2	Min	I	-216.6	-72.9	-0.8	-704.4
-296.6	-42037.9		J	-216.6	-72.9	-0.8	-704.4
-782.4	-3585.0						
		G1	I	-144.2	-7.2	0.9	-98.2
761.5	-4348.0		J	-144.2	-7.2	3.1	-98.2
-984.2	1923.1						
		G2	I	-57.0	12.6	0.9	74.4
389.9	8620.7		J	-57.0	12.6	0.9	74.4
-356.0	-2336.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	13.1	-7.8	0.0	-58.0
8.3	-4846.0		J	13.1	-7.8	0.0	-58.0
-12.7	1889.2						
		Q5_pc Y	I	-76.3	11.0	0.1	80.9
55.3	6731.4		J	-76.3	11.0	0.1	80.9
-55.8	-2802.9						
		Q5_ps X	I	12.6	-10.6	-0.0	-79.6
-4.2	-6764.0		J	12.6	-10.6	-0.0	-79.6
-0.1	2449.8						
		Q5_ps Y	I	-73.1	15.7	0.2	112.4
75.0	9897.8		J	-73.1	15.7	0.2	112.4
-75.1	-3662.9						
		INVSLU Max	I	-1679.2	141.5	3.4	660.9
2164.5	79867.4		J	-1679.2	141.5	6.3	660.9
810.2	31848.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-639.5	-70084.7		Min	I	-2616.0	-113.2	-3.1	-1793.5	
				J	-2616.0	-113.2	-0.2	-1793.5	-
2056.5	-43532.1								
		INVSLE	Max	I	-1349.5	111.2	2.4	536.2	
1556.9	62986.0			J	-1349.5	111.2	4.6	536.2	
652.2	21537.4								
			Min	I	-2033.3	-76.0	-2.4	-1271.1	
-512.8	-47192.1			J	-2033.3	-76.0	-0.3	-1271.1	-
1463.9	-33926.0								
4954	2	69	C1-C2;~1	Max	I	210.8	27.7	3.3	393.6
1503.6	44098.9			J	210.8	27.7	3.3	393.6	
319.9	35663.7								
			Min	I	-364.0	-16.3	-0.8	-794.5	
-350.5	-6068.0			J	-364.0	-16.3	-0.8	-794.5	-
1340.5	-5723.3								
		C3-C4;~1	Max	I	236.6	16.1	4.1	302.6	
1898.4	31531.6			J	236.6	16.1	4.1	302.6	
363.8	24796.7								
			Min	I	-414.3	-8.6	-0.8	-627.2	
-375.6	-8005.0			J	-414.3	-8.6	-0.8	-627.2	-
1700.4	-6761.6								
		C1-C2;~2	Max	I	111.6	19.3	1.9	251.6	
870.8	30429.1			J	111.6	19.3	1.9	251.6	
177.0	24801.2								
			Min	I	-203.4	-11.2	-0.4	-535.5	
-190.7	-2764.9			J	-203.4	-11.2	-0.4	-535.5	
-770.7	-3147.9								
		C3-C4;~2	Max	I	123.2	10.5	2.4	170.8	
1103.5	21244.0			J	123.2	10.5	2.4	170.8	
203.1	16852.8								
			Min	I	-230.2	-4.9	-0.4	-391.3	
-202.5	-3585.5			J	-230.2	-4.9	-0.4	-391.3	
-974.3	-3270.8								
		G1		I	-142.0	0.8	1.3	-57.0	
908.6	1921.7			J	-142.0	0.8	3.4	-57.0	-
1151.6	1205.9								
		G2		I	-57.7	-0.6	0.9	0.2	
401.1	-2338.2			J	-57.7	-0.6	0.9	0.2	
-381.4	-1822.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	12.3	0.4	0.1	-12.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
31.4	1894.7			J	12.3	0.4	0.1	-12.2
-33.1	1534.5							
		Q5_pc	Y	I	-83.1	-0.4	0.1	17.1
28.9	-2790.0			J	-83.1	-0.4	0.1	17.1
-40.0	-2422.2							
		Q5_ps	X	I	12.3	0.6	0.1	-16.3
29.5	2455.1			J	12.3	0.6	0.1	-16.3
-29.4	1939.6							
		Q5_ps	Y	I	-80.3	-0.7	0.1	21.0
32.1	-3650.9			J	-80.3	-0.7	0.1	21.0
-45.1	-3012.8							
		INVSLU	Max	I	-1401.8	45.1	3.9	752.6
2428.6	31844.5			J	-1401.8	45.1	6.8	752.6
635.9	13800.7							
			Min	I	-2430.1	-15.1	-2.9	-882.2
-697.9	-43517.6			J	-2430.1	-15.1	-0.0	-882.2
2222.8	-47833.3							-
		INVSLE	Max	I	-1138.7	34.4	2.8	593.4
1750.9	21535.8			J	-1138.7	34.4	4.9	593.4
532.3	7276.3							
			Min	I	-1889.4	-10.1	-2.3	-615.3
-560.8	-33916.0			J	-1889.4	-10.1	-0.1	-615.3
1579.9	-38055.6							-
		69 C1-C2;~1	Max	I	257.0	22.4	4.0	501.0
4955	2			J	257.0	22.4	4.0	501.0
1784.4	35663.3							
			Min	I	-422.6	-24.4	-1.1	-692.0
450.0	34689.6			J	-422.6	-24.4	-1.1	-692.0
-472.7	-5724.2							-
1704.2	-4796.4							
		C3-C4;~1	Max	I	289.0	13.9	5.1	351.4
2263.8	24797.1			J	289.0	13.9	5.1	351.4
485.4	24302.6							
			Min	I	-483.6	-13.7	-1.2	-550.7
-511.7	-6761.2			J	-483.6	-13.7	-1.2	-550.7
2143.5	-6920.3							-
		C1-C2;~2	Max	I	136.3	15.5	2.3	334.1
1016.7	24800.7			J	136.3	15.5	2.3	334.1
236.1	24271.6							
			Min	I	-235.8	-17.1	-0.6	-468.5
-245.0	-3148.4			J	-235.8	-17.1	-0.6	-468.5
-969.8	-2078.5							
		C3-C4;~2	Max	I	150.6	8.8	2.9	208.8
1296.0	16852.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
252.3	16702.0		J	150.6	8.8	2.9	208.8	
		Min	I	-268.9	-8.6	-0.6	-344.4	
-262.5	-3270.5		J	-268.9	-8.6	-0.6	-344.4	-
1217.6	-3441.9							
		G1	I	-149.4	1.2	1.7	-48.2	
1073.6	1207.0		J	-149.4	1.2	3.9	-48.2	-
1357.6	178.1							
		G2	I	-60.2	0.5	1.1	-23.6	
473.8	-1821.7		J	-60.2	0.5	1.1	-23.6	
-466.3	-2221.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	10.9	-0.1	0.1	2.8	
29.9	1535.8		J	10.9	-0.1	0.1	2.8	
-33.1	1602.1							
		Q5_pc Y	I	-94.1	0.7	0.2	-2.5	
75.4	-2418.8		J	-94.1	0.7	0.2	-2.5	
-94.5	-3037.2							
		Q5_ps X	I	11.0	-0.1	0.1	3.8	
25.4	1940.8		J	11.0	-0.1	0.1	3.8	
-27.4	1990.9							
		Q5_ps Y	I	-90.9	0.7	0.2	-6.0	
81.2	-3009.5		J	-90.9	0.7	0.2	-6.0	
-100.7	-3593.8							
		INVSLU Max	I	-995.0	27.1	4.9	769.3	
2826.9	13791.9		J	-995.0	27.1	7.8	769.3	
1019.1	16297.1							
		Min	I	-2207.6	-37.3	-3.8	-846.3	-
1055.7	-47835.0		J	-2207.6	-37.3	-1.0	-846.3	-
2700.1	-45343.4							
		INVSLE Max	I	-828.6	19.7	3.4	589.5	
2008.4	7269.7		J	-828.6	19.7	5.6	589.5	
851.6	9360.9							
		Min	I	-1714.2	-27.9	-3.0	-606.9	
-857.5	-38057.4		J	-1714.2	-27.9	-0.9	-606.9	-
1890.7	-35893.7							
		69 C1-C2;~1 Max	I	344.2	30.4	5.5	659.0	
4956	2		J	344.2	30.4	5.5	659.0	
2344.7	34691.6							
		Min	I	-549.8	-41.0	-1.9	-579.1	
832.8	56132.2							
-771.2	-4796.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2455.0	-27469.7		J	-549.8	-41.0	-1.9	-579.1	-
2973.8	24305.5	C3-C4;~1 Max	I	387.7	23.6	7.0	460.4	
920.1	40602.9		J	387.7	23.6	7.0	460.4	
-851.4	-6921.2	Min	I	-633.5	-27.5	-2.0	-501.1	
3069.6	-23806.8		J	-633.5	-27.5	-2.0	-501.1	-
1314.4	24273.0	C1-C2;~2 Max	I	182.5	20.6	3.1	448.2	
419.4	39418.9		J	182.5	20.6	3.1	448.2	
-387.9	-2078.4	Min	I	-306.8	-28.8	-0.9	-387.1	
1374.2	-18338.6		J	-306.8	-28.8	-0.9	-387.1	-
1677.9	16703.9	C3-C4;~2 Max	I	202.0	15.0	3.9	306.5	
457.7	28328.3		J	202.0	15.0	3.9	306.5	
-423.1	-3442.3	Min	I	-353.1	-18.5	-1.0	-303.5	
1718.8	-14556.7		J	-353.1	-18.5	-1.0	-303.5	-
1336.3	177.4	G1	I	-178.0	1.5	2.4	-48.4	
1701.7	-1158.9		J	-178.0	1.5	4.6	-48.4	-
586.9	-2222.6	G2	I	-70.9	0.5	1.4	-53.2	
-611.0	-2633.5		J	-70.9	0.5	1.4	-53.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
22.7	1600.0	Q5_pc X	I	9.8	-0.1	0.1	19.8	
-24.9	1676.6		J	9.8	-0.1	0.1	19.8	
178.7	-3044.4	Q5_pc Y	I	-116.3	1.0	0.5	-31.3	
-227.3	-3873.6		J	-116.3	1.0	0.5	-31.3	
14.4	1989.0	Q5_ps X	I	10.0	-0.0	0.0	26.0	
-15.1	2029.0		J	10.0	-0.0	0.0	26.0	
186.6	-3600.7	Q5_ps Y	I	-112.3	1.0	0.5	-42.4	
-235.3	-4463.8		J	-112.3	1.0	0.5	-42.4	
		INVSLU Max	I	-432.1	21.6	5.6	699.8	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3036.4	16303.7			J	-432.1	21.6	8.5	699.8	
2747.0	63520.7		Min	I	-2020.1	-76.5	-7.4	-1028.0	-
2449.3	-45353.5			J	-2020.1	-76.5	-4.6	-1028.0	-
3048.1	-56314.4								
			INVSLE Max	I	-396.5	14.3	3.7	518.9	
2077.4	9365.1			J	-396.5	14.3	5.8	518.9	
2227.9	45701.4		Min	I	-1557.3	-58.2	-5.9	-756.8	-
1962.3	-35901.0			J	-1557.3	-58.2	-3.8	-756.8	-
2034.5	-42548.8								
4957	2	69	C1-C2;~1 Max	I	548.4	127.4	9.7	1349.3	
3791.8	56128.3			J	548.4	127.4	9.7	1349.3	
1978.1	22176.1		Min	I	-886.7	-29.6	-4.0	-486.8	-
1522.9	-27470.2			J	-886.7	-29.6	-4.0	-486.8	-
4595.5	-125132.6								
			C3-C4;~1 Max	I	617.9	110.8	11.7	991.7	
4596.1	40600.1			J	617.9	110.8	11.7	991.7	
2208.7	22766.8		Min	I	-1020.4	-32.8	-4.5	-531.7	-
1698.2	-23804.3			J	-1020.4	-32.8	-4.5	-531.7	-
5526.9	-101423.6								
			C1-C2;~2 Max	I	290.3	84.4	5.4	922.5	
2138.0	39416.5			J	290.3	84.4	5.4	922.5	
1023.2	9734.8		Min	I	-495.8	-12.8	-2.1	-296.9	
-785.1	-18339.6			J	-495.8	-12.8	-2.1	-296.9	-
2577.5	-85417.1								
			C3-C4;~2 Max	I	321.5	73.0	6.6	664.7	
2597.7	28326.7			J	321.5	73.0	6.6	664.7	
1126.1	9989.4		Min	I	-569.3	-14.4	-2.3	-284.3	
-863.2	-14556.0			J	-569.3	-14.4	-2.3	-284.3	-
3101.1	-68494.2								
			G1	I	-283.4	-4.0	3.9	-58.5	
1825.7	-1156.3			J	-283.4	-4.0	6.1	-58.5	-
2496.4	2309.0								
			G2	I	-109.3	-18.6	1.9	-135.9	
754.0	-2631.6			J	-109.3	-18.6	1.9	-135.9	
-887.0	13474.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
34.2	1670.2	Q5_pc X	I	6.3	9.5	0.1	66.9	
-41.4	-6564.5		J	6.3	9.5	0.1	66.9	
340.5	-3886.0	Q5_pc Y	I	-164.0	-16.6	1.0	-118.8	
-482.5	10470.0		J	-164.0	-16.6	1.0	-118.8	
30.4	2022.7	Q5_ps X	I	6.7	12.6	0.1	87.7	
-35.7	-8905.6		J	6.7	12.6	0.1	87.7	
334.7	-4475.2	Q5_ps Y	I	-158.4	-21.1	0.9	-153.2	
-473.5	13801.6		J	-158.4	-21.1	0.9	-153.2	
3785.1	63528.0	INVS LU Max	I	542.8	106.8	7.3	1382.7	
7491.9	93783.4		J	542.8	106.8	10.2	1382.7	
5325.0	-56324.7	Min	I	-1964.2	-139.2	-16.2	-1370.5	-
3819.7	-124726.7		J	-1964.2	-139.2	-13.4	-1370.5	-
2445.6	45705.7	INVS LE Max	I	365.9	73.4	4.4	1009.5	
6027.3	71681.6		J	365.9	73.4	6.5	1009.5	
4257.2	-42555.9	Min	I	-1469.3	-106.6	-12.9	-1014.1	-
2287.3	-88781.7		J	-1469.3	-106.6	-10.8	-1014.1	-
4958	2	69 C1-C2;~1 Max	I	750.2	33.0	19.4	554.2	
7934.2	22202.8		J	750.2	33.0	19.4	554.2	
3561.3	111579.0	Min	I	-1166.1	-258.1	-8.2	-3461.9	-
3527.5	-125037.5		J	-1166.1	-258.1	-8.2	-3461.9	-
8861.3	-36129.1							
9885.5	22827.9	C3-C4;~1 Max	I	847.5	34.5	24.3	478.3	
3946.1	80588.5		J	847.5	34.5	24.3	478.3	
3922.8	-101360.0	Min	I	-1335.6	-199.2	-9.1	-2683.3	-
1176.9	-29957.0		J	-1335.6	-199.2	-9.1	-2683.3	-1
4394.8	9747.7	C1-C2;~2 Max	I	397.8	14.6	10.7	311.1	
1819.8	79315.7		J	397.8	14.6	10.7	311.1	
1821.4	-85349.0	Min	I	-655.5	-180.7	-4.2	-2414.2	-
4885.6	-24125.0		J	-655.5	-180.7	-4.2	-2414.2	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5500.6	10012.6	C3-C4; ~2	Max	I	441.7	15.5	13.5	232.8	
				J	441.7	15.5	13.5	232.8	
1989.4	56940.2		Min	I	-748.9	-137.9	-4.6	-1860.7	-
1996.3	-68444.6			J	-748.9	-137.9	-4.6	-1860.7	-
6184.1	-18752.5								
		G1		I	-306.3	0.8	10.2	-80.9	
4239.0	2387.0			J	-306.3	0.8	12.4	-80.9	-
5543.8	1683.5								
		G2		I	-121.1	18.1	4.5	138.8	
1732.7	13504.6			J	-121.1	18.1	4.5	138.8	-
2137.5	-2159.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	4.2	-10.5	0.3	-98.5	
109.3	-6527.7			J	4.2	-10.5	0.3	-98.5	
-189.5	2548.7								
		Q5_pc	Y	I	-213.7	17.7	1.9	136.7	
813.2	10626.5			J	-213.7	17.7	1.9	136.7	
-811.7	-4712.5								
		Q5_ps	X	I	4.7	-13.8	0.2	-131.0	
73.9	-8872.4			J	4.7	-13.8	0.2	-131.0	
-141.5	3106.6								
		Q5_ps	Y	I	-205.9	22.3	2.0	176.7	
837.2	13953.3			J	-205.9	22.3	2.0	176.7	
-852.7	-5329.6								
		INVSLU	Max	I	1545.6	117.7	19.5	1585.1	
7618.8	93972.3			J	1545.6	117.7	22.4	1585.1	1
1310.4	160644.7		Min	I	-1786.2	-309.2	-28.9	-4082.7	-1
2486.1	-124773.7			J	-1786.2	-309.2	-26.0	-4082.7	-1
0566.7	-47243.8								
		INVSLE	Max	I	1150.0	88.8	12.5	1236.9	
4794.1	71799.3			J	1150.0	88.8	14.7	1236.9	
9100.2	119202.9		Min	I	-1289.5	-225.1	-23.1	-2943.2	-
9990.0	-88817.9			J	-1289.5	-225.1	-21.0	-2943.2	-
6996.8	-34160.3								
4959	2	69 C1-C2; ~1	Max	I	761.4	107.1	25.1	1311.9	1
0916.0	111594.4			J	761.4	107.1	25.1	1311.9	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3465.2	125170.7		Min	I	-1021.4	-143.6	-8.4	-2724.2	-
3786.5	-36126.0			J	-1021.4	-143.6	-8.4	-2724.2	-1
0863.5	-23990.5								
		C3-C4;~1	Max	I	864.7	70.8	31.2	884.1	1
3471.8	80602.8			J	864.7	70.8	31.2	884.1	
3820.8	93196.5		Min	I	-1166.1	-98.8	-9.2	-2053.2	-
4190.3	-29954.7			J	-1166.1	-98.8	-9.2	-2053.2	-1
3533.4	-19099.0								
		C1-C2;~2	Max	I	406.2	75.5	14.0	878.2	
6087.4	79325.6			J	406.2	75.5	14.0	878.2	
1736.3	89076.0		Min	I	-577.0	-102.2	-4.2	-1897.0	-
1916.1	-24121.8			J	-577.0	-102.2	-4.2	-1897.0	-
6052.1	-15075.0								
		C3-C4;~2	Max	I	453.1	48.3	17.3	556.1	
7474.9	56949.3			J	453.1	48.3	17.3	556.1	
1892.8	66044.6		Min	I	-660.7	-70.0	-4.6	-1423.2	-
2094.4	-18749.7			J	-660.7	-70.0	-4.6	-1423.2	-
7499.9	-11041.9								
		G1		I	-126.5	1.1	14.9	-62.6	
6583.0	1686.1			J	-126.5	1.1	17.0	-62.6	-
7214.1	769.1								
		G2		I	-50.7	2.9	6.2	54.5	
2621.8	-2159.9			J	-50.7	2.9	6.2	54.5	-
2751.9	-4629.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	4.7	-0.7	0.8	-40.1	
324.5	2549.1			J	4.7	-0.7	0.8	-40.1	
-377.3	3185.1								
		Q5_pc	Y	I	-216.4	2.2	1.5	59.3	
710.5	-4712.5			J	-216.4	2.2	1.5	59.3	
-620.6	-6608.1								
		Q5_ps	X	I	4.5	-1.1	0.7	-52.8	
275.3	3107.1			J	4.5	-1.1	0.7	-52.8	
-320.9	4058.4								
		Q5_ps	Y	I	-207.0	2.7	1.7	73.0	
754.4	-5329.8			J	-207.0	2.7	1.7	73.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-676.9	-7641.5							
4732.4	160652.1	INVSLE Max	I	1884.0	143.8	34.0	2039.4	1
8603.9	183102.9		J	1884.0	143.8	36.9	2039.4	
0390.4	-47252.9	Min	I	-1247.2	-198.6	-23.4	-3516.1	-1
5941.4	-30159.3		J	-1247.2	-198.6	-20.5	-3516.1	-1
0181.6	119207.0	INVSLE Max	I	1398.9	105.7	23.5	1543.1	1
6962.0	136335.0		J	1398.9	105.7	25.7	1543.1	
8333.1	-34168.3	Min	I	-891.6	-147.7	-18.7	-2564.2	-
1136.9	-20755.9		J	-891.6	-147.7	-16.6	-2564.2	-1
4960	2	69 C1-C2;~1 Max	I	786.6	134.6	25.7	1930.9	1
1198.7	125164.6		J	786.6	134.6	25.7	1930.9	
3352.3	125959.4	Min	I	-902.9	-133.2	-7.9	-2103.2	-
3510.4	-23991.3		J	-902.9	-133.2	-7.9	-2103.2	-1
1100.9	-24002.0							
4083.3	93191.4	C3-C4;~1 Max	I	897.2	92.4	32.5	1337.0	1
3677.7	95159.2		J	897.2	92.4	32.5	1337.0	
3869.9	-19099.3	Min	I	-1025.0	-91.5	-8.6	-1612.9	-
4060.3	-18987.8		J	-1025.0	-91.5	-8.6	-1612.9	-1
6175.5	89071.6	C1-C2;~2 Max	I	421.7	95.3	14.2	1337.8	
1678.8	89703.6		J	421.7	95.3	14.2	1337.8	
1749.2	-15075.6	Min	I	-512.8	-94.4	-3.9	-1455.3	-
6111.4	-14970.2		J	-512.8	-94.4	-3.9	-1455.3	-
7726.8	66041.1	C3-C4;~2 Max	I	472.1	63.3	17.8	915.9	
1823.0	67612.0		J	472.1	63.3	17.8	915.9	
1908.0	-11042.2	Min	I	-586.8	-62.7	-4.3	-1067.5	-
7701.7	-10966.6		J	-586.8	-62.7	-4.3	-1067.5	-
7509.9	768.9	G1	I	37.4	0.9	16.9	-55.3	
8041.4	-4.1		J	37.4	0.9	19.0	-55.3	-
3004.8	-4629.5	G2	I	12.3	0.5	7.0	-20.2	
3096.8	-5039.1		J	12.3	0.5	7.0	-20.2	-

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
444.9	3185.9		Q5_pc X	I	5.3	0.4	1.1	2.6	
-481.7	2851.3			J	5.3	0.4	1.1	2.6	
535.4	-6609.3		Q5_pc Y	I	-224.1	0.1	1.2	-7.1	
-474.6	-6694.5			J	-224.1	0.1	1.2	-7.1	
375.9	4059.2		Q5_ps X	I	4.7	0.4	0.9	4.0	
-407.4	3720.5			J	4.7	0.4	0.9	4.0	
612.6	-7642.6		Q5_ps Y	I	-213.5	0.1	1.4	-11.6	
-560.5	-7757.7			J	-213.5	0.1	1.4	-11.6	
7213.2	183099.3		INVS LU Max	I	2362.8	184.1	39.3	2482.5	1
6696.1	182391.7			J	2362.8	184.1	42.2	2482.5	
7987.4	-30157.9		Min	I	-635.6	-178.1	-18.3	-2976.2	-
8117.2	-32106.2			J	-635.6	-178.1	-15.4	-2976.2	-1
2146.2	136332.5		INVS LE Max	I	1756.2	136.4	27.8	1852.6	1
5469.6	135773.4			J	1756.2	136.4	29.9	1852.6	
6449.4	-20754.5		Min	I	-434.9	-131.9	-14.8	-2189.9	-
2846.4	-22221.4			J	-434.9	-131.9	-12.6	-2189.9	-1
4961	2	69	C1-C2;~1 Max	I	812.8	141.9	25.9	2523.7	1
1346.8	125964.3			J	812.8	141.9	25.9	2523.7	
3325.9	113007.8		Min	I	-809.0	-106.7	-7.8	-1463.3	-
3459.6	-24002.4			J	-809.0	-106.7	-7.8	-1463.3	-1
1125.5	-38903.4								
4446.6	95162.7		C3-C4;~1 Max	I	933.0	98.8	33.0	1877.8	1
3641.4	82058.3			J	933.0	98.8	33.0	1877.8	
3803.5	-18989.0		Min	I	-903.0	-71.1	-8.6	-1128.6	-
4241.3	-31499.0			J	-903.0	-71.1	-8.6	-1128.6	-1
6229.5	89707.3		C1-C2;~2 Max	I	437.0	100.0	14.2	1766.4	
1675.7	80080.7			J	437.0	100.0	14.2	1766.4	
			Min	I	-466.2	-75.0	-3.9	-986.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1727.5	-14970.4			J	-466.2	-75.0	-3.9	-986.9	-
6100.4	-25039.2								
7896.7	67614.6	C3-C4;~2	Max	I	491.9	69.4	18.0	1308.7	
1816.8	58012.7			J	491.9	69.4	18.0	1308.7	
1879.7	-10967.4		Min	I	-526.0	-48.3	-4.3	-712.5	-
7774.8	-19435.5			J	-526.0	-48.3	-4.3	-712.5	-
7931.5	-5.5		G1	I	207.1	1.8	17.6	-56.7	
8313.3	-1548.9			J	207.1	1.8	19.8	-56.7	-
3192.4	-5040.1		G2	I	79.8	-2.2	7.4	-101.2	
3225.6	-3153.1			J	79.8	-2.2	7.4	-101.2	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
509.2	2853.3		Q5_pc X	I	4.2	1.9	1.2	45.1	
-530.1	1163.4			J	4.2	1.9	1.2	45.1	
438.6	-6697.5		Q5_pc Y	I	-229.7	-2.6	1.0	-79.3	
-392.7	-4461.4			J	-229.7	-2.6	1.0	-79.3	
427.3	3722.5		Q5_ps X	I	2.7	2.4	1.0	60.5	
-444.7	1612.1			J	2.7	2.4	1.0	60.5	
536.5	-7760.7		Q5_ps Y	I	-217.1	-3.1	1.2	-102.7	
-496.2	-5046.8			J	-217.1	-3.1	1.2	-102.7	
8476.3	182399.3		INVSLU Max	I	2840.8	197.6	41.8	3129.5	1
5982.6	159640.9			J	2840.8	197.6	44.7	3129.5	
7077.9	-32111.3		Min	I	-51.2	-142.6	-16.5	-2395.7	-
9113.1	-53469.7			J	-51.2	-142.6	-13.6	-2395.7	-1
3149.2	135778.8		INVSLE Max	I	2111.6	146.7	29.8	2318.1	1
4866.6	118622.4			J	2111.6	146.7	31.9	2318.1	
5712.0	-22224.9		Min	I	-0.0	-105.0	-13.3	-1764.1	-
3652.2	-38642.5			J	-0.0	-105.0	-11.1	-1764.1	-1


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4962	2	69	C1-C2;~1	Max	I	866.8	256.5	25.7	3377.4	1
1244.2	113000.0				J	866.8	256.5	25.7	3377.4	
3305.7	25842.5			Min	I	-737.0	-32.1	-7.8	-885.6	-
3447.4	-38897.6				J	-737.0	-32.1	-7.8	-885.6	-1
0928.8	-122083.8									
4360.9	82052.9		C3-C4;~1	Max	I	1002.3	199.7	32.9	2622.6	1
3630.3	19516.2				J	1002.3	199.7	32.9	2622.6	
3797.5	-31490.3			Min	I	-807.9	-28.8	-8.6	-861.0	-
4005.5	-99182.3				J	-807.9	-28.8	-8.6	-861.0	-1
6131.6	80076.0		C1-C2;~2	Max	I	463.7	178.5	14.0	2377.1	
1657.1	12069.8				J	463.7	178.5	14.0	2377.1	
1717.8	-25037.3			Min	I	-427.0	-14.1	-3.9	-550.7	-
5951.9	-80884.0				J	-427.0	-14.1	-3.9	-550.7	-
7814.1	58009.4		C3-C4;~2	Max	I	525.2	138.2	17.9	1840.9	
1801.6	8336.4				J	525.2	138.2	17.9	1840.9	
1872.6	-19432.2			Min	I	-473.5	-13.4	-4.3	-502.9	-
7611.5	-65497.3				J	-473.5	-13.4	-4.3	-502.9	-
7885.9	-1539.3		G1		I	376.2	0.6	17.5	-95.1	
8125.6	-2081.6				J	376.2	0.6	19.6	-95.1	-
3123.6	-3148.1		G2		I	145.8	-19.5	7.2	-211.8	
3101.6	13700.9				J	145.8	-19.5	7.2	-211.8	-
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
573.5	1155.7		Q5_pc	X	I	-0.0	12.0	1.3	97.6	
-582.5	-9227.1				J	-0.0	12.0	1.3	97.6	
343.9	-4449.1		Q5_pc	Y	I	-234.9	-19.8	0.8	-167.4	
-314.6	12642.6				J	-234.9	-19.8	0.8	-167.4	
502.0	1604.5		Q5_ps	X	I	-1.8	15.6	1.2	131.0	
-509.2	-11850.8				J	-1.8	15.6	1.2	131.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
430.0	-5034.7	Q5_ps Y	I	-221.1	-24.4	1.0	-216.4	
			J	-221.1	-24.4	1.0	-216.4	
-403.0	15987.1							
9282.9	159621.9	INVS LU Max	I	3330.5	338.5	43.9	4170.3	1
			J	3330.5	338.5	46.8	4170.3	
5003.9	71397.4							
6263.3	-53448.3	Min	I	463.9	-86.7	-14.5	-1886.0	-
			J	463.9	-86.7	-11.6	-1886.0	-1
9852.9	-151059.9							
3813.8	118608.6	INVS LE Max	I	2475.1	249.4	31.5	3079.7	1
			J	2475.1	249.4	33.6	3079.7	
4069.6	52737.9							
5032.8	-38628.0	Min	I	383.0	-62.9	-11.6	-1384.2	-
			J	383.0	-62.9	-9.5	-1384.2	-1
4265.2	-110359.5							
4963	2	69 C1-C2;~1 Max	I	932.9	31.0	24.2	828.7	1
0608.2	25815.4		J	932.9	31.0	24.2	828.7	
3396.5	113848.6							
3554.4	-121877.1	Min	I	-676.6	-258.1	-8.1	-3444.9	-
			J	-676.6	-258.1	-8.1	-3444.9	-1
0282.8	-37282.9							
3660.0	19495.1	C3-C4;~1 Max	I	1088.5	26.8	31.2	714.2	1
			J	1088.5	26.8	31.2	714.2	
3749.8	84290.5							
3926.0	-98958.3	Min	I	-738.2	-201.6	-8.9	-2689.6	-
			J	-738.2	-201.6	-8.9	-2689.6	-1
3287.1	-29676.5							
5766.6	12060.9	C1-C2;~2 Max	I	495.1	13.8	13.2	518.5	
			J	495.1	13.8	13.2	518.5	
1691.4	80521.1							
1774.4	-80788.9	Min	I	-390.8	-179.1	-4.0	-2399.2	-
			J	-390.8	-179.1	-4.0	-2399.2	-
5580.4	-24394.6							
7411.0	8315.3	C3-C4;~2 Max	I	565.7	12.0	16.9	418.6	
			J	565.7	12.0	16.9	418.6	
1848.6	59562.2							
1939.7	-65381.7	Min	I	-432.1	-139.1	-4.4	-1871.9	-
			J	-432.1	-139.1	-4.4	-1871.9	-
7198.0	-18607.3							
7291.5	-1804.2	G1	I	540.3	-3.8	16.0	-80.2	
			J	540.3	-3.8	18.2	-80.2	-
7461.9	1513.2							
2973.2	13810.8	G2	I	210.1	18.5	6.8	132.5	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2922.9	-2137.8		J	210.1	18.5	6.8	132.5	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
571.2	-9173.6	Q5_pc X	I	-6.4	-12.1	1.3	-105.1	
-582.3	1256.6		J	-6.4	-12.1	1.3	-105.1	
386.5	12727.0	Q5_pc Y	I	-240.7	19.2	0.9	140.5	
-368.3	-3858.7		J	-240.7	19.2	0.9	140.5	
475.8	-11802.3	Q5_ps X	I	-8.4	-15.8	1.1	-136.3	
-485.8	1814.4		J	-8.4	-15.8	1.1	-136.3	
499.4	16072.4	Q5_ps Y	I	-225.6	23.6	1.1	172.2	
-482.4	-4306.6		J	-225.6	23.6	1.1	172.2	
8427.6	71431.5	INVS LU Max	I	3810.9	116.5	41.9	1426.6	1
5139.4	132811.8		J	3810.9	116.5	44.7	1426.6	
6341.8	-150861.9	Min	I	911.6	-308.4	-14.7	-4595.6	-
8908.5	-78161.5		J	911.6	-308.4	-11.9	-4595.6	-1
3232.6	52741.9	INVS LE Max	I	2831.2	86.0	30.1	1061.2	1
4123.4	97957.0		J	2831.2	86.0	32.2	1061.2	
5038.9	-110223.0	Min	I	715.7	-226.2	-11.7	-3381.0	-
3612.2	-57805.0		J	715.7	-226.2	-9.6	-3381.0	-1
4964	2	69 C1-C2;~1 Max	I	1013.4	112.0	22.0	1424.1	
9815.8	113860.2		J	1013.4	112.0	22.0	1424.1	
3620.5	128556.9	Min	I	-602.7	-147.0	-8.5	-2512.1	-
3763.9	-37271.2		J	-602.7	-147.0	-8.5	-2512.1	-
9325.5	-19761.0							
2619.2	84303.4	C3-C4;~1 Max	I	1198.2	77.9	28.4	1019.7	1
4049.3	97539.7		J	1198.2	77.9	28.4	1019.7	
4204.4	-29663.5	Min	I	-664.7	-102.5	-9.5	-1871.4	-
2017.2	-17184.6		J	-664.7	-102.5	-9.5	-1871.4	-1
5290.2	80529.4	C1-C2;~2 Max	I	530.7	78.6	11.9	969.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1827.2	90897.3		J	530.7	78.6	11.9	969.6	
1899.8	-24387.6	Min	I	-343.5	-103.5	-4.3	-1746.4	-
5017.3	-11759.6		J	-343.5	-103.5	-4.3	-1746.4	-
6805.7	59571.4	C3-C4;~2 Max	I	613.9	52.9	15.3	658.1	
2022.0	68870.5		J	613.9	52.9	15.3	658.1	
2099.5	-18599.3	Min	I	-385.7	-72.0	-4.7	-1300.0	-
6471.0	-9350.6		J	-385.7	-72.0	-4.7	-1300.0	-
6238.4	1522.8	G1	I	738.0	-0.1	13.3	-52.8	
6208.2	1641.5		J	738.0	-0.1	15.4	-52.8	-
2506.8	-2135.2	G2	I	287.6	3.1	5.6	44.6	
2377.0	-4797.4		J	287.6	3.1	5.6	44.6	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
576.3	1266.7	Q5_pc X	I	-9.8	-1.3	1.3	-41.8	
-572.4	2365.7		J	-9.8	-1.3	1.3	-41.8	
377.6	-3869.2	Q5_pc Y	I	-247.5	3.0	0.9	59.6	
-379.5	-6464.5		J	-247.5	3.0	0.9	59.6	
501.0	1824.1	Q5_ps X	I	-12.6	-1.8	1.2	-53.1	
-498.1	3407.3		J	-12.6	-1.8	1.2	-53.1	
462.7	-4316.7	Q5_ps Y	I	-230.5	3.7	1.1	69.5	
-461.9	-7532.4		J	-230.5	3.7	1.1	69.5	
7105.9	132832.5	INVSLU Max	I	4358.1	181.3	37.8	1978.4	1
5722.9	131256.0		J	4358.1	181.3	40.7	1978.4	
6643.2	-78159.6	Min	I	1397.6	-173.8	-15.7	-3442.7	-
6997.2	-80609.2		J	1397.6	-173.8	-12.8	-3442.7	-1
2305.2	97971.0	INVSLE Max	I	3235.0	134.2	27.2	1469.4	1
4505.2	96523.3		J	3235.0	134.2	29.3	1469.4	
5209.9	-57803.6	Min	I	1075.0	-128.4	-12.3	-2538.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2248.2	-59552.0		J	1075.0	-128.4	-10.1	-2538.3	-1
4965	2	69 C1-C2;~1 Max	I	1145.1	159.6	17.0	2136.9	
7988.5	128558.7		J	1145.1	159.6	17.0	2136.9	
3387.3	158287.6		Min	I	-530.6	-155.0	-8.3	-1748.5
3826.7	-19764.7		J	-530.6	-155.0	-8.3	-1748.5	-
6741.2	-44607.8		J	-530.6	-155.0	-8.3	-1748.5	-
		C3-C4;~1 Max	I	1372.9	109.2	21.9	1539.0	1
0275.7	97540.5		J	1372.9	109.2	21.9	1539.0	
3845.2	117020.3		Min	I	-592.0	-107.1	-9.4	-1297.9
4331.5	-17187.5		J	-592.0	-107.1	-9.4	-1297.9	-
8680.3	-36499.5		J	-592.0	-107.1	-9.4	-1297.9	-
		C1-C2;~2 Max	I	588.1	112.6	9.1	1486.3	
4273.4	90898.6		J	588.1	112.6	9.1	1486.3	
1736.0	112154.2		Min	I	-292.9	-109.7	-4.3	-1197.9
1958.3	-11762.0		J	-292.9	-109.7	-4.3	-1197.9	-
3598.1	-28933.6		J	-292.9	-109.7	-4.3	-1197.9	-
		C3-C4;~2 Max	I	689.6	76.7	11.7	1061.6	
5510.5	68871.1		J	689.6	76.7	11.7	1061.6	
1946.5	82775.1		Min	I	-334.2	-73.0	-4.8	-850.6
2190.1	-9352.3		J	-334.2	-73.0	-4.8	-850.6	-
4646.5	-22258.6		J	-334.2	-73.0	-4.8	-850.6	-
		G1	I	999.0	1.5	8.1	-20.2	
4267.0	1640.0		J	999.0	1.5	10.3	-20.2	-
3719.6	319.0		J	999.0	1.5	10.3	-20.2	-
		G2	I	388.8	-0.3	3.6	-32.2	
1749.2	-4797.7		J	388.8	-0.3	3.6	-32.2	-
1411.2	-4517.1		J	388.8	-0.3	3.6	-32.2	-
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-10.9	1.2	1.1	9.6	
495.8	2363.3		J	-10.9	1.2	1.1	9.6	
-438.7	1350.4		J	-10.9	1.2	1.1	9.6	
		Q5_pc Y	I	-262.5	-0.3	1.0	-19.1	
462.2	-6462.0		J	-262.5	-0.3	1.0	-19.1	
-447.4	-6172.6		J	-262.5	-0.3	1.0	-19.1	
		Q5_ps X	I	-14.7	1.3	0.9	14.7	
431.7	3405.1		J	-14.7	1.3	0.9	14.7	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-383.6	2267.8		J	-14.7	1.3	0.9	14.7	
526.3	-7530.0	Q5_ps Y	I	-242.9	-0.5	1.2	-27.8	
-498.8	-7122.1		J	-242.9	-0.5	1.2	-27.8	
3469.4	131257.4	INVS LU Max	I	5150.4	238.7	28.4	2759.7	1
5326.8	151896.6		J	5150.4	238.7	31.3	2759.7	
7142.7	-80610.8	Min	I	2025.3	-188.2	-15.8	-2520.0	-
2387.9	-133122.9		J	2025.3	-188.2	-12.9	-2520.0	-1
9678.9	96524.6	INVS LE Max	I	3819.3	176.8	20.4	2047.3	
4138.9	111772.6		J	3819.3	176.8	22.5	2047.3	
5523.2	-59553.2	Min	I	1539.4	-139.2	-12.2	-1861.0	-
8923.5	-98530.0		J	1539.4	-139.2	-10.1	-1861.0	-
4966	2	83 C1-C2;~1 Max	I	1370.3	168.9	75.9	19143.9	3
6464.0	158290.2		J	1370.3	168.9	75.9	19143.9	1
6117.7	147528.2	Min	I	-568.4	-111.1	-44.1	-8540.3	-2
2119.6	-44609.0		J	-568.4	-111.1	-44.1	-8540.3	-2
9302.6	-80018.5	C3-C4;~1 Max	I	1645.9	118.4	98.1	14412.2	4
6890.2	117022.1		J	1645.9	118.4	98.1	14412.2	1
8383.5	103174.3	Min	I	-632.8	-74.2	-50.4	-6521.2	-2
5312.2	-36501.0		J	-632.8	-74.2	-50.4	-6521.2	-3
8092.2	-66054.5	C1-C2;~2 Max	I	699.9	117.3	40.2	13348.4	1
9366.7	112156.0		J	699.9	117.3	40.2	13348.4	
8261.7	103529.7	Min	I	-309.8	-77.4	-22.7	-5633.8	-1
1452.1	-28934.4		J	-309.8	-77.4	-22.7	-5633.8	-1
5526.2	-51931.4	C3-C4;~2 Max	I	823.1	81.8	52.2	10008.1	2
5003.4	82776.4		J	823.1	81.8	52.2	10008.1	
9318.3	71810.1	Min	I	-352.9	-48.8	-25.7	-4002.8	-1
2938.2	-22259.6		J	-352.9	-48.8	-25.7	-4002.8	-2
0259.9	-40653.8	G1	I	1278.6	7.3	31.9	-76.1	1
4893.9	319.3		J	1278.6	7.3	36.7	-76.1	-1
4787.3	-5975.1							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6139.8	-4516.9	G2	I	498.5	-2.8	13.9	-675.2	
5885.6	-2077.3		J	498.5	-2.8	13.9	-675.2	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2476.0	1349.5	Q5_pc X	I	-24.8	4.1	5.2	338.7	
2031.8	-2243.2		J	-24.8	4.1	5.2	338.7	-
3155.2	-6171.6	Q5_pc Y	I	-303.8	-4.6	6.1	-551.3	
2148.6	-2179.0		J	-303.8	-4.6	6.1	-551.3	-
2158.1	2266.8	Q5_ps X	I	-29.0	5.1	4.5	463.3	
1736.0	-2191.4		J	-29.0	5.1	4.5	463.3	-
3416.2	-7121.1	Q5_ps Y	I	-280.6	-5.6	6.7	-721.8	
2426.5	-2236.8		J	-280.6	-5.6	6.7	-721.8	-
0048.0	151897.7	INVSLU Max	I	6279.0	248.9	126.1	25435.8	6
8089.9	119275.2		J	6279.0	248.9	132.6	25435.8	2
3104.6	-133125.1	Min	I	2655.9	-137.3	-85.4	-12930.3	-4
2019.7	-191950.5		J	2655.9	-137.3	-78.9	-12930.3	-5
3009.6	111773.5	INVSLE Max	I	4656.6	184.0	90.4	18819.7	4
1603.8	87972.0		J	4656.6	184.0	95.2	18819.7	2
2979.0	-98531.6	Min	I	2013.3	-101.5	-65.4	-9526.2	-3
7450.2	-142266.4		J	2013.3	-101.5	-60.6	-9526.2	-3
4967	2	83 C1-C2;~1 Max	I	1545.1	328.6	57.2	22380.0	2
5732.9	147518.2		J	1545.1	328.6	57.2	22380.0	1
0202.6	42870.3	Min	I	-577.0	-34.2	-26.5	-7251.8	-1
2730.3	-80019.8		J	-577.0	-34.2	-26.5	-7251.8	-2
3889.9	-189481.4							
2238.0	103166.3	C3-C4;~1 Max	I	1852.2	250.8	71.6	17109.4	3
1868.2	35257.0		J	1852.2	250.8	71.6	17109.4	1
4746.5	-66054.9	Min	I	-628.8	-35.6	-30.7	-6475.8	-1
9846.4	-154785.5		J	-628.8	-35.6	-30.7	-6475.8	-2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

3970.2	103523.0	C1-C2;~2	Max	I	789.1	227.1	31.1	15633.4	1
				J	789.1	227.1	31.1	15633.4	
5160.1	24822.9		Min	I	-309.7	-15.5	-13.5	-4637.1	-
6522.7	-51932.7			J	-309.7	-15.5	-13.5	-4637.1	-1
2961.3	-123713.0								
		C3-C4;~2	Max	I	927.4	172.9	38.7	11922.6	1
7456.3	71804.6			J	927.4	172.9	38.7	11922.6	
5942.4	15415.4		Min	I	-342.7	-15.1	-15.5	-3854.8	-
7467.2	-40654.7			J	-342.7	-15.1	-15.5	-3854.8	-1
6085.3	-101462.9								
		G1		I	1495.3	19.2	25.9	-390.2	1
1379.6	-5975.8			J	1495.3	19.2	30.7	-390.2	-1
3122.5	-22629.0								
		G2		I	582.6	-14.9	10.5	-1212.0	
4340.6	-2076.4			J	582.6	-14.9	10.5	-1212.0	-
4780.9	10873.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-44.9	13.9	4.1	622.8	
1847.2	-2242.8			J	-44.9	13.9	4.1	622.8	-
1719.5	-14311.9								
		Q5_pc	Y	I	-333.7	-21.6	2.1	-846.9	
1109.7	-2178.1			J	-333.7	-21.6	2.1	-846.9	
-737.9	16543.3								
		Q5_ps	X	I	-48.7	18.2	3.8	836.7	
1722.4	-2191.3			J	-48.7	18.2	3.8	836.7	-
1596.0	-17942.3								
		Q5_ps	Y	I	-308.7	-26.3	2.4	-1136.5	
1231.8	-2235.6			J	-308.7	-26.3	2.4	-1136.5	
-875.6	20586.1								
		INVSLU	Max	I	7212.9	458.2	98.1	29106.4	4
2578.1	119259.5			J	7212.9	458.2	104.6	29106.4	1
4127.4	-4873.4		Min	I	3262.9	-72.5	-47.4	-12421.0	-2
4176.0	-191953.7			J	3262.9	-72.5	-40.9	-12421.0	-4
5282.4	-348326.1								
		INVSLE	Max	I	5350.8	337.3	70.9	21497.1	3
0712.2	87960.4			J	5350.8	337.3	75.7	21497.1	1

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0935.8	-4413.9		Min	I	2469.4	-52.9	-36.3	-9151.0	-1	
8489.0	-142268.9			J	2469.4	-52.9	-31.5	-9151.0	-3	
2842.2	-256617.5									
4968	2	83	C1-C2;~1	Max	I	1680.0	43.0	46.3	7239.6	1
9487.7	42894.0				J	1680.0	43.0	46.3	7239.6	1
0009.4	169585.0									
			Min	I	-552.0	-361.9	-26.1	-21186.5	-1	
1502.5	-189582.3			J	-552.0	-361.9	-26.1	-21186.5	-1	
8748.8	-88575.5									
			C3-C4;~1	Max	I	2017.8	46.2	61.8	6633.7	2
5913.1	35273.6			J	2017.8	46.2	61.8	6633.7	1	
1409.5	122257.0									
			Min	I	-590.6	-272.3	-28.6	-15738.7	-1	
2176.5	-154876.1			J	-590.6	-272.3	-28.6	-15738.7	-2	
5083.1	-75403.5									
			C1-C2;~2	Max	I	853.4	20.4	24.3	4717.2	1
0204.4	24835.7			J	853.4	20.4	24.3	4717.2		
5439.7	117906.3									
			Min	I	-289.9	-247.0	-14.1	-14744.7	-	
6169.9	-123775.2			J	-289.9	-247.0	-14.1	-14744.7	-	
9819.0	-58754.1									
			C3-C4;~2	Max	I	1006.1	19.4	32.5	3937.4	1
3612.3	15423.6			J	1006.1	19.4	32.5	3937.4		
6172.5	84631.7									
			Min	I	-313.0	-185.3	-15.1	-10954.1	-	
6299.2	-101516.8			J	-313.0	-185.3	-15.1	-10954.1	-1	
3168.9	-45730.9									
			G1	I	1710.8	-31.7	26.7	-673.6	1	
0954.7	-22686.1			J	1710.8	-31.7	31.3	-673.6	-1	
2944.7	3455.9									
			G2	I	665.2	12.6	12.1	547.5		
4732.7	10851.0			J	665.2	12.6	12.1	547.5	-	
5232.3	492.7									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-60.0	-14.3	3.5	-456.0	
1469.0	-14354.5			J	-60.0	-14.3	3.5	-456.0	-	
1442.7	-2595.3									
			Q5_pc	Y	I	-345.9	25.5	1.9	695.0	
938.4	16655.0			J	-345.9	25.5	1.9	695.0		
-615.2	-4398.1									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1183.9	-17982.2	Q5_ps X	I	-63.7	-19.3	2.8	-626.8	
1162.2	-2094.8		J	-63.7	-19.3	2.8	-626.8	-
1251.8	20692.9	Q5_ps Y	I	-319.8	30.3	2.7	819.1	
-941.0	-4284.4		J	-319.8	30.3	2.7	819.1	
3448.9	-4848.4	INVS LU Max	I	7973.2	3.9	83.7	12342.8	3
3662.8	222299.3		J	7973.2	3.9	89.9	12342.8	1
0616.3	-348670.4	Min	I	3829.3	-593.0	-44.6	-27283.4	-2
8199.1	-134133.8		J	3829.3	-593.0	-38.5	-27283.4	-3
4124.4	-4406.4	INVS LE Max	I	5914.1	1.7	60.6	9160.7	2
0497.9	164275.5		J	5914.1	1.7	65.1	9160.7	1
5728.1	-256868.7	Min	I	2890.6	-437.1	-34.1	-20099.4	-1
7725.9	-99162.7		J	2890.6	-437.1	-29.5	-20099.4	-2
4969	2	83 C1-C2;~1 Max	I	1815.3	114.3	49.0	9248.1	2
0875.0	169598.2		J	1815.3	114.3	49.0	9248.1	
8147.1	216387.6	Min	I	-516.2	-220.8	-20.0	-15754.3	-
8686.3	-88571.6		J	-516.2	-220.8	-20.0	-15754.3	-1
9550.8	-52069.9							
6616.3	122267.1	C3-C4;~1 Max	I	2188.7	80.5	62.8	6828.9	2
0278.3	162202.3		J	2188.7	80.5	62.8	6828.9	1
0497.5	-75400.8	Min	I	-552.4	-153.5	-25.2	-11962.3	-1
5151.3	-51127.4		J	-552.4	-153.5	-25.2	-11962.3	-2
1506.4	117916.1	C1-C2;~2 Max	I	915.1	78.8	26.7	6245.4	1
4282.9	151031.4		J	915.1	78.8	26.7	6245.4	
4388.6	-58751.7	Min	I	-262.5	-154.5	-10.2	-10925.5	-
0551.0	-32816.6		J	-262.5	-154.5	-10.2	-10925.5	-1
4606.5	84639.3	C3-C4;~2 Max	I	1084.6	50.4	34.1	4225.4	1
5545.7	113217.3		J	1084.6	50.4	34.1	4225.4	
5344.6	-45729.0	Min	I	-283.9	-107.0	-13.2	-7770.2	-
3507.6	-28872.1		J	-283.9	-107.0	-13.2	-7770.2	-1
		G1	I	1943.9	-3.4	25.9	-564.2	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0427.0	3456.4			J	1943.9	-3.4	30.5	-564.2	-1
2807.3	6297.4								
		G2		I	753.1	7.4	10.7	124.7	
4024.1	491.8			J	753.1	7.4	10.7	124.7	-
4763.2	-5630.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-69.6	-3.9	3.4	-124.3	
1414.9	-2600.3			J	-69.6	-3.9	3.4	-124.3	-
1385.6	608.3								
		Q5_pc Y		I	-354.1	7.1	0.4	316.7	
284.5	-4414.8			J	-354.1	7.1	0.4	316.7	
-84.7	-10235.7								
		Q5_ps X		I	-73.6	-5.7	3.0	-178.0	
1274.2	-2099.3			J	-73.6	-5.7	3.0	-178.0	-
1224.8	2567.2								
		Q5_ps Y		I	-326.8	9.0	0.9	338.4	
471.5	-4300.5			J	-326.8	9.0	0.9	338.4	
-305.0	-11696.2								
		INVSLE Max		I	8745.6	119.6	89.6	14518.0	3
6751.9	222330.8			J	8745.6	119.6	95.8	14518.0	1
0629.3	324553.6		Min	I	4407.9	-345.5	-35.2	-19805.3	-1
5898.6	-134145.1			J	4407.9	-345.5	-29.1	-19805.3	-3
9694.9	-56288.2								
		INVSLE Max		I	6485.0	88.3	65.1	10774.6	2
6685.9	164297.5			J	6485.0	88.3	69.7	10774.6	
8169.1	239516.9		Min	I	3319.0	-255.3	-26.9	-14607.8	-1
2125.8	-99170.0			J	3319.0	-255.3	-22.3	-14607.8	-2
8923.3	-41223.4								
4970	2	83 C1-C2;~1	Max	I	1961.6	184.3	43.5	12846.3	1
7952.6	216388.0			J	1961.6	184.3	43.5	12846.3	
8343.7	209128.0		Min	I	-525.7	-164.1	-20.4	-9980.4	-
8611.4	-52070.9			J	-525.7	-164.1	-20.4	-9980.4	-1
7897.7	-50525.0								
		C3-C4;~1	Max	I	2375.9	131.8	58.5	9388.0	2
4231.7	162202.7			J	2375.9	131.8	58.5	9388.0	1
0026.6	155137.7		Min	I	-552.0	-112.8	-24.6	-7428.2	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0297.8	-51127.7		J	-552.0	-112.8	-24.6	-7428.2	-2
4027.7	-48027.3							
9596.6	151031.8	C1-C2;~2 Max	I	979.7	128.5	23.1	8864.0	
4545.4	146482.7		J	979.7	128.5	23.1	8864.0	
4450.9	-32817.3	Min	I	-268.4	-115.2	-10.8	-6792.0	-
9487.1	-31036.5		J	-268.4	-115.2	-10.8	-6792.0	-
3086.0	113217.6	C3-C4;~2 Max	I	1168.2	87.5	31.4	6047.3	1
5485.8	108719.4		J	1168.2	87.5	31.4	6047.3	
5325.2	-28872.4	Min	I	-283.0	-74.8	-13.1	-4619.9	-
2829.8	-26161.9		J	-283.0	-74.8	-13.1	-4619.9	-1
0042.5	6297.8	G1	I	2203.6	5.9	25.5	-237.7	1
2850.0	1440.3		J	2203.6	5.9	30.0	-237.7	-1
4053.2	-5629.6	G2	I	852.0	2.5	10.8	-179.8	
4885.8	-7719.7		J	852.0	2.5	10.8	-179.8	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1177.7	605.6	Q5_pc X	I	-74.7	2.5	2.8	179.5	
1159.2	-1429.3		J	-74.7	2.5	2.8	179.5	-
223.4	-10240.4	Q5_pc Y	I	-359.1	-1.0	0.3	-36.1	
1.0	-9383.8		J	-359.1	-1.0	0.3	-36.1	
1006.2	2564.5	Q5_ps X	I	-79.5	2.3	2.4	220.7	
-982.6	637.8		J	-79.5	2.3	2.4	220.7	
459.1	-11700.6	Q5_ps Y	I	-330.5	-0.8	0.9	-107.6	
-252.0	-11026.3		J	-330.5	-0.8	0.9	-107.6	
3027.6	324559.5	INVSLU Max	I	9595.2	223.3	85.2	19023.5	3
8264.7	336789.7		J	9595.2	223.3	91.4	19023.5	
5707.0	-56292.7	Min	I	4996.2	-251.4	-32.1	-12115.5	-1
9795.2	-30632.7		J	4996.2	-251.4	-26.0	-12115.5	-3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4020.0	239521.0	INVSLE Max	I	7112.1	165.2	62.1	14108.2	2	
			J	7112.1	165.2	66.7	14108.2		
6369.7	248731.2	Min	I	3753.3	-186.2	-24.5	-8933.8	-1	
1922.7	-41226.4		J	3753.3	-186.2	-19.9	-8933.8	-2	
9075.6	-22182.4								
4971	2	83 C1-C2;~1 Max	I	2110.8	235.7	39.4	17606.6	1	
6323.7	209131.8		J	2110.8	235.7	39.4	17606.6		
9555.0	144004.1	Min	I	-540.2	-83.4	-22.6	-5317.9	-	
9153.8	-50522.9		J	-540.2	-83.4	-22.6	-5317.9	-1	
6200.7	-94105.7								
		C3-C4;~1 Max	I	2567.7	167.2	53.6	12876.9	2	
2047.3	155137.5		J	2567.7	167.2	53.6	12876.9	1	
0999.8	106227.4	Min	I	-564.8	-55.7	-26.1	-4024.7	-1	
0833.4	-48025.9		J	-564.8	-55.7	-26.1	-4024.7	-2	
2141.4	-79614.3								
		C1-C2;~2 Max	I	1044.5	164.9	20.8	12277.9		
8697.0	146485.7		J	1044.5	164.9	20.8	12277.9		
5371.5	99925.7	Min	I	-275.9	-56.2	-12.3	-3381.8	-	
4806.8	-31034.9		J	-275.9	-56.2	-12.3	-3381.8	-	
8474.3	-61521.2								
		C3-C4;~2 Max	I	1252.4	117.0	28.7	8954.0	1	
1891.0	108719.5		J	1252.4	117.0	28.7	8954.0		
6107.9	67738.1	Min	I	-289.9	-31.3	-14.0	-2032.1	-	
5623.3	-26160.8		J	-289.9	-31.3	-14.0	-2032.1	-1	
1749.3	-49331.5								
		G1	I	2464.9	0.6	20.9	-61.7		
7981.4	1438.9		J	2464.9	0.6	25.5	-61.7	-1	
1129.6	905.0								
		G2	I	952.0	-9.2	9.2	-629.4		
3273.0	-7721.0		J	952.0	-9.2	9.2	-629.4	-	
4335.4	-125.5								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-80.1	11.5	1.9	537.3		
845.5	-1427.2		J	-80.1	11.5	1.9	537.3		
-752.1	-10921.5								
		Q5_pc Y	I	-362.6	-5.7	0.2	-370.9		

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
165.5	-9380.2			J	-362.6	-5.7	0.2	-370.9
-14.8	-4683.4							
709.3	640.0	Q5_ps X		I	-85.9	13.4	1.6	691.8
-580.9	-10429.7			J	-85.9	13.4	1.6	691.8
381.5	-11023.2	Q5_ps Y		I	-332.4	-7.8	0.8	-564.0
-277.2	-4571.6			J	-332.4	-7.8	0.8	-564.0
8685.8	336786.1	INVS LU Max		I	10433.5	266.0	74.9	24790.2 2
0484.2	301799.5			J	10433.5	266.0	81.0	24790.2 1
7225.0	-30632.2	Min		I	5551.9	-185.5	-36.2	-7124.9 -1
5610.3	-39307.4			J	5551.9	-185.5	-30.0	-7124.9 -3
0911.5	248728.7	INVS LE Max		I	7730.7	195.7	54.7	18342.3 2
7971.2	223147.5			J	7730.7	195.7	59.2	18342.3
2983.8	-22182.3	Min		I	4163.0	-137.1	-27.3	-5226.9 -1
6072.6	-28068.1			J	4163.0	-137.1	-22.8	-5226.9 -2
4972	2	83 C1-C2;~1 Max		I	2224.8	354.1	37.1	20890.9 1
4471.0	143988.9			J	2224.8	354.1	37.1	20890.9
6502.1	55222.1	Min		I	-554.8	-64.2	-18.0	-7404.7 -
8500.3	-94111.5			J	-554.8	-64.2	-18.0	-7404.7 -1
6189.2	-181408.3							
9153.9	106216.8	C3-C4;~1 Max		I	2711.0	259.1	48.3	15461.0 1
8561.1	63312.3			J	2711.0	259.1	48.3	15461.0
0973.3	-79617.5	Min		I	-578.8	-66.5	-23.3	-6907.8 -1
0745.9	-142263.1			J	-578.8	-66.5	-23.3	-6907.8 -2
7752.2	99914.3	C1-C2;~2 Max		I	1092.2	248.7	19.9	14538.8
3229.2	26371.5			J	1092.2	248.7	19.9	14538.8
4261.5	-61525.2	Min		I	-282.9	-31.1	-9.0	-4777.6 -
8703.0	-119912.7			J	-282.9	-31.1	-9.0	-4777.6 -
0385.7	67729.3	C3-C4;~2 Max		I	1313.5	182.3	26.1	10752.7 1
4286.0	28536.7			J	1313.5	182.3	26.1	10752.7
5525.4	-49333.9	Min		I	-296.7	-29.2	-11.6	-3991.4 -
				J	-296.7	-29.2	-11.6	-3991.4 -1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1171.0	-94974.5								
		G1	I	2667.6	-31.8	17.3	37.0		
5284.2	906.3		J	2667.6	-31.8	21.8	37.0	-1	
0840.5	27113.9								
		G2	I	1028.6	-38.9	7.5	-842.6		
2175.4	-123.3		J	1028.6	-38.9	7.5	-842.6	-	
4021.8	31929.2								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-85.6	25.9	0.2	681.6		
200.8	-10918.2		J	-85.6	25.9	0.2	681.6		
76.1	-32273.8								
		Q5_pc Y	I	-363.0	-10.6	-0.6	-515.4		
-76.9	-4670.8		J	-363.0	-10.6	-0.6	-515.4		
403.7	4066.7								
		Q5_ps X	I	-91.6	31.3	0.1	880.8		
184.1	-10427.0		J	-91.6	31.3	0.1	880.8		
68.8	-36258.8								
		Q5_ps Y	I	-332.2	-16.7	-0.2	-763.4		
67.9	-4559.3		J	-332.2	-16.7	-0.2	-763.4		
247.2	9210.8								
		INVSLU Max	I	11089.7	333.2	80.9	28240.1	2	
5665.0	301785.5		J	11089.7	333.2	87.1	28240.1	-	
3471.1	350738.4								
		Min	I	5995.0	-281.2	-16.9	-11186.0	-1	
5368.2	-39302.7		J	5995.0	-281.2	-10.7	-11186.0	-4	
3762.4	-37727.3								
		INVSLE Max	I	8215.5	243.8	59.6	20875.2	1	
8870.7	223137.4		J	8215.5	243.8	64.2	20875.2	-	
2518.9	258993.9								
		Min	I	4490.0	-207.8	-12.7	-8238.5	-1	
1497.5	-28064.8		J	4490.0	-207.8	-8.2	-8238.5	-3	
2310.4	-24455.3								
		83 C1-C2;~1 Max	I	2193.8	71.3	18.5	7679.8		
4973	2		J	2193.8	71.3	18.5	7679.8	1	
6984.7	54521.1								
		Min	I	-546.7	-362.2	-38.8	-21159.4	-1	
5216.9	144036.3		J	-546.7	-362.2	-38.8	-21159.4	-	
6832.8	-182932.1								
		C3-C4;~1 Max	I	2675.2	76.1	23.4	7202.5		
8409.8	-93335.4								
8959.2	61009.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9763.5	104141.1		J	2675.2	76.1	23.4	7202.5	1
		Min	I	-570.2	-265.2	-49.8	-15672.4	-2
1508.9	-143286.1		J	-570.2	-265.2	-49.8	-15672.4	-1
0684.1	-78493.8							
		C1-C2;~2 Max	I	1071.2	34.3	9.2	4830.1	
3445.2	25988.6		J	1071.2	34.3	9.2	4830.1	
8325.2	101173.4							
		Min	I	-278.3	-254.0	-21.0	-14753.1	-
9043.5	-121389.8		J	-278.3	-254.0	-21.0	-14753.1	-
4216.5	-60876.4							
		C3-C4;~2 Max	I	1290.5	33.7	11.7	4056.9	
4478.0	27276.2		J	1290.5	33.7	11.7	4056.9	1
0801.0	68362.9							
		Min	I	-291.8	-186.3	-26.9	-10918.6	-1
1495.7	-96030.6		J	-291.8	-186.3	-26.9	-10918.6	-
5398.8	-48488.1							
		G1	I	2660.7	41.8	-20.5	616.0	-1
0274.3	27892.6		J	2660.7	41.8	-15.9	616.0	
4726.9	-6568.2							
		G2	I	1025.2	42.8	-7.0	1106.0	-
3831.7	32294.9		J	1025.2	42.8	-7.0	1106.0	
1948.0	-3038.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-84.3	-27.0	-0.9	-711.4	
-217.7	-32590.7		J	-84.3	-27.0	-0.9	-711.4	
523.7	-10300.4							
		Q5_pc Y	I	-355.0	7.1	0.6	155.0	
427.0	3329.9		J	-355.0	7.1	0.6	155.0	
-102.2	-2558.2							
		Q5_ps X	I	-90.2	-32.6	-0.7	-949.0	
-132.9	-36580.5		J	-90.2	-32.6	-0.7	-949.0	
427.1	-9697.2							
		Q5_ps Y	I	-324.8	13.3	0.8	351.2	
461.7	8537.2		J	-324.8	13.3	0.8	351.2	
-161.3	-2427.4							
		INVSLU Max	I	11023.1	393.4	10.5	12851.3	-
3205.4	352196.5		J	11023.1	393.4	16.7	12851.3	2
6995.5	224462.7							
		Min	I	6002.9	-246.9	-90.0	-27362.1	-4
5105.9	-35787.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5051.4	-114529.8		J	6002.9	-246.9	-83.8	-27362.1	-1
2374.4	260054.0	INVSLE Max	I	8166.6	290.9	7.8	9484.7	-
9888.0	165797.9		J	8166.6	290.9	12.4	9484.7	1
3354.9	-22996.2	Min	I	4495.3	-179.7	-66.5	-20208.2	-3
1188.1	-83934.3		J	4495.3	-179.7	-61.9	-20208.2	-1
4974	2	83 C1-C2;~1 Max	I	2018.1	90.7	21.0	5853.9	
8954.9	144051.7		J	2018.1	90.7	21.0	5853.9	1
6686.5	209262.8	Min	I	-515.0	-235.2	-40.0	-17685.9	-1
6344.8	-93329.3		J	-515.0	-235.2	-40.0	-17685.9	-
8454.4	-54818.4							
0418.8	104151.9	C3-C4;~1 Max	I	2462.5	58.2	24.5	4343.1	1
2260.8	156209.1		J	2462.5	58.2	24.5	4343.1	2
2142.7	-78490.3	Min	I	-538.0	-166.7	-53.7	-12896.0	-2
0044.6	-51118.8		J	-538.0	-166.7	-53.7	-12896.0	-1
5021.9	101184.9	C1-C2;~2 Max	I	981.7	60.2	11.4	3652.9	
9142.6	147808.2		J	981.7	60.2	11.4	3652.9	
8665.4	-60872.1	Min	I	-261.7	-165.0	-21.6	-12348.1	-
4455.7	-32710.3		J	-261.7	-165.0	-21.6	-12348.1	-
5835.2	68371.9	C3-C4;~2 Max	I	1184.0	32.4	13.2	2149.7	
2203.2	110277.9		J	1184.0	32.4	13.2	2149.7	1
1776.4	-48485.4	Min	I	-274.7	-116.8	-29.0	-8981.6	-1
5285.4	-27438.6		J	-274.7	-116.8	-29.0	-8981.6	-
0614.8	-6569.8	G1	I	2450.9	7.3	-24.1	506.7	-1
7350.4	-12558.5		J	2450.9	7.3	-19.5	506.7	
4134.1	-3041.2	G2	I	946.8	12.3	-8.6	804.0	-
2991.3	-13174.9		J	946.8	12.3	-8.6	804.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-952.1	-10290.4	Q5_pc X	I	-79.0	-12.2	-2.5	-549.1	
			J	-79.0	-12.2	-2.5	-549.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1091.7	-241.2							
		Q5_pc	Y	I	-340.4	2.6	0.2	61.9
145.6	-2537.8			J	-340.4	2.6	0.2	61.9
2.9	-4678.3							
		Q5_ps	X	I	-84.8	-14.1	-1.9	-732.7
-704.6	-9687.3			J	-84.8	-14.1	-1.9	-732.7
887.5	1975.8							
		Q5_ps	Y	I	-311.6	4.8	0.1	205.4
86.3	-2408.5			J	-311.6	4.8	0.1	205.4
5.6	-6348.1							
		INVS LU	Max	I	10259.5	259.7	27.5	8628.6
9473.8	224461.7			J	10259.5	259.7	33.7	8628.6
9399.5	203220.4							2
			Min	I	5596.1	-202.2	-82.4	-24138.4
6198.0	-114525.4			J	5596.1	-202.2	-76.2	-24138.4
6177.8	-161710.1							-3
		INVS LE	Max	I	7603.1	192.2	20.7	6352.5
7150.9	165797.7			J	7603.1	192.2	25.3	6352.5
1484.3	149904.6							2
			Min	I	4194.1	-148.3	-60.4	-17846.1
6553.1	-83931.8			J	4194.1	-148.3	-55.8	-17846.1
2131.2	-119790.5							-1
		83 C1-C2;~1	Max	I	1841.8	166.5	18.5	10284.1
4975	2			J	1841.8	166.5	18.5	10284.1
7786.0	209262.8							1
			Min	I	-483.3	-182.0	-42.6	-12867.5
7683.8	214376.4			J	-483.3	-182.0	-42.6	-12867.5
7451.9	-54819.0							-1
7697.9	-57385.9							-
		C3-C4;~1	Max	I	2232.4	112.6	22.3	7632.9
9257.4	156207.8			J	2232.4	112.6	22.3	7632.9
3861.7	160583.9							2
			Min	I	-506.9	-128.5	-57.4	-9344.7
3586.3	-51118.4			J	-506.9	-128.5	-57.4	-9344.7
9186.8	-53086.3							-
		C1-C2;~2	Max	I	899.9	116.7	9.9	6962.6
4305.9	147808.3			J	899.9	116.7	9.9	6962.6
9632.7	151262.9							
			Min	I	-244.4	-127.3	-23.0	-8862.3
9308.3	-32711.2			J	-244.4	-127.3	-23.0	-8862.3
4017.4	-35082.3							-
		C3-C4;~2	Max	I	1076.4	74.8	12.1	4715.7
5173.2	110277.0			J	1076.4	74.8	12.1	4715.7
3018.5	113193.8							1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2590.6	-27438.9		Min	I	-257.4	-85.7	-31.0	-5976.3	-1
				J	-257.4	-85.7	-31.0	-5976.3	-
4842.2	-29477.5								
			G1	I	2188.1	-2.3	-29.0	230.1	-1
2496.0	-12555.8			J	2188.1	-2.3	-24.4	230.1	
9556.0	-10675.0								
			G2	I	847.1	-0.9	-10.5	181.3	-
4784.2	-13173.1			J	847.1	-0.9	-10.5	181.3	
3850.9	-12391.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-72.6	-2.7	-3.1	-159.4	-
1241.5	-234.7			J	-72.6	-2.7	-3.1	-159.4	
1329.6	2008.0								
			Q5_pc Y	I	-324.5	-0.6	0.1	-128.7	
143.7	-4660.3			J	-324.5	-0.6	0.1	-128.7	
28.2	-4163.3								
			Q5_ps X	I	-77.4	-2.6	-2.5	-221.6	
-981.4	1981.8			J	-77.4	-2.6	-2.5	-221.6	
1084.8	4096.3								
			Q5_ps Y	I	-297.8	-0.6	0.1	-100.2	
92.7	-6330.9			J	-297.8	-0.6	0.1	-100.2	
48.8	-5804.5								
			INVSLU Max	I	9359.6	257.3	21.7	12361.1	
6635.6	203212.2			J	9359.6	257.3	27.9	12361.1	3
3067.8	184806.7								
			Min	I	5077.4	-218.0	-91.4	-19180.6	-3
9938.1	-161686.7			J	5077.4	-218.0	-85.3	-19180.6	-1
3940.9	-189566.4								
			INVSLE Max	I	6939.5	190.6	16.6	9123.7	
5090.9	149899.8			J	6939.5	190.6	21.1	9123.7	2
4107.5	136162.3								
			Min	I	3810.7	-161.1	-66.9	-14219.2	-2
9242.6	-119774.3			J	3810.7	-161.1	-62.3	-14219.2	-1
0536.4	-140596.0								
			83 C1-C2;~1 Max	I	1691.7	219.8	18.6	15897.1	
4976	2			J	1691.7	219.8	18.6	15897.1	1
7890.7	214376.4								
			Min	I	-460.3	-119.1	-45.8	-9590.5	-1
9513.1	169406.8			J	-460.3	-119.1	-45.8	-9590.5	-
8262.5	-57386.6								
7552.1	-91247.5								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9327.1	160584.0	C3-C4;~1	Max	I	2036.2	152.2	22.4	12131.1	
				J	2036.2	152.2	22.4	12131.1	2
5672.9	126199.2		Min	I	-497.2	-81.2	-60.6	-6905.0	-2
4346.5	-53087.4			J	-497.2	-81.2	-60.6	-6905.0	-
9158.1	-75823.6								
		C1-C2;~2	Max	I	834.5	154.4	9.9	11039.1	
4326.1	151262.8			J	834.5	154.4	9.9	11039.1	1
0803.2	119014.6		Min	I	-231.3	-80.8	-25.0	-6404.4	-
9827.1	-35082.5			J	-231.3	-80.8	-25.0	-6404.4	-
3855.3	-60384.0								
		C3-C4;~2	Max	I	990.0	106.6	12.1	7833.5	
5186.6	113193.8			J	990.0	106.6	12.1	7833.5	1
4160.8	85123.5		Min	I	-253.8	-49.4	-33.0	-4202.4	-1
3063.0	-29477.7			J	-253.8	-49.4	-33.0	-4202.4	-
4788.3	-46249.3								
		G1		I	1931.4	-6.2	-29.8	-29.1	-1
2562.0	-10677.5			J	1931.4	-6.2	-25.2	-29.1	1
0141.1	-5578.6								
		G2		I	750.0	-11.1	-10.6	-365.0	-
4789.8	-12392.5			J	750.0	-11.1	-10.6	-365.0	-
3985.1	-3259.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-64.6	4.7	-3.3	188.4	-
1318.7	2015.0			J	-64.6	4.7	-3.3	188.4	
1438.8	-1840.1								
		Q5_pc	Y	I	-305.7	-4.0	0.2	-295.2	
152.0	-4147.0			J	-305.7	-4.0	0.2	-295.2	
-28.1	-842.1								
		Q5_ps	X	I	-68.7	6.7	-2.7	229.8	-
1058.9	4103.0			J	-68.7	6.7	-2.7	229.8	
1210.2	-1394.4								
		Q5_ps	Y	I	-281.1	-5.6	0.2	-361.0	
106.5	-5789.2			J	-281.1	-5.6	0.2	-361.0	
-24.4	-1133.0								
		INVSLU	Max	I	8485.1	254.0	22.9	18405.8	
8339.4	184783.7			J	8485.1	254.0	29.1	18405.8	3


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6477.0	160716.4									
			Min	I	4514.7	-211.9	-95.2	-16533.9	-3	
9493.6	-189561.0			J	4514.7	-211.9	-89.0	-16533.9	-1	
3134.8	-194479.1									
			INVSLE Max	I	6294.7	187.5	17.6	13571.4		
6401.3	136146.4			J	6294.7	187.5	22.1	13571.4	2	
6558.5	118725.9									
			Min	I	3394.4	-157.0	-69.4	-12270.5	-2	
8854.7	-140593.1			J	3394.4	-157.0	-64.9	-12270.5	-	
9999.2	-144136.5									
4977	2	83	C1-C2;~1 Max	I	1555.9	352.0	27.7	21508.9	1	
1134.3	169392.8			J	1555.9	352.0	27.7	21508.9	1	
8048.1	46283.0									
			Min	I	-484.0	-54.4	-43.1	-7804.9	-1	
7514.2	-91249.1			J	-484.0	-54.4	-43.1	-7804.9	-1	
1760.2	-181497.6									
			C3-C4;~1 Max	I	1861.7	265.4	27.6	15988.6	1	
1459.5	126189.0			J	1861.7	265.4	27.6	15988.6	2	
4798.2	42894.1									
			Min	I	-524.0	-55.0	-59.2	-7039.2	-2	
4088.4	-75824.2			J	-524.0	-55.0	-59.2	-7039.2	-1	
1462.1	-146571.9									
			C1-C2;~2 Max	I	774.0	246.2	16.0	15021.6		
6522.6	119004.5			J	774.0	246.2	16.0	15021.6		
9481.8	26201.7									
			Min	I	-252.4	-25.1	-22.6	-4977.6	-	
9176.8	-60385.5			J	-252.4	-25.1	-22.6	-4977.6	-	
6688.1	-122188.1									
			C3-C4;~2 Max	I	911.6	185.0	15.4	11166.9		
6593.3	85115.5			J	911.6	185.0	15.4	11166.9	1	
3009.3	18494.5									
			Min	I	-276.6	-23.8	-31.0	-4111.3	-1	
2591.8	-46250.4			J	-276.6	-23.8	-31.0	-4111.3	-	
6245.7	-98944.3									
			G1	I	1701.8	-12.3	-30.4	-322.6	-1	
2581.3	-5576.6			J	1701.8	-12.3	-25.9	-322.6	1	
0646.9	4590.8									
			G2	I	663.2	-29.8	-12.2	-974.2	-	
5264.9	-3257.5			J	663.2	-29.8	-12.2	-974.2		
4776.4	21322.8									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1225.9	-1836.1	Q5_pc X	I	-50.1	16.9	-3.1	564.0	-
			J	-50.1	16.9	-3.1	564.0	
1300.9	-15757.2	Q5_pc Y	I	-282.0	-11.4	-0.7	-504.0	
			J	-282.0	-11.4	-0.7	-504.0	
-201.2	-828.6							
397.9	8616.3	Q5_ps X	I	-54.2	22.5	-2.1	730.3	
			J	-54.2	22.5	-2.1	730.3	
-816.3	-1390.9	Q5_ps Y	I	-259.7	-16.0	-1.1	-674.9	
			J	-259.7	-16.0	-1.1	-674.9	
878.3	-19963.6							
-342.4	-1120.0							
528.1	12048.1							
		INVSLE Max	I	7696.8	364.5	35.1	24557.7	1
2762.8	160708.9		J	7696.8	364.5	41.3	24557.7	3
2508.4	110914.8	Min	I	3968.6	-215.4	-87.8	-16031.1	-3
			J	3968.6	-215.4	-81.7	-16031.1	-1
7433.6	-194462.8							
9187.1	-224951.9	INVSLE Max	I	5712.9	267.7	26.8	18082.4	
			J	5712.9	267.7	31.4	18082.4	2
9764.1	118720.8	Min	I	2988.9	-159.6	-63.8	-11908.2	-2
			J	2988.9	-159.6	-59.2	-11908.2	-1
3521.4	81873.7							
7254.9	-144124.6							
4598.2	-164815.5							
		83 C1-C2;~1 Max	I	1423.3	44.6	22.4	7658.8	
4978	2		J	1423.3	44.6	22.4	7658.8	2
8725.3	46280.2	Min	I	-500.5	-327.9	-56.3	-23041.8	-2
			J	-500.5	-327.9	-56.3	-23041.8	-1
5005.2	150784.8							
3721.8	-181433.3							
0677.0	-78347.5							
		C3-C4;~1 Max	I	1697.3	48.0	25.6	7559.7	
9998.3	42886.0		J	1697.3	48.0	25.6	7559.7	3
1350.2	109503.9	Min	I	-554.5	-249.0	-70.3	-17466.6	-2
			J	-554.5	-249.0	-70.3	-17466.6	-1
9578.8	-146517.8							
2156.9	-62806.3							
		C1-C2;~2 Max	I	712.7	20.3	11.4	4815.3	
4380.2	26199.8		J	712.7	20.3	11.4	4815.3	1
3923.6	105909.2	Min	I	-267.8	-230.3	-31.3	-16107.0	-1
			J	-267.8	-230.3	-31.3	-16107.0	-
3171.2	-122139.9							
5461.5	-51441.5							
		C3-C4;~2 Max	I	835.5	20.9	12.9	4293.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4992.5	18492.0			J	835.5	20.9	12.9	4293.6	1
7272.1	72927.3								
		Min		I	-302.1	-174.1	-38.6	-12179.1	-1
6199.6	-98904.0								
				J	-302.1	-174.1	-38.6	-12179.1	-
6173.4	-38770.4								
		G1		I	1489.7	7.2	-29.1	520.9	-1
2444.6	4594.3								
				J	1489.7	7.2	-24.3	520.9	1
0721.1	-1634.7								
		G2		I	582.4	25.1	-9.7	1241.6	-
4420.8	21322.5								
				J	582.4	25.1	-9.7	1241.6	
4016.4	-406.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-30.8	-16.3	-4.3	-684.0	-
1797.2	-15704.4								
				J	-30.8	-16.3	-4.3	-684.0	
1907.6	-1612.8								
		Q5_pc Y		I	-254.2	9.4	-0.3	323.1	
22.8	8562.6								
				J	-254.2	9.4	-0.3	323.1	
241.9	390.0								
		Q5_ps X		I	-35.4	-21.2	-3.9	-955.5	-
1627.4	-19912.6								
				J	-35.4	-21.2	-3.9	-955.5	
1719.9	-1546.0								
		Q5_ps Y		I	-234.4	13.3	-0.1	496.2	
98.3	11997.1								
				J	-234.4	13.3	-0.1	496.2	
152.0	447.9								
		INVSLE Max		I	6924.7	177.0	32.7	14685.1	1
1033.0	110999.8								
				J	6924.7	177.0	39.2	14685.1	4
2086.7	154928.3								
		Min		I	3427.1	-359.8	-104.5	-27991.7	-4
5631.0	-224681.4								
				J	3427.1	-359.8	-98.0	-27991.7	-2
0081.6	-157303.3								
		INVSLE Max		I	5141.9	131.1	25.2	10845.5	
8560.9	81943.3								
				J	5141.9	131.1	30.0	10845.5	3
0433.2	114472.8								
		Min		I	2584.9	-264.4	-75.8	-20675.8	-3
3172.8	-164615.5								
				J	2584.9	-264.4	-71.0	-20675.8	-1
5363.0	-116594.8								
		83 C1-C2;~1 Max		I	1261.3	113.8	35.9	8856.7	1
4979	2								
3160.0	150793.0								
				J	1261.3	113.8	35.9	8856.7	3
2593.9	162065.5								
		Min		I	-501.8	-169.0	-68.2	-19593.1	-2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6503.4	-78345.0		J	-501.8	-169.0	-68.2	-19593.1	-1	
7976.0	-45804.1								
4672.8	109510.2	C3-C4;~1	Max	I	1505.8	76.7	40.2	7235.5	1
2946.3	118909.1			J	1505.8	76.7	40.2	7235.5	4
5268.7	-62804.2		Min	I	-566.7	-115.8	-90.3	-14503.4	-3
0122.2	-38565.4			J	-566.7	-115.8	-90.3	-14503.4	-2
6730.4	105915.0	C1-C2;~2	Max	I	632.2	78.9	18.5	5768.2	
7512.0	115226.8			J	632.2	78.9	18.5	5768.2	1
4158.2	-51439.8		Min	I	-275.0	-118.6	-36.6	-13697.9	-1
9334.0	-29359.0			J	-275.0	-118.6	-36.6	-13697.9	-
7460.4	72932.3	C3-C4;~2	Max	I	741.0	48.9	20.6	4200.6	
3061.4	84251.1			J	741.0	48.9	20.6	4200.6	2
8832.3	-38768.8		Min	I	-317.6	-80.8	-48.4	-10094.9	-1
0366.6	-22350.7			J	-317.6	-80.8	-48.4	-10094.9	-1
4036.9	-1633.7		G1	I	1275.8	0.4	-34.8	340.2	-1
4017.3	-2000.8			J	1275.8	0.4	-30.0	340.2	1
5569.0	-406.9		G2	I	500.1	5.7	-13.1	746.7	-
5738.2	-5372.2			J	500.1	5.7	-13.1	746.7	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
1873.0	-1606.8	Q5_pc	X	I	-10.2	-4.6	-4.8	-373.2	-
2318.4	2382.1			J	-10.2	-4.6	-4.8	-373.2	
-696.9	404.2	Q5_pc	Y	I	-220.7	2.1	-2.1	123.8	
1160.6	-1381.6			J	-220.7	2.1	-2.1	123.8	
1471.3	-1540.1	Q5_ps	X	I	-15.8	-5.7	-3.9	-538.3	-
1880.0	3433.8			J	-15.8	-5.7	-3.9	-538.3	
-720.5	461.3	Q5_ps	Y	I	-203.5	3.0	-2.1	214.3	
1129.8	-2151.7			J	-203.5	3.0	-2.1	214.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2180.5	154930.9	INVSLE Max	I	6012.6	186.8	62.1	14622.3	2
			J	6012.6	186.8	68.6	14622.3	5
4916.2	145664.3	Min	I	2817.5	-203.3	-122.8	-24456.7	-4
8611.9	-157297.5		J	2817.5	-203.3	-116.3	-24456.7	-3
4399.3	-139247.5							
		INVSLE Max	I	4464.1	138.3	47.9	10797.6	1
7131.2	114475.2		J	4464.1	138.3	52.7	10797.6	3
9403.7	107361.6	Min	I	2126.8	-150.0	-88.4	-18100.1	-3
5057.9	-116590.9		J	2126.8	-150.0	-83.6	-18100.1	-2
6446.8	-103366.5							
4980	2	69 C1-C2;~1 Max	I	1047.8	158.8	6.9	1791.7	
2774.8	162065.5		J	1047.8	158.8	6.9	1791.7	
7378.1	132811.1	Min	I	-466.0	-164.6	-15.6	-2198.4	-
6158.3	-45802.9		J	-466.0	-164.6	-15.6	-2198.4	-
3190.8	-21899.9							
		C3-C4;~1 Max	I	1247.1	111.1	7.6	1370.3	
3069.0	118909.5		J	1247.1	111.1	7.6	1370.3	
9702.0	99412.5	Min	I	-530.1	-114.5	-20.6	-1598.9	-
8119.8	-38564.4		J	-530.1	-114.5	-20.6	-1598.9	-
3515.5	-21882.1							
		C1-C2;~2 Max	I	528.9	111.9	3.5	1220.0	
1412.9	115226.7		J	528.9	111.9	3.5	1220.0	
3968.4	94401.4	Min	I	-259.7	-116.1	-8.4	-1529.5	-
3308.8	-29357.8		J	-259.7	-116.1	-8.4	-1529.5	-
1620.4	-12633.9							
		C3-C4;~2 Max	I	617.3	74.8	3.8	869.5	
1552.1	84251.3		J	617.3	74.8	3.8	869.5	
5215.6	70367.2	Min	I	-301.4	-76.4	-11.1	-1059.4	-
4360.5	-22349.6		J	-301.4	-76.4	-11.1	-1059.4	-
1773.9	-11013.3							
		G1	I	998.9	-0.0	-10.0	37.6	-
3607.7	-2001.4		J	998.9	-0.0	-7.9	37.6	
4131.3	-1973.7							
		G2	I	391.7	0.7	-3.5	35.8	-
1372.3	-5372.6		J	391.7	0.7	-3.5	35.8	
1697.6	-6022.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	0.0		J	0.0	0.0	0.0	0.0	
-391.6	2388.2	Q5_pc X	I	2.4	-1.2	-1.0	-9.3	
451.5	3387.3		J	2.4	-1.2	-1.0	-9.3	
-95.6	-1368.4	Q5_pc Y	I	-182.9	-0.2	-0.2	-9.6	
54.1	-1165.2		J	-182.9	-0.2	-0.2	-9.6	
-311.5	3439.7	Q5_ps X	I	-2.6	-1.3	-0.8	-17.7	
358.8	4591.5		J	-2.6	-1.3	-0.8	-17.7	
-98.8	-2139.2	Q5_ps Y	I	-169.0	-0.1	-0.2	-7.5	
60.5	-2036.7		J	-169.0	-0.1	-0.2	-7.5	
3998.9	145677.3	INVS LU Max	I	4913.9	205.1	9.8	3168.1	
2897.8	116063.1		J	4913.9	205.1	12.7	3168.1	1
1810.9	-139243.8	Min	I	2185.5	-233.6	-30.0	-2236.0	-1
5758.6	-98894.0		J	2185.5	-233.6	-27.1	-2236.0	-
3134.0	107370.8	INVS LE Max	I	3648.6	151.8	7.7	2342.1	
9287.1	85414.9		J	3648.6	151.8	9.8	2342.1	
8524.7	-103363.4	Min	I	1652.0	-173.0	-21.6	-1659.6	-
4472.2	-73360.9		J	1652.0	-173.0	-19.5	-1659.6	-
4981	2	69 C1-C2;~1 Max	I	905.4	151.2	7.2	2585.0	
3043.3	132809.4		J	905.4	151.2	7.2	2585.0	
9290.0	118293.2	Min	I	-516.3	-118.2	-20.9	-1513.6	-
8776.2	-21897.5		J	-516.3	-118.2	-20.9	-1513.6	-
3209.9	-40549.1							
3293.2	99411.8	C3-C4;~1 Max	I	1061.8	102.2	7.8	1886.4	
2163.5	84910.1		J	1061.8	102.2	7.8	1886.4	1
1532.1	-21881.3	Min	I	-584.3	-80.0	-27.4	-1085.3	-1
3470.5	-35041.9		J	-584.3	-80.0	-27.4	-1085.3	-
1506.8	94400.0	C1-C2;~2 Max	I	467.9	106.6	3.6	1795.6	
5018.8	83787.9		J	467.9	106.6	3.6	1795.6	
4734.3	-12632.3	Min	I	-299.4	-82.9	-11.3	-1024.0	-
			J	-299.4	-82.9	-11.3	-1024.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1589.6	-25965.9								
		C3-C4;~2	Max	I	538.1	71.6	3.9	1305.5	
1623.6	70366.6			J	538.1	71.6	3.9	1305.5	
6559.0	59815.6								
			Min	I	-343.0	-52.7	-14.7	-673.0	-
6210.7	-11012.8			J	-343.0	-52.7	-14.7	-673.0	-
1710.9	-20645.0								
			G1	I	742.2	-0.4	-15.2	25.9	-
6090.8	-1973.0			J	742.2	-0.4	-13.0	25.9	
6117.5	-1603.2								
			G2	I	292.2	-3.2	-5.6	-55.0	-
2350.0	-6021.9			J	292.2	-3.2	-5.6	-55.0	
2475.4	-3208.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	4.5	1.6	-1.2	49.3	
-499.3	3393.9			J	4.5	1.6	-1.2	49.3	
506.7	2028.1								
			Q5_pc Y	I	-159.2	-1.5	0.2	-41.5	
78.8	-1148.7			J	-159.2	-1.5	0.2	-41.5	
-114.3	168.6								
			Q5_ps X	I	0.7	2.3	-0.9	60.3	
-388.8	4597.7			J	0.7	2.3	-0.9	60.3	
394.5	2644.1								
			Q5_ps Y	I	-147.2	-2.0	0.2	-53.1	
59.3	-2021.1			J	-147.2	-2.0	0.2	-53.1	
-93.8	-321.7								
			INVSLE Max	I	4096.5	161.4	9.7	3422.6	
4313.2	116061.5			J	4096.5	161.4	12.5	3422.6	1
6727.9	133420.5								
			Min	I	1587.7	-205.0	-39.9	-2199.3	-1
6599.8	-98901.7			J	1587.7	-205.0	-37.0	-2199.3	-
5290.1	-84667.1								
			INVSLE Max	I	3045.8	119.3	7.7	2524.2	
3432.9	85413.2			J	3045.8	119.3	9.9	2524.2	1
2063.8	98532.0								
			Min	I	1208.6	-152.0	-28.8	-1633.6	-1
1991.7	-73366.3			J	1208.6	-152.0	-26.7	-1633.6	-
4178.2	-62744.0								
		69	C1-C2;~1	Max	I	811.5	267.2	7.2	3529.3
4982	2								
3070.7	118281.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0097.6	29124.2		J	811.5	267.2	7.2	3529.3	1
		Min	I	-561.6	-38.6	-22.9	-907.8	-
9761.9	-40559.5		J	-561.6	-38.6	-22.9	-907.8	-
3196.8	-124721.8							
		C3-C4;~1 Max	I	937.0	204.8	7.7	2693.3	
3243.0	84897.3		J	937.0	204.8	7.7	2693.3	1
3263.1	29798.8							
		Min	I	-634.6	-43.0	-30.2	-872.0	-1
2870.0	-35054.6		J	-634.6	-43.0	-30.2	-872.0	-
3384.6	-100238.0							
		C1-C2;~2 Max	I	427.5	186.4	3.6	2468.6	
1522.9	83780.0		J	427.5	186.4	3.6	2468.6	
5485.1	13995.5							
		Min	I	-331.4	-17.8	-12.4	-560.5	-
5293.4	-25972.3		J	-331.4	-17.8	-12.4	-560.5	-
1580.0	-83377.1							
		C3-C4;~2 Max	I	484.4	141.6	3.8	1879.0	
1600.0	59806.5		J	484.4	141.6	3.8	1879.0	
7177.4	12612.7							
		Min	I	-377.2	-18.6	-16.3	-484.7	-
6953.6	-20652.7		J	-377.2	-18.6	-16.3	-484.7	-
1663.6	-66599.5							
		G1	I	546.4	-4.8	-17.7	6.5	-
7294.6	-1612.0		J	546.4	-4.8	-15.6	6.5	
7122.0	2511.5							
		G2	I	215.1	-20.9	-6.7	-155.9	-
2878.1	-3211.1		J	215.1	-20.9	-6.7	-155.9	
2926.4	14897.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	10.9	14.1	-1.1	121.0	
-474.5	2033.4		J	10.9	14.1	-1.1	121.0	
467.0	-10205.0							
		Q5_pc Y	I	-139.8	-7.1	0.4	-74.5	
167.0	184.9		J	-139.8	-7.1	0.4	-74.5	
-184.2	6376.9							
		Q5_ps X	I	8.3	18.6	-0.8	155.2	
-336.0	2648.9		J	8.3	18.6	-0.8	155.2	
329.6	-13468.0							
		Q5_ps Y	I	-129.8	-10.1	0.3	-101.9	
126.3	-306.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-143.8	8406.6		J	-129.8	-10.1	0.3	-101.9	
4024.5	133420.8	INVS LU Max	I	3510.2	272.9	9.2	4027.1	
8155.9	108397.7		J	3510.2	272.9	12.0	4027.1	1
8582.1	-84675.0	Min	I	1136.9	-171.3	-43.9	-2180.6	-1
5159.0	-118574.1		J	1136.9	-171.3	-41.0	-2180.6	-
3267.0	98532.4	INVS LE Max	I	2613.4	200.1	7.5	2962.4	
3077.4	80394.5		J	2613.4	200.1	9.6	2962.4	1
3415.4	-62748.9	Min	I	874.0	-127.0	-31.7	-1619.8	-1
4130.6	-86372.1		J	874.0	-127.0	-29.5	-1619.8	-
4983	2	69 C1-C2;~1 Max	I	735.0	38.3	7.4	918.5	
3122.3	29085.3		J	735.0	38.3	7.4	918.5	1
0831.9	119134.5	Min	I	-607.5	-269.8	-24.7	-3510.2	-1
0541.6	-124865.5		J	-607.5	-269.8	-24.7	-3510.2	-
3250.3	-39720.7							
3296.7	29740.6	C3-C4;~1 Max	I	837.8	42.9	7.8	969.6	
3944.9	85809.3		J	837.8	42.9	7.8	969.6	1
3628.9	-100397.4	Min	I	-689.1	-206.6	-31.8	-2676.1	-1
3442.9	-34741.0		J	-689.1	-206.6	-31.8	-2676.1	-
1570.0	13977.7	C1-C2;~2 Max	I	392.7	17.7	3.7	567.2	
5904.1	84160.3		J	392.7	17.7	3.7	567.2	
5735.0	-83454.7	Min	I	-361.3	-188.3	-13.4	-2473.3	-
1624.8	-25172.1		J	-361.3	-188.3	-13.4	-2473.3	-
1649.5	12598.5	C3-C4;~2 Max	I	439.6	18.7	3.9	540.2	
7579.2	60251.2		J	439.6	18.7	3.9	540.2	
7394.6	-66696.5	Min	I	-412.1	-142.9	-17.3	-1875.7	-
1711.7	-20241.6		J	-412.1	-142.9	-17.3	-1875.7	-
7933.2	2254.5	G1	I	382.4	3.3	-19.1	81.1	-
7673.8	-611.1		J	382.4	3.3	-17.0	81.1	
3021.6	14796.4	G2	I	150.9	20.1	-7.0	199.8	-
3032.8	-2582.3		J	150.9	20.1	-7.0	199.8	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-494.7	-10232.4	Q5_pc X	I	20.8	-14.7	-1.1	-123.7	
485.6	2482.4		J	20.8	-14.7	-1.1	-123.7	
307.0	6386.5	Q5_pc Y	I	-120.2	6.4	0.7	42.0	
-311.5	874.1		J	-120.2	6.4	0.7	42.0	
-394.7	-13490.9	Q5_ps X	I	18.6	-19.1	-0.9	-168.4	
388.4	3013.5		J	18.6	-19.1	-0.9	-168.4	
285.2	8415.4	Q5_ps Y	I	-111.8	9.2	0.7	65.8	
-291.5	423.7		J	-111.8	9.2	0.7	65.8	
4135.3	108357.9	INVSLU Max	I	2992.7	131.3	9.5	2441.1	
8966.8	169963.5		J	2992.7	131.3	12.4	2441.1	1
9604.8	-118778.6	Min	I	714.9	-317.3	-46.0	-3829.4	-1
5380.8	-48959.4		J	714.9	-317.3	-43.1	-3829.4	-
3393.3	80377.2	INVSLE Max	I	2230.4	96.6	7.9	1799.7	
3625.0	126251.9		J	2230.4	96.6	10.0	1799.7	1
4126.0	-86507.8	Min	I	559.2	-233.7	-33.1	-2828.7	-1
4345.5	-35582.3		J	559.2	-233.7	-31.0	-2828.7	-
4984	2	69 C1-C2;~1 Max	I	666.9	113.6	7.5	1540.6	
3177.6	119133.5		J	666.9	113.6	7.5	1540.6	1
0925.1	132171.8	Min	I	-672.2	-145.5	-25.0	-2592.6	-1
0738.9	-39717.5		J	-672.2	-145.5	-25.0	-2592.6	-
3294.9	-25212.6							
3342.7	85809.0	C3-C4;~1 Max	I	751.0	76.0	7.9	1192.1	
4076.1	98724.1		J	751.0	76.0	7.9	1192.1	1
3914.8	-34739.4	Min	I	-771.9	-97.9	-32.3	-1885.6	-1
3481.2	-22978.3		J	-771.9	-97.9	-32.3	-1885.6	-
1604.6	84161.5	C1-C2;~2 Max	I	360.9	79.7	3.8	1037.8	
5991.4	93660.0		J	360.9	79.7	3.8	1037.8	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5877.4	-25170.2		Min	I	-400.6	-102.5	-13.7	-1814.3	-
				J	-400.6	-102.5	-13.7	-1814.3	-
1649.6	-14986.5								
		C3-C4;~2	Max	I	399.7	50.1	3.9	728.9	
1681.1	60252.9			J	399.7	50.1	3.9	728.9	
7684.4	69562.5								
			Min	I	-462.1	-68.5	-17.6	-1310.7	-
7582.0	-20240.7			J	-462.1	-68.5	-17.6	-1310.7	-
1734.7	-11691.1								
		G1		I	216.2	-0.8	-19.4	64.3	-
8124.8	-620.7			J	216.2	-0.8	-17.2	64.3	
7729.3	53.6								
		G2		I	86.6	2.5	-7.2	103.8	-
3146.9	-2587.1			J	86.6	2.5	-7.2	103.8	
3103.1	-4753.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	27.6	-2.3	-0.9	-56.1	
-406.5	2489.1			J	27.6	-2.3	-0.9	-56.1	
385.8	4463.0								
		Q5_pc	Y	I	-102.4	0.5	0.7	10.4	
321.4	891.7			J	-102.4	0.5	0.7	10.4	
-315.5	450.8								
		Q5_ps	X	I	25.4	-2.9	-0.7	-78.2	
-292.3	3020.2			J	25.4	-2.9	-0.7	-78.2	
276.9	5508.3								
		Q5_ps	Y	I	-95.0	0.9	0.7	19.6	
286.5	440.3			J	-95.0	0.9	0.7	19.6	
-283.4	-334.2								
		INVSLU	Max	I	2465.1	166.1	11.8	2631.2	
5195.0	169961.1			J	2465.1	166.1	14.7	2631.2	1
8091.6	180102.0								
			Min	I	224.8	-187.8	-44.1	-3049.7	-1
8834.2	-48968.0			J	224.8	-187.8	-41.2	-3049.7	-
6305.1	-40400.3								
		INVSLE	Max	I	1839.2	122.3	9.8	1940.0	
4257.5	126250.1			J	1839.2	122.3	11.9	1940.0	1
2905.1	134129.2								
			Min	I	193.4	-139.6	-31.5	-2260.6	-1
3487.7	-35587.7			J	193.4	-139.6	-29.4	-2260.6	-
5115.1	-28610.7								

MIDAS

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4985	2	69	C1-C2;~1	Max	I	613.3	138.5	7.4	2198.4		
3164.0	132166.6				J	613.3	138.5	7.4	2198.4	1	
0635.1	132823.3				Min	I	-739.2	-135.9	-24.5	-1962.9	-1
0566.2	-25212.2				J	-739.2	-135.9	-24.5	-1962.9	-	
3262.9	-26395.8										
3331.1	98720.2		C3-C4;~1	Max	I	683.8	94.9	7.8	1680.4		
3556.3	98665.0				J	683.8	94.9	7.8	1680.4	1	
3565.4	-22977.0				Min	I	-861.2	-92.8	-31.3	-1399.8	-1
3454.2	-23649.3				J	-861.2	-92.8	-31.3	-1399.8	-	
1591.3	93656.1		C1-C2;~2	Max	I	334.8	98.3	3.7	1517.7		
5864.3	94021.4				J	334.8	98.3	3.7	1517.7		
5811.5	-14986.2				Min	I	-437.7	-96.1	-13.5	-1353.5	-
1622.6	-15914.8				J	-437.7	-96.1	-13.5	-1353.5	-	
1668.9	69559.6		C3-C4;~2	Max	I	367.5	63.4	3.9	1097.4		
7435.0	69350.2				J	367.5	63.4	3.9	1097.4		
7422.8	-11690.2				Min	I	-510.2	-62.9	-17.2	-893.9	-
1709.8	-12216.3				J	-510.2	-62.9	-17.2	-893.9	-	
7826.4	54.8		G1		I	50.5	-1.1	-18.5	63.8	-	
7286.5	1020.9				J	50.5	-1.1	-16.4	63.8		
3017.8	-4753.1		G2		I	21.1	-0.4	-6.9	27.6	-	
2916.7	-4389.0				J	21.1	-0.4	-6.9	27.6		
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0				J	0.0	0.0	0.0	0.0		
-328.2	4470.0		Q5_pc	X	I	30.6	-0.6	-0.7	-3.6		
292.3	4973.5				J	30.6	-0.6	-0.7	-3.6		
312.1	467.8		Q5_pc	Y	I	-87.4	-0.5	0.7	-15.1		
-296.6	917.1				J	-87.4	-0.5	0.7	-15.1		
-226.4	5514.9		Q5_ps	X	I	29.4	-0.6	-0.5	-8.1		
198.3	6023.0				J	29.4	-0.6	-0.5	-8.1		

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

280.6	-318.1	Q5_ps Y	I	-81.5	-0.5	0.6	-16.4	
-268.6	133.7		J	-81.5	-0.5	0.6	-16.4	
5891.7	180105.8	INVS LU Max	I	1935.9	187.1	13.5	2998.6	
6440.5	181864.1		J	1935.9	187.1	16.4	2998.6	1
7509.3	-40401.4	Min	I	-307.2	-184.5	-40.6	-2646.4	-1
7057.6	-42033.8		J	-307.2	-184.5	-37.7	-2646.4	-
4855.1	134131.6	INVS LE Max	I	1446.1	138.4	11.2	2205.4	
1615.9	135524.3		J	1446.1	138.4	13.3	2205.4	1
2435.2	-28611.1	Min	I	-203.8	-136.8	-28.8	-1974.0	-1
5750.5	-29662.9		J	-203.8	-136.8	-26.7	-1974.0	-
4986	2	69 C1-C2;~1 Max	I	600.3	149.0	7.3	2837.3	
3099.1	132829.1		J	600.3	149.0	7.3	2837.3	1
0223.7	116330.7	Min	I	-862.0	-107.3	-23.5	-1332.4	-1
0165.1	-26396.0		J	-862.0	-107.3	-23.5	-1332.4	-
3298.5	-38630.8							
3284.8	98669.7	C3-C4;~1 Max	I	664.5	101.2	7.8	2111.8	
2814.8	82903.2		J	664.5	101.2	7.8	2111.8	1
2880.0	-23650.3	Min	I	-1006.2	-70.1	-29.7	-948.8	-1
3511.8	-32671.1		J	-1006.2	-70.1	-29.7	-948.8	-
1534.2	94025.6	C1-C2;~2 Max	I	324.7	106.2	3.6	1973.2	
5720.5	82376.7		J	324.7	106.2	3.6	1973.2	
5666.8	-15914.8	Min	I	-502.7	-75.5	-13.1	-883.2	-
1631.8	-25309.3		J	-502.7	-75.5	-13.1	-883.2	-
1618.9	69353.4	C3-C4;~2 Max	I	354.4	71.7	3.8	1461.9	
7128.9	58158.2		J	354.4	71.7	3.8	1461.9	
7142.8	-12216.8	Min	I	-584.8	-46.4	-16.5	-562.0	-
1726.1	-19640.0		J	-584.8	-46.4	-16.5	-562.0	-
6982.7	1020.9	G1	I	-109.3	-0.6	-16.5	73.5	-
6344.3	1577.9		J	-109.3	-0.6	-14.3	73.5	
		G2	I	-40.5	-2.5	-6.0	-43.9	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2672.7	-4389.3							
		J	-40.5	-2.5	-6.0	-43.9		
2532.6	-2191.4							
			Q3	I	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	
0.0	0.0							
			Q5_pc X	I	31.3	0.8	-0.4	49.3
-195.7	4980.4			J	31.3	0.8	-0.4	49.3
142.9	4302.3							
			Q5_pc Y	I	-70.3	-1.0	0.6	-39.9
262.0	934.1			J	-70.3	-1.0	0.6	-39.9
-232.2	1835.6							
			Q5_ps X	I	30.7	1.2	-0.2	62.7
-115.6	6029.6			J	30.7	1.2	-0.2	62.7
73.1	4948.8							
			Q5_ps Y	I	-65.5	-1.3	0.5	-51.2
237.2	149.8			J	-65.5	-1.3	0.5	-51.2
-212.0	1285.1							
			INVS LU Max	I	1466.4	199.7	17.3	3423.5
7415.3	181875.0			J	1466.4	199.7	20.2	3423.5
								1
3530.1	160985.7		Min	I	-915.7	-148.1	-34.2	-2294.4
4878.6	-42043.5			J	-915.7	-148.1	-31.4	-2294.4
								-
8928.7	-55956.6							
			INVS LE Max	I	1096.0	148.5	14.2	2495.9
6082.7	135531.8			J	1096.0	148.5	16.4	2495.9
9345.4	119553.4							
			Min	I	-659.1	-109.0	-23.9	-1733.0
0396.4	-29669.8			J	-659.1	-109.0	-21.7	-1733.0
								-
7259.8	-40571.0							
			69 C1-C2;~1 Max	I	606.0	271.9	7.0	3574.0
4987	2			J	606.0	271.9	7.0	3574.0
3057.0	116317.0							
			Min	I	-1010.4	-35.5	-17.7	-576.4
7182.2	22663.9			J	-1010.4	-35.5	-17.7	-576.4
								-
8170.5	-38633.7							
3032.5	-133314.8							
			C3-C4;~1 Max	I	665.7	209.0	7.5	2745.9
3261.9	82890.6			J	665.7	209.0	7.5	2745.9
9239.9	28471.3							
			Min	I	-1183.6	-44.0	-22.8	-574.4
0519.5	-32674.0			J	-1183.6	-44.0	-22.8	-574.4
								-
3257.3	-108196.6							
			C1-C2;~2 Max	I	323.8	189.7	3.6	2494.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1533.6	82367.8			J	323.8	189.7	3.6	2494.8	
3994.6	10401.3								
		Min		I	-580.9	-16.5	-9.8	-318.7	-
4530.7	-25312.0								
				J	-580.9	-16.5	-9.8	-318.7	-
1546.0	-90870.8								
		C3-C4;~2 Max		I	351.0	144.1	3.8	1905.3	
1623.7	58150.1								
				J	351.0	144.1	3.8	1905.3	
5163.5	12411.8								
		Min		I	-675.6	-19.5	-12.7	-263.7	-
5842.3	-19643.0								
				J	-675.6	-19.5	-12.7	-263.7	-
1645.8	-72966.5								
		G1		I	-282.8	1.8	-11.9	98.5	-
5341.5	1574.9								
				J	-282.8	1.8	-9.8	98.5	
4062.8	-18.9								
		G2		I	-108.8	-16.8	-4.3	-126.5	-
2063.7	-2191.6								
				J	-108.8	-16.8	-4.3	-126.5	
1669.0	12335.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	33.4	13.6	0.1	123.5	
4.7	4308.3								
				J	33.4	13.6	0.1	123.5	
-60.5	-7488.8								
		Q5_pc Y		I	-51.9	-5.0	0.2	-72.7	
117.1	1852.3								
				J	-51.9	-5.0	0.2	-72.7	
-49.5	6213.2								
		Q5_ps X		I	33.9	18.0	0.2	162.8	
75.3	4954.3								
				J	33.9	18.0	0.2	162.8	
-116.3	-10663.8								
		Q5_ps Y		I	-48.5	-7.3	0.1	-96.8	
94.4	1301.1								
				J	-48.5	-7.3	0.1	-96.8	
-33.2	7632.4								
		INVSLE Max		I	1140.6	322.7	22.2	3986.5	
9659.1	160984.1								
				J	1140.6	322.7	25.1	3986.5	
6155.8	94292.5								
		Min		I	-1449.3	-128.3	-19.1	-1838.8	-
9156.5	-55954.4								
				J	-1449.3	-128.3	-16.2	-1838.8	-1
0824.4	-137598.4								
		INVSLE Max		I	857.5	235.8	18.2	2876.5	
7905.6	119552.9								
				J	857.5	235.8	20.3	2876.5	
3774.1	71926.7								
		Min		I	-1054.0	-96.4	-12.4	-1422.0	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6016.3	-40567.8			J	-1054.0	-96.4	-10.2	-1422.0	-
8795.8	-98845.9								
4988	2	69	C1-C2;~1	Max	I	446.9	31.0	3.5	492.9
1700.2	22738.7				J	446.9	31.0	3.5	492.9
3644.4	58912.0			Min	I	-762.6	-139.1	-9.2	-1386.1
4309.2	-133537.5				J	-762.6	-139.1	-9.2	-1386.1
1335.5	-27907.0								
			C3-C4;~1	Max	I	489.1	38.9	3.8	517.5
1835.8	28531.4				J	489.1	38.9	3.8	517.5
4392.0	43661.6			Min	I	-902.7	-121.4	-11.1	-1023.9
5202.9	-108394.7				J	-902.7	-121.4	-11.1	-1023.9
1440.1	-23028.9								
			C1-C2;~2	Max	I	237.6	14.2	1.8	301.7
868.8	10443.9				J	237.6	14.2	1.8	301.7
2088.3	41086.6			Min	I	-433.7	-91.8	-5.2	-945.9
2451.2	-91006.3				J	-433.7	-91.8	-5.2	-945.9
-678.6	-18569.3								
			C3-C4;~2	Max	I	256.8	17.0	1.9	277.2
929.8	12449.0				J	256.8	17.0	1.9	277.2
2508.8	30189.1			Min	I	-510.2	-79.7	-6.3	-685.6
2946.9	-73085.1				J	-510.2	-79.7	-6.3	-685.6
-725.6	-14081.3								
			G1		I	-262.5	-1.1	-5.8	25.3
2383.2	-127.4				J	-262.5	-1.1	-3.7	25.3
1730.9	823.8								
			G2		I	-100.0	16.4	-1.8	125.9
-828.0	12294.9				J	-100.0	16.4	-1.8	125.9
699.6	-1894.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	31.6	-11.7	0.1	-94.4
39.8	-7485.0				J	31.6	-11.7	0.1	-94.4
-18.6	2663.2								
			Q5_pc	Y	I	-33.3	6.8	0.1	14.3
35.4	6218.3				J	-33.3	6.8	0.1	14.3
-55.9	291.4								
			Q5_ps	X	I	32.3	-16.0	0.1	-125.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
44.2	-10659.8			J	32.3	-16.0	0.1	-125.2	
-19.8	3164.8								
			Q5_ps Y	I	-31.4	8.8	0.1	26.7	
38.0	7637.4			J	-31.4	8.8	0.1	26.7	
-58.0	7.7								
			INVS LU Max	I	234.4	124.7	11.3	887.6	
6465.1	94680.6			J	234.4	124.7	14.2	887.6	
3375.5	77996.9		Min	I	-1704.5	-136.8	-8.9	-1852.2	-
3108.8	-137585.4			J	-1704.5	-136.8	-6.0	-1852.2	-
4598.4	-44002.4								
			INVS LE Max	I	143.2	95.6	9.3	651.8	
5278.1	72250.2			J	143.2	95.6	11.5	651.8	
2179.2	56745.1		Min	I	-1288.6	-96.5	-5.7	-1365.2	-
1808.4	-98800.7			J	-1288.6	-96.5	-3.5	-1365.2	-
3720.0	-33269.7								
4989	2	69	C1-C2;~1 Max	I	275.8	42.7	1.7	581.8	
760.5	58912.0			J	275.8	42.7	1.7	581.8	
2294.9	35637.6		Min	I	-463.2	-30.4	-5.3	-667.6	-
2339.3	-27903.8			J	-463.2	-30.4	-5.3	-667.6	-
-733.5	-4576.2								
			C3-C4;~1 Max	I	301.7	30.4	1.8	499.0	
811.5	43660.9			J	301.7	30.4	1.8	499.0	
2907.6	25075.4		Min	I	-551.5	-22.7	-6.8	-459.7	-
2948.2	-23027.9			J	-551.5	-22.7	-6.8	-459.7	-
-783.6	-6901.5								
			C1-C2;~2 Max	I	146.9	30.0	0.8	386.8	
374.3	41087.2			J	146.9	30.0	0.8	386.8	
1295.9	24833.2		Min	I	-262.8	-20.8	-3.0	-450.8	-
1316.7	-18567.5			J	-262.8	-20.8	-3.0	-450.8	-
-360.8	-2136.2								
			C3-C4;~2 Max	I	158.6	20.4	0.9	300.2	
397.4	30189.1			J	158.6	20.4	0.9	300.2	
1647.0	17127.4		Min	I	-311.2	-14.6	-3.8	-303.7	-
1655.5	-14080.8			J	-311.2	-14.6	-3.8	-303.7	-
-383.4	-3323.5								
			G1	I	-161.9	0.1	-4.4	43.7	-
1641.8	821.9			J	-161.9	0.1	-2.3	43.7	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1282.8	724.4							
		G2	I	-64.1	0.2	-1.3	52.9	
-583.1	-1895.5		J	-64.1	0.2	-1.3	52.9	
557.0	-2099.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	29.6	0.4	0.1	-27.1	
29.9	2670.3		J	29.6	0.4	0.1	-27.1	
-16.1	2285.4							
		Q5_pc Y	I	-23.5	0.5	0.2	-2.5	
64.2	307.7		J	-23.5	0.5	0.2	-2.5	
-77.7	-167.9							
		Q5_ps X	I	29.9	0.4	0.1	-37.5	
42.5	3171.8		J	29.9	0.4	0.1	-37.5	
-25.6	2823.4							
		Q5_ps Y	I	-22.4	0.6	0.2	-0.1	
58.4	23.0		J	-22.4	0.6	0.2	-0.1	
-72.7	-455.5							
		INVSLE Max	I	-643.7	72.3	3.9	832.4	
2388.7	78010.4		J	-643.7	72.3	6.7	832.4	
2925.4	33999.6							
		Min	I	-1848.8	-27.4	-8.1	-903.1	-
2802.4	-43997.6		J	-1848.8	-27.4	-5.2	-903.1	-
2197.6	-27541.9							
		INVSLE Max	I	-550.1	55.0	3.2	610.3	
1963.5	56755.4		J	-550.1	55.0	5.4	610.3	
2011.4	22885.3							
		Min	I	-1438.8	-18.8	-5.6	-671.6	-
1873.2	-33264.8		J	-1438.8	-18.8	-3.4	-671.6	-
1773.0	-22396.3							
		69 C1-C2;~1 Max	I	200.5	24.2	1.1	693.5	
4990	2		J	200.5	24.2	1.1	693.5	
470.0	35634.7							
		Min	I	-346.5	-20.9	-3.9	-505.6	-
1746.0	35457.6		J	-346.5	-20.9	-3.9	-505.6	-
1618.1	-4575.8							
-512.2	-5545.9							
		C3-C4;~1 Max	I	218.6	13.8	1.2	550.7	
491.8	25072.2		J	218.6	13.8	1.2	550.7	
2237.6	24427.1							
		Min	I	-412.5	-11.9	-5.0	-356.3	-
2073.2	-6901.1		J	-412.5	-11.9	-5.0	-356.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-538.8	-6677.6							
		C1-C2;~2	Max	I	106.5	17.1	0.6	467.4
246.0	24831.4			J	106.5	17.1	0.6	467.4
992.5	24670.8							
			Min	I	-195.9	-14.5	-2.2	-334.1
-916.6	-2136.4			J	-195.9	-14.5	-2.2	-334.1
-263.8	-3009.9							
		C3-C4;~2	Max	I	114.6	9.0	0.6	343.2
257.2	17125.4			J	114.6	9.0	0.6	343.2
1277.4	16596.8							
			Min	I	-231.8	-7.6	-2.8	-207.0
1172.3	-3323.4			J	-231.8	-7.6	-2.8	-207.0
-277.0	-3162.9							
			G1	I	-134.2	-0.3	-3.8	47.2
1318.2	723.9			J	-134.2	-0.3	-1.7	47.2
1040.2	1019.8							
			G2	I	-54.2	-0.3	-1.1	22.1
-456.7	-2099.6			J	-54.2	-0.3	-1.1	22.1
461.9	-1864.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	28.1	0.1	0.0	-5.3
8.4	2291.6			J	28.1	0.1	0.0	-5.3
0.0	2212.5							
			Q5_pc Y	I	-17.7	-0.1	0.2	-13.1
82.5	-150.9			J	-17.7	-0.1	0.2	-13.1
-94.2	-102.0							
			Q5_ps X	I	28.3	0.1	0.0	-8.1
18.0	2829.2			J	28.3	0.1	0.0	-8.1
-7.3	2771.1							
			Q5_ps Y	I	-17.1	-0.1	0.2	-14.0
76.4	-439.4			J	-17.1	-0.1	0.2	-14.0
-88.8	-373.2							
			INVSLU Max	I	-1169.0	40.0	0.9	938.4
983.5	34001.2			J	-1169.0	40.0	3.8	938.4
2832.1	27360.9							
			Min	I	-2071.7	-20.9	-7.7	-704.0
2627.7	-27547.1			J	-2071.7	-20.9	-4.9	-704.0
1085.7	-33504.2							
			INVSLE Max	I	-955.9	30.1	0.9	678.0
821.2	22886.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2014.8	17544.8		J	-955.9	30.1	3.0	678.0	
1842.8	-22399.8	Min	I	-1620.8	-15.0	-5.5	-536.8	-
-874.8	-27245.4		J	-1620.8	-15.0	-3.4	-536.8	
4991	2	69 C1-C2;~1 Max	I	166.1	16.1	1.0	792.1	
419.9	35460.4		J	166.1	16.1	1.0	792.1	
1481.8	43646.8	Min	I	-303.7	-27.5	-3.2	-399.6	-
1342.8	-5545.6		J	-303.7	-27.5	-3.2	-399.6	
-417.6	-5462.3							
493.6	24429.2	C3-C4;~1 Max	I	180.5	8.4	1.0	619.0	
1902.8	31067.6		J	180.5	8.4	1.0	619.0	
1733.1	-6678.1	Min	I	-358.4	-15.6	-4.2	-310.9	-
-440.4	-7898.5		J	-358.4	-15.6	-4.2	-310.9	
219.7	24672.8	C1-C2;~2 Max	I	87.9	11.1	0.5	533.7	
849.4	30182.3		J	87.9	11.1	0.5	533.7	
-754.5	-3009.6	Min	I	-171.9	-19.3	-1.8	-254.5	
-221.4	-2503.5		J	-171.9	-19.3	-1.8	-254.5	
267.3	16598.2	C3-C4;~2 Max	I	94.3	4.8	0.5	385.5	
1095.4	20964.3		J	94.3	4.8	0.5	385.5	
-973.0	-3163.0	Min	I	-201.1	-10.2	-2.4	-174.4	
-233.0	-3545.0		J	-201.1	-10.2	-2.4	-174.4	
1123.0	1019.5	G1	I	-129.1	-0.6	-3.4	52.0	-
882.7	1563.4		J	-129.1	-0.6	-1.2	52.0	
-378.7	-1864.9	G2	I	-52.3	0.5	-0.9	-3.1	
396.7	-2331.8		J	-52.3	0.5	-0.9	-3.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1.8	2219.6	Q5_pc X	I	27.5	-0.7	-0.0	13.6	
5.2	2788.1		J	27.5	-0.7	-0.0	13.6	
91.3	-85.2	Q5_pc Y	I	-13.2	0.2	0.2	-23.1	
			J	-13.2	0.2	0.2	-23.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-103.7	-260.3							
9.2	2777.9	Q5_ps X	I	27.5	-0.9	0.0	17.8	
0.5	3567.7		J	27.5	-0.9	0.0	17.8	
85.2	-357.2	Q5_ps Y	I	-12.8	0.3	0.2	-26.9	
-98.3	-598.1		J	-12.8	0.3	0.2	-26.9	
848.0	27372.3	INVS LU Max	I	-1540.2	24.6	0.4	1133.2	
2515.9	37004.8		J	-1540.2	24.6	3.3	1133.2	
2322.5	-33509.9	Min	I	-2317.4	-35.5	-7.0	-517.2	-
-834.0	-37599.8		J	-2317.4	-35.5	-4.1	-517.2	
684.6	17552.8	INVS LE Max	I	-1239.9	17.4	0.4	807.6	
1811.8	25348.6		J	-1239.9	17.4	2.6	807.6	
1651.8	-27249.2	Min	I	-1812.0	-27.1	-5.1	-411.9	-
-655.8	-29542.3		J	-1812.0	-27.1	-2.9	-411.9	
4992	2	69 C1-C2;~1 Max	I	153.1	132.8	1.4	1384.4	
652.5	43644.0		J	153.1	132.8	1.4	1384.4	
1219.1	16699.0	Min	I	-306.6	-25.3	-2.7	-220.4	-
1132.7	-5462.8		J	-306.6	-25.3	-2.7	-220.4	
-550.9	-73885.8							
716.4	31065.4	C3-C4;~1 Max	I	166.1	110.1	1.5	1050.3	
1572.6	23748.2		J	166.1	110.1	1.5	1050.3	
1482.6	-7897.7	Min	I	-353.1	-35.8	-3.5	-292.6	-
-600.3	-64533.9		J	-353.1	-35.8	-3.5	-292.6	
377.3	30180.3	C1-C2;~2 Max	I	80.5	87.4	0.8	932.3	
682.1	7582.1		J	80.5	87.4	0.8	932.3	
-620.8	-2503.9	Min	I	-175.2	-11.5	-1.5	-99.6	
-309.3	-47388.6		J	-175.2	-11.5	-1.5	-99.6	
418.4	20962.6	C3-C4;~2 Max	I	86.3	71.3	0.9	693.8	
866.7	10311.2		J	86.3	71.3	0.9	693.8	
-804.1	-3544.6	Min	I	-199.6	-15.6	-1.9	-127.7	
-339.9	-40965.4		J	-199.6	-15.6	-1.9	-127.7	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-976.2	1564.7	G1	I	-135.2	6.3	-3.1	86.6
			J	-135.2	6.3	-0.9	86.6
752.0	-3928.2						
		G2	I	-52.6	-12.4	-0.9	-76.0
-356.4	-2330.6		J	-52.6	-12.4	-0.9	-76.0
387.9	8437.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	26.6	10.6	0.1	76.0
26.3	2794.4		J	26.6	10.6	0.1	76.0
-26.2	-6347.7						
		Q5_pc Y	I	-8.1	-5.8	0.2	-55.3
84.3	-243.6		J	-8.1	-5.8	0.2	-55.3
-94.2	4802.6						
		Q5_ps X	I	25.8	14.7	0.1	105.1
45.0	3573.5		J	25.8	14.7	0.1	105.1
-44.9	-9161.6						
		Q5_ps Y	I	-7.7	-7.2	0.2	-67.7
73.7	-582.2		J	-7.7	-7.2	0.2	-67.7
-83.4	5671.7						
		INVSLU Max	I	-1776.9	119.3	0.7	1987.6
1003.4	37003.2		J	-1776.9	119.3	3.6	1987.6
2251.7	73513.6						
		Min	I	-2525.7	-127.3	-6.5	-413.0
2116.9	-37608.1		J	-2525.7	-127.3	-3.6	-413.0
-851.2	-69718.2						
		INVSLE Max	I	-1419.9	80.8	0.6	1422.0
796.2	25347.0		J	-1419.9	80.8	2.8	1422.0
1616.1	58033.7						
		Min	I	-1971.0	-100.4	-4.7	-346.1
1503.9	-29548.0		J	-1971.0	-100.4	-2.5	-346.1
-669.8	-47217.6						
		69 C1-C2;~1 Max	I	142.5	24.8	1.0	172.6
4993	2		J	142.5	24.8	1.0	172.6
422.3	16686.8						
		Min	I	-296.4	-129.0	-3.2	-1251.5
1460.4	41584.3		J	-296.4	-129.0	-3.2	-1251.5
1318.6	-73901.6						
-414.1	-4918.4						
		C3-C4;~1 Max	I	154.4	35.3	1.1	307.4
490.6	23731.9		J	154.4	35.3	1.1	307.4
1806.3	29080.6						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1641.7	-64536.9	Min	I	-341.2	-107.4	-4.0	-926.5	-
			J	-341.2	-107.4	-4.0	-926.5	
-458.5	-7082.1							
		C1-C2;~2 Max	I	74.4	11.3	0.5	77.3	
214.8	7575.2		J	74.4	11.3	0.5	77.3	
850.3	28832.0							
		Min	I	-168.9	-84.9	-1.8	-852.7	
-751.2	-47400.0		J	-168.9	-84.9	-1.8	-852.7	
-215.4	-2232.5							
		C3-C4;~2 Max	I	79.7	15.4	0.5	136.2	
249.8	10302.4		J	79.7	15.4	0.5	136.2	
1053.6	19634.5							
		Min	I	-192.2	-69.5	-2.3	-616.1	
-936.7	-40966.4		J	-192.2	-69.5	-2.3	-616.1	
-235.4	-3098.6							
		G1	I	-139.8	-6.2	-2.9	-6.5	
-878.3	-3950.2		J	-139.8	-6.2	-0.7	-6.5	
668.7	1419.6							
		G2	I	-54.5	12.2	-0.6	108.0	
-252.6	8429.6		J	-54.5	12.2	-0.6	108.0	
289.5	-2144.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	28.2	-10.4	-0.1	-81.2	
-22.4	-6343.4		J	28.2	-10.4	-0.1	-81.2	
22.9	2630.3							
		Q5_pc Y	I	-4.1	5.6	0.2	26.5	
99.6	4815.8		J	-4.1	5.6	0.2	26.5	
-108.5	-72.5							
		Q5_ps X	I	27.3	-14.4	-0.1	-115.1	
-29.5	-9157.6		J	27.3	-14.4	-0.1	-115.1	
30.0	3357.7							
		Q5_ps Y	I	-4.0	7.0	0.2	35.4	
98.6	5684.2		J	-4.0	7.0	0.2	35.4	
-107.2	-380.9							
		INVSLU Max	I	-1923.4	108.4	-0.6	-2.2	
433.8	73469.7		J	-1923.4	108.4	2.2	-2.2	
2962.3	49687.6							
		Min	I	-2643.3	-132.1	-7.9	-2252.8	-
2624.1	-69753.8		J	-2643.3	-132.1	-5.0	-2252.8	
-290.4	-20746.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

317.3	58001.8	INVSLE	Max	I	-1530.2	85.5	-0.5	24.6	
				J	-1530.2	85.5	1.6	24.6	
2198.7	35538.5		Min	I	-2059.7	-91.3	-5.8	-1631.7	-
1934.4	-47243.8			J	-2059.7	-91.3	-3.7	-1631.7	
-196.2	-16284.2								
4994	2	69	C1-C2;~1	Max	I	124.9	31.8	1.1	444.9
534.8	41584.2			J	124.9	31.8	1.1	444.9	
1231.7	23908.7		Min	I	-266.4	-7.5	-2.7	-682.2	-
1083.8	-4916.6			J	-266.4	-7.5	-2.7	-682.2	
-427.5	-3066.2								
			C3-C4;~1	Max	I	134.9	18.8	1.3	400.8
657.7	29079.8			J	134.9	18.8	1.3	400.8	
1652.0	15510.5		Min	I	-314.3	-5.8	-3.6	-474.9	-
1447.0	-7081.0			J	-314.3	-5.8	-3.6	-474.9	
-470.9	-4286.6								
			C1-C2;~2	Max	I	64.7	22.2	0.6	288.8
289.2	28832.3			J	64.7	22.2	0.6	288.8	
699.1	16753.3		Min	I	-150.7	-4.6	-1.5	-460.4	
-596.3	-2231.4			J	-150.7	-4.6	-1.5	-460.4	
-221.9	-1586.8								
			C3-C4;~2	Max	I	69.1	12.6	0.7	230.3
370.8	19634.4			J	69.1	12.6	0.7	230.3	
950.0	10561.3		Min	I	-176.1	-2.7	-2.0	-313.8	
-802.9	-3097.7			J	-176.1	-2.7	-2.0	-313.8	
-245.3	-2028.0								
			G1	I	-137.5	1.0	-2.7	28.1	
-810.9	1417.4			J	-137.5	1.0	-0.6	28.1	
626.4	587.1								
			G2	I	-55.6	-1.3	-0.7	38.1	
-268.2	-2145.6			J	-55.6	-1.3	-0.7	38.1	
307.7	-1041.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	30.3	1.4	0.0	-21.8
13.7	2636.9			J	30.3	1.4	0.0	-21.8	
-9.3	1396.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
91.3	-55.6	Q5_pc Y	I	-2.2	-0.3	0.2	-5.4	
			J	-2.2	-0.3	0.2	-5.4	
-102.6	234.7							
20.9	3364.2	Q5_ps X	I	29.9	1.9	0.0	-31.5	
			J	29.9	1.9	0.0	-31.5	
-13.8	1728.9							
84.8	-364.9	Q5_ps Y	I	-2.4	-0.5	0.2	-4.8	
			J	-2.4	-0.5	0.2	-4.8	
-96.7	79.7							
550.6	49698.3	INVS LU Max	I	-2040.6	27.1	-0.6	262.4	
			J	-2040.6	27.1	2.3	262.4	
2894.9	39625.2							
		Min	I	-2701.6	-28.6	-7.6	-1298.5	-
2455.2	-20746.1		J	-2701.6	-28.6	-4.7	-1298.5	
-155.8	-952.7							
405.7	35546.2	INVS LE Max	I	-1615.4	19.9	-0.5	210.4	
			J	-1615.4	19.9	1.6	210.4	
2159.4	28196.3							
		Min	I	-2100.9	-21.1	-5.6	-943.0	-
1808.7	-16283.2		J	-2100.9	-21.1	-3.5	-943.0	
-86.7	-1675.1							
4995	2	67 C1-C2;~1 Max	I	104.8	20.9	0.9	425.5	
440.9	23920.3		J	104.8	20.9	0.9	425.5	
951.0	15600.5							
		Min	I	-233.2	-11.2	-2.1	-413.7	
-846.1	-3065.9		J	-233.2	-11.2	-2.1	-413.7	
-359.1	-1951.1							
559.2	15522.9	C3-C4;~1 Max	I	112.7	11.1	1.1	342.6	
			J	112.7	11.1	1.1	342.6	
1263.4	10094.8							
		Min	I	-275.8	-6.6	-2.8	-299.1	-
1120.7	-4285.9		J	-275.8	-6.6	-2.8	-299.1	
-431.2	-2816.8							
236.5	16760.2	C1-C2;~2 Max	I	53.8	14.7	0.5	282.6	
			J	53.8	14.7	0.5	282.6	
538.8	10939.9							
		Min	I	-131.7	-7.6	-1.2	-275.2	
-465.7	-1585.6		J	-131.7	-7.6	-1.2	-275.2	
-184.1	-1027.8							
313.7	10568.6	C3-C4;~2 Max	I	57.3	7.6	0.6	206.2	
			J	57.3	7.6	0.6	206.2	
724.2	6889.6							
		Min	I	-154.1	-3.9	-1.6	-176.2	
-621.7	-2026.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-228.0	-1348.2		J	-154.1	-3.9	-1.6	-176.2
-588.5	593.1	G1	I	-127.4	0.2	-2.0	25.9
441.8	450.7		J	-127.4	0.2	-0.4	25.9
-189.7	-1038.8	G2	I	-51.8	-0.5	-0.5	12.5
216.8	-589.3		J	-51.8	-0.5	-0.5	12.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
9.2	1404.5	Q5_pc X	I	28.5	0.6	0.0	-3.5
-1.5	904.0		J	28.5	0.6	0.0	-3.5
73.6	250.8	Q5_pc Y	I	-1.1	0.0	0.2	-10.2
-84.3	250.4		J	-1.1	0.0	0.2	-10.2
13.4	1736.2	Q5_ps X	I	28.2	0.7	0.0	-5.5
-4.0	1108.6		J	28.2	0.7	0.0	-5.5
68.9	94.8	Q5_ps Y	I	-1.3	-0.1	0.2	-11.3
-79.9	165.0		J	-1.3	-0.1	0.2	-11.3
371.9	39630.6	INVS LU Max	I	-2129.5	25.2	-0.4	519.9
2240.5	30978.8		J	-2129.5	25.2	1.7	519.9
2028.5	-976.0	Min	I	-2705.4	-19.1	-6.0	-631.4
-198.9	4488.2		J	-2705.4	-19.1	-3.8	-631.4
260.4	28198.5	INVS LE Max	I	-1675.0	18.3	-0.3	383.5
1664.8	22110.7		J	-1675.0	18.3	1.3	383.5
1507.9	-1693.2	Min	I	-2097.7	-14.5	-4.5	-467.9
-130.9	2608.6		J	-2097.7	-14.5	-2.9	-467.9
4996	2	67 C1-C2;~1 Max	I	99.3	5.4	1.0	532.7
476.6	15599.9		J	99.3	5.4	1.0	532.7
898.7	33049.0	Min	I	-227.0	-30.3	-1.9	-335.5
-760.3	-1950.8		J	-227.0	-30.3	-1.9	-335.5
-395.2	-3988.9	C3-C4;~1 Max	I	106.7	5.9	1.3	409.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
626.1	10093.7			J	106.7	5.9	1.3	409.6	
1180.3	24535.0		Min	I	-267.7	-20.4	-2.5	-260.5	-
1001.9	-2817.2			J	-267.7	-20.4	-2.5	-260.5	
-489.6	-6572.0								
		C1-C2;~2	Max	I	50.7	3.0	0.5	357.6	
258.9	10939.7			J	50.7	3.0	0.5	357.6	
509.1	22471.4		Min	I	-128.1	-20.7	-1.1	-218.2	
-414.7	-1027.8			J	-128.1	-20.7	-1.1	-218.2	
-206.5	-1798.5								
		C3-C4;~2	Max	I	53.9	2.5	0.7	250.4	
356.8	6889.0			J	53.9	2.5	0.7	250.4	
676.7	16207.8		Min	I	-149.3	-13.5	-1.4	-150.5	
-551.7	-1348.5			J	-149.3	-13.5	-1.4	-150.5	
-264.5	-2840.7								
		G1		I	-127.3	-1.7	-1.8	32.2	
-482.6	449.4			J	-127.3	-1.7	-0.2	32.2	
356.4	1960.5								
		G2		I	-51.5	1.5	-0.4	-2.5	
-144.7	-590.0			J	-51.5	1.5	-0.4	-2.5	
178.9	-1880.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	27.5	-1.6	0.0	9.2	
3.1	910.8			J	27.5	-1.6	0.0	9.2	
3.1	2282.5								
		Q5_pc	Y	I	0.1	0.8	0.2	-15.7	
71.9	267.6			J	0.1	0.8	0.2	-15.7	
-84.9	-415.4								
		Q5_ps	X	I	27.1	-2.2	0.0	12.3	
6.1	1115.0			J	27.1	-2.2	0.0	12.3	
2.2	3055.0								
		Q5_ps	Y	I	-0.2	0.9	0.2	-18.2	
67.7	181.3			J	-0.2	0.9	0.2	-18.2	
-80.9	-619.5								
		INVSLU	Max	I	-2221.4	31.3	0.5	1114.7	
805.0	30989.3			J	-2221.4	31.3	2.6	1114.7	
1857.0	36758.6		Min	I	-2776.3	-20.4	-5.0	-85.5	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1522.3	4486.8			J	-2776.3	-20.4	-2.8	-85.5	
-550.3	-20838.3								
		INVSLE	Max	I	-1740.2	23.2	0.3	807.5	
595.1	22118.3			J	-1740.2	23.2	1.9	807.5	
1374.8	26201.4		Min	I	-2147.6	-14.9	-3.7	-79.5	
1119.2	2608.2			J	-2147.6	-14.9	-2.1	-79.5	
-397.0	-16158.6								
4997	2	67	C1-C2;~1	Max	I	102.2	98.6	1.4	1105.7
656.8	33049.0			J	102.2	98.6	1.4	1105.7	
740.2	9851.8		Min	I	-250.4	-16.0	-1.6	-150.6	
-649.0	-3989.8			J	-250.4	-16.0	-1.6	-150.6	
-560.6	-52409.9								
		C3-C4;~1	Max	I	109.8	82.2	1.6	833.7	
779.4	24535.4			J	109.8	82.2	1.6	833.7	
959.6	15918.8		Min	I	-286.9	-25.9	-2.1	-231.8	
-860.6	-6572.3			J	-286.9	-25.9	-2.1	-231.8	
-636.7	-46751.1								
		C1-C2;~2	Max	I	51.8	64.7	0.8	742.1	
383.2	22471.1			J	51.8	64.7	0.8	742.1	
409.0	4417.0		Min	I	-142.6	-7.2	-0.9	-66.5	
-347.2	-1799.0			J	-142.6	-7.2	-0.9	-66.5	
-319.3	-33573.8								
		C3-C4;~2	Max	I	55.2	52.9	0.9	545.5	
464.0	16207.8			J	55.2	52.9	0.9	545.5	
524.0	6841.2		Min	I	-161.3	-11.2	-1.1	-99.3	
-458.7	-2841.0			J	-161.3	-11.2	-1.1	-99.3	
-366.5	-29664.5								
		G1		I	-136.0	7.8	-1.6	85.2	
-401.4	1962.5			J	-136.0	7.8	0.0	85.2	
275.9	-4801.0								
		G2		I	-52.9	-7.7	-0.4	-59.8	
-137.4	-1878.8			J	-52.9	-7.7	-0.4	-59.8	
177.7	4781.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	25.7	7.7	0.1	66.4	
22.1	2289.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-22.0	-4416.5		J	25.7	7.7	0.1	66.4
65.5	-399.1	Q5_pc Y	I	2.9	-3.8	0.2	-42.4
-77.4	2900.8		J	2.9	-3.8	0.2	-42.4
34.0	3061.0	Q5_ps X	I	24.7	10.9	0.1	93.4
-34.1	-6415.5		J	24.7	10.9	0.1	93.4
59.2	-604.0	Q5_ps Y	I	2.7	-4.5	0.1	-50.3
-70.6	3298.9		J	2.7	-4.5	0.1	-50.3
1067.6	36755.1	INVS LU Max	I	-2302.2	116.0	1.0	2250.9
1571.9	36425.4		J	-2302.2	116.0	3.1	2250.9
1264.4	-20853.9	Min	I	-2884.2	-66.1	-4.4	325.6
-722.4	-63768.0		J	-2884.2	-66.1	-2.2	325.6
808.6	26198.1	INVS LE Max	I	-1799.6	80.7	0.8	1627.3
1143.5	29904.7		J	-1799.6	80.7	2.4	1627.3
-910.0	-16170.0	Min	I	-2227.2	-53.2	-3.2	210.1
-545.7	-43723.7		J	-2227.2	-53.2	-1.6	210.1
4998	2	67 C1-C2;~1 Max	I	102.1	16.0	0.9	133.5
437.5	9842.0		J	102.1	16.0	0.9	133.5
938.2	33109.3	Min	I	-252.0	-98.7	-2.0	-1068.2
-807.8	-52405.2		J	-252.0	-98.7	-2.0	-1068.2
-383.8	-4013.6						
553.0	15907.9	C3-C4;~1 Max	I	109.7	26.0	1.2	235.4
1173.3	24674.4		J	109.7	26.0	1.2	235.4
1017.0	-46753.9	Min	I	-290.3	-82.3	-2.5	-800.3
-473.3	-6601.4		J	-290.3	-82.3	-2.5	-800.3
230.5	4411.4	C1-C2;~2 Max	I	51.4	7.2	0.5	60.6
546.4	22499.5		J	51.4	7.2	0.5	60.6
-457.6	-33571.4	Min	I	-143.0	-64.7	-1.2	-723.4
-197.1	-1806.9		J	-143.0	-64.7	-1.2	-723.4
295.8	6835.0	C3-C4;~2 Max	I	54.7	11.2	0.6	101.6
			J	54.7	11.2	0.6	101.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
688.2	16292.3		Min	I	-162.7	-53.0	-1.5	-527.7	
-580.5	-29667.0			J	-162.7	-53.0	-1.5	-527.7	
-245.8	-2851.4								
		G1		I	-139.9	-7.9	-1.4	-49.7	
-341.1	-4808.3			J	-139.9	-7.9	0.2	-49.7	
220.1	2011.9								
		G2		I	-54.5	7.7	-0.2	74.4	
-65.4	4779.0			J	-54.5	7.7	-0.2	74.4	
107.4	-1877.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	26.4	-7.8	-0.0	-69.7	
-20.4	-4410.8			J	26.4	-7.8	-0.0	-69.7	
20.8	2323.8								
		Q5_pc Y		I	5.1	3.8	0.2	21.7	
70.6	2915.2			J	5.1	3.8	0.2	21.7	
-82.1	-373.7								
		Q5_ps X		I	25.4	-11.0	-0.1	-99.5	
-28.2	-6410.3			J	25.4	-11.0	-0.1	-99.5	
28.6	3102.1								
		Q5_ps Y		I	4.7	4.5	0.2	26.3	
69.6	3312.5			J	4.7	4.5	0.2	26.3	
-80.5	-576.2								
		INVSLE Max		I	-2356.5	61.5	0.3	-606.4	
761.2	36402.7			J	-2356.5	61.5	2.4	-606.4	
1921.8	40874.5								
		Min		I	-2944.0	-120.7	-5.0	-2491.6	-
1485.4	-63759.4			J	-2944.0	-120.7	-2.9	-2491.6	
-448.9	-16917.9								
		INVSLE Max		I	-1839.9	49.7	0.2	-421.2	
550.8	29888.3			J	-1839.9	49.7	1.8	-421.2	
1433.4	29284.9								
		Min		I	-2271.6	-84.2	-3.7	-1808.4	-
1104.0	-43717.8			J	-2271.6	-84.2	-2.1	-1808.4	
-311.7	-13214.4								
4999	2	67 C1-C2;~1 Max		I	96.7	30.7	1.2	346.3	
568.2	33110.2			J	96.7	30.7	1.2	346.3	
752.9	15080.3								
		Min		I	-235.2	-5.1	-1.6	-505.3	
-626.0	-4013.0			J	-235.2	-5.1	-1.6	-505.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-458.1	-2058.3							
		C3-C4;~1	Max	I	103.7	20.9	1.5	293.3
747.7	24674.9			J	103.7	20.9	1.5	293.3
1028.8	9591.1							
			Min	I	-278.0	-6.1	-2.2	-354.3
-846.8	-6601.4			J	-278.0	-6.1	-2.2	-354.3
-563.6	-2760.1							
		C1-C2;~2	Max	I	48.3	20.9	0.6	226.7
315.6	22500.3			J	48.3	20.9	0.6	226.7
421.1	10602.9							
			Min	I	-132.5	-2.8	-0.9	-340.7
-336.1	-1806.5			J	-132.5	-2.8	-0.9	-340.7
-243.7	-1134.5							
		C3-C4;~2	Max	I	51.4	13.7	0.8	169.9
433.9	16292.8			J	51.4	13.7	0.8	169.9
588.4	6556.9							
			Min	I	-154.6	-2.6	-1.2	-232.9
-462.6	-2851.2			J	-154.6	-2.6	-1.2	-232.9
-307.6	-1340.2							
			G1	I	-137.1	1.8	-1.3	4.2
-272.5	2010.5			J	-137.1	1.8	0.3	4.2
164.1	433.3							
			G2	I	-55.3	-1.6	-0.2	17.1
-69.1	-1878.6			J	-55.3	-1.6	-0.2	17.1
110.1	-522.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	28.7	1.7	0.0	-12.0
5.6	2330.4			J	28.7	1.7	0.0	-12.0
0.4	889.9							
			Q5_pc Y	I	5.3	-0.8	0.2	-4.8
64.9	-356.7			J	5.3	-0.8	0.2	-4.8
-79.0	354.5							
			Q5_ps X	I	28.3	2.3	0.0	-17.8
9.2	3108.5			J	28.3	2.3	0.0	-17.8
-1.0	1076.8							
			Q5_ps Y	I	4.8	-1.0	0.2	-5.4
60.9	-560.2			J	4.8	-1.0	0.2	-5.4
-75.0	281.6							
			INVSLU Max	I	-2416.4	17.4	0.8	-122.7
1022.2	40890.3							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1651.1	37413.5		J	-2416.4	17.4	3.0	-122.7	
		Min	I	-2983.5	-35.3	-4.4	-1294.0	-
1247.2	-16915.1		J	-2983.5	-35.3	-2.3	-1294.0	
-640.8	11727.1							
		INVSLE Max	I	-1884.9	12.5	0.6	-77.3	
762.8	29296.3		J	-1884.9	12.5	2.2	-77.3	
1218.2	27015.4							
		Min	I	-2301.1	-26.3	-3.3	-943.3	
-909.6	-13211.8		J	-2301.1	-26.3	-1.7	-943.3	
-469.0	8107.1							
5000	2	67 C1-C2;~1 Max	I	93.5	11.9	1.2	424.5	
584.2	15078.2		J	93.5	11.9	1.2	424.5	
737.0	15141.4							
		Min	I	-230.5	-11.9	-1.5	-416.3	
-598.3	-2058.9		J	-230.5	-11.9	-1.5	-416.3	
-479.6	-2032.3							
		C3-C4;~1 Max	I	100.1	6.2	1.6	332.2	
784.8	9589.4		J	100.1	6.2	1.6	332.2	
994.9	9610.6							
		Min	I	-272.7	-6.2	-2.1	-314.0	
-801.9	-2760.0		J	-272.7	-6.2	-2.1	-314.0	
-602.8	-2759.3							
		C1-C2;~2 Max	I	46.4	8.4	0.7	282.6	
323.0	10601.5		J	46.4	8.4	0.7	282.6	
413.2	10640.9							
		Min	I	-129.5	-8.4	-0.8	-277.4	
-320.8	-1135.0		J	-129.5	-8.4	-0.8	-277.4	
-254.7	-1114.0							
		C3-C4;~2 Max	I	49.2	4.0	0.9	201.0	
453.4	6555.8		J	49.2	4.0	0.9	201.0	
569.7	6564.1							
		Min	I	-151.3	-4.0	-1.2	-190.7	
-437.2	-1340.2		J	-151.3	-4.0	-1.2	-190.7	
-328.9	-1336.1							
		G1	I	-136.9	-0.0	-1.2	9.8	
-212.2	433.2		J	-136.9	-0.0	0.4	9.8	
110.9	466.9							
		G2	I	-55.4	-0.0	-0.1	3.9	
-40.9	-522.0		J	-55.4	-0.0	-0.1	3.9	
85.9	-508.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2.1	896.5	Q5_pc X	I	29.0	-0.0	-0.0	-1.0	
3.1	905.6		J	29.0	-0.0	-0.0	-1.0	
63.1	371.0	Q5_pc Y	I	5.5	-0.0	0.2	-9.4	
-79.1	386.3		J	5.5	-0.0	0.2	-9.4	
4.1	1083.0	Q5_ps X	I	28.6	-0.0	0.0	-2.0	
2.9	1097.5		J	28.6	-0.0	0.0	-2.0	
59.7	297.3	Q5_ps Y	I	5.0	-0.0	0.2	-10.9	
-75.3	324.8		J	5.0	-0.0	0.2	-10.9	
1183.8	37412.7	INVS LU Max	I	-2491.4	16.4	1.1	597.7	
1601.4	37268.5		J	-2491.4	16.4	3.2	597.7	
1071.8	11717.4	Min	I	-3046.9	-15.9	-4.2	-554.3	-
-697.9	11472.4		J	-3046.9	-15.9	-2.0	-554.3	
880.9	27014.4	INVS LE Max	I	-1940.9	12.1	0.8	441.8	
1182.0	26918.4		J	-1940.9	12.1	2.4	441.8	
-781.5	8100.3	Min	I	-2348.5	-11.8	-3.1	-410.3	
-510.6	7930.9		J	-2348.5	-11.8	-1.5	-410.3	
5001	2	67 C1-C2;~1 Max	I	95.6	5.1	1.3	514.3	
600.9	15143.4		J	95.6	5.1	1.3	514.3	
716.9	33360.1	Min	I	-239.5	-30.9	-1.5	-338.3	
-570.7	-2031.8		J	-239.5	-30.9	-1.5	-338.3	
-505.5	-3791.3							
819.4	9612.2	C3-C4;~1 Max	I	103.2	6.0	1.7	386.4	
953.2	24883.9		J	103.2	6.0	1.7	386.4	
-753.0	-2759.6	Min	I	-282.6	-21.1	-2.0	-275.3	
-638.2	-6512.8		J	-282.6	-21.1	-2.0	-275.3	
332.1	10642.3	C1-C2;~2 Max	I	47.1	2.7	0.7	346.3	
403.8	22642.8		J	47.1	2.7	0.7	346.3	
-306.7	-1113.6	Min	I	-134.6	-21.0	-0.8	-221.5	
-269.6	-1671.6		J	-134.6	-21.0	-0.8	-221.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
473.4	6565.1	C3-C4 ; ~2	Max	I	50.7	2.6	0.9	240.4
				J	50.7	2.6	0.9	240.4
548.1	16401.4		Min	I	-156.7	-13.8	-1.1	-159.6
-410.9	-1336.2			J	-156.7	-13.8	-1.1	-159.6
-348.2	-2774.3							
		G1		I	-142.1	-2.0	-1.0	15.8
-152.4	466.8			J	-142.1	-2.0	0.6	15.8
49.6	2230.9							
		G2		I	-57.3	1.5	-0.1	-9.1
-14.2	-508.6			J	-57.3	1.5	-0.1	-9.1
57.4	-1785.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	28.6	-1.7	-0.0	10.2
0.3	912.4			J	28.6	-1.7	-0.0	10.2
5.5	2414.6							
		Q5_pc	Y	I	6.7	0.7	0.2	-13.5
61.8	403.0			J	6.7	0.7	0.2	-13.5
-78.6	-228.9							
		Q5_ps	X	I	28.2	-2.4	-0.0	13.9
1.0	1104.1			J	28.2	-2.4	-0.0	13.9
7.0	3226.5							
		Q5_ps	Y	I	6.1	0.8	0.2	-15.7
58.6	340.6			J	6.1	0.8	0.2	-15.7
-75.0	-356.0							
		INVS LU	Max	I	-2517.7	36.9	1.4	1376.8
1281.8	37281.7			J	-2517.7	36.9	3.6	1376.8
1401.0	39665.1		Min	I	-3089.9	-16.1	-3.8	201.4
-952.3	11470.3			J	-3089.9	-16.1	-1.6	201.4
-888.8	-18509.7							
		INVS LE	Max	I	-1960.2	27.4	1.0	1004.2
952.3	26927.8			J	-1960.2	27.4	2.6	1004.2
1036.1	28406.5		Min	I	-2380.3	-11.6	-2.8	135.4
-694.3	7929.9			J	-2380.3	-11.6	-1.2	135.4
-649.5	-14364.0							
5002	2	67 C1-C2 ; ~1	Max	I	102.1	99.9	1.7	1095.3
785.5	33359.6			J	102.1	99.9	1.7	1095.3
574.1	9356.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-484.8	-3791.8	Min	I	-264.9	-15.1	-1.2	-138.9	
			J	-264.9	-15.1	-1.2	-138.9	
-678.3	-53223.0							
		C3-C4;~1	Max	I	110.1	83.5	2.0	825.4
965.7	24883.7			J	110.1	83.5	2.0	825.4
750.4	16010.3							
		Min	I	-304.8	-26.0	-1.6	-235.1	
-642.8	-6512.6		J	-304.8	-26.0	-1.6	-235.1	
-804.3	-47526.0							
		C1-C2;~2	Max	I	50.3	65.4	1.0	737.5
457.8	22642.1		J	50.3	65.4	1.0	737.5	
312.3	4135.8							
		Min	I	-150.2	-6.7	-0.6	-62.4	
-253.8	-1671.9		J	-150.2	-6.7	-0.6	-62.4	
-386.1	-34019.3							
		C3-C4;~2	Max	I	54.2	53.6	1.2	541.2
574.6	16401.1		J	54.2	53.6	1.2	541.2	
405.6	6845.1							
		Min	I	-170.4	-11.1	-0.9	-101.6	
-336.2	-2774.4		J	-170.4	-11.1	-0.9	-101.6	
-463.8	-30084.4							
		G1	I	-150.2	8.8	-0.9	75.8	
-89.9	2232.6		J	-150.2	8.8	0.7	75.8	
-21.2	-5404.2							
		G2	I	-58.5	-7.3	-0.1	-63.9	
-14.4	-1784.5		J	-58.5	-7.3	-0.1	-63.9	
60.3	4531.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	X	I	26.3	8.1	0.1	70.1
22.2	2421.0		J	26.3	8.1	0.1	70.1	
-22.2	-4593.2							
		Q5_pc	Y	I	8.8	-3.3	0.2	-36.5
57.4	-212.7		J	8.8	-3.3	0.2	-36.5	
-73.1	2674.0							
		Q5_ps	X	I	25.2	11.4	0.1	99.0
32.4	3232.4		J	25.2	11.4	0.1	99.0	
-32.5	-6686.3							
		Q5_ps	Y	I	8.2	-3.7	0.1	-41.6
52.9	-340.6		J	8.2	-3.7	0.1	-41.6	
-67.9	2865.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1502.9	39660.0	INVSLE	Max	I	-2531.6	128.9	1.9	2653.8	
				J	-2531.6	128.9	4.0	2653.8	
1182.3	29693.8		Min	I	-3139.1	-55.6	-3.3	731.6	
-771.9	-18525.2			J	-3139.1	-55.6	-1.2	731.6	-
1048.2	-72039.0								
		INVSLE	Max	I	-1970.3	90.5	1.4	1928.9	
1130.4	28402.1			J	-1970.3	90.5	3.0	1928.9	
857.3	24759.0		Min	I	-2416.8	-45.1	-2.4	514.4	
-546.9	-14375.3			J	-2416.8	-45.1	-0.8	514.4	
-785.2	-49986.1								
5003	2	67 C1-C2;~1	Max	I	104.3	15.1	1.2	137.7	
582.7	9352.8			J	104.3	15.1	1.2	137.7	
772.4	33329.5		Min	I	-266.6	-99.8	-1.6	-1098.8	
-662.0	-53217.0			J	-266.6	-99.8	-1.6	-1098.8	
-496.4	-3785.8								
		C3-C4;~1	Max	I	113.2	26.0	1.6	236.6	
739.4	16009.1			J	113.2	26.0	1.6	236.6	
970.9	24882.8		Min	I	-307.0	-83.5	-2.1	-827.4	
-806.7	-47523.8			J	-307.0	-83.5	-2.1	-827.4	
-634.9	-6489.5								
		C1-C2;~2	Max	I	51.5	6.7	0.7	62.0	
318.3	4134.0			J	51.5	6.7	0.7	62.0	
449.9	22622.7		Min	I	-151.0	-65.3	-0.9	-739.4	
-377.4	-34015.8			J	-151.0	-65.3	-0.9	-739.4	
-260.4	-1669.1								
		C3-C4;~2	Max	I	56.0	11.1	0.9	102.1	
404.7	6845.1			J	56.0	11.1	0.9	102.1	
572.6	16402.8		Min	I	-171.4	-53.6	-1.2	-542.4	
-460.8	-30083.6			J	-171.4	-53.6	-1.2	-542.4	
-336.6	-2761.3								
		G1		I	-150.4	-8.8	-0.7	-75.4	
-32.0	-5403.0			J	-150.4	-8.8	0.9	-75.4	
-79.2	2232.4								
		G2		I	-58.6	7.3	0.1	63.6	
56.6	4532.3			J	-58.6	7.3	0.1	63.6	
-10.7	-1784.0								
		Q3		I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-21.2	-4585.4	Q5_pc	X	I	26.0	-8.1	-0.0	-71.7
21.2	2420.4			J	26.0	-8.1	-0.0	-71.7
57.7	2690.5	Q5_pc	Y	I	9.8	3.4	0.2	19.5
-73.4	-214.6			J	9.8	3.4	0.2	19.5
-31.6	-6678.9	Q5_ps	X	I	24.9	-11.4	-0.1	-102.3
31.5	3234.2			J	24.9	-11.4	-0.1	-102.3
56.6	2880.9	Q5_ps	Y	I	9.2	3.7	0.1	21.1
-71.5	-336.7			J	9.2	3.7	0.1	21.1
1168.2	29684.9	INVSLE	Max	I	-2528.3	55.6	1.2	-732.6
1508.9	39630.0			J	-2528.3	55.6	3.3	-732.6
1022.9	-72024.0		Min	I	-3142.4	-128.8	-4.0	-2664.6
-791.1	-18482.3			J	-3142.4	-128.8	-1.8	-2664.6
849.8	24752.8	INVSLE	Max	I	-1967.9	45.1	0.8	-515.3
1131.9	28378.3			J	-1967.9	45.1	2.4	-515.3
-765.6	-49975.8		Min	I	-2419.3	-90.4	-3.0	-1936.9
-562.0	-14345.1			J	-2419.3	-90.4	-1.4	-1936.9
5004	2	67 C1-C2;~1	Max	I	102.1	31.0	1.5	333.3
726.7	33330.2			J	102.1	31.0	1.5	333.3
589.6	15085.8		Min	I	-244.4	-5.1	-1.2	-516.2
-491.0	-3785.4			J	-244.4	-5.1	-1.2	-516.2
-583.9	-2047.4							
945.3	24883.2	C3-C4;~1	Max	I	110.7	21.1	2.0	273.4
826.9	9587.8			J	110.7	21.1	2.0	273.4
-646.4	-6489.7		Min	I	-289.1	-6.1	-1.7	-386.2
-748.0	-2744.0			J	-289.1	-6.1	-1.7	-386.2
410.3	22623.4	C1-C2;~2	Max	I	50.7	21.1	0.8	218.9
325.1	10607.8			J	50.7	21.1	0.8	218.9
-261.9	-1668.9		Min	I	-137.1	-2.7	-0.7	-347.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-314.1	-1131.9		J	-137.1	-2.7	-0.7	-347.7	
548.9	16403.2	C3-C4;~2 Max	I	55.1	13.9	1.1	158.5	
472.5	6553.9		J	55.1	13.9	1.1	158.5	
-348.9	-2761.2	Min	I	-160.0	-2.6	-0.9	-240.7	
-413.0	-1334.1		J	-160.0	-2.6	-0.9	-240.7	
38.6	2230.7	G1	I	-142.6	2.0	-0.6	-15.4	
-141.3	462.6		J	-142.6	2.0	1.0	-15.4	
53.7	-1785.1	G2	I	-57.5	-1.5	0.1	8.8	
-10.4	-509.4		J	-57.5	-1.5	0.1	8.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
6.1	2426.9	Q5_pc X	I	27.6	1.7	0.0	-11.7	
-0.4	915.2		J	27.6	1.7	0.0	-11.7	
53.5	-198.2	Q5_pc Y	I	9.1	-0.7	0.1	-3.2	
-71.7	420.1		J	9.1	-0.7	0.1	-3.2	
7.6	3240.5	Q5_ps X	I	27.3	2.5	0.0	-17.0	
0.4	1110.8		J	27.3	2.5	0.0	-17.0	
50.6	-321.2	Q5_ps Y	I	8.4	-0.8	0.1	-4.4	
-68.3	366.7		J	8.4	-0.8	0.1	-4.4	
1382.6	39646.7	INVSLU Max	I	-2510.0	16.1	1.6	-218.8	
1285.6	37329.5		J	-2510.0	16.1	3.8	-218.8	
-862.4	-18478.6	Min	I	-3099.5	-37.1	-3.5	-1386.6	
-969.6	11611.8		J	-3099.5	-37.1	-1.4	-1386.6	
1026.1	28390.4	INVSLE Max	I	-1954.5	11.6	1.2	-148.2	
952.5	26960.8		J	-1954.5	11.6	2.8	-148.2	
-629.8	-14341.8	Min	I	-2387.4	-27.6	-2.6	-1011.8	
-708.4	8032.8		J	-2387.4	-27.6	-1.0	-1011.8	
5005	2	67 C1-C2;~1 Max	I	102.0	12.0	1.6	412.2	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
746.5	15083.7		J	102.0	12.0	1.6	412.2
573.8	15106.2	Min	I	-236.5	-11.9	-1.2	-427.2
-465.6	-2047.9		J	-236.5	-11.9	-1.2	-427.2
-611.0	-2047.0						
		C3-C4;~1 Max	I	110.5	6.2	2.1	313.0
987.7	9586.1		J	110.5	6.2	2.1	313.0
793.7	9575.7	Min	I	-281.0	-6.2	-1.6	-333.1
-611.6	-2743.8		J	-281.0	-6.2	-1.6	-333.1
-796.4	-2753.0						
		C1-C2;~2 Max	I	51.0	8.4	0.9	275.1
419.6	10606.4		J	51.0	8.4	0.9	275.1
316.6	10620.7	Min	I	-132.5	-8.4	-0.6	-284.2
-247.2	-1132.3		J	-132.5	-8.4	-0.6	-284.2
-327.8	-1127.0						
		C3-C4;~2 Max	I	55.4	4.0	1.2	189.8
570.8	6552.8		J	55.4	4.0	1.2	189.8
453.3	6544.1	Min	I	-155.3	-4.0	-0.9	-201.7
-329.8	-1334.0		J	-155.3	-4.0	-0.9	-201.7
-439.1	-1337.1						
		G1	I	-137.5	0.0	-0.5	-9.4
99.2	462.6		J	-137.5	0.0	1.1	-9.4
-199.8	438.4						
		G2	I	-55.7	0.0	0.1	-4.2
81.9	-509.0		J	-55.7	0.0	0.1	-4.2
-36.7	-518.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	27.5	-0.0	0.0	-0.1
3.6	921.9		J	27.5	-0.0	0.0	-0.1
1.8	923.2						
		Q5_pc Y	I	8.6	-0.0	0.1	-6.8
51.5	436.3		J	8.6	-0.0	0.1	-6.8
-71.4	443.9						
		Q5_ps X	I	27.2	-0.0	-0.0	-0.6
3.3	1116.9		J	27.2	-0.0	-0.0	-0.6
3.9	1122.8						
		Q5_ps Y	I	8.0	-0.0	0.1	-8.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
49.0	382.1			J	8.0	-0.0	0.1 -8.4
-68.1	402.6						
1585.0	37328.5	INVSLE Max	I		-2481.1	15.5	2.0 535.6
1185.6	37944.1		J		-2481.1	15.5	4.2 535.6
-666.8	11602.1	Min	I		-3059.0	-16.8	-3.2 -609.8
1089.5	12172.5		J		-3059.0	-16.8	-1.0 -609.8 -
1173.8	26959.7	INVSLE Max	I		-1933.1	11.5	1.5 396.4
879.5	27411.2		J		-1933.1	11.5	3.1 396.4
-487.4	8026.0	Min	I		-2357.5	-12.4	-2.4 -451.1
-796.3	8444.3		J		-2357.5	-12.4	-0.8 -451.1
5006	2	67 C1-C2;~1 Max	I		106.8	5.2	1.6 502.5
764.2	15108.4		J		106.8	5.2	1.6 502.5
558.4	33321.8	Min	I		-242.6	-30.9	-1.2 -349.7
-443.2	-2046.4		J		-242.6	-30.9	-1.2 -349.7
-641.5	-4039.0						
1024.0	9577.4	C3-C4;~1 Max	I		115.4	6.3	2.2 354.5
756.0	24825.3		J		115.4	6.3	2.2 354.5
-571.6	-2753.1	Min	I		-288.6	-21.1	-1.5 -294.3
-842.8	-6721.1		J		-288.6	-21.1	-1.5 -294.3
428.7	10622.2	C1-C2;~2 Max	I		53.7	2.8	0.9 339.1
309.7	22606.9		J		53.7	2.8	0.9 339.1
-235.6	-1126.5	Min	I		-136.0	-21.0	-0.6 -228.5
-345.3	-1826.6		J		-136.0	-21.0	-0.6 -228.5
591.0	6545.2	C3-C4;~2 Max	I		58.2	2.7	1.2 232.8
433.3	16363.8		J		58.2	2.7	1.2 232.8
-308.0	-1337.1	Min	I		-159.7	-13.8	-0.8 -170.5
-465.3	-2913.7		J		-159.7	-13.8	-0.8 -170.5
154.3	438.5	G1	I		-137.9	-1.8	-0.3 -3.7
-261.8	2022.9		J		-137.9	-1.8	1.3 -3.7
106.7	-518.7	G2	I		-55.7	1.5	0.2 -17.3
			J		-55.7	1.5	0.2 -17.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-65.3	-1857.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	26.6	-1.8	-0.0	11.6
1.2	929.6		J	26.6	-1.8	-0.0	11.6
5.1	2493.6						
		Q5_pc Y	I	9.3	0.6	0.1	-9.8
49.3	460.4		J	9.3	0.6	0.1	-9.8
-69.3	-77.8						
		Q5_ps X	I	26.3	-2.5	-0.0	16.1
-0.3	1129.0		J	26.3	-2.5	-0.0	16.1
8.9	3332.2						
		Q5_ps Y	I	8.7	0.6	0.1	-11.7
47.0	418.2		J	8.7	0.6	0.1	-11.7
-66.2	-123.8						
		INVSLE Max	I	-2405.0	36.1	2.3	1297.4
1632.4	37956.7		J	-2405.0	36.1	4.4	1297.4
1022.0	41404.3	Min	I	-2998.2	-17.3	-2.9	126.1
-610.5	12170.3		J	-2998.2	-17.3	-0.8	126.1
1261.2	-17142.0						-
		INVSLE Max	I	-1876.2	26.9	1.7	945.8
1208.1	27420.2		J	-1876.2	26.9	3.3	945.8
760.4	29662.2	Min	I	-2312.0	-12.5	-2.2	79.7
-446.8	8443.1		J	-2312.0	-12.5	-0.6	79.7
-921.6	-13373.0						
5007	2	67 C1-C2;~1 Max	I	114.9	100.0	2.0	1075.1
948.8	33320.9		J	114.9	100.0	2.0	1075.1
429.6	10131.0	Min	I	-262.7	-16.3	-0.9	-138.9
-371.1	-4039.7		J	-262.7	-16.3	-0.9	-138.9
-823.2	-53315.8						
		C3-C4;~1 Max	I	123.9	83.5	2.5	807.0
1168.2	24824.8		J	123.9	83.5	2.5	807.0
566.2	16783.3	Min	I	-304.9	-27.1	-1.2	-241.1
-484.7	-6721.1		J	-304.9	-27.1	-1.2	-241.1
1013.3	-47549.7						-
		C1-C2;~2 Max	I	58.1	65.3	1.2	726.8
553.3	22606.1		J	58.1	65.3	1.2	726.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
226.0	4595.0		Min	I	-148.3	-7.4	-0.5	-63.3
-190.4	-1827.0			J	-148.3	-7.4	-0.5	-63.3
-466.3	-34017.6							
690.1	16363.3	C3-C4;~2	Max	I	62.8	53.5	1.5	531.0
298.3	7326.3			J	62.8	53.5	1.5	531.0
-248.4	-2913.8		Min	I	-169.8	-11.8	-0.6	-105.0
-582.9	-30077.0			J	-169.8	-11.8	-0.6	-105.0
209.3	2024.3		G1	I	-141.2	8.0	-0.2	50.6
-329.4	-4865.8			J	-141.2	8.0	1.4	50.6
103.7	-1856.9		G2	I	-55.1	-7.6	0.2	-74.0
-61.5	4716.7			J	-55.1	-7.6	0.2	-74.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
23.4	2499.9		Q5_pc X	I	23.5	8.5	0.1	74.4
-22.8	-4872.9			J	23.5	8.5	0.1	74.4
47.2	-62.2		Q5_pc Y	I	10.6	-2.7	0.1	-28.2
-66.1	2274.7			J	10.6	-2.7	0.1	-28.2
31.7	3338.0		Q5_ps X	I	22.6	12.0	0.1	104.8
-31.3	-7024.5			J	22.6	12.0	0.1	104.8
44.4	-109.0		Q5_ps Y	I	9.9	-2.7	0.1	-30.6
-62.4	2267.8			J	9.9	-2.7	0.1	-30.6
1900.2	41400.0		INVS LU Max	I	-2342.8	123.4	2.8	2511.3
760.7	37839.2			J	-2342.8	123.4	5.0	2511.3
-416.2	-17156.5		Min	I	-2964.0	-63.5	-2.4	600.5
1490.6	-65565.7			J	-2964.0	-63.5	-0.3	600.5
1421.8	29658.4		INVS LE Max	I	-1829.5	86.2	2.1	1822.5
548.6	30921.0			J	-1829.5	86.2	3.7	1822.5
-287.8	-13383.5		Min	I	-2286.5	-51.1	-1.7	417.0
				J	-2286.5	-51.1	-0.1	417.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1110.3	-45025.5									
5008	2	67	C1-C2;~1	Max	I	118.9	16.3	1.6	148.8	
748.0	10137.9				J	118.9	16.3	1.6	148.8	
644.5	33210.5									
				Min	I	-264.8	-99.8	-1.4	-1119.6	
-543.4	-53316.7				J	-264.8	-99.8	-1.4	-1119.6	
-661.7	-4015.3									
				C3-C4;~1	Max	I	128.1	27.1	2.1	242.7
952.3	16788.4				J	128.1	27.1	2.1	242.7	
783.5	24692.0									
				Min	I	-306.9	-83.3	-1.6	-844.8	
-640.4	-47549.7				J	-306.9	-83.3	-1.6	-844.8	
-854.4	-6672.5									
				C1-C2;~2	Max	I	60.4	7.4	0.9	66.4
415.4	4599.2				J	60.4	7.4	0.9	66.4	
376.1	22544.0									
				Min	I	-149.7	-65.2	-0.8	-748.9	
-310.2	-34017.8				J	-149.7	-65.2	-0.8	-748.9	
-355.6	-1817.7									
				C3-C4;~2	Max	I	65.2	11.8	1.1	104.8
525.6	7329.7				J	65.2	11.8	1.1	104.8	
461.3	16286.3									
				Min	I	-171.1	-53.5	-0.9	-551.3	
-365.0	-30077.0				J	-171.1	-53.5	-0.9	-551.3	
-460.8	-2894.6									
				G1	I	-137.7	-7.9	-0.0	-85.7	
265.0	-4861.4				J	-137.7	-7.9	1.6	-85.7	
-389.5	1980.3									
				G2	I	-53.6	7.6	0.4	58.6	
173.9	4718.3				J	-53.6	7.6	0.4	58.6	
-133.2	-1857.2									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	22.0	-8.5	-0.0	-74.2
-21.5	-4863.3				J	22.0	-8.5	-0.0	-74.2	
21.5	2458.3									
				Q5_pc	Y	I	10.3	2.8	0.1	17.0
45.2	2295.2				J	10.3	2.8	0.1	17.0	
-64.9	-93.2									
				Q5_ps	X	I	21.1	-11.9	-0.1	-105.0
-34.5	-7015.3				J	21.1	-11.9	-0.1	-105.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
34.5	3294.3							
			Q5_ps Y	I	9.6	2.8	0.1	15.6
43.7	2287.2			J	9.6	2.8	0.1	15.6
-62.4	-133.0							
			INVSLU Max	I	-2285.4	68.0	2.2	-318.0
1547.7	37852.6			J	-2285.4	68.0	4.3	-318.0
1054.9	37177.4		Min	I	-2912.3	-118.5	-3.1	-2290.7
-683.8	-65543.1			J	-2912.3	-118.5	-0.9	-2290.7
1272.9	-21089.6							
			INVSLE Max	I	-1786.6	54.5	1.6	-205.0
1129.8	30932.3			J	-1786.6	54.5	3.2	-205.0
797.1	26500.9		Min	I	-2248.1	-82.5	-2.3	-1656.4
-517.2	-45008.7			J	-2248.1	-82.5	-0.7	-1656.4
-918.6	-16332.1							
5009	2	67	C1-C2;~1 Max	I	119.5	30.6	1.9	328.6
908.2	33210.7			J	119.5	30.6	1.9	328.6
461.9	15533.3		Min	I	-244.9	-5.4	-1.0	-538.6
-377.1	-4014.6			J	-244.9	-5.4	-1.0	-538.6
-775.1	-1942.5							
			C3-C4;~1 Max	I	128.7	20.7	2.5	262.2
1176.6	24691.8			J	128.7	20.7	2.5	262.2
630.9	10061.6		Min	I	-292.4	-6.1	-1.3	-415.0
-493.0	-6672.5			J	-292.4	-6.1	-1.3	-415.0
-999.2	-2798.1							
			C1-C2;~2 Max	I	60.9	20.8	1.1	214.7
516.5	22544.4			J	60.9	20.8	1.1	214.7
250.5	10901.6		Min	I	-136.9	-3.0	-0.5	-360.8
-197.1	-1817.2			J	-136.9	-3.0	-0.5	-360.8
-424.6	-1039.1							
			C3-C4;~2 Max	I	65.8	13.6	1.4	150.6
680.6	16286.5			J	65.8	13.6	1.4	150.6
354.7	6871.8		Min	I	-161.4	-2.7	-0.7	-252.3
-262.8	-2894.4			J	-161.4	-2.7	-0.7	-252.3
-556.4	-1347.8							
			G1	I	-129.3	1.8	0.1	-32.2
346.9	1978.4			J	-129.3	1.8	1.7	-32.2
-471.9	447.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
175.6	-1858.4		G2	I	-52.4	-1.5	0.4	1.9
				J	-52.4	-1.5	0.4	1.9
-140.9	-585.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	23.0	1.7	0.0	-11.7
5.7	2464.6			J	23.0	1.7	0.0	-11.7
0.4	963.4							
			Q5_pc Y	I	8.6	-0.6	0.1	-1.2
42.1	-77.0			J	8.6	-0.6	0.1	-1.2
-64.3	428.0							
			Q5_ps X	I	22.9	2.4	0.0	-16.6
4.7	3300.4			J	22.9	2.4	0.0	-16.6
3.7	1191.0							
			Q5_ps Y	I	8.0	-0.6	0.1	-3.0
40.0	-117.6			J	8.0	-0.6	0.1	-3.0
-61.3	398.4							
			INVSLE Max	I	-2200.9	21.2	2.8	72.2
1829.3	37192.8			J	-2200.9	21.2	5.0	72.2
787.8	30685.7		Min	I	-2810.8	-31.4	-2.6	-1119.5
-500.4	-21085.7			J	-2810.8	-31.4	-0.4	-1119.5
1528.6	4204.2							-
			INVSLE Max	I	-1724.6	15.5	2.1	69.8
1359.1	26512.1			J	-1724.6	15.5	3.7	69.8
580.7	21887.7		Min	I	-2173.3	-23.3	-1.9	-811.3
-361.1	-16328.6			J	-2173.3	-23.3	-0.3	-811.3
1126.5	2400.2							-
5010	2	67	C1-C2;~1 Max	I	128.4	11.1	2.1	405.3
959.8	15533.7			J	128.4	11.1	2.1	405.3
422.7	23984.6		Min	I	-254.5	-20.9	-0.9	-428.2
-352.1	-1942.7			J	-254.5	-20.9	-0.9	-428.2
-860.0	-2889.6							
			C3-C4;~1 Max	I	138.2	6.7	2.7	299.1
1261.5	10062.6			J	138.2	6.7	2.7	299.1
561.3	15525.2		Min	I	-305.3	-11.1	-1.1	-344.1
-431.6	-2797.7			J	-305.3	-11.1	-1.1	-344.1
1119.5	-4275.6							-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
546.5	10901.7	C1-C2;~2	Max	I	65.6	7.6	1.2	271.4	
				J	65.6	7.6	1.2	271.4	
226.4	16796.4		Min	I	-142.3	-14.8	-0.5	-284.3	
-183.4	-1039.1			J	-142.3	-14.8	-0.5	-284.3	
-476.1	-1511.3								
729.5	6872.3	C3-C4;~2	Max	I	70.9	3.9	1.6	175.7	
				J	70.9	3.9	1.6	175.7	
310.7	10561.8		Min	I	-168.6	-7.6	-0.6	-207.2	
-224.7	-1347.5			J	-168.6	-7.6	-0.6	-207.2	
-628.0	-2022.2								
			G1	I	-130.0	-0.2	0.4	-25.7	
432.9	448.4			J	-130.0	-0.2	2.0	-25.7	
-578.5	596.3								
			G2	I	-52.8	0.5	0.5	-12.9	
213.8	-585.0			J	-52.8	0.5	0.5	-12.9	
-186.2	-1024.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	22.9	-0.7	-0.0	2.6
1.9	969.5			J	22.9	-0.7	-0.0	2.6	
5.1	1536.6								
			Q5_pc	Y	I	8.0	-0.2	0.1	-3.4
38.6	443.3			J	8.0	-0.2	0.1	-3.4	
-61.7	630.5								
			Q5_ps	X	I	22.9	-0.8	-0.0	3.4
-0.8	1196.7			J	22.9	-0.8	-0.0	3.4	
9.9	1923.0								
			Q5_ps	Y	I	7.5	-0.2	0.1	-5.0
36.8	412.9			J	7.5	-0.2	0.1	-5.0	
-58.8	608.4								
			INVSLU	Max	I	-2105.2	19.2	3.8	614.9
2214.4	30686.4			J	-2105.2	19.2	6.0	614.9	
344.7	39439.1		Min	I	-2745.1	-25.2	-1.6	-516.4	
-140.6	4193.9			J	-2745.1	-25.2	0.5	-516.4	
2035.5	-1478.0							-	
			INVSLE	Max	I	-1656.3	14.5	2.9	456.1
1650.5	21887.7			J	-1656.3	14.5	4.5	456.1	
238.8	28043.9								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-88.8	2392.8		Min	I	-2127.2	-18.3	-1.2	-381.4	
				J	-2127.2	-18.3	0.4	-381.4	-
1516.0	-2060.1								
5011	2	69	C1-C2;~1	Max	I	152.9	7.3	2.7	677.1
1239.6	23973.5			J	152.9	7.3	2.7	677.1	
514.8	41820.2								
			Min	I	-291.7	-32.0	-1.0	-446.9	
-418.9	-2889.9			J	-291.7	-32.0	-1.0	-446.9	-
1100.3	-4469.6								
			C3-C4;~1	Max	I	164.1	5.8	3.6	476.3
1652.1	15513.3			J	164.1	5.8	3.6	476.3	
662.0	29203.4								
			Min	I	-349.7	-18.9	-1.3	-400.6	
-480.7	-4276.4			J	-349.7	-18.9	-1.3	-400.6	-
1447.3	-7121.1								
			C1-C2;~2	Max	I	78.6	4.5	1.5	458.9
707.8	16789.8			J	78.6	4.5	1.5	458.9	
278.0	28952.2								
			Min	I	-163.2	-22.3	-0.5	-290.0	
-221.5	-1512.5			J	-163.2	-22.3	-0.5	-290.0	
-608.7	-2050.4								
			C3-C4;~2	Max	I	84.7	2.7	2.0	314.7
958.0	10554.8			J	84.7	2.7	2.0	314.7	
367.9	19681.5								
			Min	I	-193.4	-12.7	-0.7	-230.0	
-249.2	-2023.4			J	-193.4	-12.7	-0.7	-230.0	
-811.2	-3109.8								
			G1	I	-140.7	-1.0	0.6	-27.6	
616.9	590.2			J	-140.7	-1.0	2.7	-27.6	
-799.1	1437.1								
			G2	I	-56.9	1.2	0.7	-38.2	
304.5	-1026.2			J	-56.9	1.2	0.7	-38.2	
-263.9	-2106.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	23.2	-1.6	-0.0	23.5
-2.9	1542.3			J	23.2	-1.6	-0.0	23.5	
8.3	2934.7								
			Q5_pc	Y	I	9.9	-0.0	0.1	-6.6
43.0	648.0			J	9.9	-0.0	0.1	-6.6	
-74.0	684.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.1	1928.4	Q5_ps X	I	23.2	-2.1	-0.0	32.3	
			J	23.2	-2.1	-0.0	32.3	
16.6	3784.2							
		Q5_ps Y	I	9.2	-0.1	0.1	-8.6	
41.0	625.0		J	9.2	-0.1	0.1	-8.6	
-70.4	679.6							
		INVS LU Max	I	-2012.4	28.5	4.7	1292.8	
2861.1	39446.6		J	-2012.4	28.5	7.6	1292.8	
518.9	49874.4	Min	I	-2747.7	-27.4	-2.1	-266.8	
-95.6	-1466.8		J	-2747.7	-27.4	0.8	-266.8	-
2461.8	-21478.9							
		INVS LE Max	I	-1593.7	21.0	3.5	938.5	
2140.6	28050.5		J	-1593.7	21.0	5.6	938.5	
380.8	35648.3	Min	I	-2135.3	-20.2	-1.5	-213.6	
-43.8	-2050.1		J	-2135.3	-20.2	0.6	-213.6	-
1817.3	-16814.6							
5012	2	69 C1-C2;~1 Max	I	175.8	132.7	3.2	1263.7	
1473.0	41820.0		J	175.8	132.7	3.2	1263.7	
419.6	17140.8	Min	I	-326.5	-24.8	-1.0	-170.0	
-406.3	-4471.2		J	-326.5	-24.8	-1.0	-170.0	-
1338.4	-76791.5							
		C3-C4;~1 Max	I	188.3	110.6	4.0	938.2	
1810.4	29204.0		J	188.3	110.6	4.0	938.2	
505.0	26546.4	Min	I	-383.3	-38.6	-1.1	-305.6	
-482.5	-7121.8		J	-383.3	-38.6	-1.1	-305.6	-
1645.8	-67159.7							
		C1-C2;~2 Max	I	90.9	86.6	1.9	859.4	
861.0	28951.7		J	90.9	86.6	1.9	859.4	
216.8	7936.8	Min	I	-183.5	-11.5	-0.5	-76.7	
-215.3	-2051.4		J	-183.5	-11.5	-0.5	-76.7	
-765.0	-48776.6							
		C3-C4;~2 Max	I	97.7	71.1	2.3	622.7	
1063.1	19681.5		J	97.7	71.1	2.3	622.7	
253.8	11814.6	Min	I	-212.7	-17.1	-0.6	-134.2	
-248.7	-3110.5		J	-212.7	-17.1	-0.6	-134.2	
-946.4	-42302.6							
		G1	I	-143.6	6.5	0.7	8.3	
660.0	1439.3							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-867.5	-4164.1		J	-143.6	6.5	2.8	8.3
		G2	I	-56.1	-11.9	0.6	-106.5
287.0	-2104.5		J	-56.1	-11.9	0.6	-106.5
-249.2	8233.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	19.3	12.2	0.1	93.1
33.9	2940.5		J	19.3	12.2	0.1	93.1
-33.7	-7636.3						
		Q5_pc Y	I	11.5	-2.5	0.1	-19.7
46.5	698.3		J	11.5	-2.5	0.1	-19.7
-74.4	2842.8						
		Q5_ps X	I	18.8	16.9	0.1	130.1
42.3	3789.4		J	18.8	16.9	0.1	130.1
-41.9	-10890.1						
		Q5_ps Y	I	10.7	-2.2	0.1	-19.8
44.9	693.0		J	10.7	-2.2	0.1	-19.8
-71.3	2556.5						
		INVSLE Max	I	-1891.9	139.0	5.0	2280.5
2930.3	49874.3		J	-1891.9	139.0	7.9	2280.5
413.1	77814.2						
		Min	I	-2698.3	-114.3	-2.2	-5.7
-248.8	-21490.0		J	-2698.3	-114.3	0.7	-5.7
2624.4	-75437.3						-
		INVSLE Max	I	-1505.8	96.2	3.7	1651.2
2181.2	35647.7		J	-1505.8	96.2	5.8	1651.2
301.3	61129.5						
		Min	I	-2100.6	-89.8	-1.6	-29.9
-167.5	-16822.7		J	-2100.6	-89.8	0.5	-29.9
1938.7	-51371.9						-
5013	2	69 C1-C2;~1 Max	I	193.5	25.2	2.7	214.8
1226.9	17147.8		J	193.5	25.2	2.7	214.8
628.5	43810.1						
		Min	I	-342.9	-136.4	-1.3	-1414.1
-522.2	-76770.8		J	-342.9	-136.4	-1.3	-1414.1
1147.5	-4952.1						-
		C3-C4;~1 Max	I	207.2	39.2	3.6	320.9
1586.8	26552.2		J	207.2	39.2	3.6	320.9
713.7	31230.4						
		Min	I	-403.8	-113.3	-1.5	-1075.4
-593.5	-67152.4						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1495.7	-7948.2		J	-403.8	-113.3	-1.5	-1075.4	-
693.3	7941.2	C1-C2;~2 Max	I	100.3	11.7	1.5	98.9	
363.4	30240.9		J	100.3	11.7	1.5	98.9	
-293.5	-48763.2	Min	I	-192.7	-89.2	-0.8	-946.5	
-635.1	-2254.1		J	-192.7	-89.2	-0.8	-946.5	
883.3	11818.4	C3-C4;~2 Max	I	107.8	17.4	2.0	142.5	
411.0	21034.9		J	107.8	17.4	2.0	142.5	
-331.0	-42299.5	Min	I	-224.2	-72.9	-0.9	-706.2	
-820.7	-3555.6		J	-224.2	-72.9	-0.9	-706.2	
745.2	-4144.9	G1	I	-139.4	-6.6	0.9	-88.7	
-967.2	1576.2		J	-139.4	-6.6	3.0	-88.7	
385.6	8240.8	G2	I	-54.5	12.2	0.9	73.5	
-353.3	-2289.9		J	-54.5	12.2	0.9	73.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-19.4	-7624.9	Q5_pc X	I	15.7	-12.4	-0.0	-91.7	
18.5	3134.2		J	15.7	-12.4	-0.0	-91.7	
42.8	2867.3	Q5_pc Y	I	10.3	2.5	0.1	14.5	
-71.8	690.6		J	10.3	2.5	0.1	14.5	
-41.2	-10879.3	Q5_ps X	I	15.4	-17.2	-0.1	-127.8	
40.5	4055.7		J	15.4	-17.2	-0.1	-127.8	
40.3	2579.7	Q5_ps Y	I	9.6	2.2	0.1	9.6	
-67.8	702.0		J	9.6	2.2	0.1	9.6	
2239.0	77837.7	INVSLU Max	I	-1739.7	133.2	3.6	439.6	
971.7	37201.5		J	-1739.7	133.2	6.5	439.6	
-781.6	-75373.2	Min	I	-2592.9	-126.1	-3.5	-2067.7	
2140.2	-38313.8		J	-2592.9	-126.1	-0.6	-2067.7	-
		INVSLE Max	I	-1391.2	104.6	2.6	364.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1611.7	61147.9			J	-1391.2	104.6	4.7	364.6	
771.6	25462.6								
			Min	I	-2021.1	-85.8	-2.7	-1480.4	
-620.0	-51325.1								
				J	-2021.1	-85.8	-0.5	-1480.4	-
1523.9	-30056.8								
5014	2	69	C1-C2;~1	Max	I	214.2	27.5	3.3	391.2
1546.9	43813.4								
				J	214.2	27.5	3.3	391.2	
423.4	35549.5								
			Min	I	-346.6	-15.9	-1.0	-800.2	
-469.3	-4951.7								
				J	-346.6	-15.9	-1.0	-800.2	-
1360.5	-5200.4								
			C3-C4;~1	Max	I	229.3	15.7	4.3	314.2
1987.9	31233.1								
				J	229.3	15.7	4.3	314.2	
489.5	24531.9								
			Min	I	-418.6	-8.3	-1.2	-632.1	
-528.7	-7949.3								
				J	-418.6	-8.3	-1.2	-632.1	-
1758.7	-6721.3								
			C1-C2;~2	Max	I	111.3	19.3	1.9	250.1
883.6	30243.2								
				J	111.3	19.3	1.9	250.1	
226.8	24700.4								
			Min	I	-192.6	-11.0	-0.5	-538.3	
-247.1	-2253.6								
				J	-192.6	-11.0	-0.5	-538.3	
-770.7	-2877.6								
			C3-C4;~2	Max	I	119.7	10.3	2.5	174.6
1141.2	21036.9								
				J	119.7	10.3	2.5	174.6	
258.8	16641.9								
			Min	I	-230.1	-4.7	-0.6	-389.8	
-274.2	-3556.0								
				J	-230.1	-4.7	-0.6	-389.8	
-996.3	-3172.4								
			G1	I	-133.8	0.6	1.2	-52.8	
878.2	1574.8								
				J	-133.8	0.6	3.4	-52.8	-
1116.3	1012.3								
			G2	I	-54.3	-0.5	0.9	2.2	
395.9	-2291.1								
				J	-54.3	-0.5	0.9	2.2	
-376.9	-1840.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	14.2	0.7	0.0	-18.4
21.5	3141.1								
				J	14.2	0.7	0.0	-18.4	
-16.1	2492.4								
			Q5_pc	Y	I	7.8	-0.2	0.1	3.1
35.9	706.3								

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-67.4	862.8		J	7.8	-0.2	0.1	3.1	
15.9	4062.4	Q5_ps X	I	14.9	1.0	0.0	-25.5	
-7.1	3168.2		J	14.9	1.0	0.0	-25.5	
34.4	716.9	Q5_ps Y	I	7.2	-0.2	0.1	0.3	
-64.2	868.6		J	7.2	-0.2	0.1	0.3	
2583.0	37215.8	INVSLU Max	I	-1496.1	35.9	4.2	486.9	
807.2	27161.1		J	-1496.1	35.9	7.1	486.9	
-879.0	-38317.6	Min	I	-2396.4	-24.1	-3.4	-1154.5	
2349.1	-34390.7		J	-2396.4	-24.1	-0.5	-1154.5	-
1867.4	25472.8	INVSLE Max	I	-1206.0	27.3	3.0	389.5	
654.3	17368.1		J	-1206.0	27.3	5.1	389.5	
-692.3	-30059.1	Min	I	-1871.0	-17.0	-2.6	-823.9	
1674.7	-27893.5		J	-1871.0	-17.0	-0.5	-823.9	-
5015	2	69 C1-C2;~1 Max	I	258.8	20.6	4.1	496.5	
1855.1	35546.4		J	258.8	20.6	4.1	496.5	
577.6	35902.8	Min	I	-398.0	-24.0	-1.4	-691.0	
-610.4	-5200.6		J	-398.0	-24.0	-1.4	-691.0	-
1737.0	-4145.1							
2388.4	24529.5	C3-C4;~1 Max	I	276.8	11.8	5.3	355.7	
643.1	25284.6		J	276.8	11.8	5.3	355.7	
-675.0	-6720.8	Min	I	-484.6	-13.8	-1.5	-554.6	
2236.6	-7039.0		J	-484.6	-13.8	-1.5	-554.6	-
1046.8	24698.3	C1-C2;~2 Max	I	134.8	14.4	2.3	329.8	
296.8	24945.0		J	134.8	14.4	2.3	329.8	
-309.7	-2877.9	Min	I	-220.6	-17.0	-0.7	-467.1	
-976.3	-2035.2		J	-220.6	-17.0	-0.7	-467.1	
1353.0	16640.3	C3-C4;~2 Max	I	144.8	7.5	3.0	206.3	
326.5	17214.4		J	144.8	7.5	3.0	206.3	
-339.2	-3172.2	Min	I	-266.2	-9.1	-0.8	-345.2	
1254.8	-3362.5		J	-266.2	-9.1	-0.8	-345.2	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1040.4	1012.5	G1	I	-140.0	0.3	1.7	-47.9	
			J	-140.0	0.3	3.8	-47.9	-
1316.7	734.1							
		G2	I	-56.8	0.3	1.1	-22.7	
462.9	-1839.7		J	-56.8	0.3	1.1	-22.7	
-457.1	-2069.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	10.9	-0.1	0.1	4.4	
27.1	2497.9		J	10.9	-0.1	0.1	4.4	
-23.1	2585.2							
		Q5_pc Y	I	7.0	-0.1	0.1	2.8	
26.4	877.9		J	7.0	-0.1	0.1	2.8	
-58.0	972.5							
		Q5_ps X	I	12.0	-0.1	0.0	5.8	
18.2	3173.3		J	12.0	-0.1	0.0	5.8	
-11.1	3256.4							
		Q5_ps Y	I	6.4	-0.1	0.1	0.8	
25.5	882.9		J	6.4	-0.1	0.1	0.8	
-55.3	994.2							
		INVSLE Max	I	-1115.6	21.2	5.3	685.4	
2986.3	27160.6		J	-1115.6	21.2	8.2	685.4	
1154.6	33573.0							
		Min	I	-2163.1	-39.3	-4.2	-925.5	-
1198.1	-34396.2		J	-2163.1	-39.3	-1.3	-925.5	-
2837.3	-29051.8							
		INVSLE Max	I	-914.6	15.2	3.7	523.5	
2134.3	17367.3		J	-914.6	15.2	5.8	523.5	
948.3	22537.8							
		Min	I	-1689.1	-29.6	-3.3	-669.2	
-961.6	-27897.2		J	-1689.1	-29.6	-1.1	-669.2	-
2000.9	-23506.3							
		69 C1-C2;~1 Max	I	351.7	30.0	5.8	655.9	
5016	2		J	351.7	30.0	5.8	655.9	
2467.9	35906.2							
		Min	I	-528.8	-42.4	-2.2	-566.5	
970.7	59110.6		J	-528.8	-42.4	-2.2	-566.5	-
-909.7	-4145.2							
2543.0	-27483.3							
		C3-C4;~1 Max	I	375.6	22.7	7.4	455.7	
3151.6	25288.2		J	375.6	22.7	7.4	455.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1066.3	43902.4		Min	I	-645.3	-30.3	-2.4	-488.3
-997.5	-7039.6			J	-645.3	-30.3	-2.4	-488.3
3235.5	-23291.9							-
		C1-C2;~2	Max	I	183.5	20.7	3.2	446.3
1381.1	24947.1			J	183.5	20.7	3.2	446.3
475.6	41232.3		Min	I	-293.6	-29.9	-1.1	-380.9
-445.6	-2035.2			J	-293.6	-29.9	-1.1	-380.9
1416.6	-18430.0							-
		C3-C4;~2	Max	I	196.8	14.7	4.1	302.6
1766.6	17216.7			J	196.8	14.7	4.1	302.6
521.7	30304.6		Min	I	-355.7	-20.3	-1.2	-295.1
-487.7	-3362.6			J	-355.7	-20.3	-1.2	-295.1
1796.4	-14215.2							-
		G1		I	-169.9	-0.2	2.3	-44.1
1293.0	734.7			J	-169.9	-0.2	4.5	-44.1
1652.7	872.0							-
		G2		I	-67.8	-0.2	1.3	-52.9
561.9	-2069.1			J	-67.8	-0.2	1.3	-52.9
-588.6	-1854.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	5.8	-0.3	0.1	30.7
35.2	2591.8			J	5.8	-0.3	0.1	30.7
-32.4	2863.1							
		Q5_pc	Y	I	9.9	-0.4	0.0	4.4
7.9	988.1			J	9.9	-0.4	0.0	4.4
-33.7	1328.6							
		Q5_ps	X	I	7.3	-0.3	0.0	41.4
22.9	3262.8			J	7.3	-0.3	0.0	41.4
-15.8	3484.3							
		Q5_ps	Y	I	9.1	-0.4	0.0	3.2
8.1	1009.0			J	9.1	-0.4	0.0	3.2
-32.4	1312.3							
		INVSLU	Max	I	-569.8	27.7	5.9	912.4
3224.9	33583.8			J	-569.8	27.7	8.8	912.4
2691.9	76619.5		Min	I	-1965.9	-70.8	-7.4	-793.0
2439.6	-29058.2			J	-1965.9	-70.8	-4.5	-793.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3176.1	-45435.8								
		INVSLE	Max	I	-493.3	19.0	4.0	678.3	
2236.1	22545.4			J	-493.3	19.0	6.1	678.3	
2189.9	55701.9								
		Min		I	-1526.1	-53.9	-5.9	-580.9	-
1955.1	-23510.5			J	-1526.1	-53.9	-3.7	-580.9	-
2152.3	-34327.7								
5017	2	69	C1-C2;~1	Max	I	566.4	144.5	10.0	1392.8
3954.4	59110.6			J	566.4	144.5	10.0	1392.8	
2142.7	23116.9								
		Min		I	-867.3	-31.0	-4.4	-469.1	-
1662.8	-27486.7			J	-867.3	-31.0	-4.4	-469.1	-
4721.6	-137950.5								
		C3-C4;~1	Max	I	604.7	126.3	12.2	1032.5	
4819.7	43903.1			J	604.7	126.3	12.2	1032.5	
2317.4	32672.0								
		Min		I	-1050.0	-44.0	-4.8	-507.1	-
1799.8	-23292.8			J	-1050.0	-44.0	-4.8	-507.1	-
5773.5	-112356.2								
		C1-C2;~2	Max	I	295.2	94.2	5.6	950.7	
2238.4	41231.8			J	295.2	94.2	5.6	950.7	
1083.3	10825.3								
		Min		I	-482.9	-14.5	-2.2	-291.2	-
-837.4	-18431.9			J	-482.9	-14.5	-2.2	-291.2	-
2649.8	-93030.7								
		C3-C4;~2	Max	I	316.3	82.1	6.9	691.2	
2715.6	30304.6			J	316.3	82.1	6.9	691.2	
1172.6	14702.7								
		Min		I	-579.8	-19.7	-2.4	-271.1	-
-906.7	-14215.7			J	-579.8	-19.7	-2.4	-271.1	-
3221.8	-75004.1								
		G1		I	-275.0	1.5	3.8	-23.7	
1758.5	874.0			J	-275.0	1.5	5.9	-23.7	-
2419.3	-425.2								
		G2		I	-105.6	-16.0	1.8	-124.1	
712.2	-1853.2			J	-105.6	-16.0	1.8	-124.1	
-844.9	11998.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-7.0	14.6	0.2	109.0	
89.3	2868.9			J	-7.0	14.6	0.2	109.0	
-107.0	-9739.0								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-14.7	1343.0	Q5_pc	Y	I	15.8	-0.4	-0.0	16.8	
1.5	1692.0			J	15.8	-0.4	-0.0	16.8	
86.2	3489.5	Q5_ps	X	I	-4.7	19.9	0.2	145.2	
-98.7	-13719.2			J	-4.7	19.9	0.2	145.2	
-11.2	1325.9	Q5_ps	Y	I	14.4	0.3	-0.0	17.8	
-1.8	1057.8			J	14.4	0.3	-0.0	17.8	
3984.4	76617.2	INVS LU	Max	I	366.8	148.1	7.7	1915.2	
7177.2	99179.2			J	366.8	148.1	10.6	1915.2	
5112.6	-45453.1		Min	I	-1895.5	-132.6	-15.6	-845.9	-
3938.2	-148691.4			J	-1895.5	-132.6	-12.7	-845.9	-
2626.7	55698.9	INVS LE	Max	I	243.6	104.7	4.8	1411.0	
5802.6	75442.8			J	243.6	104.7	6.9	1411.0	
4099.9	-34341.0		Min	I	-1430.1	-101.2	-12.5	-619.7	-
2416.8	-106866.5			J	-1430.1	-101.2	-10.4	-619.7	-
5018	2	69 C1-C2;~1	Max	I	770.1	34.3	19.5	577.6	
7917.9	22995.5			J	770.1	34.3	19.5	577.6	
3949.8	115799.9		Min	I	-1154.9	-277.0	-9.0	-3632.0	-
3842.7	-137674.1			J	-1154.9	-277.0	-9.0	-3632.0	-
8985.3	-37354.1								
0285.5	32550.7	C3-C4;~1	Max	I	821.1	47.9	25.4	593.7	1
4301.4	82479.8			J	821.1	47.9	25.4	593.7	
4155.7	-112106.6		Min	I	-1383.9	-213.1	-9.8	-2802.3	-
1671.5	-32184.4			J	-1383.9	-213.1	-9.8	-2802.3	-1
4351.0	10759.8	C1-C2;~2	Max	I	402.8	16.2	10.7	317.4	
1965.5	82242.1			J	402.8	16.2	10.7	317.4	
1937.2	-92869.4		Min	I	-648.8	-192.2	-4.5	-2523.3	-
4927.5	-24876.2			J	-648.8	-192.2	-4.5	-2523.3	-
5666.5	14634.8	C3-C4;~2	Max	I	431.2	21.5	13.9	267.1	
2139.6	58012.9			J	431.2	21.5	13.9	267.1	
			Min	I	-770.1	-146.1	-4.9	-1932.8	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2095.3	-74860.2			J	-770.1	-146.1	-4.9	-1932.8	-
6398.3	-19553.3								
		G1		I	-300.2	-2.3	9.9	-103.6	
4118.1	-314.5			J	-300.2	-2.3	12.0	-103.6	-
5385.0	1714.9								
		G2		I	-116.4	16.4	4.4	121.4	
1692.7	12039.7			J	-116.4	16.4	4.4	121.4	-
2082.2	-2122.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-21.4	-16.4	0.6	-156.7	
192.7	-9715.1			J	-21.4	-16.4	0.6	-156.7	
-288.3	4458.1								
		Q5_pc Y		I	22.2	-2.3	0.3	-7.2	
55.5	1712.8			J	22.2	-2.3	0.3	-7.2	
-199.1	3666.4								
		Q5_ps X		I	-19.0	-22.0	0.4	-209.9	
119.8	-13696.7			J	-19.0	-22.0	0.4	-209.9	
-197.2	5332.7								
		Q5_ps Y		I	20.1	-2.9	0.3	-17.7	
52.7	1077.7			J	20.1	-2.9	0.3	-17.7	
-188.6	3606.0								
		INVS LU Max		I	1317.2	131.0	20.1	1826.5	
7709.2	98673.6			J	1317.2	131.0	22.9	1826.5	1
1176.5	161636.0								
		Min		I	-1699.5	-337.0	-28.4	-4160.3	-1
2133.2	-148617.2			J	-1699.5	-337.0	-25.5	-4160.3	-1
0905.9	-53146.5								
		INVS LE Max		I	992.0	98.2	13.0	1411.4	
4914.7	75033.0			J	992.0	98.2	15.2	1411.4	
9017.0	120018.5								
		Min		I	-1239.7	-246.2	-22.7	-3002.3	-
9757.6	-106850.0			J	-1239.7	-246.2	-20.6	-3002.3	-
7301.9	-38485.2								
		69 C1-C2; ~1 Max		I	766.5	107.0	25.6	1328.7	1
5019	2			J	766.5	107.0	25.6	1328.7	
1104.7	115815.2								
		Min		I	-1006.9	-148.8	-9.5	-2849.1	-
3990.6	132423.8			J	-1006.9	-148.8	-9.5	-2849.1	-1
4262.7	-37352.1								
1032.5	-25049.4								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4049.4	82494.0	C3-C4;~1	Max	I	814.6	70.1	32.5	939.2	1
				J	814.6	70.1	32.5	939.2	
4378.3	98305.7		Min	I	-1204.7	-101.5	-10.4	-2136.3	-
4666.0	-32182.4			J	-1204.7	-101.5	-10.4	-2136.3	-1
4094.2	-23158.0								
		C1-C2;~2	Max	I	404.7	75.8	14.1	884.3	
6148.9	82251.7			J	404.7	75.8	14.1	884.3	
1950.2	93911.4		Min	I	-570.2	-106.3	-4.6	-1980.9	-
2098.5	-24873.7			J	-570.2	-106.3	-4.6	-1980.9	-
6089.7	-15487.1								
		C3-C4;~2	Max	I	432.3	46.4	17.8	556.1	
7724.1	58021.8			J	432.3	46.4	17.8	556.1	
2132.6	69220.6		Min	I	-677.7	-72.0	-5.1	-1474.1	-
2294.7	-19550.6			J	-677.7	-72.0	-5.1	-1474.1	-
7729.4	-12109.8								
		G1		I	-128.1	0.6	14.4	-75.9	
6378.0	1718.0			J	-128.1	0.6	16.5	-75.9	-
7001.8	1202.0								
		G2		I	-48.8	2.5	6.0	41.0	
2546.7	-2122.0			J	-48.8	2.5	6.0	41.0	-
2680.0	-4278.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-27.0	-1.1	1.2	-65.4	
495.0	4465.3			J	-27.0	-1.1	1.2	-65.4	
-550.6	5416.9								
		Q5_pc	Y	I	25.0	-0.1	0.9	-1.5	
324.5	3681.6			J	25.0	-0.1	0.9	-1.5	
-436.5	3776.1								
		Q5_ps	X	I	-25.9	-1.7	1.0	-85.9	
406.4	5339.9			J	-25.9	-1.7	1.0	-85.9	
-450.0	6838.6								
		Q5_ps	Y	I	22.7	-0.2	0.8	-7.8	
310.4	3620.4			J	22.7	-0.2	0.8	-7.8	
-415.8	3826.8								
		INVSLU	Max	I	1626.3	143.3	35.9	2240.7	1
5482.8	161652.2			J	1626.3	143.3	38.8	2240.7	
9088.2	186789.0								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0673.9	-53161.2		Min	I	-1148.5	-204.0	-24.2	-3517.1	-1
				J	-1148.5	-204.0	-21.3	-3517.1	-1
6840.7	-35550.3								
			INVSLE Max	I	1219.5	105.5	25.0	1692.3	1
0777.5	120029.0			J	1219.5	105.5	27.2	1692.3	
7297.3	139128.4								
			Min	I	-832.4	-151.6	-19.3	-2564.0	-
8531.9	-38496.6			J	-832.4	-151.6	-17.2	-2564.0	-1
1835.9	-24845.2								
5020	2	69	C1-C2;~1 Max	I	779.3	136.1	26.5	1956.3	1
1500.2	132417.4			J	779.3	136.1	26.5	1956.3	
4067.6	131584.2								
			Min	I	-882.2	-138.2	-9.5	-2182.3	-
4170.2	-25049.2			J	-882.2	-138.2	-9.5	-2182.3	-1
1424.6	-23592.2								
			C3-C4;~1 Max	I	825.8	92.8	34.1	1370.3	1
4774.0	98300.5			J	825.8	92.8	34.1	1370.3	
4468.1	97915.6								
			Min	I	-1055.4	-95.2	-10.4	-1688.1	-
4565.1	-23157.4			J	-1055.4	-95.2	-10.4	-1688.1	-1
4771.0	-21831.0								
			C1-C2;~2 Max	I	414.8	96.6	14.4	1355.4	
6285.4	93906.9			J	414.8	96.6	14.4	1355.4	
2014.1	93473.7								
			Min	I	-503.8	-98.3	-4.7	-1513.1	-
2045.8	-15487.1			J	-503.8	-98.3	-4.7	-1513.1	-
6231.1	-14443.0								
			C3-C4;~2 Max	I	442.2	61.8	18.5	896.0	
8021.2	69217.1			J	442.2	61.8	18.5	896.0	
2197.7	69140.9								
			Min	I	-600.7	-63.7	-5.1	-1102.1	-
2226.3	-12109.7			J	-600.7	-63.7	-5.1	-1102.1	-
8005.6	-11302.3								
			G1	I	30.2	1.0	16.4	-64.5	
7299.0	1201.8			J	30.2	1.0	18.5	-64.5	-
7827.3	314.1								
			G2	I	12.1	0.4	6.9	-29.2	
2921.2	-4277.9			J	12.1	0.4	6.9	-29.2	-
3016.7	-4591.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-32.1	0.7	1.6	1.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
669.4	5421.6			J	-32.1	0.7	1.6	1.1
-708.5	4836.7							
		Q5_pc	Y	I	27.1	0.3	1.3	12.0
502.1	3788.7			J	27.1	0.3	1.3	12.0
-589.9	3520.2							
		Q5_ps	X	I	-31.4	0.7	1.3	4.0
552.8	6843.0			J	-31.4	0.7	1.3	4.0
-582.8	6274.8							
		Q5_ps	Y	I	24.5	0.3	1.2	9.2
477.8	3838.7			J	24.5	0.3	1.2	9.2
-560.3	3608.4							
		INVSLU	Max	I	2076.7	181.2	42.5	2585.9
8501.1	186787.6			J	2076.7	181.2	45.4	2585.9
7681.4	187941.1							
			Min	I	-520.7	-190.4	-20.5	-3022.8
8811.6	-35551.2			J	-520.7	-190.4	-17.6	-3022.8
9566.7	-30253.0							
		INVSLE	Max	I	1556.6	134.3	30.2	1929.3
3124.1	139127.2			J	1556.6	134.3	32.3	1929.3
6146.9	139889.9							
			Min	I	-363.2	-140.8	-16.3	-2223.7
7018.3	-24845.3			J	-363.2	-140.8	-14.1	-2223.7
3942.4	-21090.5							
		69 C1-C2;~1	Max	I	791.1	146.6	26.9	2579.1
5021	2			J	791.1	146.6	26.9	2579.1
1761.4	131589.7							
			Min	I	-772.0	-113.6	-9.5	-1497.1
4065.7	118009.0			J	-772.0	-113.6	-9.5	-1497.1
4197.9	-23592.7							
1557.5	-38447.9							
		C3-C4;~1	Max	I	837.1	98.9	35.0	1872.6
5260.9	97919.7			J	837.1	98.9	35.0	1872.6
4475.9	83957.8							
			Min	I	-914.6	-76.1	-10.5	-1172.5
4609.1	-21832.3			J	-914.6	-76.1	-10.5	-1172.5
5069.7	-32159.6							
		C1-C2;~2	Max	I	423.9	103.4	14.6	1813.8
6399.6	93477.8			J	423.9	103.4	14.6	1813.8
2021.8	83743.1							
			Min	I	-448.4	-79.9	-4.7	-1021.5
2072.7	-14443.3			J	-448.4	-79.9	-4.7	-1021.5
6278.5	-24950.0							
		C3-C4;~2	Max	I	451.5	69.2	18.9	1308.7
8254.4	69143.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2210.2	59157.5		J	451.5	69.2	18.9	1308.7	
		Min	I	-530.8	-50.2	-5.2	-721.8	-
2261.3	-11303.2		J	-530.8	-50.2	-5.2	-721.8	-
8139.4	-19516.9							
		G1	I	194.0	0.6	17.2	-62.5	
7733.0	312.9		J	194.0	0.6	19.4	-62.5	-
8118.4	-212.9							
		G2	I	76.7	-2.5	7.2	-103.3	
3105.1	-4592.6		J	76.7	-2.5	7.2	-103.3	-
3143.7	-2385.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-39.4	3.0	1.8	67.3	
781.4	4841.2		J	-39.4	3.0	1.8	67.3	
-800.9	2243.7							
		Q5_pc Y	I	29.4	1.0	1.5	28.0	
596.9	3531.7		J	29.4	1.0	1.5	28.0	
-659.0	2648.8							
		Q5_ps X	I	-39.9	3.8	1.5	93.7	
646.4	6279.1		J	-39.9	3.8	1.5	93.7	
-659.5	2997.9							
		Q5_ps Y	I	26.6	1.1	1.4	29.0	
566.5	3619.3		J	26.6	1.1	1.4	29.0	
-624.7	2647.3							
		INVSLU Max	I	2524.9	188.4	45.9	3048.7	2
0149.6	187949.0		J	2524.9	188.4	48.8	3048.7	
6975.5	178199.8							
		Min	I	89.2	-168.2	-18.8	-2575.4	-
8081.3	-30261.4		J	89.2	-168.2	-15.9	-2575.4	-2
0852.6	-37784.9							
		INVSLE Max	I	1890.5	140.0	32.9	2258.8	1
4412.2	139895.3		J	1890.5	140.0	35.0	2258.8	
5539.9	132325.3							
		Min	I	91.5	-123.8	-14.8	-1898.2	-
6395.5	-21096.5		J	91.5	-123.8	-12.7	-1898.2	-1
4966.8	-27310.1							
		69 C1-C2;~1 Max	I	841.4	274.4	26.5	3503.6	1
5022	2		J	841.4	274.4	26.5	3503.6	
1612.9	118005.2							
		Min	I	-690.3	-36.9	-9.4	-860.6	-
3978.7	28838.1							
4125.3	-38446.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1307.0	-130391.1		J	-690.3	-36.9	-9.4	-860.6	-1
5084.0	83953.9	C3-C4;~1 Max	I	896.1	210.6	34.4	2668.8	1
4379.7	30992.5		J	896.1	210.6	34.4	2668.8	
4533.3	-32156.3	Min	I	-809.5	-40.8	-10.3	-910.4	-
4736.1	-105004.7		J	-809.5	-40.8	-10.3	-910.4	-1
6280.7	83740.0	C1-C2;~2 Max	I	448.7	190.3	14.3	2473.3	
1972.8	13715.5		J	448.7	190.3	14.3	2473.3	
2035.6	-24949.8	Min	I	-402.0	-17.2	-4.6	-543.9	-
6105.9	-86017.1		J	-402.0	-17.2	-4.6	-543.9	-
8124.0	59154.3	C3-C4;~2 Max	I	480.2	144.7	18.5	1875.0	
2157.0	13906.6		J	480.2	144.7	18.5	1875.0	
2222.8	-19515.8	Min	I	-471.4	-18.4	-5.1	-515.4	-
7925.9	-68932.1		J	-471.4	-18.4	-5.1	-515.4	-
7674.0	-203.4	G1	I	357.9	-3.0	16.9	-72.9	
7925.2	2377.2		J	357.9	-3.0	19.1	-72.9	-
3036.4	-2380.3	G2	I	139.9	-19.5	7.0	-194.4	
3020.0	14505.6		J	139.9	-19.5	7.0	-194.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
906.6	2248.3	Q5_pc X	I	-51.4	18.6	2.1	151.6	
-912.5	-13831.6		J	-51.4	18.6	2.1	151.6	
639.8	2659.0	Q5_pc Y	I	26.3	5.4	1.5	49.5	
-681.3	-2002.1		J	26.3	5.4	1.5	49.5	
787.7	3001.8	Q5_ps X	I	-51.9	24.5	1.8	208.6	
-790.4	-18239.2		J	-51.9	24.5	1.8	208.6	
611.4	2656.9	Q5_ps Y	I	23.5	6.3	1.5	55.6	
-650.1	-2838.3		J	23.5	6.3	1.5	55.6	
		INVSLU Max	I	3010.7	330.5	47.7	3947.0	2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0993.4	178210.1			J	3010.7	330.5	50.6	3947.0	
5872.5	119899.8		Min	I	615.7	-128.4	-16.4	-2284.9	-
7121.7	-37785.9			J	615.7	-128.4	-13.6	-2284.9	-2
1576.3	-122864.9								
			INVSLE Max	I	2251.4	243.2	34.4	2913.5	1
5107.4	132331.8			J	2251.4	243.2	36.5	2913.5	
4642.4	88700.2		Min	I	484.1	-94.3	-12.9	-1682.5	-
5597.7	-27310.7			J	484.1	-94.3	-10.8	-1682.5	-1
5568.4	-89281.3								
5023	2	69	C1-C2;~1 Max	I	906.9	36.8	24.8	912.8	1
0913.5	28776.0			J	906.9	36.8	24.8	912.8	
3977.3	118043.1		Min	I	-629.7	-271.8	-9.3	-3577.6	-
4115.3	-130120.0			J	-629.7	-271.8	-9.3	-3577.6	-1
0563.1	-40103.2								
			C3-C4;~1 Max	I	975.4	37.9	32.7	772.4	1
4381.5	30888.9			J	975.4	37.9	32.7	772.4	
4355.7	84850.3		Min	I	-737.2	-208.6	-10.2	-2741.1	-
4503.0	-104733.1			J	-737.2	-208.6	-10.2	-2741.1	-1
3963.0	-31824.3								
			C1-C2;~2 Max	I	479.3	17.1	13.4	559.1	
5884.0	13692.3			J	479.3	17.1	13.4	559.1	
1948.2	83692.4		Min	I	-364.7	-188.7	-4.6	-2493.0	-
2010.5	-85889.9			J	-364.7	-188.7	-4.6	-2493.0	-
5685.7	-25941.2								
			C3-C4;~2 Max	I	517.0	17.1	17.6	442.1	
7719.1	13851.5			J	517.0	17.1	17.6	442.1	
2122.1	59817.0		Min	I	-427.6	-143.6	-5.0	-1903.8	-
2188.5	-68790.5			J	-427.6	-143.6	-5.0	-1903.8	-
7483.6	-19602.0								
			G1	I	519.3	4.4	15.6	-1.8	
7126.6	2643.8			J	519.3	4.4	17.7	-1.8	-
7294.0	-1134.2								
			G2	I	202.6	20.3	6.7	152.0	
2928.4	14611.4			J	202.6	20.3	6.7	152.0	-
2878.8	-2948.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
879.9	-13771.8	Q5_pc X	I	-69.0	-17.8	2.0	-161.1	
-883.6	1673.7		J	-69.0	-17.8	2.0	-161.1	
661.8	-1941.1	Q5_pc Y	I	18.5	-4.8	1.6	-31.6	
-698.3	2252.4		J	18.5	-4.8	1.6	-31.6	
706.3	-18186.1	Q5_ps X	I	-69.5	-24.0	1.6	-211.6	
-708.1	2566.4		J	-69.5	-24.0	1.6	-211.6	
622.2	-2780.3	Q5_ps Y	I	16.0	-5.9	1.5	-43.5	
-656.2	2300.5		J	16.0	-5.9	1.5	-43.5	
0110.6	119712.3	INVS LU Max	I	3497.3	178.6	45.4	2162.3	2
5815.5	130539.3		J	3497.3	178.6	48.3	2162.3	
6967.2	-122438.9	Min	I	1061.0	-271.6	-16.2	-4189.7	-
0505.3	-87012.7		J	1061.0	-271.6	-13.3	-4189.7	-2
4505.0	88552.1	INVS LE Max	I	2611.6	132.2	32.8	1603.9	1
4558.8	96369.0		J	2611.6	132.2	34.9	1603.9	
5435.4	-88983.0	Min	I	816.2	-198.9	-12.6	-3079.8	-
4820.3	-64480.3		J	816.2	-198.9	-10.5	-3079.8	-1
5024	2	69 C1-C2;~1 Max	I	988.9	117.6	22.6	1523.5	1
0051.6	118056.5		J	988.9	117.6	22.6	1523.5	
3945.2	133535.4	Min	I	-573.6	-150.7	-9.3	-2598.9	-
4126.4	-40089.9		J	-573.6	-150.7	-9.3	-2598.9	-
9525.2	-21254.9							
3210.4	84861.5	C3-C4;~1 Max	I	1081.3	75.3	29.7	1005.6	1
4339.8	99696.0		J	1081.3	75.3	29.7	1005.6	
4534.7	-31807.4	Min	I	-675.1	-102.0	-10.2	-1904.9	-
2552.1	-17853.2		J	-675.1	-102.0	-10.2	-1904.9	-1
5384.3	83702.6	C1-C2;~2 Max	I	514.9	82.7	12.1	1029.4	
1939.5	94905.9		J	514.9	82.7	12.1	1029.4	
2029.5	-25933.5	Min	I	-327.8	-106.3	-4.6	-1804.0	-
5093.7	-12406.1		J	-327.8	-106.3	-4.6	-1804.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7057.4	59825.5	C3-C4; ~2	Max	I	562.9	50.6	15.9	637.8	
				J	562.9	50.6	15.9	637.8	
2132.8	70570.9		Min	I	-387.8	-71.7	-5.0	-1317.1	-
2228.8	-19592.4			J	-387.8	-71.7	-5.0	-1317.1	-
6696.1	-9433.1								
		G1		I	713.1	1.0	13.1	-12.8	
6136.1	-1125.3			J	713.1	1.0	15.2	-12.8	-
6107.5	-2011.9								
		G2		I	278.7	3.4	5.6	57.5	
2490.1	-2945.8			J	278.7	3.4	5.6	57.5	-
2364.2	-5895.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-83.5	-2.1	2.2	-71.5	
938.7	1681.0			J	-83.5	-2.1	2.2	-71.5	
-927.5	3539.7								
		Q5_pc	Y	I	12.3	-0.6	1.4	-4.5	
592.3	2266.3			J	12.3	-0.6	1.4	-4.5	
-614.9	2781.1								
		Q5_ps	X	I	-85.3	-3.1	1.8	-90.1	
796.2	2573.6			J	-85.3	-3.1	1.8	-90.1	
-786.1	5262.6								
		Q5_ps	Y	I	9.7	-0.8	1.3	-11.1	
561.5	2313.7			J	9.7	-0.8	1.3	-11.1	
-582.3	2992.6								
		INVS LU	Max	I	4053.5	220.2	41.3	2262.7	1
8608.0	130559.3			J	4053.5	220.2	44.2	2262.7	
6037.4	101071.8		Min	I	1532.1	-145.8	-16.5	-3431.2	-
7037.5	-87017.7			J	1532.1	-145.8	-13.7	-3431.2	-1
8436.0	-114266.6								
		INVS LE	Max	I	3022.2	163.2	29.8	1679.5	1
3432.7	96382.3			J	3022.2	163.2	32.0	1679.5	
4676.3	74261.0		Min	I	1165.6	-107.6	-12.7	-2528.7	-
5438.7	-64483.6			J	1165.6	-107.6	-10.6	-2528.7	-1
3328.5	-84777.0								
		69 C1-C2; ~1	Max	I	1123.3	164.5	17.2	2196.5	
5025	2			J	1123.3	164.5	17.2	2196.5	
8074.6	133537.3								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3536.0	162827.0		Min	I	-516.8	-157.3	-8.7	-1771.0	-
4035.7	-21257.8			J	-516.8	-157.3	-8.7	-1771.0	-
6785.6	-45922.3								
0636.2	99696.9	C3-C4;~1	Max	I	1254.0	109.1	22.6	1533.1	1
3864.8	119334.5			J	1254.0	109.1	22.6	1533.1	
4408.8	-17854.8		Min	I	-616.6	-105.7	-9.6	-1300.8	-
8957.3	-35050.5			J	-616.6	-105.7	-9.6	-1300.8	-
4297.6	94907.4	C1-C2;~2	Max	I	572.7	116.2	9.1	1530.4	
1776.3	115753.4			J	572.7	116.2	9.1	1530.4	
2024.1	-12408.0		Min	I	-285.4	-111.1	-4.4	-1211.4	-
3603.8	-29435.3			J	-285.4	-111.1	-4.4	-1211.4	-
5655.7	70571.5	C3-C4;~2	Max	I	636.8	76.4	12.0	1057.3	
1943.8	84558.9			J	636.8	76.4	12.0	1057.3	
2212.9	-9434.0		Min	I	-343.5	-72.1	-4.8	-845.0	-
4754.9	-21040.6			J	-343.5	-72.1	-4.8	-845.0	-
4169.5	-2012.9		G1	I	967.8	1.7	8.0	-22.9	
3645.3	-3509.8			J	967.8	1.7	10.1	-22.9	-
1721.2	-5895.9		G2	I	377.2	-0.1	3.6	-30.1	
1396.0	-5838.0			J	377.2	-0.1	3.6	-30.1	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
877.5	3544.3	Q5_pc	X	I	-94.7	1.6	1.9	4.1	
-778.2	2197.8			J	-94.7	1.6	1.9	4.1	
465.6	2793.2	Q5_pc	Y	I	7.1	0.3	1.0	24.2	
-440.2	2528.3			J	7.1	0.3	1.0	24.2	
757.6	5267.0	Q5_ps	X	I	-97.9	1.7	1.7	12.8	
-673.2	3762.0			J	-97.9	1.7	1.7	12.8	
442.4	3004.0	Q5_ps	Y	I	4.5	0.3	1.0	22.2	
				J	4.5	0.3	1.0	22.2	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

-418.1	2743.3								
		INVSLE	Max	I	4846.5	249.0	30.8	2270.3	1
4588.5	101082.4			J	4846.5	249.0	33.7	2270.3	
5368.4	117568.7								
		Min		I	2150.8	-188.1	-16.1	-3129.5	-
7301.6	-114270.9			J	2150.8	-188.1	-13.2	-3129.5	-1
3342.2	-168793.7								
		INVSLE	Max	I	3608.1	184.5	22.2	1684.4	1
0512.4	74268.5			J	3608.1	184.5	24.3	1684.4	
4121.6	86449.4								
		Min		I	1623.9	-139.1	-12.3	-2312.2	-
5585.5	-84779.8			J	1623.9	-139.1	-10.1	-2312.2	-
9634.4	-125333.7								
5026	2	83 C1-C2;~1	Max	I	1344.6	171.1	75.5	19510.4	3
6228.3	162826.0			J	1344.6	171.1	75.5	19510.4	1
6571.5	151755.6								
		Min		I	-553.2	-113.1	-45.1	-8522.5	-2
2543.5	-45923.2			J	-553.2	-113.1	-45.1	-8522.5	-2
9188.9	-80465.2								
		C3-C4;~1	Max	I	1506.4	117.4	99.7	14396.7	4
7710.0	119333.4			J	1506.4	117.4	99.7	14396.7	1
8072.0	104993.8								
		Min		I	-661.0	-71.2	-49.1	-6347.4	-2
4497.8	-35050.6			J	-661.0	-71.2	-49.1	-6347.4	-3
8694.5	-62216.4								
		C1-C2;~2	Max	I	681.4	119.6	39.9	13694.1	1
9183.5	115753.0			J	681.4	119.6	39.9	13694.1	
8357.7	106437.7								
		Min		I	-300.7	-78.3	-22.9	-5621.5	-1
1514.4	-29436.2			J	-300.7	-78.3	-22.9	-5621.5	-1
5404.0	-52404.9								
		C3-C4;~2	Max	I	760.5	81.6	52.7	10073.8	2
5266.6	84558.4			J	760.5	81.6	52.7	10073.8	
9139.5	73046.1								
		Min		I	-362.6	-46.5	-25.0	-3855.0	-1
2545.6	-21041.1			J	-362.6	-46.5	-25.0	-3855.0	-2
0432.1	-38766.7								
		G1		I	1241.3	1.4	30.4	-322.3	1
4231.4	-3509.6			J	1241.3	1.4	35.2	-322.3	-1
4151.8	-4722.8								
		G2		I	483.6	-4.8	13.3	-726.0	
5855.8	-5837.6			J	483.6	-4.8	13.3	-726.0	-
5643.1	-1672.1								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
4818.6	2205.0		Q5_pc X	I	-132.1	6.6	9.9	444.4	
3726.4	-3530.6			J	-132.1	6.6	9.9	444.4	-
2109.1	2547.5		Q5_pc Y	I	-5.7	1.6	4.7	338.6	
1975.2	1168.1			J	-5.7	1.6	4.7	338.6	-
4243.7	3768.6		Q5_ps X	I	-135.4	8.3	8.6	657.1	
3195.6	-3379.0			J	-135.4	8.3	8.6	657.1	-
2011.3	2761.4		Q5_ps Y	I	-8.4	2.0	4.5	350.8	
1865.0	1051.5			J	-8.4	2.0	4.5	350.8	-
3605.7	117574.2		INVS LU Max	I	5939.7	213.3	133.6	24273.6	6
8392.4	123939.3			J	5939.7	213.3	140.1	24273.6	2
2548.3	-168822.7		Min	I	2776.1	-182.3	-85.1	-14370.8	-4
4949.8	-195913.8			J	2776.1	-182.3	-78.6	-14370.8	-5
5660.8	86452.3		INVS LE Max	I	4420.0	157.4	96.0	17959.4	4
1608.4	91248.1			J	4420.0	157.4	100.8	17959.4	2
2329.3	-125353.9		Min	I	2094.2	-134.7	-64.6	-10606.8	-3
9629.7	-145209.4			J	2094.2	-134.7	-59.8	-10606.8	-3
5027	2	83	C1-C2;~1 Max	I	1514.0	333.4	60.2	22983.0	2
6961.3	151747.3			J	1514.0	333.4	60.2	22983.0	1
0703.4	48007.1		Min	I	-554.9	-44.4	-27.5	-7283.2	-1
3081.3	-80467.7			J	-554.9	-44.4	-27.5	-7283.2	-2
5176.5	-189361.5								
3734.2	104986.9		C3-C4;~1 Max	I	1692.1	253.7	75.2	17404.4	3
1864.5	35919.2			J	1692.1	253.7	75.2	17404.4	1
4339.3	-62219.1		Min	I	-652.0	-37.7	-30.2	-6287.9	-1
1371.0	-153565.6			J	-652.0	-37.7	-30.2	-6287.9	-3
4864.3	106431.9		C1-C2;~2 Max	I	766.9	233.1	33.1	16142.6	1
5332.5	26665.9			J	766.9	233.1	33.1	16142.6	
			Min	I	-295.8	-20.4	-13.8	-4665.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6615.8	-52406.7		J	-295.8	-20.4	-13.8	-4665.0	-1		
3854.7	-125849.9									
8371.5	73041.1	C3-C4;~2	Max	I	854.8	176.7	40.8	12201.4	1	
5925.2	16081.8			J	854.8	176.7	40.8	12201.4		
7270.0	-38768.8		Min	I	-347.9	-17.2	-15.2	-3771.5	-	
7008.6	-102455.4			J	-347.9	-17.2	-15.2	-3771.5	-1	
0619.9	-4723.7		G1	I	1453.6	-6.9	24.0	-617.5	1	
2261.3	1278.7			J	1453.6	-6.9	28.8	-617.5	-1	
3989.8	-1671.5		G2	I	564.6	-24.2	9.7	-1248.5		
4381.0	19259.8			J	564.6	-24.2	9.7	-1248.5	-	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
3488.4	-3524.6		Q5_pc	X	I	-175.5	22.6	7.7	907.2	
3142.7	-23127.5			J	-175.5	22.6	7.7	907.2	-	
1461.8	1183.1		Q5_pc	Y	I	-26.5	7.4	3.5	470.4	
1562.3	-5223.5			J	-26.5	7.4	3.5	470.4	-	
3280.5	-3373.7		Q5_ps	X	I	-177.3	29.8	7.2	1275.5	
2954.5	-29187.8			J	-177.3	29.8	7.2	1275.5	-	
1436.3	1065.6		Q5_ps	Y	I	-28.6	9.0	3.4	518.5	
1528.1	-6722.6			J	-28.6	9.0	3.4	518.5	-	
6693.8	123927.8		INVSLU	Max	I	6852.8	359.1	107.6	27676.6	4
4674.4	97930.9			J	6852.8	359.1	114.1	27676.6	1	
4484.3	-195906.7			I	3372.4	-191.6	-48.4	-14815.8	-2	
9350.5	-264146.2			J	3372.4	-191.6	-42.0	-14815.8	-4	
3736.3	91240.0		INVSLE	Max	I	5098.2	263.3	77.9	20423.3	3
1163.0	71683.2			J	5098.2	263.3	82.7	20423.3	1	
8523.2	-145204.6			I	2543.5	-141.6	-36.7	-10931.6	-1	
5843.8	-193438.5			J	2543.5	-141.6	-31.9	-10931.6	-3	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5028	2	83	C1-C2;~1	Max	I	1648.0	54.1	46.8	7877.8	1
9493.0	47975.1				J	1648.0	54.1	46.8	7877.8	1
2477.2	169237.8			Min	I	-534.4	-358.3	-31.7	-21782.5	-1
3388.6	-189388.4				J	-534.4	-358.3	-31.7	-21782.5	-1
8726.7	-93922.4									
6285.7	35859.1		C3-C4;~1	Max	I	1848.3	43.1	63.1	6361.9	2
2866.6	120998.7				J	1848.3	43.1	63.1	6361.9	1
2946.6	-153590.0			Min	I	-621.8	-270.1	-31.5	-16216.7	-1
5286.1	-73045.6				J	-621.8	-270.1	-31.5	-16216.7	-2
0151.7	26654.9		C1-C2;~2	Max	I	829.8	25.3	24.4	5026.2	1
7063.3	118726.4				J	829.8	25.3	24.4	5026.2	
7369.4	-125881.4			Min	I	-278.3	-249.5	-17.7	-15167.6	-
9746.0	-61953.8				J	-278.3	-249.5	-17.7	-15167.6	-
3715.3	16049.3		C3-C4;~2	Max	I	928.4	19.3	32.9	3847.7	1
7152.6	84463.7				J	928.4	19.3	32.9	3847.7	
6832.8	-102483.0			Min	I	-322.0	-187.5	-17.0	-11288.5	-
3177.3	-47502.6				J	-322.0	-187.5	-17.0	-11288.5	-1
0641.8	1268.5		G1		I	1665.8	10.9	26.1	160.5	1
2498.4	-7635.2				J	1665.8	10.9	30.6	160.5	-1
4748.3	19256.9		G2		I	645.3	28.4	12.2	872.2	
5213.9	-3942.9				J	645.3	28.4	12.2	872.2	-
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
2360.4	-23206.9		Q5_pc	X	I	-210.4	-23.7	5.5	-810.7	
2106.8	-3869.3				J	-210.4	-23.7	5.5	-810.7	-
1457.6	-5212.9		Q5_pc	Y	I	-45.0	-7.7	3.8	-46.5	
1615.8	1060.4				J	-45.0	-7.7	3.8	-46.5	-
1806.1	-29263.6		Q5_ps	X	I	-211.6	-32.0	4.1	-1082.9	
1569.2	-3117.3				J	-211.6	-32.0	4.1	-1082.9	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1328.5	-6712.4	Q5_ps Y	I	-46.6	-9.7	3.4	-148.1	
1476.2	1216.4		J	-46.6	-9.7	3.4	-148.1	-
5331.8	97809.1	INVS LU Max	I	7620.3	198.8	88.9	16300.4	3
5519.3	158881.5		J	7620.3	198.8	95.0	16300.4	1
2477.4	-264404.1	Min	I	3906.9	-400.6	-48.9	-25200.1	-2
9779.1	-203349.6		J	3906.9	-400.6	-42.8	-25200.1	-3
5544.3	71584.1	INVS LE Max	I	5665.6	146.9	64.5	12094.0	2
1737.4	117089.4		J	5665.6	146.9	69.0	12094.0	1
6962.5	-193627.7	Min	I	2943.0	-293.9	-36.9	-18539.1	-1
8943.4	-150714.0		J	2943.0	-293.9	-32.4	-18539.1	-2
5029	2	83 C1-C2;~1 Max	I	1783.9	114.7	49.3	9429.4	2
0909.7	169251.1		J	1783.9	114.7	49.3	9429.4	
8527.8	212911.5	Min	I	-504.4	-220.9	-20.9	-15885.8	-
8734.4	-93920.1		J	-504.4	-220.9	-20.9	-15885.8	-1
9318.8	-56710.4							
6966.0	121009.3	C3-C4;~1 Max	I	2012.8	69.5	64.0	6219.4	2
0335.2	160063.4		J	2012.8	69.5	64.0	6219.4	1
0206.1	-73043.9	Min	I	-591.7	-154.3	-25.2	-11922.4	-1
5279.4	-46041.2		J	-591.7	-154.3	-25.2	-11922.4	-2
1564.3	118736.2	C1-C2;~2 Max	I	890.9	78.2	26.9	6317.4	1
4444.7	149965.2		J	890.9	78.2	26.9	6317.4	
4346.2	-61952.0	Min	I	-253.3	-154.7	-10.6	-11018.7	-
0369.6	-35060.4		J	-253.3	-154.7	-10.6	-11018.7	-1
4826.0	84471.5	C3-C4;~2 Max	I	1002.9	43.9	34.7	3905.5	1
5578.3	112683.2		J	1002.9	43.9	34.7	3905.5	
5226.1	-47501.1	Min	I	-295.9	-107.9	-13.2	-7880.3	-
3524.7	-26939.0		J	-295.9	-107.9	-13.2	-7880.3	-1
9920.4	-7637.0	G1	I	1895.8	1.6	25.0	-242.6	
2312.0	-8979.4		J	1895.8	1.6	29.5	-242.6	-1
3867.8	-3944.6	G2	I	731.7	9.1	10.5	242.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4664.3	-11379.3		J	731.7	9.1	10.5	242.8	-
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-236.7	-6.2	5.7	-242.5	
2464.6	-3861.7		J	-236.7	-6.2	5.7	-242.5	-
2181.9	1159.2							
		Q5_pc Y	I	-58.3	-1.7	2.9	162.1	
1087.8	1075.3		J	-58.3	-1.7	2.9	162.1	-
1317.2	2449.0							
		Q5_ps X	I	-238.1	-9.2	5.0	-328.8	
2202.4	-3109.7		J	-238.1	-9.2	5.0	-328.8	-
1871.8	4379.7							
		Q5_ps Y	I	-59.8	-2.5	2.8	107.7	
1044.0	1230.6		J	-59.8	-2.5	2.8	107.7	-
1244.7	3255.2							
		INVSLE Max	I	8394.4	170.3	95.6	15996.0	3
9085.4	158877.6		J	8394.4	170.3	101.7	15996.0	1
0557.5	208449.5	Min	I	4452.2	-293.8	-35.0	-18615.9	-1
5533.1	-203354.6		J	4452.2	-293.8	-28.9	-18615.9	-4
1449.7	-159948.4							
		INVSLE Max	I	6236.9	126.0	69.6	11874.3	2
8421.2	117086.8		J	6236.9	126.0	74.1	11874.3	
7981.1	153687.2	Min	I	3348.3	-217.0	-26.4	-13731.9	-1
1708.3	-150718.4		J	3348.3	-217.0	-21.9	-13731.9	-3
0251.8	-118873.6							
5030	2	83 C1-C2;~1 Max	I	1932.3	175.7	45.0	12476.0	1
8638.9	212911.5		J	1932.3	175.7	45.0	12476.0	
8174.6	210256.4	Min	I	-508.2	-166.5	-20.3	-10139.1	-
8476.8	-56709.9		J	-508.2	-166.5	-20.3	-10139.1	-1
8130.7	-51297.1							
		C3-C4;~1 Max	I	2196.2	118.8	59.5	8514.1	2
4589.0	160060.9		J	2196.2	118.8	59.5	8514.1	
9951.9	157550.8	Min	I	-584.5	-108.6	-24.4	-7139.9	-
9965.7	-46040.7		J	-584.5	-108.6	-24.4	-7139.9	-2
4009.6	-40389.3							
		C1-C2;~2 Max	I	955.6	123.3	24.3	8630.2	1
0152.0	149965.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4298.8	148367.2		J	955.6	123.3	24.3	8630.2	
4274.5	-35060.3	Min	I	-252.6	-116.4	-10.4	-6893.7	-
9652.5	-31420.9		J	-252.6	-116.4	-10.4	-6893.7	-
3407.2	112681.4	C3-C4;~2 Max	I	1083.6	80.7	32.1	5824.5	1
5411.2	111236.9		J	1083.6	80.7	32.1	5824.5	
5172.2	-26939.0	Min	I	-285.8	-72.7	-13.0	-4530.8	-
2806.1	-23546.0		J	-285.8	-72.7	-13.0	-4530.8	-1
9261.2	-8977.3	G1	I	2151.6	-3.4	23.9	-467.2	
2120.1	-6218.5		J	2151.6	-3.4	28.5	-467.2	-1
3708.9	-11378.1	G2	I	827.9	-1.3	10.2	-269.6	
4603.9	-10317.8		J	827.9	-1.3	10.2	-269.6	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2232.8	1162.9	Q5_pc X	I	-251.5	5.6	5.2	293.2	
2024.4	-3382.4		J	-251.5	5.6	5.2	293.2	-
793.0	2458.9	Q5_pc Y	I	-67.8	2.5	2.2	379.1	
-985.3	428.0		J	-67.8	2.5	2.2	379.1	
1943.6	4383.0	Q5_ps X	I	-253.8	5.3	4.5	361.9	
1714.3	78.5		J	-253.8	5.3	4.5	361.9	-
752.6	3264.6	Q5_ps Y	I	-69.4	2.4	2.1	365.8	
-925.6	1342.9		J	-69.4	2.4	2.1	365.8	
4607.2	208467.3	INVSLU Max	I	9241.1	177.3	89.3	18621.7	3
8586.6	258731.2		J	9241.1	177.3	95.5	18621.7	
6060.8	-159947.7	Min	I	5034.5	-294.7	-33.2	-12591.0	-1
0905.3	-100454.2		J	5034.5	-294.7	-27.1	-12591.0	-4
5184.4	153699.8	INVSLE Max	I	6861.7	130.7	65.1	13789.2	2
6480.9	191071.2		J	6861.7	130.7	69.7	13789.2	
2049.7	-118872.4	Min	I	3779.3	-218.2	-25.0	-9280.8	-1


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9909.9	-74541.1			J	3779.3	-218.2	-20.4	-9280.8	-2	
5031	2	83	C1-C2;~1	Max	I	2085.9	231.7	41.5	17296.2	1
7249.0	210256.5			J	2085.9	231.7	41.5	17296.2		
9293.4	144930.6			Min	I	-529.0	-90.9	-22.7	-5597.7	-
9239.4	-51295.8			J	-529.0	-90.9	-22.7	-5597.7	-1	
6627.2	-88741.8									
			C3-C4;~1	Max	I	2385.7	165.1	54.6	12603.2	2
2565.2	157551.3			J	2385.7	165.1	54.6	12603.2	1	
0736.9	99062.3			Min	I	-608.6	-50.8	-25.8	-3522.7	-1
0513.0	-40388.5			J	-608.6	-50.8	-25.8	-3522.7	-2	
2148.0	-67209.8									
			C1-C2;~2	Max	I	1021.5	162.7	22.3	12124.1	
9421.8	148367.3			J	1021.5	162.7	22.3	12124.1		
5044.6	101659.4			Min	I	-262.2	-60.1	-12.0	-3564.0	-
4781.1	-31419.8			J	-262.2	-60.1	-12.0	-3564.0	-	
8778.4	-59258.5									
			C3-C4;~2	Max	I	1165.9	115.9	29.4	8829.7	1
2338.0	111237.3			J	1165.9	115.9	29.4	8829.7		
5913.6	68940.6			Min	I	-296.8	-29.8	-13.9	-1858.3	-
5510.5	-23545.1			J	-296.8	-29.8	-13.9	-1858.3	-1	
1773.5	-44742.6									
			G1	I	2410.1	-11.4	19.1	-540.3		
7170.5	-6220.1			J	2410.1	-11.4	23.7	-540.3	-1	
0304.5	3085.1									
			G2	I	925.3	-13.7	8.5	-787.3		
2928.7	-10319.1			J	925.3	-13.7	8.5	-787.3	-	
4002.7	872.7									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-262.9	21.6	4.1	883.0	
1803.8	-3378.1			J	-262.9	21.6	4.1	883.0	-	
1538.6	-21007.0									
			Q5_pc	Y	I	-79.9	7.6	1.1	590.7	
406.6	436.7			J	-79.9	7.6	1.1	590.7		
-485.6	-5748.9									
			Q5_ps	X	I	-266.6	24.5	3.4	1134.4	
1560.1	82.8									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1233.5	-19929.9		J	-266.6	24.5	3.4	1134.4	-
389.5	1351.2	Q5_ps Y	I	-81.3	8.4	1.0	627.8	
-442.8	-5465.7		J	-81.3	8.4	1.0	627.8	
0352.3	258723.7	INVS LU Max	I	10072.6	193.4	78.6	24104.8	3
0650.3	299704.7		J	10072.6	193.4	84.7	24104.8	1
7550.2	-100452.5	Min	I	5556.9	-280.9	-37.4	-8391.3	-1
6513.8	-53565.7		J	5556.9	-280.9	-31.2	-8391.3	-3
2132.6	191065.9	INVS LE Max	I	7475.3	141.1	57.4	17800.3	2
7987.6	220827.8		J	7475.3	141.1	61.9	17800.3	
3110.2	-74540.1	Min	I	4165.4	-207.3	-27.9	-6153.2	-1
6743.6	-38053.0		J	4165.4	-207.3	-23.4	-6153.2	-2
5032	2	83 C1-C2;~1 Max	I	2207.8	364.1	38.9	21031.8	1
5299.8	144914.5		J	2207.8	364.1	38.9	21031.8	
7348.5	57955.7	Min	I	-550.1	-69.7	-19.9	-7189.8	-
9041.0	-88748.0		J	-550.1	-69.7	-19.9	-7189.8	-1
6488.9	-181337.8							
9722.3	99049.8	C3-C4;~1 Max	I	2533.4	267.8	49.9	15535.6	1
8868.1	43956.9		J	2533.4	267.8	49.9	15535.6	
0595.4	-67214.0	Min	I	-632.6	-50.0	-23.5	-5902.5	-1
1111.9	-142185.1		J	-632.6	-50.0	-23.5	-5902.5	-2
8310.7	101647.4	C1-C2;~2 Max	I	1072.4	255.6	20.9	14695.9	
3597.7	27244.5		J	1072.4	255.6	20.9	14695.9	
4499.5	-59262.9	Min	I	-271.6	-33.4	-9.8	-4631.3	-
8793.9	-120942.3		J	-271.6	-33.4	-9.8	-4631.3	-
0726.1	68931.2	C3-C4;~2 Max	I	1228.4	188.3	26.8	10867.1	1
4455.1	19870.5		J	1228.4	188.3	26.8	10867.1	
5382.9	-44745.6	Min	I	-307.4	-23.0	-11.8	-3538.1	-
1279.9	-95767.3		J	-307.4	-23.0	-11.8	-3538.1	-1
4675.1	3085.9	G1	I	2615.0	-35.5	15.8	-260.8	
0091.1	32076.1		J	2615.0	-35.5	20.4	-260.8	-1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1995.0	874.8	G2	I	1001.3	-39.6	7.1	-927.6	
3815.9	33183.6		J	1001.3	-39.6	7.1	-927.6	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
689.3	-21007.4	Q5_pc X	I	-271.2	46.5	0.9	1102.0	
-59.8	-58974.0		J	-271.2	46.5	0.9	1102.0	
3.2	-5743.0	Q5_pc Y	I	-98.9	15.2	-0.2	659.4	
153.9	-18149.0		J	-98.9	15.2	-0.2	659.4	
601.3	-19931.0	Q5_ps X	I	-275.1	55.0	0.7	1438.5	
4.6	-64837.2		J	-275.1	55.0	0.7	1438.5	
31.4	-5460.3	Q5_ps Y	I	-99.6	17.6	-0.1	721.4	
122.2	-19831.9		J	-99.6	17.6	-0.1	721.4	
6935.1	299692.1	INVSLU Max	I	10738.9	306.2	83.6	28478.3	2
3334.7	404584.4		J	10738.9	306.2	89.7	28478.3	-
5234.6	-53565.6	Min	I	5976.7	-363.1	-17.0	-11604.5	-1
4084.8	-27334.2		J	5976.7	-363.1	-10.9	-11604.5	-4
9812.4	220818.6	INVSLE Max	I	7967.5	222.4	61.7	21015.6	1
2441.6	295087.4		J	7967.5	222.4	66.2	21015.6	-
1332.5	-38052.9	Min	I	4476.1	-267.3	-12.7	-8528.4	-1
2606.4	-14974.9		J	4476.1	-267.3	-8.2	-8528.4	-3
5033	2	83 C1-C2;~1 Max	I	2194.7	69.2	18.4	7527.4	
6893.8	57003.1		J	2194.7	69.2	18.4	7527.4	1
5186.3	139606.9	Min	I	-547.8	-351.1	-39.0	-20746.3	-1
7354.5	-179229.8		J	-547.8	-351.1	-39.0	-20746.3	-
8581.9	-88459.9	C3-C4;~1 Max	I	2524.9	48.1	23.8	5988.7	
9157.2	43280.3		J	2524.9	48.1	23.8	5988.7	1
8332.8	96633.1	Min	I	-630.2	-255.9	-46.0	-15285.7	-2
0054.3	-139942.2		J	-630.2	-255.9	-46.0	-15285.7	-1
1084.3	-67829.7							

MIDAS


PROJECT TITLE :

	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

3382.8	26609.0	C1-C2;~2 Max	I	1063.1	32.9	9.1	4835.1	
			J	1063.1	32.9	9.1	4835.1	
8109.4	97944.7							
		Min	I	-269.9	-246.7	-20.9	-14503.3	-
9304.6	-119519.0		J	-269.9	-246.7	-20.9	-14503.3	-
4270.2	-58936.7							
		C3-C4;~2 Max	I	1220.8	22.0	11.7	3637.2	
4537.9	19630.7		J	1220.8	22.0	11.7	3637.2	1
0084.8	65374.6							
		Min	I	-305.5	-180.1	-25.2	-10690.2	-1
0951.4	-94236.6		J	-305.5	-180.1	-25.2	-10690.2	-
5536.7	-45134.1							
		G1	I	2618.5	35.4	-21.5	301.1	-1
0740.8	32089.8		J	2618.5	35.4	-16.9	301.1	
5258.8	2574.5							
		G2	I	1003.9	39.0	-7.0	939.7	-
3831.9	33063.7		J	1003.9	39.0	-7.0	939.7	
2036.9	512.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-270.4	-46.0	-0.9	-1288.5	
-87.1	-58824.5		J	-270.4	-46.0	-0.9	-1288.5	
681.1	-20451.5							
		Q5_pc Y	I	-120.1	-13.0	-0.6	-68.0	
-112.8	-17488.8		J	-120.1	-13.0	-0.6	-68.0	
354.9	-6665.2							
		Q5_ps X	I	-275.0	-54.3	-0.7	-1622.2	
-38.7	-64651.0		J	-275.0	-54.3	-0.7	-1622.2	
578.9	-19391.6							
		Q5_ps Y	I	-119.9	-15.5	-0.4	-197.7	
-46.9	-19191.6		J	-119.9	-15.5	-0.4	-197.7	
272.4	-6292.4							
		INVSLU Max	I	10739.7	343.8	11.5	12654.1	-
2996.8	401489.3		J	10739.7	343.8	17.8	12654.1	2
5168.0	301182.0							
		Min	I	5993.7	-306.5	-84.3	-27834.7	-4
2635.4	-26311.8		J	5993.7	-306.5	-78.1	-27834.7	-1
5771.1	-43520.8							
		INVSLE Max	I	7968.3	252.9	8.6	9293.0	-
2200.2	292581.8		J	7968.3	252.9	13.3	9293.0	1

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8510.7	221948.2		Min	I	4488.8	-222.6	-62.3	-20526.9	-3	
1547.1	-14240.5			J	4488.8	-222.6	-57.6	-20526.9	-1	
1723.8	-30660.4									
5034	2	83	C1-C2;~1	Max	I	2072.2	86.5	21.8	5423.8	
9481.3	139622.0			J	2072.2	86.5	21.8	5423.8	1	
7282.2	207784.4		Min	I	-527.8	-234.7	-41.4	-17631.0	-1	
7209.1	-88454.3			J	-527.8	-234.7	-41.4	-17631.0	-	
8789.7	-50718.0									
			C3-C4;~1	Max	I	2385.6	46.9	26.1	3251.8	1
1179.9	96644.5			J	2385.6	46.9	26.1	3251.8	2	
1046.4	152573.6		Min	I	-606.9	-165.9	-50.1	-12823.8	-2	
0839.5	-67825.9			J	-606.9	-165.9	-50.1	-12823.8	-1	
0771.0	-39139.1									
			C1-C2;~2	Max	I	1012.5	57.1	11.7	3402.0	
5254.3	97956.0			J	1012.5	57.1	11.7	3402.0		
9291.4	146721.8		Min	I	-261.0	-165.1	-22.0	-12371.3	-	
9051.2	-58932.7			J	-261.0	-165.1	-22.0	-12371.3	-	
4537.9	-30974.8									
			C3-C4;~2	Max	I	1162.1	27.3	13.8	1705.2	
6115.9	65383.4			J	1162.1	27.3	13.8	1705.2	1	
1653.0	107676.2		Min	I	-295.3	-116.6	-27.4	-8986.6	-1	
1291.9	-45131.3			J	-295.3	-116.6	-27.4	-8986.6	-	
5545.6	-22831.5									
			G1	I	2413.0	9.9	-24.8	510.7	-1	
0923.1	2573.6			J	2413.0	9.9	-20.2	510.7		
7810.9	-5715.4									
			G2	I	926.4	13.1	-8.5	785.7	-	
4069.5	510.2			J	926.4	13.1	-8.5	785.7		
3029.5	-10377.3									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-255.7	-21.7	-4.3	-1066.7	-
1676.6	-20446.3			J	-255.7	-21.7	-4.3	-1066.7		
1914.8	-2318.3									
			Q5_pc	Y	I	-132.2	-5.6	-1.3	-23.0	
-408.8	-6657.9			J	-132.2	-5.6	-1.3	-23.0		
649.3	-1973.1									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1325.1	-19386.0	Q5_ps X	I	-259.7	-24.6	-3.5	-1326.9	-
1618.9	1142.4		J	-259.7	-24.6	-3.5	-1326.9	
-267.1	-6285.2	Q5_ps Y	I	-130.9	-6.5	-0.9	-128.9	
515.6	-833.8		J	-130.9	-6.5	-0.9	-128.9	
1239.2	301189.6	INVS LU Max	I	10070.7	259.6	31.4	8746.1	1
8521.1	274072.8		J	10070.7	259.6	37.7	8746.1	2
5004.9	-43516.8	Min	I	5570.6	-213.2	-79.1	-24298.0	-3
7879.0	-79078.4		J	5570.6	-213.2	-72.9	-24298.0	-1
8411.7	221954.1	INVS LE Max	I	7474.6	191.5	23.5	6401.4	
0768.0	202521.9		J	7474.6	191.5	28.1	6401.4	2
5619.7	-30657.7	Min	I	4175.3	-155.8	-57.8	-17933.5	-2
3347.1	-58762.4		J	4175.3	-155.8	-53.2	-17933.5	-1
5035	2	83 C1-C2;~1 Max	I	1914.9	165.0	19.9	10127.5	
8469.9	207780.2		J	1914.9	165.0	19.9	10127.5	1
8765.1	214946.0	Min	I	-508.1	-182.4	-44.9	-12876.7	-1
8689.1	-50719.5		J	-508.1	-182.4	-44.9	-12876.7	-
8272.1	-55683.5							
0342.3	152572.6	C3-C4;~1 Max	I	2203.0	105.3	24.7	6841.4	1
2861.1	160939.6		J	2203.0	105.3	24.7	6841.4	2
2503.4	-39139.9	Min	I	-582.7	-119.7	-54.3	-8792.4	-2
0276.4	-43971.2		J	-582.7	-119.7	-54.3	-8792.4	-1
4582.4	146718.7	C1-C2;~2 Max	I	945.1	115.5	10.4	6865.7	
0075.0	151615.2		J	945.1	115.5	10.4	6865.7	1
9888.1	-30976.1	Min	I	-251.8	-128.4	-23.9	-8928.8	-
4207.1	-34386.3		J	-251.8	-128.4	-23.9	-8928.8	-
5589.2	107675.5	C3-C4;~2 Max	I	1082.5	71.2	13.0	4359.5	
2633.3	113454.3		J	1082.5	71.2	13.0	4359.5	1
2228.4	-22832.3	Min	I	-284.2	-83.6	-29.8	-6027.1	-1
5262.7	-25851.1		J	-284.2	-83.6	-29.8	-6027.1	-
		G1	I	2152.0	2.4	-29.3	450.8	-1


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2665.4	-5714.0		J	2152.0	2.4	-24.7	450.8	
9829.6	-7711.0							
		G2	I	827.4	1.0	-10.1	256.3	-
4657.3	-10376.0		J	827.4	1.0	-10.1	256.3	
3794.5	-11184.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-242.4	-5.7	-6.0	-416.2	-
2446.0	-2316.0		J	-242.4	-5.7	-6.0	-416.2	
2557.0	2472.7							
		Q5_pc Y	I	-136.5	-1.1	-1.0	127.4	
-274.0	-1966.3		J	-136.5	-1.1	-1.0	127.4	
573.4	-1082.6							
		Q5_ps X	I	-244.8	-5.5	-5.1	-492.9	-
2059.5	1144.3		J	-244.8	-5.5	-5.1	-492.9	
2189.0	5694.3							
		Q5_ps Y	I	-134.2	-1.0	-0.7	79.5	
-139.4	-827.4		J	-134.2	-1.0	-0.7	79.5	
431.1	25.4							
		INVSLE Max	I	9231.3	285.5	28.1	13103.2	
9439.5	274068.6		J	9231.3	285.5	34.3	13103.2	3
2721.1	235789.8							
		Min	I	5034.4	-193.7	-89.4	-18701.6	-3
9304.9	-79074.7		J	5034.4	-193.7	-83.1	-18701.6	-1
6617.3	-134010.9							
		INVSLE Max	I	6855.5	211.3	21.1	9655.8	
7086.4	202519.0		J	6855.5	211.3	25.7	9655.8	2
3761.7	173965.5							
		Min	I	3778.9	-142.9	-65.1	-13847.8	-2
8694.4	-58759.8		J	3778.9	-142.9	-60.5	-13847.8	-1
2444.2	-99631.2							
		83 C1-C2;~1 Max	I	1762.8	219.3	20.4	15903.0	
5036	2		J	1762.8	219.3	20.4	15903.0	2
8701.3	214945.6							
		Min	I	-506.5	-120.0	-48.8	-9595.2	-1
0988.9	171008.8		J	-506.5	-120.0	-48.8	-9595.2	-
9747.3	-55683.7							
8390.4	-92226.7							
		C3-C4;~1 Max	I	2026.4	150.7	25.5	11620.2	1
0689.8	160939.8		J	2026.4	150.7	25.5	11620.2	2
5010.9	122710.0							
		Min	I	-593.3	-73.3	-58.2	-6393.0	-2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3536.3	-43971.3			J	-593.3	-73.3	-58.2	-6393.0	-1
0561.8	-71047.1								
4637.6	151614.8	C1-C2;~2	Max	I	879.1	153.7	10.5	11020.2	
1452.9	119973.0			J	879.1	153.7	10.5	11020.2	1
0510.4	-34386.2		Min	I	-254.0	-81.9	-26.3	-6440.2	-1
4173.4	-60897.7			J	-254.0	-81.9	-26.3	-6440.2	-
5721.6	113454.4	C3-C4;~2	Max	I	1004.5	105.3	13.3	7764.6	
3948.6	85767.0			J	1004.5	105.3	13.3	7764.6	1
2821.1	-25850.9		Min	I	-297.0	-46.8	-32.1	-4027.3	-1
5344.4	-46360.8			J	-297.0	-46.8	-32.1	-4027.3	-
2735.5	-7712.9		G1	I	1893.7	-2.2	-30.0	249.8	-1
0363.0	-5888.6			J	1893.7	-2.2	-25.4	249.8	1
4666.8	-11185.6		G2	I	729.8	-9.3	-10.3	-265.3	-
3903.0	-3454.5			J	729.8	-9.3	-10.3	-265.3	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
2780.7	2477.0	Q5_pc	X	I	-227.4	7.1	-6.8	190.0	-
2928.5	-3438.3			J	-227.4	7.1	-6.8	190.0	
-123.8	-1074.7	Q5_pc	Y	I	-136.0	1.9	-0.7	250.1	
491.6	-2683.9			J	-136.0	1.9	-0.7	250.1	
2380.2	5698.5	Q5_ps	X	I	-228.6	10.0	-5.9	267.7	-
2576.0	-2669.7			J	-228.6	10.0	-5.9	267.7	
1.6	33.0	Q5_ps	Y	I	-133.0	2.9	-0.4	253.0	
364.9	-2368.1			J	-133.0	2.9	-0.4	253.0	
1704.2	235785.5	INVSLU	Max	I	8380.9	295.7	30.9	19262.0	1
6650.0	182902.6			J	8380.9	295.7	37.1	19262.0	3
9506.3	-134022.6		Min	I	4435.1	-175.0	-94.4	-15610.8	-3
6644.4	-178654.3			J	4435.1	-175.0	-88.2	-15610.8	-1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8794.4	173962.0	INVSLE Max	I	6227.9	218.3	23.2	14208.8	
			J	6227.9	218.3	27.8	14208.8	2
6581.5	134931.3	Min	I	3335.3	-129.4	-68.7	-11589.5	-2
8768.6	-99639.6		J	3335.3	-129.4	-64.0	-11589.5	-1
2505.3	-132430.1							
5037	2	83 C1-C2;~1 Max	I	1624.4	353.3	29.7	21633.6	1
2005.8	170995.6		J	1624.4	353.3	29.7	21633.6	1
9894.2	57013.7	Min	I	-536.9	-62.4	-46.9	-7844.9	-1
9235.7	-92229.4		J	-536.9	-62.4	-46.9	-7844.9	-1
2741.5	-188252.9							
		C3-C4;~1 Max	I	1866.5	266.0	31.3	16022.5	1
3049.5	122699.4		J	1866.5	266.0	31.3	16022.5	2
4169.7	36002.0	Min	I	-623.2	-41.5	-56.9	-6308.9	-2
3344.1	-71048.9		J	-623.2	-41.5	-56.9	-6308.9	-1
3096.2	-151828.5							
		C1-C2;~2 Max	I	817.2	246.0	16.6	15046.8	
6807.6	119963.2		J	817.2	246.0	16.6	15046.8	1
0298.8	27526.6	Min	I	-279.2	-28.6	-24.3	-4999.3	-
9952.6	-60899.6		J	-279.2	-28.6	-24.3	-4999.3	-
7014.1	-125215.6							
		C3-C4;~2 Max	I	932.1	184.8	16.7	11155.7	
7161.6	85759.1		J	932.1	184.8	16.7	11155.7	1
2867.6	16091.1	Min	I	-322.9	-18.5	-30.3	-3810.5	-1
2415.8	-46362.2		J	-322.9	-18.5	-30.3	-3810.5	-
6793.4	-101470.7							
		G1	I	1661.7	-10.5	-30.6	-96.3	-1
2765.1	-5887.1		J	1661.7	-10.5	-26.0	-96.3	1
0838.3	2881.8							
		G2	I	642.0	-28.8	-11.8	-888.9	-
5142.3	-3452.8		J	642.0	-28.8	-11.8	-888.9	
4661.3	20586.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-199.6	28.2	-7.2	837.9	-
2909.3	-3438.2		J	-199.6	28.2	-7.2	837.9	
3063.1	-26976.4							
		Q5_pc Y	I	-131.2	6.6	-0.1	397.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
95.5	-2675.0			J	-131.2	6.6	-0.1	397.1	
220.0	-8211.1								
2265.3	-2669.9	Q5_ps X		I	-200.6	36.5	-5.6	1100.9	-
2401.2	-33151.4			J	-200.6	36.5	-5.6	1100.9	
287.2	-2359.7	Q5_ps Y		I	-127.9	9.5	0.3	462.1	
7.8	-10280.9			J	-127.9	9.5	0.3	462.1	
6447.2	182897.6	INVS LU Max		I	7604.2	413.6	43.6	25810.6	1
3229.9	124225.8			J	7604.2	413.6	49.9	25810.6	3
7920.9	-178644.8	Min		I	3883.9	-198.4	-88.4	-15493.6	-3
2592.7	-255441.8			J	3883.9	-198.4	-82.1	-15493.6	-2
2376.5	134927.7	INVS LE Max		I	5654.7	303.3	32.9	18990.2	1
3936.7	90889.7			J	5654.7	303.3	37.5	18990.2	2
7508.2	-132423.0	Min		I	2925.6	-146.2	-64.0	-11493.8	-2
7005.0	-186748.7			J	2925.6	-146.2	-59.3	-11493.8	-1
5038	2	83 C1-C2;~1 Max		I	1489.9	52.6	26.3	7443.9	1
0286.0	57042.1			J	1489.9	52.6	26.3	7443.9	2
7266.2	151302.5	Min		I	-557.5	-331.8	-61.1	-22861.1	-2
5696.3	-188227.1			J	-557.5	-331.8	-61.1	-22861.1	-1
2492.6	-80338.6								
2251.4	36068.2	C3-C4;~1 Max		I	1712.5	37.2	31.2	6162.0	1
1280.1	104553.9			J	1712.5	37.2	31.2	6162.0	3
9240.9	-151804.0	Min		I	-652.8	-251.7	-69.9	-17310.4	-2
4765.4	-61064.1			J	-652.8	-251.7	-69.9	-17310.4	-1
5125.7	27537.4	C1-C2;~2 Max		I	754.4	23.6	13.2	4730.0	
4919.7	106122.0			J	754.4	23.6	13.2	4730.0	1
4040.8	-125184.1	Min		I	-296.8	-232.0	-33.4	-16058.1	-1
6328.4	-52493.7			J	-296.8	-232.0	-33.4	-16058.1	-
6038.2	16126.1	C3-C4;~2 Max		I	859.6	16.8	15.5	3721.5	
7346.6	72789.9			J	859.6	16.8	15.5	3721.5	1
6152.2	-101443.1	Min		I	-348.4	-175.3	-38.7	-12135.4	-1
				J	-348.4	-175.3	-38.7	-12135.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

7385.0	-38417.5								
		G1	I	1449.3	7.1	-29.7	667.4	-1	
2678.7	2891.6		J	1449.3	7.1	-24.9	667.4	1	
0966.6	-3223.0								
		G2	I	561.0	24.9	-9.6	1274.0	-	
4357.9	20589.5		J	561.0	24.9	-9.6	1274.0		
3956.9	-987.5								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-159.8	-27.7	-9.1	-1226.5	-	
3785.8	-26930.8		J	-159.8	-27.7	-9.1	-1226.5		
4061.4	-2898.4								
		Q5_pc Y	I	-125.2	-6.3	-1.6	-119.2		
-539.7	-8176.7		J	-125.2	-6.3	-1.6	-119.2		
874.8	-2687.5								
		Q5_ps X	I	-161.7	-35.0	-8.4	-1613.9	-	
3496.9	-33107.4		J	-161.7	-35.0	-8.4	-1613.9		
3747.0	-2769.1								
		Q5_ps Y	I	-121.8	-8.9	-1.4	-279.0		
-440.9	-10247.9		J	-121.8	-8.9	-1.4	-279.0		
753.2	-2509.0								
		INVSLE Max	I	6836.6	200.1	45.0	15042.3	1	
6055.7	124360.4		J	6836.6	200.1	51.5	15042.3	4	
3735.4	139726.6								
		Min	I	3355.8	-368.8	-107.7	-28077.2	-4	
6773.3	-255228.5		J	3355.8	-368.8	-101.2	-28077.2	-2	
5736.7	-178206.0								
		INVSLE Max	I	5087.5	147.5	34.0	11075.7	1	
2147.9	90995.9		J	5087.5	147.5	38.8	11075.7	3	
1505.0	102996.5								
		Min	I	2530.4	-270.2	-77.9	-20701.2	-3	
3887.3	-186590.3		J	2530.4	-270.2	-73.1	-20701.2	-1	
9414.3	-132122.7								
		83 C1-C2;~1 Max	I	1323.8	114.4	42.9	8651.5	1	
5039	2		J	1323.8	114.4	42.9	8651.5	3	
5773.5	151311.0								
		Min	I	-551.9	-171.4	-76.4	-19469.8	-2	
6621.7	162312.9		J	-551.9	-171.4	-76.4	-19469.8	-2	
9574.3	-80336.5								
1444.1	-46348.1								
		C3-C4;~1 Max	I	1522.3	71.1	50.6	6133.8	1	
8586.8	104560.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3689.3	118707.4		J	1522.3	71.1	50.6	6133.8	4
		Min	I	-660.0	-117.3	-91.3	-14354.1	-3
5416.8	-61061.8		J	-660.0	-117.3	-91.3	-14354.1	-2
5233.2	-34442.3							
		C1-C2;~2 Max	I	670.5	79.0	21.9	5677.8	
7983.3	106128.0		J	670.5	79.0	21.9	5677.8	1
9278.2	115447.6							
		Min	I	-299.1	-119.9	-40.1	-13677.6	-1
5514.7	-52492.1		J	-299.1	-119.9	-40.1	-13677.6	-1
0996.7	-29722.8							
		C3-C4;~2 Max	I	763.8	46.4	25.4	3751.2	
9285.9	72794.9		J	763.8	46.4	25.4	3751.2	2
3604.9	84151.9							
		Min	I	-361.9	-81.6	-49.3	-10052.4	-1
9085.6	-38415.7		J	-361.9	-81.6	-49.3	-10052.4	-1
2754.9	-20863.7							
		G1	I	1239.3	-0.5	-35.5	408.7	-1
4270.1	-3222.3		J	1239.3	-0.5	-30.7	408.7	1
4365.4	-2763.1							
		G2	I	480.0	5.4	-12.9	755.5	-
5482.5	-988.2		J	480.0	5.4	-12.9	755.5	
5676.5	-5644.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-111.2	-7.9	-11.7	-696.3	-
4525.0	-2893.2		J	-111.2	-7.9	-11.7	-696.3	
5636.5	3911.2							
		Q5_pc Y	I	-113.9	-2.3	-2.4	27.3	
-725.7	-2678.6		J	-113.9	-2.3	-2.4	27.3	
1369.8	-688.8							
		Q5_ps X	I	-115.2	-9.5	-10.1	-926.8	-
3858.2	-2763.9		J	-115.2	-9.5	-10.1	-926.8	
4901.0	5482.0							
		Q5_ps Y	I	-111.0	-2.9	-1.8	-78.4	
-495.5	-2500.4		J	-111.0	-2.9	-1.8	-78.4	
1091.6	-18.1							
		INVSLU Max	I	5918.5	188.9	82.6	14670.4	2
9911.4	139729.7		J	5918.5	188.9	89.1	14670.4	5
8720.9	131714.5							
		Min	I	2767.4	-211.0	-130.0	-24546.6	-5
1138.6	-178202.2							


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4470.1	-157018.0		J	2767.4	-211.0	-123.5	-24546.6	-4		
2680.0	102999.2	INVSLE Max	I	4405.7	139.6	62.6	10811.6	2		
1991.1	96834.6		J	4405.7	139.6	67.4	10811.6	4		
6753.7	-132120.1	Min	I	2086.7	-155.6	-93.3	-18145.2	-3		
3695.2	-116519.8		J	2086.7	-155.6	-88.5	-18145.2	-3		
5040	2	69 C1-C2;~1 Max	I	1105.1	157.9	8.3	1781.2			
3359.6	162313.4		J	1105.1	157.9	8.3	1781.2			
8152.7	133349.1	Min	I	-515.0	-165.0	-17.3	-2197.8	-		
6851.0	-46347.0		J	-515.0	-165.0	-17.3	-2197.8	-		
3831.1	-22055.0									
3964.0	118708.1	C3-C4;~1 Max	I	1272.3	104.9	9.8	1261.0			
9692.0	99468.2		J	1272.3	104.9	9.8	1261.0			
8163.7	-34441.8	Min	I	-614.5	-108.9	-20.6	-1530.4	-		
4516.0	-17507.5		J	-614.5	-108.9	-20.6	-1530.4	-		
1694.0	115447.6	C1-C2;~2 Max	I	563.3	111.5	4.2	1216.3			
4311.6	94799.6		J	563.3	111.5	4.2	1216.3			
3615.6	-29721.7	Min	I	-283.3	-116.6	-9.1	-1533.3	-		
1928.5	-12799.9		J	-283.3	-116.6	-9.1	-1533.3	-		
1970.7	84152.2	C3-C4;~2 Max	I	641.7	71.7	4.9	824.4			
5262.5	70428.3		J	641.7	71.7	4.9	824.4			
4424.5	-20863.0	Min	I	-342.1	-76.4	-11.2	-1057.5	-		
2240.8	-9276.8		J	-342.1	-76.4	-11.2	-1057.5	-		
3639.9	-2763.3	G1	I	968.2	-0.8	-10.1	37.0	-		
4162.5	-2029.6		J	968.2	-0.8	-7.9	37.0			
1349.7	-5644.6	G2	I	374.3	0.4	-3.5	32.9	-		
1667.9	-5995.0		J	374.3	0.4	-3.5	32.9			
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0			
0.0	0.0		J	0.0	0.0	0.0	0.0			
-960.7	3912.6	Q5_pc X	I	-74.9	-2.0	-2.4	-23.3			
			J	-74.9	-2.0	-2.4	-23.3			


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1076.7	5668.4							
-135.4	-677.7	Q5_pc	Y	I	-97.8	-0.6	-0.4	17.2
171.3	-175.6			J	-97.8	-0.6	-0.4	17.2
-825.7	5483.6	Q5_ps	X	I	-78.8	-2.2	-2.0	-34.0
922.4	7430.6			J	-78.8	-2.2	-2.0	-34.0
-89.3	-7.4	Q5_ps	Y	I	-95.1	-0.7	-0.2	10.6
117.3	584.7			J	-95.1	-0.7	-0.2	10.6
5728.3	131724.8	INVS LU	Max	I	4851.0	198.2	14.0	3120.9
3440.0	108663.9			J	4851.0	198.2	16.9	3120.9
2373.4	-157009.5		Min	I	2127.8	-241.2	-31.2	-2292.7
7678.8	-111334.8			J	2127.8	-241.2	-28.4	-2292.7
4374.9	96842.1	INVS LE	Max	I	3611.4	146.6	10.7	2306.1
9650.2	79727.7			J	3611.4	146.6	12.9	2306.1
8905.7	-116513.5		Min	I	1607.2	-178.6	-22.5	-1700.9
5849.9	-82478.5			J	1607.2	-178.6	-20.4	-1700.9
5041	2	69 C1-C2;~1	Max	I	966.3	151.0	8.8	2602.5
3724.4	133347.2			J	966.3	151.0	8.8	2602.5
0146.3	118344.3		Min	I	-572.4	-118.5	-22.8	-1532.6
9616.7	-22052.2			J	-572.4	-118.5	-22.8	-1532.6
3895.0	-40500.0							
4407.8	99467.5	C3-C4;~1	Max	I	1116.0	101.4	10.4	1888.6
1995.8	84662.2			J	1116.0	101.4	10.4	1888.6
1396.8	-17506.1		Min	I	-668.7	-74.7	-27.0	-1014.5
4604.3	-31494.3			J	-668.7	-74.7	-27.0	-1014.5
1835.7	94798.2	C1-C2;~2	Max	I	503.8	106.6	4.3	1805.2
5399.8	83914.0			J	503.8	106.6	4.3	1805.2
5109.1	-12798.1		Min	I	-326.0	-83.3	-12.1	-1035.2
1920.7	-26105.2			J	-326.0	-83.3	-12.1	-1035.2
2143.4	70427.8	C3-C4;~2	Max	I	574.4	71.3	5.1	1306.6
6549.3	59737.2			J	574.4	71.3	5.1	1306.6

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6213.9	-9276.0		Min	I	-384.5	-50.5	-14.7	-644.5	-
				J	-384.5	-50.5	-14.7	-644.5	-
2239.2	-19404.7								
6089.5	-2028.7		G1	I	714.9	-0.8	-15.2	22.8	-
				J	714.9	-0.8	-13.0	22.8	
6114.5	-1369.9								
2297.7	-5995.0		G2	I	276.8	-3.4	-5.4	-58.9	-
				J	276.8	-3.4	-5.4	-58.9	
2421.2	-3026.1								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
1194.7	5673.2		Q5_pc X	I	-66.4	2.6	-2.8	76.3	-
				J	-66.4	2.6	-2.8	76.3	
1198.9	3427.0								
-61.5	-167.5		Q5_pc Y	I	-93.2	0.7	-0.2	35.5	
				J	-93.2	0.7	-0.2	35.5	
87.2	-752.9								
1011.3	7435.1		Q5_ps X	I	-68.5	3.6	-2.3	93.9	-
				J	-68.5	3.6	-2.3	93.9	
1013.8	4325.3								
-3.8	592.4		Q5_ps Y	I	-89.8	1.0	-0.0	40.0	
				J	-89.8	1.0	-0.0	40.0	
27.2	-307.8								
6424.2	108661.2		INVSLU Max	I	4090.8	155.1	14.5	3414.8	
				J	4090.8	155.1	17.4	3414.8	1
7151.1	130644.0								
7062.5	-111339.8		Min	I	1513.8	-213.4	-40.9	-2304.8	-1
				J	1513.8	-213.4	-38.1	-2304.8	-
7417.3	-89964.4								
4941.8	79725.3		INVSLE Max	I	3049.3	114.5	11.2	2516.3	
				J	3049.3	114.5	13.3	2516.3	1
2339.9	96345.0								
2296.5	-82481.9		Min	I	1152.8	-158.1	-29.5	-1710.3	-1
				J	1152.8	-158.1	-27.4	-1710.3	-
5699.0	-66611.7								
5042	2	69	C1-C2;~1 Max	I	880.4	271.8	8.8	3582.3	
3763.0	118330.5			J	880.4	271.8	8.8	3582.3	1
1006.7	32826.4								
0655.8	-40512.9		Min	I	-628.7	-43.4	-25.0	-929.7	-1
				J	-628.7	-43.4	-25.0	-929.7	-
3893.0	-129868.5								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4410.3	84650.5	C3-C4;~1	Max	I	1017.4	208.1	10.4	2725.2	
				J	1017.4	208.1	10.4	2725.2	1
3017.1	26998.6		Min	I	-722.5	-35.1	-29.6	-777.6	-1
2629.9	-31509.2			J	-722.5	-35.1	-29.6	-777.6	-
4564.4	-104284.6								
		C1-C2;~2	Max	I	466.6	188.7	4.3	2494.4	
1853.4	83903.6			J	466.6	188.7	4.3	2494.4	
5893.8	15313.9		Min	I	-362.7	-19.8	-13.4	-566.6	-
5696.4	-26112.7			J	-362.7	-19.8	-13.4	-566.6	-
1912.2	-85752.9								
		C3-C4;~2	Max	I	531.4	143.2	5.0	1894.1	
2134.5	59728.4			J	531.4	143.2	5.0	1894.1	
7146.1	12247.6		Min	I	-420.6	-16.0	-16.2	-443.6	-
6924.2	-19413.5			J	-420.6	-16.0	-16.2	-443.6	-
2203.2	-68570.4								
		G1		I	521.9	-4.9	-17.6	4.4	-
7265.2	-1378.6			J	521.9	-4.9	-15.5	4.4	
7094.3	2884.1								
		G2		I	201.2	-20.9	-6.5	-157.7	-
2806.6	-3028.4			J	201.2	-20.9	-6.5	-157.7	
2855.4	15095.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-52.7	23.1	-2.7	194.6	-
1190.2	3426.1			J	-52.7	23.1	-2.7	194.6	
1171.8	-16583.4								
		Q5_pc	Y	I	-88.7	6.0	0.1	63.7	
40.7	-744.4			J	-88.7	6.0	0.1	63.7	
-7.8	-5917.0								
		Q5_ps	X	I	-53.0	29.5	-2.2	245.7	
-964.7	4324.2			J	-53.0	29.5	-2.2	245.7	
948.7	-21266.5								
		Q5_ps	Y	I	-84.6	8.5	0.2	81.3	
109.0	-299.7			J	-84.6	8.5	0.2	81.3	
-77.5	-7638.3								
		INVSLU	Max	I	3556.9	280.5	14.2	4126.6	
6207.8	130635.5			J	3556.9	280.5	17.1	4126.6	1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8487.8	119985.4		Min	I	1048.4	-186.6	-44.6	-2314.9	-1
8938.9	-89970.1			J	1048.4	-186.6	-41.8	-2314.9	-
7356.4	-129503.0								
		INVSLE	Max	I	2654.5	205.1	11.1	3030.8	
4823.8	96339.2			J	2654.5	205.1	13.2	3030.8	1
3288.7	88554.6		Min	I	808.2	-137.8	-32.2	-1714.8	-1
3644.7	-66615.5			J	808.2	-137.8	-30.0	-1714.8	-
5698.9	-94040.5								
5043	2	69 C1-C2;~1	Max	I	812.4	42.4	8.8	882.2	
3764.9	32872.3			J	812.4	42.4	8.8	882.2	1
1705.6	118231.2		Min	I	-688.4	-274.6	-26.7	-3508.5	-1
1398.1	-130142.1			J	-688.4	-274.6	-26.7	-3508.5	-
3902.6	-38725.3								
		C3-C4;~1	Max	I	939.3	36.1	10.4	788.2	
4418.5	27120.0			J	939.3	36.1	10.4	788.2	1
3678.6	84053.3		Min	I	-783.9	-209.9	-31.2	-2666.7	-1
3351.2	-104551.0			J	-783.9	-209.9	-31.2	-2666.7	-
4582.0	-30302.8								
		C1-C2;~2	Max	I	435.0	19.4	4.4	551.9	
1877.5	15330.5			J	435.0	19.4	4.4	551.9	
6291.9	83817.7		Min	I	-399.1	-190.4	-14.3	-2476.3	-
6116.6	-85883.1			J	-399.1	-190.4	-14.3	-2476.3	-
1936.4	-24956.7								
		C3-C4;~2	Max	I	495.1	16.5	5.1	466.5	
2162.1	12309.5			J	495.1	16.5	5.1	466.5	
7533.9	59277.7		Min	I	-459.4	-144.3	-17.2	-1873.4	-
7344.7	-68711.6			J	-459.4	-144.3	-17.2	-1873.4	-
2231.5	-18657.9								
		G1		I	360.7	3.4	-19.0	81.3	-
7887.2	2626.2			J	360.7	3.4	-16.8	81.3	
7632.0	-331.0								
		G2		I	138.7	20.1	-6.8	197.9	-
2943.3	14995.7			J	138.7	20.1	-6.8	197.9	
2959.0	-2407.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1184.6	-16661.4	Q5_pc X	I	-32.7	-24.0	-2.7	-201.7	-
			J	-32.7	-24.0	-2.7	-201.7	
1163.6	4165.4							
		Q5_pc Y	I	-83.8	-6.0	-0.0	-44.3	
11.3	-5903.1		J	-83.8	-6.0	-0.0	-44.3	
27.6	-731.0							
		Q5_ps X	I	-32.9	-30.3	-2.3	-264.1	-
1017.8	-21335.9		J	-32.9	-30.3	-2.3	-264.1	
1001.0	4914.9							
		Q5_ps Y	I	-79.5	-8.4	0.1	-70.4	
60.6	-7623.1		J	-79.5	-8.4	0.1	-70.4	
-22.7	-313.2							
		INVS LU Max	I	3087.0	138.4	14.4	2365.5	
6222.4	120119.8		J	3087.0	138.4	17.3	2365.5	1
9271.2	172538.2	Min	I	609.7	-332.8	-46.7	-3925.0	-1
9899.0	-129940.2		J	609.7	-332.8	-43.8	-3925.0	-
7475.0	-46850.8							
		INVS LE Max	I	2305.8	101.3	11.3	1738.7	
4878.7	88662.0		J	2305.8	101.3	13.4	1738.7	1
3819.1	128019.5	Min	I	481.9	-244.6	-33.5	-2894.0	-1
4312.5	-94346.1		J	481.9	-244.6	-31.4	-2894.0	-
5837.8	-33935.4							
5044	2	69 C1-C2;~1 Max	I	757.8	113.6	9.0	1509.3	
3840.3	118233.6		J	757.8	113.6	9.0	1509.3	1
1834.0	131814.7	Min	I	-768.8	-146.4	-27.1	-2581.5	-1
1630.6	-38726.0		J	-768.8	-146.4	-27.1	-2581.5	-
3965.5	-24224.6							
		C3-C4;~1 Max	I	876.9	71.5	10.6	1043.3	
4503.8	84056.7		J	876.9	71.5	10.6	1043.3	1
3820.0	97906.9	Min	I	-872.4	-98.2	-31.7	-1869.4	-1
3627.7	-30304.4		J	-872.4	-98.2	-31.7	-1869.4	-
4651.6	-18309.8							
		C1-C2;~2 Max	I	408.6	79.8	4.5	1025.7	
1921.1	83820.3		J	408.6	79.8	4.5	1025.7	
6398.7	93541.5	Min	I	-444.8	-103.1	-14.6	-1814.3	-
6278.1	-24956.5		J	-444.8	-103.1	-14.6	-1814.3	-
1969.0	-14686.5							
		C3-C4;~2 Max	I	465.1	48.1	5.2	667.1	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2210.3	59280.8			J	465.1	48.1	5.2	667.1	
7648.0	69136.8								
		Min		I	-511.9	-68.7	-17.5	-1306.6	-
7532.7	-18658.3			J	-511.9	-68.7	-17.5	-1306.6	-
2266.9	-9881.0								
		G1		I	197.3	-0.7	-19.3	65.6	-
8071.6	-340.6			J	197.3	-0.7	-17.1	65.6	
7683.1	261.4								
		G2		I	75.9	2.6	-7.0	103.9	-
3068.3	-2411.8			J	75.9	2.6	-7.0	103.9	
3031.1	-4692.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-19.3	-3.8	-2.4	-92.5	-
1058.1	4168.1			J	-19.3	-3.8	-2.4	-92.5	
1015.0	7454.3								
		Q5_pc Y		I	-78.6	-0.8	0.0	-14.0	
43.6	-724.0			J	-78.6	-0.8	0.0	-14.0	
7.4	-21.0								
		Q5_ps X		I	-19.4	-4.6	-2.0	-122.5	
-869.6	4918.1			J	-19.4	-4.6	-2.0	-122.5	
834.7	8927.3								
		Q5_ps Y		I	-74.2	-1.2	0.2	-27.6	
101.3	-306.4			J	-74.2	-1.2	0.2	-27.6	
-50.7	696.3								
		INVS LU Max		I	2605.9	167.4	16.7	2618.4	
7308.8	172537.0			J	2605.9	167.4	19.6	2618.4	1
8342.8	184562.5								
		Min		I	102.7	-190.3	-44.6	-3070.7	-1
9073.3	-46861.1			J	102.7	-190.3	-41.7	-3070.7	-
8420.8	-39508.2								
		INVS LE Max		I	1947.9	123.2	13.2	1928.1	
5765.8	128018.9			J	1947.9	123.2	15.4	1928.1	1
3061.0	137223.1								
		Min		I	104.2	-141.3	-31.9	-2273.7	-1
3635.4	-33942.5			J	104.2	-141.3	-29.7	-2273.7	-
6628.6	-27761.3								
		69 C1-C2;~1 Max		I	743.2	138.0	9.0	2190.6	
5045	2			J	743.2	138.0	9.0	2190.6	1
3838.0	131809.2								
		Min		I	-877.9	-136.0	-26.6	-1961.3	-1
1554.3	132345.0								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1478.4	-24224.0			J	-877.9	-136.0	-26.6	-1961.3	-
3935.7	-25390.0								
4499.7	97902.8	C3-C4;~1	Max	I	859.9	89.1	10.5	1579.9	
				J	859.9	89.1	10.5	1579.9	1
3402.2	97703.3		Min	I	-992.1	-87.1	-30.9	-1310.7	-1
3372.4	-18308.4			J	-992.1	-87.1	-30.9	-1310.7	-
4615.7	-19224.8								
		C1-C2;~2	Max	I	398.3	98.1	4.4	1515.1	
1911.6	93537.4			J	398.3	98.1	4.4	1515.1	
6276.5	93767.5		Min	I	-499.3	-96.4	-14.4	-1356.3	-
6221.7	-14686.2			J	-499.3	-96.4	-14.4	-1356.3	-
1941.2	-15596.5								
		C3-C4;~2	Max	I	453.5	62.9	5.1	1039.1	
2199.0	69133.7			J	453.5	62.9	5.1	1039.1	
7442.3	68788.0		Min	I	-573.0	-61.2	-17.1	-892.1	-
7415.3	-9880.1			J	-573.0	-61.2	-17.1	-892.1	-
2235.3	-10511.5								
		G1		I	34.2	-1.1	-18.4	65.0	-
7775.6	262.7			J	34.2	-1.1	-16.3	65.0	
7245.6	1181.3								
		G2		I	11.9	-0.4	-6.7	26.9	-
2948.5	-4692.1			J	11.9	-0.4	-6.7	26.9	
2856.5	-4375.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-13.9	-0.9	-2.1	-8.1	
-932.7	7456.7			J	-13.9	-0.9	-2.1	-8.1	
859.0	8250.2								
		Q5_pc	Y	I	-71.9	-0.1	-0.0	9.6	
21.7	-14.1			J	-71.9	-0.1	-0.0	9.6	
40.9	86.1								
		Q5_ps	X	I	-12.5	-0.9	-1.7	-13.0	
-762.5	8929.5			J	-12.5	-0.9	-1.7	-13.0	
700.9	9711.9								
		Q5_ps	Y	I	-67.0	-0.1	0.1	6.0	
75.7	702.7			J	-67.0	-0.1	0.1	6.0	
-13.1	821.6								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
7999.5	184561.7	INVSLE Max	I	2151.4	187.1	18.3	2999.1	
			J	2151.4	187.1	21.2	2999.1	1
6736.8	185970.0	Min	I	-478.2	-184.4	-41.3	-2623.3	-1
7806.7	-39505.1		J	-478.2	-184.4	-38.4	-2623.3	-
9133.5	-41822.5							
6366.1	137222.4	INVSLE Max	I	1609.3	138.4	14.6	2206.1	
			J	1609.3	138.4	16.8	2206.1	1
1805.0	138365.4	Min	I	-329.0	-136.7	-29.3	-1957.4	-1
2625.1	-27758.8		J	-329.0	-136.7	-27.1	-1957.4	-
7243.7	-29269.8							
5046	2	69 C1-C2;~1 Max	I	730.8	148.7	8.9	2854.5	
3759.4	132351.4		J	730.8	148.7	8.9	2854.5	1
1128.3	115533.6	Min	I	-1004.5	-107.1	-25.6	-1335.7	-1
1059.7	-25390.3		J	-1004.5	-107.1	-25.6	-1335.7	-
4016.3	-37589.5							
4420.7	97708.5	C3-C4;~1 Max	I	846.6	100.5	10.5	2112.8	
			J	846.6	100.5	10.5	2112.8	1
2817.2	81661.3	Min	I	-1125.9	-65.8	-29.6	-868.8	-1
2820.0	-19225.5		J	-1125.9	-65.8	-29.6	-868.8	-
4729.8	-29025.2							
1845.3	93771.9	C1-C2;~2 Max	I	388.5	106.1	4.4	1981.7	
			J	388.5	106.1	4.4	1981.7	
6122.1	81979.3	Min	I	-566.2	-75.6	-14.1	-886.1	-
6066.1	-15596.5		J	-566.2	-75.6	-14.1	-886.1	-
1983.8	-24990.2							
2133.8	68791.5	C3-C4;~2 Max	I	442.8	71.4	5.1	1461.9	
			J	442.8	71.4	5.1	1461.9	
7200.3	57482.4	Min	I	-643.7	-44.6	-16.6	-528.8	-
7188.6	-10511.8		J	-643.7	-44.6	-16.6	-528.8	-
2302.6	-18303.8							
6947.7	1181.4	G1	I	-123.0	-0.6	-16.4	74.1	-
			J	-123.0	-0.6	-14.3	74.1	
6324.7	1683.5							
2623.9	-4375.8	G2	I	-48.3	-2.6	-5.9	-46.1	-
			J	-48.3	-2.6	-5.9	-46.1	
2496.9	-2160.3							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
-702.1	8253.5	Q5_pc X	I	-10.5	1.2	-1.5	75.3	
600.9	7171.3		J	-10.5	1.2	-1.5	75.3	
-42.5	93.0	Q5_pc Y	I	-66.6	0.6	-0.2	35.7	
119.2	-397.3		J	-66.6	0.6	-0.2	35.7	
-564.4	9715.1	Q5_ps X	I	-8.3	1.9	-1.2	95.8	
479.0	8044.3		J	-8.3	1.9	-1.2	95.8	
6.3	828.2	Q5_ps Y	I	-61.6	0.8	-0.1	42.1	
70.5	127.9		J	-61.6	0.8	-0.1	42.1	
9367.7	185978.4	INVS LU Max	I	1699.1	200.4	22.0	3492.9	
3832.0	163552.8		J	1699.1	200.4	24.8	3492.9	1
5171.0	-41829.2	Min	I	-1083.5	-147.2	-34.9	-2299.5	-1
0937.9	-56071.7		J	-1083.5	-147.2	-32.0	-2299.5	-1
7495.2	138371.2	INVS LE Max	I	1270.8	149.0	17.6	2545.1	
9545.9	121294.9		J	1270.8	149.0	19.8	2545.1	
0588.0	-29274.7	Min	I	-781.6	-108.3	-24.3	-1735.5	-1
8722.1	-40433.7		J	-781.6	-108.3	-22.2	-1735.5	-
5047	2	69 C1-C2;~1 Max	I	734.5	276.5	8.5	3635.3	
3738.4	115518.4		J	734.5	276.5	8.5	3635.3	
7966.4	24153.3	Min	I	-1154.8	-35.4	-19.6	-588.1	-
9029.6	-37591.8		J	-1154.8	-35.4	-19.6	-588.1	-
3652.8	-137641.9							
4386.9	81647.3	C3-C4;~1 Max	I	851.7	212.4	10.0	2785.4	
9416.9	25617.4		J	851.7	212.4	10.0	2785.4	
0632.9	-29027.5	Min	I	-1285.4	-37.1	-23.1	-486.6	-1
4264.2	-111726.9		J	-1285.4	-37.1	-23.1	-486.6	-
1868.1	81969.7	C1-C2;~2 Max	I	386.7	191.9	4.3	2524.0	
4351.7	11238.3		J	386.7	191.9	4.3	2524.0	
4922.2	-24992.8	Min	I	-645.4	-16.6	-10.7	-322.4	-
			J	-645.4	-16.6	-10.7	-322.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1850.6	-92848.2								
		C3-C4;~2	Max	I	441.3	145.6	4.9	1924.0	
2159.6	57473.6			J	441.3	145.6	4.9	1924.0	
5301.7	11870.6								
			Min	I	-727.9	-17.2	-13.0	-224.6	-
5961.0	-18306.6			J	-727.9	-17.2	-13.0	-224.6	-
2126.8	-74639.1								
		G1		I	-293.9	1.9	-11.9	98.9	-
5338.3	1680.5			J	-293.9	1.9	-9.8	98.9	
4080.4	25.6								
		G2		I	-115.1	-16.8	-4.3	-128.3	-
2046.6	-2160.4			J	-115.1	-16.8	-4.3	-128.3	
1669.6	12378.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-6.1	20.8	-0.6	187.2	
-340.5	7172.0			J	-6.1	20.8	-0.6	187.2	
196.1	-10857.3								
		Q5_pc	Y	I	-61.0	7.3	-0.4	81.5	
-118.6	-391.1			J	-61.0	7.3	-0.4	81.5	
185.5	-6681.3								
		Q5_ps	X	I	-2.3	27.0	-0.4	243.9	
-220.4	8044.7			J	-2.3	27.0	-0.4	243.9	
100.7	-15336.0								
		Q5_ps	Y	I	-55.5	9.7	-0.2	102.1	
-66.4	133.7			J	-55.5	9.7	-0.2	102.1	
137.2	-8303.1								
		INVSLE	Max	I	1390.1	336.8	26.0	4151.1	1
1419.9	163544.4			J	1390.1	336.8	28.9	4151.1	
6469.8	93332.5								
			Min	I	-1604.8	-124.0	-19.8	-1887.4	-
9469.8	-56064.1			J	-1604.8	-124.0	-17.0	-1887.4	-1
2352.7	-146610.7								
		INVSLE	Max	I	1043.4	245.8	21.0	2993.1	
9196.6	121289.7			J	1043.4	245.8	23.1	2993.1	
3993.4	71015.6								
			Min	I	-1166.9	-92.8	-12.9	-1455.0	-
6231.9	-40427.0			J	-1166.9	-92.8	-10.7	-1455.0	-
9923.1	-105272.5								
5048	2	69	C1-C2;~1	Max	I	541.5	32.2	4.2	477.0
2043.9	24256.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3991.0	59097.3		J	541.5	32.2	4.2	477.0	
4763.5	-137909.0	Min	I	-872.0	-144.4	-10.1	-1393.9	-
1587.3	-27639.6		J	-872.0	-144.4	-10.1	-1393.9	-
2388.8	25749.6	C3-C4;~1 Max	I	628.2	34.1	4.9	414.2	
4500.6	43611.1		J	628.2	34.1	4.9	414.2	
5371.8	-111964.5	Min	I	-975.1	-125.9	-11.4	-1027.8	-
1854.8	-20826.2		J	-975.1	-125.9	-11.4	-1027.8	-
1038.6	11295.1	C1-C2;~2 Max	I	284.0	15.0	2.1	294.3	
2247.4	41191.5		J	284.0	15.0	2.1	294.3	
2659.6	-93003.9	Min	I	-483.1	-94.2	-5.7	-951.2	-
-803.2	-18490.5		J	-483.1	-94.2	-5.7	-951.2	-
1195.3	11941.6	C3-C4;~2 Max	I	324.3	15.8	2.4	234.0	
2583.2	30163.3		J	324.3	15.8	2.4	234.0	
3054.9	-74776.4	Min	I	-548.4	-81.9	-6.5	-688.6	-
-924.3	-13203.1		J	-548.4	-81.9	-6.5	-688.6	-
2405.8	-83.6	G1	I	-270.6	-1.1	-5.9	26.2	-
1750.0	827.6		J	-270.6	-1.1	-3.7	26.2	-
-835.5	12338.0	G2	I	-104.7	16.4	-1.8	124.6	
705.7	-1890.0		J	-104.7	16.4	-1.8	124.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-89.4	-10877.7	Q5_pc X	I	5.3	-17.4	-0.2	-143.6	
73.6	4202.3		J	5.3	-17.4	-0.2	-143.6	
-134.9	-6684.2	Q5_pc Y	I	-40.7	-8.3	-0.3	-44.9	
115.6	470.3		J	-40.7	-8.3	-0.3	-44.9	
-74.3	-15354.7	Q5_ps X	I	8.7	-23.3	-0.2	-185.2	
65.6	4873.7		J	8.7	-23.3	-0.2	-185.2	
-120.7	-8305.4	Q5_ps Y	I	-36.4	-10.5	-0.3	-62.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
105.5	815.1		J	-36.4	-10.5	-0.3	-62.8	
7335.7	93840.3	INVS LU Max	I	419.9	123.5	13.1	848.9	
3546.0	79355.8		J	419.9	123.5	16.0	848.9	
3383.9	-146678.6	Min	I	-1817.9	-148.8	-9.4	-1935.3	-
5241.8	-45303.0		J	-1817.9	-148.8	-6.6	-1935.3	-
5920.8	71426.7	INVS LE Max	I	281.4	94.4	10.6	619.4	
2297.9	57621.8		J	281.4	94.4	12.7	619.4	
2001.7	-105285.1	Min	I	-1370.8	-105.0	-6.0	-1423.8	-
4196.2	-34157.8		J	-1370.8	-105.0	-3.9	-1423.8	-
5049	2	69 C1-C2;~1 Max	I	337.4	42.5	2.1	571.5	
924.2	59097.3		J	337.4	42.5	2.1	571.5	
2495.6	35884.0	Min	I	-533.7	-30.1	-5.8	-659.1	-
2572.0	-27636.4		J	-533.7	-30.1	-5.8	-659.1	-
-866.6	-4258.8							
1091.0	43610.4	C3-C4;~1 Max	I	391.8	28.8	2.4	433.0	
2917.2	25154.2		J	391.8	28.8	2.4	433.0	
2980.9	-20824.7	Min	I	-600.0	-21.2	-6.8	-451.4	-
1020.3	-5496.1		J	-600.0	-21.2	-6.8	-451.4	-
454.5	41192.1	C1-C2;~2 Max	I	177.2	29.9	1.0	382.7	
1389.0	24929.9		J	177.2	29.9	1.0	382.7	
1425.0	-18488.6	Min	I	-294.8	-20.7	-3.2	-448.3	-
-426.0	-2078.3		J	-294.8	-20.7	-3.2	-448.3	-
528.7	30163.3	C3-C4;~2 Max	I	202.6	19.5	1.2	272.8	
1669.8	17133.5		J	202.6	19.5	1.2	272.8	
1691.4	-13202.4	Min	I	-337.0	-14.1	-3.9	-300.9	-
-494.1	-2755.1		J	-337.0	-14.1	-3.9	-300.9	-
1647.5	825.6	G1	I	-167.7	0.2	-4.5	44.5	-
1288.8	686.8		J	-167.7	0.2	-2.3	44.5	-
-582.0	-1891.6	G2	I	-67.5	0.3	-1.3	52.3	-
556.8	-2119.8		J	-67.5	0.3	-1.3	52.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-34.2	4205.4	Q5_pc X	I	15.8	0.7	-0.1	-41.6	
32.2	3588.3		J	15.8	0.7	-0.1	-41.6	
-23.1	475.5	Q5_pc Y	I	-21.4	-0.2	-0.1	-12.0	
39.9	610.4		J	-21.4	-0.2	-0.1	-12.0	
-11.4	4877.0	Q5_ps X	I	17.9	0.6	-0.0	-54.9	
15.0	4323.4		J	17.9	0.6	-0.0	-54.9	
-12.2	820.1	Q5_ps Y	I	-18.7	-0.2	-0.0	-18.1	
30.3	952.5		J	-18.7	-0.2	-0.0	-18.1	
2759.3	79366.0	INVS LU Max	I	-539.7	72.1	4.6	816.3	
2887.3	35277.9		J	-539.7	72.1	7.5	816.3	
2799.5	-45294.4	Min	I	-1917.1	-27.3	-8.0	-920.0	-
2500.1	-27044.2		J	-1917.1	-27.3	-5.1	-920.0	-
2241.6	57630.0	INVS LE Max	I	-471.7	54.9	3.8	597.2	
1984.1	23701.1		J	-471.7	54.9	6.0	597.2	
1871.4	-34150.3	Min	I	-1489.1	-18.6	-5.5	-683.4	-
2001.2	-21985.0		J	-1489.1	-18.6	-3.4	-683.4	-
5050	2	69 C1-C2;~1 Max	I	248.8	24.2	1.3	694.4	
552.2	35880.8		J	248.8	24.2	1.3	694.4	
1874.6	35477.3	Min	I	-402.5	-20.7	-4.2	-499.8	-
1755.4	-4258.6		J	-402.5	-20.7	-4.2	-499.8	-
-583.7	-5284.1							
646.3	25150.7	C3-C4;~1 Max	I	289.3	13.1	1.5	508.3	
2211.4	24308.4		J	289.3	13.1	1.5	508.3	
2057.6	-5495.7	Min	I	-450.5	-11.0	-4.9	-318.0	-
-681.7	-5149.9		J	-450.5	-11.0	-4.9	-318.0	-
285.3	24927.9	C1-C2;~2 Max	I	130.4	17.1	0.7	468.2	
1052.5	24653.6		J	130.4	17.1	0.7	468.2	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-981.7	-2078.4		Min	I	-221.9	-14.4	-2.3	-331.9	
				J	-221.9	-14.4	-2.3	-331.9	
-297.9	-2903.1								
		C3-C4;~2	Max	I	149.4	8.7	0.8	326.0	
326.4	17131.3			J	149.4	8.7	0.8	326.0	
1279.8	16500.3								
			Min	I	-252.2	-7.1	-2.8	-203.8	-
1181.0	-2755.1			J	-252.2	-7.1	-2.8	-203.8	
-340.6	-2550.3								
			G1	I	-138.8	-0.3	-3.8	47.6	-
1314.1	686.3			J	-138.8	-0.3	-1.6	47.6	
1037.9	946.0								
			G2	I	-56.9	-0.3	-1.0	21.4	
-451.3	-2119.6			J	-56.9	-0.3	-1.0	21.4	
458.2	-1893.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	19.3	0.2	-0.1	-8.8	
-39.1	3589.8			J	19.3	0.2	-0.1	-8.8	
34.9	3402.3								
			Q5_pc Y	I	-12.7	-0.0	0.0	1.1	
20.6	615.7			J	-12.7	-0.0	0.0	1.1	
5.8	644.5								
			Q5_ps X	I	20.8	0.2	-0.1	-11.7	
-22.1	4324.7			J	20.8	0.2	-0.1	-11.7	
22.0	4159.1								
			Q5_ps Y	I	-10.7	-0.0	0.0	-0.9	
26.3	957.5			J	-10.7	-0.0	0.0	-0.9	
0.3	994.6								
			INVSLU Max	I	-1094.8	40.0	1.3	934.4	
1160.7	35274.6			J	-1094.8	40.0	4.2	934.4	
2740.9	28341.3								
			Min	I	-2128.2	-20.9	-7.6	-693.6	-
2559.9	-27045.2			J	-2128.2	-20.9	-4.7	-693.6	-
1227.6	-32810.8								
			INVSLE Max	I	-899.9	30.1	1.2	675.2	
955.2	23698.5			J	-899.9	30.1	3.3	675.2	
1951.2	18160.0								
			Min	I	-1662.9	-15.0	-5.4	-529.5	-
1795.6	-21985.7			J	-1662.9	-15.0	-3.3	-529.5	
-983.8	-26684.2								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5051	2	69	C1-C2;~1	Max	I	206.2	16.0	1.0	802.3	
416.5	35480.4				J	206.2	16.0	1.0	802.3	
1561.6	43677.2									
				Min	I	-351.4	-27.5	-3.4	-395.7	-
1381.0	-5283.9				J	-351.4	-27.5	-3.4	-395.7	
-451.5	-5008.9									
				C3-C4;~1	Max	I	240.0	7.4	1.1	580.4
496.0	24310.8				J	240.0	7.4	1.1	580.4	
1847.4	30932.7									
				Min	I	-389.8	-15.0	-4.0	-278.4	-
1628.9	-5150.2				J	-389.8	-15.0	-4.0	-278.4	
-527.3	-5980.0									
				C1-C2;~2	Max	I	107.8	11.0	0.5	538.8
223.0	24655.7				J	107.8	11.0	0.5	538.8	
887.7	30156.7									
				Min	I	-194.2	-19.3	-1.9	-252.9	
-777.3	-2902.8				J	-194.2	-19.3	-1.9	-252.9	
-239.0	-2301.4									
				C3-C4;~2	Max	I	123.6	4.4	0.6	386.0
262.4	16501.8				J	123.6	4.4	0.6	386.0	
1082.8	20845.6									
				Min	I	-218.4	-10.2	-2.3	-160.5	
-942.3	-2550.3				J	-218.4	-10.2	-2.3	-160.5	
-272.6	-2783.5									
				G1	I	-133.1	-0.6	-3.4	51.9	-
1114.2	945.7				J	-133.1	-0.6	-1.2	51.9	
876.1	1470.2									
				G2	I	-54.7	0.5	-0.9	-4.0	
-371.6	-1893.5				J	-54.7	0.5	-0.9	-4.0	
391.7	-2354.3									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	22.5	-0.8	-0.1	18.6
-36.0	3404.7				J	22.5	-0.8	-0.1	18.6	
32.7	4126.6									
				Q5_pc	Y	I	-9.6	-0.5	0.1	13.5
40.3	649.6				J	-9.6	-0.5	0.1	13.5	
-11.4	1124.2									
				Q5_ps	X	I	23.5	-1.2	-0.1	25.6
-22.9	4161.5				J	23.5	-1.2	-0.1	25.6	
23.9	5181.4									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

43.1	999.5	Q5_ps Y	I	-7.9	-0.7	0.1	15.5	
-14.0	1590.7		J	-7.9	-0.7	0.1	15.5	
802.8	28348.8	INVS LU Max	I	-1479.3	24.6	0.5	1153.2	
2384.8	38190.4		J	-1479.3	24.6	3.3	1153.2	
2138.4	-32811.5	Min	I	-2370.1	-35.7	-6.6	-497.5	-
-880.0	-36274.6		J	-2370.1	-35.7	-3.7	-497.5	
653.2	18165.4	INVS LE Max	I	-1194.3	17.3	0.5	822.6	
1720.8	26133.4		J	-1194.3	17.3	2.6	822.6	
1520.1	-26684.6	Min	I	-1851.2	-27.3	-4.8	-397.7	-
-693.2	-28475.6		J	-1851.2	-27.3	-2.7	-397.7	
5052	2	69 C1-C2;~1 Max	I	186.6	136.1	1.3	1411.5	
632.7	43674.0		J	186.6	136.1	1.3	1411.5	
1247.0	17331.6	Min	I	-347.8	-25.5	-2.8	-213.8	-
1163.1	-5009.1		J	-347.8	-25.5	-2.8	-213.8	
-524.1	-76710.2							
723.5	30930.1	C3-C4;~1 Max	I	217.0	112.6	1.5	1067.4	
1446.1	20269.6		J	217.0	112.6	1.5	1067.4	
1371.8	-5979.6	Min	I	-378.8	-29.6	-3.3	-248.6	-
-603.4	-66893.5		J	-378.8	-29.6	-3.3	-248.6	
366.4	30154.3	C1-C2;~2 Max	I	97.3	89.0	0.8	944.7	
699.5	8019.5		J	97.3	89.0	0.8	944.7	
-639.6	-2301.9	Min	I	-194.4	-11.7	-1.5	-98.3	
-295.5	-48726.5		J	-194.4	-11.7	-1.5	-98.3	
416.3	20843.7	C3-C4;~2 Max	I	111.5	72.5	0.9	701.8	
825.3	9305.7		J	111.5	72.5	0.9	701.8	
-769.5	-2783.3	Min	I	-214.0	-13.5	-1.8	-113.2	
-336.5	-42150.7		J	-214.0	-13.5	-1.8	-113.2	
-964.5	1471.6	G1	I	-139.2	6.3	-3.0	85.9	
742.4	-3955.9		J	-139.2	6.3	-0.9	85.9	
		G2	I	-55.2	-12.5	-0.8	-76.5	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-348.5	-2352.9		J	-55.2	-12.5	-0.8	-76.5
381.8	8451.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	24.8	14.2	0.0	103.2
2.1	4127.6		J	24.8	14.2	0.0	103.2
-11.9	-8188.1						
		Q5_pc Y	I	-9.6	8.5	0.1	61.0
65.2	1129.0		J	-9.6	8.5	0.1	61.0
-40.6	-6257.3						
		Q5_ps X	I	24.6	19.9	0.1	144.2
30.4	5182.0		J	24.6	19.9	0.1	144.2
-39.6	-12047.6						
		Q5_ps Y	I	-8.4	10.7	0.1	76.3
73.4	1595.1		J	-8.4	10.7	0.1	76.3
-50.2	-7689.7						
		INVS LU Max	I	-1723.5	127.2	0.6	2069.4
983.5	38183.2		J	-1723.5	127.2	3.5	2069.4
2047.6	70266.3						
		Min	I	-2572.6	-122.0	-6.1	-357.5
1962.5	-36278.7		J	-2572.6	-122.0	-3.2	-357.5
-792.3	-75395.1						
		INVS LE Max	I	-1380.1	86.4	0.6	1480.7
780.6	26128.0		J	-1380.1	86.4	2.7	1480.7
1470.6	55529.1						
		Min	I	-2005.8	-96.2	-4.4	-303.2
1393.0	-28478.6		J	-2005.8	-96.2	-2.2	-303.2
-627.7	-51276.5						
		69 C1-C2;~1 Max	I	169.8	25.1	1.0	176.7
5053	2		J	169.8	25.1	1.0	176.7
420.2	17326.3						
		Min	I	-332.1	-132.3	-3.3	-1264.7
1492.4	41605.2		J	-332.1	-132.3	-3.3	-1264.7
1353.0	-76735.5						
		C3-C4;~1 Max	I	197.4	29.2	1.1	222.8
-404.5	-4498.6		J	197.4	29.2	1.1	222.8
490.6	20266.4						
		Min	I	-360.3	-110.0	-3.8	-935.2
1724.3	28915.3		J	-360.3	-110.0	-3.8	-935.2
1573.2	-66905.1						
		C1-C2;~2 Max	I	88.3	11.6	0.5	79.8
-472.3	-5234.3						


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
216.4	8016.2			J	88.3	11.6	0.5	79.8
867.7	28810.5							
			Min	I	-185.6	-86.4	-1.9	-859.8
-769.9	-48742.6			J	-185.6	-86.4	-1.9	-859.8
-213.9	-2052.2							
			C3-C4;~2 Max	I	101.1	13.3	0.6	101.1
247.5	9303.4			J	101.1	13.3	0.6	101.1
1027.5	19501.6							
			Min	I	-203.5	-70.7	-2.2	-620.6
-916.1	-42156.2			J	-203.5	-70.7	-2.2	-620.6
-243.9	-2343.2							
			G1	I	-143.8	-6.1	-2.8	-6.3
-867.1	-3976.9			J	-143.8	-6.1	-0.7	-6.3
659.5	1311.9							
			G2	I	-57.0	12.3	-0.6	107.2
-243.9	8443.4			J	-57.0	12.3	-0.6	107.2
282.9	-2171.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	29.6	-14.0	-0.1	-108.5
-57.4	-8196.5			J	29.6	-14.0	-0.1	-108.5
49.5	3890.1							
			Q5_pc Y	I	-7.8	-8.4	0.1	-63.3
42.5	-6249.7			J	-7.8	-8.4	0.1	-63.3
-18.0	1027.2							
			Q5_ps X	I	29.0	-19.5	-0.1	-153.6
-65.2	-12055.7			J	29.0	-19.5	-0.1	-153.6
57.7	4868.1							
			Q5_ps Y	I	-6.8	-10.6	0.1	-81.4
36.0	-7682.6			J	-6.8	-10.6	0.1	-81.4
-12.8	1465.1							
			INVSLE Max	I	-1875.0	103.1	-0.8	-110.4
372.2	70247.6			J	-1875.0	103.1	2.1	-110.4
2826.1	50925.3							
			Min	I	-2681.0	-140.1	-7.6	-2313.7
2517.3	-75458.6			J	-2681.0	-140.1	-4.7	-2313.7
-228.4	-19310.2							
			INVSLE Max	I	-1494.2	81.3	-0.6	-57.3
271.1	55514.9			J	-1494.2	81.3	1.6	-57.3
2105.1	36385.1							
			Min	I	-2087.3	-97.0	-5.6	-1674.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1861.6	-51322.7			J	-2087.3	-97.0	-3.5	-1674.9	
-151.0	-15122.6								
5054	2	69	C1-C2;~1	Max	I	147.7	32.0	1.0	451.6
521.5	41605.3				J	147.7	32.0	1.0	451.6
1259.1	23856.9			Min	I	-297.2	-7.3	-2.7	-681.2
1113.3	-4497.2				J	-297.2	-7.3	-2.7	-681.2
-417.1	-3018.5								
			C3-C4;~1	Max	I	172.0	18.8	1.3	349.2
667.3	28914.7				J	172.0	18.8	1.3	349.2
1555.5	15327.2			Min	I	-326.9	-4.6	-3.4	-471.4
1365.4	-5232.8				J	-326.9	-4.6	-3.4	-471.4
-482.5	-3313.2								
			C1-C2;~2	Max	I	76.4	22.3	0.5	291.6
281.8	28810.9				J	76.4	22.3	0.5	291.6
714.8	16711.0			Min	I	-165.3	-4.5	-1.5	-460.9
-612.8	-2051.2				J	-165.3	-4.5	-1.5	-460.9
-220.1	-1583.5								
			C3-C4;~2	Max	I	87.7	12.6	0.7	209.3
371.2	19501.5				J	87.7	12.6	0.7	209.3
918.1	10441.3			Min	I	-184.3	-2.2	-2.0	-312.5
-777.1	-2342.3				J	-184.3	-2.2	-2.0	-312.5
-249.2	-1645.2								
			G1		I	-141.2	0.9	-2.7	27.9
-798.6	1309.6				J	-141.2	0.9	-0.6	27.9
616.7	504.9								
			G2		I	-57.8	-1.3	-0.6	37.8
-259.5	-2172.8				J	-57.8	-1.3	-0.6	37.8
301.5	-1070.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	33.5	2.0	-0.0	-28.9
-8.1	3892.2				J	33.5	2.0	-0.0	-28.9
5.0	2155.4								
			Q5_pc	Y	I	-3.7	0.8	0.1	-16.4
63.4	1030.5				J	-3.7	0.8	0.1	-16.4
-33.0	322.7								
			Q5_ps	X	I	33.6	2.6	0.0	-40.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3.8	4870.3			J	33.6	2.6	0.0	-40.8	
-2.8	2595.7								
		Q5_ps	Y	I	-2.5	1.1	0.1	-21.5	
64.7	1468.3			J	-2.5	1.1	0.1	-21.5	
-34.4	538.0								
		INVSLE	Max	I	-1996.2	27.7	-0.8	270.2	
512.6	50932.3			J	-1996.2	27.7	2.1	270.2	
2730.0	40402.9		Min	I	-2730.1	-29.0	-7.3	-1311.2	
2345.6	-19305.0			J	-2730.1	-29.0	-4.4	-1311.2	
-80.7	-156.4								
		INVSLE	Max	I	-1582.5	20.3	-0.6	215.8	
375.8	36390.4			J	-1582.5	20.3	1.5	215.8	
2045.2	28727.3		Min	I	-2121.6	-21.4	-5.4	-951.7	
1732.9	-15118.3			J	-2121.6	-21.4	-3.3	-951.7	
-32.4	-1029.2								
5055	2	67	C1-C2;~1	Max	I	124.2	20.9	0.9	430.0
430.1	23868.2			J	124.2	20.9	0.9	430.0	
971.9	15489.6		Min	I	-260.0	-11.1	-2.1	-409.3	
-868.2	-3017.8			J	-260.0	-11.1	-2.1	-409.3	
-352.6	-2001.1								
		C3-C4;~1	Max	I	145.0	11.0	1.1	308.9	
562.1	15339.2			J	145.0	11.0	1.1	308.9	
1194.0	9922.7		Min	I	-285.6	-5.9	-2.6	-266.8	
1060.1	-3312.8			J	-285.6	-5.9	-2.6	-266.8	
-434.7	-2207.6								
		C1-C2;~2	Max	I	63.9	14.8	0.5	284.6	
230.5	16717.7			J	63.9	14.8	0.5	284.6	
550.4	10873.0		Min	I	-144.5	-7.6	-1.2	-273.7	
-478.4	-1582.2			J	-144.5	-7.6	-1.2	-273.7	
-183.0	-1064.3								
		C3-C4;~2	Max	I	73.5	7.5	0.6	192.5	
312.1	10448.3			J	73.5	7.5	0.6	192.5	
701.3	6783.6		Min	I	-160.8	-3.6	-1.5	-173.5	
-603.0	-1644.1			J	-160.8	-3.6	-1.5	-173.5	
-227.1	-1118.1								
		G1		I	-130.7	0.1	-2.0	25.5	
-577.3	511.0			J	-130.7	0.1	-0.4	25.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
431.9	385.2							
		G2	I	-53.7	-0.5	-0.5	12.1	
-182.8	-1067.8		J	-53.7	-0.5	-0.5	12.1	
211.4	-612.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	32.1	0.9	-0.0	-4.0	
-9.6	2156.8		J	32.1	0.9	-0.0	-4.0	
11.2	1387.0							
		Q5_pc Y	I	-1.2	0.2	0.1	-3.2	
52.1	328.3		J	-1.2	0.2	0.1	-3.2	
-29.1	166.1							
		Q5_ps X	I	32.3	1.1	-0.0	-5.9	
-2.2	2597.2		J	32.3	1.1	-0.0	-5.9	
6.5	1651.7							
		Q5_ps Y	I	-0.2	0.3	0.1	-4.2	
52.1	543.3		J	-0.2	0.3	0.1	-4.2	
-29.2	301.4							
		INVS LU Max	I	-2090.2	25.6	-0.5	520.3	
334.1	40401.9		J	-2090.2	25.6	1.6	520.3	
2120.5	31357.8							
		Min	I	-2729.3	-19.3	-5.8	-620.1	-
1949.8	-174.7		J	-2729.3	-19.3	-3.6	-620.1	
-130.5	4970.0							
		INVS LE Max	I	-1645.8	18.6	-0.4	384.3	
230.8	28725.1		J	-1645.8	18.6	1.2	384.3	
1582.4	22361.7							
		Min	I	-2114.9	-14.5	-4.3	-459.9	-
1454.0	-1044.1		J	-2114.9	-14.5	-2.7	-459.9	
-81.2	3000.1							
		67 C1-C2;~1 Max	I	115.9	5.6	1.0	539.2	
5056	2		J	115.9	5.6	1.0	539.2	
471.0	15489.1							
		Min	I	-251.1	-30.5	-2.0	-332.8	
917.9	33080.7		J	-251.1	-30.5	-2.0	-332.8	
-780.9	-2001.0							
-383.9	-4045.6							
		C3-C4;~1 Max	I	135.4	4.6	1.3	377.8	
626.2	9921.7		J	135.4	4.6	1.3	377.8	
1122.0	24456.6							
		Min	I	-274.5	-20.6	-2.4	-231.4	
-954.4	-2207.8		J	-274.5	-20.6	-2.4	-231.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-491.8	-4836.4								
		C1-C2;~2	Max	I	59.4	3.1	0.5	360.7	
255.2	10872.9			J	59.4	3.1	0.5	360.7	
519.7	22464.5								
			Min	I	-139.6	-20.8	-1.1	-217.2	
-426.4	-1064.3			J	-139.6	-20.8	-1.1	-217.2	
-200.7	-1823.6								
		C3-C4;~2	Max	I	68.4	2.0	0.7	248.8	
353.8	6783.1			J	68.4	2.0	0.7	248.8	
657.6	16138.1								
			Min	I	-154.5	-13.5	-1.4	-138.4	
-537.4	-1118.3			J	-154.5	-13.5	-1.4	-138.4	
-263.4	-2152.7								
				G1	I	-130.5	-1.7	-1.7	31.5
-471.1	383.9			J	-130.5	-1.7	-0.1	31.5	
345.9	1872.5								
				G2	I	-53.5	1.5	-0.4	-3.0
-138.2	-613.6			J	-53.5	1.5	-0.4	-3.0	
173.7	-1910.7								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
				Q5_pc X	I	32.0	-2.0	-0.0	13.0
-16.2	1388.4			J	32.0	-2.0	-0.0	13.0	
16.6	3080.6								
				Q5_pc Y	I	-1.0	-1.3	0.1	5.8
52.9	169.0			J	-1.0	-1.3	0.1	5.8	
-30.8	1303.3								
				Q5_ps X	I	32.0	-2.8	-0.0	17.9
-10.7	1653.0			J	32.0	-2.8	-0.0	17.9	
14.2	4097.1								
				Q5_ps Y	I	-0.0	-1.7	0.1	7.6
51.8	304.2			J	-0.0	-1.7	0.1	7.6	
-29.6	1734.6								
				INVSLU Max	I	-2185.0	31.1	0.4	1124.0
769.8	31363.7			J	-2185.0	31.1	2.5	1124.0	
1748.5	37715.0								
			Min	I	-2796.0	-21.1	-4.8	-76.6	
1459.3	4973.8			J	-2796.0	-21.1	-2.6	-76.6	
-485.6	-19018.2								
				INVSLE Max	I	-1713.3	23.0	0.3	814.6
567.6	22366.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1300.5	26873.2		J	-1713.3	23.0	1.9	814.6	
		Min	I	-2161.6	-15.4	-3.5	-73.1	-
1076.5	3003.2		J	-2161.6	-15.4	-1.9	-73.1	
-350.3	-14740.6							
5057	2	67 C1-C2;~1 Max	I	115.6	99.6	1.4	1115.9	
655.0	33080.5		J	115.6	99.6	1.4	1115.9	
756.0	10261.7							
		Min	I	-271.3	-16.5	-1.6	-148.0	
-666.0	-4046.2		J	-271.3	-16.5	-1.6	-148.0	
-551.8	-53270.2							
		C3-C4;~1 Max	I	134.8	82.8	1.6	838.3	
784.5	24456.8		J	134.8	82.8	1.6	838.3	
890.1	12401.6							
		Min	I	-290.5	-19.9	-2.0	-178.4	
-805.5	-4836.9		J	-290.5	-19.9	-2.0	-178.4	
-643.2	-47395.4							
		C1-C2;~2 Max	I	59.0	65.1	0.8	746.8	
381.5	22464.1		J	59.0	65.1	0.8	746.8	
417.9	4646.3							
		Min	I	-152.5	-7.5	-0.9	-65.8	
-356.7	-1824.0		J	-152.5	-7.5	-0.9	-65.8	
-314.8	-33983.0							
		C3-C4;~2 Max	I	67.8	53.2	0.9	547.6	
463.5	16137.9		J	67.8	53.2	0.9	547.6	
500.1	5570.4							
		Min	I	-164.8	-8.9	-1.1	-78.7	
-440.8	-2153.1		J	-164.8	-8.9	-1.1	-78.7	
-367.3	-29981.8							
		G1	I	-139.1	7.7	-1.6	83.4	
-388.6	1874.4		J	-139.1	7.7	0.0	83.4	
263.9	-4782.1							
		G2	I	-55.0	-7.8	-0.4	-60.5	
-131.1	-1909.5		J	-55.0	-7.8	-0.4	-60.5	
172.6	4811.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	31.3	9.6	0.0	84.6	
9.9	3081.5		J	31.3	9.6	0.0	84.6	
-16.2	-5247.2							
		Q5_pc Y	I	-2.4	6.3	0.1	50.8	
63.5	1306.3		J	-2.4	6.3	0.1	50.8	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-46.3	-4158.6						
27.2	4097.7	Q5_ps X	I	30.3	13.9	0.1	121.3
-33.5	-7911.3		J	30.3	13.9	0.1	121.3
67.3	1737.4	Q5_ps Y	I	-1.8	8.0	0.1	65.3
-51.1	-5179.9		J	-1.8	8.0	0.1	65.3
1055.6	37706.0	INVS LU Max	I	-2268.7	119.7	0.9	2302.0
1466.8	32055.9		J	-2268.7	119.7	3.1	2302.0
1205.2	-19029.2	Min	I	-2899.2	-58.9	-4.2	402.3
-686.4	-66046.1		J	-2899.2	-58.9	-2.0	402.3
797.5	26866.3	INVS LE Max	I	-1774.8	83.3	0.7	1664.3
1070.0	26616.5		J	-1774.8	83.3	2.3	1664.3
-868.8	-14748.9	Min	I	-2237.6	-47.7	-3.0	268.4
-518.9	-45352.0		J	-2237.6	-47.7	-1.4	268.4
5058	2	67 C1-C2;~1 Max	I	111.9	16.5	0.9	142.7
439.7	10255.6		J	111.9	16.5	0.9	142.7
956.2	33154.7	Min	I	-269.9	-99.7	-2.1	-1076.2
-827.4	-53268.4		J	-269.9	-99.7	-2.1	-1076.2
-378.8	-4071.9						
546.5	12396.6	C3-C4;~1 Max	I	130.4	19.9	1.2	174.1
1132.8	24600.4		J	130.4	19.9	1.2	174.1
-988.3	-47396.9	Min	I	-289.0	-83.0	-2.4	-804.6
-470.2	-4873.5		J	-289.0	-83.0	-2.4	-804.6
230.7	4642.5	C1-C2;~2 Max	I	56.8	7.5	0.5	64.9
555.9	22500.3		J	56.8	7.5	0.5	64.9
-467.7	-33981.8	Min	I	-151.5	-65.2	-1.2	-727.2
-194.3	-1834.1		J	-151.5	-65.2	-1.2	-727.2
291.8	5567.1	C3-C4;~2 Max	I	65.3	8.9	0.6	78.3
675.2	16224.4		J	65.3	8.9	0.6	78.3
-572.3	-29982.7	Min	I	-163.8	-53.3	-1.4	-529.2
-243.6	-2167.8		J	-163.8	-53.3	-1.4	-529.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-329.1	-4787.2	G1	I	-142.9	-7.7	-1.4	-49.3
			J	-142.9	-7.7	0.2	-49.3
208.7	1911.1						
		G2	I	-56.5	7.8	-0.2	74.5
-58.0	4809.9		J	-56.5	7.8	-0.2	74.5
101.1	-1912.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	33.3	-9.7	-0.1	-85.3
-45.7	-5250.7		J	33.3	-9.7	-0.1	-85.3
40.4	3143.3						
		Q5_pc Y	I	-1.6	-6.3	0.1	-57.4
43.6	-4154.5		J	-1.6	-6.3	0.1	-57.4
-26.9	1305.2						
		Q5_ps X	I	32.2	-13.9	-0.1	-123.9
-54.8	-7914.8		J	32.2	-13.9	-0.1	-123.9
49.6	4164.5						
		Q5_ps Y	I	-1.1	-8.0	0.1	-72.8
36.1	-5176.1		J	-1.1	-8.0	0.1	-72.8
-20.4	1740.3						
		INVSLU Max	I	-2325.9	54.4	0.2	-694.0
714.8	32040.0		J	-2325.9	54.4	2.3	-694.0
1847.9	41920.7						
		Min	I	-2951.9	-124.5	-4.9	-2535.4
1439.6	-66059.1		J	-2951.9	-124.5	-2.7	-2535.4
-388.9	-15075.3						
		INVSLE Max	I	-1817.3	44.3	0.1	-487.2
515.4	26603.8		J	-1817.3	44.3	1.7	-487.2
1383.9	30021.5						
		Min	I	-2276.6	-86.9	-3.6	-1839.8
1074.3	-45362.0		J	-2276.6	-86.9	-2.0	-1839.8
-267.6	-11778.7						
		67 C1-C2;~1 Max	I	104.0	30.9	1.2	352.0
5059	2		J	104.0	30.9	1.2	352.0
570.8	33155.5						
		Min	I	-250.0	-5.3	-1.6	-507.8
770.1	15009.3		J	-250.0	-5.3	-1.6	-507.8
-643.9	-4071.5						
		C3-C4;~1 Max	I	121.5	21.0	1.5	259.0
-453.0	-2142.6		J	121.5	21.0	1.5	259.0
748.9	24600.9						
982.8	9440.7						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-812.0	-4873.0		Min	I	-272.1	-4.7	-2.1	-350.5
				J	-272.1	-4.7	-2.1	-350.5
-566.7	-2185.8							
		C1-C2;~2	Max	I	52.6	21.0	0.6	229.2
315.6	22501.0			J	52.6	21.0	0.6	229.2
430.4	10554.8							
			Min	I	-139.4	-2.8	-0.9	-342.0
-345.6	-1833.7			J	-139.4	-2.8	-0.9	-342.0
-240.5	-1180.8							
		C3-C4;~2	Max	I	60.6	13.7	0.8	156.2
432.2	16224.9			J	60.6	13.7	0.8	156.2
573.4	6463.6							
			Min	I	-153.6	-2.1	-1.2	-231.2
-452.1	-2167.4			J	-153.6	-2.1	-1.2	-231.2
-307.3	-1117.0							
			G1	I	-139.9	1.8	-1.3	3.5
-260.5	1909.7			J	-139.9	1.8	0.3	3.5
152.7	361.1							
			G2	I	-57.2	-1.6	-0.2	17.0
-62.2	-1913.9			J	-57.2	-1.6	-0.2	17.0
104.4	-550.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	36.6	2.0	-0.0	-13.2
-12.1	3144.5			J	36.6	2.0	-0.0	-13.2
13.6	1370.7							
			Q5_pc Y	I	1.3	1.4	0.1	-12.3
59.6	1307.0			J	1.3	1.4	0.1	-12.3
-39.3	122.1							
			Q5_ps X	I	36.4	3.0	-0.0	-19.9
-6.0	4165.8			J	36.4	3.0	-0.0	-19.9
10.6	1606.1							
			Q5_ps Y	I	2.1	1.7	0.1	-14.9
58.3	1742.2			J	2.1	1.7	0.1	-14.9
-37.8	248.3							
			INVSLU Max	I	-2388.2	17.5	0.7	-124.0
1004.9	41931.7			J	-2388.2	17.5	2.9	-124.0
1569.4	38394.2							
			Min	I	-2985.3	-35.0	-4.3	-1308.5
1209.7	-15066.8			J	-2985.3	-35.0	-2.1	-1308.5
-593.1	12713.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

748.2	30029.8	INVSLE Max	I	-1864.1	12.6	0.5	-78.2
			J	-1864.1	12.6	2.2	-78.2
1162.5	27724.8	Min	I	-2301.5	-26.0	-3.2	-953.8
-884.3	-11772.1		J	-2301.5	-26.0	-1.6	-953.8
-434.2	8884.8						
5060	2	67 C1-C2;~1 Max	I	99.5	12.0	1.2	428.5
589.4	15007.1		J	99.5	12.0	1.2	428.5
751.4	15035.4	Min	I	-244.0	-12.0	-1.6	-417.7
-614.5	-2143.2		J	-244.0	-12.0	-1.6	-417.7
-476.8	-2112.5						
		C3-C4;~1 Max	I	116.3	5.8	1.6	301.8
781.6	9439.0		J	116.3	5.8	1.6	301.8
952.4	9431.1	Min	I	-264.9	-5.8	-2.0	-286.5
-771.7	-2185.8		J	-264.9	-5.8	-2.0	-286.5
-603.2	-2178.5						
		C1-C2;~2 Max	I	50.0	8.4	0.7	284.4
324.3	10553.3		J	50.0	8.4	0.7	284.4
421.1	10576.3	Min	I	-135.9	-8.4	-0.9	-278.1
-329.5	-1181.3		J	-135.9	-8.4	-0.9	-278.1
-252.7	-1162.5						
		C3-C4;~2 Max	I	57.7	3.8	0.9	184.2
450.2	6462.5		J	57.7	3.8	0.9	184.2
555.7	6456.5	Min	I	-149.3	-3.8	-1.1	-177.2
-428.4	-1117.1		J	-149.3	-3.8	-1.1	-177.2
-327.8	-1116.3						
		G1	I	-139.6	-0.0	-1.1	8.8
-198.4	361.0		J	-139.6	-0.0	0.5	8.8
97.5	386.1						
		G2	I	-57.2	-0.0	-0.1	3.6
-33.9	-550.2		J	-57.2	-0.0	-0.1	3.6
80.0	-539.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	37.1	-0.0	-0.0	0.7
-17.6	1371.3		J	37.1	-0.0	-0.0	0.7
17.7	1375.3						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
59.7	123.8	Q5_pc	Y	I	2.7	0.0	0.1	-4.2
				J	2.7	0.0	0.1	-4.2
-39.9	120.0							
-13.6	1606.5	Q5_ps	X	I	36.9	-0.0	-0.0	0.2
				J	36.9	-0.0	-0.0	0.2
16.2	1611.7							
57.3	249.8	Q5_ps	Y	I	3.4	0.0	0.1	-4.3
				J	3.4	0.0	0.1	-4.3
-37.5	247.5							
1161.2	38387.9	INVSLU	Max	I	-2464.5	16.7	1.0	605.6
				J	-2464.5	16.7	3.1	605.6
1526.8	37939.8							
1043.2	12709.1		Min	I	-3046.1	-15.6	-4.0	-544.4
				J	-3046.1	-15.6	-1.9	-544.4
-645.1	12225.6							
862.0	27720.0	INVSLE	Max	I	-1921.2	12.4	0.7	448.2
				J	-1921.2	12.4	2.3	448.2
1131.7	27394.6							
-762.9	8881.5		Min	I	-2347.0	-11.6	-3.0	-403.1
				J	-2347.0	-11.6	-1.4	-403.1
-471.8	8530.5							
5061	2	67 C1-C2;~1	Max	I	99.6	5.2	1.3	517.2
606.8	15037.4			J	99.6	5.2	1.3	517.2
729.6	33208.7							
-585.7	-2112.0		Min	I	-252.1	-30.9	-1.5	-339.6
				J	-252.1	-30.9	-1.5	-339.6
-503.9	-3809.0							
811.1	9432.7	C3-C4;~1	Max	I	116.5	4.4	1.7	360.2
				J	116.5	4.4	1.7	360.2
916.4	24642.0							
-728.3	-2178.5		Min	I	-272.8	-21.0	-1.9	-241.6
				J	-272.8	-21.0	-1.9	-241.6
-634.0	-4603.7							
333.4	10577.7	C1-C2;~2	Max	I	49.7	2.8	0.7	347.8
				J	49.7	2.8	0.7	347.8
410.9	22550.2							
-314.9	-1162.1		Min	I	-140.7	-21.0	-0.8	-222.2
				J	-140.7	-21.0	-0.8	-222.2
-268.1	-1673.9							
468.0	6457.6	C3-C4;~2	Max	I	57.4	1.9	0.9	237.9
				J	57.4	1.9	0.9	237.9
536.1	16250.4							
-404.2	-1116.3		Min	I	-153.9	-13.8	-1.1	-145.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-345.4	-2002.4		J	-153.9	-13.8	-1.1	-145.9
-139.2	386.1	G1	I	-144.8	-2.0	-1.0	14.5
36.2	2116.8		J	-144.8	-2.0	0.6	14.5
-8.0	-540.1	G2	I	-59.0	1.5	-0.1	-9.6
52.1	-1835.8		J	-59.0	1.5	-0.1	-9.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-20.1	1375.7	Q5_pc X	I	37.1	-2.0	-0.0	14.4
21.3	3139.5		J	37.1	-2.0	-0.0	14.4
58.7	121.2	Q5_pc Y	I	2.8	-1.3	0.1	3.8
-40.2	1272.6		J	2.8	-1.3	0.1	3.8
-17.8	1612.2	Q5_ps X	I	36.8	-3.0	-0.0	20.1
22.0	4170.5		J	36.8	-3.0	-0.0	20.1
55.6	248.7	Q5_ps Y	I	3.5	-1.7	0.1	6.3
-36.7	1718.6		J	3.5	-1.7	0.1	6.3
1254.7	37947.1	INVS LU Max	I	-2493.5	36.2	1.3	1390.2
1331.4	40337.9		J	-2493.5	36.2	3.5	1390.2
-929.2	12229.4	Min	I	-3085.9	-16.2	-3.7	207.6
-834.0	-16359.9		J	-3085.9	-16.2	-1.5	207.6
930.4	27400.1	INVS LE Max	I	-1942.5	26.9	1.0	1014.2
989.3	28876.4		J	-1942.5	26.9	2.6	1014.2
-679.5	8533.3	Min	I	-2376.4	-11.7	-2.7	140.1
-609.4	-12703.4		J	-2376.4	-11.7	-1.1	140.1
5062	2	67 C1-C2;~1 Max	I	101.8	99.7	1.7	1095.1
791.4	33208.0		J	101.8	99.7	1.7	1095.1
583.7	9460.4	Min	I	-274.5	-15.3	-1.2	-138.4
-496.9	-3809.3		J	-274.5	-15.3	-1.2	-138.4
-677.0	-53246.5	C3-C4;~1 Max	I	119.1	83.1	2.0	821.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
960.6	24641.7			J	119.1	83.1	2.0	821.3
701.5	11492.0							
		Min		I	-291.8	-18.6	-1.5	-168.3
-608.7	-4604.0							
				J	-291.8	-18.6	-1.5	-168.3
-802.3	-47434.6							
		C1-C2;~2	Max	I	50.5	65.3	1.0	737.4
459.2	22549.4							
				J	50.5	65.3	1.0	737.4
318.0	4176.0							
		Min		I	-154.6	-6.7	-0.7	-62.1
-260.6	-1674.1							
				J	-154.6	-6.7	-0.7	-62.1
-384.9	-34025.4							
		C3-C4;~2	Max	I	58.3	53.3	1.2	538.8
570.6	16250.0							
				J	58.3	53.3	1.2	538.8
388.9	5036.1							
		Min		I	-165.8	-8.1	-0.8	-74.6
-325.6	-2002.6							
				J	-165.8	-8.1	-0.8	-74.6
-461.3	-30023.1							
		G1		I	-152.6	8.6	-0.8	73.1
-76.7	2118.5							
				J	-152.6	8.6	0.8	73.1
-34.8	-5359.6							
		G2		I	-60.2	-7.4	-0.1	-65.0
-8.9	-1834.7							
				J	-60.2	-7.4	-0.1	-65.0
55.6	4596.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	35.0	9.5	0.0	85.4
8.3	3139.7							
				J	35.0	9.5	0.0	85.4
-13.8	-5075.8							
		Q5_pc	Y	I	1.8	6.1	0.1	48.0
69.1	1273.6							
				J	1.8	6.1	0.1	48.0
-55.2	-4054.8							
		Q5_ps	X	I	33.9	13.8	0.1	123.4
22.6	4170.4							
				J	33.9	13.8	0.1	123.4
-28.2	-7776.5							
		Q5_ps	Y	I	2.1	7.9	0.1	63.6
71.1	1719.4							
				J	2.1	7.9	0.1	63.6
-58.1	-5107.5							
		INVSLU	Max	I	-2512.9	130.3	1.8	2681.0
1493.5	40327.2							
				J	-2512.9	130.3	4.0	2681.0
1117.0	23861.9							
		Min		I	-3130.6	-46.4	-3.2	821.7


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-749.4	-16370.5			J	-3130.6	-46.4	-1.1	821.7	-
1012.5	-72671.6								
			INVSLE Max	I	-1956.7	91.4	1.4	1948.3	
1120.8	28868.2			J	-1956.7	91.4	3.0	1948.3	
812.1	20413.0		Min	I	-2409.6	-38.2	-2.3	582.5	
-531.4	-12711.4			J	-2409.6	-38.2	-0.7	582.5	
-758.0	-50416.5								
5063	2	67	C1-C2;~1 Max	I	99.7	15.3	1.3	140.8	
593.7	9463.7			J	99.7	15.3	1.3	140.8	
786.5	33187.4		Min	I	-272.6	-99.7	-1.7	-1097.7	
-678.6	-53251.2			J	-272.6	-99.7	-1.7	-1097.7	
-498.9	-3814.1								
			C3-C4;~1 Max	I	115.7	18.6	1.5	170.0	
717.4	11494.0			J	115.7	18.6	1.5	170.0	
950.4	24657.3		Min	I	-289.7	-83.1	-2.0	-823.9	
-797.6	-47437.6			J	-289.7	-83.1	-2.0	-823.9	
-617.9	-4622.5								
			C1-C2;~2 Max	I	49.4	6.7	0.7	63.3	
321.7	4177.9			J	49.4	6.7	0.7	63.3	
457.8	22531.7		Min	I	-153.7	-65.3	-1.0	-738.6	
-386.3	-34027.7			J	-153.7	-65.3	-1.0	-738.6	
-260.4	-1676.3								
			C3-C4;~2 Max	I	56.4	8.1	0.8	75.8	
394.2	5036.5			J	56.4	8.1	0.8	75.8	
567.6	16260.1		Min	I	-164.8	-53.4	-1.2	-540.0	
-460.3	-30024.4			J	-164.8	-53.4	-1.2	-540.0	
-328.0	-2013.2								
			G1	I	-152.4	-8.6	-0.7	-75.0	
-19.0	-5361.2			J	-152.4	-8.6	0.9	-75.0	
-92.1	2120.2								
			G2	I	-60.1	7.4	0.1	64.4	
63.6	4596.4			J	-60.1	7.4	0.1	64.4	
-16.9	-1834.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	35.0	-9.5	-0.1	-81.8	
-49.4	-5077.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
44.0	3141.4		J	35.0	-9.5	-0.1	-81.8	
49.5	-4055.8	Q5_pc Y	I	3.2	-6.2	0.1	-57.7	
-35.7	1271.7		J	3.2	-6.2	0.1	-57.7	
-61.2	-7777.8	Q5_ps X	I	33.8	-13.8	-0.1	-120.0	
56.0	4172.0		J	33.8	-13.8	-0.1	-120.0	
40.0	-5108.5	Q5_ps Y	I	3.4	-7.9	0.1	-72.9	
-27.1	1717.1		J	3.4	-7.9	0.1	-72.9	
1116.7	23869.4	INVS LU Max	I	-2517.8	46.3	1.0	-824.4	
1471.2	40395.6		J	-2517.8	46.3	3.2	-824.4	
1017.7	-72675.6	Min	I	-3128.1	-130.5	-4.0	-2683.0	-
-725.2	-16302.4		J	-3128.1	-130.5	-1.8	-2683.0	
809.9	20418.7	INVS LE Max	I	-1960.4	38.2	0.7	-584.0	
1108.2	28921.8		J	-1960.4	38.2	2.3	-584.0	
-764.5	-50419.2	Min	I	-2407.8	-91.5	-3.0	-1949.9	
-512.9	-12657.9		J	-2407.8	-91.5	-1.4	-1949.9	
5064	2	67 C1-C2;~1 Max	I	93.5	30.9	1.5	339.0	
739.0	33188.0		J	93.5	30.9	1.5	339.0	
600.8	15041.1	Min	I	-247.3	-5.1	-1.3	-520.7	
-505.1	-3813.7		J	-247.3	-5.1	-1.3	-520.7	
-587.1	-2126.0							
932.4	24657.6	C3-C4;~1 Max	I	108.5	21.0	1.9	242.5	
799.3	9474.1		J	108.5	21.0	1.9	242.5	
-628.6	-4622.1	Min	I	-267.0	-4.4	-1.6	-362.3	
-738.0	-2186.4		J	-267.0	-4.4	-1.6	-362.3	
414.3	22532.3	C1-C2;~2 Max	I	46.2	21.0	0.8	221.4	
331.4	10574.4		J	46.2	21.0	0.8	221.4	
-269.5	-1676.0	Min	I	-138.3	-2.7	-0.7	-349.7	
-314.4	-1167.2		J	-138.3	-2.7	-0.7	-349.7	
541.7	16260.4	C3-C4;~2 Max	I	52.8	13.8	1.1	146.3	
			J	52.8	13.8	1.1	146.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
464.2	6483.0		Min	I	-151.0	-1.9	-0.9	-238.8
-344.2	-2012.9			J	-151.0	-1.9	-0.9	-238.8
-407.1	-1114.5							
		G1		I	-144.4	2.0	-0.6	-16.4
52.8	2118.5			J	-144.4	2.0	1.0	-16.4
-155.6	385.8							
		G2		I	-58.9	-1.5	0.1	9.0
60.4	-1835.3			J	-58.9	-1.5	0.1	9.0
-16.4	-542.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	36.9	2.0	-0.0	-10.8
-14.8	3141.6			J	36.9	2.0	-0.0	-10.8
16.6	1383.3							
		Q5_pc Y		I	6.4	1.3	0.1	-13.7
65.9	1271.6			J	6.4	1.3	0.1	-13.7
-48.8	126.3							
		Q5_ps X		I	36.7	2.9	-0.0	-16.7
-11.6	4172.3			J	36.7	2.9	-0.0	-16.7
16.4	1620.5							
		Q5_ps Y		I	6.8	1.7	0.1	-15.8
62.7	1717.1			J	6.8	1.7	0.1	-15.8
-45.1	252.9							
		INVSLU Max		I	-2504.8	16.4	1.5	-204.9
1362.8	40406.5			J	-2504.8	16.4	3.7	-204.9
1245.0	37847.4		Min	I	-3078.2	-35.9	-3.5	-1390.1
-863.1	-16292.1			J	-3078.2	-35.9	-1.3	-1390.1
-918.2	12100.3							
		INVSLE Max		I	-1951.0	11.8	1.1	-137.9
1008.5	28930.0			J	-1951.0	11.8	2.7	-137.9
926.2	27324.2		Min	I	-2370.8	-26.7	-2.6	-1014.0
-631.5	-12650.1			J	-2370.8	-26.7	-1.0	-1014.0
-669.6	8436.7							
5065	2	67 C1-C2;~1 Max		I	91.7	12.0	1.6	415.9
759.6	15039.1			J	91.7	12.0	1.6	415.9
584.6	15048.1		Min	I	-238.1	-12.0	-1.2	-431.0
-479.4	-2126.6			J	-238.1	-12.0	-1.2	-431.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-615.6	-2113.9						
967.1	9472.5	C3-C4;~1	Max	I	105.2	5.8	285.6
770.9	9446.1			J	105.2	5.8	285.6
-598.8	-2186.3		Min	I	-257.5	-5.8	-303.4
-780.8	-2187.0			J	-257.5	-5.8	-303.4
423.6	10572.9	C1-C2;~2	Max	I	45.7	8.5	276.8
323.1	10584.2			J	45.7	8.5	276.8
-255.0	-1167.7		Min	I	-133.1	-8.4	-285.9
-328.6	-1159.8			J	-133.1	-8.4	-285.9
560.3	6482.0	C3-C4;~2	Max	I	51.3	3.8	176.7
447.2	6467.1			J	51.3	3.8	176.7
-327.2	-1114.5		Min	I	-145.7	-3.8	-184.9
-430.7	-1118.5			J	-145.7	-3.8	-184.9
113.4	385.9		G1	I	-139.1	0.0	-10.7
-214.5	366.0			J	-139.1	0.0	-10.7
88.1	-541.8		G2	I	-56.9	0.0	-4.2
-42.4	-551.9			J	-56.9	0.0	-4.2
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-19.0	1382.9	Q5_pc	X	I	36.7	0.0	2.9
20.2	1374.0			J	36.7	0.0	2.9
65.6	126.3	Q5_pc	Y	I	8.0	0.0	-5.8
-49.4	122.7			J	8.0	0.0	-5.8
-18.0	1619.9	Q5_ps	X	I	36.5	0.0	3.2
21.7	1610.5			J	36.5	0.0	3.2
61.5	252.9	Q5_ps	Y	I	8.4	0.0	-5.4
-45.0	249.0			J	8.4	0.0	-5.4
1557.4	37840.0	INVSLU	Max	I	-2479.2	15.6	542.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1150.2	38368.8		J	-2479.2	15.6	4.1	542.5	
-674.8	12096.5	Min	I	-3034.9	-16.8	-3.2	-611.2	
1033.5	12628.1		J	-3034.9	-16.8	-1.0	-611.2	-
1150.4	27318.7	INVSLE Max	I	-1932.1	11.6	1.4	401.8	
856.9	27706.4		J	-1932.1	11.6	3.0	401.8	
-494.3	8433.8	Min	I	-2338.8	-12.4	-2.3	-452.0	
-754.1	8822.5		J	-2338.8	-12.4	-0.7	-452.0	
5066	2	67 C1-C2;~1 Max	I	95.0	5.2	1.6	504.5	
779.3	15050.2		J	95.0	5.2	1.6	504.5	
567.3	33003.8	Min	I	-242.8	-30.7	-1.2	-353.3	
-455.4	-2113.4		J	-242.8	-30.7	-1.2	-353.3	
-648.4	-3997.7							
998.2	9447.8	C3-C4;~1 Max	I	108.9	4.4	2.1	348.7	
737.5	24447.2		J	108.9	4.4	2.1	348.7	
-562.4	-2187.0	Min	I	-262.7	-20.8	-1.5	-259.1	
-822.4	-4678.1		J	-262.7	-20.8	-1.5	-259.1	
433.5	10585.7	C1-C2;~2 Max	I	47.7	2.8	0.9	340.1	
315.2	22436.6		J	47.7	2.8	0.9	340.1	
-242.5	-1159.3	Min	I	-136.0	-20.9	-0.6	-230.3	
-347.0	-1794.6		J	-136.0	-20.9	-0.6	-230.3	
578.5	6468.2	C3-C4;~2 Max	I	53.5	2.0	1.2	230.3	
428.5	16147.2		J	53.5	2.0	1.2	230.3	
-306.6	-1118.4	Min	I	-149.0	-13.6	-0.8	-156.4	
-455.3	-2075.4		J	-149.0	-13.6	-0.8	-156.4	
168.5	366.1	G1	I	-139.2	-1.8	-0.3	-5.2	
-276.8	1911.2		J	-139.2	-1.8	1.3	-5.2	
112.5	-552.1	G2	I	-56.8	1.6	0.2	-17.6	
-70.6	-1922.3		J	-56.8	1.6	0.2	-17.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-22.3	1373.7	Q5_pc X	I	35.8	-2.0	-0.1	16.6	
			J	35.8	-2.0	-0.1	16.6	
25.3	3126.8							
		Q5_pc Y	I	8.5	-1.3	0.1	2.0	
64.8	123.1		J	8.5	-1.3	0.1	2.0	
-49.9	1221.3							
		Q5_ps X	I	35.6	-2.9	-0.1	23.1	
-23.0	1610.4		J	35.6	-2.9	-0.1	23.1	
28.9	4151.3							
		Q5_ps Y	I	8.8	-1.6	0.1	5.0	
60.1	249.5		J	8.8	-1.6	0.1	5.0	
-44.5	1668.1							
		INVS LU Max	I	-2404.3	34.9	2.2	1304.2	
1600.1	38375.3		J	-2404.3	34.9	4.3	1304.2	
994.8	41622.5							
		Min	I	-2970.4	-17.2	-2.9	116.2	
-623.6	12632.4		J	-2970.4	-17.2	-0.8	116.2	-
1200.9	-14876.4							
		INVS LE Max	I	-1876.1	26.0	1.6	950.6	
1181.2	27711.3		J	-1876.1	26.0	3.2	950.6	
743.7	29802.4							
		Min	I	-2290.7	-12.4	-2.2	72.8	
-457.3	8825.7		J	-2290.7	-12.4	-0.6	72.8	
-876.1	-11631.7							
5067	2	67 C1-C2;~1 Max	I	100.5	98.7	2.1	1065.5	
964.8	33003.0		J	100.5	98.7	2.1	1065.5	
435.5	9858.7							
		Min	I	-259.8	-16.0	-0.9	-135.9	
-380.6	-3998.1		J	-259.8	-16.0	-0.9	-135.9	
-831.4	-52496.8							
		C3-C4;~1 Max	I	114.9	82.1	2.5	795.1	
1147.3	24446.7		J	114.9	82.1	2.5	795.1	
534.8	11320.2							
		Min	I	-276.3	-18.5	-1.1	-162.8	
-466.1	-4678.7		J	-276.3	-18.5	-1.1	-162.8	
-998.0	-46724.0							
		C1-C2;~2 Max	I	50.8	64.7	1.2	722.1	
558.8	22435.8		J	50.8	64.7	1.2	722.1	
229.8	4421.0							
		Min	I	-146.7	-7.2	-0.5	-61.4	
-195.9	-1794.9		J	-146.7	-7.2	-0.5	-61.4	
-469.1	-33616.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
679.9	16146.7	C3-C4;~2	Max	I	56.9	52.8	1.4	524.6
				J	56.9	52.8	1.4	524.6
288.0	5003.4		Min	I	-157.7	-8.2	-0.6	-72.4
-243.1	-2075.8			J	-157.7	-8.2	-0.6	-72.4
-575.3	-29639.1							
		G1		I	-142.0	7.7	-0.1	47.6
223.7	1912.6			J	-142.0	7.7	1.5	47.6
-344.8	-4789.9							
		G2		I	-56.0	-7.8	0.2	-75.4
108.8	-1921.3			J	-56.0	-7.8	0.2	-75.4
-66.1	4830.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	32.3	9.5	0.0	87.8
5.5	3125.6			J	32.3	9.5	0.0	87.8
-9.2	-5143.2							
		Q5_pc	Y	I	8.1	5.8	0.2	44.2
74.9	1221.8			J	8.1	5.8	0.2	44.2
-64.5	-3838.6							
		Q5_ps	X	I	31.3	13.8	0.0	126.4
16.8	4150.0			J	31.3	13.8	0.0	126.4
-20.6	-7818.7							
		Q5_ps	Y	I	8.0	7.6	0.2	60.3
75.5	1668.4			J	8.0	7.6	0.2	60.3
-65.7	-4901.9							
		INVSLE	Max	I	-2346.3	122.7	2.8	2513.3
1885.6	41611.5			J	-2346.3	122.7	4.9	2513.3
730.8	30658.8		Min	I	-2932.5	-52.6	-2.4	697.0
-427.3	-14884.9			J	-2932.5	-52.6	-0.2	697.0
1454.6	-64751.9							-
		INVSLE	Max	I	-1832.5	85.6	2.1	1823.4
1407.4	29794.1			J	-1832.5	85.6	3.7	1823.4
528.3	25589.4		Min	I	-2262.5	-43.0	-1.7	489.7
-295.9	-11638.3			J	-2262.5	-43.0	-0.1	489.7
1081.9	-44399.5							-
5068	2	67 C1-C2;~1	Max	I	100.7	16.0	1.7	147.9
768.3	9869.1			J	100.7	16.0	1.7	147.9
656.9	32909.4							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-558.7	-52504.8	Min	I	-257.4	-98.5	-1.4	-1109.5
			J	-257.4	-98.5	-1.4	-1109.5
-672.9	-3988.1						
908.1	11334.0	C3-C4;~1 Max	I	114.8	18.4	2.0	169.2
781.2	24344.2		J	114.8	18.4	2.0	169.2
-645.7	-46728.4	Min	I	-273.1	-82.0	-1.6	-833.2
-818.2	-4662.2		J	-273.1	-82.0	-1.6	-833.2
421.8	4427.1	C1-C2;~2 Max	I	51.4	7.2	0.9	65.6
383.6	22380.1		J	51.4	7.2	0.9	65.6
-318.7	-33620.4	Min	I	-145.9	-64.6	-0.8	-743.8
-358.3	-1792.4		J	-145.9	-64.6	-0.8	-743.8
505.2	5011.0	C3-C4;~2 Max	I	57.3	8.2	1.1	74.5
464.0	16087.0		J	57.3	8.2	1.1	74.5
-369.9	-29641.2	Min	I	-156.3	-52.7	-1.0	-544.9
-443.6	-2070.2		J	-156.3	-52.7	-1.0	-544.9
279.3	-4785.9	G1	I	-137.9	-7.7	-0.0	-85.2
-404.7	1878.5		J	-137.9	-7.7	1.6	-85.2
180.6	4832.6	G2	I	-54.4	7.8	0.4	60.3
-139.5	-1918.3		J	-54.4	7.8	0.4	60.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-52.9	-5140.6	Q5_pc X	I	30.3	-9.5	-0.1	-79.9
48.6	3066.3		J	30.3	-9.5	-0.1	-79.9
54.0	-3840.5	Q5_pc Y	I	9.9	-5.8	0.1	-56.4
-43.4	1225.9		J	9.9	-5.8	0.1	-56.4
-67.8	-7816.1	Q5_ps X	I	29.4	-13.7	-0.2	-116.9
63.4	4085.7		J	29.4	-13.7	-0.2	-116.9
43.0	-4903.6	Q5_ps Y	I	9.7	-7.6	0.1	-71.3
-33.0	1668.9		J	9.7	-7.6	0.1	-71.3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1485.7	30689.1	INVSLE	Max	I	-2295.7	57.0	2.0	-412.4
				J	-2295.7	57.0	4.2	-412.4
1050.8	37530.0		Min	I	-2873.9	-118.0	-3.1	-2282.6
-709.0	-64746.4			J	-2873.9	-118.0	-0.9	-2282.6
1195.7	-18711.0							-
		INVSLE	Max	I	-1794.8	46.3	1.4	-275.4
1081.3	25612.6			J	-1794.8	46.3	3.0	-275.4
797.3	26739.1		Min	I	-2219.1	-82.0	-2.3	-1650.1
-537.3	-44394.9			J	-2219.1	-82.0	-0.7	-1650.1
-860.4	-14512.1							
5069	2	67 C1-C2;~1	Max	I	98.1	30.3	2.0	331.8
930.5	32909.4			J	98.1	30.3	2.0	331.8
474.5	15491.1		Min	I	-234.0	-5.4	-1.0	-540.6
-391.7	-3987.4			J	-234.0	-5.4	-1.0	-540.6
-787.9	-2014.3							
		C3-C4;~1	Max	I	111.6	20.4	2.4	230.7
1140.9	24343.8			J	111.6	20.4	2.4	230.7
623.9	9970.7		Min	I	-253.2	-4.3	-1.3	-378.6
-495.3	-4661.3			J	-253.2	-4.3	-1.3	-378.6
-968.3	-2207.3							
		C1-C2;~2	Max	I	50.4	20.7	1.1	216.4
523.6	22380.4			J	50.4	20.7	1.1	216.4
258.1	10869.5		Min	I	-131.4	-3.0	-0.5	-361.6
-205.1	-1791.9			J	-131.4	-3.0	-0.5	-361.6
-427.7	-1068.0							
		C3-C4;~2	Max	I	56.0	13.4	1.4	138.4
663.2	16087.0			J	56.0	13.4	1.4	138.4
354.8	6814.5		Min	I	-144.1	-1.9	-0.7	-249.1
-266.4	-2069.7			J	-144.1	-1.9	-0.7	-249.1
-540.8	-1110.9							
		G1		I	-129.0	1.7	0.2	-33.2
361.2	1876.6			J	-129.0	1.7	1.8	-33.2
-487.4	389.9							
		G2		I	-52.8	-1.5	0.4	2.5
181.5	-1919.5			J	-52.8	-1.5	0.4	2.5
-146.7	-615.6							
		Q3		I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-20.3	3065.2	Q5_pc X		I	31.1	1.9	-0.1
				J	31.1	1.9	-0.1
23.6	1391.8						
70.0	1226.5	Q5_pc Y		I	13.3	1.2	0.1
				J	13.3	1.2	0.1
-56.0	186.5						
-20.4	4084.8	Q5_ps X		I	31.1	2.8	-0.1
				J	31.1	2.8	-0.1
26.6	1657.0						
65.4	1669.5	Q5_ps Y		I	13.4	1.6	0.1
				J	13.4	1.6	0.1
-50.7	322.4						
1796.6	37538.4	INVSLE Max		I	-2216.7	20.9	2.7
				J	-2216.7	20.9	4.8
784.2	31408.0	Min		I	-2765.1	-30.8	-2.6
				J	-2765.1	-30.8	-0.4
-538.3	-18699.3						
1466.2	5009.9						
1331.4	26745.6	INVSLE Max		I	-1736.9	15.2	2.0
				J	-1736.9	15.2	3.6
580.5	22400.6	Min		I	-2139.0	-22.8	-1.9
				J	-2139.0	-22.8	-0.3
-388.9	-14503.3						
1079.0	3032.1						
5070	2	67 C1-C2;~1 Max		I	103.7	11.1	2.1
				J	103.7	11.1	2.1
985.3	15491.7						
438.4	23873.1	Min		I	-240.3	-20.9	-0.9
				J	-240.3	-20.9	-0.9
-357.2	-2014.5						
-877.4	-2981.4						
1214.2	9971.8	C3-C4;~1 Max		I	117.8	5.8	2.6
				J	117.8	5.8	2.6
565.9	15333.3	Min		I	-260.7	-10.9	-1.2
				J	-260.7	-10.9	-1.2
-442.5	-2207.2						
1077.0	-3276.5						
554.2	10869.7	C1-C2;~2 Max		I	53.6	7.6	1.2
				J	53.6	7.6	1.2
235.7	16732.0	Min		I	-135.2	-14.7	-0.5
-184.1	-1068.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-480.1	-1556.1		J	-135.2	-14.7	-0.5	-286.3
706.7	6815.0	C3-C4;~2 Max	I	59.5	3.6	1.5	173.4
316.0	10449.7		J	59.5	3.6	1.5	173.4
-232.3	-1110.7	Min	I	-148.6	-7.5	-0.6	-193.7
-606.6	-1630.0		J	-148.6	-7.5	-0.6	-193.7
446.7	391.2	G1	I	-129.0	-0.2	0.4	-27.1
-593.5	527.7		J	-129.0	-0.2	2.0	-27.1
219.1	-614.9	G2	I	-53.0	0.5	0.5	-12.6
-191.4	-1070.6		J	-53.0	0.5	0.5	-12.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-25.9	1389.7	Q5_pc X	I	31.1	-0.9	-0.1	7.1
31.3	2134.3		J	31.1	-0.9	-0.1	7.1
67.7	187.5	Q5_pc Y	I	15.3	-0.2	0.1	-5.8
-54.6	366.5		J	15.3	-0.2	0.1	-5.8
-28.4	1654.9	Q5_ps X	I	31.3	-1.1	-0.1	9.0
36.2	2576.5		J	31.3	-1.1	-0.1	9.0
62.1	323.4	Q5_ps Y	I	15.3	-0.3	0.1	-4.7
-48.5	588.0		J	15.3	-0.3	0.1	-4.7
2170.0	31401.6	INVSLU Max	I	-2125.5	19.3	3.7	620.1
356.2	40409.1		J	-2125.5	19.3	5.8	620.1
-188.3	5006.7	Min	I	-2692.5	-25.5	-1.7	-529.0
1960.1	-84.6		J	-2692.5	-25.5	0.5	-529.0
1614.3	22395.8	INVSLE Max	I	-1672.1	14.5	2.7	459.8
249.5	28734.5		J	-1672.1	14.5	4.3	459.8
-123.5	3029.4	Min	I	-2087.9	-18.5	-1.2	-390.4
1459.0	-976.3		J	-2087.9	-18.5	0.4	-390.4
5071	2	69 C1-C2;~1 Max	I	123.6	7.3	2.8	678.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1278.2	23861.5			J	123.6	7.3	2.8	678.7
531.5	41500.8							
		Min		I	-274.0	-31.8	-1.1	-454.4
-426.3	-2982.0							
				J	-274.0	-31.8	-1.1	-454.4
1125.8	-4651.1							-
		C3-C4;~1	Max	I	140.4	4.5	3.4	468.7
1582.6	15321.0							
				J	140.4	4.5	3.4	468.7
671.6	28799.8							
		Min		I	-297.2	-18.6	-1.3	-350.6
-490.3	-3276.4							
				J	-297.2	-18.6	-1.3	-350.6
1386.1	-5064.1							-
		C1-C2;~2	Max	I	64.3	4.5	1.5	459.3
720.0	16725.1							
				J	64.3	4.5	1.5	459.3
287.9	28784.2							
		Min		I	-154.4	-22.2	-0.6	-293.6
-222.7	-1557.4							
				J	-154.4	-22.2	-0.6	-293.6
-615.6	-2111.8							
		C3-C4;~2	Max	I	71.5	2.2	2.0	310.8
925.2	10442.5							
				J	71.5	2.2	2.0	310.8
375.7	19452.3							
		Min		I	-169.8	-12.5	-0.7	-210.5
-252.4	-1630.9							
				J	-169.8	-12.5	-0.7	-210.5
-781.8	-2275.8							
		G1		I	-139.1	-0.9	0.6	-29.8
633.9	521.7							
				J	-139.1	-0.9	2.7	-29.8
-818.2	1334.0							
		G2		I	-56.8	1.3	0.7	-38.4
310.5	-1072.8							
				J	-56.8	1.3	0.7	-38.4
-269.9	-2184.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	31.7	-2.0	-0.1	31.9
-39.4	2131.1							
				J	31.7	-2.0	-0.1	31.9
41.7	3835.4							
		Q5_pc	Y	I	17.7	-0.8	0.2	4.1
78.6	366.1							
				J	17.7	-0.8	0.2	4.1
-67.1	1037.7							
		Q5_ps	X	I	31.9	-2.6	-0.1	43.8
-44.6	2573.3							
				J	31.9	-2.6	-0.1	43.8
50.6	4817.0							
		Q5_ps	Y	I	17.5	-1.1	0.1	9.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
71.1	587.6			J	17.5	-1.1	0.1	9.4
-58.4	1498.7							
2791.2	40407.7	INVS LU	Max	I	-2037.3	29.0	4.5	1302.5
				J	-2037.3	29.0	7.4	1302.5
539.3	50773.5		Min	I	-2685.2	-27.4	-2.2	-284.7
-148.7	-64.3			J	-2685.2	-27.4	0.6	-284.7
2359.5	-19002.3							-
		INVS LE	Max	I	-1613.1	21.3	3.3	945.2
2085.0	28735.0			J	-1613.1	21.3	5.5	945.2
398.3	36279.1		Min	I	-2088.8	-20.1	-1.6	-226.2
-82.2	-960.1			J	-2088.8	-20.1	0.5	-226.2
1739.9	-14888.2							-
5072	2	69 C1-C2;~1	Max	I	141.0	129.3	3.3	1251.3
1507.0	41500.9			J	141.0	129.3	3.3	1251.3
419.0	16788.5		Min	I	-304.2	-24.7	-1.0	-175.1
-410.3	-4652.5			J	-304.2	-24.7	-1.0	-175.1
1362.1	-74171.2							-
		C3-C4;~1	Max	I	160.0	107.3	3.9	923.1
1747.2	28800.6			J	160.0	107.3	3.9	923.1
491.7	16800.5		Min	I	-324.3	-25.0	-1.1	-218.8
-470.3	-5066.0			J	-324.3	-25.0	-1.1	-218.8
1591.1	-64735.4							-
		C1-C2;~2	Max	I	74.0	85.0	1.9	852.7
871.4	28783.9			J	74.0	85.0	1.9	852.7
214.7	7629.9		Min	I	-172.6	-11.2	-0.5	-78.1
-215.1	-2112.7			J	-172.6	-11.2	-0.5	-78.1
-771.5	-47531.3							
		C3-C4;~2	Max	I	82.1	69.4	2.3	613.8
1033.2	19452.5			J	82.1	69.4	2.3	613.8
250.3	7545.7		Min	I	-186.1	-11.2	-0.6	-101.2
-241.2	-2277.0			J	-186.1	-11.2	-0.6	-101.2
-920.0	-41069.2							
		G1		I	-141.1	6.2	0.7	4.9
675.9	1336.3			J	-141.1	6.2	2.9	4.9
-885.5	-4022.8							
		G2		I	-55.7	-12.3	0.6	-108.3
291.4	-2183.2			J	-55.7	-12.3	0.6	-108.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-253.6	8485.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	27.1	13.3	0.0	108.2
5.5	3832.5		J	27.1	13.3	0.0	108.2
-8.9	-7669.9						
		Q5_pc Y	I	19.1	7.6	0.2	47.3
94.3	1039.1		J	19.1	7.6	0.2	47.3
-85.8	-5528.4						
		Q5_ps X	I	26.6	18.9	0.0	153.5
16.1	4814.1		J	26.6	18.9	0.0	153.5
-19.3	-11559.8						
		Q5_ps Y	I	18.4	9.9	0.2	66.7
94.0	1500.0		J	18.4	9.9	0.2	66.7
-85.9	-7108.3						
		INVS LU Max	I	-1924.3	135.1	4.8	2280.1
2881.4	50766.2		J	-1924.3	135.1	7.7	2280.1
419.4	65360.0	Min	I	-2627.0	-97.1	-2.2	100.7
-281.9	-19004.4		J	-2627.0	-97.1	0.7	100.7
2546.7	-71257.7						-
		INVS LE Max	I	-1530.9	93.3	3.6	1650.2
2140.5	36273.7		J	-1530.9	93.3	5.7	1650.2
307.1	51930.5	Min	I	-2047.8	-76.9	-1.6	50.2
-190.1	-14892.2		J	-2047.8	-76.9	0.5	50.2
1878.6	-48245.1						-
5073	2	69 C1-C2;~1 Max	I	151.5	25.2	2.8	218.9
1265.9	16799.5		J	151.5	25.2	2.8	218.9
649.9	43467.3	Min	I	-313.0	-133.0	-1.4	-1392.3
-546.3	-74157.6		J	-313.0	-133.0	-1.4	-1392.3
1175.5	-5293.4						-
		C3-C4;~1 Max	I	171.6	25.3	3.3	219.1
1469.3	16817.6		J	171.6	25.3	3.3	219.1
737.4	30840.9	Min	I	-334.9	-110.1	-1.6	-1051.5
-623.9	-64734.2		J	-334.9	-110.1	-1.6	-1051.5
1390.1	-5785.6						-
		C1-C2;~2 Max	I	80.1	11.4	1.6	99.2
703.3	7636.4		J	80.1	11.4	1.6	99.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
376.4	30057.3		Min	I	-178.2	-87.6	-0.8	-936.0
-307.2	-47521.2			J	-178.2	-87.6	-0.8	-936.0
-640.4	-2440.8							
		C3-C4;~2	Max	I	88.7	11.4	1.8	98.5
828.3	7555.0			J	88.7	11.4	1.8	98.5
426.3	20816.7		Min	I	-192.8	-71.3	-0.9	-694.0
-348.8	-41069.2			J	-192.8	-71.3	-0.9	-694.0
-770.0	-2710.3							
		G1		I	-136.0	-6.4	0.9	-88.2
759.6	-4002.7			J	-136.0	-6.4	3.1	-88.2
-983.6	1516.0							
		G2		I	-53.7	12.5	0.9	76.6
391.1	8493.6			J	-53.7	12.5	0.9	76.6
-358.9	-2360.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	22.2	-13.5	-0.1	-94.7
-60.8	-7666.2			J	22.2	-13.5	-0.1	-94.7
56.1	4029.0							
		Q5_pc	Y	I	22.4	-7.8	0.1	-65.1
65.6	-5530.4			J	22.4	-7.8	0.1	-65.1
-56.1	1210.4							
		Q5_ps	X	I	22.1	-19.2	-0.2	-136.0
-85.4	-11556.2			J	22.1	-19.2	-0.2	-136.0
81.0	5087.8							
		Q5_ps	Y	I	21.6	-10.2	0.1	-82.3
49.8	-7110.2			J	21.6	-10.2	0.1	-82.3
-40.7	1702.6							
		INVS LU	Max	I	-1783.5	115.8	3.2	325.4
2088.6	65402.3			J	-1783.5	115.8	6.1	325.4
1008.7	37960.2		Min	I	-2507.6	-122.3	-3.6	-2020.5
-855.3	-71213.4			J	-2507.6	-122.3	-0.7	-2020.5
1964.5	-35783.3							-
		INVS LE	Max	I	-1424.8	91.7	2.3	280.1
1496.9	51962.0			J	-1424.8	91.7	4.4	280.1
802.6	25979.5		Min	I	-1958.2	-82.9	-2.8	-1445.0
-675.0	-48212.7			J	-1958.2	-82.9	-0.6	-1445.0
								-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

1392.2	-28108.1								
5074	2	69	C1-C2;~1	Max	I	164.5	27.5	3.4	393.8
1538.7	43470.0				J	164.5	27.5	3.4	393.8
420.3	35333.5				Min	I	-309.8	-16.0	-799.9
-419.3	-5293.2				J	-309.8	-16.0	-1.0	-799.9
1394.2	-5302.0								-
			C3-C4;~1	Max	I	186.1	15.0	4.0	274.8
1816.1	30843.1				J	186.1	15.0	4.0	274.8
517.1	24272.9				Min	I	-337.5	-7.3	-577.8
-474.3	-5785.6				J	-337.5	-7.3	-1.1	-577.8
1648.8	-5007.2								-
			C1-C2;~2	Max	I	87.4	19.3	1.9	251.9
874.8	30059.4				J	87.4	19.3	1.9	251.9
221.4	24583.8				Min	I	-174.8	-11.0	-538.1
-223.5	-2440.5				J	-174.8	-11.0	-0.5	-538.1
-777.9	-2921.5								
			C3-C4;~2	Max	I	96.7	10.2	2.3	159.7
1064.0	20818.4				J	96.7	10.2	2.3	159.7
276.1	16497.0				Min	I	-193.1	-4.3	-384.7
-247.9	-2710.4				J	-193.1	-4.3	-0.6	-384.7
-942.9	-2500.2								
			G1		I	-129.5	0.6	1.3	-53.7
891.6	1514.7				J	-129.5	0.6	3.4	-53.7
1131.8	1000.1								-
			G2		I	-53.0	-0.5	0.9	3.6
399.8	-2361.3				J	-53.0	-0.5	0.9	3.6
-381.0	-1889.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	19.8	0.9	-0.0	-13.9
-14.0	4026.3				J	19.8	0.9	-0.0	-13.9
17.1	3272.9								
			Q5_pc	Y	I	27.9	0.4	0.2	-20.8
82.1	1211.9				J	27.9	0.4	0.2	-20.8
-67.7	874.3								
			Q5_ps	X	I	20.9	1.2	-0.1	-20.8
-20.0	5085.6				J	20.9	1.2	-0.1	-20.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
27.0	4035.1							
		Q5_ps	Y	I	27.3	0.5	0.2	-23.5
74.8	1704.1			J	27.3	0.5	0.2	-23.5
-59.3	1239.1							
		INVSLU	Max	I	-1542.7	35.9	3.8	507.7
2375.0	37965.1			J	-1542.7	35.9	6.7	507.7
870.3	28043.3		Min	I	-2299.8	-24.3	-3.4	-1141.3
-864.8	-35777.4			J	-2299.8	-24.3	-0.5	-1141.3
2175.5	-32705.7							
		INVSLE	Max	I	-1242.1	27.4	2.7	405.2
1708.1	25983.3			J	-1242.1	27.4	4.8	405.2
703.9	17956.5		Min	I	-1799.2	-17.1	-2.6	-813.5
-680.8	-28103.9			J	-1799.2	-17.1	-0.5	-813.5
1543.2	-26606.3							
		69 C1-C2;~1	Max	I	198.5	20.7	4.0	500.5
5075	2			J	198.5	20.7	4.0	500.5
1809.0	35330.6		Min	I	-352.8	-24.1	-1.1	-697.6
474.1	35616.3			J	-352.8	-24.1	-1.1	-697.6
-514.5	-5302.3							
1681.1	-4657.3							
		C3-C4;~1	Max	I	224.8	11.0	4.7	318.5
2127.4	24270.8			J	224.8	11.0	4.7	318.5
535.3	24985.7		Min	I	-388.0	-13.1	-1.3	-511.4
-583.0	-5007.0			J	-388.0	-13.1	-1.3	-511.4
1964.2	-5244.2							
		C1-C2;~2	Max	I	105.9	14.5	2.3	331.5
1020.3	24581.9			J	105.9	14.5	2.3	331.5
249.2	24800.4		Min	I	-198.9	-17.0	-0.6	-469.9
-266.2	-2921.8			J	-198.9	-17.0	-0.6	-469.9
-944.8	-2079.2							
		C3-C4;~2	Max	I	117.3	7.2	2.7	203.7
1236.8	16495.6			J	117.3	7.2	2.7	203.7
276.1	17056.1		Min	I	-222.4	-8.6	-0.7	-327.7
-296.1	-2500.2			J	-222.4	-8.6	-0.7	-327.7
1132.5	-2669.6							
		G1		I	-134.2	0.3	1.7	-48.8
1049.8	1000.4			J	-134.2	0.3	3.8	-48.8
1327.9	761.0							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
464.7	-1888.8		G2	I	-54.7	0.3	1.1	-21.8	
				J	-54.7	0.3	1.1	-21.8	
-458.9	-2108.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Q5_pc X	I	15.8	-0.1	-0.0	11.2	
-9.7	3268.5			J	15.8	-0.1	-0.0	11.2	
12.2	3378.7								
			Q5_pc Y	I	33.4	-0.1	0.1	-7.7	
68.8	875.8			J	33.4	-0.1	0.1	-7.7	
-53.0	928.3								
			Q5_ps X	I	17.5	-0.1	-0.1	14.1	
-20.0	4030.8			J	17.5	-0.1	-0.1	14.1	
26.2	4122.2								
			Q5_ps Y	I	32.6	-0.1	0.1	-6.1	
60.8	1240.4			J	32.6	-0.1	0.1	-6.1	
-44.0	1287.6								
			INVSLE Max	I	-1163.9	20.8	4.4	694.0	
2649.8	28034.2			J	-1163.9	20.8	7.3	694.0	
1034.2	34837.4		Min	I	-2051.2	-39.9	-3.9	-943.5	-
1133.2	-32703.4			J	-2051.2	-39.9	-1.1	-943.5	-
2435.7	-26406.0								
			INVSLE Max	I	-952.6	14.9	3.1	529.7	
1879.9	17950.1			J	-952.6	14.9	5.2	529.7	
862.6	23401.9		Min	I	-1605.5	-30.1	-3.1	-681.8	
-913.1	-26605.0			J	-1605.5	-30.1	-1.0	-681.8	-
1700.6	-21513.1								
5076	2	69	C1-C2;~1 Max	I	272.9	30.2	5.5	664.2	
2370.0	35619.3			J	272.9	30.2	5.5	664.2	
761.2	59121.0		Min	I	-471.2	-42.7	-1.7	-583.7	
-732.9	-4657.7			J	-471.2	-42.7	-1.7	-583.7	-
2418.8	-27540.7								
			C3-C4;~1 Max	I	309.5	21.4	6.4	456.0	
2756.2	24989.3			J	309.5	21.4	6.4	456.0	
870.0	43549.3		Min	I	-519.3	-29.0	-2.0	-445.8	
-838.5	-5244.4			J	-519.3	-29.0	-2.0	-445.8	-
2785.0	-20648.4								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1329.5	24802.3	C1-C2;~2 Max	I	145.8	20.7	3.1	449.1
			J	145.8	20.7	3.1	449.1
376.0	41244.3						
		Min	I	-266.5	-30.0	-0.9	-388.5
-361.9	-2079.0		J	-266.5	-30.0	-0.9	-388.5
1352.4	-18428.0						-
		C3-C4;~2 Max	I	161.9	14.1	3.7	301.9
1590.8	17058.4		J	161.9	14.1	3.7	301.9
422.4	30146.2						
		Min	I	-298.8	-19.6	-1.0	-278.7
-406.9	-2669.6		J	-298.8	-19.6	-1.0	-278.7
1595.1	-13153.1						-
		G1	I	-161.5	-0.2	2.3	-44.8
1293.8	761.5		J	-161.5	-0.2	4.5	-44.8
1652.7	910.7						-
		G2	I	-64.4	-0.3	1.3	-52.5
559.8	-2109.0		J	-64.4	-0.3	1.3	-52.5
-585.4	-1879.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	10.5	-0.7	-0.0	40.7
-5.9	3374.8		J	10.5	-0.7	-0.0	40.7
9.6	4003.6						
		Q5_pc Y	I	41.1	0.1	0.1	6.7
39.8	930.1		J	41.1	0.1	0.1	6.7
-17.9	817.2						
		Q5_ps X	I	12.7	-0.7	-0.1	54.2
-20.9	4118.6		J	12.7	-0.7	-0.1	54.2
29.7	4687.7						
		Q5_ps Y	I	40.0	0.1	0.0	12.8
31.7	1289.3		J	40.0	0.1	0.0	12.8
-8.6	1165.7						
		INVSLU Max	I	-627.7	27.1	4.5	910.6
2666.0	34838.2		J	-627.7	27.1	7.4	910.6
2450.3	79516.2						
		Min	I	-1820.7	-72.6	-6.9	-847.3
2258.5	-26402.4		J	-1820.7	-72.6	-4.0	-847.3
2516.2	-44683.7						-
		INVSLE Max	I	-539.0	18.5	3.0	676.5
1819.5	23402.7		J	-539.0	18.5	5.1	676.5
2014.8	57767.5						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1822.9	-21510.7		Min	I	-1417.2	-55.3	-5.5	-620.2	-
				J	-1417.2	-55.3	-3.4	-620.2	-
1661.8	-33698.6								
5077	2	69	C1-C2;~1	Max	I	441.7	139.7	9.4	1386.9
3746.2	59121.0				J	441.7	139.7	9.4	1386.9
1691.8	24422.2								
			Min	I	-775.3	-32.7	-3.5	-484.9	-
1329.9	-27543.8				J	-775.3	-32.7	-3.5	-484.9
4428.4	-133922.0								
			C3-C4;~1	Max	I	501.4	121.9	10.5	1020.6
4189.0	43550.0				J	501.4	121.9	10.5	1020.6
1925.2	19810.9								
			Min	I	-850.9	-27.0	-4.0	-416.7	-
1514.7	-20650.1				J	-850.9	-27.0	-4.0	-416.7
4945.0	-108636.8								
			C1-C2;~2	Max	I	235.6	92.1	5.4	947.0
2134.7	41243.7				J	235.6	92.1	5.4	947.0
867.6	11129.9								
			Min	I	-439.4	-14.9	-1.8	-299.4	-
-678.2	-18429.8				J	-439.4	-14.9	-1.8	-299.4
2505.4	-91223.6								
			C3-C4;~2	Max	I	261.9	80.0	6.1	683.8
2433.8	30146.2				J	261.9	80.0	6.1	683.8
967.9	8974.4								
			Min	I	-490.0	-12.3	-2.0	-237.3	-
-757.4	-13153.9				J	-490.0	-12.3	-2.0	-237.3
2850.6	-73210.3								
			G1	I	-261.3	1.4	3.7	-24.8	-
1742.2	912.6				J	-261.3	1.4	5.8	-24.8
2393.4	-295.8								
			G2	I	-100.0	-16.4	1.8	-125.0	-
702.1	-1877.9				J	-100.0	-16.4	1.8	-125.0
-829.8	12356.0								
			Q3	I	0.0	0.0	0.0	0.0	-
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-2.2	15.7	0.1	135.8
45.1	3998.6				J	-2.2	15.7	0.1	135.8
-57.0	-9594.3								
			Q5_pc	Y	I	55.5	8.3	-0.1	41.3
-2.2	818.9				J	55.5	8.3	-0.1	41.3
43.4	-6362.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
38.6	4682.6	Q5_ps X	I	1.4	21.7	0.1	177.9	
			J	1.4	21.7	0.1	177.9	
-43.8	-14105.4							
		Q5_ps Y	I	53.7	10.9	-0.1	60.5	
-2.2	1167.2		J	53.7	10.9	-0.1	60.5	
43.6	-8286.0							
		INVS LU Max	I	266.8	140.8	5.3	1896.0	
3064.4	79504.6		J	266.8	140.8	8.1	1896.0	
6637.0	91339.0	Min	I	-1658.6	-120.1	-14.5	-875.3	-
4716.7	-44690.4		J	-1658.6	-120.1	-11.7	-875.3	-
2740.3	-139695.3							
		INVS LE Max	I	165.8	99.2	2.9	1395.3	
1946.5	57758.3		J	165.8	99.2	5.1	1395.3	
5407.5	69655.0	Min	I	-1253.0	-92.0	-11.7	-639.4	-
3811.3	-33704.8		J	-1253.0	-92.0	-9.6	-639.4	-
1531.1	-100202.3							
5078	2	69 C1-C2;~1 Max	I	598.6	37.5	18.2	573.4	
7368.7	24352.6		J	598.6	37.5	18.2	573.4	
3041.0	116283.3	Min	I	-1022.2	-273.1	-7.0	-3590.8	-
3011.4	-133693.7		J	-1022.2	-273.1	-7.0	-3590.8	-
8387.5	-38198.4							
		C3-C4;~1 Max	I	680.3	31.7	21.3	446.2	
8646.5	19733.1		J	680.3	31.7	21.3	446.2	
3446.2	82647.8	Min	I	-1116.0	-209.5	-7.9	-2748.7	-
3412.7	-108434.4		J	-1116.0	-209.5	-7.9	-2748.7	-
9815.6	-29426.5							
		C1-C2;~2 Max	I	320.9	17.3	10.0	319.7	
4075.5	11089.0		J	320.9	17.3	10.0	319.7	
1530.8	82339.5	Min	I	-585.8	-190.5	-3.5	-2504.5	-
1540.5	-91085.3		J	-585.8	-190.5	-3.5	-2504.5	-
4623.5	-25156.4							
		C3-C4;~2 Max	I	357.1	14.6	12.1	212.5	
4933.3	8929.7		J	357.1	14.6	12.1	212.5	
1701.4	58025.5	Min	I	-648.7	-144.3	-3.9	-1907.3	-
1711.2	-73089.4		J	-648.7	-144.3	-3.9	-1907.3	-
5568.0	-18346.1							
		G1	I	-280.2	-2.3	9.8	-103.2	
4073.3	-188.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5352.2	1790.5		J	-280.2	-2.3	11.9	-103.2	-
1667.0	12396.3	G2	I	-108.2	16.8	4.3	128.4	
2055.5	-2162.6		J	-108.2	16.8	4.3	128.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
108.4	-9579.2	Q5_pc X	I	-18.9	-19.2	0.3	-168.3	
-190.4	7068.2		J	-18.9	-19.2	0.3	-168.3	
-74.2	-6373.8	Q5_pc Y	I	77.6	-7.9	-0.1	-88.2	
11.9	435.6		J	77.6	-7.9	-0.1	-88.2	
19.0	-14091.7	Q5_ps X	I	-14.6	-25.4	0.1	-224.9	
-79.8	7934.5		J	-14.6	-25.4	0.1	-224.9	
-104.5	-8296.8	Q5_ps Y	I	74.4	-10.7	-0.2	-114.1	
52.6	973.3		J	74.4	-10.7	-0.2	-114.1	
5356.8	90918.1	INVSLE Max	I	1178.4	123.8	14.2	1877.6	
0025.5	164369.2		J	1178.4	123.8	17.1	1877.6	1
1118.2	-139686.9	Min	I	-1386.1	-330.2	-25.8	-4047.0	-1
8220.4	-56904.0		J	-1386.1	-330.2	-23.0	-4047.0	-
3175.5	69308.0	INVSLE Max	I	883.9	92.7	8.7	1448.6	
8176.0	121917.7		J	883.9	92.7	10.9	1448.6	
9013.8	-100233.3	Min	I	-1005.5	-241.0	-20.9	-2917.5	-
5314.2	-41045.9		J	-1005.5	-241.0	-18.8	-2917.5	-
5079	2	69 C1-C2;~1 Max	I	593.2	107.4	24.1	1331.4	1
0480.4	116297.2		J	593.2	107.4	24.1	1331.4	
3106.2	132870.8	Min	I	-868.7	-148.5	-7.3	-2837.0	-
3286.4	-38195.4		J	-868.7	-148.5	-7.3	-2837.0	-1
0434.8	-26156.2							
1989.1	82660.5	C3-C4;~1 Max	I	675.6	65.5	27.7	848.5	1
3523.4	98495.5		J	675.6	65.5	27.7	848.5	
3735.1	-29423.3	Min	I	-953.2	-100.4	-8.3	-2100.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2027.9	-19631.4		J	-953.2	-100.4	-8.3	-2100.3	-1
5827.1	82348.4	C1-C2;~2 Max	I	321.9	75.8	13.4	885.6	
1545.4	94028.7		J	321.9	75.8	13.4	885.6	
1631.2	-25153.6	Min	I	-505.6	-106.0	-3.6	-1973.7	-
5780.2	-15865.3		J	-505.6	-106.0	-3.6	-1973.7	-
6804.4	58033.7	C3-C4;~2 Max	I	358.9	44.5	15.7	520.7	
1722.2	69241.3		J	358.9	44.5	15.7	520.7	
1820.1	-18343.0	Min	I	-563.7	-71.4	-4.0	-1456.7	-
6808.1	-10644.3		J	-563.7	-71.4	-4.0	-1456.7	-
6357.9	1793.5	G1	I	-105.9	0.5	14.3	-76.6	
6997.4	1330.2		J	-105.9	0.5	16.5	-76.6	-
2515.7	-2162.4	G2	I	-39.7	2.6	6.0	46.1	
2651.8	-4381.9		J	-39.7	2.6	6.0	46.1	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
391.4	7064.4	Q5_pc X	I	-30.6	-1.0	1.0	-65.7	
-453.0	7971.8		J	-30.6	-1.0	1.0	-65.7	
119.8	437.5	Q5_pc Y	I	93.4	-0.9	0.3	-42.3	
-165.6	1178.4		J	93.4	-0.9	0.3	-42.3	
281.5	7931.2	Q5_ps X	I	-27.6	-1.7	0.7	-85.8	
-329.5	9421.7		J	-27.6	-1.7	0.7	-85.8	
78.6	975.2	Q5_ps Y	I	88.5	-1.2	0.2	-51.9	
-117.3	1975.2		J	88.5	-1.2	0.2	-51.9	
2499.1	164372.9	INVSLU Max	I	1497.9	147.9	29.0	2304.1	1
7970.5	185887.2		J	1497.9	147.9	31.8	2304.1	
9433.1	-56908.1	Min	I	-869.1	-199.5	-21.4	-3441.6	-
3839.3	-43148.3		J	-869.1	-199.5	-18.5	-3441.6	-1
		INVSLE Max	I	1118.0	108.9	19.9	1739.4	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8567.8	121919.6			J	1118.0	108.9	22.0	1739.4		
6484.0	138339.9		Min	I	-623.0	-148.3	-17.3	-2507.9	-	
7626.1	-41050.2			J	-623.0	-148.3	-15.1	-2507.9	-	
9611.0	-30253.1									
5080	2	69	C1-C2;~1	Max	I	607.4	136.1	25.1	1963.6	1
0924.0	132864.8			J	607.4	136.1	25.1	1963.6		
3190.3	132661.0		Min	I	-742.6	-138.0	-7.5	-2193.0	-	
3280.0	-26156.0			J	-742.6	-138.0	-7.5	-2193.0	-1	
0862.6	-24806.0									
			C3-C4;~1	Max	I	693.4	87.1	29.1	1310.4	1
2620.3	98490.8			J	693.4	87.1	29.1	1310.4		
3599.4	98650.4		Min	I	-821.1	-89.2	-8.4	-1584.7	-	
3716.0	-19630.5			J	-821.1	-89.2	-8.4	-1584.7	-1	
2611.8	-18588.8									
			C1-C2;~2	Max	I	332.4	96.4	13.8	1357.4	
5985.9	94024.5			J	332.4	96.4	13.8	1357.4		
1612.0	94019.6		Min	I	-439.2	-98.1	-3.8	-1515.5	-	
1639.1	-15865.3			J	-439.2	-98.1	-3.8	-1515.5	-	
5936.4	-14819.8									
			C3-C4;~2	Max	I	371.4	61.2	16.3	891.6	
7066.5	69238.0			J	371.4	61.2	16.3	891.6		
1785.8	69535.3		Min	I	-494.3	-63.0	-4.2	-1040.6	-	
1823.6	-10643.8			J	-494.3	-63.0	-4.2	-1040.6	-	
7047.4	-9894.5									
			G1	I	54.5	1.0	16.4	-65.5		
7304.9	1330.1			J	54.5	1.0	18.6	-65.5	-	
7846.5	430.7									
			G2	I	22.2	0.4	6.8	-26.7		
2889.7	-4381.6			J	22.2	0.4	6.8	-26.7	-	
2988.1	-4697.6									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-40.9	1.0	1.4	9.1	
584.0	7965.3			J	-40.9	1.0	1.4	9.1		
-628.9	7113.3									
			Q5_pc	Y	I	109.0	-0.1	0.6	-9.7	
229.7	1180.7									

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-256.5	1287.8		J	109.0	-0.1	0.6	-9.7	
441.2	9415.5	Q5_ps X	I	-38.2	1.0	1.1	14.4	
-475.6	8572.0		J	-38.2	1.0	1.1	14.4	
173.4	1977.4	Q5_ps Y	I	102.9	-0.1	0.4	-7.6	
-195.1	2070.7		J	102.9	-0.1	0.4	-7.6	
5385.8	185876.6	INVS LU Max	I	1965.8	184.8	35.3	2630.1	1
6569.1	184675.8		J	1965.8	184.8	38.2	2630.1	
7719.3	-43139.1	Min	I	-275.0	-187.0	-17.9	-2998.9	-
6448.1	-40708.6		J	-275.0	-187.0	-15.1	-2998.9	-1
0814.1	138332.7	INVS LE Max	I	1466.9	137.0	24.8	1962.3	1
5337.3	137356.8		J	1466.9	137.0	27.0	1962.3	
6222.9	-30246.5	Min	I	-178.4	-138.3	-14.4	-2206.0	-
1628.7	-28646.2		J	-178.4	-138.3	-12.3	-2206.0	-1
5081	2	69 C1-C2;~1 Max	I	662.4	145.7	25.7	2596.8	1
1224.6	132666.2		J	662.4	145.7	25.7	2596.8	
3216.9	119433.8	Min	I	-673.5	-113.2	-7.6	-1534.8	-
3327.1	-24806.5		J	-673.5	-113.2	-7.6	-1534.8	-1
1040.6	-39374.3							
3073.7	98654.2	C3-C4;~1 Max	I	759.2	97.5	30.0	1881.4	1
3623.0	84926.3		J	759.2	97.5	30.0	1881.4	
3760.2	-18590.0	Min	I	-746.6	-71.2	-8.5	-1072.4	-
2909.1	-30928.2		J	-746.6	-71.2	-8.5	-1072.4	-1
6117.2	94023.6	C1-C2;~2 Max	I	358.9	102.9	14.0	1820.0	
1631.4	84457.6		J	358.9	102.9	14.0	1820.0	
1673.2	-14820.0	Min	I	-401.4	-79.6	-3.8	-1035.4	-
6004.5	-25128.5		J	-401.4	-79.6	-3.8	-1035.4	-
7288.8	69538.2	C3-C4;~2 Max	I	402.9	68.4	16.7	1310.1	
1803.7	59685.0		J	402.9	68.4	16.7	1310.1	
1856.5	-9895.4	Min	I	-452.0	-48.1	-4.2	-681.9	-
7185.3	-18767.1		J	-452.0	-48.1	-4.2	-681.9	-

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7751.0	429.5	G1	I	220.8	0.8	17.3	-63.7	
8147.4	-238.6		J	220.8	0.8	19.4	-63.7	-
3069.1	-4698.4	G2	I	87.8	-2.6	7.1	-103.4	
3110.9	-2436.1		J	87.8	-2.6	7.1	-103.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
714.4	7107.5	Q5_pc X	I	-53.3	3.5	1.7	83.8	
-738.9	4095.9		J	-53.3	3.5	1.7	83.8	
279.1	1290.1	Q5_pc Y	I	122.0	1.0	0.7	22.7	
-293.3	456.2		J	122.0	1.0	0.7	22.7	
550.7	8566.6	Q5_ps X	I	-51.8	4.3	1.3	114.3	
-568.0	4832.9		J	-51.8	4.3	1.3	114.3	
214.6	2072.9	Q5_ps Y	I	114.3	1.4	0.5	36.6	
-225.2	872.5		J	114.3	1.4	0.5	36.6	
7003.9	184673.1	INVSLU Max	I	2492.0	188.9	38.7	3066.9	1
5898.3	173575.5		J	2492.0	188.9	41.6	3066.9	
7007.7	-40708.5	Min	I	239.7	-166.9	-16.3	-2661.6	-
7750.0	-48188.0		J	239.7	-166.9	-13.5	-2661.6	-1
2079.0	137355.1	INVSLE Max	I	1858.0	140.3	27.5	2271.4	1
4754.1	128827.7		J	1858.0	140.3	29.6	2271.4	
5612.1	-28646.5	Min	I	205.8	-122.8	-13.0	-1960.8	-
2664.7	-34895.4		J	205.8	-122.8	-10.9	-1960.8	-1
5082	2	69 C1-C2;~1 Max	I	732.5	270.3	25.4	3515.1	1
1127.6	119435.0		J	732.5	270.3	25.4	3515.1	
3171.2	32621.2	Min	I	-607.5	-42.2	-7.5	-914.0	-
3293.7	-39377.4		J	-607.5	-42.2	-7.5	-914.0	-1
0837.5	-125471.8	C3-C4;~1 Max	I	840.8	206.6	29.6	2673.4	1
2967.9	84928.3		J	840.8	206.6	29.6	2673.4	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3573.9	20727.8		Min	I	-673.8	-30.3	-8.4	-806.6	-
3723.1	-30930.8			J	-673.8	-30.3	-8.4	-806.6	-1
2663.4	-100591.6								
		C1-C2;~2	Max	I	391.5	188.5	13.7	2478.1	
6027.3	84456.6			J	391.5	188.5	13.7	2478.1	
1600.7	15441.2		Min	I	-361.6	-19.3	-3.8	-567.3	-
1653.3	-25130.4			J	-361.6	-19.3	-3.8	-567.3	-
5859.2	-83865.6								
		C3-C4;~2	Max	I	440.6	142.8	16.4	1874.4	
7193.0	59684.7			J	440.6	142.8	16.4	1874.4	
1771.0	8600.1		Min	I	-406.0	-13.2	-4.2	-475.4	-
1834.3	-18768.4			J	-406.0	-13.2	-4.2	-475.4	-
7013.3	-66817.6								
		G1		I	387.2	-2.7	17.0	-76.7	
7695.3	-229.0			J	387.2	-2.7	19.1	-76.7	-
7954.8	2070.1								
		G2		I	152.1	-20.0	6.9	-197.7	
2994.4	-2431.3			J	152.1	-20.0	6.9	-197.7	-
2981.4	14893.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-72.5	21.3	2.0	180.9	
869.0	4089.8			J	-72.5	21.3	2.0	180.9	
-880.3	-14327.0								
		Q5_pc	Y	I	135.8	8.4	0.7	63.6	
305.1	459.2			J	135.8	8.4	0.7	63.6	
-306.9	-6857.4								
		Q5_ps	X	I	-70.8	27.5	1.7	243.9	
721.4	4826.5			J	-70.8	27.5	1.7	243.9	
-729.2	-19020.1								
		Q5_ps	Y	I	127.1	11.5	0.6	92.9	
251.6	875.1			J	127.1	11.5	0.6	92.9	
-251.8	-9065.8								
		INVSLU	Max	I	3008.3	324.2	40.8	3884.7	1
7979.5	173578.7			J	3008.3	324.2	43.7	3884.7	
4876.5	117433.4		Min	I	719.1	-136.0	-14.1	-2420.4	-
6117.4	-48179.7			J	719.1	-136.0	-11.2	-2420.4	-1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8628.4	-121780.7								
		INVSLE Max	I	2240.9	238.4	29.2	2865.6	1	
2871.5	128830.1		J	2240.9	238.4	31.4	2865.6		
3913.1	86843.5								
		Min	I	563.3	-99.6	-11.2	-1780.7	-	
4862.2	-34890.2		J	563.3	-99.6	-9.1	-1780.7	-1	
3380.6	-88441.9								
5083	2	69 C1-C2;~1 Max	I	811.2	42.6	23.6	893.3	1	
0378.1	32658.5		J	811.2	42.6	23.6	893.3		
3116.1	118424.1								
		Min	I	-557.9	-268.5	-7.3	-3543.5	-	
3238.7	-125317.4		J	-557.9	-268.5	-7.3	-3543.5	-1	
0035.1	-39870.5								
		C3-C4;~1 Max	I	932.9	29.9	27.9	759.3	1	
2252.3	20764.2		J	932.9	29.9	27.9	759.3		
3508.4	85096.3								
		Min	I	-624.2	-205.4	-8.3	-2694.1	-	
3655.1	-100426.5		J	-624.2	-205.4	-8.3	-2694.1	-1	
1878.1	-31000.8								
		C1-C2;~2 Max	I	427.0	19.4	12.7	553.6		
5604.7	15458.2		J	427.0	19.4	12.7	553.6		
1552.3	83996.3								
		Min	I	-329.4	-187.3	-3.6	-2477.9	-	
1608.1	-83784.1		J	-329.4	-187.3	-3.6	-2477.9	-	
5410.1	-25689.0								
		C3-C4;~2 Max	I	482.4	13.1	15.4	439.2		
6779.3	8594.8		J	482.4	13.1	15.4	439.2		
1716.8	60069.6								
		Min	I	-372.5	-142.0	-4.0	-1880.8	-	
1782.6	-66718.6		J	-372.5	-142.0	-4.0	-1880.8	-	
6562.9	-19022.7								
		G1	I	551.6	4.1	15.6	-11.3		
7151.8	2328.8		J	551.6	4.1	17.8	-11.3	-	
7324.4	-1206.6								
		G2	I	216.3	20.8	6.6	157.2		
2888.7	14994.3		J	216.3	20.8	6.6	157.2	-	
2841.1	-3029.4								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-98.5	-20.2	2.1	-171.9		
884.5	-14266.7		J	-98.5	-20.2	2.1	-171.9		
-898.5	3192.0								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

203.9	-6855.1	Q5_pc	Y	I	150.9	-8.8	0.5	-82.5	
-192.9	741.7			J	150.9	-8.8	0.5	-82.5	
678.5	-18967.3	Q5_ps	X	I	-96.6	-26.6	1.6	-221.9	
-690.5	4074.1			J	-96.6	-26.6	1.6	-221.9	
127.6	-9065.3	Q5_ps	Y	I	140.8	-11.8	0.3	-107.6	
-116.3	1199.0			J	140.8	-11.8	0.3	-107.6	
7149.8	117418.8	INVS LU	Max	I	3510.0	181.1	38.7	2252.0	1
4779.0	131897.7			J	3510.0	181.1	41.6	2252.0	
5917.2	-121528.6		Min	I	1136.2	-275.1	-13.8	-4047.0	-
7610.1	-87545.6			J	1136.2	-275.1	-10.9	-4047.0	-1
2307.8	86823.1	INVS LE	Max	I	2612.4	133.9	27.8	1669.4	1
3794.3	97325.9			J	2612.4	133.9	29.9	1669.4	
4661.0	-88272.8		Min	I	874.1	-201.3	-10.8	-2973.6	-
2670.4	-64799.1			J	874.1	-201.3	-8.7	-2973.6	-1
5084	2	69 C1-C2;~1	Max	I	908.3	118.3	21.4	1514.3	
9531.8	118440.3			J	908.3	118.3	21.4	1514.3	
3069.5	133510.9		Min	I	-511.0	-150.7	-7.3	-2585.7	-
3234.8	-39860.5			J	-511.0	-150.7	-7.3	-2585.7	-
9004.5	-21445.0								
1253.4	85109.3	C3-C4;~1	Max	I	1046.6	75.0	25.3	1019.7	1
3518.4	99715.3			J	1046.6	75.0	25.3	1019.7	
3706.3	-30989.5		Min	I	-581.3	-101.5	-8.3	-1877.0	-
0660.4	-17637.7			J	-581.3	-101.5	-8.3	-1877.0	-1
5120.4	84007.6	C1-C2;~2	Max	I	468.5	83.2	11.5	1028.1	
1521.6	94960.9			J	468.5	83.2	11.5	1028.1	
1604.2	-25682.8		Min	I	-296.7	-106.5	-3.6	-1797.3	-
4830.3	-12426.2			J	-296.7	-106.5	-3.6	-1797.3	-
6198.7	60078.6	C3-C4;~2	Max	I	531.5	50.7	13.9	646.2	
1718.4	70596.5			J	531.5	50.7	13.9	646.2	
			Min	I	-341.1	-71.3	-4.1	-1301.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1810.4	-19015.6			J	-341.1	-71.3	-4.1	-1301.9	-
5865.4	-9308.7								
		G1		I	748.5	0.6	13.1	-26.1	
6143.1	-1197.8			J	748.5	0.6	15.2	-26.1	-
6115.2	-1691.8								
		G2		I	293.7	3.4	5.5	58.4	
2439.1	-3027.1			J	293.7	3.4	5.5	58.4	-
2314.5	-5951.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-119.7	-2.1	2.3	-67.8	
976.0	3188.4			J	-119.7	-2.1	2.3	-67.8	
-977.3	5008.4								
		Q5_pc Y		I	167.6	-1.4	0.3	-40.4	
148.1	744.5			J	167.6	-1.4	0.3	-40.4	
-115.9	1951.2								
		Q5_ps X		I	-119.1	-3.1	1.9	-84.5	
803.4	4070.9			J	-119.1	-3.1	1.9	-84.5	
-806.2	6746.6								
		Q5_ps Y		I	155.5	-1.9	0.2	-49.3	
93.2	1201.7			J	155.5	-1.9	0.2	-49.3	
-63.0	2806.3								
		INVSLU Max		I	4079.1	211.0	35.2	2267.4	1
5909.2	131905.0			J	4079.1	211.0	38.1	2267.4	
5062.9	111097.8								
		Min		I	1579.8	-156.0	-14.3	-3389.5	-
6043.3	-87540.1			J	1579.8	-156.0	-11.4	-3389.5	-1
5837.6	-107107.8								
		INVSLE Max		I	3032.1	156.4	25.3	1682.9	1
1429.3	97331.1			J	3032.1	156.4	27.4	1682.9	
3953.4	81613.6								
		Min		I	1203.1	-115.2	-11.1	-2498.4	-
4701.7	-64795.8			J	1203.1	-115.2	-8.9	-2498.4	-1
1398.1	-79352.4								
		69 C1-C2;~1 Max		I	1055.1	164.5	16.0	2197.9	
5085	2			J	1055.1	164.5	16.0	2197.9	
7550.3	133512.5								
		Min		I	-460.3	-157.9	-6.9	-1784.3	-
2786.4	162439.1			J	-460.3	-157.9	-6.9	-1784.3	-
3206.2	-21447.3								
6296.4	-45049.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8964.6	99715.9	C3-C4;~1	Max	I	1214.1	108.9	19.0	1540.1	
				J	1214.1	108.9	19.0	1540.1	
3220.0	119022.6		Min	I	-535.0	-106.2	-8.0	-1272.7	-
3701.2	-17638.5			J	-535.0	-106.2	-8.0	-1272.7	-
7494.9	-34676.2								
4040.2	94962.2	C1-C2;~2	Max	I	531.0	116.4	8.5	1533.4	
				J	531.0	116.4	8.5	1533.4	
1419.6	115616.0		Min	I	-257.0	-111.6	-3.5	-1216.6	-
1629.5	-12427.8			J	-257.0	-111.6	-3.5	-1216.6	-
3366.0	-29029.6								
4922.7	70597.1	C3-C4;~2	Max	I	603.3	76.4	10.4	1061.2	
				J	603.3	76.4	10.4	1061.2	
1615.1	84389.1		Min	I	-302.7	-71.9	-4.0	-831.3	-
1851.7	-9309.2			J	-302.7	-71.9	-4.0	-831.3	-
4111.7	-20783.6								
4148.7	-1692.6	G1		I	1006.4	0.5	7.9	-36.3	
				J	1006.4	0.5	10.0	-36.3	-
3621.2	-2119.8								
1664.5	-5951.6	G2		I	393.5	-0.5	3.5	-32.7	
				J	393.5	-0.5	3.5	-32.7	-
1343.6	-5489.2								
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
955.1	4999.9	Q5_pc	X	I	-137.4	1.9	2.1	17.3	
				J	-137.4	1.9	2.1	17.3	
-861.0	3326.3								
-12.7	1954.8	Q5_pc	Y	I	190.1	0.1	-0.1	-3.9	
				J	190.1	0.1	-0.1	-3.9	
59.6	1891.2								
807.7	6738.5	Q5_ps	X	I	-138.1	2.2	1.8	28.8	
				J	-138.1	2.2	1.8	28.8	
-731.9	4866.1								
-48.6	2809.6	Q5_ps	Y	I	175.9	0.2	-0.2	0.9	
				J	175.9	0.2	-0.2	0.9	
88.1	2625.0								
2334.5	111097.1	INVSLU	Max	I	4873.2	238.3	25.9	2266.5	1
				J	4873.2	238.3	28.8	2266.5	
4643.8	136055.2								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6483.6	-107098.4		Min	I	2169.7	-200.4	-14.3	-3140.6	-
				J	2169.7	-200.4	-11.4	-3140.6	-1
1371.0	-150041.6								
8838.6	81613.7	INVSLE	Max	I	3617.8	176.5	18.6	1681.8	
				J	3617.8	176.5	20.7	1681.8	
3578.6	100147.8								
4973.4	-79345.9		Min	I	1640.5	-148.2	-10.9	-2321.2	-
				J	1640.5	-148.2	-8.8	-2321.2	-
8169.5	-111332.3								
5086	2	83 C1-C2;~1	Max	I	1271.1	169.0	69.5	19597.1	3
3208.6	162438.7			J	1271.1	169.0	69.5	19597.1	1
3217.1	150712.3								
8022.3	-45050.6		Min	I	-494.3	-112.5	-36.0	-8771.5	-1
				J	-494.3	-112.5	-36.0	-8771.5	-2
7029.0	-77642.3								
9578.7	119021.9	C3-C4;~1	Max	I	1463.6	115.9	83.1	14541.1	3
				J	1463.6	115.9	83.1	14541.1	1
5335.2	104715.8								
0947.1	-34677.2		Min	I	-575.8	-71.8	-41.9	-6387.3	-2
				J	-575.8	-71.8	-41.9	-6387.3	-3
2437.6	-61043.8								
7760.6	115615.9	C1-C2;~2	Max	I	635.3	118.9	37.1	13728.5	1
				J	635.3	118.9	37.1	13728.5	
6760.1	106131.2								
9360.9	-29030.8		Min	I	-271.7	-78.3	-18.6	-5722.0	-
				J	-271.7	-78.3	-18.6	-5722.0	-1
4373.8	-51201.3								
1711.6	84388.8	C3-C4;~2	Max	I	723.3	81.0	45.5	10122.7	2
				J	723.3	81.0	45.5	10122.7	
7734.0	73061.7								
0707.8	-20784.7		Min	I	-320.5	-47.0	-21.3	-3874.2	-1
				J	-320.5	-47.0	-21.3	-3874.2	-1
7699.2	-38077.4								
4068.0	-2119.4		G1	I	1285.4	0.4	30.1	-356.4	1
				J	1285.4	0.4	34.9	-356.4	-1
4096.3	-2491.0								
5553.8	-5488.7		G2	I	503.0	-5.4	12.7	-740.0	
				J	503.0	-5.4	12.7	-740.0	-
5422.1	-794.5								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-186.2	6.9	11.1	569.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5445.0	3319.8			J	-186.2	6.9	11.1	569.6	-
4197.9	-2679.3								
-918.0	1892.3	Q5_pc	Y	I	225.8	2.3	-1.6	171.2	
483.7	-93.0			J	225.8	2.3	-1.6	171.2	
4719.2	4859.7	Q5_ps	X	I	-186.3	8.5	9.5	804.4	
3551.0	-2538.8			J	-186.3	8.5	9.5	804.4	-
1029.2	2626.0	Q5_ps	Y	I	208.6	3.2	-1.9	281.0	-
623.2	-121.9			J	208.6	3.2	-1.9	281.0	
3039.1	136040.5	INVSLU	Max	I	5960.5	206.4	112.0	24606.2	5
5228.7	143836.8			J	5960.5	206.4	118.5	24606.2	2
8471.8	-150045.7		Min	I	2800.9	-186.0	-76.7	-14716.7	-3
6820.8	-169264.6			J	2800.9	-186.0	-70.3	-14716.7	-4
7814.4	100137.3	INVSLE	Max	I	4424.8	152.2	80.0	18196.9	3
9227.7	106137.4			J	4424.8	152.2	84.8	18196.9	1
9245.4	-111335.8		Min	I	2114.5	-137.5	-58.3	-10855.2	-2
3582.6	-125432.3			J	2114.5	-137.5	-53.5	-10855.2	-3
5087	2	83 C1-C2;~1	Max	I	1435.0	328.5	57.3	23052.5	2
5476.5	150704.1			J	1435.0	328.5	57.3	23052.5	
8778.8	52427.5		Min	I	-491.0	-48.3	-22.5	-7565.0	-1
0734.3	-77644.8			J	-491.0	-48.3	-22.5	-7565.0	-2
4185.3	-181691.8								
9183.5	104708.9	C3-C4;~1	Max	I	1653.8	249.3	65.4	17511.8	2
0522.9	35573.9			J	1653.8	249.3	65.4	17511.8	1
2725.2	-61046.4		Min	I	-565.9	-39.8	-26.8	-6630.0	-1
7467.0	-146900.7			J	-565.9	-39.8	-26.8	-6630.0	-2
4132.0	106125.4	C1-C2;~2	Max	I	716.5	230.6	31.8	16138.5	1
4403.9	25323.7			J	716.5	230.6	31.8	16138.5	
5488.7	-51203.1		Min	I	-263.4	-21.7	-11.4	-4777.2	-
3382.3	-122347.6			J	-263.4	-21.7	-11.4	-4777.2	-1
6422.4	73056.7	C3-C4;~2	Max	I	817.4	174.3	36.7	12210.6	1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5205.2	15489.4		J	817.4	174.3	36.7	12210.6	
6406.3	-38079.3	Min	I	-305.6	-17.5	-13.4	-3920.2	-
5373.4	-99140.1		J	-305.6	-17.5	-13.4	-3920.2	-1
0745.4	-2492.0	G1	I	1501.8	-6.0	24.4	-581.4	1
2444.2	2707.7		J	1501.8	-6.0	29.2	-581.4	-1
3874.2	-793.9	G2	I	587.1	-24.7	9.4	-1254.0	
4279.6	20562.8		J	587.1	-24.7	9.4	-1254.0	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3842.8	-2688.2	Q5_pc X	I	-243.2	23.8	8.4	1033.3	
3439.8	-23277.1		J	-243.2	23.8	8.4	1033.3	-
-9.4	-89.6	Q5_pc Y	I	253.5	9.9	0.3	361.9	
-235.6	-8684.0		J	253.5	9.9	0.3	361.9	
3526.9	-2547.6	Q5_ps X	I	-240.7	30.9	7.7	1422.2	
3160.1	-29287.0		J	-240.7	30.9	7.7	1422.2	-
-20.8	-118.7	Q5_ps Y	I	234.4	13.6	0.2	551.3	
-216.3	-11889.8		J	234.4	13.6	0.2	551.3	
0684.8	143837.1	INVSLU Max	I	6866.6	363.0	94.5	28193.7	4
3507.0	117866.9		J	6866.6	363.0	100.9	28193.7	1
2808.9	-169272.6	Min	I	3413.6	-188.3	-45.1	-14999.7	-2
3971.0	-240092.8		J	3413.6	-188.3	-38.7	-14999.7	-4
9269.8	106137.0	INVSLE Max	I	5098.4	266.2	68.1	20800.1	2
0280.0	86500.3		J	5098.4	266.2	72.9	20800.1	1
7250.2	-125437.7	Min	I	2574.4	-139.0	-34.2	-11057.2	-1
1837.6	-175551.4		J	2574.4	-139.0	-29.4	-11057.2	-3
5088	2	83 C1-C2;~1 Max	I	1570.5	57.6	44.3	7671.0	1
8368.4	52423.2		J	1570.5	57.6	44.3	7671.0	1
1119.4	168725.6	Min	I	-475.4	-354.5	-28.0	-21588.1	-1
1753.7	-181752.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7807.5	-90628.0		J	-475.4	-354.5	-28.0	-21588.1	-1
2716.3	35574.2	C3-C4;~1 Max	I	1812.5	49.8	54.7	7062.0	2
1913.9	121020.6		J	1812.5	49.8	54.7	7062.0	1
1896.8	-146952.7	Min	I	-540.3	-267.3	-29.0	-16027.4	-1
1993.1	-75862.3		J	-540.3	-267.3	-29.0	-16027.4	-2
9620.5	25325.7	C1-C2;~2 Max	I	779.0	26.3	23.2	4932.4	
6500.6	118730.2		J	779.0	26.3	23.2	4932.4	
6671.2	-122393.5	Min	I	-248.9	-247.8	-16.1	-15072.8	-
9302.3	-60413.8		J	-248.9	-247.8	-16.1	-15072.8	-
2180.3	15488.8	C3-C4;~2 Max	I	891.3	21.5	29.3	4121.0	1
6791.5	84756.3		J	891.3	21.5	29.3	4121.0	
6419.8	-99179.1	Min	I	-282.5	-186.2	-16.1	-11195.8	-
1753.7	-46407.2		J	-282.5	-186.2	-16.1	-11195.8	-1
0718.3	2699.5	G1	I	1715.0	9.7	26.3	141.8	1
2625.9	-5260.5		J	1715.0	9.7	30.9	141.8	-1
4656.1	20560.4	G2	I	668.8	29.0	12.0	915.9	
5146.3	-3082.6		J	668.8	29.0	12.0	915.9	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2701.6	-23360.9	Q5_pc X	I	-290.5	-24.0	6.3	-734.3	
2408.5	-3764.2		J	-290.5	-24.0	6.3	-734.3	-
-127.6	-8745.0	Q5_pc Y	I	273.7	-11.7	-0.1	-492.4	
-63.1	835.6		J	273.7	-11.7	-0.1	-492.4	
2061.7	-29367.5	Q5_ps X	I	-286.5	-32.2	4.7	-978.3	
1793.4	-3091.9		J	-286.5	-32.2	4.7	-978.3	-
-337.8	-11948.0	Q5_ps Y	I	252.9	-15.9	-0.6	-625.1	
154.3	1051.7		J	252.9	-15.9	-0.6	-625.1	
		INVSLU Max	I	7637.3	197.6	78.2	15664.9	3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0849.0	117796.4			J	7637.3	197.6	84.3	15664.9	1
4567.8	176966.4		Min	I	3938.1	-401.9	-46.1	-25156.6	-2
0741.5	-240390.6			J	3938.1	-401.9	-40.0	-25156.6	-3
5541.9	-179936.6								
			INVSLE Max	I	5667.7	146.0	56.5	11625.3	2
2197.1	86439.3			J	5667.7	146.0	61.0	11625.3	1
1023.8	130612.6		Min	I	2966.3	-294.9	-34.8	-18515.0	-1
5657.8	-175769.7			J	2966.3	-294.9	-30.3	-18515.0	-2
5773.4	-133258.1								
5089	2	83	C1-C2;~1 Max	I	1709.7	115.7	47.4	9496.0	2
0014.1	168739.6			J	1709.7	115.7	47.4	9496.0	
7867.9	214329.1		Min	I	-451.7	-221.2	-18.8	-15944.5	-
7599.3	-90626.2			J	-451.7	-221.2	-18.8	-15944.5	-1
8709.0	-54915.0								
			C3-C4;~1 Max	I	1977.9	76.8	57.1	6864.8	2
4026.3	121031.6			J	1977.9	76.8	57.1	6864.8	
9810.8	160232.9		Min	I	-516.6	-154.0	-23.8	-11955.6	-
9671.7	-75861.6			J	-516.6	-154.0	-23.8	-11955.6	-2
2594.9	-52251.5								
			C1-C2;~2 Max	I	841.0	79.2	25.9	6373.9	1
1078.7	118740.4			J	841.0	79.2	25.9	6373.9	
4280.7	151300.3		Min	I	-227.9	-155.7	-9.9	-11078.8	-
3860.5	-60412.3			J	-227.9	-155.7	-9.9	-11078.8	-1
0060.7	-34179.7								
			C3-C4;~2 Max	I	966.2	47.3	31.8	4174.1	1
3569.0	84764.3			J	966.2	47.3	31.8	4174.1	
5392.0	112995.8		Min	I	-261.0	-107.8	-12.7	-7875.4	-
5013.6	-46406.0			J	-261.0	-107.8	-12.7	-7875.4	-1
2411.1	-29191.9								
			G1	I	1945.0	3.2	25.5	-167.6	1
0144.8	-5262.2			J	1945.0	3.2	30.1	-167.6	-1
2553.1	-7883.8								
			G2	I	756.2	10.1	10.4	301.6	
3840.9	-3084.3			J	756.2	10.1	10.4	301.6	-
4647.3	-11292.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
2661.5	-3768.7	Q5_pc X	I	-327.0	-6.0	6.1	-157.7	
2356.7	1113.1		J	-327.0	-6.0	6.1	-157.7	-
272.0	838.2	Q5_pc Y	I	291.3	-4.2	0.8	-285.1	
-395.4	4254.8		J	291.3	-4.2	0.8	-285.1	
2311.0	-3095.7	Q5_ps X	I	-322.5	-8.9	5.2	-223.5	
1966.7	4190.7		J	-322.5	-8.9	5.2	-223.5	-
188.3	1054.3	Q5_ps Y	I	268.7	-5.7	0.6	-320.9	
-275.0	5671.9		J	268.7	-5.7	0.6	-320.9	
5086.2	176975.6	INVS LU Max	I	8421.6	180.2	86.2	16055.9	3
0190.4	223709.2		J	8421.6	180.2	92.3	16055.9	1
5196.8	-179951.9	Min	I	4465.4	-285.3	-34.1	-18801.9	-1
7799.5	-147428.9		J	4465.4	-285.3	-28.0	-18801.9	-3
5444.7	130619.0	INVS LE Max	I	6245.6	133.3	62.6	11916.1	2
7706.6	164980.2		J	6245.6	133.3	67.1	11916.1	
1447.1	-133269.3	Min	I	3358.7	-210.7	-25.7	-13866.5	-1
7527.2	-109369.6		J	3358.7	-210.7	-21.2	-13866.5	-2
5090	2	83 C1-C2;~1 Max	I	1862.9	180.2	44.0	12793.6	1
8087.4	214329.3		J	1862.9	180.2	44.0	12793.6	
7763.2	210853.9	Min	I	-474.7	-168.0	-18.8	-10314.5	-
7764.8	-54914.6		J	-474.7	-168.0	-18.8	-10314.5	-1
7827.8	-51762.4							
2238.2	160232.9	C3-C4;~1 Max	I	2160.9	125.8	53.9	9290.3	2
9754.7	157322.9		J	2160.9	125.8	53.9	9290.3	
9723.4	-52251.0	Min	I	-530.8	-114.9	-23.8	-7529.4	-
1822.6	-49294.9		J	-530.8	-114.9	-23.8	-7529.4	-2
9857.5	151300.4	C1-C2;~2 Max	I	907.7	126.7	23.7	8830.2	
4248.0	148921.3		J	907.7	126.7	23.7	8830.2	
4029.1	-34179.8	Min	I	-241.2	-117.9	-10.0	-7003.9	-
9506.0	-31742.1		J	-241.2	-117.9	-10.0	-7003.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

2417.9	112995.8	C3-C4; ~2	Max	I	1047.4	84.4	29.8	5941.5	1
				J	1047.4	84.4	29.8	5941.5	
5376.4	111090.8		Min	I	-267.1	-76.1	-12.8	-4694.1	-
5080.2	-29191.8			J	-267.1	-76.1	-12.8	-4694.1	-1
1913.0	-26922.4								
		G1		I	2201.2	-1.4	24.6	-365.3	
9528.9	-7881.7			J	2201.2	-1.4	29.1	-365.3	-1
2424.5	-6730.8								
		G2		I	853.4	-0.6	10.2	-217.7	
3707.9	-11291.1			J	853.4	-0.6	10.2	-217.7	-
4623.5	-10841.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-349.4	6.2	5.6	387.6	
2423.7	1104.6			J	-349.4	6.2	5.6	387.6	-
2171.4	-3928.7								
		Q5_pc	Y	I	305.8	-0.8	0.8	-117.4	
254.5	4258.1			J	305.8	-0.8	0.8	-117.4	
-418.8	4930.9								
		Q5_ps	X	I	-345.5	5.8	4.7	467.2	
2048.2	4182.4			J	-345.5	5.8	4.7	467.2	-
1781.0	-587.8								
		Q5_ps	Y	I	281.5	-0.8	0.5	-70.0	
153.4	5674.9			J	281.5	-0.8	0.5	-70.0	
-293.0	6318.6								
		INVSLU	Max	I	9276.6	197.5	82.3	19070.3	3
1667.1	223720.3			J	9276.6	197.5	88.4	19070.3	
8457.8	261532.4		Min	I	5013.8	-283.6	-32.7	-12823.3	-1
5843.8	-147423.5			J	5013.8	-283.6	-26.6	-12823.3	-3
8080.0	-101875.1								
		INVSLE	Max	I	6875.8	145.7	59.9	14122.2	2
2994.2	164988.2			J	6875.8	145.7	64.4	14122.2	
6383.2	193132.2		Min	I	3764.8	-209.9	-24.6	-9451.0	-1
1875.9	-109365.4			J	3764.8	-209.9	-20.0	-9451.0	-2
7799.8	-75401.1								
5091	2	83 C1-C2; ~1	Max	I	2045.7	235.8	41.0	17692.6	1
6907.6	210853.6			J	2045.7	235.8	41.0	17692.6	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9072.8	147787.9		Min	I	-505.4	-92.6	-21.6	-5868.9	-
8688.4	-51761.1			J	-505.4	-92.6	-21.6	-5868.9	-1
6542.2	-92400.2								
		C3-C4;~1	Max	I	2380.2	166.7	50.3	12862.8	2
0722.9	157323.2			J	2380.2	166.7	50.3	12862.8	1
0976.9	107583.8		Min	I	-563.8	-61.3	-26.2	-4285.2	-1
0649.9	-49294.4			J	-563.8	-61.3	-26.2	-4285.2	-2
0486.4	-77574.6								
		C1-C2;~2	Max	I	994.1	165.5	22.0	12345.2	
9239.9	148921.1			J	994.1	165.5	22.0	12345.2	
5058.0	103117.7		Min	I	-258.0	-61.5	-11.7	-3705.2	-
4581.8	-31740.8			J	-258.0	-61.5	-11.7	-3705.2	-
8740.0	-60982.9								
		C3-C4;~2	Max	I	1152.8	116.8	27.7	8947.4	1
1586.5	111091.1			J	1152.8	116.8	27.7	8947.4	
6075.7	70022.5		Min	I	-285.1	-34.2	-14.0	-2170.3	-
5567.9	-26921.7			J	-285.1	-34.2	-14.0	-2170.3	-1
1115.7	-48456.3								
		G1		I	2459.9	-10.1	19.7	-469.4	
7377.4	-6732.8			J	2459.9	-10.1	24.2	-469.4	-1
0570.0	1553.2								
		G2		I	951.8	-13.6	8.5	-765.8	
2896.0	-10842.6			J	951.8	-13.6	8.5	-765.8	-
4006.3	257.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-367.9	22.7	4.3	986.1	
1933.8	-3935.6			J	-367.9	22.7	4.3	986.1	-
1602.5	-22450.6								
		Q5_pc	Y	I	318.1	2.2	0.8	81.8	
262.1	4933.9			J	318.1	2.2	0.8	81.8	
-403.4	3156.3								
		Q5_ps	X	I	-364.9	25.3	3.5	1236.6	
1612.3	-594.1			J	-364.9	25.3	3.5	1236.6	-
1227.6	-21248.9								
		Q5_ps	Y	I	292.1	4.1	0.5	227.1	
175.5	6321.6			J	292.1	4.1	0.5	227.1	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-269.6	2946.7							
7944.7	261529.3	INVSLE Max	I	10157.1	210.3	72.9	24661.4	2
1099.6	297009.7		J	10157.1	210.3	79.0	24661.4	1
7889.4	-101881.5	Min	I	5520.4	-273.8	-38.1	-8921.6	-1
4260.5	-67655.2		J	5520.4	-273.8	-32.0	-8921.6	-3
0345.8	193129.7	INVSLE Max	I	7524.9	153.5	53.2	18206.5	2
8318.3	218810.3		J	7524.9	153.5	57.7	18206.5	
3347.5	-75405.7	Min	I	4139.4	-202.0	-28.5	-6538.3	-1
5068.1	-48318.4		J	4139.4	-202.0	-24.0	-6538.3	-2
5092	2	83 C1-C2;~1 Max	I	2218.7	365.6	39.3	21330.0	1
5269.8	147772.3		J	2218.7	365.6	39.3	21330.0	
7156.6	60631.4	Min	I	-535.4	-73.0	-19.1	-7494.6	-
8542.1	-92406.6		J	-535.4	-73.0	-19.1	-7494.6	-1
6836.6	-182379.2	C3-C4;~1 Max	I	2574.8	267.5	46.9	15752.2	1
8414.0	107572.8		J	2574.8	267.5	46.9	15752.2	
9603.3	63901.8	Min	I	-596.9	-72.5	-25.0	-6939.8	-1
1217.6	-77578.4		J	-596.9	-72.5	-25.0	-6939.8	-2
0029.5	-142903.8	C1-C2;~2 Max	I	1082.2	256.6	21.2	14843.0	
8304.4	103106.0		J	1082.2	256.6	21.2	14843.0	
3527.3	28575.5	Min	I	-273.8	-34.8	-9.5	-4769.5	-
4269.9	-60987.4		J	-273.8	-34.8	-9.5	-4769.5	-
8978.3	-121018.3	C3-C4;~2 Max	I	1251.5	188.1	25.7	10951.4	1
0229.6	70013.4		J	1251.5	188.1	25.7	10951.4	
4763.2	28808.5	Min	I	-302.4	-32.0	-12.4	-3959.3	-
5613.9	-48459.1		J	-302.4	-32.0	-12.4	-3959.3	-1
0890.0	-95742.8	G1	I	2664.0	-38.5	16.4	-286.8	
4844.1	1554.4		J	2664.0	-38.5	20.9	-286.8	-1
0366.7	32965.2	G2	I	1028.2	-41.6	7.0	-947.9	
1931.2	259.9		J	1028.2	-41.6	7.0	-947.9	-
3807.1	34252.5							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
750.7	-22461.9	Q5_pc X	I	-384.1	48.4	0.9	1196.2	
			J	-384.1	48.4	0.9	1196.2	
7.7	-61945.7							
356.1	3159.5	Q5_pc Y	I	328.7	6.6	1.2	204.9	
			J	328.7	6.6	1.2	204.9	
-655.0	-2242.8							
586.7	-21260.3	Q5_ps X	I	-381.0	56.0	0.5	1526.1	
			J	-381.0	56.0	0.5	1526.1	
142.4	-66991.3							
319.6	2949.4	Q5_ps Y	I	301.8	11.9	1.1	391.8	
			J	301.8	11.9	1.1	391.8	
-598.4	-6744.8							
5332.8	297009.5	INVS LU Max	I	10892.9	304.1	80.2	28698.0	2
			J	10892.9	304.1	86.4	28698.0	-
2057.4	409533.1	Min	I	5919.9	-375.1	-19.1	-12368.4	-1
			J	5919.9	-375.1	-13.0	-12368.4	-4
6021.2	-67663.4							
3240.7	-34448.4							
8634.9	218809.6	INVS LE Max	I	8067.8	220.7	59.2	21171.1	1
			J	8067.8	220.7	63.7	21171.1	-
1532.6	300633.8	Min	I	4435.3	-276.0	-14.2	-9089.0	-1
			J	4435.3	-276.0	-9.7	-9089.0	-3
1897.6	-48323.6							
1951.4	-19982.0							
5093	2	83 C1-C2;~1 Max	I	2244.1	71.3	17.9	7622.3	
6516.6	61173.9		J	2244.1	71.3	17.9	7622.3	1
4941.5	144140.9	Min	I	-541.8	-354.7	-37.9	-20844.5	-1
			J	-541.8	-354.7	-37.9	-20844.5	-
6713.2	-183141.6							
8564.7	-93119.9							
7925.0	66134.2	C3-C4;~1 Max	I	2596.5	72.1	21.2	7067.3	
			J	2596.5	72.1	21.2	7067.3	1
9979.0	104607.9	Min	I	-604.7	-257.7	-49.7	-15360.3	-2
			J	-604.7	-257.7	-49.7	-15360.3	-1
1508.7	-143398.1							
0106.5	-78800.8							
3229.9	28861.3	C1-C2;~2 Max	I	1100.6	34.1	8.9	4872.7	
			J	1100.6	34.1	8.9	4872.7	
8066.7	100261.9	Min	I	-277.6	-249.2	-20.5	-14582.1	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

9050.5	-121403.0			J	-277.6	-249.2	-20.5	-14582.1	-
4287.4	-60847.4								
4048.5	30132.5	C3-C4;~2	Max	I	1268.4	32.2	10.8	4063.6	
0790.7	68953.6			J	1268.4	32.2	10.8	4063.6	1
1534.9	-95920.8		Min	I	-306.8	-181.2	-26.7	-10735.5	-1
5178.1	-48761.5			J	-306.8	-181.2	-26.7	-10735.5	-
0753.8	33137.9		G1	I	2663.9	39.4	-21.4	416.3	-1
5189.7	323.9			J	2663.9	39.4	-16.8	416.3	
4021.0	34166.4		G2	I	1029.2	41.4	-7.4	1028.5	-
2166.4	-361.0			J	1029.2	41.4	-7.4	1028.5	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
109.0	-61244.9		Q5_pc X	I	-390.0	-46.8	-0.6	-1229.9	
612.6	-22226.7			J	-390.0	-46.8	-0.6	-1229.9	
-113.8	-2282.5		Q5_pc Y	I	332.8	-6.8	0.1	-311.4	
-199.5	3361.3			J	332.8	-6.8	0.1	-311.4	
73.8	-66299.5		Q5_ps X	I	-387.0	-54.2	-0.6	-1507.1	
597.9	-21102.3			J	-387.0	-54.2	-0.6	-1507.1	
-75.3	-6767.2		Q5_ps Y	I	305.4	-11.9	0.2	-508.1	
-229.8	3179.9			J	305.4	-11.9	0.2	-508.1	
4589.9	411669.8		INVSLU Max	I	10935.9	370.9	8.0	12785.2	-
7177.3	288871.0			J	10935.9	370.9	14.2	12785.2	2
4530.3	-35093.3		Min	I	5912.3	-289.5	-88.7	-27858.9	-4
4540.8	-71439.1			J	5912.3	-289.5	-82.5	-27858.9	-1
3336.3	302260.7		INVSLE Max	I	8099.5	273.0	6.1	9394.5	-
9970.3	212781.4			J	8099.5	273.0	10.7	9394.5	1
2906.5	-20509.0		Min	I	4430.3	-210.0	-65.5	-20548.3	-3
0850.3	-51151.4			J	4430.3	-210.0	-60.8	-20548.3	-1

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5094	2	83	C1-C2;~1	Max	I	2124.4	89.8	21.9	5559.2	
9362.4	144155.6				J	2124.4	89.8	21.9	5559.2	1
7043.2	208201.7			Min	I	-526.1	-235.9	-40.5	-17643.4	-1
6754.9	-93114.1				J	-526.1	-235.9	-40.5	-17643.4	-
8915.2	-52894.6									
			C3-C4;~1	Max	I	2444.3	57.7	24.1	4132.8	1
0261.2	104618.5				J	2444.3	57.7	24.1	4132.8	2
3173.2	153100.7			Min	I	-589.2	-167.1	-55.2	-12850.0	-2
2959.4	-78797.4				J	-589.2	-167.1	-55.2	-12850.0	-
9994.8	-49524.2									
			C1-C2;~2	Max	I	1050.4	59.2	11.8	3493.6	
5240.3	100273.0				J	1050.4	59.2	11.8	3493.6	
9226.4	146866.2			Min	I	-270.1	-165.6	-21.7	-12379.3	-
8876.5	-60843.3				J	-270.1	-165.6	-21.7	-12379.3	-
4634.7	-31848.7									
			C3-C4;~2	Max	I	1203.5	31.7	13.1	2058.8	
5769.0	68961.9				J	1203.5	31.7	13.1	2058.8	1
2532.6	107910.4			Min	I	-299.4	-117.2	-29.5	-9000.2	-1
2154.4	-48758.9				J	-299.4	-117.2	-29.5	-9000.2	-
5262.0	-26686.6									
			G1		I	2453.2	10.1	-24.8	528.3	-1
0955.4	322.7				J	2453.2	10.1	-20.2	528.3	
7776.0	-8108.0									
			G2		I	949.5	13.4	-8.9	831.2	-
4272.9	-363.2				J	949.5	13.4	-8.9	831.2	
3186.3	-11545.2									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-378.7	-21.8	-4.3	-1016.6	-
1642.2	-22232.4				J	-378.7	-21.8	-4.3	-1016.6	
1941.9	-4090.1									
			Q5_pc	Y	I	330.4	-2.5	0.7	-195.7	
221.6	3364.6				J	330.4	-2.5	0.7	-195.7	
-366.9	5448.1									
			Q5_ps	X	I	-375.2	-24.3	-3.8	-1225.7	-
1394.7	-21107.1				J	-375.2	-24.3	-3.8	-1225.7	
1744.7	-863.0									


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
355.2	3183.4	Q5_ps Y	I	303.7	-4.4	1.0	-353.5	
			J	303.7	-4.4	1.0	-353.5	
-455.5	6888.7							
0262.5	288885.2	INVS LU Max	I	10252.8	267.4	29.4	8707.5	1
			J	10252.8	267.4	35.7	8707.5	3
1135.8	254734.6	Min	I	5475.8	-211.5	-85.3	-24445.8	-3
7541.1	-71447.2		J	5475.8	-211.5	-79.1	-24445.8	-1
7136.5	-107551.9							
7740.3	212791.5	INVS LE Max	I	7595.6	197.3	22.1	6375.2	
			J	7595.6	197.3	26.8	6375.2	2
2660.4	188057.5	Min	I	4107.6	-154.6	-62.3	-18047.3	-2
7450.9	-51157.1		J	4107.6	-154.6	-57.7	-18047.3	-1
2838.0	-79576.5							
5095	2	83 C1-C2;~1 Max	I	1971.7	165.2	19.7	10138.7	
8250.5	208198.0		J	1971.7	165.2	19.7	10138.7	1
8378.1	214967.1	Min	I	-511.5	-183.3	-43.8	-12921.6	-1
8109.0	-52896.2		J	-511.5	-183.3	-43.8	-12921.6	-
8308.0	-57289.7							
9359.4	153100.0	C3-C4;~1 Max	I	2248.7	111.1	22.5	7500.1	
			J	2248.7	111.1	22.5	7500.1	2
5114.8	161124.7	Min	I	-575.4	-128.6	-59.6	-9292.3	-2
4706.9	-49525.1		J	-575.4	-128.6	-59.6	-9292.3	-
9435.8	-54199.5							
4516.0	146863.3	C1-C2;~2 Max	I	984.1	115.6	10.4	6872.7	
			J	984.1	115.6	10.4	6872.7	
9921.7	151502.6	Min	I	-262.4	-128.7	-23.5	-8943.6	-
9648.1	-31850.0		J	-262.4	-128.7	-23.5	-8943.6	-
4256.9	-35148.9							
5212.4	107909.8	C3-C4;~2 Max	I	1117.5	73.6	12.2	4626.5	
			J	1117.5	73.6	12.2	4626.5	1
3534.0	113512.4	Min	I	-292.0	-86.4	-31.9	-6052.3	-1
3115.8	-26687.5		J	-292.0	-86.4	-31.9	-6052.3	-
4951.1	-30204.9							
2786.4	-8106.1	G1	I	2187.3	0.9	-29.5	387.8	-1
			J	2187.3	0.9	-24.9	387.8	
9901.2	-8871.6							
4906.2	-11543.7	G2	I	848.1	0.4	-10.7	259.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4009.0	-11901.8		J	848.1	0.4	-10.7	259.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2416.3	-4100.2	Q5_pc X	I	-365.0	-5.5	-6.0	-389.1	-
2606.7	514.4		J	-365.0	-5.5	-6.0	-389.1	
262.5	5452.0	Q5_pc Y	I	325.0	0.4	0.9	8.5	
-447.5	5148.3		J	325.0	0.4	0.9	8.5	
2135.5	-872.8	Q5_ps X	I	-360.1	-5.2	-5.4	-433.4	-
2341.2	3488.5		J	-360.1	-5.2	-5.4	-433.4	
392.9	6892.3	Q5_ps Y	I	299.7	0.3	1.1	-46.8	
-554.2	6607.6		J	299.7	0.3	1.1	-46.8	
8341.2	254738.8	INVS LU Max	I	9397.7	276.2	25.8	12722.4	
5525.5	223418.5		J	9397.7	276.2	32.1	12722.4	3
1997.8	-107552.1	Min	I	4928.3	-204.2	-95.9	-19109.5	-4
5809.9	-153395.0		J	4928.3	-204.2	-89.7	-19109.5	-1
6333.0	188060.4	INVS LE Max	I	6965.3	204.4	19.5	9373.2	
5784.1	164711.2		J	6965.3	204.4	24.2	9373.2	2
0633.0	-79576.3	Min	I	3703.3	-150.7	-69.9	-14154.2	-3
1894.6	-113723.5		J	3703.3	-150.7	-65.2	-14154.2	-1
5096	2	83 C1-C2;~1 Max	I	1823.8	218.2	20.1	15852.3	
8430.4	214966.4		J	1823.8	218.2	20.1	15852.3	2
0493.7	172157.5	Min	I	-502.2	-120.6	-47.5	-9665.8	-1
9114.2	-57289.7		J	-502.2	-120.6	-47.5	-9665.8	-
8392.7	-93880.5	C3-C4;~1 Max	I	2060.8	150.5	23.0	12131.1	
9617.7	161124.8		J	2060.8	150.5	23.0	12131.1	2
7228.3	128890.5	Min	I	-579.9	-82.2	-63.5	-6904.1	-2
5684.3	-54199.6		J	-579.9	-82.2	-63.5	-6904.1	-
9582.5	-79622.8	C1-C2;~2 Max	I	918.8	153.2	10.5	10994.5	
4553.0	151502.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1260.4	120435.5		J	918.8	153.2	10.5	10994.5	1
		Min	I	-256.6	-82.3	-25.8	-6477.2	-1
0264.0	-35148.8		J	-256.6	-82.3	-25.8	-6477.2	-
4225.0	-61737.8							
		C3-C4;~2 Max	I	1033.6	105.3	12.3	7777.6	
5318.5	113512.5		J	1033.6	105.3	12.3	7777.6	1
4838.8	86149.3	Min	I	-296.2	-50.6	-34.2	-4240.8	-1
3682.4	-30204.8		J	-296.2	-50.6	-34.2	-4240.8	-
4975.1	-49424.3							
		G1	I	1925.5	-3.6	-30.3	164.5	-1
2882.2	-8873.7		J	1925.5	-3.6	-25.7	164.5	1
0481.9	-5906.6							
		G2	I	748.7	-10.0	-10.9	-280.7	-
4923.5	-11903.0		J	748.7	-10.0	-10.9	-280.7	-
4136.5	-3558.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-347.8	6.2	-7.0	179.7	-
2805.9	506.0		J	-347.8	6.2	-7.0	179.7	-
3038.3	-4696.9							
		Q5_pc Y	I	317.0	3.9	1.1	186.9	
371.5	5151.8		J	317.0	3.9	1.1	186.9	
-536.5	1884.1							
		Q5_ps X	I	-342.0	8.8	-6.3	272.9	-
2511.1	3480.7		J	-342.0	8.8	-6.3	272.9	-
2782.4	-3890.8							
		Q5_ps Y	I	293.0	5.5	1.3	219.0	
493.7	6611.0		J	293.0	5.5	1.3	219.0	
-620.5	2066.6							
		INVSLU Max	I	8532.3	280.0	28.4	18701.8	1
0591.4	223412.9		J	8532.3	280.0	34.7	18701.8	3
9445.9	182014.5	Min	I	4341.3	-188.6	-101.0	-16084.1	-4
2116.9	-153406.1		J	4341.3	-188.6	-94.7	-16084.1	-1
5717.8	-185591.1							
		INVSLE Max	I	6327.3	206.7	21.6	13795.4	
8031.2	164706.7		J	6327.3	206.7	26.2	13795.4	2
8587.8	134294.4	Min	I	3269.3	-139.6	-73.4	-11947.0	-3
0637.9	-113731.5							


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1869.1	-137379.8			J	3269.3	-139.6	-68.7	-11947.0	-1	
5097	2	83	C1-C2;~1	Max	I	1686.5	350.7	29.4	21534.1	1
1830.8	172145.2			J	1686.5	350.7	29.4	21534.1	1	
9463.7	49742.5			Min	I	-535.7	-54.3	-45.7	-7836.9	-1
8679.1	-93884.0			J	-535.7	-54.3	-45.7	-7836.9	-1	
2704.1	-187058.2									
			C3-C4;~1	Max	I	1892.0	264.4	28.2	16010.2	1
1754.8	128882.0			J	1892.0	264.4	28.2	16010.2	2	
6947.0	47358.9			Min	I	-616.6	-54.1	-63.4	-7002.2	-2
5919.5	-79625.9			J	-616.6	-54.1	-63.4	-7002.2	-1	
1804.8	-151490.7									
			C1-C2;~2	Max	I	856.0	245.2	16.6	15010.1	
6793.8	120426.0			J	856.0	245.2	16.6	15010.1	1	
0182.0	27469.3			Min	I	-282.4	-25.2	-23.9	-4991.8	-
9773.6	-61740.0			J	-282.4	-25.2	-23.9	-4991.8	-	
7047.4	-124885.2									
			C3-C4;~2	Max	I	955.7	184.2	15.5	11154.7	
6654.9	86141.7			J	955.7	184.2	15.5	11154.7	1	
4015.7	20597.2			Min	I	-324.0	-23.3	-33.0	-4093.6	-1
3473.4	-49426.3			J	-324.0	-23.3	-33.0	-4093.6	-	
6284.4	-101382.3									
			G1	I	1690.5	-11.4	-31.0	-167.5	-1	
2920.7	-5904.9			J	1690.5	-11.4	-26.4	-167.5	1	
0972.6	3599.3									
			G2	I	659.4	-30.0	-12.4	-916.5	-	
5416.4	-3557.1			J	659.4	-30.0	-12.4	-916.5		
4923.8	21410.4									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-317.6	24.0	-7.7	753.2	-
3073.0	-4710.0			J	-317.6	24.0	-7.7	753.2		
3340.8	-24745.2									
			Q5_pc	Y	I	305.5	12.2	2.3	409.9	
822.3	1888.4			J	305.5	12.2	2.3	409.9	-	
1100.7	-8305.0									
			Q5_ps	X	I	-311.8	31.3	-6.5	1009.2	-
2568.1	-3903.6									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2817.5	-29964.7		J	-311.8	31.3	-6.5	1009.2	
1043.5	2070.4	Q5_ps Y	I	283.0	16.7	2.8	544.8	
1312.4	-11878.2		J	283.0	16.7	2.8	544.8	-
5348.6	182023.3	INVS LU Max	I	7741.0	394.2	42.5	25177.1	1
6852.4	118843.7		J	7741.0	394.2	48.7	25177.1	3
1145.7	-185594.0	Min	I	3782.7	-195.8	-96.6	-15829.6	-4
2689.9	-245378.5		J	3782.7	-195.8	-90.4	-15829.6	-2
1622.5	134300.2	INVS LE Max	I	5743.9	289.3	32.2	18525.0	1
6533.6	87136.2		J	5743.9	289.3	36.8	18525.0	2
9815.3	-137380.9	Min	I	2854.2	-144.6	-69.9	-11749.9	-2
7126.5	-179358.8		J	2854.2	-144.6	-65.3	-11749.9	-1
5098	2	83 C1-C2;~1 Max	I	1550.3	45.9	26.8	7575.6	1
0392.1	49775.4		J	1550.3	45.9	26.8	7575.6	2
6872.9	152323.5	Min	I	-560.8	-329.1	-60.2	-22957.5	-2
5244.3	-187032.1		J	-560.8	-329.1	-60.2	-22957.5	-1
2805.3	-82017.8							
1282.5	47416.0	C3-C4;~1 Max	I	1732.5	48.4	28.9	7494.0	1
4074.7	111203.9		J	1732.5	48.4	28.9	7494.0	3
1841.7	-151468.3	Min	I	-653.4	-249.8	-76.1	-17387.9	-3
3776.2	-67670.6		J	-653.4	-249.8	-76.1	-17387.9	-1
5244.2	27481.0	C1-C2;~2 Max	I	790.9	21.0	13.6	4780.0	
4807.3	106406.9		J	790.9	21.0	13.6	4780.0	1
3910.0	-124853.7	Min	I	-302.0	-230.9	-33.2	-16086.9	-1
6542.7	-53388.5		J	-302.0	-230.9	-33.2	-16086.9	-
5717.4	20628.5	C3-C4;~2 Max	I	879.1	21.0	14.8	4266.7	
8489.4	73103.8		J	879.1	21.0	14.8	4266.7	1
7225.1	-101355.9	Min	I	-352.4	-174.5	-41.3	-12158.2	-1
7067.8	-41237.7		J	-352.4	-174.5	-41.3	-12158.2	-
2874.9	3607.4	G1	I	1475.0	7.4	-30.1	652.7	-1
1147.0	-2818.4		J	1475.0	7.4	-25.3	652.7	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

4621.4	21412.3	G2	I	577.0	25.8	-10.2	1335.0	-
4218.7	-936.0		J	577.0	25.8	-10.2	1335.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
4097.4	-24721.9	Q5_pc X	I	-275.7	-23.6	-9.9	-978.1	-
4498.5	-4282.2		J	-275.7	-23.6	-9.9	-978.1	
865.9	-8255.4	Q5_pc Y	I	290.7	-10.8	2.4	-506.3	
1230.7	1080.0		J	290.7	-10.8	2.4	-506.3	-
3896.3	-29942.2	Q5_ps X	I	-270.9	-29.8	-9.4	-1280.6	-
4270.4	-4138.3		J	-270.9	-29.8	-9.4	-1280.6	
873.0	-11830.6	Q5_ps Y	I	269.5	-14.8	2.4	-722.5	
1225.4	998.3		J	269.5	-14.8	2.4	-722.5	-
5517.7	119008.6	INVSLU Max	I	6974.9	188.1	43.9	14959.2	1
7410.9	151225.9		J	6974.9	188.1	50.4	14959.2	4
0075.4	-245180.8	Min	I	3230.8	-364.1	-115.8	-28021.0	-5
5285.1	-172842.9		J	3230.8	-364.1	-109.4	-28021.0	-2
1807.4	87263.5	INVSLE Max	I	5177.3	138.9	33.3	11026.3	1
4120.6	111522.6		J	5177.3	138.9	38.1	11026.3	3
6233.8	-179210.2	Min	I	2442.6	-267.0	-83.7	-20680.5	-3
9128.5	-127957.4		J	2442.6	-267.0	-78.9	-20680.5	-1
5099	2	83 C1-C2;~1 Max	I	1375.4	115.1	44.1	8818.2	1
6087.8	152333.0		J	1375.4	115.1	44.1	8818.2	3
6341.7	162066.3	Min	I	-559.9	-172.0	-75.6	-19603.8	-2
9176.4	-82016.5		J	-559.9	-172.0	-75.6	-19603.8	-2
2147.6	-47045.3							
7052.5	111211.5	C3-C4;~1 Max	I	1541.3	78.1	46.8	7259.9	1
8350.5	118495.9		J	1541.3	78.1	46.8	7259.9	4
9186.2	-67670.0	Min	I	-660.4	-118.4	-101.1	-14489.6	-3
3468.0	-40455.4		J	-660.4	-118.4	-101.1	-14489.6	-2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8224.1	106413.2	C1-C2;~2	Max	I	701.6	79.3	22.7	5746.7	
				J	701.6	79.3	22.7	5746.7	1
9316.3	115189.6		Min	I	-307.6	-120.2	-40.2	-13719.8	-1
5467.5	-53387.3			J	-307.6	-120.2	-40.2	-13719.8	-1
1434.3	-30172.8								
8759.9	73109.2	C3-C4;~2	Max	I	780.8	49.4	24.2	4213.1	
				J	780.8	49.4	24.2	4213.1	2
5575.2	83984.4		Min	I	-365.2	-82.2	-53.4	-10101.2	-2
0671.8	-41236.6			J	-365.2	-82.2	-53.4	-10101.2	-1
2170.3	-23466.9								
4515.2	-2817.5	G1		I	1261.4	-0.1	-36.1	417.6	-1
				J	1261.4	-0.1	-31.3	417.6	1
4627.9	-2720.6								
5825.9	-936.6	G2		I	494.6	5.7	-13.7	808.6	-
				J	494.6	5.7	-13.7	808.6	
6060.5	-5849.1								
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
5340.9	-4292.1	Q5_pc	X	I	-218.7	-7.3	-14.0	-520.5	-
				J	-218.7	-7.3	-14.0	-520.5	
6815.5	1989.5								
2156.0	1084.2	Q5_pc	Y	I	262.5	-2.1	6.0	-310.1	
				J	262.5	-2.1	6.0	-310.1	-
3069.1	2942.5								
4812.6	-4147.4	Q5_ps	X	I	-216.0	-8.7	-12.8	-689.5	-
				J	-216.0	-8.7	-12.8	-689.5	
6226.4	3345.6								
2273.4	1002.4	Q5_ps	Y	I	242.9	-3.1	6.3	-439.5	
				J	242.9	-3.1	6.3	-439.5	-
3144.3	3716.6								
9217.2	151244.4	INVSLU	Max	I	6068.9	190.4	81.2	14739.0	2
				J	6068.9	190.4	87.7	14739.0	6
5312.7	138521.1		Min	I	2624.1	-210.3	-143.7	-24567.6	-5
6318.7	-172853.3			J	2624.1	-210.3	-137.2	-24567.6	-4
3910.2	-149076.0								
2214.4	111535.6	INVSLE	Max	I	4503.4	140.8	61.7	10870.5	2
				J	4503.4	140.8	66.5	10870.5	4

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6676.5	102007.8		Min	I	1986.7	-155.1	-103.0	-18176.2	-4
0433.4	-127964.4			J	1986.7	-155.1	-98.2	-18176.2	-3
3320.6	-110634.8								
5100	2	69	C1-C2;~1	Max	I	1150.1	158.8	8.3	1791.1
3375.9	162066.0			J	1150.1	158.8	8.3	1791.1	
7950.3	132821.0								
			Min	I	-525.7	-165.9	-16.9	-2206.8	-
6705.8	-47044.3			J	-525.7	-165.9	-16.9	-2206.8	-
3818.3	-22406.6								
			C3-C4;~1	Max	I	1284.1	110.8	8.8	1375.1
3564.4	118496.1			J	1284.1	110.8	8.8	1375.1	1
0572.6	99053.9								
			Min	I	-619.6	-115.6	-22.5	-1543.9	-
8934.2	-40454.9			J	-619.6	-115.6	-22.5	-1543.9	-
4022.2	-22516.1								
			C1-C2;~2	Max	I	589.7	111.9	4.2	1219.7
1723.3	115189.2			J	589.7	111.9	4.2	1219.7	
4254.6	94437.8								
			Min	I	-292.8	-117.1	-9.0	-1535.8	-
3580.5	-30171.9			J	-292.8	-117.1	-9.0	-1535.8	-
1947.1	-13038.3								
			C3-C4;~2	Max	I	653.5	74.6	4.5	871.4
1825.8	83984.3			J	653.5	74.6	4.5	871.4	
5628.7	70183.6								
			Min	I	-346.8	-77.1	-12.0	-1063.1	-
4746.4	-23466.2			J	-346.8	-77.1	-12.0	-1063.1	-
2058.3	-11365.7								
			G1	I	985.6	-0.6	-10.3	40.5	-
3706.2	-2721.1			J	985.6	-0.6	-8.1	40.5	
4244.9	-2222.1								
			G2	I	386.3	0.6	-3.7	38.8	-
1428.4	-5849.6			J	386.3	0.6	-3.7	38.8	
1762.5	-6344.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-168.6	-1.9	-2.8	-13.3
1135.3	1974.9			J	-168.6	-1.9	-2.8	-13.3	
1257.5	3658.4								
			Q5_pc	Y	I	226.1	-0.1	1.1	-11.7
447.8	2949.6			J	226.1	-0.1	1.1	-11.7	
-465.2	3067.5								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1029.8	3331.9	Q5_ps X	I	-166.6	-2.1	-2.5	-19.2	-
1138.5	5122.6		J	-166.6	-2.1	-2.5	-19.2	
469.6	3723.4	Q5_ps Y	I	209.6	-0.3	1.1	-18.0	
-493.5	3999.2		J	209.6	-0.3	1.1	-18.0	
5514.9	138535.0	INVS LU Max	I	4975.0	202.5	13.4	3131.6	
4593.3	111498.0		J	4975.0	202.5	16.3	3131.6	1
3401.7	-149073.1	Min	I	1998.0	-239.4	-33.8	-2289.5	-1
7373.2	-104792.3		J	1998.0	-239.4	-30.9	-2289.5	-
4230.3	102017.5	INVS LE Max	I	3691.4	149.8	10.3	2314.2	
0462.1	82006.2		J	3691.4	149.8	12.5	2314.2	1
9630.6	-110632.3	Min	I	1516.4	-177.3	-24.3	-1699.6	-
5641.7	-77721.1		J	1516.4	-177.3	-22.1	-1699.6	-
5101	2	69 C1-C2;~1 Max	I	1019.1	151.5	8.5	2591.2	
3583.7	132819.3		J	1019.1	151.5	8.5	2591.2	
9773.6	117921.1	Min	I	-592.1	-119.0	-22.0	-1527.7	-
9274.6	-22403.8		J	-592.1	-119.0	-22.0	-1527.7	-
3735.8	-40941.2							
3750.2	99053.4	C3-C4;~1 Max	I	1113.2	102.2	8.8	1973.2	
2958.0	84511.9		J	1113.2	102.2	8.8	1973.2	1
2334.2	-22514.1	Min	I	-691.2	-80.7	-29.2	-1092.0	-1
3905.7	-35782.7		J	-691.2	-80.7	-29.2	-1092.0	-
1800.8	94436.5	C1-C2;~2 Max	I	532.3	106.8	4.2	1798.9	
5272.2	83597.5		J	532.3	106.8	4.2	1798.9	
4994.1	-13036.4	Min	I	-339.1	-83.5	-11.9	-1032.9	-
1877.9	-26347.1		J	-339.1	-83.5	-11.9	-1032.9	-
1890.6	70183.1	C3-C4;~2 Max	I	579.1	71.6	4.5	1307.0	
6943.7	59620.6		J	579.1	71.6	4.5	1307.0	
6598.8	-11364.4	Min	I	-395.9	-53.1	-15.6	-677.5	-
1969.3	-21217.5		J	-395.9	-53.1	-15.6	-677.5	-
		G1	I	727.3	-0.7	-15.4	25.8	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6208.0	-2221.2		J	727.3	-0.7	-13.3	25.8	
6240.9	-1626.2							
		G2	I	285.6	-3.5	-5.7	-56.7	-
2420.3	-6344.3		J	285.6	-3.5	-5.7	-56.7	
2549.1	-3323.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-155.6	2.0	-3.1	65.4	-
1358.1	3648.1		J	-155.6	2.0	-3.1	65.4	
1363.3	1882.6							
		Q5_pc Y	I	212.3	1.5	0.9	31.0	
402.5	3071.5		J	212.3	1.5	0.9	31.0	
-397.2	1788.5							
		Q5_ps X	I	-152.7	2.9	-2.8	82.6	-
1219.1	5112.9		J	-152.7	2.9	-2.8	82.6	
1223.8	2639.8							
		Q5_ps Y	I	197.6	2.0	1.0	40.3	
446.6	4003.0		J	197.6	2.0	1.0	40.3	
-442.5	2266.0							
		INVSLE Max	I	4191.1	158.9	13.4	3405.2	
5946.0	111481.7		J	4191.1	158.9	16.3	3405.2	1
8319.0	130831.0							
		Min	I	1373.1	-209.9	-43.6	-2273.0	-1
8212.6	-104784.8		J	1373.1	-209.9	-40.8	-2273.0	-
6901.0	-87021.9							
		INVSLE Max	I	3113.2	117.4	10.4	2509.6	
4616.3	81994.7		J	3113.2	117.4	12.6	2509.6	1
3152.5	96623.8							
		Min	I	1054.1	-155.5	-31.4	-1687.8	-1
3097.9	-77716.3		J	1054.1	-155.5	-29.3	-1687.8	-
5347.2	-64497.7							
		69 C1-C2;~1 Max	I	937.0	268.6	8.0	3544.8	
5102	2		J	937.0	268.6	8.0	3544.8	1
3385.2	117907.4							
		Min	I	-652.7	-38.7	-23.9	-915.9	-1
0533.3	30707.5		J	-652.7	-38.7	-23.9	-915.9	-
0198.8	-40954.1							
3552.1	-127747.8							
		C3-C4;~1 Max	I	1005.2	205.9	8.3	2706.0	
3511.2	84499.9		J	1005.2	205.9	8.3	2706.0	1
4010.8	33452.6							
		Min	I	-758.8	-44.1	-31.9	-877.8	-1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3613.6	-35798.9		J	-758.8	-44.1	-31.9	-877.8	-
3684.5	-102849.9							
1676.8	83587.0	C1-C2;~2 Max	I	495.7	187.3	4.0	2476.7	
5723.5	14798.9		J	495.7	187.3	4.0	2476.7	
5532.7	-26354.6	Min	I	-377.0	-17.9	-13.0	-562.7	-
1764.9	-84876.9		J	-377.0	-17.9	-13.0	-562.7	-
1743.5	59611.7	C3-C4;~2 Max	I	531.1	142.3	4.1	1885.0	
7548.4	14546.0		J	531.1	142.3	4.1	1885.0	
7323.1	-21226.8	Min	I	-437.0	-19.1	-17.2	-486.1	-
1834.9	-67913.0		J	-437.0	-19.1	-17.2	-486.1	-
7414.7	-1635.2	G1	I	530.2	-5.1	-18.0	5.6	-
7247.9	2782.0		J	530.2	-5.1	-15.9	5.6	
2953.4	-3325.5	G2	I	207.4	-21.9	-6.9	-161.5	-
3004.1	15643.9		J	207.4	-21.9	-6.9	-161.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1354.2	1866.0	Q5_pc X	I	-140.5	17.7	-3.1	157.1	-
1343.9	-13482.2		J	-140.5	17.7	-3.1	157.1	
383.2	1794.4	Q5_pc Y	I	203.9	10.3	0.9	80.9	
-394.3	-7105.0		J	203.9	10.3	0.9	80.9	
1183.7	2623.8	Q5_ps X	I	-136.6	22.8	-2.7	201.3	-
1175.6	-17148.3		J	-136.6	22.8	-2.7	201.3	
451.4	2271.4	Q5_ps Y	I	190.9	13.9	1.1	108.8	
-461.2	-9731.9		J	190.9	13.9	1.1	108.8	
5447.9	130808.7	INVSLU Max	I	3640.7	274.3	12.5	4056.8	
9681.2	117518.8		J	3640.7	274.3	15.4	4056.8	1
0108.1	-87013.1	Min	I	892.4	-179.7	-47.4	-2248.1	-2
6626.5	-124369.7		J	892.4	-179.7	-44.5	-2248.1	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4296.9	96609.0	INVSLE Max	I	2707.0	200.9	9.9	2981.2	
			J	2707.0	200.9	12.0	2981.2	1
4113.5	86960.9	Min	I	698.4	-133.1	-34.1	-1668.1	-1
4452.9	-64491.7		J	698.4	-133.1	-31.9	-1668.1	-
5194.5	-90418.1							
5103	2	69 C1-C2;~1 Max	I	869.5	39.1	7.8	900.9	
3318.9	30751.1		J	869.5	39.1	7.8	900.9	1
1193.2	117453.6	Min	I	-713.3	-271.2	-25.5	-3501.5	-1
0892.4	-128003.8		J	-713.3	-271.2	-25.5	-3501.5	-
3457.0	-39239.7							
		C3-C4;~1 Max	I	922.0	44.7	8.1	964.8	
3446.1	33513.9		J	922.0	44.7	8.1	964.8	1
4611.3	83920.3	Min	I	-830.9	-207.7	-33.4	-2666.3	-1
4276.7	-103110.5		J	-830.9	-207.7	-33.4	-2666.3	-
3588.9	-33948.1							
		C1-C2;~2 Max	I	463.4	18.1	3.9	561.0	
1661.2	14815.4		J	463.4	18.1	3.9	561.0	
6105.9	83388.2	Min	I	-413.4	-188.9	-13.9	-2470.6	-
5932.9	-85001.8		J	-413.4	-188.9	-13.9	-2470.6	-
1719.5	-25223.3							
		C3-C4;~2 Max	I	491.6	19.5	4.1	538.9	
1727.1	14584.2		J	491.6	19.5	4.1	538.9	
7912.7	59197.8	Min	I	-479.5	-143.3	-18.1	-1871.7	-
7720.8	-68053.1		J	-479.5	-143.3	-18.1	-1871.7	-
1787.2	-20153.3							
		G1	I	365.1	3.6	-19.4	85.9	-
8058.0	2520.4		J	365.1	3.6	-17.3	85.9	
7805.6	-625.1							
		G2	I	142.6	21.1	-7.2	211.1	-
3095.8	15539.8		J	142.6	21.1	-7.2	211.1	
3111.5	-2689.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-121.1	-18.4	-3.1	-147.9	-
1341.1	-13576.5		J	-121.1	-18.4	-3.1	-147.9	
1332.5	2369.4							
		Q5_pc Y	I	196.5	-10.1	0.7	-91.3	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
304.0	-7083.5			J	196.5	-10.1	0.7	-91.3	
-326.9	1623.1								
			Q5_ps X	I	-117.3	-23.4	-2.8	-193.3	-
1218.3	-17235.2			J	-117.3	-23.4	-2.8	-193.3	
1212.9	2987.9								
			Q5_ps Y	I	184.6	-13.6	0.8	-126.8	
345.1	-9709.2			J	184.6	-13.6	0.8	-126.8	
-365.0	2057.2								
			INVS LU Max	I	3158.7	137.5	12.4	2431.1	
5386.9	117712.8			J	3158.7	137.5	15.3	2431.1	2
0341.7	168576.6		Min	I	438.6	-322.3	-49.1	-3864.8	-2
0952.9	-124773.8			J	438.6	-322.3	-46.3	-3864.8	-
6627.1	-47224.3								
			INVS LE Max	I	2349.8	101.0	10.0	1790.5	
4299.6	87113.6			J	2349.8	101.0	12.1	1790.5	1
4550.4	125230.9		Min	I	361.1	-237.1	-35.2	-2853.3	-1
5032.5	-90695.9			J	361.1	-237.1	-33.1	-2853.3	-
5248.8	-34305.7								
		5104	2	69 C1-C2;~1 Max	I	816.0	114.0	7.9	1517.6
3349.8	117457.3			J	816.0	114.0	7.9	1517.6	1
1292.9	130535.2								
			Min	I	-795.6	-146.6	-25.9	-2589.1	-1
1088.3	-39241.5			J	-795.6	-146.6	-25.9	-2589.1	-
3484.6	-24267.5								
			C3-C4;~1 Max	I	857.9	76.7	8.2	1188.0	
3471.4	83924.0			J	857.9	76.7	8.2	1188.0	1
4738.6	97238.1		Min	I	-935.3	-102.2	-33.8	-1881.6	-1
4552.8	-33951.6			J	-935.3	-102.2	-33.8	-1881.6	-
3609.9	-21853.4								
			C1-C2;~2 Max	I	436.9	80.0	3.9	1028.7	
1683.3	83391.3			J	436.9	80.0	3.9	1028.7	
6199.5	92903.0		Min	I	-459.8	-103.2	-14.2	-1815.1	-
6078.3	-25223.6			J	-459.8	-103.2	-14.2	-1815.1	-
1734.8	-14710.6								
			C3-C4;~2 Max	I	460.3	50.3	4.1	727.4	
1747.1	59201.0			J	460.3	50.3	4.1	727.4	
8017.5	68832.0		Min	I	-538.0	-69.1	-18.4	-1310.9	-
7905.3	-20154.6			J	-538.0	-69.1	-18.4	-1310.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1799.8	-11316.9								
		G1	I	197.5	-0.7	-19.7	68.6	-	
8256.2	-634.8		J	197.5	-0.7	-17.6	68.6		
7868.0	-46.6								
		G2	I	77.4	2.7	-7.4	111.2	-	
3228.5	-2694.8		J	77.4	2.7	-7.4	111.2		
3188.4	-5043.4								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-108.8	-3.0	-2.9	-64.8	-	
1253.1	2356.7		J	-108.8	-3.0	-2.9	-64.8		
1227.1	4941.2								
		Q5_pc Y	I	190.9	-1.2	0.9	-43.5		
360.9	1628.3		J	190.9	-1.2	0.9	-43.5		
-393.3	2656.7								
		Q5_ps X	I	-105.1	-3.6	-2.5	-84.6	-	
1112.6	2976.2		J	-105.1	-3.6	-2.5	-84.6		
1092.5	6108.1								
		Q5_ps Y	I	179.7	-1.7	1.0	-60.9		
414.4	2062.4		J	179.7	-1.7	1.0	-60.9		
-441.6	3525.6								
		INVS LU Max	I	2675.6	167.6	14.6	2601.8		
6410.8	168563.7		J	2675.6	167.6	17.5	2601.8	1	
9468.8	179077.3								
		Min	I	-88.8	-189.7	-47.2	-3058.8	-2	
0177.3	-47221.6		J	-88.8	-189.7	-44.4	-3058.8	-	
7510.6	-38800.5								
		INVS LE Max	I	1991.0	123.4	11.8	1917.4		
5137.7	125222.7		J	1991.0	123.4	13.9	1917.4	1	
3832.8	133316.8								
		Min	I	-31.3	-140.9	-33.7	-2267.0	-1	
4390.1	-34304.1		J	-31.3	-140.9	-31.5	-2267.0	-	
5988.3	-27415.3								
5105	2	69 C1-C2;~1 Max	I	789.8	138.1	7.9	2175.9		
3346.2	130529.7		J	789.8	138.1	7.9	2175.9	1	
1019.8	131048.9								
		Min	I	-893.0	-136.7	-25.4	-1966.0	-1	
0932.2	-24266.8		J	-893.0	-136.7	-25.4	-1966.0	-	
3513.2	-25031.4								
		C3-C4;~1 Max	I	826.4	95.2	8.1	1683.3		
3461.9	97234.0								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4229.0	96949.3		J	826.4	95.2	8.1	1683.3	1
		Min	I	-1060.3	-93.7	-32.9	-1398.5	-1
4216.5	-21851.9		J	-1060.3	-93.7	-32.9	-1398.5	-
3635.5	-22801.6							
		C1-C2;~2 Max	I	421.6	98.1	3.9	1508.3	
1672.3	92898.9		J	421.6	98.1	3.9	1508.3	
6078.3	93094.4							
		Min	I	-509.5	-96.6	-14.0	-1357.1	-
6019.1	-14710.2		J	-509.5	-96.6	-14.0	-1357.1	-
1746.7	-15483.2							
		C3-C4;~2 Max	I	442.2	63.5	4.0	1098.4	
1732.8	68829.0		J	442.2	63.5	4.0	1098.4	
7771.4	68434.9							
		Min	I	-600.9	-63.4	-17.9	-897.3	-
7751.9	-11315.9		J	-600.9	-63.4	-17.9	-897.3	-
1810.6	-12018.3							
		G1	I	30.5	-1.0	-18.8	67.6	-
7963.0	-45.3		J	30.5	-1.0	-16.7	67.6	
7430.6	861.2							
		G2	I	10.8	-0.4	-7.1	30.8	-
3102.4	-5042.6		J	10.8	-0.4	-7.1	30.8	
3004.7	-4726.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-102.7	-0.6	-2.6	-0.3	-
1166.7	4928.0		J	-102.7	-0.6	-2.6	-0.3	
1115.6	5450.0							
		Q5_pc Y	I	185.6	-0.0	1.0	-6.6	
419.0	2662.2		J	185.6	-0.0	1.0	-6.6	
-460.1	2690.2							
		Q5_ps X	I	-98.1	-0.6	-2.3	-0.8	-
1038.6	6095.5		J	-98.1	-0.6	-2.3	-0.8	
995.8	6579.9							
		Q5_ps Y	I	175.7	-0.1	1.1	-9.9	
462.9	3530.8		J	175.7	-0.1	1.1	-9.9	
-497.2	3583.3							
		INVSLU Max	I	2207.1	187.4	16.2	2968.2	
7084.9	179062.4		J	2207.1	187.4	19.1	2968.2	1
7835.3	179862.1							
		Min	I	-674.0	-184.7	-43.8	-2635.2	-1
8881.0	-38783.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8289.9	-40656.4		J	-674.0	-184.7	-41.0	-2635.2	-
5717.7	133306.6	INVSLE Max	I	1642.5	138.7	13.2	2182.9	
2560.1	133952.2		J	1642.5	138.7	15.3	2182.9	1
3360.8	-27403.5	Min	I	-466.9	-136.9	-31.0	-1966.9	-1
6643.1	-28668.2		J	-466.9	-136.9	-28.9	-1966.9	-
5106	2	69 C1-C2;~1 Max	I	763.9	148.2	8.3	2824.3	
3430.5	131055.3		J	763.9	148.2	8.3	2824.3	1
0638.6	114795.0	Min	I	-1005.5	-107.5	-24.5	-1335.3	-1
0557.0	-25031.4		J	-1005.5	-107.5	-24.5	-1335.3	-
3759.3	-37104.5							
3544.5	96954.4	C3-C4;~1 Max	I	797.3	101.2	8.6	2115.0	
3515.5	81376.4		J	797.3	101.2	8.6	2115.0	1
3548.8	-22802.2	Min	I	-1195.5	-70.8	-31.3	-954.2	-1
3886.5	-31963.7		J	-1195.5	-70.8	-31.3	-954.2	-
1713.9	93098.9	C1-C2;~2 Max	I	405.8	105.9	4.2	1967.7	
5940.3	81588.2		J	405.8	105.9	4.2	1967.7	
5880.1	-15483.0	Min	I	-570.4	-75.8	-13.7	-886.2	-
1896.8	-24845.1		J	-570.4	-75.8	-13.7	-886.2	-
1773.4	68438.4	C3-C4;~2 Max	I	424.6	71.8	4.3	1462.5	
7473.5	57377.0		J	424.6	71.8	4.3	1462.5	
7476.0	-12018.5	Min	I	-671.7	-46.9	-17.3	-565.7	-
1964.0	-19525.3		J	-671.7	-46.9	-17.3	-565.7	-
7126.3	861.3	G1	I	-130.7	-0.6	-16.8	76.6	-
6496.6	1357.5		J	-130.7	-0.6	-14.7	76.6	
2759.7	-4726.5	G2	I	-51.8	-2.6	-6.2	-45.3	-
2623.5	-2450.1		J	-51.8	-2.6	-6.2	-45.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1000.4	5437.6	Q5_pc X	I	-97.2	1.1	-2.2	62.5	-
			J	-97.2	1.1	-2.2	62.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
933.8	4517.4							
		Q5_pc	Y	I	176.9	0.8	1.3	30.2
519.4	2695.0			J	176.9	0.8	1.3	30.2
-582.9	2014.3							
		Q5_ps	X	I	-92.2	1.6	-2.0	80.9
-893.7	6568.2			J	-92.2	1.6	-2.0	80.9
837.6	5182.6							
		Q5_ps	Y	I	168.0	1.1	1.3	41.2
546.4	3587.9			J	168.0	1.1	1.3	41.2
-600.5	2598.3							
		INVS LU	Max	I	1736.1	199.7	20.4	3431.3
8658.3	179856.2			J	1736.1	199.7	23.3	3431.3
4888.0	158229.6		Min	I	-1272.6	-147.4	-37.4	-2296.7
6218.5	-40648.4			J	-1272.6	-147.4	-34.5	-2296.7
0285.8	-54966.1							
		INVS LE	Max	I	1291.1	148.5	16.5	2500.0
6986.0	133948.4			J	1291.1	148.5	18.7	2500.0
0272.8	117418.1		Min	I	-914.0	-108.5	-26.0	-1734.6
1307.9	-28663.3			J	-914.0	-108.5	-23.9	-1734.6
8249.9	-39902.3							
5107	2	69 C1-C2;~1	Max	I	752.7	273.8	8.1	3591.5
3534.6	114780.0			J	752.7	273.8	8.1	3591.5
7608.3	23617.9		Min	I	-1139.6	-33.7	-18.7	-575.8
8612.1	-37107.3			J	-1139.6	-33.7	-18.7	-575.8
3503.5	-135996.1							
		C3-C4;~1	Max	I	783.3	210.7	8.4	2767.6
3650.5	81362.6			J	783.3	210.7	8.4	2767.6
9896.2	31742.4		Min	I	-1358.4	-45.6	-24.4	-588.1
1209.9	-31966.2			J	-1358.4	-45.6	-24.4	-588.1
3620.9	-110743.7							
		C1-C2;~2	Max	I	397.6	190.6	4.2	2503.2
1800.4	81578.7			J	397.6	190.6	4.2	2503.2
4215.1	11089.8		Min	I	-642.6	-15.9	-10.4	-319.8
4764.9	-24848.0			J	-642.6	-15.9	-10.4	-319.8
1802.7	-92100.6							
		C3-C4;~2	Max	I	414.7	144.9	4.3	1915.4
1862.1	57368.2			J	414.7	144.9	4.3	1915.4
5480.4	14102.7							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6180.4	-19528.2		Min	I	-756.6	-20.3	-13.5	-268.9	-
				J	-756.6	-20.3	-13.5	-268.9	-
1866.0	-74151.2								
			G1	I	-306.5	1.8	-12.2	101.5	-
5479.2	1354.4			J	-306.5	1.8	-10.1	101.5	
4191.9	-173.7								
			G2	I	-121.6	-17.8	-4.5	-133.5	-
2149.0	-2450.3			J	-121.6	-17.8	-4.5	-133.5	
1748.2	13000.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-92.7	14.9	-1.5	144.5	
-707.0	4502.0			J	-92.7	14.9	-1.5	144.5	
553.7	-8398.0								
			Q5_pc Y	I	171.1	9.3	1.5	80.9	
655.1	2020.7			J	171.1	9.3	1.5	80.9	
-656.4	-6013.8								
			Q5_ps X	I	-86.8	19.4	-1.3	188.9	
-611.0	5167.7			J	-86.8	19.4	-1.3	188.9	
475.6	-11592.7								
			Q5_ps Y	I	163.6	12.8	1.6	112.7	
675.4	2604.2			J	163.6	12.8	1.6	112.7	
-667.2	-8512.6								
			INVSLU Max	I	1405.0	324.5	24.9	4036.4	1
0886.9	158207.1			J	1405.0	324.5	27.8	4036.4	
7440.2	100228.4								
			Min	I	-1794.3	-133.4	-22.0	-1866.1	-1
0447.2	-54944.4			J	-1794.3	-133.4	-19.2	-1866.1	-1
1989.4	-141335.0								
			INVSLE Max	I	1048.3	237.0	20.2	2910.6	
8802.3	117403.5			J	1048.3	237.0	22.3	2910.6	
4662.7	76300.4								
			Min	I	-1298.7	-100.3	-14.4	-1442.3	-
6906.5	-39886.2			J	-1298.7	-100.3	-12.3	-1442.3	-
9642.0	-101515.7								
			69 C1-C2;~1 Max	I	548.7	31.3	4.0	468.5	
5108	2			J	548.7	31.3	4.0	468.5	
1962.4	23732.4								
			Min	I	-853.0	-142.3	-9.6	-1388.4	-
3800.0	58815.3			J	-853.0	-142.3	-9.6	-1388.4	-
4548.8	-136259.5								
1507.9	-27205.1								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2034.0	31840.1	C3-C4;~1	Max	I	570.0	42.6	4.2	515.3	
				J	570.0	42.6	4.2	515.3	
4629.0	43655.4		Min	I	-1025.7	-124.4	-11.8	-1029.0	-
5552.4	-110981.2			J	-1025.7	-124.4	-11.8	-1029.0	-
1562.1	-23121.6								
		C1-C2;~2	Max	I	289.3	14.7	2.1	291.6	
1011.9	11152.5			J	289.3	14.7	2.1	291.6	
2167.5	41082.2		Min	I	-477.4	-93.3	-5.5	-948.6	-
2572.3	-92255.8			J	-477.4	-93.3	-5.5	-948.6	
-775.0	-18315.6								
		C3-C4;~2	Max	I	301.2	18.9	2.1	275.1	
1050.9	14159.8			J	301.2	18.9	2.1	275.1	
2622.7	30215.5		Min	I	-567.6	-81.1	-6.6	-689.3	-
3114.6	-74289.2			J	-567.6	-81.1	-6.6	-689.3	
-804.5	-14151.0								
		G1		I	-281.0	-1.2	-6.0	28.6	-
2454.4	-285.3			J	-281.0	-1.2	-3.8	28.6	
1786.0	718.3								
		G2		I	-110.0	17.4	-1.8	134.9	
-868.2	12957.8			J	-110.0	17.4	-1.8	134.9	
730.9	-2083.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-62.3	-12.9	-0.6	-97.2	
-299.5	-8447.2			J	-62.3	-12.9	-0.6	-97.2	
223.0	2695.8								
		Q5_pc	Y	I	129.8	-8.7	0.7	-63.5	
373.6	-5978.3			J	129.8	-8.7	0.7	-63.5	
-260.7	1560.7								
		Q5_ps	X	I	-57.6	-17.1	-0.6	-124.0	
-282.6	-11639.2			J	-57.6	-17.1	-0.6	-124.0	
213.2	3157.0								
		Q5_ps	Y	I	124.6	-12.1	0.7	-88.5	
358.3	-8478.8			J	124.6	-12.1	0.7	-88.5	
-248.2	1985.3								
		INVSLU	Max	I	424.1	132.1	12.5	871.6	
7103.4	100725.3			J	424.1	132.1	15.4	871.6	

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

3823.5	77431.2		Min	I	-1963.6	-140.7	-10.3	-1873.3	-
3810.7	-141414.2			J	-1963.6	-140.7	-7.4	-1873.3	-
5003.6	-43548.7								
		INVSLE	Max	I	279.4	101.0	10.2	640.0	
5740.3	76701.8			J	279.4	101.0	12.3	640.0	
2488.2	56331.9		Min	I	-1472.0	-99.4	-6.6	-1380.3	-
2294.4	-101534.4			J	-1472.0	-99.4	-4.5	-1380.3	-
4015.6	-32923.4								
5109	2	69	C1-C2;~1	Max	I	340.7	42.5	1.9	562.4
836.7	58815.2			J	340.7	42.5	1.9	562.4	
2340.7	35580.7		Min	I	-519.6	-30.0	-5.5	-655.0	-
2411.8	-27201.7			J	-519.6	-30.0	-5.5	-655.0	
-781.9	-3961.2								
		C3-C4;~1	Max	I	353.8	30.5	1.9	490.7	
865.6	43654.6			J	353.8	30.5	1.9	490.7	
2998.7	25033.6		Min	I	-628.6	-22.7	-7.0	-455.1	-
3072.9	-23120.9			J	-628.6	-22.7	-7.0	-455.1	
-808.5	-6964.9								
		C1-C2;~2	Max	I	180.0	30.0	0.9	378.6	
421.0	41082.7			J	180.0	30.0	0.9	378.6	
1322.3	24790.0		Min	I	-290.0	-20.6	-3.1	-446.5	-
1356.7	-18313.6			J	-290.0	-20.6	-3.1	-446.5	
-393.1	-1966.9								
		C3-C4;~2	Max	I	187.3	20.5	1.0	296.4	
435.9	30215.5			J	187.3	20.5	1.0	296.4	
1693.1	17104.6		Min	I	-347.2	-14.7	-3.9	-302.9	-
1718.1	-14150.6			J	-347.2	-14.7	-3.9	-302.9	
-406.9	-3352.3								
		G1		I	-173.9	0.1	-4.5	46.1	-
1676.3	716.2			J	-173.9	0.1	-2.4	46.1	
1315.4	637.1								
		G2		I	-70.7	0.2	-1.4	56.6	
-605.3	-2085.0			J	-70.7	0.2	-1.4	56.6	
577.6	-2283.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-138.9	2682.8	Q5_pc X	I	-33.2	0.3	-0.3	-26.4
			J	-33.2	0.3	-0.3	-26.4
114.9	2416.0						
170.3	1566.9	Q5_pc Y	I	91.2	0.2	0.3	-19.4
			J	91.2	0.2	0.3	-19.4
-130.9	1437.0						
-120.5	3144.9	Q5_ps X	I	-30.0	0.2	-0.3	-33.4
			J	-30.0	0.2	-0.3	-33.4
101.2	2930.9						
172.5	1991.3	Q5_ps Y	I	87.7	0.1	0.4	-27.7
			J	87.7	0.1	0.4	-27.7
-132.2	1881.3						
2596.7	77426.7	INVS LU Max	I	-530.3	71.9	4.2	794.7
			J	-530.3	71.9	7.1	794.7
3058.1	33464.6	Min	I	-2020.6	-26.5	-8.5	-896.3
			J	-2020.6	-26.5	-5.6	-896.3
3026.7	-43525.2						
2317.3	-28320.7						
2116.9	56330.3	INVS LE Max	I	-469.1	54.8	3.5	582.5
			J	-469.1	54.8	5.7	582.5
2099.9	22468.8	Min	I	-1560.8	-18.1	-5.8	-666.6
			J	-1560.8	-18.1	-3.7	-666.6
2025.9	-32905.9						
1864.4	-22976.0						
5110	2	69 C1-C2;~1 Max	I	249.3	24.0	1.1	681.8
438.3	35577.3		J	249.3	24.0	1.1	681.8
1744.9	35357.6	Min	I	-389.7	-20.7	-3.9	-492.5
			J	-389.7	-20.7	-3.9	-492.5
1628.6	-3961.0						
-471.3	-5068.1						
455.8	25030.0	C3-C4;~1 Max	I	258.5	13.9	1.1	547.6
			J	258.5	13.9	1.1	547.6
2257.5	24347.8	Min	I	-469.8	-12.0	-5.0	-350.8
			J	-469.8	-12.0	-5.0	-350.8
2104.6	-6964.3						
-488.2	-6684.0						
229.9	24787.9	C1-C2;~2 Max	I	131.7	17.0	0.5	462.5
			J	131.7	17.0	0.5	462.5
996.2	24614.6	Min	I	-217.2	-14.5	-2.2	-329.3
			J	-217.2	-14.5	-2.2	-329.3
-926.9	-1967.0						
-243.1	-2827.1						
		C3-C4;~2 Max	I	136.8	9.1	0.6	341.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
238.9	17102.4			J	136.8	9.1	0.6	341.9	
1290.9	16558.8		Min	I	-258.7	-7.6	-2.9	-205.9	-
1192.2	-3352.1			J	-258.7	-7.6	-2.9	-205.9	
-251.8	-3170.9								
			G1	I	-143.7	-0.4	-3.8	49.3	-
1337.5	636.6			J	-143.7	-0.4	-1.7	49.3	
1061.4	953.4								
			G2	I	-59.5	-0.3	-1.1	23.8	
-470.0	-2283.0			J	-59.5	-0.3	-1.1	23.8	
475.9	-2040.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-21.3	0.2	-0.2	-2.8	
-92.8	2401.5			J	-21.3	0.2	-0.2	-2.8	
78.5	2265.0								
			Q5_pc Y	I	73.8	0.1	0.1	-3.5	
72.7	1442.4			J	73.8	0.1	0.1	-3.5	
-55.2	1367.3								
			Q5_ps X	I	-18.9	0.2	-0.2	-2.7	
-80.2	2917.1			J	-18.9	0.2	-0.2	-2.7	
69.1	2775.7								
			Q5_ps Y	I	71.1	0.1	0.2	-5.8	
77.0	1886.3			J	71.1	0.1	0.2	-5.8	
-58.2	1829.4								
			INVSLE Max	I	-1086.6	40.0	0.9	912.2	
976.5	33447.0			J	-1086.6	40.0	3.8	912.2	
2810.5	26553.3		Min	I	-2202.7	-20.5	-7.7	-679.4	-
2647.1	-28307.0			J	-2202.7	-20.5	-4.9	-679.4	-
1037.6	-34279.8								
			INVSLE Max	I	-897.1	30.1	0.9	658.9	
819.8	22456.7			J	-897.1	30.1	3.0	658.9	
1994.9	16918.7		Min	I	-1714.0	-14.7	-5.5	-519.6	-
1852.0	-22966.8			J	-1714.0	-14.7	-3.4	-519.6	
-845.1	-27840.8								
			69 C1-C2;~1 Max	I	204.5	15.9	0.7	787.1	
5111	2			J	204.5	15.9	0.7	787.1	
320.2	35360.5								
1450.2	43587.5		Min	I	-337.5	-27.4	-3.1	-384.5	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1283.4	-5067.8			J	-337.5	-27.4	-3.1	-384.5
-345.9	-4825.5							
		C3-C4;~1	Max	I	211.7	8.4	0.8	620.2
388.0	24350.0			J	211.7	8.4	0.8	620.2
1875.8	31020.1		Min	I	-403.5	-15.7	-4.1	-306.2
1668.1	-6684.5			J	-403.5	-15.7	-4.1	-306.2
-365.7	-7883.8							
		C1-C2;~2	Max	I	107.9	11.0	0.4	531.7
176.0	24616.6			J	107.9	11.0	0.4	531.7
839.0	30140.2		Min	I	-188.6	-19.2	-1.8	-248.4
-734.3	-2826.8			J	-188.6	-19.2	-1.8	-248.4
-187.9	-2248.3							
		C3-C4;~2	Max	I	111.9	4.8	0.4	385.0
220.1	16560.3			J	111.9	4.8	0.4	385.0
1087.9	20940.3		Min	I	-222.4	-10.2	-2.3	-172.3
-951.6	-3171.1			J	-222.4	-10.2	-2.3	-172.3
-197.6	-3538.8							
		G1		I	-137.5	-0.6	-3.4	54.1
1136.1	953.1			J	-137.5	-0.6	-1.3	54.1
899.4	1512.3							
		G2		I	-56.9	0.6	-0.9	-3.3
-388.1	-2040.9			J	-56.9	0.6	-0.9	-3.3
407.7	-2545.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-13.5	-0.5	-0.1	16.7
-68.8	2251.3			J	-13.5	-0.5	-0.1	16.7
60.1	2704.9							
		Q5_pc	Y	I	64.0	-0.5	0.1	10.7
30.0	1373.1			J	64.0	-0.5	0.1	10.7
-20.3	1764.1							
		Q5_ps	X	I	-11.7	-0.7	-0.1	23.5
-59.5	2762.9			J	-11.7	-0.7	-0.1	23.5
54.0	3396.3							
		Q5_ps	Y	I	61.7	-0.7	0.1	14.0
34.6	1835.0			J	61.7	-0.7	0.1	14.0
-23.0	2403.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
711.7	26546.1	INVSLE Max	I	-1476.9	24.2	0.1	1125.9	
			J	-1476.9	24.2	3.0	1125.9	
2408.7	36044.4	Min	I	-2422.7	-35.2	-6.7	-485.7	-
2187.7	-34266.9		J	-2422.7	-35.2	-3.8	-485.7	
-725.6	-38310.7							
588.8	16914.3	INVSLE Max	I	-1194.8	17.1	0.2	801.8	
			J	-1194.8	17.1	2.3	801.8	
1731.0	24623.0	Min	I	-1886.9	-26.9	-4.8	-389.8	-
1549.8	-27832.2		J	-1886.9	-26.9	-2.7	-389.8	
-582.7	-30094.2							
5112	2	69 C1-C2;~1 Max	I	182.6	135.0	1.2	1394.5	
563.8	43584.0		J	182.6	135.0	1.2	1394.5	
1153.5	16956.2	Min	I	-332.1	-24.9	-2.6	-203.7	-
1080.1	-4825.6		J	-332.1	-24.9	-2.6	-203.7	
-451.5	-75781.7							
627.4	31017.2	C3-C4;~1 Max	I	188.8	112.1	1.3	1058.8	
			J	188.8	112.1	1.3	1058.8	
1503.6	25785.1	Min	I	-387.3	-38.1	-3.4	-301.2	-
1419.5	-7882.5		J	-387.3	-38.1	-3.4	-301.2	
-498.0	-66275.5							
337.5	30137.7	C1-C2;~2 Max	I	96.2	88.6	0.7	937.3	
			J	96.2	88.6	0.7	937.3	
657.8	7920.9	Min	I	-187.7	-11.6	-1.5	-94.5	
-602.4	-2248.5		J	-187.7	-11.6	-1.5	-94.5	
-265.3	-48321.4							
378.2	20938.2	C3-C4;~2 Max	I	99.7	72.3	0.8	698.2	
			J	99.7	72.3	0.8	698.2	
841.5	11411.5	Min	I	-215.7	-16.8	-1.9	-133.2	
-782.1	-3538.2		J	-215.7	-16.8	-1.9	-133.2	
-294.4	-41826.0							
-986.3	1513.7	G1	I	-143.3	6.6	-3.1	89.9	
			J	-143.3	6.6	-1.0	89.9	
766.3	-4161.6							
-366.2	-2543.9	G2	I	-57.0	-13.4	-0.9	-81.6	
			J	-57.0	-13.4	-0.9	-81.6	
400.0	9035.8							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-35.2	2689.8	Q5_pc X	I	-8.3	9.6	-0.1	73.4
25.4	-5578.9		J	-8.3	9.6	-0.1	73.4
32.5	1769.7	Q5_pc Y	I	56.9	8.1	0.1	58.7
-32.0	-5272.4		J	56.9	8.1	0.1	58.7
-16.5	3381.7	Q5_ps X	I	-7.4	13.2	-0.0	102.4
7.3	-8057.2		J	-7.4	13.2	-0.0	102.4
46.9	2409.0	Q5_ps Y	I	54.3	11.4	0.1	81.7
-46.4	-7486.0		J	54.3	11.4	0.1	81.7
862.7	36022.6	INVS LU Max	I	-1730.5	119.1	0.3	1999.4
2078.1	76691.4		J	-1730.5	119.1	3.2	1999.4
1964.0	-38298.8	Min	I	-2610.7	-131.8	-6.1	-422.0
-681.6	-70465.7		J	-2610.7	-131.8	-3.2	-422.0
698.6	24607.8	INVS LE Max	I	-1386.9	80.7	0.4	1429.7
1487.6	60504.1		J	-1386.9	80.7	2.5	1429.7
1390.5	-30086.5	Min	I	-2031.4	-103.9	-4.4	-354.2
-552.4	-47757.3		J	-2031.4	-103.9	-2.3	-354.2
5113	2	69 C1-C2;~1 Max	I	163.6	24.5	0.8	176.1
337.2	16952.7		J	163.6	24.5	0.8	176.1
1404.8	41554.4	Min	I	-314.7	-131.3	-3.1	-1263.2
1276.5	-75807.9		J	-314.7	-131.3	-3.1	-1263.2
-315.6	-4338.0						
417.2	25780.1	C3-C4;~1 Max	I	169.0	37.7	0.9	315.6
1736.9	29032.9		J	169.0	37.7	0.9	315.6
1579.1	-66288.3	Min	I	-365.8	-109.5	-3.8	-938.7
-362.2	-7008.6		J	-365.8	-109.5	-3.8	-938.7
176.1	7918.8	C1-C2;~2 Max	I	86.1	11.4	0.4	80.6
828.0	28809.6		J	86.1	11.4	0.4	80.6
-735.0	-48338.3	Min	I	-178.0	-86.0	-1.8	-858.9
			J	-178.0	-86.0	-1.8	-858.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-170.5	-1986.7								
			C3-C4;~2	Max	I	89.1	16.6	0.5	139.3
216.9	11408.6				J	89.1	16.6	0.5	139.3
1026.9	19610.7								
				Min	I	-203.8	-70.5	-2.2	-622.6
-913.2	-41832.4				J	-203.8	-70.5	-2.2	-622.6
-190.8	-3049.4								
			G1		I	-147.9	-6.4	-2.9	-6.3
-887.8	-4182.7				J	-147.9	-6.4	-0.7	-6.3
682.6	1358.1								
			G2		I	-58.8	13.1	-0.6	116.2
-256.4	9027.7				J	-58.8	13.1	-0.6	116.2
296.0	-2345.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-2.6	-9.4	-0.1	-68.3
-64.3	-5604.1				J	-2.6	-9.4	-0.1	-68.3
57.4	2526.7								
			Q5_pc	Y	I	53.3	-7.9	-0.0	-61.3
-17.4	-5263.3				J	53.3	-7.9	-0.0	-61.3
15.5	1600.2								
			Q5_ps	X	I	-2.1	-13.0	-0.2	-94.8
-69.1	-8081.1				J	-2.1	-13.0	-0.2	-94.8
62.5	3155.0								
			Q5_ps	Y	I	50.8	-11.2	-0.1	-88.4
-22.7	-7477.5				J	50.8	-11.2	-0.1	-88.4
20.9	2200.6								
			INVSLE	Max	I	-1893.5	113.2	-0.9	-12.8
329.0	76693.0				J	-1893.5	113.2	2.0	-12.8
2789.4	48556.0								
				Min	I	-2711.5	-131.8	-7.5	-2267.2
2481.8	-70538.2				J	-2711.5	-131.8	-4.6	-2267.2
-147.6	-21552.1								
			INVSLE	Max	I	-1509.1	89.2	-0.7	18.2
245.3	60504.1				J	-1509.1	89.2	1.4	18.2
2070.1	34680.6								
				Min	I	-2107.9	-91.0	-5.6	-1642.5
1828.1	-47808.8				J	-2107.9	-91.0	-3.4	-1642.5
-97.8	-16914.5								
			69 C1-C2;~1	Max	I	140.1	31.9	0.9	441.0
5114	2								
455.1	41554.5								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1171.5	23855.1		J	140.1	31.9	0.9	441.0	
1038.9	-4336.4	Min	I	-278.9	-7.2	-2.5	-674.0	-
-325.8	-2847.8		J	-278.9	-7.2	-2.5	-674.0	
581.8	29032.2	C3-C4;~1 Max	I	144.5	18.8	1.1	398.8	
1577.4	15448.9		J	144.5	18.8	1.1	398.8	
1380.6	-7007.9	Min	I	-331.5	-5.8	-3.4	-474.2	-
-375.3	-4252.4		J	-331.5	-5.8	-3.4	-474.2	
254.0	28810.0	C1-C2;~2 Max	I	73.5	22.3	0.5	286.6	
674.9	16724.9		J	73.5	22.3	0.5	286.6	
-578.6	-1985.7	Min	I	-157.0	-4.5	-1.4	-457.8	-
-175.4	-1497.5		J	-157.0	-4.5	-1.4	-457.8	
336.9	19610.6	C3-C4;~2 Max	I	76.0	12.6	0.6	228.9	
920.9	10533.6		J	76.0	12.6	0.6	228.9	
-777.6	-3048.8	Min	I	-184.1	-2.7	-2.0	-314.2	-
-203.3	-2011.2		J	-184.1	-2.7	-2.0	-314.2	
-820.9	1355.9	G1	I	-145.4	1.0	-2.8	29.6	
641.5	530.7		J	-145.4	1.0	-0.6	29.6	
-275.1	-2347.3	G2	I	-59.9	-1.4	-0.7	41.2	
317.1	-1150.5		J	-59.9	-1.4	-0.7	41.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-33.6	2512.7	Q5_pc X	I	1.8	1.3	-0.1	-15.3	
30.7	1402.8		J	1.8	1.3	-0.1	-15.3	
10.1	1605.7	Q5_pc Y	I	51.2	1.0	0.0	-15.1	
-10.9	752.7		J	51.2	1.0	0.0	-15.1	
-25.8	3141.9	Q5_ps X	I	2.7	1.7	-0.1	-20.4	
25.5	1681.8		J	2.7	1.7	-0.1	-20.4	
16.2	2205.9	Q5_ps Y	I	49.4	1.4	0.0	-23.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-14.6	1034.1		J	49.4	1.4	0.0	-23.0	
422.5	48548.8	INVS LU Max	I	-2022.0	26.9	-1.0	240.0	
2697.8	38636.4		J	-2022.0	26.9	1.9	240.0	
2287.2	-21533.2	Min	I	-2756.7	-28.1	-7.2	-1292.8	-
6.4	-1833.7		J	-2756.7	-28.1	-4.3	-1292.8	
317.9	34676.4	INVS LE Max	I	-1602.4	19.8	-0.7	194.5	
2014.1	27431.6		J	-1602.4	19.8	1.4	194.5	
1684.8	-16901.2	Min	I	-2139.9	-20.8	-5.3	-938.9	-
24.6	-2359.2		J	-2139.9	-20.8	-3.2	-938.9	
5115	2	67 C1-C2;~1 Max	I	116.1	20.9	0.8	422.5	
376.1	23865.8		J	116.1	20.9	0.8	422.5	
907.0	15497.2	Min	I	-242.2	-11.1	-2.0	-403.2	
-811.6	-2847.0		J	-242.2	-11.1	-2.0	-403.2	
-286.8	-1880.5							
498.8	15460.4	C3-C4;~1 Max	I	119.6	11.1	1.0	340.8	
1204.4	10009.5		J	119.6	11.1	1.0	340.8	
1066.5	-4250.8	Min	I	-288.1	-6.7	-2.6	-297.0	-
-360.8	-2762.1		J	-288.1	-6.7	-2.6	-297.0	
207.8	16731.2	C1-C2;~2 Max	I	60.7	14.8	0.4	281.2	
520.7	10887.4		J	60.7	14.8	0.4	281.2	
-452.3	-1496.2	Min	I	-136.3	-7.6	-1.1	-271.2	
-152.6	-1001.3		J	-136.3	-7.6	-1.1	-271.2	
286.6	10540.4	C3-C4;~2 Max	I	62.7	7.6	0.6	205.5	
700.9	6849.5		J	62.7	7.6	0.6	205.5	
-601.0	-2009.5	Min	I	-159.8	-3.9	-1.5	-175.5	
-197.1	-1325.3		J	-159.8	-3.9	-1.5	-175.5	
-596.3	536.8	G1	I	-134.6	0.2	-2.0	27.2	
452.4	402.6		J	-134.6	0.2	-0.4	27.2	
-194.8	-1148.2	G2	I	-55.7	-0.6	-0.5	13.6	
223.4	-662.9		J	-55.7	-0.6	-0.5	13.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-28.9	1387.5	Q5_pc X	I	3.4	0.6	-0.1	0.3	
			J	3.4	0.6	-0.1	0.3	
25.7	869.3							
6.1	760.1	Q5_pc Y	I	45.9	0.3	0.0	-1.5	
			J	45.9	0.3	0.0	-1.5	
1.7	471.3							
-24.0	1667.3	Q5_ps X	I	4.1	0.7	-0.1	0.9	
			J	4.1	0.7	-0.1	0.9	
22.6	1025.1							
9.9	1041.2	Q5_ps Y	I	44.4	0.5	0.0	-3.3	
			J	44.4	0.5	0.0	-3.3	
-0.7	647.0							
269.9	38619.1	INVSLE Max	I	-2116.5	25.2	-0.7	508.0	
			J	-2116.5	25.2	1.5	508.0	
2084.7	29899.2	Min	I	-2749.5	-19.0	-5.7	-609.5	-
1895.4	-1835.8		J	-2749.5	-19.0	-3.5	-609.5	
-74.5	3684.4							
190.2	27418.4	INVSLE Max	I	-1666.0	18.3	-0.5	375.1	
			J	-1666.0	18.3	1.1	375.1	
1550.4	21281.7	Min	I	-2128.8	-14.4	-4.2	-452.5	-
1409.8	-2363.1		J	-2128.8	-14.4	-2.6	-452.5	
-45.6	1979.2							
5116	2	67 C1-C2;~1 Max	I	107.2	5.3	0.9	529.5	
418.5	15496.6		J	107.2	5.3	0.9	529.5	
861.0	33017.5	Min	I	-232.6	-30.4	-1.8	-323.7	
-733.5	-1880.3		J	-232.6	-30.4	-1.8	-323.7	
-326.8	-3856.5							
577.3	10008.4	C3-C4;~1 Max	I	110.4	6.0	1.2	407.5	
			J	110.4	6.0	1.2	407.5	
1125.4	24504.3	Min	I	-275.5	-20.5	-2.4	-256.7	
-954.1	-2762.6		J	-275.5	-20.5	-2.4	-256.7	
-425.5	-6535.5							
232.8	10887.2	C1-C2;~2 Max	I	56.0	3.0	0.5	356.1	
			J	56.0	3.0	0.5	356.1	
493.9	22452.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-404.5	-1001.3		Min	I	-130.9	-20.7	-1.0	-213.5
				J	-130.9	-20.7	-1.0	-213.5
-176.5	-1749.6							
		C3-C4;~2	Max	I	57.7	2.6	0.7	248.9
334.9	6848.9			J	57.7	2.6	0.7	248.9
655.2	16196.2							
			Min	I	-152.8	-13.5	-1.4	-149.0
-533.7	-1325.6			J	-152.8	-13.5	-1.4	-149.0
-235.9	-2829.6							
			G1	I	-134.1	-1.8	-1.8	33.7
-489.8	401.3			J	-134.1	-1.8	-0.2	33.7
367.5	1970.2							
			G2	I	-55.2	1.6	-0.4	-2.6
-149.0	-663.7			J	-55.2	1.6	-0.4	-2.6
185.0	-2067.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	5.1	-1.1	-0.1	10.9
-28.8	854.5			J	5.1	-1.1	-0.1	10.9
26.4	1841.5							
			Q5_pc Y	I	42.9	-1.3	-0.0	8.2
-5.0	476.9			J	42.9	-1.3	-0.0	8.2
10.3	1575.8							
			Q5_ps X	I	5.7	-1.6	-0.1	15.7
-25.3	1011.1			J	5.7	-1.6	-0.1	15.7
24.9	2427.4							
			Q5_ps Y	I	41.5	-1.8	-0.0	10.5
-1.9	652.3			J	41.5	-1.8	-0.0	10.5
8.9	2202.2							
			INVSLU Max	I	-2213.7	30.8	0.2	1104.9
717.5	29890.5			J	-2213.7	30.8	2.4	1104.9
1707.1	35744.3							
			Min	I	-2811.9	-20.6	-4.7	-66.6
1401.7	3702.4			J	-2811.9	-20.6	-2.5	-66.6
-434.1	-20967.1							
			INVSLE Max	I	-1735.1	22.8	0.2	799.8
535.4	21276.5			J	-1735.1	22.8	1.8	799.8
1264.7	25460.7							
			Min	I	-2172.5	-15.0	-3.4	-66.5
1030.5	1991.8			J	-2172.5	-15.0	-1.8	-66.5
-317.8	-16302.2							

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5117	2	67	C1-C2;~1	Max	I	105.5	99.0	1.3	1105.2
604.1	33017.0				J	105.5	99.0	1.3	1105.2
703.1	9766.9				I	-251.6	-15.7	-1.5	-137.7
-622.9	-3856.9			Min	J	-251.6	-15.7	-1.5	-137.7
-496.1	-52694.3				I	108.6	82.5	1.5	832.3
735.7	24504.2		C3-C4;~1	Max	J	108.6	82.5	1.5	832.3
903.9	16288.6				I	-289.2	-26.4	-2.0	-228.6
-812.9	-6535.1			Min	J	-289.2	-26.4	-2.0	-228.6
-576.2	-46992.8				I	54.9	64.9	0.8	741.9
359.7	22452.1		C1-C2;~2	Max	J	54.9	64.9	0.8	741.9
393.6	4463.0				I	-143.2	-7.2	-0.8	-61.8
-336.7	-1749.8			Min	J	-143.2	-7.2	-0.8	-61.8
-291.0	-33715.3				I	56.6	53.0	0.9	545.2
444.7	16195.9		C3-C4;~2	Max	J	56.6	53.0	0.9	545.2
501.3	7085.4				I	-162.1	-11.4	-1.1	-98.2
-439.8	-2829.6			Min	J	-162.1	-11.4	-1.1	-98.2
-339.5	-29777.9				I	-143.0	8.1	-1.6	88.6
-406.9	1972.2		G1		J	-143.0	8.1	-0.0	88.6
285.6	-5036.8				I	-56.6	-8.4	-0.4	-65.0
-142.8	-2066.1		G2		J	-56.6	-8.4	-0.4	-65.0
185.5	5180.0				I	0.0	0.0	0.0	0.0
0.0	0.0		Q3		J	0.0	0.0	0.0	0.0
0.0	0.0				I	6.0	5.6	-0.0	53.0
-12.7	1826.0		Q5_pc	X	J	6.0	5.6	-0.0	53.0
7.5	-3028.9				I	39.7	6.2	0.0	54.0
8.4	1582.2		Q5_pc	Y	J	39.7	6.2	0.0	54.0
-8.6	-3801.2				I	5.9	8.1	-0.0	76.1
-2.5	2412.6		Q5_ps	X	J	5.9	8.1	-0.0	76.1
-2.5	-4567.7								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

18.7	2208.1	Q5_ps Y	I	37.9	8.8	0.0	75.3
-19.0	-5374.5		J	37.9	8.8	0.0	75.3
975.1	35720.2	INVS LU Max	I	-2302.4	113.1	0.7	2243.9
1418.7	37536.7		J	-2302.4	113.1	2.9	2243.9
1138.5	-20962.0	Min	I	-2910.9	-67.3	-4.0	346.0
-594.9	-62432.4		J	-2910.9	-67.3	-1.9	346.0
745.5	25443.7	INVS LE Max	I	-1800.2	78.5	0.6	1621.9
1032.1	30833.3		J	-1800.2	78.5	2.2	1621.9
-818.5	-16299.7	Min	I	-2245.6	-54.3	-2.9	223.2
-458.3	-42711.1		J	-2245.6	-54.3	-1.3	223.2
5118	2	67 C1-C2;~1 Max	I	100.5	15.7	0.8	140.0
390.7	9760.6		J	100.5	15.7	0.8	140.0
904.9	33100.5	Min	I	-249.1	-99.1	-2.0	-1073.9
-786.4	-52689.2		J	-249.1	-99.1	-2.0	-1073.9
-323.7	-3880.9						
517.9	16283.5	C3-C4;~1 Max	I	103.3	26.4	1.1	243.8
1122.5	24654.8		J	103.3	26.4	1.1	243.8
-974.8	-46991.9	Min	I	-286.6	-82.7	-2.4	-806.1
-420.1	-6580.7		J	-286.6	-82.7	-2.4	-806.1
210.0	4459.3	C1-C2;~2 Max	I	52.2	7.2	0.4	64.0
532.0	22494.9		J	52.2	7.2	0.4	64.0
-448.4	-33712.4	Min	I	-141.6	-64.9	-1.1	-726.0
-170.8	-1759.5		J	-141.6	-64.9	-1.1	-726.0
280.1	7082.1	C3-C4;~2 Max	I	53.7	11.5	0.6	106.0
667.6	16287.3		J	53.7	11.5	0.6	106.0
-563.7	-29777.5	Min	I	-160.5	-53.1	-1.4	-530.2
-221.8	-2848.6		J	-160.5	-53.1	-1.4	-530.2
-346.8	-5039.0	G1	I	-147.3	-8.1	-1.5	-51.0
229.8	2008.6		J	-147.3	-8.1	0.1	-51.0
		G2	I	-58.3	8.4	-0.2	81.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-66.2	5179.2			J	-58.3	8.4	-0.2	81.1	
110.6	-2069.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Q5_pc X	I	8.1	-5.7	-0.1	-46.3	
-41.1	-3049.6			J	8.1	-5.7	-0.1	-46.3	
36.8	1870.8								
			Q5_pc Y	I	38.7	-6.2	-0.1	-54.7	
-28.4	-3793.3			J	38.7	-6.2	-0.1	-54.7	
27.8	1592.7								
			Q5_ps X	I	7.9	-8.1	-0.1	-66.6	
-46.1	-4587.4			J	7.9	-8.1	-0.1	-66.6	
42.0	2454.8								
			Q5_ps Y	I	37.0	-8.8	-0.1	-78.6	
-33.6	-5367.1			J	37.0	-8.8	-0.1	-78.6	
33.0	2224.7								
			INVSLE Max	I	-2365.7	63.0	0.1	-616.6	
703.7	37511.3			J	-2365.7	63.0	2.3	-616.6	
1789.4	39615.0		Min	I	-2961.7	-117.5	-4.7	-2493.9	
1385.4	-62429.8			J	-2961.7	-117.5	-2.6	-2493.9	
-359.3	-17322.2								
			INVSLE Max	I	-1847.1	51.1	0.1	-426.9	
512.1	30814.1			J	-1847.1	51.1	1.7	-426.9	
1335.8	28357.8		Min	I	-2283.5	-81.9	-3.5	-1810.3	
1029.9	-42710.6			J	-2283.5	-81.9	-1.9	-1810.3	
-251.0	-13568.4								
		5119	2	67 C1-C2;~1 Max	I	91.9	30.7	1.1	346.3
522.3	33101.3			J	91.9	30.7	1.1	346.3	
721.3	15051.1								
			Min	I	-228.4	-5.1	-1.5	-501.6	
-606.2	-3880.2			J	-228.4	-5.1	-1.5	-501.6	
-396.8	-2022.9								
			C3-C4;~1 Max	I	94.3	20.9	1.4	293.4	
711.3	24655.1			J	94.3	20.9	1.4	293.4	
978.8	9563.4		Min	I	-269.8	-6.1	-2.1	-353.7	
-805.8	-6580.7			J	-269.8	-6.1	-2.1	-353.7	
-508.5	-2714.0								
			C1-C2;~2 Max	I	47.6	20.9	0.6	226.5	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
295.5	22495.6		J	47.6	20.9	0.6	226.5
408.0	10590.7						
		Min	I	-129.0	-2.7	-0.8	-339.1
-328.0	-1759.1		J	-129.0	-2.7	-0.8	-339.1
-216.6	-1114.7						
		C3-C4;~2 Max	I	48.9	13.7	0.8	169.8
417.4	16287.8		J	48.9	13.7	0.8	169.8
568.7	6549.9						
		Min	I	-150.2	-2.7	-1.2	-232.8
-446.7	-2848.4		J	-150.2	-2.7	-1.2	-232.8
-282.8	-1311.7						
		G1	I	-144.6	1.9	-1.3	4.8
-279.5	2007.2		J	-144.6	1.9	0.3	4.8
175.4	381.9						
		G2	I	-59.3	-1.7	-0.2	18.7
-72.6	-2070.5		J	-59.3	-1.7	-0.2	18.7
115.7	-593.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	10.5	1.2	-0.1	-4.4
-22.4	1855.7		J	10.5	1.2	-0.1	-4.4
21.8	839.7						
		Q5_pc Y	I	39.9	1.3	-0.0	-8.5
-8.1	1598.7		J	39.9	1.3	-0.0	-8.5
12.5	430.9						
		Q5_ps X	I	10.8	1.7	-0.0	-6.3
-18.8	2440.6		J	10.8	1.7	-0.0	-6.3
20.0	967.9						
		Q5_ps Y	I	38.7	1.9	-0.0	-13.2
-4.2	2230.4		J	38.7	1.9	-0.0	-13.2
10.4	594.4						
		INVSLE Max	I	-2432.0	16.7	0.6	-145.6
951.1	39611.3		J	-2432.0	16.7	2.8	-145.6
1510.5	36823.4						
		Min	I	-2995.4	-35.5	-4.1	-1305.5
1137.2	-17299.7		J	-2995.4	-35.5	-2.0	-1305.5
-536.6	11329.1						
		INVSLE Max	I	-1896.7	12.1	0.5	-93.8
714.9	28356.2		J	-1896.7	12.1	2.1	-93.8
1115.1	26562.8						
		Min	I	-2308.7	-26.4	-3.0	-951.9


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-829.0	-13552.6			J	-2308.7	-26.4	-1.4	-951.9	
-398.4	7790.1								
5120	2	67	C1-C2;~1	Max	I	86.5	12.0	1.1	423.4
539.3	15048.8				J	86.5	12.0	1.1	423.4
705.4	15070.5			Min	I	-221.6	-12.0	-1.5	-411.6
-579.3	-2023.4				J	-221.6	-12.0	-1.5	-411.6
-418.7	-1997.4								
			C3-C4;~1	Max	I	88.7	6.3	1.5	331.4
749.7	9561.5				J	88.7	6.3	1.5	331.4
944.4	9552.8			Min	I	-261.7	-6.2	-2.0	-313.3
-761.6	-2713.8				J	-261.7	-6.2	-2.0	-313.3
-548.6	-2709.9								
			C1-C2;~2	Max	I	44.6	8.4	0.6	281.9
303.3	10589.1				J	44.6	8.4	0.6	281.9
399.9	10607.8			Min	I	-125.1	-8.4	-0.8	-275.5
-312.9	-1115.2				J	-125.1	-8.4	-0.8	-275.5
-227.8	-1101.0								
			C3-C4;~2	Max	I	45.8	4.0	0.9	200.8
437.4	6548.7				J	45.8	4.0	0.9	200.8
549.6	6542.9			Min	I	-145.5	-4.0	-1.1	-190.6
-421.8	-1311.7				J	-145.5	-4.0	-1.1	-190.6
-304.5	-1314.3								
			G1		I	-144.6	-0.0	-1.2	10.7
-218.1	381.8				J	-144.6	-0.0	0.4	10.7
121.5	412.6								
			G2		I	-59.5	-0.0	-0.2	4.4
-43.8	-593.6				J	-59.5	-0.0	-0.2	4.4
91.0	-580.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	11.3	0.0	-0.1	3.5
-25.8	824.0				J	11.3	0.0	-0.1	3.5
24.2	808.1								
			Q5_pc	Y	I	39.7	-0.0	-0.0	0.3
-10.4	437.2				J	39.7	-0.0	-0.0	0.3
14.8	447.3								
			Q5_ps	X	I	11.6	0.0	-0.1	5.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-23.3	953.0		J	11.6	0.0	-0.1	5.0
23.2	925.8						
-7.8	600.3	Q5_ps Y	I	38.6	-0.0	-0.0	-0.7
13.6	615.5		J	38.6	-0.0	-0.0	-0.7
1116.6	36802.5	INVS LU Max	I	-2509.7	16.6	0.9	593.2
1462.8	36434.6		J	-2509.7	16.6	3.0	593.2
-970.0	11339.9	Min	I	-3054.3	-15.7	-3.9	-540.2
-596.4	10976.3		J	-3054.3	-15.7	-1.7	-540.2
835.3	26548.3	INVS LE Max	I	-1954.7	12.3	0.7	438.7
1080.5	26284.9		J	-1954.7	12.3	2.3	438.7
-707.0	7797.0	Min	I	-2352.9	-11.6	-2.9	-400.4
-441.5	7534.7		J	-2352.9	-11.6	-1.3	-400.4
5121	2	67 C1-C2;~1 Max	I	85.5	4.9	1.1	511.1
557.6	15072.4		J	85.5	4.9	1.1	511.1
687.2	33117.1	Min	I	-228.5	-30.7	-1.4	-332.2
-553.8	-1996.8		J	-228.5	-30.7	-1.4	-332.2
-446.0	-3550.8						
786.2	9554.2	C3-C4;~1 Max	I	87.6	5.8	1.6	383.2
903.5	24655.2		J	87.6	5.8	1.6	383.2
-714.7	-2710.1	Min	I	-268.9	-20.9	-1.9	-272.4
-588.0	-6287.9		J	-268.9	-20.9	-1.9	-272.4
312.9	10609.2	C1-C2;~2 Max	I	43.9	2.7	0.6	344.6
391.3	22523.8		J	43.9	2.7	0.6	344.6
-299.8	-1100.6	Min	I	-129.3	-20.9	-0.8	-219.1
-243.3	-1567.8		J	-129.3	-20.9	-0.8	-219.1
458.0	6543.8	C3-C4;~2 Max	I	45.0	2.5	0.9	238.7
528.2	16294.3		J	45.0	2.5	0.9	238.7
-396.2	-1314.3	Min	I	-149.8	-13.7	-1.1	-158.5
-326.1	-2674.6		J	-149.8	-13.7	-1.1	-158.5
-159.0	412.6	G1	I	-150.1	-2.1	-1.1	17.1
			J	-150.1	-2.1	0.5	17.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
60.8	2249.9							
		G2	I	-61.5	1.6	-0.1	-9.7	
-17.0	-581.0		J	-61.5	1.6	-0.1	-9.7	
62.5	-1972.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	12.1	-1.0	-0.1	10.7	
-27.0	792.6		J	12.1	-1.0	-0.1	10.7	
26.2	1663.0							
		Q5_pc Y	I	38.7	-1.4	-0.0	9.3	
-12.1	453.7		J	38.7	-1.4	-0.0	9.3	
17.1	1698.8							
		Q5_ps X	I	12.3	-1.5	-0.1	15.5	
-25.4	911.1		J	12.3	-1.5	-0.1	15.5	
26.3	2182.3							
		Q5_ps Y	I	37.6	-2.0	-0.0	12.1	
-10.5	621.6		J	37.6	-2.0	-0.0	12.1	
17.1	2360.1							
		INVSLE Max	I	-2541.1	36.5	1.2	1384.2	
1218.5	36427.3		J	-2541.1	36.5	3.4	1384.2	
1267.1	37908.7							
		Min	I	-3092.2	-15.4	-3.5	226.4	
-856.3	10994.2		J	-3092.2	-15.4	-1.4	226.4	
-793.6	-18345.9							
		INVSLE Max	I	-1977.8	27.2	0.9	1009.3	
909.3	26280.6		J	-1977.8	27.2	2.5	1009.3	
938.0	27129.8							
		Min	I	-2380.9	-11.1	-2.6	153.1	
-623.9	7546.9		J	-2380.9	-11.1	-1.0	153.1	
-584.9	-14313.7							
		67 C1-C2;~1 Max	I	86.2	98.9	1.6	1084.6	
5122	2		J	86.2	98.9	1.6	1084.6	
741.9	33116.1							
		Min	I	-249.4	-14.2	-1.2	-121.4	
545.7	8727.4		J	-249.4	-14.2	-1.2	-121.4	
-468.5	-3550.9							
-619.4	-52498.8							
		C3-C4;~1 Max	I	88.2	82.5	1.9	814.6	
932.1	24654.6		J	88.2	82.5	1.9	814.6	
700.5	15344.7							
		Min	I	-285.4	-25.0	-1.5	-220.0	
-604.7	-6287.2		J	-285.4	-25.0	-1.5	-220.0	

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-755.9	-46832.7						
		C1-C2;~2 Max	I	43.9	64.9	0.9	732.3
438.3	22522.9		J	43.9	64.9	0.9	732.3
300.4	3870.7						
		Min	I	-142.5	-6.3	-0.6	-54.0
-247.1	-1567.9		J	-142.5	-6.3	-0.6	-54.0
-359.9	-33652.5						
		C3-C4;~2 Max	I	45.1	53.1	1.2	536.0
558.8	16293.7		J	45.1	53.1	1.2	536.0
385.4	6538.6						
		Min	I	-160.5	-10.6	-0.8	-93.6
-321.4	-2674.4		J	-160.5	-10.6	-0.8	-93.6
-442.8	-29711.7						
		G1	I	-158.6	9.2	-0.9	79.8
-97.1	2251.7		J	-158.6	9.2	0.7	79.8
-9.2	-5724.7						
		G2	I	-62.7	-7.9	-0.1	-69.3
-19.3	-1971.6		J	-62.7	-7.9	-0.1	-69.3
67.9	4907.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	11.9	4.6	-0.0	45.8
-12.8	1647.1		J	11.9	4.6	-0.0	45.8
9.0	-2353.7						
		Q5_pc Y	I	36.2	6.7	0.0	58.6
5.5	1705.1		J	36.2	6.7	0.0	58.6
-5.4	-4103.8						
		Q5_ps X	I	11.5	6.8	-0.0	67.0
-5.3	2167.1		J	11.5	6.8	-0.0	67.0
1.6	-3731.1						
		Q5_ps Y	I	34.6	9.4	0.0	81.4
14.7	2365.9		J	34.6	9.4	0.0	81.4
-14.7	-5754.1						
		INVSLU Max	I	-2563.4	123.9	1.7	2633.7
1427.2	37902.9		J	-2563.4	123.9	3.8	2633.7
1044.8	29597.4						
		Min	I	-3133.0	-55.4	-3.1	766.9
-670.6	-18360.6		J	-3133.0	-55.4	-0.9	766.9
-937.6	-69378.3						
		INVSLE Max	I	-1994.0	86.7	1.3	1913.6
1078.8	27124.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
757.4	24789.4		J	-1994.0	86.7	2.9	1913.6
		Min	I	-2411.1	-45.2	-2.2	538.6
-473.4	-14324.4		J	-2411.1	-45.2	-0.6	538.6
-709.8	-47978.7						
5123	2	67 C1-C2;~1 Max	I	81.9	14.2	1.1	135.9
544.1	8728.3		J	81.9	14.2	1.1	135.9
750.1	33109.2	Min	I	-246.9	-98.8	-1.6	-1091.5
-652.2	-52503.9		J	-246.9	-98.8	-1.6	-1091.5
-441.6	-3544.5						
		C3-C4;~1 Max	I	83.7	25.0	1.5	233.1
710.7	15345.7		J	83.7	25.0	1.5	233.1
929.2	24676.2	Min	I	-282.3	-82.5	-2.0	-821.5
-776.7	-46835.6		J	-282.3	-82.5	-2.0	-821.5
-589.8	-6283.7						
		C1-C2;~2 Max	I	41.6	6.3	0.6	61.3
300.5	3870.8		J	41.6	6.3	0.6	61.3
441.0	22515.5	Min	I	-141.3	-64.9	-0.9	-735.4
-373.8	-33655.3		J	-141.3	-64.9	-0.9	-735.4
-235.7	-1563.2						
		C3-C4;~2 Max	I	42.6	10.6	0.8	100.8
390.2	6538.7		J	42.6	10.6	0.8	100.8
557.0	16308.0	Min	I	-159.0	-53.1	-1.2	-539.0
-450.2	-29712.9		J	-159.0	-53.1	-1.2	-539.0
-315.9	-2670.7						
		G1	I	-159.2	-9.2	-0.8	-78.0
-38.9	-5725.8		J	-159.2	-9.2	0.8	-78.0
-67.3	2253.1						
		G2	I	-62.9	7.9	0.1	69.6
56.5	4907.6		J	-62.9	7.9	0.1	69.6
-7.8	-1971.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	12.4	-4.6	-0.1	-36.2
-41.3	-2371.4		J	12.4	-4.6	-0.1	-36.2
37.7	1653.2						
		Q5_pc Y	I	35.6	-6.7	-0.1	-58.4
-30.1	-4097.0		J	35.6	-6.7	-0.1	-58.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
30.3	1703.2						
-46.9	-3747.8	Q5_ps X	I	12.0	-6.8	-0.1	-53.6
43.3	2167.6		J	12.0	-6.8	-0.1	-53.6
-37.3	-5747.7	Q5_ps Y	I	34.0	-9.4	-0.1	-83.0
37.3	2366.2		J	34.0	-9.4	-0.1	-83.0
1126.4	29602.3	INVS LU Max	I	-2571.8	55.3	1.1	-764.8
1398.8	37948.3		J	-2571.8	55.3	3.2	-764.8
-956.0	-69369.2	Min	I	-3130.1	-123.9	-3.8	-2658.2
-719.7	-18297.8		J	-3130.1	-123.9	-1.6	-2658.2
821.4	24794.0	INVS LE Max	I	-2000.2	45.1	0.7	-537.4
1050.4	27160.2		J	-2000.2	45.1	2.3	-537.4
-715.5	-47972.0	Min	I	-2409.0	-86.7	-2.8	-1932.1
-513.9	-14276.5		J	-2409.0	-86.7	-1.2	-1932.1
5124	2	67 C1-C2;~1 Max	I	74.2	30.7	1.4	337.0
688.8	33109.6		J	74.2	30.7	1.4	337.0
566.4	15089.2	Min	I	-221.4	-4.8	-1.2	-514.7
-481.2	-3543.9		J	-221.4	-4.8	-1.2	-514.7
-528.5	-2021.8						
917.9	24676.3	C3-C4;~1 Max	I	75.7	20.9	1.9	275.6
783.6	9598.3		J	75.7	20.9	1.9	275.6
-614.1	-6283.8	Min	I	-260.0	-5.8	-1.6	-387.8
-702.7	-2714.9		J	-260.0	-5.8	-1.6	-387.8
392.9	22516.1	C1-C2;~2 Max	I	37.5	20.9	0.8	220.4
315.7	10614.1		J	37.5	20.9	0.8	220.4
-258.1	-1562.8	Min	I	-125.6	-2.6	-0.7	-346.7
-289.1	-1114.4		J	-125.6	-2.6	-0.7	-346.7
535.2	16308.3	C3-C4;~2 Max	I	38.4	13.7	1.1	159.5
456.0	6571.6		J	38.4	13.7	1.1	159.5
-336.7	-2670.6	Min	I	-145.3	-2.5	-0.9	-240.5
-392.5	-1313.4		J	-145.3	-2.5	-0.9	-240.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
31.8	2251.4	G1	I	-151.7	2.1	-0.6	-15.2
			J	-151.7	2.1	1.0	-15.2
-129.5	406.9						
51.4	-1972.1	G2	I	-62.1	-1.6	0.1	10.0
			J	-62.1	-1.6	0.1	10.0
-5.7	-581.7						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-24.3	1637.4	Q5_pc X	I	13.8	1.0	-0.1	-1.5
			J	13.8	1.0	-0.1	-1.5
24.2	790.6						
-8.0	1709.8	Q5_pc Y	I	37.0	1.4	-0.0	-8.9
			J	37.0	1.4	-0.0	-8.9
13.4	456.7						
-22.4	2152.8	Q5_ps X	I	13.8	1.4	-0.1	-2.6
			J	13.8	1.4	-0.1	-2.6
23.7	899.7						
-5.7	2372.6	Q5_ps Y	I	36.0	2.0	-0.0	-13.4
			J	36.0	2.0	-0.0	-13.4
12.8	628.3						
1331.2	37965.0	INVSLE Max	I	-2562.3	15.7	1.5	-225.2
			J	-2562.3	15.7	3.6	-225.2
1166.0	36229.1	Min	I	-3082.1	-36.2	-3.3	-1391.0
			J	-3082.1	-36.2	-1.2	-1391.0
-780.7	-18293.7						
-884.0	10770.4						
991.3	27172.3	INVSLE Max	I	-1993.2	11.3	1.1	-152.4
			J	-1993.2	11.3	2.7	-152.4
864.9	26130.4	Min	I	-2373.3	-26.9	-2.5	-1014.8
			J	-2373.3	-26.9	-0.9	-1014.8
-569.9	-14272.8						
-650.5	7377.6						
5125	2	67 C1-C2;~1 Max	I	69.4	12.0	1.5	414.6
708.0	15087.1		J	69.4	12.0	1.5	414.6
551.6	15075.8	Min	I	-212.3	-11.9	-1.2	-425.2
			J	-212.3	-11.9	-1.2	-425.2
-457.3	-2022.3						
-555.6	-2008.0						
960.0	9596.6	C3-C4;~1 Max	I	70.7	6.3	2.0	313.8
			J	70.7	6.3	2.0	313.8
751.0	9557.6						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-580.8	-2714.6		Min	I	-250.1	-6.2	-1.5	-334.3
				J	-250.1	-6.2	-1.5	-334.3
-751.1	-2706.9							
			C1-C2;~2	Max	I	34.9	8.5	276.0
401.3	10612.6			J	34.9	8.5	0.8	276.0
307.9	10613.5							
			Min	I	-120.5	-8.4	-0.6	-283.4
-244.3	-1114.8			J	-120.5	-8.4	-0.6	-283.4
-302.7	-1107.2							
			C3-C4;~2	Max	I	35.6	4.0	190.4
556.4	6570.5			J	35.6	4.0	1.1	190.4
437.3	6548.8							
			Min	I	-139.8	-4.0	-0.9	-202.4
-318.4	-1313.3			J	-139.8	-4.0	-0.9	-202.4
-418.3	-1313.8							
			G1	I	-147.1	0.0	-0.5	-8.8
92.6	406.9			J	-147.1	0.0	1.1	-8.8
-188.2	384.9							
			G2	I	-60.4	0.0	0.1	-4.1
80.0	-581.4			J	-60.4	0.0	0.1	-4.1
-32.3	-588.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	14.2	0.0	4.9
-26.3	774.5			J	14.2	0.0	-0.1	4.9
25.9	753.3							
			Q5_pc	Y	I	36.9	-0.0	0.5
-10.2	462.9			J	36.9	-0.0	-0.0	0.5
15.6	470.4							
			Q5_ps	X	I	14.2	0.0	6.8
-25.4	884.3			J	14.2	0.0	-0.1	6.8
26.2	851.0							
			Q5_ps	Y	I	35.9	-0.0	-0.1
-9.2	634.1			J	35.9	-0.0	-0.0	-0.1
16.0	645.8							
			INVSLU	Max	I	-2539.0	15.8	543.8
1533.4	36207.4			J	-2539.0	15.8	1.9	543.8
1068.5	36509.2							
			Min	I	-3038.5	-16.5	-3.0	-598.7
-594.0	10781.1			J	-3038.5	-16.5	-0.8	-598.7
1005.9	11146.8							-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1138.4	26115.4	INVSLE Max	I	-1976.0	11.7	1.4	402.6
			J	-1976.0	11.7	3.0	402.6
793.7	26331.8	Min	I	-2341.1	-12.2	-2.2	-443.1
-434.0	7384.3		J	-2341.1	-12.2	-0.6	-443.1
-739.5	7645.2						
5126	2	67 C1-C2;~1 Max	I	69.4	4.9	1.5	502.5
726.8	15077.7		J	69.4	4.9	1.5	502.5
538.1	32850.7	Min	I	-216.0	-30.4	-1.1	-346.6
-437.1	-2007.4		J	-216.0	-30.4	-1.1	-346.6
-589.8	-3672.3						
		C3-C4;~1 Max	I	70.3	5.7	2.1	352.1
997.6	9559.1		J	70.3	5.7	2.1	352.1
715.3	24386.6	Min	I	-254.5	-20.6	-1.4	-294.4
-543.1	-2707.0		J	-254.5	-20.6	-1.4	-294.4
-799.9	-6218.8						
		C1-C2;~2 Max	I	34.8	2.7	0.8	338.6
410.6	10614.9		J	34.8	2.7	0.8	338.6
301.8	22380.4	Min	I	-122.9	-20.7	-0.6	-227.5
-233.8	-1106.7		J	-122.9	-20.7	-0.6	-227.5
-322.2	-1646.3						
		C3-C4;~2 Max	I	35.2	2.4	1.2	231.6
576.9	6549.8		J	35.2	2.4	1.2	231.6
418.2	16154.3	Min	I	-142.8	-13.6	-0.8	-170.8
-297.7	-1313.8		J	-142.8	-13.6	-0.8	-170.8
-445.4	-2665.9						
		G1	I	-147.8	-2.0	-0.3	-2.5
146.9	385.0		J	-147.8	-2.0	1.3	-2.5
-249.3	2073.1						
		G2	I	-60.5	1.7	0.2	-18.1
104.8	-588.3		J	-60.5	1.7	0.2	-18.1
-61.0	-2026.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	14.4	-0.8	-0.1	10.7
-27.8	737.2		J	14.4	-0.8	-0.1	10.7
28.4	1445.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-12.0	477.0	Q5_pc Y	I	36.0	-1.5	-0.0	10.2	
			J	36.0	-1.5	-0.0	10.2	
18.1	1800.0							
-27.7	835.9	Q5_ps X	I	14.3	-1.2	-0.1	15.5	
			J	14.3	-1.2	-0.1	15.5	
29.6	1887.2							
-12.1	652.0	Q5_ps Y	I	35.1	-2.1	-0.0	13.5	
			J	35.1	-2.1	-0.0	13.5	
19.9	2486.3							
1585.6	36501.3	INVS LU Max	I	-2469.7	34.9	2.1	1308.4	
			J	-2469.7	34.9	4.3	1308.4	
914.3	39025.3							
-544.4	11164.9	Min	I	-2973.0	-16.5	-2.7	142.8	
			J	-2973.0	-16.5	-0.6	142.8	
1182.3	-16958.5							
1175.9	26327.0	INVS LE Max	I	-1924.0	26.0	1.6	953.5	
			J	-1924.0	26.0	3.2	953.5	
681.4	27918.0							
-398.2	7657.7	Min	I	-2292.0	-11.9	-2.0	91.5	
			J	-2292.0	-11.9	-0.4	91.5	
-867.9	-13311.5							
5127	2	67 C1-C2;~1 Max	I	72.5	97.4	1.9	1054.5	
913.1	32849.5		J	72.5	97.4	1.9	1054.5	
410.6	8801.8							
-365.5	-3672.6	Min	I	-231.6	-14.4	-0.9	-116.0	
			J	-231.6	-14.4	-0.9	-116.0	
-773.8	-51531.1							
1143.7	24385.8	C3-C4;~1 Max	I	72.9	81.1	2.4	787.1	
			J	72.9	81.1	2.4	787.1	
524.2	14722.3							
-455.7	-6218.4	Min	I	-265.4	-24.2	-1.1	-218.7	
			J	-265.4	-24.2	-1.1	-218.7	
-972.9	-45879.6							
536.2	22379.5	C1-C2;~2 Max	I	36.7	64.1	1.1	716.5	
			J	36.7	64.1	1.1	716.5	
218.2	3882.8							
-188.5	-1646.6	Min	I	-132.9	-6.4	-0.5	-52.0	
			J	-132.9	-6.4	-0.5	-52.0	
-444.6	-33124.3							
677.1	16153.7	C3-C4;~2 Max	I	36.8	52.3	1.4	521.0	
			J	36.8	52.3	1.4	521.0	
281.8	6222.1							
-237.4	-2665.9	Min	I	-150.3	-10.3	-0.6	-93.0	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-564.4	-29200.7		J	-150.3	-10.3	-0.6	-93.0	
		G1	I	-151.5	8.5	-0.2	55.5	
202.7	2074.5		J	-151.5	8.5	1.4	55.5	
-317.4	-5278.8							
		G2	I	-59.8	-8.2	0.2	-79.1	
100.4	-2025.4		J	-59.8	-8.2	0.2	-79.1	
-55.1	5040.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	13.2	3.8	-0.0	39.6	
-15.5	1429.4		J	13.2	3.8	-0.0	39.6	
13.2	-1857.6							
		Q5_pc Y	I	33.5	7.1	0.0	62.7	
5.9	1806.5		J	33.5	7.1	0.0	62.7	
-4.7	-4377.4							
		Q5_ps X	I	12.8	5.7	-0.0	58.4	
-10.2	1871.8		J	12.8	5.7	-0.0	58.4	
8.0	-3039.9							
		Q5_ps Y	I	32.0	9.9	0.0	86.8	
13.8	2492.4		J	32.0	9.9	0.0	86.8	
-12.8	-6086.0							
		INVSLE Max	I	-2415.1	116.3	2.7	2480.2	
1842.3	39020.6		J	-2415.1	116.3	4.8	2480.2	
646.5	35647.3							
		Min	I	-2932.1	-60.8	-2.2	648.6	
-344.7	-16972.7		J	-2932.1	-60.8	-0.0	648.6	-
1398.5	-61674.1							
		INVSLE Max	I	-1882.8	80.8	2.0	1799.0	
1381.8	27913.9		J	-1882.8	80.8	3.6	1799.0	
465.7	29403.2							
		Min	I	-2261.3	-49.3	-1.6	450.7	
-236.2	-13321.8		J	-2261.3	-49.3	0.0	450.7	-
1047.3	-42103.1							
		67 C1-C2;~1 Max	I	71.1	14.4	1.5	144.1	
5128	2		J	71.1	14.4	1.5	144.1	
714.8	8812.5							
		Min	I	-228.6	-97.3	-1.4	-1098.0	
629.6	32747.9		J	-228.6	-97.3	-1.4	-1098.0	
-541.8	-51539.5							
-612.5	-3669.5							
		C3-C4;~1 Max	I	71.4	24.1	2.0	223.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
927.8	14732.3			J	71.4	24.1	2.0	223.5
752.5	24273.0							
		Min		I	-260.8	-81.0	-1.6	-825.9
-619.8	-45884.3							
				J	-260.8	-81.0	-1.6	-825.9
-812.3	-6186.1							
		C1-C2;~2	Max	I	36.4	6.4	0.8	63.5
398.1	3889.1							
				J	36.4	6.4	0.8	63.5
371.2	22319.3							
		Min		I	-131.7	-64.0	-0.8	-738.0
-310.8	-33128.8							
				J	-131.7	-64.0	-0.8	-738.0
-332.3	-1646.8							
		C3-C4;~2	Max	I	36.4	10.3	1.1	95.8
510.6	6228.2							
				J	36.4	10.3	1.1	95.8
451.8	16087.3							
		Min		I	-148.2	-52.3	-0.9	-541.5
-358.7	-29203.1							
				J	-148.2	-52.3	-0.9	-541.5
-439.3	-2653.9							
		G1		I	-148.4	-8.4	-0.1	-89.9
260.2	-5274.7							
				J	-148.4	-8.4	1.5	-89.9
-379.3	2033.2							
		G2		I	-58.6	8.2	0.4	63.4
175.5	5042.5							
				J	-58.6	8.2	0.4	63.4
-131.9	-2022.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	12.6	-3.8	-0.1	-27.9
-42.0	-1873.3							
				J	12.6	-3.8	-0.1	-27.9
39.4	1400.0							
		Q5_pc	Y	I	33.0	-7.1	-0.1	-61.7
-31.6	-4370.6							
				J	33.0	-7.1	-0.1	-61.7
33.1	1791.9							
		Q5_ps	X	I	12.1	-5.6	-0.1	-42.2
-47.9	-3054.6							
				J	12.1	-5.6	-0.1	-42.2
45.3	1835.6							
		Q5_ps	Y	I	31.6	-9.9	-0.1	-86.7
-40.9	-6079.5							
				J	31.6	-9.9	-0.1	-86.7
42.2	2475.5							
		INVSLU	Max	I	-2365.9	65.0	2.1	-380.6
1519.3	35674.9							
				J	-2365.9	65.0	4.2	-380.6
973.6	35169.3							
		Min		I	-2873.8	-111.7	-2.9	-2275.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-645.7	-61659.1			J	-2873.8	-111.7	-0.8	-2275.7	-
1209.9	-20617.0								
		INVSLE	Max	I	-1846.2	52.5	1.5	-249.5	
1109.6	29425.0			J	-1846.2	52.5	3.1	-249.5	
736.9	25026.7		Min	I	-2218.0	-77.5	-2.2	-1645.1	
-488.4	-42091.5			J	-2218.0	-77.5	-0.6	-1645.1	
-875.3	-16057.6								
5129	2	67	C1-C2;~1	Max	I	67.6	30.1	1.8	336.6
876.6	32747.8			J	67.6	30.1	1.8	336.6	
450.9	15535.3		Min	I	-205.0	-5.0	-0.9	-534.0	
-379.3	-3668.8			J	-205.0	-5.0	-0.9	-534.0	
-726.0	-1987.9								
		C3-C4;~1	Max	I	67.6	20.2	2.4	261.6	
1155.0	24272.6			J	67.6	20.2	2.4	261.6	
600.3	10072.3		Min	I	-241.3	-5.6	-1.2	-412.5	
-475.1	-6186.1			J	-241.3	-5.6	-1.2	-412.5	
-958.0	-2746.4								
		C1-C2;~2	Max	I	34.9	20.6	1.0	218.2	
499.7	22319.6			J	34.9	20.6	1.0	218.2	
247.5	10907.4		Min	I	-117.1	-2.8	-0.5	-358.3	
-199.2	-1646.3			J	-117.1	-2.8	-0.5	-358.3	
-400.9	-1047.1								
		C3-C4;~2	Max	I	34.9	13.3	1.4	150.9	
666.8	16087.3			J	34.9	13.3	1.4	150.9	
344.9	6892.3		Min	I	-136.1	-2.4	-0.7	-250.6	
-257.7	-2653.7			J	-136.1	-2.4	-0.7	-250.6	
-534.8	-1315.8								
		G1		I	-140.5	1.9	0.1	-32.6	
342.2	2031.2			J	-140.5	1.9	1.7	-32.6	
-462.0	401.4								
		G2		I	-57.6	-1.6	0.4	2.5	
175.2	-2023.7			J	-57.6	-1.6	0.4	2.5	
-138.2	-656.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	13.2	0.8	-0.1	0.4	
-27.8	1383.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
28.7	722.1		J	13.2	0.8	-0.1	0.4	
-10.8	1798.5	Q5_pc Y	I	34.9	1.5	-0.0	-9.3	
18.4	533.3		J	34.9	1.5	-0.0	-9.3	
-27.3	1820.3	Q5_ps X	I	13.2	1.2	-0.1	0.0	
29.5	823.1		J	13.2	1.2	-0.1	0.0	
-10.2	2481.9	Q5_ps Y	I	34.1	2.0	-0.0	-13.5	
19.5	730.8		J	34.1	2.0	-0.0	-13.5	
1792.4	35185.0	INVS LU Max	I	-2288.2	20.2	2.7	58.6	
700.9	29786.2		J	-2288.2	20.2	4.8	58.6	
-458.3	-20613.1	Min	I	-2768.1	-30.6	-2.4	-1133.5	
1454.4	3806.1		J	-2768.1	-30.6	-0.3	-1133.5	-
1333.2	25038.2	INVS LE Max	I	-1789.1	14.7	2.0	60.4	
517.2	21204.7		J	-1789.1	14.7	3.6	60.4	
-330.3	-16053.9	Min	I	-2139.9	-22.6	-1.8	-821.4	
1075.5	2056.4		J	-2139.9	-22.6	-0.2	-821.4	-
5130	2	67 C1-C2;~1 Max	I	70.7	11.3	2.0	413.9	
930.1	15535.7		J	70.7	11.3	2.0	413.9	
419.2	23880.7	Min	I	-210.0	-20.8	-0.9	-428.4	
-346.7	-1988.0		J	-210.0	-20.8	-0.9	-428.4	
-813.5	-3045.4							
1241.1	10073.2	C3-C4;~1 Max	I	70.7	6.7	2.7	300.8	
539.0	15445.9		J	70.7	6.7	2.7	300.8	
-421.0	-2745.8	Min	I	-248.2	-11.0	-1.1	-347.1	
1080.1	-4165.5		J	-248.2	-11.0	-1.1	-347.1	-
528.8	10907.5	C1-C2;~2 Max	I	36.9	7.7	1.1	274.7	
227.4	16758.8		J	36.9	7.7	1.1	274.7	
-178.8	-1047.1	Min	I	-120.2	-14.7	-0.5	-284.2	
-451.6	-1567.3		J	-120.2	-14.7	-0.5	-284.2	
714.5	6892.7	C3-C4;~2 Max	I	36.6	3.9	1.5	176.5	
			J	36.6	3.9	1.5	176.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
305.2	10543.4		Min	I	-140.3	-7.5	-0.6	-208.4
-223.5	-1315.4			J	-140.3	-7.5	-0.6	-208.4
-605.0	-1973.3							
		G1		I	-142.1	-0.2	0.4	-25.5
429.9	402.7			J	-142.1	-0.2	2.0	-25.5
-570.9	547.4							
		G2		I	-58.4	0.5	0.5	-13.3
214.6	-655.5			J	-58.4	0.5	0.5	-13.3
-184.9	-1125.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	13.7	-0.4	-0.1	6.6
-30.0	705.7			J	13.7	-0.4	-0.1	6.6
32.4	1024.3							
		Q5_pc Y		I	36.3	-0.4	-0.1	2.3
-17.3	539.9			J	36.3	-0.4	-0.1	2.3
27.3	909.6							
		Q5_ps X		I	13.7	-0.4	-0.1	9.0
-30.6	807.5			J	13.7	-0.4	-0.1	9.0
33.9	1175.6							
		Q5_ps Y		I	35.5	-0.6	-0.1	2.7
-18.1	737.0			J	35.5	-0.6	-0.1	2.7
29.5	1241.9							
		INVSLE Max		I	-2200.3	19.4	3.7	630.3
2181.4	29766.4			J	-2200.3	19.4	5.9	630.3
277.3	38041.8							
		Min		I	-2696.1	-24.7	-1.5	-518.6
-116.5	3816.1			J	-2696.1	-24.7	0.6	-518.6
1966.9	-1664.4							-
		INVSLE Max		I	-1726.7	14.7	2.8	467.3
1626.8	21190.8			J	-1726.7	14.7	4.4	467.3
189.7	27004.1							
		Min		I	-2089.1	-17.9	-1.1	-382.9
-71.3	2062.5			J	-2089.1	-17.9	0.5	-382.9
1468.4	-2271.3							-
		69 C1-C2;~1 Max		I	84.3	7.3	2.6	682.3
5131	2			J	84.3	7.3	2.6	682.3
1211.3	23869.7							
		Min		I	-239.1	-31.7	-1.0	-449.8
510.9	41393.0			J	-239.1	-31.7	-1.0	-449.8
-416.5	-3046.6							-

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1047.5	-4631.7						
		C3-C4;~1 Max	I	84.5	5.5	3.5	474.1
1632.3	15434.0		J	84.5	5.5	3.5	474.1
635.9	28821.5						
		Min	I	-282.0	-18.5	-1.3	-405.4
-463.7	-4167.7		J	-282.0	-18.5	-1.3	-405.4
1401.9	-6707.9						
		C1-C2;~2 Max	I	44.6	4.5	1.5	460.1
688.2	16752.2		J	44.6	4.5	1.5	460.1
279.3	28764.0						
		Min	I	-137.2	-22.2	-0.5	-291.6
-217.2	-1568.9		J	-137.2	-22.2	-0.5	-291.6
-580.2	-2108.2						
		C3-C4;~2 Max	I	44.6	2.6	2.0	313.0
940.3	10536.4		J	44.6	2.6	2.0	313.0
361.6	19523.0						
		Min	I	-160.0	-12.5	-0.7	-232.5
-242.3	-1975.3		J	-160.0	-12.5	-0.7	-232.5
-784.2	-2930.2						
		G1	I	-155.0	-1.0	0.6	-26.4
616.7	541.0		J	-155.0	-1.0	2.7	-26.4
-789.8	1428.9						
		G2	I	-63.4	1.3	0.7	-40.2
307.4	-1128.1		J	-63.4	1.3	0.7	-40.2
-262.8	-2280.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	14.5	-0.8	-0.1	16.5
-40.7	1007.5		J	14.5	-0.8	-0.1	16.5
41.9	1699.1						
		Q5_pc Y	I	38.8	-1.2	-0.1	19.3
-30.1	915.0		J	38.8	-1.2	-0.1	19.3
35.4	1959.5						
		Q5_ps X	I	14.4	-1.0	-0.1	23.4
-42.1	1159.6		J	14.4	-1.0	-0.1	23.4
44.7	2041.1						
		Q5_ps Y	I	37.9	-1.6	-0.1	26.2
-32.3	1247.0		J	37.9	-1.6	-0.1	26.2
40.0	2672.6						
		INVSLU Max	I	-2121.9	28.6	4.6	1330.1
2832.3	38030.6						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
441.7	47307.8		J	-2121.9	28.6	7.5	1330.1	
		Min	I	-2686.4	-26.2	-2.0	-233.0	
-70.6	-1633.5		J	-2686.4	-26.2	0.9	-233.0	-
2384.7	-21155.4							
		INVSLE Max	I	-1674.6	21.1	3.4	965.9	
2119.1	26998.3		J	-1674.6	21.1	5.5	965.9	
324.5	33774.6		Min	I	-2087.6	-19.3	-189.4	
-25.8	-2248.1		J	-2087.6	-19.3	0.7	-189.4	-
1763.6	-16677.7							
5132	2	69 C1-C2;~1 Max	I	95.7	127.1	3.2	1243.9	
1442.6	41392.7		J	95.7	127.1	3.2	1243.9	
402.4	14677.5		Min	I	-265.3	-22.2	-162.0	
-404.2	-4632.7		J	-265.3	-22.2	-0.9	-162.0	-
1287.5	-72340.1							
		C3-C4;~1 Max	I	95.9	105.4	3.9	917.6	
1790.0	28821.8		J	95.9	105.4	3.9	917.6	
471.2	21575.0		Min	I	-304.7	-32.4	-305.4	
-452.7	-6708.1		J	-304.7	-32.4	-1.1	-305.4	-
1603.7	-63005.2							
		C1-C2;~2 Max	I	51.4	83.9	1.8	848.1	
841.4	28763.4		J	51.4	83.9	1.8	848.1	
206.8	6578.2		Min	I	-153.6	-10.0	-71.4	
-211.2	-2108.9		J	-153.6	-10.0	-0.5	-71.4	
-738.1	-46587.8							
		C3-C4;~2 Max	I	51.4	68.5	2.3	610.8	
1046.3	19523.0		J	51.4	68.5	2.3	610.8	
241.4	9193.9		Min	I	-174.4	-13.9	-136.0	
-233.2	-2930.7		J	-174.4	-13.9	-0.5	-136.0	
-921.7	-40158.2							
		G1	I	-159.8	7.3	0.7	14.0	
658.6	1431.2		J	-159.8	7.3	2.8	14.0	
-858.4	-4905.9							
		G2	I	-63.2	-12.6	0.6	-112.3	
286.9	-2278.5		J	-63.2	-12.6	0.6	-112.3	
-245.3	8615.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-23.5	1682.6	Q5_pc X	I	12.8	4.3	-0.1	41.3	
			J	12.8	4.3	-0.1	41.3	
22.4	-2015.6							
		Q5_pc Y	I	37.7	10.3	-0.0	78.2	
1.0	1966.4		J	37.7	10.3	-0.0	78.2	
1.2	-6924.6							
		Q5_ps X	I	12.4	6.4	-0.0	60.6	
-19.3	2025.4		J	12.4	6.4	-0.0	60.6	
18.3	-3481.1							
		Q5_ps Y	I	36.2	14.1	0.0	107.8	
9.9	2679.1		J	36.2	14.1	0.0	107.8	
-7.8	-9528.0							
		INVS LU Max	I	-2015.0	127.9	4.8	2293.1	
2881.7	47307.8		J	-2015.0	127.9	7.7	2293.1	
312.1	70850.3							
		Min	I	-2623.6	-106.0	-2.0	60.9	
-188.3	-21167.8		J	-2623.6	-106.0	0.9	60.9	-
2529.5	-68399.4							
		INVS LE Max	I	-1596.8	88.0	3.6	1660.5	
2146.6	33773.9		J	-1596.8	88.0	5.7	1660.5	
228.7	56103.3							
		Min	I	-2042.6	-83.8	-1.5	17.5	
-124.4	-16686.6		J	-2042.6	-83.8	0.7	17.5	-
1873.2	-46121.3							
5133	2	69 C1-C2;~1 Max	I	101.2	22.6	2.7	198.6	
1203.5	14689.2		J	101.2	22.6	2.7	198.6	
632.7	43358.6							
		Min	I	-271.3	-130.9	-1.4	-1371.1	
-542.2	-72324.5		J	-271.3	-130.9	-1.4	-1371.1	-
1101.4	-5166.5							
		C3-C4;~1 Max	I	101.3	32.9	3.5	269.3	
1556.4	21588.6		J	101.3	32.9	3.5	269.3	
699.6	30846.1							
		Min	I	-312.5	-108.1	-1.5	-1036.5	
-595.5	-63002.2		J	-312.5	-108.1	-1.5	-1036.5	-
1442.8	-7572.7							
		C1-C2;~2 Max	I	54.9	10.2	1.5	89.2	
672.9	6584.9		J	54.9	10.2	1.5	89.2	
369.4	30038.3							
		Min	I	-157.7	-86.5	-0.8	-925.6	
-305.7	-46576.8		J	-157.7	-86.5	-0.8	-925.6	
-605.6	-2339.8							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
857.2	9201.8	C3-C4;~2	Max	I	54.9	14.1	1.9	116.2	
				J	54.9	14.1	1.9	116.2	
411.7	20877.6		Min	I	-179.6	-70.3	-0.9	-686.9	
-338.0	-40157.4			J	-179.6	-70.3	-0.9	-686.9	
-785.6	-3408.8								
747.6	-4883.7		G1	I	-157.6	-7.5	0.9	-95.2	
				J	-157.6	-7.5	3.0	-95.2	
-962.9	1579.9								
391.9	8623.9		G2	I	-62.3	12.8	0.9	77.5	
				J	-62.3	12.8	0.9	77.5	
-356.3	-2471.6								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-50.5	-2030.3		Q5_pc X	I	10.9	-4.3	-0.1	-25.4	
				J	10.9	-4.3	-0.1	-25.4	
48.9	1716.9								
-48.0	-6918.6		Q5_pc Y	I	37.9	-10.5	-0.1	-76.5	
				J	37.9	-10.5	-0.1	-76.5	
51.5	2164.0								
-58.8	-3494.9		Q5_ps X	I	10.6	-6.4	-0.1	-38.3	
				J	10.6	-6.4	-0.1	-38.3	
57.3	2076.0								
-63.4	-9522.3		Q5_ps Y	I	36.5	-14.4	-0.2	-106.1	
				J	36.5	-14.4	-0.2	-106.1	
66.8	2935.9								
2210.5	70889.3		INVS LU Max	I	-1878.3	124.7	3.5	306.9	
				J	-1878.3	124.7	6.4	306.9	
915.3	34743.9								
-785.3	-68346.8		Min	I	-2505.2	-115.4	-3.4	-2045.2	
				J	-2505.2	-115.4	-0.5	-2045.2	
2069.8	-37908.6								
1590.1	56132.5		INVS LE Max	I	-1493.7	98.6	2.5	268.8	
				J	-1493.7	98.6	4.6	268.8	
729.8	23669.8								
-622.3	-46082.9		Min	I	-1953.0	-77.8	-2.6	-1463.3	
				J	-1953.0	-77.8	-0.5	-1463.3	
1474.5	-29858.3								
5134	2	69	C1-C2;~1	Max	I	108.3	27.4	3.2	395.4
1470.2	43361.2				J	108.3	27.4	3.2	395.4
404.5	35346.2								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-408.6	-5166.1		Min	I	-264.8	-16.0	-0.9	-791.4
				J	-264.8	-16.0	-0.9	-791.4 -
1321.1	-5511.9							
		C3-C4;~1	Max	I	108.5	15.5	4.2	306.7
1902.2	30848.2			J	108.5	15.5	4.2	306.7
487.3	24373.6							
			Min	I	-313.8	-8.2	-1.0	-618.1
-437.7	-7573.8			J	-313.8	-8.2	-1.0	-618.1 -
1712.4	-6573.6							
		C1-C2;~2	Max	I	59.4	19.2	1.8	252.9
840.7	30040.3			J	59.4	19.2	1.8	252.9
212.5	24616.3							
			Min	I	-152.7	-11.0	-0.5	-533.5
-216.8	-2339.3			J	-152.7	-11.0	-0.5	-533.5
-741.9	-3011.4							
		C3-C4;~2	Max	I	59.4	10.2	2.4	173.2
1091.9	20879.2			J	59.4	10.2	2.4	173.2
265.7	16592.3							
			Min	I	-179.1	-4.7	-0.5	-383.8
-231.2	-3409.3			J	-179.1	-4.7	-0.5	-383.8
-961.7	-3120.4							
			G1	I	-154.5	0.7	1.3	-54.9
887.6	1578.5			J	-154.5	0.7	3.4	-54.9 -
1120.6	966.8							
			G2	I	-63.2	-0.6	0.9	2.2
402.7	-2472.9			J	-63.2	-0.6	0.9	2.2
-381.5	-1996.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	10.1	0.4	-0.1	1.1
-33.4	1700.5			J	10.1	0.4	-0.1	1.1
35.4	1395.9							
			Q5_pc Y	I	41.1	0.6	-0.1	-15.1
-23.0	2171.0			J	41.1	0.6	-0.1	-15.1
34.9	1663.3							
			Q5_ps X	I	10.3	0.5	-0.1	0.7
-35.1	2060.6			J	10.3	0.5	-0.1	0.7
38.4	1636.4							
			Q5_ps Y	I	40.3	0.8	-0.1	-21.2
-24.9	2942.8			J	40.3	0.8	-0.1	-21.2
39.0	2237.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2465.4	34758.1	INVSLE Max	I	-1651.8	34.9	4.0	453.9	
			J	-1651.8	34.9	6.9	453.9	
761.1	25732.3	Min	I	-2295.9	-24.7	-3.1	-1175.5	
-753.6	-37912.0		J	-2295.9	-24.7	-0.2	-1175.5	-
2272.1	-33853.4							
		INVSLE Max	I	-1321.2	26.6	2.9	366.1	
1779.6	23679.9		J	-1321.2	26.6	5.0	366.1	
621.6	16326.7	Min	I	-1792.8	-17.4	-2.4	-838.8	
-600.3	-29860.3		J	-1792.8	-17.4	-0.3	-838.8	-
1620.5	-27589.1							
5135	2	69 C1-C2;~1 Max	I	131.2	20.9	3.8	502.9	
1703.6	35343.3		J	131.2	20.9	3.8	502.9	
432.6	35533.4	Min	I	-301.1	-24.2	-1.0	-694.7	
-466.3	-5512.2		J	-301.1	-24.2	-1.0	-694.7	-
1581.8	-4399.6							
		C3-C4;~1 Max	I	131.7	12.0	4.9	353.4	
2204.3	24371.4		J	131.7	12.0	4.9	353.4	
455.2	25009.7	Min	I	-361.1	-13.8	-1.1	-553.1	
-487.3	-6573.1		J	-361.1	-13.8	-1.1	-553.1	-
2045.8	-6845.6							
		C1-C2;~2 Max	I	72.4	14.6	2.2	332.7	
968.6	24614.3		J	72.4	14.6	2.2	332.7	
228.8	24776.8	Min	I	-173.9	-17.1	-0.5	-468.1	
-243.4	-3011.7		J	-173.9	-17.1	-0.5	-468.1	
-895.0	-2154.9							
		C3-C4;~2 Max	I	72.7	7.6	2.8	206.3	
1258.1	16590.8		J	72.7	7.6	2.8	206.3	
240.6	17106.1	Min	I	-207.0	-9.1	-0.6	-344.3	
-254.7	-3120.2		J	-207.0	-9.1	-0.6	-344.3	-
1154.9	-3302.1							
		G1	I	-164.9	0.4	1.7	-48.8	
1064.4	967.0		J	-164.9	0.4	3.8	-48.8	-
1339.3	663.0							
		G2	I	-67.3	0.3	1.1	-23.9	
476.4	-1995.6		J	-67.3	0.3	1.1	-23.9	
-469.7	-2227.4							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-32.7	1379.2	Q5_pc X		I	9.2	-0.0	-0.1	8.4
				J	9.2	-0.0	-0.1	8.4
35.6	1391.9							
-38.8	1670.0	Q5_pc Y		I	44.6	-0.1	-0.1	3.5
				J	44.6	-0.1	-0.1	3.5
54.5	1755.6							
-36.0	1620.5	Q5_ps X		I	9.6	0.0	-0.1	11.4
				J	9.6	0.0	-0.1	11.4
40.0	1605.8							
-42.5	2243.3	Q5_ps Y		I	43.9	-0.1	-0.1	4.5
				J	43.9	-0.1	-0.1	4.5
60.0	2326.4							
2744.9	25732.9	INVSLE Max		I	-1297.3	21.0	4.7	698.2
				J	-1297.3	21.0	7.6	698.2
889.9	32376.0	Min		I	-2042.9	-40.0	-3.6	-933.7
-958.7	-33860.1			J	-2042.9	-40.0	-0.7	-933.7
2584.5	-27995.6							-
1952.6	16326.8	INVSLE Max		I	-1049.2	15.1	3.3	533.1
				J	-1049.2	15.1	5.4	533.1
753.4	21676.1	Min		I	-1595.6	-30.2	-2.8	-674.6
-785.6	-27593.6			J	-1595.6	-30.2	-0.7	-674.6
1812.9	-22809.5							-
5136	2	69 C1-C2;~1 Max		I	183.2	30.4	5.1	666.2
2189.1	35536.1			J	183.2	30.4	5.1	666.2
622.7	59161.7	Min		I	-403.3	-42.9	-1.4	-585.9
-608.7	-4399.4			J	-403.3	-42.9	-1.4	-585.9
2222.7	-27867.6							-
2805.6	25013.0	C3-C4;~1 Max		I	184.7	22.8	6.5	459.5
				J	184.7	22.8	6.5	459.5
642.9	43763.6	Min		I	-484.5	-30.6	-1.5	-503.1
-628.7	-6845.9			J	-484.5	-30.6	-1.5	-503.1
2833.3	-23028.1							-
1241.8	24778.5	C1-C2;~2 Max		I	101.4	20.8	2.9	449.6
				J	101.4	20.8	2.9	449.6
314.0	41290.3	Min		I	-234.1	-30.2	-0.7	-389.3
-306.5	-2154.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1256.7	-18545.0		J	-234.1	-30.2	-0.7	-389.3	-
1595.0	17108.3	C3-C4;~2 Max	I	102.2	14.7	3.7	303.5	
325.2	30290.3		J	102.2	14.7	3.7	303.5	
-317.6	-3302.2	Min	I	-279.2	-20.5	-0.7	-301.9	
1596.4	-14095.3		J	-279.2	-20.5	-0.7	-301.9	-
1348.4	663.6	G1	I	-202.6	-0.1	2.5	-43.9	
1715.9	720.7		J	-202.6	-0.1	4.6	-43.9	-
589.1	-2227.6	G2	I	-81.4	-0.2	1.4	-55.4	
-618.9	-2042.7		J	-81.4	-0.2	1.4	-55.4	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-35.9	1375.4	Q5_pc X	I	8.2	-0.6	-0.1	17.2	
41.1	1873.9		J	8.2	-0.6	-0.1	17.2	
-73.4	1762.3	Q5_pc Y	I	50.9	-0.0	-0.2	24.7	
99.9	1782.7		J	50.9	-0.0	-0.2	24.7	
-40.7	1590.2	Q5_ps X	I	8.8	-0.6	-0.1	23.5	
47.5	2069.9		J	8.8	-0.6	-0.1	23.5	
-78.2	2332.8	Q5_ps Y	I	50.0	0.0	-0.2	33.3	
106.9	2320.4		J	50.0	0.0	-0.2	33.3	
2772.2	32386.0	INVSLE Max	I	-804.3	28.0	4.9	954.6	
2195.2	76135.1		J	-804.3	28.0	7.7	954.6	
1996.3	-28001.7	Min	I	-1799.3	-72.0	-6.3	-780.3	-
2677.3	-44727.5		J	-1799.3	-72.0	-3.4	-780.3	-
1893.1	21683.1	INVSLE Max	I	-666.6	19.2	3.2	709.9	
1822.4	55388.4		J	-666.6	19.2	5.3	709.9	
1629.3	-22813.6	Min	I	-1396.9	-54.8	-5.1	-571.9	-
1773.5	-33889.6		J	-1396.9	-54.8	-2.9	-571.9	-
5137	2	69 C1-C2;~1 Max	I	302.3	137.4	8.6	1383.3	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3421.7	59161.0		J	302.3	137.4	8.6	1383.3
1244.9	20287.8	Min	I	-669.9	-27.7	-2.6	-491.4
-993.9	-27870.1		J	-669.9	-27.7	-2.6	-491.4
4013.8	-132268.8						-
		C3-C4;~1 Max	I	305.5	119.7	10.5	1019.4
4160.8	43763.7		J	305.5	119.7	10.5	1019.4
1262.2	26699.6	Min	I	-800.2	-36.1	-2.6	-517.8
1008.8	-23028.1		J	-800.2	-36.1	-2.6	-517.8
4892.0	-107187.1						-
		C1-C2;~2 Max	I	166.7	90.9	5.0	944.8
1979.3	41289.5		J	166.7	90.9	5.0	944.8
644.4	9274.5	Min	I	-389.5	-12.7	-1.3	-302.0
-510.3	-18546.6		J	-389.5	-12.7	-1.3	-302.0
2306.9	-90306.7						-
		C3-C4;~2 Max	I	168.5	78.9	6.0	683.3
2395.8	30290.0		J	168.5	78.9	6.0	683.3
652.3	11511.5	Min	I	-461.4	-15.6	-1.4	-278.0
-517.0	-14095.4		J	-461.4	-15.6	-1.4	-278.0
2795.2	-72424.7						-
		G1	I	-326.0	2.4	4.1	-22.0
1876.7	723.0		J	-326.0	2.4	6.2	-22.0
2580.1	-1321.4						-
		G2	I	-126.7	-16.6	1.9	-130.5
764.5	-2040.9		J	-126.7	-16.6	1.9	-130.5
-914.7	12302.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	6.0	4.0	-0.1	52.1
-29.4	1857.2		J	6.0	4.0	-0.1	52.1
36.1	-1645.7						
		Q5_pc Y	I	65.2	12.3	-0.3	82.8
-114.6	1788.8		J	65.2	12.3	-0.3	82.8
170.6	-8828.9						
		Q5_ps X	I	7.2	5.9	-0.1	67.0
-32.0	2053.9		J	7.2	5.9	-0.1	67.0
40.8	-3010.2						
		Q5_ps Y	I	63.9	16.6	-0.3	112.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-108.2	2325.9			J	63.9	16.6	-0.3	112.5	
165.0	-12054.9								
		INVS LU	Max	I	0.9	134.7	5.3	1923.5	
3072.7	76111.2			J	0.9	134.7	8.2	1923.5	
5869.5	92047.7								
			Min	I	-1609.0	-121.6	-13.0	-792.0	-
4112.5	-44723.7			J	-1609.0	-121.6	-10.1	-792.0	-
2745.8	-138451.7								
		INVS LE	Max	I	-25.8	94.8	2.9	1418.2	
1938.8	55370.9			J	-25.8	94.8	5.1	1418.2	
4844.0	70273.0								
			Min	I	-1209.7	-93.3	-10.6	-582.3	-
3368.3	-33888.8			J	-1209.7	-93.3	-8.4	-582.3	-
1514.9	-99290.1								
		69 C1-C2;~1	Max	I	406.9	32.2	16.6	554.0	
5138	2			J	406.9	32.2	16.6	554.0	
6681.2	20264.5								
			Min	I	-882.1	-270.8	-5.3	-3554.2	-
2319.7	116430.9			J	-882.1	-270.8	-5.3	-3554.2	-
2256.8	-132084.9								
			Min	I	-882.1	-270.8	-5.3	-3554.2	-
7688.0	-38472.1			J	-882.1	-270.8	-5.3	-3554.2	-
		C3-C4;~1	Max	I	412.1	41.0	21.7	542.8	
8728.7	26726.7			J	412.1	41.0	21.7	542.8	
2344.6	83152.2								
			Min	I	-1042.4	-207.7	-5.3	-2724.3	-
2280.7	-107026.2			J	-1042.4	-207.7	-5.3	-2724.3	-1
0047.5	-32143.1								
		C1-C2;~2	Max	I	226.3	15.1	9.3	312.3	
3749.2	9255.5			J	226.3	15.1	9.3	312.3	
1168.7	82495.5								
			Min	I	-519.8	-189.4	-2.7	-2485.8	-
1164.0	-90188.1			J	-519.8	-189.4	-2.7	-2485.8	-
4288.9	-25191.0								
		C3-C4;~2	Max	I	229.3	18.1	12.2	251.7	
4913.6	11521.9			J	229.3	18.1	12.2	251.7	
1177.2	58389.2								
			Min	I	-608.6	-143.6	-2.7	-1895.4	-
1173.4	-72322.5			J	-608.6	-143.6	-2.7	-1895.4	-
5606.9	-19334.6								
		G1		I	-370.1	-2.8	10.6	-114.2	
4403.3	-1197.2			J	-370.1	-2.8	12.7	-114.2	-
5670.9	1189.8								
		G2		I	-145.3	17.1	4.7	124.5	
1823.6	12349.5			J	-145.3	17.1	4.7	124.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2215.7	-2443.1								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	0.8	-6.2	-0.1	-43.3		
-59.5	-1657.2		J	0.8	-6.2	-0.1	-43.3		
61.8	3733.1								
		Q5_pc Y	I	79.3	-12.7	-0.7	-120.6		
-308.9	-8832.1		J	79.3	-12.7	-0.7	-120.6		
293.0	2156.4								
		Q5_ps X	I	2.3	-8.0	-0.2	-56.0		
-88.6	-3021.3		J	2.3	-8.0	-0.2	-56.0		
97.7	3879.0								
		Q5_ps Y	I	77.1	-17.3	-0.8	-165.2		
-346.5	-12058.2		J	77.1	-17.3	-0.8	-165.2		
341.6	2959.8								
		INVSLE Max	I	814.1	123.7	15.0	1696.1		
5588.7	91777.5		J	814.1	123.7	17.8	1696.1		
8642.8	158986.2								
		Min	I	-1292.0	-320.1	-22.8	-4067.2		-
9829.9	-138515.8		J	-1292.0	-320.1	-19.9	-4067.2		-
8614.0	-56852.5								
		INVSLE Max	I	622.1	93.3	9.2	1318.7		
3309.1	70035.6		J	622.1	93.3	11.3	1318.7		
7165.8	118008.7								
		Min	I	-927.4	-233.8	-18.7	-2934.3		-
8070.9	-99374.5		J	-927.4	-233.8	-16.5	-2934.3		-
5577.9	-41374.1								
		69 C1-C2;~1 Max	I	393.2	107.7	22.6	1325.9		
5139	2		J	393.2	107.7	22.6	1325.9		
9756.6	116443.9								
		Min	I	-730.0	-149.0	-6.0	-2824.7		-
2605.6	132848.7		J	-730.0	-149.0	-6.0	-2824.7		-
2634.6	-38468.6								
9769.0	-26344.1								
		C3-C4;~1 Max	I	399.7	70.0	28.8	931.5		1
2379.2	83164.0		J	399.7	70.0	28.8	931.5		
2687.4	98835.5								
		Min	I	-859.9	-101.2	-6.2	-2098.9		-
2707.6	-32139.6		J	-859.9	-101.2	-6.2	-2098.9		-1
2528.6	-23309.8								
		C1-C2;~2 Max	I	223.3	75.9	12.6	884.5		
5485.7	82504.0		J	223.3	75.9	12.6	884.5		

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1318.8	94102.7		Min	I	-440.4	-106.3	-3.0	-1966.8	-
1317.9	-25188.1			J	-440.4	-106.3	-3.0	-1966.8	-
5464.4	-15916.1								
6909.5	58397.0	C3-C4;~2	Max	I	227.5	46.4	16.0	556.1	
1366.0	69530.5			J	227.5	46.4	16.0	556.1	
1358.8	-19331.5		Min	I	-516.0	-71.8	-3.1	-1455.4	-
6961.8	-12094.2			J	-516.0	-71.8	-3.1	-1455.4	-
6671.6	1193.4		G1	I	-200.5	0.5	15.0	-82.5	
7266.5	720.2			J	-200.5	0.5	17.2	-82.5	-
2683.8	-2442.8		G2	I	-78.0	2.6	6.3	40.8	
2806.1	-4654.3			J	-78.0	2.6	6.3	40.8	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-25.4	3716.8		Q5_pc X	I	-6.4	0.0	-0.0	-12.4	
10.5	3705.6			J	-6.4	0.0	-0.0	-12.4	
-184.8	2163.1		Q5_pc Y	I	76.9	-1.2	-0.4	-49.4	
146.9	3163.4			J	76.9	-1.2	-0.4	-49.4	
-62.7	3863.6		Q5_ps X	I	-5.2	-0.1	-0.1	-14.5	
52.3	3983.8			J	-5.2	-0.1	-0.1	-14.5	
-227.6	2966.4		Q5_ps Y	I	73.6	-1.7	-0.5	-67.0	
198.5	4414.5			J	73.6	-1.7	-0.5	-67.0	
2837.2	158978.3		INVS LU Max	I	1105.5	147.3	29.9	2207.7	1
6532.6	180398.7			J	1105.5	147.3	32.7	2207.7	
7862.6	-56843.7		Min	I	-733.2	-201.4	-18.1	-3484.5	-
4273.3	-41181.6			J	-733.2	-201.4	-15.2	-3484.5	-1
8810.7	118002.8		INVS LE Max	I	837.0	108.4	20.6	1669.9	
5455.3	134430.6			J	837.0	108.4	22.7	1669.9	
6497.8	-41369.7		Min	I	-514.7	-149.7	-14.9	-2540.0	-
				J	-514.7	-149.7	-12.7	-2540.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

9936.9	-29208.9										
5140	2	69	C1-C2;~1	Max	I	432.2	136.5	23.6	1959.3	1	
0245.0	132843.0				J	432.2	136.5	23.6	1959.3		
2751.0	132762.9										
				Min	I	-638.2	-138.5	-6.4	-2189.8	-	
2784.5	-26344.2				J	-638.2	-138.5	-6.4	-2189.8	-1	
0225.9	-25029.5										
				C3-C4;~1	Max	I	446.4	92.9	30.6	1386.3	1
3225.5	98831.0				J	446.4	92.9	30.6	1386.3		
2846.2	99107.9										
				Min	I	-751.0	-95.0	-6.6	-1678.0	-	
2877.3	-23309.2				J	-751.0	-95.0	-6.6	-1678.0	-1	
3293.9	-22505.3										
				C1-C2;~2	Max	I	242.9	96.5	13.0	1355.8	
5662.9	94098.6				J	242.9	96.5	13.0	1355.8		
1409.2	94158.0										
				Min	I	-387.8	-98.3	-3.3	-1513.2	-	
1413.6	-15916.2				J	-387.8	-98.3	-3.3	-1513.2	-	
5631.9	-14861.2										
				C3-C4;~2	Max	I	250.6	61.6	16.8	895.1	
7261.4	69527.4				J	250.6	61.6	16.8	895.1		
1464.0	69875.0										
				Min	I	-456.2	-63.4	-3.4	-1096.9	-	
1466.8	-12093.8				J	-456.2	-63.4	-3.4	-1096.9	-	
7275.4	-11425.5										
				G1	I	-45.7	1.1	17.0	-70.3		
7561.4	719.9				J	-45.7	1.1	19.1	-70.3	-	
8068.5	-264.9										
				G2	I	-17.9	0.4	7.1	-32.4		
3046.8	-4654.1				J	-17.9	0.4	7.1	-32.4	-	
3134.3	-4986.4										
				Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0				J	0.0	0.0	0.0	0.0		
0.0	0.0										
				Q5_pc	X	I	-12.2	0.6	0.1	8.1	
31.6	3688.8				J	-12.2	0.6	0.1	8.1		
-43.5	3152.4										
				Q5_pc	Y	I	76.4	0.1	-0.1	2.4	
-76.0	3170.1				J	76.4	0.1	-0.1	2.4		
52.9	3087.9										
				Q5_ps	X	I	-11.0	0.6	-0.0	12.5	
-17.9	3967.9				J	-11.0	0.6	-0.0	12.5		


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9.4	3416.4							
-138.7	4420.8	Q5_ps Y	I	72.7	0.1	-0.3	4.3	
122.2	4339.8		J	72.7	0.1	-0.3	4.3	
5768.3	180379.0	INVSLU Max	I	1598.2	184.6	36.3	2626.0	1
4993.4	179963.4		J	1598.2	184.6	39.2	2626.0	
6107.3	-41163.6	Min	I	-155.8	-187.8	-14.3	-2990.0	-
6890.9	-38730.7		J	-155.8	-187.8	-11.4	-2990.0	-1
1113.6	134417.3	INVSLE Max	I	1206.1	136.8	25.6	1960.2	1
4222.8	134042.3		J	1206.1	136.8	27.7	1960.2	
5080.5	-29196.5	Min	I	-82.9	-138.9	-11.8	-2198.7	-
1980.7	-27533.0		J	-82.9	-138.9	-9.7	-2198.7	-1
5141	2	69 C1-C2;~1 Max	I	488.5	145.9	24.2	2589.7	1
0561.9	132767.9		J	488.5	145.9	24.2	2589.7	
2797.9	119636.0	Min	I	-580.9	-113.3	-6.5	-1535.3	-
2858.6	-25029.8		J	-580.9	-113.3	-6.5	-1535.3	-1
0418.5	-39777.4							
3789.2	99111.5	C3-C4;~1 Max	I	517.1	98.1	31.7	1884.8	1
2899.1	85678.8		J	517.1	98.1	31.7	1884.8	
2960.4	-22506.4	Min	I	-674.2	-76.1	-6.8	-1193.7	-
3676.4	-34491.6		J	-674.2	-76.1	-6.8	-1193.7	-1
5801.5	94161.8	C1-C2;~2 Max	I	269.2	102.9	13.3	1816.6	
1436.6	84645.8		J	269.2	102.9	13.3	1816.6	
1458.2	-14861.4	Min	I	-355.5	-79.7	-3.3	-1035.1	-
5706.5	-25203.3		J	-355.5	-79.7	-3.3	-1035.1	-
7530.1	69877.8	C3-C4;~2 Max	I	283.2	68.7	17.3	1312.1	
1494.6	60143.2		J	283.2	68.7	17.3	1312.1	
1516.1	-11426.3	Min	I	-413.5	-50.2	-3.5	-730.7	-
7449.3	-20090.7		J	-413.5	-50.2	-3.5	-730.7	-
7981.3	-266.0	G1	I	115.4	0.9	17.8	-68.7	
8348.9	-1008.9		J	115.4	0.9	19.9	-68.7	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
3223.1	-4987.1	G2	I	46.3	-2.6	7.5	-109.8	
			J	46.3	-2.6	7.5	-109.8	-
3254.9	-2754.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-18.6	1.1	0.2	27.6	
76.5	3135.8		J	-18.6	1.1	0.2	27.6	
-84.2	2179.6							
		Q5_pc Y	I	72.9	1.9	0.0	54.9	
-5.7	3094.4		J	72.9	1.9	0.0	54.9	
-9.4	1420.4							
		Q5_ps X	I	-17.7	1.3	0.1	37.9	
19.4	3400.7		J	-17.7	1.3	0.1	37.9	
-25.0	2280.4							
		Q5_ps Y	I	68.2	2.6	-0.2	76.5	
-81.2	4346.0		J	68.2	2.6	-0.2	76.5	
71.1	2082.0							
		INVSLE Max	I	2118.5	188.9	39.7	3113.8	1
7398.7	179951.0		J	2118.5	188.9	42.6	3113.8	
4313.6	169869.5							
		Min	I	379.1	-164.6	-12.6	-2553.9	-
5350.9	-38720.3		J	379.1	-164.6	-9.7	-2553.9	-1
8215.0	-49261.8							
		INVSLE Max	I	1594.5	140.4	28.3	2308.7	1
2394.8	134034.2		J	1594.5	140.4	30.4	2308.7	
3640.2	126137.4							
		Min	I	315.8	-121.2	-10.4	-1882.2	-
4446.6	-27526.5		J	315.8	-121.2	-8.3	-1882.2	-1
3036.4	-35891.4							
		69 C1-C2;~1 Max	I	557.6	269.1	23.9	3505.4	1
5142	2		J	557.6	269.1	23.9	3505.4	
0477.3	119636.8							
		Min	I	-522.5	-34.5	-6.4	-919.5	-
2736.0	26476.2		J	-522.5	-34.5	-6.4	-919.5	-1
2821.5	-39780.5							
0227.5	-124721.1							
		C3-C4;~1 Max	I	604.4	205.7	31.2	2673.4	1
3664.8	85680.7		J	604.4	205.7	31.2	2673.4	
2838.4	28949.3							
		Min	I	-600.5	-41.4	-6.7	-966.8	-
2926.2	-34493.0		J	-600.5	-41.4	-6.7	-966.8	-1
3383.4	-100010.1							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5718.1	84644.5	C1-C2;~2	Max	I	300.5	188.1	13.0	2473.8	
				J	300.5	188.1	13.0	2473.8	
1399.6	12980.8		Min	I	-318.9	-16.2	-3.3	-569.5	-
1436.7	-25205.1			J	-318.9	-16.2	-3.3	-569.5	-
5569.8	-83385.9								
7428.8	60142.8	C3-C4;~2	Max	I	322.3	142.6	17.0	1875.3	
				J	322.3	142.6	17.0	1875.3	
1457.5	12191.8		Min	I	-367.4	-18.1	-3.4	-539.1	-
1495.6	-20091.5			J	-367.4	-18.1	-3.4	-539.1	-
7259.9	-66439.1								
			G1	I	276.7	-2.9	17.5	-82.3	
7918.1	-999.1			J	276.7	-2.9	19.6	-82.3	-
8155.4	1495.8								
			G2	I	109.1	-20.2	7.2	-205.6	
3147.2	-2749.4			J	109.1	-20.2	7.2	-205.6	-
3125.5	14762.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-28.5	5.7	0.3	53.2	
135.4	2163.1			J	-28.5	5.7	0.3	53.2	
-141.3	-2752.3								
			Q5_pc Y	I	68.8	14.6	0.2	123.4	
88.8	1427.2			J	68.8	14.6	0.2	123.4	
-97.2	-11178.1								
			Q5_ps X	I	-27.3	7.0	0.2	70.4	
79.9	2264.5			J	-27.3	7.0	0.2	70.4	
-85.0	-3796.7								
			Q5_ps Y	I	64.0	19.6	0.1	170.6	
28.2	2088.0			J	64.0	19.6	0.1	170.6	
-33.7	-14873.9								
			INVSLU Max	I	2626.7	317.8	41.5	3947.5	1
8229.0	169861.7			J	2626.7	317.8	44.3	3947.5	
3241.3	106261.1		Min	I	876.4	-127.6	-10.3	-2312.0	-
4412.4	-49245.1			J	876.4	-127.6	-7.4	-2312.0	-1
8912.5	-121314.5								
			INVSLE Max	I	1973.4	234.1	29.8	2916.1	1
3083.2	126132.2			J	1973.4	234.1	31.9	2916.1	
2770.4	78761.4								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3670.2	-35880.7		Min	I	686.0	-94.0	-8.5	-1704.1	-
				J	686.0	-94.0	-6.4	-1704.1	-1
3620.9	-88322.7								
5143	2	69	C1-C2;~1	Max	I	632.6	33.7	22.1	845.4
9714.6	26538.7				J	632.6	33.7	22.1	845.4
2646.6	118551.5								
			Min	I	-479.6	-267.5	-6.2	-3525.3	-
2742.2	-124598.8				J	-479.6	-267.5	-6.2	-3525.3
9399.9	-39009.4								
			C3-C4;~1	Max	I	699.7	41.9	29.5	843.6
2960.7	29149.0				J	699.7	41.9	29.5	843.6
2733.0	85598.9								
			Min	I	-551.0	-204.7	-6.4	-2686.0	-
2832.9	-99867.7				J	-551.0	-204.7	-6.4	-2686.0
2589.7	-34364.0								
			C1-C2;~2	Max	I	333.6	15.9	12.0	534.4
5288.5	13008.3				J	333.6	15.9	12.0	534.4
1336.6	84150.8								
			Min	I	-289.7	-187.0	-3.1	-2469.7	-
1381.2	-83319.0				J	-289.7	-187.0	-3.1	-2469.7
5105.9	-25219.5								
			C3-C4;~2	Max	I	364.2	18.2	16.0	473.4
7017.9	12305.3				J	364.2	18.2	16.0	473.4
1386.7	60409.2								
			Min	I	-334.6	-141.8	-3.3	-1877.6	-
1433.4	-66350.8				J	-334.6	-141.8	-3.3	-1877.6
6803.7	-20224.0								
			G1	I	434.9	4.5	16.2	-14.5	
7385.3	1764.6				J	434.9	4.5	18.3	-14.5
7542.8	-2093.9								
			G2	I	171.2	21.1	7.0	152.7	
3045.9	14868.7				J	171.2	21.1	7.0	152.7
2991.5	-3396.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc X	I	-40.8	-4.9	0.4	-36.4	
172.6	-2748.2				J	-40.8	-4.9	0.4	-36.4
-182.2	1524.0								
			Q5_pc Y	I	64.1	-14.7	0.1	-127.4	
37.1	-11163.4				J	64.1	-14.7	0.1	-127.4
-40.1	1527.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
103.3	-3794.7	Q5_ps X	I	-39.3	-6.3	0.2	-43.2	
			J	-39.3	-6.3	0.2	-43.2	
-112.5	1651.7							
		Q5_ps Y	I	58.8	-19.8	-0.2	-170.5	
-67.9	-14862.5		J	58.8	-19.8	-0.2	-170.5	
66.4	2285.5							
		INVS LU Max	I	3112.0	172.4	39.3	2048.3	1
7409.9	106508.6		J	3112.0	172.4	42.2	2048.3	
3125.6	129659.5	Min	I	1308.1	-271.6	-9.9	-4081.6	-
4222.2	-121145.0		J	1308.1	-271.6	-7.0	-4081.6	-1
7887.9	-85797.5							
		INVS LE Max	I	2334.6	127.9	28.3	1522.9	1
2523.2	78931.1		J	2334.6	127.9	30.4	1522.9	
2639.5	95719.7	Min	I	1007.0	-199.1	-8.1	-3000.8	-
3477.5	-88212.7		J	1007.0	-199.1	-6.0	-3000.8	-1
2901.7	-63674.4							
5144	2	69 C1-C2;~1 Max	I	726.9	117.6	19.8	1485.5	
8837.6	118571.6		J	726.9	117.6	19.8	1485.5	
2411.8	133397.7	Min	I	-441.0	-150.5	-5.7	-2569.7	-
2556.2	-39003.5		J	-441.0	-150.5	-5.7	-2569.7	-
8336.2	-20279.5							
		C3-C4;~1 Max	I	822.9	80.0	26.5	1060.1	1
1778.7	85615.4		J	822.9	80.0	26.5	1060.1	
2498.5	99678.2	Min	I	-508.5	-102.2	-5.9	-1958.3	-
2645.4	-34357.9		J	-508.5	-102.2	-5.9	-1958.3	-1
1155.6	-21524.6							
		C1-C2;~2 Max	I	373.0	82.9	10.7	1017.2	
4792.1	84163.5		J	373.0	82.9	10.7	1017.2	
1196.4	95025.2	Min	I	-260.6	-106.4	-2.8	-1790.3	-
1269.0	-25214.9		J	-260.6	-106.4	-2.8	-1790.3	-
4513.0	-11929.1							
		C3-C4;~2 Max	I	416.2	52.7	14.3	663.4	
6363.9	60419.6		J	416.2	52.7	14.3	663.4	
1243.4	70722.3	Min	I	-303.8	-71.7	-3.0	-1302.4	-
1316.8	-20219.0		J	-303.8	-71.7	-3.0	-1302.4	-
6019.1	-10834.3							
		G1	I	625.5	0.7	13.7	-31.0	
6416.4	-2084.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
6381.1	-2699.3		J	625.5	0.7	15.8	-31.0	-
2607.8	-3393.9	G2	I	246.7	3.4	5.9	52.3	
2478.0	-6341.6		J	246.7	3.4	5.9	52.3	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
223.4	1508.3	Q5_pc X	I	-50.8	-0.2	0.5	-10.1	
-231.5	1696.8		J	-50.8	-0.2	0.5	-10.1	
92.0	1534.9	Q5_pc Y	I	60.6	-2.0	0.2	-54.6	
-83.5	3265.7		J	60.6	-2.0	0.2	-54.6	
161.1	1636.8	Q5_ps X	I	-49.4	-0.4	0.4	-10.2	
-170.1	1991.3		J	-49.4	-0.4	0.4	-10.2	
12.8	2292.5	Q5_ps Y	I	53.8	-2.8	0.0	-70.6	
-5.2	4709.6		J	53.8	-2.8	0.0	-70.6	
5839.0	129683.2	INVSLE Max	I	3671.6	207.6	35.0	2178.8	1
3109.1	110515.4		J	3671.6	207.6	37.9	2178.8	
4035.7	-85805.9	Min	I	1765.3	-157.9	-9.7	-3394.0	-
5740.6	-104508.0		J	1765.3	-157.9	-6.8	-3394.0	-1
1396.9	95736.2	INVSLE Max	I	2749.3	153.8	25.2	1619.2	1
2584.5	81246.6		J	2749.3	153.8	27.3	1619.2	
3295.3	-63680.7	Min	I	1345.2	-116.6	-7.9	-2501.6	-
1347.3	-77594.5		J	1345.2	-116.6	-5.7	-2501.6	-1
5145	2	69 C1-C2;~1 Max	I	880.2	164.3	14.5	2180.3	
6854.6	133399.1		J	880.2	164.3	14.5	2180.3	
2064.7	162545.0		I	-398.7	-157.4	-5.2	-1760.0	-
2406.0	-20281.7	Min	J	-398.7	-157.4	-5.2	-1760.0	-
5682.9	-44154.3		I	1035.6	114.6	19.5	1531.6	
9218.6	99678.7	C3-C4;~1 Max	J	1035.6	114.6	19.5	1531.6	
2179.1	119248.8		I	-461.9	-110.7	-5.4	-1363.4	-
2505.9	-21525.1	Min						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7674.4	-38315.2		J	-461.9	-110.7	-5.4	-1363.4	-
3712.7	95026.4	C1-C2;~2 Max	I	441.6	116.3	7.8	1527.0	
1061.0	115780.0		J	441.6	116.3	7.8	1527.0	
1231.9	-11930.7	Min	I	-224.9	-111.4	-2.6	-1206.2	-
3076.3	-28493.0		J	-224.9	-111.4	-2.6	-1206.2	-
4978.6	70722.8	C3-C4;~2 Max	I	515.9	76.7	10.5	1058.9	
1127.3	84632.2		J	515.9	76.7	10.5	1058.9	
1286.2	-10834.6	Min	I	-266.1	-74.7	-2.8	-867.2	-
4142.2	-22058.2		J	-266.1	-74.7	-2.8	-867.2	-
4474.2	-2700.3	G1	I	875.6	0.9	8.6	-44.2	
3918.9	-3464.1		J	875.6	0.9	10.8	-44.2	-
1843.2	-6341.8	G2	I	344.2	-0.4	3.9	-39.9	
1503.5	-5957.2		J	344.2	-0.4	3.9	-39.9	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
257.9	1680.1	Q5_pc X	I	-59.4	0.6	0.6	8.6	
-239.0	1157.2		J	-59.4	0.6	0.6	8.6	
67.6	3272.4	Q5_pc Y	I	60.4	0.8	0.1	7.2	
-41.6	2549.4		J	60.4	0.8	0.1	7.2	
203.0	1975.5	Q5_ps X	I	-58.2	0.7	0.5	13.6	
-191.2	1381.9		J	-58.2	0.7	0.5	13.6	
4.1	4715.9	Q5_ps Y	I	52.3	1.0	-0.0	14.3	
12.6	3832.4		J	52.3	1.0	-0.0	14.3	
1906.8	110527.4	INVSLU Max	I	4502.8	237.2	24.9	2300.4	1
2808.5	136581.0		J	4502.8	237.2	27.8	2300.4	
4385.4	-104510.7	Min	I	2372.4	-198.6	-9.7	-3034.4	-
0924.0	-147052.1		J	2372.4	-198.6	-6.8	-3034.4	-1
		INVSLE Max	I	3364.5	175.7	17.9	1708.5	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8532.2	81255.1			J	3364.5	175.7	20.0	1708.5		
2292.1	100520.0									
			Min	I	1794.5	-147.0	-7.7	-2242.1	-	
3501.8	-77596.0									
				J	1794.5	-147.0	-5.6	-2242.1	-	
7848.2	-109238.6									
5146	2	83	C1-C2;~1	Max	I	1081.6	168.8	61.7	19489.5	2
9301.1	162544.2									
				J	1081.6	168.8	61.7	19489.5	1	
0055.2	150548.9									
			Min	I	-439.5	-111.4	-26.1	-8539.7	-1	
2945.9	-44155.3									
				J	-439.5	-111.4	-26.1	-8539.7	-2	
4150.1	-77312.7									
			C3-C4;~1	Max	I	1271.3	116.0	83.9	14426.5	3
9684.8	119247.5									
				J	1271.3	116.0	83.9	14426.5	1	
0528.2	104782.7									
			Min	I	-493.0	-74.3	-27.4	-7203.9	-1	
3578.1	-38316.0									
				J	-493.0	-74.3	-27.4	-7203.9	-3	
2972.0	-62400.9									
			C1-C2;~2	Max	I	541.6	118.8	33.4	13691.1	1
5938.5	115779.7									
				J	541.6	118.8	33.4	13691.1		
5287.4	106200.1									
			Min	I	-245.7	-77.9	-13.7	-5624.4	-	
6849.4	-28494.2									
				J	-245.7	-77.9	-13.7	-5624.4	-1	
3018.0	-50839.2									
			C3-C4;~2	Max	I	631.8	81.0	45.3	10085.8	2
1504.7	84631.6									
				J	631.8	81.0	45.3	10085.8		
5558.9	73238.6									
			Min	I	-279.8	-48.0	-14.4	-4197.2	-	
7219.9	-22059.3									
				J	-279.8	-48.0	-14.4	-4197.2	-1	
7722.9	-38390.5									
			G1	I	1131.4	1.0	34.3	-434.2	1	
6195.0	-3463.3									
				J	1131.4	1.0	39.1	-434.2	-1	
5548.7	-4288.8									
			G2	I	444.7	-5.2	14.8	-797.9		
6626.9	-5956.6									
				J	444.7	-5.2	14.8	-797.9	-	
6189.0	-1492.0									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0									
				J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-78.4	1.3	3.3	146.6	
1638.7	1141.1									
				J	-78.4	1.3	3.3	146.6	-	
1240.9	6.5									
			Q5_pc	Y	I	60.3	4.7	0.6	387.5	
271.9	2554.7									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-244.6	-1522.2		J	60.3	4.7	0.6	387.5	
1363.0	1366.7	Q5_ps X	I	-76.4	1.5	2.7	209.1	
1009.4	34.0		J	-76.4	1.5	2.7	209.1	-
-16.3	3837.2	Q5_ps Y	I	50.8	6.1	-0.1	565.1	
44.8	-1482.9		J	50.8	6.1	-0.1	565.1	
8690.3	136578.2	INVSLU Max	I	5557.3	206.4	104.0	24477.5	4
6770.9	141734.5		J	5557.3	206.4	110.5	24477.5	1
6164.2	-147064.4	Min	I	3034.5	-180.3	-52.2	-14059.4	-2
4188.1	-168618.7		J	3034.5	-180.3	-45.8	-14059.4	-4
4613.5	100517.7	INVSLE Max	I	4150.7	152.4	74.2	18122.3	3
3316.3	104568.7		J	4150.7	152.4	78.9	18122.3	1
0615.8	-109247.4	Min	I	2292.4	-133.5	-41.1	-10371.8	-2
1673.1	-125119.6		J	2292.4	-133.5	-36.3	-10371.8	-3
5147	2	83 C1-C2;~1 Max	I	1220.2	327.9	52.7	22977.8	2
3287.4	150541.4		J	1220.2	327.9	52.7	22977.8	
6502.7	41812.5	Min	I	-439.6	-37.9	-16.6	-7333.5	-
7840.6	-77316.0		J	-439.6	-37.9	-16.6	-7333.5	-2
2384.7	-181522.4							
9860.1	104776.4	C3-C4;~1 Max	I	1427.1	248.7	67.4	17401.9	2
7058.3	35564.6		J	1427.1	248.7	67.4	17401.9	
8403.4	-62403.8	Min	I	-479.1	-42.3	-17.9	-7505.9	-
8470.1	-146455.7		J	-479.1	-42.3	-17.9	-7505.9	-2
3125.4	106194.6	C1-C2;~2 Max	I	609.6	230.4	29.6	16112.8	1
3274.4	24457.7		J	609.6	230.4	29.6	16112.8	
4058.0	-50841.2	Min	I	-241.1	-17.7	-8.5	-4682.5	-
2546.7	-122054.8		J	-241.1	-17.7	-8.5	-4682.5	-1
6609.8	73233.9	C3-C4;~2 Max	I	708.4	174.1	37.3	12173.5	1
3577.4	15450.8		J	708.4	174.1	37.3	12173.5	
4373.0	-38392.5	Min	I	-265.1	-18.5	-9.2	-4267.8	-
5707.8	-98755.9		J	-265.1	-18.5	-9.2	-4267.8	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1896.8	-4289.7		G1	I	1328.0	-6.0	26.8	-637.2	1
				J	1328.0	-6.0	31.6	-637.2	-1
3341.7	913.2								
			G2	I	520.5	-24.4	10.7	-1298.1	
4498.2	-1491.3			J	520.5	-24.4	10.7	-1298.1	-
4795.0	19657.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Q5_pc X	I	-100.9	4.3	2.4	221.7	
1122.4	-9.8			J	-100.9	4.3	2.4	221.7	
-966.9	-3695.8								
			Q5_pc Y	I	55.4	18.0	1.7	739.7	
750.8	-1515.8			J	55.4	18.0	1.7	739.7	
-760.5	-17074.0								
			Q5_ps X	I	-97.5	5.3	2.1	306.4	
960.6	18.6			J	-97.5	5.3	2.1	306.4	
-819.5	-4551.9								
			Q5_ps Y	I	45.7	24.1	1.6	1049.3	
686.3	-1477.1			J	45.7	24.1	1.6	1049.3	
-706.7	-22341.0								
			INVSLE Max	I	6412.5	361.6	90.7	28089.2	3
8597.1	141721.0			J	6412.5	361.6	97.2	28089.2	
6972.6	93040.1		Min	I	3657.5	-170.4	-28.7	-14395.2	-1
5079.0	-168614.9			J	3657.5	-170.4	-22.2	-14395.2	-4
2731.0	-239195.3								
			INVSLE Max	I	4788.9	265.6	65.5	20750.3	2
7771.8	104559.0			J	4788.9	265.6	70.3	20750.3	
5703.7	68421.8		Min	I	2761.7	-126.2	-22.7	-10621.1	-1
1838.6	-125117.3			J	2761.7	-126.2	-17.9	-10621.1	-3
0984.9	-175401.9								
5148	2	83	C1-C2;~1 Max	I	1367.6	46.2	40.0	7477.0	1
6556.6	41818.4			J	1367.6	46.2	40.0	7477.0	
9881.4	168088.2		Min	I	-429.0	-351.7	-24.3	-21378.5	-1
0078.7	-181587.1			J	-429.0	-351.7	-24.3	-21378.5	-1
6311.3	-89856.0								
			C3-C4;~1 Max	I	1601.4	40.3	56.2	5949.0	2
3323.4	35579.1			J	1601.4	40.3	56.2	5949.0	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0015.7	121168.1		Min	I	-465.3	-265.0	-23.6	-15931.8	-
9471.4	-146507.2			J	-465.3	-265.0	-23.6	-15931.8	-2
2927.8	-68727.1								
8767.5	24461.1	C1-C2;~2	Max	I	684.0	21.8	21.1	4858.2	
5963.3	118662.2			J	684.0	21.8	21.1	4858.2	
5940.2	-122102.8		Min	I	-230.0	-246.2	-14.5	-14968.1	-
8587.8	-59796.8			J	-230.0	-246.2	-14.5	-14968.1	-
2313.6	15456.1	C3-C4;~2	Max	I	796.2	16.9	29.6	3679.3	1
6029.3	85022.6			J	796.2	16.9	29.6	3679.3	
5454.8	-98795.1		Min	I	-252.3	-184.9	-13.9	-11142.9	-
2031.0	-45104.0			J	-252.3	-184.9	-13.9	-11142.9	-1
1480.6	911.4		G1	I	1530.5	10.1	27.7	88.4	1
3188.8	-7364.1			J	1530.5	10.1	32.3	88.4	-1
5091.9	19657.8		G2	I	597.8	28.6	12.9	848.3	
5495.2	-3870.5			J	597.8	28.6	12.9	848.3	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
890.6	-3708.5	Q5_pc	X	I	-121.3	-3.5	2.0	-62.1	
-784.5	-847.0			J	-121.3	-3.5	2.0	-62.1	
200.6	-17146.7	Q5_pc	Y	I	48.0	-19.7	0.5	-704.2	
-185.3	-977.6			J	48.0	-19.7	0.5	-704.2	
696.6	-4564.5	Q5_ps	X	I	-116.8	-4.6	1.6	-66.9	
-600.7	-816.7			J	-116.8	-4.6	1.6	-66.9	
-170.1	-22410.6	Q5_ps	Y	I	38.1	-26.7	-0.4	-936.9	
176.4	-431.5			J	38.1	-26.7	-0.4	-936.9	
9664.0	92976.0	INVSLU	Max	I	7187.1	180.3	75.7	15221.3	2
0753.6	166462.8			J	7187.1	180.3	81.9	15221.3	1
7031.8	-239485.4		Min	I	4178.5	-392.2	-36.6	-25001.1	-1
				J	4178.5	-392.2	-30.5	-25001.1	-3

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5132.1	-183521.6								
		INVSLE	Max	I	5363.6	133.4	54.7	11309.5	2
1349.4	68365.5			J	5363.6	133.4	59.3	11309.5	
8369.6	122907.6								
		Min		I	3151.2	-288.0	-28.2	-18391.0	-1
3121.3	-175616.1			J	3151.2	-288.0	-23.7	-18391.0	-2
5515.2	-136209.7								
5149	2	83 C1-C2;~1	Max	I	1536.7	115.5	43.6	9372.7	1
8443.6	168102.0			J	1536.7	115.5	43.6	9372.7	
6828.0	213017.5								
		Min		I	-434.7	-219.3	-15.6	-15772.1	-
6075.0	-89853.9			J	-434.7	-219.3	-15.6	-15772.1	-1
7439.0	-53778.2								
		C3-C4;~1	Max	I	1801.3	72.3	58.8	6093.7	2
4699.1	121178.8			J	1801.3	72.3	58.8	6093.7	
7966.5	159318.5								
		Min		I	-457.2	-151.6	-18.3	-11946.5	-
7172.5	-68725.5			J	-457.2	-151.6	-18.3	-11946.5	-2
3614.8	-43093.8								
		C1-C2;~2	Max	I	770.9	79.4	24.1	6335.0	1
0331.5	118672.3			J	770.9	79.4	24.1	6335.0	
3853.4	150818.7								
		Min		I	-230.6	-154.4	-8.5	-10993.2	-
3192.3	-59795.1			J	-230.6	-154.4	-8.5	-10993.2	-
9464.4	-33544.7								
		C3-C4;~2	Max	I	897.2	45.7	32.3	3819.8	1
3765.4	85030.5			J	897.2	45.7	32.3	3819.8	
4633.9	112776.3								
		Min		I	-243.1	-106.5	-10.3	-7805.2	-
3937.1	-45102.7			J	-243.1	-106.5	-10.3	-7805.2	-1
2772.4	-25285.8								
		G1		I	1752.7	3.3	26.7	-205.7	1
0814.4	-7365.4			J	1752.7	3.3	31.3	-205.7	-1
3032.7	-10038.3								
		G2		I	682.0	9.8	11.2	248.4	
4246.1	-3872.1			J	682.0	9.8	11.2	248.4	-
4967.6	-11908.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-137.5	-0.3	1.9	36.8	
819.4	-860.0			J	-137.5	-0.3	1.9	36.8	
-718.5	-580.2								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

630.3	-971.4	Q5_pc	Y	I	41.8	-5.9	1.4	-283.1	
-512.8	3873.3			J	41.8	-5.9	1.4	-283.1	
675.1	-829.0	Q5_ps	X	I	-132.3	-0.7	1.5	51.5	
-573.6	-249.5			J	-132.3	-0.7	1.5	51.5	
479.7	-425.3	Q5_ps	Y	I	31.0	-8.4	1.0	-356.0	
-322.5	6487.4			J	31.0	-8.4	1.0	-356.0	
3987.0	166462.9	INVS LU	Max	I	8000.8	184.2	83.9	15784.9	3
6433.9	210846.7			J	8000.8	184.2	90.0	15784.9	
0514.5	-183526.1		Min	I	4704.3	-278.5	-23.5	-18670.2	-1
7494.1	-156299.4			J	4704.3	-278.5	-17.3	-18670.2	-3
4670.3	122908.0	INVS LE	Max	I	5965.7	136.4	61.0	11724.4	2
5089.1	155359.4			J	5965.7	136.4	65.6	11724.4	
8184.5	-136213.6		Min	I	3542.2	-205.6	-18.3	-13760.1	-
7354.4	-116084.3			J	3542.2	-205.6	-13.7	-13760.1	-2
5150	2	83 C1-C2;~1	Max	I	1729.1	180.8	40.3	12730.5	1
6554.7	213018.2			J	1729.1	180.8	40.3	12730.5	
6788.7	209093.3		Min	I	-461.1	-166.6	-15.8	-10143.8	-
6257.1	-53778.5			J	-461.1	-166.6	-15.8	-10143.8	-1
6620.0	-51694.7								
2815.8	159319.0	C3-C4;~1	Max	I	2034.2	121.8	55.4	8632.2	2
7966.9	155229.5			J	2034.2	121.8	55.4	8632.2	
7231.3	-43094.1		Min	I	-484.5	-107.3	-18.3	-7229.3	-
2742.9	-41406.2			J	-484.5	-107.3	-18.3	-7229.3	-2
9124.4	150819.0	C1-C2;~2	Max	I	869.6	127.2	22.0	8830.0	
3869.8	148001.4			J	869.6	127.2	22.0	8830.0	
3370.8	-33545.0		Min	I	-246.3	-117.0	-8.7	-6915.1	-
8944.5	-31720.2			J	-246.3	-117.0	-8.7	-6915.1	-
2588.9	112776.5	C3-C4;~2	Max	I	1014.8	82.5	30.2	5919.4	1
4668.3	109979.9			J	1014.8	82.5	30.2	5919.4	
			Min	I	-259.3	-71.7	-10.4	-4558.1	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4013.4	-25286.1		J	-259.3	-71.7	-10.4	-4558.1	-1
2235.9	-23616.4							
		G1	I	2003.1	-0.7	25.8	-392.5	1
0175.4	-10036.4		J	2003.1	-0.7	30.3	-392.5	-1
2892.0	-9422.8							
		G2	I	776.9	-0.3	11.0	-256.7	
4095.9	-11907.2		J	776.9	-0.3	11.0	-256.7	-
4933.5	-11656.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-148.0	1.9	1.9	125.9	
816.2	-594.4		J	-148.0	1.9	1.9	125.9	
-713.4	-2127.8							
		Q5_pc Y	I	37.7	2.1	1.3	98.0	
559.5	3878.7		J	37.7	2.1	1.3	98.0	
-489.2	2133.9							
		Q5_ps X	I	-142.4	1.8	1.5	153.2	
669.8	-262.9		J	-142.4	1.8	1.5	153.2	
-569.9	-1724.0							
		Q5_ps Y	I	25.8	2.0	0.8	161.0	
380.2	6492.4		J	25.8	2.0	0.8	161.0	
-292.3	4852.0							
		INVSLE Max	I	8919.1	202.5	80.2	18757.5	3
0668.1	210860.1		J	8919.1	202.5	86.4	18757.5	
4927.8	239779.1							
		Min	I	5252.4	-270.4	-22.6	-12349.2	-1
1364.8	-156297.2		J	5252.4	-270.4	-16.5	-12349.2	-3
7814.6	-116125.7							
		INVSLE Max	I	6644.6	149.6	58.4	13917.2	2
2278.8	155368.9		J	6644.6	149.6	63.0	13917.2	
3920.4	177054.9							
		Min	I	3948.2	-200.3	-17.5	-9108.0	-
8747.8	-116082.2		J	3948.2	-200.3	-12.9	-9108.0	-2
7645.5	-86293.8							
		83 C1-C2;~1 Max	I	1930.7	236.5	37.3	17661.3	1
5151	2		J	1930.7	236.5	37.3	17661.3	
5341.3	209092.5							
		Min	I	-492.8	-91.0	-18.1	-5705.4	-
7929.4	146389.7		J	-492.8	-91.0	-18.1	-5705.4	-1
6948.7	-51692.7							
5328.0	-93491.9							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1020.4	155229.2	C3-C4;~1	Max	I	2278.1	167.0	51.2	12803.0	2
				J	2278.1	167.0	51.2	12803.0	
8983.3	102771.5		Min	I	-516.7	-50.2	-20.4	-3714.7	-
7839.6	-41404.9			J	-516.7	-50.2	-20.4	-3714.7	-2
1044.4	-71843.0								
8507.6	148001.0	C1-C2;~2	Max	I	972.7	166.2	20.3	12372.1	
				J	972.7	166.2	20.3	12372.1	
4607.9	102524.5		Min	I	-263.9	-60.9	-10.2	-3628.6	-
3805.9	-31718.7			J	-263.9	-60.9	-10.2	-3628.6	-
8202.9	-61377.8								
1673.3	109979.9	C3-C4;~2	Max	I	1137.5	117.2	27.9	8955.0	1
				J	1137.5	117.2	27.9	8955.0	
5305.3	69139.4		Min	I	-277.5	-29.6	-11.7	-1932.0	-
4364.5	-23615.3			J	-277.5	-29.6	-11.7	-1932.0	-1
1293.8	-46875.0								
8056.4	-9424.5	G1		I	2257.4	-8.1	21.0	-493.9	
				J	2257.4	-8.1	25.6	-493.9	-1
1084.6	-2753.4								
3285.9	-11658.2	G2		I	873.5	-12.3	9.3	-790.5	
				J	873.5	-12.3	9.3	-790.5	-
4319.6	-1526.7								
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
695.0	-2141.3	Q5_pc	X	I	-156.9	4.9	1.5	215.7	
				J	-156.9	4.9	1.5	215.7	
-576.8	-6133.9								
437.3	2139.6	Q5_pc	Y	I	33.7	12.2	0.9	534.0	
				J	33.7	12.2	0.9	534.0	
-310.5	-7919.3								
563.8	-1736.8	Q5_ps	X	I	-151.0	4.9	1.2	256.6	
				J	-151.0	4.9	1.2	256.6	
-445.2	-5767.9								
288.7	4857.7	Q5_ps	Y	I	20.5	15.0	0.5	757.6	
				J	20.5	15.0	0.5	757.6	
-108.8	-7499.7								
6759.3	239779.3	INVSLU	Max	I	9831.7	213.0	70.7	24330.7	2
				J	9831.7	213.0	76.8	24330.7	
7714.0	256835.2								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
3452.6	-116135.0		Min	I	5776.3	-251.2	-28.7	-8175.5	-1	
				J	5776.3	-251.2	-22.6	-8175.5	-3	
3861.7	-81259.7									
		INVSLE	Max	I	7319.1	156.3	51.5	18001.7	1	
9455.9	177054.5			J	7319.1	156.3	56.1	18001.7		
5944.3	189825.4									
			Min	I	4336.0	-185.9	-21.9	-6005.8	-1	
0238.1	-86300.3			J	4336.0	-185.9	-17.3	-6005.8	-2	
4775.6	-59559.3									
5152	2	83	C1-C2;~1	Max	I	2099.2	363.4	35.3	21146.3	1
3490.4	146374.2			J	2099.2	363.4	35.3	21146.3		
5359.9	52821.4									
			Min	I	-522.3	-62.4	-14.0	-7428.9	-	
6228.7	-93498.5			J	-522.3	-62.4	-14.0	-7428.9	-1	
5563.6	-184000.8									
			C3-C4;~1	Max	I	2477.9	265.1	46.7	15554.7	1
8218.3	102760.3			J	2477.9	265.1	46.7	15554.7		
6973.8	49173.4									
			Min	I	-547.0	-51.2	-16.9	-6225.3	-	
7391.8	-71847.5			J	-547.0	-51.2	-16.9	-6225.3	-2	
0245.2	-144321.6									
			C1-C2;~2	Max	I	1059.8	255.2	19.4	14779.0	
7491.0	102512.9			J	1059.8	255.2	19.4	14779.0		
2666.2	25613.3									
			Min	I	-279.9	-30.6	-7.1	-4777.9	-	
3158.6	-61382.4			J	-279.9	-30.6	-7.1	-4777.9	-	
8460.5	-121595.3									
			C3-C4;~2	Max	I	1239.1	186.5	25.6	10872.8	1
0134.8	69130.4			J	1239.1	186.5	25.6	10872.8		
3712.1	23216.6									
			Min	I	-293.9	-22.9	-8.8	-3703.0	-	
3860.5	-46878.2			J	-293.9	-22.9	-8.8	-3703.0	-1	
0948.4	-96192.6									
			G1	I	2458.5	-34.2	17.5	-370.6		
5484.0	-2752.6			J	2458.5	-34.2	22.1	-370.6	-1	
0774.7	25338.0									
			G2	I	949.0	-38.6	7.7	-986.0		
2293.3	-1524.6			J	949.0	-38.6	7.7	-986.0	-	
4065.4	30235.3									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-166.0	9.4	0.7	231.5	


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
394.7	-6148.3			J	-166.0	9.4	0.7	231.5	
-151.6	-13864.5								
		Q5_pc	Y	I	32.2	28.3	-0.2	726.6	
15.1	-7915.0			J	32.2	28.3	-0.2	726.6	
208.7	-31150.8								
		Q5_ps	X	I	-159.8	9.6	0.4	278.7	
295.2	-5781.6			J	-159.8	9.6	0.4	278.7	
-64.7	-13675.8								
		Q5_ps	Y	I	18.5	36.0	-0.3	1019.6	
-20.3	-7496.2			J	18.5	36.0	-0.3	1019.6	
227.8	-37130.4								
		INVSLU	Max	I	10568.9	296.4	77.3	28188.8	2
3898.0	256820.0			J	10568.9	296.4	83.5	28188.8	-
5233.7	332021.0								
			Min	I	6186.4	-329.4	-9.8	-11695.5	-1
1386.2	-81255.2			J	6186.4	-329.4	-3.6	-11695.5	-4
2355.0	-43760.6								
		INVSLE	Max	I	7864.1	216.2	56.9	20836.7	1
7476.7	189814.5			J	7864.1	216.2	61.4	20836.7	-
3770.9	245118.2								
			Min	I	4639.9	-243.5	-7.6	-8610.4	-
8607.1	-59556.2			J	4639.9	-243.5	-3.0	-8610.4	-3
1240.4	-29085.0								
		83 C1-C2;~1	Max	I	2129.1	62.0	11.8	7140.5	
5153	2			J	2129.1	62.0	11.8	7140.5	1
3783.8	53761.1								
			Min	I	-532.0	-361.9	-31.0	-20922.1	-1
2116.8	145390.1			J	-532.0	-361.9	-31.0	-20922.1	-
3320.4	-185309.9								
6111.0	-94137.1								
		C3-C4;~1	Max	I	2513.4	51.0	17.3	5634.0	
6262.2	51740.7			J	2513.4	51.0	17.3	5634.0	1
5231.5	102053.7								
			Min	I	-557.0	-263.5	-38.1	-15400.5	-1
6032.6	-145437.8			J	-557.0	-263.5	-38.1	-15400.5	-
8426.0	-71957.1								
		C1-C2;~2	Max	I	1080.2	30.5	6.0	4689.0	
1911.1	26107.3			J	1080.2	30.5	6.0	4689.0	
6824.8	101302.1								
			Min	I	-285.1	-254.3	-17.5	-14681.1	-
7504.9	-122294.3			J	-285.1	-254.3	-17.5	-14681.1	-
3123.2	-61537.2								
		C3-C4;~2	Max	I	1261.7	22.9	8.9	3406.1	
3348.1	24583.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8887.3	67691.3		J	1261.7	22.9	8.9	3406.1	
		Min	I	-299.3	-185.4	-22.1	-10805.7	-
9260.1	-96828.3		J	-299.3	-185.4	-22.1	-10805.7	-
4318.5	-46766.0							
		G1	I	2460.9	33.1	-19.0	93.8	-
9530.5	25439.6		J	2460.9	33.1	-14.5	93.8	
4209.2	-1723.0							
		G2	I	950.3	38.1	-6.2	814.9	-
3442.0	30230.1		J	950.3	38.1	-6.2	814.9	
1670.7	-964.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-172.4	-7.9	0.5	-157.8	
300.6	-13190.8		J	-172.4	-7.9	0.5	-157.8	
-81.4	-6689.2							
		Q5_pc Y	I	36.7	-29.3	-1.2	-854.0	
-399.7	-31604.6		J	36.7	-29.3	-1.2	-854.0	
607.9	-7550.6							
		Q5_ps X	I	-165.9	-8.1	0.3	-142.0	
220.4	-13033.9		J	-165.9	-8.1	0.3	-142.0	
-13.2	-6425.4							
		Q5_ps Y	I	22.6	-37.1	-1.0	-1156.6	
-334.9	-37556.6		J	22.6	-37.1	-1.0	-1156.6	
521.3	-7139.5							
		INVSLU Max	I	10615.6	312.5	-0.3	11744.7	-
8039.0	332727.2		J	10615.6	312.5	5.9	11744.7	2
2024.2	268898.1							
		Min	I	6160.2	-312.7	-77.3	-27677.0	-3
8856.3	-46907.0		J	6160.2	-312.7	-71.1	-27677.0	-1
1007.8	-68054.7							
		INVSLE Max	I	7897.9	230.9	-0.5	8664.1	-
6124.7	245562.3		J	7897.9	230.9	4.0	8664.1	1
6335.7	198760.5							
		Min	I	4620.6	-228.3	-57.4	-20423.3	-2
8899.0	-31434.2		J	4620.6	-228.3	-52.8	-20423.3	-
8051.4	-49827.4							
		83 C1-C2;~1 Max	I	2024.4	88.0	16.5	5186.1	
5154	2		J	2024.4	88.0	16.5	5186.1	1
6911.5	145405.5							
		Min	I	-524.9	-237.9	-32.5	-17535.2	-1
3671.0	208956.3							
2979.3	-94130.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
6724.4	-52476.1		J	-524.9	-237.9	-32.5	-17535.2	-
8513.1	102065.0	C3-C4;~1 Max	I	2390.6	46.9	20.5	2886.2	
7412.6	154240.3		J	2390.6	46.9	20.5	2886.2	1
6518.3	-71952.7	Min	I	-550.2	-168.3	-41.4	-12754.9	-1
8402.9	-42109.2		J	-550.2	-168.3	-41.4	-12754.9	-
4228.9	101313.7	C1-C2;~2 Max	I	1035.5	59.0	9.6	3380.4	
7692.0	147185.8		J	1035.5	59.0	9.6	3380.4	
7150.7	-61532.8	Min	I	-281.0	-167.2	-18.1	-12359.1	-
3744.6	-31978.6		J	-281.0	-167.2	-18.1	-12359.1	-
5151.8	67700.3	C3-C4;~2 Max	I	1208.1	27.5	11.8	1572.5	
0158.3	108792.6		J	1208.1	27.5	11.8	1572.5	1
9443.7	-46762.9	Min	I	-295.2	-118.2	-23.9	-8976.7	-
4615.9	-23405.6		J	-295.2	-118.2	-23.9	-8976.7	-
9739.7	-1723.8	G1	I	2263.5	7.0	-22.3	230.4	-
6680.3	-7438.0		J	2263.5	7.0	-17.8	230.4	
3674.1	-966.7	G2	I	876.1	11.9	-7.7	636.2	-
2633.8	-10686.2		J	876.1	11.9	-7.7	636.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-245.6	-6700.7	Q5_pc X	I	-173.0	-3.7	-0.7	-142.5	
320.4	-3706.3		J	-173.0	-3.7	-0.7	-142.5	
-965.0	-7544.1	Q5_pc Y	I	44.8	-13.3	-2.5	-655.5	
1052.0	3357.0		J	44.8	-13.3	-2.5	-655.5	
-277.9	-6436.3	Q5_ps X	I	-166.3	-3.6	-0.8	-126.6	
354.7	-3467.2		J	-166.3	-3.6	-0.8	-126.6	
-705.1	-7132.7	Q5_ps Y	I	31.0	-16.1	-1.9	-890.4	
844.7	6087.9		J	31.0	-16.1	-1.9	-890.4	
		INVSLU Max	I	9970.9	236.3	18.7	7983.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5461.1	268904.2			J	9970.9	236.3	24.8	7983.0	2
4173.0	264716.3								
			Min	I	5689.5	-227.6	-69.2	-23870.7	-3
0068.4	-68049.0								
				J	5689.5	-227.6	-63.1	-23870.7	-1
2571.3	-94888.6								
			INVSLE Max	I	7419.9	174.8	13.8	5880.3	
3987.6	198765.4								
				J	7419.9	174.8	18.3	5880.3	1
7776.9	195394.5								
			Min	I	4271.5	-167.1	-51.0	-17627.6	-2
2201.8	-49823.7								
				J	4271.5	-167.1	-46.5	-17627.6	-
9300.9	-70485.4								
5155	2	83	C1-C2;~1 Max	I	1888.5	164.4	14.2	9682.6	
5673.2	208957.3								
				J	1888.5	164.4	14.2	9682.6	1
4749.9	216157.3								
			Min	I	-521.3	-182.0	-35.3	-12655.0	-1
4164.9	-52478.3								
				J	-521.3	-182.0	-35.3	-12655.0	-
6068.2	-57715.0								
			C3-C4;~1 Max	I	2225.8	104.7	18.2	6367.2	
7390.9	154239.9								
				J	2225.8	104.7	18.2	6367.2	1
8801.9	161493.3								
			Min	I	-546.3	-119.3	-44.7	-8611.2	-1
7888.3	-42110.8								
				J	-546.3	-119.3	-44.7	-8611.2	-
7710.2	-47960.6								
			C1-C2;~2 Max	I	974.9	115.5	8.2	6685.3	
3427.0	147186.3								
				J	974.9	115.5	8.2	6685.3	
8258.4	152094.2								
			Min	I	-277.3	-128.1	-19.6	-8842.3	-
7850.8	-31980.2								
				J	-277.3	-128.1	-19.6	-8842.3	-
3349.6	-35956.2								
			C3-C4;~2 Max	I	1133.3	70.0	10.5	4163.8	
4475.5	108792.1								
				J	1133.3	70.0	10.5	4163.8	1
0915.1	113791.5								
			Min	I	-291.4	-83.4	-25.8	-5957.4	-1
0253.9	-23406.8								
				J	-291.4	-83.4	-25.8	-5957.4	-
4250.1	-28260.6								
			G1	I	2010.6	-0.1	-26.6	180.0	-1
1377.4	-7436.4								
				J	2010.6	-0.1	-22.1	180.0	
8602.5	-7341.4								
			G2	I	780.1	-0.0	-9.2	132.1	-
4219.4	-10684.9								
				J	780.1	-0.0	-9.2	132.1	
3364.4	-10678.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
-460.9	-3717.7	Q5_pc X	I	-171.3	-1.0	-1.2	-76.0	
536.0	-2937.3		J	-171.3	-1.0	-1.2	-76.0	
1310.9	3361.1	Q5_pc Y	I	50.8	-2.7	-3.2	-177.2	-
1297.9	5593.9		J	50.8	-2.7	-3.2	-177.2	
-482.5	-3478.0	Q5_ps X	I	-164.4	-0.9	-1.3	-57.6	
556.8	-2753.9		J	-164.4	-0.9	-1.3	-57.6	
1044.5	6091.5	Q5_ps Y	I	38.3	-2.6	-2.6	-249.2	-
1049.7	8212.7		J	38.3	-2.6	-2.6	-249.2	
2927.3	264732.8	INVS LU Max	I	9150.8	265.1	13.1	12322.3	
7497.7	242712.0		J	9150.8	265.1	19.3	12322.3	2
3559.3	-94897.1	Min	I	5100.2	-207.4	-77.5	-18152.4	-3
0630.0	-137084.8		J	5100.2	-207.4	-71.4	-18152.4	-1
2143.3	195405.9	INVS LE Max	I	6812.3	196.4	9.7	9111.2	
0152.2	178783.2		J	6812.3	196.4	14.3	9111.2	2
4709.0	-70490.9	Min	I	3834.7	-153.2	-57.0	-13439.0	-2
7917.4	-101801.8		J	3834.7	-153.2	-52.4	-13439.0	-
5156	2	83 C1-C2;~1 Max	I	1752.3	219.3	15.2	15428.6	
6153.7	216156.4		J	1752.3	219.3	15.2	15428.6	1
7047.1	172062.3	Min	I	-520.3	-115.7	-39.5	-9341.4	-1
5337.5	-57714.1		J	-520.3	-115.7	-39.5	-9341.4	-
6293.2	-95906.9							
7754.6	161492.9	C3-C4;~1 Max	I	2060.0	151.1	19.4	10874.2	
0979.3	123452.7		J	2060.0	151.1	19.4	10874.2	2
9028.1	-47960.0	Min	I	-551.8	-70.0	-48.8	-6090.8	-1
8160.9	-75108.1		J	-551.8	-70.0	-48.8	-6090.8	-
3618.1	152093.6	C1-C2;~2 Max	I	912.5	154.2	8.5	10822.0	
9696.4	120314.9		J	912.5	154.2	8.5	10822.0	
8556.6	-35955.6	Min	I	-274.3	-79.6	-22.3	-6369.4	-
3349.0	-63346.1		J	-274.3	-79.6	-22.3	-6369.4	-

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4567.1	113791.4	C3-C4; ~2 Max	I	1056.5	106.0	10.9	7615.8	
			J	1056.5	106.0	10.9	7615.8	1
2266.8	86009.8							
		Min	I	-293.1	-45.0	-28.3	-3875.2	-1
0935.9	-28260.2		J	-293.1	-45.0	-28.3	-3875.2	-
4404.4	-49199.5							
		G1	I	1758.8	-2.4	-26.8	63.8	-1
1223.3	-7342.9		J	1758.8	-2.4	-22.3	63.8	
8896.6	-5400.8							
		G2	I	684.5	-9.1	-9.2	-334.3	-
4132.4	-10679.4		J	684.5	-9.1	-9.2	-334.3	
3380.5	-3195.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-168.0	0.2	-1.7	-22.1	
-650.9	-2947.2		J	-168.0	0.2	-1.7	-22.1	
740.4	-3139.1							
		Q5_pc Y	I	55.7	6.7	-3.4	260.9	-
1406.7	5598.5		J	55.7	6.7	-3.4	260.9	
1418.5	133.2							
		Q5_ps X	I	-161.1	0.3	-1.7	-3.5	
-661.9	-2763.3		J	-161.1	0.3	-1.7	-3.5	
749.9	-2969.6							
		Q5_ps Y	I	44.3	9.3	-2.9	326.6	-
1146.2	8217.2		J	44.3	9.3	-2.9	326.6	
1200.2	618.6							
		INVS LU Max	I	8309.5	290.6	17.4	18964.9	
5430.4	242708.9		J	8309.5	290.6	23.5	18964.9	3
0534.2	190347.3							
		Min	I	4481.2	-173.6	-80.9	-14944.2	-3
3258.3	-137093.6		J	4481.2	-173.6	-74.7	-14944.2	-1
1358.4	-177061.4							
		INVS LE Max	I	6188.7	214.6	13.1	14008.0	
4065.4	178780.6		J	6188.7	214.6	17.6	14008.0	2
2304.4	140274.8							
		Min	I	3375.3	-128.3	-59.2	-11075.1	-2
4405.4	-101808.1		J	3375.3	-128.3	-54.7	-11075.1	-
8538.0	-131461.2							
		83 C1-C2; ~1 Max	I	1618.5	352.1	25.7	21196.1	
5157	2		J	1618.5	352.1	25.7	21196.1	1
9968.2	172049.6							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6181.4	43368.8		Min	I	-553.4	-44.4	-38.0	-7497.9	-1
5016.4	-95910.8			J	-553.4	-44.4	-38.0	-7497.9	-1
1089.5	-191821.7								
		C3-C4;~1	Max	I	1897.4	265.1	26.2	15678.9	1
0550.5	123443.0			J	1897.4	265.1	26.2	15678.9	2
0045.0	30356.7		Min	I	-591.4	-32.6	-47.3	-5939.4	-1
8767.6	-75111.3			J	-591.4	-32.6	-47.3	-5939.4	-1
1009.1	-154580.1								
		C1-C2;~2	Max	I	848.9	246.2	15.2	14889.1	
6063.6	120305.2			J	848.9	246.2	15.2	14889.1	
8752.2	24804.8		Min	I	-297.9	-21.0	-20.6	-4918.5	-
8126.2	-63348.6			J	-297.9	-21.0	-20.6	-4918.5	-
6431.7	-128470.2								
		C3-C4;~2	Max	I	978.6	184.9	14.9	11029.6	
6226.4	86002.3			J	978.6	184.9	14.9	11029.6	1
1170.3	13725.1		Min	I	-321.6	-14.9	-26.4	-3711.1	-1
0472.3	-49201.6			J	-321.6	-14.9	-26.4	-3711.1	-
6006.9	-103736.1								
		G1		I	1529.7	-4.5	-26.6	-140.0	-1
0960.9	-5399.6			J	1529.7	-4.5	-22.0	-140.0	
8969.7	-1749.9								
		G2		I	597.4	-25.3	-10.2	-883.2	-
4455.4	-3193.9			J	597.4	-25.3	-10.2	-883.2	
3930.5	17521.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-161.4	0.5	-2.5	3.8	
-934.2	-3148.6			J	-161.4	0.5	-2.5	3.8	
1082.7	-3530.2								
		Q5_pc	Y	I	64.2	23.7	-2.7	767.3	-
1159.5	135.2			J	64.2	23.7	-2.7	767.3	
1084.5	-19289.3								
		Q5_ps	X	I	-154.6	0.4	-2.4	21.7	
-930.7	-2978.7			J	-154.6	0.4	-2.4	21.7	
1073.9	-3298.9								
		Q5_ps	Y	I	53.6	31.0	-1.6	998.3	
-713.7	620.1			J	53.6	31.0	-1.6	998.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
629.8	-24785.9								
			INVSLE Max	I	7516.3	427.8	30.6	25882.6	1
0657.1	190349.5			J	7516.3	427.8	36.8	25882.6	2
6843.3	87589.2		Min	I	3865.9	-150.1	-73.6	-14235.3	-3
1009.4	-177064.7			J	3865.9	-150.1	-67.5	-14235.3	-1
7140.5	-264638.7								
			INVSLE Max	I	5600.0	314.5	23.2	19071.4	
8063.1	140275.9			J	5600.0	314.5	27.8	19071.4	1
9458.3	63748.8		Min	I	2917.5	-110.4	-53.6	-10543.3	-2
2646.4	-131462.9			J	2917.5	-110.4	-49.1	-10543.3	-1
2977.7	-194588.8								
5158	2	83	C1-C2;~1 Max	I	1478.1	35.9	27.6	7121.8	
9802.9	43406.2			J	1478.1	35.9	27.6	7121.8	2
5258.3	141396.7		Min	I	-576.5	-328.5	-59.3	-23322.7	-2
3273.3	-191785.5			J	-576.5	-328.5	-59.3	-23322.7	-1
2760.4	-83534.6								
			C3-C4;~1 Max	I	1729.0	29.3	32.6	5989.3	1
1658.2	30407.1			J	1729.0	29.3	32.6	5989.3	2
9105.9	95926.5		Min	I	-623.8	-248.0	-68.1	-17603.2	-2
6653.0	-154548.9			J	-623.8	-248.0	-68.1	-17603.2	-1
5044.8	-63850.3								
			C1-C2;~2 Max	I	778.8	16.4	14.7	4632.9	
5199.4	24819.7			J	778.8	16.4	14.7	4632.9	1
4307.8	98817.9		Min	I	-316.5	-230.4	-33.7	-16399.5	-1
3239.7	-128432.5			J	-316.5	-230.4	-33.7	-16399.5	-
6798.5	-54810.3								
			C3-C4;~2 Max	I	894.9	13.0	17.0	3687.4	
6072.4	13748.4			J	894.9	13.0	17.0	3687.4	1
6785.0	66358.4		Min	I	-347.5	-173.2	-39.3	-12352.7	-1
5394.1	-103705.2			J	-347.5	-173.2	-39.3	-12352.7	-
7867.7	-40420.7								
			G1	I	1322.6	0.7	-25.6	235.6	-1
0458.1	-1732.0			J	1322.6	0.7	-21.1	235.6	
8645.0	-2319.9								
			G2	I	518.2	21.2	-8.0	1032.2	-
3492.8	17527.4			J	518.2	21.2	-8.0	1032.2	
3047.3	182.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
1287.8	-3541.2	Q5_pc X	I	-150.4	-0.8	-3.4	9.1	-
			J	-150.4	-0.8	-3.4	9.1	
1505.5	-2873.1							
1632.9	-19302.8	Q5_pc Y	I	76.2	-22.5	-3.9	-988.6	-
			J	76.2	-22.5	-3.9	-988.6	
1553.6	-897.6							
1278.8	-3309.8	Q5_ps X	I	-143.8	-0.7	-3.4	33.0	-
			J	-143.8	-0.7	-3.4	33.0	
1489.4	-2764.5							
1530.5	-24797.5	Q5_ps Y	I	65.5	-28.9	-3.6	-1323.9	-
			J	65.5	-28.9	-3.6	-1323.9	
1434.8	-1176.7							
4164.2	87809.5	INVS LU Max	I	6727.8	134.0	44.6	13157.9	1
			J	6727.8	134.0	50.8	13157.9	3
7522.7	151900.9							
0495.3	-264444.3	Min	I	3280.8	-398.4	-98.4	-29721.8	-4
			J	3280.8	-398.4	-92.3	-29721.8	-2
4877.3	-156928.0							
0824.7	63914.9	INVS LE Max	I	5013.2	98.4	34.1	9693.0	1
			J	5013.2	98.4	38.6	9693.0	2
7105.9	111934.3							
9446.1	-194440.2	Min	I	2479.9	-292.9	-71.4	-21937.9	-2
			J	2479.9	-292.9	-66.8	-21937.9	-1
8909.2	-116444.7							
5159	2	83 C1-C2;~1 Max	I	1265.1	108.0	52.8	7867.5	1
7470.3	141406.9		J	1265.1	108.0	52.8	7867.5	3
7699.9	142724.0							
8284.8	-83532.9	Min	I	-541.7	-166.4	-80.6	-20088.9	-2
			J	-541.7	-166.4	-80.6	-20088.9	-2
5738.2	-43751.8							
0376.9	95935.1	C3-C4;~1 Max	I	1478.4	65.9	61.5	5969.2	2
			J	1478.4	65.9	61.5	5969.2	4
4478.4	102665.9							
3754.6	-63848.8	Min	I	-599.6	-113.4	-95.6	-14790.2	-3
			J	-599.6	-113.4	-95.6	-14790.2	-2
9983.3	-33524.5							
9325.5	98824.8	C1-C2;~2 Max	I	665.9	74.8	28.2	5210.8	
			J	665.9	74.8	28.2	5210.8	2
0648.4	101404.3							
		Min	I	-303.3	-116.3	-44.1	-14142.2	-1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5480.9	-54808.9			J	-303.3	-116.3	-44.1	-14142.2	-1
3785.4	-28520.8								
		C3-C4;~2	Max	I	764.0	42.9	32.3	3721.0	1
0673.9	66364.2			J	764.0	42.9	32.3	3721.0	2
4995.3	72802.4		Min	I	-342.9	-78.7	-53.7	-10372.5	-1
8974.4	-40419.3			J	-342.9	-78.7	-53.7	-10372.5	-1
5750.6	-20626.3								
		G1		I	1111.3	-1.2	-28.7	93.5	-1
0971.9	-2318.2			J	1111.3	-1.2	-24.2	93.5	1
0665.4	-1341.0								
		G2		I	435.5	5.0	-10.3	597.2	-
4205.3	181.7			J	435.5	5.0	-10.3	597.2	
4204.4	-3943.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-125.9	-1.3	-6.7	40.7	-
2304.2	-2880.7			J	-125.9	-1.3	-6.7	40.7	
3160.4	-1817.1								
		Q5_pc	Y	I	83.8	-5.8	-2.8	-585.6	-
1099.5	-894.0			J	83.8	-5.8	-2.8	-585.6	
1157.1	3823.7								
		Q5_ps	X	I	-120.2	-1.2	-6.5	60.8	-
2258.1	-2771.6			J	-120.2	-1.2	-6.5	60.8	
3091.2	-1767.8								
		Q5_ps	Y	I	73.0	-7.3	-1.8	-786.2	
-730.6	-1173.0			J	73.0	-7.3	-1.8	-786.2	
772.8	4836.1								
		INVSLU	Max	I	5698.0	166.0	99.2	12735.7	3
2087.7	151922.9			J	5698.0	166.0	105.3	12735.7	5
4631.3	142291.6		Min	I	2666.0	-214.9	-125.0	-26059.5	-4
5137.5	-156931.0			J	2666.0	-214.9	-118.9	-26059.5	-5
1580.7	-116333.4								
		INVSLE	Max	I	4243.8	122.5	75.6	9388.3	2
4461.2	111950.2			J	4243.8	122.5	80.1	9388.3	3
9005.7	104818.0		Min	I	2014.7	-158.9	-89.6	-19270.8	-3
2435.4	-116446.4			J	2014.7	-158.9	-85.0	-19270.8	-3
9248.5	-86246.3								


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5160	2	70	C1-C2;~1	Max	I	994.7	144.4	4.4	752.1	
1711.6	142721.4				J	994.7	144.4	4.4	752.1	
3729.8	113484.5			Min	I	-469.8	-155.1	-8.3	-1003.4	-
3102.1	-43750.4				J	-469.8	-155.1	-8.3	-1003.4	-
1912.9	-16865.8									
			C3-C4;~1	Max	I	1160.8	95.0	5.1	516.2	
1984.3	102664.2				J	1160.8	95.0	5.1	516.2	
4415.1	83467.4			Min	I	-519.7	-101.9	-9.9	-696.1	-
3668.4	-33523.1				J	-519.7	-101.9	-9.9	-696.1	-
2213.8	-14094.2									
			C1-C2;~2	Max	I	525.1	102.1	2.4	520.7	
916.1	101402.4				J	525.1	102.1	2.4	520.7	
2064.4	80768.1			Min	I	-266.0	-109.7	-4.6	-705.7	-
1711.3	-28519.7				J	-266.0	-109.7	-4.6	-705.7	-
1025.1	-10030.6									
			C3-C4;~2	Max	I	601.2	64.7	2.7	342.8	
1041.2	72801.2				J	601.2	64.7	2.7	342.8	
2507.0	59260.9			Min	I	-300.1	-71.5	-5.6	-485.3	-
2075.7	-20625.2				J	-300.1	-71.5	-5.6	-485.3	-
1162.9	-7560.6									
			G1		I	827.7	-0.6	-4.6	3.3	-
1471.1	-1342.1				J	827.7	-0.6	-3.1	3.3	
1696.2	-831.5									
			G2		I	324.1	0.6	-1.5	10.1	
-526.9	-3944.1				J	324.1	0.6	-1.5	10.1	
693.4	-4459.7									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-97.7	-0.6	-0.6	1.3	
-233.7	-1826.8				J	-97.7	-0.6	-0.6	1.3	
256.1	-1317.7									
			Q5_pc	Y	I	77.0	-1.2	-0.3	-9.7	
-107.5	3827.6				J	77.0	-1.2	-0.3	-9.7	
136.1	4780.4									
			Q5_ps	X	I	-93.2	-0.6	-0.6	2.3	
-228.8	-1777.0				J	-93.2	-0.6	-0.6	2.3	
251.4	-1319.5									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-74.4	4839.9	Q5_ps Y	I	68.1	-1.4	-0.2	-14.1	
96.0	6023.9		J	68.1	-1.4	-0.2	-14.1	
2820.1	142294.7	INVS LU Max	I	4438.3	183.6	7.1	1428.6	
5624.0	113830.1		J	4438.3	183.6	9.1	1428.6	
5231.7	-116331.9	Min	I	1993.6	-222.9	-14.3	-958.8	-
3786.0	-70747.5		J	1993.6	-222.9	-12.2	-958.8	-
2171.5	104819.9	INVS LE Max	I	3303.7	135.6	5.5	1055.8	
4029.2	83950.1		J	3303.7	135.6	7.0	1055.8	
3761.6	-86245.0	Min	I	1505.9	-165.4	-10.3	-711.4	-
2906.9	-52136.7		J	1505.9	-165.4	-8.8	-711.4	-
5161	2	70 C1-C2;~1 Max	I	890.5	133.9	4.3	1134.9	
1731.0	113482.9		J	890.5	133.9	4.3	1134.9	
4600.6	101134.3	Min	I	-550.5	-108.4	-10.9	-676.0	-
4346.9	-16861.8		J	-550.5	-108.4	-10.9	-676.0	-
1797.0	-28488.6							
1990.0	83467.0	C3-C4;~1 Max	I	1034.5	88.3	5.0	811.0	
5456.3	71110.7		J	1034.5	88.3	5.0	811.0	
5167.3	-14090.8	Min	I	-600.4	-67.6	-13.0	-432.6	-
2062.7	-21977.1		J	-600.4	-67.6	-13.0	-432.6	-
929.4	80767.0	C1-C2;~2 Max	I	476.8	94.8	2.3	798.4	
2575.2	71963.0		J	476.8	94.8	2.3	798.4	
2428.1	-10028.0	Min	I	-315.2	-76.7	-6.1	-467.6	-
-965.3	-18398.2		J	-315.2	-76.7	-6.1	-467.6	-
1047.0	59260.5	C3-C4;~2 Max	I	542.9	62.2	2.6	569.6	
3132.5	50451.7		J	542.9	62.2	2.6	569.6	
2961.8	-7558.5	Min	I	-350.0	-46.1	-7.4	-284.1	-
1085.6	-13373.9		J	-350.0	-46.1	-7.4	-284.1	-
2745.2	-830.1	G1	I	583.0	0.0	-7.4	3.1	-
2712.8	-857.3		J	583.0	0.0	-5.9	3.1	-
1021.1	-4459.5	G2	I	229.2	-2.2	-2.6	-27.1	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1086.9	-2664.7		J	229.2	-2.2	-2.6	-27.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-273.1	-1325.5	Q5_pc X	I	-92.4	-0.1	-0.7	-0.2	
275.4	-1235.9		J	-92.4	-0.1	-0.7	-0.2	
-177.6	4783.8	Q5_pc Y	I	69.5	1.8	-0.4	28.8	
179.0	3332.7		J	69.5	1.8	-0.4	28.8	
-268.4	-1326.9	Q5_ps X	I	-88.3	-0.1	-0.7	0.2	
271.0	-1217.5		J	-88.3	-0.1	-0.7	0.2	
-127.4	6027.3	Q5_ps Y	I	62.8	2.4	-0.3	35.7	
127.9	4042.8		J	62.8	2.4	-0.3	35.7	
2854.9	113827.3	INVSLE Max	I	3717.7	147.3	6.7	1470.0	
7185.0	124487.2		J	3717.7	147.3	8.7	1470.0	
7299.0	-70748.9	Min	I	1344.2	-183.0	-18.7	-1026.7	-
3461.4	-56502.5		J	1344.2	-183.0	-16.7	-1026.7	-
2236.6	83947.7	INVSLE Max	I	2768.8	108.4	5.3	1083.7	
5148.9	92420.5		J	2768.8	108.4	6.8	1083.7	
5248.5	-52137.6	Min	I	1023.0	-136.0	-13.5	-761.9	-
2700.6	-41201.5		J	1023.0	-136.0	-12.0	-761.9	-
5162	2	70 C1-C2;~1 Max	I	848.2	242.0	4.0	1603.0	
1603.2	101122.6		J	848.2	242.0	4.0	1603.0	
4904.0	19594.2	Min	I	-640.9	-25.6	-11.8	-322.0	-
4737.5	-28503.9		J	-640.9	-25.6	-11.8	-322.0	-
1702.8	-104958.6							
1826.5	71097.4	C3-C4;~1 Max	I	979.1	183.5	4.6	1210.8	
5812.5	14834.7		J	979.1	183.5	4.6	1210.8	
5638.5	-21994.2	Min	I	-696.3	-21.9	-14.0	-269.0	-
1939.4	-83539.9		J	-696.3	-21.9	-14.0	-269.0	-
861.9	71953.9	C1-C2;~2 Max	I	455.4	169.3	2.2	1131.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2766.0	9577.5		J	455.4	169.3	2.2	1131.1	
		Min	I	-363.1	-11.7	-6.6	-202.9	-
2668.4	-18407.3		J	-363.1	-11.7	-6.6	-202.9	
-915.9	-70164.5							
		C3-C4;~2 Max	I	515.3	127.3	2.4	853.2	
961.8	50441.7		J	515.3	127.3	2.4	853.2	
3356.6	6146.4	Min	I	-400.9	-9.8	-8.1	-158.2	-
3253.5	-13384.2		J	-400.9	-9.8	-8.1	-158.2	-
1021.6	-55471.9							
		G1	I	394.4	-1.3	-8.7	-0.7	-
3317.5	-866.4		J	394.4	-1.3	-7.1	-0.7	
3149.1	172.4							
		G2	I	155.0	-16.1	-3.1	-71.6	-
1264.8	-2667.1		J	155.0	-16.1	-3.1	-71.6	
1277.5	10531.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-90.6	-1.0	-0.7	-3.0	
-287.9	-1246.1		J	-90.6	-1.0	-0.7	-3.0	
290.6	-454.3							
		Q5_pc Y	I	68.2	17.9	-0.4	79.0	
-162.8	3334.7		J	68.2	17.9	-0.4	79.0	
149.4	-11343.6							
		Q5_ps X	I	-86.7	-1.3	-0.7	-3.3	
-283.2	-1227.2		J	-86.7	-1.3	-0.7	-3.3	
285.9	-175.9							
		Q5_ps Y	I	63.6	23.0	-0.2	100.5	
-98.2	4044.5		J	63.6	23.0	-0.2	100.5	
86.5	-14732.3							
		INVSLU Max	I	3248.5	265.4	6.4	1739.2	
2672.5	124484.7		J	3248.5	265.4	8.4	1739.2	
7595.6	85069.8	Min	I	823.7	-128.2	-20.0	-1001.8	-
7923.5	-56513.5		J	823.7	-128.2	-17.9	-1001.8	-
3392.6	-103495.0							
		INVSLE Max	I	2420.5	193.9	5.1	1277.7	
2134.5	92419.2		J	2420.5	193.9	6.6	1277.7	
5416.7	63925.9	Min	I	636.4	-95.3	-14.3	-742.2	-
5676.0	-41208.9							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2684.0	-74239.3			J	636.4	-95.3	-12.8	-742.2	-
5163	2	70	C1-C2;~1	Max	I	803.6	25.6	4.0	349.8
1576.1	19622.2			J	803.6	25.6	4.0	349.8	
5210.4	101960.0			Min	I	-724.9	-233.9	-12.6	-1451.2
5115.2	-105288.6			J	-724.9	-233.9	-12.6	-1451.2	-
1711.7	-29620.9								
			C3-C4;~1	Max	I	924.4	21.2	4.6	312.6
1803.1	14906.9			J	924.4	21.2	4.6	312.6	
6016.6	71636.4			Min	I	-790.1	-174.9	-14.6	-1072.3
5928.1	-83809.8			J	-790.1	-174.9	-14.6	-1072.3	-
1957.6	-23312.8								
			C1-C2;~2	Max	I	431.8	11.8	2.2	226.0
846.9	9588.0			J	431.8	11.8	2.2	226.0	
2961.6	72638.1			Min	I	-408.8	-163.2	-7.2	-1024.2
2908.8	-70350.9			J	-408.8	-163.2	-7.2	-1024.2	-
-920.1	-19241.2								
			C3-C4;~2	Max	I	486.8	9.0	2.4	190.6
949.2	6208.9			J	486.8	9.0	2.4	190.6	
3488.8	50886.5			Min	I	-452.5	-120.8	-8.5	-751.9
3439.2	-55625.7			J	-452.5	-120.8	-8.5	-751.9	-
1030.8	-14418.1								
			G1		I	229.2	0.9	-8.9	13.4
3465.4	-93.6			J	229.2	0.9	-7.4	13.4	
3199.6	-860.0								
			G2		I	90.4	15.8	-3.1	69.6
1278.9	10429.0			J	90.4	15.8	-3.1	69.6	
1252.8	-2502.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-88.9	1.1	-0.7	6.1
-283.4	-489.7			J	-88.9	1.1	-0.7	6.1	
285.8	-1423.6								
			Q5_pc	Y	I	70.7	-18.6	-0.3	-77.0
-148.7	-11366.6			J	70.7	-18.6	-0.3	-77.0	
126.8	3884.4								
			Q5_ps	X	I	-85.2	1.5	-0.7	8.6
-277.8	-210.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
280.0	-1405.8		J	-85.2	1.5	-0.7	8.6	
-111.0	-14750.8	Q5_ps Y	I	67.0	-23.5	-0.2	-100.5	
92.7	4515.6		J	67.0	-23.5	-0.2	-100.5	
2816.3	85236.9	INVSLU Max	I	2803.5	98.5	7.0	929.4	
7566.2	151134.0		J	2803.5	98.5	9.0	929.4	
8130.9	-103852.7	Min	I	328.8	-285.5	-20.2	-1640.5	-
3713.5	-33492.1		J	328.8	-285.5	-18.2	-1640.5	-
2272.4	64068.6	INVSLE Max	I	2089.0	72.5	5.6	682.7	
5365.1	112732.0		J	2089.0	72.5	7.1	682.7	
5798.8	-74482.2	Min	I	267.8	-209.5	-14.4	-1210.6	-
2952.1	-23510.2		J	267.8	-209.5	-12.9	-1210.6	-
5164	2	70 C1-C2;~1 Max	I	764.0	109.3	4.3	742.1	
1681.9	101969.0		J	764.0	109.3	4.3	742.1	
5040.5	97180.2	Min	I	-828.5	-110.7	-12.3	-953.2	-
4993.7	-29624.4		J	-828.5	-110.7	-12.3	-953.2	-
1859.5	-14811.8							
1917.1	71641.0	C3-C4;~1 Max	I	877.2	68.3	4.9	508.7	
5845.6	68734.0		J	877.2	68.3	4.9	508.7	
5840.8	-23317.7	Min	I	-909.7	-68.5	-14.3	-654.2	-
2119.8	-11831.9		J	-909.7	-68.5	-14.3	-654.2	-
904.7	72644.3	C1-C2;~2 Max	I	410.6	77.9	2.3	515.0	
2877.0	69530.1		J	410.6	77.9	2.3	515.0	
2849.6	-19242.1	Min	I	-466.0	-78.2	-7.0	-664.3	-
1000.4	-9281.4		J	-466.0	-78.2	-7.0	-664.3	-
1009.9	50889.7	C3-C4;~2 Max	I	462.0	46.8	2.6	337.2	
3409.5	48938.5		J	462.0	46.8	2.6	337.2	
3409.6	-14419.9	Min	I	-520.1	-47.8	-8.3	-450.8	-
1116.9	-6740.4		J	-520.1	-47.8	-8.3	-450.8	-
3241.9	-868.6	G1	I	57.7	-0.7	-8.2	11.2	-
2861.3	-333.9		J	57.7	-0.7	-6.7	11.2	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1210.0	-2506.7	G2	I	23.9	1.0	-2.9	26.3	-
			J	23.9	1.0	-2.9	26.3	
1139.4	-3308.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-89.0	-0.0	-0.7	2.5	
-292.5	-1432.7		J	-89.0	-0.0	-0.7	2.5	
293.8	-1429.4							
		Q5_pc Y	I	71.5	-1.8	-0.1	-27.5	
-57.0	3888.2		J	71.5	-1.8	-0.1	-27.5	
23.2	5384.2							
		Q5_ps X	I	-85.4	0.0	-0.7	4.2	
-286.0	-1414.4		J	-85.4	0.0	-0.7	4.2	
286.9	-1452.1							
		Q5_ps Y	I	68.5	-2.2	-0.0	-36.6	
-18.3	4519.6		J	68.5	-2.2	-0.0	-36.6	
-10.1	6341.4							
		INVSLU Max	I	2353.7	167.6	9.4	1073.8	
3796.8	151145.5		J	2353.7	167.6	11.5	1073.8	
6527.7	130987.2							
		Min	I	-218.9	-132.8	-17.8	-1264.4	-
7203.0	-33504.2		J	-218.9	-132.8	-15.8	-1264.4	-
4754.4	-29893.6							
		INVSLE Max	I	1753.3	124.9	7.6	783.9	
3043.1	112740.7		J	1753.3	124.9	9.1	783.9	
4542.1	97019.7							
		Min	I	-140.5	-97.4	-12.5	-944.4	-
5065.9	-23518.4		J	-140.5	-97.4	-11.0	-944.4	-
3775.8	-21433.3							
		70 C1-C2;~1 Max	I	745.0	148.4	4.4	1046.0	
5165	2		J	745.0	148.4	4.4	1046.0	
1787.0	97172.9							
		Min	I	-970.5	-87.6	-10.5	-694.4	-
4084.6	77017.6		J	-970.5	-87.6	-10.5	-694.4	-
4529.0	-14813.8							
1789.5	-35277.0							
		C3-C4;~1 Max	I	852.9	99.6	5.0	723.1	
2034.7	68728.0		J	852.9	99.6	5.0	723.1	
4699.3	53038.5							
		Min	I	-1074.4	-53.6	-12.2	-440.1	-
5241.9	-11832.2		J	-1074.4	-53.6	-12.2	-440.1	-
2039.4	-26892.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

961.6	69524.8	C1-C2;~2	Max	I	400.6	106.3	2.4	734.5	
				J	400.6	106.3	2.4	734.5	
2365.0	54469.1		Min	I	-544.4	-61.2	-6.1	-476.9	-
2610.5	-9283.0			J	-544.4	-61.2	-6.1	-476.9	
-963.1	-24259.7								
1072.4	48934.2	C3-C4;~2	Max	I	449.3	71.0	2.6	505.6	
				J	449.3	71.0	2.6	505.6	
2781.4	37251.6		Min	I	-613.1	-35.8	-7.2	-295.3	-
3089.4	-6740.9			J	-613.1	-35.8	-7.2	-295.3	-
1075.0	-17830.9								
2490.2	-332.7		G1	I	-139.1	-0.9	-6.0	16.3	-
				J	-139.1	-0.9	-4.4	16.3	
1767.1	444.0								
-905.1	-3307.0		G2	I	-53.3	-2.2	-2.0	-1.1	
				J	-53.3	-2.2	-2.0	-1.1	
698.0	-1491.1								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-270.9	-1438.1		Q5_pc X	I	-92.8	-0.4	-0.6	2.2	
				J	-92.8	-0.4	-0.6	2.2	
236.4	-1104.7								
33.1	5387.4		Q5_pc Y	I	69.9	1.6	0.1	4.5	
				J	69.9	1.6	0.1	4.5	
-63.3	4076.8								
-263.4	-1460.3		Q5_ps X	I	-89.2	-0.4	-0.6	2.9	
				J	-89.2	-0.4	-0.6	2.9	
229.4	-1142.4								
53.5	6344.2		Q5_ps Y	I	68.9	2.1	0.2	5.3	
				J	68.9	2.1	0.2	5.3	
-74.4	4645.1								
4894.8	130983.9		INVSLU Max	I	1948.8	208.9	11.8	1173.8	
				J	1948.8	208.9	13.8	1173.8	
3928.4	96786.3		Min	I	-820.0	-112.6	-12.4	-1183.8	-
5416.3	-29895.5			J	-820.0	-112.6	-10.4	-1183.8	-
5594.3	-62149.7								
3916.7	97017.1		INVSLE Max	I	1453.8	155.4	9.5	847.6	
				J	1453.8	155.4	11.0	847.6	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2576.9	71097.9		Min	I	-584.8	-82.5	-8.4	-898.1	-
3685.0	-21434.5			J	-584.8	-82.5	-6.9	-898.1	-
4445.4	-46088.9								
5166	2	70	C1-C2;~1	Max	I	527.4	43.2	2.0	571.7
934.2	77022.0			J	527.4	43.2	2.0	571.7	
1542.9	45636.1		Min	I	-735.5	-29.1	-4.2	-163.0	-
1935.4	-35276.5			J	-735.5	-29.1	-4.2	-163.0	
-685.0	-22088.8								
1063.0	53041.5		C3-C4;~1	Max	I	602.9	27.1	2.3	408.7
1761.7	33884.1			J	602.9	27.1	2.3	408.7	
2185.3	-26892.8		Min	I	-815.6	-20.5	-4.8	-122.8	-
-778.3	-15724.9			J	-815.6	-20.5	-4.8	-122.8	
502.9	54472.2		C1-C2;~2	Max	I	283.7	30.4	1.1	399.5
884.0	31822.9			J	283.7	30.4	1.1	399.5	
1101.7	-24259.2		Min	I	-412.7	-20.0	-2.4	-104.1	-
-368.9	-15116.9			J	-412.7	-20.0	-2.4	-104.1	
560.4	37253.7		C3-C4;~2	Max	I	317.6	18.1	1.2	284.2
1032.6	23507.9			J	317.6	18.1	1.2	284.2	
1268.5	-17831.0		Min	I	-465.6	-13.4	-2.8	-72.3	-
-410.5	-10154.3			J	-465.6	-13.4	-2.8	-72.3	
1012.4	443.5		G1	I	-160.1	0.2	-2.8	10.6	-
659.0	257.1			J	-160.1	0.2	-1.3	10.6	
-340.8	-1491.6		G2	I	-59.0	0.6	-0.8	-10.6	
287.6	-2007.0			J	-59.0	0.6	-0.8	-10.6	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-130.3	-1113.2		Q5_pc	X	I	-69.2	-0.6	-0.3	1.4
90.4	-598.0			J	-69.2	-0.6	-0.3	1.4	
58.4	4080.7		Q5_pc	Y	I	52.9	1.2	0.1	14.5
-36.8	3108.1			J	52.9	1.2	0.1	14.5	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-126.1	-1150.4	Q5_ps X	I	-66.6	-0.6	-0.3	1.3	
87.6	-663.4		J	-66.6	-0.6	-0.3	1.3	
62.3	4648.9	Q5_ps Y	I	52.1	1.1	0.1	20.2	
-39.9	3746.8		J	52.1	1.1	0.1	20.2	
3067.7	96794.5	INVS LU Max	I	885.3	63.1	5.5	591.3	
1347.9	50527.6		J	885.3	63.1	7.5	591.3	
1552.1	-62153.8	Min	I	-1154.3	-36.7	-4.6	-426.7	-
2243.9	-46495.6		J	-1154.3	-36.7	-2.5	-426.7	-
2460.0	71103.7	INVS LE Max	I	628.1	47.2	4.4	423.8	
869.3	36457.0		J	628.1	47.2	5.9	423.8	
-944.8	-46091.7	Min	I	-873.4	-26.6	-3.0	-328.3	
1779.2	-34997.6		J	-873.4	-26.6	-1.5	-328.3	-
5167	2	70 C1-C2;~1 Max	I	319.5	148.0	0.8	827.6	
351.9	45624.3		J	319.5	148.0	0.8	827.6	
887.6	13674.9	Min	I	-449.4	-19.7	-2.2	-91.0	
-950.0	-22088.5		J	-449.4	-19.7	-2.2	-91.0	
-318.8	-77892.3							
397.5	33875.2	C3-C4;~1 Max	I	364.6	119.6	0.9	640.3	
1019.8	13286.0		J	364.6	119.6	0.9	640.3	
1089.5	-15725.0	Min	I	-489.7	-20.2	-2.6	-85.1	-
-359.2	-65605.7		J	-489.7	-20.2	-2.6	-85.1	
189.6	31814.6	C1-C2;~2 Max	I	171.9	100.8	0.4	573.3	
505.9	6381.0		J	171.9	100.8	0.4	573.3	
-539.9	-15116.9	Min	I	-253.5	-9.1	-1.3	-42.4	
-171.9	-51653.5		J	-253.5	-9.1	-1.3	-42.4	
209.5	23501.7	C3-C4;~2 Max	I	192.1	80.7	0.5	440.5	
591.3	6016.7		J	192.1	80.7	0.5	440.5	
-629.7	-10154.7	Min	I	-280.1	-9.4	-1.5	-38.8	
-189.5	-43198.7		J	-280.1	-9.4	-1.5	-38.8	
		G1	I	-91.5	0.1	-2.3	12.6	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-744.5	257.2		J	-91.5	0.1	-0.8	12.6
510.5	163.8						
		G2	I	-33.6	-12.2	-0.6	-46.0
-257.2	-2006.2		J	-33.6	-12.2	-0.6	-46.0
248.5	7966.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-44.6	-1.0	-0.1	-3.0
-65.5	-606.7		J	-44.6	-1.0	-0.1	-3.0
52.4	217.8						
		Q5_pc Y	I	39.3	13.8	0.1	55.4
33.1	3110.4		J	39.3	13.8	0.1	55.4
-27.9	-8197.4						
		Q5_ps X	I	-42.8	-1.5	-0.1	-4.6
-64.2	-671.7		J	-42.8	-1.5	-0.1	-4.6
51.7	570.9						
		Q5_ps Y	I	37.8	18.1	0.1	73.3
43.5	3748.7		J	37.8	18.1	0.1	73.3
-38.8	-11042.3						
		INVS LU Max	I	-35.4	156.6	1.3	892.7
929.0	50515.7		J	-35.4	156.6	3.3	892.7
1009.2	57480.2						
		Min	I	-1269.0	-95.4	-3.7	-447.2
1196.3	-46495.2		J	-1269.0	-95.4	-1.7	-447.2
-946.6	-80890.8						
		INVS LE Max	I	-88.1	111.9	1.1	640.6
762.7	36448.1		J	-88.1	111.9	2.6	640.6
682.4	43874.4						
		Min	I	-995.9	-72.9	-2.6	-344.5
-802.8	-34997.1		J	-995.9	-72.9	-1.1	-344.5
-759.4	-57529.6						
		70 C1-C2;~1 Max	I	235.3	20.3	0.3	77.5
5168	2		J	235.3	20.3	0.3	77.5
102.0	13711.6						
		Min	I	-336.2	-122.0	-1.9	-554.8
787.9	34418.4		J	-336.2	-122.0	-1.9	-554.8
-749.5	-78024.4						
		C3-C4;~1 Max	I	268.2	19.8	0.3	97.6
-125.1	-3040.6		J	268.2	19.8	0.3	97.6
116.4	13325.1						
		Min	I	-362.7	-100.6	-2.2	-403.9
905.4	24213.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-860.9	-65721.9		J	-362.7	-100.6	-2.2	-403.9
-142.1	-3410.3						
54.4	6402.5	C1-C2;~2 Max	I	126.6	9.4	0.1	36.5
469.6	24016.4		J	126.6	9.4	0.1	36.5
-445.5	-51733.6	Min	I	-189.5	-81.1	-1.1	-379.8
-67.1	-1351.7		J	-189.5	-81.1	-1.1	-379.8
60.6	6039.6	C3-C4;~2 Max	I	141.4	8.9	0.2	49.5
552.9	16598.8		J	141.4	8.9	0.2	49.5
-524.0	-43268.6	Min	I	-206.9	-66.2	-1.3	-270.7
-74.5	-1577.2		J	-206.9	-66.2	-1.3	-270.7
-618.7	93.9	G1	I	-76.5	-0.4	-2.0	10.9
418.1	390.5		J	-76.5	-0.4	-0.5	10.9
-185.0	7940.3	G2	I	-28.7	12.3	-0.5	49.7
188.0	-2141.1		J	-28.7	12.3	-0.5	49.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-29.4	198.7	Q5_pc X	I	-35.0	0.8	-0.1	4.3
23.1	-460.5		J	-35.0	0.8	-0.1	4.3
-7.7	-8196.6	Q5_pc Y	I	37.2	-13.7	-0.0	-50.8
10.7	3012.6		J	37.2	-13.7	-0.0	-50.8
-28.0	552.7	Q5_ps X	I	-33.5	1.3	-0.1	6.9
22.1	-539.5		J	-33.5	1.3	-0.1	6.9
-11.3	-11041.4	Q5_ps Y	I	35.7	-18.1	-0.0	-68.2
13.9	3776.9		J	35.7	-18.1	-0.0	-68.2
25.2	57600.2	INVSLU Max	I	-479.7	99.2	-0.7	142.5
1201.4	32283.1		J	-479.7	99.2	1.4	142.5
1347.0	-80997.4	Min	I	-1398.5	-117.6	-4.1	-829.6
-254.3	-24687.6		J	-1398.5	-117.6	-2.1	-829.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
42.8	43972.7	INVSLE Max	I	-428.1	76.8	-0.5	109.9
			J	-428.1	76.8	1.1	109.9
869.7	22085.3	Min	I	-1103.8	-82.0	-3.0	-603.4
-969.7	-57599.2		J	-1103.8	-82.0	-1.5	-603.4
-205.5	-19494.8						
5169	2	70 C1-C2;~1 Max	I	191.3	24.9	0.1	227.5
29.8	34424.0		J	191.3	24.9	0.1	227.5
552.4	26114.2	Min	I	-274.6	-10.8	-1.3	-271.7
-486.1	-3041.2		J	-274.6	-10.8	-1.3	-271.7
-40.9	-2286.7						
		C3-C4;~1 Max	I	217.9	13.6	0.1	178.2
72.5	24218.5		J	217.9	13.6	0.1	178.2
683.1	17486.7	Min	I	-298.6	-4.9	-1.6	-180.2
-597.9	-3411.2		J	-298.6	-4.9	-1.6	-180.2
-54.8	-3051.1						
		C1-C2;~2 Max	I	103.0	17.5	0.0	153.7
18.6	24020.1		J	103.0	17.5	0.0	153.7
326.8	18332.5	Min	I	-153.6	-7.4	-0.7	-185.8
-286.9	-1351.9		J	-153.6	-7.4	-0.7	-185.8
-21.6	-1145.2						
		C3-C4;~2 Max	I	114.8	9.3	0.1	115.2
49.5	16601.9		J	114.8	9.3	0.1	115.2
417.7	12058.4	Min	I	-169.3	-2.9	-0.9	-120.8
-362.3	-1577.6		J	-169.3	-2.9	-0.9	-120.8
-30.0	-1550.1						
		G1	I	-75.8	0.1	-1.9	12.3
-556.9	390.4		J	-75.8	0.1	-0.4	12.3
372.3	333.0						
		G2	I	-30.3	-1.0	-0.4	12.2
-178.6	-2141.9		J	-30.3	-1.0	-0.4	12.2
184.8	-1338.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-31.0	-0.1	-0.0	1.3
-22.1	-468.4		J	-31.0	-0.1	-0.0	1.3
17.2	-385.8						
		Q5_pc Y	I	38.7	1.1	-0.0	-9.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.3	3016.4			J	38.7	1.1	-0.0 -9.8
2.5	2141.0						
-21.8	-547.0	Q5_ps X		I	-29.7	-0.1	-0.0 2.3
17.1	-436.9			J	-29.7	-0.1	-0.0 2.3
6.7	3780.9	Q5_ps Y		I	37.8	1.4	0.0 -13.4
-1.0	2626.4			J	37.8	1.4	0.0 -13.4
8.8	32294.1	INVS LU Max		I	-816.6	36.2	-0.9 239.2
912.0	18937.8			J	-816.6	36.2	1.1 239.2
-935.9	-24694.1	Min		I	-1583.5	-13.9	-3.3 -452.5
-115.2	-24289.2			J	-1583.5	-13.9	-1.2 -452.5
26.1	22093.1	INVS LE Max		I	-684.4	27.2	-0.6 179.1
660.7	11910.4			J	-684.4	27.2	0.9 179.1
-670.8	-19499.2	Min		I	-1247.2	-9.8	-2.4 -332.0
-97.8	-19824.1			J	-1247.2	-9.8	-0.9 -332.0
5170	2	70 C1-C2;~1 Max		I	166.8	18.0	0.1 253.7
74.7	26110.2			J	166.8	18.0	0.1 253.7
494.4	26371.5	Min		I	-253.1	-17.9	-1.2 -217.4
-449.1	-2287.5			J	-253.1	-17.9	-1.2 -217.4
-28.2	-2704.7						
130.4	17483.4	C3-C4;~1 Max		I	189.5	9.4	0.2 183.2
615.3	17641.9			J	189.5	9.4	0.2 183.2
-555.1	-3051.4	Min		I	-274.2	-9.5	-1.4 -136.7
-55.7	-3225.3			J	-274.2	-9.5	-1.4 -136.7
45.2	18329.7	C1-C2;~2 Max		I	89.8	12.6	0.1 171.6
294.4	18523.1			J	89.8	12.6	0.1 171.6
-259.5	-1145.8	Min		I	-141.8	-12.6	-0.7 -147.0
-17.1	-1471.4			J	-141.8	-12.6	-0.7 -147.0
85.1	12056.3	C3-C4;~2 Max		I	99.9	6.2	0.1 116.5
377.9	12140.7			J	99.9	6.2	0.1 116.5
-329.2	-1550.4	Min		I	-155.6	-6.1	-0.9 -89.9
				J	-155.6	-6.1	-0.9 -89.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-36.2	-1694.9							
		G1	I	-83.0	-0.1	-1.8	13.1	
-511.6	332.5		J	-83.0	-0.1	-0.3	13.1	
337.2	435.2							
		G2	I	-33.3	-0.1	-0.4	3.8	
-159.5	-1338.4		J	-33.3	-0.1	-0.4	3.8	
170.1	-1283.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-28.8	0.0	-0.0	1.0	
-16.9	-393.8		J	-28.8	0.0	-0.0	1.0	
13.0	-415.1							
		Q5_pc Y	I	38.2	0.0	-0.0	-0.9	
-4.6	2143.6		J	38.2	0.0	-0.0	-0.9	
7.6	2113.0							
		Q5_ps X	I	-27.6	0.0	-0.0	1.5	
-16.6	-444.5		J	-27.6	0.0	-0.0	1.5	
12.9	-476.6							
		Q5_ps Y	I	37.3	0.0	-0.0	-1.4	
-0.9	2628.7		J	37.3	0.0	-0.0	-1.4	
4.6	2617.5							
		INVSLE Max	I	-1134.3	24.0	-1.1	313.2	
-24.9	18935.7		J	-1134.3	24.0	1.0	313.2	
939.8	19470.6							
		Min	I	-1829.1	-24.5	-3.4	-324.4	
-980.8	-24290.9		J	-1829.1	-24.5	-1.3	-324.4	
10.5	-24288.5							
		INVSLE Max	I	-924.8	17.6	-0.8	227.9	
-7.7	11908.9		J	-924.8	17.6	0.7	227.9	
689.8	12466.5							
		Min	I	-1434.4	-18.3	-2.5	-244.3	
-713.6	-19825.1		J	-1434.4	-18.3	-1.0	-244.3	
3.2	-19665.9							
		70 C1-C2;~1 Max	I	153.6	11.5	0.2	306.1	
5171	2		J	153.6	11.5	0.2	306.1	
105.1	26375.0							
		Min	I	-249.1	-25.5	-1.1	-174.8	
476.8	35538.9		J	-249.1	-25.5	-1.1	-174.8	
-420.8	-2704.0							
-57.3	-3096.0							
		C3-C4;~1 Max	I	174.4	5.2	0.3	212.7	
174.3	17644.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
589.6	25063.7		J	174.4	5.2	0.3	212.7
		Min	I	-268.9	-14.7	-1.4	-119.7
-520.3	-3225.4		J	-268.9	-14.7	-1.4	-119.7
-89.2	-3753.6						
		C1-C2;~2 Max	I	82.7	7.8	0.1	207.9
62.9	18525.5		J	82.7	7.8	0.1	207.9
282.8	24693.7	Min	I	-140.0	-17.8	-0.6	-115.9
-240.6	-1470.8		J	-140.0	-17.8	-0.6	-115.9
-34.6	-1390.3						
		C3-C4;~2 Max	I	91.9	3.0	0.2	142.9
112.2	12142.4		J	91.9	3.0	0.2	142.9
360.0	17021.2	Min	I	-153.0	-10.0	-0.8	-73.7
-305.0	-1694.9		J	-153.0	-10.0	-0.8	-73.7
-56.4	-1740.2						
		G1	I	-93.1	-0.6	-1.7	14.1
-468.9	435.0		J	-93.1	-0.6	-0.2	14.1
302.0	885.4						
		G2	I	-37.2	0.8	-0.4	-4.4
-141.7	-1284.3		J	-37.2	0.8	-0.4	-4.4
154.6	-1915.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-26.9	0.1	-0.0	0.6
-14.3	-422.9		J	-26.9	0.1	-0.0	0.6
11.1	-541.9						
		Q5_pc Y	I	38.0	-1.1	-0.0	7.8
-6.2	2116.5		J	38.0	-1.1	-0.0	7.8
9.0	2977.7						
		Q5_ps X	I	-25.8	0.2	-0.0	0.7
-14.0	-484.0		J	-25.8	0.2	-0.0	0.7
10.9	-654.2						
		Q5_ps Y	I	37.1	-1.5	-0.0	10.6
-3.4	2621.0		J	37.1	-1.5	-0.0	10.6
7.2	3808.1						
		INVSLU Max	I	-1397.4	16.2	-0.9	494.3
57.2	19478.1		J	-1397.4	16.2	1.1	494.3
881.4	32842.6	Min	I	-2064.4	-35.7	-3.2	-168.9
-906.1	-24292.1						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-54.9	-25876.3		J	-2064.4	-35.7	-1.2	-168.9
48.2	12471.7	INVSLE Max	I	-1123.1	11.1	-0.7	354.2
652.1	22968.5		J	-1123.1	11.1	0.9	354.2
-663.5	-19668.5	Min	I	-1612.1	-27.2	-2.4	-136.0
-40.0	-19905.3		J	-1612.1	-27.2	-0.9	-136.0
5172	2	70 C1-C2;~1 Max	I	145.9	118.2	0.5	602.7
224.4	35534.4		J	145.9	118.2	0.5	602.7
387.2	12677.0		I	-263.9	-19.2	-0.9	-75.6
-355.1	-3095.5	Min	J	-263.9	-19.2	-0.9	-75.6
-163.0	-62606.0						
279.6	25059.8	C3-C4;~1 Max	I	165.6	97.7	0.6	448.8
464.7	13947.4		J	165.6	97.7	0.6	448.8
-437.3	-3753.0	Min	I	-279.3	-21.1	-1.1	-81.8
-193.9	-55187.4		J	-279.3	-21.1	-1.1	-81.8
143.4	24690.6	C1-C2;~2 Max	I	78.6	77.9	0.3	407.6
224.4	5961.0		J	78.6	77.9	0.3	407.6
-198.3	-1390.2	Min	I	-150.3	-8.9	-0.5	-35.2
-105.5	-40043.3		J	-150.3	-8.9	-0.5	-35.2
183.4	17018.6	C3-C4;~2 Max	I	87.3	63.4	0.4	297.7
272.5	6426.3		J	87.3	63.4	0.4	297.7
-248.0	-1740.0	Min	I	-160.4	-9.6	-0.6	-37.4
-127.5	-35037.9		J	-160.4	-9.6	-0.6	-37.4
-423.7	886.7	G1	I	-104.7	4.5	-1.6	28.8
260.9	-2810.6		J	-104.7	4.5	-0.1	28.8
-137.4	-1914.1	G2	I	-40.0	-10.2	-0.4	-35.6
154.9	6393.0		J	-40.0	-10.2	-0.4	-35.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-16.2	-549.8	Q5_pc X	I	-25.3	-1.0	-0.0	-3.1
			J	-25.3	-1.0	-0.0	-3.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
14.4	257.6							
8.5	2980.2	Q5_pc	Y	I	36.9	11.7	0.0	45.2
-9.4	-6603.8			J	36.9	11.7	0.0	45.2
-16.8	-661.6	Q5_ps	X	I	-24.1	-1.7	-0.0	-5.2
15.2	718.6			J	-24.1	-1.7	-0.0	-5.2
17.6	3810.2	Q5_ps	Y	I	35.2	16.3	0.0	62.6
-19.0	-9491.6			J	35.2	16.3	0.0	62.6
195.9	32837.1	INVS LU	Max	I	-1600.7	104.7	-0.6	986.5
787.4	60527.0			J	-1600.7	104.7	1.4	986.5
-801.0	-25880.7		Min	I	-2267.7	-104.5	-3.0	-19.0
-127.7	-54707.0			J	-2267.7	-104.5	-0.9	-19.0
155.1	22964.5	INVS LE	Max	I	-1275.6	70.7	-0.4	707.7
575.8	48220.8			J	-1275.6	70.7	1.1	707.7
-581.1	-19908.2		Min	I	-1764.8	-82.7	-2.2	-31.1
-100.1	-36257.2			J	-1764.8	-82.7	-0.7	-31.1
5173	2	70 C1-C2;~1	Max	I	135.7	19.2	0.2	73.9
103.7	12673.6			J	135.7	19.2	0.2	73.9
516.2	34242.8		Min	I	-255.9	-117.4	-1.2	-581.8
-460.7	-62652.8			J	-255.9	-117.4	-1.2	-581.8
-57.8	-2954.9							
140.8	13942.3	C3-C4;~1	Max	I	154.0	21.1	0.3	85.5
616.2	23902.9			J	154.0	21.1	0.3	85.5
-555.0	-55217.6		Min	I	-272.2	-96.9	-1.4	-431.5
-82.8	-3557.8			J	-272.2	-96.9	-1.4	-431.5
58.8	5959.6	C1-C2;~2	Max	I	73.1	8.9	0.1	34.2
312.0	23815.2			J	73.1	8.9	0.1	34.2
-269.8	-40072.7		Min	I	-145.6	-77.3	-0.7	-395.3
-32.4	-1327.6			J	-145.6	-77.3	-0.7	-395.3
83.1	6424.2	C3-C4;~2	Max	I	81.2	9.6	0.2	38.7
381.2	16230.6			J	81.2	9.6	0.2	38.7

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-332.3	-35055.0	Min	I	-156.4	-62.8	-0.9	-286.2
			J	-156.4	-62.8	-0.9	-286.2
-48.1	-1627.1						
		G1	I	-111.8	-4.5	-1.5	-7.8
-395.4	-2853.0		J	-111.8	-4.5	-0.0	-7.8
241.6	804.7						
		G2	I	-43.2	10.1	-0.3	41.9
-101.6	6376.7		J	-43.2	10.1	-0.3	41.9
121.0	-1824.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-24.3	1.0	-0.0	5.3
-8.1	249.7		J	-24.3	1.0	-0.0	5.3
6.7	-530.3						
		Q5_pc Y	I	38.8	-11.7	-0.0	-45.9
-18.4	-6616.6		J	38.8	-11.7	-0.0	-45.9
18.3	2860.5						
		Q5_ps X	I	-23.3	1.7	-0.0	8.7
-7.0	711.1		J	-23.3	1.7	-0.0	8.7
5.8	-640.7						
		Q5_ps Y	I	37.1	-16.2	-0.1	-64.5
-23.2	-9503.7		J	37.1	-16.2	-0.1	-64.5
22.7	3652.2						
		INVSLU Max	I	-1757.0	91.1	-1.4	-355.7
-133.4	60536.7		J	-1757.0	91.1	0.7	-355.7
1121.9	42213.0						
		Min	I	-2402.1	-116.9	-3.8	-1339.3
1105.9	-54776.6		J	-2402.1	-116.9	-1.7	-1339.3
145.4	-14264.1						
		INVSLE Max	I	-1392.4	72.3	-1.0	-250.3
-110.8	48228.0		J	-1392.4	72.3	0.5	-250.3
845.8	30345.6						
		Min	I	-1865.2	-80.2	-2.8	-972.8
-828.8	-36307.0		J	-1865.2	-80.2	-1.3	-972.8
124.9	-10892.8						
5174	2	70 C1-C2;~1 Max	I	120.9	27.7	0.3	184.7
160.9	34244.4		J	120.9	27.7	0.3	184.7
411.8	20266.7						
		Min	I	-234.5	-5.9	-0.9	-289.6
-354.4	-2954.0		J	-234.5	-5.9	-0.9	-289.6
-79.4	-2014.2						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

235.1	23903.8	C3-C4;~1	Max	I	137.1	16.4	0.4	135.9
				J	137.1	16.4	0.4	135.9
535.9	13001.5		Min	I	-253.2	-3.6	-1.2	-197.5
-459.7	-3558.6			J	-253.2	-3.6	-1.2	-197.5
-112.8	-2441.6							
		C1-C2;~2	Max	I	65.1	19.4	0.2	121.9
97.0	23816.6			J	65.1	19.4	0.2	121.9
243.9	14288.4		Min	I	-133.0	-3.7	-0.5	-197.6
-200.0	-1326.9			J	-133.0	-3.7	-0.5	-197.6
-47.4	-1081.9							
		C3-C4;~2	Max	I	72.3	11.1	0.3	83.6
150.1	16231.4			J	72.3	11.1	0.3	83.6
329.5	8954.8		Min	I	-145.4	-1.8	-0.7	-132.3
-268.6	-1627.7			J	-145.4	-1.8	-0.7	-132.3
-70.0	-1275.0							
		G1		I	-113.3	0.7	-1.5	6.7
-366.2	802.5			J	-113.3	0.7	0.0	6.7
222.7	239.1							
		G2		I	-45.2	-1.1	-0.3	11.1
-105.9	-1826.3			J	-45.2	-1.1	-0.3	11.1
126.8	-930.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-23.8	-0.2	-0.0	1.8
-12.3	-537.5			J	-23.8	-0.2	-0.0	1.8
10.6	-334.4							
		Q5_pc	Y	I	40.9	1.6	-0.0	-9.6
1.0	2863.3			J	40.9	1.6	-0.0	-9.6
1.0	1574.3							
		Q5_ps	X	I	-22.9	-0.3	-0.0	3.0
-12.1	-647.5			J	-22.9	-0.3	-0.0	3.0
10.4	-385.0							
		Q5_ps	Y	I	39.8	2.1	0.0	-13.6
3.7	3655.2			J	39.8	2.1	0.0	-13.6
-0.7	1940.0							
		INVSLU	Max	I	-1887.5	26.1	-1.1	-135.7
61.0	42222.1			J	-1887.5	26.1	1.0	-135.7


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1003.9	32519.4							
		Min	I	-2488.1	-22.1	-3.4	-793.2	
-899.2	-14265.1		J	-2488.1	-22.1	-1.3	-793.2	
109.1	-970.5							
		INVSLE Max	I	-1488.1	19.4	-0.8	-93.0	
39.1	30352.2		J	-1488.1	19.4	0.7	-93.0	
758.3	23125.1							
		Min	I	-1927.5	-16.1	-2.5	-578.8	
-670.5	-10893.2		J	-1927.5	-16.1	-1.0	-578.8	
96.9	-1472.4							
5175	2	62 C1-C2;~1 Max	I	105.2	17.4	0.3	188.2	
140.8	20274.8		J	105.2	17.4	0.3	188.2	
346.5	14995.7							
		Min	I	-211.6	-10.6	-0.8	-190.2	
-299.7	-2011.7		J	-211.6	-10.6	-0.8	-190.2	
-83.1	-1421.5							
		C3-C4;~1 Max	I	119.2	8.8	0.4	127.7	
209.8	13010.9		J	119.2	8.8	0.4	127.7	
446.6	9691.9							
		Min	I	-228.0	-5.5	-1.0	-122.4	
-384.0	-2438.4		J	-228.0	-5.5	-1.0	-122.4	
-118.1	-1809.3							
		C1-C2;~2 Max	I	56.6	12.3	0.2	126.7	
84.0	14293.5		J	56.6	12.3	0.2	126.7	
205.2	10578.3							
		Min	I	-120.0	-7.4	-0.5	-128.9	
-170.2	-1080.0		J	-120.0	-7.4	-0.5	-128.9	
-49.1	-750.6							
		C3-C4;~2 Max	I	62.8	6.0	0.3	79.6	
132.9	8960.5		J	62.8	6.0	0.3	79.6	
273.7	6687.7							
		Min	I	-130.8	-3.5	-0.6	-81.1	
-224.8	-1272.8		J	-130.8	-3.5	-0.6	-81.1	
-72.7	-944.3							
		G1	I	-108.6	0.0	-1.2	6.4	
-290.5	245.4		J	-108.6	0.0	0.0	6.4	
172.9	220.9							
		G2	I	-43.4	-0.4	-0.2	2.5	
-81.7	-927.7		J	-43.4	-0.4	-0.2	2.5	
98.6	-643.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-10.8	-343.4	Q5_pc X	I	-22.2	-0.1	-0.0	0.9
			J	-22.2	-0.1	-0.0	0.9
7.5	-278.0						
-0.3	1578.8	Q5_pc Y	I	39.0	0.5	-0.0	-1.0
			J	39.0	0.5	-0.0	-1.0
4.6	1172.9						
-10.5	-393.5	Q5_ps X	I	-21.3	-0.1	-0.0	1.4
			J	-21.3	-0.1	-0.0	1.4
7.3	-320.2						
1.2	1944.2	Q5_ps Y	I	38.0	0.6	-0.0	-1.6
			J	38.0	0.6	-0.0	-1.6
3.7	1439.3						
25.3	32522.1	INVSLE Max	I	-1998.6	20.0	-0.9	152.5
			J	-1998.6	20.0	0.8	152.5
847.5	28231.8	Min	I	-2537.6	-18.7	-2.8	-360.3
-795.7	-982.6		J	-2537.6	-18.7	-1.2	-360.3
71.6	3433.8						
9.7	23125.8	INVSLE Max	I	-1566.3	14.6	-0.7	113.1
			J	-1566.3	14.6	0.5	113.1
637.2	20132.4	Min	I	-1960.4	-14.0	-2.1	-266.6
-597.0	-1482.1		J	-1960.4	-14.0	-0.9	-266.6
63.5	1919.9						
5176	2	62 C1-C2;~1 Max	I	99.0	4.7	0.3	233.5
164.7	14996.1		J	99.0	4.7	0.3	233.5
331.2	29004.7	Min	I	-204.6	-26.8	-0.7	-155.1
-270.3	-1421.9		J	-204.6	-26.8	-0.7	-155.1
-102.6	-2664.5						
246.6	9691.6	C3-C4;~1 Max	I	112.1	3.5	0.5	157.6
			J	112.1	3.5	0.5	157.6
422.7	21083.8	Min	I	-220.3	-17.5	-0.9	-107.3
-346.9	-1810.3		J	-220.3	-17.5	-0.9	-107.3
-148.1	-3162.3						
98.0	10578.6	C1-C2;~2 Max	I	53.3	2.8	0.2	159.0
			J	53.3	2.8	0.2	159.0
196.0	19924.8	Min	I	-115.9	-18.5	-0.4	-104.0
-151.5	-750.8		J	-115.9	-18.5	-0.4	-104.0
-60.5	-1184.7						
		C3-C4;~2 Max	I	59.1	1.6	0.3	105.7

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
156.2	6687.6		J	59.1	1.6	0.3	105.7
258.4	14111.1						
		Min	I	-126.2	-11.7	-0.6	-67.5
-200.7	-944.9		J	-126.2	-11.7	-0.6	-67.5
-91.5	-1386.0						
		G1	I	-109.4	-1.1	-1.1	7.5
-248.1	219.5		J	-109.4	-1.1	0.1	7.5
140.4	1101.8						
		G2	I	-43.6	1.2	-0.2	-3.7
-63.9	-643.7		J	-43.6	1.2	-0.2	-3.7
84.2	-1619.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-20.9	0.3	-0.0	0.2
-8.8	-286.2		J	-20.9	0.3	-0.0	0.2
6.2	-501.1						
		Q5_pc Y	I	38.2	-1.7	-0.0	5.6
-3.4	1176.3		J	38.2	-1.7	-0.0	5.6
7.1	2521.3						
		Q5_ps X	I	-20.1	0.4	-0.0	0.2
-8.4	-328.0		J	-20.1	0.4	-0.0	0.2
5.9	-648.3						
		Q5_ps Y	I	37.2	-2.3	-0.0	7.6
-2.5	1442.7		J	37.2	-2.3	-0.0	7.6
7.0	3335.7						
		INVSLE Max	I	-2110.2	21.3	-0.4	630.4
224.3	28239.3		J	-2110.2	21.3	1.2	630.4
695.3	37372.6						
		Min	I	-2627.8	-24.2	-2.4	95.8
-592.8	3433.2		J	-2627.8	-24.2	-0.8	95.8
-88.0	-10927.4						
		INVSLE Max	I	-1647.6	15.7	-0.3	460.0
162.9	20137.8		J	-1647.6	15.7	0.9	460.0
521.9	26833.5						
		Min	I	-2026.0	-17.8	-1.8	64.7
-441.2	1919.8		J	-2026.0	-17.8	-0.6	64.7
-57.3	-8405.7						
		62 C1-C2;~1 Max	I	96.9	94.7	0.6	508.1
5177	2		J	96.9	94.7	0.6	508.1
261.3	29003.3						
		Min	I	-221.4	-12.9	-0.6	-51.9
254.4	7860.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-218.9	-2664.5		J	-221.4	-12.9	-0.6	-51.9	
-191.8	-48003.8							
		C3-C4;~1	Max	I	109.8	77.9	0.7	376.3
330.3	21083.0			J	109.8	77.9	0.7	376.3
308.6	9228.8		Min	I	-233.5	-15.2	-0.7	-60.6
-276.4	-3162.2			J	-233.5	-15.2	-0.7	-60.6
-239.2	-42357.3							
		C1-C2;~2	Max	I	52.1	62.6	0.3	344.9
163.3	19923.7			J	52.1	62.6	0.3	344.9
146.1	3593.1		Min	I	-127.0	-5.9	-0.3	-23.1
-118.8	-1184.8			J	-127.0	-5.9	-0.3	-23.1
-120.5	-30993.4							
		C3-C4;~2	Max	I	57.8	50.6	0.5	249.4
213.0	14110.4			J	57.8	50.6	0.5	249.4
179.0	4148.7		Min	I	-135.0	-6.8	-0.4	-26.6
-152.8	-1386.1			J	-135.0	-6.8	-0.4	-26.6
-154.1	-27094.3							
		G1		I	-116.9	5.0	-1.0	26.2
-212.6	1103.9			J	-116.9	5.0	0.2	26.2
105.3	-2936.3							
		G2		I	-45.1	-7.2	-0.2	-29.7
-60.3	-1618.1			J	-45.1	-7.2	-0.2	-29.7
83.1	4259.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-19.6	-1.4	-0.0	-5.2
-10.7	-510.0			J	-19.6	-1.4	-0.0	-5.2
9.4	639.6							
		Q5_pc	Y	I	36.4	9.2	0.0	39.6
8.1	2524.5			J	36.4	9.2	0.0	39.6
-7.9	-4942.2							
		Q5_ps	X	I	-18.7	-2.1	-0.0	-7.8
-11.3	-656.6			J	-18.7	-2.1	-0.0	-7.8
10.2	1062.2							
		Q5_ps	Y	I	34.7	12.9	0.0	55.7
14.3	3338.5			J	34.7	12.9	0.0	55.7
-14.6	-7167.4							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
371.5	37365.1	INVSLE Max	I	-2220.0	106.8	-0.1	1378.9
			J	-2220.0	106.8	1.5	1378.9
571.3	36644.6	Min	I	-2748.9	-58.1	-2.1	538.0
-466.7	-10940.3		J	-2748.9	-58.1	-0.5	538.0
-185.2	-49515.4						
		INVSLE Max	I	-1729.3	74.2	-0.1	1004.0
280.7	26827.6		J	-1729.3	74.2	1.1	1004.0
419.7	29637.4	Min	I	-2116.2	-46.7	-1.5	387.7
-338.8	-8415.0		J	-2116.2	-46.7	-0.3	387.7
-139.4	-33525.9						
5178	2	62 C1-C2;~1 Max	I	93.4	12.9	0.3	59.5
147.6	7836.6		J	93.4	12.9	0.3	59.5
369.3	29037.9	Min	I	-222.1	-94.9	-0.8	-513.7
-320.7	-47955.8		J	-222.1	-94.9	-0.8	-513.7
-91.6	-2661.3						
		C3-C4;~1 Max	I	105.8	15.2	0.4	71.2
189.3	9201.7		J	105.8	15.2	0.4	71.2
453.7	21117.9	Min	I	-234.2	-78.1	-1.0	-381.7
-392.5	-42306.8		J	-234.2	-78.1	-1.0	-381.7
-127.5	-3167.8						
		C1-C2;~2 Max	I	50.3	5.9	0.2	27.3
85.4	3579.7		J	50.3	5.9	0.2	27.3
224.5	19947.6	Min	I	-127.5	-62.8	-0.5	-347.9
-188.4	-30964.9		J	-127.5	-62.8	-0.5	-347.9
-51.8	-1182.4						
		C3-C4;~2 Max	I	55.8	6.8	0.2	32.2
112.5	4133.5		J	55.8	6.8	0.2	32.2
282.8	14133.7	Min	I	-135.5	-50.7	-0.6	-252.3
-235.7	-27063.6		J	-135.5	-50.7	-0.6	-252.3
-75.2	-1387.9						
		G1	I	-121.9	-5.0	-1.0	-19.1
-202.5	-2922.1		J	-121.9	-5.0	0.2	-19.1
98.7	1100.6						
		G2	I	-46.8	7.3	-0.1	30.9
-36.5	4264.7		J	-46.8	7.3	-0.1	30.9
60.5	-1617.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.6	626.8	Q5_pc X	I	-19.0	1.4	-0.0	7.4
1.6	-522.7		J	-19.0	1.4	-0.0	7.4
-18.7	-4940.5	Q5_pc Y	I	36.8	-9.3	-0.0	-40.1
18.9	2559.3		J	36.8	-9.3	-0.0	-40.1
-1.4	1050.1	Q5_ps X	I	-18.1	2.1	-0.0	10.9
0.5	-674.0		J	-18.1	2.1	-0.0	10.9
-23.9	-7165.5	Q5_ps Y	I	35.0	-13.0	-0.1	-56.7
23.5	3375.3		J	35.0	-13.0	-0.1	-56.7
145.4	36565.3	INVS LU Max	I	-2304.9	60.7	-0.6	-484.6
800.8	35397.6		J	-2304.9	60.7	1.0	-484.6
-673.8	-49490.2	Min	I	-2830.0	-104.7	-2.6	-1346.5
-17.8	-13043.5		J	-2830.0	-104.7	-1.0	-1346.5
98.6	29574.5	INVS LE Max	I	-1792.6	48.7	-0.5	-346.4
603.5	25379.7		J	-1792.6	48.7	0.7	-346.4
-505.7	-33511.6	Min	I	-2176.6	-72.6	-2.0	-979.4
-0.3	-9957.0		J	-2176.6	-72.6	-0.8	-979.4
5179	2	62 C1-C2;~1 Max	I	88.4	27.1	0.4	157.2
221.0	29039.2		J	88.4	27.1	0.4	157.2
270.2	14702.8	Min	I	-209.7	-4.4	-0.6	-235.7
-226.9	-2660.9		J	-209.7	-4.4	-0.6	-235.7
-135.1	-1602.6						
300.1	21118.8	C3-C4;~1 Max	I	100.2	17.9	0.6	111.1
370.3	9329.5		J	100.2	17.9	0.6	111.1
-298.0	-3167.4	Min	I	-224.0	-3.4	-0.8	-160.5
-189.3	-1871.6		J	-224.0	-3.4	-0.8	-160.5
133.0	19948.7	C1-C2;~2 Max	I	47.6	18.6	0.3	104.3
157.3	10386.1		J	47.6	18.6	0.3	104.3
-125.4	-1182.1	Min	I	-119.7	-2.5	-0.3	-160.1
			J	-119.7	-2.5	-0.3	-160.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-79.5	-886.1								
189.2	14134.4	C3-C4;~2	Max	I	52.8	11.9	0.4	68.6	
225.5	6444.8			J	52.8	11.9	0.4	68.6	
-170.4	-1387.5		Min	I	-129.1	-1.6	-0.5	-107.1	
-116.9	-994.0			J	-129.1	-1.6	-0.5	-107.1	
-166.5	1098.8		G1	I	-123.0	1.1	-0.9	-0.3	
68.7	183.6			J	-123.0	1.1	0.3	-0.3	
-35.3	-1619.0		G2	I	-48.6	-1.3	-0.1	4.8	
59.3	-595.8			J	-48.6	-1.3	-0.1	4.8	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-6.4	-529.8		Q5_pc X	I	-19.0	-0.3	-0.0	1.7	
4.5	-301.3			J	-19.0	-0.3	-0.0	1.7	
-2.6	2562.2		Q5_pc Y	I	39.0	1.7	-0.0	-5.9	
6.0	1165.8			J	39.0	1.7	-0.0	-5.9	
-6.3	-680.8		Q5_ps X	I	-18.2	-0.4	-0.0	2.6	
4.4	-348.1			J	-18.2	-0.4	-0.0	2.6	
-1.2	3378.2		Q5_ps Y	I	37.9	2.4	-0.0	-8.4	
5.3	1414.7			J	37.9	2.4	-0.0	-8.4	
333.4	35409.3		INVS LU Max	I	-2379.1	25.8	-0.2	-68.8	
632.8	24810.7			J	-2379.1	25.8	1.4	-68.8	
-485.7	-13040.1		Min	I	-2887.1	-19.9	-2.2	-609.9	
-133.4	336.8			J	-2887.1	-19.9	-0.6	-609.9	
247.5	25388.2		INVS LE Max	I	-1847.8	18.9	-0.2	-44.2	
473.1	17662.2			J	-1847.8	18.9	1.0	-44.2	
-358.4	-9954.1		Min	I	-2218.8	-14.6	-1.6	-444.3	
-93.7	-311.2			J	-2218.8	-14.6	-0.4	-444.3	
5180	2	62	C1-C2;~1	Max	I	85.3	11.6	0.5	190.1
228.9	14700.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
260.7	14634.9		J	85.3	11.6	0.5	190.1
		Min	I	-208.8	-11.7	-0.6	-194.5
-215.3	-1603.1		J	-208.8	-11.7	-0.6	-194.5
-148.5	-1598.4						
		C3-C4;~1 Max	I	96.7	5.7	0.6	121.8
315.5	9327.8		J	96.7	5.7	0.6	121.8
		Min	I	-222.5	-5.7	-0.8	-131.9
354.7	9322.6		J	-222.5	-5.7	-0.8	-131.9
-281.3	-1871.5						
-208.7	-1893.8						
		C1-C2;~2 Max	I	45.9	8.2	0.3	128.1
136.7	10384.5		J	45.9	8.2	0.3	128.1
		Min	I	-119.2	-8.3	-0.3	-131.1
151.9	10325.7		J	-119.2	-8.3	-0.3	-131.1
-118.7	-886.4						
-87.0	-876.4						
		C3-C4;~2 Max	I	51.0	3.8	0.4	80.0
197.7	6443.6		J	51.0	3.8	0.4	80.0
		Min	I	-128.2	-3.7	-0.5	-83.4
215.7	6431.0		J	-128.2	-3.7	-0.5	-83.4
-160.1	-994.0						
-128.4	-1001.8						
		G1	I	-126.7	0.0	-0.8	0.6
-140.5	183.8		J	-126.7	0.0	0.4	0.6
44.2	183.6						
		G2	I	-49.9	-0.0	-0.1	-0.8
-23.4	-595.4		J	-49.9	-0.0	-0.1	-0.8
48.7	-577.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-18.5	0.0	-0.0	0.7
-6.3	-307.0		J	-18.5	0.0	-0.0	0.7
4.6	-323.8						
		Q5_pc Y	I	38.9	-0.0	-0.0	-0.0
-4.4	1167.9		J	38.9	-0.0	-0.0	-0.0
7.1	1182.5						
		Q5_ps X	I	-17.8	0.0	-0.0	1.0
-6.0	-353.4		J	-17.8	0.0	-0.0	1.0
4.3	-374.0						
		Q5_ps Y	I	37.7	-0.0	-0.0	-0.1
-3.9	1416.5						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7.0	1432.1		J	37.7	-0.0	-0.0	-0.1
399.5	24806.6	INVS LU Max	I	-2461.4	17.8	-0.1	364.6
608.5	22999.8		J	-2461.4	17.8	1.5	364.6
-417.4	332.3	Min	I	-2962.3	-13.7	-2.1	-156.0
-164.9	-1442.4		J	-2962.3	-13.7	-0.4	-156.0
296.0	17659.1	INVS LE Max	I	-1909.1	13.2	-0.1	270.8
455.4	16309.2		J	-1909.1	13.2	1.1	270.8
-308.4	-314.3	Min	I	-2274.9	-10.1	-1.5	-114.7
-116.5	-1638.5		J	-2274.9	-10.1	-0.3	-114.7
5181	2	62 C1-C2;~1 Max	I	83.0	4.0	0.5	230.9
235.3	14637.7		J	83.0	4.0	0.5	230.9
257.7	28512.7		Min	-212.9	-26.7	-0.6	-161.0
-207.5	-1597.6		J	-212.9	-26.7	-0.6	-161.0
-158.8	-2257.5						
328.7	9324.9	C3-C4;~1 Max	I	94.1	3.2	0.7	155.2
344.0	20681.4		J	94.1	3.2	0.7	155.2
-267.5	-1893.5	Min	I	-227.6	-17.3	-0.8	-115.5
-225.1	-2812.0		J	-227.6	-17.3	-0.8	-115.5
139.3	10327.6	C1-C2;~2 Max	I	44.7	2.3	0.3	157.2
151.0	19636.9		J	44.7	2.3	0.3	157.2
-114.6	-875.8	Min	I	-121.9	-18.4	-0.3	-107.3
-92.3	-957.7		J	-121.9	-18.4	-0.3	-107.3
205.0	6432.5	C3-C4;~2 Max	I	49.6	1.5	0.4	103.6
209.6	13885.0		J	49.6	1.5	0.4	103.6
-152.0	-1001.6	Min	I	-131.6	-11.6	-0.4	-72.3
-137.9	-1194.9		J	-131.6	-11.6	-0.4	-72.3
-117.5	183.9	G1	I	-131.5	-1.0	-0.8	1.8
21.6	976.2		J	-131.5	-1.0	0.4	1.8
-13.1	-577.4	G2	I	-51.7	1.2	-0.1	-6.1
38.2	-1569.5		J	-51.7	1.2	-0.1	-6.1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-6.0	-328.1	Q5_pc X	I	-17.9	0.4	-0.0	-0.4
			J	-17.9	0.4	-0.0	-0.4
4.3	-615.8						
-5.7	1184.6	Q5_pc Y	I	38.5	-1.7	-0.0	5.9
			J	38.5	-1.7	-0.0	5.9
8.5	2589.5						
-5.5	-378.0	Q5_ps X	I	-17.2	0.5	-0.0	-0.7
			J	-17.2	0.5	-0.0	-0.7
3.8	-787.0						
-5.8	1434.2	Q5_ps Y	I	37.3	-2.4	-0.0	8.4
			J	37.3	-2.4	-0.0	8.4
9.3	3412.3						
437.4	23004.2	INVSLU Max	I	-2521.9	20.5	0.0	686.5
			J	-2521.9	20.5	1.7	686.5
545.8	32011.8	Min	I	-3025.5	-24.0	-2.0	146.8
-378.1	-1445.1		J	-3025.5	-24.0	-0.3	146.8
-237.9	-15542.5						
323.9	16312.1	INVSLE Max	I	-1954.4	15.1	-0.0	502.4
			J	-1954.4	15.1	1.2	502.4
409.5	22848.2	Min	I	-2322.2	-17.6	-1.5	103.4
-279.4	-1640.5		J	-2322.2	-17.6	-0.2	103.4
-169.9	-11825.4						
5182	2	62 C1-C2;~1 Max	I	80.6	92.5	0.7	496.9
331.9	28508.9		J	80.6	92.5	0.7	496.9
191.2	6708.0	Min	I	-224.7	-11.0	-0.4	-42.9
-167.5	-2256.9		J	-224.7	-11.0	-0.4	-42.9
-253.5	-46557.8						
411.6	20678.1	C3-C4;~1 Max	I	91.3	75.9	0.9	367.1
			J	91.3	75.9	0.9	367.1
237.6	8120.0	Min	I	-236.6	-13.4	-0.5	-57.3
-209.1	-2811.2		J	-236.6	-13.4	-0.5	-57.3
-318.2	-40977.7						
203.8	19634.4	C1-C2;~2 Max	I	43.4	61.4	0.4	338.9
			J	43.4	61.4	0.4	338.9
107.2	2955.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-88.8	-957.4		Min	I	-129.6	-4.8	-0.2	-18.0
				J	-129.6	-4.8	-0.2	-18.0
-155.3	-30144.2		C3-C4;~2	Max	48.1	49.4	0.6	244.1
260.6	13882.8			J	48.1	49.4	0.6	244.1
134.7	3536.1			Min	-137.7	-5.8	-0.3	-25.2
-111.8	-1194.6			J	-137.7	-5.8	-0.3	-25.2
-200.9	-26274.1							
			G1	I	-136.7	4.5	-0.7	20.0
-85.8	976.8			J	-136.7	4.5	0.5	20.0
-12.0	-2709.3							
			G2	I	-52.2	-7.0	-0.1	-30.8
-10.2	-1568.8			J	-52.2	-7.0	-0.1	-30.8
36.7	4119.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-16.9	-1.8	-0.0	-7.5
-9.1	-618.3			J	-16.9	-1.8	-0.0	-7.5
8.3	880.8							
			Q5_pc Y	I	36.5	9.2	0.0	40.0
7.1	2590.0			J	36.5	9.2	0.0	40.0
-7.3	-4838.6							
			Q5_ps X	I	-16.1	-2.7	-0.0	-10.8
-9.6	-789.3			J	-16.1	-2.7	-0.0	-10.8
9.1	1364.4							
			Q5_ps Y	I	34.6	13.0	0.0	56.8
12.1	3412.6			J	34.6	13.0	0.0	56.8
-13.0	-7104.3							
			INVSLU Max	I	-2582.0	96.1	0.3	1127.0
581.8	32005.3			J	-2582.0	96.1	2.0	1127.0
403.7	36630.1			Min	-3090.5	-64.3	-1.7	301.1
-272.4	-15544.3			J	-3090.5	-64.3	-0.0	301.1
-361.6	-46007.8							
			INVSLE Max	I	-1999.7	66.5	0.3	818.3
436.9	22843.5			J	-1999.7	66.5	1.5	818.3
295.9	29386.0			Min	-2371.5	-50.5	-1.2	215.5
-194.6	-11826.6			J	-2371.5	-50.5	0.0	215.5
-269.9	-31098.0							

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5183	2	62	C1-C2;~1	Max	I	76.7	11.0	0.5	52.7
219.6	6696.3				J	76.7	11.0	0.5	52.7
302.0	28605.0			Min	I	-225.4	-92.6	-0.7	-509.5
-271.9	-46509.5				J	-225.4	-92.6	-0.7	-509.5
-154.6	-2247.1								
			C3-C4;~1	Max	I	86.9	13.4	0.6	63.6
272.1	8106.7				J	86.9	13.4	0.6	63.6
381.3	20675.4			Min	I	-236.0	-75.9	-0.9	-376.0
-323.6	-40934.6				J	-236.0	-75.9	-0.9	-376.0
-204.3	-2898.3								
			C1-C2;~2	Max	I	41.3	4.8	0.3	23.7
127.1	2947.8				J	41.3	4.8	0.3	23.7
183.1	19705.4			Min	I	-130.7	-61.4	-0.4	-345.3
-160.3	-30115.2				J	-130.7	-61.4	-0.4	-345.3
-88.1	-951.8								
			C3-C4;~2	Max	I	45.8	5.8	0.3	28.3
160.9	3528.1				J	45.8	5.8	0.3	28.3
237.4	13881.0			Min	I	-137.8	-49.4	-0.5	-249.1
-192.8	-26248.7				J	-137.8	-49.4	-0.5	-249.1
-120.4	-1259.8								
			G1		I	-138.3	-4.5	-0.7	-22.4
-74.9	-2679.1				J	-138.3	-4.5	0.5	-22.4
-22.3	975.2								
			G2		I	-52.6	7.0	-0.0	27.6
13.3	4130.9				J	-52.6	7.0	-0.0	27.6
13.8	-1563.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-16.4	1.8	-0.0	8.6
-1.9	876.6				J	-16.4	1.8	-0.0	8.6
1.3	-609.5								
			Q5_pc	Y	I	36.3	-9.2	-0.0	-39.3
-19.9	-4834.4				J	36.3	-9.2	-0.0	-39.3
19.5	2594.6								
			Q5_ps	X	I	-15.6	2.6	0.0	12.3
-0.2	1360.5				J	-15.6	2.6	0.0	12.3
-0.2	-779.2								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-26.6	-7100.3	Q5_ps Y	I	34.2	-13.0	-0.1	-55.8
25.4	3416.6		J	34.2	-13.0	-0.1	-55.8
338.8	36581.1	INVSLE Max	I	-2619.5	68.2	-0.2	-132.0
662.8	28973.3		J	-2619.5	68.2	1.4	-132.0
-501.3	-45971.0	Min	I	-3120.6	-92.4	-2.3	-977.2
-163.0	-18804.2		J	-3120.6	-92.4	-0.6	-977.2
240.5	29343.1	INVSLE Max	I	-2027.7	53.3	-0.2	-86.3
502.9	20593.2		J	-2027.7	53.3	1.0	-86.3
-379.1	-31074.3	Min	I	-2394.1	-63.7	-1.7	-706.6
-106.3	-14244.9		J	-2394.1	-63.7	-0.5	-706.6
5184	2	62 C1-C2;~1 Max	I	72.1	26.7	0.6	157.4
293.5	28608.1		J	72.1	26.7	0.6	157.4
208.8	14746.8	Min	I	-206.8	-4.2	-0.5	-238.6
-182.3	-2247.2		J	-206.8	-4.2	-0.5	-238.6
-204.4	-1637.9						
385.9	20678.1	C3-C4;~1 Max	I	81.7	17.4	0.8	109.0
300.5	9362.6		J	81.7	17.4	0.8	109.0
-240.1	-2898.8	Min	I	-220.6	-3.3	-0.7	-161.6
-274.4	-1915.1		J	-220.6	-3.3	-0.7	-161.6
173.8	19707.6	C1-C2;~2 Max	I	38.8	18.4	0.4	104.7
119.3	10406.1		J	38.8	18.4	0.4	104.7
-99.3	-951.8	Min	I	-118.8	-2.4	-0.3	-161.6
-119.0	-905.1		J	-118.8	-2.4	-0.3	-161.6
238.6	13882.8	C3-C4;~2 Max	I	43.1	11.6	0.5	67.5
181.4	6457.5		J	43.1	11.6	0.5	67.5
-134.9	-1260.1	Min	I	-127.9	-1.5	-0.4	-107.8
-167.0	-1016.2		J	-127.9	-1.5	-0.4	-107.8
-38.4	974.5	G1	I	-136.3	1.0	-0.6	-4.1
-55.7	180.7		J	-136.3	1.0	0.6	-4.1
		G2	I	-53.3	-1.2	0.0	3.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
15.5	-1563.8		J	-53.3	-1.2	0.0	3.1
10.4	-563.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.4	-0.4	-0.0	1.6
-6.1	-611.4		J	-16.4	-0.4	-0.0	1.6
4.6	-317.4						
		Q5_pc Y	I	38.0	1.7	-0.0	-5.2
-3.6	2595.6		J	38.0	1.7	-0.0	-5.2
6.6	1193.6						
		Q5_ps X	I	-15.8	-0.5	-0.0	2.3
-5.6	-781.1		J	-15.8	-0.5	-0.0	2.3
4.1	-366.3						
		Q5_ps Y	I	36.7	2.4	-0.0	-7.5
-3.8	3417.8		J	36.7	2.4	-0.0	-7.5
7.3	1442.1						
		INVS LU Max	I	-2634.4	26.6	0.1	-29.2
505.2	28979.3		J	-2634.4	26.6	1.8	-29.2
508.9	17908.4						
		Min	I	-3111.0	-18.2	-1.9	-573.2
-350.9	-18805.4		J	-3111.0	-18.2	-0.2	-573.2
-279.0	-6733.7						
		INVS LE Max	I	-2038.7	19.5	0.1	-15.5
372.8	20597.4		J	-2038.7	19.5	1.3	-15.5
383.8	12528.5						
		Min	I	-2386.6	-13.4	-1.4	-417.8
-260.5	-14245.9		J	-2386.6	-13.4	-0.2	-417.8
-199.1	-5565.7						
5185	2	62 C1-C2;~1 Max	I	68.5	11.7	0.6	190.7
299.3	14744.0		J	68.5	11.7	0.6	190.7
205.1	14714.8						
		Min	I	-202.4	-11.6	-0.5	-196.9
-175.3	-1638.8		J	-202.4	-11.6	-0.5	-196.9
-216.9	-1661.4						
		C3-C4;~1 Max	I	77.6	5.7	0.9	122.6
399.6	9360.2		J	77.6	5.7	0.9	122.6
289.0	9312.5						
		Min	I	-216.0	-5.7	-0.6	-135.9
-228.7	-1915.5		J	-216.0	-5.7	-0.6	-135.9
-292.7	-1947.1						
		C1-C2;~2 Max	I	36.9	8.3	0.4	128.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
175.7	10404.2		J	36.9	8.3	0.4	128.6
117.8	10382.8						
		Min	I	-116.5	-8.2	-0.3	-132.2
-95.5	-905.7						
			J	-116.5	-8.2	-0.3	-132.2
-125.6	-920.5						
		C3-C4;~2 Max	I	40.9	3.8	0.5	80.3
245.7	6455.9						
			J	40.9	3.8	0.5	80.3
174.2	6423.6						
		Min	I	-125.5	-3.7	-0.4	-83.8
-128.1	-1016.5						
			J	-125.5	-3.7	-0.4	-83.8
-177.4	-1038.6						
		G1	I	-135.0	0.0	-0.5	-2.7
-15.1	180.3						
			J	-135.0	0.0	0.7	-2.7
-78.7	151.9						
		G2	I	-52.8	-0.0	0.0	-2.0
26.2	-563.4						
			J	-52.8	-0.0	0.0	-2.0
0.2	-558.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.0	-0.0	-0.0	0.4
-5.8	-320.1						
			J	-16.0	-0.0	-0.0	0.4
4.4	-316.7						
		Q5_pc Y	I	37.9	0.0	-0.0	0.7
-5.2	1194.5						
			J	37.9	0.0	-0.0	0.7
8.0	1170.8						
		Q5_ps X	I	-15.4	-0.0	-0.0	0.6
-5.1	-368.9						
			J	-15.4	-0.0	-0.0	0.6
3.7	-368.6						
		Q5_ps Y	I	36.7	0.0	-0.0	0.9
-6.3	1442.8						
			J	36.7	0.0	-0.0	0.9
9.4	1420.7						
		INVSLE Max	I	-2647.2	13.5	0.3	179.2
568.1	17906.3						
			J	-2647.2	13.5	1.9	179.2
484.6	19732.5						
		Min	I	-3111.8	-18.0	-1.8	-345.2
-290.5	-6734.0						
			J	-3111.8	-18.0	-0.1	-345.2
-315.0	-4868.5						
		INVSLE Max	I	-2048.4	10.0	0.2	132.7
418.9	12527.1						
			J	-2048.4	10.0	1.4	132.7
366.0	13895.8						
		Min	I	-2387.4	-13.4	-1.3	-255.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-216.4	-5565.7			J	-2387.4	-13.4	-0.1	-255.6	
-225.2	-4171.1								
5186	2	62	C1-C2;~1	Max	I	65.1	4.0	0.7	231.4
309.6	14717.1				J	65.1	4.0	0.7	231.4
203.8	28340.2			Min	I	-198.9	-26.4	-0.5	-163.7
-168.4	-1661.2				J	-198.9	-26.4	-0.5	-163.7
-231.3	-2057.5								
			C3-C4;~1	Max	I	73.8	3.1	0.9	156.1
416.6	9314.1				J	73.8	3.1	0.9	156.1
279.9	20386.8			Min	I	-213.7	-17.1	-0.6	-120.6
-215.7	-1947.5				J	-213.7	-17.1	-0.6	-120.6
-311.8	-2683.6								
			C1-C2;~2	Max	I	35.0	2.4	0.4	157.4
180.6	10384.3				J	35.0	2.4	0.4	157.4
117.6	19552.7			Min	I	-114.8	-18.2	-0.3	-108.5
-91.5	-920.3				J	-114.8	-18.2	-0.3	-108.5
-133.3	-855.0								
			C3-C4;~2	Max	I	38.9	1.4	0.5	103.8
255.2	6424.7				J	38.9	1.4	0.5	103.8
168.7	13720.8			Min	I	-124.6	-11.4	-0.3	-74.9
-119.9	-1038.8				J	-124.6	-11.4	-0.3	-74.9
-188.1	-1154.8								
			G1		I	-133.8	-1.0	-0.5	-1.6
8.1	151.6				J	-133.8	-1.0	0.7	-1.6
-102.1	936.2								
			G2		I	-52.4	1.2	0.1	-7.1
36.3	-559.1				J	-52.4	1.2	0.1	-7.1
-10.4	-1495.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-15.5	0.4	-0.0	-0.8
-5.6	-320.2				J	-15.5	0.4	-0.0	-0.8
4.0	-628.5								
			Q5_pc	Y	I	37.5	-1.7	-0.0	6.4
-6.2	1172.5				J	37.5	-1.7	-0.0	6.4
9.7	2516.2								
			Q5_ps	X	I	-15.0	0.5	-0.0	-1.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.8	-372.0			J	-15.0	0.5	-0.0 -1.2
3.2	-813.8						
		Q5_ps	Y	I	36.3	-2.4	-0.0 9.2
-7.9	1422.4			J	36.3	-2.4	-0.0 9.2
12.0	3345.0						
		INVSLU	Max	I	-2641.5	15.3	0.4 500.8
602.6	19738.2			J	-2641.5	15.3	2.0 500.8
424.6	32516.7			Min	I	-3097.1	-1.7 -44.0
-262.0	-4869.4			J	-3097.1	-28.7	-0.0 -44.0
-391.7	-14583.8						
		INVSLE	Max	I	-2044.5	11.3	0.3 364.4
444.2	13899.8			J	-2044.5	11.3	1.5 364.4
322.0	23257.1			Min	I	-2376.9	-1.2 -38.3
-195.5	-4171.7			J	-2376.9	-21.1	-0.0 -38.3
-281.4	-11092.8						
5187	2	62	C1-C2;~1	Max	I	61.9	91.4 0.9 492.0
413.2	28337.3			J	61.9	91.4	0.9 492.0
140.5	6008.5			Min	I	-204.1	-9.9 -0.3 -39.6
-141.1	-2056.9			J	-204.1	-9.9	-0.3 -39.6
-334.1	-45776.0						
		C3-C4;~1	Max	I	70.2	74.5	1.1 361.6
503.6	20384.4			J	70.2	74.5	1.1 361.6
176.6	7306.0			Min	I	-216.0	-12.1 -0.4 -59.4
-167.7	-2682.5			J	-216.0	-12.1	-0.4 -59.4
-411.3	-40119.7						
		C1-C2;~2	Max	I	33.3	60.8	0.6 336.4
249.0	19550.7			J	33.3	60.8	0.6 336.4
74.9	2578.2			Min	I	-118.5	-4.2 -0.2 -16.3
-74.0	-854.8			J	-118.5	-4.2	-0.2 -16.3
-200.7	-29725.2						
		C3-C4;~2	Max	I	37.0	48.7	0.7 240.8
312.8	13719.2			J	37.0	48.7	0.7 240.8
95.0	3112.1			Min	I	-126.6	-5.1 -0.2 -26.9
-86.4	-1154.3			J	-126.6	-5.1	-0.2 -26.9
-254.6	-25825.3						
		G1		I	-134.0	4.3	-0.4 15.8
38.8	937.5			J	-134.0	4.3	0.8 15.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-136.6	-2521.0						
		G2	I	-51.1	-6.7	0.1	-30.6
38.7	-1494.7		J	-51.1	-6.7	0.1	-30.6
-12.3	3942.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-14.5	-2.1	-0.0	-8.4
-9.0	-632.9		J	-14.5	-2.1	-0.0	-8.4
8.2	1032.7						
		Q5_pc Y	I	35.1	8.9	0.0	39.6
7.4	2518.1		J	35.1	8.9	0.0	39.6
-6.9	-4715.5						
		Q5_ps X	I	-13.8	-2.9	-0.0	-12.1
-9.4	-818.0		J	-13.8	-2.9	-0.0	-12.1
8.9	1558.7						
		Q5_ps Y	I	33.3	12.8	0.0	56.7
11.1	3346.5		J	33.3	12.8	0.0	56.7
-11.3	-6994.3						
		INVS LU Max	I	-2644.9	95.1	0.8	1092.9
758.7	32510.4		J	-2644.9	95.1	2.4	1092.9
276.9	36075.1						
		Min	I	-3094.5	-62.3	-1.4	271.7
-163.7	-14589.3		J	-3094.5	-62.3	0.3	271.7
-531.6	-44659.2						
		INVS LE Max	I	-2047.6	65.8	0.6	793.0
566.2	23252.3		J	-2047.6	65.8	1.8	793.0
204.2	28625.9						
		Min	I	-2375.9	-48.8	-1.0	193.7
-115.9	-11096.6		J	-2375.9	-48.8	0.2	193.7
-393.6	-30114.7						
		62 C1-C2;~1 Max	I	58.0	9.9	0.6	49.4
5188	2		J	58.0	9.9	0.6	49.4
291.8	6009.7						
		Min	I	-199.2	-91.4	-0.6	-506.0
263.7	28357.4		J	-199.2	-91.4	-0.6	-506.0
-234.6	-45813.3						
-226.7	-2070.6						
		C3-C4;~1 Max	I	65.8	12.1	0.8	58.1
355.8	7306.4		J	65.8	12.1	0.8	58.1
324.9	20401.0						
		Min	I	-210.2	-74.6	-0.7	-370.3
-272.5	-40152.1		J	-210.2	-74.6	-0.7	-370.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-288.5	-2787.3							
		C1-C2;~2	Max	I	31.2	4.2	0.4	21.9
167.3	2579.5			J	31.2	4.2	0.4	21.9
160.4	19555.9							
			Min	I	-116.1	-60.8	-0.4	-342.9
-138.0	-29748.3			J	-116.1	-60.8	-0.4	-342.9
-128.7	-862.5							
		C3-C4;~2	Max	I	34.6	5.1	0.5	25.7
208.3	3113.2			J	34.6	5.1	0.5	25.7
201.2	13724.8							
			Min	I	-123.5	-48.7	-0.4	-246.0
-160.5	-25845.4			J	-123.5	-48.7	-0.4	-246.0
-168.5	-1228.5							
			G1	I	-131.6	-4.3	-0.4	-25.3
41.3	-2550.2			J	-131.6	-4.3	0.8	-25.3
-139.8	953.0							
			G2	I	-50.3	6.7	0.1	24.6
57.5	3931.8			J	-50.3	6.7	0.1	24.6
-31.5	-1481.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-13.9	2.0	-0.0	9.5
-1.1	1028.9			J	-13.9	2.0	-0.0	9.5
0.4	-623.7							
			Q5_pc Y	I	34.3	-8.9	-0.1	-37.9
-22.0	-4717.7			J	34.3	-8.9	-0.1	-37.9
22.8	2493.1							
			Q5_ps X	I	-13.3	2.9	0.0	13.5
1.0	1555.1			J	-13.3	2.9	0.0	13.5
-1.6	-812.3							
			Q5_ps Y	I	32.6	-12.7	-0.1	-54.2
-29.7	-6996.4			J	32.6	-12.7	-0.1	-54.2
29.8	3324.6							
			INVSLU Max	I	-2633.1	57.8	0.3	-389.2
526.2	36101.8			J	-2633.1	57.8	1.9	-389.2
521.4	36205.9							
			Min	I	-3067.4	-99.7	-1.9	-1222.3
-361.6	-44689.4			J	-3067.4	-99.7	-0.3	-1222.3
-347.7	-10965.8							
			INVSLE Max	I	-2039.0	45.5	0.2	-278.9
378.9	28646.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
398.3	25996.7		J	-2039.0	45.5	1.4	-278.9
		Min	I	-2356.1	-69.2	-1.4	-888.5
-275.8	-30134.4		J	-2356.1	-69.2	-0.2	-888.5
-242.4	-8409.7						
5189	2	62 C1-C2;~1 Max	I	55.0	26.4	0.8	157.0
374.0	28361.0		J	55.0	26.4	0.8	157.0
172.4	14672.7	Min	I	-182.0	-4.0	-0.4	-239.6
-150.6	-2070.9		J	-182.0	-4.0	-0.4	-239.6
-291.2	-1628.9						
		C3-C4;~1 Max	I	62.3	17.1	1.1	106.8
478.1	20404.0		J	62.3	17.1	1.1	106.8
240.8	9266.8	Min	I	-196.6	-3.1	-0.5	-161.4
-194.9	-2787.8		J	-196.6	-3.1	-0.5	-161.4
-375.4	-1904.6						
		C1-C2;~2 Max	I	29.6	18.2	0.5	104.6
218.4	19558.4		J	29.6	18.2	0.5	104.6
96.8	10357.7	Min	I	-105.1	-2.3	-0.2	-161.8
-80.1	-862.6		J	-105.1	-2.3	-0.2	-161.8
-167.9	-905.7						
		C3-C4;~2 Max	I	32.8	11.5	0.6	64.3
290.7	13726.9		J	32.8	11.5	0.6	64.3
141.5	6397.6	Min	I	-114.8	-1.5	-0.3	-107.6
-106.1	-1228.7		J	-114.8	-1.5	-0.3	-107.6
-225.0	-1016.7						
		G1	I	-128.1	1.0	-0.3	-7.7
80.7	952.3		J	-128.1	1.0	0.9	-7.7
-179.9	129.4						
		G2	I	-50.2	-1.1	0.1	1.3
61.3	-1482.2		J	-50.2	-1.1	0.1	1.3
-37.6	-552.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-13.7	-0.4	-0.0	1.8
-5.5	-628.7		J	-13.7	-0.4	-0.0	1.8
3.9	-302.1						
		Q5_pc Y	I	35.1	1.7	-0.0	-4.7
-5.2	2495.7		J	35.1	1.7	-0.0	-4.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9.6	1115.9						
-4.8	-817.1	Q5_ps X	I	-13.3	-0.6	-0.0	2.5
3.1	-360.3		J	-13.3	-0.6	-0.0	2.5
-6.5	3327.3	Q5_ps Y	I	34.1	2.4	-0.0	-6.6
11.4	1371.7		J	34.1	2.4	-0.0	-6.6
678.4	36217.7	INVS LU Max	I	-2576.1	25.4	0.6	-65.2
362.8	26105.7		J	-2576.1	25.4	2.3	-65.2
-239.9	-10965.5	Min	I	-2989.0	-18.7	-1.6	-609.0
-486.3	1717.7		J	-2989.0	-18.7	0.1	-609.0
501.2	26005.1	INVS LE Max	I	-1995.9	18.6	0.4	-42.0
275.4	18637.2		J	-1995.9	18.6	1.7	-42.0
-178.3	-8409.3	Min	I	-2297.0	-13.8	-1.2	-444.2
-352.3	720.7		J	-2297.0	-13.8	0.0	-444.2
5190	2	62 C1-C2;~1 Max	I	51.4	11.6	0.8	189.8
361.4	14662.4		J	51.4	11.6	0.8	189.8
156.9	14625.6	Min	I	-175.1	-11.5	-0.4	-198.7
-133.8	-1634.4		J	-175.1	-11.5	-0.4	-198.7
-288.2	-1633.6						
468.6	9257.2	C3-C4;~1 Max	I	58.3	5.6	1.0	121.4
217.9	9187.1		J	58.3	5.6	1.0	121.4
-173.6	-1909.9	Min	I	-189.7	-5.6	-0.5	-140.3
-374.2	-1889.9		J	-189.7	-5.6	-0.5	-140.3
209.5	10350.4	C1-C2;~2 Max	I	27.7	8.2	0.5	128.0
88.2	10331.0		J	27.7	8.2	0.5	128.0
-70.4	-908.9	Min	I	-101.2	-8.2	-0.2	-132.8
-165.4	-913.1		J	-101.2	-8.2	-0.2	-132.8
283.7	6391.1	C3-C4;~2 Max	I	30.7	3.7	0.6	79.3
127.9	6353.7		J	30.7	3.7	0.6	79.3
-93.8	-1019.8	Min	I	-111.0	-3.7	-0.3	-88.4
-223.6	-1013.1		J	-111.0	-3.7	-0.3	-88.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
95.3	122.9	G1	I	-124.3	0.0	-0.2	-7.2
			J	-124.3	0.0	1.0	-7.2
-197.5	86.7						
68.4	-554.1	G2	I	-48.7	-0.0	0.1	-3.9
			J	-48.7	-0.0	0.1	-3.9
-45.4	-549.8						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-5.0	-306.2	Q5_pc X	I	-12.9	-0.0	-0.0	0.5
			J	-12.9	-0.0	-0.0	0.5
3.6	-299.7						
-5.9	1116.2	Q5_pc Y	I	33.6	0.0	-0.0	0.9
			J	33.6	0.0	-0.0	0.9
9.7	1080.5						
-4.1	-364.1	Q5_ps X	I	-12.5	-0.0	-0.0	0.6
			J	-12.5	-0.0	-0.0	0.6
2.7	-361.3						
-7.9	1371.7	Q5_ps Y	I	32.7	0.0	-0.0	1.6
			J	32.7	0.0	-0.0	1.6
12.0	1336.4						
722.0	26098.3	INVSLE Max	I	-2478.1	16.9	0.7	281.2
			J	-2478.1	16.9	2.3	281.2
316.3	25071.4	Min	I	-2873.3	-14.4	-1.4	-244.9
			J	-2873.3	-14.4	0.2	-244.9
-155.6	1716.6						
-500.4	830.6						
533.6	18632.5	INVSLE Max	I	-1921.7	12.5	0.5	208.8
			J	-1921.7	12.5	1.7	208.8
241.2	17868.7	Min	I	-2210.0	-10.7	-1.0	-180.9
			J	-2210.0	-10.7	0.2	-180.9
-115.7	720.8						
-362.5	56.6						
5191	2	62 C1-C2;~1 Max	I	47.3	4.0	0.8	230.6
372.9	14630.8		J	47.3	4.0	0.8	230.6
158.2	28003.7	Min	I	-168.5	-26.0	-0.4	-166.4
			J	-168.5	-26.0	-0.4	-166.4
-134.2	-1631.6						
-304.9	-2220.3						
482.9	9191.5	C3-C4;~1 Max	I	53.6	2.9	1.1	154.8
			J	53.6	2.9	1.1	154.8
212.3	19926.9						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-169.9	-1888.5		Min	I	-183.4	-16.6	-0.5	-126.0
				J	-183.4	-16.6	-0.5	-126.0
-391.7	-2564.7							
		C1-C2;~2	Max	I	25.4	2.4	0.5	156.8
214.5	10334.6			J	25.4	2.4	0.5	156.8
89.3	19356.2							
			Min	I	-97.6	-18.0	-0.2	-109.7
-70.9	-911.8			J	-97.6	-18.0	-0.2	-109.7
-174.2	-993.8							
		C3-C4;~2	Max	I	28.2	1.4	0.6	102.6
290.3	6356.6			J	28.2	1.4	0.6	102.6
124.2	13471.9							
			Min	I	-107.6	-11.2	-0.3	-77.7
-91.4	-1012.2			J	-107.6	-11.2	-0.3	-77.7
-232.5	-1117.7							
			G1	I	-120.5	-0.8	-0.2	-7.0
117.5	88.2			J	-120.5	-0.8	1.0	-7.0
-221.9	753.1							
			G2	I	-47.1	1.1	0.2	-9.0
78.0	-549.7			J	-47.1	1.1	0.2	-9.0
-56.1	-1467.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-12.1	0.4	-0.0	-0.8
-4.7	-304.3			J	-12.1	0.4	-0.0	-0.8
3.2	-631.8							
			Q5_pc Y	I	31.9	-1.6	-0.0	6.3
-7.5	1083.0			J	31.9	-1.6	-0.0	6.3
11.8	2372.8							
			Q5_ps X	I	-11.7	0.6	-0.0	-1.4
-3.6	-365.7			J	-11.7	0.6	-0.0	-1.4
2.1	-838.3							
			Q5_ps Y	I	31.0	-2.3	-0.0	9.6
-10.2	1339.0			J	31.0	-2.3	-0.0	9.6
15.0	3205.6							
			INVSLU Max	I	-2389.4	20.0	0.8	588.0
745.8	25080.1			J	-2389.4	20.0	2.4	588.0
273.4	33630.9							
			Min	I	-2766.8	-23.4	-1.3	40.8
-148.9	829.7			J	-2766.8	-23.4	0.3	40.8
-563.3	-12627.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

550.8	17874.7	INVSLE Max	I	-1855.6	14.7	0.6	429.5
			J	-1855.6	14.7	1.8	429.5
209.9	24081.7	Min	I	-2130.9	-17.2	-1.0	25.0
-110.9	55.8		J	-2130.9	-17.2	0.2	25.0
-408.3	-9669.1						
5192	2	62 C1-C2;~1 Max	I	43.7	89.4	1.1	487.0
476.2	27997.9		J	43.7	89.4	1.1	487.0
119.6	6390.3	Min	I	-168.7	-10.6	-0.3	-44.5
-130.8	-2219.3		J	-168.7	-10.6	-0.3	-44.5
-408.9	-44485.1						
		C3-C4;~1 Max	I	49.5	72.0	1.3	354.5
570.1	19921.9		J	49.5	72.0	1.3	354.5
140.5	6621.5	Min	I	-180.6	-11.1	-0.4	-64.0
-152.7	-2563.6		J	-180.6	-11.1	-0.4	-64.0
-492.5	-38530.6						
		C1-C2;~2 Max	I	23.5	59.6	0.6	333.3
281.3	19352.3		J	23.5	59.6	0.6	333.3
63.0	2937.0	Min	I	-98.4	-4.8	-0.2	-19.5
-69.7	-993.4		J	-98.4	-4.8	-0.2	-19.5
-240.7	-28994.8						
		C3-C4;~2 Max	I	26.1	47.3	0.8	236.6
346.8	13468.6		J	26.1	47.3	0.8	236.6
72.3	2782.1	Min	I	-106.5	-4.6	-0.2	-29.5
-79.4	-1117.3		J	-106.5	-4.6	-0.2	-29.5
-298.4	-24979.0						
		G1	I	-117.4	3.3	-0.1	6.9
148.8	753.7		J	-117.4	3.3	1.1	6.9
-258.1	-1942.0						
		G2	I	-44.7	-6.7	0.2	-32.3
81.3	-1466.7		J	-44.7	-6.7	0.2	-32.3
-59.5	3930.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-10.8	-2.2	-0.0	-9.0
-8.4	-635.8		J	-10.8	-2.2	-0.0	-9.0
7.7	1134.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
6.2	2374.1	Q5_pc	Y	I	28.6	8.6	0.0	38.5
				J	28.6	8.6	0.0	38.5
-4.8	-4571.6	Q5_ps	X	I	-10.3	-3.1	-0.0	-13.2
				J	-10.3	-3.1	-0.0	-13.2
8.1	1702.6	Q5_ps	Y	I	27.2	12.4	0.0	56.0
				J	27.2	12.4	0.0	56.0
		INVS LU	Max	I	-2333.3	94.0	1.2	1082.4
899.4	33621.4			J	-2333.3	94.0	2.8	1082.4
132.0	35738.6		Min	I	-2695.4	-59.5	-1.1	266.4
				J	-2695.4	-59.5	0.5	266.4
		INVS LE	Max	I	-1814.0	64.9	0.9	785.7
670.0	24074.8			J	-1814.0	64.9	2.1	785.7
97.8	28431.0		Min	I	-2078.4	-46.9	-0.8	188.6
				J	-2078.4	-46.9	0.4	188.6
		62 C1-C2;~1	Max	I	39.2	10.7	0.9	53.7
5193	2			J	39.2	10.7	0.9	53.7
372.3	6386.8		Min	I	-159.0	-89.3	-0.5	-496.3
				J	-159.0	-89.3	-0.5	-496.3
208.2	27989.5							
		C3-C4;~1	Max	I	44.4	11.1	1.0	53.3
				J	44.4	11.1	1.0	53.3
245.4	19907.4		Min	I	-169.1	-71.9	-0.6	-357.5
				J	-169.1	-71.9	-0.6	-357.5
		C1-C2;~2	Max	I	21.1	4.9	0.5	25.3
211.5	2934.9			J	21.1	4.9	0.5	25.3
124.7	19335.3		Min	I	-93.2	-59.5	-0.3	-337.0
				J	-93.2	-59.5	-0.3	-337.0
		C3-C4;~2	Max	I	23.4	4.6	0.6	23.4
259.7	2779.8			J	23.4	4.6	0.6	23.4
147.6	13451.8		Min	I	-100.0	-47.3	-0.3	-239.0
-126.2	-24968.5							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-226.1	-1061.9		J	-100.0	-47.3	-0.3	-239.0
164.0	-1919.9	G1	I	-110.3	-3.3	-0.1	-24.6
-276.0	752.1		J	-110.3	-3.3	1.2	-24.6
103.6	3939.0	G2	I	-42.0	6.7	0.2	23.2
-82.9	-1464.1		J	-42.0	6.7	0.2	23.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.1	1128.7	Q5_pc X	I	-10.0	2.2	-0.0	9.9
0.4	-619.1		J	-10.0	2.2	-0.0	9.9
-21.5	-4567.8	Q5_pc Y	I	26.3	-8.5	-0.1	-36.0
22.9	2329.8		J	26.3	-8.5	-0.1	-36.0
1.5	1697.5	Q5_ps X	I	-9.5	3.1	0.0	14.1
-2.0	-828.6		J	-9.5	3.1	0.0	14.1
-30.2	-6834.2	Q5_ps Y	I	25.0	-12.3	-0.1	-51.7
30.9	3168.7		J	25.0	-12.3	-0.1	-51.7
680.6	35727.3	INVS LU Max	I	-2266.1	63.3	0.7	-143.8
349.9	30393.3		J	-2266.1	63.3	2.3	-143.8
-258.8	-42628.0	Min	I	-2601.7	-89.9	-1.6	-957.8
-549.7	-15676.0		J	-2601.7	-89.9	0.1	-957.8
491.9	28421.7	INVS LE Max	I	-1763.7	49.8	0.5	-96.8
273.4	21671.5		J	-1763.7	49.8	1.7	-96.8
-201.1	-28555.4	Min	I	-2008.8	-61.9	-1.2	-691.6
-390.0	-11946.5		J	-2008.8	-61.9	0.0	-691.6
5194	2	62 C1-C2;~1 Max	I	34.5	25.9	1.0	157.3
446.5	27994.0		J	34.5	25.9	1.0	157.3
124.5	14649.9	Min	I	-135.4	-4.0	-0.3	-236.2
-133.4	-2266.5		J	-135.4	-4.0	-0.3	-236.2
-377.4	-1517.3	C3-C4;~1 Max	I	39.2	16.5	1.3	104.9


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
553.9	19911.2			J	39.2	16.5	1.3	104.9	
186.9	9217.5								
			Min	I	-147.9	-2.9	-0.4	-166.6	
-154.5	-2489.7								
				J	-147.9	-2.9	-0.4	-166.6	
-466.8	-1627.3								
			C1-C2;~2	Max	I	18.6	18.0	0.6	105.0
256.6	19338.4								
				J	18.6	18.0	0.6	105.0	
65.9	10348.5								
			Min	I	-78.7	-2.4	-0.2	-159.6	
-71.2	-1023.8								
				J	-78.7	-2.4	-0.2	-159.6	
-215.1	-855.0								
			C3-C4;~2	Max	I	20.6	11.1	0.7	64.4
330.1	13454.4								
				J	20.6	11.1	0.7	64.4	
106.6	6381.2								
			Min	I	-87.0	-1.4	-0.2	-105.4	
-80.7	-1062.2								
				J	-87.0	-1.4	-0.2	-105.4	
-274.9	-846.9								
			G1	I	-100.1	0.8	0.0	-10.8	
199.3	750.6								
				J	-100.1	0.8	1.2	-10.8	
-312.7	122.6								
			G2	I	-39.1	-1.2	0.2	-0.1	
106.6	-1465.3								
				J	-39.1	-1.2	0.2	-0.1	
-88.2	-530.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-9.6	-0.4	-0.0	1.7
-5.6	-623.0								
				J	-9.6	-0.4	-0.0	1.7	
4.0	-278.0								
			Q5_pc	Y	I	25.9	1.6	-0.0	-3.7
-4.8	2331.6								
				J	25.9	1.6	-0.0	-3.7	
9.5	1000.7								
			Q5_ps	X	I	-9.3	-0.6	-0.0	2.2
-4.5	-832.4								
				J	-9.3	-0.6	-0.0	2.2	
2.9	-346.1								
			Q5_ps	Y	I	25.3	2.3	-0.0	-5.0
-7.3	3170.8								
				J	25.3	2.3	-0.0	-5.0	
12.4	1270.0								
			INVSLU	Max	I	-2161.3	26.2	1.0	52.9
802.8	30403.3								
				J	-2161.3	26.2	2.6	52.9	
230.9	19508.3								
			Min	I	-2460.5	-17.1	-1.3	-485.0	

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-163.6	-15677.3		J	-2460.5	-17.1	0.3	-485.0
-668.6	-4267.0						
		INVSLE Max	I	-1685.2	19.3	0.7	46.6
591.4	21678.5		J	-1685.2	19.3	1.9	46.6
180.1	13711.8	Min	I	-1903.4	-12.6	-1.0	-351.4
-123.8	-11947.5		J	-1903.4	-12.6	0.2	-351.4
-484.9	-3766.2						
5195	2	62 C1-C2;~1 Max	I	30.6	11.6	1.0	190.3
454.6	14646.2		J	30.6	11.6	1.0	190.3
123.8	14557.6	Min	I	-121.9	-11.5	-0.3	-192.8
-131.9	-1518.0		J	-121.9	-11.5	-0.3	-192.8
-395.7	-1669.3						
		C3-C4;~1 Max	I	34.7	5.6	1.3	121.9
569.8	9214.7		J	34.7	5.6	1.3	121.9
177.3	9062.6	Min	I	-134.4	-5.6	-0.4	-137.0
-152.4	-1627.3		J	-134.4	-5.6	-0.4	-137.0
-491.7	-1707.6						
		C1-C2;~2 Max	I	16.4	8.2	0.6	128.5
259.4	10346.0		J	16.4	8.2	0.6	128.5
65.8	10298.2	Min	I	-70.9	-8.1	-0.2	-129.2
-70.6	-855.6		J	-70.9	-8.1	-0.2	-129.2
-224.5	-975.5						
		C3-C4;~2 Max	I	18.2	3.7	0.8	79.7
337.9	6379.3		J	18.2	3.7	0.8	79.7
100.0	6304.1	Min	I	-79.3	-3.7	-0.2	-86.0
-79.9	-847.0		J	-79.3	-3.7	-0.2	-86.0
-288.5	-924.7						
		G1	I	-90.4	0.0	0.1	-10.2
222.6	122.6		J	-90.4	0.0	1.3	-10.2
-340.2	90.9						
		G2	I	-35.3	-0.0	0.3	-5.0
117.0	-529.9		J	-35.3	-0.0	0.3	-5.0
-99.8	-520.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-8.8	-0.0	-0.0	0.2
-5.5	-281.9						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3.9	-272.7		J	-8.8	-0.0	-0.0	0.2
-5.2	1002.2	Q5_pc Y	I	24.3	0.0	-0.0	2.0
9.9	961.9		J	24.3	0.0	-0.0	2.0
-4.2	-349.8	Q5_ps X	I	-8.6	-0.0	-0.0	-0.0
2.6	-342.6		J	-8.6	-0.0	-0.0	-0.0
-8.6	1271.3	Q5_ps Y	I	23.8	0.1	-0.0	3.4
13.6	1227.2		J	23.8	0.1	-0.0	3.4
875.1	19505.0	INVS LU Max	I	-2027.8	15.0	1.2	253.4
183.4	19918.9		J	-2027.8	15.0	2.8	253.4
-109.7	-4268.2	Min	I	-2299.8	-16.2	-1.2	-267.4
-737.6	-3770.6		J	-2299.8	-16.2	0.5	-267.4
644.1	13709.4	INVS LE Max	I	-1585.6	11.2	0.8	189.0
145.5	13979.8		J	-1585.6	11.2	2.1	189.0
-84.7	-3766.8	Min	I	-1783.8	-12.0	-0.9	-196.4
-535.4	-3439.7		J	-1783.8	-12.0	0.3	-196.4
5196	2	62 C1-C2;~1 Max	I	26.6	4.2	1.1	231.3
462.8	14561.2		J	26.6	4.2	1.1	231.3
123.5	26762.5	Min	I	-110.2	-24.4	-0.3	-155.9
-129.9	-1668.7		J	-110.2	-24.4	-0.3	-155.9
-413.9	-2878.2						
584.1	9065.2	C3-C4;~1 Max	I	30.2	2.6	1.4	155.6
169.2	18559.9		J	30.2	2.6	1.4	155.6
-149.8	-1707.5	Min	I	-122.9	-14.8	-0.4	-113.3
-513.1	-2340.7		J	-122.9	-14.8	-0.4	-113.3
262.7	10300.6	C1-C2;~2 Max	I	14.3	2.6	0.6	157.6
65.9	18608.8		J	14.3	2.6	0.6	157.6
-69.7	-975.0	Min	I	-64.3	-17.1	-0.2	-103.3
-234.2	-1526.4		J	-64.3	-17.1	-0.2	-103.3
345.2	6305.9	C3-C4;~2 Max	I	15.9	1.2	0.8	103.2
			J	15.9	1.2	0.8	103.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
94.4	12716.8		Min	I	-72.9	-10.1	-0.2	-68.8
-78.7	-924.6			J	-72.9	-10.1	-0.2	-68.8
-300.1	-1056.2							
		G1		I	-80.7	-0.5	0.1	-9.5
241.9	91.1			J	-80.7	-0.5	1.4	-9.5
-364.2	462.8							
		G2		I	-31.4	1.1	0.3	-9.9
125.1	-521.2			J	-31.4	1.1	0.3	-9.9
-110.0	-1444.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-8.0	0.4	-0.0	-1.4
-5.2	-276.7			J	-8.0	0.4	-0.0	-1.4
3.5	-602.2							
		Q5_pc Y		I	22.2	-1.5	-0.0	7.8
-5.9	963.7			J	22.2	-1.5	-0.0	7.8
11.6	2162.5							
		Q5_ps X		I	-7.7	0.6	-0.0	-2.3
-3.7	-346.5			J	-7.7	0.6	-0.0	-2.3
1.9	-815.9							
		Q5_ps Y		I	21.6	-2.1	-0.0	11.9
-9.9	1229.1			J	21.6	-2.1	-0.0	11.9
16.0	2958.3							
		INVSLE Max		I	-1875.9	15.2	1.2	440.0
870.8	19924.1			J	-1875.9	15.2	2.9	440.0
144.1	30849.6		Min	I	-2122.6	-26.1	-1.1	-96.8
-130.8	-3773.3			J	-2122.6	-26.1	0.5	-96.8
-797.9	-13724.0							
		INVSLE Max		I	-1472.4	11.3	0.9	320.7
640.0	13983.4			J	-1472.4	11.3	2.1	320.7
117.6	21899.5		Min	I	-1652.1	-19.2	-0.9	-75.9
-101.1	-3441.8			J	-1652.1	-19.2	0.4	-75.9
-578.7	-10645.1							
5197	2	62 C1-C2;~1	Max	I	22.2	82.0	1.3	477.1
553.4	26756.6			J	22.2	82.0	1.3	477.1
121.1	7182.1		Min	I	-101.5	-12.4	-0.3	-54.7
-128.0	-2877.1			J	-101.5	-12.4	-0.3	-54.7

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-507.1	-39762.1						
		C3-C4;~1 Max	I	25.1	64.0	1.6	340.7
656.8	18555.0		J	25.1	64.0	1.6	340.7
140.4	6621.8						
		Min	I	-111.0	-11.0	-0.4	-62.4
-147.9	-2339.7		J	-111.0	-11.0	-0.4	-62.4
-600.9	-33337.5						
		C1-C2;~2 Max	I	11.9	55.4	0.8	327.0
321.7	18604.9		J	11.9	55.4	0.8	327.0
64.6	3793.1						
		Min	I	-59.9	-6.6	-0.2	-27.0
-68.6	-1525.8		J	-59.9	-6.6	-0.2	-27.0
-293.7	-26344.7						
		C3-C4;~2 Max	I	13.2	43.0	0.9	229.0
392.7	12713.5		J	13.2	43.0	0.9	229.0
73.3	3188.9						
		Min	I	-66.5	-5.2	-0.2	-28.9
-77.5	-1055.8		J	-66.5	-5.2	-0.2	-28.9
-357.7	-22128.5						
		G1	I	-70.3	1.9	0.2	-1.1
261.5	463.1		J	-70.3	1.9	1.4	-1.1
-387.8	-1076.4						
		G2	I	-26.4	-6.5	0.3	-33.1
124.3	-1443.9		J	-26.4	-6.5	0.3	-33.1
-109.1	3810.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.5	-2.2	-0.0	-9.9
-8.5	-606.2		J	-6.5	-2.2	-0.0	-9.9
7.5	1163.9						
		Q5_pc Y	I	17.8	8.0	0.0	38.7
6.7	2164.0		J	17.8	8.0	0.0	38.7
-3.6	-4299.9						
		Q5_ps X	I	-6.2	-3.1	-0.0	-14.4
-8.4	-819.5		J	-6.2	-3.1	-0.0	-14.4
7.6	1711.0						
		Q5_ps Y	I	16.8	11.5	0.0	56.4
7.7	2959.4		J	16.8	11.5	0.0	56.4
-5.5	-6333.1						
		INVSLU Max	I	-1751.1	70.9	1.5	828.9
994.7	30842.5						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
136.6	45429.7		J	-1751.1	70.9	3.1	828.9
		Min	I	-1966.8	-73.0	-1.1	26.3
-106.9	-13725.6		J	-1966.8	-73.0	0.5	26.3
-877.7	-26739.4						
		INVSLE Max	I	-1379.2	47.4	1.1	598.1
736.5	21894.4		J	-1379.2	47.4	2.3	598.1
105.8	35824.6	Min	I	-1536.6	-57.3	-0.8	12.2
-78.4	-10645.9		J	-1536.6	-57.3	0.4	12.2
-644.5	-16643.7						
5198	2	62 C1-C2;~1 Max	I	17.7	13.3	1.1	60.7
456.8	7181.5		J	17.7	13.3	1.1	60.7
162.2	26284.8	Min	I	-86.7	-84.7	-0.4	-406.3
-150.7	-39749.9		J	-86.7	-84.7	-0.4	-406.3
-423.3	-3106.4						
		C3-C4;~1 Max	I	20.0	11.7	1.4	57.4
551.6	6620.8		J	20.0	11.7	1.4	57.4
193.1	18029.8	Min	I	-94.2	-65.3	-0.5	-270.5
-174.0	-33314.3		J	-94.2	-65.3	-0.5	-270.5
-515.7	-2406.0						
		C1-C2;~2 Max	I	9.5	7.1	0.6	32.6
256.1	3792.3		J	9.5	7.1	0.6	32.6
93.2	18237.4	Min	I	-51.8	-57.1	-0.2	-280.0
-83.7	-26340.6		J	-51.8	-57.1	-0.2	-280.0
-236.6	-1695.8						
		C3-C4;~2 Max	I	10.5	5.6	0.8	29.8
316.0	3188.2		J	10.5	5.6	0.8	29.8
110.9	12336.1	Min	I	-56.8	-43.8	-0.3	-184.2
-95.5	-22115.8		J	-56.8	-43.8	-0.3	-184.2
-295.1	-1117.5						
		G1	I	-59.8	-2.0	0.3	-18.5
290.6	-1042.1		J	-59.8	-2.0	1.5	-18.5
-408.6	481.5						
		G2	I	-22.5	6.8	0.4	21.9
148.4	3823.9		J	-22.5	6.8	0.4	21.9
-135.6	-1416.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.9	1180.9	Q5_pc X	I	-5.3	2.3	-0.0	8.8
0.9	-582.5		J	-5.3	2.3	-0.0	8.8
-17.5	-4377.2	Q5_pc Y	I	14.0	-8.4	-0.0	-29.9
20.3	2087.9		J	14.0	-8.4	-0.0	-29.9
1.3	1727.3	Q5_ps X	I	-5.0	3.3	0.0	12.4
-2.0	-800.5		J	-5.0	3.3	0.0	12.4
-27.7	-6406.8	Q5_ps Y	I	13.2	-12.0	-0.1	-42.3
29.7	2892.8		J	13.2	-12.0	-0.1	-42.3
697.8	45533.4	INVS LU Max	I	-1622.7	83.6	1.0	70.4
274.2	24906.2		J	-1622.7	83.6	2.6	70.4
-313.4	-26798.2	Min	I	-1802.1	-65.9	-1.5	-613.9
-719.1	-19086.0		J	-1802.1	-65.9	0.0	-613.9
499.3	35891.0	INVS LE Max	I	-1282.5	65.4	0.7	70.3
223.9	17449.0		J	-1282.5	65.4	1.9	70.3
-247.4	-16684.3	Min	I	-1413.5	-43.4	-1.2	-432.6
-509.2	-14677.2		J	-1413.5	-43.4	-0.0	-432.6
5199	2	62 C1-C2;~1 Max	I	13.7	23.2	1.3	167.9
517.2	26289.6		J	13.7	23.2	1.3	167.9
124.0	15436.1	Min	I	-61.4	-5.6	-0.3	-142.9
-127.8	-3107.5		J	-61.4	-5.6	-0.3	-142.9
-478.8	-1706.7						
645.9	18033.5	C3-C4;~1 Max	I	15.5	14.2	1.6	108.0
148.6	9723.0		J	15.5	14.2	1.6	108.0
-147.6	-2406.8	Min	I	-70.9	-3.1	-0.4	-67.1
-591.4	-1442.4		J	-70.9	-3.1	-0.4	-67.1
292.5	18240.7	C1-C2;~2 Max	I	7.3	16.2	0.7	113.4
66.6	10879.5		J	7.3	16.2	0.7	113.4
-68.7	-1696.4	Min	I	-36.2	-3.7	-0.2	-96.6
-269.1	-981.5		J	-36.2	-3.7	-0.2	-96.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
379.6	12338.7	C3-C4;~2 Max	I	8.1	9.7	0.9	70.7
			J	8.1	9.7	0.9	70.7
79.2	6775.7	Min	I	-42.6	-1.6	-0.2	-34.5
-77.7	-1117.9		J	-42.6	-1.6	-0.2	-34.5
-343.8	-755.1						
		G1	I	-47.5	0.4	0.4	-9.4
313.5	480.5		J	-47.5	0.4	1.6	-9.4
-439.2	201.4						
		G2	I	-18.9	-1.0	0.4	-1.5
146.4	-1417.7		J	-18.9	-1.0	0.4	-1.5
-138.5	-639.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-4.5	-0.4	-0.0	0.0
-6.8	-586.1		J	-4.5	-0.4	-0.0	0.0
5.2	-295.1						
		Q5_pc Y	I	12.0	1.4	-0.0	2.1
1.3	2089.9		J	12.0	1.4	-0.0	2.1
4.0	1038.7						
		Q5_ps X	I	-4.5	-0.5	-0.0	-0.2
-5.1	-804.0		J	-4.5	-0.5	-0.0	-0.2
3.4	-397.1						
		Q5_ps Y	I	11.9	1.9	-0.0	3.7
-2.8	2895.0		J	11.9	1.9	-0.0	3.7
8.7	1408.6						
		INVS LU Max	I	-1444.4	31.3	1.4	195.3
871.3	24912.8		J	-1444.4	31.3	3.0	195.3
198.1	10264.3	Min	I	-1582.6	-10.0	-1.3	-228.0
-212.2	-19091.7		J	-1582.6	-10.0	0.3	-228.0
-810.1	-14947.1						
		INVS LE Max	I	-1147.4	23.3	1.0	156.5
631.7	17453.5		J	-1147.4	23.3	2.1	156.5
168.1	6568.1	Min	I	-1248.2	-7.2	-1.0	-156.7
-170.0	-14681.5		J	-1248.2	-7.2	0.2	-156.7
-578.1	-11881.3						
5200	2	62 C1-C2;~1 Max	I	9.3	12.7	1.3	217.9
510.0	15432.8		J	9.3	12.7	1.3	217.9
122.5	13242.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-123.7	-1706.1		Min	I	-42.0	-8.5	-0.3	-62.9
				J	-42.0	-8.5	-0.3	-62.9
-487.8	-2020.0							
		C3-C4;~1	Max	I	10.5	6.3	1.6	146.1
644.1	9720.8			J	10.5	6.3	1.6	146.1
147.3	7292.8							
			Min	I	-49.9	-2.2	-0.4	-43.3
-142.9	-1442.0			J	-49.9	-2.2	-0.4	-43.3
-604.9	-2403.1							
		C1-C2;~2	Max	I	5.0	8.9	0.7	148.5
286.6	10877.3			J	5.0	8.9	0.7	148.5
65.8	9424.4							
			Min	I	-25.0	-6.1	-0.2	-38.8
-66.5	-981.2			J	-25.0	-6.1	-0.2	-38.8
-273.1	-1247.5							
		C3-C4;~2	Max	I	5.5	4.2	0.9	97.4
376.9	6774.3			J	5.5	4.2	0.9	97.4
78.6	5147.8							
			Min	I	-30.4	-1.3	-0.2	-21.3
-75.2	-754.9			J	-30.4	-1.3	-0.2	-21.3
-350.4	-1468.5							
		G1		I	-31.8	0.3	0.4	-6.8
322.9	201.5			J	-31.8	0.3	1.6	-6.8
-456.7	-23.1							
		G2		I	-12.6	0.2	0.4	-6.7
151.4	-639.5			J	-12.6	0.2	0.4	-6.7
-146.0	-786.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-3.5	-0.0	-0.0	-2.3
-7.9	-298.3			J	-3.5	-0.0	-0.0	-2.3
6.5	-279.8							
		Q5_pc	Y	I	9.0	0.1	0.0	10.3
7.1	1039.6			J	9.0	0.1	0.0	10.3
-2.4	975.2							
		Q5_ps	X	I	-3.5	-0.0	-0.0	-3.6
-5.9	-400.2			J	-3.5	-0.0	-0.0	-3.6
4.4	-380.7							
		Q5_ps	Y	I	9.0	0.1	-0.0	15.5
1.8	1409.2			J	9.0	0.1	-0.0	15.5
3.3	1330.2							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

790.7	10261.5	INVS LU Max	I	-1204.7	20.6	1.2	326.8
			J	-1204.7	20.6	2.8	326.8
256.5	4599.4	Min	I	-1302.4	-8.2	-1.5	-71.0
-285.9	-14946.8		J	-1302.4	-8.2	0.1	-71.0
-770.7	-18276.9						
		INVS LE Max	I	-965.3	15.4	0.8	247.1
563.4	6566.1		J	-965.3	15.4	2.0	247.1
221.0	2282.4	Min	I	-1036.5	-5.9	-1.2	-46.2
-233.1	-11880.9		J	-1036.5	-5.9	0.0	-46.2
-539.0	-14532.9						
5201	2	62 C1-C2;~1 Max	I	11.3	14.1	1.2	295.2
474.5	13243.0		J	11.3	14.1	1.2	295.2
112.3	9049.9	Min	I	-21.8	-4.7	-0.3	-43.4
-111.5	-2020.2		J	-21.8	-4.7	-0.3	-43.4
-467.6	-2848.8						
		C3-C4;~1 Max	I	10.0	9.5	1.5	198.6
593.9	7293.6		J	10.0	9.5	1.5	198.6
149.2	3120.1	Min	I	-26.0	-1.0	-0.4	-49.8
-129.1	-2403.5		J	-26.0	-1.0	-0.4	-49.8
-567.9	-5153.5						
		C1-C2;~2 Max	I	7.3	9.8	0.7	202.8
266.6	9425.1		J	7.3	9.8	0.7	202.8
60.3	6474.0	Min	I	-13.4	-3.3	-0.2	-24.0
-59.9	-1247.7		J	-13.4	-3.3	-0.2	-24.0
-262.5	-1611.5						
		C3-C4;~2 Max	I	6.1	6.3	0.9	134.5
346.4	5148.3		J	6.1	6.3	0.9	134.5
82.6	2137.8	Min	I	-16.4	-0.5	-0.2	-25.7
-67.9	-1468.7		J	-16.4	-0.5	-0.2	-25.7
-327.5	-3252.6						
		G1	I	-13.2	1.8	0.4	-3.9
302.1	-23.2		J	-13.2	1.8	1.5	-3.9
-443.9	-1389.3						
		G2	I	-5.1	1.2	0.4	-14.6
142.9	-787.0		J	-5.1	1.2	0.4	-14.6
-140.2	-1730.0						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-8.7	-283.3	Q5_pc X	I	-2.5	0.1	-0.0	-5.3
7.5	-347.7		J	-2.5	0.1	-0.0	-5.3
12.4	977.2	Q5_pc Y	I	5.6	-0.3	0.0	20.7
-8.8	1199.0		J	5.6	-0.3	0.0	20.7
-6.7	-384.1	Q5_ps X	I	-2.5	0.1	-0.0	-7.7
5.3	-472.1		J	-2.5	0.1	-0.0	-7.7
7.3	1332.3	Q5_ps Y	I	5.6	-0.4	0.0	30.2
-3.2	1618.6		J	5.6	-0.4	0.0	30.2
520.8	4599.9	INVS LU Max	I	-915.0	26.7	0.6	448.8
466.6	-6612.2		J	-915.0	26.7	2.1	448.8
-477.6	-18281.8	Min	I	-975.4	0.8	-2.0	-54.1
-517.4	-27944.8		J	-975.4	0.8	-0.4	-54.1
348.4	2282.5	INVS LE Max	I	-742.7	20.0	0.3	330.6
395.5	-6174.6		J	-742.7	20.0	1.5	330.6
-389.5	-14536.6	Min	I	-786.8	0.8	-1.6	-39.2
-332.2	-21816.7		J	-786.8	0.8	-0.4	-39.2
5202	2	62 C1-C2;~1 Max	I	18.0	47.8	0.9	333.6
360.2	9044.1		J	18.0	47.8	0.9	333.6
84.8	5863.6	Min	I	-4.0	-9.8	-0.2	-67.9
-83.5	-2851.9		J	-4.0	-9.8	-0.2	-67.9
-363.1	-29042.3						
446.2	3117.2	C3-C4;~1 Max	I	20.1	28.3	1.1	220.9
128.2	6566.6		J	20.1	28.3	1.1	220.9
-116.2	-5153.3	Min	I	-9.2	-12.8	-0.3	-90.9
-433.2	-19775.9		J	-9.2	-12.8	-0.3	-90.9
202.6	6469.8	C1-C2;~2 Max	I	11.9	33.1	0.5	229.9
45.4	3155.8		J	11.9	33.1	0.5	229.9
-44.8	-1613.7	Min	I	-2.5	-5.1	-0.1	-39.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-204.7	-19665.5		J	-2.5	-5.1	-0.1	-39.3
259.0	2135.7	C3-C4;~2 Max	I	13.2	19.4	0.6	151.2
74.1	3723.1		J	13.2	19.4	0.6	151.2
-65.5	-3252.4	Min	I	-6.3	-7.6	-0.2	-52.9
-249.1	-13439.8		J	-6.3	-7.6	-0.2	-52.9
223.3	-1389.7	G1	I	6.3	-0.3	0.2	-15.6
-372.0	-1191.3		J	6.3	-0.3	1.4	-15.6
116.2	-1729.4	G2	I	2.4	-6.2	0.3	-33.8
-114.9	3028.7		J	2.4	-6.2	0.3	-33.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.5	-350.8	Q5_pc X	I	-1.6	-2.3	-0.0	-10.0
5.1	1411.3		J	-1.6	-2.3	-0.0	-10.0
7.8	1199.6	Q5_pc Y	I	2.8	8.1	0.0	37.4
-4.7	-5090.3		J	2.8	8.1	0.0	37.4
-4.4	-475.0	Q5_ps X	I	-1.6	-3.0	-0.0	-13.9
2.8	1847.6		J	-1.6	-3.0	-0.0	-13.9
2.4	1618.9	Q5_ps Y	I	2.6	10.6	0.0	51.7
0.3	-6573.6		J	2.6	10.6	0.0	51.7
77.7	-6614.8	INVSLE Max	I	-618.7	-12.6	-0.6	355.6
664.9	60311.9		J	-618.7	-12.6	1.0	355.6
-695.7	-27940.6	Min	I	-663.3	-110.6	-2.5	-284.7
-102.1	1637.1		J	-663.3	-110.6	-1.0	-284.7
2.3	-6176.1	INVSLE Max	I	-512.8	-17.3	-0.6	246.5
565.0	48537.0		J	-512.8	-17.3	0.6	246.5
-569.5	-21813.1	Min	I	-545.4	-88.2	-2.0	-222.9
-2.5	6143.8		J	-545.4	-88.2	-0.9	-222.9
5203	2	62 C1-C2;~1 Max	I	6.1	9.7	0.4	159.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
119.3	5923.5			J	6.1	9.7	0.4	159.0	
35.2	4.6								
			Min	I	-19.7	-7.7	-0.1	-51.2	
-30.7	-4690.9								
				J	-19.7	-7.7	-0.1	-51.2	
-148.9	-1.4								
			C3-C4;~1	Max	I	14.3	16.5	0.5	131.6
145.4	10134.7								
				J	14.3	16.5	0.5	131.6	
53.4	4.9								
			Min	I	-14.1	-12.1	-0.2	-91.5	
-44.3	-7394.1								
				J	-14.1	-12.1	-0.2	-91.5	
-168.4	-2.7								
			C1-C2;~2	Max	I	3.3	5.2	0.2	107.8
66.7	3171.4								
				J	3.3	5.2	0.2	107.8	
17.9	3.0								
			Min	I	-13.5	-5.0	-0.1	-31.7	
-15.8	-3047.5								
				J	-13.5	-5.0	-0.1	-31.7	
-85.9	-0.9								
			C3-C4;~2	Max	I	9.1	10.6	0.3	87.5
83.9	6503.4								
				J	9.1	10.6	0.3	87.5	
29.3	3.3								
			Min	I	-9.6	-8.3	-0.1	-60.0	
-23.9	-5061.8								
				J	-9.6	-8.3	-0.1	-60.0	
-98.6	-1.9								
			G1	I	5.2	5.5	-0.2	-0.8	
23.8	3394.0								
				J	5.2	5.5	0.7	-0.8	
-124.9	1.2								
			G2	I	3.9	6.6	0.1	6.8	
25.4	4022.5								
				J	3.9	6.6	0.1	6.8	
-24.0	0.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	0.0	1.9	-0.0	2.9
-12.3	1039.5								
				J	0.0	1.9	-0.0	2.9	
11.9	-152.3								
			Q5_pc	Y	I	-1.0	-6.8	0.1	-8.6
18.7	-3654.3								
				J	-1.0	-6.8	0.1	-8.6	
-18.9	513.8								
			Q5_ps	X	I	0.3	2.4	-0.0	3.5
-14.7	1345.6								
				J	0.3	2.4	-0.0	3.5	
14.5	-144.3								
			Q5_ps	Y	I	-2.0	-8.4	0.1	-9.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
19.3	-4658.5			J	-2.0	-8.4	0.1	-9.6
-21.2	486.6							
1650.9	53706.8	INVSLE Max	I		-279.1	88.4	-7.7	475.7
3042.3	734.1		J		-279.1	88.4	-6.5	475.7
1940.7	22914.9	Min	I		-326.8	36.2	-8.8	122.1
2708.8	-732.7		J		-326.8	36.2	-7.5	122.1
1307.2	42436.9	INVSLE Max	I		-235.3	69.7	-6.1	372.7
2386.7	489.7		J		-235.3	69.7	-5.2	372.7
1519.4	20389.2	Min	I		-270.5	32.5	-6.8	111.8
2142.2	-488.7		J		-270.5	32.5	-5.9	111.8
5204	2	62 C1-C2;~1 Max	I		30.6	44.6	0.3	226.1
127.7	5.4		J		30.6	44.6	0.3	226.1
122.6	15897.4	Min	I		-15.2	-26.5	-0.4	-195.9
-142.4	-7.9		J		-15.2	-26.5	-0.4	-195.9
-80.8	-26774.7							
204.5	2.4	C3-C4;~1 Max	I		10.1	9.9	0.7	133.1
144.3	6387.7		J		10.1	9.9	0.7	133.1
-151.6	-3.9	Min	I		-17.2	-10.6	-0.5	-81.6
-218.9	-5937.2		J		-17.2	-10.6	-0.5	-81.6
87.7	4.0	C1-C2;~2 Max	I		21.2	30.8	0.2	158.5
74.6	11551.0		J		21.2	30.8	0.2	158.5
-87.3	-5.5	Min	I		-10.2	-19.2	-0.3	-138.7
-54.1	-18510.8		J		-10.2	-19.2	-0.3	-138.7
147.8	1.8	C3-C4;~2 Max	I		6.7	5.5	0.5	89.1
92.5	4363.7		J		6.7	5.5	0.5	89.1
-95.0	-2.6	Min	I		-11.8	-7.3	-0.3	-55.7
-159.1	-3330.7		J		-11.8	-7.3	-0.3	-55.7
-99.4	-1.1	G1	I		3.0	7.0	-0.6	10.7
-0.5	-4228.6		J		3.0	7.0	0.3	10.7
-12.9	-0.9	G2	I		3.5	7.8	-0.0	12.6
			J		3.5	7.8	-0.0	12.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
14.0	-4666.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.6	1.4	0.0	4.9
2.0	-0.2			J	-0.6	1.4	0.0	4.9
-3.7	-835.4							
			Q5_pc Y	I	1.7	-3.9	-0.0	-13.9
-4.5	0.6			J	1.7	-3.9	-0.0	-13.9
9.3	2338.4							
			Q5_ps X	I	-0.6	1.2	0.0	4.6
1.0	-0.2			J	-0.6	1.2	0.0	4.6
-2.6	-737.2							
			Q5_ps Y	I	1.7	-3.4	-0.0	-13.2
-1.5	0.6			J	1.7	-3.4	-0.0	-13.2
6.3	2055.2							
			INVS LU Max	I	-266.3	126.0	8.0	555.7
3137.4	5.8			J	-266.3	126.0	9.3	555.7
1541.1	-13804.2		Min	I	-333.8	23.0	6.4	-39.0
2648.6	-13.2			J	-333.8	23.0	7.6	-39.0
2048.3	-75620.7							
			INVS LE Max	I	-225.7	97.9	6.3	430.7
2453.7	4.2			J	-225.7	97.9	7.2	430.7
1220.3	-13257.8		Min	I	-275.5	22.1	5.1	-8.0
2092.3	-9.8			J	-275.5	22.1	6.0	-8.0
1594.7	-58736.0							
			62 C1-C2;~1 Max	I	23.9	32.4	0.1	244.7
5205	2			J	23.9	32.4	0.1	244.7
43.3	21862.0							
			Min	I	-21.3	-49.5	-1.1	-187.6
405.8	12156.2			J	-21.3	-49.5	-1.1	-187.6
-405.9	-25474.2							
-47.9	-4132.9							
			C3-C4;~1 Max	I	15.5	34.2	0.3	261.2
113.3	23406.8			J	15.5	34.2	0.3	261.2
364.3	3655.1		Min	I	-17.2	-13.2	-1.0	-87.2
-349.1	-6953.2			J	-17.2	-13.2	-1.0	-87.2
-102.5	-4241.4							
			C1-C2;~2 Max	I	16.5	22.0	0.1	165.5
23.7	14766.8			J	16.5	22.0	0.1	165.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
244.0	8375.3							
			Min	I	-15.4	-34.1	-0.6	-121.9
-243.9	-17358.0			J	-15.4	-34.1	-0.6	-121.9
-27.2	-2882.1							
		C3-C4;~2	Max	I	10.5	23.3	0.2	178.6
75.9	15790.5			J	10.5	23.3	0.2	178.6
220.8	2250.4							
			Min	I	-12.3	-8.5	-0.6	-56.1
-208.8	-4367.8			J	-12.3	-8.5	-0.6	-56.1
-67.9	-2918.7							
		G1		I	3.6	-2.0	-1.2	-10.2
-324.0	25.1			J	3.6	-2.0	-0.1	-10.2
182.7	1541.5							
		G2		I	1.8	-7.7	-0.3	-34.6
-99.1	-3884.6			J	1.8	-7.7	-0.3	-34.6
100.0	1869.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-1.1	-1.2	-0.0	-1.5
-5.4	-762.1			J	-1.1	-1.2	-0.0	-1.5
4.3	168.8							
		Q5_pc Y		I	2.8	3.4	0.0	3.4
17.1	2044.2			J	2.8	3.4	0.0	3.4
-14.0	-475.6							
		Q5_ps X		I	-1.0	-1.0	-0.0	-0.5
-6.4	-577.5			J	-1.0	-1.0	-0.0	-0.5
5.3	144.4							
		Q5_ps Y		I	2.7	2.5	0.0	0.2
19.9	1491.2			J	2.7	2.5	0.0	0.2
-17.0	-402.5							
		INVSLE Max		I	-630.9	-44.6	1.0	122.4
624.3	-22190.6			J	-630.9	-44.6	2.5	122.4
47.9	31316.5							
			Min	I	-696.9	-163.7	-1.0	-489.6
-107.4	-91859.5			J	-696.9	-163.7	0.6	-489.6
-663.6	8323.6							
		INVSLE Max		I	-521.3	-41.0	0.9	74.6
532.7	-21151.9			J	-521.3	-41.0	2.0	74.6
-18.4	24338.0							
			Min	I	-569.8	-128.7	-0.5	-378.3
-7.0	-72486.0			J	-569.8	-128.7	0.6	-378.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.6	21.4							
9.2	-402.4	Q5_ps	Y	I	5.4	-0.5	0.0	-6.9
-10.2	-48.1			J	5.4	-0.5	0.0	-6.9
448.1	31330.5	INVSLU	Max	I	-920.2	20.4	0.4	288.7
407.5	21749.1			J	-920.2	20.4	1.9	288.7
-406.4	8324.8		Min	I	-986.6	-0.1	-1.8	-193.6
-427.5	646.0			J	-986.6	-0.1	-0.3	-193.6
380.2	24349.0	INVSLE	Max	I	-746.2	15.1	0.4	211.8
266.8	17244.0			J	-746.2	15.1	1.5	211.8
-252.3	7371.1		Min	I	-794.7	0.0	-1.3	-144.8
-351.1	1631.8			J	-794.7	0.0	-0.1	-144.8
5207	2	62 C1-C2;~1	Max	I	4.5	9.1	0.1	206.8
54.4	6227.6			J	4.5	9.1	0.1	206.8
551.4	4874.4		Min	I	-51.3	-3.3	-1.5	-78.4
-535.0	-8274.3			J	-51.3	-3.3	-1.5	-78.4
-56.1	-10953.3							
110.9	2785.8	C3-C4;~1	Max	I	5.0	8.0	0.3	175.2
521.9	1728.0			J	5.0	8.0	0.3	175.2
-482.8	-9204.2		Min	I	-42.5	-2.5	-1.3	-26.0
-87.8	-11723.4			J	-42.5	-2.5	-1.3	-26.0
28.1	4208.4	C1-C2;~2	Max	I	2.4	6.3	0.1	139.8
333.2	3167.4			J	2.4	6.3	0.1	139.8
-323.5	-5802.3		Min	I	-32.7	-2.0	-0.9	-46.5
-29.2	-7566.4			J	-32.7	-2.0	-0.9	-46.5
70.7	1850.0	C3-C4;~2	Max	I	2.7	5.4	0.2	117.5
319.9	1083.5			J	2.7	5.4	0.2	117.5
-293.6	-6465.1		Min	I	-26.5	-1.6	-0.8	-12.6
-53.3	-8188.0			J	-26.5	-1.6	-0.8	-12.6
-378.4	174.0	G1		I	-29.3	0.3	-1.4	5.3
255.7	-51.3			J	-29.3	0.3	-0.3	5.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-118.1	994.6	G2	I	-11.4	0.2	-0.3	-2.3
			J	-11.4	0.2	-0.3	-2.3
123.9	864.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-2.5	0.1	0.0	1.3
1.9	53.3		J	-2.5	0.1	0.0	1.3
-1.2	-23.6						
		Q5_pc Y	I	6.8	-0.3	-0.0	-4.2
-2.3	-147.6		J	6.8	-0.3	-0.0	-4.2
0.3	70.6						
		Q5_ps X	I	-2.4	0.1	-0.0	1.6
-0.3	21.4		J	-2.4	0.1	-0.0	1.6
0.9	-75.7						
		Q5_ps Y	I	6.6	-0.4	0.0	-5.2
4.0	-48.0		J	6.6	-0.4	0.0	-5.2
-5.9	233.8						
		INVSLE Max	I	-1183.4	13.7	-0.2	333.2
228.5	21743.6		J	-1183.4	13.7	1.4	333.2
645.9	19004.6	Min	I	-1272.2	-3.6	-2.5	-59.4
-647.8	644.9		J	-1272.2	-3.6	-1.0	-59.4
-219.3	-3529.5						
		INVSLE Max	I	-949.2	10.2	-0.0	251.6
198.8	17239.7		J	-949.2	10.2	1.1	251.6
458.3	15134.1	Min	I	-1013.8	-2.5	-1.8	-38.6
-449.9	1630.7		J	-1013.8	-2.5	-0.7	-38.6
-182.4	-1548.5						
5208	2	62 C1-C2;~1 Max	I	7.1	14.0	0.2	166.7
54.4	4875.8		J	7.1	14.0	0.2	166.7
543.1	7847.3	Min	I	-70.2	-6.2	-1.4	-97.2
-513.7	-10955.6		J	-70.2	-6.2	-1.4	-97.2
-57.4	-18554.4						
		C3-C4;~1 Max	I	7.9	14.8	0.3	128.7
111.5	1728.4		J	7.9	14.8	0.3	128.7
526.3	2172.7	Min	I	-59.3	-2.7	-1.3	-78.0
-472.7	-11725.6		J	-59.3	-2.7	-1.3	-78.0
-86.8	-19506.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
28.1	3168.3	C1-C2;~2	Max	I	3.8	9.5	0.1	112.7
				J	3.8	9.5	0.1	112.7
328.7	4932.3		Min	I	-44.0	-3.8	-0.9	-58.3
-311.1	-7568.0			J	-44.0	-3.8	-0.9	-58.3
-29.9	-12607.2							
71.2	1083.7	C3-C4;~2	Max	I	4.2	10.2	0.2	84.9
				J	4.2	10.2	0.2	84.9
324.0	1224.4		Min	I	-36.4	-1.6	-0.8	-50.1
-288.7	-8189.5			J	-36.4	-1.6	-0.8	-50.1
-52.3	-13493.6							
-363.4	-51.1		G1	I	-43.0	0.0	-1.4	4.5
				J	-43.0	0.0	-0.3	4.5
249.7	-52.5							
-111.6	864.4		G2	I	-16.9	-1.1	-0.3	4.8
				J	-16.9	-1.1	-0.3	4.8
119.8	1684.4							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
1.5	-23.6		Q5_pc X	I	-2.9	0.1	0.0	0.6
				J	-2.9	0.1	0.0	0.6
-0.7	-133.7							
-1.1	70.8		Q5_pc Y	I	8.0	-0.4	0.0	-2.1
				J	8.0	-0.4	0.0	-2.1
-1.2	401.1							
-0.7	-75.8		Q5_ps X	I	-2.7	0.2	-0.0	0.5
				J	-2.7	0.2	-0.0	0.5
1.5	-242.1							
5.1	234.1		Q5_ps Y	I	7.5	-0.7	0.0	-1.8
				J	7.5	-0.7	0.0	-1.8
-7.6	738.1							
145.3	19010.1		INVSLU Max	I	-1392.8	21.6	-0.4	367.0
				J	-1392.8	21.6	1.1	367.0
738.6	22414.8							
			Min	I	-1512.7	-7.5	-2.7	7.1
-701.3	-3529.3			J	-1512.7	-7.5	-1.2	7.1
-113.9	-15234.3							
127.7	15138.4		INVSLE Max	I	-1108.6	16.2	-0.3	283.8
				J	-1108.6	16.2	0.9	283.8
535.1	17432.7							


MIDAS

PROJECT TITLE :

		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-499.2	-1548.0		Min	I	-1196.3	-5.3	-2.0	17.4	
				J	-1196.3	-5.3	-0.8	17.4	
-96.2	-10402.1								
5209	2	62	C1-C2;~1	Max	I	8.7	34.1	0.2	183.8
78.8	7844.5				J	8.7	34.1	0.2	183.8
517.0	33684.9								
			Min	I	-84.5	-69.5	-1.3	-283.7	
-478.6	-18549.4			J	-84.5	-69.5	-1.3	-283.7	
-75.8	-17847.8								
			C3-C4;~1	Max	I	9.8	10.8	0.4	65.1
170.8	2171.9			J	9.8	10.8	0.4	65.1	
394.2	33393.7								
			Min	I	-79.2	-70.2	-1.0	-296.5	
-361.3	-19501.2			J	-79.2	-70.2	-1.0	-296.5	
-151.8	-6077.4								
			C1-C2;~2	Max	I	4.7	20.9	0.1	120.5
45.8	4930.6			J	4.7	20.9	0.1	120.5	
311.9	22058.6								
			Min	I	-52.9	-46.0	-0.8	-193.3	
-289.3	-12603.8			J	-52.9	-46.0	-0.8	-193.3	
-42.8	-10844.8								
			C3-C4;~2	Max	I	5.2	6.1	0.3	37.7
113.7	1223.9			J	5.2	6.1	0.3	37.7	
232.8	22328.4								
			Min	I	-49.0	-47.4	-0.6	-203.8	
-213.3	-13490.2			J	-49.0	-47.4	-0.6	-203.8	
-99.0	-3287.3								
			G1	I	-52.9	0.3	-1.3	2.8	
-337.2	-52.8			J	-52.9	0.3	-0.2	2.8	
232.0	-291.2								
			G2	I	-19.3	8.6	-0.3	33.9	
-111.3	1683.7			J	-19.3	8.6	-0.3	33.9	
124.7	-4695.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-3.9	-1.0	0.0	-2.7	
1.7	-133.7			J	-3.9	-1.0	0.0	-2.7	
-1.3	601.0								
			Q5_pc Y	I	10.7	3.1	-0.0	8.3	
-2.2	401.1			J	10.7	3.1	-0.0	8.3	
0.8	-1859.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.2	-242.0	Q5_ps X	I	-3.7	-1.5	-0.0	-4.6
0.3	867.9		J	-3.7	-1.5	-0.0	-4.6
2.3	738.0	Q5_ps Y	I	10.3	4.6	0.0	14.0
-3.8	-2683.9		J	10.3	4.6	0.0	14.0
269.8	22402.5	INVS LU Max	I	-1569.9	115.8	0.0	527.3
591.5	9045.5		J	-1569.9	115.8	1.5	527.3
-610.8	-15236.1	Min	I	-1716.5	-30.4	-2.4	-136.1
-313.7	-63870.2		J	-1716.5	-30.4	-0.9	-136.1
220.4	17423.1	INVS LE Max	I	-1242.9	90.8	0.1	410.5
422.8	3619.6		J	-1242.9	90.8	1.2	410.5
-431.6	-10403.9	Min	I	-1350.0	-17.2	-1.7	-79.8
-247.6	-50144.1		J	-1350.0	-17.2	-0.6	-79.8
5210	2	62 C1-C2;~1 Max	I	10.0	66.2	0.2	372.5
64.1	33670.0		J	10.0	66.2	0.2	372.5
536.6	8297.0	Min	I	-98.2	-32.5	-1.3	-180.1
-490.7	-17855.2		J	-98.2	-32.5	-1.3	-180.1
-65.7	-19456.0						
65.7	33377.1	C3-C4;~1 Max	I	11.3	66.7	0.2	372.8
555.3	1877.5		J	11.3	66.7	0.2	372.8
-506.6	-6084.5	Min	I	-93.1	-10.0	-1.3	-42.1
-69.1	-20221.0		J	-93.1	-10.0	-1.3	-42.1
33.1	22048.7	C1-C2;~2 Max	I	5.4	44.0	0.1	247.2
327.7	5214.8		J	5.4	44.0	0.1	247.2
-300.0	-10849.3	Min	I	-61.2	-20.0	-0.8	-110.8
-34.0	-13239.3		J	-61.2	-20.0	-0.8	-110.8
33.4	22316.3	C3-C4;~2 Max	I	6.1	45.2	0.1	253.1
345.4	993.6		J	6.1	45.2	0.1	253.1
-315.0	-3292.3	Min	I	-57.2	-5.3	-0.8	-19.6
-35.7	-14012.1		J	-57.2	-5.3	-0.8	-19.6
-328.6	-302.8	G1	I	-62.1	-0.3	-1.3	3.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
206.0	-25.3		J	-62.1	-0.3	-0.1	3.1
-85.9	-4699.6	G2	I	-22.7	-8.0	-0.2	-33.4
101.9	1741.2		J	-22.7	-8.0	-0.2	-33.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	600.3	Q5_pc X	I	-5.2	0.9	-0.0	4.4
0.1	-127.0		J	-5.2	0.9	-0.0	4.4
3.4	-1857.0	Q5_pc Y	I	14.3	-2.8	0.0	-13.7
-3.8	374.4		J	14.3	-2.8	0.0	-13.7
-2.3	867.2	Q5_ps X	I	-5.1	1.4	-0.0	6.4
2.3	-242.8		J	-5.1	1.4	-0.0	6.4
10.0	-2681.8	Q5_ps Y	I	14.1	-4.3	0.0	-19.9
-10.3	733.9		J	14.1	-4.3	0.0	-19.9
50.8	8955.5	INVSLE Max	I	-1720.4	31.1	-0.7	300.9
830.6	22726.4		J	-1720.4	31.1	0.9	300.9
-728.0	-63946.2	Min	I	-1895.1	-107.9	-2.8	-470.1
-19.1	-16447.0		J	-1895.1	-107.9	-1.1	-470.1
40.9	3552.2	INVSLE Max	I	-1356.4	18.1	-0.5	207.6
616.6	17633.2		J	-1356.4	18.1	0.7	207.6
-535.5	-50201.4	Min	I	-1483.3	-84.4	-2.0	-361.7
-12.3	-11334.1		J	-1483.3	-84.4	-0.8	-361.7
5211	2	62 C1-C2;~1 Max	I	12.3	6.8	0.2	193.8
67.2	8299.5		J	12.3	6.8	0.2	193.8
495.9	4206.3	Min	I	-113.9	-15.1	-1.2	-142.8
-449.7	-19461.6		J	-113.9	-15.1	-1.2	-142.8
-62.3	-10077.1						
133.9	1878.2	C3-C4;~1 Max	I	13.8	2.3	0.3	183.4
466.2	1553.6		J	13.8	2.3	0.3	183.4
-399.8	-20226.4	Min	I	-101.8	-16.4	-1.1	-113.1


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-100.9	-10541.5		J	-101.8	-16.4	-1.1	-113.1
36.8	5216.3	C1-C2;~2 Max	I	6.6	4.1	0.1	129.4
302.3	2676.8		J	6.6	4.1	0.1	129.4
-275.1	-13243.0	Min	I	-70.5	-10.3	-0.7	-90.8
-32.5	-6961.5		J	-70.5	-10.3	-0.7	-90.8
86.9	993.9	C3-C4;~2 Max	I	7.3	1.2	0.2	123.1
287.5	883.8		J	7.3	1.2	0.2	123.1
-245.1	-14015.8	Min	I	-62.0	-11.3	-0.7	-73.3
-61.7	-7366.1		J	-62.0	-11.3	-0.7	-73.3
-305.5	-25.4	G1	I	-73.5	0.0	-1.2	2.1
185.5	-54.7		J	-73.5	0.0	-0.0	2.1
-87.6	1741.8	G2	I	-28.2	1.4	-0.2	-4.9
102.8	597.9		J	-28.2	1.4	-0.2	-4.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.7	-127.2	Q5_pc X	I	-6.1	-0.2	0.0	0.9
-0.6	10.6		J	-6.1	-0.2	0.0	0.9
1.0	374.9	Q5_pc Y	I	16.7	0.5	0.0	-3.1
-1.7	-50.6		J	16.7	0.5	0.0	-3.1
-1.1	-243.0	Q5_ps X	I	-5.9	-0.3	-0.0	1.2
1.2	-39.2		J	-5.9	-0.3	-0.0	1.2
6.1	734.5	Q5_ps Y	I	16.3	0.8	0.0	-4.0
-6.9	105.0		J	16.3	0.8	0.0	-4.0
89.6	22734.9	INVSLU Max	I	-1856.1	12.6	-0.6	194.2
744.7	14526.1		J	-1856.1	12.6	1.0	194.2
-700.1	-16449.9	Min	I	-2059.3	-19.6	-2.6	-265.9
-64.1	-5474.5		J	-2059.3	-19.6	-1.0	-265.9
		INVSLE Max	I	-1457.5	9.4	-0.4	138.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
75.9	17640.0			J	-1457.5	9.4	0.8	138.0	
548.7	11521.6		Min	I	-1605.2	-14.4	-1.9	-202.3	
-509.0	-11335.7			J	-1605.2	-14.4	-0.7	-202.3	
-50.1	-3287.0								
5212	2	62	C1-C2;~1	Max	I	15.0	6.4	0.2	160.7
85.0	4205.6			J	15.0	6.4	0.2	160.7	
476.1	4383.8		Min	I	-124.7	-6.3	-1.1	-151.4	
-422.6	-10074.0			J	-124.7	-6.3	-1.1	-151.4	
-73.7	-10255.2								
			C3-C4;~1	Max	I	16.9	6.4	0.3	150.7
140.9	1553.8			J	16.9	6.4	0.3	150.7	
456.2	1423.3		Min	I	-112.4	-6.4	-1.0	-144.7	
-385.0	-10538.7			J	-112.4	-6.4	-1.0	-144.7	
-108.7	-10567.5								
			C1-C2;~2	Max	I	8.1	4.4	0.1	106.6
49.3	2676.4			J	8.1	4.4	0.1	106.6	
290.7	2780.5		Min	I	-76.5	-4.4	-0.7	-102.9	
-258.7	-6959.5			J	-76.5	-4.4	-0.7	-102.9	
-40.3	-7055.3								
			C3-C4;~2	Max	I	9.0	4.4	0.2	99.9
91.5	883.9			J	9.0	4.4	0.2	99.9	
282.5	771.8		Min	I	-67.9	-4.4	-0.6	-95.8	
-237.1	-7364.2			J	-67.9	-4.4	-0.6	-95.8	
-66.9	-7369.7								
			G1	I	-83.5	0.0	-1.2	2.0	
-284.1	-54.7			J	-83.5	0.0	0.0	2.0	
167.9	-76.5								
			G2	I	-32.2	0.0	-0.2	0.6	
-78.1	597.5			J	-32.2	0.0	-0.2	0.6	
95.0	590.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-6.5	0.0	0.0	-0.1
1.2	10.7			J	-6.5	0.0	0.0	-0.1	
-0.9	7.9								
			Q5_pc	Y	I	17.9	-0.0	0.0	-0.1
-0.5	-50.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.8	-45.8		J	17.9	-0.0	0.0	-0.1
-0.4	-39.1	Q5_ps X	I	-6.3	0.0	-0.0	-0.2
0.8	-45.3		J	-6.3	0.0	-0.0	-0.2
4.2	104.9	Q5_ps Y	I	17.3	-0.0	0.0	0.3
-5.7	120.2		J	17.3	-0.0	0.0	0.3
140.1	14521.9	INVSLU Max	I	-1982.8	9.5	-0.6	233.8
722.5	14051.6		J	-1982.8	9.5	1.1	233.8
-622.9	-5474.2	Min	I	-2206.1	-7.8	-2.5	-187.7
-68.7	-6215.1		J	-2206.1	-7.8	-0.9	-187.7
112.0	11518.2	INVSLE Max	I	-1551.4	7.1	-0.4	174.3
533.3	11124.8		J	-1551.4	7.1	0.8	174.3
-453.0	-3287.0	Min	I	-1714.4	-5.7	-1.8	-137.9
-52.6	-3881.4		J	-1714.4	-5.7	-0.6	-137.9
5213	2	62 C1-C2;~1 Max	I	18.0	16.6	0.2	138.9
105.4	4384.9		J	18.0	16.6	0.2	138.9
453.4	9016.8	Min	I	-136.9	-7.5	-1.1	-182.2
-393.5	-10258.0		J	-136.9	-7.5	-1.1	-182.2
-90.3	-20703.0						
150.1	1423.0	C3-C4;~1 Max	I	20.2	17.2	0.3	125.1
446.9	1780.8		J	20.2	17.2	0.3	125.1
-366.4	-10569.9	Min	I	-123.9	-2.3	-1.0	-179.9
-115.7	-20833.6		J	-123.9	-2.3	-1.0	-179.9
63.4	2781.2	C1-C2;~2 Max	I	9.7	11.1	0.1	91.8
277.6	5602.6		J	9.7	11.1	0.1	91.8
-241.3	-7057.1	Min	I	-83.5	-4.6	-0.6	-123.7
-51.6	-13904.4		J	-83.5	-4.6	-0.6	-123.7
97.5	771.6	C3-C4;~2 Max	I	10.7	11.8	0.2	81.6
278.3	772.9		J	10.7	11.8	0.2	81.6
-226.8	-7371.4	Min	I	-74.5	-1.1	-0.6	-120.6
-71.2	-14330.6		J	-74.5	-1.1	-0.6	-120.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-259.5	-76.4	G1	I	-92.7	0.1	-1.1	2.0
			J	-92.7	0.1	0.1	2.0
147.3	-184.0						
		G2	I	-35.8	-1.4	-0.2	6.2
-67.4	590.8		J	-35.8	-1.4	-0.2	6.2
85.5	1720.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-7.0	0.2	0.0	-1.1
1.0	7.8		J	-7.0	0.2	0.0	-1.1
-0.5	-174.9						
		Q5_pc Y	I	19.1	-0.7	0.0	3.0
-0.0	-45.5		J	19.1	-0.7	0.0	3.0
-1.8	505.1						
		Q5_ps X	I	-6.7	0.3	-0.0	-1.7
-0.5	-45.4		J	-6.7	0.3	-0.0	-1.7
1.1	-310.9						
		Q5_ps Y	I	18.5	-1.0	0.0	4.7
4.4	120.6		J	18.5	-1.0	0.0	4.7
-6.5	926.8						
		INVSLU Max	I	-2095.2	22.7	-0.5	294.6
165.4	14056.5		J	-2095.2	22.7	1.2	294.6
664.6	21669.9						
		Min	I	-2341.6	-12.0	-2.4	-144.4
-570.4	-6214.4		J	-2341.6	-12.0	-0.7	-144.4
-106.9	-19537.3						
		INVSLE Max	I	-1635.4	16.8	-0.3	225.7
130.1	11128.7		J	-1635.4	16.8	0.9	225.7
491.2	16704.0						
		Min	I	-1815.4	-8.8	-1.7	-99.0
-414.8	-3880.7		J	-1815.4	-8.8	-0.5	-99.0
-80.1	-13752.4						
5214	2	62 C1-C2;~1 Max	I	20.3	35.2	0.3	166.8
154.1	9013.8		J	20.3	35.2	0.3	166.8
405.9	38126.9						
		Min	I	-150.2	-72.8	-0.9	-368.3
-349.0	-20697.0		J	-150.2	-72.8	-0.9	-368.3
-125.6	-19573.3						
		C3-C4;~1 Max	I	22.8	7.9	0.5	42.5
231.4	1780.1		J	22.8	7.9	0.5	42.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
308.2	36018.7		Min	I	-143.7	-70.4	-0.7	-369.1
-257.9	-20828.1			J	-143.7	-70.4	-0.7	-369.1
-199.3	-4707.9							
		C1-C2;~2	Max	I	11.0	21.2	0.2	103.4
97.8	5600.8			J	11.0	21.2	0.2	103.4
247.5	24416.6		Min	I	-91.8	-47.4	-0.6	-245.9
-213.5	-13900.5			J	-91.8	-47.4	-0.6	-245.9
-76.6	-11661.9							
		C3-C4;~2	Max	I	12.1	3.5	0.4	20.5
154.4	772.5			J	12.1	3.5	0.4	20.5
183.8	23727.9		Min	I	-86.9	-47.1	-0.4	-250.7
-153.8	-14326.9			J	-86.9	-47.1	-0.4	-250.7
-129.9	-2084.7							
		G1		I	-101.4	-0.4	-1.0	-2.3
-224.4	-184.1			J	-101.4	-0.4	0.2	-2.3
113.8	121.2							
		G2		I	-38.0	8.1	-0.2	34.0
-62.7	1719.3			J	-38.0	8.1	-0.2	34.0
83.3	-4755.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-7.8	-1.4	0.0	-5.9
1.8	-174.9			J	-7.8	-1.4	0.0	-5.9
-1.4	952.2							
		Q5_pc	Y	I	21.1	4.2	-0.0	17.4
-2.6	504.9			J	21.1	4.2	-0.0	17.4
1.2	-2901.5							
		Q5_ps	X	I	-7.5	-2.0	0.0	-8.5
0.8	-310.8			J	-7.5	-2.0	0.0	-8.5
-0.5	1292.4							
		Q5_ps	Y	I	20.6	6.1	0.0	25.3
-0.0	926.5			J	20.6	6.1	0.0	25.3
-1.3	-3949.8							
		INVSLU	Max	I	-2202.4	109.3	-0.2	479.8
322.7	21658.8			J	-2202.4	109.3	1.5	479.8
610.9	16576.2		Min	I	-2474.0	-44.1	-2.2	-275.1
-465.4	-19536.6			J	-2474.0	-44.1	-0.5	-275.1

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-208.7	-66541.9							
		INVSLE	Max	I	-1715.8	85.0	-0.1	369.9
252.4	16695.3			J	-1715.8	85.0	1.1	369.9
443.6	9290.4							
		Min		I	-1914.2	-28.1	-1.6	-186.9
-331.1	-13752.5			J	-1914.2	-28.1	-0.4	-186.9
-163.3	-51891.7							
5215	2	62 C1-C2;~1	Max	I	22.0	73.0	0.3	384.4
115.9	38120.0			J	22.0	73.0	0.3	384.4
456.2	9154.3							
		Min		I	-159.2	-35.7	-1.1	-190.7
-393.4	-19574.0			J	-159.2	-35.7	-1.1	-190.7
-101.2	-20718.8							
		C3-C4;~1	Max	I	24.8	70.4	0.2	375.9
84.1	36018.0			J	24.8	70.4	0.2	375.9
484.9	1924.7							
		Min		I	-152.0	-8.0	-1.1	-43.8
-416.7	-4711.1			J	-152.0	-8.0	-1.1	-43.8
-76.0	-20830.1							
		C1-C2;~2	Max	I	11.9	47.5	0.2	253.5
68.3	24411.9			J	11.9	47.5	0.2	253.5
282.5	5694.5							
		Min		I	-97.1	-21.6	-0.7	-117.2
-244.0	-11662.1			J	-97.1	-21.6	-0.7	-117.2
-57.1	-13915.8							
		C3-C4;~2	Max	I	13.2	47.1	0.1	254.5
47.3	23727.8			J	13.2	47.1	0.1	254.5
306.3	868.5							
		Min		I	-91.8	-3.5	-0.7	-19.8
-263.6	-2086.3			J	-91.8	-3.5	-0.7	-19.8
-39.1	-14326.5							
		G1		I	-108.1	0.4	-1.0	6.7
-216.6	115.3			J	-108.1	0.4	0.2	6.7
109.8	-187.4							
		G2		I	-40.6	-8.1	-0.1	-32.2
-43.3	-4757.7			J	-40.6	-8.1	-0.1	-32.2
65.1	1708.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-8.6	1.4	0.0	5.3
0.6	952.0			J	-8.6	1.4	0.0	5.3
-0.4	-154.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.6	-2900.8	Q5_pc	Y	I	23.2	-4.2	0.0	-16.4
-2.6	440.6			J	23.2	-4.2	0.0	-16.4
-1.3	1292.3	Q5_ps	X	I	-8.3	2.0	-0.0	7.5
1.4	-290.5			J	-8.3	2.0	-0.0	7.5
7.0	-3949.3	Q5_ps	Y	I	22.7	-6.0	0.0	-23.3
-7.9	862.3			J	22.7	-6.0	0.0	-23.3
41.6	16544.4	INVS LU	Max	I	-2292.3	44.7	-0.7	315.0
785.2	21344.2			J	-2292.3	44.7	0.9	315.0
-680.4	-66564.1		Min	I	-2582.4	-109.5	-2.6	-490.9
-10.9	-19927.8			J	-2582.4	-109.5	-1.0	-490.9
29.4	9266.8	INVS LE	Max	I	-1782.8	28.5	-0.6	217.8
587.4	16444.4			J	-1782.8	28.5	0.6	217.8
-505.2	-51908.2		Min	I	-1994.6	-85.1	-2.0	-377.0
-1.9	-14068.8			J	-1994.6	-85.1	-0.8	-377.0
5216	2	62 C1-C2;~1	Max	I	23.9	7.4	0.3	190.3
149.1	9157.2			J	23.9	7.4	0.3	190.3
396.2	4539.9		Min	I	-165.7	-16.6	-0.9	-148.4
-333.8	-20724.6			J	-165.7	-16.6	-0.9	-148.4
-112.2	-10307.9							
198.6	1925.1	C3-C4;~1	Max	I	26.9	2.3	0.4	184.3
381.8	1665.7			J	26.9	2.3	0.4	184.3
-297.7	-20835.5		Min	I	-152.3	-17.2	-0.8	-125.0
-143.1	-10614.7			J	-152.3	-17.2	-0.8	-125.0
93.0	5696.2	C1-C2;~2	Max	I	12.9	4.5	0.2	126.8
244.7	2873.6			J	12.9	4.5	0.2	126.8
-206.8	-13919.6		Min	I	-100.7	-11.1	-0.6	-92.1
-65.7	-7081.3			J	-100.7	-11.1	-0.6	-92.1
130.2	868.6	C3-C4;~2	Max	I	14.3	1.1	0.3	123.5
239.4	924.9			J	14.3	1.1	0.3	123.5
			Min	I	-91.5	-11.7	-0.5	-80.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-185.4	-14330.2		J	-91.5	-11.7	-0.5	-80.8
-89.3	-7396.6						
		G1	I	-112.5	-0.1	-0.9	2.4
-177.9	-187.4		J	-112.5	-0.1	0.3	2.4
75.7	-80.6						
		G2	I	-43.4	1.4	-0.1	-4.5
-39.1	1708.8		J	-43.4	1.4	-0.1	-4.5
60.8	576.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-9.1	-0.3	0.0	0.6
1.3	-154.8		J	-9.1	-0.3	0.0	0.6
-1.0	46.1						
		Q5_pc Y	I	24.3	0.8	-0.0	-2.1
-1.1	441.2		J	24.3	0.8	-0.0	-2.1
-0.4	-167.8						
		Q5_ps X	I	-8.7	-0.4	-0.0	0.8
0.1	-290.7		J	-8.7	-0.4	-0.0	0.8
0.3	-7.6						
		Q5_ps Y	I	23.5	1.1	0.0	-2.9
2.3	862.9		J	23.5	1.1	0.0	-2.9
-4.0	0.3						
		INVSLU Max	I	-2358.1	12.5	-0.4	178.6
258.9	21354.3		J	-2358.1	12.5	1.3	178.6
617.5	13440.9						
		Min	I	-2661.8	-22.1	-2.2	-282.6
-462.2	-19929.8		J	-2661.8	-22.1	-0.5	-282.6
-112.5	-7319.9						
		INVSLE Max	I	-1831.2	9.2	-0.3	125.6
197.8	16452.3		J	-1831.2	9.2	0.9	125.6
458.1	10615.0						
		Min	I	-2052.9	-16.3	-1.6	-215.7
-336.2	-14069.7		J	-2052.9	-16.3	-0.4	-215.7
-82.5	-4741.0						
		62 C1-C2;~1 Max	I	26.7	6.5	0.4	161.2
5217	2		J	26.7	6.5	0.4	161.2
164.6	4538.8						
		Min	I	-171.2	-6.4	-0.8	-157.2
375.4	4583.5		J	-171.2	-6.4	-0.8	-157.2
-307.9	-10304.2						
-124.3	-10352.4						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
201.9	1665.9	C3-C4;~1 Max	I	30.0	6.4	0.4	152.1
			J	30.0	6.4	0.4	152.1
373.4	1709.4						
		Min	I	-158.1	-6.4	-0.8	-149.9
-287.1	-10611.4		J	-158.1	-6.4	-0.8	-149.9
-147.3	-10639.1						
		C1-C2;~2 Max	I	14.4	4.5	0.2	107.3
103.3	2872.9		J	14.4	4.5	0.2	107.3
232.7	2895.3						
		Min	I	-103.7	-4.4	-0.5	-105.8
-191.1	-7078.8		J	-103.7	-4.4	-0.5	-105.8
-73.8	-7102.3						
		C3-C4;~2 Max	I	16.0	4.4	0.3	100.8
131.9	925.1		J	16.0	4.4	0.3	100.8
236.1	950.1						
		Min	I	-94.7	-4.4	-0.5	-98.8
-180.5	-7394.3		J	-94.7	-4.4	-0.5	-98.8
-91.7	-7409.9						
		G1	I	-117.0	0.0	-0.9	2.4
-155.7	-80.6		J	-117.0	0.0	0.3	2.4
55.1	-82.1						
		G2	I	-45.1	0.0	-0.1	0.9
-29.0	576.0		J	-45.1	0.0	-0.1	0.9
51.6	575.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-9.4	-0.0	0.0	-0.3
1.5	46.2		J	-9.4	-0.0	0.0	-0.3
-1.2	57.5						
		Q5_pc Y	I	25.0	0.0	-0.0	0.7
-1.7	-168.0		J	25.0	0.0	-0.0	0.7
-0.0	-201.1						
		Q5_ps X	I	-9.0	-0.0	0.0	-0.5
0.4	-7.5		J	-9.0	-0.0	0.0	-0.5
0.1	3.0						
		Q5_ps Y	I	24.3	0.0	0.0	1.3
1.6	0.0		J	24.3	0.0	0.0	1.3
-3.5	-30.6						
		INVSLU Max	I	-2424.5	8.9	-0.3	228.9
284.6	13436.3		J	-2424.5	8.9	1.3	228.9
578.8	13442.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-406.6	-7318.7	Min	I	-2741.1	-8.6	-2.0	-202.2
			J	-2741.1	-8.6	-0.4	-202.2
-128.9	-7469.5						
		INVSLE Max	I	-1880.6	6.6	-0.2	169.6
216.2	10611.3		J	-1880.6	6.6	1.0	169.6
429.8	10604.6						
		Min	I	-2111.8	-6.4	-1.5	-149.6
-295.6	-4740.4		J	-2111.8	-6.4	-0.3	-149.6
-94.2	-4859.3						
5218	2	62 C1-C2;~1 Max	I	29.2	16.8	0.4	141.1
197.0	4584.8		J	29.2	16.8	0.4	141.1
374.0	9271.6						
		Min	I	-176.9	-7.5	-0.8	-185.8
-302.7	-10356.4		J	-176.9	-7.5	-0.8	-185.8
-156.5	-20957.6						
		C3-C4;~1 Max	I	32.8	17.3	0.5	127.0
223.2	1708.9		J	32.8	17.3	0.5	127.0
382.2	1963.2						
		Min	I	-163.4	-2.3	-0.8	-181.7
-287.0	-10642.8		J	-163.4	-2.3	-0.8	-181.7
-164.5	-20979.0						
		C1-C2;~2 Max	I	15.8	11.2	0.3	93.8
124.5	2896.1		J	15.8	11.2	0.3	93.8
232.4	5730.8						
		Min	I	-106.9	-4.5	-0.5	-125.1
-188.3	-7104.9		J	-106.9	-4.5	-0.5	-125.1
-94.9	-14027.4						
		C3-C4;~2 Max	I	17.5	11.8	0.3	82.8
145.3	949.7		J	17.5	11.8	0.3	82.8
242.8	867.0						
		Min	I	-97.5	-1.1	-0.5	-121.4
-181.1	-7412.5		J	-97.5	-1.1	-0.5	-121.4
-102.0	-14409.7						
		G1	I	-120.6	0.2	-0.8	2.5
-137.5	-82.1		J	-120.6	0.2	0.4	2.5
39.7	-230.7						
		G2	I	-46.6	-1.4	-0.1	6.3
-20.7	575.7		J	-46.6	-1.4	-0.1	6.3
44.1	1692.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-9.7	0.2	0.0	-1.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.4	57.4			J	-9.7	0.2	0.0	-1.3
-1.0	-111.9							
-1.4	-200.8	Q5_pc	Y	I	26.0	-0.7	-0.0	3.5
-0.4	320.8			J	26.0	-0.7	-0.0	3.5
0.3	2.9	Q5_ps	X	I	-9.4	0.3	0.0	-1.9
0.2	-252.3			J	-9.4	0.3	0.0	-1.9
1.7	-30.2	Q5_ps	Y	I	25.1	-1.0	0.0	5.3
-3.8	755.9			J	25.1	-1.0	0.0	5.3
318.5	13446.8	INVSLU	Max	I	-2506.5	22.4	-0.2	293.1
553.7	21176.9			J	-2506.5	22.4	1.4	293.1
-394.0	-7471.9		Min	I	-2836.4	-12.4	-2.0	-154.5
-186.1	-20238.9			J	-2836.4	-12.4	-0.4	-154.5
240.9	10607.6	INVSLE	Max	I	-1942.9	16.5	-0.1	223.5
411.2	16305.0			J	-1942.9	16.5	1.1	223.5
-286.7	-4860.9		Min	I	-2183.8	-9.1	-1.5	-107.5
-136.7	-14330.6			J	-2183.8	-9.1	-0.3	-107.5
5219	2	62 C1-C2;~1	Max	I	30.6	36.1	0.6	175.6
253.0	9269.5			J	30.6	36.1	0.6	175.6
316.0	38852.7		Min	I	-181.8	-74.1	-0.7	-375.0
-249.7	-20953.2			J	-181.8	-74.1	-0.7	-375.0
-205.0	-19861.1							
324.2	1962.9	C3-C4;~1	Max	I	34.4	7.9	0.7	41.5
227.7	36817.1			J	34.4	7.9	0.7	41.5
-169.2	-20974.9		Min	I	-176.5	-71.0	-0.5	-371.5
-271.6	-4735.9			J	-176.5	-71.0	-0.5	-371.5
163.7	5729.6	C1-C2;~2	Max	I	16.5	21.7	0.4	108.7
195.1	24744.3			J	16.5	21.7	0.4	108.7
-154.7	-14024.6		Min	I	-110.2	-48.0	-0.4	-248.9
-128.4	-11723.4			J	-110.2	-48.0	-0.4	-248.9
215.7	866.9	C3-C4;~2	Max	I	18.3	3.4	0.5	18.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
136.7	24099.1		J	18.3	3.4	0.5	18.8
		Min	I	-106.1	-47.4	-0.3	-251.7
-101.3	-14407.0		J	-106.1	-47.4	-0.3	-251.7
-176.9	-2027.4						
		G1	I	-122.8	-0.6	-0.7	-3.1
-97.3	-230.7		J	-122.8	-0.6	0.5	-3.1
0.1	239.4						
		G2	I	-46.1	8.0	-0.1	33.4
-14.2	1692.1		J	-46.1	8.0	-0.1	33.4
39.8	-4723.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-10.2	-1.3	0.0	-5.5
2.2	-111.9		J	-10.2	-1.3	0.0	-5.5
-2.0	912.6						
		Q5_pc Y	I	27.1	3.9	-0.0	16.7
-4.1	320.6		J	27.1	3.9	-0.0	16.7
3.0	-2835.3						
		Q5_ps X	I	-9.9	-1.9	0.0	-8.2
1.7	-252.2		J	-9.9	-1.9	0.0	-8.2
-1.6	1265.7						
		Q5_ps Y	I	26.4	5.8	-0.0	24.8
-3.0	755.6		J	26.4	5.8	-0.0	24.8
1.9	-3919.0						
		INVSLU Max	I	-2561.6	107.9	0.3	481.9
508.1	21169.8		J	-2561.6	107.9	1.9	481.9
452.0	18813.1						
		Min	I	-2902.3	-47.9	-1.7	-291.4
-274.0	-20237.4		J	-2902.3	-47.9	-0.1	-291.4
-346.7	-65554.1						
		INVSLE Max	I	-1984.6	83.8	0.2	370.2
387.3	16299.4		J	-1984.6	83.8	1.4	370.2
327.5	11061.5						
		Min	I	-2233.3	-31.1	-1.2	-200.4
-191.6	-14329.9		J	-2233.3	-31.1	-0.0	-200.4
-263.8	-51054.7						
		62 C1-C2;~1 Max	I	31.8	74.0	0.4	386.6
5220	2		J	31.8	74.0	0.4	386.6
189.7	38851.3						
		Min	I	-183.7	-36.1	-0.9	-187.6
393.3	9281.9						
-315.0	-19864.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-152.5	-20961.0		J	-183.7	-36.1	-0.9	-187.6
136.2	36816.5	C3-C4;~1 Max	I	35.7	71.0	0.3	378.5
432.3	1949.4		J	35.7	71.0	0.3	378.5
-350.0	-4740.2	Min	I	-177.8	-8.0	-1.0	-44.3
-112.7	-20976.9		J	-177.8	-8.0	-1.0	-44.3
116.4	24743.1	C1-C2;~2 Max	I	17.2	48.0	0.3	254.7
247.7	5733.4		J	17.2	48.0	0.3	254.7
-198.5	-11725.6	Min	I	-111.1	-21.7	-0.5	-115.1
-89.2	-14026.7		J	-111.1	-21.7	-0.5	-115.1
80.2	24098.5	C3-C4;~2 Max	I	19.0	47.4	0.2	256.2
278.3	851.3		J	19.0	47.4	0.2	256.2
-225.9	-2029.7	Min	I	-106.6	-3.4	-0.6	-20.2
-62.5	-14406.3		J	-106.6	-3.4	-0.6	-20.2
-104.9	235.2	G1	I	-124.2	0.6	-0.7	9.3
9.4	-227.9		J	-124.2	0.6	0.5	9.3
-0.1	-4725.0	G2	I	-46.7	-8.0	-0.0	-31.5
26.3	1693.5		J	-46.7	-8.0	-0.0	-31.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.9	912.6	Q5_pc X	I	-10.6	1.3	0.0	4.7
-0.8	-102.8		J	-10.6	1.3	0.0	4.7
0.7	-2835.2	Q5_pc Y	I	27.8	-3.9	0.0	-14.9
-1.7	291.4		J	27.8	-3.9	0.0	-14.9
-0.7	1265.8	Q5_ps X	I	-10.3	1.9	-0.0	7.0
0.7	-243.2		J	-10.3	1.9	-0.0	7.0
5.0	-3919.1	Q5_ps Y	I	27.1	-5.8	0.0	-22.1
-6.0	726.8		J	27.1	-5.8	0.0	-22.1
		INVSLU Max	I	-2588.9	47.6	-0.4	324.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
230.6	18798.6		J	-2588.9	47.6	1.2	324.5
673.1	21364.9	Min	I	-2935.2	-108.2	-2.3	-477.5
-499.5	-65571.4		J	-2935.2	-108.2	-0.7	-477.5
-119.6	-20009.0						
		INVSLE Max	I	-2004.6	30.8	-0.3	225.0
168.0	11051.0		J	-2004.6	30.8	0.9	225.0
505.3	16446.3	Min	I	-2257.5	-84.0	-1.7	-367.0
-372.7	-51067.3		J	-2257.5	-84.0	-0.5	-367.0
-81.6	-14162.1						
5221	2	62 C1-C2;~1 Max	I	33.4	7.5	0.5	191.7
230.1	9283.8		J	33.4	7.5	0.5	191.7
333.7	4588.1	Min	I	-184.6	-16.8	-0.7	-135.1
-259.4	-20964.8		J	-184.6	-16.8	-0.7	-135.1
-178.9	-10384.3						
		C3-C4;~1 Max	I	37.6	2.3	0.6	185.5
276.0	1949.6		J	37.6	2.3	0.6	185.5
331.3	1716.9	Min	I	-172.1	-17.3	-0.7	-122.6
-233.7	-20980.4		J	-172.1	-17.3	-0.7	-122.6
-199.9	-10670.5						
		C1-C2;~2 Max	I	18.0	4.5	0.3	128.2
145.1	5734.5		J	18.0	4.5	0.3	128.2
208.8	2886.7	Min	I	-111.3	-11.2	-0.5	-90.7
-162.9	-14029.2		J	-111.3	-11.2	-0.5	-90.7
-107.9	-7117.2						
		C3-C4;~2 Max	I	20.0	1.1	0.4	124.5
180.1	851.4		J	20.0	1.1	0.4	124.5
211.4	945.1	Min	I	-102.7	-11.8	-0.4	-79.3
-148.0	-14408.6		J	-102.7	-11.8	-0.4	-79.3
-124.7	-7427.5						
		G1	I	-124.5	-0.2	-0.7	3.7
-68.8	-227.9		J	-124.5	-0.2	0.5	3.7
-22.9	-78.9						
		G2	I	-48.0	1.4	-0.0	-4.3
3.0	1693.9		J	-48.0	1.4	-0.0	-4.3
22.7	580.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
1.7	-102.9	Q5_pc X	I	-10.8	-0.2	0.0	0.5
-1.5	75.4		J	-10.8	-0.2	0.0	0.5
-2.3	291.7	Q5_pc Y	I	27.9	0.7	-0.0	-1.8
0.8	-259.2		J	27.9	0.7	-0.0	-1.8
0.9	-243.3	Q5_ps X	I	-10.3	-0.3	0.0	0.7
-0.6	20.5		J	-10.3	-0.3	0.0	0.7
-0.1	727.2	Q5_ps Y	I	27.0	1.0	0.0	-2.7
-1.7	-86.8		J	27.0	1.0	0.0	-2.7
418.7	21371.6	INVS LU Max	I	-2593.4	12.2	0.0	181.5
487.8	13888.3		J	-2593.4	12.2	1.6	181.5
-308.2	-20010.0	Min	I	-2943.5	-22.6	-1.8	-262.9
-235.3	-7177.4		J	-2943.5	-22.6	-0.2	-262.9
315.6	16451.6	INVS LE Max	I	-2007.2	9.0	0.0	127.7
361.8	10928.8		J	-2007.2	9.0	1.2	127.7
-222.5	-14162.6	Min	I	-2262.8	-16.7	-1.3	-201.2
-173.7	-4640.9		J	-2262.8	-16.7	-0.1	-201.2
5222	2	62 C1-C2;~1 Max	I	36.2	6.5	0.6	163.0
247.8	4587.4		J	36.2	6.5	0.6	163.0
313.6	4602.6	Min	I	-185.3	-6.5	-0.7	-155.1
-235.9	-10382.0		J	-185.3	-6.5	-0.7	-155.1
-197.1	-10358.7						
281.7	1717.0	C3-C4;~1 Max	I	40.7	6.4	0.6	153.9
321.1	1732.8		J	40.7	6.4	0.6	153.9
-222.4	-10668.5	Min	I	-173.5	-6.5	-0.7	-147.2
-209.8	-10642.8		J	-173.5	-6.5	-0.7	-147.2
156.3	2886.3	C1-C2;~2 Max	I	19.5	4.5	0.3	108.9
196.5	2897.0		J	19.5	4.5	0.3	108.9
-148.1	-7115.7	Min	I	-111.2	-4.5	-0.4	-104.1
-119.7	-7103.9		J	-111.2	-4.5	-0.4	-104.1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

183.0	945.2	C3-C4; ~2	Max	I	21.7	4.4	0.4	102.1
				J	21.7	4.4	0.4	102.1
205.9	957.2		Min	I	-103.1	-4.4	-0.4	-97.1
-141.7	-7426.1			J	-103.1	-4.4	-0.4	-97.1
-130.6	-7412.7							
		G1		I	-125.6	-0.0	-0.6	3.9
-48.7	-78.8			J	-125.6	-0.0	0.6	3.9
-42.9	-50.4							
		G2		I	-48.5	-0.0	-0.0	1.1
12.3	580.1			J	-48.5	-0.0	-0.0	1.1
13.8	601.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-10.8	-0.0	0.0	-0.3
1.9	75.5			J	-10.8	-0.0	0.0	-0.3
-1.7	82.0							
		Q5_pc	Y	I	27.9	0.0	-0.0	0.7
-2.5	-259.3			J	27.9	0.0	-0.0	0.7
1.1	-277.0							
		Q5_ps	X	I	-10.4	-0.0	0.0	-0.5
1.1	20.6			J	-10.4	-0.0	0.0	-0.5
-0.8	26.7							
		Q5_ps	Y	I	27.0	0.0	0.0	1.1
-0.5	-87.0			J	27.0	0.0	0.0	1.1
-1.2	-103.9							
		INVSLE	Max	I	-2586.2	8.6	0.1	229.3
457.5	13885.3			J	-2586.2	8.6	1.7	229.3
456.8	14082.9		Min	I	-2941.6	-9.0	-1.7	-201.4
-245.7	-7176.9			J	-2941.6	-9.0	-0.1	-201.4
-263.0	-6996.9							
		INVSLE	Max	I	-2001.4	6.3	0.1	169.7
344.2	10926.4			J	-2001.4	6.3	1.3	169.7
338.8	11066.7		Min	I	-2260.9	-6.7	-1.2	-149.2
-176.4	-4640.7			J	-2260.9	-6.7	-0.0	-149.2
-194.1	-4511.1							
5223	2	62 C1-C2; ~1	Max	I	39.4	16.8	0.6	143.5
267.2	4603.4			J	39.4	16.8	0.6	143.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
292.7	9339.2		Min	I	-189.6	-7.7	-0.6	-183.3
-212.4	-10360.6			J	-189.6	-7.7	-0.6	-183.3
-218.6	-20785.0							
		C3-C4;~1	Max	I	44.3	17.2	0.6	129.5
291.3	1732.6			J	44.3	17.2	0.6	129.5
312.6	1991.5		Min	I	-176.7	-2.4	-0.6	-178.8
-208.2	-10644.3			J	-176.7	-2.4	-0.6	-178.8
-219.6	-20781.3							
		C1-C2;~2	Max	I	21.3	11.2	0.4	95.8
168.8	2897.5			J	21.3	11.2	0.4	95.8
183.8	5765.2		Min	I	-113.6	-4.6	-0.4	-123.1
-133.5	-7105.1			J	-113.6	-4.6	-0.4	-123.1
-133.6	-13926.6							
		C3-C4;~2	Max	I	23.6	11.7	0.4	84.4
188.7	957.0			J	23.6	11.7	0.4	84.4
201.6	884.5		Min	I	-104.6	-1.2	-0.4	-119.5
-133.5	-7413.8			J	-104.6	-1.2	-0.4	-119.5
-136.3	-14290.4							
		G1		I	-126.5	0.0	-0.6	4.3
-27.6	-50.3			J	-126.5	0.0	0.6	4.3
-64.0	-76.8							
		G2		I	-48.9	-1.5	0.0	6.7
21.7	601.5			J	-48.9	-1.5	0.0	6.7
4.0	1803.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-10.8	0.2	0.0	-1.1
1.8	81.9			J	-10.8	0.2	0.0	-1.1
-1.6	-72.0							
		Q5_pc	Y	I	27.8	-0.6	-0.0	3.1
-2.6	-276.8			J	27.8	-0.6	-0.0	3.1
1.2	210.0							
		Q5_ps	X	I	-10.4	0.3	0.0	-1.7
1.1	26.6			J	-10.4	0.3	0.0	-1.7
-0.8	-214.8							
		Q5_ps	Y	I	26.9	-0.9	0.0	4.7
-0.9	-103.6			J	26.9	-0.9	0.0	4.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.0	650.1						
		INVSLE Max	I	-2566.6	22.0	0.2	292.5
477.4	14086.2		J	-2566.6	22.0	1.8	292.5
415.3	21846.8	Min	I	-2932.5	-12.8	-1.6	-154.3
-207.4	-6996.4		J	-2932.5	-12.8	0.0	-154.3
-306.2	-19198.9						
		INVSLE Max	I	-1986.6	16.3	0.1	222.8
358.6	11069.3		J	-1986.6	16.3	1.3	222.8
308.5	16787.7	Min	I	-2254.0	-9.4	-1.2	-107.8
-148.3	-4510.5		J	-2254.0	-9.4	0.0	-107.8
-225.8	-13588.6						
5224	2	62 C1-C2;~1 Max	I	41.9	37.5	0.7	186.1
322.1	9337.3		J	41.9	37.5	0.7	186.1
242.6	38918.2	Min	I	-195.6	-74.1	-0.5	-374.4
-174.1	-20780.9		J	-195.6	-74.1	-0.5	-374.4
-265.8	-20810.4						
		C3-C4;~1 Max	I	47.1	9.1	0.9	49.1
387.0	1991.2		J	47.1	9.1	0.9	49.1
166.0	36656.7	Min	I	-191.1	-70.6	-0.3	-368.4
-107.0	-20777.5		J	-191.1	-70.6	-0.3	-368.4
-327.4	-5518.4						
		C1-C2;~2 Max	I	22.6	22.4	0.5	114.6
206.7	5764.0		J	22.6	22.4	0.5	114.6
151.0	24715.3	Min	I	-117.6	-48.0	-0.3	-247.8
-108.6	-13923.9		J	-117.6	-48.0	-0.3	-247.8
-165.7	-12217.6						
		C3-C4;~2 Max	I	25.1	4.0	0.6	23.7
254.2	884.4		J	25.1	4.0	0.6	23.7
99.9	23868.7	Min	I	-114.0	-47.0	-0.2	-249.1
-63.7	-14287.9		J	-114.0	-47.0	-0.2	-249.1
-210.8	-2440.7						
		G1	I	-127.4	0.2	-0.5	1.4
5.6	-76.7		J	-127.4	0.2	0.7	1.4
-100.4	-248.2						
		G2	I	-47.8	8.6	0.0	35.8
25.2	1803.2		J	-47.8	8.6	0.0	35.8
1.4	-5063.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-10.9	-1.1	0.0
2.6	-72.0			J	-10.9	-1.1	0.0
-2.6	827.2						
			Q5_pc Y	I	27.9	3.5	-0.0
-5.3	209.9			J	27.9	3.5	-0.0
4.6	-2628.5						
			Q5_ps X	I	-10.6	-1.8	0.0
2.5	-214.7			J	-10.6	-1.8	0.0
-2.6	1189.1						
			Q5_ps Y	I	27.2	5.5	-0.0
-5.4	649.9			J	27.2	5.5	-0.0
4.7	-3727.9						
			INVSLE Max	I	-2550.7	109.1	0.6
659.1	21840.1			J	-2550.7	109.1	2.3
279.8	19713.0		Min	I	-2928.5	-48.0	-1.3
-107.9	-19197.2			J	-2928.5	-48.0	0.3
-498.0	-65651.9						
			INVSLE Max	I	-1975.1	84.6	0.5
499.1	16782.5			J	-1975.1	84.6	1.7
199.6	11791.7		Min	I	-2251.3	-31.3	-0.9
-68.3	-13587.6			J	-2251.3	-31.3	0.3
-375.9	-51091.1						
		62	C1-C2;~1 Max	I	43.5	74.2	0.6
5225	2			J	43.5	74.2	0.6
258.3	38922.3		Min	I	-195.4	-37.5	-0.7
324.6	9301.7			J	-195.4	-37.5	-0.7
-244.8	-20811.1						
-214.0	-20720.8						
			C3-C4;~1 Max	I	49.0	70.6	0.5
197.9	36662.8			J	49.0	70.6	0.5
373.3	2044.3		Min	I	-190.0	-9.2	-0.8
-288.7	-5524.6			J	-190.0	-9.2	-0.8
-163.1	-20707.4						
			C1-C2;~2 Max	I	23.5	48.0	0.4
158.5	24717.7			J	23.5	48.0	0.4
206.5	5736.9		Min	I	-117.3	-22.4	-0.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-155.8	-12217.4		J	-117.3	-22.4	-0.4	-111.3
-126.3	-13884.6						
118.0	23872.4	C3-C4;~2 Max	I	26.1	47.0	0.3	253.4
243.4	923.5		J	26.1	47.0	0.3	253.4
-189.0	-2444.6	Min	I	-113.1	-4.1	-0.5	-17.8
-92.2	-14239.8		J	-113.1	-4.1	-0.5	-17.8
-2.5	-248.6	G1	I	-126.0	-0.2	-0.5	7.0
-91.9	-53.6		J	-126.0	-0.2	0.7	7.0
39.6	-5063.4	G2	I	-47.3	-8.6	0.1	-34.0
-13.3	1815.7		J	-47.3	-8.6	0.1	-34.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.8	827.4	Q5_pc X	I	-10.9	1.1	0.0	4.2
-0.9	-72.8		J	-10.9	1.1	0.0	4.2
0.8	-2629.0	Q5_pc Y	I	27.3	-3.6	0.0	-13.7
-1.5	212.0		J	27.3	-3.6	0.0	-13.7
-0.4	1189.3	Q5_ps X	I	-10.6	1.8	-0.0	6.7
0.2	-215.1		J	-10.6	1.8	-0.0	6.7
3.9	-3728.4	Q5_ps Y	I	26.7	-5.5	0.0	-21.3
-4.7	651.0		J	26.7	-5.5	0.0	-21.3
389.8	19717.0	INVSLU Max	I	-2521.6	50.1	0.0	321.6
532.8	20094.0		J	-2521.6	50.1	1.6	321.6
-350.1	-65655.2	Min	I	-2900.7	-107.1	-1.9	-460.9
-262.8	-20817.9		J	-2900.7	-107.1	-0.3	-460.9
285.4	11794.9	INVSLE Max	I	-1953.2	32.8	-0.0	223.0
401.6	15477.0		J	-1953.2	32.8	1.2	223.0
-262.5	-51093.2	Min	I	-2230.4	-83.2	-1.4	-354.8
-187.5	-14799.9		J	-2230.4	-83.2	-0.2	-354.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.3	651.3	Q5_ps Y	I	25.7	0.9	-0.0	-3.0
			J	25.7	0.9	-0.0	-3.0
-0.4	-97.0						
542.9	20101.1	INVS LU Max	I	-2465.8	14.8	0.3	187.8
			J	-2465.8	14.8	1.9	187.8
349.6	10761.6	Min	I	-2842.7	-20.0	-1.4	-251.1
-175.0	-20819.2		J	-2842.7	-20.0	0.2	-251.1
-368.3	-10229.8						
406.8	15482.5	INVS LE Max	I	-1910.7	10.9	0.2	132.1
			J	-1910.7	10.9	1.4	132.1
259.8	8588.6	Min	I	-2186.3	-14.8	-1.1	-192.8
-124.6	-14800.5		J	-2186.3	-14.8	0.1	-192.8
-271.8	-6924.6						
5227	2	62 C1-C2;~1 Max	I	48.3	6.5	0.7	163.8
323.5	4607.1		J	48.3	6.5	0.7	163.8
238.5	4608.1	Min	I	-190.2	-6.6	-0.5	-151.8
-162.9	-10300.4		J	-190.2	-6.6	-0.5	-151.8
-268.8	-10220.2						
349.7	1746.9	C3-C4;~1 Max	I	54.3	6.5	0.8	155.4
			J	54.3	6.5	0.8	155.4
255.8	1728.5	Min	I	-179.2	-6.6	-0.5	-144.3
-162.6	-10579.0		J	-179.2	-6.6	-0.5	-144.3
-273.7	-10485.0						
202.6	2897.9	C1-C2;~2 Max	I	26.1	4.4	0.5	109.9
			J	26.1	4.4	0.5	109.9
150.5	2903.1	Min	I	-113.4	-4.5	-0.3	-101.7
-102.9	-7067.6		J	-113.4	-4.5	-0.3	-101.7
-163.2	-7027.4						
224.3	966.4	C3-C4;~2 Max	I	28.9	4.4	0.5	103.0
			J	28.9	4.4	0.5	103.0
166.3	959.2	Min	I	-105.8	-4.5	-0.3	-95.3
-105.4	-7371.1		J	-105.8	-4.5	-0.3	-95.3
-169.1	-7314.8						
57.4	-1.5	G1	I	-119.6	-0.1	-0.3	4.9
			J	-119.6	-0.1	0.9	4.9
-151.6	49.3						
52.9	638.9	G2	I	-46.0	-0.1	0.1	1.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-28.0	683.3		J	-46.0	-0.1	0.1	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.5	79.7	Q5_pc X	I	-10.6	-0.0	0.0	-0.2
-1.5	80.1		J	-10.6	-0.0	0.0	-0.2
-1.8	-270.5	Q5_pc Y	I	25.9	0.0	-0.0	0.4
0.8	-270.9		J	25.9	0.0	-0.0	0.4
1.1	24.4	Q5_ps X	I	-10.2	0.0	0.0	-0.2
-1.1	23.6		J	-10.2	0.0	0.0	-0.2
-1.1	-97.2	Q5_ps Y	I	25.2	-0.0	-0.0	0.5
-0.2	-96.0		J	25.2	-0.0	-0.0	0.5
588.9	10758.4	INVS LU Max	I	-2393.9	11.0	0.4	240.0
303.2	8922.2		J	-2393.9	11.0	2.1	240.0
-106.4	-10229.6	Min	I	-2770.6	-6.6	-1.3	-186.7
-414.4	-11941.1		J	-2770.6	-6.6	0.3	-186.7
440.5	8586.0	INVS LE Max	I	-1856.6	8.2	0.3	177.3
225.6	7214.4		J	-1856.6	8.2	1.5	177.3
-74.3	-6924.6	Min	I	-2132.1	-4.9	-1.0	-138.7
-305.8	-8203.8		J	-2132.1	-4.9	0.2	-138.7
5228	2	62 C1-C2;~1 Max	I	51.8	16.6	0.8	145.9
343.4	4608.9		J	51.8	16.6	0.8	145.9
214.0	9653.6	Min	I	-192.7	-8.1	-0.4	-179.6
-139.4	-10222.1		J	-192.7	-8.1	-0.4	-179.6
-292.7	-20567.4						
361.6	1728.4	C3-C4;~1 Max	I	58.3	16.9	0.8	132.8
241.8	2345.3		J	58.3	16.9	0.8	132.8
-146.3	-10486.6	Min	I	-181.5	-2.7	-0.5	-175.7
-287.3	-20412.9		J	-181.5	-2.7	-0.5	-175.7
215.4	2903.6	C1-C2;~2 Max	I	28.0	11.0	0.5	97.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
135.3	5914.4		J	28.0	11.0	0.5	97.7
		Min	I	-115.0	-4.8	-0.3	-120.2
-88.1	-7028.7		J	-115.0	-4.8	-0.3	-120.2
-178.8	-13764.5						
		C3-C4;~2 Max	I	31.0	11.4	0.5	86.4
231.5	959.1		J	31.0	11.4	0.5	86.4
158.2	1071.1	Min	I	-107.2	-1.4	-0.3	-117.4
-95.6	-7315.9		J	-107.2	-1.4	-0.3	-117.4
-177.4	-13984.7						
		G1	I	-116.2	-0.2	-0.3	5.9
78.9	49.4		J	-116.2	-0.2	0.9	5.9
-175.2	220.6						
		G2	I	-44.7	-1.7	0.1	7.3
62.3	683.6		J	-44.7	-1.7	0.1	7.3
-38.6	2019.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-10.4	0.2	0.0	-0.9
1.4	80.0		J	-10.4	0.2	0.0	-0.9
-1.5	-65.5						
		Q5_pc Y	I	25.2	-0.6	-0.0	2.6
-2.0	-270.7		J	25.2	-0.6	-0.0	2.6
1.2	191.1						
		Q5_ps X	I	-10.0	0.3	0.0	-1.3
1.2	23.5		J	-10.0	0.3	0.0	-1.3
-1.1	-213.7						
		Q5_ps Y	I	24.5	-0.9	-0.0	4.0
-1.6	-95.8		J	24.5	-0.9	-0.0	4.0
0.4	637.1						
		INVS LU Max	I	-2312.1	24.2	0.5	309.1
600.1	8925.7		J	-2312.1	24.2	2.1	309.1
269.9	14949.0	Min	I	-2696.3	-10.5	-1.3	-135.1
-89.2	-11940.5		J	-2696.3	-10.5	0.4	-135.1
-454.4	-26193.4						
		INVS LE Max	I	-1795.5	18.0	0.4	234.7
448.4	7217.2		J	-1795.5	18.0	1.6	234.7
201.3	11616.4	Min	I	-2076.8	-7.7	-0.9	-93.9
-61.9	-8203.2						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-335.0	-18833.9		J	-2076.8	-7.7	0.3	-93.9	
5229	2	62 C1-C2;~1 Max	I	53.7	39.3	0.9	200.0	
400.2	9652.8		J	53.7	39.3	0.9	200.0	
167.4	38797.7		Min	I	-192.4	-74.0	-0.3	-374.2
-107.3	-20563.0		J	-192.4	-74.0	-0.3	-374.2	
-342.5	-21835.4							
		C3-C4;~1 Max	I	60.5	10.6	1.1	61.3	
461.9	2345.9		J	60.5	10.6	1.1	61.3	
101.5	35941.8		Min	I	-190.3	-69.7	-0.2	-363.2
-59.7	-20408.5		J	-190.3	-69.7	-0.2	-363.2	
-402.3	-6325.5							
		C1-C2;~2 Max	I	29.0	23.3	0.6	122.0	
254.2	5913.9		J	29.0	23.3	0.6	122.0	
104.4	24534.7		Min	I	-115.2	-47.7	-0.2	-246.7
-66.9	-13761.6		J	-115.2	-47.7	-0.2	-246.7	
-212.5	-12766.1							
		C3-C4;~2 Max	I	32.2	4.7	0.7	30.5	
299.5	1071.5		J	32.2	4.7	0.7	30.5	
60.2	23222.5		Min	I	-113.3	-46.1	-0.1	-244.2
-35.6	-13981.7		J	-113.3	-46.1	-0.1	-244.2	
-256.2	-2839.3							
		G1	I	-111.7	1.1	-0.2	7.3	
110.2	221.5		J	-111.7	1.1	1.0	7.3	
-210.7	-677.4							
		G2	I	-41.3	9.4	0.1	39.8	
64.2	2019.5		J	-41.3	9.4	0.1	39.8	
-39.7	-5493.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-10.3	-1.0	0.0	-4.3	
2.2	-65.4		J	-10.3	-1.0	0.0	-4.3	
-2.6	744.6							
		Q5_pc Y	I	24.4	3.2	-0.0	13.6	
-4.8	190.9		J	24.4	3.2	-0.0	13.6	
4.9	-2405.8							
		Q5_ps X	I	-10.0	-1.7	0.0	-7.0	
2.6	-213.6							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.0	1129.8		J	-10.0	-1.7	0.0	-7.0
-6.3	636.8	Q5_ps Y	I	24.1	5.2	-0.0	21.6
6.5	-3539.6		J	24.1	5.2	-0.0	21.6
800.0	14942.7	INVS LU Max	I	-2233.7	115.7	1.1	521.2
88.2	8600.5		J	-2233.7	115.7	2.7	521.2
22.9	-26192.5	Min	I	-2619.0	-43.1	-0.9	-278.4
-689.8	-77584.6		J	-2619.0	-43.1	0.7	-278.4
602.2	11611.4	INVS LE Max	I	-1737.5	89.6	0.8	398.2
58.3	3454.4		J	-1737.5	89.6	2.0	398.2
27.2	-18833.6	Min	I	-2019.7	-27.6	-0.6	-192.3
-517.3	-60065.6		J	-2019.7	-27.6	0.6	-192.3
5230	2	62 C1-C2;~1 Max	I	53.7	75.5	0.8	374.9
332.2	38719.1		J	53.7	75.5	0.8	374.9
254.0	9277.2	Min	I	-186.6	-40.1	-0.5	-174.5
-181.4	-22132.1		J	-186.6	-40.1	-0.5	-174.5
-287.3	-20335.2						
264.7	35786.7	C3-C4;~1 Max	I	60.5	71.0	0.6	368.3
310.2	2384.0		J	60.5	71.0	0.6	368.3
-234.6	-6506.8	Min	I	-183.4	-11.1	-0.7	-39.0
-228.8	-20184.7		J	-183.4	-11.1	-0.7	-39.0
202.1	24473.7	C1-C2;~2 Max	I	29.0	48.7	0.5	248.4
162.5	5665.5		J	29.0	48.7	0.5	248.4
-115.9	-12938.4	Min	I	-111.9	-23.7	-0.4	-107.0
-169.3	-13621.6		J	-111.9	-23.7	-0.4	-107.0
157.4	23095.3	C3-C4;~2 Max	I	32.2	46.9	0.4	249.8
204.6	1115.7		J	32.2	46.9	0.4	249.8
-155.7	-2933.2	Min	I	-109.1	-5.0	-0.5	-17.4
-130.5	-13836.7		J	-109.1	-5.0	-0.5	-17.4
104.3	-885.9	G1	I	-105.1	-1.4	-0.2	3.7
-198.5	206.3		J	-105.1	-1.4	1.0	3.7

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

79.4	-5573.9	G2	I	-38.5	-9.7	0.2	-37.5
-55.6	1965.6		J	-38.5	-9.7	0.2	-37.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	753.0	Q5_pc X	I	-10.0	1.0	0.0	3.9
-0.6	-60.0		J	-10.0	1.0	0.0	3.9
2.1	-2419.2	Q5_pc Y	I	23.0	-3.4	0.0	-12.8
-2.1	187.1		J	23.0	-3.4	0.0	-12.8
-0.6	1137.7	Q5_ps X	I	-9.8	1.7	-0.0	6.7
0.1	-206.5		J	-9.8	1.7	-0.0	6.7
3.8	-3551.3	Q5_ps Y	I	22.8	-5.4	0.0	-21.0
-3.8	626.2		J	22.8	-5.4	0.0	-21.0
508.8	8819.3	INVSLU Max	I	-2153.4	23.6	0.4	-385.4
388.2	30320.4		J	-2153.4	23.6	2.0	-385.4
-260.2	-77684.3	Min	I	-2528.2	-138.5	-1.6	-1150.1
-422.1	-9993.0		J	-2528.2	-138.5	-0.0	-1150.1
373.1	3644.8	INVSLE Max	I	-1677.8	13.0	0.3	-302.4
294.0	23060.9		J	-1677.8	13.0	1.5	-302.4
-196.2	-60109.3	Min	I	-1952.4	-106.7	-1.2	-867.1
-306.0	-6775.9		J	-1952.4	-106.7	-0.0	-867.1
5231	2	62 C1-C2;~1 Max	I	51.7	7.5	0.9	191.1
377.5	9277.7		J	51.7	7.5	0.9	191.1
201.2	4679.1	Min	I	-174.3	-15.9	-0.4	-129.0
-129.6	-20339.7		J	-174.3	-15.9	-0.4	-129.0
-321.7	-11166.7	C3-C4;~1 Max	I	58.2	3.4	1.0	187.4
409.9	2383.2		J	58.2	3.4	1.0	187.4
215.4	1685.1	Min	I	-164.8	-16.3	-0.4	-118.1
-131.9	-20189.2		J	-164.8	-16.3	-0.4	-118.1
-332.4	-11328.9						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

233.4	5665.8	C1-C2;~2	Max	I	27.9	4.4	0.5	128.8
				J	27.9	4.4	0.5	128.8
127.2	2921.6		Min	I	-104.5	-10.6	-0.3	-86.4
-82.1	-13624.6			J	-104.5	-10.6	-0.3	-86.4
-192.4	-7660.7							
		C3-C4;~2	Max	I	31.0	1.9	0.6	126.0
259.9	1115.1			J	31.0	1.9	0.6	126.0
140.5	919.6		Min	I	-97.6	-11.1	-0.3	-76.8
-86.3	-13839.8			J	-97.6	-11.1	-0.3	-76.8
-202.9	-7895.5							
		G1		I	-95.7	0.2	-0.1	4.0
138.8	205.4			J	-95.7	0.2	1.1	4.0
-231.5	33.5							
		G2		I	-36.1	1.5	0.2	-5.6
80.9	1965.8			J	-36.1	1.5	0.2	-5.6
-58.4	805.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.9	-0.2	0.0	0.6
1.3	-60.0			J	-9.9	-0.2	0.0	0.6
-1.8	67.2							
		Q5_pc	Y	I	21.8	0.5	-0.0	-1.9
-1.7	187.1			J	21.8	0.5	-0.0	-1.9
1.5	-216.9							
		Q5_ps	X	I	-9.6	-0.3	0.0	1.2
1.3	-206.5			J	-9.6	-0.3	0.0	1.2
-1.7	-0.6							
		Q5_ps	Y	I	21.5	0.8	-0.0	-3.5
-2.2	626.4			J	21.5	0.8	-0.0	-3.5
1.6	-12.6							
		INVSLU	Max	I	-2064.9	-0.6	0.8	-177.5
693.1	30334.6			J	-2064.9	-0.6	2.4	-177.5
184.2	32822.2		Min	I	-2418.1	-33.7	-1.1	-613.1
-41.4	-9985.6			J	-2418.1	-33.7	0.5	-613.1
-558.5	10821.1							
		INVSLE	Max	I	-1612.0	-0.7	0.6	-139.8
518.9	23072.1			J	-1612.0	-0.7	1.8	-139.8

MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
134.6	25072.0		Min	I	-1870.7	-25.1	-0.8	-462.3
-25.0	-6769.8			J	-1870.7	-25.1	0.4	-462.3
-415.3	8803.8							
5232	2	62 C1-C2;~1	Max	I	54.0	10.3	1.0	158.8
404.4	4679.3			J	54.0	10.3	1.0	158.8
172.9	6155.8		Min	I	-174.6	-7.0	-0.4	-152.3
-101.4	-11164.0			J	-174.6	-7.0	-0.4	-152.3
-359.0	-14574.3							
		C3-C4;~1	Max	I	60.9	11.0	1.0	152.4
422.3	1685.7			J	60.9	11.0	1.0	152.4
193.0	2338.0		Min	I	-166.4	-6.9	-0.4	-146.4
-114.8	-11326.2			J	-166.4	-6.9	-0.4	-146.4
-358.6	-14795.0							
		C1-C2;~2	Max	I	29.2	7.0	0.6	106.8
250.4	2921.8			J	29.2	7.0	0.6	106.8
108.9	3836.1		Min	I	-104.8	-4.8	-0.2	-101.8
-63.6	-7659.0			J	-104.8	-4.8	-0.2	-101.8
-216.1	-9992.8							
		C3-C4;~2	Max	I	32.4	7.5	0.6	100.9
267.0	920.1			J	32.4	7.5	0.6	100.9
126.0	1291.9		Min	I	-98.8	-4.6	-0.3	-97.0
-75.6	-7893.7			J	-98.8	-4.6	-0.3	-97.0
-219.0	-10295.1							
		G1		I	-92.3	-0.0	-0.0	3.7
163.6	34.5			J	-92.3	-0.0	1.1	3.7
-264.3	51.2							
		G2		I	-34.6	-0.4	0.2	1.1
92.4	806.1			J	-34.6	-0.4	0.2	1.1
-72.4	1095.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-9.9	-0.0	0.0	0.0
1.6	67.2			J	-9.9	-0.0	0.0	0.0
-2.5	87.0							
		Q5_pc Y		I	21.4	0.1	-0.0	0.1
-2.0	-216.9			J	21.4	0.1	-0.0	0.1
2.9	-277.9							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.6	-0.6	Q5_ps X	I	-9.6	0.0	0.0	0.1
-2.5	-5.6		J	-9.6	0.0	0.0	0.1
-2.7	-12.7	Q5_ps Y	I	21.1	-0.0	-0.0	0.1
3.3	-7.5		J	21.1	-0.0	-0.0	0.1
774.9	32816.0	INVS LU Max	I	-1971.6	13.3	1.1	277.7
24.8	36114.2		J	-1971.6	13.3	2.7	277.7
46.2	10818.3	Min	I	-2327.9	-11.2	-0.8	-142.5
-725.5	7330.5		J	-2327.9	-11.2	0.8	-142.5
582.2	25066.9	INVS LE Max	I	-1544.2	9.6	0.9	205.1
10.6	27663.0		J	-1544.2	9.6	2.0	205.1
42.7	8801.2	Min	I	-1805.3	-8.5	-0.5	-106.1
-544.9	6378.7		J	-1805.3	-8.5	0.6	-106.1
5233	2	70 C1-C2;~1 Max	I	66.2	15.0	1.2	180.0
488.9	6143.7		J	66.2	15.0	1.2	180.0
177.4	10314.7	Min	I	-195.3	-7.3	-0.3	-226.3
-86.8	-14579.2		J	-195.3	-7.3	-0.3	-226.3
-431.9	-23342.0						
498.4	2329.8	C3-C4;~1 Max	I	74.4	16.0	1.2	153.3
219.7	3411.7		J	74.4	16.0	1.2	153.3
-116.8	-14802.0	Min	I	-186.5	-4.3	-0.4	-223.9
-420.0	-23633.8		J	-186.5	-4.3	-0.4	-223.9
303.6	3828.7	C1-C2;~2 Max	I	35.7	10.1	0.7	113.3
111.6	6338.1		J	35.7	10.1	0.7	113.3
-54.0	-9996.2	Min	I	-117.1	-4.4	-0.2	-151.0
-260.4	-15838.5		J	-117.1	-4.4	-0.2	-151.0
315.1	1287.3	C3-C4;~2 Max	I	39.6	11.0	0.7	99.2
144.9	1755.7		J	39.6	11.0	0.7	99.2
-78.1	-10300.8	Min	I	-110.8	-2.5	-0.3	-149.8
-255.8	-16310.8		J	-110.8	-2.5	-0.3	-149.8
		G1	I	-95.1	-0.3	-0.0	3.8


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
206.0	43.9			J	-95.1	-0.3	1.4	3.8
-329.9	281.9							
		G2		I	-35.6	-1.3	0.3	9.6
117.4	1093.2			J	-35.6	-1.3	0.3	9.6
-93.4	2079.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-10.1	0.1	0.0	-0.6
2.3	87.4			J	-10.1	0.1	0.0	-0.6
-2.6	44.6							
		Q5_pc Y		I	21.5	-0.2	-0.0	2.5
-3.6	-278.5			J	21.5	-0.2	-0.0	2.5
3.1	-161.4							
		Q5_ps X		I	-9.9	0.1	0.0	-1.2
2.4	-5.2			J	-9.9	0.1	0.0	-1.2
-2.6	-115.7							
		Q5_ps Y		I	21.3	-0.4	-0.0	4.4
-4.5	-7.9			J	21.3	-0.4	-0.0	4.4
3.5	298.7							
		INVSLE Max		I	-1888.3	37.8	1.2	810.2
922.1	36119.9			J	-1888.3	37.8	3.2	810.2
93.0	29179.8							
		Min		I	-2291.0	6.0	-1.0	257.1
85.2	7341.9			J	-2291.0	6.0	1.0	257.1
-792.2	-16941.2							
		INVSLE Max		I	-1486.2	28.3	0.9	607.9
696.0	27669.0			J	-1486.2	28.3	2.4	607.9
64.2	22236.7							
		Min		I	-1781.7	4.8	-0.7	198.5
76.6	6389.1			J	-1781.7	4.8	0.7	198.5
-591.1	-11905.5							
		70 C1-C2;~1 Max		I	76.9	51.9	1.3	233.4
5234	2			J	76.9	51.9	1.3	233.4
532.2	10317.6							
		Min		I	-206.5	-93.3	-0.3	-436.8
145.8	49593.7			J	-206.5	-93.3	-0.3	-436.8
-88.5	-23335.5							
		C3-C4;~1 Max		I	86.5	17.0	1.5	78.7
-479.1	-30283.7			J	86.5	17.0	1.5	78.7
593.3	3416.6							
		Min		I	-204.6	-86.8	-0.2	-420.9
85.8	44762.4							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-43.7	-23626.4			J	-204.6	-86.8	-0.2	-420.9	
-540.1	-10642.3								
331.3	6339.8	C1-C2;~2	Max	I	41.5	30.6	0.8	141.3	
89.8	30929.0			J	41.5	30.6	0.8	141.3	
-55.1	-15834.0		Min	I	-123.8	-59.8	-0.2	-287.6	
-290.9	-17552.8			J	-123.8	-59.8	-0.2	-287.6	
377.2	1758.7	C3-C4;~2	Max	I	46.0	8.1	0.9	39.6	
49.8	28412.8			J	46.0	8.1	0.9	39.6	
-25.3	-16305.3		Min	I	-121.6	-56.8	-0.1	-281.7	
-336.4	-5068.3			J	-121.6	-56.8	-0.1	-281.7	
224.7	285.2		G1	I	-93.0	2.2	0.0	6.4	
-360.6	-1432.7			J	-93.0	2.2	1.5	6.4	
111.7	2080.2		G2	I	-32.9	12.9	0.3	46.7	
-89.5	-7967.0			J	-32.9	12.9	0.3	46.7	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
2.8	44.5		Q5_pc	X	I	-9.6	-1.1	0.0	-3.8
-3.6	913.6			J	-9.6	-1.1	0.0	-3.8	
-5.6	-161.4		Q5_pc	Y	I	19.7	3.6	-0.0	12.7
6.5	-2921.9			J	19.7	3.6	-0.0	12.7	
3.7	-115.8		Q5_ps	X	I	-9.5	-2.1	0.0	-7.0
-4.6	1483.7			J	-9.5	-2.1	0.0	-7.0	
-8.7	298.5		Q5_ps	Y	I	20.0	6.2	-0.0	21.8
9.6	-4505.8			J	20.0	6.2	-0.0	21.8	
1067.6	29165.1		INVSLU	Max	I	-1744.5	174.7	1.8	1323.7
-154.7	5839.4			J	-1744.5	174.7	3.7	1323.7	
137.1	-16950.0		Min	I	-2175.4	-27.8	-0.6	396.0	
1092.2	-107254.4			J	-2175.4	-27.8	1.3	396.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
803.1	22224.6	INVSLE Max	I	-1380.4	134.6	1.4	995.0
			J	-1380.4	134.6	2.8	995.0
-123.3	530.2	Min	I	-1697.0	-14.9	-0.4	309.5
114.6	-11913.2		J	-1697.0	-14.9	1.0	309.5
-816.9	-82853.4						
5235	2	70 C1-C2;~1 Max	I	81.2	95.2	1.1	438.4
462.8	49616.3		J	81.2	95.2	1.1	438.4
239.2	10679.5	Min	I	-205.0	-52.3	-0.5	-211.9
-168.8	-30274.9		J	-205.0	-52.3	-0.5	-211.9
-421.2	-24578.9						
		C3-C4;~1 Max	I	91.2	88.6	0.9	430.3
364.9	44778.0		J	91.2	88.6	0.9	430.3
321.9	3598.3	Min	I	-203.6	-17.3	-0.7	-65.3
-250.6	-10658.2		J	-203.6	-17.3	-0.7	-65.3
-335.6	-24842.7						
		C1-C2;~2 Max	I	43.8	61.1	0.7	291.0
275.6	30933.8		J	43.8	61.1	0.7	291.0
152.4	6540.1	Min	I	-123.1	-30.8	-0.3	-129.4
-107.3	-17541.9		J	-123.1	-30.8	-0.3	-129.4
-243.6	-16664.0						
		C3-C4;~2 Max	I	48.5	58.0	0.5	290.4
211.9	28410.7		J	48.5	58.0	0.5	290.4
213.4	1854.4	Min	I	-121.3	-8.3	-0.5	-32.7
-167.4	-5076.4		J	-121.3	-8.3	-0.5	-32.7
-187.6	-17126.0						
		G1	I	-84.3	-2.1	0.0	-3.3
216.9	-1378.9		J	-84.3	-2.1	1.5	-3.3
-358.5	227.8						
		G2	I	-29.3	-13.1	0.3	-49.1
134.0	-7946.4		J	-29.3	-13.1	0.3	-49.1
-113.6	2197.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-8.8	1.1	-0.0	4.5
-1.2	913.3		J	-8.8	1.1	-0.0	4.5
0.5	25.8						
		Q5_pc Y	I	16.7	-3.6	0.0	-13.4

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6.3	-2919.5		J	16.7	-3.6	0.0	-13.4
-5.8	-102.3						
-1.6	1483.3	Q5_ps X	I	-8.8	2.1	-0.0	8.1
0.8	-146.2		J	-8.8	2.1	-0.0	8.1
6.8	-4503.1	Q5_ps Y	I	17.3	-6.3	0.0	-23.4
-6.2	384.8		J	17.3	-6.3	0.0	-23.4
722.6	5917.0	INVS LU Max	I	-1575.8	32.1	0.9	-37.4
312.4	28266.6		J	-1575.8	32.1	2.8	-37.4
-251.9	-107191.4	Min	I	-2005.8	-173.5	-1.7	-939.4
-701.2	-19872.5		J	-2005.8	-173.5	0.2	-939.4
528.8	590.7	INVS LE Max	I	-1254.2	17.5	0.6	-48.0
240.8	22007.2		J	-1254.2	17.5	2.0	-48.0
-192.2	-82804.0	Min	I	-1570.6	-134.3	-1.3	-714.4
-509.3	-13637.7		J	-1570.6	-134.3	0.2	-714.4
5236	2	70 C1-C2;~1 Max	I	82.2	8.9	1.2	235.4
508.1	10679.6		J	82.2	8.9	1.2	235.4
173.4	8409.0	Min	I	-192.9	-12.7	-0.4	-157.5
-105.1	-24585.3		J	-192.9	-12.7	-0.4	-157.5
-458.6	-19936.0						
523.6	3595.8	C3-C4;~1 Max	I	92.2	7.8	1.3	235.6
205.6	3138.5		J	92.2	7.8	1.3	235.6
-126.5	-24849.2	Min	I	-181.9	-13.8	-0.4	-138.7
-452.8	-20110.1		J	-181.9	-13.8	-0.4	-138.7
307.9	6540.2	C1-C2;~2 Max	I	44.4	5.4	0.7	159.7
108.7	5231.7		J	44.4	5.4	0.7	159.7
-66.1	-16668.3	Min	I	-115.6	-8.7	-0.2	-105.7
-269.1	-13616.6		J	-115.6	-8.7	-0.2	-105.7
324.2	1852.8	C3-C4;~2 Max	I	49.1	5.1	0.8	159.4
134.8	1723.7		J	49.1	5.1	0.8	159.4
-83.7	-17130.8	Min	I	-107.5	-9.5	-0.3	-90.4
			J	-107.5	-9.5	-0.3	-90.4

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-269.5	-13932.2							
		G1	I	-70.8	0.4	0.1	-0.2	
252.7	226.5		J	-70.8	0.4	1.6	-0.2	
-396.0	-108.0							
		G2	I	-25.5	0.8	0.3	-11.1	
132.0	2197.3		J	-25.5	0.8	0.3	-11.1	
-115.0	1548.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-8.1	-0.1	0.0	1.4	
0.2	25.8		J	-8.1	-0.1	0.0	1.4	
-0.8	79.6							
		Q5_pc Y	I	13.9	0.2	0.0	-3.5	
2.0	-102.3		J	13.9	0.2	0.0	-3.5	
-2.4	-245.0							
		Q5_ps X	I	-8.1	-0.1	0.0	2.3	
0.8	-146.2		J	-8.1	-0.1	0.0	2.3	
-1.4	-57.3							
		Q5_ps Y	I	14.5	0.3	-0.0	-6.0	
-0.4	385.0		J	14.5	0.3	-0.0	-6.0	
-0.3	138.5							
		INVSLE Max	I	-1394.7	-6.9	1.1	30.6	
795.0	28284.6		J	-1394.7	-6.9	3.0	30.6	
106.5	40132.2							
		Min	I	-1804.6	-37.8	-1.2	-506.3	
-86.2	-19863.6		J	-1804.6	-37.8	0.7	-506.3	
-794.5	1190.3							
		INVSLE Max	I	-1118.0	-6.2	0.8	10.8	
588.0	22021.6		J	-1118.0	-6.2	2.2	10.8	
84.6	31628.9							
		Min	I	-1419.8	-29.1	-0.9	-386.5	
-64.5	-13630.0		J	-1419.8	-29.1	0.5	-386.5	
-582.5	2815.7							
		70 C1-C2;~1 Max	I	89.1	11.2	1.3	202.0	
5237	2		J	89.1	11.2	1.3	202.0	
541.3	8407.8							
		Min	I	-189.8	-11.3	-0.2	-183.4	
129.2	8369.6		J	-189.8	-11.3	-0.2	-183.4	
-63.5	-19933.0							
		C3-C4;~1 Max	I	99.8	11.5	1.3	200.5	
-496.8	-20102.5							
538.0	3138.6							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
180.6	2973.6		J	99.8	11.5	1.3	200.5
		Min	I	-179.5	-11.5	-0.4	-172.7
-103.9	-20107.4		J	-179.5	-11.5	-0.4	-172.7
-476.4	-20291.8						
		C1-C2;~2 Max	I	48.2	7.7	0.8	137.4
330.4	5231.0		J	48.2	7.7	0.8	137.4
79.9	5178.9						
		Min	I	-113.6	-7.8	-0.2	-122.7
-38.9	-13614.7		J	-113.6	-7.8	-0.2	-122.7
-294.8	-13713.9						
		C3-C4;~2 Max	I	53.1	7.8	0.8	134.6
333.8	1723.8		J	53.1	7.8	0.8	134.6
119.9	1566.6						
		Min	I	-106.1	-7.8	-0.2	-114.4
-70.3	-13930.4		J	-106.1	-7.8	-0.2	-114.4
-285.2	-14012.0						
		G1	I	-58.1	0.2	0.2	-0.6
279.4	-107.8		J	-58.1	0.2	1.6	-0.6
-428.8	-255.3						
		G2	I	-20.6	0.0	0.4	-2.1
144.4	1547.8		J	-20.6	0.0	0.4	-2.1
-129.3	1526.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-7.6	-0.0	-0.0	0.9
-0.4	79.6		J	-7.6	-0.0	-0.0	0.9
-0.4	97.3						
		Q5_pc Y	I	11.7	0.0	0.0	-1.5
4.4	-245.1		J	11.7	0.0	0.0	-1.5
-4.3	-279.7						
		Q5_ps X	I	-7.6	-0.0	0.0	1.1
0.4	-57.2		J	-7.6	-0.0	0.0	1.1
-1.2	-45.3						
		Q5_ps Y	I	12.6	0.0	0.0	-2.0
1.5	138.3		J	12.6	0.0	0.0	-2.0
-1.6	108.1						
		INVSLU Max	I	-1173.6	12.5	1.1	265.0
790.9	40123.7		J	-1173.6	12.5	3.1	265.0
82.3	42543.4						
		Min	I	-1585.7	-18.7	-1.2	-257.9
-88.1	1186.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-840.0	3347.1		J	-1585.7	-18.7	0.8	-257.9
		INVSLE Max	I	-950.8	9.1	0.8	192.6
580.3	31622.2		J	-950.8	9.1	2.3	192.6
70.7	33514.3	Min	I	-1254.5	-14.0	-0.9	-194.6
-70.3	2812.8		J	-1254.5	-14.0	0.5	-194.6
-611.9	4517.3						
5238	2	70 C1-C2;~1 Max	I	111.6	12.6	1.4	201.0
578.2	8372.3		J	111.6	12.6	1.4	201.0
73.0	11164.1	Min	I	-214.7	-8.6	-0.1	-223.5
-34.2	-20105.5		J	-214.7	-8.6	-0.1	-223.5
-545.1	-24980.4						
		C3-C4;~1 Max	I	124.5	13.9	1.4	193.1
559.7	2974.7		J	124.5	13.9	1.4	193.1
135.6	3821.6	Min	I	-201.0	-7.8	-0.3	-217.4
-71.5	-20294.1		J	-201.0	-7.8	-0.3	-217.4
-506.4	-25271.1						
		C1-C2;~2 Max	I	60.3	8.6	0.9	138.0
356.7	5180.5		J	60.3	8.6	0.9	138.0
44.5	6860.2	Min	I	-128.5	-5.4	-0.1	-149.1
-21.3	-13715.8		J	-128.5	-5.4	-0.1	-149.1
-330.1	-16903.9						
		C3-C4;~2 Max	I	66.3	9.5	0.8	129.3
349.7	1567.1		J	66.3	9.5	0.8	129.3
92.1	1946.2	Min	I	-118.7	-5.1	-0.2	-145.2
-50.1	-14013.5		J	-118.7	-5.1	-0.2	-145.2
-307.8	-17319.8						
		G1	I	-49.5	-0.0	0.3	-1.2
303.5	-254.7		J	-49.5	-0.0	1.7	-1.2
-462.8	-216.4						
		G2	I	-17.1	-0.7	0.4	6.9
155.1	1527.1		J	-17.1	-0.7	0.4	6.9
-144.3	2097.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-7.0	0.0	0.0	0.5
0.0	97.3		J	-7.0	0.0	0.0	0.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.1	66.8							
4.7	-279.6	Q5_pc	Y	I	9.3	-0.1	0.0	0.1
-4.0	-174.4			J	9.3	-0.1	0.0	0.1
1.0	-45.3	Q5_ps	X	I	-7.1	0.1	0.0	0.0
-2.0	-117.4			J	-7.1	0.1	0.0	0.0
1.2	108.3	Q5_ps	Y	I	10.5	-0.3	0.0	1.5
-0.8	316.4			J	10.5	-0.3	0.0	1.5
763.3	42550.8	INVS LU	Max	I	-898.2	27.6	1.1	442.4
100.3	39438.1			J	-898.2	27.6	3.0	442.4
-122.2	3347.8		Min	I	-1372.8	-3.0	-1.2	-131.6
-825.8	-10063.2			J	-1372.8	-3.0	0.7	-131.6
552.9	33520.0	INVS LE	Max	I	-741.2	21.2	0.8	330.9
92.1	30691.1			J	-741.2	21.2	2.2	330.9
-102.4	4518.0		Min	I	-1091.6	-1.5	-1.0	-94.2
-593.4	-5953.3			J	-1091.6	-1.5	0.5	-94.2
5239	2	70 C1-C2;~1	Max	I	144.2	59.0	1.8	234.6
719.1	11162.9			J	144.2	59.0	1.8	234.6
42.8	66138.3		Min	I	-266.8	-104.9	-0.1	-442.7
-67.2	-24974.2			J	-266.8	-104.9	-0.1	-442.7
-675.7	-36547.4							
760.7	3823.3	C3-C4;~1	Max	I	160.7	20.1	1.9	96.4
34.5	61213.3			J	160.7	20.1	1.9	96.4
-71.8	-25265.0		Min	I	-259.5	-97.4	-0.1	-425.8
-719.1	-12520.1			J	-259.5	-97.4	-0.1	-425.8
443.9	6859.4	C1-C2;~2	Max	I	77.9	35.1	1.1	141.5
21.9	42707.2			J	77.9	35.1	1.1	141.5
-34.9	-16899.6		Min	I	-160.9	-67.5	-0.1	-291.4
-417.9	-21702.6			J	-160.9	-67.5	-0.1	-291.4
475.9	1947.4	C3-C4;~2	Max	I	85.5	9.7	1.2	52.0
17.8	39981.2			J	85.5	9.7	1.2	52.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-37.8	-17315.4		Min	I	-155.3	-63.4	-0.1	-283.8
				J	-155.3	-63.4	-0.1	-283.8
-450.7	-6032.1							
			G1	I	-45.5	0.8	0.4	-0.5
337.5	-215.9			J	-45.5	0.8	1.8	-0.5
-511.8	-839.4							
			G2	I	-13.4	13.5	0.4	46.2
153.2	2096.8			J	-13.4	13.5	0.4	46.2
-145.0	-8423.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-5.5	-0.6	0.0	-1.2
1.6	66.8			J	-5.5	-0.6	0.0	-1.2
-2.9	522.2							
			Q5_pc Y	I	4.3	2.1	0.0	6.3
2.7	-174.6			J	4.3	2.1	0.0	6.3
-1.8	-1833.4							
			Q5_ps X	I	-5.9	-1.7	0.0	-4.7
3.6	-117.3			J	-5.9	-1.7	0.0	-4.7
-5.0	1215.7							
			Q5_ps Y	I	6.5	5.1	-0.0	15.6
-3.9	316.0			J	6.5	5.1	-0.0	15.6
5.3	-3639.6							
			INVSLU Max	I	-573.4	143.0	1.7	631.3
964.4	39429.2			J	-573.4	143.0	3.7	631.3
-91.6	67347.0							
			Min	I	-1160.4	-82.0	-1.0	-294.5
-164.5	-10062.8			J	-1160.4	-82.0	0.9	-294.5
1125.3	-74578.6							
			INVSLE Max	I	-493.6	109.4	1.2	474.4
696.8	30683.8			J	-493.6	109.4	2.7	474.4
-43.8	48439.5							
			Min	I	-927.7	-57.0	-0.8	-210.6
-139.0	-5953.7			J	-927.7	-57.0	0.6	-210.6
-809.2	-56446.1							
5240	2	70	C1-C2;~1 Max	I	197.3	129.5	2.1	653.0
812.5	66142.6			J	197.3	129.5	2.1	653.0
126.5	22729.2							
			Min	I	-356.2	-64.1	-0.3	-273.5
-128.1	-36492.8			J	-356.2	-64.1	-0.3	-273.5
-840.5	-36218.9							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

648.9	61211.6	C3-C4;~1	Max	I	219.3	125.2	1.7	661.5
				J	219.3	125.2	1.7	661.5
159.3	19315.1		Min	I	-339.8	-21.8	-0.4	-81.9
-166.7	-12468.9			J	-339.8	-21.8	-0.4	-81.9
-673.7	-37911.0							
		C1-C2;~2	Max	I	106.6	86.0	1.3	445.3
493.3	42704.2			J	106.6	86.0	1.3	445.3
68.0	14571.8		Min	I	-215.2	-39.0	-0.2	-169.9
-68.7	-21674.0			J	-215.2	-39.0	-0.2	-169.9
-510.9	-24869.6							
		C3-C4;~2	Max	I	116.7	84.3	1.0	456.5
386.4	39975.6			J	116.7	84.3	1.0	456.5
93.3	12961.6		Min	I	-203.6	-10.9	-0.2	-40.8
-91.5	-6004.8			J	-203.6	-10.9	-0.2	-40.8
-400.8	-26265.4							
		G1		I	-46.5	-1.0	0.5	-4.2
388.6	-733.5			J	-46.5	-1.0	2.0	-4.2
-586.5	55.1							
		G2		I	-12.9	-13.4	0.5	-55.3
197.4	-8382.7			J	-12.9	-13.4	0.5	-55.3
-197.1	2048.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-3.3	0.4	-0.0	3.7
-5.5	518.7			J	-3.3	0.4	-0.0	3.7
5.2	172.1							
		Q5_pc	Y	I	-4.1	-1.7	0.1	-10.8
27.8	-1823.7			J	-4.1	-1.7	0.1	-10.8
-31.1	-498.9							
		Q5_ps	X	I	-4.1	1.6	-0.0	8.3
-4.0	1212.2			J	-4.1	1.6	-0.0	8.3
3.3	-15.8							
		Q5_ps	Y	I	-0.6	-4.7	0.1	-22.9
21.9	-3630.1			J	-0.6	-4.7	0.1	-22.9
-23.8	5.0							
		INVSLU	Max	I	-149.1	139.5	1.0	969.5
772.6	67334.8			J	-149.1	139.5	3.0	969.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
608.2	36165.0		Min	I	-933.3	-124.9	-2.5	-312.1
-599.4	-74505.6			J	-933.3	-124.9	-0.6	-312.1
-797.4	-46597.3							
		INVSLE	Max	I	-167.8	100.8	0.6	706.2
514.0	48423.0			J	-167.8	100.8	2.0	706.2
522.3	27323.7		Min	I	-748.2	-94.9	-2.0	-241.8
-498.6	-56400.8			J	-748.2	-94.9	-0.6	-241.8
-514.8	-33915.2							
5241	2	70 C1-C2;~1	Max	I	326.3	32.0	3.7	420.0
1303.3	22730.4			J	326.3	32.0	3.7	420.0
492.5	31770.6		Min	I	-584.3	-21.4	-1.1	-216.4
-366.0	-36228.2			J	-584.3	-21.4	-1.1	-216.4
1588.6	-58700.3							-
		C3-C4;~1	Max	I	361.6	33.0	3.4	435.3
1213.3	19313.9			J	361.6	33.0	3.4	435.3
549.8	28481.5		Min	I	-539.7	-21.0	-1.2	-151.8
-409.7	-37921.3			J	-539.7	-21.0	-1.2	-151.8
1457.4	-60945.8							-
		C1-C2;~2	Max	I	176.2	22.3	2.2	291.7
792.5	14571.2			J	176.2	22.3	2.2	291.7
265.8	22273.7		Min	I	-350.7	-14.6	-0.6	-140.4
-197.4	-24876.3			J	-350.7	-14.6	-0.6	-140.4
-960.8	-41252.8							
		C3-C4;~2	Max	I	192.4	22.9	2.1	303.3
735.9	12960.8			J	192.4	22.9	2.1	303.3
292.3	19509.5		Min	I	-320.7	-14.1	-0.7	-97.5
-217.7	-26272.9			J	-320.7	-14.1	-0.7	-97.5
-875.9	-43034.5							
		G1		I	-78.2	0.1	0.8	-3.9
469.1	55.1			J	-78.2	0.1	2.3	-3.9
-744.5	-60.3							
		G2		I	-24.1	0.1	0.6	-18.2
209.8	2049.6			J	-24.1	0.1	0.6	-18.2
-237.8	1990.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-5.1	172.2	Q5_pc X	I	-0.8	-0.3	-0.0	3.0
			J	-0.8	-0.3	-0.0	3.0
7.1	397.8						
		Q5_pc Y	I	-17.4	1.1	0.1	-8.1
37.2	-499.0		J	-17.4	1.1	0.1	-8.1
-53.4	-1335.3						
		Q5_ps X	I	-2.3	-0.2	-0.0	4.7
-1.5	-15.8		J	-2.3	-0.2	-0.0	4.7
2.3	164.0						
		Q5_ps Y	I	-11.2	0.9	0.1	-12.5
24.1	5.1		J	-11.2	0.9	0.1	-12.5
-36.2	-696.3						
		INVSLU Max	I	653.5	56.6	0.6	675.2
653.2	36174.1		J	653.5	56.6	2.6	675.2
2368.6	40583.2	Min	I	-654.8	-18.9	-6.2	-219.2
1726.4	-46604.0		J	-654.8	-18.9	-4.3	-219.2
-614.4	-86987.5						
		INVSLE Max	I	461.2	42.4	0.1	491.3
364.7	27331.0		J	461.2	42.4	1.5	491.3
1940.4	30057.1	Min	I	-505.6	-13.3	-5.0	-170.2
1393.0	-33919.5		J	-505.6	-13.3	-3.6	-170.2
-262.1	-64261.6						
		70 C1-C2;~1 Max	I	473.2	112.3	10.1	777.8
5242	2		J	473.2	112.3	10.1	777.8
3742.5	31770.4	Min	I	-784.1	-70.9	-2.3	-595.9
795.6	27736.2		J	-784.1	-70.9	-2.3	-595.9
-959.3	-58696.9						
4092.9	-73716.0						
		C3-C4;~1 Max	I	523.5	119.9	8.7	807.6
3264.6	28481.6		J	523.5	119.9	8.7	807.6
884.7	12464.2	Min	I	-699.2	-65.9	-2.5	-551.1
1066.4	-60942.0		J	-699.2	-65.9	-2.5	-551.1
3513.9	-78644.4						
		C1-C2;~2 Max	I	255.6	79.8	6.3	546.3
2327.0	22273.6		J	255.6	79.8	6.3	546.3
428.6	18256.9	Min	I	-473.7	-49.6	-1.2	-408.9
-517.6	-41250.5		J	-473.7	-49.6	-1.2	-408.9
2540.3	-52067.4						
		C3-C4;~2 Max	I	278.4	85.3	5.3	566.2


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2001.2	19509.8		J	278.4	85.3	5.3	566.2	
469.7	7616.6							
		Min	I	-415.2	-45.4	-1.3	-375.6	
-566.8	-43032.0		J	-415.2	-45.4	-1.3	-375.6	-
2148.6	-55986.1							
		G1	I	-33.9	0.7	3.3	-9.1	
1281.1	-60.1		J	-33.9	0.7	4.8	-9.1	-
1865.2	-585.6							
		G2	I	-9.3	-1.6	1.5	-10.7	
504.4	1990.6		J	-9.3	-1.6	1.5	-10.7	
-660.4	3200.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.7	0.3	-0.1	1.1	
-29.1	397.8		J	0.7	0.3	-0.1	1.1	
44.3	188.5							
		Q5_pc Y	I	-28.0	-0.5	0.4	-2.3	
138.3	-1335.4		J	-28.0	-0.5	0.4	-2.3	
-185.9	-978.4							
		Q5_ps X	I	-1.4	0.4	-0.1	2.0	
-17.9	164.0		J	-1.4	0.4	-0.1	2.0	
29.9	-165.5							
		Q5_ps Y	I	-19.4	-0.9	0.3	-4.4	
99.9	-696.4		J	-19.4	-0.9	0.3	-4.4	
-138.6	-33.7							
		INVSLE Max	I	1553.6	169.9	6.6	929.0	
2350.1	40579.8		J	1553.6	169.9	8.6	929.0	
3496.3	28840.8							
		Min	I	-262.1	-88.4	-11.1	-969.8	-
4390.9	-86985.6		J	-262.1	-88.4	-9.2	-969.8	-
3558.1	-116534.1							
		INVSLE Max	I	1166.1	127.0	4.1	671.4	
1420.3	30054.3		J	1166.1	127.0	5.5	671.4	
2873.4	20509.9							
		Min	I	-175.1	-64.3	-9.0	-734.8	-
3554.6	-64260.5		J	-175.1	-64.3	-7.5	-734.8	-
2327.3	-87044.7							
		70 C1-C2;~1 Max	I	519.1	79.3	11.5	566.3	
5243	2		J	519.1	79.3	11.5	566.3	
4508.3	27738.9							
		Min	I	-657.7	-85.4	-1.5	-773.8	
491.1	36654.3							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-690.7	-73722.1			J	-657.7	-85.4	-1.5	-773.8	-
4459.1	-75659.1								
3731.6	12464.4	C3-C4;~1	Max	I	572.4	82.5	9.5	560.8	
530.1	25837.3			J	572.4	82.5	9.5	560.8	
-762.6	-78650.0		Min	I	-598.2	-86.2	-1.7	-768.5	
3661.3	-81655.8			J	-598.2	-86.2	-1.7	-768.5	-
2774.5	18258.7	C1-C2;~2	Max	I	280.3	56.1	7.1	395.5	
260.9	24287.9			J	280.3	56.1	7.1	395.5	
-371.2	-52072.0		Min	I	-399.8	-59.7	-0.8	-532.9	
2748.7	-53245.1			J	-399.8	-59.7	-0.8	-532.9	-
2252.2	7616.7	C3-C4;~2	Max	I	304.2	58.0	5.7	386.1	
278.8	16678.5			J	304.2	58.0	5.7	386.1	
-403.7	-55990.2		Min	I	-358.0	-60.1	-0.9	-531.8	
2214.6	-57782.3			J	-358.0	-60.1	-0.9	-531.8	-
2114.4	-584.9		G1	I	136.4	-0.1	5.1	-18.7	
2444.2	-527.7			J	136.4	-0.1	6.6	-18.7	-
841.5	3201.1		G2	I	57.4	1.8	2.2	16.3	
-896.3	1840.4			J	57.4	1.8	2.2	16.3	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-69.8	188.4		Q5_pc	X	I	1.2	-0.0	-0.2	-0.7
79.6	191.5			J	1.2	-0.0	-0.2	-0.7	
255.4	-978.1		Q5_pc	Y	I	-28.3	0.1	0.7	3.5
-280.0	-1082.7			J	-28.3	0.1	0.7	3.5	
-51.4	-165.6		Q5_ps	X	I	-0.5	-0.2	-0.1	-2.8
59.9	3.2			J	-0.5	-0.2	-0.1	-2.8	
196.7	-33.3		Q5_ps	Y	I	-21.1	0.7	0.5	8.8
-218.4	-559.6			J	-21.1	0.7	0.5	8.8	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4589.2	28840.3	INVSLE Max	I	1963.4	111.0	11.7	458.3	
			J	1963.4	111.0	13.6	458.3	
1984.0	41349.3	Min	I	251.8	-116.9	-7.4	-1357.1	-
2986.2	-116545.2		J	251.8	-116.9	-5.4	-1357.1	-
5255.6	-120318.1							
		INVSLE Max	I	1470.4	83.1	8.0	330.7	
3133.1	20509.4		J	1470.4	83.1	9.4	330.7	
1672.5	29138.2	Min	I	206.3	-85.8	-6.0	-1013.6	-
2444.3	-87053.2		J	206.3	-85.8	-4.6	-1013.6	-
3652.8	-90471.1							
5244	2	70 C1-C2;~1 Max	I	572.7	83.5	11.5	548.9	
4520.4	36645.8		J	572.7	83.5	11.5	548.9	
345.1	90999.1	Min	I	-563.3	-194.3	-1.1	-1161.8	
-491.4	-75651.8		J	-563.3	-194.3	-1.1	-1161.8	-
4429.2	-48109.8							
		C3-C4;~1 Max	I	630.1	19.3	9.7	322.4	
3818.0	25838.2		J	630.1	19.3	9.7	322.4	
338.4	85544.5	Min	I	-517.4	-194.0	-1.1	-1202.0	
-506.1	-81650.4		J	-517.4	-194.0	-1.1	-1202.0	-
3725.4	-14112.3							
		C1-C2;~2 Max	I	308.5	51.7	7.0	358.7	
2761.6	24282.2		J	308.5	51.7	7.0	358.7	
178.6	58794.3	Min	I	-345.3	-132.1	-0.6	-803.2	
-258.2	-53239.6		J	-345.3	-132.1	-0.6	-803.2	-
2711.1	-28082.4							
		C3-C4;~2 Max	I	334.1	8.7	5.8	207.9	
2294.7	16679.5		J	334.1	8.7	5.8	207.9	
173.2	55616.3	Min	I	-312.2	-133.2	-0.6	-840.0	
-263.9	-57777.9		J	-312.2	-133.2	-0.6	-840.0	-
2245.1	-6373.9							
		G1	I	290.1	-7.4	5.7	-35.3	
2382.8	-533.0		J	290.1	-7.4	7.2	-35.3	-
2623.2	5236.1							
		G2	I	117.1	13.6	2.4	53.5	
923.0	1837.2		J	117.1	13.6	2.4	53.5	
-943.0	-8761.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	0.0		J	0.0	0.0	0.0	0.0	
-96.2	192.0	Q5_pc X	I	4.2	-0.4	-0.3	-1.4	
102.9	515.9		J	4.2	-0.4	-0.3	-1.4	
319.8	-1084.3	Q5_pc Y	I	-35.8	1.2	0.8	5.5	
-336.0	-1991.5		J	-35.8	1.2	0.8	5.5	
-73.0	3.7	Q5_ps X	I	2.6	-2.0	-0.2	-7.0	
79.0	1531.8		J	2.6	-2.0	-0.2	-7.0	
249.3	-561.2	Q5_ps Y	I	-29.0	5.0	0.7	19.7	
-263.9	-4487.4		J	-29.0	5.0	0.7	19.7	
5429.4	41348.2	INVS LU Max	I	2419.4	98.6	13.7	241.4	
1073.6	127333.0		J	2419.4	98.6	15.6	241.4	
1932.0	-120303.3	Min	I	743.8	-278.5	-4.8	-2132.1	-
5976.5	-64048.8		J	743.8	-278.5	-2.9	-2132.1	-
3811.9	29137.7	INVS LE Max	I	1811.3	72.1	9.6	173.7	
944.6	93475.8		J	1811.3	72.1	11.1	173.7	
1598.3	-90459.6	Min	I	574.9	-207.1	-4.0	-1583.8	-
4232.9	-48023.0		J	574.9	-207.1	-2.5	-1583.8	-
5245	2	70 C1-C2;~1 Max	I	636.3	205.9	10.6	1278.7	
4217.8	90869.5		J	636.3	205.9	10.6	1278.7	
216.2	37270.1	Min	I	-501.1	-89.6	-0.7	-624.9	
-306.5	-48204.7		J	-501.1	-89.6	-0.7	-624.9	-
4059.3	-76344.8							
3301.2	85373.0	C3-C4;~1 Max	I	694.6	206.6	8.3	1340.7	
287.5	22864.1		J	694.6	206.6	8.3	1340.7	
-360.2	-14244.1	Min	I	-462.1	-18.2	-0.8	-314.2	
3151.7	-82439.9		J	-462.1	-18.2	-0.8	-314.2	-
2567.2	58709.8	C1-C2;~2 Max	I	340.7	140.6	6.5	890.7	
108.6	23968.0		J	340.7	140.6	6.5	890.7	
-157.5	-28129.1	Min	I	-309.1	-55.0	-0.3	-396.9	
			J	-309.1	-55.0	-0.3	-396.9	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2470.9	-53573.1								
		C3-C4; ~2	Max	I	366.4	142.5	4.9	938.9	
1968.4	55504.2			J	366.4	142.5	4.9	938.9	
164.6	14518.8								
			Min	I	-280.0	-8.1	-0.5	-198.6	
-201.0	-6455.4			J	-280.0	-8.1	-0.5	-198.6	-
1877.8	-58188.2								
		G1		I	445.0	9.0	5.5	25.9	
2352.7	5070.1			J	445.0	9.0	7.0	25.9	-
2514.5	-1944.1								
		G2		I	177.5	-13.3	2.4	-64.5	
953.1	-8824.1			J	177.5	-13.3	2.4	-64.5	
-941.7	1551.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	7.6	0.9	-0.3	5.8	
-131.2	519.9			J	7.6	0.9	-0.3	5.8	
135.7	-155.1								
		Q5_pc	Y	I	-45.1	-2.3	1.1	-13.7	
408.7	-2011.5			J	-45.1	-2.3	1.1	-13.7	
-419.1	-206.7								
		Q5_ps	X	I	6.2	2.4	-0.3	12.8	
-106.9	1533.5			J	6.2	2.4	-0.3	12.8	
111.1	-354.3								
		Q5_ps	Y	I	-38.5	-6.2	0.9	-31.0	
335.8	-4500.6			J	-38.5	-6.2	0.9	-31.0	
-345.7	322.1								
		INVSLU	Max	I	2917.2	310.4	14.0	2401.4	
5712.6	127260.9			J	2917.2	310.4	16.0	2401.4	
673.2	30372.5								
			Min	I	1221.8	-93.6	-3.4	-276.8	-
1203.5	-64109.9			J	1221.8	-93.6	-1.4	-276.8	-
5949.3	-131608.1								
		INVSLE	Max	I	2183.0	230.1	10.0	1782.0	
4054.2	93432.6			J	2183.0	230.1	11.4	1782.0	
605.1	21563.5								
			Min	I	933.2	-68.9	-2.8	-200.1	-
1014.3	-48055.3			J	933.2	-68.9	-1.4	-200.1	-
4244.6	-98394.5								
		70 C1-C2; ~1	Max	I	729.8	107.4	9.7	898.8	
5246	2								
3880.9	37268.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
427.3	36617.0		J	729.8	107.4	9.7	898.8
		Min	I	-454.1	-80.2	-1.1	-569.4
-446.2	-76360.2		J	-454.1	-80.2	-1.1	-569.4
3625.7	-92439.0						-
		C3-C4;~1 Max	I	770.2	110.3	7.6	921.7
3062.7	22856.1		J	770.2	110.3	7.6	921.7
400.6	12656.4	Min	I	-420.0	-79.1	-1.1	-521.9
-446.7	-82456.9		J	-420.0	-79.1	-1.1	-521.9
2847.3	-97524.2						-
		C1-C2;~2 Max	I	384.2	75.4	5.8	627.9
2351.5	23966.4		J	384.2	75.4	5.8	627.9
229.5	22768.8	Min	I	-280.4	-56.4	-0.6	-391.2
-234.5	-53583.4		J	-280.4	-56.4	-0.6	-391.2
2196.4	-64775.9						-
		C3-C4;~2 Max	I	403.2	77.5	4.5	644.2
1813.1	14513.1		J	403.2	77.5	4.5	644.2
203.6	7216.6	Min	I	-254.1	-55.3	-0.5	-355.8
-221.6	-58199.6		J	-254.1	-55.3	-0.5	-355.8
1684.5	-68901.3						-
		G1	I	621.1	2.3	4.4	7.9
1976.1	-1951.1		J	621.1	2.3	5.9	7.9
2024.6	-3778.0						-
		G2	I	246.0	-1.9	1.9	-26.7
783.0	1549.8		J	246.0	-1.9	1.9	-26.7
-728.1	3047.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	9.4	0.6	-0.3	4.9
-135.0	-154.8		J	9.4	0.6	-0.3	4.9
135.2	-588.2						
		Q5_pc Y	I	-50.1	-1.4	1.1	-11.2
414.9	-207.5		J	-50.1	-1.4	1.1	-11.2
-414.3	870.6						
		Q5_ps X	I	8.3	0.8	-0.3	8.2
-109.6	-354.2		J	8.3	0.8	-0.3	8.2
110.3	-1014.3						
		Q5_ps Y	I	-44.4	-2.1	0.9	-19.3
339.5	321.9						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-340.7	1958.5		J	-44.4	-2.1	0.9	-19.3	
5103.6	30364.2	INVS LU Max	I	3458.9	168.2	12.4	1333.7	
935.7	16037.2		J	3458.9	168.2	14.3	1333.7	
1485.6	-131638.2	Min	I	1715.9	-91.5	-4.1	-699.5	-
5281.7	-166620.6		J	1715.9	-91.5	-2.1	-699.5	-
3632.5	21557.7	INVS LE Max	I	2587.4	124.1	8.8	988.5	
772.7	11228.8		J	2587.4	124.1	10.2	988.5	
1193.0	-98416.4	Min	I	1303.0	-68.1	-3.2	-516.0	-
3777.6	-123957.2		J	1303.0	-68.1	-1.8	-516.0	-
5247	2	70 C1-C2;~1 Max	I	865.9	113.4	7.2	607.0	
3077.1	36617.2		J	865.9	113.4	7.2	607.0	
820.1	49951.3	Min	I	-407.5	-120.7	-2.1	-806.8	
-781.8	-92438.4		J	-407.5	-120.7	-2.1	-806.8	-
2531.1	-111494.8							
2401.6	12657.3	C3-C4;~1 Max	I	879.2	112.9	5.7	564.6	
754.7	31507.1		J	879.2	112.9	5.7	564.6	
-744.3	-97524.5	Min	I	-375.3	-121.7	-1.9	-809.6	
2036.5	-119272.4		J	-375.3	-121.7	-1.9	-809.6	-
1848.1	22769.0	C1-C2;~2 Max	I	448.1	79.8	4.3	420.2	
467.6	32559.8		J	448.1	79.8	4.3	420.2	
-428.7	-64775.8	Min	I	-248.9	-85.2	-1.2	-563.9	
1521.1	-78244.9		J	-248.9	-85.2	-1.2	-563.9	-
1409.0	7217.2	C3-C4;~2 Max	I	455.8	79.3	3.3	388.1	
429.4	20269.4		J	455.8	79.3	3.3	388.1	
-411.1	-68901.8	Min	I	-223.7	-85.7	-1.1	-568.0	
1206.0	-84236.1		J	-223.7	-85.7	-1.1	-568.0	-
1123.9	-3776.3	G1	I	846.4	0.8	2.0	-12.5	
-978.9	-4384.2		J	846.4	0.8	3.4	-12.5	
457.1	3047.5	G2	I	332.8	1.3	1.0	4.9	
-327.7	2011.6		J	332.8	1.3	1.0	4.9	

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-126.0	-588.3	Q5_pc X	I	10.4	0.4	-0.3	1.6	
			J	10.4	0.4	-0.3	1.6	
110.3	-877.4							
386.7	870.7	Q5_pc Y	I	-54.1	-0.6	0.9	-2.9	
			J	-54.1	-0.6	0.9	-2.9	
-340.9	1338.6							
-104.1	-1014.3	Q5_ps X	I	9.9	0.3	-0.3	1.1	
			J	9.9	0.3	-0.3	1.1	
91.5	-1227.1							
321.4	1958.4	Q5_ps Y	I	-49.9	-0.4	0.8	-1.6	
			J	-49.9	-0.4	0.8	-1.6	
-285.0	2247.2							
3885.0	16042.7	INVS LU Max	I	4147.9	153.5	8.7	177.8	
			J	4147.9	153.5	10.7	177.8	
1464.6	34614.1							
		Min	I	2313.5	-165.0	-5.5	-1739.9	-
2020.5	-166615.8		J	2313.5	-165.0	-3.5	-1739.9	-
3673.3	-196247.3							
		INVS LE Max	I	3101.8	113.3	6.2	130.5	
2755.5	11232.8		J	3101.8	113.3	7.6	130.5	
1142.3	25205.0							
		Min	I	1750.2	-122.5	-4.2	-1289.5	-
1567.4	-123953.7		J	1750.2	-122.5	-2.8	-1289.5	-
2618.1	-145624.9							
5248	2	83 C1-C2;~1 Max	I	1099.4	78.4	65.7	8831.8	2
9168.0	49952.7		J	1099.4	78.4	65.7	8831.8	
8571.2	71089.5							
		Min	I	-453.1	-129.4	-23.4	-16365.4	-1
1444.6	-111500.3		J	-453.1	-129.4	-23.4	-16365.4	-2
2305.4	-104687.2							
		C3-C4;~1 Max	I	1107.2	75.4	50.1	6073.1	2
2404.9	31509.1		J	1107.2	75.4	50.1	6073.1	
8030.1	63560.7							
		Min	I	-420.6	-135.6	-24.3	-16718.4	-1
1755.7	-119277.4		J	-420.6	-135.6	-24.3	-16718.4	-1
6888.2	-110487.0							
		C1-C2;~2 Max	I	566.2	54.0	39.3	5678.6	1
7443.9	32560.5		J	566.2	54.0	39.3	5678.6	
4959.4	47308.9							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6025.6	-78248.2		Min	I	-275.5	-89.6	-12.4	-11426.0	-
				J	-275.5	-89.6	-12.4	-11426.0	-1
3396.8	-72490.5								
		C3-C4;~2	Max	I	570.9	51.4	29.3	4006.2	1
3078.4	20270.4			J	570.9	51.4	29.3	4006.2	
4663.8	41600.0								
			Min	I	-249.1	-94.1	-12.6	-11749.0	-
6063.3	-84239.1			J	-249.1	-94.1	-12.6	-11749.0	-
9931.4	-76868.6								
			G1	I	1138.6	-3.8	12.7	-445.5	
4959.0	-4385.8			J	1138.6	-3.8	17.0	-445.5	-
6614.4	-1393.4								
			G2	I	447.4	4.8	5.6	419.3	
1911.4	2010.9			J	447.4	4.8	5.6	419.3	-
2428.5	-1700.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	19.3	0.2	-3.3	-11.4	-
1446.5	-877.6			J	19.3	0.2	-3.3	-11.4	
1147.9	-1058.6								
			Q5_pc Y	I	-83.8	0.1	10.2	50.8	
4475.5	1339.6			J	-83.8	0.1	10.2	50.8	-
3482.3	1296.2								
			Q5_ps X	I	18.2	-0.4	-2.8	-62.4	-
1218.6	-1227.3			J	18.2	-0.4	-2.8	-62.4	
970.5	-919.1								
			Q5_ps Y	I	-77.6	1.6	8.7	175.3	
3788.9	2248.2			J	-77.6	1.6	8.7	175.3	-
2957.3	1036.7								
			INVSLU Max	I	5314.1	81.1	80.6	10702.2	3
4061.6	34606.9			J	5314.1	81.1	86.4	10702.2	1
6567.6	82545.0								
			Min	I	3057.0	-208.2	-59.3	-23882.1	-2
9241.4	-196265.1			J	3057.0	-208.2	-53.5	-23882.1	-3
1383.9	-164916.6								
			INVSLE Max	I	3975.8	59.5	56.8	7888.3	2
3863.7	25199.7			J	3975.8	59.5	61.1	7888.3	1
2707.8	61100.8								
			Min	I	2315.0	-154.7	-45.5	-17722.9	-2
2430.6	-145638.0			J	2315.0	-154.7	-41.2	-17722.9	-2
2347.5	-122031.2								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5249	2	83	C1-C2;~1	Max	I	1264.6	104.1	51.0	9838.6	2
0889.8	71091.8				J	1264.6	104.1	51.0	9838.6	
5469.4	165027.8			Min	I	-434.0	-275.3	-14.0	-19011.0	-
5579.2	-104678.4				J	-434.0	-275.3	-14.0	-19011.0	-1
8919.9	-75476.7									
8336.0	63563.6		C3-C4;~1	Max	I	1274.7	24.4	45.7	5904.1	1
2989.9	163991.6				J	1274.7	24.4	45.7	5904.1	
4226.7	-110477.5			Min	I	-417.0	-284.0	-8.4	-19820.1	-
7325.4	-28156.3				J	-417.0	-284.0	-8.4	-19820.1	-1
2928.2	47310.5		C1-C2;~2	Max	I	649.9	65.0	31.5	6339.3	1
3386.2	108347.1				J	649.9	65.0	31.5	6339.3	
3077.3	-72484.7			Min	I	-257.6	-188.5	-8.2	-13203.8	-
1634.5	-44198.3				J	-257.6	-188.5	-8.2	-13203.8	-1
1353.5	41602.2		C3-C4;~2	Max	I	654.0	10.5	28.3	3861.9	1
1448.0	108258.7				J	654.0	10.5	28.3	3861.9	
1986.7	-76862.2			Min	I	-242.1	-196.0	-4.1	-13885.8	-
0724.6	-14528.0				J	-242.1	-196.0	-4.1	-13885.8	-1
5739.2	-1390.8		G1		I	1364.9	-22.4	15.3	-554.6	
7800.2	16030.2				J	1364.9	-22.4	19.6	-554.6	-
1880.9	-1700.0		G2		I	536.4	13.1	5.5	780.8	
2390.0	-11875.9				J	536.4	13.1	5.5	780.8	-
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
-889.0	-1058.1		Q5_pc	X	I	33.2	-0.2	-2.2	-7.5	
785.8	-902.0				J	33.2	-0.2	-2.2	-7.5	
2631.7	1294.9		Q5_pc	Y	I	-124.6	1.4	6.4	64.9	
2315.5	173.4				J	-124.6	1.4	6.4	64.9	-
-721.5	-918.6		Q5_ps	X	I	31.2	-2.2	-1.7	-91.0	
624.5	814.2				J	31.2	-2.2	-1.7	-91.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2156.7	1035.2	Q5_ps Y	I	-115.4	6.3	5.2	266.7	
1866.8	-3871.8		J	-115.4	6.3	5.2	266.7	-
6211.6	82556.9	INVS LU Max	I	6238.5	82.0	66.6	11850.6	2
9071.8	255547.3		J	6238.5	82.0	72.4	11850.6	
4258.5	-164892.4	Min	I	3707.6	-444.6	-32.7	-28305.4	-1
8021.6	-70757.4		J	3707.6	-444.6	-26.9	-28305.4	-2
8795.2	61109.8	INVS LE Max	I	4667.9	58.8	48.0	8717.7	1
6864.7	190677.4		J	4667.9	58.8	52.3	8717.7	
0831.8	-122013.2	Min	I	2809.8	-331.0	-24.7	-21018.9	-1
0303.2	-50909.6		J	2809.8	-331.0	-20.4	-21018.9	-2
5250	2	83 C1-C2;~1 Max	I	1389.8	296.6	42.2	17043.2	1
6711.1	165102.6		J	1389.8	296.6	42.2	17043.2	
8116.5	90663.8	Min	I	-386.7	-109.9	-19.6	-8682.0	-
7155.1	-75459.3		J	-386.7	-109.9	-19.6	-8682.0	-1
6284.0	-138746.3							
0010.0	164080.8	C3-C4;~1 Max	I	1381.6	309.8	26.9	18053.1	1
8358.8	77788.2		J	1381.6	309.8	26.9	18053.1	
7729.0	-28121.6	Min	I	-389.4	-29.0	-20.5	-6414.3	-
1067.0	-142989.4		J	-389.4	-29.0	-20.5	-6414.3	-1
0114.9	108405.3	C1-C2;~2 Max	I	709.7	202.5	25.1	11835.9	1
5489.5	61508.7		J	709.7	202.5	25.1	11835.9	
4726.2	-44192.5	Min	I	-223.8	-68.4	-13.0	-5749.1	-
9502.4	-96501.9		J	-223.8	-68.4	-13.0	-5749.1	-
5647.9	108328.0	C3-C4;~2 Max	I	703.9	213.1	15.0	12554.6	
5615.9	51926.9		J	703.9	213.1	15.0	12554.6	
5207.5	-14511.2	Min	I	-222.7	-12.6	-13.8	-4237.9	-
6100.8	-99740.1		J	-222.7	-12.6	-13.8	-4237.9	-
7437.1	16081.7	G1	I	1574.8	23.5	19.6	871.7	
9564.9	-2291.2		J	1574.8	23.5	23.9	871.7	-
		G2	I	616.4	-15.4	9.2	-479.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3320.4	-11856.9			J	616.4	-15.4	9.2	-479.5	-
3853.6	137.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	44.3	1.6	-2.5	72.7	
-992.9	-904.9			J	44.3	1.6	-2.5	72.7	
922.5	-2117.8								
			Q5_pc Y	I	-154.9	-4.6	6.7	-188.1	
2734.9	174.7			J	-154.9	-4.6	6.7	-188.1	-
2524.0	3755.6								
			Q5_ps X	I	42.0	3.8	-2.2	145.2	
-879.9	811.2			J	42.0	3.8	-2.2	145.2	
812.2	-2139.6								
			Q5_ps Y	I	-144.9	-9.9	5.9	-360.8	
2414.6	-3869.8			J	-144.9	-9.9	5.9	-360.8	-
2218.1	3862.0								
			INVSLE Max	I	6993.4	489.3	73.0	26916.1	2
7909.1	255784.4			J	6993.4	489.3	78.9	26916.1	
6290.0	105511.6								
			Min	I	4312.6	-85.4	-23.7	-9514.7	-1
0007.7	-70602.9			J	4312.6	-85.4	-17.9	-9514.7	-3
1521.0	-216680.3								
			INVSLE Max	I	5231.1	364.2	53.4	19993.7	2
0339.4	190852.4			J	5231.1	364.2	57.7	19993.7	
4536.0	77753.3								
			Min	I	3266.0	-60.9	-17.4	-6967.0	-
7382.5	-50795.3			J	3266.0	-60.9	-13.0	-6967.0	-2
3135.6	-160406.7								
		83	C1-C2;~1 Max	I	1522.4	170.6	45.9	12502.5	1
5251	2			J	1522.4	170.6	45.9	12502.5	
8116.5	90663.7								
			Min	I	-337.6	-93.2	-16.1	-7866.5	-
7311.4	75288.9			J	-337.6	-93.2	-16.1	-7866.5	-1
5281.3	-138757.1								
7768.3	-176710.3								
			C3-C4;~1 Max	I	1480.6	184.1	38.2	12738.6	1
5063.8	77786.2			J	1480.6	184.1	38.2	12738.6	
6297.0	44762.1								
			Min	I	-359.9	-79.3	-14.1	-7136.1	-
4848.0	-143001.8			J	-359.9	-79.3	-14.1	-7136.1	-1
5061.0	-187491.2								
			C1-C2;~2 Max	I	771.5	118.7	27.6	8699.7	1


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1136.0	61508.6			J	771.5	118.7	27.6	8699.7		
4827.5	49303.0									
		Min		I	-189.1	-60.1	-10.5	-5373.0		-
3406.9	-96509.7			J	-189.1	-60.1	-10.5	-5373.0		-1
0463.2	-122827.2									
		C3-C4;~2 Max		I	749.0	128.4	22.7	8829.1		
9141.2	51925.4			J	749.0	128.4	22.7	8829.1		
4057.1	28128.9									
		Min		I	-192.7	-53.5	-9.0	-4808.1		-
3082.2	-99748.9			J	-192.7	-53.5	-9.0	-4808.1		-
8748.5	-131168.5									
		G1		I	1798.8	5.1	21.8	640.8		
8131.2	-2291.7			J	1798.8	5.1	26.2	640.8		-1
0614.8	-6299.2									
		G2		I	700.2	-6.9	8.8	-84.3		
3043.9	138.8			J	700.2	-6.9	8.8	-84.3		-
3818.6	5504.8									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
		Q5_pc X		I	51.3	1.4	-1.9	54.2		
-731.4	-2117.7			J	51.3	1.4	-1.9	54.2		
716.6	-3246.5									
		Q5_pc Y		I	-175.0	-3.6	5.1	-135.8		
2036.0	3755.5			J	-175.0	-3.6	5.1	-135.8		-
1971.6	6582.8									
		Q5_ps X		I	49.3	2.2	-1.5	87.4		
-604.7	-2139.6			J	49.3	2.2	-1.5	87.4		
593.8	-3848.3									
		Q5_ps Y		I	-165.3	-5.4	4.3	-215.0		
1692.5	3862.1			J	-165.3	-5.4	4.3	-215.0		-
1644.0	8081.1									
		INVSLU Max		I	7814.4	274.9	74.8	19503.5		2
7425.8	105508.6			J	7814.4	274.9	80.7	19503.5		
4069.5	69220.7									
		Min		I	4958.3	-105.9	-18.1	-8557.9		-
7826.0	-216699.8			J	4958.3	-105.9	-12.3	-8557.9		-3
3337.0	-297381.5									
		INVSLE Max		I	5843.0	204.0	55.1	14481.4		2
0138.5	77751.0			J	5843.0	204.0	59.4	14481.4		
2827.3	50219.0									
		Min		I	3750.7	-77.6	-13.1	-6286.7		-


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5702.5	-160421.1			J	3750.7	-77.6	-8.7	-6286.7	-2	
4618.3	-220460.4									
5252	2	83	C1-C2;~1	Max	I	1662.2	121.9	45.5	7873.6	1
7588.7	75289.4				J	1662.2	121.9	45.5	7873.6	
7484.4	74440.9			Min	I	-304.7	-143.2	-16.8	-10695.3	-
5702.2	-176710.0				J	-304.7	-143.2	-16.8	-10695.3	-1
8005.8	-169762.4									
			C3-C4;~1	Max	I	1577.4	123.7	37.5	7389.8	1
4062.9	44763.3				J	1577.4	123.7	37.5	7389.8	
6670.5	41662.2			Min	I	-339.4	-143.6	-15.4	-10102.8	-
5421.1	-187490.8				J	-339.4	-143.6	-15.4	-10102.8	-1
5284.2	-180808.6									
			C1-C2;~2	Max	I	835.5	85.7	27.1	5413.0	1
0680.9	49303.4				J	835.5	85.7	27.1	5413.0	
4910.0	48603.0			Min	I	-164.2	-100.6	-10.9	-7450.1	-
3666.2	-122827.2				J	-164.2	-100.6	-10.9	-7450.1	-1
0498.0	-118228.8									
			C3-C4;~2	Max	I	795.2	86.3	21.9	5000.7	
8350.4	28129.6				J	795.2	86.3	21.9	5000.7	
4283.4	25605.6			Min	I	-179.6	-100.4	-9.8	-7016.5	-
3445.6	-131168.5				J	-179.6	-100.4	-9.8	-7016.5	-
8773.7	-126609.3									
			G1		I	2034.2	-2.8	23.4	391.3	
8515.2	-6297.3				J	2034.2	-2.8	27.8	391.3	-1
1486.7	-4123.4									
			G2		I	788.6	-0.8	9.7	234.6	
3328.2	5505.1				J	788.6	-0.8	9.7	234.6	-
4212.1	6165.3									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	55.0	1.6	-1.6	11.0	
-650.4	-3246.5				J	55.0	1.6	-1.6	11.0	
634.0	-4524.0									
			Q5_pc	Y	I	-186.4	-3.4	4.6	-24.4	
1822.9	6582.8				J	-186.4	-3.4	4.6	-24.4	-
1755.5	9208.2									
			Q5_ps	X	I	53.4	1.4	-1.4	6.2	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-544.0	-3848.3			J	53.4	1.4	-1.4	6.2	
524.0	-4941.1								
		Q5_ps	Y	I	-177.6	-2.8	3.8	-13.6	
1534.4	8081.0			J	-177.6	-2.8	3.8	-13.6	-
1463.8	10294.4								
		INVSLU	Max	I	8663.0	152.2	79.4	12513.9	2
8276.8	69226.9			J	8663.0	152.2	85.2	12513.9	
1535.8	84357.6			Min	5625.4	-214.7	-13.0	-12598.2	-
6447.2	-297375.5			J	5625.4	-214.7	-7.1	-12598.2	-3
6035.9	-276804.1								
		INVSLE	Max	I	6475.0	112.4	58.6	9289.8	2
0843.0	50223.7			J	6475.0	112.4	63.0	9289.8	
909.4	61353.0			Min	4249.7	-158.9	-9.1	-9308.5	-
4635.4	-220455.9			J	4249.7	-158.9	-4.8	-9308.5	-2
6687.5	-204946.4								
5253	2	83	C1-C2;~1	Max	1817.8	78.2	42.1	5990.1	1
6204.6	74440.9			J	1817.8	78.2	42.1	5990.1	
7840.8	97019.0			Min	-306.6	-198.9	-17.7	-14909.9	-
6040.4	-169762.8			J	-306.6	-198.9	-17.7	-14909.9	-1
6749.7	-109404.7								
		C3-C4;~1	Max	I	1712.9	50.6	34.6	3447.1	1
2986.8	41659.8			J	1712.9	50.6	34.6	3447.1	
7382.4	79298.5			Min	-343.6	-205.5	-16.7	-14712.7	-
5836.8	-180809.3			J	-343.6	-205.5	-16.7	-14712.7	-1
4099.0	-114091.1								
		C1-C2;~2	Max	I	911.4	50.6	25.2	3829.4	
9920.9	48603.0			J	911.4	50.6	25.2	3829.4	
5163.5	65181.0			Min	-165.9	-138.2	-11.5	-10418.7	-
3856.1	-118228.9			J	-165.9	-138.2	-11.5	-10418.7	-
9806.6	-76164.7								
		C3-C4;~2	Max	I	860.6	32.6	20.3	2126.7	
7765.1	25604.1			J	860.6	32.6	20.3	2126.7	
4796.9	52018.6			Min	-182.3	-142.8	-10.8	-10316.6	-
3723.6	-126609.6			J	-182.3	-142.8	-10.8	-10316.6	-
8094.2	-79398.1								
		G1		I	2261.1	-9.2	20.5	35.3	
7214.9	-4125.6			J	2261.1	-9.2	24.9	35.3	-1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0518.9	3049.5							
		G2	I	874.0	6.3	8.8	568.4	
2883.4	6165.2		J	874.0	6.3	8.8	568.4	-
3965.4	1256.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	58.6	2.5	-1.2	-66.9	
-447.1	-4524.1		J	58.6	2.5	-1.2	-66.9	
518.6	-6457.5							
		Q5_pc Y	I	-196.8	-4.3	3.6	161.2	
1356.3	9208.6		J	-196.8	-4.3	3.6	161.2	-
1471.1	12571.2							
		Q5_ps X	I	57.4	1.3	-1.0	-108.5	
-368.1	-4941.3		J	57.4	1.3	-1.0	-108.5	
433.1	-5932.3							
		Q5_ps Y	I	-189.1	-1.5	3.0	259.7	
1133.7	10294.9		J	-189.1	-1.5	3.0	259.7	-
1239.3	11486.4							
		INVS LU Max	I	9506.3	49.8	70.4	9768.1	2
3924.7	84352.2		J	9506.3	49.8	76.2	9768.1	
2412.4	164497.3							
		Min	I	6234.2	-341.0	-16.8	-18737.2	-
8547.3	-276810.9		J	6234.2	-341.0	-11.0	-18737.2	-3
3432.8	-143129.5							
		INVS LE Max	I	7102.5	35.9	52.0	7224.4	1
7648.8	61348.9		J	7102.5	35.9	56.4	7224.4	
1579.5	121028.1							
		Min	I	4704.9	-253.0	-12.1	-13869.0	-
6223.8	-204951.5		J	4704.9	-253.0	-7.7	-13869.0	-2
4776.4	-105167.4							
		83 C1-C2;~1 Max	I	1961.4	108.9	37.1	8674.2	1
5254	2		J	1961.4	108.9	37.1	8674.2	
3788.5	97020.1							
		Min	I	-305.8	-289.9	-11.2	-17332.5	-
4685.0	159407.1		J	-305.8	-289.9	-11.2	-17332.5	-1
4377.6	-109392.2							
5276.7	-63803.7							
		C3-C4;~1 Max	I	1843.6	28.4	32.2	5883.9	1
1313.6	79303.2		J	1843.6	28.4	32.2	5883.9	
4164.7	163351.6							
		Min	I	-342.9	-316.1	-10.6	-17727.5	-
4230.1	-114076.4		J	-342.9	-316.1	-10.6	-17727.5	-1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3899.1	-28096.5								
		C1-C2;~2	Max	I	990.3	69.4	22.5	5734.2	
8541.7	65181.5			J	990.3	69.4	22.5	5734.2	
2835.3	103252.0								
			Min	I	-165.5	-200.5	-6.5	-12036.8	-
2449.0	-76155.9			J	-165.5	-200.5	-6.5	-12036.8	-
9083.9	-36964.8								
		C3-C4;~2	Max	I	932.8	12.3	19.2	3863.2	
6885.3	52021.9			J	932.8	12.3	19.2	3863.2	
2539.8	106597.9								
			Min	I	-182.0	-219.9	-6.4	-12376.5	-
2519.4	-79387.5			J	-182.0	-219.9	-6.4	-12376.5	-
8157.3	-12313.1								
			G1	I	2423.8	-10.8	17.0	-334.8	
5010.4	3051.1			J	2423.8	-10.8	21.3	-334.8	-
9971.9	11484.2								
			G2	I	935.3	20.9	7.4	641.4	
2081.4	1255.2			J	935.3	20.9	7.4	641.4	-
3673.5	-15063.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	65.1	5.7	0.9	-91.7	
183.4	-6457.3			J	65.1	5.7	0.9	-91.7	
-517.0	-10908.8								
			Q5_pc Y	I	-213.5	-10.1	-0.8	218.9	
42.6	12570.5			J	-213.5	-10.1	-0.8	218.9	
656.4	20435.3								
			Q5_ps X	I	63.8	3.5	0.9	-141.4	
189.4	-5932.0			J	63.8	3.5	0.9	-141.4	
-507.2	-8641.8								
			Q5_ps Y	I	-205.7	-5.0	-0.9	336.3	
-14.9	11485.4			J	-205.7	-5.0	-0.9	336.3	
677.6	15359.6								
			INVSLU Max	I	10150.1	62.3	64.8	12803.5	1
8057.1	164504.9			J	10150.1	62.3	70.6	12803.5	-
6952.9	334425.6								
			Min	I	6655.0	-529.6	-2.0	-23232.7	-
6797.2	-143102.4			J	6655.0	-529.6	3.9	-23232.7	-3
5082.7	-9017.7								
			INVSLE Max	I	7580.3	44.2	47.9	9449.3	1
3310.3	121033.8								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5211.5	247399.6		J	7580.3	44.2	52.2	9449.3	-
		Min	I	5019.9	-393.0	-1.5	-17214.9	-
5075.9	-105147.3		J	5019.9	-393.0	2.9	-17214.9	-2
5960.9	-4278.1							
5255	2	83 C1-C2;~1 Max	I	1982.8	294.1	11.5	17540.7	
4473.4	159487.1		J	1982.8	294.1	11.5	17540.7	1
3703.0	96845.0							
		Min	I	-295.5	-109.1	-36.6	-8620.3	-1
4702.6	-63116.9		J	-295.5	-109.1	-36.6	-8620.3	-
4787.7	-111406.6							
		C3-C4;~1 Max	I	1866.2	320.0	15.8	17966.7	
5540.8	163896.5		J	1866.2	320.0	15.8	17966.7	1
0527.2	79456.9							
		Min	I	-331.2	-28.9	-29.5	-5780.5	-1
2372.9	-26927.3		J	-331.2	-28.9	-29.5	-5780.5	-
6785.8	-115569.8							
		C1-C2;~2 Max	I	1009.0	203.3	6.7	12127.0	
2751.5	103524.9		J	1009.0	203.3	6.7	12127.0	
8542.9	65006.3							
		Min	I	-160.0	-69.5	-22.4	-5709.3	-
8851.1	-36581.0		J	-160.0	-69.5	-22.4	-5709.3	-
2698.7	-77415.4							
		C3-C4;~2 Max	I	952.1	222.5	8.6	12488.6	
2794.4	107165.0		J	952.1	222.5	8.6	12488.6	
6561.9	51906.3							
		Min	I	-175.8	-12.6	-18.1	-3803.0	-
7484.1	-11699.3		J	-175.8	-12.6	-18.1	-3803.0	-
3639.9	-80152.2							
		G1	I	2423.5	11.5	-14.7	812.5	-
7348.0	11267.2		J	2423.5	11.5	-10.5	812.5	
2398.8	2343.3							
		G2	I	935.3	-20.8	-4.6	-435.2	-
2581.1	-15204.6		J	935.3	-20.8	-4.6	-435.2	
983.4	860.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	64.2	-5.5	-0.5	158.2	
-341.0	-10917.2		J	64.2	-5.5	-0.5	158.2	
24.1	-6639.2							
		Q5_pc Y	I	-216.7	9.1	1.9	-381.1	
1083.4	20130.0		J	-216.7	9.1	1.9	-381.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-424.5	13121.3							
-378.9	-8632.0	Q5_ps X	I	62.9	-3.3	-0.6	202.8	
77.3	-6113.6		J	62.9	-3.3	-0.6	202.8	
1136.1	15035.7	Q5_ps Y	I	-208.9	3.9	2.1	-485.7	
-512.0	12023.4		J	-208.9	3.9	2.1	-485.7	
6088.6	330771.1	INVS LU Max	I	10176.8	540.7	1.9	24314.0	-
8559.9	156226.8		J	10176.8	540.7	7.6	24314.0	1
5367.3	-11931.0	Min	I	6662.8	-54.9	-72.4	-12264.4	-3
9864.1	-154151.7		J	6662.8	-54.9	-66.7	-12264.4	-
4790.5	244756.6	INVS LE Max	I	7600.7	401.3	0.8	17980.1	-
3857.2	114859.9		J	7600.7	401.3	5.1	17980.1	1
6334.0	-6412.8	Min	I	5026.6	-38.7	-54.0	-9064.2	-2
7141.0	-113300.6		J	5026.6	-38.7	-49.7	-9064.2	-
5256	2	83 C1-C2;~1 Max	I	1882.5	199.4	18.1	15055.6	
7712.2	96843.4		J	1882.5	199.4	18.1	15055.6	1
5926.5	75472.9	Min	I	-279.0	-79.3	-41.3	-6015.9	-1
6029.2	-111419.0		J	-279.0	-79.3	-41.3	-6015.9	-
6334.5	-171511.8							
7335.6	79451.5	C3-C4;~1 Max	I	1780.5	205.6	18.1	14786.3	
1951.7	42219.2		J	1780.5	205.6	18.1	14786.3	1
2453.4	-115584.4	Min	I	-311.6	-51.6	-31.5	-3441.7	-1
8164.4	-182114.7		J	-311.6	-51.6	-31.5	-3441.7	-
5145.7	65005.6	C1-C2;~2 Max	I	967.1	138.5	11.8	10462.0	
9785.0	49191.2		J	967.1	138.5	11.8	10462.0	
9476.4	-77424.2	Min	I	-150.7	-51.5	-24.9	-3869.1	-
4015.0	-119185.7		J	-150.7	-51.5	-24.9	-3869.1	-
4820.1	51902.6	C3-C4;~2 Max	I	917.4	142.7	11.7	10318.2	
7319.3	25687.5		J	917.4	142.7	11.7	10318.2	
7363.1	-80162.7	Min	I	-165.1	-33.3	-19.0	-2145.3	-
4272.2	-127067.8		J	-165.1	-33.3	-19.0	-2145.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7828.3	2341.4	G1	I	2262.0	9.8	-18.1	416.3	-
			J	2262.0	9.8	-13.8	416.3	
4519.9	-5262.4							
		G2	I	875.3	-6.1	-5.9	-371.3	-
2834.8	861.3		J	875.3	-6.1	-5.9	-371.3	
1745.3	5580.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		0.0	0.0					
		Q5_pc X	I	56.1	-2.5	1.6	117.4	
674.8	-6639.5		J	56.1	-2.5	1.6	117.4	
-589.4	-4702.9							
		Q5_pc Y	I	-205.6	3.8	-2.4	-291.0	-
1014.0	13122.1		J	-205.6	3.8	-2.4	-291.0	
862.6	10170.7							
		Q5_ps X	I	54.7	-1.3	1.3	153.2	
541.8	-6113.9		J	54.7	-1.3	1.3	153.2	
-463.8	-5124.5							
		Q5_ps Y	I	-197.5	1.0	-1.8	-375.0	
-751.5	12024.4		J	-197.5	1.0	-1.8	-375.0	
613.3	11226.2							
		INVSLE Max	I	9609.2	347.2	8.2	19654.0	
1006.9	156218.1		J	9609.2	347.2	14.0	19654.0	2
3953.4	73526.4							
		Min	I	6277.2	-44.3	-76.3	-9316.5	-3
2869.0	-154179.4		J	6277.2	-44.3	-70.5	-9316.5	-1
0122.0	-292524.2							
		INVSLE Max	I	7180.2	257.7	5.3	14515.0	
367.3	114853.3		J	7180.2	257.7	9.5	14515.0	1
7907.4	53212.1							
		Min	I	4739.5	-31.8	-57.0	-6905.7	-2
4590.8	-113321.1		J	4739.5	-31.8	-52.7	-6905.7	-
7218.6	-216580.3							
		83 C1-C2;~1 Max	I	1735.8	141.6	17.3	10874.0	
5257	2		J	1735.8	141.6	17.3	10874.0	1
7408.7	75473.2							
		Min	I	-273.5	-123.1	-44.6	-7897.2	-1
7276.0	76875.7		J	-273.5	-123.1	-44.6	-7897.2	-
7243.0	-171511.4							
6070.6	-175956.5							
		C3-C4;~1 Max	I	1655.9	142.4	20.5	10193.4	
6876.0	42221.9		J	1655.9	142.4	20.5	10193.4	1
3068.4	47128.8							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3718.0	-182114.1		Min	I	-301.0	-124.6	-34.6	-7379.2	-1
				J	-301.0	-124.6	-34.6	-7379.2	-
8074.4	-186956.1								
		C1-C2;~2	Max	I	901.2	99.3	11.2	7500.3	
4908.4	49191.3			J	901.2	99.3	11.2	7500.3	1
0480.9	50448.2								
			Min	I	-150.8	-86.5	-26.6	-5431.9	-1
0110.5	-119185.6			J	-150.8	-86.5	-26.6	-5431.9	-
3850.8	-122020.3								
		C3-C4;~2	Max	I	862.5	99.4	11.0	7025.3	
4470.5	25689.2			J	862.5	99.4	11.0	7025.3	
7914.7	29681.9								
			Min	I	-161.0	-86.9	-20.7	-5006.9	-
8080.0	-127067.5			J	-161.0	-86.9	-20.7	-5006.9	-
4041.7	-130312.8								
			G1	I	2037.9	2.9	-21.1	32.0	-
8799.5	-5260.1			J	2037.9	2.9	-16.8	32.0	
5832.2	-7538.7								
			G2	I	791.8	0.9	-6.8	-56.1	-
3078.2	5580.2			J	791.8	0.9	-6.8	-56.1	
2191.6	4882.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	51.0	-1.8	2.0	23.1	
772.3	-4702.7			J	51.0	-1.8	2.0	23.1	
-773.8	-3283.3								
			Q5_pc Y	I	-199.5	3.4	-3.2	-61.4	-
1222.3	10170.4			J	-199.5	3.4	-3.2	-61.4	
1258.6	7554.9								
			Q5_ps X	I	49.1	-1.6	1.6	22.2	
616.0	-5124.3			J	49.1	-1.6	1.6	22.2	
-621.5	-3893.5								
			Q5_ps Y	I	-190.2	2.8	-2.4	-59.6	
-906.2	11225.8			J	-190.2	2.8	-2.4	-59.6	
949.2	9022.2								
			INVSLU Max	I	8833.7	216.6	8.8	13409.6	
216.1	73532.1			J	8833.7	216.6	14.6	13409.6	2
8173.1	56566.0								
			Min	I	5724.7	-149.9	-84.9	-12042.0	-3
5263.9	-292517.4			J	5724.7	-149.9	-79.1	-12042.0	-
8315.5	-313205.7								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-259.5	53216.4	INVSLE Max	I	6604.2	160.4	5.5	9881.4	
			J	6604.2	160.4	9.8	9881.4	2
1038.8	40693.0	Min	I	4327.8	-110.6	-63.4	-8963.4	-2
6378.0	-216575.3		J	4327.8	-110.6	-59.1	-8963.4	-
5822.0	-232204.7							
5258	2	83 C1-C2;~1 Max	I	1586.6	86.7	17.4	8182.6	
7521.6	76875.4		J	1586.6	86.7	17.4	8182.6	1
7932.5	87874.8	Min	I	-339.4	-172.3	-45.4	-12498.8	-1
7150.0	-175956.8		J	-339.4	-172.3	-45.4	-12498.8	-
5934.4	-134894.8							
		C3-C4;~1 Max	I	1528.5	79.5	21.0	7303.1	
8092.9	47128.0		J	1528.5	79.5	21.0	7303.1	1
4089.9	75579.9	Min	I	-331.4	-185.3	-36.0	-12723.4	-1
3798.1	-186956.6		J	-331.4	-185.3	-36.0	-12723.4	-
8167.1	-140460.0							
		C1-C2;~2 Max	I	833.0	60.0	11.2	5515.8	
4955.5	50448.0		J	833.0	60.0	11.2	5515.8	1
0903.4	59726.9	Min	I	-199.8	-119.9	-27.1	-8680.3	-1
0071.1	-122020.2		J	-199.8	-119.9	-27.1	-8680.3	-
3718.5	-93922.3							
		C3-C4;~2 Max	I	805.3	53.6	10.8	4865.3	
4472.9	29681.4		J	805.3	53.6	10.8	4865.3	
8604.6	50457.2	Min	I	-191.2	-129.3	-21.7	-8818.3	-
8173.0	-130312.8		J	-191.2	-129.3	-21.7	-8818.3	-
4501.4	-97786.4							
		G1	I	1805.1	-5.7	-19.8	-252.4	-
8050.0	-7540.7		J	1805.1	-5.7	-15.5	-252.4	
5601.2	-3101.5							
		G2	I	705.2	6.6	-6.1	241.1	-
2730.9	4882.4		J	705.2	6.6	-6.1	241.1	
1962.9	-201.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	46.1	-2.1	2.1	-39.0	
826.6	-3283.3		J	46.1	-2.1	2.1	-39.0	
-824.7	-1691.6							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1376.7	7555.0	Q5_pc	Y	I	-193.1	4.9	-3.6	103.8	-
				J	-193.1	4.9	-3.6	103.8	
1410.8	3792.6	Q5_ps	X	I	43.7	-2.8	1.7	-77.2	
658.4	-3893.6			J	43.7	-2.8	1.7	-77.2	
-652.2	-1734.8								
1031.6	9022.4	Q5_ps	Y	I	-182.5	6.6	-2.7	192.5	-
				J	-182.5	6.6	-2.7	192.5	
1053.1	3935.3								
2998.3	56559.8	INVSLU	Max	I	8030.6	97.6	13.3	9396.0	
				J	8030.6	97.6	19.1	9396.0	2
8232.8	86446.6								
			Min	I	5083.0	-278.4	-82.8	-19014.0	-3
3557.7	-313212.3			J	5083.0	-278.4	-77.0	-19014.0	-
9541.0	-228632.1								
1806.1	40688.3	INVSLE	Max	I	6007.3	71.4	8.9	6881.9	
				J	6007.3	71.4	13.2	6881.9	2
1061.2	63526.1								
			Min	I	3849.6	-206.5	-61.8	-14148.7	-2
5088.8	-232209.7			J	3849.6	-206.5	-57.5	-14148.7	-
6731.3	-169359.8								
5259	2	83 C1-C2;~1	Max	I	1449.9	104.9	23.2	8721.3	
9254.8	87873.5			J	1449.9	104.9	23.2	8721.3	1
6155.7	151176.7								
			Min	I	-405.3	-298.5	-40.9	-17028.0	-1
5619.3	-134883.5			J	-405.3	-298.5	-40.9	-17028.0	-
8708.1	-65303.4								
9178.1	75580.4	C3-C4;~1	Max	I	1417.6	28.5	23.5	6628.7	
				J	1417.6	28.5	23.5	6628.7	
8974.7	150357.1								
			Min	I	-390.7	-310.6	-23.9	-18028.9	-
9548.9	-140447.2			J	-390.7	-310.6	-23.9	-18028.9	-1
0325.3	-26478.4								
6008.8	59726.2	C1-C2;~2	Max	I	769.4	66.3	14.8	5737.5	
				J	769.4	66.3	14.8	5737.5	
9507.4	98834.2								
			Min	I	-248.0	-204.0	-23.8	-11781.7	-
8973.6	-93914.5			J	-248.0	-204.0	-23.8	-11781.7	-
5460.3	-39281.6								
6072.3	50457.8	C3-C4;~2	Max	I	750.7	12.6	15.4	4321.5	
				J	750.7	12.6	15.4	4321.5	
4934.8	98964.9								
			Min	I	-234.5	-213.8	-13.1	-12514.0	-
5206.9	-97777.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5865.4	-13995.2		J	-234.5	-213.8	-13.1	-12514.0	-
7205.4	-3100.9	G1	I	1584.3	-25.6	-18.2	-561.3	-
5194.2	16722.0		J	1584.3	-25.6	-13.9	-561.3	
2853.8	-202.1	G2	I	623.5	14.0	-6.8	598.9	-
2368.8	-11065.4		J	623.5	14.0	-6.8	598.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1002.9	-1691.6	Q5_pc X	I	38.0	-3.1	2.7	-87.5	
1050.6	679.1		J	38.0	-3.1	2.7	-87.5	-
1818.4	3792.1	Q5_pc Y	I	-180.2	8.6	-4.9	241.8	-
1978.9	-2879.9		J	-180.2	8.6	-4.9	241.8	
850.4	-1734.7	Q5_ps X	I	35.2	-5.3	2.3	-164.3	
-895.1	2326.7		J	35.2	-5.3	2.3	-164.3	
1510.2	3934.5	Q5_ps Y	I	-168.7	13.7	-4.1	420.0	-
1661.4	-6640.9		J	-168.7	13.7	-4.1	420.0	
4646.4	86447.2	INVS LU Max	I	7235.7	75.7	13.5	9920.5	
9413.9	228140.3		J	7235.7	75.7	19.3	9920.5	2
2206.8	-228611.7	Min	I	4406.8	-500.9	-82.4	-26627.6	-3
9897.5	-69291.6		J	4406.8	-500.9	-76.6	-26627.6	-
3033.0	63526.7	INVS LE Max	I	5416.7	53.4	9.0	7232.3	
1867.0	170160.5		J	5416.7	53.4	13.3	7232.3	2
4023.2	-169344.6	Min	I	3345.2	-372.5	-61.3	-19808.1	-2
6988.7	-49775.4		J	3345.2	-372.5	-57.0	-19808.1	-
5260	2	83 C1-C2;~1 Max	I	1324.5	294.4	14.5	18641.6	
6446.6	151041.5		J	1324.5	294.4	14.5	18641.6	1
8232.8	75188.9	Min	I	-470.7	-106.5	-43.7	-9289.9	-1
7375.7	-65289.5		J	-470.7	-106.5	-43.7	-9289.9	-
5412.3	-124840.9	C3-C4;~1 Max	I	1310.0	302.0	17.7	19341.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
7115.0	150220.5			J	1310.0	302.0	17.7	19341.3	1
5011.7	64705.8								
		Min		I	-448.8	-24.9	-37.0	-5952.8	-1
5146.2	-26469.3			J	-448.8	-24.9	-37.0	-5952.8	-
7273.0	-131095.2								
		C1-C2;~2 Max		I	710.7	201.6	8.8	12819.2	
4008.6	98752.9			J	710.7	201.6	8.8	12819.2	1
1113.8	50646.8								
		Min		I	-294.9	-68.0	-26.4	-6090.6	-1
0365.6	-39274.3			J	-294.9	-68.0	-26.4	-6090.6	-
3189.7	-86533.5								
		C3-C4;~2 Max		I	703.6	208.4	9.0	13421.2	
3649.5	98878.8			J	703.6	208.4	9.0	13421.2	
9322.7	42332.9								
		Min		I	-276.0	-10.9	-22.8	-3864.2	-
9252.8	-13991.9			J	-276.0	-10.9	-22.8	-3864.2	-
3644.7	-90902.4								
		G1		I	1372.7	26.7	-13.5	1053.3	-
5520.2	16633.8			J	1372.7	26.7	-9.0	1053.3	
3667.1	-5094.9								
		G2		I	543.7	-12.2	-3.0	-560.5	-
1447.2	-11099.4			J	543.7	-12.2	-3.0	-560.5	
1027.5	-1189.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	26.7	1.8	2.0	89.4	
791.1	679.9			J	26.7	1.8	2.0	89.4	
-857.7	-754.6								
		Q5_pc Y		I	-160.8	-6.5	-3.7	-306.2	-
1398.4	-2879.3			J	-160.8	-6.5	-3.7	-306.2	
1611.8	2400.9								
		Q5_ps X		I	23.9	3.9	1.5	167.8	
593.0	2328.1			J	23.9	3.9	1.5	167.8	
-654.4	-828.5								
		Q5_ps Y		I	-149.2	-11.3	-2.7	-484.6	
-982.1	-6641.8			J	-149.2	-11.3	-2.7	-484.6	
1181.9	2568.8								
		INVSLU Max		I	6484.3	481.4	20.1	28093.0	
7251.4	227790.0			J	6484.3	481.4	26.2	28093.0	2
5738.1	69711.7								
		Min		I	3771.4	-81.8	-69.4	-11110.3	-2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8328.2	-69439.6			J	3771.4	-81.8	-63.3	-11110.3	-1
1595.8	-213093.4								
5116.0	169903.7		INVSLE Max	I	4858.7	358.0	14.4	20818.3	
				J	4858.7	358.0	18.9	20818.3	1
9025.5	51313.1		Min	I	2870.5	-58.2	-51.4	-8180.3	-2
1052.8	-49882.5			J	2870.5	-58.2	-46.9	-8180.3	-
8414.4	-157852.0								
5261	2	83	C1-C2;~1 Max	I	1204.5	159.3	17.8	15310.0	
7945.1	75187.7			J	1204.5	159.3	17.8	15310.0	1
8864.8	70244.7		Min	I	-533.0	-85.6	-44.1	-8191.1	-1
7158.7	-124852.9			J	-533.0	-85.6	-44.1	-8191.1	-
6658.2	-164664.6								
			C3-C4;~1 Max	I	1199.5	168.1	23.6	15424.4	
9676.5	64703.6			J	1199.5	168.1	23.6	15424.4	1
3027.8	38479.6		Min	I	-496.4	-80.7	-30.4	-6803.6	-1
1979.8	-131108.4			J	-496.4	-80.7	-30.4	-6803.6	-
9689.6	-173657.1								
			C1-C2;~2 Max	I	653.4	111.1	11.0	10558.5	
5108.9	50646.3			J	653.4	111.1	11.0	10558.5	1
1333.1	46018.0		Min	I	-338.9	-59.8	-26.3	-5249.6	-1
0119.9	-86541.9			J	-338.9	-59.8	-26.3	-5249.6	-
3940.8	-114610.5								
			C3-C4;~2 Max	I	651.8	117.5	13.0	10706.1	
4945.7	42331.5			J	651.8	117.5	13.0	10706.1	
7835.0	23800.8		Min	I	-309.4	-55.1	-18.1	-4506.1	-
7070.0	-90911.8			J	-309.4	-55.1	-18.1	-4506.1	-
5231.8	-121440.7								
			G1	I	1167.2	6.3	-11.8	787.6	-
4845.5	-5098.3			J	1167.2	6.3	-7.3	787.6	
2959.8	-10204.1								
			G2	I	464.3	-5.0	-3.4	-209.4	-
1652.9	-1189.9			J	464.3	-5.0	-3.4	-209.4	
1124.2	2883.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	15.5	0.5	2.4	46.7	
987.6	-755.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-996.9	-1161.5		J	15.5	0.5	2.4	46.7	
2017.5	2402.2	Q5_pc Y	I	-139.9	-2.1	-5.1	-176.8	-
2132.9	4080.5		J	-139.9	-2.1	-5.1	-176.8	
790.1	-829.1	Q5_ps X	I	13.1	1.2	1.9	87.3	
-788.9	-1836.8		J	13.1	1.2	1.9	87.3	
1600.9	2570.3	Q5_ps Y	I	-129.1	-3.7	-4.0	-268.3	-
1689.5	5612.6		J	-129.1	-3.7	-4.0	-268.3	
9622.1	69698.3	INVS LU Max	I	5783.0	254.5	27.4	22371.4	
6951.8	43591.7		J	5783.0	254.5	33.5	22371.4	2
0236.8	-213125.5	Min	I	3185.5	-91.6	-73.1	-9827.7	-3
5435.7	-293020.7		J	3185.5	-91.6	-67.0	-9827.7	-1
6937.0	51303.0	INVS LE Max	I	4337.3	188.8	20.0	16559.3	
9745.4	31472.9		J	4337.3	188.8	24.5	16559.3	1
2319.1	-157875.8	Min	I	2431.8	-67.3	-53.8	-7268.3	-2
1368.4	-217325.5		J	2431.8	-67.3	-49.3	-7268.3	-1
5262	2	83 C1-C2;~1 Max	I	1058.4	115.5	20.0	12779.3	
8097.5	70244.0		J	1058.4	115.5	20.0	12779.3	2
5659.8	57997.6	Min	I	-565.5	-125.2	-57.2	-9138.1	-2
0929.3	-164659.3		J	-565.5	-125.2	-57.2	-9138.1	-
8985.0	-144282.4							
1202.9	38481.5	C3-C4;~1 Max	I	1049.9	115.9	30.4	12754.0	1
8410.5	27518.8		J	1049.9	115.9	30.4	12754.0	1
5074.6	-173652.0	Min	I	-520.9	-129.5	-41.1	-8546.2	-1
3558.0	-149934.7		J	-520.9	-129.5	-41.1	-8546.2	-1
4732.0	46017.4	C1-C2;~2 Max	I	578.7	81.5	10.9	8822.0	
5003.8	37961.4		J	578.7	81.5	10.9	8822.0	1
2295.5	-114606.8	Min	I	-364.0	-88.3	-33.5	-6284.7	-1
4470.5	-100522.6		J	-364.0	-88.3	-33.5	-6284.7	-
5978.2	23802.1	C3-C4;~2 Max	I	577.0	81.3	15.7	8848.4	
			J	577.0	81.3	15.7	8848.4	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0819.5	16579.0		Min	I	-329.0	-91.0	-24.3	-5808.3	-
8929.9	-121437.2			J	-329.0	-91.0	-24.3	-5808.3	-
6804.8	-105074.6								
		G1		I	949.8	-2.9	-9.5	592.7	-
3778.7	-10201.8			J	949.8	-2.9	-5.0	592.7	
2112.1	-7881.3								
		G2		I	378.5	-1.2	-2.0	80.5	-
1057.3	2883.6			J	378.5	-1.2	-2.0	80.5	
604.9	3862.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	5.1	-0.4	3.1	-6.2	
1149.9	-1161.4			J	5.1	-0.4	3.1	-6.2	-
1333.6	-852.9								
		Q5_pc Y		I	-113.5	0.9	-7.4	-25.1	-
2695.5	4080.4			J	-113.5	0.9	-7.4	-25.1	
3360.6	3325.3								
		Q5_ps X		I	3.4	-0.3	2.4	-1.9	
895.2	-1836.7			J	3.4	-0.3	2.4	-1.9	-
1026.1	-1553.8								
		Q5_ps Y		I	-105.0	0.9	-5.9	-33.4	-
2142.9	5612.4			J	-105.0	0.9	-5.9	-33.4	
2685.5	4910.2								
		INVSLE Max		I	4978.2	151.1	49.9	18161.3	1
7137.1	43597.3			J	4978.2	151.1	56.0	18161.3	3
3017.8	31406.0		Min	I	2581.6	-181.9	-81.8	-11472.5	-3
1093.3	-293007.0			J	2581.6	-181.9	-75.7	-11472.5	-2
5975.3	-255288.2								
		INVSLE Max		I	3736.2	111.9	37.3	13426.0	1
2711.0	31477.2			J	3736.2	111.9	41.8	13426.0	2
3782.6	22490.0		Min	I	1976.1	-134.6	-59.3	-8521.6	-2
2655.8	-217315.3			J	1976.1	-134.6	-54.8	-8521.6	-1
9467.9	-189432.7								
5263	2	69 C1-C2;~1 Max		I	874.8	99.3	3.9	1360.7	
1632.7	57998.2			J	874.8	99.3	3.9	1360.7	
5521.1	50651.4		Min	I	-555.4	-147.4	-12.7	-1866.3	-
4860.0	-144285.9			J	-555.4	-147.4	-12.7	-1866.3	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1550.6	-98557.4								
		C3-C4;~1	Max	I	876.1	96.8	5.7	1284.1	
2235.8	27515.1			J	876.1	96.8	5.7	1284.1	
4006.8	37102.1								
			Min	I	-521.4	-152.8	-9.3	-1885.0	-
3581.9	-149937.4			J	-521.4	-152.8	-9.3	-1885.0	-
2399.9	-104939.8								
		C1-C2;~2	Max	I	483.1	69.7	2.2	923.4	
949.6	37962.0			J	483.1	69.7	2.2	923.4	
3225.3	33864.2								
			Min	I	-358.0	-102.9	-7.5	-1287.4	-
2866.1	-100525.0			J	-358.0	-102.9	-7.5	-1287.4	-
-867.4	-68955.1								
		C3-C4;~2	Max	I	486.1	67.0	3.0	866.5	
1187.4	16576.6			J	486.1	67.0	3.0	866.5	
2365.4	24393.7								
			Min	I	-330.6	-106.8	-5.5	-1301.4	-
2138.7	-105076.4			J	-330.6	-106.8	-5.5	-1301.4	-
1252.3	-73753.1								
			G1	I	707.8	-4.4	-4.0	30.8	-
1178.5	-7882.7			J	707.8	-4.4	-2.0	30.8	
1244.0	-4286.9								
			G2	I	284.6	3.3	-1.0	69.4	
-337.9	3862.7			J	284.6	3.3	-1.0	69.4	
467.4	1183.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-2.5	-1.0	0.6	-12.0	
221.8	-852.7			J	-2.5	-1.0	0.6	-12.0	
-249.4	-9.0								
			Q5_pc Y	I	-87.5	3.0	-1.4	30.8	
-551.3	3324.0			J	-87.5	3.0	-1.4	30.8	
603.7	897.9								
			Q5_ps X	I	-3.7	-1.6	0.4	-19.2	
167.4	-1553.7			J	-3.7	-1.6	0.4	-19.2	
-186.7	-276.7								
			Q5_ps Y	I	-80.4	4.2	-1.1	47.6	
-433.1	4909.2			J	-80.4	4.2	-1.1	47.6	
469.0	1492.6								
			INVSLU Max	I	4057.4	105.7	8.0	2223.4	
3205.3	31407.6								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7335.1	44599.3		J	4057.4	105.7	10.8	2223.4	
		Min	I	1967.3	-240.1	-19.4	-2213.7	-
7366.5	-255288.7		J	1967.3	-240.1	-16.7	-2213.7	-
4444.9	-167064.8							
		INVSLE Max	I	3046.6	77.8	6.1	1635.8	
2405.4	22491.2		J	3046.6	77.8	8.1	1635.8	
5309.4	32666.4							
		Min	I	1510.1	-177.9	-14.1	-1646.8	-
5352.0	-189433.3		J	1510.1	-177.9	-12.1	-1646.8	-
3336.0	-124002.2							
5264	2	69 C1-C2;~1 Max	I	764.6	100.2	3.4	1403.0	
1380.0	50649.9		J	764.6	100.2	3.4	1403.0	
6495.2	105517.5							
		Min	I	-607.3	-238.4	-15.5	-2789.7	-
6155.0	-98543.4		J	-607.3	-238.4	-15.5	-2789.7	-
1379.6	-54596.2							
		C3-C4;~1 Max	I	784.3	26.4	5.7	923.3	
2297.4	37106.6		J	784.3	26.4	5.7	923.3	
4271.3	98392.9							
		Min	I	-566.7	-237.0	-10.2	-2895.7	-
4013.7	-104926.5		J	-566.7	-237.0	-10.2	-2895.7	-
2328.7	-17948.4							
		C1-C2;~2 Max	I	427.6	63.1	1.9	915.5	
770.9	33862.8		J	427.6	63.1	1.9	915.5	
3795.4	68412.8							
		Min	I	-388.1	-162.3	-9.1	-1923.4	-
3589.1	-68945.5		J	-388.1	-162.3	-9.1	-1923.4	-
-764.4	-32733.8							
		C3-C4;~2 Max	I	437.7	12.8	3.1	586.8	
1234.4	24396.7		J	437.7	12.8	3.1	586.8	
2487.3	64090.7							
		Min	I	-357.5	-162.9	-5.9	-2009.7	-
2327.3	-73744.0		J	-357.5	-162.9	-5.9	-2009.7	-
1250.3	-8120.4							
		G1	I	513.9	-13.0	-6.6	-27.8	-
2336.7	-4283.4		J	513.9	-13.0	-4.6	-27.8	-
2213.5	6283.0							
		G2	I	209.7	14.8	-2.1	144.7	
-837.9	1183.7		J	209.7	14.8	-2.1	144.7	
900.7	-10869.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

288.7	-9.3	Q5_pc X	I	-5.2	-2.3	0.7	-20.5	
-285.5	1877.3		J	-5.2	-2.3	0.7	-20.5	
-668.7	897.9	Q5_pc Y	I	-79.0	7.5	-1.6	60.8	
663.4	-5212.5		J	-79.0	7.5	-1.6	60.8	
221.6	-276.8	Q5_ps X	I	-7.0	-4.2	0.5	-36.1	
-217.3	3166.0		J	-7.0	-4.2	0.5	-36.1	
-527.1	1492.2	Q5_ps Y	I	-70.9	11.8	-1.3	96.6	
519.9	-8148.1		J	-70.9	11.8	-1.3	96.6	
3046.0	44599.2	INVS LU Max	I	3388.9	90.3	6.7	1786.8	
9568.0	164635.8		J	3388.9	90.3	9.4	1786.8	
9568.2	-167045.2	Min	I	1368.1	-380.3	-24.9	-4125.9	-
3538.3	-60900.1		J	1368.1	-380.3	-22.2	-4125.9	-
2291.6	32666.3	INVS LE Max	I	2547.0	64.9	5.1	1302.6	
6943.8	122543.3		J	2547.0	64.9	7.1	1302.6	
6963.2	-123987.7	Min	I	1060.6	-282.7	-18.1	-3069.0	-
2676.1	-43825.3		J	1060.6	-282.7	-16.1	-3069.0	-
5265	2	69 C1-C2;~1 Max	I	698.7	227.3	2.4	2900.8	
984.4	105437.7		J	698.7	227.3	2.4	2900.8	
7443.4	46719.2	Min	I	-676.8	-97.9	-18.0	-1408.8	-
7199.5	-54516.5		J	-676.8	-97.9	-18.0	-1408.8	-
-960.4	-87171.3							
1922.1	98331.4	C3-C4;~1 Max	I	719.6	225.6	4.7	2989.0	
5342.4	35300.1		J	719.6	225.6	4.7	2989.0	
5228.8	-18055.7	Min	I	-624.8	-28.7	-13.0	-796.5	-
1899.6	-93305.7		J	-624.8	-28.7	-13.0	-796.5	-
477.6	68351.4	C1-C2;~2 Max	I	393.0	154.9	1.1	2003.6	
4379.7	30899.2		J	393.0	154.9	1.1	2003.6	
4226.8	-32687.2	Min	I	-427.9	-61.8	-10.6	-918.2	-
-468.4	-60914.4		J	-427.9	-61.8	-10.6	-918.2	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
949.9	64038.1	C3-C4;~2	Max	I	403.9	155.3	2.3	2086.4	
				J	403.9	155.3	2.3	2086.4	
3159.4	22825.6		Min	I	-391.7	-14.6	-7.7	-508.6	-
3090.9	-8120.1			J	-391.7	-14.6	-7.7	-508.6	
-936.3	-65519.2								
		G1		I	361.1	10.0	-7.9	138.1	-
2889.6	6291.2			J	361.1	10.0	-5.9	138.1	
2697.5	-1811.4								
		G2		I	150.3	-14.9	-2.4	-108.3	
-957.6	-10869.1			J	150.3	-14.9	-2.4	-108.3	
992.6	1264.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-10.1	1.7	0.6	14.6	
257.9	1871.1			J	-10.1	1.7	0.6	14.6	
-251.5	488.8								
		Q5_pc	Y	I	-69.1	-6.2	-1.4	-53.4	
-586.7	-5192.1			J	-69.1	-6.2	-1.4	-53.4	
584.5	-135.8								
		Q5_ps	X	I	-12.1	3.5	0.4	28.4	
183.5	3163.0			J	-12.1	3.5	0.4	28.4	
-176.4	287.3								
		Q5_ps	Y	I	-60.8	-10.4	-1.1	-84.2	
-430.8	-8134.9			J	-60.8	-10.4	-1.1	-84.2	
427.2	290.1								
		INVSLE	Max	I	2831.9	343.3	6.8	4792.9	
2825.2	164388.5			J	2831.9	343.3	9.5	4792.9	
9877.3	55752.8		Min	I	822.4	-106.9	-26.4	-1240.2	-1
0545.0	-60895.5			J	822.4	-106.9	-23.7	-1240.2	-
3787.7	-134160.6								
		INVSLE	Max	I	2130.9	256.3	5.3	3555.9	
2180.4	122361.3			J	2130.9	256.3	7.3	3555.9	
7119.5	40254.3		Min	I	651.6	-76.4	-19.1	-905.9	-
7645.2	-43823.3			J	651.6	-76.4	-17.1	-905.9	-
2924.9	-100357.1								
5266	2	69 C1-C2;~1	Max	I	646.9	115.6	2.1	2154.2	
888.9	46725.9			J	646.9	115.6	2.1	2154.2	
7658.6	43498.5								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
7491.2	-87181.7		Min	I	-767.8	-85.2	-18.6	-1213.0	-
				J	-767.8	-85.2	-18.6	-1213.0	
-846.6	-104644.3								
1870.6	35300.4	C3-C4;~1	Max	I	667.7	119.4	4.5	2180.1	
				J	667.7	119.4	4.5	2180.1	
5299.1	21792.8								
5168.4	-93315.8		Min	I	-695.6	-84.9	-12.8	-1113.7	-
				J	-695.6	-84.9	-12.8	-1113.7	-
1804.1	-109122.3								
		C1-C2;~2	Max	I	365.3	81.1	1.0	1488.0	
431.1	30903.1			J	365.3	81.1	1.0	1488.0	
4519.5	28110.8								
4404.5	-60921.6		Min	I	-479.3	-59.8	-10.9	-835.6	-
				J	-479.3	-59.8	-10.9	-835.6	-
-397.3	-73099.2								
		C3-C4;~2	Max	I	376.4	83.8	2.3	1517.1	
955.7	22825.3			J	376.4	83.8	2.3	1517.1	
3135.4	12833.3								
3042.5	-65526.2		Min	I	-432.2	-58.9	-7.6	-750.9	-
				J	-432.2	-58.9	-7.6	-750.9	-
-916.9	-76718.4								
3182.5	-1810.5		G1	I	223.0	0.2	-8.5	99.6	-
				J	223.0	0.2	-6.5	99.6	
2938.2	-1974.5								
1130.0	1265.5		G2	I	96.7	-3.5	-2.8	-38.0	-
				J	96.7	-3.5	-2.8	-38.0	
1143.5	4137.8								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
242.4	488.3		Q5_pc	X	I	-13.8	0.3	0.6	8.1
				J	-13.8	0.3	0.6	8.1	
-226.4	216.3								
-590.7	-133.9		Q5_pc	Y	I	-62.4	-1.4	-1.4	-29.9
				J	-62.4	-1.4	-1.4	-29.9	
575.7	978.0								
171.2	286.8		Q5_ps	X	I	-16.2	0.7	0.4	14.8
				J	-16.2	0.7	0.4	14.8	
-155.9	-319.9								
-441.9	292.0		Q5_ps	Y	I	-53.7	-2.3	-1.1	-44.6
				J	-53.7	-2.3	-1.1	-44.6	
428.3	2151.2								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3308.9	55751.3	INVSLE Max	I	2360.9	179.5	7.8	3420.4	
			J	2360.9	179.5	10.5	3420.4	
9644.6	37958.1	Min	I	310.6	-99.2	-25.9	-1214.0	-1
0392.8	-134183.9		J	310.6	-99.2	-23.2	-1214.0	-
4166.4	-169840.2							
		INVSLE Max	I	1778.1	133.8	6.2	2534.5	
2606.1	40253.0		J	1778.1	133.8	8.2	2534.5	
6870.3	26283.6	Min	I	267.7	-72.4	-18.6	-894.4	-
7464.5	-100374.7		J	267.7	-72.4	-16.6	-894.4	-
3283.3	-127510.7							
5267	2	69 C1-C2;~1 Max	I	598.4	104.3	2.1	1652.6	
783.7	43495.6		J	598.4	104.3	2.1	1652.6	
8028.3	43464.5	Min	I	-846.2	-109.1	-19.5	-1654.9	-
7835.4	-104639.2		J	-846.2	-109.1	-19.5	-1654.9	-
-917.0	-101752.6							
		C3-C4;~1 Max	I	620.3	105.2	3.9	1597.7	
1571.3	21791.8		J	620.3	105.2	3.9	1597.7	
5798.1	23334.2	Min	I	-749.9	-111.7	-14.0	-1655.5	-
5601.5	-109117.6		J	-749.9	-111.7	-14.0	-1655.5	-
1581.3	-106554.5							
		C1-C2;~2 Max	I	338.4	73.9	1.0	1133.2	
394.7	28108.9		J	338.4	73.9	1.0	1133.2	
4791.8	27896.7	Min	I	-521.1	-77.4	-11.6	-1151.6	-
4672.4	-73095.6		J	-521.1	-77.4	-11.6	-1151.6	-
-439.8	-70987.8							
		C3-C4;~2 Max	I	350.1	74.3	1.9	1096.5	
777.6	12832.7		J	350.1	74.3	1.9	1096.5	
3487.9	13830.7	Min	I	-460.9	-78.9	-8.4	-1149.5	-
3368.5	-76715.2		J	-460.9	-78.9	-8.4	-1149.5	-
-765.9	-74844.6							
		G1	I	94.2	-1.8	-8.6	76.7	-
3254.9	-1974.3		J	94.2	-1.8	-6.6	76.7	
2966.0	-493.2							
		G2	I	46.0	-0.8	-2.8	28.6	-
1148.2	4137.6		J	46.0	-0.8	-2.8	28.6	
1144.9	4785.2							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
196.9	216.4	Q5_pc X	I	-15.3	-0.3	0.5	-1.5	
-172.4	433.9		J	-15.3	-0.3	0.5	-1.5	
-546.9	977.5	Q5_pc Y	I	-59.6	0.4	-1.3	1.2	
522.7	634.3		J	-59.6	0.4	-1.3	1.2	
129.5	-319.8	Q5_ps X	I	-18.0	-0.2	0.3	-2.5	
-107.3	-128.0		J	-18.0	-0.2	0.3	-2.5	
-405.1	2150.8	Q5_ps Y	I	-50.1	0.4	-1.0	3.7	
385.1	1853.5		J	-50.1	0.4	-1.0	3.7	
3961.1	37957.3	INVSLE Max	I	1939.2	144.2	9.5	2502.9	
9003.0	36152.3		J	1939.2	144.2	12.2	2502.9	
9722.3	-169830.0	Min	I	-147.8	-149.3	-24.4	-1965.8	-
4910.8	-167515.1		J	-147.8	-149.3	-21.7	-1965.8	-
3185.5	26283.1	INVSLE Max	I	1460.6	106.9	7.7	1858.7	
6300.8	24835.3		J	1460.6	106.9	9.7	1858.7	
6877.4	-127503.1	Min	I	-77.4	-110.4	-17.2	-1451.3	-
3936.0	-125944.9		J	-77.4	-110.4	-15.2	-1451.3	-
5268	2	69 C1-C2;~1 Max	I	562.5	79.0	3.0	1258.3	
1053.2	43465.5		J	562.5	79.0	3.0	1258.3	
8359.2	44138.6	Min	I	-930.3	-119.1	-20.2	-2160.0	-
8086.9	-101757.0		J	-930.3	-119.1	-20.2	-2160.0	-
1387.6	-79830.7							
1499.7	23334.4	C3-C4;~1 Max	I	586.2	76.7	4.0	1108.8	
6345.4	35716.9		J	586.2	76.7	4.0	1108.8	
6048.3	-106558.7	Min	I	-823.6	-124.5	-15.2	-2232.5	-
1762.9	-86054.8		J	-823.6	-124.5	-15.2	-2232.5	-
522.8	27897.3	C1-C2;~2 Max	I	316.4	56.0	1.5	840.7	
5047.5	29144.0		J	316.4	56.0	1.5	840.7	
4877.4	-70990.8	Min	I	-565.1	-84.6	-12.2	-1498.2	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-719.3	-55751.7		J	-565.1	-84.6	-12.2	-1498.2	
717.6	13830.7	C3-C4;~2 Max	I	329.0	53.6	1.9	725.9	
3863.6	23397.9		J	329.0	53.6	1.9	725.9	
3682.7	-74847.6	Min	I	-500.8	-88.5	-9.3	-1556.7	-
-881.1	-60512.3		J	-500.8	-88.5	-9.3	-1556.7	
3136.5	-493.3	G1	I	-25.4	-1.7	-8.3	66.8	-
2834.8	872.9		J	-25.4	-1.7	-6.3	66.8	
1094.6	4785.5	G2	I	0.5	2.3	-2.7	100.1	-
1087.3	2907.0		J	0.5	2.3	-2.7	100.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
122.6	433.9	Q5_pc X	I	-16.3	-0.7	0.3	-11.0	
-89.1	1001.5		J	-16.3	-0.7	0.3	-11.0	
-474.7	634.5	Q5_pc Y	I	-55.8	1.8	-1.1	32.1	
445.7	-793.6		J	-55.8	1.8	-1.1	32.1	
64.0	-128.0	Q5_ps X	I	-19.5	-1.0	0.1	-19.7	
-33.9	684.5		J	-19.5	-1.0	0.1	-19.7	
-348.9	1853.7	Q5_ps Y	I	-45.7	2.4	-0.8	51.9	
325.9	-133.9		J	-45.7	2.4	-0.8	51.9	
5337.9	36156.6	INVSLU Max	I	1547.9	97.7	13.8	2035.9	
7464.2	46034.4		J	1547.9	97.7	16.5	2035.9	
8458.5	-167518.3	Min	I	-599.9	-180.2	-20.9	-2734.4	-
7002.9	-131529.4		J	-599.9	-180.2	-18.2	-2734.4	-
4349.7	24838.6	INVSLE Max	I	1164.6	71.6	11.3	1523.3	
4993.4	32671.6		J	1164.6	71.6	13.3	1523.3	
5806.6	-125947.0	Min	I	-418.9	-134.0	-14.3	-2006.0	-
5663.5	-98723.6		J	-418.9	-134.0	-12.3	-2006.0	-
5269	2	69 C1-C2;~1 Max	I	529.4	101.8	4.1	1214.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1567.6	44139.9			J	529.4	101.8	4.1	1214.3	
6830.2	106234.0		Min	I	-1026.1	-218.2	-17.3	-2710.1	-
7274.9	-79823.1			J	-1026.1	-218.2	-17.3	-2710.1	-
1782.5	-56261.0								
1830.5	35721.1	C3-C4;~1	Max	I	555.7	28.4	4.7	604.8	
4924.4	101070.5			J	555.7	28.4	4.7	604.8	
5197.4	-86046.6		Min	I	-899.8	-217.1	-12.4	-2809.0	-
1983.9	-14834.0			J	-899.8	-217.1	-12.4	-2809.0	-
834.6	29145.1	C1-C2;~2	Max	I	295.7	63.1	2.2	772.6	
4113.9	70894.3			J	295.7	63.1	2.2	772.6	
4364.7	-55746.3		Min	I	-615.7	-149.8	-10.4	-1877.4	-
-965.3	-33716.9			J	-615.7	-149.8	-10.4	-1877.4	
954.0	23400.9	C3-C4;~2	Max	I	309.5	14.2	2.5	349.8	
2946.8	68366.7			J	309.5	14.2	2.5	349.8	
3107.3	-60506.5		Min	I	-542.0	-150.9	-7.4	-1961.4	-
1060.7	-6974.9			J	-542.0	-150.9	-7.4	-1961.4	-
2678.7	874.0		G1	I	-147.2	-0.5	-6.8	57.3	-
2077.7	1242.4			J	-147.2	-0.5	-4.8	57.3	
-975.3	2906.3		G2	I	-46.5	17.5	-2.2	186.1	
854.6	-11366.8			J	-46.5	17.5	-2.2	186.1	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
41.1	1001.6		Q5_pc	X	I	-17.1	-1.5	0.1	-19.3
-6.4	2239.2			J	-17.1	-1.5	0.1	-19.3	
-398.5	-794.0		Q5_pc	Y	I	-53.6	5.2	-0.9	56.8
336.9	-4992.6			J	-53.6	5.2	-0.9	56.8	
1.3	684.7		Q5_ps	X	I	-20.9	-3.2	-0.0	-35.7
24.5	3284.0			J	-20.9	-3.2	-0.0	-35.7	
			Q5_ps	Y	I	-42.6	8.9	-0.7	93.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-309.1	-134.6			J	-42.6	8.9	-0.7	93.7	
265.6	-7354.6								
8310.2	46022.0		INVS LU Max	I	1164.1	156.1	20.5	2211.2	
				J	1164.1	156.1	23.2	2211.2	
3029.9	122012.4		Min	I	-1067.8	-285.1	-10.8	-3322.7	-
4699.2	-131532.5			J	-1067.8	-285.1	-8.1	-3322.7	-
9475.7	-106342.6								
			INVS LE Max	I	877.9	115.5	16.8	1669.1	
6779.6	32661.4			J	877.9	115.5	18.8	1669.1	
1509.8	88550.8		Min	I	-768.2	-210.7	-6.3	-2422.4	-
2803.9	-98726.9			J	-768.2	-210.7	-4.3	-2422.4	-
7708.7	-79935.4								
5270	2	69	C1-C2;~1 Max	I	388.1	119.4	2.5	1111.8	
1170.7	106253.6			J	388.1	119.4	2.5	1111.8	
3205.2	30355.3		Min	I	-771.0	-74.6	-8.6	-762.3	-
3776.3	-56197.0			J	-771.0	-74.6	-8.6	-762.3	-
-883.9	-43800.2								
			C3-C4;~1 Max	I	408.5	108.8	2.7	1092.0	
1263.7	101136.1			J	408.5	108.8	2.7	1092.0	
2853.1	28090.5		Min	I	-685.5	-22.5	-7.6	-438.6	-
3344.6	-14814.6			J	-685.5	-22.5	-7.6	-438.6	-
-955.4	-46290.0								
			C1-C2;~2 Max	I	215.8	77.2	1.4	732.9	
638.1	70924.8			J	215.8	77.2	1.4	732.9	
1921.1	20705.9		Min	I	-456.2	-43.7	-5.1	-459.1	-
2243.8	-33679.1			J	-456.2	-43.7	-5.1	-459.1	-
-479.7	-30120.0								
			C3-C4;~2 Max	I	226.5	71.1	1.5	731.6	
683.3	68428.2			J	226.5	71.1	1.5	731.6	
1743.4	18775.1		Min	I	-409.0	-10.9	-4.6	-275.9	-
2025.3	-6964.9			J	-409.0	-10.9	-4.6	-275.9	-
-514.2	-32070.2								
			G1	I	-156.4	0.5	-3.9	48.4	-
1386.4	1180.4			J	-156.4	0.5	-1.9	48.4	-
956.6	737.4								
			G2	I	-50.5	-16.6	-1.0	-91.5	-
-425.1	-11394.6			J	-50.5	-16.6	-1.0	-91.5	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
380.8	2107.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-15.1	2.2	-0.1	3.5
-30.8	2243.4			J	-15.1	2.2	-0.1	3.5
23.4	460.9							
			Q5_pc Y	I	-38.9	-5.6	-0.3	-17.3
-140.1	-4993.8			J	-38.9	-5.6	-0.3	-17.3
95.2	-428.3							
			Q5_ps X	I	-17.8	3.7	-0.1	12.3
-48.9	3289.2			J	-17.8	3.7	-0.1	12.3
38.2	277.7							
			Q5_ps Y	I	-30.8	-9.0	-0.2	-36.2
-97.2	-7358.3			J	-30.8	-9.0	-0.2	-36.2
61.3	-49.1							
			INVSLE Max	I	203.4	109.7	11.1	1303.0
5956.8	121735.4			J	203.4	109.7	13.8	1303.0
1603.6	61238.0		Min	I	-1458.9	-162.4	-4.7	-1258.2
1099.5	-106561.7			J	-1458.9	-162.4	-2.0	-1258.2
4184.5	-43062.9							
			INVSLE Max	I	122.5	78.0	9.1	958.4
4867.6	88329.7			J	122.5	78.0	11.1	958.4
887.6	46138.0		Min	I	-1103.7	-122.8	-2.5	-936.5
-340.6	-80113.4			J	-1103.7	-122.8	-0.5	-936.5
3387.3	-31060.4							
5271	2	69	C1-C2;~1 Max	I	258.0	28.3	1.1	594.9
448.0	30356.6			J	258.0	28.3	1.1	594.9
2044.0	15106.5		Min	I	-511.4	-30.9	-5.1	-474.5
2090.7	-43803.6			J	-511.4	-30.9	-5.1	-474.5
-413.6	-27751.3							
			C3-C4;~1 Max	I	271.7	27.8	1.2	568.7
505.3	28090.6			J	271.7	27.8	1.2	568.7
1734.2	7414.0		Min	I	-455.2	-32.6	-4.3	-442.3
1728.9	-46293.6			J	-455.2	-32.6	-4.3	-442.3
-462.8	-27453.8							
			C1-C2;~2 Max	I	142.9	19.5	0.6	392.3
235.9	20706.4			J	142.9	19.5	0.6	392.3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1213.4	9058.8		Min	I	-302.4	-21.7	-3.0	-320.1	-
1239.0	-30121.8			J	-302.4	-21.7	-3.0	-320.1	
-217.4	-18817.8								
262.6	18774.5	C3-C4;~2	Max	I	150.2	19.1	0.6	377.8	
				J	150.2	19.1	0.6	377.8	
1057.5	4242.7		Min	I	-270.1	-22.8	-2.6	-294.9	-
1047.3	-32072.2			J	-270.1	-22.8	-2.6	-294.9	
-240.3	-18766.1								
		G1		I	-110.9	0.4	-3.0	43.7	
-952.3	738.2			J	-110.9	0.4	-1.0	43.7	
692.5	375.9								
		G2		I	-37.3	-0.6	-0.8	-17.0	
-307.8	2108.4			J	-37.3	-0.6	-0.8	-17.0	
316.1	2577.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-13.5	0.4	-0.0	1.4	
-9.9	460.9			J	-13.5	0.4	-0.0	1.4	
8.0	140.5								
		Q5_pc Y		I	-24.0	-0.8	-0.2	-5.6	
-77.2	-427.3			J	-24.0	-0.8	-0.2	-5.6	
58.5	186.4								
		Q5_ps X		I	-14.9	0.5	-0.0	3.8	
-19.5	277.6			J	-14.9	0.5	-0.0	3.8	
16.9	-94.8								
		Q5_ps Y		I	-19.1	-0.9	-0.1	-10.6	
-55.6	-48.0			J	-19.1	-0.9	-0.1	-10.6	
39.4	689.5								
		INVSLU	Max	I	-642.9	19.4	3.3	800.7	
2069.7	61234.2			J	-642.9	19.4	6.0	800.7	
1739.1	56206.2		Min	I	-1743.3	-64.1	-5.4	-653.1	-
1573.7	-43073.1			J	-1743.3	-64.1	-2.7	-653.1	-
1750.4	-1987.3								
		INVSLE	Max	I	-545.5	12.7	2.8	590.4	
1702.3	46134.9			J	-545.5	12.7	4.8	590.4	
1154.5	43750.2		Min	I	-1357.5	-49.0	-3.6	-485.7	
-986.3	-31068.4			J	-1357.5	-49.0	-1.6	-485.7	-


MIDAS

PROJECT TITLE :

MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1422.6	668.7								
5272	2	69	C1-C2;~1	Max	I	198.1	13.2	0.5	482.9
194.9	15103.2				J	198.1	13.2	0.5	482.9
1512.2	14802.5								
			Min		I	-401.8	-16.1	-3.6	-513.5
1403.9	-27748.3				J	-401.8	-16.1	-3.6	-513.5
-188.9	-26291.2								
			C3-C4;~1	Max	I	209.7	13.4	0.7	448.3
326.3	7412.5				J	209.7	13.4	0.7	448.3
1323.5	6469.1								
			Min		I	-362.5	-17.4	-3.1	-504.5
1190.9	-27451.6				J	-362.5	-17.4	-3.1	-504.5
-276.2	-26037.2								
			C1-C2;~2	Max	I	109.0	9.1	0.2	316.7
101.6	9056.9				J	109.0	9.1	0.2	316.7
900.3	8614.4								
			Min		I	-236.2	-11.2	-2.1	-345.8
-835.5	-18815.8				J	-236.2	-11.2	-2.1	-345.8
-93.4	-17782.9								
			C3-C4;~2	Max	I	115.1	9.0	0.4	292.7
199.2	4241.8				J	115.1	9.0	0.4	292.7
818.2	3586.3								
			Min		I	-213.6	-12.0	-1.9	-340.3
-732.7	-18764.7				J	-213.6	-12.0	-1.9	-340.3
-157.6	-17787.1								
			G1		I	-102.8	-0.3	-2.6	45.7
-752.4	375.2				J	-102.8	-0.3	-0.6	45.7
543.6	622.2								
			G2		I	-35.4	-0.1	-0.6	14.7
-231.3	2576.6				J	-35.4	-0.1	-0.6	14.7
259.1	2648.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-12.6	0.1	-0.0	-1.5
-1.2	140.5				J	-12.6	0.1	-0.0	-1.5
1.3	96.2								
			Q5_pc	Y	I	-17.8	-0.1	-0.1	2.8
-47.0	186.2				J	-17.8	-0.1	-0.1	2.8
35.4	228.6								
			Q5_ps	X	I	-13.6	0.1	-0.0	-1.8
-8.4	-94.8				J	-13.6	0.1	-0.0	-1.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8.3	-136.8							
-32.0	689.2	Q5_ps	Y	I	-14.2	-0.0	-0.1	3.7
21.4	723.6			J	-14.2	-0.0	-0.1	3.7
871.4	56201.3	INVSLU	Max	I	-1061.2	15.0	0.7	935.7
1663.5	58402.1			J	-1061.2	15.0	3.4	935.7
1549.0	-1983.3		Min	I	-1918.8	-26.8	-5.3	-414.6
-814.7	2514.1			J	-1918.8	-26.8	-2.6	-414.6
716.1	43746.6	INVSLE	Max	I	-871.7	10.5	0.7	702.8
1172.6	45847.9			J	-871.7	10.5	2.7	702.8
1070.5	671.7		Min	I	-1504.6	-20.4	-3.7	-297.0
-658.3	4479.9			J	-1504.6	-20.4	-1.7	-297.0
5273	2	69 C1-C2;~1	Max	I	170.9	12.7	0.6	441.0
306.8	14805.0			J	170.9	12.7	0.6	441.0
1256.2	16877.3		Min	I	-361.0	-10.5	-2.9	-578.1
1125.9	-26294.0			J	-361.0	-10.5	-2.9	-578.1
-230.8	-28864.8							
413.4	6469.6	C3-C4;~1	Max	I	181.9	13.9	0.9	382.9
1153.6	6879.4			J	181.9	13.9	0.9	382.9
-995.9	-26039.5		Min	I	-330.4	-10.6	-2.6	-584.7
-309.8	-29072.6			J	-330.4	-10.6	-2.6	-584.7
181.8	8615.8	C1-C2;~2	Max	I	93.2	8.8	0.4	286.7
746.5	9672.9			J	93.2	8.8	0.4	286.7
-661.3	-17784.6		Min	I	-210.8	-7.1	-1.7	-385.8
-130.7	-19514.3			J	-210.8	-7.1	-1.7	-385.8
263.3	3586.5	C3-C4;~2	Max	I	98.9	9.6	0.6	242.3
716.9	3756.5			J	98.9	9.6	0.6	242.3
-607.8	-17788.5		Min	I	-193.3	-7.1	-1.6	-393.3
-190.9	-19894.5			J	-193.3	-7.1	-1.6	-393.3
-631.5	622.4	G1		I	-109.7	-0.5	-2.3	51.2
445.5	996.0			J	-109.7	-0.5	-0.3	51.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-183.0	2648.5	G2	I	-38.6	-0.5	-0.5	44.4
			J	-38.6	-0.5	-0.5	44.4
217.5	3033.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-12.4	0.0	0.0	-4.9
1.5	96.2		J	-12.4	0.0	0.0	-4.9
-0.2	77.2						
		Q5_pc Y	I	-13.7	0.0	-0.1	11.5
-31.9	228.8		J	-13.7	0.0	-0.1	11.5
23.0	228.4						
		Q5_ps X	I	-13.1	0.0	-0.0	-7.6
-4.2	-136.9		J	-13.1	0.0	-0.0	-7.6
5.6	-171.6						
		Q5_ps Y	I	-10.8	-0.0	-0.0	17.6
-20.5	723.9		J	-10.8	-0.0	-0.0	17.6
11.9	756.4						
		INVSLE Max	I	-1340.4	39.4	0.1	1264.7
627.9	58411.7		J	-1340.4	39.4	2.8	1264.7
1639.6	44451.8	Min	I	-2097.9	6.2	-5.2	-140.7
1507.5	2516.2		J	-2097.9	6.2	-2.5	-140.7
-515.8	-17991.7						
		INVSLE Max	I	-1087.1	30.3	0.1	960.7
502.6	45855.4		J	-1087.1	30.3	2.1	960.7
1185.5	34645.4	Min	I	-1646.4	5.7	-3.8	-78.8
1074.9	4481.8		J	-1646.4	5.7	-1.8	-78.8
-408.1	-11578.5						
5274	2	69 C1-C2;~1 Max	I	155.9	77.8	1.1	626.7
522.2	16876.6		J	155.9	77.8	1.1	626.7
1107.0	55581.3	Min	I	-349.2	-102.9	-2.6	-977.4
-980.4	-28859.1		J	-349.2	-102.9	-2.6	-977.4
-406.1	-47275.4						
		C3-C4;~1 Max	I	166.7	24.7	1.6	270.6
714.7	6881.0		J	166.7	24.7	1.6	270.6
720.2	48599.3	Min	I	-333.4	-94.3	-1.7	-950.7
-641.2	-29066.9		J	-333.4	-94.3	-1.7	-950.7
-612.3	-15371.5						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name				
			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
330.0	9672.7	C1-C2;~2 Max	I	84.5	43.1	0.7	367.7
			J	84.5	43.1	0.7	367.7
635.4	34864.4	Min	I	-204.2	-66.3	-1.5	-647.5
-557.0	-19510.5		J	-204.2	-66.3	-1.5	-647.5
-247.2	-25827.7						
470.4	3757.6	C3-C4;~2 Max	I	89.9	12.1	1.1	145.2
			J	89.9	12.1	1.1	145.2
411.3	30952.5	Min	I	-195.7	-61.7	-0.9	-636.6
-358.8	-19890.4		J	-195.7	-61.7	-0.9	-636.6
-398.8	-7452.3						
		G1	I	-121.3	7.7	-2.1	80.6
-524.8	996.9		J	-121.3	7.7	-0.1	80.6
345.5	-5309.2						
		G2	I	-41.4	18.2	-0.5	140.2
-177.8	3033.2		J	-41.4	18.2	-0.5	140.2
221.8	-11793.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-12.9	-2.1	0.0	-15.7
7.2	77.2		J	-12.9	-2.1	0.0	-15.7
-6.6	1794.8						
		Q5_pc Y	I	-9.9	4.8	-0.1	36.3
-36.9	228.0		J	-9.9	4.8	-0.1	36.3
33.3	-3694.4						
		Q5_ps X	I	-13.6	-3.4	0.0	-25.2
4.7	-171.5		J	-13.6	-3.4	0.0	-25.2
-4.3	2629.1						
		Q5_ps Y	I	-7.2	7.7	-0.1	57.2
-32.6	755.8		J	-7.2	7.7	-0.1	57.2
29.9	-5511.1						
		INVSLU Max	I	-1574.4	218.5	0.9	1986.2
1050.1	44433.3		J	-1574.4	218.5	3.7	1986.2
1557.9	11027.0	Min	I	-2294.0	-34.1	-4.9	-244.8
1304.8	-18000.8		J	-2294.0	-34.1	-2.2	-244.8
-823.2	-134479.5						
		INVSLE Max	I	-1264.9	167.7	0.8	1505.1
808.7	34630.8		J	-1264.9	167.7	2.8	1505.1
1127.5	4617.9						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-930.7	-11586.3		Min	I	-1796.2	-18.7	-3.5	-142.6	
				J	-1796.2	-18.7	-1.5	-142.6	
-631.8	-102672.1								
5275	2	69	C1-C2;~1	Max	I	142.9	99.0	0.8	950.0
405.2	55590.7				J	142.9	99.0	0.8	950.0
1248.1	15494.4								
			Min	I	-337.2	-76.0	-2.8	-643.3	-
1088.4	-47319.4				J	-337.2	-76.0	-2.8	-643.3
-306.8	-26507.2								
			C3-C4;~1	Max	I	153.3	90.8	0.6	916.1
259.6	48615.6				J	153.3	90.8	0.6	916.1
1271.7	5974.8								
			Min	I	-322.9	-24.0	-3.0	-203.6	-
1143.4	-15429.9				J	-322.9	-24.0	-3.0	-203.6
-212.3	-26806.0								
			C1-C2;~2	Max	I	76.9	63.6	0.5	626.7
237.1	34869.8				J	76.9	63.6	0.5	626.7
753.7	8797.5								
			Min	I	-196.7	-41.9	-1.7	-356.9	
-647.9	-25848.6				J	-196.7	-41.9	-1.7	-356.9
-174.9	-17964.6								
			C3-C4;~2	Max	I	82.1	59.3	0.3	615.4
142.5	30961.3				J	82.1	59.3	0.3	615.4
798.5	3210.7								
			Min	I	-189.0	-11.7	-1.9	-105.1	
-710.5	-7482.5				J	-189.0	-11.7	-1.9	-105.1
-113.3	-18394.6								
			G1	I	-128.3	-7.8	-2.1	-10.1	
-535.8	-5379.6				J	-128.3	-7.8	-0.1	-10.1
372.4	985.4								
			G2	I	-44.3	-17.9	-0.3	-112.7	
-117.1	-11821.3				J	-44.3	-17.9	-0.3	-112.7
167.2	2727.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-13.5	2.1	-0.0	12.9
-3.9	1797.1				J	-13.5	2.1	-0.0	12.9
4.4	114.2								
			Q5_pc	Y	I	-7.3	-4.7	-0.0	-29.7
-2.0	-3700.1				J	-7.3	-4.7	-0.0	-29.7
0.1	119.7								


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-10.1	2631.6	Q5_ps X	I	-14.1	3.4	-0.0	21.6	
			J	-14.1	3.4	-0.0	21.6	
10.4	-106.4							
		Q5_ps Y	I	-5.0	-7.5	0.0	-48.0	
9.7	-5517.4		J	-5.0	-7.5	0.0	-48.0	
-10.9	583.9							
		INVSLU Max	I	-1791.5	31.2	-1.3	-36.4	
45.8	10969.6		J	-1791.5	31.2	1.4	-36.4	
2134.5	40414.1							
		Min	I	-2478.0	-213.5	-6.5	-2240.8	-
2051.9	-134619.2		J	-2478.0	-213.5	-3.8	-2240.8	
-4.4	-16907.0							
		INVSLE Max	I	-1427.8	17.5	-1.0	-60.6	
24.5	4576.5		J	-1427.8	17.5	1.0	-60.6	
1600.4	30896.0							
		Min	I	-1934.5	-163.1	-4.8	-1689.6	-
1528.8	-102773.7		J	-1934.5	-163.1	-2.8	-1689.6	
16.6	-11548.1							
5276	2	69 C1-C2;~1 Max	I	127.0	10.0	0.9	573.6	
453.1	15492.7		J	127.0	10.0	0.9	573.6	
1161.7	9743.3							
		Min	I	-315.5	-16.1	-2.6	-469.7	
-974.9	-26512.9		J	-315.5	-16.1	-2.6	-469.7	
-291.7	-16606.5							
		C3-C4;~1 Max	I	136.8	5.7	1.1	559.7	
564.6	5971.5		J	136.8	5.7	1.1	559.7	
1051.9	4050.1							
		Min	I	-293.2	-17.4	-2.3	-349.2	
-851.4	-26812.2		J	-293.2	-17.4	-2.3	-349.2	
-383.0	-16688.2							
		C1-C2;~2 Max	I	67.8	5.8	0.5	378.5	
276.7	8796.3		J	67.8	5.8	0.5	378.5	
693.0	5612.7							
		Min	I	-183.2	-11.0	-1.5	-279.4	
-571.7	-17968.6		J	-183.2	-11.0	-1.5	-279.4	
-167.6	-11296.0							
		C3-C4;~2 Max	I	72.6	3.4	0.7	373.6	
362.2	3208.6		J	72.6	3.4	0.7	373.6	
653.2	2253.9							
		Min	I	-170.8	-11.9	-1.4	-221.9	
-515.7	-18399.0		J	-170.8	-11.9	-1.4	-221.9	
-237.2	-11478.4							
		G1	I	-126.0	0.6	-2.0	18.2	
-457.7	982.8							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
328.6	508.1		J	-126.0	0.6	0.0	18.2	
-128.7	2727.1	G2	I	-45.8	1.4	-0.4	-20.7	
184.9	1551.7		J	-45.8	1.4	-0.4	-20.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-1.0	114.2	Q5_pc X	I	-13.5	-0.0	-0.0	2.1	
3.1	126.9		J	-13.5	-0.0	-0.0	2.1	
-14.6	120.3	Q5_pc Y	I	-6.5	0.1	-0.0	-5.1	
10.2	3.3		J	-6.5	0.1	-0.0	-5.1	
-4.2	-106.5	Q5_ps X	I	-13.8	-0.1	-0.0	4.2	
6.7	-7.3		J	-13.8	-0.1	-0.0	4.2	
-9.0	584.6	Q5_ps Y	I	-4.6	0.4	-0.0	-9.3	
4.3	281.8		J	-4.6	0.4	-0.0	-9.3	
438.2	40427.5	INVSLE Max	I	-1939.2	-0.4	-0.9	15.5	
2146.8	44038.7		J	-1939.2	-0.4	1.8	15.5	
1666.4	-16900.8	Min	I	-2573.9	-37.5	-6.0	-1402.2	-
43.0	8127.6		J	-2573.9	-37.5	-3.3	-1402.2	
311.4	30907.1	INVSLE Max	I	-1536.4	-0.5	-0.7	-9.4	
1621.9	33792.0		J	-1536.4	-0.5	1.3	-9.4	
1245.6	-11542.2	Min	I	-2004.8	-28.0	-4.5	-1058.8	-
64.9	7208.1		J	-2004.8	-28.0	-2.5	-1058.8	
5277	2	67 C1-C2;~1 Max	I	108.5	9.2	0.9	373.1	
412.0	9754.5		J	108.5	9.2	0.9	373.1	
866.5	6797.5	Min	I	-277.5	-12.2	-2.0	-335.9	
-744.3	-16604.1		J	-277.5	-12.2	-2.0	-335.9	
-305.3	-11332.7							
457.8	4059.8	C3-C4;~1 Max	I	117.5	7.7	1.0	351.7	
809.7	2774.1		J	117.5	7.7	1.0	351.7	
-672.7	-16683.1	Min	I	-258.8	-13.3	-1.8	-321.7	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-343.2	-11391.4		J	-258.8	-13.3	-1.8	-321.7
		C1-C2;~2 Max	I	57.4	5.5	0.5	244.8
251.6	5619.2		J	57.4	5.5	0.5	244.8
515.3	3876.6	Min	I	-160.6	-8.3	-1.2	-220.9
-436.9	-11293.9		J	-160.6	-8.3	-1.2	-220.9
-180.6	-7716.0						
		C3-C4;~2 Max	I	61.8	5.1	0.6	231.6
291.1	2259.6		J	61.8	5.1	0.6	231.6
502.2	1510.1	Min	I	-150.2	-9.1	-1.1	-209.9
-408.8	-11474.1		J	-150.2	-9.1	-1.1	-209.9
-212.1	-7837.0						
		G1	I	-116.8	0.1	-1.4	19.3
-323.4	515.0		J	-116.8	0.1	0.1	19.3
219.1	463.1						
		G2	I	-42.6	0.5	-0.3	5.1
-84.2	1554.2		J	-42.6	0.5	-0.3	5.1
125.4	1108.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-12.5	0.0	-0.0	-0.8
-1.3	126.7		J	-12.5	0.0	-0.0	-0.8
0.6	89.8						
		Q5_pc Y	I	-5.7	0.0	-0.0	2.1
-11.7	2.7		J	-5.7	0.0	-0.0	2.1
7.0	-10.6						
		Q5_ps X	I	-12.7	-0.0	-0.0	-0.9
-3.8	-7.5		J	-12.7	-0.0	-0.0	-0.9
3.3	-3.2						
		Q5_ps Y	I	-4.1	0.1	-0.0	2.4
-7.3	281.2		J	-4.1	0.1	-0.0	2.4
2.8	177.5						
		INVSLU Max	I	-1965.3	18.4	-0.6	479.7
245.8	44029.2		J	-1965.3	18.4	1.4	479.7
1529.9	35129.7	Min	I	-2521.1	-12.0	-4.6	-481.3
1398.1	8110.5		J	-2521.1	-12.0	-2.6	-481.3
-115.8	10413.0						
		INVSLE Max	I	-1550.4	14.0	-0.5	354.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
159.4	33782.8			J	-1550.4	14.0	1.0	354.9
1151.5	26904.5							
		Min		I	-1960.4	-8.6	-3.5	-356.6
1056.8	7193.3							
				J	-1960.4	-8.6	-1.9	-356.6
-66.5	8607.8							
5278	2	67 C1-C2;~1	Max	I	103.7	16.8	1.1	333.7
495.0	6797.0							
				J	103.7	16.8	1.1	333.7
776.9	15052.7							
		Min		I	-273.5	-11.8	-1.7	-402.0
-634.3	-11334.7							
				J	-273.5	-11.8	-1.7	-402.0
-383.5	-21507.9							
		C3-C4;~1	Max	I	112.7	17.0	1.1	301.7
518.5	2773.1							
				J	112.7	17.0	1.1	301.7
764.5	4747.0							
		Min		I	-254.5	-5.3	-1.7	-398.3
-597.6	-11393.5							
				J	-254.5	-5.3	-1.7	-398.3
-385.9	-20910.2							
		C1-C2;~2	Max	I	54.4	11.2	0.7	216.1
305.8	3876.2							
				J	54.4	11.2	0.7	216.1
460.7	8333.7							
		Min		I	-157.9	-6.4	-1.0	-265.4
-368.6	-7717.4							
				J	-157.9	-6.4	-1.0	-265.4
-231.8	-14304.3							
		C3-C4;~2	Max	I	58.8	11.5	0.7	193.7
331.6	1509.5							
				J	58.8	11.5	0.7	193.7
474.9	2299.5							
		Min		I	-147.1	-2.9	-1.0	-263.5
-361.5	-7838.5							
				J	-147.1	-2.9	-1.0	-263.5
-239.3	-14157.7							
		G1		I	-120.2	-1.5	-1.2	27.4
-246.7	462.0							
				J	-120.2	-1.5	0.3	27.4
155.3	1668.6							
		G2		I	-44.1	-2.5	-0.2	27.2
-51.6	1108.4							
				J	-44.1	-2.5	-0.2	27.2
96.4	3126.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-12.0	0.3	0.0	-3.3
0.9	89.8							
				J	-12.0	0.3	0.0	-3.3
-0.5	-145.3							
		Q5_pc	Y	I	-4.9	-0.6	-0.0	8.2
-9.9	-10.4							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.6	479.3		J	-4.9	-0.6	-0.0	8.2
-1.2	-3.2	Q5_ps X	I	-12.3	0.5	-0.0	-5.0
1.9	-370.1		J	-12.3	0.5	-0.0	-5.0
-6.6	177.8	Q5_ps Y	I	-3.5	-0.9	-0.0	11.9
2.1	937.1		J	-3.5	-0.9	-0.0	11.9
547.1	35138.3	INVSLU Max	I	-2011.6	39.7	-0.0	1199.7
1329.8	33410.2		J	-2011.6	39.7	2.0	1199.7
1026.9	10419.5	Min	I	-2554.6	-0.2	-3.9	191.7
-250.1	-16809.4		J	-2554.6	-0.2	-1.9	191.7
397.6	26911.5	INVSLE Max	I	-1582.2	29.7	-0.1	905.4
996.4	25394.9		J	-1582.2	29.7	1.4	905.4
-767.1	8613.2	Min	I	-1982.9	0.1	-2.9	159.9
-173.2	-11740.9		J	-1982.9	0.1	-1.4	159.9
5279	2	67 C1-C2;~1 Max	I	102.8	61.4	1.3	558.5
611.1	15053.2		J	102.8	61.4	1.3	558.5
681.5	38589.2	Min	I	-282.3	-73.5	-1.5	-755.8
-559.3	-21503.9		J	-282.3	-73.5	-1.5	-755.8
-489.1	-35043.5						
719.9	4749.0	C3-C4;~1 Max	I	112.0	19.6	1.6	202.7
453.7	34587.0		J	112.0	19.6	1.6	202.7
-379.4	-20905.9	Min	I	-274.0	-67.5	-1.0	-729.9
-614.0	-11436.4		J	-274.0	-67.5	-1.0	-729.9
387.3	8334.0	C1-C2;~2 Max	I	53.6	33.2	0.8	313.2
390.5	24296.7		J	53.6	33.2	0.8	313.2
-315.3	-14301.6	Min	I	-163.7	-47.2	-0.9	-496.7
-304.0	-18786.3		J	-163.7	-47.2	-0.9	-496.7
469.5	2300.7	C3-C4;~2 Max	I	58.0	9.3	1.1	105.4
256.0	22127.2		J	58.0	9.3	1.1	105.4
-209.4	-14154.5	Min	I	-159.4	-44.1	-0.6	-487.0
-395.8	-5405.7		J	-159.4	-44.1	-0.6	-487.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-173.4	1670.3	G1	I	-129.2	7.9	-1.1	69.3
74.2	-4768.7		J	-129.2	7.9	0.4	69.3
-48.8	3126.3	G2	I	-45.8	14.3	-0.2	120.0
96.0	-8495.4		J	-45.8	14.3	-0.2	120.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.0	-145.3	Q5_pc X	I	-12.1	-1.7	0.0	-14.1
-5.1	1210.7		J	-12.1	-1.7	0.0	-14.1
-17.5	479.1	Q5_pc Y	I	-3.5	3.7	-0.0	32.0
16.4	-2492.5		J	-3.5	3.7	-0.0	32.0
4.9	-370.1	Q5_ps X	I	-12.4	-2.7	0.0	-22.2
-5.1	1786.5		J	-12.4	-2.7	0.0	-22.2
-18.4	936.7	Q5_ps Y	I	-1.9	5.7	-0.0	48.7
17.8	-3677.6		J	-1.9	5.7	-0.0	48.7
1050.0	33393.2	INVSLU Max	I	-2082.2	186.8	1.2	2296.1
1006.5	-14938.2		J	-2082.2	186.8	3.3	2296.1
-708.6	-16821.2	Min	I	-2636.3	-1.9	-3.1	464.1
-771.9	-118828.9		J	-2636.3	-1.9	-1.1	464.1
785.9	25381.4	INVSLE Max	I	-1634.1	142.7	0.9	1730.5
739.0	-14209.8		J	-1634.1	142.7	2.4	1730.5
-514.4	-11750.5	Min	I	-2042.9	3.3	-2.3	377.7
-576.1	-90833.6		J	-2042.9	3.3	-0.8	377.7
5280	2	67 C1-C2;~1 Max	I	99.2	73.5	1.0	758.7
458.5	38590.0		J	99.2	73.5	1.0	758.7
851.8	15061.2	Min	I	-280.9	-61.5	-1.9	-554.1
-705.5	-35105.9		J	-280.9	-61.5	-1.9	-554.1
-353.6	-21537.0						
299.3	34601.7	C3-C4;~1 Max	I	108.3	67.4	0.7	729.3
			J	108.3	67.4	0.7	729.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
897.8	4970.8		Min	I	-272.4	-19.9	-2.1	-183.3
-773.5	-11493.8			J	-272.4	-19.9	-2.1	-183.3
-246.0	-20907.7							
		C1-C2;~2	Max	I	51.4	47.2	0.6	501.7
268.8	24294.8			J	51.4	47.2	0.6	501.7
519.0	8333.6		Min	I	-162.6	-33.3	-1.1	-307.8
-423.7	-18826.3			J	-162.6	-33.3	-1.1	-307.8
-201.2	-14321.1							
		C3-C4;~2	Max	I	55.8	44.1	0.4	491.3
169.8	22134.2			J	55.8	44.1	0.4	491.3
568.3	2434.6		Min	I	-158.3	-9.5	-1.3	-91.0
-485.5	-5440.6			J	-158.3	-9.5	-1.3	-91.0
-135.2	-14154.9							
		G1		I	-132.0	-8.0	-1.2	-42.1
-224.8	-4802.6			J	-132.0	-8.0	0.3	-42.1
131.3	1688.3							
		G2		I	-47.0	-14.3	-0.1	-110.0
-21.0	-8509.1			J	-47.0	-14.3	-0.1	-110.0
70.5	3145.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-12.3	1.7	-0.0	12.3
-2.0	1212.5			J	-12.3	1.7	-0.0	12.3
1.6	-134.8							
		Q5_pc	Y	I	-2.8	-3.6	0.0	-26.4
3.9	-2497.9			J	-2.8	-3.6	0.0	-26.4
-4.3	454.0							
		Q5_ps	X	I	-12.6	2.6	-0.0	20.1
-5.3	1788.5			J	-12.6	2.6	-0.0	20.1
4.9	-361.0							
		Q5_ps	Y	I	-1.3	-5.6	0.0	-42.1
9.4	-3683.2			J	-1.3	-5.6	0.0	-42.1
-9.3	913.1							
		INVSLU	Max	I	-2178.4	-1.8	-0.4	-708.7
331.6	-14973.7			J	-2178.4	-1.8	1.6	-708.7
1550.2	36329.5		Min	I	-2726.0	-190.7	-4.6	-2528.6
1338.6	-118959.3			J	-2726.0	-190.7	-2.5	-2528.6

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-147.0	-13895.3							
		INVSLE Max	I	-1705.9	-6.0	-0.4	-558.0	
232.9	-14237.0		J	-1705.9	-6.0	1.1	-558.0	
1164.8	27513.7							
		Min	I	-2109.8	-145.4	-3.4	-1902.5	-
1003.8	-90930.3		J	-2109.8	-145.4	-1.9	-1902.5	
-91.8	-9629.3							
5281	2	67 C1-C2;~1 Max	I	93.5	12.3	1.1	413.2	
532.8	15061.3		J	93.5	12.3	1.1	413.2	
748.1	6415.8							
		Min	I	-271.0	-17.2	-1.6	-352.6	
-597.4	-21541.2		J	-271.0	-17.2	-1.6	-352.6	
-395.1	-10710.2							
		C3-C4;~1 Max	I	102.4	4.7	1.2	400.7	
590.4	4969.5		J	102.4	4.7	1.2	400.7	
704.9	2928.6							
		Min	I	-253.9	-17.2	-1.5	-289.2	
-533.1	-20912.1		J	-253.9	-17.2	-1.5	-289.2	
-427.7	-10822.2							
		C1-C2;~2 Max	I	48.2	6.7	0.7	273.2	
326.4	8333.6		J	48.2	6.7	0.7	273.2	
446.5	3695.3							
		Min	I	-156.0	-11.4	-1.0	-200.5	
-351.2	-14323.9		J	-156.0	-11.4	-1.0	-200.5	
-233.5	-7314.7							
		C3-C4;~2 Max	I	52.4	2.4	0.8	267.9	
377.1	2433.8		J	52.4	2.4	0.8	267.9	
437.9	1607.5							
		Min	I	-146.8	-11.6	-0.9	-183.2	
-322.8	-14158.0		J	-146.8	-11.6	-0.9	-183.2	
-263.8	-7467.4							
		G1	I	-127.8	1.5	-1.0	0.0	
-144.7	1686.7		J	-127.8	1.5	0.5	0.0	
72.5	443.2							
		G2	I	-47.4	2.6	-0.1	-16.7	
-20.8	3145.3		J	-47.4	2.6	-0.1	-16.7	
73.0	1003.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-12.4	-0.3	0.0	1.6	
1.7	-134.8		J	-12.4	-0.3	0.0	1.6	
-1.6	111.9							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-6.0	454.3	Q5_pc	Y	I	-3.2	0.6	-0.0	-2.8
3.5	-68.9			J	-3.2	0.6	-0.0	-2.8
0.7	-361.0	Q5_ps	X	I	-12.5	-0.5	0.0	3.0
-0.2	26.9			J	-12.5	-0.5	0.0	3.0
-5.2	913.5	Q5_ps	Y	I	-2.0	1.0	-0.0	-5.5
2.4	98.2			J	-2.0	1.0	-0.0	-5.5
846.6	36345.4	INVS LU	Max	I	-2269.4	0.3	0.5	-354.8
1185.3	38144.6			J	-2269.4	0.3	2.5	-354.8
-767.8	-13885.8		Min	I	-2795.8	-40.8	-3.4	-1393.7
-408.3	14672.0			J	-2795.8	-40.8	-1.4	-1393.7
629.1	27526.3	INVS LE	Max	I	-1774.3	0.0	0.4	-279.8
882.0	28999.1			J	-1774.3	0.0	1.9	-279.8
-565.9	-9621.4		Min	I	-2162.5	-30.3	-2.5	-1049.0
-298.0	11626.9			J	-2162.5	-30.3	-1.0	-1049.0
5282	2	67 C1-C2;~1	Max	I	89.8	7.2	1.2	362.4
578.2	6414.7			J	89.8	7.2	1.2	362.4
707.1	6483.7		Min	I	-263.0	-7.2	-1.5	-350.7
-542.9	-10708.4			J	-263.0	-7.2	-1.5	-350.7
-437.7	-10694.7							
600.2	2928.8	C3-C4;~1	Max	I	98.9	7.3	1.3	341.1
693.4	3050.9			J	98.9	7.3	1.3	341.1
-511.1	-10820.5		Min	I	-247.0	-7.4	-1.5	-339.3
-447.7	-10821.6			J	-247.0	-7.4	-1.5	-339.3
353.2	3694.8	C1-C2;~2	Max	I	45.9	4.9	0.7	238.1
422.5	3725.0			J	45.9	4.9	0.7	238.1
-318.5	-7313.4		Min	I	-151.0	-4.9	-0.9	-230.4
-259.2	-7299.3			J	-151.0	-4.9	-0.9	-230.4
381.4	1607.7	C3-C4;~2	Max	I	50.1	4.9	0.8	224.4
432.9	1657.0			J	50.1	4.9	0.8	224.4
			Min	I	-142.4	-5.0	-0.9	-220.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-311.5	-7466.2		J	-142.4	-5.0	-0.9	-220.7
-275.2	-7463.9						
		G1	I	-126.2	-0.0	-0.9	7.0
-99.6	443.0		J	-126.2	-0.0	0.6	7.0
35.1	482.0						
		G2	I	-46.7	-0.0	-0.1	2.6
1.5	1002.6		J	-46.7	-0.0	-0.1	2.6
54.9	1020.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-12.3	0.0	0.0	-0.8
1.8	111.9		J	-12.3	0.0	0.0	-0.8
-1.9	111.0						
		Q5_pc Y	I	-3.5	0.0	-0.0	2.9
-6.5	-69.0		J	-3.5	0.0	-0.0	2.9
4.0	-72.3						
		Q5_ps X	I	-12.5	0.0	0.0	-0.8
0.9	26.9		J	-12.5	0.0	0.0	-0.8
-0.6	24.9						
		Q5_ps Y	I	-2.2	0.0	-0.0	3.1
-5.8	98.1		J	-2.2	0.0	-0.0	3.1
3.1	90.7						
		INVSLU Max	I	-2312.2	10.9	0.6	519.0
858.8	38135.6		J	-2312.2	10.9	2.6	519.0
1094.1	37310.9						
		Min	I	-2823.0	-8.9	-3.2	-448.9
-696.0	14666.6		J	-2823.0	-8.9	-1.2	-448.9
-472.1	13748.9						
		INVSLE Max	I	-1806.7	8.1	0.4	384.1
637.3	28992.0		J	-1806.7	8.1	1.9	384.1
814.4	28367.7						
		Min	I	-2183.4	-6.6	-2.4	-332.5
-513.6	11622.5		J	-2183.4	-6.6	-0.9	-332.5
-345.1	10929.2						
5283	2	67 C1-C2;~1 Max	I	91.3	17.1	1.3	356.9
616.3	6485.3		J	91.3	17.1	1.3	356.9
660.7	15558.2						
		Min	I	-275.4	-12.7	-1.4	-402.5
-498.6	-10696.7		J	-275.4	-12.7	-1.4	-402.5
-486.4	-21484.5						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
610.2	3051.1	C3-C4;~1	Max	I	100.9	17.2	1.3	293.0
				J	100.9	17.2	1.3	293.0
681.6	5559.2		Min	I	-258.1	-5.3	-1.4	-398.2
-492.3	-10823.3			J	-258.1	-5.3	-1.4	-398.2
-464.0	-20855.7							
375.8	3725.8	C1-C2;~2	Max	I	46.1	11.3	0.8	209.2
				J	46.1	11.3	0.8	209.2
395.8	8589.4		Min	I	-158.1	-6.9	-0.8	-265.8
-292.4	-7300.6			J	-158.1	-6.9	-0.8	-265.8
-289.1	-14264.0							
385.8	1657.1	C3-C4;~2	Max	I	50.6	11.5	0.8	187.9
				J	50.6	11.5	0.8	187.9
428.1	2678.7		Min	I	-148.6	-2.7	-0.9	-263.7
-301.8	-7465.0			J	-148.6	-2.7	-0.9	-263.7
-283.4	-14097.0							
-63.1	482.2	G1		I	-132.9	-1.8	-0.8	14.7
				J	-132.9	-1.8	0.7	14.7
-6.5	1910.8							
19.1	1021.0	G2		I	-49.4	-2.7	-0.0	22.3
				J	-49.4	-2.7	-0.0	22.3
34.1	3237.0							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
2.1	111.0	Q5_pc	X	I	-12.1	0.3	0.0	-3.1
				J	-12.1	0.3	0.0	-3.1
-2.0	-135.5							
-6.4	-72.1	Q5_pc	Y	I	-3.5	-0.6	-0.0	8.7
				J	-3.5	-0.6	-0.0	8.7
4.0	451.7							
1.3	24.8	Q5_ps	X	I	-12.2	0.5	0.0	-4.6
				J	-12.2	0.5	0.0	-4.6
-0.9	-367.0							
-6.2	90.9	Q5_ps	Y	I	-2.2	-1.0	-0.0	11.7
				J	-2.2	-1.0	-0.0	11.7
3.5	891.2							
904.3	37320.7	INVSLU	Max	I	-2333.5	42.2	0.7	1456.1
				J	-2333.5	42.2	2.7	1456.1
1081.3	34817.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-612.4	13754.3		Min	I	-2863.1	0.8	-3.1 415.3
				J	-2863.1	0.8	-1.1 415.3
-502.8	-16003.1						
			INVSLE Max	I	-1822.4	31.4	0.5 1094.2
671.3	28375.3			J	-1822.4	31.4	2.0 1094.2
805.9	26372.7						
			Min	I	-2213.1	0.8	-2.3 324.3
-451.4	10933.5			J	-2213.1	0.8	-0.8 324.3
-367.0	-11211.9						
5284	2	67	C1-C2;~1 Max	I	92.9	63.9	1.6 576.3
719.1	15558.4			J	92.9	63.9	1.6 576.3
578.2	38503.8						
			Min	I	-287.4	-73.4	-1.3 -759.8
-446.5	-21480.5			J	-287.4	-73.4	-1.3 -759.8
-586.8	-36515.9						
			C3-C4;~1 Max	I	102.9	22.3	1.8 213.1
800.4	5560.8			J	102.9	22.3	1.8 213.1
385.2	34560.5						
			Min	I	-278.6	-67.1	-0.8 -729.4
-299.2	-20851.4			J	-278.6	-67.1	-0.8 -729.4
-688.4	-12825.7						
			C1-C2;~2 Max	I	46.5	34.5	1.0 320.7
448.3	8589.6			J	46.5	34.5	1.0 320.7
334.2	24167.3						
			Min	I	-165.7	-47.0	-0.7 -499.5
-253.7	-14261.3			J	-165.7	-47.0	-0.7 -499.5
-357.9	-19493.9						
			C3-C4;~2 Max	I	51.1	10.4	1.2 108.0
515.4	2679.7			J	51.1	10.4	1.2 108.0
218.0	21982.3						
			Min	I	-161.3	-43.8	-0.5 -487.2
-165.6	-14093.9			J	-161.3	-43.8	-0.5 -487.2
-436.8	-5967.4						
			G1	I	-141.1	9.0	-0.6 62.8
-1.4	1912.4			J	-141.1	9.0	0.9 62.8
-85.5	-5409.0						
			G2	I	-50.7	14.7	-0.0 118.0
17.6	3237.1			J	-50.7	14.7	-0.0 118.0
34.5	-8762.3						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-11.8	-1.7	0.0 -13.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5.5	-135.5			J	-11.8	-1.7	0.0	-13.9
-6.1	1223.5							
-14.3	451.4	Q5_pc	Y	I	-2.9	3.7	-0.0	32.7
14.5	-2561.7			J	-2.9	3.7	-0.0	32.7
6.7	-367.0	Q5_ps	X	I	-12.2	-2.7	0.0	-22.0
-7.4	1815.1			J	-12.2	-2.7	0.0	-22.0
-17.9	890.9	Q5_ps	Y	I	-1.5	5.6	-0.0	48.1
18.5	-3687.6			J	-1.5	5.6	-0.0	48.1
1331.8	34800.9	INVSLU	Max	I	-2329.6	195.5	1.9	2645.4
687.7	-18509.6			J	-2329.6	195.5	3.9	2645.4
-377.2	-16014.2		Min	I	-2877.7	3.5	-2.3	782.8
1048.3	-124397.2			J	-2877.7	3.5	-0.3	782.8
999.3	26359.7	INVSLE	Max	I	-1819.3	148.8	1.4	1987.2
499.8	-16735.4			J	-1819.3	148.8	2.9	1987.2
-264.8	-11220.9		Min	I	-2223.7	7.1	-1.7	611.9
-784.2	-94829.1			J	-2223.7	7.1	-0.2	611.9
5285	2	67 C1-C2;~1	Max	I	90.4	73.4	1.2	752.6
557.9	38517.0			J	90.4	73.4	1.2	752.6
762.9	15447.0		Min	I	-286.0	-63.8	-1.7	-573.5
-610.0	-36529.3			J	-286.0	-63.8	-1.7	-573.5
-446.1	-21476.2							
373.9	34574.9	C3-C4;~1	Max	I	100.5	67.1	0.8	723.0
833.9	5530.4			J	100.5	67.1	0.8	723.0
-701.3	-12858.7		Min	I	-277.1	-22.3	-1.9	-216.8
-321.0	-20846.4			J	-277.1	-22.3	-1.9	-216.8
322.2	24174.0	C1-C2;~2	Max	I	45.0	47.0	0.7	496.5
470.5	8511.9			J	45.0	47.0	0.7	496.5
-371.7	-19501.1		Min	I	-164.9	-34.4	-1.0	-318.3
-249.7	-14262.8			J	-164.9	-34.4	-1.0	-318.3
209.6	21988.4	C3-C4;~2	Max	I	49.5	43.8	0.5	484.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
533.6	2663.2		J	49.5	43.8	0.5	484.8
		Min	I	-160.5	-10.4	-1.2	-109.0
-446.6	-5989.3		J	-160.5	-10.4	-1.2	-109.0
-174.9	-14095.3						
		G1	I	-140.9	-9.0	-0.8	-64.7
-65.2	-5407.0		J	-140.9	-9.0	0.7	-64.7
-21.9	1912.7						
		G2	I	-50.6	-14.7	0.0	-118.8
41.1	-8761.7		J	-50.6	-14.7	0.0	-118.8
11.0	3236.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-11.5	1.7	-0.0	12.9
-2.3	1224.4		J	-11.5	1.7	-0.0	12.9
1.6	-140.3						
		Q5_pc Y	I	-3.0	-3.7	0.0	-26.6
3.8	-2566.1		J	-3.0	-3.7	0.0	-26.6
-3.1	445.0						
		Q5_ps X	I	-11.8	2.7	-0.0	21.1
-4.5	1816.0		J	-11.8	2.7	-0.0	21.1
3.8	-372.1						
		Q5_ps Y	I	-1.6	-5.6	0.0	-42.0
6.7	-3691.8		J	-1.6	-5.6	0.0	-42.0
-5.6	883.4						
		INVSLU Max	I	-2335.1	-3.7	0.2	-813.3
641.8	-18485.5		J	-2335.1	-3.7	2.2	-813.3
1378.1	34778.9						
		Min	I	-2877.5	-195.5	-4.0	-2651.3
1065.0	-124417.1		J	-2877.5	-195.5	-2.0	-2651.3
-355.5	-15868.5						
		INVSLE Max	I	-1823.4	-7.2	0.1	-633.9
464.6	-16718.1		J	-1823.4	-7.2	1.6	-633.9
1036.2	26346.5						
		Min	I	-2223.7	-148.8	-3.0	-1991.9
-799.1	-94843.7		J	-2223.7	-148.8	-1.5	-1991.9
-247.6	-11110.8						
		67 C1-C2;~1 Max	I	86.3	12.8	1.4	399.9
5286	2		J	86.3	12.8	1.4	399.9
633.1	15447.2						
		Min	I	-272.1	-17.1	-1.4	-355.8
657.2	6442.0						
-502.6	-21480.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-493.2	-10687.5		J	-272.1	-17.1	-1.4	-355.8
663.2	5529.2	C3-C4;~1 Max	I	96.2	5.3	1.4	393.0
641.9	3009.7		J	96.2	5.3	1.4	393.0
-464.1	-20850.8	Min	I	-254.2	-17.2	-1.4	-297.5
-505.8	-10816.9		J	-254.2	-17.2	-1.4	-297.5
380.6	8512.0	C1-C2;~2 Max	I	42.9	7.0	0.8	265.5
396.5	3702.1		J	42.9	7.0	0.8	265.5
-299.5	-14265.5	Min	I	-156.0	-11.3	-0.8	-206.9
-285.6	-7301.4		J	-156.0	-11.3	-0.8	-206.9
416.3	2662.4	C3-C4;~2 Max	I	47.4	2.7	0.9	262.0
403.2	1630.8		J	47.4	2.7	0.9	262.0
-285.5	-14098.4	Min	I	-146.2	-11.5	-0.8	-189.4
-305.5	-7467.7		J	-146.2	-11.5	-0.8	-189.4
13.1	1911.1	G1	I	-132.3	1.7	-0.6	-16.6
-83.5	487.5		J	-132.3	1.7	0.9	-16.6
40.5	3236.9	G2	I	-49.2	2.7	0.0	-23.1
12.5	1022.3		J	-49.2	2.7	0.0	-23.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.5	-140.3	Q5_pc X	I	-11.1	-0.3	0.0	2.1
-1.8	102.1		J	-11.1	-0.3	0.0	2.1
-5.5	445.3	Q5_pc Y	I	-3.9	0.6	-0.0	-2.6
4.4	-82.2		J	-3.9	0.6	-0.0	-2.6
1.7	-372.1	Q5_ps X	I	-11.4	-0.5	0.0	3.8
-1.6	15.4		J	-11.4	-0.5	0.0	3.8
-7.2	883.8	Q5_ps Y	I	-2.7	1.0	-0.0	-5.7
5.7	78.2		J	-2.7	1.0	-0.0	-5.7
		INVSLU Max	I	-2346.5	-0.8	1.0	-433.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1047.2	34796.3		J	-2346.5	-0.8	3.0	-433.6
968.2	37529.1	Min	I	-2863.6	-42.4	-2.9	-1458.5
-536.5	-15857.5		J	-2863.6	-42.4	-0.8	-1458.5
-609.7	14045.8	INVSLE Max	I	-1832.3	-0.8	0.7	-337.3
778.8	26360.1		J	-1832.3	-0.8	2.2	-337.3
720.6	28538.2	Min	I	-2214.0	-31.6	-2.1	-1096.2
-393.6	-11101.8		J	-2214.0	-31.6	-0.6	-1096.2
-447.6	11156.7						
5287	2	67 C1-C2;~1 Max	I	85.3	7.2	1.5	350.5
678.4	6441.0		J	85.3	7.2	1.5	350.5
619.0	6417.1	Min	I	-260.1	-7.1	-1.3	-360.6
-452.4	-10685.7		J	-260.1	-7.1	-1.3	-360.6
-538.2	-10708.5						
		C3-C4;~1 Max	I	95.3	7.4	1.5	336.0
673.4	3009.8		J	95.3	7.4	1.5	336.0
632.0	3021.5	Min	I	-243.6	-7.4	-1.3	-347.0
-445.2	-10815.3		J	-243.6	-7.4	-1.3	-347.0
-529.1	-10854.3						
		C1-C2;~2 Max	I	42.7	4.9	0.9	231.2
406.7	3701.5		J	42.7	4.9	0.9	231.2
373.9	3686.8	Min	I	-149.0	-4.8	-0.8	-236.6
-269.1	-7300.2		J	-149.0	-4.8	-0.8	-236.6
-312.1	-7310.1						
		C3-C4;~2 Max	I	47.3	5.0	0.9	219.8
420.2	1630.9		J	47.3	5.0	0.9	219.8
398.9	1639.9	Min	I	-140.1	-5.0	-0.8	-226.4
-275.9	-7466.5		J	-140.1	-5.0	-0.8	-226.4
-318.3	-7489.3						
		G1	I	-125.2	0.1	-0.5	-8.9
55.8	487.3		J	-125.2	0.1	1.0	-8.9
-121.8	434.0						
		G2	I	-46.4	0.0	0.1	-3.4
61.8	1021.9		J	-46.4	0.0	0.1	-3.4
-5.9	1003.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
1.2	102.1	Q5_pc X	I	-10.8	0.0	0.0	-0.2
-1.8	98.7		J	-10.8	0.0	0.0	-0.2
-5.5	-82.4	Q5_pc Y	I	-4.5	-0.0	-0.0	3.1
4.7	-78.2		J	-4.5	-0.0	-0.0	3.1
1.6	15.4	Q5_ps X	I	-11.1	0.0	0.0	-0.1
-1.8	9.8		J	-11.1	0.0	0.0	-0.1
-7.4	78.0	Q5_ps Y	I	-3.2	-0.0	-0.0	2.8
6.4	78.2		J	-3.2	-0.0	-0.0	2.8
1045.1	37519.8	INVSLE Max	I	-2328.5	9.2	1.1	452.9
913.5	38161.5		J	-2328.5	9.2	3.1	452.9
-491.4	14040.0	Min	I	-2827.6	-10.8	-2.7	-512.6
-674.8	14667.4		J	-2827.6	-10.8	-0.7	-512.6
776.2	28530.8	INVSLE Max	I	-1819.3	6.8	0.8	335.8
680.0	29015.9		J	-1819.3	6.8	2.3	335.8
-361.2	11152.0	Min	I	-2187.6	-8.0	-2.0	-379.0
-495.9	11626.1		J	-2187.6	-8.0	-0.5	-379.0
5288	2	67 C1-C2;~1 Max	I	90.2	17.3	1.6	353.9
718.2	6418.7		J	90.2	17.3	1.6	353.9
572.8	15466.5	Min	I	-268.6	-12.6	-1.2	-413.1
-410.8	-10710.5		J	-268.6	-12.6	-1.2	-413.1
-590.6	-21678.7						
684.8	3021.8	C3-C4;~1 Max	I	100.9	17.3	1.5	288.3
619.9	5590.0		J	100.9	17.3	1.5	288.3
-428.5	-10856.1	Min	I	-251.0	-5.4	-1.3	-406.2
-547.6	-21044.9		J	-251.0	-5.4	-1.3	-406.2
430.0	3687.7	C1-C2;~2 Max	I	45.5	11.4	0.9	202.1
346.9	8532.8		J	45.5	11.4	0.9	202.1
-244.0	-7311.4	Min	I	-154.0	-6.8	-0.7	-272.3
-343.9	-14372.3		J	-154.0	-6.8	-0.7	-272.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

425.1	1640.0	C3-C4; ~2	Max	I	50.4	11.6	0.9	183.4
				J	50.4	11.6	0.9	183.4
393.6	2695.6		Min	I	-144.5	-2.7	-0.8	-269.4
-267.0	-7490.5			J	-144.5	-2.7	-0.8	-269.4
-327.6	-14202.1							
		G1		I	-126.2	-1.5	-0.4	-2.0
91.0	434.2			J	-126.2	-1.5	1.1	-2.0
-164.9	1653.6							
		G2		I	-46.9	-2.6	0.1	16.0
78.9	1003.4			J	-46.9	-2.6	0.1	16.0
-27.4	3143.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-10.3	0.3	0.0	-2.5
1.7	98.7			J	-10.3	0.3	0.0	-2.5
-2.4	-147.1							
		Q5_pc	Y	I	-4.9	-0.7	-0.0	8.9
-5.7	-78.0			J	-4.9	-0.7	-0.0	8.9
5.0	460.0							
		Q5_ps	X	I	-10.6	0.5	0.0	-3.9
2.1	9.7			J	-10.6	0.5	0.0	-3.9
-2.4	-389.4							
		Q5_ps	Y	I	-3.7	-1.0	-0.0	11.4
-7.9	78.4			J	-3.7	-1.0	-0.0	11.4
7.0	879.6							
		INVSLE	Max	I	-2287.6	40.6	1.3	1401.7
1138.6	38171.2			J	-2287.6	40.6	3.3	1401.7
898.1	37169.8							
			Min	I	-2804.9	-1.0	-2.6	350.2
-419.6	14672.6			J	-2804.9	-1.0	-0.6	350.2
-745.1	-13804.2							
		INVSLE	Max	I	-1788.4	30.2	1.0	1054.8
845.7	29023.5			J	-1788.4	30.2	2.5	1054.8
669.2	28151.7							
			Min	I	-2170.3	-0.6	-1.9	277.1
-307.8	11630.3			J	-2170.3	-0.6	-0.4	277.1
-547.3	-9545.5							
5289	2	67 C1-C2; ~1	Max	I	95.6	63.8	1.8	569.5
820.4	15466.9			J	95.6	63.8	1.8	569.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
489.9	39148.8		Min	I	-277.1	-74.4	-1.0	-770.2
-364.5	-21674.8			J	-277.1	-74.4	-1.0	-770.2
-692.9	-36507.6							
		C3-C4;~1	Max	I	107.2	22.9	2.0	202.9
875.6	5591.7			J	107.2	22.9	2.0	202.9
322.5	35123.7		Min	I	-267.7	-68.0	-0.7	-738.7
-237.0	-21040.8			J	-267.7	-68.0	-0.7	-738.7
-770.6	-13300.1							
		C1-C2;~2	Max	I	48.6	34.4	1.1	315.7
502.2	8533.1			J	48.6	34.4	1.1	315.7
284.9	24503.7		Min	I	-159.7	-47.5	-0.6	-506.0
-208.9	-14369.7			J	-159.7	-47.5	-0.6	-506.0
-414.3	-19462.3							
		C3-C4;~2	Max	I	53.9	10.8	1.3	99.9
555.1	2696.7			J	53.9	10.8	1.3	99.9
182.7	22244.6		Min	I	-154.9	-44.2	-0.4	-493.8
-131.2	-14199.0			J	-154.9	-44.2	-0.4	-493.8
-479.9	-6234.2							
		G1		I	-129.9	7.8	-0.3	39.1
150.4	1655.1			J	-129.9	7.8	1.2	39.1
-245.6	-4675.6							
		G2		I	-46.3	14.3	0.1	109.1
76.8	3143.7			J	-46.3	14.3	0.1	109.1
-27.9	-8497.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.6	-1.6	0.0	-13.0
5.3	-147.1			J	-9.6	-1.6	0.0	-13.0
-6.7	1168.0							
		Q5_pc	Y	I	-5.1	3.7	-0.0	33.1
-12.8	459.7			J	-5.1	3.7	-0.0	33.1
14.3	-2578.2							
		Q5_ps	X	I	-10.1	-2.7	0.0	-21.2
7.8	-389.3			J	-10.1	-2.7	0.0	-21.2
-9.2	1793.9							
		Q5_ps	Y	I	-3.5	5.6	-0.0	47.3
-18.6	879.3			J	-3.5	5.6	-0.0	47.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
20.5	-3650.3							
		INVSLE	Max	I	-2201.4	194.4	2.5	2565.9
1518.7	37154.7			J	-2201.4	194.4	4.5	2565.9
394.5	-14340.4		Min	I	-2737.4	1.1	-1.7	697.7
-178.5	-13814.1			J	-2737.4	1.1	0.3	697.7
1333.1	-121117.4							-
		INVSLE	Max	I	-1723.8	148.2	1.9	1930.3
1139.2	28139.7			J	-1723.8	148.2	3.4	1930.3
280.9	-13792.9		Min	I	-2119.6	5.6	-1.2	550.8
-116.3	-9553.7			J	-2119.6	5.6	0.3	550.8
-996.9	-92543.3							
5290	2	67 C1-C2;~1	Max	I	96.8	74.4	1.5	755.6
667.8	39165.7			J	96.8	74.4	1.5	755.6
669.0	15227.2		Min	I	-275.9	-63.3	-1.4	-576.2
-525.3	-36462.7			J	-275.9	-63.3	-1.4	-576.2
-565.2	-21631.6							
		C3-C4;~1	Max	I	108.7	68.1	1.1	728.8
454.9	35135.5			J	108.7	68.1	1.1	728.8
765.4	5390.0		Min	I	-266.2	-22.7	-1.7	-228.6
-639.2	-13261.9			J	-266.2	-22.7	-1.7	-228.6
-416.4	-21039.0							
		C1-C2;~2	Max	I	49.5	47.5	0.8	496.5
379.7	24512.1			J	49.5	47.5	0.8	496.5
416.5	8375.5		Min	I	-159.2	-34.1	-0.9	-319.7
-323.9	-19430.3			J	-159.2	-34.1	-0.9	-319.7
-312.5	-14350.5							
		C3-C4;~2	Max	I	54.9	44.3	0.6	486.0
251.0	22248.2			J	54.9	44.3	0.6	486.0
494.0	2556.8		Min	I	-154.2	-10.7	-1.1	-116.1
-411.7	-6208.3			J	-154.2	-10.7	-1.1	-116.1
-224.8	-14207.0							
		G1		I	-126.9	-7.7	-0.4	-69.6
95.2	-4634.5			J	-126.9	-7.7	1.1	-69.6
-197.2	1636.1							
		G2		I	-45.1	-14.3	0.2	-120.8
102.9	-8481.0			J	-45.1	-14.3	0.2	-120.8
-56.6	3126.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-8.6	1.6	-0.0
-3.3	1167.4			J	-8.6	1.6	-0.0
2.1	-166.3						
			Q5_pc Y	I	-5.9	-3.8	0.0
2.7	-2582.5			J	-5.9	-3.8	0.0
-0.9	471.2						
			Q5_ps X	I	-9.2	2.7	-0.0
-4.3	1793.2			J	-9.2	2.7	-0.0
3.0	-407.8						
			Q5_ps Y	I	-4.3	-5.6	0.0
3.0	-3653.7			J	-4.3	-5.6	0.0
-0.8	888.1						
			INVSLU Max	I	-2113.9	2.5	1.0
964.5	-14275.3			J	-2113.9	2.5	3.0
1113.2	33964.9		Min	I	-2648.5	-190.2	-3.4
-806.0	-121022.2			J	-2648.5	-190.2	-1.3
-687.0	-16642.8						
			INVSLE Max	I	-1658.7	-2.9	0.7
707.0	-13745.6			J	-1658.7	-2.9	2.2
836.1	25816.3		Min	I	-2053.6	-145.2	-2.5
-604.1	-92473.0			J	-2053.6	-145.2	-1.0
-497.1	-11608.1						
5291	2	67	C1-C2;~1 Max	I	95.1	12.2	1.7
755.4	15226.9			J	95.1	12.2	1.7
550.8	6735.9		Min	I	-264.8	-16.9	-1.2
-413.3	-21635.6			J	-264.8	-16.9	-1.2
-632.5	-11334.2						
			C3-C4;~1 Max	I	107.0	5.8	1.7
754.7	5388.3			J	107.0	5.8	1.7
562.1	2986.6		Min	I	-244.2	-17.1	-1.2
-397.4	-21043.3			J	-244.2	-17.1	-1.2
-618.0	-11433.9						
			C1-C2;~2 Max	I	48.9	6.7	1.0
446.7	8375.3			J	48.9	6.7	1.0
334.1	3833.6		Min	I	-152.0	-11.2	-0.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-248.7	-14353.2			J	-152.0	-11.2	-0.7	-214.0
-361.5	-7721.5							
		C3-C4;~2	Max	I	54.3	3.1	1.0	262.5
465.3	2555.7			J	54.3	3.1	1.0	262.5
355.4	1576.9		Min	I	-140.4	-11.5	-0.7	-194.8
-246.9	-14210.1			J	-140.4	-11.5	-0.7	-194.8
-366.5	-7874.2							
			G1	I	-117.7	1.4	-0.2	-28.8
174.4	1634.5			J	-117.7	1.4	1.3	-28.8
-269.6	460.0							
			G2	I	-43.3	2.5	0.2	-28.0
102.6	3126.1			J	-43.3	2.5	0.2	-28.0
-59.1	1113.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-7.7	-0.3	0.0	2.6
1.1	-166.3			J	-7.7	-0.3	0.0	2.6
-1.8	60.6							
			Q5_pc Y	I	-7.4	0.6	-0.0	-2.2
-4.9	471.5			J	-7.4	0.6	-0.0	-2.2
5.1	-41.7							
			Q5_ps X	I	-8.3	-0.5	0.0	4.7
2.8	-407.8			J	-8.3	-0.5	0.0	4.7
-3.1	-39.7							
			Q5_ps Y	I	-5.9	0.9	-0.0	-5.6
-9.3	888.4			J	-5.9	0.9	-0.0	-5.6
9.1	128.3							
			INVSLU Max	I	-2052.6	0.6	1.8	-228.4
1291.6	33982.2			J	-2052.6	0.6	3.8	-228.4
615.1	35599.8		Min	I	-2568.5	-40.2	-2.1	-1256.9
-294.9	-16630.8			J	-2568.5	-40.2	-0.1	-1256.9
1006.7	10961.6							
			INVSLE Max	I	-1614.0	0.1	1.3	-186.6
966.5	25830.0			J	-1614.0	0.1	2.9	-186.6
450.4	27267.8		Min	I	-1995.1	-30.0	-1.5	-948.2
-208.0	-11598.3			J	-1995.1	-30.0	-0.0	-948.2
-750.3	9025.4							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5292	2	67	C1-C2;~1	Max	I	99.2	12.3	1.9	333.3
838.1	6737.1				J	99.2	12.3	1.9	333.3
463.2	9833.7								
				Min	I	-267.7	-9.2	-1.0	-370.7
-329.9	-11332.6				J	-267.7	-9.2	-1.0	-370.7
-734.4	-16640.1								
			C3-C4;~1	Max	I	111.8	13.4	1.8	322.8
794.5	2988.1				J	111.8	13.4	1.8	322.8
497.6	4416.8								
				Min	I	-247.1	-8.0	-1.0	-351.9
-343.9	-11431.9				J	-247.1	-8.0	-1.0	-351.9
-676.9	-16809.4								
			C1-C2;~2	Max	I	51.3	8.4	1.1	220.6
498.0	3834.3				J	51.3	8.4	1.1	220.6
278.8	5616.3								
				Min	I	-153.9	-5.4	-0.6	-242.9
-195.9	-7720.2				J	-153.9	-5.4	-0.6	-242.9
-425.7	-11311.5								
			C3-C4;~2	Max	I	57.0	9.2	1.1	210.7
489.7	1577.8				J	57.0	9.2	1.1	210.7
314.4	2377.0								
				Min	I	-142.6	-5.2	-0.6	-231.1
-213.8	-7872.7				J	-142.6	-5.2	-0.6	-231.1
-403.0	-11560.2								
				G1	I	-113.7	-0.1	-0.0	-21.1
238.4	460.9				J	-113.7	-0.1	1.5	-21.1
-346.8	502.8								
				G2	I	-41.6	-0.6	0.3	-6.0
131.8	1113.4				J	-41.6	-0.6	0.3	-6.0
-92.0	1566.6								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-7.3	-0.0	0.0	0.4
0.8	60.6				J	-7.3	-0.0	0.0	0.4
-2.4	83.4								
				Q5_pc Y	I	-8.7	0.0	-0.0	3.8
-2.9	-41.9				J	-8.7	0.0	-0.0	3.8
3.0	-52.2								
				Q5_ps X	I	-7.9	0.0	0.0	0.5
2.9	-39.7				J	-7.9	0.0	0.0	0.5
-4.2	-67.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-7.8	128.1	Q5_ps Y	I	-7.1	-0.1	-0.0	3.4
			J	-7.1	-0.1	-0.0	3.4
8.0	187.8						
1481.7	35592.1	INVS LU Max	I	-2011.7	12.3	2.5	478.5
			J	-2011.7	12.3	4.5	478.5
303.0	44602.7	Min	I	-2539.7	-18.4	-1.5	-478.7
-119.1	10954.8		J	-2539.7	-18.4	0.5	-478.7
1365.6	8484.4						-
1114.8	27261.5	INVS LE Max	I	-1586.5	8.7	1.9	354.6
			J	-1586.5	8.7	3.4	354.6
204.3	34225.3	Min	I	-1976.4	-14.0	-1.1	-353.9
-70.6	9019.7		J	-1976.4	-14.0	0.4	-353.9
1031.3	7482.1						-
5293	2	69 C1-C2;~1 Max	I	119.5	16.3	2.5	471.1
1118.4	9821.7		J	119.5	16.3	2.5	471.1
510.0	16015.3	Min	I	-306.8	-10.2	-1.0	-573.3
-313.3	-16641.7		J	-306.8	-10.2	-1.0	-573.3
-961.8	-26681.4						
1027.2	4406.9	C3-C4;~1 Max	I	134.8	17.5	2.3	358.8
			J	134.8	17.5	2.3	358.8
610.3	6657.5	Min	I	-281.9	-6.1	-1.2	-557.6
-378.4	-16813.9		J	-281.9	-6.1	-1.2	-557.6
-858.0	-27055.4						
667.7	5609.3	C1-C2;~2 Max	I	62.3	11.1	1.5	281.6
			J	62.3	11.1	1.5	281.6
307.0	9009.4	Min	I	-176.6	-5.8	-0.6	-377.0
-183.1	-11313.2		J	-176.6	-5.8	-0.6	-377.0
-557.9	-18046.4						
634.8	2371.4	C3-C4;~2 Max	I	69.2	12.0	1.4	226.4
			J	69.2	12.0	1.4	226.4
389.3	3460.8	Min	I	-162.8	-3.6	-0.8	-371.7
-237.4	-11564.3		J	-162.8	-3.6	-0.8	-371.7
-509.4	-18533.0						
350.4	496.3	G1	I	-121.6	-0.5	0.0	-21.2
			J	-121.6	-0.5	2.0	-21.2
-485.9	942.1						
192.3	1564.2	G2	I	-44.4	-1.4	0.4	19.6


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-138.2	2743.8		J	-44.4	-1.4	0.4	19.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1.6	83.7	Q5_pc X	I	-6.9	0.0	0.0	-2.3	
-2.3	49.7		J	-6.9	0.0	0.0	-2.3	
-0.3	-52.0	Q5_pc Y	I	-10.9	-0.1	-0.0	12.9	
2.9	51.9		J	-10.9	-0.1	-0.0	12.9	
4.6	-66.7	Q5_ps X	I	-7.7	0.2	0.0	-4.6	
-4.6	-200.1		J	-7.7	0.2	0.0	-4.6	
-7.3	188.0	Q5_ps Y	I	-8.9	-0.3	-0.0	16.3	
9.4	445.8		J	-8.9	-0.3	-0.0	16.3	
2079.7	44611.1	INVS LU Max	I	-1986.6	38.0	3.2	1432.5	
506.5	41322.0		J	-1986.6	38.0	5.9	1432.5	
56.1	8502.5	Min	I	-2602.4	0.3	-1.9	-0.7	
1621.2	-16916.7		J	-2602.4	0.3	0.8	-0.7	-
1571.7	34233.6	INVS LE Max	I	-1573.8	28.4	2.4	1081.2	
365.1	31590.6		J	-1573.8	28.4	4.4	1081.2	
73.0	7497.6	Min	I	-2028.5	0.5	-1.3	21.3	
1210.6	-11542.3		J	-2028.5	0.5	0.7	21.3	-
5294	2	69 C1-C2;~1 Max	I	136.1	84.4	2.8	661.9	
1206.0	16018.0		J	136.1	84.4	2.8	661.9	
463.8	57107.9	Min	I	-328.0	-101.1	-1.0	-956.7	
-323.6	-26676.3		J	-328.0	-101.1	-1.0	-956.7	-
1068.5	-53488.0	C3-C4;~1 Max	I	153.7	29.6	2.9	243.0	
1244.4	6661.8		J	153.7	29.6	2.9	243.0	
289.2	50141.3	Min	I	-310.6	-92.4	-0.6	-921.3	
-202.5	-27049.6		J	-310.6	-92.4	-0.6	-921.3	-
1138.4	-19211.8	C1-C2;~2 Max	I	71.4	45.5	1.6	366.7	
729.1	9011.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
266.7	35396.7		J	71.4	45.5	1.6	366.7
		Min	I	-189.4	-64.4	-0.5	-628.5
-182.8	-18042.7		J	-189.4	-64.4	-0.5	-628.5
-631.5	-28528.4						
		C3-C4;~2 Max	I	79.5	14.1	1.8	122.1
779.7	3463.4		J	79.5	14.1	1.8	122.1
159.7	31309.5	Min	I	-180.2	-59.7	-0.3	-615.5
-109.5	-18528.6		J	-180.2	-59.7	-0.3	-615.5
-699.8	-9164.7						
		G1	I	-122.7	7.4	0.2	5.4
394.4	944.7		J	-122.7	7.4	2.2	5.4
-563.5	-5099.6						
		G2	I	-42.6	17.9	0.4	112.1
174.4	2744.0		J	-42.6	17.9	0.4	112.1
-126.2	-11847.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.3	-1.9	0.0	-12.2
4.1	49.7		J	-5.3	-1.9	0.0	-12.2
-6.2	1586.8						
		Q5_pc Y	I	-12.8	4.8	-0.0	37.3
-8.9	51.5		J	-12.8	4.8	-0.0	37.3
12.8	-3833.9						
		Q5_ps X	I	-6.4	-3.4	0.0	-22.2
9.8	-199.9		J	-6.4	-3.4	0.0	-22.2
-12.0	2570.5						
		Q5_ps Y	I	-10.4	7.1	-0.1	52.3
-20.2	445.3		J	-10.4	7.1	-0.1	52.3
24.5	-5324.2						
		INVSLU Max	I	-1840.0	226.5	3.7	2308.8
2100.8	41309.8		J	-1840.0	226.5	6.4	2308.8
138.9	12046.9	Min	I	-2513.4	-32.4	-1.6	56.5
-32.1	-16924.1		J	-2513.4	-32.4	1.2	56.5
2047.1	-144158.5						
		INVSLE Max	I	-1466.5	172.8	2.8	1740.0
1573.7	31580.4		J	-1466.5	172.8	4.8	1740.0
95.4	5302.2	Min	I	-1963.6	-18.4	-1.1	76.6
-5.0	-11549.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1522.2	-109894.4			J	-1963.6	-18.4	0.9	76.6	-
5295	2	69	C1-C2;~1	Max	I	146.1	105.1	2.5	984.1
1078.8	57113.0			J	146.1	105.1	2.5	984.1	
593.9	17662.4			Min	I	-337.1	-86.6	-1.2	-717.6
-440.8	-53462.3			J	-337.1	-86.6	-1.2	-717.6	
-967.6	-29100.5								
			C3-C4;~1	Max	I	165.3	95.9	1.7	953.6
714.7	50141.9			J	165.3	95.9	1.7	953.6	
780.3	7453.7			Min	I	-317.2	-30.2	-1.8	-290.9
-653.0	-19172.0			J	-317.2	-30.2	-1.8	-290.9	
-678.3	-29312.1								
			C1-C2;~2	Max	I	77.2	67.1	1.4	650.2
613.0	35396.4			J	77.2	67.1	1.4	650.2	
370.3	9909.4			Min	I	-194.9	-46.8	-0.8	-404.2
-275.6	-28516.5			J	-194.9	-46.8	-0.8	-404.2	
-539.4	-19624.1								
			C3-C4;~2	Max	I	86.0	62.1	0.9	636.4
396.9	31305.4			J	86.0	62.1	0.9	636.4	
508.7	3957.6			Min	I	-184.4	-14.4	-1.1	-154.4
-425.9	-9143.2			J	-184.4	-14.4	-1.1	-154.4	
-368.6	-20009.5								
			G1	I	-115.0	-7.3	0.1	-80.8	
369.6	-5024.9			J	-115.0	-7.3	2.1	-80.8	
-555.3	946.2								
			G2	I	-39.4	-18.3	0.5	-142.0	
229.9	-11818.6			J	-39.4	-18.3	0.5	-142.0	
-188.0	3053.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-2.7	1.9	-0.0	14.7
-13.7	1584.3			J	-2.7	1.9	-0.0	14.7	
12.6	1.2								
			Q5_pc	Y	I	-15.7	-4.9	0.0	-28.3
13.5	-3836.8			J	-15.7	-4.9	0.0	-28.3	
-10.3	138.4								
			Q5_ps	X	I	-4.1	3.5	-0.0	25.9
-12.0	2567.8								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
10.7	-282.5		J	-4.1	3.5	-0.0	25.9
8.8	-5326.0	Q5_ps Y	I	-13.0	-7.3	0.0	-45.6
-5.3	577.9		J	-13.0	-7.3	0.0	-45.6
1490.0	12137.6	INVS LU Max	I	-1629.3	35.5	2.0	171.4
1134.4	45709.5		J	-1629.3	35.5	4.7	171.4
-872.7	-144045.2	Min	I	-2336.0	-232.1	-3.8	-2176.8
1247.8	-17955.2		J	-2336.0	-232.1	-1.1	-2176.8
1076.9	5367.5	INVS LE Max	I	-1309.1	19.6	1.4	87.8
875.4	35618.1		J	-1309.1	19.6	3.4	87.8
-671.4	-109811.9	Min	I	-1830.5	-177.9	-2.9	-1647.8
-887.6	-11522.5		J	-1830.5	-177.9	-0.9	-1647.8
5296	2	69 C1-C2;~1 Max	I	157.8	10.6	2.8	574.9
1205.2	17663.4		J	157.8	10.6	2.8	574.9
363.7	16121.4	Min	I	-348.1	-12.8	-0.7	-498.5
-244.1	-29106.2		J	-348.1	-12.8	-0.7	-498.5
1090.4	-26513.6						
1121.7	7452.3	C3-C4;~1 Max	I	178.7	10.9	2.6	584.3
445.7	6819.8		J	178.7	10.9	2.6	584.3
-310.0	-29317.8	Min	I	-311.7	-14.0	-0.9	-379.4
-981.4	-26263.2		J	-311.7	-14.0	-0.9	-379.4
714.9	9909.8	C1-C2;~2 Max	I	83.9	7.2	1.6	385.0
215.3	9108.8		J	83.9	7.2	1.6	385.0
-140.3	-19627.9	Min	I	-200.8	-8.8	-0.4	-303.7
-633.5	-17885.1		J	-200.8	-8.8	-0.4	-303.7
691.9	3956.6	C3-C4;~2 Max	I	93.4	7.2	1.6	392.1
282.4	3694.3		J	93.4	7.2	1.6	392.1
-193.5	-20013.5	Min	I	-180.5	-9.6	-0.6	-240.7
-587.1	-17895.2		J	-180.5	-9.6	-0.6	-240.7
465.7	945.4	G1	I	-102.7	0.5	0.4	-52.9
-659.0	576.6		J	-102.7	0.5	2.4	-52.9

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

224.2	3053.7	G2	I	-36.5	0.5	0.5	-45.6	
-192.2	2672.3		J	-36.5	0.5	0.5	-45.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-10.6	1.2	Q5_pc X	I	0.1	-0.0	-0.0	4.9	
11.5	24.5		J	0.1	-0.0	-0.0	4.9	
12.2	138.7	Q5_pc Y	I	-19.9	0.0	0.0	-4.1	
-12.3	129.3		J	-19.9	0.0	0.0	-4.1	
-4.6	-282.6	Q5_ps X	I	-1.5	-0.0	-0.0	8.0	
5.7	-244.0		J	-1.5	-0.0	-0.0	8.0	
0.5	578.3	Q5_ps Y	I	-17.0	0.1	0.0	-9.3	
-0.8	534.2		J	-17.0	0.1	0.0	-9.3	
1564.5	45728.6	INVSLE Max	I	-1403.9	-6.0	2.3	88.5	
661.9	60459.7		J	-1403.9	-6.0	5.0	88.5	
-502.8	-17945.6	Min	I	-2151.1	-39.6	-2.8	-1382.1	
1433.9	2669.7		J	-2151.1	-39.6	-0.1	-1382.1	-
1129.8	35633.2	INVSLE Max	I	-1138.4	-5.5	1.6	40.0	
530.9	47425.4		J	-1138.4	-5.5	3.6	40.0	
-400.0	-11514.4	Min	I	-1689.2	-30.4	-2.1	-1048.6	
1019.9	4635.3		J	-1689.2	-30.4	-0.1	-1048.6	-
5297	2	69 C1-C2;~1 Max	I	184.8	16.0	3.3	504.1	
1401.8	16119.3		J	184.8	16.0	3.3	504.1	
164.8	17288.3	Min	I	-389.8	-13.6	-0.3	-485.7	
-126.8	-26510.9		J	-389.8	-13.6	-0.3	-485.7	-
1310.2	-27995.9	C3-C4;~1 Max	I	210.2	17.5	2.9	504.9	
1217.4	6819.6		J	210.2	17.5	2.9	504.9	
303.4	7706.2	Min	I	-342.6	-13.5	-0.6	-439.8	
-210.2	-26260.9		J	-342.6	-13.5	-0.6	-439.8	-
1109.3	-27742.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

842.0	9107.7	C1-C2;~2	Max	I	98.9	11.0	2.0	341.6	
				J	98.9	11.0	2.0	341.6	
90.4	9931.5		Min	I	-225.9	-9.3	-0.2	-317.5	
-68.7	-17883.4			J	-225.9	-9.3	-0.2	-317.5	
-780.3	-18904.8								
		C3-C4;~2	Max	I	110.3	12.0	1.8	340.1	
760.0	3694.3			J	110.3	12.0	1.8	340.1	
195.2	4318.1		Min	I	-199.5	-9.1	-0.4	-288.7	
-132.4	-17893.7			J	-199.5	-9.1	-0.4	-288.7	
-680.8	-18885.1								
		G1		I	-94.2	0.3	0.6	-47.4	
558.7	576.5			J	-94.2	0.3	2.6	-47.4	
-774.4	328.5								
		G2		I	-32.8	0.1	0.6	-15.4	
264.4	2671.9			J	-32.8	0.1	0.6	-15.4	
-239.0	2608.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	3.1	-0.1	-0.1	2.1	
-19.7	24.6			J	3.1	-0.1	-0.1	2.1	
21.5	86.5								
		Q5_pc	Y	I	-25.7	0.0	0.1	3.7	
30.3	129.1			J	-25.7	0.0	0.1	3.7	
-33.8	95.7								
		Q5_ps	X	I	1.1	-0.1	-0.0	2.4	
-11.8	-243.8			J	1.1	-0.1	-0.0	2.4	
13.4	-189.8								
		Q5_ps	Y	I	-21.9	0.0	0.0	2.6	
15.7	534.0			J	-21.9	0.0	0.0	2.6	
-18.5	496.8								
		INVSLU	Max	I	-1128.6	27.1	2.2	399.6	
1527.5	60450.4			J	-1128.6	27.1	4.9	399.6	
817.5	59175.4		Min	I	-1984.8	-15.0	-3.2	-944.5	
-703.2	2667.2			J	-1984.8	-15.0	-0.5	-944.5	-
1421.7	-2130.5								
		INVSLE	Max	I	-926.7	20.7	1.5	285.8	
1073.2	47418.2			J	-926.7	20.7	3.5	285.8	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
677.0	46009.6		Min	I	-1557.5	-10.5	-2.5	-709.3	
-575.1	4633.1			J	-1557.5	-10.5	-0.5	-709.3	
-977.2	610.6								
5298	2	69	C1-C2;~1	Max	I	248.5	30.2	4.8	470.2
1943.4	17292.2				J	248.5	30.2	4.8	470.2
295.8	33933.5		Min	I	-503.6	-28.4	-0.7	-591.8	
-297.4	-27999.2			J	-503.6	-28.4	-0.7	-591.8	
1958.2	-43209.5							-	
			C3-C4;~1	Max	I	284.0	32.0	3.9	448.8
1617.9	7708.0			J	284.0	32.0	3.9	448.8	
408.5	28050.3		Min	I	-435.9	-27.5	-1.0	-559.8	
-370.8	-27744.9			J	-435.9	-27.5	-1.0	-559.8	
1579.5	-45977.2							-	
			C1-C2;~2	Max	I	133.4	21.1	2.8	318.2
1153.6	9933.6			J	133.4	21.1	2.8	318.2	
151.3	20766.9		Min	I	-292.4	-19.4	-0.4	-389.7	
-152.8	-18906.9			J	-292.4	-19.4	-0.4	-389.7	
1161.3	-29483.6							-	
			C3-C4;~2	Max	I	149.3	22.4	2.4	298.1
989.1	4319.0			J	149.3	22.4	2.4	298.1	
208.1	18620.3		Min	I	-254.7	-18.8	-0.5	-373.0	
-184.3	-18886.6			J	-254.7	-18.8	-0.5	-373.0	
-960.3	-31770.5								
			G1	I	-99.1	-0.4	1.0	-45.2	
698.3	329.1			J	-99.1	-0.4	3.0	-45.2	
-962.5	641.4								
			G2	I	-33.9	0.6	0.8	17.0	
319.3	2609.2			J	-33.9	0.6	0.8	17.0	
-312.7	2109.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	7.7	-0.4	-0.1	0.0	
-33.2	86.4			J	7.7	-0.4	-0.1	0.0	
39.0	436.6								
			Q5_pc Y	I	-35.6	0.7	0.2	11.1	
65.7	96.0			J	-35.6	0.7	0.2	11.1	
-80.0	-447.1								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-22.2	-189.9	Q5_ps X	I	4.8	-0.5	-0.1	-3.0	
26.9	229.2		J	4.8	-0.5	-0.1	-3.0	
45.4	497.1	Q5_ps Y	I	-30.4	0.8	0.1	14.6	
-57.4	-126.3		J	-30.4	0.8	0.1	14.6	
1657.2	59181.6	INVS LU Max	I	-704.8	64.5	2.4	696.0	
1898.1	65120.9		J	-704.8	64.5	5.1	696.0	
1585.3	-2134.5	Min	I	-1832.2	-18.2	-5.6	-757.7	-
1440.9	-43563.3		J	-1832.2	-18.2	-2.9	-757.7	-
1097.3	46014.1	INVS LE Max	I	-597.7	49.4	1.4	517.8	
1570.9	49050.6		J	-597.7	49.4	3.4	517.8	
1295.8	607.6	Min	I	-1428.1	-11.8	-4.5	-557.6	-
-891.7	-31396.6		J	-1428.1	-11.8	-2.5	-557.6	
5299	2	69 C1-C2;~1 Max	I	380.4	93.0	8.3	838.4	
3096.5	33928.7		J	380.4	93.0	8.3	838.4	
1013.1	107396.6	Min	I	-765.5	-122.2	-2.2	-1111.3	
-769.7	-43206.4		J	-765.5	-122.2	-2.2	-1111.3	-
3629.2	-69025.1							
2725.2	28051.4	C3-C4;~1 Max	I	437.7	26.9	7.2	455.1	
1210.0	102049.8		J	437.7	26.9	7.2	455.1	
-916.1	-45973.8	Min	I	-662.5	-111.3	-2.6	-1087.7	
3169.0	-17662.0		J	-662.5	-111.3	-2.6	-1087.7	-
1848.2	20767.0	C1-C2;~2 Max	I	204.2	51.2	4.9	491.1	
536.6	71148.9		J	204.2	51.2	4.9	491.1	
-406.8	-29481.7	Min	I	-443.9	-78.1	-1.2	-731.5	
2144.5	-39093.2		J	-443.9	-78.1	-1.2	-731.5	-
1659.0	18621.5	C3-C4;~2 Max	I	229.6	12.8	4.4	282.1	
621.9	68426.6		J	229.6	12.8	4.4	282.1	
-470.3	-31768.4	Min	I	-388.3	-71.8	-1.3	-727.7	
1909.5	-8321.0		J	-388.3	-71.8	-1.3	-727.7	-
		G1	I	-139.2	-0.6	1.8	-50.1	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
944.6	640.6			J	-139.2	-0.6	3.8	-50.1	-
1370.6	1127.5								
		G2		I	-45.6	17.0	1.0	93.1	
379.0	2108.3			J	-45.6	17.0	1.0	93.1	
-423.0	-11732.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	18.6	-2.0	-0.2	-0.7	
-57.3	437.0			J	18.6	-2.0	-0.2	-0.7	
80.4	2079.3								
		Q5_pc Y		I	-56.4	5.0	0.4	18.8	
126.7	-447.9			J	-56.4	5.0	0.4	18.8	
-178.0	-4479.0								
		Q5_ps X		I	13.7	-3.9	-0.1	-11.5	
-37.4	229.7			J	13.7	-3.9	-0.1	-11.5	
55.3	3412.8								
		Q5_ps Y		I	-47.8	7.5	0.3	33.2	
91.9	-127.1			J	-47.8	7.5	0.3	33.2	
-133.9	-6217.8								
		INVSLE Max		I	146.8	190.3	2.0	1439.6	
1602.0	65119.5			J	146.8	190.3	4.7	1439.6	
5755.9	118865.6								
		Min		I	-1579.0	-109.1	-13.4	-1226.4	-
4043.2	-43555.0			J	-1579.0	-109.1	-10.7	-1226.4	-
1097.4	-127365.9								
		INVSLE Max		I	71.8	143.7	0.5	1072.1	
894.7	49049.8			J	71.8	143.7	2.5	1072.1	
4701.6	86146.9								
		Min		I	-1199.0	-77.5	-10.8	-900.2	-
3270.1	-31390.1			J	-1199.0	-77.5	-8.8	-900.2	-
-351.2	-95649.6								
		69 C1-C2;~1 Max		I	533.8	217.7	16.8	2706.2	
5300	2			J	533.8	217.7	16.8	2706.2	
6673.5	107345.5								
		Min		I	-1035.6	-119.5	-3.1	-1429.3	-
1068.2	47952.7			J	-1035.6	-119.5	-3.1	-1429.3	-
1452.8	-69060.4								
7018.7	-80184.8								
		C3-C4;~1 Max		I	614.5	218.0	11.5	2805.4	
4596.4	101957.5			J	614.5	218.0	11.5	2805.4	
1555.8	33877.1								
		Min		I	-883.1	-29.8	-4.1	-610.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1830.4	-17651.6			J	-883.1	-29.8	-4.1	-610.6	-
4762.6	-85896.4								
3975.7	71106.1	C1-C2;~2	Max	I	286.2	148.9	10.0	1868.7	
				J	286.2	148.9	10.0	1868.7	
532.7	30704.3		Min	I	-606.6	-69.9	-1.6	-861.4	
-754.3	-39119.0			J	-606.6	-69.9	-1.6	-861.4	-
4177.9	-56388.8								
		C3-C4;~2	Max	I	321.8	151.0	6.8	1952.9	
2731.9	68354.9			J	321.8	151.0	6.8	1952.9	
758.7	22483.3		Min	I	-520.4	-14.6	-2.0	-351.4	
-916.1	-8319.2			J	-520.4	-14.6	-2.0	-351.4	-
2837.9	-60851.1								
			G1	I	-123.1	0.2	5.0	-60.9	
2095.6	1194.8			J	-123.1	0.2	7.0	-60.9	-
2770.0	1050.7								
			G2	I	-39.7	-18.0	2.3	-191.6	
867.6	-11703.0			J	-39.7	-18.0	2.3	-191.6	-
1014.5	2975.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	29.9	1.9	-0.6	22.2
-216.9	2077.0			J	29.9	1.9	-0.6	22.2	
261.5	498.0								
			Q5_pc	Y	I	-77.4	-3.3	0.9	-36.2
364.0	-4486.4			J	-77.4	-3.3	0.9	-36.2	
-378.1	-1840.1								
			Q5_ps	X	I	23.0	4.0	-0.5	42.5
-173.7	3409.4			J	23.0	4.0	-0.5	42.5	
208.7	157.5								
			Q5_ps	Y	I	-65.7	-6.1	0.7	-64.2
289.1	-6222.2			J	-65.7	-6.1	0.7	-64.2	
-287.1	-1283.7								
			INVSLU	Max	I	1127.1	277.9	8.2	3207.9
3134.1	119105.4			J	1127.1	277.9	10.9	3207.9	
7620.9	52278.7		Min	I	-1239.8	-183.5	-21.7	-2574.2	-
9001.4	-127118.1			J	-1239.8	-183.5	-19.0	-2574.2	-
4635.2	-131729.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1611.3	86339.0	INVSLE Max	I	839.0	205.3	4.4	2338.2	
			J	839.0	205.3	6.4	2338.2	
6246.9	37303.3	Min	I	-903.9	-136.1	-17.6	-1940.0	-
7329.5	-95450.6		J	-903.9	-136.1	-15.6	-1940.0	-
2781.3	-98753.9							
5301	2	69 C1-C2;~1 Max	I	591.1	120.7	19.6	2188.4	
8105.5	47952.0		J	591.1	120.7	19.6	2188.4	
938.8	47645.2	Min	I	-961.9	-81.3	-2.0	-1404.0	
-869.9	-80191.7		J	-961.9	-81.3	-2.0	-1404.0	-
7949.2	-100889.3							
		C3-C4;~1 Max	I	676.4	124.6	14.1	2231.0	
5904.6	33872.6		J	676.4	124.6	14.1	2231.0	
1748.3	20771.0	Min	I	-828.0	-76.9	-3.9	-1110.3	-
1628.5	-85904.3		J	-828.0	-76.9	-3.9	-1110.3	-
5746.4	-105734.0							
		C1-C2;~2 Max	I	317.0	85.4	11.8	1513.6	
4872.6	30703.6		J	317.0	85.4	11.8	1513.6	
481.6	29375.3	Min	I	-565.4	-57.1	-1.0	-859.8	
-421.6	-56393.7		J	-565.4	-57.1	-1.0	-859.8	-
4750.5	-70959.4							
		C3-C4;~2 Max	I	354.3	88.5	8.6	1553.9	
3593.5	22480.2		J	354.3	88.5	8.6	1553.9	
884.7	12554.8	Min	I	-488.2	-53.8	-2.0	-728.6	
-806.8	-60856.8		J	-488.2	-53.8	-2.0	-728.6	-
3468.2	-74830.0							
		G1	I	2.2	1.3	6.9	-71.1	
3029.3	1049.9		J	2.2	1.3	8.9	-71.1	-
3403.6	-29.3							
		G2	I	8.3	-2.6	2.9	-105.2	
1164.5	2976.7		J	8.3	-2.6	2.9	-105.2	-
1197.3	5067.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	33.2	1.0	-0.8	15.4	
-316.4	498.0		J	33.2	1.0	-0.8	15.4	
338.7	-312.6							
		Q5_pc Y	I	-81.5	-0.9	0.9	-17.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
387.7	-1840.0			J	-81.5	-0.9	0.9	-17.1	
-369.3	-1088.4								
-246.8	157.3	Q5_ps X		I	26.7	1.4	-0.6	26.2	
266.3	-968.0			J	26.7	1.4	-0.6	26.2	
269.0	-1283.4	Q5_ps Y		I	-70.8	-1.4	0.6	-32.4	
-246.6	-117.1			J	-70.8	-1.4	0.6	-32.4	
7426.0	52292.4	INVS LU Max		I	1539.5	177.2	18.0	2668.7	
5245.7	44599.3			J	1539.5	177.2	20.7	2668.7	
6412.7	-131725.6	Min		I	-818.9	-102.6	-15.3	-2269.4	-
8510.7	-164421.8			J	-818.9	-102.6	-12.6	-2269.4	-
4991.9	37314.5	INVS LE Max		I	1145.8	131.8	12.2	1958.2	
4270.0	31144.9			J	1145.8	131.8	14.2	1958.2	
5207.3	-98749.8	Min		I	-590.3	-75.3	-12.4	-1697.4	-
5870.6	-123540.4			J	-590.3	-75.3	-10.4	-1697.4	-
5302	2	69 C1-C2;~1 Max		I	651.6	112.3	20.4	1693.1	
8247.0	47643.4			J	651.6	112.3	20.4	1693.1	
1492.2	47359.9	Min		I	-900.0	-106.8	-3.4	-1681.9	-
1248.2	-100885.0			J	-900.0	-106.8	-3.4	-1681.9	-
8332.5	-103117.3								
5811.5	20770.8	C3-C4;~1 Max		I	742.5	112.6	14.4	1658.7	
2553.0	18925.1			J	742.5	112.6	14.4	1658.7	
2228.3	-105729.7	Min		I	-777.0	-105.4	-5.9	-1594.6	-
5908.3	-108535.9			J	-777.0	-105.4	-5.9	-1594.6	-
4818.5	29374.2	C1-C2;~2 Max		I	349.0	79.2	11.8	1172.2	
759.1	29200.9			J	349.0	79.2	11.8	1172.2	
-636.7	-70956.3	Min		I	-530.9	-75.2	-1.7	-1148.9	-
4814.5	-72590.9			J	-530.9	-75.2	-1.7	-1148.9	-
3406.0	12554.8	C3-C4;~2 Max		I	388.6	79.5	8.4	1152.5	
1283.9	11311.4			J	388.6	79.5	8.4	1152.5	
1122.9	-74826.9	Min		I	-457.9	-74.4	-3.0	-1096.3	-
				J	-457.9	-74.4	-3.0	-1096.3	-

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

3405.9	-76868.8							
		G1	I	124.0	1.5	7.6	-79.2	
3334.9	-29.2		J	124.0	1.5	9.6	-79.2	-
3697.0	-1255.5							
		G2	I	54.3	0.5	3.2	-31.7	
1286.0	5066.9		J	54.3	0.5	3.2	-31.7	-
1315.5	4623.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	37.1	0.4	-1.0	2.8	
-392.1	-312.6		J	37.1	0.4	-1.0	2.8	
408.1	-619.1							
		Q5_pc Y	I	-87.7	-0.1	0.9	3.9	
379.6	-1088.5		J	-87.7	-0.1	0.9	3.9	
-365.4	-1017.3							
		Q5_ps X	I	30.9	0.4	-0.8	4.2	
-312.4	-967.9		J	30.9	0.4	-0.8	4.2	
326.5	-1266.9							
		Q5_ps Y	I	-77.5	-0.1	0.6	1.0	
245.9	-117.3		J	-77.5	-0.1	0.6	1.0	
-228.9	-67.2							
		INVSLU Max	I	1960.4	148.9	23.5	2031.2	
9575.1	44594.0		J	1960.4	148.9	26.2	2031.2	
4770.8	46934.6							
		Min	I	-414.9	-148.0	-13.7	-2532.1	-
5272.2	-164419.0		J	-414.9	-148.0	-11.0	-2532.1	-1
0659.2	-165355.9							
		INVSLE Max	I	1462.5	110.1	16.6	1499.8	
6751.9	31140.8		J	1462.5	110.1	18.6	1499.8	
3779.5	33021.6							
		Min	I	-285.3	-109.8	-10.8	-1879.9	-
4193.9	-123538.5		J	-285.3	-109.8	-8.8	-1879.9	-
7595.7	-124095.0							
		69 C1-C2;~1 Max	I	716.4	87.3	20.5	1397.1	
5303	2		J	716.4	87.3	20.5	1397.1	
8351.0	47361.9							
		Min	I	-837.2	-117.2	-4.3	-2146.6	-
1845.9	50153.7		J	-837.2	-117.2	-4.3	-2146.6	-
1664.5	-103122.3							
		C3-C4;~1 Max	I	812.5	85.1	14.5	1111.3	
8353.0	-87446.2							
5812.8	18925.7							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3084.9	33489.0		J	812.5	85.1	14.5	1111.3	
2872.2	-108540.5	Min	I	-740.6	-119.6	-7.3	-2168.0	-
5972.7	-93282.4		J	-740.6	-119.6	-7.3	-2168.0	-
4747.6	29202.0	C1-C2;~2 Max	I	382.9	60.8	11.6	857.3	
930.0	31962.7		J	382.9	60.8	11.6	857.3	
-839.8	-72594.5	Min	I	-496.5	-81.8	-2.2	-1481.2	
4708.6	-61467.3		J	-496.5	-81.8	-2.2	-1481.2	-
3282.9	11311.7	C3-C4;~2 Max	I	424.5	59.0	8.1	751.6	
1548.5	21837.0		J	424.5	59.0	8.1	751.6	
1448.6	-76872.1	Min	I	-437.5	-83.8	-3.7	-1510.2	-
3353.3	-65922.7		J	-437.5	-83.8	-3.7	-1510.2	-
3482.0	-1255.5	G1	I	254.3	-0.4	7.9	-98.8	
3802.0	-907.9		J	254.3	-0.4	10.0	-98.8	-
1350.1	4623.6	G2	I	105.1	3.5	3.3	39.4	
1364.0	1780.9		J	105.1	3.5	3.3	39.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-442.6	-619.4	Q5_pc X	I	40.9	-0.5	-1.1	-10.4	
450.6	-223.5		J	40.9	-0.5	-1.1	-10.4	
377.9	-1016.9	Q5_pc Y	I	-93.3	1.1	0.9	24.3	
-362.6	-1877.9		J	-93.3	1.1	0.9	24.3	
-357.0	-1267.2	Q5_ps X	I	35.0	-1.0	-0.9	-18.8	
364.3	-458.5		J	35.0	-1.0	-0.9	-18.8	
235.0	-66.8	Q5_ps Y	I	-83.5	1.7	0.6	34.0	
-219.1	-1452.8		J	-83.5	1.7	0.6	34.0	
0925.7	46934.1	INVSLU Max	I	2399.7	101.6	26.7	1539.4	1
4358.2	65435.6		J	2399.7	101.6	29.4	1539.4	
5022.3	-165364.5	Min	I	4.7	-179.5	-12.9	-3317.2	-


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1894.0	-131583.4		J	4.7	-179.5	-10.2	-3317.2	-1		
7845.7	33021.2	INVSLE Max	I	1791.9	74.3	19.2	1136.7			
3377.7	47402.0		J	1791.9	74.3	21.2	1136.7			
3908.6	-124101.5	Min	I	30.2	-133.8	-10.0	-2457.6	-		
8600.9	-98287.6		J	30.2	-133.8	-8.0	-2457.6	-		
5304	2	69 C1-C2;~1 Max	I	780.5	112.9	20.6	1619.8			
8408.4	50145.4		J	780.5	112.9	20.6	1619.8			
1979.4	107767.5	Min	I	-761.4	-229.1	-4.7	-2891.9	-		
1875.8	-87435.0		J	-761.4	-229.1	-4.7	-2891.9	-		
8321.1	-64551.6									
6104.1	33489.4	C3-C4;~1 Max	I	882.1	28.5	15.1	791.2			
3238.3	100785.6		J	882.1	28.5	15.1	791.2			
3118.1	-93274.6	Min	I	-685.2	-228.5	-7.8	-2988.1	-		
6196.9	-19694.9		J	-685.2	-228.5	-7.8	-2988.1	-		
4749.7	31957.6	C1-C2;~2 Max	I	415.3	67.5	11.6	1000.3			
997.1	69083.0		J	415.3	67.5	11.6	1000.3			
-946.6	-61459.7	Min	I	-452.0	-155.7	-2.4	-1996.7	-		
4674.0	-36738.1		J	-452.0	-155.7	-2.4	-1996.7	-		
3436.6	21837.9	C3-C4;~2 Max	I	459.1	14.0	8.5	505.7			
1609.0	64851.2		J	459.1	14.0	8.5	505.7			
1551.8	-65917.3	Min	I	-403.7	-156.7	-3.9	-2085.6	-		
3482.7	-9231.1		J	-403.7	-156.7	-3.9	-2085.6	-		
3422.0	-910.1	G1	I	391.4	-9.6	7.7	-130.7			
3693.6	6942.4		J	391.4	-9.6	9.7	-130.7	-		
1265.7	1779.0	G2	I	157.9	16.0	3.1	117.5			
1259.5	-11229.8		J	157.9	16.0	3.1	117.5	-		
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0			
0.0	0.0		J	0.0	0.0	0.0	0.0			
-466.8	-222.3	Q5_pc X	I	48.3	-2.5	-1.1	-19.0			
			J	48.3	-2.5	-1.1	-19.0			


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
468.5	1779.8							
366.2	-1879.0	Q5_pc	Y	I	-100.9	3.5	0.9	34.5
-350.5	-4687.1			J	-100.9	3.5	0.9	34.5
-374.0	-457.4	Q5_ps	X	I	42.4	-4.9	-0.9	-37.2
375.8	3524.9			J	42.4	-4.9	-0.9	-37.2
214.4	-1453.9	Q5_ps	Y	I	-91.5	6.4	0.5	56.4
-199.7	-6684.3			J	-91.5	6.4	0.5	56.4
1678.8	65432.8	INVS LU	Max	I	2871.8	129.2	28.4	1645.7
3889.0	167194.4			J	2871.8	129.2	31.1	1645.7
4722.2	-131566.4		Min	I	471.4	-338.8	-11.9	-4637.0
2559.4	-73873.1			J	471.4	-338.8	-9.2	-4637.0
8482.1	47400.0	INVS LE	Max	I	2144.3	93.3	20.7	1209.3
2957.4	124334.2			J	2144.3	93.3	22.7	1209.3
3604.5	-98274.8		Min	I	379.6	-252.8	-9.1	-3440.0
9164.1	-53609.5			J	379.6	-252.8	-7.1	-3440.0
5305	2	69 C1-C2;~1	Max	I	853.9	230.8	19.0	2815.8
7836.7	107778.9			J	853.9	230.8	19.0	2815.8
2322.2	45713.9		Min	I	-704.4	-105.0	-5.6	-1403.4
2262.8	-64611.3			J	-704.4	-105.0	-5.6	-1403.4
7641.0	-90544.0							
5463.1	100788.8	C3-C4;~1	Max	I	960.2	231.0	13.3	2923.8
3751.7	33745.7			J	960.2	231.0	13.3	2923.8
3700.8	-19650.6		Min	I	-640.7	-25.4	-9.2	-901.7
5398.0	-96632.3			J	-640.7	-25.4	-9.2	-901.7
4351.6	69115.9	C1-C2;~2	Max	I	451.5	156.7	10.5	1940.7
1216.7	30174.8			J	451.5	156.7	10.5	1940.7
1187.6	-36776.8		Min	I	-417.4	-63.8	-3.0	-915.0
4215.1	-63381.6			J	-417.4	-63.8	-3.0	-915.0
3025.5	64880.7	C3-C4;~2	Max	I	496.9	158.3	7.4	2030.3
1956.6	22016.1			J	496.9	158.3	7.4	2030.3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1936.1	-9212.0		Min	I	-375.1	-11.8	-4.8	-571.5	-
				J	-375.1	-11.8	-4.8	-571.5	-
2972.3	-68087.1								
			G1	I	539.9	11.5	7.0	22.4	
3149.0	6906.8			J	539.9	11.5	9.0	22.4	-
3374.0	-2442.4								
			G2	I	215.1	-15.6	3.1	-153.1	
1256.1	-11240.8			J	215.1	-15.6	3.1	-153.1	-
1231.4	1414.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	57.7	3.2	-1.3	31.0	
-536.1	1789.7			J	57.7	3.2	-1.3	31.0	
538.1	-783.7								
			Q5_pc Y	I	-109.3	-3.9	1.0	-27.1	
428.0	-4701.2			J	-109.3	-3.9	1.0	-27.1	
-416.5	-1550.6								
			Q5_ps X	I	51.8	5.6	-1.1	51.6	
-446.9	3531.3			J	51.8	5.6	-1.1	51.6	
449.3	-1038.6								
			Q5_ps Y	I	-99.9	-6.8	0.7	-52.2	
283.5	-6691.2			J	-99.9	-6.8	0.7	-52.2	
-273.7	-1174.9								
			INVSLU Max	I	3411.7	357.2	28.6	4360.3	1
2011.5	167317.9			J	3411.7	357.2	31.3	4360.3	
4002.7	46583.0								
			Min	I	967.9	-103.4	-11.8	-1537.1	-
4529.1	-73871.1			J	967.9	-103.4	-9.1	-1537.1	-1
2346.1	-148375.5								
			INVSLE Max	I	2546.5	265.5	20.9	3242.3	
8789.5	124424.7			J	2546.5	265.5	22.9	3242.3	
2980.1	34240.4								
			Min	I	750.8	-75.1	-8.8	-1122.0	-
3391.3	-53607.0			J	750.8	-75.1	-6.8	-1122.0	-
9058.3	-109966.5								
			69 C1-C2;~1 Max	I	942.4	123.1	17.0	2043.0	
5306	2			J	942.4	123.1	17.0	2043.0	
7080.6	45713.7								
			Min	I	-656.4	-90.7	-5.4	-1349.2	-
2206.0	41927.2			J	-656.4	-90.7	-5.4	-1349.2	-
2193.6	-90556.5								
6763.0	-110407.5								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5023.4	33740.6	C3-C4;~1	Max	I	1049.8	126.7	12.2	2067.7	
				J	1049.8	126.7	12.2	2067.7	
3506.0	17765.1		Min	I	-604.7	-88.6	-8.7	-1234.4	-
3547.8	-96645.1			J	-604.7	-88.6	-8.7	-1234.4	-
4916.1	-115725.3								
		C1-C2;~2	Max	I	495.2	86.0	9.5	1409.8	
3958.7	30174.8			J	495.2	86.0	9.5	1409.8	
1163.3	27206.6		Min	I	-387.1	-63.7	-2.8	-914.8	-
1152.5	-63390.6			J	-387.1	-63.7	-2.8	-914.8	-
3773.5	-77127.6								
		C3-C4;~2	Max	I	540.5	88.6	6.8	1431.9	
2799.4	22012.7			J	540.5	88.6	6.8	1431.9	
1809.5	10322.6		Min	I	-350.7	-61.7	-4.5	-827.7	-
1832.9	-68096.0			J	-350.7	-61.7	-4.5	-827.7	-
2750.6	-81341.0								
		G1		I	709.3	3.2	5.3	-19.3	
2496.2	-2446.7			J	709.3	3.2	7.3	-19.3	-
2612.2	-5018.9								
		G2		I	280.0	-2.6	2.2	-75.1	
942.1	1414.4			J	280.0	-2.6	2.2	-75.1	
-878.7	3564.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	64.9	1.3	-1.3	21.4	
-525.8	-783.4			J	64.9	1.3	-1.3	21.4	
522.8	-1818.7								
		Q5_pc	Y	I	-115.9	-1.3	1.0	-16.3	
428.9	-1550.6			J	-115.9	-1.3	1.0	-16.3	
-420.5	-521.3								
		Q5_ps	X	I	59.2	1.8	-1.1	31.5	
-434.7	-1038.6			J	59.2	1.8	-1.1	31.5	
433.8	-2494.4								
		Q5_ps	Y	I	-107.2	-1.9	0.7	-29.4	
282.9	-1174.5			J	-107.2	-1.9	0.7	-29.4	
-279.0	353.4								
		INVSLU	Max	I	3982.7	198.3	24.7	2741.9	1
0397.9	46578.8			J	3982.7	198.3	27.4	2741.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

4025.1	20505.6								
			Min	I	1470.7	-97.5	-12.3	-1909.6	-
4896.8	-148396.5			J	1470.7	-97.5	-9.6	-1909.6	-1
0779.1	-195598.9								
		INVSLE	Max	I	2971.9	146.9	18.1	2038.0	
7623.3	34237.4			J	2971.9	146.9	20.1	2038.0	
2976.4	14833.5		Min	I	1126.7	-72.0	-9.1	-1404.7	-
3636.0	-109982.1			J	1126.7	-72.0	-7.1	-1404.7	-
7920.0	-145001.4								
5307	2	69	C1-C2;~1	Max	I	1076.4	123.8	12.8	1402.3
5551.4	41927.2			J	1076.4	123.8	12.8	1402.3	
1995.1	55448.1		Min	I	-607.5	-132.9	-5.0	-1848.8	-
2078.2	-110407.8			J	-607.5	-132.9	-5.0	-1848.8	-
4839.3	-127780.9								
		C3-C4;~1	Max	I	1169.3	124.2	9.0	1316.0	
3898.2	17765.8			J	1169.3	124.2	9.0	1316.0	
2980.8	34876.0		Min	I	-560.2	-132.8	-7.7	-1830.4	-
3270.1	-115726.1			J	-560.2	-132.8	-7.7	-1830.4	-
3431.9	-136639.2								
		C1-C2;~2	Max	I	558.9	87.6	7.3	964.2	
3158.5	27206.7			J	558.9	87.6	7.3	964.2	
1085.9	36582.9		Min	I	-352.5	-94.1	-2.6	-1277.0	-
1133.1	-77128.0			J	-352.5	-94.1	-2.6	-1277.0	-
2788.6	-89546.1								
		C3-C4;~2	Max	I	599.3	87.3	5.2	898.3	
2233.6	10323.1			J	599.3	87.3	5.2	898.3	
1604.0	22282.5		Min	I	-318.2	-93.7	-4.1	-1269.6	-
1732.3	-81341.9			J	-318.2	-93.7	-4.1	-1269.6	-
1995.9	-96211.0								
		G1		I	918.6	0.5	2.1	-73.3	
1315.2	-5017.7			J	918.6	0.5	4.1	-73.3	-
1220.7	-5436.5								
		G2		I	359.2	1.2	1.1	-8.2	
501.9	3564.8			J	359.2	1.2	1.1	-8.2	
-360.5	2623.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-501.6	-1818.6	Q5_pc X	I	71.2	0.7	-1.2	4.5	
			J	71.2	0.7	-1.2	4.5	
450.0	-2374.1							
		Q5_pc Y	I	-124.4	0.6	1.0	3.6	
439.8	-521.6		J	-124.4	0.6	1.0	3.6	
-398.2	-978.9							
		Q5_ps X	I	66.4	0.6	-1.0	3.1	
-421.6	-2494.3		J	66.4	0.6	-1.0	3.1	
380.0	-2944.9							
		Q5_ps Y	I	-116.8	0.6	0.7	3.3	
312.5	353.1		J	-116.8	0.6	0.7	3.3	
-287.7	-172.4							
		INVS LU Max	I	4631.6	172.3	17.9	1190.5	
7921.4	20509.2		J	4631.6	172.3	20.6	1190.5	
3654.6	35930.7							
		Min	I	2009.0	-175.9	-11.9	-3206.6	-
4890.6	-195596.3		J	2009.0	-175.9	-9.1	-3206.6	-
7712.7	-227660.6							
		INVS LE Max	I	3455.5	127.6	13.1	884.9	
5798.7	14836.2		J	3455.5	127.6	15.1	884.9	
2704.2	26254.6							
		Min	I	1529.4	-130.3	-8.8	-2371.6	-
3624.8	-144999.5		J	1529.4	-130.3	-6.8	-2371.6	-
5656.0	-168681.6							
		83 C1-C2;~1 Max	I	1296.5	83.1	54.6	8353.4	2
5308	2		J	1296.5	83.1	54.6	8353.4	1
4359.9	55449.3							
		Min	I	-637.0	-137.6	-24.7	-16391.4	-1
0113.2	71606.0		J	-637.0	-137.6	-24.7	-16391.4	-2
0741.0	-127783.7							
0478.0	-112383.0							
		C3-C4;~1 Max	I	1395.0	81.1	37.8	6204.2	1
6808.2	34877.5		J	1395.0	81.1	37.8	6204.2	1
4654.3	62545.2							
		Min	I	-591.5	-143.2	-38.1	-16609.0	-1
6743.1	-136642.2		J	-591.5	-143.2	-38.1	-16609.0	-1
4426.0	-119235.4							
		C1-C2;~2 Max	I	667.1	57.7	31.4	5439.5	1
3990.7	36583.6		J	667.1	57.7	31.4	5439.5	
5694.0	47900.7							
		Min	I	-363.6	-95.4	-13.5	-11337.6	-
5675.9	-89547.8		J	-363.6	-95.4	-13.5	-11337.6	-1
1733.7	-78082.4							
		C3-C4;~2 Max	I	708.5	55.4	22.0	4067.7	

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9763.3	22283.3			J	708.5	55.4	22.0	4067.7		
7929.8	40998.6									
			Min	I	-330.3	-99.5	-20.3	-11572.0	-	
8769.5	-96212.9			J	-330.3	-99.5	-20.3	-11572.0	-	
8322.5	-83154.0									
			G1	I	1192.8	-4.2	4.7	-814.3		
1688.4	-5438.2			J	1192.8	-4.2	9.3	-814.3	-	
4011.5	-2009.7									
			G2	I	465.8	4.8	2.2	283.2		
537.4	2622.9			J	465.8	4.8	2.2	283.2	-	
1286.6	-1245.3									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc X	I	91.9	0.1	-5.9	-54.8	-	
2686.0	-2375.1			J	91.9	0.1	-5.9	-54.8	-	
2092.0	-2463.6									
			Q5_pc Y	I	-149.3	2.4	5.4	135.0		
2540.7	-978.0			J	-149.3	2.4	5.4	135.0	-	
1824.1	-2910.7									
			Q5_ps X	I	86.0	-0.8	-5.0	-124.0	-	
2299.3	-2945.8			J	86.0	-0.8	-5.0	-124.0	-	
1787.8	-2321.5									
			Q5_ps Y	I	-140.1	3.2	4.0	199.0		
1922.2	-171.5			J	-140.1	3.2	4.0	199.0	-	
1338.6	-2812.9									
			INVSLE Max	I	5621.3	89.3	77.6	10312.1	3	
3149.7	35922.8			J	5621.3	89.3	83.7	10312.1	1	
8177.1	78615.2									
			Min	I	2609.4	-220.5	-58.2	-23630.2	-2	
7174.0	-227675.9			J	2609.4	-220.5	-52.1	-23630.2	-3	
3017.3	-184259.9									
			INVSLE Max	I	4193.0	65.6	56.8	7627.6	2	
4164.5	26248.8			J	4193.0	65.6	61.3	7627.6	1	
3375.0	58144.4									
			Min	I	1981.9	-163.6	-43.0	-17496.9	-2	
0161.6	-168692.8			J	1981.9	-163.6	-38.5	-17496.9	-2	
4267.8	-136189.8									
			83 C1-C2;~1 Max	I	1458.5	103.7	48.8	9425.6	2	
5309	2			J	1458.5	103.7	48.8	9425.6		
0245.1	71607.7									
8025.8	161818.7									
			Min	I	-613.3	-279.0	-19.7	-19013.4	-	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7767.5	-112374.0		J	-613.3	-279.0	-19.7	-19013.4	-1	
9514.3	-70775.7								
6344.5	62547.5	C3-C4;~1	Max	I	1575.4	25.2	40.6	5902.7	1
0432.7	160236.0			J	1575.4	25.2	40.6	5902.7	1
0650.6	-119225.7		Min	I	-585.5	-287.6	-25.9	-19763.6	-1
6730.7	-28808.5			J	-585.5	-287.6	-25.9	-19763.6	-1
2032.1	47902.0	C1-C2;~2	Max	I	744.4	65.5	28.7	6149.8	1
4802.9	105754.6			J	744.4	65.5	28.7	6149.8	
4231.0	-78076.7		Min	I	-338.1	-190.4	-10.7	-13098.7	-
1305.9	-42173.5			J	-338.1	-190.4	-10.7	-13098.7	-1
9896.7	41000.5	C3-C4;~2	Max	I	791.5	11.2	24.3	3832.0	
5300.6	105225.5			J	791.5	11.2	24.3	3832.0	
5364.6	-83147.6		Min	I	-317.9	-197.6	-13.1	-13744.4	-
9908.4	-15041.9			J	-317.9	-197.6	-13.1	-13744.4	-
3273.8	-2006.6	G1		I	1426.8	-24.4	8.5	-952.8	
5443.0	17826.6			J	1426.8	-24.4	13.0	-952.8	-
862.5	-1245.2	G2		I	556.7	12.9	2.8	649.4	
1398.6	-11722.4			J	556.7	12.9	2.8	649.4	-
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
1541.7	-2462.5	Q5_pc	X	I	117.1	-1.7	-3.5	-71.4	-
1299.6	-1081.7			J	117.1	-1.7	-3.5	-71.4	
1297.6	-2911.8	Q5_pc	Y	I	-173.3	5.5	2.8	218.9	
-999.3	-7413.7			J	-173.3	5.5	2.8	218.9	
1269.9	-2320.3	Q5_ps	X	I	109.9	-4.5	-2.8	-187.5	-
1044.9	1358.4			J	109.9	-4.5	-2.8	-187.5	
872.0	-2814.0	Q5_ps	Y	I	-161.9	8.4	1.8	330.1	
-602.5	-9630.5			J	-161.9	8.4	1.8	330.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7623.7	78630.1	INVSLE Max	I	6454.0	84.3	68.2	11594.6	2
			J	6454.0	84.3	74.3	11594.6	1
2370.1	253791.3	Min	I	3187.3	-453.8	-38.9	-28204.8	-1
6860.5	-184236.1		J	3187.3	-453.8	-32.9	-28204.8	-3
0397.6	-73555.8							
0364.1	58155.4	INVSLE Max	I	4812.0	60.6	50.4	8548.1	2
			J	4812.0	60.6	54.9	8548.1	
8992.6	188835.7	Min	I	2415.3	-337.3	-28.5	-20903.7	-1
2381.5	-136172.1		J	2415.3	-337.3	-24.0	-20903.7	-2
2513.9	-52655.1							
5310	2	83 C1-C2;~1 Max	I	1595.4	299.3	46.3	17045.3	1
8054.3	161879.9		J	1595.4	299.3	46.3	17045.3	1
1403.1	89049.6	Min	I	-569.2	-109.7	-28.5	-8946.4	-1
0676.3	-70743.0		J	-569.2	-109.7	-28.5	-8946.4	-1
7830.6	-135950.0							
0962.8	160314.4	C3-C4;~1 Max	I	1702.7	311.5	29.4	17997.9	1
			J	1702.7	311.5	29.4	17997.9	1
2762.7	76543.7	Min	I	-562.4	-30.2	-33.0	-6769.1	-1
2937.8	-28754.8		J	-562.4	-30.2	-33.0	-6769.1	-1
1775.8	-140489.7							
0316.1	105805.8	C1-C2;~2 Max	I	806.9	203.3	26.2	11760.7	1
			J	806.9	203.3	26.2	11760.7	
6913.2	60496.1	Min	I	-302.3	-68.3	-17.0	-5866.0	-
6291.6	-42162.1		J	-302.3	-68.3	-17.0	-5866.0	-
9947.8	-94772.4							
5881.1	105288.8	C3-C4;~2 Max	I	847.6	213.1	15.6	12447.1	
			J	847.6	213.1	15.6	12447.1	
6776.7	51114.8	Min	I	-297.9	-13.1	-17.1	-4395.6	-
6549.4	-15017.3		J	-297.9	-13.1	-17.1	-4395.6	-
6236.9	-97994.4							
5203.0	17907.7	G1	I	1641.8	26.1	14.1	645.3	
			J	1641.8	26.1	18.4	645.3	-
7406.3	-2307.1							
2369.0	-11691.4	G2	I	637.6	-15.0	6.8	-586.0	
			J	637.6	-15.0	6.8	-586.0	-
2923.0	-41.1							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
1597.6	-1085.2	Q5_pc X	I	135.5	3.8	-3.9	145.1	-
1417.8	-4013.6		J	135.5	3.8	-3.9	145.1	
1155.2	-7418.1	Q5_pc Y	I	-189.5	-6.3	2.7	-210.0	
-935.4	-2500.7		J	-189.5	-6.3	2.7	-210.0	
1406.5	1354.6	Q5_ps X	I	128.1	6.9	-3.4	246.4	-
1238.5	-3979.0		J	128.1	6.9	-3.4	246.4	
849.1	-9632.9	Q5_ps Y	I	-177.5	-9.4	1.9	-319.4	
-649.5	-2316.7		J	-177.5	-9.4	1.9	-319.4	
0765.2	254035.3	INVS LU Max	I	7178.1	498.8	80.7	26481.5	3
9870.2	96439.1		J	7178.1	498.8	86.5	26481.5	
3949.8	-73358.3	Min	I	3769.9	-81.2	-33.4	-10271.2	-1
3982.8	-220663.3		J	3769.9	-81.2	-27.6	-10271.2	-3
2832.7	189013.8	INVS LE Max	I	5349.4	370.9	60.0	19687.0	2
7007.6	71084.1		J	5349.4	370.9	64.3	19687.0	
0076.5	-52510.9	Min	I	2850.1	-57.9	-24.0	-7509.2	-1
5287.0	-163271.5		J	2850.1	-57.9	-19.7	-7509.2	-2
5311	2	83 C1-C2;~1 Max	I	1739.1	172.1	49.8	12622.7	1
9566.4	89049.2		J	1739.1	172.1	49.8	12622.7	
8955.3	76669.5	Min	I	-532.2	-93.3	-20.7	-8276.6	-
7283.2	-135959.8		J	-532.2	-93.3	-20.7	-8276.6	-1
9032.9	-175041.9							
5932.6	76541.7	C3-C4;~1 Max	I	1819.1	185.1	41.2	12777.4	1
0986.7	45961.2		J	1819.1	185.1	41.2	12777.4	1
0772.4	-140501.3	Min	I	-529.1	-80.4	-28.1	-7459.2	-1
6005.6	-186504.4		J	-529.1	-80.4	-28.1	-7459.2	-1
1547.2	60496.0	C1-C2;~2 Max	I	872.2	119.3	28.9	8720.9	1
5540.1	50015.3		J	872.2	119.3	28.9	8720.9	
4340.5	-94779.6	Min	I	-272.4	-61.0	-12.6	-5556.1	-
			J	-272.4	-61.0	-12.6	-5556.1	-1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0802.4	-121610.5								
		C3-C4;~2	Max	I	898.7	128.6	24.0	8804.1	
9439.0	51113.5			J	898.7	128.6	24.0	8804.1	
5400.8	28781.3								
			Min	I	-270.9	-54.1	-15.2	-4952.2	-
5761.4	-98002.9			J	-270.9	-54.1	-15.2	-4952.2	-
9165.5	-130044.9								
		G1		I	1862.9	6.4	16.4	381.1	
5881.2	-2307.5			J	1862.9	6.4	20.7	381.1	-
8468.2	-7246.2								
		G2		I	719.1	-6.8	6.4	-202.5	
2069.5	-40.1			J	719.1	-6.8	6.4	-202.5	-
2881.2	5203.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	147.1	2.7	-2.7	100.3	-
1093.4	-4013.7			J	147.1	2.7	-2.7	100.3	
1027.9	-6093.5								
		Q5_pc	Y	I	-202.5	-2.5	1.9	-131.9	
794.8	-2500.4			J	-202.5	-2.5	1.9	-131.9	
-654.0	-541.3								
		Q5_ps	X	I	140.2	3.7	-2.2	146.9	
-896.2	-3979.3			J	140.2	3.7	-2.2	146.9	
839.4	-6861.0								
		Q5_ps	Y	I	-190.5	-3.6	1.1	-189.6	
477.3	-2316.2			J	-190.5	-3.6	1.1	-189.6	
-354.5	507.0								
		INVSLE	Max	I	7918.3	281.0	80.7	19162.9	2
9742.8	96436.2			J	7918.3	281.0	86.5	19162.9	
7359.3	59322.6								
			Min	I	4379.7	-99.6	-29.4	-9497.4	-1
3182.6	-220681.5			J	4379.7	-99.6	-23.6	-9497.4	-3
5017.3	-306930.4								
		INVSLE	Max	I	5899.0	208.5	60.2	14245.7	2
2140.7	71081.9			J	5899.0	208.5	64.4	14245.7	
5141.1	43033.5								
			Min	I	3304.8	-73.1	-21.1	-6966.6	-
9510.2	-163285.0			J	3304.8	-73.1	-16.8	-6966.6	-2
6112.0	-227452.6								
		83 C1-C2;~1	Max	I	1892.1	122.6	49.1	8055.4	1
5312	2								
8891.8	76669.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8886.1	75339.2		J	1892.1	122.6	49.1	8055.4	
		Min	I	-515.1	-143.1	-20.7	-11034.8	-
7258.3	-175041.3		J	-515.1	-143.1	-20.7	-11034.8	-1
9153.5	-168976.1							
		C3-C4;~1 Max	I	1929.6	123.9	40.1	7496.7	1
5011.7	45961.9		J	1929.6	123.9	40.1	7496.7	1
0660.2	42020.0							
		Min	I	-523.4	-142.5	-27.5	-10313.2	-1
0623.9	-186503.5		J	-523.4	-142.5	-27.5	-10313.2	-1
6038.0	-180084.6							
		C1-C2;~2 Max	I	941.0	86.1	28.3	5491.0	1
1094.5	50014.9		J	941.0	86.1	28.3	5491.0	
5498.0	49063.6							
		Min	I	-256.1	-100.4	-12.6	-7583.0	-
4328.6	-121610.4		J	-256.1	-100.4	-12.6	-7583.0	-1
0840.5	-117732.6							
		C3-C4;~2 Max	I	947.0	86.4	23.1	5039.1	
8781.3	28781.8		J	947.0	86.4	23.1	5039.1	
5389.6	25798.8							
		Min	I	-260.8	-99.4	-14.9	-7080.9	-
5723.9	-130044.7		J	-260.8	-99.4	-14.9	-7080.9	-
9115.3	-125889.1							
		G1	I	2093.9	-3.3	18.1	57.7	
6281.7	-7244.1		J	2093.9	-3.3	22.3	57.7	-
9362.7	-4683.6							
		G2	I	804.7	-1.2	7.3	90.7	
2376.6	5204.3		J	804.7	-1.2	7.3	90.7	-
3294.2	6117.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	152.6	2.7	-2.3	24.8	
-915.5	-6093.5		J	152.6	2.7	-2.3	24.8	
856.2	-8157.0							
		Q5_pc Y	I	-212.7	0.5	1.7	-22.3	
747.3	-541.6		J	-212.7	0.5	1.7	-22.3	
-589.4	-953.7							
		Q5_ps X	I	146.6	2.3	-1.9	18.9	
-755.1	-6860.9		J	146.6	2.3	-1.9	18.9	
692.2	-8655.8							
		Q5_ps Y	I	-200.9	0.7	1.0	-30.8	
463.9	506.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-311.8	3.2		J	-200.9	0.7	1.0	-30.8	
9711.6	59327.4	INVS LU Max	I	8652.2	153.9	83.0	12345.3	2
4949.1	71599.1		J	8652.2	153.9	88.8	12345.3	
1782.5	-306923.7	Min	I	4958.0	-211.3	-24.5	-13471.0	-1
6840.4	-287905.6		J	4958.0	-211.3	-18.7	-13471.0	-3
2138.5	43037.2	INVS LE Max	I	6443.8	113.7	61.9	9181.3	2
3357.2	52108.6		J	6443.8	113.7	66.2	9181.3	
8475.8	-227447.5	Min	I	3735.7	-156.5	-17.4	-9938.6	-
7483.9	-213103.6		J	3735.7	-156.5	-13.1	-9938.6	-2
5313	2	83 C1-C2;~1 Max	I	2042.8	79.0	45.3	6064.5	1
7334.1	75339.3		J	2042.8	79.0	45.3	6064.5	
9037.5	96443.9	Min	I	-534.6	-197.9	-21.1	-15073.2	-
7301.9	-168977.2		J	-534.6	-197.9	-21.1	-15073.2	-1
7827.3	-108854.0							
3798.7	42018.1	C3-C4;~1 Max	I	2040.4	51.5	36.8	3564.5	1
0556.0	78962.3		J	2040.4	51.5	36.8	3564.5	1
0367.3	-180086.1	Min	I	-545.7	-204.7	-27.0	-14818.9	-1
4739.7	-113347.7		J	-545.7	-204.7	-27.0	-14818.9	-1
0303.3	49063.6	C1-C2;~2 Max	I	1008.3	51.0	26.4	3862.0	1
5649.6	64885.4		J	1008.3	51.0	26.4	3862.0	
4378.6	-117732.9	Min	I	-267.3	-137.1	-12.9	-10427.5	-
0158.3	-75836.4		J	-267.3	-137.1	-12.9	-10427.5	-1
8144.1	25797.3	C3-C4;~2 Max	I	997.3	33.0	21.3	2180.9	
5657.4	51908.9		J	997.3	33.0	21.3	2180.9	
5644.3	-125889.8	Min	I	-273.3	-141.8	-13.7	-10303.3	-
8389.4	-79016.0		J	-273.3	-141.8	-13.7	-10303.3	-
5081.3	-4686.1	G1	I	2316.5	-10.9	15.4	-363.4	
8496.4	3753.3		J	2316.5	-10.9	19.7	-363.4	-
1993.2	6117.4	G2	I	887.3	5.8	6.6	409.8	
3108.8	1640.1		J	887.3	5.8	6.6	409.8	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-567.9	-8157.3	Q5_pc X	I	157.3	3.9	-1.6	-107.1	
655.8	-11202.2		J	157.3	3.9	-1.6	-107.1	
730.6	-953.3	Q5_pc Y	I	-221.3	4.0	1.7	93.3	
-559.3	-4043.8		J	-221.3	4.0	1.7	93.3	
-455.1	-8656.1	Q5_ps X	I	152.3	2.2	-1.3	-164.4	
533.3	-10343.1		J	152.3	2.2	-1.3	-164.4	
476.0	3.6	Q5_ps Y	I	-210.0	5.2	1.0	136.4	
-312.5	-4051.0		J	-210.0	5.2	1.0	136.4	
5410.2	71593.6	INVS LU Max	I	9368.3	49.6	74.0	9405.2	2
5240.2	149793.6		J	9368.3	49.6	79.8	9405.2	
3301.8	-287913.7	Min	I	5475.6	-340.6	-26.7	-19323.3	-1
4257.6	-153589.1		J	5475.6	-340.6	-20.9	-19323.3	-3
8931.1	52104.5	INVS LE Max	I	6975.3	35.7	55.2	6976.8	1
3615.3	110379.1		J	6975.3	35.7	59.5	6976.8	
9647.1	-213109.6	Min	I	4121.3	-252.8	-19.2	-14289.3	-
5554.9	-112855.2		J	4121.3	-252.8	-14.9	-14289.3	-2
5314	2	83 C1-C2;~1 Max	I	2178.2	110.3	39.6	8696.3	1
4625.7	96445.0		J	2178.2	110.3	39.6	8696.3	
5631.4	160242.3	Min	I	-552.5	-292.2	-14.0	-17553.0	-
5819.3	-108841.4		J	-552.5	-292.2	-14.0	-17553.0	-1
6136.6	-63562.7							
1960.8	78967.0	C3-C4;~1 Max	I	2152.1	29.9	33.8	5961.4	1
7193.8	163502.0		J	2152.1	29.9	33.8	5961.4	
8251.5	-113332.9	Min	I	-564.5	-318.3	-19.9	-17936.7	-
4284.9	-29173.7		J	-564.5	-318.3	-19.9	-17936.7	-1
8864.5	64886.0	C1-C2;~2 Max	I	1076.2	70.0	23.5	5727.3	
3264.5	103377.6		J	1076.2	70.0	23.5	5727.3	

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3068.8	-75827.5		Min	I	-277.6	-201.3	-7.9	-12086.3	-
				J	-277.6	-201.3	-7.9	-12086.3	-
9391.9	-36819.8								
		C3-C4;~2	Max	I	1056.9	13.0	20.0	3885.6	
7206.9	51912.2			J	1056.9	13.0	20.0	3885.6	
3818.1	106345.0								
			Min	I	-284.1	-220.7	-10.5	-12430.8	-
4331.4	-79005.5			J	-284.1	-220.7	-10.5	-12430.8	-
8338.9	-12633.1								
		G1		I	2476.1	-14.2	12.4	-763.3	
3106.4	3755.3			J	2476.1	-14.2	16.7	-763.3	-
8127.1	14769.2								
		G2		I	946.6	20.1	5.5	490.1	
1319.7	1639.1			J	946.6	20.1	5.5	490.1	-
2926.9	-13898.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	165.8	8.8	1.9	-163.8	
471.4	-11201.8			J	165.8	8.8	1.9	-163.8	-
1027.1	-18039.1								
		Q5_pc	Y	I	-229.8	7.9	2.2	123.6	
884.7	-4044.7			J	-229.8	7.9	2.2	123.6	
-803.5	-10171.8								
		Q5_ps	X	I	161.0	5.5	1.9	-233.8	
465.2	-10342.5			J	161.0	5.5	1.9	-233.8	
-994.7	-14634.8								
		Q5_ps	Y	I	-218.5	10.2	1.7	181.2	
681.5	-4052.0			J	-218.5	10.2	1.7	181.2	
-604.7	-11927.3								
		INVSLU	Max	I	9957.9	57.7	69.0	12388.0	1
9984.7	149801.7			J	9957.9	57.7	74.8	12388.0	-
2653.5	323217.0								
			Min	I	5841.5	-536.8	-15.3	-23861.5	-1
2492.1	-153561.6			J	5841.5	-536.8	-9.5	-23861.5	-3
5998.3	-15790.8								
		INVSLE	Max	I	7412.1	40.8	51.1	9163.9	1
4805.6	110385.2			J	7412.1	40.8	55.4	9163.9	-
2130.3	239446.4								
			Min	I	4393.5	-398.4	-11.0	-17665.7	-
9133.2	-112834.8			J	4393.5	-398.4	-6.7	-17665.7	-2
6693.2	-9265.3								

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5315	2	83	C1-C2;~1	Max	I	2209.5	291.7	13.9	17523.6	
5526.1	159862.7				J	2209.5	291.7	13.9	17523.6	1
3933.9	96708.4									
				Min	I	-556.4	-109.8	-37.6	-8744.6	-1
5295.5	-62374.7				J	-556.4	-109.8	-37.6	-8744.6	-
5633.3	-108455.9									
			C3-C4;~1	Max	I	2180.3	318.5	19.4	17956.1	
7072.6	164263.9				J	2180.3	318.5	19.4	17956.1	1
1968.9	78788.2									
				Min	I	-568.9	-28.7	-33.9	-5967.0	-1
4378.1	-26952.4				J	-568.9	-28.7	-33.9	-5967.0	-
8041.7	-113133.3									
			C1-C2;~2	Max	I	1098.7	201.4	7.8	12093.2	
3204.9	103550.6				J	1098.7	201.4	7.8	12093.2	
8566.9	64922.6									
				Min	I	-280.9	-69.7	-22.7	-5752.7	-
9042.8	-36189.0				J	-280.9	-69.7	-22.7	-5752.7	-
3093.3	-75624.2									
			C3-C4;~2	Max	I	1078.3	221.2	10.2	12469.3	
3743.6	107258.5				J	1078.3	221.2	10.2	12469.3	
7223.6	51513.5									
				Min	I	-287.7	-12.2	-20.1	-3883.4	-
8426.6	-11573.2				J	-287.7	-12.2	-20.1	-3883.4	-
4196.0	-78754.9									
				G1	I	2477.8	12.5	-18.2	499.1	-
8737.5	14656.9				J	2477.8	12.5	-13.9	499.1	
3700.7	4933.1									
				G2	I	947.7	-20.5	-5.8	-539.7	-
3062.8	-13909.1				J	947.7	-20.5	-5.8	-539.7	
1452.4	1964.1									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	162.2	-8.9	-0.2	227.9	
-375.0	-18212.7				J	162.2	-8.9	-0.2	227.9	
-188.8	-11284.8									
			Q5_pc	Y	I	-241.7	-9.1	2.3	-228.8	
917.5	-10905.6				J	-241.7	-9.1	2.3	-228.8	
-853.9	-3833.9									
			Q5_ps	X	I	157.6	-5.6	-0.5	290.9	
-456.7	-14784.9				J	157.6	-5.6	-0.5	290.9	
-81.3	-10440.3									

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

810.6	-12569.9	Q5_ps Y	I	-229.6	-11.2	2.0	-295.5	
-751.2	-3882.7		J	-229.6	-11.2	2.0	-295.5	
2693.2	326312.0	INVS LU Max	I	10014.3	536.7	9.5	23797.5	-
8848.5	152497.3		J	10014.3	536.7	15.3	23797.5	1
4541.7	-12432.9	Min	I	5828.6	-57.9	-71.6	-12660.2	-3
2355.7	-151101.6		J	5828.6	-57.9	-65.8	-12660.2	-1
2116.1	241714.4	INVS LE Max	I	7452.9	398.3	6.8	17617.2	-
3930.3	112395.3		J	7452.9	398.3	11.1	17617.2	1
5585.2	-6779.4	Min	I	4384.6	-40.9	-53.0	-9358.1	-2
9070.0	-110988.1		J	4384.6	-40.9	-48.7	-9358.1	-
5316	2	83 C1-C2;~1 Max	I	2117.0	200.3	19.6	15182.2	
8383.5	96706.9		J	2117.0	200.3	19.6	15182.2	1
6103.1	75996.9	Min	I	-546.3	-77.9	-41.9	-6036.4	-1
6416.1	-108468.1		J	-546.3	-77.9	-41.9	-6036.4	-
6855.4	-169302.8							
8205.6	78783.0	C3-C4;~1 Max	I	2114.6	206.4	23.6	14906.1	
3206.9	41881.0		J	2114.6	206.4	23.6	14906.1	1
4033.9	-113147.8	Min	I	-558.3	-50.1	-35.1	-3563.9	-1
9190.3	-180621.2		J	-558.3	-50.1	-35.1	-3563.9	-
5379.7	64921.9	C1-C2;~2 Max	I	1060.8	139.0	12.3	10528.6	
9807.1	49330.0		J	1060.8	139.0	12.3	10528.6	
9592.5	-75632.8	Min	I	-276.9	-50.2	-25.0	-3842.8	-
4188.6	-117966.1		J	-276.9	-50.2	-25.0	-3842.8	-
5187.1	51509.9	C3-C4;~2 Max	I	1053.3	143.2	12.5	10383.3	
7879.6	25513.6		J	1053.3	143.2	12.5	10383.3	
8091.1	-78765.3	Min	I	-283.6	-32.0	-20.6	-2175.8	-
4545.5	-126324.2		J	-283.6	-32.0	-20.6	-2175.8	-
9085.1	4931.2	G1	I	2321.8	10.1	-21.1	166.4	-
5640.6	-2905.9		J	2321.8	10.1	-16.8	166.4	
		G2	I	890.3	-6.0	-6.9	-444.0	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3241.5	1965.1			J	890.3	-6.0	-6.9	-444.0	
2113.4	6601.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	147.3	-4.0	3.3	166.0	
1320.0	-11285.3			J	147.3	-4.0	3.3	166.0	-
1232.2	-8211.8								
			Q5_pc Y	I	-253.3	-5.1	2.6	-215.8	
1098.2	-3833.0			J	-253.3	-5.1	2.6	-215.8	
-946.6	144.4								
			Q5_ps X	I	142.8	-2.2	2.7	216.7	
1080.7	-10440.9			J	142.8	-2.2	2.7	216.7	-
1002.3	-8763.7								
			Q5_ps Y	I	-240.1	-6.3	2.5	-270.4	
1036.8	-3881.7			J	-240.1	-6.3	2.5	-270.4	
-891.9	987.7								
			INVS LU Max	I	9502.7	344.1	18.4	19451.7	
3148.7	152488.6			J	9502.7	344.1	24.2	19451.7	2
3942.5	74674.2		Min	I	5435.2	-49.1	-75.9	-9581.9	-3
2706.8	-151128.7			J	5435.2	-49.1	-70.1	-9581.9	-1
2421.6	-286541.6								
			INVS LE Max	I	7072.2	255.2	13.0	14380.9	
2058.0	112388.8			J	7072.2	255.2	17.3	14380.9	1
7774.8	54423.2		Min	I	4093.1	-35.3	-56.4	-7096.6	-2
4325.7	-111008.2			J	4093.1	-35.3	-52.1	-7096.6	-
8997.2	-212049.2								
5317	2	83	C1-C2;~1 Max	I	1975.5	142.8	18.8	11026.9	
8073.1	75996.8			J	1975.5	142.8	18.8	11026.9	1
7381.2	78512.5		Min	I	-533.7	-121.8	-45.1	-7986.0	-1
7585.9	-169302.3			J	-533.7	-121.8	-45.1	-7986.0	-
6573.3	-176233.6								
			C3-C4;~1 Max	I	2012.2	143.2	23.2	10326.9	
8967.6	41883.3			J	2012.2	143.2	23.2	10326.9	1
4156.1	47748.1		Min	I	-543.6	-123.4	-37.8	-7470.8	-1
5151.6	-180620.2			J	-543.6	-123.4	-37.8	-7470.8	-
9042.3	-187547.4								
			C1-C2;~2 Max	I	998.1	100.1	11.7	7582.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5148.8	49329.9			J	998.1	100.1	11.7	7582.4	1
0490.8	51211.2								
		Min		I	-271.2	-85.5	-26.7	-5436.7	-1
0219.2	-117966.0								
				J	-271.2	-85.5	-26.7	-5436.7	-
4031.1	-122531.8								
		C3-C4;~2 Max		I	1009.7	99.9	11.8	7093.9	
4832.6	25515.1								
				J	1009.7	99.9	11.8	7093.9	
8394.8	30048.2								
		Min		I	-277.1	-86.0	-22.1	-5015.3	-
8733.0	-126323.8								
				J	-277.1	-86.0	-22.1	-5015.3	-
4929.9	-130888.4								
		G1		I	2102.3	3.7	-23.6	-156.1	-
9888.9	-2903.5								
				J	2102.3	3.7	-19.3	-156.1	
6770.2	-5753.9								
		G2		I	809.6	1.3	-7.6	-98.5	-
3401.6	6601.2								
				J	809.6	1.3	-7.6	-98.5	
2464.8	5604.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	137.0	-2.9	4.1	19.1	
1544.9	-8211.6								
				J	137.0	-2.9	4.1	19.1	-
1596.3	-5989.6								
		Q5_pc Y		I	-260.2	-1.6	2.7	-98.4	
1131.6	144.1								
				J	-260.2	-1.6	2.7	-98.4	
-965.8	1355.3								
		Q5_ps X		I	131.8	-2.5	3.3	16.1	
1261.2	-8763.4								
				J	131.8	-2.5	3.3	16.1	-
1315.7	-6813.9								
		Q5_ps Y		I	-245.7	-1.7	2.6	-106.0	
1093.9	987.3								
				J	-245.7	-1.7	2.6	-106.0	
-933.1	2292.7								
		INVSLU Max		I	8806.6	212.6	15.1	13466.3	
3497.0	74679.6								
				J	8806.6	212.6	20.9	13466.3	2
8044.0	63189.7								
		Min		I	4888.0	-152.5	-84.4	-12378.2	-3
5131.0	-286534.1								
				J	4888.0	-152.5	-78.6	-12378.2	-1
0500.9	-306772.5								
		INVSLE Max		I	6554.3	157.4	10.5	9935.7	
2272.1	54427.2								
				J	6554.3	157.4	14.8	9935.7	2
0822.2	45947.1								
		Min		I	3686.3	-112.6	-62.7	-9195.3	-2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6135.3	-212043.6			J	3686.3	-112.6	-58.4	-9195.3	-
7516.7	-227300.3								
5318	2	83	C1-C2;~1	Max	I	1829.1	88.0	18.6	8340.7
8084.1	78512.6				J	1829.1	88.0	18.6	8340.7
7932.8	89444.2			Min	I	-544.2	-172.4	-45.6	-12619.4
7390.7	-176234.4				J	-544.2	-172.4	-45.6	-12619.4
6329.3	-135666.5								
			C3-C4;~1	Max	I	1900.9	80.2	23.4	7426.9
9154.3	47747.6				J	1900.9	80.2	23.4	7426.9
4960.4	77149.2			Min	I	-545.8	-185.5	-38.7	-12838.2
5019.8	-187548.5				J	-545.8	-185.5	-38.7	-12838.2
9032.6	-140471.4								
			C1-C2;~2	Max	I	932.0	60.5	11.6	5594.8
5155.7	51211.2				J	932.0	60.5	11.6	5594.8
0907.5	61149.8			Min	I	-283.9	-119.5	-27.2	-8718.7
0165.4	-122532.0				J	-283.9	-119.5	-27.2	-8718.7
3854.7	-94990.1								
			C3-C4;~2	Max	I	961.0	53.7	12.9	4925.3
4790.1	30047.7				J	961.0	53.7	12.9	4925.3
8997.7	51848.1			Min	I	-285.1	-129.0	-22.9	-8848.9
8736.1	-130888.7				J	-285.1	-129.0	-22.9	-8848.9
4881.5	-98234.5								
			G1		I	1873.6	-5.3	-21.8	-391.9
8919.1	-5756.0				J	1873.6	-5.3	-17.5	-391.9
6286.5	-1645.9								
			G2		I	725.5	6.8	-6.6	218.0
2959.9	5604.3				J	725.5	6.8	-6.6	218.0
2127.2	342.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	126.0	-3.2	4.5	-73.1
1701.2	-5989.6				J	126.0	-3.2	4.5	-73.1
1750.2	-3518.6								
			Q5_pc	Y	I	-265.2	2.2	2.4	26.7
1014.9	1355.8				J	-265.2	2.2	2.4	26.7
-840.9	-348.1								
			Q5_ps	X	I	120.2	-4.3	3.6	-131.2

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1390.8	-6813.9			J	120.2	-4.3	3.6	-131.2	-
1429.7	-3475.1								
		Q5_ps	Y	I	-249.5	3.1	2.4	64.1	
995.6	2293.2			J	-249.5	3.1	2.4	64.1	
-836.5	-108.7								
		INVSLU	Max	I	8080.2	93.8	19.7	9522.0	
5789.0	63184.3			J	8080.2	93.8	25.5	9522.0	2
7793.7	97329.7								
			Min	I	4299.7	-281.2	-81.4	-19201.0	-3
3108.9	-306779.3			J	4299.7	-281.2	-75.6	-19201.0	-1
1759.9	-219389.9								
		INVSLE	Max	I	6013.8	68.8	13.9	6995.9	
3968.2	45943.1			J	6013.8	68.8	18.2	6995.9	2
0619.0	71795.7								
			Min	I	3248.8	-208.6	-60.5	-14270.7	-2
4618.2	-227305.5			J	3248.8	-208.6	-56.2	-14270.7	-
8446.6	-162342.2								
		83 C1-C2;~1	Max	I	1688.1	109.9	24.2	8966.9	
5319	2			J	1688.1	109.9	24.2	8966.9	1
9794.7	89443.1								
			Min	I	-579.8	-301.9	-40.7	-17183.8	-1
6050.3	160385.8			J	-579.8	-301.9	-40.7	-17183.8	-
5704.1	-135655.1								
9015.0	-68918.2								
		C3-C4;~1	Max	I	1782.6	32.4	28.0	6846.0	1
0889.7	77150.0			J	1782.6	32.4	28.0	6846.0	
9899.9	159899.0								
			Min	I	-579.3	-313.7	-26.6	-18167.1	-1
0705.8	-140458.6			J	-579.3	-313.7	-26.6	-18167.1	-1
0847.9	-26896.0								
		C1-C2;~2	Max	I	867.2	68.4	15.1	5867.7	
6192.0	61149.2			J	867.2	68.4	15.1	5867.7	
9512.2	105228.0								
			Min	I	-312.9	-205.2	-23.7	-11861.3	-
9030.8	-94982.3			J	-312.9	-205.2	-23.7	-11861.3	-
5530.3	-41445.1								
		C3-C4;~2	Max	I	908.3	14.0	15.6	4446.5	
6227.2	51848.9			J	908.3	14.0	15.6	4446.5	
5445.4	105542.9								
			Min	I	-312.3	-214.7	-14.5	-12572.1	-
5800.5	-98225.6			J	-312.3	-214.7	-14.5	-12572.1	-
5875.0	-13986.0								
		G1		I	1653.7	-25.1	-19.5	-617.6	-
7830.3	-1645.4			J	1653.7	-25.1	-15.2	-617.6	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5617.0	17818.5								
		G2	I	644.8	14.1	-6.9	594.9	-	
2953.9	341.8		J	644.8	14.1	-6.9	594.9		
2375.5	-10604.6								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	108.0	-4.6	5.6	-133.7		
2094.6	-3518.7		J	108.0	-4.6	5.6	-133.7	-	
2256.6	70.1								
		Q5_pc Y	I	-270.9	8.1	1.8	147.5		
797.1	-349.4		J	-270.9	8.1	1.8	147.5		
-563.1	-6633.0								
		Q5_ps X	I	102.1	-8.0	4.8	-249.0		
1793.3	-3475.0		J	102.1	-8.0	4.8	-249.0	-	
1940.5	2699.3								
		Q5_ps Y	I	-254.0	10.5	1.7	229.1		
762.6	-110.0		J	-254.0	10.5	1.7	229.1		
-543.0	-8251.9								
		INVSLE Max	I	7350.0	83.9	23.1	10245.6		
8213.9	97330.7		J	7350.0	83.9	28.9	10245.6	2	
8414.1	251569.2								
		Min	I	3673.0	-502.6	-79.8	-26650.9	-3	
1458.1	-219370.2		J	3673.0	-502.6	-74.0	-26650.9	-1	
1960.3	-69930.6								
		INVSLE Max	I	5470.1	59.9	16.4	7502.9		
5768.1	71796.5		J	5470.1	59.9	20.7	7502.9	2	
1016.8	187196.4								
		Min	I	2782.6	-373.5	-59.1	-19808.2	-2	
3339.3	-162327.5		J	2782.6	-373.5	-54.8	-19808.2	-	
8589.3	-50067.2								
		83 C1-C2;~1 Max	I	1550.8	281.5	15.8	19263.3		
5320	2		J	1550.8	281.5	15.8	19263.3	1	
6942.1	160269.4								
		Min	I	-628.0	-104.6	-44.0	-9506.7	-1	
8621.0	70910.5		J	-628.0	-104.6	-44.0	-9506.7	-	
7531.6	-68917.1								
6206.6	-111526.2								
		C3-C4;~1 Max	I	1652.9	289.1	20.8	19946.6		
8392.4	159782.3		J	1652.9	289.1	20.8	19946.6	1	
5918.8	62399.3								
		Min	I	-605.4	-28.6	-38.9	-6097.0	-1	
6012.8	-26902.5		J	-605.4	-28.6	-38.9	-6097.0	-	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8702.0	-117987.6								
		C1-C2;~2	Max	I	803.1	191.9	9.4	13250.1	
4220.8	105154.4			J	803.1	191.9	9.4	13250.1	1
1445.1	47881.2								
			Min	I	-351.9	-66.0	-26.9	-6222.1	-1
0573.4	-41443.4			J	-351.9	-66.0	-26.9	-6222.1	-
3517.0	-77831.5								
		C3-C4;~2	Max	I	849.4	198.5	10.4	13848.2	
4253.7	105464.5			J	849.4	198.5	10.4	13848.2	
9808.6	41169.3								
			Min	I	-334.3	-12.5	-23.9	-3930.0	-
9722.3	-13989.1			J	-334.3	-12.5	-23.9	-3930.0	-
4322.0	-82377.0								
			G1	I	1439.4	25.1	-13.4	944.2	-
5649.0	17743.0			J	1439.4	25.1	-8.9	944.2	
3463.2	-2679.7								
			G2	I	564.5	-11.2	-2.7	-548.8	-
1359.2	-10634.5			J	564.5	-11.2	-2.7	-548.8	
800.6	-1490.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	82.7	2.0	5.1	125.0	
1961.5	69.3			J	82.7	2.0	5.1	125.0	-
2187.6	-1599.5								
			Q5_pc Y	I	-276.4	-8.9	1.2	-465.7	
642.9	-6616.9			J	-276.4	-8.9	1.2	-465.7	
-363.1	648.0								
			Q5_ps X	I	77.5	5.1	4.1	246.2	
1565.6	2699.7			J	77.5	5.1	4.1	246.2	-
1771.4	-1489.0								
			Q5_ps Y	I	-258.5	-10.9	1.4	-545.1	
681.5	-8236.5			J	-258.5	-10.9	1.4	-545.1	
-418.2	622.8								
			INVSLU Max	I	6640.4	460.0	28.4	28788.1	1
0647.7	251244.6			J	6640.4	460.0	34.5	28788.1	2
5627.2	75786.6								
			Min	I	3063.7	-87.5	-68.3	-11812.2	-2
7880.5	-70067.5			J	3063.7	-87.5	-62.2	-11812.2	-1
5196.4	-182104.8								
			INVSLE Max	I	4941.8	341.6	20.7	21322.8	
7701.1	186958.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8816.2	56134.1		J	4941.8	341.6	25.2	21322.8	1
		Min	I	2329.3	-62.8	-50.3	-8689.4	-2
0576.7	-50167.8		J	2329.3	-62.8	-45.7	-8689.4	-1
1131.8	-134683.3							
5321	2	83 C1-C2;~1 Max	I	1380.5	135.9	22.7	16460.8	
8784.4	70909.1		J	1380.5	135.9	22.7	16460.8	2
3468.0	57200.8	Min	I	-651.6	-82.4	-51.9	-8353.0	-1
8877.4	-111535.2		J	-651.6	-82.4	-51.9	-8353.0	-1
0170.4	-128234.8							
		C3-C4;~1 Max	I	1467.9	142.2	34.3	16677.1	1
2340.0	62397.5		J	1467.9	142.2	34.3	16677.1	1
7318.9	36348.0	Min	I	-613.0	-79.9	-38.2	-6305.2	-1
3839.8	-117997.2		J	-613.0	-79.9	-38.2	-6305.2	-1
5714.1	-136921.5							
		C1-C2;~2 Max	I	719.8	94.5	11.9	11377.9	
5215.1	47880.1		J	719.8	94.5	11.9	11377.9	1
3821.3	37633.0	Min	I	-376.9	-57.4	-30.7	-5481.8	-1
1204.1	-77837.2		J	-376.9	-57.4	-30.7	-5481.8	-
5069.9	-89637.7							
		C3-C4;~2 Max	I	761.3	99.0	17.8	11609.5	
6657.5	41167.7		J	761.3	99.0	17.8	11609.5	
9938.9	23110.6	Min	I	-347.3	-54.7	-22.0	-4116.5	-
8043.5	-82383.3		J	-347.3	-54.7	-22.0	-4116.5	-
7908.3	-96135.5							
		G1	I	1206.2	4.0	-9.9	786.6	-
4264.3	-2682.8		J	1206.2	4.0	-5.3	786.6	
1921.4	-5955.9							
		G2	I	473.6	-4.4	-1.9	-214.7	-
1196.7	-1490.3		J	473.6	-4.4	-1.9	-214.7	
385.4	2109.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	52.2	0.1	7.6	89.1	
2768.0	-1600.6		J	52.2	0.1	7.6	89.1	-
3397.7	-1683.2							
		Q5_pc Y	I	-269.1	-2.6	-1.3	-353.1	
-239.9	649.4		J	-269.1	-2.6	-1.3	-353.1	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
827.5	2752.6									
2300.6	-1490.3	Q5_ps X	I	49.0	1.1	6.3	159.1			
2818.1	-2373.0		J	49.0	1.1	6.3	159.1		-	
-168.8	624.2	Q5_ps Y	I	-251.6	-3.1	-1.1	-397.7			
699.5	3186.3		J	-251.6	-3.1	-1.1	-397.7			
6027.0	75774.2	INVS LU Max	I	5815.9	219.3	49.4	24003.0		1	
2141.6	37923.1		J	5815.9	219.3	55.5	24003.0		3	
1098.8	-182130.5	Min	I	2470.2	-88.5	-80.6	-10423.2		-3	
6870.2	-229096.8		J	2470.2	-88.5	-74.5	-10423.2		-2	
1762.0	56124.7	INVS LE Max	I	4327.6	162.6	36.5	17762.3		1	
3348.4	27721.3		J	4327.6	162.6	41.0	17762.3		2	
2777.0	-134702.3	Min	I	1885.2	-65.0	-58.8	-7691.6		-2	
9911.0	-169704.1		J	1885.2	-65.0	-54.3	-7691.6		-1	
5322	2	69 C1-C2;~1 Max	I	1153.6	131.2	4.1	1840.7			
1716.3	57199.3		J	1153.6	131.2	4.1	1840.7			
5050.3	44208.8	Min	I	-623.3	-123.5	-11.7	-1398.3		-	
4472.5	-128232.3		J	-623.3	-123.5	-11.7	-1398.3		-	
1622.7	-111012.7									
2505.8	36345.9	C3-C4;~1 Max	I	1236.1	132.2	6.4	1828.8			
3806.2	19676.8		J	1236.1	132.2	6.4	1828.8			
3418.4	-136918.8	Min	I	-583.3	-124.2	-8.9	-1322.3		-	
2679.9	-115900.0		J	-583.3	-124.2	-8.9	-1322.3		-	
1001.1	37632.1	C1-C2;~2 Max	I	606.2	92.7	2.4	1269.4			
2989.3	28631.3		J	606.2	92.7	2.4	1269.4			
2671.0	-89636.2	Min	I	-366.4	-87.3	-6.9	-961.8		-	
-916.4	-77354.0		J	-366.4	-87.3	-6.9	-961.8			
1335.7	23109.3	C3-C4;~2 Max	I	646.1	93.2	3.4	1266.8			
2214.6	11443.7		J	646.1	93.2	3.4	1266.8			
2012.7	-96134.0	Min	I	-335.8	-87.2	-5.2	-900.6		-	
1408.4	-81214.3		J	-335.8	-87.2	-5.2	-900.6		-	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1263.5	-5954.2	G1	I	931.0	-0.9	-4.2	68.0	-
			J	931.0	-0.9	-2.2	68.0	
1362.5	-5253.5	G2	I	366.8	-1.1	-1.0	12.9	
-334.6	2110.5		J	366.8	-1.1	-1.0	12.9	
469.6	2977.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	31.3	-0.6	1.5	-1.0	
586.6	-1682.4		J	31.3	-0.6	1.5	-1.0	
-666.1	-1209.5							
		Q5_pc Y	I	-244.6	-0.5	-0.1	-22.3	
-73.1	2749.8		J	-244.6	-0.5	-0.1	-22.3	
31.7	3158.9							
		Q5_ps X	I	29.2	-0.5	1.3	-0.7	
480.7	-2372.3		J	29.2	-0.5	1.3	-0.7	
-543.6	-2002.0							
		Q5_ps Y	I	-228.4	-0.5	-0.1	-22.5	
-53.9	3183.6		J	-228.4	-0.5	-0.1	-22.5	
13.1	3616.1							
		INVSLU Max	I	4816.1	174.8	7.9	3193.1	
3210.4	37928.6		J	4816.1	174.8	10.6	3193.1	
7303.9	24127.1							
		Min	I	1865.7	-172.3	-19.2	-1219.6	-
7266.4	-229080.5		J	1865.7	-172.3	-16.5	-1219.6	-
4330.9	-197705.8							
		INVSLE Max	I	3582.6	129.5	5.8	2361.1	
2369.9	27725.6		J	3582.6	129.5	7.8	2361.1	
5326.1	17443.8							
		Min	I	1429.7	-127.6	-14.1	-904.6	-
5312.4	-169692.3		J	1429.7	-127.6	-12.1	-904.6	-
3203.5	-146455.6							
5323	2	69 C1-C2;~1 Max	I	1011.9	88.8	3.4	1350.2	
1387.6	44209.0		J	1011.9	88.8	3.4	1350.2	
6211.3	47407.9							
		Min	I	-675.6	-122.9	-14.9	-2038.9	-
5934.2	-111012.6		J	-675.6	-122.9	-14.9	-2038.9	-
1375.4	-90014.9							
		C3-C4;~1 Max	I	1119.0	87.8	6.4	1240.2	
2579.7	19676.4		J	1119.0	87.8	6.4	1240.2	
4594.6	35495.6							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4473.8	-115899.1		Min	I	-634.6	-126.8	-11.1	-2083.4	-
				J	-634.6	-126.8	-11.1	-2083.4	-
2615.7	-96386.6								
		C1-C2;~2	Max	I	540.1	62.3	1.9	910.7	
787.0	28631.4			J	540.1	62.3	1.9	910.7	
3659.0	31460.6								
			Min	I	-403.1	-85.9	-8.8	-1406.6	-
3491.5	-77353.7			J	-403.1	-85.9	-8.8	-1406.6	-
-774.3	-62975.1								
		C3-C4;~2	Max	I	587.7	60.9	3.3	827.4	
1339.5	11443.4			J	587.7	60.9	3.3	827.4	
2630.3	23129.3								
			Min	I	-371.8	-88.6	-6.4	-1440.2	-
2570.9	-81213.4			J	-371.8	-88.6	-6.4	-1440.2	-
1358.5	-67692.5								
			G1	I	720.5	-3.1	-7.4	15.9	-
2670.8	-5254.7			J	720.5	-3.1	-5.4	15.9	-
2551.1	-2743.8								
			G2	I	288.0	2.4	-2.2	73.0	
-846.5	2976.8			J	288.0	2.4	-2.2	73.0	
905.1	991.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	25.9	-1.4	1.8	-18.2
728.7	-1209.5			J	25.9	-1.4	1.8	-18.2	
-735.4	-92.4								
			Q5_pc	Y	I	-233.9	1.5	0.2	15.5
82.6	3160.0			J	-233.9	1.5	0.2	15.5	
-93.8	1912.7								
			Q5_ps	X	I	22.4	-2.0	1.5	-30.9
589.4	-2002.0			J	22.4	-2.0	1.5	-30.9	
-592.3	-386.4								
			Q5_ps	Y	I	-218.0	1.9	0.2	23.2
95.5	3617.1			J	-218.0	1.9	0.2	23.2	
-106.3	2049.5								
			INVSLU	Max	I	4167.9	95.4	7.2	1905.3
3061.1	24124.7			J	4167.9	95.4	9.9	1905.3	
9309.9	48294.4								
			Min	I	1324.2	-198.3	-24.7	-2762.8	-
9744.3	-197709.2			J	1324.2	-198.3	-22.0	-2762.8	-
3930.4	-149271.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2254.0	17442.0		INVSLE Max	I	3099.8	70.5	5.3	1402.9	
				J	3099.8	70.5	7.3	1402.9	
6798.3	35493.1		Min	I	1024.5	-146.9	-18.1	-2052.6	-
7134.3	-146458.1			J	1024.5	-146.9	-16.1	-2052.6	-
2911.3	-110596.6								
5324	2	69	C1-C2;~1 Max	I	926.5	98.7	3.9	1429.0	
1624.5	47405.8			J	926.5	98.7	3.9	1429.0	
6855.4	108151.0		Min	I	-722.8	-232.5	-16.6	-2830.8	-
6683.5	-90001.1			J	-722.8	-232.5	-16.6	-2830.8	-
1566.6	-55882.9								
			C3-C4;~1 Max	I	1032.2	28.2	6.5	932.8	
2688.9	35500.1			J	1032.2	28.2	6.5	932.8	
4959.8	100916.2		Min	I	-676.2	-231.5	-12.1	-2944.2	-
4888.9	-96373.4			J	-676.2	-231.5	-12.1	-2944.2	-
2639.3	-19391.1								
			C1-C2;~2 Max	I	497.1	61.7	2.2	928.5	
893.6	31459.1			J	497.1	61.7	2.2	928.5	
4022.3	69656.4		Min	I	-433.3	-157.6	-9.7	-1949.6	-
3894.8	-62965.5			J	-433.3	-157.6	-9.7	-1949.6	-
-861.9	-33324.4								
			C3-C4;~2 Max	I	544.5	12.7	3.5	588.1	
1423.3	23132.5			J	544.5	12.7	3.5	588.1	
2822.3	65304.3		Min	I	-398.7	-158.4	-6.9	-2041.0	-
2766.5	-67683.5			J	-398.7	-158.4	-6.9	-2041.0	-
1401.1	-8507.1								
			G1	I	550.4	-12.1	-9.1	-27.9	-
3432.2	-2739.4			J	550.4	-12.1	-7.1	-27.9	-
3201.0	7120.8								
			G2	I	223.5	13.2	-2.9	138.7	-
1186.4	992.4			J	223.5	13.2	-2.9	138.7	-
1204.8	-9724.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	17.5	-3.1	1.9	-26.7	
762.7	-93.2			J	17.5	-3.1	1.9	-26.7	
-754.6	2412.0								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
130.7	1910.5	Q5_pc	Y	I	-232.1	8.1	0.3	48.5	
				J	-232.1	8.1	0.3	48.5	
-111.7	-4705.4								
620.0	-386.8	Q5_ps	X	I	13.5	-5.9	1.5	-51.2	
				J	13.5	-5.9	1.5	-51.2	
-611.2	4447.4								
137.0	2047.3	Q5_ps	Y	I	-216.0	9.7	0.3	62.8	
				J	-216.0	9.7	0.3	62.8	
-119.1	-5836.8								
2892.2	48293.3	INVSLU	Max	I	3604.3	96.7	6.4	1581.5	
				J	3604.3	96.7	9.1	1581.5	1
0756.6	168527.8								
1133.4	-149247.6		Min	I	817.3	-365.1	-28.2	-4409.5	-1
				J	817.3	-365.1	-25.5	-4409.5	-
3419.5	-61387.7								
2148.2	35492.4	INVSLE	Max	I	2679.5	70.0	4.8	1155.3	
				J	2679.5	70.0	6.8	1155.3	
7840.2	125277.5								
8139.4	-110579.5		Min	I	646.1	-271.0	-20.6	-3276.0	-
				J	646.1	-271.0	-18.6	-3276.0	-
2560.0	-44402.9								
5325	2	69 C1-C2;~1	Max	I	855.4	230.1	2.9	2927.7	
1219.3	108088.6			J	855.4	230.1	2.9	2927.7	
7423.9	47118.0								
7357.7	-55809.2		Min	I	-778.9	-100.1	-18.1	-1420.1	-
				J	-778.9	-100.1	-18.1	-1420.1	-
1113.9	-86854.3								
2269.5	100875.4	C3-C4;~1	Max	I	956.7	228.8	5.4	3017.4	
				J	956.7	228.8	5.4	3017.4	
5694.1	35544.7								
5714.0	-19510.8		Min	I	-727.9	-30.2	-14.0	-815.1	-
				J	-727.9	-30.2	-14.0	-815.1	-
2157.6	-93144.5								
651.0	69603.3	C1-C2;~2	Max	I	461.1	156.1	1.5	2017.5	
				J	461.1	156.1	1.5	2017.5	
4412.9	31166.1								
4344.6	-33278.1		Min	I	-468.4	-62.8	-10.7	-927.8	-
				J	-468.4	-62.8	-10.7	-927.8	-
-590.8	-60749.3								
1125.5	65261.5	C3-C4;~2	Max	I	506.9	156.7	2.7	2102.0	
				J	506.9	156.7	2.7	2102.0	
3301.3	23000.2								
3294.9	-8504.3		Min	I	-431.2	-14.9	-8.1	-517.6	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1071.5	-65439.3		J	-431.2	-14.9	-8.1	-517.6	-
3732.8	7162.2	G1	I	401.4	10.3	-9.8	132.5	-
3453.2	-1195.9		J	401.4	10.3	-7.8	132.5	
1214.7	-9714.6	G2	I	166.8	-13.5	-3.0	-94.2	-
1215.6	1309.0		J	166.8	-13.5	-3.0	-94.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
685.1	2392.6	Q5_pc X	I	5.5	2.1	1.7	20.9	
-672.1	722.0		J	5.5	2.1	1.7	20.9	
153.7	-4690.3	Q5_pc Y	I	-234.6	-8.7	0.3	-83.2	
-116.5	2368.2		J	-234.6	-8.7	0.3	-83.2	
536.0	4434.5	Q5_ps X	I	1.5	5.0	1.3	42.5	
-523.5	401.3		J	1.5	5.0	1.3	42.5	
162.9	-5823.2	Q5_ps Y	I	-218.5	-10.1	0.4	-93.0	
-127.8	2403.6		J	-218.5	-10.1	0.4	-93.0	
2889.1	168332.4	INVSLE Max	I	3075.5	346.6	6.8	4720.1	
0414.8	61050.9		J	3075.5	346.6	9.5	4720.1	1
1340.6	-61372.2	Min	I	310.2	-114.9	-28.1	-1420.3	-1
3730.0	-132566.2		J	310.2	-114.9	-25.3	-1420.3	-
2207.4	125133.1	INVSLE Max	I	2284.8	258.2	5.2	3498.9	
7527.1	44140.7		J	2284.8	258.2	7.2	3498.9	
8241.8	-44393.0	Min	I	267.6	-82.4	-20.4	-1038.4	-
2860.9	-98963.6		J	267.6	-82.4	-18.3	-1038.4	-
5326	2	69 C1-C2;~1 Max	I	795.4	116.5	2.5	2173.8	
1092.7	47123.7		J	795.4	116.5	2.5	2173.8	
7387.4	43818.1	Min	I	-851.3	-84.8	-18.1	-1211.8	-
7350.0	-86864.3		J	-851.3	-84.8	-18.1	-1211.8	
-938.2	-105044.8	C3-C4;~1 Max	I	891.7	120.0	4.9	2197.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2072.9	35544.4			J	891.7	120.0	4.9	2197.6	
5491.6	21378.8		Min	I	-788.7	-84.2	-13.4	-1110.3	-
5473.5	-93153.8			J	-788.7	-84.2	-13.4	-1110.3	-
1910.4	-109798.8								
		C1-C2;~2	Max	I	430.2	81.7	1.3	1500.9	
592.5	31169.6			J	430.2	81.7	1.3	1500.9	
4430.5	28295.9		Min	I	-512.1	-59.5	-10.8	-834.8	-
4365.8	-60756.4			J	-512.1	-59.5	-10.8	-834.8	
-499.3	-73420.0								
		C3-C4;~2	Max	I	474.0	84.2	2.5	1528.3	
1045.1	22999.4			J	474.0	84.2	2.5	1528.3	
3209.0	12497.3		Min	I	-467.4	-58.3	-7.8	-747.2	-
3159.8	-65446.0			J	-467.4	-58.3	-7.8	-747.2	
-965.6	-77227.2								
		G1		I	263.7	0.3	-10.0	96.4	-
3832.5	-1193.6			J	263.7	0.3	-8.0	96.4	
3504.1	-1439.5								
		G2		I	114.3	-3.3	-3.2	-30.3	-
1307.8	1310.8			J	114.3	-3.3	-3.2	-30.3	
1288.4	3963.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-3.7	0.4	1.5	13.9	
640.2	720.7			J	-3.7	0.4	1.5	13.9	
-611.4	417.1								
		Q5_pc	Y	I	-237.4	-2.1	0.0	-51.7	
38.9	2369.7			J	-237.4	-2.1	0.0	-51.7	
20.6	4070.1								
		Q5_ps	X	I	-7.9	1.0	1.2	24.3	
500.2	400.0			J	-7.9	1.0	1.2	24.3	
-473.7	-444.0								
		Q5_ps	Y	I	-221.1	-2.4	0.1	-55.9	
49.9	2405.1			J	-221.1	-2.4	0.1	-55.9	
5.7	4330.5								
		INVSLU	Max	I	2616.9	181.0	7.7	3373.1	
3319.3	61052.4			J	2616.9	181.0	10.4	3373.1	
9605.2	44195.9		Min	I	-163.5	-99.3	-26.1	-1322.6	-1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0554.0	-132587.7			J	-163.5	-99.3	-23.4	-1322.6	-
4047.4	-170512.9								
		INVSLE	Max	I	1941.6	134.9	6.1	2497.9	
2602.8	44141.5			J	1941.6	134.9	8.1	2497.9	
6848.3	30788.3		Min	I	-86.3	-72.5	-18.7	-973.5	-
7588.3	-98979.7			J	-86.3	-72.5	-16.7	-973.5	-
3183.2	-127712.6								
5327	2	69	C1-C2;~1	Max	I	734.9	105.1	1.9	1668.6
854.6	43815.3			J	734.9	105.1	1.9	1668.6	
7460.6	43507.0		Min	I	-909.5	-109.0	-18.2	-1653.6	-
7424.9	-105039.7			J	-909.5	-109.0	-18.2	-1653.6	
-775.0	-102009.6								
		C3-C4;~1	Max	I	826.4	105.5	3.9	1607.3	
1651.4	21377.8			J	826.4	105.5	3.9	1607.3	
5727.4	22848.5		Min	I	-831.7	-111.2	-13.9	-1654.5	-
5672.9	-109794.1			J	-831.7	-111.2	-13.9	-1654.5	-
1562.7	-107230.1								
		C1-C2;~2	Max	I	398.2	74.5	1.0	1144.4	
458.2	28294.1			J	398.2	74.5	1.0	1144.4	
4565.8	27902.2		Min	I	-545.5	-77.3	-11.1	-1151.5	-
4512.7	-73416.4			J	-545.5	-77.3	-11.1	-1151.5	
-397.5	-71169.6								
		C3-C4;~2	Max	I	440.1	74.4	1.9	1102.5	
827.4	12496.7			J	440.1	74.4	1.9	1102.5	
3444.4	13439.9		Min	I	-491.3	-78.5	-8.4	-1148.0	-
3384.9	-77224.0			J	-491.3	-78.5	-8.4	-1148.0	
-765.1	-75334.1								
		G1		I	132.6	-1.7	-9.7	74.1	-
3714.6	-1439.4			J	132.6	-1.7	-7.7	74.1	
3343.6	-77.4								
		G2		I	63.9	-0.7	-3.0	30.9	-
1255.7	3963.2			J	63.9	-0.7	-3.0	30.9	
1221.0	4518.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-7.9	-0.5	1.3	0.9	
545.0	417.4								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-498.1	850.9			J	-7.9	-0.5	1.3	0.9	
-119.2	4069.4	Q5_pc	Y	I	-236.3	-0.5	-0.4	-17.1	
203.6	4451.0			J	-236.3	-0.5	-0.4	-17.1	
415.0	-443.8	Q5_ps	X	I	-12.7	-0.5	1.0	-0.9	
-373.3	-66.5			J	-12.7	-0.5	1.0	-0.9	
-99.0	4329.8	Q5_ps	Y	I	-220.0	-0.4	-0.3	-15.6	
178.2	4673.7			J	-220.0	-0.4	-0.3	-15.6	
3868.9	44194.4	INVS LU	Max	I	2185.6	146.7	9.0	2525.0	
8412.7	40988.8			J	2185.6	146.7	11.7	2525.0	
9365.2	-170503.3		Min	I	-583.1	-146.8	-23.1	-1991.9	-
4665.4	-170517.9			J	-583.1	-146.8	-20.4	-1991.9	-
3112.6	30787.3	INVS LE	Max	I	1617.8	108.9	7.3	1874.6	
5873.4	28177.2			J	1617.8	108.9	9.3	1874.6	
6617.7	-127705.5		Min	I	-401.6	-108.4	-16.3	-1468.9	-
3747.7	-127901.0			J	-401.6	-108.4	-14.3	-1468.9	-
5328	2	69 C1-C2;~1	Max	I	676.1	79.9	2.8	1275.0	
940.0	43508.0			J	676.1	79.9	2.8	1275.0	
7851.3	44191.0		Min	I	-965.3	-119.7	-18.9	-2169.7	-
7527.7	-102014.1			J	-965.3	-119.7	-18.9	-2169.7	-
1361.8	-80167.4								
1524.4	22848.8	C3-C4;~1	Max	I	762.3	77.0	4.1	1116.9	
6331.3	35178.3			J	762.3	77.0	4.1	1116.9	
5981.7	-107234.4		Min	I	-885.5	-124.7	-15.1	-2245.3	-
1866.2	-86561.2			J	-885.5	-124.7	-15.1	-2245.3	-
455.5	27902.8	C1-C2;~2	Max	I	366.7	56.5	1.4	851.0	
4840.1	29178.8			J	366.7	56.5	1.4	851.0	
4649.7	-71172.8		Min	I	-578.0	-84.9	-11.6	-1504.6	-
-682.5	-56008.5			J	-578.0	-84.9	-11.6	-1504.6	-
722.2	13440.0	C3-C4;~2	Max	I	406.4	53.7	1.9	729.2	
				J	406.4	53.7	1.9	729.2	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3841.6	22986.9		Min	I	-523.2	-88.5	-9.2	-1563.4	-
3640.5	-75337.1			J	-523.2	-88.5	-9.2	-1563.4	
-897.4	-60882.3								
		G1		I	9.9	-1.5	-8.9	64.0	-
3408.8	-77.5			J	9.9	-1.5	-6.9	64.0	
3026.9	1110.0								
		G2		I	18.0	2.2	-2.7	96.2	-
1136.2	4518.6			J	18.0	2.2	-2.7	96.2	
1098.5	2712.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-11.4	-1.2	0.9	-12.0	
388.1	850.9			J	-11.4	-1.2	0.9	-12.0	
-322.0	1804.7								
		Q5_pc Y		I	-230.5	0.8	-1.1	17.3	
-376.0	4451.5			J	-230.5	0.8	-1.1	17.3	
502.1	3792.6								
		Q5_ps X		I	-16.8	-1.6	0.6	-26.1	
277.2	-66.5			J	-16.8	-1.6	0.6	-26.1	
-218.3	1266.1								
		Q5_ps Y		I	-214.5	1.1	-1.0	24.2	
-341.5	4674.2			J	-214.5	1.1	-1.0	24.2	
459.9	3787.3								
		INVSLU Max		I	1764.5	100.9	13.4	2112.6	
5155.4	40993.6			J	1764.5	100.9	16.2	2112.6	
7005.4	47833.4								
		Min		I	-982.6	-177.4	-19.5	-2670.9	-
7763.4	-170521.4			J	-982.6	-177.4	-16.8	-2670.9	-
7017.0	-135508.7								
		INVSLE Max		I	1300.9	74.1	11.0	1582.9	
4212.2	28180.9			J	1300.9	74.1	13.0	1582.9	
4664.2	33773.8								
		Min		I	-703.3	-131.9	-13.2	-1958.1	-
5305.6	-127903.3			J	-703.3	-131.9	-11.2	-1958.1	-
5655.8	-101529.5								
5329	2	69 C1-C2;~1	Max	I	630.8	99.7	4.5	1248.3	
1676.2	44192.6			J	630.8	99.7	4.5	1248.3	
6550.9	107465.4								
		Min		I	-1038.8	-220.8	-16.5	-2736.5	-
6864.3	-80160.2			J	-1038.8	-220.8	-16.5	-2736.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2019.3	-54072.4							
		C3-C4;~1	Max	I	713.6	29.6	5.5	621.1
2089.9	35182.8			J	713.6	29.6	5.5	621.1
5046.3	102240.5							
			Min	I	-951.0	-219.9	-12.6	-2840.1
5243.7	-86553.3			J	-951.0	-219.9	-12.6	-2840.1
2397.1	-15905.3							
		C1-C2;~2	Max	I	340.7	62.6	2.4	793.0
867.1	29180.0			J	340.7	62.6	2.4	793.0
3999.8	71439.8							
			Min	I	-619.3	-151.1	-10.1	-1891.7
4194.8	-56003.3			J	-619.3	-151.1	-10.1	-1891.7
1062.2	-33071.2							
		C3-C4;~2	Max	I	378.9	14.5	2.8	357.0
1049.8	22990.1			J	378.9	14.5	2.8	357.0
2987.5	68864.7							
			Min	I	-559.8	-152.3	-7.5	-1978.6
3113.2	-60876.4			J	-559.8	-152.3	-7.5	-1978.6
1232.9	-7527.6							
			G1	I	-116.2	-0.5	-7.0	51.6
2767.0	1110.8			J	-116.2	-0.5	-5.0	51.6
2089.1	1504.8							
			G2	I	-29.5	15.7	-2.2	170.5
-949.3	2712.2			J	-29.5	15.7	-2.2	170.5
805.1	-10050.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-14.1	-1.9	0.4	-21.4
202.6	1804.7			J	-14.1	-1.9	0.4	-21.4
-118.6	3313.5							
			Q5_pc Y	I	-227.3	6.4	-1.8	43.9
-684.9	3791.6			J	-227.3	6.4	-1.8	43.9
749.0	-1426.0							
			Q5_ps X	I	-20.5	-4.6	0.2	-48.1
128.2	1266.3			J	-20.5	-4.6	0.2	-48.1
-61.5	4984.1							
			Q5_ps Y	I	-211.6	7.5	-1.6	55.8
-636.5	3786.3			J	-211.6	7.5	-1.6	55.8
697.8	-2308.5							
			INVSLU Max	I	1371.3	155.6	22.0	2357.9
8773.8	47820.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3185.3	120384.7		J	1371.3	155.6	24.7	2357.9	
		Min	I	-1403.5	-288.6	-10.8	-3240.5	-
4547.2	-135511.8		J	-1403.5	-288.6	-8.1	-3240.5	-1
0242.8	-103655.5							
		INVSLE Max	I	1008.2	115.1	17.8	1781.6	
7086.5	33763.0		J	1008.2	115.1	19.8	1781.6	
1620.0	87352.0	Min	I	-1016.9	-213.1	-6.3	-2359.4	-
2689.6	-101532.8		J	-1016.9	-213.1	-4.3	-2359.4	-
8226.8	-78161.9							
5330	2	69 C1-C2;~1 Max	I	461.8	121.7	3.0	1118.8	
1369.2	107493.4		J	461.8	121.7	3.0	1118.8	
3139.5	30449.2	Min	I	-777.8	-71.1	-8.4	-689.7	-
3696.6	-54038.7		J	-777.8	-71.1	-8.4	-689.7	-
1041.5	-44364.1							
		C3-C4;~1 Max	I	522.1	110.9	3.4	1100.0	
1572.7	102313.1		J	522.1	110.9	3.4	1100.0	
2957.3	28227.0	Min	I	-724.4	-24.3	-7.9	-443.1	-
3469.7	-15891.1		J	-724.4	-24.3	-7.9	-443.1	-
1193.2	-46742.3							
		C1-C2;~2 Max	I	248.5	78.1	1.6	736.4	
724.7	71474.1		J	248.5	78.1	1.6	736.4	
1902.4	20781.4	Min	I	-458.5	-42.4	-5.1	-434.5	-
2218.1	-33052.5		J	-458.5	-42.4	-5.1	-434.5	-
-549.3	-30431.5							
		C3-C4;~2 Max	I	276.6	72.0	1.8	735.6	
817.7	68929.6		J	276.6	72.0	1.8	735.6	
1788.8	18795.2	Min	I	-423.1	-11.7	-4.7	-278.6	-
2077.2	-7519.3		J	-423.1	-11.7	-4.7	-278.6	-
-618.6	-32294.6							
		G1	I	-135.4	1.0	-3.9	47.4	-
1374.9	1444.3		J	-135.4	1.0	-1.9	47.4	
950.5	667.2							
		G2	I	-38.4	-14.6	-0.9	-76.9	
-398.2	-10078.8		J	-38.4	-14.6	-0.9	-76.9	
360.0	1819.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.5	3317.9	Q5_pc X	I	-16.6	2.9	-0.0	2.2	
3.5	936.6		J	-16.6	2.9	-0.0	2.2	
-489.1	-1396.0	Q5_pc Y	I	-180.6	-3.8	-1.0	-44.9	
339.0	1726.2		J	-180.6	-3.8	-1.0	-44.9	
-36.6	4990.4	Q5_ps X	I	-21.0	5.4	-0.1	16.4	
29.8	621.3		J	-21.0	5.4	-0.1	16.4	
-453.8	-2280.5	Q5_ps Y	I	-168.4	-4.9	-0.9	-49.1	
313.7	1726.4		J	-168.4	-4.9	-0.9	-49.1	
6591.1	120122.5	INVS LU Max	I	353.4	109.1	12.5	1254.9	
1793.4	62413.7		J	353.4	109.1	15.2	1254.9	
1402.9	-103918.0	Min	I	-1726.4	-158.0	-5.3	-1267.4	-
4665.9	-44901.9		J	-1726.4	-158.0	-2.6	-1267.4	-
5302.1	87141.5	INVS LE Max	I	215.5	77.5	10.1	921.4	
1019.2	47036.9		J	215.5	77.5	12.1	921.4	
-554.2	-78372.0	Min	I	-1301.1	-119.9	-2.9	-941.1	
3720.3	-32226.0		J	-1301.1	-119.9	-0.9	-941.1	-
5331	2	69 C1-C2;~1 Max	I	306.4	28.1	1.2	595.7	
500.3	30450.3		J	306.4	28.1	1.2	595.7	
1950.3	14728.5	Min	I	-518.7	-30.8	-4.8	-462.8	-
1990.6	-44367.8		J	-518.7	-30.8	-4.8	-462.8	
-471.2	-28228.5							
592.2	28226.9	C3-C4;~1 Max	I	345.1	27.6	1.4	567.3	
1771.5	7727.4		J	345.1	27.6	1.4	567.3	
1764.6	-46746.1	Min	I	-482.3	-32.6	-4.3	-441.0	-
-550.0	-27900.8		J	-482.3	-32.6	-4.3	-441.0	
257.2	20781.8	C1-C2;~2 Max	I	164.6	19.4	0.6	393.8	
1180.6	9048.8		J	164.6	19.4	0.6	393.8	
1202.7	-30433.5	Min	I	-305.2	-21.8	-2.9	-317.5	-
-241.9	-19041.8		J	-305.2	-21.8	-2.9	-317.5	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
298.8	18794.5	C3-C4;~2 Max	I	182.7	18.9	0.7	377.1	
			J	182.7	18.9	0.7	377.1	
1074.0	4366.4	Min	I	-280.3	-22.8	-2.6	-295.1	-
1062.6	-32296.8		J	-280.3	-22.8	-2.6	-295.1	
-277.6	-18966.9							
		G1	I	-98.4	0.4	-3.1	41.9	
-976.4	668.1		J	-98.4	0.4	-1.1	41.9	
708.8	361.3							
		G2	I	-29.9	-0.6	-0.7	-12.3	
-301.1	1820.7		J	-29.9	-0.6	-0.7	-12.3	
307.1	2275.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-19.5	0.7	0.0	2.8	
6.6	936.3		J	-19.5	0.7	0.0	2.8	
-7.3	388.5							
		Q5_pc Y	I	-136.6	0.2	-0.5	-18.2	
-227.2	1728.3		J	-136.6	0.2	-0.5	-18.2	
167.7	1562.0							
		Q5_ps X	I	-21.8	0.8	-0.0	6.5	
-10.8	621.0		J	-21.8	0.8	-0.0	6.5	
8.8	-2.9							
		Q5_ps Y	I	-127.7	0.1	-0.5	-19.1	
-212.3	1728.5		J	-127.7	0.1	-0.5	-19.1	
156.3	1636.2							
		INVSLE Max	I	-550.1	17.7	3.9	756.1	
2334.6	62412.8		J	-550.1	17.7	6.6	756.1	
1707.5	58063.7	Min	I	-1962.0	-65.5	-5.3	-705.8	-
1561.1	-44913.3		J	-1962.0	-65.5	-2.6	-705.8	-
1969.8	-2739.9							
		INVSLE Max	I	-490.6	11.4	3.2	557.1	
1888.1	47035.8		J	-490.6	11.4	5.3	557.1	
1124.7	45171.9	Min	I	-1518.3	-50.1	-3.6	-523.3	
-967.4	-32234.6		J	-1518.3	-50.1	-1.5	-523.3	-
1576.9	340.4							
5332	2	69 C1-C2;~1 Max	I	233.2	13.3	0.5	483.8	
190.1	14725.3		J	233.2	13.3	0.5	483.8	
1410.3	13632.4							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1299.2	-28225.2		Min	I	-406.5	-16.1	-3.3	-506.1	-
				J	-406.5	-16.1	-3.3	-506.1	
-199.3	-26644.5								
		C3-C4;~1	Max	I	262.3	13.4	0.7	447.1	
318.7	7725.7			J	262.3	13.4	0.7	447.1	
1327.1	6688.8								
			Min	I	-382.4	-17.5	-3.1	-504.6	-
1185.2	-27898.3			J	-382.4	-17.5	-3.1	-504.6	
-281.5	-26363.5								
		C1-C2;~2	Max	I	124.7	9.1	0.2	317.9	
100.7	9046.9			J	124.7	9.1	0.2	317.9	
862.5	8267.2								
			Min	I	-238.0	-11.2	-2.0	-344.9	
-795.9	-19039.7			J	-238.0	-11.2	-2.0	-344.9	
-98.7	-17938.3								
		C3-C4;~2	Max	I	138.4	9.0	0.4	292.0	
195.9	4365.5			J	138.4	9.0	0.4	292.0	
820.6	3661.6								
			Min	I	-221.1	-12.1	-1.9	-341.1	
-730.6	-18965.5			J	-221.1	-12.1	-1.9	-341.1	
-159.4	-17920.6								
			G1	I	-95.0	-0.3	-2.7	43.8	
-790.7	360.6			J	-95.0	-0.3	-0.7	43.8	
570.3	617.7								
			G2	I	-30.3	-0.1	-0.6	15.7	
-235.6	2275.4			J	-30.3	-0.1	-0.6	15.7	
258.3	2335.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-20.7	0.1	0.0	-0.5	
12.5	388.5			J	-20.7	0.1	0.0	-0.5	
-11.7	296.6								
			Q5_pc Y	I	-116.8	0.2	-0.2	-10.4	
-103.9	1561.2			J	-116.8	0.2	-0.2	-10.4	
72.4	1410.9								
			Q5_ps X	I	-22.1	0.1	-0.0	-1.1	
-0.6	-2.9			J	-22.1	0.1	-0.0	-1.1	
1.0	-89.9								
			Q5_ps Y	I	-109.3	0.2	-0.2	-9.7	
-97.4	1635.4			J	-109.3	0.2	-0.2	-9.7	
67.5	1481.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

940.9	58058.0	INVSLE Max	I	-1001.3	15.1	0.9	941.1	
			J	-1001.3	15.1	3.6	941.1	
1545.1	58930.8	Min	I	-2114.5	-26.8	-5.0	-413.9	-
1430.2	-2735.3		J	-2114.5	-26.8	-2.3	-413.9	
-869.2	2017.4							
		INVSLE Max	I	-839.4	10.7	0.8	706.7	
767.2	45167.7		J	-839.4	10.7	2.8	706.7	
1081.0	46262.2	Min	I	-1648.4	-20.4	-3.5	-295.6	
-975.3	343.8		J	-1648.4	-20.4	-1.5	-295.6	
-697.7	4292.3							
5333	2	69 C1-C2;~1 Max	I	200.3	12.9	0.7	445.6	
324.4	13634.3		J	200.3	12.9	0.7	445.6	
1174.6	14929.1	Min	I	-364.4	-10.4	-2.7	-578.6	-
1064.7	-26647.2		J	-364.4	-10.4	-2.7	-578.6	
-239.3	-29224.0							
		C3-C4;~1 Max	I	224.9	14.1	0.9	385.9	
423.4	6689.2		J	224.9	14.1	0.9	385.9	
1154.9	7129.3	Min	I	-347.3	-10.7	-2.6	-588.2	-
1006.8	-26365.8		J	-347.3	-10.7	-2.6	-588.2	
-315.0	-29390.5							
		C1-C2;~2 Max	I	106.4	8.9	0.4	290.3	
193.1	8268.4		J	106.4	8.9	0.4	290.3	
716.0	9033.5	Min	I	-212.2	-7.2	-1.7	-388.4	
-638.3	-17940.1		J	-212.2	-7.2	-1.7	-388.4	
-136.7	-19668.9							
		C3-C4;~2 Max	I	118.0	9.6	0.6	243.8	
269.1	3661.7		J	118.0	9.6	0.6	243.8	
717.8	3857.0	Min	I	-199.6	-7.2	-1.6	-395.8	
-611.8	-17922.1		J	-199.6	-7.2	-1.6	-395.8	
-194.8	-20018.4							
		G1	I	-104.1	-0.5	-2.4	48.9	
-675.0	617.8		J	-104.1	-0.5	-0.4	48.9	
477.2	987.9							
		G2	I	-34.7	-0.4	-0.5	41.8	
-192.6	2335.4		J	-34.7	-0.4	-0.5	41.8	
221.8	2670.6							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
11.9	296.5	Q5_pc X	I	-22.3	0.0	0.0	-4.7
-9.5	261.0		J	-22.3	0.0	0.0	-4.7
-51.8	1411.2	Q5_pc Y	I	-105.5	0.1	-0.1	-5.2
33.8	1331.0		J	-105.5	0.1	-0.1	-5.2
1.4	-90.0	Q5_ps X	I	-23.1	0.1	0.0	-9.3
1.1	-152.0		J	-23.1	0.1	0.0	-9.3
-49.2	1481.4	Q5_ps Y	I	-98.8	0.1	-0.1	-3.1
31.9	1407.1		J	-98.8	0.1	-0.1	-3.1
693.7	58939.9	INVSLE Max	I	-1295.5	40.4	0.2	1314.9
1527.5	43266.5		J	-1295.5	40.4	2.9	1314.9
1408.6	2019.6	Min	I	-2280.9	6.7	-4.9	-90.2
-544.1	-18960.6		J	-2280.9	6.7	-2.2	-90.2
554.1	46269.4	INVSLE Max	I	-1064.9	31.0	0.2	998.4
1100.0	33769.3		J	-1064.9	31.0	2.2	998.4
-996.3	4294.4	Min	I	-1780.8	6.1	-3.6	-41.7
-430.1	-12147.5		J	-1780.8	6.1	-1.6	-41.7
5334	2	69 C1-C2;~1 Max	I	182.9	65.8	1.2	586.8
554.9	14928.9		J	182.9	65.8	1.2	586.8
1015.9	56639.6	Min	I	-354.0	-104.5	-2.4	-989.5
-920.2	-29218.5		J	-354.0	-104.5	-2.4	-989.5
-429.6	-39531.1						
745.5	7131.0	C3-C4;~1 Max	I	205.0	25.7	1.7	280.5
732.0	49635.4		J	205.0	25.7	1.7	280.5
-664.9	-29384.9	Min	I	-349.6	-95.5	-1.7	-961.2
-632.0	-15948.6		J	-349.6	-95.5	-1.7	-961.2
348.4	9033.5	C1-C2;~2 Max	I	96.6	38.6	0.7	355.4
601.5	35249.0		J	96.6	38.6	0.7	355.4
-534.4	-19665.1	Min	I	-206.3	-66.9	-1.4	-653.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-261.4	-22884.6		J	-206.3	-66.9	-1.4	-653.0
487.3	3858.1	C3-C4;~2 Max	I	107.1	12.5	1.1	150.1
415.9	31252.1		J	107.1	12.5	1.1	150.1
-367.2	-20014.3	Min	I	-202.0	-62.0	-1.0	-641.2
-410.5	-7770.3		J	-202.0	-62.0	-1.0	-641.2
-572.0	988.6	G1	I	-117.0	6.9	-2.2	75.2
382.6	-4667.2		J	-117.0	6.9	-0.2	75.2
-186.0	2670.1	G2	I	-38.4	15.9	-0.5	124.6
223.9	-10245.0		J	-38.4	15.9	-0.5	124.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
18.6	260.9	Q5_pc X	I	-24.6	-2.9	0.0	-19.6
-17.3	2658.3		J	-24.6	-2.9	0.0	-19.6
-37.5	1329.8	Q5_pc Y	I	-99.2	1.6	-0.1	3.9
29.6	44.5		J	-99.2	1.6	-0.1	3.9
13.5	-151.9	Q5_ps X	I	-25.2	-5.1	0.0	-35.4
-12.7	4028.3		J	-25.2	-5.1	0.0	-35.4
-37.7	1405.9	Q5_ps Y	I	-92.8	2.3	-0.1	10.0
30.2	-508.3		J	-92.8	2.3	-0.1	10.0
1124.4	43247.8	INVSLE Max	I	-1534.0	199.6	1.1	1992.1
1407.8	12670.9		J	-1534.0	199.6	3.8	1992.1
1191.7	-18969.5	Min	I	-2467.3	-35.6	-4.5	-171.3
-870.2	-121944.4		J	-2467.3	-35.6	-1.8	-171.3
867.5	33754.5	INVSLE Max	I	-1245.3	154.0	0.9	1511.0
1014.8	5880.4		J	-1245.3	154.0	2.9	1511.0
-843.1	-12155.1	Min	I	-1923.4	-19.9	-3.3	-88.9
-668.7	-93480.2		J	-1923.4	-19.9	-1.3	-88.9
5335	2	69 C1-C2;~1 Max	I	167.5	100.5	0.9	955.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
419.4	56647.2			J	167.5	100.5	0.9	955.5
1200.1	13458.2							
			Min	I	-342.2	-63.9	-2.7	-513.8
1067.6	-39570.2							
				J	-342.2	-63.9	-2.7	-513.8
-314.8	-26817.5							
			C3-C4;~1	Max	I	187.3	92.0	0.6
281.5	49647.1							
				J	187.3	92.0	0.6	921.0
1285.0	6188.6							
			Min	I	-339.2	-24.9	-3.0	-202.7
1171.0	-16002.6							
				J	-339.2	-24.9	-3.0	-202.7
-224.1	-27077.7							
			C1-C2;~2	Max	I	88.0	64.2	0.5
248.1	35254.1							
				J	88.0	64.2	0.5	629.1
737.5	8147.7							
			Min	I	-199.2	-37.4	-1.7	-309.9
-642.1	-22903.1							
				J	-199.2	-37.4	-1.7	-309.9
-181.2	-18108.4							
			C3-C4;~2	Max	I	97.4	59.6	0.3
153.6	31259.9							
				J	97.4	59.6	0.3	616.9
806.4	3295.3							
			Min	I	-195.7	-12.1	-1.9	-106.4
-723.6	-7798.3							
				J	-195.7	-12.1	-1.9	-106.4
-120.4	-18509.0							
			G1	I	-125.4	-7.1	-2.2	-6.3
-572.8	-4738.3							
				J	-125.4	-7.1	-0.2	-6.3
399.8	1028.7							
			G2	I	-41.9	-15.6	-0.4	-94.8
-130.3	-10273.3							
				J	-41.9	-15.6	-0.4	-94.8
174.6	2414.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-27.2	2.9	-0.0
-3.5	2660.4							
				J	-27.2	2.9	-0.0	20.7
4.4	313.9							
			Q5_pc	Y	I	-97.6	-1.5	0.0
0.9	53.8							
				J	-97.6	-1.5	0.0	-21.0
-7.1	1298.9							
			Q5_ps	X	I	-27.6	5.0	-0.0
-14.5	4031.0							
				J	-27.6	5.0	-0.0	34.8
15.0	-53.9							
			Q5_ps	Y	I	-91.4	-2.3	0.0
								-25.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.2	-499.6			J	-91.4	-2.3	0.0	-25.1
-7.1	1352.3							
			INVSLU Max	I	-1749.9	33.2	-1.3	-94.5
57.3	12607.1			J	-1749.9	33.2	1.4	-94.5
2177.6	38692.3		Min	I	-2640.4	-194.0	-6.6	-2115.8
2096.0	-122075.1			J	-2640.4	-194.0	-3.9	-2115.8
5.1	-18369.2							
			INVSLE Max	I	-1406.5	19.1	-1.0	-102.7
34.1	5834.5			J	-1406.5	19.1	1.0	-102.7
1633.0	29561.0		Min	I	-2053.2	-148.8	-4.9	-1597.2
1560.5	-93575.4			J	-2053.2	-148.8	-2.9	-1597.2
24.7	-12533.6							
5336	2	69	C1-C2;~1 Max	I	147.7	9.0	1.0	574.6
483.2	13455.6			J	147.7	9.0	1.0	574.6
1097.4	8550.8		Min	I	-318.0	-16.3	-2.5	-409.9
-944.4	-26822.7			J	-318.0	-16.3	-2.5	-409.9
-310.4	-16756.5							
			C3-C4;~1 Max	I	164.9	5.8	1.2	561.2
589.6	6184.7			J	164.9	5.8	1.2	561.2
1061.1	4184.9		Min	I	-307.6	-17.6	-2.4	-346.0
-878.9	-27083.6			J	-307.6	-17.6	-2.4	-346.0
-393.6	-16859.7							
			C1-C2;~2 Max	I	77.1	5.5	0.6	380.4
293.5	8146.2			J	77.1	5.5	0.6	380.4
670.9	5245.0		Min	I	-184.9	-11.1	-1.5	-254.7
-562.0	-18112.2			J	-184.9	-11.1	-1.5	-254.7
-179.0	-11369.8							
			C3-C4;~2 Max	I	85.3	3.5	0.7	374.3
374.7	3293.0			J	85.3	3.5	0.7	374.3
658.7	2309.3		Min	I	-176.6	-12.1	-1.5	-222.0
-527.8	-18513.4			J	-176.6	-12.1	-1.5	-222.0
-243.4	-11566.1							
			G1	I	-125.3	0.6	-2.1	18.8
-497.4	1026.4			J	-125.3	0.6	-0.0	18.8
356.8	577.0							
			G2	I	-43.9	1.3	-0.4	-15.4
-138.2	2414.1			J	-43.9	1.3	-0.4	-15.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
188.6	1385.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-28.3	0.0	-0.0	5.3
-0.0	313.9		J	-28.3	0.0	-0.0	5.3
4.5	295.6						
		Q5_pc Y	I	-96.4	0.4	-0.1	-13.3
-24.0	1300.4		J	-96.4	0.4	-0.1	-13.3
18.8	967.7						
		Q5_ps X	I	-28.3	-0.2	-0.0	8.7
-6.0	-54.1		J	-28.3	-0.2	-0.0	8.7
10.8	70.8						
		Q5_ps Y	I	-90.5	0.5	-0.1	-13.7
-24.3	1353.8		J	-90.5	0.5	-0.1	-13.7
18.9	986.5						
		INVSLU Max	I	-1898.2	-1.6	-0.9	-14.8
477.5	38705.8		J	-1898.2	-1.6	1.9	-14.8
2089.9	43311.7	Min	I	-2723.6	-38.3	-5.9	-1367.8
1636.6	-18362.8		J	-2723.6	-38.3	-3.2	-1367.8
43.2	7265.6						
		INVSLE Max	I	-1514.9	-1.4	-0.7	-31.8
340.6	29572.1		J	-1514.9	-1.4	1.3	-31.8
1580.7	33178.7	Min	I	-2113.5	-28.5	-4.4	-1032.2
1222.2	-12527.5		J	-2113.5	-28.5	-2.4	-1032.2
67.2	6606.9						
5337	2	67 C1-C2;~1 Max	I	124.7	8.1	0.9	369.7
432.3	8561.9		J	124.7	8.1	0.9	369.7
828.4	5859.2	Min	I	-279.3	-12.3	-1.9	-329.0
-727.6	-16755.0		J	-279.3	-12.3	-1.9	-329.0
-321.8	-11415.4						
		C3-C4;~1 Max	I	139.1	7.7	1.0	351.4
479.3	4195.2		J	139.1	7.7	1.0	351.4
821.8	2808.8	Min	I	-271.1	-13.4	-1.9	-316.7
-695.6	-16855.3		J	-271.1	-13.4	-1.9	-316.7
-356.8	-11461.2						
		C1-C2;~2 Max	I	64.6	5.5	0.6	244.7
263.6	5251.5		J	64.6	5.5	0.6	244.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
502.8	3580.6							
			Min	I	-162.1	-8.4	-1.1	-220.0
-432.3	-11368.1			J	-162.1	-8.4	-1.1	-220.0
-190.5	-7755.9							
		C3-C4;~2	Max	I	71.5	5.1	0.6	231.4
302.0	2315.3			J	71.5	5.1	0.6	231.4
508.5	1522.5		Min	I	-155.3	-9.2	-1.1	-208.5
-418.9	-11562.0			J	-155.3	-9.2	-1.1	-208.5
-219.6	-7866.0							
		G1		I	-117.9	0.1	-1.5	19.4
-355.9	583.1			J	-117.9	0.1	0.0	19.4
242.3	516.3							
		G2		I	-41.6	0.5	-0.3	6.3
-93.5	1387.7			J	-41.6	0.5	-0.3	6.3
129.9	986.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-27.0	0.1	-0.0	0.8
-1.4	295.0			J	-27.0	0.1	-0.0	0.8
0.0	209.9							
		Q5_pc	Y	I	-89.1	0.4	-0.0	-6.7
-22.0	964.2			J	-89.1	0.4	-0.0	-6.7
0.1	654.2							
		Q5_ps	X	I	-26.9	0.0	-0.0	0.6
-6.0	70.3			J	-26.9	0.0	-0.0	0.6
4.9	53.3							
		Q5_ps	Y	I	-83.7	0.4	-0.0	-6.2
-22.1	983.1			J	-83.7	0.4	-0.0	-6.2
1.1	659.0							
		INVSLU	Max	I	-1931.8	17.1	-0.6	474.0
279.5	43298.8			J	-1931.8	17.1	1.5	474.0
1482.5	34640.6		Min	I	-2657.0	-12.6	-4.5	-481.3
1389.4	7250.1			J	-2657.0	-12.6	-2.5	-481.3
-117.7	10080.5							
		INVSLE	Max	I	-1533.3	13.0	-0.5	350.5
184.4	33167.4			J	-1533.3	13.0	1.0	350.5
1117.2	26483.8		Min	I	-2058.6	-8.9	-3.4	-356.2
1048.9	6593.2			J	-2058.6	-8.9	-1.9	-356.2


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-68.1	8378.4									
5338	2	67	C1-C2;~1	Max	I	118.7	17.0	1.1	328.2	
515.9	5858.2				J	118.7	17.0	1.1	328.2	
752.8	12292.1									
				Min	I	-275.2	-9.7	-1.7	-399.6	
-631.2	-11417.1				J	-275.2	-9.7	-1.7	-399.6	
-401.4	-21735.7									
				C3-C4;~1	Max	I	132.1	17.2	1.2	302.6
546.0	2807.4				J	132.1	17.2	1.2	302.6	
780.2	4670.9									
				Min	I	-266.5	-5.1	-1.7	-393.9	
-624.7	-11463.1				J	-266.5	-5.1	-1.7	-393.9	
-404.9	-21083.0									
				C1-C2;~2	Max	I	61.1	11.2	0.7	215.6
318.7	3580.1				J	61.1	11.2	0.7	215.6	
453.1	7340.4									
				Min	I	-159.4	-5.7	-1.0	-266.4	
-368.9	-7757.2				J	-159.4	-5.7	-1.0	-266.4	
-242.9	-14399.3									
				C3-C4;~2	Max	I	67.5	11.6	0.7	194.3
345.3	1521.7				J	67.5	11.6	0.7	194.3	
482.2	2283.6									
				Min	I	-152.2	-2.8	-1.0	-262.3	
-373.0	-7867.5				J	-152.2	-2.8	-1.0	-262.3	
-249.3	-14214.1									
				G1	I	-121.9	-1.4	-1.3	27.1	
-276.9	515.4				J	-121.9	-1.4	0.2	27.1	
177.2	1643.3									
				G2	I	-43.4	-2.2	-0.2	25.4	
-61.6	986.2				J	-43.4	-2.2	-0.2	25.4	
102.0	2739.4									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-26.8	0.4	0.0	-2.7
2.7	210.0				J	-26.8	0.4	0.0	-2.7	
-1.7	-140.3									
				Q5_pc	Y	I	-84.4	0.0	0.0	-4.0
-6.3	654.9				J	-84.4	0.0	0.0	-4.0	
-8.0	639.0									
				Q5_ps	X	I	-26.6	0.7	-0.0	-5.6
-1.2	53.3				J	-26.6	0.7	-0.0	-5.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.7	-516.5							
-7.6	659.7	Q5_ps	Y	I	-79.2	-0.1	-0.0	-2.8
-6.2	700.5			J	-79.2	-0.1	-0.0	-2.8
584.3	34649.3	INVSLU	Max	I	-1979.8	40.5	0.0	1223.8
1340.8	29504.4			J	-1979.8	40.5	2.0	1223.8
1016.2	10086.7		Min	I	-2681.4	3.5	-3.9	234.0
-273.6	-17583.4			J	-2681.4	3.5	-1.9	234.0
426.7	26490.8	INVSLE	Max	I	-1565.7	30.2	-0.0	923.2
1004.0	22488.4			J	-1565.7	30.2	1.5	923.2
-758.0	8383.6		Min	I	-2074.2	2.9	-2.9	190.6
-190.8	-12306.3			J	-2074.2	2.9	-1.4	190.6
5339	2	67 C1-C2;~1	Max	I	117.9	48.6	1.4	464.0
640.4	12293.0			J	117.9	48.6	1.4	464.0
643.3	39180.6		Min	I	-285.9	-74.4	-1.5	-762.6
-546.8	-21731.9			J	-285.9	-74.4	-1.5	-762.6
-515.7	-27464.2							
752.9	4672.9	C3-C4;~1	Max	I	130.7	19.0	1.7	205.5
470.4	35078.1			J	130.7	19.0	1.7	205.5
-412.7	-21078.8		Min	I	-286.0	-68.0	-1.1	-735.1
-638.5	-11036.6			J	-286.0	-68.0	-1.1	-735.1
403.5	7340.8	C1-C2;~2	Max	I	60.3	28.4	0.9	278.7
378.3	24508.2			J	60.3	28.4	0.9	278.7
-312.7	-14396.7		Min	I	-166.0	-47.5	-0.8	-499.9
-318.7	-15882.0			J	-166.0	-47.5	-0.8	-499.9
486.5	2284.9	C3-C4;~2	Max	I	66.4	9.2	1.1	107.3
264.0	22238.6			J	66.4	9.2	1.1	107.3
-225.7	-14211.0		Min	I	-164.5	-44.2	-0.6	-489.2
-408.8	-5311.1			J	-164.5	-44.2	-0.6	-489.2
-203.9	1644.8	G1		I	-131.1	7.4	-1.1	66.1
98.4	-4390.6			J	-131.1	7.4	0.4	66.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-56.2	2739.5	G2	I	-45.4	12.4	-0.2	105.3
			J	-45.4	12.4	-0.2	105.3
99.0	-7367.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-27.6	-2.5	0.0	-18.7
9.5	-140.4		J	-27.6	-2.5	0.0	-18.7
-8.8	1865.2						
		Q5_pc Y	I	-81.6	0.4	-0.0	-0.7
-7.2	637.9		J	-81.6	0.4	-0.0	-0.7
-0.5	316.2						
		Q5_ps X	I	-27.5	-4.1	0.0	-32.1
9.0	-516.6		J	-27.5	-4.1	0.0	-32.1
-8.6	2819.0						
		Q5_ps Y	I	-76.6	0.8	-0.0	3.3
-9.3	699.4		J	-76.6	0.8	-0.0	3.3
2.0	35.4						
		INVS LU Max	I	-2049.6	166.2	1.3	2198.9
1102.5	29486.9		J	-2049.6	166.2	3.4	2198.9
935.4	-13261.1						
		Min	I	-2759.0	-4.3	-3.0	509.5
-669.3	-17594.8		J	-2759.0	-4.3	-1.0	509.5
-810.9	-106589.0						
		INVS LE Max	I	-1616.6	127.4	1.0	1658.7
827.5	22474.6		J	-1616.6	127.4	2.5	1658.7
685.5	-12892.9						
		Min	I	-2131.2	1.4	-2.2	409.8
-483.6	-12315.7		J	-2131.2	1.4	-0.7	409.8
-606.9	-81776.0						
5340	2	67 C1-C2;~1 Max	I	113.6	74.5	1.0	768.3
454.4	39175.5		J	113.6	74.5	1.0	768.3
834.5	12323.4						
		Min	I	-284.7	-48.8	-1.9	-443.9
-707.4	-27521.1		J	-284.7	-48.8	-1.9	-443.9
-352.3	-21763.6						
		C3-C4;~1 Max	I	125.6	68.0	0.7	737.4
320.6	35082.1		J	125.6	68.0	0.7	737.4
915.9	4821.7						
		Min	I	-284.9	-19.2	-2.1	-169.6
-801.8	-11088.2		J	-284.9	-19.2	-2.1	-169.6
-261.6	-21074.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
271.7	24504.1	C1-C2;~2 Max	I	57.8	47.5	0.6	505.7
			J	57.8	47.5	0.6	505.7
515.0	7356.0	Min	I	-165.2	-28.5	-1.1	-267.8
-427.2	-15919.5		J	-165.2	-28.5	-1.1	-267.8
-204.0	-14415.9						
180.5	22241.8	C3-C4;~2 Max	I	63.5	44.2	0.4	494.0
			J	63.5	44.2	0.4	494.0
578.5	2392.1	Min	I	-163.8	-9.3	-1.3	-87.0
-499.5	-5343.2		J	-163.8	-9.3	-1.3	-87.0
-143.7	-14207.2						
		G1	I	-134.5	-7.5	-1.2	-38.3
-245.9	-4428.5		J	-134.5	-7.5	0.3	-38.3
146.9	1675.2						
		G2	I	-46.8	-12.4	-0.1	-93.8
-31.2	-7383.0		J	-46.8	-12.4	-0.1	-93.8
76.5	2758.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-28.8	2.4	-0.0	20.5
-2.9	1865.8		J	-28.8	2.4	-0.0	20.5
3.3	-113.3						
		Q5_pc Y	I	-82.5	-0.4	0.1	-10.2
27.0	326.8		J	-82.5	-0.4	0.1	-10.2
-36.0	684.4						
		Q5_ps X	I	-28.7	4.1	-0.0	33.3
-9.0	2820.0		J	-28.7	4.1	-0.0	33.3
9.1	-492.6						
		Q5_ps Y	I	-77.5	-0.9	0.1	-12.8
24.6	45.5		J	-77.5	-0.9	0.1	-12.8
-33.2	741.2						
		INVSLU Max	I	-2142.5	0.6	-0.4	-734.4
344.4	-13307.1		J	-2142.5	0.6	1.6	-734.4
1610.5	32570.9	Min	I	-2845.2	-170.1	-4.7	-2407.7
1400.0	-106705.9		J	-2845.2	-170.1	-2.7	-2407.7
-166.4	-14678.5						
		INVSLE Max	I	-1685.7	-4.1	-0.3	-575.9
241.9	-12926.9		J	-1685.7	-4.1	1.2	-575.9
1207.2	24715.7						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1046.7	-81862.4		Min	I	-2195.2	-130.3	-3.5	-1812.7	-
				J	-2195.2	-130.3	-2.0	-1812.7	
-104.2	-10192.7								
5341	2	67	C1-C2;~1	Max	I	106.1	10.1	1.2	412.3
547.9	12322.9				J	106.1	10.1	1.2	412.3
722.4	5617.5								
			Min	I	-272.9	-17.4	-1.6	-301.7	
-593.8	-21767.6				J	-272.9	-17.4	-1.6	-301.7
-408.9	-10786.7								
			C3-C4;~1	Max	I	117.1	4.7	1.3	402.9
613.8	4820.1				J	117.1	4.7	1.3	402.9
718.5	2823.9								
			Min	I	-266.1	-17.4	-1.6	-279.7	
-559.9	-21079.1				J	-266.1	-17.4	-1.6	-279.7
-445.2	-10885.4								
			C1-C2;~2	Max	I	53.7	5.9	0.7	274.2
336.0	7355.7				J	53.7	5.9	0.7	274.2
439.4	3460.1								
			Min	I	-158.0	-11.5	-1.0	-200.7	
-352.4	-14418.6				J	-158.0	-11.5	-1.0	-200.7
-242.4	-7356.0								
			C3-C4;~2	Max	I	59.0	2.4	0.8	268.8
388.4	2391.1				J	59.0	2.4	0.8	268.8
445.4	1568.7								
			Min	I	-152.3	-11.7	-1.0	-180.4	
-335.7	-14210.2				J	-152.3	-11.7	-1.0	-180.4
-273.2	-7495.8								
			G1	I	-131.4	1.4	-1.1	1.0	
-167.1	1673.8				J	-131.4	1.4	0.4	1.0
88.2	514.7								
			G2	I	-47.3	2.3	-0.1	-13.6	
-27.8	2758.8				J	-47.3	2.3	-0.1	-13.6
76.1	899.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-29.8	-0.5	0.0	4.6
3.5	-113.3				J	-29.8	-0.5	0.0	4.6
-2.3	257.8								
			Q5_pc	Y	I	-85.6	-0.0	0.1	-6.6
13.3	685.4				J	-85.6	-0.0	0.1	-6.6
-29.1	696.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.4	-492.7	Q5_ps X	I	-29.4	-0.7	0.0	6.9
0.3	112.5		J	-29.4	-0.7	0.0	6.9
10.5	742.1	Q5_ps Y	I	-80.6	0.1	0.0	-6.6
-25.8	687.6		J	-80.6	0.1	0.0	-6.6
893.9	32586.6	INVS LU Max	I	-2230.5	-3.4	0.6	-380.1
1172.0	37735.1		J	-2230.5	-3.4	2.7	-380.1
-760.4	-14669.2	Min	I	-2911.2	-41.4	-3.4	-1355.8
-456.7	14202.6		J	-2911.2	-41.4	-1.3	-1355.8
665.2	24728.0	INVS LE Max	I	-1751.7	-2.7	0.5	-298.3
869.8	28633.3		J	-1751.7	-2.7	2.0	-298.3
-558.3	-10184.9	Min	I	-2244.5	-30.7	-2.5	-1020.2
-332.7	11294.7		J	-2244.5	-30.7	-1.0	-1020.2
5342	2	67 C1-C2;~1 Max	I	100.7	7.0	1.3	357.1
587.3	5616.6		J	100.7	7.0	1.3	357.1
688.0	5639.1	Min	I	-264.5	-7.1	-1.5	-346.0
-545.9	-10784.7		J	-264.5	-7.1	-1.5	-346.0
-447.4	-10758.9						
623.6	2823.9	C3-C4;~1 Max	I	110.9	7.3	1.3	340.5
709.0	2845.3		J	110.9	7.3	1.3	340.5
-541.0	-10883.7	Min	I	-258.4	-7.3	-1.5	-331.2
-465.7	-10870.5		J	-258.4	-7.3	-1.5	-331.2
360.8	3459.6	C1-C2;~2 Max	I	50.5	4.8	0.8	237.3
418.0	3470.3		J	50.5	4.8	0.8	237.3
-322.3	-7354.7	Min	I	-152.9	-4.8	-0.9	-230.6
-266.5	-7335.1		J	-152.9	-4.8	-0.9	-230.6
392.9	1568.8	C3-C4;~2 Max	I	55.4	4.9	0.8	224.1
441.3	1577.7		J	55.4	4.9	0.8	224.1
-326.2	-7494.7	Min	I	-147.6	-5.0	-0.9	-218.1
-284.9	-7485.7		J	-147.6	-5.0	-0.9	-218.1
-122.2	514.5	G1	I	-130.7	-0.1	-1.0	7.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
50.8	560.7		J	-130.7	-0.1	0.5	7.8
-7.0	899.1	G2	I	-47.0	-0.0	-0.1	3.1
59.2	916.0		J	-47.0	-0.0	-0.1	3.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.2	257.8	Q5_pc X	I	-30.3	-0.0	0.0	1.1
-3.0	258.9		J	-30.3	-0.0	0.0	1.1
13.7	696.1	Q5_pc Y	I	-86.6	0.0	0.1	-4.6
-31.0	680.8		J	-86.6	0.0	0.1	-4.6
2.3	112.6	Q5_ps X	I	-29.9	0.0	0.0	0.9
-0.6	111.3		J	-29.9	0.0	0.0	0.9
11.0	687.3	Q5_ps Y	I	-81.5	0.0	0.0	-4.1
-27.6	665.0		J	-81.5	0.0	0.0	-4.1
906.8	37726.1	INVS LU Max	I	-2273.6	10.7	0.7	511.0
1117.3	36982.3		J	-2273.6	10.7	2.8	511.0
-696.7	14197.7	Min	I	-2936.3	-9.0	-3.2	-446.5
-524.4	13469.1		J	-2936.3	-9.0	-1.2	-446.5
674.2	28626.3	INVS LE Max	I	-1784.3	8.0	0.5	377.9
828.9	28066.0		J	-1784.3	8.0	2.0	377.9
-511.7	11290.6	Min	I	-2263.6	-6.6	-2.4	-330.8
-383.1	10739.5		J	-2263.6	-6.6	-0.9	-330.8
5343	2	67 C1-C2;~1 Max	I	101.8	17.3	1.4	313.5
621.0	5640.2		J	101.8	17.3	1.4	313.5
648.5	12586.3	Min	I	-276.0	-10.2	-1.4	-401.2
-505.0	-10760.8		J	-276.0	-10.2	-1.4	-401.2
-492.6	-21677.2						
633.2	2845.4	C3-C4;~1 Max	I	111.7	17.3	1.4	289.7
698.8	4958.5		J	111.7	17.3	1.4	289.7
-519.7	-10872.2	Min	I	-269.0	-4.8	-1.5	-393.1


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-482.4	-20988.5		J	-269.0	-4.8	-1.5	-393.1
		C1-C2;~2 Max	I	50.6	11.4	0.8	207.8
382.0	3470.9		J	50.6	11.4	0.8	207.8
393.5	7515.8	Min	I	-159.7	-6.0	-0.8	-267.5
-297.2	-7336.3		J	-159.7	-6.0	-0.8	-267.5
-295.3	-14348.2						
		C3-C4;~2 Max	I	55.4	11.6	0.8	186.8
397.3	1577.6		J	55.4	11.6	0.8	186.8
436.8	2453.0	Min	I	-153.7	-2.5	-0.9	-262.5
-314.3	-7486.8		J	-153.7	-2.5	-0.9	-262.5
-293.5	-14141.8						
		G1	I	-137.6	-1.7	-0.9	15.2
-83.3	560.9		J	-137.6	-1.7	0.6	15.2
7.8	1915.8						
		G2	I	-49.7	-2.4	-0.0	20.0
10.4	916.3		J	-49.7	-2.4	-0.0	20.0
39.2	2845.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-30.5	0.5	0.0	-2.5
4.4	258.9		J	-30.5	0.5	0.0	-2.5
-2.6	-115.0						
		Q5_pc Y	I	-84.6	0.1	0.1	-3.0
13.8	681.0		J	-84.6	0.1	0.1	-3.0
-29.1	605.5						
		Q5_ps X	I	-30.0	0.8	0.0	-5.1
2.7	111.2		J	-30.0	0.8	0.0	-5.1
-0.4	-505.9						
		Q5_ps Y	I	-79.6	0.0	0.0	-2.1
11.0	665.3		J	-79.6	0.0	0.0	-2.1
-25.7	629.6						
		INVSLU Max	I	-2295.7	43.0	0.8	1424.1
942.9	36991.8		J	-2295.7	43.0	2.8	1424.1
1123.9	30659.3	Min	I	-2971.5	5.0	-3.2	453.9
-638.4	13474.3		J	-2971.5	5.0	-1.1	453.9
-537.0	-16686.3						
		INVSLE Max	I	-1800.3	32.0	0.6	1070.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
701.2	28073.4			J	-1800.3	32.0	2.1 1070.2
834.8	23279.1		Min	I	-2289.6	3.9	-2.3 351.9
-468.3	10743.8			J	-2289.6	3.9	-0.8 351.9
-391.6	-11710.9						
5344	2	67	C1-C2;~1	Max	I	103.6	49.8 1.6 462.1
732.7	12586.9			J	103.6	49.8	1.6 462.1
549.8	38966.2		Min	I	-289.9	-74.1	-1.2 -764.1
-441.0	-21673.3			J	-289.9	-74.1	-1.2 -764.1
-602.1	-28085.5						
			C3-C4;~1	Max	I	113.2	19.8 1.9 194.6
828.6	4960.1			J	113.2	19.8	1.9 194.6
399.4	34908.6		Min	I	-290.3	-67.5	-0.9 -732.8
-326.2	-20984.4			J	-290.3	-67.5	-0.9 -732.8
-710.2	-11405.4						
			C1-C2;~2	Max	I	51.1	29.1 1.0 278.3
457.7	7516.1			J	51.1	29.1	1.0 278.3
326.6	24316.1		Min	I	-168.2	-47.2	-0.7 -501.7
-254.6	-14345.5			J	-168.2	-47.2	-0.7 -501.7
-367.8	-16225.4						
			C3-C4;~2	Max	I	55.7	9.5 1.2 101.2
530.0	2454.0			J	55.7	9.5	1.2 101.2
225.8	22058.5		Min	I	-166.8	-43.8	-0.5 -489.1
-179.1	-14138.8			J	-166.8	-43.8	-0.5 -489.1
-448.4	-5451.1						
			G1	I	-145.6	8.6	-0.7 60.9
-22.0	1917.2			J	-145.6	8.6	0.8 60.9
-69.4	-5083.1						
			G2	I	-51.2	12.8	-0.0 102.6
11.7	2845.3			J	-51.2	12.8	-0.0 102.6
36.6	-7621.1						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	X	I	-30.6	-2.5 0.0 -19.0
9.6	-115.1			J	-30.6	-2.5	0.0 -19.0
-8.7	1954.2						
			Q5_pc	Y	I	-82.0	-0.1 0.0 -2.7
5.9	604.4						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-15.8	709.4		J	-82.0	-0.1	0.0	-2.7
11.5	-505.9	Q5_ps X	I	-30.4	-4.2	0.0	-32.5
-10.8	2938.3		J	-30.4	-4.2	0.0	-32.5
3.0	628.6	Q5_ps Y	I	-77.1	0.1	0.0	-0.1
-12.4	514.0		J	-77.1	0.1	0.0	-0.1
1383.3	30642.3	INVSLU Max	I	-2292.4	172.7	2.0	2512.6
635.4	-16645.5		J	-2292.4	172.7	4.1	2512.6
-348.1	-16696.9	Min	I	-2984.6	1.0	-2.2	823.2
1094.0	-110682.9		J	-2984.6	1.0	-0.2	823.2
1040.0	23265.8	INVSLE Max	I	-1797.4	132.0	1.5	1888.8
459.3	-15261.5		J	-1797.4	132.0	3.0	1888.8
-241.3	-11719.6	Min	I	-2299.2	5.1	-1.6	639.9
-819.7	-84658.3		J	-2299.2	5.1	-0.1	639.9
5345	2	67 C1-C2;~1 Max	I	101.8	74.1	1.2	763.3
536.2	38964.6		J	101.8	74.1	1.2	763.3
754.1	12486.8	Min	I	-288.5	-49.7	-1.6	-461.4
-617.0	-28080.8		J	-288.5	-49.7	-1.6	-461.4
-435.5	-21674.3						
384.1	34910.1	C3-C4;~1 Max	I	110.0	67.5	0.9	731.6
853.5	4944.1		J	110.0	67.5	0.9	731.6
-728.4	-11408.3	Min	I	-288.8	-19.7	-1.9	-196.3
-330.9	-20979.7		J	-288.8	-19.7	-1.9	-196.3
317.9	24314.0	C1-C2;~2 Max	I	50.1	47.2	0.7	501.0
470.2	7444.5		J	50.1	47.2	0.7	501.0
-377.5	-16221.5	Min	I	-167.4	-29.0	-1.0	-277.4
-249.9	-14350.5		J	-167.4	-29.0	-1.0	-277.4
215.4	22059.4	C3-C4;~2 Max	I	53.9	43.8	0.5	487.9
544.9	2446.4		J	53.9	43.8	0.5	487.9
-460.7	-5452.6	Min	I	-165.9	-9.5	-1.2	-102.2
-181.3	-14139.4		J	-165.9	-9.5	-1.2	-102.2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-79.0	-5083.1	G1	I	-145.7	-8.6	-0.8	-60.7	
			J	-145.7	-8.6	0.7	-60.7	
-12.3	1915.5							
		G2	I	-51.2	-12.8	0.0	-102.9	
31.4	-7621.1		J	-51.2	-12.8	0.0	-102.9	
16.9	2845.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-30.7	2.5	-0.0	21.9	
-4.0	1953.0		J	-30.7	2.5	-0.0	21.9	
5.0	-117.8							
		Q5_pc Y	I	-82.4	0.1	0.1	-3.5	
38.4	718.7		J	-82.4	0.1	0.1	-3.5	
-49.8	609.6							
		Q5_ps X	I	-30.6	4.2	-0.0	35.5	
-8.2	2937.1		J	-30.6	4.2	-0.0	35.5	
9.0	-509.6							
		Q5_ps Y	I	-77.6	-0.1	0.1	-5.1	
34.7	522.9		J	-77.6	-0.1	0.1	-5.1	
-45.6	631.0							
		INVSLE Max	I	-2295.7	-0.8	0.2	-820.0	
640.2	-16650.7		J	-2295.7	-0.8	2.3	-820.0	
1452.4	30415.5							
		Min	I	-2982.2	-172.4	-4.2	-2512.7	-
1136.1	-110677.4		J	-2982.2	-172.4	-2.2	-2512.7	
-377.4	-16799.3							
		INVSLE Max	I	-1799.7	-5.0	0.1	-637.8	
462.1	-15265.3		J	-1799.7	-5.0	1.6	-637.8	
1087.7	23096.1							
		Min	I	-2297.3	-131.7	-3.1	-1888.7	
-848.5	-84654.4		J	-2297.3	-131.7	-1.6	-1888.7	
-261.1	-11796.5							
5346	2	67 C1-C2;~1 Max	I	96.0	10.3	1.4	399.6	
630.9	12486.3		J	96.0	10.3	1.4	399.6	
641.3	5616.2							
		Min	I	-272.8	-17.3	-1.4	-313.2	
-504.9	-21678.2		J	-272.8	-17.3	-1.4	-313.2	
-494.9	-10764.5							
		C3-C4;~1 Max	I	103.3	4.9	1.5	391.4	
678.7	4942.5		J	103.3	4.9	1.5	391.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
657.5	2806.6		Min	I	-265.4	-17.4	-1.4	-290.6
-489.0	-20983.9			J	-265.4	-17.4	-1.4	-290.6
-520.4	-10865.2							
		C1-C2;~2	Max	I	47.3	6.0	0.8	266.7
382.8	7444.2			J	47.3	6.0	0.8	266.7
393.8	3459.0		Min	I	-158.0	-11.4	-0.8	-207.7
-303.7	-14353.2			J	-158.0	-11.4	-0.8	-207.7
-289.3	-7346.6							
		C3-C4;~2	Max	I	50.5	2.5	0.9	261.4
423.8	2445.4			J	50.5	2.5	0.9	261.4
412.1	1555.2		Min	I	-151.7	-11.6	-0.9	-187.7
-298.1	-14142.5			J	-151.7	-11.6	-0.9	-187.7
-313.9	-7488.2							
		G1		I	-137.8	1.7	-0.7	-15.0
-2.0	1914.1			J	-137.8	1.7	0.8	-15.0
-73.2	559.4							
		G2		I	-49.8	2.4	0.0	-20.4
33.9	2845.3			J	-49.8	2.4	0.0	-20.4
15.8	916.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-30.8	-0.5	0.0	5.3
2.5	-117.8			J	-30.8	-0.5	0.0	5.3
-0.6	255.1							
		Q5_pc	Y	I	-85.2	-0.1	0.1	-3.2
23.2	610.7			J	-85.2	-0.1	0.1	-3.2
-42.1	689.1							
		Q5_ps	X	I	-30.4	-0.8	0.0	8.0
2.5	-509.6			J	-30.4	-0.8	0.0	8.0
-0.1	105.3							
		Q5_ps	Y	I	-80.3	-0.0	0.1	-3.1
19.6	632.0			J	-80.3	-0.0	0.1	-3.1
-37.8	667.2							
		INVSLU	Max	I	-2304.9	-4.9	1.1	-456.5
1092.6	30432.6			J	-2304.9	-4.9	3.1	-456.5
998.8	36901.1		Min	I	-2965.9	-43.1	-2.9	-1428.2
-547.0	-16788.7			J	-2965.9	-43.1	-0.9	-1428.2

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-667.2	13410.7							
		INVSLE Max	I	-1807.0	-3.8	0.8	-354.1	
812.8	23109.5		J	-1807.0	-3.8	2.3	-354.1	
739.9	28005.4							
		Min	I	-2285.3	-32.0	-2.1	-1073.2	
-398.7	-11787.8		J	-2285.3	-32.0	-0.6	-1073.2	
-488.5	10697.0							
5347	2	67 C1-C2;~1 Max	I	93.7	7.1	1.5	345.5	
669.7	5615.3		J	93.7	7.1	1.5	345.5	
608.3	5581.6							
		Min	I	-260.4	-7.0	-1.3	-357.4	
-459.4	-10762.6		J	-260.4	-7.0	-1.3	-357.4	
-535.6	-10789.6							
		C3-C4;~1 Max	I	99.3	7.3	1.5	329.9	
687.8	2806.6		J	99.3	7.3	1.5	329.9	
649.0	2807.7							
		Min	I	-253.6	-7.3	-1.4	-341.6	
-470.9	-10863.5		J	-253.6	-7.3	-1.4	-341.6	
-543.1	-10891.7							
		C1-C2;~2 Max	I	46.6	4.9	0.9	230.4	
406.8	3458.4		J	46.6	4.9	0.9	230.4	
372.9	3438.3							
		Min	I	-150.8	-4.8	-0.8	-237.4	
-275.0	-7345.3		J	-150.8	-4.8	-0.8	-237.4	
-314.2	-7360.2							
		C3-C4;~2 Max	I	48.8	4.9	0.9	217.1	
427.5	1555.3		J	48.8	4.9	0.9	217.1	
408.4	1559.6							
		Min	I	-145.0	-4.9	-0.9	-225.0	
-288.7	-7487.1		J	-145.0	-4.9	-0.9	-225.0	
-326.7	-7504.2							
		G1	I	-131.0	0.1	-0.6	-7.6	
41.2	559.2		J	-131.0	0.1	0.9	-7.6	
-112.0	515.5							
		G2	I	-47.2	0.0	0.1	-3.4	
54.0	915.7		J	-47.2	0.0	0.1	-3.4	
-1.6	901.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-30.8	0.0	0.0	1.7	
2.4	255.1		J	-30.8	0.0	0.0	1.7	
-0.9	248.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

22.7	688.9	Q5_pc	Y	I	-86.1	0.0	0.1	-1.8
-44.2	673.4			J	-86.1	0.0	0.1	-1.8
2.7	105.4	Q5_ps	X	I	-30.5	0.0	0.0	1.9
-0.8	95.2			J	-30.5	0.0	0.0	1.9
19.2	666.9	Q5_ps	Y	I	-81.2	0.0	0.1	-1.5
-39.7	645.1			J	-81.2	0.0	0.1	-1.5
1082.2	36891.9	INVSLU	Max	I	-2288.3	8.9	1.2	440.0
967.1	37597.9			J	-2288.3	8.9	3.2	440.0
-522.8	13405.6		Min	I	-2928.8	-10.8	-2.8	-512.2
-721.8	14146.8			J	-2928.8	-10.8	-0.8	-512.2
804.2	27998.2	INVSLE	Max	I	-1794.9	6.6	0.9	326.0
716.0	28532.1			J	-1794.9	6.6	2.4	326.0
-381.7	10692.8		Min	I	-2257.9	-8.0	-2.1	-379.1
-529.1	11250.7			J	-2257.9	-8.0	-0.6	-379.1
5348	2	67 C1-C2;~1	Max	I	98.4	17.4	1.6	302.2
705.0	5582.6			J	98.4	17.4	1.6	302.2
567.5	12446.3		Min	I	-267.9	-10.0	-1.2	-413.3
-420.3	-10791.5			J	-267.9	-10.0	-1.2	-413.3
-583.5	-21849.5							
698.6	2807.7	C3-C4;~1	Max	I	103.7	17.5	1.5	279.2
637.4	4933.3			J	103.7	17.5	1.5	279.2
-453.6	-10893.4		Min	I	-260.4	-4.8	-1.3	-404.0
-561.3	-21136.8			J	-260.4	-4.8	-1.3	-404.0
428.8	3438.9	C1-C2;~2	Max	I	49.3	11.5	0.9	201.0
347.4	7436.8			J	49.3	11.5	0.9	201.0
-250.4	-7361.4		Min	I	-155.5	-5.9	-0.7	-274.6
-344.6	-14448.3			J	-155.5	-5.9	-0.7	-274.6
432.5	1559.5	C3-C4;~2	Max	I	51.5	11.7	0.9	179.8
402.8	2447.3			J	51.5	11.7	0.9	179.8
			Min	I	-149.2	-2.5	-0.8	-269.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-279.2	-7505.4		J	-149.2	-2.5	-0.8	-269.5
-336.0	-14228.4						
		G1	I	-132.0	-1.4	-0.5	-0.7
78.8	515.7		J	-132.0	-1.4	1.0	-0.7
-157.2	1686.9						
		G2	I	-47.5	-2.3	0.1	13.3
71.1	902.0		J	-47.5	-2.3	0.1	13.3
-22.5	2774.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-30.5	0.5	0.0	-1.9
2.9	248.1		J	-30.5	0.5	0.0	-1.9
-1.3	-145.2						
		Q5_pc Y	I	-83.7	0.2	0.1	-0.6
22.9	673.7		J	-83.7	0.2	0.1	-0.6
-43.0	517.9						
		Q5_ps X	I	-30.1	0.8	0.0	-4.3
3.4	95.2		J	-30.1	0.8	0.0	-4.3
-1.3	-552.2						
		Q5_ps Y	I	-78.8	0.2	0.1	-0.2
19.4	645.4		J	-78.8	0.2	0.1	-0.2
-38.5	509.9						
		INVSLU Max	I	-2248.9	41.5	1.3	1349.4
1144.5	37607.1		J	-2248.9	41.5	3.4	1349.4
950.9	32498.0						
		Min	I	-2901.2	3.5	-2.7	380.0
-460.8	14151.7		J	-2901.2	3.5	-0.7	380.0
-774.7	-14733.5						
		INVSLE Max	I	-1765.0	30.8	1.0	1015.7
850.6	28539.3		J	-1765.0	30.8	2.5	1015.7
704.7	24670.1						
		Min	I	-2237.0	2.7	-2.0	297.8
-335.5	11254.7		J	-2237.0	2.7	-0.5	297.8
-567.8	-10247.1						
		67 C1-C2;~1 Max	I	103.9	49.4	1.8	448.4
5349	2		J	103.9	49.4	1.8	448.4
816.1	12447.0						
		Min	I	-278.1	-74.9	-1.0	-772.5
468.7	39487.1		J	-278.1	-74.9	-1.0	-772.5
-360.9	-21845.6						
-694.6	-27879.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
895.3	4935.1	C3-C4;~1	Max	I	109.2	20.1	2.1	174.0
				J	109.2	20.1	2.1	174.0
337.4	35289.7		Min	I	-277.2	-68.3	-0.7	-740.4
-259.8	-21132.7			J	-277.2	-68.3	-0.7	-740.4
-787.0	-11677.2							
503.8	7437.1	C1-C2;~2	Max	I	52.5	28.8	1.1	270.5
				J	52.5	28.8	1.1	270.5
280.2	24578.5		Min	I	-161.8	-47.6	-0.6	-507.3
-210.2	-14445.6			J	-161.8	-47.6	-0.6	-507.3
-418.2	-16099.2							
565.5	2448.3	C3-C4;~2	Max	I	54.7	9.7	1.3	89.0
				J	54.7	9.7	1.3	89.0
191.0	22237.5		Min	I	-159.6	-44.2	-0.4	-495.1
-142.6	-14225.4			J	-159.6	-44.2	-0.4	-495.1
-488.8	-5632.7							
137.5	1688.4	G1		I	-135.2	7.6	-0.3	39.1
				J	-135.2	7.6	1.2	39.1
-235.9	-4482.4							
71.4	2774.3	G2		I	-47.1	12.5	0.1	94.1
				J	-47.1	12.5	0.1	94.1
-25.8	-7431.2							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
8.7	-145.3	Q5_pc	X	I	-29.7	-2.6	0.0	-18.7
				J	-29.7	-2.6	0.0	-18.7
-8.1	1945.7							
16.6	516.8	Q5_pc	Y	I	-80.1	-0.5	0.1	-2.5
				J	-80.1	-0.5	0.1	-2.5
-30.9	904.5							
12.8	-552.1	Q5_ps	X	I	-29.7	-4.3	0.0	-32.4
				J	-29.7	-4.3	0.0	-32.4
-12.4	2976.8							
13.2	508.9	Q5_ps	Y	I	-75.5	-0.4	0.0	-1.3
				J	-75.5	-0.4	0.0	-1.3
-26.9	798.1							
1565.9	32482.5	INVSLU	Max	I	-2164.5	171.1	2.6	2407.8
				J	-2164.5	171.1	4.6	2407.8
364.7	-12916.6							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-159.8	-14742.8		Min	I	-2831.5	-1.4	-1.7	725.8	
				J	-2831.5	-1.4	0.4	725.8	-
1386.3	-107363.9								
		INVSLE	Max	I	-1701.4	130.9	2.0	1812.6	
1176.2	24657.9			J	-1701.4	130.9	3.5	1812.6	
255.8	-12639.6								
			Min	I	-2184.8	3.5	-1.2	569.3	
-100.0	-10254.9			J	-2184.8	3.5	0.3	569.3	-
1037.1	-82341.1								
5350	2	67	C1-C2;~1	Max	I	105.0	74.9	1.4	765.7
628.6	39496.2			J	105.0	74.9	1.4	765.7	
666.8	12222.8								
			Min	I	-276.9	-48.9	-1.4	-465.8	
-534.4	-27830.5			J	-276.9	-48.9	-1.4	-465.8	
-542.4	-21807.6								
		C3-C4;~1	Max	I	109.7	68.3	1.1	736.4	
454.8	35285.4			J	109.7	68.3	1.1	736.4	
784.7	4756.1								
			Min	I	-275.3	-19.8	-1.8	-213.5	
-662.8	-11634.6			J	-275.3	-19.8	-1.8	-213.5	
-420.8	-21123.7								
		C1-C2;~2	Max	I	53.5	47.7	0.8	500.3	
368.3	24583.6			J	53.5	47.7	0.8	500.3	
418.4	7283.4								
			Min	I	-161.4	-28.5	-0.9	-279.0	
-330.2	-16065.8			J	-161.4	-28.5	-0.9	-279.0	
-308.1	-14428.5								
		C3-C4;~2	Max	I	55.4	44.3	0.6	488.5	
252.2	22233.3			J	55.4	44.3	0.6	488.5	
505.1	2324.4								
			Min	I	-158.7	-9.6	-1.1	-111.5	
-424.3	-5605.0			J	-158.7	-9.6	-1.1	-111.5	
-229.3	-14226.0								
		G1		I	-132.0	-7.5	-0.4	-66.6	
88.1	-4447.6			J	-132.0	-7.5	1.1	-66.6	
-192.6	1659.7								
		G2		I	-45.8	-12.5	0.2	-106.3	
93.7	-7417.4			J	-45.8	-12.5	0.2	-106.3	
-50.4	2754.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-28.7	2.6	-0.0	22.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.3	1942.7			J	-28.7	2.6	-0.0 22.8
6.3	-176.8						
54.6	913.9	Q5_pc	Y	I	-79.8	0.5	0.2 1.9
-70.8	485.5			J	-79.8	0.5	0.2 1.9
-7.2	2973.6	Q5_ps	X	I	-28.8	4.4	-0.0 37.4
8.0	-582.0			J	-28.8	4.4	-0.0 37.4
49.5	807.2	Q5_ps	Y	I	-75.3	0.4	0.1 1.4
-64.9	477.0			J	-75.3	0.4	0.1 1.4
959.0	-12862.1	INVSLU	Max	I	-2075.6	5.0	1.0 -501.4
1199.2	29283.8			J	-2075.6	5.0	3.1 -501.4
-882.5	-107250.1		Min	I	-2741.2	-166.9	-3.6 -2205.0
-719.7	-17531.3			J	-2741.2	-166.9	-1.5 -2205.0
700.7	-12598.6	INVSLE	Max	I	-1635.3	-0.9	0.7 -404.1
894.2	22333.5			J	-1635.3	-0.9	2.2 -404.1
-656.1	-82256.6		Min	I	-2117.7	-127.9	-2.7 -1663.0
-517.8	-12279.6			J	-2117.7	-127.9	-1.1 -1663.0
5351	2	67 C1-C2;~1	Max	I	103.0	9.9	1.7 400.4
736.8	12222.0			J	103.0	9.9	1.7 400.4
539.6	5778.3		Min	I	-263.9	-17.1	-1.2 -329.1
-415.8	-21811.4			J	-263.9	-17.1	-1.2 -329.1
-621.3	-11425.1						
762.3	4754.0	C3-C4;~1	Max	I	106.8	5.3	1.7 394.1
576.6	2762.6			J	106.8	5.3	1.7 394.1
-417.8	-21127.8		Min	I	-253.2	-17.3	-1.2 -305.5
-629.4	-11461.3			J	-253.2	-17.3	-1.2 -305.5
442.6	7282.9	C1-C2;~2	Max	I	52.9	5.8	1.0 266.6
332.0	3537.7			J	52.9	5.8	1.0 266.6
-252.0	-14431.2		Min	I	-153.6	-11.3	-0.7 -215.9
-360.4	-7773.9			J	-153.6	-11.3	-0.7 -215.9
469.5	2323.1	C3-C4;~2	Max	I	54.4	2.9	1.0 262.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
363.4	1499.5		J	54.4	2.9	1.0	262.0
		Min	I	-145.1	-11.6	-0.8	-196.1
-257.3	-14229.1		J	-145.1	-11.6	-0.8	-196.1
-374.3	-7878.5						
		G1	I	-123.0	1.4	-0.2	-27.0
167.7	1658.2		J	-123.0	1.4	1.3	-27.0
-266.1	514.9						
		G2	I	-43.8	2.2	0.2	-25.8
96.9	2754.8		J	-43.8	2.2	0.2	-25.8
-55.9	990.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-28.1	-0.4	0.0	5.9
3.2	-176.7		J	-28.1	-0.4	0.0	5.9
-1.5	186.7						
		Q5_pc Y	I	-83.0	-0.2	0.1	-0.1
44.4	486.9		J	-83.0	-0.2	0.1	-0.1
-70.3	629.8						
		Q5_ps X	I	-28.0	-0.7	0.0	9.1
5.7	-582.0		J	-28.0	-0.7	0.0	9.1
-3.5	16.3						
		Q5_ps Y	I	-78.4	-0.1	0.1	0.0
39.6	478.3		J	-78.4	-0.1	0.1	0.0
-64.2	598.1						
		INVSLU Max	I	-2010.1	-3.1	1.9	-228.1
1349.1	29301.4		J	-2010.1	-3.1	4.0	-228.1
682.5	34444.1						
		Min	I	-2659.9	-40.5	-2.2	-1223.4
-323.9	-17520.0		J	-2659.9	-40.5	-0.2	-1223.4
1072.0	10037.1						
		INVSLE Max	I	-1587.6	-2.6	1.4	-186.3
1008.3	22347.4		J	-1587.6	-2.6	2.9	-186.3
494.5	26337.0						
		Min	I	-2057.8	-30.2	-1.6	-922.8
-225.1	-12270.3		J	-2057.8	-30.2	-0.1	-922.8
-795.8	8341.7						
		67 C1-C2;~1 Max	I	106.7	12.3	1.9	329.1
5352	2		J	106.7	12.3	1.9	329.1
809.7	5779.5						
		Min	I	-266.2	-8.0	-1.0	-368.8
456.6	8424.7						
-336.4	-11423.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-715.0	-16780.6		J	-266.2	-8.0	-1.0	-368.8
800.7	2764.0	C3-C4;~1 Max	I	109.9	13.4	1.8	315.7
512.1	4150.5		J	109.9	13.4	1.8	315.7
-362.4	-11459.3	Min	I	-255.3	-7.8	-1.1	-351.9
-688.4	-16889.0		J	-255.3	-7.8	-1.1	-351.9
490.6	3538.5	C1-C2;~2 Max	I	55.3	8.4	1.1	220.2
277.6	5172.2		J	55.3	8.4	1.1	220.2
-200.1	-7772.7	Min	I	-155.4	-5.4	-0.6	-244.1
-421.9	-11389.6		J	-155.4	-5.4	-0.6	-244.1
493.8	1500.3	C3-C4;~2 Max	I	56.5	9.2	1.1	207.8
321.9	2285.3		J	56.5	9.2	1.1	207.8
-222.5	-7877.0	Min	I	-146.8	-5.1	-0.7	-231.9
-411.5	-11594.9		J	-146.8	-5.1	-0.7	-231.9
232.5	515.8	G1	I	-119.2	-0.1	-0.0	-19.3
-344.5	593.0		J	-119.2	-0.1	1.5	-19.3
124.8	990.6	G2	I	-42.1	-0.5	0.3	-6.6
-87.6	1400.2		J	-42.1	-0.5	0.3	-6.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.5	186.7	Q5_pc X	I	-28.5	-0.1	0.0	2.0
-6.3	249.4		J	-28.5	-0.1	0.0	2.0
53.1	628.9	Q5_pc Y	I	-86.6	-0.3	0.2	1.2
-87.7	898.8		J	-86.6	-0.3	0.2	1.2
8.5	16.3	Q5_ps X	I	-28.5	0.0	0.0	2.2
-9.0	-3.7		J	-28.5	0.0	0.0	2.2
47.9	597.3	Q5_ps Y	I	-81.8	-0.3	0.2	1.3
-80.6	843.4		J	-81.8	-0.3	0.2	1.3
		INVSLU Max	I	-1968.0	12.4	2.6	474.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1503.9	34435.5		J	-1968.0	12.4	4.6	474.1
384.2	43062.9	Min	I	-2631.7	-17.0	-1.7	-471.7
-174.0	10031.0		J	-2631.7	-17.0	0.3	-471.7
1430.3	7271.5						-
		INVSLE Max	I	-1559.3	8.8	1.9	351.1
1130.0	26330.0		J	-1559.3	8.8	3.4	351.1
256.9	32994.3	Min	I	-2039.4	-12.9	-1.2	-349.2
-105.8	8336.5		J	-2039.4	-12.9	0.3	-349.2
1075.5	6602.0						-
5353	2	69 C1-C2;~1 Max	I	127.1	16.4	2.4	411.2
1073.2	8413.1		J	127.1	16.4	2.4	411.2
510.7	13417.7	Min	I	-303.2	-8.9	-1.0	-574.4
-326.5	-16781.7		J	-303.2	-8.9	-1.0	-574.4
-928.8	-26902.5						
		C3-C4;~1 Max	I	130.8	17.6	2.3	346.5
1033.9	4139.4		J	130.8	17.6	2.3	346.5
628.4	6220.3	Min	I	-289.9	-5.9	-1.2	-560.9
-399.4	-16893.2		J	-289.9	-5.9	-1.2	-560.9
-870.2	-27159.3						
		C1-C2;~2 Max	I	66.4	11.1	1.5	255.3
655.3	5165.4		J	66.4	11.1	1.5	255.3
309.1	8144.0	Min	I	-177.3	-5.4	-0.6	-379.9
-189.9	-11391.2		J	-177.3	-5.4	-0.6	-379.9
-549.6	-18153.9						
		C3-C4;~2 Max	I	67.9	12.1	1.4	222.3
639.9	2278.9		J	67.9	12.1	1.4	222.3
398.4	3304.7	Min	I	-167.0	-3.5	-0.8	-374.0
-246.7	-11599.0		J	-167.0	-3.5	-0.8	-374.0
-519.2	-18563.9						
		G1	I	-127.2	-0.6	0.0	-18.3
345.7	586.8		J	-127.2	-0.6	2.0	-18.3
-483.8	1051.7						
		G2	I	-44.6	-1.3	0.4	15.4
182.8	1398.0		J	-44.6	-1.3	0.4	15.4
-131.3	2442.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
11.6	249.9	Q5_pc X	I	-30.2	0.0	0.0	-2.1	
-6.1	233.9		J	-30.2	0.0	0.0	-2.1	
80.6	903.5	Q5_pc Y	I	-91.0	-0.2	0.2	3.9	
-102.8	1107.2		J	-91.0	-0.2	0.2	3.9	
15.8	-3.3	Q5_ps X	I	-30.3	0.2	0.0	-5.9	
-9.7	-184.6		J	-30.3	0.2	0.0	-5.9	
73.3	847.8	Q5_ps Y	I	-85.9	-0.2	0.2	3.8	
-94.3	1033.2		J	-85.9	-0.2	0.2	3.8	
2109.2	43076.1	INVS LU Max	I	-1942.9	38.2	3.3	1356.1	
602.8	38453.4		J	-1942.9	38.2	6.0	1356.1	
-23.9	7286.4	Min	I	-2692.7	2.0	-2.1	18.6	
1684.4	-18318.4		J	-2692.7	2.0	0.6	18.6	-
1591.2	33005.8	INVS LE Max	I	-1546.8	28.5	2.5	1024.1	
427.4	29390.5		J	-1546.8	28.5	4.5	1024.1	
21.8	6615.4	Min	I	-2090.1	1.7	-1.5	33.9	
1253.1	-12515.1		J	-2090.1	1.7	0.5	33.9	-
5354	2	69 C1-C2;~1 Max	I	143.8	65.3	2.7	516.5	
1177.1	13420.7		J	143.8	65.3	2.7	516.5	
438.3	57691.3	Min	I	-325.2	-101.9	-0.9	-957.6	
-314.9	-26897.5		J	-325.2	-101.9	-0.9	-957.6	-
1049.6	-40557.2							
1258.2	6224.6	C3-C4;~1 Max	I	147.5	27.2	3.0	209.1	
306.2	50417.1		J	147.5	27.2	3.0	209.1	
-222.7	-27153.6	Min	I	-319.1	-92.9	-0.6	-921.1	
1150.3	-17751.0		J	-319.1	-92.9	-0.6	-921.1	-
722.6	8145.8	C1-C2;~2 Max	I	75.6	38.1	1.6	312.0	
259.3	35516.4		J	75.6	38.1	1.6	312.0	
-180.6	-18150.3	Min	I	-190.5	-64.5	-0.5	-629.0	
-628.8	-23370.9		J	-190.5	-64.5	-0.5	-629.0	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

788.3	3307.2	C3-C4; ~2	Max	I	77.3	13.2	1.8	109.7	
				J	77.3	13.2	1.8	109.7	
168.4	31305.9		Min	I	-184.9	-59.8	-0.3	-615.9	
-118.6	-18559.5			J	-184.9	-59.8	-0.3	-615.9	
-707.6	-8612.6								
		G1		I	-127.9	7.3	0.2	8.0	
388.7	1054.1			J	-127.9	7.3	2.2	8.0	
-559.7	-4915.1								
		G2		I	-42.8	15.8	0.4	95.9	
168.6	2442.5			J	-42.8	15.8	0.4	95.9	
-123.4	-10418.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-29.3	-3.3	0.0	-19.8	
12.6	233.9			J	-29.3	-3.3	0.0	-19.8	
-11.0	2914.9								
		Q5_pc	Y	I	-89.5	-0.5	0.2	2.1	
56.8	1105.2			J	-89.5	-0.5	0.2	2.1	
-78.8	1542.5								
		Q5_ps	X	I	-29.9	-5.8	0.1	-36.0	
21.6	-184.3			J	-29.9	-5.8	0.1	-36.0	
-20.4	4507.7								
		Q5_ps	Y	I	-84.5	-0.6	0.2	1.7	
51.0	1031.3			J	-84.5	-0.6	0.2	1.7	
-71.8	1508.5								
		INVSLE	Max	I	-1803.5	196.1	3.9	2112.0	
2182.8	38440.1			J	-1803.5	196.1	6.7	2112.0	
150.9	14244.1		Min	I	-2602.7	-35.5	-1.6	86.3	
-43.0	-18324.5			J	-2602.7	-35.5	1.1	86.3	-
2135.4	-123638.1								
		INVSLE	Max	I	-1444.7	150.3	2.9	1594.2	
1634.0	29379.6			J	-1444.7	150.3	5.0	1594.2	
97.6	7045.8		Min	I	-2024.8	-20.8	-1.1	96.3	
-7.2	-12520.9			J	-2024.8	-20.8	0.9	96.3	-
1585.5	-94700.6								
5355	2	69	C1-C2; ~1	Max	I	153.8	105.9	2.3	998.2
989.8	57688.7			J	153.8	105.9	2.3	998.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
593.2	14678.1		Min	I	-333.5	-66.9	-1.2	-590.1
-455.8	-40525.6			J	-333.5	-66.9	-1.2	-590.1
-900.7	-29339.2							
		C3-C4;~1	Max	I	156.9	96.5	1.7	967.4
703.7	50406.6			J	156.9	96.5	1.7	967.4
795.8	7201.7		Min	I	-324.8	-28.0	-1.8	-311.4
-671.2	-17705.6			J	-324.8	-28.0	-1.8	-311.4
-677.8	-29464.8							
		C1-C2;~2	Max	I	81.6	67.2	1.4	655.2
583.6	35512.6			J	81.6	67.2	1.4	655.2
370.6	8875.1		Min	I	-195.9	-39.1	-0.8	-356.3
-283.2	-23356.0			J	-195.9	-39.1	-0.8	-356.3
-518.6	-19728.1							
		C3-C4;~2	Max	I	83.0	62.2	0.9	642.2
393.9	31297.4			J	83.0	62.2	0.9	642.2
517.8	3885.5		Min	I	-188.6	-13.6	-1.2	-158.4
-435.9	-8588.5			J	-188.6	-13.6	-1.2	-158.4
-373.5	-20061.7							
		G1		I	-120.1	-7.2	0.1	-76.8
369.7	-4845.6			J	-120.1	-7.2	2.1	-76.8
-556.9	1032.5							
		G2		I	-39.6	-16.1	0.5	-126.6
217.6	-10390.9			J	-39.6	-16.1	0.5	-126.6
-178.6	2708.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-26.7	3.4	-0.0	26.9
-13.2	2910.2			J	-26.7	3.4	-0.0	26.9
15.4	155.8							
		Q5_pc	Y	I	-89.6	0.6	0.3	4.4
95.1	1547.7			J	-89.6	0.6	0.3	4.4
-120.8	1097.3							
		Q5_ps	X	I	-27.7	5.9	-0.0	45.1
-11.2	4502.6			J	-27.7	5.9	-0.0	45.1
12.9	-318.5							
		Q5_ps	Y	I	-84.7	0.6	0.2	5.1
86.9	1513.4			J	-84.7	0.6	0.2	5.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-111.3	1016.5							
		INVSLE Max	I	-1598.4	37.9	1.9	194.1	
1431.7	14314.9		J	-1598.4	37.9	4.6	194.1	
1265.9	42674.3							
		Min	I	-2421.8	-201.4	-4.1	-1998.5	
-982.0	-123512.7		J	-2421.8	-201.4	-1.4	-1998.5	-
1241.9	-18893.7							
		INVSLE Max	I	-1291.1	21.6	1.3	105.4	
1028.9	7097.4		J	-1291.1	21.6	3.3	105.4	
965.6	33331.8							
		Min	I	-1889.1	-155.2	-3.1	-1515.1	
-746.4	-94609.1		J	-1889.1	-155.2	-1.1	-1515.1	
-875.9	-12127.9							
5356	2	69 C1-C2;~1 Max	I	166.1	10.4	2.7	580.6	
1145.6	14678.2		J	166.1	10.4	2.7	580.6	
355.6	13471.2							
		Min	I	-341.3	-12.8	-0.7	-446.5	
-246.4	-29344.8		J	-341.3	-12.8	-0.7	-446.5	-
1041.7	-26761.9							
		C3-C4;~1 Max	I	168.0	10.7	2.6	589.2	
1120.2	7200.0		J	168.0	10.7	2.6	589.2	
453.5	6750.4							
		Min	I	-318.6	-14.1	-0.9	-389.8	
-319.7	-29470.4		J	-318.6	-14.1	-0.9	-389.8	
-978.5	-26444.6							
		C1-C2;~2 Max	I	88.8	7.2	1.6	389.0	
697.0	8875.1		J	88.8	7.2	1.6	389.0	
211.7	8176.6							
		Min	I	-200.8	-8.8	-0.4	-290.5	
-141.0	-19731.9		J	-200.8	-8.8	-0.4	-290.5	
-620.4	-17997.1							
		C3-C4;~2 Max	I	89.7	7.2	1.6	395.7	
693.5	3884.4		J	89.7	7.2	1.6	395.7	
286.3	3681.6							
		Min	I	-184.5	-9.7	-0.6	-245.9	
-197.4	-20065.7		J	-184.5	-9.7	-0.6	-245.9	
-588.5	-17968.8							
		G1	I	-108.0	0.4	0.4	-49.3	
466.8	1031.7		J	-108.0	0.4	2.4	-49.3	
-662.3	665.9							
		G2	I	-36.2	0.4	0.5	-42.5	
216.3	2708.9		J	-36.2	0.4	0.5	-42.5	
-186.0	2374.1							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-24.4	-0.0	-0.0	9.3	
-2.2	155.8			J	-24.4	-0.0	-0.0	9.3	
6.0	188.3								
			Q5_pc Y	I	-94.2	-0.1	0.3	3.9	
88.4	1098.7			J	-94.2	-0.1	0.3	3.9	
-126.5	1217.9								
			Q5_ps X	I	-25.5	-0.1	0.0	14.6	
6.7	-318.7			J	-25.5	-0.1	0.0	14.6	
-2.7	-260.7								
			Q5_ps Y	I	-89.0	-0.1	0.2	4.1	
80.6	1017.8			J	-89.0	-0.1	0.2	4.1	
-116.7	1125.8								
			INVSLE Max	I	-1372.1	-6.5	2.3	98.6	
1538.2	42693.2			J	-1372.1	-6.5	5.0	98.6	
799.3	58367.2		Min	I	-2229.3	-40.2	-3.1	-1316.3	
-599.0	-18885.1			J	-2229.3	-40.2	-0.4	-1316.3	-
1447.1	1860.3								
			INVSLE Max	I	-1119.5	-5.9	1.6	47.7	
1104.8	33346.6			J	-1119.5	-5.9	3.6	47.7	
626.3	45832.4		Min	I	-1741.9	-30.9	-2.3	-999.1	
-466.5	-12120.4			J	-1741.9	-30.9	-0.3	-999.1	-
1020.8	4137.8								
		69	C1-C2;~1 Max	I	193.6	16.2	3.1	505.6	
5357	2			J	193.6	16.2	3.1	505.6	
1321.2	13469.5		Min	I	-380.5	-13.3	-0.3	-481.9	
155.4	14697.2			J	-380.5	-13.3	-0.3	-481.9	-
-130.8	-26759.1								
1234.7	-28377.1								
			C3-C4;~1 Max	I	196.1	17.5	2.8	503.5	
1219.7	6750.1			J	196.1	17.5	2.8	503.5	
304.3	7892.2		Min	I	-349.7	-13.4	-0.6	-446.3	
-220.7	-26442.3			J	-349.7	-13.4	-0.6	-446.3	-
1105.6	-28055.5								
			C1-C2;~2 Max	I	104.1	11.2	1.9	345.2	
817.7	8175.6			J	104.1	11.2	1.9	345.2	
83.1	9034.1		Min	I	-225.2	-9.1	-0.2	-317.1	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-66.4	-17995.4			J	-225.2	-9.1	-0.2	-317.1
-759.1	-19090.6							
		C3-C4;~2	Max	I	105.3	12.1	1.8	340.8
764.5	3681.5			J	105.3	12.1	1.8	340.8
195.3	4431.8		Min	I	-203.7	-9.0	-0.4	-291.8
-136.5	-17967.3			J	-203.7	-9.0	-0.4	-291.8
-683.3	-19043.0							
		G1		I	-99.9	0.3	0.6	-43.7
563.2	665.8			J	-99.9	0.3	2.7	-43.7
-781.7	432.4							
		G2		I	-32.3	0.1	0.6	-16.0
254.4	2373.7			J	-32.3	0.1	0.6	-16.0
-230.6	2324.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-23.1	-0.1	-0.0	3.9
-3.3	188.4			J	-23.1	-0.1	-0.0	3.9
5.2	272.5							
		Q5_pc	Y	I	-100.8	-0.2	0.3	6.6
111.7	1217.6			J	-100.8	-0.2	0.3	6.6
-161.5	1360.5							
		Q5_ps	X	I	-24.9	-0.1	0.0	4.5
8.0	-260.5			J	-24.9	-0.1	0.0	4.5
-6.5	-188.8							
		Q5_ps	Y	I	-95.2	-0.2	0.3	6.3
102.6	1125.6			J	-95.2	-0.2	0.3	6.3
-149.7	1252.4							
		INVSLU	Max	I	-1094.3	27.0	2.1	406.5
1458.4	58358.3			J	-1094.3	27.0	4.8	406.5
974.1	57589.2		Min	I	-2054.1	-15.2	-3.5	-938.6
-824.2	1858.0			J	-2054.1	-15.2	-0.8	-938.6
1394.3	-3009.9							
		INVSLE	Max	I	-905.6	20.5	1.4	290.3
1014.5	45825.4			J	-905.6	20.5	3.4	290.3
787.2	44800.9		Min	I	-1603.2	-10.7	-2.8	-705.1
-661.4	4135.7			J	-1603.2	-10.7	-0.8	-705.1
-945.6	94.1							


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5358	2	69	C1-C2;~1	Max	I	260.4	30.9	4.5	462.4
1831.3	14700.3				J	260.4	30.9	4.5	462.4
340.2	30416.4			Min	I	-490.0	-28.3	-0.8	-591.9
-332.9	-28380.3				J	-490.0	-28.3	-0.8	-591.9
1851.5	-44433.8								-
			C3-C4;~1	Max	I	265.6	32.8	4.0	442.1
1628.3	7893.8				J	265.6	32.8	4.0	442.1
383.2	28369.4			Min	I	-445.1	-27.7	-0.9	-564.1
-358.1	-28057.9				J	-445.1	-27.7	-0.9	-564.1
1596.5	-47044.0								-
			C1-C2;~2	Max	I	140.0	21.8	2.7	318.1
1120.8	9035.9				J	140.0	21.8	2.7	318.1
175.2	20741.4			Min	I	-290.7	-19.5	-0.4	-391.2
-171.4	-19092.7				J	-290.7	-19.5	-0.4	-391.2
1132.0	-30444.9								-
			C3-C4;~2	Max	I	142.7	22.9	2.4	296.3
998.8	4432.7				J	142.7	22.9	2.4	296.3
192.8	18844.4			Min	I	-260.0	-18.9	-0.4	-375.3
-179.2	-19044.5				J	-260.0	-18.9	-0.4	-375.3
-973.7	-32487.4								
			G1		I	-105.6	-0.4	1.1	-41.2
709.1	433.1				J	-105.6	-0.4	3.1	-41.2
-976.9	741.4								
			G2		I	-32.7	0.6	0.7	12.6
306.3	2325.1				J	-32.7	0.6	0.7	12.6
-300.0	1868.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-22.6	-0.7	0.0	-0.8
3.6	272.5				J	-22.6	-0.7	0.0	-0.8
-4.1	880.7								
			Q5_pc	Y	I	-110.8	-0.4	0.5	11.6
174.4	1361.2				J	-110.8	-0.4	0.5	11.6
-242.9	1709.6								
			Q5_ps	X	I	-25.4	-0.9	0.0	-5.4
18.7	-188.8				J	-25.4	-0.9	0.0	-5.4
-20.5	526.3								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
161.7	1253.1	Q5_ps Y	I	-104.6	-0.4	0.5	10.7	
			J	-104.6	-0.4	0.5	10.7	
-226.3	1605.0							
1546.5	57594.7	INVS LU Max	I	-668.7	65.7	2.2	690.6	
			J	-668.7	65.7	4.9	690.6	
2075.7	62153.7	Min	I	-1888.2	-18.1	-6.0	-753.7	-
1723.2	-3014.4		J	-1888.2	-18.1	-3.3	-753.7	-
1378.2	-45495.3							
1004.4	44804.9	INVS LE Max	I	-574.9	50.3	1.2	512.4	
			J	-574.9	50.3	3.2	512.4	
1695.8	46819.8	Min	I	-1463.5	-11.7	-4.8	-555.9	-
1394.3	90.8		J	-1463.5	-11.7	-2.8	-555.9	-
-830.3	-32692.2							
5359	2	69 C1-C2;~1 Max	I	401.9	72.8	7.9	686.9	
2978.4	30416.4		J	401.9	72.8	7.9	686.9	
1098.0	109104.8	Min	I	-743.7	-124.0	-2.4	-1113.0	
-826.1	-44430.6		J	-743.7	-124.0	-2.4	-1113.0	-
3500.9	-55402.3							
2759.7	28370.4	C3-C4;~1 Max	I	415.7	27.7	7.3	447.2	
			J	415.7	27.7	7.3	447.2	
1173.5	103473.5	Min	I	-677.9	-112.8	-2.5	-1095.2	
-879.2	-47040.6		J	-677.9	-112.8	-2.5	-1095.2	-
3223.9	-18226.3							
1819.9	20741.5	C1-C2;~2 Max	I	215.8	43.2	4.8	434.5	
			J	215.8	43.2	4.8	434.5	
581.9	71921.6	Min	I	-440.0	-78.7	-1.2	-732.3	
-437.6	-30443.0		J	-440.0	-78.7	-1.2	-732.3	-
2116.2	-33762.8							
1682.9	18845.5	C3-C4;~2 Max	I	221.8	13.2	4.4	281.6	
			J	221.8	13.2	4.4	281.6	
610.4	69151.7	Min	I	-396.3	-72.5	-1.3	-732.5	
-458.0	-32485.3		J	-396.3	-72.5	-1.3	-732.5	-
1942.9	-8580.4							
965.6	740.5	G1	I	-147.0	-0.4	1.9	-45.1	
			J	-147.0	-0.4	3.9	-45.1	-
1397.5	1100.8							
364.8	1867.9	G2	I	-42.9	15.0	0.9	78.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-405.6	-10314.1		J	-42.9	15.0	0.9	78.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
20.3	881.0	Q5_pc X	I	-20.5	-3.9	0.1	-4.3	
-23.5	4073.1		J	-20.5	-3.9	0.1	-4.3	
287.4	1707.5	Q5_pc Y	I	-136.5	1.0	0.9	32.3	
-417.1	909.5		J	-136.5	1.0	0.9	32.3	
47.4	526.7	Q5_ps X	I	-25.9	-6.9	0.1	-21.6	
-57.0	6184.0		J	-25.9	-6.9	0.1	-21.6	
268.6	1603.0	Q5_ps Y	I	-128.9	0.6	0.8	29.2	
-390.7	1122.8		J	-128.9	0.6	0.8	29.2	
1508.1	62156.2	INVS LU Max	I	187.8	160.0	1.8	1242.5	
6020.6	123076.5		J	187.8	160.0	4.5	1242.5	
4216.9	-45484.1	Min	I	-1623.1	-112.7	-13.9	-1245.5	-
1040.6	-106339.7		J	-1623.1	-112.7	-11.2	-1245.5	-
808.6	46822.2	INVS LE Max	I	98.3	121.3	0.3	923.2	
4888.5	89324.3		J	98.3	121.3	2.3	923.2	
3393.9	-32683.7	Min	I	-1224.9	-80.2	-11.2	-915.4	-
-286.4	-80070.6		J	-1224.9	-80.2	-9.2	-915.4	-
5360	2	69 C1-C2;~1 Max	I	565.4	222.4	15.7	2759.0	
6262.5	109042.9		J	565.4	222.4	15.7	2759.0	
1230.9	43451.6	Min	I	-1008.3	-99.3	-3.5	-1258.4	-
1588.6	-55405.8		J	-1008.3	-99.3	-3.5	-1258.4	-
6561.6	-79773.9	C3-C4;~1 Max	I	587.0	221.3	11.7	2854.1	
4671.7	103370.7		J	587.0	221.3	11.7	2854.1	
1652.4	33979.1	Min	I	-904.4	-31.4	-4.1	-646.6	-
1799.1	-18182.8		J	-904.4	-31.4	-4.1	-646.6	-
4837.3	-86189.3	C1-C2;~2 Max	I	302.8	151.6	9.7	1900.4	
3842.4	71873.8							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
620.6	28967.2		J	302.8	151.6	9.7	1900.4
		Min	I	-601.4	-62.2	-1.8	-798.8
-826.9	-33769.1		J	-601.4	-62.2	-1.8	-798.8
4025.1	-56090.0						-
		C3-C4;~2 Max	I	312.3	152.9	6.9	1982.6
2775.0	69075.0		J	312.3	152.9	6.9	1982.6
818.9	22395.8	Min	I	-530.9	-15.3	-2.0	-369.2
-904.8	-8555.9		J	-530.9	-15.3	-2.0	-369.2
2878.6	-60948.8						-
		G1	I	-133.3	-0.0	5.0	-56.2
2121.0	1160.9		J	-133.3	-0.0	7.0	-56.2
2785.3	1198.4						-
		G2	I	-36.3	-16.0	2.2	-174.1
815.8	-10286.5		J	-36.3	-16.0	2.2	-174.1
-953.2	2763.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-18.1	3.5	-0.4	39.9
-99.7	4065.5		J	-18.1	3.5	-0.4	39.9
189.0	1230.1						
		Q5_pc Y	I	-161.0	-4.0	1.6	-16.9
635.6	889.0		J	-161.0	-4.0	1.6	-16.9
-669.9	4140.1						
		Q5_ps X	I	-25.9	6.8	-0.2	72.9
-42.3	6174.6		J	-25.9	6.8	-0.2	72.9
115.0	616.6						
		Q5_ps Y	I	-152.2	-3.4	1.5	-11.7
592.5	1103.6		J	-152.2	-3.4	1.5	-11.7
-622.7	3850.7						
		INVSLU Max	I	1165.4	288.8	6.8	3266.1
2625.4	123293.0		J	1165.4	288.8	9.6	3266.1
8234.3	47040.8	Min	I	-1278.1	-152.6	-22.8	-2357.6
9401.8	-106030.7		J	-1278.1	-152.6	-20.1	-2357.6
4060.4	-135426.6						-
		INVSLE Max	I	863.5	213.5	3.3	2379.3
1205.2	89501.4		J	863.5	213.5	5.3	2379.3
6694.1	33161.8	Min	I	-925.0	-113.0	-18.5	-1781.1
7619.1	-79826.0						-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2323.7	-101447.3			J	-925.0	-113.0	-16.4	-1781.1	-
5361	2	69	C1-C2;~1	Max	I	628.0	119.8	18.4	2183.7
7613.0	43450.2				J	628.0	119.8	18.4	2183.7
990.0	42148.4			Min	I	-950.8	-80.2	-2.3	-1283.7
1031.5	-79781.0				J	-950.8	-80.2	-2.3	-1283.7
7406.1	-101584.9								
			C3-C4;~1	Max	I	650.1	125.1	14.3	2248.9
5967.8	33974.6				J	650.1	125.1	14.3	2248.9
1903.5	21488.5			Min	I	-856.7	-77.6	-4.4	-1130.9
1814.9	-86197.4				J	-856.7	-77.6	-4.4	-1130.9
5754.6	-106725.3								
			C1-C2;~2	Max	I	336.0	85.0	11.3	1512.9
4700.8	28966.2				J	336.0	85.0	11.3	1512.9
486.3	27321.1			Min	I	-567.2	-56.8	-1.1	-857.5
-500.6	-56095.1				J	-567.2	-56.8	-1.1	-857.5
4555.7	-71269.1								
			C3-C4;~2	Max	I	345.9	88.8	8.7	1564.6
3622.2	22392.6				J	345.9	88.8	8.7	1564.6
945.0	12780.3			Min	I	-502.3	-54.1	-2.2	-738.4
-903.0	-60954.7				J	-502.3	-54.1	-2.2	-738.4
3474.6	-75344.4								
			G1		I	-9.9	1.4	6.9	-66.3
3034.3	1197.6				J	-9.9	1.4	8.9	-66.3
3401.3	51.7								
			G2		I	10.0	-2.2	2.7	-97.8
1096.5	2764.4				J	10.0	-2.2	2.7	-97.8
1127.5	4590.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-13.6	1.7	-0.9	24.3
-312.4	1230.0				J	-13.6	1.7	-0.9	24.3
388.4	-175.3								
			Q5_pc	Y	I	-151.4	-0.4	1.3	-3.9
567.0	4141.5				J	-151.4	-0.4	1.3	-3.9
-530.2	4433.9								
			Q5_ps	X	I	-20.8	2.3	-0.6	41.8
-208.4	616.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
277.8	-1284.2		J	-20.8	2.3	-0.6	41.8	
523.7	3852.0	Q5_ps Y	I	-143.4	-0.2	1.2	-1.1	
-488.0	4033.8		J	-143.4	-0.2	1.2	-1.1	
6684.2	47054.9	INVS LU Max	I	1568.3	178.8	16.2	2687.2	
5846.5	38791.4		J	1568.3	178.8	18.9	2687.2	
7064.1	-135424.1	Min	I	-865.4	-101.6	-17.0	-2125.6	-
7675.7	-170169.0		J	-865.4	-101.6	-14.3	-2125.6	-
4416.5	33173.2	INVS LE Max	I	1164.6	132.9	10.8	1970.0	
4718.3	26532.3		J	1164.6	132.9	12.8	1970.0	
5691.8	-101444.3	Min	I	-618.0	-74.5	-13.6	-1591.7	-
5227.5	-127662.0		J	-618.0	-74.5	-11.6	-1591.7	-
5362	2	69 C1-C2;~1 Max	I	693.4	109.2	18.8	1651.0	
7608.8	42146.7		J	693.4	109.2	18.8	1651.0	
1547.0	42157.0	Min	I	-901.7	-105.7	-3.5	-1677.3	-
1302.0	-101580.4		J	-901.7	-105.7	-3.5	-1677.3	-
7700.0	-104274.5							
5799.8	21488.3	C3-C4;~1 Max	I	717.2	111.6	14.3	1655.8	
2753.1	20246.0		J	717.2	111.6	14.3	1655.8	
2415.2	-106720.9	Min	I	-811.3	-106.1	-6.3	-1614.4	-
5913.2	-109630.5		J	-811.3	-106.1	-6.3	-1614.4	-
4582.7	27320.1	C1-C2;~2 Max	I	370.3	77.4	11.2	1150.1	
765.4	27391.0		J	370.3	77.4	11.2	1150.1	
-642.3	-71266.0	Min	I	-538.1	-75.0	-1.7	-1151.5	-
4579.3	-73202.6		J	-538.1	-75.0	-1.7	-1151.5	-
3401.9	12780.2	C3-C4;~2 Max	I	381.1	78.8	8.3	1148.8	
1361.5	11938.3		J	381.1	78.8	8.3	1148.8	
1198.6	-75341.3	Min	I	-474.5	-74.9	-3.1	-1108.4	-
3415.5	-77401.1		J	-474.5	-74.9	-3.1	-1108.4	-
3329.1	51.8	G1	I	109.9	1.7	7.6	-74.3	
3688.3	-1327.3		J	109.9	1.7	9.6	-74.3	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1209.7	4590.4	G2	I	54.6	0.7	3.0	-31.1	
			J	54.6	0.7	3.0	-31.1	-
1239.2	4023.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-8.9	0.7	-1.3	2.4	
-512.8	-175.4		J	-8.9	0.7	-1.3	2.4	
568.8	-746.5							
		Q5_pc Y	I	-144.1	0.5	1.0	16.4	
397.1	4433.5		J	-144.1	0.5	1.0	16.4	
-384.5	4030.5							
		Q5_ps X	I	-15.6	0.6	-1.0	4.2	
-387.8	-1284.2		J	-15.6	0.6	-1.0	4.2	
439.0	-1802.4							
		Q5_ps Y	I	-136.8	0.5	0.9	15.7	
361.2	4033.4		J	-136.8	0.5	0.9	15.7	
-348.8	3638.0							
		INVSLU Max	I	1982.6	147.9	21.1	1988.3	
8571.2	38785.9		J	1982.6	147.9	23.8	1988.3	
5428.8	41161.1							
		Min	I	-462.4	-147.3	-15.2	-2540.8	-
5884.3	-170165.6		J	-462.4	-147.3	-12.5	-2540.8	-
9706.8	-171007.0							
		INVSLE Max	I	1477.7	109.3	14.8	1466.3	
5986.3	26528.0		J	1477.7	109.3	16.8	1466.3	
4269.0	28502.1							
		Min	I	-314.2	-109.3	-11.9	-1886.5	-
4653.1	-127659.8		J	-314.2	-109.3	-9.9	-1886.5	-
6866.7	-128122.0							
		69 C1-C2;~1 Max	I	762.5	85.0	18.9	1204.1	
5363	2		J	762.5	85.0	18.9	1204.1	
7672.2	42159.0							
		Min	I	-851.8	-117.3	-4.4	-2166.8	-
1894.3	46651.5		J	-851.8	-117.3	-4.4	-2166.8	-
1714.6	-104279.6							
		C3-C4;~1 Max	I	787.7	84.9	14.6	1111.6	
7687.6	-86856.6		J	787.7	84.9	14.6	1111.6	
5857.4	20246.9							
		Min	I	-779.0	-120.6	-7.8	-2197.7	-
3308.9	34916.4		J	-779.0	-120.6	-7.8	-2197.7	-
3081.9	-109635.1							
6018.8	-93534.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4493.0	27392.2	C1-C2;~2	Max	I	406.2	59.7	11.0	832.0	
				J	406.2	59.7	11.0	832.0	
933.8	30941.8		Min	I	-508.6	-82.2	-2.2	-1496.6	
-843.9	-73206.1			J	-508.6	-82.2	-2.2	-1496.6	-
4456.8	-60960.6								
		C3-C4;~2	Max	I	417.8	58.8	8.2	749.0	
3322.0	11938.7			J	417.8	58.8	8.2	749.0	
1639.9	22661.8		Min	I	-455.9	-84.6	-3.9	-1529.9	-
1533.4	-77404.3			J	-455.9	-84.6	-3.9	-1529.9	-
3393.9	-65869.7								
		G1		I	238.3	-0.2	7.9	-94.7	
3478.4	-1327.3			J	238.3	-0.2	9.9	-94.7	-
3798.0	-1197.3								
		G2		I	103.9	3.3	3.1	31.2	
1272.9	4023.3			J	103.9	3.3	3.1	31.2	-
1288.5	1327.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-3.3	-0.8	-1.6	-20.5	
-647.5	-746.8			J	-3.3	-0.8	-1.6	-20.5	
684.7	-124.4								
		Q5_pc	Y	I	-131.6	1.4	0.7	38.8	
281.3	4031.0			J	-131.6	1.4	0.7	38.8	
-277.8	2867.5								
		Q5_ps	X	I	-9.7	-1.6	-1.3	-34.2	
-509.5	-1802.8			J	-9.7	-1.6	-1.3	-34.2	
544.4	-489.0								
		Q5_ps	Y	I	-125.1	1.2	0.6	34.3	
250.8	3638.5			J	-125.1	1.2	0.6	34.3	
-247.3	2647.2								
		INVSLU	Max	I	2409.4	99.0	24.4	1285.1	
9966.9	41161.3			J	2409.4	99.0	27.1	1285.1	
5081.6	60033.4		Min	I	-40.8	-181.1	-14.6	-3377.1	-
5716.7	-171016.6			J	-40.8	-181.1	-11.9	-3377.1	-1
0996.0	-134379.3								
		INVSLE	Max	I	1799.4	72.3	17.4	946.1	
7110.4	28502.2			J	1799.4	72.3	19.4	946.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3907.8	43316.7		Min	I	2.1	-135.0	-11.2	-2502.2	-
4420.8	-128129.1			J	2.1	-135.0	-9.2	-2502.2	-
7910.3	-100310.4								
5364	2	69	C1-C2;~1	Max	I	830.6	100.4	19.0	1393.5
7751.3	46643.3			J	830.6	100.4	19.0	1393.5	
2012.7	109860.8		Min	I	-788.0	-231.6	-4.8	-2917.6	-
1912.6	-86845.1			J	-788.0	-231.6	-4.8	-2917.6	-
7693.6	-56944.4								
6147.4	34916.2		C3-C4;~1	Max	I	858.3	31.9	15.2	813.9
3435.5	102464.0			J	858.3	31.9	15.2	813.9	
3310.2	-93526.3		Min	I	-728.2	-230.1	-8.3	-3012.8	-
6245.9	-23341.7			J	-728.2	-230.1	-8.3	-3012.8	-
4500.6	30936.7		C1-C2;~2	Max	I	440.5	62.9	11.0	913.1
994.7	69952.7			J	440.5	62.9	11.0	913.1	
-945.2	-60952.8		Min	I	-468.7	-156.5	-2.4	-2011.0	-
4437.9	-33706.1			J	-468.7	-156.5	-2.4	-2011.0	-
3473.2	22662.5		C3-C4;~2	Max	I	453.2	15.7	8.6	517.9
1683.4	65681.2			J	453.2	15.7	8.6	517.9	
1624.3	-65864.1		Min	I	-424.2	-157.2	-4.1	-2100.3	-
3523.5	-10838.8			J	-424.2	-157.2	-4.1	-2100.3	-
3427.9	-1199.6		G1	I	373.4	-9.2	7.7	-128.4	
3702.0	6297.3			J	373.4	-9.2	9.8	-128.4	-
1199.7	1325.3		G2	I	155.3	14.1	2.9	97.3	
1196.5	-10130.6			J	155.3	14.1	2.9	97.3	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-723.6	-122.8		Q5_pc	X	I	8.0	-4.5	-1.8	-37.8
743.6	3578.5			J	8.0	-4.5	-1.8	-37.8	
162.6	2865.8		Q5_pc	Y	I	-114.2	5.2	0.4	63.3
-163.4	-1396.5			J	-114.2	5.2	0.4	63.3	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-571.6	-487.3	Q5_ps X	I	1.6	-8.3	-1.4	-66.1	
591.0	6299.4		J	1.6	-8.3	-1.4	-66.1	
140.5	2645.5	Q5_ps Y	I	-108.9	4.3	0.3	54.9	
-141.5	-833.8		J	-108.9	4.3	0.3	54.9	
0839.5	60028.8	INVS LU Max	I	2865.4	111.9	26.4	1350.7	1
4572.7	169057.8		J	2865.4	111.9	29.1	1350.7	
5396.0	-134358.7	Min	I	437.4	-345.6	-13.6	-4711.7	-
1790.2	-62570.6		J	437.4	-345.6	-10.9	-4711.7	-1
7834.4	43313.6	INVS LE Max	I	2142.0	80.3	19.1	987.3	
3453.5	125811.4		J	2142.0	80.3	21.1	987.3	
4095.4	-100295.0	Min	I	358.7	-257.8	-10.3	-3494.9	-
8568.0	-45288.1		J	358.7	-257.8	-8.3	-3494.9	-
5365	2	69 C1-C2;~1 Max	I	909.4	232.9	17.5	2847.1	
7195.9	109860.0		J	909.4	232.9	17.5	2847.1	
2393.3	46695.3	Min	I	-740.5	-97.6	-5.8	-1432.8	-
2330.1	-56964.3		J	-740.5	-97.6	-5.8	-1432.8	-
7029.7	-90058.3							
5542.7	102456.6	C3-C4;~1 Max	I	939.7	232.8	13.5	2964.0	
3953.6	35025.0		J	939.7	232.8	13.5	2964.0	
3895.5	-23140.3	Min	I	-687.0	-27.9	-9.6	-939.7	-
5478.9	-97139.9		J	-687.0	-27.9	-9.6	-939.7	-
4110.7	69980.5	C1-C2;~2 Max	I	479.5	157.4	9.9	1956.1	
1238.0	30910.7		J	479.5	157.4	9.9	1956.1	
1204.9	-33729.2	Min	I	-437.5	-60.9	-3.0	-929.8	-
3986.3	-63007.3		J	-437.5	-60.9	-3.0	-929.8	-
3078.7	65706.2	C3-C4;~2 Max	I	493.2	159.1	7.5	2051.7	
2031.2	22774.8		J	493.2	159.1	7.5	2051.7	
2005.9	-10743.6	Min	I	-396.7	-13.0	-5.0	-590.5	-
3026.2	-68219.5		J	-396.7	-13.0	-5.0	-590.5	-
		G1	I	519.7	10.9	7.1	16.1	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3179.8	6258.0			J	519.7	10.9	9.1	16.1	-
3408.4	-2658.3								
		G2		I	211.0	-13.7	2.9	-143.6	
1192.8	-10139.8			J	211.0	-13.7	2.9	-143.6	-
1173.1	1007.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	23.3	5.9	-2.1	54.4	
-831.7	3597.5			J	23.3	5.9	-2.1	54.4	
847.0	-1236.7								
		Q5_pc Y		I	-98.3	-4.3	0.3	-11.4	
116.9	-1428.1			J	-98.3	-4.3	0.3	-11.4	
-122.3	2035.4								
		Q5_ps X		I	16.6	9.7	-1.7	86.7	
-685.6	6312.1			J	16.6	9.7	-1.7	86.7	
701.2	-1605.5								
		Q5_ps Y		I	-94.1	-3.3	0.2	-4.4	
96.4	-863.1			J	-94.1	-3.3	0.2	-4.4	
-101.9	1820.3								
		INVS LU Max		I	3395.2	363.9	26.7	4449.5	1
1229.3	169177.6			J	3395.2	363.9	29.4	4449.5	
4732.0	46556.4		Min	I	949.9	-92.9	-13.6	-1584.1	-
5241.1	-62510.8			J	949.9	-92.9	-10.9	-1584.1	-1
1620.0	-151284.8								
		INVS LE Max		I	2538.9	270.4	19.5	3306.3	
8181.1	125899.7			J	2538.9	270.4	21.5	3306.3	
3508.8	34151.4		Min	I	740.7	-67.2	-10.1	-1155.8	-
3908.3	-45241.6			J	740.7	-67.2	-8.1	-1155.8	-
8490.8	-112126.3								
		69 C1-C2;~1 Max		I	1001.8	123.1	15.7	2053.8	
5366	2			J	1001.8	123.1	15.7	2053.8	
6548.6	46695.4								
		Min		I	-701.0	-88.2	-5.5	-1342.5	-
2225.9	42987.8			J	-701.0	-88.2	-5.5	-1342.5	-
2221.0	-90071.7								
6274.5	-111021.4								
		C3-C4;~1 Max		I	1030.9	127.7	12.4	2097.3	
5102.0	35020.4			J	1030.9	127.7	12.4	2097.3	
3654.2	18894.7		Min	I	-654.6	-88.0	-9.0	-1241.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3698.3	-97153.1			J	-654.6	-88.0	-9.0	-1241.9	-
5002.7	-116886.5								
		C1-C2;~2	Max	I	525.3	86.0	9.0	1416.8	
3759.8	30910.7			J	525.3	86.0	9.0	1416.8	
1153.1	27755.7		Min	I	-410.8	-62.0	-2.8	-905.1	-
1146.4	-63016.7			J	-410.8	-62.0	-2.8	-905.1	-
3594.1	-77322.0								
		C3-C4;~2	Max	I	538.4	89.3	6.9	1450.0	
2849.3	22771.6			J	538.4	89.3	6.9	1450.0	
1860.0	10894.0		Min	I	-374.0	-61.1	-4.6	-828.7	-
1883.3	-68228.5			J	-374.0	-61.1	-4.6	-828.7	-
2805.5	-81929.8								
		G1		I	686.9	2.7	5.4	-24.1	
2552.5	-2662.6			J	686.9	2.7	7.4	-24.1	-
2673.6	-4871.1								
		G2		I	274.3	-2.6	2.1	-76.1	
902.3	1007.4			J	274.3	-2.6	2.1	-76.1	
-844.3	3097.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	35.2	2.3	-2.0	34.5	
-820.4	-1236.0			J	35.2	2.3	-2.0	34.5	
819.7	-3099.8								
		Q5_pc	Y	I	-87.7	-0.5	0.1	12.3	
52.6	2037.3			J	-87.7	-0.5	0.1	12.3	
-69.3	2417.7								
		Q5_ps	X	I	28.8	3.1	-1.7	51.2	
-670.9	-1605.3			J	28.8	3.1	-1.7	51.2	
673.5	-4149.8								
		Q5_ps	Y	I	-84.2	-0.3	0.1	15.0	
39.0	1822.1			J	-84.2	-0.3	0.1	15.0	
-55.6	2029.3								
		INVSLU	Max	I	3957.9	200.1	23.2	2800.3	
9774.9	46554.6			J	3957.9	200.1	25.9	2800.3	
4659.0	21559.2		Min	I	1462.1	-95.4	-13.9	-1905.5	-
5535.1	-151308.0			J	1462.1	-95.4	-11.2	-1905.5	-1
0220.1	-199850.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7131.1	34150.0	INVSLE Max	I	2959.8	148.2	16.9	2079.7	
			J	2959.8	148.2	18.9	2079.7	
3437.2	15477.2	Min	I	1122.7	-70.4	-10.3	-1401.4	-
4100.2	-112143.2		J	1122.7	-70.4	-8.2	-1401.4	-
7475.1	-148117.0							
5367	2	69 C1-C2;~1 Max	I	1132.2	123.4	11.9	1394.1	
5176.0	42987.7		J	1132.2	123.4	11.9	1394.1	
1897.8	55981.6	Min	I	-656.0	-130.3	-5.1	-1824.6	-
2104.4	-111021.5		J	-656.0	-130.3	-5.1	-1824.6	-
4555.0	-128540.8							
		C3-C4;~1 Max	I	1148.2	125.1	9.3	1327.2	
3999.1	18895.1		J	1148.2	125.1	9.3	1327.2	
3068.7	35548.8	Min	I	-613.1	-132.2	-7.9	-1828.5	-
3365.0	-116887.4		J	-613.1	-132.2	-7.9	-1828.5	-
3543.0	-138366.6							
		C1-C2;~2 Max	I	588.6	87.3	7.0	960.4	
3021.6	27755.7		J	588.6	87.3	7.0	960.4	
1110.4	36728.1	Min	I	-377.8	-92.2	-2.7	-1258.9	-
1130.4	-77322.4		J	-377.8	-92.2	-2.7	-1258.9	-
2688.0	-89841.8							
		C3-C4;~2 Max	I	597.2	87.9	5.3	905.9	
2289.3	10894.3		J	597.2	87.9	5.3	905.9	
1632.1	22523.6	Min	I	-343.2	-93.2	-4.2	-1267.5	-
1761.1	-81930.7		J	-343.2	-93.2	-4.2	-1267.5	-
2056.5	-97213.0							
		G1	I	893.3	0.4	2.3	-70.2	
1396.9	-4869.9		J	893.3	0.4	4.3	-70.2	-
1299.3	-5188.8							
		G2	I	351.5	0.9	1.0	-13.9	
481.8	3097.3		J	351.5	0.9	1.0	-13.9	
-347.4	2371.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	43.9	1.2	-1.8	2.9	
-760.2	-3099.8		J	43.9	1.2	-1.8	2.9	
675.3	-4096.4							
		Q5_pc Y	I	-82.0	0.5	0.1	34.5	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
25.6	2416.7		J	-82.0	0.5	0.1	34.5	
-58.7	1994.9							
-629.1	-4149.7	Q5_ps X	I	38.6	1.1	-1.5	1.8	
561.1	-5005.4		J	38.6	1.1	-1.5	1.8	
17.1	2028.3	Q5_ps Y	I	-79.0	0.5	0.1	32.1	
-49.9	1636.1		J	-79.0	0.5	0.1	32.1	
7476.0	21562.7	INVS LU Max	I	4594.5	173.4	16.9	1213.5	
4128.2	37157.1		J	4594.5	173.4	19.6	1213.5	
5422.7	-199848.3	Min	I	2011.2	-176.0	-13.1	-3199.1	-
7379.4	-232586.4		J	2011.2	-176.0	-10.4	-3199.1	-
5438.1	15479.8	INVS LE Max	I	3435.7	128.3	12.3	899.2	
3052.4	26992.0		J	3435.7	128.3	14.3	899.2	
4015.1	-148115.0	Min	I	1533.1	-130.3	-9.7	-2364.8	-
5381.7	-172271.8		J	1533.1	-130.3	-7.7	-2364.8	-
5368	2	83 C1-C2;~1 Max	I	1356.4	83.7	52.4	8179.0	2
3554.9	55983.5		J	1356.4	83.7	52.4	8179.0	1
0245.3	70513.8	Min	I	-694.2	-137.1	-25.4	-16334.8	-1
1344.9	-128544.0		J	-694.2	-137.1	-25.4	-16334.8	-1
9372.1	-113160.8	C3-C4;~1 Max	I	1376.1	82.0	40.0	6224.1	1
7977.3	35550.8		J	1376.1	82.0	40.0	6224.1	1
4872.4	62694.8	Min	I	-655.8	-143.9	-39.3	-16679.7	-1
7549.0	-138369.9		J	-655.8	-143.9	-39.3	-16679.7	-1
4912.6	-120584.3	C1-C2;~2 Max	I	699.6	57.9	30.7	5380.8	1
3777.9	36729.1		J	699.6	57.9	30.7	5380.8	
5494.0	47125.2	Min	I	-392.4	-94.9	-13.6	-11305.8	-
5833.4	-89843.7		J	-392.4	-94.9	-13.6	-11305.8	-1
1348.2	-78617.0	C3-C4;~2 Max	I	709.0	55.9	23.0	4084.9	1
0312.3	22524.7		J	709.0	55.9	23.0	4084.9	
7972.0	41073.4	Min	I	-360.6	-99.9	-20.7	-11631.3	-
9018.8	-97214.9		J	-360.6	-99.9	-20.7	-11631.3	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8588.5	-84004.4								
		G1	I	1160.5	-3.9	6.1	-738.8		
2300.3	-5190.4		J	1160.5	-3.9	10.6	-738.8	-	
4502.3	-1975.8								
		G2	I	455.4	4.5	2.2	230.8		
531.3	2370.6		J	455.4	4.5	2.2	230.8	-	
1286.1	-1281.1								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	71.1	0.2	-8.8	-154.7	-	
3965.1	-4097.4		J	71.1	0.2	-8.8	-154.7		
3243.8	-4291.9								
		Q5_pc Y	I	-77.3	1.0	0.3	366.5		
100.1	1998.4		J	-77.3	1.0	0.3	366.5		
-112.3	1168.9								
		Q5_ps X	I	64.2	-1.1	-7.5	-257.1	-	
3331.5	-5006.4		J	64.2	-1.1	-7.5	-257.1		
2739.4	-4076.1								
		Q5_ps Y	I	-74.7	0.7	0.2	321.6		
68.0	1639.4		J	-74.7	0.7	0.2	321.6		
-80.0	1075.4								
		INVSLU Max	I	5570.2	89.0	75.3	10186.8	3	
2261.4	37150.3		J	5570.2	89.0	81.4	10186.8	2	
0158.9	77217.9								
		Min	I	2636.2	-220.1	-64.4	-24032.2	-3	
0366.0	-232602.2		J	2636.2	-220.1	-58.3	-24032.2	-3	
1909.9	-188490.0								
		INVSLE Max	I	4165.9	65.5	54.7	7513.3	2	
3333.6	26986.9		J	4165.9	65.5	59.2	7513.3	1	
4828.2	56954.9								
		Min	I	2002.9	-163.4	-47.6	-17785.2	-2	
2528.4	-172283.4		J	2002.9	-163.4	-43.1	-17785.2	-2	
3308.7	-139293.5								
		83 C1-C2;~1 Max	I	1523.9	106.3	46.3	9253.6	1	
5369	2		J	1523.9	106.3	46.3	9253.6		
9246.4	70515.2								
		Min	I	-679.2	-281.8	-18.5	-19129.7	-	
8112.0	162947.3		J	-679.2	-281.8	-18.5	-19129.7	-1	
7656.8	-113151.5								
		C3-C4;~1 Max	I	1562.7	26.2	41.2	5976.8	1	
8540.7	-74081.1								
6599.4	62695.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0432.1	161945.2		J	1562.7	26.2	41.2	5976.8	1
		Min	I	-667.8	-290.8	-25.8	-19944.5	-1
0586.9	-120574.2		J	-667.8	-290.8	-25.8	-19944.5	-1
6995.9	-30875.8							
		C1-C2;~2 Max	I	780.1	66.5	27.8	6078.7	1
1674.5	47126.4		J	780.1	66.5	27.8	6078.7	
4791.7	105990.6							
		Min	I	-370.7	-192.0	-10.7	-13188.3	-
3948.3	-78611.2		J	-370.7	-192.0	-10.7	-13188.3	-1
0959.3	-43462.4							
		C3-C4;~2 Max	I	796.0	11.8	24.7	3886.3	1
0040.2	41074.4		J	796.0	11.8	24.7	3886.3	
5251.8	106113.0							
		Min	I	-358.9	-199.7	-12.9	-13879.6	-
5277.7	-83997.9		J	-358.9	-199.7	-12.9	-13879.6	-1
0079.1	-15981.1							
		G1	I	1386.7	-23.5	9.4	-846.7	
3683.9	-1972.9		J	1386.7	-23.5	13.9	-846.7	-
5820.1	17187.4							
		G2	I	543.7	11.9	2.8	585.8	
879.0	-1280.9		J	543.7	11.9	2.8	585.8	-
1412.1	-11005.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	110.0	-3.4	-5.8	-218.8	-
2518.6	-4290.4		J	110.0	-3.4	-5.8	-218.8	
2240.3	-1509.0							
		Q5_pc Y	I	-60.4	4.3	-0.9	453.1	
-415.1	1167.8		J	-60.4	4.3	-0.9	453.1	
286.2	-2355.6							
		Q5_ps X	I	100.5	-7.8	-4.7	-394.7	-
2058.4	-4074.4		J	100.5	-7.8	-4.7	-394.7	
1804.0	2286.7							
		Q5_ps Y	I	-58.8	3.1	-0.8	386.9	
-399.5	1074.3		J	-58.8	3.1	-0.8	386.9	
276.0	-1453.2							
		INVSLU Max	I	6424.4	85.2	65.7	11464.1	2
6608.7	77230.1		J	6424.4	85.2	71.8	11464.1	1
3704.8	250930.7							
		Min	I	3199.8	-458.6	-42.2	-28768.8	-1
8199.7	-188463.2							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9441.1	-73297.6		J	3199.8	-458.6	-36.1	-28768.8	-2
9496.3	56964.1	INVSLE Max	I	4801.3	61.2	48.2	8429.7	1
9958.0	187069.3		J	4801.3	61.2	52.8	8429.7	
3359.3	-139273.7	Min	I	2427.4	-341.0	-30.9	-21312.1	-1
1703.1	-52785.7		J	2427.4	-341.0	-26.3	-21312.1	-2
5370	2	83 C1-C2;~1 Max	I	1658.5	301.0	43.8	17212.0	1
7251.5	163000.8		J	1658.5	301.0	43.8	17212.0	1
1216.0	88929.8	Min	I	-637.1	-112.2	-27.6	-9429.1	-1
0426.3	-74043.1		J	-637.1	-112.2	-27.6	-9429.1	-1
7076.8	-138224.9							
1244.0	162018.3	C3-C4;~1 Max	I	1696.5	313.8	29.7	18218.0	1
2922.2	76884.7		J	1696.5	313.8	29.7	18218.0	1
2845.2	-30793.6	Min	I	-692.8	-30.5	-32.8	-6981.7	-1
2055.0	-143356.9		J	-692.8	-30.5	-32.8	-6981.7	-1
0019.1	106038.3	C1-C2;~2 Max	I	842.3	204.3	25.1	11854.9	1
6795.6	60488.5		J	842.3	204.3	25.1	11854.9	
6131.9	-43448.7	Min	I	-334.6	-69.2	-16.5	-6065.4	-
9675.7	-96591.0		J	-334.6	-69.2	-16.5	-6065.4	-
6047.5	106173.9	C3-C4;~2 Max	I	856.1	214.7	15.9	12587.6	
6766.2	51428.0		J	856.1	214.7	15.9	12587.6	
6413.9	-15936.1	Min	I	-339.8	-13.5	-16.8	-4505.9	-
6408.4	-100148.8		J	-339.8	-13.5	-16.8	-4505.9	-
5763.6	17261.2	G1	I	1596.7	23.5	15.3	619.5	
7935.2	-1159.4		J	1596.7	23.5	19.7	619.5	-
2428.5	-10976.4	G2	I	622.5	-14.7	6.9	-603.3	
2983.0	577.1		J	622.5	-14.7	6.9	-603.3	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2711.0	-1509.8	Q5_pc X	I	142.2	7.5	-6.6	198.4	-
			J	142.2	7.5	-6.6	198.4	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

2497.9	-7362.3								
-475.2	-2387.9	Q5_pc	Y	I	-37.7	-2.5	-1.1	166.5	
370.3	-427.8			J	-37.7	-2.5	-1.1	166.5	
2381.4	2285.0	Q5_ps	X	I	132.0	12.2	-5.8	359.4	-
2187.0	-7295.1			J	132.0	12.2	-5.8	359.4	
-480.8	-1483.6	Q5_ps	Y	I	-37.2	-1.2	-1.1	196.2	
381.2	-559.1			J	-37.2	-1.2	-1.1	196.2	
0512.6	251183.1	INVS LU	Max	I	7178.4	505.9	79.1	26931.8	3
1193.0	96506.3			J	7178.4	505.9	85.0	26931.8	1
4997.8	-73124.4		Min	I	3696.9	-82.7	-36.3	-10748.9	-1
3802.0	-230332.9			J	3696.9	-82.7	-30.4	-10748.9	-3
2535.9	187252.2	INVS LE	Max	I	5360.7	376.2	58.6	20020.7	2
7941.5	70829.8			J	5360.7	376.2	62.9	20020.7	
0814.1	-52657.1		Min	I	2800.8	-58.9	-26.1	-7864.5	-1
5055.0	-170291.7			J	2800.8	-58.9	-21.7	-7864.5	-2
5371	2	83 C1-C2;~1	Max	I	1797.2	168.3	47.1	12439.3	1
8679.3	88929.9			J	1797.2	168.3	47.1	12439.3	
8758.6	79481.0		Min	I	-609.2	-97.4	-20.0	-8459.7	-
7112.5	-138235.3			J	-609.2	-97.4	-20.0	-8459.7	-1
8220.3	-176199.0								
5934.5	76883.2	C3-C4;~1	Max	I	1818.0	183.7	40.9	12770.2	1
0911.2	47297.0			J	1818.0	183.7	40.9	12770.2	1
0537.4	-143369.2		Min	I	-688.4	-83.8	-27.4	-7668.0	-1
6129.7	-188662.5			J	-688.4	-83.8	-27.4	-7668.0	-1
1169.7	60488.7	C1-C2;~2	Max	I	905.9	116.4	27.6	8573.0	1
5402.5	51197.6			J	905.9	116.4	27.6	8573.0	
4214.8	-96598.5		Min	I	-310.2	-62.2	-12.1	-5643.4	-
0477.9	-122473.4			J	-310.2	-62.2	-12.1	-5643.4	-1
9423.4	51426.9	C3-C4;~2	Max	I	910.5	127.6	23.8	8789.2	
5338.7	29541.7			J	910.5	127.6	23.8	8789.2	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5589.8	-100157.5		Min	I	-340.3	-56.1	-14.7	-5068.7	-
				J	-340.3	-56.1	-14.7	-5068.7	-
9242.0	-131722.2								
6418.0	-1159.9		G1	I	1813.7	5.0	17.5	419.9	
				J	1813.7	5.0	21.8	419.9	-
8986.6	-5079.7								
2175.6	578.0		G2	I	702.4	-6.8	6.6	-211.1	
				J	702.4	-6.8	6.6	-211.1	-
2974.7	5903.9								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
2012.4	-7362.3		Q5_pc X	I	164.2	4.9	-5.1	86.4	-
				J	164.2	4.9	-5.1	86.4	
1945.0	-11223.3								
-488.7	-426.5		Q5_pc Y	I	-19.1	0.3	-1.1	233.7	
				J	-19.1	0.3	-1.1	233.7	
370.9	-672.6								
1668.7	-7295.4		Q5_ps X	I	154.3	6.5	-4.2	162.8	-
				J	154.3	6.5	-4.2	162.8	
1617.1	-12369.0								
-474.2	-557.9		Q5_ps Y	I	-19.4	0.7	-1.1	237.0	
				J	-19.4	0.7	-1.1	237.0	
365.9	-1119.8								
9138.3	96503.7		INVSLU Max	I	7945.6	282.3	78.4	19400.8	2
				J	7945.6	282.3	84.3	19400.8	
8213.7	63888.8								
3926.6	-230352.2		Min	I	4266.5	-106.1	-31.2	-9680.3	-1
				J	4266.5	-106.1	-25.3	-9680.3	-3
4614.8	-318306.9								
1602.4	70827.8		INVSLE Max	I	5930.4	209.3	58.2	14413.8	2
				J	5930.4	209.3	62.6	14413.8	
5732.8	45969.2								
0029.1	-170306.1		Min	I	3227.0	-77.7	-22.3	-7096.6	-1
				J	3227.0	-77.7	-17.9	-7096.6	-2
5732.7	-235642.3								
5372	2	83	C1-C2;~1 Max	I	1941.6	116.8	46.3	7717.2	1
7991.9	79480.4			J	1941.6	116.8	46.3	7717.2	
8637.7	81245.7								
7022.2	-176197.9		Min	I	-605.1	-144.6	-19.8	-11201.7	-
				J	-605.1	-144.6	-19.8	-11201.7	-1
8294.0	-165287.0								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

4903.0	47297.4	C3-C4;~1	Max	I	1930.9	120.7	39.5	7335.7	1
				J	1930.9	120.7	39.5	7335.7	1
0421.9	42859.8		Min	I	-691.4	-146.0	-26.3	-10562.5	-1
0220.5	-188661.3			J	-691.4	-146.0	-26.3	-10562.5	-1
6064.9	-178173.7								
		C1-C2;~2	Max	I	971.3	81.8	27.0	5235.4	1
0675.6	51197.3			J	971.3	81.8	27.0	5235.4	
5337.5	51225.6		Min	I	-299.2	-101.1	-12.0	-7672.2	-
4172.5	-122473.0			J	-299.2	-101.1	-12.0	-7672.2	-1
0467.5	-115057.6								
		C3-C4;~2	Max	I	960.7	84.1	22.7	4915.8	
8694.5	29542.1			J	960.7	84.1	22.7	4915.8	
5278.2	25886.4		Min	I	-336.7	-101.6	-14.2	-7237.6	-
5464.2	-131721.8			J	-336.7	-101.6	-14.2	-7237.6	-
9134.6	-124641.0								
		G1		I	2040.6	-3.0	19.3	184.0	
6889.6	-5077.5			J	2040.6	-3.0	23.6	184.0	-
9924.0	-2762.5								
		G2		I	786.2	-1.0	7.5	109.4	
2505.6	5904.3			J	786.2	-1.0	7.5	109.4	-
3402.6	6705.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	176.1	4.8	-4.4	-57.0	-
1761.0	-11223.4			J	176.1	4.8	-4.4	-57.0	
1694.6	-15019.7								
		Q5_pc	Y	I	-5.4	2.1	-1.3	261.9	
-572.7	-672.9			J	-5.4	2.1	-1.3	261.9	
447.4	-2312.4								
		Q5_ps	X	I	167.2	4.2	-3.7	-63.1	-
1473.4	-12369.0			J	167.2	4.2	-3.7	-63.1	
1404.3	-15676.7								
		Q5_ps	Y	I	-6.2	1.9	-1.3	239.7	
-559.5	-1120.1			J	-6.2	1.9	-1.3	239.7	
440.6	-2581.5								
		INVSLU	Max	I	8712.0	152.1	80.8	12272.2	2
9211.8	63893.8			J	8712.0	152.1	86.7	12272.2	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5374.1	81555.5			Min	I	4840.5	-216.5	-25.1	-13739.7	-1	
2044.6	-318299.5				J	4840.5	-216.5	-19.3	-13739.7	-3	
6442.6	-295696.0										
				INVSLE Max	I	6499.8	112.2	60.1	9109.2	2	
1687.4	45973.0				J	6499.8	112.2	64.4	9109.2		
3631.5	58907.4										
				Min	I	3655.5	-160.2	-17.8	-10123.9	-	
8638.1	-235636.7				J	3655.5	-160.2	-13.5	-10123.9	-2	
7117.8	-218535.5										
5373	2	83	C1-C2;~1	Max	I	2082.2	80.3	43.0	6060.7	1	
6605.6	81246.4				J	2082.2	80.3	43.0	6060.7		
8729.1	95875.8										
				Min	I	-621.0	-198.2	-20.1	-15220.2	-	
7027.2	-165287.9				J	-621.0	-198.2	-20.1	-15220.2	-1	
7085.5	-103457.3										
				C3-C4;~1	Max	I	2035.4	47.3	36.2	3447.6	1
3663.8	42858.1				J	2035.4	47.3	36.2	3447.6	1	
0128.2	78215.6										
				Min	I	-712.5	-206.1	-25.4	-15008.2	-	
9819.2	-178175.0				J	-712.5	-206.1	-25.4	-15008.2	-1	
4707.7	-107951.6										
				C1-C2;~2	Max	I	1034.0	49.9	25.2	3819.3	
9944.2	51225.8				J	1034.0	49.9	25.2	3819.3		
5460.7	64633.2										
				Min	I	-306.8	-137.5	-12.3	-10532.9	-	
4191.1	-115057.8				J	-306.8	-137.5	-12.3	-10532.9	-	
9826.2	-72356.7										
				C3-C4;~2	Max	I	1005.1	30.0	20.9	2093.2	
8033.2	25885.1				J	1005.1	30.0	20.9	2093.2		
5472.1	51449.9										
				Min	I	-346.4	-143.0	-12.9	-10451.6	-	
5302.5	-124641.5				J	-346.4	-143.0	-12.9	-10451.6	-	
8380.3	-75837.4										
				G1	I	2259.9	-9.1	16.7	-173.0		
5737.0	-2764.9				J	2259.9	-9.1	21.1	-173.0	-	
9074.2	4357.1										
				G2	I	867.3	6.3	6.8	447.1		
2135.1	6705.3				J	867.3	6.3	6.8	447.1	-	
3215.6	1790.1										
				Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0				J	0.0	0.0	0.0	0.0		
0.0	0.0										


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1144.4	-15020.0	Q5_pc X	I	187.3	7.8	-3.2	-290.1	-
			J	187.3	7.8	-3.2	-290.1	
1334.4	-21099.2							
		Q5_pc Y	I	8.0	3.7	-1.2	254.7	
-515.4	-2312.5		J	8.0	3.7	-1.2	254.7	
460.2	-5248.3							
		Q5_ps X	I	179.5	4.9	-2.6	-374.3	
-932.6	-15677.1		J	179.5	4.9	-2.6	-374.3	
1109.7	-19541.8							
		Q5_ps Y	I	6.6	2.9	-1.2	208.9	
-511.4	-2581.6		J	6.6	2.9	-1.2	208.9	
460.6	-4842.8							
		INVS LU Max	I	9482.8	55.0	71.7	9727.4	2
4714.4	81550.6		J	9482.8	55.0	77.6	9727.4	
5339.6	154072.1							
		Min	I	5372.9	-345.6	-26.3	-19523.9	-1
3018.9	-295704.4		J	5372.9	-345.6	-20.5	-19523.9	-3
3800.8	-159073.5							
		INVS LE Max	I	7072.2	39.5	53.3	7199.6	1
8365.0	58903.7		J	7072.2	39.5	57.7	7199.6	
3659.2	112752.1							
		Min	I	4052.8	-256.2	-18.9	-14429.4	-
9433.0	-218541.8		J	4052.8	-256.2	-14.5	-14429.4	-2
5155.8	-116394.4							
5374	2	83 C1-C2;~1 Max	I	2174.4	129.7	37.7	9220.8	1
4068.4	95876.7		J	2174.4	129.7	37.7	9220.8	
5683.3	155039.9							
		Min	I	-632.9	-283.4	-14.1	-17395.6	-
5723.5	-103445.4		J	-632.9	-283.4	-14.1	-17395.6	-1
5559.0	-75710.2							
		C3-C4;~1 Max	I	2108.2	25.3	33.8	6121.0	1
1951.7	78220.3		J	2108.2	25.3	33.8	6121.0	
7068.4	160861.7							
		Min	I	-727.0	-311.4	-19.2	-17768.4	-
8014.9	-107937.3		J	-727.0	-311.4	-19.2	-17768.4	-1
4624.2	-17652.3							
		C1-C2;~2 Max	I	1071.9	77.5	22.5	5926.8	
8526.2	64633.6		J	1071.9	77.5	22.5	5926.8	
3233.4	101163.3							
		Min	I	-311.9	-195.9	-7.8	-11978.8	-
3138.1	-72348.2		J	-311.9	-195.9	-7.8	-11978.8	-
9101.5	-41312.1							
		C3-C4;~2 Max	I	1038.1	10.9	20.0	3969.9	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
7143.9	51453.2			J	1038.1	10.9	20.0	3969.9		
3693.1	105578.7		Min	I	-352.5	-216.4	-10.0	-12342.9	-	
4152.9	-75827.2			J	-352.5	-216.4	-10.0	-12342.9	-	
8529.9	-7299.5									
		G1		I	2416.8	-11.4	13.8	-539.2		
3773.3	4358.8			J	2416.8	-11.4	18.2	-539.2	-	
8764.9	13326.3									
		G2		I	925.5	20.9	5.7	526.2		
1432.8	1789.1			J	925.5	20.9	5.7	526.2	-	
3004.4	-14560.9									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
		Q5_pc X		I	204.4	18.6	3.5	-357.9		
828.1	-21098.7			J	204.4	18.6	3.5	-357.9	-	
1894.1	-35664.1									
		Q5_pc Y		I	24.3	7.2	0.2	256.4		
-108.4	-5248.5			J	24.3	7.2	0.2	256.4		
-252.0	-10900.6									
		Q5_ps X		I	196.6	13.4	3.4	-455.2		
836.7	-19541.0			J	196.6	13.4	3.4	-455.2	-	
1849.7	-30029.8									
		Q5_ps Y		I	22.0	5.7	0.1	207.0		
-145.2	-4842.9			J	22.0	5.7	0.1	207.0		
-194.4	-9290.1									
		INVSLE Max		I	10027.6	91.0	67.3	13379.6	1	
9156.8	154080.2			J	10027.6	91.0	73.2	13379.6	-	
2067.6	333880.7		Min	I	5742.8	-537.9	-15.7	-23699.9	-1	
2146.2	-159046.4			J	5742.8	-537.9	-9.9	-23699.9	-3	
6024.1	-49686.7									
		INVSLE Max		I	7475.7	64.8	49.8	9879.5	1	
4175.8	112758.3			J	7475.7	64.8	54.2	9879.5	-	
1746.1	246024.9		Min	I	4329.0	-398.5	-11.3	-17539.1	-	
8901.3	-116374.2			J	4329.0	-398.5	-6.9	-17539.1	-2	
6646.5	-33343.9									
		83 C1-C2;~1 Max		I	2173.9	295.6	14.3	17556.4		
5375	2			J	2173.9	295.6	14.3	17556.4	1	
5794.0	156851.6									
4626.1	95373.6		Min	I	-633.3	-135.2	-39.7	-9991.4	-1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5902.6	-76187.1		J	-633.3	-135.2	-39.7	-9991.4	-
5827.1	-108988.7							
6802.0	162045.0	C3-C4;~1 Max	I	2112.5	322.6	18.7	18017.4	
1942.2	77025.5		J	2112.5	322.6	18.7	18017.4	1
4011.8	-17517.2	Min	I	-727.1	-23.6	-33.8	-5768.4	-1
7611.5	-112939.8		J	-727.1	-23.6	-33.8	-5768.4	-
3301.0	102378.8	C1-C2;~2 Max	I	1073.4	204.0	7.9	12085.2	
8883.5	64220.4		J	1073.4	204.0	7.9	12085.2	
9270.3	-41395.8	Min	I	-312.2	-79.6	-23.6	-6205.5	-
2969.5	-76408.4		J	-312.2	-79.6	-23.6	-6205.5	-
3348.8	106342.4	C3-C4;~2 Max	I	1040.9	224.0	10.0	12495.4	
7201.7	51044.3		J	1040.9	224.0	10.0	12495.4	
8160.5	-7335.1	Min	I	-352.7	-10.4	-20.0	-3773.1	-
4057.4	-79227.5		J	-352.7	-10.4	-20.0	-3773.1	-
8083.9	13745.6	G1	I	2416.8	13.3	-16.8	704.8	-
3127.9	3585.8		J	2416.8	13.3	-12.5	704.8	
3018.8	-14545.0	G2	I	923.9	-21.0	-5.8	-540.1	-
1422.8	1568.6		J	923.9	-21.0	-5.8	-540.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-733.9	-36318.5	Q5_pc X	I	195.8	-19.6	-0.7	244.4	
-219.6	-21307.3		J	195.8	-19.6	-0.7	244.4	
-533.1	-10186.0	Q5_pc Y	I	34.0	-4.1	-1.1	423.4	
306.2	-7071.1		J	34.0	-4.1	-1.1	423.4	
-811.8	-30561.0	Q5_ps X	I	188.7	-14.0	-0.9	352.9	
-91.1	-19813.1		J	188.7	-14.0	-0.9	352.9	
-582.9	-8564.1	Q5_ps Y	I	31.2	-2.6	-1.2	433.3	
370.1	-6603.6		J	31.2	-2.6	-1.2	433.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3757.6	335144.2	INVSLE Max	I	10021.3	552.3	6.3	24161.2	-
			J	10021.3	552.3	12.0	24161.2	1
9503.4	155737.4	Min	I	5752.6	-101.1	-74.6	-14412.9	-3
5729.8	-51842.5		J	5752.6	-101.1	-68.8	-14412.9	-1
1068.7	-163838.9							
		INVSLE Max	I	7471.8	409.2	4.4	17872.4	-
2933.6	246939.3		J	7471.8	409.2	8.6	17872.4	1
4476.6	113990.7	Min	I	4335.9	-72.2	-55.4	-10644.5	-2
6518.8	-34875.0		J	4335.9	-72.2	-51.1	-10644.5	-
8128.6	-119891.5							
5376	2	83 C1-C2;~1 Max	I	2074.0	199.5	21.4	15085.4	
9049.8	95372.6		J	2074.0	199.5	21.4	15085.4	1
7063.6	88744.6	Min	I	-620.3	-91.9	-45.0	-7183.6	-1
7432.4	-109001.3		J	-620.3	-91.9	-45.0	-7183.6	-
7369.8	-172098.1							
		C3-C4;~1 Max	I	2042.7	205.4	21.8	14779.4	
8757.7	77020.3		J	2042.7	205.4	21.8	14779.4	1
3521.1	42254.2	Min	I	-710.9	-51.5	-36.3	-3536.8	-1
4289.3	-112954.8		J	-710.9	-51.5	-36.3	-3536.8	-
9149.5	-182585.2							
		C1-C2;~2 Max	I	1032.3	138.3	13.1	10426.9	
5644.0	64219.9		J	1032.3	138.3	13.1	10426.9	1
0222.8	54377.6	Min	I	-306.7	-56.4	-26.4	-4323.8	-
9996.5	-76417.3		J	-306.7	-56.4	-26.4	-4323.8	-
4409.6	-119920.1							
		C3-C4;~2 Max	I	1006.9	142.4	13.4	10278.8	
5434.2	51040.7		J	1006.9	142.4	13.4	10278.8	
8029.9	25921.7	Min	I	-345.9	-33.2	-21.1	-2180.6	-
8166.5	-79238.3		J	-345.9	-33.2	-21.1	-2180.6	-
4859.1	-127685.6							
		G1	I	2259.8	9.7	-19.7	282.6	-
8397.5	3583.9		J	2259.8	9.7	-15.4	282.6	
5040.4	-3816.0							
		G2	I	865.6	-6.5	-6.9	-459.4	-
3187.7	1569.7		J	865.6	-6.5	-6.9	-459.4	
2085.7	6512.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	0.0		J	0.0	0.0	0.0	0.0	
2237.0	-21307.7	Q5_pc X	I	167.0	-9.5	5.6	112.4	
2015.2	-14013.3		J	167.0	-9.5	5.6	112.4	-
489.0	-7071.3	Q5_pc Y	I	35.6	-1.5	1.0	365.6	
-311.4	-5940.8		J	35.6	-1.5	1.0	365.6	
1899.7	-19813.8	Q5_ps X	I	160.6	-6.6	4.7	199.1	
1695.9	-14772.9		J	160.6	-6.6	4.7	199.1	-
359.8	-6603.9	Q5_ps Y	I	32.5	-0.7	0.7	370.5	
-191.2	-6063.8		J	32.5	-0.7	0.7	370.5	
4666.0	155729.1	INVS LU Max	I	9459.4	345.4	17.4	19504.9	
6079.7	94598.1		J	9459.4	345.4	23.1	19504.9	2
5111.5	-163866.9	Min	I	5399.2	-73.1	-82.7	-11216.4	-3
2935.3	-296920.9		J	5399.2	-73.1	-77.0	-11216.4	-1
3095.8	113984.4	INVS LE Max	I	7056.5	256.0	12.1	14408.0	
9319.5	68638.9		J	7056.5	256.0	16.3	14408.0	1
6070.7	-119912.3	Min	I	4071.3	-52.8	-61.3	-8299.8	-2
9311.8	-219506.7		J	4071.3	-52.8	-57.1	-8299.8	-
5377	2	83 C1-C2;~1 Max	I	1927.0	142.7	21.2	11030.5	
8982.4	88743.6		J	1927.0	142.7	21.2	11030.5	1
8536.4	91053.0	Min	I	-604.2	-126.2	-48.5	-8319.5	-1
8663.2	-172096.8		J	-604.2	-126.2	-48.5	-8319.5	-
7341.4	-175805.2							
8481.7	42255.9	C3-C4;~1 Max	I	1941.7	141.7	24.3	10246.5	
4776.2	47363.9		J	1941.7	141.7	24.3	10246.5	1
5708.3	-182583.4	Min	I	-688.8	-125.4	-39.8	-7561.6	-1
9245.1	-187160.8		J	-688.8	-125.4	-39.8	-7561.6	-
5533.0	54377.2	C1-C2;~2 Max	I	967.1	99.4	12.8	7526.1	
1008.5	55969.3		J	967.1	99.4	12.8	7526.1	1
0677.6	-119919.6	Min	I	-299.0	-88.0	-28.3	-5618.4	-1
			J	-299.0	-88.0	-28.3	-5618.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

4366.4	-121899.2								
		C3-C4;~2	Max	I	965.4	98.9	12.9	7025.4	
5187.6	25923.0			J	965.4	98.9	12.9	7025.4	
8709.6	29776.2								
			Min	I	-335.8	-87.5	-23.1	-5092.1	-
8981.1	-127684.9			J	-335.8	-87.5	-23.1	-5092.1	-
5114.1	-130482.2								
			G1	I	2041.8	2.8	-22.4	-107.2	-
9294.3	-3813.4			J	2041.8	2.8	-18.2	-107.2	
6266.9	-5962.0								
			G2	I	784.3	1.0	-7.7	-125.9	-
3387.3	6512.5			J	784.3	1.0	-7.7	-125.9	
2486.4	5755.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	148.8	-5.8	6.8	-86.7	
2575.4	-14012.9			J	148.8	-5.8	6.8	-86.7	-
2606.3	-9606.3								
			Q5_pc Y	I	38.6	-1.1	1.6	254.4	
664.2	-5940.7			J	38.6	-1.1	1.6	254.4	
-550.4	-5093.0								
			Q5_ps X	I	141.7	-5.2	5.7	-83.0	
2174.0	-14772.5			J	141.7	-5.2	5.7	-83.0	-
2211.1	-10812.1								
			Q5_ps Y	I	35.0	-1.0	1.2	237.4	
513.3	-6063.7			J	35.0	-1.0	1.2	237.4	
-406.0	-5306.3								
			INVSLU Max	I	8708.0	212.6	18.5	13595.0	
4287.6	94602.7			J	8708.0	212.6	24.3	13595.0	3
0584.5	82428.0								
			Min	I	4889.0	-160.7	-92.0	-12985.4	-3
7669.8	-296912.1			J	4889.0	-160.7	-86.2	-12985.4	-1
1611.8	-310452.0								
			INVSLE Max	I	6499.0	157.3	12.8	10015.7	
2770.3	68642.5			J	6499.0	157.3	17.0	10015.7	2
2643.7	59808.4								
			Min	I	3690.0	-118.5	-68.2	-9639.6	-2
7965.8	-219500.1			J	3690.0	-118.5	-63.9	-9639.6	-
8265.3	-229932.9								
		83	C1-C2;~1	Max	I	1776.8	105.6	21.5	8513.1
5378	2								
9173.5	91053.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9029.7	91812.8		J	1776.8	105.6	21.5	8513.1	1
		Min	I	-607.0	-176.3	-49.0	-12850.1	-1
8481.9	-175806.1		J	-607.0	-176.3	-49.0	-12850.1	-
7357.6	-136342.0							
		C3-C4;~1 Max	I	1832.1	79.0	25.0	7400.1	
9740.5	47363.4		J	1832.1	79.0	25.0	7400.1	1
5795.1	77364.7							
		Min	I	-682.7	-188.6	-41.3	-12908.1	-1
5813.7	-187161.8		J	-682.7	-188.6	-41.3	-12908.1	-
9379.1	-140056.5							
		C1-C2;~2 Max	I	899.3	65.5	12.9	5630.3	
5636.9	55969.4		J	899.3	65.5	12.9	5630.3	1
1402.4	61902.3							
		Min	I	-307.8	-121.8	-28.8	-8830.6	-1
0635.0	-121899.4		J	-307.8	-121.8	-28.8	-8830.6	-
4341.6	-94779.4							
		C3-C4;~2 Max	I	916.5	52.9	12.8	4900.2	
5259.8	29775.8		J	916.5	52.9	12.8	4900.2	
9418.9	51833.7							
		Min	I	-337.5	-131.0	-24.2	-8898.2	-
9108.5	-130482.5		J	-337.5	-131.0	-24.2	-8898.2	-
5151.1	-97827.1							
		G1	I	1815.2	-6.1	-20.9	-385.5	-
8463.8	-5964.1		J	1815.2	-6.1	-16.7	-385.5	
5929.5	-1303.8							
		G2	I	700.0	7.0	-6.8	186.8	-
3002.4	5754.8		J	700.0	7.0	-6.8	186.8	
2206.7	364.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	130.7	-4.1	7.3	-175.3	
2794.0	-9606.0		J	130.7	-4.1	7.3	-175.3	-
2825.8	-6443.9							
		Q5_pc Y	I	42.6	-2.2	2.0	165.2	
831.3	-5093.1		J	42.6	-2.2	2.0	165.2	
-717.3	-3387.6							
		Q5_ps X	I	123.0	-5.9	6.2	-257.1	
2354.3	-10811.9		J	123.0	-5.9	6.2	-257.1	-
2372.1	-6301.9							
		Q5_ps Y	I	38.4	-2.7	1.6	126.2	
662.0	-5306.5							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-548.3	-3209.7		J	38.4	-2.7	1.6	126.2	
7373.0	82422.8	INVS LU Max	I	7964.9	116.6	23.8	9790.2	
0350.4	103291.2		J	7964.9	116.6	29.6	9790.2	3
5756.3	-310458.7	Min	I	4334.6	-287.9	-89.2	-19443.9	-3
3087.9	-221331.4		J	4334.6	-287.9	-83.4	-19443.9	-1
5059.3	59804.5	INVS LE Max	I	5947.4	85.6	16.7	7180.7	
2439.3	75915.1		J	5947.4	85.6	20.9	7180.7	2
6515.8	-229938.0	Min	I	3275.7	-213.6	-66.0	-14450.9	-2
9360.4	-163686.8		J	3275.7	-213.6	-61.8	-14450.9	-
5379	2	83 C1-C2;~1 Max	I	1634.3	138.6	28.8	10303.4	1
1382.7	91812.5		J	1634.3	138.6	28.8	10303.4	1
8075.7	162203.3	Min	I	-636.8	-303.2	-46.6	-17346.8	-1
7671.8	-136331.7		J	-636.8	-303.2	-46.6	-17346.8	-1
0664.9	-90237.4							
0748.4	77366.2	C3-C4;~1 Max	I	1715.5	28.8	27.6	6847.1	1
0950.4	161650.7		J	1715.5	28.8	27.6	6847.1	1
1710.6	-140044.2	Min	I	-686.1	-316.3	-29.6	-18242.2	-1
1612.7	-29039.3		J	-686.1	-316.3	-29.6	-18242.2	-1
6899.0	61902.1	C1-C2;~2 Max	I	833.9	79.6	17.2	6370.3	
0341.1	105664.2		J	833.9	79.6	17.2	6370.3	1
9900.6	-94772.1	Min	I	-332.9	-205.8	-26.4	-11924.7	-
6280.6	-49593.6		J	-332.9	-205.8	-26.4	-11924.7	-
6738.5	51834.8	C3-C4;~2 Max	I	863.9	12.8	17.2	4440.4	
5914.3	106004.0		J	863.9	12.8	17.2	4440.4	
6245.4	-97818.4	Min	I	-335.7	-216.2	-15.9	-12610.6	-
6456.7	-15095.3		J	-335.7	-216.2	-15.9	-12610.6	-
7515.8	-1303.3	G1	I	1598.5	-25.5	-19.0	-632.2	-
5404.5	18259.6		J	1598.5	-25.5	-14.7	-632.2	
3112.5	363.6	G2	I	620.0	15.4	-7.5	585.4	-
2602.0	-11431.8		J	620.0	15.4	-7.5	585.4	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3406.3	-6444.6	Q5_pc X	I	100.9	-3.1	9.2	-194.5	
3630.5	-4095.0		J	100.9	-3.1	9.2	-194.5	-
1080.0	-3386.8	Q5_pc Y	I	46.1	-5.0	2.8	63.0	
1049.1	461.1		J	46.1	-5.0	2.8	63.0	-
2981.8	-6302.3	Q5_ps X	I	93.2	-8.3	8.1	-366.8	
3185.6	63.6		J	93.2	-8.3	8.1	-366.8	-
911.2	-3208.8	Q5_ps Y	I	41.4	-6.5	2.3	1.9	
-876.9	1733.6		J	41.4	-6.5	2.3	1.9	
9905.6	103294.0	INVSLU Max	I	7202.6	117.6	26.8	12034.5	
2491.1	252933.9		J	7202.6	117.6	32.6	12034.5	3
5449.2	-221313.0	Min	I	3778.8	-505.6	-91.5	-26852.2	-3
4123.1	-95231.9		J	3778.8	-505.6	-85.8	-26852.2	-1
6937.4	75917.2	INVSLE Max	I	5381.9	84.9	18.9	8815.8	
3928.9	188403.4		J	5381.9	84.9	23.1	8815.8	2
6204.6	-163673.1	Min	I	2859.2	-376.1	-67.6	-19963.3	-2
0116.1	-68951.2		J	2859.2	-376.1	-63.3	-19963.3	-1
5380	2	83 C1-C2;~1 Max	I	1496.0	281.0	19.3	19188.3	
8516.1	162143.0		J	1496.0	281.0	19.3	19188.3	1
9544.4	72857.6	Min	I	-680.9	-128.3	-46.8	-10803.9	-1
8596.6	-90277.8		J	-680.9	-128.3	-46.8	-10803.9	-
7670.1	-114112.3							
8813.1	161571.7	C3-C4;~1 Max	I	1587.7	289.8	21.7	19813.4	
6502.7	62321.0		J	1587.7	289.8	21.7	19813.4	1
6743.4	-29118.1	Min	I	-659.3	-24.7	-40.8	-5918.2	-1
8888.8	-118878.5		J	-659.3	-24.7	-40.8	-5918.2	-
4943.8	105613.5	C1-C2;~2 Max	I	770.0	191.5	11.0	13195.9	
1825.1	48296.8		J	770.0	191.5	11.0	13195.9	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1004.9	-49609.1		Min	I	-369.1	-74.9	-28.0	-6692.9	-1
				J	-369.1	-74.9	-28.0	-6692.9	-
4035.4	-78903.7								
		C3-C4;~2	Max	I	805.9	198.9	11.2	13784.3	
4575.9	105940.2			J	805.9	198.9	11.2	13784.3	1
0029.1	40861.9		Min	I	-353.9	-11.1	-24.6	-3846.7	-
9978.5	-15138.8			J	-353.9	-11.1	-24.6	-3846.7	-
4571.2	-82936.7								
		G1		I	1387.5	24.6	-13.3	920.9	-
5532.8	18180.6			J	1387.5	24.6	-8.8	920.9	
3469.6	-1835.9								
		G2		I	540.4	-12.8	-3.2	-676.1	-
1564.0	-11461.4			J	540.4	-12.8	-3.2	-676.1	
1079.4	-1032.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	58.5	-1.3	7.9	-92.9	
3036.7	-4081.3			J	58.5	-1.3	7.9	-92.9	-
3358.4	-3016.3								
		Q5_pc Y		I	48.5	4.3	2.2	449.4	
923.9	436.4			J	48.5	4.3	2.2	449.4	
-890.6	-3041.1								
		Q5_ps X		I	52.2	3.6	6.5	105.8	
2482.3	78.2			J	52.2	3.6	6.5	105.8	-
2773.3	-2824.1								
		Q5_ps Y		I	43.6	5.6	1.7	487.7	
708.5	1711.1			J	43.6	5.6	1.7	487.7	
-669.4	-2838.3								
		INVSLU Max		I	6444.7	457.1	32.3	28501.0	1
2204.4	252683.3			J	6444.7	457.1	38.4	28501.0	2
7843.5	80683.3		Min	I	3276.9	-115.0	-74.3	-13641.3	-3
0264.7	-95431.2			J	3276.9	-115.0	-68.2	-13641.3	-1
6586.5	-183634.3								
		INVSLE Max		I	4820.3	339.9	23.4	21112.6	
8807.3	188220.6			J	4820.3	339.9	27.9	21112.6	2
0339.5	59578.5		Min	I	2481.5	-83.3	-54.5	-10044.0	-2
2246.4	-69097.8			J	2481.5	-83.3	-50.0	-10044.0	-1
2123.8	-135806.9								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5381	2	83	C1-C2;~1	Max	I	1325.4	137.8	25.6	16474.0	1
0188.7	72856.4				J	1325.4	137.8	25.6	16474.0	2
4630.7	64359.7									
				Min	I	-700.6	-86.4	-54.8	-9277.8	-2
0122.4	-114121.5				J	-700.6	-86.4	-54.8	-9277.8	-1
1487.6	-128891.2									
			C3-C4;~1	Max	I	1407.2	143.3	33.9	16552.2	1
2735.9	62320.0				J	1407.2	143.3	33.9	16552.2	1
8183.5	35573.2									
				Min	I	-647.4	-81.3	-40.4	-6217.2	-1
4839.4	-118888.6				J	-647.4	-81.3	-40.4	-6217.2	-1
5249.6	-137295.8									
			C1-C2;~2	Max	I	687.6	95.1	13.5	11358.9	
5498.6	48295.7				J	687.6	95.1	13.5	11358.9	1
4260.2	40111.9									
				Min	I	-393.0	-59.0	-31.8	-5809.3	-1
1703.1	-78909.5				J	-393.0	-59.0	-31.8	-5809.3	-
5827.6	-89971.5									
			C3-C4;~2	Max	I	720.9	99.5	18.4	11543.7	
7058.0	40860.9				J	720.9	99.5	18.4	11543.7	1
0421.1	22575.0									
				Min	I	-355.8	-55.5	-23.2	-4085.1	-
8570.5	-82943.2				J	-355.8	-55.5	-23.2	-4085.1	-
8036.6	-96481.2									
				G1	I	1158.4	4.2	-10.3	770.6	-
4369.5	-1838.8				J	1158.4	4.2	-5.8	770.6	
2207.2	-5240.4									
				G2	I	451.7	-4.7	-3.2	-302.1	-
1610.5	-1032.4				J	451.7	-4.7	-3.2	-302.1	
964.3	2772.4									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	11.3	-1.1	10.9	-67.5
4044.1	-3017.5				J	11.3	-1.1	10.9	-67.5	-
4855.3	-2083.6									
				Q5_pc	Y	I	45.6	0.5	4.1	355.6
1585.8	-3042.6				J	45.6	0.5	4.1	355.6	-
1779.1	-3438.4									
				Q5_ps	X	I	8.2	0.4	9.2	49.1
3399.4	-2825.5				J	8.2	0.4	9.2	49.1	-
4057.0	-3136.2									

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1310.9	-2839.8	Q5_ps Y	I	41.4	1.0	3.4	372.8	
1445.3	-3618.3		J	41.4	1.0	3.4	372.8	-
7782.6	80671.2	INVS LU Max	I	5608.1	220.1	52.3	23781.8	1
4751.5	48735.9		J	5608.1	220.1	58.4	23781.8	3
3855.6	-183661.2	Min	I	2680.5	-92.1	-87.0	-11728.8	-3
7826.3	-229688.1		J	2680.5	-92.1	-80.9	-11728.8	-2
3038.1	59569.3	INVS LE Max	I	4196.4	163.3	38.6	17599.0	1
5086.9	35587.2		J	4196.4	163.3	43.1	17599.0	2
4673.2	-135826.8	Min	I	2033.9	-67.8	-63.2	-8657.7	-2
0619.7	-170194.4		J	2033.9	-67.8	-58.7	-8657.7	-2
5382	2	69 C1-C2;~1 Max	I	1101.4	132.0	5.0	1855.1	
1911.6	64358.1		J	1101.4	132.0	5.0	1855.1	
5336.6	50514.9	Min	I	-665.3	-125.7	-12.3	-1422.6	-
4702.6	-128888.0		J	-665.3	-125.7	-12.3	-1422.6	-
2053.1	-111009.7							
2582.8	35571.2	C3-C4;~1 Max	I	1178.7	131.7	6.6	1816.4	
3994.4	18784.3		J	1178.7	131.7	6.6	1816.4	
3544.9	-137292.6	Min	I	-605.4	-124.7	-9.3	-1322.8	-
2796.1	-115993.1		J	-605.4	-124.7	-9.3	-1322.8	-
1104.2	40111.0	C1-C2;~2 Max	I	575.8	92.8	2.6	1271.1	
3104.3	30795.3		J	575.8	92.8	2.6	1271.1	
2762.9	-89969.6	Min	I	-379.8	-88.3	-7.2	-971.8	-
1094.5	-77326.1		J	-379.8	-88.3	-7.2	-971.8	-
1422.5	22573.9	C3-C4;~2 Max	I	608.6	92.9	3.6	1259.6	
2295.2	10851.2		J	608.6	92.9	3.6	1259.6	
2062.4	-96479.3	Min	I	-338.9	-87.7	-5.4	-903.3	-
1517.2	-81318.5		J	-338.9	-87.7	-5.4	-903.3	-
1302.9	-5239.0	G1	I	889.6	-0.5	-4.3	70.1	-
1406.4	-4859.8		J	889.6	-0.5	-2.3	70.1	
		G2	I	347.4	-1.0	-1.3	7.3	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-432.7	2773.1		J	347.4	-1.0	-1.3	7.3	
584.4	3607.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
846.4	-2083.7	Q5_pc X	I	-15.3	-1.4	2.2	-17.3	
			J	-15.3	-1.4	2.2	-17.3	
-975.4	-982.2							
351.0	-3435.4	Q5_pc Y	I	41.5	-0.2	0.9	26.0	
			J	41.5	-0.2	0.9	26.0	
-367.9	-3258.6							
700.9	-3136.2	Q5_ps X	I	-16.8	-1.1	1.9	-15.9	
			J	-16.8	-1.1	1.9	-15.9	
-807.1	-2202.2							
288.6	-3615.5	Q5_ps Y	I	37.8	-0.1	0.7	24.6	
			J	37.8	-0.1	0.7	24.6	
-297.7	-3494.2							
3579.3	48741.4	INVSLE Max	I	4618.2	175.9	8.9	3241.3	
			J	4618.2	175.9	11.6	3241.3	
7938.6	32756.4	Min	I	2054.1	-174.5	-20.7	-1230.5	-
7779.5	-229670.7		J	2054.1	-174.5	-18.0	-1230.5	-
4796.2	-197894.8							
2640.8	35591.5	INVSLE Max	I	3456.1	130.2	6.6	2396.4	
			J	3456.1	130.2	8.6	2396.4	
5758.6	23737.2	Min	I	1562.2	-129.1	-15.0	-912.6	-
5660.2	-170181.7		J	1562.2	-129.1	-13.0	-912.6	-
3544.6	-146681.1							
5383	2	69 C1-C2;~1 Max	I	977.6	90.0	5.2	1380.6	
2142.1	50515.4		J	977.6	90.0	5.2	1380.6	
6685.9	52324.4	Min	I	-712.6	-124.5	-16.1	-2054.9	-
6396.0	-111009.5		J	-712.6	-124.5	-16.1	-2054.9	-
2128.7	-89979.9							
2970.4	18783.9	C3-C4;~1 Max	I	1056.7	87.7	7.3	1231.8	
			J	1056.7	87.7	7.3	1231.8	
5069.4	34694.2	Min	I	-648.4	-127.5	-12.3	-2088.1	-
4963.8	-115992.2		J	-648.4	-127.5	-12.3	-2088.1	-
2997.3	-96311.6							
		C1-C2;~2 Max	I	515.3	62.7	2.7	917.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1098.2	30795.4			J	515.3	62.7	2.7	917.6	
3844.1	33082.9								
		Min		I	-414.0	-86.6	-9.2	-1413.5	-
3669.3	-77325.7			J	-414.0	-86.6	-9.2	-1413.5	-
1086.4	-62884.0								
		C3-C4;~2 Max		I	548.0	60.9	3.9	822.4	
1561.8	10850.8			J	548.0	60.9	3.9	822.4	
2842.9	22570.5								
		Min		I	-370.9	-89.1	-6.9	-1443.7	-
2794.3	-81317.5			J	-370.9	-89.1	-6.9	-1443.7	-
1578.5	-67694.5								
		G1		I	682.3	-2.9	-7.5	20.8	-
2698.7	-4861.0			J	682.3	-2.9	-5.5	20.8	
2584.4	-2490.0								
		G2		I	268.2	2.8	-2.5	75.3	
-965.2	3607.1			J	268.2	2.8	-2.5	75.3	
1031.1	1347.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-21.8	-1.6	2.7	-27.0	
1080.5	-981.7			J	-21.8	-1.6	2.7	-27.0	-
1092.3	302.8								
		Q5_pc Y		I	44.0	-1.4	1.1	-4.7	
454.5	-3259.3			J	44.0	-1.4	1.1	-4.7	
-439.6	-2115.2								
		Q5_ps X		I	-25.0	-2.5	2.2	-45.7	
889.9	-2201.8			J	-25.0	-2.5	2.2	-45.7	
-896.8	-158.7								
		Q5_ps Y		I	39.5	-1.7	0.9	-11.3	
372.8	-3495.0			J	39.5	-1.7	0.9	-11.3	
-356.9	-2132.3								
		INVSLU Max		I	3967.1	97.1	9.3	1952.2	
3911.8	32753.9			J	3967.1	97.1	12.0	1952.2	1
0260.2	55245.4								
		Min		I	1499.1	-199.5	-27.1	-2779.2	-1
0677.8	-197898.0			J	1499.1	-199.5	-24.4	-2779.2	-
4778.4	-149220.6								
		INVSLE Max		I	2969.5	71.7	6.9	1436.3	
2876.2	23735.3			J	2969.5	71.7	8.9	1436.3	
7461.8	40551.4								
		Min		I	1147.3	-147.7	-19.7	-2064.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
7786.9	-146683.4			J	1147.3	-147.7	-17.7	-2064.9	-
3532.2	-110622.9								
5384	2	69	C1-C2;~1	Max	I	885.4	114.4	5.5	1645.2
2279.7	52321.7				J	885.4	114.4	5.5	1645.2
7378.4	109298.9			Min	I	-755.0	-232.8	-17.9	-2838.1
7195.8	-89966.6				J	-755.0	-232.8	-17.9	-2838.1
2219.1	-66104.0								
			C3-C4;~1	Max	I	963.6	27.2	7.8	926.8
3212.0	34699.0				J	963.6	27.2	7.8	926.8
5524.1	102204.8			Min	I	-681.9	-232.5	-13.5	-2951.9
5458.8	-96298.5				J	-681.9	-232.5	-13.5	-2951.9
3155.0	-20666.2								
			C1-C2;~2	Max	I	469.5	67.4	2.8	1006.2
1166.1	33081.2				J	469.5	67.4	2.8	1006.2
4219.6	69709.2			Min	I	-442.1	-157.4	-10.2	-1950.8
4087.5	-62874.7				J	-442.1	-157.4	-10.2	-1950.8
1136.4	-37281.3								
			C3-C4;~2	Max	I	502.0	12.7	4.2	582.8
1704.9	22573.8				J	502.0	12.7	4.2	582.8
3083.3	65517.5			Min	I	-394.1	-158.8	-7.5	-2043.3
3029.6	-67685.5				J	-394.1	-158.8	-7.5	-2043.3
1681.8	-9701.6								
			G1		I	514.5	-11.5	-9.2	-21.2
3457.1	-2485.6				J	514.5	-11.5	-7.2	-21.2
3234.7	6856.8								
			G2		I	203.5	15.4	-3.3	151.6
1319.8	1347.6				J	203.5	15.4	-3.3	151.6
1346.2	-11183.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-35.4	-0.9	2.8	-22.3
1130.4	300.8				J	-35.4	-0.9	2.8	-22.3
1112.3	1000.3								
			Q5_pc	Y	I	47.9	-5.6	1.3	-30.7
521.2	-2114.2				J	47.9	-5.6	1.3	-30.7
-502.7	2407.7								
			Q5_ps	X	I	-39.0	-5.3	2.3	-59.2


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
937.0	-160.2		J	-39.0	-5.3	2.3	-59.2	
-918.8	4116.4							
		Q5_ps Y	I	42.7	-6.8	1.0	-42.1	
435.6	-2131.1		J	42.7	-6.8	1.0	-42.1	
-417.5	3396.6							
		INVS LU Max	I	3390.7	117.0	8.9	1852.8	
3911.5	55244.6		J	3390.7	117.0	11.6	1852.8	1
1805.9	166952.7							
		Min	I	984.4	-361.7	-30.8	-4408.6	-1
2173.7	-149198.1		J	984.4	-361.7	-28.1	-4408.6	-
4416.3	-74174.9							
		INVS LE Max	I	2538.9	85.1	6.6	1356.2	
2893.9	40550.8		J	2538.9	85.1	8.6	1356.2	
8577.3	124269.6							
		Min	I	762.8	-268.8	-22.4	-3277.8	-
8870.3	-110606.4		J	762.8	-268.8	-20.4	-3277.8	-
3290.9	-54022.5							
		69 C1-C2;~1 Max	I	807.0	231.2	4.6	2917.1	
5385	2		J	807.0	231.2	4.6	2917.1	
1919.7	109293.2							
		Min	I	-803.0	-111.9	-19.2	-1415.5	-
7863.4	48760.2		J	-803.0	-111.9	-19.2	-1415.5	-
7788.3	-66087.4							
1814.6	-87085.7							
		C3-C4;~1 Max	I	882.3	230.4	6.5	2998.8	
2704.0	102210.2		J	882.3	230.4	6.5	2998.8	
6130.9	34551.7							
		Min	I	-722.7	-30.8	-15.2	-793.6	-
6219.6	-20712.9		J	-722.7	-30.8	-15.2	-793.6	-
2582.8	-93279.1							
		C1-C2;~2 Max	I	430.7	156.4	2.2	2007.5	
935.3	69678.7		J	430.7	156.4	2.2	2007.5	
4580.0	31524.2							
		Min	I	-473.3	-66.9	-11.2	-915.5	-
4508.5	-37258.6		J	-473.3	-66.9	-11.2	-915.5	-
-884.2	-61028.8							
		C3-C4;~2 Max	I	462.1	157.3	3.3	2090.1	
1367.1	65492.2		J	462.1	157.3	3.3	2090.1	
3477.5	22461.8							
		Min	I	-421.2	-15.2	-8.6	-506.3	-
3521.2	-9720.4		J	-421.2	-15.2	-8.6	-506.3	-
1309.5	-65744.8							
		G1	I	368.2	9.7	-9.9	131.0	-
3765.0	6897.8		J	368.2	9.7	-7.9	131.0	-

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3497.5	-1024.8								
		G2	I	146.9	-15.8	-3.3	-118.3		-
1342.3	-11167.6		J	146.9	-15.8	-3.3	-118.3		
1350.4	1665.3								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-56.8	-0.9	2.4	-9.1		
987.0	985.6		J	-56.8	-0.9	2.4	-9.1		
-958.2	1716.1								
		Q5_pc Y	I	53.8	5.6	1.2	63.4		
495.5	2373.0		J	53.8	5.6	1.2	63.4		
-474.5	-2207.6								
		Q5_ps X	I	-60.0	3.6	1.9	24.4		
787.4	4109.6		J	-60.0	3.6	1.9	24.4		
-759.6	1219.1								
		Q5_ps Y	I	48.1	6.9	1.0	71.8		
405.7	3366.9		J	48.1	6.9	1.0	71.8		
-385.6	-2224.7								
		INVS LU Max	I	2851.3	343.8	8.8	4668.9		
3742.4	166817.0		J	2851.3	343.8	11.5	4668.9		1
1273.7	63309.5								
		Min	I	473.9	-129.6	-30.2	-1404.5		-1
2198.9	-74218.2		J	473.9	-129.6	-27.5	-1404.5		-
4553.3	-132417.3								
		INVS LE Max	I	2135.2	256.5	6.7	3462.3		
2834.6	124170.3		J	2135.2	256.5	8.7	3462.3		
8128.6	45761.6								
		Min	I	381.8	-93.4	-21.9	-1028.0		-
8842.1	-54057.9		J	381.8	-93.4	-19.9	-1028.0		-
3467.4	-98926.9								
		69 C1-C2;~1 Max	I	739.6	116.6	4.1	2173.1		
5386	2		J	739.6	116.6	4.1	2173.1		
1774.4	48766.7								
		Min	I	-867.8	-85.2	-19.2	-1198.5		-
7809.9	42565.3		J	-867.8	-85.2	-19.2	-1198.5		-
7818.3	-87097.0								
1592.8	-103871.7								
		C3-C4;~1 Max	I	810.4	119.9	6.1	2178.1		
2575.5	34551.8		J	810.4	119.9	6.1	2178.1		
5853.1	19696.7								
		Min	I	-774.8	-84.5	-14.6	-1107.4		-
6006.1	-93289.4		J	-774.8	-84.5	-14.6	-1107.4		-

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2374.0	-108994.2							
		C1-C2;~2 Max	I	396.7	81.5	2.0	1494.7	
863.4	31528.0		J	396.7	81.5	2.0	1494.7	
4584.8	27368.0							
		Min	I	-513.7	-59.6	-11.2	-827.9	-
4548.3	-61036.5		J	-513.7	-59.6	-11.2	-827.9	
-773.7	-72909.8							
		C3-C4;~2 Max	I	426.1	84.1	3.1	1515.6	
1318.0	22461.2		J	426.1	84.1	3.1	1515.6	
3334.0	11637.8							
		Min	I	-453.6	-58.6	-8.3	-748.2	-
3400.9	-65752.0		J	-453.6	-58.6	-8.3	-748.2	-
1223.2	-76951.2							
		G1	I	233.0	0.2	-10.1	95.8	-
3878.7	-1022.3		J	233.0	0.2	-8.1	95.8	
3563.3	-1204.3							
		G2	I	94.5	-3.6	-3.5	-43.2	-
1447.6	1667.4		J	94.5	-3.6	-3.5	-43.2	
1434.8	4600.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-74.8	-0.2	2.1	-3.1	
873.2	1714.9		J	-74.8	-0.2	2.1	-3.1	
-817.7	1907.1							
		Q5_pc Y	I	62.5	1.4	1.3	37.7	
544.0	-2209.7		J	62.5	1.4	1.3	37.7	
-514.5	-3335.4							
		Q5_ps X	I	-77.9	0.8	1.6	13.1	
689.3	1217.8		J	-77.9	0.8	1.6	13.1	
-637.7	605.0							
		Q5_ps Y	I	56.0	1.7	1.1	41.5	
455.2	-2226.7		J	56.0	1.7	1.1	41.5	
-427.8	-3583.2							
		INVSLU Max	I	2390.5	179.4	9.6	3333.0	
4141.3	63312.3		J	2390.5	179.4	12.3	3333.0	1
0448.6	42743.4							
		Min	I	-9.7	-100.0	-28.3	-1293.2	-1
1462.1	-132440.8		J	-9.7	-100.0	-25.6	-1293.2	-
4771.5	-167865.7							
		INVSLE Max	I	1789.0	133.6	7.5	2469.0	
3207.8	45763.3							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7448.9	29765.4		J	1789.0	133.6	9.5	2469.0	
		Min	I	21.1	-73.1	-20.3	-952.7	-
8233.8	-98944.3		J	21.1	-73.1	-18.3	-952.7	-
3716.2	-125796.6							
5387	2	69 C1-C2;~1 Max	I	671.9	104.4	3.2	1666.0	
1424.1	42562.3		J	671.9	104.4	3.2	1666.0	
7758.4	41464.4							
		Min	I	-919.9	-109.0	-19.2	-1643.8	-
7831.9	-103866.7		J	-919.9	-109.0	-19.2	-1643.8	-
1185.3	-101135.5							
		C3-C4;~1 Max	I	737.1	105.1	4.8	1592.5	
2087.9	19695.8		J	737.1	105.1	4.8	1592.5	
5870.5	21249.5							
		Min	I	-808.6	-111.5	-14.5	-1652.5	-
5955.0	-108989.6		J	-808.6	-111.5	-14.5	-1652.5	-
1794.8	-106469.2							
		C1-C2;~2 Max	I	361.4	73.9	1.6	1137.0	
695.9	27366.2		J	361.4	73.9	1.6	1137.0	
4675.4	26731.4							
		Min	I	-544.2	-77.3	-11.5	-1146.0	-
4667.3	-72906.2		J	-544.2	-77.3	-11.5	-1146.0	-
-576.8	-70905.1							
		C3-C4;~2 Max	I	388.4	74.2	2.4	1093.6	
1070.0	11637.3		J	388.4	74.2	2.4	1093.6	
3465.8	12703.9							
		Min	I	-473.0	-78.8	-8.5	-1148.1	-
3461.1	-76947.9		J	-473.0	-78.8	-8.5	-1148.1	-
-925.0	-75142.7							
		G1	I	104.2	-1.6	-9.8	74.6	-
3777.9	-1204.3		J	104.2	-1.6	-7.8	74.6	-
3419.4	133.6							
		G2	I	43.9	-0.7	-3.4	26.3	-
1396.5	4600.2		J	43.9	-0.7	-3.4	26.3	-
1367.3	5179.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-82.9	-1.0	1.6	-7.9	
682.5	1907.3		J	-82.9	-1.0	1.6	-7.9	
-595.5	2697.9							
		Q5_pc Y	I	70.8	0.0	1.3	10.9	
545.0	-3335.0		J	70.8	0.0	1.3	10.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-510.2	-3364.1								
515.1	605.1	Q5_ps X	I	-86.5	-0.9	1.2	-10.1		
-435.9	1323.0		J	-86.5	-0.9	1.2	-10.1		
459.1	-3582.7	Q5_ps Y	I	63.5	0.1	1.1	9.4		
-427.6	-3631.0		J	63.5	0.1	1.1	9.4		
4451.4	42741.8	INVS LU Max	I	1952.2	145.2	10.1	2514.3		
9049.8	39326.2		J	1952.2	145.2	12.8	2514.3		
0168.9	-167856.1	Min	I	-433.9	-149.1	-25.0	-1985.3	-1	
4918.9	-166439.6		J	-433.9	-149.1	-22.3	-1985.3	-	
3540.4	29764.4	INVS LE Max	I	1459.0	107.6	8.2	1867.1		
6334.4	27149.5		J	1459.0	107.6	10.2	1867.1		
7198.5	-125789.5	Min	I	-297.4	-110.2	-17.6	-1464.5	-	
3933.4	-124821.1		J	-297.4	-110.2	-15.6	-1464.5	-	
5388	2	69 C1-C2;~1 Max	I	608.2	79.0	2.2	1272.3		
899.5	41465.5		J	608.2	79.0	2.2	1272.3		
7821.0	42468.5	Min	I	-970.6	-119.4	-18.9	-2161.5	-	
7575.0	-101139.9		J	-970.6	-119.4	-18.9	-2161.5	-	
1031.9	-79549.4								
1399.8	21249.7	C3-C4;~1 Max	I	667.6	76.7	3.4	1108.3		
6094.6	33942.6		J	667.6	76.7	3.4	1108.3		
5839.9	-106473.5	Min	I	-855.3	-124.9	-14.6	-2240.5	-	
1465.1	-86109.1		J	-855.3	-124.9	-14.6	-2240.5	-	
434.4	26732.0	C1-C2;~2 Max	I	327.8	55.8	1.1	843.8		
4805.2	28153.4		J	327.8	55.8	1.1	843.8		
4649.8	-70908.2	Min	I	-574.2	-84.7	-11.6	-1498.5	-	
-502.1	-55851.2		J	-574.2	-84.7	-11.6	-1498.5	-	
723.9	12703.9	C3-C4;~2 Max	I	352.3	53.6	1.8	724.7		
3699.6	22417.2		J	352.3	53.6	1.8	724.7		
3537.9	-75145.7	Min	I	-501.4	-88.7	-8.9	-1559.6	-	
-753.8	-60870.8		J	-501.4	-88.7	-8.9	-1559.6	-	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3486.6	133.5	G1	I	-16.0	-1.4	-9.1	65.2	-
			J	-16.0	-1.4	-7.1	65.2	
3114.4	1275.3							
		G2	I	-1.7	2.5	-3.1	100.0	-
1272.2	5179.9		J	-1.7	2.5	-3.1	100.0	
1238.3	3162.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	-88.0	-1.5	0.8	-13.2	
377.1	2698.1		J	-88.0	-1.5	0.8	-13.2	
-251.4	3901.5							
		Q5_pc Y	I	75.7	-1.1	1.3	-13.9	
535.1	-3364.4		J	75.7	-1.1	1.3	-13.9	
-503.4	-2455.4							
		Q5_ps X	I	-92.4	-2.2	0.4	-33.7	
239.6	1323.2		J	-92.4	-2.2	0.4	-33.7	
-125.1	3085.3							
		Q5_ps Y	I	67.7	-1.3	1.1	-21.0	
455.7	-3631.3		J	67.7	-1.3	1.1	-21.0	
-427.8	-2546.9							
		INVSLU Max	I	1530.6	99.5	12.3	2095.1	
4951.3	39330.9		J	1530.6	99.5	15.0	2095.1	
7127.1	48024.2							
		Min	I	-839.4	-178.3	-20.0	-2672.2	-
8127.8	-166442.7		J	-839.4	-178.3	-17.3	-2672.2	-
6315.4	-132578.3							
		INVSLE Max	I	1140.7	73.0	10.2	1569.6	
4052.8	27153.1		J	1140.7	73.0	12.2	1569.6	
4751.7	34094.3							
		Min	I	-603.2	-132.7	-13.6	-1960.0	-
5564.1	-124823.2		J	-603.2	-132.7	-11.6	-1960.0	-
5138.6	-99165.2							
		69 C1-C2;~1 Max	I	547.6	99.1	3.4	1259.0	
5389	2		J	547.6	99.1	3.4	1259.0	
1224.7	42470.1							
		Min	I	-1031.3	-221.1	-16.1	-2733.1	-
6385.8	108372.9		J	-1031.3	-221.1	-16.1	-2733.1	-
6717.0	-79542.0							
1543.2	-55911.5							
		C3-C4;~1 Max	I	601.4	29.8	3.8	619.8	
1444.2	33947.0		J	601.4	29.8	3.8	619.8	
4700.8	103171.9							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4905.6	-86101.1		Min	I	-905.7	-220.4	-11.8	-2835.4	-
				J	-905.7	-220.4	-11.8	-2835.4	-
1719.7	-17033.0								
		C1-C2;~2	Max	I	295.5	61.6	1.8	785.8	
626.2	28154.5			J	295.5	61.6	1.8	785.8	
3892.8	71465.8								
			Min	I	-610.2	-150.7	-9.8	-1884.0	-
4096.6	-55846.0			J	-610.2	-150.7	-9.8	-1884.0	
-813.4	-33544.5								
		C3-C4;~2	Max	I	317.6	14.6	1.9	355.2	
727.8	22420.3			J	317.6	14.6	1.9	355.2	
2791.3	68924.5								
			Min	I	-531.6	-152.2	-7.0	-1970.2	-
2918.7	-60865.0			J	-531.6	-152.2	-7.0	-1970.2	
-877.1	-8017.3								
			G1	I	-140.0	-0.3	-7.2	53.6	-
2845.5	1276.1			J	-140.0	-0.3	-5.2	53.6	
2163.1	1523.3								
			G2	I	-49.5	18.2	-2.5	188.8	-
1078.1	3162.0			J	-49.5	18.2	-2.5	188.8	
922.5	-11673.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-93.5	0.1	-0.1	-13.1	
33.6	3900.8			J	-93.5	0.1	-0.1	-13.1	
89.1	3824.4								
			Q5_pc Y	I	82.3	-4.2	1.1	-29.5	
504.0	-2454.2			J	82.3	-4.2	1.1	-29.5	
-421.5	997.8								
			Q5_ps X	I	-98.8	-3.9	-0.2	-52.0	
-50.9	3085.0			J	-98.8	-3.9	-0.2	-52.0	
150.5	6255.9								
			Q5_ps Y	I	73.5	-5.5	1.0	-42.8	
441.1	-2545.7			J	73.5	-5.5	1.0	-42.8	
-370.3	1941.4								
			INVSLU Max	I	1116.4	158.8	18.8	2355.2	
7587.9	48010.9			J	1116.4	158.8	21.5	2355.2	
2797.9	119755.8								
			Min	I	-1256.2	-281.2	-10.1	-3225.4	-
4336.8	-132581.7			J	-1256.2	-281.2	-7.4	-3225.4	-
8903.2	-108912.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6222.3	34083.4	INVSLE	Max	I	831.6	117.8	15.5	1779.6	
				J	831.6	117.8	17.5	1779.6	
1351.8	86847.1		Min	I	-913.4	-207.5	-5.8	-2350.3	-
2543.6	-99168.7			J	-913.4	-207.5	-3.8	-2350.3	-
7259.5	-82026.6								
5390	2	69 C1-C2;~1	Max	I	387.5	123.4	2.3	1111.8	
1047.2	108431.7			J	387.5	123.4	2.3	1111.8	
2996.1	30123.6		Min	I	-757.7	-74.0	-8.0	-669.3	-
3525.4	-55908.6			J	-757.7	-74.0	-8.0	-669.3	-
-793.5	-44330.0								
		C3-C4;~1	Max	I	425.0	112.8	2.5	1092.9	
1150.3	103271.3			J	425.0	112.8	2.5	1092.9	
2739.7	28073.6		Min	I	-675.0	-26.1	-7.3	-436.3	-
3196.8	-17074.3			J	-675.0	-26.1	-7.3	-436.3	-
-873.5	-46832.3								
		C1-C2;~2	Max	I	209.6	78.5	1.2	730.7	
561.6	71511.9			J	209.6	78.5	1.2	730.7	
1816.2	20513.8		Min	I	-444.3	-43.4	-4.8	-420.3	-
2115.1	-33538.3			J	-444.3	-43.4	-4.8	-420.3	-
-424.4	-30371.5								
		C3-C4;~2	Max	I	225.0	72.5	1.3	730.1	
600.6	68999.4			J	225.0	72.5	1.3	730.1	
1667.6	18698.2		Min	I	-394.4	-12.5	-4.4	-275.6	-
1924.8	-8040.9			J	-394.4	-12.5	-4.4	-275.6	-
-455.1	-32346.8								
		G1		I	-151.0	0.9	-3.9	47.9	-
1399.1	1462.2			J	-151.0	0.9	-1.9	47.9	-
961.4	708.1								
		G2		I	-52.5	-17.1	-1.0	-96.8	
-446.6	-11699.4			J	-52.5	-17.1	-1.0	-96.8	
395.7	2177.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-83.9	2.2	-0.4	-20.4	
-182.4	3842.4			J	-83.9	2.2	-0.4	-20.4	
127.2	2088.2								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
230.2	988.5	Q5_pc	Y	I	70.2	2.2	0.5	24.1	
				J	70.2	2.2	0.5	24.1	
-151.1	-763.8	Q5_ps	X	I	-87.0	5.7	-0.5	0.8	
				J	-87.0	5.7	-0.5	0.8	
-214.8	6275.7	Q5_ps	Y	I	63.2	3.4	0.4	30.6	
				J	63.2	3.4	0.4	30.6	
154.5	1613.1								
199.8	1933.7								
-128.5	-866.1								
5705.4	119552.1	INVSLU	Max	I	141.5	108.0	10.6	1194.5	
				J	141.5	108.0	13.3	1194.5	
1512.5	61559.0		Min	I	-1606.1	-162.4	-4.5	-1253.3	-
				J	-1606.1	-162.4	-1.8	-1253.3	-
1021.1	-109223.5								
3983.4	-46090.0								
4661.8	86679.3	INVSLE	Max	I	66.8	76.9	8.7	876.4	
				J	66.8	76.9	10.7	876.4	
826.9	46274.4		Min	I	-1216.6	-123.1	-2.4	-933.5	
				J	-1216.6	-123.1	-0.4	-933.5	-
-290.0	-82271.8								
3224.1	-33187.3								
5391	2	69 C1-C2;~1	Max	I	249.0	28.2	0.8	589.2	
				J	249.0	28.2	0.8	589.2	
333.2	30123.7								
1844.2	14055.1		Min	I	-495.7	-30.8	-4.5	-455.0	-
				J	-495.7	-30.8	-4.5	-455.0	-
1862.4	-44333.3								
-328.0	-28209.7								
358.1	28072.6	C3-C4;~1	Max	I	272.4	27.7	0.9	561.9	
				J	272.4	27.7	0.9	561.9	
1624.4	7479.2		Min	I	-439.4	-32.6	-3.9	-438.2	-
				J	-439.4	-32.6	-3.9	-438.2	-
1587.7	-46835.8								
-349.3	-27998.0								
173.0	20513.8	C1-C2;~2	Max	I	135.2	19.4	0.4	388.5	
				J	135.2	19.4	0.4	388.5	
1119.0	8534.8		Min	I	-291.2	-21.7	-2.7	-312.6	-
				J	-291.2	-21.7	-2.7	-312.6	-
1129.5	-30373.4								
-170.4	-19006.2								
180.0	18697.1	C3-C4;~2	Max	I	144.7	19.0	0.4	373.6	
				J	144.7	19.0	0.4	373.6	
994.1	4224.0		Min	I	-256.4	-22.8	-2.4	-294.2	
-966.2	-32348.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-176.6	-19022.2		J	-256.4	-22.8	-2.4	-294.2	
		G1	I	-106.2	0.5	-3.1	42.6	
-971.3	709.1		J	-106.2	0.5	-1.1	42.6	
703.0	334.5							
		G2	I	-38.0	-0.6	-0.8	-19.3	
-324.1	2178.7		J	-38.0	-0.6	-0.8	-19.3	
328.5	2650.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-75.2	1.1	-0.2	-5.5	
-83.8	2088.7		J	-75.2	1.1	-0.2	-5.5	
58.1	1180.4							
		Q5_pc Y	I	57.0	0.0	0.3	8.1	
150.1	-765.4		J	57.0	0.0	0.3	8.1	
-102.0	-790.8							
		Q5_ps X	I	-75.7	1.2	-0.2	0.2	
-100.5	1613.5		J	-75.7	1.2	-0.2	0.2	
74.4	600.5							
		Q5_ps Y	I	52.0	0.1	0.3	9.8	
132.8	-867.6		J	52.0	0.1	0.3	9.8	
-88.1	-948.1							
		INVSLE Max	I	-702.7	18.2	2.9	725.0	
1873.9	61555.5		J	-702.7	18.2	5.6	725.0	
1577.5	55961.8							
		Min	I	-1874.8	-65.8	-5.0	-699.2	-
1394.1	-46099.5		J	-1874.8	-65.8	-2.3	-699.2	-
1567.3	-3220.5							
		INVSLE Max	I	-598.8	11.8	2.5	533.7	
1547.9	46271.4		J	-598.8	11.8	4.5	533.7	
1036.6	43520.6							
		Min	I	-1457.0	-50.3	-3.3	-520.2	
-852.8	-33194.6		J	-1457.0	-50.3	-1.3	-520.2	-
1279.3	-160.7							
5392	2	69 C1-C2;~1 Max	I	184.4	13.4	0.3	478.0	
150.3	14052.0		J	184.4	13.4	0.3	478.0	
1331.9	12994.3							
		Min	I	-383.6	-16.0	-3.1	-497.1	-
1234.1	-28206.5		J	-383.6	-16.0	-3.1	-497.1	
-132.1	-26674.3							
		C3-C4;~1 Max	I	201.3	13.5	0.6	441.9	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
290.3	7477.6			J	201.3	13.5	0.6	441.9	
1219.9	6394.5		Min	I	-343.9	-17.5	-2.8	-500.6	-
1096.3	-27995.5			J	-343.9	-17.5	-2.8	-500.6	
-214.5	-26502.0								
			C1-C2;~2 Max	I	99.8	9.1	0.2	313.8	
78.8	8533.0			J	99.8	9.1	0.2	313.8	
817.8	7804.4		Min	I	-224.8	-11.1	-1.9	-339.4	
-754.4	-19004.2			J	-224.8	-11.1	-1.9	-339.4	
-66.2	-17956.8								
			C3-C4;~2 Max	I	106.6	9.1	0.4	289.3	
187.4	4223.2			J	106.6	9.1	0.4	289.3	
763.2	3513.8		Min	I	-200.0	-12.0	-1.8	-339.3	
-677.8	-19020.7			J	-200.0	-12.0	-1.8	-339.3	
-131.4	-18026.0								
			G1	I	-98.9	-0.3	-2.6	44.1	
-775.3	333.8			J	-98.9	-0.3	-0.6	44.1	
557.3	556.7								
			G2	I	-35.6	-0.1	-0.6	13.4	
-244.8	2649.4			J	-35.6	-0.1	-0.6	13.4	
269.3	2709.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-70.9	0.3	-0.1	-5.3	
-36.7	1180.0			J	-70.9	0.3	-0.1	-5.3	
22.0	942.3								
			Q5_pc Y	I	52.6	-0.1	0.2	2.5	
111.9	-790.3			J	52.6	-0.1	0.2	2.5	
-72.3	-739.2								
			Q5_ps X	I	-70.5	0.3	-0.1	-6.0	
-49.8	600.2			J	-70.5	0.3	-0.1	-6.0	
35.3	377.1								
			Q5_ps Y	I	48.3	-0.1	0.2	2.0	
99.3	-947.7			J	48.3	-0.1	0.2	2.0	
-62.1	-901.4								
			INVSLU Max	I	-1121.6	14.8	0.6	925.5	
851.8	55956.5			J	-1121.6	14.8	3.3	925.5	
1490.9	57358.1		Min	I	-2038.8	-27.6	-4.9	-405.2	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1407.5	-3216.4			J	-2038.8	-27.6	-2.2	-405.2	
-726.9	2109.5								
		INVSLE	Max	I	-924.8	10.4	0.6	695.2	
696.3	43516.8			J	-924.8	10.4	2.6	695.2	
1044.3	45054.5		Min	I	-1594.7	-21.0	-3.4	-289.8	
-962.3	-157.7			J	-1594.7	-21.0	-1.4	-289.8	
-588.8	4255.2								
5393	2	69	C1-C2;~1	Max	I	157.4	12.7	0.7	439.2
345.1	12996.2			J	157.4	12.7	0.7	439.2	
1145.6	14271.0		Min	I	-342.3	-10.1	-2.7	-570.8	
1035.6	-26677.0			J	-342.3	-10.1	-2.7	-570.8	
-232.2	-29287.6								
		C3-C4;~1	Max	I	172.0	13.9	0.9	380.6	
433.1	6394.8			J	172.0	13.9	0.9	380.6	
1113.5	6793.2		Min	I	-311.6	-10.6	-2.6	-585.2	
-970.1	-26504.3			J	-311.6	-10.6	-2.6	-585.2	
-302.7	-29564.3								
		C1-C2;~2	Max	I	84.6	8.7	0.4	284.9	
202.8	7805.6			J	84.6	8.7	0.4	284.9	
694.2	8555.9		Min	I	-199.5	-7.0	-1.6	-382.5	
-614.9	-17958.6			J	-199.5	-7.0	-1.6	-382.5	
-130.9	-19710.4								
		C3-C4;~2	Max	I	90.5	9.5	0.6	240.8	
274.5	3513.9			J	90.5	9.5	0.6	240.8	
690.6	3681.0		Min	I	-180.3	-7.1	-1.6	-393.5	
-584.5	-18027.6			J	-180.3	-7.1	-1.6	-393.5	
-187.8	-20144.8								
		G1		I	-105.7	-0.4	-2.4	48.6	
-656.4	556.8			J	-105.7	-0.4	-0.4	48.6	
461.5	904.6								
		G2		I	-38.4	-0.5	-0.5	43.7	
-194.8	2710.0			J	-38.4	-0.5	-0.5	43.7	
226.4	3096.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-69.4	0.1	-0.0	-8.3	
-21.8	942.3								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
13.9	840.5		J	-69.4	0.1	-0.0	-8.3	
94.6	-739.4	Q5_pc Y	I	48.7	-0.1	0.2	-1.8	
-61.5	-661.0		J	48.7	-0.1	0.2	-1.8	
-32.3	377.1	Q5_ps X	I	-68.6	0.2	-0.1	-14.7	
25.1	244.2		J	-68.6	0.2	-0.1	-14.7	
84.4	-901.7	Q5_ps Y	I	44.9	-0.1	0.2	-4.3	
-53.0	-844.1		J	44.9	-0.1	0.2	-4.3	
707.3	57367.1	INVS LU Max	I	-1393.5	39.5	0.1	1315.7	
1541.4	42190.6		J	-1393.5	39.5	2.9	1315.7	
1445.8	2112.1	Min	I	-2212.8	6.3	-5.0	-82.3	-
-524.5	-18499.9		J	-2212.8	6.3	-2.3	-82.3	
558.1	45061.5	INVS LE Max	I	-1134.4	30.3	0.2	999.3	
1110.4	32967.7		J	-1134.4	30.3	2.2	999.3	
1024.2	4257.5	Min	I	-1732.0	5.7	-3.6	-35.1	-
-411.7	-11876.1		J	-1732.0	5.7	-1.6	-35.1	
5394	2	69 C1-C2;~1 Max	I	145.8	66.7	1.2	584.4	
579.7	14271.1		J	145.8	66.7	1.2	584.4	
982.1	57636.8	Min	I	-333.1	-105.9	-2.3	-994.2	
-887.5	-29282.0		J	-333.1	-105.9	-2.3	-994.2	
-434.9	-40816.3							
769.1	6795.0	C3-C4;~1 Max	I	160.1	26.5	1.7	280.5	
697.2	51128.1		J	160.1	26.5	1.7	280.5	
-662.8	-29558.7	Min	I	-316.4	-97.1	-1.6	-966.1	
-645.7	-16856.1		J	-316.4	-97.1	-1.6	-966.1	
359.3	8556.0	C1-C2;~2 Max	I	77.7	38.7	0.7	349.9	
576.6	35505.7		J	77.7	38.7	0.7	349.9	
-509.8	-19706.6	Min	I	-193.9	-67.3	-1.3	-653.2	
-269.3	-23381.4		J	-193.9	-67.3	-1.3	-653.2	
501.5	3682.1	C3-C4;~2 Max	I	83.5	12.9	1.1	150.0	
			J	83.5	12.9	1.1	150.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
392.1	31611.8		Min	I	-183.6	-62.5	-0.9	-641.5	
-365.2	-20140.7			J	-183.6	-62.5	-0.9	-641.5	
-420.0	-8211.5								
		G1		I	-116.8	6.9	-2.1	74.2	
-552.1	905.4			J	-116.8	6.9	-0.1	74.2	
365.3	-4681.5								
		G2		I	-40.6	18.4	-0.5	141.3	
-190.3	3095.8			J	-40.6	18.4	-0.5	141.3	
232.2	-11888.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-70.6	-3.3	-0.0	-24.9	
-7.7	839.8			J	-70.6	-3.3	-0.0	-24.9	
2.3	3561.6								
		Q5_pc Y		I	45.1	-0.8	0.2	-8.4	
99.3	-660.0			J	45.1	-0.8	0.2	-8.4	
-76.1	31.1								
		Q5_ps X		I	-69.6	-6.4	-0.0	-46.9	
-11.3	243.7			J	-69.6	-6.4	-0.0	-46.9	
5.5	5457.3								
		Q5_ps Y		I	41.5	-2.1	0.2	-17.2	
92.0	-843.0			J	41.5	-2.1	0.2	-17.2	
-70.4	869.3								
		INVSLU Max		I	-1614.9	205.2	1.2	2022.7	
1186.2	42172.3			J	-1614.9	205.2	3.9	2022.7	
1429.8	11948.0		Min	I	-2407.9	-33.9	-4.6	-153.1	-
1228.9	-18509.5			J	-2407.9	-33.9	-1.9	-153.1	
-904.8	-127374.5								
		INVSLE Max		I	-1302.8	158.2	1.0	1534.4	
907.3	32953.2			J	-1302.8	158.2	3.0	1534.4	
1029.0	5211.1		Min	I	-1880.7	-18.5	-3.3	-74.1	
-868.5	-11884.2			J	-1880.7	-18.5	-1.3	-74.1	
-690.2	-97515.9								
5395	2	69 C1-C2;~1 Max		I	135.7	102.0	0.9	956.3	
418.8	57637.8			J	135.7	102.0	0.9	956.3	
1174.3	12692.3		Min	I	-323.2	-64.8	-2.7	-504.9	-
1040.7	-40850.2			J	-323.2	-64.8	-2.7	-504.9	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-297.2	-26851.5							
		C3-C4;~1 Max	I	149.7	93.4	0.6	919.9	
284.4	51136.0		J	149.7	93.4	0.6	919.9	
1244.3	5862.0							
		Min	I	-309.1	-25.8	-2.9	-199.7	-
1135.5	-16902.1		J	-309.1	-25.8	-2.9	-199.7	
-206.6	-27216.4							
		C1-C2;~2 Max	I	71.7	64.6	0.5	627.5	
245.0	35508.4		J	71.7	64.6	0.5	627.5	
718.7	7594.7							
		Min	I	-187.6	-37.5	-1.6	-301.6	
-622.5	-23397.3		J	-187.6	-37.5	-1.6	-301.6	
-169.4	-18130.0							
		C3-C4;~2 Max	I	77.4	60.1	0.3	614.2	
156.4	31618.9		J	77.4	60.1	0.3	614.2	
780.7	3124.4							
		Min	I	-178.9	-12.6	-1.8	-104.9	
-699.7	-8236.0		J	-178.9	-12.6	-1.8	-104.9	
-110.1	-18610.0							
		G1	I	-123.6	-7.0	-2.2	-6.0	
-554.1	-4753.8		J	-123.6	-7.0	-0.2	-6.0	
383.4	910.5							
		G2	I	-43.4	-18.1	-0.4	-115.7	
-124.1	-11917.1		J	-43.4	-18.1	-0.4	-115.7	
172.2	2786.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-74.2	3.3	-0.1	20.3	
-27.1	3566.0		J	-74.2	3.3	-0.1	20.3	
21.8	900.1							
		Q5_pc Y	I	44.5	0.8	0.1	7.9	
53.0	37.6		J	44.5	0.8	0.1	7.9	
-32.5	-640.8							
		Q5_ps X	I	-72.8	6.3	-0.1	39.9	
-38.9	5462.4		J	-72.8	6.3	-0.1	39.9	
33.4	370.0							
		Q5_ps Y	I	41.1	2.1	0.1	15.9	
44.3	875.9		J	41.1	2.1	0.1	15.9	
-25.2	-798.8							
		INVSLU Max	I	-1820.9	30.4	-1.2	-143.8	
120.9	11877.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2124.3	38434.6		J	-1820.9	30.4	1.5	-143.8	
		Min	I	-2592.9	-200.6	-6.5	-2153.0	-
2072.9	-127499.8		J	-2592.9	-200.6	-3.8	-2153.0	
-15.3	-17062.3							
		INVSLE Max	I	-1457.4	16.9	-0.9	-140.7	
79.0	5160.2		J	-1457.4	16.9	1.1	-140.7	
1590.2	29428.7		Min	-2019.4	-153.8	-4.8	-1626.3	-
1538.9	-97607.0		J	-2019.4	-153.8	-2.8	-1626.3	
9.6	-11560.1							
5396	2	69 C1-C2;~1 Max	I	119.1	8.6	1.0	567.7	
494.7	12689.9		J	119.1	8.6	1.0	567.7	
1066.4	7960.6		Min	-299.1	-16.3	-2.4	-397.9	
-915.8	-26856.7		J	-299.1	-16.3	-2.4	-397.9	
-305.6	-16766.5							
		C3-C4;~1 Max	I	131.7	5.8	1.2	557.0	
605.9	5857.7		J	131.7	5.8	1.2	557.0	
1021.1	3886.3		Min	-278.9	-17.6	-2.3	-341.9	
-851.6	-27222.2		J	-278.9	-17.6	-2.3	-341.9	
-382.7	-16896.1							
		C1-C2;~2 Max	I	62.5	5.2	0.6	374.7	
297.3	7593.4		J	62.5	5.2	0.6	374.7	
648.3	4833.9		Min	-173.4	-11.1	-1.4	-247.6	
-540.7	-18133.7		J	-173.4	-11.1	-1.4	-247.6	
-176.3	-11384.3							
		C3-C4;~2 Max	I	67.5	3.4	0.8	371.3	
385.4	3121.9		J	67.5	3.4	0.8	371.3	
633.3	2146.8		Min	-160.7	-12.0	-1.4	-219.7	
-508.7	-18614.4		J	-160.7	-12.0	-1.4	-219.7	
-237.3	-11603.0							
		G1	I	-122.0	0.5	-2.0	18.6	
-477.7	908.1		J	-122.0	0.5	-0.0	18.6	
339.4	475.7							
		G2	I	-45.0	1.5	-0.4	-22.0	
-137.4	2785.9		J	-45.0	1.5	-0.4	-22.0	
190.7	1588.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-30.5	900.8	Q5_pc X	I	-76.0	0.2	-0.1	2.5	
30.5	765.5		J	-76.0	0.2	-0.1	2.5	
73.9	-642.4	Q5_pc Y	I	46.2	-0.2	0.2	2.1	
-50.1	-514.1		J	46.2	-0.2	0.2	2.1	
-35.2	370.5	Q5_ps X	I	-74.0	-0.1	-0.1	7.2	
36.0	438.8		J	-74.0	-0.1	-0.1	7.2	
66.9	-800.3	Q5_ps Y	I	42.8	-0.2	0.1	4.0	
-44.1	-600.8		J	42.8	-0.2	0.1	4.0	
560.0	38447.9	INVS LU Max	I	-1965.7	-2.5	-0.7	-56.6	
2062.1	43597.8		J	-1965.7	-2.5	2.0	-56.6	
1627.4	-17054.9	Min	I	-2684.1	-38.2	-5.9	-1364.7	-
15.5	8663.3		J	-2684.1	-38.2	-3.1	-1364.7	
399.6	29439.7	INVS LE Max	I	-1563.8	-2.1	-0.6	-63.1	
1556.3	33465.0		J	-1563.8	-2.1	1.4	-63.1	
1210.8	-11553.4	Min	I	-2085.8	-28.5	-4.4	-1031.7	-
47.0	7689.7		J	-2085.8	-28.5	-2.4	-1031.7	
5397	2	67 C1-C2;~1 Max	I	99.1	7.9	0.9	363.8	
442.6	7972.8		J	99.1	7.9	0.9	363.8	
805.9	5442.0	Min	I	-260.9	-12.2	-1.8	-323.3	
-705.4	-16764.9		J	-260.9	-12.2	-1.8	-323.3	
-317.5	-11417.6							
493.1	3896.4	C3-C4;~1 Max	I	109.6	7.7	1.0	348.3	
792.5	2603.3		J	109.6	7.7	1.0	348.3	
-674.5	-16891.7	Min	I	-244.1	-13.4	-1.8	-315.1	
-346.7	-11517.1		J	-244.1	-13.4	-1.8	-315.1	
267.3	4841.0	C1-C2;~2 Max	I	51.5	5.4	0.6	240.2	
486.5	3289.0		J	51.5	5.4	0.6	240.2	
-415.3	-11382.5	Min	I	-151.0	-8.3	-1.1	-215.9	
-187.7	-7769.3		J	-151.0	-8.3	-1.1	-215.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
310.8	2152.5	C3-C4;~2	Max	I	55.7	5.1	0.6	229.7
				J	55.7	5.1	0.6	229.7
489.9	1418.2		Min	I	-140.3	-9.2	-1.1	-207.6
-403.7	-11598.7			J	-140.3	-9.2	-1.1	-207.6
-213.5	-7920.4							
		G1		I	-113.7	0.0	-1.5	18.7
-340.7	482.0			J	-113.7	0.0	0.1	18.7
229.7	444.5							
		G2		I	-42.0	0.6	-0.3	4.5
-91.1	1590.8			J	-42.0	0.6	-0.3	4.5
130.1	1133.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-71.9	0.3	-0.1	-0.9
-27.5	763.0			J	-71.9	0.3	-0.1	-0.9
14.1	523.3							
		Q5_pc	Y	I	44.7	-0.2	0.1	-1.1
62.5	-510.8			J	44.7	-0.2	0.1	-1.1
-34.7	-353.4							
		Q5_ps	X	I	-69.8	0.2	-0.1	-1.2
-30.9	436.6			J	-69.8	0.2	-0.1	-1.2
18.5	299.8							
		Q5_ps	Y	I	41.5	-0.2	0.1	-1.1
56.8	-597.6			J	41.5	-0.2	0.1	-1.1
-30.5	-414.1							
		INVSLE	Max	I	-1993.5	17.0	-0.4	458.8
348.2	43587.0			J	-1993.5	17.0	1.6	458.8
1472.7	34998.0		Min	I	-2623.0	-12.2	-4.5	-470.8
1382.2	8646.5			J	-2623.0	-12.2	-2.5	-470.8
-145.8	11161.4							
		INVSLE	Max	I	-1578.4	13.0	-0.4	339.6
233.5	33455.1			J	-1578.4	13.0	1.1	339.6
1106.6	26813.7		Min	I	-2035.2	-8.7	-3.4	-348.9
1040.0	7675.0			J	-2035.2	-8.7	-1.9	-348.9
-87.6	9226.7							
5398	2	67 C1-C2;~1	Max	I	95.7	17.1	1.1	320.9
522.8	5440.8			J	95.7	17.1	1.1	320.9
733.5	11972.6							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-611.5	-11419.4		Min	I	-258.0	-9.6	-1.6	-393.1
				J	-258.0	-9.6	-1.6	-393.1
-394.9	-21830.6							
		C3-C4;~1	Max	I	106.4	17.2	1.2	298.0
554.9	2601.8			J	106.4	17.2	1.2	298.0
755.3	4458.0							
			Min	I	-241.5	-5.2	-1.7	-392.1
-616.6	-11519.1			J	-241.5	-5.2	-1.7	-392.1
-395.8	-21234.8							
		C1-C2;~2	Max	I	49.3	11.3	0.7	210.1
319.7	3288.3			J	49.3	11.3	0.7	210.1
439.3	7070.8							
			Min	I	-149.0	-5.5	-1.0	-261.6
-354.3	-7770.6			J	-149.0	-5.5	-1.0	-261.6
-238.1	-14444.2							
		C3-C4;~2	Max	I	53.6	11.5	0.7	191.9
350.6	1417.4			J	53.6	11.5	0.7	191.9
466.7	2176.6							
			Min	I	-138.4	-2.8	-1.0	-261.1
-367.4	-7922.0			J	-138.4	-2.8	-1.0	-261.1
-244.0	-14299.5							
			G1	I	-117.0	-1.4	-1.3	26.0
-264.0	443.5			J	-117.0	-1.4	0.2	26.0
166.4	1551.8							
			G2	I	-43.4	-2.5	-0.2	26.9
-57.8	1133.5			J	-43.4	-2.5	-0.2	26.9
100.5	3166.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-70.0	0.6	-0.0	-4.5
-15.3	523.7			J	-70.0	0.6	-0.0	-4.5
8.6	30.5							
			Q5_pc Y	I	42.5	0.0	0.1	-3.6
53.5	-354.0			J	42.5	0.0	0.1	-3.6
-30.9	-379.1							
			Q5_ps X	I	-67.8	1.0	-0.0	-8.5
-18.3	300.1			J	-67.8	1.0	-0.0	-8.5
12.6	-483.5							
			Q5_ps Y	I	39.6	0.2	0.1	-5.1
48.8	-414.7			J	39.6	0.2	0.1	-5.1
-27.1	-570.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

650.1	35006.4	INVSLE Max	I	-2036.2	40.7	0.1	1227.6	
			J	-2036.2	40.7	2.2	1227.6	
1321.0	29949.6	Min	I	-2654.1	3.4	-3.9	255.8	-
1027.7	11168.0		J	-2654.1	3.4	-1.8	255.8	
-288.7	-16367.2							
		INVSLE Max	I	-1607.4	30.3	0.1	926.8	
472.9	26820.5		J	-1607.4	30.3	1.6	926.8	
987.2	22877.0	Min	I	-2055.8	2.8	-2.9	207.6	
-762.8	9232.2		J	-2055.8	2.8	-1.4	207.6	
-201.0	-11381.2							
5399	2	67 C1-C2;~1 Max	I	97.9	48.8	1.4	457.8	
648.6	11973.7		J	97.9	48.8	1.4	457.8	
619.1	39545.2	Min	I	-271.5	-75.1	-1.4	-764.5	
-525.4	-21826.7		J	-271.5	-75.1	-1.4	-764.5	
-512.4	-27862.0							
		C3-C4;~1 Max	I	109.4	18.9	1.7	200.5	
759.1	4460.1		J	109.4	18.9	1.7	200.5	
444.6	35777.6	Min	I	-264.0	-68.8	-1.0	-737.4	
-407.3	-21230.6		J	-264.0	-68.8	-1.0	-737.4	
-637.5	-11089.3							
		C1-C2;~2 Max	I	50.1	28.2	0.9	272.3	
405.3	7071.4		J	50.1	28.2	0.9	272.3	
361.0	24620.0	Min	I	-157.0	-47.8	-0.8	-499.7	
-297.1	-14441.5		J	-157.0	-47.8	-0.8	-499.7	
-315.5	-15967.1							
		C3-C4;~2 Max	I	54.7	9.1	1.1	104.9	
489.4	2177.9		J	54.7	9.1	1.1	104.9	
247.5	22460.5	Min	I	-152.3	-44.6	-0.6	-489.2	
-222.1	-14296.4		J	-152.3	-44.6	-0.6	-489.2	
-408.6	-5363.2							
		G1	I	-125.7	7.3	-1.1	64.2	
-192.2	1553.3		J	-125.7	7.3	0.4	64.2	
87.9	-4353.5							
		G2	I	-44.8	14.4	-0.2	121.1	
-55.9	3166.8		J	-44.8	14.4	-0.2	121.1	
101.8	-8552.3							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-6.1	29.9	Q5_pc	X	I	-69.9	-3.3	-0.0
				J	-69.9	-3.3	-0.0
2.0	2679.0						
58.2	-378.2	Q5_pc	Y	I	40.0	-0.6	0.1
				J	40.0	-0.6	0.1
-43.5	87.7						
-4.7	-484.0	Q5_ps	X	I	-68.0	-5.4	-0.0
				J	-68.0	-5.4	-0.0
0.5	3943.1						
55.3	-569.6	Q5_ps	Y	I	37.1	-1.5	0.1
				J	37.1	-1.5	0.1
-41.6	667.9						
1153.2	29932.1	INVSLE	Max	I	-2099.4	172.2	1.4
				J	-2099.4	172.2	3.5
943.7	-14951.1		Min	I	-2739.4	-0.9	-3.0
				J	-2739.4	-0.9	-1.0
-685.7	-16379.1						
-831.0	-110773.1						
861.6	22863.2	INVSLE	Max	I	-1653.7	132.0	1.1
				J	-1653.7	132.0	2.6
689.8	-14303.2		Min	I	-2118.5	4.2	-2.2
				J	-2118.5	4.2	-0.7
-492.8	-11391.0						
-619.0	-84925.3						
5400	2	67 C1-C2;~1	Max	I	96.8	75.2	1.0
445.5	39534.8			J	96.8	75.2	1.0
815.2	12008.3		Min	I	-272.1	-49.0	-1.8
				J	-272.1	-49.0	-1.8
-688.0	-27913.8						
-336.7	-21870.0						
315.1	35779.8	C3-C4;~1	Max	I	108.6	68.8	0.7
				J	108.6	68.8	0.7
884.2	4630.4		Min	I	-265.2	-19.1	-2.0
				J	-265.2	-19.1	-2.0
-775.0	-11133.2						
-243.5	-21235.3						
264.5	24614.1	C1-C2;~2	Max	I	49.1	47.8	0.6
				J	49.1	47.8	0.6
501.5	7085.2		Min	I	-157.0	-28.3	-1.1
-413.5	-16002.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-195.1	-14462.4		J	-157.0	-28.3	-1.1	-262.6
178.1	22463.9	C3-C4;~2 Max	I	53.9	44.5	0.4	494.1
559.6	2296.8		J	53.9	44.5	0.4	494.1
-482.5	-5391.9	Min	I	-152.7	-9.3	-1.3	-85.4
-133.6	-14292.3		J	-152.7	-9.3	-1.3	-85.4
-235.9	-4390.4	G1	I	-128.5	-7.3	-1.2	-37.9
138.0	1570.8		J	-128.5	-7.3	0.3	-37.9
-24.1	-8566.7	G2	I	-45.9	-14.4	-0.1	-111.7
72.3	3184.7		J	-45.9	-14.4	-0.1	-111.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-9.6	2679.7	Q5_pc X	I	-71.9	3.2	-0.0	25.4
5.4	84.2		J	-71.9	3.2	-0.0	25.4
20.0	96.9	Q5_pc Y	I	40.1	0.6	0.0	3.8
-6.8	-387.1		J	40.1	0.6	0.0	3.8
-16.0	3944.4	Q5_ps X	I	-69.9	5.4	-0.0	42.4
11.5	-433.6		J	-69.9	5.4	-0.0	42.4
15.7	676.8	Q5_ps Y	I	37.2	1.5	0.0	11.3
-3.4	-578.9		J	37.2	1.5	0.0	11.3
339.6	-15003.1	INVS LU Max	I	-2188.6	-2.8	-0.4	-780.3
1533.9	32907.5		J	-2188.6	-2.8	1.6	-780.3
1344.1	-110882.1	Min	I	-2832.0	-176.1	-4.6	-2463.2
-126.4	-13525.1		J	-2832.0	-176.1	-2.5	-2463.2
239.3	-14341.8	INVS LE Max	I	-1720.4	-6.9	-0.4	-612.1
1152.1	25023.5		J	-1720.4	-6.9	1.1	-612.1
1005.3	-85006.0	Min	I	-2187.4	-134.8	-3.4	-1855.3
-76.9	-9319.4		J	-2187.4	-134.8	-1.9	-1855.3
5401	2	67 C1-C2;~1 Max	I	91.1	10.0	1.2	406.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
548.1	12007.5		J	91.1	10.0	1.2	406.2
701.8	5219.6						
		Min	I	-260.4	-17.5	-1.6	-295.1
-574.4	-21874.0						
			J	-260.4	-17.5	-1.6	-295.1
-395.7	-10800.9						
		C3-C4;~1 Max	I	102.5	4.7	1.3	400.7
615.6	4628.6						
			J	102.5	4.7	1.3	400.7
690.3	2616.9						
		Min	I	-247.0	-17.5	-1.5	-276.9
-547.8	-21239.5						
			J	-247.0	-17.5	-1.5	-276.9
-431.3	-10943.8						
		C1-C2;~2 Max	I	45.9	5.8	0.7	269.4
334.2	7084.7						
			J	45.9	5.8	0.7	269.4
424.8	3178.4						
		Min	I	-149.9	-11.5	-0.9	-195.4
-338.3	-14465.1						
			J	-149.9	-11.5	-0.9	-195.4
-234.9	-7369.0						
		C3-C4;~2 Max	I	50.4	2.4	0.8	267.2
390.1	2295.7						
			J	50.4	2.4	0.8	267.2
428.8	1456.5						
		Min	I	-141.6	-11.7	-0.9	-178.7
-328.7	-14295.3						
			J	-141.6	-11.7	-0.9	-178.7
-265.7	-7544.6						
		G1	I	-124.7	1.4	-1.0	0.6
-157.5	1569.3						
			J	-124.7	1.4	0.5	0.6
79.9	422.7						
		G2	I	-46.5	2.7	-0.1	-17.2
-25.2	3184.7						
			J	-46.5	2.7	-0.1	-17.2
75.6	1024.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-74.6	-0.6	-0.0	4.7
-5.6	84.7						
			J	-74.6	-0.6	-0.0	4.7
0.3	607.1						
		Q5_pc Y	I	42.9	-0.0	0.1	-1.2
32.7	-387.9						
			J	42.9	-0.0	0.1	-1.2
-14.5	-357.7						
		Q5_ps X	I	-72.2	-1.0	-0.0	7.7
-6.7	-433.3						
			J	-72.2	-1.0	-0.0	7.7
2.2	401.3						
		Q5_ps Y	I	39.9	-0.2	0.1	0.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
30.1	-579.7			J	39.9	-0.2	0.1 0.2
-12.6	-410.2						
			INVS LU Max	I	-2277.0	-3.2	0.6 -410.5
915.4	32922.9			J	-2277.0	-3.2	2.7 -410.5
1133.7	37985.4		Min	I	-2901.4	-41.4	-3.3 -1365.7
-750.0	-13515.3			J	-2901.4	-41.4	-1.3 -1365.7
-422.1	15072.1						
			INVS LE Max	I	-1787.0	-2.5	0.5 -321.6
679.7	25035.7			J	-1787.0	-2.5	2.0 -321.6
842.7	28876.8		Min	I	-2239.5	-30.8	-2.5 -1028.5
-549.6	-9311.2			J	-2239.5	-30.8	-1.0 -1028.5
-307.8	11985.0						
5402	2	67	C1-C2;~1 Max	I	86.5	7.0	1.2 351.1
586.7	5218.7			J	86.5	7.0	1.2 351.1
668.3	5238.1		Min	I	-252.2	-7.0	-1.5 -340.3
-527.3	-10799.0			J	-252.2	-7.0	-1.5 -340.3
-433.2	-10758.6						
			C3-C4;~1 Max	I	97.5	7.2	1.3 338.1
625.7	2616.9			J	97.5	7.2	1.3 338.1
680.3	2622.4		Min	I	-239.7	-7.3	-1.5 -329.4
-530.5	-10942.1			J	-239.7	-7.3	-1.5 -329.4
-448.1	-10921.2						
			C1-C2;~2 Max	I	43.2	4.8	0.8 232.8
358.3	3177.9			J	43.2	4.8	0.8 232.8
403.8	3186.0		Min	I	-144.9	-4.8	-0.9 -226.2
-308.5	-7367.7			J	-144.9	-4.8	-0.9 -226.2
-258.5	-7343.1						
			C3-C4;~2 Max	I	47.5	4.9	0.8 222.7
394.6	1456.6			J	47.5	4.9	0.8 222.7
424.3	1458.1		Min	I	-137.1	-4.9	-0.9 -217.0
-319.9	-7543.5			J	-137.1	-4.9	-0.9 -217.0
-274.9	-7532.7						
			G1	I	-123.4	-0.1	-0.9 6.8
-113.7	422.6			J	-123.4	-0.1	0.6 6.8
43.7	466.4						
			G2	I	-45.9	-0.0	-0.1 2.5
-3.0	1024.0			J	-45.9	-0.0	-0.1 2.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
57.5	1041.6						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-76.2	-0.0	-0.0
-4.6	606.9			J	-76.2	-0.0	-0.0
-1.2	607.5						
			Q5_pc Y	I	44.8	0.0	0.1
33.6	-357.5			J	44.8	0.0	0.1
-14.4	-364.4						
			Q5_ps X	I	-73.6	-0.0	-0.0
-5.6	401.2			J	-73.6	-0.0	-0.0
0.5	402.5						
			Q5_ps Y	I	41.7	0.0	0.1
31.0	-409.9			J	41.7	0.0	0.1
-12.7	-417.3						
			INVS LU Max	I	-2319.5	10.8	0.7
929.1	37976.3			J	-2319.5	10.8	2.7
			Min	I	-2928.8	-8.8	-3.2
1068.2	37194.3			J	-2928.8	-8.8	-1.1
-692.3	15066.8						
-481.2	14285.8						
			INVS LE Max	I	-1819.2	8.0	0.5
688.9	28869.7			J	-1819.2	8.0	2.0
			Min	I	-2260.4	-6.5	-2.3
794.2	28278.5			J	-2260.4	-6.5	-0.8
-507.6	11980.6						
-351.6	11390.2						
		5403	2	67	C1-C2;~1 Max	I	88.8
617.5	5239.2			J	88.8	17.3	1.3
631.8	12232.7			Min	I	-264.5	-10.1
-488.2	-10760.5			J	-264.5	-10.1	-1.4
-477.1	-21699.9						
			C3-C4;~1 Max	I	101.6	17.3	1.3
633.5	2622.5			J	101.6	17.3	1.3
			Min	I	-251.2	-4.7	-1.4
672.6	4646.0			J	-251.2	-4.7	-1.4
-508.9	-10922.9						
-464.5	-21087.1						
			C1-C2;~2 Max	I	43.9	11.4	0.8
377.8	3186.6			J	43.9	11.4	0.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
381.4	7221.5		Min	I	-152.0	-5.8	-0.8	-262.2
-284.7	-7344.4			J	-152.0	-5.8	-0.8	-262.2
-286.3	-14366.6							
		C3-C4;~2	Max	I	49.4	11.6	0.8	184.1
397.9	1458.2			J	49.4	11.6	0.8	184.1
421.5	2299.7		Min	I	-143.7	-2.5	-0.9	-260.8
-307.9	-7533.9			J	-143.7	-2.5	-0.9	-260.8
-283.2	-14210.7							
		G1		I	-130.0	-1.6	-0.8	13.8
-76.5	466.6			J	-130.0	-1.6	0.7	13.8
2.1	1800.5							
		G2		I	-48.5	-2.7	-0.0	22.5
15.3	1042.0			J	-48.5	-2.7	-0.0	22.5
36.2	3272.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-76.0	0.6	-0.0	-3.3
-3.8	607.6			J	-76.0	0.6	-0.0	-3.3
-0.3	87.0							
		Q5_pc Y		I	44.2	0.1	0.1	-5.9
32.1	-364.6			J	44.2	0.1	0.1	-5.9
-14.9	-436.7							
		Q5_ps X		I	-73.4	1.0	-0.0	-6.8
-4.4	402.5			J	-73.4	1.0	-0.0	-6.8
1.1	-428.0							
		Q5_ps Y		I	41.2	0.3	0.1	-7.1
29.8	-417.5			J	41.2	0.3	0.1	-7.1
-13.2	-629.5							
		INVS LU Max		I	-2336.7	42.9	0.8	1433.4
960.2	37203.8			J	-2336.7	42.9	2.8	1433.4
1080.4	31069.1		Min	I	-2967.8	4.8	-3.1	479.4
-639.9	14291.4			J	-2967.8	4.8	-1.1	479.4
-498.4	-15526.1							
		INVS LE Max		I	-1831.8	31.9	0.6	1077.9
712.2	28285.9			J	-1831.8	31.9	2.1	1077.9
804.2	23633.1		Min	I	-2289.2	3.7	-2.3	372.0
-468.7	11394.8			J	-2289.2	3.7	-0.8	372.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-363.3	-10823.6									
5404	2	67	C1-C2;~1	Max	I	94.5	49.7	1.6	451.5	
731.6	12233.3				J	94.5	49.7	1.6	451.5	
529.4	39017.8									
				Min	I	-281.1	-74.3	-1.2	-762.8	
-422.4	-21695.9				J	-281.1	-74.3	-1.2	-762.8	
-590.6	-28272.8									
				C3-C4;~1	Max	I	108.4	18.8	1.9	184.1
827.0	4647.6				J	108.4	18.8	1.9	184.1	
373.1	35320.9									
				Min	I	-275.0	-68.0	-0.8	-732.4	
-317.7	-21082.8				J	-275.0	-68.0	-0.8	-732.4	
-701.8	-10907.2									
				C1-C2;~2	Max	I	46.8	28.8	1.0	269.6
455.2	7221.8				J	46.8	28.8	1.0	269.6	
311.4	24345.0									
				Min	I	-161.9	-47.4	-0.7	-500.6	
-240.6	-14363.9				J	-161.9	-47.4	-0.7	-500.6	
-360.9	-16200.0									
				C3-C4;~2	Max	I	52.7	9.1	1.2	96.0
528.7	2300.7				J	52.7	9.1	1.2	96.0	
210.1	22241.8									
				Min	I	-158.2	-44.1	-0.5	-488.4	
-174.2	-14207.6				J	-158.2	-44.1	-0.5	-488.4	
-444.2	-5233.1									
				G1	I	-138.0	8.4	-0.7	58.4	
-15.6	1802.0				J	-138.0	8.4	0.8	58.4	
-75.2	-5024.8									
				G2	I	-49.6	14.9	-0.0	119.4	
13.1	3272.4				J	-49.6	14.9	-0.0	119.4	
37.8	-8813.7									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc X	I	-75.3	-3.4	0.0	-25.1	
0.0	86.5				J	-75.3	-3.4	0.0	-25.1	
-2.6	2859.4									
				Q5_pc Y	I	42.4	-0.8	0.1	-12.2	
40.5	-435.9				J	42.4	-0.8	0.1	-12.2	
-29.7	210.5									
				Q5_ps X	I	-73.1	-5.6	0.0	-42.6	
3.9	-428.4				J	-73.1	-5.6	0.0	-42.6	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.8	4106.2							
39.8	-628.7	Q5_ps	Y	I	39.3	-1.8	0.1	-19.5
-29.7	795.1			J	39.3	-1.8	0.1	-19.5
1401.0	31052.0	INVSLU	Max	I	-2324.7	178.7	2.0	2559.0
634.4	-18862.8			J	-2324.7	178.7	4.1	2559.0
-358.6	-15537.2		Min	I	-2986.1	5.1	-2.2	874.6
1081.1	-114852.1			J	-2986.1	5.1	-0.2	874.6
1049.9	23619.7	INVSLE	Max	I	-1822.6	136.5	1.5	1924.8
459.0	-17082.1			J	-1822.6	136.5	3.0	1924.8
-248.2	-10832.7		Min	I	-2302.5	8.4	-1.6	680.4
-807.8	-87804.0			J	-2302.5	8.4	-0.1	680.4
5405	2	67 C1-C2;~1	Max	I	96.1	74.3	1.1	763.2
521.4	39018.5			J	96.1	74.3	1.1	763.2
735.7	12171.8		Min	I	-282.3	-49.5	-1.6	-458.6
-598.8	-28255.2			J	-282.3	-49.5	-1.6	-458.6
-410.1	-21712.6							
375.3	35320.8	C3-C4;~1	Max	I	111.2	68.0	0.8	732.2
817.7	4654.5			J	111.2	68.0	0.8	732.2
-698.7	-10899.4		Min	I	-276.4	-18.8	-1.9	-187.7
-308.1	-21092.5			J	-276.4	-18.8	-1.9	-187.7
308.5	24346.5	C1-C2;~2	Max	I	47.6	47.3	0.7	500.6
456.9	7172.8			J	47.6	47.3	0.7	500.6
-364.3	-16188.3		Min	I	-162.5	-28.7	-1.0	-272.1
-235.9	-14371.8			J	-162.5	-28.7	-1.0	-272.1
212.0	22242.9	C3-C4;~2	Max	I	54.4	44.1	0.5	487.9
524.0	2302.1			J	54.4	44.1	0.5	487.9
-442.3	-5228.5		Min	I	-158.9	-9.1	-1.2	-97.8
-169.1	-14210.6			J	-158.9	-9.1	-1.2	-97.8
-73.8	-5023.1	G1		I	-137.9	-8.4	-0.8	-60.2
-17.4	1801.4			J	-137.9	-8.4	0.7	-60.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
39.9	-8813.0	G2	I	-49.5	-14.8	0.0	-120.0	
			J	-49.5	-14.8	0.0	-120.0	
11.0	3273.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-4.7	2856.9	Q5_pc X	I	-75.7	3.4	-0.0	28.6	
			J	-75.7	3.4	-0.0	28.6	
2.3	87.2							
7.9	219.9	Q5_pc Y	I	42.5	0.8	0.0	3.0	
			J	42.5	0.8	0.0	3.0	
1.7	-427.9							
-8.9	4103.8	Q5_ps X	I	-73.4	5.6	-0.0	45.9	
			J	-73.4	5.6	-0.0	45.9	
6.1	-428.0							
5.4	804.0	Q5_ps Y	I	39.4	1.8	0.0	10.9	
			J	39.4	1.8	0.0	10.9	
3.6	-621.6							
604.3	-18865.8	INVSLE Max	I	-2320.9	-5.1	0.1	-878.0	
			J	-2320.9	-5.1	2.1	-878.0	
1358.8	30999.0	Min	I	-2988.3	-178.4	-4.0	-2579.0	-
1057.1	-114827.7		J	-2988.3	-178.4	-1.9	-2579.0	
-302.9	-15515.3							
437.4	-17084.4	INVSLE Max	I	-1819.8	-8.4	0.0	-683.0	
			J	-1819.8	-8.4	1.5	-683.0	
1021.9	23580.5	Min	I	-2304.2	-136.3	-3.0	-1939.3	
-792.2	-87786.3		J	-2304.2	-136.3	-1.5	-1939.3	
-208.6	-10817.4							
5406	2	67 C1-C2;~1 Max	I	94.0	10.2	1.3	393.6	
624.0	12171.1		J	94.0	10.2	1.3	393.6	
622.9	5268.4	Min	I	-267.3	-17.3	-1.4	-307.7	
-487.7	-21716.6		J	-267.3	-17.3	-1.4	-307.7	
-475.4	-10760.0							
675.7	4652.8	C3-C4;~1 Max	I	108.9	4.7	1.4	390.1	
			J	108.9	4.7	1.4	390.1	
625.6	2653.4	Min	I	-254.2	-17.3	-1.3	-287.5	
-470.1	-21096.7		J	-254.2	-17.3	-1.3	-287.5	
-498.6	-10912.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
378.2	7172.4	C1-C2;~2 Max	I	46.9	5.9	0.8	262.0
			J	46.9	5.9	0.8	262.0
380.2	3205.5	Min	I	-153.5	-11.4	-0.8	-202.8
-290.7	-14374.5		J	-153.5	-11.4	-0.8	-202.8
-279.5	-7338.8						
423.4	2301.0	C3-C4;~2 Max	I	53.6	2.4	0.9	260.4
			J	53.6	2.4	0.9	260.4
393.9	1474.9	Min	I	-145.3	-11.6	-0.8	-185.7
-286.9	-14213.6		J	-145.3	-11.6	-0.8	-185.7
-302.0	-7520.4						
		G1	I	-129.7	1.6	-0.7	-15.6
2.5	1799.9		J	-129.7	1.6	0.9	-15.6
-77.5	471.3						
		G2	I	-48.3	2.7	0.0	-23.0
37.8	3273.2		J	-48.3	2.7	0.0	-23.0
13.5	1040.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-77.1	-0.7	0.0	6.8
-1.5	87.7		J	-77.1	-0.7	0.0	6.8
-2.1	616.9						
		Q5_pc Y	I	44.9	-0.1	0.0	-3.2
20.4	-428.7		J	44.9	-0.1	0.0	-3.2
-6.2	-356.9						
		Q5_ps X	I	-74.4	-1.0	0.0	10.1
-0.1	-427.6		J	-74.4	-1.0	0.0	10.1
-2.7	411.8						
		Q5_ps Y	I	41.8	-0.3	0.0	-1.4
19.6	-622.4		J	41.8	-0.3	0.0	-1.4
-5.9	-410.7						
		INVSLU Max	I	-2327.8	-4.8	1.0	-486.4
1083.9	31016.2		J	-2327.8	-4.8	3.1	-486.4
930.2	37470.2	Min	I	-2974.5	-43.1	-2.8	-1445.4
-523.4	-15503.9		J	-2974.5	-43.1	-0.8	-1445.4
-598.6	14516.2						
		INVSLE Max	I	-1825.4	-3.8	0.8	-377.1
805.8	23594.0		J	-1825.4	-3.8	2.3	-377.1
692.4	28486.9						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-382.1	-10808.1		Min	I	-2294.2	-32.1	-2.1	-1086.6	
				J	-2294.2	-32.1	-0.6	-1086.6	
-439.2	11566.2								
5407	2	67	C1-C2;~1	Max	I	92.8	7.1	1.4	339.6
663.0	5267.6				J	92.8	7.1	1.4	339.6
589.4	5234.6								
			Min	I	-255.6	-7.0	-1.3	-353.2	
-442.2	-10758.0				J	-255.6	-7.0	-1.3	-353.2
-516.1	-10766.4								
			C3-C4;~1	Max	I	107.6	7.3	1.5	328.2
685.8	2653.4				J	107.6	7.3	1.5	328.2
615.6	2619.4								
			Min	I	-243.7	-7.2	-1.3	-340.1	
-453.8	-10910.2				J	-243.7	-7.2	-1.3	-340.1
-520.4	-10932.9								
			C1-C2;~2	Max	I	46.8	4.8	0.9	225.9
402.2	3205.0				J	46.8	4.8	0.9	225.9
359.0	3182.5								
			Min	I	-146.7	-4.8	-0.8	-233.6	
-261.8	-7337.6				J	-146.7	-4.8	-0.8	-233.6
-304.6	-7344.5								
			C3-C4;~2	Max	I	53.4	4.9	0.9	216.1
427.7	1475.0				J	53.4	4.9	0.9	216.1
389.2	1458.9								
			Min	I	-139.3	-4.9	-0.8	-223.9	
-278.5	-7519.2				J	-139.3	-4.9	-0.8	-223.9
-314.3	-7536.8								
			G1	I	-123.1	0.1	-0.6	-8.6	
45.6	471.2				J	-123.1	0.1	1.0	-8.6
-116.5	417.5								
			G2	I	-45.7	0.0	0.1	-3.1	
59.7	1039.8				J	-45.7	0.0	0.1	-3.1
-5.5	1019.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-77.9	0.0	0.0	2.7	
-2.3	616.8				J	-77.9	0.0	2.7	
-2.6	606.1								
			Q5_pc Y	I	46.7	0.0	0.0	-5.7	
21.7	-356.7				J	46.7	0.0	-5.7	
-6.4	-362.6								


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.7	411.7	Q5_ps X	I	-75.2	0.0	0.0	2.8	
			J	-75.2	0.0	0.0	2.8	
-3.5	401.3							
		Q5_ps Y	I	43.6	0.0	0.0	-5.2	
21.0	-410.5		J	43.6	0.0	0.0	-5.2	
-6.3	-417.3							
		INVSLU Max	I	-2308.4	9.3	1.1	442.3	
1074.7	37460.7		J	-2308.4	9.3	3.1	442.3	
899.1	37872.2	Min	I	-2939.0	-10.3	-2.7	-503.2	
-502.9	14510.4		J	-2939.0	-10.3	-0.7	-503.2	
-646.1	14955.2							
		INVSLE Max	I	-1811.3	6.9	0.8	327.7	
797.6	28479.4		J	-1811.3	6.9	2.3	327.7	
669.5	28787.5	Min	I	-2268.0	-7.6	-2.0	-371.9	
-368.1	11561.5		J	-2268.0	-7.6	-0.5	-371.9	
-474.2	11892.8							
5408	2	67 C1-C2;~1 Max	I	98.1	17.4	1.5	293.5	
693.5	5235.6		J	98.1	17.4	1.5	293.5	
553.8	12185.3	Min	I	-264.3	-10.0	-1.2	-408.0	
-406.6	-10768.3		J	-264.3	-10.0	-1.2	-408.0	
-560.9	-21796.0							
		C3-C4;~1 Max	I	113.6	17.4	1.5	274.5	
693.4	2619.4		J	113.6	17.4	1.5	274.5	
608.3	4538.6	Min	I	-251.5	-4.6	-1.3	-402.0	
-435.1	-10934.6		J	-251.5	-4.6	-1.3	-402.0	
-537.7	-21184.4							
		C1-C2;~2 Max	I	49.8	11.5	0.9	194.8	
421.2	3183.1		J	49.8	11.5	0.9	194.8	
337.0	7182.4	Min	I	-152.0	-5.8	-0.7	-270.3	
-239.7	-7345.8		J	-152.0	-5.8	-0.7	-270.3	
-332.8	-14436.2							
		C3-C4;~2 Max	I	56.8	11.6	0.9	177.2	
430.7	1458.8		J	56.8	11.6	0.9	177.2	
386.5	2252.8	Min	I	-144.0	-2.4	-0.8	-268.1	
-268.0	-7538.0		J	-144.0	-2.4	-0.8	-268.1	
-323.0	-14280.5							
		G1	I	-124.1	-1.4	-0.5	-2.4	
79.8	417.7							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-158.3	1576.7		J	-124.1	-1.4	1.0	-2.4
		G2	I	-46.1	-2.7	0.1	16.6
76.8	1019.8		J	-46.1	-2.7	0.1	16.6
-26.9	3179.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-77.1	0.6	0.0	-1.5
-0.5	606.2		J	-77.1	0.6	0.0	-1.5
-3.6	80.0						
		Q5_pc Y	I	46.5	0.1	0.0	-8.4
20.2	-362.8		J	46.5	0.1	0.0	-8.4
-6.3	-482.9						
		Q5_ps X	I	-74.5	1.0	0.0	-4.6
1.4	401.4		J	-74.5	1.0	0.0	-4.6
-4.7	-435.1						
		Q5_ps Y	I	43.3	0.3	0.0	-9.3
19.7	-417.6		J	43.3	0.3	0.0	-9.3
-6.2	-678.7						
		INVSLE Max	I	-2266.3	40.9	1.2	1360.9
1125.1	37881.5		J	-2266.3	40.9	3.2	1360.9
886.2	33420.2						
		Min	I	-2915.3	2.8	-2.6	398.8
-434.8	14960.5		J	-2915.3	2.8	-0.6	398.8
-703.5	-13323.6						
		INVSLE Max	I	-1779.4	30.4	0.9	1024.7
835.4	28794.8		J	-1779.4	30.4	2.4	1024.7
660.5	25404.5						
		Min	I	-2249.9	2.2	-1.9	313.2
-317.4	11897.2		J	-2249.9	2.2	-0.4	313.2
-516.3	-9156.2						
5409	2	67 C1-C2;~1 Max	I	105.3	49.5	1.8	434.5
808.4	12185.9		J	105.3	49.5	1.8	434.5
453.6	39236.9						
		Min	I	-277.0	-74.6	-1.0	-768.7
-348.3	-21791.9		J	-277.0	-74.6	-1.0	-768.7
-676.9	-28163.4						
		C3-C4;~1 Max	I	122.0	18.4	2.0	158.4
889.0	4540.3		J	122.0	18.4	2.0	158.4
309.4	35413.5						
		Min	I	-271.2	-68.4	-0.7	-738.1
-249.1	-21180.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-774.0	-10638.5		J	-271.2	-68.4	-0.7	-738.1	
498.7	7182.8	C1-C2;~2 Max	I	53.8	28.5	1.1	260.3	
267.7	24537.2		J	53.8	28.5	1.1	260.3	
-199.9	-14433.5	Min	I	-159.6	-47.6	-0.6	-505.6	
-408.9	-16085.3		J	-159.6	-47.6	-0.6	-505.6	
562.4	2253.8	C3-C4;~2 Max	I	61.4	8.9	1.3	81.3	
175.1	22389.4		J	61.4	8.9	1.3	81.3	
-137.1	-14277.4	Min	I	-156.1	-44.4	-0.4	-494.4	
-482.8	-5152.1		J	-156.1	-44.4	-0.4	-494.4	
139.2	1578.1	G1	I	-127.6	7.3	-0.3	36.1	
-237.9	-4397.2		J	-127.6	7.3	1.2	36.1	
74.2	3179.7	G2	I	-45.4	14.4	0.1	110.9	
-26.4	-8551.0		J	-45.4	14.4	0.1	110.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3.9	79.6	Q5_pc X	I	-75.2	-3.3	0.0	-22.8	
-6.7	2763.0		J	-75.2	-3.3	0.0	-22.8	
27.8	-482.2	Q5_pc Y	I	44.8	-1.1	0.1	-16.5	
-19.5	437.3		J	44.8	-1.1	0.1	-16.5	
10.1	-435.4	Q5_ps X	I	-73.0	-5.5	0.0	-39.9	
-13.2	4013.5		J	-73.0	-5.5	0.0	-39.9	
28.8	-678.0	Q5_ps Y	I	41.6	-2.1	0.1	-23.5	
-21.1	1023.7		J	41.6	-2.1	0.1	-23.5	
1553.4	33404.8	INVSLU Max	I	-2175.8	177.2	2.5	2457.0	
355.2	-15447.9		J	-2175.8	177.2	4.6	2457.0	
-167.1	-13333.2	Min	I	-2849.8	3.7	-1.7	791.6	
1337.1	-111411.7		J	-2849.8	3.7	0.4	791.6	-
		INVSLE Max	I	-1711.4	135.6	1.9	1851.0	


MIDAS

PROJECT TITLE :

		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1164.3	25392.2			J	-1711.4	135.6	3.4	1851.0	
251.7	-14680.8		Min	I	-2200.7	7.5	-1.2	620.4	
-106.4	-9164.2			J	-2200.7	7.5	0.3	620.4	
-999.3	-85396.8								
5410	2	67	C1-C2;~1	Max	I	109.4	74.7	1.4	761.8
609.6	39242.7			J	109.4	74.7	1.4	761.8	
648.2	11990.0		Min	I	-278.6	-49.1	-1.4	-474.2	
-516.1	-28100.7			J	-278.6	-49.1	-1.4	-474.2	
-510.0	-21764.3								
			C3-C4;~1	Max	I	126.8	68.5	1.0	734.8
445.3	35407.3			J	126.8	68.5	1.0	734.8	
743.5	4388.4		Min	I	-272.7	-18.2	-1.7	-198.8	
-628.7	-10584.3			J	-272.7	-18.2	-1.7	-198.8	
-392.3	-21174.0								
			C1-C2;~2	Max	I	56.2	47.7	0.8	498.9
358.0	24541.7			J	56.2	47.7	0.8	498.9	
405.1	7050.4		Min	I	-160.7	-28.3	-0.9	-278.3	
-317.0	-16044.9			J	-160.7	-28.3	-0.9	-278.3	
-291.3	-14418.5								
			C3-C4;~2	Max	I	64.1	44.5	0.6	488.2
249.6	22385.5			J	64.1	44.5	0.6	488.2	
481.6	2143.0		Min	I	-157.0	-8.8	-1.1	-104.1	
-403.8	-5118.4			J	-157.0	-8.8	-1.1	-104.1	
-214.6	-14274.9								
			G1	I	-124.7	-7.3	-0.4	-66.1	
89.2	-4357.0			J	-124.7	-7.3	1.1	-66.1	
-194.2	1560.6								
			G2	I	-44.1	-14.4	0.2	-121.4	
103.6	-8535.3			J	-44.1	-14.4	0.2	-121.4	
-58.1	3160.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-74.0	3.4	0.0	29.4
1.5	2757.9			J	-74.0	3.4	0.0	29.4	
-3.8	26.4								
			Q5_pc	Y	I	45.0	1.1	-0.0	3.6
-3.6	446.9								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
10.9	-458.2		J	45.0	1.1	-0.0	3.6
-0.2	4008.1	Q5_ps X	I	-71.9	5.5	0.0	47.1
-2.4	-484.4		J	-71.9	5.5	0.0	47.1
-4.3	1032.5	Q5_ps Y	I	41.8	2.1	-0.0	11.9
11.1	-655.1		J	41.8	2.1	-0.0	11.9
890.8	-15405.6	INVSLU Max	I	-2081.5	0.1	0.8	-562.3
1096.5	30148.4		J	-2081.5	0.1	2.9	-562.3
-787.5	-111283.5	Min	I	-2762.1	-173.0	-3.3	-2283.9
-615.3	-16244.6		J	-2762.1	-173.0	-1.3	-2283.9
652.5	-14649.4	INVSLE Max	I	-1641.3	-4.8	0.6	-451.4
823.6	23023.7		J	-1641.3	-4.8	2.1	-451.4
-590.1	-85302.4	Min	I	-2135.5	-132.6	-2.5	-1722.7
-443.0	-11280.4		J	-2135.5	-132.6	-1.0	-1722.7
5411	2	67 C1-C2;~1 Max	I	109.9	9.8	1.6	393.0
724.3	11989.0		J	109.9	9.8	1.6	393.0
523.3	5502.4	Min	I	-267.6	-17.0	-1.1	-326.0
-401.6	-21768.2		J	-267.6	-17.0	-1.1	-326.0
-597.2	-11421.0						
756.5	4386.3	C3-C4;~1 Max	I	127.5	5.0	1.7	391.9
539.6	2627.2		J	127.5	5.0	1.7	391.9
-394.5	-21178.3	Min	I	-252.5	-17.2	-1.1	-300.7
-600.5	-11508.3		J	-252.5	-17.2	-1.1	-300.7
436.1	7049.8	C1-C2;~2 Max	I	56.8	5.6	1.0	261.5
319.6	3323.5		J	56.8	5.6	1.0	261.5
-240.7	-14421.2	Min	I	-153.8	-11.3	-0.7	-212.2
-349.3	-7765.3		J	-153.8	-11.3	-0.7	-212.2
468.6	2141.7	C3-C4;~2 Max	I	64.8	2.8	1.0	260.9
342.9	1428.4		J	64.8	2.8	1.0	260.9
-244.0	-14278.0	Min	I	-144.3	-11.5	-0.7	-193.3
-358.9	-7906.4		J	-144.3	-11.5	-0.7	-193.3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

167.5	1559.1	G1	I	-115.9	1.4	-0.2	-27.7
			J	-115.9	1.4	1.3	-27.7
-266.3	446.9						
		G2	I	-42.6	2.5	0.2	-27.5
102.3	3160.4		J	-42.6	2.5	0.2	-27.5
-60.2	1130.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-74.8	-0.6	0.0	7.8
9.0	27.1		J	-74.8	-0.6	0.0	7.8
-13.6	529.6						
		Q5_pc Y	I	47.8	-0.1	-0.0	-4.3
4.9	-459.0		J	47.8	-0.1	-0.0	-4.3
7.4	-348.8						
		Q5_ps X	I	-72.4	-1.0	0.0	11.6
12.8	-483.9		J	-72.4	-1.0	0.0	11.6
-16.6	306.8						
		Q5_ps Y	I	44.5	-0.3	0.0	-2.2
6.2	-655.9		J	44.5	-0.3	0.0	-2.2
5.7	-415.0						
		INVSLE Max	I	-2014.2	-3.0	1.8	-258.2
1298.1	30165.8		J	-2014.2	-3.0	3.8	-258.2
599.1	35084.9						
		Min	I	-2682.3	-40.5	-2.1	-1242.8
-281.6	-16232.6		J	-2682.3	-40.5	-0.0	-1242.8
-964.5	11167.2						
		INVSLE Max	I	-1592.0	-2.5	1.3	-209.4
971.1	23037.5		J	-1592.0	-2.5	2.8	-209.4
438.6	26878.8						
		Min	I	-2076.9	-30.2	-1.5	-937.7
-197.8	-11270.5		J	-2076.9	-30.2	-0.0	-937.7
-717.8	9232.6						
		67 C1-C2;~1 Max	I	115.4	12.2	1.8	323.1
5412	2		J	115.4	12.2	1.8	323.1
797.4	5503.6						
		Min	I	-271.8	-7.9	-0.9	-369.4
442.4	8177.8		J	-271.8	-7.9	-0.9	-369.4
-323.9	-11419.2						
		C3-C4;~1 Max	I	133.9	13.3	1.8	313.8
-691.4	-16723.1		J	133.9	13.3	1.8	313.8
795.4	2628.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
476.8	3922.3							
			Min	I	-257.1	-7.7	-1.0	-350.9
-349.1	-11506.3			J	-257.1	-7.7	-1.0	-350.9
-667.2	-16871.5							
		C1-C2;~2	Max	I	60.0	8.3	1.1	215.7
483.7	3324.2			J	60.0	8.3	1.1	215.7
266.8	4928.9							
			Min	I	-156.5	-5.3	-0.6	-242.6
-190.1	-7764.0			J	-156.5	-5.3	-0.6	-242.6
-410.7	-11354.3							
		C3-C4;~2	Max	I	68.5	9.1	1.1	206.6
493.0	1429.2			J	68.5	9.1	1.1	206.6
302.2	2169.2							
			Min	I	-147.4	-5.1	-0.6	-231.2
-216.0	-7904.9			J	-147.4	-5.1	-0.6	-231.2
-401.8	-11583.4							
			G1	I	-112.3	-0.1	-0.0	-20.4
229.8	447.8			J	-112.3	-0.1	1.5	-20.4
-342.1	494.2							
			G2	I	-41.0	-0.6	0.3	-5.1
131.2	1130.6			J	-41.0	-0.6	0.3	-5.1
-93.0	1586.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-77.7	-0.3	0.1	3.7
16.4	529.3			J	-77.7	-0.3	0.1	3.7
-27.8	762.2							
		Q5_pc	Y	I	51.4	0.2	-0.0	-7.3
-0.4	-348.3			J	51.4	0.2	-0.0	-7.3
17.0	-521.2							
		Q5_ps	X	I	-75.3	-0.2	0.1	3.8
20.4	306.5			J	-75.3	-0.2	0.1	3.8
-31.1	438.8							
		Q5_ps	Y	I	47.8	0.3	-0.0	-6.8
1.5	-414.5			J	47.8	0.3	-0.0	-6.8
14.3	-618.6							
		INVSLU	Max	I	-1969.1	12.1	2.4	473.9
1442.6	35076.5			J	-1969.1	12.1	4.4	473.9
299.9	43889.5							
			Min	I	-2656.7	-17.0	-1.5	-474.1
-134.7	11160.5			J	-2656.7	-17.0	0.5	-474.1
								-

MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	
						PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1327.1	8701.1							
		INVSLE	Max	I	-1561.4	8.6	1.8	350.9
1085.2	26872.0			J	-1561.4	8.6	3.3	350.9
200.6	33684.0							
		Min		I	-2060.4	-13.0	-1.1	-350.4
-81.0	9227.0			J	-2060.4	-13.0	0.4	-350.4
1000.9	7720.2							
5413	2	69 C1-C2;~1	Max	I	137.4	16.3	2.4	395.8
1057.8	8166.2			J	137.4	16.3	2.4	395.8
492.7	13231.0							
		Min		I	-311.5	-8.8	-1.0	-575.1
-311.0	-16724.8			J	-311.5	-8.8	-1.0	-575.1
-899.0	-26754.0							
		C3-C4;~1	Max	I	159.2	17.5	2.3	339.0
1026.5	3912.7			J	159.2	17.5	2.3	339.0
587.0	5835.7							
		Min		I	-293.3	-5.7	-1.2	-559.8
-386.1	-16876.1			J	-293.3	-5.7	-1.2	-559.8
-843.2	-27143.1							
		C1-C2;~2	Max	I	72.0	11.1	1.4	246.6
645.9	4922.1			J	72.0	11.1	1.4	246.6
296.2	7858.5							
		Min		I	-179.7	-5.2	-0.6	-378.3
-178.2	-11356.1			J	-179.7	-5.2	-0.6	-378.3
-535.2	-18080.2							
		C3-C4;~2	Max	I	82.0	12.0	1.4	217.8
638.3	2163.7			J	82.0	12.0	1.4	217.8
375.5	3118.9							
		Min		I	-168.5	-3.4	-0.7	-373.3
-240.4	-11587.7			J	-168.5	-3.4	-0.7	-373.3
-506.6	-18572.5							
		G1		I	-120.1	-0.5	0.0	-20.5
339.3	487.9			J	-120.1	-0.5	2.0	-20.5
-479.5	922.7							
		G2		I	-43.7	-1.5	0.4	21.2
191.7	1583.8			J	-43.7	-1.5	0.4	21.2
-139.6	2773.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-83.6	-0.2	0.1	0.3
35.1	764.5			J	-83.6	-0.2	0.1	0.3
-30.9	893.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-12.0	-523.6	Q5_pc	Y	I	56.4	0.2	-0.0	-14.3	
19.5	-718.7			J	56.4	0.2	-0.0	-14.3	
40.1	441.0	Q5_ps	X	I	-81.1	0.1	0.1	-4.5	
-35.4	369.7			J	-81.1	0.1	0.1	-4.5	
-8.6	-621.0	Q5_ps	Y	I	52.4	0.3	-0.0	-15.6	
16.2	-892.2			J	52.4	0.3	-0.0	-15.6	
2036.0	43901.2	INVS LU	Max	I	-1939.0	38.3	3.0	1377.7	
501.8	39107.8			J	-1939.0	38.3	5.7	1377.7	
23.7	8717.9		Min	I	-2724.8	2.4	-1.9	41.1	
1559.8	-17006.0			J	-2724.8	2.4	0.8	41.1	-
1537.7	33694.6	INVS LE	Max	I	-1545.4	28.6	2.3	1040.7	
360.2	29935.5			J	-1545.4	28.6	4.3	1040.7	
51.8	7734.9		Min	I	-2116.4	2.0	-1.3	52.5	
1162.9	-11511.0			J	-2116.4	2.0	0.7	52.5	-
5414	2	69 C1-C2;~1	Max	I	156.9	68.9	2.7	504.4	
1164.5	13233.1			J	156.9	68.9	2.7	504.4	
435.0	56645.4		Min	I	-336.9	-100.6	-0.9	-957.0	
-322.6	-26748.7			J	-336.9	-100.6	-0.9	-957.0	-
1025.4	-43692.0								
1249.8	5839.7	C3-C4;~1	Max	I	181.7	23.9	2.9	191.9	
271.5	49866.1			J	181.7	23.9	2.9	191.9	
-210.8	-27137.2		Min	I	-325.3	-92.3	-0.6	-921.9	
1134.1	-15443.6			J	-325.3	-92.3	-0.6	-921.9	-
715.5	7859.7	C1-C2;~2	Max	I	82.7	39.1	1.6	301.6	
251.2	35251.9			J	82.7	39.1	1.6	301.6	
-181.8	-18076.5		Min	I	-194.6	-64.2	-0.5	-629.1	
-617.1	-24480.1			J	-194.6	-64.2	-0.5	-629.1	
785.5	3121.3	C3-C4;~2	Max	I	94.0	11.7	1.8	100.6	
149.7	31330.3			J	94.0	11.7	1.8	100.6	
			Min	I	-187.7	-59.8	-0.3	-617.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-113.6	-18568.0		J	-187.7	-59.8	-0.3	-617.1	
-701.7	-7567.8							
		G1	I	-121.1	7.0	0.2	4.5	
383.6	925.1		J	-121.1	7.0	2.2	4.5	
-556.1	-4800.7							
		G2	I	-41.7	18.0	0.4	114.7	
173.5	2774.1		J	-41.7	18.0	0.4	114.7	
-126.5	-11886.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-83.6	-3.7	0.1	-20.0	
25.5	893.1		J	-83.6	-3.7	0.1	-20.0	
-26.9	3942.2							
		Q5_pc Y	I	57.9	-2.0	0.0	-24.7	
5.5	-717.5		J	57.9	-2.0	0.0	-24.7	
0.8	904.6							
		Q5_ps X	I	-81.5	-6.7	0.1	-39.4	
36.7	369.2		J	-81.5	-6.7	0.1	-39.4	
-38.6	5784.6							
		Q5_ps Y	I	53.6	-3.3	0.0	-32.5	
10.4	-891.0		J	53.6	-3.3	0.0	-32.5	
-4.6	1778.2							
		INVSLU Max	I	-1789.2	206.9	3.8	2166.5	
2124.3	39093.9		J	-1789.2	206.9	6.5	2166.5	
122.7	10508.9							
		Min	I	-2639.7	-28.6	-1.5	149.1	
-44.3	-17013.5		J	-2639.7	-28.6	1.2	149.1	-
2044.1	-132042.6							
		INVSLE Max	I	-1435.7	158.5	2.8	1636.2	
1590.2	29924.1		J	-1435.7	158.5	4.8	1636.2	
82.9	4111.4							
		Min	I	-2054.5	-15.5	-1.1	145.1	
-12.8	-11517.9		J	-2054.5	-15.5	0.9	145.1	-
1518.6	-100956.7							
		69 C1-C2;~1 Max	I	171.9	104.5	2.3	986.7	
5415	2		J	171.9	104.5	2.3	986.7	
978.4	56639.3							
		Min	I	-350.3	-71.3	-1.2	-665.5	
563.5	15073.7		J	-350.3	-71.3	-1.2	-665.5	
-431.2	-43647.8							
-873.6	-29183.4							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
699.7	49852.9	C3-C4;~1 Max	I	199.1	95.9	1.6	959.7
			J	199.1	95.9	1.6	959.7
739.6	6757.8	Min	I	-336.8	-24.7	-1.7	-273.0
-626.3	-15388.9		J	-336.8	-24.7	-1.7	-273.0
-636.2	-29444.4						
577.6	35247.6	C1-C2;~2 Max	I	91.1	66.9	1.3	650.9
			J	91.1	66.9	1.3	650.9
351.8	8855.2	Min	I	-202.5	-40.5	-0.7	-381.9
-258.8	-24459.7		J	-202.5	-40.5	-0.7	-381.9
-506.9	-19663.2						
397.6	31322.1	C3-C4;~2 Max	I	103.6	62.3	0.9	639.5
			J	103.6	62.3	0.9	639.5
485.3	3671.5	Min	I	-194.6	-12.1	-1.1	-146.4
-408.6	-7539.4		J	-194.6	-12.1	-1.1	-146.4
-351.4	-20077.7						
365.0	-4726.8	G1	I	-113.7	-6.9	0.1	-76.8
			J	-113.7	-6.9	2.1	-76.8
-553.5	925.6						
233.0	-11857.8	G2	I	-38.5	-18.4	0.5	-141.5
			J	-38.5	-18.4	0.5	-141.5
-192.2	3081.2						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
10.8	3935.7	Q5_pc X	I	-81.9	3.8	0.0	31.2
			J	-81.9	3.8	0.0	31.2
-12.9	822.6						
-29.6	912.7	Q5_pc Y	I	60.5	2.0	-0.1	5.7
			J	60.5	2.0	-0.1	5.7
36.8	-748.1						
13.2	5777.4	Q5_ps X	I	-80.1	6.8	0.0	52.5
			J	-80.1	6.8	0.0	52.5
-15.8	235.3						
-26.9	1785.5	Q5_ps Y	I	56.0	3.4	-0.1	15.7
			J	56.0	3.4	-0.1	15.7
33.6	-951.5						
1377.0	10573.0	INVSLU Max	I	-1574.5	31.8	1.7	122.6
			J	-1574.5	31.8	4.4	122.6
1099.5	43377.2						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-842.5	-131898.7		Min	I	-2463.5	-212.4	-3.7	-2164.0	
				J	-2463.5	-212.4	-1.0	-2164.0	-
1144.5	-18202.9								
		INVSLE	Max	I	-1274.9	16.9	1.2	51.0	
992.4	4157.8			J	-1274.9	16.9	3.2	51.0	
848.2	33860.4								
			Min	I	-1922.5	-163.5	-2.8	-1638.6	
-647.8	-100852.1			J	-1922.5	-163.5	-0.8	-1638.6	
-809.2	-11644.9								
5416	2	69	C1-C2;~1	Max	I	188.6	10.2	2.6	569.9
1137.6	15074.0			J	188.6	10.2	2.6	569.9	
337.7	14342.1								
			Min	I	-362.5	-12.8	-0.7	-503.0	
-239.3	-29189.0			J	-362.5	-12.8	-0.7	-503.0	-
1020.7	-26577.8								
			C3-C4;~1	Max	I	218.4	10.6	2.6	584.2
1121.6	6756.0			J	218.4	10.6	2.6	584.2	
418.4	6356.9								
			Min	I	-335.0	-14.0	-0.9	-383.0	
-307.1	-29450.1			J	-335.0	-14.0	-0.9	-383.0	
-971.4	-26386.2								
			C1-C2;~2	Max	I	100.6	7.0	1.6	382.1
693.0	8855.3			J	100.6	7.0	1.6	382.1	
198.8	8360.9								
			Min	I	-209.2	-8.8	-0.4	-291.8	
-135.4	-19667.0			J	-209.2	-8.8	-0.4	-291.8	
-611.7	-17915.6								
			C3-C4;~2	Max	I	114.2	7.1	1.6	392.7
698.5	3670.3			J	114.2	7.1	1.6	392.7	
267.9	3501.0								
			Min	I	-192.7	-9.6	-0.6	-242.2	
-191.9	-20081.8			J	-192.7	-9.6	-0.6	-242.2	
-590.6	-17961.5								
			G1	I	-101.9	0.4	0.4	-50.6	
458.7	924.9			J	-101.9	0.4	2.4	-50.6	
-655.4	584.3								
			G2	I	-35.9	0.5	0.5	-44.1	
225.9	3081.7			J	-35.9	0.5	0.5	-44.1	
-195.3	2698.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-82.8	-0.1	0.1	11.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
27.7	823.2			J	-82.8	-0.1	0.1	11.9
-33.2	913.2							
-30.6	-748.9	Q5_pc	Y	I	66.6	0.1	-0.1	-5.4
45.4	-801.7			J	66.6	0.1	-0.1	-5.4
37.7	235.7	Q5_ps	X	I	-81.1	-0.2	0.1	17.9
-42.6	358.2			J	-81.1	-0.2	0.1	17.9
-24.1	-952.3	Q5_ps	Y	I	61.8	0.0	-0.1	-2.1
38.3	-987.7			J	61.8	0.0	-0.1	-2.1
1501.3	43396.2	INVSLU	Max	I	-1344.3	-6.6	2.2	67.2
650.2	59563.7			J	-1344.3	-6.6	4.9	67.2
-503.9	-18193.1		Min	I	-2277.6	-39.9	-2.8	-1422.0
1374.2	2678.0			J	-2277.6	-39.9	-0.1	-1422.0
1082.5	33875.4	INVSLE	Max	I	-1100.4	-6.0	1.5	23.6
519.7	46712.0			J	-1100.4	-6.0	3.5	23.6
-398.8	-11636.6		Min	I	-1780.6	-30.6	-2.1	-1077.9
-973.8	4696.2			J	-1780.6	-30.6	-0.1	-1077.9
5417	2	69 C1-C2;~1	Max	I	220.6	16.0	3.2	500.9
1376.0	14340.2			J	220.6	16.0	3.2	500.9
184.8	16139.6		Min	I	-406.9	-13.5	-0.5	-495.9
-185.7	-26575.1			J	-406.9	-13.5	-0.5	-495.9
1257.2	-27996.9							
1282.3	6356.6	C3-C4;~1	Max	I	255.2	17.5	3.0	502.4
308.1	7350.6			J	255.2	17.5	3.0	502.4
-269.1	-26383.9		Min	I	-370.4	-13.5	-0.7	-448.8
1136.4	-27837.6			J	-370.4	-13.5	-0.7	-448.8
838.8	8359.8	C1-C2;~2	Max	I	118.4	11.1	2.0	340.8
98.5	9425.1			J	118.4	11.1	2.0	340.8
-92.8	-17913.9		Min	I	-236.0	-9.2	-0.2	-321.4
-768.2	-18912.8			J	-236.0	-9.2	-0.2	-321.4
795.0	3500.9	C3-C4;~2	Max	I	134.2	12.0	1.8	339.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
193.5	4170.9		J	134.2	12.0	1.8	339.3
		Min	I	-214.1	-9.1	-0.4	-293.0
-155.6	-17960.0		J	-214.1	-9.1	-0.4	-293.0
-702.1	-18954.1						
		G1	I	-94.0	0.3	0.6	-45.5
551.3	584.1		J	-94.0	0.3	2.6	-45.5
-770.3	366.5						
		G2	I	-32.4	0.1	0.6	-13.8
266.5	2697.9		J	-32.4	0.1	0.6	-13.8
-242.6	2638.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-87.6	-0.2	0.1	7.2
46.6	913.2		J	-87.6	-0.2	0.1	7.2
-61.2	1110.2						
		Q5_pc Y	I	76.0	0.1	-0.2	-10.3
-59.3	-801.5		J	76.0	0.1	-0.2	-10.3
83.0	-873.4						
		Q5_ps X	I	-86.2	-0.2	0.2	7.8
58.2	358.3		J	-86.2	-0.2	0.2	7.8
-72.5	545.2						
		Q5_ps Y	I	70.4	0.1	-0.2	-9.3
-50.1	-987.4		J	70.4	0.1	-0.2	-9.3
72.4	-1058.3						
		INVSLU Max	I	-1063.1	27.6	2.2	410.9
1537.0	59554.6		J	-1063.1	27.6	4.9	410.9
855.4	59081.4						
		Min	I	-2114.4	-14.7	-3.4	-955.3
-790.5	2675.2		J	-2114.4	-14.7	-0.7	-955.3
1407.2	-2501.2						
		INVSLE Max	I	-884.2	21.0	1.5	293.7
1079.6	46704.8		J	-884.2	21.0	3.5	293.7
701.0	45858.0						
		Min	I	-1651.3	-10.3	-2.6	-716.9
-636.6	4693.8		J	-1651.3	-10.3	-0.6	-716.9
-963.9	389.2						
		69 C1-C2;~1 Max	I	291.8	31.3	4.7	458.3
5418	2		J	291.8	31.3	4.7	458.3
1920.9	16143.4						
		Min	I	-523.1	-28.7	-1.1	-599.8
455.7	30844.1						
-431.8	-28000.3						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1955.0	-44314.6		J	-523.1	-28.7	-1.1	-599.8	-
1709.5	7352.3	C3-C4;~1 Max	I	337.0	32.6	4.2	437.8	
541.5	27985.7		J	337.0	32.6	4.2	437.8	
-510.7	-27840.0	Min	I	-469.9	-27.7	-1.3	-567.2	
1693.4	-46707.5		J	-469.9	-27.7	-1.3	-567.2	-
1155.4	9427.2	C1-C2;~2 Max	I	157.3	21.9	2.8	313.5	
234.9	20801.9		J	157.3	21.9	2.8	313.5	
-222.4	-18914.9	Min	I	-304.6	-19.7	-0.6	-393.2	
1174.0	-30293.8		J	-304.6	-19.7	-0.6	-393.2	-
1038.8	4171.8	C3-C4;~2 Max	I	177.9	22.8	2.5	293.3	
273.7	18668.3		J	177.9	22.8	2.5	293.3	
-258.0	-18955.6	Min	I	-273.0	-19.0	-0.7	-376.9	
1021.8	-32295.8		J	-273.0	-19.0	-0.7	-376.9	-
689.5	367.2	G1	I	-99.2	-0.5	1.0	-43.5	
-956.8	747.8		J	-99.2	-0.5	3.0	-43.5	
320.9	2638.8	G2	I	-33.5	0.6	0.8	18.8	
-315.7	2171.9		J	-33.5	0.6	0.8	18.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
104.2	1110.6	Q5_pc X	I	-97.7	-1.1	0.3	5.1	
-136.3	2017.6		J	-97.7	-1.1	0.3	5.1	
-126.8	-874.0	Q5_pc Y	I	91.7	-0.1	-0.4	-16.7	
170.3	-808.4		J	91.7	-0.1	-0.4	-16.7	
117.5	545.6	Q5_ps X	I	-96.9	-1.2	0.3	-0.4	
-149.6	1553.2		J	-96.9	-1.2	0.3	-0.4	
-111.8	-1058.9	Q5_ps Y	I	84.7	-0.2	-0.3	-18.3	
152.3	-925.0		J	84.7	-0.2	-0.3	-18.3	
		INVSLU Max	I	-629.0	66.1	2.6	724.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1710.6	59087.7			J	-629.0	66.1	5.3	724.0	
2136.4	62584.2		Min	I	-1965.9	-18.7	-6.2	-734.5	-
1800.3	-2505.3			J	-1965.9	-18.7	-3.5	-734.5	-
1540.5	-45742.1								
			INVSLE Max	I	-547.8	50.5	1.6	538.1	
1135.0	45862.6			J	-547.8	50.5	3.6	538.1	
1739.4	47055.5		Min	I	-1525.0	-12.1	-4.9	-540.1	-
1448.7	386.2			J	-1525.0	-12.1	-2.9	-540.1	
-961.5	-32917.2								
5419	2	69	C1-C2;~1 Max	I	443.2	86.8	8.3	745.2	
3091.5	30843.1			J	443.2	86.8	8.3	745.2	
1285.0	106964.7		Min	I	-790.6	-121.1	-2.8	-1120.9	
-971.9	-44311.0			J	-790.6	-121.1	-2.8	-1120.9	-
3652.8	-64897.5								
			C3-C4;~1 Max	I	512.0	23.3	7.7	433.6	
2867.7	27985.9			J	512.0	23.3	7.7	433.6	
1498.4	101709.4		Min	I	-712.4	-110.5	-3.2	-1098.2	-
1133.0	-46703.7			J	-712.4	-110.5	-3.2	-1098.2	-
3368.9	-15113.4								
			C1-C2;~2 Max	I	239.4	48.6	5.0	451.8	
1863.6	20801.6			J	239.4	48.6	5.0	451.8	
682.8	71157.1		Min	I	-461.1	-77.8	-1.5	-736.2	
-514.6	-30291.9			J	-461.1	-77.8	-1.5	-736.2	-
2179.1	-37249.9								
			C3-C4;~2 Max	I	270.7	11.2	4.6	273.3	
1736.7	18669.0			J	270.7	11.2	4.6	273.3	
779.3	68510.2		Min	I	-416.0	-71.7	-1.7	-734.3	
-587.3	-32293.6			J	-416.0	-71.7	-1.7	-734.3	-
2018.6	-7180.9								
			G1	I	-139.5	-0.7	1.8	-47.0	
934.2	746.9			J	-139.5	-0.7	3.8	-47.0	-
1362.6	1295.0								
			G2	I	-45.1	17.0	1.0	96.4	
379.4	2170.7			J	-45.1	17.0	1.0	96.4	
-424.5	-11670.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0								
215.1	2016.8	Q5_pc X	I	-119.5	-3.2	0.6	14.8		
-300.7	4586.1		J	-119.5	-3.2	0.6	14.8		
-247.5	-806.8	Q5_pc Y	I	126.0	-3.5	-0.7	-33.9		
358.5	2043.6		J	126.0	-3.5	-0.7	-33.9		
236.7	1552.6	Q5_ps X	I	-120.3	-6.6	0.7	-5.5		
-325.4	6897.4		J	-120.3	-6.6	0.7	-5.5		
-219.5	-923.4	Q5_ps Y	I	115.8	-5.0	-0.7	-41.2		
321.1	3143.0		J	115.8	-5.0	-0.7	-41.2		
1752.5	62586.0	INVS LU Max	I	255.6	182.0	2.4	1388.3		
6257.2	117437.3		J	255.6	182.0	5.2	1388.3		
4396.1	-45732.4	Min	I	-1729.6	-104.9	-14.4	-1192.0		-
1342.2	-122831.7		J	-1729.6	-104.9	-11.7	-1192.0		-
1002.2	47057.2	INVS LE Max	I	145.6	137.7	0.9	1033.1		
5056.3	85030.9		J	145.6	137.7	2.9	1033.1		
3519.3	-32909.8	Min	I	-1308.2	-74.4	-11.5	-873.7		-
-525.1	-92334.6		J	-1308.2	-74.4	-9.5	-873.7		-
5420	2	69 C1-C2;~1 Max	I	609.0	219.4	16.9	2721.6		
6695.9	106940.2		J	609.0	219.4	16.9	2721.6		
1588.6	49304.8	Min	I	-1064.9	-116.1	-4.3	-1451.6		-
1916.5	-64925.5		J	-1064.9	-116.1	-4.3	-1451.6		-
7025.9	-80463.8								
4945.0	101640.6	C3-C4;~1 Max	I	702.3	219.0	12.4	2820.0		
1920.7	35208.6		J	702.3	219.0	12.4	2820.0		
2269.3	-15127.8	Min	I	-942.4	-28.5	-5.1	-608.1		-
5154.1	-86396.1		J	-942.4	-28.5	-5.1	-608.1		-
4041.0	71124.7	C1-C2;~2 Max	I	330.0	150.1	10.2	1881.3		
822.8	31173.1		J	330.0	150.1	10.2	1881.3		
1011.0	-37265.9	Min	I	-628.1	-68.4	-2.3	-866.8		-
4245.7	-56132.7		J	-628.1	-68.4	-2.3	-866.8		-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2932.3	68447.8	C3-C4; ~2	Max	I	372.4	151.6	7.4	1964.1	
				J	372.4	151.6	7.4	1964.1	
972.4	23053.9		Min	I	-554.8	-14.1	-2.6	-350.4	-
1171.1	-7189.0			J	-554.8	-14.1	-2.6	-350.4	-
3065.7	-60782.2								
		G1		I	-124.1	-0.0	5.0	-58.1	
2094.9	1358.9			J	-124.1	-0.0	7.0	-58.1	-
2778.6	1384.7								
		G2		I	-39.2	-18.2	2.4	-188.9	
882.0	-11642.5			J	-39.2	-18.2	2.4	-188.9	-
1039.4	3158.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-142.1	0.8	0.6	23.2	
305.5	4563.9			J	-142.1	0.8	0.6	23.2	
-183.8	3940.2								
		Q5_pc	Y	I	162.0	4.6	-1.5	29.4	
-608.3	2066.8			J	162.0	4.6	-1.5	29.4	
602.9	-1662.9								
		Q5_ps	X	I	-144.3	4.6	0.7	60.5	
352.5	6873.6			J	-144.3	4.6	0.7	60.5	
-253.4	3132.7								
		Q5_ps	Y	I	148.7	6.2	-1.3	46.0	
-547.5	3163.7			J	148.7	6.2	-1.3	46.0	
535.9	-1848.9								
		INVSLE	Max	I	1263.9	278.0	8.9	3164.3	
3435.0	117683.6			J	1263.9	278.0	11.6	3164.3	
8281.3	57479.1		Min	I	-1413.3	-183.1	-23.5	-2655.3	-
9762.9	-122550.0			J	-1413.3	-183.1	-20.8	-2655.3	-
4881.8	-132809.5								
		INVSLE	Max	I	932.3	205.1	4.9	2304.5	
1821.3	85230.2			J	932.3	205.1	6.9	2304.5	
6720.5	41111.0		Min	I	-1029.2	-135.9	-18.9	-2002.4	-
7873.8	-92112.1			J	-1029.2	-135.9	-16.9	-2002.4	-
2949.6	-99318.2								
5421	2	69 C1-C2; ~1	Max	I	656.5	119.9	19.4	2181.9	
8042.1	49304.1			J	656.5	119.9	19.4	2181.9	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
914.8	49554.9									
			Min	I	-993.4	-80.9	-2.6	-1436.0	-	
1300.6	-80470.7			J	-993.4	-80.9	-2.6	-1436.0	-	
7728.8	-101992.2									
		C3-C4;~1	Max	I	753.4	124.6	15.0	2236.3		
6283.9	35204.1			J	753.4	124.6	15.0	2236.3		
1280.2	22678.5									
			Min	I	-880.1	-76.9	-3.5	-1114.9	-	
1622.6	-86404.0			J	-880.1	-76.9	-3.5	-1114.9	-	
5948.8	-106818.5									
		C1-C2;~2	Max	I	357.0	84.8	11.8	1508.5		
4911.6	31172.4			J	357.0	84.8	11.8	1508.5		
443.4	30125.1									
			Min	I	-587.7	-56.7	-1.3	-861.3	-	
-650.9	-56137.6			J	-587.7	-56.7	-1.3	-861.3	-	
4728.4	-71182.2									
		C3-C4;~2	Max	I	400.9	88.5	9.2	1557.0		
3820.7	23050.8			J	400.9	88.5	9.2	1557.0		
629.7	13416.8									
			Min	I	-519.5	-53.7	-1.7	-729.1	-	
-792.5	-60788.0			J	-519.5	-53.7	-1.7	-729.1	-	
3626.4	-75066.5									
			G1	I	0.5	1.3	7.0	-68.0		
3047.0	1384.0			J	0.5	1.3	9.0	-68.0	-	
3428.1	298.0									
			G2	I	9.2	-2.5	3.0	-100.3		
1200.9	3159.6			J	9.2	-2.5	3.0	-100.3	-	
1240.7	5176.7									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	-137.9	1.6	-0.3	17.6	
-37.4	3940.7			J	-137.9	1.6	-0.3	17.6		
185.1	2669.7									
			Q5_pc	Y	I	165.2	0.8	-1.2	9.2	
-530.5	-1663.5			J	165.2	0.8	-1.2	9.2		
467.4	-2339.6									
			Q5_ps	X	I	-139.2	2.2	0.0	37.2	
74.1	3132.8			J	-139.2	2.2	0.0	37.2		
61.3	1325.8									
			Q5_ps	Y	I	152.2	1.1	-1.0	18.4	
-454.9	-1849.7			J	152.2	1.1	-1.0	18.4		


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
393.7	-2782.6							
7488.1	57493.5		INVSLE Max	I	1659.5	177.5	18.0	2646.1
4709.4	50269.1			J	1659.5	177.5	20.7	2646.1
6514.1	-132805.7		Min	I	-996.0	-102.7	-15.1	-2343.2
8294.1	-165640.4			J	-996.0	-102.7	-12.4	-2343.2
5025.2	41122.7		INVSLE Max	I	1226.7	132.0	12.2	1940.1
3872.2	35333.5			J	1226.7	132.0	14.2	1940.1
5276.1	-99314.2		Min	I	-718.3	-75.4	-12.2	-1753.3
5697.7	-124243.5			J	-718.3	-75.4	-10.2	-1753.3
5422	2	69	C1-C2;~1 Max	I	715.2	110.2	19.0	1673.1
7754.9	49553.0			J	715.2	110.2	19.0	1673.1
942.4	49401.8		Min	I	-938.0	-105.9	-2.1	-1692.5
-838.8	-101987.8			J	-938.0	-105.9	-2.1	-1692.5
7709.5	-104374.2							
5743.1	22678.3		C3-C4;~1 Max	I	818.2	111.4	14.0	1653.1
1374.5	21232.8			J	818.2	111.4	14.0	1653.1
1294.7	-106814.1		Min	I	-828.0	-105.3	-3.2	-1603.0
5698.2	-109446.5			J	-828.0	-105.3	-3.2	-1603.0
4687.2	30123.9		C1-C2;~2 Max	I	388.6	77.7	11.4	1156.3
499.9	30108.8			J	388.6	77.7	11.4	1156.3
-429.6	-71179.1		Min	I	-555.6	-74.6	-1.1	-1149.6
4630.9	-72918.2			J	-555.6	-74.6	-1.1	-1149.6
3456.0	13416.7		C3-C4;~2 Max	I	434.9	78.7	8.4	1147.2
725.3	12489.4			J	434.9	78.7	8.4	1147.2
-666.6	-75063.5		Min	I	-488.6	-74.4	-1.7	-1099.3
3399.4	-76997.2			J	-488.6	-74.4	-1.7	-1099.3
3363.8	298.1		G1	I	121.5	1.6	7.7	-75.9
3730.3	-1024.7			J	121.5	1.6	9.7	-75.9
1337.4	5176.4		G2	I	55.6	0.7	3.3	-26.6
1371.7	4594.0			J	55.6	0.7	3.3	-26.6

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-414.7	2669.4	Q5_pc X	I	-134.5	1.0	-1.1	9.3
			J	-134.5	1.0	-1.1	9.3
520.5	1852.5						
-388.7	-2339.2	Q5_pc Y	I	170.9	-0.2	-0.9	-16.5
			J	170.9	-0.2	-0.9	-16.5
345.6	-2209.0						
-268.1	1325.6	Q5_ps X	I	-135.0	0.9	-0.8	11.3
			J	-135.0	0.9	-0.8	11.3
365.1	588.3						
-315.2	-2782.2	Q5_ps Y	I	158.0	-0.2	-0.7	-14.5
			J	158.0	-0.2	-0.7	-14.5
273.4	-2652.0						
8905.0	50263.2	INVS LU Max	I	2078.9	148.9	21.7	2019.9
			J	2078.9	148.9	24.4	2019.9
3332.5	51602.8						
4058.3	-165637.4	Min	I	-599.5	-146.2	-10.3	-2553.4
			J	-599.5	-146.2	-7.6	-2553.4
9867.8	-166818.7						
6244.9	35328.9	INVS LE Max	I	1542.4	110.1	15.2	1489.8
			J	1542.4	110.1	17.2	1489.8
2718.2	36445.1						
3302.4	-124241.5	Min	I	-418.9	-108.4	-8.3	-1895.6
			J	-418.9	-108.4	-6.3	-1895.6
6990.4	-125054.1						
5423	2	69 C1-C2;~1 Max	I	775.6	86.6	18.9	1376.3
7722.6	49404.3		J	775.6	86.6	18.9	1376.3
1172.7	52409.5						
1021.7	-104379.3	Min	I	-876.9	-117.0	-2.7	-2172.3
			J	-876.9	-117.0	-2.7	-2172.3
7672.4	-87754.8						
5527.5	21233.8	C3-C4;~1 Max	I	883.8	84.6	13.5	1108.3
			J	883.8	84.6	13.5	1108.3
1752.2	35342.3						
1612.1	-109451.2	Min	I	-786.1	-119.8	-4.1	-2187.4
			J	-786.1	-119.8	-4.1	-2187.4
5504.2	-93477.7						
4568.3	30110.3	C1-C2;~2 Max	I	420.7	60.1	11.1	845.6
			J	420.7	60.1	11.1	845.6
623.9	33119.4						
		Min	I	-521.4	-81.7	-1.4	-1491.9


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-534.9	-72921.7			J	-521.4	-81.7	-1.4	-1491.9	-
4503.1	-61220.8								
3229.1	12489.9	C3-C4;~2	Max	I	469.1	58.6	7.8	747.5	
924.9	22899.7			J	469.1	58.6	7.8	747.5	
-855.5	-77000.4		Min	I	-465.3	-84.0	-2.2	-1520.5	
3177.1	-65648.4			J	-465.3	-84.0	-2.2	-1520.5	-
3517.4	-1024.7		G1	I	251.1	-0.2	8.0	-95.3	
3840.4	-879.6			J	251.1	-0.2	10.0	-95.3	-
1410.6	4594.3		G2	I	106.9	3.6	3.5	42.8	
1427.9	1665.2			J	106.9	3.6	3.5	42.8	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-664.9	1852.5	Q5_pc	X	I	-127.7	0.1	-1.7	0.7	
738.1	1735.7			J	-127.7	0.1	-1.7	0.7	
-299.0	-2209.6	Q5_pc	Y	I	173.6	-1.5	-0.7	-42.5	
265.4	-1013.2			J	173.6	-1.5	-0.7	-42.5	
-496.2	588.3	Q5_ps	X	I	-127.8	-0.8	-1.3	-14.8	
564.5	1249.0			J	-127.8	-0.8	-1.3	-14.8	
-227.4	-2652.6	Q5_ps	Y	I	161.0	-1.8	-0.5	-47.7	
195.4	-1152.1			J	161.0	-1.8	-0.5	-47.7	
0210.8	51603.9	INVSLU	Max	I	2511.0	102.5	24.9	1562.5	1
2904.4	68041.6			J	2511.0	102.5	27.6	1562.5	
3587.8	-166828.2		Min	I	-178.4	-178.8	-9.3	-3324.9	-
1147.4	-132030.4			J	-178.4	-178.8	-6.6	-3324.9	-1
7287.5	36445.8	INVSLE	Max	I	1866.6	75.0	17.8	1152.2	
2297.3	49334.8			J	1866.6	75.0	19.8	1152.2	
2845.1	-125061.1		Min	I	-102.4	-133.2	-7.3	-2462.4	-
8013.1	-98635.2			J	-102.4	-133.2	-5.3	-2462.4	-


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5424	2	69	C1-C2;~1	Max	I	835.6	122.1	18.9	1617.0	
7738.9	52401.0				J	835.6	122.1	18.9	1617.0	
1337.7	106983.2			Min	I	-801.6	-229.5	-3.2	-2922.0	-
1233.1	-87745.1				J	-801.6	-229.5	-3.2	-2922.0	-
7645.4	-70686.5									
5729.6	35342.6		C3-C4;~1	Max	I	948.5	30.5	14.1	799.8	
1916.5	100151.5				J	948.5	30.5	14.1	799.8	
1816.2	-93470.6			Min	I	-726.3	-228.2	-4.6	-3006.7	-
5736.5	-19073.4				J	-726.3	-228.2	-4.6	-3006.7	-
4543.8	33114.0		C1-C2;~2	Max	I	451.7	71.3	11.1	996.6	
696.0	68951.9				J	451.7	71.3	11.1	996.6	
-637.5	-61213.8			Min	I	-476.8	-155.9	-1.6	-2010.7	
4463.4	-39026.1				J	-476.8	-155.9	-1.6	-2010.7	-
3320.7	22900.5		C3-C4;~2	Max	I	502.1	15.1	8.1	509.5	
992.7	64821.5				J	502.1	15.1	8.1	509.5	
-943.4	-65643.4			Min	I	-429.6	-156.4	-2.4	-2094.0	
3305.9	-8819.2				J	-429.6	-156.4	-2.4	-2094.0	-
3459.5	-882.0			G1	I	387.2	-9.2	7.8	-127.4	
3733.5	6618.2				J	387.2	-9.2	9.8	-127.4	-
1330.5	1663.1			G2	I	160.0	15.7	3.3	118.0	
1326.3	-11139.6				J	160.0	15.7	3.3	118.0	-
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
-828.0	1736.7			Q5_pc X	I	-111.8	-0.4	-2.1	-0.9	
871.5	2069.0				J	-111.8	-0.4	-2.1	-0.9	
-220.7	-1011.6			Q5_pc Y	I	175.0	-6.1	-0.5	-63.9	
195.8	3919.8				J	175.0	-6.1	-0.5	-63.9	
-639.3	1250.0			Q5_ps X	I	-111.9	-4.6	-1.6	-32.6	
681.0	4985.7				J	-111.9	-4.6	-1.6	-32.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-148.5	-1150.6	Q5_ps Y	I	162.7	-7.8	-0.3	-76.1	
125.3	5214.5		J	162.7	-7.8	-0.3	-76.1	
1015.2	68038.2	INVS LU Max	I	2973.5	145.5	26.8	1718.5	1
2560.2	163843.6		J	2973.5	145.5	29.5	1718.5	
3374.6	-132014.5	Min	I	295.8	-340.1	-8.6	-4638.5	-
1917.1	-83066.1		J	295.8	-340.1	-5.9	-4638.5	-1
7950.1	49332.4	INVS LE Max	I	2212.5	105.3	19.4	1261.2	
1963.3	121816.3		J	2212.5	105.3	21.4	1261.2	
2598.6	-98623.2	Min	I	252.4	-253.6	-6.6	-3439.1	-
8644.5	-60557.1		J	252.4	-253.6	-4.6	-3439.1	-
5425	2	69 C1-C2;~1 Max	I	906.5	231.3	17.6	2834.2	
7265.1	107047.7		J	906.5	231.3	17.6	2834.2	
1698.3	52052.6	Min	I	-742.4	-120.4	-4.1	-1643.3	-
1649.3	-70767.6		J	-742.4	-120.4	-4.1	-1643.3	-
7070.1	-89689.6							
4989.1	100195.9	C3-C4;~1 Max	I	1022.4	230.7	12.2	2934.8	
2351.6	35332.8		J	1022.4	230.7	12.2	2934.8	
2310.9	-19079.2	Min	I	-677.3	-27.7	-5.7	-954.5	-
4916.9	-96157.6		J	-677.3	-27.7	-5.7	-954.5	-
4192.7	69006.0	C1-C2;~2 Max	I	487.7	157.0	10.1	1950.4	
920.2	32968.5		J	487.7	157.0	10.1	1950.4	
-895.1	-39074.9	Min	I	-441.0	-70.0	-2.2	-1010.8	-
4055.7	-62589.0		J	-441.0	-70.0	-2.2	-1010.8	-
2837.7	64866.1	C3-C4;~2 Max	I	539.1	158.0	6.9	2034.8	
1296.4	23031.5		J	539.1	158.0	6.9	2034.8	
1279.9	-8822.5	Min	I	-399.1	-13.0	-3.2	-595.4	-
2781.1	-67528.5		J	-399.1	-13.0	-3.2	-595.4	-
3195.3	6578.8	G1	I	534.2	11.0	7.1	16.6	
3423.0	-2342.2		J	534.2	11.0	9.1	16.6	-
1324.3	-11154.7	G2	I	217.3	-15.4	3.2	-151.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1300.9	1344.4		J	217.3	-15.4	3.2	-151.3	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-971.4	2082.1	Q5_pc X	I	-92.1	2.2	-2.4	31.7	
1000.2	283.0		J	-92.1	2.2	-2.4	31.7	
-245.6	3942.8	Q5_pc Y	I	177.4	6.0	-0.6	31.7	
231.2	-901.1		J	177.4	6.0	-0.6	31.7	
-788.4	4991.1	Q5_ps X	I	-92.6	6.3	-2.0	66.2	
816.8	-151.0		J	-92.6	6.3	-2.0	66.2	
-178.0	5233.4	Q5_ps Y	I	165.3	7.8	-0.4	48.2	
164.9	-1078.7		J	165.3	7.8	-0.4	48.2	
1541.9	164049.0	INVSLE Max	I	3505.0	357.7	27.5	4347.7	1
2621.0	54486.2		J	3505.0	357.7	30.2	4347.7	
3134.2	-83098.6	Min	I	803.2	-127.8	-8.4	-1889.7	-
1898.7	-147219.6		J	803.2	-127.8	-5.7	-1889.7	-1
8395.9	121968.0	INVSLE Max	I	2609.1	265.7	20.0	3231.7	
1942.7	40113.5		J	2609.1	265.7	22.0	3231.7	
2345.7	-60578.6	Min	I	631.4	-93.2	-6.3	-1384.4	-
8679.3	-109178.1		J	631.4	-93.2	-4.3	-1384.4	-
5426	2	69 C1-C2;~1 Max	I	991.1	123.9	15.8	2063.5	
6573.2	52053.2		J	991.1	123.9	15.8	2063.5	
1490.5	50181.2		I	-689.1	-90.6	-3.9	-1384.5	-
1578.3	-89703.1	Min	J	-689.1	-90.6	-3.9	-1384.5	-
6272.1	-110311.1		I	1107.8	127.1	11.2	2083.0	
4638.9	35328.2	C3-C4;~1 Max	J	1107.8	127.1	11.2	2083.0	
2237.5	20380.6		I	-636.1	-89.2	-5.5	-1272.4	-
2270.3	-96170.6	Min	J	-636.1	-89.2	-5.5	-1272.4	-
4510.1	-115485.5		I	530.6	86.3	9.1	1418.1	
3809.8	32968.8	C1-C2;~2 Max	J	530.6	86.3	9.1	1418.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
832.5	30669.6		J	530.6	86.3	9.1	1418.1	
		Min	I	-408.6	-63.1	-2.0	-921.6	
-818.1	-62598.4		J	-408.6	-63.1	-2.0	-921.6	-
3631.1	-76899.1							
		C3-C4;~2 Max	I	581.9	88.9	6.4	1440.1	
2653.7	23028.3		J	581.9	88.9	6.4	1440.1	
1209.5	11711.4							
		Min	I	-372.5	-61.6	-3.0	-840.6	-
1228.5	-67537.4		J	-372.5	-61.6	-3.0	-840.6	-
2588.8	-80994.9							
		G1	I	702.2	2.8	5.4	-22.3	
2545.7	-2346.5		J	702.2	2.8	7.4	-22.3	-
2664.1	-4592.5							
		G2	I	282.5	-2.8	2.4	-75.0	
1008.3	1343.9		J	282.5	-2.8	2.4	-75.0	
-944.3	3624.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-79.1	1.7	-2.4	28.3	
-959.7	284.9		J	-79.1	1.7	-2.4	28.3	
954.9	-1125.7							
		Q5_pc Y	I	181.4	1.3	-0.6	9.2	
-247.1	-902.3		J	181.4	1.3	-0.6	9.2	
248.2	-1956.4							
		Q5_ps X	I	-79.2	2.6	-1.9	46.0	
-773.8	-149.6		J	-79.2	2.6	-1.9	46.0	
773.4	-2272.6							
		Q5_ps Y	I	169.7	1.7	-0.4	18.2	
-177.8	-1080.0		J	169.7	1.7	-0.4	18.2	
180.6	-2476.8							
		INVSLU Max	I	4068.8	197.7	23.8	2754.5	1
0033.6	54484.7		J	4068.8	197.7	26.5	2754.5	
2773.7	32917.1							
		Min	I	1316.5	-99.3	-9.2	-1977.5	-
3632.6	-147241.6		J	1316.5	-99.3	-6.5	-1977.5	-1
0433.2	-194254.4							
		INVSLE Max	I	3029.5	146.4	17.3	2045.9	
7309.3	40112.4		J	3029.5	146.4	19.3	2045.9	
2035.3	24011.2							
		Min	I	1014.9	-73.4	-6.8	-1455.5	-
2685.9	-109194.2							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
7620.2	-144003.2			J	1014.9	-73.4	-4.8	-1455.5	-
5427	2	69	C1-C2;~1	Max	I	1106.3	125.7	12.5	1433.0
5401.6	50180.8				J	1106.3	125.7	12.5	1433.0
1772.8	64125.6			Min	I	-630.6	-132.7	-4.2	-1858.5
1685.1	-110311.3				J	-630.6	-132.7	-4.2	-1858.5
4772.4	-128155.1								
			C3-C4;~1	Max	I	1223.7	125.1	9.0	1331.7
3855.8	20381.0				J	1223.7	125.1	9.0	1331.7
2240.0	38323.2			Min	I	-584.5	-134.0	-5.7	-1849.9
2373.9	-115486.4				J	-584.5	-134.0	-5.7	-1849.9
3457.7	-136654.2								
			C1-C2;~2	Max	I	588.6	88.2	7.3	976.0
3137.4	30669.5				J	588.6	88.2	7.3	976.0
1028.0	40085.6			Min	I	-369.7	-93.3	-2.4	-1272.2
-946.0	-76899.6				J	-369.7	-93.3	-2.4	-1272.2
2797.7	-89530.8								
			C3-C4;~2	Max	I	640.0	87.8	5.3	905.8
2240.4	11711.7				J	640.0	87.8	5.3	905.8
1236.0	23928.9			Min	I	-336.5	-93.9	-3.1	-1274.0
1294.4	-80995.9				J	-336.5	-93.9	-3.1	-1274.0
2032.1	-96074.4								
			G1		I	910.1	0.4	2.2	-68.7
1366.2	-4591.3				J	910.1	0.4	4.2	-68.7
1268.4	-4913.8								
			G2		I	362.4	1.0	1.2	-6.7
557.3	3624.3				J	362.4	1.0	1.2	-6.7
-408.6	2799.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-74.0	1.3	-1.9	13.4
-840.1	-1126.3				J	-74.0	1.3	-1.9	13.4
724.0	-2209.0								
			Q5_pc	Y	I	190.7	-0.4	-0.7	-19.2
-300.4	-1955.7				J	190.7	-0.4	-0.7	-19.2
294.7	-1591.3								
			Q5_ps	X	I	-72.5	1.1	-1.6	12.3
-680.6	-2273.1								

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
586.6	-3192.5		J	-72.5	1.1	-1.6	12.3	
-236.8	-2476.1	Q5_ps Y	I	179.4	-0.5	-0.6	-18.6	
237.9	-2083.8		J	179.4	-0.5	-0.6	-18.6	
7976.0	32919.6	INVSLE Max	I	4712.8	173.9	18.1	1258.4	
2944.4	49443.6		J	4712.8	173.9	20.8	1258.4	
4033.0	-194251.4	Min	I	1866.1	-179.0	-9.9	-3219.7	-
7825.8	-225585.4		J	1866.1	-179.0	-7.2	-3219.7	-
5805.0	24013.0	INVSLE Max	I	3509.4	128.7	13.2	933.6	
2169.5	36279.0		J	3509.4	128.7	15.2	933.6	
2978.5	-144001.0	Min	I	1426.1	-132.5	-7.3	-2380.9	-
5711.8	-167151.7		J	1426.1	-132.5	-5.3	-2380.9	-
5428	2	83 C1-C2;~1 Max	I	1320.7	84.8	56.0	9415.5	2
5256.3	64127.1		J	1320.7	84.8	56.0	9415.5	
8948.0	71891.9	Min	I	-656.9	-136.8	-23.4	-16501.0	-1
0527.7	-128157.6		J	-656.9	-136.8	-23.4	-16501.0	-2
0400.1	-112217.0							
7675.2	38325.3	C3-C4;~1 Max	I	1449.2	81.7	39.0	6403.9	1
1078.8	64400.5		J	1449.2	81.7	39.0	6403.9	1
4136.3	-136656.8	Min	I	-615.5	-143.4	-30.8	-16723.8	-1
4143.4	-118106.4		J	-615.5	-143.4	-30.8	-16723.8	-1
4577.2	40086.5	C1-C2;~2 Max	I	697.0	58.3	32.4	5858.8	1
5285.4	47953.0		J	697.0	58.3	32.4	5858.8	
5244.4	-89532.3	Min	I	-379.9	-94.9	-12.0	-11360.3	-
1849.7	-77903.5		J	-379.9	-94.9	-12.0	-11360.3	-1
0124.0	23930.2	C3-C4;~2 Max	I	752.7	55.6	22.4	4145.0	1
6182.1	41973.1		J	752.7	55.6	22.4	4145.0	
7317.2	-96075.9	Min	I	-348.8	-99.6	-16.5	-11617.2	-
8199.2	-82475.3		J	-348.8	-99.6	-16.5	-11617.2	-
2002.2	-4915.3	G1	I	1181.1	-4.1	5.5	-739.2	
4276.2	-1588.7		J	1181.1	-4.1	10.0	-739.2	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

800.0	2798.5	G2	I	468.8	4.7	2.9	310.9	
1521.1	-1033.9		J	468.8	4.7	2.9	310.9	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
4096.1	-2208.6	Q5_pc X	I	-54.6	1.1	-9.4	4.6	-
3572.9	-3085.6		J	-54.6	1.1	-9.4	4.6	
1988.3	-1593.6	Q5_pc Y	I	216.4	-2.1	-4.0	-282.8	-
1284.2	96.3		J	216.4	-2.1	-4.0	-282.8	
3341.4	-3192.1	Q5_ps X	I	-54.4	-0.4	-7.7	-101.6	-
2955.6	-2890.0		J	-54.4	-0.4	-7.7	-101.6	
1662.8	-2086.0	Q5_ps Y	I	203.7	-2.7	-3.3	-324.5	-
1042.6	90.9		J	203.7	-2.7	-3.3	-324.5	
5458.2	49435.4	INVSLU Max	I	5701.2	91.8	82.3	11936.5	3
4851.1	80662.5		J	5701.2	91.8	88.4	11936.5	1
5095.0	-225598.3	Min	I	2468.4	-220.0	-51.9	-23860.5	-2
4076.7	-181389.1		J	2468.4	-220.0	-45.8	-23860.5	-3
5731.5	36273.0	INVSLE Max	I	4245.9	67.5	59.9	8817.9	2
0857.1	59645.4		J	4245.9	67.5	64.4	8817.9	1
8576.6	-167161.2	Min	I	1880.1	-163.2	-38.3	-17660.7	-1
4909.3	-134055.5		J	1880.1	-163.2	-33.8	-17660.7	-2
5429	2	83 C1-C2;~1 Max	I	1489.3	128.1	46.6	10959.6	1
9710.8	71893.6		J	1489.3	128.1	46.6	10959.6	
7532.9	160265.6	Min	I	-631.1	-280.9	-17.1	-19245.0	-
6645.0	-112208.6		J	-631.1	-280.9	-17.1	-19245.0	-1
8487.1	-88696.4							
6145.6	64402.5	C3-C4;~1 Max	I	1625.0	30.9	39.3	6340.3	1
7472.5	159709.2		J	1625.0	30.9	39.3	6340.3	
7689.1	-118097.1	Min	I	-608.8	-288.7	-18.4	-19927.1	-
6106.6	-29261.3		J	-608.8	-288.7	-18.4	-19927.1	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1909.2	47954.3	C1-C2;~2	Max	I	779.4	75.2	28.0	6756.9	1
				J	779.4	75.2	28.0	6756.9	
4469.0	105213.6		Min	I	-354.3	-191.8	-9.9	-13212.2	-
3700.4	-77898.0			J	-354.3	-191.8	-9.9	-13212.2	-1
0980.9	-49355.7								
		C3-C4;~2	Max	I	837.2	13.5	24.1	4021.4	
9925.0	41974.8			J	837.2	13.5	24.1	4021.4	
3917.5	105394.9		Min	I	-336.3	-198.5	-9.6	-13832.7	-
3952.8	-82469.1			J	-336.3	-198.5	-9.6	-13832.7	-
9749.2	-14996.2								
		G1		I	1411.4	-23.8	9.0	-866.7	
3477.0	-1585.8			J	1411.4	-23.8	13.5	-866.7	-
5654.7	17746.6								
		G2		I	558.9	13.0	3.2	686.0	
1045.9	-1033.9			J	558.9	13.0	3.2	686.0	-
1588.6	-11590.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-12.3	0.5	-7.4	-11.7	-
3094.7	-3084.5			J	-12.3	0.5	-7.4	-11.7	
2915.5	-3477.5								
		Q5_pc	Y	I	232.6	-6.9	-1.2	-370.4	
-638.1	97.6			J	232.6	-6.9	-1.2	-370.4	
351.6	5746.7								
		Q5_ps	X	I	-15.3	-4.1	-6.0	-192.3	-
2525.3	-2888.7			J	-15.3	-4.1	-6.0	-192.3	
2368.7	409.0								
		Q5_ps	Y	I	218.9	-8.9	-0.7	-447.2	
-436.0	92.3			J	218.9	-8.9	-0.7	-447.2	
169.9	7373.4								
		INVSLU	Max	I	6519.6	120.7	68.3	13901.5	2
8130.1	80675.1			J	6519.6	120.7	74.4	13901.5	1
0099.8	249920.0		Min	I	3055.2	-454.4	-32.8	-28462.3	-1
4430.3	-181364.3			J	3055.2	-454.4	-26.7	-28462.3	-3
0275.0	-96522.8								
		INVSLE	Max	I	4855.2	87.5	50.1	10244.1	2
0596.6	59654.9			J	4855.2	87.5	54.6	10244.1	

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
7242.6	186058.9		Min	I	2319.9	-337.7	-23.8	-21087.1	-1	
0517.0	-134037.1			J	2319.9	-337.7	-19.3	-21087.1	-2	
2276.0	-69799.2									
5430	2	83	C1-C2;~1	Max	I	1618.7	299.4	44.0	17250.3	1
7626.8	160385.8			J	1618.7	299.4	44.0	17250.3	1	
0018.8	90963.8		Min	I	-579.7	-137.1	-24.6	-10258.7	-	
9314.4	-88700.7			J	-579.7	-137.1	-24.6	-10258.7	-1	
7085.2	-136954.1									
			C3-C4;~1	Max	I	1746.2	311.7	26.9	18212.1	1
0178.9	159828.5			J	1746.2	311.7	26.9	18212.1		
9580.9	79054.6		Min	I	-583.3	-35.2	-24.0	-7000.2	-	
9248.8	-29258.2			J	-583.3	-35.2	-24.0	-7000.2	-1	
0952.6	-142040.5									
			C1-C2;~2	Max	I	838.1	203.7	25.0	11867.3	1
0152.9	105289.0			J	838.1	203.7	25.0	11867.3		
6274.9	61507.3		Min	I	-314.4	-79.2	-15.2	-6393.4	-	
5659.9	-49359.2			J	-314.4	-79.2	-15.2	-6393.4	-	
9607.3	-95443.5									
			C3-C4;~2	Max	I	892.8	213.5	14.6	12573.5	
5563.8	105474.7			J	892.8	213.5	14.6	12573.5		
6181.6	52490.4		Min	I	-314.8	-15.1	-15.4	-4504.0	-	
5894.9	-14994.6			J	-314.8	-15.1	-15.4	-4504.0	-	
5908.1	-99162.3									
			G1	I	1624.9	24.2	14.6	630.3		
5482.1	17822.6			J	1624.9	24.2	19.0	630.3	-	
7703.2	-1199.7									
			G2	I	639.9	-15.4	7.3	-574.7		
2586.5	-11562.0			J	639.9	-15.4	7.3	-574.7	-	
3146.2	525.2									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc X	I	29.4	4.2	-8.6	149.5	-	
3454.5	-3485.9			J	29.4	4.2	-8.6	149.5		
3328.4	-6778.3									
			Q5_pc Y	I	237.6	6.8	-0.8	126.3		
-412.8	5761.1			J	237.6	6.8	-0.8	126.3		
184.6	437.5									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

3015.4	399.3	Q5_ps X	I	24.9	9.0	-7.5	311.7	-
2903.8	-6638.5		J	24.9	9.0	-7.5	311.7	
-293.8	7386.4	Q5_ps Y	I	224.2	9.1	-0.5	209.0	
80.5	249.2		J	224.2	9.1	-0.5	209.0	
1824.2	250247.2	INVS LU Max	I	7228.9	501.5	81.4	26842.1	3
7960.8	98943.1		J	7228.9	501.5	87.3	26842.1	
0764.5	-96389.5	Min	I	3656.5	-116.6	-26.8	-11862.5	-1
4620.8	-227813.5		J	3656.5	-116.6	-20.9	-11862.5	-3
3455.9	186298.5	INVS LE Max	I	5382.8	372.8	60.1	19952.9	2
5503.2	72745.1		J	5382.8	372.8	64.4	19952.9	
7630.7	-69701.4	Min	I	2768.2	-84.1	-18.9	-8697.3	-
5595.0	-168393.0		J	2768.2	-84.1	-14.6	-8697.3	-2
5431	2	83 C1-C2;~1 Max	I	1763.2	171.7	47.3	12779.2	1
8838.6	90965.2		J	1763.2	171.7	47.3	12779.2	
8312.3	90252.7	Min	I	-539.8	-107.3	-18.9	-8544.2	-
6572.9	-136965.4		J	-539.8	-107.3	-18.9	-8544.2	-1
8273.0	-176330.3							
5151.8	79053.9	C3-C4;~1 Max	I	1856.9	185.2	38.7	12966.1	1
7748.2	49301.0		J	1856.9	185.2	38.7	12966.1	
8244.4	-142053.3	Min	I	-564.7	-83.7	-21.3	-7554.7	-
5208.3	-187975.1		J	-564.7	-83.7	-21.3	-7554.7	-1
1278.8	61508.0	C1-C2;~2 Max	I	905.2	118.8	27.8	8773.5	1
5245.1	55624.5		J	905.2	118.8	27.8	8773.5	
3956.2	-95451.3	Min	I	-283.2	-63.2	-11.7	-5666.6	-
0542.3	-122469.6		J	-283.2	-63.2	-11.7	-5666.6	-1
9080.2	52489.7	C3-C4;~2 Max	I	942.8	128.4	22.8	8887.0	
4842.1	30552.3		J	942.8	128.4	22.8	8887.0	
4596.3	-99171.3	Min	I	-287.4	-56.1	-11.5	-5008.8	-
8824.3	-131108.3		J	-287.4	-56.1	-11.5	-5008.8	-
		G1	I	1845.8	5.4	16.9	411.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
6185.9	-1200.1		J	1845.8	5.4	21.3	411.4	-
8796.6	-5421.2							
		G2	I	722.0	-6.9	6.9	-171.3	
2297.6	526.2		J	722.0	-6.9	6.9	-171.3	-
3117.7	5912.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	59.9	4.4	-7.2	95.7	-
2824.4	-6777.5		J	59.9	4.4	-7.2	95.7	
2828.6	-10261.4							
		Q5_pc Y	I	240.6	2.1	-0.0	31.1	
-84.1	436.6		J	240.6	2.1	-0.0	31.1	
-72.9	-1175.4							
		Q5_ps X	I	55.0	6.0	-6.1	175.8	-
2368.5	-6638.0		J	55.0	6.0	-6.1	175.8	
2385.8	-11330.1							
		Q5_ps Y	I	227.9	2.9	0.3	72.2	
43.0	248.2		J	227.9	2.9	0.3	72.2	
-186.2	-2017.4							
		INVSLE Max	I	7961.4	284.8	80.8	19538.8	3
0211.8	98941.8		J	7961.4	284.8	86.7	19538.8	
5477.9	76926.5							
		Min	I	4259.2	-118.0	-24.7	-9672.2	-1
1434.2	-227832.6		J	4259.2	-118.0	-18.9	-9672.2	-3
5503.8	-317151.5							
		INVSLE Max	I	5927.6	211.2	59.8	14521.7	2
2336.5	72744.1		J	5927.6	211.2	64.2	14521.7	
3664.0	55794.5							
		Min	I	3217.3	-86.6	-17.4	-7103.4	-
8135.8	-168407.3		J	3217.3	-86.6	-13.0	-7103.4	-2
6315.7	-234747.0							
		83 C1-C2;~1 Max	I	1916.4	122.6	47.1	8173.0	1
5432	2		J	1916.4	122.6	47.1	8173.0	
8414.3	90251.8							
		Min	I	-527.8	-146.1	-18.9	-11238.5	-
8233.9	87537.1		J	-527.8	-146.1	-18.9	-11238.5	-1
6696.8	-176329.5							
		C3-C4;~1 Max	I	1961.7	124.0	37.8	7630.6	1
8560.3	-167786.5		J	1961.7	124.0	37.8	7630.6	
4344.7	49301.4							
		Min	I	-560.8	-144.6	-21.2	-10429.1	-
7777.0	42075.6							

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8296.7	-187974.0		J	-560.8	-144.6	-21.2	-10429.1	-1
5366.6	-179063.3							
0898.4	55624.0	C1-C2;~2 Max	I	974.3	85.4	27.4	5496.5	1
5197.8	53740.4		J	974.3	85.4	27.4	5496.5	
4054.8	-122469.5	Min	I	-269.0	-102.0	-11.7	-7687.4	-
0626.9	-116762.5		J	-269.0	-102.0	-11.7	-7687.4	-1
8461.8	30552.7	C3-C4;~2 Max	I	989.1	85.9	22.0	5065.0	
4867.5	25458.9		J	989.1	85.9	22.0	5065.0	
4317.1	-131107.9	Min	I	-284.1	-101.0	-11.7	-7170.4	-
8830.7	-125031.9		J	-284.1	-101.0	-11.7	-7170.4	-
6667.8	-5419.0	G1	I	2076.7	-2.8	18.8	159.4	
9765.1	-3197.8		J	2076.7	-2.8	23.1	159.4	-
2629.3	5913.2	G2	I	808.4	-0.9	7.9	150.9	
3554.5	6618.0		J	808.4	-0.9	7.9	150.9	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
2642.6	-10261.8	Q5_pc X	I	79.2	5.9	-6.7	-3.8	-
2630.9	-14869.1		J	79.2	5.9	-6.7	-3.8	
31.9	-1175.0	Q5_pc Y	I	242.4	-1.0	0.3	-78.4	
-186.4	-370.9		J	242.4	-1.0	0.3	-78.4	
2238.9	-11330.3	Q5_ps X	I	74.7	5.3	-5.7	-3.3	-
2223.2	-15460.0		J	74.7	5.3	-5.7	-3.3	
129.7	-2017.0	Q5_ps Y	I	230.6	-1.1	0.5	-78.1	
-280.3	-1115.3		J	230.6	-1.1	0.5	-78.1	
0616.0	76931.4	INVSLU Max	I	8691.1	158.5	84.0	12745.4	3
3302.2	88576.2		J	8691.1	158.5	89.9	12745.4	
0200.4	-317144.5	Min	I	4849.5	-216.8	-20.3	-13601.2	-1
7605.6	-298098.8		J	4849.5	-216.8	-14.4	-13601.2	-3


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2657.9	55798.1	INVSLE Max	I	6470.2	116.9	62.2	9469.6	2		
			J	6470.2	116.9	66.6	9469.6			
2054.8	64225.0	Min	I	3656.8	-160.3	-14.1	-10036.0	-		
7224.1	-234741.7		J	3656.8	-160.3	-9.7	-10036.0	-2		
7896.4	-220218.3									
5433	2	83 C1-C2;~1 Max	I	2068.2	87.5	43.8	7106.8	1		
7045.8	87537.3		J	2068.2	87.5	43.8	7106.8			
8431.9	98337.5	Min	I	-539.7	-199.6	-19.4	-15244.8	-		
6850.1	-167787.0		J	-539.7	-199.6	-19.4	-15244.8	-1		
7396.5	-107446.0									
		C3-C4;~1 Max	I	2059.2	50.1	35.0	3673.8	1		
3315.8	42073.4		J	2059.2	50.1	35.0	3673.8			
8208.5	78553.5	Min	I	-577.3	-205.5	-19.8	-14941.3	-		
8420.7	-179064.2		J	-577.3	-205.5	-19.8	-14941.3	-1		
4213.8	-111920.7									
		C1-C2;~2 Max	I	1041.5	53.7	25.7	4249.4	1		
0158.7	53740.4		J	1041.5	53.7	25.7	4249.4			
5364.2	65573.2	Min	I	-274.5	-138.4	-12.1	-10552.7	-		
4137.8	-116762.5		J	-274.5	-138.4	-12.1	-10552.7	-		
9991.0	-74690.5									
		C3-C4;~2 Max	I	1031.1	31.6	20.5	2195.8			
7894.0	25457.5		J	1031.1	31.6	20.5	2195.8			
5187.8	51434.6	Min	I	-291.5	-142.6	-12.3	-10408.7	-		
4483.4	-125032.2		J	-291.5	-142.6	-12.3	-10408.7	-		
8170.5	-77660.2									
		G1	I	2299.9	-9.7	16.2	-210.3			
5510.5	-3200.5		J	2299.9	-9.7	20.6	-210.3	-		
8928.7	4375.3									
		G2	I	891.9	6.2	7.1	486.7			
2244.4	6617.7		J	891.9	6.2	7.1	486.7	-		
3362.8	1786.9									
		Q3	I	0.0	0.0	0.0	0.0			
0.0	0.0		J	0.0	0.0	0.0	0.0			
0.0	0.0									
		Q5_pc X	I	98.7	10.0	-5.4	-208.4	-		
1999.8	-14869.4		J	98.7	10.0	-5.4	-208.4			
2240.4	-22704.6									
		Q5_pc Y	I	242.1	-4.1	0.3	-186.7			


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
61.7	-371.3		J	242.1	-4.1	0.3	-186.7	
-208.3	2871.3							
1670.3	-15460.3	Q5_ps X	I	94.6	7.2	-4.5	-282.8	-
1896.7	-21136.4		J	94.6	7.2	-4.5	-282.8	
133.4	-1115.7	Q5_ps Y	I	231.3	-5.2	0.5	-227.9	
-274.8	2929.3		J	231.3	-5.2	0.5	-227.9	
6115.8	88570.1	INVS LU Max	I	9403.7	65.1	75.0	11095.9	2
3841.5	158928.6		J	9403.7	65.1	80.8	11095.9	
1863.6	-298106.9	Min	I	5396.4	-348.5	-20.6	-19453.7	-1
5059.4	-165788.2		J	5396.4	-348.5	-14.8	-19453.7	-3
9333.7	64220.4	INVS LE Max	I	7000.0	46.8	55.6	8218.0	1
2510.1	116350.2		J	7000.0	46.8	59.9	8218.0	
8532.5	-220224.4	Min	I	4063.9	-258.1	-14.5	-14383.6	-
6006.7	-121153.4		J	4063.9	-258.1	-10.2	-14383.6	-2
5434	2	83 C1-C2;~1 Max	I	2173.2	129.5	38.8	10150.1	1
4552.1	98338.8		J	2173.2	129.5	38.8	10150.1	
5541.1	158731.6	Min	I	-549.6	-286.9	-13.9	-17442.2	-
5670.8	-107434.3		J	-549.6	-286.9	-13.9	-17442.2	-1
6017.7	-74202.1							
1954.4	78558.5	C3-C4;~1 Max	I	2120.3	28.7	33.7	6180.9	1
6460.0	163152.5		J	2120.3	28.7	33.7	6180.9	
7335.9	-111906.6	Min	I	-589.6	-312.8	-17.5	-17810.6	-
4588.1	-28110.8		J	-589.6	-312.8	-17.5	-17810.6	-1
8742.8	65573.8	C1-C2;~2 Max	I	1084.7	77.4	23.0	6312.5	
3199.8	102840.5		J	1084.7	77.4	23.0	6312.5	
3136.2	-74682.1	Min	I	-278.4	-198.1	-7.8	-12025.2	-
9308.0	-40882.7		J	-278.4	-198.1	-7.8	-12025.2	-
7159.0	51438.0	C3-C4;~2 Max	I	1050.8	12.1	19.9	3993.9	
3230.7	106564.7		J	1050.8	12.1	19.9	3993.9	
3915.5	-77650.0	Min	I	-296.3	-217.1	-9.4	-12358.7	-
			J	-296.3	-217.1	-9.4	-12358.7	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8527.4	-11963.4							
		G1	I	2459.5	-13.6	13.1	-592.1	
3497.6	4377.3		J	2459.5	-13.6	17.5	-592.1	-
8522.0	15020.5							
		G2	I	952.1	20.0	5.9	555.9	
1516.1	1786.0		J	952.1	20.0	5.9	555.9	-
3115.1	-13924.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	127.3	22.4	1.6	-280.1	
51.9	-22704.3		J	127.3	22.4	1.6	-280.1	-
1169.4	-40254.9							
		Q5_pc Y	I	239.0	-7.7	0.1	-207.5	
0.6	2872.3		J	239.0	-7.7	0.1	-207.5	
-70.4	8917.7							
		Q5_ps X	I	122.4	17.3	1.8	-367.5	
182.9	-21135.9		J	122.4	17.3	1.8	-367.5	-
1243.2	-34686.5							
		Q5_ps Y	I	228.9	-9.5	0.1	-257.3	
22.1	2930.3		J	228.9	-9.5	0.1	-257.3	
-91.7	10371.3							
		INVSLU Max	I	9949.4	87.7	66.5	14569.0	1
8978.8	158937.8		J	9949.4	87.7	72.4	14569.0	-
3217.8	346423.6							
		Min	I	5789.6	-549.7	-12.4	-23682.3	-1
0663.6	-165761.1		J	5789.6	-549.7	-6.5	-23682.3	-3
5667.7	-46464.0							
		INVSLE Max	I	7405.4	62.1	49.3	10765.9	1
4077.7	116357.1		J	7405.4	62.1	53.6	10765.9	-
2517.4	255144.1							
		Min	I	4355.8	-407.0	-8.9	-17531.0	-
7872.7	-121133.4		J	4355.8	-407.0	-4.6	-17531.0	-2
6398.4	-30516.4							
		83 C1-C2;~1 Max	I	2154.8	299.0	14.5	17792.3	
5435	2		J	2154.8	299.0	14.5	17792.3	1
5805.8	161145.1							
		Min	I	-545.9	-119.1	-38.7	-8667.8	-1
4207.1	96451.2		J	-545.9	-119.1	-38.7	-8667.8	-
5519.4	-74581.3							
5655.0	-112731.3							
		C3-C4;~1 Max	I	2080.3	324.1	21.0	18125.8	
7552.3	164750.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1956.2	78875.5		J	2080.3	324.1	21.0	18125.8	1
		Min	I	-586.6	-31.3	-33.8	-5882.9	-1
4040.7	-30692.8		J	-586.6	-31.3	-33.8	-5882.9	-
8600.0	-115676.2							
		C1-C2;~2 Max	I	1067.7	206.0	8.0	12214.7	
3309.1	104022.1		J	1067.7	206.0	8.0	12214.7	
8727.8	64766.1							
		Min	I	-275.2	-73.3	-23.2	-5691.7	-
9129.1	-41100.6		J	-275.2	-73.3	-23.2	-5691.7	-
3054.2	-78247.7							
		C3-C4;~2 Max	I	1031.6	224.7	10.9	12549.0	
3948.7	107284.3		J	1031.6	224.7	10.9	12549.0	
7223.3	51851.3							
		Min	I	-293.3	-13.5	-20.1	-3821.5	-
8185.4	-13172.9		J	-293.3	-13.5	-20.1	-3821.5	-
4467.1	-80478.0							
		G1	I	2461.9	15.3	-17.3	693.6	-
8295.9	15480.1		J	2461.9	15.3	-13.0	693.6	
3298.4	3743.9							
		G2	I	951.8	-19.9	-5.5	-487.7	-
2938.2	-13907.0		J	951.8	-19.9	-5.5	-487.7	
1313.8	1378.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	129.5	-21.9	-3.0	279.1	-
1635.4	-40216.0		J	129.5	-21.9	-3.0	279.1	
640.7	-23408.8							
		Q5_pc Y	I	237.7	7.6	0.1	104.5	
-4.0	8885.3		J	237.7	7.6	0.1	104.5	
-74.4	3046.7							
		Q5_ps X	I	124.8	-16.7	-2.9	381.9	-
1562.6	-34612.5		J	124.8	-16.7	-2.9	381.9	
622.7	-21836.8							
		Q5_ps Y	I	227.8	9.6	-0.1	161.4	
-79.2	10388.7		J	227.8	9.6	-0.1	161.4	
3.1	3057.5							
		INVSLU Max	I	9935.0	561.5	11.4	24200.5	-
1664.7	348619.2		J	9935.0	561.5	17.2	24200.5	1
9200.7	161422.2							
		Min	I	5806.3	-76.4	-74.4	-12473.1	-3
5755.2	-46867.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2742.2	-167085.4		J	5806.3	-76.4	-68.7	-12473.1	-1
1440.3	256798.8	INVSLE Max	I	7395.1	415.9	8.1	17907.5	-
4241.2	118181.1		J	7395.1	415.9	12.3	17907.5	1
6474.5	-30792.2	Min	I	4368.5	-53.7	-55.1	-9221.0	-2
9334.8	-122036.7		J	4368.5	-53.7	-50.9	-9221.0	-
5436	2	83 C1-C2;~1 Max	I	2025.9	199.5	21.4	15153.1	
9011.8	96450.0		J	2025.9	199.5	21.4	15153.1	1
6638.1	76269.7	Min	I	-528.4	-84.1	-43.9	-6162.2	-1
7096.5	-112744.2		J	-528.4	-84.1	-43.9	-6162.2	-
7396.3	-172873.2							
0806.2	78870.5	C3-C4;~1 Max	I	1972.0	205.8	28.0	14843.0	1
3748.2	42537.3		J	1972.0	205.8	28.0	14843.0	1
4587.2	-115691.3	Min	I	-568.2	-52.6	-36.9	-3633.4	-1
0683.7	-183367.5		J	-568.2	-52.6	-36.9	-3633.4	-1
5636.9	64765.5	C1-C2;~2 Max	I	1000.7	138.3	13.1	10463.9	
0052.3	49426.3		J	1000.7	138.3	13.1	10463.9	1
9873.1	-78256.8	Min	I	-265.0	-53.5	-25.9	-3931.9	-
4429.7	-120352.6		J	-265.0	-53.5	-25.9	-3931.9	-
5600.5	51847.8	C3-C4;~2 Max	I	964.6	142.6	13.8	10313.0	
8154.0	26088.5		J	964.6	142.6	13.8	10313.0	
8319.8	-80488.9	Min	I	-282.6	-33.7	-21.5	-2223.2	-
5768.2	-128197.0		J	-282.6	-33.7	-21.5	-2223.2	-
8670.9	3741.8	G1	I	2306.2	10.4	-20.3	272.8	-
5231.4	-4246.3		J	2306.2	10.4	-16.0	272.8	
3127.5	1379.5	G2	I	893.7	-6.1	-6.7	-421.3	-
1984.0	6023.0		J	893.7	-6.1	-6.7	-421.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1554.8	-23408.9	Q5_pc X	I	107.4	-10.6	3.7	144.5	
			J	107.4	-10.6	3.7	144.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1275.8	-15314.0								
		Q5_pc	Y	I	238.0	3.9	-0.2	77.7	
-160.7	3045.8			J	238.0	3.9	-0.2	77.7	
-0.1	71.7								
		Q5_ps	X	I	103.2	-7.8	3.2	229.4	
1371.6	-21837.2			J	103.2	-7.8	3.2	229.4	-
1111.5	-15864.3								
		Q5_ps	Y	I	227.5	4.9	-0.5	120.6	
-282.0	3056.5			J	227.5	4.9	-0.5	120.6	
125.8	-731.9								
		INVS LU	Max	I	9370.9	348.3	24.1	19401.6	
6393.1	161413.1			J	9370.9	348.3	29.8	19401.6	2
4874.5	80164.1								
			Min	I	5440.6	-62.1	-79.6	-9634.2	-3
4074.2	-167113.8			J	5440.6	-62.1	-73.9	-9634.2	-1
4306.3	-297911.4								
		INVS LE	Max	I	6976.8	258.0	17.1	14343.9	
4411.4	118174.3			J	6976.8	258.0	21.3	14343.9	1
8493.6	57983.6								
			Min	I	4097.1	-44.6	-59.2	-7144.8	-2
5357.1	-122057.8			J	4097.1	-44.6	-55.0	-7144.8	-1
0359.1	-220030.4								
5437	2	83 C1-C2;~1	Max	I	1885.7	140.3	20.8	10911.3	
8811.3	76269.3			J	1885.7	140.3	20.8	10911.3	1
8029.5	77549.2								
			Min	I	-510.0	-124.9	-47.3	-8164.7	-1
8256.3	-172872.1			J	-510.0	-124.9	-47.3	-8164.7	-
7235.0	-176031.5								
		C3-C4;~1	Max	I	1859.5	141.4	28.3	10242.4	1
0861.2	42539.2			J	1859.5	141.4	28.3	10242.4	1
4967.7	46624.6								
			Min	I	-546.4	-125.6	-40.3	-7583.1	-1
5915.1	-183365.9			J	-546.4	-125.6	-40.3	-7583.1	-1
0857.5	-187466.9								
		C1-C2;~2	Max	I	937.4	98.4	12.7	7479.4	
5466.2	49426.1			J	937.4	98.4	12.7	7479.4	1
0793.2	50476.1								
			Min	I	-254.4	-87.7	-27.8	-5569.3	-1
0500.9	-120352.2			J	-254.4	-87.7	-27.8	-5569.3	-
4326.9	-122221.0								
		C3-C4;~2	Max	I	918.2	98.7	15.2	7024.9	
5321.2	26089.9			J	918.2	98.7	15.2	7024.9	
8812.2	29208.0								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9084.1	-128196.2		Min	I	-270.4	-87.6	-23.3	-5102.0	-
				J	-270.4	-87.6	-23.3	-5102.0	-
5800.7	-130742.9								
			G1	I	2087.4	2.9	-23.0	-115.0	-
9533.6	-4243.6			J	2087.4	2.9	-18.7	-115.0	
6435.4	-6475.8								
			G2	I	812.0	1.0	-7.4	-101.6	-
3312.4	6023.3			J	812.0	1.0	-7.4	-101.6	
2371.9	5253.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	94.6	-6.0	4.8	-53.6	
1847.3	-15313.7			J	94.6	-6.0	4.8	-53.6	-
1848.2	-10699.5								
			Q5_pc Y	I	236.5	0.7	-0.1	-26.9	
-122.6	72.0			J	236.5	0.7	-0.1	-26.9	
-38.0	-451.6								
			Q5_ps X	I	89.7	-5.4	4.2	-42.2	
1609.8	-15864.0			J	89.7	-5.4	4.2	-42.2	-
1617.4	-11702.3								
			Q5_ps Y	I	225.2	0.8	-0.5	-27.8	
-271.6	-731.5			J	225.2	0.8	-0.5	-27.8	
115.1	-1334.3								
			INVSLU Max	I	8629.5	210.8	22.1	13259.3	
6118.2	80169.8			J	8629.5	210.8	27.8	13259.3	2
9303.5	66670.8								
			Min	I	4920.5	-160.5	-88.7	-12589.6	-3
6515.5	-297902.4			J	4920.5	-160.5	-83.0	-12589.6	-1
3020.8	-310360.1								
			INVSLE Max	I	6426.0	155.9	15.5	9779.8	
4162.4	57987.9			J	6426.0	155.9	19.7	9779.8	2
1766.8	48188.3								
			Min	I	3710.2	-118.3	-66.0	-9360.4	-2
7171.8	-220023.7			J	3710.2	-118.3	-61.7	-9360.4	-
9338.1	-229667.2								
5438	2	83	C1-C2;~1 Max	I	1743.3	91.3	20.8	8247.1	
8904.4	77549.1			J	1743.3	91.3	20.8	8247.1	1
8589.9	90211.4								
			Min	I	-517.7	-175.3	-47.8	-12701.8	-1
8068.4	-176032.1			J	-517.7	-175.3	-47.8	-12701.8	-
7217.7	-136703.4								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1199.2	46623.9	C3-C4;~1	Max	I	1748.4	78.8	29.0	7382.2	1
				J	1748.4	78.8	29.0	7382.2	1
5867.1	77305.0		Min	I	-548.9	-188.3	-41.4	-12903.7	-1
5879.9	-187467.8			J	-548.9	-188.3	-41.4	-12903.7	-1
0998.3	-141196.2								
		C1-C2;~2	Max	I	873.1	59.0	12.7	5524.7	
5531.7	50475.9			J	873.1	59.0	12.7	5524.7	1
1208.9	61159.2		Min	I	-265.7	-121.5	-28.3	-8786.6	-1
0449.9	-122221.1			J	-265.7	-121.5	-28.3	-8786.6	-
4314.6	-95238.0								
		C3-C4;~2	Max	I	869.9	52.7	15.5	4893.7	
6057.2	29207.5			J	869.9	52.7	15.5	4893.7	
9463.1	51603.2		Min	I	-271.3	-130.9	-24.3	-8903.7	-
9141.5	-130743.1			J	-271.3	-130.9	-24.3	-8903.7	-
5836.0	-98447.6								
		G1		I	1859.3	-6.3	-21.3	-391.5	-
8631.0	-6478.0			J	1859.3	-6.3	-17.0	-391.5	
6035.6	-1640.5								
		G2		I	726.7	6.7	-6.5	200.6	-
2895.8	5253.5			J	726.7	6.7	-6.5	200.6	
2064.0	92.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	82.6	-4.0	5.4	-139.9	
2048.0	-10699.2			J	82.6	-4.0	5.4	-139.9	-
2059.9	-7664.0								
		Q5_pc	Y	I	233.1	-2.4	0.2	-129.0	
-17.7	-451.9			J	233.1	-2.4	0.2	-129.0	
-138.6	1364.5								
		Q5_ps	X	I	77.0	-5.5	4.6	-204.7	
1780.1	-11702.1			J	77.0	-5.5	4.6	-204.7	-
1781.6	-7523.9								
		Q5_ps	Y	I	221.0	-3.3	-0.3	-171.8	
-186.9	-1334.7			J	221.0	-3.3	-0.3	-171.8	
45.5	1187.6								
		INVSLU	Max	I	7868.1	97.2	27.3	9428.6	
8626.2	66664.8			J	7868.1	97.2	33.0	9428.6	2

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

9178.1	103775.1		Min	I	4347.1	-287.5	-86.0	-19376.7	-3	
4571.5	-310366.6			J	4347.1	-287.5	-80.3	-19376.7	-1	
4473.8	-222420.3									
6019.1	48183.8	INVSLE	Max	I	5860.5	71.2	19.3	6916.2		
1649.0	76292.7			J	5860.5	71.2	23.6	6916.2	2	
5706.1	-229672.1		Min	I	3283.4	-213.2	-63.9	-14402.4	-2	
0411.1	-164311.6			J	3283.4	-213.2	-59.7	-14402.4	-1	
5439	2	83	C1-C2;~1	Max	I	1607.9	109.5	28.5	8962.9	1
1270.7	90211.9			J	1607.9	109.5	28.5	8962.9	1	
6818.9	162522.5		Min	I	-554.5	-303.6	-43.7	-17200.7	-1	
6664.7	-136693.5			J	-554.5	-303.6	-43.7	-17200.7	-1	
0552.8	-71008.0									
2996.8	77307.1	C3-C4;~1	Max	I	1631.5	32.6	34.0	6800.3	1	
0797.9	160958.7			J	1631.5	32.6	34.0	6800.3	1	
1591.7	-141184.5		Min	I	-563.5	-316.0	-29.2	-18204.7	-1	
3088.9	-29216.5			J	-563.5	-316.0	-29.2	-18204.7	-1	
6869.5	61159.3	C1-C2;~2	Max	I	811.4	68.1	17.1	5846.3		
9824.0	106148.7			J	811.4	68.1	17.1	5846.3		
9480.9	-95230.8		Min	I	-295.3	-206.2	-25.2	-11886.9	-	
6253.0	-42334.4			J	-295.3	-206.2	-25.2	-11886.9	-	
6803.7	51604.6	C3-C4;~2	Max	I	818.8	14.1	17.4	4420.2		
5824.7	105742.8			J	818.8	14.1	17.4	4420.2		
6169.5	-98439.1		Min	I	-298.0	-216.3	-15.6	-12609.8	-	
6549.2	-15180.7			J	-298.0	-216.3	-15.6	-12609.8	-	
7627.0	-1639.9		G1	I	1640.7	-26.5	-19.2	-640.6	-	
5464.7	18695.1			J	1640.7	-26.5	-15.0	-640.6		
2958.0	91.2		G2	I	645.3	14.3	-7.0	581.9	-	
2406.1	-10905.6			J	645.3	14.3	-7.0	581.9		
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2556.5	-7664.5	Q5_pc X	I	60.6	-2.8	6.9	-166.4	
			J	60.6	-2.8	6.9	-166.4	-
2728.0	-5536.6							
		Q5_pc Y	I	227.7	-6.8	1.0	-216.1	
258.4	1365.2		J	227.7	-6.8	1.0	-216.1	
-488.6	6563.3							
		Q5_ps X	I	54.9	-7.3	6.2	-310.2	
2307.3	-7524.2		J	54.9	-7.3	6.2	-310.2	-
2465.5	-1948.5							
		Q5_ps Y	I	215.0	-9.3	0.5	-302.1	
99.0	1188.4		J	215.0	-9.3	0.5	-302.1	
-311.6	8299.5							
		INVS LU Max	I	7136.5	80.6	31.6	10282.0	1
1242.7	103778.7		J	7136.5	80.6	37.3	10282.0	3
0081.6	256640.9							
		Min	I	3763.4	-506.0	-85.7	-26783.3	-3
3402.1	-222402.6		J	3763.4	-506.0	-79.9	-26783.3	-1
5204.2	-70439.2							
		INVS LE Max	I	5316.8	57.4	22.5	7518.5	
7956.8	76295.5		J	5316.8	57.4	26.7	7518.5	2
2242.0	190996.2							
		Min	I	2848.5	-376.2	-63.4	-19908.4	-2
4772.5	-164298.3		J	2848.5	-376.2	-59.2	-19908.4	-1
0939.3	-50410.2							
		83 C1-C2;~1 Max	I	1477.3	281.6	18.1	19172.1	
5440	2		J	1477.3	281.6	18.1	19172.1	1
7981.9	162455.6							
		Min	I	-598.6	-103.8	-45.0	-9353.8	-1
8678.7	71057.1		J	-598.6	-103.8	-45.0	-9353.8	-
8030.0	-71042.7							
7604.9	-113207.6							
		C3-C4;~1 Max	I	1504.0	289.7	26.3	19882.8	1
0634.2	160874.9		J	1504.0	289.7	26.3	19882.8	1
6158.4	61973.3							
		Min	I	-586.0	-28.4	-40.1	-5976.8	-1
6521.5	-29268.8		J	-586.0	-28.4	-40.1	-5976.8	-1
0805.0	-119612.4							
		C1-C2;~2 Max	I	751.6	192.0	10.6	13206.1	
4776.2	106094.8		J	751.6	192.0	10.6	13206.1	1
1419.4	47459.6							
		Min	I	-331.0	-65.3	-27.2	-6138.0	-1
0724.0	-42347.2		J	-331.0	-65.3	-27.2	-6138.0	-
4141.8	-78652.7							
		C3-C4;~2 Max	I	762.8	199.1	13.2	13828.5	


MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5353.6	105676.8			J	762.8	199.1	13.2	13828.5	
9851.1	40550.4		Min	I	-317.6	-12.3	-24.2	-3871.6	-
9851.7	-15204.7			J	-317.6	-12.3	-24.2	-3871.6	-
5394.7	-83362.8								
		G1		I	1427.5	25.6	-13.2	971.7	-
5533.2	18613.3			J	1427.5	25.6	-8.7	971.7	
3414.9	-2198.0								
		G2		I	564.1	-11.9	-2.7	-607.4	-
1357.1	-10937.9			J	564.1	-11.9	-2.7	-607.4	
821.5	-1268.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	27.9	-1.4	5.6	-81.2	
2162.9	-5523.0			J	27.9	-1.4	5.6	-81.2	-
2394.7	-4393.6								
		Q5_pc Y		I	219.9	6.5	1.4	252.5	
406.2	6558.5			J	219.9	6.5	1.4	252.5	
-707.8	1297.9								
		Q5_ps X		I	23.0	2.7	4.7	91.2	
1817.2	-1935.1			J	23.0	2.7	4.7	91.2	-
2029.9	-4171.6								
		Q5_ps Y		I	207.1	8.7	0.7	340.9	
157.9	8295.9			J	207.1	8.7	0.7	340.9	
-435.0	1240.9								
		INVSLE Max		I	6421.3	457.1	35.8	28381.2	1
3660.2	256388.3			J	6421.3	457.1	41.9	28381.2	2
6089.0	81983.8		Min	I	3187.0	-85.7	-70.5	-11542.8	-2
8929.7	-70639.7			J	3187.0	-85.7	-64.4	-11542.8	-1
8024.5	-183328.6								
		INVSLE Max		I	4785.4	339.7	26.1	21032.3	
9901.3	190811.6			J	4785.4	339.7	30.6	21032.3	1
9159.6	60540.1		Min	I	2418.9	-61.5	-52.0	-8507.4	-2
1358.3	-50556.9			J	2418.9	-61.5	-47.4	-8507.4	-1
3197.8	-135401.8								
5441	2	83 C1-C2;~1 Max		I	1315.8	136.7	24.1	16411.7	
9936.2	71055.4			J	1315.8	136.7	24.1	16411.7	2
2048.0	55414.3		Min	I	-624.2	-84.0	-49.3	-8234.3	-1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8510.2	-113216.7		J	-624.2	-84.0	-49.3	-8234.3	-1	
0639.3	-127880.4								
4729.2	61971.7	C3-C4;~1	Max	I	1326.0	143.0	38.3	16642.4	1
6640.8	34631.0			J	1326.0	143.0	38.3	16642.4	1
4150.2	-119622.2		Min	I	-592.5	-81.6	-37.2	-6271.2	-1
6922.0	-137272.9			J	-592.5	-81.6	-37.2	-6271.2	-1
5326.5	47458.2	C1-C2;~2	Max	I	674.5	94.7	13.1	11347.3	
3084.5	36456.8			J	674.5	94.7	13.1	11347.3	1
0952.8	-78658.5		Min	I	-357.5	-58.2	-29.3	-5410.0	-1
5592.3	-89597.8			J	-357.5	-58.2	-29.3	-5410.0	-
7918.4	40549.0	C3-C4;~2	Max	I	680.8	99.4	20.3	11593.7	
9709.1	21995.5			J	680.8	99.4	20.3	11593.7	
8222.4	-83369.3		Min	I	-330.2	-55.6	-21.8	-4105.7	-
8789.9	-96632.9			J	-330.2	-55.6	-21.8	-4105.7	-
4271.5	-2201.1		G1	I	1194.4	4.3	-10.0	815.1	-
2002.5	-5663.2			J	1194.4	4.3	-5.4	815.1	
1269.9	-1268.7		G2	I	472.4	-4.6	-2.2	-248.2	-
498.1	2449.2			J	472.4	-4.6	-2.2	-248.2	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
2883.7	-4394.5		Q5_pc	X	I	-7.9	-1.5	7.7	-50.4
3408.9	-3189.6			J	-7.9	-1.5	7.7	-50.4	-
1280.0	1296.7		Q5_pc	Y	I	201.9	2.3	4.0	161.9
1987.2	-538.8			J	201.9	2.3	4.0	161.9	-
2498.6	-4172.7		Q5_ps	X	I	-10.5	-0.2	6.7	52.1
2929.5	-4011.1			J	-10.5	-0.2	6.7	52.1	-
960.1	1239.7		Q5_ps	Y	I	190.3	2.9	3.1	212.5
1565.9	-1134.0			J	190.3	2.9	3.1	212.5	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9129.9	81970.8	INVSLE Max	I	5595.0	220.0	54.4	23692.2	1
			J	5595.0	220.0	60.5	23692.2	3
0456.6	39475.9	Min	I	2598.8	-90.4	-77.8	-10182.8	-3
0933.9	-183354.0		J	2598.8	-90.4	-71.7	-10182.8	-2
8288.9	-226393.1							
4040.3	60530.3	INVSLE Max	I	4170.6	163.2	40.2	17541.1	1
			J	4170.6	163.2	44.7	17541.1	2
2106.0	28826.6	Min	I	1978.2	-66.5	-56.8	-7529.9	-2
2659.5	-135420.6		J	1978.2	-66.5	-52.3	-7529.9	-2
0954.7	-167688.1							
5442	2	69 C1-C2;~1 Max	I	1097.8	130.4	4.8	1827.5	
1932.5	55413.2		J	1097.8	130.4	4.8	1827.5	
4980.7	42476.8	Min	I	-596.4	-124.1	-11.5	-1397.7	-
4362.8	-127877.6		J	-596.4	-124.1	-11.5	-1397.7	-
2003.5	-110309.1							
2981.6	34629.5	C3-C4;~1 Max	I	1108.5	131.7	7.7	1820.8	
			J	1108.5	131.7	7.7	1820.8	
3821.3	18048.5	Min	I	-561.9	-125.0	-8.8	-1324.0	-
3367.6	-137269.8		J	-561.9	-125.0	-8.8	-1324.0	-
3266.3	-115942.6							
1069.1	36456.3	C1-C2;~2 Max	I	567.3	92.2	2.6	1261.2	
			J	567.3	92.2	2.6	1261.2	
2933.5	27509.6	Min	I	-347.4	-87.8	-6.8	-963.6	-
2600.4	-89596.1		J	-347.4	-87.8	-6.8	-963.6	-
1093.4	-77024.3							
1594.7	21994.6	C3-C4;~2 Max	I	574.8	92.8	4.1	1262.1	
			J	574.8	92.8	4.1	1262.1	
2205.5	10402.5	Min	I	-318.5	-87.9	-5.1	-904.3	-
1972.4	-96631.0		J	-318.5	-87.9	-5.1	-904.3	-
1719.4	-81445.6							
1281.6	-5661.6	G1	I	920.0	-0.5	-4.3	73.8	-
			J	920.0	-0.5	-2.3	73.8	
1386.8	-5243.4							
-358.6	2449.9	G2	I	364.6	-1.0	-1.1	12.6	
			J	364.6	-1.0	-1.1	12.6	
500.2	3264.3							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
594.3	-3189.7	Q5_pc X	I	-26.9	-1.5	1.6	-15.5	
-685.5	-1984.9		J	-26.9	-1.5	1.6	-15.5	
293.0	-537.1	Q5_pc Y	I	176.5	0.5	0.7	4.4	
-306.0	-905.0		J	176.5	0.5	0.7	4.4	
507.6	-4011.2	Q5_ps X	I	-28.4	-1.3	1.3	-13.4	
-585.7	-2949.0		J	-28.4	-1.3	1.3	-13.4	
218.5	-1132.4	Q5_ps Y	I	166.4	0.5	0.5	4.3	
-221.1	-1538.4		J	166.4	0.5	0.5	4.3	
3810.6	39484.5	INVS LU Max	I	4610.9	176.3	9.6	3168.9	
7286.8	23214.2		J	4610.9	176.3	12.3	3168.9	
7174.0	-226379.1	Min	I	1991.6	-172.9	-19.1	-1212.9	-
5080.6	-194224.8		J	1991.6	-172.9	-16.4	-1212.9	-
2812.6	28832.9	INVS LE Max	I	3437.3	130.6	7.1	2343.1	
5313.8	16821.0		J	3437.3	130.6	9.1	2343.1	
5244.9	-167677.8	Min	I	1520.6	-127.9	-14.0	-900.6	-
3755.9	-143980.2		J	1520.6	-127.9	-12.0	-900.6	-
5443	2	69 C1-C2;~1 Max	I	959.2	88.1	5.2	1325.1	
2105.7	42476.8		J	959.2	88.1	5.2	1325.1	
6393.4	46009.5	Min	I	-642.4	-123.3	-15.4	-2032.8	-
6114.9	-110308.8		J	-642.4	-123.3	-15.4	-2032.8	-
2090.7	-89836.6							
3505.4	18047.9	C3-C4;~1 Max	I	995.3	87.5	8.6	1223.6	
4920.8	34168.7		J	995.3	87.5	8.6	1223.6	
4818.2	-115941.6	Min	I	-606.5	-127.4	-12.0	-2079.9	-
3538.9	-96429.6		J	-606.5	-127.4	-12.0	-2079.9	-
1110.3	27509.6	C1-C2;~2 Max	I	501.8	61.9	2.7	896.0	
3692.2	30519.2		J	501.8	61.9	2.7	896.0	
3522.4	-77023.9	Min	I	-380.8	-86.3	-8.9	-1407.0	-
			J	-380.8	-86.3	-8.9	-1407.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1098.3	-62986.7								
		C3-C4;~2	Max	I	518.8	60.8	4.4	818.2	
1795.7	10402.1			J	518.8	60.8	4.4	818.2	
2760.2	22265.5								
			Min	I	-351.1	-89.1	-6.7	-1442.2	-
2713.3	-81444.7			J	-351.1	-89.1	-6.7	-1442.2	-
1814.9	-67853.3								
			G1	I	709.3	-3.0	-7.5	21.5	-
2697.7	-5244.6			J	709.3	-3.0	-5.5	21.5	
2584.0	-2809.7								
			G2	I	284.6	2.7	-2.2	77.3	
-882.5	3264.2			J	284.6	2.7	-2.2	77.3	
945.4	1082.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-32.4	-1.5	1.9	-26.9	
760.7	-1984.5			J	-32.4	-1.5	1.9	-26.9	
-765.2	-786.9								
			Q5_pc Y	I	167.4	-1.2	0.6	-20.4	
253.0	-905.6			J	167.4	-1.2	0.6	-20.4	
-256.3	110.6								
			Q5_ps X	I	-34.7	-2.2	1.6	-41.3	
649.5	-2948.6			J	-34.7	-2.2	1.6	-41.3	
-651.8	-1138.7								
			Q5_ps Y	I	156.5	-1.7	0.4	-30.2	
160.6	-1539.0			J	156.5	-1.7	0.4	-30.2	
-160.9	-133.6								
			INVS LU Max	I	3966.9	96.2	10.2	1885.1	
4262.1	23210.1			J	3966.9	96.2	12.9	1885.1	
9661.7	46461.7								
			Min	I	1454.7	-197.3	-25.6	-2760.0	-1
0094.7	-194226.9			J	1454.7	-197.3	-22.9	-2760.0	-
5124.4	-147247.4								
			INVS LE Max	I	2957.4	71.1	7.5	1386.5	
3138.7	16818.1			J	2957.4	71.1	9.5	1386.5	
7059.2	34181.8								
			Min	I	1118.8	-146.2	-18.8	-2050.7	-
7394.5	-143981.8			J	1118.8	-146.2	-16.7	-2050.7	-
3791.4	-109201.5								
		69	C1-C2;~1	Max	I	871.3	96.7	5.4	1398.7
5444	2								
2221.0	46007.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7057.9	108746.7		J	871.3	96.7	5.4	1398.7	
6892.6	-89823.7	Min	I	-684.6	-231.9	-17.1	-2815.6	-
2158.5	-56311.7		J	-684.6	-231.9	-17.1	-2815.6	-
3722.9	34173.6	C3-C4;~1 Max	I	909.6	27.2	9.1	908.9	
5360.1	101307.6		J	909.6	27.2	9.1	908.9	
5298.0	-96416.5	Min	I	-643.0	-231.5	-13.1	-2935.7	-
3659.5	-21504.1		J	-643.0	-231.5	-13.1	-2935.7	-
1167.9	30517.8	C1-C2;~2 Max	I	458.5	60.5	2.8	909.7	
4052.1	69793.5		J	458.5	60.5	2.8	909.7	
3927.1	-62977.4	Min	I	-408.9	-157.3	-9.8	-1944.1	-
1137.0	-33482.8		J	-408.9	-157.3	-9.8	-1944.1	-
1928.9	22268.8	C3-C4;~2 Max	I	476.8	11.9	4.7	574.0	
2989.1	65345.5		J	476.8	11.9	4.7	574.0	
2937.0	-67844.3	Min	I	-375.9	-158.6	-7.3	-2040.1	-
1902.8	-9704.0		J	-375.9	-158.6	-7.3	-2040.1	-
3468.8	-2805.2	G1	I	539.1	-12.1	-9.2	-23.4	-
3244.1	7028.1		J	539.1	-12.1	-7.2	-23.4	
1236.3	1083.3	G2	I	219.1	14.5	-3.1	148.8	-
1259.6	-10723.7		J	219.1	14.5	-3.1	148.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
792.2	-788.3	Q5_pc X	I	-43.5	-1.4	1.9	-26.9	
-773.6	347.7		J	-43.5	-1.4	1.9	-26.9	
236.5	111.4	Q5_pc Y	I	162.5	-5.4	0.6	-39.4	
-254.1	4548.9		J	162.5	-5.4	0.6	-39.4	
682.8	-1139.8	Q5_ps X	I	-45.9	-4.9	1.7	-55.9	
-664.8	2825.2		J	-45.9	-4.9	1.7	-55.9	
143.9	-132.6	Q5_ps Y	I	151.0	-7.6	0.4	-57.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-159.6	6017.6		J	151.0	-7.6	0.4	-57.8	
4218.6	46464.3	INVS LU Max	I	3401.5	94.8	9.6	1547.9	
1140.1	167655.9		J	3401.5	94.8	12.3	1547.9	1
1538.3	-147227.3	Min	I	956.9	-358.6	-29.2	-4374.5	-1
4720.8	-63361.0		J	956.9	-358.6	-26.5	-4374.5	-
3126.0	34183.6	INVS LE Max	I	2536.0	68.7	7.2	1129.9	
8125.1	124646.5		J	2536.0	68.7	9.2	1129.9	
8440.1	-109186.6	Min	I	746.9	-266.4	-21.3	-3251.8	-
3520.6	-45870.5		J	746.9	-266.4	-19.3	-3251.8	-
5445	2	69 C1-C2;~1 Max	I	797.8	230.0	4.5	2909.8	
1872.7	108732.3		J	797.8	230.0	4.5	2909.8	
7634.4	45477.5	Min	I	-734.6	-98.0	-18.7	-1382.3	-
7578.1	-56279.3		J	-734.6	-98.0	-18.7	-1382.3	-
1769.1	-86699.3							
3236.6	101303.7	C3-C4;~1 Max	I	834.5	229.2	7.8	3003.5	
5990.1	34105.9		J	834.5	229.2	7.8	3003.5	
6084.6	-21690.9	Min	I	-687.6	-29.0	-14.8	-793.5	-
3102.3	-93329.8		J	-687.6	-29.0	-14.8	-793.5	-
942.0	69759.3	C1-C2;~2 Max	I	422.3	156.2	2.3	2008.1	
4451.8	30187.0		J	422.3	156.2	2.3	2008.1	
4388.1	-33454.1	Min	I	-441.0	-61.4	-10.9	-905.9	-
-891.6	-60999.4		J	-441.0	-61.4	-10.9	-905.9	-
1594.5	65316.2	C3-C4;~2 Max	I	440.3	157.2	3.8	2095.7	
3395.6	22230.1		J	440.3	157.2	3.8	2095.7	
3442.0	-9792.5	Min	I	-404.8	-14.1	-8.4	-505.9	-
1531.8	-65873.8		J	-404.8	-14.1	-8.4	-505.9	-
3780.4	7068.1	G1	I	390.5	10.3	-10.0	137.7	-
3508.8	-1344.4		J	390.5	10.3	-7.9	137.7	
1262.6	-10713.1	G2	I	161.6	-14.9	-3.1	-106.9	-
1267.4	1424.5		J	161.6	-14.9	-3.1	-106.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
676.9	341.1	Q5_pc X	I	-60.2	-0.0	1.6	-5.0	
-649.6	375.9		J	-60.2	-0.0	1.6	-5.0	
201.3	4537.8	Q5_pc Y	I	158.0	5.4	0.5	46.4	
-229.2	174.8		J	158.0	5.4	0.5	46.4	
564.4	2822.6	Q5_ps X	I	-62.0	3.4	1.4	21.3	
-538.3	36.3		J	-62.0	3.4	1.4	21.3	
102.3	6011.3	Q5_ps Y	I	146.3	7.5	0.3	61.9	
-128.4	-61.1		J	146.3	7.5	0.3	61.9	
4101.8	167531.4	INVS LU Max	I	2868.2	342.0	9.7	4661.6	
0764.3	56589.9		J	2868.2	342.0	12.4	4661.6	1
1716.6	-63402.3	Min	I	465.5	-110.3	-29.0	-1342.8	-1
4899.5	-131476.6		J	465.5	-110.3	-26.3	-1342.8	-
3104.4	124554.9	INVS LE Max	I	2138.5	255.1	7.4	3457.6	
7788.9	40929.6		J	2138.5	255.1	9.4	3457.6	
8522.7	-45902.0	Min	I	379.7	-79.2	-21.0	-984.0	-
3727.3	-98328.8		J	379.7	-79.2	-19.0	-984.0	-
5446	2	69 C1-C2;~1 Max	I	733.2	116.0	4.0	2153.9	
1732.7	45483.1		J	733.2	116.0	4.0	2153.9	
7552.1	41142.4	Min	I	-800.2	-84.7	-18.6	-1196.7	-
7579.7	-86710.6		J	-800.2	-84.7	-18.6	-1196.7	-
1554.4	-103147.3							
3041.2	34105.4	C3-C4;~1 Max	I	768.1	119.8	7.2	2180.7	
5698.1	19074.7		J	768.1	119.8	7.2	2180.7	
5858.2	-93339.9	Min	I	-742.0	-84.5	-14.2	-1104.7	-
2815.1	-108829.6		J	-742.0	-84.5	-14.2	-1104.7	-
872.3	30190.3	C1-C2;~2 Max	I	389.8	81.3	2.0	1489.1	
4441.8	26782.1		J	389.8	81.3	2.0	1489.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4412.5	-61007.2		Min	I	-481.7	-59.5	-10.9	-828.7	-
				J	-481.7	-59.5	-10.9	-828.7	
-783.8	-72596.1								
1515.8	22229.1	C3-C4;~2	Max	I	407.0	84.1	3.6	1518.9	
				J	407.0	84.1	3.6	1518.9	
3242.3	11295.9								
3312.9	-65880.9		Min	I	-438.3	-58.6	-8.0	-746.8	-
				J	-438.3	-58.6	-8.0	-746.8	-
1411.0	-77027.5								
3889.9	-1342.0		G1	I	253.3	0.3	-10.2	100.2	-
				J	253.3	0.3	-8.2	100.2	
3569.1	-1606.7								
1364.7	1426.3		G2	I	108.7	-3.5	-3.3	-36.4	-
				J	108.7	-3.5	-3.3	-36.4	
1349.4	4284.4								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
580.7	375.1		Q5_pc X	I	-74.2	-0.1	1.4	-3.7	
				J	-74.2	-0.1	1.4	-3.7	
-533.5	476.3								
254.2	173.5		Q5_pc Y	I	154.4	1.3	0.7	28.5	
				J	154.4	1.3	0.7	28.5	
-290.7	-863.5								
481.2	35.4		Q5_ps X	I	-75.5	0.6	1.1	9.1	
				J	-75.5	0.6	1.1	9.1	
-436.7	-472.6								
157.4	-62.4		Q5_ps Y	I	142.3	1.7	0.4	35.7	
				J	142.3	1.7	0.4	35.7	
-192.4	-1480.2								
4466.8	56589.3		INVSLU Max	I	2402.5	179.3	10.4	3326.2	
				J	2402.5	179.3	13.1	3326.2	
9871.7	37760.8								
0916.6	-131496.9		Min	I	7.4	-99.0	-26.9	-1284.5	-1
				J	7.4	-99.0	-24.2	-1284.5	-
5084.3	-166255.9								
3453.9	40929.0		INVSLE Max	I	1790.5	133.7	8.1	2464.2	
				J	1790.5	133.7	10.1	2464.2	
7053.9	26224.2								
7863.8	-98344.0		Min	I	36.9	-72.3	-19.3	-947.3	-
				J	36.9	-72.3	-17.3	-947.3	-
3953.5	-124784.1								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

5447	2	69	C1-C2;~1	Max	I	667.4	104.5	3.1	1647.6	
1387.1	41139.9				J	667.4	104.5	3.1	1647.6	
7479.9	40692.7									
				Min	I	-852.6	-109.3	-18.5	-1643.1	-
7583.4	-103142.3				J	-852.6	-109.3	-18.5	-1643.1	-
1154.7	-100405.2									
				C3-C4;~1	Max	I	701.7	105.3	5.7	1592.4
2491.5	19074.0				J	701.7	105.3	5.7	1592.4	
5737.9	20632.8									
				Min	I	-778.1	-111.9	-14.2	-1650.1	-
5828.2	-108825.0				J	-778.1	-111.9	-14.2	-1650.1	-
2160.4	-106255.3									
				C1-C2;~2	Max	I	355.6	74.0	1.6	1131.3
705.8	26780.5				J	355.6	74.0	1.6	1131.3	
4525.5	26410.4									
				Min	I	-512.2	-77.5	-11.1	-1148.0	-
4528.7	-72592.6				J	-512.2	-77.5	-11.1	-1148.0	-
-588.9	-70592.2									
				C3-C4;~2	Max	I	372.6	74.3	2.9	1094.2
1246.2	11295.5				J	372.6	74.3	2.9	1094.2	
3393.3	12375.5									
				Min	I	-458.8	-79.0	-8.3	-1148.1	-
3390.2	-77024.3				J	-458.8	-79.0	-8.3	-1148.1	-
1083.5	-75205.0									
				G1	I	122.3	-1.7	-9.8	77.2	-
3782.3	-1606.7				J	122.3	-1.7	-7.8	77.2	
3417.7	-260.0									
				G2	I	57.5	-0.7	-3.2	30.4	-
1316.1	4284.2				J	57.5	-0.7	-3.2	30.4	
1284.9	4872.3									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-80.5	-0.8	1.0	-9.1
426.4	476.4				J	-80.5	-0.8	1.0	-9.1	
-356.0	1113.8									
				Q5_pc	Y	I	150.6	0.1	0.8	4.9
321.3	-863.1				J	150.6	0.1	0.8	4.9	
-365.7	-923.3									
				Q5_ps	X	I	-81.9	-0.7	0.7	-10.3
337.8	-472.5				J	-81.9	-0.7	0.7	-10.3	
-272.3	131.9									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

224.6	-1479.7	Q5_ps Y	I	138.1	0.1	0.6	3.2	
-268.4	-1559.0		J	138.1	0.1	0.6	3.2	
4764.2	37759.8	INVS LU Max	I	1966.9	145.9	10.9	2482.0	
8450.7	34947.0		J	1966.9	145.9	13.6	2482.0	
9604.3	-166246.4	Min	I	-402.6	-148.7	-23.5	-1986.3	-
5222.0	-165437.7		J	-402.6	-148.7	-20.8	-1986.3	-
3779.3	26223.6	INVS LE Max	I	1463.7	108.2	8.7	1842.8	
5914.6	23976.4		J	1463.7	108.2	10.7	1842.8	
6807.2	-124777.1	Min	I	-271.4	-109.9	-16.6	-1465.9	-
4164.6	-124308.1		J	-271.4	-109.9	-14.6	-1465.9	-
5448	2	69 C1-C2;~1 Max	I	606.1	79.0	2.0	1249.7	
864.2	40693.6		J	606.1	79.0	2.0	1249.7	
7459.6	41847.8	Min	I	-906.5	-119.6	-17.9	-2156.6	-
7261.3	-100409.6		J	-906.5	-119.6	-17.9	-2156.6	-
-873.8	-79358.1							
1682.2	20632.9	C3-C4;~1 Max	I	639.2	76.7	3.8	1101.5	
5905.0	33481.4		J	639.2	76.7	3.8	1101.5	
5687.0	-106259.6	Min	I	-828.5	-125.0	-14.1	-2234.6	-
1615.3	-85894.8		J	-828.5	-125.0	-14.1	-2234.6	-
443.1	26410.9	C1-C2;~2 Max	I	323.3	55.9	1.0	835.9	
4627.5	27926.3		J	323.3	55.9	1.0	835.9	
4489.1	-70595.2	Min	I	-543.6	-84.9	-11.1	-1499.4	-
-415.6	-55876.3		J	-543.6	-84.9	-11.1	-1499.4	-
848.0	12375.5	C3-C4;~2 Max	I	339.8	53.5	1.9	721.1	
3609.5	22184.7		J	339.8	53.5	1.9	721.1	
3460.6	-75208.1	Min	I	-489.0	-88.8	-8.6	-1559.9	-
-797.6	-60852.4		J	-489.0	-88.8	-8.6	-1559.9	-
3479.6	-260.1	G1	I	-0.3	-1.5	-9.1	66.4	-
3101.5	935.8		J	-0.3	-1.5	-7.1	66.4	-
		G2	I	11.1	2.4	-2.9	101.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1196.3	4872.6			J	11.1	2.4	-2.9	101.6	
1161.5	2920.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-84.4	-1.2	0.3	-14.3	
186.3	1114.1			J	-84.4	-1.2	0.3	-14.3	
-85.7	2124.3								
			Q5_pc Y	I	144.8	-0.9	1.1	-19.6	
423.5	-923.5			J	144.8	-0.9	1.1	-19.6	
-485.5	-227.1								
			Q5_ps X	I	-86.0	-1.8	0.2	-29.2	
116.8	132.0			J	-86.0	-1.8	0.2	-29.2	
-23.1	1574.1								
			Q5_ps Y	I	132.0	-1.2	0.9	-30.2	
329.4	-1559.3			J	132.0	-1.2	0.9	-30.2	
-390.7	-560.4								
			INVSLE Max	I	1547.7	99.6	12.9	2063.5	
5277.5	34951.3			J	1547.7	99.6	15.6	2063.5	
6570.7	44136.6		Min	I	-799.7	-178.1	-18.5	-2675.7	-
7558.5	-165440.9			J	-799.7	-178.1	-15.8	-2675.7	-
6554.3	-132139.6								
			INVSLE Max	I	1148.3	73.0	10.6	1545.5	
4296.3	23979.8			J	1148.3	73.0	12.6	1545.5	
4345.6	31228.4		Min	I	-571.3	-132.5	-12.5	-1962.4	-
5155.3	-124310.2			J	-571.3	-132.5	-10.5	-1962.4	-
5311.9	-99063.4								
5449	2	69	C1-C2;~1 Max	I	548.2	97.0	3.2	1216.5	
1123.8	41849.4			J	548.2	97.0	3.2	1216.5	
6116.3	108213.8		Min	I	-970.7	-220.2	-15.4	-2722.7	-
6411.0	-79350.9			J	-970.7	-220.2	-15.4	-2722.7	-
1512.6	-54194.6								
			C3-C4;~1 Max	I	581.2	29.0	4.0	610.8	
1508.9	33485.9			J	581.2	29.0	4.0	610.8	
4605.6	102722.8		Min	I	-883.1	-219.5	-11.5	-2826.5	-
4769.7	-85886.8			J	-883.1	-219.5	-11.5	-2826.5	-
1769.1	-17039.0								
			C1-C2;~2 Max	I	292.4	60.9	1.6	772.9	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
561.3	27927.5			J	292.4	60.9	1.6	772.9	
3763.9	71664.5								
			Min	I	-581.2	-150.6	-9.5	-1883.3	-
3947.7	-55871.1			J	-581.2	-150.6	-9.5	-1883.3	
-783.3	-33044.1								
			C3-C4;~2 Max	I	308.9	14.2	2.0	350.4	
737.6	22187.9			J	308.9	14.2	2.0	350.4	
2748.8	68925.6								
			Min	I	-521.1	-152.1	-6.9	-1970.8	-
2856.1	-60846.5			J	-521.1	-152.1	-6.9	-1970.8	
-897.1	-8032.6								
			G1	I	-126.7	-0.6	-7.1	53.7	-
2828.9	936.7			J	-126.7	-0.6	-5.1	53.7	
2144.1	1443.6								
			G2	I	-37.2	17.4	-2.3	185.5	-
1010.1	2920.0			J	-37.2	17.4	-2.3	185.5	
861.8	-11225.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-89.2	-0.1	-0.3	-13.2	
-75.6	2123.8			J	-89.2	-0.1	-0.3	-13.2	
162.5	2198.3								
			Q5_pc Y	I	141.2	-4.5	1.3	-41.4	
540.5	-226.7			J	141.2	-4.5	1.3	-41.4	
-552.3	3424.7								
			Q5_ps X	I	-91.0	-3.0	-0.4	-41.3	
-113.3	1573.8			J	-91.0	-3.0	-0.4	-41.3	
187.9	3993.0								
			Q5_ps Y	I	127.7	-6.5	1.2	-61.2	
460.8	-559.9			J	127.7	-6.5	1.2	-61.2	
-481.9	4703.2								
			INVSLU Max	I	1142.1	153.4	19.3	2296.4	
7768.3	44123.9			J	1142.1	153.4	22.1	2296.4	
2486.2	119807.0								
			Min	I	-1207.0	-282.7	-9.2	-3236.1	-
3896.4	-132142.8			J	-1207.0	-282.7	-6.5	-3236.1	-
9153.2	-105608.9								
			INVSLE Max	I	846.5	113.7	15.9	1735.1	
6350.7	31217.9			J	846.5	113.7	17.9	1735.1	
1114.2	86912.7								
			Min	I	-874.8	-208.8	-5.1	-2357.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2217.8	-99066.8			J	-874.8	-208.8	-3.1	-2357.6	-
7434.0	-79605.4								
5450	2	69	C1-C2;~1	Max	I	391.4	122.9	2.3	1112.3
1055.5	108265.2				J	391.4	122.9	2.3	1112.3
2917.1	30032.1			Min	I	-717.0	-71.3	-7.8	-674.4
3410.6	-54164.2				J	-717.0	-71.3	-7.8	-674.4
-803.0	-44244.3								
			C3-C4;~1	Max	I	414.4	111.9	2.5	1091.9
1164.8	102816.3				J	414.4	111.9	2.5	1091.9
2732.2	28115.0			Min	I	-663.3	-25.8	-7.3	-440.7
3177.0	-17048.3				J	-663.3	-25.8	-7.3	-440.7
-883.6	-46699.3								
			C1-C2;~2	Max	I	208.9	78.5	1.2	732.3
556.1	71708.0				J	208.9	78.5	1.2	732.3
1782.0	20536.8			Min	I	-425.2	-42.5	-4.7	-425.8
2063.4	-33020.0				J	-425.2	-42.5	-4.7	-425.8
-422.2	-30345.9								
			C3-C4;~2	Max	I	220.7	72.3	1.3	730.3
606.6	68998.6				J	220.7	72.3	1.3	730.3
1667.2	18729.6			Min	I	-389.2	-12.3	-4.4	-277.8
1918.8	-8033.8				J	-389.2	-12.3	-4.4	-277.8
-459.5	-32283.5								
			G1		I	-142.2	1.0	-3.9	50.8
1395.7	1381.0				J	-142.2	1.0	-1.9	50.8
965.2	597.8								
			G2		I	-44.0	-16.3	-1.0	-88.6
-420.1	-11253.6				J	-44.0	-16.3	-1.0	-88.6
377.2	2031.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-78.0	1.0	-0.4	-18.6
-192.1	2214.9				J	-78.0	1.0	-0.4	-18.6
136.9	1437.8								
			Q5_pc	Y	I	108.1	4.6	0.7	25.3
322.5	3412.4				J	108.1	4.6	0.7	25.3
-229.9	-351.7								
			Q5_ps	X	I	-78.5	3.5	-0.4	-3.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-205.5	4010.1			J	-78.5	3.5	-0.4	-3.6	
148.6	1125.2								
			Q5_ps Y	I	97.9	6.4	0.6	35.3	
279.5	4693.2			J	97.9	6.4	0.6	35.3	
-196.6	-542.6								
			INVSLE Max	I	167.8	110.7	10.9	1243.3	
5858.8	119564.1			J	167.8	110.7	13.6	1243.3	
1430.9	60531.8		Min	I	-1554.2	-159.9	-4.2	-1214.3	
-898.4	-105858.1			J	-1554.2	-159.9	-1.5	-1214.3	-
4113.9	-45643.7								
			INVSLE Max	I	84.6	78.7	8.9	913.2	
4770.5	86718.1			J	84.6	78.7	10.9	913.2	
759.1	45579.6		Min	I	-1176.6	-121.1	-2.2	-903.9	
-191.8	-79806.2			J	-1176.6	-121.1	-0.2	-903.9	-
3317.5	-32877.2								
5451	2	69	C1-C2;~1 Max	I	256.6	28.2	0.8	586.0	
313.4	30031.9			J	256.6	28.2	0.8	586.0	
1799.5	13978.8		Min	I	-474.0	-30.8	-4.4	-454.6	-
1814.1	-44247.6			J	-474.0	-30.8	-4.4	-454.6	
-313.2	-28103.7								
			C3-C4;~1 Max	I	269.6	27.8	0.9	560.0	
398.3	28113.8			J	269.6	27.8	0.9	560.0	
1620.2	7500.1		Min	I	-437.8	-32.6	-3.9	-438.0	-
1584.8	-46702.8			J	-437.8	-32.6	-3.9	-438.0	
-362.9	-27847.2								
			C1-C2;~2 Max	I	136.9	19.4	0.4	387.6	
159.7	20536.6			J	136.9	19.4	0.4	387.6	
1100.3	8588.4		Min	I	-281.2	-21.7	-2.7	-313.7	-
1108.5	-30347.9			J	-281.2	-21.7	-2.7	-313.7	
-160.2	-18965.9								
			C3-C4;~2 Max	I	143.8	19.0	0.5	372.8	
203.9	18728.3			J	143.8	19.0	0.5	372.8	
994.2	4234.9		Min	I	-256.0	-22.8	-2.4	-294.4	
-967.2	-32285.6			J	-256.0	-22.8	-2.4	-294.4	
-182.4	-18964.6								
			G1	I	-101.0	0.4	-3.1	44.2	
-979.9	598.7			J	-101.0	0.4	-1.1	44.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
713.8	274.6							
			G2	I	-32.9	-0.6	-0.8	-15.7
-312.4	2032.5			J	-32.9	-0.6	-0.8	-15.7
318.8	2515.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-66.7	0.7	-0.2	-7.8
-92.1	1438.4			J	-66.7	0.7	-0.2	-7.8
68.2	852.2							
			Q5_pc Y	I	75.9	0.3	0.3	10.8
148.3	-353.0			J	75.9	0.3	0.3	10.8
-118.5	-620.6							
			Q5_ps X	I	-66.0	0.8	-0.2	-3.6
-97.5	1125.7			J	-66.0	0.8	-0.2	-3.6
74.1	452.5							
			Q5_ps Y	I	69.1	0.4	0.3	13.2
126.9	-543.9			J	69.1	0.4	0.3	13.2
-99.8	-880.3							
			INVSLE Max	I	-681.6	18.1	3.1	748.3
1964.2	60527.7			J	-681.6	18.1	5.8	748.3
1493.4	55116.9		Min	I	-1822.0	-65.3	-4.7	-676.0
1289.4	-45653.3			J	-1822.0	-65.3	-2.0	-676.0
1639.2	-3228.5							
			INVSLE Max	I	-582.6	11.7	2.6	551.1
1616.9	45576.2			J	-582.6	11.7	4.6	551.1
971.1	42946.5		Min	I	-1417.3	-49.9	-3.1	-502.5
-773.5	-32884.5			J	-1417.3	-49.9	-1.1	-502.5
1333.5	-158.7							
			69 C1-C2;~1 Max	I	191.2	13.3	0.3	470.9
5452	2			J	191.2	13.3	0.3	470.9
158.5	13975.7							
1302.7	12927.2		Min	I	-368.3	-16.0	-3.1	-495.2
1222.0	-28100.4			J	-368.3	-16.0	-3.1	-495.2
-127.8	-26543.2							
			C3-C4;~1 Max	I	200.0	13.4	0.6	437.4
296.2	7498.4			J	200.0	13.4	0.6	437.4
1216.9	6456.2		Min	I	-344.5	-17.5	-2.8	-497.2
1105.6	-27844.7			J	-344.5	-17.5	-2.8	-497.2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-208.7	-26333.5							
		C1-C2;~2	Max	I	101.7	9.1	0.2	311.0
87.5	8586.6			J	101.7	9.1	0.2	311.0
806.0	7848.8							
			Min	I	-217.8	-11.1	-1.9	-339.9
-749.3	-18963.8			J	-217.8	-11.1	-1.9	-339.9
-68.9	-17891.9							
		C3-C4;~2	Max	I	106.5	9.0	0.4	287.1
190.6	4234.0			J	106.5	9.0	0.4	287.1
763.4	3540.7							
			Min	I	-200.7	-12.0	-1.8	-338.5
-683.3	-18963.1			J	-200.7	-12.0	-1.8	-338.5
-130.2	-17947.0							
			G1	I	-95.7	-0.3	-2.7	45.7
-788.8	274.0			J	-95.7	-0.3	-0.7	45.7
571.9	529.1							
			G2	I	-32.2	-0.1	-0.6	15.6
-240.8	2514.7			J	-32.2	-0.1	-0.6	15.6
265.6	2582.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-61.2	0.2	-0.1	-6.6
-44.7	851.8			J	-61.2	0.2	-0.1	-6.6
31.9	680.9							
			Q5_pc Y	I	61.1	-0.0	0.2	3.1
68.3	-620.1			J	61.1	-0.0	0.2	3.1
-57.1	-584.3							
			Q5_ps X	I	-60.1	0.2	-0.1	-6.9
-49.0	452.2			J	-60.1	0.2	-0.1	-6.9
36.7	302.1							
			Q5_ps Y	I	55.8	-0.0	0.1	2.4
54.9	-879.9			J	55.8	-0.0	0.1	2.4
-44.6	-847.0							
			INVSLU Max	I	-1107.8	14.7	0.6	914.5
845.0	55111.9			J	-1107.8	14.7	3.3	914.5
1413.3	56467.1							
			Min	I	-1985.2	-27.4	-4.7	-404.4
1327.5	-3224.2			J	-1985.2	-27.4	-2.0	-404.4
-729.9	1956.6							
			INVSLE Max	I	-913.1	10.3	0.6	686.8
696.2	42942.8							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
986.0	44425.4		J	-913.1	10.3	2.6	686.8
		Min	I	-1554.9	-20.8	-3.3	-289.3
-904.0	-155.5		J	-1554.9	-20.8	-1.3	-289.3
-594.0	4138.0						
5453	2	69 C1-C2;~1 Max	I	163.2	12.7	0.7	431.6
346.3	12928.9		J	163.2	12.7	0.7	431.6
1135.7	14224.0						
		Min	I	-329.4	-10.2	-2.7	-567.4
1035.6	-26545.9		J	-329.4	-10.2	-2.7	-567.4
-232.5	-29150.6						
		C3-C4;~1 Max	I	170.3	13.9	0.9	376.5
440.3	6456.3		J	170.3	13.9	0.9	376.5
1118.6	6892.5						
		Min	I	-313.0	-10.6	-2.6	-580.3
-979.9	-26335.8		J	-313.0	-10.6	-2.6	-580.3
-306.2	-29384.9						
		C1-C2;~2 Max	I	86.3	8.8	0.4	282.5
207.3	7849.8		J	86.3	8.8	0.4	282.5
690.6	8612.6						
		Min	I	-193.7	-7.0	-1.6	-382.7
-615.2	-17893.7		J	-193.7	-7.0	-1.6	-382.7
-134.7	-19640.4						
		C3-C4;~2 Max	I	90.3	9.6	0.6	238.9
278.8	3540.7		J	90.3	9.6	0.6	238.9
693.8	3729.4						
		Min	I	-181.5	-7.1	-1.6	-392.4
-589.9	-17948.5		J	-181.5	-7.1	-1.6	-392.4
-191.1	-20058.9						
		G1	I	-103.9	-0.5	-2.4	50.6
-671.1	529.3		J	-103.9	-0.5	-0.4	50.6
477.1	897.8						
		G2	I	-36.1	-0.5	-0.5	44.7
-194.6	2583.0		J	-36.1	-0.5	-0.5	44.7
226.1	2960.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-58.8	0.1	-0.1	-7.5
-27.9	681.0		J	-58.8	0.1	-0.1	-7.5
21.3	597.8						
		Q5_pc Y	I	52.9	-0.0	0.1	-3.8
32.9	-584.5		J	52.9	-0.0	0.1	-3.8

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-29.1	-566.1							
-30.9	302.1	Q5_ps X	I	-57.5	0.1	-0.1	-11.6	
25.0	206.4		J	-57.5	0.1	-0.1	-11.6	
23.5	-847.3	Q5_ps Y	I	48.4	0.0	0.1	-7.4	
-19.6	-853.0		J	48.4	0.0	0.1	-7.4	
678.9	56475.8	INVS LU Max	I	-1381.1	39.4	0.1	1275.0	
1481.7	41450.8		J	-1381.1	39.4	2.8	1275.0	
1372.8	1959.1	Min	I	-2161.6	6.1	-4.8	-104.6	-
-517.2	-18497.4		J	-2161.6	6.1	-2.1	-104.6	
542.7	44432.1	INVS LE Max	I	-1123.7	30.3	0.2	968.7	
1067.0	32430.6		J	-1123.7	30.3	2.2	968.7	
-972.7	4140.2	Min	I	-1694.0	5.6	-3.5	-52.2	
-409.8	-11895.7		J	-1694.0	5.6	-1.5	-52.2	
5454	2	69 C1-C2;~1 Max	I	151.1	65.5	1.2	571.0	
578.5	14223.9		J	151.1	65.5	1.2	571.0	
980.0	57328.9	Min	I	-322.6	-105.3	-2.3	-985.2	
-894.7	-29144.9		J	-322.6	-105.3	-2.3	-985.2	
-432.4	-39940.6							
775.8	6894.0	C3-C4;~1 Max	I	157.6	26.7	1.7	288.0	
703.9	49810.6		J	157.6	26.7	1.7	288.0	
-666.8	-29379.3	Min	I	-319.1	-96.1	-1.7	-956.5	
-647.9	-16950.3		J	-319.1	-96.1	-1.7	-956.5	
362.5	8612.6	C1-C2;~2 Max	I	79.4	38.4	0.7	346.2	
576.8	35510.4		J	79.4	38.4	0.7	346.2	
-513.5	-19636.6	Min	I	-189.6	-67.2	-1.3	-650.8	
-270.8	-23090.3		J	-189.6	-67.2	-1.3	-650.8	
505.6	3730.4	C3-C4;~2 Max	I	83.1	13.0	1.1	147.9	
395.6	31216.3		J	83.1	13.0	1.1	147.9	
-365.7	-20054.8	Min	I	-185.7	-62.2	-0.9	-638.9	
-422.4	-8240.5		J	-185.7	-62.2	-0.9	-638.9	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-566.7	898.6	G1	I	-116.0	7.0	-2.2	77.1
			J	-116.0	7.0	-0.2	77.1
380.9	-4835.7						
		G2	I	-39.2	17.7	-0.5	138.0
-190.2	2959.8		J	-39.2	17.7	-0.5	138.0
231.6	-11479.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-58.8	-1.6	-0.0	-15.6
-15.5	597.3		J	-58.8	-1.6	-0.0	-15.6
11.4	1887.7						
		Q5_pc Y	I	47.6	-3.9	0.1	-22.9
24.0	-565.6		J	47.6	-3.9	0.1	-22.9
-25.8	2570.8						
		Q5_ps X	I	-57.4	-3.6	-0.0	-29.9
-14.3	206.0		J	-57.4	-3.6	-0.0	-29.9
10.1	3121.4						
		Q5_ps Y	I	43.4	-5.5	0.1	-35.1
19.7	-852.4		J	43.4	-5.5	0.1	-35.1
-21.6	3636.0						
		INVSLU Max	I	-1601.9	201.5	1.1	1947.4
1135.0	41432.8		J	-1601.9	201.5	3.8	1947.4
1368.5	12185.4						
		Min	I	-2356.0	-36.1	-4.5	-194.7
1163.4	-18506.4		J	-2356.0	-36.1	-1.8	-194.7
-875.6	-123755.9						
		INVSLE Max	I	-1291.3	155.3	0.9	1477.7
875.4	32416.5		J	-1291.3	155.3	2.9	1477.7
985.9	5504.1						
		Min	I	-1842.0	-20.2	-3.2	-106.1
-823.9	-11903.4		J	-1842.0	-20.2	-1.2	-106.1
-673.0	-94850.4						
5455	2	69 C1-C2;~1 Max	I	140.8	101.3	0.9	958.3
413.9	57323.4		J	140.8	101.3	0.9	958.3
1161.0	12769.6						
		Min	I	-314.7	-63.7	-2.7	-508.3
1037.8	-39965.6		J	-314.7	-63.7	-2.7	-508.3
-289.2	-26735.0						
		C3-C4;~1 Max	I	147.0	92.5	0.6	920.5
285.0	49811.4		J	147.0	92.5	0.6	920.5
1244.6	6013.3						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1140.2	-16990.0		Min	I	-312.9	-26.0	-2.9	-207.2	-
				J	-312.9	-26.0	-2.9	-207.2	
-200.8	-27056.4								
		C1-C2;~2	Max	I	73.5	64.5	0.5	629.2	
246.9	35510.5			J	73.5	64.5	0.5	629.2	
714.2	7719.6								
			Min	I	-184.7	-37.2	-1.6	-305.5	
-622.3	-23102.0			J	-184.7	-37.2	-1.6	-305.5	
-168.9	-18064.0								
		C3-C4;~2	Max	I	77.0	59.8	0.3	614.9	
157.7	31220.8			J	77.0	59.8	0.3	614.9	
782.3	3205.0								
			Min	I	-181.7	-12.6	-1.8	-108.3	
-703.1	-8261.9			J	-181.7	-12.6	-1.8	-108.3	
-108.9	-18525.4								
			G1	I	-123.8	-7.2	-2.2	-5.2	
-570.7	-4909.4			J	-123.8	-7.2	-0.2	-5.2	
401.5	923.7								
			G2	I	-42.4	-17.4	-0.4	-108.3	
-128.2	-11509.2			J	-42.4	-17.4	-0.4	-108.3	
175.8	2668.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-60.8	1.5	-0.1	6.2	
-27.6	1891.8			J	-60.8	1.5	-0.1	6.2	
24.0	633.0								
			Q5_pc Y	I	44.6	3.8	0.0	29.3	
-0.2	2569.5			J	44.6	3.8	0.0	29.3	
-3.3	-484.3								
			Q5_ps X	I	-59.1	3.5	-0.1	18.9	
-31.9	3125.7			J	-59.1	3.5	-0.1	18.9	
28.2	289.6								
			Q5_ps Y	I	40.7	5.4	-0.0	39.7	
-8.8	3635.3			J	40.7	5.4	-0.0	39.7	
5.2	-737.5								
			INVSLU Max	I	-1803.2	33.4	-1.3	-44.2	
87.8	12101.7			J	-1803.2	33.4	1.4	-44.2	
2119.6	37194.7								
			Min	I	-2535.9	-196.2	-6.5	-2076.7	-
2060.0	-123863.6			J	-2535.9	-196.2	-3.8	-2076.7	
5.8	-17709.7								

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

56.0	5444.1	INVSLE Max	I	-1442.1	19.1	-1.0	-66.9
			J	-1442.1	19.1	1.0	-66.9
1587.2	28492.5	Min	I	-1976.7	-150.4	-4.8	-1568.5
1531.3	-94928.3		J	-1976.7	-150.4	-2.8	-1568.5
24.6	-12093.0						
5456	2	69 C1-C2;~1 Max	I	124.1	8.7	1.0	566.3
489.2	12766.5		J	124.1	8.7	1.0	566.3
1054.6	8065.2	Min	I	-292.9	-16.3	-2.4	-400.6
-917.1	-26740.0		J	-292.9	-16.3	-2.4	-400.6
-300.5	-16671.5						
		C3-C4;~1 Max	I	129.5	5.8	1.2	555.6
605.7	6009.0		J	129.5	5.8	1.2	555.6
1022.2	4014.0	Min	I	-284.3	-17.5	-2.3	-343.2
-854.5	-27062.2		J	-284.3	-17.5	-2.3	-343.2
-375.9	-16797.5						
		C1-C2;~2 Max	I	64.3	5.3	0.6	374.6
298.2	7717.8		J	64.3	5.3	0.6	374.6
644.9	4944.7	Min	I	-171.7	-11.1	-1.4	-250.0
-542.7	-18067.6		J	-171.7	-11.1	-1.4	-250.0
-177.6	-11324.0						
		C3-C4;~2 Max	I	67.4	3.5	0.8	370.7
386.1	3202.4		J	67.4	3.5	0.8	370.7
635.2	2218.6	Min	I	-164.4	-12.0	-1.4	-220.9
-510.1	-18529.8		J	-164.4	-12.0	-1.4	-220.9
-235.6	-11547.1						
		G1	I	-122.9	0.5	-2.0	20.3
-493.1	921.2		J	-122.9	0.5	-0.0	20.3
356.9	487.3						
		G2	I	-44.4	1.4	-0.4	-18.7
-139.4	2668.0		J	-44.4	1.4	-0.4	-18.7
192.8	1521.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-61.7	0.1	-0.1	-2.5
-31.6	633.6		J	-61.7	0.1	-0.1	-2.5
32.0	530.4						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
12.0	-485.0	Q5_pc	Y	I	42.3	-0.2	0.0	10.6
				J	42.3	-0.2	0.0	10.6
-16.4	-292.8	Q5_ps	X	I	-59.6	-0.0	-0.1	0.5
	290.1			J	-59.6	-0.0	-0.1	0.5
32.1	320.4	Q5_ps	Y	I	38.8	-0.4	0.0	12.8
6.8	-738.3			J	38.8	-0.4	0.0	12.8
-10.4	-443.2	INVS LU	Max	I	-1941.9	-1.8	-0.8	0.4
517.3	37206.6			J	-1941.9	-1.8	1.9	0.4
2024.5	41945.2		Min	I	-2623.3	-37.6	-5.8	-1323.8
1595.4	-17702.7			J	-2623.3	-37.6	-3.1	-1323.8
35.8	7426.0	INVS LE	Max	I	-1543.5	-1.6	-0.6	-21.1
370.8	28502.5			J	-1543.5	-1.6	1.4	-21.1
1529.3	32215.1		Min	I	-2040.0	-28.1	-4.3	-1000.7
1190.0	-12086.5			J	-2040.0	-28.1	-2.3	-1000.7
60.4	6716.0	67 C1-C2;~1	Max	I	103.3	7.9	0.9	362.4
5457	2			J	103.3	7.9	0.9	362.4
438.2	8076.5		Min	I	-256.5	-12.2	-1.8	-323.4
796.8	5514.4			J	-256.5	-12.2	-1.8	-323.4
-706.3	-16669.9	C3-C4;~1	Max	I	107.9	7.7	1.0	346.8
-313.4	-11335.7			J	107.9	7.7	1.0	346.8
492.5	4024.6		Min	I	-249.7	-13.3	-1.8	-314.0
792.4	2686.6			J	-249.7	-13.3	-1.8	-314.0
-676.1	-16793.0	C1-C2;~2	Max	I	53.1	5.4	0.6	240.1
-341.6	-11420.3			J	53.1	5.4	0.6	240.1
268.1	4951.3		Min	I	-150.2	-8.3	-1.1	-217.0
483.6	3365.2			J	-150.2	-8.3	-1.1	-217.0
-416.8	-11322.3	C3-C4;~2	Max	I	55.7	5.1	0.6	228.9
-188.9	-7716.2			J	55.7	5.1	0.6	228.9
311.3	2224.7		Min	I	-144.3	-9.2	-1.1	-207.5
490.7	1463.3			J	-144.3	-9.2	-1.1	-207.5
-404.5	-11542.9							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-212.4	-7860.9		J	-144.3	-9.2	-1.1	-207.5
		G1	I	-115.1	0.0	-1.5	20.4
-352.8	493.8		J	-115.1	0.0	0.0	20.4
243.3	456.8						
		G2	I	-41.8	0.5	-0.3	6.1
-93.6	1523.4		J	-41.8	0.5	-0.3	6.1
132.6	1085.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-57.9	0.2	-0.1	-2.8
-27.6	528.4		J	-57.9	0.2	-0.1	-2.8
17.1	367.6						
		Q5_pc Y	I	37.9	-0.1	0.0	3.0
10.0	-291.8		J	37.9	-0.1	0.0	3.0
-6.0	-193.5						
		Q5_ps X	I	-55.9	0.1	-0.1	-2.9
-27.1	318.6		J	-55.9	0.1	-0.1	-2.9
17.3	231.4						
		Q5_ps Y	I	34.8	-0.2	0.0	2.7
5.9	-442.2		J	34.8	-0.2	0.0	2.7
-2.0	-299.1						
		INVSLE Max	I	-1967.4	16.8	-0.5	462.9
311.9	41934.7		J	-1967.4	16.8	1.5	462.9
1444.3	33551.0						
		Min	I	-2563.6	-12.3	-4.4	-468.2
1356.2	7409.8		J	-2563.6	-12.3	-2.4	-468.2
-123.4	10027.5						
		INVSLE Max	I	-1556.3	12.8	-0.4	342.3
209.0	32205.4		J	-1556.3	12.8	1.1	342.3
1086.4	25714.8						
		Min	I	-1990.2	-8.8	-3.3	-347.1
1022.9	6701.8		J	-1990.2	-8.8	-1.8	-347.1
-72.6	8338.9						
5458	2	67 C1-C2;~1 Max	I	98.9	17.0	1.1	317.7
519.6	5513.1		J	98.9	17.0	1.1	317.7
725.6	11908.3						
		Min	I	-253.4	-9.5	-1.6	-391.0
-614.3	-11337.4		J	-253.4	-9.5	-1.6	-391.0
-391.0	-21674.4						
		C3-C4;~1 Max	I	103.3	17.1	1.2	295.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
556.7	2685.0			J	103.3	17.1	1.2	295.8	
755.1	4556.5		Min	I	-246.3	-5.2	-1.7	-388.5	
-618.3	-11422.2			J	-246.3	-5.2	-1.7	-388.5	
-393.1	-21045.9								
			C1-C2;~2	Max	I	50.6	11.2	0.7	209.6
321.2	3364.5			J	50.6	11.2	0.7	209.6	
436.9	7100.8		Min	I	-148.1	-5.5	-1.0	-261.9	
-356.5	-7717.4			J	-148.1	-5.5	-1.0	-261.9	
-239.5	-14371.5								
			C3-C4;~2	Max	I	53.0	11.5	0.7	190.9
352.5	1462.4			J	53.0	11.5	0.7	190.9	
467.2	2225.0		Min	I	-141.8	-2.8	-1.0	-260.2	
-368.0	-7862.4			J	-141.8	-2.8	-1.0	-260.2	
-244.4	-14212.3								
			G1	I	-119.0	-1.4	-1.3	28.0	
-274.8	455.9			J	-119.0	-1.4	0.2	28.0	
179.0	1606.1								
			G2	I	-43.5	-2.4	-0.2	27.6	
-60.9	1084.9			J	-43.5	-2.4	-0.2	27.6	
103.9	3049.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-56.1	0.3	-0.0	-4.1
-17.2	367.9			J	-56.1	0.3	-0.0	-4.1	
11.8	118.0								
			Q5_pc	Y	I	35.4	0.4	0.0	-1.9
2.2	-193.8			J	35.4	0.4	0.0	-1.9	
-0.9	-551.3								
			Q5_ps	X	I	-54.1	0.5	-0.0	-6.6
-16.5	231.7			J	-54.1	0.5	-0.0	-6.6	
11.8	-183.2								
			Q5_ps	Y	I	32.5	0.7	-0.0	-4.3
-0.8	-299.4			J	32.5	0.7	-0.0	-4.3	
2.5	-828.9								
			INVSLU	Max	I	-2010.1	39.7	0.1	1181.5
615.4	33559.0			J	-2010.1	39.7	2.1	1181.5	
1299.3	29189.2		Min	I	-2592.7	3.0	-3.8	217.4	-


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1001.7	10034.0		J	-2592.7	3.0	-1.8	217.4
-272.0	-17139.8						
		INVSLE Max	I	-1585.1	29.6	0.0	892.0
449.6	25721.2		J	-1585.1	29.6	1.5	892.0
972.0	22262.4	Min	I	-2009.1	2.5	-2.8	178.4
-745.9	8344.3		J	-2009.1	2.5	-1.3	178.4
-190.4	-11981.8						
5459	2	67 C1-C2;~1 Max	I	100.2	47.9	1.4	450.2
646.6	11909.0		J	100.2	47.9	1.4	450.2
616.2	39232.0	Min	I	-266.3	-74.5	-1.4	-756.7
-530.3	-21670.5		J	-266.3	-74.5	-1.4	-756.7
-509.5	-27206.0						
		C3-C4;~1 Max	I	104.7	18.9	1.7	198.9
763.5	4558.4		J	104.7	18.9	1.7	198.9
448.2	34898.1	Min	I	-268.5	-68.1	-1.0	-729.6
-411.1	-21041.6		J	-268.5	-68.1	-1.0	-729.6
-637.1	-11058.5						
		C1-C2;~2 Max	I	51.0	27.9	0.9	270.5
407.2	7101.2		J	51.0	27.9	0.9	270.5
361.2	24546.3	Min	I	-156.0	-47.6	-0.8	-497.3
-300.0	-14368.9		J	-156.0	-47.6	-0.8	-497.3
-317.2	-15720.6						
		C3-C4;~2 Max	I	53.4	9.1	1.1	103.8
492.9	2226.2		J	53.4	9.1	1.1	103.8
249.9	22174.0	Min	I	-155.7	-44.3	-0.6	-486.9
-223.6	-14209.2		J	-155.7	-44.3	-0.6	-486.9
-410.3	-5305.8						
		G1	I	-128.0	7.5	-1.1	67.7
-201.6	1607.7		J	-128.0	7.5	0.4	67.7
99.4	-4514.5						
		G2	I	-45.3	13.9	-0.2	117.8
-57.9	3049.9		J	-45.3	13.9	-0.2	117.8
103.8	-8263.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-55.6	-1.6	-0.0	-14.1
-11.0	117.5						


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8.1	1405.2		J	-55.6	-1.6	-0.0	-14.1
5.5	-550.8	Q5_pc Y	I	33.5	-2.8	0.0	-19.7
-7.1	1690.8		J	33.5	-2.8	0.0	-19.7
-7.9	-183.7	Q5_ps X	I	-53.7	-2.8	-0.0	-24.8
4.9	2133.7		J	-53.7	-2.8	-0.0	-24.8
5.3	-828.4	Q5_ps Y	I	30.6	-4.0	0.0	-30.2
-7.0	2443.9		J	30.6	-4.0	0.0	-30.2
1114.0	29172.5	INVS LU Max	I	-2073.2	166.8	1.3	2143.3
900.5	-14096.6		J	-2073.2	166.8	3.4	2143.3
-652.5	-17151.2	Min	I	-2677.0	-3.3	-2.9	478.6
-806.0	-106831.2		J	-2677.0	-3.3	-0.9	478.6
836.0	22249.2	INVS LE Max	I	-1631.2	127.8	1.0	1617.8
659.2	-13535.7		J	-1631.2	127.8	2.5	1617.8
-471.0	-11991.2	Min	I	-2071.0	2.2	-2.1	387.3
-603.9	-82002.6		J	-2071.0	2.2	-0.6	387.3
5460	2	67 C1-C2;~1 Max	I	99.1	74.5	0.9	771.7
441.4	39214.0		J	99.1	74.5	0.9	771.7
798.8	11972.3	Min	I	-267.7	-48.0	-1.8	-439.2
-681.7	-27249.5		J	-267.7	-48.0	-1.8	-439.2
-329.7	-21716.3						
315.0	34892.5	C3-C4;~1 Max	I	103.5	68.0	0.7	739.1
878.6	4749.9		J	103.5	68.0	0.7	739.1
-774.7	-11094.9	Min	I	-270.3	-19.2	-2.0	-172.0
-232.3	-21042.9		J	-270.3	-19.2	-2.0	-172.0
266.3	24537.5	C1-C2;~2 Max	I	50.1	47.6	0.6	506.7
495.3	7133.3		J	50.1	47.6	0.6	506.7
-411.6	-15751.6	Min	I	-156.6	-28.1	-1.1	-263.7
-195.5	-14389.8		J	-156.6	-28.1	-1.1	-263.7
180.0	22174.7	C3-C4;~2 Max	I	52.5	44.2	0.4	494.0
			J	52.5	44.2	0.4	494.0

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
557.9	2358.0		Min	I	-156.6	-9.3	-1.3	-87.7
-483.1	-5330.7			J	-156.6	-9.3	-1.3	-87.7
-129.7	-14200.5							
		G1		I	-131.1	-7.6	-1.2	-38.0
-248.0	-4554.3			J	-131.1	-7.6	0.3	-38.0
152.5	1629.0							
		G2		I	-46.6	-13.9	-0.1	-105.9
-29.1	-8279.0			J	-46.6	-13.9	-0.1	-105.9
77.5	3068.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-56.6	1.5	-0.0	10.2
-10.8	1406.3			J	-56.6	1.5	-0.0	10.2
8.0	157.4							
		Q5_pc Y		I	32.9	2.8	-0.0	24.6
-11.8	1688.1			J	32.9	2.8	-0.0	24.6
10.3	-553.3							
		Q5_ps X		I	-54.6	2.8	-0.0	19.9
-12.3	2135.0			J	-54.6	2.8	-0.0	19.9
9.4	-144.4							
		Q5_ps Y		I	30.0	4.0	-0.0	34.4
-16.0	2441.9			J	30.0	4.0	-0.0	34.4
14.3	-832.3							
		INVSLE Max		I	-2158.6	-0.1	-0.5	-668.4
326.8	-14162.9			J	-2158.6	-0.1	1.6	-668.4
1523.4	31985.9							
		Min		I	-2765.0	-170.4	-4.5	-2347.5
1336.3	-106927.3			J	-2765.0	-170.4	-2.5	-2347.5
-126.4	-14489.7							
		INVSLE Max		I	-1694.6	-4.7	-0.4	-528.1
230.5	-13584.3			J	-1694.6	-4.7	1.1	-528.1
1143.1	24289.2							
		Min		I	-2136.3	-130.5	-3.4	-1768.6
-999.8	-82073.5			J	-2136.3	-130.5	-1.9	-1768.6
-77.6	-10063.4							
5461	2	67 C1-C2;~1 Max		I	93.8	9.9	1.1	407.6
544.5	11971.5			J	93.8	9.9	1.1	407.6
686.4	5340.8							
		Min		I	-257.8	-17.4	-1.5	-296.4
-571.5	-21720.2			J	-257.8	-17.4	-1.5	-296.4

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-390.8	-10718.2						
		C3-C4;~1 Max	I	97.9	4.7	1.3	400.3
616.1	4748.0		J	97.9	4.7	1.3	400.3
684.5	2749.8						
		Min	I	-253.7	-17.4	-1.5	-277.9
-548.2	-21047.1		J	-253.7	-17.4	-1.5	-277.9
-425.8	-10841.0						
		C1-C2;~2 Max	I	47.1	5.8	0.7	270.7
335.7	7132.9		J	47.1	5.8	0.7	270.7
419.0	3283.2						
		Min	I	-150.5	-11.5	-0.9	-197.2
-338.0	-14392.4		J	-150.5	-11.5	-0.9	-197.2
-236.4	-7312.1						
		C3-C4;~2 Max	I	49.4	2.4	0.8	267.1
391.9	2356.9		J	49.4	2.4	0.8	267.1
426.4	1536.2						
		Min	I	-146.3	-11.7	-0.9	-179.5
-329.1	-14203.5		J	-146.3	-11.7	-0.9	-179.5
-265.8	-7476.0						
		G1	I	-127.7	1.5	-1.1	2.0
-167.4	1627.4		J	-127.7	1.5	0.4	2.0
92.8	437.6						
		G2	I	-47.1	2.6	-0.1	-15.3
-28.2	3068.5		J	-47.1	2.6	-0.1	-15.3
79.2	981.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-58.4	-0.3	-0.0	0.3
-9.8	157.8		J	-58.4	-0.3	-0.0	0.3
5.8	425.9						
		Q5_pc Y	I	33.4	-0.5	-0.0	6.8
-3.0	-553.7		J	33.4	-0.5	-0.0	6.8
4.1	-173.1						
		Q5_ps X	I	-56.1	-0.6	-0.0	1.9
-8.1	-144.1		J	-56.1	-0.6	-0.0	1.9
4.8	305.8						
		Q5_ps Y	I	30.6	-0.7	-0.0	8.5
-4.3	-832.7		J	30.6	-0.7	-0.0	8.5
5.7	-268.8						
		INVSLU Max	I	-2241.0	-2.6	0.6	-343.7
893.6	32000.3						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1096.1	36221.9		J	-2241.0	-2.6	2.6	-343.7	
		Min	I	-2826.4	-40.2	-3.2	-1306.5	
-727.3	-14480.2		J	-2826.4	-40.2	-1.2	-1306.5	
-415.9	13609.9							
		INVSLE Max	I	-1756.4	-2.1	0.4	-271.9	
665.5	24300.7		J	-1756.4	-2.1	1.9	-271.9	
814.4	27539.7		Min	I	-2182.2	-2.4	-984.2	
-533.9	-10055.5		J	-2182.2	-29.9	-0.9	-984.2	
-304.9	10846.8							
5462	2	67 C1-C2;~1 Max	I	88.8	7.0	1.2	351.7	
583.8	5339.8		J	88.8	7.0	1.2	351.7	
652.6	5349.4		Min	I	-250.1	-1.4	-340.4	
-525.5	-10716.2		J	-250.1	-7.0	-1.4	-340.4	
-428.1	-10678.7							
		C3-C4;~1 Max	I	92.8	7.2	1.3	337.4	
626.8	2749.7		J	92.8	7.2	1.3	337.4	
674.4	2741.7		Min	I	-246.6	-1.5	-328.8	
-531.0	-10839.3		J	-246.6	-7.3	-1.5	-328.8	
-441.9	-10807.4							
		C1-C2;~2 Max	I	44.3	4.8	0.8	233.7	
360.2	3282.6		J	44.3	4.8	0.8	233.7	
398.0	3285.8		Min	I	-145.9	-0.9	-227.3	
-308.7	-7310.8		J	-145.9	-4.8	-0.9	-227.3	
-259.9	-7290.8							
		C3-C4;~2 Max	I	46.4	4.9	0.8	222.4	
396.8	1536.2		J	46.4	4.9	0.8	222.4	
421.9	1528.3		Min	I	-142.1	-0.9	-217.1	
-320.3	-7474.9		J	-142.1	-4.9	-0.9	-217.1	
-274.5	-7458.2							
		G1	I	-126.8	-0.1	-1.0	8.6	
-123.8	437.4		J	-126.8	-0.1	0.5	8.6	
57.0	490.0							
		G2	I	-46.8	-0.0	-0.1	3.5	
-7.0	981.0		J	-46.8	-0.0	-0.1	3.5	
62.2	999.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-9.3	425.7	Q5_pc X	I	-59.5	-0.0	-0.0	-1.2
4.9	435.2		J	-59.5	-0.0	-0.0	-1.2
-2.8	-172.9	Q5_pc Y	I	33.3	-0.0	-0.0	2.3
4.2	-171.2		J	33.3	-0.0	-0.0	2.3
-7.6	305.7	Q5_ps X	I	-57.1	-0.0	-0.0	-1.5
3.8	322.4		J	-57.1	-0.0	-0.0	-1.5
-3.9	-268.6	Q5_ps Y	I	30.5	0.0	-0.0	2.1
5.6	-269.5		J	30.5	0.0	-0.0	2.1
907.3	36212.9	INVS LU Max	I	-2281.2	10.5	0.7	497.1
1042.3	35611.4		J	-2281.2	10.5	2.7	497.1
-672.5	13604.9	Min	I	-2851.1	-9.1	-3.1	-441.4
-473.6	13016.4		J	-2851.1	-9.1	-1.1	-441.4
675.1	27532.7	INVS LE Max	I	-1786.8	7.8	0.5	367.6
774.2	27077.2		J	-1786.8	7.8	2.0	367.6
-494.0	10842.8	Min	I	-2201.0	-6.7	-2.3	-327.3
-348.0	10398.2		J	-2201.0	-6.7	-0.8	-327.3
5463	2	67 C1-C2;~1 Max	I	89.7	17.1	1.3	305.6
616.5	5350.2		J	89.7	17.1	1.3	305.6
615.0	12127.3	Min	I	-261.2	-9.9	-1.3	-393.7
-485.1	-10680.6		J	-261.2	-9.9	-1.3	-393.7
-472.8	-21496.7						
635.5	2741.5	C3-C4;~1 Max	I	93.7	17.2	1.3	284.6
666.0	4723.5		J	93.7	17.2	1.3	284.6
-508.8	-10809.0	Min	I	-256.8	-4.7	-1.4	-389.0
-459.6	-20855.1		J	-256.8	-4.7	-1.4	-389.0
380.8	3286.3	C1-C2;~2 Max	I	44.4	11.3	0.8	202.8
374.9	7237.0		J	44.4	11.3	0.8	202.8
-284.1	-7292.0	Min	I	-152.5	-5.8	-0.8	-263.4
-288.2	-14271.6		J	-152.5	-5.8	-0.8	-263.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
400.6	1528.1	C3-C4;~2	Max	I	46.5	11.5	0.8	184.1
				J	46.5	11.5	0.8	184.1
418.7	2339.5		Min	I	-148.0	-2.4	-0.9	-260.7
-307.8	-7459.3			J	-148.0	-2.4	-0.9	-260.7
-283.7	-14104.1							
		G1		I	-133.7	-1.7	-0.9	16.1
-85.0	490.2			J	-133.7	-1.7	0.6	16.1
14.0	1885.2							
		G2		I	-49.5	-2.7	-0.0	22.7
11.2	999.8			J	-49.5	-2.7	-0.0	22.7
41.3	3160.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-59.2	0.3	-0.0	-2.7
-8.7	435.3			J	-59.2	0.3	-0.0	-2.7
5.3	190.7							
		Q5_pc	Y	I	32.6	0.5	-0.0	-2.1
-2.7	-171.4			J	32.6	0.5	-0.0	-2.1
4.0	-547.9							
		Q5_ps	X	I	-56.9	0.5	-0.0	-4.8
-6.8	322.5			J	-56.9	0.5	-0.0	-4.8
3.9	-76.8							
		Q5_ps	Y	I	29.9	0.7	-0.0	-4.2
-3.6	-269.7			J	29.9	0.7	-0.0	-4.2
5.4	-838.9							
		INVS LU	Max	I	-2300.7	41.8	0.7	1369.3
941.0	35620.5			J	-2300.7	41.8	2.8	1369.3
1050.7	30064.4		Min	I	-2886.5	4.4	-3.0	420.3
-619.4	13021.8			J	-2886.5	4.4	-1.0	420.3
-496.4	-16314.2							
		INVS LE	Max	I	-1801.0	31.1	0.5	1029.9
700.2	27084.3			J	-1801.0	31.1	2.0	1029.9
781.4	22834.2		Min	I	-2226.9	3.5	-2.3	327.3
-454.5	10402.6			J	-2226.9	3.5	-0.8	327.3
-363.8	-11447.3							
5464	2	67 C1-C2;~1	Max	I	94.1	48.4	1.6	445.0
731.2	12127.6			J	94.1	48.4	1.6	445.0
517.9	38575.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-421.6	-21492.6		Min	I	-276.5	-73.4	-1.2	-753.1
				J	-276.5	-73.4	-1.2	-753.1
-586.7	-27370.2							
		C3-C4;~1	Max	I	98.2	18.7	1.9	182.3
831.0	4724.8			J	98.2	18.7	1.9	182.3
371.2	34413.3							
			Min	I	-279.7	-67.1	-0.8	-724.4
-319.5	-20850.8			J	-279.7	-67.1	-0.8	-724.4
-699.0	-10804.1							
		C1-C2;~2	Max	I	46.7	28.3	1.0	268.2
458.0	7237.2			J	46.7	28.3	1.0	268.2
307.9	24214.4							
			Min	I	-161.8	-47.0	-0.7	-496.9
-241.3	-14268.9			J	-161.8	-47.0	-0.7	-496.9
-362.5	-15833.0							
		C3-C4;~2	Max	I	48.9	9.0	1.2	94.9
532.7	2340.4			J	48.9	9.0	1.2	94.9
209.6	21958.7							
			Min	I	-162.1	-43.8	-0.5	-486.2
-175.0	-14101.1			J	-162.1	-43.8	-0.5	-486.2
-445.7	-5150.5							
		G1		I	-141.9	8.8	-0.7	63.0
-22.9	1886.7			J	-141.9	8.8	0.8	63.0
-64.6	-5280.7							
		G2		I	-50.9	14.4	-0.0	115.7
10.3	3160.2			J	-50.9	14.4	-0.0	115.7
41.3	-8541.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-58.3	-1.5	-0.0	-12.5
-7.7	190.3			J	-58.3	-1.5	-0.0	-12.5
6.1	1441.0							
		Q5_pc Y		I	31.3	-2.7	0.0	-19.8
4.1	-547.5			J	31.3	-2.7	0.0	-19.8
-5.2	1670.2							
		Q5_ps X		I	-56.2	-2.6	-0.0	-21.6
-3.4	-77.1			J	-56.2	-2.6	-0.0	-21.6
1.7	2063.9							
		Q5_ps Y		I	28.5	-4.1	0.0	-30.4
5.8	-838.5			J	28.5	-4.1	0.0	-30.4
-7.1	2459.8							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1376.5	30048.0	INVSLE Max	I	-2290.2	171.9	2.0	2432.4	
			J	-2290.2	171.9	4.0	2432.4	
588.6	-18051.7	INVSLE Min	I	-2905.4	2.6	-2.1	779.4	
-328.2	-16324.7		J	-2905.4	2.6	-0.1	779.4	-
1065.1	-110085.0	INVSLE Max	I	-1792.7	131.4	1.5	1829.7	
1034.8	22821.3		J	-1792.7	131.4	3.0	1829.7	
424.9	-16319.0	INVSLE Min	I	-2240.6	6.3	-1.6	607.9	
-227.0	-11455.9		J	-2240.6	6.3	-0.0	607.9	
-799.2	-84269.1	67 C1-C2;~1 Max	I	96.5	73.4	1.1	760.7	
5465	2		J	96.5	73.4	1.1	760.7	
518.6	38560.8	67 C1-C2;~1 Min	I	-277.6	-48.3	-1.6	-450.3	
709.4	12076.7		J	-277.6	-48.3	-1.6	-450.3	
-584.9	-27341.0	C3-C4;~1 Max	I	100.7	67.1	0.8	729.4	
-402.7	-21506.2		J	100.7	67.1	0.8	729.4	
		C3-C4;~1 Min	I	-281.0	-18.7	-1.8	-190.5	
			J	-281.0	-18.7	-1.8	-190.5	
		C1-C2;~2 Max	I	48.3	47.0	0.7	500.0	
			J	48.3	47.0	0.7	500.0	
		C1-C2;~2 Min	I	-162.5	-28.2	-1.0	-270.1	
			J	-162.5	-28.2	-1.0	-270.1	
		C3-C4;~2 Max	I	50.6	43.8	0.5	487.4	
			J	50.6	43.8	0.5	487.4	
		C3-C4;~2 Min	I	-162.9	-9.0	-1.2	-98.8	
			J	-162.9	-9.0	-1.2	-98.8	
		G1	I	-141.9	-8.8	-0.9	-61.3	
			J	-141.9	-8.8	0.6	-61.3	
		G2	I	-50.9	-14.4	0.0	-114.8	
			J	-50.9	-14.4	0.0	-114.8	
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-6.4	1439.8	Q5_pc X	I	-58.3	1.5	-0.0	11.4
5.1	195.3		J	-58.3	1.5	-0.0	11.4
-13.7	1667.1	Q5_pc Y	I	31.1	2.7	-0.0	24.2
12.9	-550.0		J	31.1	2.7	-0.0	24.2
-6.5	2062.6	Q5_ps X	I	-56.0	2.6	-0.0	19.9
5.1	-70.0		J	-56.0	2.6	-0.0	19.9
-16.3	2457.0	Q5_ps Y	I	28.3	4.1	-0.0	34.9
15.3	-841.8		J	28.3	4.1	-0.0	34.9
606.9	-18077.4	INVS LU Max	I	-2283.2	-2.4	0.1	-751.5
1339.4	29840.0		J	-2283.2	-2.4	2.1	-751.5
1054.1	-110045.6	Min	I	-2903.5	-171.6	-4.0	-2430.0
-315.0	-16486.9		J	-2903.5	-171.6	-1.9	-2430.0
439.7	-16337.6	INVS LE Max	I	-1787.3	-6.2	0.1	-587.8
1005.1	22665.0		J	-1787.3	-6.2	1.6	-587.8
-788.8	-84239.9	Min	I	-2239.0	-131.1	-3.0	-1827.9
-218.6	-11577.9		J	-2239.0	-131.1	-1.4	-1827.9
5466	2	67 C1-C2;~1 Max	I	95.0	10.0	1.3	397.1
621.5	12076.1		J	95.0	10.0	1.3	397.1
597.4	5405.7	Min	I	-264.3	-17.2	-1.3	-309.0
-477.3	-21510.2		J	-264.3	-17.2	-1.3	-309.0
-468.7	-10705.3						
674.9	4744.1	C3-C4;~1 Max	I	99.3	4.7	1.4	391.2
613.5	2793.0		J	99.3	4.7	1.4	391.2
-467.5	-20854.7	Min	I	-260.5	-17.2	-1.3	-289.6
-486.9	-10804.1		J	-260.5	-17.2	-1.3	-289.6
380.6	7194.8	C1-C2;~2 Max	I	48.0	5.8	0.8	264.4
369.8	3321.5		J	48.0	5.8	0.8	264.4
-286.9	-14277.3	Min	I	-154.4	-11.3	-0.8	-204.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-280.9	-7303.2		J	-154.4	-11.3	-0.8	-204.5
425.4	2350.7	C3-C4;~2 Max	I	50.3	2.4	0.9	261.0
388.3	1559.5		J	50.3	2.4	0.9	261.0
-285.9	-14099.2	Min	I	-150.3	-11.6	-0.8	-186.8
-299.5	-7448.0		J	-150.3	-11.6	-0.8	-186.8
-6.5	1881.5	G1	I	-133.7	1.7	-0.7	-14.4
-63.4	485.1		J	-133.7	1.7	0.8	-14.4
33.3	3158.7	G2	I	-49.6	2.7	0.0	-21.8
19.5	997.0		J	-49.6	2.7	0.0	-21.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.9	195.7	Q5_pc X	I	-59.2	-0.3	-0.0	1.7
4.2	446.5		J	-59.2	-0.3	-0.0	1.7
-3.6	-550.4	Q5_pc Y	I	31.9	-0.5	-0.0	6.6
5.8	-175.5		J	31.9	-0.5	-0.0	6.6
-4.0	-69.7	Q5_ps X	I	-56.7	-0.5	-0.0	3.1
1.8	338.4		J	-56.7	-0.5	-0.0	3.1
-3.1	-842.3	Q5_ps Y	I	29.2	-0.7	-0.0	8.7
5.7	-275.7		J	29.2	-0.7	-0.0	8.7
1073.2	29856.0	INVS LU Max	I	-2283.7	-4.3	1.0	-406.8
898.4	35556.6		J	-2283.7	-4.3	3.1	-406.8
-494.8	-16476.1	Min	I	-2881.2	-41.8	-2.7	-1372.0
-597.5	12869.7		J	-2881.2	-41.8	-0.7	-1372.0
799.7	22677.6	INVS LE Max	I	-1787.9	-3.4	0.8	-317.8
666.9	27033.4		J	-1787.9	-3.4	2.3	-317.8
-360.8	-11569.1	Min	I	-2222.7	-31.1	-2.0	-1031.9
-440.4	10287.8		J	-2222.7	-31.1	-0.5	-1031.9
5467	2	67 C1-C2;~1 Max	I	93.6	7.1	1.4	342.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
661.2	5404.7		J	93.6	7.1	1.4	342.0
563.8	5352.7						
		Min	I	-253.2	-7.0	-1.2	-353.3
-433.1	-10703.2						
			J	-253.2	-7.0	-1.2	-353.3
-509.1	-10700.4						
		C3-C4;~1 Max	I	97.9	7.3	1.5	328.7
685.6	2792.8						
			J	97.9	7.3	1.5	328.7
603.7	2755.0						
		Min	I	-249.9	-7.2	-1.3	-340.4
-451.6	-10802.4						
			J	-249.9	-7.2	-1.3	-340.4
-505.5	-10810.0						
		C1-C2;~2 Max	I	47.7	4.8	0.9	227.7
404.9	3320.9						
			J	47.7	4.8	0.9	227.7
348.5	3291.3						
		Min	I	-147.9	-4.8	-0.7	-234.6
-258.6	-7301.9						
			J	-147.9	-4.8	-0.7	-234.6
-305.9	-7304.8						
		C3-C4;~2 Max	I	50.1	4.9	0.9	216.4
430.0	1559.5						
			J	50.1	4.9	0.9	216.4
383.7	1542.8						
		Min	I	-144.3	-4.9	-0.8	-224.3
-277.7	-7446.9						
			J	-144.3	-4.9	-0.8	-224.3
-309.5	-7457.0						
		G1	I	-127.1	0.1	-0.6	-6.8
36.2	485.0						
			J	-127.1	0.1	0.9	-6.8
-101.5	442.7						
		G2	I	-47.0	0.0	0.1	-2.6
54.2	996.6						
			J	-47.0	0.0	0.1	-2.6
1.7	979.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-59.8	-0.0	-0.0	0.2
-7.7	446.4						
			J	-59.8	-0.0	-0.0	0.2
4.0	449.5						
		Q5_pc Y	I	32.0	-0.0	-0.0	2.1
-3.2	-175.3						
			J	32.0	-0.0	-0.0	2.1
5.9	-175.2						
		Q5_ps X	I	-57.3	-0.0	-0.0	0.1
-4.8	338.3						
			J	-57.3	-0.0	-0.0	0.1
1.5	348.5						
		Q5_ps Y	I	29.3	0.0	-0.0	2.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.5	-275.5			J	29.3	0.0	-0.0 2.2
5.5	-279.0						
1065.0	35547.4		INVS LU Max	I	-2261.3	9.0	1.1 439.5
				J	-2261.3	9.0	3.1 439.5
865.2	36145.3		Min	I	-2843.0	-10.6	-2.7 -502.9
-484.0	12864.4			J	-2843.0	-10.6	-0.6 -502.9
-647.7	13516.7						
			INVS LE Max	I	-1771.5	6.7	0.8 325.6
792.6	27026.2			J	-1771.5	6.7	2.3 325.6
642.2	27475.9		Min	I	-2194.3	-7.9	-2.0 -372.2
-353.8	10283.5			J	-2194.3	-7.9	-0.5 -372.2
-477.7	10773.9						
5468	2	67	C1-C2;~1 Max	I	97.2	17.2	1.5 295.8
694.4	5353.5			J	97.2	17.2	1.5 295.8
526.4	11944.7		Min	I	-260.7	-9.6	-1.1 -407.6
-395.7	-10702.2			J	-260.7	-9.6	-1.1 -407.6
-555.8	-21544.5						
			C3-C4;~1 Max	I	101.5	17.2	1.5 275.5
694.5	2754.8			J	101.5	17.2	1.5 275.5
595.2	4575.2		Min	I	-256.6	-4.5	-1.3 -401.5
-431.9	-10811.6			J	-256.6	-4.5	-1.3 -401.5
-524.9	-20904.6						
			C1-C2;~2 Max	I	50.0	11.4	0.9 196.6
425.5	3291.8			J	50.0	11.4	0.9 196.6
325.3	7141.9		Min	I	-152.7	-5.6	-0.7 -271.3
-235.3	-7306.0			J	-152.7	-5.6	-0.7 -271.3
-335.2	-14323.7						
			C3-C4;~2 Max	I	52.4	11.6	0.9 177.7
433.8	1542.6			J	52.4	11.6	0.9 177.7
380.2	2277.3		Min	I	-148.5	-2.3	-0.8 -268.4
-266.5	-7458.2			J	-148.5	-2.3	-0.8 -268.4
-319.5	-14155.9						
			G1	I	-128.6	-1.5	-0.5 0.2
72.6	442.8			J	-128.6	-1.5	1.0 0.2
-145.7	1678.4						
			G2	I	-47.5	-2.6	0.1 16.3
71.4	979.6			J	-47.5	-2.6	0.1 16.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-19.8	3074.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-59.2	0.3	-0.0	-1.3
-6.6	449.7		J	-59.2	0.3	-0.0	-1.3
3.3	219.2						
		Q5_pc Y	I	31.5	0.5	-0.0	-2.3
-3.2	-175.4		J	31.5	0.5	-0.0	-2.3
5.8	-545.9						
		Q5_ps X	I	-56.7	0.4	-0.0	-2.8
-3.5	348.6		J	-56.7	0.4	-0.0	-2.8
0.6	-13.5						
		Q5_ps Y	I	28.8	0.7	-0.0	-4.2
-2.4	-279.2		J	28.8	0.7	-0.0	-4.2
5.3	-854.5						
		INVSLE Max	I	-2219.6	40.0	1.2	1291.2
1115.8	36154.0		J	-2219.6	40.0	3.2	1291.2
851.2	31873.7						
		Min	I	-2815.0	2.9	-2.6	337.4
-416.7	13521.7		J	-2815.0	2.9	-0.5	337.4
-713.1	-14319.2						
		INVSLE Max	I	-1739.8	29.7	0.9	972.9
830.5	27482.7		J	-1739.8	29.7	2.4	972.9
632.4	24196.6						
		Min	I	-2172.9	2.3	-1.9	266.7
-303.8	10778.0		J	-2172.9	2.3	-0.4	266.7
-525.5	-9947.6						
5469	2	67 C1-C2;~1 Max	I	102.7	47.3	1.8	427.9
808.6	11945.0		J	102.7	47.3	1.8	427.9
431.5	38584.6						
		Min	I	-271.9	-73.5	-0.9	-758.5
-338.9	-21540.3		J	-271.9	-73.5	-0.9	-758.5
-671.8	-26687.3						
		C3-C4;~1 Max	I	107.2	18.0	2.0	156.2
891.9	4576.5		J	107.2	18.0	2.0	156.2
302.3	34475.4						
		Min	I	-274.7	-67.3	-0.7	-730.2
-248.5	-20900.2		J	-274.7	-67.3	-0.7	-730.2
-768.6	-10357.3						
		C1-C2;~2 Max	I	53.2	27.7	1.1	258.7
502.1	7142.1		J	53.2	27.7	1.1	258.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
259.4	24298.1		Min	I	-159.6	-47.2	-0.6	-501.8
-196.5	-14321.0			J	-159.6	-47.2	-0.6	-501.8
-410.7	-15459.9							
		C3-C4;~2	Max	I	55.7	8.7	1.3	80.0
566.4	2278.2			J	55.7	8.7	1.3	80.0
171.9	22108.0		Min	I	-159.8	-44.1	-0.4	-492.3
-136.8	-14152.8			J	-159.8	-44.1	-0.4	-492.3
-483.9	-4973.4							
		G1		I	-132.3	7.9	-0.3	41.9
132.8	1680.0			J	-132.3	7.9	1.2	41.9
-226.5	-4755.0							
		G2		I	-47.1	14.0	0.1	107.1
70.0	3074.3			J	-47.1	14.0	0.1	107.1
-20.9	-8316.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-57.5	-1.3	-0.0	-9.8
-5.5	218.8			J	-57.5	-1.3	-0.0	-9.8
4.0	1301.4							
		Q5_pc Y		I	30.4	-2.7	0.0	-19.9
3.5	-545.4			J	30.4	-2.7	0.0	-19.9
-3.5	1646.5							
		Q5_ps X		I	-55.2	-2.3	0.0	-17.5
-0.6	-13.9			J	-55.2	-2.3	0.0	-17.5
-1.1	1832.8							
		Q5_ps Y		I	27.6	-4.1	0.0	-30.8
7.0	-854.0			J	27.6	-4.1	0.0	-30.8
-7.2	2484.6							
		INVSLU	Max	I	-2131.1	168.9	2.5	2311.6
1542.0	31858.8			J	-2131.1	168.9	4.5	2311.6
293.8	-14730.2		Min	I	-2750.2	1.0	-1.5	674.2
-129.5	-14328.1			J	-2750.2	1.0	0.5	674.2
1333.6	-105810.9							-
		INVSLE	Max	I	-1673.2	129.3	1.9	1741.8
1158.9	24184.8			J	-1673.2	129.3	3.4	1741.8
204.6	-13983.6		Min	I	-2124.1	5.3	-1.1	531.6
-78.6	-9955.0			J	-2124.1	5.3	0.4	531.6
								-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1000.3	-81231.2									
5470	2	67	C1-C2;~1	Max	I	106.4	73.5	1.4	756.3	
609.3	38582.8				J	106.4	73.5	1.4	756.3	
611.9	11772.8									
				Min	I	-273.2	-46.9	-1.3	-450.4	
-494.4	-26624.4				J	-273.2	-46.9	-1.3	-450.4	
-503.4	-21517.0									
				C3-C4;~1	Max	I	111.0	67.4	1.0	729.7
443.3	34464.4				J	111.0	67.4	1.0	729.7	
724.0	4427.5									
				Min	I	-276.0	-17.8	-1.6	-198.6	
-617.8	-10299.6				J	-276.0	-17.8	-1.6	-198.6	
-369.7	-20898.8									
				C1-C2;~2	Max	I	55.4	47.2	0.8	497.0
363.1	24299.5				J	55.4	47.2	0.8	497.0	
388.8	7018.5									
				Min	I	-160.7	-27.4	-0.8	-269.8	
-307.2	-15419.7				J	-160.7	-27.4	-0.8	-269.8	
-294.3	-14308.9									
				C3-C4;~2	Max	I	58.0	44.1	0.6	487.0
252.8	22102.8				J	58.0	44.1	0.6	487.0	
472.1	2170.3									
				Min	I	-160.8	-8.6	-1.1	-103.6	
-398.2	-4938.5				J	-160.8	-8.6	-1.1	-103.6	
-206.1	-14153.1									
				G1	I	-129.1	-7.8	-0.4	-68.2	
76.5	-4721.1				J	-129.1	-7.8	1.1	-68.2	
-176.0	1653.5									
				G2	I	-45.8	-13.9	0.2	-117.2	
94.7	-8302.8				J	-45.8	-13.9	0.2	-117.2	
-47.9	3053.2									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-56.6	1.4	0.0	10.8
-0.5	1299.0				J	-56.6	1.4	0.0	10.8	
-0.7	189.0									
				Q5_pc	Y	I	30.6	2.7	-0.0	23.9
-17.5	1642.5				J	30.6	2.7	-0.0	23.9	
18.2	-549.4									
				Q5_ps	X	I	-54.3	2.3	0.0	18.2
0.8	1830.1				J	-54.3	2.3	0.0	18.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.0	-39.4						
-18.2	2480.5	Q5_ps	Y	I	27.7	4.1	-0.0 35.5
18.7	-858.0			J	27.7	4.1	-0.0 35.5
909.7	-14699.3	INVSLU	Max	I	-2034.7	2.8	0.9 -434.7
1056.6	28603.7			J	-2034.7	2.8	2.9 -434.7
-778.3	-105685.5		Min	I	-2659.1	-164.6	-3.3 -2106.7
-633.1	-17326.4			J	-2659.1	-164.6	-1.2 -2106.7
667.2	-13960.2	INVSLE	Max	I	-1601.3	-2.6	0.6 -355.0
790.8	21814.9			J	-1601.3	-2.6	2.1 -355.0
-580.9	-81138.4		Min	I	-2056.2	-126.2	-2.4 -1590.3
-458.4	-12134.1			J	-2056.2	-126.2	-0.9 -1590.3
5471	2	67 C1-C2;~1	Max	I	107.4	9.4	1.6 396.6
724.3	11771.9			J	107.4	9.4	1.6 396.6
488.5	5621.7		Min	I	-263.0	-16.8	-1.1 -324.4
-383.3	-21521.0			J	-263.0	-16.8	-1.1 -324.4
-591.2	-11340.3						
756.3	4425.5	C3-C4;~1	Max	I	112.2	4.9	1.7 392.9
521.5	2740.0			J	112.2	4.9	1.7 392.9
-389.1	-20903.2		Min	I	-256.7	-17.0	-1.1 -302.6
-590.1	-11372.2			J	-256.7	-17.0	-1.1 -302.6
440.5	7018.0	C1-C2;~2	Max	I	56.3	5.5	1.0 264.0
304.1	3431.2			J	56.3	5.5	1.0 264.0
-232.7	-14311.6		Min	I	-154.4	-11.2	-0.7 -212.5
-352.3	-7718.8			J	-154.4	-11.2	-0.7 -212.5
471.9	2169.1	C3-C4;~2	Max	I	59.1	2.7	1.0 261.5
333.5	1498.6			J	59.1	2.7	1.0 261.5
-241.4	-14156.2		Min	I	-148.6	-11.5	-0.7 -194.3
-358.8	-7821.5			J	-148.6	-11.5	-0.7 -194.3
157.7	1651.8	G1		I	-120.0	1.5	-0.3 -26.7
-249.5	456.7			J	-120.0	1.5	1.3 -26.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
95.6	3053.1	G2	I	-44.0	2.4	0.2	-26.8
			J	-44.0	2.4	0.2	-26.8
-51.2	1079.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-57.3	-0.3	0.0	2.0
1.7	189.5		J	-57.3	-0.3	0.0	2.0
-5.4	415.3						
		Q5_pc Y	I	32.2	-0.4	-0.0	6.4
-8.9	-549.9		J	32.2	-0.4	-0.0	6.4
13.6	-204.5						
		Q5_ps X	I	-54.9	-0.4	0.0	3.5
5.4	-39.0		J	-54.9	-0.4	0.0	3.5
-8.6	313.2						
		Q5_ps Y	I	29.4	-0.7	-0.0	8.9
-6.1	-858.5		J	29.4	-0.7	-0.0	8.9
11.0	-324.3						
		INVSLE Max	I	-1961.5	-2.7	1.8	-185.3
1304.4	28620.1		J	-1961.5	-2.7	3.8	-185.3
		Min	I	-2571.2	-39.2	-2.0	-1170.0
553.1	33105.7		J	-2571.2	-39.2	0.0	-1170.0
-257.9	-17315.1						
-973.5	9416.5						
		INVSLE Max	I	-1547.5	-2.3	1.3	-154.9
977.6	21828.0		J	-1547.5	-2.3	2.8	-154.9
401.6	25368.9						
		Min	I	-1991.5	-29.3	-1.5	-883.5
-178.5	-12124.8		J	-1991.5	-29.3	0.1	-883.5
-727.4	7876.7						
		67 C1-C2;~1 Max	I	112.4	12.2	1.8	326.9
5472	2		J	112.4	12.2	1.8	326.9
802.9	5622.6						
409.9	8185.1						
		Min	I	-267.2	-7.9	-0.9	-367.1
-308.8	-11338.4		J	-267.2	-7.9	-0.9	-367.1
-691.4	-16600.3						
		C3-C4;~1 Max	I	117.4	13.2	1.8	315.6
801.3	2741.0		J	117.4	13.2	1.8	315.6
459.6	4077.6						
		Min	I	-261.3	-7.7	-1.0	-352.2
-345.7	-11370.1		J	-261.3	-7.7	-1.0	-352.2
-665.0	-16690.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
491.0	3431.8	C1-C2;~2 Max	I	59.4	8.3	1.1	218.1
			J	59.4	8.3	1.1	218.1
251.3	5016.1	Min	I	-157.2	-5.4	-0.5	-242.5
-182.7	-7717.5		J	-157.2	-5.4	-0.5	-242.5
-417.0	-11288.2						
499.5	1499.2	C3-C4;~2 Max	I	62.3	9.1	1.1	207.4
			J	62.3	9.1	1.1	207.4
292.3	2272.0	Min	I	-151.9	-5.1	-0.6	-231.9
-213.8	-7820.0		J	-151.9	-5.1	-0.6	-231.9
-406.3	-11478.8						
		G1	I	-116.5	-0.1	-0.1	-18.5
222.0	457.7		J	-116.5	-0.1	1.4	-18.5
-327.0	511.6						
		G2	I	-42.4	-0.5	0.3	-5.2
124.4	1079.2		J	-42.4	-0.5	0.3	-5.2
-83.7	1517.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-59.7	-0.2	0.0	0.9
7.3	414.9		J	-59.7	-0.2	0.0	0.9
-16.0	606.8						
		Q5_pc Y	I	34.0	0.1	-0.0	1.4
-13.0	-204.1		J	34.0	0.1	-0.0	1.4
20.5	-307.6						
		Q5_ps X	I	-57.2	-0.2	0.0	0.9
10.9	312.9		J	-57.2	-0.2	0.0	0.9
-19.1	468.9						
		Q5_ps Y	I	31.0	0.2	-0.0	1.6
-9.5	-323.9		J	31.0	0.2	-0.0	1.6
16.8	-487.6						
		INVSLU Max	I	-1913.1	12.3	2.4	466.3
1449.1	33097.4		J	-1913.1	12.3	4.4	466.3
255.7	41435.6	Min	I	-2539.7	-16.6	-1.5	-473.3
-124.8	9410.4		J	-2539.7	-16.6	0.6	-473.3
1335.0	6761.9						
		INVSLE Max	I	-1514.2	8.8	1.8	345.5
1091.5	25362.2		J	-1514.2	8.8	3.3	345.5
166.2	31809.2						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-72.7	7871.6		Min	I	-1970.4	-12.7	-1.0	-350.3	
				J	-1970.4	-12.7	0.5	-350.3	-
1009.4	6205.9								
5473	2	69	C1-C2;~1	Max	I	130.9	16.1	2.4	402.2
1071.5	8174.8			J	130.9	16.1	2.4	402.2	
456.8	12978.9								
			Min	I	-303.4	-8.5	-0.9	-570.1	
-299.4	-16602.7			J	-303.4	-8.5	-0.9	-570.1	
-900.4	-26524.6								
			C3-C4;~1	Max	I	136.6	17.4	2.3	341.9
1041.7	4068.1			J	136.6	17.4	2.3	341.9	
567.0	5962.0								
			Min	I	-295.4	-5.7	-1.1	-560.2	
-385.7	-16695.2			J	-295.4	-5.7	-1.1	-560.2	
-841.6	-26816.8								
			C1-C2;~2	Max	I	69.8	11.0	1.5	249.9
658.5	5010.0			J	69.8	11.0	1.5	249.9	
279.0	7872.9								
			Min	I	-179.1	-5.2	-0.6	-377.3	
-171.5	-11290.3			J	-179.1	-5.2	-0.6	-377.3	
-543.4	-17971.7								
			C3-C4;~2	Max	I	73.1	11.9	1.4	219.2
650.0	2266.4			J	73.1	11.9	1.4	219.2	
363.7	3209.8								
			Min	I	-172.3	-3.4	-0.7	-373.9	
-239.0	-11483.1			J	-172.3	-3.4	-0.7	-373.9	
-512.5	-18401.8								
			G1	I	-125.3	-0.6	-0.0	-16.9	
332.2	504.8			J	-125.3	-0.6	2.0	-16.9	
-462.4	978.3								
			G2	I	-45.4	-1.4	0.4	20.0	
183.2	1514.6			J	-45.4	-1.4	0.4	20.0	
-127.5	2666.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-64.2	-0.2	0.0	0.3
20.6	608.6			J	-64.2	-0.2	0.0	0.3	
-17.3	767.8								
			Q5_pc	Y	I	36.9	0.2	-0.1	-4.6
-23.1	-308.9			J	36.9	0.2	-0.1	-4.6	
24.3	-496.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
24.8	470.5	Q5_ps X	I	-61.6	-0.1	0.1	-1.7	
			J	-61.6	-0.1	0.1	-1.7	
-21.5	552.0							
		Q5_ps Y	I	33.6	0.4	-0.0	-7.6	
-17.9	-488.9		J	33.6	0.4	-0.0	-7.6	
19.7	-803.2							
		INVSLU Max	I	-1884.0	37.2	3.0	1286.6	
2036.7	41447.0		J	-1884.0	37.2	5.8	1286.6	
449.1	37048.5	Min	I	-2593.6	1.8	-1.8	-34.3	
27.9	6777.1		J	-2593.6	1.8	0.9	-34.3	-
1575.6	-18057.7							
		INVSLE Max	I	-1498.3	27.8	2.3	973.0	
1539.8	31819.6		J	-1498.3	27.8	4.3	973.0	
318.6	28346.0	Min	I	-2015.4	1.6	-1.3	-4.8	
54.8	6219.3		J	-2015.4	1.6	0.7	-4.8	-
1177.9	-12371.1							
5474	2	69 C1-C2;~1 Max	I	146.7	61.8	2.7	501.0	
1174.8	12981.1		J	146.7	61.8	2.7	501.0	
393.5	55502.1	Min	I	-325.7	-98.8	-0.8	-948.9	
-303.9	-26518.9		J	-325.7	-98.8	-0.8	-948.9	-
1027.0	-38269.3							
		C3-C4;~1 Max	I	152.9	23.2	2.9	193.2	
1263.5	5965.3		J	152.9	23.2	2.9	193.2	
261.7	48490.3	Min	I	-324.7	-90.7	-0.6	-916.8	
-213.6	-26810.5		J	-324.7	-90.7	-0.6	-916.8	-
1135.1	-14807.6							
		C1-C2;~2 Max	I	78.8	36.3	1.6	301.7	
725.5	7874.3		J	78.8	36.3	1.6	301.7	
233.2	34841.8	Min	I	-192.8	-63.5	-0.5	-626.4	
-174.1	-17967.8		J	-192.8	-63.5	-0.5	-626.4	
-624.4	-22207.4							
		C3-C4;~2 Max	I	82.4	11.3	1.8	100.9	
796.3	3211.9		J	82.4	11.3	1.8	100.9	
143.9	30947.1	Min	I	-190.3	-59.3	-0.3	-616.3	
-114.1	-18397.3		J	-190.3	-59.3	-0.3	-616.3	
-708.0	-7205.9							
		G1	I	-127.0	7.9	0.1	12.0	
377.3	981.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-541.4	-5492.0		J	-127.0	7.9	2.1	12.0	
		G2	I	-43.9	17.5	0.3	110.0	
166.8	2666.4		J	-43.9	17.5	0.3	110.0	
-117.3	-11621.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-64.6	-1.2	0.0	-6.6	
9.3	767.2		J	-64.6	-1.2	0.0	-6.6	
-9.5	1750.1							
		Q5_pc Y	I	38.0	-3.6	-0.0	-23.2	
-8.8	-495.4		J	38.0	-3.6	-0.0	-23.2	
9.7	2452.6							
		Q5_ps X	I	-62.1	-2.3	0.0	-13.9	
16.2	551.5		J	-62.1	-2.3	0.0	-13.9	
-16.6	2401.2							
		Q5_ps Y	I	34.3	-5.6	-0.0	-36.2	
-0.5	-802.3		J	34.3	-5.6	-0.0	-36.2	
1.1	3762.5							
		INVS LU Max	I	-1737.9	192.1	3.8	2006.6	
2129.6	37036.1		J	-1737.9	192.1	6.5	2006.6	
33.0	10136.4							
		Min	I	-2500.4	-31.2	-1.4	7.3	
-3.1	-18063.6		J	-2500.4	-31.2	1.3	7.3	-
2048.1	-120869.7							
		INVS LE Max	I	-1391.0	147.3	2.8	1516.1	
1596.8	28335.6		J	-1391.0	147.3	4.8	1516.1	
14.4	4038.1							
		Min	I	-1947.2	-17.7	-1.0	38.3	
18.2	-12376.7		J	-1947.2	-17.7	1.0	38.3	-
1525.9	-92676.5							
		69 C1-C2;~1 Max	I	159.7	102.7	2.3	977.3	
5475	2		J	159.7	102.7	2.3	977.3	
984.6	55491.2							
		Min	I	-337.0	-63.5	-1.1	-568.7	
526.8	14231.0		J	-337.0	-63.5	-1.1	-568.7	
-411.7	-38227.4							
-875.7	-28889.0							
		C3-C4;~1 Max	I	166.3	94.2	1.6	950.9	
710.1	48475.8		J	166.3	94.2	1.6	950.9	
716.3	6840.1							
		Min	I	-334.8	-23.9	-1.6	-269.5	
-614.1	-14751.2							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-632.2	-29056.1		J	-334.8	-23.9	-1.6	-269.5
588.7	34835.4	C1-C2;~2 Max	I	86.4	66.2	1.4	647.7
332.4	8612.4		J	86.4	66.2	1.4	647.7
-248.7	-22187.7	Min	I	-199.9	-37.3	-0.7	-344.2
-517.3	-19527.5		J	-199.9	-37.3	-0.7	-344.2
408.4	30938.5	C3-C4;~2 Max	I	90.2	61.7	0.9	637.2
471.4	3741.9		J	90.2	61.7	0.9	637.2
-400.0	-7176.7	Min	I	-196.8	-11.7	-1.1	-144.5
-356.5	-19882.6		J	-196.8	-11.7	-1.1	-144.5
350.0	-5424.3	G1	I	-119.5	-7.9	0.1	-79.9
-529.6	977.5		J	-119.5	-7.9	2.1	-79.9
219.2	-11594.7	G2	I	-40.8	-17.9	0.5	-137.6
-175.7	2959.6		J	-40.8	-17.9	0.5	-137.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
11.2	1747.6	Q5_pc X	I	-64.2	1.2	0.0	8.8
-12.5	762.7		J	-64.2	1.2	0.0	8.8
-39.0	2447.7	Q5_pc Y	I	40.3	3.7	-0.1	28.4
42.3	-584.7		J	40.3	3.7	-0.1	28.4
14.5	2398.3	Q5_ps X	I	-61.7	2.3	0.0	16.5
-15.9	528.7		J	-61.7	2.3	0.0	16.5
-35.7	3757.4	Q5_ps Y	I	36.2	5.8	-0.1	43.1
38.4	-937.2		J	36.2	5.8	-0.1	43.1
1389.2	10192.8	INVSLU Max	I	-1521.8	34.1	1.8	265.8
1063.5	40771.0		J	-1521.8	34.1	4.5	265.8
-839.2	-120733.3	Min	I	-2316.9	-196.9	-3.7	-1872.4
1161.9	-19039.5		J	-2316.9	-196.9	-1.0	-1872.4
		INVSLE Max	I	-1229.0	18.8	1.2	158.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1001.8	4079.0			J	-1229.0	18.8	3.2	158.8	
818.7	31883.8								
			Min	I	-1809.4	-151.8	-2.8	-1421.3	
-643.7	-92577.0								
				J	-1809.4	-151.8	-0.8	-1421.3	
-824.1	-12318.5								
5476	2	69	C1-C2;~1	Max	I	174.6	10.3	2.7	571.8
1158.4	14231.1								
				J	174.6	10.3	2.7	571.8	
308.9	13080.9								
			Min	I	-346.5	-12.7	-0.6	-439.0	
-234.8	-28894.7								
				J	-346.5	-12.7	-0.6	-439.0	
1037.8	-26302.4								
			C3-C4;~1	Max	I	181.7	10.6	2.6	583.2
1145.2	6838.4								
				J	181.7	10.6	2.6	583.2	
413.3	6423.4								
			Min	I	-331.5	-14.0	-0.9	-383.0	
-310.9	-29061.8								
				J	-331.5	-14.0	-0.9	-383.0	
-987.3	-26017.0								
			C1-C2;~2	Max	I	95.1	7.1	1.6	384.2
709.4	8612.5								
				J	95.1	7.1	1.6	384.2	
182.3	7954.6								
			Min	I	-205.7	-8.8	-0.4	-285.8	
-132.2	-19531.4								
				J	-205.7	-8.8	-0.4	-285.8	
-628.3	-17788.6								
			C3-C4;~2	Max	I	99.3	7.1	1.6	392.9
714.7	3740.8								
				J	99.3	7.1	1.6	392.9	
263.2	3561.8								
			Min	I	-194.3	-9.6	-0.6	-242.2	
-191.4	-19886.7								
				J	-194.3	-9.6	-0.6	-242.2	
-605.5	-17773.3								
			G1	I	-107.8	0.5	0.3	-49.9	
451.7	976.6								
				J	-107.8	0.5	2.3	-49.9	
-638.2	604.7								
			G2	I	-37.8	0.5	0.5	-43.9	
216.4	2960.1								
				J	-37.8	0.5	0.5	-43.9	
-182.1	2583.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-66.1	-0.1	0.1	3.1
19.5	763.2								
				J	-66.1	-0.1	0.1	3.1	
-25.1	820.4								
			Q5_pc	Y	I	44.6	0.0	-0.1	9.1
-34.3	-585.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
44.4	-602.1		J	44.6	0.0	-0.1	9.1
25.6	529.2	Q5_ps X	I	-63.5	-0.1	0.1	5.2
-30.8	603.3		J	-63.5	-0.1	0.1	5.2
-25.3	-937.9	Q5_ps Y	I	40.4	-0.0	-0.1	13.3
35.1	-931.8		J	40.4	-0.0	-0.1	13.3
1511.4	40788.6	INVSLU Max	I	-1286.6	-5.5	2.2	156.3
648.6	55493.1		J	-1286.6	-5.5	4.9	156.3
-533.9	-19030.8	Min	I	-2118.7	-38.9	-2.8	-1240.0
1390.3	848.9		J	-2118.7	-38.9	-0.1	-1240.0
1089.2	31897.8	INVSLE Max	I	-1050.3	-5.1	1.5	90.5
517.8	43659.7		J	-1050.3	-5.1	3.5	90.5
-421.2	-12311.0	Min	I	-1657.8	-29.9	-2.2	-942.6
-986.6	3291.9		J	-1657.8	-29.9	-0.1	-942.6
5477	2	69 C1-C2;~1 Max	I	201.6	15.9	3.3	503.8
1394.8	13079.0		J	201.6	15.9	3.3	503.8
198.3	14162.9	Min	I	-385.8	-13.2	-0.5	-482.4
-193.4	-26299.7		J	-385.8	-13.2	-0.5	-482.4
1294.6	-27721.1						
1316.8	6422.9	C3-C4;~1 Max	I	209.7	17.4	3.1	502.9
327.9	7391.1		J	209.7	17.4	3.1	502.9
-278.8	-26014.7	Min	I	-363.8	-13.4	-0.7	-448.3
1185.3	-27454.4		J	-363.8	-13.4	-0.7	-448.3
856.0	7953.5	C1-C2;~2 Max	I	110.8	11.1	2.0	343.0
102.5	8742.1		J	110.8	11.1	2.0	343.0
-95.1	-17786.9	Min	I	-230.6	-9.0	-0.2	-316.6
-795.0	-18793.6		J	-230.6	-9.0	-0.2	-316.6
817.3	3561.6	C3-C4;~2 Max	I	115.5	12.0	1.9	339.8
199.8	4227.5		J	115.5	12.0	1.9	339.8
-159.1	-17771.8	Min	I	-214.7	-9.0	-0.4	-292.7
-732.4	-18768.6		J	-214.7	-9.0	-0.4	-292.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

550.6	604.6	G1	I	-100.9	0.3	0.6	-43.8	
-760.2	383.6		J	-100.9	0.3	2.6	-43.8	
257.6	2583.1	G2	I	-34.6	0.1	0.6	-14.7	
-230.1	2525.9		J	-34.6	0.1	0.6	-14.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
38.5	820.3	Q5_pc X	I	-70.9	-0.2	0.1	2.5	
-51.8	945.0		J	-70.9	-0.2	0.1	2.5	
-55.5	-601.8	Q5_pc Y	I	50.8	0.0	-0.2	1.9	
71.9	-616.4		J	50.8	0.0	-0.2	1.9	
44.5	603.2	Q5_ps X	I	-68.3	-0.2	0.1	2.7	
-57.3	730.2		J	-68.3	-0.2	0.1	2.7	
-43.7	-931.5	Q5_ps Y	I	45.8	0.0	-0.1	2.4	
58.9	-952.5		J	45.8	0.0	-0.1	2.4	
1513.4	55484.3	INVSLE Max	I	-1006.0	27.2	2.2	407.1	
906.2	54155.7		J	-1006.0	27.2	4.9	407.1	
-846.0	846.6	Min	I	-1937.5	-14.6	-3.5	-928.8	
1413.6	-4088.7		J	-1937.5	-14.6	-0.8	-928.8	-
1059.4	43652.9	INVSLE Max	I	-833.9	20.7	1.5	291.3	
741.2	42194.2		J	-833.9	20.7	3.5	291.3	
-680.9	3289.9	Min	I	-1514.5	-10.2	-2.7	-697.9	
-967.6	-823.8		J	-1514.5	-10.2	-0.7	-697.9	
5478	2	69 C1-C2;~1 Max	I	261.3	30.8	4.7	460.8	
1902.7	14165.9		J	261.3	30.8	4.7	460.8	
454.5	30075.9	Min	I	-490.7	-28.3	-1.1	-592.6	
-419.0	-27724.2		J	-490.7	-28.3	-1.1	-592.6	-
1947.3	-43678.1	C3-C4;~1 Max	I	271.4	32.6	4.2	440.9	
1731.8	7392.6		J	271.4	32.6	4.2	440.9	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
504.4	28011.9		Min	I	-456.5	-27.7	-1.2	-567.9	
-460.0	-27456.6			J	-456.5	-27.7	-1.2	-567.9	-
1728.1	-46346.7								
		C1-C2;~2	Max	I	144.6	21.7	2.9	315.4	
1161.3	8743.9			J	144.6	21.7	2.9	315.4	
239.0	20581.8		Min	I	-295.1	-19.5	-0.6	-391.1	
-219.8	-18795.5			J	-295.1	-19.5	-0.6	-391.1	-
1186.8	-30023.0								
		C3-C4;~2	Max	I	150.5	22.8	2.6	294.6	
1059.7	4228.3			J	150.5	22.8	2.6	294.6	
262.9	18721.0		Min	I	-271.4	-19.0	-0.6	-377.4	
-239.6	-18769.9			J	-271.4	-19.0	-0.6	-377.4	-
1050.6	-32111.3								
		G1		I	-109.1	-0.4	1.0	-40.7	
702.2	384.2			J	-109.1	-0.4	3.0	-40.7	
-963.5	702.8								
		G2		I	-36.5	0.6	0.8	16.7	
314.8	2526.5			J	-36.5	0.6	0.8	16.7	
-306.8	2055.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-80.6	-0.5	0.3	3.7	
90.0	945.5			J	-80.6	-0.5	0.3	3.7	
-118.8	1387.6								
		Q5_pc	Y	I	61.3	-0.4	-0.3	-6.0	
-102.4	-616.9			J	61.3	-0.4	-0.3	-6.0	
133.0	-297.7								
		Q5_ps	X	I	-77.9	-0.6	0.3	1.9	
95.2	730.6			J	-77.9	-0.6	0.3	1.9	
-123.3	1183.1								
		Q5_ps	Y	I	55.0	-0.5	-0.2	-9.6	
-84.8	-952.9			J	55.0	-0.5	-0.2	-9.6	
112.7	-533.9								
		INVSLU	Max	I	-585.2	64.4	2.3	629.3	
1573.4	54160.5			J	-585.2	64.4	5.0	629.3	
2135.6	59797.6		Min	I	-1759.1	-18.8	-6.2	-803.7	-
1800.6	-4092.9			J	-1759.1	-18.8	-3.5	-803.7	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1413.5	-45870.6							
		INVSLE Max	I	-506.1	49.3	1.3	467.7	
1027.8	42197.7		J	-506.1	49.3	3.3	467.7	
1748.4	45013.8							
		Min	I	-1364.9	-12.3	-4.9	-592.9	-
1457.8	-826.9		J	-1364.9	-12.3	-2.9	-592.9	
-862.8	-33073.9							
5479	2	69 C1-C2;~1 Max	I	390.9	69.0	8.1	678.6	
3028.7	30074.8		J	390.9	69.0	8.1	678.6	
1177.9	106090.2							
		Min	I	-737.1	-119.1	-2.5	-1109.1	
-890.4	-43674.7		J	-737.1	-119.1	-2.5	-1109.1	-
3565.5	-52818.7							
		C3-C4;~1 Max	I	407.3	22.4	7.6	435.7	
2857.4	28011.9		J	407.3	22.4	7.6	435.7	
1257.6	100958.2							
		Min	I	-686.3	-108.6	-2.7	-1091.4	
-950.2	-46343.2		J	-686.3	-108.6	-2.7	-1091.4	-
3349.9	-14692.8							
		C1-C2;~2 Max	I	217.1	41.4	4.9	427.8	
1857.5	20581.3		J	217.1	41.4	4.9	427.8	
641.0	70913.7							
		Min	I	-444.1	-77.1	-1.4	-731.8	
-482.4	-30021.2		J	-444.1	-77.1	-1.4	-731.8	-
2168.3	-32463.0							
		C3-C4;~2 Max	I	226.4	10.8	4.6	274.8	
1750.7	18721.6		J	226.4	10.8	4.6	274.8	
681.3	68396.0							
		Min	I	-410.3	-71.1	-1.5	-731.8	
-512.6	-32109.3		J	-410.3	-71.1	-1.5	-731.8	-
2034.2	-6927.4							
		G1	I	-154.8	0.1	1.9	-43.9	
971.2	702.0		J	-154.8	0.1	3.9	-43.9	-
1404.0	583.8							
		G2	I	-49.5	16.5	1.0	89.8	
381.1	2054.0		J	-49.5	16.5	1.0	89.8	
-425.7	-11359.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-102.4	-0.3	0.6	15.8	
186.0	1386.7		J	-102.4	-0.3	0.6	15.8	
-263.7	1595.8							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-184.7	-296.4	Q5_pc Y	I	86.0	-4.7	-0.6	-21.7	
264.3	3526.8		J	86.0	-4.7	-0.6	-21.7	
191.1	1182.3	Q5_ps X	I	-99.6	-1.3	0.6	8.8	
-268.1	2226.9		J	-99.6	-1.3	0.6	8.8	
-152.9	-532.5	Q5_ps Y	I	76.5	-7.1	-0.5	-35.1	
223.1	5279.8		J	76.5	-7.1	-0.5	-35.1	
1440.6	59800.8	INVS LU Max	I	263.4	154.4	1.5	1134.3	
6064.1	117889.5		J	263.4	154.4	4.3	1134.3	
4265.5	-45859.5	Min	I	-1466.0	-108.0	-14.0	-1318.1	-
-922.7	-102985.8		J	-1466.0	-108.0	-11.3	-1318.1	
759.7	45016.6	INVS LE Max	I	163.0	116.9	0.2	844.0	
4939.6	85558.9		J	163.0	116.9	2.2	844.0	
3442.3	-33065.4	Min	I	-1104.4	-76.8	-11.3	-969.7	-
-200.6	-77582.2		J	-1104.4	-76.8	-9.3	-969.7	
5483	2	69 C1-C2;~1 Max	I	596.3	108.9	18.4	1648.4	
7590.8	43614.7		J	596.3	108.9	18.4	1648.4	
827.7	43281.5	Min	I	-827.9	-104.6	-2.0	-1657.3	
-877.3	-102087.9		J	-827.9	-104.6	-2.0	-1657.3	-
7467.3	-104510.6							
5876.5	23376.1	C3-C4;~1 Max	I	617.1	111.4	14.2	1653.4	
1620.3	22055.0		J	617.1	111.4	14.2	1653.4	
1580.0	-106584.5	Min	I	-752.4	-105.4	-3.9	-1601.9	-
5737.1	-109287.8		J	-752.4	-105.4	-3.9	-1601.9	-
4658.3	28046.4	C1-C2;~2 Max	I	336.9	77.2	11.3	1149.0	
431.3	27953.7		J	336.9	77.2	11.3	1149.0	
-419.7	-71202.2	Min	I	-515.5	-74.2	-1.0	-1137.2	
4572.2	-72963.8		J	-515.5	-74.2	-1.0	-1137.2	-
3545.0	13848.8	C3-C4;~2 Max	I	348.5	78.7	8.6	1148.5	
798.8	12998.3		J	348.5	78.7	8.6	1148.5	
		Min	I	-462.7	-74.4	-1.9	-1099.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-759.4	-74839.8			J	-462.7	-74.4	-1.9	-1099.3	-
3451.9	-76803.1								
		G1		I	93.6	1.7	7.4	-76.3	
3238.5	-630.2			J	93.6	1.7	9.4	-76.3	-
3570.9	-2039.2								
		G2		I	45.3	0.8	3.0	-29.6	
1218.9	4657.4			J	45.3	0.8	3.0	-29.6	-
1237.5	4040.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-125.0	0.5	-0.5	3.9	
-154.2	2837.7			J	-125.0	0.5	-0.5	3.9	
225.6	2413.7								
		Q5_pc Y		I	115.5	0.1	-1.0	-0.1	
-425.4	-1900.4			J	115.5	0.1	-1.0	-0.1	
413.6	-1985.9								
		Q5_ps X		I	-120.5	0.5	-0.3	4.6	
-84.7	2360.3			J	-120.5	0.5	-0.3	4.6	
150.5	1991.8								
		Q5_ps Y		I	104.1	0.1	-0.8	1.7	
-323.1	-2718.6			J	104.1	0.1	-0.8	1.7	
309.9	-2788.8								
		INVSLU Max		I	1985.1	147.7	20.4	1980.7	
8488.9	37989.2			J	1985.1	147.7	23.1	1980.7	
3705.7	39727.5								
		Min		I	-190.7	-145.9	-11.6	-2495.8	-
4657.3	-169887.5			J	-190.7	-145.9	-8.9	-2495.8	-
9307.0	-170585.7								
		INVSLE Max		I	1490.0	109.2	14.3	1461.9	
5932.2	26021.2			J	1490.0	109.2	16.3	1461.9	
2998.1	27485.6								
		Min		I	-105.0	-108.3	-9.2	-1853.5	-
3749.0	-127583.2			J	-105.0	-108.3	-7.2	-1853.5	-
6585.8	-127980.1								
		69 C1-C2;~1 Max		I	641.6	84.7	18.1	1209.4	
5484	2			J	641.6	84.7	18.1	1209.4	
7406.8	43283.6								
		Min		I	-760.4	-115.9	-2.3	-2146.8	
1002.1	47332.1			J	-760.4	-115.9	-2.3	-2146.8	
-879.2	-104515.7								
7320.7	-87232.3								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5526.9	22056.0	C3-C4;~1 Max	I	662.4	84.5	13.5	1112.2	
			J	662.4	84.5	13.5	1112.2	
1970.2	36025.3	Min	I	-698.6	-119.6	-4.7	-2184.5	-
1848.4	-109292.3		J	-698.6	-119.6	-4.7	-2184.5	-
5453.2	-93311.7							
4484.0	27955.0	C1-C2;~2 Max	I	362.1	59.5	10.9	834.9	
			J	362.1	59.5	10.9	834.9	
536.1	31337.2	Min	I	-478.1	-81.3	-1.2	-1482.8	
-457.9	-72967.3		J	-478.1	-81.3	-1.2	-1482.8	-
4400.3	-60921.9							
3267.8	12998.9	C3-C4;~2 Max	I	373.4	58.6	7.9	750.3	
			J	373.4	58.6	7.9	750.3	
986.3	23312.5	Min	I	-434.0	-83.9	-2.3	-1520.1	
-925.9	-76806.3		J	-434.0	-83.9	-2.3	-1520.1	-
3193.0	-65458.8							
3351.0	-2039.2	G1	I	219.5	-0.2	7.6	-98.2	
			J	219.5	-0.2	9.6	-98.2	-
3647.5	-1837.7							
1268.2	4040.7	G2	I	94.4	3.5	3.1	36.1	
			J	94.4	3.5	3.1	36.1	-
1274.0	1217.1							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-315.8	2413.9	Q5_pc X	I	-122.4	0.8	-0.8	12.4	
			J	-122.4	0.8	-0.8	12.4	
364.5	1797.9							
-398.4	-1986.4	Q5_pc Y	I	116.5	-1.5	-1.0	-30.8	
			J	116.5	-1.5	-1.0	-30.8	
388.9	-740.3							
-233.0	1992.0	Q5_ps X	I	-117.5	0.5	-0.6	8.2	
			J	-117.5	0.5	-0.6	8.2	
278.5	1602.1							
-292.2	-2789.3	Q5_ps Y	I	105.6	-2.2	-0.7	-41.5	
			J	105.6	-2.2	-0.7	-41.5	
282.6	-1009.2							
9425.0	39727.3	INVSLU Max	I	2394.4	97.7	22.9	1223.5	
			J	2394.4	97.7	25.6	1223.5	
2941.1	59324.1							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3786.6	-170595.2		Min	I	253.4	-180.8	-9.6	-3413.7	-
				J	253.4	-180.8	-6.9	-3413.7	-1
0301.6	-133781.2								
6730.2	27485.4	INVSLE	Max	I	1798.6	71.3	16.4	901.3	
				J	1798.6	71.3	18.4	901.3	
2334.4	42799.7								
3003.1	-127987.2		Min	I	229.0	-134.8	-7.5	-2529.7	-
				J	229.0	-134.8	-5.5	-2529.7	-
7423.2	-100001.6								
5485	2	69	C1-C2;~1	Max	I	688.6	97.6	18.1	1391.4
7412.8	47323.3			J	688.6	97.6	18.1	1391.4	
1102.7	105443.4								
1028.9	-87222.1		Min	I	-679.5	-227.3	-2.6	-2898.9	-
				J	-679.5	-227.3	-2.6	-2898.9	-
7293.5	-53362.6								
5681.0	36024.9		C3-C4;~1	Max	I	710.5	28.7	13.9	800.5
				J	710.5	28.7	13.9	800.5	
2152.9	98649.6								
2076.7	-93304.3		Min	I	-628.9	-225.5	-5.2	-2991.6	-
				J	-628.9	-225.5	-5.2	-2991.6	-
5649.0	-17812.1								
4453.5	31331.7		C1-C2;~2	Max	I	387.1	61.9	10.8	911.7
				J	387.1	61.9	10.8	911.7	
584.2	68411.5								
-537.4	-60914.8		Min	I	-430.8	-155.0	-1.4	-2002.9	-
				J	-430.8	-155.0	-1.4	-2002.9	-
4361.8	-32112.8								
3334.3	23312.9		C3-C4;~2	Max	I	398.8	14.6	8.2	512.1
				J	398.8	14.6	8.2	512.1	
1062.0	64335.1								
1023.4	-65453.7		Min	I	-393.9	-155.2	-2.6	-2088.4	-
				J	-393.9	-155.2	-2.6	-2088.4	-
3304.5	-7957.0								
3280.1	-1839.7		G1	I	352.5	-9.6	7.4	-134.1	
				J	352.5	-9.6	9.4	-134.1	-
3535.6	5942.5								
1183.4	1215.4		G2	I	145.6	14.8	2.9	105.5	
				J	145.6	14.8	2.9	105.5	-
1172.5	-10844.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-115.0	2.8	-1.1	22.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-423.7	1797.9			J	-115.0	2.8	-1.1	22.8	
451.8	-502.8								
		Q5_pc	Y	I	118.7	-6.7	-0.9	-55.6	
-360.8	-738.6			J	118.7	-6.7	-0.9	-55.6	
353.3	4677.4								
		Q5_ps	X	I	-110.0	1.7	-0.8	14.4	
-332.4	1602.1			J	-110.0	1.7	-0.8	14.4	
359.4	184.8								
		Q5_ps	Y	I	108.2	-9.7	-0.6	-78.1	
-248.2	-1007.5			J	108.2	-9.7	-0.6	-78.1	
241.3	6876.8								
		INVSLU	Max	I	2839.5	106.5	24.7	1234.7	1
0142.9	59321.2			J	2839.5	106.5	27.4	1234.7	
2523.6	165820.5								
			Min	I	749.4	-344.1	-8.7	-4782.5	-
3430.5	-133762.2			J	749.4	-344.1	-6.0	-4782.5	-1
1042.3	-56986.9								
		INVSLE	Max	I	2132.6	76.1	17.9	901.8	
7343.8	42797.7			J	2132.6	76.1	19.9	901.8	
1947.3	123409.9								
			Min	I	600.2	-256.8	-6.7	-3548.0	-
2654.1	-99987.3			J	600.2	-256.8	-4.6	-3548.0	-
8041.3	-41008.9								
		69 C1-C2;~1	Max	I	746.9	228.8	16.5	2811.8	
5486	2			J	746.9	228.8	16.5	2811.8	
6820.1	105517.4								
			Min	I	-614.9	-94.8	-3.6	-1400.4	-
1459.1	46520.3			J	-614.9	-94.8	-3.6	-1400.4	-
1433.5	-53449.2								
6617.8	-89121.7								
		C3-C4;~1	Max	I	769.4	227.9	11.7	2918.8	
4863.2	98697.8			J	769.4	227.9	11.7	2918.8	
2543.8	35665.1								
			Min	I	-569.5	-25.1	-6.2	-918.5	-
2527.5	-17701.3			J	-569.5	-25.1	-6.2	-918.5	-
4726.1	-95797.3								
		C1-C2;~2	Max	I	417.7	156.0	9.8	1942.8	
4055.4	68469.0			J	417.7	156.0	9.8	1942.8	
800.4	31011.7								
			Min	I	-392.5	-60.0	-1.9	-917.3	-
-784.8	-32166.3			J	-392.5	-60.0	-1.9	-917.3	-
3916.2	-62325.9								
		C3-C4;~2	Max	I	429.2	156.8	6.7	2029.8	
2802.4	64379.3								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1341.7	23354.6		J	429.2	156.8	6.7	2029.8	
		Min	I	-358.9	-12.1	-3.3	-582.8	-
1335.9	-7966.8		J	-358.9	-12.1	-3.3	-582.8	-
2707.4	-67297.3							
		G1	I	497.6	11.4	6.6	18.9	
3007.1	5911.8		J	497.6	11.4	8.7	18.9	-
3220.9	-3355.5							
		G2	I	201.6	-14.4	2.8	-146.6	
1170.3	-10851.5		J	201.6	-14.4	2.8	-146.6	-
1142.9	837.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-106.1	-2.0	-1.2	-11.2	
-474.9	-495.7		J	-106.1	-2.0	-1.2	-11.2	
490.7	1135.3							
		Q5_pc Y	I	122.8	7.1	-1.0	57.9	
-417.8	4691.0		J	122.8	7.1	-1.0	57.9	
416.6	-1070.6							
		Q5_ps X	I	-101.2	-1.0	-1.0	-3.1	
-385.2	188.1		J	-101.2	-1.0	-1.0	-3.1	
401.1	1013.4							
		Q5_ps Y	I	112.6	10.1	-0.8	84.4	
-311.9	6885.4		J	112.6	10.1	-0.8	84.4	
311.2	-1376.1							
		INVSLU Max	I	3366.0	361.4	24.7	4458.6	1
0437.2	166031.9		J	3366.0	361.4	27.4	4458.6	
2458.8	45609.5							
		Min	I	1276.2	-88.2	-8.1	-1476.6	-
3036.8	-57016.8		J	1276.2	-88.2	-5.4	-1476.6	-1
0792.5	-148562.8							
		INVSLE Max	I	2526.2	268.6	18.1	3314.8	
7624.1	123565.6		J	2526.2	268.6	20.1	3314.8	
1840.8	33462.2							
		Min	I	994.5	-63.5	-6.1	-1073.9	-
2293.3	-41030.2		J	994.5	-63.5	-4.1	-1073.9	-
7909.6	-110217.8							
		69 C1-C2;~1 Max	I	818.3	122.4	14.9	2032.6	
5487	2		J	818.3	122.4	14.9	2032.6	
6219.9	46519.6							
		Min	I	-557.8	-88.1	-3.2	-1328.5	-
1300.8	42635.4							
1293.2	-89135.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5932.4	-110013.5		J	-557.8	-88.1	-3.2	-1328.5	-
4583.0	35660.4	C3-C4;~1 Max	I	838.1	126.5	11.1	2070.7	
2476.2	19557.9		J	838.1	126.5	11.1	2070.7	
2528.6	-95810.3	Min	I	-517.4	-87.6	-6.1	-1229.6	-
4449.1	-114837.6		J	-517.4	-87.6	-6.1	-1229.6	-
3702.8	31011.5	C1-C2;~2 Max	I	454.8	85.8	8.9	1407.6	
729.1	27914.4		J	454.8	85.8	8.9	1407.6	
-718.4	-62335.2	Min	I	-358.2	-62.2	-1.8	-900.7	
3529.8	-76803.2		J	-358.2	-62.2	-1.8	-900.7	-
2658.2	23351.4	C3-C4;~2 Max	I	464.6	88.6	6.4	1436.5	
1274.9	11611.2		J	464.6	88.6	6.4	1436.5	
1302.6	-67306.2	Min	I	-327.8	-61.0	-3.2	-823.7	-
2591.7	-80638.9		J	-327.8	-61.0	-3.2	-823.7	-
2386.1	-3359.8	G1	I	663.8	3.0	5.0	-24.2	
2497.9	-5833.0		J	663.8	3.0	7.0	-24.2	-
872.8	837.3	G2	I	265.3	-2.6	2.1	-76.4	
-809.5	2928.1		J	265.3	-2.6	2.1	-76.4	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-463.2	1136.8	Q5_pc X	I	-101.5	0.0	-1.1	-0.9	
455.1	1106.4		J	-101.5	0.0	-1.1	-0.9	
-400.8	-1071.4	Q5_pc Y	I	127.2	2.0	-1.0	31.4	
406.2	-2665.7		J	127.2	2.0	-1.0	31.4	
-376.1	1014.7	Q5_ps X	I	-96.1	0.2	-0.9	3.3	
370.8	835.7		J	-96.1	0.2	-0.9	3.3	
-292.4	-1377.1	Q5_ps Y	I	117.6	2.7	-0.7	45.3	
300.0	-3537.6		J	117.6	2.7	-0.7	45.3	
		INVSLU Max	I	3923.5	199.0	21.3	2777.7	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9000.4	45605.4			J	3923.5	199.0	24.0	2777.7	
2739.9	20195.8								
			Min	I	1810.1	-94.2	-9.2	-1867.9	-
3643.9	-148586.2								
				J	1810.1	-94.2	-6.5	-1867.9	-
9430.8	-197191.1								
			INVSLE Max	I	2942.7	147.4	15.6	2064.8	
6584.5	33459.0								
				J	2942.7	147.4	17.6	2064.8	
2036.1	14433.0								
			Min	I	1394.2	-69.5	-6.8	-1372.2	-
2719.9	-110235.1								
				J	1394.2	-69.5	-4.8	-1372.2	-
6918.6	-146238.9								
5488	2	69	C1-C2;~1 Max	I	926.4	123.8	11.8	1389.9	
5118.3	42635.3								
				J	926.4	123.8	11.8	1389.9	
1686.5	55899.4								
			Min	I	-492.7	-131.2	-4.0	-1819.4	-
1590.7	-110013.5								
				J	-492.7	-131.2	-4.0	-1819.4	-
4523.3	-127866.3								
			C3-C4;~1 Max	I	930.3	124.7	9.0	1317.0	
3872.4	19558.1								
				J	930.3	124.7	9.0	1317.0	
2446.3	36539.7								
			Min	I	-452.5	-132.3	-6.2	-1815.6	-
2644.3	-114838.5								
				J	-452.5	-132.3	-6.2	-1815.6	-
3461.9	-136272.4								
			C1-C2;~2 Max	I	508.5	87.5	7.1	961.0	
3046.0	27914.4								
				J	508.5	87.5	7.1	961.0	
981.5	37074.5								
			Min	I	-316.2	-92.8	-2.3	-1257.4	-
-889.4	-76803.6								
				J	-316.2	-92.8	-2.3	-1257.4	-
2717.6	-89446.0								
			C3-C4;~2 Max	I	512.2	87.6	5.3	901.1	
2269.1	11611.4								
				J	512.2	87.6	5.3	901.1	
1295.5	23438.5								
			Min	I	-285.9	-93.3	-3.3	-1260.3	-
1378.2	-80640.0								
				J	-285.9	-93.3	-3.3	-1260.3	-
2053.8	-95811.9								
			G1	I	868.7	0.8	2.0	-76.1	
1257.7	-5831.8								
				J	868.7	0.8	4.0	-76.1	-
1170.0	-6472.8								
			G2	I	342.9	1.1	1.0	-13.5	
454.9	2928.3								
				J	342.9	1.1	1.0	-13.5	
-320.0	2037.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
-368.0	1105.9	Q5_pc X	I	-102.7	0.4	-0.8	6.9	
302.4	760.9		J	-102.7	0.4	-0.8	6.9	
-412.1	-2665.2	Q5_pc Y	I	134.1	0.2	-1.0	-3.7	
389.0	-2831.6		J	134.1	0.2	-1.0	-3.7	
-297.1	835.2	Q5_ps X	I	-96.4	0.4	-0.7	7.2	
242.7	534.5		J	-96.4	0.4	-0.7	7.2	
-316.1	-3537.0	Q5_ps Y	I	125.6	0.1	-0.8	-4.3	
304.3	-3613.3		J	125.6	0.1	-0.8	-4.3	
7006.4	20199.4	INVS LU Max	I	4552.6	172.3	15.8	1122.4	
3108.0	35307.4		J	4552.6	172.3	18.6	1122.4	
4215.0	-197187.5	Min	I	2390.1	-175.4	-10.3	-3222.7	-
7001.2	-229221.5		J	2390.1	-175.4	-7.6	-3222.7	-
5110.0	14435.8	INVS LE Max	I	3413.0	127.6	11.6	834.7	
2319.8	25636.2		J	3413.0	127.6	13.6	834.7	
3147.2	-146236.2	Min	I	1829.1	-129.9	-7.7	-2383.0	-
5116.6	-169933.6		J	1829.1	-129.9	-5.7	-2383.0	-
5489	2	83 C1-C2;~1 Max	I	1117.6	81.7	52.2	8195.6	2
3435.9	55901.2		J	1117.6	81.7	52.2	8195.6	
8630.1	70933.6	Min	I	-499.9	-135.5	-21.7	-16304.9	-
9316.9	-127869.1		J	-499.9	-135.5	-21.7	-16304.9	-1
9125.3	-111281.6							
7258.2	36542.1	C3-C4;~1 Max	I	1117.8	79.9	38.3	6239.7	1
2075.5	63406.4		J	1117.8	79.9	38.3	6239.7	1
4706.2	-136275.1	Min	I	-460.5	-142.0	-32.8	-16595.5	-1
3993.9	-118316.1		J	-460.5	-142.0	-32.8	-16595.5	-1
3955.8	37075.6	C1-C2;~2 Max	I	607.5	57.2	31.2	5394.1	1
5114.2	47838.1		J	607.5	57.2	31.2	5394.1	
4627.8	-89447.7	Min	I	-318.6	-94.5	-11.3	-11285.7	-
1423.6	-77457.3		J	-318.6	-94.5	-11.3	-11285.7	-1

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

0060.9	23440.0	C3-C4; ~2	Max	I	608.6	54.8	22.4	4087.9	1
				J	608.6	54.8	22.4	4087.9	
6468.6	41811.1		Min	I	-289.1	-99.1	-17.0	-11565.7	-
7410.5	-95813.4			J	-289.1	-99.1	-17.0	-11565.7	-
8199.7	-82453.6								
		G1		I	1135.5	-3.6	4.4	-826.1	
1616.3	-6474.9			J	1135.5	-3.6	8.9	-826.1	-
3781.8	-3565.5								
		G2		I	447.3	4.7	1.8	231.2	
376.1	2036.6			J	447.3	4.7	1.8	231.2	-
1098.6	-1786.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-101.6	0.9	-3.8	81.2	-
1584.1	761.9			J	-101.6	0.9	-3.8	81.2	
1509.1	19.2								
		Q5_pc	Y	I	156.5	-1.5	-5.1	-212.0	-
2391.8	-2833.8			J	156.5	-1.5	-5.1	-212.0	
1781.1	-1596.3								
		Q5_ps	X	I	-95.4	0.6	-3.1	63.4	-
1266.7	535.4			J	-95.4	0.6	-3.1	63.4	
1238.6	36.3								
		Q5_ps	Y	I	146.8	-2.6	-4.1	-293.6	-
1921.7	-3615.3			J	146.8	-2.6	-4.1	-293.6	
1413.9	-1495.1								
		INVSLU	Max	I	5525.7	86.0	70.4	9988.6	2
9921.8	35300.0			J	5525.7	86.0	76.5	9988.6	1
5371.4	75434.3		Min	I	3060.2	-218.8	-53.6	-23861.1	-2
5875.4	-229238.8			J	3060.2	-218.8	-47.5	-23861.1	-2
9955.6	-182926.1								
		INVSLE	Max	I	4141.1	63.2	51.3	7382.6	2
1654.7	25630.6			J	4141.1	63.2	55.8	7382.6	1
1389.2	55769.2		Min	I	2335.6	-162.3	-40.0	-17663.0	-1
9357.7	-169946.3			J	2335.6	-162.3	-35.5	-17663.0	-2
1948.9	-135396.1								
5490	2	83 C1-C2; ~1	Max	I	1265.0	100.0	44.3	9302.8	1
8810.6	70936.1			J	1265.0	100.0	44.3	9302.8	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6646.1	159208.2		Min	I	-461.5	-278.2	-15.5	-19086.3	-	
6063.6	-111273.7			J	-461.5	-278.2	-15.5	-19086.3	-1	
7415.4	-67354.1									
6083.0	63409.1	C3-C4;~1	Max	I	1277.3	23.1	38.8	6012.8	1	
7960.2	158890.4			J	1277.3	23.1	38.8	6012.8		
8532.7	-118307.4		Min	I	-433.2	-285.7	-20.1	-19844.1	-	
5691.9	-26203.4			J	-433.2	-285.7	-20.1	-19844.1	-1	
1595.5	47839.6	C1-C2;~2	Max	I	682.1	64.0	27.2	6118.0	1	
4065.0	104851.7			J	682.1	64.0	27.2	6118.0		
3415.2	-77452.1		Min	I	-288.1	-190.7	-9.1	-13153.1	-	
0600.7	-40790.2			J	-288.1	-190.7	-9.1	-13153.1	-1	
9954.1	41813.0	C3-C4;~2	Max	I	686.4	9.9	24.0	3897.7		
4032.9	105229.1			J	686.4	9.9	24.0	3897.7		
4208.9	-82447.7		Min	I	-267.0	-197.2	-10.1	-13800.5	-	
9637.1	-13759.5			J	-267.0	-197.2	-10.1	-13800.5	-	
3062.7	-3562.3		G1	I	1365.2	-24.0	7.8	-965.1		
5108.6	15993.2			J	1365.2	-24.0	12.3	-965.1	-	
706.9	-1786.1		G2	I	537.3	12.0	2.4	583.8		
1211.4	-11562.1			J	537.3	12.0	2.4	583.8	-	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
1496.5	19.3		Q5_pc	X	I	-86.3	2.5	-3.7	101.7	-
1506.3	-2042.7			J	-86.3	2.5	-3.7	101.7		
1066.9	-1594.8		Q5_pc	Y	I	176.5	-6.2	-2.3	-309.0	-
824.0	3435.0			J	176.5	-6.2	-2.3	-309.0		
1253.1	36.4		Q5_ps	X	I	-81.3	1.7	-3.1	70.9	-
1269.3	-1330.6			J	-81.3	1.7	-3.1	70.9		
-740.8	-1493.5		Q5_ps	Y	I	165.5	-9.7	-1.5	-449.9	
				J	165.5	-9.7	-1.5	-449.9		


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
516.6	6422.7									
4894.5	75449.3	INVSLE	Max	I	6355.7	76.7	60.9	11284.7	2	
9645.5	248333.9			J	6355.7	76.7	66.9	11284.7		
4712.8	-182900.1		Min	I	3690.6	-455.2	-32.7	-28619.8	-1	
7322.8	-63708.2			J	3690.6	-455.2	-26.6	-28619.8	-2	
8302.1	55780.5	INVSLE	Max	I	4760.4	54.7	44.9	8312.5	1	
6970.0	185121.6			J	4760.4	54.7	49.4	8312.5		
0837.1	-135376.7		Min	I	2809.8	-338.5	-24.0	-21205.2	-1	
0213.0	-45562.7			J	2809.8	-338.5	-19.4	-21205.2	-2	
5491	2	83 C1-C2;~1	Max	I	1389.0	297.6	39.4	17034.0	1	
5750.4	159338.2			J	1389.0	297.6	39.4	17034.0		
9173.0	90048.8		Min	I	-404.0	-105.1	-22.9	-8855.2	-	
8661.3	-67365.2			J	-404.0	-105.1	-22.9	-8855.2	-1	
4920.0	-135633.5									
9280.9	159017.5	C3-C4;~1	Max	I	1396.2	309.4	24.5	18009.9		
9099.0	78220.3			J	1396.2	309.4	24.5	18009.9		
0527.4	-26204.3		Min	I	-380.6	-25.8	-26.7	-6701.3	-1	
9767.2	-141334.5			J	-380.6	-25.8	-26.7	-6701.3	-	
9474.3	104931.5	C1-C2;~2	Max	I	741.6	203.3	23.4	11799.1		
5916.7	61484.6			J	741.6	203.3	23.4	11799.1		
5381.6	-40796.9		Min	I	-245.5	-66.5	-14.5	-5842.8	-	
8739.9	-94569.9			J	-245.5	-66.5	-14.5	-5842.8	-	
5190.7	105311.4	C3-C4;~2	Max	I	741.5	212.8	13.6	12503.5		
5972.1	52556.1			J	741.5	212.8	13.6	12503.5		
5768.8	-13759.4		Min	I	-228.4	-11.5	-15.1	-4393.6	-	
5400.7	-98481.7			J	-228.4	-11.5	-15.1	-4393.6	-	
4936.1	16077.1	G1		I	1578.7	25.1	13.2	589.0		
7033.1	-3428.2			J	1578.7	25.1	17.5	589.0	-	
2187.7	-11529.2	G2		I	618.4	-14.2	6.3	-586.0		
2710.5	-450.7			J	618.4	-14.2	6.3	-586.0	-	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-67.3	-0.9	-4.2	-16.9	-
1619.3	-2046.1			J	-67.3	-0.9	-4.2	-16.9	
1641.5	-1335.2								
			Q5_pc Y	I	187.2	8.0	-2.7	223.0	-
1139.2	3439.3			J	187.2	8.0	-2.7	223.0	
952.7	-2780.8								
			Q5_ps X	I	-63.3	-0.1	-3.6	12.6	-
1403.5	-1334.8			J	-63.3	-0.1	-3.6	12.6	
1429.1	-1228.6								
			Q5_ps Y	I	176.4	11.9	-2.2	357.5	-
-924.8	6425.9			J	176.4	11.9	-2.2	357.5	
750.8	-2863.1								
			INVSLE Max	I	7086.0	510.5	71.4	27083.7	2
7521.4	248671.9			J	7086.0	510.5	77.2	27083.7	
5141.7	87899.3								
			Min	I	4318.8	-63.5	-25.4	-9585.6	-1
0868.3	-63568.3			J	4318.8	-63.5	-19.5	-9585.6	-3
0338.5	-229473.7								
			INVSLE Max	I	5303.9	379.7	53.1	20144.4	2
0427.4	185369.2			J	5303.9	379.7	57.4	20144.4	
3462.3	64718.4								
			Min	I	3279.0	-44.4	-18.0	-6988.3	-
7793.5	-45461.3			J	3279.0	-44.4	-13.7	-6988.3	-2
2600.5	-170001.9								
		83	C1-C2;~1 Max	I	1519.5	171.4	43.6	12519.9	1
5492	2			J	1519.5	171.4	43.6	12519.9	
7411.5	90050.0								
			Min	I	-343.4	-87.0	-17.2	-8120.0	-
7486.4	76922.3			J	-343.4	-87.0	-17.2	-8120.0	-1
5920.6	-135644.9								
6540.3	-176054.4								
			C3-C4;~1 Max	I	1507.6	184.7	35.9	12712.9	1
4208.4	78219.5			J	1507.6	184.7	35.9	12712.9	
8317.6	47420.4								
			Min	I	-325.8	-79.8	-21.5	-7319.7	-
8426.6	-141347.3			J	-325.8	-79.8	-21.5	-7319.7	-1
3813.9	-187343.0								
			C1-C2;~2 Max	I	803.4	119.1	26.5	8700.0	1
0758.8	61485.2			J	803.4	119.1	26.5	8700.0	
4916.7	50599.7								
			Min	I	-200.3	-60.3	-11.1	-5478.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

3693.5	-94577.8			J	-200.3	-60.3	-11.1	-5478.5	-
9884.9	-122163.1								
8703.5	52555.3	C3-C4;~2	Max	I	794.5	128.7	21.6	8806.9	
4487.6	30176.9			J	794.5	128.7	21.6	8806.9	
4603.3	-98490.6		Min	I	-188.0	-53.9	-10.8	-4893.4	-
8197.0	-130652.1			J	-188.0	-53.9	-10.8	-4893.4	-
5585.5	-3428.7		G1	I	1798.9	6.0	15.4	345.9	
8070.9	-8092.8			J	1798.9	6.0	19.7	345.9	-
1900.6	-449.8		G2	I	700.1	-6.5	5.9	-213.4	
2677.9	4578.1			J	700.1	-6.5	5.9	-213.4	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
1509.2	-1334.5	Q5_pc	X	I	-51.9	0.7	-3.9	3.4	-
1553.4	-1879.5			J	-51.9	0.7	-3.9	3.4	
-615.2	-2781.5	Q5_pc	Y	I	192.7	3.9	-1.5	104.0	
552.1	-5854.5			J	192.7	3.9	-1.5	104.0	
1298.4	-1227.9	Q5_ps	X	I	-48.4	0.9	-3.4	21.5	-
1343.5	-1948.2			J	-48.4	0.9	-3.4	21.5	
-381.6	-2864.0	Q5_ps	Y	I	182.8	5.3	-0.9	169.5	
329.5	-6992.5			J	182.8	5.3	-0.9	169.5	
7192.6	87898.3	INVSLE	Max	I	7850.1	291.5	73.7	19570.5	2
3919.8	42871.8			J	7850.1	291.5	79.5	19570.5	
0405.4	-229494.7		Min	I	4988.3	-82.4	-21.3	-8741.2	-1
2434.6	-324424.4			J	4988.3	-82.4	-15.5	-8741.2	-3
0249.6	64717.5	INVSLE	Max	I	5872.4	216.3	55.0	14561.3	2
2506.1	30681.7			J	5872.4	216.3	59.3	14561.3	
7399.5	-170017.6		Min	I	3778.2	-60.2	-14.9	-6396.5	-
4215.9	-240608.9			J	3778.2	-60.2	-10.6	-6396.5	-2


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5493	2	83	C1-C2;~1	Max	I	1658.2	122.2	42.8	7868.5	1
6728.6	76922.1				J	1658.2	122.2	42.8	7868.5	
7378.9	74803.1			Min	I	-280.7	-142.5	-17.1	-10892.6	-
6043.4	-176054.0				J	-280.7	-142.5	-17.1	-10892.6	-1
6604.6	-170964.8									
			C3-C4;~1	Max	I	1633.9	123.8	34.5	7348.1	1
3073.2	47421.4				J	1633.9	123.8	34.5	7348.1	
6919.8	41143.6			Min	I	-278.2	-143.1	-20.8	-10240.1	-
8239.2	-187342.4				J	-278.2	-143.1	-20.8	-10240.1	-1
3755.4	-181271.3									
			C1-C2;~2	Max	I	867.5	85.9	25.9	5412.2	1
0288.4	50599.6				J	867.5	85.9	25.9	5412.2	
4880.3	48835.5			Min	I	-153.1	-100.1	-11.1	-7524.2	-
3823.3	-122163.2				J	-153.1	-100.1	-11.1	-7524.2	-
9887.0	-118796.3									
			C3-C4;~2	Max	I	851.4	86.4	20.6	4980.8	
7914.8	30177.5				J	851.4	86.4	20.6	4980.8	
4480.3	25192.2			Min	I	-152.5	-100.0	-10.9	-7068.6	-
4566.0	-130652.0				J	-152.5	-100.0	-10.9	-7068.6	-
8109.1	-126452.3									
				G1	I	2028.7	-2.3	17.1	73.8	
5993.3	-8090.7				J	2028.7	-2.3	21.4	73.8	-
8968.9	-6332.7									
				G2	I	785.8	-0.8	6.8	84.4	
2203.7	4578.5				J	785.8	-0.8	6.8	84.4	-
3088.0	5167.4									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-40.3	2.0	-3.9	12.1	-
1510.6	-1879.7				J	-40.3	2.0	-3.9	12.1	
1542.8	-3422.1									
			Q5_pc	Y	I	193.3	2.0	-1.1	-39.7	
-442.2	-5854.3				J	193.3	2.0	-1.1	-39.7	
388.0	-7398.4									
			Q5_ps	X	I	-37.2	1.9	-3.4	20.5	-
1310.5	-1948.4				J	-37.2	1.9	-3.4	20.5	
1340.4	-3403.6									


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-251.4	-6992.2	Q5_ps Y	I	184.8	1.6	-0.6	-42.6	
192.3	-8238.7		J	184.8	1.6	-0.6	-42.6	
7574.7	42877.4	INVS LU Max	I	8628.7	160.9	76.9	12554.3	2
585.3	47706.1		J	8628.7	160.9	82.7	12554.3	
8850.9	-324417.5	Min	I	5663.2	-203.0	-16.0	-12844.6	-
4569.5	-311311.3		J	5663.2	-203.0	-10.2	-12844.6	-3
0562.1	30686.0	INVS LE Max	I	6451.5	118.9	57.4	9345.8	2
6.9	34248.9		J	6451.5	118.9	61.8	9345.8	
6218.5	-240603.7	Min	I	4280.6	-150.4	-10.9	-9462.9	-
5828.0	-230703.5		J	4280.6	-150.4	-6.6	-9462.9	-2
5494	2	83 C1-C2;~1 Max	I	1794.7	78.0	39.7	5894.0	1
5459.7	74802.4		J	1794.7	78.0	39.7	5894.0	
7653.0	96079.0	Min	I	-281.8	-198.4	-17.8	-15053.9	-
6275.3	-170965.1		J	-281.8	-198.4	-17.8	-15053.9	-1
5450.4	-110658.4							
1967.5	41140.8	C3-C4;~1 Max	I	1757.2	50.1	31.4	3368.9	1
7343.9	78593.7		J	1757.2	50.1	31.4	3368.9	
8208.0	-181271.8	Min	I	-289.3	-205.2	-20.8	-14824.0	-
2508.7	-114694.3		J	-289.3	-205.2	-20.8	-14824.0	-1
9604.0	48835.2	C1-C2;~2 Max	I	929.3	50.6	24.2	3790.4	
5104.3	64712.7		J	929.3	50.6	24.2	3790.4	
3970.9	-118796.3	Min	I	-151.4	-138.1	-11.6	-10471.4	-
9264.7	-76845.0		J	-151.4	-138.1	-11.6	-10471.4	-
7313.9	25190.4	C3-C4;~2 Max	I	905.7	32.4	18.9	2099.6	
4813.8	51542.2		J	905.7	32.4	18.9	2099.6	
4228.5	-126452.5	Min	I	-155.8	-142.7	-11.6	-10354.1	-
7400.5	-79502.0		J	-155.8	-142.7	-11.6	-10354.1	-
4827.1	-6335.3	G1	I	2250.5	-8.5	14.5	-322.9	
8115.3	274.4		J	2250.5	-8.5	18.8	-322.9	-
1823.6	5167.1	G2	I	868.5	6.3	6.1	393.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2895.9	250.0		J	868.5	6.3	6.1	393.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1339.8	-3422.1	Q5_pc X	I	-28.3	3.8	-3.5	-6.7	-
1420.5	-6391.1		J	-28.3	3.8	-3.5	-6.7	
-141.7	-7398.7	Q5_pc Y	I	192.8	1.4	-0.5	-229.7	
228.5	-8523.0		J	192.8	1.4	-0.5	-229.7	
1158.4	-3403.6	Q5_ps X	I	-25.5	3.4	-3.1	-6.8	-
1233.3	-6051.5		J	-25.5	3.4	-3.1	-6.8	
-0.8	-8239.1	Q5_ps Y	I	185.7	-0.7	-0.1	-300.3	
78.2	-7707.4		J	185.7	-0.7	-0.1	-300.3	
3792.8	47698.3	INVS LU Max	I	9382.3	51.9	69.1	9607.8	2
1410.0	121579.3		J	9382.3	51.9	75.0	9607.8	
0570.2	-311319.6	Min	I	6221.9	-337.1	-18.9	-19085.3	-1
2336.5	-178306.1		J	6221.9	-337.1	-13.0	-19085.3	-3
7751.9	34243.0	INVS LE Max	I	7011.8	37.5	51.7	7127.1	1
643.9	89420.7		J	7011.8	37.5	56.0	7127.1	
7523.5	-230709.7	Min	I	4696.4	-250.1	-13.1	-14096.4	-
4164.1	-131580.2		J	4696.4	-250.1	-8.7	-14096.4	-2
5495	2	83 C1-C2;~1 Max	I	1887.8	108.5	35.4	8591.6	1
3315.6	96080.5		J	1887.8	108.5	35.4	8591.6	
4435.4	157832.3	Min	I	-299.0	-290.9	-11.3	-17501.1	-
4765.8	-110646.2		J	-299.0	-290.9	-11.3	-17501.1	-1
4295.9	-62749.6							
0529.5	78598.8	C3-C4;~1 Max	I	1841.7	22.9	29.5	5786.8	1
5444.6	162253.4		J	1841.7	22.9	29.5	5786.8	
6714.8	-114679.9	Min	I	-307.9	-316.9	-15.6	-17892.5	-
2570.0	-21964.7		J	-307.9	-316.9	-15.6	-17892.5	-1
8356.0	64713.4	C1-C2;~2 Max	I	968.4	69.3	21.9	5694.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2741.6	102828.1		J	968.4	69.3	21.9	5694.5	
		Min	I	-161.0	-201.4	-6.7	-12112.2	-
2713.5	-76836.3		J	-161.0	-201.4	-6.7	-12112.2	-
8685.7	-36524.4							
		C3-C4;~2 Max	I	939.7	10.2	18.1	3821.6	
6534.7	51545.7		J	939.7	10.2	18.1	3821.6	
2765.6	106405.7	Min	I	-166.0	-220.4	-8.5	-12443.0	-
3587.9	-79491.6		J	-166.0	-220.4	-8.5	-12443.0	-
7591.3	-9745.8							
		G1	I	2410.6	-11.1	11.8	-750.2	
2925.8	276.4		J	2410.6	-11.1	16.1	-750.2	-
7897.2	8916.9							
		G2	I	928.3	20.4	5.0	446.9	
1153.5	249.1		J	928.3	20.4	5.0	446.9	-
2742.8	-15659.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-11.9	7.5	-1.9	-28.4	
-850.6	-6391.2		J	-11.9	7.5	-1.9	-28.4	
604.4	-12264.0							
		Q5_pc Y	I	193.9	4.2	2.6	-293.2	
776.6	-8522.2		J	193.9	4.2	2.6	-293.2	-
1240.3	-11827.3							
		Q5_ps X	I	-9.7	6.8	-1.5	-31.0	
-713.0	-6051.5		J	-9.7	6.8	-1.5	-31.0	
477.8	-11320.0							
		Q5_ps Y	I	187.5	0.3	2.6	-378.3	
791.3	-7706.4		J	187.5	0.3	2.6	-378.3	-
1233.0	-7959.4							
		INVSLE Max	I	9917.2	51.5	66.1	12551.7	1
8877.5	121589.1		J	9917.2	51.5	71.9	12551.7	-
6139.7	293428.7	Min	I	6603.9	-536.3	-7.3	-23729.5	-
9694.7	-178277.4		J	6603.9	-536.3	-1.5	-23729.5	-3
5021.9	-32400.6							
		INVSLE Max	I	7408.7	36.3	49.3	9282.9	1
4071.4	89428.2		J	7408.7	36.3	53.6	9282.9	-
4846.3	217501.9	Min	I	4980.2	-398.1	-4.8	-17553.0	-
6979.8	-131558.9							


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6075.2	-22218.0			J	4980.2	-398.1	-0.5	-17553.0	-2	
4722.6	158920.7	83	C1-C2;~1	Max	I	1866.0	292.0	11.1	17372.0	
3580.1	96393.1			J	1866.0	292.0	11.1	17372.0	1	
4895.6	-63265.7			Min	I	-309.9	-108.3	-36.4	-8602.8	-1
4273.2	-111774.8			J	-309.9	-108.3	-36.4	-8602.8	-	
4175.0	163076.9		C3-C4;~1	Max	I	1820.7	318.5	10.8	17805.8	
1100.2	78537.6			J	1820.7	318.5	10.8	17805.8	1	
3461.9	-23290.8			Min	I	-319.3	-22.8	-31.4	-5759.8	-1
4352.0	-116076.3			J	-319.3	-22.8	-31.4	-5759.8	-	
2863.5	103337.0		C1-C2;~2	Max	I	949.7	202.1	6.4	12053.7	
8500.0	64962.8			J	949.7	202.1	6.4	12053.7		
8938.2	-36748.0			Min	I	-166.8	-69.1	-22.3	-5705.8	-
2396.1	-77787.2			J	-166.8	-69.1	-22.3	-5705.8	-	
2551.2	106802.8		C3-C4;~2	Max	I	921.2	221.7	6.5	12426.9	
6810.9	51657.1			J	921.2	221.7	6.5	12426.9		
7939.5	-10468.5			Min	I	-172.2	-10.1	-18.9	-3792.1	-
2601.7	-80800.1			J	-172.2	-10.1	-18.9	-3792.1	-	
9105.7	9069.1		G1	I	2411.2	10.0	-19.2	438.6	-	
4153.7	1288.2			J	2411.2	10.0	-14.8	438.6		
3367.6	-15611.1		G2	I	928.0	-20.9	-6.6	-584.0	-	
1772.9	698.4			J	928.0	-20.9	-6.6	-584.0		
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
1212.2	-11601.7		Q5_pc	X	I	-0.1	-6.3	-2.8	26.0	-
981.9	-6695.6			J	-0.1	-6.3	-2.8	26.0		
77.1	-12420.3		Q5_pc	Y	I	184.7	-5.7	0.8	185.7	
-537.2	-8000.0			J	184.7	-5.7	0.8	185.7		
1083.1	-10729.4		Q5_ps	X	I	1.6	-5.7	-2.5	35.9	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
864.0	-6304.1		J	1.6	-5.7	-2.5	35.9	
-7.1	-8496.0	Q5_ps Y	I	178.9	-1.6	0.5	280.5	
-430.1	-7258.2		J	178.9	-1.6	0.5	280.5	
5598.7	293866.5	INVSLU Max	I	9872.8	518.6	-0.4	23940.5	-
7833.3	135190.0		J	9872.8	518.6	5.4	23940.5	1
4265.1	-34052.6	Min	I	6590.3	-69.0	-69.5	-12045.3	-3
8142.5	-166043.7		J	6590.3	-69.0	-63.7	-12045.3	-
4224.3	217774.1	INVSLE Max	I	7375.7	384.9	-0.4	17742.4	-
3069.0	99584.4		J	7375.7	384.9	3.9	17742.4	1
5297.1	-23472.9	Min	I	4968.9	-49.4	-51.2	-8889.0	-2
6041.5	-122485.0		J	4968.9	-49.4	-46.9	-8889.0	-
5497	2	83 C1-C2;~1 Max	I	1728.0	196.9	17.8	14842.6	
7844.2	96392.1		J	1728.0	196.9	17.8	14842.6	1
5776.4	74631.1	Min	I	-311.1	-79.7	-40.8	-6043.3	-1
6121.5	-111787.6		J	-311.1	-79.7	-40.8	-6043.3	-
6101.6	-171567.2							
7215.8	78532.6	C3-C4;~1 Max	I	1692.8	203.4	16.6	14621.5	
2650.6	41268.9		J	1692.8	203.4	16.6	14621.5	1
3599.4	-116091.3	Min	I	-320.4	-52.0	-33.6	-3475.9	-1
5923.5	-182512.3		J	-320.4	-52.0	-33.6	-3475.9	-
5150.1	64962.3	C1-C2;~2 Max	I	873.3	137.1	11.6	10363.4	
9781.9	48847.2		J	873.3	137.1	11.6	10363.4	
9561.4	-77796.1	Min	I	-167.3	-51.9	-24.8	-3896.5	-
3891.6	-119531.9		J	-167.3	-51.9	-24.8	-3896.5	-
4691.3	51653.6	C3-C4;~2 Max	I	850.4	141.6	10.7	10246.9	
7653.4	25456.9		J	850.4	141.6	10.7	10246.9	
7878.1	-80810.8	Min	I	-172.7	-33.8	-19.9	-2163.5	-
3796.4	-127828.3		J	-172.7	-33.8	-19.9	-2163.5	-
9391.9	1286.4	G1	I	2250.7	7.3	-22.0	30.1	-
6117.3	-4415.8		J	2250.7	7.3	-17.7	30.1	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

3533.0	699.3	G2	I	867.9	-6.7	-7.7	-516.0	-
			J	867.9	-6.7	-7.7	-516.0	
2461.2	5916.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	4.1	-2.8	-1.1	8.8	
-371.1	-6695.5		J	4.1	-2.8	-1.1	8.8	
455.8	-4509.9							
		Q5_pc Y	I	168.1	-2.7	3.7	122.0	
1485.8	-8000.7		J	168.1	-2.7	3.7	122.0	-
1411.4	-5903.2							
		Q5_ps X	I	5.3	-2.5	-0.9	17.9	
-299.6	-6304.0		J	5.3	-2.5	-0.9	17.9	
378.0	-4353.0							
		Q5_ps Y	I	162.6	-0.5	3.1	198.6	
1246.0	-7259.1		J	162.6	-0.5	3.1	198.6	-
1180.4	-6876.7							
		INVSLU Max	I	9245.8	320.4	13.5	19218.1	
3396.8	135181.5		J	9245.8	320.4	19.3	19218.1	2
2599.3	70162.7							
		Min	I	6177.9	-66.8	-72.4	-9197.5	-3
1631.3	-166072.4		J	6177.9	-66.8	-66.5	-9197.5	-
9476.4	-287606.7							
		INVSLE Max	I	6910.4	237.7	9.7	14229.3	
2343.2	99577.9		J	6910.4	237.7	14.0	14229.3	1
6629.0	51097.1							
		Min	I	4660.3	-48.7	-53.4	-6803.1	-2
3405.5	-122506.3		J	4660.3	-48.7	-49.1	-6803.1	-
6942.6	-213130.2							
		83 C1-C2;~1 Max	I	1588.6	139.8	16.7	10570.7	
5498	2		J	1588.6	139.8	16.7	10570.7	1
7413.2	74631.3							
		Min	I	-309.6	-124.0	-43.9	-7953.7	-1
7029.1	75713.8		J	-309.6	-124.0	-43.9	-7953.7	-
7249.5	-171566.6							
5695.4	-175338.6							
		C3-C4;~1 Max	I	1567.4	141.0	15.1	9971.7	
6418.1	41271.4		J	1567.4	141.0	15.1	9971.7	1
3675.0	44574.2							
		Min	I	-317.3	-125.1	-36.4	-7457.2	-1
4741.8	-182511.5		J	-317.3	-125.1	-36.4	-7457.2	-
5443.5	-186246.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4847.8	48847.2	C1-C2;~2	Max	I	806.6	98.4	10.8	7353.9	
				J	806.6	98.4	10.8	7353.9	1
0491.4	49696.3		Min	I	-165.9	-87.3	-26.5	-5489.6	-1
0204.4	-119531.7			J	-165.9	-87.3	-26.5	-5489.6	-
3652.2	-121923.8								
		C3-C4;~2	Max	I	791.4	98.7	9.7	6921.0	
4118.9	25458.5			J	791.4	98.7	9.7	6921.0	
8226.0	28084.0		Min	I	-170.5	-87.4	-21.5	-5063.6	-
8547.7	-127827.9			J	-170.5	-87.4	-21.5	-5063.6	-
3479.1	-130285.7								
		G1		I	2027.7	1.6	-24.7	-310.1	-1
0265.6	-4413.5			J	2027.7	1.6	-20.4	-310.1	
7319.8	-5629.2								
		G2		I	784.4	0.5	-8.4	-185.8	-
3732.9	5916.4			J	784.4	0.5	-8.4	-185.8	
2853.9	5538.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	8.9	-1.1	-0.8	-15.2	
-303.5	-4509.9			J	8.9	-1.1	-0.8	-15.2	
308.9	-3650.5								
		Q5_pc	Y	I	156.9	-2.6	4.4	-24.6	
1688.9	-5902.8			J	156.9	-2.6	4.4	-24.6	-
1738.6	-3878.4								
		Q5_ps	X	I	9.6	-1.0	-0.6	-9.3	
-241.8	-4353.0			J	9.6	-1.0	-0.6	-9.3	
245.3	-3569.1								
		Q5_ps	Y	I	150.7	-2.2	3.7	-20.7	
1402.7	-6876.3			J	150.7	-2.2	3.7	-20.7	-
1457.1	-5150.3								
		INVSLU	Max	I	8453.7	196.4	9.9	13071.0	
2611.0	70169.3			J	8453.7	196.4	15.8	13071.0	2
6267.8	66878.0		Min	I	5598.4	-167.5	-79.8	-11981.2	-3
3723.7	-287598.6			J	5598.4	-167.5	-74.0	-11981.2	-
7539.9	-293749.1								
		INVSLE	Max	I	6321.2	145.4	7.0	9662.1	
1750.6	51102.1			J	6321.2	145.4	11.3	9662.1	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9321.1	48749.3								
			Min	I	4227.1	-123.8	-58.9	-8891.8	-2
4938.8	-213124.1			J	4227.1	-123.8	-54.6	-8891.8	-
5489.8	-217864.7								
5499	2	83	C1-C2;~1	Max	I	1457.3	89.5	16.0	7780.7
7224.2	75713.1			J	1457.3	89.5	16.0	7780.7	1
7563.7	91302.7								
			Min	I	-350.1	-172.0	-44.3	-12494.8	-1
7024.3	-175338.8			J	-350.1	-172.0	-44.3	-12494.8	-
5264.6	-136935.5								
			C3-C4;~1	Max	I	1482.5	76.8	14.1	7000.3
6104.3	44572.9			J	1482.5	76.8	14.1	7000.3	1
4812.5	78145.4								
			Min	I	-346.6	-184.8	-37.4	-12756.7	-1
4490.9	-186246.5			J	-346.6	-184.8	-37.4	-12756.7	-
4895.7	-141703.9								
			C1-C2;~2	Max	I	746.1	58.2	10.4	5315.1
4758.5	49695.9			J	746.1	58.2	10.4	5315.1	1
0953.0	61981.4								
			Min	I	-194.1	-119.7	-27.1	-8725.5	-1
0180.4	-121923.8			J	-194.1	-119.7	-27.1	-8725.5	-
3390.1	-95429.0								
			C3-C4;~2	Max	I	749.8	51.8	9.1	4720.0
3937.6	28083.2			J	749.8	51.8	9.1	4720.0	
9130.8	52180.9								
			Min	I	-193.0	-128.9	-22.5	-8864.3	-
8513.1	-130285.7			J	-193.0	-128.9	-22.5	-8864.3	-
3135.0	-98861.0								
			G1	I	1795.5	-5.1	-23.0	-513.5	-
9349.3	-5630.9			J	1795.5	-5.1	-18.6	-513.5	
6881.7	-1648.8								
			G2	I	697.6	6.6	-7.5	138.2	-
3323.3	5538.5			J	697.6	6.6	-7.5	138.2	
2547.9	363.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	13.9	-0.2	-0.6	-18.0
-223.8	-3650.4			J	13.9	-0.2	-0.6	-18.0	
213.9	-3506.7								
			Q5_pc	Y	I	145.0	-3.1	4.8	-111.1
1831.5	-3878.3			J	145.0	-3.1	4.8	-111.1	-
1876.2	-1475.3								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-168.2	-3569.1	Q5_ps X	I	13.9	-0.2	-0.4	-16.1	
157.9	-3399.1		J	13.9	-0.2	-0.4	-16.1	
1519.8	-5150.3	Q5_ps Y	I	138.2	-4.6	3.9	-180.6	
1553.2	-1582.8		J	138.2	-4.6	3.9	-180.6	-
4848.7	66872.8	INVS LU Max	I	7679.2	93.6	14.1	9198.2	
5724.5	110942.6		J	7679.2	93.6	20.0	9198.2	2
1183.5	-293753.6	Min	I	4944.3	-282.2	-75.8	-18727.4	-3
8470.9	-209928.3		J	4944.3	-282.2	-70.0	-18727.4	-
3456.4	48745.5	INVS LE Max	I	5744.4	68.6	10.2	6769.4	
8847.0	81855.7		J	5744.4	68.6	14.6	6769.4	1
2989.9	-217868.2	Min	I	3737.8	-209.4	-55.8	-13901.3	-2
6232.7	-155358.9		J	3737.8	-209.4	-51.4	-13901.3	-
5500	2	83 C1-C2;~1 Max	I	1332.9	105.0	19.8	8623.2	
8062.0	91302.9		J	1332.9	105.0	19.8	8623.2	1
6046.3	163621.5	Min	I	-400.1	-293.7	-40.4	-16947.0	-1
5519.8	-136924.8		J	-400.1	-293.7	-40.4	-16947.0	-
7268.5	-68605.3							
8294.8	78147.5	C3-C4;~1 Max	I	1386.9	23.1	20.5	6347.0	
9470.0	163701.5		J	1386.9	23.1	20.5	6347.0	
0465.3	-141691.6	Min	I	-390.1	-308.1	-25.5	-17990.4	-1
7762.7	-26341.0		J	-390.1	-308.1	-25.5	-17990.4	-
5444.9	61981.5	C1-C2;~2 Max	I	687.7	66.5	13.1	5721.2	
9871.8	107946.1		J	687.7	66.5	13.1	5721.2	
9221.0	-95421.3	Min	I	-229.6	-201.2	-24.4	-11823.6	-
4785.1	-41284.8		J	-229.6	-201.2	-24.4	-11823.6	-
5579.4	52182.5	C3-C4;~2 Max	I	706.3	10.2	13.8	4215.1	
5426.3	108631.0		J	706.3	10.2	13.8	4215.1	
5846.0	-98852.1	Min	I	-223.3	-212.6	-14.4	-12552.6	-
5231.3	-13700.0		J	-223.3	-212.6	-14.4	-12552.6	-
		G1	I	1573.4	-19.5	-20.7	-637.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8290.1	-1648.8			J	1573.4	-19.5	-16.4	-637.9	
6158.7	13546.7								
		G2		I	614.9	16.0	-7.9	555.8	-
3344.4	362.7			J	614.9	16.0	-7.9	555.8	
2801.7	-12105.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	17.6	0.4	-0.3	-14.5	
-132.0	-3506.6			J	17.6	0.4	-0.3	-14.5	
96.5	-3800.9								
		Q5_pc Y		I	126.4	-3.8	6.0	-144.6	
2257.4	-1475.5			J	126.4	-3.8	6.0	-144.6	-
2419.8	1505.9								
		Q5_ps X		I	17.1	0.2	-0.2	-16.7	
-82.3	-3399.0			J	17.1	0.2	-0.2	-16.7	
48.2	-3563.1								
		Q5_ps Y		I	119.5	-8.2	5.2	-289.7	
1968.1	-1582.7			J	119.5	-8.2	5.2	-289.7	-
2120.9	4827.6								
		INVSLE Max		I	6922.9	87.3	21.1	10396.1	
7436.1	110943.0			J	6922.9	87.3	26.9	10396.1	2
5139.2	254073.2								
		Min		I	4282.9	-477.2	-71.9	-25792.5	-2
8777.0	-209911.5			J	4282.9	-477.2	-66.1	-25792.5	-1
1358.7	-66382.5								
		INVSLE Max		I	5180.5	62.7	15.6	7636.1	
5445.6	81856.1			J	5180.5	62.7	19.9	7636.1	1
8264.7	189233.3								
		Min		I	3241.8	-355.0	-52.5	-19151.0	-2
1077.9	-155346.4			J	3241.8	-355.0	-48.2	-19151.0	-
8448.2	-47634.5								
		83 C1-C2;~1 Max		I	1214.2	272.7	14.2	19098.0	
5501	2			J	1214.2	272.7	14.2	19098.0	2
5527.6	163531.6								
		Min		I	-447.6	-97.6	-49.9	-9278.5	-1
0603.8	71691.5			J	-447.6	-97.6	-49.9	-9278.5	-
8501.8	-68617.1								
5630.9	-104493.4								
		C3-C4;~1 Max		I	1282.3	283.1	10.2	19899.9	
3457.0	163599.3			J	1282.3	283.1	10.2	19899.9	1
8185.2	63682.4								
		Min		I	-418.2	-19.3	-44.8	-5848.1	-1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6936.2	-26383.8			J	-418.2	-19.3	-44.8	-5848.1	-
4989.9	-110786.7								
3424.4	107880.4	C1-C2;~2	Max	I	630.8	187.5	8.3	13264.6	
				J	630.8	187.5	8.3	13264.6	1
2854.6	47735.4		Min	I	-263.7	-62.3	-31.1	-6136.4	-1
1489.2	-41287.7			J	-263.7	-62.3	-31.1	-6136.4	-
3118.3	-72502.1								
		C3-C4;~2	Max	I	657.6	196.1	5.2	13945.8	
1854.4	108556.0			J	657.6	196.1	5.2	13945.8	1
1355.8	41645.6		Min	I	-242.8	-8.4	-28.0	-3827.3	-1
0579.8	-13725.2			J	-242.8	-8.4	-28.0	-3827.3	-
2537.4	-77121.2								
		G1		I	1363.0	18.7	-16.1	531.6	-
6474.5	13482.8			J	1363.0	18.7	-11.7	531.6	
4384.7	-1116.1								
		G2		I	534.7	-13.6	-4.2	-730.4	-
1899.5	-12128.9			J	534.7	-13.6	-4.2	-730.4	
1355.9	-1534.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	19.4	-1.0	-0.3	-45.4	
-141.3	-3797.3			J	19.4	-1.0	-0.3	-45.4	
100.2	-3004.2								
		Q5_pc	Y	I	99.7	1.6	5.7	76.4	
2105.0	1501.9			J	99.7	1.6	5.7	76.4	-
2355.0	284.1								
		Q5_ps	X	I	18.5	-0.9	-0.2	-38.2	
-84.9	-3560.2			J	18.5	-0.9	-0.2	-38.2	
45.0	-2871.4								
		Q5_ps	Y	I	93.6	5.6	4.6	241.5	
1699.3	4824.5			J	93.6	5.6	4.6	241.5	-
1927.3	453.8								
		INVSLU	Max	I	6178.8	422.1	28.6	27923.8	
9643.8	253757.6			J	6178.8	422.1	34.4	27923.8	2
4555.4	98827.0		Min	I	3663.9	-94.6	-68.2	-11604.5	-2
6584.9	-66569.8			J	3663.9	-94.6	-62.4	-11604.5	-1
5100.4	-152926.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7342.8	188999.0	INVSLE Max	I	4625.3	314.1	21.9	20730.2	
			J	4625.3	314.1	26.2	20730.2	1
7545.3	73095.0	Min	I	2775.7	-68.4	-49.1	-8539.9	-1
9212.7	-47774.3		J	2775.7	-68.4	-44.8	-8539.9	-1
1515.3	-112988.2							
5502	2	83 C1-C2;~1 Max	I	1054.7	128.7	23.0	16459.6	
8590.9	71689.1		J	1054.7	128.7	23.0	16459.6	2
8586.6	48305.3	Min	I	-466.6	-77.7	-64.0	-8233.1	-2
1842.9	-104502.3		J	-466.6	-77.7	-64.0	-8233.1	-1
1321.3	-111737.8							
		C3-C4;~1 Max	I	1113.8	134.8	25.9	16793.6	
8391.8	63679.1		J	1113.8	134.8	25.9	16793.6	2
2044.9	31464.9	Min	I	-425.1	-75.5	-49.0	-6018.2	-1
6577.9	-110796.3		J	-425.1	-75.5	-49.0	-6018.2	-1
2530.8	-119593.2							
		C1-C2;~2 Max	I	549.4	89.3	12.2	11487.2	
4981.5	47733.7		J	549.4	89.3	12.2	11487.2	1
7238.7	32035.9	Min	I	-282.1	-54.0	-38.6	-5462.2	-1
3244.9	-72508.0		J	-282.1	-54.0	-38.6	-5462.2	-
6016.1	-78448.9							
		C3-C4;~2 Max	I	574.1	93.7	12.9	11799.3	
4845.5	41643.2		J	574.1	93.7	12.9	11799.3	1
2989.7	20209.7	Min	I	-252.1	-51.7	-28.9	-3973.3	-
9840.5	-77127.8		J	-252.1	-51.7	-28.9	-3973.3	-
6412.1	-84496.9							
		G1	I	1131.2	3.3	-12.4	509.1	-
5013.4	-1118.7		J	1131.2	3.3	-8.1	509.1	
2994.5	-3720.4							
		G2	I	443.9	-4.6	-3.7	-352.6	-
1795.3	-1534.1		J	443.9	-4.6	-3.7	-352.6	
1125.5	2070.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	18.9	-1.2	0.1	-5.4	
3.5	-3004.2		J	18.9	-1.2	0.1	-5.4	
-72.8	-2040.5							
		Q5_pc Y	I	64.5	0.6	9.0	53.0	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
3083.8	283.0		J	64.5	0.6	9.0	53.0	-
3927.2	-184.1							
61.2	-2871.5	Q5_ps X	I	17.7	-1.2	0.3	-1.8	
-139.6	-1951.7		J	17.7	-1.2	0.3	-1.8	
2611.0	452.6	Q5_ps Y	I	60.9	1.8	7.6	154.6	
3316.8	-973.5		J	60.9	1.8	7.6	154.6	-
7784.4	98814.5	INVS LU Max	I	5249.9	202.6	58.7	23720.6	1
1050.7	51136.4		J	5249.9	202.6	64.5	23720.6	3
8852.2	-152948.4	Min	I	3000.4	-86.5	-78.9	-10160.9	-2
1526.8	-179199.5		J	3000.4	-86.5	-73.0	-10160.9	-3
3688.2	73085.6	INVS LE Max	I	3929.3	150.5	45.2	17603.4	1
1606.3	37475.9		J	3929.3	150.5	49.6	17603.4	2
0446.2	-113004.9	Min	I	2271.6	-63.6	-55.5	-7486.9	-2
4223.7	-132871.2		J	2271.6	-63.6	-51.1	-7486.9	-2
5503	2	70 C1-C2;~1 Max	I	830.9	120.1	2.0	808.9	
810.0	48303.6		J	830.9	120.1	2.0	808.9	
3001.0	32795.0	Min	I	-418.9	-112.5	-7.0	-603.0	-
2469.1	-111732.7		J	-418.9	-112.5	-7.0	-603.0	
-771.8	-92537.7							
782.4	31463.0	C3-C4;~1 Max	I	885.5	121.3	2.0	811.4	
2346.3	12648.8		J	885.5	121.3	2.0	811.4	
1985.2	-119588.3	Min	I	-380.0	-113.0	-5.5	-566.6	-
-816.5	-97646.7		J	-380.0	-113.0	-5.5	-566.6	
463.1	32035.0	C1-C2;~2 Max	I	435.2	84.9	1.1	565.4	
1817.9	21364.9		J	435.2	84.9	1.1	565.4	
1496.0	-78445.8	Min	I	-254.8	-79.6	-4.2	-420.2	-
-424.6	-64827.2		J	-254.8	-79.6	-4.2	-420.2	
443.0	20208.8	C3-C4;~2 Max	I	459.0	85.5	1.1	569.0	
1390.1	7201.6		J	459.0	85.5	1.1	569.0	
1185.7	-84493.8	Min	I	-226.8	-79.4	-3.3	-390.3	-
			J	-226.8	-79.4	-3.3	-390.3	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-425.3	-69001.7							
		G1	I	838.6	-0.5	-2.9	19.9	
-810.9	-3719.0		J	838.6	-0.5	-1.5	19.9	
923.6	-3343.4							
		G2	I	329.3	-1.1	-0.8	-0.9	
-261.4	2071.3		J	329.3	-1.1	-0.8	-0.9	
377.8	2942.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	16.8	-0.7	0.0	-1.3	
5.4	-2040.3		J	16.8	-0.7	0.0	-1.3	
-4.1	-1467.8							
		Q5_pc Y	I	39.6	-0.2	0.8	-1.1	
301.2	-183.5		J	39.6	-0.2	0.8	-1.1	
-342.8	-60.9							
		Q5_ps X	I	15.6	-0.7	0.0	-1.1	
10.7	-1951.5		J	15.6	-0.7	0.0	-1.1	
-10.7	-1398.3							
		Q5_ps Y	I	37.5	0.0	0.7	-0.1	
251.2	-972.8		J	37.5	0.0	0.7	-0.1	
-284.2	-993.2							
		INVSLE Max	I	4106.3	168.8	3.8	1616.9	
1576.1	51141.4		J	4106.3	168.8	5.7	1616.9	
3561.3	26279.4							
		Min	I	2274.1	-148.8	-9.8	-294.9	-
3392.8	-179185.2		J	2274.1	-148.8	-7.9	-294.9	-
2209.3	-152458.9							
		INVSLE Max	I	3071.9	125.3	3.0	1198.8	
1233.0	37479.6		J	3071.9	125.3	4.4	1198.8	
2512.2	18849.0							
		Min	I	1720.0	-109.9	-7.0	-217.1	-
2407.5	-132860.7		J	1720.0	-109.9	-5.6	-217.1	-
1716.6	-113354.0							
		70 C1-C2;~1 Max	I	710.2	79.1	1.1	562.0	
5504	2		J	710.2	79.1	1.1	562.0	
430.8	32794.7							
		Min	I	-464.9	-106.9	-9.4	-895.6	-
3782.5	35177.1		J	-464.9	-106.9	-9.4	-895.6	-
3538.5	-92538.3							
-447.0	-76840.6							
		C3-C4;~1 Max	I	779.6	78.7	1.2	517.8	
456.0	12647.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2978.6	22713.9		J	779.6	78.7	1.2	517.8	
		Min	I	-425.2	-109.9	-7.4	-921.6	-
2767.9	-97646.4		J	-425.2	-109.9	-7.4	-921.6	
-498.3	-82737.3							
		C1-C2;~2 Max	I	378.2	55.9	0.6	388.3	
229.9	21364.7		J	378.2	55.9	0.6	388.3	
2309.3	23189.9							
		Min	I	-286.2	-75.3	-5.7	-627.7	-
2160.5	-64827.3		J	-286.2	-75.3	-5.7	-627.7	
-234.1	-53910.9							
		C3-C4;~2 Max	I	407.7	55.1	0.6	353.6	
219.7	7201.0		J	407.7	55.1	0.6	353.6	
1780.7	14376.3							
		Min	I	-257.5	-77.3	-4.4	-645.9	-
1653.7	-69001.1		J	-257.5	-77.3	-4.4	-645.9	
-252.3	-58383.8							
		G1	I	620.5	-1.9	-5.2	3.4	-
1787.4	-3344.8		J	620.5	-1.9	-3.8	3.4	
1730.3	-1855.4							
		G2	I	245.5	1.9	-1.7	29.8	
-634.3	2941.9		J	245.5	1.9	-1.7	29.8	
685.6	1449.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	16.3	-0.2	0.0	-2.7	
1.2	-1467.8		J	16.3	-0.2	0.0	-2.7	
-1.7	-1313.2							
		Q5_pc Y	I	36.9	-1.0	1.0	-7.1	
372.0	-60.8		J	36.9	-1.0	1.0	-7.1	
-372.7	748.9							
		Q5_ps X	I	15.2	-0.2	0.0	-2.4	
9.0	-1398.3		J	15.2	-0.2	0.0	-2.4	
-9.7	-1255.2							
		Q5_ps Y	I	33.3	-1.6	0.8	-14.1	
305.2	-993.2		J	33.3	-1.6	0.8	-14.1	
-304.3	283.9							
		INVSLU Max	I	3444.2	101.3	2.7	769.5	
1144.5	26275.2		J	3444.2	101.3	4.6	769.5	
4723.6	34323.4							
		Min	I	1697.6	-155.7	-13.3	-1246.1	-
4917.6	-152462.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1726.4	-127224.8		J	1697.6	-155.7	-11.4	-1246.1	-
		INVSLE Max	I	2577.6	75.4	2.2	568.9	
938.3	18846.0		J	2577.6	75.4	3.7	568.9	
3345.3	24466.3	Min	I	1288.8	-114.8	-9.5	-923.3	-
3502.6	-113356.5		J	1288.8	-114.8	-8.0	-923.3	-
1382.7	-95024.0							
5505	2	70 C1-C2;~1 Max	I	635.7	81.1	0.7	567.7	
238.0	35177.0		J	635.7	81.1	0.7	567.7	
4106.0	89731.4	Min	I	-511.5	-203.6	-10.3	-1270.4	-
3948.1	-76825.4		J	-511.5	-203.6	-10.3	-1270.4	
-314.5	-43736.5							
		C3-C4;~1 Max	I	707.0	16.5	0.9	305.0	
313.7	22722.0		J	707.0	16.5	0.9	305.0	
3207.0	85176.7	Min	I	-466.8	-205.5	-8.0	-1338.7	-
3057.1	-82720.4		J	-466.8	-205.5	-8.0	-1338.7	
-382.7	-13046.4							
		C1-C2;~2 Max	I	341.4	51.6	0.3	373.4	
119.9	23189.9		J	341.4	51.6	0.3	373.4	
2519.0	58351.8	Min	I	-314.7	-139.6	-6.3	-887.8	-
2423.0	-53900.6		J	-314.7	-139.6	-6.3	-887.8	
-160.7	-26187.7							
		C3-C4;~2 Max	I	372.1	7.3	0.5	193.6	
177.3	14382.1		J	372.1	7.3	0.5	193.6	
1931.2	55800.8	Min	I	-283.0	-142.4	-4.8	-940.6	-
1840.0	-58372.4		J	-283.0	-142.4	-4.8	-940.6	
-211.3	-5898.8							
		G1	I	449.9	-6.9	-6.3	-10.1	-
2258.8	-1849.3		J	449.9	-6.9	-4.9	-10.1	
2096.3	3570.5							
		G2	I	179.3	13.1	-2.2	66.7	
-838.2	1451.0		J	179.3	13.1	-2.2	66.7	
849.0	-8825.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	16.2	-0.4	0.0	-3.7	
4.7	-1313.2		J	16.2	-0.4	0.0	-3.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-7.1	-1029.6							
377.6	748.1	Q5_pc	Y	I	33.3	-1.6	1.0	-8.5
-367.4	2025.3			J	33.3	-1.6	1.0	-8.5
12.4	-1255.2	Q5_ps	X	I	15.2	-0.3	0.0	-3.2
-14.7	-1038.7			J	15.2	-0.3	0.0	-3.2
310.3	283.6	Q5_ps	Y	I	28.8	-4.9	0.8	-23.3
-300.6	4145.9			J	28.8	-4.9	0.8	-23.3
930.6	34324.9	INVS LU	Max	I	2919.4	100.2	2.1	408.3
5268.0	117004.0			J	2919.4	100.2	4.0	408.3
5502.5	-127200.2		Min	I	1214.5	-289.6	-14.8	-2180.8
1452.9	-66823.4			J	1214.5	-289.6	-12.8	-2180.8
808.1	24466.9	INVS LE	Max	I	2186.0	74.1	1.9	299.0
3717.6	85719.4			J	2186.0	74.1	3.3	299.0
3906.9	-95006.2		Min	I	927.5	-214.5	-10.5	-1617.7
1211.8	-50179.0			J	927.5	-214.5	-9.0	-1617.7
5506	2	70 C1-C2;~1	Max	I	573.7	191.8	1.0	1158.7
320.6	89860.9			J	573.7	191.8	1.0	1158.7
4407.3	37004.9		Min	I	-572.8	-78.3	-11.2	-545.9
4315.4	-43651.6			J	-572.8	-78.3	-11.2	-545.9
-456.9	-75631.9							
341.9	85341.2	C3-C4;~1	Max	I	643.4	193.0	1.1	1204.5
3713.4	25741.4			J	643.4	193.0	1.1	1204.5
3622.1	-12934.5		Min	I	-521.6	-17.3	-9.4	-314.2
-505.0	-82047.3			J	-521.6	-17.3	-9.4	-314.2
166.1	58436.0	C1-C2;~2	Max	I	309.8	131.0	0.5	802.8
2712.3	24519.9			J	309.8	131.0	0.5	802.8
2662.0	-26146.4		Min	I	-350.7	-49.4	-6.9	-358.2
-241.3	-53244.1			J	-350.7	-49.4	-6.9	-358.2
171.4	55908.0	C3-C4;~2	Max	I	340.2	133.1	0.6	843.3
2253.5	16577.0			J	340.2	133.1	0.6	843.3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2204.7	-5829.2		Min	I	-315.3	-7.8	-5.7	-203.4	-
				J	-315.3	-7.8	-5.7	-203.4	
-259.7	-58056.2								
2383.5	3714.1		G1	I	298.8	5.3	-6.5	35.4	-
				J	298.8	5.3	-5.1	35.4	
2147.7	-436.8								
-847.6	-8771.6		G2	I	120.6	-13.5	-2.1	-49.5	
				J	120.6	-13.5	-2.1	-49.5	
829.5	1752.6								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
10.2	-1027.5		Q5_pc X	I	16.2	0.4	0.0	-0.3	
				J	16.2	0.4	0.0	-0.3	
-14.3	-1371.7								
304.3	2001.1		Q5_pc Y	I	25.8	0.6	0.8	4.9	
				J	25.8	0.6	0.8	4.9	
-287.7	1520.5								
17.8	-1037.8		Q5_ps X	I	15.3	0.3	0.1	-0.8	
				J	15.3	0.3	0.1	-0.8	
-21.4	-1283.8								
238.4	4128.3		Q5_ps Y	I	21.0	3.9	0.6	17.1	
				J	21.0	3.9	0.6	17.1	
-223.6	1042.2								
1231.1	117025.3		INVSLU Max	I	2422.4	268.1	3.3	2038.1	
				J	2422.4	268.1	5.3	2038.1	
5034.0	39705.3								
5604.0	-66818.6		Min	I	734.2	-99.2	-14.6	-333.7	-
				J	734.2	-99.2	-12.6	-333.7	-
2115.5	-123752.0								
1072.7	85723.8		INVSLE Max	I	1814.9	199.3	2.9	1513.9	
				J	1814.9	199.3	4.3	1513.9	
3511.8	27896.7								
3949.8	-50190.0		Min	I	567.8	-72.7	-10.3	-242.4	-
				J	567.8	-72.7	-8.8	-242.4	-
1745.8	-92980.0								
5507	2	70	C1-C2;~1 Max	I	519.9	85.5	1.4	776.6	
465.2	37010.8			J	519.9	85.5	1.4	776.6	
4405.0	27770.1								
4349.0	-75639.5		Min	I	-664.1	-79.1	-11.2	-564.9	-
				J	-664.1	-79.1	-11.2	-564.9	-
-669.1	-74054.9								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

527.0	25740.3	C3-C4;~1	Max	I	584.8	85.8	1.6	770.6	
				J	584.8	85.8	1.6	770.6	
3635.2	12212.2		Min	I	-599.3	-82.2	-9.2	-556.6	-
3560.4	-82052.9			J	-599.3	-82.2	-9.2	-556.6	
-756.3	-78968.1								
		C1-C2;~2	Max	I	281.6	59.8	0.8	535.5	
248.1	24523.8			J	281.6	59.8	0.8	535.5	
2729.0	18295.4		Min	I	-404.0	-56.0	-6.9	-394.9	-
2700.3	-53249.8			J	-404.0	-56.0	-6.9	-394.9	
-359.4	-52323.7								
		C3-C4;~2	Max	I	310.0	59.9	0.9	533.6	
274.0	16575.8			J	310.0	59.9	0.9	533.6	
2213.8	7425.1		Min	I	-359.9	-57.9	-5.6	-383.9	-
2174.2	-58060.7			J	-359.9	-57.9	-5.6	-383.9	
-397.4	-56236.2								
		G1		I	149.8	-0.0	-6.0	23.6	-
2227.5	-432.0			J	149.8	-0.0	-4.6	23.6	
1910.0	-396.4								
		G2		I	62.8	-1.7	-2.0	-13.3	
-808.0	1755.5			J	62.8	-1.7	-2.0	-13.3	
758.2	3060.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	16.5	-0.1	0.1	-1.6	
21.7	-1371.8			J	16.5	-0.1	0.1	-1.6	
-27.5	-1295.5								
		Q5_pc	Y	I	19.8	0.1	0.6	4.1	
250.6	1519.2			J	19.8	0.1	0.6	4.1	
-225.4	1416.6								
		Q5_ps	X	I	15.8	-0.1	0.1	-1.7	
27.4	-1283.9			J	15.8	-0.1	0.1	-1.7	
-32.3	-1183.1								
		Q5_ps	Y	I	14.4	0.6	0.5	8.7	
194.5	1040.9			J	14.4	0.6	0.5	8.7	
-172.6	572.1								
		INVSLU	Max	I	1967.1	113.2	5.8	1335.9	
2182.4	39703.8			J	1967.1	113.2	7.8	1335.9	

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

4222.1	29293.3								
			Min	I	245.4	-113.9	-12.6	-482.4	-
4851.5	-123766.8			J	245.4	-113.9	-10.6	-482.4	-
3151.4	-117353.3								
		INVSLE	Max	I	1474.7	83.0	4.9	998.2	
1830.4	27895.2			J	1474.7	83.0	6.4	998.2	
2854.8	20825.6		Min	I	202.0	-85.1	-8.7	-348.2	-
3346.4	-92991.5			J	202.0	-85.1	-7.2	-348.2	-
2576.9	-87612.5								
5508	2	70	C1-C2;~1	Max	I	473.9	71.4	2.2	601.5
776.0	27766.9			J	473.9	71.4	2.2	601.5	
3681.5	31887.0		Min	I	-785.7	-112.9	-9.8	-781.4	-
4013.7	-74049.3			J	-785.7	-112.9	-9.8	-781.4	-
-936.6	-58774.6								
		C3-C4;~1	Max	I	534.6	65.7	2.5	553.3	
880.3	12212.2			J	534.6	65.7	2.5	553.3	
3204.2	28403.1		Min	I	-695.4	-119.9	-8.5	-808.6	-
3435.6	-78962.4			J	-695.4	-119.9	-8.5	-808.6	-
1061.4	-60998.5								
		C1-C2;~2	Max	I	256.8	49.9	1.2	412.7	
418.5	18293.2			J	256.8	49.9	1.2	412.7	
2300.4	22361.3		Min	I	-475.7	-80.3	-6.1	-549.1	-
2505.5	-52319.5			J	-475.7	-80.3	-6.1	-549.1	-
-506.5	-41346.9								
		C3-C4;~2	Max	I	283.6	45.3	1.3	376.7	
465.2	7425.2			J	283.6	45.3	1.3	376.7	
1978.2	19465.4		Min	I	-414.7	-85.3	-5.2	-567.3	-
2117.4	-56232.0			J	-414.7	-85.3	-5.2	-567.3	-
-562.4	-43094.1								
		G1		I	-13.2	-0.5	-4.4	16.7	-
1704.7	-397.0			J	-13.2	-0.5	-2.9	16.7	
1155.5	-40.6								
		G2		I	-0.8	1.5	-1.3	12.9	
-594.8	3059.8			J	-0.8	1.5	-1.3	12.9	
452.9	1875.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
33.9	-1295.4	Q5_pc X	I	17.4	-0.6	0.1	-0.5
			J	17.4	-0.6	0.1	-0.5
-35.9	-860.5						
160.4	1416.9	Q5_pc Y	I	19.8	-0.1	0.4	-1.2
			J	19.8	-0.1	0.4	-1.2
-114.8	1525.6						
36.7	-1183.0	Q5_ps X	I	16.8	-0.5	0.1	-0.4
			J	16.8	-0.5	0.1	-0.4
-37.3	-770.4						
118.5	572.4	Q5_ps Y	I	13.2	-0.5	0.3	-3.1
			J	13.2	-0.5	0.3	-3.1
-81.5	947.3						
3626.6	29292.2	INVS LU Max	I	1574.5	88.2	9.4	1012.0
			J	1574.5	88.2	11.4	1012.0
2122.7	41713.2	Min	I	-243.5	-171.0	-7.9	-893.7
			J	-243.5	-171.0	-5.9	-893.7
3268.9	-117342.8						
4486.9	-86428.4						
2978.1	20825.0	INVS LE Max	I	1183.4	64.2	7.7	767.1
			J	1183.4	64.2	9.2	767.1
1248.6	30884.6	Min	I	-160.7	-127.7	-5.0	-644.3
			J	-160.7	-127.7	-3.6	-644.3
2108.4	-87604.6						
3632.1	-63831.6						
5509	2	70 C1-C2;~1 Max	I	326.4	21.4	1.1	216.8
			J	326.4	21.4	1.1	216.8
488.6	31887.2						
1294.8	22658.4	Min	I	-584.7	-31.6	-3.7	-418.2
			J	-584.7	-31.6	-3.7	-418.2
1575.9	-58778.1						
-361.7	-36300.9						
555.6	28402.9	C3-C4;~1 Max	I	368.8	21.1	1.2	151.3
			J	368.8	21.1	1.2	151.3
1200.7	18936.7	Min	I	-535.5	-32.9	-3.4	-434.6
			J	-535.5	-32.9	-3.4	-434.6
1439.3	-61002.2						
-412.5	-37864.2						
264.4	22361.4	C1-C2;~2 Max	I	176.9	14.6	0.6	141.3
			J	176.9	14.6	0.6	141.3
791.2	14957.7	Min	I	-351.9	-22.1	-2.2	-290.8
			J	-351.9	-22.1	-2.2	-290.8
-957.6	-41349.2						
-195.6	-25009.7						
		C3-C4;~2 Max	I	195.8	14.2	0.7	97.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
294.6	19465.1		J	195.8	14.2	0.7	97.1
732.9	12737.2						
		Min	I	-319.7	-22.8	-2.1	-303.3
-870.7	-43096.6		J	-319.7	-22.8	-2.1	-303.3
-218.7	-26297.6						
		G1	I	-62.0	-0.2	-2.2	8.5
-692.7	-40.6		J	-62.0	-0.2	-0.7	8.5
428.7	148.7						
		G2	I	-17.7	-0.2	-0.5	18.6
-216.1	1876.0		J	-17.7	-0.2	-0.5	18.6
193.2	2002.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	13.5	-0.8	0.0	0.2
21.8	-860.5		J	13.5	-0.8	0.0	0.2
-15.4	-249.5						
		Q5_pc Y	I	11.8	1.2	0.1	-6.5
43.2	1525.5		J	11.8	1.2	0.1	-6.5
-30.0	550.5						
		Q5_ps X	I	13.0	-0.7	0.0	0.4
22.0	-770.4		J	13.0	-0.7	0.0	0.4
-15.7	-195.3						
		Q5_ps Y	I	7.0	1.1	0.1	-10.4
28.4	947.1		J	7.0	1.1	0.1	-10.4
-18.6	95.0						
		INVSLE Max	I	482.0	13.4	3.7	215.2
2434.0	41716.5		J	482.0	13.4	5.1	215.2
581.3	36877.8						
		Min	I	-631.9	-56.4	-2.4	-612.3
-521.1	-86430.2		J	-631.9	-56.4	-0.4	-612.3
1777.5	-45818.5						
		INVSLE Max	I	482.0	13.4	3.7	215.2
1993.2	30887.3		J	482.0	13.4	5.1	215.2
308.9	27882.0						
		Min	I	-487.8	-42.3	-1.3	-444.1
-190.1	-63832.8		J	-487.8	-42.3	0.1	-444.1
1434.3	-33301.1						
		70 C1-C2;~1 Max	I	197.7	62.3	0.3	268.3
5510	2		J	197.7	62.3	0.3	268.3
123.6	22656.9						
		Min	I	-357.2	-127.8	-2.1	-646.6
798.1	65434.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-824.8	-36291.2			J	-357.2	-127.8	-2.1 -646.6
-124.7	-35160.6						
		C3-C4;~1	Max	I	223.8	20.0	0.4 77.9
156.5	18937.8			J	223.8	20.0	0.4 77.9
635.4	61163.0		Min	I	-336.3	-124.4	-1.7 -659.2
-656.9	-37853.8			J	-336.3	-124.4	-1.7 -659.2
-164.2	-11511.7						
		C1-C2;~2	Max	I	107.1	38.0	0.2 167.7
66.6	14956.8			J	107.1	38.0	0.2 167.7
487.2	42501.6		Min	I	-216.1	-85.3	-1.3 -442.3
-504.3	-25002.8			J	-216.1	-85.3	-1.3 -442.3
-67.0	-20978.2						
		C3-C4;~2	Max	I	118.8	9.9	0.2 38.8
91.4	12738.1			J	118.8	9.9	0.2 38.8
381.4	40240.7		Min	I	-202.1	-84.2	-1.0 -456.6
-394.1	-26290.1			J	-202.1	-84.2	-1.0 -456.6
-89.0	-5532.7						
		G1		I	-38.5	1.8	-1.9 10.8
-554.8	148.5			J	-38.5	1.8	-0.4 10.8
358.7	-1295.5						
		G2		I	-10.1	13.1	-0.5 54.7
-183.3	2001.7			J	-10.1	13.1	-0.5 54.7
184.4	-8229.8						
		Q3		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
		Q5_pc	X	I	9.3	0.7	0.0 1.2
10.1	-249.6			J	9.3	0.7	0.0 1.2
-8.7	-788.1						
		Q5_pc	Y	I	1.4	-1.6	0.1 -9.0
26.7	550.4			J	1.4	-1.6	0.1 -9.0
-23.4	1819.6						
		Q5_ps	X	I	8.9	0.9	0.0 2.0
10.3	-195.3			J	8.9	0.9	0.0 2.0
-8.8	-888.0						
		Q5_ps	Y	I	-1.2	-4.2	0.0 -19.7
20.1	95.1			J	-1.2	-4.2	0.0 -19.7
-18.0	3407.2						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
646.1	36868.3	INVSLE Max	I	-126.8	123.9	0.7	371.8
			J	-126.8	123.9	2.6	371.8
716.8	65756.3	Min	I	-928.0	-135.6	-2.8	-896.5
-726.7	-45812.0		J	-928.0	-135.6	-0.9	-896.5
-624.4	-73322.8						
552.9	27874.4	INVSLE Max	I	-150.9	94.2	0.7	286.8
			J	-150.9	94.2	2.1	286.8
470.6	47233.0	Min	I	-743.1	-97.8	-1.9	-651.5
-460.4	-33296.9		J	-743.1	-97.8	-0.5	-651.5
-519.7	-55545.9						
5511	2	70 C1-C2;~1 Max	I	145.6	103.4	0.1	438.6
37.5	65436.3		J	145.6	103.4	0.1	438.6
703.7	11027.9	Min	I	-269.6	-56.8	-1.7	-225.9
-660.1	-35201.6		J	-269.6	-56.8	-1.7	-225.9
-54.9	-24889.3						
24.7	61172.5	C3-C4;~1 Max	I	165.2	97.0	0.1	425.2
			J	165.2	97.0	0.1	425.2
745.7	3536.6	Min	I	-259.3	-18.5	-1.9	-87.7
-703.4	-11550.9		J	-259.3	-18.5	-1.9	-87.7
-60.3	-25280.7						
20.1	42508.5	C1-C2;~2 Max	I	78.9	66.9	0.1	290.0
			J	78.9	66.9	0.1	290.0
437.2	6819.3	Min	I	-162.7	-33.9	-1.1	-137.0
-411.1	-20999.5		J	-162.7	-33.9	-1.1	-137.0
-27.9	-16904.0						
12.5	40252.1	C3-C4;~2 Max	I	87.7	63.6	0.1	285.2
			J	87.7	63.6	0.1	285.2
469.6	1792.5	Min	I	-155.5	-8.9	-1.2	-47.5
-443.8	-5553.5		J	-155.5	-8.9	-1.2	-47.5
-31.5	-17394.2						
-492.8	-1384.1	G1	I	-41.5	-1.6	-1.8	2.0
			J	-41.5	-1.6	-0.3	2.0
317.5	-108.9						
-137.4	-8264.3	G2	I	-12.1	-13.2	-0.4	-43.9
			J	-12.1	-13.2	-0.4	-43.9
145.5	2046.4						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
3.1	-785.3	Q5_pc X	I	7.6	-0.8	0.0	-4.3
-3.3	-127.9		J	7.6	-0.8	0.0	-4.3
2.9	1824.7	Q5_pc Y	I	-5.2	2.1	0.0	7.1
-2.7	221.9		J	-5.2	2.1	0.0	7.1
4.0	-885.6	Q5_ps X	I	7.2	-1.0	0.0	-4.9
-4.0	-81.1		J	7.2	-1.0	0.0	-4.9
-3.8	3412.4	Q5_ps Y	I	-6.8	4.6	-0.0	15.3
3.5	-219.6		J	-6.8	4.6	-0.0	15.3
-90.7	65731.9	INVS LU Max	I	-563.9	81.9	-0.9	372.0
917.9	37327.6		J	-563.9	81.9	1.1	372.0
1096.5	-73413.6	Min	I	-1164.5	-138.0	-3.6	-537.7
-176.1	-12088.4		J	-1164.5	-138.0	-1.6	-537.7
-41.7	47220.0	INVS LE Max	I	-485.9	56.9	-0.6	268.1
661.0	29155.0		J	-485.9	56.9	0.8	268.1
-786.4	-55607.5	Min	I	-929.8	-105.7	-2.6	-404.9
-149.0	-7419.9		J	-929.8	-105.7	-1.1	-404.9
5512	2	70 C1-C2;~1 Max	I	116.1	8.6	0.2	225.6
83.6	11029.3		J	116.1	8.6	0.2	225.6
562.6	8353.7	Min	I	-221.9	-12.7	-1.4	-197.5
-530.2	-24895.6		J	-221.9	-12.7	-1.4	-197.5
-42.6	-19884.6						
144.4	3535.1	C3-C4;~1 Max	I	131.9	7.4	0.3	218.4
546.9	2830.6		J	131.9	7.4	0.3	218.4
-494.6	-25286.9	Min	I	-205.2	-14.1	-1.3	-189.0
-76.1	-20131.4		J	-205.2	-14.1	-1.3	-189.0
50.9	6820.3	C1-C2;~2 Max	I	62.9	5.2	0.1	151.1
347.5	5204.8		J	62.9	5.2	0.1	151.1
-321.9	-16908.3	Min	I	-132.6	-8.7	-0.9	-136.0
			J	-132.6	-8.7	-0.9	-136.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-26.4	-13602.6							
		C3-C4;~2	Max	I	70.0	4.8	0.2	146.4
96.9	1791.5			J	70.0	4.8	0.2	146.4
342.0	1491.6							
			Min	I	-121.1	-9.6	-0.8	-127.1
-300.6	-17398.6			J	-121.1	-9.6	-0.8	-127.1
-52.1	-13939.8							
		G1		I	-48.6	0.1	-1.6	4.8
-443.0	-109.5			J	-48.6	0.1	-0.2	4.8
281.4	-174.1							
		G2		I	-17.0	0.7	-0.4	-5.7
-136.0	2047.0			J	-17.0	0.7	-0.4	-5.7
146.2	1472.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	6.9	0.1	0.0	-1.9
1.3	-127.8			J	6.9	0.1	0.0	-1.9
-2.0	-188.4							
		Q5_pc	Y	I	-9.2	-0.1	0.0	1.1
5.3	221.6			J	-9.2	-0.1	0.0	1.1
-4.6	328.4							
		Q5_ps	X	I	6.5	0.1	0.0	-2.0
2.0	-81.1			J	6.5	0.1	0.0	-2.0
-2.6	-145.0							
		Q5_ps	Y	I	-10.0	-0.3	0.0	2.3
1.9	-220.0			J	-10.0	-0.3	0.0	2.3
-1.1	-17.2							
		INVSLE	Max	I	-887.9	5.4	-0.6	209.7
139.3	37335.1			J	-887.9	5.4	1.3	209.7
721.4	38757.8							
			Min	I	-1382.1	-25.4	-2.9	-365.0
-780.8	-12090.7			J	-1382.1	-25.4	-0.9	-365.0
-149.0	-288.3							
		INVSLE	Max	I	-732.6	3.4	-0.4	152.2
122.2	29161.2			J	-732.6	3.4	1.0	152.2
521.0	30693.5							
			Min	I	-1097.5	-19.4	-2.1	-273.2
-558.7	-7421.0			J	-1097.5	-19.4	-0.7	-273.2
-123.2	1814.3							
		70 C1-C2;~1	Max	I	96.3	11.2	0.3	186.7
5513	2							
143.6	8351.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
521.6	8456.5		J	96.3	11.2	0.3	186.7
		Min	I	-201.3	-11.1	-1.3	-198.6
-478.0	-19881.7		J	-201.3	-11.1	-1.3	-198.6
-80.4	-19687.3						
		C3-C4;~1 Max	I	109.8	11.3	0.4	174.2
191.7	2829.8		J	109.8	11.3	0.4	174.2
522.6	3069.0	Min	I	-187.5	-11.4	-1.3	-196.2
-462.3	-20129.0		J	-187.5	-11.4	-1.3	-196.2
-116.0	-19939.3						
		C1-C2;~2 Max	I	52.2	7.7	0.2	125.2
88.7	5203.4		J	52.2	7.7	0.2	125.2
318.3	5285.3	Min	I	-120.1	-7.6	-0.8	-135.5
-284.1	-13600.7		J	-120.1	-7.6	-0.8	-135.5
-49.5	-13469.1						
		C3-C4;~2 Max	I	58.3	7.7	0.3	115.7
126.1	1491.2		J	58.3	7.7	0.3	115.7
323.7	1688.4	Min	I	-110.6	-7.7	-0.8	-132.2
-276.2	-13938.2		J	-110.6	-7.7	-0.8	-132.2
-77.2	-13839.2						
		G1	I	-59.0	-0.2	-1.6	5.4
-408.2	-174.5		J	-59.0	-0.2	-0.1	5.4
255.2	-20.7						
		G2	I	-21.3	-0.1	-0.3	3.3
-120.9	1471.4		J	-21.3	-0.1	-0.3	3.3
135.0	1521.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.0	0.0	0.0	-1.1
0.7	-188.4		J	7.0	0.0	0.0	-1.1
-1.6	-200.0						
		Q5_pc Y	I	-11.3	0.0	0.0	-0.6
5.5	328.5		J	-11.3	0.0	0.0	-0.6
-4.3	298.5						
		Q5_ps X	I	6.6	0.0	0.0	-1.0
1.3	-145.0		J	6.6	0.0	0.0	-1.0
-2.1	-149.4						
		Q5_ps Y	I	-11.8	0.0	0.0	-1.1
2.6	-17.1						

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.3	-47.0		J	-11.8	0.0	0.0	-1.1
119.3	38751.2	INVS LU Max	I	-1149.2	19.4	-0.7	305.5
743.6	35627.2		J	-1149.2	19.4	1.3	305.5
-794.7	-288.7	Min	I	-1589.5	-11.2	-2.9	-216.6
-126.2	-3244.4		J	-1589.5	-11.2	-1.0	-216.6
98.8	30688.3	INVS LE Max	I	-931.6	14.6	-0.5	230.0
545.0	28238.7		J	-931.6	14.6	1.0	230.0
-577.5	1813.7	Min	I	-1256.3	-8.2	-2.2	-156.6
-98.7	-515.3		J	-1256.3	-8.2	-0.7	-156.6
5514	2	70 C1-C2;~1 Max	I	88.4	12.8	0.4	161.6
190.9	8457.8		J	88.4	12.8	0.4	161.6
487.6	10852.4	Min	I	-203.0	-8.7	-1.2	-231.0
-438.3	-19690.3		J	-203.0	-8.7	-1.2	-231.0
-125.0	-24501.8						
221.7	3069.0	C3-C4;~1 Max	I	101.0	13.9	0.5	142.0
507.3	3448.6		J	101.0	13.9	0.5	142.0
-437.6	-19941.9	Min	I	-188.8	-7.5	-1.2	-231.1
-140.3	-24860.8		J	-188.8	-7.5	-1.2	-231.1
119.4	5286.1	C1-C2;~2 Max	I	47.9	8.7	0.3	108.5
295.3	6687.8		J	47.9	8.7	0.3	108.5
-257.3	-13471.1	Min	I	-121.3	-5.3	-0.7	-157.0
-78.6	-16640.3		J	-121.3	-5.3	-0.7	-157.0
144.5	1688.3	C3-C4;~2 Max	I	53.6	9.5	0.3	92.6
313.3	1767.2		J	53.6	9.5	0.3	92.6
-259.5	-13841.0	Min	I	-111.3	-4.9	-0.7	-156.8
-91.7	-17175.1		J	-111.3	-4.9	-0.7	-156.8
-375.5	-20.7	G1	I	-72.0	-0.4	-1.5	6.4
228.6	322.7		J	-72.0	-0.4	-0.1	6.4
-107.0	1521.6	G2	I	-26.4	-0.9	-0.3	12.5
122.8	2204.1		J	-26.4	-0.9	-0.3	12.5


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.4	-199.9	Q5_pc X	I	7.0	-0.0	0.0	-0.3
			J	7.0	-0.0	0.0	-0.3
-1.4	-169.1						
3.8	298.4	Q5_pc Y	I	-13.3	0.2	0.0	-2.6
			J	-13.3	0.2	0.0	-2.6
-2.2	163.9						
1.0	-149.3	Q5_ps X	I	6.6	-0.1	0.0	-0.0
			J	6.6	-0.1	0.0	-0.0
-1.9	-102.3						
1.5	-47.2	Q5_ps Y	I	-13.5	0.3	0.0	-4.8
			J	-13.5	0.3	0.0	-4.8
0.3	-284.2						
137.5	35634.5	INVS LU Max	I	-1363.1	36.0	-0.7	485.2
			J	-1363.1	36.0	1.3	485.2
760.7	25426.2	Min	I	-1797.4	5.1	-2.9	-49.6
			J	-1797.4	5.1	-1.0	-49.6
-760.5	-3242.3						
-117.4	-23090.9						
107.9	28244.5	INVS LE Max	I	-1093.7	27.7	-0.5	370.7
			J	-1093.7	27.7	1.0	370.7
562.6	19856.9	Min	I	-1413.6	4.9	-2.2	-25.1
			J	-1413.6	4.9	-0.7	-25.1
-556.7	-513.3						
-87.6	-16059.2						
5515	2	70 C1-C2;~1 Max	I	84.7	51.9	0.6	219.1
			J	84.7	51.9	0.6	219.1
263.6	10851.5						
438.3	49133.5	Min	I	-210.3	-93.9	-1.1	-434.8
			J	-210.3	-93.9	-1.1	-434.8
-395.6	-24495.3						
-192.4	-30060.7						
345.7	3450.4	C3-C4;~1 Max	I	96.8	16.8	0.8	71.5
			J	96.8	16.8	0.8	71.5
345.6	44492.4	Min	I	-205.2	-87.9	-0.8	-427.1
			J	-205.2	-87.9	-0.8	-427.1
-316.6	-24854.3						
-270.0	-10452.3						
167.6	6687.2	C1-C2;~2 Max	I	45.9	30.7	0.4	134.2
			J	45.9	30.7	0.4	134.2
260.2	30773.8						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-227.7	-16635.9	Min	I	-125.9	-60.5	-0.6	-289.2
			J	-125.9	-60.5	-0.6	-289.2
-122.3	-17438.7						
		C3-C4;~2 Max	I	51.4	8.0	0.5	36.6
228.1	1768.5		J	51.4	8.0	0.5	36.6
198.4	28395.3						
		Min	I	-121.9	-57.7	-0.5	-288.6
-174.2	-17170.5		J	-121.9	-57.7	-0.5	-288.6
-179.2	-4978.1						
		G1	I	-84.5	3.2	-1.4	12.6
-335.9	323.6		J	-84.5	3.2	0.0	12.6
191.8	-2166.1						
		G2	I	-29.9	13.2	-0.3	50.9
-104.6	2203.6		J	-29.9	13.2	-0.3	50.9
123.9	-8093.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	1.1	0.0	2.7
0.0	-169.1		J	7.2	1.1	0.0	2.7
-1.2	-990.3						
		Q5_pc Y	I	-15.8	-3.4	0.0	-12.0
6.7	164.0		J	-15.8	-3.4	0.0	-12.0
-5.9	2829.7						
		Q5_ps X	I	6.8	1.3	0.0	3.7
0.3	-102.4		J	6.8	1.3	0.0	3.7
-1.3	-1149.7						
		Q5_ps Y	I	-16.1	-5.8	0.0	-21.0
6.6	-284.0		J	-16.1	-5.8	0.0	-21.0
-6.0	4265.7						
		INVSLU Max	I	-1559.2	167.6	-0.2	841.8
356.9	25409.3		J	-1559.2	167.6	1.8	841.8
683.1	5670.4						
		Min	I	-2002.3	-35.4	-2.7	-62.8
-655.9	-23098.0		J	-2002.3	-35.4	-0.7	-62.8
-283.6	-106335.2						
		INVSLE Max	I	-1241.4	129.9	-0.1	641.8
273.9	19843.4		J	-1241.4	129.9	1.3	641.8
499.5	378.1						
		Min	I	-1567.5	-20.0	-2.0	-26.7
-475.5	-16065.4		J	-1567.5	-20.0	-0.5	-26.7
-215.8	-82211.7						

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5516	2	70	C1-C2;~1	Max	I	78.5	91.6	0.4	432.4
177.0	49120.8				J	78.5	91.6	0.4	432.4
507.4	10422.0								
				Min	I	-209.6	-51.2	-1.2	-223.5
-453.2	-30114.1				J	-209.6	-51.2	-1.2	-223.5
-113.8	-23489.3								
			C3-C4;~1	Max	I	89.8	85.7	0.2	419.6
110.0	44467.7				J	89.8	85.7	0.2	419.6
568.1	3367.8								
				Min	I	-206.3	-16.5	-1.4	-70.0
-516.8	-10469.2				J	-206.3	-16.5	-1.4	-70.0
-64.4	-23824.4								
			C1-C2;~2	Max	I	42.5	59.0	0.2	285.7
109.3	30771.8				J	42.5	59.0	0.2	285.7
314.3	6418.2								
				Min	I	-125.5	-30.2	-0.7	-135.7
-273.4	-17474.8				J	-125.5	-30.2	-0.7	-135.7
-70.7	-15963.6								
			C3-C4;~2	Max	I	47.7	56.2	0.1	282.2
64.2	28384.8				J	47.7	56.2	0.1	282.2
359.3	1735.2								
				Min	I	-122.7	-7.8	-0.9	-34.8
-319.5	-4987.2				J	-122.7	-7.8	-0.9	-34.8
-37.5	-16472.3								
				G1	I	-92.8	-3.3	-1.4	-4.4
-337.5	-2233.9				J	-92.8	-3.3	0.0	-4.4
196.8	395.8								
				G2	I	-33.0	-13.0	-0.2	-45.5
-80.3	-8120.6				J	-33.0	-13.0	-0.2	-45.5
102.3	2129.5								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	7.3	-1.0	0.0	-4.6
-0.4	-988.9				J	7.3	-1.0	0.0	-4.6
-0.9	-166.9								
				Q5_pc Y	I	-18.6	3.3	-0.0	12.5
-4.6	2831.4				J	-18.6	3.3	-0.0	12.5
4.9	203.1								
				Q5_ps X	I	6.9	-1.3	0.0	-5.6
0.5	-1148.4				J	6.9	-1.3	0.0	-5.6
-1.6	-100.2								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-7.8	4267.6	Q5_ps Y	I	-18.7	5.7	-0.0	20.8	
7.9	-226.2		J	-18.7	5.7	-0.0	20.8	
-107.3	5607.8	INVS LU Max	I	-1744.1	30.4	-1.2	-287.9	
1014.6	26821.9		J	-1744.1	30.4	0.7	-287.9	
1052.2	-106455.7	Min	I	-2181.7	-168.4	-3.6	-1195.8	-
85.1	-19776.4		J	-2181.7	-168.4	-1.6	-1195.8	
-88.7	332.2	INVS LE Max	I	-1379.6	16.9	-0.9	-229.8	
764.6	20468.6		J	-1379.6	16.9	0.5	-229.8	
-788.0	-82300.3	Min	I	-1701.3	-129.9	-2.7	-900.7	
76.8	-14021.6		J	-1701.3	-129.9	-1.2	-900.7	
5517	2	70 C1-C2;~1 Max	I	67.2	7.4	0.4	229.7	
210.0	10419.8		J	67.2	7.4	0.4	229.7	
463.6	6180.1	Min	I	-197.8	-15.2	-1.1	-161.7	
-405.8	-23495.8		J	-197.8	-15.2	-1.1	-161.7	
-117.5	-14369.1							
251.8	3363.7	C3-C4;~1 Max	I	76.9	4.1	0.5	225.9	
471.6	2362.8		J	76.9	4.1	0.5	225.9	
-395.9	-23831.5	Min	I	-187.9	-16.3	-1.1	-146.4	
-141.0	-14615.6		J	-187.9	-16.3	-1.1	-146.4	
131.7	6417.0	C1-C2;~2 Max	I	36.4	4.5	0.3	154.0	
286.2	3865.8		J	36.4	4.5	0.3	154.0	
-242.6	-15968.0	Min	I	-118.6	-10.3	-0.7	-109.1	
-73.3	-9865.7		J	-118.6	-10.3	-0.7	-109.1	
164.5	1732.7	C3-C4;~2 Max	I	40.8	2.4	0.3	151.9	
295.8	1313.9		J	40.8	2.4	0.3	151.9	
-237.9	-16477.5	Min	I	-111.6	-11.2	-0.7	-95.2	
-92.3	-10183.5		J	-111.6	-11.2	-0.7	-95.2	
-305.6	393.0	G1	I	-95.4	0.3	-1.3	1.4	
176.6	119.7		J	-95.4	0.3	0.1	1.4	
		G2	I	-35.7	1.3	-0.2	-7.9	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-83.9	2129.2		J	-35.7	1.3	-0.2	-7.9
107.6	1089.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	0.0	0.0	-1.5
-0.5	-166.8		J	7.2	0.0	0.0	-1.5
-1.2	-170.1						
		Q5_pc Y	I	-19.9	-0.1	-0.0	2.8
-1.3	203.0		J	-19.9	-0.1	-0.0	2.8
3.1	309.6						
		Q5_ps X	I	6.8	0.0	0.0	-1.8
0.0	-100.1		J	6.8	0.0	0.0	-1.8
-1.5	-128.0						
		Q5_ps Y	I	-19.6	-0.4	-0.0	4.5
-2.0	-226.5		J	-19.6	-0.4	-0.0	4.5
4.1	64.8						
		INVSLE Max	I	-1894.7	-3.7	-0.9	-218.5
133.1	26833.8		J	-1894.7	-3.7	1.1	-218.5
880.4	32116.7						
		Min	I	-2301.3	-36.0	-3.0	-751.9
-757.0	-19770.8		J	-2301.3	-36.0	-1.1	-751.9
47.8	3485.3						
		INVSLE Max	I	-1490.5	-3.1	-0.7	-170.5
93.7	20478.5		J	-1490.5	-3.1	0.8	-170.5
665.7	24672.0						
		Min	I	-1789.1	-27.0	-2.3	-565.3
-565.4	-14016.3		J	-1789.1	-27.0	-0.8	-565.3
49.4	3504.9						
		62 C1-C2;~1 Max	I	54.4	6.9	0.4	156.5
5518	2		J	54.4	6.9	0.4	156.5
198.6	6189.9						
		Min	I	-175.4	-10.2	-0.9	-151.8
381.8	4664.9		J	-175.4	-10.2	-0.9	-151.8
-336.1	-14363.3						
		C3-C4;~1 Max	I	62.4	6.7	0.4	149.6
-125.6	-10890.6		J	62.4	6.7	0.4	149.6
218.3	2368.6						
		Min	I	-167.0	-10.9	-0.9	-146.3
398.1	1745.7		J	-167.0	-10.9	-0.9	-146.3
-336.7	-14607.8						
		C1-C2;~2 Max	I	29.5	4.7	0.3	105.1
-134.6	-11070.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
124.6	3872.1		J	29.5	4.7	0.3	105.1
235.1	2910.8						
		Min	I	-105.2	-7.0	-0.6	-102.5
-200.9	-9862.0		J	-105.2	-7.0	-0.6	-102.5
-78.8	-7484.7						
		C3-C4;~2 Max	I	33.2	4.5	0.3	99.6
141.5	1317.3		J	33.2	4.5	0.3	99.6
249.9	957.1						
		Min	I	-99.2	-7.5	-0.6	-97.4
-203.2	-10177.7		J	-99.2	-7.5	-0.6	-97.4
-87.3	-7721.4						
		G1	I	-91.9	-0.0	-1.1	1.7
-243.1	126.4		J	-91.9	-0.0	0.1	1.7
138.7	140.6						
		G2	I	-34.5	0.3	-0.2	0.6
-64.3	1091.7		J	-34.5	0.3	-0.2	0.6
84.3	822.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	6.8	-0.0	0.0	-0.6
-0.2	-170.2		J	6.8	-0.0	0.0	-0.6
-0.6	-135.7						
		Q5_pc Y	I	-19.7	0.1	-0.0	0.3
-1.2	309.3		J	-19.7	0.1	-0.0	0.3
1.5	246.1						
		Q5_ps X	I	6.4	-0.0	0.0	-0.6
0.1	-128.1		J	6.4	-0.0	0.0	-0.6
-0.9	-99.4						
		Q5_ps Y	I	-19.3	0.0	-0.0	0.4
-1.8	64.7		J	-19.3	0.0	-0.0	0.4
2.2	60.1						
		INVS LU Max	I	-1972.0	10.8	-0.7	119.0
72.1	32111.4		J	-1972.0	10.8	0.9	119.0
725.4	28913.3						
		Min	I	-2328.4	-13.4	-2.6	-298.2
-679.4	3477.7		J	-2328.4	-13.4	-1.0	-298.2
3.4	7227.1						
		INVS LE Max	I	-1544.2	8.2	-0.6	88.1
45.7	24666.5		J	-1544.2	8.2	0.6	88.1
545.7	22161.3						
		Min	I	-1805.6	-9.7	-1.9	-220.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-510.8	3497.6			J	-1805.6	-9.7	-0.7	-220.8	
11.1	6130.2								
5519	2	62	C1-C2;~1	Max	I	51.2	16.0	0.5	134.9
229.6	4664.0				J	51.2	16.0	0.5	134.9
352.4	9747.1			Min	I	-173.1	-8.0	-0.8	-183.1
-296.8	-10893.5				J	-173.1	-8.0	-0.8	-183.1
-155.9	-20255.7								
			C3-C4;~1	Max	I	58.7	16.3	0.5	123.4
243.2	1744.7				J	58.7	16.3	0.5	123.4
382.7	2687.5			Min	I	-163.9	-3.7	-0.9	-180.1
-308.3	-11073.8				J	-163.9	-3.7	-0.9	-180.1
-153.6	-20007.5								
			C1-C2;~2	Max	I	27.7	10.7	0.3	90.8
144.7	2910.1				J	27.7	10.7	0.3	90.8
216.3	5935.9			Min	I	-103.7	-4.7	-0.5	-123.8
-175.6	-7486.6				J	-103.7	-4.7	-0.5	-123.8
-98.6	-13577.0								
			C3-C4;~2	Max	I	31.2	11.0	0.3	80.9
157.5	956.5				J	31.2	11.0	0.3	80.9
240.7	1275.7			Min	I	-97.2	-2.0	-0.5	-121.6
-185.3	-7723.5				J	-97.2	-2.0	-0.5	-121.6
-99.2	-13703.1								
			G1		I	-94.8	-0.7	-1.0	2.5
-207.8	139.3				J	-94.8	-0.7	0.2	2.5
111.6	667.8								
			G2		I	-35.6	-1.7	-0.2	7.6
-49.2	822.3				J	-35.6	-1.7	-0.2	7.6
72.0	2177.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	6.7	-0.1	-0.0	0.0
-0.8	-135.7				J	6.7	-0.1	-0.0	0.0
-0.3	-27.6								
			Q5_pc	Y	I	-20.1	0.5	-0.0	-1.6
-0.1	246.1				J	-20.1	0.5	-0.0	-1.6
1.3	-153.2								
			Q5_ps	X	I	6.3	-0.2	0.0	0.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.4	-99.4			J	6.3	-0.2	0.0	0.2
-0.6	49.6							
			Q5_ps Y	I	-19.7	0.8	-0.0	-2.9
-0.4	60.0			J	-19.7	0.8	-0.0	-2.9
1.8	-571.2							
			INVS LU Max	I	-2061.6	33.5	-0.4	609.0
221.1	28920.3			J	-2061.6	33.5	1.2	609.0
646.1	26944.8		Min	I	-2410.7	-0.1	-2.3	176.8
-524.8	7231.3			J	-2410.7	-0.1	-0.7	176.8
-83.4	-13834.8							
			INVS LE Max	I	-1609.6	25.0	-0.3	458.6
161.7	22167.0			J	-1609.6	25.0	0.9	458.6
484.3	20560.9		Min	I	-1865.4	0.1	-1.7	138.7
-390.8	6133.9			J	-1865.4	0.1	-0.5	138.7
-55.9	-9625.8							
5520	2	62	C1-C2;~1 Max	I	52.2	41.3	0.6	188.1
284.7	9748.0			J	52.2	41.3	0.6	188.1
305.8	37956.6		Min	I	-183.9	-73.5	-0.7	-368.0
-260.7	-20251.0			J	-183.9	-73.5	-0.7	-368.0
-209.7	-22875.0							
			C3-C4;~1 Max	I	59.8	12.0	0.8	53.1
340.0	2689.5			J	59.8	12.0	0.8	53.1
239.1	34793.6		Min	I	-183.0	-68.7	-0.6	-359.1
-206.4	-20002.5			J	-183.0	-68.7	-0.6	-359.1
-264.8	-7036.8							
			C1-C2;~2 Max	I	28.3	24.4	0.4	114.9
181.3	5936.4			J	28.3	24.4	0.4	114.9
184.2	24004.1		Min	I	-110.5	-47.4	-0.4	-244.0
-151.4	-13573.9			J	-110.5	-47.4	-0.4	-244.0
-133.5	-13353.3							
			C3-C4;~2 Max	I	31.7	5.5	0.5	25.8
222.7	1276.9			J	31.7	5.5	0.5	25.8
139.2	22418.6		Min	I	-109.3	-45.4	-0.3	-243.1
-114.1	-13699.5			J	-109.3	-45.4	-0.3	-243.1
-174.4	-3210.2							
			G1	I	-103.2	3.4	-0.9	10.2
-173.0	669.6			J	-103.2	3.4	0.3	10.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
74.7	-2039.8						
		G2	I	-37.5	10.4	-0.1	42.6
-45.5	2177.5		J	-37.5	10.4	-0.1	42.6
69.8	-6047.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	6.9	0.8	-0.0	2.8
-1.4	-27.6		J	6.9	0.8	-0.0	2.8
0.3	-679.7						
		Q5_pc Y	I	-21.4	-3.1	0.0	-12.0
3.2	-153.2		J	-21.4	-3.1	0.0	-12.0
-2.5	2311.4						
		Q5_ps X	I	6.5	1.1	-0.0	4.1
-1.3	49.5		J	6.5	1.1	-0.0	4.1
0.4	-853.1						
		Q5_ps Y	I	-21.1	-5.0	0.0	-19.6
4.6	-571.1		J	-21.1	-5.0	0.0	-19.6
-4.1	3373.8						
		INVS LU Max	I	-2156.0	143.9	0.1	1232.7
438.1	26929.4		J	-2156.0	143.9	1.7	1232.7
488.9	-263.8						
		Min	I	-2523.4	-16.7	-1.9	460.4
-378.6	-13845.0		J	-2523.4	-16.7	-0.3	460.4
-285.9	-86547.0						
		INVS LE Max	I	-1679.9	110.7	0.1	927.6
330.2	20548.7		J	-1679.9	110.7	1.3	927.6
358.8	-3108.4						
		Min	I	-1949.2	-7.9	-1.4	357.1
-274.3	-9634.1		J	-1949.2	-7.9	-0.2	357.1
-214.8	-66713.7						
		62 C1-C2;~1 Max	I	51.6	73.4	0.4	372.5
5521	2		J	51.6	73.4	0.4	372.5
185.5	37939.5						
		Min	I	-187.1	-41.2	-0.9	-197.5
384.0	9805.0		J	-187.1	-41.2	-0.9	-197.5
-326.7	-22834.3						
-123.1	-20299.9						
		C3-C4;~1 Max	I	59.1	68.6	0.2	360.8
120.6	34779.1		J	59.1	68.6	0.2	360.8
443.0	2700.2						
		Min	I	-185.9	-12.1	-1.0	-60.4
-386.5	-7000.3		J	-185.9	-12.1	-1.0	-60.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-72.5	-20034.4							
		C1-C2;~2	Max	I	27.9	47.4	0.2	246.0
115.3	23998.8			J	27.9	47.4	0.2	246.0
243.1	5973.7							
			Min	I	-112.1	-24.4	-0.6	-120.2
-201.5	-13333.4			J	-112.1	-24.4	-0.6	-120.2
-76.7	-13602.7							
		C3-C4;~2	Max	I	31.4	45.3	0.1	242.9
71.9	22418.3			J	31.4	45.3	0.1	242.9
286.2	1282.6							
			Min	I	-110.8	-5.5	-0.7	-29.9
-244.6	-3191.8			J	-110.8	-5.5	-0.7	-29.9
-43.0	-13719.1							
			G1	I	-108.7	-3.4	-1.0	-10.1
-193.6	-2034.9			J	-108.7	-3.4	0.2	-10.1
97.1	666.9							
			G2	I	-39.8	-10.4	-0.1	-41.7
-34.5	-6045.4			J	-39.8	-10.4	-0.1	-41.7
59.5	2179.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.0	-0.8	-0.0	-3.7
-1.0	-679.5			J	7.0	-0.8	-0.0	-3.7
-0.1	-29.5							
			Q5_pc Y	I	-22.7	3.1	-0.0	13.0
-3.3	2310.4			J	-22.7	3.1	-0.0	13.0
4.0	-127.3							
			Q5_ps X	I	6.7	-1.1	0.0	-5.0
-0.3	-852.9			J	6.7	-1.1	0.0	-5.0
-0.6	49.4							
			Q5_ps Y	I	-22.3	5.0	-0.0	20.6
-4.9	3373.0			J	-22.3	5.0	-0.0	20.6
5.3	-548.2							
			INVSLU Max	I	-2253.6	19.0	-0.7	-460.0
64.4	-353.7			J	-2253.6	19.0	0.9	-460.0
787.3	25165.6							
			Min	I	-2626.8	-141.4	-2.7	-1252.9
-713.7	-86557.0			J	-2626.8	-141.4	-1.1	-1252.9
16.0	-15705.2							
			INVSLE Max	I	-1752.8	9.6	-0.6	-355.7
41.0	-3180.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
592.4	19231.7		J	-1752.8	9.6	0.6	-355.7
		Min	I	-2026.1	-108.8	-2.0	-941.3
-534.9	-66726.8		J	-2026.1	-108.8	-0.8	-941.3
21.7	-11026.0						
5522	2	62 C1-C2;~1 Max	I	48.4	8.3	0.5	181.7
234.2	9804.1		J	48.4	8.3	0.5	181.7
327.5	4589.3	Min	I	-183.1	-16.3	-0.8	-139.9
-273.5	-20304.8		J	-183.1	-16.3	-0.8	-139.9
-154.2	-10389.2						
		C3-C4;~1 Max	I	55.4	3.2	0.5	178.1
262.1	2698.2		J	55.4	3.2	0.5	178.1
347.1	1775.2	Min	I	-174.5	-16.5	-0.8	-128.1
-273.5	-20039.7		J	-174.5	-16.5	-0.8	-128.1
-161.0	-10612.0						
		C1-C2;~2 Max	I	26.2	4.9	0.3	122.0
147.3	5973.2		J	26.2	4.9	0.3	122.0
204.6	2879.2	Min	I	-109.4	-10.8	-0.5	-93.9
-165.8	-13605.9		J	-109.4	-10.8	-0.5	-93.9
-97.0	-7144.2						
		C3-C4;~2 Max	I	29.4	1.6	0.3	119.4
170.5	1281.4		J	29.4	1.6	0.3	119.4
221.1	986.8	Min	I	-103.4	-11.2	-0.5	-83.7
-167.1	-13722.9		J	-103.4	-11.2	-0.5	-83.7
-104.3	-7404.1						
		G1	I	-110.2	0.7	-0.9	-2.4
-154.5	664.8		J	-110.2	0.7	0.3	-2.4
65.7	109.7						
		G2	I	-42.0	1.8	-0.1	-6.7
-31.3	2179.4		J	-42.0	1.8	-0.1	-6.7
56.9	734.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.1	0.1	-0.0	-0.9
-1.6	-29.5		J	7.1	0.1	-0.0	-0.9
0.4	-135.2						
		Q5_pc Y	I	-23.5	-0.5	-0.0	2.6
0.2	-127.4		J	-23.5	-0.5	-0.0	2.6


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
1.2	289.6							
-1.3	49.4	Q5_ps X	I	6.7	0.2	-0.0	-1.2	
0.2	-97.9		J	6.7	0.2	-0.0	-1.2	
0.7	-548.4	Q5_ps Y	I	-22.8	-0.8	-0.0	3.9	
0.9	115.9		J	-22.8	-0.8	-0.0	3.9	
325.1	25178.6	INVS LU Max	I	-2343.4	3.7	-0.2	-174.3	
575.8	24599.1		J	-2343.4	3.7	1.4	-174.3	
-400.8	-15697.8	Min	I	-2707.7	-30.8	-2.0	-613.1	
-112.3	3556.2		J	-2707.7	-30.8	-0.4	-613.1	
242.1	19242.0	INVS LE Max	I	-1819.5	2.6	-0.2	-135.6	
430.2	18887.0		J	-1819.5	2.6	1.0	-135.6	
-295.5	-11019.9	Min	I	-2086.2	-22.9	-1.5	-460.3	
-79.4	3338.3		J	-2086.2	-22.9	-0.3	-460.3	
5523	2	62 C1-C2;~1 Max	I	45.2	6.6	0.5	153.1	
256.7	4588.7		J	45.2	6.6	0.5	153.1	
308.3	4610.8	Min	I	-180.6	-6.6	-0.7	-160.0	
-249.9	-10387.0		J	-180.6	-6.6	-0.7	-160.0	
-176.4	-10417.1							
271.7	1775.4	C3-C4;~1 Max	I	51.8	6.7	0.6	146.5	
338.1	1798.4		J	51.8	6.7	0.6	146.5	
-262.0	-10609.9	Min	I	-172.4	-6.7	-0.8	-152.0	
-174.1	-10638.3		J	-172.4	-6.7	-0.8	-152.0	
161.3	2879.0	C1-C2;~2 Max	I	24.5	4.6	0.3	102.9	
192.4	2892.3		J	24.5	4.6	0.3	102.9	
-150.5	-7142.7	Min	I	-107.9	-4.5	-0.4	-107.6	
-111.0	-7160.7		J	-107.9	-4.5	-0.4	-107.6	
175.6	987.0	C3-C4;~2 Max	I	27.5	4.6	0.4	97.1	
216.0	1000.1		J	27.5	4.6	0.4	97.1	
-160.3	-7402.7	Min	I	-102.1	-4.6	-0.5	-101.2	
-112.0	-7421.6		J	-102.1	-4.6	-0.5	-101.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-131.9	109.8	G1	I	-113.5	-0.0	-0.8	-1.8
			J	-113.5	-0.0	0.4	-1.8
45.1	113.3						
		G2	I	-43.3	0.0	-0.1	-0.5
-20.7	734.0		J	-43.3	0.0	-0.1	-0.5
47.5	728.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	-0.0	-0.0	-0.3
-1.7	-135.3		J	7.2	-0.0	-0.0	-0.3
0.4	-133.6						
		Q5_pc Y	I	-24.0	0.0	-0.0	0.5
0.7	289.7		J	-24.0	0.0	-0.0	0.5
0.9	281.5						
		Q5_ps X	I	6.8	-0.0	-0.0	-0.4
-1.5	-98.0		J	6.8	-0.0	-0.0	-0.4
0.3	-93.8						
		Q5_ps Y	I	-23.3	0.0	0.0	0.6
1.3	116.1		J	-23.3	0.0	0.0	0.6
0.5	109.0						
		INVSLU Max	I	-2413.2	11.4	-0.2	303.2
340.4	24591.4		J	-2413.2	11.4	1.4	303.2
563.8	22754.3						
		Min	I	-2770.2	-6.7	-2.0	-120.4
-383.1	3551.8		J	-2770.2	-6.7	-0.4	-120.4
-132.6	1661.5						
		INVSLE Max	I	-1871.6	8.5	-0.2	225.3
253.1	18880.9		J	-1871.6	8.5	1.0	225.3
421.6	17506.3						
		Min	I	-2132.8	-5.0	-1.5	-88.5
-282.7	3334.6		J	-2132.8	-5.0	-0.3	-88.5
-94.1	1919.5						
		62 C1-C2;~1 Max	I	44.0	16.3	0.6	133.3
5524	2		J	44.0	16.3	0.6	133.3
273.6	4611.9						
		Min	I	-187.4	-8.0	-0.7	-186.8
289.6	9640.0		J	-187.4	-8.0	-0.7	-186.8
-230.8	-10418.9						
-198.0	-20287.1						
		C3-C4;~1 Max	I	50.4	16.6	0.6	121.4
279.7	1798.6		J	50.4	16.6	0.6	121.4
332.0	2467.3						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-251.1	-10639.7		Min	I	-178.1	-2.8	-0.7	-181.9
				J	-178.1	-2.8	-0.7	-181.9
-183.2	-20130.2							
		C1-C2;~2	Max	I	23.8	10.8	0.4	89.7
171.8	2893.0			J	23.8	10.8	0.4	89.7
180.7	5912.0							
			Min	I	-112.2	-4.8	-0.4	-125.8
-138.5	-7161.9			J	-112.2	-4.8	-0.4	-125.8
-124.8	-13614.9							
		C3-C4;~2	Max	I	26.8	11.3	0.4	79.1
179.9	1000.1			J	26.8	11.3	0.4	79.1
213.0	1170.1							
			Min	I	-105.8	-1.4	-0.5	-122.6
-154.1	-7422.6			J	-105.8	-1.4	-0.5	-122.6
-117.0	-13832.8							
			G1	I	-119.1	-0.5	-0.8	-0.7
-112.6	113.7			J	-119.1	-0.5	0.4	-0.7
25.6	510.8							
			G2	I	-45.5	-1.7	-0.1	5.9
-12.2	728.6			J	-45.5	-1.7	-0.1	5.9
38.3	2087.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.2	-0.1	-0.0	0.3
-1.7	-133.5			J	7.2	-0.1	-0.0	0.3
0.4	-22.5							
			Q5_pc Y	I	-24.5	0.6	-0.0	-1.7
0.8	281.4			J	-24.5	0.6	-0.0	-1.7
1.2	-168.5							
			Q5_ps X	I	6.8	-0.2	-0.0	0.5
-1.5	-93.8			J	6.8	-0.2	-0.0	0.5
0.3	68.0							
			Q5_ps Y	I	-23.7	0.9	0.0	-2.8
1.5	108.8			J	-23.7	0.9	0.0	-2.8
0.6	-586.5							
			INVSLU Max	I	-2471.6	32.6	-0.1	673.6
374.3	22759.2			J	-2471.6	32.6	1.5	673.6
529.4	21737.3							
			Min	I	-2836.6	-1.5	-1.9	238.5
-345.3	1663.1			J	-2836.6	-1.5	-0.3	238.5
-188.3	-18967.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


278.3	17510.1	INVSLE	Max	I	-1915.3	24.3	-0.1	506.3
				J	-1915.3	24.3	1.1	506.3
396.5	16665.0		Min	I	-2182.5	-1.0	-1.4	184.3
-254.5	1920.9			J	-2182.5	-1.0	-0.2	184.3
-135.0	-13464.2							
5525	2	62 C1-C2;~1	Max	I	43.5	40.2	0.7	186.7
333.2	9638.7			J	43.5	40.2	0.7	186.7
244.7	38137.5		Min	I	-193.8	-73.6	-0.6	-371.7
-199.5	-20282.8			J	-193.8	-73.6	-0.6	-371.7
-253.9	-22151.1							
		C3-C4;~1	Max	I	49.8	11.3	0.9	46.3
381.7	2467.4			J	49.8	11.3	0.9	46.3
186.2	35379.7		Min	I	-191.3	-69.2	-0.4	-362.5
-154.4	-20126.1			J	-191.3	-69.2	-0.4	-362.5
-301.0	-6603.6							
		C1-C2;~2	Max	I	23.6	23.9	0.5	114.5
211.2	5911.2			J	23.6	23.9	0.5	114.5
149.3	24211.6		Min	I	-116.4	-47.6	-0.3	-246.6
-116.8	-13612.1			J	-116.4	-47.6	-0.3	-246.6
-160.8	-12967.4							
		C3-C4;~2	Max	I	26.5	5.2	0.6	21.8
248.1	1170.2			J	26.5	5.2	0.6	21.8
109.4	22948.4		Min	I	-114.2	-46.0	-0.2	-246.3
-85.7	-13830.0			J	-114.2	-46.0	-0.2	-246.3
-196.4	-3039.1							
		G1		I	-124.7	2.9	-0.7	5.0
-79.3	511.3			J	-124.7	2.9	0.5	5.0
-11.8	-1803.9							
		G2		I	-46.3	10.0	-0.1	39.5
-9.3	2086.9			J	-46.3	10.0	-0.1	39.5
36.1	-5819.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.3	0.8	-0.0	3.1
-2.3	-22.6			J	7.3	0.8	-0.0	3.1
1.1	-671.5							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.5	-168.3	Q5_pc	Y	I	-25.3	-3.4	0.0	-12.9
				J	-25.3	-3.4	0.0	-12.9
-2.1	2501.0							
-2.4	67.9	Q5_ps	X	I	7.0	1.2	-0.0	4.5
				J	7.0	1.2	-0.0	4.5
1.4	-883.0							
6.1	-586.3	Q5_ps	Y	I	-24.7	-5.2	0.0	-20.2
				J	-24.7	-5.2	0.0	-20.2
-4.9	3556.8							
567.7	21725.7	INVSLU	Max	I	-2518.6	131.3	0.4	1047.3
				J	-2518.6	131.3	2.0	1047.3
364.7	3860.2							
			Min	I	-2893.1	-28.4	-1.5	270.2
-223.1	-18971.3			J	-2893.1	-28.4	0.1	270.2
-375.7	-82031.2							
427.7	16656.0	INVSLE	Max	I	-1951.1	101.1	0.3	789.6
				J	-1951.1	101.1	1.5	789.6
266.4	17.2							
			Min	I	-2225.1	-16.7	-1.1	215.7
-157.7	-13467.5			J	-2225.1	-16.7	0.1	215.7
-281.8	-63272.7							
5526	2	62 C1-C2;~1	Max	I	42.1	73.7	0.5	370.9
243.9	38142.1			J	42.1	73.7	0.5	370.9
316.0	9618.9							
			Min	I	-194.3	-40.1	-0.7	-190.9
-259.0	-22098.2			J	-194.3	-40.1	-0.7	-190.9
-175.5	-20278.2							
168.3	35390.1	C3-C4;~1	Max	I	48.2	69.3	0.4	362.4
				J	48.2	69.3	0.4	362.4
383.7	2416.6							
			Min	I	-191.0	-11.1	-0.9	-56.2
-324.9	-6559.4			J	-191.0	-11.1	-0.9	-56.2
-109.9	-20130.5							
151.1	24216.5	C1-C2;~2	Max	I	22.8	47.7	0.3	245.5
				J	22.8	47.7	0.3	245.5
202.6	5897.8							
			Min	I	-116.7	-23.8	-0.5	-116.9
-161.3	-12936.2			J	-116.7	-23.8	-0.5	-116.9
-108.9	-13609.3							
100.8	22959.5	C3-C4;~2	Max	I	25.6	46.0	0.2	244.8
				J	25.6	46.0	0.2	244.8
251.7	1133.6							
			Min	I	-114.0	-5.1	-0.6	-27.9
-208.6	-3013.4							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-65.1	-13834.3		J	-114.0	-5.1	-0.6	-27.9
		G1	I	-126.5	-2.9	-0.7	-9.8
-95.0	-1771.8		J	-126.5	-2.9	0.5	-9.8
4.4	510.1						
		G2	I	-47.3	-10.0	-0.0	-40.6
2.9	-5807.2		J	-47.3	-10.0	-0.0	-40.6
23.8	2083.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.4	-0.8	-0.0	-3.5
-1.2	-671.7		J	7.4	-0.8	-0.0	-3.5
0.1	-16.8						
		Q5_pc Y	I	-25.7	3.4	-0.0	14.2
-2.8	2499.4		J	-25.7	3.4	-0.0	14.2
4.2	-170.4						
		Q5_ps X	I	7.0	-1.2	-0.0	-5.1
-0.7	-883.1		J	7.0	-1.2	-0.0	-5.1
-0.3	74.0						
		Q5_ps Y	I	-25.0	5.2	-0.0	22.0
-3.2	3555.2		J	-25.0	5.2	-0.0	22.0
4.5	-588.6						
		INVSLE Max	I	-2553.6	32.0	-0.4	-134.5
253.1	3826.0		J	-2553.6	32.0	1.2	-134.5
662.9	18873.6						
		Min	I	-2927.2	-127.6	-2.3	-918.6
-519.7	-81997.4		J	-2927.2	-127.6	-0.7	-918.6
-99.6	-21794.1						
		INVSLE Max	I	-1977.5	19.3	-0.3	-114.5
180.5	-12.1		J	-1977.5	19.3	0.9	-114.5
501.4	14549.0						
		Min	I	-2250.8	-98.5	-1.7	-693.3
-391.6	-63251.7		J	-2250.8	-98.5	-0.5	-693.3
-62.8	-15552.5						
		62 C1-C2;~1 Max	I	39.3	8.0	0.6	182.8
5527	2		J	39.3	8.0	0.6	182.8
296.6	9620.0						
		Min	I	-187.0	-16.2	-0.6	-140.3
258.2	4634.4		J	-187.0	-16.2	-0.6	-140.3
-208.8	-20282.7						
-214.6	-10400.8						
		C3-C4;~1 Max	I	45.0	2.8	0.7	178.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
319.3	2416.2			J	45.0	2.8	0.7	178.7
285.5	1782.1							
		Min		I	-175.9	-16.6	-0.6	-127.6
-214.7	-20134.9							
				J	-175.9	-16.6	-0.6	-127.6
-214.4	-10633.2							
		C1-C2;~2	Max	I	21.3	4.8	0.4	122.9
185.4	5898.5							
				J	21.3	4.8	0.4	122.9
162.7	2910.4							
		Min		I	-112.0	-10.8	-0.4	-93.7
-127.1	-13612.2							
				J	-112.0	-10.8	-0.4	-93.7
-134.2	-7148.8							
		C3-C4;~2	Max	I	23.9	1.4	0.4	119.6
205.4	1133.3							
				J	23.9	1.4	0.4	119.6
184.4	989.8							
		Min		I	-104.2	-11.3	-0.4	-83.3
-132.4	-13837.3							
				J	-104.2	-11.3	-0.4	-83.3
-137.2	-7418.0							
		G1		I	-124.8	0.5	-0.6	-4.0
-56.4	509.3							
				J	-124.8	0.5	0.6	-4.0
-29.4	110.0							
		G2		I	-47.9	1.7	-0.0	-6.9
5.9	2083.2							
				J	-47.9	1.7	-0.0	-6.9
20.6	721.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.3	0.1	-0.0	-0.7
-1.9	-16.7							
				J	7.3	0.1	-0.0	-0.7
0.7	-121.9							
		Q5_pc	Y	I	-25.7	-0.6	-0.0	2.9
0.6	-170.5							
				J	-25.7	-0.6	-0.0	2.9
1.5	274.6							
		Q5_ps	X	I	6.9	0.2	-0.0	-1.1
-1.9	74.0							
				J	6.9	0.2	-0.0	-1.1
0.7	-81.3							
		Q5_ps	Y	I	-24.8	-0.9	0.0	4.5
2.3	-588.9							
				J	-24.8	-0.9	0.0	4.5
-0.1	101.6							
		INVSLU	Max	I	-2575.7	4.0	0.0	-143.0
448.1	18883.4							
				J	-2575.7	4.0	1.6	-143.0
464.3	18058.7							
		Min		I	-2935.1	-30.2	-1.7	-584.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-276.3	-21792.1		J	-2935.1	-30.2	-0.1	-584.4
-213.6	-3047.0						
		INVSLE Max	I	-1993.7	2.8	0.0	-112.9
333.1	14556.7		J	-1993.7	2.8	1.2	-112.9
348.4	14035.3	Min	I	-2256.5	-22.5	-1.3	-439.4
-203.2	-15550.6		J	-2256.5	-22.5	-0.1	-439.4
-153.5	-1561.9						
5528	2	62 C1-C2;~1 Max	I	35.6	6.7	0.7	154.9
317.9	4633.2		J	35.6	6.7	0.7	154.9
240.1	4579.1	Min	I	-180.6	-6.6	-0.5	-159.9
-187.4	-10399.2		J	-180.6	-6.6	-0.5	-159.9
-237.2	-10442.9						
		C3-C4;~1 Max	I	40.8	6.7	0.7	147.8
328.0	1782.0		J	40.8	6.7	0.7	147.8
276.2	1763.6	Min	I	-171.2	-6.6	-0.6	-151.7
-204.8	-10632.0		J	-171.2	-6.6	-0.6	-151.7
-227.9	-10673.8						
		C1-C2;~2 Max	I	19.3	4.6	0.4	104.3
198.4	2909.7		J	19.3	4.6	0.4	104.3
151.0	2871.6	Min	I	-108.4	-4.5	-0.3	-107.0
-113.1	-7147.7		J	-108.4	-4.5	-0.3	-107.0
-148.3	-7173.5						
		C3-C4;~2 Max	I	21.7	4.6	0.4	97.7
209.8	989.8		J	21.7	4.6	0.4	97.7
178.8	976.4	Min	I	-101.9	-4.5	-0.4	-100.9
-126.5	-7417.1		J	-101.9	-4.5	-0.4	-100.9
-145.0	-7442.5						
		G1	I	-122.6	0.0	-0.6	-2.6
-35.7	109.5		J	-122.6	0.0	0.6	-2.6
-49.2	80.0						
		G2	I	-47.0	0.0	0.0	-0.5
15.6	720.7		J	-47.0	0.0	0.0	-0.5
11.8	695.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	-0.0	-0.0	-0.1
-1.9	-121.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.7	-116.0		J	7.2	-0.0	-0.0	-0.1
0.7	274.8	Q5_pc Y	I	-25.8	0.0	-0.0	0.6
1.3	259.8		J	-25.8	0.0	-0.0	0.6
-2.0	-81.3	Q5_ps X	I	6.8	-0.0	-0.0	-0.2
0.8	-73.7		J	6.8	-0.0	-0.0	-0.2
2.6	101.8	Q5_ps Y	I	-24.9	0.0	0.0	0.9
-0.5	86.3		J	-24.9	0.0	0.0	0.9
474.6	18053.8	INVS LU Max	I	-2593.7	6.7	0.1	132.9
443.1	19896.8		J	-2593.7	6.7	1.7	132.9
-248.1	-3048.8	Min	I	-2939.0	-11.4	-1.7	-293.2
-252.2	-1162.2		J	-2939.0	-11.4	-0.1	-293.2
352.4	14031.5	INVS LE Max	I	-2007.3	4.9	0.1	98.4
332.9	15414.7		J	-2007.3	4.9	1.3	98.4
-182.7	-1563.5	Min	I	-2259.7	-8.5	-1.2	-217.2
-182.0	-149.9		J	-2259.7	-8.5	-0.1	-217.2
5529	2	62 C1-C2;~1 Max	I	33.0	16.2	0.8	134.6
337.7	4579.6		J	33.0	16.2	0.8	134.6
221.6	9419.4	Min	I	-180.2	-7.8	-0.5	-187.9
-168.7	-10445.4		J	-180.2	-7.8	-0.5	-187.9
-261.5	-20279.8						
337.5	1763.4	C3-C4;~1 Max	I	37.8	16.6	0.7	123.0
269.6	2311.6		J	37.8	16.6	0.7	123.0
-194.6	-10676.1	Min	I	-170.4	-2.7	-0.6	-183.0
-239.4	-20150.0		J	-170.4	-2.7	-0.6	-183.0
210.6	2871.9	C1-C2;~2 Max	I	17.9	10.9	0.5	90.6
139.1	5797.4		J	17.9	10.9	0.5	90.6
-101.0	-7175.2	Min	I	-108.6	-4.7	-0.3	-125.9
-163.6	-13628.0		J	-108.6	-4.7	-0.3	-125.9
214.8	976.2	C3-C4;~2 Max	I	20.1	11.3	0.5	79.8
			J	20.1	11.3	0.5	79.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
175.2	1091.4		Min	I	-101.8	-1.4	-0.4	-123.1
-120.3	-7444.0			J	-101.8	-1.4	-0.4	-123.1
-151.3	-13870.2							
			G1	I	-121.7	-0.5	-0.5	-1.8
-15.5	79.8			J	-121.7	-0.5	0.7	-1.8
-69.6	464.3							
			G2	I	-46.6	-1.7	0.0	5.6
24.6	696.0			J	-46.6	-1.7	0.0	5.6
2.3	2004.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.1	-0.2	-0.0	0.5
-1.9	-116.0			J	7.1	-0.2	-0.0	0.5
0.8	5.9							
			Q5_pc Y	I	-25.8	0.6	-0.0	-1.8
0.9	259.7			J	-25.8	0.6	-0.0	-1.8
1.2	-242.0							
			Q5_ps X	I	6.7	-0.2	-0.0	0.6
-2.0	-73.7			J	6.7	-0.2	-0.0	0.6
0.9	105.2							
			Q5_ps Y	I	-24.9	0.9	0.0	-2.7
2.9	86.2			J	-24.9	0.9	0.0	-2.7
-0.7	-661.8							
			INVSLE Max	I	-2602.2	27.8	0.2	514.4
501.8	19903.0			J	-2602.2	27.8	1.8	514.4
418.4	22648.6							
			Min	I	-2942.8	-6.3	-1.6	75.7
-220.3	-1159.6			J	-2942.8	-6.3	-0.0	75.7
-300.6	-17881.0							
			INVSLE Max	I	-2014.1	20.6	0.2	387.7
372.3	15419.5			J	-2014.1	20.6	1.3	387.7
315.0	17384.6							
			Min	I	-2263.0	-4.5	-1.2	63.0
-162.3	-147.7			J	-2263.0	-4.5	-0.0	63.0
-217.5	-12605.0							
			62 C1-C2;~1 Max	I	31.6	39.1	0.9	190.0
5530	2			J	31.6	39.1	0.9	190.0
399.2	9418.9							
			Min	I	-180.5	-73.5	-0.4	-376.0
181.1	38019.3			J	-180.5	-73.5	-0.4	-376.0
-144.8	-20275.0							


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
								PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-321.1	-21514.5							
439.8	2312.4	C3-C4;~1	Max	I	36.2	10.5	1.0	47.6
129.6	35369.5			J	36.2	10.5	1.0	47.6
-110.8	-20145.3		Min	I	-177.8	-69.3	-0.3	-365.4
-360.1	-6163.7			J	-177.8	-69.3	-0.3	-365.4
250.5	5797.1	C1-C2;~2	Max	I	17.1	23.3	0.6	116.4
110.1	24187.9			J	17.1	23.3	0.6	116.4
-83.8	-13625.0		Min	I	-109.2	-47.6	-0.2	-249.1
-201.5	-12657.6			J	-109.2	-47.6	-0.2	-249.1
282.3	1092.0	C3-C4;~2	Max	I	19.2	4.8	0.7	22.6
74.7	23039.3			J	19.2	4.8	0.7	22.6
-60.4	-13867.0		Min	I	-106.8	-46.2	-0.2	-248.2
-231.7	-2834.8			J	-106.8	-46.2	-0.2	-248.2
16.9	465.7		G1	I	-122.1	2.6	-0.4	2.9
-107.5	-1579.0			J	-122.1	2.6	0.8	2.9
27.9	2004.6		G2	I	-45.4	9.6	0.0	37.8
-1.0	-5573.8			J	-45.4	9.6	0.0	37.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-2.6	5.8		Q5_pc X	I	7.1	0.9	-0.0	3.5
1.6	-693.7			J	7.1	0.9	-0.0	3.5
3.5	-241.8		Q5_pc Y	I	-25.8	-3.7	0.0	-14.2
-2.0	2694.6			J	-25.8	-3.7	0.0	-14.2
-3.0	105.0		Q5_ps X	I	6.7	1.3	-0.0	5.0
2.2	-933.1			J	6.7	1.3	-0.0	5.0
7.2	-661.5		Q5_ps Y	I	-25.1	-5.6	0.0	-21.3
-6.0	3750.2			J	-25.1	-5.6	0.0	-21.3
706.7	22636.4		INVSLU Max	I	-2590.8	130.4	0.8	1040.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
190.0	4817.5		J	-2590.8	130.4	2.4	1040.2
		Min	I	-2929.9	-28.2	-1.1	250.6
-88.7	-17885.8		J	-2929.9	-28.2	0.5	250.6
-544.2	-80403.4						
		INVSLE Max	I	-2006.4	100.5	0.6	784.0
530.1	17375.0		J	-2006.4	100.5	1.8	784.0
137.6	685.3	Min	I	-2254.1	-16.5	-0.8	201.0
-58.6	-12609.2		J	-2254.1	-16.5	0.3	201.0
-406.0	-62082.0						
5531	2	62 C1-C2;~1 Max	I	30.3	73.5	0.7	369.6
305.4	37996.6		J	30.3	73.5	0.7	369.6
253.3	9385.3	Min	I	-178.2	-39.0	-0.6	-183.3
-204.1	-21519.3		J	-178.2	-39.0	-0.6	-183.3
-238.5	-20304.8						
		C3-C4;~1 Max	I	34.7	69.4	0.5	363.9
217.0	35334.1		J	34.7	69.4	0.5	363.9
326.0	2259.9	Min	I	-176.0	-10.5	-0.8	-53.1
-275.9	-6160.1		J	-176.0	-10.5	-0.8	-53.1
-159.6	-20171.9						
		C1-C2;~2 Max	I	16.4	47.6	0.4	245.1
187.9	24174.2		J	16.4	47.6	0.4	245.1
164.1	5769.9	Min	I	-108.0	-23.3	-0.4	-112.6
-128.1	-12659.1		J	-108.0	-23.3	-0.4	-112.6
-147.0	-13644.2						
		C3-C4;~2 Max	I	18.4	46.2	0.3	246.1
129.5	23015.9		J	18.4	46.2	0.3	246.1
216.7	1050.5	Min	I	-106.0	-4.8	-0.5	-26.3
-179.6	-2831.6		J	-106.0	-4.8	-0.5	-26.3
-94.8	-13882.9						
		G1	I	-120.3	-2.6	-0.5	-9.7
-5.9	-1599.3		J	-120.3	-2.6	0.7	-9.7
-86.2	475.4						
		G2	I	-44.7	-9.6	0.1	-39.2
37.1	-5581.6		J	-44.7	-9.6	0.1	-39.2
-10.7	2006.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.3	-693.7	Q5_pc X	I	6.9	-0.9	-0.0	-3.7
0.3	18.5		J	6.9	-0.9	-0.0	-3.7
-1.6	2694.3	Q5_pc Y	I	-25.2	3.8	-0.0	15.7
3.1	-269.9		J	-25.2	3.8	-0.0	15.7
-1.0	-933.0	Q5_ps X	I	6.6	-1.3	-0.0	-5.6
0.2	118.2		J	6.6	-1.3	-0.0	-5.6
-1.0	3749.4	Q5_ps Y	I	-24.6	5.6	-0.0	23.7
2.3	-689.9		J	-24.6	5.6	-0.0	23.7
421.2	4820.9	INVS LU Max	I	-2562.5	24.1	0.0	-372.1
526.4	25973.7		J	-2562.5	24.1	1.6	-372.1
-366.5	-80375.4	Min	I	-2895.3	-134.5	-1.9	-1146.7
-241.3	-14593.9		J	-2895.3	-134.5	-0.3	-1146.7
305.2	690.3	INVS LE Max	I	-1985.7	13.4	0.0	-291.2
400.1	19846.0		J	-1985.7	13.4	1.2	-291.2
-278.0	-62058.9	Min	I	-2228.8	-103.6	-1.5	-862.9
-168.1	-10168.0		J	-2228.8	-103.6	-0.3	-862.9
5532	2	62 C1-C2;~1 Max	I	28.5	7.9	0.8	183.7
363.6	9386.6		J	28.5	7.9	0.8	183.7
197.0	4541.8	Min	I	-170.7	-16.2	-0.4	-141.4
-153.7	-20309.4		J	-170.7	-16.2	-0.4	-141.4
-290.3	-10465.7						
372.9	2259.5	C3-C4;~1 Max	I	32.6	2.8	0.8	180.6
225.3	1733.0		J	32.6	2.8	0.8	180.6
-167.4	-20176.4	Min	I	-160.5	-16.6	-0.5	-128.3
-277.6	-10688.0		J	-160.5	-16.6	-0.5	-128.3
225.4	5770.7	C1-C2;~2 Max	I	15.4	4.7	0.5	123.7
124.5	2856.5		J	15.4	4.7	0.5	123.7
-93.3	-13647.3	Min	I	-103.2	-10.9	-0.3	-93.8
-180.0	-7195.2		J	-103.2	-10.9	-0.3	-93.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
236.7	1050.2	C3-C4;~2 Max	I	17.3	1.4	0.5	120.7
			J	17.3	1.4	0.5	120.7
146.5	965.5						
		Min	I	-96.0	-11.3	-0.3	-83.7
-103.8	-13885.9		J	-96.0	-11.3	-0.3	-83.7
-175.1	-7456.4						
		G1	I	-116.5	0.5	-0.4	-5.0
34.2	474.8		J	-116.5	0.5	0.8	-5.0
-124.6	56.6						
		G2	I	-44.6	1.7	0.1	-7.0
41.3	2006.7		J	-44.6	1.7	0.1	-7.0
-16.3	680.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	6.6	0.1	-0.0	-0.7
-2.1	18.5		J	6.6	0.1	-0.0	-0.7
1.1	-90.7						
		Q5_pc Y	I	-24.3	-0.6	0.0	3.2
1.8	-270.0		J	-24.3	-0.6	0.0	3.2
0.3	205.2						
		Q5_ps X	I	6.3	0.2	-0.0	-1.2
-2.4	118.2		J	6.3	0.2	-0.0	-1.2
1.4	-47.4						
		Q5_ps Y	I	-23.5	-0.9	0.0	4.9
4.7	-690.1		J	-23.5	-0.9	0.0	4.9
-2.5	31.9						
		INVS LU Max	I	-2514.7	3.1	0.4	-183.5
557.8	25987.7		J	-2514.7	3.1	2.0	-183.5
321.7	25774.1						
		Min	I	-2832.9	-31.1	-1.4	-628.0
-175.4	-14587.9		J	-2832.9	-31.1	0.2	-628.0
-376.2	4844.5						
		INVS LE Max	I	-1949.6	2.1	0.3	-143.1
414.4	19856.9		J	-1949.6	2.1	1.5	-143.1
242.7	19782.3						
		Min	I	-2182.0	-23.1	-1.1	-471.9
-128.5	-10163.2		J	-2182.0	-23.1	0.1	-471.9
-274.2	4306.3						
5533	2	62 C1-C2;~1 Max	I	25.7	6.6	0.8	155.2
364.8	4534.8		J	25.7	6.6	0.8	155.2
165.6	4470.2						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-121.8	-10467.0		Min	I	-163.9	-6.6	-0.4	-162.0
				J	-163.9	-6.6	-0.4	-162.0
-294.4	-10449.1							
		C3-C4;~1	Max	I	29.4	6.7	0.8	148.9
363.5	1730.8			J	29.4	6.7	0.8	148.9
205.6	1700.3							
			Min	I	-154.3	-6.7	-0.4	-153.6
-150.7	-10691.0			J	-154.3	-6.7	-0.4	-153.6
-276.2	-10701.7							
		C1-C2;~2	Max	I	13.9	4.6	0.5	104.5
225.6	2851.9			J	13.9	4.6	0.5	104.5
104.0	2817.8							
			Min	I	-99.3	-4.5	-0.2	-107.7
-72.4	-7195.5			J	-99.3	-4.5	-0.2	-107.7
-182.3	-7188.0							
		C3-C4;~2	Max	I	15.6	4.6	0.5	98.2
229.6	964.2			J	15.6	4.6	0.5	98.2
134.2	949.9							
			Min	I	-92.7	-4.5	-0.3	-101.9
-93.9	-7458.1			J	-92.7	-4.5	-0.3	-101.9
-173.5	-7467.1							
		G1		I	-112.2	0.0	-0.4	-4.6
49.0	50.1			J	-112.2	0.0	0.8	-4.6
-141.5	17.1							
		G2		I	-42.9	0.0	0.1	-1.1
48.8	677.0			J	-42.9	0.0	0.1	-1.1
-24.2	652.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	6.4	-0.0	-0.0	-0.1
-2.0	-90.7			J	6.4	-0.0	-0.0	-0.1
1.0	-78.5							
		Q5_pc	Y	I	-23.6	0.0	0.0	0.5
1.5	205.6			J	-23.6	0.0	0.0	0.5
0.5	173.3							
		Q5_ps	X	I	6.1	-0.0	-0.0	-0.2
-2.3	-47.5			J	6.1	-0.0	-0.0	-0.2
1.4	-34.2							
		Q5_ps	Y	I	-22.8	0.0	0.0	1.1
4.4	32.4			J	-22.8	0.0	0.0	1.1
-2.4	2.2							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

566.8	25767.1	INVS LU Max	I	-2437.2	10.2	0.4	226.7
			J	-2437.2	10.2	2.0	226.7
294.9	24782.0	Min	I	-2740.4	-7.9	-1.3	-202.4
-132.7	4842.1		J	-2740.4	-7.9	0.3	-202.4
-381.9	3987.9						
		INVS LE Max	I	-1890.7	7.5	0.3	167.9
421.2	19777.6		J	-1890.7	7.5	1.5	167.9
223.1	19057.4	Min	I	-2112.2	-5.9	-1.0	-149.9
-96.7	4305.1		J	-2112.2	-5.9	0.2	-149.9
-278.1	3677.5						
5534	2	62 C1-C2;~1 Max	I	23.4	16.1	0.9	144.6
383.7	4472.8		J	23.4	16.1	0.9	144.6
150.2	9220.6	Min	I	-160.7	-7.6	-0.3	-191.2
-110.7	-10451.4		J	-160.7	-7.6	-0.3	-191.2
-319.0	-20176.8						
		C3-C4;~1 Max	I	26.8	16.6	0.8	123.3
369.0	1700.9		J	26.8	16.6	0.8	123.3
202.9	2211.9	Min	I	-150.6	-2.7	-0.4	-185.6
-147.3	-10703.4		J	-150.6	-2.7	-0.4	-185.6
-285.1	-20156.1						
		C1-C2;~2 Max	I	12.7	10.8	0.5	90.5
236.5	2819.5		J	12.7	10.8	0.5	90.5
93.8	5709.0	Min	I	-97.8	-4.6	-0.2	-127.4
-65.0	-7189.6		J	-97.8	-4.6	-0.2	-127.4
-197.2	-13592.1						
		C3-C4;~2 Max	I	14.2	11.3	0.5	79.8
231.2	950.3		J	14.2	11.3	0.5	79.8
132.9	1051.5	Min	I	-90.7	-1.4	-0.3	-124.6
-91.9	-7468.3		J	-90.7	-1.4	-0.3	-124.6
-177.4	-13887.9						
		G1	I	-109.3	-0.5	-0.3	-4.6
67.0	18.6		J	-109.3	-0.5	0.9	-4.6
-162.3	406.0						
		G2	I	-41.8	-1.6	0.1	4.5
56.9	654.0		J	-41.8	-1.6	0.1	4.5
-33.8	1924.2						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.1	-78.5	Q5_pc X	I	6.2	-0.2	-0.0	0.6
1.1	61.7		J	6.2	-0.2	-0.0	0.6
1.8	173.2	Q5_pc Y	I	-22.9	0.7	0.0	-2.2
0.1	-385.4		J	-22.9	0.7	0.0	-2.2
-2.4	-34.2	Q5_ps X	I	5.9	-0.3	-0.0	0.8
1.5	166.5		J	5.9	-0.3	-0.0	0.8
4.9	1.9	Q5_ps Y	I	-22.2	1.0	0.0	-2.9
-3.0	-796.1		J	-22.2	1.0	0.0	-2.9
607.9	24791.1	INVS LU Max	I	-2377.1	32.5	0.5	617.7
276.9	23945.7		J	-2377.1	32.5	2.1	617.7
-112.6	3991.4	Min	I	-2671.3	-1.5	-1.3	160.4
-429.6	-16434.5		J	-2671.3	-1.5	0.3	160.4
451.4	19064.3	INVS LE Max	I	-1845.8	24.1	0.4	464.5
210.3	18356.3		J	-1845.8	24.1	1.6	464.5
-82.0	3680.3	Min	I	-2060.7	-1.0	-1.0	126.0
-312.8	-11503.6		J	-2060.7	-1.0	0.2	126.0
5535	2	62 C1-C2;~1 Max	I	22.1	37.8	1.0	190.7
443.6	9218.5		J	22.1	37.8	1.0	190.7
117.0	37553.8	Min	I	-157.1	-72.7	-0.3	-379.3
-100.5	-20170.3		J	-157.1	-72.7	-0.3	-379.3
-381.2	-20705.7						
472.7	2212.1	C3-C4;~1 Max	I	25.2	9.9	1.1	44.8
87.5	34958.5		J	25.2	9.9	1.1	44.8
-79.2	-20149.9	Min	I	-153.3	-69.3	-0.2	-368.3
-407.6	-5792.7		J	-153.3	-69.3	-0.2	-368.3
274.3	5707.7	C1-C2;~2 Max	I	12.0	22.7	0.6	117.0
69.0	24023.3		J	12.0	22.7	0.6	117.0
-57.0	-13587.9	Min	I	-95.9	-47.4	-0.2	-251.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-236.0	-12253.3		J	-95.9	-47.4	-0.2	-251.0
298.5	1051.8	C3-C4;~2 Max	I	13.4	4.6	0.7	20.6
49.2	22938.1		J	13.4	4.6	0.7	20.6
-40.8	-13883.7	Min	I	-92.7	-46.3	-0.1	-249.9
-257.8	-2670.2		J	-92.7	-46.3	-0.1	-249.9
100.1	406.8	G1	I	-106.9	2.4	-0.2	-0.1
-201.8	-1455.8		J	-106.9	2.4	1.0	-0.1
60.8	1923.9	G2	I	-39.6	9.2	0.1	35.7
-38.3	-5344.7		J	-39.6	9.2	0.1	35.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.8	61.6	Q5_pc X	I	5.9	1.0	-0.0	4.0
2.0	-715.9		J	5.9	1.0	-0.0	4.0
4.3	-385.0	Q5_pc Y	I	-22.0	-4.0	0.0	-15.8
-2.9	2774.6		J	-22.0	-4.0	0.0	-15.8
-3.5	166.4	Q5_ps X	I	5.7	1.4	-0.0	5.7
2.8	-973.6		J	5.7	1.4	-0.0	5.7
9.0	-795.5	Q5_ps Y	I	-21.5	-5.8	0.0	-22.6
-7.9	3808.6		J	-21.5	-5.8	0.0	-22.6
785.1	23928.7	INVS LU Max	I	-2299.8	133.6	1.1	1062.6
17.7	2017.3		J	-2299.8	133.6	2.7	1062.6
3.5	-16439.2	Min	I	-2585.5	-22.9	-0.8	264.8
-695.7	-81627.4		J	-2585.5	-22.9	0.8	264.8
587.6	18342.9	INVS LE Max	I	-1788.7	103.1	0.8	801.0
11.1	-1510.4		J	-1788.7	103.1	2.0	801.0
9.2	-11507.8	Min	I	-1997.4	-12.3	-0.6	212.1
-517.0	-63099.5		J	-1997.4	-12.3	0.6	212.1
5536	2	62 C1-C2;~1 Max	I	20.4	72.8	0.9	363.6


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
381.6	37560.6		J	20.4	72.8	0.9	363.6
159.7	9102.7						
		Min	I	-149.0	-37.3	-0.4	-174.8
-131.8	-20660.1		J	-149.0	-37.3	-0.4	-174.8
-324.7	-20197.9						
		C3-C4;~1 Max	I	23.4	69.6	0.7	363.0
282.4	34968.5		J	23.4	69.6	0.7	363.0
239.4	2080.1						
		Min	I	-145.5	-9.8	-0.6	-53.4
-206.2	-5749.6		J	-145.5	-9.8	-0.6	-53.4
-233.8	-20202.2						
		C1-C2;~2 Max	I	11.1	47.4	0.5	242.6
232.4	24028.0		J	11.1	47.4	0.5	242.6
102.3	5624.9						
		Min	I	-91.1	-22.4	-0.2	-107.6
-81.1	-12225.4		J	-91.1	-22.4	-0.2	-107.6
-198.3	-13600.4						
		C3-C4;~2 Max	I	12.4	46.5	0.4	246.3
167.7	22946.2		J	12.4	46.5	0.4	246.3
160.0	957.3						
		Min	I	-88.2	-4.5	-0.4	-27.0
-134.7	-2644.6		J	-88.2	-4.5	-0.4	-27.0
-138.7	-13915.9						
		G1	I	-100.9	-2.3	-0.2	-12.0
95.0	-1414.8		J	-100.9	-2.3	1.0	-12.0
-200.2	406.5						
		G2	I	-37.4	-9.2	0.2	-38.5
75.4	-5329.1		J	-37.4	-9.2	0.2	-38.5
-54.2	1921.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.5	-1.0	-0.0	-4.0
-1.6	-716.4		J	5.5	-1.0	-0.0	-4.0
0.8	82.7						
		Q5_pc Y	I	-20.3	4.1	-0.0	16.4
0.1	2774.1		J	-20.3	4.1	-0.0	16.4
1.6	-445.3						
		Q5_ps X	I	5.3	-1.5	-0.0	-6.0
-1.6	-973.9		J	5.3	-1.5	-0.0	-6.0
1.0	188.0						
		Q5_ps Y	I	-19.8	5.9	0.0	24.3

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.0	3807.5			J	-19.8	5.9	0.0	24.3
-0.6	-856.2							
		INVS LU	Max	I	-2198.2	26.5	0.4	-160.8
567.3	2053.0			J	-2198.2	26.5	2.0	-160.8
352.2	21139.2		Min	I	-2467.4	-129.6	-1.5	-917.3
-229.0	-81538.3			J	-2467.4	-129.6	0.1	-917.3
-412.1	-19223.9							
		INVS LE	Max	I	-1713.0	14.9	0.3	-135.8
412.0	-1485.2			J	-1713.0	14.9	1.5	-135.8
273.5	16289.6		Min	I	-1909.7	-100.1	-1.2	-694.0
-177.7	-63034.8			J	-1909.7	-100.1	0.0	-694.0
-292.5	-13549.7							
5537	2	62 C1-C2;~1	Max	I	18.0	7.7	1.0	180.3
431.1	9104.1			J	18.0	7.7	1.0	180.3
109.0	4402.2		Min	I	-134.9	-16.1	-0.2	-142.5
-91.2	-20204.4			J	-134.9	-16.1	-0.2	-142.5
-369.9	-10477.9							
		C3-C4;~1	Max	I	20.5	2.6	1.0	178.6
425.4	2079.6			J	20.5	2.6	1.0	178.6
154.6	1433.9		Min	I	-124.8	-16.6	-0.3	-128.8
-121.0	-20208.5			J	-124.8	-16.6	-0.3	-128.8
-345.7	-10701.6							
		C1-C2;~2	Max	I	9.7	4.6	0.6	122.2
263.9	5625.8			J	9.7	4.6	0.6	122.2
66.4	2782.8		Min	I	-82.3	-10.8	-0.1	-93.9
-52.9	-13604.6			J	-82.3	-10.8	-0.1	-93.9
-226.7	-7220.4							
		C3-C4;~2	Max	I	10.9	1.3	0.6	119.8
265.3	956.9			J	10.9	1.3	0.6	119.8
100.7	776.1		Min	I	-75.2	-11.3	-0.2	-83.8
-75.0	-13920.2			J	-75.2	-11.3	-0.2	-83.8
-214.3	-7473.2							
		G1		I	-91.9	0.5	-0.1	-7.5
129.1	405.4			J	-91.9	0.5	1.1	-7.5
-234.7	39.4							
		G2		I	-35.1	1.6	0.2	-7.3
77.7	1922.0			J	-35.1	1.6	0.2	-7.3

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-58.6	656.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.0	0.2	-0.0	-0.6
-2.4	82.8		J	5.0	0.2	-0.0	-0.6
1.5	-37.1						
		Q5_pc Y	I	-18.5	-0.6	0.0	2.7
3.2	-445.5		J	-18.5	-0.6	0.0	2.7
-1.1	56.0						
		Q5_ps X	I	4.8	0.2	-0.0	-1.0
-3.0	188.1		J	4.8	0.2	-0.0	-1.0
2.1	8.2						
		Q5_ps Y	I	-17.9	-0.9	0.0	4.4
7.3	-856.5		J	-17.9	-0.9	0.0	4.4
-5.1	-114.8						
		INVS LU Max	I	-2093.8	3.4	0.7	-87.8
646.0	21156.4		J	-2093.8	3.4	2.3	-87.8
175.9	20462.0						
		Min	I	-2336.8	-30.6	-1.2	-528.5
-104.9	-19217.4		J	-2336.8	-30.6	0.4	-528.5
-535.0	-29.0						
		INVS LE Max	I	-1634.8	2.3	0.5	-73.0
477.8	16303.1		J	-1634.8	2.3	1.7	-73.0
137.1	15904.8						
		Min	I	-1812.3	-22.7	-0.9	-399.1
-78.1	-13544.1		J	-1812.3	-22.7	0.3	-399.1
-389.2	733.7						
		62 C1-C2;~1 Max	I	14.8	6.5	1.1	149.8
5538	2		J	14.8	6.5	1.1	149.8
455.5	4401.1						
		Min	I	-122.0	-6.6	-0.2	-164.5
88.6	4223.2		J	-122.0	-6.6	-0.2	-164.5
-74.4	-10475.2						
-399.9	-10279.9						
		C3-C4;~1 Max	I	16.9	6.6	1.0	143.7
436.3	1434.1		J	16.9	6.6	1.0	143.7
146.1	1555.9						
		Min	I	-112.8	-6.6	-0.3	-154.6
-114.4	-10699.2		J	-112.8	-6.6	-0.3	-154.6
-365.1	-10694.8						
		C1-C2;~2 Max	I	8.0	4.5	0.7	101.7
278.3	2782.1		J	8.0	4.5	0.7	101.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
52.2	2682.8		Min	I	-74.9	-4.5	-0.1	-108.9
-41.4	-7218.6			J	-74.9	-4.5	-0.1	-108.9
-244.9	-7105.1							
		C3-C4;~2	Max	I	9.0	4.5	0.6	95.2
270.5	776.3			J	9.0	4.5	0.6	95.2
95.1	881.6		Min	I	-68.4	-4.5	-0.2	-102.4
-70.9	-7471.5			J	-68.4	-4.5	-0.2	-102.4
-225.3	-7479.7							
		G1		I	-82.1	0.0	-0.1	-7.1
150.0	39.2			J	-82.1	0.0	1.1	-7.1
-258.8	26.9							
		G2		I	-31.2	0.0	0.2	-1.6
87.3	656.2			J	-31.2	0.0	0.2	-1.6
-69.0	623.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	4.7	-0.0	-0.0	0.2
-2.2	-37.1			J	4.7	-0.0	-0.0	0.2
1.5	-33.8							
		Q5_pc Y		I	-17.4	-0.0	0.0	-0.3
2.3	56.3			J	-17.4	-0.0	0.0	-0.3
-0.7	59.7							
		Q5_ps X		I	4.5	-0.0	-0.0	0.1
-2.9	8.1			J	4.5	-0.0	-0.0	0.1
2.2	9.9							
		Q5_ps Y		I	-16.9	-0.0	0.0	0.1
6.6	-114.4			J	-16.9	-0.0	0.0	0.1
-5.0	-100.4							
		INVS LU Max		I	-1994.2	6.7	0.8	176.9
689.5	20454.1			J	-1994.2	6.7	2.4	176.9
156.5	21992.0		Min	I	-2213.1	-11.2	-1.1	-248.0
-84.1	-32.6			J	-2213.1	-11.2	0.5	-248.0
-583.2	1745.2							
		INVS LE Max		I	-1560.3	4.9	0.6	130.1
509.3	15898.5			J	-1560.3	4.9	1.8	130.1
123.3	17080.6		Min	I	-1720.1	-8.3	-0.8	-184.6
-63.4	730.7			J	-1720.1	-8.3	0.4	-184.6


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-424.5	2090.9								
5539	2	62	C1-C2;~1	Max	I	12.3	14.9	1.1	139.4
476.3	4224.1				J	12.3	14.9	1.1	139.4
69.7	8267.1								
				Min	I	-112.8	-6.7	-0.2	-197.6
-60.5	-10282.8				J	-112.8	-6.7	-0.2	-197.6
-428.7	-19255.4								
			C3-C4;~1	Max	I	14.1	16.1	1.0	112.3
446.6	1555.7				J	14.1	16.1	1.0	112.3
138.8	1994.6								
				Min	I	-103.5	-2.4	-0.3	-187.3
-106.5	-10697.5				J	-103.5	-2.4	-0.3	-187.3
-381.0	-19912.4								
			C1-C2;~2	Max	I	6.7	10.1	0.7	88.7
290.6	2683.3				J	6.7	10.1	0.7	88.7
39.0	5154.6								
				Min	I	-69.8	-4.0	-0.1	-131.5
-32.0	-7107.1				J	-69.8	-4.0	-0.1	-131.5
-262.4	-13103.0								
			C3-C4;~2	Max	I	7.5	11.1	0.6	72.9
275.8	881.4				J	7.5	11.1	0.6	72.9
90.3	971.8								
				Min	I	-63.2	-1.3	-0.2	-125.5
-65.7	-7481.5				J	-63.2	-1.3	-0.2	-125.5
-234.0	-13796.3								
			G1		I	-73.1	-0.4	-0.0	-7.0
167.6	27.0				J	-73.1	-0.4	1.2	-7.0
-280.8	339.8								
			G2		I	-27.6	-1.4	0.2	3.9
95.1	623.6				J	-27.6	-1.4	0.2	3.9
-78.7	1748.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	4.3	-0.1	-0.0	1.0
-2.4	-33.8				J	4.3	-0.1	-0.0	1.0
1.8	73.0								
			Q5_pc	Y	I	-16.3	0.5	0.0	-3.3
3.1	59.6				J	-16.3	0.5	0.0	-3.3
-2.1	-345.8								
			Q5_ps	X	I	4.2	-0.2	-0.0	1.2
-3.1	9.9				J	4.2	-0.2	-0.0	1.2


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2.6	169.2						
7.7	-100.5	Q5_ps Y	I	-16.0	0.8	0.0	-4.1
-6.7	-700.4		J	-16.0	0.8	0.0	-4.1
722.7	21998.8	INVSLU Max	I	-1882.9	24.7	0.9	451.0
121.9	25684.6		J	-1882.9	24.7	2.5	451.0
-69.6	1747.3	Min	I	-2083.9	-6.9	-1.0	-10.0
-647.9	-12980.3		J	-2083.9	-6.9	0.6	-10.0
533.1	17086.0	INVSLE Max	I	-1477.5	18.3	0.7	339.9
98.7	19804.8		J	-1477.5	18.3	1.9	339.9
-53.4	2092.8	Min	I	-1623.9	-5.1	-0.8	-1.1
-471.2	-8789.7		J	-1623.9	-5.1	0.4	-1.1
5540	2	62 C1-C2;~1 Max	I	10.4	33.1	1.3	177.8
522.9	8265.3		J	10.4	33.1	1.3	177.8
66.2	33379.0	Min	I	-100.4	-66.6	-0.2	-372.8
-64.7	-19249.4		J	-100.4	-66.6	-0.2	-372.8
-479.3	-18014.1						
541.4	1994.6	C3-C4;~1 Max	I	11.9	9.0	1.3	40.0
68.8	32750.0		J	11.9	9.0	1.3	40.0
-70.8	-19906.4	Min	I	-97.5	-66.6	-0.2	-371.4
-496.5	-5059.8		J	-97.5	-66.6	-0.2	-371.4
319.8	5153.5	C1-C2;~2 Max	I	5.6	20.1	0.8	109.2
34.9	21825.8		J	5.6	20.1	0.8	109.2
-33.7	-13099.0	Min	I	-62.6	-44.2	-0.1	-247.5
-293.4	-10824.5		J	-62.6	-44.2	-0.1	-247.5
337.3	971.9	C3-C4;~2 Max	I	6.3	4.3	0.8	18.2
35.1	21843.3		J	6.3	4.3	0.8	18.2
-36.5	-13792.2	Min	I	-60.1	-45.1	-0.1	-252.4
-309.3	-2571.5		J	-60.1	-45.1	-0.1	-252.4
190.5	340.5	G1	I	-63.9	2.1	0.0	-2.6
-309.1	-1307.2		J	-63.9	2.1	1.2	-2.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
95.5	1748.5	G2	I	-23.1	8.3	0.2	32.6
			J	-23.1	8.3	0.2	32.6
-79.7	-4791.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.8	0.7	-0.0	3.7
-3.0	72.8		J	3.8	0.7	-0.0	3.7
2.6	-489.6						
		Q5_pc Y	I	-14.2	-2.8	0.0	-13.8
5.3	-345.4		J	-14.2	-2.8	0.0	-13.8
-4.6	1853.0						
		Q5_ps X	I	3.7	1.1	-0.0	5.4
-4.1	169.0		J	3.7	1.1	-0.0	5.4
3.8	-707.7						
		Q5_ps Y	I	-13.9	-4.3	0.0	-19.9
11.4	-699.9		J	-13.9	-4.3	0.0	-19.9
-10.9	2672.8						
		INVSLE Max	I	-1739.5	120.0	1.3	809.0
838.0	25670.9		J	-1739.5	120.0	2.9	809.0
-26.4	3451.4						
		Min	I	-1917.2	-19.7	-0.8	40.9
2.1	-12982.7		J	-1917.2	-19.7	0.8	40.9
-797.9	-69264.6						
		INVSLE Max	I	-1370.7	93.5	0.9	613.2
622.8	19793.9		J	-1370.7	93.5	2.1	613.2
-17.2	-526.1						
		Min	I	-1500.0	-9.6	-0.6	46.1
4.3	-8792.3		J	-1500.0	-9.6	0.6	46.1
-588.1	-54142.8						
5541	2	62 C1-C2;~1 Max	I	9.0	68.5	1.3	282.8
490.6	33408.0		J	9.0	68.5	1.3	282.8
79.1	7910.9						
		Min	I	-87.3	-33.9	-0.2	-180.4
-78.0	-17961.4		J	-87.3	-33.9	-0.2	-180.4
-453.7	-18703.9						
		C3-C4;~1 Max	I	10.3	68.8	0.9	295.2
365.4	32794.7		J	10.3	68.8	0.9	295.2
170.9	1899.7						
		Min	I	-84.7	-9.2	-0.4	-53.9
-154.6	-5017.5		J	-84.7	-9.2	-0.4	-53.9
-334.0	-19560.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
296.5	21845.7	C1-C2;~2 Max	I	4.9	45.3	0.8	192.6
			J	4.9	45.3	0.8	192.6
46.1	4917.5						
		Min	I	-54.7	-20.5	-0.1	-116.6
-44.6	-10793.8		J	-54.7	-20.5	-0.1	-116.6
-274.7	-12704.3						
		C3-C4;~2 Max	I	5.5	46.4	0.5	203.1
215.5	21876.6		J	5.5	46.4	0.5	203.1
113.8	969.3						
		Min	I	-52.5	-4.7	-0.3	-27.7
-101.1	-2550.3		J	-52.5	-4.7	-0.3	-27.7
-196.8	-13527.9						
		G1	I	-54.8	-2.1	0.1	-15.6
203.4	-1244.7		J	-54.8	-2.1	1.3	-15.6
-313.2	346.1						
		G2	I	-19.7	-8.7	0.3	-35.5
113.4	-4768.4		J	-19.7	-8.7	0.3	-35.5
-100.1	1718.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	2.9	-0.8	-0.0	-1.9
-1.5	-490.1		J	2.9	-0.8	-0.0	-1.9
1.0	91.5						
		Q5_pc Y	I	-10.9	3.0	-0.0	8.1
0.4	1852.5		J	-10.9	3.0	-0.0	8.1
1.2	-395.8						
		Q5_ps X	I	2.8	-1.2	-0.0	-3.4
-2.1	-708.1		J	2.8	-1.2	-0.0	-3.4
1.6	184.7						
		Q5_ps Y	I	-10.5	4.6	0.0	13.8
4.4	2672.0		J	-10.5	4.6	0.0	13.8
-3.0	-736.7						
		INVSLU Max	I	-1570.4	23.9	0.9	-111.7
623.2	3576.2		J	-1570.4	23.9	2.4	-111.7
257.7	21462.4						
		Min	I	-1721.7	-120.0	-1.4	-768.3
-250.6	-69106.9		J	-1721.7	-120.0	0.1	-768.3
-587.5	-16335.8						
		INVSLE Max	I	-1243.4	12.4	0.6	-103.3
447.7	-434.8		J	-1243.4	12.4	1.7	-103.3
210.0	16724.5						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-199.3	-54027.1		Min	I	-1354.1	-93.8	-1.1	-588.6	
				J	-1354.1	-93.8	0.0	-588.6	
-416.0	-11221.3								
5542	2	62	C1-C2;~1	Max	I	7.3	6.6	1.4	97.0
524.7	7913.1				J	7.3	6.6	1.4	97.0
52.6	4685.2								
			Min	I	-70.9	-14.1	-0.1	-173.8	
-55.2	-18709.1				J	-70.9	-14.1	-0.1	-173.8
-494.7	-11167.7								
			C3-C4;~1	Max	I	8.3	3.0	1.3	80.8
504.9	1900.0				J	8.3	3.0	1.3	80.8
112.8	1240.6								
			Min	I	-62.2	-14.9	-0.3	-135.4	
-89.4	-19565.4				J	-62.2	-14.9	-0.3	-135.4
-453.4	-11738.5								
			C1-C2;~2	Max	I	3.9	4.0	0.8	59.9
318.4	4918.9				J	3.9	4.0	0.8	59.9
27.3	3016.9								
			Min	I	-44.4	-9.6	-0.1	-116.8	
-29.0	-12707.8				J	-44.4	-9.6	-0.1	-116.8
-300.4	-7729.8								
			C3-C4;~2	Max	I	4.4	1.7	0.8	52.2
311.6	969.4				J	4.4	1.7	0.8	52.2
72.1	709.5								
			Min	I	-38.3	-10.3	-0.2	-89.0	
-54.1	-13531.5				J	-38.3	-10.3	-0.2	-89.0
-277.7	-8205.2								
			G1	I	-43.9	0.4	0.2	-11.3	
224.1	345.7				J	-43.9	0.4	1.3	-11.3
-340.1	74.4								
			G2	I	-16.8	1.2	0.3	-6.3	
110.4	1719.3				J	-16.8	1.2	0.3	-6.3
-101.5	807.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	2.2	0.1	-0.0	0.8
-2.1	91.5				J	2.2	0.1	-0.0	0.8
1.3	10.7								
			Q5_pc	Y	I	-8.2	-0.4	0.0	-2.4
2.5	-395.8				J	-8.2	-0.4	0.0	-2.4
-0.1	-67.7								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.2	184.7	Q5_ps X	I	2.1	0.2	-0.0	0.7
			J	2.1	0.2	-0.0	0.7
2.4	56.3						
		Q5_ps Y	I	-7.7	-0.7	0.0	-2.0
8.4	-736.8		J	-7.7	-0.7	0.0	-2.0
-5.9	-230.5						
		INVSLU Max	I	-1389.1	6.5	1.1	-142.0
696.0	21479.1		J	-1389.1	6.5	2.6	-142.0
157.6	18902.1	Min	I	-1510.8	-23.3	-1.2	-511.8
-137.4	-16329.3		J	-1510.8	-23.3	0.4	-511.8
-664.9	-3391.7						
		INVSLE Max	I	-1106.2	4.5	0.7	-117.0
504.6	16737.7		J	-1106.2	4.5	1.9	-117.0
135.5	15059.5	Min	I	-1195.2	-17.5	-0.9	-390.6
-112.4	-11215.7		J	-1195.2	-17.5	0.2	-390.6
-473.6	-1445.4						
5543	2	62 C1-C2;~1 Max	I	4.5	3.5	1.4	77.7
537.8	4683.8		J	4.5	3.5	1.4	77.7
52.8	5956.8	Min	I	-50.7	-8.9	-0.1	-220.9
-54.3	-11165.5		J	-50.7	-8.9	-0.1	-220.9
-520.0	-8559.4						
		C3-C4;~1 Max	I	5.1	2.8	1.3	26.7
503.5	1240.2		J	5.1	2.8	1.3	26.7
114.2	1722.7	Min	I	-43.9	-7.8	-0.3	-180.1
-92.1	-11736.1		J	-43.9	-7.8	-0.3	-180.1
-465.3	-9489.7						
		C1-C2;~2 Max	I	2.4	2.2	0.9	46.3
325.8	3016.1		J	2.4	2.2	0.9	46.3
27.4	4000.1	Min	I	-32.4	-6.2	-0.1	-149.4
-28.6	-7728.4		J	-32.4	-6.2	-0.1	-149.4
-315.4	-6000.8						
		C3-C4;~2 Max	I	2.7	1.8	0.8	13.2
309.2	709.3		J	2.7	1.8	0.8	13.2
72.9	1088.3	Min	I	-27.5	-5.3	-0.2	-120.5
-56.3	-8203.7		J	-27.5	-5.3	-0.2	-120.5
-283.6	-6667.4						
		G1	I	-29.2	-0.2	0.2	-11.2
233.5	74.2						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-356.0	198.4		J	-29.2	-0.2	1.3	-11.2
		G2	I	-11.0	-0.1	0.3	0.1
115.7	806.8		J	-11.0	-0.1	0.3	0.1
-108.8	887.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.9	0.1	-0.0	1.4
-1.7	10.6		J	1.9	0.1	-0.0	1.4
1.1	-37.4						
		Q5_pc Y	I	-7.0	-0.3	-0.0	-4.6
1.0	-67.5		J	-7.0	-0.3	-0.0	-4.6
1.0	128.7						
		Q5_ps X	I	1.8	0.1	-0.0	1.7
-2.8	56.2		J	1.8	0.1	-0.0	1.7
2.2	-8.3						
		Q5_ps Y	I	-6.7	-0.3	0.0	-5.6
6.8	-230.2		J	-6.7	-0.3	0.0	-5.6
-4.9	27.4						
		INVSLE Max	I	-1195.8	5.1	0.9	40.0
615.8	18894.6		J	-1195.8	5.1	2.4	40.0
231.5	20596.9						
		Min	I	-1284.2	-12.2	-1.4	-371.5
-237.6	-3393.8		J	-1284.2	-12.2	0.1	-371.5
-626.4	-487.5						
		INVSLE Max	I	-958.9	3.6	0.6	24.8
436.9	15053.6		J	-958.9	3.6	1.7	24.8
199.9	16398.8						
		Min	I	-1023.2	-9.1	-1.1	-279.4
-195.0	-1447.3		J	-1023.2	-9.1	0.0	-279.4
-435.5	797.8						
5544	2	62 C1-C2;~1 Max	I	12.5	1.0	1.3	103.5
507.1	5959.0		J	12.5	1.0	1.3	103.5
50.0	11958.7						
		Min	I	-29.3	-13.3	-0.1	-267.5
-50.1	-8560.3		J	-29.3	-13.3	-0.1	-267.5
-501.1	-4422.1						
		C3-C4;~1 Max	I	7.6	0.9	1.2	32.9
469.9	1722.7		J	7.6	0.9	1.2	32.9
121.0	2891.0						
		Min	I	-24.8	-10.0	-0.3	-241.5
-100.7	-9490.5						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-443.4	-4584.4		J	-24.8	-10.0	-0.3	-241.5
306.6	4001.6	C1-C2;~2 Max	I	8.7	0.5	0.8	63.7
25.9	8231.6		J	8.7	0.5	0.8	63.7
-26.4	-6001.5	Min	I	-19.4	-9.2	-0.1	-180.5
-303.4	-3086.4		J	-19.4	-9.2	-0.1	-180.5
287.3	1088.3	C3-C4;~2 Max	I	5.0	0.5	0.7	18.4
78.8	1675.0		J	5.0	0.5	0.7	18.4
-63.8	-6668.0	Min	I	-15.9	-6.7	-0.2	-163.1
-268.8	-3162.5		J	-15.9	-6.7	-0.2	-163.1
222.7	198.6	G1	I	-13.0	-1.8	0.2	-12.1
-352.6	1519.0		J	-13.0	-1.8	1.3	-12.1
111.4	888.4	G2	I	-4.5	-1.1	0.3	8.8
-107.0	1707.0		J	-4.5	-1.1	0.3	8.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.8	-37.4	Q5_pc X	I	1.5	0.1	-0.0	1.7
2.4	-121.3		J	1.5	0.1	-0.0	1.7
5.7	128.8	Q5_pc Y	I	-5.6	-0.4	0.0	-5.7
-4.3	438.0		J	-5.6	-0.4	0.0	-5.7
-3.8	-8.3	Q5_ps X	I	1.4	0.1	-0.0	2.3
3.4	-99.3		J	1.4	0.1	-0.0	2.3
10.8	27.5	Q5_ps Y	I	-5.5	-0.4	0.0	-7.5
-9.8	364.2		J	-5.5	-0.4	0.0	-7.5
392.9	20602.7	INVSLU Max	I	-947.4	3.6	0.2	244.0
492.2	27613.4		J	-947.4	3.6	1.8	244.0
-437.9	-486.0	Min	I	-1013.9	-16.5	-2.0	-267.0
-355.4	4491.7		J	-1013.9	-16.5	-0.5	-267.0
		INVSLE Max	I	-767.1	2.6	0.1	182.7

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
257.1	16403.2			J	-767.1	2.6	1.2	182.7	
411.4	21591.1		Min	I	-815.6	-12.2	-1.6	-195.1	
-357.6	799.2			J	-815.6	-12.2	-0.5	-195.1	
-215.9	4522.4								
5545	2	62	C1-C2;~1	Max	I	29.8	56.7	1.1	178.0
407.6	11953.7			J	29.8	56.7	1.1	178.0	
40.3	21845.7		Min	I	-8.7	-32.6	-0.1	-279.1	
-43.6	-4418.0			J	-8.7	-32.6	-0.1	-279.1	
-404.8	-33684.4								
			C3-C4;~1	Max	I	14.7	8.4	0.9	48.3
359.4	2892.1			J	14.7	8.4	0.9	48.3	
112.1	23390.2		Min	I	-9.7	-34.6	-0.3	-268.0	
-101.8	-4580.0			J	-9.7	-34.6	-0.3	-268.0	
-344.5	-4666.2								
			C1-C2;~2	Max	I	20.8	39.5	0.7	115.0
246.0	8228.0			J	20.8	39.5	0.7	115.0	
21.4	14773.2		Min	I	-6.0	-22.3	-0.1	-190.2	
-23.9	-3083.5			J	-6.0	-22.3	-0.1	-190.2	
-243.8	-23487.4								
			C3-C4;~2	Max	I	9.8	4.7	0.6	28.7
218.1	1675.8			J	9.8	4.7	0.6	28.7	
74.7	15814.0		Min	I	-6.7	-23.6	-0.2	-183.0	
-67.2	-3159.4			J	-6.7	-23.6	-0.2	-183.0	
-206.3	-2530.6								
			G1	I	3.3	2.7	0.1	5.6	
173.8	1519.2			J	3.3	2.7	1.2	5.6	
-315.6	-493.4								
			G2	I	1.9	7.4	0.3	29.8	
96.7	1706.4			J	1.9	7.4	0.3	29.8	
-95.6	-3802.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	0.7	-0.8	-0.0	-0.3
-4.7	-121.3			J	0.7	-0.8	-0.0	-0.3	
5.5	495.5								
			Q5_pc	Y	I	-2.9	3.1	0.0	2.0
13.9	438.1								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-16.9	-1917.4		J	-2.9	3.1	0.0	2.0
-5.1	-99.4	Q5_ps X	I	0.7	-0.6	-0.0	0.6
5.9	349.0		J	0.7	-0.6	-0.0	0.6
16.7	364.3	Q5_ps Y	I	-2.7	2.3	0.0	-1.2
-19.5	-1367.9		J	-2.7	2.3	0.0	-1.2
88.0	27597.6	INVSLU Max	I	-654.3	177.3	-0.3	548.2
471.1	-28939.7		J	-654.3	177.3	1.2	548.2
-624.9	4488.6	Min	I	-712.7	48.4	-2.2	-72.5
-257.1	-109441.7		J	-712.7	48.4	-0.7	-72.5
11.8	21578.8	INVSLE Max	I	-539.7	138.8	-0.4	422.2
418.1	-26180.9		J	-539.7	138.8	0.7	422.2
-514.4	4519.4	Min	I	-582.6	43.8	-1.8	-37.3
-119.0	-85556.4		J	-582.6	43.8	-0.7	-37.3
5546	2	62 C1-C2;~1 Max	I	39.0	9.2	0.4	78.3
126.9	5942.3		J	39.0	9.2	0.4	78.3
219.0	2.0	Min	I	-18.0	-65.9	-0.6	-457.9
-159.8	-42578.9		J	-18.0	-65.9	-0.6	-457.9
-146.4	-12.2						
138.2	3053.7	C3-C4;~1 Max	I	9.7	4.7	0.4	37.3
179.6	0.9		J	9.7	4.7	0.4	37.3
-195.5	-6400.3	Min	I	-19.9	-9.9	-0.6	-138.5
-148.4	-3.7		J	-19.9	-9.9	-0.6	-138.5
77.2	4079.7	C1-C2;~2 Max	I	27.3	6.3	0.3	55.0
156.6	1.4		J	27.3	6.3	0.3	55.0
-113.5	-30234.3	Min	I	-12.0	-46.8	-0.4	-331.5
-89.8	-8.8		J	-12.0	-46.8	-0.4	-331.5
87.8	1953.7	C3-C4;~2 Max	I	6.4	3.0	0.3	24.2
129.0	0.6		J	6.4	3.0	0.3	24.2
-141.4	-3590.5	Min	I	-13.7	-5.6	-0.4	-92.5
-92.5	-2.5		J	-13.7	-5.6	-0.4	-92.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-8.8	-4724.8	G1	I	3.3	-7.3	-0.3	-16.7	
			J	3.3	-7.3	0.6	-16.7	
-104.7	-0.7							
		G2	I	3.4	-7.4	0.0	-16.3	
15.8	-4756.3		J	3.4	-7.4	0.0	-16.3	
-15.1	-0.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.4	1.0	0.0	3.7	
2.1	614.6		J	0.4	1.0	0.0	3.7	
-0.7	0.2							
		Q5_pc Y	I	-1.6	-3.5	-0.0	-13.6	
-9.1	-2250.3		J	-1.6	-3.5	-0.0	-13.6	
4.2	-0.5							
		Q5_ps X	I	0.5	0.8	0.0	3.6	
1.3	539.6		J	0.5	0.8	0.0	3.6	
-0.0	0.2							
		Q5_ps Y	I	-1.7	-3.1	-0.0	-13.1	
-6.0	-1973.6		J	-1.7	-3.1	-0.0	-13.1	
1.2	-0.6							
		INVSLU Max	I	-267.0	-42.7	-7.6	-102.0	-
1568.8	-27602.1		J	-267.0	-42.7	-6.3	-102.0	
3429.6	-0.4							
		Min	I	-349.5	-150.4	-9.0	-850.4	-
2035.6	-97156.4		J	-349.5	-150.4	-7.7	-850.4	
2926.0	-20.5							
		INVSLE Max	I	-226.6	-36.4	-6.0	-96.0	-
1245.5	-23488.3		J	-226.6	-36.4	-5.0	-96.0	
2674.1	-0.5							
		Min	I	-287.5	-115.7	-7.0	-648.5	-
1590.0	-74709.9		J	-287.5	-115.7	-6.1	-648.5	
2301.7	-15.3							
6232	2	69 C1-C2;~1 Max	I	531.1	217.8	16.3	2709.7	
6427.2	106064.9		J	531.1	217.8	16.3	2709.7	
1549.0	44635.1							
		Min	I	-984.5	-97.0	-4.1	-1223.8	-
1778.1	-52873.1		J	-984.5	-97.0	-4.1	-1223.8	-
6821.4	-80142.4							
		C3-C4;~1 Max	I	553.5	217.1	12.4	2809.7	
4930.6	100887.4		J	553.5	217.1	12.4	2809.7	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1815.5	35679.8		Min	I	-900.2	-28.2	-4.6	-604.9	-
1971.9	-14683.5			J	-900.2	-28.2	-4.6	-604.9	-
5208.6	-86109.2								
3969.4	70880.5	C1-C2;~2	Max	I	296.3	149.6	10.0	1878.7	
				J	296.3	149.6	10.0	1878.7	
821.9	29553.9		Min	I	-600.8	-61.2	-2.2	-780.0	
-960.9	-32496.9			J	-600.8	-61.2	-2.2	-780.0	-
4204.4	-55953.3								
2960.7	68332.0	C3-C4;~2	Max	I	308.8	150.9	7.5	1962.9	
				J	308.8	150.9	7.5	1962.9	
943.3	23370.8		Min	I	-543.2	-14.1	-2.4	-349.6	-
1054.0	-6917.3			J	-543.2	-14.1	-2.4	-349.6	-
3125.7	-60531.8								
2127.8	642.8		G1	I	-145.6	-0.0	5.0	-59.4	
				J	-145.6	-0.0	7.0	-59.4	-
2762.6	660.9								
			G2	I	-45.5	-17.3	2.3	-184.5	
857.7	-11332.2			J	-45.5	-17.3	2.3	-184.5	
-987.0	2787.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-125.6	-1.8	0.7	-10.4
333.5	1581.3			J	-125.6	-1.8	0.7	-10.4	
-255.8	3072.3								
			Q5_pc	Y	I	111.0	5.3	-1.2	54.3
-482.2	3532.1			J	111.0	5.3	-1.2	54.3	
503.2	-789.6								
			Q5_ps	X	I	-122.3	-0.6	0.8	1.0
346.8	2211.9			J	-122.3	-0.6	0.8	1.0	
-281.6	2722.4								
			Q5_ps	Y	I	98.4	7.9	-1.0	80.5
-415.7	5283.1			J	98.4	7.9	-1.0	80.5	
425.4	-1190.5								
			INVSLU	Max	I	1225.2	283.7	7.0	3338.1
2608.7	118164.8			J	1225.2	283.7	9.7	3338.1	
8367.5	47097.6		Min	I	-1077.1	-150.8	-23.4	-2204.7	-
9598.0	-102759.2			J	-1077.1	-150.8	-20.7	-2204.7	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4198.1	-134937.3							
		INVSLE	Max	I	918.4	209.7	3.4	2433.3
1188.0	85778.7			J	918.4	209.7	5.4	2433.3
6814.5	33286.6							
		Min		I	-770.2	-111.5	-18.9	-1665.3
7789.7	-77397.8			J	-770.2	-111.5	-16.9	-1665.3
2426.2	-101144.4							
6233	2	69 C1-C2;~1	Max	I	562.5	118.8	19.0	2162.6
7880.6	44633.9			J	562.5	118.8	19.0	2162.6
989.1	43616.3							
		Min		I	-901.2	-79.3	-2.8	-1261.1
1336.2	-80150.1			J	-901.2	-79.3	-2.8	-1261.1
7626.0	-102092.2							
		C3-C4;~1	Max	I	583.7	124.3	15.3	2231.3
6378.3	35675.6			J	583.7	124.3	15.3	2231.3
1498.7	23376.2							
		Min		I	-825.0	-76.9	-3.9	-1112.3
1736.6	-86117.4			J	-825.0	-76.9	-3.9	-1112.3
6095.0	-106588.7							
		C1-C2;~2	Max	I	316.1	84.4	11.8	1502.8
4885.1	29552.9			J	316.1	84.4	11.8	1502.8
483.1	28047.5							
		Min		I	-555.2	-56.2	-1.4	-843.2
-686.8	-55958.7			J	-555.2	-56.2	-1.4	-843.2
4725.9	-71205.3							
		C3-C4;~2	Max	I	327.9	88.4	9.4	1556.6
3895.5	23367.8			J	327.9	88.4	9.4	1556.6
713.1	13848.8							
		Min		I	-502.4	-53.8	-1.9	-728.2
-859.2	-60537.7			J	-502.4	-53.8	-1.9	-728.2
3722.5	-74842.8							
		G1		I	-24.1	1.6	6.8	-67.3
2991.6	659.9			J	-24.1	1.6	8.8	-67.3
3329.1	-630.3							
		G2		I	0.8	-2.3	2.8	-100.2
1122.5	2788.0			J	0.8	-2.3	2.8	-100.2
1141.6	4657.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-124.9	0.3	0.1	-4.6
99.3	3072.7			J	-124.9	0.3	0.1	-4.6
3.6	2838.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-475.2	-790.1	Q5_pc	Y	I	112.4	1.4	-1.1	30.5	
				J	112.4	1.4	-1.1	30.5	
452.2	-1900.7								
		Q5_ps	X	I	-120.9	0.4	0.2	1.2	
147.2	2722.7			J	-120.9	0.4	0.2	1.2	
-52.5	2360.6								
		Q5_ps	Y	I	100.5	1.9	-0.9	44.5	
-379.4	-1191.2			J	100.5	1.9	-0.9	44.5	
354.9	-2718.9								
		INVSLU	Max	I	1601.4	178.3	16.9	2748.0	
6920.1	47110.5			J	1601.4	178.3	19.6	2748.0	
5221.8	37994.3								
			Min	I	-628.0	-99.0	-16.2	-2021.5	-
6918.5	-134934.6			J	-628.0	-99.0	-13.5	-2021.5	-
7910.5	-169890.8								
		INVSLE	Max	I	1199.6	132.6	11.3	2015.7	
4590.6	33297.1			J	1199.6	132.6	13.3	2015.7	
4262.2	26025.2								
			Min	I	-435.2	-72.6	-13.0	-1513.2	-
5596.9	-101141.4			J	-435.2	-72.6	-11.0	-1513.2	-
5405.2	-127585.4								
7605	2	74	C1-C2;~1	Max	I	106.6	0.0	0.0	1.0
0.0	0.0			J	106.6	0.0	0.0	1.0	
0.0	0.0								
				Min	I	-27.7	-0.0	-0.0	-0.5
0.0	0.0			J	-27.7	0.0	-0.0	-0.5	
0.0	0.0								
			C3-C4;~1	Max	I	95.4	0.0	0.0	1.2
0.0	0.0			J	95.4	0.0	0.0	1.2	
0.0	0.0								
				Min	I	-13.9	-0.0	-0.0	-0.5
0.0	0.0			J	-13.9	0.0	-0.0	-0.5	
0.0	0.0								
			C1-C2;~2	Max	I	70.3	0.0	0.0	0.5
0.0	0.0			J	70.3	0.0	0.0	0.5	
0.0	0.0								
				Min	I	-13.8	-0.0	-0.0	-0.3
0.0	0.0			J	-13.8	0.0	-0.0	-0.3	
0.0	0.0								
			C3-C4;~2	Max	I	63.6	0.0	0.0	0.7
0.0	0.0			J	63.6	0.0	0.0	0.7	
0.0	0.0								
				Min	I	-6.0	-0.0	-0.0	-0.2

MIDAS


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-6.0	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	G1	I	1.2	-0.0	-0.9	0.4
0.0	0.0		J	1.2	0.0	0.9	0.4
0.0	0.0						
0.0	0.0	G2	I	-13.3	-0.0	-0.0	0.2
0.0	0.0		J	-13.3	0.0	-0.0	0.2
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	10.3	0.0	0.0	-0.0
0.0	0.0		J	10.3	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	1.2	-0.0	-0.0	0.1
0.0	0.0		J	1.2	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	14.1	0.0	0.0	-0.0
0.0	0.0		J	14.1	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	3.0	-0.0	-0.0	0.1
0.0	0.0		J	3.0	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	INVSLU Max	I	94.2	0.0	-1.2	3.6
0.0	0.0		J	94.2	0.0	1.2	3.6
0.0	0.0						
0.0	0.0	Min	I	-105.5	-0.0	-1.2	1.2
0.0	0.0		J	-105.5	0.0	1.2	1.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	60.4	0.0	-0.9	2.6
0.0	0.0		J	60.4	0.0	0.9	2.6
0.0	0.0						
0.0	0.0	Min	I	-86.2	-0.0	-0.9	0.9
0.0	0.0		J	-86.2	0.0	0.9	0.9
0.0	0.0						
7608	2	74 C1-C2;~1 Max	I	93.2	0.0	0.0	0.7
0.0	0.0		J	93.2	0.0	0.0	0.7
0.0	0.0						
0.0	0.0	Min	I	-22.2	0.0	-0.0	-0.6
0.0	0.0		J	-22.2	0.0	-0.0	-0.6
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4;~1 Max	I	82.1	0.0	0.0	1.0
			J	82.1	0.0	0.0	1.0
0.0	0.0	Min	I	-8.7	0.0	-0.0	-0.4
			J	-8.7	0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	62.1	0.0	0.0	0.4
			J	62.1	0.0	0.0	0.4
0.0	0.0	Min	I	-12.1	0.0	-0.0	-0.4
			J	-12.1	0.0	-0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	55.2	0.0	0.0	0.6
			J	55.2	0.0	0.0	0.6
0.0	0.0	Min	I	-3.5	0.0	-0.0	-0.2
			J	-3.5	0.0	-0.0	-0.2
0.0	0.0	G1	I	-1.5	0.0	-0.9	0.3
			J	-1.5	0.0	0.9	0.3
0.0	0.0	G2	I	-9.8	0.0	0.0	0.1
			J	-9.8	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.4	0.0	-0.0	-0.0
			J	-1.4	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	6.5	0.0	0.0	-0.0
			J	6.5	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	-2.2	0.0	-0.0	-0.0
			J	-2.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	9.8	0.0	0.0	-0.0
			J	9.8	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	180.1	0.0	-1.2	2.5
			J	180.1	0.0	1.2	2.5


PROJECT TITLE :

		Company						Client	
		Author						File Name	
				Min	I	12.7	0.0	-1.2	0.2
0.0	0.0				J	12.7	0.0	1.2	0.2
0.0	0.0								
			INVSLE	Max	I	127.8	0.0	-0.9	1.8
0.0	0.0				J	127.8	0.0	0.9	1.8
0.0	0.0								
				Min	I	4.6	0.0	-0.9	0.2
0.0	0.0				J	4.6	0.0	0.9	0.2
0.0	0.0								
7611	2	74	C1-C2;~1	Max	I	106.0	0.0	0.0	0.6
0.0	0.0				J	106.0	0.0	0.0	0.6
0.0	0.0								
				Min	I	-33.2	0.0	0.0	-0.9
0.0	0.0				J	-33.2	-0.0	-0.0	-0.9
0.0	0.0								
			C3-C4;~1	Max	I	94.9	0.0	0.0	0.5
0.0	0.0				J	94.9	0.0	0.0	0.5
0.0	0.0								
				Min	I	-19.5	0.0	0.0	-1.3
0.0	0.0				J	-19.5	-0.0	-0.0	-1.3
0.0	0.0								
			C1-C2;~2	Max	I	70.0	0.0	0.0	0.3
0.0	0.0				J	70.0	0.0	0.0	0.3
0.0	0.0								
				Min	I	-16.1	0.0	0.0	-0.5
0.0	0.0				J	-16.1	-0.0	-0.0	-0.5
0.0	0.0								
			C3-C4;~2	Max	I	63.4	0.0	0.0	0.2
0.0	0.0				J	63.4	0.0	0.0	0.2
0.0	0.0								
				Min	I	-8.2	0.0	0.0	-0.7
0.0	0.0				J	-8.2	-0.0	-0.0	-0.7
0.0	0.0								
				G1	I	1.5	0.0	-0.9	-0.4
0.0	0.0				J	1.5	-0.0	0.9	-0.4
0.0	0.0								
				G2	I	-13.2	0.0	0.0	-0.2
0.0	0.0				J	-13.2	-0.0	-0.0	-0.2
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	3.6	0.0	0.0	0.0


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	3.6	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0	Q5_pc Y	I	-6.4	0.0	0.0	-0.0	
0.0	0.0		J	-6.4	0.0	0.0	-0.0	
0.0	0.0							
0.0	0.0	Q5_ps X	I	5.3	0.0	0.0	0.0	
0.0	0.0		J	5.3	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0	Q5_ps Y	I	-10.3	0.0	0.0	-0.0	
0.0	0.0		J	-10.3	0.0	0.0	-0.0	
0.0	0.0							
0.0	0.0	INVS LU Max	I	89.0	0.0	-1.2	-1.0	
0.0	0.0		J	89.0	0.0	1.2	-1.0	
0.0	0.0							
0.0	0.0	Min	I	-110.4	0.0	-1.2	-3.6	
0.0	0.0		J	-110.4	-0.0	1.2	-3.6	
0.0	0.0							
0.0	0.0	INVS LE Max	I	56.6	0.0	-0.9	-0.8	
0.0	0.0		J	56.6	0.0	0.9	-0.8	
0.0	0.0							
0.0	0.0	Min	I	-90.2	0.0	-0.9	-2.7	
0.0	0.0		J	-90.2	-0.0	0.9	-2.7	
0.0	0.0							
7614	2	74 C1-C2;~1 Max	I	137.6	0.0	0.0	0.5	
0.0	0.0		J	137.6	0.0	0.0	0.5	
0.0	0.0							
0.0	0.0	Min	I	-33.3	-0.0	-0.0	-1.2	
0.0	0.0		J	-33.3	-0.0	-0.0	-1.2	
0.0	0.0							
0.0	0.0	C3-C4;~1 Max	I	126.2	0.0	0.0	0.5	
0.0	0.0		J	126.2	0.0	0.0	0.5	
0.0	0.0							
0.0	0.0	Min	I	-24.8	-0.0	-0.0	-1.4	
0.0	0.0		J	-24.8	-0.0	-0.0	-1.4	
0.0	0.0							
0.0	0.0	C1-C2;~2 Max	I	92.2	0.0	0.0	0.3	
0.0	0.0		J	92.2	0.0	0.0	0.3	
0.0	0.0							
0.0	0.0	Min	I	-17.4	-0.0	-0.0	-0.7	
0.0	0.0		J	-17.4	-0.0	-0.0	-0.7	
0.0	0.0							
0.0	0.0	C3-C4;~2 Max	I	85.5	0.0	0.0	0.3	


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	85.5	0.0	0.0	0.3
0.0	0.0	Min	I	-11.9	-0.0	-0.0	-0.8
0.0	0.0		J	-11.9	-0.0	-0.0	-0.8
0.0	0.0	G1	I	-3.3	-0.0	-0.9	-0.5
0.0	0.0		J	-3.3	0.0	0.9	-0.5
0.0	0.0	G2	I	-14.0	-0.0	0.0	-0.2
0.0	0.0		J	-14.0	0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	10.3	0.0	-0.0	-0.0
0.0	0.0		J	10.3	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	1.8	-0.0	0.0	0.0
0.0	0.0		J	1.8	0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	13.9	0.0	-0.0	-0.0
0.0	0.0		J	13.9	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	3.3	-0.0	0.0	0.0
0.0	0.0		J	3.3	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	144.1	0.0	-1.2	-1.2
0.0	0.0		J	144.1	0.0	1.2	-1.2
0.0	0.0	Min	I	-105.1	-0.0	-1.2	-3.9
0.0	0.0		J	-105.1	-0.0	1.2	-3.9
0.0	0.0	INVSLE Max	I	103.6	0.0	-0.9	-0.8
0.0	0.0		J	103.6	0.0	0.9	-0.8
0.0	0.0	Min	I	-79.5	-0.0	-0.9	-2.8
0.0	0.0		J	-79.5	-0.0	0.9	-2.8
7617	2	74 C1-C2;~1 Max	I	153.5	0.0	0.0	1.0
0.0	0.0		J	153.5	0.0	0.0	1.0
0.0	0.0	Min	I	-51.9	-0.0	-0.0	-1.2
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-51.9	-0.0	0.0	-1.2
0.0	0.0	C3-C4;~1 Max	I	141.5	0.0	0.0	0.8
0.0	0.0		J	141.5	0.0	0.0	0.8
0.0	0.0	Min	I	-42.2	-0.0	-0.0	-1.7
0.0	0.0		J	-42.2	-0.0	0.0	-1.7
0.0	0.0	C1-C2;~2 Max	I	104.2	0.0	0.0	0.5
0.0	0.0		J	104.2	0.0	0.0	0.5
0.0	0.0	Min	I	-27.6	-0.0	-0.0	-0.6
0.0	0.0		J	-27.6	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	97.0	0.0	0.0	0.4
0.0	0.0		J	97.0	0.0	0.0	0.4
0.0	0.0	Min	I	-19.3	-0.0	-0.0	-0.9
0.0	0.0		J	-19.3	-0.0	0.0	-0.9
0.0	0.0	G1	I	-27.2	0.0	-0.9	-0.5
0.0	0.0		J	-27.2	-0.0	0.9	-0.5
0.0	0.0	G2	I	-25.5	0.0	0.0	-0.2
0.0	0.0		J	-25.5	-0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.2	-0.0	0.0	-0.0
0.0	0.0		J	5.2	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-9.8	-0.0	0.0	0.0
0.0	0.0		J	-9.8	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	7.0	-0.0	0.0	0.0
0.0	0.0		J	7.0	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-14.2	-0.0	0.0	0.0
0.0	0.0		J	-14.2	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	80.5	0.0	-1.2	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	80.5	0.0	1.2	0.1
0.0	0.0		Min	I	-214.4	-0.0	-1.2	-3.6
0.0	0.0			J	-214.4	-0.0	1.2	-3.6
0.0	0.0							
0.0	0.0		INVSLE Max	I	58.1	0.0	-0.9	0.1
0.0	0.0			J	58.1	0.0	0.9	0.1
0.0	0.0		Min	I	-159.1	-0.0	-0.9	-2.6
0.0	0.0			J	-159.1	-0.0	0.9	-2.6
0.0	0.0							
7620	2	74	C1-C2;~1 Max	I	139.5	0.0	0.0	0.9
0.0	0.0			J	139.5	0.0	0.0	0.9
0.0	0.0		Min	I	-44.8	0.0	0.0	-0.7
0.0	0.0			J	-44.8	0.0	0.0	-0.7
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	128.6	0.0	0.0	1.3
0.0	0.0			J	128.6	0.0	0.0	1.3
0.0	0.0		Min	I	-31.6	0.0	0.0	-0.5
0.0	0.0			J	-31.6	0.0	0.0	-0.5
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	93.3	0.0	0.0	0.5
0.0	0.0			J	93.3	0.0	0.0	0.5
0.0	0.0		Min	I	-21.9	0.0	0.0	-0.4
0.0	0.0			J	-21.9	0.0	0.0	-0.4
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	87.0	0.0	0.0	0.7
0.0	0.0			J	87.0	0.0	0.0	0.7
0.0	0.0		Min	I	-14.8	0.0	0.0	-0.2
0.0	0.0			J	-14.8	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		G1	I	-2.4	0.0	-0.9	0.4
0.0	0.0			J	-2.4	0.0	0.9	0.4
0.0	0.0							
0.0	0.0		G2	I	-13.9	0.0	0.0	0.2
0.0	0.0			J	-13.9	0.0	0.0	0.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
0.0	0.0	Q5_pc X	I	4.2	0.0	0.0	-0.0
0.0	0.0		J	4.2	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-0.7	0.0	0.0	-0.0
0.0	0.0		J	-0.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	6.2	0.0	0.0	-0.0
0.0	0.0		J	6.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-3.9	0.0	0.0	0.0
0.0	0.0		J	-3.9	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	136.2	0.0	-1.2	4.4
0.0	0.0		J	136.2	0.0	1.2	4.4
0.0	0.0	Min	I	-120.1	0.0	-1.2	1.6
0.0	0.0		J	-120.1	0.0	1.2	1.6
0.0	0.0	INVSLE Max	I	98.1	0.0	-0.9	3.2
0.0	0.0		J	98.1	0.0	0.9	3.2
0.0	0.0	Min	I	-91.1	0.0	-0.9	1.1
0.0	0.0		J	-91.1	0.0	0.9	1.1
7623	2	74 C1-C2;~1 Max	I	157.4	0.0	0.0	0.7
0.0	0.0		J	157.4	0.0	0.0	0.7
0.0	0.0	Min	I	-42.9	-0.0	-0.0	-0.8
0.0	0.0		J	-42.9	-0.0	0.0	-0.8
0.0	0.0	C3-C4;~1 Max	I	146.5	0.0	0.0	0.6
0.0	0.0		J	146.5	0.0	0.0	0.6
0.0	0.0	Min	I	-38.3	-0.0	-0.0	-1.3
0.0	0.0		J	-38.3	-0.0	0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	107.4	0.0	0.0	0.4
0.0	0.0		J	107.4	0.0	0.0	0.4
0.0	0.0	Min	I	-22.8	-0.0	-0.0	-0.4
0.0	0.0		J	-22.8	-0.0	0.0	-0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	100.9	0.0	0.0	0.3
			J	100.9	0.0	0.0	0.3
0.0	0.0	Min	I	-18.5	-0.0	-0.0	-0.7
0.0	0.0		J	-18.5	-0.0	0.0	-0.7
0.0	0.0	G1	I	-12.3	0.0	-0.9	-0.2
			J	-12.3	-0.0	0.9	-0.2
0.0	0.0	G2	I	-17.4	0.0	0.0	-0.1
			J	-17.4	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.2	-0.0	0.0	0.0
			J	3.2	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-4.8	-0.0	-0.0	-0.0
			J	-4.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	4.8	-0.0	0.0	0.0
			J	4.8	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-8.7	-0.0	-0.0	-0.1
			J	-8.7	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	123.3	0.0	-1.2	-0.9
			J	123.3	0.0	1.2	-0.9
0.0	0.0	Min	I	-155.7	-0.0	-1.2	-3.7
			J	-155.7	-0.0	1.2	-3.7
0.0	0.0	INVSLE Max	I	90.7	0.0	-0.9	-0.6
			J	90.7	0.0	0.9	-0.6
0.0	0.0	Min	I	-115.3	-0.0	-0.9	-2.7
			J	-115.3	-0.0	0.9	-2.7
7626	2	74 C1-C2; ~1 Max	I	93.4	0.0	0.0	0.4
0.0	0.0		J	93.4	0.0	0.0	0.4

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-22.9	-0.0	-0.0	-0.6
0.0	0.0			J	-22.9	0.0	-0.0	-0.6
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	I	82.1	0.0	0.0	0.6
0.0	0.0			J	82.1	0.0	0.0	0.6
0.0	0.0		Min	I	-8.8	-0.0	-0.0	-0.5
0.0	0.0			J	-8.8	0.0	-0.0	-0.5
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	I	62.2	0.0	0.0	0.2
0.0	0.0			J	62.2	0.0	0.0	0.2
0.0	0.0		Min	I	-12.5	-0.0	-0.0	-0.4
0.0	0.0			J	-12.5	0.0	-0.0	-0.4
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	55.1	0.0	0.0	0.4
0.0	0.0			J	55.1	0.0	0.0	0.4
0.0	0.0		Min	I	-3.6	-0.0	-0.0	-0.3
0.0	0.0			J	-3.6	0.0	-0.0	-0.3
0.0	0.0							
0.0	0.0		G1	I	-1.9	0.0	-0.9	-0.0
0.0	0.0			J	-1.9	0.0	0.9	-0.0
0.0	0.0							
0.0	0.0		G2	I	-10.4	0.0	0.0	-0.0
0.0	0.0			J	-10.4	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	-1.1	-0.0	-0.0
0.0	0.0			J	-1.1	0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	6.5	0.0	0.0
0.0	0.0			J	6.5	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_ps	X	I	-1.9	-0.0	-0.0
0.0	0.0			J	-1.9	0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps	Y	I	9.9	0.0	0.0
0.0	0.0			J	9.9	0.0	0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		INVS LU Max	I	212.2	0.0	-1.2	1.6	
0.0	0.0		J	212.2	0.0	1.2	1.6	
0.0	0.0	Min	I	43.4	-0.0	-1.2	-0.2	
0.0	0.0		J	43.4	0.0	1.2	-0.2	
0.0	0.0							
		INVS LE Max	I	152.1	0.0	-0.9	1.2	
0.0	0.0		J	152.1	0.0	0.9	1.2	
0.0	0.0	Min	I	28.0	-0.0	-0.9	-0.1	
0.0	0.0		J	28.0	0.0	0.9	-0.1	
0.0	0.0							
7629	2	74 C1-C2;~1 Max	I	93.4	0.0	0.0	0.6	
0.0	0.0		J	93.4	0.0	0.0	0.6	
0.0	0.0	Min	I	-22.6	-0.0	-0.0	-0.4	
0.0	0.0		J	-22.6	-0.0	-0.0	-0.4	
0.0	0.0							
		C3-C4;~1 Max	I	82.1	0.0	0.0	0.7	
0.0	0.0		J	82.1	0.0	0.0	0.7	
0.0	0.0	Min	I	-9.0	-0.0	-0.0	-0.5	
0.0	0.0		J	-9.0	-0.0	-0.0	-0.5	
0.0	0.0							
		C1-C2;~2 Max	I	62.1	0.0	0.0	0.4	
0.0	0.0		J	62.1	0.0	0.0	0.4	
0.0	0.0	Min	I	-12.3	-0.0	-0.0	-0.2	
0.0	0.0		J	-12.3	-0.0	-0.0	-0.2	
0.0	0.0							
		C3-C4;~2 Max	I	55.1	0.0	0.0	0.4	
0.0	0.0		J	55.1	0.0	0.0	0.4	
0.0	0.0	Min	I	-3.6	-0.0	-0.0	-0.3	
0.0	0.0		J	-3.6	-0.0	-0.0	-0.3	
0.0	0.0							
		G1	I	-1.4	-0.0	-0.9	0.0	
0.0	0.0		J	-1.4	0.0	0.9	0.0	
0.0	0.0							
		G2	I	-10.9	-0.0	0.0	0.0	
0.0	0.0		J	-10.9	0.0	-0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.4	0.0	-0.0	-0.0
			J	-0.4	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	6.2	-0.0	0.0	-0.0
			J	6.2	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	-1.0	0.0	-0.0	-0.0
			J	-1.0	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	9.4	-0.0	0.0	-0.0
			J	9.4	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	181.4	0.0	-1.2	0.2
			J	181.4	0.0	1.2	0.2
0.0	0.0	Min	I	13.6	-0.0	-1.2	-1.4
			J	13.6	-0.0	1.2	-1.4
0.0	0.0	INVS LE Max	I	128.9	0.0	-0.9	0.2
			J	128.9	0.0	0.9	0.2
0.0	0.0	Min	I	5.4	-0.0	-0.9	-1.1
			J	5.4	-0.0	0.9	-1.1
7635	2	74 C1-C2;~1 Max	I	158.3	0.0	0.0	1.1
0.0	0.0		J	158.3	0.0	0.0	1.1
0.0	0.0	Min	I	-57.1	-0.0	-0.0	-0.9
			J	-57.1	0.0	-0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	146.3	0.0	0.0	1.5
			J	146.3	0.0	0.0	1.5
0.0	0.0	Min	I	-46.3	-0.0	-0.0	-0.8
			J	-46.3	0.0	-0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	106.7	0.0	0.0	0.5
			J	106.7	0.0	0.0	0.5
0.0	0.0	Min	I	-29.7	-0.0	-0.0	-0.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-29.7	0.0	-0.0	-0.5
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	I	99.6	0.0	0.8
0.0	0.0			J	99.6	0.0	0.8
0.0	0.0		Min	I	-22.1	-0.0	-0.4
0.0	0.0			J	-22.1	0.0	-0.4
0.0	0.0						
0.0	0.0	G1		I	-31.7	-0.0	0.3
0.0	0.0			J	-31.7	0.0	0.3
0.0	0.0						
0.0	0.0	G2		I	-26.5	-0.0	0.1
0.0	0.0			J	-26.5	0.0	0.1
0.0	0.0						
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	X	I	13.5	-0.0	0.0
0.0	0.0			J	13.5	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	Y	I	5.4	-0.0	-0.4
0.0	0.0			J	5.4	0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_ps	X	I	17.4	-0.0	0.0
0.0	0.0			J	17.4	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps	Y	I	6.3	-0.0	-0.4
0.0	0.0			J	6.3	0.0	-0.4
0.0	0.0						
0.0	0.0	INVSLE	Max	I	66.0	0.0	3.1
0.0	0.0			J	66.0	0.0	3.1
0.0	0.0		Min	I	-249.1	-0.0	-1.0
0.0	0.0			J	-249.1	0.0	-1.0
0.0	0.0						
0.0	0.0	INVSLE	Max	I	47.2	0.0	2.2
0.0	0.0			J	47.2	0.0	2.2
0.0	0.0		Min	I	-184.4	-0.0	-0.7
0.0	0.0			J	-184.4	0.0	-0.7
0.0	0.0						


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name				
7638	2	74	C1-C2;~1	Max	I	156.4	0.0	0.0	0.9
0.0	0.0				J	156.4	0.0	0.0	0.9
0.0	0.0			Min	I	-53.0	-0.0	-0.0	-0.8
0.0	0.0				J	-53.0	0.0	0.0	-0.8
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	144.6	0.0	0.0	0.8
0.0	0.0				J	144.6	0.0	0.0	0.8
0.0	0.0			Min	I	-43.6	-0.0	-0.0	-1.1
0.0	0.0				J	-43.6	0.0	0.0	-1.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	105.9	0.0	0.0	0.5
0.0	0.0				J	105.9	0.0	0.0	0.5
0.0	0.0			Min	I	-28.2	-0.0	-0.0	-0.4
0.0	0.0				J	-28.2	0.0	0.0	-0.4
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	99.0	0.0	0.0	0.4
0.0	0.0				J	99.0	0.0	0.0	0.4
0.0	0.0			Min	I	-21.2	-0.0	-0.0	-0.6
0.0	0.0				J	-21.2	0.0	0.0	-0.6
0.0	0.0								
0.0	0.0			G1	I	-28.9	-0.0	-0.9	-0.1
0.0	0.0				J	-28.9	0.0	0.9	-0.1
0.0	0.0								
0.0	0.0			G2	I	-25.1	-0.0	-0.0	-0.0
0.0	0.0				J	-25.1	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	3.0	0.0	0.0	0.0
0.0	0.0				J	3.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc Y	I	6.6	-0.0	0.0	0.1
0.0	0.0				J	6.6	0.0	0.0	0.1
0.0	0.0								
0.0	0.0			Q5_ps X	I	2.9	0.0	0.0	0.0
0.0	0.0				J	2.9	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps Y	I	10.2	-0.0	0.0	0.1
0.0	0.0		J	10.2	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	73.4	0.0	-1.2	1.1
0.0	0.0		J	73.4	0.0	1.2	1.1
0.0	0.0	Min	I	-221.2	-0.0	-1.2	-1.9
0.0	0.0		J	-221.2	0.0	1.2	-1.9
0.0	0.0	INVS LE Max	I	53.1	0.0	-0.9	0.8
0.0	0.0		J	53.1	0.0	0.9	0.8
0.0	0.0	Min	I	-164.2	-0.0	-0.9	-1.4
0.0	0.0		J	-164.2	0.0	0.9	-1.4
7641	2	74 C1-C2;~1 Max	I	138.1	0.0	0.0	1.2
0.0	0.0		J	138.1	0.0	0.0	1.2
0.0	0.0	Min	I	-33.9	0.0	0.0	-0.6
0.0	0.0		J	-33.9	-0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	126.9	0.0	0.0	1.6
0.0	0.0		J	126.9	0.0	0.0	1.6
0.0	0.0	Min	I	-30.2	0.0	0.0	-0.5
0.0	0.0		J	-30.2	-0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	92.6	0.0	0.0	0.6
0.0	0.0		J	92.6	0.0	0.0	0.6
0.0	0.0	Min	I	-17.8	0.0	0.0	-0.3
0.0	0.0		J	-17.8	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	86.0	0.0	0.0	0.8
0.0	0.0		J	86.0	0.0	0.0	0.8
0.0	0.0	Min	I	-14.1	0.0	0.0	-0.3
0.0	0.0		J	-14.1	-0.0	-0.0	-0.3
0.0	0.0	G1	I	-3.0	0.0	-0.9	0.5
0.0	0.0		J	-3.0	0.0	0.9	0.5
0.0	0.0	G2	I	-13.0	0.0	0.0	0.2

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-13.0	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	8.0	0.0	0.0	-0.0
0.0	0.0		J	8.0	-0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	4.4	0.0	0.0	0.0
0.0	0.0		J	4.4	-0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	11.3	0.0	0.0	-0.0
0.0	0.0		J	11.3	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	4.6	0.0	0.0	0.0
0.0	0.0		J	4.6	-0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	146.3	0.0	-1.2	4.1
0.0	0.0		J	146.3	0.0	1.2	4.1
0.0	0.0	Min	I	-100.3	0.0	-1.2	1.1
0.0	0.0		J	-100.3	-0.0	1.2	1.1
0.0	0.0	INVSLE Max	I	105.5	0.0	-0.9	2.9
0.0	0.0		J	105.5	0.0	0.9	2.9
0.0	0.0	Min	I	-76.1	0.0	-0.9	0.8
0.0	0.0		J	-76.1	-0.0	0.9	0.8
7644	2	74 C1-C2;~1 Max	I	99.1	0.0	0.0	0.7
0.0	0.0		J	99.1	0.0	0.0	0.7
0.0	0.0	Min	I	-23.9	-0.0	0.0	-0.5
0.0	0.0		J	-23.9	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	87.8	0.0	0.0	1.0
0.0	0.0		J	87.8	0.0	0.0	1.0
0.0	0.0	Min	I	-17.7	-0.0	0.0	-0.5
0.0	0.0		J	-17.7	-0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	65.5	0.0	0.0	0.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	65.5	0.0	0.0	0.4
0.0	0.0	Min	I	-12.7	-0.0	0.0	-0.3
0.0	0.0		J	-12.7	-0.0	-0.0	-0.3
0.0	0.0	C3-C4; ~2 Max	I	58.6	0.0	0.0	0.5
0.0	0.0		J	58.6	0.0	0.0	0.5
0.0	0.0	Min	I	-7.3	-0.0	0.0	-0.3
0.0	0.0		J	-7.3	-0.0	-0.0	-0.3
0.0	0.0	G1	I	0.4	-0.0	-0.9	0.2
0.0	0.0		J	0.4	-0.0	0.9	0.2
0.0	0.0	G2	I	-11.7	-0.0	0.0	0.1
0.0	0.0		J	-11.7	-0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.9	0.0	0.0	-0.0
0.0	0.0		J	6.9	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	3.1	0.0	0.0	0.0
0.0	0.0		J	3.1	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	9.9	0.0	0.0	-0.0
0.0	0.0		J	9.9	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	2.8	0.0	0.0	0.0
0.0	0.0		J	2.8	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	158.1	0.0	-1.2	2.5
0.0	0.0		J	158.1	0.0	1.2	2.5
0.0	0.0	Min	I	-20.2	-0.0	-1.2	0.4
0.0	0.0		J	-20.2	-0.0	1.2	0.4
0.0	0.0	INVSLE Max	I	110.6	0.0	-0.9	1.8
0.0	0.0		J	110.6	0.0	0.9	1.8
0.0	0.0	Min	I	-20.6	-0.0	-0.9	0.3
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-20.6	-0.0	0.9	0.3
7647	2	74 C1-C2;~1 Max	I	98.5	0.0	0.0	0.7
0.0	0.0		J	98.5	0.0	0.0	0.7
0.0	0.0	Min	I	-23.8	-0.0	-0.0	-0.5
0.0	0.0		J	-23.8	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	0.9
0.0	0.0		J	87.1	0.0	0.0	0.9
0.0	0.0	Min	I	-11.3	-0.0	-0.0	-0.5
0.0	0.0		J	-11.3	-0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	65.1	0.0	0.0	0.4
0.0	0.0		J	65.1	0.0	0.0	0.4
0.0	0.0	Min	I	-12.3	-0.0	-0.0	-0.3
0.0	0.0		J	-12.3	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	58.2	0.0	0.0	0.5
0.0	0.0		J	58.2	0.0	0.0	0.5
0.0	0.0	Min	I	-4.6	-0.0	-0.0	-0.3
0.0	0.0		J	-4.6	-0.0	-0.0	-0.3
0.0	0.0	G1	I	0.3	-0.0	-0.9	0.2
0.0	0.0		J	0.3	0.0	0.9	0.2
0.0	0.0	G2	I	-12.9	-0.0	0.0	0.1
0.0	0.0		J	-12.9	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.8	0.0	-0.0	-0.0
0.0	0.0		J	9.8	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	1.1	-0.0	0.0	0.1
0.0	0.0		J	1.1	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	13.5	0.0	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	13.5	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	2.9	-0.0	0.0	0.1
0.0	0.0		J	2.9	0.0	-0.0	0.1
0.0	0.0	INVS LU Max	I	157.9	0.0	-1.2	2.5
0.0	0.0		J	157.9	0.0	1.2	2.5
0.0	0.0	Min	I	-24.8	-0.0	-1.2	0.4
0.0	0.0		J	-24.8	-0.0	1.2	0.4
0.0	0.0	INVS LE Max	I	110.2	0.0	-0.9	1.8
0.0	0.0		J	110.2	0.0	0.9	1.8
0.0	0.0	Min	I	-23.8	-0.0	-0.9	0.3
0.0	0.0		J	-23.8	-0.0	0.9	0.3
7650	2	74 C1-C2;~1 Max	I	152.8	0.0	0.0	0.3
0.0	0.0		J	152.8	0.0	0.0	0.3
0.0	0.0	Min	I	-47.7	0.0	-0.0	-0.5
0.0	0.0		J	-47.7	-0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	143.5	0.0	0.0	0.5
0.0	0.0		J	143.5	0.0	0.0	0.5
0.0	0.0	Min	I	-42.6	0.0	-0.0	-0.4
0.0	0.0		J	-42.6	-0.0	0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	103.5	0.0	0.0	0.2
0.0	0.0		J	103.5	0.0	0.0	0.2
0.0	0.0	Min	I	-24.5	0.0	-0.0	-0.3
0.0	0.0		J	-24.5	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	98.0	0.0	0.0	0.3
0.0	0.0		J	98.0	0.0	0.0	0.3
0.0	0.0	Min	I	-21.3	0.0	-0.0	-0.2
0.0	0.0		J	-21.3	-0.0	0.0	-0.2
0.0	0.0	G1	I	-15.3	0.0	-0.9	-0.0
0.0	0.0		J	-15.3	-0.0	0.9	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G2	I	-16.6	0.0	0.0	-0.0
0.0	0.0		J	-16.6	-0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.3	0.0	-0.0	-0.1
0.0	0.0		J	3.3	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-5.1	0.0	0.0	0.2
0.0	0.0		J	-5.1	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	4.5	0.0	-0.0	-0.1
0.0	0.0		J	4.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-8.5	0.0	0.0	0.2
0.0	0.0		J	-8.5	0.0	0.0	0.2
0.0	0.0	INVSLE Max	I	109.6	0.0	-1.2	0.8
0.0	0.0		J	109.6	0.0	1.2	0.8
0.0	0.0	Min	I	-170.2	0.0	-1.2	-0.8
0.0	0.0		J	-170.2	-0.0	1.2	-0.8
0.0	0.0	INVSLE Max	I	81.3	0.0	-0.9	0.6
0.0	0.0		J	81.3	0.0	0.9	0.6
0.0	0.0	Min	I	-125.3	0.0	-0.9	-0.6
0.0	0.0		J	-125.3	-0.0	0.9	-0.6
7653	2	74 C1-C2;~1 Max	I	98.5	0.0	0.0	0.5
0.0	0.0		J	98.5	0.0	0.0	0.5
0.0	0.0	Min	I	-23.3	-0.0	-0.0	-0.7
0.0	0.0		J	-23.3	0.0	0.0	-0.7
0.0	0.0	C3-C4;~1 Max	I	87.3	0.0	0.0	0.5
0.0	0.0		J	87.3	0.0	0.0	0.5
0.0	0.0	Min	I	-17.9	-0.0	-0.0	-0.9
0.0	0.0		J	-17.9	0.0	0.0	-0.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	65.1	0.0	0.0	0.3
				J	65.1	0.0	0.0	0.3
0.0	0.0		Min	I	-12.3	-0.0	-0.0	-0.4
0.0	0.0			J	-12.3	0.0	0.0	-0.4
0.0	0.0	C3-C4;~2	Max	I	58.3	0.0	0.0	0.3
				J	58.3	0.0	0.0	0.3
0.0	0.0		Min	I	-7.3	-0.0	-0.0	-0.5
0.0	0.0			J	-7.3	0.0	0.0	-0.5
0.0	0.0	G1		I	0.3	0.0	-0.9	-0.2
				J	0.3	0.0	0.9	-0.2
0.0	0.0	G2		I	-13.0	0.0	0.0	-0.1
				J	-13.0	0.0	0.0	-0.1
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	6.7	-0.0	-0.0	-0.0
				J	6.7	0.0	0.0	-0.0
0.0	0.0	Q5_pc	Y	I	2.4	0.0	-0.0	-0.0
				J	2.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps	X	I	8.8	-0.0	-0.0	0.0
				J	8.8	0.0	0.0	0.0
0.0	0.0	Q5_ps	Y	I	4.8	0.0	-0.0	-0.0
				J	4.8	0.0	0.0	-0.0
0.0	0.0	INVSLE	Max	I	154.5	0.0	-1.2	-0.4
				J	154.5	0.0	1.2	-0.4
0.0	0.0		Min	I	-22.0	-0.0	-1.2	-2.4
0.0	0.0			J	-22.0	0.0	1.2	-2.4
0.0	0.0	INVSLE	Max	I	107.8	0.0	-0.9	-0.3
				J	107.8	0.0	0.9	-0.3

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		File Name				
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
0.0	0.0		Min	I	-22.0	-0.0	-0.9	-1.7	
0.0	0.0			J	-22.0	0.0	0.9	-1.7	
0.0	0.0								
7656	2	74	C1-C2;~1	Max	I	157.1	0.0	0.0	1.0
0.0	0.0			J	157.1	0.0	0.0	1.0	
0.0	0.0		Min	I	-57.3	0.0	-0.0	-1.2	
0.0	0.0			J	-57.3	-0.0	-0.0	-1.2	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	145.1	0.0	0.0	1.0
0.0	0.0			J	145.1	0.0	0.0	1.0	
0.0	0.0		Min	I	-52.1	0.0	-0.0	-1.8	
0.0	0.0			J	-52.1	-0.0	-0.0	-1.8	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	106.1	0.0	0.0	0.6
0.0	0.0			J	106.1	0.0	0.0	0.6	
0.0	0.0		Min	I	-29.9	0.0	-0.0	-0.6	
0.0	0.0			J	-29.9	-0.0	-0.0	-0.6	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	99.0	0.0	0.0	0.5
0.0	0.0			J	99.0	0.0	0.0	0.5	
0.0	0.0		Min	I	-24.4	0.0	-0.0	-0.9	
0.0	0.0			J	-24.4	-0.0	-0.0	-0.9	
0.0	0.0								
0.0	0.0		G1	I	-30.8	0.0	-0.9	-0.4	
0.0	0.0			J	-30.8	0.0	0.9	-0.4	
0.0	0.0								
0.0	0.0		G2	I	-26.9	0.0	0.0	-0.2	
0.0	0.0			J	-26.9	0.0	-0.0	-0.2	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	15.1	0.0	-0.0	0.2
0.0	0.0			J	15.1	-0.0	0.0	0.2	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-1.8	0.0	-0.0	0.0
0.0	0.0			J	-1.8	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	18.4	0.0	-0.0	0.2
0.0	0.0		J	18.4	-0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	0.8	0.0	-0.0	0.0
0.0	0.0		J	0.8	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	78.7	0.0	-1.2	0.8
0.0	0.0		J	78.7	0.0	1.2	0.8
0.0	0.0	Min	I	-238.0	0.0	-1.2	-3.4
0.0	0.0		J	-238.0	-0.0	1.2	-3.4
0.0	0.0	INVS LE Max	I	56.6	0.0	-0.9	0.6
0.0	0.0		J	56.6	0.0	0.9	0.6
0.0	0.0	Min	I	-176.0	0.0	-0.9	-2.5
0.0	0.0		J	-176.0	-0.0	0.9	-2.5
7659	2	74 C1-C2;~1 Max	I	106.9	0.0	0.0	0.4
0.0	0.0		J	106.9	0.0	0.0	0.4
0.0	0.0	Min	I	-24.9	0.0	0.0	-0.8
0.0	0.0		J	-24.9	0.0	0.0	-0.8
0.0	0.0	C3-C4;~1 Max	I	95.9	0.0	0.0	0.4
0.0	0.0		J	95.9	0.0	0.0	0.4
0.0	0.0	Min	I	-20.8	0.0	0.0	-1.2
0.0	0.0		J	-20.8	0.0	0.0	-1.2
0.0	0.0	C1-C2;~2 Max	I	70.5	0.0	0.0	0.2
0.0	0.0		J	70.5	0.0	0.0	0.2
0.0	0.0	Min	I	-12.8	0.0	0.0	-0.5
0.0	0.0		J	-12.8	0.0	0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	63.9	0.0	0.0	0.2
0.0	0.0		J	63.9	0.0	0.0	0.2
0.0	0.0	Min	I	-8.8	0.0	0.0	-0.6
0.0	0.0		J	-8.8	0.0	0.0	-0.6
0.0	0.0	G1	I	1.3	0.0	-0.9	-0.4

MIDAS


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	1.3	0.0	0.9	-0.4
0.0	0.0						
0.0	0.0	G2	I	-13.4	0.0	0.0	-0.2
0.0	0.0		J	-13.4	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	7.9	0.0	0.0	0.0
0.0	0.0		J	7.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	2.0	0.0	0.0	-0.0
0.0	0.0		J	2.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	10.3	0.0	0.0	0.0
0.0	0.0		J	10.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	4.4	0.0	0.0	-0.0
0.0	0.0		J	4.4	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	91.8	0.0	-1.2	-1.2
0.0	0.0		J	91.8	0.0	1.2	-1.2
0.0	0.0						
0.0	0.0	Min	I	-100.4	0.0	-1.2	-3.4
0.0	0.0		J	-100.4	0.0	1.2	-3.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	58.7	0.0	-0.9	-0.9
0.0	0.0		J	58.7	0.0	0.9	-0.9
0.0	0.0						
0.0	0.0	Min	I	-82.6	0.0	-0.9	-2.5
0.0	0.0		J	-82.6	0.0	0.9	-2.5
0.0	0.0						
7662	2	74 C1-C2;~1 Max	I	98.8	0.0	0.0	0.6
0.0	0.0		J	98.8	0.0	0.0	0.6
0.0	0.0						
0.0	0.0	Min	I	-23.5	0.0	-0.0	-0.5
0.0	0.0		J	-23.5	0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	87.5	0.0	0.0	0.7
0.0	0.0		J	87.5	0.0	0.0	0.7
0.0	0.0						
0.0	0.0	Min	I	-11.3	0.0	-0.0	-0.7


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-11.3	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	65.3	0.0	0.0	0.3
0.0	0.0		J	65.3	0.0	0.0	0.3
0.0	0.0	Min	I	-12.2	0.0	-0.0	-0.3
0.0	0.0		J	-12.2	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	58.4	0.0	0.0	0.4
0.0	0.0		J	58.4	0.0	0.0	0.4
0.0	0.0	Min	I	-4.6	0.0	-0.0	-0.4
0.0	0.0		J	-4.6	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	G1	I	0.3	0.0	-0.9	0.0
0.0	0.0		J	0.3	0.0	0.9	0.0
0.0	0.0						
0.0	0.0	G2	I	-13.0	0.0	-0.0	0.0
0.0	0.0		J	-13.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	9.9	0.0	0.0	-0.0
0.0	0.0		J	9.9	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	1.2	0.0	-0.0	0.1
0.0	0.0		J	1.2	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	13.6	0.0	0.0	-0.0
0.0	0.0		J	13.6	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	3.0	0.0	-0.0	0.1
0.0	0.0		J	3.0	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	INVSLU Max	I	182.3	0.0	-1.2	1.0
0.0	0.0		J	182.3	0.0	1.2	1.0
0.0	0.0	Min	I	-0.7	0.0	-1.2	-0.9
0.0	0.0		J	-0.7	0.0	1.2	-0.9
0.0	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	128.9	0.0	-0.9	0.8
0.0	0.0			J	128.9	0.0	0.9	0.8
0.0	0.0		Min	I	-5.4	0.0	-0.9	-0.7
0.0	0.0			J	-5.4	0.0	0.9	-0.7
0.0	0.0							
7665	2	74	C1-C2;~1 Max	I	158.0	0.0	0.0	0.8
0.0	0.0			J	158.0	0.0	0.0	0.8
0.0	0.0		Min	I	-42.2	-0.0	-0.0	-0.6
0.0	0.0			J	-42.2	-0.0	-0.0	-0.6
0.0	0.0							
			C3-C4;~1 Max	I	147.1	0.0	0.0	1.2
0.0	0.0			J	147.1	0.0	0.0	1.2
0.0	0.0		Min	I	-39.2	-0.0	-0.0	-0.5
0.0	0.0			J	-39.2	-0.0	-0.0	-0.5
0.0	0.0							
			C1-C2;~2 Max	I	107.9	0.0	0.0	0.4
0.0	0.0			J	107.9	0.0	0.0	0.4
0.0	0.0		Min	I	-22.5	-0.0	-0.0	-0.3
0.0	0.0			J	-22.5	-0.0	-0.0	-0.3
0.0	0.0							
			C3-C4;~2 Max	I	101.4	0.0	0.0	0.6
0.0	0.0			J	101.4	0.0	0.0	0.6
0.0	0.0		Min	I	-19.0	-0.0	-0.0	-0.3
0.0	0.0			J	-19.0	-0.0	-0.0	-0.3
0.0	0.0							
			G1	I	-13.2	-0.0	-0.9	0.2
0.0	0.0			J	-13.2	0.0	0.9	0.2
0.0	0.0							
			G2	I	-17.4	-0.0	0.0	0.1
0.0	0.0			J	-17.4	0.0	-0.0	0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.3	0.0	0.0	-0.1
0.0	0.0			J	4.3	-0.0	0.0	-0.1
0.0	0.0							
			Q5_pc Y	I	1.7	-0.0	-0.0	-0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	1.7	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	4.9	0.0	0.0	-0.1
0.0	0.0		J	4.9	-0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	4.7	-0.0	-0.0	-0.0
0.0	0.0		J	4.7	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	115.2	0.0	-1.2	3.5
0.0	0.0		J	115.2	0.0	1.2	3.5
0.0	0.0	Min	I	-162.8	-0.0	-1.2	0.8
0.0	0.0		J	-162.8	-0.0	1.2	0.8
0.0	0.0						
0.0	0.0	INVS LE Max	I	84.7	0.0	-0.9	2.5
0.0	0.0		J	84.7	0.0	0.9	2.5
0.0	0.0	Min	I	-120.7	-0.0	-0.9	0.6
0.0	0.0		J	-120.7	-0.0	0.9	0.6
0.0	0.0						
7671	2	74 C1-C2;~1 Max	I	161.2	0.0	0.0	0.8
0.0	0.0		J	161.2	0.0	0.0	0.8
0.0	0.0	Min	I	-56.5	-0.0	0.0	-0.7
0.0	0.0		J	-56.5	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	150.3	0.0	0.0	1.1
0.0	0.0		J	150.3	0.0	0.0	1.1
0.0	0.0	Min	I	-42.0	-0.0	0.0	-0.6
0.0	0.0		J	-42.0	0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	109.3	0.0	0.0	0.4
0.0	0.0		J	109.3	0.0	0.0	0.4
0.0	0.0	Min	I	-28.3	-0.0	0.0	-0.4
0.0	0.0		J	-28.3	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	102.8	0.0	0.0	0.6
0.0	0.0		J	102.8	0.0	0.0	0.6
0.0	0.0	Min	I	-20.7	-0.0	0.0	-0.3
0.0	0.0		J	-20.7	0.0	0.0	-0.3


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G1	I	-16.1	0.0	-0.9	0.2
0.0	0.0		J	-16.1	0.0	0.9	0.2
0.0	0.0						
		G2	I	-18.8	0.0	0.0	0.1
0.0	0.0		J	-18.8	0.0	0.0	0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	11.3	-0.0	0.0	-0.2
0.0	0.0		J	11.3	0.0	0.0	-0.2
0.0	0.0						
		Q5_pc Y	I	-3.1	0.0	0.0	0.1
0.0	0.0		J	-3.1	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	14.6	-0.0	0.0	-0.2
0.0	0.0		J	14.6	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps Y	I	-1.0	0.0	0.0	0.1
0.0	0.0		J	-1.0	0.0	0.0	0.1
0.0	0.0						
		INVSLE Max	I	126.4	0.0	-1.2	3.4
0.0	0.0		J	126.4	0.0	1.2	3.4
0.0	0.0						
		Min	I	-187.8	-0.0	-1.2	0.6
0.0	0.0		J	-187.8	0.0	1.2	0.6
0.0	0.0						
		INVSLE Max	I	93.0	0.0	-0.9	2.5
0.0	0.0		J	93.0	0.0	0.9	2.5
0.0	0.0						
		Min	I	-138.2	-0.0	-0.9	0.5
0.0	0.0		J	-138.2	0.0	0.9	0.5
0.0	0.0						
7674	2	74 C1-C2;~1 Max	I	98.7	0.0	0.0	0.6
0.0	0.0		J	98.7	0.0	0.0	0.6
0.0	0.0						
		Min	I	-33.9	-0.0	0.0	-0.6
0.0	0.0		J	-33.9	-0.0	-0.0	-0.6
0.0	0.0						
		C3-C4;~1 Max	I	87.5	0.0	0.0	0.9
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	87.5	0.0	0.0	0.9
0.0	0.0	Min	I	-20.4	-0.0	0.0	-0.6
0.0	0.0		J	-20.4	-0.0	-0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	65.2	0.0	0.0	0.3
0.0	0.0		J	65.2	0.0	0.0	0.3
0.0	0.0	Min	I	-16.4	-0.0	0.0	-0.3
0.0	0.0		J	-16.4	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	58.4	0.0	0.0	0.5
0.0	0.0		J	58.4	0.0	0.0	0.5
0.0	0.0	Min	I	-8.3	-0.0	0.0	-0.3
0.0	0.0		J	-8.3	-0.0	-0.0	-0.3
0.0	0.0	G1	I	0.5	-0.0	-0.9	0.2
0.0	0.0		J	0.5	-0.0	0.9	0.2
0.0	0.0	G2	I	-12.9	-0.0	0.0	0.1
0.0	0.0		J	-12.9	-0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.9	0.0	0.0	0.0
0.0	0.0		J	3.9	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-4.9	0.0	0.0	-0.0
0.0	0.0		J	-4.9	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	5.7	0.0	0.0	-0.0
0.0	0.0		J	5.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-8.3	0.0	0.0	-0.0
0.0	0.0		J	-8.3	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	151.8	0.0	-1.2	2.4
0.0	0.0		J	151.8	0.0	1.2	2.4
0.0	0.0	Min	I	-36.0	-0.0	-1.2	0.4
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-36.0	-0.0	1.2	0.4
0.0	0.0	INVSLE Max	I	105.9	0.0	-0.9	1.8
0.0	0.0		J	105.9	0.0	0.9	1.8
0.0	0.0	Min	I	-32.5	-0.0	-0.9	0.3
0.0	0.0		J	-32.5	-0.0	0.9	0.3
7677	2	74 C1-C2;~1 Max	I	87.1	0.0	0.0	1.0
0.0	0.0		J	87.1	0.0	0.0	1.0
0.0	0.0	Min	I	-24.9	0.0	0.0	-0.6
0.0	0.0		J	-24.9	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	76.8	0.0	0.0	0.7
0.0	0.0		J	76.8	0.0	0.0	0.7
0.0	0.0	Min	I	-13.2	0.0	0.0	-1.0
0.0	0.0		J	-13.2	0.0	-0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	58.8	0.0	0.0	0.6
0.0	0.0		J	58.8	0.0	0.0	0.6
0.0	0.0	Min	I	-14.4	0.0	0.0	-0.3
0.0	0.0		J	-14.4	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	52.3	0.0	0.0	0.4
0.0	0.0		J	52.3	0.0	0.0	0.4
0.0	0.0	Min	I	-7.1	0.0	0.0	-0.5
0.0	0.0		J	-7.1	0.0	-0.0	-0.5
0.0	0.0	G1	I	-2.3	0.0	-0.9	-0.1
0.0	0.0		J	-2.3	0.0	0.9	-0.1
0.0	0.0	G2	I	-10.2	0.0	0.0	-0.0
0.0	0.0		J	-10.2	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.2	0.0	0.0	-0.0
0.0	0.0		J	2.2	0.0	0.0	-0.0

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		Q5_pc	Y	I	-6.6	0.0	0.0	0.1
0.0	0.0			J	-6.6	0.0	0.0	0.1
0.0	0.0							
		Q5_ps	X	I	3.2	0.0	0.0	-0.0
0.0	0.0			J	3.2	0.0	0.0	-0.0
0.0	0.0							
		Q5_ps	Y	I	-9.7	0.0	0.0	0.0
0.0	0.0			J	-9.7	0.0	0.0	0.0
0.0	0.0							
		INVS LU	Max	I	100.4	0.0	-1.2	0.9
0.0	0.0			J	100.4	0.0	1.2	0.9
0.0	0.0		Min	I	-62.7	0.0	-1.2	-1.8
0.0	0.0			J	-62.7	0.0	1.2	-1.8
0.0	0.0							
		INVS LE	Max	I	67.5	0.0	-0.9	0.7
0.0	0.0			J	67.5	0.0	0.9	0.7
0.0	0.0		Min	I	-52.4	0.0	-0.9	-1.4
0.0	0.0			J	-52.4	0.0	0.9	-1.4
0.0	0.0							
7680	2	74 C1-C2;~1	Max	I	93.1	0.0	0.0	0.8
0.0	0.0			J	93.1	0.0	0.0	0.8
0.0	0.0		Min	I	-22.7	-0.0	-0.0	-0.5
0.0	0.0			J	-22.7	-0.0	0.0	-0.5
0.0	0.0							
		C3-C4;~1	Max	I	82.4	0.0	0.0	0.5
0.0	0.0			J	82.4	0.0	0.0	0.5
0.0	0.0		Min	I	-8.8	-0.0	-0.0	-0.8
0.0	0.0			J	-8.8	-0.0	0.0	-0.8
0.0	0.0							
		C1-C2;~2	Max	I	62.1	0.0	0.0	0.4
0.0	0.0			J	62.1	0.0	0.0	0.4
0.0	0.0		Min	I	-12.5	-0.0	-0.0	-0.3
0.0	0.0			J	-12.5	-0.0	0.0	-0.3
0.0	0.0							
		C3-C4;~2	Max	I	55.5	0.0	0.0	0.3
0.0	0.0			J	55.5	0.0	0.0	0.3
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-3.7	-0.0	-0.0	-0.5
0.0	0.0		J	-3.7	-0.0	0.0	-0.5
0.0	0.0	G1	I	-1.6	0.0	-0.9	-0.1
0.0	0.0		J	-1.6	-0.0	0.9	-0.1
0.0	0.0	G2	I	-9.8	0.0	0.0	-0.0
0.0	0.0		J	-9.8	-0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.4	-0.0	-0.0	0.0
0.0	0.0		J	2.4	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-7.1	-0.0	-0.0	-0.0
0.0	0.0		J	-7.1	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	3.5	-0.0	0.0	0.0
0.0	0.0		J	3.5	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-10.4	-0.0	-0.0	-0.0
0.0	0.0		J	-10.4	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	176.8	0.0	-1.2	0.6
0.0	0.0		J	176.8	0.0	1.2	0.6
0.0	0.0	Min	I	7.7	-0.0	-1.2	-1.6
0.0	0.0		J	7.7	-0.0	1.2	-1.6
0.0	0.0	INVSLE Max	I	125.3	0.0	-0.9	0.5
0.0	0.0		J	125.3	0.0	0.9	0.5
0.0	0.0	Min	I	0.9	-0.0	-0.9	-1.2
0.0	0.0		J	0.9	-0.0	0.9	-1.2
7683	2	74 C1-C2;~1 Max	I	93.6	0.0	0.0	0.6
0.0	0.0		J	93.6	0.0	0.0	0.6
0.0	0.0	Min	I	-23.0	-0.0	-0.0	-0.4
0.0	0.0		J	-23.0	-0.0	-0.0	-0.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1 Max	I	82.3	0.0	0.0	0.8
			J	82.3	0.0	0.0	0.8
0.0	0.0	Min	I	-8.9	-0.0	-0.0	-0.4
0.0	0.0		J	-8.9	-0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	62.2	0.0	0.0	0.4
			J	62.2	0.0	0.0	0.4
0.0	0.0	Min	I	-12.5	-0.0	-0.0	-0.2
0.0	0.0		J	-12.5	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	55.2	0.0	0.0	0.5
			J	55.2	0.0	0.0	0.5
0.0	0.0	Min	I	-3.6	-0.0	-0.0	-0.2
0.0	0.0		J	-3.6	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	G1	I	-1.7	0.0	-0.9	0.2
			J	-1.7	0.0	0.9	0.2
0.0	0.0						
0.0	0.0	G2	I	-10.7	0.0	0.0	0.1
			J	-10.7	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-0.8	-0.0	-0.0	-0.0
			J	-0.8	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	6.5	0.0	0.0	-0.0
			J	6.5	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-1.6	-0.0	-0.0	-0.0
			J	-1.6	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	9.8	0.0	0.0	-0.0
			J	9.8	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	213.6	0.0	-1.2	1.0
			J	213.6	0.0	1.2	1.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	44.5	-0.0	-1.2	-0.6
0.0	0.0			J	44.5	-0.0	1.2	-0.6
0.0	0.0		INVSLE Max	I	153.2	0.0	-0.9	0.7
0.0	0.0			J	153.2	0.0	0.9	0.7
0.0	0.0		Min	I	28.8	-0.0	-0.9	-0.5
0.0	0.0			J	28.8	-0.0	0.9	-0.5
7686	2	74	C1-C2;~1 Max	I	162.8	0.0	0.0	0.6
0.0	0.0			J	162.8	0.0	0.0	0.6
0.0	0.0		Min	I	-49.9	-0.0	-0.0	-0.6
0.0	0.0			J	-49.9	-0.0	0.0	-0.6
0.0	0.0		C3-C4;~1 Max	I	152.0	0.0	0.0	0.4
0.0	0.0			J	152.0	0.0	0.0	0.4
0.0	0.0		Min	I	-47.9	-0.0	-0.0	-1.0
0.0	0.0			J	-47.9	-0.0	0.0	-1.0
0.0	0.0		C1-C2;~2 Max	I	110.1	0.0	0.0	0.3
0.0	0.0			J	110.1	0.0	0.0	0.3
0.0	0.0		Min	I	-25.8	-0.0	-0.0	-0.3
0.0	0.0			J	-25.8	-0.0	0.0	-0.3
0.0	0.0		C3-C4;~2 Max	I	103.6	0.0	0.0	0.2
0.0	0.0			J	103.6	0.0	0.0	0.2
0.0	0.0		Min	I	-23.3	-0.0	-0.0	-0.6
0.0	0.0			J	-23.3	-0.0	0.0	-0.6
0.0	0.0		G1	I	-15.6	-0.0	-0.9	-0.2
0.0	0.0			J	-15.6	0.0	0.9	-0.2
0.0	0.0		G2	I	-18.7	-0.0	0.0	-0.1
0.0	0.0			J	-18.7	0.0	0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc X	I	10.7	0.0	-0.0	0.2
			J	10.7	-0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-3.6	-0.0	-0.0	-0.0
			J	-3.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	13.3	0.0	-0.0	0.2
			J	13.3	-0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-1.2	-0.0	-0.0	-0.0
			J	-1.2	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	128.6	0.0	-1.2	-0.7
			J	128.6	0.0	1.2	-0.7
0.0	0.0	Min	I	-177.7	-0.0	-1.2	-3.4
			J	-177.7	-0.0	1.2	-3.4
0.0	0.0	INVS LE Max	I	94.6	0.0	-0.9	-0.6
			J	94.6	0.0	0.9	-0.6
0.0	0.0	Min	I	-130.9	-0.0	-0.9	-2.5
			J	-130.9	-0.0	0.9	-2.5
7689	2	74 C1-C2;~1 Max	I	98.9	0.0	0.0	0.5
0.0	0.0		J	98.9	0.0	0.0	0.5
0.0	0.0	Min	I	-24.2	-0.0	-0.0	-0.7
			J	-24.2	-0.0	0.0	-0.7
0.0	0.0	C3-C4;~1 Max	I	87.6	0.0	0.0	0.5
			J	87.6	0.0	0.0	0.5
0.0	0.0	Min	I	-17.7	-0.0	-0.0	-0.9
			J	-17.7	-0.0	0.0	-0.9
0.0	0.0	C1-C2;~2 Max	I	65.4	0.0	0.0	0.3
			J	65.4	0.0	0.0	0.3
0.0	0.0	Min	I	-12.8	-0.0	-0.0	-0.4
			J	-12.8	-0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	58.5	0.0	0.0	0.3

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	58.5	0.0	0.0	0.3
0.0	0.0	Min	I	-7.2	-0.0	-0.0	-0.5
0.0	0.0		J	-7.2	-0.0	0.0	-0.5
0.0	0.0	G1	I	0.3	0.0	-0.9	-0.2
0.0	0.0		J	0.3	-0.0	0.9	-0.2
0.0	0.0	G2	I	-11.7	0.0	-0.0	-0.1
0.0	0.0		J	-11.7	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.2	-0.0	-0.0	-0.0
0.0	0.0		J	6.2	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	1.6	-0.0	0.0	0.1
0.0	0.0		J	1.6	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	9.0	-0.0	-0.0	-0.0
0.0	0.0		J	9.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	0.7	-0.0	0.0	0.1
0.0	0.0		J	0.7	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	157.0	0.0	-1.2	-0.3
0.0	0.0		J	157.0	0.0	1.2	-0.3
0.0	0.0	Min	I	-20.2	-0.0	-1.2	-2.4
0.0	0.0		J	-20.2	-0.0	1.2	-2.4
0.0	0.0	INVSLE Max	I	109.8	0.0	-0.9	-0.2
0.0	0.0		J	109.8	0.0	0.9	-0.2
0.0	0.0	Min	I	-20.7	-0.0	-0.9	-1.8
0.0	0.0		J	-20.7	-0.0	0.9	-1.8
7692	2	74 C1-C2;~1 Max	I	93.5	0.0	0.0	0.6
0.0	0.0		J	93.5	0.0	0.0	0.6
0.0	0.0	Min	I	-23.4	-0.0	-0.0	-0.5


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-23.4	-0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	82.4	0.0	0.0	0.4
0.0	0.0		J	82.4	0.0	0.0	0.4
0.0	0.0	Min	I	-8.7	-0.0	-0.0	-0.7
0.0	0.0		J	-8.7	-0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	62.2	0.0	0.0	0.3
0.0	0.0		J	62.2	0.0	0.0	0.3
0.0	0.0	Min	I	-12.9	-0.0	-0.0	-0.3
0.0	0.0		J	-12.9	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	55.4	0.0	0.0	0.2
0.0	0.0		J	55.4	0.0	0.0	0.2
0.0	0.0	Min	I	-3.5	-0.0	-0.0	-0.4
0.0	0.0		J	-3.5	-0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	G1	I	-2.1	0.0	-0.9	-0.1
0.0	0.0		J	-2.1	-0.0	0.9	-0.1
0.0	0.0						
0.0	0.0	G2	I	-10.1	0.0	0.0	-0.0
0.0	0.0		J	-10.1	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	2.6	-0.0	-0.0	0.0
0.0	0.0		J	2.6	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-7.3	-0.0	-0.0	-0.0
0.0	0.0		J	-7.3	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	3.7	-0.0	-0.0	0.0
0.0	0.0		J	3.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-10.8	-0.0	-0.0	-0.0
0.0	0.0		J	-10.8	0.0	0.0	-0.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	0.0	INVS LU Max	I	209.9	0.0	-1.2	0.4
			J	209.9	0.0	1.2	0.4
0.0	0.0	Min	I	38.9	-0.0	-1.2	-1.5
			J	38.9	-0.0	1.2	-1.5
0.0	0.0	INVS LE Max	I	150.4	0.0	-0.9	0.3
			J	150.4	0.0	0.9	0.3
0.0	0.0	Min	I	24.7	-0.0	-0.9	-1.1
			J	24.7	-0.0	0.9	-1.1
7695	2	74 C1-C2;~1 Max	I	88.1	0.0	0.0	0.8
0.0	0.0		J	88.1	0.0	0.0	0.8
0.0	0.0	Min	I	-24.0	-0.0	-0.0	-0.8
			J	-24.0	0.0	-0.0	-0.8
0.0	0.0	C3-C4;~1 Max	I	77.3	0.0	0.0	1.2
			J	77.3	0.0	0.0	1.2
0.0	0.0	Min	I	-10.7	-0.0	-0.0	-0.5
			J	-10.7	0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	59.4	0.0	0.0	0.4
			J	59.4	0.0	0.0	0.4
0.0	0.0	Min	I	-13.7	-0.0	-0.0	-0.5
			J	-13.7	0.0	-0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	52.6	0.0	0.0	0.7
			J	52.6	0.0	0.0	0.7
0.0	0.0	Min	I	-5.3	-0.0	-0.0	-0.3
			J	-5.3	0.0	-0.0	-0.3
0.0	0.0	G1	I	-2.4	0.0	-0.9	0.4
			J	-2.4	0.0	0.9	0.4
0.0	0.0	G2	I	-9.8	0.0	0.0	0.2
			J	-9.8	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.6	-0.0	-0.0	-0.0
0.0	0.0		J	-1.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	6.3	0.0	0.0	0.1
0.0	0.0		J	6.3	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	-2.4	-0.0	-0.0	-0.0
0.0	0.0		J	-2.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	9.4	0.0	0.0	0.0
0.0	0.0		J	9.4	0.0	-0.0	0.0
0.0	0.0	INVSLE Max	I	105.5	0.0	-1.2	3.3
0.0	0.0		J	105.5	0.0	1.2	3.3
0.0	0.0	Min	I	-57.2	-0.0	-1.2	0.4
0.0	0.0		J	-57.2	0.0	1.2	0.4
0.0	0.0	INVSLE Max	I	71.3	0.0	-0.9	2.4
0.0	0.0		J	71.3	0.0	0.9	2.4
0.0	0.0	Min	I	-48.4	-0.0	-0.9	0.3
0.0	0.0		J	-48.4	0.0	0.9	0.3
7698	2	74 C1-C2;~1 Max	I	106.1	0.0	0.0	0.9
0.0	0.0		J	106.1	0.0	0.0	0.9
0.0	0.0	Min	I	-25.6	0.0	0.0	-0.5
0.0	0.0		J	-25.6	0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	95.0	0.0	0.0	1.3
0.0	0.0		J	95.0	0.0	0.0	1.3
0.0	0.0	Min	I	-19.4	0.0	0.0	-0.5
0.0	0.0		J	-19.4	0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	70.1	0.0	0.0	0.5
0.0	0.0		J	70.1	0.0	0.0	0.5
0.0	0.0	Min	I	-13.1	0.0	0.0	-0.3
0.0	0.0		J	-13.1	0.0	-0.0	-0.3

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	63.5	0.0	0.0	0.7
0.0	0.0		J	63.5	0.0	0.0	0.7
0.0	0.0	Min	I	-8.1	0.0	0.0	-0.2
0.0	0.0		J	-8.1	0.0	-0.0	-0.2
0.0	0.0	G1	I	1.6	0.0	-0.9	0.4
0.0	0.0		J	1.6	0.0	0.9	0.4
0.0	0.0	G2	I	-13.1	0.0	0.0	0.2
0.0	0.0		J	-13.1	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.5	0.0	0.0	0.0
0.0	0.0		J	4.5	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	3.6	0.0	0.0	-0.0
0.0	0.0		J	3.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	5.8	0.0	0.0	-0.0
0.0	0.0		J	5.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	6.5	0.0	0.0	-0.0
0.0	0.0		J	6.5	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	87.7	0.0	-1.2	3.7
0.0	0.0		J	87.7	0.0	1.2	3.7
0.0	0.0	Min	I	-98.1	0.0	-1.2	1.1
0.0	0.0		J	-98.1	0.0	1.2	1.1
0.0	0.0	INVSLE Max	I	55.8	0.0	-0.9	2.7
0.0	0.0		J	55.8	0.0	0.9	2.7
0.0	0.0	Min	I	-81.3	0.0	-0.9	0.8
0.0	0.0		J	-81.3	0.0	0.9	0.8
7701	2	74 C1-C2;~1 Max	I	93.4	0.0	0.0	0.9
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	93.4	0.0	0.0	0.9
0.0	0.0	Min	I	-22.8	-0.0	-0.0	-2.0
0.0	0.0		J	-22.8	0.0	-0.0	-2.0
0.0	0.0	C3-C4;~1 Max	I	82.2	0.0	0.0	1.0
0.0	0.0		J	82.2	0.0	0.0	1.0
0.0	0.0	Min	I	-8.9	-0.0	-0.0	-2.1
0.0	0.0		J	-8.9	0.0	-0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	62.1	0.0	0.0	0.5
0.0	0.0		J	62.1	0.0	0.0	0.5
0.0	0.0	Min	I	-12.4	-0.0	-0.0	-1.2
0.0	0.0		J	-12.4	0.0	-0.0	-1.2
0.0	0.0	C3-C4;~2 Max	I	55.2	0.0	0.0	0.5
0.0	0.0		J	55.2	0.0	0.0	0.5
0.0	0.0	Min	I	-3.6	-0.0	-0.0	-1.2
0.0	0.0		J	-3.6	0.0	-0.0	-1.2
0.0	0.0	G1	I	-1.4	0.0	-0.9	-1.0
0.0	0.0		J	-1.4	0.0	0.9	-1.0
0.0	0.0	G2	I	-10.8	0.0	-0.0	-0.4
0.0	0.0		J	-10.8	0.0	0.0	-0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.8	-0.0	0.0	0.0
0.0	0.0		J	2.8	0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	-7.3	-0.0	0.0	0.0
0.0	0.0		J	-7.3	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	3.9	-0.0	0.0	0.0
0.0	0.0		J	3.9	0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	-10.7	-0.0	0.0	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-10.7	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	179.5	0.0	-1.2	2.3
0.0	0.0		J	179.5	0.0	1.2	2.3
0.0	0.0	Min	I	9.6	-0.0	-1.2	-1.8
0.0	0.0		J	9.6	0.0	1.2	-1.8
0.0	0.0	INVS LE Max	I	127.4	0.0	-0.9	1.8
0.0	0.0		J	127.4	0.0	0.9	1.8
0.0	0.0	Min	I	2.5	-0.0	-0.9	-1.2
0.0	0.0		J	2.5	0.0	0.9	-1.2
7704	2	74 C1-C2;~1 Max	I	161.5	0.0	0.0	0.7
0.0	0.0		J	161.5	0.0	0.0	0.7
0.0	0.0	Min	I	-48.9	0.0	0.0	-0.8
0.0	0.0		J	-48.9	0.0	0.0	-0.8
0.0	0.0	C3-C4;~1 Max	I	150.6	0.0	0.0	0.6
0.0	0.0		J	150.6	0.0	0.0	0.6
0.0	0.0	Min	I	-47.7	0.0	0.0	-1.2
0.0	0.0		J	-47.7	0.0	0.0	-1.2
0.0	0.0	C1-C2;~2 Max	I	109.6	0.0	0.0	0.4
0.0	0.0		J	109.6	0.0	0.0	0.4
0.0	0.0	Min	I	-25.5	0.0	0.0	-0.4
0.0	0.0		J	-25.5	0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	103.0	0.0	0.0	0.3
0.0	0.0		J	103.0	0.0	0.0	0.3
0.0	0.0	Min	I	-23.0	0.0	0.0	-0.6
0.0	0.0		J	-23.0	0.0	0.0	-0.6
0.0	0.0	G1	I	-15.9	0.0	-0.9	-0.2
0.0	0.0		J	-15.9	0.0	0.9	-0.2
0.0	0.0	G2	I	-18.2	0.0	0.0	-0.1
0.0	0.0		J	-18.2	0.0	0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.6	0.0	0.0	0.1
0.0	0.0		J	4.6	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	4.0	0.0	0.0	0.1
0.0	0.0		J	4.0	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	7.1	0.0	0.0	0.1
0.0	0.0		J	7.1	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	2.0	0.0	0.0	0.1
0.0	0.0		J	2.0	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	124.6	0.0	-1.2	-0.7
0.0	0.0		J	124.6	0.0	1.2	-0.7
0.0	0.0	Min	I	-167.7	0.0	-1.2	-3.5
0.0	0.0		J	-167.7	0.0	1.2	-3.5
0.0	0.0	INVSLE Max	I	92.1	0.0	-0.9	-0.5
0.0	0.0		J	92.1	0.0	0.9	-0.5
0.0	0.0	Min	I	-123.8	0.0	-0.9	-2.6
0.0	0.0		J	-123.8	0.0	0.9	-2.6
7707	2	74 C1-C2;~1 Max	I	97.4	0.0	0.0	0.4
0.0	0.0		J	97.4	0.0	0.0	0.4
0.0	0.0	Min	I	-22.8	-0.0	0.0	-0.6
0.0	0.0		J	-22.8	0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	86.3	0.0	0.0	0.3
0.0	0.0		J	86.3	0.0	0.0	0.3
0.0	0.0	Min	I	-10.1	-0.0	0.0	-0.7
0.0	0.0		J	-10.1	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	64.5	0.0	0.0	0.2
0.0	0.0		J	64.5	0.0	0.0	0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-12.2	-0.0	0.0	-0.3
				J	-12.2	0.0	0.0	-0.3
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	57.9	0.0	0.0	0.2
				J	57.9	0.0	0.0	0.2
0.0	0.0		Min	I	-4.2	-0.0	0.0	-0.4
				J	-4.2	0.0	0.0	-0.4
0.0	0.0							
0.0	0.0		G1	I	-0.5	-0.0	-0.9	-0.3
				J	-0.5	0.0	0.9	-0.3
0.0	0.0							
0.0	0.0		G2	I	-11.2	-0.0	0.0	-0.1
				J	-11.2	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	0.1	0.0	0.0	0.0
				J	0.1	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc Y	I	6.3	-0.0	0.0	-0.0
				J	6.3	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_ps X	I	-0.5	0.0	0.0	0.0
				J	-0.5	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps Y	I	9.6	-0.0	0.0	-0.0
				J	9.6	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		INVSLU Max	I	108.2	0.0	-1.2	-0.5
				J	108.2	0.0	1.2	-0.5
0.0	0.0		Min	I	-65.4	-0.0	-1.2	-2.1
				J	-65.4	0.0	1.2	-2.1
0.0	0.0							
0.0	0.0		INVSLE Max	I	72.4	0.0	-0.9	-0.4
				J	72.4	0.0	0.9	-0.4
0.0	0.0		Min	I	-55.3	-0.0	-0.9	-1.6
				J	-55.3	0.0	0.9	-1.6
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


7713	2	74	C1-C2;~1	Max	I	98.7	0.0	0.0	0.5
0.0	0.0				J	98.7	0.0	0.0	0.5
0.0	0.0			Min	I	-23.4	0.0	-0.0	-0.5
0.0	0.0				J	-23.4	0.0	-0.0	-0.5
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	87.5	0.0	0.0	0.7
0.0	0.0				J	87.5	0.0	0.0	0.7
0.0	0.0			Min	I	-17.8	0.0	-0.0	-0.7
0.0	0.0				J	-17.8	0.0	-0.0	-0.7
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	65.2	0.0	0.0	0.3
0.0	0.0				J	65.2	0.0	0.0	0.3
0.0	0.0			Min	I	-12.3	0.0	-0.0	-0.3
0.0	0.0				J	-12.3	0.0	-0.0	-0.3
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	58.5	0.0	0.0	0.4
0.0	0.0				J	58.5	0.0	0.0	0.4
0.0	0.0			Min	I	-7.2	0.0	-0.0	-0.4
0.0	0.0				J	-7.2	0.0	-0.0	-0.4
0.0	0.0								
0.0	0.0			G1	I	0.4	0.0	-0.9	-0.0
0.0	0.0				J	0.4	0.0	0.9	-0.0
0.0	0.0								
0.0	0.0			G2	I	-13.1	0.0	-0.0	-0.0
0.0	0.0				J	-13.1	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	5.9	0.0	0.0	-0.0
0.0	0.0				J	5.9	0.0	-0.0	-0.0
0.0	0.0								
0.0	0.0			Q5_pc Y	I	2.8	0.0	0.0	-0.0
0.0	0.0				J	2.8	0.0	-0.0	-0.0
0.0	0.0								
0.0	0.0			Q5_ps X	I	7.7	0.0	0.0	-0.0
0.0	0.0				J	7.7	0.0	-0.0	-0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps Y	I	5.4	0.0	0.0	-0.0
0.0	0.0		J	5.4	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	177.6	0.0	-1.2	1.0
0.0	0.0		J	177.6	0.0	1.2	1.0
0.0	0.0	Min	I	2.0	0.0	-1.2	-0.9
0.0	0.0		J	2.0	0.0	1.2	-0.9
0.0	0.0	INVS LE Max	I	125.6	0.0	-0.9	0.7
0.0	0.0		J	125.6	0.0	0.9	0.7
0.0	0.0	Min	I	-3.7	0.0	-0.9	-0.7
0.0	0.0		J	-3.7	0.0	0.9	-0.7
7716	2	74 C1-C2;~1 Max	I	154.7	0.0	0.0	1.2
0.0	0.0		J	154.7	0.0	0.0	1.2
0.0	0.0	Min	I	-50.8	0.0	-0.0	-0.9
0.0	0.0		J	-50.8	-0.0	-0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	142.6	0.0	0.0	1.7
0.0	0.0		J	142.6	0.0	0.0	1.7
0.0	0.0	Min	I	-41.9	0.0	-0.0	-0.8
0.0	0.0		J	-41.9	-0.0	-0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	105.0	0.0	0.0	0.6
0.0	0.0		J	105.0	0.0	0.0	0.6
0.0	0.0	Min	I	-27.1	0.0	-0.0	-0.5
0.0	0.0		J	-27.1	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	97.8	0.0	0.0	0.9
0.0	0.0		J	97.8	0.0	0.0	0.9
0.0	0.0	Min	I	-19.4	0.0	-0.0	-0.4
0.0	0.0		J	-19.4	-0.0	-0.0	-0.4
0.0	0.0	G1	I	-28.2	0.0	-0.9	0.4
0.0	0.0		J	-28.2	0.0	0.9	0.4
0.0	0.0	G2	I	-25.4	0.0	0.0	0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-25.4	0.0	-0.0	0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.2	0.0	0.0	-0.0
0.0	0.0		J	4.2	-0.0	-0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	5.9	0.0	-0.0	0.1
0.0	0.0		J	5.9	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps X	I	4.6	0.0	0.0	-0.1
0.0	0.0		J	4.6	-0.0	0.0	-0.1
0.0	0.0						
		Q5_ps Y	I	9.4	0.0	-0.0	0.0
0.0	0.0		J	9.4	0.0	-0.0	0.0
0.0	0.0						
		INVS LU Max	I	70.1	0.0	-1.2	3.2
0.0	0.0		J	70.1	0.0	1.2	3.2
0.0	0.0						
		Min	I	-218.0	0.0	-1.2	-0.5
0.0	0.0		J	-218.0	-0.0	1.2	-0.5
0.0	0.0						
		INVS LE Max	I	50.5	0.0	-0.9	2.3
0.0	0.0		J	50.5	0.0	0.9	2.3
0.0	0.0						
		Min	I	-162.1	0.0	-0.9	-0.4
0.0	0.0		J	-162.1	-0.0	0.9	-0.4
0.0	0.0						
7719	2	74 C1-C2;~1 Max	I	162.4	0.0	0.0	0.6
0.0	0.0		J	162.4	0.0	0.0	0.6
0.0	0.0						
		Min	I	-47.8	0.0	-0.0	-0.6
0.0	0.0		J	-47.8	-0.0	0.0	-0.6
0.0	0.0						
		C3-C4;~1 Max	I	151.6	0.0	0.0	1.0
0.0	0.0		J	151.6	0.0	0.0	1.0
0.0	0.0						
		Min	I	-42.4	0.0	-0.0	-0.4
0.0	0.0		J	-42.4	-0.0	0.0	-0.4
0.0	0.0						
		C1-C2;~2 Max	I	109.8	0.0	0.0	0.3

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	109.8	0.0	0.0	0.3
0.0	0.0	Min	I	-25.0	0.0	-0.0	-0.3
0.0	0.0		J	-25.0	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	103.3	0.0	0.0	0.5
0.0	0.0		J	103.3	0.0	0.0	0.5
0.0	0.0	Min	I	-21.0	0.0	-0.0	-0.2
0.0	0.0		J	-21.0	-0.0	0.0	-0.2
0.0	0.0	G1	I	-15.2	0.0	-0.9	0.2
0.0	0.0		J	-15.2	0.0	0.9	0.2
0.0	0.0	G2	I	-17.7	0.0	-0.0	0.1
0.0	0.0		J	-17.7	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	8.1	0.0	-0.0	-0.1
0.0	0.0		J	8.1	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	4.5	0.0	0.0	-0.3
0.0	0.0		J	4.5	-0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	11.4	0.0	-0.0	-0.1
0.0	0.0		J	11.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	5.0	0.0	0.0	-0.2
0.0	0.0		J	5.0	-0.0	0.0	-0.2
0.0	0.0	INVS LU Max	I	128.2	0.0	-1.2	3.4
0.0	0.0		J	128.2	0.0	1.2	3.4
0.0	0.0	Min	I	-170.1	0.0	-1.2	0.8
0.0	0.0		J	-170.1	-0.0	1.2	0.8
0.0	0.0	INVS LE Max	I	94.4	0.0	-0.9	2.5
0.0	0.0		J	94.4	0.0	0.9	2.5
0.0	0.0	Min	I	-125.5	0.0	-0.9	0.6

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-125.5	-0.0	0.9	0.6
0.0	0.0							
7722	2	74	C1-C2;~1	Max	I	93.7	0.0	0.5
0.0	0.0				J	93.7	0.0	0.5
0.0	0.0			Min	I	-23.3	0.0	-0.5
0.0	0.0				J	-23.3	0.0	-0.5
0.0	0.0							
			C3-C4;~1	Max	I	82.6	0.0	0.4
0.0	0.0				J	82.6	0.0	0.4
0.0	0.0			Min	I	-8.8	0.0	-0.7
0.0	0.0				J	-8.8	0.0	-0.7
0.0	0.0							
			C1-C2;~2	Max	I	62.3	0.0	0.3
0.0	0.0				J	62.3	0.0	0.3
0.0	0.0			Min	I	-12.8	0.0	-0.3
0.0	0.0				J	-12.8	0.0	-0.3
0.0	0.0							
			C3-C4;~2	Max	I	55.5	0.0	0.2
0.0	0.0				J	55.5	0.0	0.2
0.0	0.0			Min	I	-3.5	0.0	-0.4
0.0	0.0				J	-3.5	0.0	-0.4
0.0	0.0							
			G1		I	-1.8	0.0	-0.9
0.0	0.0				J	-1.8	0.0	-0.1
0.0	0.0							
			G2		I	-10.3	0.0	-0.0
0.0	0.0				J	-10.3	0.0	-0.0
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	2.7	0.0	0.0
0.0	0.0				J	2.7	0.0	0.0
0.0	0.0							
			Q5_pc	Y	I	-7.4	0.0	-0.0
0.0	0.0				J	-7.4	0.0	-0.0
0.0	0.0							
			Q5_ps	X	I	3.8	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	3.8	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_ps Y	I	-10.8	0.0	0.0
0.0	0.0			J	-10.8	0.0	0.0
0.0	0.0						
0.0	0.0		INVSLE Max	I	211.2	0.0	-1.2
0.0	0.0			J	211.2	0.0	1.2
0.0	0.0		Min	I	40.0	0.0	-1.2
0.0	0.0			J	40.0	0.0	1.2
0.0	0.0						
0.0	0.0		INVSLE Max	I	151.3	0.0	-0.9
0.0	0.0			J	151.3	0.0	0.9
0.0	0.0		Min	I	25.5	0.0	-0.9
0.0	0.0			J	25.5	0.0	0.9
0.0	0.0						
7725	2	74	C1-C2;~1 Max	I	156.1	0.0	0.0
0.0	0.0			J	156.1	0.0	0.0
0.0	0.0		Min	I	-65.6	0.0	0.0
0.0	0.0			J	-65.6	0.0	0.0
0.0	0.0						
0.0	0.0		C3-C4;~1 Max	I	144.2	0.0	0.0
0.0	0.0			J	144.2	0.0	0.0
0.0	0.0		Min	I	-51.4	0.0	0.0
0.0	0.0			J	-51.4	0.0	0.0
0.0	0.0						
0.0	0.0		C1-C2;~2 Max	I	105.5	0.0	0.0
0.0	0.0			J	105.5	0.0	0.0
0.0	0.0		Min	I	-33.0	0.0	0.0
0.0	0.0			J	-33.0	0.0	0.0
0.0	0.0						
0.0	0.0		C3-C4;~2 Max	I	98.5	0.0	0.0
0.0	0.0			J	98.5	0.0	0.0
0.0	0.0		Min	I	-23.7	0.0	0.0
0.0	0.0			J	-23.7	0.0	0.0
0.0	0.0						
0.0	0.0		G1	I	-30.8	0.0	-0.9
0.0	0.0			J	-30.8	0.0	0.9

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		G2	I	-26.9	0.0	0.0	0.1
0.0	0.0		J	-26.9	0.0	0.0	0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	15.5	0.0	0.0	-0.1
0.0	0.0		J	15.5	0.0	0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-1.7	0.0	0.0	0.1
0.0	0.0		J	-1.7	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	19.2	0.0	0.0	-0.1
0.0	0.0		J	19.2	0.0	0.0	-0.1
0.0	0.0						
		Q5_ps Y	I	0.7	0.0	0.0	0.1
0.0	0.0		J	0.7	0.0	0.0	0.1
0.0	0.0						
		INVSLE Max	I	79.7	0.0	-1.2	3.0
0.0	0.0		J	79.7	0.0	1.2	3.0
0.0	0.0						
		Min	I	-247.5	0.0	-1.2	-1.0
0.0	0.0		J	-247.5	0.0	1.2	-1.0
0.0	0.0						
		INVSLE Max	I	57.4	0.0	-0.9	2.2
0.0	0.0		J	57.4	0.0	0.9	2.2
0.0	0.0						
		Min	I	-183.0	0.0	-0.9	-0.8
0.0	0.0		J	-183.0	0.0	0.9	-0.8
0.0	0.0						
7728	2	74 C1-C2;~1 Max	I	162.8	0.0	0.0	0.6
0.0	0.0		J	162.8	0.0	0.0	0.6
0.0	0.0						
		Min	I	-54.7	-0.0	0.0	-0.7
0.0	0.0		J	-54.7	0.0	-0.0	-0.7
0.0	0.0						
		C3-C4;~1 Max	I	151.7	0.0	0.0	0.4
0.0	0.0		J	151.7	0.0	0.0	0.4
0.0	0.0						
		Min	I	-42.6	-0.0	0.0	-0.9
0.0	0.0		J	-42.6	0.0	-0.0	-0.9

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	I	110.0	0.0	0.3
0.0	0.0			J	110.0	0.0	0.3
0.0	0.0		Min	I	-27.8	-0.0	-0.3
0.0	0.0			J	-27.8	0.0	-0.3
0.0	0.0	C3-C4;~2	Max	I	103.4	0.0	0.2
0.0	0.0			J	103.4	0.0	0.2
0.0	0.0		Min	I	-21.1	-0.0	-0.5
0.0	0.0			J	-21.1	0.0	-0.5
0.0	0.0		G1	I	-15.3	-0.0	-0.2
0.0	0.0			J	-15.3	0.0	-0.2
0.0	0.0		G2	I	-18.3	-0.0	-0.1
0.0	0.0			J	-18.3	0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	9.9	0.0	0.3
0.0	0.0			J	9.9	0.0	0.3
0.0	0.0	Q5_pc	Y	I	2.3	-0.0	-0.1
0.0	0.0			J	2.3	0.0	-0.1
0.0	0.0	Q5_ps	X	I	13.5	0.0	0.3
0.0	0.0			J	13.5	0.0	0.3
0.0	0.0	Q5_ps	Y	I	3.6	-0.0	-0.1
0.0	0.0			J	3.6	0.0	-0.1
0.0	0.0	INVSLU	Max	I	126.6	0.0	-0.8
0.0	0.0			J	126.6	0.0	-0.8
0.0	0.0		Min	I	-184.9	-0.0	-3.3
0.0	0.0			J	-184.9	0.0	-3.3
0.0	0.0	INVSLE	Max	I	93.1	0.0	-0.6
0.0	0.0						

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	93.1	0.0	0.9	-0.6	
0.0	0.0		Min	I	-136.3	-0.0	-0.9	-2.4	
0.0	0.0			J	-136.3	0.0	0.9	-2.4	
0.0	0.0								
7731	2	74	C1-C2;~1	Max	I	98.7	0.0	0.0	0.6
0.0	0.0			J	98.7	0.0	0.0	0.6	
0.0	0.0		Min	I	-33.9	0.0	-0.0	-0.5	
0.0	0.0			J	-33.9	0.0	-0.0	-0.5	
0.0	0.0								
			C3-C4;~1	Max	I	87.4	0.0	0.0	0.7
0.0	0.0			J	87.4	0.0	0.0	0.7	
0.0	0.0		Min	I	-20.0	0.0	-0.0	-0.7	
0.0	0.0			J	-20.0	0.0	-0.0	-0.7	
0.0	0.0								
			C1-C2;~2	Max	I	65.2	0.0	0.0	0.3
0.0	0.0			J	65.2	0.0	0.0	0.3	
0.0	0.0		Min	I	-16.4	0.0	-0.0	-0.3	
0.0	0.0			J	-16.4	0.0	-0.0	-0.3	
0.0	0.0								
			C3-C4;~2	Max	I	58.4	0.0	0.0	0.4
0.0	0.0			J	58.4	0.0	0.0	0.4	
0.0	0.0		Min	I	-8.1	0.0	-0.0	-0.4	
0.0	0.0			J	-8.1	0.0	-0.0	-0.4	
0.0	0.0								
			G1	I	0.3	0.0	-0.9	0.0	
0.0	0.0			J	0.3	0.0	0.9	0.0	
0.0	0.0								
			G2	I	-13.1	0.0	0.0	0.0	
0.0	0.0			J	-13.1	0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	3.7	0.0	-0.0	0.0	
0.0	0.0			J	3.7	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc Y	I	-5.4	0.0	0.0	-0.0	
0.0	0.0			J	-5.4	0.0	-0.0	-0.0	

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
0.0	0.0	Q5_ps X	I	5.5	0.0	-0.0	0.0	
0.0	0.0		J	5.5	0.0	0.0	0.0	
0.0	0.0	Q5_ps Y	I	-9.0	0.0	0.0	-0.0	
0.0	0.0		J	-9.0	0.0	-0.0	-0.0	
0.0	0.0	INVS LU Max	I	176.5	0.0	-1.2	1.1	
0.0	0.0		J	176.5	0.0	1.2	1.1	
0.0	0.0	Min	I	-12.2	0.0	-1.2	-0.9	
0.0	0.0		J	-12.2	0.0	1.2	-0.9	
0.0	0.0	INVS LE Max	I	124.8	0.0	-0.9	0.8	
0.0	0.0		J	124.8	0.0	0.9	0.8	
0.0	0.0	Min	I	-14.3	0.0	-0.9	-0.7	
0.0	0.0		J	-14.3	0.0	0.9	-0.7	
7734	2	74 C1-C2;~1 Max	I	153.2	0.0	0.0	0.5	
0.0	0.0		J	153.2	0.0	0.0	0.5	
0.0	0.0	Min	I	-43.8	0.0	-0.0	-0.4	
0.0	0.0		J	-43.8	0.0	0.0	-0.4	
0.0	0.0	C3-C4;~1 Max	I	143.8	0.0	0.0	0.4	
0.0	0.0		J	143.8	0.0	0.0	0.4	
0.0	0.0	Min	I	-41.5	0.0	-0.0	-0.5	
0.0	0.0		J	-41.5	0.0	0.0	-0.5	
0.0	0.0	C1-C2;~2 Max	I	103.8	0.0	0.0	0.3	
0.0	0.0		J	103.8	0.0	0.0	0.3	
0.0	0.0	Min	I	-23.1	0.0	-0.0	-0.2	
0.0	0.0		J	-23.1	0.0	0.0	-0.2	
0.0	0.0	C3-C4;~2 Max	I	98.2	0.0	0.0	0.2	
0.0	0.0		J	98.2	0.0	0.0	0.2	
0.0	0.0	Min	I	-20.9	0.0	-0.0	-0.3	
0.0	0.0		J	-20.9	0.0	0.0	-0.3	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	G1	I	-15.2	0.0	-0.9	-0.0
0.0	0.0		J	-15.2	0.0	0.9	-0.0
0.0	0.0	G2	I	-15.9	0.0	-0.0	-0.0
0.0	0.0		J	-15.9	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.2	0.0	0.0	0.1
0.0	0.0		J	2.2	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	3.1	0.0	-0.0	0.1
0.0	0.0		J	3.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	2.0	0.0	0.0	0.1
0.0	0.0		J	2.0	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	6.0	0.0	-0.0	0.1
0.0	0.0		J	6.0	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	110.1	0.0	-1.2	-0.1
0.0	0.0		J	110.1	0.0	1.2	-0.1
0.0	0.0	Min	I	-161.6	0.0	-1.2	-1.6
0.0	0.0		J	-161.6	0.0	1.2	-1.6
0.0	0.0	INVSLE Max	I	81.8	0.0	-0.9	-0.0
0.0	0.0		J	81.8	0.0	0.9	-0.0
0.0	0.0	Min	I	-119.0	0.0	-0.9	-1.2
0.0	0.0		J	-119.0	0.0	0.9	-1.2
7737	2	74 C1-C2;~1 Max	I	136.3	0.0	0.0	1.4
0.0	0.0		J	136.3	0.0	0.0	1.4
0.0	0.0	Min	I	-41.1	-0.0	-0.0	-0.6
0.0	0.0		J	-41.1	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	125.0	0.0	0.0	1.6
0.0	0.0		J	125.0	0.0	0.0	1.6

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-23.6	-0.0	-0.7
0.0	0.0			J	-23.6	0.0	-0.7
0.0	0.0		C1-C2;~2	Max	I	91.7	0.7
0.0	0.0			J	91.7	0.0	0.7
0.0	0.0			Min	I	-20.5	-0.3
0.0	0.0			J	-20.5	0.0	-0.3
0.0	0.0		C3-C4;~2	Max	I	85.0	0.9
0.0	0.0			J	85.0	0.0	0.9
0.0	0.0			Min	I	-11.3	-0.3
0.0	0.0			J	-11.3	0.0	-0.3
0.0	0.0		G1	I	-3.6	0.0	0.5
0.0	0.0			J	-3.6	0.0	0.5
0.0	0.0		G2	I	-14.2	0.0	0.2
0.0	0.0			J	-14.2	0.0	0.2
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	10.8	0.0
0.0	0.0			J	10.8	0.0	0.0
0.0	0.0		Q5_pc	Y	I	-0.5	0.0
0.0	0.0			J	-0.5	0.0	0.0
0.0	0.0		Q5_ps	X	I	14.3	0.0
0.0	0.0			J	14.3	0.0	0.0
0.0	0.0		Q5_ps	Y	I	1.4	0.0
0.0	0.0			J	1.4	0.0	0.0
0.0	0.0		INVSLU	Max	I	142.6	4.1
0.0	0.0			J	142.6	0.0	4.1
0.0	0.0			Min	I	-116.2	1.0
0.0	0.0			J	-116.2	0.0	1.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	102.6	0.0	-0.9	3.0
0.0	0.0			J	102.6	0.0	0.9	3.0
0.0	0.0		Min	I	-87.7	-0.0	-0.9	0.7
0.0	0.0			J	-87.7	0.0	0.9	0.7
7740	2	74	C1-C2;~1 Max	I	163.1	0.0	0.0	0.7
0.0	0.0			J	163.1	0.0	0.0	0.7
0.0	0.0		Min	I	-52.4	-0.0	-0.0	-0.7
0.0	0.0			J	-52.4	-0.0	-0.0	-0.7
0.0	0.0		C3-C4;~1 Max	I	153.6	0.0	0.0	1.1
0.0	0.0			J	153.6	0.0	0.0	1.1
0.0	0.0		Min	I	-44.7	-0.0	-0.0	-0.5
0.0	0.0			J	-44.7	-0.0	-0.0	-0.5
0.0	0.0		C1-C2;~2 Max	I	110.0	0.0	0.0	0.4
0.0	0.0			J	110.0	0.0	0.0	0.4
0.0	0.0		Min	I	-26.7	-0.0	-0.0	-0.4
0.0	0.0			J	-26.7	-0.0	-0.0	-0.4
0.0	0.0		C3-C4;~2 Max	I	104.6	0.0	0.0	0.6
0.0	0.0			J	104.6	0.0	0.0	0.6
0.0	0.0		Min	I	-22.2	-0.0	-0.0	-0.3
0.0	0.0			J	-22.2	-0.0	-0.0	-0.3
0.0	0.0		G1	I	-16.3	0.0	-0.9	0.3
0.0	0.0			J	-16.3	-0.0	0.9	0.3
0.0	0.0		G2	I	-19.4	0.0	0.0	0.1
0.0	0.0			J	-19.4	-0.0	-0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	3.8	-0.0	-0.0	-0.1
0.0	0.0			J	3.8	0.0	0.0	-0.1


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc Y	I	3.0	-0.0	0.0	-0.0
0.0	0.0		J	3.0	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	6.0	-0.0	-0.0	-0.1
0.0	0.0		J	6.0	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-0.1	-0.0	0.0	0.0
0.0	0.0		J	-0.1	0.0	-0.0	0.0
0.0	0.0	INVS LU Max	I	118.6	0.0	-1.2	3.4
0.0	0.0		J	118.6	0.0	1.2	3.4
0.0	0.0	Min	I	-179.2	-0.0	-1.2	0.8
0.0	0.0		J	-179.2	-0.0	1.2	0.8
0.0	0.0	INVS LE Max	I	87.6	0.0	-0.9	2.5
0.0	0.0		J	87.6	0.0	0.9	2.5
0.0	0.0	Min	I	-132.5	-0.0	-0.9	0.6
0.0	0.0		J	-132.5	-0.0	0.9	0.6
7746	2	74 C1-C2;~1 Max	I	98.3	0.0	0.0	0.7
0.0	0.0		J	98.3	0.0	0.0	0.7
0.0	0.0	Min	I	-23.6	0.0	-0.0	-0.5
0.0	0.0		J	-23.6	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	1.0
0.0	0.0		J	87.1	0.0	0.0	1.0
0.0	0.0	Min	I	-17.5	0.0	-0.0	-0.5
0.0	0.0		J	-17.5	-0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	65.0	0.0	0.0	0.4
0.0	0.0		J	65.0	0.0	0.0	0.4
0.0	0.0	Min	I	-12.4	0.0	-0.0	-0.3
0.0	0.0		J	-12.4	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	58.2	0.0	0.0	0.5
0.0	0.0		J	58.2	0.0	0.0	0.5
0.0	0.0	Min	I	-7.1	0.0	-0.0	-0.3
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-7.1	-0.0	-0.0	-0.3
0.0	0.0	G1	I	0.4	0.0	-0.9	0.2
0.0	0.0		J	0.4	0.0	0.9	0.2
0.0	0.0	G2	I	-12.9	0.0	0.0	0.1
0.0	0.0		J	-12.9	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.1	0.0	-0.0	-0.0
0.0	0.0		J	5.1	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	3.1	0.0	-0.0	-0.0
0.0	0.0		J	3.1	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	6.6	0.0	-0.0	-0.0
0.0	0.0		J	6.6	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	5.7	0.0	-0.0	-0.0
0.0	0.0		J	5.7	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	152.6	0.0	-1.2	2.5
0.0	0.0		J	152.6	0.0	1.2	2.5
0.0	0.0	Min	I	-21.1	0.0	-1.2	0.4
0.0	0.0		J	-21.1	-0.0	1.2	0.4
0.0	0.0	INVSLE Max	I	106.6	0.0	-0.9	1.8
0.0	0.0		J	106.6	0.0	0.9	1.8
0.0	0.0	Min	I	-21.5	0.0	-0.9	0.3
0.0	0.0		J	-21.5	-0.0	0.9	0.3
7749	2	74 C1-C2;~1 Max	I	107.3	0.0	0.0	0.9
0.0	0.0		J	107.3	0.0	0.0	0.9
0.0	0.0	Min	I	-25.3	0.0	0.0	-0.5
0.0	0.0		J	-25.3	0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	96.2	0.0	0.0	1.2

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	96.2	0.0	0.0	1.2
0.0	0.0	Min	I	-20.6	0.0	0.0	-0.4
0.0	0.0		J	-20.6	0.0	0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	70.7	0.0	0.0	0.5
0.0	0.0		J	70.7	0.0	0.0	0.5
0.0	0.0	Min	I	-13.1	0.0	0.0	-0.3
0.0	0.0		J	-13.1	0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	64.1	0.0	0.0	0.7
0.0	0.0		J	64.1	0.0	0.0	0.7
0.0	0.0	Min	I	-8.7	0.0	0.0	-0.2
0.0	0.0		J	-8.7	0.0	0.0	-0.2
0.0	0.0	G1	I	1.3	0.0	-0.9	0.4
0.0	0.0		J	1.3	0.0	0.9	0.4
0.0	0.0	G2	I	-12.1	0.0	0.0	0.2
0.0	0.0		J	-12.1	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.6	0.0	0.0	-0.0
0.0	0.0		J	7.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	3.7	0.0	0.0	0.0
0.0	0.0		J	3.7	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	10.9	0.0	0.0	-0.0
0.0	0.0		J	10.9	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	3.7	0.0	0.0	0.0
0.0	0.0		J	3.7	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	93.5	0.0	-1.2	3.6
0.0	0.0		J	93.5	0.0	1.2	3.6
0.0	0.0	Min	I	-99.3	0.0	-1.2	1.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-99.3	0.0	1.2	1.2
0.0	0.0							
			INVSLE Max	I	59.9	0.0	-0.9	2.7
0.0	0.0			J	59.9	0.0	0.9	2.7
0.0	0.0		Min	I	-81.9	0.0	-0.9	0.9
0.0	0.0			J	-81.9	0.0	0.9	0.9
0.0	0.0							
7752	2	74	C1-C2;~1 Max	I	134.4	0.0	0.0	0.7
0.0	0.0			J	134.4	0.0	0.0	0.7
0.0	0.0		Min	I	-34.4	0.0	0.0	-1.3
0.0	0.0			J	-34.4	-0.0	0.0	-1.3
0.0	0.0							
			C3-C4;~1 Max	I	123.2	0.0	0.0	0.7
0.0	0.0			J	123.2	0.0	0.0	0.7
0.0	0.0		Min	I	-25.8	0.0	0.0	-1.7
0.0	0.0			J	-25.8	-0.0	0.0	-1.7
0.0	0.0							
			C1-C2;~2 Max	I	90.8	0.0	0.0	0.3
0.0	0.0			J	90.8	0.0	0.0	0.3
0.0	0.0		Min	I	-17.8	0.0	0.0	-0.7
0.0	0.0			J	-17.8	-0.0	0.0	-0.7
0.0	0.0							
			C3-C4;~2 Max	I	84.2	0.0	0.0	0.3
0.0	0.0			J	84.2	0.0	0.0	0.3
0.0	0.0		Min	I	-11.9	0.0	0.0	-0.9
0.0	0.0			J	-11.9	-0.0	0.0	-0.9
0.0	0.0							
			G1	I	-2.5	0.0	-0.9	-0.5
0.0	0.0			J	-2.5	0.0	0.9	-0.5
0.0	0.0							
			G2	I	-13.8	0.0	0.0	-0.2
0.0	0.0			J	-13.8	0.0	0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.3	0.0	0.0	-0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	3.3	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-5.6	0.0	0.0	-0.0
0.0	0.0		J	-5.6	-0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	5.0	0.0	0.0	-0.0
0.0	0.0		J	5.0	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-9.5	0.0	0.0	-0.0
0.0	0.0		J	-9.5	-0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	134.0	0.0	-1.2	-1.0
0.0	0.0		J	134.0	0.0	1.2	-1.0
0.0	0.0	Min	I	-104.0	0.0	-1.2	-4.3
0.0	0.0		J	-104.0	-0.0	1.2	-4.3
0.0	0.0	INVS LE Max	I	96.4	0.0	-0.9	-0.7
0.0	0.0		J	96.4	0.0	0.9	-0.7
0.0	0.0	Min	I	-79.2	0.0	-0.9	-3.1
0.0	0.0		J	-79.2	-0.0	0.9	-3.1
7755	2	74 C1-C2;~1 Max	I	157.2	0.0	0.0	0.9
0.0	0.0		J	157.2	0.0	0.0	0.9
0.0	0.0	Min	I	-67.3	0.0	0.0	-1.1
0.0	0.0		J	-67.3	0.0	0.0	-1.1
0.0	0.0	C3-C4;~1 Max	I	145.2	0.0	0.0	0.8
0.0	0.0		J	145.2	0.0	0.0	0.8
0.0	0.0	Min	I	-44.5	0.0	0.0	-1.4
0.0	0.0		J	-44.5	0.0	0.0	-1.4
0.0	0.0	C1-C2;~2 Max	I	106.0	0.0	0.0	0.5
0.0	0.0		J	106.0	0.0	0.0	0.5
0.0	0.0	Min	I	-33.9	0.0	0.0	-0.6
0.0	0.0		J	-33.9	0.0	0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	99.0	0.0	0.0	0.4
0.0	0.0		J	99.0	0.0	0.0	0.4

MIDAS

PROJECT TITLE :


		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-21.1	0.0	0.0	-0.7
0.0	0.0			J	-21.1	0.0	0.0	-0.7
0.0	0.0							
			G1	I	-30.0	0.0	-0.9	-0.4
0.0	0.0			J	-30.0	0.0	0.9	-0.4
0.0	0.0							
			G2	I	-26.4	0.0	0.0	-0.1
0.0	0.0			J	-26.4	0.0	0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	14.0	0.0	0.0	0.2
0.0	0.0			J	14.0	0.0	0.0	0.2
0.0	0.0							
			Q5_pc Y	I	4.0	0.0	0.0	-0.4
0.0	0.0			J	4.0	0.0	0.0	-0.4
0.0	0.0							
			Q5_ps X	I	18.0	0.0	0.0	0.3
0.0	0.0			J	18.0	0.0	0.0	0.3
0.0	0.0							
			Q5_ps Y	I	5.4	0.0	0.0	-0.3
0.0	0.0			J	5.4	0.0	0.0	-0.3
0.0	0.0							
			INVSLU Max	I	80.4	0.0	-1.2	0.8
0.0	0.0			J	80.4	0.0	1.2	0.8
0.0	0.0							
			Min	I	-248.0	0.0	-1.2	-3.0
0.0	0.0			J	-248.0	0.0	1.2	-3.0
0.0	0.0							
			INVSLE Max	I	57.9	0.0	-0.9	0.6
0.0	0.0			J	57.9	0.0	0.9	0.6
0.0	0.0							
			Min	I	-183.5	0.0	-0.9	-2.2
0.0	0.0			J	-183.5	0.0	0.9	-2.2
0.0	0.0							
7758	2	74	C1-C2;~1 Max	I	156.2	0.0	0.0	0.8
0.0	0.0			J	156.2	0.0	0.0	0.8
0.0	0.0							
			Min	I	-56.4	0.0	0.0	-1.0
0.0	0.0			J	-56.4	-0.0	-0.0	-1.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	144.4	0.0	0.0	1.1
0.0	0.0		J	144.4	0.0	0.0	1.1
0.0	0.0	Min	I	-50.8	0.0	0.0	-0.9
0.0	0.0		J	-50.8	-0.0	-0.0	-0.9
0.0	0.0	C1-C2;~2 Max	I	105.8	0.0	0.0	0.4
0.0	0.0		J	105.8	0.0	0.0	0.4
0.0	0.0	Min	I	-29.5	0.0	0.0	-0.5
0.0	0.0		J	-29.5	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	98.8	0.0	0.0	0.6
0.0	0.0		J	98.8	0.0	0.0	0.6
0.0	0.0	Min	I	-24.1	0.0	0.0	-0.5
0.0	0.0		J	-24.1	-0.0	-0.0	-0.5
0.0	0.0	G1	I	-28.8	0.0	-0.9	-0.0
0.0	0.0		J	-28.8	-0.0	0.9	-0.0
0.0	0.0	G2	I	-25.9	0.0	0.0	-0.0
0.0	0.0		J	-25.9	-0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.3	0.0	0.0	-0.1
0.0	0.0		J	5.3	0.0	-0.0	-0.1
0.0	0.0	Q5_pc Y	I	-9.9	0.0	0.0	0.2
0.0	0.0		J	-9.9	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	7.0	0.0	0.0	-0.1
0.0	0.0		J	7.0	0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	-14.2	0.0	0.0	0.2
0.0	0.0		J	-14.2	0.0	0.0	0.2
0.0	0.0	INVSLU Max	I	75.4	0.0	-1.2	1.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	75.4	0.0	1.2	1.0
0.0	0.0	Min	I	-229.3	0.0	-1.2	-2.1
0.0	0.0		J	-229.3	-0.0	1.2	-2.1
0.0	0.0	INVSLE Max	I	54.5	0.0	-0.9	0.7
0.0	0.0		J	54.5	0.0	0.9	0.7
0.0	0.0	Min	I	-169.9	0.0	-0.9	-1.6
0.0	0.0		J	-169.9	-0.0	0.9	-1.6
7761	2	74 C1-C2;~1 Max	I	106.8	0.0	0.0	0.5
0.0	0.0		J	106.8	0.0	0.0	0.5
0.0	0.0	Min	I	-26.5	0.0	0.0	-0.9
0.0	0.0		J	-26.5	0.0	0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	95.7	0.0	0.0	0.4
0.0	0.0		J	95.7	0.0	0.0	0.4
0.0	0.0	Min	I	-20.3	0.0	0.0	-1.2
0.0	0.0		J	-20.3	0.0	0.0	-1.2
0.0	0.0	C1-C2;~2 Max	I	70.5	0.0	0.0	0.3
0.0	0.0		J	70.5	0.0	0.0	0.3
0.0	0.0	Min	I	-13.6	0.0	0.0	-0.5
0.0	0.0		J	-13.6	0.0	0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	63.8	0.0	0.0	0.2
0.0	0.0		J	63.8	0.0	0.0	0.2
0.0	0.0	Min	I	-8.6	0.0	0.0	-0.7
0.0	0.0		J	-8.6	0.0	0.0	-0.7
0.0	0.0	G1	I	1.3	0.0	-0.9	-0.4
0.0	0.0		J	1.3	0.0	0.9	-0.4
0.0	0.0	G2	I	-12.2	0.0	0.0	-0.2
0.0	0.0		J	-12.2	0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	6.1	0.0	0.0	-0.0
0.0	0.0		J	6.1	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	0.8	0.0	0.0	0.1
0.0	0.0		J	0.8	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	9.0	0.0	0.0	0.0
0.0	0.0		J	9.0	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-0.4	0.0	0.0	0.1
0.0	0.0		J	-0.4	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	92.0	0.0	-1.2	-1.1
0.0	0.0		J	92.0	0.0	1.2	-1.1
0.0	0.0	Min	I	-99.1	0.0	-1.2	-3.6
0.0	0.0		J	-99.1	0.0	1.2	-3.6
0.0	0.0	INVSLE Max	I	58.9	0.0	-0.9	-0.8
0.0	0.0		J	58.9	0.0	0.9	-0.8
0.0	0.0	Min	I	-81.8	0.0	-0.9	-2.7
0.0	0.0		J	-81.8	0.0	0.9	-2.7
7764	2	74 C1-C2;~1 Max	I	106.7	0.0	0.0	1.1
0.0	0.0		J	106.7	0.0	0.0	1.1
0.0	0.0	Min	I	-36.0	0.0	0.0	-0.4
0.0	0.0		J	-36.0	0.0	-0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	95.7	0.0	0.0	1.5
0.0	0.0		J	95.7	0.0	0.0	1.5
0.0	0.0	Min	I	-22.3	0.0	0.0	-0.4
0.0	0.0		J	-22.3	0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	70.3	0.0	0.0	0.6
0.0	0.0		J	70.3	0.0	0.0	0.6
0.0	0.0	Min	I	-17.2	0.0	0.0	-0.2
0.0	0.0		J	-17.2	0.0	-0.0	-0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C3-C4;~2 Max	I	63.7	0.0	0.0	0.8
			J	63.7	0.0	0.0	0.8
0.0	0.0	Min	I	-9.4	0.0	0.0	-0.2
			J	-9.4	0.0	-0.0	-0.2
0.0	0.0	G1	I	1.5	0.0	-0.9	0.6
			J	1.5	0.0	0.9	0.6
0.0	0.0	G2	I	-13.3	0.0	0.0	0.2
			J	-13.3	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.3	0.0	0.0	0.0
			J	4.3	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-4.2	0.0	0.0	-0.1
			J	-4.2	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	6.3	0.0	0.0	-0.0
			J	6.3	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-7.6	0.0	0.0	-0.1
			J	-7.6	0.0	-0.0	-0.1
0.0	0.0	INVSLE Max	I	95.3	0.0	-1.2	3.8
			J	95.3	0.0	1.2	3.8
0.0	0.0	Min	I	-105.1	0.0	-1.2	1.0
			J	-105.1	0.0	1.2	1.0
0.0	0.0	INVSLE Max	I	61.6	0.0	-0.9	2.8
			J	61.6	0.0	0.9	2.8
0.0	0.0	Min	I	-86.3	0.0	-0.9	0.7
			J	-86.3	0.0	0.9	0.7
7773	2	74 C1-C2;~1 Max	I	157.3	0.0	0.0	1.2
0.0	0.0		J	157.3	0.0	0.0	1.2
0.0	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-55.5	0.0	-0.0	-1.2	
				J	-55.5	0.0	0.0	-1.2	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	145.5	0.0	0.0	1.7
				J	145.5	0.0	0.0	1.7	
0.0	0.0								
0.0	0.0		Min	I	-52.5	0.0	-0.0	-1.2	
				J	-52.5	0.0	0.0	-1.2	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	106.1	0.0	0.0	0.6
				J	106.1	0.0	0.0	0.6	
0.0	0.0								
0.0	0.0		Min	I	-29.2	0.0	-0.0	-0.6	
				J	-29.2	0.0	0.0	-0.6	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	99.3	0.0	0.0	0.9
				J	99.3	0.0	0.0	0.9	
0.0	0.0								
0.0	0.0		Min	I	-24.6	0.0	-0.0	-0.6	
				J	-24.6	0.0	0.0	-0.6	
0.0	0.0								
0.0	0.0		G1	I	-31.2	0.0	-0.9	0.3	
				J	-31.2	0.0	0.9	0.3	
0.0	0.0								
0.0	0.0		G2	I	-27.2	0.0	0.0	0.1	
				J	-27.2	0.0	0.0	0.1	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	6.9	0.0	-0.0	-0.1
				J	6.9	0.0	0.0	-0.1	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	1.2	0.0	0.0	-0.0
				J	1.2	0.0	0.0	-0.0	
0.0	0.0								
0.0	0.0		Q5_ps	X	I	9.4	0.0	-0.0	-0.1
				J	9.4	0.0	0.0	-0.1	
0.0	0.0								
0.0	0.0		Q5_ps	Y	I	-1.9	0.0	0.0	0.0
				J	-1.9	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	INVSLE Max	I	82.3	0.0	-1.2	3.3
0.0	0.0		J	82.3	0.0	1.2	3.3
0.0	0.0	Min	I	-217.4	0.0	-1.2	-0.9
0.0	0.0		J	-217.4	0.0	1.2	-0.9
0.0	0.0	INVSLE Max	I	59.8	0.0	-0.9	2.4
0.0	0.0		J	59.8	0.0	0.9	2.4
0.0	0.0	Min	I	-161.3	0.0	-0.9	-0.7
0.0	0.0		J	-161.3	0.0	0.9	-0.7
7779	2	74 C1-C2;~1 Max	I	98.3	0.0	0.0	0.5
0.0	0.0		J	98.3	0.0	0.0	0.5
0.0	0.0	Min	I	-33.3	-0.0	-0.0	-0.7
0.0	0.0		J	-33.3	-0.0	-0.0	-0.7
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	0.6
0.0	0.0		J	87.1	0.0	0.0	0.6
0.0	0.0	Min	I	-18.5	-0.0	-0.0	-1.0
0.0	0.0		J	-18.5	-0.0	-0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	65.0	0.0	0.0	0.3
0.0	0.0		J	65.0	0.0	0.0	0.3
0.0	0.0	Min	I	-16.2	-0.0	-0.0	-0.4
0.0	0.0		J	-16.2	-0.0	-0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	58.2	0.0	0.0	0.3
0.0	0.0		J	58.2	0.0	0.0	0.3
0.0	0.0	Min	I	-7.5	-0.0	-0.0	-0.5
0.0	0.0		J	-7.5	-0.0	-0.0	-0.5
0.0	0.0	G1	I	0.4	0.0	-0.9	-0.2
0.0	0.0		J	0.4	-0.0	0.9	-0.2
0.0	0.0	G2	I	-12.9	0.0	0.0	-0.1
0.0	0.0		J	-12.9	-0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	3.5	-0.0	-0.0	0.0
0.0	0.0		J	3.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-5.8	-0.0	0.0	-0.0
0.0	0.0		J	-5.8	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	5.2	-0.0	0.0	0.0
0.0	0.0		J	5.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-9.4	-0.0	0.0	-0.0
0.0	0.0		J	-9.4	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	154.2	0.0	-1.2	-0.3
0.0	0.0		J	154.2	0.0	1.2	-0.3
0.0	0.0	Min	I	-34.0	-0.0	-1.2	-2.4
0.0	0.0		J	-34.0	-0.0	1.2	-2.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	107.6	0.0	-0.9	-0.2
0.0	0.0		J	107.6	0.0	0.9	-0.2
0.0	0.0	Min	I	-31.0	-0.0	-0.9	-1.8
0.0	0.0		J	-31.0	-0.0	0.9	-1.8
0.0	0.0						
7785	2	74 C1-C2;~1 Max	I	126.4	0.0	0.0	0.4
0.0	0.0		J	126.4	0.0	0.0	0.4
0.0	0.0	Min	I	-29.6	0.0	0.0	-0.7
0.0	0.0		J	-29.6	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	117.6	0.0	0.0	0.2
0.0	0.0		J	117.6	0.0	0.0	0.2
0.0	0.0	Min	I	-22.2	0.0	0.0	-0.9
0.0	0.0		J	-22.2	0.0	0.0	-0.9
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	83.9	0.0	0.0	0.2
0.0	0.0		J	83.9	0.0	0.0	0.2
0.0	0.0	Min	I	-15.2	0.0	0.0	-0.4
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-15.2	0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	79.0	0.0	0.0	0.1
0.0	0.0		J	79.0	0.0	0.0	0.1
0.0	0.0	Min	I	-10.6	0.0	0.0	-0.5
0.0	0.0		J	-10.6	0.0	0.0	-0.5
0.0	0.0	G1	I	-0.9	0.0	-0.9	-0.4
0.0	0.0		J	-0.9	0.0	0.9	-0.4
0.0	0.0	G2	I	-12.3	0.0	0.0	-0.2
0.0	0.0		J	-12.3	0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.1	0.0	0.0	0.1
0.0	0.0		J	1.1	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	5.9	0.0	0.0	-0.0
0.0	0.0		J	5.9	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	0.6	0.0	0.0	0.0
0.0	0.0		J	0.6	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	9.3	0.0	0.0	-0.0
0.0	0.0		J	9.3	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	83.0	0.0	-1.2	-0.5
0.0	0.0		J	83.0	0.0	1.2	-0.5
0.0	0.0	Min	I	-138.0	0.0	-1.2	-2.3
0.0	0.0		J	-138.0	0.0	1.2	-2.3
0.0	0.0	INVSLE Max	I	54.6	0.0	-0.9	-0.3
0.0	0.0		J	54.6	0.0	0.9	-0.3
0.0	0.0	Min	I	-108.4	0.0	-0.9	-1.7
0.0	0.0		J	-108.4	0.0	0.9	-1.7
7788	2	74 C1-C2;~1 Max	I	126.0	0.0	0.0	0.7


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	126.0	0.0	0.0	0.7
0.0	0.0	Min	I	-30.4	-0.0	0.0	-0.4
0.0	0.0		J	-30.4	-0.0	0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	117.3	0.0	0.0	0.9
0.0	0.0		J	117.3	0.0	0.0	0.9
0.0	0.0	Min	I	-22.6	-0.0	0.0	-0.2
0.0	0.0		J	-22.6	-0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	83.6	0.0	0.0	0.4
0.0	0.0		J	83.6	0.0	0.0	0.4
0.0	0.0	Min	I	-15.5	-0.0	0.0	-0.2
0.0	0.0		J	-15.5	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	78.8	0.0	0.0	0.5
0.0	0.0		J	78.8	0.0	0.0	0.5
0.0	0.0	Min	I	-10.8	-0.0	0.0	-0.1
0.0	0.0		J	-10.8	-0.0	0.0	-0.1
0.0	0.0	G1	I	-1.1	0.0	-0.9	0.4
0.0	0.0		J	-1.1	-0.0	0.9	0.4
0.0	0.0	G2	I	-12.9	0.0	0.0	0.2
0.0	0.0		J	-12.9	-0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.8	-0.0	0.0	-0.0
0.0	0.0		J	3.8	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-7.7	-0.0	0.0	-0.0
0.0	0.0		J	-7.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	5.2	-0.0	0.0	-0.0
0.0	0.0		J	5.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-11.5	-0.0	0.0	0.0

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-11.5	0.0	0.0	0.0
0.0	0.0							
			INVS LU Max	I	82.1	0.0	-1.2	1.4
0.0	0.0			J	82.1	0.0	1.2	1.4
0.0	0.0		Min	I	-142.9	-0.0	-1.2	-0.4
0.0	0.0			J	-142.9	-0.0	1.2	-0.4
0.0	0.0							
			INVS LE Max	I	53.8	0.0	-0.9	0.9
0.0	0.0			J	53.8	0.0	0.9	0.9
0.0	0.0		Min	I	-111.8	-0.0	-0.9	-0.4
0.0	0.0			J	-111.8	-0.0	0.9	-0.4
0.0	0.0							
7794	2	74	C1-C2;~1 Max	I	97.4	0.0	0.0	0.5
0.0	0.0			J	97.4	0.0	0.0	0.5
0.0	0.0		Min	I	-22.8	0.0	-0.0	-0.6
0.0	0.0			J	-22.8	-0.0	-0.0	-0.6
0.0	0.0							
			C3-C4;~1 Max	I	86.4	0.0	0.0	0.7
0.0	0.0			J	86.4	0.0	0.0	0.7
0.0	0.0		Min	I	-10.4	0.0	-0.0	-0.5
0.0	0.0			J	-10.4	-0.0	-0.0	-0.5
0.0	0.0							
			C1-C2;~2 Max	I	64.5	0.0	0.0	0.3
0.0	0.0			J	64.5	0.0	0.0	0.3
0.0	0.0		Min	I	-12.1	0.0	-0.0	-0.3
0.0	0.0			J	-12.1	-0.0	-0.0	-0.3
0.0	0.0							
			C3-C4;~2 Max	I	57.8	0.0	0.0	0.4
0.0	0.0			J	57.8	0.0	0.0	0.4
0.0	0.0		Min	I	-4.3	0.0	-0.0	-0.3
0.0	0.0			J	-4.3	-0.0	-0.0	-0.3
0.0	0.0							
			G1	I	-0.5	0.0	-0.9	0.2
0.0	0.0			J	-0.5	-0.0	0.9	0.2
0.0	0.0							
			G2	I	-11.5	0.0	0.0	0.1
0.0	0.0			J	-11.5	-0.0	-0.0	0.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	3.2	0.0	-0.0
0.0	0.0			J	3.2	0.0	0.0
0.0	0.0						
			Q5_pc Y	I	-7.5	0.0	0.0
0.0	0.0			J	-7.5	0.0	-0.0
0.0	0.0						
			Q5_ps X	I	4.4	0.0	-0.0
0.0	0.0			J	4.4	0.0	0.0
0.0	0.0						
			Q5_ps Y	I	-11.1	0.0	-0.0
0.0	0.0			J	-11.1	0.0	-0.0
0.0	0.0						
			INVSLE Max	I	106.8	0.0	-1.2
0.0	0.0			J	106.8	0.0	1.2
0.0	0.0						
			Min	I	-68.9	0.0	-1.2
0.0	0.0			J	-68.9	-0.0	1.2
0.0	0.0						
			INVSLE Max	I	71.3	0.0	-0.9
0.0	0.0			J	71.3	0.0	0.9
0.0	0.0						
			Min	I	-57.9	0.0	-0.9
0.0	0.0			J	-57.9	-0.0	0.9
0.0	0.0						
7797	2	74	C1-C2;~1 Max	I	136.6	0.0	0.0
0.0	0.0			J	136.6	0.0	0.0
0.0	0.0						
			Min	I	-34.8	0.0	0.0
0.0	0.0			J	-34.8	0.0	0.0
0.0	0.0						
			C3-C4;~1 Max	I	125.4	0.0	0.0
0.0	0.0			J	125.4	0.0	0.0
0.0	0.0						
			Min	I	-29.8	0.0	0.0
0.0	0.0			J	-29.8	0.0	0.0
0.0	0.0						
			C1-C2;~2 Max	I	92.0	0.0	0.0
0.0	0.0			J	92.0	0.0	0.0

MIDAS


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-18.1	0.0	0.0	-0.7
0.0	0.0			J	-18.1	0.0	0.0	-0.7
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	85.3	0.0	0.0	0.3
0.0	0.0			J	85.3	0.0	0.0	0.3
0.0	0.0		Min	I	-13.8	0.0	0.0	-0.9
0.0	0.0			J	-13.8	0.0	0.0	-0.9
0.0	0.0							
0.0	0.0		G1	I	-3.6	0.0	-0.9	-0.5
0.0	0.0			J	-3.6	0.0	0.9	-0.5
0.0	0.0							
0.0	0.0		G2	I	-13.2	0.0	0.0	-0.2
0.0	0.0			J	-13.2	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	5.5	0.0	0.0	-0.0
0.0	0.0			J	5.5	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_pc Y	I	2.0	0.0	0.0	-0.0
0.0	0.0			J	2.0	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_ps X	I	8.2	0.0	0.0	-0.0
0.0	0.0			J	8.2	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_ps Y	I	0.5	0.0	0.0	-0.0
0.0	0.0			J	0.5	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		INVS LU Max	I	139.2	0.0	-1.2	-1.0
0.0	0.0			J	139.2	0.0	1.2	-1.0
0.0	0.0		Min	I	-102.2	0.0	-1.2	-4.2
0.0	0.0			J	-102.2	0.0	1.2	-4.2
0.0	0.0							
0.0	0.0		INVS LE Max	I	100.4	0.0	-0.9	-0.7
0.0	0.0			J	100.4	0.0	0.9	-0.7
0.0	0.0		Min	I	-77.6	0.0	-0.9	-3.1
0.0	0.0			J	-77.6	0.0	0.9	-3.1

PROJECT TITLE :


		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0									
7800	2	74	C1-C2;~1	Max	I	107.0	0.0	0.0	0.5	
0.0	0.0				J	107.0	0.0	0.0	0.5	
0.0	0.0				Min	I	-24.9	-0.0	-0.9	
0.0	0.0				J	-24.9	-0.0	-0.0	-0.9	
0.0	0.0									
0.0	0.0		C3-C4;~1	Max	I	95.8	0.0	0.0	0.4	
0.0	0.0				J	95.8	0.0	0.0	0.4	
0.0	0.0				Min	I	-14.4	-0.0	-1.1	
0.0	0.0				J	-14.4	-0.0	-0.0	-1.1	
0.0	0.0									
0.0	0.0		C1-C2;~2	Max	I	70.5	0.0	0.0	0.3	
0.0	0.0				J	70.5	0.0	0.0	0.3	
0.0	0.0				Min	I	-12.7	-0.0	-0.5	
0.0	0.0				J	-12.7	-0.0	-0.0	-0.5	
0.0	0.0									
0.0	0.0		C3-C4;~2	Max	I	63.8	0.0	0.0	0.2	
0.0	0.0				J	63.8	0.0	0.0	0.2	
0.0	0.0				Min	I	-6.2	-0.0	-0.6	
0.0	0.0				J	-6.2	-0.0	-0.0	-0.6	
0.0	0.0									
0.0	0.0				G1	I	1.3	-0.0	-0.9	-0.4
0.0	0.0				J	1.3	0.0	0.9	-0.4	
0.0	0.0									
0.0	0.0				G2	I	-13.3	-0.0	-0.0	-0.2
0.0	0.0				J	-13.3	0.0	-0.0	-0.2	
0.0	0.0									
0.0	0.0				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0		Q5_pc	X	I	10.2	0.0	0.0	-0.0	
0.0	0.0				J	10.2	-0.0	0.0	-0.0	
0.0	0.0									
0.0	0.0		Q5_pc	Y	I	1.4	-0.0	-0.0	0.0	
0.0	0.0				J	1.4	0.0	-0.0	0.0	
0.0	0.0									
0.0	0.0		Q5_ps	X	I	14.1	0.0	0.0	0.0	
0.0	0.0				J	14.1	-0.0	0.0	0.0	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	Q5_ps	Y	I	3.1	-0.0	-0.0
0.0	0.0			J	3.1	0.0	-0.0
0.0	0.0						0.0
0.0	0.0	INVSLU	Max	I	94.6	0.0	-1.2
0.0	0.0			J	94.6	0.0	1.2
0.0	0.0						-1.1
0.0	0.0		Min	I	-101.9	-0.0	-1.2
0.0	0.0			J	-101.9	-0.0	1.2
0.0	0.0						-3.4
0.0	0.0						-3.4
0.0	0.0	INVSLE	Max	I	60.6	0.0	-0.9
0.0	0.0			J	60.6	0.0	0.9
0.0	0.0						-0.8
0.0	0.0		Min	I	-83.6	-0.0	-0.9
0.0	0.0			J	-83.6	-0.0	0.9
0.0	0.0						-2.5
0.0	0.0						-2.5
7803	2	74	C1-C2;~1	Max	I	156.2	0.0
0.0	0.0			J	156.2	0.0	0.0
0.0	0.0						1.1
0.0	0.0		Min	I	-56.8	0.0	-0.0
0.0	0.0			J	-56.8	0.0	0.0
0.0	0.0						-1.3
0.0	0.0						-1.3
0.0	0.0		C3-C4;~1	Max	I	144.2	0.0
0.0	0.0			J	144.2	0.0	0.0
0.0	0.0						1.1
0.0	0.0		Min	I	-52.6	0.0	-0.0
0.0	0.0			J	-52.6	0.0	0.0
0.0	0.0						-1.9
0.0	0.0						-1.9
0.0	0.0		C1-C2;~2	Max	I	105.5	0.0
0.0	0.0			J	105.5	0.0	0.0
0.0	0.0						0.6
0.0	0.0		Min	I	-29.7	0.0	-0.0
0.0	0.0			J	-29.7	0.0	0.0
0.0	0.0						-0.6
0.0	0.0						-0.6
0.0	0.0		C3-C4;~2	Max	I	98.5	0.0
0.0	0.0			J	98.5	0.0	0.0
0.0	0.0						0.5
0.0	0.0		Min	I	-24.2	0.0	-0.0
0.0	0.0			J	-24.2	0.0	0.0
0.0	0.0						-0.9
0.0	0.0						-0.9
0.0	0.0		G1	I	-31.4	0.0	-0.9
0.0	0.0			J	-31.4	0.0	0.9
0.0	0.0						-0.3
0.0	0.0						-0.3

MIDAS


PROJECT TITLE :

		Company					Client	
		Author					File Name	
			G2	I	-26.7	0.0	0.0	-0.2
0.0	0.0			J	-26.7	0.0	0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.2	0.0	0.0	0.0
0.0	0.0			J	7.2	0.0	0.0	0.0
0.0	0.0							
			Q5_pc Y	I	1.8	0.0	-0.0	0.2
0.0	0.0			J	1.8	0.0	0.0	0.2
0.0	0.0							
			Q5_ps X	I	10.0	0.0	0.0	0.0
0.0	0.0			J	10.0	0.0	0.0	0.0
0.0	0.0							
			Q5_ps Y	I	-0.7	0.0	-0.0	0.1
0.0	0.0			J	-0.7	0.0	0.0	0.1
0.0	0.0							
			INVSLE Max	I	65.1	0.0	-1.2	0.9
0.0	0.0			J	65.1	0.0	1.2	0.9
0.0	0.0							
			Min	I	-235.5	0.0	-1.2	-3.3
0.0	0.0			J	-235.5	0.0	1.2	-3.3
0.0	0.0							
			INVSLE Max	I	47.1	0.0	-0.9	0.7
0.0	0.0			J	47.1	0.0	0.9	0.7
0.0	0.0							
			Min	I	-174.6	0.0	-0.9	-2.4
0.0	0.0			J	-174.6	0.0	0.9	-2.4
0.0	0.0							
7806	2	74	C1-C2;~1 Max	I	134.5	0.0	0.0	1.3
0.0	0.0			J	134.5	0.0	0.0	1.3
0.0	0.0							
			Min	I	-32.2	-0.0	0.0	-0.6
0.0	0.0			J	-32.2	-0.0	-0.0	-0.6
0.0	0.0							
			C3-C4;~1 Max	I	123.4	0.0	0.0	1.8
0.0	0.0			J	123.4	0.0	0.0	1.8
0.0	0.0							
			Min	I	-25.6	-0.0	0.0	-0.7
0.0	0.0			J	-25.6	-0.0	-0.0	-0.7
0.0	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C1-C2;~2 Max	I	90.9	0.0	0.0	0.7
			J	90.9	0.0	0.0	0.7
0.0	0.0	Min	I	-17.0	-0.0	0.0	-0.3
			J	-17.0	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	84.3	0.0	0.0	0.9
			J	84.3	0.0	0.0	0.9
0.0	0.0	Min	I	-11.8	-0.0	0.0	-0.3
			J	-11.8	-0.0	-0.0	-0.3
0.0	0.0	G1	I	-2.3	0.0	-0.9	0.5
			J	-2.3	0.0	0.9	0.5
0.0	0.0	G2	I	-13.5	0.0	0.0	0.2
			J	-13.5	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.3	-0.0	0.0	0.1
			J	4.3	-0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	2.8	0.0	0.0	-0.0
			J	2.8	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	5.3	-0.0	0.0	0.1
			J	5.3	-0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	5.7	0.0	0.0	-0.1
			J	5.7	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	133.7	0.0	-1.2	4.3
			J	133.7	0.0	1.2	4.3
0.0	0.0	Min	I	-99.2	-0.0	-1.2	0.9
			J	-99.2	-0.0	1.2	0.9
0.0	0.0	INVSLE Max	I	96.2	0.0	-0.9	3.1
			J	96.2	0.0	0.9	3.1

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-75.7	-0.0	-0.9	0.6	
0.0	0.0			J	-75.7	-0.0	0.9	0.6	
0.0	0.0								
7809	2	74	C1-C2;~1	Max	I	98.6	0.0	0.0	0.5
0.0	0.0				J	98.6	0.0	0.0	0.5
0.0	0.0		Min	I	-23.4	0.0	0.0	-0.7	
0.0	0.0			J	-23.4	0.0	-0.0	-0.7	
0.0	0.0								
			C3-C4;~1	Max	I	87.3	0.0	0.0	0.5
0.0	0.0			J	87.3	0.0	0.0	0.5	
0.0	0.0		Min	I	-11.5	0.0	0.0	-0.9	
0.0	0.0			J	-11.5	0.0	-0.0	-0.9	
0.0	0.0								
			C1-C2;~2	Max	I	65.1	0.0	0.0	0.3
0.0	0.0			J	65.1	0.0	0.0	0.3	
0.0	0.0		Min	I	-12.2	0.0	0.0	-0.4	
0.0	0.0			J	-12.2	0.0	-0.0	-0.4	
0.0	0.0								
			C3-C4;~2	Max	I	58.3	0.0	0.0	0.3
0.0	0.0			J	58.3	0.0	0.0	0.3	
0.0	0.0		Min	I	-4.7	0.0	0.0	-0.5	
0.0	0.0			J	-4.7	0.0	-0.0	-0.5	
0.0	0.0								
			G1	I	0.3	0.0	-0.9	-0.2	
0.0	0.0			J	0.3	0.0	0.9	-0.2	
0.0	0.0								
			G2	I	-12.9	0.0	0.0	-0.1	
0.0	0.0			J	-12.9	0.0	-0.0	-0.1	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	9.8	0.0	0.0	-0.0	
0.0	0.0			J	9.8	0.0	0.0	-0.0	
0.0	0.0								
			Q5_pc Y	I	1.1	0.0	0.0	0.1	
0.0	0.0			J	1.1	0.0	-0.0	0.1	
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps X	I	13.5	0.0	0.0	-0.0
0.0	0.0		J	13.5	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	2.9	0.0	0.0	0.1
0.0	0.0		J	2.9	0.0	-0.0	0.1
0.0	0.0	INVSLU Max	I	158.1	0.0	-1.2	-0.3
0.0	0.0		J	158.1	0.0	1.2	-0.3
0.0	0.0	Min	I	-24.2	0.0	-1.2	-2.3
0.0	0.0		J	-24.2	0.0	1.2	-2.3
0.0	0.0	INVSLE Max	I	110.3	0.0	-0.9	-0.2
0.0	0.0		J	110.3	0.0	0.9	-0.2
0.0	0.0	Min	I	-23.4	0.0	-0.9	-1.7
0.0	0.0		J	-23.4	0.0	0.9	-1.7
7812	2	74 C1-C2;~1 Max	I	99.4	0.0	0.0	0.6
0.0	0.0		J	99.4	0.0	0.0	0.6
0.0	0.0	Min	I	-24.1	-0.0	0.0	-0.5
0.0	0.0		J	-24.1	0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	88.0	0.0	0.0	0.7
0.0	0.0		J	88.0	0.0	0.0	0.7
0.0	0.0	Min	I	-17.7	-0.0	0.0	-0.7
0.0	0.0		J	-17.7	0.0	-0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	65.6	0.0	0.0	0.3
0.0	0.0		J	65.6	0.0	0.0	0.3
0.0	0.0	Min	I	-12.7	-0.0	0.0	-0.3
0.0	0.0		J	-12.7	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	58.8	0.0	0.0	0.4
0.0	0.0		J	58.8	0.0	0.0	0.4
0.0	0.0	Min	I	-7.2	-0.0	0.0	-0.4
0.0	0.0		J	-7.2	0.0	-0.0	-0.4
0.0	0.0	G1	I	0.4	0.0	-0.9	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.4	0.0	0.9	0.0
0.0	0.0	G2	I	-11.8	0.0	0.0	0.0
0.0	0.0		J	-11.8	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.6	-0.0	0.0	-0.0
0.0	0.0		J	6.6	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	2.4	-0.0	0.0	0.1
0.0	0.0		J	2.4	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	9.6	-0.0	0.0	-0.0
0.0	0.0		J	9.6	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	1.8	-0.0	0.0	0.1
0.0	0.0		J	1.8	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	181.6	0.0	-1.2	1.0
0.0	0.0		J	181.6	0.0	1.2	1.0
0.0	0.0	Min	I	3.2	-0.0	-1.2	-1.0
0.0	0.0		J	3.2	0.0	1.2	-1.0
0.0	0.0	INVSLE Max	I	128.6	0.0	-0.9	0.8
0.0	0.0		J	128.6	0.0	0.9	0.8
0.0	0.0	Min	I	-2.7	-0.0	-0.9	-0.7
0.0	0.0		J	-2.7	0.0	0.9	-0.7
7815	2	74 C1-C2;~1 Max	I	137.6	0.0	0.0	0.5
0.0	0.0		J	137.6	0.0	0.0	0.5
0.0	0.0	Min	I	-33.8	0.0	0.0	-1.1
0.0	0.0		J	-33.8	0.0	-0.0	-1.1
0.0	0.0	C3-C4;~1 Max	I	126.5	0.0	0.0	0.4
0.0	0.0		J	126.5	0.0	0.0	0.4
0.0	0.0	Min	I	-30.6	0.0	0.0	-1.5
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-30.6	0.0	-0.0	-1.5
0.0	0.0	C1-C2;~2 Max	I	92.3	0.0	0.0	0.3
0.0	0.0		J	92.3	0.0	0.0	0.3
0.0	0.0	Min	I	-17.6	0.0	0.0	-0.6
0.0	0.0		J	-17.6	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	85.7	0.0	0.0	0.2
0.0	0.0		J	85.7	0.0	0.0	0.2
0.0	0.0	Min	I	-14.2	0.0	0.0	-0.8
0.0	0.0		J	-14.2	0.0	-0.0	-0.8
0.0	0.0	G1	I	-3.4	0.0	-0.9	-0.5
0.0	0.0		J	-3.4	0.0	0.9	-0.5
0.0	0.0	G2	I	-14.2	0.0	0.0	-0.2
0.0	0.0		J	-14.2	0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.4	0.0	0.0	0.0
0.0	0.0		J	9.4	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	11.8	0.0	0.0	0.0
0.0	0.0		J	11.8	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	1.9	0.0	0.0	-0.0
0.0	0.0		J	1.9	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	142.6	0.0	-1.2	-1.2
0.0	0.0		J	142.6	0.0	1.2	-1.2
0.0	0.0	Min	I	-105.7	0.0	-1.2	-3.9
0.0	0.0		J	-105.7	0.0	1.2	-3.9
0.0	0.0	INVSLE Max	I	102.6	0.0	-0.9	-0.8


MIDAS

PROJECT TITLE :

MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	102.6	0.0	0.9	-0.8	
0.0	0.0		Min	I	-80.0	0.0	-0.9	-2.8	
0.0	0.0			J	-80.0	0.0	0.9	-2.8	
0.0	0.0								
7818	2	71	C1-C2;~1	Max	I	66.6	0.0	0.2	2.9
0.0	0.0			J	66.6	0.0	0.2	2.9	
169.9	0.2		Min	I	-98.8	-0.0	-0.1	-2.0	
0.0	0.0			J	-98.8	-0.0	-0.1	-2.0	
-412.5	-0.1								
			C3-C4;~1	Max	I	58.7	0.0	0.1	3.5
0.0	0.0			J	58.7	0.0	0.1	3.5	
55.6	0.2		Min	I	-135.6	-0.0	-0.0	-1.6	
0.0	0.0			J	-135.6	-0.0	-0.0	-1.6	
-338.2	-0.1								
			C1-C2;~2	Max	I	37.7	0.0	0.1	1.5
0.0	0.0			J	37.7	0.0	0.1	1.5	
95.1	0.1		Min	I	-53.5	-0.0	-0.0	-1.1	
0.0	0.0			J	-53.5	-0.0	-0.0	-1.1	
-272.0	-0.1								
			C3-C4;~2	Max	I	30.0	0.0	0.1	1.9
0.0	0.0			J	30.0	0.0	0.1	1.9	
22.9	0.1		Min	I	-77.6	-0.0	-0.0	-0.8	
0.0	0.0			J	-77.6	-0.0	-0.0	-0.8	
-223.3	-0.0								
			G1	I	-41.9	-0.0	-0.5	0.9	
0.0	0.0			J	-41.9	-0.0	0.8	0.9	
-349.4	0.1								
			G2	I	-17.6	-0.0	-0.0	0.4	
0.0	0.0			J	-17.6	-0.0	-0.0	0.4	
69.9	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	8.3	-0.0	0.0	-0.3
0.0	0.0			J	8.3	-0.0	0.0	-0.3	
-47.2	0.0								
			Q5_pc	Y	I	-4.3	-0.0	0.0	0.3
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	0.0		J	-4.3	-0.0	0.0	0.3
		Q5_ps X	I	9.5	-0.0	0.0	-0.3
0.0	0.0		J	9.5	-0.0	0.0	-0.3
-63.7	0.0						
		Q5_ps Y	I	-3.5	-0.0	0.0	0.3
0.0	0.0		J	-3.5	-0.0	0.0	0.3
-9.4	0.0						
		INVSLU Max	I	66.9	-0.0	-0.5	8.5
0.0	0.0		J	66.9	-0.0	1.3	8.5
-91.2	1.9						
		Min	I	-221.2	-0.0	-0.8	0.4
0.0	0.0		J	-221.2	-0.0	0.9	0.4
-962.3	1.4						
		INVSLE Max	I	51.8	-0.0	-0.4	6.2
0.0	0.0		J	51.8	-0.0	0.9	6.2
-49.5	1.4						
		Min	I	-160.5	-0.0	-0.6	0.3
0.0	0.0		J	-160.5	-0.0	0.7	0.3
-688.5	1.1						
		71 C1-C2;~1 Max	I	32.7	0.0	0.1	1.7
7821	2		J	32.7	0.0	0.1	1.7
0.0	0.0						
177.5	0.1						
		Min	I	-118.5	-0.0	-0.1	-2.6
0.0	0.0		J	-118.5	-0.0	-0.1	-2.6
-357.1	-0.1						
		C3-C4;~1 Max	I	27.8	0.0	0.1	2.6
0.0	0.0		J	27.8	0.0	0.1	2.6
77.0	0.2						
		Min	I	-151.6	-0.0	-0.0	-1.7
0.0	0.0		J	-151.6	-0.0	-0.0	-1.7
-278.0	-0.1						
		C1-C2;~2 Max	I	18.8	0.0	0.1	0.9
0.0	0.0		J	18.8	0.0	0.1	0.9
105.0	0.1						
		Min	I	-67.8	-0.0	-0.0	-1.5
0.0	0.0		J	-67.8	-0.0	-0.0	-1.5
-236.4	-0.1						
		C3-C4;~2 Max	I	14.6	0.0	0.1	1.4
0.0	0.0		J	14.6	0.0	0.1	1.4
37.4	0.1						
		Min	I	-89.8	-0.0	-0.0	-1.0
0.0	0.0		J	-89.8	-0.0	-0.0	-1.0
-182.4	-0.1						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G1	I	-92.3	-0.0	-0.5	0.3	
-307.3	0.0		J	-92.3	-0.0	0.8	0.3	
0.0	0.0	G2	I	-36.3	-0.0	-0.0	0.1	
65.8	0.0		J	-36.3	-0.0	-0.0	0.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	2.5	0.0	-0.0	0.0	
4.7	-0.0		J	2.5	0.0	-0.0	0.0	
0.0	0.0	Q5_pc Y	I	-5.5	-0.0	0.0	-0.1	
-25.4	0.0		J	-5.5	-0.0	0.0	-0.1	
0.0	0.0	Q5_ps X	I	2.0	0.0	-0.0	0.0	
8.6	-0.0		J	2.0	0.0	-0.0	0.0	
0.0	0.0	Q5_ps Y	I	-3.8	-0.0	0.0	-0.1	
-40.2	0.0		J	-3.8	-0.0	0.0	-0.1	
0.0	0.0	INVSLE Max	I	-121.8	-0.0	-0.3	5.6	
-531.5	1.1		J	-121.8	-0.0	1.4	5.6	
0.0	0.0	Min	I	-380.5	-0.0	-0.6	-1.5	
1299.0	0.6		J	-380.5	-0.0	1.1	-1.5	-
0.0	0.0	INVSLE Max	I	-89.5	-0.0	-0.2	4.1	
-390.6	0.8		J	-89.5	-0.0	1.0	4.1	
0.0	0.0	Min	I	-280.4	-0.0	-0.5	-1.1	
-955.7	0.5		J	-280.4	-0.0	0.8	-1.1	
7824	2	71 C1-C2;~1 Max	I	61.2	0.0	0.2	2.2	
0.0	0.0		J	61.2	0.0	0.2	2.2	
197.2	0.1	Min	I	-92.9	-0.0	-0.1	-2.7	
0.0	0.0		J	-92.9	-0.0	-0.1	-2.7	
-411.2	-0.2	C3-C4;~1 Max	I	45.4	0.0	0.1	1.6	
0.0	0.0		J	45.4	0.0	0.1	1.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
86.7	0.1		Min	I	-142.8	-0.0	-0.0	-3.8
0.0	0.0			J	-142.8	-0.0	-0.0	-3.8
-337.4	-0.2							
		C1-C2;~2	Max	I	35.2	0.0	0.1	1.2
0.0	0.0			J	35.2	0.0	0.1	1.2
106.3	0.1		Min	I	-51.1	-0.0	-0.0	-1.5
0.0	0.0			J	-51.1	-0.0	-0.0	-1.5
-271.5	-0.1							
		C3-C4;~2	Max	I	24.2	0.0	0.1	0.8
0.0	0.0			J	24.2	0.0	0.1	0.8
35.3	0.0		Min	I	-80.4	-0.0	-0.0	-2.0
0.0	0.0			J	-80.4	-0.0	-0.0	-2.0
-223.2	-0.1							
			G1	I	-45.6	0.0	-0.5	-0.9
0.0	0.0			J	-45.6	0.0	0.8	-0.9
-348.4	-0.1							
			G2	I	-19.7	0.0	-0.0	-0.4
0.0	0.0			J	-19.7	0.0	-0.0	-0.4
70.4	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	0.9	0.0	0.0	0.1
0.0	0.0			J	0.9	0.0	0.0	0.1
-15.5	-0.0							
			Q5_pc Y	I	0.4	-0.0	-0.0	-0.1
0.0	0.0			J	0.4	-0.0	-0.0	-0.1
26.2	0.0							
			Q5_ps X	I	1.4	0.0	0.0	0.1
0.0	0.0			J	1.4	0.0	0.0	0.1
-23.2	-0.0							
			Q5_ps Y	I	-1.2	-0.0	-0.0	-0.2
0.0	0.0			J	-1.2	-0.0	-0.0	-0.2
43.4	0.0							
			INVSLU Max	I	55.8	0.0	-0.5	-0.1
0.0	0.0			J	55.8	0.0	1.3	-0.1
-69.8	-1.4		Min	I	-221.2	0.0	-0.8	-8.4
0.0	0.0			J	-221.2	0.0	0.9	-8.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-938.3	-1.9							
		INVSLE	Max	I	44.8	0.0	-0.4	-0.0
0.0	0.0			J	44.8	0.0	0.9	-0.0
-32.0	-1.1							
			Min	I	-160.3	0.0	-0.6	-6.2
0.0	0.0			J	-160.3	0.0	0.7	-6.2
-671.8	-1.4							
7827	2	71	C1-C2;~1	Max	I	72.1	0.0	0.2
0.0	0.0			J	72.1	0.0	0.2	2.4
215.5	0.3							
			Min	I	-77.6	-0.0	-0.1	-3.4
0.0	0.0			J	-77.6	-0.0	-0.1	-3.4
-526.8	-0.6							
			C3-C4;~1	Max	I	58.1	0.0	0.2
0.0	0.0			J	58.1	0.0	0.2	1.8
86.3	0.3							
			Min	I	-107.0	-0.0	-0.0	-4.3
0.0	0.0			J	-107.0	-0.0	-0.0	-4.3
-449.2	-0.7							
			C1-C2;~2	Max	I	42.5	0.0	0.1
0.0	0.0			J	42.5	0.0	0.1	1.2
128.2	0.2							
			Min	I	-43.1	-0.0	-0.1	-1.8
0.0	0.0			J	-43.1	-0.0	-0.1	-1.8
-355.5	-0.3							
			C3-C4;~2	Max	I	32.7	0.0	0.1
0.0	0.0			J	32.7	0.0	0.1	0.9
38.8	0.2							
			Min	I	-62.1	-0.0	-0.0	-2.3
0.0	0.0			J	-62.1	-0.0	-0.0	-2.3
-304.6	-0.4							
			G1	I	-17.0	0.0	-0.5	-1.3
0.0	0.0			J	-17.0	0.0	0.8	-1.3
-321.7	-0.2							
			G2	I	-7.7	0.0	-0.0	-0.5
0.0	0.0			J	-7.7	0.0	-0.0	-0.5
76.0	-0.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	20.2	0.0	0.0
0.0	0.0			J	20.2	0.0	0.0	0.4
-47.0	-0.1							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc	Y	I	-20.3	0.0	0.0	-0.2
-0.0	-0.0			J	-20.3	0.0	0.0	-0.2
0.0	0.0	Q5_ps	X	I	20.3	0.0	0.0	0.5
-62.8	-0.1			J	20.3	0.0	0.0	0.5
0.0	0.0	Q5_ps	Y	I	-18.7	0.0	0.0	-0.2
-7.2	-0.0			J	-18.7	0.0	0.0	-0.2
0.0	0.0	INVS LU	Max	I	122.4	0.0	-0.4	0.2
-45.0	-1.3			J	122.4	0.0	1.3	0.2
0.0	0.0		Min	I	-156.0	0.0	-0.8	-9.5
1131.8	-2.9			J	-156.0	0.0	0.9	-9.5
0.0	0.0	INVS LE	Max	I	91.4	0.0	-0.3	0.2
-38.8	-1.0			J	91.4	0.0	1.0	0.2
0.0	0.0		Min	I	-112.1	0.0	-0.6	-6.9
-837.5	-2.1			J	-112.1	0.0	0.7	-6.9
7830	2	71 C1-C2;~1	Max	I	71.6	0.0	0.3	3.2
0.0	0.0			J	71.6	0.0	0.3	3.2
262.0	0.3		Min	I	-29.0	-0.0	-0.1	-3.6
0.0	0.0			J	-29.0	-0.0	-0.1	-3.6
-630.8	-0.4							
0.0	0.0	C3-C4;~1	Max	I	78.9	0.0	0.2	2.8
171.0	0.3			J	78.9	0.0	0.2	2.8
0.0	0.0		Min	I	-36.8	-0.0	-0.1	-5.5
-556.7	-0.6			J	-36.8	-0.0	-0.1	-5.5
0.0	0.0	C1-C2;~2	Max	I	43.2	0.0	0.2	1.7
149.6	0.1			J	43.2	0.0	0.2	1.7
0.0	0.0		Min	I	-15.5	-0.0	-0.1	-1.8
-427.4	-0.2			J	-15.5	-0.0	-0.1	-1.8
0.0	0.0	C3-C4;~2	Max	I	41.8	0.0	0.2	1.4
77.4	0.1			J	41.8	0.0	0.2	1.4
			Min	I	-20.6	-0.0	-0.0	-2.8

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-20.6	-0.0	-0.0	-2.8
-379.9	-0.3						
		G1	I	44.9	0.0	-0.5	-1.0
0.0	0.0		J	44.9	0.0	0.7	-1.0
-257.9	-0.2						
		G2	I	15.2	0.0	-0.0	-0.4
0.0	0.0		J	15.2	0.0	-0.0	-0.4
109.7	-0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.8	0.0	0.0	0.0
0.0	0.0		J	4.8	0.0	0.0	0.0
-24.4	-0.1						
		Q5_pc Y	I	-8.0	-0.0	-0.0	0.0
0.0	0.0		J	-8.0	-0.0	-0.0	0.0
44.2	0.1						
		Q5_ps X	I	4.7	0.0	0.0	0.1
0.0	0.0		J	4.7	0.0	0.0	0.1
-32.3	-0.1						
		Q5_ps Y	I	-7.8	-0.0	-0.0	-0.1
0.0	0.0		J	-7.8	-0.0	-0.0	-0.1
63.3	0.1						
		INVSLU Max	I	167.0	0.0	-0.5	3.7
0.0	0.0		J	167.0	0.0	1.2	3.7
441.4	-0.2						
		Min	I	-3.6	0.0	-1.0	-8.1
0.0	0.0		J	-3.6	0.0	0.7	-8.1
-843.4	-1.5						
		INVSLE Max	I	123.1	0.0	-0.4	2.9
0.0	0.0		J	123.1	0.0	0.9	2.9
327.1	-0.2						
		Min	I	-2.2	0.0	-0.8	-5.9
0.0	0.0		J	-2.2	0.0	0.5	-5.9
-618.6	-1.1						
7833	2	71 C1-C2;~1 Max	I	80.7	0.0	0.2	3.7
0.0	0.0		J	80.7	0.0	0.2	3.7
267.1	0.5						
		Min	I	-73.8	-0.0	-0.1	-2.3
0.0	0.0		J	-73.8	-0.0	-0.1	-2.3
-533.9	-0.3						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	C3-C4;~1	Max	I	67.8	0.0	0.2	5.2
				J	67.8	0.0	0.2	5.2
111.7	0.7		Min	I	-112.4	-0.0	-0.0	-2.0
0.0	0.0			J	-112.4	-0.0	-0.0	-2.0
-457.1	-0.3							
		C1-C2;~2	Max	I	47.1	0.0	0.2	2.0
0.0	0.0			J	47.1	0.0	0.2	2.0
148.8	0.3		Min	I	-40.9	-0.0	-0.1	-1.2
0.0	0.0			J	-40.9	-0.0	-0.1	-1.2
-360.4	-0.2							
		C3-C4;~2	Max	I	35.8	0.0	0.1	2.8
0.0	0.0			J	35.8	0.0	0.1	2.8
48.8	0.4		Min	I	-64.0	-0.0	-0.0	-1.0
0.0	0.0			J	-64.0	-0.0	-0.0	-1.0
-310.4	-0.1							
		G1		I	-12.5	-0.0	-0.5	1.6
0.0	0.0			J	-12.5	-0.0	0.8	1.6
-323.9	0.2							
		G2		I	-6.4	-0.0	-0.0	0.7
0.0	0.0			J	-6.4	-0.0	-0.0	0.7
77.2	0.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.4	-0.0	0.0	-0.1
0.0	0.0			J	7.4	-0.0	0.0	-0.1
-19.6	0.0							
		Q5_pc	Y	I	-3.3	-0.0	-0.0	-0.2
0.0	0.0			J	-3.3	-0.0	-0.0	-0.2
3.8	0.0							
		Q5_ps	X	I	7.5	-0.0	0.0	-0.2
0.0	0.0			J	7.5	-0.0	0.0	-0.2
-28.5	0.0							
		Q5_ps	Y	I	-4.2	-0.0	-0.0	-0.1
0.0	0.0			J	-4.2	-0.0	-0.0	-0.1
18.2	0.0							
		INVSLU	Max	I	125.1	-0.0	-0.4	9.9
0.0	0.0			J	125.1	-0.0	1.3	9.9
11.9	2.9							


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-148.9	-0.0	-0.9	-0.7
0.0	0.0			J	-148.9	-0.0	0.9	-0.7
1104.7	1.4							-
			INVSLE Max	I	94.0	-0.0	-0.3	7.2
0.0	0.0			J	94.0	-0.0	1.0	7.2
4.6	2.1							
			Min	I	-108.0	-0.0	-0.6	-0.7
0.0	0.0			J	-108.0	-0.0	0.6	-0.7
-819.9	1.0							
7836	2	71	C1-C2;~1 Max	I	69.9	0.0	0.3	2.8
0.0	0.0			J	69.9	0.0	0.3	2.8
238.7	0.6							
			Min	I	-49.2	-0.0	-0.1	-4.7
0.0	0.0			J	-49.2	-0.0	-0.1	-4.7
-650.2	-1.0							
			C3-C4;~1 Max	I	61.3	0.0	0.2	2.5
0.0	0.0			J	61.3	0.0	0.2	2.5
160.5	0.5							
			Min	I	-75.9	-0.0	-0.1	-6.9
0.0	0.0			J	-75.9	-0.0	-0.1	-6.9
-578.2	-1.5							
			C1-C2;~2 Max	I	43.2	0.0	0.2	1.4
0.0	0.0			J	43.2	0.0	0.2	1.4
138.4	0.3							
			Min	I	-28.0	-0.0	-0.1	-2.4
0.0	0.0			J	-28.0	-0.0	-0.1	-2.4
-443.6	-0.5							
			C3-C4;~2 Max	I	37.1	0.0	0.2	1.2
0.0	0.0			J	37.1	0.0	0.2	1.2
76.2	0.2							
			Min	I	-43.8	-0.0	-0.0	-3.5
0.0	0.0			J	-43.8	-0.0	-0.0	-3.5
-396.7	-0.8							
			G1	I	9.2	0.0	-0.5	-2.4
0.0	0.0			J	9.2	0.0	0.8	-2.4
-309.0	-0.6							
			G2	I	2.9	0.0	-0.0	-1.0
0.0	0.0			J	2.9	0.0	-0.0	-1.0
81.7	-0.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.0	0.0	0.0	0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	3.0	0.0	0.0	0.1
-12.8	-0.1							
		Q5_pc	Y	I	-3.3	-0.0	-0.0	-0.2
0.0	0.0			J	-3.3	-0.0	-0.0	-0.2
17.3	0.1							
		Q5_ps	X	I	2.9	0.0	0.0	0.1
0.0	0.0			J	2.9	0.0	0.0	0.1
-20.2	-0.1							
		Q5_ps	Y	I	-3.5	-0.0	-0.0	-0.3
0.0	0.0			J	-3.5	-0.0	-0.0	-0.3
35.1	0.1							
		INVSLU	Max	I	119.5	0.0	-0.4	0.8
0.0	0.0			J	119.5	0.0	1.3	0.8
227.9	-0.8							
			Min	I	-83.3	0.0	-1.0	-12.4
0.0	0.0			J	-83.3	0.0	0.8	-12.4
1003.3	-3.9							
		INVSLE	Max	I	89.4	0.0	-0.3	0.8
0.0	0.0			J	89.4	0.0	1.0	0.8
168.1	-0.5							
			Min	I	-60.4	0.0	-0.7	-9.1
0.0	0.0			J	-60.4	0.0	0.6	-9.1
-741.6	-2.8							
		71 C1-C2;~1	Max	I	36.5	0.0	0.1	2.0
7839	2			J	36.5	0.0	0.1	2.0
0.0	0.0							
			Min	I	-144.4	-0.0	-0.1	-1.9
200.9	0.1			J	-144.4	-0.0	-0.1	-1.9
0.0	0.0							
		C3-C4;~1	Max	I	41.5	0.0	0.1	2.7
-353.3	-0.1			J	41.5	0.0	0.1	2.7
0.0	0.0							
			Min	I	-183.3	-0.0	-0.0	-1.3
90.8	0.1			J	-183.3	-0.0	-0.0	-1.3
0.0	0.0							
		C1-C2;~2	Max	I	19.7	0.0	0.1	1.1
-265.8	-0.1			J	19.7	0.0	0.1	1.1
0.0	0.0							
			Min	I	-81.7	-0.0	-0.0	-1.1
118.9	0.1			J	-81.7	-0.0	-0.0	-1.1
0.0	0.0							
		C3-C4;~2	Max	I	21.9	0.0	0.1	1.5
-232.9	-0.1							
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
44.6	0.1		J	21.9	0.0	0.1	1.5	
		Min	I	-107.5	-0.0	-0.0	-0.7	
0.0	0.0		J	-107.5	-0.0	-0.0	-0.7	
-172.6	-0.1							
		G1	I	-110.0	0.0	-0.5	0.7	
0.0	0.0		J	-110.0	0.0	0.8	0.7	
-291.6	-0.0							
		G2	I	-43.4	0.0	-0.0	0.3	
0.0	0.0		J	-43.4	0.0	-0.0	0.3	
74.7	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	2.7	0.0	-0.0	0.0	
0.0	0.0		J	2.7	0.0	-0.0	0.0	
3.4	-0.0							
		Q5_pc Y	I	-3.0	-0.0	0.0	-0.1	
0.0	0.0		J	-3.0	-0.0	0.0	-0.1	
-26.3	0.0							
		Q5_ps X	I	2.2	-0.0	-0.0	0.0	
0.0	0.0		J	2.2	-0.0	-0.0	0.0	
7.0	0.0							
		Q5_ps Y	I	-1.3	-0.0	0.0	-0.1	
0.0	0.0		J	-1.3	-0.0	0.0	-0.1	
-41.3	0.0							
		INVSLE Max	I	-137.0	-0.0	-0.3	4.8	
0.0	0.0		J	-137.0	-0.0	1.5	4.8	
-632.5	0.4	Min	I	-445.8	-0.0	-0.6	-1.6	
0.0	0.0		J	-445.8	-0.0	1.1	-1.6	-
1428.1	0.1							
		INVSLE Max	I	-99.9	-0.0	-0.2	3.5	
0.0	0.0		J	-99.9	-0.0	1.1	3.5	
-469.3	0.3	Min	I	-328.3	-0.0	-0.4	-1.2	
0.0	0.0		J	-328.3	-0.0	0.8	-1.2	-
1055.1	0.1							
		71 C1-C2;~1 Max	I	53.9	0.0	0.2	1.3	
7842	2		J	53.9	0.0	0.2	1.3	
0.0	0.0							
194.3	0.1	Min	I	-142.1	-0.0	-0.1	-1.5	
0.0	0.0							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-362.0	-0.1		J	-142.1	-0.0	-0.1	-1.5
0.0	0.0	C3-C4;~1 Max	I	61.9	0.0	0.1	1.1
83.1	0.1		J	61.9	0.0	0.1	1.1
0.0	0.0	Min	I	-183.5	-0.0	-0.0	-1.3
-274.4	-0.1		J	-183.5	-0.0	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	29.0	0.0	0.1	0.8
114.1	0.1		J	29.0	0.0	0.1	0.8
0.0	0.0	Min	I	-79.0	-0.0	-0.0	-0.9
-237.4	-0.1		J	-79.0	-0.0	-0.0	-0.9
0.0	0.0	C3-C4;~2 Max	I	32.7	0.0	0.1	0.7
39.0	0.1		J	32.7	0.0	0.1	0.7
0.0	0.0	Min	I	-106.6	-0.0	-0.0	-0.8
-177.1	-0.1		J	-106.6	-0.0	-0.0	-0.8
0.0	0.0	G1	I	-92.0	0.0	-0.5	-0.1
-308.6	-0.0		J	-92.0	0.0	0.8	-0.1
0.0	0.0	G2	I	-36.7	0.0	-0.0	-0.1
71.3	-0.0		J	-36.7	0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.5	-0.0	-0.0	0.0
0.2	0.0		J	4.5	-0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	0.2	0.0	0.0	-0.0
-25.8	-0.0		J	0.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	3.9	-0.0	-0.0	0.0
3.2	0.0		J	3.9	-0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	1.6	0.0	0.0	-0.0
-40.4	-0.0		J	1.6	0.0	0.0	-0.0
		INVSLU Max	I	-43.6	0.0	-0.3	1.2

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-43.6	0.0	1.4	1.2
-527.1	-0.2		Min	I	-383.0	0.0	-0.6	-2.7
0.0	0.0			J	-383.0	0.0	1.1	-2.7
1324.5	-0.5							-
			INVSLE Max	I	-29.7	0.0	-0.2	0.9
0.0	0.0			J	-29.7	0.0	1.0	0.9
-389.2	-0.1		Min	I	-280.5	0.0	-0.5	-1.9
0.0	0.0			J	-280.5	0.0	0.8	-1.9
-976.5	-0.4							
7848	2	71	C1-C2;~1 Max	I	89.2	0.0	0.3	3.4
0.0	0.0			J	89.2	0.0	0.3	3.4
281.6	0.5		Min	I	-33.6	-0.0	-0.1	-3.1
0.0	0.0			J	-33.6	-0.0	-0.1	-3.1
-648.7	-0.4							
			C3-C4;~1 Max	I	104.6	0.0	0.2	5.0
0.0	0.0			J	104.6	0.0	0.2	5.0
185.9	0.7		Min	I	-44.0	-0.0	-0.1	-2.9
0.0	0.0			J	-44.0	-0.0	-0.1	-2.9
-575.0	-0.4							
			C1-C2;~2 Max	I	46.4	0.0	0.2	1.7
0.0	0.0			J	46.4	0.0	0.2	1.7
157.0	0.3		Min	I	-17.2	-0.0	-0.1	-1.6
0.0	0.0			J	-17.2	-0.0	-0.1	-1.6
-437.2	-0.2							
			C3-C4;~2 Max	I	54.6	0.0	0.2	2.5
0.0	0.0			J	54.6	0.0	0.2	2.5
87.2	0.4		Min	I	-23.2	-0.0	-0.0	-1.5
0.0	0.0			J	-23.2	-0.0	-0.0	-1.5
-390.0	-0.2							
			G1	I	62.5	-0.0	-0.5	0.5
0.0	0.0			J	62.5	-0.0	0.7	0.5
-240.1	0.1							
			G2	I	22.5	-0.0	-0.0	0.3
0.0	0.0			J	22.5	-0.0	-0.0	0.3
114.6	0.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	Q5_pc X	I	19.0	-0.0	0.0	-0.1
-64.4	0.2		J	19.0	-0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	38.7	-0.0	0.0	-1.4
-30.4	0.1		J	38.7	-0.0	0.0	-1.4
0.0	0.0	Q5_ps X	I	18.0	-0.0	0.0	-0.2
-80.9	0.2		J	18.0	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	36.8	-0.0	0.0	-1.3
-33.7	0.1		J	36.8	-0.0	0.0	-1.3
0.0	0.0	INVS LU Max	I	261.1	0.0	-0.5	7.8
574.7	1.3		J	261.1	0.0	1.2	7.8
0.0	0.0	Min	I	-9.2	-0.0	-1.1	-5.6
-797.1	-0.5		J	-9.2	-0.0	0.6	-5.6
0.0	0.0	INVS LE Max	I	190.6	0.0	-0.4	5.6
424.0	1.0		J	190.6	0.0	0.9	5.6
0.0	0.0	Min	I	-4.5	-0.0	-0.8	-4.2
-583.6	-0.4		J	-4.5	-0.0	0.5	-4.2
7851	2	71 C1-C2;~1 Max	I	88.9	0.0	0.3	2.9
0.0	0.0		J	88.9	0.0	0.3	2.9
260.7	0.3	Min	I	-33.4	-0.0	-0.1	-2.3
0.0	0.0		J	-33.4	-0.0	-0.1	-2.3
-638.5	-0.4						
0.0	0.0	C3-C4;~1 Max	I	105.0	0.0	0.2	2.5
163.6	0.3		J	105.0	0.0	0.2	2.5
0.0	0.0	Min	I	-43.3	-0.0	-0.1	-3.1
-565.6	-0.5		J	-43.3	-0.0	-0.1	-3.1
0.0	0.0	C1-C2;~2 Max	I	46.2	0.0	0.2	1.6
148.9	0.2		J	46.2	0.0	0.2	1.6
0.0	0.0	Min	I	-18.6	-0.0	-0.1	-1.2
-432.7	-0.2		J	-18.6	-0.0	-0.1	-1.2

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~2 Max	I	55.1	0.0	0.2	1.3
0.0	0.0		J	55.1	0.0	0.2	1.3
77.8	0.2						
		Min	I	-24.9	-0.0	-0.0	-1.7
0.0	0.0		J	-24.9	-0.0	-0.0	-1.7
-386.0	-0.3						
		G1	I	69.4	0.0	-0.5	0.0
0.0	0.0		J	69.4	0.0	0.7	0.0
-255.2	-0.1						
		G2	I	25.2	0.0	-0.0	0.0
0.0	0.0		J	25.2	0.0	-0.0	0.0
106.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	8.6	0.0	0.0	0.1
0.0	0.0		J	8.6	0.0	0.0	0.1
-16.4	-0.0						
		Q5_pc Y	I	17.0	0.0	0.0	0.4
0.0	0.0		J	17.0	0.0	0.0	0.4
-29.1	-0.1						
		Q5_ps X	I	7.9	0.0	0.0	0.1
0.0	0.0		J	7.9	0.0	0.0	0.1
-15.7	-0.0						
		Q5_ps Y	I	16.3	0.0	0.0	0.5
0.0	0.0		J	16.3	0.0	0.0	0.5
-44.9	-0.1						
		INVSLE Max	I	293.6	0.0	-0.5	4.6
0.0	0.0		J	293.6	0.0	1.2	4.6
446.8	0.4						
		Min	I	62.8	-0.0	-1.1	-4.2
0.0	0.0		J	62.8	-0.0	0.7	-4.2
-819.4	-0.9						
		INVSLE Max	I	217.5	0.0	-0.4	3.4
0.0	0.0		J	217.5	0.0	0.9	3.4
331.0	0.3						
		Min	I	48.8	-0.0	-0.8	-3.1
0.0	0.0		J	48.8	-0.0	0.5	-3.1
-603.1	-0.7						
7854	2	71 C1-C2; ~1 Max	I	73.2	0.0	0.2	3.3
0.0	0.0		J	73.2	0.0	0.2	3.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
214.6	0.6		Min	I	-75.9	-0.0	-0.1	-2.4
0.0	0.0			J	-75.9	-0.0	-0.1	-2.4
-528.4	-0.3							
		C3-C4;~1	Max	I	58.6	0.0	0.2	5.0
0.0	0.0			J	58.6	0.0	0.2	5.0
113.4	0.8		Min	I	-116.6	-0.0	-0.0	-1.8
0.0	0.0			J	-116.6	-0.0	-0.0	-1.8
-451.4	-0.3							
		C1-C2;~2	Max	I	43.0	0.0	0.1	1.8
0.0	0.0			J	43.0	0.0	0.1	1.8
128.7	0.3		Min	I	-42.5	-0.0	-0.1	-1.3
0.0	0.0			J	-42.5	-0.0	-0.1	-1.3
-356.7	-0.2							
		C3-C4;~2	Max	I	32.9	0.0	0.1	2.6
0.0	0.0			J	32.9	0.0	0.1	2.6
49.7	0.4		Min	I	-66.1	-0.0	-0.0	-0.9
0.0	0.0			J	-66.1	-0.0	-0.0	-0.9
-306.2	-0.2							
		G1		I	-17.1	-0.0	-0.5	1.3
0.0	0.0			J	-17.1	-0.0	0.8	1.3
-323.4	0.2							
		G2		I	-8.2	-0.0	-0.0	0.6
0.0	0.0			J	-8.2	-0.0	-0.0	0.6
70.8	0.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	5.4	-0.0	0.0	-0.2
0.0	0.0			J	5.4	-0.0	0.0	-0.2
-34.5	0.1							
		Q5_pc	Y	I	29.4	0.0	0.0	-0.5
0.0	0.0			J	29.4	0.0	0.0	-0.5
-27.9	-0.0							
		Q5_ps	X	I	6.0	-0.0	0.0	-0.3
0.0	0.0			J	6.0	-0.0	0.0	-0.3
-48.9	0.0							
		Q5_ps	Y	I	27.9	0.0	0.0	-0.4
0.0	0.0			J	27.9	0.0	0.0	-0.4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-28.2	-0.0							
		INVSLE Max	I	132.9	-0.0	-0.4	10.5	
0.0	0.0		J	132.9	-0.0	1.3	10.5	
-73.1	3.0							
		Min	I	-176.2	-0.0	-0.8	-0.3	
0.0	0.0		J	-176.2	-0.0	0.9	-0.3	-
1138.3	1.3							
		INVSLE Max	I	98.6	-0.0	-0.3	7.6	
0.0	0.0		J	98.6	-0.0	1.0	7.6	
-58.9	2.2							
		Min	I	-126.4	-0.0	-0.6	-0.3	
0.0	0.0		J	-126.4	-0.0	0.7	-0.3	
-843.3	1.0							
		71 C1-C2;~1 Max	I	60.5	0.0	0.2	2.1	
7857	2		J	60.5	0.0	0.2	2.1	
0.0	0.0							
		Min	I	-105.4	-0.0	-0.1	-1.7	
172.1	0.2		J	-105.4	-0.0	-0.1	-1.7	
0.0	0.0							
		C3-C4;~1 Max	I	45.9	0.0	0.1	2.9	
-388.9	-0.1		J	45.9	0.0	0.1	2.9	
		Min	I	-160.2	-0.0	-0.0	-1.4	
96.7	0.2		J	-160.2	-0.0	-0.0	-1.4	
0.0	0.0							
		C1-C2;~2 Max	I	33.4	0.0	0.1	1.2	
-308.6	-0.1		J	33.4	0.0	0.1	1.2	
		Min	I	-57.5	-0.0	-0.0	-0.9	
100.5	0.1		J	-57.5	-0.0	-0.0	-0.9	
0.0	0.0							
		C3-C4;~2 Max	I	23.0	0.0	0.1	1.6	
-255.2	-0.1		J	23.0	0.0	0.1	1.6	
		Min	I	-89.1	-0.0	-0.0	-0.7	
40.6	0.1		J	-89.1	-0.0	-0.0	-0.7	
0.0	0.0							
		G1	I	-59.4	-0.0	-0.5	0.6	
-201.6	-0.1		J	-59.4	-0.0	0.8	0.6	
0.0	0.0							
		G2	I	-25.0	-0.0	-0.0	0.2	
-336.3	0.0		J	-25.0	-0.0	-0.0	0.2	
0.0	0.0							
67.3	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	3.4	-0.0	0.0
0.0	0.0			J	3.4	-0.0	0.0
-30.4	0.0						
			Q5_pc Y	I	13.3	-0.0	0.0
0.0	0.0			J	13.3	-0.0	0.0
-21.8	0.0						
			Q5_ps X	I	4.5	-0.0	0.0
0.0	0.0			J	4.5	-0.0	0.0
-44.0	0.0						
			Q5_ps Y	I	12.7	-0.0	0.0
0.0	0.0			J	12.7	-0.0	0.0
-20.0	0.0						
			INVSLU Max	I	38.3	-0.0	-0.4
0.0	0.0			J	38.3	-0.0	1.4
-422.9	1.2		Min	I	-283.6	-0.0	-0.7
0.0	0.0			J	-283.6	-0.0	1.0
1235.1	0.8						
			INVSLE Max	I	31.0	-0.0	-0.3
0.0	0.0			J	31.0	-0.0	1.0
-306.7	0.9		Min	I	-205.7	-0.0	-0.5
0.0	0.0			J	-205.7	-0.0	0.8
-904.3	0.6						
7860	2	71	C1-C2;~1 Max	I	60.6	0.0	0.2
0.0	0.0			J	60.6	0.0	0.2
174.0	0.2		Min	I	-112.8	-0.0	-0.1
0.0	0.0			J	-112.8	-0.0	-0.1
-386.7	-0.1						
			C3-C4;~1 Max	I	53.9	0.0	0.1
0.0	0.0			J	53.9	0.0	0.1
65.5	0.2		Min	I	-151.4	-0.0	-0.0
0.0	0.0			J	-151.4	-0.0	-0.0
-306.8	-0.1						
			C1-C2;~2 Max	I	33.6	0.0	0.1
0.0	0.0			J	33.6	0.0	0.1
100.0	0.1		Min	I	-60.8	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			J	-60.8	-0.0	-0.0	-0.9	
-253.8	-0.1								
		C3-C4; ~2	Max	I	26.8	0.0	0.1	1.5	
0.0	0.0			J	26.8	0.0	0.1	1.5	
28.1	0.1		Min	I	-86.1	-0.0	-0.0	-0.7	
0.0	0.0			J	-86.1	-0.0	-0.0	-0.7	
-200.4	-0.1								
		G1		I	-59.2	-0.0	-0.5	0.6	
0.0	0.0			J	-59.2	-0.0	0.8	0.6	
-336.3	0.0								
		G2		I	-24.2	-0.0	-0.0	0.2	
0.0	0.0			J	-24.2	-0.0	-0.0	0.2	
72.9	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	7.0	-0.0	0.0	-0.2	
0.0	0.0			J	7.0	-0.0	0.0	-0.2	
-46.1	0.0								
		Q5_pc	Y	I	-5.8	-0.0	0.0	0.3	
0.0	0.0			J	-5.8	-0.0	0.0	0.3	
-0.4	0.0								
		Q5_ps	X	I	8.4	-0.0	0.0	-0.2	
0.0	0.0			J	8.4	-0.0	0.0	-0.2	
-62.2	0.0								
		Q5_ps	Y	I	-4.9	-0.0	0.0	0.3	
0.0	0.0			J	-4.9	-0.0	0.0	0.3	
-8.4	0.0								
		INVSLU	Max	I	33.5	-0.0	-0.4	5.9	
0.0	0.0			J	33.5	-0.0	1.4	5.9	
-396.6	1.2		Min	I	-265.4	-0.0	-0.7	-0.5	
0.0	0.0			J	-265.4	-0.0	1.0	-0.5	-
1236.5	0.8								
		INVSLE	Max	I	27.8	-0.0	-0.3	4.3	
0.0	0.0			J	27.8	-0.0	1.0	4.3	
-288.2	0.9		Min	I	-192.7	-0.0	-0.5	-0.4	
0.0	0.0			J	-192.7	-0.0	0.8	-0.4	
-904.2	0.6								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7863	2	71	C1-C2;~1	Max	I	91.1	0.0	0.3	2.5
0.0		0.0			J	91.1	0.0	0.3	2.5
248.4		0.9		Min	I	-71.8	-0.0	-0.1	-2.1
0.0		0.0			J	-71.8	-0.0	-0.1	-2.1
-622.1		-0.8							
			C3-C4;~1	Max	I	102.5	0.0	0.2	3.3
0.0		0.0			J	102.5	0.0	0.2	3.3
157.6		1.2		Min	I	-96.9	-0.0	-0.1	-1.3
0.0		0.0			J	-96.9	-0.0	-0.1	-1.3
-556.8		-0.6							
			C1-C2;~2	Max	I	51.8	0.0	0.2	1.4
0.0		0.0			J	51.8	0.0	0.2	1.4
141.3		0.5		Min	I	-40.2	-0.0	-0.1	-1.2
0.0		0.0			J	-40.2	-0.0	-0.1	-1.2
-422.7		-0.4							
			C3-C4;~2	Max	I	54.0	0.0	0.2	1.9
0.0		0.0			J	54.0	0.0	0.2	1.9
77.4		0.7		Min	I	-55.6	-0.0	-0.0	-0.6
0.0		0.0			J	-55.6	-0.0	-0.0	-0.6
-380.0		-0.3							
				G1	I	29.8	-0.0	-0.5	1.0
0.0		0.0			J	29.8	-0.0	0.8	1.0
-303.3		0.2							
				G2	I	11.3	-0.0	-0.0	0.4
0.0		0.0			J	11.3	-0.0	-0.0	0.4
75.3		0.1							
				Q3	I	0.0	0.0	0.0	0.0
0.0		0.0			J	0.0	0.0	0.0	0.0
0.0		0.0							
				Q5_pc X	I	10.7	-0.0	0.0	-0.1
0.0		0.0			J	10.7	-0.0	0.0	-0.1
-14.5		0.1							
				Q5_pc Y	I	-20.5	0.0	-0.0	0.3
0.0		0.0			J	-20.5	0.0	-0.0	0.3
20.7		-0.2							
				Q5_ps X	I	10.2	-0.0	0.0	-0.1
0.0		0.0			J	10.2	-0.0	0.0	-0.1
-20.2		0.1							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	-19.4	0.0	-0.0	0.4
36.0	-0.2		J	-19.4	0.0	-0.0	0.4
0.0	0.0	INVS LU Max	I	242.1	0.0	-0.5	4.8
256.6	2.4		J	242.1	0.0	1.3	4.8
0.0	0.0	Min	I	-63.9	-0.0	-1.0	-3.0
-955.9	-0.8		J	-63.9	-0.0	0.8	-3.0
0.0	0.0	INVS LE Max	I	180.0	0.0	-0.3	3.5
185.2	1.8		J	180.0	0.0	0.9	3.5
0.0	0.0	Min	I	-43.9	-0.0	-0.7	-2.3
-710.2	-0.6		J	-43.9	-0.0	0.6	-2.3
7866	2	71 C1-C2;~1 Max	I	58.1	0.0	0.2	1.6
0.0	0.0		J	58.1	0.0	0.2	1.6
169.8	0.1	Min	I	-105.2	-0.0	-0.1	-1.9
0.0	0.0		J	-105.2	-0.0	-0.1	-1.9
-385.9	-0.2						
0.0	0.0	C3-C4;~1 Max	I	43.6	0.0	0.1	1.3
98.2	0.1		J	43.6	0.0	0.1	1.3
0.0	0.0	Min	I	-161.8	-0.0	-0.0	-2.7
-305.9	-0.2		J	-161.8	-0.0	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	32.5	0.0	0.1	0.9
98.9	0.1		J	32.5	0.0	0.1	0.9
0.0	0.0	Min	I	-57.5	-0.0	-0.0	-1.0
-253.4	-0.1		J	-57.5	-0.0	-0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	22.2	0.0	0.1	0.7
41.2	0.1		J	22.2	0.0	0.1	0.7
0.0	0.0	Min	I	-90.0	-0.0	-0.0	-1.5
-199.9	-0.1		J	-90.0	-0.0	-0.0	-1.5
0.0	0.0	G1	I	-61.4	0.0	-0.5	-0.6
-334.9	-0.0		J	-61.4	0.0	0.8	-0.6
0.0	0.0	G2	I	-26.1	0.0	-0.0	-0.2


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
73.8	-0.0		J	-26.1	0.0	-0.0	-0.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	8.4	0.0	0.0	0.1	
-32.2	-0.0		J	8.4	0.0	0.0	0.1	
0.0	0.0	Q5_pc Y	I	-1.3	0.0	0.0	-0.1	
-9.4	-0.0		J	-1.3	0.0	0.0	-0.1	
0.0	0.0	Q5_ps X	I	8.9	0.0	0.0	0.1	
-41.2	-0.0		J	8.9	0.0	0.0	0.1	
0.0	0.0	Q5_ps Y	I	-0.3	0.0	0.0	-0.1	
-20.0	-0.0		J	-0.3	0.0	0.0	-0.1	
0.0	0.0	INVSLE Max	I	31.6	0.0	-0.4	0.3	
-412.7	-0.7		J	31.6	0.0	1.4	0.3	
0.0	0.0	Min	I	-280.4	0.0	-0.7	-5.6	
1220.8	-1.2		J	-280.4	0.0	1.0	-5.6	-
0.0	0.0	INVSLE Max	I	26.6	0.0	-0.3	0.2	
-299.1	-0.5		J	26.6	0.0	1.0	0.2	
0.0	0.0	Min	I	-203.4	0.0	-0.5	-4.1	
-893.5	-0.9		J	-203.4	0.0	0.8	-4.1	
7869	2	71 C1-C2;~1 Max	I	80.1	0.0	0.3	3.4	
0.0	0.0		J	80.1	0.0	0.3	3.4	
280.9	0.4		I	-35.6	-0.0	-0.1	-3.8	
0.0	0.0	Min	J	-35.6	-0.0	-0.1	-3.8	
-643.1	-0.5		I	97.9	0.0	0.2	3.3	
0.0	0.0	C3-C4;~1 Max	J	97.9	0.0	0.2	3.3	
208.9	0.4		I	-47.6	-0.0	-0.1	-5.8	
0.0	0.0	Min	J	-47.6	-0.0	-0.1	-5.8	
-569.1	-0.8		I	46.0	0.0	0.2	1.8	
0.0	0.0	C1-C2;~2 Max	J	46.0	0.0	0.2	1.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
157.4	0.2		J	46.0	0.0	0.2	1.8
		Min	I	-19.1	-0.0	-0.1	-1.9
0.0	0.0		J	-19.1	-0.0	-0.1	-1.9
-434.2	-0.3						
		C3-C4;~2 Max	I	51.2	0.0	0.2	1.7
0.0	0.0		J	51.2	0.0	0.2	1.7
96.3	0.2	Min	I	-25.6	-0.0	-0.0	-2.9
0.0	0.0		J	-25.6	-0.0	-0.0	-2.9
-386.9	-0.4						
		G1	I	57.3	0.0	-0.5	-0.7
0.0	0.0		J	57.3	0.0	0.7	-0.7
-244.2	-0.1						
		G2	I	20.2	0.0	-0.0	-0.3
0.0	0.0		J	20.2	0.0	-0.0	-0.3
115.0	-0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	35.6	0.0	0.0	0.7
0.0	0.0		J	35.6	0.0	0.0	0.7
-73.5	-0.2						
		Q5_pc Y	I	-0.7	-0.0	-0.0	0.1
0.0	0.0		J	-0.7	-0.0	-0.0	0.1
10.5	0.0						
		Q5_ps X	I	33.7	0.0	0.0	0.7
0.0	0.0		J	33.7	0.0	0.0	0.7
-87.4	-0.2						
		Q5_ps Y	I	-0.7	-0.0	0.0	0.1
0.0	0.0		J	-0.7	-0.0	0.0	0.1
-0.8	0.0						
		INVSLE Max	I	237.3	0.0	-0.5	5.0
0.0	0.0		J	237.3	0.0	1.2	5.0
535.5	0.4	Min	I	-23.4	-0.0	-1.1	-8.6
0.0	0.0		J	-23.4	-0.0	0.6	-8.6
-844.2	-1.5						
		INVSLE Max	I	172.8	0.0	-0.4	3.8
0.0	0.0		J	172.8	0.0	0.9	3.8
393.9	0.3	Min	I	-15.6	-0.0	-0.8	-6.2
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-618.4	-1.1		J	-15.6	-0.0	0.5	-6.2
7872	2	71 C1-C2;~1 Max	I	63.0	0.0	0.2	1.8
0.0	0.0		J	63.0	0.0	0.2	1.8
154.3	0.1	Min	I	-90.7	-0.0	-0.1	-2.3
0.0	0.0		J	-90.7	-0.0	-0.1	-2.3
-412.0	-0.2	C3-C4;~1 Max	I	48.2	0.0	0.1	1.2
0.0	0.0		J	48.2	0.0	0.1	1.2
87.7	0.1	Min	I	-143.2	-0.0	-0.0	-3.4
0.0	0.0		J	-143.2	-0.0	-0.0	-3.4
-338.1	-0.3	C1-C2;~2 Max	I	36.2	0.0	0.1	1.0
0.0	0.0		J	36.2	0.0	0.1	1.0
89.4	0.1	Min	I	-49.7	-0.0	-0.0	-1.3
0.0	0.0		J	-49.7	-0.0	-0.0	-1.3
-271.8	-0.1	C3-C4;~2 Max	I	25.5	0.0	0.1	0.6
0.0	0.0		J	25.5	0.0	0.1	0.6
35.7	0.0	Min	I	-79.9	-0.0	-0.0	-1.8
0.0	0.0		J	-79.9	-0.0	-0.0	-1.8
-223.4	-0.1	G1	I	-44.1	0.0	-0.5	-0.9
0.0	0.0		J	-44.1	0.0	0.8	-0.9
-348.6	-0.1	G2	I	-19.4	0.0	-0.0	-0.4
0.0	0.0		J	-19.4	0.0	-0.0	-0.4
70.7	-0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	12.4	0.0	0.0	0.2
0.0	0.0		J	12.4	0.0	0.0	0.2
-37.3	-0.0	Q5_pc Y	I	-1.1	0.0	0.0	-0.1
0.0	0.0		J	-1.1	0.0	0.0	-0.1
-7.3	-0.0	Q5_ps X	I	12.7	0.0	0.0	0.2
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-47.6	-0.0		J	12.7	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-0.2	0.0	0.0	-0.1
-18.0	-0.0		J	-0.2	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	65.9	0.0	-0.5	-0.7
-118.6	-1.3		J	65.9	0.0	1.3	-0.7
0.0	0.0	Min	I	-234.8	0.0	-0.8	-8.1
-950.3	-1.9		J	-234.8	0.0	0.9	-8.1
0.0	0.0	INVSLE Max	I	51.1	0.0	-0.4	-0.4
-69.1	-1.0		J	51.1	0.0	0.9	-0.4
0.0	0.0	Min	I	-170.0	0.0	-0.6	-5.9
-680.2	-1.4		J	-170.0	0.0	0.7	-5.9
7875	2	71 C1-C2;~1 Max	I	57.8	0.0	0.2	1.9
0.0	0.0		J	57.8	0.0	0.2	1.9
173.2	0.1	Min	I	-115.4	-0.0	-0.1	-1.7
0.0	0.0		J	-115.4	-0.0	-0.1	-1.7
-386.9	-0.1	C3-C4;~1 Max	I	48.8	0.0	0.1	1.9
0.0	0.0		J	48.8	0.0	0.1	1.9
66.2	0.1	Min	I	-155.0	-0.0	-0.0	-1.8
0.0	0.0		J	-155.0	-0.0	-0.0	-1.8
-307.1	-0.1	C1-C2;~2 Max	I	31.6	0.0	0.1	1.1
0.0	0.0		J	31.6	0.0	0.1	1.1
99.8	0.1	Min	I	-61.9	-0.0	-0.0	-1.0
0.0	0.0		J	-61.9	-0.0	-0.0	-1.0
-253.9	-0.1	C3-C4;~2 Max	I	23.5	0.0	0.1	1.1
0.0	0.0		J	23.5	0.0	0.1	1.1
28.3	0.1	Min	I	-87.9	-0.0	-0.0	-1.0
0.0	0.0		J	-87.9	-0.0	-0.0	-1.0
-200.5	-0.1	G1	I	-65.3	-0.0	-0.5	0.0
0.0	0.0		J	-65.3	-0.0	0.8	0.0
-334.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	-26.6	-0.0	-0.0	0.0	
74.2	0.0		J	-26.6	-0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	7.5	0.0	0.0	-0.1	
-46.5	-0.0		J	7.5	0.0	0.0	-0.1	
0.0	0.0	Q5_pc Y	I	-7.5	-0.0	0.0	0.2	
-0.1	0.0		J	-7.5	-0.0	0.0	0.2	
0.0	0.0	Q5_ps X	I	8.9	0.0	0.0	-0.1	
-62.9	-0.0		J	8.9	0.0	0.0	-0.1	
0.0	0.0	Q5_ps Y	I	-6.3	-0.0	0.0	0.2	
-8.2	0.0		J	-6.3	-0.0	0.0	0.2	
0.0	0.0	INVSLE Max	I	20.6	0.0	-0.3	2.9	
-485.5	0.2		J	20.6	0.0	1.4	2.9	
0.0	0.0	Min	I	-280.2	-0.0	-0.7	-2.5	
1325.4	-0.2		J	-280.2	-0.0	1.1	-2.5	-
0.0	0.0	INVSLE Max	I	18.3	0.0	-0.2	2.1	
-356.0	0.2		J	18.3	0.0	1.0	2.1	
0.0	0.0	Min	I	-203.5	-0.0	-0.5	-1.9	
-972.0	-0.1		J	-203.5	-0.0	0.8	-1.9	
7878	2	71 C1-C2;~1 Max	I	73.6	0.0	0.3	4.7	
0.0	0.0		J	73.6	0.0	0.3	4.7	
234.8	1.1	Min	I	-49.6	-0.0	-0.1	-2.6	
0.0	0.0		J	-49.6	-0.0	-0.1	-2.6	
-653.0	-0.7	C3-C4;~1 Max	I	70.4	0.0	0.2	7.1	
0.0	0.0		J	70.4	0.0	0.2	7.1	
162.8	1.7	Min	I	-78.0	-0.0	-0.1	-2.4	
0.0	0.0		J	-78.0	-0.0	-0.1	-2.4	
-580.9	-0.5							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	44.9	0.0	0.2	2.4
136.7	0.6			J	44.9	0.0	0.2	2.4
0.0	0.0		Min	I	-28.3	-0.0	-0.1	-1.3
-445.8	-0.4			J	-28.3	-0.0	-0.1	-1.3
0.0	0.0	C3-C4;~2	Max	I	39.0	0.0	0.2	3.7
77.4	0.9			J	39.0	0.0	0.2	3.7
0.0	0.0		Min	I	-45.0	-0.0	-0.0	-1.2
-398.8	-0.2			J	-45.0	-0.0	-0.0	-1.2
0.0	0.0		G1	I	17.5	-0.0	-0.5	2.4
-306.6	0.6			J	17.5	-0.0	0.8	2.4
0.0	0.0		G2	I	6.0	-0.0	-0.0	1.0
81.1	0.3			J	6.0	-0.0	-0.0	1.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	6.5	-0.0	0.0	-0.2
-19.7	0.1			J	6.5	-0.0	0.0	-0.2
0.0	0.0		Q5_pc Y	I	-0.9	-0.0	0.0	-0.0
-3.4	0.1			J	-0.9	-0.0	0.0	-0.0
0.0	0.0		Q5_ps X	I	6.3	-0.0	0.0	-0.3
-22.5	0.1			J	6.3	-0.0	0.0	-0.3
0.0	0.0		Q5_ps Y	I	-0.7	-0.0	0.0	-0.1
-17.1	0.0			J	-0.7	-0.0	0.0	-0.1
0.0	0.0		INVSLU Max	I	157.2	-0.0	-0.5	12.6
255.9	4.1			J	157.2	-0.0	1.3	12.6
0.0	0.0		Min	I	-59.0	-0.0	-1.0	-0.9
-978.2	0.7			J	-59.0	-0.0	0.8	-0.9
0.0	0.0		INVSLE Max	I	117.7	-0.0	-0.3	9.1
				J	117.7	-0.0	0.9	9.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
188.8	3.0		Min	I	-41.7	-0.0	-0.7	-0.8
0.0	0.0			J	-41.7	-0.0	0.6	-0.8
-722.7	0.5							
7884	2	71	C1-C2;~1	Max	I	88.8	0.0	0.3
0.0	0.0				J	88.8	0.0	0.3
298.1	1.2		Min	I	-57.0	-0.0	-0.1	-2.9
0.0	0.0			J	-57.0	-0.0	-0.1	-2.9
-665.0	-0.8							
			C3-C4;~1	Max	I	92.0	0.0	0.2
0.0	0.0			J	92.0	0.0	0.2	6.6
168.8	1.6		Min	I	-80.3	-0.0	-0.1	-3.1
0.0	0.0			J	-80.3	-0.0	-0.1	-3.1
-592.9	-0.6							
			C1-C2;~2	Max	I	51.6	0.0	0.2
0.0	0.0			J	51.6	0.0	0.2	2.6
162.5	0.6		Min	I	-31.6	-0.0	-0.1	-1.4
0.0	0.0			J	-31.6	-0.0	-0.1	-1.4
-451.0	-0.4							
			C3-C4;~2	Max	I	49.3	0.0	0.2
0.0	0.0			J	49.3	0.0	0.2	3.5
82.2	0.8		Min	I	-46.6	-0.0	-0.0	-1.5
0.0	0.0			J	-46.6	-0.0	-0.0	-1.5
-403.9	-0.3							
			G1	I	25.5	-0.0	-0.5	2.3
0.0	0.0			J	25.5	-0.0	0.8	2.3
-296.1	0.6							
			G2	I	9.7	-0.0	-0.0	0.9
0.0	0.0			J	9.7	-0.0	-0.0	0.9
86.3	0.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	19.0	-0.0	0.0
0.0	0.0			J	19.0	-0.0	0.0	-0.5
-48.6	0.3							
			Q5_pc	Y	I	-3.1	-0.0	-0.0
0.0	0.0			J	-3.1	-0.0	-0.0	0.5
16.2	0.0							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps X	I	18.3	-0.0	0.0	-0.6	
-63.7	0.3		J	18.3	-0.0	0.0	-0.6	
0.0	0.0	Q5_ps Y	I	-3.0	-0.0	-0.0	0.4	
6.8	0.0		J	-3.0	-0.0	-0.0	0.4	
0.0	0.0	INVS LU Max	I	188.0	-0.0	-0.4	12.2	
362.9	4.0		J	188.0	-0.0	1.3	12.2	
0.0	0.0	Min	I	-78.8	-0.0	-1.0	-1.8	
1024.9	0.3		J	-78.8	-0.0	0.7	-1.8	-
0.0	0.0	INVS LE Max	I	138.4	-0.0	-0.3	8.9	
264.5	2.9		J	138.4	-0.0	1.0	8.9	
0.0	0.0	Min	I	-56.7	-0.0	-0.8	-1.4	
-757.0	0.2		J	-56.7	-0.0	0.5	-1.4	
7887	2	71 C1-C2;~1 Max	I	61.0	0.0	0.2	2.0	
0.0	0.0		J	61.0	0.0	0.2	2.0	
217.9	0.2	Min	I	-104.8	-0.0	-0.1	-1.7	
0.0	0.0		J	-104.8	-0.0	-0.1	-1.7	
-385.6	-0.1							
0.0	0.0	C3-C4;~1 Max	I	48.1	0.0	0.1	2.7	
106.0	0.2		J	48.1	0.0	0.1	2.7	
0.0	0.0	Min	I	-158.5	-0.0	-0.0	-1.2	
-306.7	-0.1		J	-158.5	-0.0	-0.0	-1.2	
0.0	0.0	C1-C2;~2 Max	I	33.8	0.0	0.1	1.1	
117.3	0.1		J	33.8	0.0	0.1	1.1	
0.0	0.0	Min	I	-57.1	-0.0	-0.0	-0.9	
-253.5	-0.1		J	-57.1	-0.0	-0.0	-0.9	
0.0	0.0	C3-C4;~2 Max	I	24.2	0.0	0.1	1.5	
44.1	0.1		J	24.2	0.0	0.1	1.5	
0.0	0.0	Min	I	-88.4	-0.0	-0.0	-0.6	
-200.8	-0.1		J	-88.4	-0.0	-0.0	-0.6	
		G1	I	-60.3	-0.0	-0.5	0.7	

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-60.3	-0.0	0.8	0.7
-337.0	0.0						
		G2	I	-25.2	-0.0	-0.0	0.3
0.0	0.0		J	-25.2	-0.0	-0.0	0.3
72.6	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.5	-0.0	0.0	-0.0
0.0	0.0		J	3.5	-0.0	0.0	-0.0
-17.3	0.0						
		Q5_pc Y	I	1.7	0.0	-0.0	-0.1
0.0	0.0		J	1.7	0.0	-0.0	-0.1
21.3	-0.0						
		Q5_ps X	I	4.0	-0.0	0.0	-0.0
0.0	0.0		J	4.0	-0.0	0.0	-0.0
-25.4	0.0						
		Q5_ps Y	I	0.1	0.0	-0.0	-0.1
0.0	0.0		J	0.1	0.0	-0.0	-0.1
36.3	-0.0						
		INVSLE Max	I	35.3	-0.0	-0.4	5.7
0.0	0.0		J	35.3	-0.0	1.4	5.7
-350.5	1.1	Min	I	-267.3	-0.0	-0.7	-0.5
0.0	0.0		J	-267.3	-0.0	1.0	-0.5
1203.6	0.7						
		INVSLE Max	I	29.7	-0.0	-0.3	4.2
0.0	0.0		J	29.7	-0.0	1.0	4.2
-251.9	0.8	Min	I	-193.9	-0.0	-0.5	-0.4
0.0	0.0		J	-193.9	-0.0	0.7	-0.4
-881.0	0.5						
7890	2	71 C1-C2;~1 Max	I	25.1	0.0	0.1	3.4
0.0	0.0		J	25.1	0.0	0.1	3.4
162.6	0.1	Min	I	-75.1	-0.0	-0.1	-2.0
0.0	0.0		J	-75.1	-0.0	-0.1	-2.0
-339.8	-0.1						
		C3-C4;~1 Max	I	15.9	0.0	0.1	2.3
0.0	0.0		J	15.9	0.0	0.1	2.3
68.2	0.1	Min	I	-92.9	-0.0	-0.0	-3.1

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-92.9	-0.0	-0.0	-3.1
-269.9	-0.1							
		C1-C2;~2	Max	I	15.2	0.0	0.1	1.9
0.0	0.0			J	15.2	0.0	0.1	1.9
97.8	0.1		Min	I	-43.9	-0.0	-0.0	-1.0
0.0	0.0			J	-43.9	-0.0	-0.0	-1.0
-228.1	-0.1							
		C3-C4;~2	Max	I	8.5	0.0	0.1	1.3
0.0	0.0			J	8.5	0.0	0.1	1.3
33.9	0.1		Min	I	-55.5	-0.0	-0.0	-1.7
0.0	0.0			J	-55.5	-0.0	-0.0	-1.7
-180.3	-0.1							
		G1		I	-57.4	0.0	-0.5	-0.2
0.0	0.0			J	-57.4	0.0	0.8	-0.2
-323.2	-0.0							
		G2		I	-22.9	0.0	-0.0	-0.1
0.0	0.0			J	-22.9	0.0	-0.0	-0.1
60.3	-0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	0.4	0.0	0.0	0.0
0.0	0.0			J	0.4	0.0	0.0	0.0
-8.7	-0.0							
		Q5_pc	Y	I	-0.8	-0.0	-0.0	-0.0
0.0	0.0			J	-0.8	-0.0	-0.0	-0.0
25.4	0.0							
		Q5_ps	X	I	0.8	0.0	0.0	0.1
0.0	0.0			J	0.8	0.0	0.0	0.1
-13.1	-0.0							
		Q5_ps	Y	I	-1.8	-0.0	-0.0	-0.1
0.0	0.0			J	-1.8	-0.0	-0.0	-0.1
39.2	0.0							
		INVSLU	Max	I	-85.2	0.0	-0.5	3.9
0.0	0.0			J	-85.2	0.0	1.3	3.9
-272.9	-0.1		Min	I	-246.0	0.0	-0.8	-5.0
0.0	0.0			J	-246.0	0.0	1.0	-5.0
-996.9	-0.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	-63.4	0.0	-0.3	2.9
0.0	0.0			J	-63.4	0.0	0.9	2.9
-193.1	-0.0		Min	I	-182.4	0.0	-0.6	-3.7
0.0	0.0			J	-182.4	0.0	0.7	-3.7
-726.0	-0.4							
7893	2	71	C1-C2;~1 Max	I	29.3	0.0	0.1	2.7
0.0	0.0			J	29.3	0.0	0.1	2.7
183.1	0.1		Min	I	-131.8	-0.0	-0.1	-1.8
0.0	0.0			J	-131.8	-0.0	-0.1	-1.8
-355.7	-0.1							
			C3-C4;~1 Max	I	31.9	0.0	0.1	1.9
0.0	0.0			J	31.9	0.0	0.1	1.9
80.9	0.1		Min	I	-163.4	-0.0	-0.0	-2.8
0.0	0.0			J	-163.4	-0.0	-0.0	-2.8
-277.0	-0.1							
			C1-C2;~2 Max	I	15.4	0.0	0.1	1.5
0.0	0.0			J	15.4	0.0	0.1	1.5
108.4	0.1		Min	I	-75.7	-0.0	-0.0	-0.9
0.0	0.0			J	-75.7	-0.0	-0.0	-0.9
-235.4	-0.1							
			C3-C4;~2 Max	I	16.8	0.0	0.1	1.0
0.0	0.0			J	16.8	0.0	0.1	1.0
39.6	0.1		Min	I	-96.4	-0.0	-0.0	-1.5
0.0	0.0			J	-96.4	-0.0	-0.0	-1.5
-181.7	-0.1							
			G1	I	-102.6	0.0	-0.5	-0.3
0.0	0.0			J	-102.6	0.0	0.8	-0.3
-303.5	-0.0							
			G2	I	-40.1	0.0	-0.0	-0.1
0.0	0.0			J	-40.1	0.0	-0.0	-0.1
67.1	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.1	0.0	0.0	0.0
0.0	0.0			J	-1.1	0.0	0.0	0.0
-10.0	-0.0							
			Q5_pc Y	I	4.2	-0.0	-0.0	-0.1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	4.2	-0.0	-0.0	-0.1
28.0	0.0						
0.0	0.0	Q5_ps X	I	-0.5	0.0	0.0	0.1
-14.9	-0.0		J	-0.5	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	2.7	-0.0	-0.0	-0.2
43.0	0.0		J	2.7	-0.0	-0.0	-0.2
0.0	0.0	INVS LU Max	I	-153.0	0.0	-0.3	2.9
-511.1	-0.1		J	-153.0	0.0	1.4	2.9
0.0	0.0	Min	I	-424.2	0.0	-0.7	-4.7
1289.0	-0.5		J	-424.2	0.0	1.1	-4.7
0.0	0.0	INVS LE Max	I	-112.8	0.0	-0.2	2.1
-376.0	-0.0		J	-112.8	0.0	1.0	2.1
0.0	0.0	Min	I	-313.1	0.0	-0.5	-3.5
-948.4	-0.3		J	-313.1	0.0	0.8	-3.5
7896	2	71 C1-C2;~1 Max	I	48.1	0.0	0.1	1.2
0.0	0.0		J	48.1	0.0	0.1	1.2
203.9	0.1	Min	I	-153.5	-0.0	-0.1	-1.7
0.0	0.0		J	-153.5	-0.0	-0.1	-1.7
-355.0	-0.1						
0.0	0.0	C3-C4;~1 Max	I	54.7	0.0	0.1	1.6
91.3	0.1		J	54.7	0.0	0.1	1.6
0.0	0.0	Min	I	-195.5	-0.0	-0.0	-1.3
-266.3	-0.1		J	-195.5	-0.0	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	25.9	0.0	0.1	0.7
120.1	0.1		J	25.9	0.0	0.1	0.7
0.0	0.0	Min	I	-85.8	-0.0	-0.1	-1.0
-233.3	-0.1		J	-85.8	-0.0	-0.1	-1.0
0.0	0.0	C3-C4;~2 Max	I	28.9	0.0	0.1	1.0
44.0	0.1		J	28.9	0.0	0.1	1.0
0.0	0.0	Min	I	-113.8	-0.0	-0.0	-0.8
			J	-113.8	-0.0	-0.0	-0.8

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-171.9	-0.0								
		G1	I	-111.9	-0.0	-0.5	-0.1		
0.0	0.0		J	-111.9	-0.0	0.8	-0.1		
-293.4	0.0								
		G2	I	-44.2	-0.0	-0.0	-0.0		
0.0	0.0		J	-44.2	-0.0	-0.0	-0.0		
75.9	0.0								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	3.1	-0.0	-0.0	0.0		
0.0	0.0		J	3.1	-0.0	-0.0	0.0		
2.0	0.0								
		Q5_pc Y	I	-0.5	0.0	0.0	-0.1		
0.0	0.0		J	-0.5	0.0	0.0	-0.1		
-26.6	-0.0								
		Q5_ps X	I	2.5	-0.0	-0.0	0.0		
0.0	0.0		J	2.5	-0.0	-0.0	0.0		
5.4	0.0								
		Q5_ps Y	I	1.0	0.0	0.0	-0.1		
0.0	0.0		J	1.0	0.0	0.0	-0.1		
-41.4	-0.0								
		INVSLE Max	I	-115.2	0.0	-0.3	2.5		
0.0	0.0		J	-115.2	0.0	1.5	2.5		
-637.5	0.3	Min	I	-458.7	-0.0	-0.6	-2.1		
0.0	0.0		J	-458.7	-0.0	1.1	-2.1		-
1439.8	-0.0								
		INVSLE Max	I	-83.3	0.0	-0.2	1.9		
0.0	0.0		J	-83.3	0.0	1.1	1.9		
-473.2	0.2	Min	I	-337.3	-0.0	-0.4	-1.5		
0.0	0.0		J	-337.3	-0.0	0.8	-1.5		-
1064.0	-0.0								
		71 C1-C2;~1 Max	I	85.4	0.0	0.3	2.5		
7899	2		J	85.4	0.0	0.3	2.5		
0.0	0.0	Min	I	-59.7	-0.0	-0.1	-4.6		
262.8	0.8		J	-59.7	-0.0	-0.1	-4.6		
0.0	0.0								
-669.4	-1.3	C3-C4;~1 Max	I	86.9	0.0	0.2	2.3		
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
193.5	0.7		J	86.9	0.0	0.2	2.3
		Min	I	-90.6	-0.0	-0.1	-6.9
0.0	0.0		J	-90.6	-0.0	-0.1	-6.9
-597.7	-2.0						
		C1-C2;~2 Max	I	50.0	0.0	0.2	1.3
0.0	0.0		J	50.0	0.0	0.2	1.3
148.9	0.4	Min	I	-32.5	-0.0	-0.1	-2.4
0.0	0.0		J	-32.5	-0.0	-0.1	-2.4
-452.9	-0.7						
		C3-C4;~2 Max	I	46.9	0.0	0.2	1.1
0.0	0.0		J	46.9	0.0	0.2	1.1
92.3	0.4	Min	I	-50.7	-0.0	-0.0	-3.5
0.0	0.0		J	-50.7	-0.0	-0.0	-3.5
-406.1	-1.0						
		G1	I	21.7	0.0	-0.5	-2.4
0.0	0.0		J	21.7	0.0	0.8	-2.4
-298.0	-0.6						
		G2	I	7.6	0.0	-0.0	-1.0
0.0	0.0		J	7.6	0.0	-0.0	-1.0
85.9	-0.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	27.6	0.0	0.0	0.5
0.0	0.0		J	27.6	0.0	0.0	0.5
-46.8	-0.3						
		Q5_pc Y	I	-0.1	-0.0	-0.0	0.0
0.0	0.0		J	-0.1	-0.0	-0.0	0.0
17.5	0.0						
		Q5_ps X	I	26.1	0.0	0.0	0.5
0.0	0.0		J	26.1	0.0	0.0	0.5
-58.7	-0.3						
		Q5_ps Y	I	-0.1	-0.0	-0.0	0.1
0.0	0.0		J	-0.1	-0.0	-0.0	0.1
6.7	0.0						
		INVSLU Max	I	186.4	0.0	-0.4	0.9
0.0	0.0		J	186.4	0.0	1.3	0.9
311.3	-0.2	Min	I	-102.9	0.0	-1.0	-12.6
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1031.3	-4.5		J	-102.9	0.0	0.7	-12.6	-
		INVSLE Max	I	136.8	0.0	-0.3	0.8	
0.0	0.0		J	136.8	0.0	1.0	0.8	
226.6	-0.1	Min	I	-73.8	0.0	-0.7	-9.2	
0.0	0.0		J	-73.8	0.0	0.5	-9.2	
-761.7	-3.2							
7902	2	71 C1-C2;~1 Max	I	63.3	0.0	0.2	1.7	
0.0	0.0		J	63.3	0.0	0.2	1.7	
173.4	0.1	Min	I	-110.5	-0.0	-0.1	-2.0	
0.0	0.0		J	-110.5	-0.0	-0.1	-2.0	
-388.5	-0.2							
		C3-C4;~1 Max	I	52.7	0.0	0.1	1.4	
0.0	0.0		J	52.7	0.0	0.1	1.4	
96.5	0.1	Min	I	-165.8	-0.0	-0.0	-2.7	
0.0	0.0		J	-165.8	-0.0	-0.0	-2.7	
-308.4	-0.2							
		C1-C2;~2 Max	I	34.7	0.0	0.1	1.0	
0.0	0.0		J	34.7	0.0	0.1	1.0	
101.0	0.1	Min	I	-60.0	-0.0	-0.0	-1.1	
0.0	0.0		J	-60.0	-0.0	-0.0	-1.1	
-255.0	-0.1							
		C3-C4;~2 Max	I	26.4	0.0	0.1	0.7	
0.0	0.0		J	26.4	0.0	0.1	0.7	
40.5	0.1	Min	I	-91.9	-0.0	-0.0	-1.5	
0.0	0.0		J	-91.9	-0.0	-0.0	-1.5	
-201.5	-0.1							
		G1	I	-58.9	0.0	-0.5	-0.5	
0.0	0.0		J	-58.9	0.0	0.8	-0.5	
-336.5	-0.0							
		G2	I	-24.9	0.0	-0.0	-0.2	
0.0	0.0		J	-24.9	0.0	-0.0	-0.2	
67.2	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	2.5	0.0	0.0	-0.0	
0.0	0.0		J	2.5	0.0	0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-27.5	-0.0							
		Q5_pc	Y	I	7.4	0.0	0.0	0.3
0.0	0.0			J	7.4	0.0	0.0	0.3
-13.0	-0.0							
		Q5_ps	X	I	3.6	0.0	0.0	0.0
0.0	0.0			J	3.6	0.0	0.0	0.0
-40.1	-0.0							
		Q5_ps	Y	I	6.9	0.0	0.0	0.3
0.0	0.0			J	6.9	0.0	0.0	0.3
-8.9	-0.0							
		INVS LU	Max	I	36.1	0.0	-0.4	0.6
0.0	0.0			J	36.1	0.0	1.4	0.6
-422.8	-0.7							
			Min	I	-286.6	0.0	-0.7	-5.9
0.0	0.0			J	-286.6	0.0	1.0	-5.9
1230.8	-1.2							
		INVS LE	Max	I	29.7	0.0	-0.3	0.5
0.0	0.0			J	29.7	0.0	1.0	0.5
-306.4	-0.6							
			Min	I	-208.4	0.0	-0.5	-4.3
0.0	0.0			J	-208.4	0.0	0.8	-4.3
-901.3	-0.9							
		71 C1-C2;~1	Max	I	42.7	0.0	0.1	2.2
7905	2			J	42.7	0.0	0.1	2.2
0.0	0.0							
			Min	I	-161.8	-0.0	-0.1	-1.9
208.1	0.1			J	-161.8	-0.0	-0.1	-1.9
0.0	0.0							
		C3-C4;~1	Max	I	47.6	0.0	0.1	1.5
-351.8	-0.1			J	47.6	0.0	0.1	1.5
0.0	0.0							
			Min	I	-201.1	-0.0	-0.0	-2.7
96.0	0.1			J	-201.1	-0.0	-0.0	-2.7
0.0	0.0							
		C1-C2;~2	Max	I	23.0	0.0	0.1	1.2
-264.1	-0.1			J	23.0	0.0	0.1	1.2
0.0	0.0							
			Min	I	-91.7	-0.0	-0.1	-1.0
123.5	0.1			J	-91.7	-0.0	-0.1	-1.0
0.0	0.0							
		C3-C4;~2	Max	I	25.2	0.0	0.1	0.8
-231.8	-0.1			J	25.2	0.0	0.1	0.8
0.0	0.0							
47.6	0.1							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-117.6	-0.0	-0.0	-1.5
0.0	0.0			J	-117.6	-0.0	-0.0	-1.5
-171.1	-0.1							
			G1	I	-123.1	0.0	-0.5	-0.4
0.0	0.0			J	-123.1	0.0	0.8	-0.4
-286.4	-0.0							
			G2	I	-48.1	0.0	-0.0	-0.1
0.0	0.0			J	-48.1	0.0	-0.0	-0.1
74.8	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	0.4	0.0	0.0	0.0
0.0	0.0			J	0.4	0.0	0.0	0.0
-11.4	-0.0							
			Q5_pc Y	I	1.0	-0.0	-0.0	-0.1
0.0	0.0			J	1.0	-0.0	-0.0	-0.1
30.3	0.0							
			Q5_ps X	I	0.9	0.0	0.0	0.1
0.0	0.0			J	0.9	0.0	0.0	0.1
-16.4	-0.0							
			Q5_ps Y	I	-0.4	-0.0	-0.0	-0.2
0.0	0.0			J	-0.4	-0.0	-0.0	-0.2
45.7	0.0							
			INVSLU Max	I	-163.1	0.0	-0.3	2.1
0.0	0.0			J	-163.1	0.0	1.5	2.1
-612.6	-0.1							
			Min	I	-500.5	0.0	-0.6	-4.6
0.0	0.0			J	-500.5	0.0	1.1	-4.6
1423.1	-0.4							
			INVSLE Max	I	-119.3	0.0	-0.2	1.5
0.0	0.0			J	-119.3	0.0	1.1	1.5
-455.4	-0.1							
			Min	I	-369.1	0.0	-0.5	-3.4
0.0	0.0			J	-369.1	0.0	0.8	-3.4
1051.7	-0.3							
			71 C1-C2;~1 Max	I	26.7	0.0	0.1	1.9
7908	2			J	26.7	0.0	0.1	1.9
0.0	0.0							
159.4	0.1							
			Min	I	-68.1	-0.0	-0.1	-3.2
0.0	0.0			J	-68.1	-0.0	-0.1	-3.2
-344.9	-0.1							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1	Max	I	16.4	0.0	0.1	3.0
63.9	0.2			J	16.4	0.0	0.1	3.0
0.0	0.0		Min	I	-87.1	-0.0	-0.0	-2.2
-273.0	-0.1			J	-87.1	-0.0	-0.0	-2.2
0.0	0.0	C1-C2;~2	Max	I	16.9	0.0	0.1	1.0
95.5	0.1			J	16.9	0.0	0.1	1.0
0.0	0.0		Min	I	-39.9	-0.0	-0.0	-1.9
-231.4	-0.1			J	-39.9	-0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2	Max	I	9.5	0.0	0.1	1.6
31.0	0.1			J	9.5	0.0	0.1	1.6
0.0	0.0		Min	I	-52.6	-0.0	-0.0	-1.2
-182.3	-0.1			J	-52.6	-0.0	-0.0	-1.2
0.0	0.0		G1	I	-52.0	-0.0	-0.5	0.3
-324.0	0.1			J	-52.0	-0.0	0.8	0.3
0.0	0.0		G2	I	-20.9	-0.0	-0.0	0.1
57.9	0.0			J	-20.9	-0.0	-0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	0.9	0.0	-0.0	-0.0
5.8	-0.0			J	0.9	0.0	-0.0	-0.0
0.0	0.0	Q5_pc	Y	I	-1.7	-0.0	0.0	0.0
-24.4	0.0			J	-1.7	-0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	0.5	0.0	-0.0	-0.0
9.6	-0.0			J	0.5	0.0	-0.0	-0.0
0.0	0.0	Q5_ps	Y	I	-0.5	-0.0	0.0	-0.1
-38.1	0.0			J	-0.5	-0.0	0.0	-0.1
0.0	0.0	INVSLU	Max	I	-67.6	-0.0	-0.4	6.7
				J	-67.6	-0.0	1.3	6.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-291.5	1.4			Min	I	-224.4	-0.0	-0.7	-1.8	
0.0	0.0				J	-224.4	-0.0	1.0	-1.8	-
1016.2	0.9									
				INVSLE Max	I	-50.2	-0.0	-0.3	5.0	
0.0	0.0				J	-50.2	-0.0	0.9	5.0	
-206.6	1.0			Min	I	-166.1	-0.0	-0.6	-1.4	
0.0	0.0				J	-166.1	-0.0	0.7	-1.4	
-740.2	0.7									
7911	2	71	C1-C2;~1	Max	I	59.4	0.0	0.2	2.7	
0.0	0.0				J	59.4	0.0	0.2	2.7	
161.4	0.2			Min	I	-94.2	-0.0	-0.1	-2.0	
0.0	0.0				J	-94.2	-0.0	-0.1	-2.0	
-411.4	-0.1									
				C3-C4;~1	Max	I	44.9	0.0	0.1	3.9
0.0	0.0				J	44.9	0.0	0.1	3.9	
86.8	0.2			Min	I	-144.8	-0.0	-0.0	-1.5	
0.0	0.0				J	-144.8	-0.0	-0.0	-1.5	
-337.3	-0.1									
				C1-C2;~2	Max	I	34.4	0.0	0.1	1.5
0.0	0.0				J	34.4	0.0	0.1	1.5	
92.3	0.1			Min	I	-51.9	-0.0	-0.0	-1.1	
0.0	0.0				J	-51.9	-0.0	-0.0	-1.1	
-271.6	-0.1									
				C3-C4;~2	Max	I	24.0	0.0	0.1	2.1
0.0	0.0				J	24.0	0.0	0.1	2.1	
35.3	0.1			Min	I	-81.4	-0.0	-0.0	-0.7	
0.0	0.0				J	-81.4	-0.0	-0.0	-0.7	
-223.0	-0.0									
				G1	I	-45.4	-0.0	-0.5	0.8	
0.0	0.0				J	-45.4	-0.0	0.8	0.8	
-348.4	0.1									
				G2	I	-19.9	-0.0	-0.0	0.4	
0.0	0.0				J	-19.9	-0.0	-0.0	0.4	
70.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc X	I	3.2	-0.0	0.0	-0.1
-21.4	0.0		J	3.2	-0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-1.0	0.0	0.0	-0.1
-13.4	-0.0		J	-1.0	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	3.6	-0.0	0.0	-0.1
-27.2	0.0		J	3.6	-0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	0.0	0.0	0.0	-0.1
-25.9	-0.0		J	0.0	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	57.2	-0.0	-0.5	8.6
-124.2	1.9		J	57.2	-0.0	1.3	8.6
0.0	0.0	Min	I	-224.1	-0.0	-0.8	0.4
-936.0	1.4		J	-224.1	-0.0	0.9	0.4
0.0	0.0	INVS LE Max	I	45.8	-0.0	-0.4	6.3
-72.0	1.4		J	45.8	-0.0	0.9	6.3
0.0	0.0	Min	I	-162.2	-0.0	-0.6	0.2
-670.5	1.0		J	-162.2	-0.0	0.7	0.2
7914	2	71 C1-C2;~1 Max	I	57.5	0.0	0.2	3.2
0.0	0.0		J	57.5	0.0	0.2	3.2
198.9	0.1	Min	I	-153.7	-0.0	-0.1	-1.0
0.0	0.0		J	-153.7	-0.0	-0.1	-1.0
-361.1	-0.3						
0.0	0.0	C3-C4;~1 Max	I	64.7	0.0	0.1	3.0
88.2	0.1		J	64.7	0.0	0.1	3.0
0.0	0.0	Min	I	-196.1	-0.0	-0.0	-1.0
-272.7	-0.3		J	-196.1	-0.0	-0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	30.8	0.0	0.1	1.9
116.9	0.1		J	30.8	0.0	0.1	1.9
0.0	0.0	Min	I	-85.8	-0.0	-0.0	-0.5
-236.5	-0.2		J	-85.8	-0.0	-0.0	-0.5
		C3-C4;~2 Max	I	34.2	0.0	0.1	1.8

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	34.2	0.0	0.1	1.8
41.8	0.1		Min	I	-113.7	-0.0	-0.0	-0.5
0.0	0.0			J	-113.7	-0.0	-0.0	-0.5
-175.6	-0.2							
			G1	I	-100.9	0.0	-0.5	1.6
0.0	0.0			J	-100.9	0.0	0.8	1.6
-304.9	-0.1							
			G2	I	-40.0	0.0	-0.0	0.6
0.0	0.0			J	-40.0	0.0	-0.0	0.6
72.2	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.0	-0.0	0.0	-0.0
0.0	0.0			J	3.0	-0.0	0.0	-0.0
-13.0	0.0							
			Q5_pc Y	I	-3.9	0.0	-0.0	0.0
0.0	0.0			J	-3.9	0.0	-0.0	0.0
31.6	-0.0							
			Q5_ps X	I	3.4	-0.0	0.0	-0.0
0.0	0.0			J	3.4	-0.0	0.0	-0.0
-18.0	0.0							
			Q5_ps Y	I	-5.0	0.0	-0.0	0.0
0.0	0.0			J	-5.0	0.0	-0.0	0.0
46.9	-0.0							
			INVSLE Max	I	-61.7	0.0	-0.3	2.3
0.0	0.0			J	-61.7	0.0	1.4	2.3
-509.2	-0.1		Min	I	-420.8	0.0	-0.7	-3.5
0.0	0.0			J	-420.8	0.0	1.1	-3.5
1322.0	-0.7							
			INVSLE Max	I	-43.2	0.0	-0.2	1.5
0.0	0.0			J	-43.2	0.0	1.0	1.5
-376.7	-0.0		Min	I	-308.7	0.0	-0.5	-2.8
0.0	0.0			J	-308.7	0.0	0.8	-2.8
-974.6	-0.5							
7917	2	71 C1-C2;~1	Max	I	82.4	0.0	0.3	2.8
0.0	0.0			J	82.4	0.0	0.3	2.8
260.3	0.7		Min	I	-59.8	-0.0	-0.1	-4.9

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-59.8	-0.0	-0.1	-4.9
-666.6	-1.2							
		C3-C4;~1	Max	I	88.6	0.0	0.2	2.9
0.0	0.0			J	88.6	0.0	0.2	2.9
194.3	0.6		Min	I	-88.2	-0.0	-0.1	-7.2
0.0	0.0			J	-88.2	-0.0	-0.1	-7.2
-594.2	-1.7							
		C1-C2;~2	Max	I	49.0	0.0	0.2	1.4
0.0	0.0			J	49.0	0.0	0.2	1.4
148.1	0.4		Min	I	-33.2	-0.0	-0.1	-2.5
0.0	0.0			J	-33.2	-0.0	-0.1	-2.5
-452.1	-0.6							
		C3-C4;~2	Max	I	47.8	0.0	0.2	1.4
0.0	0.0			J	47.8	0.0	0.2	1.4
92.4	0.3		Min	I	-50.1	-0.0	-0.0	-3.7
0.0	0.0			J	-50.1	-0.0	-0.0	-3.7
-404.9	-0.9							
		G1		I	21.7	0.0	-0.5	-2.3
0.0	0.0			J	21.7	0.0	0.8	-2.3
-297.3	-0.6							
		G2		I	7.7	0.0	-0.0	-1.0
0.0	0.0			J	7.7	0.0	-0.0	-1.0
83.0	-0.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	9.0	0.0	0.0	0.1
0.0	0.0			J	9.0	0.0	0.0	0.1
-18.4	-0.2							
		Q5_pc	Y	I	6.6	0.0	0.0	0.6
0.0	0.0			J	6.6	0.0	0.0	0.6
-20.7	-0.0							
		Q5_ps	X	I	8.7	0.0	0.0	0.2
0.0	0.0			J	8.7	0.0	0.0	0.2
-29.7	-0.2							
		Q5_ps	Y	I	6.5	0.0	0.0	0.5
0.0	0.0			J	6.5	0.0	0.0	0.5
-11.6	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVS LU Max	I	168.8	0.0	-0.4	1.4
0.0	0.0			J	168.8	0.0	1.3	1.4
271.2	-0.4		Min	I	-86.1	0.0	-1.0	-13.1
0.0	0.0			J	-86.1	0.0	0.8	-13.1
1017.5	-4.1							-
			INVS LE Max	I	124.9	0.0	-0.3	1.2
0.0	0.0			J	124.9	0.0	1.0	1.2
198.4	-0.3		Min	I	-62.7	0.0	-0.7	-9.6
0.0	0.0			J	-62.7	0.0	0.6	-9.6
-753.4	-3.0							
7920	2	71	C1-C2;~1 Max	I	60.6	0.0	0.2	1.8
0.0	0.0			J	60.6	0.0	0.2	1.8
177.2	0.1		Min	I	-123.2	-0.0	-0.1	-1.0
0.0	0.0			J	-123.2	-0.0	-0.1	-1.0
-383.1	-0.1							
			C3-C4;~1 Max	I	71.0	0.0	0.1	1.5
0.0	0.0			J	71.0	0.0	0.1	1.5
73.9	0.1		Min	I	-160.3	-0.0	-0.0	-1.3
0.0	0.0			J	-160.3	-0.0	-0.0	-1.3
-301.2	-0.1							
			C1-C2;~2 Max	I	32.4	0.0	0.1	1.1
0.0	0.0			J	32.4	0.0	0.1	1.1
103.2	0.0		Min	I	-68.3	-0.0	-0.0	-0.6
0.0	0.0			J	-68.3	-0.0	-0.0	-0.6
-250.7	-0.1							
			C3-C4;~2 Max	I	37.3	0.0	0.1	0.9
0.0	0.0			J	37.3	0.0	0.1	0.9
33.8	0.0		Min	I	-92.9	-0.0	-0.0	-0.8
0.0	0.0			J	-92.9	-0.0	-0.0	-0.8
-195.1	-0.1							
			G1	I	-60.8	0.0	-0.5	0.2
0.0	0.0			J	-60.8	0.0	0.8	0.2
-330.8	-0.1							
			G2	I	-24.6	0.0	-0.0	0.1
0.0	0.0			J	-24.6	0.0	-0.0	0.1
65.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.8	-0.0	0.0	0.1
-1.8	0.0		J	5.8	-0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	2.7	0.0	0.0	0.0
-26.3	-0.0		J	2.7	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	5.1	-0.0	-0.0	0.1
0.6	0.0		J	5.1	-0.0	-0.0	0.1
0.0	0.0	Q5_ps Y	I	3.8	0.0	0.0	0.1
-40.8	-0.0		J	3.8	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	38.1	0.0	-0.4	0.8
-235.5	-0.9		J	38.1	0.0	1.3	0.8
0.0	0.0	Min	I	-284.6	0.0	-0.8	-3.6
1039.2	-1.2		J	-284.6	0.0	1.0	-3.6
0.0	0.0	INVSLE Max	I	30.9	0.0	-0.3	0.6
-162.9	-0.7		J	30.9	0.0	1.0	0.6
0.0	0.0	Min	I	-207.4	0.0	-0.6	-2.6
-754.7	-0.9		J	-207.4	0.0	0.7	-2.6
7926	2	71 C1-C2;~1 Max	I	55.5	0.0	0.2	1.8
0.0	0.0		J	55.5	0.0	0.2	1.8
171.1	0.1	Min	I	-109.4	-0.0	-0.1	-1.7
0.0	0.0		J	-109.4	-0.0	-0.1	-1.7
-385.2	-0.1						
0.0	0.0	C3-C4;~1 Max	I	40.7	0.0	0.1	2.0
98.4	0.1		J	40.7	0.0	0.1	2.0
0.0	0.0	Min	I	-168.0	-0.0	-0.0	-1.9
-305.4	-0.2		J	-168.0	-0.0	-0.0	-1.9
0.0	0.0	C1-C2;~2 Max	I	30.7	0.0	0.1	1.0
99.6	0.1		J	30.7	0.0	0.1	1.0
0.0	0.0	Min	I	-59.6	-0.0	-0.0	-1.0
			J	-59.6	-0.0	-0.0	-1.0


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-253.1	-0.1								
		C3-C4;~2	Max	I	20.2	0.0	0.1	1.1	
0.0	0.0			J	20.2	0.0	0.1	1.1	
41.2	0.1								
			Min	I	-93.3	-0.0	-0.0	-1.0	
0.0	0.0			J	-93.3	-0.0	-0.0	-1.0	
-199.8	-0.1								
			G1	I	-67.3	-0.0	-0.5	-0.0	
0.0	0.0			J	-67.3	-0.0	0.8	-0.0	
-332.3	0.0								
			G2	I	-28.5	-0.0	-0.0	-0.0	
0.0	0.0			J	-28.5	-0.0	-0.0	-0.0	
75.1	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	5.7	-0.0	0.0	-0.0	
0.0	0.0			J	5.7	-0.0	0.0	-0.0	
-28.5	0.0								
			Q5_pc Y	I	-1.2	0.0	0.0	-0.1	
0.0	0.0			J	-1.2	0.0	0.0	-0.1	
-11.0	-0.0								
			Q5_ps X	I	6.3	-0.0	0.0	-0.0	
0.0	0.0			J	6.3	-0.0	0.0	-0.0	
-36.5	0.0								
			Q5_ps Y	I	-0.2	0.0	0.0	-0.1	
0.0	0.0			J	-0.2	0.0	0.0	-0.1	
-22.2	-0.0								
			INVSLE Max	I	16.9	0.0	-0.3	2.8	
0.0	0.0			J	16.9	0.0	1.4	2.8	
-501.3	0.2								
			Min	I	-295.2	-0.0	-0.7	-2.7	
0.0	0.0			J	-295.2	-0.0	1.1	-2.7	
1303.7	-0.2								
			INVSLE Max	I	16.1	0.0	-0.2	2.1	
0.0	0.0			J	16.1	0.0	1.0	2.1	
-366.6	0.2								
			Min	I	-214.3	-0.0	-0.5	-2.0	
0.0	0.0			J	-214.3	-0.0	0.8	-2.0	
-957.1	-0.1								
		71	C1-C2;~1	Max	I	72.9	0.0	0.3	3.6
7929	2								
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
258.5	0.4		J	72.9	0.0	0.3	3.6
		Min	I	-28.1	-0.0	-0.1	-3.1
0.0	0.0		J	-28.1	-0.0	-0.1	-3.1
-635.4	-0.3						
		C3-C4;~1 Max	I	85.0	0.0	0.2	5.5
0.0	0.0		J	85.0	0.0	0.2	5.5
169.2	0.6	Min	I	-37.9	-0.0	-0.1	-2.8
0.0	0.0		J	-37.9	-0.0	-0.1	-2.8
-560.4	-0.3						
		C1-C2;~2 Max	I	43.3	0.0	0.2	1.8
0.0	0.0		J	43.3	0.0	0.2	1.8
148.5	0.2	Min	I	-16.2	-0.0	-0.1	-1.7
0.0	0.0		J	-16.2	-0.0	-0.1	-1.7
-430.7	-0.1						
		C3-C4;~2 Max	I	43.3	0.0	0.2	2.8
0.0	0.0		J	43.3	0.0	0.2	2.8
76.9	0.3	Min	I	-21.5	-0.0	-0.0	-1.4
0.0	0.0		J	-21.5	-0.0	-0.0	-1.4
-382.6	-0.1						
		G1	I	52.9	-0.0	-0.5	0.8
0.0	0.0		J	52.9	-0.0	0.7	0.8
-254.1	0.2						
		G2	I	18.6	-0.0	-0.0	0.4
0.0	0.0		J	18.6	-0.0	-0.0	0.4
109.1	0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	6.0	-0.0	0.0	-0.2
0.0	0.0		J	6.0	-0.0	0.0	-0.2
-21.2	0.1						
		Q5_pc Y	I	3.7	-0.0	0.0	0.1
0.0	0.0		J	3.7	-0.0	0.0	0.1
-25.3	0.0						
		Q5_ps X	I	5.7	-0.0	0.0	-0.3
0.0	0.0		J	5.7	-0.0	0.0	-0.3
-22.8	0.1						
		Q5_ps Y	I	3.6	-0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-40.6	0.0		J	3.6	-0.0	0.0	0.0
		INVS LU Max	I	197.7	0.0	-0.5	7.5
0.0	0.0		J	197.7	0.0	1.2	7.5
450.1	1.3	Min	I	21.1	-0.0	-1.1	-4.5
0.0	0.0		J	21.1	-0.0	0.7	-4.5
-802.2	-0.0	INVS LE Max	I	146.4	0.0	-0.4	5.4
0.0	0.0		J	146.4	0.0	0.9	5.4
334.9	1.0	Min	I	16.4	-0.0	-0.8	-3.5
0.0	0.0		J	16.4	-0.0	0.5	-3.5
-589.3	-0.0						
7932	2	71 C1-C2;~1 Max	I	79.2	0.0	0.3	4.7
0.0	0.0		J	79.2	0.0	0.3	4.7
254.0	1.4	Min	I	-52.8	-0.0	-0.1	-2.7
0.0	0.0		J	-52.8	-0.0	-0.1	-2.7
-666.7	-0.9						
		C3-C4;~1 Max	I	77.9	0.0	0.2	6.9
0.0	0.0		J	77.9	0.0	0.2	6.9
167.6	2.0	Min	I	-77.2	-0.0	-0.1	-2.6
0.0	0.0		J	-77.2	-0.0	-0.1	-2.6
-594.8	-0.8						
		C1-C2;~2 Max	I	46.3	0.0	0.2	2.4
0.0	0.0		J	46.3	0.0	0.2	2.4
145.5	0.7	Min	I	-28.8	-0.0	-0.1	-1.3
0.0	0.0		J	-28.8	-0.0	-0.1	-1.3
-451.1	-0.4						
		C3-C4;~2 Max	I	40.8	0.0	0.2	3.5
0.0	0.0		J	40.8	0.0	0.2	3.5
81.4	1.0	Min	I	-43.6	-0.0	-0.0	-1.3
0.0	0.0		J	-43.6	-0.0	-0.0	-1.3
-404.1	-0.4						
		G1	I	21.5	-0.0	-0.5	2.3
0.0	0.0		J	21.5	-0.0	0.8	2.3
-298.9	0.6						
		G2	I	7.8	-0.0	-0.0	1.0
0.0	0.0		J	7.8	-0.0	-0.0	1.0
81.6	0.2						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	11.0	-0.0	0.0	-0.2	
0.0	0.0		J	11.0	-0.0	0.0	-0.2	
-32.9	0.3							
		Q5_pc Y	I	36.6	-0.0	0.0	-0.8	
0.0	0.0		J	36.6	-0.0	0.0	-0.8	
-28.8	0.1							
		Q5_ps X	I	10.5	-0.0	0.0	-0.2	
0.0	0.0		J	10.5	-0.0	0.0	-0.2	
-47.9	0.2							
		Q5_ps Y	I	34.7	-0.0	0.0	-0.8	
0.0	0.0		J	34.7	-0.0	0.0	-0.8	
-30.3	0.1							
		INVS LU Max	I	182.0	-0.0	-0.4	12.9	
0.0	0.0		J	182.0	-0.0	1.3	12.9	
277.0	4.7							
		Min	I	-95.1	-0.0	-1.0	-1.4	
0.0	0.0		J	-95.1	-0.0	0.8	-1.4	-
1025.2	0.3							
		INVS LE Max	I	133.0	-0.0	-0.3	9.4	
0.0	0.0		J	133.0	-0.0	1.0	9.4	
202.2	3.4							
		Min	I	-67.4	-0.0	-0.7	-1.1	
0.0	0.0		J	-67.4	-0.0	0.6	-1.1	
-758.0	0.2							
		71 C1-C2;~1 Max	I	53.3	0.0	0.1	1.6	
7935	2		J	53.3	0.0	0.1	1.6	
0.0	0.0							
209.3	0.1		Min	-167.4	-0.0	-0.1	-1.9	
0.0	0.0		J	-167.4	-0.0	-0.1	-1.9	
-354.3	-0.1							
		C3-C4;~1 Max	I	59.5	0.0	0.1	1.2	
0.0	0.0		J	59.5	0.0	0.1	1.2	
95.7	0.1							
		Min	I	-210.7	-0.0	-0.0	-2.5	
0.0	0.0		J	-210.7	-0.0	-0.0	-2.5	
-264.8	-0.1							
		C1-C2;~2 Max	I	28.7	0.0	0.1	0.9	
0.0	0.0		J	28.7	0.0	0.1	0.9	
123.5	0.1							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		Min	I	-93.8	-0.0	-0.1	-1.1
0.0	0.0		J	-93.8	-0.0	-0.1	-1.1
-232.6	-0.1						
		C3-C4;~2 Max	I	31.5	0.0	0.1	0.6
0.0	0.0		J	31.5	0.0	0.1	0.6
46.5	0.1						
		Min	I	-122.4	-0.0	-0.0	-1.4
0.0	0.0		J	-122.4	-0.0	-0.0	-1.4
-170.6	-0.1						
		G1	I	-122.3	0.0	-0.5	-0.4
0.0	0.0		J	-122.3	0.0	0.8	-0.4
-289.5	-0.0						
		G2	I	-48.0	0.0	-0.0	-0.2
0.0	0.0		J	-48.0	0.0	-0.0	-0.2
75.4	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.9	0.0	0.0	0.0
0.0	0.0		J	1.9	0.0	0.0	0.0
-12.3	-0.0						
		Q5_pc Y	I	-2.1	0.0	-0.0	-0.1
0.0	0.0		J	-2.1	0.0	-0.0	-0.1
31.2	-0.0						
		Q5_ps X	I	2.3	0.0	0.0	0.0
0.0	0.0		J	2.3	0.0	0.0	0.0
-17.2	-0.0						
		Q5_ps Y	I	-3.3	0.0	-0.0	-0.1
0.0	0.0		J	-3.3	0.0	-0.0	-0.1
46.6	-0.0						
		INVSLU Max	I	-135.0	0.0	-0.3	1.4
0.0	0.0		J	-135.0	0.0	1.5	1.4
-618.2	-0.1						
		Min	I	-503.6	0.0	-0.6	-4.2
0.0	0.0		J	-503.6	0.0	1.1	-4.2
1435.2	-0.4						-
		INVSLE Max	I	-98.0	0.0	-0.2	1.0
0.0	0.0		J	-98.0	0.0	1.1	1.0
-459.6	-0.1						
		Min	I	-370.8	0.0	-0.4	-3.1
0.0	0.0		J	-370.8	0.0	0.8	-3.1
1060.7	-0.3						-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7938	2	71	C1-C2;~1	Max	I	83.4	0.0	0.3	4.2
0.0	0.0				J	83.4	0.0	0.3	4.2
320.3	0.5				I	-33.0	-0.0	-0.1	-3.7
0.0	0.0			Min	J	-33.0	-0.0	-0.1	-3.7
-639.8	-0.3				I	101.4	0.0	0.2	5.4
0.0	0.0				J	101.4	0.0	0.2	5.4
205.2	0.6				I	-44.8	-0.0	-0.1	-4.1
0.0	0.0			Min	J	-44.8	-0.0	-0.1	-4.1
-565.4	-0.4				I	47.7	0.0	0.2	2.1
0.0	0.0				J	47.7	0.0	0.2	2.1
172.5	0.2				I	-18.2	-0.0	-0.1	-1.9
0.0	0.0			Min	J	-18.2	-0.0	-0.1	-1.9
-432.4	-0.2				I	53.3	0.0	0.2	2.8
0.0	0.0				J	53.3	0.0	0.2	2.8
93.0	0.3				I	-24.7	-0.0	-0.0	-2.0
0.0	0.0			Min	J	-24.7	-0.0	-0.0	-2.0
-384.7	-0.2				I	58.7	-0.0	-0.5	0.5
0.0	0.0			G1	J	58.7	-0.0	0.7	0.5
-244.3	0.1				I	21.1	-0.0	-0.0	0.2
0.0	0.0			G2	J	21.1	-0.0	-0.0	0.2
114.7	0.1				I	0.0	0.0	0.0	0.0
0.0	0.0			Q3	J	0.0	0.0	0.0	0.0
0.0	0.0				I	25.1	-0.0	0.0	-0.5
0.0	0.0			Q5_pc X	J	25.1	-0.0	0.0	-0.5
-75.6	0.2				I	-1.1	0.0	-0.0	0.4
0.0	0.0			Q5_pc Y	J	-1.1	0.0	-0.0	0.4
10.9	-0.0				I	24.0	-0.0	0.0	-0.5
0.0	0.0			Q5_ps X	J	24.0	-0.0	0.0	-0.5
-91.1	0.2								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps	Y	I	-1.1	0.0	-0.0	0.3
0.2	-0.0			J	-1.1	0.0	-0.0	0.3
0.0	0.0	INVSLE	Max	I	231.5	0.0	-0.5	7.5
582.6	1.3			J	231.5	0.0	1.2	7.5
0.0	0.0		Min	I	-11.1	-0.0	-1.1	-6.1
-849.5	-0.4			J	-11.1	-0.0	0.6	-6.1
0.0	0.0	INVSLE	Max	I	169.1	0.0	-0.4	5.5
428.4	0.9			J	169.1	0.0	0.9	5.5
0.0	0.0		Min	I	-7.2	-0.0	-0.8	-4.6
-622.3	-0.3			J	-7.2	-0.0	0.5	-4.6
7941	2	71 C1-C2;~1	Max	I	81.4	0.0	0.3	2.6
0.0	0.0			J	81.4	0.0	0.3	2.6
287.6	0.9		Min	I	-55.6	-0.0	-0.1	-4.8
0.0	0.0			J	-55.6	-0.0	-0.1	-4.8
-669.9	-1.3							
0.0	0.0	C3-C4;~1	Max	I	80.5	0.0	0.2	2.6
168.3	0.8			J	80.5	0.0	0.2	2.6
0.0	0.0		Min	I	-77.7	-0.0	-0.1	-6.1
-597.1	-1.8			J	-77.7	-0.0	-0.1	-6.1
0.0	0.0	C1-C2;~2	Max	I	47.1	0.0	0.2	1.3
158.5	0.4			J	47.1	0.0	0.2	1.3
0.0	0.0		Min	I	-30.3	-0.0	-0.1	-2.4
-452.9	-0.7			J	-30.3	-0.0	-0.1	-2.4
0.0	0.0	C3-C4;~2	Max	I	40.9	0.0	0.2	1.3
82.0	0.4			J	40.9	0.0	0.2	1.3
0.0	0.0		Min	I	-44.1	-0.0	-0.0	-3.2
-405.6	-0.9			J	-44.1	-0.0	-0.0	-3.2
0.0	0.0	G1		I	21.4	0.0	-0.5	-2.3
-299.0	-0.6			J	21.4	0.0	0.8	-2.3
		G2		I	7.9	0.0	-0.0	-0.9


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	7.9	0.0	-0.0	-0.9
84.5	-0.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	31.0	0.0	0.0	0.6
0.0	0.0			J	31.0	0.0	0.0	0.6
-43.1	-0.3							
		Q5_pc Y		I	-23.8	0.0	0.0	-0.5
0.0	0.0			J	-23.8	0.0	0.0	-0.5
-2.0	-0.1							
		Q5_ps X		I	29.5	0.0	0.0	0.7
0.0	0.0			J	29.5	0.0	0.0	0.7
-59.0	-0.3							
		Q5_ps Y		I	-22.4	0.0	0.0	-0.4
0.0	0.0			J	-22.4	0.0	0.0	-0.4
-8.5	-0.0							
		INVSLE Max		I	183.4	0.0	-0.4	1.1
0.0	0.0			J	183.4	0.0	1.3	1.1
347.2	-0.2		Min	I	-87.2	0.0	-1.0	-11.7
0.0	0.0			J	-87.2	0.0	0.7	-11.7
1023.1	-4.4							-
		INVSLE Max		I	134.6	0.0	-0.3	0.9
0.0	0.0			J	134.6	0.0	1.0	0.9
253.7	-0.2		Min	I	-61.7	0.0	-0.7	-8.5
0.0	0.0			J	-61.7	0.0	0.5	-8.5
-755.6	-3.2							
7944	2	71 C1-C2;~1 Max		I	57.8	0.0	0.2	1.9
0.0	0.0			J	57.8	0.0	0.2	1.9
222.6	0.1		Min	I	-107.1	-0.0	-0.1	-1.8
0.0	0.0			J	-107.1	-0.0	-0.1	-1.8
-385.4	-0.1							
		C3-C4;~1 Max		I	41.8	0.0	0.1	2.0
0.0	0.0			J	41.8	0.0	0.1	2.0
108.9	0.2		Min	I	-163.3	-0.0	-0.0	-2.0
0.0	0.0			J	-163.3	-0.0	-0.0	-2.0
-305.6	-0.1							
		C1-C2;~2 Max		I	31.8	0.0	0.1	1.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	31.8	0.0	0.1	1.0
119.9	0.1		Min	I	-58.3	-0.0	-0.0	-1.0
0.0	0.0			J	-58.3	-0.0	-0.0	-1.0
-253.2	-0.1		C3-C4;~2 Max	I	20.4	0.0	0.1	1.1
0.0	0.0			J	20.4	0.0	0.1	1.1
45.4	0.1		Min	I	-91.0	-0.0	-0.0	-1.1
0.0	0.0			J	-91.0	-0.0	-0.0	-1.1
-199.9	-0.1		G1	I	-65.8	-0.0	-0.5	0.0
0.0	0.0			J	-65.8	-0.0	0.8	0.0
-332.4	0.0		G2	I	-27.5	-0.0	-0.0	0.0
0.0	0.0			J	-27.5	-0.0	-0.0	0.0
75.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	2.1	-0.0	0.0	0.0
0.0	0.0			J	2.1	-0.0	0.0	0.0
-16.6	0.0		Q5_pc Y	I	1.2	0.0	-0.0	-0.1
0.0	0.0			J	1.2	0.0	-0.0	-0.1
23.2	-0.0		Q5_ps X	I	2.6	-0.0	0.0	0.0
0.0	0.0			J	2.6	-0.0	0.0	0.0
-24.5	0.0		Q5_ps Y	I	-0.6	0.0	-0.0	-0.1
0.0	0.0			J	-0.6	0.0	-0.0	-0.1
38.9	-0.0		INVSLE Max	I	18.0	0.0	-0.2	2.2
0.0	0.0			J	18.0	0.0	1.0	2.2
-433.9	0.3		Min	I	-283.0	-0.0	-0.7	-2.5
0.0	0.0			J	-283.0	-0.0	1.0	-2.5
1296.3	-0.1		INVSLE Max	I	18.0	0.0	-0.2	2.2
0.0	0.0			J	18.0	0.0	1.0	2.2
-316.2	0.2		Min	I	-205.6	-0.0	-0.5	-1.9


MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
-951.9	-0.1		J	-205.6	-0.0	0.8	-1.9	
7947	2	71	C1-C2;~1	Max	I	99.9	0.0	0.3
0.0	0.0				J	99.9	0.0	0.3
230.3	0.8			Min	I	-78.1	-0.0	-0.1
0.0	0.0				J	-78.1	-0.0	-0.1
-620.9	-0.9							
				C3-C4;~1	Max	I	113.2	0.0
0.0	0.0				J	113.2	0.0	0.2
147.8	0.6			Min	I	-99.5	-0.0	-0.1
0.0	0.0				J	-99.5	-0.0	-0.1
-555.5	-1.3							
				C1-C2;~2	Max	I	54.5	0.0
0.0	0.0				J	54.5	0.0	0.2
134.3	0.4			Min	I	-43.5	-0.0	-0.1
0.0	0.0				J	-43.5	-0.0	-0.1
-422.2	-0.5							
				C3-C4;~2	Max	I	58.7	0.0
0.0	0.0				J	58.7	0.0	0.2
72.9	0.3			Min	I	-57.5	-0.0	-0.0
0.0	0.0				J	-57.5	-0.0	-0.0
-379.6	-0.7							
				G1	I	36.0	0.0	-0.5
0.0	0.0				J	36.0	0.0	0.8
-304.9	-0.3							
				G2	I	14.1	0.0	-0.0
0.0	0.0				J	14.1	0.0	-0.0
71.7	-0.1							
				Q3	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
				Q5_pc	X	I	6.2	0.0
0.0	0.0				J	6.2	0.0	0.0
-11.4	-0.1							
				Q5_pc	Y	I	13.5	0.0
0.0	0.0				J	13.5	0.0	0.0
-11.2	-0.2							
				Q5_ps	X	I	5.5	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	5.5	0.0	0.0
-10.2	-0.1						
		Q5_ps	Y	I	12.9	0.0	0.3
0.0	0.0			J	12.9	0.0	0.3
-24.4	-0.1						
		INVSLE	Max	I	281.6	0.0	1.2
0.0	0.0			J	281.6	0.0	1.2
213.2	0.2		Min	I	-29.8	-0.0	-6.6
0.0	0.0			J	-29.8	-0.0	-6.6
-956.4	-2.9						
		INVSLE	Max	I	210.3	0.0	0.9
0.0	0.0			J	210.3	0.0	0.9
153.4	0.1		Min	I	-18.6	-0.0	-4.8
0.0	0.0			J	-18.6	-0.0	-4.8
-711.4	-2.1						
7950	2	71	C1-C2;~1	Max	80.9	0.0	3.7
0.0	0.0			J	80.9	0.0	3.7
256.4	0.5		Min	I	-82.8	-0.0	-2.5
0.0	0.0			J	-82.8	-0.0	-2.5
-525.2	-0.3						
		C3-C4;~1	Max	I	72.4	0.0	4.6
0.0	0.0			J	72.4	0.0	4.6
85.3	0.6		Min	I	-114.3	-0.0	-2.1
0.0	0.0			J	-114.3	-0.0	-2.1
-448.0	-0.2						
		C1-C2;~2	Max	I	46.9	0.0	1.9
0.0	0.0			J	46.9	0.0	1.9
144.9	0.3		Min	I	-45.7	-0.0	-1.3
0.0	0.0			J	-45.7	-0.0	-1.3
-354.7	-0.1						
		C3-C4;~2	Max	I	38.7	0.0	2.5
0.0	0.0			J	38.7	0.0	2.5
38.2	0.3		Min	I	-66.0	-0.0	-1.0
0.0	0.0			J	-66.0	-0.0	-1.0
-304.0	-0.1						
		G1		I	-13.9	-0.0	1.4
0.0	0.0			J	-13.9	-0.0	1.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-320.7	0.2							
			G2	I	-6.3	-0.0	-0.0	0.5
0.0	0.0			J	-6.3	-0.0	-0.0	0.5
76.6	0.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	12.0	-0.0	0.0	-0.4
0.0	0.0			J	12.0	-0.0	0.0	-0.4
-47.8	0.1							
			Q5_pc Y	I	-4.5	-0.0	-0.0	0.4
0.0	0.0			J	-4.5	-0.0	-0.0	0.4
4.0	0.0							
			Q5_ps X	I	12.7	-0.0	0.0	-0.5
0.0	0.0			J	12.7	-0.0	0.0	-0.5
-63.4	0.0							
			Q5_ps Y	I	-3.8	-0.0	0.0	0.4
0.0	0.0			J	-3.8	-0.0	0.0	0.4
-4.4	0.0							
			INVSLE Max	I	128.1	-0.0	-0.4	10.1
0.0	0.0			J	128.1	-0.0	1.3	10.1
12.0	2.7		Min	I	-157.1	-0.0	-0.9	-0.3
0.0	0.0			J	-157.1	-0.0	0.9	-0.3
1129.2	1.4							-
			INVSLE Max	I	96.0	-0.0	-0.3	7.3
0.0	0.0			J	96.0	-0.0	1.0	7.3
3.2	2.0		Min	I	-113.7	-0.0	-0.6	-0.3
0.0	0.0			J	-113.7	-0.0	0.6	-0.3
-835.7	1.0							
7953	2	71	C1-C2;~1 Max	I	87.7	0.0	0.3	4.5
0.0	0.0			J	87.7	0.0	0.3	4.5
275.0	1.3		Min	I	-56.7	-0.0	-0.1	-2.7
0.0	0.0			J	-56.7	-0.0	-0.1	-2.7
-673.7	-0.9							
			C3-C4;~1 Max	I	94.4	0.0	0.3	6.5
0.0	0.0			J	94.4	0.0	0.3	6.5
173.8	1.9		Min	I	-81.8	-0.0	-0.1	-2.5
0.0	0.0			J	-81.8	-0.0	-0.1	-2.5

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-606.9	-0.8						
		C1-C2;~2 Max	I	51.1	0.0	0.2	2.3
0.0	0.0		J	51.1	0.0	0.2	2.3
153.1	0.7						
		Min	I	-30.9	-0.0	-0.1	-1.3
0.0	0.0		J	-30.9	-0.0	-0.1	-1.3
-455.1	-0.4						
		C3-C4;~2 Max	I	50.0	0.0	0.2	3.4
0.0	0.0		J	50.0	0.0	0.2	3.4
84.8	1.0						
		Min	I	-47.0	-0.0	-0.0	-1.2
0.0	0.0		J	-47.0	-0.0	-0.0	-1.2
-412.6	-0.4						
		G1	I	24.5	-0.0	-0.5	2.4
0.0	0.0		J	24.5	-0.0	0.8	2.4
-296.3	0.6						
		G2	I	8.8	-0.0	-0.0	1.0
0.0	0.0		J	8.8	-0.0	-0.0	1.0
89.3	0.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	12.7	-0.0	0.0	-0.2
0.0	0.0		J	12.7	-0.0	0.0	-0.2
-16.3	0.1						
		Q5_pc Y	I	-3.6	0.0	0.0	0.1
0.0	0.0		J	-3.6	0.0	0.0	0.1
-16.2	-0.0						
		Q5_ps X	I	12.0	-0.0	0.0	-0.2
0.0	0.0		J	12.0	-0.0	0.0	-0.2
-26.0	0.1						
		Q5_ps Y	I	-3.8	-0.0	0.0	0.2
0.0	0.0		J	-3.8	-0.0	0.0	0.2
-2.0	0.0						
		INVSLU Max	I	186.2	-0.0	-0.5	11.9
0.0	0.0		J	186.2	-0.0	1.3	11.9
316.3	4.3						
		Min	I	-74.6	-0.0	-1.0	-0.9
0.0	0.0		J	-74.6	-0.0	0.7	-0.9
-993.7	0.3						
		INVSLE Max	I	137.6	-0.0	-0.3	8.6
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
232.2	3.1		J	137.6	-0.0	0.9	8.6
			Min	I	-53.9	-0.0	-0.8
0.0	0.0						
			J	-53.9	-0.0	0.5	-0.8
-736.0	0.2						
7959	2	71	C1-C2;~1	Max	I	56.2	2.2
0.0	0.0				J	56.2	2.2
171.0	0.1		Min	I	-107.3	-0.0	-1.8
0.0	0.0				J	-107.3	-1.8
-384.4	-0.1						
			C3-C4;~1	Max	I	42.6	3.0
0.0	0.0				J	42.6	3.0
96.7	0.2		Min	I	-163.1	-0.0	-1.4
0.0	0.0				J	-163.1	-1.4
-304.7	-0.1						
			C1-C2;~2	Max	I	31.5	1.2
0.0	0.0				J	31.5	1.2
99.4	0.1		Min	I	-58.8	-0.0	-1.0
0.0	0.0				J	-58.8	-1.0
-252.8	-0.1						
			C3-C4;~2	Max	I	21.8	1.6
0.0	0.0				J	21.8	1.6
40.6	0.1		Min	I	-91.0	-0.0	-0.7
0.0	0.0				J	-91.0	-0.7
-199.5	-0.1						
			G1	I	-61.9	-0.0	0.5
0.0	0.0				J	-61.9	0.5
-334.2	0.0						
			G2	I	-26.3	-0.0	0.2
0.0	0.0				J	-26.3	0.2
73.7	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0
0.0	0.0						
			Q5_pc	X	I	3.8	-0.1
0.0	0.0				J	3.8	-0.1
-24.7	0.0						
			Q5_pc	Y	I	-1.1	-0.1
0.0	0.0				J	-1.1	-0.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-11.9	-0.0							
		Q5_ps X	I	4.3	-0.0	0.0	-0.1	
0.0	0.0		J	4.3	-0.0	0.0	-0.1	
-31.4	0.0							
		Q5_ps Y	I	-0.1	0.0	0.0	-0.1	
0.0	0.0		J	-0.1	0.0	0.0	-0.1	
-23.4	-0.0							
		INVSLE Max	I	27.2	-0.0	-0.4	6.0	
0.0	0.0		J	27.2	-0.0	1.4	6.0	
-417.5	1.2							
		Min	I	-275.6	-0.0	-0.7	-0.6	
0.0	0.0		J	-275.6	-0.0	1.0	-0.6	-
1211.7	0.8							
		INVSLE Max	I	23.9	-0.0	-0.3	4.4	
0.0	0.0		J	23.9	-0.0	1.0	4.4	
-302.2	0.9							
		Min	I	-199.9	-0.0	-0.5	-0.5	
0.0	0.0		J	-199.9	-0.0	0.8	-0.5	
-887.2	0.6							
		71 C1-C2;~1 Max	I	62.1	0.0	0.2	2.6	
7962	2		J	62.1	0.0	0.2	2.6	
0.0	0.0							
155.7	0.2							
		Min	I	-88.2	-0.0	-0.1	-2.0	
0.0	0.0		J	-88.2	-0.0	-0.1	-2.0	
-413.7	-0.1							
		C3-C4;~1 Max	I	45.9	0.0	0.1	3.8	
0.0	0.0		J	45.9	0.0	0.1	3.8	
85.7	0.3							
		Min	I	-137.6	-0.0	-0.0	-1.4	
0.0	0.0		J	-137.6	-0.0	-0.0	-1.4	
-339.3	-0.1							
		C1-C2;~2 Max	I	35.4	0.0	0.1	1.4	
0.0	0.0		J	35.4	0.0	0.1	1.4	
90.5	0.1							
		Min	I	-48.5	-0.0	-0.0	-1.1	
0.0	0.0		J	-48.5	-0.0	-0.0	-1.1	
-273.0	-0.1							
		C3-C4;~2 Max	I	24.3	0.0	0.1	2.0	
0.0	0.0		J	24.3	0.0	0.1	2.0	
34.9	0.1							
		Min	I	-77.2	-0.0	-0.0	-0.7	
0.0	0.0		J	-77.2	-0.0	-0.0	-0.7	
-224.3	-0.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G1	I	-42.5	-0.0	-0.5	0.9
0.0	0.0			J	-42.5	-0.0	0.8	0.9
-349.2	0.1							
			G2	I	-18.5	-0.0	-0.0	0.4
0.0	0.0			J	-18.5	-0.0	-0.0	0.4
64.7	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.8	-0.0	0.0	-0.2
0.0	0.0			J	4.8	-0.0	0.0	-0.2
-33.2	0.0							
			Q5_pc Y	I	18.4	-0.0	0.0	-0.2
0.0	0.0			J	18.4	-0.0	0.0	-0.2
-25.1	0.0							
			Q5_ps X	I	5.8	-0.0	0.0	-0.2
0.0	0.0			J	5.8	-0.0	0.0	-0.2
-47.6	0.0							
			Q5_ps Y	I	17.5	-0.0	0.0	-0.2
0.0	0.0			J	17.5	-0.0	0.0	-0.2
-24.4	0.0							
			INVSLE Max	I	71.9	-0.0	-0.5	8.6
0.0	0.0			J	71.9	-0.0	1.3	8.6
-126.8	2.0		Min	I	-230.8	-0.0	-0.8	0.4
0.0	0.0			J	-230.8	-0.0	0.9	0.4
-955.2	1.4							
			INVSLE Max	I	55.1	-0.0	-0.4	6.3
0.0	0.0			J	55.1	-0.0	0.9	6.3
-74.8	1.5		Min	I	-166.7	-0.0	-0.6	0.3
0.0	0.0			J	-166.7	-0.0	0.7	0.3
-684.0	1.0							
7965	2	71	C1-C2;~1 Max	I	68.4	0.0	0.2	2.6
0.0	0.0			J	68.4	0.0	0.2	2.6
232.8	0.2		Min	I	-75.2	-0.0	-0.1	-3.4
0.0	0.0			J	-75.2	-0.0	-0.1	-3.4
-522.4	-0.4							
			C3-C4;~1 Max	I	53.0	0.0	0.2	1.9
0.0	0.0			J	53.0	0.0	0.2	1.9
111.3	0.2							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-115.7	-0.0	-0.0	-5.0
0.0	0.0			J	-115.7	-0.0	-0.0	-5.0
-445.4	-0.6							
		C1-C2;~2	Max	I	41.5	0.0	0.1	1.4
0.0	0.0			J	41.5	0.0	0.1	1.4
135.6	0.1							
			Min	I	-42.4	-0.0	-0.1	-1.8
0.0	0.0			J	-42.4	-0.0	-0.1	-1.8
-353.4	-0.2							
		C3-C4;~2	Max	I	31.0	0.0	0.1	0.9
0.0	0.0			J	31.0	0.0	0.1	0.9
48.5	0.1							
			Min	I	-66.3	-0.0	-0.0	-2.6
0.0	0.0			J	-66.3	-0.0	-0.0	-2.6
-302.6	-0.3							
			G1	I	-20.9	0.0	-0.5	-1.4
0.0	0.0			J	-20.9	0.0	0.8	-1.4
-322.3	-0.3							
			G2	I	-9.7	0.0	-0.0	-0.6
0.0	0.0			J	-9.7	0.0	-0.0	-0.6
76.0	-0.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	1.3	0.0	0.0	0.1
0.0	0.0			J	1.3	0.0	0.0	0.1
-14.4	-0.0							
			Q5_pc Y	I	0.3	-0.0	-0.0	-0.1
0.0	0.0			J	0.3	-0.0	-0.0	-0.1
23.9	0.0							
			Q5_ps X	I	1.7	0.0	0.0	0.1
0.0	0.0			J	1.7	0.0	0.0	0.1
-21.8	-0.0							
			Q5_ps Y	I	-1.0	-0.0	-0.0	-0.2
0.0	0.0			J	-1.0	-0.0	-0.0	-0.2
41.0	0.0							
			INVSLU Max	I	101.6	0.0	-0.4	0.3
0.0	0.0			J	101.6	0.0	1.3	0.3
-37.8	-1.6							
			Min	I	-149.3	0.0	-0.8	-10.2
0.0	0.0			J	-149.3	0.0	0.9	-10.2
1100.3	-2.8							-


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	INVSLE Max	I	78.0	0.0	-0.3	0.3
			J	78.0	0.0	1.0	0.3
-31.4	-1.1	Min	I	-107.7	0.0	-0.6	-7.5
0.0	0.0		J	-107.7	0.0	0.7	-7.5
-815.3	-2.0						
7968	2	71 C1-C2;~1 Max	I	79.1	0.0	0.3	3.0
0.0	0.0		J	79.1	0.0	0.3	3.0
325.0	0.4	Min	I	-32.0	-0.0	-0.1	-3.5
0.0	0.0		J	-32.0	-0.0	-0.1	-3.5
-642.6	-0.5						
		C3-C4;~1 Max	I	96.1	0.0	0.2	3.0
0.0	0.0		J	96.1	0.0	0.2	3.0
171.9	0.4	Min	I	-42.4	-0.0	-0.1	-4.6
0.0	0.0		J	-42.4	-0.0	-0.1	-4.6
-569.0	-0.6						
		C1-C2;~2 Max	I	44.9	0.0	0.2	1.6
0.0	0.0		J	44.9	0.0	0.2	1.6
174.3	0.2	Min	I	-16.6	-0.0	-0.1	-1.8
0.0	0.0		J	-16.6	-0.0	-0.1	-1.8
-433.6	-0.3						
		C3-C4;~2 Max	I	50.9	0.0	0.2	1.5
0.0	0.0		J	50.9	0.0	0.2	1.5
80.2	0.2	Min	I	-22.6	-0.0	-0.0	-2.4
0.0	0.0		J	-22.6	-0.0	-0.0	-2.4
-386.5	-0.3						
		G1	I	55.1	0.0	-0.5	-0.7
0.0	0.0		J	55.1	0.0	0.7	-0.7
-248.1	-0.1						
		G2	I	19.4	0.0	-0.0	-0.3
0.0	0.0		J	19.4	0.0	-0.0	-0.3
112.7	-0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	37.5	0.0	0.0	0.9
0.0	0.0		J	37.5	0.0	0.0	0.9
-67.5	-0.2						

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	-18.5	0.0	0.0	-1.0
				J	-18.5	0.0	0.0	-1.0
-14.3	-0.0	Q5_ps	X	I	35.5	0.0	0.0	0.9
				J	35.5	0.0	0.0	0.9
-84.5	-0.2	Q5_ps	Y	I	-17.6	0.0	0.0	-0.9
				J	-17.6	0.0	0.0	-0.9
-20.3	-0.0	INVS LU	Max	I	236.7	0.0	-0.5	5.0
				J	236.7	0.0	1.2	5.0
578.9	0.4		Min	I	-17.8	-0.0	-1.1	-7.1
				J	-17.8	-0.0	0.6	-7.1
-848.9	-1.4	INVS LE	Max	I	172.5	0.0	-0.4	3.7
				J	172.5	0.0	0.9	3.7
426.6	0.3		Min	I	-11.0	-0.0	-0.8	-5.1
				J	-11.0	-0.0	0.5	-5.1
-622.0	-1.0	7971	2 71 C1-C2;~1	Max	77.9	0.0	0.3	2.1
		0.0		J	77.9	0.0	0.3	2.1
274.8	0.4			Min	-30.5	-0.0	-0.1	-3.0
				J	-30.5	-0.0	-0.1	-3.0
-638.0	-0.3		C3-C4;~1	Max	96.4	0.0	0.2	3.0
				J	96.4	0.0	0.2	3.0
197.6	0.5			Min	-44.6	-0.0	-0.1	-2.6
				J	-44.6	-0.0	-0.1	-2.6
-564.6	-0.4		C1-C2;~2	Max	45.3	0.0	0.2	1.1
				J	45.3	0.0	0.2	1.1
154.6	0.2			Min	-17.2	-0.0	-0.1	-1.7
				J	-17.2	-0.0	-0.1	-1.7
-432.3	-0.2		C3-C4;~2	Max	51.4	0.0	0.2	1.6
				J	51.4	0.0	0.2	1.6
91.8	0.3			Min	-24.9	-0.0	-0.0	-1.3
				I	-24.9	-0.0	-0.0	-1.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-385.2	-0.2		J	-24.9	-0.0	-0.0	-1.3
0.0	0.0	G1	I	60.3	-0.0	-0.5	-0.5
-254.2	0.0		J	60.3	-0.0	0.7	-0.5
0.0	0.0	G2	I	21.4	-0.0	-0.0	-0.2
109.9	0.0		J	21.4	-0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	13.6	-0.0	0.0	-0.3
-25.2	0.1		J	13.6	-0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-26.7	0.0	-0.0	0.6
45.5	-0.1		J	-26.7	0.0	-0.0	0.6
0.0	0.0	Q5_ps X	I	13.0	-0.0	0.0	-0.3
-32.6	0.0		J	13.0	-0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-25.4	0.0	-0.0	0.6
64.2	-0.1		J	-25.4	0.0	-0.0	0.6
0.0	0.0	INVS LU Max	I	252.8	0.0	-0.5	2.4
485.4	0.2		J	252.8	0.0	1.2	2.4
0.0	0.0	Min	I	14.4	-0.0	-1.1	-6.7
-828.8	-1.1		J	14.4	-0.0	0.7	-6.7
0.0	0.0	INVS LE Max	I	186.0	0.0	-0.4	1.7
358.4	0.2		J	186.0	0.0	0.9	1.7
0.0	0.0	Min	I	13.0	-0.0	-0.8	-5.0
-609.1	-0.8		J	13.0	-0.0	0.5	-5.0
7974	2	71 C1-C2;~1 Max	I	67.6	0.0	0.2	2.0
0.0	0.0		J	67.6	0.0	0.2	2.0
163.0	0.1	Min	I	-98.7	-0.0	-0.1	-2.6
0.0	0.0		J	-98.7	-0.0	-0.1	-2.6
-413.7	-0.2	C3-C4;~1 Max	I	57.7	0.0	0.1	1.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	57.7	0.0	1.4
86.5	0.1		Min	I	-149.3	-0.0	-3.7
0.0	0.0			J	-149.3	-0.0	-3.7
-339.6	-0.2						
			C1-C2;~2 Max	I	38.1	0.0	1.1
0.0	0.0			J	38.1	0.0	1.1
93.6	0.1		Min	I	-53.6	-0.0	-1.4
0.0	0.0			J	-53.6	-0.0	-1.4
-272.9	-0.1						
			C3-C4;~2 Max	I	29.6	0.0	0.7
0.0	0.0			J	29.6	0.0	0.7
35.3	0.0		Min	I	-83.1	-0.0	-2.0
0.0	0.0			J	-83.1	-0.0	-2.0
-224.4	-0.1						
			G1	I	-42.1	0.0	-0.8
0.0	0.0			J	-42.1	0.0	-0.8
-349.4	-0.1						
			G2	I	-18.5	0.0	-0.4
0.0	0.0			J	-18.5	0.0	-0.4
64.7	-0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	3.4	0.0	0.0
0.0	0.0			J	3.4	0.0	0.0
-26.7	-0.0						
			Q5_pc Y	I	5.5	0.0	0.4
0.0	0.0			J	5.5	0.0	0.4
-8.6	-0.0						
			Q5_ps X	I	4.3	0.0	0.1
0.0	0.0			J	4.3	0.0	0.1
-39.3	-0.0						
			Q5_ps Y	I	5.0	0.0	0.3
0.0	0.0			J	5.0	0.0	0.3
-3.2	-0.0						
			INVSLU Max	I	64.9	0.0	-0.3
0.0	0.0			J	64.9	0.0	-0.3
-124.8	-1.4		Min	I	-237.9	0.0	-8.6


MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-237.9	0.0	0.9	-8.6
-951.6	-1.9							
			INVSLE Max	I	50.5	0.0	-0.4	-0.2
0.0	0.0			J	50.5	0.0	0.9	-0.2
-73.0	-1.0		Min	I	-173.0	0.0	-0.6	-6.3
0.0	0.0			J	-173.0	0.0	0.7	-6.3
-681.8	-1.4							
7977	2	71	C1-C2;~1 Max	I	65.8	0.0	0.2	2.1
0.0	0.0			J	65.8	0.0	0.2	2.1
206.3	0.3		Min	I	-93.8	-0.0	-0.1	-2.1
0.0	0.0			J	-93.8	-0.0	-0.1	-2.1
-414.0	-0.1							
			C3-C4;~1 Max	I	52.1	0.0	0.1	3.1
0.0	0.0			J	52.1	0.0	0.1	3.1
93.0	0.3		Min	I	-143.0	-0.0	-0.0	-1.3
0.0	0.0			J	-143.0	-0.0	-0.0	-1.3
-339.6	-0.1							
			C1-C2;~2 Max	I	37.2	0.0	0.1	1.1
0.0	0.0			J	37.2	0.0	0.1	1.1
109.7	0.2		Min	I	-51.4	-0.0	-0.0	-1.1
0.0	0.0			J	-51.4	-0.0	-0.0	-1.1
-273.0	-0.1							
			C3-C4;~2 Max	I	27.0	0.0	0.1	1.7
0.0	0.0			J	27.0	0.0	0.1	1.7
37.7	0.2		Min	I	-80.4	-0.0	-0.0	-0.7
0.0	0.0			J	-80.4	-0.0	-0.0	-0.7
-224.4	-0.1							
			G1	I	-45.9	-0.0	-0.5	0.7
0.0	0.0			J	-45.9	-0.0	0.8	0.7
-352.0	0.1							
			G2	I	-19.7	-0.0	-0.0	0.3
0.0	0.0			J	-19.7	-0.0	-0.0	0.3
69.6	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	5.5	-0.0	0.0	-0.1
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-19.3	0.0		J	5.5	-0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	1.2	0.0	-0.0	-0.1
18.1	-0.0		J	1.2	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	5.9	-0.0	0.0	-0.1
-28.0	0.0		J	5.9	-0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-0.3	0.0	-0.0	-0.0
32.8	-0.0		J	-0.3	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	62.6	-0.0	-0.5	8.1
-91.6	2.1		J	62.6	-0.0	1.3	8.1
0.0	0.0	Min	I	-229.2	-0.0	-0.8	0.9
-963.8	1.5		J	-229.2	-0.0	0.9	0.9
0.0	0.0	INVS LE Max	I	49.1	-0.0	-0.4	6.0
-48.2	1.6		J	49.1	-0.0	0.9	6.0
0.0	0.0	Min	I	-166.3	-0.0	-0.6	0.7
-691.7	1.1		J	-166.3	-0.0	0.7	0.7
7986	2	71 C1-C2;~1 Max	I	79.0	0.0	0.3	3.8
0.0	0.0		J	79.0	0.0	0.3	3.8
271.6	0.5	Min	I	-32.8	-0.0	-0.1	-3.3
0.0	0.0		J	-32.8	-0.0	-0.1	-3.3
-650.4	-0.4						
0.0	0.0	C3-C4;~1 Max	I	98.1	0.0	0.2	5.6
207.7	0.7		J	98.1	0.0	0.2	5.6
0.0	0.0	Min	I	-43.3	-0.0	-0.1	-3.3
-576.0	-0.5		J	-43.3	-0.0	-0.1	-3.3
0.0	0.0	C1-C2;~2 Max	I	45.9	0.0	0.2	1.9
153.2	0.3		J	45.9	0.0	0.2	1.9
0.0	0.0	Min	I	-17.8	-0.0	-0.1	-1.7
-439.0	-0.2		J	-17.8	-0.0	-0.1	-1.7
0.0	0.0	C3-C4;~2 Max	I	51.0	0.0	0.2	2.8
			J	51.0	0.0	0.2	2.8

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
95.9	0.4		Min	I	-23.7	-0.0	-0.0	-1.6
0.0	0.0			J	-23.7	-0.0	-0.0	-1.6
-391.7	-0.2		G1	I	53.1	-0.0	-0.5	1.1
0.0	0.0			J	53.1	-0.0	0.7	1.1
-245.0	0.1		G2	I	18.8	-0.0	-0.0	0.5
0.0	0.0			J	18.8	-0.0	-0.0	0.5
116.1	0.1		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	17.4	-0.0	0.0	-0.2
0.0	0.0			J	17.4	-0.0	0.0	-0.2
-34.4	0.1		Q5_pc Y	I	-1.3	0.0	0.0	0.3
0.0	0.0			J	-1.3	0.0	0.0	0.3
-8.9	-0.0		Q5_ps X	I	16.5	-0.0	0.0	-0.2
0.0	0.0			J	16.5	-0.0	0.0	-0.2
-45.3	0.1		Q5_ps Y	I	-1.5	0.0	-0.0	0.3
0.0	0.0			J	-1.5	0.0	-0.0	0.3
5.3	-0.0		INVSLE Max	I	155.9	0.0	-0.4	6.1
0.0	0.0			J	155.9	0.0	0.9	6.1
446.3	1.3		Min	I	-9.1	-0.0	-1.1	-4.1
0.0	0.0			J	-9.1	-0.0	0.7	-4.1
-860.5	-0.4		INVSLE Max	I	155.9	0.0	-0.4	6.1
0.0	0.0			J	155.9	0.0	0.9	6.1
330.3	1.0		Min	I	-6.4	-0.0	-0.8	-3.1
0.0	0.0			J	-6.4	-0.0	0.5	-3.1
-633.0	-0.3		71 C1-C2;~1 Max	I	58.8	0.0	0.2	2.0
7992	2			J	58.8	0.0	0.2	2.0
0.0	0.0		Min	I	-106.8	-0.0	-0.1	-2.2
217.4	0.1			J	-106.8	-0.0	-0.1	-2.2
0.0	0.0			J	-106.8	-0.0	-0.1	-2.2


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-384.6	-0.2							
		C3-C4;~1	Max	I	44.0	0.0	0.1	1.5
0.0	0.0			J	44.0	0.0	0.1	1.5
99.6	0.1							
			Min	I	-161.4	-0.0	-0.0	-2.9
0.0	0.0			J	-161.4	-0.0	-0.0	-2.9
-305.2	-0.2							
		C1-C2;~2	Max	I	32.6	0.0	0.1	1.0
0.0	0.0			J	32.6	0.0	0.1	1.0
117.5	0.1							
			Min	I	-58.5	-0.0	-0.0	-1.2
0.0	0.0			J	-58.5	-0.0	-0.0	-1.2
-253.0	-0.1							
		C3-C4;~2	Max	I	22.3	0.0	0.1	0.8
0.0	0.0			J	22.3	0.0	0.1	0.8
41.6	0.1							
			Min	I	-90.2	-0.0	-0.0	-1.6
0.0	0.0			J	-90.2	-0.0	-0.0	-1.6
-199.9	-0.1							
			G1	I	-62.0	0.0	-0.5	-0.5
0.0	0.0			J	-62.0	0.0	0.8	-0.5
-335.4	-0.0							
			G2	I	-25.9	0.0	-0.0	-0.2
0.0	0.0			J	-25.9	0.0	-0.0	-0.2
73.3	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	1.1	0.0	0.0	0.0
0.0	0.0			J	1.1	0.0	0.0	0.0
-15.6	-0.0							
			Q5_pc Y	I	1.0	-0.0	-0.0	-0.1
0.0	0.0			J	1.0	-0.0	-0.0	-0.1
24.3	0.0							
			Q5_ps X	I	1.7	0.0	0.0	0.1
0.0	0.0			J	1.7	0.0	0.0	0.1
-23.2	-0.0							
			Q5_ps Y	I	-0.7	-0.0	-0.0	-0.1
0.0	0.0			J	-0.7	-0.0	-0.0	-0.1
40.6	0.0							
			INVSLU Max	I	28.7	0.0	-0.4	0.9
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-357.7	-0.8		J	28.7	0.0	1.4	0.9
		Min	I	-270.6	0.0	-0.7	-5.9
0.0	0.0						
1214.2	-1.2		J	-270.6	0.0	1.0	-5.9
		INVSLE Max	I	25.2	0.0	-0.3	0.7
0.0	0.0		J	25.2	0.0	1.0	0.7
-257.7	-0.6	Min	I	-196.3	0.0	-0.5	-4.3
0.0	0.0		J	-196.3	0.0	0.7	-4.3
-888.9	-0.9						
7998	2	71 C1-C2;~1 Max	I	82.0	0.0	0.2	2.4
0.0	0.0		J	82.0	0.0	0.2	2.4
160.1	0.1	Min	I	-103.9	-0.0	-0.1	-0.9
0.0	0.0		J	-103.9	-0.0	-0.1	-0.9
-509.7	-0.2						
		C3-C4;~1 Max	I	95.3	0.0	0.2	1.7
0.0	0.0		J	95.3	0.0	0.2	1.7
75.5	0.1	Min	I	-138.2	-0.0	-0.0	-1.6
0.0	0.0		J	-138.2	-0.0	-0.0	-1.6
-457.1	-0.3						
		C1-C2;~2 Max	I	44.2	0.0	0.1	1.4
0.0	0.0		J	44.2	0.0	0.1	1.4
91.6	0.1	Min	I	-57.1	-0.0	-0.0	-0.5
0.0	0.0		J	-57.1	-0.0	-0.0	-0.5
-340.2	-0.1						
		C3-C4;~2 Max	I	49.8	0.0	0.1	1.0
0.0	0.0		J	49.8	0.0	0.1	1.0
34.2	0.0	Min	I	-79.8	-0.0	-0.0	-0.9
0.0	0.0		J	-79.8	-0.0	-0.0	-0.9
-308.1	-0.1						
		G1	I	-16.3	0.0	-0.5	0.2
0.0	0.0		J	-16.3	0.0	0.8	0.2
-353.7	-0.1						
		G2	I	-7.5	0.0	-0.0	0.1
0.0	0.0		J	-7.5	0.0	-0.0	0.1
60.5	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc X	I	5.6	-0.0	0.0	0.1
-7.5	0.0		J	5.6	-0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	6.9	0.0	0.0	0.1
-23.4	-0.0		J	6.9	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	4.9	0.0	0.0	0.1
-5.4	-0.0		J	4.9	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	7.5	0.0	0.0	0.1
-38.7	-0.0		J	7.5	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	164.1	0.0	-0.5	1.0
40.0	-0.9		J	164.1	0.0	1.2	1.0
0.0	0.0	Min	I	-163.6	0.0	-0.9	-4.5
-906.4	-1.5		J	-163.6	0.0	0.8	-4.5
0.0	0.0	INVSLE Max	I	124.4	0.0	-0.4	0.7
44.6	-0.7		J	124.4	0.0	0.9	0.7
0.0	0.0	Min	I	-117.4	0.0	-0.7	-3.4
-653.3	-1.1		J	-117.4	0.0	0.6	-3.4
8001 0.0	2 0.0	71 C1-C2;~1 Max	I	76.9	0.0	0.2	0.8
164.8	0.2		J	76.9	0.0	0.2	0.8
0.0	0.0	Min	I	-96.5	-0.0	-0.1	-2.9
-514.2	-0.1		J	-96.5	-0.0	-0.1	-2.9
0.0	0.0	C3-C4;~1 Max	I	84.0	0.0	0.2	1.3
83.1	0.3		J	84.0	0.0	0.2	1.3
0.0	0.0	Min	I	-133.5	-0.0	-0.0	-2.2
-461.9	-0.1		J	-133.5	-0.0	-0.0	-2.2
0.0	0.0	C1-C2;~2 Max	I	42.6	0.0	0.1	0.4
93.1	0.1		J	42.6	0.0	0.1	0.4
0.0	0.0	Min	I	-53.1	-0.0	-0.0	-1.7
-342.5	-0.1		J	-53.1	-0.0	-0.0	-1.7

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			C3-C4 ; ~2 Max	I	43.9	0.0	0.1
0.0	0.0			J	43.9	0.0	0.1
38.1	0.2		Min	I	-76.8	-0.0	-0.0
0.0	0.0			J	-76.8	-0.0	-0.0
-310.7	-0.0						
			G1	I	-17.0	-0.0	-0.5
0.0	0.0			J	-17.0	-0.0	0.8
-354.5	0.1						
			G2	I	-8.0	-0.0	-0.0
0.0	0.0			J	-8.0	-0.0	-0.0
62.8	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	6.8	-0.0	0.0
0.0	0.0			J	6.8	-0.0	0.0
-17.5	0.0						
			Q5_pc Y	I	-11.8	0.0	-0.0
0.0	0.0			J	-11.8	0.0	-0.0
33.2	-0.0						
			Q5_ps X	I	6.9	-0.0	0.0
0.0	0.0			J	6.9	-0.0	0.0
-23.6	0.0						
			Q5_ps Y	I	-12.1	0.0	-0.0
0.0	0.0			J	-12.1	0.0	-0.0
50.1	-0.0						
			INVSLE Max	I	147.8	-0.0	-0.5
0.0	0.0			J	147.8	-0.0	1.2
70.4	1.0		Min	I	-166.9	-0.0	-0.9
0.0	0.0			J	-166.9	-0.0	0.8
-906.0	0.5						
			INVSLE Max	I	111.9	-0.0	-0.4
0.0	0.0			J	111.9	-0.0	0.9
66.9	0.8		Min	I	-119.7	-0.0	-0.7
0.0	0.0			J	-119.7	-0.0	0.6
-651.9	0.4						
8007	2	71	C1-C2 ; ~1 Max	I	58.4	0.0	0.2
0.0	0.0			J	58.4	0.0	0.2
169.7	0.1						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-120.8	-0.0	-0.1
0.0	0.0			J	-120.8	-0.0	-2.1
-383.4	-0.1						
		C3-C4;~1	Max	I	65.2	0.0	0.1
0.0	0.0			J	65.2	0.0	1.1
68.7	0.1						
			Min	I	-159.6	-0.0	-0.0
0.0	0.0			J	-159.6	-0.0	-1.7
-302.9	-0.1						
		C1-C2;~2	Max	I	31.5	0.0	0.1
0.0	0.0			J	31.5	0.0	0.5
98.8	0.1						
			Min	I	-67.2	-0.0	-0.0
0.0	0.0			J	-67.2	-0.0	-1.2
-251.4	-0.1						
		C3-C4;~2	Max	I	34.3	0.0	0.1
0.0	0.0			J	34.3	0.0	0.6
30.8	0.1						
			Min	I	-92.3	-0.0	-0.0
0.0	0.0			J	-92.3	-0.0	-1.0
-197.2	-0.1						
			G1	I	-61.8	-0.0	-0.5
0.0	0.0			J	-61.8	-0.0	-0.5
-334.7	0.0						
			G2	I	-25.2	-0.0	-0.0
0.0	0.0			J	-25.2	-0.0	-0.2
64.6	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	4.6	-0.0	0.0
0.0	0.0			J	4.6	-0.0	-0.0
-14.5	0.0						
			Q5_pc Y	I	-6.6	0.0	-0.0
0.0	0.0			J	-6.6	0.0	0.1
32.9	-0.0						
			Q5_ps X	I	4.9	-0.0	0.0
0.0	0.0			J	4.9	-0.0	-0.0
-20.0	0.0						
			Q5_ps Y	I	-7.5	0.0	-0.0
0.0	0.0			J	-7.5	0.0	0.1
48.6	-0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	34.9	-0.0	-0.4	1.7
				J	34.9	-0.0	1.3	1.7
-224.1	0.6		Min	I	-280.4	-0.0	-0.8	-2.7
0.0	0.0			J	-280.4	-0.0	1.0	-2.7
1030.1	0.2							-
0.0	0.0		INVSLE Max	I	28.5	-0.0	-0.3	1.2
				J	28.5	-0.0	1.0	1.2
-154.1	0.5		Min	I	-204.2	-0.0	-0.6	-2.0
0.0	0.0			J	-204.2	-0.0	0.7	-2.0
-746.8	0.2							
8010	2	71	C1-C2;~1 Max	I	78.9	0.0	0.2	2.5
0.0	0.0			J	78.9	0.0	0.2	2.5
223.4	0.2		Min	I	-84.5	-0.0	-0.1	-3.4
0.0	0.0			J	-84.5	-0.0	-0.1	-3.4
-527.2	-0.4							
0.0	0.0		C3-C4;~1 Max	I	71.7	0.0	0.2	1.9
				J	71.7	0.0	0.2	1.9
116.1	0.2		Min	I	-126.8	-0.0	-0.0	-5.0
0.0	0.0			J	-126.8	-0.0	-0.0	-5.0
-449.9	-0.7							
0.0	0.0		C1-C2;~2 Max	I	46.1	0.0	0.1	1.3
				J	46.1	0.0	0.1	1.3
132.1	0.1		Min	I	-46.5	-0.0	-0.1	-1.8
0.0	0.0			J	-46.5	-0.0	-0.1	-1.8
-356.0	-0.2							
0.0	0.0		C3-C4;~2 Max	I	38.5	0.0	0.1	0.9
				J	38.5	0.0	0.1	0.9
50.6	0.1		Min	I	-71.3	-0.0	-0.0	-2.6
0.0	0.0			J	-71.3	-0.0	-0.0	-2.6
-305.2	-0.4							
0.0	0.0		G1	I	-14.6	0.0	-0.5	-1.3
				J	-14.6	0.0	0.8	-1.3
-321.0	-0.2							
0.0	0.0		G2	I	-7.4	0.0	-0.0	-0.6
				J	-7.4	0.0	-0.0	-0.6
71.8	-0.1							
			Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	5.3	0.0	0.0	0.1
-24.2	-0.0		J	5.3	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	7.6	-0.0	0.0	0.5
-11.2	0.0		J	7.6	-0.0	0.0	0.5
0.0	0.0	Q5_ps X	I	5.8	0.0	0.0	0.2
-35.9	-0.0		J	5.8	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	7.1	-0.0	0.0	0.4
-4.4	0.0		J	7.1	-0.0	0.0	0.4
0.0	0.0	INVSLE Max	I	120.8	0.0	-0.4	0.4
-58.5	-1.4		J	120.8	0.0	1.3	0.4
0.0	0.0	Min	I	-170.6	0.0	-0.8	-10.6
1115.4	-2.7		J	-170.6	0.0	0.9	-10.6
0.0	0.0	INVSLE Max	I	90.9	0.0	-0.3	0.4
-47.4	-1.0		J	90.9	0.0	1.0	0.4
0.0	0.0	Min	I	-123.9	0.0	-0.6	-7.7
-827.1	-2.0		J	-123.9	0.0	0.7	-7.7
8013	2	71 C1-C2;~1 Max	I	59.8	0.0	0.2	2.0
0.0	0.0		J	59.8	0.0	0.2	2.0
155.6	0.1	Min	I	-91.7	-0.0	-0.1	-2.6
0.0	0.0		J	-91.7	-0.0	-0.1	-2.6
-412.5	-0.2						
0.0	0.0	C3-C4;~1 Max	I	47.3	0.0	0.1	1.4
55.3	0.1		J	47.3	0.0	0.1	1.4
0.0	0.0	Min	I	-126.8	-0.0	-0.0	-3.3
-338.4	-0.2		J	-126.8	-0.0	-0.0	-3.3
0.0	0.0	C1-C2;~2 Max	I	34.4	0.0	0.1	1.1
89.4	0.1		J	34.4	0.0	0.1	1.1
0.0	0.0	Min	I	-49.9	-0.0	-0.0	-1.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-272.1	-0.1		J	-49.9	-0.0	-0.0	-1.4
0.0	0.0	C3-C4;~2 Max	I	24.6	0.0	0.1	0.7
22.7	0.1		J	24.6	0.0	0.1	0.7
0.0	0.0	Min	I	-73.0	-0.0	-0.0	-1.8
-223.6	-0.1		J	-73.0	-0.0	-0.0	-1.8
0.0	0.0	G1	I	-43.4	0.0	-0.5	-0.8
-349.4	-0.1		J	-43.4	0.0	0.8	-0.8
0.0	0.0	G2	I	-18.3	0.0	-0.0	-0.3
69.9	-0.0		J	-18.3	0.0	-0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	13.1	0.0	0.0	0.2
-47.7	-0.0		J	13.1	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-12.0	-0.0	-0.0	-0.1
0.9	0.0		J	-12.0	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	13.9	0.0	0.0	0.2
-64.2	-0.0		J	13.9	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-10.7	-0.0	0.0	-0.0
-6.9	0.0		J	-10.7	-0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	62.2	0.0	-0.5	-0.4
-109.6	-1.4		J	62.2	0.0	1.3	-0.4
0.0	0.0	Min	I	-213.3	0.0	-0.8	-7.8
-962.4	-2.0		J	-213.3	0.0	0.9	-7.8
0.0	0.0	INVSLE Max	I	48.2	0.0	-0.4	-0.3
-63.1	-1.0		J	48.2	0.0	0.9	-0.3
0.0	0.0	Min	I	-154.1	0.0	-0.6	-5.8
-688.5	-1.4		J	-154.1	0.0	0.7	-5.8
8016	2	71 C1-C2;~1 Max	I	80.1	0.0	0.3	3.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	80.1	0.0	0.3	3.5
280.7	0.3	Min	I	-34.5	-0.0	-0.1	-4.0
0.0	0.0		J	-34.5	-0.0	-0.1	-4.0
-640.0	-0.5						
		C3-C4;~1 Max	I	103.7	0.0	0.2	3.8
0.0	0.0		J	103.7	0.0	0.2	3.8
212.6	0.3	Min	I	-46.2	-0.0	-0.1	-6.0
0.0	0.0		J	-46.2	-0.0	-0.1	-6.0
-565.6	-0.7						
		C1-C2;~2 Max	I	46.5	0.0	0.2	1.8
0.0	0.0		J	46.5	0.0	0.2	1.8
157.4	0.2	Min	I	-18.7	-0.0	-0.1	-2.0
0.0	0.0		J	-18.7	-0.0	-0.1	-2.0
-432.1	-0.2						
		C3-C4;~2 Max	I	54.3	0.0	0.2	1.9
0.0	0.0		J	54.3	0.0	0.2	1.9
96.4	0.2	Min	I	-25.2	-0.0	-0.0	-3.0
0.0	0.0		J	-25.2	-0.0	-0.0	-3.0
-384.6	-0.3						
		G1	I	60.7	0.0	-0.5	-0.5
0.0	0.0		J	60.7	0.0	0.7	-0.5
-239.4	-0.1						
		G2	I	21.6	0.0	-0.0	-0.3
0.0	0.0		J	21.6	0.0	-0.0	-0.3
114.8	-0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	12.5	0.0	0.0	0.2
0.0	0.0		J	12.5	0.0	0.0	0.2
-33.7	-0.1						
		Q5_pc Y	I	2.9	0.0	0.0	0.5
0.0	0.0		J	2.9	0.0	0.0	0.5
-11.7	-0.1						
		Q5_ps X	I	11.9	0.0	0.0	0.2
0.0	0.0		J	11.9	0.0	0.0	0.2
-45.5	-0.1						
		Q5_ps Y	I	2.9	0.0	0.0	0.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	2.9	0.0	0.0	0.5
-0.3	-0.1							
			INVSLE Max	I	228.2	0.0	-0.5	5.6
0.0	0.0			J	228.2	0.0	1.2	5.6
521.1	0.3		Min	I	3.4	-0.0	-1.1	-8.6
0.0	0.0			J	3.4	-0.0	0.6	-8.6
-782.6	-1.3							
			INVSLE Max	I	167.5	0.0	-0.4	4.2
0.0	0.0			J	167.5	0.0	0.9	4.2
385.7	0.2		Min	I	2.7	-0.0	-0.8	-6.2
0.0	0.0			J	2.7	-0.0	0.5	-6.2
-575.4	-0.9							
8019	2	71	C1-C2;~1 Max	I	68.0	0.0	0.2	3.4
0.0	0.0			J	68.0	0.0	0.2	3.4
220.2	0.4		Min	I	-75.7	-0.0	-0.1	-2.4
0.0	0.0			J	-75.7	-0.0	-0.1	-2.4
-522.5	-0.2							
			C3-C4;~1 Max	I	53.3	0.0	0.2	5.1
0.0	0.0			J	53.3	0.0	0.2	5.1
110.6	0.6		Min	I	-117.0	-0.0	-0.0	-1.8
0.0	0.0			J	-117.0	-0.0	-0.0	-1.8
-445.9	-0.2							
			C1-C2;~2 Max	I	41.3	0.0	0.1	1.8
0.0	0.0			J	41.3	0.0	0.1	1.8
131.0	0.2		Min	I	-42.7	-0.0	-0.1	-1.3
0.0	0.0			J	-42.7	-0.0	-0.1	-1.3
-353.5	-0.1							
			C3-C4;~2 Max	I	31.0	0.0	0.1	2.7
0.0	0.0			J	31.0	0.0	0.1	2.7
48.1	0.3		Min	I	-66.9	-0.0	-0.0	-0.9
0.0	0.0			J	-66.9	-0.0	-0.0	-0.9
-303.0	-0.1							
			G1	I	-20.1	-0.0	-0.5	1.3
0.0	0.0			J	-20.1	-0.0	0.8	1.3
-323.1	0.3							
			G2	I	-9.6	-0.0	-0.0	0.6
0.0	0.0			J	-9.6	-0.0	-0.0	0.6


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
74.9	0.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	5.4	-0.0	0.0	-0.2
0.0	0.0			J	5.4	-0.0	0.0	-0.2
-19.7	0.0							
			Q5_pc Y	I	-2.5	-0.0	0.0	-0.0
0.0	0.0			J	-2.5	-0.0	0.0	-0.0
-11.4	0.0							
			Q5_ps X	I	5.6	-0.0	0.0	-0.2
0.0	0.0			J	5.6	-0.0	0.0	-0.2
-24.0	0.0							
			Q5_ps Y	I	-1.5	-0.0	0.0	-0.1
0.0	0.0			J	-1.5	-0.0	0.0	-0.1
-24.1	0.0							
			INVSLE Max	I	109.9	-0.0	-0.4	10.3
0.0	0.0			J	109.9	-0.0	1.3	10.3
-60.8	2.7		Min	I	-149.4	-0.0	-0.8	-0.2
0.0	0.0			J	-149.4	-0.0	0.9	-0.2
1099.0	1.5							-
			INVSLE Max	I	84.0	-0.0	-0.3	7.5
0.0	0.0			J	84.0	-0.0	1.0	7.5
-48.2	2.0		Min	I	-107.4	-0.0	-0.6	-0.3
0.0	0.0			J	-107.4	-0.0	0.7	-0.3
-814.6	1.1							
8022	2	71	C1-C2;~1 Max	I	58.1	0.0	0.2	1.8
0.0	0.0			J	58.1	0.0	0.2	1.8
171.5	0.1		Min	I	-109.5	-0.0	-0.1	-2.0
0.0	0.0			J	-109.5	-0.0	-0.1	-2.0
-386.9	-0.2							
			C3-C4;~1 Max	I	47.9	0.0	0.1	1.4
0.0	0.0			J	47.9	0.0	0.1	1.4
65.8	0.1		Min	I	-147.4	-0.0	-0.0	-2.5
0.0	0.0			J	-147.4	-0.0	-0.0	-2.5
-307.0	-0.2							
			C1-C2;~2 Max	I	32.3	0.0	0.1	1.0
0.0	0.0			J	32.3	0.0	0.1	1.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
98.9	0.1		Min	I	-59.1	-0.0	-0.0	-1.1
0.0	0.0			J	-59.1	-0.0	-0.0	-1.1
-253.9	-0.1							
		C3-C4;~2	Max	I	23.8	0.0	0.1	0.7
0.0	0.0			J	23.8	0.0	0.1	0.7
28.2	0.1		Min	I	-84.0	-0.0	-0.0	-1.4
0.0	0.0			J	-84.0	-0.0	-0.0	-1.4
-200.4	-0.1							
		G1		I	-60.0	0.0	-0.5	-0.5
0.0	0.0			J	-60.0	0.0	0.8	-0.5
-336.2	-0.0							
		G2		I	-24.5	0.0	-0.0	-0.2
0.0	0.0			J	-24.5	0.0	-0.0	-0.2
72.9	-0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	9.1	0.0	0.0	0.1
0.0	0.0			J	9.1	0.0	0.0	0.1
-46.4	-0.0							
		Q5_pc Y		I	-9.2	-0.0	-0.0	0.1
0.0	0.0			J	-9.2	-0.0	-0.0	0.1
1.2	0.0							
		Q5_ps X		I	10.3	0.0	0.0	0.1
0.0	0.0			J	10.3	0.0	0.0	0.1
-62.5	-0.0							
		Q5_ps Y		I	-8.0	-0.0	0.0	0.1
0.0	0.0			J	-8.0	-0.0	0.0	0.1
-6.7	0.0							
		INVSLE Max		I	32.2	0.0	-0.4	0.6
0.0	0.0			J	32.2	0.0	1.4	0.6
-399.8	-0.8		Min	I	-261.7	0.0	-0.7	-5.4
0.0	0.0			J	-261.7	0.0	1.0	-5.4
1237.2	-1.2							
		INVSLE Max		I	26.7	0.0	-0.3	0.4
0.0	0.0			J	26.7	0.0	1.0	0.4
-290.5	-0.6		Min	I	-189.7	0.0	-0.5	-3.9
0.0	0.0			J	-189.7	0.0	0.8	-3.9

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-904.6	-0.9								
8025	2	71	C1-C2;~1	Max	I	60.5	0.0	0.2	1.8
0.0	0.0				J	60.5	0.0	0.2	1.8
173.6	0.1								
0.0	0.0			Min	I	-111.8	-0.0	-0.1	-1.7
					J	-111.8	-0.0	-0.1	-1.7
-388.9	-0.1								
0.0	0.0			C3-C4;~1	Max	I	47.2	0.0	0.1
					J	47.2	0.0	0.1	2.0
97.3	0.2								
0.0	0.0			Min	I	-169.2	-0.0	-0.0	-1.9
					J	-169.2	-0.0	-0.0	-1.9
-308.8	-0.1								
0.0	0.0			C1-C2;~2	Max	I	32.8	0.0	0.1
					J	32.8	0.0	0.1	1.0
101.3	0.1								
0.0	0.0			Min	I	-60.5	-0.0	-0.0	-1.0
					J	-60.5	-0.0	-0.0	-1.0
-255.2	-0.1								
0.0	0.0			C3-C4;~2	Max	I	22.9	0.0	0.1
					J	22.9	0.0	0.1	1.1
40.7	0.1								
0.0	0.0			Min	I	-93.6	-0.0	-0.0	-1.1
					J	-93.6	-0.0	-0.0	-1.1
-201.7	-0.1								
0.0	0.0			G1	I	-64.8	-0.0	-0.5	-0.0
					J	-64.8	-0.0	0.8	-0.0
-334.3	0.0								
0.0	0.0			G2	I	-27.3	-0.0	-0.0	0.0
					J	-27.3	-0.0	-0.0	0.0
68.3	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
					J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	2.7	0.0	0.0	-0.0
					J	2.7	0.0	0.0	-0.0
-29.3	-0.0								
0.0	0.0			Q5_pc Y	I	10.3	0.0	0.0	0.2
					J	10.3	0.0	0.0	0.2
-17.1	-0.0								
0.0	0.0			Q5_ps X	I	3.9	0.0	0.0	-0.0
					J	3.9	0.0	0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-42.5	-0.0							
		Q5_ps Y	I	9.6	0.0	0.0	0.2	
0.0	0.0		J	9.6	0.0	0.0	0.2	
-14.1	-0.0							
		INVSLU Max	I	25.4	0.0	-0.3	2.9	
0.0	0.0		J	25.4	0.0	1.4	2.9	
-508.8	0.2							
		Min	I	-303.3	-0.0	-0.7	-2.7	
0.0	0.0		J	-303.3	-0.0	1.1	-2.7	-
1320.8	-0.2							
		INVSLE Max	I	21.6	0.0	-0.2	2.1	
0.0	0.0		J	21.6	0.0	1.0	2.1	
-372.2	0.2							
		Min	I	-220.5	-0.0	-0.5	-2.0	
0.0	0.0		J	-220.5	-0.0	0.8	-2.0	
-969.8	-0.1							
8028	2	71 C1-C2;~1 Max	I	77.8	0.0	0.2	2.2	
0.0	0.0		J	77.8	0.0	0.2	2.2	
214.3	0.3							
		Min	I	-80.8	-0.0	-0.1	-3.0	
0.0	0.0		J	-80.8	-0.0	-0.1	-3.0	
-525.9	-0.5							
		C3-C4;~1 Max	I	65.4	0.0	0.2	1.4	
0.0	0.0		J	65.4	0.0	0.2	1.4	
116.0	0.3							
		Min	I	-125.5	-0.0	-0.0	-4.7	
0.0	0.0		J	-125.5	-0.0	-0.0	-4.7	
-449.1	-0.8							
		C1-C2;~2 Max	I	45.6	0.0	0.1	1.2	
0.0	0.0		J	45.6	0.0	0.1	1.2	
128.0	0.1							
		Min	I	-44.7	-0.0	-0.1	-1.6	
0.0	0.0		J	-44.7	-0.0	-0.1	-1.6	
-355.2	-0.3							
		C3-C4;~2 Max	I	35.5	0.0	0.1	0.7	
0.0	0.0		J	35.5	0.0	0.1	0.7	
50.6	0.1							
		Min	I	-70.2	-0.0	-0.0	-2.4	
0.0	0.0		J	-70.2	-0.0	-0.0	-2.4	
-304.6	-0.4							
		G1	I	-16.8	0.0	-0.5	-1.4	
0.0	0.0		J	-16.8	0.0	0.8	-1.4	
-320.4	-0.2							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G2	I	-8.4	0.0	-0.0	-0.6
			J	-8.4	0.0	-0.0	-0.6
77.0	-0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	17.1	0.0	0.0	0.4
			J	17.1	0.0	0.0	0.4
-42.1	-0.1						
		Q5_pc Y	I	-0.0	-0.0	-0.0	-0.1
0.0	0.0		J	-0.0	-0.0	-0.0	-0.1
0.3	0.0						
		Q5_ps X	I	16.9	0.0	0.0	0.4
			J	16.9	0.0	0.0	0.4
-52.9	-0.1						
		Q5_ps Y	I	0.6	-0.0	0.0	-0.0
0.0	0.0		J	0.6	-0.0	0.0	-0.0
-9.9	0.0						
		INVSLE Max	I	127.6	0.0	-0.4	-0.0
0.0	0.0		J	127.6	0.0	1.3	-0.0
-49.1	-1.3	Min	I	-177.5	0.0	-0.8	-10.0
0.0	0.0		J	-177.5	0.0	0.9	-10.0
1124.2	-2.9						-
		INVSLE Max	I	95.5	0.0	-0.3	0.1
0.0	0.0		J	95.5	0.0	1.0	0.1
-41.6	-1.0	Min	I	-128.2	0.0	-0.6	-7.3
0.0	0.0		J	-128.2	0.0	0.7	-7.3
-832.4	-2.1						
8029	2	71 C1-C2;~1 Max	I	125.8	0.0	0.1	3.2
169.9	0.1		J	125.8	0.0	0.1	3.2
0.0	0.0	Min	I	-292.6	-0.0	-0.2	-1.9
-412.5	-0.2		J	-292.6	-0.0	-0.2	-1.9
0.0	0.0						
		C3-C4;~1 Max	I	141.8	0.0	0.0	3.9
55.6	0.1		J	141.8	0.0	0.0	3.9
0.0	0.0	Min	I	-241.0	-0.0	-0.1	-1.7
-338.2	-0.2		J	-241.0	-0.0	-0.1	-1.7
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
95.1	0.1	C1-C2;~2 Max	I	66.5	0.0	0.0	1.7
			J	66.5	0.0	0.0	1.7
0.0	0.0						
		Min	I	-168.8	-0.0	-0.1	-1.0
-272.0	-0.1		J	-168.8	-0.0	-0.1	-1.0
0.0	0.0						
		C3-C4;~2 Max	I	73.4	0.0	0.0	2.1
22.9	0.0		J	73.4	0.0	0.0	2.1
0.0	0.0						
		Min	I	-136.0	-0.0	-0.1	-0.8
-223.3	-0.1		J	-136.0	-0.0	-0.1	-0.8
0.0	0.0						
		G1	I	-94.6	-0.0	-0.8	1.2
-349.4	-0.1		J	-94.6	-0.0	0.5	1.2
0.0	0.0						
		G2	I	-37.9	-0.0	0.0	0.5
69.9	-0.0		J	-37.9	-0.0	0.0	0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.2	-0.0	-0.0	-0.3
-47.2	-0.0		J	-1.2	-0.0	-0.0	-0.3
0.0	0.0						
		Q5_pc Y	I	-17.5	-0.0	-0.0	0.4
-1.1	-0.0		J	-17.5	-0.0	-0.0	0.4
0.0	0.0						
		Q5_ps X	I	-2.3	-0.0	-0.0	-0.4
-63.7	-0.0		J	-2.3	-0.0	-0.0	-0.4
0.0	0.0						
		Q5_ps Y	I	-17.1	-0.0	-0.0	0.3
-9.4	-0.0		J	-17.1	-0.0	-0.0	0.3
0.0	0.0						
		INVSLU Max	I	115.1	-0.0	-0.9	9.0
-91.2	-1.4		J	115.1	-0.0	0.8	9.0
0.0	0.0						
		Min	I	-502.9	-0.0	-1.3	0.5
-962.3	-1.9		J	-502.9	-0.0	0.5	0.5
0.0	0.0						
		INVSLE Max	I	90.2	-0.0	-0.7	6.6
-49.5	-1.1		J	90.2	-0.0	0.6	6.6
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-688.5	-1.4		Min	I	-365.2	-0.0	-0.9	0.3
				J	-365.2	-0.0	0.4	0.3
0.0	0.0							
8030	2	71	C1-C2;~1	Max	I	36.2	0.0	0.1
177.5	0.1				J	36.2	0.0	0.1
0.0	0.0							
			Min	I	-211.3	-0.0	-0.1	-2.5
-357.1	-0.1			J	-211.3	-0.0	-0.1	-2.5
0.0	0.0							
			C3-C4;~1	Max	I	41.3	0.0	0.0
77.0	0.1			J	41.3	0.0	0.0	2.9
0.0	0.0							
			Min	I	-172.6	-0.0	-0.1	-1.6
-278.0	-0.2			J	-172.6	-0.0	-0.1	-1.6
0.0	0.0							
			C1-C2;~2	Max	I	19.5	0.0	0.0
105.0	0.1			J	19.5	0.0	0.0	1.0
0.0	0.0							
			Min	I	-127.8	-0.0	-0.1	-1.4
-236.4	-0.1			J	-127.8	-0.0	-0.1	-1.4
0.0	0.0							
			C3-C4;~2	Max	I	21.8	0.0	0.0
37.4	0.1			J	21.8	0.0	0.0	1.6
0.0	0.0							
			Min	I	-101.1	-0.0	-0.1	-0.9
-182.4	-0.1			J	-101.1	-0.0	-0.1	-0.9
0.0	0.0							
			G1	I	-121.7	-0.0	-0.8	0.5
-307.3	-0.0			J	-121.7	-0.0	0.5	0.5
0.0	0.0							
			G2	I	-47.8	-0.0	0.0	0.2
65.8	-0.0			J	-47.8	-0.0	0.0	0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.0	0.0	0.0	0.0
4.7	0.0			J	3.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc Y	I	-6.7	-0.0	-0.0	-0.1
-25.4	-0.0			J	-6.7	-0.0	-0.0	-0.1
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
8.6	0.0	Q5_ps X	I	2.9	0.0	0.0	0.0
			J	2.9	0.0	0.0	0.0
0.0	0.0						
-40.2	-0.0	Q5_ps Y	I	-7.0	-0.0	-0.0	-0.1
			J	-7.0	-0.0	-0.0	-0.1
0.0	0.0						
-531.5	-0.6	INVS LU Max	I	-176.6	-0.0	-1.1	6.0
			J	-176.6	-0.0	0.6	6.0
0.0	0.0						
1299.0	-1.1	Min	I	-529.8	-0.0	-1.4	-1.4
			J	-529.8	-0.0	0.3	-1.4
0.0	0.0						
-390.6	-0.5	INVS LE Max	I	-130.5	-0.0	-0.8	4.4
			J	-130.5	-0.0	0.5	4.4
0.0	0.0						
-955.7	-0.8	Min	I	-391.2	-0.0	-1.0	-1.1
			J	-391.2	-0.0	0.2	-1.1
0.0	0.0						
8031	2	71 C1-C2;~1 Max	I	99.2	0.0	0.1	2.2
197.2	0.2		J	99.2	0.0	0.1	2.2
0.0	0.0						
-411.2	-0.1	Min	I	-282.1	-0.0	-0.2	-3.1
			J	-282.1	-0.0	-0.2	-3.1
0.0	0.0						
86.7	0.2	C3-C4;~1 Max	I	102.8	0.0	0.0	1.7
			J	102.8	0.0	0.0	1.7
0.0	0.0						
-337.4	-0.1	Min	I	-223.8	-0.0	-0.1	-4.3
			J	-223.8	-0.0	-0.1	-4.3
0.0	0.0						
106.3	0.1	C1-C2;~2 Max	I	53.9	0.0	0.0	1.1
			J	53.9	0.0	0.0	1.1
0.0	0.0						
-271.5	-0.1	Min	I	-163.6	-0.0	-0.1	-1.7
			J	-163.6	-0.0	-0.1	-1.7
0.0	0.0						
35.3	0.1	C3-C4;~2 Max	I	55.3	0.0	0.0	0.9
			J	55.3	0.0	0.0	0.9
0.0	0.0						
-223.2	-0.0	Min	I	-128.1	-0.0	-0.1	-2.3
			J	-128.1	-0.0	-0.1	-2.3
0.0	0.0						
-348.4	0.1	G1	I	-104.8	0.0	-0.8	-1.2

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-104.8	0.0	0.5	-1.2
70.4	0.0	G2	I	-41.2	0.0	0.0	-0.5
0.0	0.0		J	-41.2	0.0	0.0	-0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-15.5	0.0	Q5_pc X	I	-4.2	0.0	-0.0	0.1
0.0	0.0		J	-4.2	0.0	-0.0	0.1
26.2	-0.0	Q5_pc Y	I	13.9	-0.0	0.0	-0.1
0.0	0.0		J	13.9	-0.0	0.0	-0.1
-23.2	0.0	Q5_ps X	I	-4.6	0.0	-0.0	0.1
0.0	0.0		J	-4.6	0.0	-0.0	0.1
43.4	-0.0	Q5_ps Y	I	14.1	-0.0	0.0	-0.2
0.0	0.0		J	14.1	-0.0	0.0	-0.2
-69.8	1.9	INVSLE Max	I	80.2	0.0	-0.9	-0.2
0.0	0.0		J	80.2	0.0	0.8	-0.2
-938.3	1.4	Min	I	-464.4	0.0	-1.3	-9.1
0.0	0.0		J	-464.4	0.0	0.5	-9.1
-32.0	1.4	INVSLE Max	I	66.5	0.0	-0.7	-0.1
0.0	0.0		J	66.5	0.0	0.6	-0.1
-671.8	1.1	Min	I	-335.1	0.0	-0.9	-6.7
0.0	0.0		J	-335.1	0.0	0.4	-6.7
8032	2	71 C1-C2;~1 Max	I	146.1	0.0	0.1	2.4
215.5	0.6		J	146.1	0.0	0.1	2.4
0.0	0.0	Min	I	-238.1	-0.0	-0.2	-3.4
-526.8	-0.3		J	-238.1	-0.0	-0.2	-3.4
0.0	0.0						
86.3	0.7	C3-C4;~1 Max	I	161.9	0.0	0.0	1.7
0.0	0.0		J	161.9	0.0	0.0	1.7
-449.2	-0.3	Min	I	-187.9	-0.0	-0.2	-4.5


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-187.9	-0.0	-0.2	-4.5
128.2	0.3	C1-C2;~2 Max	I	78.7	0.0	0.1	1.3
0.0	0.0		J	78.7	0.0	0.1	1.3
-355.5	-0.2	Min	I	-138.9	-0.0	-0.1	-1.8
0.0	0.0		J	-138.9	-0.0	-0.1	-1.8
38.8	0.4	C3-C4;~2 Max	I	85.6	0.0	0.0	0.8
0.0	0.0		J	85.6	0.0	0.0	0.8
-304.6	-0.2	Min	I	-105.3	-0.0	-0.1	-2.4
0.0	0.0		J	-105.3	-0.0	-0.1	-2.4
-321.7	0.2	G1	I	-17.5	0.0	-0.8	-1.4
0.0	0.0		J	-17.5	0.0	0.5	-1.4
76.0	0.1	G2	I	-8.4	0.0	0.0	-0.5
0.0	0.0		J	-8.4	0.0	0.0	-0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-47.0	0.1	Q5_pc X	I	-4.8	0.0	-0.0	0.4
0.0	0.0		J	-4.8	0.0	-0.0	0.4
-0.0	0.0	Q5_pc Y	I	-33.2	0.0	-0.0	-0.2
0.0	0.0		J	-33.2	0.0	-0.0	-0.2
-62.8	0.1	Q5_ps X	I	-5.6	0.0	-0.0	0.5
0.0	0.0		J	-5.6	0.0	-0.0	0.5
-7.2	0.0	Q5_ps Y	I	-31.9	0.0	-0.0	-0.2
0.0	0.0		J	-31.9	0.0	-0.0	-0.2
-45.0	2.9	INVSLU Max	I	330.5	0.0	-0.9	-1.2
0.0	0.0		J	330.5	0.0	0.8	-1.2
1131.8	1.3	Min	I	-269.2	0.0	-1.3	-11.3
0.0	0.0		J	-269.2	0.0	0.4	-11.3
		INVSLE Max	I	249.6	0.0	-0.7	-0.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-38.8	2.1			J	249.6	0.0	0.6	-0.9	
0.0	0.0								
			Min	I	-190.2	0.0	-1.0	-8.4	
-837.5	1.0			J	-190.2	0.0	0.3	-8.4	
0.0	0.0								
8033	2	71	C1-C2;~1	Max	I	124.6	0.0	0.1	3.2
262.0	0.4				J	124.6	0.0	0.1	3.2
0.0	0.0								
			Min	I	-69.0	-0.0	-0.3	-3.8	
-630.8	-0.3			J	-69.0	-0.0	-0.3	-3.8	
0.0	0.0								
			C3-C4;~1	Max	I	122.9	0.0	0.1	3.0
171.0	0.6			J	122.9	0.0	0.1	3.0	
0.0	0.0								
			Min	I	-44.1	-0.0	-0.2	-5.8	
-556.7	-0.3			J	-44.1	-0.0	-0.2	-5.8	
0.0	0.0								
			C1-C2;~2	Max	I	66.2	0.0	0.1	1.7
149.6	0.2			J	66.2	0.0	0.1	1.7	
0.0	0.0								
			Min	I	-43.3	-0.0	-0.2	-1.9	
-427.4	-0.1			J	-43.3	-0.0	-0.2	-1.9	
0.0	0.0								
			C3-C4;~2	Max	I	63.4	0.0	0.0	1.5
77.4	0.3			J	63.4	0.0	0.0	1.5	
0.0	0.0								
			Min	I	-25.8	-0.0	-0.2	-2.9	
-379.9	-0.1			J	-25.8	-0.0	-0.2	-2.9	
0.0	0.0								
			G1	I	122.3	0.0	-0.7	-1.2	
-257.9	0.2			J	122.3	0.0	0.5	-1.2	
0.0	0.0								
			G2	I	45.6	0.0	0.0	-0.5	
109.7	0.1			J	45.6	0.0	0.0	-0.5	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-7.9	0.0	-0.0	0.1
-24.4	0.1			J	-7.9	0.0	-0.0	0.1	
0.0	0.0								
			Q5_pc	Y	I	17.5	-0.0	0.0	0.0
44.2	-0.1								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	17.5	-0.0	0.0	0.0
-32.3	0.1	Q5_ps X	I	-7.4	0.0	-0.0	0.1
0.0	0.0		J	-7.4	0.0	-0.0	0.1
63.3	-0.1	Q5_ps Y	I	16.5	-0.0	0.0	-0.1
0.0	0.0		J	16.5	-0.0	0.0	-0.1
441.4	1.5	INVSLU Max	I	561.6	0.0	-0.7	3.0
0.0	0.0		J	561.6	0.0	1.0	3.0
-843.4	0.2	Min	I	268.8	0.0	-1.2	-9.2
0.0	0.0		J	268.8	0.0	0.5	-9.2
327.1	1.1	INVSLE Max	I	421.4	0.0	-0.5	2.4
0.0	0.0		J	421.4	0.0	0.8	2.4
-618.6	0.2	Min	I	206.8	0.0	-0.9	-6.7
0.0	0.0		J	206.8	0.0	0.4	-6.7
8034	2	71 C1-C2;~1 Max	I	137.6	0.0	0.1	4.1
267.1	0.3		J	137.6	0.0	0.1	4.1
0.0	0.0	Min	I	-243.0	-0.0	-0.2	-2.3
-533.9	-0.5		J	-243.0	-0.0	-0.2	-2.3
0.0	0.0						
111.7	0.3	C3-C4;~1 Max	I	151.0	0.0	0.0	5.8
0.0	0.0		J	151.0	0.0	0.0	5.8
-457.1	-0.7	Min	I	-179.2	-0.0	-0.2	-2.2
0.0	0.0		J	-179.2	-0.0	-0.2	-2.2
148.8	0.2	C1-C2;~2 Max	I	74.4	0.0	0.1	2.2
0.0	0.0		J	74.4	0.0	0.1	2.2
-360.4	-0.3	Min	I	-140.1	-0.0	-0.2	-1.1
0.0	0.0		J	-140.1	-0.0	-0.2	-1.1
48.8	0.1	C3-C4;~2 Max	I	79.9	0.0	0.0	3.1
0.0	0.0		J	79.9	0.0	0.0	3.1
-310.4	-0.4	Min	I	-100.6	-0.0	-0.1	-1.1
0.0	0.0		J	-100.6	-0.0	-0.1	-1.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-323.9	-0.2	G1	I	-14.7	-0.0	-0.8	1.8	
0.0	0.0		J	-14.7	-0.0	0.5	1.8	
77.2	-0.1	G2	I	-6.5	-0.0	0.0	0.7	
0.0	0.0		J	-6.5	-0.0	0.0	0.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-19.6	-0.0	Q5_pc X	I	-3.0	-0.0	-0.0	-0.1	
0.0	0.0		J	-3.0	-0.0	-0.0	-0.1	
3.8	-0.0	Q5_pc Y	I	7.9	-0.0	0.0	-0.4	
0.0	0.0		J	7.9	-0.0	0.0	-0.4	
-28.5	-0.0	Q5_ps X	I	-3.4	-0.0	-0.0	-0.2	
0.0	0.0		J	-3.4	-0.0	-0.0	-0.2	
18.2	-0.0	Q5_ps Y	I	8.4	-0.0	0.0	-0.3	
0.0	0.0		J	8.4	-0.0	0.0	-0.3	
11.9	-1.4	INVSLE Max	I	297.1	-0.0	-0.9	11.9	
0.0	0.0		J	297.1	-0.0	0.9	11.9	
1104.7	-2.9	Min	I	-249.1	-0.0	-1.3	0.3	-
0.0	0.0		J	-249.1	-0.0	0.4	0.3	
4.6	-1.0	INVSLE Max	I	226.3	-0.0	-0.6	8.7	
0.0	0.0		J	226.3	-0.0	0.6	8.7	
-819.9	-2.1	Min	I	-177.3	-0.0	-1.0	0.1	
0.0	0.0		J	-177.3	-0.0	0.3	0.1	
8035	2	71 C1-C2;~1 Max	I	125.2	0.0	0.1	3.5	
238.7	1.0		J	125.2	0.0	0.1	3.5	
-650.2	-0.6	Min	I	-142.7	-0.0	-0.3	-4.0	
0.0	0.0		J	-142.7	-0.0	-0.3	-4.0	
160.5	1.5	C3-C4;~1 Max	I	121.8	0.0	0.1	2.6	
			J	121.8	0.0	0.1	2.6	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
-578.2	-0.5	Min	I	-97.9	-0.0	-0.2	-6.3
			J	-97.9	-0.0	-0.2	-6.3
0.0	0.0						
138.4	0.5	C1-C2;~2 Max	I	70.1	0.0	0.1	1.8
			J	70.1	0.0	0.1	1.8
0.0	0.0						
-443.6	-0.3	Min	I	-89.6	-0.0	-0.2	-2.0
			J	-89.6	-0.0	-0.2	-2.0
0.0	0.0						
76.2	0.8	C3-C4;~2 Max	I	68.0	0.0	0.0	1.4
			J	68.0	0.0	0.0	1.4
0.0	0.0						
-396.7	-0.2	Min	I	-58.5	-0.0	-0.2	-3.2
			J	-58.5	-0.0	-0.2	-3.2
0.0	0.0						
-309.0	0.6	G1	I	61.2	0.0	-0.8	-1.5
			J	61.2	0.0	0.5	-1.5
0.0	0.0						
81.7	0.2	G2	I	24.0	0.0	0.0	-0.7
			J	24.0	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-12.8	0.1	Q5_pc X	I	-5.5	0.0	-0.0	0.1
			J	-5.5	0.0	-0.0	0.1
0.0	0.0						
17.3	-0.1	Q5_pc Y	I	13.7	-0.0	0.0	-0.1
			J	13.7	-0.0	0.0	-0.1
0.0	0.0						
-20.2	0.1	Q5_ps X	I	-5.5	0.0	-0.0	0.2
			J	-5.5	0.0	-0.0	0.2
0.0	0.0						
35.1	-0.1	Q5_ps Y	I	13.5	-0.0	0.0	-0.3
			J	13.5	-0.0	0.0	-0.3
0.0	0.0						
227.9	3.9	INVSLU Max	I	477.9	0.0	-0.8	1.6
			J	477.9	0.0	1.0	1.6
0.0	0.0						
1003.3	0.8	Min	I	91.5	0.0	-1.3	-11.8
			J	91.5	0.0	0.4	-11.8

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
			INVSLE Max	I	361.7	0.0	-0.6	1.3
168.1	2.8			J	361.7	0.0	0.7	1.3
0.0	0.0							
			Min	I	77.3	0.0	-1.0	-8.7
-741.6	0.5			J	77.3	0.0	0.3	-8.7
0.0	0.0							
8036	2	71	C1-C2;~1 Max	I	52.7	0.0	0.1	2.2
200.9	0.1			J	52.7	0.0	0.1	2.2
0.0	0.0							
			Min	I	-254.9	-0.0	-0.1	-1.9
-353.3	-0.1			J	-254.9	-0.0	-0.1	-1.9
0.0	0.0							
			C3-C4;~1 Max	I	60.1	0.0	0.0	2.9
90.8	0.1			J	60.1	0.0	0.0	2.9
0.0	0.0							
			Min	I	-212.6	-0.0	-0.1	-1.2
-265.8	-0.1			J	-212.6	-0.0	-0.1	-1.2
0.0	0.0							
			C1-C2;~2 Max	I	28.4	0.0	0.0	1.2
118.9	0.1			J	28.4	0.0	0.0	1.2
0.0	0.0							
			Min	I	-152.7	-0.0	-0.1	-1.1
-232.9	-0.1			J	-152.7	-0.0	-0.1	-1.1
0.0	0.0							
			C3-C4;~2 Max	I	31.8	0.0	0.0	1.7
44.6	0.1			J	31.8	0.0	0.0	1.7
0.0	0.0							
			Min	I	-123.7	-0.0	-0.1	-0.6
-172.6	-0.1			J	-123.7	-0.0	-0.1	-0.6
0.0	0.0							
			G1	I	-145.0	0.0	-0.8	0.7
-291.6	0.0			J	-145.0	0.0	0.5	0.7
0.0	0.0							
			G2	I	-56.9	0.0	0.0	0.3
74.7	0.0			J	-56.9	0.0	0.0	0.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.5	0.0	0.0	-0.0
3.4	0.0			J	3.5	-0.0	0.0	-0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-26.3	-0.0	Q5_pc	Y	I	-7.3	-0.0	-0.0	-0.1	
0.0	0.0			J	-7.3	-0.0	-0.0	-0.1	
7.0	-0.0	Q5_ps	X	I	3.4	-0.0	0.0	0.0	
0.0	0.0			J	3.4	-0.0	0.0	0.0	
-41.3	-0.0	Q5_ps	Y	I	-7.7	-0.0	-0.0	-0.1	
0.0	0.0			J	-7.7	-0.0	-0.0	-0.1	
-632.5	-0.1	INVSLU	Max	I	-180.3	-0.0	-1.1	5.0	
0.0	0.0			J	-180.3	-0.0	0.6	5.0	
1428.1	-0.4		Min	I	-618.7	-0.0	-1.5	-1.7	-
0.0	0.0			J	-618.7	-0.0	0.3	-1.7	
-469.3	-0.1	INVSLE	Max	I	-132.3	-0.0	-0.8	3.6	
0.0	0.0			J	-132.3	-0.0	0.4	3.6	
1055.1	-0.3		Min	I	-456.1	-0.0	-1.1	-1.3	-
0.0	0.0			J	-456.1	-0.0	0.2	-1.3	
8037	2	71 C1-C2;~1	Max	I	98.0	0.0	0.1	1.3	
194.3	0.1			J	98.0	0.0	0.1	1.3	
0.0	0.0		Min	I	-290.9	-0.0	-0.2	-1.5	
-362.0	-0.1			J	-290.9	-0.0	-0.2	-1.5	
0.0	0.0								
83.1	0.1	C3-C4;~1	Max	I	111.0	0.0	0.0	1.1	
0.0	0.0			J	111.0	0.0	0.0	1.1	
-274.4	-0.1		Min	I	-248.3	-0.0	-0.1	-1.5	
0.0	0.0			J	-248.3	-0.0	-0.1	-1.5	
114.1	0.1	C1-C2;~2	Max	I	52.9	0.0	0.0	0.8	
0.0	0.0			J	52.9	0.0	0.0	0.8	
-237.4	-0.1		Min	I	-171.7	-0.0	-0.1	-0.9	
0.0	0.0			J	-171.7	-0.0	-0.1	-0.9	
39.0	0.1	C3-C4;~2	Max	I	58.7	0.0	0.0	0.7	
0.0	0.0			J	58.7	0.0	0.0	0.7	
			Min	I	-142.4	-0.0	-0.1	-0.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-177.1	-0.1		J	-142.4	-0.0	-0.1	-0.9	
0.0	0.0							
		G1	I	-137.5	0.0	-0.8	-0.4	
-308.6	0.0		J	-137.5	0.0	0.5	-0.4	
0.0	0.0							
		G2	I	-53.8	0.0	0.0	-0.1	
71.3	0.0		J	-53.8	0.0	0.0	-0.1	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	4.1	-0.0	0.0	0.1	
0.2	-0.0		J	4.1	-0.0	0.0	0.1	
0.0	0.0							
		Q5_pc Y	I	-8.5	0.0	-0.0	-0.0	
-25.8	0.0		J	-8.5	0.0	-0.0	-0.0	
0.0	0.0							
		Q5_ps X	I	4.0	-0.0	0.0	0.1	
3.2	-0.0		J	4.0	-0.0	0.0	0.1	
0.0	0.0							
		Q5_ps Y	I	-8.9	0.0	-0.0	-0.0	
-40.4	0.0		J	-8.9	0.0	-0.0	-0.0	
0.0	0.0							
		INVSLE Max	I	-59.0	0.0	-1.1	1.1	
-527.1	0.5		J	-59.0	0.0	0.6	1.1	
0.0	0.0	Min	I	-616.8	0.0	-1.4	-2.7	-
1324.5	0.2		J	-616.8	0.0	0.3	-2.7	
0.0	0.0							
		INVSLE Max	I	-40.5	0.0	-0.8	0.9	
-389.2	0.4		J	-40.5	0.0	0.5	0.9	
0.0	0.0	Min	I	-452.6	0.0	-1.0	-2.0	
-976.5	0.1		J	-452.6	0.0	0.2	-2.0	
0.0	0.0							
8039	2	71 C1-C2;~1 Max	I	159.9	0.0	0.1	3.6	
281.6	0.4		J	159.9	0.0	0.1	3.6	
0.0	0.0	Min	I	-94.2	-0.0	-0.3	-3.1	
-648.7	-0.5		J	-94.2	-0.0	-0.3	-3.1	
0.0	0.0							


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
185.9	0.4	C3-C4;~1 Max	I	163.9	0.0	0.1	5.3
			J	163.9	0.0	0.1	5.3
0.0	0.0						
-575.0	-0.7	Min	I	-69.5	-0.0	-0.2	-3.0
			J	-69.5	-0.0	-0.2	-3.0
0.0	0.0						
157.0	0.2	C1-C2;~2 Max	I	83.1	0.0	0.1	1.8
			J	83.1	0.0	0.1	1.8
0.0	0.0						
-437.2	-0.3	Min	I	-54.9	-0.0	-0.2	-1.6
			J	-54.9	-0.0	-0.2	-1.6
0.0	0.0						
87.2	0.2	C3-C4;~2 Max	I	84.4	0.0	0.0	2.7
			J	84.4	0.0	0.0	2.7
0.0	0.0						
-390.0	-0.4	Min	I	-37.7	-0.0	-0.2	-1.5
			J	-37.7	-0.0	-0.2	-1.5
0.0	0.0						
-240.1	-0.1	G1	I	139.2	-0.0	-0.7	0.7
			J	139.2	-0.0	0.5	0.7
0.0	0.0						
114.6	-0.1	G2	I	51.7	-0.0	0.0	0.3
			J	51.7	-0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-64.4	-0.2	Q5_pc X	I	-11.8	-0.0	-0.0	-0.1
			J	-11.8	-0.0	-0.0	-0.1
0.0	0.0						
-30.4	-0.1	Q5_pc Y	I	28.8	-0.0	-0.0	-1.5
			J	28.8	-0.0	-0.0	-1.5
0.0	0.0						
-80.9	-0.2	Q5_ps X	I	-11.2	-0.0	-0.0	-0.2
			J	-11.2	-0.0	-0.0	-0.2
0.0	0.0						
-33.7	-0.1	Q5_ps Y	I	27.2	-0.0	-0.0	-1.4
			J	27.2	-0.0	-0.0	-1.4
0.0	0.0						
574.7	0.5	INVSLU Max	I	648.9	0.0	-0.6	9.2
			J	648.9	0.0	1.1	9.2
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-797.1	-1.3		Min	I	248.6	-0.0	-1.2	-4.9
				J	248.6	-0.0	0.5	-4.9
0.0	0.0							
			INVSLE Max	I	484.7	0.0	-0.5	6.6
424.0	0.4			J	484.7	0.0	0.8	6.6
0.0	0.0							
			Min	I	192.0	-0.0	-0.9	-3.6
-583.6	-1.0			J	192.0	-0.0	0.4	-3.6
0.0	0.0							
8040	2	71	C1-C2;~1 Max	I	122.0	0.0	0.1	2.8
260.7	0.4			J	122.0	0.0	0.1	2.8
0.0	0.0							
			Min	I	-76.6	-0.0	-0.3	-2.3
-638.5	-0.3			J	-76.6	-0.0	-0.3	-2.3
0.0	0.0							
			C3-C4;~1 Max	I	123.8	0.0	0.1	2.6
163.6	0.5			J	123.8	0.0	0.1	2.6
0.0	0.0							
			Min	I	-50.1	-0.0	-0.2	-3.2
-565.6	-0.3			J	-50.1	-0.0	-0.2	-3.2
0.0	0.0							
			C1-C2;~2 Max	I	64.7	0.0	0.1	1.6
148.9	0.2			J	64.7	0.0	0.1	1.6
0.0	0.0							
			Min	I	-47.1	-0.0	-0.2	-1.2
-432.7	-0.2			J	-47.1	-0.0	-0.2	-1.2
0.0	0.0							
			C3-C4;~2 Max	I	63.1	0.0	0.0	1.3
77.8	0.3			J	63.1	0.0	0.0	1.3
0.0	0.0							
			Min	I	-28.8	-0.0	-0.2	-1.7
-386.0	-0.2			J	-28.8	-0.0	-0.2	-1.7
0.0	0.0							
			G1	I	114.9	0.0	-0.7	-0.1
-255.2	0.1			J	114.9	0.0	0.5	-0.1
0.0	0.0							
			G2	I	42.3	0.0	0.0	-0.0
106.0	0.0			J	42.3	0.0	0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	2.6	0.0	-0.0	0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-16.4	0.0		J	2.6	0.0	-0.0	0.1
0.0	0.0						
-29.1	0.1	Q5_pc Y	I	-12.5	0.0	-0.0	0.4
0.0	0.0		J	-12.5	0.0	-0.0	0.4
-15.7	0.0	Q5_ps X	I	2.6	0.0	-0.0	0.1
0.0	0.0		J	2.6	0.0	-0.0	0.1
-44.9	0.1	Q5_ps Y	I	-11.6	0.0	-0.0	0.5
0.0	0.0		J	-11.6	0.0	-0.0	0.5
446.8	0.9	INVSLU Max	I	512.9	0.0	-0.7	3.7
0.0	0.0		J	512.9	0.0	1.1	3.7
-819.4	-0.4	Min	I	219.9	-0.0	-1.2	-5.1
0.0	0.0		J	219.9	-0.0	0.5	-5.1
331.0	0.7	INVSLE Max	I	384.8	0.0	-0.5	2.7
0.0	0.0		J	384.8	0.0	0.8	2.7
-603.1	-0.3	Min	I	169.4	-0.0	-0.9	-3.8
0.0	0.0		J	169.4	-0.0	0.4	-3.8
8041	2	71 C1-C2;~1 Max	I	150.0	0.0	0.1	3.3
214.6	0.3		J	150.0	0.0	0.1	3.3
0.0	0.0	Min	I	-234.5	-0.0	-0.2	-2.5
-528.4	-0.6		J	-234.5	-0.0	-0.2	-2.5
0.0	0.0						
113.4	0.3	C3-C4;~1 Max	I	153.7	0.0	0.0	5.0
0.0	0.0		J	153.7	0.0	0.0	5.0
-451.4	-0.8	Min	I	-190.5	-0.0	-0.2	-1.7
0.0	0.0		J	-190.5	-0.0	-0.2	-1.7
128.7	0.2	C1-C2;~2 Max	I	80.3	0.0	0.1	1.7
0.0	0.0		J	80.3	0.0	0.1	1.7
-356.7	-0.3	Min	I	-138.0	-0.0	-0.1	-1.3
0.0	0.0		J	-138.0	-0.0	-0.1	-1.3
49.7	0.2	C3-C4;~2 Max	I	82.4	0.0	0.0	2.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	82.4	0.0	0.0	2.7
-306.2	-0.4	Min	I	-106.8	-0.0	-0.1	-0.9
0.0	0.0		J	-106.8	-0.0	-0.1	-0.9
-323.4	-0.2	G1	I	-19.8	-0.0	-0.8	1.4
0.0	0.0		J	-19.8	-0.0	0.5	1.4
70.8	-0.1	G2	I	-7.0	-0.0	0.0	0.6
0.0	0.0		J	-7.0	-0.0	0.0	0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-34.5	-0.1	Q5_pc X	I	-8.8	-0.0	-0.0	-0.3
0.0	0.0		J	-8.8	-0.0	-0.0	-0.3
-27.9	0.0	Q5_pc Y	I	32.6	0.0	-0.0	-0.5
0.0	0.0		J	32.6	0.0	-0.0	-0.5
-48.9	-0.0	Q5_ps X	I	-9.4	-0.0	-0.0	-0.3
0.0	0.0		J	-9.4	-0.0	-0.0	-0.3
-28.2	0.0	Q5_ps Y	I	30.8	0.0	-0.0	-0.5
0.0	0.0		J	30.8	0.0	-0.0	-0.5
-73.1	-1.3	INVSLU Max	I	315.6	-0.0	-0.9	12.2
0.0	0.0		J	315.6	-0.0	0.8	12.2
1138.3	-3.0	Min	I	-267.1	-0.0	-1.3	1.2
0.0	0.0		J	-267.1	-0.0	0.4	1.2
-58.9	-1.0	INVSLE Max	I	238.6	-0.0	-0.7	9.1
0.0	0.0		J	238.6	-0.0	0.6	9.1
-843.3	-2.2	Min	I	-188.7	-0.0	-1.0	0.9
0.0	0.0		J	-188.7	-0.0	0.3	0.9
8042	2	71 C1-C2;~1 Max	I	129.4	0.0	0.1	2.3
172.1	0.1		J	129.4	0.0	0.1	2.3
0.0	0.0	Min	I	-329.1	-0.0	-0.2	-1.7
-388.9	-0.2						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-329.1	-0.0	-0.2	-1.7
96.7	0.1	C3-C4;~1 Max	I	137.7	0.0	0.0	3.2
0.0	0.0		J	137.7	0.0	0.0	3.2
-308.6	-0.2	Min	I	-289.6	-0.0	-0.1	-1.5
0.0	0.0		J	-289.6	-0.0	-0.1	-1.5
100.5	0.1	C1-C2;~2 Max	I	65.6	0.0	0.0	1.3
0.0	0.0		J	65.6	0.0	0.0	1.3
-255.2	-0.1	Min	I	-190.3	-0.0	-0.1	-0.9
0.0	0.0		J	-190.3	-0.0	-0.1	-0.9
40.6	0.1	C3-C4;~2 Max	I	69.6	0.0	0.0	1.7
0.0	0.0		J	69.6	0.0	0.0	1.7
-201.6	-0.1	Min	I	-162.2	-0.0	-0.1	-0.8
0.0	0.0		J	-162.2	-0.0	-0.1	-0.8
-336.3	-0.0	G1	I	-144.3	-0.0	-0.8	0.7
0.0	0.0		J	-144.3	-0.0	0.5	0.7
67.3	-0.0	G2	I	-54.5	-0.0	0.0	0.3
0.0	0.0		J	-54.5	-0.0	0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-30.4	-0.0	Q5_pc X	I	-6.7	-0.0	-0.0	-0.1
0.0	0.0		J	-6.7	-0.0	-0.0	-0.1
-21.8	-0.0	Q5_pc Y	I	34.7	-0.0	-0.0	0.0
0.0	0.0		J	34.7	-0.0	-0.0	0.0
-44.0	-0.0	Q5_ps X	I	-7.5	-0.0	-0.0	-0.1
0.0	0.0		J	-7.5	-0.0	-0.0	-0.1
-20.0	-0.0	Q5_ps Y	I	33.0	-0.0	-0.0	0.0
0.0	0.0		J	33.0	-0.0	-0.0	0.0
		INVSLU Max	I	36.9	-0.0	-1.0	6.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-422.9	-0.8			J	36.9	-0.0	0.7	6.3
0.0	0.0							
1235.1	-1.2		Min	I	-655.8	-0.0	-1.4	-0.4
0.0	0.0			J	-655.8	-0.0	0.4	-0.4
			INVSLE Max	I	31.4	-0.0	-0.8	4.6
-306.7	-0.6			J	31.4	-0.0	0.5	4.6
0.0	0.0		Min	I	-477.0	-0.0	-1.0	-0.4
-904.3	-0.9			J	-477.0	-0.0	0.3	-0.4
0.0	0.0							
8043	2	71	C1-C2;~1 Max	I	120.3	0.0	0.1	2.5
174.0	0.1			J	120.3	0.0	0.1	2.5
0.0	0.0		Min	I	-332.3	-0.0	-0.2	-1.7
-386.7	-0.2			J	-332.3	-0.0	-0.2	-1.7
0.0	0.0							
			C3-C4;~1 Max	I	137.5	0.0	0.0	3.0
65.5	0.1			J	137.5	0.0	0.0	3.0
0.0	0.0		Min	I	-282.9	-0.0	-0.1	-1.5
-306.8	-0.2			J	-282.9	-0.0	-0.1	-1.5
0.0	0.0							
			C1-C2;~2 Max	I	61.4	0.0	0.0	1.4
100.0	0.1			J	61.4	0.0	0.0	1.4
0.0	0.0		Min	I	-190.9	-0.0	-0.1	-0.9
-253.8	-0.1			J	-190.9	-0.0	-0.1	-0.9
0.0	0.0							
			C3-C4;~2 Max	I	68.8	0.0	0.0	1.7
28.1	0.1			J	68.8	0.0	0.0	1.7
0.0	0.0		Min	I	-159.0	-0.0	-0.1	-0.8
-200.4	-0.1			J	-159.0	-0.0	-0.1	-0.8
0.0	0.0							
			G1	I	-142.5	-0.0	-0.8	0.8
-336.3	-0.0			J	-142.5	-0.0	0.5	0.8
0.0	0.0							
			G2	I	-56.6	-0.0	0.0	0.3
72.9	-0.0			J	-56.6	-0.0	0.0	0.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-46.1	-0.0	Q5_pc X	I	1.7	-0.0	-0.0	-0.2	
0.0	0.0		J	1.7	-0.0	-0.0	-0.2	
-0.4	-0.0	Q5_pc Y	I	-23.3	-0.0	-0.0	0.3	
0.0	0.0		J	-23.3	-0.0	-0.0	0.3	
-62.2	-0.0	Q5_ps X	I	0.3	-0.0	-0.0	-0.2	
0.0	0.0		J	0.3	-0.0	-0.0	-0.2	
-8.4	-0.0	Q5_ps Y	I	-22.6	-0.0	-0.0	0.3	
0.0	0.0		J	-22.6	-0.0	-0.0	0.3	
-396.6	-0.8	INVS LU Max	I	20.6	-0.0	-1.0	6.3	
0.0	0.0		J	20.6	-0.0	0.7	6.3	
1236.5	-1.2	Min	I	-655.5	-0.0	-1.4	-0.6	-
0.0	0.0		J	-655.5	-0.0	0.4	-0.6	
-288.2	-0.6	INVS LE Max	I	19.9	-0.0	-0.8	4.6	
0.0	0.0		J	19.9	-0.0	0.5	4.6	
-904.2	-0.9	Min	I	-477.8	-0.0	-1.0	-0.4	
0.0	0.0		J	-477.8	-0.0	0.3	-0.4	
8044	2	71 C1-C2;~1 Max	I	162.2	0.0	0.1	1.5	
248.4	0.8		J	162.2	0.0	0.1	1.5	
-622.1	-0.9	Min	I	-163.3	-0.0	-0.3	-3.4	
0.0	0.0		J	-163.3	-0.0	-0.3	-3.4	
157.6	0.6	C3-C4;~1 Max	I	164.3	0.0	0.1	2.1	
0.0	0.0		J	164.3	0.0	0.1	2.1	
-556.8	-1.2	Min	I	-121.8	-0.0	-0.2	-2.4	
0.0	0.0		J	-121.8	-0.0	-0.2	-2.4	
141.3	0.4	C1-C2;~2 Max	I	87.1	0.0	0.1	0.8	
0.0	0.0		J	87.1	0.0	0.1	0.8	
-422.7	-0.5	Min	I	-98.5	-0.0	-0.2	-2.0	
0.0	0.0		J	-98.5	-0.0	-0.2	-2.0	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

77.4	0.3	C3-C4; ~2	Max	I	87.5	0.0	0.0	1.2	
				J	87.5	0.0	0.0	1.2	
0.0	0.0		Min	I	-69.2	-0.0	-0.2	-1.4	
-380.0	-0.7			J	-69.2	-0.0	-0.2	-1.4	
0.0	0.0								
			G1	I	71.9	-0.0	-0.8	-0.5	
-303.3	-0.2			J	71.9	-0.0	0.5	-0.5	
0.0	0.0								
			G2	I	27.7	-0.0	0.0	-0.2	
75.3	-0.1			J	27.7	-0.0	0.0	-0.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-0.6	-0.0	-0.0	-0.2	
-14.5	-0.1			J	-0.6	-0.0	-0.0	-0.2	
0.0	0.0								
			Q5_pc Y	I	8.6	0.0	0.0	0.4	
20.7	0.2			J	8.6	0.0	0.0	0.4	
0.0	0.0								
			Q5_ps X	I	-0.7	-0.0	-0.0	-0.2	
-20.2	-0.1			J	-0.7	-0.0	-0.0	-0.2	
0.0	0.0								
			Q5_ps Y	I	8.8	0.0	0.0	0.4	
36.0	0.2			J	8.8	0.0	0.0	0.4	
0.0	0.0								
			INVSLE Max	I	527.3	0.0	-0.8	3.6	
256.6	0.8			J	527.3	0.0	1.0	3.6	
0.0	0.0		Min	I	69.7	-0.0	-1.3	-4.5	
-955.9	-2.4			J	69.7	-0.0	0.5	-4.5	
0.0	0.0								
			INVSLE Max	I	397.7	0.0	-0.6	2.7	
185.2	0.6			J	397.7	0.0	0.7	2.7	
0.0	0.0		Min	I	59.9	-0.0	-0.9	-3.3	
-710.2	-1.8			J	59.9	-0.0	0.3	-3.3	
0.0	0.0								
8045	2	71	C1-C2; ~1	Max	I	117.2	0.0	0.1	1.6
169.8	0.2			J	117.2	0.0	0.1	1.6	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-385.9	-0.1		Min	I	-318.4	-0.0	-0.2
				J	-318.4	-0.0	-0.2
0.0	0.0						
98.2	0.2		C3-C4;~1	Max	I	120.9	0.0
				J	120.9	0.0	0.0
0.0	0.0						
-305.9	-0.1		Min	I	-278.4	-0.0	-0.1
				J	-278.4	-0.0	-0.1
0.0	0.0						
98.9	0.1		C1-C2;~2	Max	I	60.4	0.0
				J	60.4	0.0	0.0
0.0	0.0						
-253.4	-0.1		Min	I	-185.1	-0.0	-0.1
				J	-185.1	-0.0	-0.1
0.0	0.0						
41.2	0.1		C3-C4;~2	Max	I	62.4	0.0
				J	62.4	0.0	0.0
0.0	0.0						
-199.9	-0.1		Min	I	-156.8	-0.0	-0.1
				J	-156.8	-0.0	-0.1
0.0	0.0						
-334.9	0.0		G1	I	-147.3	0.0	-0.8
				J	-147.3	0.0	0.5
0.0	0.0						
73.8	0.0		G2	I	-57.3	0.0	0.0
				J	-57.3	0.0	0.0
0.0	0.0						
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
-32.2	0.0		Q5_pc	X	I	4.8	0.0
				J	4.8	0.0	-0.0
0.0	0.0						
-9.4	0.0		Q5_pc	Y	I	-7.9	0.0
				J	-7.9	0.0	-0.0
0.0	0.0						
-41.2	0.0		Q5_ps	X	I	3.8	0.0
				J	3.8	0.0	-0.0
0.0	0.0						
-20.0	0.0		Q5_ps	Y	I	-8.3	0.0
				J	-8.3	0.0	-0.0


MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
-412.7	1.2		INVSLE Max	I	-2.9	0.0	-1.0	0.2
0.0	0.0			J	-2.9	0.0	0.7	0.2
1220.8	0.7		Min	I	-610.1	0.0	-1.4	-6.1
0.0	0.0			J	-610.1	0.0	0.4	-6.1
-299.1	0.9		INVSLE Max	I	4.5	0.0	-0.8	0.2
0.0	0.0			J	4.5	0.0	0.5	0.2
-893.5	0.5		Min	I	-444.3	0.0	-1.0	-4.5
0.0	0.0			J	-444.3	0.0	0.3	-4.5
8046	2	71	C1-C2;~1 Max	I	150.7	0.0	0.1	3.4
280.9	0.5			J	150.7	0.0	0.1	3.4
0.0	0.0		Min	I	-86.4	-0.0	-0.3	-4.0
-643.1	-0.4			J	-86.4	-0.0	-0.3	-4.0
0.0	0.0							
208.9	0.8		C3-C4;~1 Max	I	152.7	0.0	0.1	3.4
0.0	0.0			J	152.7	0.0	0.1	3.4
-569.1	-0.4		Min	I	-61.7	-0.0	-0.2	-6.0
0.0	0.0			J	-61.7	-0.0	-0.2	-6.0
157.4	0.3		C1-C2;~2 Max	I	77.8	0.0	0.1	1.8
0.0	0.0			J	77.8	0.0	0.1	1.8
-434.2	-0.2		Min	I	-51.2	-0.0	-0.2	-2.0
0.0	0.0			J	-51.2	-0.0	-0.2	-2.0
96.3	0.4		C3-C4;~2 Max	I	77.7	0.0	0.0	1.7
0.0	0.0			J	77.7	0.0	0.0	1.7
-386.9	-0.2		Min	I	-33.8	-0.0	-0.2	-3.0
0.0	0.0			J	-33.8	-0.0	-0.2	-3.0
-244.2	0.1		G1	I	135.6	0.0	-0.7	-0.9
0.0	0.0			J	135.6	0.0	0.5	-0.9
115.0	0.1		G2	I	50.7	0.0	0.0	-0.4
0.0	0.0			J	50.7	0.0	0.0	-0.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
-73.5	0.2		Q5_pc X	I	-5.7	0.0	-0.0
				J	-5.7	0.0	-0.0
0.0	0.0						
10.5	-0.0		Q5_pc Y	I	-1.2	-0.0	0.0
				J	-1.2	-0.0	0.0
0.0	0.0						
-87.4	0.2		Q5_ps X	I	-5.3	0.0	-0.0
				J	-5.3	0.0	-0.0
0.0	0.0						
-0.8	-0.0		Q5_ps Y	I	-1.1	-0.0	-0.0
				J	-1.1	-0.0	-0.0
0.0	0.0						
535.5	1.5		INVSLU Max	I	583.1	0.0	-0.6
				J	583.1	0.0	1.1
0.0	0.0						
-844.2	-0.4		Min	I	250.2	-0.0	-1.2
				J	250.2	-0.0	0.5
0.0	0.0						
393.9	1.1		INVSLE Max	I	436.6	0.0	-0.5
				J	436.6	0.0	0.8
0.0	0.0						
-618.4	-0.3		Min	I	190.8	-0.0	-0.9
				J	190.8	-0.0	0.4
0.0	0.0						
8047	2	71	C1-C2;~1 Max	I	130.6	0.0	0.1
154.3	0.2			J	130.6	0.0	0.1
0.0	0.0						
-412.0	-0.1		Min	I	-283.0	-0.0	-0.2
				J	-283.0	-0.0	-0.2
0.0	0.0						
87.7	0.3		C3-C4;~1 Max	I	133.9	0.0	0.0
				J	133.9	0.0	0.0
0.0	0.0						
-338.1	-0.1		Min	I	-243.1	-0.0	-0.1
				J	-243.1	-0.0	-0.1
0.0	0.0						
89.4	0.1		C1-C2;~2 Max	I	68.8	0.0	0.0
				J	68.8	0.0	0.0
0.0	0.0						
			Min	I	-164.8	-0.0	-0.1

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-271.8	-0.1		J	-164.8	-0.0	-0.1	-1.4
0.0	0.0						
35.7	0.1	C3-C4;~2 Max	I	70.6	0.0	0.0	0.5
0.0	0.0		J	70.6	0.0	0.0	0.5
-223.4	-0.0	Min	I	-136.7	-0.0	-0.1	-2.0
0.0	0.0		J	-136.7	-0.0	-0.1	-2.0
-348.6	0.1	G1	I	-97.7	0.0	-0.8	-1.2
0.0	0.0		J	-97.7	0.0	0.5	-1.2
70.7	0.0	G2	I	-38.2	0.0	0.0	-0.5
0.0	0.0		J	-38.2	0.0	0.0	-0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-37.3	0.0	Q5_pc X	I	3.9	0.0	-0.0	0.2
0.0	0.0		J	3.9	0.0	-0.0	0.2
-7.3	0.0	Q5_pc Y	I	-6.3	0.0	-0.0	-0.1
0.0	0.0		J	-6.3	0.0	-0.0	-0.1
-47.6	0.0	Q5_ps X	I	2.9	0.0	-0.0	0.3
0.0	0.0		J	2.9	0.0	-0.0	0.3
-18.0	0.0	Q5_ps Y	I	-6.7	0.0	-0.0	-0.1
0.0	0.0		J	-6.7	0.0	-0.0	-0.1
-118.6	1.9	INVSLU Max	I	104.6	0.0	-0.9	-0.8
0.0	0.0		J	104.6	0.0	0.8	-0.8
-950.3	1.3	Min	I	-469.6	0.0	-1.3	-8.6
0.0	0.0		J	-469.6	0.0	0.5	-8.6
-69.1	1.4	INVSLE Max	I	83.9	0.0	-0.7	-0.6
0.0	0.0		J	83.9	0.0	0.6	-0.6
-680.2	1.0	Min	I	-340.6	0.0	-0.9	-6.3
0.0	0.0		J	-340.6	0.0	0.4	-6.3

MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8048	2	71	C1-C2;~1	Max	I	114.9	0.0	0.1	2.0
173.2					J	114.9	0.0	0.1	2.0
0.0	0.0								
				Min	I	-346.6	-0.0	-0.2	-1.8
-386.9	-0.1				J	-346.6	-0.0	-0.2	-1.8
0.0	0.0								
				Max	I	132.6	0.0	0.0	2.1
66.2	0.1				J	132.6	0.0	0.0	2.1
0.0	0.0								
				Min	I	-297.8	-0.0	-0.1	-2.0
-307.1	-0.1				J	-297.8	-0.0	-0.1	-2.0
0.0	0.0								
				Max	I	56.5	0.0	0.0	1.1
99.8	0.1				J	56.5	0.0	0.0	1.1
0.0	0.0								
				Min	I	-198.6	-0.0	-0.1	-1.0
-253.9	-0.1				J	-198.6	-0.0	-0.1	-1.0
0.0	0.0								
				Max	I	64.1	0.0	0.0	1.2
28.3	0.1				J	64.1	0.0	0.0	1.2
0.0	0.0								
				Min	I	-166.7	-0.0	-0.1	-1.1
-200.5	-0.1				J	-166.7	-0.0	-0.1	-1.1
0.0	0.0								
				G1	I	-159.1	-0.0	-0.8	0.0
-334.0	-0.0				J	-159.1	-0.0	0.5	0.0
0.0	0.0								
				G2	I	-63.3	-0.0	0.0	0.0
74.2	-0.0				J	-63.3	-0.0	0.0	0.0
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	3.0	0.0	-0.0	-0.1
-46.5	0.0				J	3.0	0.0	-0.0	-0.1
0.0	0.0								
				Q5_pc Y	I	-28.2	-0.0	-0.0	0.2
-0.1	-0.0				J	-28.2	-0.0	-0.0	0.2
0.0	0.0								
				Q5_ps X	I	1.6	0.0	-0.0	-0.1
-62.9	0.0				J	1.6	0.0	-0.0	-0.1
0.0	0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.2	-0.0	Q5_ps Y	I	-27.3	-0.0	-0.0	0.2
0.0	0.0		J	-27.3	-0.0	-0.0	0.2
-485.5	0.2	INVS LU Max	I	-13.5	0.0	-1.1	3.2
0.0	0.0		J	-13.5	0.0	0.7	3.2
1325.4	-0.2	Min	I	-711.2	-0.0	-1.4	-2.9
0.0	0.0		J	-711.2	-0.0	0.3	-2.9
-356.0	0.1	INVS LE Max	I	-5.7	0.0	-0.8	2.3
0.0	0.0		J	-5.7	0.0	0.5	2.3
-972.0	-0.2	Min	I	-518.7	-0.0	-1.0	-2.1
0.0	0.0		J	-518.7	-0.0	0.2	-2.1
8049	2	71 C1-C2;~1 Max	I	126.5	0.0	0.1	4.0
234.8	0.7		J	126.5	0.0	0.1	4.0
0.0	0.0	Min	I	-142.6	-0.0	-0.3	-3.4
-653.0	-1.1		J	-142.6	-0.0	-0.3	-3.4
0.0	0.0						
162.8	0.5	C3-C4;~1 Max	I	124.1	0.0	0.1	6.4
0.0	0.0		J	124.1	0.0	0.1	6.4
-580.9	-1.7	Min	I	-98.3	-0.0	-0.2	-2.7
0.0	0.0		J	-98.3	-0.0	-0.2	-2.7
136.7	0.4	C1-C2;~2 Max	I	70.9	0.0	0.1	2.0
0.0	0.0		J	70.9	0.0	0.1	2.0
-445.8	-0.6	Min	I	-89.9	-0.0	-0.2	-1.8
0.0	0.0		J	-89.9	-0.0	-0.2	-1.8
77.4	0.2	C3-C4;~2 Max	I	69.3	0.0	0.0	3.3
0.0	0.0		J	69.3	0.0	0.0	3.3
-398.8	-0.9	Min	I	-58.7	-0.0	-0.2	-1.4
0.0	0.0		J	-58.7	-0.0	-0.2	-1.4
-306.6	-0.6	G1	I	64.7	-0.0	-0.8	1.3
0.0	0.0		J	64.7	-0.0	0.5	1.3
81.1	-0.3	G2	I	25.2	-0.0	0.0	0.6


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	25.2	-0.0	0.0	0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-19.7	-0.1	Q5_pc X	I	-4.3	-0.0	-0.0	-0.3
0.0	0.0		J	-4.3	-0.0	-0.0	-0.3
-3.4	-0.1	Q5_pc Y	I	-10.3	-0.0	-0.0	-0.0
0.0	0.0		J	-10.3	-0.0	-0.0	-0.0
-22.5	-0.1	Q5_ps X	I	-4.3	-0.0	-0.0	-0.3
0.0	0.0		J	-4.3	-0.0	-0.0	-0.3
-17.1	-0.0	Q5_ps Y	I	-10.2	-0.0	-0.0	-0.1
0.0	0.0		J	-10.2	-0.0	-0.0	-0.1
255.9	-0.7	INVS LU Max	I	483.2	-0.0	-0.8	11.7
0.0	0.0		J	483.2	-0.0	1.0	11.7
-978.2	-4.1	Min	I	101.3	-0.0	-1.3	-2.0
0.0	0.0		J	101.3	-0.0	0.5	-2.0
188.8	-0.5	INVS LE Max	I	366.0	-0.0	-0.6	8.5
0.0	0.0		J	366.0	-0.0	0.7	8.5
-722.7	-3.0	Min	I	84.5	-0.0	-0.9	-1.5
0.0	0.0		J	84.5	-0.0	0.3	-1.5
8051	2	71 C1-C2;~1 Max	I	151.7	0.0	0.1	4.4
298.1	0.8		J	151.7	0.0	0.1	4.4
0.0	0.0	Min	I	-171.3	-0.0	-0.3	-3.7
-665.0	-1.2		J	-171.3	-0.0	-0.3	-3.7
0.0	0.0						
168.8	0.6	C3-C4;~1 Max	I	164.8	0.0	0.1	5.9
0.0	0.0		J	164.8	0.0	0.1	5.9
-592.9	-1.6	Min	I	-117.2	-0.0	-0.2	-3.4
0.0	0.0		J	-117.2	-0.0	-0.2	-3.4
162.5	0.4	C1-C2;~2 Max	I	82.7	0.0	0.1	2.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	82.7	0.0	0.1	2.2
0.0	0.0							
			Min	I	-101.8	-0.0	-0.2	-2.0
-451.0	-0.6							
				J	-101.8	-0.0	-0.2	-2.0
0.0	0.0							
			C3-C4;~2 Max	I	87.7	0.0	0.0	3.1
82.2	0.3							
				J	87.7	0.0	0.0	3.1
0.0	0.0							
			Min	I	-66.7	-0.0	-0.2	-1.7
-403.9	-0.8							
				J	-66.7	-0.0	-0.2	-1.7
0.0	0.0							
			G1	I	75.0	-0.0	-0.8	1.2
-296.1	-0.6							
				J	75.0	-0.0	0.5	1.2
0.0	0.0							
			G2	I	28.8	-0.0	0.0	0.5
86.3	-0.2							
				J	28.8	-0.0	0.0	0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-5.3	-0.0	-0.0	-0.6
-48.6	-0.3							
				J	-5.3	-0.0	-0.0	-0.6
0.0	0.0							
			Q5_pc Y	I	-5.9	-0.0	0.0	0.5
16.2	-0.0							
				J	-5.9	-0.0	0.0	0.5
0.0	0.0							
			Q5_ps X	I	-5.8	-0.0	-0.0	-0.7
-63.7	-0.3							
				J	-5.8	-0.0	-0.0	-0.7
0.0	0.0							
			Q5_ps Y	I	-5.9	-0.0	0.0	0.4
6.8	-0.0							
				J	-5.9	-0.0	0.0	0.4
0.0	0.0							
			INVSLE Max	I	505.2	-0.0	-0.7	11.4
362.9	-0.3							
				J	505.2	-0.0	1.0	11.4
0.0	0.0							
			Min	I	40.9	-0.0	-1.3	-2.7
1024.9	-4.0							-
				J	40.9	-0.0	0.4	-2.7
0.0	0.0							
			INVSLE Max	I	380.3	-0.0	-0.5	8.4
264.5	-0.2							
				J	380.3	-0.0	0.8	8.4
0.0	0.0							
			Min	I	37.2	-0.0	-1.0	-2.0
-757.0	-2.9							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	37.2	-0.0	0.3	-2.0	
8052	2	71	C1-C2;~1	Max	I	118.4	0.0	0.1	2.3
217.9	0.1			J	118.4	0.0	0.1	2.3	
0.0	0.0			Min	I	-350.2	-0.0	-0.2	-1.6
-385.6	-0.2			J	-350.2	-0.0	-0.2	-1.6	
0.0	0.0								
			C3-C4;~1	Max	I	131.5	0.0	0.0	3.1
106.0	0.1			J	131.5	0.0	0.0	3.1	
0.0	0.0			Min	I	-286.5	-0.0	-0.1	-1.3
-306.7	-0.2			J	-286.5	-0.0	-0.1	-1.3	
0.0	0.0								
			C1-C2;~2	Max	I	61.3	0.0	0.0	1.3
117.3	0.1			J	61.3	0.0	0.0	1.3	
0.0	0.0			Min	I	-198.3	-0.0	-0.1	-0.9
-253.5	-0.1			J	-198.3	-0.0	-0.1	-0.9	
0.0	0.0								
			C3-C4;~2	Max	I	67.1	0.0	0.0	1.7
44.1	0.1			J	67.1	0.0	0.0	1.7	
0.0	0.0			Min	I	-160.5	-0.0	-0.1	-0.7
-200.8	-0.1			J	-160.5	-0.0	-0.1	-0.7	
0.0	0.0								
			G1	I	-148.9	-0.0	-0.8	0.9	
-337.0	-0.0			J	-148.9	-0.0	0.5	0.9	
0.0	0.0								
			G2	I	-58.7	-0.0	0.0	0.4	
72.6	-0.0			J	-58.7	-0.0	0.0	0.4	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-2.1	-0.0	-0.0	-0.0
-17.3	-0.0			J	-2.1	-0.0	-0.0	-0.0	
0.0	0.0								
			Q5_pc	Y	I	8.4	0.0	0.0	-0.2
21.3	0.0			J	8.4	0.0	0.0	-0.2	
0.0	0.0								
			Q5_ps	X	I	-2.8	-0.0	-0.0	-0.0
-25.4	-0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-2.8	-0.0	-0.0	-0.0
36.3	0.0	Q5_ps Y	I	8.9	0.0	0.0	-0.1
0.0	0.0		J	8.9	0.0	0.0	-0.1
-350.5	-0.7	INVS LU Max	I	10.1	-0.0	-1.0	6.3
0.0	0.0		J	10.1	-0.0	0.7	6.3
1203.6	-1.1	Min	I	-655.4	-0.0	-1.4	-0.3
0.0	0.0		J	-655.4	-0.0	0.4	-0.3
-251.9	-0.5	INVS LE Max	I	14.2	-0.0	-0.7	4.6
0.0	0.0		J	14.2	-0.0	0.5	4.6
-881.0	-0.8	Min	I	-477.6	-0.0	-1.0	-0.3
0.0	0.0		J	-477.6	-0.0	0.3	-0.3
8053	2	71 C1-C2;~1 Max	I	17.5	0.0	0.1	3.2
162.6	0.1		J	17.5	0.0	0.1	3.2
0.0	0.0	Min	I	-114.1	-0.0	-0.1	-2.3
-339.8	-0.1		J	-114.1	-0.0	-0.1	-2.3
0.0	0.0						
68.2	0.1	C3-C4;~1 Max	I	21.4	0.0	0.0	2.1
0.0	0.0		J	21.4	0.0	0.0	2.1
-269.9	-0.1	Min	I	-89.2	-0.0	-0.1	-3.5
0.0	0.0		J	-89.2	-0.0	-0.1	-3.5
97.8	0.1	C1-C2;~2 Max	I	9.2	0.0	0.0	1.8
0.0	0.0		J	9.2	0.0	0.0	1.8
-228.1	-0.1	Min	I	-70.2	-0.0	-0.1	-1.2
0.0	0.0		J	-70.2	-0.0	-0.1	-1.2
33.9	0.1	C3-C4;~2 Max	I	11.4	0.0	0.0	1.1
0.0	0.0		J	11.4	0.0	0.0	1.1
-180.3	-0.1	Min	I	-53.0	-0.0	-0.1	-1.9
0.0	0.0		J	-53.0	-0.0	-0.1	-1.9
-323.2	0.0	G1	I	-59.8	0.0	-0.8	-0.6
0.0	0.0		J	-59.8	0.0	0.5	-0.6

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

60.3	0.0	G2	I	-24.3	0.0	0.0	-0.2
0.0	0.0		J	-24.3	0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-8.7	0.0	Q5_pc X	I	-0.4	0.0	-0.0	0.0
0.0	0.0		J	-0.4	0.0	-0.0	0.0
25.4	-0.0	Q5_pc Y	I	2.4	-0.0	0.0	-0.0
0.0	0.0		J	2.4	-0.0	0.0	-0.0
-13.1	0.0	Q5_ps X	I	-0.5	0.0	-0.0	0.1
0.0	0.0		J	-0.5	0.0	-0.0	0.1
39.2	-0.0	Q5_ps Y	I	2.6	-0.0	0.0	-0.1
0.0	0.0		J	2.6	-0.0	0.0	-0.1
-272.9	0.5	INVSLE Max	I	-93.6	0.0	-1.0	3.6
0.0	0.0		J	-93.6	0.0	0.8	3.6
-996.9	0.1	Min	I	-280.8	0.0	-1.3	-5.5
0.0	0.0		J	-280.8	0.0	0.5	-5.5
-193.1	0.4	INVSLE Max	I	-69.8	0.0	-0.7	2.7
0.0	0.0		J	-69.8	0.0	0.6	2.7
-726.0	0.0	Min	I	-208.1	0.0	-0.9	-4.0
0.0	0.0		J	-208.1	0.0	0.3	-4.0
8054	2	71 C1-C2;~1 Max	I	31.2	0.0	0.1	2.6
183.1	0.1		J	31.2	0.0	0.1	2.6
0.0	0.0	Min	I	-192.5	-0.0	-0.1	-2.0
-355.7	-0.1		J	-192.5	-0.0	-0.1	-2.0
0.0	0.0						
80.9	0.1	C3-C4;~1 Max	I	35.2	0.0	0.0	1.7
0.0	0.0		J	35.2	0.0	0.0	1.7
-277.0	-0.1	Min	I	-152.5	-0.0	-0.1	-3.0
0.0	0.0		J	-152.5	-0.0	-0.1	-3.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

108.4	0.1	C1-C2;~2	Max	I	16.6	0.0	0.0	1.4	
				J	16.6	0.0	0.0	1.4	
0.0	0.0								
-235.4	-0.1		Min	I	-117.1	-0.0	-0.1	-1.1	
				J	-117.1	-0.0	-0.1	-1.1	
0.0	0.0								
39.6	0.1	C3-C4;~2	Max	I	18.5	0.0	0.0	0.9	
				J	18.5	0.0	0.0	0.9	
0.0	0.0								
-181.7	-0.1		Min	I	-89.6	-0.0	-0.1	-1.7	
				J	-89.6	-0.0	-0.1	-1.7	
0.0	0.0								
-303.5	0.0		G1	I	-104.2	0.0	-0.8	-0.5	
				J	-104.2	0.0	0.5	-0.5	
0.0	0.0								
67.1	0.0		G2	I	-41.2	0.0	0.0	-0.2	
				J	-41.2	0.0	0.0	-0.2	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-10.0	0.0		Q5_pc X	I	-0.9	0.0	-0.0	0.1	
				J	-0.9	0.0	-0.0	0.1	
0.0	0.0								
28.0	-0.0		Q5_pc Y	I	4.6	-0.0	0.0	-0.1	
				J	4.6	-0.0	0.0	-0.1	
0.0	0.0								
-14.9	0.0		Q5_ps X	I	-1.1	0.0	-0.0	0.1	
				J	-1.1	0.0	-0.0	0.1	
0.0	0.0								
43.0	-0.0		Q5_ps Y	I	5.2	-0.0	0.0	-0.2	
				J	5.2	-0.0	0.0	-0.2	
0.0	0.0								
-511.1	0.5		INVSLU Max	I	-151.0	0.0	-1.1	2.8	
				J	-151.0	0.0	0.7	2.8	
0.0	0.0								
1289.0	0.1		Min	I	-466.7	0.0	-1.4	-5.0	-
				J	-466.7	0.0	0.3	-5.0	
0.0	0.0								
-376.0	0.3		INVSLE Max	I	-111.5	0.0	-0.8	2.1	
				J	-111.5	0.0	0.5	2.1	

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
-948.4	0.0		Min	I	-344.7	0.0	-1.0	-3.7
0.0	0.0			J	-344.7	0.0	0.2	-3.7
8055	2	71	C1-C2;~1	Max	I	72.9	0.0	0.1
203.9	0.1			J	72.9	0.0	0.1	1.3
0.0	0.0		Min	I	-278.6	-0.0	-0.1	-1.7
-355.0	-0.1			J	-278.6	-0.0	-0.1	-1.7
0.0	0.0							
91.3	0.1		C3-C4;~1	Max	I	82.9	0.0	0.0
0.0	0.0			J	82.9	0.0	0.0	1.7
-266.3	-0.1		Min	I	-234.7	-0.0	-0.1	-1.3
0.0	0.0			J	-234.7	-0.0	-0.1	-1.3
120.1	0.1		C1-C2;~2	Max	I	39.3	0.0	0.1
0.0	0.0			J	39.3	0.0	0.1	0.7
-233.3	-0.1		Min	I	-165.7	-0.0	-0.1	-1.0
0.0	0.0			J	-165.7	-0.0	-0.1	-1.0
44.0	0.0		C3-C4;~2	Max	I	43.8	0.0	0.0
0.0	0.0			J	43.8	0.0	0.0	1.0
-171.9	-0.1		Min	I	-135.6	-0.0	-0.1	-0.8
0.0	0.0			J	-135.6	-0.0	-0.1	-0.8
-293.4	-0.0		G1	I	-148.3	-0.0	-0.8	-0.2
0.0	0.0			J	-148.3	-0.0	0.5	-0.2
75.9	-0.0		G2	I	-58.1	-0.0	0.0	-0.0
0.0	0.0			J	-58.1	-0.0	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
2.0	-0.0		Q5_pc	X	I	3.6	-0.0	0.0
0.0	0.0			J	3.6	-0.0	0.0	0.0
-26.6	0.0		Q5_pc	Y	I	-7.2	0.0	-0.0
0.0	0.0			J	-7.2	0.0	-0.0	-0.1

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5.4	-0.0	Q5_ps X	I	3.5	-0.0	0.0	0.0	
0.0	0.0		J	3.5	-0.0	0.0	0.0	
-41.4	0.0	Q5_ps Y	I	-7.7	0.0	-0.0	-0.1	
0.0	0.0		J	-7.7	0.0	-0.0	-0.1	
-637.5	0.0	INVS LU Max	I	-133.0	0.0	-1.1	2.7	
0.0	0.0		J	-133.0	0.0	0.6	2.7	
1439.8	-0.3	Min	I	-634.1	-0.0	-1.5	-2.1	-
0.0	0.0		J	-634.1	-0.0	0.3	-2.1	
-473.2	0.0	INVS LE Max	I	-96.3	0.0	-0.8	2.0	
0.0	0.0		J	-96.3	0.0	0.4	2.0	
1064.0	-0.2	Min	I	-466.5	-0.0	-1.1	-1.6	-
0.0	0.0		J	-466.5	-0.0	0.2	-1.6	
8056	2	71 C1-C2;~1 Max	I	161.2	0.0	0.1	3.4	
262.8	1.3		J	161.2	0.0	0.1	3.4	
0.0	0.0	Min	I	-160.7	-0.0	-0.3	-3.8	
-669.4	-0.8		J	-160.7	-0.0	-0.3	-3.8	
0.0	0.0							
193.5	2.0	C3-C4;~1 Max	I	158.4	0.0	0.1	2.7	
0.0	0.0		J	158.4	0.0	0.1	2.7	
-597.7	-0.7	Min	I	-118.3	-0.0	-0.2	-6.2	
0.0	0.0		J	-118.3	-0.0	-0.2	-6.2	
148.9	0.7	C1-C2;~2 Max	I	85.9	0.0	0.1	1.8	
0.0	0.0		J	85.9	0.0	0.1	1.8	
-452.9	-0.4	Min	I	-96.7	-0.0	-0.2	-1.9	
0.0	0.0		J	-96.7	-0.0	-0.2	-1.9	
92.3	1.0	C3-C4;~2 Max	I	84.4	0.0	0.0	1.4	
0.0	0.0		J	84.4	0.0	0.0	1.4	
-406.1	-0.4	Min	I	-66.4	-0.0	-0.2	-3.2	
0.0	0.0		J	-66.4	-0.0	-0.2	-3.2	
		G1	I	74.9	0.0	-0.8	-1.3	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-298.0	0.6		J	74.9	0.0	0.5	-1.3
0.0	0.0						
		G2	I	29.3	0.0	0.0	-0.6
85.9	0.2		J	29.3	0.0	0.0	-0.6
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.7	0.0	-0.0	0.7
-46.8	0.3		J	4.7	0.0	-0.0	0.7
0.0	0.0						
		Q5_pc Y	I	-4.4	-0.0	0.0	-0.1
17.5	-0.0		J	-4.4	-0.0	0.0	-0.1
0.0	0.0						
		Q5_ps X	I	3.9	0.0	-0.0	0.7
-58.7	0.3		J	3.9	0.0	-0.0	0.7
0.0	0.0						
		Q5_ps Y	I	-4.6	-0.0	0.0	-0.0
6.7	-0.0		J	-4.6	-0.0	0.0	-0.0
0.0	0.0						
		INVSLE Max	I	503.9	0.0	-0.7	2.2
311.3	4.5		J	503.9	0.0	1.0	2.2
0.0	0.0						
		Min	I	60.8	0.0	-1.3	-11.8
1031.3	0.2		J	60.8	0.0	0.4	-11.8
0.0	0.0						
		INVSLE Max	I	379.8	0.0	-0.5	1.7
226.6	3.2		J	379.8	0.0	0.7	1.7
0.0	0.0						
		Min	I	52.2	0.0	-1.0	-8.6
-761.7	0.1		J	52.2	0.0	0.3	-8.6
0.0	0.0						
		71 C1-C2;~1 Max	I	123.2	0.0	0.1	1.7
8057	2		J	123.2	0.0	0.1	1.7
173.4	0.2						
0.0	0.0						
		Min	I	-324.7	-0.0	-0.2	-2.3
-388.5	-0.1		J	-324.7	-0.0	-0.2	-2.3
0.0	0.0						
		C3-C4;~1 Max	I	133.6	0.0	0.0	1.5
96.5	0.2		J	133.6	0.0	0.0	1.5
0.0	0.0						
		Min	I	-283.9	-0.0	-0.1	-3.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-308.4	-0.1		J	-283.9	-0.0	-0.1	-3.1
0.0	0.0						
101.0	0.1	C1-C2;~2 Max	I	62.6	0.0	0.0	0.9
0.0	0.0		J	62.6	0.0	0.0	0.9
		Min	I	-188.2	-0.0	-0.1	-1.3
-255.0	-0.1		J	-188.2	-0.0	-0.1	-1.3
0.0	0.0						
40.5	0.1	C3-C4;~2 Max	I	67.3	0.0	0.0	0.8
0.0	0.0		J	67.3	0.0	0.0	0.8
		Min	I	-159.5	-0.0	-0.1	-1.7
-201.5	-0.1		J	-159.5	-0.0	-0.1	-1.7
0.0	0.0						
		G1	I	-142.9	0.0	-0.8	-0.7
-336.5	0.0		J	-142.9	0.0	0.5	-0.7
0.0	0.0						
67.2	0.0	G2	I	-53.9	0.0	0.0	-0.3
0.0	0.0		J	-53.9	0.0	0.0	-0.3
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.2	0.0	-0.0	0.0
-27.5	0.0		J	-6.2	0.0	-0.0	0.0
0.0	0.0						
		Q5_pc Y	I	24.9	0.0	-0.0	0.3
-13.0	0.0		J	24.9	0.0	-0.0	0.3
0.0	0.0						
		Q5_ps X	I	-7.0	0.0	-0.0	0.0
-40.1	0.0		J	-7.0	0.0	-0.0	0.0
0.0	0.0						
		Q5_ps Y	I	24.0	0.0	-0.0	0.3
-8.9	0.0		J	24.0	0.0	-0.0	0.3
0.0	0.0						
		INVSLU Max	I	22.0	0.0	-1.0	0.6
-422.8	1.2		J	22.0	0.0	0.7	0.6
0.0	0.0						
		Min	I	-641.6	0.0	-1.4	-6.5
1230.8	0.7		J	-641.6	0.0	0.4	-6.5
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-306.4	0.9		INVSLE Max	I	20.9	0.0	-0.8	0.5
				J	20.9	0.0	0.5	0.5
0.0	0.0		Min	I	-467.4	0.0	-1.0	-4.7
-901.3	0.6			J	-467.4	0.0	0.3	-4.7
0.0	0.0							
8058	2	71	C1-C2;~1 Max	I	46.2	0.0	0.1	2.1
208.1	0.1			J	46.2	0.0	0.1	2.1
0.0	0.0		Min	I	-232.6	-0.0	-0.1	-2.0
-351.8	-0.1			J	-232.6	-0.0	-0.1	-2.0
0.0	0.0							
			C3-C4;~1 Max	I	51.6	0.0	0.0	1.4
96.0	0.1			J	51.6	0.0	0.0	1.4
0.0	0.0		Min	I	-188.6	-0.0	-0.1	-2.8
-264.1	-0.1			J	-188.6	-0.0	-0.1	-2.8
0.0	0.0							
			C1-C2;~2 Max	I	24.8	0.0	0.1	1.2
123.5	0.1			J	24.8	0.0	0.1	1.2
0.0	0.0		Min	I	-140.1	-0.0	-0.1	-1.1
-231.8	-0.1			J	-140.1	-0.0	-0.1	-1.1
0.0	0.0							
			C3-C4;~2 Max	I	27.3	0.0	0.0	0.7
47.6	0.1			J	27.3	0.0	0.0	0.7
0.0	0.0		Min	I	-109.9	-0.0	-0.1	-1.6
-171.1	-0.1			J	-109.9	-0.0	-0.1	-1.6
0.0	0.0							
			G1	I	-125.6	0.0	-0.8	-0.4
-286.4	0.0			J	-125.6	0.0	0.5	-0.4
0.0	0.0							
			G2	I	-49.5	0.0	0.0	-0.2
74.8	0.0			J	-49.5	0.0	0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.7	0.0	-0.0	0.1
-11.4	0.0			J	-0.7	0.0	-0.0	0.1
0.0	0.0							
			Q5_pc Y	I	4.7	-0.0	0.0	-0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
30.3	-0.0		J	4.7	-0.0	0.0	-0.1
0.0	0.0						
-16.4	0.0	Q5_ps X	I	-0.9	0.0	-0.0	0.1
0.0	0.0		J	-0.9	0.0	-0.0	0.1
45.7	-0.0	Q5_ps Y	I	5.5	-0.0	0.0	-0.2
0.0	0.0		J	5.5	-0.0	0.0	-0.2
-612.6	0.4	INVS LU Max	I	-154.4	0.0	-1.1	2.1
0.0	0.0		J	-154.4	0.0	0.6	2.1
1423.1	0.1	Min	I	-546.6	0.0	-1.5	-4.7
0.0	0.0		J	-546.6	0.0	0.3	-4.7
-455.4	0.3	INVS LE Max	I	-113.1	0.0	-0.8	1.5
0.0	0.0		J	-113.1	0.0	0.5	1.5
1051.7	0.1	Min	I	-403.0	0.0	-1.1	-3.5
0.0	0.0		J	-403.0	0.0	0.2	-3.5
8059	2	71 C1-C2;~1 Max	I	19.1	0.0	0.1	2.3
159.4	0.1		J	19.1	0.0	0.1	2.3
0.0	0.0	Min	I	-125.8	-0.0	-0.1	-3.0
-344.9	-0.1		J	-125.8	-0.0	-0.1	-3.0
0.0	0.0						
63.9	0.1	C3-C4;~1 Max	I	22.2	0.0	0.0	3.4
0.0	0.0		J	22.2	0.0	0.0	3.4
-273.0	-0.2	Min	I	-101.1	-0.0	-0.1	-2.0
0.0	0.0		J	-101.1	-0.0	-0.1	-2.0
95.5	0.1	C1-C2;~2 Max	I	10.2	0.0	0.0	1.2
0.0	0.0		J	10.2	0.0	0.0	1.2
-231.4	-0.1	Min	I	-76.9	-0.0	-0.1	-1.7
0.0	0.0		J	-76.9	-0.0	-0.1	-1.7
31.0	0.1	C3-C4;~2 Max	I	11.6	0.0	0.0	1.9
0.0	0.0		J	11.6	0.0	0.0	1.9
-182.3	-0.1	Min	I	-59.9	-0.0	-0.1	-1.1
			J	-59.9	-0.0	-0.1	-1.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G1	I	-70.9	-0.0	-0.8	0.7
-324.0	-0.1		J	-70.9	-0.0	0.5	0.7
0.0	0.0						
		G2	I	-28.4	-0.0	0.0	0.3
57.9	-0.0		J	-28.4	-0.0	0.0	0.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	2.0	0.0	0.0	-0.0
5.8	0.0		J	2.0	0.0	0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	-4.9	-0.0	-0.0	0.0
-24.4	-0.0		J	-4.9	-0.0	-0.0	0.0
0.0	0.0						
		Q5_ps X	I	2.0	0.0	0.0	-0.0
9.6	0.0		J	2.0	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	-5.1	-0.0	-0.0	-0.1
-38.1	-0.0		J	-5.1	-0.0	-0.0	-0.1
0.0	0.0						
		INVSLE Max	I	-113.2	-0.0	-1.0	7.3
-291.5	-0.9		J	-113.2	-0.0	0.7	7.3
0.0	0.0	Min	I	-321.9	-0.0	-1.3	-1.6
1016.2	-1.4		J	-321.9	-0.0	0.4	-1.6
0.0	0.0						
		INVSLE Max	I	-84.5	-0.0	-0.7	5.4
-206.6	-0.7		J	-84.5	-0.0	0.6	5.4
0.0	0.0	Min	I	-238.4	-0.0	-0.9	-1.2
-740.2	-1.0		J	-238.4	-0.0	0.3	-1.2
0.0	0.0						
		71 C1-C2;~1 Max	I	98.3	0.0	0.1	3.0
8060	2		J	98.3	0.0	0.1	3.0
161.4	0.1						
0.0	0.0	Min	I	-262.7	-0.0	-0.2	-2.0
-411.4	-0.2		J	-262.7	-0.0	-0.2	-2.0
0.0	0.0						
		C3-C4;~1 Max	I	99.1	0.0	0.0	4.3
86.8	0.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	99.1	0.0	0.0	4.3
-337.3	-0.2	Min	I	-221.4	-0.0	-0.1	-1.6
0.0	0.0		J	-221.4	-0.0	-0.1	-1.6
92.3	0.1	C1-C2;~2 Max	I	53.2	0.0	0.0	1.7
0.0	0.0		J	53.2	0.0	0.0	1.7
-271.6	-0.1	Min	I	-155.8	-0.0	-0.1	-1.0
0.0	0.0		J	-155.8	-0.0	-0.1	-1.0
35.3	0.0	C3-C4;~2 Max	I	53.6	0.0	0.0	2.3
0.0	0.0		J	53.6	0.0	0.0	2.3
-223.0	-0.1	Min	I	-127.0	-0.0	-0.1	-0.8
0.0	0.0		J	-127.0	-0.0	-0.1	-0.8
-348.4	-0.1	G1	I	-104.8	-0.0	-0.8	1.1
0.0	0.0		J	-104.8	-0.0	0.5	1.1
70.0	-0.0	G2	I	-40.9	-0.0	0.0	0.5
0.0	0.0		J	-40.9	-0.0	0.0	0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-21.4	-0.0	Q5_pc X	I	1.5	-0.0	-0.0	-0.1
0.0	0.0		J	1.5	-0.0	-0.0	-0.1
-13.4	0.0	Q5_pc Y	I	-11.9	0.0	-0.0	-0.1
0.0	0.0		J	-11.9	0.0	-0.0	-0.1
-27.2	-0.0	Q5_ps X	I	1.0	-0.0	-0.0	-0.2
0.0	0.0		J	1.0	-0.0	-0.0	-0.2
-25.9	0.0	Q5_ps Y	I	-12.1	0.0	-0.0	-0.1
0.0	0.0		J	-12.1	0.0	-0.0	-0.1
-124.2	-1.4	INVSLU Max	I	72.3	-0.0	-0.9	9.1
0.0	0.0		J	72.3	-0.0	0.8	9.1
-936.0	-1.9	Min	I	-437.6	-0.0	-1.3	0.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-437.6	-0.0	0.5	0.4
-72.0	-1.0	INVSLE Max	I	60.6	-0.0	-0.7	6.7
0.0	0.0		J	60.6	-0.0	0.6	6.7
-670.5	-1.4	Min	I	-315.5	-0.0	-0.9	0.2
0.0	0.0		J	-315.5	-0.0	0.4	0.2
8061	2	71 C1-C2;~1 Max	I	95.7	0.0	0.1	3.1
198.9	0.3		J	95.7	0.0	0.1	3.1
0.0	0.0	Min	I	-277.0	-0.0	-0.2	-0.8
-361.1	-0.1		J	-277.0	-0.0	-0.2	-0.8
0.0	0.0						
88.2	0.3	C3-C4;~1 Max	I	106.1	0.0	0.0	3.2
0.0	0.0		J	106.1	0.0	0.0	3.2
-272.7	-0.1	Min	I	-233.7	-0.0	-0.1	-0.8
0.0	0.0		J	-233.7	-0.0	-0.1	-0.8
116.9	0.2	C1-C2;~2 Max	I	51.5	0.0	0.0	1.9
0.0	0.0		J	51.5	0.0	0.0	1.9
-236.5	-0.1	Min	I	-163.9	-0.0	-0.1	-0.4
0.0	0.0		J	-163.9	-0.0	-0.1	-0.4
41.8	0.2	C3-C4;~2 Max	I	56.2	0.0	0.0	1.9
0.0	0.0		J	56.2	0.0	0.0	1.9
-175.6	-0.1	Min	I	-133.9	-0.0	-0.1	-0.4
0.0	0.0		J	-133.9	-0.0	-0.1	-0.4
-304.9	0.1	G1	I	-124.5	0.0	-0.8	1.8
0.0	0.0		J	-124.5	0.0	0.5	1.8
72.2	0.0	G2	I	-48.8	0.0	0.0	0.7
0.0	0.0		J	-48.8	0.0	0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-13.0	-0.0	Q5_pc X	I	-0.4	-0.0	-0.0	-0.0
			J	-0.4	-0.0	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
31.6	0.0	Q5_pc	Y	I	5.6	0.0	0.0	-0.1
0.0	0.0			J	5.6	0.0	0.0	-0.1
-18.0	-0.0	Q5_ps	X	I	-0.7	-0.0	-0.0	-0.0
0.0	0.0			J	-0.7	-0.0	-0.0	-0.0
46.9	0.0	Q5_ps	Y	I	6.4	0.0	0.0	-0.1
0.0	0.0			J	6.4	0.0	0.0	-0.1
-509.2	0.7	INVS LU	Max	I	-43.0	0.0	-1.1	2.1
0.0	0.0			J	-43.0	0.0	0.7	2.1
1322.0	0.1		Min	I	-570.3	0.0	-1.4	-3.5
0.0	0.0			J	-570.3	0.0	0.3	-3.5
-376.7	0.5	INVS LE	Max	I	-28.6	0.0	-0.8	1.3
0.0	0.0			J	-28.6	0.0	0.5	1.3
-974.6	0.0		Min	I	-418.4	0.0	-1.0	-2.8
0.0	0.0			J	-418.4	0.0	0.2	-2.8
8062	2	71 C1-C2;~1	Max	I	160.7	0.0	0.1	3.6
260.3	1.2			J	160.7	0.0	0.1	3.6
0.0	0.0		Min	I	-160.3	-0.0	-0.3	-4.2
-666.6	-0.7			J	-160.3	-0.0	-0.3	-4.2
0.0	0.0							
194.3	1.7	C3-C4;~1	Max	I	164.9	0.0	0.1	3.1
0.0	0.0			J	164.9	0.0	0.1	3.1
-594.2	-0.6		Min	I	-116.6	-0.0	-0.2	-6.5
0.0	0.0			J	-116.6	-0.0	-0.2	-6.5
148.1	0.6	C1-C2;~2	Max	I	86.3	0.0	0.1	1.9
0.0	0.0			J	86.3	0.0	0.1	1.9
-452.1	-0.4		Min	I	-97.3	-0.0	-0.2	-2.1
0.0	0.0			J	-97.3	-0.0	-0.2	-2.1
92.4	0.9	C3-C4;~2	Max	I	87.6	0.0	0.0	1.5
0.0	0.0			J	87.6	0.0	0.0	1.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-404.9	-0.3		Min	I	-66.4	-0.0	-0.2	-3.3
				J	-66.4	-0.0	-0.2	-3.3
0.0	0.0							
			G1	I	75.1	0.0	-0.8	-1.2
-297.3	0.6			J	75.1	0.0	0.5	-1.2
0.0	0.0							
			G2	I	29.7	0.0	0.0	-0.5
83.0	0.2			J	29.7	0.0	0.0	-0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-6.5	0.0	-0.0	0.2
-18.4	0.2			J	-6.5	0.0	-0.0	0.2
0.0	0.0							
			Q5_pc Y	I	2.1	0.0	-0.0	0.6
-20.7	0.0			J	2.1	0.0	-0.0	0.6
0.0	0.0							
			Q5_ps X	I	-6.6	0.0	-0.0	0.3
-29.7	0.2			J	-6.6	0.0	-0.0	0.3
0.0	0.0							
			Q5_ps Y	I	2.3	0.0	-0.0	0.6
-11.6	0.0			J	2.3	0.0	-0.0	0.6
0.0	0.0							
			INVSLU Max	I	505.6	0.0	-0.8	2.5
271.2	4.1			J	505.6	0.0	1.0	2.5
0.0	0.0							
			Min	I	54.9	0.0	-1.3	-12.2
1017.5	0.4			J	54.9	0.0	0.4	-12.2
0.0	0.0							
			INVSLE Max	I	380.6	0.0	-0.6	1.9
198.4	3.0			J	380.6	0.0	0.7	1.9
0.0	0.0							
			Min	I	47.6	0.0	-1.0	-9.0
-753.4	0.3			J	47.6	0.0	0.3	-9.0
0.0	0.0							
			71 C1-C2;~1 Max	I	117.7	0.0	0.1	1.8
8063	2			J	117.7	0.0	0.1	1.8
177.2	0.1							
0.0	0.0							
			Min	I	-270.7	-0.0	-0.2	-1.1
-383.1	-0.1			J	-270.7	-0.0	-0.2	-1.1
0.0	0.0							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		C3-C4;~1	Max	I	131.8	0.0	0.0	1.4
73.9	0.1			J	131.8	0.0	0.0	1.4
0.0	0.0							
			Min	I	-229.9	-0.0	-0.1	-1.5
-301.2	-0.1			J	-229.9	-0.0	-0.1	-1.5
0.0	0.0							
		C1-C2;~2	Max	I	63.7	0.0	0.0	1.1
103.2	0.1			J	63.7	0.0	0.0	1.1
0.0	0.0							
			Min	I	-159.4	-0.0	-0.1	-0.6
-250.7	-0.0			J	-159.4	-0.0	-0.1	-0.6
0.0	0.0							
		C3-C4;~2	Max	I	69.8	0.0	0.0	0.8
33.8	0.1			J	69.8	0.0	0.0	0.8
0.0	0.0							
			Min	I	-131.3	-0.0	-0.1	-0.9
-195.1	-0.0			J	-131.3	-0.0	-0.1	-0.9
0.0	0.0							
				I	-94.7	0.0	-0.8	-0.1
-330.8	0.1	G1		J	-94.7	0.0	0.5	-0.1
0.0	0.0							
				I	-37.2	0.0	0.0	-0.1
65.0	0.0	G2		J	-37.2	0.0	0.0	-0.1
0.0	0.0							
				I	0.0	0.0	0.0	0.0
0.0	0.0	Q3		J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	4.0	-0.0	-0.0	0.1
-1.8	-0.0			J	4.0	-0.0	-0.0	0.1
0.0	0.0							
		Q5_pc	Y	I	-8.9	0.0	-0.0	0.0
-26.3	0.0			J	-8.9	0.0	-0.0	0.0
0.0	0.0							
		Q5_ps	X	I	3.8	-0.0	0.0	0.1
0.6	-0.0			J	3.8	-0.0	0.0	0.1
0.0	0.0							
		Q5_ps	Y	I	-9.2	0.0	-0.0	0.1
-40.8	0.0			J	-9.2	0.0	-0.0	0.1
0.0	0.0							
		INVSLU	Max	I	76.4	0.0	-1.0	0.7
-235.5	1.2			J	76.4	0.0	0.8	0.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0								
1039.2	0.9		Min	I	-483.1	0.0	-1.3	-3.9	-
0.0	0.0			J	-483.1	0.0	0.4	-3.9	
-162.9	0.9		INVSLE Max	I	60.7	0.0	-0.7	0.5	
0.0	0.0			J	60.7	0.0	0.6	0.5	
-754.7	0.7		Min	I	-352.5	0.0	-1.0	-2.9	
0.0	0.0			J	-352.5	0.0	0.3	-2.9	
8065	2	71	C1-C2;~1 Max	I	101.6	0.0	0.1	1.8	
171.1	0.1			J	101.6	0.0	0.1	1.8	
0.0	0.0		Min	I	-325.6	-0.0	-0.2	-1.8	
-385.2	-0.1			J	-325.6	-0.0	-0.2	-1.8	
0.0	0.0		C3-C4;~1 Max	I	104.8	0.0	0.0	2.2	
98.4	0.2			J	104.8	0.0	0.0	2.2	
0.0	0.0		Min	I	-284.5	-0.0	-0.1	-2.1	
-305.4	-0.1			J	-284.5	-0.0	-0.1	-2.1	
0.0	0.0		C1-C2;~2 Max	I	50.9	0.0	0.0	1.0	
99.6	0.1			J	50.9	0.0	0.0	1.0	
0.0	0.0		Min	I	-189.5	-0.0	-0.1	-1.0	
-253.1	-0.1			J	-189.5	-0.0	-0.1	-1.0	
0.0	0.0		C3-C4;~2 Max	I	52.7	0.0	0.0	1.2	
41.2	0.1			J	52.7	0.0	0.0	1.2	
0.0	0.0		Min	I	-160.5	-0.0	-0.1	-1.1	
-199.8	-0.1			J	-160.5	-0.0	-0.1	-1.1	
0.0	0.0		G1	I	-165.2	-0.0	-0.8	-0.1	
-332.3	-0.0			J	-165.2	-0.0	0.5	-0.1	
0.0	0.0		G2	I	-64.4	-0.0	0.0	-0.0	
75.1	-0.0			J	-64.4	-0.0	0.0	-0.0	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-28.5	-0.0	Q5_pc X	I	4.7	-0.0	-0.0	-0.0
			J	4.7	-0.0	-0.0	-0.0
0.0	0.0						
-11.0	0.0	Q5_pc Y	I	-9.6	0.0	-0.0	-0.1
			J	-9.6	0.0	-0.0	-0.1
0.0	0.0						
-36.5	-0.0	Q5_ps X	I	3.7	-0.0	-0.0	-0.0
			J	3.7	-0.0	-0.0	-0.0
0.0	0.0						
-22.2	0.0	Q5_ps Y	I	-10.0	0.0	-0.0	-0.1
			J	-10.0	0.0	-0.0	-0.1
0.0	0.0						
-501.3	0.2	INVSLE Max	I	-52.8	0.0	-1.1	3.0
			J	-52.8	0.0	0.7	3.0
0.0	0.0						
1303.7	-0.2	Min	I	-651.0	-0.0	-1.4	-3.0
			J	-651.0	-0.0	0.3	-3.0
0.0	0.0						
-366.6	0.1	INVSLE Max	I	-32.4	0.0	-0.8	2.3
			J	-32.4	0.0	0.5	2.3
0.0	0.0						
-957.1	-0.2	Min	I	-474.2	-0.0	-1.0	-2.2
			J	-474.2	-0.0	0.2	-2.2
0.0	0.0						
8066	2	71 C1-C2;~1 Max	I	124.6	0.0	0.1	3.8
258.5	0.3		J	124.6	0.0	0.1	3.8
0.0	0.0						
-635.4	-0.4	Min	I	-72.0	-0.0	-0.3	-3.1
			J	-72.0	-0.0	-0.3	-3.1
0.0	0.0						
169.2	0.3	C3-C4;~1 Max	I	126.3	0.0	0.1	5.8
			J	126.3	0.0	0.1	5.8
0.0	0.0						
-560.4	-0.6	Min	I	-45.9	-0.0	-0.2	-2.9
			J	-45.9	-0.0	-0.2	-2.9
0.0	0.0						
148.5	0.1	C1-C2;~2 Max	I	66.7	0.0	0.1	1.9
			J	66.7	0.0	0.1	1.9
0.0	0.0						
-430.7	-0.2	Min	I	-45.0	-0.0	-0.2	-1.7
			J	-45.0	-0.0	-0.2	-1.7
0.0	0.0						
		C3-C4;~2 Max	I	65.1	0.0	0.0	2.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
76.9	0.1		J	65.1	0.0	0.0	2.9
0.0	0.0						
		Min	I	-27.0	-0.0	-0.2	-1.5
-382.6	-0.3		J	-27.0	-0.0	-0.2	-1.5
0.0	0.0						
		G1	I	125.5	-0.0	-0.7	1.0
-254.1	-0.2		J	125.5	-0.0	0.5	1.0
0.0	0.0						
		G2	I	46.7	-0.0	0.0	0.5
109.1	-0.1		J	46.7	-0.0	0.0	0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.9	-0.0	-0.0	-0.3
-21.2	-0.1		J	-5.9	-0.0	-0.0	-0.3
0.0	0.0						
		Q5_pc Y	I	-12.6	-0.0	-0.0	0.1
-25.3	-0.0		J	-12.6	-0.0	-0.0	0.1
0.0	0.0						
		Q5_ps X	I	-5.6	-0.0	-0.0	-0.3
-22.8	-0.1		J	-5.6	-0.0	-0.0	-0.3
0.0	0.0						
		Q5_ps Y	I	-11.8	-0.0	-0.0	0.0
-40.6	-0.0		J	-11.8	-0.0	-0.0	0.0
0.0	0.0						
		INVSLE Max	I	570.7	0.0	-0.7	8.8
450.1	0.0		J	570.7	0.0	1.1	8.8
0.0	0.0						
		Min	I	280.4	-0.0	-1.2	-3.7
-802.2	-1.3		J	280.4	-0.0	0.5	-3.7
0.0	0.0						
		INVSLE Max	I	428.7	0.0	-0.5	6.4
334.9	0.0		J	428.7	0.0	0.8	6.4
0.0	0.0						
		Min	I	215.3	-0.0	-0.9	-2.9
-589.3	-1.0		J	215.3	-0.0	0.4	-2.9
0.0	0.0						
		71 C1-C2;~1 Max	I	159.1	0.0	0.1	3.9
8067	2		J	159.1	0.0	0.1	3.9
254.0	0.9						
0.0	0.0		Min	-162.6	-0.0	-0.3	-3.4


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-666.7	-1.4		J	-162.6	-0.0	-0.3	-3.4	
0.0	0.0							
167.6	0.8	C3-C4;~1	Max	I	161.3	0.0	0.1	6.1
0.0	0.0			J	161.3	0.0	0.1	6.1
-594.8	-2.0		Min	I	-121.5	-0.0	-0.2	-2.7
0.0	0.0			J	-121.5	-0.0	-0.2	-2.7
145.5	0.4	C1-C2;~2	Max	I	85.5	0.0	0.1	1.9
0.0	0.0			J	85.5	0.0	0.1	1.9
-451.1	-0.7		Min	I	-97.5	-0.0	-0.2	-1.8
0.0	0.0			J	-97.5	-0.0	-0.2	-1.8
81.4	0.4	C3-C4;~2	Max	I	86.6	0.0	0.0	3.1
0.0	0.0			J	86.6	0.0	0.0	3.1
-404.1	-1.0		Min	I	-68.0	-0.0	-0.2	-1.4
0.0	0.0			J	-68.0	-0.0	-0.2	-1.4
-298.9	-0.6	G1		I	71.5	-0.0	-0.8	1.1
0.0	0.0			J	71.5	-0.0	0.5	1.1
81.6	-0.2	G2		I	28.0	-0.0	0.0	0.5
0.0	0.0			J	28.0	-0.0	0.0	0.5
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-32.9	-0.3	Q5_pc	X	I	-3.4	-0.0	-0.0	-0.3
0.0	0.0			J	-3.4	-0.0	-0.0	-0.3
-28.8	-0.1	Q5_pc	Y	I	31.0	-0.0	-0.0	-1.0
0.0	0.0			J	31.0	-0.0	-0.0	-1.0
-47.9	-0.2	Q5_ps	X	I	-4.0	-0.0	-0.0	-0.3
0.0	0.0			J	-4.0	-0.0	-0.0	-0.3
-30.3	-0.1	Q5_ps	Y	I	29.2	-0.0	-0.0	-1.0
0.0	0.0			J	29.2	-0.0	-0.0	-1.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
277.0	-0.3	INVSLE Max	I	528.6	-0.0	-0.8	12.0	
			J	528.6	-0.0	1.0	12.0	
0.0	0.0	Min	I	35.7	-0.0	-1.3	-2.6	-
1025.2	-4.7		J	35.7	-0.0	0.4	-2.6	
0.0	0.0							
202.2	-0.2	INVSLE Max	I	396.7	-0.0	-0.6	8.7	
			J	396.7	-0.0	0.7	8.7	
0.0	0.0	Min	I	35.6	-0.0	-1.0	-2.0	
-758.0	-3.4		J	35.6	-0.0	0.3	-2.0	
0.0	0.0							
8068	2	71 C1-C2;~1 Max	I	65.4	0.0	0.1	1.6	
209.3	0.1		J	65.4	0.0	0.1	1.6	
0.0	0.0	Min	I	-255.3	-0.0	-0.1	-2.1	
-354.3	-0.1		J	-255.3	-0.0	-0.1	-2.1	
0.0	0.0							
95.7	0.1	C3-C4;~1 Max	I	72.8	0.0	0.0	1.3	
			J	72.8	0.0	0.0	1.3	
0.0	0.0	Min	I	-210.5	-0.0	-0.1	-2.6	
-264.8	-0.1		J	-210.5	-0.0	-0.1	-2.6	
0.0	0.0							
123.5	0.1	C1-C2;~2 Max	I	35.1	0.0	0.1	0.9	
			J	35.1	0.0	0.1	0.9	
0.0	0.0	Min	I	-152.4	-0.0	-0.1	-1.2	
-232.6	-0.1		J	-152.4	-0.0	-0.1	-1.2	
0.0	0.0							
46.5	0.1	C3-C4;~2 Max	I	38.6	0.0	0.0	0.7	
			J	38.6	0.0	0.0	0.7	
0.0	0.0	Min	I	-121.6	-0.0	-0.1	-1.5	
-170.6	-0.1		J	-121.6	-0.0	-0.1	-1.5	
0.0	0.0							
-289.5	0.0	G1	I	-130.1	0.0	-0.8	-0.4	
			J	-130.1	0.0	0.5	-0.4	
0.0	0.0							
75.4	0.0	G2	I	-51.1	0.0	0.0	-0.2	
			J	-51.1	0.0	0.0	-0.2	
0.0	0.0							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-12.3	0.0	Q5_pc X	I	-0.5	0.0	-0.0	0.0
0.0	0.0		J	-0.5	0.0	-0.0	0.0
31.2	0.0	Q5_pc Y	I	4.8	0.0	0.0	-0.1
0.0	0.0		J	4.8	0.0	0.0	-0.1
-17.2	0.0	Q5_ps X	I	-0.8	0.0	-0.0	0.1
0.0	0.0		J	-0.8	0.0	-0.0	0.1
46.6	0.0	Q5_ps Y	I	5.7	0.0	0.0	-0.1
0.0	0.0		J	5.7	0.0	0.0	-0.1
-618.2	0.4	INVSLE Max	I	-117.1	0.0	-1.1	1.4
0.0	0.0		J	-117.1	0.0	0.6	1.4
1435.2	0.1	Min	I	-568.7	0.0	-1.5	-4.4
0.0	0.0		J	-568.7	0.0	0.3	-4.4
-459.6	0.3	INVSLE Max	I	-84.6	0.0	-0.8	1.0
0.0	0.0		J	-84.6	0.0	0.4	1.0
1060.7	0.1	Min	I	-418.5	0.0	-1.1	-3.2
0.0	0.0		J	-418.5	0.0	0.2	-3.2
8069	2	71 C1-C2;~1 Max	I	143.3	0.0	0.1	4.4
320.3	0.3		J	143.3	0.0	0.1	4.4
0.0	0.0	Min	I	-92.0	-0.0	-0.3	-3.8
-639.8	-0.5		J	-92.0	-0.0	-0.3	-3.8
0.0	0.0						
205.2	0.4	C3-C4;~1 Max	I	153.4	0.0	0.1	5.7
0.0	0.0		J	153.4	0.0	0.1	5.7
-565.4	-0.6	Min	I	-61.6	-0.0	-0.2	-4.2
0.0	0.0		J	-61.6	-0.0	-0.2	-4.2
172.5	0.2	C1-C2;~2 Max	I	75.2	0.0	0.1	2.2
0.0	0.0		J	75.2	0.0	0.1	2.2
-432.4	-0.2	Min	I	-53.6	-0.0	-0.2	-1.9
			J	-53.6	-0.0	-0.2	-1.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2	Max	I	78.5	0.0	2.9
93.0	0.2			J	78.5	0.0	2.9
0.0	0.0						
			Min	I	-33.9	-0.0	-2.1
-384.7	-0.3			J	-33.9	-0.0	-2.1
0.0	0.0						
			G1	I	132.9	-0.0	0.7
-244.3	-0.1			J	132.9	-0.0	0.7
0.0	0.0						
			G2	I	49.4	-0.0	0.3
114.7	-0.1			J	49.4	-0.0	0.3
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-14.5	-0.0	-0.6
-75.6	-0.2			J	-14.5	-0.0	-0.6
0.0	0.0						
			Q5_pc Y	I	-0.6	0.0	0.4
10.9	0.0			J	-0.6	0.0	0.4
0.0	0.0						
			Q5_ps X	I	-13.8	-0.0	-0.6
-91.1	-0.2			J	-13.8	-0.0	-0.6
0.0	0.0						
			Q5_ps Y	I	-0.5	0.0	0.4
0.2	0.0			J	-0.5	0.0	0.4
0.0	0.0						
			INVSLE Max	I	587.7	0.0	8.8
582.6	0.4			J	587.7	0.0	8.8
0.0	0.0						
			Min	I	230.3	-0.0	-5.5
-849.5	-1.3			J	230.3	-0.0	-5.5
0.0	0.0						
			INVSLE Max	I	439.4	0.0	6.4
428.4	0.3			J	439.4	0.0	6.4
0.0	0.0						
			Min	I	176.6	-0.0	-4.1
-622.3	-0.9			J	176.6	-0.0	-4.1
0.0	0.0						
8070	2	71	C1-C2;~1	Max	I	159.0	3.4
287.6	1.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				J	159.0	0.0	3.4
0.0	0.0					0.1	
			Min	I	-171.7	-0.0	-4.0
-669.9	-0.9					-0.3	
				J	-171.7	-0.0	-4.0
0.0	0.0					-0.3	
			C3-C4;~1 Max	I	173.1	0.0	2.8
168.3	1.8					0.1	
				J	173.1	0.0	2.8
0.0	0.0					0.1	
			Min	I	-123.2	-0.0	-5.4
-597.1	-0.8					-0.2	
				J	-123.2	-0.0	-5.4
0.0	0.0					-0.2	
			C1-C2;~2 Max	I	85.9	0.0	1.8
158.5	0.7					0.1	
				J	85.9	0.0	1.8
0.0	0.0					0.1	
			Min	I	-101.3	-0.0	-2.0
-452.9	-0.4					-0.2	
				J	-101.3	-0.0	-2.0
0.0	0.0					-0.2	
			C3-C4;~2 Max	I	91.8	0.0	1.4
82.0	0.9					0.0	
				J	91.8	0.0	1.4
0.0	0.0					0.0	
			Min	I	-69.0	-0.0	-2.9
-405.6	-0.4					-0.2	
				J	-69.0	-0.0	-2.9
0.0	0.0					-0.2	
			G1	I	73.5	0.0	-1.2
-299.0	0.6					-0.8	
				J	73.5	0.0	-1.2
0.0	0.0					0.5	
			G2	I	27.3	0.0	-0.5
84.5	0.2					0.0	
				J	27.3	0.0	-0.5
0.0	0.0					0.0	
			Q3	I	0.0	0.0	0.0
0.0	0.0					0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0					0.0	0.0
			Q5_pc X	I	-1.8	0.0	0.8
-43.1	0.3					-0.0	
				J	-1.8	0.0	0.8
0.0	0.0					-0.0	
			Q5_pc Y	I	-30.3	0.0	-0.7
-2.0	0.1					-0.0	
				J	-30.3	0.0	-0.7
0.0	0.0					-0.0	
			Q5_ps X	I	-2.3	0.0	0.8
-59.0	0.3					-0.0	
				J	-2.3	0.0	0.8
0.0	0.0					-0.0	
			Q5_ps Y	I	-29.1	0.0	-0.6
-8.5	0.0					-0.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-29.1	0.0	-0.0	-0.6
347.2	4.4	INVS LU Max	I	549.6	0.0	-0.7	2.4
0.0	0.0		J	549.6	0.0	1.0	2.4
1023.1	0.2	Min	I	29.6	0.0	-1.3	-10.8
0.0	0.0		J	29.6	0.0	0.4	-10.8
253.7	3.2	INVS LE Max	I	412.4	0.0	-0.5	1.8
0.0	0.0		J	412.4	0.0	0.7	1.8
-755.6	0.2	Min	I	31.2	0.0	-1.0	-7.9
0.0	0.0		J	31.2	0.0	0.3	-7.9
8071	2	71 C1-C2;~1 Max	I	99.8	0.0	0.1	1.9
222.6	0.1		J	99.8	0.0	0.1	1.9
0.0	0.0	Min	I	-353.1	-0.0	-0.2	-2.0
-385.4	-0.1		J	-353.1	-0.0	-0.2	-2.0
0.0	0.0						
108.9	0.1	C3-C4;~1 Max	I	110.1	0.0	0.0	2.2
0.0	0.0		J	110.1	0.0	0.0	2.2
-305.6	-0.2	Min	I	-288.6	-0.0	-0.1	-2.2
0.0	0.0		J	-288.6	-0.0	-0.1	-2.2
119.9	0.1	C1-C2;~2 Max	I	50.1	0.0	0.0	1.0
0.0	0.0		J	50.1	0.0	0.0	1.0
-253.2	-0.1	Min	I	-200.5	-0.0	-0.1	-1.1
0.0	0.0		J	-200.5	-0.0	-0.1	-1.1
45.4	0.1	C3-C4;~2 Max	I	54.7	0.0	0.0	1.1
0.0	0.0		J	54.7	0.0	0.0	1.1
-199.9	-0.1	Min	I	-162.2	-0.0	-0.1	-1.2
0.0	0.0		J	-162.2	-0.0	-0.1	-1.2
-332.4	-0.0	G1	I	-165.3	-0.0	-0.8	0.0
0.0	0.0		J	-165.3	-0.0	0.5	0.0
75.0	-0.0	G2	I	-65.0	-0.0	0.0	-0.0
0.0	0.0		J	-65.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-16.6	-0.0	Q5_pc X	I	-2.6	-0.0	-0.0	0.0
0.0	0.0		J	-2.6	-0.0	-0.0	0.0
23.2	0.0	Q5_pc Y	I	10.1	0.0	0.0	-0.1
0.0	0.0		J	10.1	0.0	0.0	-0.1
-24.5	-0.0	Q5_ps X	I	-3.2	-0.0	-0.0	0.0
0.0	0.0		J	-3.2	-0.0	-0.0	0.0
38.9	0.0	Q5_ps Y	I	10.6	0.0	0.0	-0.1
0.0	0.0		J	10.6	0.0	0.0	-0.1
-433.9	0.1	INVS LU Max	I	-47.2	0.0	-1.0	3.2
0.0	0.0		J	-47.2	0.0	0.7	3.2
1296.3	-0.3	Min	I	-690.6	-0.0	-1.4	-3.0
0.0	0.0		J	-690.6	-0.0	0.3	-3.0
-316.2	0.1	INVS LE Max	I	-28.3	0.0	-0.8	2.3
0.0	0.0		J	-28.3	0.0	0.5	2.3
-951.9	-0.2	Min	I	-503.6	-0.0	-1.0	-2.2
0.0	0.0		J	-503.6	-0.0	0.2	-2.2
8072	2	71 C1-C2;~1 Max	I	141.1	0.0	0.1	3.1
230.3	0.9		J	141.1	0.0	0.1	3.1
0.0	0.0	Min	I	-155.9	-0.0	-0.3	-1.6
-620.9	-0.8		J	-155.9	-0.0	-0.3	-1.6
0.0	0.0						
147.8	1.3	C3-C4;~1 Max	I	149.2	0.0	0.1	2.3
0.0	0.0		J	149.2	0.0	0.1	2.3
-555.5	-0.6	Min	I	-114.5	-0.0	-0.2	-2.3
0.0	0.0		J	-114.5	-0.0	-0.2	-2.3
134.3	0.5	C1-C2;~2 Max	I	76.9	0.0	0.1	1.9
0.0	0.0		J	76.9	0.0	0.1	1.9

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-422.2	-0.4	Min	I	-94.5	-0.0	-0.2	-0.9
			J	-94.5	-0.0	-0.2	-0.9
0.0	0.0						
72.9	0.7	C3-C4;~2 Max	I	79.4	0.0	0.0	1.3
			J	79.4	0.0	0.0	1.3
0.0	0.0						
-379.6	-0.3	Min	I	-65.2	-0.0	-0.2	-1.3
			J	-65.2	-0.0	-0.2	-1.3
0.0	0.0						
-304.9	0.3	G1	I	63.3	0.0	-0.8	0.1
			J	63.3	0.0	0.5	0.1
0.0	0.0						
71.7	0.1	G2	I	24.4	0.0	0.0	0.0
			J	24.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-11.4	0.1	Q5_pc X	I	7.3	0.0	-0.0	0.1
			J	7.3	0.0	-0.0	0.1
0.0	0.0						
-11.2	0.2	Q5_pc Y	I	-12.5	0.0	-0.0	0.2
			J	-12.5	0.0	-0.0	0.2
0.0	0.0						
-10.2	0.1	Q5_ps X	I	7.0	0.0	-0.0	0.1
			J	7.0	0.0	-0.0	0.1
0.0	0.0						
-24.4	0.1	Q5_ps Y	I	-12.2	0.0	-0.0	0.3
			J	-12.2	0.0	-0.0	0.3
0.0	0.0						
213.2	2.9	INVSLU Max	I	474.8	0.0	-0.8	2.4
			J	474.8	0.0	1.0	2.4
0.0	0.0						
-956.4	-0.2	Min	I	40.5	-0.0	-1.3	-5.4
			J	40.5	-0.0	0.5	-5.4
0.0	0.0						
153.4	2.1	INVSLE Max	I	357.9	0.0	-0.6	1.7
			J	357.9	0.0	0.7	1.7
0.0	0.0						
-711.4	-0.1	Min	I	37.9	-0.0	-0.9	-4.0
			J	37.9	-0.0	0.3	-4.0
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8073	2	71	C1-C2;~1	Max	I	134.8	0.0	0.1	3.7
256.4	0.3				J	134.8	0.0	0.1	3.7
0.0	0.0								
				Min	I	-237.3	-0.0	-0.2	-2.6
-525.2	-0.5				J	-237.3	-0.0	-0.2	-2.6
0.0	0.0								
				C3-C4;~1	Max	I	148.8	0.0	0.0
85.3	0.2				J	148.8	0.0	0.0	4.9
0.0	0.0								
				Min	I	-177.3	-0.0	-0.2	-2.1
-448.0	-0.6				J	-177.3	-0.0	-0.2	-2.1
0.0	0.0								
				C1-C2;~2	Max	I	73.7	0.0	0.1
144.9	0.1				J	73.7	0.0	0.1	1.9
0.0	0.0								
				Min	I	-138.8	-0.0	-0.1	-1.4
-354.7	-0.3				J	-138.8	-0.0	-0.1	-1.4
0.0	0.0								
				C3-C4;~2	Max	I	79.5	0.0	0.0
38.2	0.1				J	79.5	0.0	0.0	2.6
0.0	0.0								
				Min	I	-100.8	-0.0	-0.1	-1.0
-304.0	-0.3				J	-100.8	-0.0	-0.1	-1.0
0.0	0.0								
				G1	I	-15.3	-0.0	-0.8	1.4
-320.7	-0.2				J	-15.3	-0.0	0.5	1.4
0.0	0.0								
				G2	I	-6.8	-0.0	0.0	0.5
76.6	-0.1				J	-6.8	-0.0	0.0	0.5
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-8.7	-0.0	-0.0	-0.5
-47.8	-0.1				J	-8.7	-0.0	-0.0	-0.5
0.0	0.0								
				Q5_pc Y	I	-10.1	-0.0	0.0	0.5
4.0	-0.0				J	-10.1	-0.0	0.0	0.5
0.0	0.0								
				Q5_ps X	I	-9.3	-0.0	-0.0	-0.6
-63.4	-0.0				J	-9.3	-0.0	-0.0	-0.6
0.0	0.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.4	-0.0	Q5_ps Y	I	-10.1	-0.0	-0.0	0.4
0.0	0.0		J	-10.1	-0.0	-0.0	0.4
12.0	-1.4	INVSLE Max	I	284.9	-0.0	-0.9	12.0
0.0	0.0		J	284.9	-0.0	0.9	12.0
1129.2	-2.7	Min	I	-254.6	-0.0	-1.3	1.0
0.0	0.0		J	-254.6	-0.0	0.4	1.0
3.2	-1.0	INVSLE Max	I	216.7	-0.0	-0.6	8.9
0.0	0.0		J	216.7	-0.0	0.6	8.9
-835.7	-2.0	Min	I	-181.6	-0.0	-1.0	0.8
0.0	0.0		J	-181.6	-0.0	0.3	0.8
8074	2	71 C1-C2;~1 Max	I	156.1	0.0	0.1	3.7
275.0	0.9		J	156.1	0.0	0.1	3.7
0.0	0.0	Min	I	-173.5	-0.0	-0.3	-3.5
-673.7	-1.3		J	-173.5	-0.0	-0.3	-3.5
0.0	0.0						
173.8	0.8	C3-C4;~1 Max	I	169.2	0.0	0.1	5.7
0.0	0.0		J	169.2	0.0	0.1	5.7
-606.9	-1.9	Min	I	-121.6	-0.0	-0.3	-2.7
0.0	0.0		J	-121.6	-0.0	-0.3	-2.7
153.1	0.4	C1-C2;~2 Max	I	84.3	0.0	0.1	1.9
0.0	0.0		J	84.3	0.0	0.1	1.9
-455.1	-0.7	Min	I	-102.5	-0.0	-0.2	-1.8
0.0	0.0		J	-102.5	-0.0	-0.2	-1.8
84.8	0.4	C3-C4;~2 Max	I	89.1	0.0	0.0	2.9
0.0	0.0		J	89.1	0.0	0.0	2.9
-412.6	-1.0	Min	I	-68.2	-0.0	-0.2	-1.3
0.0	0.0		J	-68.2	-0.0	-0.2	-1.3
-296.3	-0.6	G1	I	75.1	-0.0	-0.8	1.3
0.0	0.0		J	75.1	-0.0	0.5	1.3
		G2	I	28.4	-0.0	0.0	0.5

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
89.3	-0.2		J	28.4	-0.0	0.0	0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-16.3	-0.1	Q5_pc X	I	-0.3	-0.0	-0.0	-0.2
0.0	0.0		J	-0.3	-0.0	-0.0	-0.2
0.0	0.0						
-16.2	0.0	Q5_pc Y	I	8.6	0.0	-0.0	-0.0
0.0	0.0		J	8.6	0.0	-0.0	-0.0
0.0	0.0						
-26.0	-0.1	Q5_ps X	I	-0.6	-0.0	-0.0	-0.2
0.0	0.0		J	-0.6	-0.0	-0.0	-0.2
0.0	0.0						
-2.0	-0.0	Q5_ps Y	I	8.8	-0.0	-0.0	0.1
0.0	0.0		J	8.8	-0.0	-0.0	0.1
0.0	0.0						
316.3	-0.3	INVS LU Max	I	522.4	-0.0	-0.7	10.9
0.0	0.0		J	522.4	-0.0	1.0	10.9
0.0	0.0	Min	I	44.2	-0.0	-1.3	-1.9
-993.7	-4.3		J	44.2	-0.0	0.5	-1.9
0.0	0.0						
232.2	-0.2	INVS LE Max	I	393.3	-0.0	-0.5	8.0
0.0	0.0		J	393.3	-0.0	0.7	8.0
0.0	0.0	Min	I	40.2	-0.0	-0.9	-1.5
-736.0	-3.1		J	40.2	-0.0	0.3	-1.5
0.0	0.0						
8076	2	71 C1-C2;~1 Max	I	97.3	0.0	0.1	2.4
171.0	0.1		J	97.3	0.0	0.1	2.4
0.0	0.0	Min	I	-306.8	-0.0	-0.2	-1.8
-384.4	-0.1		J	-306.8	-0.0	-0.2	-1.8
0.0	0.0						
96.7	0.1	C3-C4;~1 Max	I	99.2	0.0	0.0	3.3
0.0	0.0		J	99.2	0.0	0.0	3.3
0.0	0.0	Min	I	-265.9	-0.0	-0.1	-1.6
-304.7	-0.2		J	-265.9	-0.0	-0.1	-1.6
0.0	0.0						
		C1-C2;~2 Max	I	50.1	0.0	0.0	1.4

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
99.4	0.1		J	50.1	0.0	0.0	1.4
0.0	0.0						
		Min	I	-179.8	-0.0	-0.1	-1.0
-252.8	-0.1		J	-179.8	-0.0	-0.1	-1.0
0.0	0.0						
		C3-C4;~2 Max	I	51.1	0.0	0.0	1.8
40.6	0.1		J	51.1	0.0	0.0	1.8
0.0	0.0						
		Min	I	-151.1	-0.0	-0.1	-0.8
-199.5	-0.1		J	-151.1	-0.0	-0.1	-0.8
0.0	0.0						
		G1	I	-150.9	-0.0	-0.8	0.7
-334.2	-0.0		J	-150.9	-0.0	0.5	0.7
0.0	0.0						
		G2	I	-58.7	-0.0	0.0	0.3
73.7	-0.0		J	-58.7	-0.0	0.0	0.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.7	-0.0	-0.0	-0.1
-24.7	-0.0		J	3.7	-0.0	-0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-11.0	0.0	-0.0	-0.1
-11.9	0.0		J	-11.0	0.0	-0.0	-0.1
0.0	0.0						
		Q5_ps X	I	2.9	-0.0	-0.0	-0.1
-31.4	-0.0		J	2.9	-0.0	-0.0	-0.1
0.0	0.0						
		Q5_ps Y	I	-11.3	0.0	-0.0	-0.1
-23.4	0.0		J	-11.3	0.0	-0.0	-0.1
0.0	0.0						
		INVS LU Max	I	-24.1	-0.0	-1.0	6.4
-417.5	-0.8		J	-24.1	-0.0	0.7	6.4
0.0	0.0						
		Min	I	-592.1	-0.0	-1.4	-0.7
1211.7	-1.2		J	-592.1	-0.0	0.4	-0.7
0.0	0.0						
		INVS LE Max	I	-10.9	-0.0	-0.8	4.7
-302.2	-0.6		J	-10.9	-0.0	0.5	4.7
0.0	0.0						
		Min	I	-430.2	-0.0	-1.0	-0.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-887.2	-0.9			J	-430.2	-0.0	0.3	-0.5	
0.0	0.0								
8077	2	71	C1-C2;~1	Max	I	140.5	0.0	0.1	2.9
155.7	0.1				J	140.5	0.0	0.1	2.9
0.0	0.0			Min	I	-291.5	-0.0	-0.2	-1.9
-413.7	-0.2				J	-291.5	-0.0	-0.2	-1.9
0.0	0.0								
			C3-C4;~1	Max	I	147.1	0.0	0.0	4.1
85.7	0.1				J	147.1	0.0	0.0	4.1
0.0	0.0			Min	I	-252.6	-0.0	-0.1	-1.5
-339.3	-0.3				J	-252.6	-0.0	-0.1	-1.5
0.0	0.0								
			C1-C2;~2	Max	I	73.3	0.0	0.0	1.6
90.5	0.1				J	73.3	0.0	0.0	1.6
0.0	0.0			Min	I	-169.0	-0.0	-0.1	-1.0
-273.0	-0.1				J	-169.0	-0.0	-0.1	-1.0
0.0	0.0								
			C3-C4;~2	Max	I	76.7	0.0	0.0	2.2
34.9	0.1				J	76.7	0.0	0.0	2.2
0.0	0.0			Min	I	-141.4	-0.0	-0.1	-0.7
-224.3	-0.1				J	-141.4	-0.0	-0.1	-0.7
0.0	0.0								
			G1		I	-96.9	-0.0	-0.8	1.1
-349.2	-0.1				J	-96.9	-0.0	0.5	1.1
0.0	0.0								
			G2		I	-36.6	-0.0	0.0	0.5
64.7	-0.0				J	-36.6	-0.0	0.0	0.5
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-7.1	-0.0	-0.0	-0.2
-33.2	-0.0				J	-7.1	-0.0	-0.0	-0.2
0.0	0.0								
			Q5_pc	Y	I	36.5	-0.0	-0.0	-0.2
-25.1	-0.0				J	36.5	-0.0	-0.0	-0.2
0.0	0.0								
			Q5_ps	X	I	-7.8	-0.0	-0.0	-0.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-47.6	-0.0			J	-7.8	-0.0	-0.2
0.0	0.0						
		Q5_ps	Y	I	34.6	-0.0	-0.2
-24.4	-0.0			J	34.6	-0.0	-0.2
0.0	0.0						
		INVSLE	Max	I	146.4	-0.0	9.0
-126.8	-1.4			J	146.4	-0.0	9.0
0.0	0.0			Min	-511.4	-0.0	0.6
-955.2	-2.0			J	-511.4	-0.0	0.6
0.0	0.0						
		INVSLE	Max	I	112.5	-0.0	6.6
-74.8	-1.0			J	112.5	-0.0	6.6
0.0	0.0			Min	-369.9	-0.0	0.4
-684.0	-1.5			J	-369.9	-0.0	0.4
0.0	0.0						
8078	2	71	C1-C2;~1	Max	I	110.0	2.8
232.8	0.4			J	110.0	0.0	2.8
0.0	0.0			Min	-214.5	-0.0	-3.6
-522.4	-0.2			J	-214.5	-0.0	-3.6
0.0	0.0						
		C3-C4;~1	Max	I	108.7	0.0	2.0
111.3	0.6			J	108.7	0.0	2.0
0.0	0.0			Min	-158.5	-0.0	-5.4
-445.4	-0.2			J	-158.5	-0.0	-5.4
0.0	0.0						
		C1-C2;~2	Max	I	62.2	0.0	1.4
135.6	0.2			J	62.2	0.0	1.4
0.0	0.0			Min	-129.1	-0.0	-1.9
-353.4	-0.1			J	-129.1	-0.0	-1.9
0.0	0.0						
		C3-C4;~2	Max	I	61.5	0.0	1.0
48.5	0.3			J	61.5	0.0	1.0
0.0	0.0			Min	-92.7	-0.0	-2.8
-302.6	-0.1			J	-92.7	-0.0	-2.8
0.0	0.0						
		G1		I	-24.5	0.0	-1.5
-322.3	0.3			J	-24.5	0.0	-1.5


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
			G2	I	-9.7	0.0	0.0	-0.6
76.0	0.1			J	-9.7	0.0	0.0	-0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-6.6	0.0	-0.0	0.1
-14.4	0.0			J	-6.6	0.0	-0.0	0.1
0.0	0.0							
			Q5_pc Y	I	16.9	-0.0	0.0	-0.1
23.9	-0.0			J	16.9	-0.0	0.0	-0.1
0.0	0.0							
			Q5_ps X	I	-6.8	0.0	-0.0	0.1
-21.8	0.0			J	-6.8	0.0	-0.0	0.1
0.0	0.0							
			Q5_ps Y	I	16.9	-0.0	0.0	-0.2
41.0	-0.0			J	16.9	-0.0	0.0	-0.2
0.0	0.0							
			INVSLE Max	I	270.4	0.0	-0.9	-1.0
-37.8	2.8			J	270.4	0.0	0.8	-1.0
0.0	0.0		Min	I	-198.2	0.0	-1.3	-12.2
1100.3	1.6			J	-198.2	0.0	0.4	-12.2
0.0	0.0							
			INVSLE Max	I	207.8	0.0	-0.7	-0.8
-31.4	2.0			J	207.8	0.0	0.6	-0.8
0.0	0.0		Min	I	-137.0	0.0	-1.0	-9.1
-815.3	1.1			J	-137.0	0.0	0.3	-9.1
0.0	0.0							
		2	71 C1-C2;~1 Max	I	147.1	0.0	0.1	3.0
8079	0.5			J	147.1	0.0	0.1	3.0
325.0	0.0		Min	I	-96.5	-0.0	-0.3	-3.7
0.0	0.0			J	-96.5	-0.0	-0.3	-3.7
-642.6	-0.4							
0.0	0.0							
			C3-C4;~1 Max	I	156.0	0.0	0.1	3.1
171.9	0.6			J	156.0	0.0	0.1	3.1
0.0	0.0		Min	I	-65.2	-0.0	-0.2	-4.8
-569.0	-0.4			J	-65.2	-0.0	-0.2	-4.8


MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
174.3	0.3	C1-C2;~2 Max	I	76.7	0.0	0.1	1.6
0.0	0.0		J	76.7	0.0	0.1	1.6
-433.6	-0.2	Min	I	-55.3	-0.0	-0.2	-1.9
0.0	0.0		J	-55.3	-0.0	-0.2	-1.9
80.2	0.3	C3-C4;~2 Max	I	79.7	0.0	0.0	1.5
0.0	0.0		J	79.7	0.0	0.0	1.5
-386.5	-0.2	Min	I	-35.4	-0.0	-0.2	-2.5
0.0	0.0		J	-35.4	-0.0	-0.2	-2.5
-248.1	0.1	G1	I	130.8	0.0	-0.7	-0.9
0.0	0.0		J	130.8	0.0	0.5	-0.9
112.7	0.1	G2	I	47.7	0.0	0.0	-0.3
0.0	0.0		J	47.7	0.0	0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-67.5	0.2	Q5_pc X	I	-8.7	0.0	-0.0	1.0
0.0	0.0		J	-8.7	0.0	-0.0	1.0
-14.3	0.0	Q5_pc Y	I	-29.1	0.0	-0.0	-1.1
0.0	0.0		J	-29.1	0.0	-0.0	-1.1
-84.5	0.2	Q5_ps X	I	-8.2	0.0	-0.0	1.0
0.0	0.0		J	-8.2	0.0	-0.0	1.0
-20.3	0.0	Q5_ps Y	I	-27.7	0.0	-0.0	-1.0
0.0	0.0		J	-27.7	0.0	-0.0	-1.0
578.9	1.4	INVSLU Max	I	609.7	0.0	-0.6	4.3
0.0	0.0		J	609.7	0.0	1.1	4.3
-848.9	-0.4	Min	I	216.5	-0.0	-1.2	-8.4
0.0	0.0		J	216.5	-0.0	0.5	-8.4
426.6	1.0	INVSLE Max	I	455.3	0.0	-0.5	3.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	455.3	0.0	0.8	3.2	
0.0	0.0								
			Min	I	167.9	-0.0	-0.9	-6.0	
-622.0	-0.3								
				J	167.9	-0.0	0.4	-6.0	
0.0	0.0								
8080	2	71	C1-C2;~1	Max	I	139.0	0.0	0.1	2.2
274.8	0.3				J	139.0	0.0	0.1	2.2
0.0	0.0		Min	I	-79.6	-0.0	-0.3	-3.0	
-638.0	-0.4				J	-79.6	-0.0	-0.3	-3.0
0.0	0.0								
			C3-C4;~1	Max	I	137.5	0.0	0.1	3.1
197.6	0.4				J	137.5	0.0	0.1	3.1
0.0	0.0		Min	I	-53.9	-0.0	-0.2	-2.6	
-564.6	-0.5				J	-53.9	-0.0	-0.2	-2.6
0.0	0.0								
			C1-C2;~2	Max	I	72.8	0.0	0.1	1.1
154.6	0.2				J	72.8	0.0	0.1	1.1
0.0	0.0		Min	I	-48.6	-0.0	-0.2	-1.7	
-432.3	-0.2				J	-48.6	-0.0	-0.2	-1.7
0.0	0.0								
			C3-C4;~2	Max	I	71.2	0.0	0.0	1.7
91.8	0.2				J	71.2	0.0	0.0	1.7
0.0	0.0		Min	I	-30.8	-0.0	-0.2	-1.4	
-385.2	-0.3				J	-30.8	-0.0	-0.2	-1.4
0.0	0.0								
			G1	I	125.1	-0.0	-0.7	-0.3	
-254.2	-0.0				J	125.1	-0.0	0.5	-0.3
0.0	0.0								
			G2	I	46.2	-0.0	0.0	-0.1	
109.9	-0.0				J	46.2	-0.0	0.0	-0.1
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-2.8	-0.0	-0.0	-0.3	
-25.2	-0.1				J	-2.8	-0.0	-0.3	
0.0	0.0								
			Q5_pc Y	I	10.7	0.0	0.0	0.6	
45.5	0.1				J	10.7	0.0	0.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-32.6	-0.0	Q5_ps X	I	-2.5	-0.0	-0.0	-0.3	
0.0	0.0		J	-2.5	-0.0	-0.0	-0.3	
64.2	0.1	Q5_ps Y	I	10.0	0.0	0.0	0.6	
0.0	0.0		J	10.0	0.0	0.0	0.6	
485.4	1.1	INVS LU Max	I	571.3	0.0	-0.7	3.5	
0.0	0.0		J	571.3	0.0	1.1	3.5	
-828.8	-0.2	Min	I	256.9	-0.0	-1.2	-5.8	
0.0	0.0		J	256.9	-0.0	0.5	-5.8	
358.4	0.8	INVS LE Max	I	428.7	0.0	-0.5	2.5	
0.0	0.0		J	428.7	0.0	0.8	2.5	
-609.1	-0.2	Min	I	197.2	-0.0	-0.9	-4.3	
0.0	0.0		J	197.2	-0.0	0.4	-4.3	
8081	2	71 C1-C2;~1 Max	I	128.5	0.0	0.1	2.0	
163.0	0.2		J	128.5	0.0	0.1	2.0	
0.0	0.0	Min	I	-282.4	-0.0	-0.2	-2.9	
-413.7	-0.1		J	-282.4	-0.0	-0.2	-2.9	
0.0	0.0							
86.5	0.2	C3-C4;~1 Max	I	139.2	0.0	0.0	1.5	
0.0	0.0		J	139.2	0.0	0.0	1.5	
-339.6	-0.1	Min	I	-241.3	-0.0	-0.1	-4.1	
0.0	0.0		J	-241.3	-0.0	-0.1	-4.1	
93.6	0.1	C1-C2;~2 Max	I	67.7	0.0	0.0	1.0	
0.0	0.0		J	67.7	0.0	0.0	1.0	
-272.9	-0.1	Min	I	-164.9	-0.0	-0.1	-1.6	
0.0	0.0		J	-164.9	-0.0	-0.1	-1.6	
35.3	0.1	C3-C4;~2 Max	I	72.4	0.0	0.0	0.8	
0.0	0.0		J	72.4	0.0	0.0	0.8	
-224.4	-0.0	Min	I	-136.2	-0.0	-0.1	-2.2	
0.0	0.0		J	-136.2	-0.0	-0.1	-2.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-349.4	0.1	G1	I	-94.5	0.0	-0.8	-1.1
			J	-94.5	0.0	0.5	-1.1
0.0	0.0						
		G2	I	-35.4	0.0	0.0	-0.5
64.7	0.0		J	-35.4	0.0	0.0	-0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.7	0.0	-0.0	0.0
-26.7	0.0		J	-6.7	0.0	-0.0	0.0
0.0	0.0						
		Q5_pc Y	I	17.9	0.0	-0.0	0.4
-8.6	0.0		J	17.9	0.0	-0.0	0.4
0.0	0.0						
		Q5_ps X	I	-7.2	0.0	-0.0	0.1
-39.3	0.0		J	-7.2	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps Y	I	17.4	0.0	-0.0	0.4
-3.2	0.0		J	17.4	0.0	-0.0	0.4
0.0	0.0						
		INVSLU Max	I	116.0	0.0	-0.9	-0.3
-124.8	1.9		J	116.0	0.0	0.8	-0.3
0.0	0.0						
		Min	I	-485.4	0.0	-1.3	-9.3
-951.6	1.4		J	-485.4	0.0	0.5	-9.3
0.0	0.0						
		INVSLE Max	I	90.8	0.0	-0.7	-0.2
-73.0	1.4		J	90.8	0.0	0.6	-0.2
0.0	0.0						
		Min	I	-352.3	0.0	-0.9	-6.8
-681.8	1.0		J	-352.3	0.0	0.4	-6.8
0.0	0.0						
		71 C1-C2;~1 Max	I	130.7	0.0	0.1	2.2
8082	2		J	130.7	0.0	0.1	2.2
206.3	0.1						
0.0	0.0						
		Min	I	-315.8	-0.0	-0.2	-2.2
-414.0	-0.3		J	-315.8	-0.0	-0.2	-2.2
0.0	0.0						
		C3-C4;~1 Max	I	144.8	0.0	0.0	3.3
93.0	0.1		J	144.8	0.0	0.0	3.3
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-339.6	-0.3		Min	I	-254.9	-0.0	-0.1	-1.5
				J	-254.9	-0.0	-0.1	-1.5
0.0	0.0							
109.7	0.1		C1-C2;~2 Max	I	69.1	0.0	0.0	1.2
				J	69.1	0.0	0.0	1.2
0.0	0.0							
-273.0	-0.2		Min	I	-179.2	-0.0	-0.1	-1.2
				J	-179.2	-0.0	-0.1	-1.2
0.0	0.0							
37.7	0.1		C3-C4;~2 Max	I	75.2	0.0	0.0	1.8
				J	75.2	0.0	0.0	1.8
0.0	0.0							
-224.4	-0.2		Min	I	-143.0	-0.0	-0.1	-0.8
				J	-143.0	-0.0	-0.1	-0.8
0.0	0.0							
-352.0	-0.1		G1	I	-103.5	-0.0	-0.8	0.8
				J	-103.5	-0.0	0.5	0.8
0.0	0.0							
69.6	-0.0		G2	I	-41.2	-0.0	0.0	0.4
				J	-41.2	-0.0	0.0	0.4
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-19.3	-0.0		Q5_pc X	I	-2.2	-0.0	-0.0	-0.1
				J	-2.2	-0.0	-0.0	-0.1
0.0	0.0							
18.1	0.0		Q5_pc Y	I	7.3	0.0	0.0	-0.0
				J	7.3	0.0	0.0	-0.0
0.0	0.0							
-28.0	-0.0		Q5_ps X	I	-2.7	-0.0	-0.0	-0.1
				J	-2.7	-0.0	-0.0	-0.1
0.0	0.0							
32.8	0.0		Q5_ps Y	I	7.7	0.0	0.0	0.0
				J	7.7	0.0	0.0	0.0
0.0	0.0							
-91.6	-1.5		INVSLU Max	I	109.3	-0.0	-0.9	8.5
				J	109.3	-0.0	0.8	8.5
0.0	0.0							
-963.8	-2.1		Min	I	-525.5	-0.0	-1.3	0.8
				J	-525.5	-0.0	0.5	0.8
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-48.2	-1.1	INVSLE	Max	I	87.5	-0.0	-0.7	6.3
0.0	0.0			J	87.5	-0.0	0.6	6.3
-691.7	-1.6		Min	I	-381.8	-0.0	-0.9	0.6
0.0	0.0			J	-381.8	-0.0	0.4	0.6
8085	2	71	C1-C2;~1	Max	I	140.5	0.0	0.1
271.6	0.4			J	140.5	0.0	0.1	4.0
0.0	0.0		Min	I	-87.7	-0.0	-0.3	-3.1
-650.4	-0.5			J	-87.7	-0.0	-0.3	-3.1
0.0	0.0							
207.7	0.5		C3-C4;~1	Max	I	148.8	0.0	0.1
0.0	0.0			J	148.8	0.0	0.1	5.8
-576.0	-0.7		Min	I	-61.6	-0.0	-0.2	-3.1
0.0	0.0			J	-61.6	-0.0	-0.2	-3.1
153.2	0.2		C1-C2;~2	Max	I	73.4	0.0	0.1
0.0	0.0			J	73.4	0.0	0.1	2.0
-439.0	-0.3		Min	I	-51.9	-0.0	-0.2	-1.6
0.0	0.0			J	-51.9	-0.0	-0.2	-1.6
95.9	0.2		C3-C4;~2	Max	I	75.6	0.0	0.0
0.0	0.0			J	75.6	0.0	0.0	3.0
-391.7	-0.4		Min	I	-34.1	-0.0	-0.2	-1.5
0.0	0.0			J	-34.1	-0.0	-0.2	-1.5
-245.0	-0.1		G1	I	125.6	-0.0	-0.7	1.6
0.0	0.0			J	125.6	-0.0	0.5	1.6
116.1	-0.1		G2	I	46.1	-0.0	0.0	0.7
0.0	0.0			J	46.1	-0.0	0.0	0.7
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-34.4	-0.1		Q5_pc	X	I	-4.7	-0.0	-0.2
0.0	0.0			J	-4.7	-0.0	-0.0	-0.2


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.9	0.0	Q5_pc Y	I	3.4	0.0	-0.0	0.3	
			J	3.4	0.0	-0.0	0.3	
0.0	0.0							
-45.3	-0.1	Q5_ps X	I	-4.3	-0.0	-0.0	-0.2	
			J	-4.3	-0.0	-0.0	-0.2	
0.0	0.0							
5.3	0.0	Q5_ps Y	I	3.4	0.0	0.0	0.4	
			J	3.4	0.0	0.0	0.4	
0.0	0.0							
446.3	0.4	INVS LU Max	I	554.1	0.0	-0.7	10.1	
			J	554.1	0.0	1.1	10.1	
0.0	0.0							
-860.5	-1.3	Min	I	226.3	-0.0	-1.2	-2.5	
			J	226.3	-0.0	0.5	-2.5	
0.0	0.0							
330.3	0.3	INVS LE Max	I	415.1	0.0	-0.5	7.4	
			J	415.1	0.0	0.8	7.4	
0.0	0.0							
-633.0	-1.0	Min	I	173.0	-0.0	-0.9	-1.9	
			J	173.0	-0.0	0.4	-1.9	
0.0	0.0							
8087	2	71 C1-C2;~1 Max	I	97.9	0.0	0.1	1.9	
217.4	0.2		J	97.9	0.0	0.1	1.9	
0.0	0.0							
-384.6	-0.1	Min	I	-333.9	-0.0	-0.2	-2.5	
			J	-333.9	-0.0	-0.2	-2.5	
0.0	0.0							
99.6	0.2	C3-C4;~1 Max	I	104.9	0.0	0.0	1.7	
			J	104.9	0.0	0.0	1.7	
0.0	0.0							
-305.2	-0.1	Min	I	-271.2	-0.0	-0.1	-3.3	
			J	-271.2	-0.0	-0.1	-3.3	
0.0	0.0							
117.5	0.1	C1-C2;~2 Max	I	50.6	0.0	0.0	1.0	
			J	50.6	0.0	0.0	1.0	
0.0	0.0							
-253.0	-0.1	Min	I	-190.9	-0.0	-0.1	-1.4	
			J	-190.9	-0.0	-0.1	-1.4	
0.0	0.0							
41.6	0.1	C3-C4;~2 Max	I	53.6	0.0	0.0	0.8	
			J	53.6	0.0	0.0	0.8	
0.0	0.0							
-199.9	-0.1	Min	I	-153.5	-0.0	-0.1	-1.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-153.5	-0.0	-0.1	-1.8
-335.4	0.0	G1	I	-152.2	0.0	-0.8	-0.7
0.0	0.0		J	-152.2	0.0	0.5	-0.7
73.3	0.0	G2	I	-59.7	0.0	0.0	-0.3
0.0	0.0		J	-59.7	0.0	0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-15.6	0.0	Q5_pc X	I	-3.2	0.0	-0.0	0.1
0.0	0.0		J	-3.2	0.0	-0.0	0.1
24.3	-0.0	Q5_pc Y	I	12.2	-0.0	0.0	-0.1
0.0	0.0		J	12.2	-0.0	0.0	-0.1
-23.2	0.0	Q5_ps X	I	-3.7	0.0	-0.0	0.1
0.0	0.0		J	-3.7	0.0	-0.0	0.1
40.6	-0.0	Q5_ps Y	I	12.5	-0.0	0.0	-0.2
0.0	0.0		J	12.5	-0.0	0.0	-0.2
-357.7	1.2	INVSLE Max	I	-18.0	0.0	-1.0	0.9
0.0	0.0		J	-18.0	0.0	0.7	0.9
1214.2	0.8	Min	I	-632.3	0.0	-1.4	-6.3
0.0	0.0		J	-632.3	0.0	0.4	-6.3
-257.7	0.9	INVSLE Max	I	-6.4	0.0	-0.7	0.7
0.0	0.0		J	-6.4	0.0	0.5	0.7
-888.9	0.6	Min	I	-459.8	0.0	-1.0	-4.7
0.0	0.0		J	-459.8	0.0	0.3	-4.7
8089	2	71 C1-C2;~1 Max	I	136.9	0.0	0.1	2.0
160.1	0.2		J	136.9	0.0	0.1	2.0
0.0	0.0	Min	I	-225.5	-0.0	-0.2	-1.2
-509.7	-0.1		J	-225.5	-0.0	-0.2	-1.2
0.0	0.0	C3-C4;~1 Max	I	150.5	0.0	0.0	1.3

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
75.5	0.3		J	150.5	0.0	0.0	1.3
0.0	0.0						
		Min	I	-183.0	-0.0	-0.2	-1.9
-457.1	-0.1		J	-183.0	-0.0	-0.2	-1.9
0.0	0.0						
		C1-C2;~2 Max	I	74.4	0.0	0.0	1.2
91.6	0.1		J	74.4	0.0	0.0	1.2
0.0	0.0						
		Min	I	-133.0	-0.0	-0.1	-0.7
-340.2	-0.1		J	-133.0	-0.0	-0.1	-0.7
0.0	0.0						
		C3-C4;~2 Max	I	80.0	0.0	0.0	0.8
34.2	0.1		J	80.0	0.0	0.0	0.8
0.0	0.0						
		Min	I	-103.7	-0.0	-0.1	-1.1
-308.1	-0.0		J	-103.7	-0.0	-0.1	-1.1
0.0	0.0						
		G1	I	-21.4	0.0	-0.8	-0.3
-353.7	0.1		J	-21.4	0.0	0.5	-0.3
0.0	0.0						
		G2	I	-9.1	0.0	0.0	-0.1
60.5	0.0		J	-9.1	0.0	0.0	-0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.6	-0.0	-0.0	0.2
-7.5	-0.0		J	4.6	-0.0	-0.0	0.2
0.0	0.0						
		Q5_pc Y	I	-11.6	0.0	-0.0	0.1
-23.4	0.0		J	-11.6	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps X	I	4.4	0.0	-0.0	0.1
-5.4	0.0		J	4.4	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps Y	I	-11.5	0.0	-0.0	0.1
-38.7	0.0		J	-11.5	0.0	-0.0	0.1
0.0	0.0						
		INVSLU Max	I	283.2	0.0	-0.8	0.4
40.0	1.5		J	283.2	0.0	0.9	0.4
0.0	0.0						
		Min	I	-245.2	0.0	-1.2	-5.1


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-906.4	0.9			J	-245.2	0.0	0.5	-5.1
0.0	0.0							
			INVSLE Max	I	215.3	0.0	-0.6	0.3
44.6	1.1			J	215.3	0.0	0.7	0.3
0.0	0.0		Min	I	-174.6	0.0	-0.9	-3.8
-653.3	0.7			J	-174.6	0.0	0.4	-3.8
0.0	0.0							
8090	2	71	C1-C2;~1 Max	I	155.0	0.0	0.1	1.0
164.8	0.1			J	155.0	0.0	0.1	1.0
0.0	0.0		Min	I	-236.5	-0.0	-0.2	-2.6
-514.2	-0.2			J	-236.5	-0.0	-0.2	-2.6
0.0	0.0							
			C3-C4;~1 Max	I	164.3	0.0	0.0	1.6
83.1	0.1			J	164.3	0.0	0.0	1.6
0.0	0.0		Min	I	-195.2	-0.0	-0.2	-1.9
-461.9	-0.3			J	-195.2	-0.0	-0.2	-1.9
0.0	0.0							
			C1-C2;~2 Max	I	83.3	0.0	0.0	0.5
93.1	0.1			J	83.3	0.0	0.0	0.5
0.0	0.0		Min	I	-139.3	-0.0	-0.1	-1.5
-342.5	-0.1			J	-139.3	-0.0	-0.1	-1.5
0.0	0.0							
			C3-C4;~2 Max	I	87.4	0.0	0.0	0.9
38.1	0.0			J	87.4	0.0	0.0	0.9
0.0	0.0		Min	I	-110.5	-0.0	-0.1	-1.1
-310.7	-0.2			J	-110.5	-0.0	-0.1	-1.1
0.0	0.0							
			G1	I	-18.9	-0.0	-0.8	-0.2
-354.5	-0.1			J	-18.9	-0.0	0.5	-0.2
0.0	0.0							
			G2	I	-8.3	-0.0	0.0	-0.1
62.8	-0.0			J	-8.3	-0.0	0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.3	-0.0	-0.0	-0.1
-17.5	-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-1.3	-0.0	-0.0	-0.1
33.2	0.0	Q5_pc Y	I	9.2	0.0	0.0	0.2
0.0	0.0		J	9.2	0.0	0.0	0.2
-23.6	-0.0	Q5_ps X	I	-1.4	-0.0	-0.0	-0.1
0.0	0.0		J	-1.4	-0.0	-0.0	-0.1
50.1	0.0	Q5_ps Y	I	9.6	0.0	0.0	0.2
0.0	0.0		J	9.6	0.0	0.0	0.2
70.4	-0.5	INVS LU Max	I	313.8	-0.0	-0.8	3.5
0.0	0.0		J	313.8	-0.0	0.9	3.5
-906.0	-1.0	Min	I	-244.0	-0.0	-1.2	-2.5
0.0	0.0		J	-244.0	-0.0	0.5	-2.5
66.9	-0.4	INVS LE Max	I	238.7	-0.0	-0.6	2.6
0.0	0.0		J	238.7	-0.0	0.7	2.6
-651.9	-0.8	Min	I	-173.3	-0.0	-0.9	-1.8
0.0	0.0		J	-173.3	-0.0	0.4	-1.8
8092 169.7	2 0.1	71 C1-C2;~1 Max	I	126.8	0.0	0.1	1.0
0.0	0.0		J	126.8	0.0	0.1	1.0
-383.4	-0.1	Min	I	-275.8	-0.0	-0.2	-2.1
0.0	0.0		J	-275.8	-0.0	-0.2	-2.1
68.7	0.1	C3-C4;~1 Max	I	139.2	0.0	0.0	1.3
0.0	0.0		J	139.2	0.0	0.0	1.3
-302.9	-0.1	Min	I	-235.9	-0.0	-0.1	-1.6
0.0	0.0		J	-235.9	-0.0	-0.1	-1.6
98.8	0.1	C1-C2;~2 Max	I	68.4	0.0	0.0	0.6
0.0	0.0		J	68.4	0.0	0.0	0.6
-251.4	-0.1	Min	I	-162.2	-0.0	-0.1	-1.2
0.0	0.0		J	-162.2	-0.0	-0.1	-1.2
30.8	0.1	C3-C4;~2 Max	I	73.9	0.0	0.0	0.7
			J	73.9	0.0	0.0	0.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-134.5	-0.0	-0.1	-1.0
-197.2	-0.1			J	-134.5	-0.0	-0.1	-1.0
0.0	0.0		G1	I	-92.0	-0.0	-0.8	-0.2
-334.7	-0.0			J	-92.0	-0.0	0.5	-0.2
0.0	0.0		G2	I	-36.3	-0.0	0.0	-0.1
64.6	-0.0			J	-36.3	-0.0	0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-0.5	-0.0	-0.0	-0.0
-14.5	-0.0			J	-0.5	-0.0	-0.0	-0.0
0.0	0.0		Q5_pc Y	I	6.8	0.0	0.0	0.1
32.9	0.0			J	6.8	0.0	0.0	0.1
0.0	0.0		Q5_ps X	I	-0.7	-0.0	-0.0	-0.1
-20.0	-0.0			J	-0.7	-0.0	-0.0	-0.1
0.0	0.0		Q5_ps Y	I	7.5	0.0	0.0	0.1
48.6	0.0			J	7.5	0.0	0.0	0.1
0.0	0.0		INVSLE Max	I	89.8	-0.0	-1.0	1.9
-224.1	-0.2			J	89.8	-0.0	0.8	1.9
0.0	0.0		Min	I	-482.6	-0.0	-1.3	-2.8
1030.1	-0.6			J	-482.6	-0.0	0.4	-2.8
0.0	0.0		INVSLE Max	I	71.2	-0.0	-0.7	1.4
-154.1	-0.2			J	71.2	-0.0	0.6	1.4
0.0	0.0		Min	I	-352.0	-0.0	-1.0	-2.1
-746.8	-0.5			J	-352.0	-0.0	0.3	-2.1
0.0	0.0		71 C1-C2;~1 Max	I	141.7	0.0	0.1	2.6
8093	2			J	141.7	0.0	0.1	2.6
223.4	0.4		Min	I	-223.8	-0.0	-0.2	-3.5
0.0	0.0			J	-223.8	-0.0	-0.2	-3.5
-527.2	-0.2							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
116.1	0.7	C3-C4;~1	Max	I	148.7	0.0	0.0
0.0	0.0			J	148.7	0.0	0.0
-449.9	-0.2		Min	I	-176.6	-0.0	-0.2
0.0	0.0			J	-176.6	-0.0	-0.2
132.1	0.2	C1-C2;~2	Max	I	76.4	0.0	0.1
0.0	0.0			J	76.4	0.0	0.1
-356.0	-0.1		Min	I	-133.4	-0.0	-0.1
0.0	0.0			J	-133.4	-0.0	-0.1
50.6	0.4	C3-C4;~2	Max	I	79.6	0.0	0.0
0.0	0.0			J	79.6	0.0	0.0
-305.2	-0.1		Min	I	-100.5	-0.0	-0.1
0.0	0.0			J	-100.5	-0.0	-0.1
-321.0	0.2		G1	I	-13.7	0.0	-0.8
0.0	0.0			J	-13.7	0.0	0.5
71.8	0.1		G2	I	-4.3	0.0	0.0
0.0	0.0			J	-4.3	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-24.2	0.0		Q5_pc X	I	-9.2	0.0	-0.0
0.0	0.0			J	-9.2	0.0	-0.0
-11.2	-0.0		Q5_pc Y	I	7.1	-0.0	-0.0
0.0	0.0			J	7.1	-0.0	-0.0
-35.9	0.0		Q5_ps X	I	-9.4	0.0	-0.0
0.0	0.0			J	-9.4	0.0	-0.0
-4.4	-0.0		Q5_ps Y	I	7.2	-0.0	-0.0
0.0	0.0			J	7.2	-0.0	-0.0
-58.5	2.7		INVSLU Max	I	289.3	0.0	-0.9

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	289.3	0.0	0.8	-0.9
0.0	0.0		Min	I	-230.1	0.0	-1.3	-12.5
1115.4	1.4			J	-230.1	0.0	0.4	-12.5
0.0	0.0							
			INVSLE Max	I	220.1	0.0	-0.7	-0.7
-47.4	2.0			J	220.1	0.0	0.6	-0.7
0.0	0.0		Min	I	-163.5	0.0	-1.0	-9.3
-827.1	1.0			J	-163.5	0.0	0.3	-9.3
0.0	0.0							
8094	2	71	C1-C2;~1 Max	I	135.9	0.0	0.1	1.9
155.6	0.2			J	135.9	0.0	0.1	1.9
0.0	0.0		Min	I	-296.0	-0.0	-0.2	-2.9
-412.5	-0.1			J	-296.0	-0.0	-0.2	-2.9
0.0	0.0							
			C3-C4;~1 Max	I	153.7	0.0	0.0	1.5
55.3	0.2			J	153.7	0.0	0.0	1.5
0.0	0.0		Min	I	-250.4	-0.0	-0.1	-3.6
-338.4	-0.1			J	-250.4	-0.0	-0.1	-3.6
0.0	0.0							
			C1-C2;~2 Max	I	71.3	0.0	0.0	1.0
89.4	0.1			J	71.3	0.0	0.0	1.0
0.0	0.0		Min	I	-170.3	-0.0	-0.1	-1.6
-272.1	-0.1			J	-170.3	-0.0	-0.1	-1.6
0.0	0.0							
			C3-C4;~2 Max	I	79.1	0.0	0.0	0.7
22.7	0.1			J	79.1	0.0	0.0	0.7
0.0	0.0		Min	I	-140.2	-0.0	-0.1	-2.0
-223.6	-0.1			J	-140.2	-0.0	-0.1	-2.0
0.0	0.0							
			G1	I	-96.1	0.0	-0.8	-1.2
-349.4	0.1			J	-96.1	0.0	0.5	-1.2
0.0	0.0							
			G2	I	-39.0	0.0	0.0	-0.5
69.9	0.0			J	-39.0	0.0	0.0	-0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-47.7	0.0	Q5_pc X	I	1.5	0.0	-0.0	0.2
0.0	0.0		J	1.5	0.0	-0.0	0.2
0.9	-0.0	Q5_pc Y	I	-34.4	-0.0	0.0	-0.0
0.0	0.0		J	-34.4	-0.0	0.0	-0.0
-64.2	0.0	Q5_ps X	I	0.3	0.0	-0.0	0.3
0.0	0.0		J	0.3	0.0	-0.0	0.3
-6.9	-0.0	Q5_ps Y	I	-33.1	-0.0	-0.0	-0.0
0.0	0.0		J	-33.1	-0.0	-0.0	-0.0
-109.6	2.0	INVS LU Max	I	151.1	0.0	-0.9	-0.5
0.0	0.0		J	151.1	0.0	0.8	-0.5
-962.4	1.4	Min	I	-517.9	0.0	-1.3	-8.3
0.0	0.0		J	-517.9	0.0	0.5	-8.3
-63.1	1.4	INVS LE Max	I	116.2	0.0	-0.7	-0.4
0.0	0.0		J	116.2	0.0	0.6	-0.4
-688.5	1.0	Min	I	-374.8	0.0	-0.9	-6.1
0.0	0.0		J	-374.8	0.0	0.4	-6.1
8095	2	71 C1-C2;~1 Max	I	154.3	0.0	0.1	3.5
280.7	0.5		J	154.3	0.0	0.1	3.5
-640.0	-0.3	Min	I	-85.7	-0.0	-0.3	-4.2
0.0	0.0		J	-85.7	-0.0	-0.3	-4.2
212.6	0.7	C3-C4;~1 Max	I	162.4	0.0	0.1	4.0
0.0	0.0		J	162.4	0.0	0.1	4.0
-565.6	-0.3	Min	I	-59.8	-0.0	-0.2	-6.2
0.0	0.0		J	-59.8	-0.0	-0.2	-6.2
157.4	0.2	C1-C2;~2 Max	I	79.8	0.0	0.1	1.9
0.0	0.0		J	79.8	0.0	0.1	1.9
-432.1	-0.2	Min	I	-50.8	-0.0	-0.2	-2.1
0.0	0.0		J	-50.8	-0.0	-0.2	-2.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
96.4	0.3	C3-C4;~2	Max	I	82.3	0.0	0.0	2.0	
				J	82.3	0.0	0.0	2.0	
0.0	0.0		Min	I	-32.9	-0.0	-0.2	-3.1	
-384.6	-0.2			J	-32.9	-0.0	-0.2	-3.1	
0.0	0.0								
			G1	I	140.4	0.0	-0.7	-0.7	
-239.4	0.1			J	140.4	0.0	0.5	-0.7	
0.0	0.0								
			G2	I	52.4	0.0	0.0	-0.3	
114.8	0.1			J	52.4	0.0	0.0	-0.3	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-8.9	0.0	-0.0	0.2	
-33.7	0.1			J	-8.9	0.0	-0.0	0.2	
0.0	0.0								
			Q5_pc Y	I	-2.0	0.0	-0.0	0.6	
-11.7	0.1			J	-2.0	0.0	-0.0	0.6	
0.0	0.0								
			Q5_ps X	I	-8.3	0.0	-0.0	0.2	
-45.5	0.1			J	-8.3	0.0	-0.0	0.2	
0.0	0.0								
			Q5_ps Y	I	-1.9	0.0	-0.0	0.6	
-0.3	0.1			J	-1.9	0.0	-0.0	0.6	
0.0	0.0								
			INVS LU Max	I	609.7	0.0	-0.6	5.3	
521.1	1.3			J	609.7	0.0	1.1	5.3	
0.0	0.0		Min	I	258.7	-0.0	-1.2	-9.7	
-782.6	-0.3			J	258.7	-0.0	0.5	-9.7	
0.0	0.0								
			INVS LE Max	I	456.0	0.0	-0.5	3.9	
385.7	0.9			J	456.0	0.0	0.8	3.9	
0.0	0.0		Min	I	197.2	-0.0	-0.9	-7.0	
-575.4	-0.2			J	197.2	-0.0	0.4	-7.0	
0.0	0.0								
8096	2	71	C1-C2;~1	Max	I	106.9	0.0	0.1	3.5
220.2	0.2			J	106.9	0.0	0.1	3.5	
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-522.5	-0.4		Min	I	-204.4	-0.0	-0.2	-2.6
				J	-204.4	-0.0	-0.2	-2.6
0.0	0.0							
110.6	0.2		C3-C4;~1 Max	I	105.8	0.0	0.0	5.4
				J	105.8	0.0	0.0	5.4
0.0	0.0							
-445.9	-0.6		Min	I	-156.8	-0.0	-0.2	-1.9
				J	-156.8	-0.0	-0.2	-1.9
0.0	0.0							
131.0	0.1		C1-C2;~2 Max	I	60.5	0.0	0.1	1.8
				J	60.5	0.0	0.1	1.8
0.0	0.0							
-353.5	-0.2		Min	I	-124.9	-0.0	-0.1	-1.4
				J	-124.9	-0.0	-0.1	-1.4
0.0	0.0							
48.1	0.1		C3-C4;~2 Max	I	59.8	0.0	0.0	2.8
				J	59.8	0.0	0.0	2.8
0.0	0.0							
-303.0	-0.3		Min	I	-91.9	-0.0	-0.1	-0.9
				J	-91.9	-0.0	-0.1	-0.9
0.0	0.0							
-323.1	-0.3		G1	I	-25.8	-0.0	-0.8	1.4
				J	-25.8	-0.0	0.5	1.4
0.0	0.0							
74.9	-0.1		G2	I	-10.1	-0.0	0.0	0.6
				J	-10.1	-0.0	0.0	0.6
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-19.7	-0.0		Q5_pc X	I	-4.1	-0.0	-0.0	-0.2
				J	-4.1	-0.0	-0.0	-0.2
0.0	0.0							
-11.4	-0.0		Q5_pc Y	I	-12.4	-0.0	-0.0	-0.0
				J	-12.4	-0.0	-0.0	-0.0
0.0	0.0							
-24.0	-0.0		Q5_ps X	I	-4.2	-0.0	-0.0	-0.3
				J	-4.2	-0.0	-0.0	-0.3
0.0	0.0							
-24.1	-0.0		Q5_ps Y	I	-12.5	-0.0	-0.0	-0.1
				J	-12.5	-0.0	-0.0	-0.1
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-60.8	-1.5		INVSLE Max	I	254.2	-0.0	-0.9	12.2	
				J	254.2	-0.0	0.8	12.2	
0.0	0.0		Min	I	-188.4	-0.0	-1.3	1.1	-
1099.0	-2.7			J	-188.4	-0.0	0.4	1.1	
0.0	0.0								
			INVSLE Max	I	196.0	-0.0	-0.7	9.1	
-48.2	-1.1			J	196.0	-0.0	0.6	9.1	
0.0	0.0		Min	I	-130.2	-0.0	-1.0	0.8	
-814.6	-2.0			J	-130.2	-0.0	0.3	0.8	
0.0	0.0								
8097	2	71	C1-C2;~1 Max	I	125.8	0.0	0.1	1.7	
171.5	0.2			J	125.8	0.0	0.1	1.7	
0.0	0.0		Min	I	-334.8	-0.0	-0.2	-2.3	
-386.9	-0.1			J	-334.8	-0.0	-0.2	-2.3	
0.0	0.0								
			C3-C4;~1 Max	I	144.0	0.0	0.0	1.5	
65.8	0.2			J	144.0	0.0	0.0	1.5	
0.0	0.0		Min	I	-288.0	-0.0	-0.1	-2.8	
-307.0	-0.1			J	-288.0	-0.0	-0.1	-2.8	
0.0	0.0								
			C1-C2;~2 Max	I	64.1	0.0	0.0	0.9	
98.9	0.1			J	64.1	0.0	0.0	0.9	
0.0	0.0		Min	I	-192.1	-0.0	-0.1	-1.3	
-253.9	-0.1			J	-192.1	-0.0	-0.1	-1.3	
0.0	0.0								
			C3-C4;~2 Max	I	72.0	0.0	0.0	0.8	
28.2	0.1			J	72.0	0.0	0.0	0.8	
0.0	0.0		Min	I	-161.3	-0.0	-0.1	-1.6	
-200.4	-0.1			J	-161.3	-0.0	-0.1	-1.6	
0.0	0.0								
			G1	I	-143.4	0.0	-0.8	-0.7	
-336.2	0.0			J	-143.4	0.0	0.5	-0.7	
0.0	0.0								
			G2	I	-57.2	0.0	0.0	-0.3	
72.9	0.0			J	-57.2	0.0	0.0	-0.3	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-46.4	0.0	Q5_pc X	I	3.3	0.0	-0.0	0.1
0.0	0.0		J	3.3	0.0	-0.0	0.1
1.2	-0.0	Q5_pc Y	I	-32.4	-0.0	0.0	0.1
0.0	0.0		J	-32.4	-0.0	0.0	0.1
-62.5	0.0	Q5_ps X	I	1.8	0.0	-0.0	0.1
0.0	0.0		J	1.8	0.0	-0.0	0.1
-6.7	-0.0	Q5_ps Y	I	-31.2	-0.0	-0.0	0.1
0.0	0.0		J	-31.2	-0.0	-0.0	0.1
-399.8	1.2	INVSLE Max	I	39.7	0.0	-1.0	0.6
0.0	0.0		J	39.7	0.0	0.7	0.6
1237.2	0.8	Min	I	-664.9	0.0	-1.4	-5.8
0.0	0.0		J	-664.9	0.0	0.4	-5.8
-290.5	0.9	INVSLE Max	I	33.7	0.0	-0.8	0.4
0.0	0.0		J	33.7	0.0	0.5	0.4
-904.6	0.6	Min	I	-484.0	0.0	-1.0	-4.3
0.0	0.0		J	-484.0	0.0	0.3	-4.3
8098	2	71 C1-C2;~1 Max	I	118.3	0.0	0.1	1.8
173.6	0.1		J	118.3	0.0	0.1	1.8
0.0	0.0	Min	I	-340.1	-0.0	-0.2	-1.8
-388.9	-0.1		J	-340.1	-0.0	-0.2	-1.8
0.0	0.0						
97.3	0.1	C3-C4;~1 Max	I	127.6	0.0	0.0	2.2
0.0	0.0		J	127.6	0.0	0.0	2.2
-308.8	-0.2	Min	I	-299.3	-0.0	-0.1	-2.2
0.0	0.0		J	-299.3	-0.0	-0.1	-2.2
101.3	0.1	C1-C2;~2 Max	I	58.0	0.0	0.0	1.0
0.0	0.0		J	58.0	0.0	0.0	1.0
-255.2	-0.1	Min	I	-196.5	-0.0	-0.1	-1.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-196.5	-0.0	-0.1	-1.0
40.7	0.1	C3-C4;~2 Max	I	62.2	0.0	0.0	1.2
0.0	0.0		J	62.2	0.0	0.0	1.2
-201.7	-0.1	Min	I	-167.6	-0.0	-0.1	-1.2
0.0	0.0		J	-167.6	-0.0	-0.1	-1.2
-334.3	-0.0	G1	I	-159.8	-0.0	-0.8	-0.0
0.0	0.0		J	-159.8	-0.0	0.5	-0.0
68.3	-0.0	G2	I	-60.5	-0.0	0.0	-0.0
0.0	0.0		J	-60.5	-0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-29.3	0.0	Q5_pc X	I	-6.4	0.0	-0.0	-0.1
0.0	0.0		J	-6.4	0.0	-0.0	-0.1
-17.1	0.0	Q5_pc Y	I	30.4	0.0	-0.0	0.2
0.0	0.0		J	30.4	0.0	-0.0	0.2
-42.5	0.0	Q5_ps X	I	-7.2	0.0	-0.0	-0.0
0.0	0.0		J	-7.2	0.0	-0.0	-0.0
-14.1	0.0	Q5_ps Y	I	29.1	0.0	-0.0	0.2
0.0	0.0		J	29.1	0.0	-0.0	0.2
-508.8	0.2	INVSLE Max	I	-13.2	0.0	-1.1	3.2
0.0	0.0		J	-13.2	0.0	0.7	3.2
1320.8	-0.2	Min	I	-699.5	-0.0	-1.4	-3.1
0.0	0.0		J	-699.5	-0.0	0.3	-3.1
-372.2	0.1	INVSLE Max	I	-5.5	0.0	-0.8	2.3
0.0	0.0		J	-5.5	0.0	0.5	2.3
-969.8	-0.2	Min	I	-509.8	-0.0	-1.0	-2.3
0.0	0.0		J	-509.8	-0.0	0.2	-2.3
8099	2	71 C1-C2;~1 Max	I	144.1	0.0	0.1	2.3

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
214.3	0.5		J	144.1	0.0	0.1	2.3
0.0	0.0	Min	I	-227.3	-0.0	-0.2	-3.0
-525.9	-0.3		J	-227.3	-0.0	-0.2	-3.0
0.0	0.0						
		C3-C4;~1 Max	I	145.1	0.0	0.0	1.5
116.0	0.8		J	145.1	0.0	0.0	1.5
0.0	0.0	Min	I	-181.5	-0.0	-0.2	-4.8
-449.1	-0.3		J	-181.5	-0.0	-0.2	-4.8
0.0	0.0						
		C1-C2;~2 Max	I	77.2	0.0	0.1	1.2
128.0	0.3		J	77.2	0.0	0.1	1.2
0.0	0.0	Min	I	-134.4	-0.0	-0.1	-1.6
-355.2	-0.1		J	-134.4	-0.0	-0.1	-1.6
0.0	0.0						
		C3-C4;~2 Max	I	78.0	0.0	0.0	0.7
50.6	0.4		J	78.0	0.0	0.0	0.7
0.0	0.0	Min	I	-102.1	-0.0	-0.1	-2.5
-304.6	-0.1		J	-102.1	-0.0	-0.1	-2.5
0.0	0.0						
		G1	I	-16.4	0.0	-0.8	-1.4
-320.4	0.2		J	-16.4	0.0	0.5	-1.4
0.0	0.0						
		G2	I	-6.4	0.0	0.0	-0.6
77.0	0.1		J	-6.4	0.0	0.0	-0.6
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.5	0.0	-0.0	0.5
-42.1	0.1		J	0.5	0.0	-0.0	0.5
0.0	0.0						
		Q5_pc Y	I	-5.0	-0.0	0.0	-0.2
0.3	-0.0		J	-5.0	-0.0	0.0	-0.2
0.0	0.0						
		Q5_ps X	I	-0.3	0.0	-0.0	0.5
-52.9	0.1		J	-0.3	0.0	-0.0	0.5
0.0	0.0						
		Q5_ps Y	I	-5.4	-0.0	-0.0	-0.1

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-9.9	-0.0		J	-5.4	-0.0	-0.0	-0.1
0.0	0.0						
		INVS LU Max	I	283.9	0.0	-0.9	-1.4
-49.1	2.9		J	283.9	0.0	0.8	-1.4
0.0	0.0	Min	I	-227.9	0.0	-1.3	-11.8
1124.2	1.3		J	-227.9	0.0	0.4	-11.8
0.0	0.0						
		INVS LE Max	I	216.8	0.0	-0.7	-1.1
-41.6	2.1		J	216.8	0.0	0.6	-1.1
0.0	0.0	Min	I	-161.6	0.0	-1.0	-8.7
-832.4	1.0		J	-161.6	0.0	0.3	-8.7
0.0	0.0						
8102	2	78 C1-C2;~1 Max	I	21.9	0.0	0.0	0.1
0.0	0.0		J	21.9	0.0	0.0	0.1
0.0	0.0	Min	I	-65.5	0.0	0.0	-0.4
0.0	0.0		J	-65.5	0.0	0.0	-0.4
0.0	0.0						
		C3-C4;~1 Max	I	47.6	0.0	0.0	0.2
0.0	0.0		J	47.6	0.0	0.0	0.2
0.0	0.0	Min	I	-41.1	0.0	0.0	-0.5
0.0	0.0		J	-41.1	0.0	0.0	-0.5
0.0	0.0						
		C1-C2;~2 Max	I	12.5	0.0	0.0	0.1
0.0	0.0		J	12.5	0.0	0.0	0.1
0.0	0.0	Min	I	-42.7	0.0	0.0	-0.3
0.0	0.0		J	-42.7	0.0	0.0	-0.3
0.0	0.0						
		C3-C4;~2 Max	I	30.1	0.0	0.0	0.1
0.0	0.0		J	30.1	0.0	0.0	0.1
0.0	0.0	Min	I	-26.1	0.0	0.0	-0.3
0.0	0.0		J	-26.1	0.0	0.0	-0.3
0.0	0.0						
		G1	I	0.2	0.0	-0.5	-0.3
0.0	0.0		J	1.0	0.0	0.5	-0.3
0.0	0.0						
		G2	I	-0.9	0.0	0.0	-0.1
0.0	0.0		J	-0.9	0.0	0.0	-0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-0.6	0.0	0.0
0.0	0.0			J	-0.6	0.0	0.0
0.0	0.0						
			Q5_pc Y	I	2.1	0.0	0.0
0.0	0.0			J	2.1	0.0	0.0
0.0	0.0						
			Q5_ps X	I	-0.9	0.0	0.0
0.0	0.0			J	-0.9	0.0	0.0
0.0	0.0						
			Q5_ps Y	I	2.9	0.0	0.0
0.0	0.0			J	2.9	0.0	0.0
0.0	0.0						
			INVSLE Max	I	65.4	0.0	-0.7
0.0	0.0			J	66.6	0.0	0.7
0.0	0.0		Min	I	-91.0	0.0	-0.7
0.0	0.0			J	-89.8	0.0	0.7
0.0	0.0						
			INVSLE Max	I	48.3	0.0	-0.5
0.0	0.0			J	49.1	0.0	0.5
0.0	0.0		Min	I	-67.3	0.0	-0.5
0.0	0.0			J	-66.4	0.0	0.5
0.0	0.0						
8103	2	78	C1-C2;~1 Max	I	65.3	0.0	0.0
0.0	0.0			J	65.3	0.0	0.0
0.0	0.0		Min	I	-21.6	0.0	0.0
0.0	0.0			J	-21.6	0.0	0.0
0.0	0.0						
			C3-C4;~1 Max	I	41.3	0.0	0.0
0.0	0.0			J	41.3	0.0	0.0
0.0	0.0		Min	I	-47.5	0.0	0.0
0.0	0.0			J	-47.5	0.0	0.0
0.0	0.0						
			C1-C2;~2 Max	I	42.6	0.0	0.0
0.0	0.0			J	42.6	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-12.3	0.0	0.0	-0.1
0.0	0.0			J	-12.3	0.0	0.0	-0.1
0.0	0.0							
		C3-C4;~2	Max	I	26.2	0.0	0.0	0.3
0.0	0.0			J	26.2	0.0	0.0	0.3
0.0	0.0		Min	I	-30.1	0.0	0.0	-0.1
0.0	0.0			J	-30.1	0.0	0.0	-0.1
0.0	0.0							
		G1		I	3.4	0.0	-0.5	0.3
0.0	0.0			J	4.3	0.0	0.5	0.3
0.0	0.0							
		G2		I	0.8	0.0	0.0	0.1
0.0	0.0			J	0.8	0.0	0.0	0.1
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	0.6	0.0	0.0	-0.0
0.0	0.0			J	0.6	0.0	0.0	-0.0
0.0	0.0							
		Q5_pc Y		I	-2.1	0.0	0.0	0.1
0.0	0.0			J	-2.1	0.0	0.0	0.1
0.0	0.0							
		Q5_ps X		I	0.9	0.0	0.0	-0.0
0.0	0.0			J	0.9	0.0	0.0	-0.0
0.0	0.0							
		Q5_ps Y		I	-3.0	0.0	0.0	0.1
0.0	0.0			J	-3.0	0.0	0.0	0.1
0.0	0.0							
		INVS LU Max		I	95.8	0.0	-0.7	0.3
0.0	0.0			J	96.9	0.0	0.7	0.3
0.0	0.0		Min	I	-60.4	0.0	-0.7	-0.7
0.0	0.0			J	-59.2	0.0	0.7	-0.7
0.0	0.0							
		INVS LE Max		I	70.8	0.0	-0.5	0.2
0.0	0.0			J	71.7	0.0	0.5	0.2
0.0	0.0		Min	I	-44.6	0.0	-0.5	-0.5
0.0	0.0			J	-43.7	0.0	0.5	-0.5


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
8104	2	78 C1-C2;~1 Max	I	34.4	0.0	0.0	0.2
0.0	0.0		J	34.4	0.0	0.0	0.2
0.0	0.0	Min	I	-94.5	0.0	-0.0	-0.4
0.0	0.0		J	-94.5	-0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	71.2	0.0	0.0	0.2
0.0	0.0		J	71.2	0.0	0.0	0.2
0.0	0.0	Min	I	-60.3	0.0	-0.0	-0.4
0.0	0.0		J	-60.3	-0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	19.4	0.0	0.0	0.1
0.0	0.0		J	19.4	0.0	0.0	0.1
0.0	0.0	Min	I	-60.3	0.0	-0.0	-0.2
0.0	0.0		J	-60.3	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	44.2	0.0	0.0	0.1
0.0	0.0		J	44.2	0.0	0.0	0.1
0.0	0.0	Min	I	-37.5	0.0	-0.0	-0.3
0.0	0.0		J	-37.5	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	G1	I	0.7	0.0	-0.5	-0.2
0.0	0.0		J	1.6	0.0	0.5	-0.2
0.0	0.0						
0.0	0.0	G2	I	-0.8	0.0	0.0	-0.1
0.0	0.0		J	-0.8	0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	0.1	0.0	0.0	-0.0
0.0	0.0		J	0.1	-0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	0.3	0.0	0.0	0.0
0.0	0.0		J	0.3	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	-0.0	-0.0	-0.0


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
			Q5_ps Y	I	1.6	0.0	0.0	0.0
0.0	0.0			J	1.6	-0.0	-0.0	0.0
0.0	0.0							
			INVSLU Max	I	97.0	0.0	-0.7	-0.0
0.0	0.0			J	98.2	0.0	0.7	-0.0
0.0	0.0							
			Min	I	-127.1	0.0	-0.7	-0.9
0.0	0.0			J	-125.9	-0.0	0.7	-0.9
0.0	0.0							
			INVSLE Max	I	71.8	0.0	-0.5	-0.0
0.0	0.0			J	72.6	0.0	0.5	-0.0
0.0	0.0							
			Min	I	-94.2	0.0	-0.5	-0.7
0.0	0.0			J	-93.3	-0.0	0.5	-0.7
0.0	0.0							
8105	2	78	C1-C2;~1 Max	I	94.3	0.0	0.0	0.4
0.0	0.0			J	94.3	0.0	0.0	0.4
0.0	0.0							
			Min	I	-34.1	0.0	-0.0	-0.2
0.0	0.0			J	-34.1	-0.0	-0.0	-0.2
0.0	0.0							
			C3-C4;~1 Max	I	60.5	0.0	0.0	0.3
0.0	0.0			J	60.5	0.0	0.0	0.3
0.0	0.0							
			Min	I	-71.1	0.0	-0.0	-0.2
0.0	0.0			J	-71.1	-0.0	-0.0	-0.2
0.0	0.0							
			C1-C2;~2 Max	I	60.2	0.0	0.0	0.2
0.0	0.0			J	60.2	0.0	0.0	0.2
0.0	0.0							
			Min	I	-19.1	0.0	-0.0	-0.1
0.0	0.0			J	-19.1	-0.0	-0.0	-0.1
0.0	0.0							
			C3-C4;~2 Max	I	37.6	0.0	0.0	0.2
0.0	0.0			J	37.6	0.0	0.0	0.2
0.0	0.0							
			Min	I	-44.1	0.0	-0.0	-0.1
0.0	0.0			J	-44.1	-0.0	-0.0	-0.1
0.0	0.0							
			G1	I	2.8	0.0	-0.5	0.1
0.0	0.0			J	3.7	-0.0	0.5	0.1
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		G2	I	0.7	0.0	0.0
0.0	0.0			J	0.7	-0.0	-0.0
0.0	0.0						0.1
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
0.0	0.0		Q5_pc X	I	-0.1	0.0	-0.0
0.0	0.0			J	-0.1	0.0	0.0
0.0	0.0						-0.0
0.0	0.0		Q5_pc Y	I	-0.3	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0
0.0	0.0						0.0
0.0	0.0		Q5_ps X	I	0.4	0.0	-0.0
0.0	0.0			J	0.4	0.0	0.0
0.0	0.0						-0.0
0.0	0.0		Q5_ps Y	I	-1.7	0.0	-0.0
0.0	0.0			J	-1.7	0.0	0.0
0.0	0.0						0.0
0.0	0.0		INVSLE Max	I	132.2	0.0	-0.7
0.0	0.0			J	133.4	0.0	0.7
0.0	0.0						0.1
0.0	0.0		Min	I	-91.6	0.0	-0.7
0.0	0.0			J	-90.5	-0.0	0.7
0.0	0.0						-0.7
0.0	0.0		INVSLE Max	I	98.0	0.0	-0.5
0.0	0.0			J	98.8	0.0	0.5
0.0	0.0						0.1
0.0	0.0		Min	I	-67.8	0.0	-0.5
0.0	0.0			J	-66.9	-0.0	0.5
0.0	0.0						-0.6
8106	2	78	C1-C2;~1 Max	I	38.0	0.0	0.0
0.0	0.0			J	38.0	0.0	0.0
0.0	0.0						0.2
0.0	0.0		Min	I	-103.4	-0.0	0.0
0.0	0.0			J	-103.4	-0.0	0.0
0.0	0.0						-0.3
0.0	0.0		C3-C4;~1 Max	I	77.1	0.0	0.0
0.0	0.0			J	77.1	0.0	0.0
0.0	0.0						0.3
0.0	0.0		Min	I	-65.9	-0.0	0.0
0.0	0.0			J	-65.9	-0.0	0.0
0.0	0.0						-0.3

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C1-C2;~2 Max	I	20.9	0.0	0.0	0.1
			J	20.9	0.0	0.0	0.1
0.0	0.0	Min	I	-65.1	-0.0	0.0	-0.2
0.0	0.0		J	-65.1	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	47.1	0.0	0.0	0.2
0.0	0.0		J	47.1	0.0	0.0	0.2
0.0	0.0	Min	I	-40.2	-0.0	0.0	-0.2
0.0	0.0		J	-40.2	-0.0	0.0	-0.2
0.0	0.0	G1	I	0.1	-0.0	-0.5	-0.1
0.0	0.0		J	1.0	0.0	0.5	-0.1
0.0	0.0	G2	I	-0.9	-0.0	0.0	-0.0
0.0	0.0		J	-0.9	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.7	0.0	0.0	-0.0
0.0	0.0		J	-0.7	-0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	2.5	0.0	0.0	0.0
0.0	0.0		J	2.5	-0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	-1.2	0.0	0.0	-0.0
0.0	0.0		J	-1.2	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	3.9	0.0	0.0	0.0
0.0	0.0		J	3.9	-0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	108.9	0.0	-0.7	0.0
0.0	0.0		J	110.1	0.0	0.7	0.0
0.0	0.0	Min	I	-139.2	-0.0	-0.7	-0.8
0.0	0.0		J	-138.1	-0.0	0.7	-0.8
0.0	0.0	INVSLE Max	I	80.5	0.0	-0.5	0.0
0.0	0.0		J	81.4	0.0	0.5	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-103.0	-0.0	-0.5	-0.6
0.0	0.0			J	-102.1	-0.0	0.5	-0.6
8107	2	78	C1-C2;~1	Max	I	103.2	0.0	0.3
0.0	0.0			J	103.2	0.0	0.0	0.3
0.0	0.0		Min	I	-37.6	-0.0	0.0	-0.3
0.0	0.0			J	-37.6	-0.0	0.0	-0.3
0.0	0.0		C3-C4;~1	Max	I	66.1	0.0	0.3
0.0	0.0			J	66.1	0.0	0.0	0.3
0.0	0.0		Min	I	-77.0	-0.0	0.0	-0.2
0.0	0.0			J	-77.0	-0.0	0.0	-0.2
0.0	0.0		C1-C2;~2	Max	I	65.0	0.0	0.2
0.0	0.0			J	65.0	0.0	0.0	0.2
0.0	0.0		Min	I	-20.7	-0.0	0.0	-0.2
0.0	0.0			J	-20.7	-0.0	0.0	-0.2
0.0	0.0		C3-C4;~2	Max	I	40.4	0.0	0.2
0.0	0.0			J	40.4	0.0	0.0	0.2
0.0	0.0		Min	I	-47.0	-0.0	0.0	-0.1
0.0	0.0			J	-47.0	-0.0	0.0	-0.1
0.0	0.0		G1	I	3.4	0.0	-0.5	0.0
0.0	0.0			J	4.3	-0.0	0.5	0.0
0.0	0.0		G2	I	0.8	0.0	0.0	0.0
0.0	0.0			J	0.8	-0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	0.7	-0.0	-0.0
0.0	0.0			J	0.7	0.0	0.0	-0.0
0.0	0.0		Q5_pc	Y	I	-2.5	-0.0	0.0
0.0	0.0			J	-2.5	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	1.2	-0.0	0.0	-0.0
0.0	0.0		J	1.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-3.9	-0.0	0.0	0.0
0.0	0.0		J	-3.9	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	144.4	0.0	-0.7	-0.0
0.0	0.0		J	145.6	0.0	0.7	-0.0
0.0	0.0	Min	I	-103.4	-0.0	-0.7	-0.8
0.0	0.0		J	-102.2	-0.0	0.7	-0.8
0.0	0.0	INVSLE Max	I	106.8	0.0	-0.5	-0.0
0.0	0.0		J	107.7	0.0	0.5	-0.0
0.0	0.0	Min	I	-76.4	-0.0	-0.5	-0.6
0.0	0.0		J	-75.6	-0.0	0.5	-0.6
8108	2	78 C1-C2;~1 Max	I	39.1	0.0	0.0	0.3
0.0	0.0		J	39.1	0.0	0.0	0.3
0.0	0.0	Min	I	-111.5	-0.0	-0.0	-0.3
0.0	0.0		J	-111.5	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	78.2	0.0	0.0	0.3
0.0	0.0		J	78.2	0.0	0.0	0.3
0.0	0.0	Min	I	-73.3	-0.0	-0.0	-0.3
0.0	0.0		J	-73.3	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	20.9	0.0	0.0	0.1
0.0	0.0		J	20.9	0.0	0.0	0.1
0.0	0.0	Min	I	-69.4	-0.0	-0.0	-0.2
0.0	0.0		J	-69.4	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	47.0	0.0	0.0	0.2
0.0	0.0		J	47.0	0.0	0.0	0.2
0.0	0.0	Min	I	-44.1	-0.0	-0.0	-0.2
0.0	0.0		J	-44.1	0.0	0.0	-0.2
0.0	0.0	G1	I	-3.4	-0.0	-0.5	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-2.5	0.0	0.5	0.0
0.0	0.0	G2	I	-2.1	-0.0	0.0	0.0
0.0	0.0		J	-2.1	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.6	0.0	0.0	0.0
0.0	0.0		J	-1.6	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	4.6	0.0	0.0	-0.0
0.0	0.0		J	4.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-2.0	0.0	-0.0	0.0
0.0	0.0		J	-2.0	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	5.9	0.0	0.0	-0.0
0.0	0.0		J	5.9	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	110.7	0.0	-0.7	0.0
0.0	0.0		J	111.8	0.0	0.7	0.0
0.0	0.0	Min	I	-153.5	-0.0	-0.7	-0.8
0.0	0.0		J	-152.4	0.0	0.7	-0.8
0.0	0.0	INVSLE Max	I	81.9	0.0	-0.5	0.0
0.0	0.0		J	82.8	0.0	0.5	0.0
0.0	0.0	Min	I	-113.2	-0.0	-0.5	-0.6
0.0	0.0		J	-112.3	0.0	0.5	-0.6
8109	2	78 C1-C2;~1 Max	I	111.3	0.0	0.0	0.3
0.0	0.0		J	111.3	0.0	0.0	0.3
0.0	0.0	Min	I	-38.7	0.0	-0.0	-0.3
0.0	0.0		J	-38.7	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	73.4	0.0	0.0	0.2
0.0	0.0		J	73.4	0.0	0.0	0.2
0.0	0.0	Min	I	-78.0	0.0	-0.0	-0.3
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-78.0	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	69.3	0.0	0.0	0.2
0.0	0.0		J	69.3	0.0	0.0	0.2
0.0	0.0	Min	I	-20.6	0.0	-0.0	-0.2
0.0	0.0		J	-20.6	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	44.2	0.0	0.0	0.1
0.0	0.0		J	44.2	0.0	0.0	0.1
0.0	0.0	Min	I	-46.9	0.0	-0.0	-0.2
0.0	0.0		J	-46.9	0.0	0.0	-0.2
0.0	0.0	G1	I	6.9	0.0	-0.5	-0.1
0.0	0.0		J	7.8	0.0	0.5	-0.1
0.0	0.0	G2	I	2.0	0.0	0.0	-0.0
0.0	0.0		J	2.0	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.6	0.0	-0.0	-0.0
0.0	0.0		J	1.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-4.6	0.0	-0.0	-0.0
0.0	0.0		J	-4.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	2.1	0.0	-0.0	-0.0
0.0	0.0		J	2.1	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-6.0	0.0	-0.0	-0.0
0.0	0.0		J	-6.0	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	158.7	0.0	-0.7	0.0
0.0	0.0		J	159.9	0.0	0.7	0.0
0.0	0.0	Min	I	-105.1	0.0	-0.7	-0.8
0.0	0.0		J	-103.9	0.0	0.7	-0.8
0.0	0.0	INVSLE Max	I	117.1	0.0	-0.5	0.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	117.9	0.0	0.5	0.0	
0.0	0.0		Min	I	-77.8	0.0	-0.5	-0.6	
0.0	0.0			J	-76.9	0.0	0.5	-0.6	
0.0	0.0								
8110	2	78	C1-C2;~1	Max	I	38.8	0.0	0.0	0.3
0.0	0.0			J	38.8	0.0	0.0	0.3	
0.0	0.0		Min	I	-132.1	0.0	-0.0	-0.6	
0.0	0.0			J	-132.1	0.0	0.0	-0.6	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	75.8	0.0	0.0	0.4
0.0	0.0			J	75.8	0.0	0.0	0.4	
0.0	0.0		Min	I	-94.0	0.0	-0.0	-0.5	
0.0	0.0			J	-94.0	0.0	0.0	-0.5	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	19.0	0.0	0.0	0.2
0.0	0.0			J	19.0	0.0	0.0	0.2	
0.0	0.0		Min	I	-81.0	0.0	-0.0	-0.3	
0.0	0.0			J	-81.0	0.0	0.0	-0.3	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	43.8	0.0	0.0	0.2
0.0	0.0			J	43.8	0.0	0.0	0.2	
0.0	0.0		Min	I	-55.7	0.0	-0.0	-0.3	
0.0	0.0			J	-55.7	0.0	0.0	-0.3	
0.0	0.0								
0.0	0.0		G1	I	-13.8	0.0	-0.5	-0.0	
0.0	0.0			J	-12.9	0.0	0.5	-0.0	
0.0	0.0								
0.0	0.0		G2	I	-5.9	0.0	-0.0	-0.0	
0.0	0.0			J	-5.9	0.0	0.0	-0.0	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-2.3	0.0	0.0	0.0
0.0	0.0			J	-2.3	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	6.2	0.0	-0.0	-0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	6.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	-2.7	0.0	0.0	0.0
0.0	0.0		J	-2.7	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	7.5	0.0	-0.0	-0.1
0.0	0.0		J	7.5	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	85.0	0.0	-0.7	0.0
0.0	0.0		J	86.2	0.0	0.7	0.0
0.0	0.0	Min	I	-206.8	0.0	-0.7	-1.3
0.0	0.0		J	-205.7	0.0	0.7	-1.3
0.0	0.0	INVSLE Max	I	63.2	0.0	-0.5	0.1
0.0	0.0		J	64.0	0.0	0.5	0.1
0.0	0.0	Min	I	-152.2	0.0	-0.5	-0.9
0.0	0.0		J	-151.3	0.0	0.5	-0.9
8111	2	78 C1-C2;~1 Max	I	131.9	0.0	0.0	0.1
0.0	0.0		J	131.9	0.0	0.0	0.1
0.0	0.0	Min	I	-38.7	-0.0	-0.0	-0.6
0.0	0.0		J	-38.7	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	94.2	0.0	0.0	0.1
0.0	0.0		J	94.2	0.0	0.0	0.1
0.0	0.0	Min	I	-75.6	-0.0	-0.0	-0.6
0.0	0.0		J	-75.6	-0.0	0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	80.9	0.0	0.0	0.0
0.0	0.0		J	80.9	0.0	0.0	0.0
0.0	0.0	Min	I	-19.0	-0.0	-0.0	-0.4
0.0	0.0		J	-19.0	-0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	55.8	0.0	0.0	0.0
0.0	0.0		J	55.8	0.0	0.0	0.0
0.0	0.0	Min	I	-43.7	-0.0	-0.0	-0.4
0.0	0.0		J	-43.7	-0.0	0.0	-0.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	G1	I	17.3	-0.0	-0.5	-0.4
0.0	0.0		J	18.2	-0.0	0.5	-0.4
0.0	0.0	G2	I	5.8	-0.0	-0.0	-0.1
0.0	0.0		J	5.8	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.3	0.0	0.0	-0.0
0.0	0.0		J	2.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-6.3	0.0	0.0	0.0
0.0	0.0		J	-6.3	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	2.7	0.0	0.0	-0.0
0.0	0.0		J	2.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-7.6	0.0	0.0	0.0
0.0	0.0		J	-7.6	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	211.9	0.0	-0.7	-0.1
0.0	0.0		J	213.1	0.0	0.7	-0.1
0.0	0.0	Min	I	-79.6	-0.0	-0.7	-1.1
0.0	0.0		J	-78.4	-0.0	0.7	-1.1
0.0	0.0	INVSLE Max	I	155.9	0.0	-0.5	-0.1
0.0	0.0		J	156.8	0.0	0.5	-0.1
0.0	0.0	Min	I	-59.2	-0.0	-0.5	-0.8
0.0	0.0		J	-58.3	-0.0	0.5	-0.8
8112	2	78 C1-C2;~1 Max	I	56.1	0.0	0.0	0.4
0.0	0.0		J	56.1	0.0	0.0	0.4
0.0	0.0	Min	I	-151.3	0.0	-0.0	-0.3
0.0	0.0		J	-151.3	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	77.2	0.0	0.0	0.4
0.0	0.0		J	77.2	0.0	0.0	0.4

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-114.7	0.0	-0.0	-0.2
0.0	0.0			J	-114.7	-0.0	0.0	-0.2
0.0	0.0	C1-C2;~2	Max	I	29.2	0.0	0.0	0.2
0.0	0.0			J	29.2	0.0	0.0	0.2
0.0	0.0		Min	I	-91.7	0.0	-0.0	-0.2
0.0	0.0			J	-91.7	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2	Max	I	42.2	0.0	0.0	0.2
0.0	0.0			J	42.2	0.0	0.0	0.2
0.0	0.0		Min	I	-67.2	0.0	-0.0	-0.1
0.0	0.0			J	-67.2	-0.0	0.0	-0.1
0.0	0.0		G1	I	-18.1	0.0	-0.5	0.2
0.0	0.0			J	-17.3	-0.0	0.5	0.2
0.0	0.0		G2	I	-7.4	0.0	0.0	0.1
0.0	0.0			J	-7.4	-0.0	0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-3.4	0.0	-0.0	0.0
0.0	0.0			J	-3.4	0.0	0.0	0.0
0.0	0.0	Q5_pc	Y	I	8.8	0.0	0.0	-0.0
0.0	0.0			J	8.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps	X	I	-3.7	0.0	-0.0	0.0
0.0	0.0			J	-3.7	0.0	0.0	0.0
0.0	0.0	Q5_ps	Y	I	9.9	0.0	0.0	-0.0
0.0	0.0			J	9.9	0.0	0.0	-0.0
0.0	0.0	INVSLU	Max	I	84.8	0.0	-0.7	1.2
0.0	0.0			J	86.0	0.0	0.7	1.2
0.0	0.0		Min	I	-239.5	0.0	-0.7	0.2
0.0	0.0			J	-238.4	-0.0	0.7	0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
			INVSLE Max	I	63.5	0.0	-0.5	0.8
0.0	0.0			J	64.4	0.0	0.5	0.8
0.0	0.0		Min	I	-175.5	0.0	-0.5	0.1
0.0	0.0			J	-174.7	-0.0	0.5	0.1
0.0	0.0							
8113	2	78	C1-C2;~1 Max	I	151.2	0.0	0.0	0.3
0.0	0.0			J	151.2	0.0	0.0	0.3
0.0	0.0		Min	I	-56.1	0.0	-0.0	-0.3
0.0	0.0			J	-56.1	-0.0	0.0	-0.3
0.0	0.0							
			C3-C4;~1 Max	I	114.9	0.0	0.0	0.3
0.0	0.0			J	114.9	0.0	0.0	0.3
0.0	0.0		Min	I	-77.0	0.0	-0.0	-0.3
0.0	0.0			J	-77.0	-0.0	0.0	-0.3
0.0	0.0							
			C1-C2;~2 Max	I	91.6	0.0	0.0	0.2
0.0	0.0			J	91.6	0.0	0.0	0.2
0.0	0.0		Min	I	-29.2	0.0	-0.0	-0.2
0.0	0.0			J	-29.2	-0.0	0.0	-0.2
0.0	0.0							
			C3-C4;~2 Max	I	67.3	0.0	0.0	0.2
0.0	0.0			J	67.3	0.0	0.0	0.2
0.0	0.0		Min	I	-42.1	0.0	-0.0	-0.2
0.0	0.0			J	-42.1	-0.0	0.0	-0.2
0.0	0.0							
			G1	I	21.7	0.0	-0.5	-0.1
0.0	0.0			J	22.6	0.0	0.5	-0.1
0.0	0.0							
			G2	I	7.3	0.0	0.0	-0.0
0.0	0.0			J	7.3	0.0	0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.4	0.0	-0.0	0.0
0.0	0.0			J	3.4	-0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q5_pc Y	I	-8.9	0.0	-0.0	-0.1
0.0	0.0		J	-8.9	-0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	3.7	0.0	-0.0	0.0
0.0	0.0		J	3.7	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-9.9	0.0	-0.0	-0.1
0.0	0.0		J	-9.9	-0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	244.3	0.0	-0.7	1.1
0.0	0.0		J	245.4	0.0	0.7	1.1
0.0	0.0	Min	I	-79.8	0.0	-0.7	0.2
0.0	0.0		J	-78.6	-0.0	0.7	0.2
0.0	0.0	INVS LE Max	I	179.0	0.0	-0.5	0.8
0.0	0.0		J	179.9	0.0	0.5	0.8
0.0	0.0	Min	I	-59.8	0.0	-0.5	0.2
0.0	0.0		J	-59.0	-0.0	0.5	0.2
8114	2	78 C1-C2;~1 Max	I	70.6	0.0	0.0	0.7
0.0	0.0		J	70.6	0.0	0.0	0.7
0.0	0.0	Min	I	-143.8	-0.0	0.0	-0.1
0.0	0.0		J	-143.8	0.0	-0.0	-0.1
0.0	0.0	C3-C4;~1 Max	I	87.0	0.0	0.0	0.7
0.0	0.0		J	87.0	0.0	0.0	0.7
0.0	0.0	Min	I	-107.3	-0.0	0.0	-0.1
0.0	0.0		J	-107.3	0.0	-0.0	-0.1
0.0	0.0	C1-C2;~2 Max	I	37.0	0.0	0.0	0.4
0.0	0.0		J	37.0	0.0	0.0	0.4
0.0	0.0	Min	I	-87.6	-0.0	0.0	-0.1
0.0	0.0		J	-87.6	0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	48.1	0.0	0.0	0.4
0.0	0.0		J	48.1	0.0	0.0	0.4
0.0	0.0	Min	I	-63.0	-0.0	0.0	-0.1


MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-63.0	0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	G1	I	0.5	-0.0	-0.5	0.4
0.0	0.0		J	1.4	0.0	0.5	0.4
0.0	0.0						
0.0	0.0	G2	I	-0.3	-0.0	0.0	0.2
0.0	0.0		J	-0.3	0.0	-0.0	0.2
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-5.3	0.0	0.0	0.0
0.0	0.0		J	-5.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	13.8	0.0	0.0	-0.0
0.0	0.0		J	13.8	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-5.5	0.0	0.0	0.0
0.0	0.0		J	-5.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	14.3	0.0	0.0	-0.0
0.0	0.0		J	14.3	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	171.5	0.0	-0.7	2.1
0.0	0.0		J	172.6	0.0	0.7	2.1
0.0	0.0						
0.0	0.0	Min	I	-165.0	-0.0	-0.7	0.9
0.0	0.0		J	-163.8	0.0	0.7	0.9
0.0	0.0						
0.0	0.0	INVSLE Max	I	128.5	0.0	-0.5	1.6
0.0	0.0		J	129.4	0.0	0.5	1.6
0.0	0.0						
0.0	0.0	Min	I	-118.8	-0.0	-0.5	0.7
0.0	0.0		J	-117.9	0.0	0.5	0.7
0.0	0.0						
8115	2	78 C1-C2;~1 Max	I	143.7	0.0	0.0	0.3
0.0	0.0		J	143.7	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Min	I	-70.6	-0.0	0.0	-0.5
0.0	0.0		J	-70.6	0.0	-0.0	-0.5
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4;~1 Max	I	107.6	0.0	0.0	0.3
			J	107.6	0.0	0.0	0.3
0.0	0.0	Min	I	-86.8	-0.0	0.0	-0.4
0.0	0.0		J	-86.8	0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	87.6	0.0	0.0	0.2
0.0	0.0		J	87.6	0.0	0.0	0.2
0.0	0.0	Min	I	-37.0	-0.0	0.0	-0.3
0.0	0.0		J	-37.0	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	63.2	0.0	0.0	0.2
0.0	0.0		J	63.2	0.0	0.0	0.2
0.0	0.0	Min	I	-47.9	-0.0	0.0	-0.2
0.0	0.0		J	-47.9	0.0	-0.0	-0.2
0.0	0.0	G1	I	3.1	0.0	-0.5	-0.1
0.0	0.0		J	4.0	0.0	0.5	-0.1
0.0	0.0	G2	I	0.2	0.0	0.0	-0.1
0.0	0.0		J	0.2	0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.3	-0.0	0.0	0.0
0.0	0.0		J	5.3	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-13.9	-0.0	0.0	-0.1
0.0	0.0		J	-13.9	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	5.5	-0.0	0.0	0.0
0.0	0.0		J	5.5	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-14.3	-0.0	0.0	-0.1
0.0	0.0		J	-14.3	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	169.4	0.0	-0.7	1.4
0.0	0.0		J	170.6	0.0	0.7	1.4

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-166.8	-0.0	-0.7	0.2
0.0	0.0			J	-165.6	0.0	0.7	0.2
0.0	0.0							
			INVSLE Max	I	122.1	0.0	-0.5	1.0
0.0	0.0			J	122.9	0.0	0.5	1.0
0.0	0.0							
			Min	I	-125.1	-0.0	-0.5	0.1
0.0	0.0			J	-124.2	0.0	0.5	0.1
0.0	0.0							
8116	2	78	C1-C2;~1 Max	I	77.8	0.0	0.0	0.9
0.0	0.0			J	77.8	0.0	0.0	0.9
0.0	0.0							
			Min	I	-114.8	0.0	-0.0	-2.2
0.0	0.0			J	-114.8	0.0	0.0	-2.2
0.0	0.0							
			C3-C4;~1 Max	I	88.5	0.0	0.0	1.2
0.0	0.0			J	88.5	0.0	0.0	1.2
0.0	0.0							
			Min	I	-78.5	0.0	-0.0	-1.9
0.0	0.0			J	-78.5	0.0	0.0	-1.9
0.0	0.0							
			C1-C2;~2 Max	I	40.9	0.0	0.0	0.5
0.0	0.0			J	40.9	0.0	0.0	0.5
0.0	0.0							
			Min	I	-71.8	0.0	-0.0	-1.3
0.0	0.0			J	-71.8	0.0	0.0	-1.3
0.0	0.0							
			C3-C4;~2 Max	I	50.8	0.0	0.0	0.7
0.0	0.0			J	50.8	0.0	0.0	0.7
0.0	0.0							
			Min	I	-47.2	0.0	-0.0	-1.2
0.0	0.0			J	-47.2	0.0	0.0	-1.2
0.0	0.0							
			G1	I	29.5	0.0	-0.5	-0.7
0.0	0.0			J	30.3	0.0	0.5	-0.7
0.0	0.0							
			G2	I	10.7	0.0	-0.0	-0.2
0.0	0.0			J	10.7	0.0	0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-7.4	0.0	0.0	0.1

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-7.4	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_pc Y	I	19.1	0.0	-0.0	-0.3
0.0	0.0		J	19.1	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps X	I	-7.1	0.0	0.0	0.1
0.0	0.0		J	-7.1	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	18.6	0.0	-0.0	-0.2
0.0	0.0		J	18.6	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	INVS LU Max	I	278.8	0.0	-0.7	2.9
0.0	0.0		J	280.0	0.0	0.7	2.9
0.0	0.0	Min	I	-30.1	0.0	-0.7	-2.2
0.0	0.0		J	-28.9	0.0	0.7	-2.2
0.0	0.0						
0.0	0.0	INVS LE Max	I	209.0	0.0	-0.5	2.2
0.0	0.0		J	209.9	0.0	0.5	2.2
0.0	0.0	Min	I	-17.2	0.0	-0.5	-1.5
0.0	0.0		J	-16.4	0.0	0.5	-1.5
0.0	0.0						
8117	2	78 C1-C2;~1 Max	I	114.7	0.0	0.0	3.0
0.0	0.0		J	114.7	0.0	0.0	3.0
0.0	0.0	Min	I	-77.9	0.0	-0.0	-1.3
0.0	0.0		J	-77.9	-0.0	0.0	-1.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	79.0	0.0	0.0	3.5
0.0	0.0		J	79.0	0.0	0.0	3.5
0.0	0.0	Min	I	-88.3	0.0	-0.0	-1.1
0.0	0.0		J	-88.3	-0.0	0.0	-1.1
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	71.8	0.0	0.0	1.7
0.0	0.0		J	71.8	0.0	0.0	1.7
0.0	0.0	Min	I	-41.0	0.0	-0.0	-0.8
0.0	0.0		J	-41.0	-0.0	0.0	-0.8
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	47.5	0.0	0.0	2.1


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	47.5	0.0	0.0	2.1
0.0	0.0	Min	I	-50.7	0.0	-0.0	-0.6
0.0	0.0		J	-50.7	-0.0	0.0	-0.6
0.0	0.0	G1	I	-25.9	0.0	-0.5	1.3
0.0	0.0		J	-25.1	-0.0	0.5	1.3
0.0	0.0	G2	I	-10.8	0.0	-0.0	0.5
0.0	0.0		J	-10.8	-0.0	0.0	0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.4	0.0	0.0	0.2
0.0	0.0		J	7.4	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-19.2	0.0	0.0	-0.4
0.0	0.0		J	-19.2	0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	7.2	0.0	0.0	0.2
0.0	0.0		J	7.2	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-18.6	0.0	0.0	-0.3
0.0	0.0		J	-18.6	0.0	0.0	-0.3
0.0	0.0	INVSLU Max	I	34.3	0.0	-0.7	5.6
0.0	0.0		J	35.5	0.0	0.7	5.6
0.0	0.0	Min	I	-274.3	0.0	-0.7	-1.6
0.0	0.0		J	-273.1	-0.0	0.7	-1.6
0.0	0.0	INVSLE Max	I	20.4	0.0	-0.5	4.0
0.0	0.0		J	21.3	0.0	0.5	4.0
0.0	0.0	Min	I	-205.6	0.0	-0.5	-1.2
0.0	0.0		J	-204.8	-0.0	0.5	-1.2
8118	2	78 C1-C2;~1 Max	I	75.3	0.0	0.0	0.8
0.0	0.0		J	75.3	0.0	0.0	0.8
0.0	0.0	Min	I	-75.0	0.0	-0.0	-0.6
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-75.0	0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	70.6	0.0	0.0	1.0
0.0	0.0		J	70.6	0.0	0.0	1.0
0.0	0.0	Min	I	-46.7	0.0	-0.0	-0.7
0.0	0.0		J	-46.7	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	39.3	0.0	0.0	0.4
0.0	0.0		J	39.3	0.0	0.0	0.4
0.0	0.0	Min	I	-47.7	0.0	-0.0	-0.3
0.0	0.0		J	-47.7	0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	40.3	0.0	0.0	0.6
0.0	0.0		J	40.3	0.0	0.0	0.6
0.0	0.0	Min	I	-28.1	0.0	-0.0	-0.4
0.0	0.0		J	-28.1	0.0	0.0	-0.4
0.0	0.0	G1	I	44.4	0.0	-0.5	0.2
0.0	0.0		J	45.3	0.0	0.5	0.2
0.0	0.0	G2	I	16.3	0.0	-0.0	0.1
0.0	0.0		J	16.3	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-10.8	0.0	-0.0	0.1
0.0	0.0		J	-10.8	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	24.6	0.0	-0.0	-0.2
0.0	0.0		J	24.6	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-10.2	0.0	-0.0	0.1
0.0	0.0		J	-10.2	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	23.3	0.0	-0.0	-0.2
0.0	0.0		J	23.3	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	307.3	0.0	-0.7	1.2

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	308.5	0.0	0.7	1.2	
0.0	0.0		Min	I	60.1	0.0	-0.7	-1.4	
0.0	0.0			J	61.2	0.0	0.7	-1.4	
0.0	0.0		INVSLE Max	I	229.7	0.0	-0.5	0.9	
0.0	0.0			J	230.6	0.0	0.5	0.9	
0.0	0.0		Min	I	49.9	0.0	-0.5	-1.0	
0.0	0.0			J	50.8	0.0	0.5	-1.0	
0.0	0.0								
8119	2	78	C1-C2;~1	Max	I	74.9	0.0	0.0	0.9
0.0	0.0			J	74.9	0.0	0.0	0.9	
0.0	0.0		Min	I	-75.4	0.0	0.0	-0.8	
0.0	0.0			J	-75.4	0.0	0.0	-0.8	
0.0	0.0		C3-C4;~1	Max	I	47.1	0.0	0.0	1.0
0.0	0.0			J	47.1	0.0	0.0	1.0	
0.0	0.0		Min	I	-70.5	0.0	0.0	-0.8	
0.0	0.0			J	-70.5	0.0	0.0	-0.8	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	47.6	0.0	0.0	0.6
0.0	0.0			J	47.6	0.0	0.0	0.6	
0.0	0.0		Min	I	-39.4	0.0	0.0	-0.5	
0.0	0.0			J	-39.4	0.0	0.0	-0.5	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	28.4	0.0	0.0	0.6
0.0	0.0			J	28.4	0.0	0.0	0.6	
0.0	0.0		Min	I	-40.1	0.0	0.0	-0.4	
0.0	0.0			J	-40.1	0.0	0.0	-0.4	
0.0	0.0								
0.0	0.0		G1	I	-40.9	0.0	-0.5	-0.1	
0.0	0.0			J	-40.1	0.0	0.5	-0.1	
0.0	0.0								
0.0	0.0		G2	I	-16.5	0.0	0.0	-0.0	
0.0	0.0			J	-16.5	0.0	0.0	-0.0	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
0.0	0.0	Q5_pc X	I	10.9	0.0	0.0	0.1	
0.0	0.0		J	10.9	0.0	0.0	0.1	
0.0	0.0	Q5_pc Y	I	-24.7	0.0	0.0	-0.2	
0.0	0.0		J	-24.7	0.0	0.0	-0.2	
0.0	0.0	Q5_ps X	I	10.3	0.0	0.0	0.1	
0.0	0.0		J	10.3	0.0	0.0	0.1	
0.0	0.0	Q5_ps Y	I	-23.4	0.0	0.0	-0.2	
0.0	0.0		J	-23.4	0.0	0.0	-0.2	
0.0	0.0	INVSLE Max	I	-56.0	0.0	-0.7	0.2	
0.0	0.0		J	-54.9	0.0	0.7	0.2	
0.0	0.0	Min	I	-303.4	0.0	-0.7	-2.7	
0.0	0.0		J	-302.2	0.0	0.7	-2.7	
0.0	0.0	INVSLE Max	I	-46.9	0.0	-0.5	0.1	
0.0	0.0		J	-46.1	0.0	0.5	0.1	
0.0	0.0	Min	I	-226.8	0.0	-0.5	-2.0	
0.0	0.0		J	-226.0	0.0	0.5	-2.0	
8122	2	78 C1-C2;~1 Max	I	77.5	0.0	0.0	0.5	
0.0	0.0		J	77.5	0.0	0.0	0.5	
0.0	0.0	Min	I	-71.2	-0.0	-0.0	-0.8	
0.0	0.0		J	-71.2	-0.0	-0.0	-0.8	
0.0	0.0	C3-C4;~1 Max	I	74.2	0.0	0.0	0.6	
0.0	0.0		J	74.2	0.0	0.0	0.6	
0.0	0.0	Min	I	-43.9	-0.0	-0.0	-1.2	
0.0	0.0		J	-43.9	-0.0	-0.0	-1.2	
0.0	0.0	C1-C2;~2 Max	I	41.6	0.0	0.0	0.3	
0.0	0.0		J	41.6	0.0	0.0	0.3	
0.0	0.0	Min	I	-46.1	-0.0	-0.0	-0.5	
0.0	0.0		J	-46.1	-0.0	-0.0	-0.5	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	40.4	0.0	0.0	0.4
			J	40.4	0.0	0.0	0.4
0.0	0.0	Min	I	-26.9	-0.0	-0.0	-0.7
0.0	0.0		J	-26.9	-0.0	-0.0	-0.7
0.0	0.0	G1	I	52.7	-0.0	-0.5	-0.4
			J	53.6	0.0	0.5	-0.4
0.0	0.0	G2	I	19.9	-0.0	0.0	-0.2
			J	19.9	0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.3	0.0	0.0	-0.1
			J	-8.3	-0.0	-0.0	-0.1
0.0	0.0	Q5_pc Y	I	16.8	0.0	0.0	0.2
			J	16.8	-0.0	-0.0	0.2
0.0	0.0	Q5_ps X	I	-7.9	0.0	0.0	-0.1
			J	-7.9	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	16.0	0.0	0.0	0.1
			J	16.0	-0.0	-0.0	0.1
0.0	0.0	INVSLE Max	I	335.5	0.0	-0.7	-0.5
			J	336.7	0.0	0.7	-0.5
0.0	0.0	Min	I	104.6	-0.0	-0.7	-3.2
			J	105.7	-0.0	0.7	-3.2
0.0	0.0	INVSLE Max	I	251.7	0.0	-0.5	-0.4
			J	252.6	0.0	0.5	-0.4
0.0	0.0	Min	I	82.9	-0.0	-0.5	-2.4
			J	83.8	-0.0	0.5	-2.4
8123	2	78 C1-C2; ~1 Max	I	71.1	0.0	0.0	0.7
0.0	0.0		J	71.1	0.0	0.0	0.7

MIDAS

PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-77.6	-0.0	-0.0	-0.9
0.0	0.0			J	-77.6	-0.0	-0.0	-0.9
0.0	0.0	C3-C4;~1	Max	I	44.4	0.0	0.0	0.6
0.0	0.0			J	44.4	0.0	0.0	0.6
0.0	0.0		Min	I	-74.1	-0.0	-0.0	-1.0
0.0	0.0			J	-74.1	-0.0	-0.0	-1.0
0.0	0.0	C1-C2;~2	Max	I	46.0	0.0	0.0	0.5
0.0	0.0			J	46.0	0.0	0.0	0.5
0.0	0.0		Min	I	-41.6	-0.0	-0.0	-0.6
0.0	0.0			J	-41.6	-0.0	-0.0	-0.6
0.0	0.0	C3-C4;~2	Max	I	27.2	0.0	0.0	0.4
0.0	0.0			J	27.2	0.0	0.0	0.4
0.0	0.0		Min	I	-40.3	-0.0	-0.0	-0.6
0.0	0.0			J	-40.3	-0.0	-0.0	-0.6
0.0	0.0		G1	I	-49.2	0.0	-0.5	-0.1
0.0	0.0			J	-48.4	-0.0	0.5	-0.1
0.0	0.0		G2	I	-20.1	0.0	0.0	-0.1
0.0	0.0			J	-20.1	-0.0	-0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	8.4	-0.0	-0.0	-0.1
0.0	0.0			J	8.4	0.0	-0.0	-0.1
0.0	0.0	Q5_pc	Y	I	-16.8	-0.0	-0.0	0.2
0.0	0.0			J	-16.8	0.0	0.0	0.2
0.0	0.0	Q5_ps	X	I	8.0	-0.0	-0.0	-0.1
0.0	0.0			J	8.0	0.0	-0.0	-0.1
0.0	0.0	Q5_ps	Y	I	-16.1	-0.0	-0.0	0.1
0.0	0.0			J	-16.1	0.0	0.0	0.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		INVS LU Max	I	-100.5	0.0	-0.7	0.6	
0.0	0.0		J	-99.3	0.0	0.7	0.6	
0.0	0.0	Min	I	-331.5	-0.0	-0.7	-2.1	
0.0	0.0		J	-330.4	-0.0	0.7	-2.1	
0.0	0.0							
		INVS LE Max	I	-79.9	0.0	-0.5	0.4	
0.0	0.0		J	-79.0	0.0	0.5	0.4	
0.0	0.0	Min	I	-248.8	-0.0	-0.5	-1.5	
0.0	0.0		J	-247.9	-0.0	0.5	-1.5	
0.0	0.0							
8124	2	78 C1-C2;~1 Max	I	80.7	0.0	0.0	1.7	
0.0	0.0		J	80.7	0.0	0.0	1.7	
0.0	0.0	Min	I	-117.4	0.0	0.0	-1.3	
0.0	0.0		J	-117.4	0.0	-0.0	-1.3	
0.0	0.0							
		C3-C4;~1 Max	I	89.2	0.0	0.0	1.4	
0.0	0.0		J	89.2	0.0	0.0	1.4	
0.0	0.0	Min	I	-79.5	0.0	0.0	-2.1	
0.0	0.0		J	-79.5	0.0	-0.0	-2.1	
0.0	0.0							
		C1-C2;~2 Max	I	44.1	0.0	0.0	0.9	
0.0	0.0		J	44.1	0.0	0.0	0.9	
0.0	0.0	Min	I	-74.7	0.0	0.0	-0.7	
0.0	0.0		J	-74.7	0.0	-0.0	-0.7	
0.0	0.0							
		C3-C4;~2 Max	I	50.7	0.0	0.0	0.9	
0.0	0.0		J	50.7	0.0	0.0	0.9	
0.0	0.0	Min	I	-48.8	0.0	0.0	-1.1	
0.0	0.0		J	-48.8	0.0	-0.0	-1.1	
0.0	0.0							
		G1	I	36.0	0.0	-0.5	-0.3	
0.0	0.0		J	36.9	0.0	0.5	-0.3	
0.0	0.0							
		G2	I	13.9	0.0	0.0	-0.1	
0.0	0.0		J	13.9	0.0	-0.0	-0.1	
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-5.6	0.0	0.0	-0.1
0.0	0.0		J	-5.6	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	11.2	0.0	0.0	0.2
0.0	0.0		J	11.2	0.0	-0.0	0.2
0.0	0.0	Q5_ps X	I	-5.6	0.0	0.0	-0.1
0.0	0.0		J	-5.6	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	11.2	0.0	0.0	0.2
0.0	0.0		J	11.2	0.0	-0.0	0.2
0.0	0.0	INVS LU Max	I	313.4	0.0	-0.7	-0.4
0.0	0.0		J	314.6	0.0	0.7	-0.4
0.0	0.0	Min	I	14.5	0.0	-0.7	-5.9
0.0	0.0		J	15.6	0.0	0.7	-5.9
0.0	0.0	INVS LE Max	I	236.4	0.0	-0.5	-0.3
0.0	0.0		J	237.2	0.0	0.5	-0.3
0.0	0.0	Min	I	16.4	0.0	-0.5	-4.3
0.0	0.0		J	17.3	0.0	0.5	-4.3
8125	2	78 C1-C2;~1 Max	I	117.2	0.0	0.0	1.2
0.0	0.0		J	117.2	0.0	0.0	1.2
0.0	0.0	Min	I	-80.9	0.0	0.0	-2.6
0.0	0.0		J	-80.9	0.0	-0.0	-2.6
0.0	0.0	C3-C4;~1 Max	I	80.0	0.0	0.0	1.0
0.0	0.0		J	80.0	0.0	0.0	1.0
0.0	0.0	Min	I	-89.0	0.0	0.0	-3.3
0.0	0.0		J	-89.0	0.0	-0.0	-3.3
0.0	0.0	C1-C2;~2 Max	I	74.6	0.0	0.0	0.7
0.0	0.0		J	74.6	0.0	0.0	0.7
0.0	0.0	Min	I	-44.2	0.0	0.0	-1.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-44.2	0.0	-0.0	-1.5
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	49.1	0.0	0.0	0.6
0.0	0.0		J	49.1	0.0	0.0	0.6
0.0	0.0	Min	I	-50.6	0.0	0.0	-1.8
0.0	0.0		J	-50.6	0.0	-0.0	-1.8
0.0	0.0	G1	I	-32.5	0.0	-0.5	-1.5
0.0	0.0		J	-31.6	0.0	0.5	-1.5
0.0	0.0	G2	I	-14.0	0.0	0.0	-0.6
0.0	0.0		J	-14.0	0.0	-0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.6	0.0	0.0	-0.1
0.0	0.0		J	5.6	0.0	-0.0	-0.1
0.0	0.0	Q5_pc Y	I	-11.2	0.0	0.0	0.2
0.0	0.0		J	-11.2	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	5.6	0.0	0.0	-0.1
0.0	0.0		J	5.6	0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	-11.2	0.0	0.0	0.2
0.0	0.0		J	-11.2	0.0	0.0	0.2
0.0	0.0	INVSLE Max	I	-10.2	0.0	-0.7	-0.8
0.0	0.0		J	-9.0	0.0	0.7	-0.8
0.0	0.0	Min	I	-308.8	0.0	-0.7	-7.2
0.0	0.0		J	-307.6	0.0	0.7	-7.2
0.0	0.0	INVSLE Max	I	-13.3	0.0	-0.5	-0.5
0.0	0.0		J	-12.4	0.0	0.5	-0.5
0.0	0.0	Min	I	-232.9	0.0	-0.5	-5.2
0.0	0.0		J	-232.1	0.0	0.5	-5.2


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8126	2	78	C1-C2;~1	Max	I	62.8	0.0	0.0	0.6
0.0		0.0			J	62.8	0.0	0.0	0.6
0.0		0.0		Min	I	-151.4	-0.0	0.0	-1.0
0.0		0.0			J	-151.4	-0.0	0.0	-1.0
0.0		0.0							
0.0		0.0	C3-C4;~1	Max	I	83.9	0.0	0.0	0.5
0.0		0.0			J	83.9	0.0	0.0	0.5
0.0		0.0		Min	I	-104.4	-0.0	0.0	-1.3
0.0		0.0			J	-104.4	-0.0	0.0	-1.3
0.0		0.0							
0.0		0.0	C1-C2;~2	Max	I	34.2	0.0	0.0	0.3
0.0		0.0			J	34.2	0.0	0.0	0.3
0.0		0.0		Min	I	-93.1	-0.0	0.0	-0.6
0.0		0.0			J	-93.1	-0.0	0.0	-0.6
0.0		0.0							
0.0		0.0	C3-C4;~2	Max	I	47.1	0.0	0.0	0.3
0.0		0.0			J	47.1	0.0	0.0	0.3
0.0		0.0		Min	I	-62.8	-0.0	0.0	-0.8
0.0		0.0			J	-62.8	-0.0	0.0	-0.8
0.0		0.0							
0.0		0.0		G1	I	-0.6	-0.0	-0.5	-0.4
0.0		0.0			J	0.3	0.0	0.5	-0.4
0.0		0.0							
0.0		0.0		G2	I	-0.0	-0.0	0.0	-0.2
0.0		0.0			J	-0.0	0.0	0.0	-0.2
0.0		0.0							
0.0		0.0		Q3	I	0.0	0.0	0.0	0.0
0.0		0.0			J	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0		Q5_pc X	I	-5.2	0.0	0.0	-0.0
0.0		0.0			J	-5.2	-0.0	0.0	-0.0
0.0		0.0							
0.0		0.0		Q5_pc Y	I	10.9	0.0	0.0	0.0
0.0		0.0			J	10.9	-0.0	0.0	0.0
0.0		0.0							
0.0		0.0		Q5_ps X	I	-5.5	0.0	0.0	-0.0
0.0		0.0			J	-5.5	-0.0	0.0	-0.0
0.0		0.0							


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	11.8	0.0	0.0	0.0	
0.0	0.0		J	11.8	-0.0	0.0	0.0	
0.0	0.0	INVS LU Max	I	190.4	0.0	-0.7	-3.1	
0.0	0.0		J	191.6	0.0	0.7	-3.1	
0.0	0.0	Min	I	-147.0	-0.0	-0.7	-5.8	
0.0	0.0		J	-145.8	-0.0	0.7	-5.8	
0.0	0.0	INVS LE Max	I	144.2	0.0	-0.5	-2.4	
0.0	0.0		J	145.0	0.0	0.5	-2.4	
0.0	0.0	Min	I	-104.3	-0.0	-0.5	-4.3	
0.0	0.0		J	-103.4	-0.0	0.5	-4.3	
8127	2	78 C1-C2;~1 Max	I	151.3	0.0	0.0	0.8	
0.0	0.0		J	151.3	0.0	0.0	0.8	
0.0	0.0	Min	I	-62.9	-0.0	0.0	-0.8	
0.0	0.0		J	-62.9	-0.0	0.0	-0.8	
0.0	0.0	C3-C4;~1 Max	I	104.7	0.0	0.0	0.6	
0.0	0.0		J	104.7	0.0	0.0	0.6	
0.0	0.0	Min	I	-83.8	-0.0	0.0	-1.0	
0.0	0.0		J	-83.8	-0.0	0.0	-1.0	
0.0	0.0	C1-C2;~2 Max	I	92.9	0.0	0.0	0.5	
0.0	0.0		J	92.9	0.0	0.0	0.5	
0.0	0.0	Min	I	-34.2	-0.0	0.0	-0.5	
0.0	0.0		J	-34.2	-0.0	0.0	-0.5	
0.0	0.0	C3-C4;~2 Max	I	63.1	0.0	0.0	0.4	
0.0	0.0		J	63.1	0.0	0.0	0.4	
0.0	0.0	Min	I	-47.0	-0.0	0.0	-0.6	
0.0	0.0		J	-47.0	-0.0	0.0	-0.6	
0.0	0.0	G1	I	4.1	0.0	-0.5	-0.4	
0.0	0.0		J	5.0	-0.0	0.5	-0.4	
0.0	0.0	G2	I	-0.1	0.0	0.0	-0.2	

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-0.1	-0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.2	-0.0	0.0	-0.0
0.0	0.0		J	5.2	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-10.9	-0.0	0.0	0.0
0.0	0.0		J	-10.9	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	5.6	-0.0	0.0	-0.0
0.0	0.0		J	5.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-11.8	-0.0	0.0	0.0
0.0	0.0		J	-11.8	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	151.5	0.0	-0.7	-0.8
0.0	0.0		J	152.7	0.0	0.7	-0.8
0.0	0.0	Min	I	-185.5	-0.0	-0.7	-3.3
0.0	0.0		J	-184.3	-0.0	0.7	-3.3
0.0	0.0	INVSLE Max	I	107.6	0.0	-0.5	-0.5
0.0	0.0		J	108.5	0.0	0.5	-0.5
0.0	0.0	Min	I	-140.5	-0.0	-0.5	-2.4
0.0	0.0		J	-139.7	-0.0	0.5	-2.4
8128	2	78 C1-C2;~1 Max	I	50.2	0.0	0.0	0.2
0.0	0.0		J	50.2	0.0	0.0	0.2
0.0	0.0	Min	I	-178.4	0.0	0.0	-0.6
0.0	0.0		J	-178.4	0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	71.2	0.0	0.0	0.2
0.0	0.0		J	71.2	0.0	0.0	0.2
0.0	0.0	Min	I	-127.3	0.0	0.0	-0.7
0.0	0.0		J	-127.3	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	26.4	0.0	0.0	0.1


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	26.4	0.0	0.0	0.1
0.0	0.0	Min	I	-105.7	0.0	0.0	-0.3
0.0	0.0		J	-105.7	0.0	0.0	-0.3
0.0	0.0	C3-C4; ~2 Max	I	38.3	0.0	0.0	0.1
0.0	0.0		J	38.3	0.0	0.0	0.1
0.0	0.0	Min	I	-74.7	0.0	0.0	-0.4
0.0	0.0		J	-74.7	0.0	0.0	-0.4
0.0	0.0	G1	I	-37.2	0.0	-0.5	-0.3
0.0	0.0		J	-36.3	0.0	0.5	-0.3
0.0	0.0	G2	I	-14.3	0.0	0.0	-0.1
0.0	0.0		J	-14.3	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-3.3	0.0	0.0	-0.0
0.0	0.0		J	-3.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	8.9	0.0	0.0	0.0
0.0	0.0		J	8.9	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	-3.9	0.0	0.0	-0.0
0.0	0.0		J	-3.9	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	10.1	0.0	0.0	-0.0
0.0	0.0		J	10.1	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	77.8	0.0	-0.7	-2.1
0.0	0.0		J	79.0	0.0	0.7	-2.1
0.0	0.0	Min	I	-275.0	0.0	-0.7	-3.4
0.0	0.0		J	-273.9	0.0	0.7	-3.4
0.0	0.0	INVSLE Max	I	60.0	0.0	-0.5	-1.6
0.0	0.0		J	60.9	0.0	0.5	-1.6
0.0	0.0	Min	I	-200.2	0.0	-0.5	-2.5
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-199.4	0.0	0.5	-2.5
8129	2	78 C1-C2;~1 Max	I	178.2	0.0	0.0	0.4
0.0	0.0		J	178.2	0.0	0.0	0.4
0.0	0.0	Min	I	-50.2	-0.0	-0.0	-0.3
0.0	0.0		J	-50.2	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	127.5	0.0	0.0	0.3
0.0	0.0		J	127.5	0.0	0.0	0.3
0.0	0.0	Min	I	-71.1	-0.0	-0.0	-0.3
0.0	0.0		J	-71.1	-0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	105.6	0.0	0.0	0.2
0.0	0.0		J	105.6	0.0	0.0	0.2
0.0	0.0	Min	I	-26.4	-0.0	-0.0	-0.2
0.0	0.0		J	-26.4	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	74.9	0.0	0.0	0.2
0.0	0.0		J	74.9	0.0	0.0	0.2
0.0	0.0	Min	I	-38.2	-0.0	-0.0	-0.2
0.0	0.0		J	-38.2	-0.0	0.0	-0.2
0.0	0.0	G1	I	40.8	0.0	-0.5	0.1
0.0	0.0		J	41.7	-0.0	0.5	0.1
0.0	0.0	G2	I	14.2	0.0	0.0	0.0
0.0	0.0		J	14.2	-0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.3	-0.0	0.0	-0.0
0.0	0.0		J	3.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-8.9	-0.0	-0.0	0.0
0.0	0.0		J	-8.9	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	4.0	-0.0	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	4.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-10.1	-0.0	-0.0	0.0
0.0	0.0		J	-10.1	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	279.6	0.0	-0.7	-1.9
0.0	0.0		J	280.8	0.0	0.7	-1.9
0.0	0.0	Min	I	-73.1	-0.0	-0.7	-2.9
0.0	0.0		J	-71.9	-0.0	0.7	-2.9
0.0	0.0	INVSLE Max	I	203.6	0.0	-0.5	-1.4
0.0	0.0		J	204.4	0.0	0.5	-1.4
0.0	0.0	Min	I	-56.5	-0.0	-0.5	-2.1
0.0	0.0		J	-55.6	-0.0	0.5	-2.1
8130	2	78 C1-C2;~1 Max	I	46.3	0.0	0.0	0.3
0.0	0.0		J	46.3	0.0	0.0	0.3
0.0	0.0	Min	I	-201.3	-0.0	-0.0	-0.5
0.0	0.0		J	-201.3	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	67.3	0.0	0.0	0.3
0.0	0.0		J	67.3	0.0	0.0	0.3
0.0	0.0	Min	I	-145.2	-0.0	-0.0	-0.6
0.0	0.0		J	-145.2	-0.0	-0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	23.1	0.0	0.0	0.2
0.0	0.0		J	23.1	0.0	0.0	0.2
0.0	0.0	Min	I	-117.6	-0.0	-0.0	-0.3
0.0	0.0		J	-117.6	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	34.8	0.0	0.0	0.2
0.0	0.0		J	34.8	0.0	0.0	0.2
0.0	0.0	Min	I	-84.1	-0.0	-0.0	-0.3
0.0	0.0		J	-84.1	-0.0	-0.0	-0.3
0.0	0.0	G1	I	-57.6	0.0	-0.5	-0.2
0.0	0.0		J	-56.8	-0.0	0.5	-0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	G2	I	-22.3	0.0	-0.0	-0.1
0.0	0.0		J	-22.3	-0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.8	-0.0	0.0	0.0
0.0	0.0		J	-2.8	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	7.3	-0.0	-0.0	-0.0
0.0	0.0		J	7.3	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	-3.6	-0.0	0.0	0.0
0.0	0.0		J	-3.6	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	8.7	-0.0	-0.0	-0.0
0.0	0.0		J	8.7	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	21.7	0.0	-0.7	-1.0
0.0	0.0		J	22.8	0.0	0.7	-1.0
0.0	0.0	Min	I	-354.1	-0.0	-0.7	-2.2
0.0	0.0		J	-353.0	-0.0	0.7	-2.2
0.0	0.0	INVS LE Max	I	18.0	0.0	-0.5	-0.8
0.0	0.0		J	18.9	0.0	0.5	-0.8
0.0	0.0	Min	I	-259.4	-0.0	-0.5	-1.6
0.0	0.0		J	-258.5	-0.0	0.5	-1.6
8131	2	78 C1-C2;~1 Max	I	201.1	0.0	0.0	0.4
0.0	0.0		J	201.1	0.0	0.0	0.4
0.0	0.0	Min	I	-46.3	-0.0	-0.0	-0.3
0.0	0.0		J	-46.3	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	145.5	0.0	0.0	0.4
0.0	0.0		J	145.5	0.0	0.0	0.4
0.0	0.0	Min	I	-67.2	-0.0	-0.0	-0.3
0.0	0.0		J	-67.2	-0.0	0.0	-0.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	117.5	0.0	0.0	0.3
				J	117.5	0.0	0.0	0.3
0.0	0.0		Min	I	-23.1	-0.0	-0.0	-0.2
0.0	0.0			J	-23.1	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2	Max	I	84.3	0.0	0.0	0.2
				J	84.3	0.0	0.0	0.2
0.0	0.0		Min	I	-34.7	-0.0	-0.0	-0.2
0.0	0.0			J	-34.7	-0.0	0.0	-0.2
0.0	0.0	G1		I	61.2	-0.0	-0.5	0.1
				J	62.1	0.0	0.5	0.1
0.0	0.0	G2		I	22.2	-0.0	-0.0	0.0
				J	22.2	0.0	0.0	0.0
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	2.9	0.0	-0.0	-0.0
				J	2.9	-0.0	0.0	-0.0
0.0	0.0	Q5_pc	Y	I	-7.4	0.0	0.0	0.0
				J	-7.4	-0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	3.6	0.0	-0.0	-0.0
				J	3.6	-0.0	0.0	-0.0
0.0	0.0	Q5_ps	Y	I	-8.8	0.0	0.0	0.0
				J	-8.8	-0.0	0.0	0.0
0.0	0.0	INVSLE	Max	I	359.0	0.0	-0.7	-0.9
				J	360.2	0.0	0.7	-0.9
0.0	0.0		Min	I	-16.5	-0.0	-0.7	-1.9
0.0	0.0			J	-15.3	-0.0	0.7	-1.9
0.0	0.0	INVSLE	Max	I	263.0	0.0	-0.5	-0.7
				J	263.9	0.0	0.5	-0.7

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-14.2	-0.0	-0.5	-1.4
0.0	0.0			J	-13.3	-0.0	0.5	-1.4
0.0	0.0							
8132	2	78	C1-C2;~1	Max	I	48.6	0.0	0.4
0.0	0.0			J	48.6	0.0	0.0	0.4
0.0	0.0		Min	I	-212.5	-0.0	0.0	-0.4
0.0	0.0			J	-212.5	-0.0	0.0	-0.4
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	69.0	0.0	0.4
0.0	0.0			J	69.0	0.0	0.0	0.4
0.0	0.0		Min	I	-154.6	-0.0	0.0	-0.4
0.0	0.0			J	-154.6	-0.0	0.0	-0.4
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	23.8	0.0	0.2
0.0	0.0			J	23.8	0.0	0.0	0.2
0.0	0.0		Min	I	-123.1	-0.0	0.0	-0.2
0.0	0.0			J	-123.1	-0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	34.7	0.0	0.2
0.0	0.0			J	34.7	0.0	0.0	0.2
0.0	0.0		Min	I	-88.7	-0.0	0.0	-0.2
0.0	0.0			J	-88.7	-0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		G1	I	-63.8	0.0	-0.5	-0.0
0.0	0.0			J	-62.9	-0.0	0.5	-0.0
0.0	0.0							
0.0	0.0		G2	I	-24.8	0.0	0.0	-0.0
0.0	0.0			J	-24.8	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	-3.0	-0.0	0.0
0.0	0.0			J	-3.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	5.9	-0.0	-0.0
0.0	0.0			J	5.9	0.0	0.0	-0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	-3.8	-0.0	0.0	0.0
0.0	0.0		J	-3.8	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	7.3	-0.0	0.0	-0.0
0.0	0.0		J	7.3	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	6.0	0.0	-0.7	0.6
0.0	0.0		J	7.2	0.0	0.7	0.6
0.0	0.0	Min	I	-384.6	-0.0	-0.7	-0.6
0.0	0.0		J	-383.5	-0.0	0.7	-0.6
0.0	0.0	INVS LE Max	I	6.3	0.0	-0.5	0.4
0.0	0.0		J	7.2	0.0	0.5	0.4
0.0	0.0	Min	I	-282.3	-0.0	-0.5	-0.4
0.0	0.0		J	-281.4	-0.0	0.5	-0.4
8133	2	78 C1-C2;~1 Max	I	212.4	0.0	0.0	0.4
0.0	0.0		J	212.4	0.0	0.0	0.4
0.0	0.0	Min	I	-48.6	-0.0	0.0	-0.3
0.0	0.0		J	-48.6	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	154.9	0.0	0.0	0.4
0.0	0.0		J	154.9	0.0	0.0	0.4
0.0	0.0	Min	I	-68.9	-0.0	0.0	-0.3
0.0	0.0		J	-68.9	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	123.0	0.0	0.0	0.3
0.0	0.0		J	123.0	0.0	0.0	0.3
0.0	0.0	Min	I	-23.8	-0.0	0.0	-0.2
0.0	0.0		J	-23.8	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	88.8	0.0	0.0	0.2
0.0	0.0		J	88.8	0.0	0.0	0.2
0.0	0.0	Min	I	-34.6	-0.0	0.0	-0.2
0.0	0.0		J	-34.6	0.0	0.0	-0.2
0.0	0.0	G1	I	67.4	-0.0	-0.5	0.0

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	68.2	0.0	0.5	0.0
0.0	0.0						
0.0	0.0	G2	I	24.7	-0.0	0.0	0.0
0.0	0.0		J	24.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	3.1	0.0	0.0	0.0
0.0	0.0		J	3.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-5.9	0.0	0.0	0.0
0.0	0.0		J	-5.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	3.9	0.0	0.0	0.0
0.0	0.0		J	3.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-7.4	0.0	0.0	0.0
0.0	0.0		J	-7.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	389.6	0.0	-0.7	0.7
0.0	0.0		J	390.8	0.0	0.7	0.7
0.0	0.0						
0.0	0.0	Min	I	-0.7	-0.0	-0.7	-0.3
0.0	0.0		J	0.5	0.0	0.7	-0.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	286.0	0.0	-0.5	0.5
0.0	0.0		J	286.8	0.0	0.5	0.5
0.0	0.0						
0.0	0.0	Min	I	-2.4	-0.0	-0.5	-0.2
0.0	0.0		J	-1.5	0.0	0.5	-0.2
0.0	0.0						
8134	2	78 C1-C2;~1 Max	I	57.7	0.0	0.0	0.5
0.0	0.0		J	57.7	0.0	0.0	0.5
0.0	0.0						
0.0	0.0	Min	I	-212.5	0.0	-0.0	-0.3
0.0	0.0		J	-212.5	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	75.7	0.0	0.0	0.6
0.0	0.0		J	75.7	0.0	0.0	0.6
0.0	0.0						
0.0	0.0	Min	I	-155.8	0.0	-0.0	-0.3

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-155.8	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	29.2	0.0	0.0	0.3
0.0	0.0		J	29.2	0.0	0.0	0.3
0.0	0.0	Min	I	-122.9	0.0	-0.0	-0.2
0.0	0.0		J	-122.9	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	38.0	0.0	0.0	0.3
0.0	0.0		J	38.0	0.0	0.0	0.3
0.0	0.0	Min	I	-89.2	0.0	-0.0	-0.1
0.0	0.0		J	-89.2	-0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	G1	I	-56.6	0.0	-0.5	0.2
0.0	0.0		J	-55.7	-0.0	0.5	0.2
0.0	0.0						
0.0	0.0	G2	I	-22.1	0.0	0.0	0.1
0.0	0.0		J	-22.1	-0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-3.7	0.0	-0.0	0.0
0.0	0.0		J	-3.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	4.4	0.0	0.0	-0.0
0.0	0.0		J	4.4	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-4.4	0.0	-0.0	0.0
0.0	0.0		J	-4.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	5.8	0.0	0.0	-0.0
0.0	0.0		J	5.8	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	26.4	0.0	-0.7	2.2
0.0	0.0		J	27.6	0.0	0.7	2.2
0.0	0.0	Min	I	-370.5	0.0	-0.7	1.0
0.0	0.0		J	-369.3	-0.0	0.7	1.0
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	21.6	0.0	-0.5	1.6
0.0	0.0			J	22.4	0.0	0.5	1.6
0.0	0.0		Min	I	-271.9	0.0	-0.5	0.7
0.0	0.0			J	-271.0	-0.0	0.5	0.7
0.0	0.0							
8135	2	78	C1-C2;~1 Max	I	212.3	0.0	0.0	0.3
0.0	0.0			J	212.3	0.0	0.0	0.3
0.0	0.0		Min	I	-57.7	0.0	0.0	-0.4
0.0	0.0			J	-57.7	0.0	-0.0	-0.4
0.0	0.0							
			C3-C4;~1 Max	I	156.0	0.0	0.0	0.2
0.0	0.0			J	156.0	0.0	0.0	0.2
0.0	0.0		Min	I	-75.6	0.0	0.0	-0.4
0.0	0.0			J	-75.6	0.0	-0.0	-0.4
0.0	0.0							
			C1-C2;~2 Max	I	122.8	0.0	0.0	0.2
0.0	0.0			J	122.8	0.0	0.0	0.2
0.0	0.0		Min	I	-29.2	0.0	0.0	-0.2
0.0	0.0			J	-29.2	0.0	-0.0	-0.2
0.0	0.0							
			C3-C4;~2 Max	I	89.4	0.0	0.0	0.2
0.0	0.0			J	89.4	0.0	0.0	0.2
0.0	0.0		Min	I	-37.9	0.0	0.0	-0.2
0.0	0.0			J	-37.9	0.0	-0.0	-0.2
0.0	0.0							
			G1	I	60.2	0.0	-0.5	-0.1
0.0	0.0			J	61.0	0.0	0.5	-0.1
0.0	0.0							
			G2	I	22.0	0.0	0.0	-0.0
0.0	0.0			J	22.0	0.0	-0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.7	0.0	0.0	0.0
0.0	0.0			J	3.7	0.0	-0.0	0.0
0.0	0.0							
			Q5_pc Y	I	-4.4	0.0	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-4.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	4.5	0.0	0.0	0.0
0.0	0.0		J	4.5	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-5.8	0.0	0.0	0.0
0.0	0.0		J	-5.8	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	375.3	0.0	-0.7	1.6
0.0	0.0		J	376.5	0.0	0.7	1.6
0.0	0.0	Min	I	-21.3	0.0	-0.7	0.8
0.0	0.0		J	-20.1	0.0	0.7	0.8
0.0	0.0						
0.0	0.0	INVS LE Max	I	275.5	0.0	-0.5	1.2
0.0	0.0		J	276.3	0.0	0.5	1.2
0.0	0.0	Min	I	-17.8	0.0	-0.5	0.6
0.0	0.0		J	-16.9	0.0	0.5	0.6
0.0	0.0						
8136	2	78 C1-C2;~1 Max	I	67.1	0.0	0.0	0.5
0.0	0.0		J	67.1	0.0	0.0	0.5
0.0	0.0	Min	I	-199.5	-0.0	-0.0	-0.4
0.0	0.0		J	-199.5	0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	85.2	0.0	0.0	0.6
0.0	0.0		J	85.2	0.0	0.0	0.6
0.0	0.0	Min	I	-145.4	-0.0	-0.0	-0.3
0.0	0.0		J	-145.4	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	34.6	0.0	0.0	0.2
0.0	0.0		J	34.6	0.0	0.0	0.2
0.0	0.0	Min	I	-115.6	-0.0	-0.0	-0.2
0.0	0.0		J	-115.6	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	43.5	0.0	0.0	0.3
0.0	0.0		J	43.5	0.0	0.0	0.3
0.0	0.0	Min	I	-83.5	-0.0	-0.0	-0.2
0.0	0.0		J	-83.5	0.0	-0.0	-0.2

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		G1	I	-36.2	0.0	-0.5	0.2
0.0	0.0		J	-35.3	0.0	0.5	0.2
0.0	0.0						
		G2	I	-14.2	0.0	0.0	0.1
0.0	0.0		J	-14.2	0.0	-0.0	0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.1	-0.0	-0.0	0.0
0.0	0.0		J	-5.1	0.0	0.0	0.0
0.0	0.0						
		Q5_pc Y	I	4.0	-0.0	0.0	-0.0
0.0	0.0		J	4.0	0.0	-0.0	-0.0
0.0	0.0						
		Q5_ps X	I	-5.7	-0.0	-0.0	0.0
0.0	0.0		J	-5.7	0.0	0.0	0.0
0.0	0.0						
		Q5_ps Y	I	5.3	-0.0	0.0	0.0
0.0	0.0		J	5.3	0.0	-0.0	0.0
0.0	0.0						
		INVSLE Max	I	81.5	0.0	-0.7	3.5
0.0	0.0		J	82.7	0.0	0.7	3.5
0.0	0.0						
		Min	I	-312.0	-0.0	-0.7	2.1
0.0	0.0		J	-310.8	0.0	0.7	2.1
0.0	0.0						
		INVSLE Max	I	62.5	0.0	-0.5	2.6
0.0	0.0		J	63.4	0.0	0.5	2.6
0.0	0.0						
		Min	I	-228.3	-0.0	-0.5	1.6
0.0	0.0		J	-227.4	0.0	0.5	1.6
0.0	0.0						
8137	2	78 C1-C2;~1 Max	I	199.3	0.0	0.0	0.7
0.0	0.0		J	199.3	0.0	0.0	0.7
0.0	0.0						
		Min	I	-67.1	-0.0	-0.0	-0.4
0.0	0.0		J	-67.1	0.0	-0.0	-0.4
0.0	0.0						
		C3-C4;~1 Max	I	145.7	0.0	0.0	0.8
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	145.7	0.0	0.0	0.8
0.0	0.0	Min	I	-85.2	-0.0	-0.0	-0.4
0.0	0.0		J	-85.2	0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	115.5	0.0	0.0	0.5
0.0	0.0		J	115.5	0.0	0.0	0.5
0.0	0.0	Min	I	-34.6	-0.0	-0.0	-0.2
0.0	0.0		J	-34.6	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	83.7	0.0	0.0	0.5
0.0	0.0		J	83.7	0.0	0.0	0.5
0.0	0.0	Min	I	-43.4	-0.0	-0.0	-0.2
0.0	0.0		J	-43.4	0.0	-0.0	-0.2
0.0	0.0	G1	I	39.8	-0.0	-0.5	0.1
0.0	0.0		J	40.6	0.0	0.5	0.1
0.0	0.0	G2	I	14.1	-0.0	0.0	0.0
0.0	0.0		J	14.1	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.1	0.0	0.0	0.0
0.0	0.0		J	5.1	0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	-4.0	0.0	-0.0	-0.1
0.0	0.0		J	-4.0	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	5.7	0.0	0.0	0.0
0.0	0.0		J	5.7	0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	-5.3	0.0	-0.0	-0.1
0.0	0.0		J	-5.3	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	316.6	0.0	-0.7	3.6
0.0	0.0		J	317.8	0.0	0.7	3.6
0.0	0.0	Min	I	-76.7	-0.0	-0.7	1.9
0.0	0.0						


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-75.5	0.0	0.7	1.9
0.0	0.0	INVSLE Max	I	231.6	0.0	-0.5	2.7
0.0	0.0		J	232.5	0.0	0.5	2.7
0.0	0.0	Min	I	-59.0	-0.0	-0.5	1.4
0.0	0.0		J	-58.1	0.0	0.5	1.4
8138	2	78 C1-C2;~1 Max	I	73.7	0.0	0.0	1.3
0.0	0.0		J	73.7	0.0	0.0	1.3
0.0	0.0	Min	I	-173.0	0.0	0.0	-0.5
0.0	0.0		J	-173.0	-0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	96.7	0.0	0.0	1.6
0.0	0.0		J	96.7	0.0	0.0	1.6
0.0	0.0	Min	I	-118.9	0.0	0.0	-0.5
0.0	0.0		J	-118.9	-0.0	0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	39.0	0.0	0.0	0.7
0.0	0.0		J	39.0	0.0	0.0	0.7
0.0	0.0	Min	I	-102.2	0.0	0.0	-0.3
0.0	0.0		J	-102.2	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	51.9	0.0	0.0	0.9
0.0	0.0		J	51.9	0.0	0.0	0.9
0.0	0.0	Min	I	-69.3	0.0	0.0	-0.2
0.0	0.0		J	-69.3	-0.0	0.0	-0.2
0.0	0.0	G1	I	0.4	0.0	-0.5	0.5
0.0	0.0		J	1.2	0.0	0.5	0.5
0.0	0.0	G2	I	-0.1	0.0	0.0	0.2
0.0	0.0		J	-0.1	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-6.8	0.0	0.0	0.1
0.0	0.0		J	-6.8	-0.0	0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		Q5_pc	Y	I	7.4	0.0	0.0	-0.1
0.0	0.0			J	7.4	-0.0	0.0	-0.1
0.0	0.0							
		Q5_ps	X	I	-7.1	0.0	0.0	0.0
0.0	0.0			J	-7.1	-0.0	0.0	0.0
0.0	0.0							
		Q5_ps	Y	I	8.3	0.0	0.0	-0.1
0.0	0.0			J	8.3	-0.0	0.0	-0.1
0.0	0.0							
		INVS LU	Max	I	190.0	0.0	-0.7	5.8
0.0	0.0			J	191.2	0.0	0.7	5.8
0.0	0.0							
			Min	I	-187.3	0.0	-0.7	2.7
0.0	0.0			J	-186.2	-0.0	0.7	2.7
0.0	0.0							
		INVS LE	Max	I	143.5	0.0	-0.5	4.3
0.0	0.0			J	144.3	0.0	0.5	4.3
0.0	0.0							
			Min	I	-135.0	0.0	-0.5	2.1
0.0	0.0			J	-134.2	-0.0	0.5	2.1
0.0	0.0							
8139	2	78	C1-C2;~1	Max	I	172.8	0.0	0.7
0.0	0.0			J	172.8	0.0	0.0	0.7
0.0	0.0							
			Min	I	-73.8	-0.0	0.0	-0.9
0.0	0.0			J	-73.8	-0.0	-0.0	-0.9
0.0	0.0							
			C3-C4;~1	Max	I	119.2	0.0	1.0
0.0	0.0			J	119.2	0.0	0.0	1.0
0.0	0.0							
			Min	I	-96.5	-0.0	0.0	-0.7
0.0	0.0			J	-96.5	-0.0	-0.0	-0.7
0.0	0.0							
			C1-C2;~2	Max	I	102.1	0.0	0.4
0.0	0.0			J	102.1	0.0	0.0	0.4
0.0	0.0							
			Min	I	-39.1	-0.0	0.0	-0.6
0.0	0.0			J	-39.1	-0.0	-0.0	-0.6
0.0	0.0							
			C3-C4;~2	Max	I	69.5	0.0	0.5
0.0	0.0			J	69.5	0.0	0.0	0.5
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-51.8	-0.0	0.0	-0.4
0.0	0.0		J	-51.8	-0.0	-0.0	-0.4
0.0	0.0	G1	I	3.2	0.0	-0.5	0.2
0.0	0.0		J	4.1	-0.0	0.5	0.2
0.0	0.0	G2	I	0.0	0.0	0.0	0.1
0.0	0.0		J	0.0	-0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.8	-0.0	0.0	0.1
0.0	0.0		J	6.8	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	-7.4	-0.0	0.0	0.1
0.0	0.0		J	-7.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	7.1	-0.0	0.0	0.1
0.0	0.0		J	7.1	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-8.3	-0.0	0.0	0.2
0.0	0.0		J	-8.3	0.0	-0.0	0.2
0.0	0.0	INVSLE Max	I	191.8	0.0	-0.7	3.6
0.0	0.0		J	192.9	0.0	0.7	3.6
0.0	0.0	Min	I	-185.1	-0.0	-0.7	0.8
0.0	0.0		J	-183.9	-0.0	0.7	0.8
0.0	0.0	INVSLE Max	I	138.3	0.0	-0.5	2.6
0.0	0.0		J	139.2	0.0	0.5	2.6
0.0	0.0	Min	I	-139.8	-0.0	-0.5	0.6
0.0	0.0		J	-139.0	-0.0	0.5	0.6
8140	2	78 C1-C2;~1 Max	I	86.1	0.0	0.0	1.7
0.0	0.0		J	86.1	0.0	0.0	1.7
0.0	0.0	Min	I	-132.4	0.0	0.0	-1.9
0.0	0.0		J	-132.4	0.0	-0.0	-1.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4;~1 Max	I	95.3	0.0	0.0	2.6
			J	95.3	0.0	0.0	2.6
0.0	0.0	Min	I	-89.5	0.0	0.0	-1.8
0.0	0.0		J	-89.5	0.0	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	46.1	0.0	0.0	0.9
			J	46.1	0.0	0.0	0.9
0.0	0.0	Min	I	-80.8	0.0	0.0	-1.0
0.0	0.0		J	-80.8	0.0	-0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	53.0	0.0	0.0	1.4
			J	53.0	0.0	0.0	1.4
0.0	0.0	Min	I	-53.0	0.0	0.0	-1.0
0.0	0.0		J	-53.0	0.0	-0.0	-1.0
0.0	0.0	G1	I	35.1	0.0	-0.5	0.2
			J	35.9	0.0	0.5	0.2
0.0	0.0	G2	I	12.8	0.0	0.0	0.1
			J	12.8	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.6	0.0	0.0	0.2
			J	-8.6	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	8.1	0.0	0.0	-0.1
			J	8.1	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	-8.3	0.0	0.0	0.2
			J	-8.3	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	8.3	0.0	0.0	-0.1
			J	8.3	0.0	-0.0	-0.1
0.0	0.0	INVSLU Max	I	296.0	0.0	-0.7	6.2
			J	297.1	0.0	0.7	6.2


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-26.9	0.0	-0.7	-0.2
0.0	0.0			J	-25.7	0.0	0.7	-0.2
0.0	0.0							
			INVSLE Max	I	222.9	0.0	-0.5	4.6
0.0	0.0			J	223.7	0.0	0.5	4.6
0.0	0.0							
			Min	I	-15.1	0.0	-0.5	-0.2
0.0	0.0			J	-14.2	0.0	0.5	-0.2
0.0	0.0							
8141	2	78	C1-C2;~1 Max	I	132.3	0.0	0.0	3.2
0.0	0.0			J	132.3	0.0	0.0	3.2
0.0	0.0							
			Min	I	-86.2	0.0	0.0	-1.4
0.0	0.0			J	-86.2	0.0	-0.0	-1.4
0.0	0.0							
			C3-C4;~1 Max	I	90.0	0.0	0.0	4.0
0.0	0.0			J	90.0	0.0	0.0	4.0
0.0	0.0							
			Min	I	-95.1	0.0	0.0	-1.3
0.0	0.0			J	-95.1	0.0	-0.0	-1.3
0.0	0.0							
			C1-C2;~2 Max	I	80.7	0.0	0.0	1.8
0.0	0.0			J	80.7	0.0	0.0	1.8
0.0	0.0							
			Min	I	-46.2	0.0	0.0	-0.8
0.0	0.0			J	-46.2	0.0	-0.0	-0.8
0.0	0.0							
			C3-C4;~2 Max	I	53.3	0.0	0.0	2.2
0.0	0.0			J	53.3	0.0	0.0	2.2
0.0	0.0							
			Min	I	-52.8	0.0	0.0	-0.7
0.0	0.0			J	-52.8	0.0	-0.0	-0.7
0.0	0.0							
			G1	I	-31.5	0.0	-0.5	1.6
0.0	0.0			J	-30.7	0.0	0.5	1.6
0.0	0.0							
			G2	I	-13.0	0.0	0.0	0.6
0.0	0.0			J	-13.0	0.0	-0.0	0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc X	I	8.6	0.0	0.0	0.3
0.0	0.0		J	8.6	0.0	-0.0	0.3
0.0	0.0	Q5_pc Y	I	-8.1	0.0	0.0	0.0
0.0	0.0		J	-8.1	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	8.3	0.0	0.0	0.2
0.0	0.0		J	8.3	0.0	-0.0	0.2
0.0	0.0	Q5_ps Y	I	-8.3	0.0	0.0	0.1
0.0	0.0		J	-8.3	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	31.1	0.0	-0.7	7.9
0.0	0.0		J	32.2	0.0	0.7	7.9
0.0	0.0	Min	I	-291.4	0.0	-0.7	0.1
0.0	0.0		J	-290.2	0.0	0.7	0.1
0.0	0.0	INVS LE Max	I	18.2	0.0	-0.5	5.8
0.0	0.0		J	19.1	0.0	0.5	5.8
0.0	0.0	Min	I	-219.5	0.0	-0.5	0.0
0.0	0.0		J	-218.6	0.0	0.5	0.0
8142	2	78 C1-C2;~1 Max	I	80.9	0.0	0.0	1.0
0.0	0.0		J	80.9	0.0	0.0	1.0
0.0	0.0	Min	I	-80.5	0.0	-0.0	-0.6
0.0	0.0		J	-80.5	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	78.6	0.0	0.0	1.5
0.0	0.0		J	78.6	0.0	0.0	1.5
0.0	0.0	Min	I	-52.5	0.0	-0.0	-0.7
0.0	0.0		J	-52.5	0.0	-0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	42.8	0.0	0.0	0.5
0.0	0.0		J	42.8	0.0	0.0	0.5
0.0	0.0	Min	I	-50.6	0.0	-0.0	-0.3
0.0	0.0		J	-50.6	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	42.1	0.0	0.0	0.8

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	42.1	0.0	0.0	0.8
0.0	0.0	Min	I	-31.1	0.0	-0.0	-0.4
0.0	0.0		J	-31.1	0.0	-0.0	-0.4
0.0	0.0	G1	I	49.5	0.0	-0.5	0.5
0.0	0.0		J	50.4	0.0	0.5	0.5
0.0	0.0	G2	I	17.9	0.0	0.0	0.2
0.0	0.0		J	17.9	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-14.5	0.0	-0.0	0.1
0.0	0.0		J	-14.5	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	3.2	0.0	0.0	-0.0
0.0	0.0		J	3.2	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	-13.6	0.0	-0.0	0.1
0.0	0.0		J	-13.6	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	3.2	0.0	0.0	-0.0
0.0	0.0		J	3.2	0.0	-0.0	-0.0
0.0	0.0	INVSLE Max	I	311.6	0.0	-0.7	3.4
0.0	0.0		J	312.7	0.0	0.7	3.4
0.0	0.0	Min	I	67.4	0.0	-0.7	0.2
0.0	0.0		J	68.6	0.0	0.7	0.2
0.0	0.0	INVSLE Max	I	233.6	0.0	-0.5	2.5
0.0	0.0		J	234.5	0.0	0.5	2.5
0.0	0.0	Min	I	54.7	0.0	-0.5	0.1
0.0	0.0		J	55.6	0.0	0.5	0.1
8143	2	78 C1-C2;~1 Max	I	80.4	0.0	0.0	1.1
0.0	0.0		J	80.4	0.0	0.0	1.1
0.0	0.0	Min	I	-81.1	0.0	-0.0	-1.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-81.1	0.0	-0.0	-1.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	53.0	0.0	0.0	1.2
0.0	0.0		J	53.0	0.0	0.0	1.2
0.0	0.0	Min	I	-78.6	0.0	-0.0	-1.0
0.0	0.0		J	-78.6	0.0	-0.0	-1.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	50.5	0.0	0.0	0.6
0.0	0.0		J	50.5	0.0	0.0	0.6
0.0	0.0	Min	I	-42.9	0.0	-0.0	-0.6
0.0	0.0		J	-42.9	0.0	-0.0	-0.6
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	31.4	0.0	0.0	0.7
0.0	0.0		J	31.4	0.0	0.0	0.7
0.0	0.0	Min	I	-42.0	0.0	-0.0	-0.5
0.0	0.0		J	-42.0	0.0	-0.0	-0.5
0.0	0.0						
0.0	0.0	G1	I	-46.1	0.0	-0.5	-0.1
0.0	0.0		J	-45.2	0.0	0.5	-0.1
0.0	0.0						
0.0	0.0	G2	I	-18.1	0.0	0.0	-0.1
0.0	0.0		J	-18.1	0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	14.6	0.0	0.0	0.1
0.0	0.0		J	14.6	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-3.2	0.0	-0.0	-0.1
0.0	0.0		J	-3.2	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	13.7	0.0	0.0	0.1
0.0	0.0		J	13.7	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-3.2	0.0	-0.0	-0.1
0.0	0.0		J	-3.2	0.0	0.0	-0.1
0.0	0.0						


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	INVSLE Max	I	-63.3	0.0	-0.7	1.3	
			J	-62.2	0.0	0.7	1.3	
0.0	0.0	Min	I	-307.6	0.0	-0.7	-1.9	
0.0	0.0		J	-306.4	0.0	0.7	-1.9	
0.0	0.0	INVSLE Max	I	-51.7	0.0	-0.5	0.9	
			J	-50.8	0.0	0.5	0.9	
0.0	0.0	Min	I	-230.7	0.0	-0.5	-1.4	
0.0	0.0		J	-229.8	0.0	0.5	-1.4	
8146	2	78 C1-C2;~1 Max	I	85.4	0.0	0.0	0.6	
0.0	0.0		J	85.4	0.0	0.0	0.6	
0.0	0.0	Min	I	-76.7	-0.0	0.0	-0.9	
0.0	0.0		J	-76.7	-0.0	-0.0	-0.9	
0.0	0.0	C3-C4;~1 Max	I	79.7	0.0	0.0	0.8	
			J	79.7	0.0	0.0	0.8	
0.0	0.0	Min	I	-48.7	-0.0	0.0	-1.3	
0.0	0.0		J	-48.7	-0.0	-0.0	-1.3	
0.0	0.0	C1-C2;~2 Max	I	44.3	0.0	0.0	0.3	
			J	44.3	0.0	0.0	0.3	
0.0	0.0	Min	I	-48.5	-0.0	0.0	-0.5	
0.0	0.0		J	-48.5	-0.0	-0.0	-0.5	
0.0	0.0	C3-C4;~2 Max	I	44.3	0.0	0.0	0.4	
			J	44.3	0.0	0.0	0.4	
0.0	0.0	Min	I	-29.0	-0.0	0.0	-0.7	
0.0	0.0		J	-29.0	-0.0	-0.0	-0.7	
0.0	0.0	G1	I	54.3	-0.0	-0.5	-0.3	
			J	55.1	0.0	0.5	-0.3	
0.0	0.0	G2	I	20.2	-0.0	0.0	-0.1	
			J	20.2	0.0	-0.0	-0.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-14.1	0.0	0.0	-0.2
0.0	0.0		J	-14.1	-0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-3.2	0.0	0.0	-0.0
0.0	0.0		J	-3.2	-0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-13.3	0.0	0.0	-0.2
0.0	0.0		J	-13.3	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-3.2	0.0	0.0	-0.0
0.0	0.0		J	-3.2	-0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	331.3	0.0	-0.7	0.3
0.0	0.0		J	332.4	0.0	0.7	0.3
0.0	0.0	Min	I	87.2	-0.0	-0.7	-2.9
0.0	0.0		J	88.3	-0.0	0.7	-2.9
0.0	0.0	INVS LE Max	I	248.1	0.0	-0.5	0.2
0.0	0.0		J	249.0	0.0	0.5	0.2
0.0	0.0	Min	I	69.2	-0.0	-0.5	-2.1
0.0	0.0		J	70.1	-0.0	0.5	-2.1
8147	2	78 C1-C2;~1 Max	I	76.5	0.0	0.0	0.8
0.0	0.0		J	76.5	0.0	0.0	0.8
0.0	0.0	Min	I	-85.5	-0.0	0.0	-1.0
0.0	0.0		J	-85.5	-0.0	-0.0	-1.0
0.0	0.0	C3-C4;~1 Max	I	49.2	0.0	0.0	0.7
0.0	0.0		J	49.2	0.0	0.0	0.7
0.0	0.0	Min	I	-79.6	-0.0	0.0	-1.2
0.0	0.0		J	-79.6	-0.0	-0.0	-1.2
0.0	0.0	C1-C2;~2 Max	I	48.4	0.0	0.0	0.5
0.0	0.0		J	48.4	0.0	0.0	0.5
0.0	0.0	Min	I	-44.3	-0.0	0.0	-0.6
0.0	0.0		J	-44.3	-0.0	-0.0	-0.6

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2	Max	I	29.3	0.0	0.4
0.0	0.0			J	29.3	0.0	0.4
0.0	0.0		Min	I	-44.1	-0.0	-0.7
0.0	0.0			J	-44.1	-0.0	-0.7
0.0	0.0		G1	I	-50.8	0.0	-0.1
0.0	0.0			J	-50.0	-0.0	-0.1
0.0	0.0		G2	I	-20.3	0.0	-0.1
0.0	0.0			J	-20.3	-0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	14.1	-0.0	-0.2
0.0	0.0			J	14.1	0.0	-0.2
0.0	0.0		Q5_pc Y	I	3.2	-0.0	-0.2
0.0	0.0			J	3.2	0.0	-0.2
0.0	0.0		Q5_ps X	I	13.3	-0.0	-0.2
0.0	0.0			J	13.3	0.0	-0.2
0.0	0.0		Q5_ps Y	I	3.2	-0.0	-0.1
0.0	0.0			J	3.2	0.0	-0.1
0.0	0.0		INVSLE Max	I	-83.2	0.0	1.2
0.0	0.0			J	-82.0	0.0	1.2
0.0	0.0		Min	I	-327.4	-0.0	-1.8
0.0	0.0			J	-326.2	-0.0	-1.8
0.0	0.0		INVSLE Max	I	-66.3	0.0	0.9
0.0	0.0			J	-65.4	0.0	0.9
0.0	0.0		Min	I	-245.3	-0.0	-1.3
0.0	0.0			J	-244.4	-0.0	-1.3
8148	2	78	C1-C2;~1	Max	91.3	0.0	1.8
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	91.3	0.0	0.0	1.8
0.0	0.0	Min	I	-122.0	0.0	0.0	-1.5
0.0	0.0		J	-122.0	-0.0	-0.0	-1.5
0.0	0.0	C3-C4;~1 Max	I	100.7	0.0	0.0	1.7
0.0	0.0		J	100.7	0.0	0.0	1.7
0.0	0.0	Min	I	-85.1	0.0	0.0	-2.4
0.0	0.0		J	-85.1	-0.0	-0.0	-2.4
0.0	0.0	C1-C2;~2 Max	I	48.0	0.0	0.0	1.0
0.0	0.0		J	48.0	0.0	0.0	1.0
0.0	0.0	Min	I	-76.3	0.0	0.0	-0.8
0.0	0.0		J	-76.3	-0.0	-0.0	-0.8
0.0	0.0	C3-C4;~2 Max	I	55.6	0.0	0.0	1.0
0.0	0.0		J	55.6	0.0	0.0	1.0
0.0	0.0	Min	I	-50.8	0.0	0.0	-1.3
0.0	0.0		J	-50.8	-0.0	-0.0	-1.3
0.0	0.0	G1	I	36.9	0.0	-0.5	-0.1
0.0	0.0		J	37.8	0.0	0.5	-0.1
0.0	0.0	G2	I	14.4	0.0	0.0	-0.1
0.0	0.0		J	14.4	0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-10.2	0.0	0.0	-0.3
0.0	0.0		J	-10.2	-0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-3.0	0.0	0.0	-0.0
0.0	0.0		J	-3.0	-0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-10.1	0.0	0.0	-0.2
0.0	0.0		J	-10.1	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-2.7	0.0	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-2.7	-0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	302.9	0.0	-0.7	0.2
0.0	0.0		J	304.1	0.0	0.7	0.2
0.0	0.0	Min	I	-16.2	0.0	-0.7	-5.9
0.0	0.0		J	-15.0	-0.0	0.7	-5.9
0.0	0.0	INVS LE Max	I	227.7	0.0	-0.5	0.2
0.0	0.0		J	228.6	0.0	0.5	0.2
0.0	0.0	Min	I	-7.3	0.0	-0.5	-4.4
0.0	0.0		J	-6.5	-0.0	0.5	-4.4
8149	2	78 C1-C2;~1 Max	I	121.9	0.0	0.0	1.3
0.0	0.0		J	121.9	0.0	0.0	1.3
0.0	0.0	Min	I	-91.4	0.0	0.0	-3.0
0.0	0.0		J	-91.4	-0.0	-0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	85.6	0.0	0.0	1.1
0.0	0.0		J	85.6	0.0	0.0	1.1
0.0	0.0	Min	I	-100.6	0.0	0.0	-3.8
0.0	0.0		J	-100.6	-0.0	-0.0	-3.8
0.0	0.0	C1-C2;~2 Max	I	76.2	0.0	0.0	0.8
0.0	0.0		J	76.2	0.0	0.0	0.8
0.0	0.0	Min	I	-48.0	0.0	0.0	-1.7
0.0	0.0		J	-48.0	-0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	51.1	0.0	0.0	0.6
0.0	0.0		J	51.1	0.0	0.0	0.6
0.0	0.0	Min	I	-55.5	0.0	0.0	-2.1
0.0	0.0		J	-55.5	-0.0	-0.0	-2.1
0.0	0.0	G1	I	-33.4	0.0	-0.5	-1.6
0.0	0.0		J	-32.6	-0.0	0.5	-1.6
0.0	0.0	G2	I	-14.5	0.0	0.0	-0.6
0.0	0.0		J	-14.5	-0.0	-0.0	-0.6

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	10.3	0.0	0.0	-0.3
0.0	0.0		J	10.3	0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	3.0	0.0	0.0	-0.1
0.0	0.0		J	3.0	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	10.1	0.0	0.0	-0.3
0.0	0.0		J	10.1	0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	2.8	0.0	0.0	-0.1
0.0	0.0		J	2.8	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	20.4	0.0	-0.7	-0.3
0.0	0.0		J	21.6	0.0	0.7	-0.3
0.0	0.0	Min	I	-298.4	0.0	-0.7	-7.8
0.0	0.0		J	-297.2	-0.0	0.7	-7.8
0.0	0.0	INVSLE Max	I	10.5	0.0	-0.5	-0.2
0.0	0.0		J	11.4	0.0	0.5	-0.2
0.0	0.0	Min	I	-224.3	0.0	-0.5	-5.7
0.0	0.0		J	-223.4	-0.0	0.5	-5.7
8150	2	78 C1-C2;~1 Max	I	74.5	0.0	0.0	0.6
0.0	0.0		J	74.5	0.0	0.0	0.6
0.0	0.0	Min	I	-151.8	-0.0	0.0	-1.0
0.0	0.0		J	-151.8	-0.0	0.0	-1.0
0.0	0.0	C3-C4;~1 Max	I	95.7	0.0	0.0	0.5
0.0	0.0		J	95.7	0.0	0.0	0.5
0.0	0.0	Min	I	-110.2	-0.0	0.0	-1.4
0.0	0.0		J	-110.2	-0.0	0.0	-1.4
0.0	0.0	C1-C2;~2 Max	I	39.0	0.0	0.0	0.3
0.0	0.0		J	39.0	0.0	0.0	0.3

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-93.3	-0.0	0.0	-0.6
0.0	0.0		J	-93.3	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	51.9	0.0	0.0	0.3
0.0	0.0		J	51.9	0.0	0.0	0.3
0.0	0.0	Min	I	-65.2	-0.0	0.0	-0.8
0.0	0.0		J	-65.2	-0.0	0.0	-0.8
0.0	0.0	G1	I	2.3	0.0	-0.5	-0.4
0.0	0.0		J	3.2	-0.0	0.5	-0.4
0.0	0.0	G2	I	2.0	0.0	0.0	-0.2
0.0	0.0		J	2.0	-0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-9.5	-0.0	0.0	-0.1
0.0	0.0		J	-9.5	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-0.4	-0.0	0.0	0.1
0.0	0.0		J	-0.4	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-10.0	-0.0	0.0	-0.0
0.0	0.0		J	-10.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	0.0	-0.0	0.0	0.1
0.0	0.0		J	0.0	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	188.1	0.0	-0.7	-2.9
0.0	0.0		J	189.3	0.0	0.7	-2.9
0.0	0.0	Min	I	-163.1	-0.0	-0.7	-5.7
0.0	0.0		J	-161.9	-0.0	0.7	-5.7
0.0	0.0	INVSLE Max	I	141.6	0.0	-0.5	-2.3
0.0	0.0		J	142.5	0.0	0.5	-2.3
0.0	0.0	Min	I	-117.3	-0.0	-0.5	-4.3
0.0	0.0		J	-116.4	-0.0	0.5	-4.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


8151	2	78	C1-C2;~1	Max	I	151.7	0.0	0.0	0.8
0.0	0.0				J	151.7	0.0	0.0	0.8
0.0	0.0			Min	I	-74.6	-0.0	0.0	-0.9
0.0	0.0				J	-74.6	-0.0	0.0	-0.9
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	110.5	0.0	0.0	0.7
0.0	0.0				J	110.5	0.0	0.0	0.7
0.0	0.0			Min	I	-95.5	-0.0	0.0	-1.1
0.0	0.0				J	-95.5	-0.0	0.0	-1.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	93.2	0.0	0.0	0.5
0.0	0.0				J	93.2	0.0	0.0	0.5
0.0	0.0			Min	I	-39.1	-0.0	0.0	-0.5
0.0	0.0				J	-39.1	-0.0	0.0	-0.5
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	65.4	0.0	0.0	0.4
0.0	0.0				J	65.4	0.0	0.0	0.4
0.0	0.0			Min	I	-51.8	-0.0	0.0	-0.7
0.0	0.0				J	-51.8	-0.0	0.0	-0.7
0.0	0.0								
0.0	0.0			G1	I	1.2	-0.0	-0.5	-0.3
0.0	0.0				J	2.1	0.0	0.5	-0.3
0.0	0.0								
0.0	0.0			G2	I	-2.1	-0.0	0.0	-0.1
0.0	0.0				J	-2.1	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	9.5	0.0	0.0	-0.1
0.0	0.0				J	9.5	-0.0	0.0	-0.1
0.0	0.0								
0.0	0.0			Q5_pc Y	I	0.4	0.0	0.0	-0.0
0.0	0.0				J	0.4	-0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			Q5_ps X	I	10.1	0.0	0.0	-0.1
0.0	0.0				J	10.1	-0.0	0.0	-0.1
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps Y	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	167.7	0.0	-0.7	-0.6
0.0	0.0		J	168.8	0.0	0.7	-0.6
0.0	0.0	Min	I	-183.2	-0.0	-0.7	-3.4
0.0	0.0		J	-182.0	-0.0	0.7	-3.4
0.0	0.0	INVSLE Max	I	120.7	0.0	-0.5	-0.3
0.0	0.0		J	121.5	0.0	0.5	-0.3
0.0	0.0	Min	I	-138.0	-0.0	-0.5	-2.4
0.0	0.0		J	-137.1	-0.0	0.5	-2.4
8152	2	78 C1-C2;~1 Max	I	63.5	0.0	0.0	0.2
0.0	0.0		J	63.5	0.0	0.0	0.2
0.0	0.0	Min	I	-173.8	0.0	-0.0	-0.6
0.0	0.0		J	-173.8	0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	82.1	0.0	0.0	0.2
0.0	0.0		J	82.1	0.0	0.0	0.2
0.0	0.0	Min	I	-134.6	0.0	-0.0	-0.7
0.0	0.0		J	-134.6	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	32.5	0.0	0.0	0.1
0.0	0.0		J	32.5	0.0	0.0	0.1
0.0	0.0	Min	I	-104.6	0.0	-0.0	-0.3
0.0	0.0		J	-104.6	0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	42.6	0.0	0.0	0.1
0.0	0.0		J	42.6	0.0	0.0	0.1
0.0	0.0	Min	I	-78.3	0.0	-0.0	-0.4
0.0	0.0		J	-78.3	0.0	0.0	-0.4
0.0	0.0	G1	I	-32.7	0.0	-0.5	-0.3
0.0	0.0		J	-31.9	0.0	0.5	-0.3
0.0	0.0	G2	I	-11.2	0.0	-0.0	-0.1


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-11.2	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-6.6	0.0	0.0	-0.0
0.0	0.0		J	-6.6	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	8.1	0.0	0.0	0.0
0.0	0.0		J	8.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-7.6	0.0	0.0	-0.0
0.0	0.0		J	-7.6	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	8.2	0.0	0.0	0.0
0.0	0.0		J	8.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	83.2	0.0	-0.7	-2.1
0.0	0.0		J	84.4	0.0	0.7	-2.1
0.0	0.0						
0.0	0.0	Min	I	-277.0	0.0	-0.7	-3.4
0.0	0.0		J	-275.8	0.0	0.7	-3.4
0.0	0.0						
0.0	0.0	INVS LE Max	I	63.2	0.0	-0.5	-1.5
0.0	0.0		J	64.1	0.0	0.5	-1.5
0.0	0.0						
0.0	0.0	Min	I	-202.5	0.0	-0.5	-2.5
0.0	0.0		J	-201.7	0.0	0.5	-2.5
0.0	0.0						
8153	2	78 C1-C2;~1 Max	I	173.7	0.0	0.0	0.3
0.0	0.0		J	173.7	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Min	I	-63.5	0.0	-0.0	-0.3
0.0	0.0		J	-63.5	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	134.9	0.0	0.0	0.3
0.0	0.0		J	134.9	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Min	I	-82.0	0.0	-0.0	-0.3
0.0	0.0		J	-82.0	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	104.6	0.0	0.0	0.2

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	104.6	0.0	0.0	0.2
0.0	0.0	Min	I	-32.5	0.0	-0.0	-0.2
0.0	0.0		J	-32.5	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	78.4	0.0	0.0	0.2
0.0	0.0		J	78.4	0.0	0.0	0.2
0.0	0.0	Min	I	-42.5	0.0	-0.0	-0.2
0.0	0.0		J	-42.5	0.0	0.0	-0.2
0.0	0.0	G1	I	36.3	0.0	-0.5	0.1
0.0	0.0		J	37.2	0.0	0.5	0.1
0.0	0.0	G2	I	11.1	0.0	-0.0	0.0
0.0	0.0		J	11.1	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.6	0.0	-0.0	-0.0
0.0	0.0		J	6.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-8.1	0.0	0.0	-0.1
0.0	0.0		J	-8.1	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	7.6	0.0	-0.0	-0.0
0.0	0.0		J	7.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-8.2	0.0	0.0	-0.1
0.0	0.0		J	-8.2	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	281.6	0.0	-0.7	-1.9
0.0	0.0		J	282.8	0.0	0.7	-1.9
0.0	0.0	Min	I	-78.4	0.0	-0.7	-2.8
0.0	0.0		J	-77.2	0.0	0.7	-2.8
0.0	0.0	INVS LE Max	I	205.9	0.0	-0.5	-1.4
0.0	0.0		J	206.8	0.0	0.5	-1.4
0.0	0.0	Min	I	-59.7	0.0	-0.5	-2.1

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-58.8	0.0	0.5	-2.1
0.0	0.0							
8154	2	78	C1-C2;~1	Max	I	57.6	0.0	0.3
0.0	0.0				J	57.6	0.0	0.3
0.0	0.0			Min	I	-191.1	-0.0	-0.5
0.0	0.0				J	-191.1	-0.0	-0.5
0.0	0.0							
			C3-C4;~1	Max	I	75.9	0.0	0.3
0.0	0.0				J	75.9	0.0	0.3
0.0	0.0			Min	I	-150.4	-0.0	-0.6
0.0	0.0				J	-150.4	-0.0	-0.6
0.0	0.0							
			C1-C2;~2	Max	I	28.6	0.0	0.2
0.0	0.0				J	28.6	0.0	0.2
0.0	0.0			Min	I	-114.2	-0.0	-0.3
0.0	0.0				J	-114.2	-0.0	-0.3
0.0	0.0							
			C3-C4;~2	Max	I	38.2	0.0	0.2
0.0	0.0				J	38.2	0.0	0.2
0.0	0.0			Min	I	-86.8	-0.0	-0.3
0.0	0.0				J	-86.8	-0.0	-0.3
0.0	0.0							
			G1		I	-53.6	0.0	-0.2
0.0	0.0				J	-52.7	-0.0	-0.2
0.0	0.0							
			G2		I	-19.1	0.0	-0.1
0.0	0.0				J	-19.1	-0.0	-0.1
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-5.7	-0.0	-0.0
0.0	0.0				J	-5.7	0.0	-0.0
0.0	0.0							
			Q5_pc	Y	I	11.6	-0.0	0.0
0.0	0.0				J	11.6	0.0	0.0
0.0	0.0							
			Q5_ps	X	I	-6.9	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-6.9	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	11.3	-0.0	0.0	0.0
0.0	0.0		J	11.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	33.2	0.0	-0.7	-1.0
0.0	0.0		J	34.4	0.0	0.7	-1.0
0.0	0.0	Min	I	-348.1	-0.0	-0.7	-2.2
0.0	0.0		J	-346.9	-0.0	0.7	-2.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	25.7	0.0	-0.5	-0.7
0.0	0.0		J	26.5	0.0	0.5	-0.7
0.0	0.0	Min	I	-255.2	-0.0	-0.5	-1.6
0.0	0.0		J	-254.3	-0.0	0.5	-1.6
0.0	0.0						
8155	2	78 C1-C2;~1 Max	I	191.0	0.0	0.0	0.4
0.0	0.0		J	191.0	0.0	0.0	0.4
0.0	0.0	Min	I	-57.6	-0.0	-0.0	-0.3
0.0	0.0		J	-57.6	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	150.6	0.0	0.0	0.4
0.0	0.0		J	150.6	0.0	0.0	0.4
0.0	0.0	Min	I	-75.9	-0.0	-0.0	-0.3
0.0	0.0		J	-75.9	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	114.1	0.0	0.0	0.2
0.0	0.0		J	114.1	0.0	0.0	0.2
0.0	0.0	Min	I	-28.6	-0.0	-0.0	-0.2
0.0	0.0		J	-28.6	-0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	87.0	0.0	0.0	0.2
0.0	0.0		J	87.0	0.0	0.0	0.2
0.0	0.0	Min	I	-38.1	-0.0	-0.0	-0.2
0.0	0.0		J	-38.1	-0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	G1	I	57.1	-0.0	-0.5	0.1
0.0	0.0		J	58.0	0.0	0.5	0.1


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		G2	I	19.0	-0.0	0.0	0.0
0.0	0.0		J	19.0	0.0	0.0	0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.8	0.0	0.0	-0.0
0.0	0.0		J	5.8	-0.0	0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	-11.5	0.0	-0.0	-0.1
0.0	0.0		J	-11.5	-0.0	0.0	-0.1
0.0	0.0						
		Q5_ps X	I	7.0	0.0	0.0	-0.0
0.0	0.0		J	7.0	-0.0	0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	-11.3	0.0	-0.0	-0.1
0.0	0.0		J	-11.3	-0.0	0.0	-0.1
0.0	0.0						
		INVS LU Max	I	353.0	0.0	-0.7	-0.9
0.0	0.0		J	354.2	0.0	0.7	-0.9
0.0	0.0						
		Min	I	-28.0	-0.0	-0.7	-1.9
0.0	0.0		J	-26.8	-0.0	0.7	-1.9
0.0	0.0						
		INVS LE Max	I	258.9	0.0	-0.5	-0.6
0.0	0.0		J	259.7	0.0	0.5	-0.6
0.0	0.0						
		Min	I	-21.8	-0.0	-0.5	-1.4
0.0	0.0		J	-21.0	-0.0	0.5	-1.4
0.0	0.0						
8156	2	78 C1-C2;~1 Max	I	56.2	0.0	0.0	0.4
0.0	0.0		J	56.2	0.0	0.0	0.4
0.0	0.0						
		Min	I	-198.6	0.0	0.0	-0.4
0.0	0.0		J	-198.6	-0.0	-0.0	-0.4
0.0	0.0						
		C3-C4;~1 Max	I	74.1	0.0	0.0	0.4
0.0	0.0		J	74.1	0.0	0.0	0.4
0.0	0.0						
		Min	I	-157.0	0.0	0.0	-0.4
0.0	0.0		J	-157.0	-0.0	-0.0	-0.4

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	I	27.0	0.0	0.0	0.2
0.0	0.0			J	27.0	0.0	0.0	0.2
0.0	0.0		Min	I	-118.2	0.0	0.0	-0.2
0.0	0.0			J	-118.2	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2	Max	I	36.4	0.0	0.0	0.2
0.0	0.0			J	36.4	0.0	0.0	0.2
0.0	0.0		Min	I	-90.2	0.0	0.0	-0.2
0.0	0.0			J	-90.2	-0.0	-0.0	-0.2
0.0	0.0		G1	I	-60.8	0.0	-0.5	-0.0
0.0	0.0			J	-60.0	0.0	0.5	-0.0
0.0	0.0		G2	I	-21.9	0.0	0.0	-0.0
0.0	0.0			J	-21.9	0.0	-0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-6.0	0.0	0.0	-0.0
0.0	0.0			J	-6.0	-0.0	0.0	-0.0
0.0	0.0	Q5_pc	Y	I	13.3	0.0	0.0	0.0
0.0	0.0			J	13.3	-0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	-7.3	0.0	0.0	-0.0
0.0	0.0			J	-7.3	-0.0	0.0	-0.0
0.0	0.0	Q5_ps	Y	I	12.9	0.0	0.0	0.0
0.0	0.0			J	12.9	-0.0	0.0	0.0
0.0	0.0	INVSLU	Max	I	17.5	0.0	-0.7	0.6
0.0	0.0			J	18.7	0.0	0.7	0.6
0.0	0.0		Min	I	-374.5	0.0	-0.7	-0.6
0.0	0.0			J	-373.3	-0.0	0.7	-0.6
0.0	0.0	INVSLE	Max	I	13.9	0.0	-0.5	0.4

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	14.8	0.0	0.5	0.4
0.0	0.0	Min	I	-274.7	0.0	-0.5	-0.4
0.0	0.0		J	-273.8	-0.0	0.5	-0.4
8157	2	78 C1-C2;~1 Max	I	198.5	0.0	0.0	0.4
0.0	0.0		J	198.5	0.0	0.0	0.4
0.0	0.0	Min	I	-56.2	0.0	-0.0	-0.3
0.0	0.0		J	-56.2	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	157.3	0.0	0.0	0.4
0.0	0.0		J	157.3	0.0	0.0	0.4
0.0	0.0	Min	I	-74.0	0.0	-0.0	-0.3
0.0	0.0		J	-74.0	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	118.1	0.0	0.0	0.2
0.0	0.0		J	118.1	0.0	0.0	0.2
0.0	0.0	Min	I	-27.0	0.0	-0.0	-0.2
0.0	0.0		J	-27.0	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	90.3	0.0	0.0	0.2
0.0	0.0		J	90.3	0.0	0.0	0.2
0.0	0.0	Min	I	-36.3	0.0	-0.0	-0.2
0.0	0.0		J	-36.3	-0.0	-0.0	-0.2
0.0	0.0	G1	I	64.4	0.0	-0.5	0.0
0.0	0.0		J	65.3	-0.0	0.5	0.0
0.0	0.0	G2	I	21.9	0.0	0.0	0.0
0.0	0.0		J	21.9	-0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.0	0.0	0.0	-0.0
0.0	0.0		J	6.0	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	-13.3	0.0	-0.0	-0.0
0.0	0.0		J	-13.3	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
0.0	0.0	Q5_ps X	I	7.3	0.0	0.0	-0.0
0.0	0.0		J	7.3	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-12.8	0.0	-0.0	-0.0
0.0	0.0		J	-12.8	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	379.6	0.0	-0.7	0.5
0.0	0.0		J	380.7	0.0	0.7	0.5
0.0	0.0	Min	I	-12.2	0.0	-0.7	-0.4
0.0	0.0		J	-11.0	-0.0	0.7	-0.4
0.0	0.0	INVS LE Max	I	278.4	0.0	-0.5	0.4
0.0	0.0		J	279.3	0.0	0.5	0.4
0.0	0.0	Min	I	-10.0	0.0	-0.5	-0.3
0.0	0.0		J	-9.1	-0.0	0.5	-0.3
8158	2	78 C1-C2;~1 Max	I	63.4	0.0	0.0	0.5
0.0	0.0		J	63.4	0.0	0.0	0.5
0.0	0.0	Min	I	-195.7	0.0	0.0	-0.3
0.0	0.0		J	-195.7	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	78.1	0.0	0.0	0.6
0.0	0.0		J	78.1	0.0	0.0	0.6
0.0	0.0	Min	I	-155.7	0.0	0.0	-0.3
0.0	0.0		J	-155.7	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	31.5	0.0	0.0	0.3
0.0	0.0		J	31.5	0.0	0.0	0.3
0.0	0.0	Min	I	-116.4	0.0	0.0	-0.2
0.0	0.0		J	-116.4	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	38.6	0.0	0.0	0.3
0.0	0.0		J	38.6	0.0	0.0	0.3
0.0	0.0	Min	I	-89.4	0.0	0.0	-0.2
0.0	0.0		J	-89.4	0.0	0.0	-0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		G1	I	-54.2	0.0	-0.5	0.2
0.0	0.0			J	-53.3	0.0	0.5	0.2
0.0	0.0		G2	I	-19.5	0.0	0.0	0.1
0.0	0.0			J	-19.5	0.0	0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-6.6	0.0	0.0	0.0
0.0	0.0			J	-6.6	0.0	0.0	0.0
0.0	0.0		Q5_pc Y	I	14.1	0.0	0.0	0.0
0.0	0.0			J	14.1	0.0	0.0	0.0
0.0	0.0		Q5_ps X	I	-7.9	0.0	0.0	-0.0
0.0	0.0			J	-7.9	0.0	0.0	-0.0
0.0	0.0		Q5_ps Y	I	13.4	0.0	0.0	0.0
0.0	0.0			J	13.4	0.0	0.0	0.0
0.0	0.0		INVSLU Max	I	38.4	0.0	-0.7	2.2
0.0	0.0			J	39.6	0.0	0.7	2.2
0.0	0.0		Min	I	-356.6	0.0	-0.7	1.0
0.0	0.0			J	-355.4	0.0	0.7	1.0
0.0	0.0		INVSLE Max	I	29.4	0.0	-0.5	1.7
0.0	0.0			J	30.3	0.0	0.5	1.7
0.0	0.0		Min	I	-261.3	0.0	-0.5	0.7
0.0	0.0			J	-260.4	0.0	0.5	0.7
8159	2	78	C1-C2;~1 Max	I	195.6	0.0	0.0	0.3
0.0	0.0			J	195.6	0.0	0.0	0.3
0.0	0.0		Min	I	-63.4	0.0	0.0	-0.3
0.0	0.0			J	-63.4	0.0	0.0	-0.3
0.0	0.0		C3-C4;~1 Max	I	156.0	0.0	0.0	0.3
0.0	0.0			J	156.0	0.0	0.0	0.3

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Min	I	-78.0	0.0	0.0	-0.3
0.0	0.0		J	-78.0	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	116.4	0.0	0.0	0.2
0.0	0.0		J	116.4	0.0	0.0	0.2
0.0	0.0	Min	I	-31.5	0.0	0.0	-0.2
0.0	0.0		J	-31.5	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	89.6	0.0	0.0	0.2
0.0	0.0		J	89.6	0.0	0.0	0.2
0.0	0.0	Min	I	-38.5	0.0	0.0	-0.2
0.0	0.0		J	-38.5	0.0	0.0	-0.2
0.0	0.0	G1	I	57.7	0.0	-0.5	-0.0
0.0	0.0		J	58.6	0.0	0.5	-0.0
0.0	0.0	G2	I	19.4	0.0	0.0	-0.0
0.0	0.0		J	19.4	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.7	0.0	0.0	0.0
0.0	0.0		J	6.7	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-14.1	0.0	0.0	-0.0
0.0	0.0		J	-14.1	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	8.0	0.0	0.0	0.0
0.0	0.0		J	8.0	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-13.4	0.0	0.0	-0.0
0.0	0.0		J	-13.4	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	361.5	0.0	-0.7	2.0
0.0	0.0		J	362.7	0.0	0.7	2.0
0.0	0.0	Min	I	-33.2	0.0	-0.7	1.0
0.0	0.0		J	-32.0	0.0	0.7	1.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	INVSLE Max	I	264.9	0.0	-0.5	1.5
0.0	0.0		J	265.8	0.0	0.5	1.5
0.0	0.0	Min	I	-25.6	0.0	-0.5	0.8
0.0	0.0		J	-24.7	0.0	0.5	0.8
8160	2	78 C1-C2;~1 Max	I	72.5	0.0	0.0	0.6
0.0	0.0		J	72.5	0.0	0.0	0.6
0.0	0.0	Min	I	-182.3	0.0	-0.0	-0.2
0.0	0.0		J	-182.3	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	86.1	0.0	0.0	0.7
0.0	0.0		J	86.1	0.0	0.0	0.7
0.0	0.0	Min	I	-145.1	0.0	-0.0	-0.2
0.0	0.0		J	-145.1	0.0	-0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	36.9	0.0	0.0	0.3
0.0	0.0		J	36.9	0.0	0.0	0.3
0.0	0.0	Min	I	-108.6	0.0	-0.0	-0.1
0.0	0.0		J	-108.6	0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	43.3	0.0	0.0	0.4
0.0	0.0		J	43.3	0.0	0.0	0.4
0.0	0.0	Min	I	-83.4	0.0	-0.0	-0.1
0.0	0.0		J	-83.4	0.0	-0.0	-0.1
0.0	0.0	G1	I	-34.0	0.0	-0.5	0.3
0.0	0.0		J	-33.2	0.0	0.5	0.3
0.0	0.0	G2	I	-12.0	0.0	0.0	0.1
0.0	0.0		J	-12.0	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-7.8	0.0	-0.0	0.0
0.0	0.0		J	-7.8	0.0	0.0	0.0


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	12.0	0.0	-0.0	0.0
				J	12.0	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	-8.9	0.0	-0.0	0.0
				J	-8.9	0.0	0.0	0.0
0.0	0.0	Q5_ps	Y	I	11.3	0.0	-0.0	0.0
				J	11.3	0.0	0.0	0.0
0.0	0.0	INVS LU	Max	I	92.2	0.0	-0.7	3.4
				J	93.3	0.0	0.7	3.4
0.0	0.0		Min	I	-291.7	0.0	-0.7	2.1
				J	-290.5	0.0	0.7	2.1
0.0	0.0	INVS LE	Max	I	69.8	0.0	-0.5	2.5
				J	70.6	0.0	0.5	2.5
0.0	0.0		Min	I	-213.0	0.0	-0.5	1.5
				J	-212.1	0.0	0.5	1.5
8161	2	78 C1-C2;~1	Max	I	182.2	0.0	0.0	0.3
0.0	0.0			J	182.2	0.0	0.0	0.3
0.0	0.0		Min	I	-72.5	0.0	-0.0	-0.3
				J	-72.5	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1	Max	I	145.4	0.0	0.0	0.3
				J	145.4	0.0	0.0	0.3
0.0	0.0		Min	I	-86.1	0.0	-0.0	-0.3
				J	-86.1	0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2	Max	I	108.5	0.0	0.0	0.2
				J	108.5	0.0	0.0	0.2
0.0	0.0		Min	I	-36.9	0.0	-0.0	-0.2
				J	-36.9	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2	Max	I	83.6	0.0	0.0	0.2
				J	83.6	0.0	0.0	0.2
0.0	0.0		Min	I	-43.2	0.0	-0.0	-0.2


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-43.2	0.0	-0.0	-0.2
0.0	0.0	G1	I	37.6	0.0	-0.5	-0.1
0.0	0.0		J	38.5	0.0	0.5	-0.1
0.0	0.0	G2	I	11.9	0.0	0.0	-0.0
0.0	0.0		J	11.9	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.9	0.0	0.0	0.1
0.0	0.0		J	7.9	0.0	-0.0	0.1
0.0	0.0	Q5_pc Y	I	-11.9	0.0	-0.0	0.0
0.0	0.0		J	-11.9	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	9.0	0.0	0.0	0.0
0.0	0.0		J	9.0	0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	-11.2	0.0	-0.0	0.0
0.0	0.0		J	-11.2	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	296.3	0.0	-0.7	3.0
0.0	0.0		J	297.5	0.0	0.7	3.0
0.0	0.0	Min	I	-87.3	0.0	-0.7	2.0
0.0	0.0		J	-86.1	0.0	0.7	2.0
0.0	0.0	INVSLE Max	I	216.4	0.0	-0.5	2.2
0.0	0.0		J	217.2	0.0	0.5	2.2
0.0	0.0	Min	I	-66.2	0.0	-0.5	1.5
0.0	0.0		J	-65.3	0.0	0.5	1.5
8162	2	78 C1-C2;~1 Max	I	79.0	0.0	0.0	1.1
0.0	0.0		J	79.0	0.0	0.0	1.1
0.0	0.0	Min	I	-160.1	-0.0	0.0	-0.6
0.0	0.0		J	-160.1	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	98.8	0.0	0.0	1.5

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	98.8	0.0	0.0	1.5
0.0	0.0	Min	I	-121.6	-0.0	0.0	-0.5
0.0	0.0		J	-121.6	0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	41.0	0.0	0.0	0.6
0.0	0.0		J	41.0	0.0	0.0	0.6
0.0	0.0	Min	I	-97.0	-0.0	0.0	-0.3
0.0	0.0		J	-97.0	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	52.2	0.0	0.0	0.8
0.0	0.0		J	52.2	0.0	0.0	0.8
0.0	0.0	Min	I	-70.6	-0.0	0.0	-0.3
0.0	0.0		J	-70.6	0.0	-0.0	-0.3
0.0	0.0	G1	I	-0.0	-0.0	-0.5	0.4
0.0	0.0		J	0.8	0.0	0.5	0.4
0.0	0.0	G2	I	0.8	-0.0	0.0	0.2
0.0	0.0		J	0.8	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-9.4	-0.0	0.0	0.1
0.0	0.0		J	-9.4	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	2.1	-0.0	0.0	-0.1
0.0	0.0		J	2.1	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	-10.1	-0.0	0.0	0.1
0.0	0.0		J	-10.1	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	1.9	-0.0	0.0	-0.0
0.0	0.0		J	1.9	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	191.1	0.0	-0.7	5.9
0.0	0.0		J	192.2	0.0	0.7	5.9
0.0	0.0	Min	I	-175.2	-0.0	-0.7	3.0

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-174.1	0.0	0.7	3.0
0.0	0.0							
			INVSLE Max	I	144.1	0.0	-0.5	4.4
0.0	0.0			J	144.9	0.0	0.5	4.4
0.0	0.0		Min	I	-126.0	-0.0	-0.5	2.3
0.0	0.0			J	-125.2	0.0	0.5	2.3
0.0	0.0							
8163	2	78	C1-C2;~1 Max	I	159.9	0.0	0.0	1.2
0.0	0.0			J	159.9	0.0	0.0	1.2
0.0	0.0		Min	I	-79.0	0.0	0.0	-1.0
0.0	0.0			J	-79.0	0.0	0.0	-1.0
0.0	0.0							
			C3-C4;~1 Max	I	121.9	0.0	0.0	1.5
0.0	0.0			J	121.9	0.0	0.0	1.5
0.0	0.0		Min	I	-98.7	0.0	0.0	-0.8
0.0	0.0			J	-98.7	0.0	0.0	-0.8
0.0	0.0							
			C1-C2;~2 Max	I	96.9	0.0	0.0	0.7
0.0	0.0			J	96.9	0.0	0.0	0.7
0.0	0.0		Min	I	-41.1	0.0	0.0	-0.6
0.0	0.0			J	-41.1	0.0	0.0	-0.6
0.0	0.0							
			C3-C4;~2 Max	I	70.8	0.0	0.0	0.8
0.0	0.0			J	70.8	0.0	0.0	0.8
0.0	0.0		Min	I	-52.1	0.0	0.0	-0.5
0.0	0.0			J	-52.1	0.0	0.0	-0.5
0.0	0.0							
			G1	I	3.6	0.0	-0.5	0.4
0.0	0.0			J	4.5	0.0	0.5	0.4
0.0	0.0							
			G2	I	-0.9	0.0	0.0	0.2
0.0	0.0			J	-0.9	0.0	0.0	0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	9.4	0.0	0.0	0.1
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	9.4	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	-2.1	0.0	0.0	0.0
0.0	0.0		J	-2.1	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	10.2	0.0	0.0	0.1
0.0	0.0		J	10.2	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-1.8	0.0	0.0	0.0
0.0	0.0		J	-1.8	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	179.8	0.0	-0.7	3.9
0.0	0.0		J	181.0	0.0	0.7	3.9
0.0	0.0	Min	I	-186.2	0.0	-0.7	0.2
0.0	0.0		J	-185.0	0.0	0.7	0.2
0.0	0.0	INVS LE Max	I	129.4	0.0	-0.5	2.8
0.0	0.0		J	130.3	0.0	0.5	2.8
0.0	0.0	Min	I	-140.4	0.0	-0.5	0.1
0.0	0.0		J	-139.6	0.0	0.5	0.1
8164	2	78 C1-C2;~1 Max	I	92.4	0.0	0.0	1.8
0.0	0.0		J	92.4	0.0	0.0	1.8
0.0	0.0	Min	I	-127.7	0.0	-0.0	-1.9
0.0	0.0		J	-127.7	0.0	-0.0	-1.9
0.0	0.0	C3-C4;~1 Max	I	100.3	0.0	0.0	2.8
0.0	0.0		J	100.3	0.0	0.0	2.8
0.0	0.0	Min	I	-94.6	0.0	-0.0	-1.9
0.0	0.0		J	-94.6	0.0	-0.0	-1.9
0.0	0.0	C1-C2;~2 Max	I	48.6	0.0	0.0	0.9
0.0	0.0		J	48.6	0.0	0.0	0.9
0.0	0.0	Min	I	-78.7	0.0	-0.0	-1.0
0.0	0.0		J	-78.7	0.0	-0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	54.2	0.0	0.0	1.5
0.0	0.0		J	54.2	0.0	0.0	1.5

MIDAS


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-55.3	0.0	-0.0	-1.1
0.0	0.0			J	-55.3	0.0	-0.0	-1.1
0.0	0.0		G1	I	34.8	0.0	-0.5	0.1
0.0	0.0			J	35.6	0.0	0.5	0.1
0.0	0.0		G2	I	13.3	0.0	0.0	0.1
0.0	0.0			J	13.3	0.0	-0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-9.5	0.0	-0.0	0.3
0.0	0.0			J	-9.5	0.0	0.0	0.3
0.0	0.0		Q5_pc Y	I	-3.7	0.0	-0.0	-0.0
0.0	0.0			J	-3.7	0.0	0.0	-0.0
0.0	0.0		Q5_ps X	I	-9.5	0.0	-0.0	0.3
0.0	0.0			J	-9.5	0.0	0.0	0.3
0.0	0.0		Q5_ps Y	I	-3.6	0.0	-0.0	-0.0
0.0	0.0			J	-3.6	0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	304.9	0.0	-0.7	6.6
0.0	0.0			J	306.1	0.0	0.7	6.6
0.0	0.0		Min	I	-20.1	0.0	-0.7	-0.2
0.0	0.0			J	-18.9	0.0	0.7	-0.2
0.0	0.0		INVSLE Max	I	229.5	0.0	-0.5	4.9
0.0	0.0			J	230.4	0.0	0.5	4.9
0.0	0.0		Min	I	-9.9	0.0	-0.5	-0.2
0.0	0.0			J	-9.1	0.0	0.5	-0.2
8165	2	78	C1-C2;~1 Max	I	127.6	0.0	0.0	3.3
0.0	0.0			J	127.6	0.0	0.0	3.3
0.0	0.0		Min	I	-92.5	0.0	-0.0	-1.6
0.0	0.0			J	-92.5	0.0	-0.0	-1.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	I	95.1	0.0	4.2
0.0	0.0			J	95.1	0.0	4.2
0.0	0.0		Min	I	-100.1	0.0	-1.4
0.0	0.0			J	-100.1	0.0	-1.4
0.0	0.0	C1-C2;~2	Max	I	78.6	0.0	1.9
0.0	0.0			J	78.6	0.0	1.9
0.0	0.0		Min	I	-48.6	0.0	-0.9
0.0	0.0			J	-48.6	0.0	-0.9
0.0	0.0	C3-C4;~2	Max	I	55.6	0.0	2.3
0.0	0.0			J	55.6	0.0	2.3
0.0	0.0		Min	I	-54.1	0.0	-0.7
0.0	0.0			J	-54.1	0.0	-0.7
0.0	0.0		G1	I	-31.2	0.0	1.6
0.0	0.0			J	-30.4	0.0	1.6
0.0	0.0		G2	I	-13.4	0.0	0.7
0.0	0.0			J	-13.4	0.0	0.7
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	9.5	0.0	0.5
0.0	0.0			J	9.5	0.0	0.5
0.0	0.0	Q5_pc	Y	I	3.7	0.0	0.3
0.0	0.0			J	3.7	0.0	0.3
0.0	0.0	Q5_ps	X	I	9.6	0.0	0.4
0.0	0.0			J	9.6	0.0	0.4
0.0	0.0	Q5_ps	Y	I	3.7	0.0	0.3
0.0	0.0			J	3.7	0.0	0.3
0.0	0.0	INVSLU	Max	I	24.3	0.0	8.7

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	25.5	0.0	0.7	8.7
0.0	0.0	Min	I	-300.3	0.0	-0.7	0.1
0.0	0.0		J	-299.1	0.0	0.7	0.1
0.0	0.0	INVSLE Max	I	13.1	0.0	-0.5	6.4
0.0	0.0		J	14.0	0.0	0.5	6.4
0.0	0.0	Min	I	-226.1	0.0	-0.5	0.0
0.0	0.0		J	-225.3	0.0	0.5	0.0
8166	2	78 C1-C2;~1 Max	I	86.4	0.0	0.0	1.0
0.0	0.0		J	86.4	0.0	0.0	1.0
0.0	0.0	Min	I	-80.8	0.0	0.0	-0.7
0.0	0.0		J	-80.8	0.0	0.0	-0.7
0.0	0.0	C3-C4;~1 Max	I	80.8	0.0	0.0	1.4
0.0	0.0		J	80.8	0.0	0.0	1.4
0.0	0.0	Min	I	-55.5	0.0	0.0	-0.8
0.0	0.0		J	-55.5	0.0	0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	45.2	0.0	0.0	0.5
0.0	0.0		J	45.2	0.0	0.0	0.5
0.0	0.0	Min	I	-50.3	0.0	0.0	-0.4
0.0	0.0		J	-50.3	0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	43.2	0.0	0.0	0.8
0.0	0.0		J	43.2	0.0	0.0	0.8
0.0	0.0	Min	I	-32.2	0.0	0.0	-0.5
0.0	0.0		J	-32.2	0.0	0.0	-0.5
0.0	0.0	G1	I	52.2	0.0	-0.5	0.3
0.0	0.0		J	53.1	0.0	0.5	0.3
0.0	0.0	G2	I	19.2	0.0	0.0	0.1
0.0	0.0		J	19.2	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	-20.2	0.0	0.0	0.2
0.0	0.0		J	-20.2	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-6.5	0.0	0.0	-0.0
0.0	0.0		J	-6.5	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-19.2	0.0	0.0	0.2
0.0	0.0		J	-19.2	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-6.3	0.0	0.0	-0.0
0.0	0.0		J	-6.3	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	345.1	0.0	-0.7	3.0
0.0	0.0		J	346.3	0.0	0.7	3.0
0.0	0.0	Min	I	82.9	0.0	-0.7	-0.4
0.0	0.0		J	84.1	0.0	0.7	-0.4
0.0	0.0	INVSLE Max	I	258.3	0.0	-0.5	2.2
0.0	0.0		J	259.2	0.0	0.5	2.2
0.0	0.0	Min	I	66.8	0.0	-0.5	-0.3
0.0	0.0		J	67.7	0.0	0.5	-0.3
8167	2	78 C1-C2;~1 Max	I	80.7	0.0	0.0	1.1
0.0	0.0		J	80.7	0.0	0.0	1.1
0.0	0.0	Min	I	-86.5	0.0	0.0	-0.9
0.0	0.0		J	-86.5	0.0	0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	56.0	0.0	0.0	1.3
0.0	0.0		J	56.0	0.0	0.0	1.3
0.0	0.0	Min	I	-80.8	0.0	0.0	-0.8
0.0	0.0		J	-80.8	0.0	0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	50.2	0.0	0.0	0.7
0.0	0.0		J	50.2	0.0	0.0	0.7
0.0	0.0	Min	I	-45.3	0.0	0.0	-0.5
0.0	0.0		J	-45.3	0.0	0.0	-0.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	C3-C4 ; ~2	Max	I	32.5	0.0	0.0	0.7
				J	32.5	0.0	0.0	0.7
0.0	0.0		Min	I	-43.1	0.0	0.0	-0.5
				J	-43.1	0.0	0.0	-0.5
0.0	0.0		G1	I	-48.7	0.0	-0.5	0.1
				J	-47.8	0.0	0.5	0.1
0.0	0.0		G2	I	-19.3	0.0	0.0	0.0
				J	-19.3	0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	20.3	0.0	0.0	0.3
				J	20.3	0.0	0.0	0.3
0.0	0.0		Q5_pc Y	I	6.6	0.0	0.0	0.2
				J	6.6	0.0	0.0	0.2
0.0	0.0		Q5_ps X	I	19.3	0.0	0.0	0.3
				J	19.3	0.0	0.0	0.3
0.0	0.0		Q5_ps Y	I	6.4	0.0	0.0	0.2
				J	6.4	0.0	0.0	0.2
0.0	0.0		INVSLE Max	I	-78.9	0.0	-0.7	1.7
				J	-77.7	0.0	0.7	1.7
0.0	0.0		Min	I	-341.2	0.0	-0.7	-1.7
				J	-340.0	0.0	0.7	-1.7
0.0	0.0		INVSLE Max	I	-63.9	0.0	-0.5	1.2
				J	-63.0	0.0	0.5	1.2
0.0	0.0		Min	I	-255.5	0.0	-0.5	-1.3
				J	-254.6	0.0	0.5	-1.3
8170	2	78 C1-C2 ; ~1	Max	I	82.8	0.0	0.0	0.7
0.0	0.0			J	82.8	0.0	0.0	0.7
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-85.4	-0.0	-0.0
				J	-85.4	-0.0	0.0
0.0	0.0						-1.0
			C3-C4;~1	Max	I	80.3	0.0
				J	80.3	0.0	0.0
0.0	0.0						0.8
							0.8
0.0	0.0		Min	I	-53.5	-0.0	-0.0
				J	-53.5	-0.0	0.0
0.0	0.0						-1.3
							-1.3
			C1-C2;~2	Max	I	43.5	0.0
				J	43.5	0.0	0.0
0.0	0.0						0.3
							0.3
0.0	0.0		Min	I	-51.7	-0.0	-0.0
				J	-51.7	-0.0	0.0
0.0	0.0						-0.5
							-0.5
			C3-C4;~2	Max	I	42.8	0.0
				J	42.8	0.0	0.0
0.0	0.0						0.5
							0.5
0.0	0.0		Min	I	-31.1	-0.0	-0.0
				J	-31.1	-0.0	0.0
0.0	0.0						-0.7
							-0.7
			G1	I	51.6	-0.0	-0.5
				J	52.4	-0.0	0.5
0.0	0.0						-0.3
							-0.3
			G2	I	18.6	-0.0	-0.0
				J	18.6	-0.0	0.0
0.0	0.0						-0.1
							-0.1
			Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						0.0
							0.0
			Q5_pc	X	I	-30.4	-0.0
				J	-30.4	0.0	0.0
0.0	0.0						-0.3
							-0.3
			Q5_pc	Y	I	-6.9	0.0
				J	-6.9	-0.0	0.0
0.0	0.0						-0.1
							-0.1
			Q5_ps	X	I	-28.7	-0.0
				J	-28.7	0.0	0.0
0.0	0.0						-0.2
							-0.2
			Q5_ps	Y	I	-6.7	0.0
				J	-6.7	-0.0	0.0
0.0	0.0						-0.1
							-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0		INVSLE Max	I	338.7	-0.0	-0.7	0.2
0.0	0.0			J	339.9	0.0	0.7	0.2
0.0	0.0		Min	I	57.0	-0.0	-0.7	-3.1
0.0	0.0			J	58.1	-0.0	0.7	-3.1
0.0	0.0		INVSLE Max	I	252.8	-0.0	-0.5	0.2
0.0	0.0			J	253.7	0.0	0.5	0.2
0.0	0.0		Min	I	48.2	-0.0	-0.5	-2.2
0.0	0.0			J	49.0	-0.0	0.5	-2.2
8171	2	78	C1-C2;~1 Max	I	85.2	0.0	0.0	0.9
0.0	0.0			J	85.2	0.0	0.0	0.9
0.0	0.0		Min	I	-82.9	-0.0	-0.0	-1.1
0.0	0.0			J	-82.9	-0.0	0.0	-1.1
0.0	0.0		C3-C4;~1 Max	I	54.0	0.0	0.0	0.9
0.0	0.0			J	54.0	0.0	0.0	0.9
0.0	0.0		Min	I	-80.2	-0.0	-0.0	-1.2
0.0	0.0			J	-80.2	-0.0	0.0	-1.2
0.0	0.0		C1-C2;~2 Max	I	51.6	0.0	0.0	0.5
0.0	0.0			J	51.6	0.0	0.0	0.5
0.0	0.0		Min	I	-43.6	-0.0	-0.0	-0.7
0.0	0.0			J	-43.6	-0.0	0.0	-0.7
0.0	0.0		C3-C4;~2 Max	I	31.4	0.0	0.0	0.5
0.0	0.0			J	31.4	0.0	0.0	0.5
0.0	0.0		Min	I	-42.7	-0.0	-0.0	-0.7
0.0	0.0			J	-42.7	-0.0	0.0	-0.7
0.0	0.0		G1	I	-48.1	0.0	-0.5	-0.1
0.0	0.0			J	-47.2	0.0	0.5	-0.1
0.0	0.0		G2	I	-18.8	0.0	-0.0	-0.0
0.0	0.0			J	-18.8	0.0	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	30.5	0.0	-0.0	-0.4
0.0	0.0		J	30.5	-0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	6.9	-0.0	-0.0	-0.0
0.0	0.0		J	6.9	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	28.8	0.0	-0.0	-0.3
0.0	0.0		J	28.8	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	6.7	-0.0	-0.0	-0.0
0.0	0.0		J	6.7	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	-53.0	0.0	-0.7	1.6
0.0	0.0		J	-51.9	0.0	0.7	1.6
0.0	0.0	Min	I	-334.8	0.0	-0.7	-1.9
0.0	0.0		J	-333.6	-0.0	0.7	-1.9
0.0	0.0						
0.0	0.0	INVSLE Max	I	-45.2	0.0	-0.5	1.2
0.0	0.0		J	-44.4	0.0	0.5	1.2
0.0	0.0	Min	I	-249.9	0.0	-0.5	-1.4
0.0	0.0		J	-249.0	-0.0	0.5	-1.4
0.0	0.0						
8172	2	78 C1-C2;~1 Max	I	91.0	0.0	0.0	1.9
0.0	0.0		J	91.0	0.0	0.0	1.9
0.0	0.0	Min	I	-133.8	-0.0	-0.0	-1.8
0.0	0.0		J	-133.8	-0.0	0.0	-1.8
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	102.6	0.0	0.0	1.9
0.0	0.0		J	102.6	0.0	0.0	1.9
0.0	0.0	Min	I	-93.6	-0.0	-0.0	-2.4
0.0	0.0		J	-93.6	-0.0	0.0	-2.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	48.1	0.0	0.0	1.0
0.0	0.0		J	48.1	0.0	0.0	1.0
0.0	0.0	Min	I	-80.9	-0.0	-0.0	-0.9
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-80.9	-0.0	0.0	-0.9
0.0	0.0	C3-C4;~2 Max	I	55.1	0.0	0.0	1.1
0.0	0.0		J	55.1	0.0	0.0	1.1
0.0	0.0	Min	I	-54.8	-0.0	-0.0	-1.3
0.0	0.0		J	-54.8	-0.0	0.0	-1.3
0.0	0.0	G1	I	36.1	0.0	-0.5	-0.1
0.0	0.0		J	36.9	0.0	0.5	-0.1
0.0	0.0	G2	I	12.7	0.0	0.0	-0.0
0.0	0.0		J	12.7	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-21.6	0.0	-0.0	-0.4
0.0	0.0		J	-21.6	-0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	-4.3	-0.0	0.0	-0.2
0.0	0.0		J	-4.3	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-20.9	0.0	-0.0	-0.3
0.0	0.0		J	-20.9	-0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-4.4	-0.0	0.0	-0.2
0.0	0.0		J	-4.4	0.0	0.0	-0.2
0.0	0.0	INVSLE Max	I	320.3	0.0	-0.7	0.4
0.0	0.0		J	321.5	0.0	0.7	0.4
0.0	0.0	Min	I	-37.7	0.0	-0.7	-6.2
0.0	0.0		J	-36.5	-0.0	0.7	-6.2
0.0	0.0	INVSLE Max	I	240.1	0.0	-0.5	0.3
0.0	0.0		J	241.0	0.0	0.5	0.3
0.0	0.0	Min	I	-22.2	0.0	-0.5	-4.6
0.0	0.0		J	-21.3	-0.0	0.5	-4.6
8173	2	78 C1-C2;~1 Max	I	133.7	0.0	0.0	1.6


PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	133.7	0.0	0.0	1.6
0.0	0.0		Min	I	-91.1	-0.0	-0.0	-3.4
0.0	0.0			J	-91.1	-0.0	0.0	-3.4
0.0	0.0		C3-C4;~1	Max	I	94.1	0.0	1.4
0.0	0.0			J	94.1	0.0	0.0	1.4
0.0	0.0		Min	I	-102.4	-0.0	-0.0	-3.8
0.0	0.0			J	-102.4	-0.0	0.0	-3.8
0.0	0.0		C1-C2;~2	Max	I	80.7	0.0	0.9
0.0	0.0			J	80.7	0.0	0.0	0.9
0.0	0.0		Min	I	-48.2	-0.0	-0.0	-1.9
0.0	0.0			J	-48.2	-0.0	0.0	-1.9
0.0	0.0		C3-C4;~2	Max	I	55.1	0.0	0.7
0.0	0.0			J	55.1	0.0	0.0	0.7
0.0	0.0		Min	I	-54.9	-0.0	-0.0	-2.1
0.0	0.0			J	-54.9	-0.0	0.0	-2.1
0.0	0.0		G1	I	-32.5	-0.0	-0.5	-1.6
0.0	0.0			J	-31.7	-0.0	0.5	-1.6
0.0	0.0		G2	I	-12.8	-0.0	0.0	-0.6
0.0	0.0			J	-12.8	-0.0	0.0	-0.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	21.6	-0.0	-0.6
0.0	0.0			J	21.6	0.0	0.0	-0.6
0.0	0.0		Q5_pc	Y	I	4.3	0.0	-0.0
0.0	0.0			J	4.3	-0.0	0.0	-0.0
0.0	0.0		Q5_ps	X	I	21.0	-0.0	-0.6
0.0	0.0			J	21.0	0.0	0.0	-0.6
0.0	0.0		Q5_ps	Y	I	4.4	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	4.4	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	41.9	-0.0	-0.7	0.1
0.0	0.0		J	43.1	0.0	0.7	0.1
0.0	0.0	Min	I	-315.7	-0.0	-0.7	-8.3
0.0	0.0		J	-314.6	-0.0	0.7	-8.3
0.0	0.0						
0.0	0.0	INVS LE Max	I	25.3	-0.0	-0.5	0.1
0.0	0.0		J	26.2	0.0	0.5	0.1
0.0	0.0	Min	I	-236.7	-0.0	-0.5	-6.1
0.0	0.0		J	-235.8	-0.0	0.5	-6.1
0.0	0.0						
8174	2	78 C1-C2;~1 Max	I	79.0	0.0	0.0	0.6
0.0	0.0		J	79.0	0.0	0.0	0.6
0.0	0.0	Min	I	-162.4	0.0	0.0	-1.1
0.0	0.0		J	-162.4	-0.0	0.0	-1.1
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	98.5	0.0	0.0	0.5
0.0	0.0		J	98.5	0.0	0.0	0.5
0.0	0.0	Min	I	-120.7	0.0	0.0	-1.3
0.0	0.0		J	-120.7	-0.0	0.0	-1.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	41.2	0.0	0.0	0.3
0.0	0.0		J	41.2	0.0	0.0	0.3
0.0	0.0	Min	I	-97.7	0.0	0.0	-0.6
0.0	0.0		J	-97.7	-0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	52.1	0.0	0.0	0.3
0.0	0.0		J	52.1	0.0	0.0	0.3
0.0	0.0	Min	I	-70.1	0.0	0.0	-0.8
0.0	0.0		J	-70.1	-0.0	0.0	-0.8
0.0	0.0						
0.0	0.0	G1	I	1.4	0.0	-0.5	-0.4
0.0	0.0		J	2.3	-0.0	0.5	-0.4
0.0	0.0						
0.0	0.0	G2	I	-0.5	0.0	0.0	-0.1
0.0	0.0		J	-0.5	-0.0	0.0	-0.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-16.4	0.0	0.0
0.0	0.0			J	-16.4	0.0	0.0
0.0	0.0						
			Q5_pc Y	I	-8.5	0.0	0.0
0.0	0.0			J	-8.5	-0.0	0.0
0.0	0.0						
			Q5_ps X	I	-17.0	0.0	0.0
0.0	0.0			J	-17.0	0.0	0.0
0.0	0.0						
			Q5_ps Y	I	-8.7	0.0	0.0
0.0	0.0			J	-8.7	-0.0	0.0
0.0	0.0						
			INVSLE Max	I	199.7	0.0	-0.7
0.0	0.0			J	200.9	0.0	0.7
0.0	0.0		Min	I	-182.1	0.0	-0.7
0.0	0.0			J	-180.9	-0.0	0.7
0.0	0.0						
			INVSLE Max	I	150.0	0.0	-0.5
0.0	0.0			J	150.9	0.0	0.5
0.0	0.0		Min	I	-130.6	0.0	-0.5
0.0	0.0			J	-129.7	-0.0	0.5
0.0	0.0						
8175	2	78	C1-C2;~1 Max	I	162.2	0.0	0.0
0.0	0.0			J	162.2	0.0	0.0
0.0	0.0		Min	I	-79.0	0.0	0.0
0.0	0.0			J	-79.0	-0.0	0.0
0.0	0.0						
			C3-C4;~1 Max	I	121.0	0.0	0.0
0.0	0.0			J	121.0	0.0	0.0
0.0	0.0		Min	I	-98.3	0.0	0.0
0.0	0.0			J	-98.3	-0.0	0.0
0.0	0.0						
			C1-C2;~2 Max	I	97.5	0.0	0.0
0.0	0.0			J	97.5	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-41.2	0.0	0.0	-0.6
0.0	0.0			J	-41.2	-0.0	0.0	-0.6
0.0	0.0							
		C3-C4;~2	Max	I	70.3	0.0	0.0	0.5
0.0	0.0			J	70.3	0.0	0.0	0.5
0.0	0.0		Min	I	-52.0	0.0	0.0	-0.7
0.0	0.0			J	-52.0	-0.0	0.0	-0.7
0.0	0.0							
			G1	I	2.2	0.0	-0.5	-0.3
0.0	0.0			J	3.0	0.0	0.5	-0.3
0.0	0.0							
			G2	I	0.4	0.0	0.0	-0.1
0.0	0.0			J	0.4	0.0	0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	16.5	0.0	0.0	-0.2
0.0	0.0			J	16.5	-0.0	0.0	-0.2
0.0	0.0							
			Q5_pc Y	I	8.5	0.0	0.0	-0.1
0.0	0.0			J	8.5	0.0	0.0	-0.1
0.0	0.0							
			Q5_ps X	I	17.1	0.0	0.0	-0.1
0.0	0.0			J	17.1	-0.0	0.0	-0.1
0.0	0.0							
			Q5_ps Y	I	8.7	0.0	0.0	-0.0
0.0	0.0			J	8.7	0.0	0.0	-0.0
0.0	0.0							
			INVSLE Max	I	186.7	0.0	-0.7	-0.3
0.0	0.0			J	187.8	0.0	0.7	-0.3
0.0	0.0		Min	I	-194.8	0.0	-0.7	-3.7
0.0	0.0			J	-193.6	-0.0	0.7	-3.7
0.0	0.0							
			INVSLE Max	I	134.0	0.0	-0.5	-0.1
0.0	0.0			J	134.9	0.0	0.5	-0.1
0.0	0.0		Min	I	-146.4	0.0	-0.5	-2.6
0.0	0.0			J	-145.5	-0.0	0.5	-2.6

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
8176	2	78	C1-C2;~1	Max	I	71.6	0.0	0.0	0.2
0.0	0.0				J	71.6	0.0	0.0	0.2
0.0	0.0				Min	-183.2	0.0	0.0	-0.6
0.0	0.0				J	-183.2	0.0	-0.0	-0.6
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	85.6	0.0	0.0	0.2
0.0	0.0				J	85.6	0.0	0.0	0.2
0.0	0.0				Min	-143.6	0.0	0.0	-0.7
0.0	0.0				J	-143.6	0.0	-0.0	-0.7
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	36.5	0.0	0.0	0.1
0.0	0.0				J	36.5	0.0	0.0	0.1
0.0	0.0				Min	-108.6	0.0	0.0	-0.3
0.0	0.0				J	-108.6	0.0	-0.0	-0.3
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	43.2	0.0	0.0	0.1
0.0	0.0				J	43.2	0.0	0.0	0.1
0.0	0.0				Min	-82.6	0.0	0.0	-0.4
0.0	0.0				J	-82.6	0.0	-0.0	-0.4
0.0	0.0								
0.0	0.0				G1	-32.9	0.0	-0.5	-0.3
0.0	0.0				J	-32.0	0.0	0.5	-0.3
0.0	0.0								
0.0	0.0				G2	-13.7	0.0	0.0	-0.1
0.0	0.0				J	-13.7	0.0	-0.0	-0.1
0.0	0.0								
0.0	0.0				Q3	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-7.6	0.0	0.0	-0.0
0.0	0.0				J	-7.6	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-14.8	0.0	0.0	0.0
0.0	0.0				J	-14.8	0.0	-0.0	0.0
0.0	0.0								
0.0	0.0		Q5_ps	X	I	-8.9	0.0	0.0	-0.0
0.0	0.0				J	-8.9	0.0	0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0							
		Q5_ps Y	I	-14.8	0.0	0.0	0.0	
0.0	0.0		J	-14.8	0.0	-0.0	0.0	
0.0	0.0							
		INVSLU Max	I	93.6	0.0	-0.7	-2.1	
0.0	0.0		J	94.8	0.0	0.7	-2.1	
0.0	0.0							
		Min	I	-295.8	0.0	-0.7	-3.4	
0.0	0.0		J	-294.6	0.0	0.7	-3.4	
0.0	0.0							
		INVSLE Max	I	70.7	0.0	-0.5	-1.5	
0.0	0.0		J	71.6	0.0	0.5	-1.5	
0.0	0.0							
		Min	I	-215.8	0.0	-0.5	-2.5	
0.0	0.0		J	-214.9	0.0	0.5	-2.5	
0.0	0.0							
8177	2	78 C1-C2;~1 Max	I	183.1	0.0	0.0	0.3	
0.0	0.0		J	183.1	0.0	0.0	0.3	
0.0	0.0							
		Min	I	-71.7	0.0	0.0	-0.3	
0.0	0.0		J	-71.7	-0.0	-0.0	-0.3	
0.0	0.0							
		C3-C4;~1 Max	I	143.9	0.0	0.0	0.3	
0.0	0.0		J	143.9	0.0	0.0	0.3	
0.0	0.0							
		Min	I	-85.5	0.0	0.0	-0.3	
0.0	0.0		J	-85.5	-0.0	-0.0	-0.3	
0.0	0.0							
		C1-C2;~2 Max	I	108.5	0.0	0.0	0.2	
0.0	0.0		J	108.5	0.0	0.0	0.2	
0.0	0.0							
		Min	I	-36.5	0.0	0.0	-0.2	
0.0	0.0		J	-36.5	-0.0	-0.0	-0.2	
0.0	0.0							
		C3-C4;~2 Max	I	82.8	0.0	0.0	0.2	
0.0	0.0		J	82.8	0.0	0.0	0.2	
0.0	0.0							
		Min	I	-43.1	0.0	0.0	-0.2	
0.0	0.0		J	-43.1	-0.0	-0.0	-0.2	
0.0	0.0							
		G1	I	36.5	0.0	-0.5	0.1	
0.0	0.0		J	37.4	0.0	0.5	0.1	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G2	I	13.6	0.0	0.0	0.0
0.0	0.0		J	13.6	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.6	0.0	0.0	-0.1
0.0	0.0		J	7.6	-0.0	-0.0	-0.1
0.0	0.0	Q5_pc Y	I	14.8	0.0	0.0	-0.0
0.0	0.0		J	14.8	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	9.0	0.0	0.0	-0.1
0.0	0.0		J	9.0	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	14.8	0.0	0.0	-0.0
0.0	0.0		J	14.8	0.0	-0.0	-0.0
0.0	0.0	INVSLE Max	I	300.3	0.0	-0.7	-1.9
0.0	0.0		J	301.5	0.0	0.7	-1.9
0.0	0.0	Min	I	-88.8	0.0	-0.7	-2.9
0.0	0.0		J	-87.6	-0.0	0.7	-2.9
0.0	0.0	INVSLE Max	I	219.1	0.0	-0.5	-1.4
0.0	0.0		J	220.0	0.0	0.5	-1.4
0.0	0.0	Min	I	-67.1	0.0	-0.5	-2.2
0.0	0.0		J	-66.3	-0.0	0.5	-2.2
8178	2	78 C1-C2;~1 Max	I	62.6	0.0	0.0	0.3
0.0	0.0		J	62.6	0.0	0.0	0.3
0.0	0.0	Min	I	-196.6	0.0	-0.0	-0.5
0.0	0.0		J	-196.6	0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	77.1	0.0	0.0	0.3
0.0	0.0		J	77.1	0.0	0.0	0.3
0.0	0.0	Min	I	-154.5	0.0	-0.0	-0.6
0.0	0.0		J	-154.5	0.0	0.0	-0.6

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C1-C2;~2	Max	I	31.1	0.0	0.0
				J	31.1	0.0	0.0
0.0	0.0		Min	I	-116.4	0.0	-0.0
				J	-116.4	0.0	0.0
0.0	0.0	C3-C4;~2	Max	I	38.3	0.0	0.0
				J	38.3	0.0	0.0
0.0	0.0		Min	I	-88.8	0.0	-0.0
				J	-88.8	0.0	0.0
0.0	0.0		G1	I	-53.2	0.0	-0.5
				J	-52.3	0.0	0.5
0.0	0.0		G2	I	-21.6	0.0	0.0
				J	-21.6	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-3.8	0.0	-0.0
				J	-3.8	0.0	0.0
0.0	0.0	Q5_pc	Y	I	-15.3	0.0	0.0
				J	-15.3	0.0	0.0
0.0	0.0	Q5_ps	X	I	-5.5	0.0	-0.0
				J	-5.5	0.0	0.0
0.0	0.0	Q5_ps	Y	I	-15.3	0.0	0.0
				J	-15.3	0.0	0.0
0.0	0.0	INVSLU	Max	I	35.2	0.0	-0.7
				J	36.4	0.0	0.7
0.0	0.0		Min	I	-361.8	0.0	-0.7
				J	-360.6	0.0	0.7
0.0	0.0	INVSLE	Max	I	27.0	0.0	-0.5
				J	27.8	0.0	0.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		Min	I	-265.1	0.0	-0.5	-1.6
0.0	0.0			J	-264.2	0.0	0.5	-1.6
8179	2	78	C1-C2;~1	Max	I	196.5	0.0	0.3
0.0	0.0			J	196.5	0.0	0.0	0.3
0.0	0.0		Min	I	-62.6	0.0	-0.0	-0.3
0.0	0.0			J	-62.6	0.0	0.0	-0.3
0.0	0.0		C3-C4;~1	Max	I	154.8	0.0	0.3
0.0	0.0			J	154.8	0.0	0.0	0.3
0.0	0.0		Min	I	-77.0	0.0	-0.0	-0.3
0.0	0.0			J	-77.0	0.0	0.0	-0.3
0.0	0.0		C1-C2;~2	Max	I	116.3	0.0	0.2
0.0	0.0			J	116.3	0.0	0.0	0.2
0.0	0.0		Min	I	-31.1	0.0	-0.0	-0.2
0.0	0.0			J	-31.1	0.0	0.0	-0.2
0.0	0.0		C3-C4;~2	Max	I	88.9	0.0	0.2
0.0	0.0			J	88.9	0.0	0.0	0.2
0.0	0.0		Min	I	-38.2	0.0	-0.0	-0.2
0.0	0.0			J	-38.2	0.0	0.0	-0.2
0.0	0.0		G1	I	56.8	0.0	-0.5	0.1
0.0	0.0			J	57.7	0.0	0.5	0.1
0.0	0.0		G2	I	21.5	0.0	0.0	0.0
0.0	0.0			J	21.5	0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	3.9	0.0	-0.0
0.0	0.0			J	3.9	0.0	0.0	-0.0
0.0	0.0		Q5_pc	Y	I	15.3	0.0	-0.0
0.0	0.0			J	15.3	0.0	0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps X	I	5.6	0.0	0.0	-0.0
0.0	0.0		J	5.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	15.3	0.0	0.0	-0.0
0.0	0.0		J	15.3	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	366.8	0.0	-0.7	-0.9
0.0	0.0		J	367.9	0.0	0.7	-0.9
0.0	0.0	Min	I	-30.0	0.0	-0.7	-1.9
0.0	0.0		J	-28.8	0.0	0.7	-1.9
0.0	0.0	INVSLE Max	I	268.8	0.0	-0.5	-0.7
0.0	0.0		J	269.6	0.0	0.5	-0.7
0.0	0.0	Min	I	-23.1	0.0	-0.5	-1.4
0.0	0.0		J	-22.2	0.0	0.5	-1.4
8180	2	78 C1-C2;~1 Max	I	55.7	0.0	0.0	0.4
0.0	0.0		J	55.7	0.0	0.0	0.4
0.0	0.0	Min	I	-200.4	-0.0	-0.0	-0.4
0.0	0.0		J	-200.4	-0.0	-0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	72.4	0.0	0.0	0.4
0.0	0.0		J	72.4	0.0	0.0	0.4
0.0	0.0	Min	I	-156.2	-0.0	-0.0	-0.4
0.0	0.0		J	-156.2	-0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	26.8	0.0	0.0	0.2
0.0	0.0		J	26.8	0.0	0.0	0.2
0.0	0.0	Min	I	-118.5	-0.0	-0.0	-0.2
0.0	0.0		J	-118.5	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	35.7	0.0	0.0	0.2
0.0	0.0		J	35.7	0.0	0.0	0.2
0.0	0.0	Min	I	-89.7	-0.0	-0.0	-0.2
0.0	0.0		J	-89.7	-0.0	-0.0	-0.2
0.0	0.0	G1	I	-60.1	0.0	-0.5	0.0

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-59.2	-0.0	0.5	0.0
0.0	0.0	G2	I	-24.2	0.0	0.0	-0.0
0.0	0.0		J	-24.2	-0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.9	-0.0	-0.0	-0.0
0.0	0.0		J	-2.9	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-13.7	0.0	0.0	0.0
0.0	0.0		J	-13.7	-0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	-4.8	-0.0	-0.0	-0.0
0.0	0.0		J	-4.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-13.8	0.0	0.0	0.0
0.0	0.0		J	-13.8	-0.0	-0.0	0.0
0.0	0.0	INVSLE Max	I	11.3	0.0	-0.7	0.6
0.0	0.0		J	12.5	0.0	0.7	0.6
0.0	0.0	Min	I	-381.5	-0.0	-0.7	-0.6
0.0	0.0		J	-380.3	-0.0	0.7	-0.6
0.0	0.0	INVSLE Max	I	9.2	0.0	-0.5	0.4
0.0	0.0		J	10.1	0.0	0.5	0.4
0.0	0.0	Min	I	-279.9	-0.0	-0.5	-0.4
0.0	0.0		J	-279.0	-0.0	0.5	-0.4
8181	2	78 C1-C2;~1 Max	I	200.2	0.0	0.0	0.3
0.0	0.0		J	200.2	0.0	0.0	0.3
0.0	0.0	Min	I	-55.7	-0.0	-0.0	-0.3
0.0	0.0		J	-55.7	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	156.5	0.0	0.0	0.3
0.0	0.0		J	156.5	0.0	0.0	0.3
0.0	0.0	Min	I	-72.3	-0.0	-0.0	-0.3
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-72.3	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	118.4	0.0	0.0	0.2
0.0	0.0		J	118.4	0.0	0.0	0.2
0.0	0.0	Min	I	-26.8	-0.0	-0.0	-0.2
0.0	0.0		J	-26.8	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	89.8	0.0	0.0	0.2
0.0	0.0		J	89.8	0.0	0.0	0.2
0.0	0.0	Min	I	-35.7	-0.0	-0.0	-0.2
0.0	0.0		J	-35.7	-0.0	-0.0	-0.2
0.0	0.0	G1	I	63.6	-0.0	-0.5	0.0
0.0	0.0		J	64.5	0.0	0.5	0.0
0.0	0.0	G2	I	24.1	-0.0	0.0	0.0
0.0	0.0		J	24.1	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.0	0.0	0.0	-0.0
0.0	0.0		J	3.0	-0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	13.7	-0.0	0.0	-0.0
0.0	0.0		J	13.7	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	4.9	0.0	0.0	-0.0
0.0	0.0		J	4.9	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	13.9	-0.0	0.0	-0.0
0.0	0.0		J	13.9	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	386.6	0.0	-0.7	0.5
0.0	0.0		J	387.8	0.0	0.7	0.5
0.0	0.0	Min	I	-6.0	-0.0	-0.7	-0.4
0.0	0.0		J	-4.8	-0.0	0.7	-0.4
0.0	0.0	INVSLE Max	I	283.7	0.0	-0.5	0.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	284.5	0.0	0.5	0.4	
0.0	0.0		Min	I	-5.3	-0.0	-0.5	-0.3	
0.0	0.0			J	-4.4	-0.0	0.5	-0.3	
0.0	0.0								
8182	2	78	C1-C2;~1	Max	I	57.1	0.0	0.0	0.5
0.0	0.0			J	57.1	0.0	0.0	0.5	
0.0	0.0		Min	I	-194.6	0.0	0.0	-0.3	
0.0	0.0			J	-194.6	-0.0	-0.0	-0.3	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	73.3	0.0	0.0	0.5
0.0	0.0			J	73.3	0.0	0.0	0.5	
0.0	0.0		Min	I	-150.1	0.0	0.0	-0.3	
0.0	0.0			J	-150.1	-0.0	-0.0	-0.3	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	28.4	0.0	0.0	0.3
0.0	0.0			J	28.4	0.0	0.0	0.3	
0.0	0.0		Min	I	-115.4	0.0	0.0	-0.2	
0.0	0.0			J	-115.4	-0.0	-0.0	-0.2	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	37.2	0.0	0.0	0.3
0.0	0.0			J	37.2	0.0	0.0	0.3	
0.0	0.0		Min	I	-86.6	0.0	0.0	-0.2	
0.0	0.0			J	-86.6	-0.0	-0.0	-0.2	
0.0	0.0								
0.0	0.0		G1	I	-53.1	0.0	-0.5	0.2	
0.0	0.0			J	-52.2	-0.0	0.5	0.2	
0.0	0.0								
0.0	0.0		G2	I	-21.4	0.0	0.0	0.1	
0.0	0.0			J	-21.4	-0.0	-0.0	0.1	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-3.5	0.0	0.0	0.0
0.0	0.0			J	-3.5	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-11.5	0.0	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-11.5	-0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	-5.3	0.0	0.0	0.0
0.0	0.0		J	-5.3	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-11.7	0.0	0.0	0.0
0.0	0.0		J	-11.7	-0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	25.4	0.0	-0.7	2.2
0.0	0.0		J	26.5	0.0	0.7	2.2
0.0	0.0	Min	I	-357.0	0.0	-0.7	1.0
0.0	0.0		J	-355.8	-0.0	0.7	1.0
0.0	0.0	INVSLE Max	I	19.8	0.0	-0.5	1.6
0.0	0.0		J	20.7	0.0	0.5	1.6
0.0	0.0	Min	I	-261.8	0.0	-0.5	0.7
0.0	0.0		J	-261.0	-0.0	0.5	0.7
8183	2	78 C1-C2;~1 Max	I	194.5	0.0	0.0	0.3
0.0	0.0		J	194.5	0.0	0.0	0.3
0.0	0.0	Min	I	-57.1	0.0	0.0	-0.4
0.0	0.0		J	-57.1	-0.0	-0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	150.3	0.0	0.0	0.3
0.0	0.0		J	150.3	0.0	0.0	0.3
0.0	0.0	Min	I	-73.2	0.0	0.0	-0.3
0.0	0.0		J	-73.2	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	115.3	0.0	0.0	0.2
0.0	0.0		J	115.3	0.0	0.0	0.2
0.0	0.0	Min	I	-28.4	0.0	0.0	-0.2
0.0	0.0		J	-28.4	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	86.8	0.0	0.0	0.2
0.0	0.0		J	86.8	0.0	0.0	0.2
0.0	0.0	Min	I	-37.1	0.0	0.0	-0.2
0.0	0.0		J	-37.1	-0.0	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G1	I	56.7	0.0	-0.5	-0.1
0.0	0.0		J	57.6	0.0	0.5	-0.1
0.0	0.0	G2	I	21.3	0.0	0.0	-0.0
0.0	0.0		J	21.3	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.5	0.0	0.0	0.0
0.0	0.0		J	3.5	-0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	11.5	0.0	0.0	-0.0
0.0	0.0		J	11.5	0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	5.3	0.0	0.0	0.0
0.0	0.0		J	5.3	-0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	11.7	0.0	0.0	-0.0
0.0	0.0		J	11.7	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	361.9	0.0	-0.7	2.0
0.0	0.0		J	363.1	0.0	0.7	2.0
0.0	0.0	Min	I	-20.1	0.0	-0.7	1.0
0.0	0.0		J	-18.9	-0.0	0.7	1.0
0.0	0.0	INVSLE Max	I	265.5	0.0	-0.5	1.5
0.0	0.0		J	266.4	0.0	0.5	1.5
0.0	0.0	Min	I	-16.0	0.0	-0.5	0.8
0.0	0.0		J	-15.1	-0.0	0.5	0.8
8184	2	78 C1-C2;~1 Max	I	61.3	0.0	0.0	0.6
0.0	0.0		J	61.3	0.0	0.0	0.6
0.0	0.0	Min	I	-180.8	0.0	0.0	-0.3
0.0	0.0		J	-180.8	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	78.0	0.0	0.0	0.7
0.0	0.0		J	78.0	0.0	0.0	0.7

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-134.9	0.0	0.0	-0.2
0.0	0.0			J	-134.9	0.0	-0.0	-0.2
0.0	0.0	C1-C2;~2	Max	I	31.5	0.0	0.0	0.3
0.0	0.0			J	31.5	0.0	0.0	0.3
0.0	0.0		Min	I	-107.3	0.0	0.0	-0.1
0.0	0.0			J	-107.3	0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2	Max	I	40.9	0.0	0.0	0.4
0.0	0.0			J	40.9	0.0	0.0	0.4
0.0	0.0		Min	I	-78.4	0.0	0.0	-0.1
0.0	0.0			J	-78.4	0.0	-0.0	-0.1
0.0	0.0		G1	I	-32.9	0.0	-0.5	0.3
0.0	0.0			J	-32.0	0.0	0.5	0.3
0.0	0.0		G2	I	-13.4	0.0	0.0	0.1
0.0	0.0			J	-13.4	0.0	0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-6.2	0.0	0.0	0.0
0.0	0.0			J	-6.2	0.0	-0.0	0.0
0.0	0.0	Q5_pc	Y	I	-8.7	0.0	0.0	0.0
0.0	0.0			J	-8.7	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	-7.7	0.0	0.0	0.0
0.0	0.0			J	-7.7	0.0	-0.0	0.0
0.0	0.0	Q5_ps	Y	I	-9.0	0.0	0.0	0.0
0.0	0.0			J	-9.0	0.0	0.0	0.0
0.0	0.0	INVSLU	Max	I	75.0	0.0	-0.7	3.4
0.0	0.0			J	76.2	0.0	0.7	3.4
0.0	0.0		Min	I	-290.0	0.0	-0.7	2.1
0.0	0.0			J	-288.9	0.0	0.7	2.1

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
			INVSLE Max	I	57.2	0.0	-0.5	2.5
0.0	0.0			J	58.1	0.0	0.5	2.5
0.0	0.0		Min	I	-212.1	0.0	-0.5	1.5
0.0	0.0			J	-211.2	0.0	0.5	1.5
0.0	0.0							
8185	2	78	C1-C2;~1 Max	I	180.7	0.0	0.0	0.3
0.0	0.0			J	180.7	0.0	0.0	0.3
0.0	0.0		Min	I	-61.3	0.0	0.0	-0.3
0.0	0.0			J	-61.3	0.0	-0.0	-0.3
0.0	0.0							
			C3-C4;~1 Max	I	135.2	0.0	0.0	0.3
0.0	0.0			J	135.2	0.0	0.0	0.3
0.0	0.0		Min	I	-77.9	0.0	0.0	-0.3
0.0	0.0			J	-77.9	0.0	-0.0	-0.3
0.0	0.0							
			C1-C2;~2 Max	I	107.2	0.0	0.0	0.2
0.0	0.0			J	107.2	0.0	0.0	0.2
0.0	0.0		Min	I	-31.5	0.0	0.0	-0.2
0.0	0.0			J	-31.5	0.0	-0.0	-0.2
0.0	0.0							
			C3-C4;~2 Max	I	78.6	0.0	0.0	0.2
0.0	0.0			J	78.6	0.0	0.0	0.2
0.0	0.0		Min	I	-40.8	0.0	0.0	-0.2
0.0	0.0			J	-40.8	0.0	-0.0	-0.2
0.0	0.0							
			G1	I	36.5	0.0	-0.5	-0.1
0.0	0.0			J	37.4	0.0	0.5	-0.1
0.0	0.0							
			G2	I	13.3	0.0	0.0	-0.0
0.0	0.0			J	13.3	0.0	0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	6.3	0.0	0.0	0.1
0.0	0.0			J	6.3	0.0	0.0	0.1
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc Y	I	8.7	0.0	0.0	-0.0
0.0	0.0		J	8.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	7.8	0.0	0.0	0.1
0.0	0.0		J	7.8	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	9.0	0.0	0.0	-0.0
0.0	0.0		J	9.0	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	294.6	0.0	-0.7	2.9
0.0	0.0		J	295.8	0.0	0.7	2.9
0.0	0.0	Min	I	-70.2	0.0	-0.7	2.0
0.0	0.0		J	-69.0	0.0	0.7	2.0
0.0	0.0	INVS LE Max	I	215.4	0.0	-0.5	2.2
0.0	0.0		J	216.3	0.0	0.5	2.2
0.0	0.0	Min	I	-53.6	0.0	-0.5	1.5
0.0	0.0		J	-52.7	0.0	0.5	1.5
8186	2	78 C1-C2;~1 Max	I	69.4	0.0	0.0	1.1
0.0	0.0		J	69.4	0.0	0.0	1.1
0.0	0.0	Min	I	-163.7	0.0	0.0	-0.6
0.0	0.0		J	-163.7	0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	89.4	0.0	0.0	1.3
0.0	0.0		J	89.4	0.0	0.0	1.3
0.0	0.0	Min	I	-111.7	0.0	0.0	-0.5
0.0	0.0		J	-111.7	0.0	0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	37.0	0.0	0.0	0.6
0.0	0.0		J	37.0	0.0	0.0	0.6
0.0	0.0	Min	I	-98.2	0.0	0.0	-0.3
0.0	0.0		J	-98.2	0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	49.4	0.0	0.0	0.7
0.0	0.0		J	49.4	0.0	0.0	0.7
0.0	0.0	Min	I	-65.9	0.0	0.0	-0.3

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-65.9	0.0	0.0	-0.3
0.0	0.0						
		G1	I	0.9	0.0	-0.5	0.4
0.0	0.0		J	1.7	0.0	0.5	0.4
0.0	0.0						
		G2	I	-0.3	0.0	0.0	0.2
0.0	0.0		J	-0.3	0.0	0.0	0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-13.6	0.0	0.0	0.0
0.0	0.0		J	-13.6	0.0	0.0	0.0
0.0	0.0						
		Q5_pc Y	I	-3.7	0.0	0.0	0.1
0.0	0.0		J	-3.7	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	-14.5	0.0	0.0	0.0
0.0	0.0		J	-14.5	0.0	0.0	0.0
0.0	0.0						
		Q5_ps Y	I	-4.1	0.0	0.0	0.1
0.0	0.0		J	-4.1	0.0	0.0	0.1
0.0	0.0						
		INVSLU Max	I	179.4	0.0	-0.7	5.6
0.0	0.0		J	180.6	0.0	0.7	5.6
0.0	0.0						
		Min	I	-186.8	0.0	-0.7	2.9
0.0	0.0		J	-185.6	0.0	0.7	2.9
0.0	0.0						
		INVSLE Max	I	134.9	0.0	-0.5	4.2
0.0	0.0		J	135.8	0.0	0.5	4.2
0.0	0.0						
		Min	I	-134.5	0.0	-0.5	2.2
0.0	0.0		J	-133.6	0.0	0.5	2.2
0.0	0.0						
8187	2	78 C1-C2;~1 Max	I	163.5	0.0	0.0	0.9
0.0	0.0		J	163.5	0.0	0.0	0.9
0.0	0.0						
		Min	I	-69.5	0.0	0.0	-0.8
0.0	0.0		J	-69.5	0.0	0.0	-0.8
0.0	0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4;~1 Max	I	112.0	0.0	0.0	1.1
			J	112.0	0.0	0.0	1.1
0.0	0.0	Min	I	-89.2	0.0	0.0	-0.7
0.0	0.0		J	-89.2	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	98.0	0.0	0.0	0.5
0.0	0.0		J	98.0	0.0	0.0	0.5
0.0	0.0	Min	I	-37.0	0.0	0.0	-0.5
0.0	0.0		J	-37.0	0.0	0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	66.1	0.0	0.0	0.6
0.0	0.0		J	66.1	0.0	0.0	0.6
0.0	0.0	Min	I	-49.2	0.0	0.0	-0.4
0.0	0.0		J	-49.2	0.0	0.0	-0.4
0.0	0.0	G1	I	2.7	0.0	-0.5	0.3
0.0	0.0		J	3.6	0.0	0.5	0.3
0.0	0.0	G2	I	0.2	0.0	0.0	0.1
0.0	0.0		J	0.2	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	13.7	0.0	0.0	0.1
0.0	0.0		J	13.7	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	3.7	0.0	0.0	-0.0
0.0	0.0		J	3.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	14.6	0.0	0.0	0.1
0.0	0.0		J	14.6	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	4.1	0.0	0.0	-0.0
0.0	0.0		J	4.1	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	191.3	0.0	-0.7	3.4
0.0	0.0		J	192.5	0.0	0.7	3.4

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-174.5	0.0	-0.7	0.5
0.0	0.0			J	-173.3	0.0	0.7	0.5
0.0	0.0							
			INVSLE Max	I	137.8	0.0	-0.5	2.4
0.0	0.0			J	138.7	0.0	0.5	2.4
0.0	0.0							
			Min	I	-131.3	0.0	-0.5	0.3
0.0	0.0			J	-130.4	0.0	0.5	0.3
0.0	0.0							
8188	2	78	C1-C2;~1 Max	I	83.8	0.0	0.0	1.6
0.0	0.0			J	83.8	0.0	0.0	1.6
0.0	0.0							
			Min	I	-133.5	0.0	-0.0	-1.9
0.0	0.0			J	-133.5	-0.0	0.0	-1.9
0.0	0.0							
			C3-C4;~1 Max	I	94.0	0.0	0.0	2.2
0.0	0.0			J	94.0	0.0	0.0	2.2
0.0	0.0							
			Min	I	-86.6	0.0	-0.0	-1.7
0.0	0.0			J	-86.6	-0.0	0.0	-1.7
0.0	0.0							
			C1-C2;~2 Max	I	45.0	0.0	0.0	0.8
0.0	0.0			J	45.0	0.0	0.0	0.8
0.0	0.0							
			Min	I	-81.2	0.0	-0.0	-1.0
0.0	0.0			J	-81.2	-0.0	0.0	-1.0
0.0	0.0							
			C3-C4;~2 Max	I	52.8	0.0	0.0	1.2
0.0	0.0			J	52.8	0.0	0.0	1.2
0.0	0.0							
			Min	I	-51.6	0.0	-0.0	-1.0
0.0	0.0			J	-51.6	-0.0	0.0	-1.0
0.0	0.0							
			G1	I	34.4	0.0	-0.5	0.1
0.0	0.0			J	35.3	-0.0	0.5	0.1
0.0	0.0							
			G2	I	12.5	0.0	0.0	0.1
0.0	0.0			J	12.5	-0.0	0.0	0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-16.0	0.0	-0.0	0.4

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-16.0	0.0	0.0	0.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-1.8	0.0	0.0	0.1
0.0	0.0		J	-1.8	-0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-15.9	0.0	-0.0	0.3
0.0	0.0		J	-15.9	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-1.9	0.0	0.0	0.1
0.0	0.0		J	-1.9	-0.0	0.0	0.1
0.0	0.0						
0.0	0.0	INVSLU Max	I	295.5	0.0	-0.7	5.8
0.0	0.0		J	296.7	0.0	0.7	5.8
0.0	0.0						
0.0	0.0	Min	I	-40.4	0.0	-0.7	-0.3
0.0	0.0		J	-39.2	-0.0	0.7	-0.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	221.8	0.0	-0.5	4.3
0.0	0.0		J	222.7	0.0	0.5	4.3
0.0	0.0						
0.0	0.0	Min	I	-24.9	0.0	-0.5	-0.2
0.0	0.0		J	-24.0	-0.0	0.5	-0.2
0.0	0.0						
8189	2	78 C1-C2;~1 Max	I	133.3	0.0	0.0	3.1
0.0	0.0		J	133.3	0.0	0.0	3.1
0.0	0.0						
0.0	0.0	Min	I	-83.9	0.0	-0.0	-1.4
0.0	0.0		J	-83.9	-0.0	0.0	-1.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	3.5
0.0	0.0		J	87.1	0.0	0.0	3.5
0.0	0.0						
0.0	0.0	Min	I	-93.8	0.0	-0.0	-1.2
0.0	0.0		J	-93.8	-0.0	0.0	-1.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	81.0	0.0	0.0	1.8
0.0	0.0		J	81.0	0.0	0.0	1.8
0.0	0.0						
0.0	0.0	Min	I	-45.1	0.0	-0.0	-0.8
0.0	0.0		J	-45.1	-0.0	0.0	-0.8
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	51.9	0.0	0.0	2.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	51.9	0.0	0.0	2.0
0.0	0.0	Min	I	-52.7	0.0	-0.0	-0.6
0.0	0.0		J	-52.7	-0.0	0.0	-0.6
0.0	0.0	G1	I	-30.9	0.0	-0.5	1.6
0.0	0.0		J	-30.0	0.0	0.5	1.6
0.0	0.0	G2	I	-12.6	0.0	0.0	0.6
0.0	0.0		J	-12.6	0.0	0.0	0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	16.1	0.0	0.0	0.6
0.0	0.0		J	16.1	-0.0	0.0	0.6
0.0	0.0	Q5_pc Y	I	1.8	0.0	0.0	0.0
0.0	0.0		J	1.8	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	16.0	0.0	0.0	0.5
0.0	0.0		J	16.0	-0.0	0.0	0.5
0.0	0.0	Q5_ps Y	I	1.8	0.0	0.0	0.0
0.0	0.0		J	1.8	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	44.6	0.0	-0.7	7.7
0.0	0.0		J	45.8	0.0	0.7	7.7
0.0	0.0	Min	I	-291.0	0.0	-0.7	0.1
0.0	0.0		J	-289.8	-0.0	0.7	0.1
0.0	0.0	INVSLE Max	I	28.0	0.0	-0.5	5.6
0.0	0.0		J	28.8	0.0	0.5	5.6
0.0	0.0	Min	I	-218.5	0.0	-0.5	0.1
0.0	0.0		J	-217.6	-0.0	0.5	0.1
8190	2	78 C1-C2;~1 Max	I	77.6	0.0	0.0	1.0
0.0	0.0		J	77.6	0.0	0.0	1.0
0.0	0.0	Min	I	-83.8	-0.0	0.0	-0.6
0.0	0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-83.8	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	77.7	0.0	0.0	1.3
0.0	0.0		J	77.7	0.0	0.0	1.3
0.0	0.0	Min	I	-50.8	-0.0	0.0	-0.8
0.0	0.0		J	-50.8	-0.0	0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	41.2	0.0	0.0	0.5
0.0	0.0		J	41.2	0.0	0.0	0.5
0.0	0.0	Min	I	-51.6	-0.0	0.0	-0.3
0.0	0.0		J	-51.6	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	42.0	0.0	0.0	0.7
0.0	0.0		J	42.0	0.0	0.0	0.7
0.0	0.0	Min	I	-30.0	-0.0	0.0	-0.4
0.0	0.0		J	-30.0	-0.0	0.0	-0.4
0.0	0.0	G1	I	50.6	-0.0	-0.5	0.3
0.0	0.0		J	51.5	-0.0	0.5	0.3
0.0	0.0	G2	I	18.6	-0.0	0.0	0.1
0.0	0.0		J	18.6	-0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-26.1	0.0	0.0	0.3
0.0	0.0		J	-26.1	0.0	0.0	0.3
0.0	0.0	Q5_pc Y	I	0.3	-0.0	0.0	0.0
0.0	0.0		J	0.3	-0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	-24.8	0.0	0.0	0.2
0.0	0.0		J	-24.8	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	0.4	-0.0	0.0	0.0
0.0	0.0		J	0.4	-0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	325.2	0.0	-0.7	2.9

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	326.3	0.0	0.7	2.9
0.0	0.0		Min	I	60.2	-0.0	-0.7	-0.3
0.0	0.0			J	61.3	-0.0	0.7	-0.3
0.0	0.0		INVSLE Max	I	242.9	0.0	-0.5	2.2
0.0	0.0			J	243.8	0.0	0.5	2.2
0.0	0.0		Min	I	50.1	-0.0	-0.5	-0.2
0.0	0.0			J	50.9	-0.0	0.5	-0.2
8191	2	78	C1-C2;~1 Max	I	83.6	0.0	0.0	1.0
0.0	0.0			J	83.6	0.0	0.0	1.0
0.0	0.0		Min	I	-77.7	-0.0	0.0	-0.8
0.0	0.0			J	-77.7	-0.0	0.0	-0.8
0.0	0.0		C3-C4;~1 Max	I	51.2	0.0	0.0	1.1
0.0	0.0			J	51.2	0.0	0.0	1.1
0.0	0.0		Min	I	-77.7	-0.0	0.0	-0.8
0.0	0.0			J	-77.7	-0.0	0.0	-0.8
0.0	0.0		C1-C2;~2 Max	I	51.5	0.0	0.0	0.6
0.0	0.0			J	51.5	0.0	0.0	0.6
0.0	0.0		Min	I	-41.2	-0.0	0.0	-0.5
0.0	0.0			J	-41.2	-0.0	0.0	-0.5
0.0	0.0		C3-C4;~2 Max	I	30.3	0.0	0.0	0.6
0.0	0.0			J	30.3	0.0	0.0	0.6
0.0	0.0		Min	I	-41.8	-0.0	0.0	-0.4
0.0	0.0			J	-41.8	-0.0	0.0	-0.4
0.0	0.0		G1	I	-47.2	0.0	-0.5	0.1
0.0	0.0			J	-46.3	0.0	0.5	0.1
0.0	0.0		G2	I	-18.7	0.0	0.0	0.0
0.0	0.0			J	-18.7	0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
0.0	0.0	Q5_pc X	I	26.2	-0.0	0.0	0.4
0.0	0.0		J	26.2	-0.0	0.0	0.4
0.0	0.0	Q5_pc Y	I	-0.3	0.0	0.0	-0.1
0.0	0.0		J	-0.3	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	25.0	-0.0	0.0	0.4
0.0	0.0		J	25.0	-0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	-0.4	0.0	0.0	-0.1
0.0	0.0		J	-0.4	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	-56.2	0.0	-0.7	1.7
0.0	0.0		J	-55.0	0.0	0.7	1.7
0.0	0.0	Min	I	-321.1	-0.0	-0.7	-1.6
0.0	0.0		J	-319.9	-0.0	0.7	-1.6
0.0	0.0	INVSLE Max	I	-47.2	0.0	-0.5	1.2
0.0	0.0		J	-46.3	0.0	0.5	1.2
0.0	0.0	Min	I	-239.9	-0.0	-0.5	-1.2
0.0	0.0		J	-239.0	-0.0	0.5	-1.2
8194	2	78 C1-C2;~1 Max	I	84.8	0.0	0.0	0.7
0.0	0.0		J	84.8	0.0	0.0	0.7
0.0	0.0	Min	I	-77.0	0.0	-0.0	-1.0
0.0	0.0		J	-77.0	-0.0	-0.0	-1.0
0.0	0.0	C3-C4;~1 Max	I	78.5	0.0	0.0	0.8
0.0	0.0		J	78.5	0.0	0.0	0.8
0.0	0.0	Min	I	-49.9	0.0	-0.0	-1.5
0.0	0.0		J	-49.9	-0.0	-0.0	-1.5
0.0	0.0	C1-C2;~2 Max	I	44.2	0.0	0.0	0.4
0.0	0.0		J	44.2	0.0	0.0	0.4
0.0	0.0	Min	I	-48.7	0.0	-0.0	-0.5
0.0	0.0		J	-48.7	-0.0	-0.0	-0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	43.8	0.0	0.0	0.5
			J	43.8	0.0	0.0	0.5
0.0	0.0	Min	I	-29.6	0.0	-0.0	-0.8
0.0	0.0		J	-29.6	-0.0	-0.0	-0.8
0.0	0.0	G1	I	53.4	0.0	-0.5	-0.3
			J	54.2	-0.0	0.5	-0.3
0.0	0.0	G2	I	20.0	0.0	-0.0	-0.1
			J	20.0	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-27.2	0.0	0.0	-0.2
			J	-27.2	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	-0.3	0.0	0.0	-0.0
			J	-0.3	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps X	I	-25.7	0.0	0.0	-0.2
			J	-25.7	0.0	-0.0	-0.2
0.0	0.0	Q5_ps Y	I	-0.3	0.0	0.0	0.0
			J	-0.3	-0.0	-0.0	0.0
0.0	0.0	INVSLE Max	I	337.9	0.0	-0.7	0.3
			J	339.1	0.0	0.7	0.3
0.0	0.0	Min	I	70.6	0.0	-0.7	-3.2
			J	71.8	-0.0	0.7	-3.2
0.0	0.0	INVSLE Max	I	252.3	0.0	-0.5	0.2
			J	253.1	0.0	0.5	0.2
0.0	0.0	Min	I	57.9	0.0	-0.5	-2.3
			J	58.8	-0.0	0.5	-2.3
8195	2	78 C1-C2; ~1 Max	I	76.8	0.0	0.0	0.9
0.0	0.0		J	76.8	0.0	0.0	0.9

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-84.9	0.0	-0.0	-1.2
0.0	0.0			J	-84.9	-0.0	-0.0	-1.2
0.0	0.0	C3-C4;~1	Max	I	50.4	0.0	0.0	0.8
0.0	0.0			J	50.4	0.0	0.0	0.8
0.0	0.0		Min	I	-80.5	0.0	-0.0	-1.4
0.0	0.0			J	-80.5	-0.0	-0.0	-1.4
0.0	0.0	C1-C2;~2	Max	I	48.6	0.0	0.0	0.5
0.0	0.0			J	48.6	0.0	0.0	0.5
0.0	0.0		Min	I	-44.3	0.0	-0.0	-0.7
0.0	0.0			J	-44.3	-0.0	-0.0	-0.7
0.0	0.0	C3-C4;~2	Max	I	29.9	0.0	0.0	0.5
0.0	0.0			J	29.9	0.0	0.0	0.5
0.0	0.0		Min	I	-43.6	0.0	-0.0	-0.7
0.0	0.0			J	-43.6	-0.0	-0.0	-0.7
0.0	0.0		G1	I	-49.9	0.0	-0.5	-0.1
0.0	0.0			J	-49.0	0.0	0.5	-0.1
0.0	0.0		G2	I	-20.2	0.0	-0.0	-0.1
0.0	0.0			J	-20.2	0.0	0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	27.3	0.0	0.0	-0.3
0.0	0.0			J	27.3	-0.0	0.0	-0.3
0.0	0.0	Q5_pc	Y	I	0.3	0.0	-0.0	0.0
0.0	0.0			J	0.3	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	25.8	0.0	0.0	-0.3
0.0	0.0			J	25.8	-0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	0.3	0.0	-0.0	0.0
0.0	0.0			J	0.3	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		INVSLE Max	I	-66.6	0.0	-0.7	1.6	
0.0	0.0		J	-65.4	0.0	0.7	1.6	
0.0	0.0	Min	I	-334.0	0.0	-0.7	-2.1	
0.0	0.0		J	-332.9	-0.0	0.7	-2.1	
0.0	0.0							
		INVSLE Max	I	-54.9	0.0	-0.5	1.2	
0.0	0.0		J	-54.1	0.0	0.5	1.2	
0.0	0.0	Min	I	-249.4	0.0	-0.5	-1.5	
0.0	0.0		J	-248.5	-0.0	0.5	-1.5	
0.0	0.0							
8196	2	78 C1-C2;~1 Max	I	90.5	0.0	0.0	1.8	
0.0	0.0		J	90.5	0.0	0.0	1.8	
0.0	0.0	Min	I	-122.4	-0.0	0.0	-1.7	
0.0	0.0		J	-122.4	0.0	-0.0	-1.7	
0.0	0.0							
		C3-C4;~1 Max	I	99.7	0.0	0.0	1.8	
0.0	0.0		J	99.7	0.0	0.0	1.8	
0.0	0.0	Min	I	-86.4	-0.0	0.0	-2.7	
0.0	0.0		J	-86.4	0.0	-0.0	-2.7	
0.0	0.0							
		C1-C2;~2 Max	I	47.6	0.0	0.0	1.0	
0.0	0.0		J	47.6	0.0	0.0	1.0	
0.0	0.0	Min	I	-76.3	-0.0	0.0	-0.9	
0.0	0.0		J	-76.3	0.0	-0.0	-0.9	
0.0	0.0							
		C3-C4;~2 Max	I	55.2	0.0	0.0	1.0	
0.0	0.0		J	55.2	0.0	0.0	1.0	
0.0	0.0	Min	I	-51.3	-0.0	0.0	-1.5	
0.0	0.0		J	-51.3	0.0	-0.0	-1.5	
0.0	0.0							
		G1	I	36.8	0.0	-0.5	-0.1	
0.0	0.0		J	37.7	0.0	0.5	-0.1	
0.0	0.0							
		G2	I	14.2	0.0	0.0	-0.1	
0.0	0.0		J	14.2	0.0	-0.0	-0.1	
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-15.0	-0.0	0.0	-0.3
			J	-15.0	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-2.9	0.0	0.0	-0.0
			J	-2.9	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-14.5	-0.0	0.0	-0.3
			J	-14.5	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-3.0	0.0	0.0	-0.0
			J	-3.0	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	307.0	0.0	-0.7	0.4
			J	308.2	0.0	0.7	0.4
0.0	0.0	Min	I	-19.9	-0.0	-0.7	-6.4
			J	-18.7	0.0	0.7	-6.4
0.0	0.0	INVSLE Max	I	230.5	0.0	-0.5	0.3
			J	231.4	0.0	0.5	0.3
0.0	0.0	Min	I	-9.6	-0.0	-0.5	-4.7
			J	-8.7	0.0	0.5	-4.7
8197	2	78 C1-C2;~1 Max	I	122.3	0.0	0.0	1.5
0.0	0.0		J	122.3	0.0	0.0	1.5
0.0	0.0	Min	I	-90.6	0.0	0.0	-3.3
			J	-90.6	0.0	-0.0	-3.3
0.0	0.0	C3-C4;~1 Max	I	86.9	0.0	0.0	1.2
			J	86.9	0.0	0.0	1.2
0.0	0.0	Min	I	-99.6	0.0	0.0	-4.1
			J	-99.6	0.0	-0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	76.2	0.0	0.0	0.8
			J	76.2	0.0	0.0	0.8
0.0	0.0	Min	I	-47.6	0.0	0.0	-1.8

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-47.6	0.0	-0.0	-1.8
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	51.6	0.0	0.0	0.6
0.0	0.0		J	51.6	0.0	0.0	0.6
0.0	0.0	Min	I	-55.1	0.0	0.0	-2.2
0.0	0.0		J	-55.1	0.0	-0.0	-2.2
0.0	0.0	G1	I	-33.3	0.0	-0.5	-1.6
0.0	0.0		J	-32.4	0.0	0.5	-1.6
0.0	0.0	G2	I	-14.3	0.0	0.0	-0.7
0.0	0.0		J	-14.3	0.0	-0.0	-0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	15.1	0.0	0.0	-0.6
0.0	0.0		J	15.1	0.0	-0.0	-0.6
0.0	0.0	Q5_pc Y	I	2.8	0.0	0.0	0.1
0.0	0.0		J	2.8	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	14.6	0.0	0.0	-0.5
0.0	0.0		J	14.6	0.0	-0.0	-0.5
0.0	0.0	Q5_ps Y	I	3.0	0.0	0.0	0.1
0.0	0.0		J	3.0	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	24.1	0.0	-0.7	0.2
0.0	0.0		J	25.3	0.0	0.7	0.2
0.0	0.0	Min	I	-302.5	0.0	-0.7	-8.4
0.0	0.0		J	-301.3	0.0	0.7	-8.4
0.0	0.0	INVS LE Max	I	12.8	0.0	-0.5	0.2
0.0	0.0		J	13.6	0.0	0.5	0.2
0.0	0.0	Min	I	-227.2	0.0	-0.5	-6.1
0.0	0.0		J	-226.3	0.0	0.5	-6.1

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
8198	2	78	C1-C2;~1 Max	I	76.1	0.0	0.0	0.5
0.0	0.0			J	76.1	0.0	0.0	0.5
0.0	0.0		Min	I	-155.0	0.0	0.0	-1.1
0.0	0.0			J	-155.0	-0.0	0.0	-1.1
0.0	0.0		C3-C4;~1 Max	I	97.4	0.0	0.0	0.5
0.0	0.0			J	97.4	0.0	0.0	0.5
0.0	0.0		Min	I	-114.5	0.0	0.0	-1.4
0.0	0.0			J	-114.5	-0.0	0.0	-1.4
0.0	0.0		C1-C2;~2 Max	I	39.8	0.0	0.0	0.3
0.0	0.0			J	39.8	0.0	0.0	0.3
0.0	0.0		Min	I	-94.6	0.0	0.0	-0.6
0.0	0.0			J	-94.6	-0.0	0.0	-0.6
0.0	0.0		C3-C4;~2 Max	I	52.6	0.0	0.0	0.3
0.0	0.0			J	52.6	0.0	0.0	0.3
0.0	0.0		Min	I	-67.0	0.0	0.0	-0.8
0.0	0.0			J	-67.0	-0.0	0.0	-0.8
0.0	0.0		G1	I	2.1	0.0	-0.5	-0.4
0.0	0.0			J	2.9	-0.0	0.5	-0.4
0.0	0.0		G2	I	1.3	0.0	0.0	-0.2
0.0	0.0			J	1.3	-0.0	0.0	-0.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-10.9	0.0	0.0	-0.1
0.0	0.0			J	-10.9	0.0	0.0	-0.1
0.0	0.0		Q5_pc Y	I	-3.3	0.0	0.0	-0.0
0.0	0.0			J	-3.3	-0.0	0.0	-0.0
0.0	0.0		Q5_ps X	I	-11.3	0.0	0.0	-0.0
0.0	0.0			J	-11.3	0.0	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	-3.9	0.0	0.0	-0.0	
0.0	0.0		J	-3.9	-0.0	0.0	-0.0	
0.0	0.0	INVS LU Max	I	193.9	0.0	-0.7	-2.9	
0.0	0.0		J	195.1	0.0	0.7	-2.9	
0.0	0.0	Min	I	-166.6	0.0	-0.7	-5.6	
0.0	0.0		J	-165.4	-0.0	0.7	-5.6	
0.0	0.0	INVS LE Max	I	146.0	0.0	-0.5	-2.2	
0.0	0.0		J	146.9	0.0	0.5	-2.2	
0.0	0.0	Min	I	-119.6	0.0	-0.5	-4.2	
0.0	0.0		J	-118.7	-0.0	0.5	-4.2	
8199	2	78 C1-C2;~1 Max	I	154.9	0.0	0.0	1.0	
0.0	0.0		J	154.9	0.0	0.0	1.0	
0.0	0.0	Min	I	-76.1	0.0	0.0	-1.1	
0.0	0.0		J	-76.1	-0.0	0.0	-1.1	
0.0	0.0	C3-C4;~1 Max	I	114.9	0.0	0.0	0.7	
0.0	0.0		J	114.9	0.0	0.0	0.7	
0.0	0.0	Min	I	-97.3	0.0	0.0	-1.4	
0.0	0.0		J	-97.3	-0.0	0.0	-1.4	
0.0	0.0	C1-C2;~2 Max	I	94.5	0.0	0.0	0.6	
0.0	0.0		J	94.5	0.0	0.0	0.6	
0.0	0.0	Min	I	-39.8	0.0	0.0	-0.6	
0.0	0.0		J	-39.8	-0.0	0.0	-0.6	
0.0	0.0	C3-C4;~2 Max	I	67.3	0.0	0.0	0.4	
0.0	0.0		J	67.3	0.0	0.0	0.4	
0.0	0.0	Min	I	-52.5	0.0	0.0	-0.8	
0.0	0.0		J	-52.5	-0.0	0.0	-0.8	
0.0	0.0	G1	I	1.5	0.0	-0.5	-0.4	
0.0	0.0		J	2.3	0.0	0.5	-0.4	
0.0	0.0	G2	I	-1.4	0.0	0.0	-0.2	

MIDAS

PROJECT TITLE :


MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-1.4	0.0	0.0	-0.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	11.0	0.0	0.0	-0.2	
0.0	0.0		J	11.0	-0.0	0.0	-0.2	
0.0	0.0	Q5_pc Y	I	3.3	0.0	0.0	0.1	
0.0	0.0		J	3.3	0.0	0.0	0.1	
0.0	0.0	Q5_ps X	I	11.3	0.0	0.0	-0.2	
0.0	0.0		J	11.3	-0.0	0.0	-0.2	
0.0	0.0	Q5_ps Y	I	4.0	0.0	0.0	0.1	
0.0	0.0		J	4.0	0.0	0.0	0.1	
0.0	0.0	INVSLE Max	I	171.2	0.0	-0.7	-0.2	
0.0	0.0		J	172.3	0.0	0.7	-0.2	
0.0	0.0	Min	I	-189.0	0.0	-0.7	-3.7	
0.0	0.0		J	-187.9	-0.0	0.7	-3.7	
0.0	0.0	INVSLE Max	I	122.9	0.0	-0.5	-0.0	
0.0	0.0		J	123.8	0.0	0.5	-0.0	
0.0	0.0	Min	I	-142.4	0.0	-0.5	-2.6	
0.0	0.0		J	-141.5	-0.0	0.5	-2.6	
8200	2	78 C1-C2;~1 Max	I	66.8	0.0	0.0	0.2	
0.0	0.0		J	66.8	0.0	0.0	0.2	
0.0	0.0	Min	I	-177.5	-0.0	-0.0	-0.5	
0.0	0.0		J	-177.5	0.0	0.0	-0.5	
0.0	0.0	C3-C4;~1 Max	I	83.0	0.0	0.0	0.2	
0.0	0.0		J	83.0	0.0	0.0	0.2	
0.0	0.0	Min	I	-139.1	-0.0	-0.0	-0.7	
0.0	0.0		J	-139.1	0.0	0.0	-0.7	
0.0	0.0	C1-C2;~2 Max	I	34.4	0.0	0.0	0.1	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	34.4	0.0	0.0	0.1
0.0	0.0	Min	I	-106.2	-0.0	-0.0	-0.3
0.0	0.0		J	-106.2	0.0	0.0	-0.3
0.0	0.0	C3-C4; ~2 Max	I	42.9	0.0	0.0	0.1
0.0	0.0		J	42.9	0.0	0.0	0.1
0.0	0.0	Min	I	-80.4	-0.0	-0.0	-0.4
0.0	0.0		J	-80.4	0.0	0.0	-0.4
0.0	0.0	G1	I	-33.6	-0.0	-0.5	-0.3
0.0	0.0		J	-32.7	0.0	0.5	-0.3
0.0	0.0	G2	I	-12.4	-0.0	0.0	-0.1
0.0	0.0		J	-12.4	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-5.6	0.0	-0.0	-0.0
0.0	0.0		J	-5.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-3.4	-0.0	-0.0	-0.0
0.0	0.0		J	-3.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-6.4	0.0	-0.0	-0.0
0.0	0.0		J	-6.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-4.3	-0.0	-0.0	-0.0
0.0	0.0		J	-4.3	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	85.5	0.0	-0.7	-2.1
0.0	0.0		J	86.7	0.0	0.7	-2.1
0.0	0.0	Min	I	-276.3	-0.0	-0.7	-3.3
0.0	0.0		J	-275.1	0.0	0.7	-3.3
0.0	0.0	INVS LE Max	I	65.4	0.0	-0.5	-1.5
0.0	0.0		J	66.3	0.0	0.5	-1.5
0.0	0.0	Min	I	-201.8	-0.0	-0.5	-2.4
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-201.0	0.0	0.5	-2.4
8201	2	78 C1-C2;~1 Max	I	177.4	0.0	0.0	0.3
0.0	0.0		J	177.4	0.0	0.0	0.3
0.0	0.0	Min	I	-66.8	-0.0	-0.0	-0.3
0.0	0.0		J	-66.8	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	139.4	0.0	0.0	0.3
0.0	0.0		J	139.4	0.0	0.0	0.3
0.0	0.0	Min	I	-83.0	-0.0	-0.0	-0.3
0.0	0.0		J	-83.0	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	106.2	0.0	0.0	0.2
0.0	0.0		J	106.2	0.0	0.0	0.2
0.0	0.0	Min	I	-34.4	-0.0	-0.0	-0.2
0.0	0.0		J	-34.4	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	80.6	0.0	0.0	0.2
0.0	0.0		J	80.6	0.0	0.0	0.2
0.0	0.0	Min	I	-42.8	-0.0	-0.0	-0.2
0.0	0.0		J	-42.8	0.0	0.0	-0.2
0.0	0.0	G1	I	37.2	0.0	-0.5	0.1
0.0	0.0		J	38.0	0.0	0.5	0.1
0.0	0.0	G2	I	12.3	0.0	0.0	0.0
0.0	0.0		J	12.3	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.7	-0.0	0.0	-0.1
0.0	0.0		J	5.7	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	3.4	0.0	0.0	-0.0
0.0	0.0		J	3.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	6.5	-0.0	0.0	-0.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	6.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	4.3	0.0	0.0	-0.0
0.0	0.0		J	4.3	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	280.9	0.0	-0.7	-1.8
0.0	0.0		J	282.1	0.0	0.7	-1.8
0.0	0.0	Min	I	-80.8	-0.0	-0.7	-2.8
0.0	0.0		J	-79.6	0.0	0.7	-2.8
0.0	0.0	INVS LE Max	I	205.3	0.0	-0.5	-1.4
0.0	0.0		J	206.1	0.0	0.5	-1.4
0.0	0.0	Min	I	-61.9	-0.0	-0.5	-2.1
0.0	0.0		J	-61.0	0.0	0.5	-2.1
8202	2	78 C1-C2;~1 Max	I	57.3	0.0	0.0	0.3
0.0	0.0		J	57.3	0.0	0.0	0.3
0.0	0.0	Min	I	-189.7	-0.0	-0.0	-0.5
0.0	0.0		J	-189.7	-0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	73.1	0.0	0.0	0.3
0.0	0.0		J	73.1	0.0	0.0	0.3
0.0	0.0	Min	I	-149.4	-0.0	-0.0	-0.6
0.0	0.0		J	-149.4	-0.0	0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	28.9	0.0	0.0	0.1
0.0	0.0		J	28.9	0.0	0.0	0.1
0.0	0.0	Min	I	-113.4	-0.0	-0.0	-0.3
0.0	0.0		J	-113.4	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	37.2	0.0	0.0	0.1
0.0	0.0		J	37.2	0.0	0.0	0.1
0.0	0.0	Min	I	-86.2	-0.0	-0.0	-0.3
0.0	0.0		J	-86.2	-0.0	0.0	-0.3
0.0	0.0	G1	I	-54.8	0.0	-0.5	-0.2
0.0	0.0		J	-54.0	-0.0	0.5	-0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	-20.6	0.0	-0.0	-0.1
0.0	0.0		J	-20.6	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.3	-0.0	0.0	-0.0
0.0	0.0		J	-2.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-4.3	0.0	0.0	-0.0
0.0	0.0		J	-4.3	-0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-3.3	-0.0	0.0	-0.0
0.0	0.0		J	-3.3	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-5.3	0.0	0.0	-0.0
0.0	0.0		J	-5.3	-0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	26.8	0.0	-0.7	-1.0
0.0	0.0		J	28.0	0.0	0.7	-1.0
0.0	0.0	Min	I	-335.7	-0.0	-0.7	-2.2
0.0	0.0		J	-334.6	-0.0	0.7	-2.2
0.0	0.0	INVS LE Max	I	21.8	0.0	-0.5	-0.7
0.0	0.0		J	22.7	0.0	0.5	-0.7
0.0	0.0	Min	I	-246.2	-0.0	-0.5	-1.6
0.0	0.0		J	-245.3	-0.0	0.5	-1.6
8203	2	78 C1-C2;~1 Max	I	189.6	0.0	0.0	0.3
0.0	0.0		J	189.6	0.0	0.0	0.3
0.0	0.0	Min	I	-57.3	-0.0	-0.0	-0.3
0.0	0.0		J	-57.3	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	149.7	0.0	0.0	0.3
0.0	0.0		J	149.7	0.0	0.0	0.3
0.0	0.0	Min	I	-73.0	-0.0	-0.0	-0.3
0.0	0.0		J	-73.0	-0.0	-0.0	-0.3


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	113.3	0.0	0.0	0.2
				J	113.3	0.0	0.0	0.2
0.0	0.0		Min	I	-28.9	-0.0	-0.0	-0.2
0.0	0.0			J	-28.9	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2	Max	I	86.4	0.0	0.0	0.2
				J	86.4	0.0	0.0	0.2
0.0	0.0		Min	I	-37.1	-0.0	-0.0	-0.2
0.0	0.0			J	-37.1	-0.0	-0.0	-0.2
0.0	0.0	G1		I	58.4	-0.0	-0.5	0.1
				J	59.3	0.0	0.5	0.1
0.0	0.0	G2		I	20.5	-0.0	-0.0	0.0
				J	20.5	0.0	0.0	0.0
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	2.4	0.0	-0.0	-0.0
				J	2.4	-0.0	-0.0	-0.0
0.0	0.0	Q5_pc	Y	I	4.3	-0.0	-0.0	0.0
				J	4.3	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	3.4	0.0	-0.0	-0.0
				J	3.4	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps	Y	I	5.3	-0.0	-0.0	0.0
				J	5.3	0.0	0.0	0.0
0.0	0.0	INVSLE	Max	I	340.7	0.0	-0.7	-0.9
				J	341.9	0.0	0.7	-0.9
0.0	0.0		Min	I	-21.6	-0.0	-0.7	-1.8
0.0	0.0			J	-20.5	-0.0	0.7	-1.8
0.0	0.0	INVSLE	Max	I	249.9	0.0	-0.5	-0.7
				J	250.7	0.0	0.5	-0.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-18.0	-0.0	-0.5	-1.3
0.0	0.0			J	-17.1	-0.0	0.5	-1.3
0.0	0.0							
8204	2	78	C1-C2;~1	Max	I	48.5	0.0	0.3
0.0	0.0			J	48.5	0.0	0.0	0.3
0.0	0.0		Min	I	-190.9	-0.0	0.0	-0.4
0.0	0.0			J	-190.9	-0.0	-0.0	-0.4
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	66.9	0.0	0.4
0.0	0.0			J	66.9	0.0	0.0	0.4
0.0	0.0		Min	I	-149.4	-0.0	0.0	-0.4
0.0	0.0			J	-149.4	-0.0	-0.0	-0.4
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	23.7	0.0	0.2
0.0	0.0			J	23.7	0.0	0.0	0.2
0.0	0.0		Min	I	-114.2	-0.0	0.0	-0.2
0.0	0.0			J	-114.2	-0.0	-0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	34.0	0.0	0.2
0.0	0.0			J	34.0	0.0	0.0	0.2
0.0	0.0		Min	I	-86.3	-0.0	0.0	-0.2
0.0	0.0			J	-86.3	-0.0	-0.0	-0.2
0.0	0.0							
0.0	0.0		G1	I	-62.7	0.0	-0.5	-0.0
0.0	0.0			J	-61.8	-0.0	0.5	-0.0
0.0	0.0							
0.0	0.0		G2	I	-23.6	0.0	0.0	-0.0
0.0	0.0			J	-23.6	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	-0.7	-0.0	0.0
0.0	0.0			J	-0.7	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	-5.5	0.0	-0.0
0.0	0.0			J	-5.5	-0.0	0.0	-0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	-1.7	-0.0	0.0	0.0
0.0	0.0		J	-1.7	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-6.4	0.0	0.0	-0.0
0.0	0.0		J	-6.4	-0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	5.8	0.0	-0.7	0.6
0.0	0.0		J	6.9	0.0	0.7	0.6
0.0	0.0	Min	I	-352.1	-0.0	-0.7	-0.5
0.0	0.0		J	-351.0	-0.0	0.7	-0.5
0.0	0.0	INVS LE Max	I	6.1	0.0	-0.5	0.4
0.0	0.0		J	7.0	0.0	0.5	0.4
0.0	0.0	Min	I	-258.2	-0.0	-0.5	-0.4
0.0	0.0		J	-257.4	-0.0	0.5	-0.4
8205	2	78 C1-C2;~1 Max	I	190.8	0.0	0.0	0.3
0.0	0.0		J	190.8	0.0	0.0	0.3
0.0	0.0	Min	I	-48.5	-0.0	0.0	-0.3
0.0	0.0		J	-48.5	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	149.6	0.0	0.0	0.3
0.0	0.0		J	149.6	0.0	0.0	0.3
0.0	0.0	Min	I	-66.8	-0.0	0.0	-0.3
0.0	0.0		J	-66.8	0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	114.2	0.0	0.0	0.2
0.0	0.0		J	114.2	0.0	0.0	0.2
0.0	0.0	Min	I	-23.7	-0.0	0.0	-0.2
0.0	0.0		J	-23.7	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	86.5	0.0	0.0	0.2
0.0	0.0		J	86.5	0.0	0.0	0.2
0.0	0.0	Min	I	-34.0	-0.0	0.0	-0.2
0.0	0.0		J	-34.0	0.0	-0.0	-0.2
0.0	0.0	G1	I	66.2	-0.0	-0.5	0.0

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	67.1	0.0	0.5	0.0
0.0	0.0						
0.0	0.0	G2	I	23.6	-0.0	0.0	0.0
0.0	0.0		J	23.6	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	0.7	0.0	0.0	0.0
0.0	0.0		J	0.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	5.5	-0.0	0.0	0.0
0.0	0.0		J	5.5	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	1.7	0.0	0.0	0.0
0.0	0.0		J	1.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	6.5	-0.0	0.0	0.0
0.0	0.0		J	6.5	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	357.2	0.0	-0.7	0.5
0.0	0.0		J	358.4	0.0	0.7	0.5
0.0	0.0	Min	I	-0.5	-0.0	-0.7	-0.4
0.0	0.0		J	0.7	0.0	0.7	-0.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	262.0	0.0	-0.5	0.4
0.0	0.0		J	262.8	0.0	0.5	0.4
0.0	0.0	Min	I	-2.2	-0.0	-0.5	-0.3
0.0	0.0		J	-1.4	0.0	0.5	-0.3
0.0	0.0						
8206	2	78 C1-C2;~1 Max	I	45.7	0.0	0.0	0.5
0.0	0.0		J	45.7	0.0	0.0	0.5
0.0	0.0	Min	I	-181.8	0.0	0.0	-0.3
0.0	0.0		J	-181.8	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	65.7	0.0	0.0	0.5
0.0	0.0		J	65.7	0.0	0.0	0.5
0.0	0.0	Min	I	-141.3	0.0	0.0	-0.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-141.3	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	22.7	0.0	0.0	0.3
0.0	0.0		J	22.7	0.0	0.0	0.3
0.0	0.0	Min	I	-109.5	0.0	0.0	-0.2
0.0	0.0		J	-109.5	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	34.3	0.0	0.0	0.3
0.0	0.0		J	34.3	0.0	0.0	0.3
0.0	0.0	Min	I	-82.3	0.0	0.0	-0.2
0.0	0.0		J	-82.3	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	G1	I	-56.9	0.0	-0.5	0.2
0.0	0.0		J	-56.0	-0.0	0.5	0.2
0.0	0.0						
0.0	0.0	G2	I	-21.4	0.0	0.0	0.1
0.0	0.0		J	-21.4	-0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-6.5	0.0	0.0	-0.0
0.0	0.0		J	-6.5	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-7.4	0.0	0.0	-0.0
0.0	0.0		J	-7.4	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	20.7	0.0	-0.7	2.2
0.0	0.0		J	21.9	0.0	0.7	2.2
0.0	0.0	Min	I	-325.1	0.0	-0.7	1.0
0.0	0.0		J	-323.9	-0.0	0.7	1.0
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	17.3	0.0	-0.5	1.6
0.0	0.0			J	18.2	0.0	0.5	1.6
0.0	0.0		Min	I	-238.0	0.0	-0.5	0.8
0.0	0.0			J	-237.1	-0.0	0.5	0.8
0.0	0.0							
8207	2	78	C1-C2;~1 Max	I	181.7	0.0	0.0	0.3
0.0	0.0			J	181.7	0.0	0.0	0.3
0.0	0.0		Min	I	-45.7	0.0	0.0	-0.4
0.0	0.0			J	-45.7	-0.0	-0.0	-0.4
0.0	0.0							
			C3-C4;~1 Max	I	141.5	0.0	0.0	0.3
0.0	0.0			J	141.5	0.0	0.0	0.3
0.0	0.0		Min	I	-65.6	0.0	0.0	-0.4
0.0	0.0			J	-65.6	-0.0	-0.0	-0.4
0.0	0.0							
			C1-C2;~2 Max	I	109.4	0.0	0.0	0.2
0.0	0.0			J	109.4	0.0	0.0	0.2
0.0	0.0		Min	I	-22.7	0.0	0.0	-0.2
0.0	0.0			J	-22.7	-0.0	-0.0	-0.2
0.0	0.0							
			C3-C4;~2 Max	I	82.4	0.0	0.0	0.2
0.0	0.0			J	82.4	0.0	0.0	0.2
0.0	0.0		Min	I	-34.2	0.0	0.0	-0.2
0.0	0.0			J	-34.2	-0.0	-0.0	-0.2
0.0	0.0							
			G1	I	60.4	0.0	-0.5	-0.0
0.0	0.0			J	61.3	0.0	0.5	-0.0
0.0	0.0							
			G2	I	21.3	0.0	0.0	-0.0
0.0	0.0			J	21.3	0.0	-0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	-0.0	0.0	0.0
0.0	0.0							
			Q5_pc Y	I	6.5	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	6.5	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	0.9	0.0	0.0	0.0
0.0	0.0		J	0.9	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	7.4	0.0	0.0	0.0
0.0	0.0		J	7.4	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	330.1	0.0	-0.7	2.0
0.0	0.0		J	331.3	0.0	0.7	2.0
0.0	0.0	Min	I	-15.5	0.0	-0.7	1.0
0.0	0.0		J	-14.4	-0.0	0.7	1.0
0.0	0.0						
0.0	0.0	INVS LE Max	I	241.7	0.0	-0.5	1.4
0.0	0.0		J	242.5	0.0	0.5	1.4
0.0	0.0	Min	I	-13.5	0.0	-0.5	0.7
0.0	0.0		J	-12.6	-0.0	0.5	0.7
0.0	0.0						
8208	2	78 C1-C2;~1 Max	I	49.0	0.0	0.0	0.5
0.0	0.0		J	49.0	0.0	0.0	0.5
0.0	0.0	Min	I	-164.1	0.0	0.0	-0.2
0.0	0.0		J	-164.1	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	70.1	0.0	0.0	0.7
0.0	0.0		J	70.1	0.0	0.0	0.7
0.0	0.0	Min	I	-124.9	0.0	0.0	-0.2
0.0	0.0		J	-124.9	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	25.7	0.0	0.0	0.3
0.0	0.0		J	25.7	0.0	0.0	0.3
0.0	0.0	Min	I	-99.8	0.0	0.0	-0.1
0.0	0.0		J	-99.8	0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	37.9	0.0	0.0	0.4
0.0	0.0		J	37.9	0.0	0.0	0.4
0.0	0.0	Min	I	-73.5	0.0	0.0	-0.1
0.0	0.0		J	-73.5	0.0	-0.0	-0.1


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
			G1	I	-37.3	0.0	-0.5	0.3
0.0	0.0			J	-36.5	0.0	0.5	0.3
0.0	0.0							
			G2	I	-13.9	0.0	0.0	0.1
0.0	0.0			J	-13.9	0.0	-0.0	0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.1	0.0	0.0	0.0
0.0	0.0			J	-1.1	0.0	0.0	0.0
0.0	0.0							
			Q5_pc Y	I	-7.2	0.0	0.0	-0.0
0.0	0.0			J	-7.2	0.0	0.0	-0.0
0.0	0.0							
			Q5_ps X	I	-1.7	0.0	0.0	0.0
0.0	0.0			J	-1.7	0.0	0.0	0.0
0.0	0.0							
			Q5_ps Y	I	-7.9	0.0	0.0	-0.0
0.0	0.0			J	-7.9	0.0	0.0	-0.0
0.0	0.0							
			INVSLE Max	I	72.8	0.0	-0.7	3.4
0.0	0.0			J	74.0	0.0	0.7	3.4
0.0	0.0							
			Min	I	-256.1	0.0	-0.7	2.1
0.0	0.0			J	-255.0	0.0	0.7	2.1
0.0	0.0							
			INVSLE Max	I	56.3	0.0	-0.5	2.5
0.0	0.0			J	57.2	0.0	0.5	2.5
0.0	0.0							
			Min	I	-186.4	0.0	-0.5	1.5
0.0	0.0			J	-185.6	0.0	0.5	1.5
0.0	0.0							
8209	2	78	C1-C2;~1 Max	I	164.0	0.0	0.0	0.3
0.0	0.0			J	164.0	0.0	0.0	0.3
0.0	0.0							
			Min	I	-49.0	-0.0	0.0	-0.3
0.0	0.0			J	-49.0	0.0	-0.0	-0.3
0.0	0.0							
			C3-C4;~1 Max	I	125.2	0.0	0.0	0.3
0.0	0.0							


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	125.2	0.0	0.0	0.3
0.0	0.0	Min	I	-70.0	-0.0	0.0	-0.3
0.0	0.0		J	-70.0	0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	99.7	0.0	0.0	0.2
0.0	0.0		J	99.7	0.0	0.0	0.2
0.0	0.0	Min	I	-25.7	-0.0	0.0	-0.2
0.0	0.0		J	-25.7	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	73.7	0.0	0.0	0.2
0.0	0.0		J	73.7	0.0	0.0	0.2
0.0	0.0	Min	I	-37.8	-0.0	0.0	-0.2
0.0	0.0		J	-37.8	0.0	-0.0	-0.2
0.0	0.0	G1	I	40.9	0.0	-0.5	-0.0
0.0	0.0		J	41.8	0.0	0.5	-0.0
0.0	0.0	G2	I	13.8	0.0	0.0	-0.0
0.0	0.0		J	13.8	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.1	-0.0	0.0	0.0
0.0	0.0		J	1.1	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	7.2	0.0	0.0	0.0
0.0	0.0		J	7.2	0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	1.8	-0.0	0.0	0.0
0.0	0.0		J	1.8	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	8.0	0.0	0.0	0.0
0.0	0.0		J	8.0	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	260.8	0.0	-0.7	2.9
0.0	0.0		J	261.9	0.0	0.7	2.9
0.0	0.0	Min	I	-68.0	-0.0	-0.7	2.0
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-66.9	0.0	0.7	2.0
0.0	0.0	INVSLE Max	I	189.8	0.0	-0.5	2.1
0.0	0.0		J	190.7	0.0	0.5	2.1
0.0	0.0	Min	I	-52.8	-0.0	-0.5	1.5
0.0	0.0		J	-51.9	0.0	0.5	1.5
8210	2	78 C1-C2;~1 Max	I	60.1	0.0	0.0	1.0
0.0	0.0		J	60.1	0.0	0.0	1.0
0.0	0.0	Min	I	-144.4	0.0	-0.0	-0.6
0.0	0.0		J	-144.4	-0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	83.3	0.0	0.0	1.3
0.0	0.0		J	83.3	0.0	0.0	1.3
0.0	0.0	Min	I	-103.0	0.0	-0.0	-0.5
0.0	0.0		J	-103.0	-0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	32.7	0.0	0.0	0.6
0.0	0.0		J	32.7	0.0	0.0	0.6
0.0	0.0	Min	I	-90.1	0.0	-0.0	-0.3
0.0	0.0		J	-90.1	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	46.9	0.0	0.0	0.8
0.0	0.0		J	46.9	0.0	0.0	0.8
0.0	0.0	Min	I	-62.1	0.0	-0.0	-0.3
0.0	0.0		J	-62.1	-0.0	-0.0	-0.3
0.0	0.0	G1	I	-1.9	0.0	-0.5	0.4
0.0	0.0		J	-1.1	0.0	0.5	0.4
0.0	0.0	G2	I	-0.3	0.0	0.0	0.2
0.0	0.0		J	-0.3	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-6.2	0.0	-0.0	0.0
0.0	0.0		J	-6.2	-0.0	0.0	0.0

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0								
0.0	0.0	Q5_pc	Y	I	-6.5	0.0	-0.0	0.0	
0.0	0.0			J	-6.5	0.0	0.0	0.0	
0.0	0.0	Q5_ps	X	I	-6.4	0.0	-0.0	-0.0	
0.0	0.0			J	-6.4	-0.0	-0.0	-0.0	
0.0	0.0	Q5_ps	Y	I	-7.2	0.0	-0.0	0.0	
0.0	0.0			J	-7.2	0.0	0.0	0.0	
0.0	0.0	INVS	LU Max	I	177.0	0.0	-0.7	5.7	
0.0	0.0			J	178.1	0.0	0.7	5.7	
0.0	0.0		Min	I	-142.2	0.0	-0.7	3.0	
0.0	0.0			J	-141.0	-0.0	0.7	3.0	
0.0	0.0	INVS	LE Max	I	134.3	0.0	-0.5	4.3	
0.0	0.0			J	135.2	0.0	0.5	4.3	
0.0	0.0		Min	I	-101.2	0.0	-0.5	2.3	
0.0	0.0			J	-100.3	-0.0	0.5	2.3	
8211	2	78	C1-C2;~1	Max	I	144.2	0.0	0.0	0.8
0.0	0.0			J	144.2	0.0	0.0	0.8	
0.0	0.0		Min	I	-60.1	0.0	-0.0	-0.8	
0.0	0.0			J	-60.1	-0.0	-0.0	-0.8	
0.0	0.0		C3-C4;~1	Max	I	103.3	0.0	0.0	1.1
0.0	0.0			J	103.3	0.0	0.0	1.1	
0.0	0.0		Min	I	-83.1	0.0	-0.0	-0.6	
0.0	0.0			J	-83.1	-0.0	-0.0	-0.6	
0.0	0.0		C1-C2;~2	Max	I	90.0	0.0	0.0	0.5
0.0	0.0			J	90.0	0.0	0.0	0.5	
0.0	0.0		Min	I	-32.7	0.0	-0.0	-0.5	
0.0	0.0			J	-32.7	-0.0	-0.0	-0.5	
0.0	0.0		C3-C4;~2	Max	I	62.3	0.0	0.0	0.6
0.0	0.0			J	62.3	0.0	0.0	0.6	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-46.8	0.0	-0.0	-0.4
0.0	0.0		J	-46.8	-0.0	-0.0	-0.4
0.0	0.0	G1	I	5.5	0.0	-0.5	0.4
0.0	0.0		J	6.4	-0.0	0.5	0.4
0.0	0.0	G2	I	0.3	0.0	0.0	0.2
0.0	0.0		J	0.3	-0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.2	0.0	-0.0	0.1
0.0	0.0		J	6.2	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	6.6	0.0	0.0	0.0
0.0	0.0		J	6.6	-0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	6.5	0.0	-0.0	0.0
0.0	0.0		J	6.5	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	7.2	0.0	0.0	-0.0
0.0	0.0		J	7.2	-0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	146.7	0.0	-0.7	3.3
0.0	0.0		J	147.9	0.0	0.7	3.3
0.0	0.0	Min	I	-172.0	0.0	-0.7	0.7
0.0	0.0		J	-170.9	-0.0	0.7	0.7
0.0	0.0	INVSLE Max	I	104.5	0.0	-0.5	2.3
0.0	0.0		J	105.4	0.0	0.5	2.3
0.0	0.0	Min	I	-130.7	0.0	-0.5	0.4
0.0	0.0		J	-129.8	-0.0	0.5	0.4
8212	2	78 C1-C2;~1 Max	I	75.9	0.0	0.0	1.4
0.0	0.0		J	75.9	0.0	0.0	1.4
0.0	0.0	Min	I	-116.2	0.0	0.0	-1.7
0.0	0.0		J	-116.2	0.0	0.0	-1.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4;~1 Max	I	88.3	0.0	0.0	2.3
			J	88.3	0.0	0.0	2.3
0.0	0.0	Min	I	-79.0	0.0	0.0	-1.6
0.0	0.0		J	-79.0	0.0	0.0	-1.6
0.0	0.0	C1-C2;~2 Max	I	41.7	0.0	0.0	0.8
			J	41.7	0.0	0.0	0.8
0.0	0.0	Min	I	-74.2	0.0	0.0	-1.0
0.0	0.0		J	-74.2	0.0	0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	50.5	0.0	0.0	1.2
			J	50.5	0.0	0.0	1.2
0.0	0.0	Min	I	-48.5	0.0	0.0	-0.9
0.0	0.0		J	-48.5	0.0	0.0	-0.9
0.0	0.0	G1	I	32.9	0.0	-0.5	0.2
			J	33.7	0.0	0.5	0.2
0.0	0.0	G2	I	12.6	0.0	0.0	0.1
			J	12.6	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-7.1	0.0	0.0	0.2
			J	-7.1	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-6.2	0.0	0.0	0.1
			J	-6.2	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-6.9	0.0	0.0	0.1
			J	-6.9	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-6.2	0.0	0.0	0.1
			J	-6.2	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	293.2	0.0	-0.7	5.9
			J	294.3	0.0	0.7	5.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	4.3	0.0	-0.7	0.1
0.0	0.0			J	5.4	0.0	0.7	0.1
0.0	0.0							
			INVSLE Max	I	221.4	0.0	-0.5	4.4
0.0	0.0			J	222.3	0.0	0.5	4.4
0.0	0.0							
			Min	I	8.4	0.0	-0.5	0.1
0.0	0.0			J	9.2	0.0	0.5	0.1
0.0	0.0							
8213	2	78	C1-C2;~1 Max	I	116.1	0.0	0.0	2.9
0.0	0.0			J	116.1	0.0	0.0	2.9
0.0	0.0							
			Min	I	-76.0	0.0	0.0	-1.2
0.0	0.0			J	-76.0	0.0	0.0	-1.2
0.0	0.0							
			C3-C4;~1 Max	I	79.5	0.0	0.0	3.7
0.0	0.0			J	79.5	0.0	0.0	3.7
0.0	0.0							
			Min	I	-88.1	0.0	0.0	-1.0
0.0	0.0			J	-88.1	0.0	0.0	-1.0
0.0	0.0							
			C1-C2;~2 Max	I	74.1	0.0	0.0	1.7
0.0	0.0			J	74.1	0.0	0.0	1.7
0.0	0.0							
			Min	I	-41.8	0.0	0.0	-0.7
0.0	0.0			J	-41.8	0.0	0.0	-0.7
0.0	0.0							
			C3-C4;~2 Max	I	48.8	0.0	0.0	2.0
0.0	0.0			J	48.8	0.0	0.0	2.0
0.0	0.0							
			Min	I	-50.3	0.0	0.0	-0.5
0.0	0.0			J	-50.3	0.0	0.0	-0.5
0.0	0.0							
			G1	I	-29.3	0.0	-0.5	1.7
0.0	0.0			J	-28.5	0.0	0.5	1.7
0.0	0.0							
			G2	I	-12.7	0.0	0.0	0.7
0.0	0.0			J	-12.7	0.0	0.0	0.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	0.0	Q5_pc X	I	7.1	0.0	0.0	0.2
0.0	0.0		J	7.1	0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	6.2	0.0	0.0	0.1
0.0	0.0		J	6.2	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	7.0	0.0	0.0	0.2
0.0	0.0		J	7.0	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	6.3	0.0	0.0	0.0
0.0	0.0		J	6.3	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	-0.1	0.0	-0.7	7.7
0.0	0.0		J	1.1	0.0	0.7	7.7
0.0	0.0	Min	I	-288.6	0.0	-0.7	0.7
0.0	0.0		J	-287.4	0.0	0.7	0.7
0.0	0.0	INVS LE Max	I	-5.3	0.0	-0.5	5.6
0.0	0.0		J	-4.4	0.0	0.5	5.6
0.0	0.0	Min	I	-218.0	0.0	-0.5	0.4
0.0	0.0		J	-217.2	0.0	0.5	0.4
8214	2	78 C1-C2;~1 Max	I	72.6	0.0	0.0	0.9
0.0	0.0		J	72.6	0.0	0.0	0.9
0.0	0.0	Min	I	-72.0	0.0	0.0	-0.5
0.0	0.0		J	-72.0	0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	72.8	0.0	0.0	1.3
0.0	0.0		J	72.8	0.0	0.0	1.3
0.0	0.0	Min	I	-44.0	0.0	0.0	-0.7
0.0	0.0		J	-44.0	0.0	-0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	39.3	0.0	0.0	0.5
0.0	0.0		J	39.3	0.0	0.0	0.5
0.0	0.0	Min	I	-46.6	0.0	0.0	-0.3
0.0	0.0		J	-46.6	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	40.0	0.0	0.0	0.7

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	40.0	0.0	0.0	0.7
0.0	0.0	Min	I	-27.0	0.0	0.0	-0.4
0.0	0.0		J	-27.0	0.0	-0.0	-0.4
0.0	0.0	G1	I	49.6	0.0	-0.5	0.4
0.0	0.0		J	50.4	0.0	0.5	0.4
0.0	0.0	G2	I	18.4	0.0	0.0	0.2
0.0	0.0		J	18.4	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-7.8	0.0	0.0	0.1
0.0	0.0		J	-7.8	0.0	-0.0	0.1
0.0	0.0	Q5_pc Y	I	-10.7	0.0	0.0	0.1
0.0	0.0		J	-10.7	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-7.4	0.0	0.0	0.1
0.0	0.0		J	-7.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps Y	I	-10.1	0.0	0.0	0.1
0.0	0.0		J	-10.1	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	315.2	0.0	-0.7	3.0
0.0	0.0		J	316.3	0.0	0.7	3.0
0.0	0.0	Min	I	100.4	0.0	-0.7	0.2
0.0	0.0		J	101.5	0.0	0.7	0.2
0.0	0.0	INVSLE Max	I	237.0	0.0	-0.5	2.2
0.0	0.0		J	237.8	0.0	0.5	2.2
0.0	0.0	Min	I	79.3	0.0	-0.5	0.2
0.0	0.0		J	80.1	0.0	0.5	0.2
8215	2	78 C1-C2;~1 Max	I	71.9	0.0	0.0	1.0
0.0	0.0		J	71.9	0.0	0.0	1.0
0.0	0.0	Min	I	-72.7	0.0	0.0	-0.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-72.7	0.0	-0.0	-0.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	44.5	0.0	0.0	1.1
0.0	0.0		J	44.5	0.0	0.0	1.1
0.0	0.0	Min	I	-72.8	0.0	0.0	-0.7
0.0	0.0		J	-72.8	0.0	-0.0	-0.7
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	46.5	0.0	0.0	0.6
0.0	0.0		J	46.5	0.0	0.0	0.6
0.0	0.0	Min	I	-39.4	0.0	0.0	-0.5
0.0	0.0		J	-39.4	0.0	-0.0	-0.5
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	27.3	0.0	0.0	0.6
0.0	0.0		J	27.3	0.0	0.0	0.6
0.0	0.0	Min	I	-39.9	0.0	0.0	-0.4
0.0	0.0		J	-39.9	0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	G1	I	-46.1	0.0	-0.5	0.1
0.0	0.0		J	-45.2	0.0	0.5	0.1
0.0	0.0						
0.0	0.0	G2	I	-18.6	0.0	0.0	0.1
0.0	0.0		J	-18.6	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	7.8	0.0	0.0	0.2
0.0	0.0		J	7.8	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	10.7	0.0	0.0	0.1
0.0	0.0		J	10.7	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	7.4	0.0	0.0	0.2
0.0	0.0		J	7.4	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	10.2	0.0	0.0	0.0
0.0	0.0		J	10.2	0.0	-0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	INVSLE Max	I	-96.4	0.0	-0.7	1.7	
			J	-95.2	0.0	0.7	1.7	
0.0	0.0	Min	I	-311.0	0.0	-0.7	-1.1	
0.0	0.0		J	-309.8	0.0	0.7	-1.1	
0.0	0.0	INVSLE Max	I	-76.3	0.0	-0.5	1.2	
			J	-75.5	0.0	0.5	1.2	
0.0	0.0	Min	I	-233.8	0.0	-0.5	-0.8	
0.0	0.0		J	-233.0	0.0	0.5	-0.8	
8218	2	78 C1-C2;~1 Max	I	59.0	0.0	0.0	0.5	
0.0	0.0		J	59.0	0.0	0.0	0.5	
0.0	0.0	Min	I	-69.5	0.0	0.0	-0.8	
0.0	0.0		J	-69.5	0.0	0.0	-0.8	
0.0	0.0	C3-C4;~1 Max	I	59.9	0.0	0.0	0.7	
			J	59.9	0.0	0.0	0.7	
0.0	0.0	Min	I	-43.0	0.0	0.0	-1.0	
0.0	0.0		J	-43.0	0.0	0.0	-1.0	
0.0	0.0	C1-C2;~2 Max	I	31.4	0.0	0.0	0.3	
			J	31.4	0.0	0.0	0.3	
0.0	0.0	Min	I	-44.6	0.0	0.0	-0.4	
0.0	0.0		J	-44.6	0.0	0.0	-0.4	
0.0	0.0	C3-C4;~2 Max	I	35.9	0.0	0.0	0.4	
			J	35.9	0.0	0.0	0.4	
0.0	0.0	Min	I	-26.1	0.0	0.0	-0.6	
0.0	0.0		J	-26.1	0.0	0.0	-0.6	
0.0	0.0	G1	I	31.8	0.0	-0.5	-0.2	
			J	32.6	0.0	0.5	-0.2	
0.0	0.0	G2	I	11.2	0.0	0.0	-0.1	
			J	11.2	0.0	0.0	-0.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J					

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.0	0.0	0.0	-0.0
0.0	0.0		J	-4.0	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-19.4	0.0	0.0	-0.2
0.0	0.0		J	-19.4	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-3.5	0.0	0.0	-0.0
0.0	0.0		J	-3.5	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-18.3	0.0	0.0	-0.2
0.0	0.0		J	-18.3	0.0	0.0	-0.2
0.0	0.0	INVSLE Max	I	230.9	0.0	-0.7	0.3
0.0	0.0		J	232.1	0.0	0.7	0.3
0.0	0.0	Min	I	21.2	0.0	-0.7	-2.3
0.0	0.0		J	22.4	0.0	0.7	-2.3
0.0	0.0	INVSLE Max	I	172.8	0.0	-0.5	0.2
0.0	0.0		J	173.6	0.0	0.5	0.2
0.0	0.0	Min	I	20.0	0.0	-0.5	-1.7
0.0	0.0		J	20.9	0.0	0.5	-1.7
8219	2	78 C1-C2;~1 Max	I	69.4	0.0	0.0	0.8
0.0	0.0		J	69.4	0.0	0.0	0.8
0.0	0.0	Min	I	-59.0	0.0	0.0	-0.9
0.0	0.0		J	-59.0	0.0	0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	43.4	0.0	0.0	0.7
0.0	0.0		J	43.4	0.0	0.0	0.7
0.0	0.0	Min	I	-59.7	0.0	0.0	-1.0
0.0	0.0		J	-59.7	0.0	0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	44.5	0.0	0.0	0.5
0.0	0.0		J	44.5	0.0	0.0	0.5
0.0	0.0	Min	I	-31.4	0.0	0.0	-0.6
0.0	0.0		J	-31.4	0.0	0.0	-0.6

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2 Max	I	26.4	0.0	0.0	0.4
0.0	0.0		J	26.4	0.0	0.0	0.4
0.0	0.0						
		Min	I	-35.8	0.0	0.0	-0.6
0.0	0.0		J	-35.8	0.0	0.0	-0.6
0.0	0.0						
		G1	I	-28.3	0.0	-0.5	-0.0
0.0	0.0		J	-27.4	0.0	0.5	-0.0
0.0	0.0						
		G2	I	-11.3	0.0	0.0	-0.0
0.0	0.0		J	-11.3	0.0	0.0	-0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.0	0.0	0.0	-0.0
0.0	0.0		J	4.0	0.0	0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	19.4	0.0	0.0	-0.2
0.0	0.0		J	19.4	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps X	I	3.5	0.0	0.0	-0.0
0.0	0.0		J	3.5	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	18.4	0.0	0.0	-0.2
0.0	0.0		J	18.4	0.0	0.0	-0.2
0.0	0.0						
		INVSLE Max	I	-17.2	0.0	-0.7	1.5
0.0	0.0		J	-16.1	0.0	0.7	1.5
0.0	0.0						
		Min	I	-226.5	0.0	-0.7	-1.2
0.0	0.0		J	-225.3	0.0	0.7	-1.2
0.0	0.0						
		INVSLE Max	I	-17.1	0.0	-0.5	1.1
0.0	0.0		J	-16.2	0.0	0.5	1.1
0.0	0.0						
		Min	I	-169.5	0.0	-0.5	-0.9
0.0	0.0		J	-168.6	0.0	0.5	-0.9
0.0	0.0						
8220	2	78 C1-C2;~1 Max	I	59.2	0.0	0.0	2.1
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	59.2	0.0	0.0	2.1
0.0	0.0	Min	I	-105.5	0.0	0.0	-0.9
0.0	0.0		J	-105.5	0.0	-0.0	-0.9
0.0	0.0	C3-C4;~1 Max	I	77.9	0.0	0.0	1.9
0.0	0.0		J	77.9	0.0	0.0	1.9
0.0	0.0	Min	I	-70.9	0.0	0.0	-1.3
0.0	0.0		J	-70.9	0.0	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	31.8	0.0	0.0	1.3
0.0	0.0		J	31.8	0.0	0.0	1.3
0.0	0.0	Min	I	-66.8	0.0	0.0	-0.5
0.0	0.0		J	-66.8	0.0	-0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	46.8	0.0	0.0	1.1
0.0	0.0		J	46.8	0.0	0.0	1.1
0.0	0.0	Min	I	-43.0	0.0	0.0	-0.7
0.0	0.0		J	-43.0	0.0	-0.0	-0.7
0.0	0.0	G1	I	19.7	0.0	-0.5	0.5
0.0	0.0		J	20.6	0.0	0.5	0.5
0.0	0.0	G2	I	6.8	0.0	0.0	0.2
0.0	0.0		J	6.8	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.7	0.0	0.0	-0.0
0.0	0.0		J	0.7	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	-17.1	0.0	0.0	-0.3
0.0	0.0		J	-17.1	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	1.0	0.0	0.0	-0.0
0.0	0.0		J	1.0	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-16.5	0.0	0.0	-0.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-16.5	0.0	0.0	-0.2
0.0	0.0	INVS LU Max	I	218.6	0.0	-0.7	1.3
0.0	0.0		J	219.7	0.0	0.7	1.3
0.0	0.0	Min	I	-59.7	0.0	-0.7	-3.7
0.0	0.0		J	-58.5	0.0	0.7	-3.7
0.0	0.0	INVS LE Max	I	163.7	0.0	-0.5	0.9
0.0	0.0		J	164.6	0.0	0.5	0.9
0.0	0.0	Min	I	-40.1	0.0	-0.5	-2.8
0.0	0.0		J	-39.3	0.0	0.5	-2.8
8221	2	78 C1-C2;~1 Max	I	105.4	0.0	0.0	1.3
0.0	0.0		J	105.4	0.0	0.0	1.3
0.0	0.0	Min	I	-58.9	0.0	0.0	-3.0
0.0	0.0		J	-58.9	0.0	-0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	71.3	0.0	0.0	1.2
0.0	0.0		J	71.3	0.0	0.0	1.2
0.0	0.0	Min	I	-77.7	0.0	0.0	-3.5
0.0	0.0		J	-77.7	0.0	-0.0	-3.5
0.0	0.0	C1-C2;~2 Max	I	66.7	0.0	0.0	0.7
0.0	0.0		J	66.7	0.0	0.0	0.7
0.0	0.0	Min	I	-31.5	0.0	0.0	-1.8
0.0	0.0		J	-31.5	0.0	-0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	43.3	0.0	0.0	0.6
0.0	0.0		J	43.3	0.0	0.0	0.6
0.0	0.0	Min	I	-46.6	0.0	0.0	-2.1
0.0	0.0		J	-46.6	0.0	-0.0	-2.1
0.0	0.0	G1	I	-16.2	0.0	-0.5	-1.5
0.0	0.0		J	-15.3	0.0	0.5	-1.5
0.0	0.0	G2	I	-6.9	0.0	0.0	-0.6
0.0	0.0		J	-6.9	0.0	-0.0	-0.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.7	0.0	0.0	-0.1
0.0	0.0		J	-0.7	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	17.1	0.0	0.0	-0.3
0.0	0.0		J	17.1	0.0	-0.0	-0.3
0.0	0.0	Q5_ps X	I	-1.0	0.0	0.0	-0.1
0.0	0.0		J	-1.0	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	16.5	0.0	0.0	-0.2
0.0	0.0		J	16.5	0.0	-0.0	-0.2
0.0	0.0	INVSLE Max	I	63.9	0.0	-0.7	0.7
0.0	0.0		J	65.1	0.0	0.7	0.7
0.0	0.0	Min	I	-214.0	0.0	-0.7	-6.3
0.0	0.0		J	-212.8	0.0	0.7	-6.3
0.0	0.0	INVSLE Max	I	43.3	0.0	-0.5	0.6
0.0	0.0		J	44.2	0.0	0.5	0.6
0.0	0.0	Min	I	-160.3	0.0	-0.5	-4.5
0.0	0.0		J	-159.4	0.0	0.5	-4.5
8222	2	78 C1-C2;~1 Max	I	53.2	0.0	0.0	0.2
0.0	0.0		J	53.2	0.0	0.0	0.2
0.0	0.0	Min	I	-131.2	-0.0	0.0	-0.7
0.0	0.0		J	-131.2	0.0	-0.0	-0.7
0.0	0.0	C3-C4;~1 Max	I	79.8	0.0	0.0	0.2
0.0	0.0		J	79.8	0.0	0.0	0.2
0.0	0.0	Min	I	-95.0	-0.0	0.0	-0.8
0.0	0.0		J	-95.0	0.0	-0.0	-0.8
0.0	0.0	C1-C2;~2 Max	I	28.1	0.0	0.0	0.1
0.0	0.0		J	28.1	0.0	0.0	0.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-80.6	-0.0	0.0	-0.4
			J	-80.6	0.0	-0.0	-0.4
0.0	0.0						
		C3-C4;~2 Max	I	45.8	0.0	0.0	0.1
0.0	0.0		J	45.8	0.0	0.0	0.1
0.0	0.0						
		Min	I	-56.3	-0.0	0.0	-0.5
0.0	0.0		J	-56.3	0.0	-0.0	-0.5
0.0	0.0						
		G1	I	-1.6	0.0	-0.5	-0.5
0.0	0.0		J	-0.7	0.0	0.5	-0.5
0.0	0.0						
		G2	I	-1.1	0.0	0.0	-0.2
0.0	0.0		J	-1.1	0.0	-0.0	-0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-0.6	-0.0	0.0	0.0
0.0	0.0		J	-0.6	0.0	-0.0	0.0
0.0	0.0						
		Q5_pc Y	I	-12.1	0.0	0.0	-0.0
0.0	0.0		J	-12.1	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps X	I	-0.3	-0.0	0.0	0.0
0.0	0.0		J	-0.3	0.0	-0.0	0.0
0.0	0.0						
		Q5_ps Y	I	-12.5	0.0	0.0	-0.0
0.0	0.0		J	-12.5	0.0	0.0	-0.0
0.0	0.0						
		INVSLU Max	I	147.5	0.0	-0.7	-1.5
0.0	0.0		J	148.7	0.0	0.7	-1.5
0.0	0.0						
		Min	I	-159.1	-0.0	-0.7	-2.8
0.0	0.0		J	-157.9	0.0	0.7	-2.8
0.0	0.0						
		INVSLE Max	I	110.4	0.0	-0.5	-1.1
0.0	0.0		J	111.3	0.0	0.5	-1.1
0.0	0.0						
		Min	I	-115.1	-0.0	-0.5	-2.1
0.0	0.0		J	-114.3	0.0	0.5	-2.1
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8223	2	78	C1-C2;~1	Max	I	131.1	0.0	0.0	0.5
0.0	0.0				J	131.1	0.0	0.0	0.5
0.0	0.0			Min	I	-53.3	-0.0	-0.0	-0.2
0.0	0.0				J	-53.3	-0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	95.4	0.0	0.0	0.4
0.0	0.0				J	95.4	0.0	0.0	0.4
0.0	0.0			Min	I	-79.6	-0.0	-0.0	-0.3
0.0	0.0				J	-79.6	-0.0	-0.0	-0.3
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	80.5	0.0	0.0	0.3
0.0	0.0				J	80.5	0.0	0.0	0.3
0.0	0.0			Min	I	-28.1	-0.0	-0.0	-0.1
0.0	0.0				J	-28.1	-0.0	-0.0	-0.1
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	56.5	0.0	0.0	0.3
0.0	0.0				J	56.5	0.0	0.0	0.3
0.0	0.0			Min	I	-45.7	-0.0	-0.0	-0.2
0.0	0.0				J	-45.7	-0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0		G1		I	5.2	-0.0	-0.5	0.1
0.0	0.0				J	6.0	0.0	0.5	0.1
0.0	0.0								
0.0	0.0		G2		I	1.1	-0.0	0.0	0.0
0.0	0.0				J	1.1	0.0	-0.0	0.0
0.0	0.0								
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc	X	I	0.6	0.0	-0.0	-0.0
0.0	0.0				J	0.6	-0.0	0.0	-0.0
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	12.2	-0.0	0.0	-0.1
0.0	0.0				J	12.2	0.0	-0.0	-0.1
0.0	0.0								
0.0	0.0		Q5_ps	X	I	0.3	0.0	-0.0	-0.0
0.0	0.0				J	0.3	-0.0	0.0	-0.0
0.0	0.0								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps	Y	I	12.5	-0.0	0.0	-0.1
0.0	0.0			J	12.5	0.0	-0.0	-0.1
0.0	0.0	INVSLE	Max	I	163.5	0.0	-0.7	-0.8
0.0	0.0			J	164.7	0.0	0.7	-0.8
0.0	0.0		Min	I	-142.8	-0.0	-0.7	-2.0
0.0	0.0			J	-141.6	-0.0	0.7	-2.0
0.0	0.0	INVSLE	Max	I	118.4	0.0	-0.5	-0.6
0.0	0.0			J	119.2	0.0	0.5	-0.6
0.0	0.0		Min	I	-106.9	-0.0	-0.5	-1.5
0.0	0.0			J	-106.0	-0.0	0.5	-1.5
8224	2	78	C1-C2;~1	Max	I	48.1	0.0	0.0
0.0	0.0			J	48.1	0.0	0.0	0.2
0.0	0.0		Min	I	-145.7	0.0	-0.0	-0.4
0.0	0.0			J	-145.7	-0.0	-0.0	-0.4
0.0	0.0		C3-C4;~1	Max	I	73.9	0.0	0.0
0.0	0.0			J	73.9	0.0	0.0	0.2
0.0	0.0		Min	I	-109.1	0.0	-0.0	-0.4
0.0	0.0			J	-109.1	-0.0	-0.0	-0.4
0.0	0.0		C1-C2;~2	Max	I	24.8	0.0	0.0
0.0	0.0			J	24.8	0.0	0.0	0.1
0.0	0.0		Min	I	-88.6	0.0	-0.0	-0.2
0.0	0.0			J	-88.6	-0.0	-0.0	-0.2
0.0	0.0		C3-C4;~2	Max	I	41.3	0.0	0.0
0.0	0.0			J	41.3	0.0	0.0	0.1
0.0	0.0		Min	I	-64.1	0.0	-0.0	-0.2
0.0	0.0			J	-64.1	-0.0	-0.0	-0.2
0.0	0.0		G1	I	-20.5	0.0	-0.5	-0.3
0.0	0.0			J	-19.7	-0.0	0.5	-0.3
0.0	0.0		G2	I	-8.4	0.0	0.0	-0.1

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-8.4	-0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-1.2	0.0	0.0	0.0
0.0	0.0		J	-1.2	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-7.7	0.0	-0.0	-0.0
0.0	0.0		J	-7.7	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-8.5	0.0	-0.0	-0.0
0.0	0.0		J	-8.5	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	78.4	0.0	-0.7	-1.2
0.0	0.0		J	79.5	0.0	0.7	-1.2
0.0	0.0						
0.0	0.0	Min	I	-231.9	0.0	-0.7	-2.1
0.0	0.0		J	-230.8	-0.0	0.7	-2.1
0.0	0.0						
0.0	0.0	INVS LE Max	I	58.6	0.0	-0.5	-0.9
0.0	0.0		J	59.5	0.0	0.5	-0.9
0.0	0.0						
0.0	0.0	Min	I	-170.2	0.0	-0.5	-1.6
0.0	0.0		J	-169.3	-0.0	0.5	-1.6
0.0	0.0						
8225	2	78 C1-C2;~1 Max	I	145.6	0.0	0.0	0.3
0.0	0.0		J	145.6	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Min	I	-48.1	0.0	-0.0	-0.3
0.0	0.0		J	-48.1	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	109.3	0.0	0.0	0.3
0.0	0.0		J	109.3	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Min	I	-73.8	0.0	-0.0	-0.3
0.0	0.0		J	-73.8	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	88.5	0.0	0.0	0.2

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	88.5	0.0	0.0	0.2
0.0	0.0	Min	I	-24.8	0.0	-0.0	-0.2
0.0	0.0		J	-24.8	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	64.3	0.0	0.0	0.2
0.0	0.0		J	64.3	0.0	0.0	0.2
0.0	0.0	Min	I	-41.2	0.0	-0.0	-0.2
0.0	0.0		J	-41.2	-0.0	-0.0	-0.2
0.0	0.0	G1	I	24.1	0.0	-0.5	0.1
0.0	0.0		J	25.0	0.0	0.5	0.1
0.0	0.0	G2	I	8.3	0.0	0.0	0.0
0.0	0.0		J	8.3	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.2	0.0	-0.0	0.0
0.0	0.0		J	1.2	-0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	7.7	0.0	0.0	-0.1
0.0	0.0		J	7.7	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	0.9	0.0	-0.0	0.0
0.0	0.0		J	0.9	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	8.6	0.0	0.0	-0.0
0.0	0.0		J	8.6	0.0	-0.0	-0.0
0.0	0.0	INVSLE Max	I	236.6	0.0	-0.7	-1.1
0.0	0.0		J	237.8	0.0	0.7	-1.1
0.0	0.0	Min	I	-73.3	0.0	-0.7	-2.0
0.0	0.0		J	-72.1	-0.0	0.7	-2.0
0.0	0.0	INVSLE Max	I	173.7	0.0	-0.5	-0.8
0.0	0.0		J	174.5	0.0	0.5	-0.8
0.0	0.0	Min	I	-54.9	0.0	-0.5	-1.5

PROJECT TITLE :

		Company						Client
		Author						File Name
0.0	0.0			J	-54.0	-0.0	0.5	-1.5
0.0	0.0							
8226	2	78	C1-C2;~1	Max	I	39.7	0.0	0.3
0.0	0.0				J	39.7	0.0	0.3
0.0	0.0			Min	I	-146.3	-0.0	-0.4
0.0	0.0				J	-146.3	0.0	-0.4
0.0	0.0							
			C3-C4;~1	Max	I	69.4	0.0	0.2
0.0	0.0				J	69.4	0.0	0.2
0.0	0.0			Min	I	-107.6	-0.0	-0.4
0.0	0.0				J	-107.6	0.0	-0.4
0.0	0.0							
			C1-C2;~2	Max	I	20.0	0.0	0.2
0.0	0.0				J	20.0	0.0	0.2
0.0	0.0			Min	I	-89.1	-0.0	-0.2
0.0	0.0				J	-89.1	0.0	-0.2
0.0	0.0							
			C3-C4;~2	Max	I	39.4	0.0	0.2
0.0	0.0				J	39.4	0.0	0.2
0.0	0.0			Min	I	-63.3	-0.0	-0.2
0.0	0.0				J	-63.3	0.0	-0.2
0.0	0.0							
			G1		I	-28.2	-0.0	-0.2
0.0	0.0				J	-27.4	0.0	-0.2
0.0	0.0							
			G2		I	-11.3	-0.0	-0.1
0.0	0.0				J	-11.3	0.0	-0.1
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-0.3	0.0	0.0
0.0	0.0				J	-0.3	0.0	0.0
0.0	0.0							
			Q5_pc	Y	I	-5.7	-0.0	-0.0
0.0	0.0				J	-5.7	0.0	-0.0
0.0	0.0							
			Q5_ps	X	I	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	0.0	0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps Y	I	-6.9	-0.0	-0.0	-0.0
0.0	0.0			J	-6.9	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		INVSLE Max	I	45.3	0.0	-0.7	-0.1
0.0	0.0			J	46.5	0.0	0.7	-0.1
0.0	0.0		Min	I	-256.1	-0.0	-0.7	-1.0
0.0	0.0			J	-254.9	0.0	0.7	-1.0
0.0	0.0							
0.0	0.0		INVSLE Max	I	33.8	0.0	-0.5	-0.1
0.0	0.0			J	34.6	0.0	0.5	-0.1
0.0	0.0		Min	I	-188.8	-0.0	-0.5	-0.8
0.0	0.0			J	-187.9	0.0	0.5	-0.8
0.0	0.0							
8227	2	78	C1-C2;~1 Max	I	146.1	0.0	0.0	0.4
0.0	0.0			J	146.1	0.0	0.0	0.4
0.0	0.0		Min	I	-39.6	0.0	-0.0	-0.2
0.0	0.0			J	-39.6	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	107.8	0.0	0.0	0.4
0.0	0.0			J	107.8	0.0	0.0	0.4
0.0	0.0		Min	I	-69.3	0.0	-0.0	-0.2
0.0	0.0			J	-69.3	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	89.0	0.0	0.0	0.2
0.0	0.0			J	89.0	0.0	0.0	0.2
0.0	0.0		Min	I	-20.0	0.0	-0.0	-0.1
0.0	0.0			J	-20.0	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	63.5	0.0	0.0	0.2
0.0	0.0			J	63.5	0.0	0.0	0.2
0.0	0.0		Min	I	-39.3	0.0	-0.0	-0.1
0.0	0.0			J	-39.3	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		G1	I	31.8	0.0	-0.5	0.1
0.0	0.0			J	32.6	0.0	0.5	0.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G2	I	11.2	0.0	0.0	0.1
0.0	0.0		J	11.2	0.0	0.0	0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.3	0.0	-0.0	-0.0
0.0	0.0		J	0.3	0.0	0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	5.8	0.0	0.0	-0.0
0.0	0.0		J	5.8	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps X	I	-0.0	0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	7.0	0.0	0.0	-0.0
0.0	0.0		J	7.0	0.0	0.0	-0.0
0.0	0.0						
		INVS LU Max	I	261.2	0.0	-0.7	-0.0
0.0	0.0		J	262.4	0.0	0.7	-0.0
0.0	0.0						
		Min	I	-39.9	0.0	-0.7	-0.9
0.0	0.0		J	-38.7	0.0	0.7	-0.9
0.0	0.0						
		INVS LE Max	I	192.5	0.0	-0.5	-0.0
0.0	0.0		J	193.4	0.0	0.5	-0.0
0.0	0.0						
		Min	I	-29.8	0.0	-0.5	-0.6
0.0	0.0		J	-28.9	0.0	0.5	-0.6
0.0	0.0						
8228	2	78 C1-C2;~1 Max	I	31.6	0.0	0.0	0.3
0.0	0.0		J	31.6	0.0	0.0	0.3
0.0	0.0						
		Min	I	-132.5	0.0	0.0	-0.3
0.0	0.0		J	-132.5	0.0	0.0	-0.3
0.0	0.0						
		C3-C4;~1 Max	I	70.4	0.0	0.0	0.3
0.0	0.0		J	70.4	0.0	0.0	0.3
0.0	0.0						
		Min	I	-94.0	0.0	0.0	-0.3
0.0	0.0		J	-94.0	0.0	0.0	-0.3


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	15.4	0.0	0.0	0.2
0.0	0.0		J	15.4	0.0	0.0	0.2
0.0	0.0	Min	I	-81.4	0.0	0.0	-0.2
0.0	0.0		J	-81.4	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	41.4	0.0	0.0	0.2
0.0	0.0		J	41.4	0.0	0.0	0.2
0.0	0.0	Min	I	-55.9	0.0	0.0	-0.2
0.0	0.0		J	-55.9	0.0	0.0	-0.2
0.0	0.0	G1	I	-22.3	0.0	-0.5	-0.0
0.0	0.0		J	-21.4	0.0	0.5	-0.0
0.0	0.0	G2	I	-9.2	0.0	0.0	-0.0
0.0	0.0		J	-9.2	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.3	0.0	0.0	0.0
0.0	0.0		J	0.3	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-4.4	0.0	0.0	-0.0
0.0	0.0		J	-4.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	0.6	0.0	0.0	0.0
0.0	0.0		J	0.6	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-5.7	0.0	0.0	-0.0
0.0	0.0		J	-5.7	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	62.5	0.0	-0.7	0.6
0.0	0.0		J	63.7	0.0	0.7	0.6
0.0	0.0	Min	I	-219.3	0.0	-0.7	-0.2
0.0	0.0		J	-218.1	0.0	0.7	-0.2
0.0	0.0	INVSLE Max	I	46.3	0.0	-0.5	0.5

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				J	47.2	0.0	0.5
0.0	0.0		Min	I	-161.9	0.0	-0.5
0.0	0.0			J	-161.0	0.0	0.5
0.0	0.0						-0.2
8229	2	78	C1-C2;~1	Max	I	132.3	0.0
0.0	0.0			J	132.3	0.0	0.0
0.0	0.0		Min	I	-31.3	-0.0	0.0
0.0	0.0			J	-31.3	0.0	0.0
0.0	0.0						-0.2
			C3-C4;~1	Max	I	94.2	0.0
0.0	0.0			J	94.2	0.0	0.0
0.0	0.0		Min	I	-70.3	-0.0	0.0
0.0	0.0			J	-70.3	0.0	0.0
0.0	0.0						-0.2
			C1-C2;~2	Max	I	81.3	0.0
0.0	0.0			J	81.3	0.0	0.0
0.0	0.0		Min	I	-15.1	-0.0	0.0
0.0	0.0			J	-15.1	0.0	0.0
0.0	0.0						-0.2
			C3-C4;~2	Max	I	56.1	0.0
0.0	0.0			J	56.1	0.0	0.0
0.0	0.0		Min	I	-41.3	-0.0	0.0
0.0	0.0			J	-41.3	0.0	0.0
0.0	0.0						-0.1
			G1	I	25.8	0.0	-0.5
0.0	0.0			J	26.7	0.0	0.5
0.0	0.0						0.1
			G2	I	9.1	0.0	0.0
0.0	0.0			J	9.1	0.0	0.0
0.0	0.0						0.0
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	X	I	-0.3	-0.0
0.0	0.0			J	-0.3	0.0	0.0
0.0	0.0						0.0
			Q5_pc	Y	I	4.5	0.0
0.0	0.0			J	4.5	0.0	0.0
							0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	Q5_ps X	I	-0.7	-0.0	0.0	0.0
0.0	0.0		J	-0.7	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	5.8	0.0	0.0	0.0
0.0	0.0		J	5.8	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	224.5	0.0	-0.7	0.6
0.0	0.0		J	225.7	0.0	0.7	0.6
0.0	0.0	Min	I	-57.0	-0.0	-0.7	-0.2
0.0	0.0		J	-55.8	0.0	0.7	-0.2
0.0	0.0	INVS LE Max	I	165.7	0.0	-0.5	0.5
0.0	0.0		J	166.6	0.0	0.5	0.5
0.0	0.0	Min	I	-42.2	-0.0	-0.5	-0.1
0.0	0.0		J	-41.3	0.0	0.5	-0.1
8230	2	78 C1-C2;~1 Max	I	29.6	0.0	0.0	0.3
0.0	0.0		J	29.6	0.0	0.0	0.3
0.0	0.0	Min	I	-126.9	-0.0	-0.0	-0.3
0.0	0.0		J	-126.9	-0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	68.0	0.0	0.0	0.4
0.0	0.0		J	68.0	0.0	0.0	0.4
0.0	0.0	Min	I	-89.1	-0.0	-0.0	-0.3
0.0	0.0		J	-89.1	-0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	14.7	0.0	0.0	0.2
0.0	0.0		J	14.7	0.0	0.0	0.2
0.0	0.0	Min	I	-78.7	-0.0	-0.0	-0.2
0.0	0.0		J	-78.7	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	40.6	0.0	0.0	0.2
0.0	0.0		J	40.6	0.0	0.0	0.2
0.0	0.0	Min	I	-53.6	-0.0	-0.0	-0.2
0.0	0.0		J	-53.6	-0.0	0.0	-0.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		G1	I	-21.3	0.0	-0.5	0.0
0.0	0.0			J	-20.4	-0.0	0.5	0.0
0.0	0.0		G2	I	-9.0	0.0	-0.0	0.0
0.0	0.0			J	-9.0	-0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	0.5	-0.0	-0.0	-0.0
0.0	0.0			J	0.5	0.0	0.0	-0.0
0.0	0.0		Q5_pc Y	I	-2.8	0.0	0.0	0.0
0.0	0.0			J	-2.8	-0.0	0.0	0.0
0.0	0.0		Q5_ps X	I	0.8	-0.0	-0.0	-0.0
0.0	0.0			J	0.8	0.0	0.0	-0.0
0.0	0.0		Q5_ps Y	I	-4.2	0.0	0.0	0.0
0.0	0.0			J	-4.2	-0.0	0.0	0.0
0.0	0.0		INVSLE Max	I	49.4	0.0	-0.7	0.9
0.0	0.0			J	50.5	0.0	0.7	0.9
0.0	0.0		Min	I	-218.8	-0.0	-0.7	-0.0
0.0	0.0			J	-217.6	-0.0	0.7	-0.0
0.0	0.0		INVSLE Max	I	36.3	0.0	-0.5	0.6
0.0	0.0			J	37.2	0.0	0.5	0.6
0.0	0.0		Min	I	-161.9	-0.0	-0.5	-0.0
0.0	0.0			J	-161.1	-0.0	0.5	-0.0
8231	2	78	C1-C2;~1 Max	I	126.7	0.0	0.0	0.2
0.0	0.0			J	126.7	0.0	0.0	0.2
0.0	0.0		Min	I	-29.2	0.0	0.0	-0.3
0.0	0.0			J	-29.2	-0.0	0.0	-0.3
0.0	0.0		C3-C4;~1 Max	I	89.3	0.0	0.0	0.2
0.0	0.0			J	89.3	0.0	0.0	0.2

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-67.9	0.0	0.0	-0.3
0.0	0.0		J	-67.9	-0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	78.5	0.0	0.0	0.2
0.0	0.0		J	78.5	0.0	0.0	0.2
0.0	0.0	Min	I	-14.4	0.0	0.0	-0.2
0.0	0.0		J	-14.4	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	53.7	0.0	0.0	0.1
0.0	0.0		J	53.7	0.0	0.0	0.1
0.0	0.0	Min	I	-40.5	0.0	0.0	-0.2
0.0	0.0		J	-40.5	-0.0	0.0	-0.2
0.0	0.0	G1	I	24.8	0.0	-0.5	-0.1
0.0	0.0		J	25.7	0.0	0.5	-0.1
0.0	0.0	G2	I	8.9	0.0	0.0	-0.0
0.0	0.0		J	8.9	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.5	0.0	0.0	0.0
0.0	0.0		J	-0.5	-0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	2.9	0.0	0.0	0.0
0.0	0.0		J	2.9	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	-0.8	0.0	0.0	0.0
0.0	0.0		J	-0.8	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	4.2	0.0	0.0	0.0
0.0	0.0		J	4.2	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	224.0	0.0	-0.7	0.8
0.0	0.0		J	225.2	0.0	0.7	0.8
0.0	0.0	Min	I	-43.8	0.0	-0.7	0.0
0.0	0.0		J	-42.6	-0.0	0.7	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	165.8	0.0	-0.5	0.6
0.0	0.0			J	166.7	0.0	0.5	0.6
0.0	0.0		Min	I	-32.2	0.0	-0.5	0.0
0.0	0.0			J	-31.4	-0.0	0.5	0.0
8232	2	78	C1-C2;~1 Max	I	27.8	0.0	0.0	0.4
0.0	0.0			J	27.8	0.0	0.0	0.4
0.0	0.0		Min	I	-114.2	-0.0	0.0	-0.2
0.0	0.0			J	-114.2	0.0	-0.0	-0.2
0.0	0.0		C3-C4;~1 Max	I	63.7	0.0	0.0	0.5
0.0	0.0			J	63.7	0.0	0.0	0.5
0.0	0.0		Min	I	-79.6	-0.0	0.0	-0.2
0.0	0.0			J	-79.6	0.0	-0.0	-0.2
0.0	0.0		C1-C2;~2 Max	I	14.5	0.0	0.0	0.3
0.0	0.0			J	14.5	0.0	0.0	0.3
0.0	0.0		Min	I	-71.7	-0.0	0.0	-0.1
0.0	0.0			J	-71.7	0.0	-0.0	-0.1
0.0	0.0		C3-C4;~2 Max	I	38.8	0.0	0.0	0.3
0.0	0.0			J	38.8	0.0	0.0	0.3
0.0	0.0		Min	I	-48.5	-0.0	0.0	-0.1
0.0	0.0			J	-48.5	0.0	-0.0	-0.1
0.0	0.0		G1	I	-17.6	-0.0	-0.5	0.2
0.0	0.0			J	-16.7	0.0	0.5	0.2
0.0	0.0		G2	I	-7.6	-0.0	0.0	0.1
0.0	0.0			J	-7.6	0.0	-0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	0.3	0.0	0.0	-0.0
0.0	0.0			J	0.3	0.0	-0.0	-0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
						PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc Y	I	-0.8	-0.0	0.0	0.0
0.0	0.0		J	-0.8	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	0.6	0.0	0.0	-0.0
0.0	0.0		J	0.6	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-2.1	-0.0	0.0	0.0
0.0	0.0		J	-2.1	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	44.8	0.0	-0.7	1.9
0.0	0.0		J	46.0	0.0	0.7	1.9
0.0	0.0	Min	I	-196.8	-0.0	-0.7	0.9
0.0	0.0		J	-195.6	0.0	0.7	0.9
0.0	0.0	INVS LE Max	I	32.9	0.0	-0.5	1.4
0.0	0.0		J	33.8	0.0	0.5	1.4
0.0	0.0	Min	I	-145.9	-0.0	-0.5	0.7
0.0	0.0		J	-145.0	0.0	0.5	0.7
8233	2	78 C1-C2;~1 Max	I	114.0	0.0	0.0	0.2
0.0	0.0		J	114.0	0.0	0.0	0.2
0.0	0.0	Min	I	-27.5	0.0	0.0	-0.3
0.0	0.0		J	-27.5	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	79.8	0.0	0.0	0.2
0.0	0.0		J	79.8	0.0	0.0	0.2
0.0	0.0	Min	I	-63.6	0.0	0.0	-0.3
0.0	0.0		J	-63.6	0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	71.6	0.0	0.0	0.1
0.0	0.0		J	71.6	0.0	0.0	0.1
0.0	0.0	Min	I	-14.2	0.0	0.0	-0.2
0.0	0.0		J	-14.2	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	48.6	0.0	0.0	0.1
0.0	0.0		J	48.6	0.0	0.0	0.1
0.0	0.0	Min	I	-38.7	0.0	0.0	-0.2

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-38.7	0.0	-0.0	-0.2
0.0	0.0	G1	I	21.1	0.0	-0.5	-0.1
0.0	0.0		J	22.0	0.0	0.5	-0.1
0.0	0.0	G2	I	7.5	0.0	0.0	-0.0
0.0	0.0		J	7.5	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.3	0.0	0.0	-0.0
0.0	0.0		J	-0.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	0.9	0.0	0.0	0.0
0.0	0.0		J	0.9	0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	-0.6	0.0	0.0	-0.0
0.0	0.0		J	-0.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	2.2	0.0	0.0	0.0
0.0	0.0		J	2.2	0.0	-0.0	0.0
0.0	0.0	INVS LU Max	I	201.8	0.0	-0.7	1.6
0.0	0.0		J	203.0	0.0	0.7	1.6
0.0	0.0	Min	I	-39.4	0.0	-0.7	0.8
0.0	0.0		J	-38.3	0.0	0.7	0.8
0.0	0.0	INVS LE Max	I	149.6	0.0	-0.5	1.2
0.0	0.0		J	150.5	0.0	0.5	1.2
0.0	0.0	Min	I	-29.0	0.0	-0.5	0.6
0.0	0.0		J	-28.1	0.0	0.5	0.6
8234	2	78 C1-C2;~1 Max	I	19.0	0.0	0.0	0.5
0.0	0.0		J	19.0	0.0	0.0	0.5
0.0	0.0	Min	I	-76.9	0.0	0.0	-0.2
0.0	0.0		J	-76.9	0.0	0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	45.5	0.0	0.0	0.6

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	45.5	0.0	0.0	0.6
0.0	0.0	Min	I	-52.4	0.0	0.0	-0.2
0.0	0.0		J	-52.4	0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	10.2	0.0	0.0	0.3
0.0	0.0		J	10.2	0.0	0.0	0.3
0.0	0.0	Min	I	-49.3	0.0	0.0	-0.1
0.0	0.0		J	-49.3	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	28.5	0.0	0.0	0.4
0.0	0.0		J	28.5	0.0	0.0	0.4
0.0	0.0	Min	I	-32.5	0.0	0.0	-0.1
0.0	0.0		J	-32.5	0.0	0.0	-0.1
0.0	0.0	G1	I	-10.7	0.0	-0.5	0.4
0.0	0.0		J	-9.8	0.0	0.5	0.4
0.0	0.0	G2	I	-4.9	0.0	0.0	0.1
0.0	0.0		J	-4.9	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.7	0.0	0.0	-0.0
0.0	0.0		J	0.7	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-2.1	0.0	0.0	0.1
0.0	0.0		J	-2.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	1.0	0.0	0.0	-0.0
0.0	0.0		J	1.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-3.0	0.0	0.0	0.1
0.0	0.0		J	-3.0	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	37.8	0.0	-0.7	2.6
0.0	0.0		J	39.0	0.0	0.7	2.6
0.0	0.0	Min	I	-131.2	0.0	-0.7	1.4


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-130.0	0.0	0.7	1.4
0.0	0.0							
			INVSLE Max	I	27.7	0.0	-0.5	1.9
0.0	0.0			J	28.5	0.0	0.5	1.9
0.0	0.0		Min	I	-97.2	0.0	-0.5	1.0
0.0	0.0			J	-96.4	0.0	0.5	1.0
0.0	0.0							
8235	2	78	C1-C2;~1 Max	I	76.8	0.0	0.0	0.2
0.0	0.0			J	76.8	0.0	0.0	0.2
0.0	0.0		Min	I	-18.7	0.0	0.0	-0.4
0.0	0.0			J	-18.7	0.0	0.0	-0.4
0.0	0.0							
			C3-C4;~1 Max	I	52.6	0.0	0.0	0.2
0.0	0.0			J	52.6	0.0	0.0	0.2
0.0	0.0		Min	I	-45.3	0.0	0.0	-0.4
0.0	0.0			J	-45.3	0.0	0.0	-0.4
0.0	0.0							
			C1-C2;~2 Max	I	49.2	0.0	0.0	0.1
0.0	0.0			J	49.2	0.0	0.0	0.1
0.0	0.0		Min	I	-10.0	0.0	0.0	-0.3
0.0	0.0			J	-10.0	0.0	0.0	-0.3
0.0	0.0							
			C3-C4;~2 Max	I	32.7	0.0	0.0	0.1
0.0	0.0			J	32.7	0.0	0.0	0.1
0.0	0.0		Min	I	-28.4	0.0	0.0	-0.2
0.0	0.0			J	-28.4	0.0	0.0	-0.2
0.0	0.0							
			G1	I	14.3	0.0	-0.5	-0.2
0.0	0.0			J	15.1	0.0	0.5	-0.2
0.0	0.0							
			G2	I	4.9	0.0	0.0	-0.1
0.0	0.0			J	4.9	0.0	0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.7	0.0	0.0	-0.0
0.0	0.0							


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-0.7	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	2.2	0.0	0.0	0.1
0.0	0.0		J	2.2	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-1.0	0.0	0.0	-0.0
0.0	0.0		J	-1.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	3.0	0.0	0.0	0.1
0.0	0.0		J	3.0	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	136.0	0.0	-0.7	2.0
0.0	0.0		J	137.1	0.0	0.7	2.0
0.0	0.0	Min	I	-32.8	0.0	-0.7	1.1
0.0	0.0		J	-31.6	0.0	0.7	1.1
0.0	0.0	INVS LE Max	I	100.8	0.0	-0.5	1.5
0.0	0.0		J	101.6	0.0	0.5	1.5
0.0	0.0	Min	I	-23.9	0.0	-0.5	0.8
0.0	0.0		J	-23.1	0.0	0.5	0.8
8238	2	66 C1-C2;~1 Max	I	263.4	0.0	0.0	0.6
0.0	0.0		J	263.4	0.0	0.0	0.6
0.0	0.0	Min	I	-153.5	0.0	0.0	-6.3
0.0	0.0		J	-153.5	0.0	0.0	-6.3
0.0	0.0	C3-C4;~1 Max	I	177.9	0.0	0.0	0.6
0.0	0.0		J	177.9	0.0	0.0	0.6
0.0	0.0	Min	I	-239.8	0.0	0.0	-5.3
0.0	0.0		J	-239.8	0.0	0.0	-5.3
0.0	0.0	C1-C2;~2 Max	I	147.9	0.0	0.0	0.3
0.0	0.0		J	147.9	0.0	0.0	0.3
0.0	0.0	Min	I	-77.4	0.0	0.0	-3.8
0.0	0.0		J	-77.4	0.0	0.0	-3.8
0.0	0.0	C3-C4;~2 Max	I	96.2	0.0	0.0	0.3
0.0	0.0		J	96.2	0.0	0.0	0.3

PROJECT TITLE :


		Company						Client
		Author						File Name
0.0	0.0							
			Min	I	-128.1	0.0	0.0	-3.1
0.0	0.0			J	-128.1	0.0	0.0	-3.1
0.0	0.0							
			G1	I	-7.9	0.0	-1.5	-4.7
0.0	0.0			J	-7.9	0.0	1.5	-4.7
0.0	0.0							
			G2	I	-3.6	0.0	0.0	-1.7
0.0	0.0			J	-3.6	0.0	0.0	-1.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.5	0.0	0.0	-0.2
0.0	0.0			J	4.5	0.0	0.0	-0.2
0.0	0.0							
			Q5_pc Y	I	-11.0	0.0	0.0	0.6
0.0	0.0			J	-11.0	0.0	0.0	0.6
0.0	0.0							
			Q5_ps X	I	7.6	0.0	0.0	-0.2
0.0	0.0			J	7.6	0.0	0.0	-0.2
0.0	0.0							
			Q5_ps Y	I	-19.7	0.0	0.0	0.6
0.0	0.0			J	-19.7	0.0	0.0	0.6
0.0	0.0							
			INVSLU Max	I	393.8	0.0	-2.0	-5.4
0.0	0.0			J	393.8	0.0	2.0	-5.4
0.0	0.0							
			Min	I	-305.3	0.0	-2.0	-15.7
0.0	0.0			J	-305.3	0.0	2.0	-15.7
0.0	0.0							
			INVSLE Max	I	294.2	0.0	-1.5	-4.0
0.0	0.0			J	294.2	0.0	1.5	-4.0
0.0	0.0							
			Min	I	-222.1	0.0	-1.5	-11.6
0.0	0.0			J	-222.1	0.0	1.5	-11.6
0.0	0.0							
8239	2	66	C1-C2;~1 Max	I	183.5	0.3	0.0	3.0
0.0	0.0			J	183.5	0.3	0.0	3.0
8.7	178.2							
			Min	I	-246.0	-0.1	-0.0	-4.1
0.0	0.0			J	-246.0	-0.1	-0.0	-4.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.6	-835.7						
		C3-C4;~1	Max	I	278.1	0.2	0.0
0.0	0.0			J	278.1	0.2	0.0
6.8	198.4						1.8
			Min	I	-160.7	-0.1	-0.0
0.0	0.0			J	-160.7	-0.1	-0.0
-1.1	-688.5						-3.8
		C1-C2;~2	Max	I	92.7	0.2	0.0
0.0	0.0			J	92.7	0.2	0.0
5.4	94.7						1.8
			Min	I	-137.5	-0.0	-0.0
0.0	0.0			J	-137.5	-0.0	-0.0
-0.3	-500.1						-2.6
		C3-C4;~2	Max	I	148.9	0.1	0.0
0.0	0.0			J	148.9	0.1	0.0
4.2	103.4						1.1
			Min	I	-85.7	-0.0	-0.0
0.0	0.0			J	-85.7	-0.0	-0.0
-0.5	-397.2						-2.4
			G1	I	49.6	0.2	-4.3
0.0	0.0			J	49.6	0.2	-1.5
8657.1	-460.3						-0.5
			G2	I	18.5	0.1	-0.0
0.0	0.0			J	18.5	0.1	-0.0
1.1	-182.9						0.3
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc X	I	-7.8	-0.0	-0.0
0.0	0.0			J	-7.8	-0.0	-0.0
0.4	115.8						-1.4
			Q5_pc Y	I	19.6	0.1	0.0
0.0	0.0			J	19.6	0.1	0.0
-1.1	-315.2						3.8
			Q5_ps X	I	-10.6	-0.0	-0.0
0.0	0.0			J	-10.6	-0.0	-0.0
0.5	108.2						-1.3
			Q5_ps Y	I	27.4	0.1	0.0
0.0	0.0			J	27.4	0.1	0.0
-1.4	-293.7						3.7
			INVSLU Max	I	490.8	0.9	-5.8
0.0	0.0						-1.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1707.3	-569.0		J	490.8	0.9	-2.0	-1.9	1
		Min	I	-251.9	0.2	-5.8	-18.8	
0.0	0.0		J	-251.9	0.2	-2.0	-18.8	1
1691.7	-2561.0							
		INVSLE Max	I	363.5	0.6	-4.3	-2.3	
0.0	0.0		J	363.5	0.6	-1.5	-2.3	
8672.3	-476.3		Min	-184.0	0.2	-4.3	-14.1	
0.0	0.0		J	-184.0	0.2	-1.5	-14.1	
8661.0	-1898.3							
8240	2	66 C1-C2;~1 Max	I	183.5	0.1	0.0	6.5	
0.6	178.2		J	183.5	0.1	0.0	6.5	
0.0	0.0	Min	I	-246.0	-0.3	-0.0	-2.2	
-8.8	-835.7		J	-246.0	-0.3	-0.0	-2.2	
0.0	0.0							
		C3-C4;~1 Max	I	278.0	0.1	0.0	4.0	
1.1	198.4		J	278.0	0.1	0.0	4.0	
0.0	0.0	Min	I	-160.7	-0.2	-0.0	-2.6	
-6.9	-688.5		J	-160.7	-0.2	-0.0	-2.6	
0.0	0.0							
		C1-C2;~2 Max	I	92.6	0.0	0.0	4.0	
0.3	94.7		J	92.6	0.0	0.0	4.0	
0.0	0.0	Min	I	-137.6	-0.2	-0.0	-1.3	
-5.5	-500.1		J	-137.6	-0.2	-0.0	-1.3	
0.0	0.0							
		C3-C4;~2 Max	I	148.9	0.0	0.0	2.4	
0.5	103.4		J	148.9	0.0	0.0	2.4	
0.0	0.0	Min	I	-85.8	-0.1	-0.0	-1.5	
-4.2	-397.2		J	-85.8	-0.1	-0.0	-1.5	
0.0	0.0							
		G1	I	49.5	-0.2	1.4	1.6	
8649.0	-460.3		J	49.5	-0.2	4.3	1.6	
0.0	0.0							
		G2	I	18.5	-0.1	-0.0	0.9	
-1.1	-182.9		J	18.5	-0.1	-0.0	0.9	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.4	115.8	Q5_pc X	I	-7.8	0.0	-0.0	-1.2	
0.0	0.0		J	-7.8	0.0	-0.0	-1.2	
1.2	-315.2	Q5_pc Y	I	19.6	-0.1	0.0	3.2	
0.0	0.0		J	19.6	-0.1	0.0	3.2	
-0.5	108.2	Q5_ps X	I	-10.6	0.0	-0.0	-1.1	
0.0	0.0		J	-10.6	0.0	-0.0	-1.1	
1.4	-293.7	Q5_ps Y	I	27.3	-0.1	0.0	2.9	
0.0	0.0		J	27.3	-0.1	0.0	2.9	
1671.5	-569.0	INVSLE Max	I	490.5	-0.2	1.9	8.6	1
0.0	0.0		J	490.5	-0.2	5.8	8.6	
1655.8	-2561.0	Min	I	-252.1	-0.8	1.9	-9.4	1
0.0	0.0		J	-252.1	-0.8	5.8	-9.4	
8645.1	-476.3	INVSLE Max	I	363.3	-0.2	1.4	5.9	
0.0	0.0		J	363.3	-0.2	4.3	5.9	
8633.6	-1898.3	Min	I	-184.2	-0.6	1.4	-7.0	
0.0	0.0		J	-184.2	-0.6	4.3	-7.0	
8241	2	66 C1-C2;~1 Max	I	263.1	0.0	0.0	12.7	
0.0	0.0		J	263.1	0.0	0.0	12.7	
0.0	0.0	Min	I	-153.7	-0.0	0.0	-2.0	
0.0	0.0		J	-153.7	-0.0	-0.0	-2.0	
0.0	0.0	C3-C4;~1 Max	I	177.7	0.0	0.0	9.8	
0.0	0.0		J	177.7	0.0	0.0	9.8	
0.0	0.0	Min	I	-240.0	-0.0	0.0	-3.6	
0.0	0.0		J	-240.0	-0.0	-0.0	-3.6	
0.0	0.0	C1-C2;~2 Max	I	147.8	0.0	0.0	8.0	
0.0	0.0		J	147.8	0.0	0.0	8.0	
0.0	0.0	Min	I	-77.5	-0.0	0.0	-1.0	
0.0	0.0		J	-77.5	-0.0	-0.0	-1.0	

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C3-C4 ; ~2	Max	I	96.1	0.0	0.0	6.0
0.0	0.0				J	96.1	0.0	0.0	6.0
0.0	0.0			Min	I	-128.2	-0.0	0.0	-1.9
0.0	0.0				J	-128.2	-0.0	-0.0	-1.9
0.0	0.0			G1	I	-8.3	0.0	-1.4	3.7
0.0	0.0				J	-8.3	-0.0	1.4	3.7
0.0	0.0			G2	I	-3.7	0.0	0.0	0.6
0.0	0.0				J	-3.7	-0.0	-0.0	0.6
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Q5_pc X	I	4.5	-0.0	0.0	0.6
0.0	0.0				J	4.5	0.0	-0.0	0.6
0.0	0.0			Q5_pc Y	I	-11.2	-0.0	0.0	-1.8
0.0	0.0				J	-11.2	0.0	0.0	-1.8
0.0	0.0			Q5_ps X	I	7.6	-0.0	0.0	0.8
0.0	0.0				J	7.6	0.0	0.0	0.8
0.0	0.0			Q5_ps Y	I	-19.9	-0.0	0.0	-2.3
0.0	0.0				J	-19.9	0.0	0.0	-2.3
0.0	0.0			INVSLE Max	I	392.8	0.0	-1.9	38.7
0.0	0.0				J	392.8	0.0	1.9	38.7
0.0	0.0			Min	I	-306.5	-0.0	-1.9	13.4
0.0	0.0				J	-306.5	-0.0	1.9	13.4
0.0	0.0			INVSLE Max	I	293.5	0.0	-1.4	29.3
0.0	0.0				J	293.5	0.0	1.4	29.3
0.0	0.0			Min	I	-223.0	-0.0	-1.4	10.9
0.0	0.0				J	-223.0	-0.0	1.4	10.9
8242	2	66	C1-C2 ; ~1	Max	I	269.7	0.0	0.0	8.3
0.0	0.0				J	269.7	0.0	0.0	8.3
0.0	0.0								

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-135.7	0.0	-0.0	-4.5	
0.0	0.0			J	-135.7	-0.0	-0.0	-4.5	
0.0	0.0		C3-C4;~1	Max	I	190.4	0.0	0.0	8.0
0.0	0.0			J	190.4	0.0	0.0	8.0	
0.0	0.0		Min	I	-214.3	0.0	-0.0	-2.6	
0.0	0.0			J	-214.3	-0.0	-0.0	-2.6	
0.0	0.0		C1-C2;~2	Max	I	151.8	0.0	0.0	5.4
0.0	0.0			J	151.8	0.0	0.0	5.4	
0.0	0.0		Min	I	-68.9	0.0	-0.0	-2.8	
0.0	0.0			J	-68.9	-0.0	-0.0	-2.8	
0.0	0.0		C3-C4;~2	Max	I	104.0	0.0	0.0	5.3
0.0	0.0			J	104.0	0.0	0.0	5.3	
0.0	0.0		Min	I	-115.2	0.0	-0.0	-1.4	
0.0	0.0			J	-115.2	-0.0	-0.0	-1.4	
0.0	0.0		G1	I	25.7	0.0	-1.5	0.6	
0.0	0.0			J	25.7	0.0	1.5	0.6	
0.0	0.0		G2	I	8.9	0.0	0.0	-0.5	
0.0	0.0			J	8.9	0.0	-0.0	-0.5	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	X	I	7.4	0.0	-0.0	0.2
0.0	0.0			J	7.4	-0.0	0.0	0.2	
0.0	0.0		Q5_pc	Y	I	-19.1	0.0	-0.0	-0.4
0.0	0.0			J	-19.1	-0.0	0.0	-0.4	
0.0	0.0		Q5_ps	X	I	10.1	0.0	-0.0	0.2
0.0	0.0			J	10.1	-0.0	0.0	0.2	
0.0	0.0		Q5_ps	Y	I	-26.3	0.0	-0.0	-0.5
0.0	0.0			J	-26.3	-0.0	0.0	-0.5	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	468.4	0.0	-2.0	30.9
				J	468.4	0.0	2.0	30.9
0.0	0.0		Min	I	-219.4	0.0	-2.0	12.9
0.0	0.0			J	-219.4	-0.0	2.0	12.9
0.0	0.0		INVSLE Max	I	347.9	0.0	-1.5	24.0
				J	347.9	0.0	1.5	24.0
0.0	0.0		Min	I	-159.1	0.0	-1.5	10.7
0.0	0.0			J	-159.1	-0.0	1.5	10.7
8243	2	66	C1-C2;~1 Max	I	212.9	0.2	0.0	2.7
0.0	0.0			J	212.9	0.2	0.0	2.7
7.3	162.8		Min	I	-208.3	-0.1	-0.0	-11.2
0.0	0.0			J	-208.3	-0.1	-0.0	-11.2
-2.5	-730.7		C3-C4;~1 Max	I	302.6	0.2	0.0	2.5
0.0	0.0			J	302.6	0.2	0.0	2.5
5.2	271.7		Min	I	-132.1	-0.1	-0.0	-11.3
0.0	0.0			J	-132.1	-0.1	-0.0	-11.3
-3.0	-586.3		C1-C2;~2 Max	I	109.4	0.1	0.0	1.4
0.0	0.0			J	109.4	0.1	0.0	1.4
4.6	83.7		Min	I	-115.1	-0.0	-0.0	-6.7
0.0	0.0			J	-115.1	-0.0	-0.0	-6.7
-1.5	-448.0		C3-C4;~2 Max	I	162.2	0.1	0.0	1.2
0.0	0.0			J	162.2	0.1	0.0	1.2
3.2	156.7		Min	I	-67.7	-0.1	-0.0	-6.8
0.0	0.0			J	-67.7	-0.1	-0.0	-6.8
-1.8	-348.2		G1	I	89.9	0.1	-4.4	-4.0
0.0	0.0			J	89.9	0.1	-1.5	-4.0
9244.3	-312.9		G2	I	34.2	0.0	-0.0	-0.7
0.0	0.0			J	34.2	0.0	-0.0	-0.7
0.8	-120.4		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-4.0	-0.0	-0.0	-0.2
0.1	36.0		J	-4.0	-0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	7.7	0.0	0.0	0.7
-0.2	-101.6		J	7.7	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	-6.6	-0.0	-0.0	-0.3
0.1	32.9		J	-6.6	-0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	14.9	0.0	0.0	0.9
-0.4	-92.1		J	14.9	0.0	0.0	0.9
0.0	0.0	INVSLE Max	I	583.7	0.5	-6.0	-23.7
2492.9	-121.3		J	583.7	0.5	-2.0	-23.7
0.0	0.0	Min	I	-120.0	0.0	-6.0	-43.9
2478.7	-1657.5		J	-120.0	0.0	-2.0	-43.9
0.0	0.0	INVSLE Max	I	431.9	0.4	-4.4	-18.7
9254.0	-90.8		J	431.9	0.4	-1.5	-18.7
0.0	0.0	Min	I	-88.3	0.0	-4.4	-33.6
9243.5	-1215.2		J	-88.3	0.0	-1.5	-33.6
8244	2	66 C1-C2;~1 Max	I	212.9	0.1	0.0	4.2
2.6	162.8		J	212.9	0.1	0.0	4.2
0.0	0.0	Min	I	-208.4	-0.2	-0.0	-10.0
-7.3	-730.7		J	-208.4	-0.2	-0.0	-10.0
0.0	0.0	C3-C4;~1 Max	I	302.6	0.1	0.0	2.2
3.0	271.7		J	302.6	0.1	0.0	2.2
0.0	0.0	Min	I	-132.1	-0.2	-0.0	-10.9
-5.3	-586.3		J	-132.1	-0.2	-0.0	-10.9
0.0	0.0	C1-C2;~2 Max	I	109.4	0.0	0.0	2.3
1.5	83.7		J	109.4	0.0	0.0	2.3
0.0	0.0	Min	I	-115.2	-0.1	-0.0	-6.0
-4.6	-448.0						

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-115.2	-0.1	-0.0	-6.0	
1.8	156.7	C3-C4;~2 Max	I	162.2	0.1	0.0	1.1	
0.0	0.0		J	162.2	0.1	0.0	1.1	
-3.2	-348.2	Min	I	-67.7	-0.1	-0.0	-6.6	
0.0	0.0		J	-67.7	-0.1	-0.0	-6.6	
9239.9	-312.9	G1	I	89.8	-0.1	1.5	-3.2	
0.0	0.0		J	89.8	-0.1	4.4	-3.2	
-0.8	-120.4	G2	I	34.2	-0.0	-0.0	-0.5	
0.0	0.0		J	34.2	-0.0	-0.0	-0.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.1	36.0	Q5_pc X	I	-4.0	0.0	-0.0	-0.2	
0.0	0.0		J	-4.0	0.0	-0.0	-0.2	
0.2	-101.6	Q5_pc Y	I	7.7	-0.0	0.0	0.6	
0.0	0.0		J	7.7	-0.0	0.0	0.6	
-0.1	32.9	Q5_ps X	I	-6.6	0.0	-0.0	-0.2	
0.0	0.0		J	-6.6	0.0	-0.0	-0.2	
0.4	-92.1	Q5_ps Y	I	14.9	-0.0	0.0	0.8	
0.0	0.0		J	14.9	-0.0	0.0	0.8	
2475.0	-121.3	INVSLE Max	I	583.5	-0.0	2.0	-19.6	1
0.0	0.0		J	583.5	-0.0	6.0	-19.6	
2460.6	-1657.5	Min	I	-120.1	-0.5	2.0	-41.1	1
0.0	0.0		J	-120.1	-0.5	6.0	-41.1	
9240.7	-90.8	INVSLE Max	I	431.9	-0.0	1.5	-15.6	
0.0	0.0		J	431.9	-0.0	4.4	-15.6	
9230.1	-1215.2	Min	I	-88.3	-0.4	1.5	-31.5	
0.0	0.0		J	-88.3	-0.4	4.4	-31.5	
8245	2	66 C1-C2;~1 Max	I	269.5	0.0	0.0	15.6	

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	269.5	0.0	0.0	15.6
0.0	0.0	Min	I	-135.8	-0.0	-0.0	-1.7
0.0	0.0		J	-135.8	-0.0	-0.0	-1.7
0.0	0.0	C3-C4;~1 Max	I	190.2	0.0	0.0	13.1
0.0	0.0		J	190.2	0.0	0.0	13.1
0.0	0.0	Min	I	-214.5	-0.0	-0.0	-2.3
0.0	0.0		J	-214.5	-0.0	-0.0	-2.3
0.0	0.0	C1-C2;~2 Max	I	151.7	0.0	0.0	9.9
0.0	0.0		J	151.7	0.0	0.0	9.9
0.0	0.0	Min	I	-69.0	-0.0	-0.0	-0.8
0.0	0.0		J	-69.0	-0.0	-0.0	-0.8
0.0	0.0	C3-C4;~2 Max	I	103.8	0.0	0.0	8.1
0.0	0.0		J	103.8	0.0	0.0	8.1
0.0	0.0	Min	I	-115.3	-0.0	-0.0	-1.0
0.0	0.0		J	-115.3	-0.0	-0.0	-1.0
0.0	0.0	G1	I	25.5	0.0	-1.5	5.1
0.0	0.0		J	25.5	-0.0	1.5	5.1
0.0	0.0	G2	I	8.8	0.0	-0.0	1.1
0.0	0.0		J	8.8	-0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.5	-0.0	0.0	0.3
0.0	0.0		J	7.5	0.0	0.0	0.3
0.0	0.0	Q5_pc Y	I	-19.1	-0.0	0.0	-0.9
0.0	0.0		J	-19.1	0.0	0.0	-0.9
0.0	0.0	Q5_ps X	I	10.1	-0.0	0.0	0.5
0.0	0.0		J	10.1	0.0	0.0	0.5
0.0	0.0	Q5_ps Y	I	-26.4	-0.0	0.0	-1.5

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-26.4	0.0	0.0	-1.5
0.0	0.0							
			INVS LU Max	I	467.8	0.0	-2.0	53.5
0.0	0.0			J	467.8	0.0	2.0	53.5
0.0	0.0		Min	I	-220.0	-0.0	-2.0	27.8
0.0	0.0			J	-220.0	-0.0	2.0	27.8
0.0	0.0							
			INVS LE Max	I	347.4	0.0	-1.5	40.7
0.0	0.0			J	347.4	0.0	1.5	40.7
0.0	0.0		Min	I	-159.5	-0.0	-1.5	21.8
0.0	0.0			J	-159.5	-0.0	1.5	21.8
0.0	0.0							
8246	2	66	C1-C2;~1 Max	I	231.6	0.2	0.0	3.0
0.0	0.0			J	231.6	0.2	0.0	3.0
7.2	186.4		Min	I	-154.5	-0.1	-0.0	-13.2
0.0	0.0			J	-154.5	-0.1	-0.0	-13.2
-3.5	-574.2							
			C3-C4;~1 Max	I	309.5	0.1	0.0	3.2
0.0	0.0			J	309.5	0.1	0.0	3.2
5.0	304.0		Min	I	-125.6	-0.1	-0.0	-13.0
0.0	0.0			J	-125.6	-0.1	-0.0	-13.0
-4.2	-444.8							
			C1-C2;~2 Max	I	123.0	0.1	0.0	1.5
0.0	0.0			J	123.0	0.1	0.0	1.5
4.5	98.2		Min	I	-83.0	-0.0	-0.0	-8.0
0.0	0.0			J	-83.0	-0.0	-0.0	-8.0
-2.1	-356.5							
			C3-C4;~2 Max	I	170.1	0.1	0.0	1.6
0.0	0.0			J	170.1	0.1	0.0	1.6
3.1	176.2		Min	I	-65.1	-0.1	-0.0	-7.8
0.0	0.0			J	-65.1	-0.1	-0.0	-7.8
-2.5	-267.4							
			G1	I	112.8	0.0	-4.4	-5.1
0.0	0.0			J	112.8	0.0	-1.5	-5.1
9258.7	-140.0							
			G2	I	43.5	0.0	-0.0	-1.2
0.0	0.0			J	43.5	0.0	-0.0	-1.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.4	-55.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-4.5	-0.0	-0.0	-0.1
0.0	0.0			J	-4.5	-0.0	-0.0	-0.1
0.1	41.0							
			Q5_pc Y	I	7.9	0.0	0.0	0.5
0.0	0.0			J	7.9	0.0	0.0	0.5
-0.2	-120.3							
			Q5_ps X	I	-6.4	-0.0	-0.0	-0.2
0.0	0.0			J	-6.4	-0.0	-0.0	-0.2
0.1	37.4							
			Q5_ps Y	I	12.8	0.0	0.0	0.7
0.0	0.0			J	12.8	0.0	0.0	0.7
-0.4	-109.2							
			INVSLE Max	I	631.4	0.4	-6.0	-29.9
0.0	0.0			J	631.4	0.4	-2.0	-29.9
2510.4	298.0		Min	I	-9.3	-0.1	-6.0	-53.0
0.0	0.0			J	-9.3	-0.1	-2.0	-53.0
2494.6	-1104.1							1
			INVSLE Max	I	467.0	0.3	-4.4	-23.4
0.0	0.0			J	467.0	0.3	-1.5	-23.4
9266.9	216.5		Min	I	-6.6	-0.1	-4.4	-40.4
0.0	0.0			J	-6.6	-0.1	-1.5	-40.4
9255.3	-806.1							
8247	2	66	C1-C2;~1 Max	I	227.0	0.0	0.0	10.5
0.0	0.0			J	227.0	0.0	0.0	10.5
0.0	0.0		Min	I	-101.8	0.0	-0.0	-4.1
0.0	0.0			J	-101.8	0.0	-0.0	-4.1
0.0	0.0							
			C3-C4;~1 Max	I	165.1	0.0	0.0	10.7
0.0	0.0			J	165.1	0.0	0.0	10.7
0.0	0.0		Min	I	-164.1	0.0	-0.0	-1.6
0.0	0.0			J	-164.1	0.0	-0.0	-1.6
0.0	0.0							
			C1-C2;~2 Max	I	128.7	0.0	0.0	6.7
0.0	0.0			J	128.7	0.0	0.0	6.7

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-52.7	0.0	-0.0	-2.6
0.0	0.0			J	-52.7	0.0	-0.0	-2.6
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	90.8	0.0	0.0	7.0
0.0	0.0			J	90.8	0.0	0.0	7.0
0.0	0.0		Min	I	-90.1	0.0	-0.0	-0.8
0.0	0.0			J	-90.1	0.0	-0.0	-0.8
0.0	0.0							
0.0	0.0		G1	I	46.7	0.0	-1.5	2.9
0.0	0.0			J	46.7	0.0	1.5	2.9
0.0	0.0							
0.0	0.0		G2	I	16.6	0.0	0.0	0.3
0.0	0.0			J	16.6	0.0	-0.0	0.3
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	5.6	0.0	-0.0	0.2
0.0	0.0			J	5.6	0.0	0.0	0.2
0.0	0.0							
0.0	0.0		Q5_pc Y	I	-13.9	0.0	-0.0	-0.6
0.0	0.0			J	-13.9	0.0	0.0	-0.6
0.0	0.0							
0.0	0.0		Q5_ps X	I	7.6	0.0	-0.0	0.3
0.0	0.0			J	7.6	0.0	0.0	0.3
0.0	0.0							
0.0	0.0		Q5_ps Y	I	-19.3	0.0	-0.0	-0.7
0.0	0.0			J	-19.3	0.0	0.0	-0.7
0.0	0.0							
0.0	0.0		INVSLU Max	I	440.2	0.0	-2.0	44.7
0.0	0.0			J	440.2	0.0	2.0	44.7
0.0	0.0							
0.0	0.0		Min	I	-112.9	0.0	-2.0	23.6
0.0	0.0			J	-112.9	0.0	2.0	23.6
0.0	0.0							
0.0	0.0		INVSLE Max	I	326.8	0.0	-1.5	34.2
0.0	0.0			J	326.8	0.0	1.5	34.2
0.0	0.0							
0.0	0.0		Min	I	-81.0	0.0	-1.5	18.7
0.0	0.0			J	-81.0	0.0	1.5	18.7

MIDAS

PROJECT TITLE :


MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
8248	2	66	C1-C2;~1	Max	I	226.8	0.0	0.0	16.4
0.0	0.0				J	226.8	0.0	0.0	16.4
0.0	0.0				Min	-101.9	0.0	0.0	-2.2
0.0	0.0				J	-101.9	-0.0	-0.0	-2.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	164.9	0.0	0.0	13.9
0.0	0.0				J	164.9	0.0	0.0	13.9
0.0	0.0				Min	-164.2	0.0	0.0	-2.8
0.0	0.0				J	-164.2	-0.0	-0.0	-2.8
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	128.6	0.0	0.0	10.4
0.0	0.0				J	128.6	0.0	0.0	10.4
0.0	0.0				Min	-52.7	0.0	0.0	-1.1
0.0	0.0				J	-52.7	-0.0	-0.0	-1.1
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	90.7	0.0	0.0	8.5
0.0	0.0				J	90.7	0.0	0.0	8.5
0.0	0.0				Min	-90.1	0.0	0.0	-1.3
0.0	0.0				J	-90.1	-0.0	-0.0	-1.3
0.0	0.0								
0.0	0.0				G1	46.6	0.0	-1.5	5.2
0.0	0.0				J	46.6	0.0	1.5	5.2
0.0	0.0								
0.0	0.0				G2	16.6	0.0	0.0	1.2
0.0	0.0				J	16.6	0.0	0.0	1.2
0.0	0.0								
0.0	0.0				Q3	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc	X	I	5.6	0.0	0.0	0.3
0.0	0.0				J	5.6	-0.0	-0.0	0.3
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-14.0	0.0	0.0	-1.0
0.0	0.0				J	-14.0	-0.0	-0.0	-1.0
0.0	0.0								
0.0	0.0		Q5_ps	X	I	7.6	0.0	0.0	0.5
0.0	0.0				J	7.6	-0.0	-0.0	0.5

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		Q5_ps Y	I	-19.4	0.0	0.0	-1.6
0.0	0.0		J	-19.4	-0.0	-0.0	-1.6
0.0	0.0						
		INVSLU Max	I	439.9	0.0	-2.0	58.5
0.0	0.0		J	439.9	0.0	2.0	58.5
0.0	0.0	Min	I	-113.2	0.0	-2.0	30.7
0.0	0.0		J	-113.2	-0.0	2.0	30.7
0.0	0.0						
		INVSLE Max	I	326.6	0.0	-1.5	44.4
0.0	0.0		J	326.6	0.0	1.5	44.4
0.0	0.0	Min	I	-81.2	0.0	-1.5	24.0
0.0	0.0		J	-81.2	-0.0	1.5	24.0
0.0	0.0						
8249	2	66 C1-C2;~1 Max	I	231.5	0.1	0.0	3.5
3.5	186.4		J	231.5	0.1	0.0	3.5
0.0	0.0	Min	I	-154.6	-0.2	-0.0	-12.4
-7.2	-574.2		J	-154.6	-0.2	-0.0	-12.4
0.0	0.0						
		C3-C4;~1 Max	I	309.5	0.1	0.0	2.9
4.2	304.0		J	309.5	0.1	0.0	2.9
0.0	0.0	Min	I	-125.6	-0.1	-0.0	-12.9
-5.0	-444.8		J	-125.6	-0.1	-0.0	-12.9
0.0	0.0						
		C1-C2;~2 Max	I	123.0	0.0	0.0	1.9
2.1	98.2		J	123.0	0.0	0.0	1.9
0.0	0.0	Min	I	-83.0	-0.1	-0.0	-7.4
-4.5	-356.5		J	-83.0	-0.1	-0.0	-7.4
0.0	0.0						
		C3-C4;~2 Max	I	170.1	0.1	0.0	1.5
2.5	176.2		J	170.1	0.1	0.0	1.5
0.0	0.0	Min	I	-65.1	-0.1	-0.0	-7.8
-3.1	-267.4		J	-65.1	-0.1	-0.0	-7.8
0.0	0.0						
		G1	I	112.8	-0.0	1.5	-4.6
9256.3	-140.0		J	112.8	-0.0	4.4	-4.6
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-0.4	-55.6	G2	I	43.5	-0.0	-0.0	-1.0	
0.0	0.0		J	43.5	-0.0	-0.0	-1.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.1	41.0	Q5_pc X	I	-4.5	0.0	-0.0	-0.1	
0.0	0.0		J	-4.5	0.0	-0.0	-0.1	
0.2	-120.3	Q5_pc Y	I	7.9	-0.0	0.0	0.4	
0.0	0.0		J	7.9	-0.0	0.0	0.4	
-0.1	37.4	Q5_ps X	I	-6.4	0.0	-0.0	-0.2	
0.0	0.0		J	-6.4	0.0	-0.0	-0.2	
0.4	-109.2	Q5_ps Y	I	12.8	-0.0	0.0	0.6	
0.0	0.0		J	12.8	-0.0	0.0	0.6	
2500.7	298.0	INVS LU Max	I	631.3	0.1	2.0	-28.5	1
0.0	0.0		J	631.3	0.1	6.0	-28.5	
2484.9	-1104.1	Min	I	-9.3	-0.4	2.0	-51.5	1
0.0	0.0		J	-9.3	-0.4	6.0	-51.5	
9259.7	216.5	INVS LE Max	I	466.9	0.1	1.5	-22.3	
0.0	0.0		J	466.9	0.1	4.4	-22.3	
9248.1	-806.1	Min	I	-6.6	-0.3	1.5	-39.3	
0.0	0.0		J	-6.6	-0.3	4.4	-39.3	
8250	2	66 C1-C2;~1 Max	I	254.9	0.1	0.0	3.5	
0.0	0.0		J	254.9	0.1	0.0	3.5	
7.2	227.6	Min	I	-125.3	-0.1	-0.0	-14.2	
0.0	0.0		J	-125.3	-0.1	-0.0	-14.2	
-4.0	-455.3	C3-C4;~1 Max	I	306.4	0.1	0.0	3.8	
0.0	0.0		J	306.4	0.1	0.0	3.8	
4.9	338.3	Min	I	-134.0	-0.1	-0.0	-13.4	
0.0	0.0		J	-134.0	-0.1	-0.0	-13.4	
-4.8	-347.7							

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
			C1-C2;~2	Max	I	141.6	0.1	0.0	1.8	
0.0	0.0				J	141.6	0.1	0.0	1.8	
4.5	122.9			Min	I	-64.9	-0.0	-0.0	-8.6	
0.0	0.0				J	-64.9	-0.0	-0.0	-8.6	
-2.4	-286.7									
			C3-C4;~2	Max	I	172.3	0.1	0.0	2.0	
0.0	0.0				J	172.3	0.1	0.0	2.0	
3.0	195.8			Min	I	-70.1	-0.1	-0.0	-8.1	
0.0	0.0				J	-70.1	-0.1	-0.0	-8.1	
-2.8	-211.1									
			G1		I	121.2	0.0	-4.4	-5.2	
0.0	0.0				J	121.2	0.0	-1.5	-5.2	
9265.9	-9.8									
			G2		I	47.0	0.0	-0.0	-1.2	
0.0	0.0				J	47.0	0.0	-0.0	-1.2	
0.1	-5.2									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-3.7	-0.0	-0.0	-0.2	
0.0	0.0				J	-3.7	-0.0	-0.0	-0.2	
0.1	37.2									
			Q5_pc	Y	I	4.5	0.0	0.0	0.5	
0.0	0.0				J	4.5	0.0	0.0	0.5	
-0.2	-113.8									
			Q5_ps	X	I	-4.9	-0.0	-0.0	-0.2	
0.0	0.0				J	-4.9	-0.0	-0.0	-0.2	
0.1	34.1									
			Q5_ps	Y	I	7.3	0.0	0.0	0.8	
0.0	0.0				J	7.3	0.0	0.0	0.8	
-0.5	-103.8									
			INVSLU	Max	I	625.7	0.2	-6.0	-30.3	
0.0	0.0				J	625.7	0.2	-2.0	-30.3	1
2518.3	585.1			Min	I	23.1	-0.2	-6.0	-55.5	
0.0	0.0				J	23.1	-0.2	-2.0	-55.5	1
2501.7	-691.2									
			INVSLE	Max	I	462.4	0.2	-4.4	-23.6	
0.0	0.0				J	462.4	0.2	-1.5	-23.6	
9272.8	427.8									


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


			Min	I	16.6	-0.1	-4.4	-42.2	
0.0	0.0			J	16.6	-0.1	-1.5	-42.2	
9260.5	-502.4								
8251	2	66	C1-C2;~1	Max	I	178.7	0.0	0.0	11.3
0.0	0.0				J	178.7	0.0	0.0	11.3
0.0	0.0		Min	I	-81.2	0.0	-0.0	-4.2	
0.0	0.0			J	-81.2	0.0	0.0	-4.2	
0.0	0.0								
			C3-C4;~1	Max	I	136.2	0.0	0.0	11.8
0.0	0.0			J	136.2	0.0	0.0	11.8	
0.0	0.0		Min	I	-127.0	0.0	-0.0	-1.2	
0.0	0.0			J	-127.0	0.0	0.0	-1.2	
0.0	0.0								
			C1-C2;~2	Max	I	102.5	0.0	0.0	7.1
0.0	0.0			J	102.5	0.0	0.0	7.1	
0.0	0.0		Min	I	-43.5	0.0	-0.0	-2.6	
0.0	0.0			J	-43.5	0.0	0.0	-2.6	
0.0	0.0								
			C3-C4;~2	Max	I	76.0	0.0	0.0	7.6
0.0	0.0			J	76.0	0.0	0.0	7.6	
0.0	0.0		Min	I	-71.1	0.0	-0.0	-0.6	
0.0	0.0			J	-71.1	0.0	0.0	-0.6	
0.0	0.0								
			G1	I	51.5	0.0	-1.5	3.8	
0.0	0.0			J	51.5	0.0	1.5	3.8	
0.0	0.0								
			G2	I	18.2	0.0	-0.0	0.7	
0.0	0.0			J	18.2	0.0	0.0	0.7	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	4.0	0.0	0.0	0.2
0.0	0.0			J	4.0	0.0	0.0	0.2	
0.0	0.0								
			Q5_pc	Y	I	-9.3	0.0	0.0	-0.5
0.0	0.0			J	-9.3	0.0	0.0	-0.5	
0.0	0.0								

MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	5.3	0.0	0.0	0.2	
0.0	0.0		J	5.3	0.0	0.0	0.2	
0.0	0.0	Q5_ps Y	I	-12.7	0.0	0.0	-0.6	
0.0	0.0		J	-12.7	0.0	0.0	-0.6	
0.0	0.0	INVSLU Max	I	371.1	0.0	-2.0	50.7	
0.0	0.0		J	371.1	0.0	2.0	50.7	
0.0	0.0	Min	I	-58.4	0.0	-2.0	28.1	
0.0	0.0		J	-58.4	0.0	2.0	28.1	
0.0	0.0	INVSLE Max	I	275.3	0.0	-1.5	38.7	
0.0	0.0		J	275.3	0.0	1.5	38.7	
0.0	0.0	Min	I	-41.6	0.0	-1.5	22.1	
0.0	0.0		J	-41.6	0.0	1.5	22.1	
8252	2	66 C1-C2;~1 Max	I	178.6	0.0	0.0	16.1	
0.0	0.0		J	178.6	0.0	0.0	16.1	
0.0	0.0	Min	I	-81.3	0.0	-0.0	-2.8	
0.0	0.0		J	-81.3	-0.0	-0.0	-2.8	
0.0	0.0	C3-C4;~1 Max	I	136.2	0.0	0.0	14.0	
0.0	0.0		J	136.2	0.0	0.0	14.0	
0.0	0.0	Min	I	-127.1	0.0	-0.0	-3.4	
0.0	0.0		J	-127.1	-0.0	-0.0	-3.4	
0.0	0.0	C1-C2;~2 Max	I	102.4	0.0	0.0	10.1	
0.0	0.0		J	102.4	0.0	0.0	10.1	
0.0	0.0	Min	I	-43.6	0.0	-0.0	-1.4	
0.0	0.0		J	-43.6	-0.0	-0.0	-1.4	
0.0	0.0	C3-C4;~2 Max	I	76.0	0.0	0.0	8.6	
0.0	0.0		J	76.0	0.0	0.0	8.6	
0.0	0.0	Min	I	-71.2	0.0	-0.0	-1.7	
0.0	0.0		J	-71.2	-0.0	-0.0	-1.7	
0.0	0.0	G1	I	51.5	0.0	-1.5	4.7	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	51.5	-0.0	1.5	4.7
0.0	0.0	G2	I	18.2	0.0	0.0	1.0
0.0	0.0		J	18.2	-0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.0	0.0	-0.0	0.3
0.0	0.0		J	4.0	0.0	0.0	0.3
0.0	0.0	Q5_pc Y	I	-9.4	0.0	-0.0	-1.0
0.0	0.0		J	-9.4	0.0	0.0	-1.0
0.0	0.0	Q5_ps X	I	5.3	0.0	-0.0	0.5
0.0	0.0		J	5.3	0.0	0.0	0.5
0.0	0.0	Q5_ps Y	I	-12.7	0.0	-0.0	-1.5
0.0	0.0		J	-12.7	0.0	-0.0	-1.5
0.0	0.0	INVSLE Max	I	371.0	0.0	-2.0	57.1
0.0	0.0		J	371.0	0.0	2.0	57.1
0.0	0.0	Min	I	-58.6	0.0	-2.0	28.9
0.0	0.0		J	-58.6	-0.0	2.0	28.9
0.0	0.0	INVSLE Max	I	275.3	0.0	-1.5	43.3
0.0	0.0		J	275.3	0.0	1.5	43.3
0.0	0.0	Min	I	-41.7	0.0	-1.5	22.7
0.0	0.0		J	-41.7	-0.0	1.5	22.7
8253	2	66 C1-C2;~1 Max	I	254.9	0.1	0.0	3.3
4.0	227.6		J	254.9	0.1	0.0	3.3
0.0	0.0	Min	I	-125.3	-0.1	-0.0	-13.4
-7.2	-455.3		J	-125.3	-0.1	-0.0	-13.4
0.0	0.0	C3-C4;~1 Max	I	306.3	0.1	0.0	3.3
4.8	338.3		J	306.3	0.1	0.0	3.3
0.0	0.0	Min	I	-134.0	-0.1	-0.0	-13.5
-4.9	-347.7						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-134.0	-0.1	-0.0	-13.5	
2.4	122.9	C1-C2;~2 Max	I	141.6	0.0	0.0	1.7	
0.0	0.0		J	141.6	0.0	0.0	1.7	
-4.5	-286.7	Min	I	-64.9	-0.1	-0.0	-8.1	
0.0	0.0		J	-64.9	-0.1	-0.0	-8.1	
2.8	195.8	C3-C4;~2 Max	I	172.3	0.1	0.0	1.7	
0.0	0.0		J	172.3	0.1	0.0	1.7	
-3.0	-211.1	Min	I	-70.1	-0.1	-0.0	-8.2	
0.0	0.0		J	-70.1	-0.1	-0.0	-8.2	
9265.0	-9.8	G1	I	121.2	-0.0	1.5	-5.1	
0.0	0.0		J	121.2	-0.0	4.4	-5.1	
-0.1	-5.2	G2	I	47.0	-0.0	-0.0	-1.2	
0.0	0.0		J	47.0	-0.0	-0.0	-1.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.1	37.2	Q5_pc X	I	-3.7	0.0	-0.0	-0.1	
0.0	0.0		J	-3.7	0.0	-0.0	-0.1	
0.2	-113.8	Q5_pc Y	I	4.5	-0.0	0.0	0.4	
0.0	0.0		J	4.5	-0.0	0.0	0.4	
-0.1	34.1	Q5_ps X	I	-4.9	0.0	-0.0	-0.2	
0.0	0.0		J	-4.9	0.0	-0.0	-0.2	
0.5	-103.8	Q5_ps Y	I	7.3	-0.0	0.0	0.6	
0.0	0.0		J	7.3	-0.0	0.0	0.6	
2515.0	585.1	INVSLE Max	I	625.7	0.2	2.0	-31.0	1
0.0	0.0		J	625.7	0.2	6.0	-31.0	
2498.3	-691.2	Min	I	23.2	-0.2	2.0	-54.5	1
0.0	0.0		J	23.2	-0.2	6.0	-54.5	
		INVSLE Max	I	462.4	0.1	1.5	-24.2	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9270.4	427.8			J	462.4	0.1	4.4	-24.2	
0.0	0.0								
			Min	I	16.7	-0.2	1.5	-41.5	
9258.1	-502.4			J	16.7	-0.2	4.4	-41.5	
0.0	0.0								
8254	2	66	C1-C2;~1	Max	I	283.1	0.1	0.0	2.7
0.0	0.0								
				J	283.1	0.1	0.0	2.7	
12.9	276.4								
			Min	I	-136.8	-0.1	-0.0	-10.5	
0.0	0.0			J	-136.8	-0.1	-0.0	-10.5	
-4.6	-438.2								
			C3-C4;~1	Max	I	306.8	0.1	0.0	2.4
0.0	0.0			J	306.8	0.1	0.0	2.4	
10.7	372.6								
			Min	I	-154.7	-0.1	-0.0	-9.6	
0.0	0.0			J	-154.7	-0.1	-0.0	-9.6	
-5.1	-342.9								
			C1-C2;~2	Max	I	162.2	0.1	0.0	1.4
0.0	0.0			J	162.2	0.1	0.0	1.4	
7.9	148.0								
			Min	I	-72.9	-0.0	-0.0	-6.6	
0.0	0.0			J	-72.9	-0.0	-0.0	-6.6	
-2.4	-276.2								
			C3-C4;~2	Max	I	175.4	0.1	0.0	1.2
0.0	0.0			J	175.4	0.1	0.0	1.2	
6.5	209.1								
			Min	I	-81.3	-0.1	-0.0	-6.0	
0.0	0.0			J	-81.3	-0.1	-0.0	-6.0	
-2.7	-208.9								
			G1	I	124.3	-0.0	-4.4	-2.4	
0.0	0.0			J	124.3	-0.0	-1.5	-2.4	
9267.9	70.2								
			G2	I	48.3	-0.0	-0.0	-0.1	
0.0	0.0			J	48.3	-0.0	-0.0	-0.1	
1.2	25.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-2.2	-0.0	-0.0	-0.3
0.0	0.0			J	-2.2	-0.0	-0.0	-0.3	
0.1	32.0								
			Q5_pc	Y	I	-0.7	0.0	0.0	0.7
0.0	0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.5	-99.5		J	-0.7	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	-2.6	-0.0	-0.0	-0.3
0.2	29.3		J	-2.6	-0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	-0.1	0.0	0.0	1.0
-0.7	-90.5		J	-0.1	0.0	0.0	1.0
0.0	0.0	INVSLU Max	I	615.2	0.1	-6.0	-27.2
2523.5	844.9		J	615.2	0.1	-2.0	-27.2 1
0.0	0.0	Min	I	-11.7	-0.3	-6.0	-46.3
2498.2	-428.7		J	-11.7	-0.3	-2.0	-46.3 1
0.0	0.0	INVSLE Max	I	454.2	0.1	-4.4	-21.4
9276.3	622.7		J	454.2	0.1	-1.5	-21.4
0.0	0.0	Min	I	-9.9	-0.2	-4.4	-35.5
9257.6	-307.4		J	-9.9	-0.2	-1.5	-35.5
8255	2	66 C1-C2;~1 Max	I	127.6	0.0	0.0	11.5
0.0	0.0		J	127.6	0.0	0.0	11.5
0.0	0.0	Min	I	-86.5	0.0	-0.0	-4.4
0.0	0.0		J	-86.5	0.0	0.0	-4.4
0.0	0.0	C3-C4;~1 Max	I	114.1	0.0	0.0	12.4
0.0	0.0		J	114.1	0.0	0.0	12.4
0.0	0.0	Min	I	-112.4	0.0	-0.0	-1.0
0.0	0.0		J	-112.4	0.0	0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	71.9	0.0	0.0	7.2
0.0	0.0		J	71.9	0.0	0.0	7.2
0.0	0.0	Min	I	-50.4	0.0	-0.0	-2.8
0.0	0.0		J	-50.4	0.0	0.0	-2.8
0.0	0.0	C3-C4;~2 Max	I	62.7	0.0	0.0	7.9
0.0	0.0		J	62.7	0.0	0.0	7.9
0.0	0.0	Min	I	-64.7	0.0	-0.0	-0.5
0.0	0.0		J	-64.7	0.0	0.0	-0.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G1	I	39.6	0.0	-1.5	4.4
0.0	0.0		J	39.6	0.0	1.5	4.4
0.0	0.0	G2	I	13.5	0.0	0.0	0.8
0.0	0.0		J	13.5	0.0	0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.4	0.0	-0.0	0.1
0.0	0.0		J	1.4	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	-2.2	0.0	-0.0	-0.3
0.0	0.0		J	-2.2	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	2.1	0.0	-0.0	0.1
0.0	0.0		J	2.1	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-3.5	0.0	-0.0	-0.4
0.0	0.0		J	-3.5	0.0	0.0	-0.4
0.0	0.0	INVSLE Max	I	276.1	0.0	-2.0	51.9
0.0	0.0		J	276.1	0.0	2.0	51.9
0.0	0.0	Min	I	-51.8	0.0	-2.0	28.7
0.0	0.0		J	-51.8	0.0	2.0	28.7
0.0	0.0	INVSLE Max	I	205.4	0.0	-1.5	39.7
0.0	0.0		J	205.4	0.0	1.5	39.7
0.0	0.0	Min	I	-37.2	0.0	-1.5	22.5
0.0	0.0		J	-37.2	0.0	1.5	22.5
8256	2	66 C1-C2;~1 Max	I	127.6	0.0	0.0	28.2
0.0	0.0		J	127.6	0.0	0.0	28.2
0.0	0.0	Min	I	-86.5	0.0	-0.0	-8.8
0.0	0.0		J	-86.5	0.0	0.0	-8.8
0.0	0.0	C3-C4;~1 Max	I	114.2	0.0	0.0	26.3
0.0	0.0		J	114.2	0.0	0.0	26.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-112.5	0.0	-0.0	-9.7
0.0	0.0			J	-112.5	0.0	0.0	-9.7
0.0	0.0	C1-C2;~2	Max	I	71.9	0.0	0.0	17.4
0.0	0.0			J	71.9	0.0	0.0	17.4
0.0	0.0		Min	I	-50.4	0.0	-0.0	-4.7
0.0	0.0			J	-50.4	0.0	0.0	-4.7
0.0	0.0	C3-C4;~2	Max	I	62.7	0.0	0.0	15.8
0.0	0.0			J	62.7	0.0	0.0	15.8
0.0	0.0		Min	I	-64.8	0.0	-0.0	-5.1
0.0	0.0			J	-64.8	0.0	0.0	-5.1
0.0	0.0		G1	I	39.6	0.0	-1.5	10.8
0.0	0.0			J	39.6	0.0	1.5	10.8
0.0	0.0		G2	I	13.5	0.0	-0.0	3.3
0.0	0.0			J	13.5	0.0	0.0	3.3
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	1.4	0.0	0.0	0.3
0.0	0.0			J	1.4	0.0	0.0	0.3
0.0	0.0	Q5_pc	Y	I	-2.2	0.0	0.0	-1.4
0.0	0.0			J	-2.2	0.0	0.0	-1.4
0.0	0.0	Q5_ps	X	I	2.1	0.0	0.0	0.5
0.0	0.0			J	2.1	0.0	0.0	0.5
0.0	0.0	Q5_ps	Y	I	-3.6	0.0	0.0	-1.9
0.0	0.0			J	-3.6	0.0	0.0	-1.9
0.0	0.0	INVSLU	Max	I	276.3	0.0	-2.0	70.5
0.0	0.0			J	276.3	0.0	2.0	70.5
0.0	0.0		Min	I	-51.8	0.0	-2.0	16.8
0.0	0.0			J	-51.8	0.0	2.0	16.8

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			INVSLE Max	I	205.5	0.0	-1.5 52.7
0.0	0.0			J	205.5	0.0	1.5 52.7
0.0	0.0		Min	I	-37.2	0.0	-1.5 13.1
0.0	0.0			J	-37.2	0.0	1.5 13.1
0.0	0.0						
8257	2	66	C1-C2;~1 Max	I	283.1	0.1	0.0 4.2
4.6	276.4			J	283.1	0.1	0.0 4.2
0.0	0.0		Min	I	-136.8	-0.1	-0.0 -8.2
-12.9	-438.2			J	-136.8	-0.1	-0.0 -8.2
0.0	0.0						
			C3-C4;~1 Max	I	306.8	0.1	0.0 1.6
5.1	372.6			J	306.8	0.1	0.0 1.6
0.0	0.0		Min	I	-154.7	-0.1	-0.0 -7.3
-10.7	-342.9			J	-154.7	-0.1	-0.0 -7.3
0.0	0.0						
			C1-C2;~2 Max	I	162.2	0.0	0.0 2.5
2.4	148.0			J	162.2	0.0	0.0 2.5
0.0	0.0		Min	I	-72.9	-0.1	-0.0 -5.2
-7.9	-276.2			J	-72.9	-0.1	-0.0 -5.2
0.0	0.0						
			C3-C4;~2 Max	I	175.4	0.1	0.0 0.8
2.7	209.1			J	175.4	0.1	0.0 0.8
0.0	0.0		Min	I	-81.3	-0.1	-0.0 -4.7
-6.5	-208.9			J	-81.3	-0.1	-0.0 -4.7
0.0	0.0						
			G1	I	124.3	0.0	1.5 -1.3
9261.6	70.2			J	124.3	0.0	4.4 -1.3
0.0	0.0						
			G2	I	48.3	0.0	-0.0 0.3
-1.2	25.7			J	48.3	0.0	-0.0 0.3
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-2.2	0.0	-0.0 -0.2
-0.1	32.0			J	-2.2	0.0	-0.0 -0.2
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.5	-99.5	Q5_pc Y	I	-0.7	-0.0	0.0	0.5	
0.0	0.0		J	-0.7	-0.0	0.0	0.5	
-0.2	29.3	Q5_ps X	I	-2.6	0.0	-0.0	-0.3	
0.0	0.0		J	-2.6	0.0	-0.0	-0.3	
0.7	-90.5	Q5_ps Y	I	-0.1	-0.0	0.0	0.8	
0.0	0.0		J	-0.1	-0.0	0.0	0.8	
2516.7	844.9	INVS LU Max	I	615.2	0.3	2.0	-26.1	1
0.0	0.0		J	615.2	0.3	6.0	-26.1	
2491.4	-428.7	Min	I	-11.7	-0.1	2.0	-43.7	1
0.0	0.0		J	-11.7	-0.1	6.0	-43.7	
9271.9	622.7	INVS LE Max	I	454.2	0.2	1.5	-20.7	
0.0	0.0		J	454.2	0.2	4.4	-20.7	
9253.2	-307.4	Min	I	-9.9	-0.1	1.5	-33.7	
0.0	0.0		J	-9.9	-0.1	4.4	-33.7	
8258	2	66 C1-C2;~1 Max	I	283.4	0.1	0.0	2.8	
0.0	0.0		J	283.4	0.1	0.0	2.8	
10.9	330.4	Min	I	-146.9	-0.1	-0.0	-9.8	
0.0	0.0		J	-146.9	-0.1	-0.0	-9.8	
-5.7	-424.7							
0.0	0.0	C3-C4;~1 Max	I	265.1	0.1	0.0	2.6	
8.6	425.0		J	265.1	0.1	0.0	2.6	
0.0	0.0	Min	I	-167.3	-0.1	-0.0	-9.1	
-6.5	-332.9		J	-167.3	-0.1	-0.0	-9.1	
0.0	0.0							
6.8	175.5	C1-C2;~2 Max	I	164.9	0.1	0.0	1.5	
0.0	0.0		J	164.9	0.1	0.0	1.5	
-3.0	-268.4	Min	I	-77.9	-0.1	-0.0	-6.2	
0.0	0.0		J	-77.9	-0.1	-0.0	-6.2	
0.0	0.0							
5.3	234.8	C3-C4;~2 Max	I	152.5	0.1	0.0	1.2	
			J	152.5	0.1	0.0	1.2	
		Min	I	-87.2	-0.1	-0.0	-5.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-87.2	-0.1	-0.0	-5.7	
-3.4	-203.7							
		G1	I	83.7	-0.1	-4.4	-1.2	
0.0	0.0		J	83.7	-0.1	-1.4	-1.2	
9233.1	174.4							
		G2	I	32.2	-0.0	0.0	0.2	
0.0	0.0		J	32.2	-0.0	0.0	0.2	
-0.0	67.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.5	-0.0	-0.0	-0.2	
0.0	0.0		J	0.5	-0.0	-0.0	-0.2	
0.1	27.2							
		Q5_pc Y	I	-6.9	0.0	0.0	0.5	
0.0	0.0		J	-6.9	0.0	0.0	0.5	
-0.5	-90.5							
		Q5_ps X	I	0.7	-0.0	-0.0	-0.3	
0.0	0.0		J	0.7	-0.0	-0.0	-0.3	
0.2	24.5							
		Q5_ps Y	I	-8.4	0.0	0.0	0.8	
0.0	0.0		J	-8.4	0.0	0.0	0.8	
-0.7	-81.8							
		INVSLE Max	I	500.2	0.0	-5.9	-21.0	
0.0	0.0		J	500.2	0.0	-1.8	-21.0	1
2482.7	1158.8							
		Min	I	-120.7	-0.4	-5.9	-39.0	
0.0	0.0		J	-120.7	-0.4	-1.8	-39.0	1
2458.3	-151.3							
		INVSLE Max	I	368.3	0.0	-4.4	-16.8	
0.0	0.0		J	368.3	0.0	-1.4	-16.8	
9246.5	856.7							
		Min	I	-90.7	-0.3	-4.4	-30.0	
0.0	0.0		J	-90.7	-0.3	-1.4	-30.0	
9228.5	-101.7							
		66 C1-C2;~1 Max	I	110.7	0.0	0.0	14.2	
8259	2		J	110.7	0.0	0.0	14.2	
0.0	0.0							
		Min	I	-93.5	-0.0	0.0	-4.6	
0.0	0.0		J	-93.5	-0.0	0.0	-4.6	
0.0	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4;~1 Max	I	132.2	0.0	0.0	15.8
			J	132.2	0.0	0.0	15.8
0.0	0.0	Min	I	-76.6	-0.0	0.0	-2.1
			J	-76.6	-0.0	0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	64.2	0.0	0.0	8.7
			J	64.2	0.0	0.0	8.7
0.0	0.0	Min	I	-55.5	-0.0	0.0	-2.7
			J	-55.5	-0.0	0.0	-2.7
0.0	0.0	C3-C4;~2 Max	I	75.4	0.0	0.0	9.8
			J	75.4	0.0	0.0	9.8
0.0	0.0	Min	I	-45.3	-0.0	0.0	-1.1
			J	-45.3	-0.0	0.0	-1.1
0.0	0.0	G1	I	53.2	0.0	-1.4	9.2
			J	53.2	-0.0	1.4	9.2
0.0	0.0	G2	I	19.0	0.0	0.0	1.5
			J	19.0	-0.0	0.0	1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.6	-0.0	0.0	-0.1
			J	-2.6	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	6.6	-0.0	0.0	0.1
			J	6.6	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-2.5	-0.0	0.0	-0.1
			J	-2.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	7.0	-0.0	0.0	0.1
			J	7.0	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	282.9	0.0	-1.9	46.3
			J	282.9	0.0	1.9	46.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-33.7	-0.0	-1.9	18.6
0.0	0.0			J	-33.7	-0.0	1.9	18.6
0.0	0.0		INVSLE Max	I	209.0	0.0	-1.4	34.9
0.0	0.0			J	209.0	0.0	1.4	34.9
0.0	0.0		Min	I	-24.7	-0.0	-1.4	14.4
0.0	0.0			J	-24.7	-0.0	1.4	14.4
8260	2	66	C1-C2;~1 Max	I	110.7	0.0	0.0	26.0
0.0	0.0			J	110.7	0.0	0.0	26.0
0.0	0.0		Min	I	-93.5	-0.0	-0.0	-11.1
0.0	0.0			J	-93.5	0.0	-0.0	-11.1
0.0	0.0		C3-C4;~1 Max	I	132.4	0.0	0.0	24.1
0.0	0.0			J	132.4	0.0	0.0	24.1
0.0	0.0		Min	I	-76.6	-0.0	-0.0	-12.3
0.0	0.0			J	-76.6	0.0	-0.0	-12.3
0.0	0.0		C1-C2;~2 Max	I	64.2	0.0	0.0	16.0
0.0	0.0			J	64.2	0.0	0.0	16.0
0.0	0.0		Min	I	-55.5	-0.0	-0.0	-5.9
0.0	0.0			J	-55.5	0.0	-0.0	-5.9
0.0	0.0		C3-C4;~2 Max	I	75.4	0.0	0.0	14.5
0.0	0.0			J	75.4	0.0	0.0	14.5
0.0	0.0		Min	I	-45.4	-0.0	-0.0	-6.5
0.0	0.0			J	-45.4	0.0	-0.0	-6.5
0.0	0.0		G1	I	53.4	0.0	-1.5	3.4
0.0	0.0			J	53.4	0.0	1.5	3.4
0.0	0.0		G2	I	19.1	0.0	0.0	1.5
0.0	0.0			J	19.1	0.0	-0.0	1.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-2.6	-0.0	-0.0	0.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-2.6	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	6.6	-0.0	0.0	-0.9
0.0	0.0		J	6.6	0.0	-0.0	-0.9
0.0	0.0						
0.0	0.0	Q5_ps X	I	-2.5	-0.0	-0.0	0.3
0.0	0.0		J	-2.5	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	7.0	-0.0	0.0	-1.4
0.0	0.0		J	7.0	0.0	-0.0	-1.4
0.0	0.0						
0.0	0.0	INVS LU Max	I	283.4	0.0	-2.1	58.6
0.0	0.0		J	283.4	0.0	2.1	58.6
0.0	0.0	Min	I	-33.3	-0.0	-2.1	5.3
0.0	0.0		J	-33.3	0.0	2.1	5.3
0.0	0.0						
0.0	0.0	INVS LE Max	I	209.3	0.0	-1.5	44.1
0.0	0.0		J	209.3	0.0	1.5	44.1
0.0	0.0	Min	I	-24.4	-0.0	-1.5	4.7
0.0	0.0		J	-24.4	0.0	1.5	4.7
0.0	0.0						
8261	2	66 C1-C2;~1 Max	I	283.4	0.1	0.0	3.8
5.3	330.4		J	283.4	0.1	0.0	3.8
0.0	0.0	Min	I	-146.9	-0.1	-0.0	-8.3
-10.3	-424.7		J	-146.9	-0.1	-0.0	-8.3
0.0	0.0						
6.1	425.0	C3-C4;~1 Max	I	265.1	0.1	0.0	1.4
0.0	0.0		J	265.1	0.1	0.0	1.4
0.0	0.0	Min	I	-167.3	-0.1	-0.0	-7.6
-8.2	-332.9		J	-167.3	-0.1	-0.0	-7.6
0.0	0.0						
2.8	175.5	C1-C2;~2 Max	I	164.9	0.1	0.0	2.3
0.0	0.0		J	164.9	0.1	0.0	2.3
0.0	0.0	Min	I	-77.9	-0.1	-0.0	-5.3
-6.4	-268.4		J	-77.9	-0.1	-0.0	-5.3
0.0	0.0						
3.2	234.8	C3-C4;~2 Max	I	152.5	0.1	0.0	0.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	152.5	0.1	0.0	0.7	
0.0	0.0		Min	I	-87.2	-0.1	-0.0	-4.8	
-5.0	-203.7			J	-87.2	-0.1	-0.0	-4.8	
0.0	0.0								
			G1	I	83.7	0.1	1.6	-2.3	
9238.7	174.4			J	83.7	0.1	4.5	-2.3	
0.0	0.0								
			G2	I	32.3	0.0	0.0	0.2	
0.0	67.4			J	32.3	0.0	0.0	0.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	0.5	0.0	-0.0	-0.2	
-0.1	27.2			J	0.5	0.0	-0.0	-0.2	
0.0	0.0								
			Q5_pc Y	I	-6.9	-0.0	0.0	0.3	
0.5	-90.5			J	-6.9	-0.0	0.0	0.3	
0.0	0.0								
			Q5_ps X	I	0.7	0.0	-0.0	-0.2	
-0.2	24.5			J	0.7	0.0	-0.0	-0.2	
0.0	0.0								
			Q5_ps Y	I	-8.4	-0.0	0.0	0.6	
0.7	-81.8			J	-8.4	-0.0	0.0	0.6	
0.0	0.0								
			INVSLU Max	I	500.3	0.4	2.2	-20.3	1
2478.3	1158.8			J	500.3	0.4	6.1	-20.3	
0.0	0.0								
			Min	I	-120.6	-0.0	2.2	-37.2	1
2455.2	-151.3			J	-120.6	-0.0	6.0	-37.2	
0.0	0.0								
			INVSLE Max	I	368.4	0.3	1.6	-16.2	
9243.1	856.7			J	368.4	0.3	4.5	-16.2	
0.0	0.0								
			Min	I	-90.6	-0.0	1.6	-28.7	
9226.1	-101.7			J	-90.6	-0.0	4.5	-28.7	
0.0	0.0								
			66 C1-C2;~1 Max	I	223.1	0.1	0.0	6.5	
8262	2			J	223.1	0.1	0.0	6.5	
0.0	0.0								
			Min	I	-130.9	-0.1	-0.0	-17.5	
15.2	422.2								
0.0	0.0								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.9	-453.0		J	-130.9	-0.1	-0.0	-17.5
0.0	0.0	C3-C4;~1	Max	I	180.1	0.1	7.3
12.6	508.8		J	180.1	0.1	0.0	7.3
0.0	0.0		Min	I	-159.0	-0.2	-16.7
-9.8	-355.9		J	-159.0	-0.2	-0.0	-16.7
0.0	0.0	C1-C2;~2	Max	I	128.9	0.1	3.4
9.2	217.5		J	128.9	0.1	0.0	3.4
0.0	0.0		Min	I	-67.2	-0.1	-10.6
-4.8	-284.5		J	-67.2	-0.1	-0.0	-10.6
0.0	0.0	C3-C4;~2	Max	I	101.4	0.1	3.8
7.5	268.1		J	101.4	0.1	0.0	3.8
0.0	0.0		Min	I	-81.0	-0.1	-10.0
-5.1	-215.3		J	-81.0	-0.1	-0.0	-10.0
0.0	0.0	G1		I	-2.8	-0.1	-4.6
9233.5	311.4		J	-2.8	-0.1	-1.4	-4.6
0.0	0.0	G2		I	-1.8	-0.0	-1.0
0.2	119.9		J	-1.8	-0.0	-0.0	-1.0
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	5.8	-0.0	-0.3
0.1	12.9		J	5.8	-0.0	-0.0	-0.3
0.0	0.0	Q5_pc	Y	I	-16.5	0.0	0.7
-0.5	-65.9		J	-16.5	0.0	0.0	0.7
0.0	0.0	Q5_ps	X	I	6.6	-0.0	-0.4
0.2	11.3		J	6.6	-0.0	-0.0	-0.4
0.0	0.0	Q5_ps	Y	I	-19.6	0.0	1.1
-0.7	-59.4		J	-19.6	0.0	0.0	1.1
		INVSLU	Max	I	295.0	-0.0	-2.7

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	295.0	-0.0	-1.8	-2.7	1
2480.4	1525.3		Min	I	-250.6	-0.5	-5.9	-37.4	
0.0	0.0			J	-250.6	-0.5	-1.8	-37.4	1
2445.7	108.2		INVSLE Max	I	217.0	-0.0	-4.4	-2.6	
0.0	0.0			J	217.0	-0.0	-1.3	-2.6	
9244.4	1132.2		Min	I	-184.9	-0.4	-4.4	-28.2	
0.0	0.0			J	-184.9	-0.4	-1.4	-28.2	
9218.9	91.4								
8263	2	66	C1-C2;~1	Max	I	151.1	0.0	0.0	9.0
0.0	0.0			J	151.1	0.0	0.0	9.0	
0.0	0.0		Min	I	-102.2	-0.0	-0.0	-11.8	
0.0	0.0			J	-102.2	-0.0	0.0	-11.8	
0.0	0.0		C3-C4;~1	Max	I	191.8	0.0	0.0	8.5
0.0	0.0			J	191.8	0.0	0.0	8.5	
0.0	0.0		Min	I	-60.8	-0.0	-0.0	-5.2	
0.0	0.0			J	-60.8	-0.0	0.0	-5.2	
0.0	0.0		C1-C2;~2	Max	I	86.8	0.0	0.0	5.4
0.0	0.0			J	86.8	0.0	0.0	5.4	
0.0	0.0		Min	I	-58.6	-0.0	-0.0	-7.2	
0.0	0.0			J	-58.6	-0.0	0.0	-7.2	
0.0	0.0		C3-C4;~2	Max	I	111.8	0.0	0.0	5.0
0.0	0.0			J	111.8	0.0	0.0	5.0	
0.0	0.0		Min	I	-32.2	-0.0	-0.0	-2.8	
0.0	0.0			J	-32.2	-0.0	0.0	-2.8	
0.0	0.0		G1	I	75.9	-0.0	-1.4	2.2	
0.0	0.0			J	75.9	-0.0	1.4	2.2	
0.0	0.0		G2	I	28.1	-0.0	-0.0	-1.2	
0.0	0.0			J	28.1	-0.0	0.0	-1.2	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		Q5_pc X	I	-8.8	0.0	0.0	-0.1	
0.0	0.0		J	-8.8	0.0	0.0	-0.1	
0.0	0.0							
		Q5_pc Y	I	18.0	0.0	-0.0	0.2	
0.0	0.0		J	18.0	0.0	0.0	0.2	
0.0	0.0							
		Q5_ps X	I	-9.2	0.0	0.0	-0.0	
0.0	0.0		J	-9.2	0.0	0.0	-0.0	
0.0	0.0							
		Q5_ps Y	I	19.7	0.0	0.0	0.2	
0.0	0.0		J	19.7	0.0	0.0	0.2	
0.0	0.0							
		INVSLE Max	I	369.0	0.0	-1.9	27.7	
0.0	0.0		J	369.0	0.0	1.9	27.7	
0.0	0.0							
		Min	I	-60.3	-0.0	-1.9	-0.9	
0.0	0.0		J	-60.3	-0.0	1.9	-0.9	
0.0	0.0							
		INVSLE Max	I	270.0	0.0	-1.4	21.3	
0.0	0.0		J	270.0	0.0	1.4	21.3	
0.0	0.0							
		Min	I	-45.6	-0.0	-1.4	0.2	
0.0	0.0		J	-45.6	-0.0	1.4	0.2	
0.0	0.0							
8264	2	66 C1-C2;~1 Max	I	151.0	0.0	0.0	24.8	
0.0	0.0		J	151.0	0.0	0.0	24.8	
0.0	0.0							
		Min	I	-102.0	0.0	-0.0	-14.1	
0.0	0.0		J	-102.0	-0.0	0.0	-14.1	
0.0	0.0							
		C3-C4;~1 Max	I	191.8	0.0	0.0	22.6	
0.0	0.0		J	191.8	0.0	0.0	22.6	
0.0	0.0							
		Min	I	-60.5	0.0	-0.0	-15.5	
0.0	0.0		J	-60.5	-0.0	0.0	-15.5	
0.0	0.0							
		C1-C2;~2 Max	I	86.7	0.0	0.0	15.3	
0.0	0.0		J	86.7	0.0	0.0	15.3	
0.0	0.0							
		Min	I	-58.5	0.0	-0.0	-7.5	
0.0	0.0		J	-58.5	-0.0	0.0	-7.5	
0.0	0.0							


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	111.8	0.0	0.0	13.8
			J	111.8	0.0	0.0	13.8
0.0	0.0	Min	I	-32.0	0.0	-0.0	-8.2
0.0	0.0		J	-32.0	-0.0	0.0	-8.2
0.0	0.0	G1	I	76.1	0.0	-1.5	-2.5
			J	76.1	-0.0	1.5	-2.5
0.0	0.0	G2	I	28.2	0.0	-0.0	-0.9
			J	28.2	-0.0	0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.8	0.0	0.0	0.1
			J	-8.8	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	17.9	0.0	-0.0	-0.8
			J	17.9	0.0	0.0	-0.8
0.0	0.0	Q5_ps X	I	-9.2	0.0	0.0	0.3
			J	-9.2	0.0	0.0	0.3
0.0	0.0	Q5_ps Y	I	19.7	0.0	-0.0	-1.3
			J	19.7	0.0	0.0	-1.3
0.0	0.0	INVSLU Max	I	369.4	0.0	-2.1	31.4
			J	369.4	0.0	2.1	31.4
0.0	0.0	Min	I	-59.4	0.0	-2.1	-24.4
			J	-59.4	-0.0	2.1	-24.4
0.0	0.0	INVSLE Max	I	270.3	0.0	-1.5	23.6
			J	270.3	0.0	1.5	23.6
0.0	0.0	Min	I	-44.9	0.0	-1.5	-17.7
			J	-44.9	-0.0	1.5	-17.7
8265	2	66 C1-C2; ~1 Max	I	223.1	0.1	0.0	4.0
8.4	422.2		J	223.1	0.1	0.0	4.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-130.9	-0.1	-0.0	-14.1
-14.4	-453.0			J	-130.9	-0.1	-0.0	-14.1
0.0	0.0							
		C3-C4;~1	Max	I	180.1	0.2	0.0	3.9
9.2	508.8			J	180.1	0.2	0.0	3.9
0.0	0.0		Min	I	-159.0	-0.1	-0.0	-13.3
-11.9	-355.9			J	-159.0	-0.1	-0.0	-13.3
0.0	0.0							
		C1-C2;~2	Max	I	128.9	0.1	0.0	2.1
4.5	217.5			J	128.9	0.1	0.0	2.1
0.0	0.0		Min	I	-67.2	-0.1	-0.0	-8.7
-8.7	-284.5			J	-67.2	-0.1	-0.0	-8.7
0.0	0.0							
		C3-C4;~2	Max	I	101.4	0.1	0.0	2.0
4.9	268.1			J	101.4	0.1	0.0	2.0
0.0	0.0		Min	I	-81.0	-0.1	-0.0	-8.1
-7.0	-215.3			J	-81.0	-0.1	-0.0	-8.1
0.0	0.0							
		G1		I	-2.8	0.1	1.6	-5.4
9238.1	311.4			J	-2.8	0.1	4.5	-5.4
0.0	0.0							
		G2		I	-1.8	0.0	-0.0	-0.9
-0.2	119.9			J	-1.8	0.0	-0.0	-0.9
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	5.8	0.0	-0.0	-0.2
-0.1	12.9			J	5.8	0.0	-0.0	-0.2
0.0	0.0							
		Q5_pc	Y	I	-16.5	-0.0	0.0	0.5
0.5	-65.9			J	-16.5	-0.0	0.0	0.5
0.0	0.0							
		Q5_ps	X	I	6.6	0.0	-0.0	-0.3
-0.2	11.3			J	6.6	0.0	-0.0	-0.3
0.0	0.0							
		Q5_ps	Y	I	-19.6	-0.0	0.0	0.8
0.7	-59.4			J	-19.6	-0.0	0.0	0.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0								
2489.9	1525.3	INVS LU	Max	I	295.1	0.5	2.2	-10.5	1
				J	295.1	0.5	6.1	-10.5	
0.0	0.0								
2457.2	108.2		Min	I	-250.5	0.0	2.2	-36.0	1
				J	-250.5	0.0	6.0	-36.0	
0.0	0.0								
9252.0	1132.2	INVS LE	Max	I	217.1	0.4	1.6	-8.5	
				J	217.1	0.4	4.5	-8.5	
0.0	0.0								
9227.8	91.4		Min	I	-184.8	0.0	1.6	-27.3	
				J	-184.8	0.0	4.5	-27.3	
0.0	0.0								
8266	2	66 C1-C2;~1	Max	I	185.6	0.1	0.0	10.1	
0.0	0.0			J	185.6	0.1	0.0	10.1	
13.7	558.5		Min	I	-142.6	-0.2	-0.0	-18.6	
0.0	0.0			J	-142.6	-0.2	-0.0	-18.6	
-12.4	-361.1								
		C3-C4;~1	Max	I	123.4	0.1	0.0	11.2	
0.0	0.0			J	123.4	0.1	0.0	11.2	
11.2	558.1		Min	I	-204.6	-0.2	-0.0	-17.8	
0.0	0.0			J	-204.6	-0.2	-0.0	-17.8	
-13.4	-299.4								
		C1-C2;~2	Max	I	105.3	0.1	0.0	5.4	
0.0	0.0			J	105.3	0.1	0.0	5.4	
8.4	300.3		Min	I	-72.7	-0.1	-0.0	-11.3	
0.0	0.0			J	-72.7	-0.1	-0.0	-11.3	
-6.6	-225.5								
		C3-C4;~2	Max	I	66.4	0.1	0.0	5.9	
0.0	0.0			J	66.4	0.1	0.0	5.9	
6.7	302.6		Min	I	-110.7	-0.1	-0.0	-10.7	
0.0	0.0			J	-110.7	-0.1	-0.0	-10.7	
-7.1	-180.7								
		G1		I	-69.7	-0.1	-4.4	-0.9	
0.0	0.0			J	-69.7	-0.1	-1.4	-0.9	
9228.4	432.1								
		G2		I	-27.9	-0.1	0.0	0.4	
0.0	0.0			J	-27.9	-0.1	0.0	0.4	
-2.1	175.1								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	14.5	0.0	0.0
0.0	0.0			J	14.5	0.0	0.0
-0.0	-2.6						-0.2
			Q5_pc Y	I	-33.7	0.0	0.0
0.0	0.0			J	-33.7	0.0	0.0
-0.2	-33.0						0.4
			Q5_ps X	I	15.6	0.0	-0.0
0.0	0.0			J	15.6	0.0	-0.0
0.1	-3.4						-0.3
			Q5_ps Y	I	-37.6	0.0	0.0
0.0	0.0			J	-37.6	0.0	0.0
-0.4	-28.5						0.8
			INVSLE Max	I	137.6	-0.1	-5.9
0.0	0.0			J	137.6	-0.1	-1.8
2459.8	1638.8		Min	I	-449.7	-0.5	-5.9
0.0	0.0			J	-449.7	-0.5	-1.8
2422.9	337.9						-18.3
			INVSLE Max	I	99.0	-0.1	-4.4
0.0	0.0			J	99.0	-0.1	-1.3
9228.8	1214.0		Min	I	-331.6	-0.4	-4.4
0.0	0.0			J	-331.6	-0.4	-1.4
9201.5	254.7						-13.5
8267	2	66	C1-C2;~1 Max	I	197.5	0.0	0.0
0.0	0.0			J	197.5	0.0	0.0
0.0	0.0		Min	I	-166.5	0.0	0.0
0.0	0.0			J	-166.5	0.0	0.0
0.0	0.0						-11.5
			C3-C4;~1 Max	I	263.4	0.0	0.0
0.0	0.0			J	263.4	0.0	0.0
0.0	0.0		Min	I	-130.5	0.0	0.0
0.0	0.0			J	-130.5	0.0	0.0
0.0	0.0						-4.6
			C1-C2;~2 Max	I	107.9	0.0	0.0
0.0	0.0			J	107.9	0.0	0.0
0.0	0.0		Min	I	-90.6	0.0	0.0
							-7.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-90.6	0.0	0.0	-7.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	147.8	0.0	0.0	6.8
0.0	0.0		J	147.8	0.0	0.0	6.8
0.0	0.0	Min	I	-67.0	0.0	0.0	-2.5
0.0	0.0		J	-67.0	0.0	0.0	-2.5
0.0	0.0	G1	I	48.7	0.0	-1.4	3.7
0.0	0.0		J	48.7	0.0	1.4	3.7
0.0	0.0	G2	I	18.2	0.0	0.0	-0.7
0.0	0.0		J	18.2	0.0	0.0	-0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-16.6	0.0	0.0	-0.2
0.0	0.0		J	-16.6	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	33.5	0.0	0.0	0.7
0.0	0.0		J	33.5	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	-17.3	0.0	0.0	-0.2
0.0	0.0		J	-17.3	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	36.1	0.0	0.0	0.6
0.0	0.0		J	36.1	0.0	0.0	0.6
0.0	0.0	INVSLE Max	I	364.6	0.0	-1.9	28.8
0.0	0.0		J	364.6	0.0	1.9	28.8
0.0	0.0	Min	I	-276.0	0.0	-1.9	-3.6
0.0	0.0		J	-276.0	0.0	1.9	-3.6
0.0	0.0	INVSLE Max	I	262.3	0.0	-1.4	22.0
0.0	0.0		J	262.3	0.0	1.4	22.0
0.0	0.0	Min	I	-207.7	0.0	-1.4	-2.0
0.0	0.0		J	-207.7	0.0	1.4	-2.0

PROJECT TITLE :

MIDAS	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8268	2	66	C1-C2;~1	Max	I	197.4	0.0	0.0	24.4
0.0	0.0				J	197.4	0.0	0.0	24.4
0.0	0.0			Min	I	-166.2	0.0	-0.0	-20.9
0.0	0.0				J	-166.2	-0.0	0.0	-20.9
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	263.5	0.0	0.0	21.0
0.0	0.0				J	263.5	0.0	0.0	21.0
0.0	0.0			Min	I	-130.3	0.0	-0.0	-23.1
0.0	0.0				J	-130.3	-0.0	0.0	-23.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	107.9	0.0	0.0	15.2
0.0	0.0				J	107.9	0.0	0.0	15.2
0.0	0.0			Min	I	-90.4	0.0	-0.0	-11.2
0.0	0.0				J	-90.4	-0.0	0.0	-11.2
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	147.8	0.0	0.0	12.9
0.0	0.0				J	147.8	0.0	0.0	12.9
0.0	0.0			Min	I	-66.8	0.0	-0.0	-12.2
0.0	0.0				J	-66.8	-0.0	0.0	-12.2
0.0	0.0								
0.0	0.0			G1	I	49.0	0.0	-1.5	-13.0
0.0	0.0				J	49.0	-0.0	1.5	-13.0
0.0	0.0								
0.0	0.0			G2	I	18.3	0.0	-0.0	-4.9
0.0	0.0				J	18.3	-0.0	0.0	-4.9
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	-16.6	0.0	0.0	-0.2
0.0	0.0				J	-16.6	0.0	0.0	-0.2
0.0	0.0								
0.0	0.0			Q5_pc Y	I	33.4	0.0	-0.0	0.3
0.0	0.0				J	33.4	0.0	0.0	0.3
0.0	0.0								
0.0	0.0			Q5_ps X	I	-17.3	0.0	0.0	-0.1
0.0	0.0				J	-17.3	0.0	0.0	-0.1
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps Y	I	36.1	0.0	-0.0	-0.2
0.0	0.0		J	36.1	0.0	0.0	-0.2
0.0	0.0	INVS LU Max	I	365.2	0.0	-2.1	-10.7
0.0	0.0		J	365.2	0.0	2.1	-10.7
0.0	0.0	Min	I	-275.1	0.0	-2.1	-75.4
0.0	0.0		J	-275.1	-0.0	2.1	-75.4
0.0	0.0	INVS LE Max	I	262.8	0.0	-1.5	-8.6
0.0	0.0		J	262.8	0.0	1.5	-8.6
0.0	0.0	Min	I	-207.0	0.0	-1.5	-56.5
0.0	0.0		J	-207.0	-0.0	1.5	-56.5
8269	2	66 C1-C2;~1 Max	I	185.6	0.2	0.0	5.8
11.7	558.5		J	185.6	0.2	0.0	5.8
0.0	0.0	Min	I	-142.5	-0.1	-0.0	-15.6
-12.9	-361.1		J	-142.5	-0.1	-0.0	-15.6
0.0	0.0	C3-C4;~1 Max	I	123.3	0.2	0.0	6.6
12.7	558.1		J	123.3	0.2	0.0	6.6
0.0	0.0	Min	I	-204.5	-0.1	-0.0	-15.0
-10.6	-299.4		J	-204.5	-0.1	-0.0	-15.0
0.0	0.0	C1-C2;~2 Max	I	105.3	0.1	0.0	3.1
6.3	300.3		J	105.3	0.1	0.0	3.1
0.0	0.0	Min	I	-72.7	-0.1	-0.0	-9.6
-7.9	-225.5		J	-72.7	-0.1	-0.0	-9.6
0.0	0.0	C3-C4;~2 Max	I	66.4	0.1	0.0	3.4
6.7	302.6		J	66.4	0.1	0.0	3.4
0.0	0.0	Min	I	-110.6	-0.1	-0.0	-9.1
-6.4	-180.7		J	-110.6	-0.1	-0.0	-9.1
0.0	0.0	G1	I	-69.7	0.1	1.6	-3.9
9244.8	432.1		J	-69.7	0.1	4.5	-3.9
0.0	0.0	G2	I	-27.9	0.1	0.0	-0.3
2.0	175.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-27.9	0.1	0.0	-0.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-2.6	Q5_pc X	I	14.5	-0.0	0.0	-0.2	
0.0	0.0		J	14.5	-0.0	0.0	-0.2	
0.2	-33.0	Q5_pc Y	I	-33.7	-0.0	0.0	0.4	
0.0	0.0		J	-33.7	-0.0	0.0	0.4	
-0.1	-3.4	Q5_ps X	I	15.6	-0.0	-0.0	-0.3	
0.0	0.0		J	15.6	-0.0	-0.0	-0.3	
0.4	-28.5	Q5_ps Y	I	-37.6	-0.0	0.0	0.7	
0.0	0.0		J	-37.6	-0.0	0.0	0.7	
2514.0	1638.8	INVS LU Max	I	137.8	0.5	2.2	6.2	1
0.0	0.0		J	137.8	0.5	6.1	6.2	
2479.1	337.9	Min	I	-449.6	0.1	2.2	-24.5	1
0.0	0.0		J	-449.6	0.1	6.1	-24.5	
9270.3	1214.0	INVS LE Max	I	99.1	0.4	1.6	4.3	
0.0	0.0		J	99.1	0.4	4.5	4.3	
9244.4	254.7	Min	I	-331.4	0.1	1.6	-18.3	
0.0	0.0		J	-331.4	0.1	4.5	-18.3	
8270	2	66 C1-C2;~1 Max	I	163.9	0.1	0.0	11.9	
0.0	0.0		J	163.9	0.1	0.0	11.9	
10.4	534.5	Min	I	-162.7	-0.2	-0.0	-12.6	
0.0	0.0		J	-162.7	-0.2	-0.0	-12.6	
-14.6	-181.4							
0.0	0.0	C3-C4;~1 Max	I	103.9	0.1	0.0	12.5	
7.3	499.8		J	103.9	0.1	0.0	12.5	
0.0	0.0	Min	I	-233.1	-0.2	-0.0	-11.8	
-16.4	-163.5		J	-233.1	-0.2	-0.0	-11.8	
0.0	0.0	C1-C2;~2 Max	I	91.5	0.0	0.0	6.2	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	91.5	0.0	0.0	6.2	
6.5	331.3		Min	I	-87.8	-0.1	-0.0	-7.9	
0.0	0.0			J	-87.8	-0.1	-0.0	-7.9	
-7.6	-109.3								
			C3-C4;~2 Max	I	56.1	0.0	0.0	6.4	
0.0	0.0			J	56.1	0.0	0.0	6.4	
4.3	287.9		Min	I	-129.3	-0.1	-0.0	-7.2	
0.0	0.0			J	-129.3	-0.1	-0.0	-7.2	
-8.3	-97.9								
			G1	I	-75.7	-0.1	-4.4	8.2	
0.0	0.0			J	-75.7	-0.1	-1.4	8.2	
9222.9	303.0								
			G2	I	-30.7	-0.0	0.0	4.0	
0.0	0.0			J	-30.7	-0.0	0.0	4.0	
-5.1	103.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	27.4	0.0	-0.0	-0.4	
0.0	0.0			J	27.4	0.0	-0.0	-0.4	
0.9	-50.3								
			Q5_pc Y	I	-59.9	-0.0	0.0	0.8	
0.0	0.0			J	-59.9	-0.0	0.0	0.8	
-2.0	66.8								
			Q5_ps X	I	28.3	0.0	-0.0	-0.5	
0.0	0.0			J	28.3	0.0	-0.0	-0.5	
1.0	-44.1								
			Q5_ps Y	I	-63.1	-0.0	0.0	1.2	
0.0	0.0			J	-63.1	-0.0	0.0	1.2	
-2.2	54.5								
			INVSLE Max	I	147.7	-0.0	-5.9	45.7	
0.0	0.0			J	147.7	-0.0	-1.8	45.7	1
2450.0	1112.3		Min	I	-496.1	-0.3	-5.9	10.3	
0.0	0.0			J	-496.1	-0.3	-1.8	10.3	1
2410.2	25.6								
			INVSLE Max	I	106.3	-0.0	-4.4	34.2	
0.0	0.0			J	106.3	-0.0	-1.3	34.2	
9221.6	815.4		Min	I	-362.6	-0.3	-4.4	8.1	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9192.4	19.3		J	-362.6	-0.3	-1.4	8.1
8271	2	66 C1-C2;~1 Max	I	200.0	0.0	0.0	14.1
0.0	0.0		J	200.0	0.0	0.0	14.1
0.0	0.0	Min	I	-244.3	-0.0	0.0	-11.1
0.0	0.0		J	-244.3	0.0	-0.0	-11.1
0.0	0.0	C3-C4;~1 Max	I	282.1	0.0	0.0	13.3
0.0	0.0		J	282.1	0.0	0.0	13.3
0.0	0.0	Min	I	-222.2	-0.0	0.0	-3.5
0.0	0.0		J	-222.2	0.0	-0.0	-3.5
0.0	0.0	C1-C2;~2 Max	I	104.0	0.0	0.0	8.8
0.0	0.0		J	104.0	0.0	0.0	8.8
0.0	0.0	Min	I	-130.0	-0.0	0.0	-7.0
0.0	0.0		J	-130.0	0.0	-0.0	-7.0
0.0	0.0	C3-C4;~2 Max	I	152.3	0.0	0.0	8.2
0.0	0.0		J	152.3	0.0	0.0	8.2
0.0	0.0	Min	I	-113.9	-0.0	0.0	-1.9
0.0	0.0		J	-113.9	0.0	-0.0	-1.9
0.0	0.0	G1	I	-33.2	0.0	-1.4	7.0
0.0	0.0		J	-33.2	0.0	1.4	7.0
0.0	0.0	G2	I	-14.0	0.0	0.0	0.6
0.0	0.0		J	-14.0	0.0	-0.0	0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-27.0	-0.0	0.0	-0.6
0.0	0.0		J	-27.0	0.0	0.0	-0.6
0.0	0.0	Q5_pc Y	I	55.4	-0.0	0.0	1.6
0.0	0.0		J	55.4	0.0	-0.0	1.6
0.0	0.0	Q5_ps X	I	-27.5	-0.0	0.0	-0.6

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-27.5	0.0	0.0	-0.6
0.0	0.0	Q5_ps Y	I	57.7	-0.0	0.0	1.5
0.0	0.0		J	57.7	0.0	-0.0	1.5
0.0	0.0	INVS LU Max	I	236.4	0.0	-1.9	33.1
0.0	0.0		J	236.4	0.0	1.9	33.1
0.0	0.0	Min	I	-574.1	-0.0	-1.9	-3.8
0.0	0.0		J	-574.1	0.0	1.9	-3.8
0.0	0.0	INVS LE Max	I	164.2	0.0	-1.4	24.8
0.0	0.0		J	164.2	0.0	1.4	24.8
0.0	0.0	Min	I	-428.8	-0.0	-1.4	-2.3
0.0	0.0		J	-428.8	0.0	1.4	-2.3
8272	2	66 C1-C2;~1 Max	I	200.0	0.0	0.0	16.7
0.0	0.0		J	200.0	0.0	0.0	16.7
0.0	0.0	Min	I	-244.1	0.0	-0.0	-22.8
0.0	0.0		J	-244.1	0.0	-0.0	-22.8
0.0	0.0	C3-C4;~1 Max	I	282.2	0.0	0.0	13.7
0.0	0.0		J	282.2	0.0	0.0	13.7
0.0	0.0	Min	I	-222.2	0.0	-0.0	-26.9
0.0	0.0		J	-222.2	0.0	-0.0	-26.9
0.0	0.0	C1-C2;~2 Max	I	104.0	0.0	0.0	10.6
0.0	0.0		J	104.0	0.0	0.0	10.6
0.0	0.0	Min	I	-129.9	0.0	-0.0	-11.8
0.0	0.0		J	-129.9	0.0	-0.0	-11.8
0.0	0.0	C3-C4;~2 Max	I	152.4	0.0	0.0	8.4
0.0	0.0		J	152.4	0.0	0.0	8.4
0.0	0.0	Min	I	-113.9	0.0	-0.0	-13.7
0.0	0.0		J	-113.9	0.0	-0.0	-13.7
0.0	0.0	G1	I	-33.0	0.0	-1.5	-24.6
0.0	0.0		J	-33.0	0.0	1.5	-24.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G2	I	-13.9	0.0	0.0	-9.5
0.0	0.0		J	-13.9	0.0	-0.0	-9.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-27.0	0.0	-0.0	1.2
0.0	0.0		J	-27.0	0.0	0.0	1.2
0.0	0.0	Q5_pc Y	I	55.5	0.0	0.0	-2.4
0.0	0.0		J	55.5	0.0	-0.0	-2.4
0.0	0.0	Q5_ps X	I	-27.6	0.0	-0.0	1.4
0.0	0.0		J	-27.6	0.0	0.0	1.4
0.0	0.0	Q5_ps Y	I	57.7	0.0	0.0	-2.9
0.0	0.0		J	57.7	0.0	-0.0	-2.9
0.0	0.0	INVSLE Max	I	236.8	0.0	-2.1	-38.4
0.0	0.0		J	236.8	0.0	2.1	-38.4
0.0	0.0	Min	I	-573.6	0.0	-2.1	-101.7
0.0	0.0		J	-573.6	0.0	2.1	-101.7
0.0	0.0	INVSLE Max	I	164.4	0.0	-1.5	-29.2
0.0	0.0		J	164.4	0.0	1.5	-29.2
0.0	0.0	Min	I	-428.4	0.0	-1.5	-75.8
0.0	0.0		J	-428.4	0.0	1.5	-75.8
8273	2	66 C1-C2;~1 Max	I	163.9	0.2	0.0	8.1
13.8	534.5		J	163.9	0.2	0.0	8.1
0.0	0.0	Min	I	-162.6	-0.1	-0.0	-11.9
-9.8	-181.4		J	-162.6	-0.1	-0.0	-11.9
0.0	0.0	C3-C4;~1 Max	I	103.9	0.2	0.0	7.1
15.5	499.8		J	103.9	0.2	0.0	7.1
0.0	0.0	Min	I	-233.1	-0.1	-0.0	-10.9
-6.9	-163.5		J	-233.1	-0.1	-0.0	-10.9
0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

7.2	331.3	C1-C2;~2	Max	I	91.5	0.1	0.0	4.3	
0.0	0.0			J	91.5	0.1	0.0	4.3	
-6.1	-109.3		Min	I	-87.8	-0.0	-0.0	-7.6	
0.0	0.0			J	-87.8	-0.0	-0.0	-7.6	
7.9	287.9	C3-C4;~2	Max	I	56.1	0.1	0.0	3.6	
0.0	0.0			J	56.1	0.1	0.0	3.6	
-4.1	-97.9		Min	I	-129.3	-0.0	-0.0	-6.8	
0.0	0.0			J	-129.3	-0.0	-0.0	-6.8	
9254.0	303.0		G1	I	-75.7	0.1	1.6	2.5	
0.0	0.0			J	-75.7	0.1	4.5	2.5	
4.9	103.1		G2	I	-30.7	0.0	0.0	2.1	
0.0	0.0			J	-30.7	0.0	0.0	2.1	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-0.9	-50.3		Q5_pc X	I	27.4	-0.0	-0.0	-0.0	
0.0	0.0			J	27.4	-0.0	-0.0	-0.0	
1.9	66.8		Q5_pc Y	I	-59.9	0.0	0.0	0.1	
0.0	0.0			J	-59.9	0.0	0.0	0.1	
-0.9	-44.1		Q5_ps X	I	28.3	-0.0	-0.0	-0.1	
0.0	0.0			J	28.3	-0.0	-0.0	-0.1	
2.1	54.5		Q5_ps Y	I	-63.1	0.0	0.0	0.4	
0.0	0.0			J	-63.1	0.0	0.0	0.4	
2531.4	1112.3		INVSLU Max	I	147.8	0.4	2.2	25.4	1
0.0	0.0			J	147.8	0.4	6.1	25.4	
2493.8	25.6		Min	I	-496.0	0.0	2.2	-1.8	1
0.0	0.0			J	-496.0	0.0	6.1	-1.8	
9282.9	815.4		INVSLE Max	I	106.3	0.3	1.6	19.0	
				J	106.3	0.3	4.5	19.0	

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
			Min	I	-362.6	0.0	1.6	-1.1
9255.3	19.3			J	-362.6	0.0	4.5	-1.1
0.0	0.0							
8274	2	66	C1-C2;~1	Max	I	200.5	0.1	0.0
0.0	0.0			J	200.5	0.1	0.0	13.0
6.0	228.8		Min	I	-207.0	-0.1	-0.0	-4.6
0.0	0.0			J	-207.0	-0.1	-0.0	-4.6
-17.6	-347.3							
			C3-C4;~1	Max	I	216.0	0.1	0.0
0.0	0.0			J	216.0	0.1	0.0	12.5
4.2	185.8		Min	I	-284.0	-0.1	-0.0	-3.1
0.0	0.0			J	-284.0	-0.1	-0.0	-3.1
-20.2	-449.2							
			C1-C2;~2	Max	I	108.1	0.1	0.0
0.0	0.0			J	108.1	0.1	0.0	6.7
3.5	136.6		Min	I	-108.9	-0.0	-0.0	-2.9
0.0	0.0			J	-108.9	-0.0	-0.0	-2.9
-9.1	-185.2							
			C3-C4;~2	Max	I	109.0	0.1	0.0
0.0	0.0			J	109.0	0.1	0.0	6.5
2.2	114.8		Min	I	-151.9	-0.0	-0.0	-1.8
0.0	0.0			J	-151.9	-0.0	-0.0	-1.8
-10.2	-244.2							
			G1	I	-15.1	0.1	-4.4	14.8
0.0	0.0			J	-15.1	0.1	-1.4	14.8
9243.3	-258.0							
			G2	I	-6.5	0.0	0.0	5.7
0.0	0.0			J	-6.5	0.0	0.0	5.7
-6.1	-86.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	21.9	0.1	-0.0
0.0	0.0			J	21.9	0.1	-0.0	-1.9
3.2	-274.4							
			Q5_pc	Y	I	-50.0	-0.2	0.0
0.0	0.0			J	-50.0	-0.2	0.0	3.8
-6.1	511.3							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	22.6	0.1	-0.0	-1.9	
3.1	-259.0		J	22.6	0.1	-0.0	-1.9	
0.0	0.0	Q5_ps Y	I	-52.3	-0.2	0.0	3.8	
-6.0	481.5		J	-52.3	-0.2	0.0	3.8	
0.0	0.0	INVS LU Max	I	317.4	0.6	-5.9	60.5	
2484.2	103.0		J	317.4	0.6	-1.8	60.5	1
0.0	0.0	Min	I	-447.7	-0.0	-5.9	29.8	
2437.6	-1870.1		J	-447.7	-0.0	-1.8	29.8	1
0.0	0.0	INVS LE Max	I	232.8	0.4	-4.4	45.1	
9247.1	9.2		J	232.8	0.4	-1.4	45.1	
0.0	0.0	Min	I	-327.3	-0.0	-4.4	22.8	
9213.4	-1364.8		J	-327.3	-0.0	-1.4	22.8	
8275	2	66 C1-C2;~1 Max	I	181.1	0.0	0.0	15.2	
0.0	0.0		J	181.1	0.0	0.0	15.2	
0.0	0.0	Min	I	-289.2	0.0	-0.0	-9.6	
0.0	0.0		J	-289.2	0.0	0.0	-9.6	
0.0	0.0	C3-C4;~1 Max	I	263.3	0.0	0.0	14.8	
0.0	0.0		J	263.3	0.0	0.0	14.8	
0.0	0.0	Min	I	-310.6	0.0	-0.0	-3.0	
0.0	0.0		J	-310.6	0.0	0.0	-3.0	
0.0	0.0	C1-C2;~2 Max	I	92.4	0.0	0.0	9.0	
0.0	0.0		J	92.4	0.0	0.0	9.0	
0.0	0.0	Min	I	-153.7	0.0	-0.0	-6.0	
0.0	0.0		J	-153.7	0.0	0.0	-6.0	
0.0	0.0	C3-C4;~2 Max	I	139.6	0.0	0.0	8.7	
0.0	0.0		J	139.6	0.0	0.0	8.7	
0.0	0.0	Min	I	-158.6	0.0	-0.0	-1.6	
0.0	0.0		J	-158.6	0.0	0.0	-1.6	
0.0	0.0	G1	I	-130.1	0.0	-1.4	10.2	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-130.1	0.0	1.4	10.2
0.0	0.0						
0.0	0.0	G2	I	-51.7	0.0	0.0	2.1
0.0	0.0		J	-51.7	0.0	0.0	2.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-45.5	0.0	-0.0	-0.9
0.0	0.0		J	-45.5	0.0	0.0	-0.9
0.0	0.0						
0.0	0.0	Q5_pc Y	I	92.9	0.0	0.0	2.1
0.0	0.0		J	92.9	0.0	0.0	2.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-44.6	0.0	-0.0	-0.8
0.0	0.0		J	-44.6	0.0	0.0	-0.8
0.0	0.0						
0.0	0.0	Q5_ps Y	I	91.9	0.0	0.0	2.0
0.0	0.0		J	91.9	0.0	0.0	2.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	106.0	0.0	-1.9	40.3
0.0	0.0		J	106.0	0.0	1.9	40.3
0.0	0.0						
0.0	0.0	Min	I	-835.9	0.0	-1.9	3.0
0.0	0.0		J	-835.9	0.0	1.9	3.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	67.0	0.0	-1.4	29.9
0.0	0.0		J	67.0	0.0	1.4	29.9
0.0	0.0						
0.0	0.0	Min	I	-618.3	0.0	-1.4	2.6
0.0	0.0		J	-618.3	0.0	1.4	2.6
0.0	0.0						
8276	2	66 C1-C2;~1 Max	I	181.0	0.0	0.0	5.5
0.0	0.0		J	181.0	0.0	0.0	5.5
0.0	0.0						
0.0	0.0	Min	I	-289.2	0.0	0.0	-23.1
0.0	0.0		J	-289.2	0.0	0.0	-23.1
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	263.1	0.0	0.0	6.3
0.0	0.0		J	263.1	0.0	0.0	6.3
0.0	0.0						
0.0	0.0	Min	I	-310.7	0.0	0.0	-30.3


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-310.7	0.0	0.0	-30.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	92.3	0.0	0.0	2.9
0.0	0.0		J	92.3	0.0	0.0	2.9
0.0	0.0	Min	I	-153.7	0.0	0.0	-11.5
0.0	0.0		J	-153.7	0.0	0.0	-11.5
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	139.5	0.0	0.0	3.3
0.0	0.0		J	139.5	0.0	0.0	3.3
0.0	0.0	Min	I	-158.7	0.0	0.0	-15.1
0.0	0.0		J	-158.7	0.0	0.0	-15.1
0.0	0.0						
0.0	0.0	G1	I	-130.2	0.0	-1.5	-28.4
0.0	0.0		J	-130.2	0.0	1.5	-28.4
0.0	0.0						
0.0	0.0	G2	I	-51.8	0.0	0.0	-10.0
0.0	0.0		J	-51.8	0.0	0.0	-10.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-45.7	0.0	0.0	5.4
0.0	0.0		J	-45.7	0.0	0.0	5.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	93.2	0.0	0.0	-10.1
0.0	0.0		J	93.2	0.0	0.0	-10.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-44.8	0.0	0.0	5.2
0.0	0.0		J	-44.8	0.0	0.0	5.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	92.2	0.0	0.0	-9.9
0.0	0.0		J	92.2	0.0	0.0	-9.9
0.0	0.0						
0.0	0.0	INVSLU Max	I	105.5	0.0	-2.0	-30.9
0.0	0.0		J	105.5	0.0	2.0	-30.9
0.0	0.0	Min	I	-836.8	0.0	-2.0	-100.2
0.0	0.0		J	-836.8	0.0	2.0	-100.2
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			INVSLE Max	I	66.6	0.0	-1.5 -23.8
0.0	0.0			J	66.6	0.0	1.5 -23.8
0.0	0.0		Min	I	-619.0	0.0	-1.5 -73.4
0.0	0.0			J	-619.0	0.0	1.5 -73.4
0.0	0.0						
8277	2	66	C1-C2;~1 Max	I	200.5	0.1	0.0 10.3
16.8	228.8			J	200.5	0.1	0.0 10.3
0.0	0.0		Min	I	-207.0	-0.1	-0.0 -6.1
-5.8	-347.3			J	-207.0	-0.1	-0.0 -6.1
0.0	0.0						
			C3-C4;~1 Max	I	216.0	0.1	0.0 8.7
19.3	185.8			J	216.0	0.1	0.0 8.7
0.0	0.0		Min	I	-284.0	-0.1	-0.0 -5.5
-4.0	-449.2			J	-284.0	-0.1	-0.0 -5.5
0.0	0.0						
			C1-C2;~2 Max	I	108.1	0.0	0.0 5.4
8.7	136.6			J	108.1	0.0	0.0 5.4
0.0	0.0		Min	I	-108.9	-0.1	-0.0 -3.9
-3.3	-185.2			J	-108.9	-0.1	-0.0 -3.9
0.0	0.0						
			C3-C4;~2 Max	I	109.0	0.0	0.0 4.5
9.7	114.8			J	109.0	0.0	0.0 4.5
0.0	0.0		Min	I	-151.9	-0.1	-0.0 -3.1
-2.1	-244.2			J	-151.9	-0.1	-0.0 -3.1
0.0	0.0						
			G1	I	-15.1	-0.1	1.6 7.9
9281.3	-258.0			J	-15.1	-0.1	4.5 7.9
0.0	0.0						
			G2	I	-6.5	-0.0	0.0 3.6
5.8	-86.8			J	-6.5	-0.0	0.0 3.6
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	21.8	-0.1	-0.0 -0.8
-3.0	-274.4			J	21.8	-0.1	-0.0 -0.8
0.0	0.0						
			Q5_pc Y	I	-50.0	0.2	0.0 1.6

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5.9	511.3			J	-50.0	0.2	0.0	1.6
0.0	0.0							
-2.9	-259.0	Q5_ps X		I	22.5	-0.1	-0.0	-0.8
0.0	0.0			J	22.5	-0.1	-0.0	-0.8
5.7	481.5	Q5_ps Y		I	-52.3	0.2	0.0	1.7
0.0	0.0			J	-52.3	0.2	0.0	1.7
2568.8	103.0	INVS LU Max		I	317.2	0.0	2.2	42.7 1
0.0	0.0			J	317.2	0.0	6.1	42.7
2524.3	-1870.1	Min		I	-447.8	-0.6	2.1	17.5 1
0.0	0.0			J	-447.8	-0.6	6.1	17.5
9309.8	9.2	INVS LE Max		I	232.7	0.0	1.6	32.0
0.0	0.0			J	232.7	0.0	4.5	32.0
9277.7	-1364.8	Min		I	-327.3	-0.4	1.6	13.6
0.0	0.0			J	-327.3	-0.4	4.5	13.6
8278	2	66 C1-C2;~1 Max		I	270.1	0.1	0.0	8.5
0.0	0.0			J	270.1	0.1	0.0	8.5
13.0	381.7	Min		I	-277.9	-0.1	-0.0	-5.4
0.0	0.0			J	-277.9	-0.1	-0.0	-5.4
-4.4	-232.8	C3-C4;~1 Max		I	408.8	0.1	0.0	9.5
0.0	0.0			J	408.8	0.1	0.0	9.5
11.1	324.1	Min		I	-296.4	-0.1	-0.0	-4.5
0.0	0.0			J	-296.4	-0.1	-0.0	-4.5
-6.6	-216.3	C1-C2;~2 Max		I	135.8	0.0	0.0	4.9
0.0	0.0			J	135.8	0.0	0.0	4.9
7.6	217.7	Min		I	-142.6	-0.1	-0.0	-3.5
0.0	0.0			J	-142.6	-0.1	-0.0	-3.5
-2.1	-141.1	C3-C4;~2 Max		I	206.9	0.0	0.0	5.0
0.0	0.0			J	206.9	0.0	0.0	5.0
6.8	169.5	Min		I	-155.7	-0.1	-0.0	-2.7
0.0	0.0			J	-155.7	-0.1	-0.0	-2.7


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.2	-118.2							
			G1	I	-7.9	-0.1	-4.4	7.7
0.0	0.0			J	-7.9	-0.1	-1.3	7.7
9238.8	212.0							
			G2	I	-0.6	-0.0	-0.0	3.2
0.0	0.0			J	-0.6	-0.0	-0.0	3.2
0.1	69.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-21.9	-0.0	-0.0	-4.0
0.0	0.0			J	-21.9	-0.0	-0.0	-4.0
2.1	134.3							
			Q5_pc Y	I	28.8	0.1	0.0	7.8
0.0	0.0			J	28.8	0.1	0.0	7.8
-4.1	-250.5							
			Q5_ps X	I	-23.9	-0.0	-0.0	-3.9
0.0	0.0			J	-23.9	-0.0	-0.0	-3.9
2.2	128.9							
			Q5_ps Y	I	34.1	0.1	0.0	7.6
0.0	0.0			J	34.1	0.1	0.0	7.6
-4.4	-241.1							
			INVSLE Max	I	331.1	-0.0	-5.9	33.7
0.0	0.0			J	331.1	-0.0	-1.8	33.7
2492.2	1320.9		Min	I	-672.7	-0.4	-5.9	-2.3
0.0	0.0			J	-672.7	-0.4	-1.8	-2.3
2458.3	28.0							
			INVSLE Max	I	229.4	-0.0	-4.4	24.3
0.0	0.0			J	229.4	-0.0	-1.3	24.3
9253.2	973.7		Min	I	-510.2	-0.3	-4.4	-0.9
0.0	0.0			J	-510.2	-0.3	-1.3	-0.9
9228.6	58.6							
			66 C1-C2;~1 Max	I	216.0	0.0	0.0	3.3
8279	2			J	216.0	0.0	0.0	3.3
0.0	0.0		Min	I	-335.5	0.0	-0.0	-17.2
0.0	0.0			J	-335.5	0.0	0.0	-17.2
0.0	0.0							
			C3-C4;~1 Max	I	241.9	0.0	0.0	5.1
0.0	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	241.9	0.0	0.0	5.1
0.0	0.0	Min	I	-491.5	0.0	-0.0	-15.6
0.0	0.0		J	-491.5	0.0	0.0	-15.6
0.0	0.0	C1-C2;~2 Max	I	111.6	0.0	0.0	1.6
0.0	0.0		J	111.6	0.0	0.0	1.6
0.0	0.0	Min	I	-170.3	0.0	-0.0	-8.8
0.0	0.0		J	-170.3	0.0	0.0	-8.8
0.0	0.0	C3-C4;~2 Max	I	122.6	0.0	0.0	2.7
0.0	0.0		J	122.6	0.0	0.0	2.7
0.0	0.0	Min	I	-251.0	0.0	-0.0	-8.1
0.0	0.0		J	-251.0	0.0	0.0	-8.1
0.0	0.0	G1	I	-144.5	0.0	-1.4	-12.9
0.0	0.0		J	-144.5	0.0	1.4	-12.9
0.0	0.0	G2	I	-60.4	0.0	0.0	-5.9
0.0	0.0		J	-60.4	0.0	0.0	-5.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.5	0.0	-0.0	-0.8
0.0	0.0		J	1.5	0.0	0.0	-0.8
0.0	0.0	Q5_pc Y	I	7.1	0.0	0.0	2.1
0.0	0.0		J	7.1	0.0	0.0	2.1
0.0	0.0	Q5_ps X	I	4.9	0.0	-0.0	-0.9
0.0	0.0		J	4.9	0.0	0.0	-0.9
0.0	0.0	Q5_ps Y	I	-1.2	0.0	0.0	2.2
0.0	0.0		J	-1.2	0.0	0.0	2.2
0.0	0.0	INVSLU Max	I	205.4	0.0	-1.9	-26.3
0.0	0.0		J	205.4	0.0	1.9	-26.3
0.0	0.0	Min	I	-797.3	0.0	-1.9	-60.1
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-797.3	0.0	1.9	-60.1
0.0	0.0	INVSLE Max	I	160.9	0.0	-1.4	-19.9
0.0	0.0		J	160.9	0.0	1.4	-19.9
0.0	0.0	Min	I	-580.9	0.0	-1.4	-44.7
0.0	0.0		J	-580.9	0.0	1.4	-44.7
8280	2	66 C1-C2;~1 Max	I	216.0	0.0	0.0	16.2
0.0	0.0		J	216.0	0.0	0.0	16.2
0.0	0.0	Min	I	-335.4	0.0	-0.0	-14.8
0.0	0.0		J	-335.4	-0.0	-0.0	-14.8
0.0	0.0	C3-C4;~1 Max	I	241.8	0.0	0.0	13.5
0.0	0.0		J	241.8	0.0	0.0	13.5
0.0	0.0	Min	I	-491.3	0.0	-0.0	-18.6
0.0	0.0		J	-491.3	-0.0	-0.0	-18.6
0.0	0.0	C1-C2;~2 Max	I	111.6	0.0	0.0	10.4
0.0	0.0		J	111.6	0.0	0.0	10.4
0.0	0.0	Min	I	-170.2	0.0	-0.0	-7.4
0.0	0.0		J	-170.2	-0.0	-0.0	-7.4
0.0	0.0	C3-C4;~2 Max	I	122.6	0.0	0.0	8.4
0.0	0.0		J	122.6	0.0	0.0	8.4
0.0	0.0	Min	I	-251.0	0.0	-0.0	-9.2
0.0	0.0		J	-251.0	-0.0	-0.0	-9.2
0.0	0.0	G1	I	-144.4	0.0	-1.5	-15.1
0.0	0.0		J	-144.4	-0.0	1.5	-15.1
0.0	0.0	G2	I	-60.4	0.0	0.0	-5.7
0.0	0.0		J	-60.4	-0.0	-0.0	-5.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.6	0.0	0.0	3.2
0.0	0.0		J	1.6	0.0	-0.0	3.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		Q5_pc	Y	I	6.9	0.0	0.0	-6.0
0.0	0.0			J	6.9	0.0	0.0	-6.0
0.0	0.0							
		Q5_ps	X	I	5.0	0.0	0.0	3.3
0.0	0.0			J	5.0	0.0	-0.0	3.3
0.0	0.0							
		Q5_ps	Y	I	-1.3	0.0	0.0	-6.4
0.0	0.0			J	-1.3	0.0	0.0	-6.4
0.0	0.0							
		INVS LU	Max	I	205.6	0.0	-2.1	-13.4
0.0	0.0			J	205.6	0.0	2.1	-13.4
0.0	0.0							
			Min	I	-796.6	0.0	-2.1	-71.2
0.0	0.0			J	-796.6	-0.0	2.1	-71.2
0.0	0.0							
		INVS LE	Max	I	161.1	0.0	-1.5	-10.8
0.0	0.0			J	161.1	0.0	1.5	-10.8
0.0	0.0							
			Min	I	-580.4	0.0	-1.5	-52.8
0.0	0.0			J	-580.4	-0.0	1.5	-52.8
0.0	0.0							
8281	2	66 C1-C2;~1	Max	I	270.1	0.1	0.0	10.3
4.1	381.7			J	270.1	0.1	0.0	10.3
0.0	0.0							
			Min	I	-277.9	-0.1	-0.0	-3.6
-12.2	-232.8			J	-277.9	-0.1	-0.0	-3.6
0.0	0.0							
		C3-C4;~1	Max	I	408.8	0.1	0.0	8.5
6.2	324.1			J	408.8	0.1	0.0	8.5
0.0	0.0							
			Min	I	-296.4	-0.1	-0.0	-1.9
-10.4	-216.3			J	-296.4	-0.1	-0.0	-1.9
0.0	0.0							
		C1-C2;~2	Max	I	135.8	0.1	0.0	6.1
2.0	217.7			J	135.8	0.1	0.0	6.1
0.0	0.0							
			Min	I	-142.6	-0.0	-0.0	-2.1
-7.1	-141.1			J	-142.6	-0.0	-0.0	-2.1
0.0	0.0							
		C3-C4;~2	Max	I	206.9	0.1	0.0	4.6
3.0	169.5			J	206.9	0.1	0.0	4.6
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-155.7	-0.0	-0.0	-1.0	
-6.3	-118.2			J	-155.7	-0.0	-0.0	-1.0	
0.0	0.0								
			G1	I	-7.9	0.1	1.6	7.3	
9240.9	212.0			J	-7.9	0.1	4.5	7.3	
0.0	0.0								
			G2	I	-0.6	0.0	-0.0	3.2	
-0.1	69.1			J	-0.6	0.0	-0.0	3.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-21.9	0.0	-0.0	-3.3	
-1.9	134.3			J	-21.9	0.0	-0.0	-3.3	
0.0	0.0								
			Q5_pc Y	I	28.7	-0.1	0.0	6.3	
3.8	-250.5			J	28.7	-0.1	0.0	6.3	
0.0	0.0								
			Q5_ps X	I	-23.8	0.0	-0.0	-3.1	
-2.0	128.9			J	-23.8	0.0	-0.0	-3.1	
0.0	0.0								
			Q5_ps Y	I	34.1	-0.1	0.0	6.0	
4.1	-241.1			J	34.1	-0.1	0.0	6.0	
0.0	0.0								
			INVSLU Max	I	331.2	0.4	2.2	32.4	1
2488.3	1320.9			J	331.2	0.4	6.1	32.4	
0.0	0.0								
			Min	I	-672.6	0.0	2.2	0.9	1
2456.6	28.0			J	-672.6	0.0	6.1	0.9	
0.0	0.0								
			INVSLE Max	I	229.5	0.3	1.6	23.5	
9250.4	973.7			J	229.5	0.3	4.5	23.5	
0.0	0.0								
			Min	I	-510.2	0.0	1.6	1.3	
9227.4	58.6			J	-510.2	0.0	4.5	1.3	
0.0	0.0								
			66 C1-C2;~1 Max	I	351.3	0.2	0.0	8.6	
8282	2			J	351.3	0.2	0.0	8.6	
0.0	0.0								
			Min	I	-248.0	-0.1	-0.0	-9.0	
14.4	241.6			J	-248.0	-0.1	-0.0	-9.0	
0.0	0.0								
-10.2	-526.8								

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4;~1 Max	I	515.7	0.1	0.0	8.5
11.6	241.9		J	515.7	0.1	0.0	8.5
0.0	0.0	Min	I	-258.3	-0.1	-0.0	-8.4
-11.0	-466.0		J	-258.3	-0.1	-0.0	-8.4
0.0	0.0	C1-C2;~2 Max	I	178.4	0.1	0.0	4.8
9.1	141.1		J	178.4	0.1	0.0	4.8
0.0	0.0	Min	I	-123.8	-0.0	-0.0	-5.8
-5.5	-322.7		J	-123.8	-0.0	-0.0	-5.8
0.0	0.0	C3-C4;~2 Max	I	263.9	0.1	0.0	4.5
7.3	128.3		J	263.9	0.1	0.0	4.5
0.0	0.0	Min	I	-132.5	-0.0	-0.0	-5.5
-5.8	-279.7		J	-132.5	-0.0	-0.0	-5.5
0.0	0.0	G1	I	115.6	0.1	-4.5	7.3
9615.6	-189.8		J	115.6	0.1	-1.4	7.3
0.0	0.0	G2	I	47.1	0.0	0.0	3.7
-1.8	-60.4		J	47.1	0.0	0.0	3.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-14.2	-0.0	-0.0	-1.1
0.6	3.7		J	-14.2	-0.0	-0.0	-1.1
0.0	0.0	Q5_pc Y	I	14.8	-0.0	0.0	2.0
-1.4	15.5		J	14.8	-0.0	0.0	2.0
0.0	0.0	Q5_ps X	I	-17.0	-0.0	-0.0	-1.2
0.7	1.9		J	-17.0	-0.0	-0.0	-1.2
0.0	0.0	Q5_ps Y	I	22.2	-0.0	0.0	2.2
-1.6	18.4		J	22.2	-0.0	0.0	2.2
0.0	0.0	INVSLU Max	I	665.6	0.3	-6.0	35.8
			J	665.6	0.3	-1.8	35.8

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2988.6	82.6		Min	I	-405.9	-0.0	-6.1	8.4	
0.0	0.0			J	-405.9	-0.0	-1.8	8.4	1
2951.8	-983.1		INVSLE Max	I	477.1	0.2	-4.5	26.7	
0.0	0.0			J	477.1	0.2	-1.4	26.7	
9620.5	69.1		Min	I	-314.6	-0.0	-4.5	6.7	
0.0	0.0			J	-314.6	-0.0	-1.4	6.7	
9593.4	-718.2								
8283	2	66	C1-C2;~1 Max	I	221.8	0.0	0.0	10.9	
0.0	0.0			J	221.8	0.0	0.0	10.9	
0.0	0.0		Min	I	-367.9	0.0	0.0	-11.5	
0.0	0.0			J	-367.9	-0.0	0.0	-11.5	
0.0	0.0		C3-C4;~1 Max	I	210.1	0.0	0.0	9.5	
0.0	0.0			J	210.1	0.0	0.0	9.5	
0.0	0.0		Min	I	-545.1	0.0	0.0	-5.9	
0.0	0.0			J	-545.1	-0.0	0.0	-5.9	
0.0	0.0								
0.0	0.0		C1-C2;~2 Max	I	112.8	0.0	0.0	6.9	
0.0	0.0			J	112.8	0.0	0.0	6.9	
0.0	0.0		Min	I	-187.0	0.0	0.0	-7.3	
0.0	0.0			J	-187.0	-0.0	0.0	-7.3	
0.0	0.0								
0.0	0.0		C3-C4;~2 Max	I	103.3	0.0	0.0	6.0	
0.0	0.0			J	103.3	0.0	0.0	6.0	
0.0	0.0		Min	I	-279.9	0.0	0.0	-3.5	
0.0	0.0			J	-279.9	-0.0	0.0	-3.5	
0.0	0.0								
0.0	0.0		G1	I	-194.0	0.0	-1.5	2.7	
0.0	0.0			J	-194.0	-0.0	1.5	2.7	
0.0	0.0								
0.0	0.0		G2	I	-80.6	0.0	0.0	-1.3	
0.0	0.0			J	-80.6	-0.0	0.0	-1.3	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc X	I	17.9	0.0	0.0	-0.2
			J	17.9	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-26.6	0.0	0.0	0.7
			J	-26.6	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	21.0	0.0	0.0	-0.2
			J	21.0	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-34.5	0.0	0.0	0.6
			J	-34.5	0.0	0.0	0.6
0.0	0.0	INVSLU Max	I	120.0	0.0	-2.0	19.9
			J	120.0	0.0	2.0	19.9
0.0	0.0	Min	I	-963.2	0.0	-2.0	-11.6
			J	-963.2	-0.0	2.0	-11.6
0.0	0.0	INVSLE Max	I	96.4	0.0	-1.5	15.0
			J	96.4	0.0	1.5	15.0
0.0	0.0	Min	I	-702.4	0.0	-1.5	-8.2
			J	-702.4	-0.0	1.5	-8.2
8284	2	66 C1-C2;~1 Max	I	221.6	0.0	0.0	22.2
0.0	0.0		J	221.6	0.0	0.0	22.2
0.0	0.0	Min	I	-367.8	-0.0	0.0	-16.7
			J	-367.8	0.0	0.0	-16.7
0.0	0.0	C3-C4;~1 Max	I	209.9	0.0	0.0	19.6
			J	209.9	0.0	0.0	19.6
0.0	0.0	Min	I	-545.0	-0.0	0.0	-18.8
			J	-545.0	0.0	0.0	-18.8
0.0	0.0	C1-C2;~2 Max	I	112.7	0.0	0.0	14.4
			J	112.7	0.0	0.0	14.4
0.0	0.0	Min	I	-186.9	-0.0	0.0	-8.8
			J	-186.9	0.0	0.0	-8.8
0.0	0.0	C3-C4;~2 Max	I	103.2	0.0	0.0	12.3

MIDAS

PROJECT TITLE :


		Company						Client
		Author						File Name
								PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	0.0			J	103.2	0.0	0.0	12.3
0.0	0.0		Min	I	-279.9	-0.0	0.0	-9.6
0.0	0.0			J	-279.9	0.0	0.0	-9.6
0.0	0.0		G1	I	-194.1	0.0	-1.6	-12.6
0.0	0.0			J	-194.1	0.0	1.6	-12.6
0.0	0.0		G2	I	-80.6	0.0	0.0	-4.8
0.0	0.0			J	-80.6	0.0	0.0	-4.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	17.9	-0.0	0.0	1.0
0.0	0.0			J	17.9	0.0	0.0	1.0
0.0	0.0		Q5_pc Y	I	-26.6	-0.0	0.0	-2.0
0.0	0.0			J	-26.6	0.0	0.0	-2.0
0.0	0.0		Q5_ps X	I	21.0	-0.0	0.0	1.3
0.0	0.0			J	21.0	0.0	0.0	1.3
0.0	0.0		Q5_ps Y	I	-34.5	-0.0	0.0	-2.6
0.0	0.0			J	-34.5	0.0	0.0	-2.6
0.0	0.0		INVSLE Max	I	119.5	0.0	-2.1	-10.1
0.0	0.0			J	119.5	0.0	2.1	-10.1
0.0	0.0		Min	I	-963.3	-0.0	-2.1	-69.2
0.0	0.0			J	-963.3	0.0	2.1	-69.2
0.0	0.0		INVSLE Max	I	96.1	0.0	-1.6	-8.4
0.0	0.0			J	96.1	0.0	1.6	-8.4
0.0	0.0		Min	I	-702.4	-0.0	-1.6	-51.9
0.0	0.0			J	-702.4	0.0	1.6	-51.9
8285	2	66 C1-C2;~1	Max	I	351.2	0.1	0.0	9.2
9.6	241.6			J	351.2	0.1	0.0	9.2
0.0	0.0		Min	I	-248.0	-0.2	-0.0	-7.9

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-13.6	-526.8		J	-248.0	-0.2	-0.0	-7.9
0.0	0.0						
10.3	241.9	C3-C4;~1 Max	I	515.7	0.1	0.0	6.6
0.0	0.0		J	515.7	0.1	0.0	6.6
-10.9	-466.0	Min	I	-258.3	-0.2	-0.0	-7.2
0.0	0.0		J	-258.3	-0.2	-0.0	-7.2
5.2	141.1	C1-C2;~2 Max	I	178.4	0.0	0.0	5.4
0.0	0.0		J	178.4	0.0	0.0	5.4
-8.6	-322.7	Min	I	-123.8	-0.1	-0.0	-5.1
0.0	0.0		J	-123.8	-0.1	-0.0	-5.1
5.4	128.3	C3-C4;~2 Max	I	263.9	0.0	0.0	3.5
0.0	0.0		J	263.9	0.0	0.0	3.5
-6.8	-279.7	Min	I	-132.5	-0.1	-0.0	-4.6
0.0	0.0		J	-132.5	-0.1	-0.0	-4.6
9630.7	-189.8	G1	I	115.5	-0.1	1.7	5.2
0.0	0.0		J	115.5	-0.1	4.6	5.2
1.7	-60.4	G2	I	47.1	-0.0	0.0	3.2
0.0	0.0		J	47.1	-0.0	0.0	3.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.6	3.7	Q5_pc X	I	-14.2	0.0	-0.0	-0.9
0.0	0.0		J	-14.2	0.0	-0.0	-0.9
1.3	15.5	Q5_pc Y	I	14.8	0.0	0.0	1.6
0.0	0.0		J	14.8	0.0	0.0	1.6
-0.7	1.9	Q5_ps X	I	-17.0	0.0	-0.0	-1.0
0.0	0.0		J	-17.0	0.0	-0.0	-1.0
1.5	18.4	Q5_ps Y	I	22.2	0.0	0.0	1.8
0.0	0.0		J	22.2	0.0	0.0	1.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3028.9	82.6	INVS LU Max	I	665.6	0.0	2.2	30.2	1
			J	665.6	0.0	6.2	30.2	
0.0	0.0	Min	I	-405.9	-0.3	2.2	4.1	1
2994.4	-983.1		J	-405.9	-0.3	6.2	4.1	
0.0	0.0							
9651.5	69.1	INVS LE Max	I	477.1	0.0	1.7	22.4	
			J	477.1	0.0	4.6	22.4	
0.0	0.0	Min	I	-314.7	-0.2	1.7	3.3	
9626.1	-718.2		J	-314.7	-0.2	4.6	3.3	
0.0	0.0							
8286	2	66 C1-C2;~1 Max	I	397.7	0.2	0.0	9.4	
0.0	0.0		J	397.7	0.2	0.0	9.4	
17.6	174.8	Min	I	-214.7	-0.1	-0.0	-13.3	
0.0	0.0		J	-214.7	-0.1	-0.0	-13.3	
-8.2	-552.6							
0.0	0.0	C3-C4;~1 Max	I	551.5	0.1	0.0	9.3	
			J	551.5	0.1	0.0	9.3	
14.6	232.8	Min	I	-227.6	-0.1	-0.0	-13.7	
0.0	0.0		J	-227.6	-0.1	-0.0	-13.7	
-8.0	-478.8							
0.0	0.0	C1-C2;~2 Max	I	208.4	0.1	0.0	5.1	
			J	208.4	0.1	0.0	5.1	
10.9	102.0	Min	I	-103.6	-0.0	-0.0	-8.3	
0.0	0.0		J	-103.6	-0.0	-0.0	-8.3	
-4.6	-333.4							
0.0	0.0	C3-C4;~2 Max	I	288.5	0.1	0.0	5.1	
			J	288.5	0.1	0.0	5.1	
9.1	132.9	Min	I	-114.1	-0.0	-0.0	-8.4	
0.0	0.0		J	-114.1	-0.0	-0.0	-8.4	
-4.5	-287.5							
0.0	0.0	G1	I	185.5	0.1	-4.5	3.6	
			J	185.5	0.1	-1.4	3.6	
9622.5	-299.2							
0.0	0.0	G2	I	74.3	0.0	-0.0	2.3	
			J	74.3	0.0	-0.0	2.3	
0.9	-116.8							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-10.6	-0.0	-0.0	-0.2
0.6	17.1		J	-10.6	-0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	11.0	-0.0	0.0	0.4
-1.5	4.1		J	11.0	-0.0	0.0	0.4
0.0	0.0	Q5_ps X	I	-13.2	-0.0	-0.0	-0.3
0.7	15.3		J	-13.2	-0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	17.6	-0.0	0.0	0.7
-1.6	6.1		J	17.6	-0.0	0.0	0.7
0.0	0.0	INVS LU Max	I	852.4	0.4	-6.0	29.5
3008.1	-279.5		J	852.4	0.4	-1.8	29.5 1
0.0	0.0	Min	I	-219.2	0.1	-6.1	-2.6
2970.6	-1370.6		J	-219.2	0.1	-1.9	-2.6 1
0.0	0.0	INVS LE Max	I	617.1	0.3	-4.5	22.1
9635.1	-203.9		J	617.1	0.3	-1.4	22.1
0.0	0.0	Min	I	-175.2	0.1	-4.5	-1.6
9607.5	-1009.9		J	-175.2	0.1	-1.4	-1.6
8287	2	66 C1-C2;~1 Max	I	198.0	0.0	0.0	12.0
0.0	0.0		J	198.0	0.0	0.0	12.0
0.0	0.0	Min	I	-328.9	0.0	-0.0	-12.5
0.0	0.0		J	-328.9	-0.0	-0.0	-12.5
0.0	0.0	C3-C4;~1 Max	I	171.1	0.0	0.0	10.1
0.0	0.0		J	171.1	0.0	0.0	10.1
0.0	0.0	Min	I	-487.8	0.0	-0.0	-7.2
0.0	0.0		J	-487.8	-0.0	-0.0	-7.2
0.0	0.0	C1-C2;~2 Max	I	102.1	0.0	0.0	7.7
0.0	0.0		J	102.1	0.0	0.0	7.7
0.0	0.0	Min	I	-169.2	0.0	-0.0	-7.9
0.0	0.0		J	-169.2	-0.0	-0.0	-7.9

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	85.9	0.0	0.0	6.4
0.0	0.0		J	85.9	0.0	0.0	6.4
0.0	0.0	Min	I	-252.9	0.0	-0.0	-4.0
0.0	0.0		J	-252.9	-0.0	-0.0	-4.0
0.0	0.0	G1	I	-197.3	0.0	-1.5	2.4
0.0	0.0		J	-197.3	-0.0	1.5	2.4
0.0	0.0	G2	I	-81.3	0.0	-0.0	-1.5
0.0	0.0		J	-81.3	-0.0	0.0	-1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	14.5	0.0	-0.0	-0.2
0.0	0.0		J	14.5	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-25.1	0.0	0.0	0.9
0.0	0.0		J	-25.1	0.0	-0.0	0.9
0.0	0.0	Q5_ps X	I	17.4	0.0	-0.0	-0.1
0.0	0.0		J	17.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-32.0	0.0	0.0	0.7
0.0	0.0		J	-32.0	0.0	-0.0	0.7
0.0	0.0	INVS LU Max	I	20.4	0.0	-2.0	22.7
0.0	0.0		J	20.4	0.0	2.0	22.7
0.0	0.0	Min	I	-950.5	0.0	-2.0	-12.0
0.0	0.0		J	-950.5	-0.0	2.0	-12.0
0.0	0.0	INVS LE Max	I	19.0	0.0	-1.5	17.3
0.0	0.0		J	19.0	0.0	1.5	17.3
0.0	0.0	Min	I	-696.9	0.0	-1.5	-8.4
0.0	0.0		J	-696.9	-0.0	1.5	-8.4
8288	2	66 C1-C2;~1 Max	I	197.8	0.0	0.0	28.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	197.8	0.0	0.0	28.0
0.0	0.0	Min	I	-328.9	0.0	0.0	-11.9
0.0	0.0		J	-328.9	-0.0	0.0	-11.9
0.0	0.0	C3-C4;~1 Max	I	171.0	0.0	0.0	25.0
0.0	0.0		J	171.0	0.0	0.0	25.0
0.0	0.0	Min	I	-487.7	0.0	0.0	-12.8
0.0	0.0		J	-487.7	-0.0	0.0	-12.8
0.0	0.0	C1-C2;~2 Max	I	101.9	0.0	0.0	17.1
0.0	0.0		J	101.9	0.0	0.0	17.1
0.0	0.0	Min	I	-169.2	0.0	0.0	-6.6
0.0	0.0		J	-169.2	-0.0	0.0	-6.6
0.0	0.0	C3-C4;~2 Max	I	85.8	0.0	0.0	15.5
0.0	0.0		J	85.8	0.0	0.0	15.5
0.0	0.0	Min	I	-252.9	0.0	0.0	-6.9
0.0	0.0		J	-252.9	-0.0	0.0	-6.9
0.0	0.0	G1	I	-197.5	0.0	-1.6	0.4
0.0	0.0		J	-197.5	0.0	1.6	0.4
0.0	0.0	G2	I	-81.4	0.0	0.0	0.3
0.0	0.0		J	-81.4	0.0	0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	14.5	0.0	0.0	1.0
0.0	0.0		J	14.5	-0.0	0.0	1.0
0.0	0.0	Q5_pc Y	I	-25.0	0.0	0.0	-2.0
0.0	0.0		J	-25.0	-0.0	0.0	-2.0
0.0	0.0	Q5_ps X	I	17.4	0.0	0.0	1.2
0.0	0.0		J	17.4	-0.0	0.0	1.2
0.0	0.0	Q5_ps Y	I	-32.0	0.0	0.0	-2.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-32.0	-0.0	0.0	-2.5
0.0	0.0	INVS LU Max	I	19.7	0.0	-2.1	27.9
0.0	0.0		J	19.7	0.0	2.1	27.9
0.0	0.0	Min	I	-950.9	0.0	-2.1	-30.8
0.0	0.0		J	-950.9	-0.0	2.1	-30.8
0.0	0.0	INVS LE Max	I	18.4	0.0	-1.6	20.1
0.0	0.0		J	18.4	0.0	1.6	20.1
0.0	0.0	Min	I	-697.1	0.0	-1.6	-23.0
0.0	0.0		J	-697.1	-0.0	1.6	-23.0
8289	2	66 C1-C2;~1 Max	I	397.7	0.1	0.0	10.0
7.7	174.8		J	397.7	0.1	0.0	10.0
0.0	0.0	Min	I	-214.7	-0.2	-0.0	-11.7
-16.5	-552.6		J	-214.7	-0.2	-0.0	-11.7
0.0	0.0						
7.5	232.8	C3-C4;~1 Max	I	551.5	0.1	0.0	7.6
0.0	0.0		J	551.5	0.1	0.0	7.6
-13.8	-478.8	Min	I	-227.7	-0.2	-0.0	-11.9
0.0	0.0		J	-227.7	-0.2	-0.0	-11.9
4.3	102.0	C1-C2;~2 Max	I	208.4	0.0	0.0	5.5
0.0	0.0		J	208.4	0.0	0.0	5.5
-10.3	-333.4	Min	I	-103.6	-0.1	-0.0	-7.4
0.0	0.0		J	-103.6	-0.1	-0.0	-7.4
4.2	132.9	C3-C4;~2 Max	I	288.5	0.0	0.0	4.1
0.0	0.0		J	288.5	0.0	0.0	4.1
-8.5	-287.5	Min	I	-114.1	-0.1	-0.0	-7.3
0.0	0.0		J	-114.1	-0.1	-0.0	-7.3
9624.6	-299.2	G1	I	185.4	-0.1	1.7	3.4
0.0	0.0		J	185.4	-0.1	4.6	3.4
-0.8	-116.8	G2	I	74.3	-0.0	-0.0	2.5
0.0	0.0		J	74.3	-0.0	-0.0	2.5


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.6	17.1	Q5_pc X	I	-10.6	0.0	-0.0	-0.1
0.0	0.0		J	-10.6	0.0	-0.0	-0.1
1.4	4.1	Q5_pc Y	I	11.0	0.0	0.0	0.1
0.0	0.0		J	11.0	0.0	0.0	0.1
-0.6	15.3	Q5_ps X	I	-13.2	0.0	-0.0	-0.2
0.0	0.0		J	-13.2	0.0	-0.0	-0.2
1.5	6.1	Q5_ps Y	I	17.6	0.0	0.0	0.2
0.0	0.0		J	17.6	0.0	0.0	0.2
3011.8	-279.5	INVS LU Max	I	852.3	-0.1	2.2	27.6
0.0	0.0		J	852.3	-0.1	6.2	27.6
2976.6	-1370.6	Min	I	-219.3	-0.4	2.2	-2.2
0.0	0.0		J	-219.3	-0.4	6.2	-2.2
9638.7	-203.9	INVS LE Max	I	617.1	-0.1	1.7	20.6
0.0	0.0		J	617.1	-0.1	4.6	20.6
9612.8	-1009.9	Min	I	-175.3	-0.3	1.6	-1.4
0.0	0.0		J	-175.3	-0.3	4.6	-1.4
8290	2	66 C1-C2;~1 Max	I	375.9	0.2	0.0	7.5
0.0	0.0		J	375.9	0.2	0.0	7.5
20.7	175.1	Min	I	-173.8	-0.1	-0.0	-15.6
0.0	0.0		J	-173.8	-0.1	-0.0	-15.6
-6.6	-554.5						
0.0	0.0	C3-C4;~1 Max	I	500.4	0.1	0.0	7.2
16.8	259.6		J	500.4	0.1	0.0	7.2
0.0	0.0	Min	I	-184.7	-0.1	-0.0	-15.5
-6.8	-445.3		J	-184.7	-0.1	-0.0	-15.5
0.0	0.0	C1-C2;~2 Max	I	201.7	0.1	0.0	3.9
12.3	106.3		J	201.7	0.1	0.0	3.9

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-85.1	-0.0	-0.0	-9.6	
0.0	0.0			J	-85.1	-0.0	-0.0	-9.6	
-3.6	-319.9								
		C3-C4;~2	Max	I	266.9	0.1	0.0	3.9	
0.0	0.0			J	266.9	0.1	0.0	3.9	
10.0	157.9								
			Min	I	-91.1	-0.0	-0.0	-9.3	
0.0	0.0			J	-91.1	-0.0	-0.0	-9.3	
-3.6	-256.7								
			G1	I	200.5	0.1	-4.5	-1.5	
0.0	0.0			J	200.5	0.1	-1.4	-1.5	
9627.8	-327.6								
			G2	I	79.4	0.0	-0.0	0.3	
0.0	0.0			J	79.4	0.0	-0.0	0.3	
2.8	-126.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-8.6	-0.0	-0.0	-0.4	
0.0	0.0			J	-8.6	-0.0	-0.0	-0.4	
0.4	41.3								
			Q5_pc Y	I	10.8	0.0	0.0	0.8	
0.0	0.0			J	10.8	0.0	0.0	0.8	
-1.3	-44.7								
			Q5_ps X	I	-10.5	-0.0	-0.0	-0.5	
0.0	0.0			J	-10.5	-0.0	-0.0	-0.5	
0.5	37.0								
			Q5_ps Y	I	15.4	0.0	0.0	1.0	
0.0	0.0			J	15.4	0.0	0.0	1.0	
-1.5	-37.6								
			INVSLU Max	I	887.1	0.4	-6.1	6.3	
0.0	0.0			J	887.1	0.4	-1.8	6.3	1
3028.0	-279.3								
			Min	I	-57.3	0.1	-6.1	-26.3	
0.0	0.0			J	-57.3	0.1	-1.9	-26.3	1
2988.6	-1458.8								
			INVSLE Max	I	647.2	0.3	-4.5	4.4	
0.0	0.0			J	647.2	0.3	-1.4	4.4	
9650.1	-212.2								
			Min	I	-50.9	0.1	-4.5	-19.6	
0.0	0.0			J	-50.9	0.1	-1.4	-19.6	
9621.1	-1080.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8291	2	66	C1-C2;~1	Max	I	176.5	0.0	0.0	9.8
0.0	0.0				J	176.5	0.0	0.0	9.8
0.0	0.0			Min	I	-245.3	0.0	0.0	-15.2
0.0	0.0				J	-245.3	0.0	0.0	-15.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	142.0	0.0	0.0	8.0
0.0	0.0				J	142.0	0.0	0.0	8.0
0.0	0.0			Min	I	-362.5	0.0	0.0	-7.5
0.0	0.0				J	-362.5	0.0	0.0	-7.5
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	90.9	0.0	0.0	6.1
0.0	0.0				J	90.9	0.0	0.0	6.1
0.0	0.0			Min	I	-128.9	0.0	0.0	-9.3
0.0	0.0				J	-128.9	0.0	0.0	-9.3
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	72.1	0.0	0.0	4.8
0.0	0.0				J	72.1	0.0	0.0	4.8
0.0	0.0			Min	I	-190.0	0.0	0.0	-4.2
0.0	0.0				J	-190.0	0.0	0.0	-4.2
0.0	0.0								
0.0	0.0			G1	I	-122.4	0.0	-1.5	0.1
0.0	0.0				J	-122.4	0.0	1.5	0.1
0.0	0.0								
0.0	0.0			G2	I	-51.6	0.0	0.0	-2.3
0.0	0.0				J	-51.6	0.0	0.0	-2.3
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	9.9	0.0	0.0	-0.0
0.0	0.0				J	9.9	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			Q5_pc Y	I	-20.2	0.0	0.0	0.5
0.0	0.0				J	-20.2	0.0	0.0	0.5
0.0	0.0								
0.0	0.0			Q5_ps X	I	12.4	0.0	0.0	0.0
0.0	0.0				J	12.4	0.0	0.0	0.0
0.0	0.0								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps Y	I	-25.3	0.0	0.0	0.3
0.0	0.0		J	-25.3	0.0	0.0	0.3
0.0	0.0	INVSLE Max	I	94.5	0.0	-2.0	17.3
0.0	0.0		J	94.5	0.0	2.0	17.3
0.0	0.0	Min	I	-669.4	0.0	-2.0	-17.3
0.0	0.0		J	-669.4	0.0	2.0	-17.3
0.0	0.0	INVSLE Max	I	72.9	0.0	-1.5	13.4
0.0	0.0		J	72.9	0.0	1.5	13.4
0.0	0.0	Min	I	-490.3	0.0	-1.5	-12.2
0.0	0.0		J	-490.3	0.0	1.5	-12.2
8292	2	66 C1-C2;~1 Max	I	176.2	0.0	0.0	30.2
0.0	0.0		J	176.2	0.0	0.0	30.2
0.0	0.0	Min	I	-245.3	0.0	0.0	-9.1
0.0	0.0		J	-245.3	0.0	0.0	-9.1
0.0	0.0	C3-C4;~1 Max	I	141.9	0.0	0.0	27.3
0.0	0.0		J	141.9	0.0	0.0	27.3
0.0	0.0	Min	I	-362.5	0.0	0.0	-9.8
0.0	0.0		J	-362.5	0.0	0.0	-9.8
0.0	0.0	C1-C2;~2 Max	I	90.7	0.0	0.0	17.7
0.0	0.0		J	90.7	0.0	0.0	17.7
0.0	0.0	Min	I	-128.9	0.0	0.0	-4.9
0.0	0.0		J	-128.9	0.0	0.0	-4.9
0.0	0.0	C3-C4;~2 Max	I	72.1	0.0	0.0	16.4
0.0	0.0		J	72.1	0.0	0.0	16.4
0.0	0.0	Min	I	-190.0	0.0	0.0	-5.2
0.0	0.0		J	-190.0	0.0	0.0	-5.2
0.0	0.0	G1	I	-122.6	0.0	-1.6	7.8
0.0	0.0		J	-122.6	0.0	1.6	7.8
0.0	0.0	G2	I	-51.6	0.0	0.0	3.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-51.6	0.0	0.0	3.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	10.0	0.0	0.0	0.8
0.0	0.0		J	10.0	0.0	0.0	0.8
0.0	0.0						
		Q5_pc Y	I	-20.2	0.0	0.0	-2.0
0.0	0.0		J	-20.2	0.0	0.0	-2.0
0.0	0.0						
		Q5_ps X	I	12.4	0.0	0.0	1.1
0.0	0.0		J	12.4	0.0	0.0	1.1
0.0	0.0						
		Q5_ps Y	I	-25.4	0.0	0.0	-2.5
0.0	0.0		J	-25.4	0.0	0.0	-2.5
0.0	0.0						
		INVSLE Max	I	93.8	0.0	-2.1	59.3
0.0	0.0		J	93.8	0.0	2.1	59.3
0.0	0.0						
		Min	I	-669.9	0.0	-2.1	1.7
0.0	0.0		J	-669.9	0.0	2.1	1.7
0.0	0.0						
		INVSLE Max	I	72.3	0.0	-1.6	44.1
0.0	0.0		J	72.3	0.0	1.6	44.1
0.0	0.0						
		Min	I	-490.6	0.0	-1.6	1.7
0.0	0.0		J	-490.6	0.0	1.6	1.7
0.0	0.0						
8293	2	66 C1-C2;~1 Max	I	375.9	0.1	0.0	7.7
6.2	175.1		J	375.9	0.1	0.0	7.7
0.0	0.0						
		Min	I	-173.8	-0.2	-0.0	-13.1
-19.4	-554.5		J	-173.8	-0.2	-0.0	-13.1
0.0	0.0						
		C3-C4;~1 Max	I	500.4	0.1	0.0	5.8
6.3	259.6		J	500.4	0.1	0.0	5.8
0.0	0.0						
		Min	I	-184.7	-0.1	-0.0	-13.0
-15.7	-445.3		J	-184.7	-0.1	-0.0	-13.0
0.0	0.0						
		C1-C2;~2 Max	I	201.7	0.0	0.0	4.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.4	106.3			J	201.7	0.0	0.0	4.1
0.0	0.0							
			Min	I	-85.1	-0.1	-0.0	-8.2
-11.5	-319.9			J	-85.1	-0.1	-0.0	-8.2
0.0	0.0							
			C3-C4;~2 Max	I	266.9	0.1	0.0	3.1
3.4	157.9			J	266.9	0.1	0.0	3.1
0.0	0.0							
			Min	I	-91.1	-0.1	-0.0	-7.9
-9.4	-256.7			J	-91.1	-0.1	-0.0	-7.9
0.0	0.0							
			G1	I	200.5	-0.1	1.7	-0.5
9620.1	-327.6			J	200.5	-0.1	4.6	-0.5
0.0	0.0							
			G2	I	79.4	-0.0	-0.0	1.0
-2.6	-126.8			J	79.4	-0.0	-0.0	1.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-8.6	0.0	-0.0	-0.3
-0.4	41.3			J	-8.6	0.0	-0.0	-0.3
0.0	0.0							
			Q5_pc Y	I	10.8	-0.0	0.0	0.4
1.2	-44.7			J	10.8	-0.0	0.0	0.4
0.0	0.0							
			Q5_ps X	I	-10.5	0.0	-0.0	-0.4
-0.5	37.0			J	-10.5	0.0	-0.0	-0.4
0.0	0.0							
			Q5_ps Y	I	15.4	-0.0	0.0	0.6
1.4	-37.6			J	15.4	-0.0	0.0	0.6
0.0	0.0							
			INVSLE Max	I	887.0	-0.1	2.2	8.1
2995.6	-279.3			J	887.0	-0.1	6.2	8.1
0.0	0.0							
			Min	I	-57.4	-0.5	2.2	-20.9
2958.6	-1458.8			J	-57.4	-0.5	6.2	-20.9
0.0	0.0							
			INVSLE Max	I	647.1	-0.1	1.7	5.7
9626.4	-212.2			J	647.1	-0.1	4.6	5.7
0.0	0.0							
			Min	I	-51.0	-0.3	1.6	-15.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


9599.2	-1080.0			J	-51.0	-0.3	4.6	-15.7		
0.0	0.0									
8294	2	66	C1-C2;~1	Max	I	324.2	0.2	0.0	6.1	
0.0	0.0				J	324.2	0.2	0.0	6.1	
25.2	173.4			Min	I	-149.8	-0.1	-0.0	-16.1	
0.0	0.0				J	-149.8	-0.1	-0.0	-16.1	
-6.7	-550.4									
				C3-C4;~1	Max	I	413.0	0.1	0.0	5.9
0.0	0.0				J	413.0	0.1	0.0	5.9	
20.6	273.0			Min	I	-165.1	-0.1	-0.0	-15.8	
0.0	0.0				J	-165.1	-0.1	-0.0	-15.8	
-7.2	-406.0									
				C1-C2;~2	Max	I	177.9	0.1	0.0	3.1
0.0	0.0				J	177.9	0.1	0.0	3.1	
14.6	101.9			Min	I	-73.8	-0.0	-0.0	-9.7	
0.0	0.0				J	-73.8	-0.0	-0.0	-9.7	
-3.5	-322.1									
				C3-C4;~2	Max	I	224.7	0.1	0.0	3.1
0.0	0.0				J	224.7	0.1	0.0	3.1	
12.1	163.7			Min	I	-82.9	-0.0	-0.0	-9.4	
0.0	0.0				J	-82.9	-0.0	-0.0	-9.4	
-3.7	-234.8									
				G1	I	171.0	0.1	-4.5	-4.3	
0.0	0.0				J	171.0	0.1	-1.4	-4.3	
9631.6	-231.8									
				G2	I	67.1	0.0	-0.0	-0.7	
0.0	0.0				J	67.1	0.0	-0.0	-0.7	
4.3	-88.1									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-6.4	-0.0	-0.0	-0.4
0.0	0.0				J	-6.4	-0.0	-0.0	-0.4	
0.3	42.3									
				Q5_pc	Y	I	9.2	0.0	0.0	0.8
0.0	0.0				J	9.2	0.0	0.0	0.8	
-1.1	-50.1									
				Q5_ps	X	I	-7.5	-0.0	-0.0	-0.5

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-7.5	-0.0	-0.0	-0.5	
0.4	37.5								
0.0	0.0	Q5_ps	Y	I	11.5	0.0	0.0	1.1	
-1.2	-41.9			J	11.5	0.0	0.0	1.1	
0.0	0.0	INVSLE	Max	I	766.5	0.4	-6.1	-10.1	
3042.3	47.7			J	766.5	0.4	-1.8	-10.1	1
0.0	0.0		Min	I	-30.6	-0.0	-6.1	-41.5	
2996.7	-1153.9			J	-30.6	-0.0	-1.9	-41.5	1
0.0	0.0	INVSLE	Max	I	561.0	0.3	-4.5	-8.1	
9660.7	31.1			J	561.0	0.3	-1.4	-8.1	
0.0	0.0		Min	I	-28.2	-0.0	-4.5	-31.3	
9627.1	-852.3			J	-28.2	-0.0	-1.4	-31.3	
8295	2	66	C1-C2;~1	Max	I	176.8	0.0	0.0	7.5
0.0	0.0			J	176.8	0.0	0.0	7.5	
0.0	0.0		Min	I	-175.6	0.0	0.0	-18.3	
0.0	0.0			J	-175.6	-0.0	-0.0	-18.3	
0.0	0.0		C3-C4;~1	Max	I	151.0	0.0	0.0	6.6
0.0	0.0			J	151.0	0.0	0.0	6.6	
0.0	0.0		Min	I	-254.6	0.0	0.0	-10.0	
0.0	0.0			J	-254.6	-0.0	-0.0	-10.0	
0.0	0.0		C1-C2;~2	Max	I	92.1	0.0	0.0	4.4
0.0	0.0			J	92.1	0.0	0.0	4.4	
0.0	0.0		Min	I	-92.9	0.0	0.0	-10.7	
0.0	0.0			J	-92.9	-0.0	-0.0	-10.7	
0.0	0.0		C3-C4;~2	Max	I	77.4	0.0	0.0	3.7
0.0	0.0			J	77.4	0.0	0.0	3.7	
0.0	0.0		Min	I	-133.7	0.0	0.0	-5.6	
0.0	0.0			J	-133.7	-0.0	-0.0	-5.6	
0.0	0.0		G1	I	-39.1	0.0	-1.5	-2.5	
0.0	0.0			J	-39.1	-0.0	1.5	-2.5	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
			G2	I	-18.1	0.0	0.0	-3.4
0.0	0.0			J	-18.1	-0.0	0.0	-3.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.1	0.0	0.0	0.1
0.0	0.0			J	7.1	0.0	-0.0	0.1
0.0	0.0							
			Q5_pc Y	I	-17.8	0.0	0.0	0.2
0.0	0.0			J	-17.8	0.0	-0.0	0.2
0.0	0.0							
			Q5_ps X	I	8.8	0.0	0.0	0.1
0.0	0.0			J	8.8	0.0	-0.0	0.1
0.0	0.0							
			Q5_ps Y	I	-20.6	0.0	0.0	0.1
0.0	0.0			J	-20.6	0.0	0.0	0.1
0.0	0.0							
			INVSLE Max	I	201.7	0.0	-2.0	15.8
0.0	0.0			J	201.7	0.0	2.0	15.8
0.0	0.0							
			Min	I	-412.8	0.0	-2.0	-19.5
0.0	0.0			J	-412.8	-0.0	2.0	-19.5
0.0	0.0							
			INVSLE Max	I	149.9	0.0	-1.5	12.6
0.0	0.0			J	149.9	0.0	1.5	12.6
0.0	0.0							
			Min	I	-302.9	0.0	-1.5	-13.5
0.0	0.0			J	-302.9	-0.0	1.5	-13.5
0.0	0.0							
8296	2	66	C1-C2;~1 Max	I	176.6	0.0	0.0	34.5
0.0	0.0			J	176.6	0.0	0.0	34.5
0.0	0.0							
			Min	I	-175.7	0.0	0.0	-9.2
0.0	0.0			J	-175.7	0.0	0.0	-9.2
0.0	0.0							
			C3-C4;~1 Max	I	151.0	0.0	0.0	31.7
0.0	0.0			J	151.0	0.0	0.0	31.7
0.0	0.0							
			Min	I	-254.7	0.0	0.0	-10.1
0.0	0.0			J	-254.7	0.0	0.0	-10.1

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	91.9	0.0	0.0	20.1
0.0	0.0		J	91.9	0.0	0.0	20.1
0.0	0.0	Min	I	-92.9	0.0	0.0	-4.7
0.0	0.0		J	-92.9	0.0	0.0	-4.7
0.0	0.0	C3-C4;~2 Max	I	77.3	0.0	0.0	18.8
0.0	0.0		J	77.3	0.0	0.0	18.8
0.0	0.0	Min	I	-133.7	0.0	0.0	-5.1
0.0	0.0		J	-133.7	0.0	0.0	-5.1
0.0	0.0	G1	I	-39.3	0.0	-1.6	12.3
0.0	0.0		J	-39.3	0.0	1.6	12.3
0.0	0.0	G2	I	-18.1	0.0	0.0	4.9
0.0	0.0		J	-18.1	0.0	0.0	4.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.2	0.0	0.0	0.7
0.0	0.0		J	7.2	0.0	0.0	0.7
0.0	0.0	Q5_pc Y	I	-17.8	0.0	0.0	-1.8
0.0	0.0		J	-17.8	0.0	0.0	-1.8
0.0	0.0	Q5_ps X	I	8.9	0.0	0.0	0.9
0.0	0.0		J	8.9	0.0	0.0	0.9
0.0	0.0	Q5_ps Y	I	-20.7	0.0	0.0	-2.3
0.0	0.0		J	-20.7	0.0	0.0	-2.3
0.0	0.0	INVSLU Max	I	201.2	0.0	-2.1	82.9
0.0	0.0		J	201.2	0.0	2.1	82.9
0.0	0.0	Min	I	-413.1	0.0	-2.1	19.4
0.0	0.0		J	-413.1	0.0	2.1	19.4
0.0	0.0	INVSLE Max	I	149.5	0.0	-1.6	61.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	149.5	0.0	1.6	61.9	
0.0	0.0		Min	I	-303.1	0.0	-1.6	15.1	
0.0	0.0			J	-303.1	0.0	1.6	15.1	
0.0	0.0								
8297	2	66	C1-C2;~1	Max	I	324.2	0.1	0.0	6.7
6.3	173.4				J	324.2	0.1	0.0	6.7
0.0	0.0		Min	I	-149.9	-0.2	-0.0	-12.2	
-23.7	-550.4			J	-149.9	-0.2	-0.0	-12.2	
0.0	0.0								
			C3-C4;~1	Max	I	413.0	0.1	0.0	4.4
6.8	273.0				J	413.0	0.1	0.0	4.4
0.0	0.0		Min	I	-165.1	-0.1	-0.0	-12.1	
-19.3	-406.0			J	-165.1	-0.1	-0.0	-12.1	
0.0	0.0								
			C1-C2;~2	Max	I	177.9	0.0	0.0	3.5
3.3	101.9				J	177.9	0.0	0.0	3.5
0.0	0.0		Min	I	-73.8	-0.1	-0.0	-7.5	
-13.7	-322.1			J	-73.8	-0.1	-0.0	-7.5	
0.0	0.0								
			C3-C4;~2	Max	I	224.7	0.1	0.0	2.2
3.5	163.7				J	224.7	0.1	0.0	2.2
0.0	0.0		Min	I	-82.9	-0.1	-0.0	-7.3	
-11.3	-234.8			J	-82.9	-0.1	-0.0	-7.3	
0.0	0.0								
			G1	I	171.0	-0.1	1.7	-2.3	
9616.9	-231.8			J	171.0	-0.1	4.6	-2.3	
0.0	0.0								
			G2	I	67.1	-0.0	-0.0	0.4	
-4.0	-88.1			J	67.1	-0.0	-0.0	0.4	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-6.4	0.0	-0.0	-0.3
-0.3	42.3			J	-6.4	0.0	-0.0	-0.3	
0.0	0.0								
			Q5_pc	Y	I	9.2	-0.0	0.0	0.6
1.0	-50.1			J	9.2	-0.0	0.0	0.6	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-0.4	37.5	Q5_ps X	I	-7.5	0.0	-0.0	-0.4	
0.0	0.0		J	-7.5	0.0	-0.0	-0.4	
1.2	-41.9	Q5_ps Y	I	11.5	-0.0	0.0	0.8	
0.0	0.0		J	11.5	-0.0	0.0	0.8	
2988.5	47.7	INVS LU Max	I	766.5	0.0	2.2	-5.7	1
0.0	0.0		J	766.5	0.0	6.2	-5.7	
2945.6	-1153.9	Min	I	-30.6	-0.4	2.2	-32.1	1
0.0	0.0		J	-30.6	-0.4	6.2	-32.1	
9621.2	31.1	INVS LE Max	I	561.0	0.0	1.7	-4.9	
0.0	0.0		J	561.0	0.0	4.6	-4.9	
9589.6	-852.3	Min	I	-28.2	-0.3	1.6	-24.4	
0.0	0.0		J	-28.2	-0.3	4.6	-24.4	
8298	2	66 C1-C2;~1 Max	I	256.0	0.2	0.0	5.4	
0.0	0.0		J	256.0	0.2	0.0	5.4	
27.3	205.8	Min	I	-126.6	-0.1	-0.0	-17.3	
0.0	0.0		J	-126.6	-0.1	-0.0	-17.3	
-7.1	-496.9							
0.0	0.0	C3-C4;~1 Max	I	309.5	0.1	0.0	5.4	
22.5	302.0		J	309.5	0.1	0.0	5.4	
0.0	0.0	Min	I	-153.6	-0.1	-0.0	-16.7	
-7.9	-374.5		J	-153.6	-0.1	-0.0	-16.7	
0.0	0.0	C1-C2;~2 Max	I	143.5	0.1	0.0	2.6	
15.7	118.3		J	143.5	0.1	0.0	2.6	
0.0	0.0	Min	I	-65.1	-0.0	-0.0	-10.3	
-3.6	-295.0		J	-65.1	-0.0	-0.0	-10.3	
0.0	0.0	C3-C4;~2 Max	I	171.8	0.1	0.0	2.7	
13.1	176.8		J	171.8	0.1	0.0	2.7	
0.0	0.0	Min	I	-76.9	-0.1	-0.0	-10.0	
-3.9	-218.9		J	-76.9	-0.1	-0.0	-10.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G1	I	113.8	0.0	-4.5	-6.1
0.0	0.0			J	113.8	0.0	-1.4	-6.1
9633.1	-131.2							
			G2	I	43.9	0.0	-0.0	-1.5
0.0	0.0			J	43.9	0.0	-0.0	-1.5
4.8	-51.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-4.1	-0.0	-0.0	-0.4
0.0	0.0			J	-4.1	-0.0	-0.0	-0.4
0.2	44.9							
			Q5_pc Y	I	8.4	0.0	0.0	0.8
0.0	0.0			J	8.4	0.0	0.0	0.8
-0.9	-65.8							
			Q5_ps X	I	-4.2	-0.0	-0.0	-0.5
0.0	0.0			J	-4.2	-0.0	-0.0	-0.5
0.3	40.8							
			Q5_ps Y	I	8.3	0.0	0.0	1.0
0.0	0.0			J	8.3	0.0	0.0	1.0
-1.0	-58.6							
			INVSLU Max	I	566.6	0.3	-6.1	-18.5
0.0	0.0			J	566.6	0.3	-1.8	-18.5
3046.7	330.8							1
			Min	I	-73.7	-0.1	-6.1	-50.5
0.0	0.0			J	-73.7	-0.1	-1.9	-50.5
2997.6	-866.1							1
			INVSLE Max	I	415.9	0.2	-4.5	-14.5
0.0	0.0			J	415.9	0.2	-1.4	-14.5
9663.9	238.9							
			Min	I	-57.2	-0.1	-4.5	-38.1
0.0	0.0			J	-57.2	-0.1	-1.4	-38.1
9627.7	-638.9							
8299	2	66	C1-C2;~1 Max	I	200.5	0.0	0.0	6.8
0.0	0.0			J	200.5	0.0	0.0	6.8
0.0	0.0							
			Min	I	-114.9	0.0	0.0	-20.6
0.0	0.0			J	-114.9	-0.0	-0.0	-20.6
0.0	0.0							
			C3-C4;~1 Max	I	210.5	0.0	0.0	6.3
0.0	0.0			J	210.5	0.0	0.0	6.3
0.0	0.0							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-169.4	0.0	0.0	-11.5	
0.0	0.0			J	-169.4	-0.0	-0.0	-11.5	
0.0	0.0		C1-C2;~2	Max	I	109.5	0.0	0.0	3.8
0.0	0.0			J	109.5	0.0	0.0	3.8	
0.0	0.0			Min	I	-59.2	0.0	0.0	-11.9
0.0	0.0			J	-59.2	-0.0	-0.0	-11.9	
0.0	0.0		C3-C4;~2	Max	I	114.6	0.0	0.0	3.3
0.0	0.0			J	114.6	0.0	0.0	3.3	
0.0	0.0			Min	I	-89.4	0.0	0.0	-6.4
0.0	0.0			J	-89.4	-0.0	-0.0	-6.4	
0.0	0.0		G1	I	47.5	0.0	-1.5	-3.7	
0.0	0.0			J	47.5	-0.0	1.5	-3.7	
0.0	0.0		G2	I	16.8	0.0	0.0	-3.9	
0.0	0.0			J	16.8	-0.0	0.0	-3.9	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	X	I	3.9	0.0	0.0	0.1
0.0	0.0			J	3.9	0.0	-0.0	0.1	
0.0	0.0		Q5_pc	Y	I	-15.5	0.0	0.0	0.1
0.0	0.0			J	-15.5	0.0	0.0	0.1	
0.0	0.0		Q5_ps	X	I	4.7	0.0	0.0	0.2
0.0	0.0			J	4.7	0.0	-0.0	0.2	
0.0	0.0		Q5_ps	Y	I	-15.9	0.0	0.0	0.0
0.0	0.0			J	-15.9	0.0	0.0	0.0	
0.0	0.0		INVSLU	Max	I	359.0	0.0	-2.0	18.3
0.0	0.0			J	359.0	0.0	2.0	18.3	
0.0	0.0			Min	I	-181.7	0.0	-2.0	-18.9
0.0	0.0			J	-181.7	-0.0	2.0	-18.9	

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	263.6	0.0	-1.5	14.6
0.0	0.0			J	263.6	0.0	1.5	14.6
0.0	0.0		Min	I	-134.9	0.0	-1.5	-12.9
0.0	0.0			J	-134.9	-0.0	1.5	-12.9
8300	2	66	C1-C2;~1 Max	I	200.3	0.0	0.0	35.4
0.0	0.0			J	200.3	0.0	0.0	35.4
0.0	0.0		Min	I	-115.0	-0.0	-0.0	-9.7
0.0	0.0			J	-115.0	0.0	-0.0	-9.7
0.0	0.0		C3-C4;~1 Max	I	210.6	0.0	0.0	33.7
0.0	0.0			J	210.6	0.0	0.0	33.7
0.0	0.0		Min	I	-169.5	-0.0	-0.0	-10.9
0.0	0.0			J	-169.5	0.0	-0.0	-10.9
0.0	0.0		C1-C2;~2 Max	I	109.4	0.0	0.0	21.2
0.0	0.0			J	109.4	0.0	0.0	21.2
0.0	0.0		Min	I	-59.2	-0.0	-0.0	-4.9
0.0	0.0			J	-59.2	0.0	-0.0	-4.9
0.0	0.0		C3-C4;~2 Max	I	114.6	0.0	0.0	19.8
0.0	0.0			J	114.6	0.0	0.0	19.8
0.0	0.0		Min	I	-89.5	-0.0	-0.0	-5.4
0.0	0.0			J	-89.5	0.0	-0.0	-5.4
0.0	0.0		G1	I	47.5	-0.0	-1.6	13.6
0.0	0.0			J	47.5	0.0	1.6	13.6
0.0	0.0		G2	I	16.8	-0.0	0.0	5.5
0.0	0.0			J	16.8	0.0	0.0	5.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	3.9	0.0	-0.0	0.6
0.0	0.0			J	3.9	0.0	-0.0	0.6

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	-15.5	0.0	0.0	-1.6
				J	-15.5	0.0	0.0	-1.6
0.0	0.0	Q5_ps	X	I	4.8	0.0	-0.0	0.8
				J	4.8	0.0	-0.0	0.8
0.0	0.0	Q5_ps	Y	I	-15.9	0.0	0.0	-2.0
				J	-15.9	0.0	0.0	-2.0
0.0	0.0	INVSLU	Max	I	359.0	0.0	-2.1	90.3
				J	359.0	0.0	2.1	90.3
0.0	0.0		Min	I	-182.0	-0.0	-2.1	24.9
				J	-182.0	0.0	2.1	24.9
0.0	0.0	INVSLE	Max	I	263.6	0.0	-1.6	67.4
				J	263.6	0.0	1.6	67.4
0.0	0.0		Min	I	-135.1	-0.0	-1.6	19.1
				J	-135.1	0.0	1.6	19.1
8301	2	66	C1-C2;~1	Max	I	256.0	0.1	0.0
6.7	205.8			J	256.0	0.1	0.0	5.7
0.0	0.0		Min	I	-126.6	-0.2	-0.0	-12.7
-25.6	-496.9			J	-126.6	-0.2	-0.0	-12.7
0.0	0.0							
7.4	302.0		C3-C4;~1	Max	I	309.4	0.1	0.0
				J	309.4	0.1	0.0	3.8
0.0	0.0		Min	I	-153.6	-0.1	-0.0	-12.3
-21.1	-374.5			J	-153.6	-0.1	-0.0	-12.3
0.0	0.0							
3.4	118.3		C1-C2;~2	Max	I	143.5	0.0	0.0
				J	143.5	0.0	0.0	2.9
0.0	0.0		Min	I	-65.1	-0.1	-0.0	-7.8
-14.8	-295.0			J	-65.1	-0.1	-0.0	-7.8
0.0	0.0							
3.7	176.8		C3-C4;~2	Max	I	171.8	0.1	0.0
				J	171.8	0.1	0.0	1.9
0.0	0.0		Min	I	-76.9	-0.1	-0.0	-7.5
-12.3	-218.9							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-76.9	-0.1	-0.0	-7.5	
9615.9	-131.2	G1	I	113.8	-0.0	1.7	-3.9	
0.0	0.0		J	113.8	-0.0	4.6	-3.9	
-4.5	-51.4	G2	I	43.9	-0.0	-0.0	-0.2	
0.0	0.0		J	43.9	-0.0	-0.0	-0.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.2	44.9	Q5_pc X	I	-4.1	0.0	-0.0	-0.3	
0.0	0.0		J	-4.1	0.0	-0.0	-0.3	
0.8	-65.8	Q5_pc Y	I	8.4	-0.0	0.0	0.5	
0.0	0.0		J	8.4	-0.0	0.0	0.5	
-0.3	40.8	Q5_ps X	I	-4.2	0.0	-0.0	-0.4	
0.0	0.0		J	-4.2	0.0	-0.0	-0.4	
1.0	-58.6	Q5_ps Y	I	8.3	-0.0	0.0	0.8	
0.0	0.0		J	8.3	-0.0	0.0	0.8	
2988.1	330.8	INVS LU Max	I	566.6	0.1	2.2	-14.1	1
0.0	0.0		J	566.6	0.1	6.2	-14.1	
2942.1	-866.1	Min	I	-73.7	-0.3	2.2	-39.9	1
0.0	0.0		J	-73.7	-0.3	6.2	-39.9	
9621.0	238.9	INVS LE Max	I	415.9	0.1	1.7	-11.3	
0.0	0.0		J	415.9	0.1	4.6	-11.3	
9587.0	-638.9	Min	I	-57.2	-0.2	1.6	-30.3	
0.0	0.0		J	-57.2	-0.2	4.6	-30.3	
8302	2	66 C1-C2;~1 Max	I	212.5	0.2	0.0	4.9	
0.0	0.0		J	212.5	0.2	0.0	4.9	
27.9	248.3	Min	I	-127.1	-0.1	-0.0	-17.1	
0.0	0.0		J	-127.1	-0.1	-0.0	-17.1	
-8.9	-504.9							
		C3-C4;~1 Max	I	220.1	0.1	0.0	5.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	220.1	0.1	0.0	5.1	
23.3	340.1		Min	I	-190.7	-0.1	-0.0	-16.1	
0.0	0.0			J	-190.7	-0.1	-0.0	-16.1	
-10.0	-392.2		C1-C2;~2	Max	I	117.9	0.1	0.0	2.4
0.0	0.0			J	117.9	0.1	0.0	2.4	
16.0	135.2		Min	I	-62.8	-0.0	-0.0	-10.3	
0.0	0.0			J	-62.8	-0.0	-0.0	-10.3	
-4.6	-302.9		C3-C4;~2	Max	I	122.4	0.1	0.0	2.5
0.0	0.0			J	122.4	0.1	0.0	2.5	
13.4	189.4		Min	I	-97.0	-0.1	-0.0	-9.7	
0.0	0.0			J	-97.0	-0.1	-0.0	-9.7	
-5.1	-232.0								
0.0	0.0		G1	I	36.8	0.0	-4.5	-6.4	
0.0	0.0			J	36.8	0.0	-1.4	-6.4	
9632.5	-45.5								
0.0	0.0		G2	I	13.0	0.0	-0.0	-1.6	
0.0	0.0			J	13.0	0.0	-0.0	-1.6	
4.5	-17.1								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-0.6	-0.0	-0.0	-0.4
0.0	0.0			J	-0.6	-0.0	-0.0	-0.4	
0.2	41.9								
0.0	0.0		Q5_pc	Y	I	8.1	0.0	0.0	0.7
0.0	0.0			J	8.1	0.0	0.0	0.7	
-0.8	-72.0								
0.0	0.0		Q5_ps	X	I	0.2	-0.0	-0.0	-0.5
0.0	0.0			J	0.2	-0.0	-0.0	-0.5	
0.3	38.1								
0.0	0.0		Q5_ps	Y	I	5.5	0.0	0.0	1.0
0.0	0.0			J	5.5	0.0	0.0	1.0	
-0.9	-65.2								
0.0	0.0		INVSLU	Max	I	351.6	0.2	-6.1	-19.0
0.0	0.0			J	351.6	0.2	-1.8	-19.0	1
3044.2	641.8		Min	I	-217.5	-0.2	-6.1	-50.3	


MIDAS

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-217.5	-0.2	-1.9	-50.3	1
2991.6	-628.7								
			INVSLE Max	I	259.8	0.1	-4.5	-14.9	
0.0	0.0			J	259.8	0.1	-1.4	-14.9	
9662.0	473.2		Min	I	-160.7	-0.1	-4.5	-38.0	
0.0	0.0			J	-160.7	-0.1	-1.4	-38.0	
9623.2	-458.3								
8303	2	66	C1-C2;~1 Max	I	225.0	0.0	0.0	7.2	
0.0	0.0			J	225.0	0.0	0.0	7.2	
0.0	0.0		Min	I	-88.3	0.0	-0.0	-20.6	
0.0	0.0			J	-88.3	0.0	-0.0	-20.6	
0.0	0.0								
			C3-C4;~1 Max	I	279.6	0.0	0.0	6.9	
0.0	0.0			J	279.6	0.0	0.0	6.9	
0.0	0.0		Min	I	-108.7	0.0	-0.0	-11.1	
0.0	0.0			J	-108.7	0.0	-0.0	-11.1	
0.0	0.0								
			C1-C2;~2 Max	I	127.3	0.0	0.0	4.1	
0.0	0.0			J	127.3	0.0	0.0	4.1	
0.0	0.0		Min	I	-45.4	0.0	-0.0	-11.8	
0.0	0.0			J	-45.4	0.0	-0.0	-11.8	
0.0	0.0								
			C3-C4;~2 Max	I	155.5	0.0	0.0	3.7	
0.0	0.0			J	155.5	0.0	0.0	3.7	
0.0	0.0		Min	I	-57.3	0.0	-0.0	-6.1	
0.0	0.0			J	-57.3	0.0	-0.0	-6.1	
0.0	0.0								
			G1	I	121.3	0.0	-1.5	-2.9	
0.0	0.0			J	121.3	0.0	1.5	-2.9	
0.0	0.0								
			G2	I	46.6	0.0	-0.0	-3.6	
0.0	0.0			J	46.6	0.0	0.0	-3.6	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-0.4	0.0	0.0	0.1	
0.0	0.0								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-0.4	0.0	-0.0	0.1
0.0	0.0	Q5_pc Y	I	-13.0	0.0	-0.0	-0.0
0.0	0.0		J	-13.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-0.4	0.0	0.0	0.1
0.0	0.0		J	-0.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps Y	I	-11.1	0.0	-0.0	-0.1
0.0	0.0		J	-11.1	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	547.5	0.0	-2.0	21.5
0.0	0.0		J	547.5	0.0	2.0	21.5
0.0	0.0	Min	I	-0.1	0.0	-2.0	-16.2
0.0	0.0		J	-0.1	0.0	2.0	-16.2
0.0	0.0	INVS LE Max	I	400.7	0.0	-1.5	17.0
0.0	0.0		J	400.7	0.0	1.5	17.0
0.0	0.0	Min	I	-3.2	0.0	-1.5	-11.0
0.0	0.0		J	-3.2	0.0	1.5	-11.0
8304	2	66 C1-C2;~1 Max	I	225.0	0.0	0.0	37.4
0.0	0.0		J	225.0	0.0	0.0	37.4
0.0	0.0	Min	I	-88.4	-0.0	0.0	-12.8
0.0	0.0		J	-88.4	-0.0	0.0	-12.8
0.0	0.0	C3-C4;~1 Max	I	279.6	0.0	0.0	35.4
0.0	0.0		J	279.6	0.0	0.0	35.4
0.0	0.0	Min	I	-108.8	-0.0	0.0	-14.4
0.0	0.0		J	-108.8	-0.0	0.0	-14.4
0.0	0.0	C1-C2;~2 Max	I	127.3	0.0	0.0	22.2
0.0	0.0		J	127.3	0.0	0.0	22.2
0.0	0.0	Min	I	-45.5	-0.0	0.0	-6.6
0.0	0.0		J	-45.5	-0.0	0.0	-6.6
0.0	0.0	C3-C4;~2 Max	I	155.5	0.0	0.0	20.8
0.0	0.0		J	155.5	0.0	0.0	20.8

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-57.3	-0.0	0.0	-7.3
0.0	0.0			J	-57.3	-0.0	0.0	-7.3
0.0	0.0		G1	I	121.3	0.0	-1.6	12.9
0.0	0.0			J	121.3	0.0	1.6	12.9
0.0	0.0		G2	I	46.6	0.0	0.0	5.2
0.0	0.0			J	46.6	0.0	0.0	5.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-0.4	-0.0	0.0	0.4
0.0	0.0			J	-0.4	0.0	0.0	0.4
0.0	0.0		Q5_pc Y	I	-13.1	-0.0	0.0	-1.5
0.0	0.0			J	-13.1	0.0	0.0	-1.5
0.0	0.0		Q5_ps X	I	-0.3	-0.0	0.0	0.7
0.0	0.0			J	-0.3	0.0	0.0	0.7
0.0	0.0		Q5_ps Y	I	-11.1	-0.0	0.0	-1.9
0.0	0.0			J	-11.1	0.0	0.0	-1.9
0.0	0.0		INVSLU Max	I	547.7	0.0	-2.1	88.6
0.0	0.0			J	547.7	0.0	2.1	88.6
0.0	0.0		Min	I	-0.2	-0.0	-2.1	15.9
0.0	0.0			J	-0.2	-0.0	2.1	15.9
0.0	0.0		INVSLE Max	I	400.8	0.0	-1.6	66.0
0.0	0.0			J	400.8	0.0	1.6	66.0
0.0	0.0		Min	I	-3.3	-0.0	-1.6	12.4
0.0	0.0			J	-3.3	-0.0	1.6	12.4
8305	2	66	C1-C2;~1 Max	I	212.5	0.1	0.0	5.0
8.4	248.3			J	212.5	0.1	0.0	5.0
0.0	0.0		Min	I	-127.0	-0.2	-0.0	-12.4
-26.2	-504.9			J	-127.0	-0.2	-0.0	-12.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
9.4	340.1	C3-C4;~1	Max	I	220.1	0.1	0.0	3.1
0.0	0.0			J	220.1	0.1	0.0	3.1
-21.9	-392.2		Min	I	-190.7	-0.1	-0.0	-11.4
0.0	0.0			J	-190.7	-0.1	-0.0	-11.4
4.3	135.2	C1-C2;~2	Max	I	117.9	0.0	0.0	2.6
0.0	0.0			J	117.9	0.0	0.0	2.6
-15.0	-302.9		Min	I	-62.8	-0.1	-0.0	-7.6
0.0	0.0			J	-62.8	-0.1	-0.0	-7.6
4.8	189.4	C3-C4;~2	Max	I	122.4	0.1	0.0	1.5
0.0	0.0			J	122.4	0.1	0.0	1.5
-12.6	-232.0		Min	I	-97.0	-0.1	-0.0	-7.0
0.0	0.0			J	-97.0	-0.1	-0.0	-7.0
9616.8	-45.5		G1	I	36.8	-0.0	1.7	-4.3
0.0	0.0			J	36.8	-0.0	4.6	-4.3
-4.2	-17.1		G2	I	13.0	-0.0	-0.0	-0.4
0.0	0.0			J	13.0	-0.0	-0.0	-0.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.1	41.9		Q5_pc X	I	-0.6	0.0	-0.0	-0.3
0.0	0.0			J	-0.6	0.0	-0.0	-0.3
0.7	-72.0		Q5_pc Y	I	8.1	-0.0	0.0	0.5
0.0	0.0			J	8.1	-0.0	0.0	0.5
-0.3	38.1		Q5_ps X	I	0.2	0.0	-0.0	-0.4
0.0	0.0			J	0.2	0.0	-0.0	-0.4
0.9	-65.2		Q5_ps Y	I	5.5	-0.0	0.0	0.7
0.0	0.0			J	5.5	-0.0	0.0	0.7
2994.2	641.8		INVSLU Max	I	351.6	0.2	2.2	-16.1 1

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	351.6	0.2	6.2	-16.1	
0.0	0.0		Min	I	-217.5	-0.2	2.2	-40.5	1
2944.9	-628.7			J	-217.5	-0.2	6.2	-40.5	
0.0	0.0								
			INVSLE Max	I	259.8	0.2	1.7	-12.8	
9625.6	473.2			J	259.8	0.2	4.6	-12.8	
0.0	0.0		Min	I	-160.6	-0.1	1.6	-30.8	
9589.1	-458.3			J	-160.6	-0.1	4.6	-30.8	
0.0	0.0								
8306	2	66	C1-C2;~1 Max	I	177.7	0.1	0.0	5.1	
0.0	0.0			J	177.7	0.1	0.0	5.1	
23.5	296.0		Min	I	-164.1	-0.1	-0.0	-16.4	
0.0	0.0			J	-164.1	-0.1	-0.0	-16.4	
-8.9	-373.0								
			C3-C4;~1 Max	I	142.3	0.1	0.0	5.5	
0.0	0.0			J	142.3	0.1	0.0	5.5	
18.7	395.5		Min	I	-252.4	-0.1	-0.0	-15.6	
0.0	0.0			J	-252.4	-0.1	-0.0	-15.6	
-10.0	-269.9								
			C1-C2;~2 Max	I	95.6	0.1	0.0	2.6	
0.0	0.0			J	95.6	0.1	0.0	2.6	
13.5	167.2		Min	I	-84.4	-0.1	-0.0	-9.9	
0.0	0.0			J	-84.4	-0.1	-0.0	-9.9	
-4.7	-229.2								
			C3-C4;~2 Max	I	77.6	0.0	0.0	2.8	
0.0	0.0			J	77.6	0.0	0.0	2.8	
10.8	226.4		Min	I	-130.8	-0.1	-0.0	-9.4	
0.0	0.0			J	-130.8	-0.1	-0.0	-9.4	
-5.2	-163.1								
			G1	I	-49.6	-0.0	-4.5	-5.5	
0.0	0.0			J	-49.6	-0.0	-1.4	-5.5	
9628.4	111.3								
			G2	I	-21.7	-0.0	-0.0	-1.2	
0.0	0.0			J	-21.7	-0.0	-0.0	-1.2	
2.8	42.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	4.7	-0.0	-0.0	-0.3	
0.1	31.0		J	4.7	-0.0	-0.0	-0.3	
0.0	0.0	Q5_pc Y	I	8.1	0.0	0.0	0.6	
-0.4	-91.6		J	8.1	0.0	0.0	0.6	
0.0	0.0	Q5_ps X	I	6.3	-0.0	-0.0	-0.5	
0.3	28.5		J	6.3	-0.0	-0.0	-0.5	
0.0	0.0	Q5_ps Y	I	3.2	0.0	0.0	0.9	
-0.6	-85.0		J	3.2	0.0	0.0	0.9	
0.0	0.0	INVS LU Max	I	179.2	0.1	-6.1	-13.4	
3030.6	897.6		J	179.2	0.1	-1.8	-13.4	1
0.0	0.0	Min	I	-416.0	-0.3	-6.1	-43.9	
2984.7	-304.8		J	-416.0	-0.3	-1.9	-43.9	1
0.0	0.0	INVS LE Max	I	135.0	0.1	-4.5	-10.7	
9652.1	655.6		J	135.0	0.1	-1.4	-10.7	
0.0	0.0	Min	I	-304.8	-0.2	-4.5	-33.2	
9618.2	-222.9		J	-304.8	-0.2	-1.4	-33.2	
8307	2	66 C1-C2;~1 Max	I	289.6	0.0	0.0	8.0	
0.0	0.0		J	289.6	0.0	0.0	8.0	
0.0	0.0	Min	I	-111.0	-0.0	-0.0	-19.6	
0.0	0.0		J	-111.0	-0.0	0.0	-19.6	
0.0	0.0	C3-C4;~1 Max	I	373.8	0.0	0.0	7.9	
0.0	0.0		J	373.8	0.0	0.0	7.9	
0.0	0.0	Min	I	-110.0	-0.0	-0.0	-9.7	
0.0	0.0		J	-110.0	-0.0	0.0	-9.7	
0.0	0.0	C1-C2;~2 Max	I	160.5	0.0	0.0	4.6	
0.0	0.0		J	160.5	0.0	0.0	4.6	
0.0	0.0	Min	I	-55.7	-0.0	-0.0	-11.2	
0.0	0.0		J	-55.7	-0.0	0.0	-11.2	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4;~2 Max	I	204.8	0.0	0.0	4.3
			J	204.8	0.0	0.0	4.3
0.0	0.0	Min	I	-56.1	-0.0	-0.0	-5.3
0.0	0.0		J	-56.1	-0.0	0.0	-5.3
0.0	0.0	G1	I	176.0	0.0	-1.5	-0.9
0.0	0.0		J	176.0	0.0	1.5	-0.9
0.0	0.0	G2	I	68.8	-0.0	-0.0	-2.8
0.0	0.0		J	68.8	0.0	0.0	-2.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-6.1	-0.0	0.0	0.0
0.0	0.0		J	-6.1	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-11.5	-0.0	-0.0	-0.1
0.0	0.0		J	-11.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	-6.8	-0.0	0.0	0.0
0.0	0.0		J	-6.8	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-7.3	-0.0	-0.0	-0.1
0.0	0.0		J	-7.3	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	728.8	0.0	-2.0	25.0
			J	728.8	0.0	2.0	25.0
0.0	0.0	Min	I	53.6	-0.0	-2.0	-12.5
0.0	0.0		J	53.6	-0.0	2.0	-12.5
0.0	0.0	INVSLE Max	I	532.3	0.0	-1.5	19.5
0.0	0.0		J	532.3	0.0	1.5	19.5
0.0	0.0	Min	I	33.7	-0.0	-1.5	-8.3
0.0	0.0		J	33.7	-0.0	1.5	-8.3
8308	2	66 C1-C2;~1 Max	I	289.5	0.0	0.0	30.5
0.0	0.0		J	289.5	0.0	0.0	30.5
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-111.0	0.0	-12.4
0.0	0.0			J	-111.0	-0.0	-12.4
0.0	0.0		C3-C4;~1	Max	I	373.9	28.3
0.0	0.0			J	373.9	0.0	28.3
0.0	0.0			Min	I	-110.0	-14.1
0.0	0.0			J	-110.0	-0.0	-14.1
0.0	0.0		C1-C2;~2	Max	I	160.5	18.2
0.0	0.0			J	160.5	0.0	18.2
0.0	0.0			Min	I	-55.7	-6.5
0.0	0.0			J	-55.7	-0.0	-6.5
0.0	0.0		C3-C4;~2	Max	I	204.8	16.7
0.0	0.0			J	204.8	0.0	16.7
0.0	0.0			Min	I	-56.1	-7.2
0.0	0.0			J	-56.1	-0.0	-7.2
0.0	0.0		G1	I	176.1	0.0	6.6
0.0	0.0			J	176.1	1.6	6.6
0.0	0.0		G2	I	68.8	0.0	2.8
0.0	0.0			J	68.8	0.0	2.8
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	-6.1	0.3
0.0	0.0			J	-6.1	-0.0	0.3
0.0	0.0		Q5_pc	Y	I	-11.6	-0.9
0.0	0.0			J	-11.6	0.0	-0.9
0.0	0.0		Q5_ps	X	I	-6.8	0.5
0.0	0.0			J	-6.8	-0.0	0.5
0.0	0.0		Q5_ps	Y	I	-7.4	-1.2
0.0	0.0			J	-7.4	0.0	-1.2


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	INVSLE Max	I	729.1	0.0	-2.1	66.6
0.0	0.0		J	729.1	0.0	2.1	66.6
0.0	0.0	Min	I	53.7	0.0	-2.1	4.9
0.0	0.0		J	53.7	-0.0	2.1	4.9
0.0	0.0	INVSLE Max	I	532.5	0.0	-1.6	49.9
0.0	0.0		J	532.5	0.0	1.6	49.9
0.0	0.0	Min	I	33.8	0.0	-1.6	4.3
0.0	0.0		J	33.8	-0.0	1.6	4.3
8309	2	66 C1-C2;~1 Max	I	177.7	0.1	0.0	4.7
8.3	296.0		J	177.7	0.1	0.0	4.7
0.0	0.0	Min	I	-164.1	-0.1	-0.0	-12.6
-22.0	-373.0		J	-164.1	-0.1	-0.0	-12.6
0.0	0.0	C3-C4;~1 Max	I	142.2	0.1	0.0	3.3
9.4	395.5		J	142.2	0.1	0.0	3.3
0.0	0.0	Min	I	-252.4	-0.1	-0.0	-11.6
-17.6	-269.9		J	-252.4	-0.1	-0.0	-11.6
0.0	0.0	C1-C2;~2 Max	I	95.6	0.1	0.0	2.4
4.4	167.2		J	95.6	0.1	0.0	2.4
0.0	0.0	Min	I	-84.3	-0.1	-0.0	-7.7
-12.7	-229.2		J	-84.3	-0.1	-0.0	-7.7
0.0	0.0	C3-C4;~2 Max	I	77.6	0.1	0.0	1.6
4.9	226.4		J	77.6	0.1	0.0	1.6
0.0	0.0	Min	I	-130.7	-0.1	-0.0	-7.1
-10.2	-163.1		J	-130.7	-0.1	-0.0	-7.1
0.0	0.0	G1	I	-49.6	0.0	1.7	-4.5
9621.0	111.3		J	-49.6	0.0	4.6	-4.5
0.0	0.0	G2	I	-21.7	0.0	-0.0	-0.5
-2.7	42.3		J	-21.7	0.0	-0.0	-0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.1	31.0	Q5_pc X	I	4.7	0.0	-0.0	-0.3	
0.0	0.0		J	4.7	0.0	-0.0	-0.3	
0.4	-91.6	Q5_pc Y	I	8.1	-0.0	0.0	0.5	
0.0	0.0		J	8.1	-0.0	0.0	0.5	
-0.2	28.5	Q5_ps X	I	6.3	0.0	-0.0	-0.5	
0.0	0.0		J	6.3	0.0	-0.0	-0.5	
0.5	-85.0	Q5_ps Y	I	3.2	-0.0	0.0	0.7	
0.0	0.0		J	3.2	-0.0	0.0	0.7	
3001.1	897.6	INVSLE Max	I	179.2	0.3	2.2	-13.2	1
0.0	0.0		J	179.2	0.3	6.2	-13.2	
2958.0	-304.8	Min	I	-415.9	-0.1	2.2	-37.3	1
0.0	0.0		J	-415.9	-0.1	6.2	-37.3	
9630.6	655.6	INVSLE Max	I	135.0	0.2	1.7	-10.6	
0.0	0.0		J	135.0	0.2	4.6	-10.6	
9598.7	-222.9	Min	I	-304.8	-0.1	1.6	-28.4	
0.0	0.0		J	-304.8	-0.1	4.6	-28.4	
8310	2	66 C1-C2;~1 Max	I	155.2	0.1	0.0	6.9	
0.0	0.0		J	155.2	0.1	0.0	6.9	
23.3	417.4	Min	I	-218.3	-0.1	-0.0	-18.3	
0.0	0.0		J	-218.3	-0.1	-0.0	-18.3	
-12.1	-367.2							
0.0	0.0	C3-C4;~1 Max	I	95.5	0.1	0.0	7.8	
18.4	472.0		J	95.5	0.1	0.0	7.8	
0.0	0.0	Min	I	-332.4	-0.1	-0.0	-17.4	
-13.7	-269.6		J	-332.4	-0.1	-0.0	-17.4	
0.0	0.0	C1-C2;~2 Max	I	82.2	0.1	0.0	3.5	
13.6	228.0		J	82.2	0.1	0.0	3.5	
0.0	0.0	Min	I	-114.8	-0.1	-0.0	-11.1	

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-6.5	-228.1		J	-114.8	-0.1	-0.0	-11.1
0.0	0.0	C3-C4;~2 Max	I	49.1	0.0	0.0	4.0
10.8	257.5		J	49.1	0.0	0.0	4.0
0.0	0.0	Min	I	-173.4	-0.1	-0.0	-10.4
-7.2	-163.5		J	-173.4	-0.1	-0.0	-10.4
0.0	0.0	G1	I	-138.7	-0.1	-4.5	-4.7
9623.6	270.0		J	-138.7	-0.1	-1.4	-4.7
0.0	0.0	G2	I	-57.3	-0.0	-0.0	-0.9
0.9	106.3		J	-57.3	-0.0	-0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	12.1	-0.0	-0.0	-0.4
0.2	8.6		J	12.1	-0.0	-0.0	-0.4
0.0	0.0	Q5_pc Y	I	7.6	0.0	0.0	0.4
-0.4	-105.3		J	7.6	0.0	0.0	0.4
0.0	0.0	Q5_ps X	I	14.3	-0.0	-0.0	-0.6
0.3	7.6		J	14.3	-0.0	-0.0	-0.6
0.0	0.0	Q5_ps Y	I	0.6	0.0	0.0	0.8
-0.6	-98.8		J	0.6	0.0	0.0	0.8
0.0	0.0	INVSLE Max	I	39.7	-0.0	-6.0	1.9
3012.9	1380.4		J	39.7	-0.0	-1.8	1.9
0.0	0.0	Min	I	-640.4	-0.4	-6.1	-34.0
2962.3	57.9		J	-640.4	-0.4	-1.9	-34.0
0.0	0.0	INVSLE Max	I	34.1	-0.0	-4.5	1.1
9638.6	1018.4		J	34.1	-0.0	-1.4	1.1
0.0	0.0	Min	I	-468.1	-0.3	-4.5	-25.5
9601.2	52.8		J	-468.1	-0.3	-1.4	-25.5
8311	2	66 C1-C2;~1 Max	I	350.5	0.0	0.0	9.6


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	350.5	0.0	0.0	9.6
0.0	0.0	Min	I	-145.5	0.0	0.0	-17.7
0.0	0.0		J	-145.5	0.0	0.0	-17.7
0.0	0.0	C3-C4;~1 Max	I	471.3	0.0	0.0	9.5
0.0	0.0		J	471.3	0.0	0.0	9.5
0.0	0.0	Min	I	-148.8	0.0	0.0	-7.5
0.0	0.0		J	-148.8	0.0	0.0	-7.5
0.0	0.0	C1-C2;~2 Max	I	188.7	0.0	0.0	5.6
0.0	0.0		J	188.7	0.0	0.0	5.6
0.0	0.0	Min	I	-70.1	0.0	0.0	-10.2
0.0	0.0		J	-70.1	0.0	0.0	-10.2
0.0	0.0	C3-C4;~2 Max	I	251.9	0.0	0.0	5.3
0.0	0.0		J	251.9	0.0	0.0	5.3
0.0	0.0	Min	I	-72.7	0.0	0.0	-4.0
0.0	0.0		J	-72.7	0.0	0.0	-4.0
0.0	0.0	G1	I	204.4	0.0	-1.5	2.1
0.0	0.0		J	204.4	0.0	1.5	2.1
0.0	0.0	G2	I	80.8	0.0	0.0	-1.6
0.0	0.0		J	80.8	0.0	0.0	-1.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-14.1	0.0	0.0	-0.1
0.0	0.0		J	-14.1	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-8.6	0.0	0.0	-0.1
0.0	0.0		J	-8.6	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	-15.4	0.0	0.0	-0.1
0.0	0.0		J	-15.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-2.4	0.0	0.0	-0.1

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-2.4	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	873.0	0.0	-2.0	28.1
0.0	0.0		J	873.0	0.0	2.0	28.1
0.0	0.0	Min	I	10.5	0.0	-2.0	-8.9
0.0	0.0		J	10.5	0.0	2.0	-8.9
0.0	0.0						
0.0	0.0	INVSLE Max	I	636.7	0.0	-1.5	21.6
0.0	0.0		J	636.7	0.0	1.5	21.6
0.0	0.0	Min	I	-0.3	0.0	-1.5	-5.8
0.0	0.0		J	-0.3	0.0	1.5	-5.8
0.0	0.0						
8312	2	66 C1-C2;~1 Max	I	350.5	0.0	0.0	34.3
0.0	0.0		J	350.5	0.0	0.0	34.3
0.0	0.0	Min	I	-145.4	0.0	0.0	-18.6
0.0	0.0		J	-145.4	0.0	-0.0	-18.6
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	471.3	0.0	0.0	31.2
0.0	0.0		J	471.3	0.0	0.0	31.2
0.0	0.0	Min	I	-148.7	0.0	0.0	-21.2
0.0	0.0		J	-148.7	0.0	-0.0	-21.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	188.7	0.0	0.0	20.9
0.0	0.0		J	188.7	0.0	0.0	20.9
0.0	0.0	Min	I	-70.0	0.0	0.0	-10.0
0.0	0.0		J	-70.0	0.0	-0.0	-10.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	251.9	0.0	0.0	18.7
0.0	0.0		J	251.9	0.0	0.0	18.7
0.0	0.0	Min	I	-72.7	0.0	0.0	-11.1
0.0	0.0		J	-72.7	0.0	-0.0	-11.1
0.0	0.0						
0.0	0.0	G1	I	204.6	0.0	-1.6	-0.0
0.0	0.0		J	204.6	0.0	1.6	-0.0
0.0	0.0						
0.0	0.0	G2	I	80.8	0.0	0.0	0.1
0.0	0.0		J	80.8	0.0	0.0	0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-14.1	0.0	0.2
0.0	0.0			J	-14.1	0.0	0.2
0.0	0.0						
			Q5_pc Y	I	-8.6	0.0	-1.0
0.0	0.0			J	-8.6	0.0	-1.0
0.0	0.0						
			Q5_ps X	I	-15.4	0.0	0.5
0.0	0.0			J	-15.4	0.0	0.5
0.0	0.0						
			Q5_ps Y	I	-2.5	0.0	-1.3
0.0	0.0			J	-2.5	0.0	-1.3
0.0	0.0						
			INVSLE Max	I	873.4	0.0	38.5
0.0	0.0			J	873.4	0.0	38.5
0.0	0.0						
			Min	I	11.1	0.0	-38.1
0.0	0.0			J	11.1	0.0	-38.1
0.0	0.0						
			INVSLE Max	I	637.0	0.0	28.1
0.0	0.0			J	637.0	0.0	28.1
0.0	0.0						
			Min	I	0.1	0.0	-28.5
0.0	0.0			J	0.1	0.0	-28.5
0.0	0.0						
8313	2	66	C1-C2;~1 Max	I	155.2	0.1	5.2
11.4	417.4			J	155.2	0.1	5.2
0.0	0.0						
			Min	I	-218.3	-0.1	-14.4
-21.8	-367.2			J	-218.3	-0.1	-14.4
0.0	0.0						
			C3-C4;~1 Max	I	95.5	0.2	4.4
12.8	472.0			J	95.5	0.2	4.4
0.0	0.0						
			Min	I	-332.3	-0.1	-13.4
-17.3	-269.6			J	-332.3	-0.1	-13.4
0.0	0.0						
			C1-C2;~2 Max	I	82.2	0.1	2.7
6.1	228.0			J	82.2	0.1	2.7

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-114.8	-0.1	-0.0	-8.8	
-12.7	-228.1			J	-114.8	-0.1	-0.0	-8.8	
0.0	0.0								
6.7	257.5	C3-C4;~2	Max	I	49.1	0.1	0.0	2.2	
				J	49.1	0.1	0.0	2.2	
0.0	0.0		Min	I	-173.4	-0.1	-0.0	-8.1	
-10.1	-163.5			J	-173.4	-0.1	-0.0	-8.1	
0.0	0.0								
9625.7	270.0		G1	I	-138.7	0.1	1.7	-5.0	
				J	-138.7	0.1	4.6	-5.0	
0.0	0.0								
-0.8	106.3		G2	I	-57.3	0.0	-0.0	-0.6	
				J	-57.3	0.0	-0.0	-0.6	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.2	8.6		Q5_pc X	I	12.1	0.0	-0.0	-0.3	
				J	12.1	0.0	-0.0	-0.3	
0.0	0.0								
0.4	-105.3		Q5_pc Y	I	7.6	-0.0	0.0	0.3	
				J	7.6	-0.0	0.0	0.3	
0.0	0.0								
-0.3	7.6		Q5_ps X	I	14.3	0.0	-0.0	-0.5	
				J	14.3	0.0	-0.0	-0.5	
0.0	0.0								
0.6	-98.8		Q5_ps Y	I	0.6	-0.0	0.0	0.6	
				J	0.6	-0.0	0.0	0.6	
0.0	0.0								
3022.4	1380.4		INVS LU Max	I	39.7	0.4	2.2	-4.8	1
				J	39.7	0.4	6.2	-4.8	
0.0	0.0								
2974.9	57.9		Min	I	-640.3	0.0	2.2	-31.8	1
				J	-640.3	0.0	6.2	-31.8	
0.0	0.0								
9646.7	1018.4		INVS LE Max	I	34.1	0.3	1.7	-4.1	
				J	34.1	0.3	4.6	-4.1	
0.0	0.0								
9611.6	52.8		Min	I	-468.0	0.0	1.6	-24.0	
				J	-468.0	0.0	4.6	-24.0	


MIDAS

PROJECT TITLE :


MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
8314	2	66	C1-C2;~1	Max	I	174.8	0.1	0.0	5.9
0.0	0.0				J	174.8	0.1	0.0	5.9
17.6	513.2								
			Min		I	-274.1	-0.2	-0.0	-13.3
0.0	0.0				J	-274.1	-0.2	-0.0	-13.3
-14.2	-340.0								
			C3-C4;~1	Max	I	104.1	0.1	0.0	7.5
0.0	0.0				J	104.1	0.1	0.0	7.5
13.6	484.8								
			Min		I	-422.1	-0.1	-0.0	-12.4
0.0	0.0				J	-422.1	-0.1	-0.0	-12.4
-15.9	-270.4								
			C1-C2;~2	Max	I	92.5	0.1	0.0	3.0
0.0	0.0				J	92.5	0.1	0.0	3.0
10.5	272.7								
			Min		I	-142.7	-0.1	-0.0	-8.3
0.0	0.0				J	-142.7	-0.1	-0.0	-8.3
-7.6	-212.3								
			C3-C4;~2	Max	I	53.2	0.0	0.0	3.7
0.0	0.0				J	53.2	0.0	0.0	3.7
8.2	261.1								
			Min		I	-220.2	-0.1	-0.0	-7.6
0.0	0.0				J	-220.2	-0.1	-0.0	-7.6
-8.3	-164.2								
			G1		I	-199.3	-0.1	-4.5	0.9
0.0	0.0				J	-199.3	-0.1	-1.4	0.9
9614.6	356.9								
			G2		I	-81.2	-0.0	0.0	1.3
0.0	0.0				J	-81.2	-0.0	0.0	1.3
-2.6	140.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	23.3	0.0	-0.0	-0.1
0.0	0.0				J	23.3	0.0	-0.0	-0.1
0.0	-2.8								
			Q5_pc	Y	I	2.4	0.0	-0.0	-0.7
0.0	0.0				J	2.4	0.0	-0.0	-0.7
0.3	-96.9								
			Q5_ps	X	I	25.6	0.0	-0.0	-0.4
0.0	0.0				J	25.6	0.0	-0.0	-0.4

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.1	-2.2							
			Q5_ps Y	I	-6.0	0.0	-0.0	-0.3
0.0	0.0			J	-6.0	0.0	-0.0	-0.3
0.1	-92.3							
			INVSLU Max	I	-12.2	-0.1	-6.0	15.3
0.0	0.0			J	-12.2	-0.1	-1.8	15.3
2986.2	1532.9		Min	I	-860.0	-0.5	-6.1	-14.0
0.0	0.0			J	-860.0	-0.5	-1.8	-14.0
2940.5	206.7							
			INVSLE Max	I	-4.5	-0.1	-4.5	11.0
0.0	0.0			J	-4.5	-0.1	-1.4	11.0
9618.7	1136.0		Min	I	-629.4	-0.3	-4.5	-10.6
0.0	0.0			J	-629.4	-0.3	-1.4	-10.6
9584.9	166.6							
8315	2	66	C1-C2;~1 Max	I	385.3	0.0	0.0	13.4
0.0	0.0			J	385.3	0.0	0.0	13.4
0.0	0.0		Min	I	-217.7	-0.0	-0.0	-15.8
0.0	0.0			J	-217.7	0.0	-0.0	-15.8
0.0	0.0							
			C3-C4;~1 Max	I	535.1	0.0	0.0	13.1
0.0	0.0			J	535.1	0.0	0.0	13.1
0.0	0.0		Min	I	-233.6	-0.0	-0.0	-5.7
0.0	0.0			J	-233.6	0.0	-0.0	-5.7
0.0	0.0							
			C1-C2;~2 Max	I	201.3	0.0	0.0	8.0
0.0	0.0			J	201.3	0.0	0.0	8.0
0.0	0.0		Min	I	-107.4	-0.0	-0.0	-9.3
0.0	0.0			J	-107.4	0.0	-0.0	-9.3
0.0	0.0							
			C3-C4;~2 Max	I	279.4	0.0	0.0	7.5
0.0	0.0			J	279.4	0.0	0.0	7.5
0.0	0.0		Min	I	-117.2	-0.0	-0.0	-3.0
0.0	0.0			J	-117.2	0.0	-0.0	-3.0
0.0	0.0							
			G1	I	181.9	0.0	-1.5	6.2
0.0	0.0			J	181.9	0.0	1.5	6.2
0.0	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G2	I	72.9	0.0	-0.0	0.0
0.0	0.0		J	72.9	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-23.2	0.0	0.0	-0.3
0.0	0.0		J	-23.2	0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	0.4	0.0	-0.0	0.1
0.0	0.0		J	0.4	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-24.9	0.0	0.0	-0.3
0.0	0.0		J	-24.9	0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	7.9	0.0	-0.0	0.1
0.0	0.0		J	7.9	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	870.5	0.0	-2.0	36.0
0.0	0.0		J	870.5	0.0	2.0	36.0
0.0	0.0	Min	I	-208.9	-0.0	-2.0	-4.0
0.0	0.0		J	-208.9	0.0	2.0	-4.0
0.0	0.0	INVSLE Max	I	631.2	0.0	-1.5	27.3
0.0	0.0		J	631.2	0.0	1.5	27.3
0.0	0.0	Min	I	-165.2	-0.0	-1.5	-2.3
0.0	0.0		J	-165.2	0.0	1.5	-2.3
8316	2	66 C1-C2;~1 Max	I	385.3	0.0	0.0	26.9
0.0	0.0		J	385.3	0.0	0.0	26.9
0.0	0.0	Min	I	-217.5	0.0	-0.0	-22.1
0.0	0.0		J	-217.5	0.0	0.0	-22.1
0.0	0.0	C3-C4;~1 Max	I	535.1	0.0	0.0	23.8
0.0	0.0		J	535.1	0.0	0.0	23.8
0.0	0.0	Min	I	-233.4	0.0	-0.0	-24.8
0.0	0.0		J	-233.4	0.0	0.0	-24.8

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C1-C2;~2 Max	I	201.3	0.0	0.0	16.7	
			J	201.3	0.0	0.0	16.7	
0.0	0.0	Min	I	-107.3	0.0	-0.0	-11.8	
			J	-107.3	0.0	0.0	-11.8	
0.0	0.0	C3-C4;~2 Max	I	279.4	0.0	0.0	14.6	
			J	279.4	0.0	0.0	14.6	
0.0	0.0	Min	I	-117.1	0.0	-0.0	-13.0	
			J	-117.1	0.0	0.0	-13.0	
0.0	0.0	G1	I	182.2	0.0	-1.6	-13.7	
			J	182.2	0.0	1.6	-13.7	
0.0	0.0	G2	I	73.0	0.0	0.0	-5.1	
			J	73.0	0.0	0.0	-5.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-23.2	0.0	-0.0	-0.3	
			J	-23.2	0.0	0.0	-0.3	
0.0	0.0	Q5_pc Y	I	0.3	0.0	0.0	0.7	
			J	0.3	0.0	0.0	0.7	
0.0	0.0	Q5_ps X	I	-24.9	0.0	-0.0	-0.0	
			J	-24.9	0.0	0.0	-0.0	
0.0	0.0	Q5_ps Y	I	7.8	0.0	0.0	0.3	
			J	7.8	0.0	0.0	0.3	
0.0	0.0	INVSLU Max	I	871.0	0.0	-2.1	-6.8	
			J	871.0	0.0	2.1	-6.8	
0.0	0.0	Min	I	-208.2	0.0	-2.1	-77.8	
			J	-208.2	0.0	2.1	-77.8	
0.0	0.0	INVSLE Max	I	631.5	0.0	-1.6	-5.8	
			J	631.5	0.0	1.6	-5.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-164.7	0.0	-1.6	-58.3
0.0	0.0			J	-164.7	0.0	1.6	-58.3
0.0	0.0							
8317	2	66	C1-C2;~1	Max	I	174.8	0.2	0.0
13.4	513.2				J	174.8	0.2	0.0
0.0	0.0							4.8
			Min	I	-274.1	-0.1	-0.0	-10.5
-16.5	-340.0			J	-274.1	-0.1	-0.0	-10.5
0.0	0.0							
			C3-C4;~1	Max	I	104.1	0.2	0.0
14.9	484.8				J	104.1	0.2	0.0
0.0	0.0							3.8
			Min	I	-422.1	-0.1	-0.0	-9.7
-12.8	-270.4			J	-422.1	-0.1	-0.0	-9.7
0.0	0.0							
			C1-C2;~2	Max	I	92.5	0.1	0.0
7.1	272.7				J	92.5	0.1	0.0
0.0	0.0							2.7
			Min	I	-142.7	-0.1	-0.0	-6.7
-9.9	-212.3			J	-142.7	-0.1	-0.0	-6.7
0.0	0.0							
			C3-C4;~2	Max	I	53.2	0.1	0.0
7.8	261.1				J	53.2	0.1	0.0
0.0	0.0							1.7
			Min	I	-220.2	-0.1	-0.0	-6.1
-7.7	-164.2			J	-220.2	-0.1	-0.0	-6.1
0.0	0.0							
			G1	I	-199.2	0.1	1.7	-1.7
9634.4	356.9			J	-199.2	0.1	4.6	-1.7
0.0	0.0							
			G2	I	-81.2	0.0	0.0	0.6
2.5	140.2			J	-81.2	0.0	0.0	0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	23.3	-0.0	-0.0
-0.0	-2.8			J	23.3	-0.0	-0.0	-0.1
0.0	0.0							
			Q5_pc	Y	I	2.4	-0.0	-0.0
-0.3	-96.9			J	2.4	-0.0	-0.0	-0.6
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.1	-2.2	Q5_ps X	I	25.6	-0.0	-0.0	-0.3	
0.0	0.0		J	25.6	-0.0	-0.0	-0.3	
-0.1	-92.3	Q5_ps Y	I	-6.0	-0.0	-0.0	-0.3	
0.0	0.0		J	-6.0	-0.0	-0.0	-0.3	
3043.3	1532.9	INVS LU Max	I	-12.1	0.5	2.2	3.3	1
0.0	0.0		J	-12.1	0.5	6.2	3.3	
3000.5	206.7	Min	I	-859.9	0.1	2.2	-18.3	1
0.0	0.0		J	-859.9	0.1	6.2	-18.3	
9662.4	1136.0	INVS LE Max	I	-4.4	0.4	1.7	2.0	
0.0	0.0		J	-4.4	0.4	4.6	2.0	
9630.7	166.6	Min	I	-629.3	0.1	1.7	-14.0	
0.0	0.0		J	-629.3	0.1	4.6	-14.0	
8318	2	66 C1-C2;~1 Max	I	220.3	0.1	0.0	10.5	
0.0	0.0		J	220.3	0.1	0.0	10.5	
12.3	554.1	Min	I	-339.0	-0.2	-0.0	-12.4	
0.0	0.0		J	-339.0	-0.2	-0.0	-12.4	
-16.1	-180.4							
0.0	0.0	C3-C4;~1 Max	I	187.9	0.1	0.0	12.4	
8.5	465.4		J	187.9	0.1	0.0	12.4	
0.0	0.0	Min	I	-502.5	-0.1	-0.0	-11.3	
-18.2	-229.0		J	-502.5	-0.1	-0.0	-11.3	
0.0	0.0	C1-C2;~2 Max	I	113.2	0.0	0.0	5.3	
7.5	303.0		J	113.2	0.0	0.0	5.3	
0.0	0.0	Min	I	-173.2	-0.1	-0.0	-7.6	
-8.3	-107.8		J	-173.2	-0.1	-0.0	-7.6	
0.0	0.0	C3-C4;~2 Max	I	91.6	0.0	0.0	6.1	
5.0	272.0		J	91.6	0.0	0.0	6.1	
0.0	0.0	Min	I	-258.9	-0.1	-0.0	-6.9	
-9.0	-112.9		J	-258.9	-0.1	-0.0	-6.9	
0.0	0.0	G1	I	-196.5	-0.1	-4.5	8.0	

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9607.6	274.7		J	-196.5	-0.1	-1.4	8.0	
		G2	I	-80.8	-0.0	0.0	4.0	
0.0	0.0		J	-80.8	-0.0	0.0	4.0	
-5.4	92.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	39.2	0.0	-0.0	-0.3	
0.0	0.0		J	39.2	0.0	-0.0	-0.3	
1.8	-69.9							
		Q5_pc Y	I	-5.9	0.0	-0.0	-0.4	
0.0	0.0		J	-5.9	0.0	-0.0	-0.4	
0.8	-90.1							
		Q5_ps X	I	40.9	0.0	-0.0	-0.5	
0.0	0.0		J	40.9	0.0	-0.0	-0.5	
1.9	-60.3							
		Q5_ps Y	I	-14.8	0.0	-0.0	-0.1	
0.0	0.0		J	-14.8	0.0	-0.0	-0.1	
0.6	-91.3							
		INVSLE Max	I	99.7	0.0	-6.0	42.1	
0.0	0.0		J	99.7	0.0	-1.8	42.1	1
2972.2	1180.2	Min	I	-946.7	-0.4	-6.0	7.9	
0.0	0.0		J	-946.7	-0.4	-1.8	7.9	1
2927.8	-39.0							
		INVSLE Max	I	79.2	0.0	-4.5	31.4	
0.0	0.0		J	79.2	0.0	-1.4	31.4	
9608.5	870.9	Min	I	-690.7	-0.3	-4.5	6.1	
0.0	0.0		J	-690.7	-0.3	-1.4	6.1	
9575.9	-20.3							
8319	2	66 C1-C2;~1 Max	I	365.2	0.0	0.0	16.9	
0.0	0.0		J	365.2	0.0	0.0	16.9	
0.0	0.0	Min	I	-295.0	-0.0	0.0	-12.8	
0.0	0.0		J	-295.0	0.0	0.0	-12.8	
0.0	0.0							
		C3-C4;~1 Max	I	517.3	0.0	0.0	16.6	
0.0	0.0		J	517.3	0.0	0.0	16.6	
0.0	0.0	Min	I	-328.4	-0.0	0.0	-4.0	
0.0	0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-328.4	0.0	0.0	-4.0
0.0	0.0	C1-C2;~2 Max	I	184.7	0.0	0.0	10.1
0.0	0.0		J	184.7	0.0	0.0	10.1
0.0	0.0	Min	I	-143.7	-0.0	0.0	-7.8
0.0	0.0		J	-143.7	0.0	0.0	-7.8
0.0	0.0	C3-C4;~2 Max	I	263.5	0.0	0.0	9.6
0.0	0.0		J	263.5	0.0	0.0	9.6
0.0	0.0	Min	I	-166.9	-0.0	0.0	-2.1
0.0	0.0		J	-166.9	0.0	0.0	-2.1
0.0	0.0	G1	I	83.7	0.0	-1.5	11.0
0.0	0.0		J	83.7	0.0	1.5	11.0
0.0	0.0	G2	I	34.7	0.0	0.0	1.9
0.0	0.0		J	34.7	0.0	0.0	1.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-35.8	-0.0	0.0	-0.9
0.0	0.0		J	-35.8	0.0	0.0	-0.9
0.0	0.0	Q5_pc Y	I	9.4	-0.0	0.0	0.3
0.0	0.0		J	9.4	0.0	0.0	0.3
0.0	0.0	Q5_ps X	I	-37.1	-0.0	0.0	-0.8
0.0	0.0		J	-37.1	0.0	0.0	-0.8
0.0	0.0	Q5_ps Y	I	17.3	-0.0	0.0	0.3
0.0	0.0		J	17.3	0.0	0.0	0.3
0.0	0.0	INVSLU Max	I	665.7	0.0	-2.0	44.5
0.0	0.0		J	665.7	0.0	2.0	44.5
0.0	0.0	Min	I	-540.5	-0.0	-2.0	2.7
0.0	0.0		J	-540.5	0.0	2.0	2.7
0.0	0.0	INVSLE Max	I	477.7	0.0	-1.5	33.2

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	477.7	0.0	1.5	33.2	
0.0	0.0		Min	I	-410.9	-0.0	-1.5	2.4	
0.0	0.0			J	-410.9	0.0	1.5	2.4	
0.0	0.0								
8320	2	66	C1-C2;~1	Max	I	365.3	0.0	0.0	18.1
0.0	0.0			J	365.3	0.0	0.0	18.1	
0.0	0.0		Min	I	-294.9	-0.0	0.0	-21.7	
0.0	0.0			J	-294.9	0.0	0.0	-21.7	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	517.3	0.0	0.0	14.9
0.0	0.0			J	517.3	0.0	0.0	14.9	
0.0	0.0		Min	I	-328.3	-0.0	0.0	-25.9	
0.0	0.0			J	-328.3	0.0	0.0	-25.9	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	184.7	0.0	0.0	11.4
0.0	0.0			J	184.7	0.0	0.0	11.4	
0.0	0.0		Min	I	-143.6	-0.0	0.0	-11.1	
0.0	0.0			J	-143.6	0.0	0.0	-11.1	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	263.5	0.0	0.0	9.2
0.0	0.0			J	263.5	0.0	0.0	9.2	
0.0	0.0		Min	I	-166.9	-0.0	0.0	-13.1	
0.0	0.0			J	-166.9	0.0	0.0	-13.1	
0.0	0.0								
0.0	0.0		G1	I	83.9	0.0	-1.6	-23.0	
0.0	0.0			J	83.9	0.0	1.6	-23.0	
0.0	0.0								
0.0	0.0		G2	I	34.8	0.0	0.0	-8.8	
0.0	0.0			J	34.8	0.0	0.0	-8.8	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-35.9	-0.0	0.0	2.6
0.0	0.0			J	-35.9	0.0	0.0	2.6	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	9.3	-0.0	0.0	2.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	9.3	0.0	0.0	2.0
0.0	0.0	Q5_ps X	I	-37.2	-0.0	0.0	2.8
0.0	0.0		J	-37.2	0.0	0.0	2.8
0.0	0.0	Q5_ps Y	I	17.2	-0.0	0.0	1.5
0.0	0.0		J	17.2	0.0	0.0	1.5
0.0	0.0	INVSLU Max	I	665.9	0.0	-2.1	-30.3
0.0	0.0		J	665.9	0.0	2.1	-30.3
0.0	0.0	Min	I	-540.2	-0.0	-2.1	-94.4
0.0	0.0		J	-540.2	0.0	2.1	-94.4
0.0	0.0	INVSLE Max	I	477.9	0.0	-1.6	-23.1
0.0	0.0		J	477.9	0.0	1.6	-23.1
0.0	0.0	Min	I	-410.8	-0.0	-1.6	-70.2
0.0	0.0		J	-410.8	0.0	1.6	-70.2
8321	2	66 C1-C2;~1 Max	I	220.3	0.2	0.0	7.8
15.2	554.1		J	220.3	0.2	0.0	7.8
0.0	0.0	Min	I	-339.0	-0.1	-0.0	-12.0
-11.5	-180.4		J	-339.0	-0.1	-0.0	-12.0
0.0	0.0	C3-C4;~1 Max	I	187.9	0.2	0.0	8.3
17.1	465.4		J	187.9	0.2	0.0	8.3
0.0	0.0	Min	I	-502.5	-0.1	-0.0	-10.6
-8.0	-229.0		J	-502.5	-0.1	-0.0	-10.6
0.0	0.0	C1-C2;~2 Max	I	113.2	0.1	0.0	4.1
7.8	303.0		J	113.2	0.1	0.0	4.1
0.0	0.0	Min	I	-173.2	-0.0	-0.0	-7.5
-7.0	-107.8		J	-173.2	-0.0	-0.0	-7.5
0.0	0.0	C3-C4;~2 Max	I	91.6	0.1	0.0	4.0
8.5	272.0		J	91.6	0.1	0.0	4.0
0.0	0.0	Min	I	-258.9	-0.0	-0.0	-6.6
-4.7	-112.9		J	-258.9	-0.0	-0.0	-6.6
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9641.3	274.7	G1	I	-196.5	0.1	1.7	3.5	
0.0	0.0		J	-196.5	0.1	4.6	3.5	
5.1	92.5	G2	I	-80.8	0.0	0.0	2.6	
0.0	0.0		J	-80.8	0.0	0.0	2.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-1.7	-69.9	Q5_pc X	I	39.2	-0.0	-0.0	0.2	
0.0	0.0		J	39.2	-0.0	-0.0	0.2	
-0.8	-90.1	Q5_pc Y	I	-5.9	-0.0	-0.0	-0.2	
0.0	0.0		J	-5.9	-0.0	-0.0	-0.2	
-1.8	-60.3	Q5_ps X	I	40.9	-0.0	-0.0	-0.0	
0.0	0.0		J	40.9	-0.0	-0.0	-0.0	
-0.6	-91.3	Q5_ps Y	I	-14.8	-0.0	-0.0	0.1	
0.0	0.0		J	-14.8	-0.0	-0.0	0.1	
3055.7	1180.2	INVSLE Max	I	99.7	0.4	2.3	26.0	1
0.0	0.0		J	99.7	0.4	6.2	26.0	
3014.0	-39.0	Min	I	-946.6	-0.0	2.2	-1.6	1
0.0	0.0		J	-946.6	-0.0	6.2	-1.6	
9671.2	870.9	INVSLE Max	I	79.2	0.3	1.7	19.4	
0.0	0.0		J	79.2	0.3	4.6	19.4	
9640.5	-20.3	Min	I	-690.6	-0.0	1.7	-1.1	
0.0	0.0		J	-690.6	-0.0	4.6	-1.1	
8322	2	66 C1-C2;~1 Max	I	257.7	0.1	0.0	14.9	
0.0	0.0		J	257.7	0.1	0.0	14.9	
5.9	335.3	Min	I	-351.5	-0.1	-0.0	-6.0	
0.0	0.0		J	-351.5	-0.1	-0.0	-6.0	
-19.0	-436.9	C3-C4;~1 Max	I	312.9	0.2	0.0	16.9	
0.0	0.0		J	312.9	0.2	0.0	16.9	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3.8	293.9		Min	I	-501.2	-0.1	-0.0	-4.2	
0.0	0.0			J	-501.2	-0.1	-0.0	-4.2	
-22.9	-614.1		C1-C2;~2	Max	I	131.5	0.1	0.0	7.5
0.0	0.0			J	131.5	0.1	0.0	7.5	
3.4	178.6		Min	I	-177.5	-0.1	-0.0	-3.5	
0.0	0.0			J	-177.5	-0.1	-0.0	-3.5	
-9.7	-222.7		C3-C4;~2	Max	I	156.8	0.1	0.0	8.5
0.0	0.0			J	156.8	0.1	0.0	8.5	
2.0	160.3		Min	I	-255.3	-0.0	-0.0	-2.3	
0.0	0.0			J	-255.3	-0.0	-0.0	-2.3	
-11.4	-317.7		G1	I	-122.3	0.1	-4.4	18.0	
0.0	0.0			J	-122.3	0.1	-1.3	18.0	
9209.9	-200.9		G2	I	-50.4	0.0	0.0	6.9	
0.0	0.0			J	-50.4	0.0	0.0	6.9	
-7.1	-67.6		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	X	I	23.9	0.1	-0.0	-2.5
0.0	0.0			J	23.9	0.1	-0.0	-2.5	
5.3	-415.7		Q5_pc	Y	I	-22.9	0.0	-0.0	-0.5
0.0	0.0			J	-22.9	0.0	-0.0	-0.5	
2.3	-153.8		Q5_ps	X	I	25.3	0.1	-0.0	-2.5
0.0	0.0			J	25.3	0.1	-0.0	-2.5	
5.2	-391.5		Q5_ps	Y	I	-30.0	0.0	-0.0	-0.2
0.0	0.0			J	-30.0	0.0	-0.0	-0.2	
2.1	-149.7		INVSLU	Max	I	324.8	0.5	-5.9	67.0
0.0	0.0			J	324.8	0.5	-1.8	67.0	1
2438.0	305.5		Min	I	-817.2	-0.1	-5.9	31.6	
0.0	0.0			J	-817.2	-0.1	-1.8	31.6	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2389.6	-1726.1							
		INVSLE Max	I	245.9	0.4	-4.4	49.8	
0.0	0.0		J	245.9	0.4	-1.3	49.8	
9213.1	197.5							
		Min	I	-596.8	-0.1	-4.4	23.9	
0.0	0.0		J	-596.8	-0.1	-1.3	23.9	
9177.9	-1250.7							
8323	2	66 C1-C2;~1 Max	I	308.7	0.0	0.0	17.1	
0.0	0.0		J	308.7	0.0	0.0	17.1	
0.0	0.0							
		Min	I	-331.8	0.0	0.0	-9.9	
0.0	0.0		J	-331.8	0.0	-0.0	-9.9	
0.0	0.0							
		C3-C4;~1 Max	I	439.5	0.0	0.0	18.0	
0.0	0.0		J	439.5	0.0	0.0	18.0	
0.0	0.0							
		Min	I	-399.4	0.0	0.0	-3.0	
0.0	0.0		J	-399.4	0.0	-0.0	-3.0	
0.0	0.0							
		C1-C2;~2 Max	I	154.2	0.0	0.0	9.9	
0.0	0.0		J	154.2	0.0	0.0	9.9	
0.0	0.0							
		Min	I	-171.8	0.0	0.0	-6.2	
0.0	0.0		J	-171.8	0.0	-0.0	-6.2	
0.0	0.0							
		C3-C4;~2 Max	I	221.3	0.0	0.0	10.0	
0.0	0.0		J	221.3	0.0	0.0	10.0	
0.0	0.0							
		Min	I	-203.8	0.0	0.0	-1.4	
0.0	0.0		J	-203.8	0.0	-0.0	-1.4	
0.0	0.0							
		G1	I	-35.9	0.0	-1.4	14.3	
0.0	0.0		J	-35.9	0.0	1.4	14.3	
0.0	0.0							
		G2	I	-12.4	0.0	0.0	3.4	
0.0	0.0		J	-12.4	0.0	-0.0	3.4	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-60.1	0.0	0.0	-1.2	
0.0	0.0		J	-60.1	0.0	0.0	-1.2	
0.0	0.0							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc	Y	I	12.6	0.0	0.0	0.1
0.0	0.0			J	12.6	0.0	-0.0	0.1
0.0	0.0	Q5_ps	X	I	-59.2	0.0	0.0	-1.2
0.0	0.0			J	-59.2	0.0	0.0	-1.2
0.0	0.0	Q5_ps	Y	I	19.5	0.0	0.0	0.2
0.0	0.0			J	19.5	0.0	-0.0	0.2
0.0	0.0	INVS LU	Max	I	416.8	0.0	-1.9	49.4
0.0	0.0			J	416.8	0.0	1.9	49.4
0.0	0.0		Min	I	-824.0	0.0	-1.9	9.5
0.0	0.0			J	-824.0	0.0	1.9	9.5
0.0	0.0	INVS LE	Max	I	294.9	0.0	-1.4	36.6
0.0	0.0			J	294.9	0.0	1.4	36.6
0.0	0.0		Min	I	-616.2	0.0	-1.4	7.3
0.0	0.0			J	-616.2	0.0	1.4	7.3
8324	2	66	C1-C2;~1	Max	I	308.5	0.0	4.9
0.0	0.0			J	308.5	0.0	0.0	4.9
0.0	0.0		Min	I	-331.8	0.0	-0.0	-23.2
0.0	0.0			J	-331.8	0.0	-0.0	-23.2
0.0	0.0		C3-C4;~1	Max	I	439.3	0.0	5.3
0.0	0.0			J	439.3	0.0	0.0	5.3
0.0	0.0		Min	I	-399.4	0.0	-0.0	-31.3
0.0	0.0			J	-399.4	0.0	-0.0	-31.3
0.0	0.0		C1-C2;~2	Max	I	154.1	0.0	2.6
0.0	0.0			J	154.1	0.0	0.0	2.6
0.0	0.0		Min	I	-171.8	0.0	-0.0	-11.3
0.0	0.0			J	-171.8	0.0	-0.0	-11.3
0.0	0.0		C3-C4;~2	Max	I	221.2	0.0	2.8
0.0	0.0			J	221.2	0.0	0.0	2.8
0.0	0.0		Min	I	-203.8	0.0	-0.0	-15.4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-203.8	0.0	-0.0	-15.4
0.0	0.0						
0.0	0.0	G1	I	-36.0	0.0	-1.5	-30.8
0.0	0.0		J	-36.0	0.0	1.5	-30.8
0.0	0.0						
0.0	0.0	G2	I	-12.4	0.0	0.0	-10.7
0.0	0.0		J	-12.4	0.0	-0.0	-10.7
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-60.4	0.0	-0.0	9.3
0.0	0.0		J	-60.4	0.0	-0.0	9.3
0.0	0.0						
0.0	0.0	Q5_pc Y	I	12.5	0.0	0.0	4.7
0.0	0.0		J	12.5	0.0	0.0	4.7
0.0	0.0						
0.0	0.0	Q5_ps X	I	-59.4	0.0	-0.0	9.1
0.0	0.0		J	-59.4	0.0	-0.0	9.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	19.4	0.0	0.0	4.3
0.0	0.0		J	19.4	0.0	0.0	4.3
0.0	0.0						
0.0	0.0	INVSLU Max	I	416.4	0.0	-2.1	-35.5
0.0	0.0		J	416.4	0.0	2.1	-35.5
0.0	0.0						
0.0	0.0	Min	I	-824.6	0.0	-2.1	-103.6
0.0	0.0		J	-824.6	0.0	2.1	-103.6
0.0	0.0						
0.0	0.0	INVSLE Max	I	294.6	0.0	-1.5	-27.0
0.0	0.0		J	294.6	0.0	1.5	-27.0
0.0	0.0						
0.0	0.0	Min	I	-616.6	0.0	-1.5	-75.8
0.0	0.0		J	-616.6	0.0	1.5	-75.8
0.0	0.0						
8325	2	66 C1-C2; ~1 Max	I	257.8	0.1	0.0	11.7
17.8	335.3		J	257.8	0.1	0.0	11.7
0.0	0.0						
0.0	0.0	Min	I	-351.5	-0.1	-0.0	-7.7
-5.6	-436.9		J	-351.5	-0.1	-0.0	-7.7
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
21.5	293.9	C3-C4;~1	Max	I	312.9	0.1	0.0	11.4
				J	312.9	0.1	0.0	11.4
0.0	0.0		Min	I	-501.2	-0.2	-0.0	-6.7
-3.6	-614.1			J	-501.2	-0.2	-0.0	-6.7
0.0	0.0							
9.1	178.6	C1-C2;~2	Max	I	131.5	0.1	0.0	6.1
				J	131.5	0.1	0.0	6.1
0.0	0.0		Min	I	-177.5	-0.1	-0.0	-4.7
-3.2	-222.7			J	-177.5	-0.1	-0.0	-4.7
0.0	0.0							
10.7	160.3	C3-C4;~2	Max	I	156.8	0.1	0.0	5.8
				J	156.8	0.1	0.0	5.8
0.0	0.0		Min	I	-255.3	-0.1	-0.0	-3.8
-1.9	-317.7			J	-255.3	-0.1	-0.0	-3.8
0.0	0.0							
9254.2	-200.9	G1		I	-122.4	-0.1	1.6	9.8
				J	-122.4	-0.1	4.5	9.8
0.0	0.0							
6.7	-67.6	G2		I	-50.4	-0.0	0.0	4.4
				J	-50.4	-0.0	0.0	4.4
0.0	0.0							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-5.0	-415.7	Q5_pc	X	I	23.9	-0.1	-0.0	-0.6
				J	23.9	-0.1	-0.0	-0.6
0.0	0.0							
-2.2	-153.8	Q5_pc	Y	I	-22.9	-0.1	-0.0	0.3
				J	-22.9	-0.1	-0.0	0.3
0.0	0.0							
-4.9	-391.5	Q5_ps	X	I	25.3	-0.1	-0.0	-0.6
				J	25.3	-0.1	-0.0	-0.6
0.0	0.0							
-2.0	-149.7	Q5_ps	Y	I	-30.0	-0.0	-0.0	0.5
				J	-30.0	-0.0	-0.0	0.5
0.0	0.0							
2534.3	305.5	INVSLU	Max	I	324.7	0.1	2.2	44.4
				J	324.7	0.1	6.1	44.4
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2488.8	-1726.1		Min	I	-817.3	-0.6	2.2	17.2	1
				J	-817.3	-0.6	6.1	17.2	
0.0	0.0								
9284.3	197.5		INVSLE Max	I	245.9	0.1	1.6	33.2	
				J	245.9	0.1	4.5	33.2	
0.0	0.0								
9251.3	-1250.7		Min	I	-596.9	-0.4	1.6	13.1	
				J	-596.9	-0.4	4.5	13.1	
0.0	0.0								
8326	2	66	C1-C2;~1 Max	I	327.8	0.1	0.0	9.7	
0.0	0.0			J	327.8	0.1	0.0	9.7	
13.0	447.1								
			Min	I	-350.3	-0.1	-0.0	-5.3	
0.0	0.0			J	-350.3	-0.1	-0.0	-5.3	
-6.7	-253.0								
			C3-C4;~1 Max	I	471.6	0.1	0.0	11.8	
0.0	0.0			J	471.6	0.1	0.0	11.8	
11.3	362.1								
			Min	I	-424.4	-0.1	-0.0	-4.3	
0.0	0.0			J	-424.4	-0.1	-0.0	-4.3	
-10.3	-235.6								
			C1-C2;~2 Max	I	163.6	0.0	0.0	5.3	
0.0	0.0			J	163.6	0.0	0.0	5.3	
7.7	242.6								
			Min	I	-180.7	-0.1	-0.0	-3.4	
0.0	0.0			J	-180.7	-0.1	-0.0	-3.4	
-3.4	-149.8								
			C3-C4;~2 Max	I	235.8	0.0	0.0	6.0	
0.0	0.0			J	235.8	0.0	0.0	6.0	
6.9	185.9								
			Min	I	-217.2	-0.1	-0.0	-2.7	
0.0	0.0			J	-217.2	-0.1	-0.0	-2.7	
-5.1	-130.3								
			G1	I	-59.0	-0.1	-4.4	9.9	
0.0	0.0			J	-59.0	-0.1	-1.3	9.9	
9218.1	246.4								
			G2	I	-18.8	-0.0	0.0	4.1	
0.0	0.0			J	-18.8	-0.0	0.0	4.1	
-1.0	80.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-46.5	-0.1	-0.0	-5.6	

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-46.5	-0.1	-0.0	-5.6	
2.9	196.1								
		Q5_pc	Y	I	-64.6	-0.0	-0.0	-1.7	
0.0	0.0			J	-64.6	-0.0	-0.0	-1.7	
0.7	51.1								
		Q5_ps	X	I	-49.5	-0.1	-0.0	-5.4	
0.0	0.0			J	-49.5	-0.1	-0.0	-5.4	
3.1	188.5								
		Q5_ps	Y	I	-62.3	-0.0	-0.0	-1.4	
0.0	0.0			J	-62.3	-0.0	-0.0	-1.4	
0.4	44.1								
		INVSLU	Max	I	452.6	-0.0	-5.9	38.4	
0.0	0.0			J	452.6	-0.0	-1.8	38.4	1
2463.3	1398.7								
			Min	I	-873.2	-0.4	-5.9	4.7	
0.0	0.0			J	-873.2	-0.4	-1.8	4.7	1
2426.6	100.8								
		INVSLE	Max	I	322.9	-0.0	-4.4	27.9	
0.0	0.0			J	322.9	-0.0	-1.3	27.9	
9232.0	1035.7								
			Min	I	-650.6	-0.3	-4.4	3.9	
0.0	0.0			J	-650.6	-0.3	-1.3	3.9	
9205.1	100.4								
		66 C1-C2;~1	Max	I	277.0	0.0	0.0	6.0	
8327	2			J	277.0	0.0	0.0	6.0	
0.0	0.0								
			Min	I	-366.0	0.0	0.0	-18.5	
0.0	0.0			J	-366.0	-0.0	0.0	-18.5	
0.0	0.0								
		C3-C4;~1	Max	I	335.3	0.0	0.0	9.5	
0.0	0.0			J	335.3	0.0	0.0	9.5	
0.0	0.0								
			Min	I	-529.6	0.0	0.0	-16.5	
0.0	0.0			J	-529.6	-0.0	0.0	-16.5	
0.0	0.0								
		C1-C2;~2	Max	I	140.4	0.0	0.0	2.9	
0.0	0.0			J	140.4	0.0	0.0	2.9	
0.0	0.0								
			Min	I	-183.7	0.0	0.0	-9.5	
0.0	0.0			J	-183.7	-0.0	0.0	-9.5	
0.0	0.0								
		C3-C4;~2	Max	I	168.0	0.0	0.0	4.7	
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	168.0	0.0	0.0	4.7
0.0	0.0	Min	I	-267.9	0.0	0.0	-8.6
0.0	0.0		J	-267.9	-0.0	0.0	-8.6
0.0	0.0	G1	I	-93.6	0.0	-1.4	-10.2
0.0	0.0		J	-93.6	0.0	1.4	-10.2
0.0	0.0	G2	I	-41.8	0.0	0.0	-4.6
0.0	0.0		J	-41.8	0.0	0.0	-4.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	12.8	0.0	0.0	-1.2
0.0	0.0		J	12.8	-0.0	0.0	-1.2
0.0	0.0	Q5_pc Y	I	52.9	0.0	0.0	1.3
0.0	0.0		J	52.9	-0.0	0.0	1.3
0.0	0.0	Q5_ps X	I	18.0	0.0	0.0	-1.3
0.0	0.0		J	18.0	-0.0	0.0	-1.3
0.0	0.0	Q5_ps Y	I	50.8	0.0	0.0	1.5
0.0	0.0		J	50.8	-0.0	0.0	1.5
0.0	0.0	INVSLU Max	I	408.2	0.0	-1.9	-15.6
0.0	0.0		J	408.2	0.0	1.9	-15.6
0.0	0.0	Min	I	-854.7	0.0	-1.9	-55.6
0.0	0.0		J	-854.7	-0.0	1.9	-55.6
0.0	0.0	INVSLE Max	I	304.1	0.0	-1.4	-12.0
0.0	0.0		J	304.1	0.0	1.4	-12.0
0.0	0.0	Min	I	-624.3	0.0	-1.4	-41.5
0.0	0.0		J	-624.3	-0.0	1.4	-41.5
8328	2	66 C1-C2;~1 Max	I	277.0	0.0	0.0	16.8
0.0	0.0		J	277.0	0.0	0.0	16.8
0.0	0.0	Min	I	-365.9	0.0	-0.0	-16.7
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-365.9	-0.0	-0.0	-16.7
0.0	0.0	C3-C4;~1 Max	I	335.4	0.0	0.0	13.8
0.0	0.0		J	335.4	0.0	0.0	13.8
0.0	0.0	Min	I	-529.5	0.0	-0.0	-21.6
0.0	0.0		J	-529.5	-0.0	-0.0	-21.6
0.0	0.0	C1-C2;~2 Max	I	140.4	0.0	0.0	10.6
0.0	0.0		J	140.4	0.0	0.0	10.6
0.0	0.0	Min	I	-183.7	0.0	-0.0	-8.2
0.0	0.0		J	-183.7	-0.0	-0.0	-8.2
0.0	0.0	C3-C4;~2 Max	I	168.0	0.0	0.0	8.5
0.0	0.0		J	168.0	0.0	0.0	8.5
0.0	0.0	Min	I	-267.9	0.0	-0.0	-10.5
0.0	0.0		J	-267.9	-0.0	-0.0	-10.5
0.0	0.0	G1	I	-93.5	0.0	-1.5	-17.1
0.0	0.0		J	-93.5	-0.0	1.5	-17.1
0.0	0.0	G2	I	-41.8	0.0	0.0	-6.6
0.0	0.0		J	-41.8	-0.0	-0.0	-6.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	12.9	0.0	0.0	4.6
0.0	0.0		J	12.9	0.0	-0.0	4.6
0.0	0.0	Q5_pc Y	I	53.0	0.0	-0.0	2.7
0.0	0.0		J	53.0	0.0	0.0	2.7
0.0	0.0	Q5_ps X	I	18.1	0.0	0.0	4.8
0.0	0.0		J	18.1	0.0	-0.0	4.8
0.0	0.0	Q5_ps Y	I	50.8	0.0	-0.0	2.2
0.0	0.0		J	50.8	0.0	0.0	2.2
0.0	0.0	INVSLU Max	I	408.7	0.0	-2.1	-14.9

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	408.7	0.0	2.1	-14.9
0.0	0.0		Min	I	-854.3	0.0	-2.1	-74.9
0.0	0.0			J	-854.3	-0.0	2.1	-74.9
0.0	0.0		INVSLE Max	I	304.5	0.0	-1.5	-11.6
0.0	0.0			J	304.5	0.0	1.5	-11.6
0.0	0.0		Min	I	-623.9	0.0	-1.5	-55.5
0.0	0.0			J	-623.9	-0.0	1.5	-55.5
8329	2	66	C1-C2;~1 Max	I	327.8	0.1	0.0	10.0
6.3	447.1			J	327.8	0.1	0.0	10.0
0.0	0.0		Min	I	-350.3	-0.1	-0.0	-3.4
-12.3	-253.0			J	-350.3	-0.1	-0.0	-3.4
0.0	0.0		C3-C4;~1 Max	I	471.6	0.1	0.0	9.7
9.6	362.1			J	471.6	0.1	0.0	9.7
0.0	0.0		Min	I	-424.4	-0.1	-0.0	-1.5
-10.6	-235.6			J	-424.4	-0.1	-0.0	-1.5
0.0	0.0		C1-C2;~2 Max	I	163.6	0.1	0.0	6.0
3.2	242.6			J	163.6	0.1	0.0	6.0
0.0	0.0		Min	I	-180.7	-0.0	-0.0	-2.0
-7.3	-149.8			J	-180.7	-0.0	-0.0	-2.0
0.0	0.0		C3-C4;~2 Max	I	235.9	0.1	0.0	5.1
4.8	185.9			J	235.9	0.1	0.0	5.1
0.0	0.0		Min	I	-217.2	-0.0	-0.0	-0.7
-6.5	-130.3			J	-217.2	-0.0	-0.0	-0.7
0.0	0.0		G1	I	-58.9	0.1	1.6	8.7
9225.0	246.4			J	-58.9	0.1	4.5	8.7
0.0	0.0		G2	I	-18.7	0.0	0.0	3.8
0.9	80.7			J	-18.7	0.0	0.0	3.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-2.8	196.1	Q5_pc X	I	-46.5	0.1	-0.0	-4.5	
0.0	0.0		J	-46.5	0.1	-0.0	-4.5	
-0.7	51.1	Q5_pc Y	I	-64.6	0.0	-0.0	-1.5	
0.0	0.0		J	-64.6	0.0	-0.0	-1.5	
-2.9	188.5	Q5_ps X	I	-49.4	0.1	-0.0	-4.3	
0.0	0.0		J	-49.4	0.1	-0.0	-4.3	
-0.4	44.1	Q5_ps Y	I	-62.3	0.0	-0.0	-1.3	
0.0	0.0		J	-62.3	0.0	-0.0	-1.3	
2470.5	1398.7	INVS LU Max	I	452.7	0.5	2.2	32.9	1
0.0	0.0		J	452.7	0.5	6.1	32.9	
2436.0	100.8	Min	I	-873.1	0.0	2.2	6.2	1
0.0	0.0		J	-873.1	0.0	6.0	6.2	
9237.2	1035.7	INVS LE Max	I	322.9	0.3	1.6	23.8	
0.0	0.0		J	322.9	0.3	4.5	23.8	
9212.0	100.4	Min	I	-650.5	0.0	1.6	4.8	
0.0	0.0		J	-650.5	0.0	4.5	4.8	
8330	2	66 C1-C2;~1 Max	I	387.2	0.2	0.0	11.7	
0.0	0.0		J	387.2	0.2	0.0	11.7	
15.5	259.6	Min	I	-296.7	-0.1	-0.0	-10.5	
0.0	0.0		J	-296.7	-0.1	-0.0	-10.5	
-12.3	-561.9							
0.0	0.0	C3-C4;~1 Max	I	555.4	0.2	0.0	13.7	
12.9	228.4		J	555.4	0.2	0.0	13.7	
0.0	0.0	Min	I	-344.4	-0.1	-0.0	-9.8	
-13.9	-516.3		J	-344.4	-0.1	-0.0	-9.8	
0.0	0.0	C1-C2;~2 Max	I	195.1	0.1	0.0	6.1	
9.6	142.8		J	195.1	0.1	0.0	6.1	
0.0	0.0	Min	I	-151.1	-0.0	-0.0	-6.5	
-6.5	-347.7		J	-151.1	-0.0	-0.0	-6.5	

MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	281.3	0.1	0.0	7.0	
7.9	121.9		J	281.3	0.1	0.0	7.0	
0.0	0.0	Min	I	-174.7	-0.0	-0.0	-6.1	
-7.2	-312.8		J	-174.7	-0.0	-0.0	-6.1	
0.0	0.0	G1	I	75.6	0.1	-4.5	10.3	
9602.5	-215.8		J	75.6	0.1	-1.4	10.3	
0.0	0.0	G2	I	33.8	0.0	0.0	4.8	
-2.1	-70.8		J	33.8	0.0	0.0	4.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-28.0	0.0	-0.0	-1.2	
0.9	-41.6		J	-28.0	0.0	-0.0	-1.2	
0.0	0.0	Q5_pc Y	I	-66.5	-0.0	-0.0	-0.6	
0.3	39.1		J	-66.5	-0.0	-0.0	-0.6	
0.0	0.0	Q5_ps X	I	-32.9	0.0	-0.0	-1.3	
1.0	-41.4		J	-32.9	0.0	-0.0	-1.3	
0.0	0.0	Q5_ps Y	I	-63.2	-0.0	-0.0	-0.4	
0.2	35.5		J	-63.2	-0.0	-0.0	-0.4	
0.0	0.0	INVS LU Max	I	759.1	0.3	-6.0	46.2	
2974.8	87.4		J	759.1	0.3	-1.8	46.2	1
0.0	0.0	Min	I	-575.3	-0.0	-6.1	11.3	
2933.6	-1096.6		J	-575.3	-0.0	-1.9	11.3	1
0.0	0.0	INVS LE Max	I	546.8	0.2	-4.5	34.3	
9610.5	75.5		J	546.8	0.2	-1.4	34.3	
0.0	0.0	Min	I	-432.8	-0.0	-4.5	8.6	
9580.1	-795.9		J	-432.8	-0.0	-1.4	8.6	
8331	2	66 C1-C2; ~1 Max	I	224.5	0.0	0.0	12.0	
0.0	0.0		J	224.5	0.0	0.0	12.0	

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-381.4	-0.0	-0.0	-12.2
0.0	0.0			J	-381.4	-0.0	0.0	-12.2
0.0	0.0	C3-C4;~1	Max	I	234.1	0.0	0.0	11.1
0.0	0.0			J	234.1	0.0	0.0	11.1
0.0	0.0		Min	I	-563.5	-0.0	-0.0	-7.2
0.0	0.0			J	-563.5	-0.0	0.0	-7.2
0.0	0.0	C1-C2;~2	Max	I	115.1	0.0	0.0	7.4
0.0	0.0			J	115.1	0.0	0.0	7.4
0.0	0.0		Min	I	-192.8	-0.0	-0.0	-7.6
0.0	0.0			J	-192.8	-0.0	0.0	-7.6
0.0	0.0	C3-C4;~2	Max	I	113.7	0.0	0.0	6.6
0.0	0.0			J	113.7	0.0	0.0	6.6
0.0	0.0		Min	I	-287.4	-0.0	-0.0	-3.9
0.0	0.0			J	-287.4	-0.0	0.0	-3.9
0.0	0.0		G1	I	-183.8	0.0	-1.5	2.5
0.0	0.0			J	-183.8	-0.0	1.5	2.5
0.0	0.0		G2	I	-78.6	0.0	-0.0	-1.3
0.0	0.0			J	-78.6	-0.0	0.0	-1.3
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	33.2	-0.0	-0.0	-0.4
0.0	0.0			J	33.2	-0.0	0.0	-0.4
0.0	0.0	Q5_pc	Y	I	61.4	-0.0	0.0	0.7
0.0	0.0			J	61.4	0.0	0.0	0.7
0.0	0.0	Q5_ps	X	I	38.6	-0.0	-0.0	-0.3
0.0	0.0			J	38.6	-0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	57.6	-0.0	0.0	0.7
0.0	0.0			J	57.6	0.0	0.0	0.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		INVS LU Max	I	136.0	0.0	-2.0	18.6
0.0	0.0		J	136.0	0.0	2.0	18.6
0.0	0.0	Min	I	-1051.2	-0.0	-2.0	-15.4
0.0	0.0		J	-1051.2	-0.0	2.0	-15.4
0.0	0.0						
		INVS LE Max	I	102.9	0.0	-1.5	13.9
0.0	0.0		J	102.9	0.0	1.5	13.9
0.0	0.0	Min	I	-768.3	-0.0	-1.5	-11.1
0.0	0.0		J	-768.3	-0.0	1.5	-11.1
0.0	0.0						
8332	2	66 C1-C2;~1 Max	I	224.2	0.0	0.0	24.3
0.0	0.0		J	224.2	0.0	0.0	24.3
0.0	0.0	Min	I	-381.4	0.0	0.0	-20.3
0.0	0.0		J	-381.4	0.0	0.0	-20.3
0.0	0.0						
		C3-C4;~1 Max	I	233.9	0.0	0.0	21.7
0.0	0.0		J	233.9	0.0	0.0	21.7
0.0	0.0	Min	I	-563.5	0.0	0.0	-23.8
0.0	0.0		J	-563.5	0.0	0.0	-23.8
0.0	0.0						
		C1-C2;~2 Max	I	115.0	0.0	0.0	15.4
0.0	0.0		J	115.0	0.0	0.0	15.4
0.0	0.0	Min	I	-192.8	0.0	0.0	-10.5
0.0	0.0		J	-192.8	0.0	0.0	-10.5
0.0	0.0						
		C3-C4;~2 Max	I	113.7	0.0	0.0	13.3
0.0	0.0		J	113.7	0.0	0.0	13.3
0.0	0.0	Min	I	-287.4	0.0	0.0	-12.0
0.0	0.0		J	-287.4	0.0	0.0	-12.0
0.0	0.0						
		G1	I	-183.9	0.0	-1.6	-14.1
0.0	0.0		J	-183.9	0.0	1.6	-14.1
0.0	0.0						
		G2	I	-78.6	0.0	0.0	-5.5
0.0	0.0		J	-78.6	0.0	0.0	-5.5
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	33.2	0.0	0.0	1.3
			J	33.2	0.0	0.0	1.3
0.0	0.0	Q5_pc Y	I	61.4	0.0	0.0	1.3
			J	61.4	0.0	0.0	1.3
0.0	0.0	Q5_ps X	I	38.5	0.0	0.0	1.7
			J	38.5	0.0	0.0	1.7
0.0	0.0	Q5_ps Y	I	57.6	0.0	0.0	1.0
			J	57.6	0.0	0.0	1.0
0.0	0.0	INVS LU Max	I	135.7	0.0	-2.1	-6.6
			J	135.7	0.0	2.1	-6.6
0.0	0.0	Min	I	-1051.3	0.0	-2.1	-74.0
			J	-1051.3	0.0	2.1	-74.0
0.0	0.0	INVS LE Max	I	102.6	0.0	-1.6	-5.5
			J	102.6	0.0	1.6	-5.5
0.0	0.0	Min	I	-768.5	0.0	-1.6	-55.3
			J	-768.5	0.0	1.6	-55.3
8333	2	66 C1-C2;~1 Max	I	387.2	0.1	0.0	11.2
11.5	259.6		J	387.2	0.1	0.0	11.2
0.0	0.0	Min	I	-296.7	-0.2	-0.0	-9.2
-14.5	-561.9		J	-296.7	-0.2	-0.0	-9.2
0.0	0.0	C3-C4;~1 Max	I	555.4	0.1	0.0	10.6
13.1	228.4		J	555.4	0.1	0.0	10.6
0.0	0.0	Min	I	-344.4	-0.2	-0.0	-8.2
-12.1	-516.3		J	-344.4	-0.2	-0.0	-8.2
0.0	0.0	C1-C2;~2 Max	I	195.1	0.0	0.0	6.2
6.1	142.8		J	195.1	0.0	0.0	6.2
0.0	0.0	Min	I	-151.1	-0.1	-0.0	-5.8

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-9.0	-347.7		J	-151.1	-0.1	-0.0	-5.8	
0.0	0.0							
6.8	121.9	C3-C4;~2 Max	I	281.3	0.0	0.0	5.4	
0.0	0.0		J	281.3	0.0	0.0	5.4	
-7.4	-312.8	Min	I	-174.7	-0.1	-0.0	-5.1	
0.0	0.0		J	-174.7	-0.1	-0.0	-5.1	
9619.0	-215.8	G1	I	75.6	-0.1	1.7	8.1	
0.0	0.0		J	75.6	-0.1	4.6	8.1	
2.0	-70.8	G2	I	33.8	-0.0	0.0	4.3	
0.0	0.0		J	33.8	-0.0	0.0	4.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.8	-41.6	Q5_pc X	I	-28.0	-0.0	-0.0	-0.9	
0.0	0.0		J	-28.0	-0.0	-0.0	-0.9	
-0.3	39.1	Q5_pc Y	I	-66.5	0.0	-0.0	-0.6	
0.0	0.0		J	-66.5	0.0	-0.0	-0.6	
-0.9	-41.4	Q5_ps X	I	-32.9	-0.0	-0.0	-1.1	
0.0	0.0		J	-32.9	-0.0	-0.0	-1.1	
-0.2	35.5	Q5_ps Y	I	-63.2	0.0	-0.0	-0.3	
0.0	0.0		J	-63.2	0.0	-0.0	-0.3	
3013.6	87.4	INVSLU Max	I	759.0	0.0	2.2	36.9	1
0.0	0.0		J	759.0	0.0	6.2	36.9	
2974.9	-1096.6	Min	I	-575.3	-0.4	2.2	7.7	1
0.0	0.0		J	-575.3	-0.4	6.2	7.7	
9640.0	75.5	INVSLE Max	I	546.7	0.0	1.7	27.3	
0.0	0.0		J	546.7	0.0	4.6	27.3	
9611.4	-795.9	Min	I	-432.8	-0.3	1.7	5.8	
0.0	0.0		J	-432.8	-0.3	4.6	5.8	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8334	2	66	C1-C2;~1	Max	I	411.9	0.2	0.0	11.5
0.0	0.0				J	411.9	0.2	0.0	11.5
18.4	201.4			Min	I	-238.0	-0.1	-0.0	-14.9
0.0	0.0				J	-238.0	-0.1	-0.0	-14.9
-10.4	-592.0								
			C3-C4;~1	Max	I	569.8	0.2	0.0	12.6
0.0	0.0				J	569.8	0.2	0.0	12.6
16.0	243.4			Min	I	-267.9	-0.1	-0.0	-15.5
0.0	0.0				J	-267.9	-0.1	-0.0	-15.5
-10.6	-539.3								
			C1-C2;~2	Max	I	213.9	0.1	0.0	5.9
0.0	0.0				J	213.9	0.1	0.0	5.9
11.3	111.0			Min	I	-119.1	-0.0	-0.0	-9.0
0.0	0.0				J	-119.1	-0.0	-0.0	-9.0
-5.6	-354.9								
			C3-C4;~2	Max	I	295.5	0.1	0.0	6.6
0.0	0.0				J	295.5	0.1	0.0	6.6
9.7	133.0			Min	I	-133.6	-0.0	-0.0	-9.2
0.0	0.0				J	-133.6	-0.0	-0.0	-9.2
-5.6	-317.1								
				G1	I	164.6	0.1	-4.5	4.4
0.0	0.0				J	164.6	0.1	-1.4	4.4
9614.2	-315.9								
				G2	I	67.9	0.0	-0.0	2.5
0.0	0.0				J	67.9	0.0	-0.0	2.5
0.5	-121.3								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-18.2	0.0	-0.0	-0.1
0.0	0.0				J	-18.2	0.0	-0.0	-0.1
1.0	-2.7								
				Q5_pc Y	I	-61.9	-0.0	0.0	0.1
0.0	0.0				J	-61.9	-0.0	0.0	0.1
-0.4	95.4								
				Q5_ps X	I	-23.0	0.0	-0.0	-0.3
0.0	0.0				J	-23.0	0.0	-0.0	-0.3
1.1	-4.3								


MIDAS

PROJECT TITLE :


MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	-58.8	-0.0	0.0	0.2	
-0.5	89.0		J	-58.8	-0.0	0.0	0.2	
0.0	0.0	INVS LU Max	I	947.1	0.5	-6.0	31.7	
3000.3	-193.0		J	947.1	0.5	-1.8	31.7	1
0.0	0.0	Min	I	-295.4	0.1	-6.1	-6.4	
2959.3	-1492.4		J	-295.4	0.1	-1.9	-6.4	1
0.0	0.0	INVS LE Max	I	687.2	0.3	-4.5	23.6	
9629.5	-142.1		J	687.2	0.3	-1.4	23.6	
0.0	0.0	Min	I	-224.9	0.0	-4.5	-4.7	
9599.3	-1091.9		J	-224.9	0.0	-1.4	-4.7	
8335	2	66 C1-C2;~1 Max	I	180.2	0.0	0.0	12.7	
0.0	0.0		J	180.2	0.0	0.0	12.7	
0.0	0.0	Min	I	-318.0	0.0	-0.0	-12.9	
0.0	0.0		J	-318.0	0.0	-0.0	-12.9	
0.0	0.0	C3-C4;~1 Max	I	157.2	0.0	0.0	10.9	
0.0	0.0		J	157.2	0.0	0.0	10.9	
0.0	0.0	Min	I	-477.8	0.0	-0.0	-7.7	
0.0	0.0		J	-477.8	0.0	-0.0	-7.7	
0.0	0.0	C1-C2;~2 Max	I	95.0	0.0	0.0	8.0	
0.0	0.0		J	95.0	0.0	0.0	8.0	
0.0	0.0	Min	I	-163.1	0.0	-0.0	-8.2	
0.0	0.0		J	-163.1	0.0	-0.0	-8.2	
0.0	0.0	C3-C4;~2 Max	I	78.8	0.0	0.0	6.7	
0.0	0.0		J	78.8	0.0	0.0	6.7	
0.0	0.0	Min	I	-246.6	0.0	-0.0	-4.2	
0.0	0.0		J	-246.6	0.0	-0.0	-4.2	
0.0	0.0	G1	I	-189.1	0.0	-1.5	2.6	
0.0	0.0		J	-189.1	0.0	1.5	2.6	
0.0	0.0	G2	I	-80.0	0.0	0.0	-1.3	

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-80.0	0.0	0.0	-1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	21.5	0.0	0.0	-0.6
0.0	0.0		J	21.5	0.0	0.0	-0.6
0.0	0.0	Q5_pc Y	I	49.5	0.0	-0.0	1.2
0.0	0.0		J	49.5	0.0	-0.0	1.2
0.0	0.0	Q5_ps X	I	26.9	0.0	0.0	-0.4
0.0	0.0		J	26.9	0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	46.4	0.0	-0.0	1.1
0.0	0.0		J	46.4	0.0	-0.0	1.1
0.0	0.0	INVSLE Max	I	16.8	0.0	-2.0	22.6
0.0	0.0		J	16.8	0.0	2.0	22.6
0.0	0.0	Min	I	-960.6	0.0	-2.0	-14.2
0.0	0.0		J	-960.6	0.0	2.0	-14.2
0.0	0.0	INVSLE Max	I	13.7	0.0	-1.5	17.1
0.0	0.0		J	13.7	0.0	1.5	17.1
0.0	0.0	Min	I	-703.7	0.0	-1.5	-10.0
0.0	0.0		J	-703.7	0.0	1.5	-10.0
8336	2	66 C1-C2;~1 Max	I	180.0	0.0	0.0	28.3
0.0	0.0		J	180.0	0.0	0.0	28.3
0.0	0.0	Min	I	-318.0	0.0	-0.0	-15.1
0.0	0.0		J	-318.0	0.0	0.0	-15.1
0.0	0.0	C3-C4;~1 Max	I	157.1	0.0	0.0	26.7
0.0	0.0		J	157.1	0.0	0.0	26.7
0.0	0.0	Min	I	-477.8	0.0	-0.0	-16.8
0.0	0.0		J	-477.8	0.0	0.0	-16.8
0.0	0.0	C1-C2;~2 Max	I	94.8	0.0	0.0	17.8

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	94.8	0.0	0.0	17.8
0.0	0.0	Min	I	-163.2	0.0	-0.0	-8.1
0.0	0.0		J	-163.2	0.0	0.0	-8.1
0.0	0.0	C3-C4;~2 Max	I	78.7	0.0	0.0	16.3
0.0	0.0		J	78.7	0.0	0.0	16.3
0.0	0.0	Min	I	-246.7	0.0	-0.0	-8.8
0.0	0.0		J	-246.7	0.0	0.0	-8.8
0.0	0.0	G1	I	-189.3	0.0	-1.6	-0.7
0.0	0.0		J	-189.3	0.0	1.6	-0.7
0.0	0.0	G2	I	-80.1	0.0	0.0	-0.3
0.0	0.0		J	-80.1	0.0	0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	21.5	0.0	0.0	1.4
0.0	0.0		J	21.5	0.0	0.0	1.4
0.0	0.0	Q5_pc Y	I	49.6	0.0	-0.0	0.3
0.0	0.0		J	49.6	0.0	0.0	0.3
0.0	0.0	Q5_ps X	I	26.9	0.0	0.0	1.8
0.0	0.0		J	26.9	0.0	0.0	1.8
0.0	0.0	Q5_ps Y	I	46.5	0.0	-0.0	0.1
0.0	0.0		J	46.5	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	16.1	0.0	-2.1	30.3
0.0	0.0		J	16.1	0.0	2.1	30.3
0.0	0.0	Min	I	-961.1	0.0	-2.1	-33.2
0.0	0.0		J	-961.1	0.0	2.1	-33.2
0.0	0.0	INVSLE Max	I	13.2	0.0	-1.6	22.2
0.0	0.0		J	13.2	0.0	1.6	22.2
0.0	0.0	Min	I	-704.0	0.0	-1.6	-24.6
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
				J	-704.0	0.0	1.6	-24.6		
0.0	0.0									
8337	2	66	C1-C2;~1	Max	I	411.9	0.1	0.0	11.1	
9.8	201.4				J	411.9	0.1	0.0	11.1	
0.0	0.0									
				Min	I	-238.1	-0.2	-0.0	-13.0	
-17.3	-592.0				J	-238.1	-0.2	-0.0	-13.0	
0.0	0.0									
				Max	I	569.8	0.1	0.0	10.3	
10.0	243.4				J	569.8	0.1	0.0	10.3	
0.0	0.0									
				Min	I	-268.0	-0.2	-0.0	-13.3	
-15.0	-539.3				J	-268.0	-0.2	-0.0	-13.3	
0.0	0.0									
				Max	I	213.9	0.0	0.0	6.0	
5.3	111.0				J	213.9	0.0	0.0	6.0	
0.0	0.0									
				Min	I	-119.1	-0.1	-0.0	-7.9	
-10.6	-354.9				J	-119.1	-0.1	-0.0	-7.9	
0.0	0.0									
				Max	I	295.5	0.0	0.0	5.3	
5.3	133.0				J	295.5	0.0	0.0	5.3	
0.0	0.0									
				Min	I	-133.6	-0.1	-0.0	-8.0	
-9.1	-317.1				J	-133.6	-0.1	-0.0	-8.0	
0.0	0.0									
				G1	I	164.6	-0.1	1.7	4.0	
9617.5	-315.9				J	164.6	-0.1	4.6	4.0	
0.0	0.0									
				G2	I	67.9	-0.0	-0.0	2.6	
-0.5	-121.3				J	67.9	-0.0	-0.0	2.6	
0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-18.2	-0.0	-0.0	0.2
-0.9	-2.7				J	-18.2	-0.0	-0.0	0.2	
0.0	0.0									
				Q5_pc	Y	I	-61.9	0.0	0.0	-0.0
0.4	95.4				J	-61.9	0.0	0.0	-0.0	
0.0	0.0									
				Q5_ps	X	I	-23.0	-0.0	-0.0	0.0
-1.0	-4.3									

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-23.0	-0.0	-0.0	0.0	
0.5	89.0	Q5_ps Y	I	-58.8	0.0	0.0	0.1	
0.0	0.0		J	-58.8	0.0	0.0	0.1	
3002.3	-193.0	INVSLE Max	I	947.0	-0.1	2.2	27.8	1
0.0	0.0		J	947.0	-0.1	6.2	27.8	
2963.8	-1492.4	Min	I	-295.4	-0.5	2.2	-5.4	1
0.0	0.0		J	-295.4	-0.5	6.2	-5.4	
9631.5	-142.1	INVSLE Max	I	687.1	-0.0	1.7	20.6	
0.0	0.0		J	687.1	-0.0	4.6	20.6	
9603.1	-1091.9	Min	I	-224.9	-0.4	1.6	-4.0	
0.0	0.0		J	-224.9	-0.4	4.6	-4.0	
8338	2	66 C1-C2;~1 Max	I	374.7	0.2	0.0	8.4	
0.0	0.0		J	374.7	0.2	0.0	8.4	
20.7	212.8	Min	I	-171.6	-0.1	-0.0	-16.5	
0.0	0.0		J	-171.6	-0.1	-0.0	-16.5	
-8.5	-590.4							
0.0	0.0	C3-C4;~1 Max	I	501.6	0.2	0.0	9.2	
17.9	283.4		J	501.6	0.2	0.0	9.2	
0.0	0.0	Min	I	-187.0	-0.1	-0.0	-16.4	
-9.0	-513.1		J	-187.0	-0.1	-0.0	-16.4	
0.0	0.0	C1-C2;~2 Max	I	200.1	0.1	0.0	4.3	
12.3	116.5		J	200.1	0.1	0.0	4.3	
0.0	0.0	Min	I	-83.7	-0.0	-0.0	-9.9	
-4.5	-344.1		J	-83.7	-0.0	-0.0	-9.9	
0.0	0.0	C3-C4;~2 Max	I	265.8	0.1	0.0	4.8	
10.5	158.9		J	265.8	0.1	0.0	4.8	
0.0	0.0	Min	I	-90.7	-0.0	-0.0	-9.7	
-4.7	-291.7		J	-90.7	-0.0	-0.0	-9.7	
0.0	0.0	G1	I	188.2	0.1	-4.5	-0.9	
9624.0	-316.8		J	188.2	0.1	-1.4	-0.9	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	G2	I	75.5	0.0	-0.0	0.5	
2.4	-119.2		J	75.5	0.0	-0.0	0.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-10.8	-0.0	-0.0	-0.5	
0.7	52.7		J	-10.8	-0.0	-0.0	-0.5	
0.0	0.0	Q5_pc Y	I	-54.8	-0.0	0.0	0.2	
-1.3	128.9		J	-54.8	-0.0	0.0	0.2	
0.0	0.0	Q5_ps X	I	-14.6	-0.0	-0.0	-0.7	
0.9	46.3		J	-14.6	-0.0	-0.0	-0.7	
0.0	0.0	Q5_ps Y	I	-52.3	-0.0	0.0	0.3	
-1.3	122.2		J	-52.3	-0.0	0.0	0.3	
0.0	0.0	INVSLU Max	I	945.9	0.4	-6.1	6.9	
3024.6	-47.1		J	945.9	0.4	-1.9	6.9	1
0.0	0.0	Min	I	-82.3	0.0	-6.1	-28.7	
2982.2	-1458.8		J	-82.3	0.0	-1.9	-28.7	1
0.0	0.0	INVSLE Max	I	689.7	0.3	-4.5	4.7	
9647.7	-40.9		J	689.7	0.3	-1.4	4.7	
0.0	0.0	Min	I	-64.6	0.0	-4.5	-21.6	
9616.5	-1069.4		J	-64.6	0.0	-1.4	-21.6	
8339	2	66 C1-C2;~1 Max	I	153.1	0.0	0.0	10.5	
0.0	0.0		J	153.1	0.0	0.0	10.5	
0.0	0.0	Min	I	-229.0	0.0	-0.0	-14.9	
0.0	0.0		J	-229.0	0.0	-0.0	-14.9	
0.0	0.0	C3-C4;~1 Max	I	114.4	0.0	0.0	8.8	
0.0	0.0		J	114.4	0.0	0.0	8.8	
0.0	0.0	Min	I	-344.6	0.0	-0.0	-8.0	
0.0	0.0		J	-344.6	0.0	-0.0	-8.0	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	82.0	0.0	0.0	6.4
				J	82.0	0.0	0.0	6.4
0.0	0.0		Min	I	-120.3	0.0	-0.0	-9.2
0.0	0.0			J	-120.3	0.0	-0.0	-9.2
0.0	0.0	C3-C4;~2	Max	I	59.3	0.0	0.0	5.1
				J	59.3	0.0	0.0	5.1
0.0	0.0		Min	I	-179.9	0.0	-0.0	-4.4
0.0	0.0			J	-179.9	0.0	-0.0	-4.4
0.0	0.0							
0.0	0.0		G1	I	-122.3	0.0	-1.5	0.3
				J	-122.3	0.0	1.5	0.3
0.0	0.0							
0.0	0.0		G2	I	-53.1	0.0	-0.0	-2.0
				J	-53.1	0.0	0.0	-2.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	11.3	0.0	-0.0	-0.1
				J	11.3	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		Q5_pc Y	I	35.2	0.0	0.0	1.5
				J	35.2	0.0	-0.0	1.5
0.0	0.0							
0.0	0.0		Q5_ps X	I	15.9	0.0	-0.0	0.0
				J	15.9	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps Y	I	33.1	0.0	0.0	1.4
				J	33.1	0.0	-0.0	1.4
0.0	0.0							
0.0	0.0		INVSLE Max	I	67.1	0.0	-2.0	18.7
				J	67.1	0.0	2.0	18.7
0.0	0.0		Min	I	-668.2	0.0	-2.0	-18.4
0.0	0.0			J	-668.2	0.0	2.0	-18.4
0.0	0.0							
0.0	0.0		INVSLE Max	I	51.4	0.0	-1.5	14.3
				J	51.4	0.0	1.5	14.3

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-488.6	0.0	-1.5	-13.0
0.0	0.0			J	-488.6	0.0	1.5	-13.0
0.0	0.0							
8340	2	66	C1-C2;~1	Max	I	152.9	0.0	30.2
0.0	0.0			J	152.9	0.0	0.0	30.2
0.0	0.0		Min	I	-229.0	0.0	0.0	-11.9
0.0	0.0			J	-229.0	0.0	0.0	-11.9
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	114.4	0.0	29.0
0.0	0.0			J	114.4	0.0	0.0	29.0
0.0	0.0		Min	I	-344.7	0.0	0.0	-13.3
0.0	0.0			J	-344.7	0.0	0.0	-13.3
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	81.9	0.0	18.5
0.0	0.0			J	81.9	0.0	0.0	18.5
0.0	0.0		Min	I	-120.4	0.0	0.0	-6.2
0.0	0.0			J	-120.4	0.0	0.0	-6.2
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	59.3	0.0	17.2
0.0	0.0			J	59.3	0.0	0.0	17.2
0.0	0.0		Min	I	-179.9	0.0	0.0	-6.8
0.0	0.0			J	-179.9	0.0	0.0	-6.8
0.0	0.0							
0.0	0.0		G1	I	-122.5	0.0	-1.6	6.9
0.0	0.0			J	-122.5	0.0	1.6	6.9
0.0	0.0							
0.0	0.0		G2	I	-53.2	0.0	0.0	2.6
0.0	0.0			J	-53.2	0.0	0.0	2.6
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	11.3	0.0	1.3
0.0	0.0			J	11.3	0.0	0.0	1.3
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	35.3	0.0	-1.0
0.0	0.0			J	35.3	0.0	0.0	-1.0
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps X	I	16.0	0.0	0.0	1.7
0.0	0.0		J	16.0	0.0	0.0	1.7
0.0	0.0	Q5_ps Y	I	33.2	0.0	0.0	-1.1
0.0	0.0		J	33.2	0.0	0.0	-1.1
0.0	0.0	INVS LU Max	I	66.5	0.0	-2.1	60.1
0.0	0.0		J	66.5	0.0	2.1	60.1
0.0	0.0	Min	I	-668.7	0.0	-2.1	-0.9
0.0	0.0		J	-668.7	0.0	2.1	-0.9
0.0	0.0	INVS LE Max	I	50.9	0.0	-1.6	45.0
0.0	0.0		J	50.9	0.0	1.6	45.0
0.0	0.0	Min	I	-489.0	0.0	-1.6	-0.1
0.0	0.0		J	-489.0	0.0	1.6	-0.1
8341	2	66 C1-C2;~1 Max	I	374.7	0.1	0.0	7.9
8.0	212.8		J	374.7	0.1	0.0	7.9
0.0	0.0	Min	I	-171.6	-0.2	-0.0	-13.7
-19.4	-590.4		J	-171.6	-0.2	-0.0	-13.7
0.0	0.0	C3-C4;~1 Max	I	501.5	0.1	0.0	7.1
8.5	283.4		J	501.5	0.1	0.0	7.1
0.0	0.0	Min	I	-187.0	-0.2	-0.0	-13.5
-16.8	-513.1		J	-187.0	-0.2	-0.0	-13.5
0.0	0.0	C1-C2;~2 Max	I	200.1	0.0	0.0	4.2
4.2	116.5		J	200.1	0.0	0.0	4.2
0.0	0.0	Min	I	-83.7	-0.1	-0.0	-8.4
-11.6	-344.1		J	-83.7	-0.1	-0.0	-8.4
0.0	0.0	C3-C4;~2 Max	I	265.8	0.1	0.0	3.7
4.4	158.9		J	265.8	0.1	0.0	3.7
0.0	0.0	Min	I	-90.7	-0.1	-0.0	-8.1
-9.9	-291.7		J	-90.7	-0.1	-0.0	-8.1
0.0	0.0	G1	I	188.1	-0.1	1.7	-0.1

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9617.4	-316.8		J	188.1	-0.1	4.6	-0.1	
0.0	0.0							
		G2	I	75.5	-0.0	-0.0	1.1	
-2.2	-119.2		J	75.5	-0.0	-0.0	1.1	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-10.8	0.0	-0.0	-0.4	
-0.7	52.7		J	-10.8	0.0	-0.0	-0.4	
0.0	0.0							
		Q5_pc Y	I	-54.8	0.0	0.0	-0.1	
1.2	128.9		J	-54.8	0.0	0.0	-0.1	
0.0	0.0							
		Q5_ps X	I	-14.6	0.0	-0.0	-0.5	
-0.8	46.3		J	-14.6	0.0	-0.0	-0.5	
0.0	0.0							
		Q5_ps Y	I	-52.3	0.0	0.0	0.0	
1.2	122.2		J	-52.3	0.0	0.0	0.0	
0.0	0.0							
		INVSLE Max	I	945.8	-0.0	2.2	7.0	1
2993.1	-47.1		J	945.8	-0.0	6.2	7.0	
0.0	0.0							
		Min	I	-82.3	-0.5	2.2	-22.8	1
2953.2	-1458.8		J	-82.3	-0.5	6.2	-22.8	
0.0	0.0							
		INVSLE Max	I	689.7	-0.0	1.7	4.8	
9624.4	-40.9		J	689.7	-0.0	4.6	4.8	
0.0	0.0							
		Min	I	-64.6	-0.3	1.6	-17.2	
9595.1	-1069.4		J	-64.6	-0.3	4.6	-17.2	
0.0	0.0							
		66 C1-C2;~1 Max	I	314.9	0.2	0.0	6.6	
8342	2		J	314.9	0.2	0.0	6.6	
0.0	0.0							
		Min	I	-142.2	-0.1	-0.0	-16.6	
24.3	194.9		J	-142.2	-0.1	-0.0	-16.6	
0.0	0.0							
		C3-C4;~1 Max	I	406.9	0.1	0.0	7.2	
-8.6	-543.2		J	406.9	0.1	0.0	7.2	
0.0	0.0							
		Min	I	-152.9	-0.1	-0.0	-16.4	
21.5	283.6							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-152.9	-0.1	-0.0	-16.4	
-9.3	-441.0								
		C1-C2;~2	Max	I	172.9	0.1	0.0	3.4	
0.0	0.0			J	172.9	0.1	0.0	3.4	
14.3	106.0		Min	I	-70.9	-0.0	-0.0	-9.9	
0.0	0.0			J	-70.9	-0.0	-0.0	-9.9	
-4.4	-324.3								
		C3-C4;~2	Max	I	220.5	0.1	0.0	3.6	
0.0	0.0			J	220.5	0.1	0.0	3.6	
12.5	161.6		Min	I	-76.7	-0.0	-0.0	-9.7	
0.0	0.0			J	-76.7	-0.0	-0.0	-9.7	
-4.7	-254.9								
		G1		I	165.6	0.1	-4.5	-3.9	
0.0	0.0			J	165.6	0.1	-1.4	-3.9	
9631.8	-212.0								
		G2		I	65.1	0.0	-0.0	-0.6	
0.0	0.0			J	65.1	0.0	-0.0	-0.6	
3.8	-77.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-4.3	-0.0	-0.0	-0.7	
0.0	0.0			J	-4.3	-0.0	-0.0	-0.7	
0.6	66.9								
		Q5_pc	Y	I	-49.6	-0.0	0.0	0.5	
0.0	0.0			J	-49.6	-0.0	0.0	0.5	
-1.8	138.7								
		Q5_ps	X	I	-6.7	-0.0	-0.0	-0.9	
0.0	0.0			J	-6.7	-0.0	-0.0	-0.9	
0.8	58.9								
		Q5_ps	Y	I	-47.7	-0.0	0.0	0.6	
0.0	0.0			J	-47.7	-0.0	0.0	0.6	
-1.8	131.6								
		INVSLU	Max	I	810.6	0.3	-6.1	-10.0	
0.0	0.0			J	810.6	0.3	-1.9	-10.0	1
3043.3	259.6		Min	I	-34.5	-0.1	-6.1	-43.3	
0.0	0.0			J	-34.5	-0.1	-1.9	-43.3	1
2994.7	-1106.2								

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	592.0	0.2	-4.5	-8.1
0.0	0.0			J	592.0	0.2	-1.4	-8.1
9661.5	184.9		Min	I	-27.4	-0.1	-4.5	-32.7
0.0	0.0			J	-27.4	-0.1	-1.4	-32.7
9625.7	-808.3							
8343	2	66	C1-C2;~1 Max	I	164.0	0.0	0.0	8.4
0.0	0.0			J	164.0	0.0	0.0	8.4
0.0	0.0		Min	I	-168.4	-0.0	0.0	-17.0
0.0	0.0			J	-168.4	-0.0	0.0	-17.0
0.0	0.0							
			C3-C4;~1 Max	I	144.6	0.0	0.0	7.5
0.0	0.0			J	144.6	0.0	0.0	7.5
0.0	0.0		Min	I	-254.6	-0.0	0.0	-10.5
0.0	0.0			J	-254.6	-0.0	0.0	-10.5
0.0	0.0							
			C1-C2;~2 Max	I	88.6	0.0	0.0	4.7
0.0	0.0			J	88.6	0.0	0.0	4.7
0.0	0.0		Min	I	-87.7	-0.0	0.0	-10.2
0.0	0.0			J	-87.7	-0.0	0.0	-10.2
0.0	0.0							
			C3-C4;~2 Max	I	77.0	0.0	0.0	4.0
0.0	0.0			J	77.0	0.0	0.0	4.0
0.0	0.0		Min	I	-132.3	-0.0	0.0	-5.8
0.0	0.0			J	-132.3	-0.0	0.0	-5.8
0.0	0.0							
			G1	I	-43.4	0.0	-1.5	-2.0
0.0	0.0			J	-43.4	-0.0	1.5	-2.0
0.0	0.0							
			G2	I	-20.9	0.0	0.0	-3.0
0.0	0.0			J	-20.9	-0.0	0.0	-3.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.8	0.0	0.0	0.1
0.0	0.0			J	4.8	-0.0	0.0	0.1
0.0	0.0							
			Q5_pc Y	I	23.7	-0.0	0.0	1.8

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	23.7	0.0	0.0	1.8
0.0	0.0						
0.0	0.0	Q5_ps X	I	8.2	0.0	0.0	0.1
0.0	0.0		J	8.2	-0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	22.7	-0.0	0.0	1.7
0.0	0.0		J	22.7	0.0	0.0	1.7
0.0	0.0						
0.0	0.0	INVS LU Max	I	181.6	0.0	-2.0	18.5
0.0	0.0		J	181.6	0.0	2.0	18.5
0.0	0.0	Min	I	-426.2	-0.0	-2.0	-18.9
0.0	0.0		J	-426.2	-0.0	2.0	-18.9
0.0	0.0						
0.0	0.0	INVS LE Max	I	135.0	0.0	-1.5	14.4
0.0	0.0		J	135.0	0.0	1.5	14.4
0.0	0.0	Min	I	-312.0	-0.0	-1.5	-13.1
0.0	0.0		J	-312.0	-0.0	1.5	-13.1
0.0	0.0						
8344	2	66 C1-C2;~1 Max	I	163.8	0.0	0.0	34.4
0.0	0.0		J	163.8	0.0	0.0	34.4
0.0	0.0	Min	I	-168.4	-0.0	0.0	-11.7
0.0	0.0		J	-168.4	-0.0	-0.0	-11.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	144.6	0.0	0.0	33.1
0.0	0.0		J	144.6	0.0	0.0	33.1
0.0	0.0	Min	I	-254.8	-0.0	0.0	-12.9
0.0	0.0		J	-254.8	-0.0	-0.0	-12.9
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	88.5	0.0	0.0	20.7
0.0	0.0		J	88.5	0.0	0.0	20.7
0.0	0.0	Min	I	-87.8	-0.0	0.0	-5.9
0.0	0.0		J	-87.8	-0.0	-0.0	-5.9
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	76.9	0.0	0.0	19.5
0.0	0.0		J	76.9	0.0	0.0	19.5
0.0	0.0	Min	I	-132.4	-0.0	0.0	-6.5
0.0	0.0		J	-132.4	-0.0	-0.0	-6.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		G1	I	-43.5	0.0	-1.6	11.5
0.0	0.0		J	-43.5	-0.0	1.6	11.5
0.0	0.0						
		G2	I	-20.9	0.0	0.0	4.5
0.0	0.0		J	-20.9	-0.0	-0.0	4.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.9	0.0	0.0	1.2
0.0	0.0		J	4.9	0.0	-0.0	1.2
0.0	0.0						
		Q5_pc Y	I	23.8	-0.0	0.0	-1.8
0.0	0.0		J	23.8	-0.0	0.0	-1.8
0.0	0.0						
		Q5_ps X	I	8.3	0.0	0.0	1.6
0.0	0.0		J	8.3	0.0	-0.0	1.6
0.0	0.0						
		Q5_ps Y	I	22.8	-0.0	0.0	-1.8
0.0	0.0		J	22.8	-0.0	0.0	-1.8
0.0	0.0						
		INVSLE Max	I	181.3	0.0	-2.1	83.5
0.0	0.0		J	181.3	0.0	2.1	83.5
0.0	0.0						
		Min	I	-426.6	-0.0	-2.1	16.4
0.0	0.0		J	-426.6	-0.0	2.1	16.4
0.0	0.0						
		INVSLE Max	I	134.8	0.0	-1.6	62.4
0.0	0.0		J	134.8	0.0	1.6	62.4
0.0	0.0						
		Min	I	-312.3	-0.0	-1.6	13.0
0.0	0.0		J	-312.3	-0.0	1.6	13.0
0.0	0.0						
8345	2	66 C1-C2;~1 Max	I	314.9	0.1	0.0	6.3
8.0	194.9		J	314.9	0.1	0.0	6.3
0.0	0.0						
		Min	I	-142.2	-0.2	-0.0	-12.5
-22.8	-543.2		J	-142.2	-0.2	-0.0	-12.5
0.0	0.0						
		C3-C4;~1 Max	I	406.9	0.1	0.0	5.0
8.7	283.6						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	406.9	0.1	0.0	5.0	
0.0	0.0								
			Min	I	-152.9	-0.1	-0.0	-12.4	
-20.3	-441.0								
				J	-152.9	-0.1	-0.0	-12.4	
0.0	0.0								
			C1-C2;~2 Max	I	172.8	0.0	0.0	3.4	
4.1	106.0								
				J	172.8	0.0	0.0	3.4	
0.0	0.0								
			Min	I	-70.9	-0.1	-0.0	-7.6	
-13.5	-324.3								
				J	-70.9	-0.1	-0.0	-7.6	
0.0	0.0								
			C3-C4;~2 Max	I	220.4	0.1	0.0	2.5	
4.4	161.6								
				J	220.4	0.1	0.0	2.5	
0.0	0.0								
			Min	I	-76.7	-0.1	-0.0	-7.4	
-11.8	-254.9								
				J	-76.7	-0.1	-0.0	-7.4	
0.0	0.0								
			G1	I	165.6	-0.1	1.6	-2.1	
9618.4	-212.0								
				J	165.6	-0.1	4.6	-2.1	
0.0	0.0								
			G2	I	65.1	-0.0	-0.0	0.3	
-3.6	-77.1								
				J	65.1	-0.0	-0.0	0.3	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-4.3	0.0	-0.0	-0.5	
-0.5	66.9								
				J	-4.3	0.0	-0.0	-0.5	
0.0	0.0								
			Q5_pc Y	I	-49.6	0.0	0.0	0.0	
1.7	138.7								
				J	-49.6	0.0	0.0	0.0	
0.0	0.0								
			Q5_ps X	I	-6.7	0.0	-0.0	-0.7	
-0.7	58.9								
				J	-6.7	0.0	-0.0	-0.7	
0.0	0.0								
			Q5_ps Y	I	-47.7	0.0	0.0	0.1	
1.7	131.6								
				J	-47.7	0.0	0.0	0.1	
0.0	0.0								
			INVSLU Max	I	810.5	0.1	2.2	-7.4	1
2992.6	259.6								
				J	810.5	0.1	6.2	-7.4	
0.0	0.0								
			Min	I	-34.6	-0.4	2.2	-33.6	1
2946.9	-1106.2								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-34.6	-0.4	6.2	-33.6
9624.1	184.9	INVSLE Max	I	591.9	0.1	1.7	-6.2
0.0	0.0		J	591.9	0.1	4.6	-6.2
9590.5	-808.3	Min	I	-27.4	-0.3	1.6	-25.6
0.0	0.0		J	-27.4	-0.3	4.6	-25.6
8346	2	66 C1-C2;~1 Max	I	240.6	0.2	0.0	5.7
0.0	0.0		J	240.6	0.2	0.0	5.7
26.0	220.2	Min	I	-115.3	-0.1	-0.0	-17.6
0.0	0.0		J	-115.3	-0.1	-0.0	-17.6
-8.5	-500.1						
0.0	0.0	C3-C4;~1 Max	I	298.5	0.1	0.0	6.2
23.3	303.2		J	298.5	0.1	0.0	6.2
0.0	0.0	Min	I	-132.3	-0.1	-0.0	-17.2
0.0	0.0		J	-132.3	-0.1	-0.0	-17.2
-9.2	-411.8						
0.0	0.0	C1-C2;~2 Max	I	136.0	0.1	0.0	2.8
15.3	119.7		J	136.0	0.1	0.0	2.8
0.0	0.0	Min	I	-59.4	-0.0	-0.0	-10.5
0.0	0.0		J	-59.4	-0.0	-0.0	-10.5
-4.2	-302.3						
0.0	0.0	C3-C4;~2 Max	I	165.5	0.1	0.0	3.1
13.5	170.5		J	165.5	0.1	0.0	3.1
0.0	0.0	Min	I	-67.0	-0.1	-0.0	-10.1
0.0	0.0		J	-67.0	-0.1	-0.0	-10.1
-4.5	-241.2						
0.0	0.0	G1	I	113.7	0.0	-4.5	-5.8
9637.2	-129.9		J	113.7	0.0	-1.4	-5.8
0.0	0.0	G2	I	43.2	0.0	-0.0	-1.4
4.4	-48.4		J	43.2	0.0	-0.0	-1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	1.2	-0.0	-0.0	-0.7
			J	1.2	-0.0	-0.0	-0.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.5	77.3							
		Q5_pc	Y	I	-42.6	-0.0	0.0	0.7
0.0	0.0			J	-42.6	-0.0	0.0	0.7
-2.3	154.1							
		Q5_ps	X	I	0.3	-0.0	-0.0	-1.0
0.0	0.0			J	0.3	-0.0	-0.0	-1.0
0.7	69.9							
		Q5_ps	Y	I	-41.3	-0.0	0.0	0.7
0.0	0.0			J	-41.3	-0.0	0.0	0.7
-2.3	145.7							
		INVS LU	Max	I	594.8	0.3	-6.1	-18.5
0.0	0.0			J	594.8	0.3	-1.9	-18.5
3052.6	498.2							1
			Min	I	-63.5	-0.2	-6.1	-51.9
0.0	0.0			J	-63.5	-0.2	-1.9	-51.9
3000.8	-863.7							1
		INVS LE	Max	I	434.7	0.2	-4.5	-14.6
0.0	0.0			J	434.7	0.2	-1.4	-14.6
9668.3	359.7							
			Min	I	-47.2	-0.1	-4.5	-39.2
0.0	0.0			J	-47.2	-0.1	-1.4	-39.2
9630.2	-628.6							
8347	2	66 C1-C2;~1	Max	I	195.8	0.0	0.0	7.5
0.0	0.0			J	195.8	0.0	0.0	7.5
0.0	0.0							
			Min	I	-118.7	-0.0	0.0	-18.3
0.0	0.0			J	-118.7	0.0	0.0	-18.3
0.0	0.0							
		C3-C4;~1	Max	I	214.3	0.0	0.0	6.8
0.0	0.0			J	214.3	0.0	0.0	6.8
0.0	0.0							
			Min	I	-181.7	-0.0	0.0	-11.5
0.0	0.0			J	-181.7	0.0	0.0	-11.5
0.0	0.0							
		C1-C2;~2	Max	I	109.7	0.0	0.0	4.1
0.0	0.0			J	109.7	0.0	0.0	4.1
0.0	0.0							
			Min	I	-59.4	-0.0	0.0	-11.0
0.0	0.0			J	-59.4	0.0	0.0	-11.0
0.0	0.0							
		C3-C4;~2	Max	I	118.3	0.0	0.0	3.5
0.0	0.0			J	118.3	0.0	0.0	3.5
0.0	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-93.5	-0.0	0.0	-6.4
0.0	0.0			J	-93.5	0.0	0.0	-6.4
0.0	0.0							
			G1	I	39.2	-0.0	-1.5	-3.3
0.0	0.0			J	39.2	0.0	1.5	-3.3
0.0	0.0							
			G2	I	13.0	-0.0	0.0	-3.4
0.0	0.0			J	13.0	0.0	0.0	-3.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.9	0.0	0.0	0.1
0.0	0.0			J	-0.9	0.0	0.0	0.1
0.0	0.0							
			Q5_pc Y	I	10.9	-0.0	0.0	2.2
0.0	0.0			J	10.9	0.0	0.0	2.2
0.0	0.0							
			Q5_ps X	I	1.0	0.0	0.0	0.2
0.0	0.0			J	1.0	0.0	0.0	0.2
0.0	0.0							
			Q5_ps Y	I	10.9	-0.0	0.0	2.0
0.0	0.0			J	10.9	0.0	0.0	2.0
0.0	0.0							
			INVSLU Max	I	353.7	0.0	-2.0	21.3
0.0	0.0			J	353.7	0.0	2.0	21.3
0.0	0.0							
			Min	I	-200.4	-0.0	-2.0	-17.4
0.0	0.0			J	-200.4	0.0	2.0	-17.4
0.0	0.0							
			INVSLE Max	I	261.0	0.0	-1.5	16.7
0.0	0.0			J	261.0	0.0	1.5	16.7
0.0	0.0							
			Min	I	-148.0	-0.0	-1.5	-11.7
0.0	0.0			J	-148.0	0.0	1.5	-11.7
0.0	0.0							
8348	2	66 C1-C2;~1	Max	I	195.6	0.0	0.0	36.8
0.0	0.0			J	195.6	0.0	0.0	36.8
0.0	0.0							
			Min	I	-118.8	0.0	-0.0	-11.8
0.0	0.0			J	-118.8	-0.0	-0.0	-11.8
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4;~1 Max	I	214.4	0.0	0.0	35.3
			J	214.4	0.0	0.0	35.3
0.0	0.0	Min	I	-181.8	0.0	-0.0	-12.9
0.0	0.0		J	-181.8	-0.0	-0.0	-12.9
0.0	0.0	C1-C2;~2 Max	I	109.6	0.0	0.0	22.0
			J	109.6	0.0	0.0	22.0
0.0	0.0	Min	I	-59.4	0.0	-0.0	-5.8
0.0	0.0		J	-59.4	-0.0	-0.0	-5.8
0.0	0.0	C3-C4;~2 Max	I	118.3	0.0	0.0	20.7
			J	118.3	0.0	0.0	20.7
0.0	0.0	Min	I	-93.5	0.0	-0.0	-6.2
0.0	0.0		J	-93.5	-0.0	-0.0	-6.2
0.0	0.0	G1	I	39.1	0.0	-1.6	13.3
			J	39.1	-0.0	1.6	13.3
0.0	0.0	G2	I	13.0	0.0	-0.0	5.2
			J	13.0	-0.0	0.0	5.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.8	0.0	-0.0	1.2
			J	-0.8	0.0	0.0	1.2
0.0	0.0	Q5_pc Y	I	11.0	0.0	0.0	-2.4
			J	11.0	-0.0	-0.0	-2.4
0.0	0.0	Q5_ps X	I	1.0	0.0	-0.0	1.6
			J	1.0	0.0	0.0	1.6
0.0	0.0	Q5_ps Y	I	11.0	0.0	0.0	-2.4
			J	11.0	-0.0	-0.0	-2.4
0.0	0.0	INVSLU Max	I	353.8	0.0	-2.1	93.6
			J	353.8	0.0	2.1	93.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-200.7	0.0	-2.1	22.1
0.0	0.0			J	-200.7	-0.0	2.1	22.1
0.0	0.0							
			INVSLE Max	I	261.1	0.0	-1.6	69.9
0.0	0.0			J	261.1	0.0	1.6	69.9
0.0	0.0		Min	I	-148.2	0.0	-1.6	17.2
0.0	0.0			J	-148.2	-0.0	1.6	17.2
0.0	0.0							
8349	2	66	C1-C2;~1 Max	I	240.6	0.1	0.0	5.2
8.0	220.2			J	240.6	0.1	0.0	5.2
0.0	0.0		Min	I	-115.3	-0.2	-0.0	-12.8
-24.4	-500.1			J	-115.3	-0.2	-0.0	-12.8
0.0	0.0							
			C3-C4;~1 Max	I	298.5	0.1	0.0	4.1
8.7	303.2			J	298.5	0.1	0.0	4.1
0.0	0.0		Min	I	-132.3	-0.1	-0.0	-12.4
-22.0	-411.8			J	-132.3	-0.1	-0.0	-12.4
0.0	0.0							
			C1-C2;~2 Max	I	136.0	0.0	0.0	2.8
3.9	119.7			J	136.0	0.0	0.0	2.8
0.0	0.0		Min	I	-59.4	-0.1	-0.0	-7.8
-14.4	-302.3			J	-59.4	-0.1	-0.0	-7.8
0.0	0.0							
			C3-C4;~2 Max	I	165.5	0.1	0.0	2.0
4.2	170.5			J	165.5	0.1	0.0	2.0
0.0	0.0		Min	I	-67.0	-0.1	-0.0	-7.5
-12.7	-241.2			J	-67.0	-0.1	-0.0	-7.5
0.0	0.0							
			G1	I	113.7	-0.0	1.6	-3.6
9620.8	-129.9			J	113.7	-0.0	4.6	-3.6
0.0	0.0							
			G2	I	43.2	-0.0	-0.0	-0.2
-4.1	-48.4			J	43.2	-0.0	-0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.5	77.3	Q5_pc X	I	1.2	0.0	-0.0	-0.6	
			J	1.2	0.0	-0.0	-0.6	
0.0	0.0							
2.2	154.1	Q5_pc Y	I	-42.6	0.0	0.0	0.1	
			J	-42.6	0.0	0.0	0.1	
0.0	0.0							
-0.7	69.9	Q5_ps X	I	0.3	0.0	-0.0	-0.8	
			J	0.3	0.0	-0.0	-0.8	
0.0	0.0							
2.1	145.7	Q5_ps Y	I	-41.3	0.0	0.0	0.1	
			J	-41.3	0.0	0.0	0.1	
0.0	0.0							
2996.9	498.2	INVS LU Max	I	594.7	0.2	2.2	-15.7	1
			J	594.7	0.2	6.2	-15.7	
0.0	0.0							
2948.3	-863.7	Min	I	-63.5	-0.3	2.2	-41.1	1
			J	-63.5	-0.3	6.2	-41.1	
0.0	0.0							
9627.4	359.7	INVS LE Max	I	434.7	0.1	1.7	-12.5	
			J	434.7	0.1	4.6	-12.5	
0.0	0.0							
9591.6	-628.6	Min	I	-47.2	-0.2	1.6	-31.2	
			J	-47.2	-0.2	4.6	-31.2	
0.0	0.0							
8350	2	66 C1-C2;~1 Max	I	195.7	0.1	0.0	4.9	
0.0	0.0		J	195.7	0.1	0.0	4.9	
25.4	251.8	Min	I	-126.3	-0.1	-0.0	-17.3	
			J	-126.3	-0.1	-0.0	-17.3	
0.0	0.0							
-9.5	-434.6							
		C3-C4;~1 Max	I	219.3	0.1	0.0	5.3	
0.0	0.0		J	219.3	0.1	0.0	5.3	
22.7	332.1	Min	I	-183.6	-0.1	-0.0	-16.4	
			J	-183.6	-0.1	-0.0	-16.4	
0.0	0.0							
-10.1	-354.7							
		C1-C2;~2 Max	I	109.7	0.1	0.0	2.4	
0.0	0.0		J	109.7	0.1	0.0	2.4	
14.9	137.3	Min	I	-62.7	-0.0	-0.0	-10.4	
			J	-62.7	-0.0	-0.0	-10.4	
0.0	0.0							
-4.8	-266.8							
		C3-C4;~2 Max	I	120.2	0.1	0.0	2.6	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	120.2	0.1	0.0	2.6
13.1	187.1		Min	I	-94.6	-0.1	-0.0	-9.8
0.0	0.0			J	-94.6	-0.1	-0.0	-9.8
-5.1	-211.1		G1	I	40.8	0.0	-4.5	-6.2
0.0	0.0			J	40.8	0.0	-1.4	-6.2
9639.9	-17.1		G2	I	13.1	0.0	-0.0	-1.5
0.0	0.0			J	13.1	0.0	-0.0	-1.5
4.0	-4.9		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	7.2	-0.0	-0.0	-0.8
0.0	0.0			J	7.2	-0.0	-0.0	-0.8
0.5	76.5		Q5_pc Y	I	-32.2	-0.0	0.0	0.7
0.0	0.0			J	-32.2	-0.0	0.0	0.7
-2.7	160.7		Q5_ps X	I	8.0	-0.0	-0.0	-1.1
0.0	0.0			J	8.0	-0.0	-0.0	-1.1
0.7	69.5		Q5_ps Y	I	-31.6	-0.0	0.0	0.7
0.0	0.0			J	-31.6	-0.0	0.0	0.7
-2.6	151.4		INVSLE Max	I	277.0	0.1	-4.5	-15.5
0.0	0.0			J	277.0	0.1	-1.4	-15.5
3053.7	771.6		Min	I	-224.1	-0.2	-6.1	-51.7
0.0	0.0			J	-224.1	-0.2	-1.9	-51.7
3000.8	-552.6		INVSLE Max	I	277.0	0.1	-4.5	-15.5
0.0	0.0			J	277.0	0.1	-1.4	-15.5
9669.0	562.5		Min	I	-164.5	-0.2	-4.5	-39.1
0.0	0.0			J	-164.5	-0.2	-1.4	-39.1
9630.2	-397.0		66 C1-C2;~1 Max	I	241.3	0.0	0.0	7.7
8351	2			J	241.3	0.0	0.0	7.7
0.0	0.0		Min	I	-108.3	0.0	-0.0	-18.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		J	-108.3	0.0	0.0	-18.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	I	297.3	0.0	7.0
0.0	0.0			J	297.3	0.0	7.0
0.0	0.0		Min	I	-132.3	0.0	-10.8
0.0	0.0			J	-132.3	0.0	-10.8
0.0	0.0	C1-C2;~2	Max	I	136.4	0.0	4.3
0.0	0.0			J	136.4	0.0	4.3
0.0	0.0		Min	I	-56.3	0.0	-10.8
0.0	0.0			J	-56.3	0.0	-10.8
0.0	0.0	C3-C4;~2	Max	I	165.3	0.0	3.7
0.0	0.0			J	165.3	0.0	3.7
0.0	0.0		Min	I	-66.8	0.0	-6.0
0.0	0.0			J	-66.8	0.0	-6.0
0.0	0.0	G1		I	112.7	0.0	-2.7
0.0	0.0			J	112.7	0.0	-2.7
0.0	0.0	G2		I	43.4	0.0	-3.2
0.0	0.0			J	43.4	0.0	-3.2
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-6.7	0.0	0.1
0.0	0.0			J	-6.7	0.0	0.1
0.0	0.0	Q5_pc	Y	I	-5.0	0.0	2.3
0.0	0.0			J	-5.0	0.0	2.3
0.0	0.0	Q5_ps	X	I	-6.5	0.0	0.1
0.0	0.0			J	-6.5	0.0	0.1
0.0	0.0	Q5_ps	Y	I	-3.9	0.0	2.2
0.0	0.0			J	-3.9	0.0	2.2

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		INVS LU Max	I	562.3	0.0	-2.0	24.5
				J	562.3	0.0	2.0	24.5
0.0	0.0		Min	I	-29.8	0.0	-2.0	-14.2
				J	-29.8	0.0	2.0	-14.2
0.0	0.0		INVS LE Max	I	413.3	0.0	-1.5	19.1
				J	413.3	0.0	1.5	19.1
0.0	0.0		Min	I	-24.4	0.0	-1.5	-9.3
				J	-24.4	0.0	1.5	-9.3
8352	2	66	C1-C2;~1 Max	I	241.2	0.0	0.0	36.5
0.0	0.0			J	241.2	0.0	0.0	36.5
0.0	0.0		Min	I	-108.3	0.0	-0.0	-13.5
				J	-108.3	0.0	0.0	-13.5
0.0	0.0		C3-C4;~1 Max	I	297.4	0.0	0.0	34.8
				J	297.4	0.0	0.0	34.8
0.0	0.0		Min	I	-132.4	0.0	-0.0	-14.5
				J	-132.4	0.0	0.0	-14.5
0.0	0.0		C1-C2;~2 Max	I	136.3	0.0	0.0	21.7
				J	136.3	0.0	0.0	21.7
0.0	0.0		Min	I	-56.3	0.0	-0.0	-6.8
				J	-56.3	0.0	0.0	-6.8
0.0	0.0		C3-C4;~2 Max	I	165.3	0.0	0.0	20.3
				J	165.3	0.0	0.0	20.3
0.0	0.0		Min	I	-66.9	0.0	-0.0	-7.3
				J	-66.9	0.0	0.0	-7.3
0.0	0.0		G1	I	112.7	0.0	-1.6	11.8
				J	112.7	0.0	1.6	11.8
0.0	0.0		G2	I	43.4	0.0	0.0	4.6
				J	43.4	0.0	0.0	4.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-6.7	0.0	0.0	1.1
0.0	0.0		J	-6.7	0.0	0.0	1.1
0.0	0.0	Q5_pc Y	I	-4.9	0.0	-0.0	-3.0
0.0	0.0		J	-4.9	0.0	0.0	-3.0
0.0	0.0	Q5_ps X	I	-6.4	0.0	0.0	1.5
0.0	0.0		J	-6.4	0.0	0.0	1.5
0.0	0.0	Q5_ps Y	I	-3.8	0.0	-0.0	-2.9
0.0	0.0		J	-3.8	0.0	0.0	-2.9
0.0	0.0	INVS LU Max	I	562.4	0.0	-2.1	89.8
0.0	0.0		J	562.4	0.0	2.1	89.8
0.0	0.0	Min	I	-29.7	0.0	-2.1	15.4
0.0	0.0		J	-29.7	0.0	2.1	15.4
0.0	0.0	INVS LE Max	I	413.4	0.0	-1.6	67.0
0.0	0.0		J	413.4	0.0	1.6	67.0
0.0	0.0	Min	I	-24.3	0.0	-1.6	12.3
0.0	0.0		J	-24.3	0.0	1.6	12.3
8353	2	66 C1-C2;~1 Max	I	195.7	0.1	0.0	4.4
8.9	251.8		J	195.7	0.1	0.0	4.4
0.0	0.0	Min	I	-126.3	-0.1	-0.0	-12.6
-23.9	-434.6		J	-126.3	-0.1	-0.0	-12.6
0.0	0.0	C3-C4;~1 Max	I	219.3	0.1	0.0	3.2
9.5	332.1		J	219.3	0.1	0.0	3.2
0.0	0.0	Min	I	-183.6	-0.1	-0.0	-11.8
-21.4	-354.7		J	-183.6	-0.1	-0.0	-11.8
0.0	0.0	C1-C2;~2 Max	I	109.7	0.0	0.0	2.4
4.5	137.3		J	109.7	0.0	0.0	2.4
0.0	0.0	Min	I	-62.7	-0.1	-0.0	-7.7
-14.0	-266.8		J	-62.7	-0.1	-0.0	-7.7

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		C3-C4;~2	Max	I	120.2	0.1	0.0	1.5
4.8	187.1			J	120.2	0.1	0.0	1.5
0.0	0.0							
			Min	I	-94.6	-0.1	-0.0	-7.2
-12.3	-211.1			J	-94.6	-0.1	-0.0	-7.2
0.0	0.0							
		G1		I	40.8	-0.0	1.6	-4.3
9625.5	-17.1			J	40.8	-0.0	4.6	-4.3
0.0	0.0							
		G2		I	13.1	-0.0	-0.0	-0.5
-3.8	-4.9			J	13.1	-0.0	-0.0	-0.5
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.2	0.0	-0.0	-0.7
-0.5	76.5			J	7.2	0.0	-0.0	-0.7
0.0	0.0							
		Q5_pc	Y	I	-32.2	0.1	0.0	-0.0
2.6	160.7			J	-32.2	0.1	0.0	-0.0
0.0	0.0							
		Q5_ps	X	I	8.0	0.0	-0.0	-0.9
-0.7	69.5			J	8.0	0.0	-0.0	-0.9
0.0	0.0							
		Q5_ps	Y	I	-31.6	0.0	0.0	0.0
2.4	151.4			J	-31.6	0.0	0.0	0.0
0.0	0.0							
		INVSLE	Max	I	377.7	0.2	2.2	-17.7
3006.8	771.6			J	377.7	0.2	6.2	-17.7
0.0	0.0							
			Min	I	-224.1	-0.2	2.2	-42.0
2957.1	-552.6			J	-224.1	-0.2	6.2	-42.0
0.0	0.0							
		INVSLE	Max	I	277.0	0.2	1.7	-14.1
9634.6	562.5			J	277.0	0.2	4.6	-14.1
0.0	0.0							
			Min	I	-164.5	-0.1	1.6	-31.9
9598.2	-397.0			J	-164.5	-0.1	4.6	-31.9
0.0	0.0							
		66 C1-C2;~1	Max	I	165.3	0.1	0.0	4.9
8354	2							
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
22.8	317.7		J	165.3	0.1	0.0	4.9
		Min	I	-173.3	-0.1	-0.0	-16.4
0.0	0.0		J	-173.3	-0.1	-0.0	-16.4
-10.3	-377.7						
		C3-C4;~1 Max	I	152.5	0.1	0.0	5.3
0.0	0.0		J	152.5	0.1	0.0	5.3
20.0	399.5	Min	I	-255.3	-0.1	-0.0	-15.6
0.0	0.0		J	-255.3	-0.1	-0.0	-15.6
-10.9	-303.1						
		C1-C2;~2 Max	I	89.6	0.1	0.0	2.4
0.0	0.0		J	89.6	0.1	0.0	2.4
13.5	174.3	Min	I	-89.5	-0.1	-0.0	-9.9
0.0	0.0		J	-89.5	-0.1	-0.0	-9.9
-5.4	-235.5						
		C3-C4;~2 Max	I	80.7	0.1	0.0	2.7
0.0	0.0		J	80.7	0.1	0.0	2.7
11.6	223.3	Min	I	-132.5	-0.1	-0.0	-9.4
0.0	0.0		J	-132.5	-0.1	-0.0	-9.4
-5.7	-183.4						
		G1	I	-41.5	-0.0	-4.5	-5.5
0.0	0.0		J	-41.5	-0.0	-1.4	-5.5
9639.6	123.1						
		G2	I	-20.5	-0.0	-0.0	-1.2
0.0	0.0		J	-20.5	-0.0	-0.0	-1.2
2.6	47.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	14.1	-0.0	-0.0	-0.9
0.0	0.0		J	14.1	-0.0	-0.0	-0.9
0.6	63.9						
		Q5_pc Y	I	-17.3	-0.0	0.0	0.7
0.0	0.0		J	-17.3	-0.0	0.0	0.7
-2.9	163.4						
		Q5_ps X	I	16.6	-0.0	-0.0	-1.2
0.0	0.0		J	16.6	-0.0	-0.0	-1.2
0.8	58.2						
		Q5_ps Y	I	-17.4	-0.0	0.0	0.7
0.0	0.0						

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.8	153.6		J	-17.4	-0.0	0.0	0.7	
0.0	0.0	INVS LU Max	I	176.5	0.1	-6.1	-13.5	
3045.2	1088.9		J	176.5	0.1	-1.8	-13.5	1
0.0	0.0	Min	I	-422.4	-0.3	-6.1	-44.4	
2994.4	-254.5		J	-422.4	-0.3	-1.9	-44.4	1
0.0	0.0	INVS LE Max	I	131.4	0.1	-4.5	-10.8	
9662.7	796.2		J	131.4	0.1	-1.4	-10.8	
0.0	0.0	Min	I	-310.0	-0.2	-4.5	-33.6	
9625.4	-177.1		J	-310.0	-0.2	-1.4	-33.6	
8355	2	66 C1-C2;~1 Max	I	314.3	0.0	0.0	8.2	
0.0	0.0		J	314.3	0.0	0.0	8.2	
0.0	0.0	Min	I	-136.6	0.0	-0.0	-16.6	
0.0	0.0		J	-136.6	0.0	-0.0	-16.6	
0.0	0.0	C3-C4;~1 Max	I	405.0	0.0	0.0	7.7	
0.0	0.0		J	405.0	0.0	0.0	7.7	
0.0	0.0	Min	I	-149.7	0.0	-0.0	-9.0	
0.0	0.0		J	-149.7	0.0	-0.0	-9.0	
0.0	0.0	C1-C2;~2 Max	I	172.5	0.0	0.0	4.6	
0.0	0.0		J	172.5	0.0	0.0	4.6	
0.0	0.0	Min	I	-67.7	0.0	-0.0	-10.0	
0.0	0.0		J	-67.7	0.0	-0.0	-10.0	
0.0	0.0	C3-C4;~2 Max	I	219.6	0.0	0.0	4.2	
0.0	0.0		J	219.6	0.0	0.0	4.2	
0.0	0.0	Min	I	-75.1	0.0	-0.0	-5.0	
0.0	0.0		J	-75.1	0.0	-0.0	-5.0	
0.0	0.0	G1	I	165.8	0.0	-1.5	-0.8	
0.0	0.0		J	165.8	0.0	1.5	-0.8	
0.0	0.0	G2	I	65.6	0.0	-0.0	-2.4	
0.0	0.0		J	65.6	0.0	0.0	-2.4	

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-13.1	0.0	-0.0	-0.0
0.0	0.0		J	-13.1	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-24.2	0.0	0.0	2.3
0.0	0.0		J	-24.2	0.0	-0.0	2.3
0.0	0.0	Q5_ps X	I	-14.4	0.0	-0.0	-0.0
0.0	0.0		J	-14.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-22.0	0.0	0.0	2.1
0.0	0.0		J	-22.0	0.0	-0.0	2.1
0.0	0.0	INVS LU Max	I	786.0	0.0	-2.0	27.6
0.0	0.0		J	786.0	0.0	2.0	27.6
0.0	0.0	Min	I	-6.6	0.0	-2.0	-9.9
0.0	0.0		J	-6.6	0.0	2.0	-9.9
0.0	0.0	INVS LE Max	I	575.6	0.0	-1.5	21.3
0.0	0.0		J	575.6	0.0	1.5	21.3
0.0	0.0	Min	I	-8.3	0.0	-1.5	-6.2
0.0	0.0		J	-8.3	0.0	1.5	-6.2
8356	2	66 C1-C2;~1 Max	I	314.3	0.0	0.0	33.3
0.0	0.0		J	314.3	0.0	0.0	33.3
0.0	0.0	Min	I	-136.6	0.0	-0.0	-15.1
0.0	0.0		J	-136.6	-0.0	0.0	-15.1
0.0	0.0	C3-C4;~1 Max	I	405.1	0.0	0.0	31.4
0.0	0.0		J	405.1	0.0	0.0	31.4
0.0	0.0	Min	I	-149.7	0.0	-0.0	-16.0
0.0	0.0		J	-149.7	-0.0	0.0	-16.0
0.0	0.0	C1-C2;~2 Max	I	172.4	0.0	0.0	19.9
0.0	0.0		J	172.4	0.0	0.0	19.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-67.7	0.0	-0.0	-7.8
				J	-67.7	-0.0	0.0	-7.8
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	219.6	0.0	0.0	18.4
				J	219.6	0.0	0.0	18.4
0.0	0.0							
0.0	0.0		Min	I	-75.1	0.0	-0.0	-8.3
				J	-75.1	-0.0	0.0	-8.3
0.0	0.0							
0.0	0.0		G1	I	165.8	0.0	-1.6	6.8
				J	165.8	0.0	1.6	6.8
0.0	0.0							
0.0	0.0		G2	I	65.6	0.0	0.0	2.7
				J	65.6	0.0	0.0	2.7
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	-13.0	0.0	0.0	1.1
				J	-13.0	-0.0	0.0	1.1
0.0	0.0							
0.0	0.0		Q5_pc Y	I	-24.1	0.0	-0.0	-3.5
				J	-24.1	-0.0	0.0	-3.5
0.0	0.0							
0.0	0.0		Q5_ps X	I	-14.4	0.0	0.0	1.5
				J	-14.4	-0.0	0.0	1.5
0.0	0.0							
0.0	0.0		Q5_ps Y	I	-21.9	0.0	-0.0	-3.3
				J	-21.9	-0.0	0.0	-3.3
0.0	0.0							
0.0	0.0		INVSLU Max	I	786.2	0.0	-2.1	69.7
				J	786.2	0.0	2.1	69.7
0.0	0.0							
0.0	0.0		Min	I	-6.2	0.0	-2.1	-3.2
				J	-6.2	0.0	2.1	-3.2
0.0	0.0							
0.0	0.0		INVSLE Max	I	575.7	0.0	-1.6	51.8
				J	575.7	0.0	1.6	51.8
0.0	0.0							
0.0	0.0		Min	I	-8.0	0.0	-1.6	-1.7
				J	-8.0	0.0	1.6	-1.7
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8357	2	66	C1-C2;~1	Max	I	165.3	0.1	0.0	3.9
9.7					J	165.3	0.1	0.0	3.9
0.0	0.0								
				Min	I	-173.3	-0.1	-0.0	-12.3
-21.4	-377.7				J	-173.3	-0.1	-0.0	-12.3
0.0	0.0								
10.3	399.5		C3-C4;~1	Max	I	152.5	0.1	0.0	2.8
					J	152.5	0.1	0.0	2.8
0.0	0.0								
				Min	I	-255.3	-0.1	-0.0	-11.4
-18.8	-303.1				J	-255.3	-0.1	-0.0	-11.4
0.0	0.0								
5.1	174.3		C1-C2;~2	Max	I	89.6	0.1	0.0	2.1
					J	89.6	0.1	0.0	2.1
0.0	0.0								
				Min	I	-89.5	-0.1	-0.0	-7.6
-12.7	-235.5				J	-89.5	-0.1	-0.0	-7.6
0.0	0.0								
5.4	223.3		C3-C4;~2	Max	I	80.7	0.1	0.0	1.3
					J	80.7	0.1	0.0	1.3
0.0	0.0								
				Min	I	-132.5	-0.1	-0.0	-7.0
-10.9	-183.4				J	-132.5	-0.1	-0.0	-7.0
0.0	0.0								
9632.0	123.1		G1		I	-41.5	0.0	1.6	-4.5
					J	-41.5	0.0	4.6	-4.5
0.0	0.0								
-2.5	47.1		G2		I	-20.5	0.0	-0.0	-0.5
					J	-20.5	0.0	-0.0	-0.5
0.0	0.0								
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
					J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.5	63.9		Q5_pc	X	I	14.1	0.0	-0.0	-0.7
					J	14.1	0.0	-0.0	-0.7
0.0	0.0								
2.8	163.4		Q5_pc	Y	I	-17.3	0.1	0.0	-0.0
					J	-17.3	0.1	0.0	-0.0
0.0	0.0								
-0.7	58.2		Q5_ps	X	I	16.6	0.0	-0.0	-1.0
					J	16.6	0.0	-0.0	-1.0
0.0	0.0								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2.6	153.6	Q5_ps Y	I	-17.4	0.0	0.0	-0.0	
0.0	0.0		J	-17.4	0.0	0.0	-0.0	
3021.2	1088.9	INVS LU Max	I	176.6	0.4	2.2	-14.6	1
0.0	0.0		J	176.6	0.4	6.2	-14.6	
2973.4	-254.5	Min	I	-422.3	-0.1	2.2	-37.9	1
0.0	0.0		J	-422.3	-0.1	6.2	-37.9	
9645.4	796.2	INVS LE Max	I	131.4	0.3	1.7	-11.7	
0.0	0.0		J	131.4	0.3	4.6	-11.7	
9610.3	-177.1	Min	I	-309.9	-0.1	1.6	-28.8	
0.0	0.0		J	-309.9	-0.1	4.6	-28.8	
8358	2	66 C1-C2;~1 Max	I	148.2	0.1	0.0	5.6	
0.0	0.0		J	148.2	0.1	0.0	5.6	
19.5	378.9	Min	I	-224.2	-0.1	-0.0	-16.0	
0.0	0.0		J	-224.2	-0.1	-0.0	-16.0	
-11.5	-334.3							
0.0	0.0	C3-C4;~1 Max	I	111.6	0.1	0.0	6.3	
16.7	407.5		J	111.6	0.1	0.0	6.3	
0.0	0.0	Min	I	-334.6	-0.1	-0.0	-15.3	
-12.1	-272.1		J	-334.6	-0.1	-0.0	-15.3	
0.0	0.0	C1-C2;~2 Max	I	79.8	0.1	0.0	2.9	
11.7	212.5		J	79.8	0.1	0.0	2.9	
0.0	0.0	Min	I	-117.6	-0.1	-0.0	-9.9	
-6.1	-212.8		J	-117.6	-0.1	-0.0	-9.9	
0.0	0.0	C3-C4;~2 Max	I	57.0	0.1	0.0	3.2	
9.8	223.5		J	57.0	0.1	0.0	3.2	
0.0	0.0	Min	I	-174.0	-0.1	-0.0	-9.3	
-6.4	-168.0		J	-174.0	-0.1	-0.0	-9.3	
0.0	0.0	G1	I	-121.0	-0.1	-4.5	-3.7	
9637.5	240.4		J	-121.0	-0.1	-1.4	-3.7	
		G2	I	-52.8	-0.0	-0.0	-0.5	

MIDAS


PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-52.8	-0.0	-0.0	-0.5	
0.7	92.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	22.0	-0.0	-0.0	-1.0	
0.0	0.0			J	22.0	-0.0	-0.0	-1.0	
0.6	34.9								
			Q5_pc Y	I	5.2	-0.0	0.0	0.7	
0.0	0.0			J	5.2	-0.0	0.0	0.7	
-2.8	157.7								
			Q5_ps X	I	25.9	-0.0	-0.0	-1.3	
0.0	0.0			J	25.9	-0.0	-0.0	-1.3	
0.8	31.4								
			Q5_ps Y	I	4.2	-0.0	0.0	0.6	
0.0	0.0			J	4.2	-0.0	0.0	0.6	
-2.6	147.5								
			INVSLE Max	I	48.6	0.0	-6.1	-0.3	
0.0	0.0			J	48.6	0.0	-1.8	-0.3	1
3031.4	1279.0		Min	I	-642.7	-0.4	-6.1	-32.2	
0.0	0.0			J	-642.7	-0.4	-1.9	-32.2	1
2983.7	-6.1								
			INVSLE Max	I	38.3	-0.0	-4.5	-0.7	
0.0	0.0			J	38.3	-0.0	-1.4	-0.7	
9652.3	939.3		Min	I	-470.9	-0.3	-4.5	-24.2	
0.0	0.0			J	-470.9	-0.3	-1.4	-24.2	
9617.3	8.3								
8359	2	66	C1-C2;~1 Max	I	366.4	0.0	0.0	9.6	
0.0	0.0			J	366.4	0.0	0.0	9.6	
0.0	0.0		Min	I	-163.4	-0.0	-0.0	-14.5	
0.0	0.0			J	-163.4	-0.0	-0.0	-14.5	
0.0	0.0								
			C3-C4;~1 Max	I	492.2	0.0	0.0	9.1	
0.0	0.0			J	492.2	0.0	0.0	9.1	
0.0	0.0		Min	I	-173.9	-0.0	-0.0	-6.9	
0.0	0.0			J	-173.9	-0.0	-0.0	-6.9	
0.0	0.0								
			C1-C2;~2 Max	I	196.2	0.0	0.0	5.6	

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	196.2	0.0	0.0	5.6
0.0	0.0	Min	I	-78.2	-0.0	-0.0	-8.9
0.0	0.0		J	-78.2	-0.0	-0.0	-8.9
0.0	0.0	C3-C4;~2 Max	I	261.0	0.0	0.0	5.1
0.0	0.0		J	261.0	0.0	0.0	5.1
0.0	0.0	Min	I	-84.6	-0.0	-0.0	-3.7
0.0	0.0		J	-84.6	-0.0	-0.0	-3.7
0.0	0.0	G1	I	188.8	0.0	-1.5	2.2
0.0	0.0		J	188.8	-0.0	1.5	2.2
0.0	0.0	G2	I	76.1	0.0	0.0	-1.3
0.0	0.0		J	76.1	-0.0	-0.0	-1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-20.9	-0.0	0.0	-0.2
0.0	0.0		J	-20.9	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	-49.9	-0.0	-0.0	1.9
0.0	0.0		J	-49.9	0.0	0.0	1.9
0.0	0.0	Q5_ps X	I	-23.6	-0.0	0.0	-0.2
0.0	0.0		J	-23.6	0.0	-0.0	-0.2
0.0	0.0	Q5_ps Y	I	-46.4	-0.0	-0.0	1.8
0.0	0.0		J	-46.4	0.0	0.0	1.8
0.0	0.0	INVS LU Max	I	924.9	0.0	-2.0	30.0
0.0	0.0		J	924.9	-0.0	2.0	30.0
0.0	0.0	Min	I	-64.3	0.0	-2.0	-6.0
0.0	0.0		J	-64.3	-0.0	2.0	-6.0
0.0	0.0	INVS LE Max	I	674.3	0.0	-1.5	22.9
0.0	0.0		J	674.3	-0.0	1.5	22.9
0.0	0.0	Min	I	-51.7	0.0	-1.5	-3.5

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-51.7	-0.0	1.5	-3.5	
0.0	0.0								
8360	2	66	C1-C2;~1	Max	I	366.4	0.0	0.0	30.8
0.0	0.0				J	366.4	0.0	0.0	30.8
0.0	0.0			Min	I	-163.3	-0.0	-0.0	-17.3
0.0	0.0				J	-163.3	0.0	-0.0	-17.3
0.0	0.0								
			C3-C4;~1	Max	I	492.1	0.0	0.0	28.1
0.0	0.0				J	492.1	0.0	0.0	28.1
0.0	0.0			Min	I	-173.9	-0.0	-0.0	-18.3
0.0	0.0				J	-173.9	0.0	-0.0	-18.3
0.0	0.0								
			C1-C2;~2	Max	I	196.2	0.0	0.0	18.7
0.0	0.0				J	196.2	0.0	0.0	18.7
0.0	0.0			Min	I	-78.1	-0.0	-0.0	-9.2
0.0	0.0				J	-78.1	0.0	-0.0	-9.2
0.0	0.0								
			C3-C4;~2	Max	I	261.0	0.0	0.0	16.8
0.0	0.0				J	261.0	0.0	0.0	16.8
0.0	0.0			Min	I	-84.6	-0.0	-0.0	-9.7
0.0	0.0				J	-84.6	0.0	-0.0	-9.7
0.0	0.0								
			G1		I	188.9	-0.0	-1.6	-0.3
0.0	0.0				J	188.9	0.0	1.6	-0.3
0.0	0.0								
			G2		I	76.1	-0.0	0.0	0.1
0.0	0.0				J	76.1	0.0	0.0	0.1
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-20.9	0.0	0.0	0.9
0.0	0.0				J	-20.9	0.0	0.0	0.9
0.0	0.0								
			Q5_pc	Y	I	-49.8	0.0	-0.0	-3.6
0.0	0.0				J	-49.8	0.0	-0.0	-3.6
0.0	0.0								
			Q5_ps	X	I	-23.6	0.0	0.0	1.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-23.6	0.0	0.0 1.3
0.0	0.0						
0.0	0.0		Q5_ps Y	I	-46.3	0.0	-0.0 -3.4
0.0	0.0			J	-46.3	0.0	-0.0 -3.4
0.0	0.0						
0.0	0.0		INVSLE Max	I	925.1	-0.0	-2.1 40.9
0.0	0.0			J	925.1	0.0	2.1 40.9
0.0	0.0		Min	I	-63.7	-0.0	-2.1 -32.0
0.0	0.0			J	-63.7	0.0	2.1 -32.0
0.0	0.0						
0.0	0.0		INVSLE Max	I	674.5	-0.0	-1.6 30.0
0.0	0.0			J	674.5	0.0	1.6 30.0
0.0	0.0		Min	I	-51.3	-0.0	-1.6 -23.5
0.0	0.0			J	-51.3	0.0	1.6 -23.5
0.0	0.0						
8361	2	66	C1-C2;~1 Max	I	148.2	0.1	0.0 4.3
10.8	378.9			J	148.2	0.1	0.0 4.3
0.0	0.0		Min	I	-224.2	-0.1	-0.0 -12.4
-18.4	-334.3			J	-224.2	-0.1	-0.0 -12.4
0.0	0.0						
0.0	0.0		C3-C4;~1 Max	I	111.6	0.1	0.0 3.5
11.3	407.5			J	111.6	0.1	0.0 3.5
0.0	0.0		Min	I	-334.6	-0.1	-0.0 -11.8
-15.7	-272.1			J	-334.6	-0.1	-0.0 -11.8
0.0	0.0						
0.0	0.0		C1-C2;~2 Max	I	79.8	0.1	0.0 2.4
5.7	212.5			J	79.8	0.1	0.0 2.4
0.0	0.0		Min	I	-117.6	-0.1	-0.0 -7.7
-11.0	-212.8			J	-117.6	-0.1	-0.0 -7.7
0.0	0.0						
0.0	0.0		C3-C4;~2 Max	I	57.0	0.1	0.0 1.7
6.0	223.5			J	57.0	0.1	0.0 1.7
0.0	0.0		Min	I	-173.9	-0.1	-0.0 -7.3
-9.2	-168.0			J	-173.9	-0.1	-0.0 -7.3
0.0	0.0						
0.0	0.0		G1	I	-121.0	0.1	1.6 -4.0
9640.0	240.4			J	-121.0	0.1	4.6 -4.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-0.7	92.7		G2	I	-52.8	0.0	-0.0	-0.3
0.0	0.0			J	-52.8	0.0	-0.0	-0.3
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.5	34.9		Q5_pc X	I	22.0	0.0	-0.0	-0.8
0.0	0.0			J	22.0	0.0	-0.0	-0.8
0.0	0.0							
2.6	157.7		Q5_pc Y	I	5.2	0.1	0.0	-0.1
0.0	0.0			J	5.2	0.1	0.0	-0.1
0.0	0.0							
-0.7	31.4		Q5_ps X	I	25.9	0.0	-0.0	-1.1
0.0	0.0			J	25.9	0.0	-0.0	-1.1
0.0	0.0							
2.5	147.5		Q5_ps Y	I	4.2	0.0	0.0	-0.0
0.0	0.0			J	4.2	0.0	0.0	-0.0
0.0	0.0							
3039.3	1279.0		INVS LU Max	I	48.6	0.4	2.2	-5.7
0.0	0.0			J	48.6	0.4	6.2	-5.7
2994.4	-6.1		Min	I	-642.7	-0.0	2.2	-29.7
0.0	0.0			J	-642.7	-0.0	6.2	-29.7
0.0	0.0							
9659.0	939.3		INVS LE Max	I	38.3	0.3	1.7	-4.9
0.0	0.0			J	38.3	0.3	4.6	-4.9
0.0	0.0							
9626.1	8.3		Min	I	-470.8	0.0	1.6	-22.6
0.0	0.0			J	-470.8	0.0	4.6	-22.6
0.0	0.0							
8362	2	66	C1-C2;~1 Max	I	157.0	0.1	0.0	8.0
0.0	0.0			J	157.0	0.1	0.0	8.0
16.1	523.6							
0.0	0.0		Min	I	-283.0	-0.2	-0.0	-15.8
0.0	0.0			J	-283.0	-0.2	-0.0	-15.8
-14.8	-268.5							
0.0	0.0		C3-C4;~1 Max	I	122.0	0.1	0.0	9.3
0.0	0.0			J	122.0	0.1	0.0	9.3
13.5	483.7							
0.0	0.0		Min	I	-434.5	-0.1	-0.0	-15.1
0.0	0.0			J	-434.5	-0.1	-0.0	-15.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-15.3	-229.0						
		C1-C2;~2	Max	I	84.4	0.1	4.1
0.0	0.0			J	84.4	0.1	4.1
9.9	297.0						
			Min	I	-146.6	-0.1	-9.8
0.0	0.0			J	-146.6	-0.1	-9.8
-7.9	-167.9						
		C3-C4;~2	Max	I	62.6	0.0	4.7
0.0	0.0			J	62.6	0.0	4.7
8.1	268.5						
			Min	I	-225.8	-0.1	-9.1
0.0	0.0			J	-225.8	-0.1	-9.1
-8.2	-139.0						
			G1	I	-189.8	-0.1	-0.1
0.0	0.0			J	-189.8	-0.1	-0.1
9631.0	368.0						
			G2	I	-80.1	-0.0	0.9
0.0	0.0			J	-80.1	-0.0	0.9
-2.7	141.9						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	33.3	-0.0	-0.7
0.0	0.0			J	33.3	-0.0	-0.7
0.3	39.1						
			Q5_pc Y	I	40.2	-0.0	0.6
0.0	0.0			J	40.2	-0.0	0.6
-3.3	122.5						
			Q5_ps X	I	38.2	-0.0	-1.1
0.0	0.0			J	38.2	-0.0	-1.1
0.5	36.5						
			Q5_ps Y	I	37.5	-0.0	0.5
0.0	0.0			J	37.5	-0.0	0.5
-3.0	113.7						
			INVSLU Max	I	-25.2	-0.1	19.5
0.0	0.0			J	-25.2	-0.1	19.5
3008.2	1540.7						
			Min	I	-896.1	-0.5	-15.7
0.0	0.0			J	-896.1	-0.5	-15.7
2959.8	251.0						
			INVSLE Max	I	-16.9	-0.1	14.4
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9634.7	1136.5		J	-16.9	-0.1	-1.4	14.4
		Min	I	-656.7	-0.3	-4.5	-11.6
0.0	0.0		J	-656.7	-0.3	-1.4	-11.6
9599.3	197.6						
8363	2	66 C1-C2;~1 Max	I	399.4	0.0	0.0	13.3
0.0	0.0		J	399.4	0.0	0.0	13.3
0.0	0.0	Min	I	-224.0	-0.0	-0.0	-13.4
0.0	0.0		J	-224.0	0.0	-0.0	-13.4
0.0	0.0						
		C3-C4;~1 Max	I	556.0	0.0	0.0	12.7
0.0	0.0		J	556.0	0.0	0.0	12.7
0.0	0.0	Min	I	-240.8	-0.0	-0.0	-5.5
0.0	0.0		J	-240.8	0.0	-0.0	-5.5
0.0	0.0						
		C1-C2;~2 Max	I	208.5	0.0	0.0	7.9
0.0	0.0		J	208.5	0.0	0.0	7.9
0.0	0.0	Min	I	-112.5	-0.0	-0.0	-8.3
0.0	0.0		J	-112.5	0.0	-0.0	-8.3
0.0	0.0						
		C3-C4;~2 Max	I	288.6	0.0	0.0	7.2
0.0	0.0		J	288.6	0.0	0.0	7.2
0.0	0.0	Min	I	-120.8	-0.0	-0.0	-3.0
0.0	0.0		J	-120.8	0.0	-0.0	-3.0
0.0	0.0						
		G1	I	170.1	0.0	-1.5	6.0
0.0	0.0		J	170.1	0.0	1.5	6.0
0.0	0.0						
		G2	I	70.2	0.0	-0.0	0.2
0.0	0.0		J	70.2	0.0	0.0	0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-27.3	-0.0	-0.0	-0.3
0.0	0.0		J	-27.3	0.0	0.0	-0.3
0.0	0.0						
		Q5_pc Y	I	-89.5	-0.0	0.0	1.2
0.0	0.0		J	-89.5	0.0	-0.0	1.2


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		Q5_ps X	I	-31.3	-0.0	-0.0	-0.3
0.0	0.0		J	-31.3	0.0	0.0	-0.3
0.0	0.0						
		Q5_ps Y	I	-84.0	-0.0	0.0	1.1
0.0	0.0		J	-84.0	0.0	-0.0	1.1
0.0	0.0						
		INVS LU Max	I	951.5	0.0	-2.0	37.1
0.0	0.0		J	951.5	0.0	2.0	37.1
0.0	0.0						
		Min	I	-285.2	0.0	-2.0	-1.0
0.0	0.0		J	-285.2	0.0	2.0	-1.0
0.0	0.0						
		INVS LE Max	I	688.1	0.0	-1.5	28.1
0.0	0.0		J	688.1	0.0	1.5	28.1
0.0	0.0						
		Min	I	-216.0	0.0	-1.5	0.0
0.0	0.0		J	-216.0	0.0	1.5	0.0
0.0	0.0						
8364	2	66 C1-C2;~1 Max	I	399.4	0.0	0.0	26.7
0.0	0.0		J	399.4	0.0	0.0	26.7
0.0	0.0						
		Min	I	-223.9	-0.0	-0.0	-23.2
0.0	0.0		J	-223.9	0.0	-0.0	-23.2
0.0	0.0						
		C3-C4;~1 Max	I	555.9	0.0	0.0	23.5
0.0	0.0		J	555.9	0.0	0.0	23.5
0.0	0.0						
		Min	I	-240.7	-0.0	-0.0	-24.0
0.0	0.0		J	-240.7	0.0	-0.0	-24.0
0.0	0.0						
		C1-C2;~2 Max	I	208.5	0.0	0.0	16.5
0.0	0.0		J	208.5	0.0	0.0	16.5
0.0	0.0						
		Min	I	-112.4	-0.0	-0.0	-12.4
0.0	0.0		J	-112.4	0.0	-0.0	-12.4
0.0	0.0						
		C3-C4;~2 Max	I	288.6	0.0	0.0	14.3
0.0	0.0		J	288.6	0.0	0.0	14.3
0.0	0.0						
		Min	I	-120.7	-0.0	-0.0	-12.8
0.0	0.0		J	-120.7	0.0	-0.0	-12.8
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G1	I	170.4	0.0	-1.6	-13.8
			J	170.4	0.0	1.6	-13.8
0.0	0.0	G2	I	70.3	0.0	0.0	-5.1
			J	70.3	0.0	-0.0	-5.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-27.3	-0.0	0.0	0.2
			J	-27.3	0.0	-0.0	0.2
0.0	0.0	Q5_pc Y	I	-89.4	-0.0	-0.0	-5.2
			J	-89.4	0.0	0.0	-5.2
0.0	0.0	Q5_ps X	I	-31.3	-0.0	0.0	0.7
			J	-31.3	0.0	-0.0	0.7
0.0	0.0	Q5_ps Y	I	-83.9	-0.0	-0.0	-4.8
			J	-83.9	0.0	0.0	-4.8
0.0	0.0	INVSLE Max	I	951.9	0.0	-2.1	-3.8
			J	951.9	0.0	2.1	-3.8
0.0	0.0	Min	I	-284.4	0.0	-2.1	-81.6
			J	-284.4	0.0	2.1	-81.6
0.0	0.0	INVSLE Max	I	688.4	0.0	-1.6	-4.1
			J	688.4	0.0	1.6	-4.1
0.0	0.0	Min	I	-215.5	0.0	-1.6	-61.0
			J	-215.5	0.0	1.6	-61.0
8365	2	66 C1-C2;~1 Max	I	157.0	0.2	0.0	5.2
14.0	523.6		J	157.0	0.2	0.0	5.2
0.0	0.0	Min	I	-283.0	-0.1	-0.0	-13.2
-15.2	-268.5		J	-283.0	-0.1	-0.0	-13.2
0.0	0.0	C3-C4;~1 Max	I	122.0	0.2	0.0	5.5
14.4	483.7		J	122.0	0.2	0.0	5.5
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-434.5	-0.1	-0.0	-12.5	
-12.7	-229.0			J	-434.5	-0.1	-0.0	-12.5	
0.0	0.0								
			C1-C2;~2 Max	I	84.4	0.1	0.0	2.8	
7.4	297.0			J	84.4	0.1	0.0	2.8	
0.0	0.0								
			Min	I	-146.6	-0.1	-0.0	-8.3	
-9.3	-167.9			J	-146.6	-0.1	-0.0	-8.3	
0.0	0.0								
			C3-C4;~2 Max	I	62.6	0.1	0.0	2.6	
7.7	268.5			J	62.6	0.1	0.0	2.6	
0.0	0.0								
			Min	I	-225.8	-0.0	-0.0	-7.7	
-7.7	-139.0			J	-225.8	-0.0	-0.0	-7.7	
0.0	0.0								
			G1	I	-189.8	0.1	1.7	-2.7	
9650.6	368.0			J	-189.8	0.1	4.6	-2.7	
0.0	0.0								
			G2	I	-80.1	0.0	0.0	0.2	
2.5	141.9			J	-80.1	0.0	0.0	0.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	33.3	0.0	-0.0	-0.7	
-0.3	39.1			J	33.3	0.0	-0.0	-0.7	
0.0	0.0								
			Q5_pc Y	I	40.2	0.0	0.0	-0.3	
3.1	122.5			J	40.2	0.0	0.0	-0.3	
0.0	0.0								
			Q5_ps X	I	38.2	0.0	-0.0	-1.0	
-0.5	36.5			J	38.2	0.0	-0.0	-1.0	
0.0	0.0								
			Q5_ps Y	I	37.5	0.0	0.0	-0.3	
2.9	113.7			J	37.5	0.0	0.0	-0.3	
0.0	0.0								
			INVSLU Max	I	-25.1	0.5	2.2	6.0	1
3067.9	1540.7			J	-25.1	0.5	6.2	6.0	
0.0	0.0								
			Min	I	-896.0	0.1	2.2	-20.3	1
3022.4	251.0			J	-896.0	0.1	6.2	-20.3	
0.0	0.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


9680.4	1136.5	INVSLE Max	I	-16.9	0.4	1.7	4.2
			J	-16.9	0.4	4.6	4.2
0.0	0.0						
9647.1	197.6	Min	I	-656.6	0.1	1.6	-15.2
			J	-656.6	0.1	4.6	-15.2
0.0	0.0						
8366	2	66 C1-C2;~1 Max	I	186.4	0.1	0.0	11.3
0.0	0.0		J	186.4	0.1	0.0	11.3
12.0	598.8						
		Min	I	-322.8	-0.2	-0.0	-12.5
0.0	0.0		J	-322.8	-0.2	-0.0	-12.5
-18.4	-202.4						
		C3-C4;~1 Max	I	162.7	0.1	0.0	13.0
0.0	0.0		J	162.7	0.1	0.0	13.0
9.1	522.8						
		Min	I	-486.7	-0.2	-0.0	-11.6
0.0	0.0		J	-486.7	-0.2	-0.0	-11.6
-19.8	-265.2						
		C1-C2;~2 Max	I	96.3	0.0	0.0	5.7
0.0	0.0		J	96.3	0.0	0.0	5.7
7.3	334.9						
		Min	I	-164.6	-0.1	-0.0	-7.6
0.0	0.0		J	-164.6	-0.1	-0.0	-7.6
-9.3	-112.8						
		C3-C4;~2 Max	I	78.9	0.0	0.0	6.3
0.0	0.0		J	78.9	0.0	0.0	6.3
5.2	294.9						
		Min	I	-250.1	-0.1	-0.0	-7.0
0.0	0.0		J	-250.1	-0.1	-0.0	-7.0
-9.9	-139.7						
		G1	I	-182.0	-0.1	-4.5	8.5
0.0	0.0		J	-182.0	-0.1	-1.4	8.5
9640.2	354.4						
		G2	I	-77.6	-0.0	0.0	4.2
0.0	0.0		J	-77.6	-0.0	0.0	4.2
-6.4	119.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	45.8	0.0	-0.0	-1.0
0.0	0.0		J	45.8	0.0	-0.0	-1.0
3.4	-48.0						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc	Y	I	95.8	-0.0	0.0	0.4	
				J	95.8	-0.0	0.0	0.4	
-2.7	7.5								
0.0	0.0	Q5_ps	X	I	50.6	0.0	-0.0	-1.3	
				J	50.6	0.0	-0.0	-1.3	
3.5	-37.7								
0.0	0.0	Q5_ps	Y	I	90.4	-0.0	0.0	0.3	
				J	90.4	-0.0	0.0	0.3	
-2.5	6.6								
0.0	0.0	INVSLU	Max	I	108.9	-0.0	-6.0	44.6	
				J	108.9	-0.0	-1.8	44.6	1
3014.7	1402.5								
0.0	0.0		Min	I	-972.1	-0.4	-6.1	8.5	
				J	-972.1	-0.4	-1.9	8.5	1
2965.7	149.9								
0.0	0.0	INVSLE	Max	I	80.5	-0.0	-4.5	33.2	
				J	80.5	-0.0	-1.4	33.2	
9639.8	1039.7								
0.0	0.0		Min	I	-707.5	-0.3	-4.5	6.6	
				J	-707.5	-0.3	-1.4	6.6	
9604.0	118.2								
8367	2	66	C1-C2;~1	Max	I	356.6	0.0	0.0	16.5
0.0	0.0			J	356.6	0.0	0.0	16.5	
0.0	0.0								
0.0	0.0		Min	I	-270.9	0.0	-0.0	-11.2	
0.0	0.0			J	-270.9	0.0	0.0	-11.2	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	518.3	0.0	0.0	16.0
				J	518.3	0.0	0.0	16.0	
0.0	0.0								
0.0	0.0		Min	I	-292.7	0.0	-0.0	-3.9	
0.0	0.0			J	-292.7	0.0	0.0	-3.9	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	180.2	0.0	0.0	9.8
				J	180.2	0.0	0.0	9.8	
0.0	0.0								
0.0	0.0		Min	I	-138.5	0.0	-0.0	-7.1	
0.0	0.0			J	-138.5	0.0	0.0	-7.1	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	263.2	0.0	0.0	9.3
				J	263.2	0.0	0.0	9.3	
0.0	0.0								
0.0	0.0		Min	I	-150.2	0.0	-0.0	-2.0	
0.0	0.0								

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-150.2	0.0	0.0	-2.0
0.0	0.0	G1	I	81.5	0.0	-1.5	10.4
0.0	0.0		J	81.5	0.0	1.5	10.4
0.0	0.0	G2	I	36.1	0.0	0.0	1.9
0.0	0.0		J	36.1	0.0	0.0	1.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-37.1	0.0	0.0	-1.0
0.0	0.0		J	-37.1	0.0	0.0	-1.0
0.0	0.0	Q5_pc Y	I	-131.4	0.0	-0.0	0.7
0.0	0.0		J	-131.4	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	-41.1	0.0	0.0	-0.9
0.0	0.0		J	-41.1	0.0	0.0	-0.9
0.0	0.0	Q5_ps Y	I	-123.8	0.0	-0.0	0.7
0.0	0.0		J	-123.8	0.0	0.0	0.7
0.0	0.0	INVSLE Max	I	768.3	0.0	-2.0	43.5
0.0	0.0		J	768.3	0.0	2.0	43.5
0.0	0.0	Min	I	-563.1	0.0	-2.0	4.3
0.0	0.0		J	-563.1	0.0	2.0	4.3
0.0	0.0	INVSLE Max	I	548.7	0.0	-1.5	32.5
0.0	0.0		J	548.7	0.0	1.5	32.5
0.0	0.0	Min	I	-420.0	0.0	-1.5	3.6
0.0	0.0		J	-420.0	0.0	1.5	3.6
8368	2	66 C1-C2;~1 Max	I	356.7	0.0	0.0	18.7
0.0	0.0		J	356.7	0.0	0.0	18.7
0.0	0.0	Min	I	-270.8	0.0	0.0	-26.8
0.0	0.0		J	-270.8	0.0	-0.0	-26.8
0.0	0.0	C3-C4;~1 Max	I	518.2	0.0	0.0	15.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		J	518.2	0.0	0.0	15.9
0.0	0.0	Min	I	-292.6	0.0	0.0	-29.4
0.0	0.0		J	-292.6	0.0	-0.0	-29.4
0.0	0.0	C1-C2;~2 Max	I	180.2	0.0	0.0	11.5
0.0	0.0		J	180.2	0.0	0.0	11.5
0.0	0.0	Min	I	-138.4	0.0	0.0	-13.6
0.0	0.0		J	-138.4	0.0	-0.0	-13.6
0.0	0.0	C3-C4;~2 Max	I	263.1	0.0	0.0	9.5
0.0	0.0		J	263.1	0.0	0.0	9.5
0.0	0.0	Min	I	-150.2	0.0	0.0	-14.9
0.0	0.0		J	-150.2	0.0	-0.0	-14.9
0.0	0.0	G1	I	81.8	0.0	-1.6	-27.9
0.0	0.0		J	81.8	0.0	1.6	-27.9
0.0	0.0	G2	I	36.1	0.0	0.0	-10.6
0.0	0.0		J	36.1	0.0	-0.0	-10.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-37.1	0.0	0.0	5.7
0.0	0.0		J	-37.1	0.0	-0.0	5.7
0.0	0.0	Q5_pc Y	I	-131.4	0.0	0.0	-4.6
0.0	0.0		J	-131.4	0.0	0.0	-4.6
0.0	0.0	Q5_ps X	I	-41.1	0.0	0.0	6.0
0.0	0.0		J	-41.1	0.0	-0.0	6.0
0.0	0.0	Q5_ps Y	I	-123.8	0.0	0.0	-4.2
0.0	0.0		J	-123.8	0.0	0.0	-4.2
0.0	0.0	INVSLU Max	I	768.5	0.0	-2.1	-37.8
0.0	0.0		J	768.5	0.0	2.1	-37.8
0.0	0.0	Min	I	-562.6	0.0	-2.1	-112.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-562.6	0.0	2.1	-112.9
0.0	0.0							
			INVSLE Max	I	548.9	0.0	-1.6	-29.0
0.0	0.0			J	548.9	0.0	1.6	-29.0
0.0	0.0		Min	I	-419.6	0.0	-1.6	-83.9
0.0	0.0			J	-419.6	0.0	1.6	-83.9
0.0	0.0							
8369	2	66	C1-C2;~1 Max	I	186.4	0.2	0.0	8.0
17.4	598.8			J	186.4	0.2	0.0	8.0
0.0	0.0		Min	I	-322.8	-0.1	-0.0	-11.7
-11.3	-202.4			J	-322.8	-0.1	-0.0	-11.7
0.0	0.0							
			C3-C4;~1 Max	I	162.7	0.2	0.0	8.5
18.7	522.8			J	162.7	0.2	0.0	8.5
0.0	0.0		Min	I	-486.7	-0.1	-0.0	-10.5
-8.6	-265.2			J	-486.7	-0.1	-0.0	-10.5
0.0	0.0							
			C1-C2;~2 Max	I	96.3	0.1	0.0	4.2
8.8	334.9			J	96.3	0.1	0.0	4.2
0.0	0.0		Min	I	-164.6	-0.0	-0.0	-7.4
-6.9	-112.8			J	-164.6	-0.0	-0.0	-7.4
0.0	0.0							
			C3-C4;~2 Max	I	78.9	0.1	0.0	4.2
9.4	294.9			J	78.9	0.1	0.0	4.2
0.0	0.0		Min	I	-250.1	-0.0	-0.0	-6.5
-4.9	-139.7			J	-250.1	-0.0	-0.0	-6.5
0.0	0.0							
			G1	I	-182.0	0.1	1.6	3.3
9678.1	354.4			J	-182.0	0.1	4.6	3.3
0.0	0.0							
			G2	I	-77.5	0.0	0.0	2.5
6.0	119.3			J	-77.5	0.0	0.0	2.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	45.8	-0.0	-0.0	-0.1
-3.2	-48.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	45.8	-0.0	-0.0	-0.1	
2.6	7.5	Q5_pc Y	I	95.8	0.0	0.0	-0.3	
0.0	0.0		J	95.8	0.0	0.0	-0.3	
-3.3	-37.7	Q5_ps X	I	50.6	-0.0	-0.0	-0.4	
0.0	0.0		J	50.6	-0.0	-0.0	-0.4	
2.3	6.6	Q5_ps Y	I	90.4	0.0	0.0	-0.3	
0.0	0.0		J	90.4	0.0	0.0	-0.3	
3111.4	1402.5	INVS LU Max	I	109.0	0.5	2.2	26.0	1
0.0	0.0		J	109.0	0.5	6.2	26.0	
3065.1	149.9	Min	I	-972.1	0.0	2.2	-1.9	1
0.0	0.0		J	-972.1	0.0	6.2	-1.9	
9712.4	1039.7	INVS LE Max	I	80.6	0.3	1.7	19.4	
0.0	0.0		J	80.6	0.3	4.6	19.4	
9678.5	118.2	Min	I	-707.4	0.0	1.6	-1.2	
0.0	0.0		J	-707.4	0.0	4.6	-1.2	
8370	2	66 C1-C2;~1 Max	I	228.2	0.2	0.0	15.2	
0.0	0.0		J	228.2	0.2	0.0	15.2	
5.4	462.9	Min	I	-305.8	-0.1	-0.0	-6.2	
0.0	0.0		J	-305.8	-0.1	-0.0	-6.2	
-18.1	-607.8							
0.0	0.0	C3-C4;~1 Max	I	257.5	0.2	0.0	16.6	
3.0	417.3		J	257.5	0.2	0.0	16.6	
0.0	0.0	Min	I	-444.2	-0.1	-0.0	-5.0	
0.0	0.0		J	-444.2	-0.1	-0.0	-5.0	
-20.6	-786.4							
0.0	0.0	C1-C2;~2 Max	I	115.9	0.1	0.0	7.6	
3.2	245.2		J	115.9	0.1	0.0	7.6	
0.0	0.0	Min	I	-154.6	-0.1	-0.0	-3.5	
0.0	0.0		J	-154.6	-0.1	-0.0	-3.5	
-9.3	-300.5							
0.0	0.0	C3-C4;~2 Max	I	131.8	0.1	0.0	8.2	
			J	131.8	0.1	0.0	8.2	

MIDAS


PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.4	221.3		Min	I	-226.4	-0.1	-0.0	-2.5
0.0	0.0			J	-226.4	-0.1	-0.0	-2.5
-10.4	-392.0							
		G1		I	-88.4	0.1	-4.4	17.7
0.0	0.0			J	-88.4	0.1	-1.4	17.7
9322.2	-317.3							
		G2		I	-39.6	0.0	0.0	6.9
0.0	0.0			J	-39.6	0.0	0.0	6.9
-6.7	-115.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-1.5	0.2	-0.0	-4.9
0.0	0.0			J	-1.5	0.2	-0.0	-4.9
11.5	-656.4							
		Q5_pc Y		I	135.9	0.1	0.0	-0.5
0.0	0.0			J	135.9	0.1	0.0	-0.5
-0.7	-449.1							
		Q5_ps X		I	3.8	0.2	-0.0	-4.8
0.0	0.0			J	3.8	0.2	-0.0	-4.8
11.1	-618.9							
		Q5_ps Y		I	128.2	0.1	0.0	-0.5
0.0	0.0			J	128.2	0.1	0.0	-0.5
-0.6	-427.2							
		INVSLU Max		I	395.8	0.8	-6.0	70.6
0.0	0.0			J	395.8	0.8	-1.8	70.6
2598.0	356.2							1
		Min		I	-796.1	-0.1	-6.0	31.1
0.0	0.0			J	-796.1	-0.1	-1.8	31.1
2538.9	-2555.5							1
		INVSLE Max		I	290.0	0.6	-4.4	52.4
0.0	0.0			J	290.0	0.6	-1.4	52.4
9330.6	187.0							
		Min		I	-574.8	-0.1	-4.4	23.7
0.0	0.0			J	-574.8	-0.1	-1.4	23.7
9288.9	-1857.3							
8371	2	66 C1-C2;~1 Max		I	278.1	0.0	0.0	16.6
0.0	0.0			J	278.1	0.0	0.0	16.6
0.0	0.0							
		Min		I	-309.4	-0.0	-0.0	-9.4
0.0	0.0			J	-309.4	-0.0	0.0	-9.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	I	405.3	0.0	17.1
0.0	0.0			J	405.3	0.0	17.1
0.0	0.0		Min	I	-343.6	-0.0	-3.2
0.0	0.0			J	-343.6	-0.0	-3.2
0.0	0.0	C1-C2;~2	Max	I	139.2	0.0	9.5
0.0	0.0			J	139.2	0.0	9.5
0.0	0.0		Min	I	-160.0	-0.0	-5.9
0.0	0.0			J	-160.0	-0.0	-5.9
0.0	0.0	C3-C4;~2	Max	I	203.3	0.0	9.5
0.0	0.0			J	203.3	0.0	9.5
0.0	0.0		Min	I	-179.8	-0.0	-1.6
0.0	0.0			J	-179.8	-0.0	-1.6
0.0	0.0	G1		I	-58.7	0.0	12.7
0.0	0.0			J	-58.7	-0.0	12.7
0.0	0.0	G2		I	-18.5	0.0	3.1
0.0	0.0			J	-18.5	-0.0	3.1
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-66.5	-0.0	-1.3
0.0	0.0			J	-66.5	0.0	-1.3
0.0	0.0	Q5_pc	Y	I	-181.2	-0.0	-0.6
0.0	0.0			J	-181.2	0.0	-0.6
0.0	0.0	Q5_ps	X	I	-67.4	-0.0	-1.3
0.0	0.0			J	-67.4	0.0	-1.3
0.0	0.0	Q5_ps	Y	I	-170.7	-0.0	-0.6
0.0	0.0			J	-170.7	0.0	-0.6
0.0	0.0	INVSLU	Max	I	447.6	0.0	46.6

PROJECT TITLE :

		Company					Client	
		Author					File Name	
				J	447.6	0.0	1.9	46.6
0.0	0.0		Min	I	-889.6	0.0	-1.9	8.6
0.0	0.0			J	-889.6	-0.0	1.9	8.6
0.0	0.0							
			INVSLE Max	I	310.1	0.0	-1.4	34.6
0.0	0.0			J	310.1	0.0	1.4	34.6
0.0	0.0		Min	I	-656.2	0.0	-1.4	6.6
0.0	0.0			J	-656.2	-0.0	1.4	6.6
0.0	0.0							
8372	2	66	C1-C2;~1 Max	I	277.9	0.0	0.0	3.3
0.0	0.0			J	277.9	0.0	0.0	3.3
0.0	0.0		Min	I	-309.4	-0.0	-0.0	-20.8
0.0	0.0			J	-309.4	-0.0	0.0	-20.8
0.0	0.0							
			C3-C4;~1 Max	I	405.0	0.0	0.0	3.2
0.0	0.0			J	405.0	0.0	0.0	3.2
0.0	0.0		Min	I	-343.6	-0.0	-0.0	-25.8
0.0	0.0			J	-343.6	-0.0	0.0	-25.8
0.0	0.0							
			C1-C2;~2 Max	I	139.1	0.0	0.0	1.6
0.0	0.0			J	139.1	0.0	0.0	1.6
0.0	0.0		Min	I	-159.9	-0.0	-0.0	-10.0
0.0	0.0			J	-159.9	-0.0	0.0	-10.0
0.0	0.0							
			C3-C4;~2 Max	I	203.2	0.0	0.0	1.6
0.0	0.0			J	203.2	0.0	0.0	1.6
0.0	0.0		Min	I	-179.8	-0.0	-0.0	-12.6
0.0	0.0			J	-179.8	-0.0	0.0	-12.6
0.0	0.0							
			G1	I	-58.9	-0.0	-1.5	-29.1
0.0	0.0			J	-58.9	0.0	1.5	-29.1
0.0	0.0							
			G2	I	-18.6	-0.0	0.0	-10.2
0.0	0.0			J	-18.6	0.0	0.0	-10.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	-66.9	0.0	0.0	21.6
0.0	0.0		J	-66.9	-0.0	0.0	21.6
0.0	0.0	Q5_pc Y	I	-181.5	0.0	-0.0	-2.0
0.0	0.0		J	-181.5	0.0	0.0	-2.0
0.0	0.0	Q5_ps X	I	-67.8	0.0	0.0	20.8
0.0	0.0		J	-67.8	-0.0	0.0	20.8
0.0	0.0	Q5_ps Y	I	-170.9	0.0	-0.0	-1.8
0.0	0.0		J	-170.9	0.0	0.0	-1.8
0.0	0.0	INVSLE Max	I	446.8	0.0	-2.0	-16.3
0.0	0.0		J	446.8	0.0	2.0	-16.3
0.0	0.0	Min	I	-890.4	-0.0	-2.0	-104.0
0.0	0.0		J	-890.4	-0.0	2.0	-104.0
0.0	0.0	INVSLE Max	I	309.5	0.0	-1.5	-14.1
0.0	0.0		J	309.5	0.0	1.5	-14.1
0.0	0.0	Min	I	-656.8	-0.0	-1.5	-75.4
0.0	0.0		J	-656.8	-0.0	1.5	-75.4
8373	2	66 C1-C2;~1 Max	I	228.3	0.2	0.0	11.5
17.2	462.9		J	228.3	0.2	0.0	11.5
0.0	0.0	Min	I	-305.9	-0.2	-0.0	-7.7
-5.2	-607.8		J	-305.9	-0.2	-0.0	-7.7
0.0	0.0	C3-C4;~1 Max	I	257.5	0.1	0.0	10.7
19.7	417.3		J	257.5	0.1	0.0	10.7
0.0	0.0	Min	I	-444.2	-0.3	-0.0	-6.7
-2.9	-786.4		J	-444.2	-0.3	-0.0	-6.7
0.0	0.0	C1-C2;~2 Max	I	115.9	0.1	0.0	5.9
8.9	245.2		J	115.9	0.1	0.0	5.9
0.0	0.0	Min	I	-154.6	-0.1	-0.0	-4.7
-3.0	-300.5		J	-154.6	-0.1	-0.0	-4.7
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
10.0	221.3	C3-C4;~2 Max	I	131.8	0.1	0.0	5.4	
			J	131.8	0.1	0.0	5.4	
0.0	0.0							
-1.4	-392.0	Min	I	-226.4	-0.1	-0.0	-3.8	
			J	-226.4	-0.1	-0.0	-3.8	
0.0	0.0							
9363.3	-317.3	G1	I	-88.4	-0.1	1.6	10.0	
			J	-88.4	-0.1	4.5	10.0	
0.0	0.0							
6.4	-115.4	G2	I	-39.6	-0.0	0.0	4.4	
			J	-39.6	-0.0	0.0	4.4	
0.0	0.0							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-11.0	-656.4	Q5_pc X	I	-1.6	-0.2	-0.0	-0.7	
			J	-1.6	-0.2	-0.0	-0.7	
0.0	0.0							
0.7	-449.1	Q5_pc Y	I	135.9	-0.1	0.0	-0.8	
			J	135.9	-0.1	0.0	-0.8	
0.0	0.0							
-10.6	-618.9	Q5_ps X	I	3.7	-0.2	-0.0	-0.8	
			J	3.7	-0.2	-0.0	-0.8	
0.0	0.0							
0.6	-427.2	Q5_ps Y	I	128.1	-0.1	0.0	-0.7	
			J	128.1	-0.1	0.0	-0.7	
0.0	0.0							
2684.4	356.2	INVS LU Max	I	395.7	0.1	2.1	46.9	1
			J	395.7	0.1	6.1	46.9	
0.0	0.0							
2628.0	-2555.5	Min	I	-796.2	-0.8	2.1	19.5	1
			J	-796.2	-0.8	6.1	19.5	
0.0	0.0							
9395.1	187.0	INVS LE Max	I	289.9	0.1	1.6	35.1	
			J	289.9	0.1	4.5	35.1	
0.0	0.0							
9355.2	-1857.3	Min	I	-574.9	-0.6	1.6	14.9	
			J	-574.9	-0.6	4.5	14.9	
0.0	0.0							
8374	2	66 C1-C2;~1 Max	I	290.9	0.1	0.0	9.2	
0.0	0.0		J	290.9	0.1	0.0	9.2	
14.0	421.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-299.7	-0.1	-0.0	-4.6
0.0	0.0			J	-299.7	-0.1	-0.0	-4.6
-6.3	-282.5							
			C3-C4;~1 Max	I	371.1	0.1	0.0	10.3
0.0	0.0			J	371.1	0.1	0.0	10.3
11.8	417.8							
			Min	I	-361.8	-0.1	-0.0	-4.2
0.0	0.0			J	-361.8	-0.1	-0.0	-4.2
-8.8	-295.9							
			C1-C2;~2 Max	I	144.9	0.0	0.0	4.8
0.0	0.0			J	144.9	0.0	0.0	4.8
8.5	224.4							
			Min	I	-155.1	-0.1	-0.0	-2.9
0.0	0.0			J	-155.1	-0.1	-0.0	-2.9
-3.2	-163.4							
			C3-C4;~2 Max	I	190.3	0.1	0.0	5.1
0.0	0.0			J	190.3	0.1	0.0	5.1
7.2	214.8							
			Min	I	-186.1	-0.1	-0.0	-2.6
0.0	0.0			J	-186.1	-0.1	-0.0	-2.6
-4.4	-167.4							
			G1	I	-44.2	-0.1	-4.4	9.3
0.0	0.0			J	-44.2	-0.1	-1.3	9.3
9265.5	274.9							
			G2	I	-18.4	-0.0	0.0	3.8
0.0	0.0			J	-18.4	-0.0	0.0	3.8
-0.5	90.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-149.2	-0.1	-0.0	-8.7
0.0	0.0			J	-149.2	-0.1	-0.0	-8.7
4.7	333.1							
			Q5_pc Y	I	110.5	-0.0	-0.0	-7.5
0.0	0.0			J	110.5	-0.0	-0.0	-7.5
3.2	58.3							
			Q5_ps X	I	-148.0	-0.1	-0.0	-8.4
0.0	0.0			J	-148.0	-0.1	-0.0	-8.4
4.9	319.0							
			Q5_ps Y	I	101.3	-0.0	-0.0	-7.1
0.0	0.0			J	101.3	-0.0	-0.0	-7.1
3.2	56.1							

MIDAS

PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	INVSLE Max	I	379.9	0.0	-5.9	37.6	
2530.9	1517.9		J	379.9	0.0	-1.7	37.6	1
0.0	0.0	Min	I	-878.2	-0.5	-5.9	-0.7	
2491.7	-54.6		J	-878.2	-0.5	-1.7	-0.7	1
0.0	0.0	INVSLE Max	I	261.6	0.0	-4.4	27.0	
9281.8	1114.4		J	261.6	0.0	-1.3	27.0	
0.0	0.0	Min	I	-650.5	-0.3	-4.4	0.2	
9253.4	-2.2		J	-650.5	-0.3	-1.3	0.2	
8375	2	66 C1-C2;~1 Max	I	217.1	0.0	0.0	3.7	
0.0	0.0		J	217.1	0.0	0.0	3.7	
0.0	0.0	Min	I	-324.2	0.0	0.0	-17.7	
0.0	0.0		J	-324.2	0.0	0.0	-17.7	
0.0	0.0	C3-C4;~1 Max	I	265.4	0.0	0.0	6.3	
0.0	0.0		J	265.4	0.0	0.0	6.3	
0.0	0.0	Min	I	-414.5	0.0	0.0	-15.4	
0.0	0.0		J	-414.5	0.0	0.0	-15.4	
0.0	0.0	C1-C2;~2 Max	I	110.3	0.0	0.0	1.7	
0.0	0.0		J	110.3	0.0	0.0	1.7	
0.0	0.0	Min	I	-163.1	0.0	0.0	-9.3	
0.0	0.0		J	-163.1	0.0	0.0	-9.3	
0.0	0.0	C3-C4;~2 Max	I	133.4	0.0	0.0	3.1	
0.0	0.0		J	133.4	0.0	0.0	3.1	
0.0	0.0	Min	I	-216.6	0.0	0.0	-8.1	
0.0	0.0		J	-216.6	0.0	0.0	-8.1	
0.0	0.0	G1	I	-111.8	0.0	-1.4	-9.5	
0.0	0.0		J	-111.8	0.0	1.4	-9.5	
0.0	0.0	G2	I	-43.4	0.0	0.0	-4.9	
0.0	0.0		J	-43.4	0.0	0.0	-4.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	78.5	0.0	0.0	-0.5
0.0	0.0		J	78.5	0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-108.6	0.0	0.0	-2.1
0.0	0.0		J	-108.6	0.0	0.0	-2.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	82.0	0.0	0.0	-0.7
0.0	0.0		J	82.0	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-99.2	0.0	0.0	-2.1
0.0	0.0		J	-99.2	0.0	0.0	-2.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	357.1	0.0	-1.9	-18.9
0.0	0.0		J	357.1	0.0	1.9	-18.9
0.0	0.0						
0.0	0.0	Min	I	-756.3	0.0	-1.9	-55.1
0.0	0.0		J	-756.3	0.0	1.9	-55.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	263.7	0.0	-1.4	-14.5
0.0	0.0		J	263.7	0.0	1.4	-14.5
0.0	0.0						
0.0	0.0	Min	I	-546.5	0.0	-1.4	-41.1
0.0	0.0		J	-546.5	0.0	1.4	-41.1
0.0	0.0						
8376	2	66 C1-C2;~1 Max	I	217.3	0.0	0.0	17.1
0.0	0.0		J	217.3	0.0	0.0	17.1
0.0	0.0						
0.0	0.0	Min	I	-324.2	-0.0	-0.0	-15.9
0.0	0.0		J	-324.2	0.0	0.0	-15.9
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	265.6	0.0	0.0	14.3
0.0	0.0		J	265.6	0.0	0.0	14.3
0.0	0.0						
0.0	0.0	Min	I	-414.6	-0.0	-0.0	-18.2
0.0	0.0		J	-414.6	0.0	0.0	-18.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	110.3	0.0	0.0	10.8
0.0	0.0		J	110.3	0.0	0.0	10.8
0.0	0.0						
0.0	0.0	Min	I	-163.1	-0.0	-0.0	-7.9
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-163.1	0.0	0.0	-7.9
0.0	0.0	C3-C4;~2 Max	I	133.6	0.0	0.0	8.8
0.0	0.0		J	133.6	0.0	0.0	8.8
0.0	0.0	Min	I	-216.6	-0.0	-0.0	-8.9
0.0	0.0		J	-216.6	0.0	0.0	-8.9
0.0	0.0	G1	I	-111.6	0.0	-1.5	-16.7
0.0	0.0		J	-111.6	0.0	1.5	-16.7
0.0	0.0	G2	I	-43.4	0.0	-0.0	-5.8
0.0	0.0		J	-43.4	0.0	0.0	-5.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	78.7	0.0	0.0	8.7
0.0	0.0		J	78.7	0.0	0.0	8.7
0.0	0.0	Q5_pc Y	I	-108.6	-0.0	-0.0	4.1
0.0	0.0		J	-108.6	0.0	0.0	4.1
0.0	0.0	Q5_ps X	I	82.2	0.0	0.0	8.9
0.0	0.0		J	82.2	0.0	0.0	8.9
0.0	0.0	Q5_ps Y	I	-99.1	-0.0	-0.0	4.2
0.0	0.0		J	-99.1	0.0	0.0	4.2
0.0	0.0	INVSLE Max	I	357.7	0.0	-2.1	-9.5
0.0	0.0		J	357.7	0.0	2.1	-9.5
0.0	0.0	Min	I	-756.0	-0.0	-2.1	-72.8
0.0	0.0		J	-756.0	0.0	2.1	-72.8
0.0	0.0	INVSLE Max	I	264.2	0.0	-1.5	-8.0
0.0	0.0		J	264.2	0.0	1.5	-8.0
0.0	0.0	Min	I	-546.2	-0.0	-1.5	-53.7
0.0	0.0		J	-546.2	0.0	1.5	-53.7
8377	2	66 C1-C2;~1 Max	I	290.9	0.1	0.0	10.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.8	421.0		J	290.9	0.1	0.0	10.1
0.0	0.0						
		Min	I	-299.7	-0.1	-0.0	-2.3
-12.8	-282.5		J	-299.7	-0.1	-0.0	-2.3
0.0	0.0						
		C3-C4;~1 Max	I	371.1	0.1	0.0	8.9
8.1	417.8		J	371.1	0.1	0.0	8.9
0.0	0.0						
		Min	I	-361.8	-0.1	-0.0	-1.5
-10.9	-295.9		J	-361.8	-0.1	-0.0	-1.5
0.0	0.0						
		C1-C2;~2 Max	I	144.9	0.1	0.0	5.8
2.9	224.4		J	144.9	0.1	0.0	5.8
0.0	0.0						
		Min	I	-155.1	-0.1	-0.0	-1.3
-7.8	-163.4		J	-155.1	-0.1	-0.0	-1.3
0.0	0.0						
		C3-C4;~2 Max	I	190.3	0.1	0.0	4.5
4.1	214.8		J	190.3	0.1	0.0	4.5
0.0	0.0						
		Min	I	-186.1	-0.1	-0.0	-0.7
-6.6	-167.4		J	-186.1	-0.1	-0.0	-0.7
0.0	0.0						
		G1	I	-44.2	0.1	1.7	8.1
9272.6	274.9		J	-44.2	0.1	4.5	8.1
0.0	0.0						
		G2	I	-18.4	0.0	0.0	3.7
0.4	90.4		J	-18.4	0.0	0.0	3.7
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-149.2	0.1	-0.0	-7.0
-4.3	333.1		J	-149.2	0.1	-0.0	-7.0
0.0	0.0						
		Q5_pc Y	I	110.5	0.0	-0.0	-6.3
-2.9	58.3		J	110.5	0.0	-0.0	-6.3
0.0	0.0						
		Q5_ps X	I	-147.9	0.1	-0.0	-6.7
-4.5	319.0		J	-147.9	0.1	-0.0	-6.7
0.0	0.0						
		Q5_ps Y	I	101.3	0.0	-0.0	-6.0

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.9	56.1			J	101.3	0.0	-0.0	-6.0
0.0	0.0							
			INVS LU Max	I	379.9	0.5	2.2	33.8 1
2533.5	1517.9			J	379.9	0.5	6.1	33.8
0.0	0.0		Min	I	-878.0	-0.0	2.2	2.1 1
2497.5	-54.6			J	-878.0	-0.0	6.1	2.1
0.0	0.0							
			INVS LE Max	I	261.6	0.4	1.7	24.4
9283.7	1114.4			J	261.6	0.4	4.5	24.4
0.0	0.0		Min	I	-650.3	-0.0	1.7	2.1
9257.6	-2.2			J	-650.3	-0.0	4.5	2.1
0.0	0.0							
8378	2	66	C1-C2;~1 Max	I	367.6	0.2	0.0	10.7
0.0	0.0			J	367.6	0.2	0.0	10.7
16.9	319.8		Min	I	-267.7	-0.1	-0.0	-10.7
0.0	0.0			J	-267.7	-0.1	-0.0	-10.7
-12.9	-650.6							
			C3-C4;~1 Max	I	467.1	0.2	0.0	11.9
0.0	0.0			J	467.1	0.2	0.0	11.9
13.5	371.6		Min	I	-310.9	-0.1	-0.0	-10.1
0.0	0.0			J	-310.9	-0.1	-0.0	-10.1
-14.5	-657.1							
			C1-C2;~2 Max	I	184.7	0.1	0.0	5.6
0.0	0.0			J	184.7	0.1	0.0	5.6
10.1	160.1		Min	I	-137.5	-0.0	-0.0	-6.6
0.0	0.0			J	-137.5	-0.0	-0.0	-6.6
-6.8	-377.4							
			C3-C4;~2 Max	I	242.9	0.1	0.0	6.1
0.0	0.0			J	242.9	0.1	0.0	6.1
8.2	184.0		Min	I	-157.8	-0.1	-0.0	-6.1
0.0	0.0			J	-157.8	-0.1	-0.0	-6.1
-7.5	-373.7							
			G1	I	81.8	0.0	-4.5	9.1
0.0	0.0			J	81.8	0.0	-1.4	9.1
9615.6	-154.5							
			G2	I	30.7	0.0	0.0	4.4
0.0	0.0			J	30.7	0.0	0.0	4.4

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.9	-49.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-100.0	0.1	-0.0	-1.2
0.0	0.0			J	-100.0	0.1	-0.0	-1.2
1.2	-165.8							
			Q5_pc Y	I	87.0	-0.0	-0.0	-3.3
0.0	0.0			J	87.0	-0.0	-0.0	-3.3
2.5	0.4							
			Q5_ps X	I	-103.0	0.0	-0.0	-1.5
0.0	0.0			J	-103.0	0.0	-0.0	-1.5
1.4	-158.4							
			Q5_ps Y	I	78.7	-0.0	-0.0	-3.3
0.0	0.0			J	78.7	-0.0	-0.0	-3.3
2.4	0.6							
			INVSLE Max	I	650.0	0.4	-6.0	44.3
0.0	0.0			J	650.0	0.4	-1.8	44.3
2995.2	423.0		Min	I	-580.4	-0.1	-6.1	7.8
0.0	0.0			J	-580.4	-0.1	-1.8	7.8
2948.4	-1264.1							
			INVSLE Max	I	462.3	0.3	-4.5	32.8
0.0	0.0			J	462.3	0.3	-1.4	32.8
9625.5	313.5		Min	I	-435.7	-0.1	-4.5	6.2
0.0	0.0			J	-435.7	-0.1	-1.4	6.2
9591.1	-914.1							
8379	2	66	C1-C2;~1 Max	I	183.1	0.0	0.0	13.0
0.0	0.0			J	183.1	0.0	0.0	13.0
0.0	0.0		Min	I	-335.7	-0.0	0.0	-15.1
0.0	0.0			J	-335.7	-0.0	0.0	-15.1
0.0	0.0							
			C3-C4;~1 Max	I	169.3	0.0	0.0	12.5
0.0	0.0			J	169.3	0.0	0.0	12.5
0.0	0.0		Min	I	-437.6	-0.0	0.0	-8.7
0.0	0.0			J	-437.6	-0.0	0.0	-8.7
0.0	0.0							
			C1-C2;~2 Max	I	94.3	0.0	0.0	7.7
0.0	0.0			J	94.3	0.0	0.0	7.7

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-170.0	-0.0	0.0	-8.8	
0.0	0.0			J	-170.0	-0.0	0.0	-8.8	
0.0	0.0		C3-C4;~2	Max	I	81.4	0.0	0.0	7.2
0.0	0.0			J	81.4	0.0	0.0	7.2	
0.0	0.0			Min	I	-231.0	-0.0	0.0	-4.7
0.0	0.0			J	-231.0	-0.0	0.0	-4.7	
0.0	0.0		G1	I	-189.1	0.0	-1.5	2.5	
0.0	0.0			J	-189.1	-0.0	1.5	2.5	
0.0	0.0		G2	I	-74.6	0.0	0.0	-1.4	
0.0	0.0			J	-74.6	-0.0	0.0	-1.4	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	X	I	100.1	0.0	0.0	-0.4
0.0	0.0			J	100.1	-0.0	0.0	-0.4	
0.0	0.0		Q5_pc	Y	I	-50.9	-0.0	0.0	-1.9
0.0	0.0			J	-50.9	0.0	0.0	-1.9	
0.0	0.0		Q5_ps	X	I	104.1	0.0	0.0	-0.3
0.0	0.0			J	104.1	-0.0	0.0	-0.3	
0.0	0.0		Q5_ps	Y	I	-44.0	-0.0	0.0	-1.7
0.0	0.0			J	-44.0	0.0	0.0	-1.7	
0.0	0.0		INVSLE	Max	I	113.4	0.0	-2.0	21.1
0.0	0.0			J	113.4	0.0	2.0	21.1	
0.0	0.0			Min	I	-904.8	-0.0	-2.0	-20.3
0.0	0.0			J	-904.8	-0.0	2.0	-20.3	
0.0	0.0		INVSLE	Max	I	84.3	0.0	-1.5	15.7
0.0	0.0			J	84.3	0.0	1.5	15.7	
0.0	0.0			Min	I	-656.6	-0.0	-1.5	-14.7
0.0	0.0			J	-656.6	-0.0	1.5	-14.7	


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0									
8380	2	66	C1-C2;~1	Max	I	183.1	0.0	0.0	25.1	
0.0	0.0				J	183.1	0.0	0.0	25.1	
0.0	0.0									
0.0	0.0			Min	I	-335.9	-0.0	0.0	-20.8	
0.0	0.0				J	-335.9	-0.0	0.0	-20.8	
0.0	0.0									
0.0	0.0			C3-C4;~1	Max	I	169.5	0.0	0.0	22.3
0.0	0.0				J	169.5	0.0	0.0	22.3	
0.0	0.0									
0.0	0.0			Min	I	-437.9	-0.0	0.0	-23.3	
0.0	0.0				J	-437.9	-0.0	0.0	-23.3	
0.0	0.0									
0.0	0.0			C1-C2;~2	Max	I	94.2	0.0	0.0	15.7
0.0	0.0				J	94.2	0.0	0.0	15.7	
0.0	0.0									
0.0	0.0			Min	I	-170.2	-0.0	0.0	-10.8	
0.0	0.0				J	-170.2	-0.0	0.0	-10.8	
0.0	0.0									
0.0	0.0			C3-C4;~2	Max	I	81.5	0.0	0.0	13.5
0.0	0.0				J	81.5	0.0	0.0	13.5	
0.0	0.0									
0.0	0.0			Min	I	-231.1	-0.0	0.0	-11.9	
0.0	0.0				J	-231.1	-0.0	0.0	-11.9	
0.0	0.0									
0.0	0.0			G1	I	-189.2	0.0	-1.6	-13.9	
0.0	0.0				J	-189.2	-0.0	1.6	-13.9	
0.0	0.0									
0.0	0.0			G2	I	-74.6	0.0	0.0	-5.1	
0.0	0.0				J	-74.6	-0.0	0.0	-5.1	
0.0	0.0									
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0			Q5_pc	X	I	100.0	0.0	0.0	1.9
0.0	0.0				J	100.0	-0.0	0.0	1.9	
0.0	0.0									
0.0	0.0			Q5_pc	Y	I	-50.9	-0.0	0.0	2.9
0.0	0.0				J	-50.9	0.0	0.0	2.9	
0.0	0.0									
0.0	0.0			Q5_ps	X	I	104.0	0.0	0.0	2.5
0.0	0.0				J	104.0	-0.0	0.0	2.5	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		Q5_ps	Y	I	-44.0	-0.0	0.0 3.0
0.0	0.0			J	-44.0	0.0	0.0 3.0
0.0	0.0						
		INVSLU	Max	I	113.1	0.0	-2.1 -5.2
0.0	0.0			J	113.1	0.0	2.1 -5.2
0.0	0.0						
			Min	I	-905.2	-0.0	-2.1 -75.8
0.0	0.0			J	-905.2	-0.0	2.1 -75.8
0.0	0.0						
		INVSLE	Max	I	84.1	0.0	-1.6 -4.7
0.0	0.0			J	84.1	0.0	1.6 -4.7
0.0	0.0						
			Min	I	-656.9	-0.0	-1.6 -56.6
0.0	0.0			J	-656.9	-0.0	1.6 -56.6
0.0	0.0						
8381	2	66	C1-C2;~1	Max	I	367.6	0.1 0.0 10.9
12.1	319.8			J	367.6	0.1	0.0 10.9
0.0	0.0						
			Min	I	-267.6	-0.2	-0.0 -9.0
-15.9	-650.6			J	-267.6	-0.2	-0.0 -9.0
0.0	0.0						
			C3-C4;~1	Max	I	467.1	0.1 0.0 8.5
13.6	371.6			J	467.1	0.1	0.0 8.5
0.0	0.0						
			Min	I	-310.9	-0.2	-0.0 -8.0
-12.7	-657.1			J	-310.9	-0.2	-0.0 -8.0
0.0	0.0						
			C1-C2;~2	Max	I	184.6	0.1 0.0 5.9
6.4	160.1			J	184.6	0.1	0.0 5.9
0.0	0.0						
			Min	I	-137.5	-0.1	-0.0 -5.6
-9.5	-377.4			J	-137.5	-0.1	-0.0 -5.6
0.0	0.0						
			C3-C4;~2	Max	I	242.9	0.1 0.0 4.3
7.1	184.0			J	242.9	0.1	0.0 4.3
0.0	0.0						
			Min	I	-157.7	-0.1	-0.0 -5.0
-7.7	-373.7			J	-157.7	-0.1	-0.0 -5.0
0.0	0.0						
			G1	I	81.8	-0.1	1.7 6.9
9631.9	-154.5			J	81.8	-0.1	4.6 6.9
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.8	-49.4		G2	I	30.7	-0.0	0.0	3.9	
				J	30.7	-0.0	0.0	3.9	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-1.1	-165.8		Q5_pc X	I	-100.0	-0.1	-0.0	-0.9	
				J	-100.0	-0.1	-0.0	-0.9	
0.0	0.0								
-2.3	0.4		Q5_pc Y	I	87.0	0.0	-0.0	-2.7	
				J	87.0	0.0	-0.0	-2.7	
0.0	0.0								
-1.3	-158.4		Q5_ps X	I	-103.0	-0.1	-0.0	-1.1	
				J	-103.0	-0.1	-0.0	-1.1	
0.0	0.0								
-2.3	0.6		Q5_ps Y	I	78.7	0.0	-0.0	-2.6	
				J	78.7	0.0	-0.0	-2.6	
0.0	0.0								
3033.7	423.0		INVSLE Max	I	649.9	0.1	2.2	36.6	1
				J	649.9	0.1	6.2	36.6	
0.0	0.0								
2989.8	-1264.1		Min	I	-580.4	-0.4	2.2	5.0	1
				J	-580.4	-0.4	6.2	5.0	
0.0	0.0								
9654.8	313.5		INVSLE Max	I	462.3	0.1	1.7	27.0	
				J	462.3	0.1	4.6	27.0	
0.0	0.0								
9622.6	-914.1		Min	I	-435.7	-0.3	1.7	4.0	
				J	-435.7	-0.3	4.6	4.0	
0.0	0.0								
8382	2	66	C1-C2;~1 Max	I	405.0	0.2	0.0	11.1	
0.0	0.0			J	405.0	0.2	0.0	11.1	
20.6	208.7								
			Min	I	-212.7	-0.1	-0.0	-15.1	
0.0	0.0			J	-212.7	-0.1	-0.0	-15.1	
-11.5	-645.5								
			C3-C4;~1 Max	I	494.6	0.2	0.0	12.1	
0.0	0.0			J	494.6	0.2	0.0	12.1	
17.7	230.8								
			Min	I	-244.9	-0.1	-0.0	-15.0	
0.0	0.0			J	-244.9	-0.1	-0.0	-15.0	
-12.7	-621.4								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C1-C2;~2	Max	I	210.1	0.1	0.0	5.8
0.0	0.0				J	210.1	0.1	0.0	5.8
12.2	106.8			Min	I	-107.1	-0.0	-0.0	-9.0
0.0	0.0				J	-107.1	-0.0	-0.0	-9.0
-6.2	-383.7								
			C3-C4;~2	Max	I	263.3	0.1	0.0	6.4
0.0	0.0				J	263.3	0.1	0.0	6.4
10.5	111.7			Min	I	-121.4	-0.0	-0.0	-8.9
0.0	0.0				J	-121.4	-0.0	-0.0	-8.9
-6.7	-370.5								
			G1		I	172.4	0.1	-4.5	4.3
0.0	0.0				J	172.4	0.1	-1.4	4.3
9622.6	-311.2								
			G2		I	66.4	0.0	-0.0	2.5
0.0	0.0				J	66.4	0.0	-0.0	2.5
0.8	-123.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-67.1	0.0	-0.0	0.7
0.0	0.0				J	-67.1	0.0	-0.0	0.7
1.3	-59.8								
			Q5_pc	Y	I	56.3	0.0	-0.0	-2.2
0.0	0.0				J	56.3	0.0	-0.0	-2.2
2.4	-50.6								
			Q5_ps	X	I	-71.0	0.0	-0.0	0.4
0.0	0.0				J	-71.0	0.0	-0.0	0.4
1.4	-57.5								
			Q5_ps	Y	I	50.0	0.0	-0.0	-2.2
0.0	0.0				J	50.0	0.0	-0.0	-2.2
2.4	-47.7								
			INVSLU	Max	I	842.0	0.5	-6.0	33.9
0.0	0.0				J	842.0	0.5	-1.8	33.9
3015.6	-293.9								1
				Min	I	-277.2	0.1	-6.1	-6.9
0.0	0.0				J	-277.2	0.1	-1.9	-6.9
2966.2	-1584.6								1
			INVSLE	Max	I	608.1	0.4	-4.5	25.1
0.0	0.0				J	608.1	0.4	-1.4	25.1
9640.7	-216.9								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			Min	I	-212.0	0.1	-4.5	-4.8	
0.0	0.0			J	-212.0	0.1	-1.4	-4.8	
9604.4	-1165.0								
8383	2	66	C1-C2;~1	Max	I	153.4	0.0	0.0	13.7
0.0	0.0				J	153.4	0.0	0.0	13.7
0.0	0.0		Min	I	-289.2	0.0	0.0	-15.4	
0.0	0.0			J	-289.2	0.0	0.0	-15.4	
0.0	0.0								
			C3-C4;~1	Max	I	120.7	0.0	0.0	12.3
0.0	0.0				J	120.7	0.0	0.0	12.3
0.0	0.0		Min	I	-380.4	0.0	0.0	-9.5	
0.0	0.0			J	-380.4	0.0	0.0	-9.5	
0.0	0.0								
			C1-C2;~2	Max	I	82.8	0.0	0.0	8.3
0.0	0.0				J	82.8	0.0	0.0	8.3
0.0	0.0		Min	I	-148.9	0.0	0.0	-9.2	
0.0	0.0			J	-148.9	0.0	0.0	-9.2	
0.0	0.0								
			C3-C4;~2	Max	I	61.7	0.0	0.0	7.1
0.0	0.0				J	61.7	0.0	0.0	7.1
0.0	0.0		Min	I	-203.8	0.0	0.0	-5.1	
0.0	0.0			J	-203.8	0.0	0.0	-5.1	
0.0	0.0								
			G1	I	-191.4	0.0	-1.5	2.7	
0.0	0.0			J	-191.4	0.0	1.5	2.7	
0.0	0.0								
			G2	I	-75.3	0.0	0.0	-1.4	
0.0	0.0			J	-75.3	0.0	0.0	-1.4	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	58.8	0.0	0.0	-0.5
0.0	0.0				J	58.8	0.0	0.0	-0.5
0.0	0.0								
			Q5_pc	Y	I	-12.5	0.0	0.0	-1.7
0.0	0.0				J	-12.5	0.0	0.0	-1.7
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	64.3	0.0	0.0	-0.3	
			J	64.3	0.0	0.0	-0.3	
0.0	0.0	Q5_ps Y	I	-8.1	0.0	0.0	-1.5	
			J	-8.1	0.0	0.0	-1.5	
0.0	0.0	INVSLU Max	I	-2.6	0.0	-2.0	24.5	
			J	-2.6	0.0	2.0	24.5	
0.0	0.0	Min	I	-829.1	0.0	-2.0	-17.9	
			J	-829.1	0.0	2.0	-17.9	
0.0	0.0	INVSLE Max	I	-1.0	0.0	-1.5	18.4	
			J	-1.0	0.0	1.5	18.4	
0.0	0.0	Min	I	-605.4	0.0	-1.5	-12.8	
			J	-605.4	0.0	1.5	-12.8	
8384	2	66 C1-C2;~1 Max	I	153.3	0.0	0.0	30.1	
0.0	0.0		J	153.3	0.0	0.0	30.1	
0.0	0.0	Min	I	-289.4	0.0	0.0	-16.0	
			J	-289.4	0.0	0.0	-16.0	
0.0	0.0	C3-C4;~1 Max	I	120.8	0.0	0.0	28.2	
			J	120.8	0.0	0.0	28.2	
0.0	0.0	Min	I	-380.7	0.0	0.0	-17.9	
			J	-380.7	0.0	0.0	-17.9	
0.0	0.0	C1-C2;~2 Max	I	82.7	0.0	0.0	18.6	
			J	82.7	0.0	0.0	18.6	
0.0	0.0	Min	I	-149.0	0.0	0.0	-8.5	
			J	-149.0	0.0	0.0	-8.5	
0.0	0.0	C3-C4;~2 Max	I	61.8	0.0	0.0	16.9	
			J	61.8	0.0	0.0	16.9	
0.0	0.0	Min	I	-203.9	0.0	0.0	-9.4	
			J	-203.9	0.0	0.0	-9.4	
0.0	0.0	G1	I	-191.6	0.0	-1.6	-0.4	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-191.6	0.0	1.6	-0.4
0.0	0.0	G2	I	-75.3	0.0	0.0	0.2
0.0	0.0		J	-75.3	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	58.8	0.0	0.0	1.9
0.0	0.0		J	58.8	0.0	0.0	1.9
0.0	0.0	Q5_pc Y	I	-12.5	0.0	0.0	3.0
0.0	0.0		J	-12.5	0.0	0.0	3.0
0.0	0.0	Q5_ps X	I	64.3	0.0	0.0	2.5
0.0	0.0		J	64.3	0.0	0.0	2.5
0.0	0.0	Q5_ps Y	I	-8.1	0.0	0.0	3.1
0.0	0.0		J	-8.1	0.0	0.0	3.1
0.0	0.0	INVSLE Max	I	-3.2	0.0	-2.1	33.9
0.0	0.0		J	-3.2	0.0	2.1	33.9
0.0	0.0	Min	I	-829.8	0.0	-2.1	-36.3
0.0	0.0		J	-829.8	0.0	2.1	-36.3
0.0	0.0	INVSLE Max	I	-1.5	0.0	-1.6	24.7
0.0	0.0		J	-1.5	0.0	1.6	24.7
0.0	0.0	Min	I	-605.9	0.0	-1.6	-26.9
0.0	0.0		J	-605.9	0.0	1.6	-26.9
8385	2	66 C1-C2;~1 Max	I	405.0	0.1	0.0	10.8
10.8	208.7		J	405.0	0.1	0.0	10.8
0.0	0.0	Min	I	-212.7	-0.2	-0.0	-12.9
-19.3	-645.5		J	-212.7	-0.2	-0.0	-12.9
0.0	0.0	C3-C4;~1 Max	I	494.6	0.1	0.0	9.3
12.0	230.8		J	494.6	0.1	0.0	9.3
0.0	0.0	Min	I	-244.9	-0.2	-0.0	-12.5
-16.6	-621.4						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-244.9	-0.2	-0.0	-12.5	
5.8	106.8	C1-C2;~2 Max	I	210.0	0.0	0.0	5.8	
0.0	0.0		J	210.0	0.0	0.0	5.8	
-11.4	-383.7	Min	I	-107.1	-0.1	-0.0	-7.9	
0.0	0.0		J	-107.1	-0.1	-0.0	-7.9	
6.3	111.7	C3-C4;~2 Max	I	263.3	0.0	0.0	4.9	
0.0	0.0		J	263.3	0.0	0.0	4.9	
-9.8	-370.5	Min	I	-121.4	-0.1	-0.0	-7.5	
0.0	0.0		J	-121.4	-0.1	-0.0	-7.5	
9625.6	-311.2	G1	I	172.3	-0.1	1.7	3.9	
0.0	0.0		J	172.3	-0.1	4.6	3.9	
-0.8	-123.0	G2	I	66.4	-0.0	-0.0	2.7	
0.0	0.0		J	66.4	-0.0	-0.0	2.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-1.2	-59.8	Q5_pc X	I	-67.1	-0.0	-0.0	1.0	
0.0	0.0		J	-67.1	-0.0	-0.0	1.0	
-2.3	-50.6	Q5_pc Y	I	56.3	-0.0	-0.0	-1.6	
0.0	0.0		J	56.3	-0.0	-0.0	-1.6	
-1.3	-57.5	Q5_ps X	I	-71.0	-0.0	-0.0	0.8	
0.0	0.0		J	-71.0	-0.0	-0.0	0.8	
-2.2	-47.7	Q5_ps Y	I	50.0	-0.0	-0.0	-1.6	
0.0	0.0		J	50.0	-0.0	-0.0	-1.6	
3017.4	-293.9	INVSLU Max	I	841.9	-0.1	2.2	29.8	1
0.0	0.0		J	841.9	-0.1	6.2	29.8	
2971.1	-1584.6	Min	I	-277.3	-0.5	2.2	-5.1	1
0.0	0.0		J	-277.3	-0.5	6.2	-5.1	
		INVSLE Max	I	608.0	-0.1	1.7	22.0	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9642.7	-216.9			J	608.0	-0.1	4.6	22.0	
0.0	0.0		Min	I	-212.0	-0.4	1.6	-3.6	
9608.7	-1165.0			J	-212.0	-0.4	4.6	-3.6	
0.0	0.0								
8386	2	66	C1-C2;~1	Max	I	370.6	0.2	0.0	7.8
0.0	0.0				J	370.6	0.2	0.0	7.8
22.0	172.5		Min	I	-154.6	-0.1	-0.0	-16.5	
0.0	0.0			J	-154.6	-0.1	-0.0	-16.5	
-9.3	-610.2								
0.0	0.0		C3-C4;~1	Max	I	441.3	0.2	0.0	8.6
					J	441.3	0.2	0.0	8.6
19.0	210.3		Min	I	-175.6	-0.1	-0.0	-15.8	
0.0	0.0			J	-175.6	-0.1	-0.0	-15.8	
-10.5	-536.8								
0.0	0.0		C1-C2;~2	Max	I	197.3	0.1	0.0	4.1
					J	197.3	0.1	0.0	4.1
12.9	93.3		Min	I	-74.9	-0.0	-0.0	-9.9	
0.0	0.0			J	-74.9	-0.0	-0.0	-9.9	
-4.9	-360.5								
0.0	0.0		C3-C4;~2	Max	I	240.1	0.1	0.0	4.4
					J	240.1	0.1	0.0	4.4
11.0	113.6		Min	I	-85.0	-0.0	-0.0	-9.4	
0.0	0.0			J	-85.0	-0.0	-0.0	-9.4	
-5.4	-314.8								
0.0	0.0		G1	I	191.2	0.1	-4.5	-1.2	
				J	191.2	0.1	-1.4	-1.2	
9627.5	-301.9								
0.0	0.0		G2	I	73.6	0.0	-0.0	0.4	
				J	73.6	0.0	-0.0	0.4	
2.7	-117.8								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-41.4	-0.0	-0.0	-0.3
				J	-41.4	-0.0	-0.0	-0.3	
0.4	76.6								
0.0	0.0		Q5_pc	Y	I	27.8	0.0	-0.0	-1.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.4	-55.5		J	27.8	0.0	-0.0	-1.5
0.0	0.0	Q5_ps X	I	-44.7	-0.0	-0.0	-0.5
0.7	68.4		J	-44.7	-0.0	-0.0	-0.5
0.0	0.0	Q5_ps Y	I	23.9	0.0	-0.0	-1.5
2.4	-53.7		J	23.9	0.0	-0.0	-1.5
0.0	0.0	INVSLU Max	I	843.3	0.4	-6.1	7.2
3032.3	-197.4		J	843.3	0.4	-1.8	7.2
0.0	0.0	Min	I	-64.1	0.1	-6.1	-29.3
2984.1	-1442.9		J	-64.1	0.1	-1.9	-29.3
0.0	0.0	INVSLE Max	I	614.2	0.3	-4.5	4.9
9653.3	-149.8		J	614.2	0.3	-1.4	4.9
0.0	0.0	Min	I	-52.4	0.0	-4.5	-21.9
9617.9	-1062.3		J	-52.4	0.0	-1.4	-21.9
8387	2	66 C1-C2;~1 Max	I	149.8	0.0	0.0	11.0
0.0	0.0		J	149.8	0.0	0.0	11.0
0.0	0.0	Min	I	-229.9	0.0	0.0	-16.0
0.0	0.0		J	-229.9	0.0	-0.0	-16.0
0.0	0.0	C3-C4;~1 Max	I	112.4	0.0	0.0	9.5
0.0	0.0		J	112.4	0.0	0.0	9.5
0.0	0.0	Min	I	-298.6	0.0	0.0	-9.0
0.0	0.0		J	-298.6	0.0	-0.0	-9.0
0.0	0.0	C1-C2;~2 Max	I	80.3	0.0	0.0	6.5
0.0	0.0		J	80.3	0.0	0.0	6.5
0.0	0.0	Min	I	-119.5	0.0	0.0	-9.7
0.0	0.0		J	-119.5	0.0	-0.0	-9.7
0.0	0.0	C3-C4;~2 Max	I	57.1	0.0	0.0	5.3
0.0	0.0		J	57.1	0.0	0.0	5.3
0.0	0.0	Min	I	-159.3	0.0	0.0	-4.9
0.0	0.0		J	-159.3	0.0	-0.0	-4.9


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G1	I	-123.0	0.0	-1.5	0.3
0.0	0.0		J	-123.0	0.0	1.5	0.3
0.0	0.0	G2	I	-49.0	0.0	0.0	-2.3
0.0	0.0		J	-49.0	0.0	0.0	-2.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	27.8	0.0	0.0	0.5
0.0	0.0		J	27.8	0.0	-0.0	0.5
0.0	0.0	Q5_pc Y	I	9.5	0.0	0.0	-1.6
0.0	0.0		J	9.5	0.0	0.0	-1.6
0.0	0.0	Q5_ps X	I	33.1	0.0	0.0	0.6
0.0	0.0		J	33.1	0.0	-0.0	0.6
0.0	0.0	Q5_ps Y	I	11.8	0.0	0.0	-1.4
0.0	0.0		J	11.8	0.0	0.0	-1.4
0.0	0.0	INVSLE Max	I	62.5	0.0	-2.0	19.1
0.0	0.0		J	62.5	0.0	2.0	19.1
0.0	0.0	Min	I	-592.8	0.0	-2.0	-20.1
0.0	0.0		J	-592.8	0.0	2.0	-20.1
0.0	0.0	INVSLE Max	I	48.4	0.0	-1.5	14.6
0.0	0.0		J	48.4	0.0	1.5	14.6
0.0	0.0	Min	I	-433.3	0.0	-1.5	-14.2
0.0	0.0		J	-433.3	0.0	1.5	-14.2
8388	2	66 C1-C2;~1 Max	I	149.6	0.0	0.0	31.6
0.0	0.0		J	149.6	0.0	0.0	31.6
0.0	0.0	Min	I	-230.0	-0.0	-0.0	-12.7
0.0	0.0		J	-230.0	0.0	-0.0	-12.7
0.0	0.0	C3-C4;~1 Max	I	112.5	0.0	0.0	30.2
0.0	0.0		J	112.5	0.0	0.0	30.2


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-298.7	-0.0	-0.0	-14.4
0.0	0.0			J	-298.7	0.0	-0.0	-14.4
0.0	0.0	C1-C2;~2	Max	I	80.2	0.0	0.0	19.1
0.0	0.0			J	80.2	0.0	0.0	19.1
0.0	0.0		Min	I	-119.6	-0.0	-0.0	-6.7
0.0	0.0			J	-119.6	0.0	-0.0	-6.7
0.0	0.0	C3-C4;~2	Max	I	57.1	0.0	0.0	17.8
0.0	0.0			J	57.1	0.0	0.0	17.8
0.0	0.0		Min	I	-159.3	-0.0	-0.0	-7.4
0.0	0.0			J	-159.3	0.0	-0.0	-7.4
0.0	0.0		G1	I	-123.2	-0.0	-1.6	7.0
0.0	0.0			J	-123.2	0.0	1.6	7.0
0.0	0.0		G2	I	-49.1	-0.0	0.0	3.0
0.0	0.0			J	-49.1	0.0	0.0	3.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	27.9	0.0	-0.0	1.3
0.0	0.0			J	27.9	0.0	-0.0	1.3
0.0	0.0	Q5_pc	Y	I	9.5	-0.0	0.0	3.1
0.0	0.0			J	9.5	0.0	0.0	3.1
0.0	0.0	Q5_ps	X	I	33.2	0.0	-0.0	1.9
0.0	0.0			J	33.2	0.0	-0.0	1.9
0.0	0.0	Q5_ps	Y	I	11.8	-0.0	0.0	3.2
0.0	0.0			J	11.8	0.0	0.0	3.2
0.0	0.0	INVSLU	Max	I	62.0	0.0	-2.1	63.8
0.0	0.0			J	62.0	0.0	2.1	63.8
0.0	0.0		Min	I	-593.4	-0.0	-2.1	-4.0
0.0	0.0			J	-593.4	0.0	2.1	-4.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			INVSLE Max	I	48.0	0.0	-1.6 47.5
0.0	0.0			J	48.0	0.0	1.6 47.5
0.0	0.0		Min	I	-433.7	-0.0	-1.6 -2.3
0.0	0.0			J	-433.7	0.0	1.6 -2.3
0.0	0.0						
8389	2	66	C1-C2;~1 Max	I	370.5	0.1	0.0 7.2
8.8	172.5			J	370.5	0.1	0.0 7.2
0.0	0.0		Min	I	-154.6	-0.2	-0.0 -13.4
-20.7	-610.2			J	-154.6	-0.2	-0.0 -13.4
0.0	0.0						
			C3-C4;~1 Max	I	441.3	0.1	0.0 6.1
9.9	210.3			J	441.3	0.1	0.0 6.1
0.0	0.0		Min	I	-175.6	-0.2	-0.0 -12.6
-17.9	-536.8			J	-175.6	-0.2	-0.0 -12.6
0.0	0.0						
			C1-C2;~2 Max	I	197.3	0.0	0.0 3.9
4.6	93.3			J	197.3	0.0	0.0 3.9
0.0	0.0		Min	I	-74.9	-0.1	-0.0 -8.2
-12.1	-360.5			J	-74.9	-0.1	-0.0 -8.2
0.0	0.0						
			C3-C4;~2 Max	I	240.1	0.0	0.0 3.1
5.1	113.6			J	240.1	0.0	0.0 3.1
0.0	0.0		Min	I	-85.0	-0.1	-0.0 -7.6
-10.4	-314.8			J	-85.0	-0.1	-0.0 -7.6
0.0	0.0						
			G1	I	191.1	-0.1	1.7 -0.3
9620.9	-301.9			J	191.1	-0.1	4.6 -0.3
0.0	0.0						
			G2	I	73.6	-0.0	-0.0 1.1
-2.5	-117.8			J	73.6	-0.0	-0.0 1.1
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-41.4	0.0	-0.0 -0.2
-0.4	76.6			J	-41.4	0.0	-0.0 -0.2
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-2.2	-55.5	Q5_pc	Y	I	27.8	-0.0	-0.0	-0.8	
0.0	0.0			J	27.8	-0.0	-0.0	-0.8	
-0.6	68.4	Q5_ps	X	I	-44.7	0.0	-0.0	-0.4	
0.0	0.0			J	-44.7	0.0	-0.0	-0.4	
-2.2	-53.7	Q5_ps	Y	I	23.9	-0.0	-0.0	-0.9	
0.0	0.0			J	23.9	-0.0	-0.0	-0.9	
3000.5	-197.4	INVS LU	Max	I	843.2	-0.1	2.2	6.9	1
0.0	0.0			J	843.2	-0.1	6.2	6.9	
2955.2	-1442.9		Min	I	-64.1	-0.5	2.2	-22.4	1
0.0	0.0			J	-64.1	-0.5	6.2	-22.4	
9629.9	-149.8	INVS LE	Max	I	614.1	-0.0	1.7	4.7	
0.0	0.0			J	614.1	-0.0	4.6	4.7	
9596.6	-1062.3		Min	I	-52.5	-0.3	1.6	-16.9	
0.0	0.0			J	-52.5	-0.3	4.6	-16.9	
8390	2	66 C1-C2;~1	Max	I	313.5	0.2	0.0	6.2	
0.0	0.0			J	313.5	0.2	0.0	6.2	
25.4	163.6		Min	I	-130.1	-0.0	-0.0	-16.8	
0.0	0.0			J	-130.1	-0.0	-0.0	-16.8	
-9.2	-560.2								
0.0	0.0	C3-C4;~1	Max	I	364.1	0.1	0.0	7.0	
22.3	218.1			J	364.1	0.1	0.0	7.0	
0.0	0.0		Min	I	-147.3	-0.1	-0.0	-16.1	
-10.5	-456.5			J	-147.3	-0.1	-0.0	-16.1	
0.0	0.0	C1-C2;~2	Max	I	171.3	0.1	0.0	3.2	
14.8	89.3			J	171.3	0.1	0.0	3.2	
0.0	0.0		Min	I	-65.1	-0.0	-0.0	-9.9	
-4.7	-338.1			J	-65.1	-0.0	-0.0	-9.9	
0.0	0.0	C3-C4;~2	Max	I	202.5	0.1	0.0	3.5	
12.9	124.3			J	202.5	0.1	0.0	3.5	
			Min	I	-73.7	-0.0	-0.0	-9.5	

MIDAS


PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-73.7	-0.0	-0.0	-9.5	
-5.2	-270.8								
		G1		I	165.8	0.1	-4.5	-4.0	
0.0	0.0			J	165.8	0.1	-1.4	-4.0	
9631.1	-213.3								
		G2		I	63.6	0.0	-0.0	-0.6	
0.0	0.0			J	63.6	0.0	-0.0	-0.6	
4.1	-82.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-21.8	-0.0	-0.0	-0.6	
0.0	0.0			J	-21.8	-0.0	-0.0	-0.6	
0.0	120.2								
		Q5_pc Y		I	11.3	0.0	-0.0	-1.2	
0.0	0.0			J	11.3	0.0	-0.0	-1.2	
2.4	-66.1								
		Q5_ps X		I	-23.9	-0.0	-0.0	-0.8	
0.0	0.0			J	-23.9	-0.0	-0.0	-0.8	
0.3	108.5								
		Q5_ps Y		I	9.3	0.0	-0.0	-1.3	
0.0	0.0			J	9.3	0.0	-0.0	-1.3	
2.4	-64.5								
		INVSLU Max		I	720.9	0.3	-6.1	-9.5	
0.0	0.0			J	720.9	0.3	-1.8	-9.5	1
3044.8	146.2								
		Min		I	-8.7	-0.0	-6.1	-43.7	
0.0	0.0			J	-8.7	-0.0	-1.9	-43.7	1
2991.9	-1121.0								
		INVSLE Max		I	527.3	0.2	-4.5	-7.8	
0.0	0.0			J	527.3	0.2	-1.4	-7.8	
9662.6	102.3								
		Min		I	-10.3	-0.0	-4.5	-33.0	
0.0	0.0			J	-10.3	-0.0	-1.4	-33.0	
9623.7	-820.3								
		66 C1-C2;~1 Max		I	173.1	0.0	0.0	8.6	
8391	2			J	173.1	0.0	0.0	8.6	
0.0	0.0								
		Min		I	-174.6	0.0	0.0	-17.8	
0.0	0.0			J	-174.6	0.0	0.0	-17.8	
0.0	0.0								

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C3-C4;~1 Max	I	153.6	0.0	0.0	8.2	
			J	153.6	0.0	0.0	8.2	
0.0	0.0	Min	I	-234.4	0.0	0.0	-11.2	
			J	-234.4	0.0	0.0	-11.2	
0.0	0.0	C1-C2;~2 Max	I	93.2	0.0	0.0	4.8	
			J	93.2	0.0	0.0	4.8	
0.0	0.0	Min	I	-89.4	0.0	0.0	-10.6	
			J	-89.4	0.0	0.0	-10.6	
0.0	0.0	C3-C4;~2 Max	I	82.0	0.0	0.0	4.3	
			J	82.0	0.0	0.0	4.3	
0.0	0.0	Min	I	-124.1	0.0	0.0	-6.2	
			J	-124.1	0.0	0.0	-6.2	
0.0	0.0	G1	I	-41.6	0.0	-1.5	-2.0	
			J	-41.6	0.0	1.5	-2.0	
0.0	0.0	G2	I	-17.2	0.0	0.0	-3.3	
			J	-17.2	0.0	0.0	-3.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	8.2	0.0	0.0	0.8	
			J	8.2	0.0	0.0	0.8	
0.0	0.0	Q5_pc Y	I	23.3	0.0	0.0	-1.7	
			J	23.3	0.0	0.0	-1.7	
0.0	0.0	Q5_ps X	I	12.3	0.0	0.0	0.8	
			J	12.3	0.0	0.0	0.8	
0.0	0.0	Q5_ps Y	I	23.9	0.0	0.0	-1.5	
			J	23.9	0.0	0.0	-1.5	
0.0	0.0	INVSLU Max	I	199.8	0.0	-2.0	18.4	
			J	199.8	0.0	2.0	18.4	

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-392.3	0.0	-2.0	-20.3
0.0	0.0			J	-392.3	0.0	2.0	-20.3
0.0	0.0							
			INVSLE Max	I	148.4	0.0	-1.5	14.4
0.0	0.0			J	148.4	0.0	1.5	14.4
0.0	0.0							
			Min	I	-287.1	0.0	-1.5	-14.1
0.0	0.0			J	-287.1	0.0	1.5	-14.1
0.0	0.0							
8392	2	66	C1-C2;~1 Max	I	172.9	0.0	0.0	35.3
0.0	0.0			J	172.9	0.0	0.0	35.3
0.0	0.0							
			Min	I	-174.7	0.0	-0.0	-12.1
0.0	0.0			J	-174.7	0.0	-0.0	-12.1
0.0	0.0							
			C3-C4;~1 Max	I	153.6	0.0	0.0	33.7
0.0	0.0			J	153.6	0.0	0.0	33.7
0.0	0.0							
			Min	I	-234.5	0.0	-0.0	-13.8
0.0	0.0			J	-234.5	0.0	-0.0	-13.8
0.0	0.0							
			C1-C2;~2 Max	I	93.1	0.0	0.0	21.1
0.0	0.0			J	93.1	0.0	0.0	21.1
0.0	0.0							
			Min	I	-89.5	0.0	-0.0	-6.1
0.0	0.0			J	-89.5	0.0	-0.0	-6.1
0.0	0.0							
			C3-C4;~2 Max	I	82.0	0.0	0.0	19.8
0.0	0.0			J	82.0	0.0	0.0	19.8
0.0	0.0							
			Min	I	-124.1	0.0	-0.0	-6.9
0.0	0.0			J	-124.1	0.0	-0.0	-6.9
0.0	0.0							
			G1	I	-41.7	0.0	-1.6	11.5
0.0	0.0			J	-41.7	0.0	1.6	11.5
0.0	0.0							
			G2	I	-17.3	0.0	0.0	4.7
0.0	0.0			J	-17.3	0.0	-0.0	4.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	8.3	0.0	-0.0	0.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	8.3	0.0	0.0	0.9
0.0	0.0						
0.0	0.0	Q5_pc Y	I	23.3	0.0	0.0	3.1
0.0	0.0		J	23.3	0.0	-0.0	3.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	12.3	0.0	-0.0	1.4
0.0	0.0		J	12.3	0.0	0.0	1.4
0.0	0.0						
0.0	0.0	Q5_ps Y	I	23.9	0.0	0.0	3.2
0.0	0.0		J	23.9	0.0	-0.0	3.2
0.0	0.0						
0.0	0.0	INVS LU Max	I	199.4	0.0	-2.1	86.4
0.0	0.0		J	199.4	0.0	2.1	86.4
0.0	0.0						
0.0	0.0	Min	I	-392.5	0.0	-2.1	14.5
0.0	0.0		J	-392.5	0.0	2.1	14.5
0.0	0.0						
0.0	0.0	INVS LE Max	I	148.0	0.0	-1.6	64.5
0.0	0.0		J	148.0	0.0	1.6	64.5
0.0	0.0						
0.0	0.0	Min	I	-287.3	0.0	-1.6	11.6
0.0	0.0		J	-287.3	0.0	1.6	11.6
0.0	0.0						
8393	2	66 C1-C2;~1 Max	I	313.5	0.1	0.0	5.9
8.6	163.6		J	313.5	0.1	0.0	5.9
0.0	0.0						
0.0	0.0	Min	I	-130.1	-0.2	-0.0	-12.4
-23.9	-560.2		J	-130.1	-0.2	-0.0	-12.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	364.1	0.1	0.0	4.5
9.8	218.1		J	364.1	0.1	0.0	4.5
0.0	0.0						
0.0	0.0	Min	I	-147.3	-0.1	-0.0	-11.8
-21.0	-456.5		J	-147.3	-0.1	-0.0	-11.8
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	171.3	0.0	0.0	3.2
4.4	89.3		J	171.3	0.0	0.0	3.2
0.0	0.0						
0.0	0.0	Min	I	-65.0	-0.1	-0.0	-7.5
-13.9	-338.1		J	-65.0	-0.1	-0.0	-7.5
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	202.4	0.0	0.0	2.3
4.9	124.3						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	202.4	0.0	0.0	2.3	
0.0	0.0		Min	I	-73.7	-0.1	-0.0	-7.1	
-12.1	-270.8			J	-73.7	-0.1	-0.0	-7.1	
0.0	0.0								
			G1	I	165.7	-0.1	1.7	-2.2	
9617.6	-213.3			J	165.7	-0.1	4.6	-2.2	
0.0	0.0								
			G2	I	63.6	-0.0	-0.0	0.4	
-3.9	-82.1			J	63.6	-0.0	-0.0	0.4	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-21.8	0.0	-0.0	-0.6	
-0.0	120.2			J	-21.8	0.0	-0.0	-0.6	
0.0	0.0								
			Q5_pc Y	I	11.2	-0.0	-0.0	-0.6	
-2.3	-66.1			J	11.2	-0.0	-0.0	-0.6	
0.0	0.0								
			Q5_ps X	I	-23.9	0.0	-0.0	-0.8	
-0.3	108.5			J	-23.9	0.0	-0.0	-0.8	
0.0	0.0								
			Q5_ps Y	I	9.3	-0.0	-0.0	-0.6	
-2.3	-64.5			J	9.3	-0.0	-0.0	-0.6	
0.0	0.0								
			INVSLU Max	I	720.9	0.0	2.2	-7.4	1
2993.2	146.2			J	720.9	0.0	6.2	-7.4	
0.0	0.0		Min	I	-8.7	-0.4	2.2	-33.2	1
2943.5	-1121.0			J	-8.7	-0.4	6.2	-33.2	
0.0	0.0								
			INVSLE Max	I	527.2	0.0	1.7	-6.2	
9624.5	102.3			J	527.2	0.0	4.6	-6.2	
0.0	0.0		Min	I	-10.3	-0.3	1.6	-25.2	
9588.0	-820.3			J	-10.3	-0.3	4.6	-25.2	
0.0	0.0								
			66 C1-C2;~1 Max	I	238.1	0.2	0.0	5.5	
8394	2			J	238.1	0.2	0.0	5.5	
0.0	0.0		Min	I	-107.2	-0.1	-0.0	-17.8	
27.0	190.8								
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.7	-504.8		J	-107.2	-0.1	-0.0	-17.8
		C3-C4;~1 Max	I	269.9	0.1	0.0	6.2
0.0	0.0		J	269.9	0.1	0.0	6.2
23.8	245.3	Min	I	-126.8	-0.1	-0.0	-16.9
0.0	0.0		J	-126.8	-0.1	-0.0	-16.9
-10.0	-407.3						
		C1-C2;~2 Max	I	134.0	0.1	0.0	2.7
0.0	0.0		J	134.0	0.1	0.0	2.7
15.7	105.8	Min	I	-55.5	-0.0	-0.0	-10.5
0.0	0.0		J	-55.5	-0.0	-0.0	-10.5
-4.3	-308.1						
		C3-C4;~2 Max	I	153.3	0.1	0.0	3.1
0.0	0.0		J	153.3	0.1	0.0	3.1
13.7	141.9	Min	I	-64.4	-0.0	-0.0	-10.0
0.0	0.0		J	-64.4	-0.0	-0.0	-10.0
-4.8	-244.1						
		G1	I	110.8	0.0	-4.5	-5.8
0.0	0.0		J	110.8	0.0	-1.4	-5.8
9630.9	-135.2						
		G2	I	42.2	0.0	-0.0	-1.4
0.0	0.0		J	42.2	0.0	-0.0	-1.4
4.7	-53.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.8	-0.0	0.0	-0.7
0.0	0.0		J	-6.8	-0.0	0.0	-0.7
-0.1	148.7						
		Q5_pc Y	I	-1.6	0.0	-0.0	-1.0
0.0	0.0		J	-1.6	0.0	-0.0	-1.0
2.3	-58.6						
		Q5_ps X	I	-7.2	-0.0	-0.0	-1.0
0.0	0.0		J	-7.2	-0.0	-0.0	-1.0
0.1	137.2						
		Q5_ps Y	I	-1.7	0.0	-0.0	-1.1
0.0	0.0		J	-1.7	0.0	-0.0	-1.1
2.3	-57.0						
		INVSLU Max	I	519.2	0.3	-6.1	-18.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	519.2	0.3	-1.8	-18.0	1
3045.9	421.7		Min	I	-28.6	-0.1	-6.1	-52.3	
0.0	0.0			J	-28.6	-0.1	-1.9	-52.3	1
2991.8	-858.6		INVSLE Max	I	381.3	0.2	-4.5	-14.2	
0.0	0.0			J	381.3	0.2	-1.4	-14.2	
9663.3	304.6		Min	I	-23.6	-0.1	-4.5	-39.5	
0.0	0.0			J	-23.6	-0.1	-1.4	-39.5	
9623.6	-624.0								
8395	2	66	C1-C2;~1	Max	I	210.4	0.0	0.0	7.5
0.0	0.0			J	210.4	0.0	0.0	7.5	
0.0	0.0		Min	I	-126.4	-0.0	-0.0	-18.9	
0.0	0.0			J	-126.4	0.0	-0.0	-18.9	
0.0	0.0		C3-C4;~1	Max	I	215.5	0.0	0.0	7.3
0.0	0.0			J	215.5	0.0	0.0	7.3	
0.0	0.0		Min	I	-175.1	-0.0	-0.0	-11.9	
0.0	0.0			J	-175.1	0.0	-0.0	-11.9	
0.0	0.0		C1-C2;~2	Max	I	116.4	0.0	0.0	4.0
0.0	0.0			J	116.4	0.0	0.0	4.0	
0.0	0.0		Min	I	-62.7	-0.0	-0.0	-11.2	
0.0	0.0			J	-62.7	0.0	-0.0	-11.2	
0.0	0.0		C3-C4;~2	Max	I	119.9	0.0	0.0	3.7
0.0	0.0			J	119.9	0.0	0.0	3.7	
0.0	0.0		Min	I	-91.1	-0.0	-0.0	-6.6	
0.0	0.0			J	-91.1	0.0	-0.0	-6.6	
0.0	0.0		G1	I	43.0	0.0	-1.5	-3.2	
0.0	0.0			J	43.0	0.0	1.5	-3.2	
0.0	0.0		G2	I	15.9	0.0	-0.0	-3.8	
0.0	0.0			J	15.9	0.0	0.0	-3.8	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
0.0	0.0	Q5_pc X	I	-6.5	-0.0	0.0	0.9
0.0	0.0		J	-6.5	0.0	-0.0	0.9
0.0	0.0	Q5_pc Y	I	32.0	0.0	-0.0	-1.6
0.0	0.0		J	32.0	0.0	0.0	-1.6
0.0	0.0	Q5_ps X	I	-4.2	-0.0	0.0	1.0
0.0	0.0		J	-4.2	0.0	-0.0	1.0
0.0	0.0	Q5_ps Y	I	31.0	0.0	-0.0	-1.5
0.0	0.0		J	31.0	0.0	0.0	-1.5
0.0	0.0	INVSLE Max	I	379.3	0.0	-2.0	20.3
0.0	0.0		J	379.3	0.0	2.0	20.3
0.0	0.0	Min	I	-205.6	-0.0	-2.0	-18.1
0.0	0.0		J	-205.6	0.0	2.0	-18.1
0.0	0.0	INVSLE Max	I	278.2	0.0	-1.5	15.9
0.0	0.0		J	278.2	0.0	1.5	15.9
0.0	0.0	Min	I	-150.8	-0.0	-1.5	-12.3
0.0	0.0		J	-150.8	0.0	1.5	-12.3
8396	2	66 C1-C2;~1 Max	I	210.3	0.0	0.0	37.6
0.0	0.0		J	210.3	0.0	0.0	37.6
0.0	0.0	Min	I	-126.5	-0.0	-0.0	-11.7
0.0	0.0		J	-126.5	0.0	0.0	-11.7
0.0	0.0	C3-C4;~1 Max	I	215.5	0.0	0.0	35.7
0.0	0.0		J	215.5	0.0	0.0	35.7
0.0	0.0	Min	I	-175.2	-0.0	-0.0	-13.5
0.0	0.0		J	-175.2	0.0	0.0	-13.5
0.0	0.0	C1-C2;~2 Max	I	116.3	0.0	0.0	22.3
0.0	0.0		J	116.3	0.0	0.0	22.3
0.0	0.0	Min	I	-62.7	-0.0	-0.0	-5.7
0.0	0.0		J	-62.7	0.0	0.0	-5.7

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	119.9	0.0	0.0	20.9
			J	119.9	0.0	0.0	20.9
0.0	0.0	Min	I	-91.2	-0.0	-0.0	-6.5
0.0	0.0		J	-91.2	0.0	0.0	-6.5
0.0	0.0	G1	I	42.9	-0.0	-1.6	13.3
			J	42.9	0.0	1.6	13.3
0.0	0.0	G2	I	15.8	-0.0	0.0	5.4
			J	15.8	0.0	0.0	5.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-6.4	0.0	-0.0	0.7
			J	-6.4	0.0	0.0	0.7
0.0	0.0	Q5_pc Y	I	32.0	-0.0	0.0	2.9
			J	32.0	0.0	0.0	2.9
0.0	0.0	Q5_ps X	I	-4.1	0.0	-0.0	1.2
			J	-4.1	0.0	0.0	1.2
0.0	0.0	Q5_ps Y	I	31.0	-0.0	0.0	3.0
			J	31.0	0.0	0.0	3.0
0.0	0.0	INVSLE Max	I	379.2	0.0	-2.1	95.5
			J	379.2	0.0	2.1	95.5
0.0	0.0	Min	I	-205.8	-0.0	-2.1	21.4
			J	-205.8	0.0	2.1	21.4
0.0	0.0	INVSLE Max	I	278.1	0.0	-1.6	71.3
			J	278.1	0.0	1.6	71.3
0.0	0.0	Min	I	-150.9	-0.0	-1.6	16.7
			J	-150.9	0.0	1.6	16.7
8397	2	66 C1-C2; ~1 Max	I	238.1	0.1	0.0	5.0
8.1	190.8		J	238.1	0.1	0.0	5.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-107.2	-0.2	-0.0	-12.9
-25.3	-504.8			J	-107.2	-0.2	-0.0	-12.9
0.0	0.0							
		C3-C4;~1	Max	I	269.9	0.1	0.0	3.8
9.4	245.3			J	269.9	0.1	0.0	3.8
0.0	0.0		Min	I	-126.8	-0.1	-0.0	-12.2
-22.3	-407.3			J	-126.8	-0.1	-0.0	-12.2
0.0	0.0							
		C1-C2;~2	Max	I	134.0	0.0	0.0	2.7
4.0	105.8			J	134.0	0.0	0.0	2.7
0.0	0.0		Min	I	-55.5	-0.1	-0.0	-7.8
-14.8	-308.1			J	-55.5	-0.1	-0.0	-7.8
0.0	0.0							
		C3-C4;~2	Max	I	153.3	0.0	0.0	1.9
4.5	141.9			J	153.3	0.0	0.0	1.9
0.0	0.0		Min	I	-64.4	-0.1	-0.0	-7.3
-12.9	-244.1			J	-64.4	-0.1	-0.0	-7.3
0.0	0.0							
		G1		I	110.7	-0.0	1.7	-3.6
9614.5	-135.2			J	110.7	-0.0	4.6	-3.6
0.0	0.0							
		G2		I	42.2	-0.0	-0.0	-0.1
-4.4	-53.7			J	42.2	-0.0	-0.0	-0.1
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-6.8	0.0	0.0	-0.7
0.1	148.7			J	-6.8	0.0	0.0	-0.7
0.0	0.0							
		Q5_pc	Y	I	-1.6	-0.0	-0.0	-0.4
-2.1	-58.6			J	-1.6	-0.0	-0.0	-0.4
0.0	0.0							
		Q5_ps	X	I	-7.2	0.0	-0.0	-1.0
-0.1	137.2			J	-7.2	0.0	-0.0	-1.0
0.0	0.0							
		Q5_ps	Y	I	-1.7	-0.0	-0.0	-0.5
-2.1	-57.0			J	-1.7	-0.0	-0.0	-0.5

MIDAS

PROJECT TITLE :

MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
2988.8	421.7		INVS LU Max	I	519.2	0.1	2.2	-15.4	1
				J	519.2	0.1	6.2	-15.4	
0.0	0.0								
2938.1	-858.6		Min	I	-28.6	-0.3	2.2	-41.0	1
				J	-28.6	-0.3	6.2	-41.0	
0.0	0.0								
9621.4	304.6		INVS LE Max	I	381.3	0.1	1.7	-12.3	
				J	381.3	0.1	4.6	-12.3	
0.0	0.0								
9584.1	-624.0		Min	I	-23.6	-0.2	1.6	-31.1	
				J	-23.6	-0.2	4.6	-31.1	
0.0	0.0								
8398	2	66	C1-C2;~1 Max	I	192.1	0.1	0.0	4.7	
0.0	0.0			J	192.1	0.1	0.0	4.7	
26.0	233.7								
			Min	I	-127.2	-0.1	-0.0	-17.4	
0.0	0.0			J	-127.2	-0.1	-0.0	-17.4	
-9.1	-433.5								
			C3-C4;~1 Max	I	201.8	0.1	0.0	5.4	
0.0	0.0			J	201.8	0.1	0.0	5.4	
22.7	289.0								
			Min	I	-174.9	-0.1	-0.0	-16.4	
0.0	0.0			J	-174.9	-0.1	-0.0	-16.4	
-10.5	-339.2								
			C1-C2;~2 Max	I	106.8	0.1	0.0	2.3	
0.0	0.0			J	106.8	0.1	0.0	2.3	
15.2	131.7								
			Min	I	-63.6	-0.0	-0.0	-10.4	
0.0	0.0			J	-63.6	-0.0	-0.0	-10.4	
-4.6	-267.8								
			C3-C4;~2 Max	I	112.2	0.1	0.0	2.6	
0.0	0.0			J	112.2	0.1	0.0	2.6	
13.1	169.6								
			Min	I	-91.6	-0.1	-0.0	-9.8	
0.0	0.0			J	-91.6	-0.1	-0.0	-9.8	
-5.2	-205.5								
			G1	I	35.2	0.0	-4.5	-6.1	
0.0	0.0			J	35.2	0.0	-1.4	-6.1	
9630.5	-23.7								
			G2	I	12.7	0.0	-0.0	-1.5	
0.0	0.0			J	12.7	0.0	-0.0	-1.5	
4.3	-9.1								

MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	6.7	-0.0	0.0
0.0	0.0			J	6.7	-0.0	0.0
-0.1	155.8						
			Q5_pc Y	I	-12.3	0.0	-0.0
0.0	0.0			J	-12.3	0.0	-0.0
1.9	-51.1						
			Q5_ps X	I	8.2	-0.0	-0.0
0.0	0.0			J	8.2	-0.0	-0.0
0.1	144.4						
			Q5_ps Y	I	-10.8	0.0	-0.0
0.0	0.0			J	-10.8	0.0	-0.0
1.9	-49.7						
			INVSLU Max	I	333.7	0.2	-6.1
0.0	0.0			J	333.7	0.2	-1.8
3041.8	728.1						
			Min	I	-197.0	-0.2	-6.1
0.0	0.0			J	-197.0	-0.2	-1.9
2989.2	-527.5						
			INVSLE Max	I	246.2	0.1	-4.5
0.0	0.0			J	246.2	0.1	-1.4
9660.3	532.3						
			Min	I	-145.3	-0.2	-4.5
0.0	0.0			J	-145.3	-0.2	-1.4
9621.6	-377.0						
			66 C1-C2;~1 Max	I	258.6	0.0	0.0
8399	2			J	258.6	0.0	0.0
0.0	0.0						
			Min	I	-118.7	0.0	-0.0
0.0	0.0			J	-118.7	0.0	-0.0
0.0	0.0						
			C3-C4;~1 Max	I	288.8	0.0	0.0
0.0	0.0			J	288.8	0.0	0.0
0.0	0.0						
			Min	I	-138.2	0.0	-0.0
0.0	0.0			J	-138.2	0.0	-0.0
0.0	0.0						
			C1-C2;~2 Max	I	144.4	0.0	0.0
0.0	0.0			J	144.4	0.0	0.0
0.0	0.0						
			Min	I	-61.5	0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-61.5	0.0	-0.0	-10.8
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	163.0	0.0	0.0	3.8
0.0	0.0		J	163.0	0.0	0.0	3.8
0.0	0.0	Min	I	-70.2	0.0	-0.0	-5.9
0.0	0.0		J	-70.2	0.0	-0.0	-5.9
0.0	0.0						
0.0	0.0	G1	I	118.0	0.0	-1.5	-2.6
0.0	0.0		J	118.0	0.0	1.5	-2.6
0.0	0.0						
0.0	0.0	G2	I	45.1	0.0	-0.0	-3.5
0.0	0.0		J	45.1	0.0	0.0	-3.5
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-19.0	0.0	0.0	0.9
0.0	0.0		J	-19.0	0.0	-0.0	0.9
0.0	0.0						
0.0	0.0	Q5_pc Y	I	38.1	0.0	-0.0	-1.2
0.0	0.0		J	38.1	0.0	0.0	-1.2
0.0	0.0						
0.0	0.0	Q5_ps X	I	-18.6	0.0	0.0	0.9
0.0	0.0		J	-18.6	0.0	-0.0	0.9
0.0	0.0						
0.0	0.0	Q5_ps Y	I	35.7	0.0	-0.0	-1.2
0.0	0.0		J	35.7	0.0	0.0	-1.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	582.8	0.0	-2.0	22.6
0.0	0.0		J	582.8	0.0	2.0	22.6
0.0	0.0	Min	I	-62.3	0.0	-2.0	-14.1
0.0	0.0		J	-62.3	0.0	2.0	-14.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	425.9	0.0	-1.5	17.6
0.0	0.0		J	425.9	0.0	1.5	17.6
0.0	0.0	Min	I	-46.8	0.0	-1.5	-9.3
0.0	0.0		J	-46.8	0.0	1.5	-9.3
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company				Client	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Author				File Name			
8400	2	66	C1-C2;~1	Max	I	258.6	0.0	0.0	36.9
0.0	0.0				J	258.6	0.0	0.0	36.9
0.0	0.0			Min	I	-118.7	-0.0	0.0	-13.1
0.0	0.0				J	-118.7	0.0	-0.0	-13.1
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	288.8	0.0	0.0	34.8
0.0	0.0				J	288.8	0.0	0.0	34.8
0.0	0.0			Min	I	-138.2	-0.0	0.0	-15.0
0.0	0.0				J	-138.2	0.0	-0.0	-15.0
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	144.3	0.0	0.0	21.9
0.0	0.0				J	144.3	0.0	0.0	21.9
0.0	0.0			Min	I	-61.6	-0.0	0.0	-6.6
0.0	0.0				J	-61.6	0.0	-0.0	-6.6
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	163.0	0.0	0.0	20.3
0.0	0.0				J	163.0	0.0	0.0	20.3
0.0	0.0			Min	I	-70.2	-0.0	0.0	-7.5
0.0	0.0				J	-70.2	0.0	-0.0	-7.5
0.0	0.0								
0.0	0.0			G1	I	118.0	-0.0	-1.6	11.8
0.0	0.0				J	118.0	0.0	1.6	11.8
0.0	0.0								
0.0	0.0			G2	I	45.1	-0.0	0.0	4.8
0.0	0.0				J	45.1	0.0	0.0	4.8
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	-18.9	0.0	0.0	0.6
0.0	0.0				J	-18.9	0.0	-0.0	0.6
0.0	0.0								
0.0	0.0			Q5_pc Y	I	38.1	-0.0	0.0	2.5
0.0	0.0				J	38.1	0.0	0.0	2.5
0.0	0.0								
0.0	0.0			Q5_ps X	I	-18.5	0.0	0.0	1.1
0.0	0.0				J	-18.5	0.0	-0.0	1.1
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps Y	I	35.7	-0.0	0.0	2.6
0.0	0.0		J	35.7	0.0	0.0	2.6
0.0	0.0	INVS LU Max	I	582.9	0.0	-2.1	90.6
0.0	0.0		J	582.9	0.0	2.1	90.6
0.0	0.0	Min	I	-62.2	-0.0	-2.1	16.1
0.0	0.0		J	-62.2	0.0	2.1	16.1
0.0	0.0	INVS LE Max	I	426.0	0.0	-1.6	67.6
0.0	0.0		J	426.0	0.0	1.6	67.6
0.0	0.0	Min	I	-46.7	-0.0	-1.6	12.7
0.0	0.0		J	-46.7	0.0	1.6	12.7
8401	2	66 C1-C2;~1 Max	I	192.0	0.1	0.0	4.4
8.6	233.7		J	192.0	0.1	0.0	4.4
0.0	0.0	Min	I	-127.2	-0.1	-0.0	-12.7
-24.4	-433.5		J	-127.2	-0.1	-0.0	-12.7
0.0	0.0	C3-C4;~1 Max	I	201.7	0.1	0.0	3.1
9.8	289.0		J	201.7	0.1	0.0	3.1
0.0	0.0	Min	I	-174.9	-0.1	-0.0	-11.6
-21.3	-339.2		J	-174.9	-0.1	-0.0	-11.6
0.0	0.0	C1-C2;~2 Max	I	106.8	0.0	0.0	2.4
4.4	131.7		J	106.8	0.0	0.0	2.4
0.0	0.0	Min	I	-63.6	-0.1	-0.0	-7.7
-14.3	-267.8		J	-63.6	-0.1	-0.0	-7.7
0.0	0.0	C3-C4;~2 Max	I	112.2	0.1	0.0	1.5
4.9	169.6		J	112.2	0.1	0.0	1.5
0.0	0.0	Min	I	-91.6	-0.1	-0.0	-7.1
-12.3	-205.5		J	-91.6	-0.1	-0.0	-7.1
0.0	0.0	G1	I	35.2	-0.0	1.6	-4.2
9616.2	-23.7		J	35.2	-0.0	4.6	-4.2
0.0	0.0	G2	I	12.7	-0.0	-0.0	-0.4
-4.0	-9.1						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	12.7	-0.0	-0.0	-0.4	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.1	155.8	Q5_pc X	I	6.8	0.1	0.0	-0.9	
0.0	0.0		J	6.8	0.1	0.0	-0.9	
-1.8	-51.1	Q5_pc Y	I	-12.3	-0.0	-0.0	-0.2	
0.0	0.0		J	-12.3	-0.0	-0.0	-0.2	
-0.1	144.4	Q5_ps X	I	8.2	0.0	-0.0	-1.2	
0.0	0.0		J	8.2	0.0	-0.0	-1.2	
-1.8	-49.7	Q5_ps Y	I	-10.8	-0.0	-0.0	-0.4	
0.0	0.0		J	-10.8	-0.0	-0.0	-0.4	
2993.1	728.1	INVS LU Max	I	333.7	0.2	2.2	-17.3	1
0.0	0.0		J	333.7	0.2	6.2	-17.3	
2943.6	-527.5	Min	I	-196.9	-0.2	2.2	-42.1	1
0.0	0.0		J	-196.9	-0.2	6.2	-42.1	
9624.6	532.3	INVS LE Max	I	246.1	0.2	1.7	-13.8	
0.0	0.0		J	246.1	0.2	4.6	-13.8	
9588.2	-377.0	Min	I	-145.3	-0.1	1.6	-32.0	
0.0	0.0		J	-145.3	-0.1	4.6	-32.0	
8402	2	66 C1-C2;~1 Max	I	158.2	0.1	0.0	4.8	
0.0	0.0		J	158.2	0.1	0.0	4.8	
23.1	309.7	Min	I	-182.9	-0.1	-0.0	-16.4	
0.0	0.0		J	-182.9	-0.1	-0.0	-16.4	
-9.6	-369.4	C3-C4;~1 Max	I	142.0	0.1	0.0	5.4	
0.0	0.0		J	142.0	0.1	0.0	5.4	
19.5	379.7	Min	I	-238.1	-0.1	-0.0	-15.6	
0.0	0.0		J	-238.1	-0.1	-0.0	-15.6	
-10.9	-273.1	C1-C2;~2 Max	I	85.0	0.1	0.0	2.4	
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
13.6	176.1		J	85.0	0.1	0.0	2.4	
		Min	I	-94.8	-0.1	-0.0	-9.9	
0.0	0.0		J	-94.8	-0.1	-0.0	-9.9	
-5.0	-229.6							
		C3-C4; ~2 Max	I	74.8	0.1	0.0	2.7	
0.0	0.0		J	74.8	0.1	0.0	2.7	
11.4	222.6	Min	I	-126.6	-0.1	-0.0	-9.3	
0.0	0.0		J	-126.6	-0.1	-0.0	-9.3	
-5.6	-166.0							
		G1	I	-49.1	-0.0	-4.5	-5.4	
0.0	0.0		J	-49.1	-0.0	-1.4	-5.4	
9628.0	119.6							
		G2	I	-20.3	-0.0	-0.0	-1.2	
0.0	0.0		J	-20.3	-0.0	-0.0	-1.2	
2.8	45.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	20.1	-0.0	-0.0	-1.0	
0.0	0.0		J	20.1	-0.0	-0.0	-1.0	
0.0	145.5							
		Q5_pc Y	I	-21.4	0.0	-0.0	-0.5	
0.0	0.0		J	-21.4	0.0	-0.0	-0.5	
1.5	-39.8							
		Q5_ps X	I	23.4	-0.0	-0.0	-1.4	
0.0	0.0		J	23.4	-0.0	-0.0	-1.4	
0.3	135.4							
		Q5_ps Y	I	-18.3	0.0	-0.0	-0.6	
0.0	0.0		J	-18.3	0.0	-0.0	-0.6	
1.5	-38.6							
		INVSLE Max	I	169.2	0.1	-6.1	-13.4	
0.0	0.0		J	169.2	0.1	-1.8	-13.4	1
3029.6	1063.5	Min	I	-404.4	-0.3	-6.1	-44.6	
0.0	0.0		J	-404.4	-0.3	-1.9	-44.6	1
2981.1	-209.7							
		INVSLE Max	I	126.2	0.0	-4.5	-10.8	
0.0	0.0		J	126.2	0.0	-1.4	-10.8	
9651.3	779.9	Min	I	-295.8	-0.2	-4.5	-33.8	
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9615.5	-143.7			J	-295.8	-0.2	-1.4	-33.8		
8403	2	66	C1-C2;~1	Max	I	338.2	0.0	0.0	7.7	
0.0	0.0				J	338.2	0.0	0.0	7.7	
0.0	0.0			Min	I	-144.6	0.0	-0.0	-16.6	
0.0	0.0				J	-144.6	0.0	0.0	-16.6	
0.0	0.0									
0.0	0.0			C3-C4;~1	Max	I	388.3	0.0	0.0	7.5
0.0	0.0				J	388.3	0.0	0.0	7.5	
0.0	0.0			Min	I	-166.5	0.0	-0.0	-8.5	
0.0	0.0				J	-166.5	0.0	0.0	-8.5	
0.0	0.0									
0.0	0.0			C1-C2;~2	Max	I	183.6	0.0	0.0	4.4
0.0	0.0				J	183.6	0.0	0.0	4.4	
0.0	0.0			Min	I	-73.4	0.0	-0.0	-10.0	
0.0	0.0				J	-73.4	0.0	0.0	-10.0	
0.0	0.0									
0.0	0.0			C3-C4;~2	Max	I	214.6	0.0	0.0	4.1
0.0	0.0				J	214.6	0.0	0.0	4.1	
0.0	0.0			Min	I	-83.0	0.0	-0.0	-4.7	
0.0	0.0				J	-83.0	0.0	0.0	-4.7	
0.0	0.0									
0.0	0.0			G1	I	171.5	0.0	-1.5	-0.7	
0.0	0.0				J	171.5	0.0	1.5	-0.7	
0.0	0.0									
0.0	0.0			G2	I	65.8	0.0	0.0	-2.8	
0.0	0.0				J	65.8	0.0	0.0	-2.8	
0.0	0.0									
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0			Q5_pc	X	I	-30.5	0.0	-0.0	0.7
0.0	0.0				J	-30.5	0.0	0.0	0.7	
0.0	0.0									
0.0	0.0			Q5_pc	Y	I	42.3	0.0	0.0	-0.9
0.0	0.0				J	42.3	0.0	0.0	-0.9	
0.0	0.0									
0.0	0.0			Q5_ps	X	I	-32.1	0.0	-0.0	0.6

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-32.1	0.0	0.0	0.6
0.0	0.0	Q5_ps Y	I	38.7	0.0	0.0	-0.9
0.0	0.0		J	38.7	0.0	0.0	-0.9
0.0	0.0	INVS LU Max	I	782.3	0.0	-2.0	25.3
0.0	0.0		J	782.3	0.0	2.0	25.3
0.0	0.0	Min	I	-42.8	0.0	-2.0	-9.2
0.0	0.0		J	-42.8	0.0	2.0	-9.2
0.0	0.0	INVS LE Max	I	571.2	0.0	-1.5	19.6
0.0	0.0		J	571.2	0.0	1.5	19.6
0.0	0.0	Min	I	-34.3	0.0	-1.5	-5.8
0.0	0.0		J	-34.3	0.0	1.5	-5.8
8404	2	66 C1-C2;~1 Max	I	338.2	0.0	0.0	33.3
0.0	0.0		J	338.2	0.0	0.0	33.3
0.0	0.0	Min	I	-144.6	0.0	0.0	-14.3
0.0	0.0		J	-144.6	0.0	0.0	-14.3
0.0	0.0	C3-C4;~1 Max	I	388.4	0.0	0.0	31.0
0.0	0.0		J	388.4	0.0	0.0	31.0
0.0	0.0	Min	I	-166.5	0.0	0.0	-16.3
0.0	0.0		J	-166.5	0.0	0.0	-16.3
0.0	0.0	C1-C2;~2 Max	I	183.6	0.0	0.0	19.9
0.0	0.0		J	183.6	0.0	0.0	19.9
0.0	0.0	Min	I	-73.4	0.0	0.0	-7.5
0.0	0.0		J	-73.4	0.0	0.0	-7.5
0.0	0.0	C3-C4;~2 Max	I	214.7	0.0	0.0	18.2
0.0	0.0		J	214.7	0.0	0.0	18.2
0.0	0.0	Min	I	-83.0	0.0	0.0	-8.4
0.0	0.0		J	-83.0	0.0	0.0	-8.4
0.0	0.0	G1	I	171.6	0.0	-1.6	6.7
0.0	0.0		J	171.6	0.0	1.6	6.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G2	I	65.8	0.0	0.0	2.8
0.0	0.0		J	65.8	0.0	0.0	2.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-30.4	0.0	0.0	0.7
0.0	0.0		J	-30.4	0.0	0.0	0.7
0.0	0.0	Q5_pc Y	I	42.3	0.0	0.0	2.0
0.0	0.0		J	42.3	0.0	0.0	2.0
0.0	0.0	Q5_ps X	I	-32.0	0.0	0.0	1.2
0.0	0.0		J	-32.0	0.0	0.0	1.2
0.0	0.0	Q5_ps Y	I	38.7	0.0	0.0	2.1
0.0	0.0		J	38.7	0.0	0.0	2.1
0.0	0.0	INVSLU Max	I	782.6	0.0	-2.1	69.2
0.0	0.0		J	782.6	0.0	2.1	69.2
0.0	0.0	Min	I	-42.6	0.0	-2.1	-1.3
0.0	0.0		J	-42.6	0.0	2.1	-1.3
0.0	0.0	INVSLE Max	I	571.5	0.0	-1.6	51.6
0.0	0.0		J	571.5	0.0	1.6	51.6
0.0	0.0	Min	I	-34.2	0.0	-1.6	-0.3
0.0	0.0		J	-34.2	0.0	1.6	-0.3
8405	2	66 C1-C2;~1 Max	I	158.2	0.1	0.0	4.2
9.0	309.7		J	158.2	0.1	0.0	4.2
0.0	0.0	Min	I	-182.8	-0.1	-0.0	-12.4
-21.7	-369.4		J	-182.8	-0.1	-0.0	-12.4
0.0	0.0	C3-C4;~1 Max	I	142.0	0.1	0.0	2.8
10.2	379.7		J	142.0	0.1	0.0	2.8
0.0	0.0	Min	I	-238.1	-0.1	-0.0	-11.4
-18.4	-273.1		J	-238.1	-0.1	-0.0	-11.4
0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4.7	176.1	C1-C2;~2	Max	I	85.0	0.1	0.0	2.2	
				J	85.0	0.1	0.0	2.2	
0.0	0.0								
-12.8	-229.6		Min	I	-94.8	-0.1	-0.0	-7.6	
				J	-94.8	-0.1	-0.0	-7.6	
0.0	0.0								
5.3	222.6	C3-C4;~2	Max	I	74.8	0.1	0.0	1.3	
				J	74.8	0.1	0.0	1.3	
0.0	0.0								
-10.7	-166.0		Min	I	-126.6	-0.1	-0.0	-7.0	
				J	-126.6	-0.1	-0.0	-7.0	
0.0	0.0								
9620.8	119.6		G1	I	-49.1	0.0	1.7	-4.4	
				J	-49.1	0.0	4.6	-4.4	
0.0	0.0								
-2.7	45.4		G2	I	-20.3	0.0	-0.0	-0.4	
				J	-20.3	0.0	-0.0	-0.4	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	145.5		Q5_pc X	I	20.1	0.0	-0.0	-1.0	
				J	20.1	0.0	-0.0	-1.0	
0.0	0.0								
-1.4	-39.8		Q5_pc Y	I	-21.4	-0.0	-0.0	-0.1	
				J	-21.4	-0.0	-0.0	-0.1	
0.0	0.0								
-0.3	135.4		Q5_ps X	I	23.5	0.0	-0.0	-1.3	
				J	23.5	0.0	-0.0	-1.3	
0.0	0.0								
-1.4	-38.6		Q5_ps Y	I	-18.3	-0.0	-0.0	-0.2	
				J	-18.3	-0.0	-0.0	-0.2	
0.0	0.0								
3003.8	1063.5		INVS LU Max	I	169.2	0.3	2.2	-13.9	1
				J	169.2	0.3	6.2	-13.9	
0.0	0.0								
2958.2	-209.7		Min	I	-404.4	-0.1	2.2	-38.2	1
				J	-404.4	-0.1	6.2	-38.2	
0.0	0.0								
9632.6	779.9		INVS LE Max	I	126.2	0.3	1.7	-11.2	
				J	126.2	0.3	4.6	-11.2	

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
9599.0	-143.7		Min	I	-295.8	-0.0	1.6	-29.0
				J	-295.8	-0.0	4.6	-29.0
0.0	0.0							
8406	2	66	C1-C2;~1	Max	I	151.0	0.1	0.0
0.0	0.0			J	151.0	0.1	0.0	5.7
20.0	411.1		Min	I	-248.3	-0.1	-0.0	-15.8
0.0	0.0			J	-248.3	-0.1	-0.0	-15.8
-10.7	-338.2							
			C3-C4;~1	Max	I	126.7	0.1	0.0
0.0	0.0			J	126.7	0.1	0.0	6.1
16.1	432.0		Min	I	-320.0	-0.1	-0.0	-15.0
0.0	0.0			J	-320.0	-0.1	-0.0	-15.0
-12.0	-236.6							
			C1-C2;~2	Max	I	80.5	0.1	0.0
0.0	0.0			J	80.5	0.1	0.0	2.9
12.0	234.3		Min	I	-129.4	-0.1	-0.0	-9.7
0.0	0.0			J	-129.4	-0.1	-0.0	-9.7
-5.8	-210.9							
			C3-C4;~2	Max	I	65.1	0.0	0.0
0.0	0.0			J	65.1	0.0	0.0	3.1
9.6	250.1		Min	I	-171.8	-0.1	-0.0	-9.1
0.0	0.0			J	-171.8	-0.1	-0.0	-9.1
-6.3	-144.4							
			G1	I	-129.1	-0.1	-4.5	-3.5
0.0	0.0			J	-129.1	-0.1	-1.4	-3.5
9622.5	255.6							
			G2	I	-51.6	-0.0	-0.0	-0.4
0.0	0.0			J	-51.6	-0.0	-0.0	-0.4
0.7	100.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	34.9	-0.0	-0.0
0.0	0.0			J	34.9	-0.0	-0.0	-1.2
0.3	119.3							
			Q5_pc	Y	I	-29.4	0.0	-0.0
0.0	0.0			J	-29.4	0.0	-0.0	-0.1
0.9	-38.8							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	39.9	-0.0	-0.0	-1.6	
0.5	111.5		J	39.9	-0.0	-0.0	-1.6	
0.0	0.0	Q5_ps Y	I	-24.9	0.0	-0.0	-0.3	
1.0	-37.1		J	-24.9	0.0	-0.0	-0.3	
0.0	0.0	INVS LU Max	I	62.4	-0.0	-6.0	-0.4	
3010.7	1337.1		J	62.4	-0.0	-1.8	-0.4	1
0.0	0.0	Min	I	-636.2	-0.4	-6.1	-32.2	
2965.9	82.7		J	-636.2	-0.4	-1.9	-32.2	1
0.0	0.0	INVS LE Max	I	48.2	-0.0	-4.5	-0.9	
9637.1	986.5		J	48.2	-0.0	-1.4	-0.9	
0.0	0.0	Min	I	-464.7	-0.3	-4.5	-24.2	
9604.0	73.2		J	-464.7	-0.3	-1.4	-24.2	
8407	2	66 C1-C2;~1 Max	I	399.3	0.0	0.0	9.2	
0.0	0.0		J	399.3	0.0	0.0	9.2	
0.0	0.0	Min	I	-176.1	0.0	0.0	-14.9	
0.0	0.0		J	-176.1	0.0	0.0	-14.9	
0.0	0.0	C3-C4;~1 Max	I	471.6	0.0	0.0	8.8	
0.0	0.0		J	471.6	0.0	0.0	8.8	
0.0	0.0	Min	I	-204.6	0.0	0.0	-6.2	
0.0	0.0		J	-204.6	0.0	0.0	-6.2	
0.0	0.0	C1-C2;~2 Max	I	211.4	0.0	0.0	5.4	
0.0	0.0		J	211.4	0.0	0.0	5.4	
0.0	0.0	Min	I	-86.3	0.0	0.0	-9.0	
0.0	0.0		J	-86.3	0.0	0.0	-9.0	
0.0	0.0	C3-C4;~2 Max	I	255.5	0.0	0.0	5.0	
0.0	0.0		J	255.5	0.0	0.0	5.0	
0.0	0.0	Min	I	-98.6	0.0	0.0	-3.4	
0.0	0.0		J	-98.6	0.0	0.0	-3.4	
0.0	0.0	G1	I	194.6	0.0	-1.5	2.4	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	194.6	0.0	1.5	2.4
0.0	0.0						
		G2	I	74.7	0.0	0.0	-1.6
0.0	0.0		J	74.7	0.0	0.0	-1.6
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-43.6	0.0	0.0	0.3
0.0	0.0		J	-43.6	0.0	0.0	0.3
0.0	0.0						
		Q5_pc Y	I	45.0	0.0	0.0	-0.6
0.0	0.0		J	45.0	0.0	0.0	-0.6
0.0	0.0						
		Q5_ps X	I	-47.0	0.0	0.0	0.3
0.0	0.0		J	-47.0	0.0	0.0	0.3
0.0	0.0						
		Q5_ps Y	I	40.4	0.0	0.0	-0.5
0.0	0.0		J	40.4	0.0	0.0	-0.5
0.0	0.0						
		INVSLE Max	I	898.1	0.0	-2.0	27.9
0.0	0.0		J	898.1	0.0	2.0	27.9
0.0	0.0						
		Min	I	-95.7	0.0	-2.0	-5.7
0.0	0.0		J	-95.7	0.0	2.0	-5.7
0.0	0.0						
		INVSLE Max	I	654.7	0.0	-1.5	21.4
0.0	0.0		J	654.7	0.0	1.5	21.4
0.0	0.0						
		Min	I	-75.5	0.0	-1.5	-3.4
0.0	0.0		J	-75.5	0.0	1.5	-3.4
0.0	0.0						
8408	2	66 C1-C2;~1 Max	I	399.3	0.0	0.0	30.9
0.0	0.0		J	399.3	0.0	0.0	30.9
0.0	0.0						
		Min	I	-176.1	0.0	-0.0	-17.0
0.0	0.0		J	-176.1	-0.0	0.0	-17.0
0.0	0.0						
		C3-C4;~1 Max	I	471.6	0.0	0.0	27.9
0.0	0.0		J	471.6	0.0	0.0	27.9
0.0	0.0						
		Min	I	-204.6	0.0	-0.0	-19.3


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-204.6	-0.0	0.0	-19.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	211.4	0.0	0.0	18.9
0.0	0.0		J	211.4	0.0	0.0	18.9
0.0	0.0	Min	I	-86.4	0.0	-0.0	-9.1
0.0	0.0		J	-86.4	-0.0	0.0	-9.1
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	255.5	0.0	0.0	16.8
0.0	0.0		J	255.5	0.0	0.0	16.8
0.0	0.0	Min	I	-98.6	0.0	-0.0	-10.1
0.0	0.0		J	-98.6	-0.0	0.0	-10.1
0.0	0.0						
0.0	0.0	G1	I	194.8	0.0	-1.6	-0.9
0.0	0.0		J	194.8	0.0	1.6	-0.9
0.0	0.0						
0.0	0.0	G2	I	74.7	0.0	0.0	-0.1
0.0	0.0		J	74.7	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-43.6	0.0	-0.0	0.8
0.0	0.0		J	-43.6	-0.0	0.0	0.8
0.0	0.0						
0.0	0.0	Q5_pc Y	I	45.0	0.0	0.0	1.2
0.0	0.0		J	45.0	0.0	0.0	1.2
0.0	0.0						
0.0	0.0	Q5_ps X	I	-46.9	0.0	-0.0	1.3
0.0	0.0		J	-46.9	-0.0	0.0	1.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	40.4	0.0	0.0	1.4
0.0	0.0		J	40.4	0.0	0.0	1.4
0.0	0.0						
0.0	0.0	INVSLU Max	I	898.6	0.0	-2.1	38.7
0.0	0.0		J	898.6	0.0	2.1	38.7
0.0	0.0	Min	I	-95.3	0.0	-2.1	-31.2
0.0	0.0		J	-95.3	-0.0	2.1	-31.2
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			INVSLE Max	I	655.1	0.0	-1.6 28.6
0.0	0.0			J	655.1	0.0	1.6 28.6
0.0	0.0		Min	I	-75.2	0.0	-1.6 -23.0
0.0	0.0			J	-75.2	-0.0	1.6 -23.0
0.0	0.0						
8409	2	66	C1-C2;~1 Max	I	151.0	0.1	0.0 4.8
10.0	411.1			J	151.0	0.1	0.0 4.8
0.0	0.0		Min	I	-248.2	-0.1	-0.0 -12.3
-18.8	-338.2			J	-248.2	-0.1	-0.0 -12.3
0.0	0.0						
			C3-C4;~1 Max	I	126.7	0.1	0.0 3.3
11.3	432.0			J	126.7	0.1	0.0 3.3
0.0	0.0		Min	I	-320.0	-0.1	-0.0 -11.6
-15.2	-236.6			J	-320.0	-0.1	-0.0 -11.6
0.0	0.0						
			C1-C2;~2 Max	I	80.5	0.1	0.0 2.6
5.4	234.3			J	80.5	0.1	0.0 2.6
0.0	0.0		Min	I	-129.4	-0.1	-0.0 -7.7
-11.2	-210.9			J	-129.4	-0.1	-0.0 -7.7
0.0	0.0						
			C3-C4;~2 Max	I	65.1	0.1	0.0 1.6
6.0	250.1			J	65.1	0.1	0.0 1.6
0.0	0.0		Min	I	-171.8	-0.0	-0.0 -7.2
-9.0	-144.4			J	-171.8	-0.0	-0.0 -7.2
0.0	0.0						
			G1	I	-129.0	0.1	1.7 -3.9
9625.7	255.6			J	-129.0	0.1	4.6 -3.9
0.0	0.0						
			G2	I	-51.5	0.0	-0.0 -0.3
-0.7	100.9			J	-51.5	0.0	-0.0 -0.3
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	34.9	0.0	-0.0 -1.1
-0.3	119.3			J	34.9	0.0	-0.0 -1.1
0.0	0.0						
			Q5_pc Y	I	-29.4	-0.0	-0.0 0.1


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.9	-38.8			J	-29.4	-0.0	-0.0	0.1	
0.0	0.0								
			Q5_ps X	I	40.0	0.0	-0.0	-1.4	
-0.5	111.5			J	40.0	0.0	-0.0	-1.4	
0.0	0.0								
			Q5_ps Y	I	-24.9	-0.0	-0.0	-0.1	
-0.9	-37.1			J	-24.9	-0.0	-0.0	-0.1	
0.0	0.0								
			INVS LU Max	I	62.5	0.4	2.2	-4.8	1
3017.7	1337.1			J	62.5	0.4	6.2	-4.8	
0.0	0.0		Min	I	-636.1	0.0	2.2	-30.0	1
2975.6	82.7			J	-636.1	0.0	6.2	-30.0	
0.0	0.0								
			INVS LE Max	I	48.2	0.3	1.7	-4.2	
9643.1	986.5			J	48.2	0.3	4.6	-4.2	
0.0	0.0		Min	I	-464.6	0.0	1.6	-22.7	
9612.0	73.2			J	-464.6	0.0	4.6	-22.7	
0.0	0.0								
			66 C1-C2;~1 Max	I	185.8	0.1	0.0	8.0	
8410	2			J	185.8	0.1	0.0	8.0	
0.0	0.0		Min	I	-338.2	-0.2	-0.0	-15.6	
16.9	562.7			J	-338.2	-0.2	-0.0	-15.6	
0.0	0.0								
			C3-C4;~1 Max	I	174.9	0.1	0.0	9.2	
-14.0	-288.2			J	174.9	0.1	0.0	9.2	
0.0	0.0		Min	I	-438.9	-0.2	-0.0	-14.8	
13.1	509.3			J	-438.9	-0.2	-0.0	-14.8	
0.0	0.0								
			C1-C2;~2 Max	I	96.7	0.1	0.0	4.1	
-15.6	-204.6			J	96.7	0.1	0.0	4.1	
0.0	0.0		Min	I	-172.4	-0.1	-0.0	-9.7	
10.3	319.5			J	-172.4	-0.1	-0.0	-9.7	
0.0	0.0								
			C3-C4;~2 Max	I	86.6	0.0	0.0	4.7	
-7.6	-177.2			J	86.6	0.0	0.0	4.7	
0.0	0.0		Min	I	-232.8	-0.1	-0.0	-9.0	
8.0	297.2			J	-232.8	-0.1	-0.0	-9.0	
0.0	0.0								

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.2	-121.7							
			G1	I	-194.5	-0.1	-4.5	0.3
0.0	0.0			J	-194.5	-0.1	-1.4	0.3
9613.8	371.5							
			G2	I	-76.6	-0.0	0.0	1.0
0.0	0.0			J	-76.6	-0.0	0.0	1.0
-2.7	147.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	57.5	-0.0	-0.0	-1.2
0.0	0.0			J	57.5	-0.0	-0.0	-1.2
0.2	121.3							
			Q5_pc Y	I	-37.9	0.0	-0.0	0.4
0.0	0.0			J	-37.9	0.0	-0.0	0.4
0.4	-37.7							
			Q5_ps X	I	63.3	-0.0	-0.0	-1.6
0.0	0.0			J	63.3	-0.0	-0.0	-1.6
0.4	115.1							
			Q5_ps Y	I	-32.3	0.0	-0.0	0.2
0.0	0.0			J	-32.3	0.0	-0.0	0.2
0.4	-35.1							
			INVSLE Max	I	34.2	-0.1	-6.0	19.8
0.0	0.0			J	34.2	-0.1	-1.8	19.8
2984.4	1643.2		Min	I	-912.5	-0.5	-6.1	-15.7
0.0	0.0			J	-912.5	-0.5	-1.8	-15.7
2939.8	276.0							
			INVSLE Max	I	26.4	-0.1	-4.5	14.6
0.0	0.0			J	26.4	-0.1	-1.4	14.6
9617.3	1214.7		Min	I	-667.2	-0.4	-4.5	-11.6
0.0	0.0			J	-667.2	-0.4	-1.4	-11.6
9584.3	218.1							
8411	2	66	C1-C2;~1 Max	I	434.2	0.0	0.0	13.5
0.0	0.0			J	434.2	0.0	0.0	13.5
0.0	0.0		Min	I	-242.9	0.0	0.0	-15.1
0.0	0.0			J	-242.9	0.0	-0.0	-15.1
0.0	0.0							
			C3-C4;~1 Max	I	527.8	0.0	0.0	12.7
0.0	0.0							


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	527.8	0.0	0.0	12.7
0.0	0.0	Min	I	-286.5	0.0	0.0	-5.4
0.0	0.0		J	-286.5	0.0	-0.0	-5.4
0.0	0.0	C1-C2;~2 Max	I	224.2	0.0	0.0	8.1
0.0	0.0		J	224.2	0.0	0.0	8.1
0.0	0.0	Min	I	-121.7	0.0	0.0	-9.0
0.0	0.0		J	-121.7	0.0	-0.0	-9.0
0.0	0.0	C3-C4;~2 Max	I	280.2	0.0	0.0	7.3
0.0	0.0		J	280.2	0.0	0.0	7.3
0.0	0.0	Min	I	-141.7	0.0	0.0	-2.9
0.0	0.0		J	-141.7	0.0	-0.0	-2.9
0.0	0.0	G1	I	171.3	0.0	-1.5	6.2
0.0	0.0		J	171.3	0.0	1.5	6.2
0.0	0.0	G2	I	65.5	0.0	0.0	-0.1
0.0	0.0		J	65.5	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-58.9	0.0	0.0	-0.3
0.0	0.0		J	-58.9	0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	47.7	0.0	0.0	-0.3
0.0	0.0		J	47.7	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	-63.5	0.0	0.0	-0.3
0.0	0.0		J	-63.5	0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	42.2	0.0	0.0	-0.2
0.0	0.0		J	42.2	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	888.6	0.0	-2.0	36.2
0.0	0.0		J	888.6	0.0	2.0	36.2
0.0	0.0	Min	I	-316.7	0.0	-2.0	-2.9
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-316.7	0.0	2.0	-2.9
0.0	0.0	INVSLE Max	I	643.8	0.0	-1.5	27.5
0.0	0.0		J	643.8	0.0	1.5	27.5
0.0	0.0	Min	I	-241.2	0.0	-1.5	-1.5
0.0	0.0		J	-241.2	0.0	1.5	-1.5
8412	2	66 C1-C2;~1 Max	I	434.3	0.0	0.0	26.6
0.0	0.0		J	434.3	0.0	0.0	26.6
0.0	0.0	Min	I	-242.9	0.0	0.0	-22.4
0.0	0.0		J	-242.9	0.0	0.0	-22.4
0.0	0.0	C3-C4;~1 Max	I	527.9	0.0	0.0	23.2
0.0	0.0		J	527.9	0.0	0.0	23.2
0.0	0.0	Min	I	-286.5	0.0	0.0	-25.5
0.0	0.0		J	-286.5	0.0	0.0	-25.5
0.0	0.0	C1-C2;~2 Max	I	224.3	0.0	0.0	16.6
0.0	0.0		J	224.3	0.0	0.0	16.6
0.0	0.0	Min	I	-121.7	0.0	0.0	-12.1
0.0	0.0		J	-121.7	0.0	0.0	-12.1
0.0	0.0	C3-C4;~2 Max	I	280.3	0.0	0.0	14.3
0.0	0.0		J	280.3	0.0	0.0	14.3
0.0	0.0	Min	I	-141.7	0.0	0.0	-13.5
0.0	0.0		J	-141.7	0.0	0.0	-13.5
0.0	0.0	G1	I	171.6	0.0	-1.6	-14.1
0.0	0.0		J	171.6	0.0	1.6	-14.1
0.0	0.0	G2	I	65.6	0.0	0.0	-5.3
0.0	0.0		J	65.6	0.0	0.0	-5.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-58.8	0.0	0.0	0.1
0.0	0.0		J	-58.8	0.0	0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		Q5_pc	Y	I	47.7	0.0	0.0	0.4
0.0	0.0			J	47.7	0.0	0.0	0.4
0.0	0.0							
		Q5_ps	X	I	-63.5	0.0	0.0	0.5
0.0	0.0			J	-63.5	0.0	0.0	0.5
0.0	0.0							
		Q5_ps	Y	I	42.2	0.0	0.0	0.6
0.0	0.0			J	42.2	0.0	0.0	0.6
0.0	0.0							
		INVS LU	Max	I	889.2	0.0	-2.1	-7.5
0.0	0.0			J	889.2	0.0	2.1	-7.5
0.0	0.0							
			Min	I	-316.1	0.0	-2.1	-78.5
0.0	0.0			J	-316.1	0.0	2.1	-78.5
0.0	0.0							
		INVS LE	Max	I	644.2	0.0	-1.6	-6.4
0.0	0.0			J	644.2	0.0	1.6	-6.4
0.0	0.0							
			Min	I	-240.8	0.0	-1.6	-58.9
0.0	0.0			J	-240.8	0.0	1.6	-58.9
0.0	0.0							
8413	2	66 C1-C2;~1	Max	I	185.8	0.2	0.0	5.9
13.2	562.7			J	185.8	0.2	0.0	5.9
0.0	0.0							
			Min	I	-338.2	-0.1	-0.0	-13.0
-15.9	-288.2			J	-338.2	-0.1	-0.0	-13.0
0.0	0.0							
		C3-C4;~1	Max	I	174.9	0.2	0.0	5.3
14.7	509.3			J	174.9	0.2	0.0	5.3
0.0	0.0							
			Min	I	-438.8	-0.1	-0.0	-12.3
-12.3	-204.6			J	-438.8	-0.1	-0.0	-12.3
0.0	0.0							
		C1-C2;~2	Max	I	96.7	0.1	0.0	3.1
7.1	319.5			J	96.7	0.1	0.0	3.1
0.0	0.0							
			Min	I	-172.4	-0.1	-0.0	-8.1
-9.7	-177.2			J	-172.4	-0.1	-0.0	-8.1
0.0	0.0							
		C3-C4;~2	Max	I	86.6	0.1	0.0	2.6
7.7	297.2			J	86.6	0.1	0.0	2.6
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-232.8	-0.0	-0.0	-7.6	
-7.5	-121.7			J	-232.8	-0.0	-0.0	-7.6	
0.0	0.0								
			G1	I	-194.5	0.1	1.7	-2.3	
9633.9	371.5			J	-194.5	0.1	4.6	-2.3	
0.0	0.0								
			G2	I	-76.6	0.0	0.0	0.3	
2.5	147.8			J	-76.6	0.0	0.0	0.3	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	57.5	0.0	-0.0	-1.1	
-0.2	121.3			J	57.5	0.0	-0.0	-1.1	
0.0	0.0								
			Q5_pc Y	I	-37.9	-0.0	-0.0	0.5	
-0.3	-37.7			J	-37.9	-0.0	-0.0	0.5	
0.0	0.0								
			Q5_ps X	I	63.3	0.0	-0.0	-1.5	
-0.4	115.1			J	63.3	0.0	-0.0	-1.5	
0.0	0.0								
			Q5_ps Y	I	-32.3	-0.0	-0.0	0.3	
-0.4	-35.1			J	-32.3	-0.0	-0.0	0.3	
0.0	0.0								
			INVSLU Max	I	34.3	0.5	2.2	7.2	1
3042.3	1643.2			J	34.3	0.5	6.2	7.2	
0.0	0.0								
			Min	I	-912.4	0.1	2.2	-20.3	1
3000.4	276.0			J	-912.4	0.1	6.2	-20.3	
0.0	0.0								
			INVSLE Max	I	26.5	0.4	1.7	5.1	
9661.6	1214.7			J	26.5	0.4	4.6	5.1	
0.0	0.0								
			Min	I	-667.2	0.1	1.7	-15.2	
9630.7	218.1			J	-667.2	0.1	4.6	-15.2	
0.0	0.0								
			66 C1-C2;~1 Max	I	237.7	0.1	0.0	11.4	
8414	2			J	237.7	0.1	0.0	11.4	
0.0	0.0								
			Min	I	-398.8	-0.2	-0.0	-12.4	
12.3	628.5			J	-398.8	-0.2	-0.0	-12.4	
0.0	0.0								
-17.3	-247.5								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1	Max	I	255.6	0.1	0.0	12.7	
8.3	589.5			J	255.6	0.1	0.0	12.7	
0.0	0.0		Min	I	-513.6	-0.2	-0.0	-11.5	
-19.1	-321.9			J	-513.6	-0.2	-0.0	-11.5	
0.0	0.0	C1-C2;~2	Max	I	120.3	0.0	0.0	5.7	
7.4	373.4			J	120.3	0.0	0.0	5.7	
0.0	0.0		Min	I	-200.7	-0.1	-0.0	-7.6	
-8.9	-130.3			J	-200.7	-0.1	-0.0	-7.6	
0.0	0.0	C3-C4;~2	Max	I	123.2	0.1	0.0	6.2	
4.9	340.5			J	123.2	0.1	0.0	6.2	
0.0	0.0		Min	I	-268.9	-0.1	-0.0	-7.0	
-9.5	-166.0			J	-268.9	-0.1	-0.0	-7.0	
0.0	0.0		G1	I	-186.8	-0.1	-4.5	8.5	
9605.0	309.0			J	-186.8	-0.1	-1.4	8.5	
0.0	0.0		G2	I	-73.5	-0.0	0.0	4.2	
-6.2	106.4			J	-73.5	-0.0	0.0	4.2	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	X	I	82.9	0.0	-0.0	-1.6	
3.7	-14.5			J	82.9	0.0	-0.0	-1.6	
0.0	0.0	Q5_pc	Y	I	-43.7	0.0	0.0	0.8	
-0.4	-7.4			J	-43.7	0.0	0.0	0.8	
0.0	0.0	Q5_ps	X	I	88.4	0.0	-0.0	-2.0	
3.8	-5.9			J	88.4	0.0	-0.0	-2.0	
0.0	0.0	Q5_ps	Y	I	-37.7	0.0	0.0	0.5	
-0.2	-2.2			J	-37.7	0.0	0.0	0.5	
0.0	0.0	INVSLU	Max	I	191.4	-0.0	-6.0	44.0	
				J	191.4	-0.0	-1.8	44.0	1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2969.7	1309.4		Min	I	-996.2	-0.4	-6.0	7.1	
0.0	0.0			J	-996.2	-0.4	-1.8	7.1	1
2920.7	0.4		INVSLE Max	I	142.7	-0.0	-4.5	32.7	
0.0	0.0			J	142.7	-0.0	-1.4	32.7	
9606.5	972.5		Min	I	-725.9	-0.3	-4.5	5.6	
0.0	0.0			J	-725.9	-0.3	-1.4	5.6	
9570.7	4.7								
8415	2	66	C1-C2;~1 Max	I	401.2	0.0	0.0	17.2	
0.0	0.0			J	401.2	0.0	0.0	17.2	
0.0	0.0		Min	I	-305.4	0.0	0.0	-13.7	
0.0	0.0			J	-305.4	0.0	0.0	-13.7	
0.0	0.0		C3-C4;~1 Max	I	503.3	0.0	0.0	16.5	
0.0	0.0			J	503.3	0.0	0.0	16.5	
0.0	0.0		Min	I	-365.6	0.0	0.0	-4.1	
0.0	0.0			J	-365.6	0.0	0.0	-4.1	
0.0	0.0		C1-C2;~2 Max	I	201.4	0.0	0.0	10.3	
0.0	0.0			J	201.4	0.0	0.0	10.3	
0.0	0.0		Min	I	-155.5	0.0	0.0	-8.2	
0.0	0.0			J	-155.5	0.0	0.0	-8.2	
0.0	0.0		C3-C4;~2 Max	I	261.3	0.0	0.0	9.7	
0.0	0.0			J	261.3	0.0	0.0	9.7	
0.0	0.0		Min	I	-184.2	0.0	0.0	-2.1	
0.0	0.0			J	-184.2	0.0	0.0	-2.1	
0.0	0.0		G1	I	75.8	0.0	-1.5	10.9	
0.0	0.0			J	75.8	0.0	1.5	10.9	
0.0	0.0		G2	I	27.5	0.0	0.0	1.8	
0.0	0.0			J	27.5	0.0	0.0	1.8	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc X	I	-78.3	0.0	0.0	-1.1	
			J	-78.3	0.0	0.0	-1.1	
0.0	0.0							
0.0	0.0	Q5_pc Y	I	47.8	0.0	0.0	-0.2	
			J	47.8	0.0	0.0	-0.2	
0.0	0.0							
0.0	0.0	Q5_ps X	I	-82.9	0.0	0.0	-1.0	
			J	-82.9	0.0	0.0	-1.0	
0.0	0.0							
0.0	0.0	Q5_ps Y	I	42.2	0.0	0.0	-0.2	
			J	42.2	0.0	0.0	-0.2	
0.0	0.0							
0.0	0.0	INVS LU Max	I	688.2	0.0	-2.0	44.8	
			J	688.2	0.0	2.0	44.8	
0.0	0.0							
0.0	0.0	Min	I	-625.8	0.0	-2.0	1.1	
			J	-625.8	0.0	2.0	1.1	
0.0	0.0							
0.0	0.0	INVS LE Max	I	493.2	0.0	-1.5	33.5	
			J	493.2	0.0	1.5	33.5	
0.0	0.0							
0.0	0.0	Min	I	-469.7	0.0	-1.5	1.2	
			J	-469.7	0.0	1.5	1.2	
0.0	0.0							
8416	2	66 C1-C2;~1 Max	I	401.4	0.0	0.0	17.2	
0.0	0.0		J	401.4	0.0	0.0	17.2	
0.0	0.0							
0.0	0.0	Min	I	-305.5	0.0	0.0	-23.9	
			J	-305.5	0.0	0.0	-23.9	
0.0	0.0							
0.0	0.0	C3-C4;~1 Max	I	503.4	0.0	0.0	14.2	
			J	503.4	0.0	0.0	14.2	
0.0	0.0							
0.0	0.0	Min	I	-365.8	0.0	0.0	-28.4	
			J	-365.8	0.0	0.0	-28.4	
0.0	0.0							
0.0	0.0	C1-C2;~2 Max	I	201.5	0.0	0.0	10.8	
			J	201.5	0.0	0.0	10.8	
0.0	0.0							
0.0	0.0	Min	I	-155.6	0.0	0.0	-12.2	
			J	-155.6	0.0	0.0	-12.2	
0.0	0.0							
0.0	0.0	C3-C4;~2 Max	I	261.3	0.0	0.0	8.7	

MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	261.3	0.0	0.0	8.7	
0.0	0.0	Min	I	-184.2	0.0	0.0	-14.3	
0.0	0.0		J	-184.2	0.0	0.0	-14.3	
0.0	0.0	G1	I	76.0	0.0	-1.6	-26.9	
0.0	0.0		J	76.0	0.0	1.6	-26.9	
0.0	0.0	G2	I	27.6	0.0	0.0	-10.3	
0.0	0.0		J	27.6	0.0	0.0	-10.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-78.3	0.0	0.0	6.2	
0.0	0.0		J	-78.3	0.0	0.0	6.2	
0.0	0.0	Q5_pc Y	I	47.8	0.0	0.0	-1.0	
0.0	0.0		J	47.8	0.0	0.0	-1.0	
0.0	0.0	Q5_ps X	I	-82.9	0.0	0.0	6.4	
0.0	0.0		J	-82.9	0.0	0.0	6.4	
0.0	0.0	Q5_ps Y	I	42.2	0.0	0.0	-0.7	
0.0	0.0		J	42.2	0.0	0.0	-0.7	
0.0	0.0	INVSLE Max	I	688.7	0.0	-2.1	-34.7	
0.0	0.0		J	688.7	0.0	2.1	-34.7	
0.0	0.0	Min	I	-625.8	0.0	-2.1	-107.5	
0.0	0.0		J	-625.8	0.0	2.1	-107.5	
0.0	0.0	INVSLE Max	I	493.5	0.0	-1.6	-26.6	
0.0	0.0		J	493.5	0.0	1.6	-26.6	
0.0	0.0	Min	I	-469.7	0.0	-1.6	-79.7	
0.0	0.0		J	-469.7	0.0	1.6	-79.7	
8417	2	66 C1-C2;~1 Max	I	237.7	0.2	0.0	8.9	
16.3	628.5		J	237.7	0.2	0.0	8.9	
0.0	0.0	Min	I	-398.8	-0.1	-0.0	-12.1	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-11.6	-247.5		J	-398.8	-0.1	-0.0	-12.1
0.0	0.0						
		C3-C4;~1 Max	I	255.6	0.2	0.0	8.5
17.9	589.5		J	255.6	0.2	0.0	8.5
0.0	0.0	Min	I	-513.5	-0.1	-0.0	-10.8
-7.8	-321.9		J	-513.5	-0.1	-0.0	-10.8
0.0	0.0						
		C1-C2;~2 Max	I	120.3	0.1	0.0	4.6
8.4	373.4		J	120.3	0.1	0.0	4.6
0.0	0.0	Min	I	-200.7	-0.0	-0.0	-7.6
-6.9	-130.3		J	-200.7	-0.0	-0.0	-7.6
0.0	0.0						
		C3-C4;~2 Max	I	123.2	0.1	0.0	4.2
8.9	340.5		J	123.2	0.1	0.0	4.2
0.0	0.0	Min	I	-268.9	-0.1	-0.0	-6.7
-4.6	-166.0		J	-268.9	-0.1	-0.0	-6.7
0.0	0.0						
		G1	I	-186.8	0.1	1.7	3.5
9642.4	309.0		J	-186.8	0.1	4.6	3.5
0.0	0.0						
		G2	I	-73.5	0.0	0.0	2.6
5.8	106.4		J	-73.5	0.0	0.0	2.6
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	82.9	-0.0	-0.0	-0.7
-3.5	-14.5		J	82.9	-0.0	-0.0	-0.7
0.0	0.0						
		Q5_pc Y	I	-43.7	-0.0	0.0	0.7
0.4	-7.4		J	-43.7	-0.0	0.0	0.7
0.0	0.0						
		Q5_ps X	I	88.4	-0.0	-0.0	-1.0
-3.6	-5.9		J	88.4	-0.0	-0.0	-1.0
0.0	0.0						
		Q5_ps Y	I	-37.7	-0.0	0.0	0.5
0.2	-2.2		J	-37.7	-0.0	0.0	0.5
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3060.5	1309.4	INVS LU Max	I	191.4	0.4	2.3	26.8	1
			J	191.4	0.4	6.2	26.8	
0.0	0.0	Min	I	-996.1	0.0	2.2	-2.7	1
3014.4	0.4		J	-996.1	0.0	6.2	-2.7	
0.0	0.0							
9674.6	972.5	INVS LE Max	I	142.8	0.3	1.7	19.9	
			J	142.8	0.3	4.6	19.9	
0.0	0.0	Min	I	-725.9	0.0	1.7	-1.8	
9640.9	4.7		J	-725.9	0.0	4.6	-1.8	
0.0	0.0							
8418	2	66 C1-C2;~1 Max	I	282.9	0.2	0.0	15.3	
0.0	0.0		J	282.9	0.2	0.0	15.3	
6.0	438.4	Min	I	-377.9	-0.1	-0.0	-5.9	
0.0	0.0		J	-377.9	-0.1	-0.0	-5.9	
-19.0	-534.6							
0.0	0.0	C3-C4;~1 Max	I	355.2	0.2	0.0	16.2	
			J	355.2	0.2	0.0	16.2	
3.7	389.4	Min	I	-482.9	-0.1	-0.0	-5.4	
0.0	0.0		J	-482.9	-0.1	-0.0	-5.4	
-22.0	-659.6							
0.0	0.0	C1-C2;~2 Max	I	142.5	0.1	0.0	7.8	
			J	142.5	0.1	0.0	7.8	
3.4	234.3	Min	I	-189.2	-0.1	-0.0	-3.4	
0.0	0.0		J	-189.2	-0.1	-0.0	-3.4	
-9.8	-274.7							
0.0	0.0	C3-C4;~2 Max	I	176.2	0.1	0.0	8.3	
			J	176.2	0.1	0.0	8.3	
1.9	213.2	Min	I	-250.5	-0.1	-0.0	-2.8	
0.0	0.0		J	-250.5	-0.1	-0.0	-2.8	
-11.1	-334.2							
0.0	0.0	G1	I	-99.9	0.1	-4.4	16.9	
			J	-99.9	0.1	-1.4	16.9	
9272.7	-242.8							
0.0	0.0	G2	I	-38.3	0.0	0.0	6.5	
			J	-38.3	0.0	0.0	6.5	
-7.2	-83.2							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	36.1	0.2	-0.0	-6.4
12.4	-722.7		J	36.1	0.2	-0.0	-6.4
0.0	0.0	Q5_pc Y	I	-34.0	-0.0	0.0	1.8
-1.9	82.3		J	-34.0	-0.0	0.0	1.8
0.0	0.0	Q5_ps X	I	42.5	0.2	-0.0	-6.3
12.0	-681.0		J	42.5	0.2	-0.0	-6.3
0.0	0.0	Q5_ps Y	I	-29.6	-0.0	0.0	1.6
-1.7	79.5		J	-29.6	-0.0	0.0	1.6
0.0	0.0	INVS LU Max	I	416.2	0.7	-5.9	68.6
2532.3	706.7		J	416.2	0.7	-1.8	68.6
0.0	0.0	Min	I	-780.3	-0.2	-6.0	27.0
2468.9	-2172.0		J	-780.3	-0.2	-1.9	27.0
0.0	0.0	INVS LE Max	I	311.4	0.5	-4.4	50.7
9281.9	446.5		J	311.4	0.5	-1.4	50.7
0.0	0.0	Min	I	-570.1	-0.1	-4.4	20.9
9237.1	-1562.0		J	-570.1	-0.1	-1.4	20.9
8419	2	66 C1-C2;~1 Max	I	340.4	0.0	0.0	17.4
0.0	0.0		J	340.4	0.0	0.0	17.4
0.0	0.0	Min	I	-360.0	-0.0	-0.0	-11.6
0.0	0.0		J	-360.0	0.0	0.0	-11.6
0.0	0.0	C3-C4;~1 Max	I	430.4	0.0	0.0	17.4
0.0	0.0		J	430.4	0.0	0.0	17.4
0.0	0.0	Min	I	-447.8	-0.0	-0.0	-4.1
0.0	0.0		J	-447.8	0.0	0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	169.4	0.0	0.0	9.9
0.0	0.0		J	169.4	0.0	0.0	9.9
0.0	0.0	Min	I	-184.8	-0.0	-0.0	-6.9
0.0	0.0		J	-184.8	0.0	0.0	-6.9

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		C3-C4;~2	Max	I	220.3	0.0	0.0	9.8
0.0	0.0			J	220.3	0.0	0.0	9.8
0.0	0.0		Min	I	-227.3	-0.0	-0.0	-2.0
0.0	0.0			J	-227.3	0.0	0.0	-2.0
0.0	0.0		G1	I	-55.7	-0.0	-1.4	12.8
0.0	0.0			J	-55.7	0.0	1.4	12.8
0.0	0.0		G2	I	-24.0	-0.0	0.0	3.2
0.0	0.0			J	-24.0	0.0	0.0	3.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-113.1	0.0	-0.0	-1.8
0.0	0.0			J	-113.1	0.0	0.0	-1.8
0.0	0.0		Q5_pc Y	I	45.1	-0.0	0.0	0.3
0.0	0.0			J	45.1	0.0	0.0	0.3
0.0	0.0		Q5_ps X	I	-114.6	0.0	-0.0	-1.8
0.0	0.0			J	-114.6	0.0	0.0	-1.8
0.0	0.0		Q5_ps Y	I	40.5	-0.0	0.0	0.3
0.0	0.0			J	40.5	0.0	0.0	0.3
0.0	0.0		INVSLE Max	I	434.3	0.0	-1.9	47.3
0.0	0.0			J	434.3	0.0	1.9	47.3
0.0	0.0		Min	I	-954.8	-0.0	-1.9	4.9
0.0	0.0			J	-954.8	0.0	1.9	4.9
0.0	0.0		INVSLE Max	I	305.7	0.0	-1.4	35.1
0.0	0.0			J	305.7	0.0	1.4	35.1
0.0	0.0		Min	I	-708.1	-0.0	-1.4	3.9
0.0	0.0			J	-708.1	0.0	1.4	3.9
8420	2	66	C1-C2;~1	Max	I	340.5	0.0	0.0
0.0	0.0							3.7

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	340.5	0.0	0.0	3.7
0.0	0.0	Min	I	-360.2	-0.0	-0.0	-22.5
0.0	0.0		J	-360.2	0.0	0.0	-22.5
0.0	0.0	C3-C4;~1 Max	I	430.4	0.0	0.0	3.9
0.0	0.0		J	430.4	0.0	0.0	3.9
0.0	0.0	Min	I	-448.2	-0.0	-0.0	-29.3
0.0	0.0		J	-448.2	0.0	0.0	-29.3
0.0	0.0	C1-C2;~2 Max	I	169.5	0.0	0.0	1.9
0.0	0.0		J	169.5	0.0	0.0	1.9
0.0	0.0	Min	I	-184.9	-0.0	-0.0	-10.9
0.0	0.0		J	-184.9	0.0	0.0	-10.9
0.0	0.0	C3-C4;~2 Max	I	220.3	0.0	0.0	2.0
0.0	0.0		J	220.3	0.0	0.0	2.0
0.0	0.0	Min	I	-227.5	-0.0	-0.0	-14.2
0.0	0.0		J	-227.5	0.0	0.0	-14.2
0.0	0.0	G1	I	-55.9	0.0	-1.5	-30.7
0.0	0.0		J	-55.9	0.0	1.5	-30.7
0.0	0.0	G2	I	-24.1	0.0	-0.0	-11.1
0.0	0.0		J	-24.1	0.0	0.0	-11.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-113.5	-0.0	-0.0	23.0
0.0	0.0		J	-113.5	0.0	0.0	23.0
0.0	0.0	Q5_pc Y	I	45.2	0.0	-0.0	-3.5
0.0	0.0		J	45.2	0.0	0.0	-3.5
0.0	0.0	Q5_ps X	I	-115.1	-0.0	0.0	22.1
0.0	0.0		J	-115.1	0.0	0.0	22.1
0.0	0.0	Q5_ps Y	I	40.6	0.0	-0.0	-3.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	40.6	0.0	0.0	-3.1
0.0	0.0	INVS LU Max	I	434.4	0.0	-2.0	-17.5
0.0	0.0		J	434.4	0.0	2.0	-17.5
0.0	0.0	Min	I	-956.1	-0.0	-2.0	-113.4
0.0	0.0		J	-956.1	0.0	2.0	-113.4
0.0	0.0	INVS LE Max	I	305.7	0.0	-1.5	-15.1
0.0	0.0		J	305.7	0.0	1.5	-15.1
0.0	0.0	Min	I	-709.1	-0.0	-1.5	-82.2
0.0	0.0		J	-709.1	0.0	1.5	-82.2
8421	2	66 C1-C2;~1 Max	I	282.8	0.1	0.0	11.9
18.3	438.4		J	282.8	0.1	0.0	11.9
0.0	0.0	Min	I	-377.9	-0.2	-0.0	-7.8
-5.8	-534.6		J	-377.9	-0.2	-0.0	-7.8
0.0	0.0						
21.2	389.4	C3-C4;~1 Max	I	355.1	0.1	0.0	11.1
0.0	0.0		J	355.1	0.1	0.0	11.1
0.0	0.0	Min	I	-482.9	-0.2	-0.0	-7.3
-3.6	-659.6		J	-482.9	-0.2	-0.0	-7.3
0.0	0.0						
9.4	234.3	C1-C2;~2 Max	I	142.5	0.1	0.0	6.2
0.0	0.0		J	142.5	0.1	0.0	6.2
0.0	0.0	Min	I	-189.2	-0.1	-0.0	-4.7
-3.3	-274.7		J	-189.2	-0.1	-0.0	-4.7
0.0	0.0						
10.7	213.2	C3-C4;~2 Max	I	176.1	0.1	0.0	5.7
0.0	0.0		J	176.1	0.1	0.0	5.7
0.0	0.0	Min	I	-250.5	-0.1	-0.0	-3.9
-1.8	-334.2		J	-250.5	-0.1	-0.0	-3.9
0.0	0.0						
9315.5	-242.8	G1	I	-99.9	-0.1	1.6	9.1
0.0	0.0		J	-99.9	-0.1	4.5	9.1
0.0	0.0						
6.9	-83.2	G2	I	-38.3	-0.0	0.0	4.0
0.0	0.0		J	-38.3	-0.0	0.0	4.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-12.0	-722.7	Q5_pc X	I	36.0	-0.2	-0.0	-1.9	
0.0	0.0		J	36.0	-0.2	-0.0	-1.9	
1.8	82.3	Q5_pc Y	I	-34.0	0.0	0.0	1.1	
0.0	0.0		J	-34.0	0.0	0.0	1.1	
-11.5	-681.0	Q5_ps X	I	42.5	-0.2	-0.0	-2.0	
0.0	0.0		J	42.5	-0.2	-0.0	-2.0	
1.6	79.5	Q5_ps Y	I	-29.6	0.0	0.0	1.0	
0.0	0.0		J	-29.6	0.0	0.0	1.0	
2623.3	706.7	INVS LU Max	I	415.9	0.2	2.1	45.2	1
0.0	0.0		J	415.9	0.2	6.1	45.2	
2562.2	-2172.0	Min	I	-780.2	-0.7	2.1	15.1	1
0.0	0.0		J	-780.2	-0.7	6.1	15.1	
9349.7	446.5	INVS LE Max	I	311.2	0.1	1.6	33.7	
0.0	0.0		J	311.2	0.1	4.5	33.7	
9306.6	-1562.0	Min	I	-570.1	-0.5	1.6	11.6	
0.0	0.0		J	-570.1	-0.5	4.5	11.6	
8422	2	66 C1-C2;~1 Max	I	304.7	0.1	0.0	12.1	
0.0	0.0		J	304.7	0.1	0.0	12.1	
14.2	442.7	Min	I	-325.5	-0.1	-0.0	-6.6	
0.0	0.0		J	-325.5	-0.1	-0.0	-6.6	
-8.5	-255.2	C3-C4;~1 Max	I	454.1	0.1	0.0	13.3	
0.0	0.0		J	454.1	0.1	0.0	13.3	
12.7	370.9	Min	I	-360.2	-0.1	-0.0	-5.6	
0.0	0.0		J	-360.2	-0.1	-0.0	-5.6	
-10.9	-227.3	C1-C2;~2 Max	I	152.1	0.0	0.0	6.4	
0.0	0.0		J	152.1	0.0	0.0	6.4	
8.4	242.1							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-169.1	-0.1	-0.0	-4.0	
0.0	0.0			J	-169.1	-0.1	-0.0	-4.0	
-4.3	-151.8								
			C3-C4;~2 Max	I	226.6	0.0	0.0	6.8	
0.0	0.0			J	226.6	0.0	0.0	6.8	
7.6	192.2								
			Min	I	-187.6	-0.1	-0.0	-3.3	
0.0	0.0			J	-187.6	-0.1	-0.0	-3.3	
-5.6	-125.8								
			G1	I	-38.2	-0.1	-4.4	10.5	
0.0	0.0			J	-38.2	-0.1	-1.3	10.5	
9266.9	260.1								
			G2	I	-10.6	-0.0	0.0	4.2	
0.0	0.0			J	-10.6	-0.0	0.0	4.2	
-0.7	88.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-132.6	-0.1	-0.0	-10.5	
0.0	0.0			J	-132.6	-0.1	-0.0	-10.5	
5.4	395.6								
			Q5_pc Y	I	3.2	0.0	0.0	2.2	
0.0	0.0			J	3.2	0.0	0.0	2.2	
-0.8	-55.9								
			Q5_ps X	I	-128.0	-0.1	-0.0	-10.3	
0.0	0.0			J	-128.0	-0.1	-0.0	-10.3	
5.5	379.1								
			Q5_ps Y	I	-1.1	0.0	0.0	2.0	
0.0	0.0			J	-1.1	0.0	0.0	2.0	
-0.5	-51.4								
			INVSLU Max	I	504.6	0.0	-5.9	45.8	
0.0	0.0			J	504.6	0.0	-1.7	45.8	1
2533.1	1570.1								
			Min	I	-833.4	-0.5	-5.9	-2.5	
0.0	0.0			J	-833.4	-0.5	-1.7	-2.5	1
2489.6	-157.1								
			INVSLE Max	I	355.5	0.0	-4.4	33.0	
0.0	0.0			J	355.5	0.0	-1.3	33.0	
9283.5	1147.8								
			Min	I	-618.0	-0.4	-4.4	-0.9	
0.0	0.0			J	-618.0	-0.4	-1.3	-0.9	
9252.0	-63.1								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8423	2	66	C1-C2;~1	Max	I	256.4	0.0	0.0	6.8
0.0	0.0				J	256.4	0.0	0.0	6.8
0.0	0.0			Min	I	-351.2	-0.0	0.0	-18.2
0.0	0.0				J	-351.2	-0.0	0.0	-18.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	285.9	0.0	0.0	9.4
0.0	0.0				J	285.9	0.0	0.0	9.4
0.0	0.0			Min	I	-519.1	-0.0	0.0	-16.7
0.0	0.0				J	-519.1	-0.0	0.0	-16.7
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	131.4	0.0	0.0	3.3
0.0	0.0				J	131.4	0.0	0.0	3.3
0.0	0.0			Min	I	-177.0	-0.0	0.0	-9.4
0.0	0.0				J	-177.0	-0.0	0.0	-9.4
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	146.1	0.0	0.0	4.8
0.0	0.0				J	146.1	0.0	0.0	4.8
0.0	0.0			Min	I	-261.9	-0.0	0.0	-8.8
0.0	0.0				J	-261.9	-0.0	0.0	-8.8
0.0	0.0								
0.0	0.0			G1	I	-116.7	-0.0	-1.4	-9.1
0.0	0.0				J	-116.7	0.0	1.4	-9.1
0.0	0.0								
0.0	0.0			G2	I	-51.4	-0.0	0.0	-4.8
0.0	0.0				J	-51.4	0.0	0.0	-4.8
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc	X	I	53.2	0.0	0.0	-1.4
0.0	0.0				J	53.2	-0.0	0.0	-1.4
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	7.4	-0.0	0.0	0.2
0.0	0.0				J	7.4	0.0	0.0	0.2
0.0	0.0								
0.0	0.0		Q5_ps	X	I	53.6	0.0	0.0	-1.7
0.0	0.0				J	53.6	-0.0	0.0	-1.7
0.0	0.0								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps	Y	I	11.6	-0.0	0.0	-0.0
0.0	0.0			J	11.6	0.0	0.0	-0.0
0.0	0.0	INVSLE	Max	I	322.1	0.0	-1.9	-13.7
0.0	0.0			J	322.1	0.0	1.9	-13.7
0.0	0.0		Min	I	-860.4	-0.0	-1.9	-53.5
0.0	0.0			J	-860.4	-0.0	1.9	-53.5
0.0	0.0	INVSLE	Max	I	241.8	0.0	-1.4	-10.6
0.0	0.0			J	241.8	0.0	1.4	-10.6
0.0	0.0		Min	I	-627.0	-0.0	-1.4	-39.9
0.0	0.0			J	-627.0	-0.0	1.4	-39.9
8424	2	66	C1-C2;~1	Max	I	256.5	0.0	16.7
0.0	0.0			J	256.5	0.0	0.0	16.7
0.0	0.0		Min	I	-351.2	0.0	-0.0	-16.6
0.0	0.0			J	-351.2	0.0	-0.0	-16.6
0.0	0.0		C3-C4;~1	Max	I	285.9	0.0	14.1
0.0	0.0			J	285.9	0.0	0.0	14.1
0.0	0.0		Min	I	-519.1	0.0	-0.0	-19.8
0.0	0.0			J	-519.1	0.0	-0.0	-19.8
0.0	0.0		C1-C2;~2	Max	I	131.4	0.0	10.7
0.0	0.0			J	131.4	0.0	0.0	10.7
0.0	0.0		Min	I	-176.9	0.0	-0.0	-8.3
0.0	0.0			J	-176.9	0.0	-0.0	-8.3
0.0	0.0		C3-C4;~2	Max	I	146.2	0.0	8.7
0.0	0.0			J	146.2	0.0	0.0	8.7
0.0	0.0		Min	I	-261.8	0.0	-0.0	-9.6
0.0	0.0			J	-261.8	0.0	-0.0	-9.6
0.0	0.0		G1	I	-116.5	0.0	-1.5	-17.4
0.0	0.0			J	-116.5	0.0	1.5	-17.4
0.0	0.0		G2	I	-51.4	0.0	0.0	-6.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-51.4	0.0	-0.0	-6.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	53.5	0.0	-0.0	9.1
0.0	0.0		J	53.5	0.0	0.0	9.1
0.0	0.0						
		Q5_pc Y	I	7.4	0.0	-0.0	-1.4
0.0	0.0		J	7.4	0.0	0.0	-1.4
0.0	0.0						
		Q5_ps X	I	53.9	0.0	-0.0	9.1
0.0	0.0		J	53.9	0.0	0.0	9.1
0.0	0.0						
		Q5_ps Y	I	11.6	0.0	-0.0	-0.9
0.0	0.0		J	11.6	0.0	0.0	-0.9
0.0	0.0						
		INVS LU Max	I	322.8	0.0	-2.1	-10.3
0.0	0.0		J	322.8	0.0	2.1	-10.3
0.0	0.0						
		Min	I	-860.1	0.0	-2.1	-76.0
0.0	0.0		J	-860.1	0.0	2.1	-76.0
0.0	0.0						
		INVS LE Max	I	242.4	0.0	-1.5	-8.6
0.0	0.0		J	242.4	0.0	1.5	-8.6
0.0	0.0						
		Min	I	-626.8	0.0	-1.5	-56.0
0.0	0.0		J	-626.8	0.0	1.5	-56.0
0.0	0.0						
8425	2	66 C1-C2;~1 Max	I	304.7	0.1	0.0	11.0
7.8	442.7		J	304.7	0.1	0.0	11.0
0.0	0.0						
		Min	I	-325.5	-0.1	-0.0	-3.9
-13.0	-255.2		J	-325.5	-0.1	-0.0	-3.9
0.0	0.0						
		C3-C4;~1 Max	I	454.1	0.1	0.0	11.0
10.0	370.9		J	454.1	0.1	0.0	11.0
0.0	0.0						
		Min	I	-360.2	-0.1	-0.0	-2.9
-11.7	-227.3		J	-360.2	-0.1	-0.0	-2.9
0.0	0.0						
		C1-C2;~2 Max	I	152.1	0.1	0.0	6.4


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.9	242.1			J	152.1	0.1	0.0	6.4
0.0	0.0		Min	I	-169.1	-0.1	-0.0	-2.1
-7.7	-151.8			J	-169.1	-0.1	-0.0	-2.1
0.0	0.0							
			C3-C4;~2 Max	I	226.6	0.1	0.0	5.8
5.1	192.2			J	226.6	0.1	0.0	5.8
0.0	0.0		Min	I	-187.5	-0.0	-0.0	-1.4
-7.0	-125.8			J	-187.5	-0.0	-0.0	-1.4
0.0	0.0							
			G1	I	-38.2	0.1	1.7	9.0
9275.1	260.1			J	-38.2	0.1	4.5	9.0
0.0	0.0							
			G2	I	-10.6	0.0	0.0	4.0
0.7	88.1			J	-10.6	0.0	0.0	4.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-132.6	0.1	-0.0	-8.7
-4.9	395.6			J	-132.6	0.1	-0.0	-8.7
0.0	0.0							
			Q5_pc Y	I	3.2	-0.0	0.0	1.9
0.7	-55.9			J	3.2	-0.0	0.0	1.9
0.0	0.0							
			Q5_ps X	I	-127.9	0.1	-0.0	-8.3
-5.1	379.1			J	-127.9	0.1	-0.0	-8.3
0.0	0.0							
			Q5_ps Y	I	-1.1	-0.0	0.0	1.8
0.4	-51.4			J	-1.1	-0.0	0.0	1.8
0.0	0.0							
			INVSLU Max	I	504.6	0.5	2.2	38.5
2540.4	1570.1			J	504.6	0.5	6.1	38.5
0.0	0.0		Min	I	-833.3	-0.1	2.2	0.6
2500.4	-157.1			J	-833.3	-0.1	6.1	0.6
0.0	0.0							
			INVSLE Max	I	355.5	0.4	1.7	27.8
9288.8	1147.8			J	355.5	0.4	4.5	27.8
0.0	0.0		Min	I	-617.9	-0.0	1.7	1.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9259.8	-63.1			J	-617.9	-0.0	4.5 1.2
0.0	0.0						
8426	2	66	C1-C2;~1	Max	I	361.9	0.2 0.0 11.7
0.0	0.0				J	361.9	0.2 0.0 11.7
15.7	342.3			Min	I	-268.5	-0.1 -0.0 -10.9
0.0	0.0				J	-268.5	-0.1 -0.0 -10.9
-12.7	-643.0						
			C3-C4;~1	Max	I	534.1	0.2 0.0 12.7
0.0	0.0				J	534.1	0.2 0.0 12.7
13.2	280.4			Min	I	-293.3	-0.1 -0.0 -10.6
0.0	0.0				J	-293.3	-0.1 -0.0 -10.6
-13.5	-614.2						
			C1-C2;~2	Max	I	183.0	0.1 0.0 6.1
0.0	0.0				J	183.0	0.1 0.0 6.1
9.7	180.8			Min	I	-137.5	-0.1 -0.0 -6.7
0.0	0.0				J	-137.5	-0.1 -0.0 -6.7
-6.7	-389.9						
			C3-C4;~2	Max	I	269.8	0.1 0.0 6.6
0.0	0.0				J	269.8	0.1 0.0 6.6
8.0	145.3			Min	I	-151.7	-0.0 -0.0 -6.4
0.0	0.0				J	-151.7	-0.0 -0.0 -6.4
-7.0	-366.9						
			G1		I	88.5	0.1 -4.5 9.5
0.0	0.0				J	88.5	0.1 -1.4 9.5
9616.8	-182.9						
			G2		I	38.8	0.0 0.0 4.5
0.0	0.0				J	38.8	0.0 0.0 4.5
-2.0	-59.4						
			Q3		I	0.0	0.0 0.0 0.0
0.0	0.0				J	0.0	0.0 0.0 0.0
0.0	0.0						
			Q5_pc	X	I	-84.7	0.1 -0.0 -1.8
0.0	0.0				J	-84.7	0.1 -0.0 -1.8
0.9	-179.5						
			Q5_pc	Y	I	4.3	-0.0 0.0 0.9
0.0	0.0				J	4.3	-0.0 0.0 0.9
-0.2	21.5						
			Q5_ps	X	I	-84.0	0.1 -0.0 -2.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-84.0	0.1	-0.0	-2.0
1.1	-170.5							
		Q5_ps	Y	I	-0.9	-0.0	-0.0	0.7
0.0	0.0			J	-0.9	-0.0	-0.0	0.7
0.0	18.8							
		INVSLE	Max	I	746.2	0.4	-6.0	44.1
0.0	0.0			J	746.2	0.4	-1.8	44.1
2994.4	397.4			I	-523.4	-0.1	-6.1	9.1
0.0	0.0			J	-523.4	-0.1	-1.9	9.1
2953.3	-1256.0							
		INVSLE	Max	I	534.4	0.3	-4.5	32.7
0.0	0.0			J	534.4	0.3	-1.4	32.7
9625.0	295.9			I	-394.7	-0.1	-4.5	7.0
0.0	0.0			J	-394.7	-0.1	-1.4	7.0
9594.7	-904.9							
8427	2	66	C1-C2;~1	Max	I	192.2	0.0	0.0
0.0	0.0			J	192.2	0.0	0.0	12.4
0.0	0.0			I	-333.3	0.0	-0.0	-12.7
0.0	0.0			J	-333.3	0.0	0.0	-12.7
0.0	0.0							
		C3-C4;~1	Max	I	162.8	0.0	0.0	11.1
0.0	0.0			J	162.8	0.0	0.0	11.1
0.0	0.0			I	-510.7	0.0	-0.0	-8.1
0.0	0.0			J	-510.7	0.0	0.0	-8.1
0.0	0.0							
		C1-C2;~2	Max	I	102.0	0.0	0.0	7.6
0.0	0.0			J	102.0	0.0	0.0	7.6
0.0	0.0			I	-169.9	0.0	-0.0	-7.8
0.0	0.0			J	-169.9	0.0	0.0	-7.8
0.0	0.0							
		C3-C4;~2	Max	I	80.6	0.0	0.0	6.7
0.0	0.0			J	80.6	0.0	0.0	6.7
0.0	0.0			I	-260.9	0.0	-0.0	-4.2
0.0	0.0			J	-260.9	0.0	0.0	-4.2
0.0	0.0							
		G1		I	-196.9	0.0	-1.5	2.1
0.0	0.0			J	-196.9	0.0	1.5	2.1


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G2	I	-83.7	0.0	0.0	-1.5
0.0	0.0		J	-83.7	0.0	0.0	-1.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	84.9	0.0	-0.0	-0.3
0.0	0.0		J	84.9	0.0	0.0	-0.3
0.0	0.0						
		Q5_pc Y	I	-4.3	0.0	-0.0	-0.2
0.0	0.0		J	-4.3	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps X	I	85.1	0.0	-0.0	-0.2
0.0	0.0		J	85.1	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps Y	I	1.6	0.0	-0.0	-0.1
0.0	0.0		J	1.6	0.0	0.0	-0.1
0.0	0.0						
		INVS LU Max	I	96.7	0.0	-2.0	18.1
0.0	0.0		J	96.7	0.0	2.0	18.1
0.0	0.0						
		Min	I	-1004.9	0.0	-2.0	-16.3
0.0	0.0		J	-1004.9	0.0	2.0	-16.3
0.0	0.0						
		INVS LE Max	I	73.5	0.0	-1.5	13.6
0.0	0.0		J	73.5	0.0	1.5	13.6
0.0	0.0						
		Min	I	-731.2	0.0	-1.5	-11.9
0.0	0.0		J	-731.2	0.0	1.5	-11.9
0.0	0.0						
8428	2	66 C1-C2;~1 Max	I	192.0	0.0	0.0	24.4
0.0	0.0		J	192.0	0.0	0.0	24.4
0.0	0.0						
		Min	I	-333.4	-0.0	0.0	-20.7
0.0	0.0		J	-333.4	-0.0	-0.0	-20.7
0.0	0.0						
		C3-C4;~1 Max	I	162.8	0.0	0.0	21.9
0.0	0.0		J	162.8	0.0	0.0	21.9
0.0	0.0						
		Min	I	-510.9	-0.0	0.0	-23.1
0.0	0.0		J	-510.9	-0.0	-0.0	-23.1

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	I	101.9	0.0	15.4
0.0	0.0			J	101.9	0.0	15.4
0.0	0.0		Min	I	-170.0	-0.0	-10.7
0.0	0.0			J	-170.0	-0.0	-10.7
0.0	0.0	C3-C4;~2	Max	I	80.6	0.0	13.3
0.0	0.0			J	80.6	0.0	13.3
0.0	0.0		Min	I	-261.0	-0.0	-11.7
0.0	0.0			J	-261.0	-0.0	-11.7
0.0	0.0		G1	I	-197.0	0.0	-14.0
0.0	0.0			J	-197.0	-0.0	-14.0
0.0	0.0		G2	I	-83.8	0.0	-5.4
0.0	0.0			J	-83.8	-0.0	-5.4
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	84.8	-0.0	1.5
0.0	0.0			J	84.8	0.0	1.5
0.0	0.0	Q5_pc	Y	I	-4.2	0.0	-0.5
0.0	0.0			J	-4.2	-0.0	-0.5
0.0	0.0	Q5_ps	X	I	85.0	-0.0	1.9
0.0	0.0			J	85.0	0.0	1.9
0.0	0.0	Q5_ps	Y	I	1.6	0.0	-0.1
0.0	0.0			J	1.6	-0.0	-0.1
0.0	0.0	INVSLU	Max	I	96.3	0.0	-6.4
0.0	0.0			J	96.3	0.0	-6.4
0.0	0.0		Min	I	-1005.2	-0.0	-73.3
0.0	0.0			J	-1005.2	-0.0	-73.3
0.0	0.0	INVSLE	Max	I	73.2	0.0	-5.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	73.2	0.0	1.6	-5.4	
0.0	0.0		Min	I	-731.4	-0.0	-1.6	-54.8	
0.0	0.0			J	-731.4	-0.0	1.6	-54.8	
0.0	0.0								
8429	2	66	C1-C2;~1	Max	I	361.9	0.1	0.0	11.2
11.9	342.3				J	361.9	0.1	0.0	11.2
0.0	0.0		Min	I	-268.5	-0.2	-0.0	-9.5	
-14.8	-643.0			J	-268.5	-0.2	-0.0	-9.5	
0.0	0.0								
			C3-C4;~1	Max	I	534.1	0.1	0.0	9.7
12.7	280.4			J	534.1	0.1	0.0	9.7	
0.0	0.0		Min	I	-293.3	-0.2	-0.0	-8.8	
-12.5	-614.2			J	-293.3	-0.2	-0.0	-8.8	
0.0	0.0								
			C1-C2;~2	Max	I	182.9	0.1	0.0	6.2
6.3	180.8			J	182.9	0.1	0.0	6.2	
0.0	0.0		Min	I	-137.5	-0.1	-0.0	-5.9	
-9.1	-389.9			J	-137.5	-0.1	-0.0	-5.9	
0.0	0.0								
			C3-C4;~2	Max	I	269.8	0.0	0.0	4.9
6.6	145.3			J	269.8	0.0	0.0	4.9	
0.0	0.0		Min	I	-151.7	-0.1	-0.0	-5.4	
-7.5	-366.9			J	-151.7	-0.1	-0.0	-5.4	
0.0	0.0								
			G1	I	88.5	-0.1	1.7	7.3	
9632.8	-182.9			J	88.5	-0.1	4.6	7.3	
0.0	0.0								
			G2	I	38.8	-0.0	0.0	4.0	
1.9	-59.4			J	38.8	-0.0	0.0	4.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-84.8	-0.1	-0.0	-1.5	
-0.9	-179.5			J	-84.8	-0.1	-0.0	-1.5	
0.0	0.0								
			Q5_pc Y	I	4.3	0.0	0.0	0.9	
0.1	21.5			J	4.3	0.0	0.0	0.9	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-1.0	-170.5	Q5_ps X	I	-84.0	-0.1	-0.0	-1.7	
0.0	0.0		J	-84.0	-0.1	-0.0	-1.7	
-0.0	18.8	Q5_ps Y	I	-0.9	0.0	-0.0	0.7	
0.0	0.0		J	-0.9	0.0	-0.0	0.7	
3031.9	397.4	INVS LU Max	I	746.1	0.1	2.2	36.3	1
0.0	0.0		J	746.1	0.1	6.2	36.3	
2993.1	-1256.0	Min	I	-523.4	-0.4	2.2	5.6	1
0.0	0.0		J	-523.4	-0.4	6.2	5.6	
9653.5	295.9	INVS LE Max	I	534.4	0.1	1.7	26.8	
0.0	0.0		J	534.4	0.1	4.6	26.8	
9625.0	-904.9	Min	I	-394.7	-0.3	1.6	4.3	
0.0	0.0		J	-394.7	-0.3	4.6	4.3	
8430	2	66 C1-C2;~1 Max	I	376.1	0.2	0.0	11.4	
0.0	0.0		J	376.1	0.2	0.0	11.4	
19.2	192.5	Min	I	-198.8	-0.1	-0.0	-14.9	
0.0	0.0		J	-198.8	-0.1	-0.0	-14.9	
-11.2	-677.6							
0.0	0.0	C3-C4;~1 Max	I	537.1	0.2	0.0	11.7	
17.1	194.4		J	537.1	0.2	0.0	11.7	
0.0	0.0	Min	I	-212.3	-0.1	-0.0	-15.6	
-11.2	-632.5		J	-212.3	-0.1	-0.0	-15.6	
0.0	0.0	C1-C2;~2 Max	I	196.4	0.1	0.0	5.8	
11.6	103.8		J	196.4	0.1	0.0	5.8	
0.0	0.0	Min	I	-100.7	-0.0	-0.0	-8.9	
-6.0	-408.4		J	-100.7	-0.0	-0.0	-8.9	
0.0	0.0	C3-C4;~2 Max	I	278.8	0.1	0.0	6.2	
10.2	100.4		J	278.8	0.1	0.0	6.2	
0.0	0.0	Min	I	-108.2	-0.0	-0.0	-9.1	
-5.9	-377.9		J	-108.2	-0.0	-0.0	-9.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	I	177.0	0.1	-4.5	4.2	
0.0	0.0			J	177.0	0.1	-1.4	4.2	
9623.5	-328.9								
			G2	I	73.0	0.0	-0.0	2.5	
0.0	0.0			J	73.0	0.0	-0.0	2.5	
0.7	-129.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-57.6	0.0	-0.0	0.6	
0.0	0.0			J	-57.6	0.0	-0.0	0.6	
1.0	-115.7								
			Q5_pc Y	I	7.2	-0.0	-0.0	0.3	
0.0	0.0			J	7.2	-0.0	-0.0	0.3	
0.2	28.1								
			Q5_ps X	I	-57.8	0.0	-0.0	0.4	
0.0	0.0			J	-57.8	0.0	-0.0	0.4	
1.1	-109.8								
			Q5_ps Y	I	2.3	-0.0	-0.0	0.2	
0.0	0.0			J	2.3	-0.0	-0.0	0.2	
0.3	25.4								
			INVSLU Max	I	898.7	0.5	-6.0	31.1	
0.0	0.0			J	898.7	0.5	-1.8	31.1	1
3013.6	-272.9								
			Min	I	-216.6	0.1	-6.1	-6.8	
0.0	0.0			J	-216.6	0.1	-1.9	-6.8	1
2970.8	-1658.4								
			INVSLE Max	I	650.0	0.4	-4.5	23.2	
0.0	0.0			J	650.0	0.4	-1.4	23.2	
9639.3	-203.1								
			Min	I	-168.5	0.1	-4.5	-4.9	
0.0	0.0			J	-168.5	0.1	-1.4	-4.9	
9607.7	-1213.9								
8431	2	66	C1-C2;~1 Max	I	149.1	0.0	0.0	13.2	
0.0	0.0			J	149.1	0.0	0.0	13.2	
0.0	0.0								
			Min	I	-269.4	-0.0	-0.0	-13.5	
0.0	0.0			J	-269.4	-0.0	0.0	-13.5	
0.0	0.0								
			C3-C4;~1 Max	I	95.0	0.0	0.0	11.2	
0.0	0.0			J	95.0	0.0	0.0	11.2	
0.0	0.0								

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-421.6	-0.0	-9.0
0.0	0.0			J	-421.6	0.0	-9.0
0.0	0.0	C1-C2;~2	Max	I	82.7	0.0	8.2
0.0	0.0			J	82.7	0.0	8.2
0.0	0.0		Min	I	-140.3	-0.0	-8.4
0.0	0.0			J	-140.3	0.0	-8.4
0.0	0.0	C3-C4;~2	Max	I	48.9	0.0	6.8
0.0	0.0			J	48.9	0.0	6.8
0.0	0.0		Min	I	-219.0	-0.0	-4.9
0.0	0.0			J	-219.0	0.0	-4.9
0.0	0.0		G1	I	-197.3	-1.5	2.3
0.0	0.0			J	-197.3	1.5	2.3
0.0	0.0		G2	I	-83.1	0.0	-1.5
0.0	0.0			J	-83.1	0.0	-1.5
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	50.6	-0.0	-0.3
0.0	0.0			J	50.6	0.0	-0.3
0.0	0.0	Q5_pc	Y	I	-6.0	-0.0	-0.6
0.0	0.0			J	-6.0	0.0	-0.6
0.0	0.0	Q5_ps	X	I	52.2	-0.0	-0.2
0.0	0.0			J	52.2	0.0	-0.2
0.0	0.0	Q5_ps	Y	I	-0.4	-0.0	-0.4
0.0	0.0			J	-0.4	0.0	-0.4
0.0	0.0	INVSLU	Max	I	-23.3	-2.0	22.2
0.0	0.0			J	-23.3	2.0	22.2
0.0	0.0		Min	I	-885.0	-2.0	-15.0
0.0	0.0			J	-885.0	2.0	-15.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		INVSLE Max	I	-14.9	0.0	-1.5	16.8
0.0	0.0			J	-14.9	0.0	1.5	16.8
0.0	0.0		Min	I	-646.4	-0.0	-1.5	-10.6
0.0	0.0			J	-646.4	-0.0	1.5	-10.6
8432	2	66	C1-C2;~1 Max	I	148.9	0.0	0.0	29.4
0.0	0.0			J	148.9	0.0	0.0	29.4
0.0	0.0		Min	I	-269.5	0.0	-0.0	-16.0
0.0	0.0			J	-269.5	-0.0	-0.0	-16.0
0.0	0.0		C3-C4;~1 Max	I	94.8	0.0	0.0	27.8
0.0	0.0			J	94.8	0.0	0.0	27.8
0.0	0.0		Min	I	-421.8	0.0	-0.0	-17.2
0.0	0.0			J	-421.8	-0.0	-0.0	-17.2
0.0	0.0		C1-C2;~2 Max	I	82.6	0.0	0.0	18.3
0.0	0.0			J	82.6	0.0	0.0	18.3
0.0	0.0		Min	I	-140.4	0.0	-0.0	-8.5
0.0	0.0			J	-140.4	-0.0	-0.0	-8.5
0.0	0.0		C3-C4;~2 Max	I	48.8	0.0	0.0	16.7
0.0	0.0			J	48.8	0.0	0.0	16.7
0.0	0.0		Min	I	-219.1	0.0	-0.0	-9.0
0.0	0.0			J	-219.1	-0.0	-0.0	-9.0
0.0	0.0		G1	I	-197.5	0.0	-1.6	-0.4
0.0	0.0			J	-197.5	0.0	1.6	-0.4
0.0	0.0		G2	I	-83.2	0.0	0.0	-0.1
0.0	0.0			J	-83.2	0.0	-0.0	-0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	50.6	0.0	-0.0	1.6
0.0	0.0			J	50.6	-0.0	0.0	1.6

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	-5.9	0.0	-0.0	-0.2
				J	-5.9	0.0	0.0	-0.2
0.0	0.0	Q5_ps	X	I	52.1	0.0	-0.0	2.0
				J	52.1	-0.0	0.0	2.0
0.0	0.0	Q5_ps	Y	I	-0.4	0.0	-0.0	0.2
				J	-0.4	0.0	0.0	0.2
0.0	0.0	INVS LU	Max	I	-24.1	0.0	-2.1	31.5
				J	-24.1	0.0	2.1	31.5
0.0	0.0		Min	I	-885.6	0.0	-2.1	-34.3
				J	-885.6	-0.0	2.1	-34.3
0.0	0.0	INVS LE	Max	I	-15.4	0.0	-1.6	23.0
				J	-15.4	0.0	1.6	23.0
0.0	0.0		Min	I	-646.8	0.0	-1.6	-25.5
				J	-646.8	-0.0	1.6	-25.5
8433	2	66 C1-C2;~1	Max	I	376.1	0.1	0.0	11.2
10.5	192.5			J	376.1	0.1	0.0	11.2
0.0	0.0		Min	I	-198.8	-0.2	-0.0	-12.8
-18.1	-677.6			J	-198.8	-0.2	-0.0	-12.8
0.0	0.0	C3-C4;~1	Max	I	537.0	0.1	0.0	9.3
10.5	194.4			J	537.0	0.1	0.0	9.3
0.0	0.0		Min	I	-212.3	-0.2	-0.0	-13.2
-16.0	-632.5			J	-212.3	-0.2	-0.0	-13.2
0.0	0.0	C1-C2;~2	Max	I	196.4	0.0	0.0	6.0
5.6	103.8			J	196.4	0.0	0.0	6.0
0.0	0.0		Min	I	-100.7	-0.1	-0.0	-7.8
-10.9	-408.4			J	-100.7	-0.1	-0.0	-7.8
0.0	0.0	C3-C4;~2	Max	I	278.8	0.0	0.0	4.8
5.6	100.4			J	278.8	0.0	0.0	4.8
0.0	0.0		Min	I	-108.2	-0.1	-0.0	-7.8
-9.6	-377.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-108.2	-0.1	-0.0	-7.8	
9626.2	-328.9	G1	I	176.9	-0.1	1.6	3.9	
0.0	0.0		J	176.9	-0.1	4.6	3.9	
-0.6	-129.1	G2	I	73.0	-0.0	-0.0	2.7	
0.0	0.0		J	73.0	-0.0	-0.0	2.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.9	-115.7	Q5_pc X	I	-57.6	-0.0	-0.0	0.9	
0.0	0.0		J	-57.6	-0.0	-0.0	0.9	
-0.2	28.1	Q5_pc Y	I	7.2	0.0	-0.0	0.4	
0.0	0.0		J	7.2	0.0	-0.0	0.4	
-1.0	-109.8	Q5_ps X	I	-57.8	-0.0	-0.0	0.6	
0.0	0.0		J	-57.8	-0.0	-0.0	0.6	
-0.3	25.4	Q5_ps Y	I	2.3	0.0	-0.0	0.3	
0.0	0.0		J	2.3	0.0	-0.0	0.3	
3015.2	-272.9	INVS LU Max	I	898.6	-0.1	2.2	28.8	1
0.0	0.0		J	898.6	-0.1	6.2	28.8	
2974.8	-1658.4	Min	I	-216.7	-0.5	2.2	-5.6	1
0.0	0.0		J	-216.7	-0.5	6.2	-5.6	
9641.1	-203.1	INVS LE Max	I	649.9	-0.1	1.7	21.4	
0.0	0.0		J	649.9	-0.1	4.6	21.4	
9611.4	-1213.9	Min	I	-168.5	-0.4	1.6	-4.0	
0.0	0.0		J	-168.5	-0.4	4.6	-4.0	
8434	2	66 C1-C2;~1 Max	I	335.8	0.2	0.0	7.8	
0.0	0.0		J	335.8	0.2	0.0	7.8	
20.8	140.3	Min	I	-130.5	-0.0	-0.0	-16.0	
0.0	0.0		J	-130.5	-0.0	-0.0	-16.0	
-8.7	-601.8	C3-C4;~1 Max	I	461.2	0.2	0.0	8.0	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	461.2	0.2	0.0	8.0
18.2	187.0		Min	I	-131.1	-0.1	-0.0	-15.9
0.0	0.0			J	-131.1	-0.1	-0.0	-15.9
-9.0	-522.3		C1-C2;~2	Max	I	181.0	0.1	4.0
0.0	0.0			J	181.0	0.1	0.0	4.0
12.4	80.1		Min	I	-63.3	-0.0	-0.0	-9.6
0.0	0.0			J	-63.3	-0.0	-0.0	-9.6
-4.6	-363.4		C3-C4;~2	Max	I	245.9	0.1	4.2
0.0	0.0			J	245.9	0.1	0.0	4.2
10.6	106.4		Min	I	-64.7	-0.0	-0.0	-9.4
0.0	0.0			J	-64.7	-0.0	-0.0	-9.4
-4.7	-310.4		G1	I	197.5	0.1	-4.5	-1.2
0.0	0.0			J	197.5	0.1	-1.4	-1.2
9628.7	-323.5		G2	I	79.6	0.0	-0.0	0.4
0.0	0.0			J	79.6	0.0	-0.0	0.4
2.6	-124.6		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	-37.6	-0.0	-0.0
0.0	0.0			J	-37.6	-0.0	-0.0	-0.0
0.2	11.6		Q5_pc	Y	I	10.2	-0.0	-0.1
0.0	0.0			J	10.2	-0.0	-0.0	-0.1
0.6	15.5		Q5_ps	X	I	-37.7	-0.0	-0.2
0.0	0.0			J	-37.7	-0.0	-0.0	-0.2
0.3	8.4		Q5_ps	Y	I	6.2	-0.0	-0.3
0.0	0.0			J	6.2	-0.0	-0.0	-0.3
0.7	11.9		INVSLU	Max	I	873.1	0.4	5.2
0.0	0.0			J	873.1	0.4	-1.9	5.2
3030.0	-308.3		Min	I	5.8	0.1	-6.1	-27.5

MIDAS


PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	5.8	0.1	-1.9	-27.5	1
2988.7	-1401.0								
			INVSLE Max	I	635.5	0.3	-4.5	3.5	
0.0	0.0			J	635.5	0.3	-1.4	3.5	
9651.7	-227.4		Min	I	-1.9	0.1	-4.5	-20.7	
0.0	0.0			J	-1.9	0.1	-1.4	-20.7	
9621.2	-1034.8								
8435	2	66	C1-C2;~1 Max	I	141.4	0.0	0.0	10.7	
0.0	0.0			J	141.4	0.0	0.0	10.7	
0.0	0.0		Min	I	-209.4	-0.0	-0.0	-15.0	
0.0	0.0			J	-209.4	-0.0	0.0	-15.0	
0.0	0.0								
			C3-C4;~1 Max	I	97.7	0.0	0.0	8.7	
0.0	0.0			J	97.7	0.0	0.0	8.7	
0.0	0.0		Min	I	-322.7	-0.0	-0.0	-8.2	
0.0	0.0			J	-322.7	-0.0	0.0	-8.2	
0.0	0.0								
			C1-C2;~2 Max	I	77.9	0.0	0.0	6.5	
0.0	0.0			J	77.9	0.0	0.0	6.5	
0.0	0.0		Min	I	-109.2	-0.0	-0.0	-9.2	
0.0	0.0			J	-109.2	-0.0	0.0	-9.2	
0.0	0.0								
			C3-C4;~2 Max	I	51.1	0.0	0.0	5.0	
0.0	0.0			J	51.1	0.0	0.0	5.0	
0.0	0.0		Min	I	-167.8	-0.0	-0.0	-4.5	
0.0	0.0			J	-167.8	-0.0	0.0	-4.5	
0.0	0.0								
			G1	I	-128.1	-0.0	-1.5	0.2	
0.0	0.0			J	-128.1	0.0	1.5	0.2	
0.0	0.0								
			G2	I	-55.1	-0.0	0.0	-2.3	
0.0	0.0			J	-55.1	0.0	0.0	-2.3	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	25.5	0.0	-0.0	0.5	
0.0	0.0								

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	25.5	-0.0	0.0	0.5
0.0	0.0	Q5_pc Y	I	-5.9	-0.0	-0.0	-0.6
0.0	0.0		J	-5.9	0.0	0.0	-0.6
0.0	0.0	Q5_ps X	I	27.2	0.0	-0.0	0.6
0.0	0.0		J	27.2	-0.0	0.0	0.6
0.0	0.0	Q5_ps Y	I	-1.2	-0.0	-0.0	-0.5
0.0	0.0		J	-1.2	0.0	0.0	-0.5
0.0	0.0	INVS LU Max	I	42.9	0.0	-2.0	17.8
0.0	0.0		J	42.9	0.0	2.0	17.8
0.0	0.0	Min	I	-629.3	-0.0	-2.0	-17.9
0.0	0.0		J	-629.3	-0.0	2.0	-17.9
0.0	0.0	INVS LE Max	I	35.0	0.0	-1.5	13.7
0.0	0.0		J	35.0	0.0	1.5	13.7
0.0	0.0	Min	I	-459.5	-0.0	-1.5	-12.7
0.0	0.0		J	-459.5	-0.0	1.5	-12.7
8436	2	66 C1-C2;~1 Max	I	141.1	0.0	0.0	30.6
0.0	0.0		J	141.1	0.0	0.0	30.6
0.0	0.0	Min	I	-209.6	0.0	0.0	-12.4
0.0	0.0		J	-209.6	0.0	-0.0	-12.4
0.0	0.0	C3-C4;~1 Max	I	97.6	0.0	0.0	29.4
0.0	0.0		J	97.6	0.0	0.0	29.4
0.0	0.0	Min	I	-322.8	0.0	0.0	-13.2
0.0	0.0		J	-322.8	0.0	-0.0	-13.2
0.0	0.0	C1-C2;~2 Max	I	77.8	0.0	0.0	18.6
0.0	0.0		J	77.8	0.0	0.0	18.6
0.0	0.0	Min	I	-109.3	0.0	0.0	-6.5
0.0	0.0		J	-109.3	0.0	-0.0	-6.5
0.0	0.0	C3-C4;~2 Max	I	51.0	0.0	0.0	17.4
0.0	0.0		J	51.0	0.0	0.0	17.4

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-167.8	0.0	0.0	-6.8
0.0	0.0		J	-167.8	0.0	-0.0	-6.8
0.0	0.0	G1	I	-128.3	0.0	-1.6	7.1
0.0	0.0		J	-128.3	0.0	1.6	7.1
0.0	0.0	G2	I	-55.2	0.0	0.0	2.8
0.0	0.0		J	-55.2	0.0	-0.0	2.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	25.5	0.0	0.0	0.9
0.0	0.0		J	25.5	0.0	0.0	0.9
0.0	0.0	Q5_pc Y	I	-5.9	0.0	0.0	0.5
0.0	0.0		J	-5.9	0.0	0.0	0.5
0.0	0.0	Q5_ps X	I	27.2	0.0	0.0	1.3
0.0	0.0		J	27.2	0.0	0.0	1.3
0.0	0.0	Q5_ps Y	I	-1.2	0.0	0.0	0.9
0.0	0.0		J	-1.2	0.0	0.0	0.9
0.0	0.0	INVSLU Max	I	42.3	0.0	-2.1	59.5
0.0	0.0		J	42.3	0.0	2.1	59.5
0.0	0.0	Min	I	-629.9	0.0	-2.1	-1.2
0.0	0.0		J	-629.9	0.0	2.1	-1.2
0.0	0.0	INVSLE Max	I	34.6	0.0	-1.6	44.4
0.0	0.0		J	34.6	0.0	1.6	44.4
0.0	0.0	Min	I	-459.9	0.0	-1.6	-0.4
0.0	0.0		J	-459.9	0.0	1.6	-0.4
8437	2	66 C1-C2;~1 Max	I	335.8	0.0	0.0	7.5
8.2	140.3		J	335.8	0.0	0.0	7.5
0.0	0.0	Min	I	-130.5	-0.2	-0.0	-13.1
-19.6	-601.8		J	-130.5	-0.2	-0.0	-13.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
8.5	187.0	C3-C4;~1	Max	I	461.2	0.1	0.0	6.0
0.0	0.0			J	461.2	0.1	0.0	6.0
-17.1	-522.3		Min	I	-131.1	-0.2	-0.0	-13.0
0.0	0.0			J	-131.1	-0.2	-0.0	-13.0
4.3	80.1	C1-C2;~2	Max	I	181.0	0.0	0.0	4.0
0.0	0.0			J	181.0	0.0	0.0	4.0
-11.7	-363.4		Min	I	-63.3	-0.1	-0.0	-8.1
0.0	0.0			J	-63.3	-0.1	-0.0	-8.1
4.4	106.4	C3-C4;~2	Max	I	245.9	0.0	0.0	3.1
0.0	0.0			J	245.9	0.0	0.0	3.1
-10.0	-310.4		Min	I	-64.7	-0.1	-0.0	-7.8
0.0	0.0			J	-64.7	-0.1	-0.0	-7.8
9621.8	-323.5		G1	I	197.4	-0.1	1.6	-0.3
0.0	0.0			J	197.4	-0.1	4.6	-0.3
-2.4	-124.6		G2	I	79.6	-0.0	-0.0	1.1
0.0	0.0			J	79.6	-0.0	-0.0	1.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.2	11.6		Q5_pc X	I	-37.6	0.0	-0.0	0.0
0.0	0.0			J	-37.6	0.0	-0.0	0.0
-0.5	15.5		Q5_pc Y	I	10.2	0.0	-0.0	0.0
0.0	0.0			J	10.2	0.0	-0.0	0.0
-0.3	8.4		Q5_ps X	I	-37.7	0.0	-0.0	-0.1
0.0	0.0			J	-37.7	0.0	-0.0	-0.1
-0.7	11.9		Q5_ps Y	I	6.2	0.0	-0.0	-0.1
0.0	0.0			J	6.2	0.0	-0.0	-0.1
2998.8	-308.3		INVSLU Max	I	873.0	-0.1	2.2	6.3
								1

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	873.0	-0.1	6.2	6.3
0.0	0.0		Min	I	5.8	-0.5	2.2	-21.6
2960.0	-1401.0			J	5.8	-0.5	6.2	-21.6
0.0	0.0							
			INVSLE Max	I	635.4	-0.1	1.7	4.3
9628.8	-227.4			J	635.4	-0.1	4.6	4.3
0.0	0.0		Min	I	-2.0	-0.3	1.6	-16.3
9600.1	-1034.8			J	-2.0	-0.3	4.6	-16.3
0.0	0.0							
8438	2	66	C1-C2;~1 Max	I	281.8	0.2	0.0	6.0
0.0	0.0			J	281.8	0.2	0.0	6.0
23.9	122.3		Min	I	-101.5	-0.0	-0.0	-16.2
0.0	0.0			J	-101.5	-0.0	-0.0	-16.2
-8.4	-538.7							
			C3-C4;~1 Max	I	370.2	0.1	0.0	6.2
0.0	0.0			J	370.2	0.1	0.0	6.2
21.2	205.0		Min	I	-103.9	-0.1	-0.0	-16.0
0.0	0.0			J	-103.9	-0.1	-0.0	-16.0
-8.7	-432.1							
			C1-C2;~2 Max	I	156.6	0.1	0.0	3.1
0.0	0.0			J	156.6	0.1	0.0	3.1
14.1	69.8		Min	I	-51.5	-0.0	-0.0	-9.6
0.0	0.0			J	-51.5	-0.0	-0.0	-9.6
-4.3	-330.7							
			C3-C4;~2 Max	I	202.6	0.1	0.0	3.2
0.0	0.0			J	202.6	0.1	0.0	3.2
12.3	121.7		Min	I	-53.3	-0.0	-0.0	-9.4
0.0	0.0			J	-53.3	-0.0	-0.0	-9.4
-4.5	-259.6							
			G1	I	174.1	0.1	-4.5	-4.1
0.0	0.0			J	174.1	0.1	-1.4	-4.1
9632.0	-227.0							
			G2	I	69.0	0.0	-0.0	-0.7
0.0	0.0			J	69.0	0.0	-0.0	-0.7
4.0	-85.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	-20.8	-0.0	0.0	-0.2	
-0.1	54.0		J	-20.8	-0.0	0.0	-0.2	
0.0	0.0	Q5_pc Y	I	11.3	-0.0	-0.0	-0.4	
0.6	10.1		J	11.3	-0.0	-0.0	-0.4	
0.0	0.0	Q5_ps X	I	-20.5	-0.0	-0.0	-0.4	
0.1	48.1		J	-20.5	-0.0	-0.0	-0.4	
0.0	0.0	Q5_ps Y	I	8.4	-0.0	-0.0	-0.5	
0.7	6.1		J	8.4	-0.0	-0.0	-0.5	
0.0	0.0	INVSLE Max	I	733.9	0.3	-6.1	-11.1	
3041.2	21.0		J	733.9	0.3	-1.9	-11.1	1
0.0	0.0	Min	I	56.4	-0.0	-6.1	-42.0	
2996.1	-1080.2		J	56.4	-0.0	-1.9	-42.0	1
0.0	0.0	INVSLE Max	I	535.8	0.2	-4.5	-8.9	
9660.0	13.1		J	535.8	0.2	-1.4	-8.9	
0.0	0.0	Min	I	36.7	-0.0	-4.5	-31.7	
9626.7	-795.4		J	36.7	-0.0	-1.4	-31.7	
8439	2	66 C1-C2;~1 Max	I	165.6	0.0	0.0	8.3	
0.0	0.0		J	165.6	0.0	0.0	8.3	
0.0	0.0	Min	I	-164.4	-0.0	0.0	-16.8	
0.0	0.0		J	-164.4	0.0	-0.0	-16.8	
0.0	0.0	C3-C4;~1 Max	I	148.4	0.0	0.0	7.2	
0.0	0.0		J	148.4	0.0	0.0	7.2	
0.0	0.0	Min	I	-248.9	-0.0	0.0	-10.4	
0.0	0.0		J	-248.9	0.0	-0.0	-10.4	
0.0	0.0	C1-C2;~2 Max	I	91.8	0.0	0.0	4.7	
0.0	0.0		J	91.8	0.0	0.0	4.7	
0.0	0.0	Min	I	-84.0	-0.0	0.0	-10.1	
0.0	0.0		J	-84.0	0.0	-0.0	-10.1	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4 ; ~2 Max	I	80.9	0.0	0.0	3.9
			J	80.9	0.0	0.0	3.9
0.0	0.0	Min	I	-129.2	-0.0	0.0	-5.8
0.0	0.0		J	-129.2	0.0	-0.0	-5.8
0.0	0.0	G1	I	-47.1	0.0	-1.5	-2.2
0.0	0.0		J	-47.1	0.0	1.5	-2.2
0.0	0.0	G2	I	-22.0	0.0	0.0	-3.2
0.0	0.0		J	-22.0	0.0	0.0	-3.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.0	-0.0	0.0	0.6
0.0	0.0		J	9.0	0.0	-0.0	0.6
0.0	0.0	Q5_pc Y	I	-5.0	0.0	0.0	-0.4
0.0	0.0		J	-5.0	0.0	-0.0	-0.4
0.0	0.0	Q5_ps X	I	10.1	-0.0	0.0	0.6
0.0	0.0		J	10.1	0.0	-0.0	0.6
0.0	0.0	Q5_ps Y	I	-1.7	0.0	0.0	-0.3
0.0	0.0		J	-1.7	0.0	-0.0	-0.3
0.0	0.0	INVS LU Max	I	169.0	0.0	-2.0	17.3
			J	169.0	0.0	2.0	17.3
0.0	0.0	Min	I	-406.7	-0.0	-2.0	-17.7
0.0	0.0		J	-406.7	0.0	2.0	-17.7
0.0	0.0	INVS LE Max	I	127.3	0.0	-1.5	13.6
0.0	0.0		J	127.3	0.0	1.5	13.6
0.0	0.0	Min	I	-297.9	-0.0	-1.5	-12.2
0.0	0.0		J	-297.9	0.0	1.5	-12.2
8440	2	66 C1-C2 ; ~1 Max	I	165.4	0.0	0.0	33.8
0.0	0.0		J	165.4	0.0	0.0	33.8
0.0	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-164.4	-0.0	0.0	-11.3	
0.0	0.0			J	-164.4	-0.0	-0.0	-11.3	
0.0	0.0		C3-C4;~1	Max	I	148.3	0.0	0.0	32.5
0.0	0.0			J	148.3	0.0	0.0	32.5	
0.0	0.0			Min	I	-249.0	-0.0	0.0	-11.9
0.0	0.0			J	-249.0	-0.0	-0.0	-11.9	
0.0	0.0		C1-C2;~2	Max	I	91.6	0.0	0.0	20.4
0.0	0.0			J	91.6	0.0	0.0	20.4	
0.0	0.0			Min	I	-84.1	-0.0	0.0	-5.8
0.0	0.0			J	-84.1	-0.0	-0.0	-5.8	
0.0	0.0		C3-C4;~2	Max	I	80.9	0.0	0.0	19.1
0.0	0.0			J	80.9	0.0	0.0	19.1	
0.0	0.0			Min	I	-129.3	-0.0	0.0	-6.1
0.0	0.0			J	-129.3	-0.0	-0.0	-6.1	
0.0	0.0		G1	I	-47.2	0.0	-1.6	11.7	
0.0	0.0			J	-47.2	-0.0	1.6	11.7	
0.0	0.0		G2	I	-22.0	0.0	0.0	4.6	
0.0	0.0			J	-22.0	-0.0	0.0	4.6	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	X	I	9.0	-0.0	0.0	0.5
0.0	0.0			J	9.0	0.0	-0.0	0.5	
0.0	0.0		Q5_pc	Y	I	-5.0	0.0	0.0	0.8
0.0	0.0			J	-5.0	-0.0	-0.0	0.8	
0.0	0.0		Q5_ps	X	I	10.1	-0.0	0.0	0.8
0.0	0.0			J	10.1	0.0	-0.0	0.8	
0.0	0.0		Q5_ps	Y	I	-1.7	0.0	0.0	1.1
0.0	0.0			J	-1.7	-0.0	-0.0	1.1	


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	168.5	0.0	-2.1	80.7
				J	168.5	0.0	2.1	80.7
0.0	0.0		Min	I	-407.0	-0.0	-2.1	17.5
				J	-407.0	-0.0	2.1	17.5
0.0	0.0							
0.0	0.0		INVSLE Max	I	126.9	0.0	-1.6	60.3
				J	126.9	0.0	1.6	60.3
0.0	0.0		Min	I	-298.2	-0.0	-1.6	13.7
				J	-298.2	-0.0	1.6	13.7
0.0	0.0							
8441	2	66	C1-C2;~1 Max	I	281.8	0.0	0.0	5.9
7.9	122.3			J	281.8	0.0	0.0	5.9
0.0	0.0		Min	I	-101.5	-0.2	-0.0	-12.1
-22.5	-538.7			J	-101.5	-0.2	-0.0	-12.1
0.0	0.0							
8.2	205.0		C3-C4;~1 Max	I	370.2	0.1	0.0	4.3
				J	370.2	0.1	0.0	4.3
0.0	0.0		Min	I	-103.9	-0.1	-0.0	-12.0
-19.9	-432.1			J	-103.9	-0.1	-0.0	-12.0
0.0	0.0							
4.0	69.8		C1-C2;~2 Max	I	156.6	0.0	0.0	3.2
				J	156.6	0.0	0.0	3.2
0.0	0.0		Min	I	-51.5	-0.1	-0.0	-7.3
-13.3	-330.7			J	-51.5	-0.1	-0.0	-7.3
0.0	0.0							
4.2	121.7		C3-C4;~2 Max	I	202.6	0.0	0.0	2.2
				J	202.6	0.0	0.0	2.2
0.0	0.0		Min	I	-53.3	-0.1	-0.0	-7.2
-11.6	-259.6			J	-53.3	-0.1	-0.0	-7.2
0.0	0.0							
9618.3	-227.0		G1	I	174.0	-0.1	1.6	-2.2
				J	174.0	-0.1	4.6	-2.2
0.0	0.0							
-3.8	-85.0		G2	I	69.0	-0.0	-0.0	0.4
				J	69.0	-0.0	-0.0	0.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.1	54.0	Q5_pc X	I	-20.8	0.0	0.0	-0.2	
0.0	0.0		J	-20.8	0.0	0.0	-0.2	
-0.6	10.1	Q5_pc Y	I	11.3	0.0	-0.0	-0.2	
0.0	0.0		J	11.3	0.0	-0.0	-0.2	
-0.1	48.1	Q5_ps X	I	-20.5	0.0	-0.0	-0.4	
0.0	0.0		J	-20.5	0.0	-0.0	-0.4	
-0.7	6.1	Q5_ps Y	I	8.4	0.0	-0.0	-0.3	
0.0	0.0		J	8.4	0.0	-0.0	-0.3	
2991.3	21.0	INVSLE Max	I	733.8	0.0	2.2	-7.9	1
0.0	0.0		J	733.8	0.0	6.2	-7.9	
2948.9	-1080.2	Min	I	56.4	-0.3	2.2	-32.5	1
0.0	0.0		J	56.4	-0.3	6.2	-32.5	
9623.3	13.1	INVSLE Max	I	535.7	0.0	1.6	-6.5	
0.0	0.0		J	535.7	0.0	4.6	-6.5	
9591.9	-795.4	Min	I	36.7	-0.3	1.6	-24.8	
0.0	0.0		J	36.7	-0.3	4.6	-24.8	
8442	2	66 C1-C2;~1 Max	I	220.5	0.1	0.0	5.1	
0.0	0.0		J	220.5	0.1	0.0	5.1	
25.1	164.3	Min	I	-82.2	-0.1	-0.0	-17.1	
0.0	0.0		J	-82.2	-0.1	-0.0	-17.1	
-7.5	-473.8							
0.0	0.0	C3-C4;~1 Max	I	275.4	0.1	0.0	5.3	
22.4	248.9		J	275.4	0.1	0.0	5.3	
0.0	0.0	Min	I	-109.3	-0.1	-0.0	-16.8	
-7.8	-376.5		J	-109.3	-0.1	-0.0	-16.8	
0.0	0.0	C1-C2;~2 Max	I	125.3	0.1	0.0	2.6	
14.8	95.7		J	125.3	0.1	0.0	2.6	
0.0	0.0	Min	I	-42.9	-0.0	-0.0	-10.3	

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.8	-292.4		J	-42.9	-0.0	-0.0	-10.3
0.0	0.0	C3-C4;~2 Max	I	153.6	0.1	0.0	2.7
13.0	148.5		J	153.6	0.1	0.0	2.7
0.0	0.0	Min	I	-57.1	-0.0	-0.0	-9.9
-3.9	-226.7		J	-57.1	-0.0	-0.0	-9.9
0.0	0.0	G1	I	121.4	0.0	-4.5	-6.0
9633.5	-147.4		J	121.4	0.0	-1.4	-6.0
0.0	0.0	G2	I	46.9	0.0	-0.0	-1.4
4.6	-56.3		J	46.9	0.0	-0.0	-1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.5	-0.0	0.0	-0.3
-0.2	84.5		J	-8.5	-0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	11.8	-0.0	-0.0	-0.5
0.8	4.1		J	11.8	-0.0	-0.0	-0.5
0.0	0.0	Q5_ps X	I	-7.5	-0.0	0.0	-0.5
-0.1	78.1		J	-7.5	-0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	10.4	-0.0	-0.0	-0.6
0.9	1.5		J	10.4	-0.0	-0.0	-0.6
0.0	0.0	INVSLE Max	I	537.6	0.3	-6.1	-19.3
3043.7	292.8		J	537.6	0.3	-1.9	-19.3
0.0	0.0	Min	I	-3.0	-0.1	-6.1	-50.5
2998.0	-834.9		J	-3.0	-0.1	-1.9	-50.5
0.0	0.0	INVSLE Max	I	393.4	0.2	-4.5	-15.1
9661.7	211.4		J	393.4	0.2	-1.4	-15.1
0.0	0.0	Min	I	-5.5	-0.1	-4.5	-38.1
9627.9	-612.6		J	-5.5	-0.1	-1.4	-38.1
8443	2	66 C1-C2;~1 Max	I	200.6	0.0	0.0	7.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	200.6	0.0	0.0	7.0
0.0	0.0	Min	I	-127.8	0.0	-0.0	-17.7
0.0	0.0		J	-127.8	0.0	0.0	-17.7
0.0	0.0	C3-C4;~1 Max	I	225.6	0.0	0.0	6.1
0.0	0.0		J	225.6	0.0	0.0	6.1
0.0	0.0	Min	I	-182.8	0.0	-0.0	-10.9
0.0	0.0		J	-182.8	0.0	0.0	-10.9
0.0	0.0	C1-C2;~2 Max	I	113.5	0.0	0.0	3.9
0.0	0.0		J	113.5	0.0	0.0	3.9
0.0	0.0	Min	I	-63.2	0.0	-0.0	-10.7
0.0	0.0		J	-63.2	0.0	0.0	-10.7
0.0	0.0	C3-C4;~2 Max	I	124.7	0.0	0.0	3.3
0.0	0.0		J	124.7	0.0	0.0	3.3
0.0	0.0	Min	I	-93.7	0.0	-0.0	-6.1
0.0	0.0		J	-93.7	0.0	0.0	-6.1
0.0	0.0	G1	I	37.3	0.0	-1.5	-3.5
0.0	0.0		J	37.3	0.0	1.5	-3.5
0.0	0.0	G2	I	12.7	0.0	0.0	-3.7
0.0	0.0		J	12.7	0.0	0.0	-3.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.8	0.0	-0.0	0.7
0.0	0.0		J	-2.8	0.0	0.0	0.7
0.0	0.0	Q5_pc Y	I	-4.1	0.0	-0.0	-0.5
0.0	0.0		J	-4.1	0.0	0.0	-0.5
0.0	0.0	Q5_ps X	I	-2.6	0.0	-0.0	0.7
0.0	0.0		J	-2.6	0.0	0.0	0.7
0.0	0.0	Q5_ps Y	I	-2.2	0.0	-0.0	-0.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-2.2	0.0	0.0	-0.4
0.0	0.0							
			INVSLE Max	I	357.5	0.0	-2.0	19.4
0.0	0.0			J	357.5	0.0	2.0	19.4
0.0	0.0		Min	I	-201.3	0.0	-2.0	-15.3
0.0	0.0			J	-201.3	0.0	2.0	-15.3
0.0	0.0							
			INVSLE Max	I	264.4	0.0	-1.5	15.4
0.0	0.0			J	264.4	0.0	1.5	15.4
0.0	0.0		Min	I	-149.0	0.0	-1.5	-10.2
0.0	0.0			J	-149.0	0.0	1.5	-10.2
0.0	0.0							
8444	2	66	C1-C2;~1 Max	I	200.5	0.0	0.0	35.5
0.0	0.0			J	200.5	0.0	0.0	35.5
0.0	0.0		Min	I	-127.8	-0.0	0.0	-10.5
0.0	0.0			J	-127.8	-0.0	-0.0	-10.5
0.0	0.0							
			C3-C4;~1 Max	I	225.6	0.0	0.0	34.1
0.0	0.0			J	225.6	0.0	0.0	34.1
0.0	0.0		Min	I	-182.9	-0.0	0.0	-11.0
0.0	0.0			J	-182.9	-0.0	-0.0	-11.0
0.0	0.0							
			C1-C2;~2 Max	I	113.4	0.0	0.0	21.4
0.0	0.0			J	113.4	0.0	0.0	21.4
0.0	0.0		Min	I	-63.3	-0.0	0.0	-5.2
0.0	0.0			J	-63.3	-0.0	-0.0	-5.2
0.0	0.0							
			C3-C4;~2 Max	I	124.7	0.0	0.0	20.1
0.0	0.0			J	124.7	0.0	0.0	20.1
0.0	0.0		Min	I	-93.7	-0.0	0.0	-5.5
0.0	0.0			J	-93.7	-0.0	-0.0	-5.5
0.0	0.0							
			G1	I	37.2	0.0	-1.6	13.7
0.0	0.0			J	37.2	0.0	1.6	13.7
0.0	0.0							
			G2	I	12.6	0.0	0.0	5.4
0.0	0.0			J	12.6	0.0	0.0	5.4

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-2.8	-0.0	0.0	0.3
0.0	0.0		J	-2.8	-0.0	-0.0	0.3
0.0	0.0						
		Q5_pc Y	I	-4.1	0.0	0.0	1.0
0.0	0.0		J	-4.1	0.0	-0.0	1.0
0.0	0.0						
		Q5_ps X	I	-2.5	-0.0	0.0	0.5
0.0	0.0		J	-2.5	-0.0	-0.0	0.5
0.0	0.0						
		Q5_ps Y	I	-2.2	0.0	0.0	1.3
0.0	0.0		J	-2.2	0.0	-0.0	1.3
0.0	0.0						
		INVSLE Max	I	357.4	0.0	-2.1	89.0
0.0	0.0		J	357.4	0.0	2.1	89.0
0.0	0.0						
		Min	I	-201.4	-0.0	-2.1	24.3
0.0	0.0		J	-201.4	-0.0	2.1	24.3
0.0	0.0						
		INVSLE Max	I	264.3	0.0	-1.6	66.5
0.0	0.0		J	264.3	0.0	1.6	66.5
0.0	0.0						
		Min	I	-149.1	-0.0	-1.6	18.7
0.0	0.0		J	-149.1	-0.0	1.6	18.7
0.0	0.0						
8445	2	66 C1-C2;~1 Max	I	220.5	0.1	0.0	4.9
7.1	164.3		J	220.5	0.1	0.0	4.9
0.0	0.0						
		Min	I	-82.2	-0.2	-0.0	-12.6
-23.6	-473.8		J	-82.2	-0.2	-0.0	-12.6
0.0	0.0						
		C3-C4;~1 Max	I	275.4	0.1	0.0	3.5
7.4	248.9		J	275.4	0.1	0.0	3.5
0.0	0.0						
		Min	I	-109.3	-0.1	-0.0	-12.3
-21.1	-376.5		J	-109.3	-0.1	-0.0	-12.3
0.0	0.0						
		C1-C2;~2 Max	I	125.3	0.0	0.0	2.6
3.6	95.7		J	125.3	0.0	0.0	2.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		Min	I	-42.9	-0.1	-0.0	-7.7	
-13.9	-292.4			J	-42.9	-0.1	-0.0	-7.7	
0.0	0.0								
3.7	148.5	C3-C4;~2	Max	I	153.6	0.0	0.0	1.8	
0.0	0.0			J	153.6	0.0	0.0	1.8	
0.0	0.0		Min	I	-57.1	-0.1	-0.0	-7.4	
-12.3	-226.7			J	-57.1	-0.1	-0.0	-7.4	
0.0	0.0								
9616.6	-147.4		G1	I	121.4	-0.0	1.6	-3.8	
0.0	0.0			J	121.4	-0.0	4.6	-3.8	
0.0	0.0								
-4.4	-56.3		G2	I	46.9	-0.0	-0.0	-0.2	
0.0	0.0			J	46.9	-0.0	-0.0	-0.2	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.2	84.5		Q5_pc X	I	-8.5	0.0	0.0	-0.4	
0.0	0.0			J	-8.5	0.0	0.0	-0.4	
0.0	0.0								
-0.7	4.1		Q5_pc Y	I	11.8	0.0	-0.0	-0.3	
0.0	0.0			J	11.8	0.0	-0.0	-0.3	
0.0	0.0								
0.1	78.1		Q5_ps X	I	-7.5	0.0	0.0	-0.5	
0.0	0.0			J	-7.5	0.0	0.0	-0.5	
0.0	0.0								
-0.8	1.5		Q5_ps Y	I	10.4	0.0	-0.0	-0.4	
0.0	0.0			J	10.4	0.0	-0.0	-0.4	
0.0	0.0								
2989.2	292.8		INVSLE Max	I	537.6	0.1	2.2	-15.9	1
0.0	0.0			J	537.6	0.1	6.2	-15.9	
0.0	0.0								
2946.2	-834.9		Min	I	-3.0	-0.3	2.2	-40.2	1
0.0	0.0			J	-3.0	-0.3	6.2	-40.2	
0.0	0.0								
9621.8	211.4		INVSLE Max	I	393.4	0.1	1.6	-12.6	
0.0	0.0			J	393.4	0.1	4.6	-12.6	
0.0	0.0								
9590.0	-612.6		Min	I	-5.5	-0.2	1.6	-30.6	
				J	-5.5	-0.2	4.6	-30.6	

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
8446	2	66	C1-C2;~1	Max	I	184.1	0.1	0.0
0.0	0.0				J	184.1	0.1	0.0
23.7	220.1				I	-114.6	-0.1	-0.0
0.0	0.0			Min	J	-114.6	-0.1	-0.0
-7.3	-401.5							-16.7
								-16.7
			C3-C4;~1	Max	I	202.9	0.1	0.0
0.0	0.0				J	202.9	0.1	0.0
21.0	309.4				I	-173.8	-0.1	-0.0
0.0	0.0			Min	J	-173.8	-0.1	-0.0
-7.5	-309.2							-15.8
								-15.8
			C1-C2;~2	Max	I	102.8	0.1	0.0
0.0	0.0				J	102.8	0.1	0.0
14.1	130.0				I	-59.4	-0.0	-0.0
0.0	0.0			Min	J	-59.4	-0.0	-0.0
-3.7	-249.4							-10.0
								-10.0
			C3-C4;~2	Max	I	111.3	0.1	0.0
0.0	0.0				J	111.3	0.1	0.0
12.3	185.1				I	-91.0	-0.1	-0.0
0.0	0.0			Min	J	-91.0	-0.1	-0.0
-3.9	-186.4							-9.5
								-9.5
			G1		I	48.0	0.0	-4.5
0.0	0.0				J	48.0	0.0	-1.4
9631.9	-40.6							-6.3
								-6.3
			G2		I	16.6	0.0	-0.0
0.0	0.0				J	16.6	0.0	-0.0
4.3	-13.8							-1.5
								-1.5
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							0.0
			Q5_pc	X	I	1.0	-0.0	0.0
0.0	0.0				J	1.0	-0.0	0.0
-0.3	96.8							-0.4
								-0.4
			Q5_pc	Y	I	12.4	0.0	-0.0
0.0	0.0				J	12.4	0.0	-0.0
0.9	-0.7							-0.5
								-0.5
			Q5_ps	X	I	2.7	-0.0	0.0
0.0	0.0				J	2.7	-0.0	0.0
								-0.6
								-0.6


MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.1	90.4						
		Q5_ps	Y	I	12.5	0.0	-0.0 -0.7
0.0	0.0			J	12.5	0.0	-0.0 -0.7
1.0	-2.7						
		INVSLU	Max	I	343.8	0.2	-6.1 -20.7
0.0	0.0			J	343.8	0.2	-1.9 -20.7
3037.5	601.9						1
		Min		I	-187.2	-0.2	-6.1 -49.9
0.0	0.0			J	-187.2	-0.2	-1.9 -49.9
2993.8	-532.1						1
		INVSLE	Max	I	252.5	0.1	-4.5 -16.2
0.0	0.0			J	252.5	0.1	-1.4 -16.2
9657.1	440.3						
		Min		I	-139.2	-0.1	-4.5 -37.7
0.0	0.0			J	-139.2	-0.1	-1.4 -37.7
9624.8	-386.8						
8447	2	66	C1-C2;~1	Max	253.7	0.0	0.0 6.7
0.0	0.0			J	253.7	0.0	0.0 6.7
0.0	0.0	Min		I	-127.3	0.0	-0.0 -16.8
0.0	0.0			J	-127.3	0.0	-0.0 -16.8
0.0	0.0						
		C3-C4;~1	Max	I	317.1	0.0	0.0 5.9
0.0	0.0			J	317.1	0.0	0.0 5.9
0.0	0.0						
		Min		I	-145.1	0.0	-0.0 -9.6
0.0	0.0			J	-145.1	0.0	-0.0 -9.6
0.0	0.0						
		C1-C2;~2	Max	I	142.7	0.0	0.0 3.9
0.0	0.0			J	142.7	0.0	0.0 3.9
0.0	0.0						
		Min		I	-65.4	0.0	-0.0 -10.2
0.0	0.0			J	-65.4	0.0	-0.0 -10.2
0.0	0.0						
		C3-C4;~2	Max	I	174.6	0.0	0.0 3.3
0.0	0.0			J	174.6	0.0	0.0 3.3
0.0	0.0						
		Min		I	-73.5	0.0	-0.0 -5.4
0.0	0.0			J	-73.5	0.0	-0.0 -5.4
0.0	0.0						
		G1		I	112.4	0.0	-1.5 -2.9
0.0	0.0			J	112.4	0.0	1.5 -2.9
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		G2	I	43.7	0.0	-3.4
0.0	0.0			J	43.7	0.0	-3.4
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-11.1	0.0	0.7
0.0	0.0			J	-11.1	0.0	0.7
0.0	0.0		Q5_pc Y	I	-3.3	0.0	-0.5
0.0	0.0			J	-3.3	0.0	-0.5
0.0	0.0		Q5_ps X	I	-11.8	0.0	0.7
0.0	0.0			J	-11.8	0.0	0.7
0.0	0.0		Q5_ps Y	I	-3.1	0.0	-0.5
0.0	0.0			J	-3.1	0.0	-0.5
0.0	0.0		INVSLE Max	I	582.5	0.0	21.8
0.0	0.0			J	582.5	0.0	21.8
0.0	0.0		Min	I	-61.4	0.0	-11.1
0.0	0.0			J	-61.4	0.0	-11.1
0.0	0.0		INVSLE Max	I	427.6	0.0	17.1
0.0	0.0			J	427.6	0.0	17.1
0.0	0.0		Min	I	-47.8	0.0	-7.2
0.0	0.0			J	-47.8	0.0	-7.2
8448	2	66	C1-C2;~1 Max	I	253.7	0.0	34.4
0.0	0.0			J	253.7	0.0	34.4
0.0	0.0		Min	I	-127.3	-0.0	-10.8
0.0	0.0			J	-127.3	0.0	-10.8
0.0	0.0		C3-C4;~1 Max	I	317.1	0.0	32.8
0.0	0.0			J	317.1	0.0	32.8
0.0	0.0		Min	I	-145.1	-0.0	-11.3
0.0	0.0			J	-145.1	0.0	-11.3

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C1-C2;~2 Max	I	142.6	0.0	0.0	20.7
			J	142.6	0.0	0.0	20.7
0.0	0.0	Min	I	-65.4	-0.0	-0.0	-5.5
0.0	0.0		J	-65.4	0.0	-0.0	-5.5
0.0	0.0	C3-C4;~2 Max	I	174.6	0.0	0.0	19.4
0.0	0.0		J	174.6	0.0	0.0	19.4
0.0	0.0	Min	I	-73.6	-0.0	-0.0	-5.7
0.0	0.0		J	-73.6	0.0	-0.0	-5.7
0.0	0.0	G1	I	112.3	-0.0	-1.6	12.3
0.0	0.0		J	112.3	0.0	1.6	12.3
0.0	0.0	G2	I	43.7	-0.0	0.0	4.9
0.0	0.0		J	43.7	0.0	0.0	4.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-11.0	0.0	-0.0	0.2
0.0	0.0		J	-11.0	0.0	-0.0	0.2
0.0	0.0	Q5_pc Y	I	-3.3	-0.0	-0.0	1.2
0.0	0.0		J	-3.3	0.0	-0.0	1.2
0.0	0.0	Q5_ps X	I	-11.7	0.0	-0.0	0.4
0.0	0.0		J	-11.7	0.0	-0.0	0.4
0.0	0.0	Q5_ps Y	I	-3.1	-0.0	-0.0	1.5
0.0	0.0		J	-3.1	0.0	-0.0	1.5
0.0	0.0	INVSLU Max	I	582.6	-0.0	-2.1	83.5
0.0	0.0		J	582.6	0.0	2.1	83.5
0.0	0.0	Min	I	-61.4	-0.0	-2.1	19.8
0.0	0.0		J	-61.4	0.0	2.1	19.8
0.0	0.0	INVSLE Max	I	427.7	-0.0	-1.6	62.3
0.0	0.0		J	427.7	0.0	1.6	62.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-47.8	-0.0	-1.6	15.2
0.0	0.0			J	-47.8	0.0	1.6	15.2
0.0	0.0							
8449	2	66	C1-C2;~1	Max	I	184.1	0.1	0.0
6.9	220.1				J	184.1	0.1	0.0
0.0	0.0							
			Min	I	-114.6	-0.1	-0.0	-12.4
-22.3	-401.5			J	-114.6	-0.1	-0.0	-12.4
0.0	0.0							
			C3-C4;~1	Max	I	202.9	0.1	0.0
7.1	309.4			J	202.9	0.1	0.0	2.8
0.0	0.0							
			Min	I	-173.8	-0.1	-0.0	-11.6
-19.8	-309.2			J	-173.8	-0.1	-0.0	-11.6
0.0	0.0							
			C1-C2;~2	Max	I	102.8	0.0	0.0
3.5	130.0			J	102.8	0.0	0.0	2.3
0.0	0.0							
			Min	I	-59.4	-0.1	-0.0	-7.6
-13.3	-249.4			J	-59.4	-0.1	-0.0	-7.6
0.0	0.0							
			C3-C4;~2	Max	I	111.3	0.1	0.0
3.6	185.1			J	111.3	0.1	0.0	1.4
0.0	0.0							
			Min	I	-90.9	-0.1	-0.0	-7.1
-11.6	-186.4			J	-90.9	-0.1	-0.0	-7.1
0.0	0.0							
			G1	I	48.0	-0.0	1.6	-4.3
9616.8	-40.6			J	48.0	-0.0	4.6	-4.3
0.0	0.0							
			G2	I	16.6	-0.0	-0.0	-0.4
-4.0	-13.8			J	16.6	-0.0	-0.0	-0.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	1.0	0.0	0.0
0.2	96.8			J	1.0	0.0	0.0	-0.5
0.0	0.0							
			Q5_pc	Y	I	12.4	-0.0	-0.0
-0.8	-0.7			J	12.4	-0.0	-0.0	-0.3
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.1	90.4	Q5_ps X	I	2.7	0.0	0.0	-0.6	
			J	2.7	0.0	0.0	-0.6	
0.0	0.0							
-0.9	-2.7	Q5_ps Y	I	12.5	-0.0	-0.0	-0.5	
			J	12.5	-0.0	-0.0	-0.5	
0.0	0.0							
2991.4	601.9	INVS LU Max	I	343.8	0.2	2.2	-17.8	1
			J	343.8	0.2	6.2	-17.8	
0.0	0.0							
2950.2	-532.1	Min	I	-187.2	-0.2	2.2	-41.0	1
			J	-187.2	-0.2	6.2	-41.0	
0.0	0.0							
9623.4	440.3	INVS LE Max	I	252.5	0.1	1.6	-14.1	
			J	252.5	0.1	4.6	-14.1	
0.0	0.0							
9593.0	-386.8	Min	I	-139.2	-0.1	1.6	-31.2	
			J	-139.2	-0.1	4.6	-31.2	
0.0	0.0							
8450	2	66 C1-C2;~1 Max	I	160.0	0.1	0.0	3.9	
0.0	0.0		J	160.0	0.1	0.0	3.9	
20.6	326.7							
		Min	I	-172.5	-0.1	-0.0	-15.6	
0.0	0.0		J	-172.5	-0.1	-0.0	-15.6	
-7.4	-343.0							
		C3-C4;~1 Max	I	141.7	0.1	0.0	4.2	
0.0	0.0		J	141.7	0.1	0.0	4.2	
17.7	431.5							
		Min	I	-258.5	-0.1	-0.0	-14.9	
0.0	0.0		J	-258.5	-0.1	-0.0	-14.9	
-7.6	-252.4							
		C1-C2;~2 Max	I	85.6	0.1	0.0	2.0	
0.0	0.0		J	85.6	0.1	0.0	2.0	
12.4	190.6							
		Min	I	-91.3	-0.1	-0.0	-9.5	
0.0	0.0		J	-91.3	-0.1	-0.0	-9.5	
-3.9	-211.7							
		C3-C4;~2 Max	I	73.8	0.0	0.0	2.1	
0.0	0.0		J	73.8	0.0	0.0	2.1	
10.5	253.0							
		Min	I	-134.7	-0.1	-0.0	-9.0	
0.0	0.0		J	-134.7	-0.1	-0.0	-9.0	
-4.1	-149.0							
		G1	I	-35.2	-0.0	-4.5	-5.6	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9629.0	92.6		J	-35.2	-0.0	-1.4	-5.6	
		G2	I	-17.6	-0.0	-0.0	-1.2	
0.0	0.0		J	-17.6	-0.0	-0.0	-1.2	
2.9	36.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	8.4	-0.0	0.0	-0.5	
0.0	0.0		J	8.4	-0.0	0.0	-0.5	
-0.2	98.1							
		Q5_pc Y	I	13.1	0.0	-0.0	-0.6	
0.0	0.0		J	13.1	0.0	-0.0	-0.6	
1.0	-5.8							
		Q5_ps X	I	10.9	-0.0	0.0	-0.6	
0.0	0.0		J	10.9	-0.0	0.0	-0.6	
-0.1	92.2							
		Q5_ps Y	I	14.7	0.0	-0.0	-0.8	
0.0	0.0		J	14.7	0.0	-0.0	-0.8	
1.1	-7.0							
		INVSLE Max	I	175.2	0.1	-6.1	-14.6	
0.0	0.0		J	175.2	0.1	-1.9	-14.6	1
3024.6	970.5	Min	I	-413.4	-0.3	-6.1	-42.4	
0.0	0.0		J	-413.4	-0.3	-1.9	-42.4	1
2984.9	-251.6							
		INVSLE Max	I	130.4	0.1	-4.5	-11.5	
0.0	0.0		J	130.4	0.1	-1.4	-11.5	
9647.5	711.5	Min	I	-303.8	-0.2	-4.5	-32.0	
0.0	0.0		J	-303.8	-0.2	-1.4	-32.0	
9618.1	-180.7							
8451	2	66 C1-C2;~1 Max	I	321.5	0.0	0.0	6.9	
0.0	0.0		J	321.5	0.0	0.0	6.9	
0.0	0.0	Min	I	-144.8	0.0	0.0	-15.1	
0.0	0.0		J	-144.8	-0.0	-0.0	-15.1	
0.0	0.0							
		C3-C4;~1 Max	I	420.0	0.0	0.0	6.4	
0.0	0.0		J	420.0	0.0	0.0	6.4	
0.0	0.0	Min	I	-154.7	0.0	0.0	-7.4	
0.0	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-154.7	-0.0	-0.0	-7.4
0.0	0.0	C1-C2;~2 Max	I	176.5	0.0	0.0	4.2
0.0	0.0		J	176.5	0.0	0.0	4.2
0.0	0.0	Min	I	-73.8	0.0	0.0	-9.3
0.0	0.0		J	-73.8	-0.0	-0.0	-9.3
0.0	0.0	C3-C4;~2 Max	I	227.0	0.0	0.0	3.8
0.0	0.0		J	227.0	0.0	0.0	3.8
0.0	0.0	Min	I	-78.8	0.0	0.0	-4.2
0.0	0.0		J	-78.8	-0.0	-0.0	-4.2
0.0	0.0	G1	I	167.1	0.0	-1.5	-1.1
0.0	0.0		J	167.1	0.0	1.5	-1.1
0.0	0.0	G2	I	66.6	0.0	0.0	-2.7
0.0	0.0		J	66.6	0.0	0.0	-2.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-16.9	0.0	0.0	0.6
0.0	0.0		J	-16.9	-0.0	-0.0	0.6
0.0	0.0	Q5_pc Y	I	-2.7	0.0	0.0	-0.6
0.0	0.0		J	-2.7	0.0	-0.0	-0.6
0.0	0.0	Q5_ps X	I	-18.5	0.0	0.0	0.6
0.0	0.0		J	-18.5	-0.0	-0.0	0.6
0.0	0.0	Q5_ps Y	I	-4.0	0.0	0.0	-0.6
0.0	0.0		J	-4.0	0.0	-0.0	-0.6
0.0	0.0	INVSLU Max	I	783.3	0.0	-2.0	24.4
0.0	0.0		J	783.3	0.0	2.0	24.4
0.0	0.0	Min	I	-23.0	0.0	-2.0	-6.4
0.0	0.0		J	-23.0	0.0	2.0	-6.4
0.0	0.0	INVSLE Max	I	573.2	0.0	-1.5	19.0

MIDAS

PROJECT TITLE :

MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	573.2	0.0	1.5	19.0	
0.0	0.0		Min	I	-21.9	0.0	-1.5	-3.7	
0.0	0.0			J	-21.9	0.0	1.5	-3.7	
0.0	0.0								
8452	2	66	C1-C2;~1	Max	I	321.6	0.0	0.0	30.5
0.0	0.0			J	321.6	0.0	0.0	30.5	
0.0	0.0		Min	I	-144.8	0.0	-0.0	-11.5	
0.0	0.0			J	-144.8	0.0	0.0	-11.5	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	420.1	0.0	0.0	28.7
0.0	0.0			J	420.1	0.0	0.0	28.7	
0.0	0.0		Min	I	-154.8	0.0	-0.0	-11.9	
0.0	0.0			J	-154.8	0.0	0.0	-11.9	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	176.6	0.0	0.0	18.6
0.0	0.0			J	176.6	0.0	0.0	18.6	
0.0	0.0		Min	I	-73.8	0.0	-0.0	-6.1	
0.0	0.0			J	-73.8	0.0	0.0	-6.1	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	227.1	0.0	0.0	17.2
0.0	0.0			J	227.1	0.0	0.0	17.2	
0.0	0.0		Min	I	-78.8	0.0	-0.0	-6.3	
0.0	0.0			J	-78.8	0.0	0.0	-6.3	
0.0	0.0								
0.0	0.0		G1	I	167.1	0.0	-1.6	7.5	
0.0	0.0			J	167.1	0.0	1.6	7.5	
0.0	0.0								
0.0	0.0		G2	I	66.6	0.0	0.0	3.0	
0.0	0.0			J	66.6	0.0	0.0	3.0	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-16.9	0.0	-0.0	0.2
0.0	0.0			J	-16.9	0.0	0.0	0.2	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-2.7	0.0	-0.0	1.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-2.7	0.0	0.0	1.3
0.0	0.0	Q5_ps X	I	-18.4	0.0	-0.0	0.4
0.0	0.0		J	-18.4	0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	-4.0	0.0	-0.0	1.6
0.0	0.0		J	-4.0	0.0	0.0	1.6
0.0	0.0	INVSLU Max	I	783.6	0.0	-2.1	62.3
0.0	0.0		J	783.6	0.0	2.1	62.3
0.0	0.0	Min	I	-22.8	0.0	-2.1	2.6
0.0	0.0		J	-22.8	0.0	2.1	2.6
0.0	0.0	INVSLE Max	I	573.4	0.0	-1.6	46.4
0.0	0.0		J	573.4	0.0	1.6	46.4
0.0	0.0	Min	I	-21.7	0.0	-1.6	2.3
0.0	0.0		J	-21.7	0.0	1.6	2.3
8453 6.9	2 326.7	66 C1-C2;~1 Max	I	160.0	0.1	0.0	3.7
0.0	0.0		J	160.0	0.1	0.0	3.7
-19.4	-343.0	Min	I	-172.5	-0.1	-0.0	-12.2
0.0	0.0		J	-172.5	-0.1	-0.0	-12.2
7.1	431.5	C3-C4;~1 Max	I	141.7	0.1	0.0	2.5
0.0	0.0		J	141.7	0.1	0.0	2.5
-16.6	-252.4	Min	I	-258.5	-0.1	-0.0	-11.2
0.0	0.0		J	-258.5	-0.1	-0.0	-11.2
3.7	190.6	C1-C2;~2 Max	I	85.6	0.1	0.0	2.0
0.0	0.0		J	85.6	0.1	0.0	2.0
-11.7	-211.7	Min	I	-91.3	-0.1	-0.0	-7.5
0.0	0.0		J	-91.3	-0.1	-0.0	-7.5
3.8	253.0	C3-C4;~2 Max	I	73.8	0.1	0.0	1.2
0.0	0.0		J	73.8	0.1	0.0	1.2
-9.9	-149.0	Min	I	-134.7	-0.0	-0.0	-6.9
0.0	0.0		J	-134.7	-0.0	-0.0	-6.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9620.5	92.6	G1	I	-35.2	0.0	1.6	-4.5	
0.0	0.0		J	-35.2	0.0	4.6	-4.5	
-2.7	36.6	G2	I	-17.6	0.0	-0.0	-0.5	
0.0	0.0		J	-17.6	0.0	-0.0	-0.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.2	98.1	Q5_pc X	I	8.5	0.0	0.0	-0.5	
0.0	0.0		J	8.5	0.0	0.0	-0.5	
-0.9	-5.8	Q5_pc Y	I	13.1	-0.0	-0.0	-0.3	
0.0	0.0		J	13.1	-0.0	-0.0	-0.3	
0.1	92.2	Q5_ps X	I	10.9	0.0	0.0	-0.6	
0.0	0.0		J	10.9	0.0	0.0	-0.6	
-1.0	-7.0	Q5_ps Y	I	14.7	-0.0	-0.0	-0.5	
0.0	0.0		J	14.7	-0.0	-0.0	-0.5	
3001.0	970.5	INVSLE Max	I	175.2	0.3	2.2	-14.6	1
0.0	0.0		J	175.2	0.3	6.2	-14.6	
2963.6	-251.6	Min	I	-413.3	-0.1	2.2	-36.9	1
0.0	0.0		J	-413.3	-0.1	6.2	-36.9	
9630.7	711.5	INVSLE Max	I	130.4	0.2	1.7	-11.7	
0.0	0.0		J	130.4	0.2	4.6	-11.7	
9603.1	-180.7	Min	I	-303.8	-0.1	1.6	-28.1	
0.0	0.0		J	-303.8	-0.1	4.6	-28.1	
8454	2	66 C1-C2;~1 Max	I	159.5	0.1	0.0	4.3	
0.0	0.0		J	159.5	0.1	0.0	4.3	
17.2	436.4	Min	I	-242.7	-0.1	-0.0	-15.0	
0.0	0.0		J	-242.7	-0.1	-0.0	-15.0	
-8.0	-310.4							
0.0	0.0	C3-C4;~1 Max	I	131.0	0.1	0.0	4.8	
			J	131.0	0.1	0.0	4.8	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
14.2	500.7		Min	I	-367.1	-0.2	-0.0	-14.3	
0.0	0.0			J	-367.1	-0.2	-0.0	-14.3	
-8.3	-222.8								
		C1-C2;~2	Max	I	84.4	0.1	0.0	2.3	
0.0	0.0			J	84.4	0.1	0.0	2.3	
10.7	255.6		Min	I	-127.5	-0.1	-0.0	-9.4	
0.0	0.0			J	-127.5	-0.1	-0.0	-9.4	
-4.5	-191.0								
		C3-C4;~2	Max	I	67.7	0.0	0.0	2.5	
0.0	0.0			J	67.7	0.0	0.0	2.5	
8.7	289.8		Min	I	-191.0	-0.1	-0.0	-8.8	
0.0	0.0			J	-191.0	-0.1	-0.0	-8.8	
-4.6	-128.8								
			G1	I	-116.4	-0.1	-4.5	-4.0	
0.0	0.0			J	-116.4	-0.1	-1.4	-4.0	
9624.4	212.6								
			G2	I	-50.8	-0.0	-0.0	-0.6	
0.0	0.0			J	-50.8	-0.0	-0.0	-0.6	
1.0	85.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	15.5	-0.0	-0.0	-0.5	
0.0	0.0			J	15.5	-0.0	-0.0	-0.5	
0.0	95.0								
			Q5_pc Y	I	13.2	0.0	-0.0	-0.5	
0.0	0.0			J	13.2	0.0	-0.0	-0.5	
0.9	-16.6								
			Q5_ps X	I	18.5	-0.0	-0.0	-0.7	
0.0	0.0			J	18.5	-0.0	-0.0	-0.7	
0.1	90.0								
			Q5_ps Y	I	16.3	0.0	-0.0	-0.8	
0.0	0.0			J	16.3	0.0	-0.0	-0.8	
1.0	-16.6								
			INVSLU Max	I	70.8	-0.0	-6.0	-1.8	
0.0	0.0			J	70.8	-0.0	-1.8	-1.8	1
3006.7	1280.9		Min	I	-668.1	-0.4	-6.1	-29.5	
0.0	0.0			J	-668.1	-0.4	-1.9	-29.5	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2970.7	15.0							
		INVSLE Max	I	55.4	-0.0	-4.5	-1.8	
0.0	0.0		J	55.4	-0.0	-1.4	-1.8	
9634.0	944.1							
		Min	I	-489.8	-0.3	-4.5	-22.2	
0.0	0.0		J	-489.8	-0.3	-1.4	-22.2	
9607.5	19.1							
8455	2	66 C1-C2;~1 Max	I	372.8	0.0	0.0	8.7	
0.0	0.0		J	372.8	0.0	0.0	8.7	
0.0	0.0							
		Min	I	-165.5	-0.0	0.0	-13.2	
0.0	0.0		J	-165.5	0.0	-0.0	-13.2	
0.0	0.0							
		C3-C4;~1 Max	I	505.8	0.0	0.0	8.4	
0.0	0.0		J	505.8	0.0	0.0	8.4	
0.0	0.0							
		Min	I	-173.1	-0.0	0.0	-5.5	
0.0	0.0		J	-173.1	0.0	-0.0	-5.5	
0.0	0.0							
		C1-C2;~2 Max	I	199.9	0.0	0.0	5.3	
0.0	0.0		J	199.9	0.0	0.0	5.3	
0.0	0.0							
		Min	I	-82.3	-0.0	0.0	-8.2	
0.0	0.0		J	-82.3	0.0	-0.0	-8.2	
0.0	0.0							
		C3-C4;~2 Max	I	268.3	0.0	0.0	4.9	
0.0	0.0		J	268.3	0.0	0.0	4.9	
0.0	0.0							
		Min	I	-86.4	-0.0	0.0	-3.0	
0.0	0.0		J	-86.4	0.0	-0.0	-3.0	
0.0	0.0							
		G1	I	193.7	0.0	-1.5	1.8	
0.0	0.0		J	193.7	0.0	1.5	1.8	
0.0	0.0							
		G2	I	78.4	0.0	0.0	-1.6	
0.0	0.0		J	78.4	0.0	0.0	-1.6	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-22.2	-0.0	0.0	0.4	
0.0	0.0		J	-22.2	0.0	-0.0	0.4	
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc	Y	I	-2.4	0.0	0.0	-0.6
0.0	0.0			J	-2.4	0.0	-0.0	-0.6
0.0	0.0	Q5_ps	X	I	-24.5	-0.0	0.0	0.3
0.0	0.0			J	-24.5	0.0	-0.0	0.3
0.0	0.0	Q5_ps	Y	I	-5.2	0.0	0.0	-0.6
0.0	0.0			J	-5.2	0.0	-0.0	-0.6
0.0	0.0	INVSLE	Max	I	899.9	0.0	-2.0	27.6
0.0	0.0			J	899.9	0.0	2.0	27.6
0.0	0.0		Min	I	-56.6	0.0	-2.0	-3.1
0.0	0.0			J	-56.6	0.0	2.0	-3.1
0.0	0.0	INVSLE	Max	I	656.2	0.0	-1.5	21.2
0.0	0.0			J	656.2	0.0	1.5	21.2
0.0	0.0		Min	I	-49.4	0.0	-1.5	-1.5
0.0	0.0			J	-49.4	0.0	1.5	-1.5
8456	2	66 C1-C2;~1	Max	I	372.9	0.0	0.0	27.9
0.0	0.0			J	372.9	0.0	0.0	27.9
0.0	0.0		Min	I	-165.5	0.0	-0.0	-13.4
0.0	0.0			J	-165.5	0.0	0.0	-13.4
0.0	0.0	C3-C4;~1	Max	I	505.9	0.0	0.0	25.3
0.0	0.0			J	505.9	0.0	0.0	25.3
0.0	0.0		Min	I	-173.2	0.0	-0.0	-13.9
0.0	0.0			J	-173.2	0.0	0.0	-13.9
0.0	0.0	C1-C2;~2	Max	I	200.0	0.0	0.0	17.5
0.0	0.0			J	200.0	0.0	0.0	17.5
0.0	0.0		Min	I	-82.4	0.0	-0.0	-7.4
0.0	0.0			J	-82.4	0.0	0.0	-7.4
0.0	0.0	C3-C4;~2	Max	I	268.4	0.0	0.0	15.6
0.0	0.0			J	268.4	0.0	0.0	15.6
0.0	0.0		Min	I	-86.5	0.0	-0.0	-7.6


MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-86.5	0.0	0.0	-7.6
0.0	0.0						
0.0	0.0	G1	I	193.8	0.0	-1.6	0.3
0.0	0.0		J	193.8	0.0	1.6	0.3
0.0	0.0						
0.0	0.0	G2	I	78.4	0.0	0.0	0.3
0.0	0.0		J	78.4	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-22.2	0.0	-0.0	0.4
0.0	0.0		J	-22.2	0.0	0.0	0.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-2.4	0.0	-0.0	1.1
0.0	0.0		J	-2.4	0.0	0.0	1.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-24.4	0.0	-0.0	0.5
0.0	0.0		J	-24.4	0.0	0.0	0.5
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-5.2	0.0	-0.0	1.4
0.0	0.0		J	-5.2	0.0	0.0	1.4
0.0	0.0						
0.0	0.0	INVSLU Max	I	900.4	0.0	-2.1	31.9
0.0	0.0		J	900.4	0.0	2.1	31.9
0.0	0.0						
0.0	0.0	Min	I	-56.3	0.0	-2.1	-26.7
0.0	0.0		J	-56.3	0.0	2.1	-26.7
0.0	0.0						
0.0	0.0	INVSLE Max	I	656.5	0.0	-1.6	23.3
0.0	0.0		J	656.5	0.0	1.6	23.3
0.0	0.0						
0.0	0.0	Min	I	-49.2	0.0	-1.6	-20.0
0.0	0.0		J	-49.2	0.0	1.6	-20.0
0.0	0.0						
8457	2	66 C1-C2;~1 Max	I	159.5	0.1	0.0	3.8
7.6	436.4		J	159.5	0.1	0.0	3.8
0.0	0.0						
0.0	0.0	Min	I	-242.7	-0.1	-0.0	-12.1
-16.2	-310.4		J	-242.7	-0.1	-0.0	-12.1
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7.8	500.7	C3-C4;~1	Max	I	131.0	0.2	0.0	2.9
				J	131.0	0.2	0.0	2.9
0.0	0.0		Min	I	-367.0	-0.1	-0.0	-11.4
-13.3	-222.8			J	-367.0	-0.1	-0.0	-11.4
0.0	0.0							
4.2	255.6	C1-C2;~2	Max	I	84.4	0.1	0.0	2.2
				J	84.4	0.1	0.0	2.2
0.0	0.0		Min	I	-127.5	-0.1	-0.0	-7.6
-10.1	-191.0			J	-127.5	-0.1	-0.0	-7.6
0.0	0.0							
4.3	289.8	C3-C4;~2	Max	I	67.7	0.1	0.0	1.4
				J	67.7	0.1	0.0	1.4
0.0	0.0		Min	I	-191.0	-0.0	-0.0	-7.1
-8.2	-128.8			J	-191.0	-0.0	-0.0	-7.1
0.0	0.0							
9625.9	212.6	G1		I	-116.4	0.1	1.6	-4.2
				J	-116.4	0.1	4.6	-4.2
0.0	0.0							
-0.9	85.1	G2		I	-50.8	0.0	-0.0	-0.3
				J	-50.8	0.0	-0.0	-0.3
0.0	0.0							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	95.0	Q5_pc	X	I	15.5	0.0	-0.0	-0.5
				J	15.5	0.0	-0.0	-0.5
0.0	0.0							
-0.8	-16.6	Q5_pc	Y	I	13.2	-0.0	-0.0	-0.3
				J	13.2	-0.0	-0.0	-0.3
0.0	0.0							
-0.1	90.0	Q5_ps	X	I	18.5	0.0	-0.0	-0.6
				J	18.5	0.0	-0.0	-0.6
0.0	0.0							
-0.9	-16.6	Q5_ps	Y	I	16.3	-0.0	-0.0	-0.5
				J	16.3	-0.0	-0.0	-0.5
0.0	0.0							
3015.9	1280.9	INVSLU	Max	I	70.8	0.4	2.2	-6.0
				J	70.8	0.4	6.2	-6.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2982.0	15.0		Min	I	-668.0	0.0	2.2	-28.5	1
				J	-668.0	0.0	6.2	-28.5	
0.0	0.0								
9641.9	944.1		INVSLE Max	I	55.4	0.3	1.7	-5.0	
				J	55.4	0.3	4.6	-5.0	
0.0	0.0								
9616.9	19.1		Min	I	-489.8	0.0	1.6	-21.6	
				J	-489.8	0.0	4.6	-21.6	
0.0	0.0								
8458	2	66	C1-C2;~1 Max	I	184.2	0.1	0.0	6.4	
0.0	0.0			J	184.2	0.1	0.0	6.4	
14.0	596.9		Min	I	-325.1	-0.2	-0.0	-14.6	
				J	-325.1	-0.2	-0.0	-14.6	
0.0	0.0								
-11.0	-287.6								
			C3-C4;~1 Max	I	159.5	0.1	0.0	7.6	
0.0	0.0			J	159.5	0.1	0.0	7.6	
11.2	611.0		Min	I	-492.2	-0.2	-0.0	-13.9	
				J	-492.2	-0.2	-0.0	-13.9	
0.0	0.0								
-11.4	-224.3								
			C1-C2;~2 Max	I	96.8	0.1	0.0	3.4	
0.0	0.0			J	96.8	0.1	0.0	3.4	
9.0	353.5		Min	I	-167.1	-0.1	-0.0	-9.3	
				J	-167.1	-0.1	-0.0	-9.3	
0.0	0.0								
-6.1	-169.9								
			C3-C4;~2 Max	I	81.2	0.0	0.0	3.9	
0.0	0.0			J	81.2	0.0	0.0	3.9	
7.2	350.3		Min	I	-253.8	-0.1	-0.0	-8.7	
				J	-253.8	-0.1	-0.0	-8.7	
0.0	0.0								
-6.2	-123.2								
			G1	I	-187.6	-0.1	-4.5	-0.3	
0.0	0.0			J	-187.6	-0.1	-1.4	-0.3	
9616.2	317.8								
			G2	I	-79.4	-0.0	0.0	0.9	
0.0	0.0			J	-79.4	-0.0	0.0	0.9	
-2.2	127.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	26.1	-0.0	-0.0	-0.7	

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	26.1	-0.0	-0.0	-0.7	
0.1	94.9								
0.0	0.0	Q5_pc	Y	I	13.0	0.0	-0.0	-0.2	
0.7	-6.2			J	13.0	0.0	-0.0	-0.2	
0.0	0.0	Q5_ps	X	I	29.2	-0.0	-0.0	-0.8	
0.2	90.6			J	29.2	-0.0	-0.0	-0.8	
0.0	0.0	Q5_ps	Y	I	17.4	0.0	-0.0	-0.6	
0.9	-5.5			J	17.4	0.0	-0.0	-0.6	
0.0	0.0	INVSLU	Max	I	17.4	-0.0	-6.0	18.7	
2980.7	1539.7			J	17.4	-0.0	-1.8	18.7	1
0.0	0.0		Min	I	-942.8	-0.5	-6.1	-12.6	
2945.0	155.8			J	-942.8	-0.5	-1.8	-12.6	1
0.0	0.0	INVSLE	Max	I	16.5	-0.0	-4.5	13.9	
9614.3	1136.6			J	16.5	-0.0	-1.4	13.9	
0.0	0.0		Min	I	-691.2	-0.3	-4.5	-9.2	
9588.0	124.1			J	-691.2	-0.3	-1.4	-9.2	
8459	2	66	C1-C2;~1	Max	I	395.2	0.0	0.0	13.0
0.0	0.0			J	395.2	0.0	0.0	13.0	
0.0	0.0		Min	I	-202.6	-0.0	0.0	-12.8	
0.0	0.0			J	-202.6	0.0	-0.0	-12.8	
0.0	0.0		C3-C4;~1	Max	I	557.8	0.0	0.0	13.0
0.0	0.0			J	557.8	0.0	0.0	13.0	
0.0	0.0		Min	I	-214.5	-0.0	0.0	-5.0	
0.0	0.0			J	-214.5	0.0	-0.0	-5.0	
0.0	0.0		C1-C2;~2	Max	I	207.0	0.0	0.0	7.9
0.0	0.0			J	207.0	0.0	0.0	7.9	
0.0	0.0		Min	I	-101.8	-0.0	0.0	-8.0	
0.0	0.0			J	-101.8	0.0	-0.0	-8.0	
0.0	0.0		C3-C4;~2	Max	I	290.4	0.0	0.0	7.5

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	290.4	0.0	0.0	7.5
0.0	0.0	Min	I	-108.5	-0.0	0.0	-2.7
0.0	0.0		J	-108.5	0.0	-0.0	-2.7
0.0	0.0	G1	I	179.9	-0.0	-1.5	5.7
0.0	0.0		J	179.9	0.0	1.5	5.7
0.0	0.0	G2	I	74.3	-0.0	0.0	-0.0
0.0	0.0		J	74.3	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-29.4	0.0	0.0	0.0
0.0	0.0		J	-29.4	0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	0.3	-0.0	0.0	-0.6
0.0	0.0		J	0.3	0.0	-0.0	-0.6
0.0	0.0	Q5_ps X	I	-32.0	0.0	0.0	-0.0
0.0	0.0		J	-32.0	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-4.0	-0.0	0.0	-0.6
0.0	0.0		J	-4.0	0.0	-0.0	-0.6
0.0	0.0	INVSLU Max	I	875.6	-0.0	-2.0	36.0
0.0	0.0		J	875.6	0.0	2.0	36.0
0.0	0.0	Min	I	-219.9	-0.0	-2.0	-0.0
0.0	0.0		J	-219.9	0.0	2.0	-0.0
0.0	0.0	INVSLE Max	I	633.5	-0.0	-1.5	27.3
0.0	0.0		J	633.5	0.0	1.5	27.3
0.0	0.0	Min	I	-174.0	-0.0	-1.5	0.7
0.0	0.0		J	-174.0	0.0	1.5	0.7
8460	2	66 C1-C2;~1 Max	I	395.4	0.0	0.0	23.2
0.0	0.0		J	395.4	0.0	0.0	23.2
0.0	0.0	Min	I	-202.6	-0.0	-0.0	-17.3
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-202.6	-0.0	-0.0	-17.3
0.0	0.0	C3-C4;~1 Max	I	558.0	0.0	0.0	20.0
0.0	0.0		J	558.0	0.0	0.0	20.0
0.0	0.0	Min	I	-214.6	-0.0	-0.0	-18.1
0.0	0.0		J	-214.6	-0.0	-0.0	-18.1
0.0	0.0	C1-C2;~2 Max	I	207.1	0.0	0.0	15.1
0.0	0.0		J	207.1	0.0	0.0	15.1
0.0	0.0	Min	I	-101.8	-0.0	-0.0	-9.7
0.0	0.0		J	-101.8	-0.0	-0.0	-9.7
0.0	0.0	C3-C4;~2 Max	I	290.5	0.0	0.0	12.9
0.0	0.0		J	290.5	0.0	0.0	12.9
0.0	0.0	Min	I	-108.5	-0.0	-0.0	-10.0
0.0	0.0		J	-108.5	-0.0	-0.0	-10.0
0.0	0.0	G1	I	180.1	0.0	-1.6	-12.0
0.0	0.0		J	180.1	-0.0	1.6	-12.0
0.0	0.0	G2	I	74.3	0.0	0.0	-4.4
0.0	0.0		J	74.3	-0.0	-0.0	-4.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-29.3	-0.0	-0.0	0.3
0.0	0.0		J	-29.3	0.0	0.0	0.3
0.0	0.0	Q5_pc Y	I	0.3	0.0	-0.0	0.8
0.0	0.0		J	0.3	-0.0	-0.0	0.8
0.0	0.0	Q5_ps X	I	-31.9	-0.0	-0.0	0.3
0.0	0.0		J	-31.9	0.0	0.0	0.3
0.0	0.0	Q5_ps Y	I	-4.0	0.0	-0.0	1.1
0.0	0.0		J	-4.0	-0.0	-0.0	1.1
0.0	0.0	INVSLU Max	I	876.2	0.0	-2.1	-14.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	876.2	-0.0	2.1	-14.5
0.0	0.0		Min	I	-219.5	0.0	-2.1	-71.6
0.0	0.0			J	-219.5	-0.0	2.1	-71.6
0.0	0.0							
0.0	0.0		INVSLE Max	I	634.0	0.0	-1.6	-11.9
0.0	0.0			J	634.0	-0.0	1.6	-11.9
0.0	0.0		Min	I	-173.8	0.0	-1.6	-54.1
0.0	0.0			J	-173.8	-0.0	1.6	-54.1
0.0	0.0							
8461	2	66	C1-C2;~1 Max	I	184.2	0.2	0.0	4.7
10.4	596.9			J	184.2	0.2	0.0	4.7
0.0	0.0		Min	I	-325.0	-0.1	-0.0	-12.6
-13.1	-287.6			J	-325.0	-0.1	-0.0	-12.6
0.0	0.0							
10.8	611.0		C3-C4;~1 Max	I	159.5	0.2	0.0	4.8
0.0	0.0			J	159.5	0.2	0.0	4.8
0.0	0.0		Min	I	-492.2	-0.1	-0.0	-11.9
-10.6	-224.3			J	-492.2	-0.1	-0.0	-11.9
0.0	0.0							
5.7	353.5		C1-C2;~2 Max	I	96.8	0.1	0.0	2.6
0.0	0.0			J	96.8	0.1	0.0	2.6
0.0	0.0		Min	I	-167.0	-0.1	-0.0	-8.0
-8.4	-169.9			J	-167.0	-0.1	-0.0	-8.0
0.0	0.0							
5.9	350.3		C3-C4;~2 Max	I	81.2	0.1	0.0	2.4
0.0	0.0			J	81.2	0.1	0.0	2.4
0.0	0.0		Min	I	-253.8	-0.0	-0.0	-7.4
-6.7	-123.2			J	-253.8	-0.0	-0.0	-7.4
0.0	0.0							
9633.7	317.8		G1	I	-187.6	0.1	1.7	-2.6
0.0	0.0			J	-187.6	0.1	4.6	-2.6
0.0	0.0							
2.1	127.0		G2	I	-79.4	0.0	0.0	0.3
0.0	0.0			J	-79.4	0.0	0.0	0.3
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-0.1	94.9	Q5_pc X	I	26.1	0.0	-0.0	-0.6	
0.0	0.0		J	26.1	0.0	-0.0	-0.6	
-0.7	-6.2	Q5_pc Y	I	13.0	-0.0	-0.0	-0.1	
0.0	0.0		J	13.0	-0.0	-0.0	-0.1	
-0.2	90.6	Q5_ps X	I	29.2	0.0	-0.0	-0.7	
0.0	0.0		J	29.2	0.0	-0.0	-0.7	
-0.8	-5.5	Q5_ps Y	I	17.4	-0.0	-0.0	-0.3	
0.0	0.0		J	17.4	-0.0	-0.0	-0.3	
3040.1	1539.7	INVSLE Max	I	17.4	0.5	2.2	6.3	1
0.0	0.0		J	17.4	0.5	6.2	6.3	
3006.6	155.8	Min	I	-942.7	0.1	2.2	-18.3	1
0.0	0.0		J	-942.7	0.1	6.2	-18.3	
9660.2	1136.6	INVSLE Max	I	16.6	0.4	1.7	4.5	
0.0	0.0		J	16.6	0.4	4.6	4.5	
9635.4	124.1	Min	I	-691.2	0.0	1.7	-13.7	
0.0	0.0		J	-691.2	0.0	4.6	-13.7	
8462	2	66 C1-C2;~1 Max	I	208.7	0.1	0.0	9.6	
0.0	0.0		J	208.7	0.1	0.0	9.6	
10.2	655.3	Min	I	-367.8	-0.2	-0.0	-11.6	
0.0	0.0		J	-367.8	-0.2	-0.0	-11.6	
-15.6	-269.3							
0.0	0.0	C3-C4;~1 Max	I	194.3	0.1	0.0	11.6	
7.1	634.6		J	194.3	0.1	0.0	11.6	
0.0	0.0	Min	I	-555.7	-0.2	-0.0	-10.7	
-16.9	-301.1		J	-555.7	-0.2	-0.0	-10.7	
0.0	0.0	C1-C2;~2 Max	I	108.0	0.0	0.0	4.9	
6.4	391.6		J	108.0	0.0	0.0	4.9	
0.0	0.0	Min	I	-187.0	-0.1	-0.0	-7.3	
-8.2	-141.1		J	-187.0	-0.1	-0.0	-7.3	


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	96.2	0.0	0.0	5.8	
4.3	369.2		J	96.2	0.0	0.0	5.8	
0.0	0.0	Min	I	-284.2	-0.1	-0.0	-6.7	
-8.6	-159.0		J	-284.2	-0.1	-0.0	-6.7	
0.0	0.0	G1	I	-194.9	-0.1	-4.5	7.7	
9607.2	283.7		J	-194.9	-0.1	-1.4	7.7	
0.0	0.0	G2	I	-82.9	-0.0	0.0	3.9	
-5.7	97.1		J	-82.9	-0.0	0.0	3.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	36.4	-0.0	-0.0	-0.8	
1.0	38.8		J	36.4	-0.0	-0.0	-0.8	
0.0	0.0	Q5_pc Y	I	10.7	0.0	-0.0	-0.5	
2.1	-15.3		J	10.7	0.0	-0.0	-0.5	
0.0	0.0	Q5_ps X	I	39.1	-0.0	-0.0	-0.9	
1.0	38.5		J	39.1	-0.0	-0.0	-0.9	
0.0	0.0	Q5_ps Y	I	15.9	0.0	-0.0	-0.8	
2.2	-7.9		J	15.9	0.0	-0.0	-0.8	
0.0	0.0	INVSLE Max	I	98.0	0.0	-6.0	42.9	
2965.6	1235.6		J	98.0	0.0	-1.8	42.9	1
0.0	0.0	Min	I	-999.4	-0.4	-6.0	10.0	
2925.3	-125.4		J	-999.4	-0.4	-1.8	10.0	1
0.0	0.0	INVSLE Max	I	78.7	0.0	-4.5	32.1	
9603.4	909.7		J	78.7	0.0	-1.4	32.1	
0.0	0.0	Min	I	-729.4	-0.3	-4.5	7.8	
9573.9	-93.3		J	-729.4	-0.3	-1.4	7.8	
8463	2	66 C1-C2; ~1 Max	I	348.2	0.0	0.0	16.9	
0.0	0.0		J	348.2	0.0	0.0	16.9	

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-236.5	-0.0	-0.0	-11.5
0.0	0.0			J	-236.5	-0.0	0.0	-11.5
0.0	0.0	C3-C4;~1	Max	I	521.3	0.0	0.0	17.1
0.0	0.0			J	521.3	0.0	0.0	17.1
0.0	0.0		Min	I	-255.0	-0.0	-0.0	-3.8
0.0	0.0			J	-255.0	-0.0	0.0	-3.8
0.0	0.0	C1-C2;~2	Max	I	176.9	0.0	0.0	10.2
0.0	0.0			J	176.9	0.0	0.0	10.2
0.0	0.0		Min	I	-121.8	-0.0	-0.0	-7.3
0.0	0.0			J	-121.8	-0.0	0.0	-7.3
0.0	0.0	C3-C4;~2	Max	I	265.8	0.0	0.0	10.0
0.0	0.0			J	265.8	0.0	0.0	10.0
0.0	0.0		Min	I	-132.5	-0.0	-0.0	-2.0
0.0	0.0			J	-132.5	-0.0	0.0	-2.0
0.0	0.0		G1	I	98.7	-0.0	-1.5	10.3
0.0	0.0			J	98.7	0.0	1.5	10.3
0.0	0.0		G2	I	42.8	-0.0	0.0	1.7
0.0	0.0			J	42.8	0.0	0.0	1.7
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-36.7	0.0	0.0	-0.2
0.0	0.0			J	-36.7	-0.0	0.0	-0.2
0.0	0.0	Q5_pc	Y	I	2.0	-0.0	-0.0	-1.0
0.0	0.0			J	2.0	0.0	0.0	-1.0
0.0	0.0	Q5_ps	X	I	-39.3	0.0	0.0	-0.2
0.0	0.0			J	-39.3	-0.0	0.0	-0.2
0.0	0.0	Q5_ps	Y	I	-3.1	-0.0	-0.0	-0.9
0.0	0.0			J	-3.1	0.0	0.0	-0.9


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		INVS LU Max	I	652.4	-0.0	-2.0	44.4	
0.0	0.0		J	652.4	0.0	2.0	44.4	
0.0	0.0	Min	I	-461.7	-0.0	-2.0	3.8	
0.0	0.0		J	-461.7	0.0	2.0	3.8	
0.0	0.0							
		INVS LE Max	I	465.5	-0.0	-1.5	33.2	
0.0	0.0		J	465.5	0.0	1.5	33.2	
0.0	0.0	Min	I	-354.8	-0.0	-1.5	3.2	
0.0	0.0		J	-354.8	0.0	1.5	3.2	
0.0	0.0							
8464	2	66 C1-C2;~1 Max	I	348.4	0.0	0.0	15.3	
0.0	0.0		J	348.4	0.0	0.0	15.3	
0.0	0.0	Min	I	-236.5	0.0	0.0	-19.7	
0.0	0.0		J	-236.5	0.0	0.0	-19.7	
0.0	0.0							
		C3-C4;~1 Max	I	521.5	0.0	0.0	12.3	
0.0	0.0		J	521.5	0.0	0.0	12.3	
0.0	0.0	Min	I	-255.2	0.0	0.0	-22.4	
0.0	0.0		J	-255.2	0.0	0.0	-22.4	
0.0	0.0							
		C1-C2;~2 Max	I	177.0	0.0	0.0	9.9	
0.0	0.0		J	177.0	0.0	0.0	9.9	
0.0	0.0	Min	I	-121.8	0.0	0.0	-10.1	
0.0	0.0		J	-121.8	0.0	0.0	-10.1	
0.0	0.0							
		C3-C4;~2 Max	I	265.9	0.0	0.0	7.8	
0.0	0.0		J	265.9	0.0	0.0	7.8	
0.0	0.0	Min	I	-132.6	0.0	0.0	-11.4	
0.0	0.0		J	-132.6	0.0	0.0	-11.4	
0.0	0.0							
		G1	I	98.9	0.0	-1.6	-24.7	
0.0	0.0		J	98.9	0.0	1.6	-24.7	
0.0	0.0							
		G2	I	42.9	0.0	0.0	-9.4	
0.0	0.0		J	42.9	0.0	0.0	-9.4	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-36.7	0.0	1.9
				J	-36.7	0.0	1.9
0.0	0.0		Q5_pc Y	I	2.0	0.0	3.1
				J	2.0	0.0	3.1
0.0	0.0		Q5_ps X	I	-39.3	0.0	1.8
				J	-39.3	0.0	1.8
0.0	0.0		Q5_ps Y	I	-3.1	0.0	3.4
				J	-3.1	0.0	3.4
0.0	0.0		INVSLU Max	I	652.8	0.0	-42.2
				J	652.8	0.0	-42.2
0.0	0.0		Min	I	-461.7	0.0	-98.6
				J	-461.7	0.0	-98.6
0.0	0.0		INVSLE Max	I	465.9	0.0	-32.3
				J	465.9	0.0	-32.3
0.0	0.0		Min	I	-354.8	0.0	-73.7
				J	-354.8	0.0	-73.7
8465	2	66	C1-C2;~1 Max	I	208.7	0.2	7.2
14.7	655.3			J	208.7	0.2	7.2
0.0	0.0		Min	I	-367.8	-0.1	-11.6
-9.6	-269.3			J	-367.8	-0.1	-11.6
0.0	0.0		C3-C4;~1 Max	I	194.3	0.2	8.0
15.9	634.6			J	194.3	0.2	8.0
0.0	0.0		Min	I	-555.7	-0.1	-10.4
-6.7	-301.1			J	-555.7	-0.1	-10.4
0.0	0.0		C1-C2;~2 Max	I	108.0	0.1	3.9
7.7	391.6			J	108.0	0.1	3.9
0.0	0.0		Min	I	-186.9	-0.0	-7.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-6.0	-141.1		J	-186.9	-0.0	-0.0	-7.4	
0.0	0.0							
8.1	369.2	C3-C4;~2 Max	I	96.2	0.1	0.0	4.0	
0.0	0.0		J	96.2	0.1	0.0	4.0	
-4.1	-159.0	Min	I	-284.2	-0.1	-0.0	-6.5	
0.0	0.0		J	-284.2	-0.1	-0.0	-6.5	
9641.9	283.7	G1	I	-194.8	0.1	1.7	3.1	
0.0	0.0		J	-194.8	0.1	4.6	3.1	
5.3	97.1	G2	I	-82.9	0.0	0.0	2.5	
0.0	0.0		J	-82.9	0.0	0.0	2.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-1.0	38.8	Q5_pc X	I	36.4	0.0	-0.0	-0.6	
0.0	0.0		J	36.4	0.0	-0.0	-0.6	
-2.0	-15.3	Q5_pc Y	I	10.7	-0.0	-0.0	0.1	
0.0	0.0		J	10.7	-0.0	-0.0	0.1	
-1.0	38.5	Q5_ps X	I	39.1	0.0	-0.0	-0.6	
0.0	0.0		J	39.1	0.0	-0.0	-0.6	
-2.1	-7.9	Q5_ps Y	I	15.9	-0.0	-0.0	-0.2	
0.0	0.0		J	15.9	-0.0	-0.0	-0.2	
3058.4	1235.6	INVSLU Max	I	98.1	0.4	2.2	26.4	1
0.0	0.0		J	98.1	0.4	6.2	26.4	
3020.5	-125.4	Min	I	-999.4	-0.0	2.2	-1.1	1
0.0	0.0		J	-999.4	-0.0	6.2	-1.1	
9673.3	909.7	INVSLE Max	I	78.7	0.3	1.7	19.7	
0.0	0.0		J	78.7	0.3	4.6	19.7	
9645.5	-93.3	Min	I	-729.3	-0.0	1.7	-0.6	
0.0	0.0		J	-729.3	-0.0	4.6	-0.6	


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8466	2	66	C1-C2;~1	Max	I	219.6	0.1	0.0	14.6
0.0	0.0				J	219.6	0.1	0.0	14.6
5.7	366.8			Min	I	-328.9	-0.1	-0.0	-5.6
0.0	0.0				J	-328.9	-0.1	-0.0	-5.6
-18.9	-451.1								
			C3-C4;~1	Max	I	236.2	0.2	0.0	16.8
0.0	0.0				J	236.2	0.2	0.0	16.8
4.1	323.3			Min	I	-491.1	-0.1	-0.0	-4.5
0.0	0.0				J	-491.1	-0.1	-0.0	-4.5
-21.7	-527.4								
			C1-C2;~2	Max	I	113.7	0.1	0.0	7.5
0.0	0.0				J	113.7	0.1	0.0	7.5
3.2	215.1			Min	I	-167.0	-0.1	-0.0	-3.2
0.0	0.0				J	-167.0	-0.1	-0.0	-3.2
-9.9	-239.8								
			C3-C4;~2	Max	I	120.9	0.1	0.0	8.5
0.0	0.0				J	120.9	0.1	0.0	8.5
2.1	192.5			Min	I	-249.7	-0.1	-0.0	-2.4
0.0	0.0				J	-249.7	-0.1	-0.0	-2.4
-11.1	-279.6								
				G1	I	-124.5	0.1	-4.4	16.9
0.0	0.0				J	-124.5	0.1	-1.3	16.9
9231.7	-281.1								
				G2	I	-54.3	0.0	0.0	6.6
0.0	0.0				J	-54.3	0.0	0.0	6.6
-6.5	-98.9								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	23.7	0.0	-0.0	-2.2
0.0	0.0				J	23.7	0.0	-0.0	-2.2
3.4	-160.3								
				Q5_pc Y	I	-13.1	0.1	-0.0	-1.9
0.0	0.0				J	-13.1	0.1	-0.0	-1.9
5.1	-221.1								
				Q5_ps X	I	26.7	0.0	-0.0	-2.2
0.0	0.0				J	26.7	0.0	-0.0	-2.2
3.3	-150.0								


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	-7.8	0.1	-0.0	-2.0	
5.0	-206.5		J	-7.8	0.1	-0.0	-2.0	
0.0	0.0	INVS LU Max	I	259.1	0.5	-5.9	67.0	
2464.5	-143.3		J	259.1	0.5	-1.8	67.0	1
0.0	0.0	Min	I	-765.3	0.0	-5.9	32.9	
2418.3	-1748.5		J	-765.3	0.0	-1.8	32.9	1
0.0	0.0	INVS LE Max	I	199.8	0.4	-4.4	49.9	
9232.5	-132.0		J	199.8	0.4	-1.3	49.9	
0.0	0.0	Min	I	-555.9	0.0	-4.4	24.9	
9199.0	-1291.5		J	-555.9	0.0	-1.4	24.9	
8467	2	66 C1-C2;~1 Max	I	265.0	0.0	0.0	17.4	
0.0	0.0		J	265.0	0.0	0.0	17.4	
0.0	0.0	Min	I	-270.2	-0.0	-0.0	-10.0	
0.0	0.0		J	-270.2	-0.0	0.0	-10.0	
0.0	0.0	C3-C4;~1 Max	I	410.0	0.0	0.0	18.8	
0.0	0.0		J	410.0	0.0	0.0	18.8	
0.0	0.0	Min	I	-290.3	-0.0	-0.0	-3.8	
0.0	0.0		J	-290.3	-0.0	0.0	-3.8	
0.0	0.0	C1-C2;~2 Max	I	133.1	0.0	0.0	10.0	
0.0	0.0		J	133.1	0.0	0.0	10.0	
0.0	0.0	Min	I	-143.8	-0.0	-0.0	-6.2	
0.0	0.0		J	-143.8	-0.0	0.0	-6.2	
0.0	0.0	C3-C4;~2 Max	I	206.6	0.0	0.0	10.5	
0.0	0.0		J	206.6	0.0	0.0	10.5	
0.0	0.0	Min	I	-153.7	-0.0	-0.0	-1.9	
0.0	0.0		J	-153.7	-0.0	0.0	-1.9	
0.0	0.0	G1	I	-24.4	-0.0	-1.4	13.3	
0.0	0.0		J	-24.4	0.0	1.4	13.3	
0.0	0.0	G2	I	-5.2	-0.0	-0.0	3.2	

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-5.2	0.0	0.0	3.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-43.8	0.0	-0.0	-0.6
0.0	0.0		J	-43.8	-0.0	0.0	-0.6
0.0	0.0	Q5_pc Y	I	-6.8	-0.0	0.0	-0.8
0.0	0.0		J	-6.8	0.0	0.0	-0.8
0.0	0.0	Q5_ps X	I	-45.7	0.0	-0.0	-0.6
0.0	0.0		J	-45.7	-0.0	0.0	-0.6
0.0	0.0	Q5_ps Y	I	-10.4	-0.0	0.0	-0.8
0.0	0.0		J	-10.4	0.0	0.0	-0.8
0.0	0.0	INVSLE Max	I	312.6	-0.0	-1.9	50.1
0.0	0.0		J	312.6	0.0	1.9	50.1
0.0	0.0	Min	I	-711.6	-0.0	-1.9	9.8
0.0	0.0		J	-711.6	-0.0	1.9	9.8
0.0	0.0	INVSLE Max	I	214.7	-0.0	-1.4	37.2
0.0	0.0		J	214.7	0.0	1.4	37.2
0.0	0.0	Min	I	-538.1	-0.0	-1.4	7.5
0.0	0.0		J	-538.1	-0.0	1.4	7.5
8468	2	66 C1-C2;~1 Max	I	265.0	0.0	0.0	5.5
0.0	0.0		J	265.0	0.0	0.0	5.5
0.0	0.0	Min	I	-270.4	0.0	-0.0	-21.6
0.0	0.0		J	-270.4	0.0	-0.0	-21.6
0.0	0.0	C3-C4;~1 Max	I	410.0	0.0	0.0	4.8
0.0	0.0		J	410.0	0.0	0.0	4.8
0.0	0.0	Min	I	-290.6	0.0	-0.0	-26.0
0.0	0.0		J	-290.6	0.0	-0.0	-26.0
0.0	0.0	C1-C2;~2 Max	I	133.1	0.0	0.0	2.9

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	133.1	0.0	0.0	2.9
0.0	0.0	Min	I	-143.9	0.0	-0.0	-10.7
0.0	0.0		J	-143.9	0.0	-0.0	-10.7
0.0	0.0	C3-C4; ~2 Max	I	206.6	0.0	0.0	2.5
0.0	0.0		J	206.6	0.0	0.0	2.5
0.0	0.0	Min	I	-153.8	0.0	-0.0	-12.8
0.0	0.0		J	-153.8	0.0	-0.0	-12.8
0.0	0.0	G1	I	-24.6	0.0	-1.5	-28.2
0.0	0.0		J	-24.6	0.0	1.5	-28.2
0.0	0.0	G2	I	-5.3	0.0	0.0	-9.7
0.0	0.0		J	-5.3	0.0	-0.0	-9.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-43.9	0.0	0.0	6.2
0.0	0.0		J	-43.9	0.0	0.0	6.2
0.0	0.0	Q5_pc Y	I	-6.9	0.0	0.0	9.3
0.0	0.0		J	-6.9	0.0	-0.0	9.3
0.0	0.0	Q5_ps X	I	-45.8	0.0	0.0	5.9
0.0	0.0		J	-45.8	0.0	0.0	5.9
0.0	0.0	Q5_ps Y	I	-10.6	0.0	0.0	9.1
0.0	0.0		J	-10.6	0.0	-0.0	9.1
0.0	0.0	INVSLE Max	I	312.2	0.0	-2.1	-35.5
0.0	0.0		J	312.2	0.0	2.1	-35.5
0.0	0.0	Min	I	-712.6	0.0	-2.1	-96.5
0.0	0.0		J	-712.6	0.0	2.1	-96.5
0.0	0.0	INVSLE Max	I	214.4	0.0	-1.5	-27.3
0.0	0.0		J	214.4	0.0	1.5	-27.3
0.0	0.0	Min	I	-538.9	0.0	-1.5	-70.9
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company		Client				
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	-538.9	0.0	1.5	-70.9
0.0	0.0							
8469	2	66	C1-C2;~1 Max	I	219.6	0.1	0.0	11.0
17.9	366.8			J	219.6	0.1	0.0	11.0
0.0	0.0							
			Min	I	-328.9	-0.1	-0.0	-7.1
-5.4	-451.1			J	-328.9	-0.1	-0.0	-7.1
0.0	0.0							
			C3-C4;~1 Max	I	236.1	0.1	0.0	10.9
20.5	323.3			J	236.1	0.1	0.0	10.9
0.0	0.0							
			Min	I	-491.1	-0.2	-0.0	-5.5
-3.8	-527.4			J	-491.1	-0.2	-0.0	-5.5
0.0	0.0							
			C1-C2;~2 Max	I	113.7	0.1	0.0	5.8
9.4	215.1			J	113.7	0.1	0.0	5.8
0.0	0.0							
			Min	I	-167.0	-0.1	-0.0	-4.4
-3.1	-239.8			J	-167.0	-0.1	-0.0	-4.4
0.0	0.0							
			C3-C4;~2 Max	I	120.8	0.1	0.0	5.6
10.5	192.5			J	120.8	0.1	0.0	5.6
0.0	0.0							
			Min	I	-249.7	-0.1	-0.0	-3.3
-2.0	-279.6			J	-249.7	-0.1	-0.0	-3.3
0.0	0.0							
			G1	I	-124.5	-0.1	1.6	9.4
9272.5	-281.1			J	-124.5	-0.1	4.5	9.4
0.0	0.0							
			G2	I	-54.3	-0.0	0.0	4.3
6.2	-98.9			J	-54.3	-0.0	0.0	4.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	23.7	-0.1	-0.0	-1.0
-3.3	-160.3			J	23.7	-0.1	-0.0	-1.0
0.0	0.0							
			Q5_pc Y	I	-13.1	-0.1	-0.0	-0.1
-4.8	-221.1			J	-13.1	-0.1	-0.0	-0.1
0.0	0.0							
			Q5_ps X	I	26.6	-0.0	-0.0	-1.0
-3.1	-150.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	26.6	-0.0	-0.0	-1.0	
-4.7	-206.5	Q5_ps Y	I	-7.8	-0.1	-0.0	-0.2	
0.0	0.0		J	-7.8	-0.1	-0.0	-0.2	
2560.1	-143.3	INVSLE Max	I	258.9	-0.0	2.2	44.3	1
0.0	0.0		J	258.9	-0.0	6.1	44.3	
2516.4	-1748.5	Min	I	-765.4	-0.6	2.2	18.1	1
0.0	0.0		J	-765.4	-0.6	6.1	18.1	
9303.5	-132.0	INVSLE Max	I	199.6	-0.0	1.6	33.1	
0.0	0.0		J	199.6	-0.0	4.5	33.1	
9271.8	-1291.5	Min	I	-556.0	-0.4	1.6	13.8	
0.0	0.0		J	-556.0	-0.4	4.5	13.8	
8470	2	66 C1-C2;~1 Max	I	184.8	0.1	0.0	12.2	
0.0	0.0		J	184.8	0.1	0.0	12.2	
13.8	448.3	Min	I	-262.7	-0.1	-0.0	-6.4	
0.0	0.0		J	-262.7	-0.1	-0.0	-6.4	
-6.9	-315.2							
0.0	0.0	C3-C4;~1 Max	I	256.9	0.1	0.0	15.3	
12.9	414.3		J	256.9	0.1	0.0	15.3	
0.0	0.0	Min	I	-285.7	-0.1	-0.0	-5.7	
-9.7	-296.8		J	-285.7	-0.1	-0.0	-5.7	
0.0	0.0	C1-C2;~2 Max	I	93.6	0.1	0.0	6.5	
8.5	248.0		J	93.6	0.1	0.0	6.5	
0.0	0.0	Min	I	-141.9	-0.1	-0.0	-3.9	
-3.5	-187.9		J	-141.9	-0.1	-0.0	-3.9	
0.0	0.0	C3-C4;~2 Max	I	136.7	0.1	0.0	7.8	
7.6	222.5		J	136.7	0.1	0.0	7.8	
0.0	0.0	Min	I	-145.3	-0.1	-0.0	-3.4	
-5.0	-171.7		J	-145.3	-0.1	-0.0	-3.4	
0.0	0.0	G1	I	-79.7	-0.1	-4.4	11.1	
9271.5	208.6		J	-79.7	-0.1	-1.4	11.1	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	G2	I	-32.7	-0.0	-0.0	4.6	
0.4	65.5		J	-32.7	-0.0	-0.0	4.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-24.8	-0.0	-0.0	-2.8	
1.3	92.2		J	-24.8	-0.0	-0.0	-2.8	
0.0	0.0	Q5_pc Y	I	-64.0	-0.0	-0.0	-2.9	
2.2	132.3		J	-64.0	-0.0	-0.0	-2.9	
0.0	0.0	Q5_ps X	I	-21.2	-0.0	-0.0	-2.7	
1.3	88.7		J	-21.2	-0.0	-0.0	-2.7	
0.0	0.0	Q5_ps Y	I	-65.2	-0.0	-0.0	-2.9	
2.4	129.9		J	-65.2	-0.0	-0.0	-2.9	
0.0	0.0	INVSLU Max	I	186.7	-0.0	-5.9	44.2	
2538.7	1365.0		J	186.7	-0.0	-1.8	44.2	1
0.0	0.0	Min	I	-661.0	-0.4	-6.0	9.7	
2503.0	96.1		J	-661.0	-0.4	-1.9	9.7	1
0.0	0.0	INVSLE Max	I	130.6	-0.0	-4.4	32.4	
9287.8	1019.0		J	130.6	-0.0	-1.4	32.4	
0.0	0.0	Min	I	-488.8	-0.3	-4.4	7.3	
9261.7	96.7		J	-488.8	-0.3	-1.4	7.3	
8471	2	66 C1-C2;~1 Max	I	182.4	0.0	0.0	5.2	
0.0	0.0		J	182.4	0.0	0.0	5.2	
0.0	0.0	Min	I	-218.1	-0.0	0.0	-16.5	
0.0	0.0		J	-218.1	0.0	-0.0	-16.5	
0.0	0.0	C3-C4;~1 Max	I	198.6	0.0	0.0	9.2	
0.0	0.0		J	198.6	0.0	0.0	9.2	
0.0	0.0	Min	I	-283.1	-0.0	0.0	-15.3	
0.0	0.0		J	-283.1	0.0	-0.0	-15.3	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2; ~2	Max	I	100.4	0.0	0.0	2.5
				J	100.4	0.0	0.0	2.5
0.0	0.0		Min	I	-114.8	-0.0	0.0	-8.7
0.0	0.0			J	-114.8	0.0	-0.0	-8.7
0.0	0.0	C3-C4; ~2	Max	I	100.5	0.0	0.0	4.6
				J	100.5	0.0	0.0	4.6
0.0	0.0		Min	I	-151.8	-0.0	0.0	-8.2
0.0	0.0			J	-151.8	0.0	-0.0	-8.2
0.0	0.0		G1	I	-65.5	-0.0	-1.4	-10.6
				J	-65.5	0.0	1.4	-10.6
0.0	0.0		G2	I	-25.3	-0.0	0.0	-4.6
				J	-25.3	0.0	-0.0	-4.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	2.3	0.0	0.0	-0.5
				J	2.3	0.0	0.0	-0.5
0.0	0.0		Q5_pc Y	I	38.8	-0.0	0.0	-0.2
				J	38.8	0.0	0.0	-0.2
0.0	0.0		Q5_ps X	I	-0.2	0.0	0.0	-0.6
				J	-0.2	0.0	0.0	-0.6
0.0	0.0		Q5_ps Y	I	42.1	-0.0	0.0	-0.4
				J	42.1	0.0	-0.0	-0.4
0.0	0.0		INVSLE Max	I	169.4	0.0	-1.9	-19.3
				J	169.4	0.0	1.9	-19.3
0.0	0.0		Min	I	-550.6	-0.0	-1.9	-54.9
				J	-550.6	0.0	1.9	-54.9
0.0	0.0		INVSLE Max	I	122.1	0.0	-1.4	-14.9
				J	122.1	0.0	1.4	-14.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-406.1	-0.0	-1.4	-41.1
0.0	0.0			J	-406.1	0.0	1.4	-41.1
0.0	0.0							
8472	2	66	C1-C2;~1	Max	I	182.5	0.0	16.3
0.0	0.0			J	182.5	0.0	0.0	16.3
0.0	0.0		Min	I	-218.1	-0.0	0.0	-11.8
0.0	0.0			J	-218.1	0.0	-0.0	-11.8
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	198.7	0.0	13.6
0.0	0.0			J	198.7	0.0	0.0	13.6
0.0	0.0		Min	I	-283.2	-0.0	0.0	-13.4
0.0	0.0			J	-283.2	0.0	-0.0	-13.4
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	100.4	0.0	10.6
0.0	0.0			J	100.4	0.0	0.0	10.6
0.0	0.0		Min	I	-114.8	-0.0	0.0	-6.1
0.0	0.0			J	-114.8	0.0	-0.0	-6.1
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	100.5	0.0	8.5
0.0	0.0			J	100.5	0.0	0.0	8.5
0.0	0.0		Min	I	-151.9	-0.0	0.0	-6.8
0.0	0.0			J	-151.9	0.0	-0.0	-6.8
0.0	0.0							
0.0	0.0		G1	I	-65.4	-0.0	-1.5	-9.8
0.0	0.0			J	-65.4	0.0	1.5	-9.8
0.0	0.0							
0.0	0.0		G2	I	-25.3	-0.0	0.0	-3.7
0.0	0.0			J	-25.3	0.0	0.0	-3.7
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	2.3	0.0	2.1
0.0	0.0			J	2.3	0.0	-0.0	2.1
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	38.9	-0.0	4.1
0.0	0.0			J	38.9	0.0	-0.0	4.1
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps X	I	-0.1	0.0	0.0	1.9
0.0	0.0		J	-0.1	0.0	-0.0	1.9
0.0	0.0	Q5_ps Y	I	42.2	-0.0	0.0	4.4
0.0	0.0		J	42.2	0.0	-0.0	4.4
0.0	0.0	INVS LU Max	I	170.1	0.0	-2.0	-2.4
0.0	0.0		J	170.1	0.0	2.0	-2.4
0.0	0.0	Min	I	-550.4	-0.0	-2.0	-49.8
0.0	0.0		J	-550.4	0.0	2.0	-49.8
0.0	0.0	INVS LE Max	I	122.6	0.0	-1.5	-2.4
0.0	0.0		J	122.6	0.0	1.5	-2.4
0.0	0.0	Min	I	-406.0	-0.0	-1.5	-37.0
0.0	0.0		J	-406.0	0.0	1.5	-37.0
8473	2	66 C1-C2;~1 Max	I	184.8	0.1	0.0	11.4
6.6	448.3		J	184.8	0.1	0.0	11.4
0.0	0.0	Min	I	-262.7	-0.1	-0.0	-3.4
-13.1	-315.2		J	-262.7	-0.1	-0.0	-3.4
0.0	0.0	C3-C4;~1 Max	I	256.8	0.1	0.0	13.3
9.3	414.3		J	256.8	0.1	0.0	13.3
0.0	0.0	Min	I	-285.7	-0.1	-0.0	-2.6
-12.3	-296.8		J	-285.7	-0.1	-0.0	-2.6
0.0	0.0	C1-C2;~2 Max	I	93.6	0.1	0.0	6.5
3.3	248.0		J	93.6	0.1	0.0	6.5
0.0	0.0	Min	I	-141.9	-0.1	-0.0	-1.9
-8.1	-187.9		J	-141.9	-0.1	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	136.7	0.1	0.0	6.8
4.7	222.5		J	136.7	0.1	0.0	6.8
0.0	0.0	Min	I	-145.3	-0.1	-0.0	-1.4
-7.2	-171.7		J	-145.3	-0.1	-0.0	-1.4
0.0	0.0	G1	I	-79.7	0.1	1.6	11.3

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9270.7	208.6			J	-79.7	0.1	4.5	11.3	
0.0	0.0								
			G2	I	-32.7	0.0	-0.0	4.8	
-0.4	65.5			J	-32.7	0.0	-0.0	4.8	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-24.8	0.0	-0.0	-2.3	
-1.3	92.2			J	-24.8	0.0	-0.0	-2.3	
0.0	0.0								
			Q5_pc Y	I	-64.0	0.0	-0.0	-2.1	
-2.0	132.3			J	-64.0	0.0	-0.0	-2.1	
0.0	0.0								
			Q5_ps X	I	-21.2	0.0	-0.0	-2.3	
-1.2	88.7			J	-21.2	0.0	-0.0	-2.3	
0.0	0.0								
			Q5_ps Y	I	-65.2	0.0	-0.0	-2.0	
-2.3	129.9			J	-65.2	0.0	-0.0	-2.0	
0.0	0.0								
			INVSLE Max	I	186.7	0.4	2.1	41.6	1
2528.4	1365.0			J	186.7	0.4	6.1	41.6	
0.0	0.0								
			Min	I	-660.8	0.0	2.1	15.0	1
2494.5	96.1			J	-660.8	0.0	6.0	15.0	
0.0	0.0								
			INVSLE Max	I	130.6	0.3	1.6	30.6	
9280.1	1019.0			J	130.6	0.3	4.5	30.6	
0.0	0.0								
			Min	I	-488.7	0.0	1.6	11.1	
9255.2	96.7			J	-488.7	0.0	4.5	11.1	
0.0	0.0								
			66 C1-C2;~1 Max	I	207.6	0.3	0.0	10.8	
8474	2			J	207.6	0.3	0.0	10.8	
0.0	0.0								
			Min	I	-223.7	-0.2	-0.0	-11.4	
13.9	485.6			J	-223.7	-0.2	-0.0	-11.4	
0.0	0.0								
			C3-C4;~1 Max	I	284.6	0.3	0.0	13.1	
-8.2	-852.5			J	284.6	0.3	0.0	13.1	
0.0	0.0								
			Min	I	-214.4	-0.1	-0.0	-10.6	
11.3	459.3								

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-214.4	-0.1	-0.0	-10.6	
-9.0	-841.8								
		C1-C2;~2	Max	I	107.1	0.2	0.0	5.6	
0.0	0.0			J	107.1	0.2	0.0	5.6	
8.5	263.5		Min	I	-120.5	-0.1	-0.0	-7.1	
0.0	0.0			J	-120.5	-0.1	-0.0	-7.1	
-4.4	-499.0								
		C3-C4;~2	Max	I	153.4	0.2	0.0	6.7	
0.0	0.0			J	153.4	0.2	0.0	6.7	
6.8	246.1		Min	I	-109.8	-0.1	-0.0	-6.5	
0.0	0.0			J	-109.8	-0.1	-0.0	-6.5	
-4.7	-488.9								
		G1		I	2.6	0.1	-4.4	9.1	
0.0	0.0			J	2.6	0.1	-1.4	9.1	
9244.5	-299.5								
		G2		I	-0.2	0.0	0.0	4.3	
0.0	0.0			J	-0.2	0.0	0.0	4.3	
-0.3	-104.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-14.4	0.0	-0.0	-0.4	
0.0	0.0			J	-14.4	0.0	-0.0	-0.4	
0.1	-105.7								
		Q5_pc	Y	I	-38.3	0.0	-0.0	-0.5	
0.0	0.0			J	-38.3	0.0	-0.0	-0.5	
1.0	-62.1								
		Q5_ps	X	I	-11.8	0.0	-0.0	-0.4	
0.0	0.0			J	-11.8	0.0	-0.0	-0.4	
0.0	-98.8								
		Q5_ps	Y	I	-41.6	0.0	-0.0	-0.7	
0.0	0.0			J	-41.6	0.0	-0.0	-0.7	
1.1	-60.1								
		INVSLU	Max	I	310.7	0.5	-5.9	44.4	
0.0	0.0			J	310.7	0.5	-1.9	44.4	1
2493.7	360.0		Min	I	-444.5	-0.1	-6.0	10.5	
0.0	0.0			J	-444.5	-0.1	-1.9	10.5	1
2461.0	-1636.6								

MIDAS

PROJECT TITLE :


MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			INVSLE Max	I	221.9	0.4	-4.4	33.1
0.0	0.0			J	221.9	0.4	-1.4	33.1
9254.3	272.0		Min	I	-332.4	-0.1	-4.4	8.0
0.0	0.0			J	-332.4	-0.1	-1.4	8.0
9230.2	-1192.9							
8475	2	66	C1-C2;~1 Max	I	154.6	0.0	0.0	9.0
0.0	0.0			J	154.6	0.0	0.0	9.0
0.0	0.0		Min	I	-173.2	-0.0	0.0	-10.9
0.0	0.0			J	-173.2	-0.0	0.0	-10.9
0.0	0.0							
			C3-C4;~1 Max	I	97.5	0.0	0.0	8.7
0.0	0.0			J	97.5	0.0	0.0	8.7
0.0	0.0		Min	I	-243.0	-0.0	0.0	-6.1
0.0	0.0			J	-243.0	-0.0	0.0	-6.1
0.0	0.0							
			C1-C2;~2 Max	I	88.1	0.0	0.0	6.0
0.0	0.0			J	88.1	0.0	0.0	6.0
0.0	0.0		Min	I	-93.0	-0.0	0.0	-6.8
0.0	0.0			J	-93.0	-0.0	0.0	-6.8
0.0	0.0							
			C3-C4;~2 Max	I	53.8	0.0	0.0	5.9
0.0	0.0			J	53.8	0.0	0.0	5.9
0.0	0.0		Min	I	-134.3	-0.0	0.0	-3.5
0.0	0.0			J	-134.3	-0.0	0.0	-3.5
0.0	0.0							
			G1	I	-108.1	-0.0	-1.4	-3.1
0.0	0.0			J	-108.1	0.0	1.4	-3.1
0.0	0.0							
			G2	I	-43.2	-0.0	0.0	-3.1
0.0	0.0			J	-43.2	0.0	0.0	-3.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	13.0	0.0	0.0	-0.0
0.0	0.0			J	13.0	-0.0	0.0	-0.0
0.0	0.0							
			Q5_pc Y	I	43.2	-0.0	0.0	-0.5

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	43.2	0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	Q5_ps X	I	10.6	0.0	0.0	-0.1
0.0	0.0		J	10.6	-0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	47.2	-0.0	0.0	-0.4
0.0	0.0		J	47.2	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	INVS LU Max	I	40.9	0.0	-2.0	-0.2
0.0	0.0		J	40.9	0.0	2.0	-0.2
0.0	0.0	Min	I	-573.7	-0.0	-2.0	-27.9
0.0	0.0		J	-573.7	-0.0	2.0	-27.9
0.0	0.0						
0.0	0.0	INVS LE Max	I	26.9	0.0	-1.4	-0.2
0.0	0.0		J	26.9	0.0	1.4	-0.2
0.0	0.0	Min	I	-422.6	-0.0	-1.4	-20.7
0.0	0.0		J	-422.6	-0.0	1.4	-20.7
0.0	0.0						
8476	2	66 C1-C2;~1 Max	I	154.3	0.0	0.0	22.5
0.0	0.0		J	154.3	0.0	0.0	22.5
0.0	0.0	Min	I	-173.3	-0.0	-0.0	-15.8
0.0	0.0		J	-173.3	0.0	-0.0	-15.8
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	97.3	0.0	0.0	19.7
0.0	0.0		J	97.3	0.0	0.0	19.7
0.0	0.0	Min	I	-243.2	-0.0	-0.0	-17.4
0.0	0.0		J	-243.2	0.0	-0.0	-17.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	88.0	0.0	0.0	14.4
0.0	0.0		J	88.0	0.0	0.0	14.4
0.0	0.0	Min	I	-93.1	-0.0	-0.0	-8.4
0.0	0.0		J	-93.1	0.0	-0.0	-8.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	53.7	0.0	0.0	12.1
0.0	0.0		J	53.7	0.0	0.0	12.1
0.0	0.0	Min	I	-134.4	-0.0	-0.0	-9.1
0.0	0.0		J	-134.4	0.0	-0.0	-9.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			G1	I	-108.3	0.0	-1.5 -9.1
0.0	0.0			J	-108.3	0.0	1.5 -9.1
0.0	0.0						
			G2	I	-43.3	0.0	0.0 -3.6
0.0	0.0			J	-43.3	0.0	-0.0 -3.6
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	12.9	-0.0	-0.0 0.1
0.0	0.0			J	12.9	0.0	0.0 0.1
0.0	0.0						
			Q5_pc Y	I	43.2	0.0	0.0 1.5
0.0	0.0			J	43.2	0.0	0.0 1.5
0.0	0.0						
			Q5_ps X	I	10.5	-0.0	-0.0 0.0
0.0	0.0			J	10.5	0.0	0.0 0.0
0.0	0.0						
			Q5_ps Y	I	47.1	0.0	0.0 1.9
0.0	0.0			J	47.1	0.0	0.0 1.9
0.0	0.0						
			INVSLE Max	I	40.2	0.0	-2.0 -1.2
0.0	0.0			J	40.2	0.0	2.0 -1.2
0.0	0.0						
			Min	I	-574.2	-0.0	-2.0 -57.6
0.0	0.0			J	-574.2	0.0	2.0 -57.6
0.0	0.0						
			INVSLE Max	I	26.4	0.0	-1.5 -1.5
0.0	0.0			J	26.4	0.0	1.5 -1.5
0.0	0.0						
			Min	I	-422.9	-0.0	-1.5 -43.1
0.0	0.0			J	-422.9	0.0	1.5 -43.1
0.0	0.0						
8477	2	66	C1-C2;~1 Max	I	207.5	0.2	0.0 11.0
7.9	485.6			J	207.5	0.2	0.0 11.0
0.0	0.0						
			Min	I	-223.7	-0.3	-0.0 -9.7
-13.3	-852.5			J	-223.7	-0.3	-0.0 -9.7
0.0	0.0						
			C3-C4;~1 Max	I	284.5	0.2	0.0 10.5
8.6	459.3						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	284.5	0.2	0.0	10.5	
0.0	0.0								
			Min	I	-214.4	-0.3	-0.0	-8.7	
-10.8	-841.8								
				J	-214.4	-0.3	-0.0	-8.7	
0.0	0.0								
			C1-C2;~2 Max	I	107.0	0.1	0.0	6.1	
4.2	263.5								
				J	107.0	0.1	0.0	6.1	
0.0	0.0								
			Min	I	-120.5	-0.2	-0.0	-6.1	
-8.2	-499.0								
				J	-120.5	-0.2	-0.0	-6.1	
0.0	0.0								
			C3-C4;~2 Max	I	153.3	0.1	0.0	5.3	
4.5	246.1								
				J	153.3	0.1	0.0	5.3	
0.0	0.0								
			Min	I	-109.8	-0.2	-0.0	-5.4	
-6.5	-488.9								
				J	-109.8	-0.2	-0.0	-5.4	
0.0	0.0								
			G1	I	2.6	-0.1	1.6	8.0	
9250.5	-299.5								
				J	2.6	-0.1	4.5	8.0	
0.0	0.0								
			G2	I	-0.2	-0.0	0.0	4.2	
0.2	-104.6								
				J	-0.2	-0.0	0.0	4.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-14.4	-0.0	-0.0	-0.4	
-0.0	-105.7								
				J	-14.4	-0.0	-0.0	-0.4	
0.0	0.0								
			Q5_pc Y	I	-38.3	-0.0	-0.0	-0.1	
-0.9	-62.1								
				J	-38.3	-0.0	-0.0	-0.1	
0.0	0.0								
			Q5_ps X	I	-11.8	-0.0	-0.0	-0.4	
-0.0	-98.8								
				J	-11.8	-0.0	-0.0	-0.4	
0.0	0.0								
			Q5_ps Y	I	-41.6	-0.0	-0.0	-0.3	
-1.1	-60.1								
				J	-41.6	-0.0	-0.0	-0.3	
0.0	0.0								
			INVSLU Max	I	310.5	0.1	2.1	37.9	1
2506.3	360.0								
				J	310.5	0.1	6.0	37.9	
0.0	0.0								
			Min	I	-444.6	-0.5	2.1	9.3	1
2475.1	-1636.6								

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-444.6	-0.5	6.0	9.3
9264.1	272.0	INVSLE Max	I	221.8	0.1	1.6	28.2
0.0	0.0		J	221.8	0.1	4.5	28.2
9241.1	-1192.9	Min	I	-332.4	-0.4	1.6	7.0
0.0	0.0		J	-332.4	-0.4	4.5	7.0
8478	2	66 C1-C2;~1 Max	I	214.5	0.3	0.0	9.9
0.0	0.0		J	214.5	0.3	0.0	9.9
14.4	242.4	Min	I	-154.5	-0.1	-0.0	-15.5
0.0	0.0		J	-154.5	-0.1	-0.0	-15.5
-6.5	-869.7						
0.0	0.0	C3-C4;~1 Max	I	281.2	0.2	0.0	11.3
12.4	231.8		J	281.2	0.2	0.0	11.3
0.0	0.0	Min	I	-141.6	-0.1	-0.0	-15.2
0.0	0.0		J	-141.6	-0.1	-0.0	-15.2
-6.4	-793.7						
0.0	0.0	C1-C2;~2 Max	I	115.9	0.2	0.0	5.3
8.7	130.5		J	115.9	0.2	0.0	5.3
0.0	0.0	Min	I	-83.3	-0.0	-0.0	-9.4
0.0	0.0		J	-83.3	-0.0	-0.0	-9.4
-3.6	-518.8						
0.0	0.0	C3-C4;~2 Max	I	156.9	0.1	0.0	5.9
7.4	122.0		J	156.9	0.1	0.0	5.9
0.0	0.0	Min	I	-73.0	-0.0	-0.0	-9.2
0.0	0.0		J	-73.0	-0.0	-0.0	-9.2
-3.3	-467.3						
0.0	0.0	G1	I	73.0	0.2	-4.4	3.1
9232.9	-488.0		J	73.0	0.2	-1.4	3.1
0.0	0.0	G2	I	27.7	0.1	-0.0	2.0
1.4	-195.7		J	27.7	0.1	-0.0	2.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-12.5	0.0	-0.0	0.2
			J	-12.5	0.0	-0.0	0.2

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.2	-116.0							
		Q5_pc	Y	I	-21.0	-0.0	-0.0	-0.0
0.0	0.0			J	-21.0	-0.0	-0.0	-0.0
1.2	5.9							
		Q5_ps	X	I	-10.4	0.0	-0.0	0.2
0.0	0.0			J	-10.4	0.0	-0.0	0.2
0.1	-109.0							
		Q5_ps	Y	I	-24.4	-0.0	-0.0	-0.2
0.0	0.0			J	-24.4	-0.0	-0.0	-0.2
1.3	5.8							
		INVS LU	Max	I	437.2	0.7	-5.9	27.6
0.0	0.0			J	437.2	0.7	-1.9	27.6
2484.9	-628.7							1
			Min	I	-188.9	0.2	-6.0	-9.0
0.0	0.0			J	-188.9	0.2	-1.9	-9.0
2454.5	-2338.9							1
		INVS LE	Max	I	317.8	0.5	-4.4	20.4
0.0	0.0			J	317.8	0.5	-1.4	20.4
9247.9	-473.4							
			Min	I	-143.2	0.1	-4.4	-6.6
0.0	0.0			J	-143.2	0.1	-1.4	-6.6
9225.6	-1724.7							
8479	2	66 C1-C2;~1	Max	I	166.5	0.0	0.0	10.6
0.0	0.0			J	166.5	0.0	0.0	10.6
0.0	0.0							
			Min	I	-147.3	-0.0	0.0	-8.7
0.0	0.0			J	-147.3	-0.0	0.0	-8.7
0.0	0.0							
		C3-C4;~1	Max	I	107.3	0.0	0.0	10.5
0.0	0.0			J	107.3	0.0	0.0	10.5
0.0	0.0							
			Min	I	-210.5	-0.0	0.0	-5.0
0.0	0.0			J	-210.5	-0.0	0.0	-5.0
0.0	0.0							
		C1-C2;~2	Max	I	95.4	0.0	0.0	7.1
0.0	0.0			J	95.4	0.0	0.0	7.1
0.0	0.0							
			Min	I	-76.5	-0.0	0.0	-5.5
0.0	0.0			J	-76.5	-0.0	0.0	-5.5
0.0	0.0							
		C3-C4;~2	Max	I	58.8	0.0	0.0	7.1
0.0	0.0			J	58.8	0.0	0.0	7.1
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-114.7	-0.0	0.0	-2.6
0.0	0.0		J	-114.7	-0.0	0.0	-2.6
0.0	0.0	G1	I	-91.4	0.0	-1.4	-0.6
0.0	0.0		J	-91.4	-0.0	1.4	-0.6
0.0	0.0	G2	I	-36.6	0.0	0.0	-2.0
0.0	0.0		J	-36.6	-0.0	0.0	-2.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	8.8	0.0	0.0	-0.1
0.0	0.0		J	8.8	-0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	24.7	0.0	0.0	-0.8
0.0	0.0		J	24.7	-0.0	0.0	-0.8
0.0	0.0	Q5_ps X	I	7.0	0.0	0.0	-0.1
0.0	0.0		J	7.0	-0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	28.7	0.0	0.0	-0.6
0.0	0.0		J	28.7	-0.0	0.0	-0.6
0.0	0.0	INVSLU Max	I	48.7	0.0	-2.0	7.9
0.0	0.0		J	48.7	0.0	2.0	7.9
0.0	0.0	Min	I	-504.6	-0.0	-2.0	-19.7
0.0	0.0		J	-504.6	-0.0	2.0	-19.7
0.0	0.0	INVSLE Max	I	33.0	0.0	-1.4	5.9
0.0	0.0		J	33.0	0.0	1.4	5.9
0.0	0.0	Min	I	-373.6	-0.0	-1.4	-14.4
0.0	0.0		J	-373.6	-0.0	1.4	-14.4
8480	2	66 C1-C2;~1 Max	I	166.0	0.0	0.0	27.6
0.0	0.0		J	166.0	0.0	0.0	27.6
0.0	0.0	Min	I	-147.5	0.0	0.0	-13.4
0.0	0.0		J	-147.5	0.0	0.0	-13.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1 Max	I	107.0	0.0	0.0	25.7
			J	107.0	0.0	0.0	25.7
0.0	0.0	Min	I	-210.6	0.0	0.0	-14.8
0.0	0.0		J	-210.6	0.0	0.0	-14.8
0.0	0.0	C1-C2;~2 Max	I	95.2	0.0	0.0	17.0
			J	95.2	0.0	0.0	17.0
0.0	0.0	Min	I	-76.6	0.0	0.0	-7.2
0.0	0.0		J	-76.6	0.0	0.0	-7.2
0.0	0.0	C3-C4;~2 Max	I	58.6	0.0	0.0	15.3
			J	58.6	0.0	0.0	15.3
0.0	0.0	Min	I	-114.8	0.0	0.0	-7.8
0.0	0.0		J	-114.8	0.0	0.0	-7.8
0.0	0.0	G1	I	-91.7	0.0	-1.5	2.1
			J	-91.7	0.0	1.5	2.1
0.0	0.0	G2	I	-36.7	0.0	0.0	0.7
			J	-36.7	0.0	0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	8.7	0.0	0.0	0.3
			J	8.7	0.0	0.0	0.3
0.0	0.0	Q5_pc Y	I	24.7	0.0	0.0	1.5
			J	24.7	0.0	0.0	1.5
0.0	0.0	Q5_ps X	I	6.9	0.0	0.0	0.2
			J	6.9	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	28.7	0.0	0.0	1.9
			J	28.7	0.0	0.0	1.9
0.0	0.0	INVSLU Max	I	47.5	0.0	-2.0	35.0
			J	47.5	0.0	2.0	35.0


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-505.5	0.0	-2.0	-25.0
0.0	0.0			J	-505.5	0.0	2.0	-25.0
0.0	0.0		INVSLE Max	I	32.1	0.0	-1.5	25.9
0.0	0.0			J	32.1	0.0	1.5	25.9
0.0	0.0		Min	I	-374.2	0.0	-1.5	-18.4
0.0	0.0			J	-374.2	0.0	1.5	-18.4
8481	2	66	C1-C2;~1 Max	I	214.5	0.1	0.0	9.5
6.2	242.4			J	214.5	0.1	0.0	9.5
0.0	0.0		Min	I	-154.6	-0.3	-0.0	-13.0
-13.7	-869.7			J	-154.6	-0.3	-0.0	-13.0
0.0	0.0		C3-C4;~1 Max	I	281.1	0.1	0.0	9.4
6.1	231.8			J	281.1	0.1	0.0	9.4
0.0	0.0		Min	I	-141.6	-0.3	-0.0	-12.7
-11.9	-793.7			J	-141.6	-0.3	-0.0	-12.7
0.0	0.0		C1-C2;~2 Max	I	115.8	0.0	0.0	5.0
3.4	130.5			J	115.8	0.0	0.0	5.0
0.0	0.0		Min	I	-83.3	-0.2	-0.0	-8.0
-8.3	-518.8			J	-83.3	-0.2	-0.0	-8.0
0.0	0.0		C3-C4;~2 Max	I	156.8	0.0	0.0	4.9
3.2	122.0			J	156.8	0.0	0.0	4.9
0.0	0.0		Min	I	-73.0	-0.2	-0.0	-7.8
-7.1	-467.3			J	-73.0	-0.2	-0.0	-7.8
0.0	0.0		G1	I	72.9	-0.2	1.6	3.5
9230.3	-488.0			J	72.9	-0.2	4.5	3.5
0.0	0.0		G2	I	27.6	-0.1	-0.0	2.5
-1.3	-195.7			J	27.6	-0.1	-0.0	2.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.1	-116.0	Q5_pc X	I	-12.5	-0.0	-0.0	0.3
			J	-12.5	-0.0	-0.0	0.3
0.0	0.0						
-1.1	5.9	Q5_pc Y	I	-21.0	0.0	-0.0	0.4
			J	-21.0	0.0	-0.0	0.4
0.0	0.0						
-0.1	-109.0	Q5_ps X	I	-10.4	-0.0	-0.0	0.3
			J	-10.4	-0.0	-0.0	0.3
0.0	0.0						
-1.2	5.8	Q5_ps Y	I	-24.4	0.0	-0.0	0.2
			J	-24.4	0.0	-0.0	0.2
0.0	0.0						
2470.3	-628.7	INVSLE Max	I	436.9	-0.2	2.1	25.9
			J	436.9	-0.2	6.0	25.9
0.0	0.0						
2441.4	-2338.9	Min	I	-189.0	-0.8	2.1	-5.2
			J	-189.0	-0.8	6.0	-5.2
0.0	0.0						
9237.3	-473.4	INVSLE Max	I	317.6	-0.2	1.6	19.2
			J	317.6	-0.2	4.5	19.2
0.0	0.0						
9215.9	-1724.7	Min	I	-143.3	-0.6	1.6	-3.8
			J	-143.3	-0.6	4.5	-3.8
0.0	0.0						
8482	2	66 C1-C2;~1 Max	I	189.0	0.2	0.0	6.2
0.0	0.0		J	189.0	0.2	0.0	6.2
14.6	111.6						
		Min	I	-93.7	-0.0	-0.0	-14.2
0.0	0.0		J	-93.7	-0.0	-0.0	-14.2
-4.9	-726.3						
		C3-C4;~1 Max	I	233.7	0.2	0.0	6.8
0.0	0.0		J	233.7	0.2	0.0	6.8
12.1	138.7						
		Min	I	-67.9	-0.0	-0.0	-13.3
0.0	0.0		J	-67.9	-0.0	-0.0	-13.3
-5.3	-633.4						
		C1-C2;~2 Max	I	107.0	0.1	0.0	3.3
0.0	0.0		J	107.0	0.1	0.0	3.3
8.8	62.2						
		Min	I	-51.8	-0.0	-0.0	-8.7
0.0	0.0		J	-51.8	-0.0	-0.0	-8.7
-2.6	-445.3						
		C3-C4;~2 Max	I	134.9	0.1	0.0	3.6

MIDAS

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	134.9	0.1	0.0	3.6	
7.2	77.6		Min	I	-34.8	-0.0	-0.0	-8.0	
0.0	0.0			J	-34.8	-0.0	-0.0	-8.0	
-2.8	-380.1								
			G1	I	106.9	0.1	-4.4	-0.9	
0.0	0.0			J	106.9	0.1	-1.4	-0.9	
9219.4	-447.3								
			G2	I	40.4	0.1	-0.0	0.4	
0.0	0.0			J	40.4	0.1	-0.0	0.4	
2.0	-171.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-9.5	0.0	0.0	0.3	
0.0	0.0			J	-9.5	0.0	0.0	0.3	
-0.1	-78.7								
			Q5_pc Y	I	-9.6	-0.0	-0.0	-0.6	
0.0	0.0			J	-9.6	-0.0	-0.0	-0.6	
0.9	63.8								
			Q5_ps X	I	-8.1	0.0	0.0	0.4	
0.0	0.0			J	-8.1	0.0	0.0	0.4	
-0.1	-74.0								
			Q5_ps Y	I	-11.9	-0.0	-0.0	-0.9	
0.0	0.0			J	-11.9	-0.0	-0.0	-0.9	
1.0	56.8								
			INVSLE Max	I	483.7	0.7	-5.9	-0.7	
0.0	0.0			J	483.7	0.7	-1.9	-0.7	1
2473.0	-767.1		Min	I	24.4	0.2	-6.0	-30.3	
0.0	0.0			J	24.4	0.2	-1.9	-30.3	1
2444.6	-2076.7								
			INVSLE Max	I	356.0	0.5	-4.4	-1.2	
0.0	0.0			J	356.0	0.5	-1.4	-1.2	
9239.4	-581.4		Min	I	17.1	0.2	-4.4	-23.1	
0.0	0.0			J	17.1	0.2	-1.4	-23.1	
9218.4	-1540.9								
8483	2	66	C1-C2;~1 Max	I	177.3	0.0	0.0	9.1	
0.0	0.0			J	177.3	0.0	0.0	9.1	
0.0	0.0		Min	I	-111.0	0.0	-0.0	-8.2	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		J	-111.0	-0.0	-0.0	-8.2
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	136.1	0.0	0.0	8.9
0.0	0.0		J	136.1	0.0	0.0	8.9
0.0	0.0	Min	I	-164.8	0.0	-0.0	-3.3
0.0	0.0		J	-164.8	-0.0	-0.0	-3.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	103.1	0.0	0.0	5.9
0.0	0.0		J	103.1	0.0	0.0	5.9
0.0	0.0	Min	I	-55.1	0.0	-0.0	-5.2
0.0	0.0		J	-55.1	-0.0	-0.0	-5.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	77.5	0.0	0.0	5.9
0.0	0.0		J	77.5	0.0	0.0	5.9
0.0	0.0	Min	I	-87.3	0.0	-0.0	-1.8
0.0	0.0		J	-87.3	-0.0	-0.0	-1.8
0.0	0.0						
0.0	0.0	G1	I	-34.9	0.0	-1.5	1.3
0.0	0.0		J	-34.9	0.0	1.5	1.3
0.0	0.0						
0.0	0.0	G2	I	-14.7	0.0	0.0	-1.4
0.0	0.0		J	-14.7	0.0	0.0	-1.4
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	4.8	0.0	-0.0	0.0
0.0	0.0		J	4.8	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	12.6	0.0	0.0	-0.3
0.0	0.0		J	12.6	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps X	I	3.6	0.0	-0.0	-0.0
0.0	0.0		J	3.6	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	15.6	0.0	0.0	-0.2
0.0	0.0		J	15.6	0.0	0.0	-0.2
0.0	0.0						

PROJECT TITLE :

		Company					Client	
		Author					File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		INVSLE Max	I	169.1	0.0	-2.0	15.3
				J	169.1	0.0	2.0	15.3
0.0	0.0		Min	I	-315.3	0.0	-2.0	-8.8
				J	-315.3	-0.0	2.0	-8.8
0.0	0.0		INVSLE Max	I	124.0	0.0	-1.5	11.7
				J	124.0	0.0	1.5	11.7
0.0	0.0		Min	I	-233.1	0.0	-1.5	-6.0
				J	-233.1	-0.0	1.5	-6.0
8484	2	66	C1-C2;~1 Max	I	177.0	0.0	0.0	26.5
0.0	0.0			J	177.0	0.0	0.0	26.5
0.0	0.0		Min	I	-111.0	-0.0	0.0	-9.4
				J	-111.0	0.0	-0.0	-9.4
0.0	0.0		C3-C4;~1 Max	I	135.9	0.0	0.0	24.8
				J	135.9	0.0	0.0	24.8
0.0	0.0		Min	I	-164.9	-0.0	0.0	-10.6
				J	-164.9	0.0	-0.0	-10.6
0.0	0.0		C1-C2;~2 Max	I	102.9	0.0	0.0	16.2
				J	102.9	0.0	0.0	16.2
0.0	0.0		Min	I	-55.1	-0.0	0.0	-5.0
				J	-55.1	0.0	-0.0	-5.0
0.0	0.0		C3-C4;~2 Max	I	77.4	0.0	0.0	14.8
				J	77.4	0.0	0.0	14.8
0.0	0.0		Min	I	-87.4	-0.0	0.0	-5.5
				J	-87.4	0.0	-0.0	-5.5
0.0	0.0		G1	I	-35.2	-0.0	-1.5	6.9
				J	-35.2	0.0	1.5	6.9
0.0	0.0		G2	I	-14.8	-0.0	0.0	2.6
				J	-14.8	0.0	-0.0	2.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.7	-0.0	0.0	-0.1
0.0	0.0		J	4.7	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	12.6	-0.0	0.0	1.5
0.0	0.0		J	12.6	0.0	-0.0	1.5
0.0	0.0	Q5_ps X	I	3.6	-0.0	0.0	-0.2
0.0	0.0		J	3.6	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	15.6	-0.0	0.0	1.9
0.0	0.0		J	15.6	0.0	-0.0	1.9
0.0	0.0	INVS LU Max	I	168.0	0.0	-2.0	59.8
0.0	0.0		J	168.0	0.0	2.0	59.8
0.0	0.0	Min	I	-316.2	-0.0	-2.0	7.1
0.0	0.0		J	-316.2	0.0	2.0	7.1
0.0	0.0	INVS LE Max	I	123.2	0.0	-1.5	44.9
0.0	0.0		J	123.2	0.0	1.5	44.9
0.0	0.0	Min	I	-233.8	-0.0	-1.5	6.1
0.0	0.0		J	-233.8	0.0	1.5	6.1
8485	2	66 C1-C2;~1 Max	I	188.9	0.0	0.0	6.5
4.7	111.6		J	188.9	0.0	0.0	6.5
0.0	0.0	Min	I	-93.7	-0.2	-0.0	-11.5
-13.9	-726.3		J	-93.7	-0.2	-0.0	-11.5
0.0	0.0	C3-C4;~1 Max	I	233.7	0.0	0.0	5.3
5.1	138.7		J	233.7	0.0	0.0	5.3
0.0	0.0	Min	I	-67.9	-0.2	-0.0	-10.9
-11.5	-633.4		J	-67.9	-0.2	-0.0	-10.9
0.0	0.0	C1-C2;~2 Max	I	107.0	0.0	0.0	3.5
2.5	62.2		J	107.0	0.0	0.0	3.5
0.0	0.0	Min	I	-51.8	-0.1	-0.0	-7.1
-8.4	-445.3		J	-51.8	-0.1	-0.0	-7.1

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		C3-C4;~2	Max	I	134.9	0.0	0.0	2.7
2.7	77.6			J	134.9	0.0	0.0	2.7
0.0	0.0							
			Min	I	-34.8	-0.1	-0.0	-6.8
-6.9	-380.1			J	-34.8	-0.1	-0.0	-6.8
0.0	0.0							
			G1	I	106.8	-0.1	1.6	0.1
9213.9	-447.3			J	106.8	-0.1	4.5	0.1
0.0	0.0							
			G2	I	40.4	-0.1	-0.0	1.2
-1.9	-171.2			J	40.4	-0.1	-0.0	1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-9.5	-0.0	0.0	0.3
0.1	-78.7			J	-9.5	-0.0	0.0	0.3
0.0	0.0							
			Q5_pc Y	I	-9.6	0.0	-0.0	-0.3
-0.9	63.8			J	-9.6	0.0	-0.0	-0.3
0.0	0.0							
			Q5_ps X	I	-8.1	-0.0	0.0	0.3
0.1	-74.0			J	-8.1	-0.0	0.0	0.3
0.0	0.0							
			Q5_ps Y	I	-11.9	0.0	-0.0	-0.5
-1.0	56.8			J	-11.9	0.0	-0.0	-0.5
0.0	0.0							
			INVSLE Max	I	483.5	-0.3	2.1	2.1
2440.4	-767.1			J	483.5	-0.3	6.0	2.1
0.0	0.0							
			Min	I	24.2	-0.7	2.1	-22.8
2413.2	-2076.7			J	24.2	-0.7	6.0	-22.8
0.0	0.0							
			INVSLE Max	I	355.8	-0.2	1.6	0.9
9214.9	-581.4			J	355.8	-0.2	4.5	0.9
0.0	0.0							
			Min	I	16.9	-0.5	1.6	-17.4
9194.9	-1540.9			J	16.9	-0.5	4.5	-17.4
0.0	0.0							
		66	C1-C2;~1	Max	I	164.3	0.2	0.0
8486	2							4.9
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
15.1	93.2		J	164.3	0.2	0.0	4.9
		Min	I	-57.2	-0.0	-0.0	-15.3
0.0	0.0						
-4.1	-649.2		J	-57.2	-0.0	-0.0	-15.3
		C3-C4;~1 Max	I	185.1	0.2	0.0	5.4
0.0	0.0		J	185.1	0.2	0.0	5.4
12.4	162.5	Min	I	-45.0	-0.1	-0.0	-14.3
0.0	0.0		J	-45.0	-0.1	-0.0	-14.3
-4.7	-544.1						
		C1-C2;~2 Max	I	97.3	0.1	0.0	2.6
0.0	0.0		J	97.3	0.1	0.0	2.6
9.1	46.9	Min	I	-31.9	-0.0	-0.0	-9.3
0.0	0.0		J	-31.9	-0.0	-0.0	-9.3
-2.2	-405.5						
		C3-C4;~2 Max	I	110.0	0.1	0.0	2.8
0.0	0.0		J	110.0	0.1	0.0	2.8
7.4	93.9	Min	I	-24.3	-0.0	-0.0	-8.7
0.0	0.0		J	-24.3	-0.0	-0.0	-8.7
-2.4	-332.6						
		G1	I	106.0	0.1	-4.4	-4.2
0.0	0.0		J	106.0	0.1	-1.4	-4.2
9236.6	-321.7						
		G2	I	39.9	0.0	-0.0	-0.8
0.0	0.0		J	39.9	0.0	-0.0	-0.8
2.4	-123.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.7	0.0	0.0	0.3
0.0	0.0		J	-5.7	0.0	0.0	0.3
-0.0	-61.0						
		Q5_pc Y	I	-2.2	-0.0	-0.0	-0.7
0.0	0.0		J	-2.2	-0.0	-0.0	-0.7
0.6	84.9						
		Q5_ps X	I	-4.8	0.0	0.0	0.3
0.0	0.0		J	-4.8	0.0	0.0	0.3
-0.1	-57.2						
		Q5_ps Y	I	-2.9	-0.0	-0.0	-1.0
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.8	76.7		J	-2.9	-0.0	-0.0	-1.0	
0.0	0.0	INVS LU Max	I	439.8	0.5	-6.0	-18.4	
2499.3	-399.2		J	439.8	0.5	-1.9	-18.4	1
0.0	0.0	Min	I	102.5	0.1	-6.0	-47.6	
2471.6	-1647.9		J	102.5	0.1	-1.9	-47.6	1
0.0	0.0	INVS LE Max	I	324.9	0.4	-4.4	-14.6	
9258.8	-307.1		J	324.9	0.4	-1.4	-14.6	
0.0	0.0	Min	I	75.8	0.1	-4.4	-36.1	
9238.4	-1220.7		J	75.8	0.1	-1.4	-36.1	
8487	2	66 C1-C2;~1 Max	I	205.6	0.0	0.0	7.8	
0.0	0.0		J	205.6	0.0	0.0	7.8	
0.0	0.0	Min	I	-110.3	0.0	0.0	-9.2	
0.0	0.0		J	-110.3	0.0	0.0	-9.2	
0.0	0.0	C3-C4;~1 Max	I	185.4	0.0	0.0	7.5	
0.0	0.0		J	185.4	0.0	0.0	7.5	
0.0	0.0	Min	I	-131.5	0.0	0.0	-3.5	
0.0	0.0		J	-131.5	0.0	0.0	-3.5	
0.0	0.0	C1-C2;~2 Max	I	120.3	0.0	0.0	5.0	
0.0	0.0		J	120.3	0.0	0.0	5.0	
0.0	0.0	Min	I	-57.3	0.0	0.0	-5.8	
0.0	0.0		J	-57.3	0.0	0.0	-5.8	
0.0	0.0	C3-C4;~2 Max	I	107.7	0.0	0.0	4.8	
0.0	0.0		J	107.7	0.0	0.0	4.8	
0.0	0.0	Min	I	-66.6	0.0	0.0	-1.9	
0.0	0.0		J	-66.6	0.0	0.0	-1.9	
0.0	0.0	G1	I	32.1	0.0	-1.5	0.1	
0.0	0.0		J	32.1	0.0	1.5	0.1	
0.0	0.0	G2	I	11.7	0.0	0.0	-1.5	
0.0	0.0		J	11.7	0.0	0.0	-1.5	

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.0	0.0	0.0	-0.1
0.0	0.0		J	1.0	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	6.0	0.0	0.0	-0.0
0.0	0.0		J	6.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	0.5	0.0	0.0	-0.1
0.0	0.0		J	0.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	7.4	0.0	0.0	0.0
0.0	0.0		J	7.4	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	312.3	0.0	-2.0	21.2
0.0	0.0		J	312.3	0.0	2.0	21.2
0.0	0.0	Min	I	-153.7	0.0	-2.0	-2.0
0.0	0.0		J	-153.7	0.0	2.0	-2.0
0.0	0.0	INVS LE Max	I	229.6	0.0	-1.5	16.5
0.0	0.0		J	229.6	0.0	1.5	16.5
0.0	0.0	Min	I	-114.7	0.0	-1.5	-0.7
0.0	0.0		J	-114.7	0.0	1.5	-0.7
8488	2	66 C1-C2;~1 Max	I	205.3	0.0	0.0	25.8
0.0	0.0		J	205.3	0.0	0.0	25.8
0.0	0.0	Min	I	-110.3	0.0	-0.0	-7.2
0.0	0.0		J	-110.3	0.0	-0.0	-7.2
0.0	0.0	C3-C4;~1 Max	I	185.2	0.0	0.0	24.0
0.0	0.0		J	185.2	0.0	0.0	24.0
0.0	0.0	Min	I	-131.5	0.0	-0.0	-8.2
0.0	0.0		J	-131.5	0.0	-0.0	-8.2
0.0	0.0	C1-C2;~2 Max	I	120.1	0.0	0.0	15.9
0.0	0.0		J	120.1	0.0	0.0	15.9

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-57.3	0.0	-0.0	-3.9
			J	-57.3	0.0	-0.0	-3.9
0.0	0.0						
		C3-C4;~2 Max	I	107.6	0.0	0.0	14.4
0.0	0.0		J	107.6	0.0	0.0	14.4
0.0	0.0						
		Min	I	-66.6	0.0	-0.0	-4.3
0.0	0.0		J	-66.6	0.0	-0.0	-4.3
0.0	0.0						
		G1	I	31.9	0.0	-1.5	9.3
0.0	0.0		J	31.9	0.0	1.5	9.3
0.0	0.0						
		G2	I	11.7	0.0	0.0	3.3
0.0	0.0		J	11.7	0.0	-0.0	3.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.0	0.0	-0.0	-0.1
0.0	0.0		J	1.0	0.0	0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	6.1	0.0	0.0	1.2
0.0	0.0		J	6.1	0.0	-0.0	1.2
0.0	0.0						
		Q5_ps X	I	0.5	0.0	-0.0	-0.2
0.0	0.0		J	0.5	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps Y	I	7.4	0.0	0.0	1.6
0.0	0.0		J	7.4	0.0	-0.0	1.6
0.0	0.0						
		INVSLU Max	I	311.5	0.0	-2.0	76.8
0.0	0.0		J	311.5	0.0	2.0	76.8
0.0	0.0						
		Min	I	-154.2	0.0	-2.0	28.8
0.0	0.0		J	-154.2	0.0	2.0	28.8
0.0	0.0						
		INVSLE Max	I	229.0	0.0	-1.5	57.9
0.0	0.0		J	229.0	0.0	1.5	57.9
0.0	0.0						
		Min	I	-115.1	0.0	-1.5	22.5
0.0	0.0		J	-115.1	0.0	1.5	22.5
0.0	0.0						

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8489	2	66	C1-C2;~1	Max	I	164.3	0.0	0.0	4.6
4.0	93.2				J	164.3	0.0	0.0	4.6
0.0	0.0								
				Min	I	-57.2	-0.2	-0.0	-12.0
-14.6	-649.2				J	-57.2	-0.2	-0.0	-12.0
0.0	0.0								
4.5	162.5		C3-C4;~1	Max	I	185.1	0.1	0.0	4.0
					J	185.1	0.1	0.0	4.0
0.0	0.0								
				Min	I	-45.0	-0.2	-0.0	-11.4
-12.0	-544.1				J	-45.0	-0.2	-0.0	-11.4
0.0	0.0								
2.1	46.9		C1-C2;~2	Max	I	97.3	0.0	0.0	2.5
					J	97.3	0.0	0.0	2.5
0.0	0.0								
				Min	I	-31.9	-0.1	-0.0	-7.4
-8.9	-405.5				J	-31.9	-0.1	-0.0	-7.4
0.0	0.0								
2.4	93.9		C3-C4;~2	Max	I	110.0	0.0	0.0	2.0
					J	110.0	0.0	0.0	2.0
0.0	0.0								
				Min	I	-24.3	-0.1	-0.0	-7.1
-7.2	-332.6				J	-24.3	-0.1	-0.0	-7.1
0.0	0.0								
9227.6	-321.7			G1	I	106.0	-0.1	1.6	-2.5
0.0	0.0				J	106.0	-0.1	4.5	-2.5
-2.3	-123.6			G2	I	39.9	-0.0	-0.0	0.0
0.0	0.0				J	39.9	-0.0	-0.0	0.0
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	-61.0			Q5_pc X	I	-5.7	-0.0	0.0	0.3
0.0	0.0				J	-5.7	-0.0	0.0	0.3
-0.6	84.9			Q5_pc Y	I	-2.1	0.0	-0.0	-0.5
0.0	0.0				J	-2.1	0.0	-0.0	-0.5
0.1	-57.2			Q5_ps X	I	-4.8	-0.0	0.0	0.3
0.0	0.0				J	-4.8	-0.0	0.0	0.3

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.8	76.7	Q5_ps Y	I	-2.9	0.0	-0.0	-0.7	
0.0	0.0		J	-2.9	0.0	-0.0	-0.7	
2455.1	-399.2	INVSLE Max	I	439.7	-0.1	2.1	-14.2	1
0.0	0.0		J	439.7	-0.1	6.0	-14.2	
2428.2	-1647.9	Min	I	102.4	-0.5	2.1	-37.5	1
0.0	0.0		J	102.4	-0.5	6.0	-37.5	
9225.8	-307.1	INVSLE Max	I	324.8	-0.1	1.6	-11.4	
0.0	0.0		J	324.8	-0.1	4.5	-11.4	
9206.0	-1220.7	Min	I	75.7	-0.4	1.5	-28.6	
0.0	0.0		J	75.7	-0.4	4.5	-28.6	
8490	2	66 C1-C2;~1 Max	I	150.0	0.2	0.0	4.3	
0.0	0.0		J	150.0	0.2	0.0	4.3	
13.0	137.6	Min	I	-50.4	-0.0	-0.0	-17.4	
0.0	0.0		J	-50.4	-0.0	-0.0	-17.4	
-2.9	-490.2							
0.0	0.0	C3-C4;~1 Max	I	136.0	0.1	0.0	4.9	
10.1	216.7		J	136.0	0.1	0.0	4.9	
0.0	0.0	Min	I	-71.8	-0.1	-0.0	-16.6	
-3.4	-383.2		J	-71.8	-0.1	-0.0	-16.6	
0.0	0.0	C1-C2;~2 Max	I	89.2	0.1	0.0	2.3	
7.9	84.5		J	89.2	0.1	0.0	2.3	
0.0	0.0	Min	I	-28.8	-0.0	-0.0	-10.6	
-1.6	-313.7		J	-28.8	-0.0	-0.0	-10.6	
0.0	0.0	C3-C4;~2 Max	I	80.4	0.1	0.0	2.6	
6.1	139.5		J	80.4	0.1	0.0	2.6	
0.0	0.0	Min	I	-41.6	-0.0	-0.0	-10.1	
-1.7	-239.8		J	-41.6	-0.0	-0.0	-10.1	
0.0	0.0	G1	I	75.7	0.1	-4.4	-7.1	
9284.5	-159.4		J	75.7	0.1	-1.4	-7.1	
		G2	I	27.9	0.0	-0.0	-2.0	

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	27.9	0.0	-0.0	-2.0	
2.0	-61.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-3.0	0.0	0.0	0.3	
0.0	0.0		J	-3.0	0.0	0.0	0.3	
-0.0	-51.3							
		Q5_pc Y	I	3.3	-0.0	-0.0	-0.8	
0.0	0.0		J	3.3	-0.0	-0.0	-0.8	
0.5	102.6							
		Q5_ps X	I	-2.9	0.0	0.0	0.3	
0.0	0.0		J	-2.9	0.0	0.0	0.3	
-0.1	-47.9							
		Q5_ps Y	I	4.3	-0.0	-0.0	-1.1	
0.0	0.0		J	4.3	-0.0	-0.0	-1.1	
0.6	93.8							
		INVS LU Max	I	367.1	0.4	-6.0	-29.6	
0.0	0.0		J	367.1	0.4	-1.9	-29.6	1
2558.4	-13.6							
		Min	I	61.7	0.0	-6.0	-61.1	
0.0	0.0		J	61.7	0.0	-1.9	-61.1	1
2535.5	-1152.6							
		INVS LE Max	I	272.9	0.3	-4.4	-23.0	
0.0	0.0		J	272.9	0.3	-1.4	-23.0	
9302.6	-24.9							
		Min	I	47.1	0.0	-4.4	-46.3	
0.0	0.0		J	47.1	0.0	-1.4	-46.3	
9285.7	-854.9							
8491	2	66 C1-C2;~1 Max	I	237.1	0.0	0.0	7.5	
0.0	0.0		J	237.1	0.0	0.0	7.5	
0.0	0.0							
		Min	I	-112.5	0.0	-0.0	-10.0	
0.0	0.0		J	-112.5	0.0	-0.0	-10.0	
0.0	0.0							
		C3-C4;~1 Max	I	255.8	0.0	0.0	7.3	
0.0	0.0		J	255.8	0.0	0.0	7.3	
0.0	0.0							
		Min	I	-131.0	0.0	-0.0	-3.9	
0.0	0.0		J	-131.0	0.0	-0.0	-3.9	
0.0	0.0							
		C1-C2;~2 Max	I	136.7	0.0	0.0	4.7	

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	136.7	0.0	0.0	4.7
0.0	0.0	Min	I	-59.7	0.0	-0.0	-6.2
0.0	0.0		J	-59.7	0.0	-0.0	-6.2
0.0	0.0	C3-C4;~2 Max	I	148.1	0.0	0.0	4.6
0.0	0.0		J	148.1	0.0	0.0	4.6
0.0	0.0	Min	I	-68.1	0.0	-0.0	-2.1
0.0	0.0		J	-68.1	0.0	-0.0	-2.1
0.0	0.0	G1	I	95.2	0.0	-1.5	-0.3
0.0	0.0		J	95.2	0.0	1.5	-0.3
0.0	0.0	G2	I	36.6	0.0	0.0	-1.5
0.0	0.0		J	36.6	0.0	-0.0	-1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.5	0.0	-0.0	-0.1
0.0	0.0		J	-1.5	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	1.9	0.0	0.0	0.1
0.0	0.0		J	1.9	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	-1.4	0.0	-0.0	-0.1
0.0	0.0		J	-1.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	1.3	0.0	0.0	0.1
0.0	0.0		J	1.3	0.0	-0.0	0.1
0.0	0.0	INVS LU Max	I	490.1	0.0	-2.0	29.2
0.0	0.0		J	490.1	0.0	2.0	29.2
0.0	0.0	Min	I	-35.5	0.0	-2.0	5.4
0.0	0.0		J	-35.5	0.0	2.0	5.4
0.0	0.0	INVS LE Max	I	361.0	0.0	-1.5	22.7
0.0	0.0		J	361.0	0.0	1.5	22.7
0.0	0.0	Min	I	-28.1	0.0	-1.5	5.1

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-28.1	0.0	1.5	5.1
0.0	0.0							
8492	2	66	C1-C2;~1	Max	I	237.0	0.0	21.4
0.0	0.0				J	237.0	0.0	21.4
0.0	0.0			Min	I	-112.5	-0.0	-4.8
0.0	0.0				J	-112.5	0.0	-4.8
0.0	0.0							
			C3-C4;~1	Max	I	255.7	0.0	19.3
0.0	0.0				J	255.7	0.0	19.3
0.0	0.0			Min	I	-131.0	-0.0	-5.5
0.0	0.0				J	-131.0	0.0	-5.5
0.0	0.0							
			C1-C2;~2	Max	I	136.6	0.0	13.3
0.0	0.0				J	136.6	0.0	13.3
0.0	0.0			Min	I	-59.7	-0.0	-2.5
0.0	0.0				J	-59.7	0.0	-2.5
0.0	0.0							
			C3-C4;~2	Max	I	148.1	0.0	11.7
0.0	0.0				J	148.1	0.0	11.7
0.0	0.0			Min	I	-68.1	-0.0	-2.8
0.0	0.0				J	-68.1	0.0	-2.8
0.0	0.0							
			G1		I	95.1	-0.0	7.6
0.0	0.0				J	95.1	0.0	7.6
0.0	0.0							
			G2		I	36.6	-0.0	2.6
0.0	0.0				J	36.6	0.0	2.6
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-1.5	0.0	-0.2
0.0	0.0				J	-1.5	0.0	-0.2
0.0	0.0							
			Q5_pc	Y	I	2.0	0.0	1.0
0.0	0.0				J	2.0	0.0	1.0
0.0	0.0							
			Q5_ps	X	I	-1.4	0.0	-0.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-1.4	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	1.3	0.0	0.0	1.4
0.0	0.0		J	1.3	0.0	0.0	1.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	489.8	0.0	-2.0	72.4
0.0	0.0		J	489.8	0.0	2.0	72.4
0.0	0.0	Min	I	-35.9	-0.0	-2.0	34.3
0.0	0.0		J	-35.9	0.0	2.0	34.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	360.8	0.0	-1.5	54.7
0.0	0.0		J	360.8	0.0	1.5	54.7
0.0	0.0	Min	I	-28.3	-0.0	-1.5	26.7
0.0	0.0		J	-28.3	0.0	1.5	26.7
0.0	0.0						
8493 2.9	2 137.6	66 C1-C2;~1 Max	I	150.0	0.0	0.0	3.6
			J	150.0	0.0	0.0	3.6
		Min	I	-50.4	-0.2	-0.0	-14.6
-12.6	-490.2		J	-50.4	-0.2	-0.0	-14.6
0.0	0.0						
		C3-C4;~1 Max	I	136.0	0.1	0.0	3.8
3.3	216.7		J	136.0	0.1	0.0	3.8
0.0	0.0	Min	I	-71.8	-0.1	-0.0	-13.8
-9.9	-383.2		J	-71.8	-0.1	-0.0	-13.8
0.0	0.0						
		C1-C2;~2 Max	I	89.2	0.0	0.0	1.9
1.5	84.5		J	89.2	0.0	0.0	1.9
0.0	0.0	Min	I	-28.8	-0.1	-0.0	-8.9
-7.7	-313.7		J	-28.8	-0.1	-0.0	-8.9
0.0	0.0						
		C3-C4;~2 Max	I	80.3	0.0	0.0	2.0
1.7	139.5		J	80.3	0.0	0.0	2.0
0.0	0.0	Min	I	-41.6	-0.1	-0.0	-8.5
-5.9	-239.8		J	-41.6	-0.1	-0.0	-8.5
0.0	0.0						
		G1	I	75.7	-0.1	1.5	-5.7
9276.7	-159.4		J	75.7	-0.1	4.5	-5.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-2.0	-61.4	G2	I	27.9	-0.0	-0.0	-1.2	
0.0	0.0		J	27.9	-0.0	-0.0	-1.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-3.0	-0.0	0.0	0.3	
0.0	-51.3		J	-3.0	-0.0	0.0	0.3	
0.0	0.0	Q5_pc Y	I	3.3	0.0	-0.0	-0.7	
-0.4	102.6		J	3.3	0.0	-0.0	-0.7	
0.0	0.0	Q5_ps X	I	-2.9	-0.0	0.0	0.3	
0.1	-47.9		J	-2.9	-0.0	0.0	0.3	
0.0	0.0	Q5_ps Y	I	4.4	0.0	-0.0	-0.9	
-0.6	93.8		J	4.4	0.0	-0.0	-0.9	
0.0	0.0	INVSLE Max	I	367.1	-0.0	2.1	-26.9	1
2522.1	-13.6		J	367.1	-0.0	6.0	-26.9	
0.0	0.0	Min	I	61.7	-0.4	2.1	-53.0	1
2499.8	-1152.6		J	61.7	-0.4	6.0	-53.0	
0.0	0.0	INVSLE Max	I	272.9	-0.0	1.5	-21.0	
9275.5	-24.9		J	272.9	-0.0	4.5	-21.0	
0.0	0.0	Min	I	47.1	-0.3	1.5	-40.2	
9259.1	-854.9		J	47.1	-0.3	4.5	-40.2	
0.0	0.0	66 C1-C2;~1 Max	I	183.3	0.1	0.0	2.4	
8494	2		J	183.3	0.1	0.0	2.4	
0.0	0.0	Min	I	-64.9	-0.1	-0.0	-13.4	
10.9	226.9		J	-64.9	-0.1	-0.0	-13.4	
0.0	0.0	C3-C4;~1 Max	I	144.6	0.1	0.0	2.5	
-2.1	-391.1		J	144.6	0.1	0.0	2.5	
0.0	0.0	Min	I	-108.3	-0.1	-0.0	-12.8	
8.3	300.9		J	-108.3	-0.1	-0.0	-12.8	
0.0	0.0		J	-108.3	-0.1	-0.0	-12.8	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.7	-290.9							
		C1-C2;~2	Max	I	107.0	0.1	0.0	1.2
0.0	0.0			J	107.0	0.1	0.0	1.2
6.8	138.0							
			Min	I	-34.1	-0.0	-0.0	-8.4
0.0	0.0			J	-34.1	-0.0	-0.0	-8.4
-1.1	-249.8							
		C3-C4;~2	Max	I	82.7	0.1	0.0	1.3
0.0	0.0			J	82.7	0.1	0.0	1.3
5.1	189.5							
			Min	I	-61.4	-0.1	-0.0	-7.9
0.0	0.0			J	-61.4	-0.1	-0.0	-7.9
-1.5	-179.8							
			G1	I	63.7	0.0	-4.4	-5.1
0.0	0.0			J	63.7	0.0	-1.4	-5.1
9251.2	-16.2							
			G2	I	23.1	0.0	-0.0	-1.2
0.0	0.0			J	23.1	0.0	-0.0	-1.2
1.6	-6.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-2.6	0.0	0.0	0.2
0.0	0.0			J	-2.6	0.0	0.0	0.2
-0.1	-39.9							
			Q5_pc Y	I	8.5	-0.0	-0.0	-0.9
0.0	0.0			J	8.5	-0.0	-0.0	-0.9
0.5	94.9							
			Q5_ps X	I	-3.0	0.0	0.0	0.3
0.0	0.0			J	-3.0	0.0	0.0	0.3
-0.1	-37.1							
			Q5_ps Y	I	11.6	-0.0	-0.0	-1.2
0.0	0.0			J	11.6	-0.0	-0.0	-1.2
0.7	87.2							
			INVSLU Max	I	401.1	0.2	-6.0	-30.6
0.0	0.0			J	401.1	0.2	-1.9	-30.6
2507.4	382.6							
			Min	I	-8.0	-0.1	-6.0	-53.8
0.0	0.0			J	-8.0	-0.1	-1.9	-53.8
2488.3	-722.4							
			INVSLE Max	I	298.4	0.2	-4.4	-23.9
0.0	0.0							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9264.8	269.9		J	298.4	0.2	-1.4	-23.9
		Min	I	-3.5	-0.1	-4.4	-40.9
0.0	0.0		J	-3.5	-0.1	-1.4	-40.9
9250.7	-536.0						
8495	2	66 C1-C2;~1 Max	I	234.1	0.0	0.0	10.2
0.0	0.0		J	234.1	0.0	0.0	10.2
0.0	0.0	Min	I	-111.5	0.0	0.0	-7.8
0.0	0.0		J	-111.5	-0.0	-0.0	-7.8
0.0	0.0						
		C3-C4;~1 Max	I	280.9	0.0	0.0	11.2
0.0	0.0		J	280.9	0.0	0.0	11.2
0.0	0.0	Min	I	-118.6	0.0	0.0	-2.3
0.0	0.0		J	-118.6	-0.0	-0.0	-2.3
0.0	0.0						
		C1-C2;~2 Max	I	130.5	0.0	0.0	6.3
0.0	0.0		J	130.5	0.0	0.0	6.3
0.0	0.0	Min	I	-58.4	0.0	0.0	-4.8
0.0	0.0		J	-58.4	-0.0	-0.0	-4.8
0.0	0.0						
		C3-C4;~2 Max	I	159.7	0.0	0.0	7.0
0.0	0.0		J	159.7	0.0	0.0	7.0
0.0	0.0	Min	I	-61.7	0.0	0.0	-1.1
0.0	0.0		J	-61.7	-0.0	-0.0	-1.1
0.0	0.0						
		G1	I	111.5	0.0	-1.5	2.7
0.0	0.0		J	111.5	0.0	1.5	2.7
0.0	0.0						
		G2	I	43.1	0.0	0.0	-0.3
0.0	0.0		J	43.1	0.0	0.0	-0.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.6	0.0	0.0	-0.1
0.0	0.0		J	-1.6	-0.0	-0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-2.3	0.0	0.0	0.2
0.0	0.0		J	-2.3	-0.0	0.0	0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0							
		Q5_ps X	I	-1.0	0.0	0.0	-0.1	
0.0	0.0		J	-1.0	-0.0	-0.0	-0.1	
0.0	0.0							
		Q5_ps Y	I	-5.0	0.0	0.0	0.2	
0.0	0.0		J	-5.0	-0.0	0.0	0.2	
0.0	0.0							
		INVS LU Max	I	569.2	0.0	-2.0	45.2	
0.0	0.0		J	569.2	0.0	2.0	45.2	
0.0	0.0							
		Min	I	25.9	0.0	-2.0	19.2	
0.0	0.0		J	25.9	-0.0	2.0	19.2	
0.0	0.0							
		INVS LE Max	I	420.0	0.0	-1.5	34.6	
0.0	0.0		J	420.0	0.0	1.5	34.6	
0.0	0.0							
		Min	I	17.8	0.0	-1.5	15.4	
0.0	0.0		J	17.8	-0.0	1.5	15.4	
0.0	0.0							
8496	2	66 C1-C2;~1 Max	I	234.1	0.0	0.0	21.8	
0.0	0.0		J	234.1	0.0	0.0	21.8	
0.0	0.0							
		Min	I	-111.4	-0.0	-0.0	-4.1	
0.0	0.0		J	-111.4	-0.0	-0.0	-4.1	
0.0	0.0							
		C3-C4;~1 Max	I	280.9	0.0	0.0	19.4	
0.0	0.0		J	280.9	0.0	0.0	19.4	
0.0	0.0							
		Min	I	-118.6	-0.0	-0.0	-4.7	
0.0	0.0		J	-118.6	-0.0	-0.0	-4.7	
0.0	0.0							
		C1-C2;~2 Max	I	130.5	0.0	0.0	13.6	
0.0	0.0		J	130.5	0.0	0.0	13.6	
0.0	0.0							
		Min	I	-58.4	-0.0	-0.0	-2.1	
0.0	0.0		J	-58.4	-0.0	-0.0	-2.1	
0.0	0.0							
		C3-C4;~2 Max	I	159.7	0.0	0.0	11.9	
0.0	0.0		J	159.7	0.0	0.0	11.9	
0.0	0.0							
		Min	I	-61.7	-0.0	-0.0	-2.4	
0.0	0.0		J	-61.7	-0.0	-0.0	-2.4	
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G1	I	111.5	-0.0	-1.5	8.5
			J	111.5	0.0	1.5	8.5
0.0	0.0						
0.0	0.0	G2	I	43.1	-0.0	0.0	3.0
			J	43.1	0.0	-0.0	3.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-1.6	0.0	-0.0	-0.3
			J	-1.6	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-2.2	0.0	0.0	1.1
			J	-2.2	-0.0	-0.0	1.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-1.0	0.0	-0.0	-0.4
			J	-1.0	-0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-4.9	0.0	0.0	1.5
			J	-4.9	-0.0	-0.0	1.5
0.0	0.0						
0.0	0.0	INVSLE Max	I	569.2	0.0	-2.0	74.6
			J	569.2	0.0	2.0	74.6
0.0	0.0						
0.0	0.0	Min	I	25.8	-0.0	-2.0	36.9
			J	25.8	-0.0	2.0	36.9
0.0	0.0						
0.0	0.0	INVSLE Max	I	419.9	0.0	-1.5	56.4
			J	419.9	0.0	1.5	56.4
0.0	0.0						
0.0	0.0	Min	I	17.7	-0.0	-1.5	28.6
			J	17.7	-0.0	1.5	28.6
0.0	0.0						
8497	2	66 C1-C2;~1 Max	I	183.3	0.1	0.0	2.8
2.0	226.9		J	183.3	0.1	0.0	2.8
0.0	0.0						
-10.6	-391.1	Min	I	-64.9	-0.1	-0.0	-11.6
			J	-64.9	-0.1	-0.0	-11.6
0.0	0.0						
2.6	300.9	C3-C4;~1 Max	I	144.6	0.1	0.0	2.1
			J	144.6	0.1	0.0	2.1
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-8.1	-290.9		Min	I	-108.3	-0.1	-0.0	-10.9	
				J	-108.3	-0.1	-0.0	-10.9	
0.0	0.0								
		C1-C2;~2	Max	I	107.0	0.0	0.0	1.5	
1.1	138.0			J	107.0	0.0	0.0	1.5	
0.0	0.0								
			Min	I	-34.1	-0.1	-0.0	-7.3	
-6.6	-249.8			J	-34.1	-0.1	-0.0	-7.3	
0.0	0.0								
		C3-C4;~2	Max	I	82.7	0.1	0.0	1.0	
1.5	189.5			J	82.7	0.1	0.0	1.0	
0.0	0.0								
			Min	I	-61.4	-0.1	-0.0	-6.8	
-5.0	-179.8			J	-61.4	-0.1	-0.0	-6.8	
0.0	0.0								
			G1	I	63.7	-0.0	1.5	-4.0	
9245.5	-16.2			J	63.7	-0.0	4.5	-4.0	
0.0	0.0								
			G2	I	23.1	-0.0	-0.0	-0.6	
-1.6	-6.3			J	23.1	-0.0	-0.0	-0.6	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-2.6	-0.0	0.0	0.2	
0.1	-39.9			J	-2.6	-0.0	0.0	0.2	
0.0	0.0								
			Q5_pc Y	I	8.5	0.0	-0.0	-0.7	
-0.5	94.9			J	8.5	0.0	-0.0	-0.7	
0.0	0.0								
			Q5_ps X	I	-3.0	-0.0	0.0	0.2	
0.1	-37.1			J	-3.0	-0.0	0.0	0.2	
0.0	0.0								
			Q5_ps Y	I	11.6	0.0	-0.0	-0.9	
-0.6	87.2			J	11.6	0.0	-0.0	-0.9	
0.0	0.0								
			INVSLU Max	I	401.0	0.1	2.1	-27.8	1
2482.3	382.6			J	401.0	0.1	6.0	-27.8	
0.0	0.0								
			Min	I	-8.0	-0.2	2.1	-48.5	1
2463.6	-722.4			J	-8.0	-0.2	6.0	-48.5	
0.0	0.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


9246.1	269.9	INVSLE	Max	I	298.3	0.1	1.5	-21.8
				J	298.3	0.1	4.5	-21.8
0.0	0.0							
9232.3	-536.0		Min	I	-3.5	-0.2	1.5	-37.0
				J	-3.5	-0.2	4.5	-37.0
0.0	0.0							
8498	2	66	C1-C2;~1	Max	I	206.8	0.1	0.0
0.0	0.0			J	206.8	0.1	0.0	1.7
8.3	297.1							
			Min	I	-103.1	-0.1	-0.0	-12.3
0.0	0.0			J	-103.1	-0.1	-0.0	-12.3
-2.4	-360.6							
			C3-C4;~1	Max	I	149.1	0.1	0.0
0.0	0.0			J	149.1	0.1	0.0	1.8
5.6	399.5							
			Min	I	-164.6	-0.1	-0.0	-11.9
0.0	0.0			J	-164.6	-0.1	-0.0	-11.9
-3.0	-247.0							
			C1-C2;~2	Max	I	117.4	0.1	0.0
0.0	0.0			J	117.4	0.1	0.0	0.8
5.3	176.1							
			Min	I	-53.6	-0.1	-0.0	-7.8
0.0	0.0			J	-53.6	-0.1	-0.0	-7.8
-1.4	-231.0							
			C3-C4;~2	Max	I	81.7	0.0	0.0
0.0	0.0			J	81.7	0.0	0.0	0.9
3.5	246.7							
			Min	I	-91.3	-0.1	-0.0	-7.4
0.0	0.0			J	-91.3	-0.1	-0.0	-7.4
-1.8	-151.4							
			G1	I	28.8	-0.0	-4.4	-4.6
0.0	0.0			J	28.8	-0.0	-1.4	-4.6
9248.8	105.6							
			G2	I	9.6	-0.0	-0.0	-1.1
0.0	0.0			J	9.6	-0.0	-0.0	-1.1
0.9	41.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-1.9	0.0	0.2
0.0	0.0			J	-1.9	0.0	0.0	0.2
-0.1	-37.9							

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc	Y	I	11.0	-0.0	-0.0	-0.8	
				J	11.0	-0.0	-0.0	-0.8	
0.3	102.3								
0.0	0.0	Q5_ps	X	I	-2.9	0.0	0.0	0.3	
				J	-2.9	0.0	0.0	0.3	
-0.1	-35.0								
0.0	0.0	Q5_ps	Y	I	16.1	-0.0	-0.0	-1.2	
				J	16.1	-0.0	-0.0	-1.2	
0.5	93.4								
0.0	0.0	INVS	LU Max	I	381.1	0.1	-6.0	-30.6	
				J	381.1	0.1	-1.9	-30.6	1
2501.6	782.7								
0.0	0.0		Min	I	-140.1	-0.2	-6.0	-51.2	
				J	-140.1	-0.2	-1.9	-51.2	1
2485.8	-427.5								
0.0	0.0	INVS	LE Max	I	284.4	0.1	-4.4	-23.9	
				J	284.4	0.1	-1.4	-23.9	
9260.6	565.9								
0.0	0.0		Min	I	-100.2	-0.2	-4.4	-39.1	
				J	-100.2	-0.2	-1.4	-39.1	
9248.9	-316.9								
8499	2	66	C1-C2;~1	Max	I	248.4	0.0	0.0	11.7
0.0	0.0			J	248.4	0.0	0.0	11.7	
0.0	0.0								
0.0	0.0		Min	I	-134.3	-0.0	-0.0	-7.9	
0.0	0.0			J	-134.3	0.0	-0.0	-7.9	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	322.1	0.0	0.0	13.0
				J	322.1	0.0	0.0	13.0	
0.0	0.0								
0.0	0.0		Min	I	-119.4	-0.0	-0.0	-2.5	
0.0	0.0			J	-119.4	0.0	-0.0	-2.5	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	133.6	0.0	0.0	7.1
				J	133.6	0.0	0.0	7.1	
0.0	0.0								
0.0	0.0		Min	I	-71.8	-0.0	-0.0	-4.8	
0.0	0.0			J	-71.8	0.0	-0.0	-4.8	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	179.3	0.0	0.0	8.0
				J	179.3	0.0	0.0	8.0	
0.0	0.0								
0.0	0.0		Min	I	-61.8	-0.0	-0.0	-1.2	
0.0	0.0								


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-61.8	0.0	-0.0	-1.2
0.0	0.0	G1	I	136.5	0.0	-1.5	4.2
0.0	0.0		J	136.5	0.0	1.5	4.2
0.0	0.0	G2	I	52.8	0.0	0.0	0.3
0.0	0.0		J	52.8	0.0	-0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.6	-0.0	-0.0	-0.1
0.0	0.0		J	-1.6	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-4.2	-0.0	0.0	0.2
0.0	0.0		J	-4.2	0.0	-0.0	0.2
0.0	0.0	Q5_ps X	I	-0.5	-0.0	-0.0	-0.1
0.0	0.0		J	-0.5	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-9.0	-0.0	0.0	0.2
0.0	0.0		J	-9.0	0.0	-0.0	0.2
0.0	0.0	INVS LU Max	I	678.9	0.0	-2.0	46.8
0.0	0.0		J	678.9	0.0	2.0	46.8
0.0	0.0	Min	I	55.2	-0.0	-2.0	18.2
0.0	0.0		J	55.2	0.0	2.0	18.2
0.0	0.0	INVS LE Max	I	501.1	0.0	-1.5	35.6
0.0	0.0		J	501.1	0.0	1.5	35.6
0.0	0.0	Min	I	39.7	-0.0	-1.5	14.5
0.0	0.0		J	39.7	0.0	1.5	14.5
8500	2	66 C1-C2;~1 Max	I	248.4	0.0	0.0	18.0
0.0	0.0		J	248.4	0.0	0.0	18.0
0.0	0.0	Min	I	-134.2	0.0	-0.0	-3.0
0.0	0.0		J	-134.2	-0.0	-0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	322.2	0.0	0.0	15.5

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	322.2	0.0	0.0	15.5
0.0	0.0	Min	I	-119.5	0.0	-0.0	-3.5
0.0	0.0		J	-119.5	-0.0	-0.0	-3.5
0.0	0.0	C1-C2;~2 Max	I	133.6	0.0	0.0	11.3
0.0	0.0		J	133.6	0.0	0.0	11.3
0.0	0.0	Min	I	-71.7	0.0	-0.0	-1.5
0.0	0.0		J	-71.7	-0.0	-0.0	-1.5
0.0	0.0	C3-C4;~2 Max	I	179.4	0.0	0.0	9.6
0.0	0.0		J	179.4	0.0	0.0	9.6
0.0	0.0	Min	I	-61.9	0.0	-0.0	-1.8
0.0	0.0		J	-61.9	-0.0	-0.0	-1.8
0.0	0.0	G1	I	136.6	0.0	-1.5	6.0
0.0	0.0		J	136.6	0.0	1.5	6.0
0.0	0.0	G2	I	52.8	0.0	0.0	2.1
0.0	0.0		J	52.8	0.0	0.0	2.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.7	0.0	-0.0	-0.3
0.0	0.0		J	-1.7	-0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	-4.1	0.0	0.0	0.9
0.0	0.0		J	-4.1	-0.0	0.0	0.9
0.0	0.0	Q5_ps X	I	-0.5	0.0	-0.0	-0.3
0.0	0.0		J	-0.5	-0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	-9.0	0.0	0.0	1.3
0.0	0.0		J	-9.0	-0.0	0.0	1.3
0.0	0.0	INVSLU Max	I	679.1	0.0	-2.0	65.1
0.0	0.0		J	679.1	0.0	2.0	65.1
0.0	0.0	Min	I	55.5	0.0	-2.0	34.4

PROJECT TITLE :

		Company						Client
		Author						File Name
0.0	0.0			J	55.5	-0.0	2.0	34.4
0.0	0.0							
0.0	0.0		INVSLE Max	I	501.3	0.0	-1.5	49.4
0.0	0.0			J	501.3	0.0	1.5	49.4
0.0	0.0		Min	I	39.9	0.0	-1.5	26.8
0.0	0.0			J	39.9	-0.0	1.5	26.8
0.0	0.0							
8501	2	66	C1-C2;~1 Max	I	206.8	0.1	0.0	2.0
2.3	297.1			J	206.8	0.1	0.0	2.0
0.0	0.0		Min	I	-103.1	-0.1	-0.0	-11.3
-8.1	-360.6			J	-103.1	-0.1	-0.0	-11.3
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	149.1	0.1	0.0	1.6
2.9	399.5			J	149.1	0.1	0.0	1.6
0.0	0.0		Min	I	-164.6	-0.1	-0.0	-10.9
-5.5	-247.0			J	-164.6	-0.1	-0.0	-10.9
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	117.4	0.1	0.0	1.1
1.4	176.1			J	117.4	0.1	0.0	1.1
0.0	0.0		Min	I	-53.6	-0.1	-0.0	-7.2
-5.2	-231.0			J	-53.6	-0.1	-0.0	-7.2
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	81.7	0.1	0.0	0.8
1.7	246.7			J	81.7	0.1	0.0	0.8
0.0	0.0		Min	I	-91.3	-0.0	-0.0	-6.8
-3.4	-151.4			J	-91.3	-0.0	-0.0	-6.8
0.0	0.0							
0.0	0.0		G1	I	28.8	0.0	1.5	-4.3
9247.1	105.6			J	28.8	0.0	4.5	-4.3
0.0	0.0							
0.0	0.0		G2	I	9.6	0.0	-0.0	-0.7
-0.9	41.3			J	9.6	0.0	-0.0	-0.7
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc X	I	-2.0	-0.0	0.0	0.2
0.1	-37.9							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	-2.0	-0.0	0.0	0.2	
-0.3	102.3	Q5_pc Y	I	11.0	0.0	-0.0	-0.7	
0.0	0.0		J	11.0	0.0	-0.0	-0.7	
0.1	-35.0	Q5_ps X	I	-2.9	-0.0	0.0	0.2	
0.0	0.0		J	-2.9	-0.0	0.0	0.2	
-0.5	93.4	Q5_ps Y	I	16.2	0.0	-0.0	-1.0	
0.0	0.0		J	16.2	0.0	-0.0	-1.0	
2483.6	782.7	INVS LU Max	I	381.1	0.3	2.1	-28.5	1
0.0	0.0		J	381.1	0.3	6.0	-28.5	
2468.2	-427.5	Min	I	-140.0	-0.1	2.1	-47.7	1
0.0	0.0		J	-140.0	-0.1	6.0	-47.7	
9247.0	565.9	INVS LE Max	I	284.4	0.2	1.5	-22.3	
0.0	0.0		J	284.4	0.2	4.5	-22.3	
9235.6	-316.9	Min	I	-100.2	-0.1	1.5	-36.5	
0.0	0.0		J	-100.2	-0.1	4.5	-36.5	
8502	2	66 C1-C2;~1 Max	I	233.7	0.1	0.0	1.7	
0.0	0.0		J	233.7	0.1	0.0	1.7	
5.9	422.2	Min	I	-157.2	-0.1	-0.0	-11.2	
0.0	0.0		J	-157.2	-0.1	-0.0	-11.2	
-2.7	-288.5							
0.0	0.0	C3-C4;~1 Max	I	161.8	0.1	0.0	1.6	
3.2	543.6		J	161.8	0.1	0.0	1.6	
0.0	0.0	Min	I	-238.4	-0.2	-0.0	-10.7	
-3.3	-192.8		J	-238.4	-0.2	-0.0	-10.7	
0.0	0.0	C1-C2;~2 Max	I	131.2	0.1	0.0	0.9	
3.9	248.0		J	131.2	0.1	0.0	0.9	
0.0	0.0	Min	I	-80.9	-0.1	-0.0	-7.2	
-1.7	-185.9		J	-80.9	-0.1	-0.0	-7.2	
0.0	0.0	C3-C4;~2 Max	I	87.3	0.0	0.0	0.7	
			J	87.3	0.0	0.0	0.7	

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2.0	331.4		Min	I	-129.6	-0.1	-0.0	-6.6	
0.0	0.0			J	-129.6	-0.1	-0.0	-6.6	
-2.0	-118.2								
			G1	I	-20.9	-0.1	-4.4	-3.9	
0.0	0.0			J	-20.9	-0.1	-1.4	-3.9	
9247.4	284.6								
			G2	I	-9.5	-0.0	-0.0	-0.8	
0.0	0.0			J	-9.5	-0.0	-0.0	-0.8	
0.3	108.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-1.7	0.0	0.0	0.2	
0.0	0.0			J	-1.7	0.0	0.0	0.2	
-0.1	-45.4								
			Q5_pc Y	I	13.3	-0.0	-0.0	-0.8	
0.0	0.0			J	13.3	-0.0	-0.0	-0.8	
0.5	144.1								
			Q5_ps X	I	-3.3	0.0	0.0	0.3	
0.0	0.0			J	-3.3	0.0	0.0	0.3	
-0.2	-42.2								
			Q5_ps Y	I	20.4	-0.0	-0.0	-1.1	
0.0	0.0			J	20.4	-0.0	-0.0	-1.1	
0.6	134.0								
			INVSLE Max	I	335.7	0.0	-6.0	-23.2	
0.0	0.0			J	335.7	0.0	-1.9	-23.2	1
2493.4	1374.5								
			Min	I	-325.4	-0.4	-6.0	-41.9	
0.0	0.0			J	-325.4	-0.4	-1.9	-41.9	1
2480.1	-8.3								
			INVSLE Max	I	251.4	0.0	-4.4	-18.4	
0.0	0.0			J	251.4	0.0	-1.4	-18.4	
9254.4	999.8								
			Min	I	-236.6	-0.3	-4.4	-32.1	
0.0	0.0			J	-236.6	-0.3	-1.4	-32.1	
9244.6	-5.3								
8503	2	66	C1-C2;~1 Max	I	248.1	0.0	0.0	10.7	
0.0	0.0			J	248.1	0.0	0.0	10.7	
0.0	0.0								
			Min	I	-173.8	-0.0	-0.0	-8.0	
0.0	0.0			J	-173.8	-0.0	0.0	-8.0	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~1 Max	I	340.2	0.0	0.0	11.9
0.0	0.0		J	340.2	0.0	0.0	11.9
0.0	0.0	Min	I	-118.8	-0.0	-0.0	-2.3
0.0	0.0		J	-118.8	-0.0	0.0	-2.3
0.0	0.0						
		C1-C2;~2 Max	I	129.4	0.0	0.0	6.6
0.0	0.0		J	129.4	0.0	0.0	6.6
0.0	0.0	Min	I	-95.0	-0.0	-0.0	-4.9
0.0	0.0		J	-95.0	-0.0	0.0	-4.9
0.0	0.0						
		C3-C4;~2 Max	I	185.5	0.0	0.0	7.4
0.0	0.0		J	185.5	0.0	0.0	7.4
0.0	0.0	Min	I	-60.8	-0.0	-0.0	-1.1
0.0	0.0		J	-60.8	-0.0	0.0	-1.1
0.0	0.0						
		G1	I	140.2	0.0	-1.5	3.7
0.0	0.0		J	140.2	0.0	1.5	3.7
0.0	0.0						
		G2	I	54.1	0.0	-0.0	0.1
0.0	0.0		J	54.1	0.0	0.0	0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-2.0	-0.0	0.0	-0.1
0.0	0.0		J	-2.0	-0.0	0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-2.8	-0.0	-0.0	0.3
0.0	0.0		J	-2.8	-0.0	0.0	0.3
0.0	0.0						
		Q5_ps X	I	-0.4	-0.0	0.0	-0.1
0.0	0.0		J	-0.4	-0.0	0.0	-0.1
0.0	0.0						
		Q5_ps Y	I	-9.9	-0.0	-0.0	0.3
0.0	0.0		J	-9.9	-0.0	0.0	0.3
0.0	0.0						
		INVSLU Max	I	712.9	0.0	-2.0	43.6
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	712.9	0.0	2.0	43.6
0.0	0.0	Min	I	13.8	-0.0	-2.0	16.1
0.0	0.0		J	13.8	-0.0	2.0	16.1
0.0	0.0	INVSLE Max	I	526.4	0.0	-1.5	33.3
0.0	0.0		J	526.4	0.0	1.5	33.3
0.0	0.0	Min	I	9.0	-0.0	-1.5	12.9
0.0	0.0		J	9.0	-0.0	1.5	12.9
8504	2	66 C1-C2;~1 Max	I	248.3	0.0	0.0	12.5
0.0	0.0		J	248.3	0.0	0.0	12.5
0.0	0.0	Min	I	-173.7	-0.0	0.0	-2.0
0.0	0.0		J	-173.7	-0.0	0.0	-2.0
0.0	0.0	C3-C4;~1 Max	I	340.4	0.0	0.0	9.8
0.0	0.0		J	340.4	0.0	0.0	9.8
0.0	0.0	Min	I	-118.9	-0.0	0.0	-2.2
0.0	0.0		J	-118.9	-0.0	0.0	-2.2
0.0	0.0	C1-C2;~2 Max	I	129.5	0.0	0.0	8.0
0.0	0.0		J	129.5	0.0	0.0	8.0
0.0	0.0	Min	I	-95.0	-0.0	0.0	-1.0
0.0	0.0		J	-95.0	-0.0	0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	185.6	0.0	0.0	6.3
0.0	0.0		J	185.6	0.0	0.0	6.3
0.0	0.0	Min	I	-60.8	-0.0	0.0	-1.1
0.0	0.0		J	-60.8	-0.0	0.0	-1.1
0.0	0.0	G1	I	140.4	-0.0	-1.5	2.2
0.0	0.0		J	140.4	0.0	1.5	2.2
0.0	0.0	G2	I	54.1	-0.0	0.0	0.6
0.0	0.0		J	54.1	0.0	0.0	0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	-2.1	0.0	0.0	-0.4
0.0	0.0		J	-2.1	-0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	-2.7	0.0	0.0	1.3
0.0	0.0		J	-2.7	0.0	0.0	1.3
0.0	0.0	Q5_ps X	I	-0.4	0.0	0.0	-0.4
0.0	0.0		J	-0.4	-0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	-9.8	0.0	0.0	1.6
0.0	0.0		J	-9.8	0.0	0.0	1.6
0.0	0.0	INVS LU Max	I	713.4	0.0	-2.0	45.0
0.0	0.0		J	713.4	0.0	2.0	45.0
0.0	0.0	Min	I	14.3	-0.0	-2.0	22.8
0.0	0.0		J	14.3	-0.0	2.0	22.8
0.0	0.0	INVS LE Max	I	526.8	0.0	-1.5	34.4
0.0	0.0		J	526.8	0.0	1.5	34.4
0.0	0.0	Min	I	9.4	-0.0	-1.5	18.1
0.0	0.0		J	9.4	-0.0	1.5	18.1
8505 2.7	2 422.2	66 C1-C2;~1 Max	I	233.7	0.1	0.0	1.8
0.0	0.0		J	233.7	0.1	0.0	1.8
-5.8	-288.5	Min	I	-157.2	-0.1	-0.0	-10.8
0.0	0.0		J	-157.2	-0.1	-0.0	-10.8
3.2	543.6	C3-C4;~1 Max	I	161.7	0.2	0.0	1.4
0.0	0.0		J	161.7	0.2	0.0	1.4
-3.1	-192.8	Min	I	-238.3	-0.1	-0.0	-10.5
0.0	0.0		J	-238.3	-0.1	-0.0	-10.5
1.7	248.0	C1-C2;~2 Max	I	131.2	0.1	0.0	1.0
0.0	0.0		J	131.2	0.1	0.0	1.0
-3.8	-185.9	Min	I	-80.9	-0.1	-0.0	-6.9
0.0	0.0		J	-80.9	-0.1	-0.0	-6.9


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
			C3-C4 ; ~2	Max	I	87.3	0.1	0.0	0.6	
2.0	331.4				J	87.3	0.1	0.0	0.6	
0.0	0.0									
			Min		I	-129.6	-0.0	-0.0	-6.5	
-2.0	-118.2				J	-129.6	-0.0	-0.0	-6.5	
0.0	0.0									
			G1		I	-20.9	0.1	1.5	-4.2	
9248.9	284.6				J	-20.9	0.1	4.5	-4.2	
0.0	0.0									
			G2		I	-9.5	0.0	-0.0	-0.7	
-0.3	108.6				J	-9.5	0.0	-0.0	-0.7	
0.0	0.0									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc X		I	-1.7	-0.0	0.0	0.2	
0.1	-45.4				J	-1.7	-0.0	0.0	0.2	
0.0	0.0									
			Q5_pc Y		I	13.3	0.0	-0.0	-0.6	
-0.5	144.1				J	13.3	0.0	-0.0	-0.6	
0.0	0.0									
			Q5_ps X		I	-3.3	-0.0	0.0	0.2	
0.2	-42.2				J	-3.3	-0.0	0.0	0.2	
0.0	0.0									
			Q5_ps Y		I	20.4	0.0	-0.0	-0.9	
-0.6	134.0				J	20.4	0.0	-0.0	-0.9	
0.0	0.0									
			INVS LU	Max	I	335.8	0.4	2.1	-23.2	1
2489.9	1374.5				J	335.8	0.4	6.0	-23.2	
0.0	0.0									
			Min		I	-325.3	-0.0	2.1	-41.3	1
2476.9	-8.3				J	-325.3	-0.0	6.0	-41.3	
0.0	0.0									
			INVS LE	Max	I	251.5	0.3	1.5	-18.3	
9251.6	999.8				J	251.5	0.3	4.5	-18.3	
0.0	0.0									
			Min		I	-236.5	-0.0	1.5	-31.7	
9242.1	-5.3				J	-236.5	-0.0	4.5	-31.7	
0.0	0.0									
			66 C1-C2 ; ~1	Max	I	229.4	0.1	0.0	2.7	
8506	2				J	229.4	0.1	0.0	2.7	
0.0	0.0									
4.1	613.3									

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
			Min	I	-190.0	-0.2	-0.0	-3.9
0.0	0.0			J	-190.0	-0.2	-0.0	-3.9
-7.3	-166.2							
		C3-C4;~1	Max	I	148.5	0.0	0.0	3.9
0.0	0.0			J	148.5	0.0	0.0	3.9
2.5	714.7							
			Min	I	-280.8	-0.2	-0.0	-2.7
0.0	0.0			J	-280.8	-0.2	-0.0	-2.7
-8.7	-151.5							
		C1-C2;~2	Max	I	128.4	0.0	0.0	1.5
0.0	0.0			J	128.4	0.0	0.0	1.5
2.4	348.2							
			Min	I	-97.8	-0.1	-0.0	-2.4
0.0	0.0			J	-97.8	-0.1	-0.0	-2.4
-4.1	-95.3							
		C3-C4;~2	Max	I	78.3	0.0	0.0	2.2
0.0	0.0			J	78.3	0.0	0.0	2.2
1.3	415.3							
			Min	I	-151.9	-0.1	-0.0	-1.6
0.0	0.0			J	-151.9	-0.1	-0.0	-1.6
-5.0	-79.6							
			G1	I	-65.8	-0.2	-4.3	1.2
0.0	0.0			J	-65.8	-0.2	-1.4	1.2
8871.9	477.0							
			G2	I	-26.5	-0.1	0.0	0.6
0.0	0.0			J	-26.5	-0.1	0.0	0.6
-1.0	188.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	0.7	0.0	0.0	0.3
0.0	0.0			J	0.7	0.0	0.0	0.3
-0.8	-6.5							
			Q5_pc Y	I	5.0	0.0	-0.0	-1.4
0.0	0.0			J	5.0	0.0	-0.0	-1.4
3.2	-0.2							
			Q5_ps X	I	-1.4	0.0	0.0	0.4
0.0	0.0			J	-1.4	0.0	0.0	0.4
-0.8	-4.8							
			Q5_ps Y	I	13.9	0.0	-0.0	-1.6
0.0	0.0			J	13.9	0.0	-0.0	-1.6
3.1	-4.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	INVSLE Max	I	243.4	-0.3	-5.8	2.1	
1977.0	2104.4		J	243.4	-0.3	-1.9	2.1	1
0.0	0.0	Min	I	-454.2	-0.7	-5.8	-11.0	
1954.1	903.5		J	-454.2	-0.7	-1.9	-11.0	1
0.0	0.0	INVSLE Max	I	184.7	-0.2	-4.3	1.0	
8871.3	1576.5		J	184.7	-0.2	-1.4	1.0	
0.0	0.0	Min	I	-331.4	-0.5	-4.3	-8.5	
8854.7	687.9		J	-331.4	-0.5	-1.4	-8.5	
8507	2	66 C1-C2;~1 Max	I	225.0	0.0	0.0	9.2	
0.0	0.0		J	225.0	0.0	0.0	9.2	
0.0	0.0	Min	I	-206.0	0.0	0.0	-7.6	
0.0	0.0		J	-206.0	-0.0	0.0	-7.6	
0.0	0.0	C3-C4;~1 Max	I	317.9	0.0	0.0	10.6	
0.0	0.0		J	317.9	0.0	0.0	10.6	
0.0	0.0	Min	I	-127.9	0.0	0.0	-2.7	
0.0	0.0		J	-127.9	-0.0	0.0	-2.7	
0.0	0.0	C1-C2;~2 Max	I	116.3	0.0	0.0	5.6	
0.0	0.0		J	116.3	0.0	0.0	5.6	
0.0	0.0	Min	I	-114.5	0.0	0.0	-4.6	
0.0	0.0		J	-114.5	-0.0	0.0	-4.6	
0.0	0.0	C3-C4;~2 Max	I	172.0	0.0	0.0	6.4	
0.0	0.0		J	172.0	0.0	0.0	6.4	
0.0	0.0	Min	I	-65.6	0.0	0.0	-1.4	
0.0	0.0		J	-65.6	-0.0	0.0	-1.4	
0.0	0.0	G1	I	111.4	0.0	-1.4	3.8	
0.0	0.0		J	111.4	-0.0	1.4	3.8	
0.0	0.0	G2	I	43.0	0.0	0.0	0.2	
0.0	0.0		J	43.0	-0.0	0.0	0.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	0.5	0.0	0.0	-0.1
0.0	0.0		J	0.5	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-10.8	0.0	0.0	0.3
0.0	0.0		J	-10.8	-0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q5_ps X	I	2.3	0.0	0.0	-0.1
0.0	0.0		J	2.3	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-18.8	0.0	0.0	0.2
0.0	0.0		J	-18.8	-0.0	0.0	0.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	643.1	0.0	-1.9	35.3
0.0	0.0		J	643.1	0.0	1.9	35.3
0.0	0.0	Min	I	-83.6	0.0	-1.9	10.2
0.0	0.0		J	-83.6	-0.0	1.9	10.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	475.4	0.0	-1.4	26.8
0.0	0.0		J	475.4	0.0	1.4	26.8
0.0	0.0	Min	I	-61.4	0.0	-1.4	8.3
0.0	0.0		J	-61.4	-0.0	1.4	8.3
0.0	0.0						
8508	2	66 C1-C2;~1 Max	I	225.3	0.0	0.0	3.0
0.0	0.0		J	225.3	0.0	0.0	3.0
0.0	0.0	Min	I	-205.9	-0.0	0.0	-6.6
0.0	0.0		J	-205.9	-0.0	-0.0	-6.6
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	318.2	0.0	0.0	3.4
0.0	0.0		J	318.2	0.0	0.0	3.4
0.0	0.0	Min	I	-127.8	-0.0	0.0	-7.5
0.0	0.0		J	-127.8	-0.0	-0.0	-7.5
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	116.4	0.0	0.0	1.6
0.0	0.0		J	116.4	0.0	0.0	1.6
0.0	0.0	Min	I	-114.5	-0.0	0.0	-3.5
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-114.5	-0.0	-0.0	-3.5
0.0	0.0	C3-C4;~2 Max	I	172.2	0.0	0.0	1.8
0.0	0.0		J	172.2	0.0	0.0	1.8
0.0	0.0	Min	I	-65.5	-0.0	0.0	-4.1
0.0	0.0		J	-65.5	-0.0	-0.0	-4.1
0.0	0.0	G1	I	111.7	-0.0	-1.5	-5.8
0.0	0.0		J	111.7	-0.0	1.5	-5.8
0.0	0.0	G2	I	43.1	-0.0	0.0	-1.8
0.0	0.0		J	43.1	-0.0	-0.0	-1.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.5	0.0	0.0	-1.7
0.0	0.0		J	0.5	0.0	0.0	-1.7
0.0	0.0	Q5_pc Y	I	-10.8	-0.0	0.0	6.8
0.0	0.0		J	-10.8	-0.0	-0.0	6.8
0.0	0.0	Q5_ps X	I	2.3	0.0	0.0	-1.6
0.0	0.0		J	2.3	0.0	0.0	-1.6
0.0	0.0	Q5_ps Y	I	-18.8	-0.0	0.0	6.5
0.0	0.0		J	-18.8	-0.0	0.0	6.5
0.0	0.0	INVS LU Max	I	644.3	0.0	-2.0	3.0
0.0	0.0		J	644.3	0.0	2.0	3.0
0.0	0.0	Min	I	-82.7	-0.0	-2.0	-25.4
0.0	0.0		J	-82.7	-0.0	2.0	-25.4
0.0	0.0	INVS LE Max	I	476.4	0.0	-1.5	1.4
0.0	0.0		J	476.4	0.0	1.5	1.4
0.0	0.0	Min	I	-60.8	-0.0	-1.5	-18.4
0.0	0.0		J	-60.8	-0.0	1.5	-18.4
8509	2	66 C1-C2;~1 Max	I	229.4	0.2	0.0	1.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7.0	613.3		J	229.4	0.2	0.0	1.7
0.0	0.0						
		Min	I	-190.0	-0.1	-0.0	-4.6
-3.9	-166.2		J	-190.0	-0.1	-0.0	-4.6
0.0	0.0						
		C3-C4;~1 Max	I	148.5	0.2	0.0	1.3
8.4	714.7		J	148.5	0.2	0.0	1.3
0.0	0.0						
		Min	I	-280.7	-0.1	-0.0	-3.8
-2.5	-151.5		J	-280.7	-0.1	-0.0	-3.8
0.0	0.0						
		C1-C2;~2 Max	I	128.4	0.1	0.0	1.1
4.0	348.2		J	128.4	0.1	0.0	1.1
0.0	0.0						
		Min	I	-97.7	-0.0	-0.0	-3.1
-2.3	-95.3		J	-97.7	-0.0	-0.0	-3.1
0.0	0.0						
		C3-C4;~2 Max	I	78.3	0.1	0.0	0.7
4.9	415.3		J	78.3	0.1	0.0	0.7
0.0	0.0						
		Min	I	-151.9	-0.0	-0.0	-2.4
-1.3	-79.6		J	-151.9	-0.0	-0.0	-2.4
0.0	0.0						
		G1	I	-65.8	0.2	1.5	-1.0
8881.2	477.0		J	-65.8	0.2	4.4	-1.0
0.0	0.0						
		G2	I	-26.5	0.1	0.0	0.2
1.0	188.2		J	-26.5	0.1	0.0	0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.7	-0.0	0.0	-0.0
0.8	-6.5		J	0.7	-0.0	0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	5.0	-0.0	-0.0	0.1
-3.1	-0.2		J	5.0	-0.0	-0.0	0.1
0.0	0.0						
		Q5_ps X	I	-1.4	-0.0	0.0	0.0
0.7	-4.8		J	-1.4	-0.0	0.0	0.0
0.0	0.0						
		Q5_ps Y	I	13.9	-0.0	-0.0	-0.1


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.0	-4.9			J	13.9	-0.0	-0.0	-0.1
0.0	0.0							
2011.9	2104.4		INVS LU Max	I	243.6	0.7	2.1	-8.9 1
0.0	0.0			J	243.6	0.7	5.9	-8.9
1989.7	903.5		Min	I	-454.0	0.3	2.1	-17.6 1
0.0	0.0			J	-454.0	0.3	5.9	-17.6
8897.9	1576.5		INVS LE Max	I	184.9	0.5	1.5	-7.2
0.0	0.0			J	184.9	0.5	4.4	-7.2
8881.8	687.9		Min	I	-331.2	0.2	1.5	-13.7
0.0	0.0			J	-331.2	0.2	4.4	-13.7
8510	2	72	C1-C2;~1 Max	I	44.6	0.0	0.0	0.3
0.0	0.0			J	44.6	0.0	0.0	0.3
0.0	0.0		Min	I	-16.0	0.0	-0.0	-3.2
0.0	0.0			J	-16.0	0.0	0.0	-3.2
0.0	0.0		C3-C4;~1 Max	I	30.5	0.0	0.0	0.4
0.0	0.0			J	30.5	0.0	0.0	0.4
0.0	0.0		Min	I	-17.3	0.0	-0.0	-1.3
0.0	0.0			J	-17.3	0.0	0.0	-1.3
0.0	0.0		C1-C2;~2 Max	I	29.4	0.0	0.0	0.1
0.0	0.0			J	29.4	0.0	0.0	0.1
0.0	0.0		Min	I	-9.3	0.0	-0.0	-2.1
0.0	0.0			J	-9.3	0.0	0.0	-2.1
0.0	0.0		C3-C4;~2 Max	I	19.8	0.0	0.0	0.3
0.0	0.0			J	19.8	0.0	0.0	0.3
0.0	0.0		Min	I	-9.2	0.0	-0.0	-0.8
0.0	0.0			J	-9.2	0.0	0.0	-0.8
0.0	0.0		G1	I	-4.2	0.0	-0.8	-1.1
0.0	0.0			J	-4.2	0.0	0.8	-1.1
0.0	0.0		G2	I	-6.2	0.0	0.0	-0.5
0.0	0.0			J	-6.2	0.0	0.0	-0.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	4.1	0.0	-0.0
0.0	0.0			J	4.1	0.0	-0.1
0.0	0.0						
			Q5_pc Y	I	-11.5	0.0	0.0
0.0	0.0			J	-11.5	0.0	0.3
0.0	0.0						
			Q5_ps X	I	4.8	0.0	0.0
0.0	0.0			J	4.8	0.0	-0.1
0.0	0.0						
			Q5_ps Y	I	-13.8	0.0	0.0
0.0	0.0			J	-13.8	0.0	0.3
0.0	0.0						
			INVSLE Max	I	-85.0	0.0	-1.1
0.0	0.0			J	-85.0	0.0	-0.9
0.0	0.0						
			Min	I	-189.2	0.0	-1.1
0.0	0.0			J	-189.2	0.0	-6.2
0.0	0.0						
			INVSLE Max	I	-77.9	0.0	-0.8
0.0	0.0			J	-77.9	0.0	-0.7
0.0	0.0						
			Min	I	-153.5	0.0	-0.8
0.0	0.0			J	-153.5	0.0	-4.6
0.0	0.0						
8511	2	72	C1-C2;~1 Max	I	35.9	0.0	0.0
0.0	0.0			J	35.9	0.0	1.4
2.2	343.5						
			Min	I	-25.4	-0.1	-1.5
0.0	0.0			J	-25.4	-0.1	-1.5
-1.4	-92.6						
			C3-C4;~1 Max	I	38.3	0.0	0.0
0.0	0.0			J	38.3	0.0	1.6
1.5	305.2						
			Min	I	-12.5	-0.1	-1.0
0.0	0.0			J	-12.5	-0.1	-1.0
-0.7	-44.3						
			C1-C2;~2 Max	I	22.9	0.0	0.0
0.0	0.0			J	22.9	0.0	0.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.4	231.4		Min	I	-15.1	-0.1	-0.0	-0.9
0.0	0.0			J	-15.1	-0.1	-0.0	-0.9
-0.9	-54.0							
		C3-C4;~2	Max	I	25.1	0.0	0.0	1.1
0.0	0.0			J	25.1	0.0	0.0	1.1
0.9	207.3		Min	I	-7.2	-0.1	-0.0	-0.5
0.0	0.0			J	-7.2	-0.1	-0.0	-0.5
-0.4	-22.6							
		G1		I	-1.3	0.0	-2.4	-0.8
0.0	0.0			J	-1.3	0.0	-0.8	-0.8
4880.5	-5.3							
		G2		I	-5.3	0.0	-0.0	-0.4
0.0	0.0			J	-5.3	0.0	-0.0	-0.4
0.7	-32.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-1.9	-0.0	0.0	-0.1
0.0	0.0			J	-1.9	-0.0	0.0	-0.1
-0.0	9.6							
		Q5_pc Y		I	4.3	0.0	-0.0	0.3
0.0	0.0			J	4.3	0.0	-0.0	0.3
0.0	-30.0							
		Q5_ps X		I	-1.7	-0.0	0.0	-0.1
0.0	0.0			J	-1.7	-0.0	0.0	-0.1
-0.1	13.0							
		Q5_ps Y		I	3.8	0.0	-0.0	0.3
0.0	0.0			J	3.8	0.0	-0.0	0.3
0.1	-40.6							
		INVSLE Max		I	-142.5	-0.0	-3.3	3.3
0.0	0.0			J	-142.5	-0.0	-1.1	3.3
6590.1	742.7		Min	I	-236.4	-0.2	-3.3	-1.4
0.0	0.0			J	-236.4	-0.2	-1.1	-1.4
6585.1	99.9							
		INVSLE Max		I	-119.9	-0.0	-2.4	2.8
0.0	0.0			J	-119.9	-0.0	-0.8	2.8
4881.3	557.4		Min	I	-188.9	-0.2	-2.4	-0.7
0.0	0.0			J	-188.9	-0.2	-0.8	-0.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4877.7	85.3									
8512	2	72	C1-C2;~1	Max	I	35.9	0.1	0.0	0.9	
1.4	343.5				J	35.9	0.1	0.0	0.9	
0.0	0.0									
-2.3	-92.6			Min	I	-25.4	-0.0	-0.0	-0.7	
0.0	0.0				J	-25.4	-0.0	-0.0	-0.7	
0.7	305.2			C3-C4;~1	Max	I	38.4	0.1	0.0	1.7
0.0	0.0				J	38.4	0.1	0.0	1.7	
-1.6	-44.3			Min	I	-12.5	-0.0	-0.0	-0.5	
0.0	0.0				J	-12.5	-0.0	-0.0	-0.5	
0.9	231.4			C1-C2;~2	Max	I	23.0	0.1	0.0	0.5
0.0	0.0				J	23.0	0.1	0.0	0.5	
-1.4	-54.0			Min	I	-15.1	-0.0	-0.0	-0.5	
0.0	0.0				J	-15.1	-0.0	-0.0	-0.5	
0.4	207.3			C3-C4;~2	Max	I	25.2	0.1	0.0	1.1
0.0	0.0				J	25.2	0.1	0.0	1.1	
-0.9	-22.6			Min	I	-7.2	-0.0	-0.0	-0.3	
0.0	0.0				J	-7.2	-0.0	-0.0	-0.3	
				G1	I	-1.3	-0.0	0.8	-0.0	
4877.4	-5.3				J	-1.3	-0.0	2.4	-0.0	
0.0	0.0									
				G2	I	-5.3	-0.0	-0.0	-0.0	
-0.7	-32.0				J	-5.3	-0.0	-0.0	-0.0	
0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc X	I	-1.9	0.0	0.0	-0.1	
0.0	9.6				J	-1.9	0.0	0.0	-0.1	
0.0	0.0									
				Q5_pc Y	I	4.3	-0.0	-0.0	0.3	
-0.0	-30.0				J	4.3	-0.0	-0.0	0.3	
0.0	0.0									
				Q5_ps X	I	-1.7	0.0	0.0	-0.1	
0.1	13.0				J	-1.7	0.0	0.0	-0.1	


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
-0.1	-40.6	Q5_ps Y	I	3.8	-0.0	-0.0	0.4	
0.0	0.0		J	3.8	-0.0	-0.0	0.4	
6588.1	742.7	INVSLU Max	I	-142.4	0.2	1.1	3.7	
0.0	0.0		J	-142.4	0.2	3.3	3.7	
6583.1	99.9	Min	I	-236.3	0.0	1.1	-0.2	
0.0	0.0		J	-236.3	0.0	3.3	-0.2	
4880.3	557.4	INVSLE Max	I	-119.9	0.2	0.8	2.9	
0.0	0.0		J	-119.9	0.2	2.4	2.9	
4876.6	85.3	Min	I	-188.9	0.0	0.8	0.1	
0.0	0.0		J	-188.9	0.0	2.4	0.1	
8513	2	72 C1-C2;~1 Max	I	44.8	0.0	0.0	2.6	
0.0	0.0		J	44.8	0.0	0.0	2.6	
0.0	0.0	Min	I	-16.0	-0.0	-0.0	-3.1	
0.0	0.0		J	-16.0	-0.0	0.0	-3.1	
0.0	0.0	C3-C4;~1 Max	I	30.7	0.0	0.0	2.2	
0.0	0.0		J	30.7	0.0	0.0	2.2	
0.0	0.0	Min	I	-17.3	-0.0	-0.0	-1.7	
0.0	0.0		J	-17.3	-0.0	0.0	-1.7	
0.0	0.0	C1-C2;~2 Max	I	29.6	0.0	0.0	1.5	
0.0	0.0		J	29.6	0.0	0.0	1.5	
0.0	0.0	Min	I	-9.3	-0.0	-0.0	-2.1	
0.0	0.0		J	-9.3	-0.0	0.0	-2.1	
0.0	0.0	C3-C4;~2 Max	I	19.9	0.0	0.0	1.3	
0.0	0.0		J	19.9	0.0	0.0	1.3	
0.0	0.0	Min	I	-9.2	-0.0	-0.0	-1.0	
0.0	0.0		J	-9.2	-0.0	0.0	-1.0	
0.0	0.0	G1	I	-4.3	0.0	-0.8	2.0	
0.0	0.0		J	-4.3	-0.0	0.8	2.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		G2	I	-6.2	0.0	0.0
				J	-6.2	-0.0	0.0
0.0	0.0						0.9
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						0.0
0.0	0.0		Q5_pc X	I	4.1	-0.0	0.0
				J	4.1	0.0	0.0
0.0	0.0						-0.1
0.0	0.0		Q5_pc Y	I	-11.5	-0.0	-0.0
				J	-11.5	0.0	0.0
0.0	0.0						0.3
0.0	0.0		Q5_ps X	I	4.9	-0.0	0.0
				J	4.9	0.0	0.0
0.0	0.0						-0.2
0.0	0.0		Q5_ps Y	I	-13.8	-0.0	-0.0
				J	-13.8	0.0	0.0
0.0	0.0						0.6
0.0	0.0		INVSLE Max	I	-84.5	0.0	-1.1
				J	-84.5	0.0	1.1
0.0	0.0						2.9
0.0	0.0		Min	I	-189.1	-0.0	-1.1
				J	-189.1	-0.0	1.1
0.0	0.0						-5.3
0.0	0.0		INVSLE Max	I	-77.5	0.0	-0.8
				J	-77.5	0.0	0.8
0.0	0.0						1.7
0.0	0.0		Min	I	-153.4	-0.0	-0.8
				J	-153.4	-0.0	0.8
0.0	0.0						-4.4
8514	2	72	C1-C2;~1 Max	I	56.4	0.0	0.0
0.0	0.0			J	56.4	0.0	0.0
0.0	0.0						2.0
0.0	0.0		Min	I	-26.8	0.0	0.0
				J	-26.8	0.0	0.0
0.0	0.0						-2.3
0.0	0.0		C3-C4;~1 Max	I	49.9	0.0	0.0
				J	49.9	0.0	0.0
0.0	0.0						0.8
0.0	0.0		Min	I	-19.2	0.0	0.0
				J	-19.2	0.0	0.0
0.0	0.0						-2.7
0.0	0.0						-2.7

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	C1-C2;~2	Max	I	35.9	0.0	0.0	1.2
				J	35.9	0.0	0.0	1.2
0.0	0.0		Min	I	-15.3	0.0	0.0	-1.5
				J	-15.3	0.0	0.0	-1.5
0.0	0.0	C3-C4;~2	Max	I	32.0	0.0	0.0	0.4
				J	32.0	0.0	0.0	0.4
0.0	0.0		Min	I	-9.6	0.0	0.0	-1.8
				J	-9.6	0.0	0.0	-1.8
0.0	0.0		G1	I	-8.2	0.0	-0.8	0.4
				J	-8.2	0.0	0.8	0.4
0.0	0.0		G2	I	-10.6	0.0	0.0	0.6
				J	-10.6	0.0	0.0	0.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	3.9	0.0	0.0	-0.0
				J	3.9	0.0	0.0	-0.0
0.0	0.0	Q5_pc	Y	I	-11.0	0.0	0.0	0.0
				J	-11.0	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	4.8	0.0	0.0	-0.0
				J	4.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps	Y	I	-13.7	0.0	0.0	0.0
				J	-13.7	0.0	0.0	0.0
0.0	0.0	INVSLU	Max	I	-136.4	0.0	-1.1	1.1
				J	-136.4	0.0	1.1	1.1
0.0	0.0		Min	I	-268.5	0.0	-1.1	-5.4
				J	-268.5	0.0	1.1	-5.4
0.0	0.0	INVSLE	Max	I	-117.4	0.0	-0.8	0.3
				J	-117.4	0.0	0.8	0.3

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-213.8	0.0	-0.8	-4.5
0.0	0.0			J	-213.8	0.0	0.8	-4.5
0.0	0.0							
8515	2	72	C1-C2;~1	Max	I	57.3	0.1	0.0
0.0	0.0			J	57.3	0.1	0.0	2.5
2.1	281.0							
			Min	I	-29.7	-0.1	-0.0	-2.7
0.0	0.0			J	-29.7	-0.1	-0.0	-2.7
-1.6	-252.3							
			C3-C4;~1	Max	I	50.7	0.1	0.0
0.0	0.0			J	50.7	0.1	0.0	1.7
2.2	227.6							
			Min	I	-12.2	-0.1	-0.0	-2.0
0.0	0.0			J	-12.2	-0.1	-0.0	-2.0
-1.1	-204.8							
			C1-C2;~2	Max	I	36.6	0.1	0.0
0.0	0.0			J	36.6	0.1	0.0	1.6
1.2	188.9							
			Min	I	-17.1	-0.1	-0.0	-1.6
0.0	0.0			J	-17.1	-0.1	-0.0	-1.6
-1.0	-170.6							
			C3-C4;~2	Max	I	32.9	0.0	0.0
0.0	0.0			J	32.9	0.0	0.0	1.0
1.3	151.0							
			Min	I	-5.9	-0.0	-0.0	-1.1
0.0	0.0			J	-5.9	-0.0	-0.0	-1.1
-0.6	-136.9							
			G1	I	-5.2	0.0	-2.5	-1.7
0.0	0.0			J	-5.2	0.0	-0.8	-1.7
5212.2	-0.1							
			G2	I	-9.4	-0.0	-0.0	-1.1
0.0	0.0			J	-9.4	-0.0	-0.0	-1.1
0.4	0.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	0.0	-0.0	0.0
0.0	0.0			J	0.0	-0.0	0.0	0.1
-0.1	9.1							
			Q5_pc	Y	I	-1.5	0.0	-0.0
0.0	0.0			J	-1.5	0.0	-0.0	-0.2
0.2	-28.2							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	0.8	-0.0	0.0	0.1
-0.1	9.1		J	0.8	-0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-3.9	0.0	-0.0	-0.3
0.4	-28.1		J	-3.9	0.0	-0.0	-0.3
0.0	0.0	INVS LU Max	I	-193.0	0.0	-3.4	3.3
7039.4	629.9		J	-193.0	0.0	-1.1	3.3
0.0	0.0	Min	I	-313.2	-0.2	-3.4	-4.1
7033.8	-140.8		J	-313.2	-0.2	-1.1	-4.1
0.0	0.0	INVS LE Max	I	-158.7	0.0	-2.5	3.0
5214.3	468.7		J	-158.7	0.0	-0.8	3.0
0.0	0.0	Min	I	-247.5	-0.2	-2.5	-2.5
5210.2	-98.5		J	-247.5	-0.2	-0.8	-2.5
8516 1.6	2 281.0	72 C1-C2;~1 Max	I	57.3	0.1	0.0	2.5
0.0	0.0		J	57.3	0.1	0.0	2.5
-2.1	-252.3	Min	I	-29.7	-0.1	-0.0	-2.2
0.0	0.0		J	-29.7	-0.1	-0.0	-2.2
1.1	227.6	C3-C4;~1 Max	I	50.7	0.1	0.0	1.9
0.0	0.0		J	50.7	0.1	0.0	1.9
-2.2	-204.8	Min	I	-12.2	-0.1	-0.0	-1.6
0.0	0.0		J	-12.2	-0.1	-0.0	-1.6
1.0	188.9	C1-C2;~2 Max	I	36.6	0.1	0.0	1.6
0.0	0.0		J	36.6	0.1	0.0	1.6
-1.2	-170.6	Min	I	-17.1	-0.1	-0.0	-1.3
0.0	0.0		J	-17.1	-0.1	-0.0	-1.3
0.6	151.0	C3-C4;~2 Max	I	32.9	0.0	0.0	1.2
0.0	0.0		J	32.9	0.0	0.0	1.2
-1.3	-136.9	Min	I	-5.9	-0.0	-0.0	-0.9
0.0	0.0		J	-5.9	-0.0	-0.0	-0.9
5210.0	-0.1	G1	I	-5.2	-0.0	0.8	-1.3

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-5.2	-0.0	2.5	-1.3
-0.4	0.6	G2	I	-9.4	0.0	-0.0	-0.9
0.0	0.0		J	-9.4	0.0	-0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	9.1	Q5_pc X	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.3	-28.2	Q5_pc Y	I	-1.5	-0.0	-0.0	-0.1
0.0	0.0		J	-1.5	-0.0	-0.0	-0.1
0.1	9.1	Q5_ps X	I	0.8	0.0	0.0	0.1
0.0	0.0		J	0.8	0.0	0.0	0.1
-0.4	-28.1	Q5_ps Y	I	-3.9	-0.0	-0.0	-0.2
0.0	0.0		J	-3.9	-0.0	-0.0	-0.2
7036.1	629.9	INVSLE Max	I	-193.0	0.2	1.1	3.7
0.0	0.0		J	-193.0	0.2	3.4	3.7
7030.5	-140.8	Min	I	-313.1	-0.0	1.1	-2.9
0.0	0.0		J	-313.1	-0.0	3.4	-2.9
5212.0	468.7	INVSLE Max	I	-158.7	0.1	0.8	3.2
0.0	0.0		J	-158.7	0.1	2.5	3.2
5207.8	-98.5	Min	I	-247.5	-0.0	0.8	-1.6
0.0	0.0		J	-247.5	-0.0	2.5	-1.6
8517	2	72 C1-C2;~1 Max	I	56.6	0.0	0.0	4.0
0.0	0.0		J	56.6	0.0	0.0	4.0
0.0	0.0	Min	I	-26.8	0.0	0.0	-3.7
0.0	0.0		J	-26.8	0.0	0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	49.9	0.0	0.0	3.3
0.0	0.0		J	49.9	0.0	0.0	3.3
0.0	0.0	Min	I	-19.2	0.0	0.0	-2.1
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-19.2	0.0	0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	36.0	0.0	0.0	2.3
0.0	0.0		J	36.0	0.0	0.0	2.3
0.0	0.0	Min	I	-15.3	0.0	0.0	-2.4
0.0	0.0		J	-15.3	0.0	0.0	-2.4
0.0	0.0	C3-C4;~2 Max	I	32.0	0.0	0.0	1.8
0.0	0.0		J	32.0	0.0	0.0	1.8
0.0	0.0	Min	I	-9.6	0.0	0.0	-1.2
0.0	0.0		J	-9.6	0.0	0.0	-1.2
0.0	0.0	G1	I	-8.2	0.0	-0.8	2.7
0.0	0.0		J	-8.2	0.0	0.8	2.7
0.0	0.0	G2	I	-10.6	0.0	0.0	1.4
0.0	0.0		J	-10.6	0.0	0.0	1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.9	0.0	0.0	-0.2
0.0	0.0		J	3.9	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-11.0	0.0	0.0	0.5
0.0	0.0		J	-11.0	0.0	0.0	0.5
0.0	0.0	Q5_ps X	I	4.8	0.0	0.0	-0.3
0.0	0.0		J	4.8	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-13.7	0.0	0.0	0.8
0.0	0.0		J	-13.7	0.0	0.0	0.8
0.0	0.0	INVSLU Max	I	-136.0	0.0	-1.1	6.8
0.0	0.0		J	-136.0	0.0	1.1	6.8
0.0	0.0	Min	I	-268.4	0.0	-1.1	-4.6
0.0	0.0		J	-268.4	0.0	1.1	-4.6
0.0	0.0	INVSLE Max	I	-117.2	0.0	-0.8	4.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-117.2	0.0	0.8	4.4	
0.0	0.0		Min	I	-213.7	0.0	-0.8	-4.0	
0.0	0.0			J	-213.7	0.0	0.8	-4.0	
0.0	0.0								
8518	2	72	C1-C2;~1	Max	I	57.9	0.1	0.0	2.4
0.0	0.0			J	57.9	0.1	0.0	2.4	
2.0	277.5		Min	I	-29.9	-0.1	-0.0	-3.5	
0.0	0.0			J	-29.9	-0.1	-0.0	-3.5	
-1.7	-283.0								
			C3-C4;~1	Max	I	50.0	0.1	0.0	1.3
0.0	0.0			J	50.0	0.1	0.0	1.3	
2.3	224.8		Min	I	-10.9	-0.1	-0.0	-2.4	
0.0	0.0			J	-10.9	-0.1	-0.0	-2.4	
-1.4	-234.6								
			C1-C2;~2	Max	I	36.9	0.1	0.0	1.5
0.0	0.0			J	36.9	0.1	0.0	1.5	
1.2	185.2		Min	I	-17.1	-0.1	-0.0	-2.1	
0.0	0.0			J	-17.1	-0.1	-0.0	-2.1	
-1.1	-188.7								
			C3-C4;~2	Max	I	32.4	0.0	0.0	0.7
0.0	0.0			J	32.4	0.0	0.0	0.7	
1.3	147.7		Min	I	-5.0	-0.0	-0.0	-1.3	
0.0	0.0			J	-5.0	-0.0	-0.0	-1.3	
-0.8	-155.1								
			G1	I	-7.2	0.0	-2.5	-2.2	
0.0	0.0			J	-7.2	0.0	-0.8	-2.2	
5220.3	-5.4								
			G2	I	-10.2	0.0	-0.0	-1.2	
0.0	0.0			J	-10.2	0.0	-0.0	-1.2	
0.2	-2.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	0.8	-0.0	0.0	0.1
0.0	0.0			J	0.8	-0.0	0.0	0.1	
-0.1	11.5								
			Q5_pc	Y	I	-4.0	0.0	-0.0	-0.3
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.3	-36.1		J	-4.0	0.0	-0.0	-0.3
0.0	0.0	Q5_ps X	I	1.7	-0.0	0.0	0.2
-0.1	11.1		J	1.7	-0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-6.6	0.0	-0.0	-0.5
0.4	-34.7		J	-6.6	0.0	-0.0	-0.5
0.0	0.0	INVSLU Max	I	-211.9	0.1	-3.4	2.0
7050.6	498.4		J	-211.9	0.1	-1.1	2.0
0.0	0.0	Min	I	-337.6	-0.2	-3.4	-6.5
7044.7	-323.2		J	-337.6	-0.2	-1.1	-6.5
0.0	0.0	INVSLE Max	I	-172.6	0.1	-2.5	2.1
5222.6	368.6		J	-172.6	0.1	-0.8	2.1
0.0	0.0	Min	I	-265.1	-0.1	-2.5	-4.2
5218.3	-235.2		J	-265.1	-0.1	-0.8	-4.2
8519	2	72 C1-C2;~1 Max	I	57.1	0.0	0.0	2.7
0.0	0.0		J	57.1	0.0	0.0	2.7
0.0	0.0	Min	I	-29.6	0.0	0.0	-1.9
0.0	0.0		J	-29.6	0.0	0.0	-1.9
0.0	0.0	C3-C4;~1 Max	I	50.1	0.0	0.0	1.9
0.0	0.0		J	50.1	0.0	0.0	1.9
0.0	0.0	Min	I	-20.6	0.0	0.0	-2.7
0.0	0.0		J	-20.6	0.0	0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	36.0	0.0	0.0	1.6
0.0	0.0		J	36.0	0.0	0.0	1.6
0.0	0.0	Min	I	-16.8	0.0	0.0	-1.2
0.0	0.0		J	-16.8	0.0	0.0	-1.2
0.0	0.0	C3-C4;~2 Max	I	31.7	0.0	0.0	1.0
0.0	0.0		J	31.7	0.0	0.0	1.0
0.0	0.0	Min	I	-10.3	0.0	0.0	-1.7
0.0	0.0		J	-10.3	0.0	0.0	-1.7


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G1	I	-10.2	0.0	-0.8	1.5
0.0	0.0		J	-10.2	0.0	0.8	1.5
0.0	0.0	G2	I	-11.5	0.0	0.0	1.0
0.0	0.0		J	-11.5	0.0	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.3	0.0	0.0	0.0
0.0	0.0		J	3.3	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	-9.2	0.0	0.0	-0.0
0.0	0.0		J	-9.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	4.2	0.0	0.0	0.0
0.0	0.0		J	4.2	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	-12.0	0.0	0.0	-0.0
0.0	0.0		J	-12.0	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	-157.6	0.0	-1.1	4.0
0.0	0.0		J	-157.6	0.0	1.1	4.0
0.0	0.0	Min	I	-291.2	0.0	-1.1	-3.3
0.0	0.0		J	-291.2	0.0	1.1	-3.3
0.0	0.0	INVSLE Max	I	-132.6	0.0	-0.8	2.4
0.0	0.0		J	-132.6	0.0	0.8	2.4
0.0	0.0	Min	I	-230.4	0.0	-0.8	-3.0
0.0	0.0		J	-230.4	0.0	0.8	-3.0
8520	2	72 C1-C2;~1 Max	I	57.2	0.0	0.0	4.6
0.0	0.0		J	57.2	0.0	0.0	4.6
0.0	0.0	Min	I	-29.6	-0.0	-0.0	-3.7
0.0	0.0		J	-29.6	0.0	0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	50.1	0.0	0.0	3.7
0.0	0.0		J	50.1	0.0	0.0	3.7


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-20.6	-0.0	-0.0	-2.2
0.0	0.0			J	-20.6	0.0	0.0	-2.2
0.0	0.0	C1-C2;~2	Max	I	36.1	0.0	0.0	2.7
0.0	0.0			J	36.1	0.0	0.0	2.7
0.0	0.0		Min	I	-16.8	-0.0	-0.0	-2.3
0.0	0.0			J	-16.8	0.0	0.0	-2.3
0.0	0.0	C3-C4;~2	Max	I	31.6	0.0	0.0	2.1
0.0	0.0			J	31.6	0.0	0.0	2.1
0.0	0.0		Min	I	-10.3	-0.0	-0.0	-1.2
0.0	0.0			J	-10.3	0.0	0.0	-1.2
0.0	0.0		G1	I	-10.2	-0.0	-0.8	2.7
0.0	0.0			J	-10.2	0.0	0.8	2.7
0.0	0.0		G2	I	-11.5	-0.0	0.0	1.4
0.0	0.0			J	-11.5	0.0	0.0	1.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	3.3	0.0	-0.0	-0.2
0.0	0.0			J	3.3	0.0	0.0	-0.2
0.0	0.0	Q5_pc	Y	I	-9.2	0.0	-0.0	0.5
0.0	0.0			J	-9.2	0.0	0.0	0.5
0.0	0.0	Q5_ps	X	I	4.2	0.0	-0.0	-0.3
0.0	0.0			J	4.2	0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	-12.1	0.0	-0.0	0.8
0.0	0.0			J	-12.1	0.0	0.0	0.8
0.0	0.0	INVSLU	Max	I	-157.3	0.0	-1.1	8.3
0.0	0.0			J	-157.3	0.0	1.1	8.3
0.0	0.0		Min	I	-291.2	-0.0	-1.1	-3.9
0.0	0.0			J	-291.2	0.0	1.1	-3.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			INVSLE Max	I	-132.5	0.0	-0.8 5.5
0.0	0.0			J	-132.5	0.0	0.8 5.5
0.0	0.0		Min	I	-230.4	-0.0	-0.8 -3.4
0.0	0.0			J	-230.4	0.0	0.8 -3.4
0.0	0.0						
8521	2	72	C1-C2;~1 Max	I	57.9	0.1	0.0 2.3
1.7	277.5			J	57.9	0.1	0.0 2.3
0.0	0.0		Min	I	-29.9	-0.1	-0.0 -3.0
-2.1	-283.0			J	-29.9	-0.1	-0.0 -3.0
0.0	0.0						
			C3-C4;~1 Max	I	50.0	0.1	0.0 1.5
1.4	224.8			J	50.0	0.1	0.0 1.5
0.0	0.0		Min	I	-10.9	-0.1	-0.0 -2.2
-2.3	-234.6			J	-10.9	-0.1	-0.0 -2.2
0.0	0.0						
			C1-C2;~2 Max	I	36.9	0.1	0.0 1.4
1.1	185.2			J	36.9	0.1	0.0 1.4
0.0	0.0		Min	I	-17.1	-0.1	-0.0 -1.8
-1.2	-188.7			J	-17.1	-0.1	-0.0 -1.8
0.0	0.0						
			C3-C4;~2 Max	I	32.4	0.0	0.0 0.9
0.8	147.7			J	32.4	0.0	0.0 0.9
0.0	0.0		Min	I	-5.0	-0.0	-0.0 -1.2
-1.3	-155.1			J	-5.0	-0.0	-0.0 -1.2
0.0	0.0						
			G1	I	-7.2	-0.0	0.8 -2.0
5219.2	-5.4			J	-7.2	-0.0	2.5 -2.0
0.0	0.0						
			G2	I	-10.2	-0.0	-0.0 -1.2
-0.2	-2.6			J	-10.2	-0.0	-0.0 -1.2
0.0	0.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	0.8	0.0	0.0 0.1
0.1	11.5			J	0.8	0.0	0.0 0.1
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.3	-36.1	Q5_pc	Y	I	-4.0	-0.0	-0.0	-0.2
0.0	0.0			J	-4.0	-0.0	-0.0	-0.2
0.1	11.1	Q5_ps	X	I	1.7	0.0	0.0	0.1
0.0	0.0			J	1.7	0.0	0.0	0.1
-0.4	-34.7	Q5_ps	Y	I	-6.6	-0.0	-0.0	-0.3
0.0	0.0			J	-6.6	-0.0	-0.0	-0.3
7048.7	498.4	INVS LU	Max	I	-211.9	0.2	1.1	2.0
0.0	0.0			J	-211.9	0.2	3.4	2.0
7042.7	-323.2		Min	I	-337.5	-0.1	1.1	-5.5
0.0	0.0			J	-337.5	-0.1	3.4	-5.5
5221.2	368.6	INVS LE	Max	I	-172.6	0.1	0.8	2.1
0.0	0.0			J	-172.6	0.1	2.5	2.1
5216.9	-235.2		Min	I	-265.1	-0.1	0.8	-3.5
0.0	0.0			J	-265.1	-0.1	2.5	-3.5
8522	2	72 C1-C2;~1	Max	I	57.2	0.1	0.0	2.4
0.0	0.0			J	57.2	0.1	0.0	2.4
2.0	279.0		Min	I	-28.3	-0.1	-0.0	-3.8
0.0	0.0			J	-28.3	-0.1	-0.0	-3.8
-1.9	-287.3							
0.0	0.0	C3-C4;~1	Max	I	49.8	0.1	0.0	1.4
2.2	224.8			J	49.8	0.1	0.0	1.4
0.0	0.0		Min	I	-10.2	-0.1	-0.0	-2.5
-1.7	-237.9			J	-10.2	-0.1	-0.0	-2.5
0.0	0.0	C1-C2;~2	Max	I	36.5	0.1	0.0	1.4
1.1	185.5			J	36.5	0.1	0.0	1.4
0.0	0.0		Min	I	-16.2	-0.1	-0.0	-2.2
-1.2	-190.9			J	-16.2	-0.1	-0.0	-2.2
0.0	0.0	C3-C4;~2	Max	I	32.3	0.1	0.0	0.7
1.3	146.9			J	32.3	0.1	0.0	0.7
			Min	I	-4.4	-0.0	-0.0	-1.4

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
-0.9	-156.7		J	-4.4	-0.0	-0.0	-1.4
		G1	I	-7.5	0.0	-2.5	-2.3
0.0	0.0		J	-7.5	0.0	-0.8	-2.3
5224.4	-3.3						
		G2	I	-10.4	0.0	-0.0	-1.3
0.0	0.0		J	-10.4	0.0	-0.0	-1.3
0.1	-2.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.4	-0.0	0.0	0.1
0.0	0.0		J	1.4	-0.0	0.0	0.1
-0.1	12.2						
		Q5_pc Y	I	-6.1	0.0	-0.0	-0.3
0.0	0.0		J	-6.1	0.0	-0.0	-0.3
0.2	-39.1						
		Q5_ps X	I	2.3	-0.0	0.0	0.2
0.0	0.0		J	2.3	-0.0	0.0	0.2
-0.1	11.7						
		Q5_ps Y	I	-8.7	0.0	-0.0	-0.5
0.0	0.0		J	-8.7	0.0	-0.0	-0.5
0.4	-37.4						
		INVSLU Max	I	-219.4	0.1	-3.4	1.7
0.0	0.0		J	-219.4	0.1	-1.1	1.7
7055.7	381.6						
		Min	I	-345.7	-0.1	-3.4	-7.2
0.0	0.0		J	-345.7	-0.1	-1.1	-7.2
7049.8	-453.2						
		INVSLE Max	I	-178.2	0.1	-2.5	1.8
0.0	0.0		J	-178.2	0.1	-0.8	1.8
5226.4	279.5						
		Min	I	-271.0	-0.1	-2.5	-4.7
0.0	0.0		J	-271.0	-0.1	-0.8	-4.7
5222.0	-333.7						
8523	2	72 C1-C2;~1 Max	I	57.1	0.0	0.0	3.3
0.0	0.0		J	57.1	0.0	0.0	3.3
0.0	0.0						
		Min	I	-32.2	-0.0	0.0	-1.7
0.0	0.0		J	-32.2	0.0	0.0	-1.7
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C3-C4;~1 Max	I	49.4	0.0	0.0	2.8
			J	49.4	0.0	0.0	2.8
0.0	0.0	Min	I	-20.6	-0.0	0.0	-2.5
			J	-20.6	0.0	0.0	-2.5
0.0	0.0	C1-C2;~2 Max	I	35.9	0.0	0.0	2.0
			J	35.9	0.0	0.0	2.0
0.0	0.0	Min	I	-18.4	-0.0	0.0	-1.0
			J	-18.4	0.0	0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	31.0	0.0	0.0	1.5
			J	31.0	0.0	0.0	1.5
0.0	0.0	Min	I	-10.2	-0.0	0.0	-1.5
			J	-10.2	0.0	0.0	-1.5
0.0	0.0	G1	I	-10.7	-0.0	-0.8	2.2
			J	-10.7	0.0	0.8	2.2
0.0	0.0	G2	I	-12.0	-0.0	0.0	1.3
			J	-12.0	0.0	0.0	1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.6	0.0	0.0	-0.0
			J	2.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	-7.4	0.0	0.0	0.0
			J	-7.4	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	3.6	0.0	0.0	-0.0
			J	3.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-10.3	0.0	0.0	0.0
			J	-10.3	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-169.6	0.0	-1.1	6.1
			J	-169.6	0.0	1.1	6.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-303.5	-0.0	-1.1	-1.8
0.0	0.0			J	-303.5	0.0	1.1	-1.8
0.0	0.0							
			INVSLE Max	I	-141.2	0.0	-0.8	3.9
0.0	0.0			J	-141.2	0.0	0.8	3.9
0.0	0.0							
			Min	I	-239.5	-0.0	-0.8	-1.9
0.0	0.0			J	-239.5	0.0	0.8	-1.9
0.0	0.0							
8524	2	72	C1-C2;~1 Max	I	57.2	0.0	0.0	5.0
0.0	0.0			J	57.2	0.0	0.0	5.0
0.0	0.0							
			Min	I	-32.2	0.0	-0.0	-3.8
0.0	0.0			J	-32.2	-0.0	0.0	-3.8
0.0	0.0							
			C3-C4;~1 Max	I	49.3	0.0	0.0	4.0
0.0	0.0			J	49.3	0.0	0.0	4.0
0.0	0.0							
			Min	I	-20.6	0.0	-0.0	-2.4
0.0	0.0			J	-20.6	-0.0	0.0	-2.4
0.0	0.0							
			C1-C2;~2 Max	I	36.0	0.0	0.0	2.8
0.0	0.0			J	36.0	0.0	0.0	2.8
0.0	0.0							
			Min	I	-18.4	0.0	-0.0	-2.4
0.0	0.0			J	-18.4	-0.0	0.0	-2.4
0.0	0.0							
			C3-C4;~2 Max	I	31.0	0.0	0.0	2.2
0.0	0.0			J	31.0	0.0	0.0	2.2
0.0	0.0							
			Min	I	-10.2	0.0	-0.0	-1.2
0.0	0.0			J	-10.2	-0.0	0.0	-1.2
0.0	0.0							
			G1	I	-10.7	0.0	-0.8	2.6
0.0	0.0			J	-10.7	-0.0	0.8	2.6
0.0	0.0							
			G2	I	-12.0	0.0	-0.0	1.4
0.0	0.0			J	-12.0	-0.0	0.0	1.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	2.6	0.0	0.0	-0.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	2.6	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-7.4	0.0	0.0	0.5
0.0	0.0		J	-7.4	0.0	0.0	0.5
0.0	0.0						
0.0	0.0	Q5_ps X	I	3.6	0.0	0.0	-0.3
0.0	0.0		J	3.6	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-10.3	0.0	0.0	0.8
0.0	0.0		J	-10.3	0.0	0.0	0.8
0.0	0.0						
0.0	0.0	INVSLU Max	I	-169.4	0.0	-1.1	8.4
0.0	0.0		J	-169.4	0.0	1.1	8.4
0.0	0.0						
0.0	0.0	Min	I	-303.6	0.0	-1.1	-4.4
0.0	0.0		J	-303.6	-0.0	1.1	-4.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	-141.1	0.0	-0.8	5.6
0.0	0.0		J	-141.1	0.0	0.8	5.6
0.0	0.0						
0.0	0.0	Min	I	-239.5	0.0	-0.8	-3.8
0.0	0.0		J	-239.5	-0.0	0.8	-3.8
0.0	0.0						
8525	2	72 C1-C2;~1 Max	I	57.2	0.1	0.0	2.2
1.9	279.0		J	57.2	0.1	0.0	2.2
0.0	0.0						
0.0	0.0	Min	I	-28.3	-0.1	-0.0	-3.3
-2.0	-287.3		J	-28.3	-0.1	-0.0	-3.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	49.8	0.1	0.0	1.4
1.7	224.8		J	49.8	0.1	0.0	1.4
0.0	0.0						
0.0	0.0	Min	I	-10.2	-0.1	-0.0	-2.4
-2.2	-237.9		J	-10.2	-0.1	-0.0	-2.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	36.5	0.1	0.0	1.3
1.2	185.5		J	36.5	0.1	0.0	1.3
0.0	0.0						
0.0	0.0	Min	I	-16.2	-0.1	-0.0	-1.9
-1.1	-190.9		J	-16.2	-0.1	-0.0	-1.9
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	32.3	0.0	0.0	0.8
0.9	146.9						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	32.3	0.0	0.0	0.8
0.0	0.0		Min	I	-4.4	-0.1	-0.0	-1.3
-1.3	-156.7			J	-4.4	-0.1	-0.0	-1.3
0.0	0.0							
			G1	I	-7.5	-0.0	0.8	-2.3
5224.0	-3.3			J	-7.5	-0.0	2.5	-2.3
0.0	0.0							
			G2	I	-10.4	-0.0	-0.0	-1.3
-0.1	-2.8			J	-10.4	-0.0	-0.0	-1.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	1.4	0.0	0.0	0.1
0.1	12.2			J	1.4	0.0	0.0	0.1
0.0	0.0							
			Q5_pc Y	I	-6.1	-0.0	-0.0	-0.2
-0.2	-39.1			J	-6.1	-0.0	-0.0	-0.2
0.0	0.0							
			Q5_ps X	I	2.3	0.0	0.0	0.1
0.1	11.7			J	2.3	0.0	0.0	0.1
0.0	0.0							
			Q5_ps Y	I	-8.7	-0.0	-0.0	-0.4
-0.4	-37.4			J	-8.7	-0.0	-0.0	-0.4
0.0	0.0							
			INVSLU Max	I	-219.5	0.1	1.1	1.3
7055.7	381.6			J	-219.5	0.1	3.4	1.3
0.0	0.0		Min	I	-345.7	-0.1	1.1	-6.6
7049.7	-453.2			J	-345.7	-0.1	3.4	-6.6
0.0	0.0							
			INVSLE Max	I	-178.3	0.1	0.8	1.6
5226.4	279.5			J	-178.3	0.1	2.5	1.6
0.0	0.0		Min	I	-271.0	-0.1	0.8	-4.3
5222.0	-333.7			J	-271.0	-0.1	2.5	-4.3
0.0	0.0							
			72 C1-C2;~1 Max	I	56.4	0.1	0.0	2.5
8526	2			J	56.4	0.1	0.0	2.5
0.0	0.0		Min	I	-26.0	-0.1	-0.0	-4.4
1.4	278.8							
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.4	-291.0		J	-26.0	-0.1	-0.0	-4.4
		C3-C4;~1	Max	I	49.6	0.1	1.9
0.0	0.0		J	49.6	0.1	0.0	1.9
1.6	224.3		Min	I	-10.1	-0.1	-3.0
0.0	0.0		J	-10.1	-0.1	-0.0	-3.0
-2.1	-242.7						
		C1-C2;~2	Max	I	36.1	0.1	1.4
0.0	0.0		J	36.1	0.1	0.0	1.4
0.8	184.7		Min	I	-14.8	-0.1	-2.5
0.0	0.0		J	-14.8	-0.1	-0.0	-2.5
-1.5	-192.8						
		C3-C4;~2	Max	I	32.2	0.1	1.0
0.0	0.0		J	32.2	0.1	0.0	1.0
0.9	146.0		Min	I	-4.4	-0.0	-1.6
0.0	0.0		J	-4.4	-0.0	-0.0	-1.6
-1.2	-159.4						
		G1	I	-7.2	0.0	-2.5	-2.4
0.0	0.0		J	-7.2	0.0	-0.8	-2.4
5223.1	-4.0						
		G2	I	-10.7	0.0	0.0	-1.4
0.0	0.0		J	-10.7	0.0	0.0	-1.4
-0.3	-4.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	I	2.0	-0.0	0.1
0.0	0.0		J	2.0	-0.0	0.0	0.1
-0.1	11.3						
		Q5_pc	Y	I	-8.0	0.0	-0.4
0.0	0.0		J	-8.0	0.0	-0.0	-0.4
0.2	-36.5						
		Q5_ps	X	I	2.9	-0.0	0.2
0.0	0.0		J	2.9	-0.0	0.0	0.2
-0.1	10.9						
		Q5_ps	Y	I	-10.6	0.0	-0.5
0.0	0.0		J	-10.6	0.0	-0.0	-0.5
0.4	-34.9						
		INVSLU	Max	I	-218.6	0.2	3.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-218.6	0.2	-1.1 3.5
7054.6	264.1		Min	I	-344.2	-0.1	-3.4 -6.5
0.0	0.0			J	-344.2	-0.1	-1.1 -6.5
7048.8	-570.7		INVSLE Max	I	-177.9	0.1	-2.5 3.2
0.0	0.0			J	-177.9	0.1	-0.8 3.2
5225.6	191.2		Min	I	-269.9	-0.1	-2.5 -4.1
0.0	0.0			J	-269.9	-0.1	-0.8 -4.1
5221.4	-422.3						
8527	2	72	C1-C2;~1	Max	I	57.6	0.0 0.0 3.7
0.0	0.0			J	57.6	0.0	0.0 3.7
0.0	0.0		Min	I	-34.2	-0.0	-0.0 -1.7
0.0	0.0			J	-34.2	0.0	-0.0 -1.7
0.0	0.0		C3-C4;~1	Max	I	48.7	0.0 0.0 3.3
0.0	0.0			J	48.7	0.0	0.0 3.3
0.0	0.0		Min	I	-19.8	-0.0	-0.0 -2.5
0.0	0.0			J	-19.8	0.0	-0.0 -2.5
0.0	0.0		C1-C2;~2	Max	I	36.1	0.0 0.0 2.2
0.0	0.0			J	36.1	0.0	0.0 2.2
0.0	0.0		Min	I	-19.5	-0.0	-0.0 -1.0
0.0	0.0			J	-19.5	0.0	-0.0 -1.0
0.0	0.0		C3-C4;~2	Max	I	30.4	0.0 0.0 1.8
0.0	0.0			J	30.4	0.0	0.0 1.8
0.0	0.0		Min	I	-9.6	-0.0	-0.0 -1.5
0.0	0.0			J	-9.6	0.0	-0.0 -1.5
0.0	0.0		G1	I	-10.4	-0.0	-0.8 2.6
0.0	0.0			J	-10.4	0.0	0.8 2.6
0.0	0.0		G2	I	-12.3	-0.0	-0.0 1.4
0.0	0.0			J	-12.3	0.0	0.0 1.4
0.0	0.0		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
0.0	0.0	Q5_pc X	I	2.0	0.0	0.0	-0.0
0.0	0.0		J	2.0	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	-5.4	0.0	0.0	0.1
0.0	0.0		J	-5.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	2.9	0.0	0.0	-0.0
0.0	0.0		J	2.9	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-8.3	0.0	0.0	0.1
0.0	0.0		J	-8.3	0.0	-0.0	0.1
0.0	0.0	INVSLE Max	I	-154.4	0.0	-1.1	6.8
0.0	0.0		J	-154.4	0.0	1.1	6.8
0.0	0.0	Min	I	-288.1	-0.0	-1.1	-1.7
0.0	0.0		J	-288.1	0.0	1.1	-1.7
0.0	0.0	INVSLE Max	I	-129.6	0.0	-0.8	4.4
0.0	0.0		J	-129.6	0.0	0.8	4.4
0.0	0.0	Min	I	-227.8	-0.0	-0.8	-1.9
0.0	0.0		J	-227.8	0.0	0.8	-1.9
8528	2	72 C1-C2;~1 Max	I	57.7	0.0	0.0	3.7
0.0	0.0		J	57.7	0.0	0.0	3.7
0.0	0.0	Min	I	-34.2	0.0	-0.0	-4.4
0.0	0.0		J	-34.2	-0.0	-0.0	-4.4
0.0	0.0	C3-C4;~1 Max	I	48.7	0.0	0.0	2.7
0.0	0.0		J	48.7	0.0	0.0	2.7
0.0	0.0	Min	I	-19.8	0.0	-0.0	-2.9
0.0	0.0		J	-19.8	-0.0	-0.0	-2.9
0.0	0.0	C1-C2;~2 Max	I	36.2	0.0	0.0	2.1
0.0	0.0		J	36.2	0.0	0.0	2.1
0.0	0.0	Min	I	-19.4	0.0	-0.0	-2.8
0.0	0.0		J	-19.4	-0.0	-0.0	-2.8

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	30.4	0.0	0.0	1.5
			J	30.4	0.0	0.0	1.5
0.0	0.0	Min	I	-9.6	0.0	-0.0	-1.6
0.0	0.0		J	-9.6	-0.0	-0.0	-1.6
0.0	0.0	G1	I	-10.4	0.0	-0.8	1.1
			J	-10.4	-0.0	0.8	1.1
0.0	0.0	G2	I	-12.3	0.0	0.0	0.9
			J	-12.3	-0.0	-0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.0	0.0	-0.0	-0.2
			J	2.0	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-5.4	0.0	-0.0	0.6
			J	-5.4	0.0	-0.0	0.6
0.0	0.0	Q5_ps X	I	3.0	0.0	-0.0	-0.3
			J	3.0	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-8.3	0.0	-0.0	0.8
			J	-8.3	0.0	-0.0	0.8
0.0	0.0	INVSLE Max	I	-154.4	0.0	-1.1	7.2
			J	-154.4	0.0	1.1	7.2
0.0	0.0	Min	I	-288.2	0.0	-1.1	-4.8
			J	-288.2	-0.0	1.1	-4.8
0.0	0.0	INVSLE Max	I	-129.5	0.0	-0.8	4.8
			J	-129.5	0.0	0.8	4.8
0.0	0.0	Min	I	-227.9	0.0	-0.8	-4.1
			J	-227.9	-0.0	0.8	-4.1
8529	2	72 C1-C2; ~1 Max	I	56.4	0.1	0.0	2.3
2.4	278.8		J	56.4	0.1	0.0	2.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-1.4	-291.0		Min	I	-26.0	-0.1	-0.0	-4.2
				J	-26.0	-0.1	-0.0	-4.2
0.0	0.0							
2.1	224.3		C3-C4;~1 Max	I	49.6	0.1	0.0	1.7
				J	49.6	0.1	0.0	1.7
0.0	0.0							
-1.6	-242.7		Min	I	-10.1	-0.1	-0.0	-3.2
				J	-10.1	-0.1	-0.0	-3.2
0.0	0.0							
1.5	184.7		C1-C2;~2 Max	I	36.1	0.1	0.0	1.3
				J	36.1	0.1	0.0	1.3
0.0	0.0							
-0.8	-192.8		Min	I	-14.8	-0.1	-0.0	-2.4
				J	-14.8	-0.1	-0.0	-2.4
0.0	0.0							
1.2	146.0		C3-C4;~2 Max	I	32.2	0.0	0.0	0.9
				J	32.2	0.0	0.0	0.9
0.0	0.0							
-0.9	-159.4		Min	I	-4.4	-0.1	-0.0	-1.7
				J	-4.4	-0.1	-0.0	-1.7
0.0	0.0							
5224.6	-4.0		G1	I	-7.2	-0.0	0.8	-2.7
				J	-7.2	-0.0	2.5	-2.7
0.0	0.0							
0.3	-4.1		G2	I	-10.7	-0.0	0.0	-1.5
				J	-10.7	-0.0	0.0	-1.5
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.1	11.3		Q5_pc X	I	2.0	0.0	0.0	0.1
				J	2.0	0.0	0.0	0.1
0.0	0.0							
-0.2	-36.5		Q5_pc Y	I	-8.0	-0.0	-0.0	-0.3
				J	-8.0	-0.0	-0.0	-0.3
0.0	0.0							
0.1	10.9		Q5_ps X	I	2.9	0.0	0.0	0.2
				J	2.9	0.0	0.0	0.2
0.0	0.0							
-0.4	-34.9		Q5_ps Y	I	-10.6	-0.0	-0.0	-0.4
				J	-10.6	-0.0	-0.0	-0.4


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
7055.6	264.1	INVS LU	Max	I	-218.6	0.1	1.1	3.1
				J	-218.6	0.1	3.4	3.1
0.0	0.0							
7049.8	-570.7		Min	I	-344.2	-0.2	1.1	-6.1
				J	-344.2	-0.2	3.4	-6.1
0.0	0.0							
5226.3	191.2	INVS LE	Max	I	-178.0	0.1	0.8	2.9
				J	-178.0	0.1	2.5	2.9
0.0	0.0							
5222.1	-422.3		Min	I	-269.9	-0.1	0.8	-3.9
				J	-269.9	-0.1	2.5	-3.9
0.0	0.0							
8530	2	72 C1-C2;~1	Max	I	59.7	0.1	0.0	2.7
0.0	0.0			J	59.7	0.1	0.0	2.7
2.7	291.5							
			Min	I	-24.4	-0.1	-0.0	-4.4
0.0	0.0			J	-24.4	-0.1	-0.0	-4.4
-2.1	-286.5							
0.0	0.0	C3-C4;~1	Max	I	52.8	0.1	0.0	2.4
				J	52.8	0.1	0.0	2.4
3.0	239.8							
			Min	I	-10.4	-0.1	-0.0	-3.2
0.0	0.0			J	-10.4	-0.1	-0.0	-3.2
-1.9	-240.5							
0.0	0.0	C1-C2;~2	Max	I	38.2	0.1	0.0	1.5
				J	38.2	0.1	0.0	1.5
1.6	192.7							
			Min	I	-13.7	-0.1	-0.0	-2.5
0.0	0.0			J	-13.7	-0.1	-0.0	-2.5
-1.1	-188.9							
0.0	0.0	C3-C4;~2	Max	I	34.2	0.0	0.0	1.2
				J	34.2	0.0	0.0	1.2
1.8	156.4							
			Min	I	-4.5	-0.0	-0.0	-1.7
0.0	0.0			J	-4.5	-0.0	-0.0	-1.7
-1.0	-157.3							
0.0	0.0		G1	I	-4.9	0.0	-2.5	-1.9
				J	-4.9	0.0	-0.8	-1.9
5206.2	-3.6							
0.0	0.0		G2	I	-10.5	0.0	0.0	-1.3
				J	-10.5	0.0	0.0	-1.3
-0.0	-6.3							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	2.8	-0.0	0.0	0.1
0.0	0.0		J	2.8	-0.0	0.0	0.1
-0.1	10.2						
		Q5_pc Y	I	-10.1	0.0	-0.0	-0.3
0.0	0.0		J	-10.1	0.0	-0.0	-0.3
0.2	-32.9						
		Q5_ps X	I	3.7	-0.0	0.0	0.2
0.0	0.0		J	3.7	-0.0	0.0	0.2
-0.1	10.4						
		Q5_ps Y	I	-12.7	0.0	-0.0	-0.5
0.0	0.0		J	-12.7	0.0	-0.0	-0.5
0.3	-32.4						
		INVSLU Max	I	-157.7	0.2	-3.3	6.0
0.0	0.0		J	-157.7	0.2	-1.0	6.0
7031.5	136.2						
		Min	I	-289.4	-0.0	-3.3	-4.1
0.0	0.0		J	-289.4	-0.0	-1.0	-4.1
7024.4	-703.4						
		INVSLE Max	I	-133.4	0.2	-2.5	5.1
0.0	0.0		J	-133.4	0.2	-0.8	5.1
5208.4	91.8						
		Min	I	-229.6	-0.0	-2.5	-2.3
0.0	0.0		J	-229.6	-0.0	-0.8	-2.3
5203.1	-525.8						
8531	2	72 C1-C2;~1 Max	I	60.4	0.0	0.0	2.2
0.0	0.0		J	60.4	0.0	0.0	2.2
0.0	0.0						
		Min	I	-31.6	0.0	-0.0	-2.5
0.0	0.0		J	-31.6	-0.0	-0.0	-2.5
0.0	0.0						
		C3-C4;~1 Max	I	51.2	0.0	0.0	2.0
0.0	0.0		J	51.2	0.0	0.0	2.0
0.0	0.0						
		Min	I	-16.4	0.0	-0.0	-3.2
0.0	0.0		J	-16.4	-0.0	-0.0	-3.2
0.0	0.0						
		C1-C2;~2 Max	I	38.0	0.0	0.0	1.3
0.0	0.0		J	38.0	0.0	0.0	1.3
0.0	0.0						
		Min	I	-17.8	0.0	-0.0	-1.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-17.8	-0.0	-0.0	-1.6
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	32.2	0.0	0.0	1.1
0.0	0.0		J	32.2	0.0	0.0	1.1
0.0	0.0	Min	I	-7.7	0.0	-0.0	-2.0
0.0	0.0		J	-7.7	-0.0	-0.0	-2.0
0.0	0.0	G1	I	-6.3	0.0	-0.8	2.8
0.0	0.0		J	-6.3	-0.0	0.8	2.8
0.0	0.0	G2	I	-11.4	0.0	0.0	1.0
0.0	0.0		J	-11.4	-0.0	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.3	0.0	-0.0	-0.0
0.0	0.0		J	1.3	0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	-3.5	0.0	-0.0	0.1
0.0	0.0		J	-3.5	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	2.4	0.0	-0.0	-0.0
0.0	0.0		J	2.4	0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	-6.6	0.0	-0.0	0.1
0.0	0.0		J	-6.6	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	-161.7	0.0	-1.1	5.7
0.0	0.0		J	-161.7	0.0	1.1	5.7
0.0	0.0	Min	I	-292.2	0.0	-1.1	-1.8
0.0	0.0		J	-292.2	-0.0	1.1	-1.8
0.0	0.0	INVSLE Max	I	-135.4	0.0	-0.8	3.7
0.0	0.0		J	-135.4	0.0	0.8	3.7
0.0	0.0	Min	I	-231.6	0.0	-0.8	-1.8
0.0	0.0		J	-231.6	-0.0	0.8	-1.8


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8532	2	72	C1-C2;~1	Max	I	60.6	0.0	0.0	4.6
0.0	0.0				J	60.6	0.0	0.0	4.6
0.0	0.0			Min	I	-31.6	-0.0	-0.0	-4.3
0.0	0.0				J	-31.6	0.0	-0.0	-4.3
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	51.2	0.0	0.0	3.6
0.0	0.0				J	51.2	0.0	0.0	3.6
0.0	0.0			Min	I	-16.4	-0.0	-0.0	-3.1
0.0	0.0				J	-16.4	0.0	-0.0	-3.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	38.1	0.0	0.0	2.6
0.0	0.0				J	38.1	0.0	0.0	2.6
0.0	0.0			Min	I	-17.8	-0.0	-0.0	-2.6
0.0	0.0				J	-17.8	0.0	-0.0	-2.6
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	32.2	0.0	0.0	1.9
0.0	0.0				J	32.2	0.0	0.0	1.9
0.0	0.0			Min	I	-7.7	-0.0	-0.0	-1.6
0.0	0.0				J	-7.7	0.0	-0.0	-1.6
0.0	0.0								
0.0	0.0			G1	I	-6.3	0.0	-0.9	0.1
0.0	0.0				J	-6.3	0.0	0.9	0.1
0.0	0.0								
0.0	0.0			G2	I	-11.4	0.0	0.0	1.0
0.0	0.0				J	-11.4	0.0	0.0	1.0
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	1.3	-0.0	-0.0	-0.2
0.0	0.0				J	1.3	0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0			Q5_pc Y	I	-3.5	-0.0	0.0	0.4
0.0	0.0				J	-3.5	0.0	0.0	0.4
0.0	0.0								
0.0	0.0			Q5_ps X	I	2.4	-0.0	-0.0	-0.3
0.0	0.0				J	2.4	0.0	-0.0	-0.3
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_ps Y	I	-6.6	-0.0	0.0	0.7
0.0	0.0		J	-6.6	0.0	0.0	0.7
0.0	0.0	INVS LU Max	I	-161.7	0.0	-1.2	3.3
0.0	0.0		J	-161.7	0.0	1.2	3.3
0.0	0.0	Min	I	-292.4	-0.0	-1.2	-9.5
0.0	0.0		J	-292.4	0.0	1.2	-9.5
0.0	0.0	INVS LE Max	I	-135.4	0.0	-0.9	1.7
0.0	0.0		J	-135.4	0.0	0.9	1.7
0.0	0.0	Min	I	-231.7	-0.0	-0.9	-7.7
0.0	0.0		J	-231.7	0.0	0.9	-7.7
8533	2	72 C1-C2;~1 Max	I	59.7	0.1	0.0	2.5
1.9	291.5		J	59.7	0.1	0.0	2.5
0.0	0.0	Min	I	-24.4	-0.1	-0.0	-3.8
-2.6	-286.5		J	-24.4	-0.1	-0.0	-3.8
0.0	0.0	C3-C4;~1 Max	I	52.8	0.1	0.0	2.0
1.8	239.8		J	52.8	0.1	0.0	2.0
0.0	0.0	Min	I	-10.4	-0.1	-0.0	-2.9
-2.9	-240.5		J	-10.4	-0.1	-0.0	-2.9
0.0	0.0	C1-C2;~2 Max	I	38.2	0.1	0.0	1.5
1.1	192.7		J	38.2	0.1	0.0	1.5
0.0	0.0	Min	I	-13.7	-0.1	-0.0	-2.1
-1.5	-188.9		J	-13.7	-0.1	-0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	34.2	0.1	0.0	1.0
0.9	156.4		J	34.2	0.1	0.0	1.0
0.0	0.0	Min	I	-4.5	-0.1	-0.0	-1.6
-1.7	-157.3		J	-4.5	-0.1	-0.0	-1.6
0.0	0.0	G1	I	-4.9	-0.0	0.9	-2.4
5208.9	-3.6		J	-4.9	-0.0	2.5	-2.4
0.0	0.0	G2	I	-10.5	-0.0	0.0	-1.3
0.0	-6.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-10.5	-0.0	0.0	-1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	10.2	Q5_pc X	I	2.8	0.0	0.0	0.1
0.0	0.0		J	2.8	0.0	0.0	0.1
-0.2	-32.9	Q5_pc Y	I	-10.1	-0.0	-0.0	-0.2
0.0	0.0		J	-10.1	-0.0	-0.0	-0.2
0.1	10.4	Q5_ps X	I	3.7	0.0	0.0	0.2
0.0	0.0		J	3.7	0.0	0.0	0.2
-0.3	-32.4	Q5_ps Y	I	-12.7	-0.0	-0.0	-0.4
0.0	0.0		J	-12.7	-0.0	-0.0	-0.4
7035.9	136.2	INVS LU Max	I	-157.7	0.0	1.2	4.7
0.0	0.0		J	-157.7	0.0	3.4	4.7
7029.1	-703.4	Min	I	-289.4	-0.2	1.2	-4.2
0.0	0.0		J	-289.4	-0.2	3.4	-4.2
5211.8	91.8	INVS LE Max	I	-133.5	0.0	0.9	4.1
0.0	0.0		J	-133.5	0.0	2.5	4.1
5206.9	-525.8	Min	I	-229.7	-0.2	0.9	-2.5
0.0	0.0		J	-229.7	-0.2	2.5	-2.5
8534	2	72 C1-C2;~1 Max	I	61.9	0.1	0.0	3.5
0.0	0.0		J	61.9	0.1	0.0	3.5
1.9	367.8	Min	I	-28.5	-0.1	-0.0	-3.2
0.0	0.0		J	-28.5	-0.1	-0.0	-3.2
-2.7	-275.8	C3-C4;~1 Max	I	55.3	0.1	0.0	2.7
0.0	0.0		J	55.3	0.1	0.0	2.7
2.3	332.9	Min	I	-10.7	-0.1	-0.0	-2.1
0.0	0.0		J	-10.7	-0.1	-0.0	-2.1
-2.4	-230.1	C1-C2;~2 Max	I	39.7	0.1	0.0	2.0
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.1	251.7		J	39.7	0.1	0.0	2.0
		Min	I	-16.6	-0.1	-0.0	-1.8
0.0	0.0		J	-16.6	-0.1	-0.0	-1.8
-1.6	-181.4						
		C3-C4; ~2 Max	I	36.0	0.0	0.0	1.5
0.0	0.0		J	36.0	0.0	0.0	1.5
1.3	228.0	Min	I	-4.6	-0.1	-0.0	-1.1
0.0	0.0		J	-4.6	-0.1	-0.0	-1.1
-1.3	-150.6						
		G1	I	-5.1	0.0	-2.5	-0.3
0.0	0.0		J	-5.1	0.0	-0.8	-0.3
5205.2	-10.9						
		G2	I	-11.6	0.0	0.0	-0.7
0.0	0.0		J	-11.6	0.0	0.0	-0.7
-0.4	-10.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.3	-0.0	0.0	0.2
0.0	0.0		J	4.3	-0.0	0.0	0.2
-0.0	7.0						
		Q5_pc Y	I	-13.0	0.0	-0.0	-0.4
0.0	0.0		J	-13.0	0.0	-0.0	-0.4
0.0	-22.5						
		Q5_ps X	I	5.2	-0.0	0.0	0.2
0.0	0.0		J	5.2	-0.0	0.0	0.2
-0.1	7.6						
		Q5_ps Y	I	-15.6	0.0	-0.0	-0.6
0.0	0.0		J	-15.6	0.0	-0.0	-0.6
0.2	-23.2						
		INVSLE Max	I	-37.2	0.2	-3.3	7.5
0.0	0.0		J	-37.2	0.2	-1.0	7.5
7030.0	300.2	Min	I	-182.6	-0.1	-3.3	-2.2
0.0	0.0		J	-182.6	-0.1	-1.0	-2.2
7023.2	-609.2						
		INVSLE Max	I	-42.6	0.1	-2.5	6.0
0.0	0.0		J	-42.6	0.1	-0.8	6.0
5207.4	224.7	Min	I	-148.6	-0.1	-2.5	-1.1
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5202.4	-446.0			J	-148.6	-0.1	-0.8	-1.1	
8535	2	72	C1-C2;~1	Max	I	66.7	0.0	0.0	3.0
0.0	0.0				J	66.7	0.0	0.0	3.0
0.0	0.0			Min	I	-29.8	0.0	0.0	-2.3
0.0	0.0				J	-29.8	-0.0	-0.0	-2.3
0.0	0.0								
			C3-C4;~1	Max	I	55.8	0.0	0.0	2.6
0.0	0.0				J	55.8	0.0	0.0	2.6
0.0	0.0			Min	I	-14.8	0.0	0.0	-3.0
0.0	0.0				J	-14.8	-0.0	-0.0	-3.0
0.0	0.0								
			C1-C2;~2	Max	I	42.4	0.0	0.0	1.8
0.0	0.0				J	42.4	0.0	0.0	1.8
0.0	0.0			Min	I	-16.6	0.0	0.0	-1.4
0.0	0.0				J	-16.6	-0.0	-0.0	-1.4
0.0	0.0								
			C3-C4;~2	Max	I	35.3	0.0	0.0	1.5
0.0	0.0				J	35.3	0.0	0.0	1.5
0.0	0.0			Min	I	-6.8	0.0	0.0	-1.9
0.0	0.0				J	-6.8	-0.0	-0.0	-1.9
0.0	0.0								
			G1		I	-3.9	0.0	-0.8	3.4
0.0	0.0				J	-3.9	-0.0	0.8	3.4
0.0	0.0								
			G2		I	-11.2	0.0	0.0	1.3
0.0	0.0				J	-11.2	-0.0	0.0	1.3
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	0.3	0.0	0.0	-0.1
0.0	0.0				J	0.3	0.0	-0.0	-0.1
0.0	0.0								
			Q5_pc	Y	I	-1.3	0.0	0.0	0.2
0.0	0.0				J	-1.3	0.0	0.0	0.2
0.0	0.0								
			Q5_ps	X	I	1.6	0.0	0.0	-0.1
0.0	0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	1.6	0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	-4.6	0.0	0.0	0.2
0.0	0.0		J	-4.6	0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	-158.8	0.0	-1.1	4.0
0.0	0.0		J	-158.8	0.0	1.1	4.0
0.0	0.0	Min	I	-291.5	0.0	-1.1	-4.5
0.0	0.0		J	-291.5	-0.0	1.1	-4.5
0.0	0.0	INVS LE Max	I	-132.3	0.0	-0.8	2.4
0.0	0.0		J	-132.3	0.0	0.8	2.4
0.0	0.0	Min	I	-230.4	0.0	-0.8	-3.8
0.0	0.0		J	-230.4	-0.0	0.8	-3.8
8536	2	72 C1-C2;~1 Max	I	66.9	0.0	0.0	3.7
0.0	0.0		J	66.9	0.0	0.0	3.7
0.0	0.0	Min	I	-29.8	0.0	0.0	-5.6
0.0	0.0		J	-29.8	-0.0	-0.0	-5.6
0.0	0.0	C3-C4;~1 Max	I	55.8	0.0	0.0	3.0
0.0	0.0		J	55.8	0.0	0.0	3.0
0.0	0.0	Min	I	-14.8	0.0	0.0	-4.1
0.0	0.0		J	-14.8	-0.0	-0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	42.5	0.0	0.0	2.1
0.0	0.0		J	42.5	0.0	0.0	2.1
0.0	0.0	Min	I	-16.6	0.0	0.0	-3.4
0.0	0.0		J	-16.6	-0.0	-0.0	-3.4
0.0	0.0	C3-C4;~2 Max	I	35.3	0.0	0.0	1.6
0.0	0.0		J	35.3	0.0	0.0	1.6
0.0	0.0	Min	I	-6.8	0.0	0.0	-2.2
0.0	0.0		J	-6.8	-0.0	-0.0	-2.2
0.0	0.0	G1	I	-3.9	0.0	-0.9	-1.3
0.0	0.0		J	-3.9	-0.0	0.9	-1.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	-11.2	0.0	0.0	0.5
0.0	0.0		J	-11.2	-0.0	-0.0	0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.3	0.0	0.0	-0.2
0.0	0.0		J	0.3	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-1.3	0.0	0.0	0.3
0.0	0.0		J	-1.3	0.0	-0.0	0.3
0.0	0.0	Q5_ps X	I	1.6	0.0	0.0	-0.3
0.0	0.0		J	1.6	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-4.6	0.0	0.0	0.6
0.0	0.0		J	-4.6	0.0	-0.0	0.6
0.0	0.0	INVSLU Max	I	-158.8	0.0	-1.2	-1.5
0.0	0.0		J	-158.8	0.0	1.2	-1.5
0.0	0.0	Min	I	-291.6	0.0	-1.2	-14.7
0.0	0.0		J	-291.6	-0.0	1.2	-14.7
0.0	0.0	INVSLE Max	I	-132.3	0.0	-0.9	-1.7
0.0	0.0		J	-132.3	0.0	0.9	-1.7
0.0	0.0	Min	I	-230.5	0.0	-0.9	-11.4
0.0	0.0		J	-230.5	-0.0	0.9	-11.4
8537	2	72 C1-C2;~1 Max	I	61.9	0.1	0.0	3.2
2.5	367.8		J	61.9	0.1	0.0	3.2
0.0	0.0	Min	I	-28.5	-0.1	-0.0	-2.8
-1.8	-275.8		J	-28.5	-0.1	-0.0	-2.8
0.0	0.0	C3-C4;~1 Max	I	55.3	0.1	0.0	2.6
2.3	332.9		J	55.3	0.1	0.0	2.6
0.0	0.0	Min	I	-10.7	-0.1	-0.0	-2.0
-2.1	-230.1		J	-10.7	-0.1	-0.0	-2.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		C1-C2;~2	Max	I	39.7	0.1	0.0	1.9
1.5	251.7			J	39.7	0.1	0.0	1.9
0.0	0.0							
			Min	I	-16.6	-0.1	-0.0	-1.6
-1.0	-181.4			J	-16.6	-0.1	-0.0	-1.6
0.0	0.0							
		C3-C4;~2	Max	I	36.0	0.1	0.0	1.5
1.2	228.0			J	36.0	0.1	0.0	1.5
0.0	0.0							
			Min	I	-4.6	-0.0	-0.0	-1.1
-1.3	-150.6			J	-4.6	-0.0	-0.0	-1.1
0.0	0.0							
				G1	I	-5.1	-0.0	0.9
5209.8	-10.9			J	-5.1	-0.0	2.5	-1.2
0.0	0.0							
				G2	I	-11.6	-0.0	0.0
0.4	-10.1			J	-11.6	-0.0	0.0	-0.9
0.0	0.0							
				Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	4.3	0.0	0.0	0.2
0.0	7.0			J	4.3	0.0	0.0	0.2
0.0	0.0							
		Q5_pc	Y	I	-13.0	-0.0	-0.0	-0.4
-0.0	-22.5			J	-13.0	-0.0	-0.0	-0.4
0.0	0.0							
		Q5_ps	X	I	5.2	0.0	0.0	0.2
0.1	7.6			J	5.2	0.0	0.0	0.2
0.0	0.0							
		Q5_ps	Y	I	-15.6	-0.0	-0.0	-0.5
-0.2	-23.2			J	-15.6	-0.0	-0.0	-0.5
0.0	0.0							
		INVSLE	Max	I	-37.2	0.1	1.2	5.9
7036.8	300.2			J	-37.2	0.1	3.4	5.9
0.0	0.0							
			Min	I	-182.6	-0.2	1.2	-2.9
7030.4	-609.2			J	-182.6	-0.2	3.4	-2.9
0.0	0.0							
		INVSLE	Max	I	-42.6	0.1	0.9	4.8
5212.5	224.7			J	-42.6	0.1	2.5	4.8

MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
5207.7	-446.0		Min	I	-148.6	-0.1	0.9	-1.6
				J	-148.6	-0.1	2.5	-1.6
0.0	0.0							
8538	2	72	C1-C2;~1	Max	I	66.2	0.2	4.6
0.0	0.0			J	66.2	0.2	0.0	4.6
1.5	527.9		Min	I	-56.2	-0.2	-0.0	-3.1
0.0	0.0			J	-56.2	-0.2	-0.0	-3.1
-3.9	-502.4							
			C3-C4;~1	Max	I	56.7	0.1	3.7
0.0	0.0			J	56.7	0.1	0.0	3.7
2.0	461.2		Min	I	-24.6	-0.1	-0.0	-1.8
0.0	0.0			J	-24.6	-0.1	-0.0	-1.8
-3.1	-456.9							
			C1-C2;~2	Max	I	40.0	0.1	2.7
0.0	0.0			J	40.0	0.1	0.0	2.7
0.9	357.1		Min	I	-33.5	-0.1	-0.0	-1.8
0.0	0.0			J	-33.5	-0.1	-0.0	-1.8
-2.4	-319.7							
			C3-C4;~2	Max	I	34.2	0.1	2.1
0.0	0.0			J	34.2	0.1	0.0	2.1
1.2	310.0		Min	I	-12.5	-0.1	-0.0	-0.9
0.0	0.0			J	-12.5	-0.1	-0.0	-0.9
-1.8	-286.4							
			G1	I	-0.6	0.0	-2.5	1.0
0.0	0.0			J	-0.6	0.0	-0.8	1.0
5204.5	-75.2							
			G2	I	-9.4	0.0	0.0	-0.2
0.0	0.0			J	-9.4	0.0	0.0	-0.2
-0.9	-24.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	7.0	-0.0	0.2
0.0	0.0			J	7.0	0.0	-0.0	0.2
0.0	-7.1							
			Q5_pc	Y	I	-20.1	0.0	-0.3
0.0	0.0			J	-20.1	-0.0	0.0	-0.3
-0.1	1.9							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps X	I	7.7	0.0	0.0	0.2
-0.0	-6.3		J	7.7	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-21.9	-0.0	-0.0	-0.5
0.0	1.8		J	-21.9	-0.0	-0.0	-0.5
0.0	0.0	INVS LU Max	I	152.9	0.2	-3.3	10.7
7028.4	671.5		J	152.9	0.2	-1.0	10.7
0.0	0.0	Min	I	-48.7	-0.2	-3.3	-0.3
7020.2	-732.0		J	-48.7	-0.2	-1.0	-0.3
0.0	0.0	INVS LE Max	I	108.6	0.2	-2.5	8.2
5206.4	520.4		J	108.6	0.2	-0.8	8.2
0.0	0.0	Min	I	-38.0	-0.2	-2.5	0.1
5200.3	-518.3		J	-38.0	-0.2	-0.8	0.1
8539	2	72 C1-C2;~1 Max	I	81.3	0.0	0.0	3.9
0.0	0.0		J	81.3	0.0	0.0	3.9
0.0	0.0	Min	I	-55.5	-0.0	-0.0	-3.3
0.0	0.0		J	-55.5	-0.0	-0.0	-3.3
0.0	0.0	C3-C4;~1 Max	I	56.0	0.0	0.0	2.9
0.0	0.0		J	56.0	0.0	0.0	2.9
0.0	0.0	Min	I	-46.2	-0.0	-0.0	-3.7
0.0	0.0		J	-46.2	-0.0	-0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	48.8	0.0	0.0	2.3
0.0	0.0		J	48.8	0.0	0.0	2.3
0.0	0.0	Min	I	-31.0	-0.0	-0.0	-2.0
0.0	0.0		J	-31.0	-0.0	-0.0	-2.0
0.0	0.0	C3-C4;~2 Max	I	30.8	0.0	0.0	1.6
0.0	0.0		J	30.8	0.0	0.0	1.6
0.0	0.0	Min	I	-23.5	-0.0	-0.0	-2.3
0.0	0.0		J	-23.5	-0.0	-0.0	-2.3
0.0	0.0	G1	I	-6.2	0.0	-0.8	3.2

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-6.2	-0.0	0.8	3.2
0.0	0.0						
0.0	0.0	G2	I	-11.7	0.0	0.0	1.2
0.0	0.0		J	-11.7	-0.0	-0.0	1.2
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-3.0	-0.0	-0.0	-0.2
0.0	0.0		J	-3.0	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	4.3	-0.0	0.0	0.4
0.0	0.0		J	4.3	0.0	-0.0	0.4
0.0	0.0						
0.0	0.0	Q5_ps X	I	-1.5	-0.0	-0.0	-0.2
0.0	0.0		J	-1.5	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	0.8	-0.0	0.0	0.4
0.0	0.0		J	0.8	0.0	-0.0	0.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	20.1	0.0	-1.1	5.4
0.0	0.0		J	20.1	0.0	1.1	5.4
0.0	0.0	Min	I	-172.3	-0.0	-1.1	-5.7
0.0	0.0		J	-172.3	-0.0	1.1	-5.7
0.0	0.0						
0.0	0.0	INVSLE Max	I	10.7	0.0	-0.8	3.5
0.0	0.0		J	10.7	0.0	0.8	3.5
0.0	0.0	Min	I	-131.2	-0.0	-0.8	-4.6
0.0	0.0		J	-131.2	-0.0	0.8	-4.6
0.0	0.0						
8540	2	72 C1-C2;~1 Max	I	81.5	0.0	0.0	2.7
0.0	0.0		J	81.5	0.0	0.0	2.7
0.0	0.0	Min	I	-55.5	-0.0	0.0	-7.6
0.0	0.0		J	-55.5	0.0	-0.0	-7.6
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	56.2	0.0	0.0	2.1
0.0	0.0		J	56.2	0.0	0.0	2.1
0.0	0.0	Min	I	-46.3	-0.0	0.0	-5.5

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-46.3	0.0	-0.0	-5.5
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	49.0	0.0	0.0	1.5
0.0	0.0		J	49.0	0.0	0.0	1.5
0.0	0.0	Min	I	-31.0	-0.0	0.0	-4.7
0.0	0.0		J	-31.0	0.0	-0.0	-4.7
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	30.9	0.0	0.0	1.2
0.0	0.0		J	30.9	0.0	0.0	1.2
0.0	0.0	Min	I	-23.6	-0.0	0.0	-3.1
0.0	0.0		J	-23.6	0.0	-0.0	-3.1
0.0	0.0						
0.0	0.0	G1	I	-6.2	-0.0	-0.9	-3.9
0.0	0.0		J	-6.2	0.0	0.9	-3.9
0.0	0.0						
0.0	0.0	G2	I	-11.8	-0.0	0.0	-0.6
0.0	0.0		J	-11.8	0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-3.0	0.0	0.0	-0.2
0.0	0.0		J	-3.0	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	4.3	0.0	0.0	0.2
0.0	0.0		J	4.3	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Q5_ps X	I	-1.5	0.0	0.0	-0.3
0.0	0.0		J	-1.5	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	0.8	0.0	0.0	0.5
0.0	0.0		J	0.8	0.0	0.0	0.5
0.0	0.0						
0.0	0.0	INVSLU Max	I	20.4	0.0	-1.2	-7.0
0.0	0.0		J	20.4	0.0	1.2	-7.0
0.0	0.0	Min	I	-172.4	-0.0	-1.2	-21.2
0.0	0.0		J	-172.4	0.0	1.2	-21.2
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	11.0	0.0	-0.9	-5.4
0.0	0.0			J	11.0	0.0	0.9	-5.4
0.0	0.0		Min	I	-131.2	-0.0	-0.9	-15.9
0.0	0.0			J	-131.2	0.0	0.9	-15.9
0.0	0.0							
8541	2	72	C1-C2;~1 Max	I	66.2	0.2	0.0	3.8
3.7	527.9			J	66.2	0.2	0.0	3.8
0.0	0.0		Min	I	-56.2	-0.2	-0.0	-3.1
-1.5	-502.4			J	-56.2	-0.2	-0.0	-3.1
0.0	0.0							
			C3-C4;~1 Max	I	56.7	0.2	0.0	3.5
3.0	461.2			J	56.7	0.2	0.0	3.5
0.0	0.0		Min	I	-24.6	-0.2	-0.0	-2.1
-1.9	-456.9			J	-24.6	-0.2	-0.0	-2.1
0.0	0.0							
			C1-C2;~2 Max	I	40.0	0.1	0.0	2.2
2.3	357.1			J	40.0	0.1	0.0	2.2
0.0	0.0		Min	I	-33.5	-0.1	-0.0	-1.8
-0.9	-319.7			J	-33.5	-0.1	-0.0	-1.8
0.0	0.0							
			C3-C4;~2 Max	I	34.2	0.1	0.0	2.0
1.7	310.0			J	34.2	0.1	0.0	2.0
0.0	0.0		Min	I	-12.5	-0.1	-0.0	-1.0
-1.2	-286.4			J	-12.5	-0.1	-0.0	-1.0
0.0	0.0							
			G1	I	-0.7	-0.0	0.9	-0.3
5211.5	-75.2			J	-0.7	-0.0	2.5	-0.3
0.0	0.0							
			G2	I	-9.4	-0.0	0.0	-0.5
0.9	-24.7			J	-9.4	-0.0	0.0	-0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.0	-0.0	-0.0	0.2
-0.0	-7.1			J	7.0	-0.0	-0.0	0.2
0.0	0.0							
			Q5_pc Y	I	-20.1	0.0	0.0	-0.4

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.1	1.9			J	-20.1	0.0	0.0	-0.4
0.0	0.0							
0.0	-6.3	Q5_ps X		I	7.7	-0.0	0.0	0.2
0.0	0.0			J	7.7	-0.0	0.0	0.2
-0.0	1.8	Q5_ps Y		I	-21.9	0.0	-0.0	-0.5
0.0	0.0			J	-21.9	0.0	-0.0	-0.5
7041.1	671.5	INVS LU Max		I	152.8	0.2	1.2	7.8
0.0	0.0			J	152.8	0.2	3.4	7.8
7033.3	-732.0	Min		I	-48.7	-0.2	1.2	-2.2
0.0	0.0			J	-48.7	-0.2	3.4	-2.2
5215.4	520.4	INVS LE Max		I	108.5	0.2	0.9	6.0
0.0	0.0			J	108.5	0.2	2.5	6.0
5209.7	-518.3	Min		I	-38.1	-0.2	0.9	-1.3
0.0	0.0			J	-38.1	-0.2	2.5	-1.3
8542	2	72 C1-C2;~1 Max		I	100.3	0.2	0.0	5.2
0.0	0.0			J	100.3	0.2	0.0	5.2
1.3	604.2	Min		I	-43.3	-0.2	-0.0	-3.0
0.0	0.0			J	-43.3	-0.2	-0.0	-3.0
-4.3	-620.2							
0.0	0.0	C3-C4;~1 Max		I	86.2	0.2	0.0	4.4
2.0	534.8			J	86.2	0.2	0.0	4.4
0.0	0.0	Min		I	-17.7	-0.2	-0.0	-1.9
-2.9	-574.6			J	-17.7	-0.2	-0.0	-1.9
0.0	0.0	C1-C2;~2 Max		I	60.1	0.1	0.0	3.1
0.8	394.8			J	60.1	0.1	0.0	3.1
0.0	0.0	Min		I	-25.4	-0.1	-0.0	-1.7
-2.7	-404.4			J	-25.4	-0.1	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max		I	49.7	0.1	0.0	2.6
1.3	350.3			J	49.7	0.1	0.0	2.6
0.0	0.0	Min		I	-8.2	-0.1	-0.0	-0.9
				J	-8.2	-0.1	-0.0	-0.9

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.7	-371.3						
		G1	I	38.9	0.0	-2.5	1.5
0.0	0.0		J	38.9	0.0	-0.8	1.5
5205.9	-60.4						
		G2	I	5.2	0.0	0.0	-0.0
0.0	0.0		J	5.2	0.0	0.0	-0.0
-0.7	-38.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	10.0	0.0	-0.0	0.1
0.0	0.0		J	10.0	0.0	-0.0	0.1
0.0	-4.4						
		Q5_pc Y	I	-26.5	0.0	0.0	-0.2
0.0	0.0		J	-26.5	0.0	0.0	-0.2
-0.1	-8.1						
		Q5_ps X	I	10.6	0.0	0.0	0.2
0.0	0.0		J	10.6	0.0	0.0	0.2
-0.0	-2.5						
		Q5_ps Y	I	-27.8	0.0	-0.0	-0.4
0.0	0.0		J	-27.8	0.0	-0.0	-0.4
0.0	-11.0						
		INVSLE Max	I	263.5	0.3	-3.3	13.6
0.0	0.0		J	263.5	0.3	-1.0	13.6
7027.0	608.3	Min	I	22.0	-0.2	-3.3	2.2
0.0	0.0		J	22.0	-0.2	-1.0	2.2
7018.3	-1059.2						
		INVSLE Max	I	195.2	0.2	-2.5	10.2
0.0	0.0		J	195.2	0.2	-0.8	10.2
5205.2	443.0	Min	I	19.9	-0.1	-2.5	1.8
0.0	0.0		J	19.9	-0.1	-0.8	1.8
5198.8	-791.1						
8543	2	72 C1-C2;~1 Max	I	98.8	0.0	0.0	4.9
0.0	0.0		J	98.8	0.0	0.0	4.9
0.0	0.0	Min	I	-47.0	0.0	0.0	-4.4
0.0	0.0		J	-47.0	-0.0	-0.0	-4.4
0.0	0.0						
		C3-C4;~1 Max	I	82.5	0.0	0.0	3.1
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	82.5	0.0	0.0	3.1
0.0	0.0	Min	I	-39.1	0.0	0.0	-4.8
0.0	0.0		J	-39.1	-0.0	-0.0	-4.8
0.0	0.0	C1-C2;~2 Max	I	58.8	0.0	0.0	3.0
0.0	0.0		J	58.8	0.0	0.0	3.0
0.0	0.0	Min	I	-26.6	0.0	0.0	-2.7
0.0	0.0		J	-26.6	-0.0	-0.0	-2.7
0.0	0.0	C3-C4;~2 Max	I	47.4	0.0	0.0	1.8
0.0	0.0		J	47.4	0.0	0.0	1.8
0.0	0.0	Min	I	-18.9	0.0	0.0	-3.0
0.0	0.0		J	-18.9	-0.0	-0.0	-3.0
0.0	0.0	G1	I	28.2	0.0	-0.8	2.3
0.0	0.0		J	28.2	-0.0	0.8	2.3
0.0	0.0	G2	I	0.6	0.0	0.0	0.8
0.0	0.0		J	0.6	-0.0	0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.1	0.0	0.0	-0.3
0.0	0.0		J	-4.1	0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	7.4	0.0	0.0	0.7
0.0	0.0		J	7.4	0.0	0.0	0.7
0.0	0.0	Q5_ps X	I	-2.4	0.0	0.0	-0.3
0.0	0.0		J	-2.4	0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	3.4	0.0	0.0	0.6
0.0	0.0		J	3.4	0.0	0.0	0.6
0.0	0.0	INVSLU Max	I	219.5	0.0	-1.1	9.8
0.0	0.0		J	219.5	0.0	1.1	9.8
0.0	0.0	Min	I	9.1	0.0	-1.1	-4.6
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	9.1	-0.0	1.1	-4.6
0.0	0.0	INVSLE Max	I	163.6	0.0	-0.8	7.1
0.0	0.0		J	163.6	0.0	0.8	7.1
0.0	0.0	Min	I	8.8	0.0	-0.8	-3.5
0.0	0.0		J	8.8	-0.0	0.8	-3.5
8544	2	72 C1-C2;~1 Max	I	99.1	0.0	0.0	1.6
0.0	0.0		J	99.1	0.0	0.0	1.6
0.0	0.0	Min	I	-47.1	0.0	0.0	-7.8
0.0	0.0		J	-47.1	-0.0	-0.0	-7.8
0.0	0.0	C3-C4;~1 Max	I	82.4	0.0	0.0	1.7
0.0	0.0		J	82.4	0.0	0.0	1.7
0.0	0.0	Min	I	-39.2	0.0	0.0	-5.9
0.0	0.0		J	-39.2	-0.0	-0.0	-5.9
0.0	0.0	C1-C2;~2 Max	I	59.0	0.0	0.0	0.8
0.0	0.0		J	59.0	0.0	0.0	0.8
0.0	0.0	Min	I	-26.6	0.0	0.0	-4.9
0.0	0.0		J	-26.6	-0.0	-0.0	-4.9
0.0	0.0	C3-C4;~2 Max	I	47.3	0.0	0.0	0.8
0.0	0.0		J	47.3	0.0	0.0	0.8
0.0	0.0	Min	I	-18.9	0.0	0.0	-3.4
0.0	0.0		J	-18.9	-0.0	-0.0	-3.4
0.0	0.0	G1	I	28.2	0.0	-0.9	-4.3
0.0	0.0		J	28.2	-0.0	0.9	-4.3
0.0	0.0	G2	I	0.5	0.0	0.0	-0.6
0.0	0.0		J	0.5	-0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.2	0.0	0.0	-0.2
0.0	0.0		J	-4.2	0.0	-0.0	-0.2

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		Q5_pc	Y	I	7.4	0.0	0.0	0.4
0.0	0.0			J	7.4	0.0	0.0	0.4
0.0	0.0							
		Q5_ps	X	I	-2.4	0.0	0.0	-0.3
0.0	0.0			J	-2.4	0.0	-0.0	-0.3
0.0	0.0							
		Q5_ps	Y	I	3.4	0.0	0.0	0.7
0.0	0.0			J	3.4	0.0	0.0	0.7
0.0	0.0							
		INVS LU	Max	I	219.7	0.0	-1.2	-11.2
0.0	0.0			J	219.7	0.0	1.2	-11.2
0.0	0.0		Min	I	9.0	0.0	-1.2	-24.9
0.0	0.0			J	9.0	-0.0	1.2	-24.9
0.0	0.0							
		INVS LE	Max	I	163.8	0.0	-0.9	-8.5
0.0	0.0			J	163.8	0.0	0.9	-8.5
0.0	0.0		Min	I	8.7	0.0	-0.9	-18.5
0.0	0.0			J	8.7	-0.0	0.9	-18.5
0.0	0.0							
8545	2	72 C1-C2;~1	Max	I	100.3	0.2	0.0	5.0
4.0	604.2			J	100.3	0.2	0.0	5.0
0.0	0.0		Min	I	-43.3	-0.2	-0.0	-3.3
-1.3	-620.2			J	-43.3	-0.2	-0.0	-3.3
0.0	0.0							
		C3-C4;~1	Max	I	86.2	0.2	0.0	3.9
2.7	534.8			J	86.2	0.2	0.0	3.9
0.0	0.0		Min	I	-17.8	-0.2	-0.0	-2.3
-1.9	-574.6			J	-17.8	-0.2	-0.0	-2.3
0.0	0.0							
		C1-C2;~2	Max	I	60.1	0.1	0.0	3.0
2.6	394.8			J	60.1	0.1	0.0	3.0
0.0	0.0		Min	I	-25.5	-0.1	-0.0	-1.9
-0.8	-404.4			J	-25.5	-0.1	-0.0	-1.9
0.0	0.0							
		C3-C4;~2	Max	I	49.7	0.1	0.0	2.2
1.6	350.3			J	49.7	0.1	0.0	2.2
0.0	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-8.2	-0.1	-0.0	-1.2
-1.2	-371.3			J	-8.2	-0.1	-0.0	-1.2
0.0	0.0							
			G1	I	38.9	-0.0	0.9	0.4
5212.4	-60.4			J	38.9	-0.0	2.5	0.4
0.0	0.0							
			G2	I	5.2	-0.0	0.0	-0.3
0.7	-38.4			J	5.2	-0.0	0.0	-0.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	10.0	-0.0	-0.0	0.1
-0.0	-4.4			J	10.0	-0.0	-0.0	0.1
0.0	0.0							
			Q5_pc Y	I	-26.5	-0.0	0.0	-0.3
0.1	-8.1			J	-26.5	-0.0	0.0	-0.3
0.0	0.0							
			Q5_ps X	I	10.6	-0.0	0.0	0.2
0.0	-2.5			J	10.6	-0.0	0.0	0.2
0.0	0.0							
			Q5_ps Y	I	-27.8	-0.0	-0.0	-0.4
-0.0	-11.0			J	-27.8	-0.0	-0.0	-0.4
0.0	0.0							
			INVSLU Max	I	263.4	0.2	1.2	10.4
7045.9	608.3			J	263.4	0.2	3.4	10.4
0.0	0.0							
			Min	I	21.9	-0.3	1.2	-1.3
7037.7	-1059.2			J	21.9	-0.3	3.4	-1.3
0.0	0.0							
			INVSLE Max	I	195.2	0.1	0.9	7.8
5219.2	443.0			J	195.2	0.1	2.5	7.8
0.0	0.0							
			Min	I	19.8	-0.3	0.9	-0.8
5213.1	-791.1			J	19.8	-0.3	2.5	-0.8
0.0	0.0							
			72 C1-C2;~1 Max	I	94.3	0.2	0.0	4.7
8546	2			J	94.3	0.2	0.0	4.7
0.0	0.0							
			Min	I	-19.2	-0.1	-0.0	-2.5
2.7	230.9			J	-19.2	-0.1	-0.0	-2.5
0.0	0.0							
-3.3	-620.6							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1	Max	I	77.7	0.2	0.0	3.1
				J	77.7	0.2	0.0	3.1
2.7	242.2		Min	I	-16.4	-0.1	-0.0	-2.4
0.0	0.0			J	-16.4	-0.1	-0.0	-2.4
-2.4	-573.9							
		C1-C2;~2	Max	I	58.4	0.1	0.0	3.1
0.0	0.0			J	58.4	0.1	0.0	3.1
1.8	130.0		Min	I	-10.6	-0.0	-0.0	-1.6
0.0	0.0			J	-10.6	-0.0	-0.0	-1.6
-1.9	-410.5							
		C3-C4;~2	Max	I	45.9	0.1	0.0	1.8
0.0	0.0			J	45.9	0.1	0.0	1.8
1.8	122.0		Min	I	-7.3	-0.0	-0.0	-1.5
0.0	0.0			J	-7.3	-0.0	-0.0	-1.5
-1.3	-378.5							
		G1		I	42.7	-0.0	-2.5	2.0
0.0	0.0			J	42.7	-0.0	-0.8	2.0
5219.5	8.2							
		G2		I	9.1	-0.0	0.0	0.9
0.0	0.0			J	9.1	-0.0	0.0	0.9
-1.3	43.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	9.9	0.0	-0.0	0.0
0.0	0.0			J	9.9	0.0	-0.0	0.0
0.4	-34.6							
		Q5_pc	Y	I	-25.4	-0.0	0.0	-0.1
0.0	0.0			J	-25.4	-0.0	0.0	-0.1
-0.8	63.9							
		Q5_ps	X	I	10.7	0.0	-0.0	0.1
0.0	0.0			J	10.7	0.0	-0.0	0.1
0.4	-39.2							
		Q5_ps	Y	I	-27.2	-0.0	0.0	-0.2
0.0	0.0			J	-27.2	-0.0	0.0	-0.2
-0.9	76.5							
		INVSLU	Max	I	187.8	0.2	-3.4	13.0
0.0	0.0			J	187.8	0.2	-1.0	13.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7046.7	628.2							
0.0	0.0		Min	I	-17.6	-0.2	-3.4	3.0
				J	-17.6	-0.2	-1.0	3.0
7037.1	-651.6							
			INVSLE Max	I	138.8	0.2	-2.5	9.7
0.0	0.0			J	138.8	0.2	-0.8	9.7
5219.6	457.8							
			Min	I	-8.6	-0.1	-2.5	2.3
0.0	0.0			J	-8.6	-0.1	-0.8	2.3
5212.6	-481.7							
8547	2	72	C1-C2;~1 Max	I	84.9	0.0	0.0	4.1
0.0	0.0			J	84.9	0.0	0.0	4.1
0.0	0.0							
			Min	I	-35.7	-0.0	-0.0	-4.8
0.0	0.0			J	-35.7	0.0	-0.0	-4.8
0.0	0.0							
			C3-C4;~1 Max	I	84.8	0.0	0.0	1.8
0.0	0.0			J	84.8	0.0	0.0	1.8
0.0	0.0							
			Min	I	-19.3	-0.0	-0.0	-5.2
0.0	0.0			J	-19.3	0.0	-0.0	-5.2
0.0	0.0							
			C1-C2;~2 Max	I	49.9	0.0	0.0	2.6
0.0	0.0			J	49.9	0.0	0.0	2.6
0.0	0.0							
			Min	I	-21.2	-0.0	-0.0	-3.1
0.0	0.0			J	-21.2	0.0	-0.0	-3.1
0.0	0.0							
			C3-C4;~2 Max	I	50.3	0.0	0.0	1.0
0.0	0.0			J	50.3	0.0	0.0	1.0
0.0	0.0							
			Min	I	-9.4	-0.0	-0.0	-3.4
0.0	0.0			J	-9.4	0.0	-0.0	-3.4
0.0	0.0							
			G1	I	45.1	0.0	-0.8	1.4
0.0	0.0			J	45.1	0.0	0.8	1.4
0.0	0.0							
			G2	I	10.3	0.0	0.0	0.5
0.0	0.0			J	10.3	0.0	-0.0	0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Q5_pc X	I	-5.1	-0.0	-0.0	-0.3
0.0	0.0		J	-5.1	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	10.3	-0.0	0.0	0.6
0.0	0.0		J	10.3	0.0	-0.0	0.6
0.0	0.0	Q5_ps X	I	-4.3	-0.0	-0.0	-0.2
0.0	0.0		J	-4.3	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	8.6	-0.0	0.0	0.5
0.0	0.0		J	8.6	0.0	-0.0	0.5
0.0	0.0	INVS LU Max	I	330.4	0.0	-1.1	10.6
0.0	0.0		J	330.4	0.0	1.1	10.6
0.0	0.0	Min	I	149.1	-0.0	-1.1	-3.1
0.0	0.0		J	149.1	0.0	1.1	-3.1
0.0	0.0	INVS LE Max	I	245.2	0.0	-0.8	7.8
0.0	0.0		J	245.2	0.0	0.8	7.8
0.0	0.0	Min	I	112.3	-0.0	-0.8	-2.2
0.0	0.0		J	112.3	0.0	0.8	-2.2
8548	2	72 C1-C2;~1 Max	I	84.6	0.0	0.0	4.2
0.0	0.0		J	84.6	0.0	0.0	4.2
0.0	0.0	Min	I	-35.6	0.0	-0.0	-3.7
0.0	0.0		J	-35.6	-0.0	-0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	84.5	0.0	0.0	3.1
0.0	0.0		J	84.5	0.0	0.0	3.1
0.0	0.0	Min	I	-19.3	0.0	-0.0	-4.4
0.0	0.0		J	-19.3	-0.0	-0.0	-4.4
0.0	0.0	C1-C2;~2 Max	I	49.7	0.0	0.0	2.8
0.0	0.0		J	49.7	0.0	0.0	2.8
0.0	0.0	Min	I	-21.1	0.0	-0.0	-1.9
0.0	0.0		J	-21.1	-0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	50.1	0.0	0.0	2.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	50.1	0.0	0.0	2.0
0.0	0.0	Min	I	-9.4	0.0	-0.0	-2.2
0.0	0.0		J	-9.4	-0.0	-0.0	-2.2
0.0	0.0	G1	I	45.1	0.0	-0.9	-5.1
0.0	0.0		J	45.1	-0.0	0.9	-5.1
0.0	0.0	G2	I	10.4	0.0	0.0	-2.2
0.0	0.0		J	10.4	-0.0	-0.0	-2.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-5.1	0.0	-0.0	0.5
0.0	0.0		J	-5.1	0.0	-0.0	0.5
0.0	0.0	Q5_pc Y	I	10.3	0.0	0.0	-1.0
0.0	0.0		J	10.3	0.0	0.0	-1.0
0.0	0.0	Q5_ps X	I	-4.4	0.0	-0.0	0.5
0.0	0.0		J	-4.4	0.0	-0.0	0.5
0.0	0.0	Q5_ps Y	I	8.6	0.0	0.0	-1.2
0.0	0.0		J	8.6	0.0	0.0	-1.2
0.0	0.0	INVSLE Max	I	330.2	0.0	-1.2	-5.6
0.0	0.0		J	330.2	0.0	1.2	-5.6
0.0	0.0	Min	I	149.3	0.0	-1.2	-19.1
0.0	0.0		J	149.3	-0.0	1.2	-19.1
0.0	0.0	INVSLE Max	I	245.1	0.0	-0.9	-4.3
0.0	0.0		J	245.1	0.0	0.9	-4.3
0.0	0.0	Min	I	112.5	0.0	-0.9	-14.2
0.0	0.0		J	112.5	-0.0	0.9	-14.2
8549	2	72 C1-C2;~1 Max	I	94.2	0.1	0.0	5.0
3.2	230.9		J	94.2	0.1	0.0	5.0
0.0	0.0	Min	I	-19.2	-0.2	-0.0	-2.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.6	-620.6		J	-19.2	-0.2	-0.0	-2.0
0.0	0.0						
2.3	242.2	C3-C4;~1 Max	I	77.7	0.1	0.0	3.2
0.0	0.0		J	77.7	0.1	0.0	3.2
-2.5	-573.9	Min	I	-16.4	-0.2	-0.0	-2.1
0.0	0.0		J	-16.4	-0.2	-0.0	-2.1
1.8	130.0	C1-C2;~2 Max	I	58.4	0.0	0.0	3.3
0.0	0.0		J	58.4	0.0	0.0	3.3
-1.7	-410.5	Min	I	-10.6	-0.1	-0.0	-1.3
0.0	0.0		J	-10.6	-0.1	-0.0	-1.3
1.2	122.0	C3-C4;~2 Max	I	45.8	0.0	0.0	2.0
0.0	0.0		J	45.8	0.0	0.0	2.0
-1.7	-378.5	Min	I	-7.3	-0.1	-0.0	-1.3
0.0	0.0		J	-7.3	-0.1	-0.0	-1.3
5225.8	8.2	G1	I	42.7	0.0	0.9	0.8
0.0	0.0		J	42.7	0.0	2.5	0.8
1.3	43.6	G2	I	9.1	0.0	0.0	0.4
0.0	0.0		J	9.1	0.0	0.0	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.3	-34.6	Q5_pc X	I	9.9	-0.0	-0.0	0.2
0.0	0.0		J	9.9	-0.0	-0.0	0.2
0.8	63.9	Q5_pc Y	I	-25.4	0.0	0.0	-0.4
0.0	0.0		J	-25.4	0.0	0.0	-0.4
-0.4	-39.2	Q5_ps X	I	10.7	-0.0	-0.0	0.2
0.0	0.0		J	10.7	-0.0	-0.0	0.2
0.8	76.5	Q5_ps Y	I	-27.2	0.0	0.0	-0.5
0.0	0.0		J	-27.2	0.0	0.0	-0.5

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7063.6	628.2	INVS LU Max	I	187.7	0.2	1.2	10.5
			J	187.7	0.2	3.4	10.5
0.0	0.0						
7054.5	-651.6	Min	I	-17.5	-0.2	1.2	0.4
			J	-17.5	-0.2	3.4	0.4
0.0	0.0						
5232.3	457.8	INVS LE Max	I	138.8	0.1	0.9	7.8
			J	138.8	0.1	2.5	7.8
0.0	0.0						
5225.6	-481.7	Min	I	-8.5	-0.2	0.9	0.3
			J	-8.5	-0.2	2.5	0.3
0.0	0.0						
8550	2	72 C1-C2;~1 Max	I	82.9	0.1	0.0	4.1
0.0	0.0		J	82.9	0.1	0.0	4.1
3.2	609.5						
0.0	0.0	Min	I	-32.4	-0.2	-0.0	-2.7
			J	-32.4	-0.2	-0.0	-2.7
-3.4	-227.1						
0.0	0.0	C3-C4;~1 Max	I	83.3	0.1	0.0	4.1
			J	83.3	0.1	0.0	4.1
2.2	557.4						
0.0	0.0	Min	I	-16.3	-0.2	-0.0	-1.6
			J	-16.3	-0.2	-0.0	-1.6
-2.6	-174.2						
0.0	0.0	C1-C2;~2 Max	I	48.9	0.0	0.0	2.5
			J	48.9	0.0	0.0	2.5
2.0	403.0						
0.0	0.0	Min	I	-19.6	-0.1	-0.0	-1.8
			J	-19.6	-0.1	-0.0	-1.8
-2.2	-124.9						
0.0	0.0	C3-C4;~2 Max	I	49.7	0.0	0.0	2.5
			J	49.7	0.0	0.0	2.5
1.1	373.8						
0.0	0.0	Min	I	-7.8	-0.1	-0.0	-1.0
			J	-7.8	-0.1	-0.0	-1.0
-1.7	-93.8						
0.0	0.0	G1	I	45.6	0.0	-2.5	1.9
			J	45.6	0.0	-0.8	1.9
5209.1	-17.8						
0.0	0.0	G2	I	10.7	0.0	-0.0	0.7
			J	10.7	0.0	-0.0	0.7
0.9	-48.3						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.3	0.0	-0.0	-0.2
0.0	-6.9		J	-4.3	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	2.4	-0.0	-0.0	0.4
0.0	14.0		J	2.4	-0.0	-0.0	0.4
0.0	0.0	Q5_ps X	I	-3.6	0.0	0.0	-0.2
-0.1	-1.6		J	-3.6	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	1.1	-0.0	-0.0	0.5
0.2	1.8		J	1.1	-0.0	-0.0	0.5
0.0	0.0	INVS LU Max	I	216.6	0.2	-3.3	9.1
7034.0	477.3		J	216.6	0.2	-1.0	9.1
0.0	0.0	Min	I	52.5	-0.1	-3.3	-0.8
7025.0	-677.2		J	52.5	-0.1	-1.0	-0.8
0.0	0.0	INVS LE Max	I	161.6	0.2	-2.5	6.8
5210.3	347.6		J	161.6	0.2	-0.7	6.8
0.0	0.0	Min	I	40.6	-0.1	-2.5	-0.5
5203.7	-505.7		J	40.6	-0.1	-0.8	-0.5
8551	2	72 C1-C2;~1 Max	I	95.5	0.0	0.0	3.7
0.0	0.0		J	95.5	0.0	0.0	3.7
0.0	0.0	Min	I	-19.9	0.0	-0.0	-5.7
0.0	0.0		J	-19.9	-0.0	-0.0	-5.7
0.0	0.0	C3-C4;~1 Max	I	78.3	0.0	0.0	3.8
0.0	0.0		J	78.3	0.0	0.0	3.8
0.0	0.0	Min	I	-16.3	0.0	-0.0	-2.8
0.0	0.0		J	-16.3	-0.0	-0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	59.0	0.0	0.0	2.4
0.0	0.0		J	59.0	0.0	0.0	2.4
0.0	0.0	Min	I	-11.0	0.0	-0.0	-3.6
0.0	0.0		J	-11.0	-0.0	-0.0	-3.6


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2	Max	I	45.5	0.0	2.6
0.0	0.0			J	45.5	0.0	2.6
0.0	0.0		Min	I	-7.3	0.0	-1.5
0.0	0.0			J	-7.3	-0.0	-1.5
0.0	0.0		G1	I	43.1	0.0	-0.7
0.0	0.0			J	43.1	-0.0	-0.7
0.0	0.0		G2	I	9.0	0.0	-1.5
0.0	0.0			J	9.0	-0.0	-1.5
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	9.4	0.0	-0.2
0.0	0.0			J	9.4	0.0	-0.2
0.0	0.0		Q5_pc Y	I	-18.6	0.0	0.2
0.0	0.0			J	-18.6	0.0	0.2
0.0	0.0		Q5_ps X	I	10.3	0.0	-0.1
0.0	0.0			J	10.3	0.0	-0.1
0.0	0.0		Q5_ps Y	I	-20.9	0.0	0.1
0.0	0.0			J	-20.9	0.0	0.1
0.0	0.0		INVSLE Max	I	299.5	0.0	2.8
0.0	0.0			J	299.5	0.0	2.8
0.0	0.0		Min	I	107.6	0.0	-10.6
0.0	0.0			J	107.6	-0.0	-10.6
0.0	0.0		INVSLE Max	I	221.8	0.0	2.0
0.0	0.0			J	221.8	0.0	2.0
0.0	0.0		Min	I	83.3	0.0	-7.9
0.0	0.0			J	83.3	-0.0	-7.9
8552	2	72	C1-C2;~1	Max	95.8	0.0	1.8
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	95.8	0.0	0.0	1.8
0.0	0.0	Min	I	-19.9	-0.0	0.0	-6.1
0.0	0.0		J	-19.9	0.0	-0.0	-6.1
0.0	0.0	C3-C4;~1 Max	I	78.7	0.0	0.0	2.0
0.0	0.0		J	78.7	0.0	0.0	2.0
0.0	0.0	Min	I	-16.3	-0.0	0.0	-4.1
0.0	0.0		J	-16.3	0.0	-0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	59.2	0.0	0.0	1.0
0.0	0.0		J	59.2	0.0	0.0	1.0
0.0	0.0	Min	I	-11.0	-0.0	0.0	-4.0
0.0	0.0		J	-11.0	0.0	-0.0	-4.0
0.0	0.0	C3-C4;~2 Max	I	45.7	0.0	0.0	1.0
0.0	0.0		J	45.7	0.0	0.0	1.0
0.0	0.0	Min	I	-7.4	-0.0	0.0	-2.6
0.0	0.0		J	-7.4	0.0	-0.0	-2.6
0.0	0.0	G1	I	43.1	0.0	-0.9	-2.1
0.0	0.0		J	43.1	0.0	0.9	-2.1
0.0	0.0	G2	I	8.9	0.0	0.0	0.2
0.0	0.0		J	8.9	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.4	-0.0	0.0	-0.1
0.0	0.0		J	9.4	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-18.6	-0.0	0.0	0.3
0.0	0.0		J	-18.6	0.0	-0.0	0.3
0.0	0.0	Q5_ps X	I	10.3	-0.0	0.0	-0.3
0.0	0.0		J	10.3	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-20.9	-0.0	0.0	0.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-20.9	0.0	-0.0	0.6
0.0	0.0	INVS LU Max	I	299.7	0.0	-1.2	-6.8
0.0	0.0		J	299.7	0.0	1.2	-6.8
0.0	0.0	Min	I	107.4	-0.0	-1.2	-18.2
0.0	0.0		J	107.4	0.0	1.2	-18.2
0.0	0.0	INVS LE Max	I	222.0	0.0	-0.9	-5.2
0.0	0.0		J	222.0	0.0	0.9	-5.2
0.0	0.0	Min	I	83.1	-0.0	-0.9	-13.6
0.0	0.0		J	83.1	0.0	0.9	-13.6
8553	2	72 C1-C2;~1 Max	I	83.0	0.2	0.0	3.6
3.2	609.5		J	83.0	0.2	0.0	3.6
0.0	0.0	Min	I	-32.5	-0.1	-0.0	-3.2
-3.0	-227.1		J	-32.5	-0.1	-0.0	-3.2
0.0	0.0						
2.5	557.4	C3-C4;~1 Max	I	83.4	0.2	0.0	3.9
0.0	0.0		J	83.4	0.2	0.0	3.9
0.0	0.0	Min	I	-16.3	-0.1	-0.0	-2.2
-2.0	-174.2		J	-16.3	-0.1	-0.0	-2.2
0.0	0.0						
2.0	403.0	C1-C2;~2 Max	I	49.0	0.1	0.0	2.1
0.0	0.0		J	49.0	0.1	0.0	2.1
0.0	0.0	Min	I	-19.6	-0.0	-0.0	-2.1
-1.8	-124.9		J	-19.6	-0.0	-0.0	-2.1
0.0	0.0						
1.6	373.8	C3-C4;~2 Max	I	49.7	0.1	0.0	2.3
0.0	0.0		J	49.7	0.1	0.0	2.3
0.0	0.0	Min	I	-7.8	-0.0	-0.0	-1.4
-1.1	-93.8		J	-7.8	-0.0	-0.0	-1.4
0.0	0.0						
5210.5	-17.8	G1	I	45.6	-0.0	0.9	1.7
0.0	0.0		J	45.6	-0.0	2.5	1.7
0.0	0.0						
-0.8	-48.3	G2	I	10.7	-0.0	-0.0	1.0
0.0	0.0		J	10.7	-0.0	-0.0	1.0


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-6.9	Q5_pc X	I	-4.3	-0.0	-0.0	-0.2
0.0	0.0		J	-4.3	-0.0	-0.0	-0.2
-0.0	14.0	Q5_pc Y	I	2.4	0.0	-0.0	0.4
0.0	0.0		J	2.4	0.0	-0.0	0.4
0.1	-1.6	Q5_ps X	I	-3.6	-0.0	0.0	-0.3
0.0	0.0		J	-3.6	-0.0	0.0	-0.3
-0.2	1.8	Q5_ps Y	I	1.1	0.0	-0.0	0.6
0.0	0.0		J	1.1	0.0	-0.0	0.6
7040.9	477.3	INVS LU Max	I	216.6	0.2	1.2	7.7
0.0	0.0		J	216.6	0.2	3.4	7.7
7032.5	-677.2	Min	I	52.5	-0.2	1.2	-2.7
0.0	0.0		J	52.5	-0.2	3.4	-2.7
5215.6	347.6	INVS LE Max	I	161.6	0.1	0.9	5.7
0.0	0.0		J	161.6	0.1	2.5	5.7
5209.3	-505.7	Min	I	40.6	-0.2	0.9	-2.0
0.0	0.0		J	40.6	-0.2	2.5	-2.0
8554	2	72 C1-C2;~1 Max	I	85.1	0.2	0.0	4.2
0.0	0.0		J	85.1	0.2	0.0	4.2
4.3	660.5	Min	I	-40.5	-0.2	-0.0	-2.5
0.0	0.0		J	-40.5	-0.2	-0.0	-2.5
-3.0	-571.0						
0.0	0.0	C3-C4;~1 Max	I	71.9	0.2	0.0	3.7
4.4	588.5		J	71.9	0.2	0.0	3.7
0.0	0.0	Min	I	-26.7	-0.2	-0.0	-1.4
-1.7	-502.7		J	-26.7	-0.2	-0.0	-1.4
0.0	0.0	C1-C2;~2 Max	I	52.5	0.1	0.0	2.6
2.6	430.9		J	52.5	0.1	0.0	2.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-24.2	-0.1	-0.0	-1.5
0.0	0.0			J	-24.2	-0.1	-0.0	-1.5
-1.9	-368.3							
		C3-C4;~2	Max	I	43.4	0.1	0.0	2.3
0.0	0.0			J	43.4	0.1	0.0	2.3
2.6	382.4							
			Min	I	-12.8	-0.1	-0.0	-0.7
0.0	0.0			J	-12.8	-0.1	-0.0	-0.7
-1.0	-321.5							
			G1	I	17.8	-0.0	-2.5	0.9
0.0	0.0			J	17.8	-0.0	-0.8	0.9
5426.0	37.3							
			G2	I	-3.8	-0.0	-0.0	-0.3
0.0	0.0			J	-3.8	-0.0	-0.0	-0.3
0.6	20.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-3.2	0.0	-0.0	0.1
0.0	0.0			J	-3.2	0.0	-0.0	0.1
0.0	-10.8							
			Q5_pc Y	I	-0.2	-0.0	0.0	-0.3
0.0	0.0			J	-0.2	-0.0	0.0	-0.3
-0.0	34.1							
			Q5_ps X	I	-1.4	0.0	0.0	0.2
0.0	0.0			J	-1.4	0.0	0.0	0.2
-0.1	-11.3							
			Q5_ps Y	I	-3.9	-0.0	-0.0	-0.5
0.0	0.0			J	-3.9	-0.0	-0.0	-0.5
0.2	35.2							
			INVSLU Max	I	53.3	0.2	-3.4	10.0
0.0	0.0			J	53.3	0.2	-1.0	10.0
7325.7	946.2							
			Min	I	-121.9	-0.3	-3.4	0.3
0.0	0.0			J	-121.9	-0.3	-1.0	0.3
7315.7	-777.6							
			INVSLE Max	I	41.1	0.2	-2.5	7.5
0.0	0.0			J	41.1	0.2	-0.8	7.5
5426.4	697.5							
			Min	I	-88.2	-0.2	-2.5	0.4
0.0	0.0			J	-88.2	-0.2	-0.8	0.4
5418.9	-574.9							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


8555	2	72	C1-C2;~1	Max	I	97.6	0.0	0.0	3.0
0.0	0.0				J	97.6	0.0	0.0	3.0
0.0	0.0			Min	I	-42.5	0.0	0.0	-6.6
0.0	0.0				J	-42.5	0.0	-0.0	-6.6
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	82.2	0.0	0.0	0.9
0.0	0.0				J	82.2	0.0	0.0	0.9
0.0	0.0			Min	I	-21.6	0.0	0.0	-7.0
0.0	0.0				J	-21.6	0.0	-0.0	-7.0
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	58.4	0.0	0.0	1.9
0.0	0.0				J	58.4	0.0	0.0	1.9
0.0	0.0			Min	I	-24.9	0.0	0.0	-4.2
0.0	0.0				J	-24.9	0.0	-0.0	-4.2
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	46.0	0.0	0.0	0.4
0.0	0.0				J	46.0	0.0	0.0	0.4
0.0	0.0			Min	I	-9.8	0.0	0.0	-4.5
0.0	0.0				J	-9.8	0.0	-0.0	-4.5
0.0	0.0								
0.0	0.0			G1	I	36.0	0.0	-0.8	-0.5
0.0	0.0				J	36.0	0.0	0.8	-0.5
0.0	0.0								
0.0	0.0			G2	I	3.8	0.0	0.0	-0.2
0.0	0.0				J	3.8	0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	9.8	0.0	0.0	-0.1
0.0	0.0				J	9.8	0.0	-0.0	-0.1
0.0	0.0								
0.0	0.0			Q5_pc Y	I	-20.7	0.0	0.0	0.3
0.0	0.0				J	-20.7	0.0	0.0	0.3
0.0	0.0								
0.0	0.0			Q5_ps X	I	10.6	0.0	0.0	-0.1
0.0	0.0				J	10.6	0.0	-0.0	-0.1
0.0	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Q5_ps Y	I	-22.5	0.0	0.0	0.3
0.0	0.0		J	-22.5	0.0	0.0	0.3
0.0	0.0	INVS LU Max	I	356.4	0.0	-1.1	5.8
0.0	0.0		J	356.4	0.0	1.1	5.8
0.0	0.0	Min	I	130.0	0.0	-1.1	-8.2
0.0	0.0		J	130.0	0.0	1.1	-8.2
0.0	0.0	INVS LE Max	I	264.1	0.0	-0.8	4.3
0.0	0.0		J	264.1	0.0	0.8	4.3
0.0	0.0	Min	I	99.2	0.0	-0.8	-6.0
0.0	0.0		J	99.2	0.0	0.8	-6.0
8556	2	72 C1-C2;~1 Max	I	97.8	0.0	0.0	4.3
0.0	0.0		J	97.8	0.0	0.0	4.3
0.0	0.0	Min	I	-42.5	-0.0	-0.0	-6.4
0.0	0.0		J	-42.5	-0.0	-0.0	-6.4
0.0	0.0	C3-C4;~1 Max	I	82.3	0.0	0.0	4.5
0.0	0.0		J	82.3	0.0	0.0	4.5
0.0	0.0	Min	I	-21.6	-0.0	-0.0	-3.8
0.0	0.0		J	-21.6	-0.0	-0.0	-3.8
0.0	0.0	C1-C2;~2 Max	I	58.6	0.0	0.0	2.5
0.0	0.0		J	58.6	0.0	0.0	2.5
0.0	0.0	Min	I	-24.9	-0.0	-0.0	-4.1
0.0	0.0		J	-24.9	-0.0	-0.0	-4.1
0.0	0.0	C3-C4;~2 Max	I	45.9	0.0	0.0	2.4
0.0	0.0		J	45.9	0.0	0.0	2.4
0.0	0.0	Min	I	-9.8	-0.0	-0.0	-2.2
0.0	0.0		J	-9.8	-0.0	-0.0	-2.2
0.0	0.0	G1	I	36.0	0.0	-0.9	-0.5
0.0	0.0		J	36.0	-0.0	0.9	-0.5
0.0	0.0	G2	I	3.8	0.0	0.0	0.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	3.8	-0.0	-0.0	0.9
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	9.8	-0.0	0.0	-0.1
0.0	0.0		J	9.8	0.0	-0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-20.7	-0.0	-0.0	0.3
0.0	0.0		J	-20.7	0.0	0.0	0.3
0.0	0.0						
		Q5_ps X	I	10.5	-0.0	0.0	-0.2
0.0	0.0		J	10.5	0.0	-0.0	-0.2
0.0	0.0						
		Q5_ps Y	I	-22.5	-0.0	-0.0	0.6
0.0	0.0		J	-22.5	0.0	0.0	0.6
0.0	0.0						
		INVS LU Max	I	356.7	0.0	-1.2	-2.7
0.0	0.0		J	356.7	0.0	1.2	-2.7
0.0	0.0						
		Min	I	130.1	-0.0	-1.2	-17.9
0.0	0.0		J	130.1	-0.0	1.2	-17.9
0.0	0.0						
		INVS LE Max	I	264.4	0.0	-0.9	-2.3
0.0	0.0		J	264.4	0.0	0.9	-2.3
0.0	0.0						
		Min	I	99.3	-0.0	-0.9	-13.5
0.0	0.0		J	99.3	-0.0	0.9	-13.5
0.0	0.0						
8557	2	72 C1-C2;~1 Max	I	85.1	0.2	0.0	4.8
2.8	660.5		J	85.1	0.2	0.0	4.8
0.0	0.0						
		Min	I	-40.5	-0.2	-0.0	-2.2
-4.0	-571.0		J	-40.5	-0.2	-0.0	-2.2
0.0	0.0						
		C3-C4;~1 Max	I	71.9	0.2	0.0	4.1
1.6	588.5		J	71.9	0.2	0.0	4.1
0.0	0.0						
		Min	I	-26.7	-0.2	-0.0	-1.1
-4.2	-502.7		J	-26.7	-0.2	-0.0	-1.1
0.0	0.0						
		C1-C2;~2 Max	I	52.5	0.1	0.0	3.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.8	430.9		J	52.5	0.1	0.0	3.0
0.0	0.0						
		Min	I	-24.2	-0.1	-0.0	-1.3
-2.4	-368.3		J	-24.2	-0.1	-0.0	-1.3
0.0	0.0						
		C3-C4;~2 Max	I	43.4	0.1	0.0	2.5
0.9	382.4		J	43.4	0.1	0.0	2.5
0.0	0.0						
		Min	I	-12.8	-0.1	-0.0	-0.5
-2.5	-321.5		J	-12.8	-0.1	-0.0	-0.5
0.0	0.0						
		G1	I	17.8	0.0	0.9	0.9
5426.1	37.3		J	17.8	0.0	2.6	0.9
0.0	0.0						
		G2	I	-3.8	0.0	-0.0	-0.1
-0.6	20.4		J	-3.8	0.0	-0.0	-0.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-3.2	-0.0	-0.0	0.1
-0.0	-10.8		J	-3.2	-0.0	-0.0	0.1
0.0	0.0						
		Q5_pc Y	I	-0.2	0.0	0.0	-0.3
0.0	34.1		J	-0.2	0.0	0.0	-0.3
0.0	0.0						
		Q5_ps X	I	-1.4	-0.0	0.0	0.2
0.1	-11.3		J	-1.4	-0.0	0.0	0.2
0.0	0.0						
		Q5_ps Y	I	-3.9	0.0	-0.0	-0.4
-0.1	35.2		J	-3.9	0.0	-0.0	-0.4
0.0	0.0						
		INVSLE Max	I	53.2	0.3	1.3	9.3
7334.0	946.2		J	53.2	0.3	3.5	9.3
0.0	0.0						
		Min	I	-121.9	-0.3	1.3	-0.6
7324.6	-777.6		J	-121.9	-0.3	3.5	-0.6
0.0	0.0						
		INVSLE Max	I	41.1	0.2	0.9	7.0
5432.7	697.5		J	41.1	0.2	2.6	7.0
0.0	0.0						
		Min	I	-88.2	-0.2	0.9	-0.4


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5425.7	-574.9			J	-88.2	-0.2	2.6	-0.4	
0.0	0.0								
8558	2	72	C1-C2;~1	Max	I	68.8	0.2	0.0	4.0
0.0	0.0				J	68.8	0.2	0.0	4.0
4.7	519.6			Min	I	-49.8	-0.2	-0.0	-3.5
0.0	0.0				J	-49.8	-0.2	-0.0	-3.5
-2.5	-539.0								
			C3-C4;~1	Max	I	45.8	0.2	0.0	2.7
0.0	0.0				J	45.8	0.2	0.0	2.7
5.0	442.2			Min	I	-41.7	-0.1	-0.0	-1.6
0.0	0.0				J	-41.7	-0.1	-0.0	-1.6
-1.6	-497.6								
			C1-C2;~2	Max	I	43.3	0.1	0.0	2.4
0.0	0.0				J	43.3	0.1	0.0	2.4
2.8	343.8			Min	I	-28.7	-0.1	-0.0	-2.0
0.0	0.0				J	-28.7	-0.1	-0.0	-2.0
-1.5	-355.1								
			C3-C4;~2	Max	I	26.7	0.1	0.0	1.5
0.0	0.0				J	26.7	0.1	0.0	1.5
3.0	287.5			Min	I	-21.2	-0.1	-0.0	-0.8
0.0	0.0				J	-21.2	-0.1	-0.0	-0.8
-0.8	-316.7								
			G1		I	-9.7	0.0	-2.5	0.5
0.0	0.0				J	-9.7	0.0	-0.8	0.5
5426.2	-12.0								
			G2		I	-13.6	0.0	-0.0	-0.4
0.0	0.0				J	-13.6	0.0	-0.0	-0.4
0.7	-7.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-1.8	-0.0	0.0	0.1
0.0	0.0				J	-1.8	-0.0	0.0	0.1
-0.1	12.3								
			Q5_pc	Y	I	-2.5	0.0	-0.0	-0.2
0.0	0.0				J	-2.5	0.0	-0.0	-0.2
0.2	-7.3								
			Q5_ps	X	I	-0.3	-0.0	0.0	0.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-0.3	-0.0	0.0	0.1
-0.1	12.9							
		Q5_ps	Y	I	-5.9	0.0	-0.0	-0.4
0.0	0.0			J	-5.9	0.0	-0.0	-0.4
0.3	-9.1							
		INVSLE	Max	I	-83.2	0.2	-3.4	11.1
0.0	0.0			J	-83.2	0.2	-1.0	11.1
7327.1	742.3			Min	-247.8	-0.2	-3.4	0.6
0.0	0.0			J	-247.8	-0.2	-1.0	0.6
7316.8	-709.0							
		INVSLE	Max	I	-61.4	0.2	-2.5	8.6
0.0	0.0			J	-61.4	0.2	-0.8	8.6
5427.2	541.5			Min	-183.1	-0.2	-2.5	0.8
0.0	0.0			J	-183.1	-0.2	-0.8	0.8
5419.5	-531.9							
8559	2	72	C1-C2;~1	Max	70.0	0.0	0.0	2.9
0.0	0.0			J	70.0	0.0	0.0	2.9
0.0	0.0			Min	-62.1	0.0	-0.0	-6.0
0.0	0.0			J	-62.1	0.0	-0.0	-6.0
0.0	0.0							
		C3-C4;~1	Max	I	54.3	0.0	0.0	1.5
0.0	0.0			J	54.3	0.0	0.0	1.5
0.0	0.0			Min	-29.3	0.0	-0.0	-6.5
0.0	0.0			J	-29.3	0.0	-0.0	-6.5
0.0	0.0							
		C1-C2;~2	Max	I	42.0	0.0	0.0	1.8
0.0	0.0			J	42.0	0.0	0.0	1.8
0.0	0.0			Min	-36.7	0.0	-0.0	-3.8
0.0	0.0			J	-36.7	0.0	-0.0	-3.8
0.0	0.0							
		C3-C4;~2	Max	I	31.5	0.0	0.0	0.8
0.0	0.0			J	31.5	0.0	0.0	0.8
0.0	0.0			Min	-15.5	0.0	-0.0	-4.1
0.0	0.0			J	-15.5	0.0	-0.0	-4.1
0.0	0.0							
		G1		I	6.4	0.0	-0.8	0.4
0.0	0.0			J	6.4	0.0	0.8	0.4

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G2	I	-6.9	0.0	0.0	0.0
0.0	0.0		J	-6.9	0.0	-0.0	0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.7	0.0	0.0	-0.0
0.0	0.0		J	7.7	0.0	-0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	-18.5	0.0	-0.0	0.1
0.0	0.0		J	-18.5	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	8.4	0.0	0.0	-0.0
0.0	0.0		J	8.4	0.0	-0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	-20.2	0.0	-0.0	0.1
0.0	0.0		J	-20.2	0.0	0.0	0.1
0.0	0.0						
		INVS LU Max	I	322.2	0.0	-1.1	5.7
0.0	0.0		J	322.2	0.0	1.1	5.7
0.0	0.0						
		Min	I	110.4	0.0	-1.1	-7.2
0.0	0.0		J	110.4	0.0	1.1	-7.2
0.0	0.0						
		INVS LE Max	I	237.8	0.0	-0.8	4.2
0.0	0.0		J	237.8	0.0	0.8	4.2
0.0	0.0						
		Min	I	83.5	0.0	-0.8	-5.4
0.0	0.0		J	83.5	0.0	0.8	-5.4
0.0	0.0						
8560	2	72 C1-C2;~1 Max	I	70.2	0.0	0.0	5.5
0.0	0.0		J	70.2	0.0	0.0	5.5
0.0	0.0						
		Min	I	-62.1	-0.0	0.0	-5.1
0.0	0.0		J	-62.1	-0.0	-0.0	-5.1
0.0	0.0						
		C3-C4;~1 Max	I	54.2	0.0	0.0	5.0
0.0	0.0		J	54.2	0.0	0.0	5.0
0.0	0.0						
		Min	I	-29.3	-0.0	0.0	-3.0
0.0	0.0		J	-29.3	-0.0	-0.0	-3.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C1-C2;~2 Max	I	42.1	0.0	0.0	3.1
0.0	0.0		J	42.1	0.0	0.0	3.1
0.0	0.0						
		Min	I	-36.6	-0.0	0.0	-3.2
0.0	0.0		J	-36.6	-0.0	-0.0	-3.2
0.0	0.0						
		C3-C4;~2 Max	I	31.4	0.0	0.0	2.6
0.0	0.0		J	31.4	0.0	0.0	2.6
0.0	0.0						
		Min	I	-15.5	-0.0	0.0	-1.6
0.0	0.0		J	-15.5	-0.0	-0.0	-1.6
0.0	0.0						
		G1	I	6.4	-0.0	-0.9	0.5
0.0	0.0		J	6.4	-0.0	0.9	0.5
0.0	0.0						
		G2	I	-6.9	-0.0	0.0	1.3
0.0	0.0		J	-6.9	-0.0	-0.0	1.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.7	0.0	0.0	-0.2
0.0	0.0		J	7.7	0.0	-0.0	-0.2
0.0	0.0						
		Q5_pc Y	I	-18.5	0.0	0.0	0.4
0.0	0.0		J	-18.5	0.0	0.0	0.4
0.0	0.0						
		Q5_ps X	I	8.4	0.0	0.0	-0.3
0.0	0.0		J	8.4	0.0	-0.0	-0.3
0.0	0.0						
		Q5_ps Y	I	-20.2	0.0	0.0	0.7
0.0	0.0		J	-20.2	0.0	0.0	0.7
0.0	0.0						
		INVSLU Max	I	322.4	0.0	-1.2	-0.5
0.0	0.0		J	322.4	0.0	1.2	-0.5
0.0	0.0						
		Min	I	110.6	-0.0	-1.2	-15.5
0.0	0.0		J	110.6	-0.0	1.2	-15.5
0.0	0.0						
		INVSLE Max	I	238.0	0.0	-0.9	-1.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	238.0	0.0	0.9	-1.0	
0.0	0.0		Min	I	83.5	-0.0	-0.9	-12.1	
0.0	0.0			J	83.5	-0.0	0.9	-12.1	
0.0	0.0								
8561	2	72	C1-C2;~1	Max	I	68.8	0.2	0.0	4.5
2.3	519.6				J	68.8	0.2	0.0	4.5
0.0	0.0		Min	I	-49.8	-0.2	-0.0	-2.9	
-4.5	-539.0			J	-49.8	-0.2	-0.0	-2.9	
0.0	0.0								
			C3-C4;~1	Max	I	45.8	0.1	0.0	3.2
1.5	442.2			J	45.8	0.1	0.0	3.2	
0.0	0.0		Min	I	-41.7	-0.2	-0.0	-1.5	
-4.7	-497.6			J	-41.7	-0.2	-0.0	-1.5	
0.0	0.0								
			C1-C2;~2	Max	I	43.3	0.1	0.0	2.8
1.4	343.8			J	43.3	0.1	0.0	2.8	
0.0	0.0		Min	I	-28.7	-0.1	-0.0	-1.7	
-2.6	-355.1			J	-28.7	-0.1	-0.0	-1.7	
0.0	0.0								
			C3-C4;~2	Max	I	26.7	0.1	0.0	1.9
0.8	287.5			J	26.7	0.1	0.0	1.9	
0.0	0.0		Min	I	-21.2	-0.1	-0.0	-0.7	
-2.8	-316.7			J	-21.2	-0.1	-0.0	-0.7	
0.0	0.0								
			G1	I	-9.7	-0.0	0.9	0.5	
5426.1	-12.0			J	-9.7	-0.0	2.6	0.5	
0.0	0.0								
			G2	I	-13.6	-0.0	-0.0	-0.2	
-0.6	-7.7			J	-13.6	-0.0	-0.0	-0.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-1.8	0.0	0.0	0.1	
0.1	12.3			J	-1.8	0.0	0.0	0.1	
0.0	0.0								
			Q5_pc Y	I	-2.5	-0.0	-0.0	-0.2	
-0.1	-7.3			J	-2.5	-0.0	-0.0	-0.2	


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.1	12.9	Q5_ps X	I	-0.3	0.0	0.0	0.1
0.0	0.0		J	-0.3	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-5.9	-0.0	-0.0	-0.3
-0.3	-9.1		J	-5.9	-0.0	-0.0	-0.3
0.0	0.0						
7333.3	742.3	INVS LU Max	I	-83.2	0.2	1.3	10.5
0.0	0.0		J	-83.2	0.2	3.5	10.5
7323.6	-709.0	Min	I	-247.8	-0.2	1.3	0.1
0.0	0.0		J	-247.8	-0.2	3.5	0.1
0.0	0.0						
5432.4	541.5	INVS LE Max	I	-61.4	0.2	0.9	8.0
0.0	0.0		J	-61.4	0.2	2.6	8.0
5425.2	-531.9	Min	I	-183.0	-0.2	0.9	0.4
0.0	0.0		J	-183.0	-0.2	2.6	0.4
0.0	0.0						
8562	2	72 C1-C2;~1 Max	I	66.8	0.1	0.0	3.7
0.0	0.0		J	66.8	0.1	0.0	3.7
4.1	309.1	Min	I	-39.0	-0.1	-0.0	-3.4
0.0	0.0		J	-39.0	-0.1	-0.0	-3.4
-1.7	-372.1						
0.0	0.0	C3-C4;~1 Max	I	50.6	0.1	0.0	2.4
0.0	0.0		J	50.6	0.1	0.0	2.4
4.5	257.6	Min	I	-22.0	-0.1	-0.0	-2.2
0.0	0.0		J	-22.0	-0.1	-0.0	-2.2
-1.4	-343.3						
0.0	0.0	C1-C2;~2 Max	I	43.4	0.1	0.0	2.3
0.0	0.0		J	43.4	0.1	0.0	2.3
2.4	205.5	Min	I	-20.7	-0.1	-0.0	-1.9
0.0	0.0		J	-20.7	-0.1	-0.0	-1.9
-0.9	-249.2						
0.0	0.0	C3-C4;~2 Max	I	32.3	0.1	0.0	1.4
0.0	0.0		J	32.3	0.1	0.0	1.4
2.7	167.7	Min	I	-10.1	-0.1	-0.0	-1.1
0.0	0.0		J	-10.1	-0.1	-0.0	-1.1
-0.7	-220.4						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G1	I	-8.6	0.0	-2.5	-0.6
0.0	0.0			J	-8.6	0.0	-0.8	-0.6
5426.2	-12.9							
			G2	I	-13.6	0.0	-0.0	-0.9
0.0	0.0			J	-13.6	0.0	-0.0	-0.9
0.6	-10.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	1.2	-0.0	0.0	0.1
0.0	0.0			J	1.2	-0.0	0.0	0.1
-0.1	14.2							
			Q5_pc Y	I	-5.3	0.0	-0.0	-0.2
0.0	0.0			J	-5.3	0.0	-0.0	-0.2
0.1	-16.9							
			Q5_ps X	I	2.6	-0.0	0.0	0.2
0.0	0.0			J	2.6	-0.0	0.0	0.2
-0.1	14.7							
			Q5_ps Y	I	-8.4	0.0	-0.0	-0.3
0.0	0.0			J	-8.4	0.0	-0.0	-0.3
0.3	-18.2							
			INVSLU Max	I	-236.8	0.2	-3.4	7.5
0.0	0.0			J	-236.8	0.2	-1.0	7.5
7329.1	331.3							
			Min	I	-389.1	-0.1	-3.4	-2.3
0.0	0.0			J	-389.1	-0.1	-1.0	-2.3
7320.4	-618.8							
			INVSLE Max	I	-187.0	0.1	-2.5	6.0
0.0	0.0			J	-187.0	0.1	-0.8	6.0
5428.7	225.3							
			Min	I	-299.1	-0.1	-2.5	-1.3
0.0	0.0			J	-299.1	-0.1	-0.8	-1.3
5422.3	-476.2							
8563	2	72	C1-C2;~1 Max	I	62.2	0.0	0.0	2.5
0.0	0.0			J	62.2	0.0	0.0	2.5
0.0	0.0							
			Min	I	-53.8	0.0	-0.0	-5.1
0.0	0.0			J	-53.8	0.0	0.0	-5.1
0.0	0.0							
			C3-C4;~1 Max	I	52.7	0.0	0.0	1.6
0.0	0.0			J	52.7	0.0	0.0	1.6
0.0	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Min	I	-35.0	0.0	-0.0	-6.0
0.0	0.0		J	-35.0	0.0	0.0	-6.0
0.0	0.0	C1-C2;~2 Max	I	38.1	0.0	0.0	1.4
0.0	0.0		J	38.1	0.0	0.0	1.4
0.0	0.0	Min	I	-30.6	0.0	-0.0	-3.3
0.0	0.0		J	-30.6	0.0	0.0	-3.3
0.0	0.0	C3-C4;~2 Max	I	32.2	0.0	0.0	0.9
0.0	0.0		J	32.2	0.0	0.0	0.9
0.0	0.0	Min	I	-16.9	0.0	-0.0	-3.8
0.0	0.0		J	-16.9	0.0	0.0	-3.8
0.0	0.0	G1	I	-11.8	0.0	-0.8	1.1
0.0	0.0		J	-11.8	0.0	0.8	1.1
0.0	0.0	G2	I	-14.9	0.0	0.0	0.3
0.0	0.0		J	-14.9	0.0	0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.1	0.0	0.0	-0.1
0.0	0.0		J	5.1	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-12.3	0.0	-0.0	0.1
0.0	0.0		J	-12.3	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	6.3	0.0	0.0	-0.1
0.0	0.0		J	6.3	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-15.0	0.0	-0.0	0.1
0.0	0.0		J	-15.0	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	121.3	0.0	-1.1	4.9
0.0	0.0		J	121.3	0.0	1.1	4.9
0.0	0.0	Min	I	-57.4	0.0	-1.1	-6.8
0.0	0.0		J	-57.4	0.0	1.1	-6.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	INVSLE	Max	I	78.6	0.0	-0.8	3.5
0.0	0.0			J	78.6	0.0	0.8	3.5
0.0	0.0		Min	I	-52.2	0.0	-0.8	-5.1
0.0	0.0			J	-52.2	0.0	0.8	-5.1
8564	2	72	C1-C2;~1	Max	I	62.3	0.0	5.4
0.0	0.0			J	62.3	0.0	0.0	5.4
0.0	0.0		Min	I	-53.7	0.0	-0.0	-4.0
0.0	0.0			J	-53.7	0.0	0.0	-4.0
0.0	0.0		C3-C4;~1	Max	I	52.6	0.0	4.3
0.0	0.0			J	52.6	0.0	0.0	4.3
0.0	0.0		Min	I	-35.0	0.0	-0.0	-2.4
0.0	0.0			J	-35.0	0.0	0.0	-2.4
0.0	0.0		C1-C2;~2	Max	I	38.1	0.0	3.0
0.0	0.0			J	38.1	0.0	0.0	3.0
0.0	0.0		Min	I	-30.6	0.0	-0.0	-2.5
0.0	0.0			J	-30.6	0.0	0.0	-2.5
0.0	0.0		C3-C4;~2	Max	I	32.1	0.0	2.4
0.0	0.0			J	32.1	0.0	0.0	2.4
0.0	0.0		Min	I	-16.9	0.0	-0.0	-1.2
0.0	0.0			J	-16.9	0.0	0.0	-1.2
0.0	0.0		G1	I	-11.8	0.0	-0.9	0.9
0.0	0.0			J	-11.8	0.0	0.9	0.9
0.0	0.0		G2	I	-14.9	0.0	-0.0	1.5
0.0	0.0			J	-14.9	0.0	0.0	1.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	5.1	0.0	-0.0	-0.2
0.0	0.0			J	5.1	0.0	0.0	-0.2

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	-12.4	0.0	0.0	0.4
				J	-12.4	0.0	0.0	0.4
0.0	0.0	Q5_ps	X	I	6.3	0.0	-0.0	-0.3
				J	6.3	0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	-15.0	0.0	0.0	0.7
				J	-15.0	0.0	0.0	0.7
0.0	0.0	INVS	LU Max	I	121.4	0.0	-1.2	3.8
				J	121.4	0.0	1.2	3.8
0.0	0.0		Min	I	-57.5	0.0	-1.2	-9.6
				J	-57.5	0.0	1.2	-9.6
0.0	0.0	INVS	LE Max	I	78.6	0.0	-0.9	2.1
				J	78.6	0.0	0.9	2.1
0.0	0.0		Min	I	-52.2	0.0	-0.9	-7.7
				J	-52.2	0.0	0.9	-7.7
8565	2	72	C1-C2;~1	Max	I	66.8	0.1	0.0
1.6	309.1			J	66.8	0.1	0.0	3.8
0.0	0.0		Min	I	-39.0	-0.1	-0.0	-2.7
-3.9	-372.1			J	-39.0	-0.1	-0.0	-2.7
0.0	0.0							
1.3	257.6		C3-C4;~1	Max	I	50.6	0.1	0.0
				J	50.6	0.1	0.0	2.9
0.0	0.0		Min	I	-22.0	-0.1	-0.0	-1.7
-4.3	-343.3			J	-22.0	-0.1	-0.0	-1.7
0.0	0.0							
0.9	205.5		C1-C2;~2	Max	I	43.4	0.1	0.0
				J	43.4	0.1	0.0	2.5
0.0	0.0		Min	I	-20.7	-0.1	-0.0	-1.5
-2.2	-249.2			J	-20.7	-0.1	-0.0	-1.5
0.0	0.0							
0.6	167.7		C3-C4;~2	Max	I	32.3	0.1	0.0
				J	32.3	0.1	0.0	1.8
0.0	0.0		Min	I	-10.1	-0.1	-0.0	-0.8
-2.5	-220.4							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-10.1	-0.1	-0.0	-0.8
5426.4	-12.9	G1	I	-8.6	-0.0	0.9	-0.6
0.0	0.0		J	-8.6	-0.0	2.6	-0.6
-0.6	-10.9	G2	I	-13.6	-0.0	-0.0	-0.7
0.0	0.0		J	-13.6	-0.0	-0.0	-0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.2	0.0	0.0	0.1
0.0	14.2		J	1.2	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	-5.3	-0.0	-0.0	-0.1
-0.1	-16.9		J	-5.3	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	2.6	0.0	0.0	0.1
0.1	14.7		J	2.6	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	-8.4	-0.0	-0.0	-0.3
-0.3	-18.2		J	-8.4	-0.0	-0.0	-0.3
0.0	0.0	INVSLE Max	I	-236.9	0.1	1.3	7.0
7330.3	331.3		J	-236.9	0.1	3.5	7.0
0.0	0.0	Min	I	-389.2	-0.2	1.3	-2.1
7322.2	-618.8		J	-389.2	-0.2	3.5	-2.1
0.0	0.0	INVSLE Max	I	-187.0	0.1	0.9	5.5
5430.1	225.3		J	-187.0	0.1	2.6	5.5
0.0	0.0	Min	I	-299.1	-0.2	0.9	-1.2
5424.1	-476.2		J	-299.1	-0.2	2.6	-1.2
0.0	0.0	72 C1-C2;~1 Max	I	62.2	0.1	0.0	2.8
8566	2		J	62.2	0.1	0.0	2.8
0.0	0.0	Min	I	-35.6	-0.1	-0.0	-4.0
3.7	282.5		J	-35.6	-0.1	-0.0	-4.0
0.0	0.0	C3-C4;~1 Max	I	53.9	0.1	0.0	1.8
-1.6	-285.2		J	53.9	0.1	0.0	1.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	53.9	0.1	0.0	1.8
3.9	233.3	Min	I	-19.1	-0.1	-0.0	-2.8
0.0	0.0		J	-19.1	-0.1	-0.0	-2.8
-1.2	-245.3						
		C1-C2;~2 Max	I	39.2	0.1	0.0	1.7
0.0	0.0		J	39.2	0.1	0.0	1.7
2.1	187.0	Min	I	-18.2	-0.1	-0.0	-2.2
0.0	0.0		J	-18.2	-0.1	-0.0	-2.2
-0.9	-187.0						
		C3-C4;~2 Max	I	34.5	0.0	0.0	0.9
0.0	0.0		J	34.5	0.0	0.0	0.9
2.3	153.1	Min	I	-8.1	-0.0	-0.0	-1.4
0.0	0.0		J	-8.1	-0.0	-0.0	-1.4
-0.6	-159.6						
		G1	I	-2.9	0.0	-2.5	-1.4
0.0	0.0		J	-2.9	0.0	-0.8	-1.4
5426.3	-13.2						
		G2	I	-11.6	0.0	-0.0	-1.2
0.0	0.0		J	-11.6	0.0	-0.0	-1.2
0.6	-5.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	2.1	-0.0	0.0	0.1
0.0	0.0		J	2.1	-0.0	0.0	0.1
-0.1	14.3						
		Q5_pc Y	I	-6.2	0.0	-0.0	-0.2
0.0	0.0		J	-6.2	0.0	-0.0	-0.2
0.2	-17.8						
		Q5_ps X	I	3.5	-0.0	0.0	0.2
0.0	0.0		J	3.5	-0.0	0.0	0.2
-0.2	13.9						
		Q5_ps Y	I	-9.2	0.0	-0.0	-0.4
0.0	0.0		J	-9.2	0.0	-0.0	-0.4
0.3	-16.9						
		INVSLU Max	I	-275.5	0.1	-3.4	5.7
0.0	0.0		J	-275.5	0.1	-1.0	5.7
7331.7	566.4	Min	I	-418.7	-0.2	-3.4	-3.9


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-418.7	-0.2	-1.0	-3.9
7324.0	-232.0							
			INVSLE Max	I	-220.8	0.0	-2.5	4.8
0.0	0.0			J	-220.8	0.0	-0.8	4.8
5430.8	428.8		Min	I	-326.0	-0.1	-2.5	-2.2
0.0	0.0			J	-326.0	-0.1	-0.8	-2.2
5425.1	-160.3							
8567	2	72	C1-C2;~1 Max	I	58.8	0.0	0.0	2.7
0.0	0.0			J	58.8	0.0	0.0	2.7
0.0	0.0		Min	I	-42.7	-0.0	-0.0	-3.5
0.0	0.0			J	-42.7	-0.0	-0.0	-3.5
0.0	0.0							
			C3-C4;~1 Max	I	49.8	0.0	0.0	1.8
0.0	0.0			J	49.8	0.0	0.0	1.8
0.0	0.0		Min	I	-30.5	-0.0	-0.0	-4.0
0.0	0.0			J	-30.5	-0.0	-0.0	-4.0
0.0	0.0							
			C1-C2;~2 Max	I	36.4	0.0	0.0	1.5
0.0	0.0			J	36.4	0.0	0.0	1.5
0.0	0.0		Min	I	-22.9	-0.0	-0.0	-2.2
0.0	0.0			J	-22.9	-0.0	-0.0	-2.2
0.0	0.0							
			C3-C4;~2 Max	I	30.8	0.0	0.0	0.9
0.0	0.0			J	30.8	0.0	0.0	0.9
0.0	0.0		Min	I	-14.5	-0.0	-0.0	-2.5
0.0	0.0			J	-14.5	-0.0	-0.0	-2.5
0.0	0.0							
			G1	I	-9.9	-0.0	-0.8	1.8
0.0	0.0			J	-9.9	-0.0	0.8	1.8
0.0	0.0							
			G2	I	-14.3	-0.0	0.0	0.7
0.0	0.0			J	-14.3	-0.0	-0.0	0.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.3	0.0	0.0	-0.1
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	4.3	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-10.1	0.0	-0.0	0.1
0.0	0.0		J	-10.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	5.6	0.0	0.0	-0.1
0.0	0.0		J	5.6	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-12.8	0.0	-0.0	0.1
0.0	0.0		J	-12.8	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	-32.1	0.0	-1.1	1.6
0.0	0.0		J	-32.1	0.0	1.1	1.6
0.0	0.0	Min	I	-187.3	-0.0	-1.1	-7.7
0.0	0.0		J	-187.3	-0.0	1.1	-7.7
0.0	0.0	INVS LE Max	I	-40.2	0.0	-0.8	0.6
0.0	0.0		J	-40.2	0.0	0.8	0.6
0.0	0.0	Min	I	-153.8	-0.0	-0.8	-6.2
0.0	0.0		J	-153.8	-0.0	0.8	-6.2
8568	2	72 C1-C2;~1 Max	I	58.9	0.0	0.0	6.2
0.0	0.0		J	58.9	0.0	0.0	6.2
0.0	0.0	Min	I	-42.7	0.0	0.0	-3.7
0.0	0.0		J	-42.7	-0.0	-0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	49.7	0.0	0.0	5.0
0.0	0.0		J	49.7	0.0	0.0	5.0
0.0	0.0	Min	I	-30.5	0.0	0.0	-2.3
0.0	0.0		J	-30.5	-0.0	-0.0	-2.3
0.0	0.0	C1-C2;~2 Max	I	36.5	0.0	0.0	3.4
0.0	0.0		J	36.5	0.0	0.0	3.4
0.0	0.0	Min	I	-22.9	0.0	0.0	-2.2
0.0	0.0		J	-22.9	-0.0	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	30.8	0.0	0.0	2.7
0.0	0.0		J	30.8	0.0	0.0	2.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-14.5	0.0	0.0	-1.1
0.0	0.0			J	-14.5	-0.0	-0.0	-1.1
0.0	0.0		G1	I	-9.9	0.0	-0.9	1.5
0.0	0.0			J	-9.9	-0.0	0.9	1.5
0.0	0.0		G2	I	-14.3	0.0	0.0	1.7
0.0	0.0			J	-14.3	-0.0	-0.0	1.7
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	4.3	0.0	0.0	-0.2
0.0	0.0			J	4.3	0.0	0.0	-0.2
0.0	0.0		Q5_pc Y	I	-10.1	0.0	0.0	0.4
0.0	0.0			J	-10.1	0.0	0.0	0.4
0.0	0.0		Q5_ps X	I	5.6	0.0	0.0	-0.4
0.0	0.0			J	5.6	0.0	0.0	-0.4
0.0	0.0		Q5_ps Y	I	-12.8	0.0	0.0	0.7
0.0	0.0			J	-12.8	0.0	-0.0	0.7
0.0	0.0		INVSLU Max	I	-31.9	0.0	-1.2	7.7
0.0	0.0			J	-31.9	0.0	1.2	7.7
0.0	0.0		Min	I	-187.1	0.0	-1.2	-6.4
0.0	0.0			J	-187.1	-0.0	1.2	-6.4
0.0	0.0		INVSLE Max	I	-40.1	0.0	-0.9	4.9
0.0	0.0			J	-40.1	0.0	0.9	4.9
0.0	0.0		Min	I	-153.7	0.0	-0.9	-5.4
0.0	0.0			J	-153.7	-0.0	0.9	-5.4
8569	2	72	C1-C2;~1 Max	I	62.1	0.1	0.0	2.9
1.5	282.5			J	62.1	0.1	0.0	2.9
0.0	0.0		Min	I	-35.6	-0.1	-0.0	-3.3
-3.5	-285.2			J	-35.6	-0.1	-0.0	-3.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
1.2	233.3	C3-C4;~1	Max	I	53.9	0.1	0.0	2.1
				J	53.9	0.1	0.0	2.1
0.0	0.0							
-3.7	-245.3		Min	I	-19.1	-0.1	-0.0	-2.3
				J	-19.1	-0.1	-0.0	-2.3
0.0	0.0							
0.8	187.0	C1-C2;~2	Max	I	39.2	0.1	0.0	1.8
				J	39.2	0.1	0.0	1.8
0.0	0.0							
-2.0	-187.0		Min	I	-18.2	-0.1	-0.0	-1.8
				J	-18.2	-0.1	-0.0	-1.8
0.0	0.0							
0.6	153.1	C3-C4;~2	Max	I	34.5	0.0	0.0	1.2
				J	34.5	0.0	0.0	1.2
0.0	0.0							
-2.1	-159.6		Min	I	-8.1	-0.1	-0.0	-1.1
				J	-8.1	-0.1	-0.0	-1.1
0.0	0.0							
5426.5	-13.2		G1	I	-2.9	-0.0	0.9	-1.4
				J	-2.9	-0.0	2.6	-1.4
0.0	0.0							
-0.5	-5.1		G2	I	-11.6	-0.0	-0.0	-1.0
				J	-11.6	-0.0	-0.0	-1.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.1	14.3		Q5_pc X	I	2.1	0.0	0.0	0.1
				J	2.1	0.0	0.0	0.1
0.0	0.0							
-0.2	-17.8		Q5_pc Y	I	-6.2	-0.0	-0.0	-0.2
				J	-6.2	-0.0	-0.0	-0.2
0.0	0.0							
0.1	13.9		Q5_ps X	I	3.5	0.0	0.0	0.2
				J	3.5	0.0	0.0	0.2
0.0	0.0							
-0.3	-16.9		Q5_ps Y	I	-9.2	-0.0	-0.0	-0.3
				J	-9.2	-0.0	-0.0	-0.3
0.0	0.0							
7327.2	566.4		INVSLU Max	I	-275.5	0.2	1.3	5.9

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	-275.5	0.2	3.5	5.9
0.0	0.0							
			Min	I	-418.7	-0.1	1.3	-2.8
7320.0	-232.0							
				J	-418.7	-0.1	3.5	-2.8
0.0	0.0							
			INVSLE Max	I	-220.8	0.1	0.9	5.0
5427.7	428.8							
				J	-220.8	0.1	2.6	5.0
0.0	0.0							
			Min	I	-326.0	-0.1	0.9	-1.5
5422.3	-160.3							
				J	-326.0	-0.1	2.6	-1.5
0.0	0.0							
			72 C1-C2;~1 Max	I	57.9	0.1	0.0	2.6
8570	2							
0.0	0.0			J	57.9	0.1	0.0	2.6
			Min	I	-36.3	-0.1	-0.0	-4.4
3.5	285.3							
0.0	0.0			J	-36.3	-0.1	-0.0	-4.4
-1.7	-265.6							
			C3-C4;~1 Max	I	50.0	0.1	0.0	1.6
0.0	0.0							
				J	50.0	0.1	0.0	1.6
3.7	236.3							
			Min	I	-20.6	-0.1	-0.0	-3.1
0.0	0.0							
				J	-20.6	-0.1	-0.0	-3.1
-1.5	-225.6							
			C1-C2;~2 Max	I	36.8	0.1	0.0	1.5
0.0	0.0							
				J	36.8	0.1	0.0	1.5
2.0	189.6							
			Min	I	-18.8	-0.1	-0.0	-2.4
0.0	0.0							
				J	-18.8	-0.1	-0.0	-2.4
-1.0	-173.8							
			C3-C4;~2 Max	I	32.2	0.0	0.0	0.8
0.0	0.0							
				J	32.2	0.0	0.0	0.8
2.1	155.5							
			Min	I	-8.8	-0.0	-0.0	-1.6
0.0	0.0							
				J	-8.8	-0.0	-0.0	-1.6
-0.7	-145.5							
			G1	I	-6.3	0.0	-2.5	-1.8
0.0	0.0							
				J	-6.3	0.0	-0.8	-1.8
5426.1	-10.1							
			G2	I	-12.7	0.0	-0.0	-1.3
0.0	0.0							
				J	-12.7	0.0	-0.0	-1.3
0.4	-6.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	3.0	-0.0	0.0	0.2
-0.1	16.5		J	3.0	-0.0	0.0	0.2
0.0	0.0	Q5_pc Y	I	-7.0	0.0	-0.0	-0.3
0.2	-23.2		J	-7.0	0.0	-0.0	-0.3
0.0	0.0	Q5_ps X	I	4.3	-0.0	0.0	0.2
-0.2	16.4		J	4.3	-0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	-9.8	0.0	-0.0	-0.4
0.3	-22.6		J	-9.8	0.0	-0.0	-0.4
0.0	0.0	INVS LU Max	I	-219.9	0.1	-3.4	4.2
7332.1	419.6		J	-219.9	0.1	-1.0	4.2
0.0	0.0	Min	I	-359.8	-0.1	-3.4	-5.7
7324.4	-365.8		J	-359.8	-0.1	-1.0	-5.7
0.0	0.0	INVS LE Max	I	-179.1	0.1	-2.5	3.7
5431.1	313.5		J	-179.1	0.1	-0.8	3.7
0.0	0.0	Min	I	-281.7	-0.1	-2.5	-3.6
5425.5	-265.1		J	-281.7	-0.1	-0.8	-3.6
8571	2	72 C1-C2;~1 Max	I	57.7	0.0	0.0	3.1
0.0	0.0		J	57.7	0.0	0.0	3.1
0.0	0.0	Min	I	-41.7	0.0	0.0	-2.9
0.0	0.0		J	-41.7	0.0	0.0	-2.9
0.0	0.0	C3-C4;~1 Max	I	48.7	0.0	0.0	2.2
0.0	0.0		J	48.7	0.0	0.0	2.2
0.0	0.0	Min	I	-27.7	0.0	0.0	-3.6
0.0	0.0		J	-27.7	0.0	0.0	-3.6
0.0	0.0	C1-C2;~2 Max	I	36.0	0.0	0.0	1.6
0.0	0.0		J	36.0	0.0	0.0	1.6
0.0	0.0	Min	I	-22.0	0.0	0.0	-1.8
0.0	0.0		J	-22.0	0.0	0.0	-1.8

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4 ; ~2 Max	I	30.3	0.0	0.0	1.1
			J	30.3	0.0	0.0	1.1
0.0	0.0	Min	I	-12.9	0.0	0.0	-2.2
			J	-12.9	0.0	0.0	-2.2
0.0	0.0	G1	I	-8.5	0.0	-0.8	2.4
			J	-8.5	0.0	0.8	2.4
0.0	0.0	G2	I	-13.6	0.0	0.0	0.9
			J	-13.6	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.5	0.0	0.0	-0.1
			J	3.5	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-9.0	0.0	0.0	0.1
			J	-9.0	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	4.9	0.0	0.0	-0.1
			J	4.9	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-11.6	0.0	0.0	0.1
			J	-11.6	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	-133.1	0.0	-1.1	2.5
			J	-133.1	0.0	1.1	2.5
0.0	0.0	Min	I	-283.4	0.0	-1.1	-6.6
			J	-283.4	0.0	1.1	-6.6
0.0	0.0	INVSLE Max	I	-114.8	0.0	-0.8	1.2
			J	-114.8	0.0	0.8	1.2
0.0	0.0	Min	I	-224.9	0.0	-0.8	-5.4
			J	-224.9	0.0	0.8	-5.4
8572	2	72 C1-C2 ; ~1 Max	I	57.8	0.0	0.0	6.4
0.0	0.0		J	57.8	0.0	0.0	6.4
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-41.7	-0.0	-0.0	-3.8
0.0	0.0		J	-41.7	0.0	0.0	-3.8
0.0	0.0	C3-C4;~1 Max	I	48.6	0.0	0.0	5.0
0.0	0.0		J	48.6	0.0	0.0	5.0
0.0	0.0	Min	I	-27.7	-0.0	-0.0	-2.5
0.0	0.0		J	-27.7	0.0	0.0	-2.5
0.0	0.0	C1-C2;~2 Max	I	36.0	0.0	0.0	3.5
0.0	0.0		J	36.0	0.0	0.0	3.5
0.0	0.0	Min	I	-22.0	-0.0	-0.0	-2.2
0.0	0.0		J	-22.0	0.0	0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	30.3	0.0	0.0	2.7
0.0	0.0		J	30.3	0.0	0.0	2.7
0.0	0.0	Min	I	-12.9	-0.0	-0.0	-1.2
0.0	0.0		J	-12.9	0.0	0.0	-1.2
0.0	0.0	G1	I	-8.5	-0.0	-0.9	1.5
0.0	0.0		J	-8.5	0.0	0.9	1.5
0.0	0.0	G2	I	-13.6	-0.0	0.0	1.7
0.0	0.0		J	-13.6	0.0	0.0	1.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	3.5	0.0	-0.0	-0.2
0.0	0.0		J	3.5	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-9.0	0.0	0.0	0.4
0.0	0.0		J	-9.0	0.0	0.0	0.4
0.0	0.0	Q5_ps X	I	4.9	0.0	-0.0	-0.4
0.0	0.0		J	4.9	0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	-11.6	0.0	0.0	0.7
0.0	0.0		J	-11.6	0.0	0.0	0.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	-133.0	0.0	-1.2	9.5
0.0	0.0			J	-133.0	0.0	1.2	9.5
0.0	0.0		Min	I	-283.4	-0.0	-1.2	-5.0
0.0	0.0			J	-283.4	0.0	1.2	-5.0
0.0	0.0		INVSLE Max	I	-114.6	0.0	-0.9	6.3
0.0	0.0			J	-114.6	0.0	0.9	6.3
0.0	0.0		Min	I	-224.9	-0.0	-0.9	-4.4
0.0	0.0			J	-224.9	0.0	0.9	-4.4
8573	2	72	C1-C2;~1 Max	I	57.9	0.1	0.0	2.6
1.6	285.3			J	57.9	0.1	0.0	2.6
0.0	0.0		Min	I	-36.3	-0.1	-0.0	-3.8
-3.3	-265.6			J	-36.3	-0.1	-0.0	-3.8
0.0	0.0		C3-C4;~1 Max	I	50.0	0.1	0.0	1.9
1.4	236.3			J	50.0	0.1	0.0	1.9
0.0	0.0		Min	I	-20.6	-0.1	-0.0	-2.7
-3.5	-225.6			J	-20.6	-0.1	-0.0	-2.7
0.0	0.0		C1-C2;~2 Max	I	36.7	0.1	0.0	1.6
0.9	189.6			J	36.7	0.1	0.0	1.6
0.0	0.0		Min	I	-18.8	-0.1	-0.0	-2.0
-1.9	-173.8			J	-18.8	-0.1	-0.0	-2.0
0.0	0.0		C3-C4;~2 Max	I	32.2	0.1	0.0	1.0
0.7	155.5			J	32.2	0.1	0.0	1.0
0.0	0.0		Min	I	-8.8	-0.0	-0.0	-1.4
-2.0	-145.5			J	-8.8	-0.0	-0.0	-1.4
0.0	0.0		G1	I	-6.3	-0.0	0.9	-1.9
5427.0	-10.1			J	-6.3	-0.0	2.6	-1.9
0.0	0.0		G2	I	-12.7	-0.0	-0.0	-1.2
-0.4	-6.7			J	-12.7	-0.0	-0.0	-1.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.1	16.5	Q5_pc X	I	3.0	0.0	0.0	0.1
0.0	0.0		J	3.0	0.0	0.0	0.1
-0.2	-23.2	Q5_pc Y	I	-7.0	-0.0	-0.0	-0.2
0.0	0.0		J	-7.0	-0.0	-0.0	-0.2
0.1	16.4	Q5_ps X	I	4.3	0.0	0.0	0.2
0.0	0.0		J	4.3	0.0	0.0	0.2
-0.3	-22.6	Q5_ps Y	I	-9.8	-0.0	-0.0	-0.3
0.0	0.0		J	-9.8	-0.0	-0.0	-0.3
7327.1	419.6	INVSLE Max	I	-219.9	0.1	1.3	4.5
0.0	0.0		J	-219.9	0.1	3.5	4.5
7320.0	-365.8	Min	I	-359.8	-0.1	1.3	-4.5
0.0	0.0		J	-359.8	-0.1	3.5	-4.5
5427.6	313.5	INVSLE Max	I	-179.1	0.1	0.9	4.0
0.0	0.0		J	-179.1	0.1	2.6	4.0
5422.3	-265.1	Min	I	-281.7	-0.1	0.9	-2.7
0.0	0.0		J	-281.7	-0.1	2.6	-2.7
8574	2	72 C1-C2;~1 Max	I	55.3	0.1	0.0	2.7
0.0	0.0		J	55.3	0.1	0.0	2.7
3.1	277.8	Min	I	-36.8	-0.1	-0.0	-4.5
0.0	0.0		J	-36.8	-0.1	-0.0	-4.5
-1.9	-270.3						
0.0	0.0	C3-C4;~1 Max	I	47.5	0.1	0.0	1.8
3.3	232.5		J	47.5	0.1	0.0	1.8
0.0	0.0	Min	I	-22.5	-0.1	-0.0	-3.2
-1.8	-229.5		J	-22.5	-0.1	-0.0	-3.2
0.0	0.0	C1-C2;~2 Max	I	35.4	0.1	0.0	1.5
1.8	184.8		J	35.4	0.1	0.0	1.5
0.0	0.0	Min	I	-19.3	-0.1	-0.0	-2.4

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	-177.4		J	-19.3	-0.1	-0.0	-2.4
		C3-C4;~2 Max	I	30.7	0.0	0.0	0.9
0.0	0.0		J	30.7	0.0	0.0	0.9
1.9	152.2		I	-10.0	-0.0	-0.0	-1.6
0.0	0.0	Min	J	-10.0	-0.0	-0.0	-1.6
-0.9	-148.9						
		G1	I	-9.3	0.0	-2.5	-1.8
0.0	0.0		J	-9.3	0.0	-0.8	-1.8
5425.6	-11.7						
		G2	I	-13.9	0.0	-0.0	-1.3
0.0	0.0		J	-13.9	0.0	-0.0	-1.3
0.2	-6.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.1	-0.0	0.0	0.2
0.0	0.0		J	4.1	-0.0	0.0	0.2
-0.1	15.2						
		Q5_pc Y	I	-7.7	0.0	-0.0	-0.3
0.0	0.0		J	-7.7	0.0	-0.0	-0.3
0.2	-24.3						
		Q5_ps X	I	5.5	-0.0	0.0	0.3
0.0	0.0		J	5.5	-0.0	0.0	0.3
-0.2	15.1						
		Q5_ps Y	I	-10.4	0.0	-0.0	-0.4
0.0	0.0		J	-10.4	0.0	-0.0	-0.4
0.3	-23.2						
		INVSLE Max	I	-136.8	0.1	-3.4	4.4
0.0	0.0		J	-136.8	0.1	-1.0	4.4
7330.7	294.8						
		Min	I	-275.0	-0.1	-3.4	-5.7
0.0	0.0		J	-275.0	-0.1	-1.0	-5.7
7323.3	-488.8						
		INVSLE Max	I	-117.4	0.1	-2.5	3.9
0.0	0.0		J	-117.4	0.1	-0.8	3.9
5430.1	217.5						
		Min	I	-218.8	-0.1	-2.5	-3.5
0.0	0.0		J	-218.8	-0.1	-0.8	-3.5
5424.7	-359.7						
8575	2	72 C1-C2;~1 Max	I	58.4	0.0	0.0	3.3


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	58.4	0.0	0.0	3.3
0.0	0.0	Min	I	-40.5	0.0	0.0	-2.8
0.0	0.0		J	-40.5	0.0	-0.0	-2.8
0.0	0.0	C3-C4;~1 Max	I	49.4	0.0	0.0	2.5
0.0	0.0		J	49.4	0.0	0.0	2.5
0.0	0.0	Min	I	-24.5	0.0	0.0	-3.4
0.0	0.0		J	-24.5	0.0	-0.0	-3.4
0.0	0.0	C1-C2;~2 Max	I	36.5	0.0	0.0	1.7
0.0	0.0		J	36.5	0.0	0.0	1.7
0.0	0.0	Min	I	-21.3	0.0	0.0	-1.7
0.0	0.0		J	-21.3	0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	30.9	0.0	0.0	1.3
0.0	0.0		J	30.9	0.0	0.0	1.3
0.0	0.0	Min	I	-11.1	0.0	0.0	-2.1
0.0	0.0		J	-11.1	0.0	-0.0	-2.1
0.0	0.0	G1	I	-5.7	0.0	-0.8	2.8
0.0	0.0		J	-5.7	0.0	0.8	2.8
0.0	0.0	G2	I	-12.5	0.0	0.0	1.1
0.0	0.0		J	-12.5	0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.6	0.0	0.0	-0.1
0.0	0.0		J	2.6	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-7.9	0.0	0.0	0.1
0.0	0.0		J	-7.9	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	4.1	0.0	0.0	-0.1
0.0	0.0		J	4.1	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-10.4	0.0	0.0	0.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-10.4	0.0	-0.0 0.1
0.0	0.0						
0.0	0.0		INVSLU Max	I	-220.0	0.0	-1.1 3.8
0.0	0.0			J	-220.0	0.0	1.1 3.8
0.0	0.0		Min	I	-367.8	0.0	-1.1 -5.3
0.0	0.0			J	-367.8	0.0	1.1 -5.3
0.0	0.0						
0.0	0.0		INVSLE Max	I	-179.2	0.0	-0.8 2.2
0.0	0.0			J	-179.2	0.0	0.8 2.2
0.0	0.0		Min	I	-287.6	0.0	-0.8 -4.5
0.0	0.0			J	-287.6	0.0	0.8 -4.5
0.0	0.0						
8576	2	72	C1-C2;~1 Max	I	58.5	0.0	0.0 5.7
0.0	0.0			J	58.5	0.0	0.0 5.7
0.0	0.0		Min	I	-40.5	-0.0	0.0 -4.1
0.0	0.0			J	-40.5	-0.0	0.0 -4.1
0.0	0.0						
0.0	0.0		C3-C4;~1 Max	I	49.4	0.0	0.0 4.3
0.0	0.0			J	49.4	0.0	0.0 4.3
0.0	0.0		Min	I	-24.5	-0.0	0.0 -2.7
0.0	0.0			J	-24.5	-0.0	0.0 -2.7
0.0	0.0						
0.0	0.0		C1-C2;~2 Max	I	36.5	0.0	0.0 3.1
0.0	0.0			J	36.5	0.0	0.0 3.1
0.0	0.0		Min	I	-21.3	-0.0	0.0 -2.4
0.0	0.0			J	-21.3	-0.0	0.0 -2.4
0.0	0.0						
0.0	0.0		C3-C4;~2 Max	I	30.9	0.0	0.0 2.3
0.0	0.0			J	30.9	0.0	0.0 2.3
0.0	0.0		Min	I	-11.1	-0.0	0.0 -1.4
0.0	0.0			J	-11.1	-0.0	0.0 -1.4
0.0	0.0						
0.0	0.0		G1	I	-5.8	0.0	-0.9 0.7
0.0	0.0			J	-5.8	-0.0	0.9 0.7
0.0	0.0						
0.0	0.0		G2	I	-12.5	0.0	0.0 1.4
0.0	0.0			J	-12.5	-0.0	0.0 1.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	2.6	-0.0	0.0
0.0	0.0			J	2.6	0.0	0.0
0.0	0.0						
			Q5_pc Y	I	-8.0	-0.0	0.0
0.0	0.0			J	-8.0	0.0	0.0
0.0	0.0						
			Q5_ps X	I	4.1	-0.0	0.0
0.0	0.0			J	4.1	0.0	0.0
0.0	0.0						
			Q5_ps Y	I	-10.4	-0.0	0.0
0.0	0.0			J	-10.4	0.0	0.0
0.0	0.0						
			INVSLE Max	I	-219.9	0.0	-1.2
0.0	0.0			J	-219.9	0.0	1.2
0.0	0.0						
			Min	I	-367.8	-0.0	-1.2
0.0	0.0			J	-367.8	-0.0	1.2
0.0	0.0						
			INVSLE Max	I	-179.1	0.0	-0.9
0.0	0.0			J	-179.1	0.0	0.9
0.0	0.0						
			Min	I	-287.6	-0.0	-0.9
0.0	0.0			J	-287.6	-0.0	0.9
0.0	0.0						
8577	2	72	C1-C2;~1 Max	I	55.3	0.1	0.0
1.8	277.8			J	55.3	0.1	0.0
0.0	0.0						
			Min	I	-36.8	-0.1	-0.0
-2.9	-270.3			J	-36.8	-0.1	-0.0
0.0	0.0						
			C3-C4;~1 Max	I	47.5	0.1	0.0
1.7	232.5			J	47.5	0.1	0.0
0.0	0.0						
			Min	I	-22.5	-0.1	-0.0
-3.1	-229.5			J	-22.5	-0.1	-0.0
0.0	0.0						
			C1-C2;~2 Max	I	35.4	0.1	0.0
1.0	184.8			J	35.4	0.1	0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-19.3	-0.1	-0.0	-2.1
-1.7	-177.4			J	-19.3	-0.1	-0.0	-2.1
0.0	0.0							
0.9	152.2	C3-C4;~2	Max	I	30.7	0.0	0.0	1.0
0.0	0.0			J	30.7	0.0	0.0	1.0
0.0	0.0		Min	I	-10.0	-0.0	-0.0	-1.5
-1.8	-148.9			J	-10.0	-0.0	-0.0	-1.5
0.0	0.0							
5427.6	-11.7		G1	I	-9.3	-0.0	0.9	-2.1
0.0	0.0			J	-9.3	-0.0	2.6	-2.1
0.0	0.0							
-0.2	-6.4		G2	I	-13.9	-0.0	-0.0	-1.3
0.0	0.0			J	-13.9	-0.0	-0.0	-1.3
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.1	15.2		Q5_pc X	I	4.1	0.0	0.0	0.2
0.0	0.0			J	4.1	0.0	0.0	0.2
0.0	0.0							
-0.2	-24.3		Q5_pc Y	I	-7.7	-0.0	-0.0	-0.2
0.0	0.0			J	-7.7	-0.0	-0.0	-0.2
0.0	0.0							
0.1	15.1		Q5_ps X	I	5.5	0.0	0.0	0.2
0.0	0.0			J	5.5	0.0	0.0	0.2
0.0	0.0							
-0.3	-23.2		Q5_ps Y	I	-10.4	-0.0	-0.0	-0.4
0.0	0.0			J	-10.4	-0.0	-0.0	-0.4
0.0	0.0							
7328.4	294.8		INVS LU Max	I	-136.8	0.1	1.3	4.4
0.0	0.0			J	-136.8	0.1	3.5	4.4
0.0	0.0							
7321.4	-488.8		Min	I	-275.0	-0.2	1.3	-5.0
0.0	0.0			J	-275.0	-0.2	3.5	-5.0
0.0	0.0							
5428.5	217.5		INVS LE Max	I	-117.4	0.1	0.9	3.9
0.0	0.0			J	-117.4	0.1	2.6	3.9
0.0	0.0							
5423.4	-359.7		Min	I	-218.8	-0.1	0.9	-3.0
				J	-218.8	-0.1	2.6	-3.0

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
8578	2	72	C1-C2;~1	Max	I	56.4	0.1	0.0	2.9
0.0	0.0				J	56.4	0.1	0.0	2.9
3.0	303.2								
			Min		I	-38.2	-0.1	-0.0	-4.4
0.0	0.0				J	-38.2	-0.1	-0.0	-4.4
-2.2	-260.8								
			C3-C4;~1	Max	I	49.0	0.1	0.0	2.2
0.0	0.0				J	49.0	0.1	0.0	2.2
3.2	259.8								
			Min		I	-23.5	-0.1	-0.0	-3.1
0.0	0.0				J	-23.5	-0.1	-0.0	-3.1
-2.0	-217.2								
			C1-C2;~2	Max	I	36.1	0.1	0.0	1.7
0.0	0.0				J	36.1	0.1	0.0	1.7
1.7	202.5								
			Min		I	-20.2	-0.1	-0.0	-2.4
0.0	0.0				J	-20.2	-0.1	-0.0	-2.4
-1.2	-170.5								
			C3-C4;~2	Max	I	31.6	0.0	0.0	1.1
0.0	0.0				J	31.6	0.0	0.0	1.1
1.8	171.1								
			Min		I	-10.6	-0.1	-0.0	-1.6
0.0	0.0				J	-10.6	-0.1	-0.0	-1.6
-1.0	-141.1								
			G1		I	-10.0	0.0	-2.5	-1.5
0.0	0.0				J	-10.0	0.0	-0.8	-1.5
5425.1	-3.1								
			G2		I	-14.4	0.0	0.0	-1.2
0.0	0.0				J	-14.4	0.0	0.0	-1.2
-0.0	-6.6								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	5.5	-0.0	0.0	0.2
0.0	0.0				J	5.5	-0.0	0.0	0.2
-0.1	12.7								
			Q5_pc	Y	I	-8.4	0.0	-0.0	-0.3
0.0	0.0				J	-8.4	0.0	-0.0	-0.3
0.1	-24.9								
			Q5_ps	X	I	6.8	-0.0	0.0	0.3
0.0	0.0				J	6.8	-0.0	0.0	0.3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.1	13.3							
		Q5_ps Y	I	-11.0	0.0	-0.0	-0.4	
0.0	0.0		J	-11.0	0.0	-0.0	-0.4	
0.2	-24.4							
		INVSLU Max	I	-39.6	0.2	-3.4	6.0	
0.0	0.0		J	-39.6	0.2	-1.0	6.0	
7329.0	214.6							
		Min	I	-182.5	-0.1	-3.4	-4.4	
0.0	0.0		J	-182.5	-0.1	-1.0	-4.4	
7321.6	-591.7							
		INVSLE Max	I	-45.9	0.1	-2.5	5.0	
0.0	0.0		J	-45.9	0.1	-0.8	5.0	
5428.8	151.2							
		Min	I	-150.6	-0.0	-2.5	-2.6	
0.0	0.0		J	-150.6	-0.0	-0.8	-2.6	
5423.3	-442.7							
8579	2	72 C1-C2;~1 Max	I	62.3	0.0	0.0	3.4	
0.0	0.0		J	62.3	0.0	0.0	3.4	
0.0	0.0							
		Min	I	-37.6	-0.0	-0.0	-2.7	
0.0	0.0		J	-37.6	-0.0	0.0	-2.7	
0.0	0.0							
		C3-C4;~1 Max	I	53.2	0.0	0.0	2.6	
0.0	0.0		J	53.2	0.0	0.0	2.6	
0.0	0.0							
		Min	I	-20.8	-0.0	-0.0	-3.3	
0.0	0.0		J	-20.8	-0.0	0.0	-3.3	
0.0	0.0							
		C1-C2;~2 Max	I	39.1	0.0	0.0	1.8	
0.0	0.0		J	39.1	0.0	0.0	1.8	
0.0	0.0							
		Min	I	-19.5	-0.0	-0.0	-1.7	
0.0	0.0		J	-19.5	-0.0	0.0	-1.7	
0.0	0.0							
		C3-C4;~2 Max	I	33.7	0.0	0.0	1.3	
0.0	0.0		J	33.7	0.0	0.0	1.3	
0.0	0.0							
		Min	I	-9.0	-0.0	-0.0	-2.1	
0.0	0.0		J	-9.0	-0.0	0.0	-2.1	
0.0	0.0							
		G1	I	-1.4	0.0	-0.8	3.1	
0.0	0.0		J	-1.4	-0.0	0.8	3.1	
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G2	I	-11.2	0.0	0.0	1.2
0.0	0.0		J	-11.2	-0.0	0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	1.7	-0.0	-0.0	-0.1
0.0	0.0		J	1.7	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-7.2	-0.0	0.0	0.0
0.0	0.0		J	-7.2	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	3.3	-0.0	-0.0	-0.1
0.0	0.0		J	3.3	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-9.5	-0.0	0.0	0.1
0.0	0.0		J	-9.5	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	-271.3	0.0	-1.1	4.3
0.0	0.0		J	-271.3	0.0	1.1	4.3
0.0	0.0	Min	I	-419.0	-0.0	-1.1	-4.9
0.0	0.0		J	-419.0	-0.0	1.1	-4.9
0.0	0.0	INVSLE Max	I	-217.7	0.0	-0.8	2.6
0.0	0.0		J	-217.7	0.0	0.8	2.6
0.0	0.0	Min	I	-326.1	-0.0	-0.8	-4.2
0.0	0.0		J	-326.1	-0.0	0.8	-4.2
8580	2	72 C1-C2;~1 Max	I	62.4	0.0	0.0	5.6
0.0	0.0		J	62.4	0.0	0.0	5.6
0.0	0.0	Min	I	-37.5	-0.0	-0.0	-4.5
0.0	0.0		J	-37.5	0.0	-0.0	-4.5
0.0	0.0	C3-C4;~1 Max	I	53.2	0.0	0.0	4.2
0.0	0.0		J	53.2	0.0	0.0	4.2
0.0	0.0	Min	I	-20.8	-0.0	-0.0	-3.4
0.0	0.0		J	-20.8	0.0	-0.0	-3.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	C1-C2;~2	Max	I	39.2	0.0	0.0	3.0
				J	39.2	0.0	0.0	3.0
0.0	0.0		Min	I	-19.4	-0.0	-0.0	-2.6
				J	-19.4	0.0	-0.0	-2.6
0.0	0.0	C3-C4;~2	Max	I	33.7	0.0	0.0	2.2
				J	33.7	0.0	0.0	2.2
0.0	0.0		Min	I	-9.0	-0.0	-0.0	-1.7
				J	-9.0	0.0	-0.0	-1.7
0.0	0.0		G1	I	-1.4	-0.0	-0.9	-0.0
				J	-1.4	0.0	0.9	-0.0
0.0	0.0		G2	I	-11.2	-0.0	0.0	1.2
				J	-11.2	0.0	-0.0	1.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	1.7	0.0	-0.0	-0.2
				J	1.7	0.0	0.0	-0.2
0.0	0.0	Q5_pc	Y	I	-7.2	0.0	0.0	0.3
				J	-7.2	0.0	-0.0	0.3
0.0	0.0	Q5_ps	X	I	3.4	0.0	-0.0	-0.4
				J	3.4	0.0	0.0	-0.4
0.0	0.0	Q5_ps	Y	I	-9.5	0.0	0.0	0.5
				J	-9.5	0.0	-0.0	0.5
0.0	0.0	INVSLU	Max	I	-271.3	0.0	-1.2	4.6
				J	-271.3	0.0	1.2	4.6
0.0	0.0		Min	I	-419.2	-0.0	-1.2	-9.5
				J	-419.2	0.0	1.2	-9.5
0.0	0.0	INVSLE	Max	I	-217.7	0.0	-0.9	2.7
				J	-217.7	0.0	0.9	2.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-326.2	-0.0	-0.9	-7.7
0.0	0.0			J	-326.2	0.0	0.9	-7.7
0.0	0.0							
8581	2	72	C1-C2;~1	Max	I	56.4	0.1	0.0
2.1	303.2				J	56.4	0.1	0.0
0.0	0.0							
			Min	I	-38.2	-0.1	-0.0	-4.0
-2.8	-260.8			J	-38.2	-0.1	-0.0	-4.0
0.0	0.0							
			C3-C4;~1	Max	I	49.0	0.1	0.0
1.9	259.8			J	49.0	0.1	0.0	2.1
0.0	0.0							
			Min	I	-23.5	-0.1	-0.0	-2.9
-3.0	-217.2			J	-23.5	-0.1	-0.0	-2.9
0.0	0.0							
			C1-C2;~2	Max	I	36.0	0.1	0.0
1.2	202.5			J	36.0	0.1	0.0	1.7
0.0	0.0							
			Min	I	-20.2	-0.1	-0.0	-2.1
-1.6	-170.5			J	-20.2	-0.1	-0.0	-2.1
0.0	0.0							
			C3-C4;~2	Max	I	31.6	0.1	0.0
0.9	171.1			J	31.6	0.1	0.0	1.2
0.0	0.0							
			Min	I	-10.6	-0.0	-0.0	-1.5
-1.7	-141.1			J	-10.6	-0.0	-0.0	-1.5
0.0	0.0							
			G1	I	-10.0	-0.0	0.9	-1.9
5428.2	-3.1			J	-10.0	-0.0	2.6	-1.9
0.0	0.0							
			G2	I	-14.4	-0.0	0.0	-1.2
0.0	-6.6			J	-14.4	-0.0	0.0	-1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	5.5	0.0	0.0
0.1	12.7			J	5.5	0.0	0.0	0.2
0.0	0.0							
			Q5_pc	Y	I	-8.4	-0.0	-0.0
-0.1	-24.9			J	-8.4	-0.0	-0.0	-0.2
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.1	13.3	Q5_ps X	I	6.8	0.0	0.0	0.2
0.0	0.0		J	6.8	0.0	0.0	0.2
-0.2	-24.4	Q5_ps Y	I	-11.0	-0.0	-0.0	-0.4
0.0	0.0		J	-11.0	-0.0	-0.0	-0.4
7330.3	214.6	INVS LU Max	I	-39.6	0.1	1.3	5.5
0.0	0.0		J	-39.6	0.1	3.5	5.5
7323.3	-591.7	Min	I	-182.5	-0.2	1.3	-4.2
0.0	0.0		J	-182.5	-0.2	3.5	-4.2
5429.9	151.2	INVS LE Max	I	-45.9	0.0	0.9	4.6
0.0	0.0		J	-45.9	0.0	2.6	4.6
5424.7	-442.7	Min	I	-150.6	-0.1	0.9	-2.5
0.0	0.0		J	-150.6	-0.1	2.6	-2.5
8582.0	2.0	72 C1-C2;~1 Max	I	59.1	0.1	0.0	3.7
1.9	378.6		J	59.1	0.1	0.0	3.7
0.0	0.0	Min	I	-53.7	-0.1	-0.0	-3.4
-3.1	-313.0		J	-53.7	-0.1	-0.0	-3.4
0.0	0.0	C3-C4;~1 Max	I	51.4	0.1	0.0	3.1
2.2	344.0		J	51.4	0.1	0.0	3.1
0.0	0.0	Min	I	-26.3	-0.1	-0.0	-2.1
-2.6	-284.0		J	-26.3	-0.1	-0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	37.1	0.1	0.0	2.3
1.1	256.5		J	37.1	0.1	0.0	2.3
0.0	0.0	Min	I	-29.8	-0.1	-0.0	-1.8
-1.9	-200.2		J	-29.8	-0.1	-0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	32.6	0.1	0.0	1.9
1.3	231.4		J	32.6	0.1	0.0	1.9
0.0	0.0	Min	I	-12.2	-0.1	-0.0	-1.0
-1.5	-176.8		J	-12.2	-0.1	-0.0	-1.0
0.0	0.0	G1	I	-12.4	0.0	-2.5	-0.4

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5424.1	-38.6		J	-12.4	0.0	-0.8	-0.4
		G2	I	-15.2	0.0	0.0	-0.8
0.0	0.0		J	-15.2	0.0	0.0	-0.8
-0.4	-14.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.9	-0.0	0.0	0.2
0.0	0.0		J	7.9	-0.0	0.0	0.2
-0.0	3.0						
		Q5_pc Y	I	-9.4	0.0	-0.0	-0.3
0.0	0.0		J	-9.4	0.0	-0.0	-0.3
0.1	-19.5						
		Q5_ps X	I	9.1	-0.0	0.0	0.3
0.0	0.0		J	9.1	-0.0	0.0	0.3
-0.1	3.8						
		Q5_ps Y	I	-11.6	0.0	-0.0	-0.5
0.0	0.0		J	-11.6	0.0	-0.0	-0.5
0.2	-19.2						
		INVSLE Max	I	114.8	0.1	-3.4	6.5
0.0	0.0		J	114.8	0.1	-1.0	6.5
7327.3	572.7	Min	I	-54.4	-0.2	-3.4	-3.7
0.0	0.0		J	-54.4	-0.2	-1.0	-3.7
7320.1	-396.0						
		INVSLE Max	I	73.7	0.1	-2.5	5.1
0.0	0.0		J	73.7	0.1	-0.8	5.1
5427.8	445.9	Min	I	-50.3	-0.1	-2.5	-2.4
0.0	0.0		J	-50.3	-0.1	-0.8	-2.4
5422.5	-269.1						
8583	2	72 C1-C2;~1 Max	I	70.8	0.0	0.0	3.6
0.0	0.0		J	70.8	0.0	0.0	3.6
0.0	0.0	Min	I	-48.1	-0.0	0.0	-2.9
0.0	0.0		J	-48.1	-0.0	-0.0	-2.9
0.0	0.0						
		C3-C4;~1 Max	I	53.2	0.0	0.0	2.3
0.0	0.0		J	53.2	0.0	0.0	2.3
0.0	0.0	Min	I	-28.9	-0.0	0.0	-3.4
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-28.9	-0.0	-0.0	-3.4
0.0	0.0	C1-C2;~2 Max	I	44.7	0.0	0.0	1.9
0.0	0.0		J	44.7	0.0	0.0	1.9
0.0	0.0	Min	I	-25.3	-0.0	0.0	-1.9
0.0	0.0		J	-25.3	-0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	32.5	0.0	0.0	1.2
0.0	0.0		J	32.5	0.0	0.0	1.2
0.0	0.0	Min	I	-13.5	-0.0	0.0	-2.1
0.0	0.0		J	-13.5	-0.0	-0.0	-2.1
0.0	0.0	G1	I	-6.7	-0.0	-0.8	3.1
0.0	0.0		J	-6.7	-0.0	0.8	3.1
0.0	0.0	G2	I	-13.1	-0.0	0.0	1.2
0.0	0.0		J	-13.1	-0.0	-0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	-0.2
0.0	0.0		J	-0.0	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-7.3	0.0	0.0	0.1
0.0	0.0		J	-7.3	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	1.7	0.0	0.0	-0.2
0.0	0.0		J	1.7	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-9.5	0.0	0.0	0.1
0.0	0.0		J	-9.5	0.0	-0.0	0.1
0.0	0.0	INVSLU Max	I	-230.6	0.0	-1.1	5.4
0.0	0.0		J	-230.6	0.0	1.1	5.4
0.0	0.0	Min	I	-404.4	-0.0	-1.1	-4.3
0.0	0.0		J	-404.4	-0.0	1.1	-4.3
0.0	0.0	INVSLE Max	I	-182.6	0.0	-0.8	3.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-182.6	0.0	0.8	3.5	
0.0	0.0		Min	I	-310.3	-0.0	-0.8	-3.7	
0.0	0.0			J	-310.3	-0.0	0.8	-3.7	
0.0	0.0								
8584	2	72	C1-C2;~1	Max	I	71.0	0.0	0.0	3.0
0.0	0.0			J	71.0	0.0	0.0	3.0	
0.0	0.0		Min	I	-48.1	0.0	0.0	-6.3	
0.0	0.0			J	-48.1	0.0	0.0	-6.3	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	53.3	0.0	0.0	2.2
0.0	0.0			J	53.3	0.0	0.0	2.2	
0.0	0.0		Min	I	-28.9	0.0	0.0	-4.4	
0.0	0.0			J	-28.9	0.0	0.0	-4.4	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	44.8	0.0	0.0	1.7
0.0	0.0			J	44.8	0.0	0.0	1.7	
0.0	0.0		Min	I	-25.3	0.0	0.0	-4.0	
0.0	0.0			J	-25.3	0.0	0.0	-4.0	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	32.6	0.0	0.0	1.2
0.0	0.0			J	32.6	0.0	0.0	1.2	
0.0	0.0		Min	I	-13.5	0.0	0.0	-2.6	
0.0	0.0			J	-13.5	0.0	0.0	-2.6	
0.0	0.0								
0.0	0.0		G1	I	-6.7	0.0	-0.9	-2.1	
0.0	0.0			J	-6.7	0.0	0.9	-2.1	
0.0	0.0								
0.0	0.0		G2	I	-13.1	0.0	0.0	0.3	
0.0	0.0			J	-13.1	0.0	0.0	0.3	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-0.0	0.0	0.0	-0.2
0.0	0.0			J	-0.0	0.0	0.0	-0.2	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	-7.3	0.0	0.0	0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-7.3	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	1.7	0.0	0.0	-0.4
0.0	0.0		J	1.7	0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	-9.5	0.0	0.0	0.4
0.0	0.0		J	-9.5	0.0	0.0	0.4
0.0	0.0	INVSLU Max	I	-230.4	0.0	-1.2	1.0
0.0	0.0		J	-230.4	0.0	1.2	1.0
0.0	0.0	Min	I	-404.4	0.0	-1.2	-11.9
0.0	0.0		J	-404.4	0.0	1.2	-11.9
0.0	0.0	INVSLE Max	I	-182.4	0.0	-0.9	0.6
0.0	0.0		J	-182.4	0.0	0.9	0.6
0.0	0.0	Min	I	-310.3	0.0	-0.9	-9.0
0.0	0.0		J	-310.3	0.0	0.9	-9.0
8585	2	72 C1-C2;~1 Max	I	59.1	0.1	0.0	3.2
2.9	378.6		J	59.1	0.1	0.0	3.2
0.0	0.0	Min	I	-53.7	-0.1	-0.0	-3.3
-1.8	-313.0		J	-53.7	-0.1	-0.0	-3.3
0.0	0.0	C3-C4;~1 Max	I	51.4	0.1	0.0	3.0
2.5	344.0		J	51.4	0.1	0.0	3.0
0.0	0.0	Min	I	-26.3	-0.1	-0.0	-2.1
-2.0	-284.0		J	-26.3	-0.1	-0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	37.1	0.1	0.0	2.0
1.8	256.5		J	37.1	0.1	0.0	2.0
0.0	0.0	Min	I	-29.8	-0.1	-0.0	-1.8
-1.1	-200.2		J	-29.8	-0.1	-0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	32.6	0.1	0.0	1.8
1.4	231.4		J	32.6	0.1	0.0	1.8
0.0	0.0	Min	I	-12.2	-0.1	-0.0	-1.1
-1.2	-176.8		J	-12.2	-0.1	-0.0	-1.1
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5429.3	-38.6	G1	I	-12.4	-0.0	0.9	-1.1
0.0	0.0		J	-12.4	-0.0	2.6	-1.1
0.4	-14.7	G2	I	-15.2	-0.0	0.0	-0.9
0.0	0.0		J	-15.2	-0.0	0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	3.0	Q5_pc X	I	7.9	0.0	0.0	0.2
0.0	0.0		J	7.9	0.0	0.0	0.2
-0.1	-19.5	Q5_pc Y	I	-9.4	-0.0	-0.0	-0.3
0.0	0.0		J	-9.4	-0.0	-0.0	-0.3
0.1	3.8	Q5_ps X	I	9.1	0.0	0.0	0.3
0.0	0.0		J	9.1	0.0	0.0	0.3
-0.2	-19.2	Q5_ps Y	I	-11.6	-0.0	-0.0	-0.4
0.0	0.0		J	-11.6	-0.0	-0.0	-0.4
7331.8	572.7	INVSLE Max	I	114.7	0.2	1.3	5.3
0.0	0.0		J	114.7	0.2	3.5	5.3
7325.1	-396.0	Min	I	-54.4	-0.1	1.3	-4.1
0.0	0.0		J	-54.4	-0.1	3.5	-4.1
5430.8	445.9	INVSLE Max	I	73.7	0.1	0.9	4.3
0.0	0.0		J	73.7	0.1	2.6	4.3
5425.8	-269.1	Min	I	-50.3	-0.1	0.9	-2.7
0.0	0.0		J	-50.3	-0.1	2.6	-2.7
8586	2	72 C1-C2;~1 Max	I	79.4	0.2	0.0	4.5
0.0	0.0		J	79.4	0.2	0.0	4.5
1.8	557.4	Min	I	-67.8	-0.2	-0.0	-4.3
0.0	0.0		J	-67.8	-0.2	-0.0	-4.3
-4.7	-523.2	C3-C4;~1 Max	I	71.2	0.1	0.0	3.8
0.0	0.0		J	71.2	0.1	0.0	3.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.2	492.5		Min	I	-30.1	-0.1	-0.0	-2.9
0.0	0.0			J	-30.1	-0.1	-0.0	-2.9
-3.7	-475.6							
		C1-C2;~2	Max	I	46.6	0.1	0.0	2.6
0.0	0.0			J	46.6	0.1	0.0	2.6
1.1	374.0		Min	I	-38.2	-0.1	-0.0	-2.4
0.0	0.0			J	-38.2	-0.1	-0.0	-2.4
-2.9	-336.5							
		C3-C4;~2	Max	I	39.4	0.1	0.0	2.1
0.0	0.0			J	39.4	0.1	0.0	2.1
1.3	329.9		Min	I	-14.4	-0.1	-0.0	-1.5
0.0	0.0			J	-14.4	-0.1	-0.0	-1.5
-2.1	-299.9							
		G1		I	8.2	0.0	-2.5	0.3
0.0	0.0			J	8.2	0.0	-0.8	0.3
5423.0	-73.2							
		G2		I	-6.6	0.0	0.0	-0.5
0.0	0.0			J	-6.6	0.0	0.0	-0.5
-0.9	-31.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	13.4	0.0	0.0	0.2
0.0	0.0			J	13.4	0.0	0.0	0.2
-0.0	-11.5							
		Q5_pc	Y	I	-15.0	0.0	0.0	-0.3
0.0	0.0			J	-15.0	0.0	0.0	-0.3
-0.2	-39.0							
		Q5_ps	X	I	14.1	0.0	0.0	0.3
0.0	0.0			J	14.1	0.0	0.0	0.3
-0.1	-9.3							
		Q5_ps	Y	I	-16.2	0.0	0.0	-0.4
0.0	0.0			J	-16.2	0.0	0.0	-0.4
-0.1	-38.1							
		INVSLU	Max	I	308.6	0.3	-3.4	11.1
0.0	0.0			J	308.6	0.3	-1.0	11.1
7324.1	692.8		Min	I	83.0	-0.2	-3.4	-1.2
0.0	0.0			J	83.0	-0.2	-1.0	-1.2

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7314.5	-836.2							
		INVSLE Max	I	227.3	0.2	-2.5	8.5	
0.0	0.0		J	227.3	0.2	-0.8	8.5	
5425.5	520.6							
		Min	I	62.1	-0.2	-2.5	-0.5	
0.0	0.0		J	62.1	-0.2	-0.8	-0.5	
5418.3	-606.8							
8587	2	72 C1-C2;~1 Max	I	83.6	0.0	0.0	5.3	
0.0	0.0		J	83.6	0.0	0.0	5.3	
0.0	0.0							
		Min	I	-75.1	-0.0	0.0	-3.6	
0.0	0.0		J	-75.1	0.0	-0.0	-3.6	
0.0	0.0							
		C3-C4;~1 Max	I	62.6	0.0	0.0	2.8	
0.0	0.0		J	62.6	0.0	0.0	2.8	
0.0	0.0							
		Min	I	-62.6	-0.0	0.0	-3.8	
0.0	0.0		J	-62.6	0.0	-0.0	-3.8	
0.0	0.0							
		C1-C2;~2 Max	I	48.7	0.0	0.0	3.0	
0.0	0.0		J	48.7	0.0	0.0	3.0	
0.0	0.0							
		Min	I	-40.8	-0.0	0.0	-2.2	
0.0	0.0		J	-40.8	0.0	-0.0	-2.2	
0.0	0.0							
		C3-C4;~2 Max	I	31.4	0.0	0.0	1.5	
0.0	0.0		J	31.4	0.0	0.0	1.5	
0.0	0.0							
		Min	I	-31.9	-0.0	0.0	-2.4	
0.0	0.0		J	-31.9	0.0	-0.0	-2.4	
0.0	0.0							
		G1	I	-8.3	0.0	-0.8	3.3	
0.0	0.0		J	-8.3	0.0	0.8	3.3	
0.0	0.0							
		G2	I	-13.7	0.0	0.0	1.2	
0.0	0.0		J	-13.7	0.0	-0.0	1.2	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-3.9	-0.0	0.0	-0.3	
0.0	0.0		J	-3.9	0.0	0.0	-0.3	
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc	Y	I	-9.6	-0.0	0.0	0.4
0.0	0.0			J	-9.6	0.0	-0.0	0.4
0.0	0.0	Q5_ps	X	I	-1.8	-0.0	0.0	-0.3
0.0	0.0			J	-1.8	0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	-11.6	-0.0	0.0	0.3
0.0	0.0			J	-11.6	0.0	-0.0	0.3
0.0	0.0	INVSLE	Max	I	-54.9	0.0	-1.1	8.2
0.0	0.0			J	-54.9	0.0	1.1	8.2
0.0	0.0		Min	I	-286.3	-0.0	-1.1	-4.8
0.0	0.0			J	-286.3	0.0	1.1	-4.8
0.0	0.0	INVSLE	Max	I	-41.1	0.0	-0.8	5.6
0.0	0.0			J	-41.1	0.0	0.8	5.6
0.0	0.0		Min	I	-211.3	-0.0	-0.8	-4.0
0.0	0.0			J	-211.3	0.0	0.8	-4.0
8588	2	72	C1-C2;~1	Max	I	83.8	0.0	2.9
0.0	0.0			J	83.8	0.0	0.0	2.9
0.0	0.0		Min	I	-75.1	-0.0	-0.0	-8.2
0.0	0.0			J	-75.1	0.0	0.0	-8.2
0.0	0.0		C3-C4;~1	Max	I	62.8	0.0	2.2
0.0	0.0			J	62.8	0.0	0.0	2.2
0.0	0.0		Min	I	-62.7	-0.0	-0.0	-6.5
0.0	0.0			J	-62.7	0.0	0.0	-6.5
0.0	0.0		C1-C2;~2	Max	I	48.9	0.0	1.6
0.0	0.0			J	48.9	0.0	0.0	1.6
0.0	0.0		Min	I	-40.8	-0.0	-0.0	-5.0
0.0	0.0			J	-40.8	0.0	0.0	-5.0
0.0	0.0		C3-C4;~2	Max	I	31.5	0.0	1.1
0.0	0.0			J	31.5	0.0	0.0	1.1
0.0	0.0		Min	I	-31.9	-0.0	-0.0	-3.7

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-31.9	0.0	0.0	-3.7
0.0	0.0						
0.0	0.0	G1	I	-8.4	-0.0	-0.9	-4.3
0.0	0.0		J	-8.4	0.0	0.9	-4.3
0.0	0.0						
0.0	0.0	G2	I	-13.7	-0.0	0.0	-0.5
0.0	0.0		J	-13.7	0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-3.9	0.0	-0.0	-0.3
0.0	0.0		J	-3.9	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-9.6	0.0	0.0	0.0
0.0	0.0		J	-9.6	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-1.8	0.0	-0.0	-0.4
0.0	0.0		J	-1.8	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-11.7	0.0	0.0	0.2
0.0	0.0		J	-11.7	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	-54.6	0.0	-1.2	-5.5
0.0	0.0		J	-54.6	0.0	1.2	-5.5
0.0	0.0	Min	I	-286.4	-0.0	-1.2	-21.0
0.0	0.0		J	-286.4	0.0	1.2	-21.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	-40.9	0.0	-0.9	-4.2
0.0	0.0		J	-40.9	0.0	0.9	-4.2
0.0	0.0	Min	I	-211.3	-0.0	-0.9	-15.6
0.0	0.0		J	-211.3	0.0	0.9	-15.6
0.0	0.0						
8589	2	72 C1-C2;~1 Max	I	79.3	0.2	0.0	4.0
4.4	557.4		J	79.3	0.2	0.0	4.0
0.0	0.0	Min	I	-67.8	-0.2	-0.0	-4.5
-1.7	-523.2		J	-67.8	-0.2	-0.0	-4.5
0.0	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C3-C4;~1	Max	I	71.2	0.2	0.0	3.7	
3.5	492.5			J	71.2	0.2	0.0	3.7	
0.0	0.0								
			Min	I	-30.1	-0.2	-0.0	-3.4	
-2.1	-475.6			J	-30.1	-0.2	-0.0	-3.4	
0.0	0.0								
		C1-C2;~2	Max	I	46.5	0.1	0.0	2.2	
2.7	374.0			J	46.5	0.1	0.0	2.2	
0.0	0.0								
			Min	I	-38.2	-0.1	-0.0	-2.5	
-1.0	-336.5			J	-38.2	-0.1	-0.0	-2.5	
0.0	0.0								
		C3-C4;~2	Max	I	39.4	0.1	0.0	2.0	
2.0	329.9			J	39.4	0.1	0.0	2.0	
0.0	0.0								
			Min	I	-14.4	-0.1	-0.0	-1.7	
-1.3	-299.9			J	-14.4	-0.1	-0.0	-1.7	
0.0	0.0								
				G1	I	8.2	-0.0	0.9	-0.7
5430.5	-73.2			J	8.2	-0.0	2.6	-0.7	
0.0	0.0								
				G2	I	-6.6	-0.0	0.0	-0.7
0.8	-31.6			J	-6.6	-0.0	0.0	-0.7	
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	13.4	-0.0	0.0	0.2	
0.0	-11.5			J	13.4	-0.0	0.0	0.2	
0.0	0.0								
		Q5_pc	Y	I	-15.0	-0.0	0.0	-0.3	
0.2	-39.0			J	-15.0	-0.0	0.0	-0.3	
0.0	0.0								
		Q5_ps	X	I	14.1	-0.0	0.0	0.2	
0.1	-9.3			J	14.1	-0.0	0.0	0.2	
0.0	0.0								
		Q5_ps	Y	I	-16.2	-0.0	0.0	-0.4	
0.1	-38.1			J	-16.2	-0.0	0.0	-0.4	
0.0	0.0								
		INVSLU	Max	I	308.6	0.2	1.3	9.0	
7337.4	692.8			J	308.6	0.2	3.5	9.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7328.3	-836.2	Min	I	83.0	-0.3	1.3	-3.0
			J	83.0	-0.3	3.5	-3.0
0.0	0.0						
5434.9	520.6	INVSLE Max	I	227.2	0.2	0.9	7.1
			J	227.2	0.2	2.6	7.1
0.0	0.0						
5428.2	-606.8	Min	I	62.1	-0.2	0.9	-1.8
			J	62.1	-0.2	2.6	-1.8
0.0	0.0						
8590	2	72 C1-C2;~1 Max	I	109.8	0.2	0.0	4.9
0.0	0.0		J	109.8	0.2	0.0	4.9
1.9	560.0						
0.0	0.0	Min	I	-50.4	-0.2	-0.0	-2.9
			J	-50.4	-0.2	-0.0	-2.9
-4.6	-569.9						
		C3-C4;~1 Max	I	102.2	0.2	0.0	4.3
0.0	0.0		J	102.2	0.2	0.0	4.3
2.4	489.9						
0.0	0.0	Min	I	-27.9	-0.1	-0.0	-1.8
			J	-27.9	-0.1	-0.0	-1.8
-3.2	-527.0						
		C1-C2;~2 Max	I	63.6	0.1	0.0	2.9
0.0	0.0		J	63.6	0.1	0.0	2.9
1.2	371.3						
0.0	0.0	Min	I	-28.5	-0.1	-0.0	-1.7
			J	-28.5	-0.1	-0.0	-1.7
-2.9	-378.6						
		C3-C4;~2 Max	I	56.1	0.1	0.0	2.5
0.0	0.0		J	56.1	0.1	0.0	2.5
1.5	326.2						
0.0	0.0	Min	I	-13.5	-0.1	-0.0	-0.9
			J	-13.5	-0.1	-0.0	-0.9
-1.8	-347.8						
		G1	I	44.2	0.0	-2.5	1.2
0.0	0.0		J	44.2	0.0	-0.8	1.2
5423.2	-36.7						
		G2	I	6.5	0.0	0.0	-0.2
0.0	0.0		J	6.5	0.0	0.0	-0.2
-0.8	-21.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	16.7	0.0	0.0	0.2

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	16.7	0.0	0.0 0.2
-0.0	-14.0						
		Q5_pc	Y	I	-15.5	0.0	0.0 -0.2
0.0	0.0			J	-15.5	0.0	0.0 -0.2
-0.2	-46.9						
		Q5_ps	X	I	17.4	0.0	0.0 0.3
0.0	0.0			J	17.4	0.0	0.0 0.3
-0.1	-12.0						
		Q5_ps	Y	I	-16.5	0.0	0.0 -0.3
0.0	0.0			J	-16.5	0.0	0.0 -0.3
-0.1	-44.4						
		INVSLU	Max	I	352.5	0.3	-3.4 12.2
0.0	0.0			J	352.5	0.3	-1.0 12.2
7320.4	723.3		Min	I	106.2	-0.2	-3.4 1.3
0.0	0.0			J	106.2	-0.2	-1.0 1.3
7310.7	-886.5						
		INVSLE	Max	I	260.9	0.2	-2.5 9.1
0.0	0.0			J	260.9	0.2	-0.8 9.1
5422.5	528.3		Min	I	80.7	-0.2	-2.5 1.1
0.0	0.0			J	80.7	-0.2	-0.8 1.1
5415.3	-657.9						
8591	2	72	C1-C2;~1	Max	97.7	0.0	0.0 4.9
0.0	0.0			J	97.7	0.0	0.0 4.9
0.0	0.0		Min	I	-54.0	0.0	0.0 -4.7
0.0	0.0			J	-54.0	0.0	0.0 -4.7
0.0	0.0						
		C3-C4;~1	Max	I	80.8	0.0	0.0 2.3
0.0	0.0			J	80.8	0.0	0.0 2.3
0.0	0.0		Min	I	-43.0	0.0	0.0 -5.1
0.0	0.0			J	-43.0	0.0	0.0 -5.1
0.0	0.0						
		C1-C2;~2	Max	I	57.7	0.0	0.0 2.9
0.0	0.0			J	57.7	0.0	0.0 2.9
0.0	0.0		Min	I	-30.7	0.0	0.0 -3.0
0.0	0.0			J	-30.7	0.0	0.0 -3.0
0.0	0.0						
		C3-C4;~2	Max	I	46.1	0.0	0.0 1.3
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	46.1	0.0	0.0	1.3
0.0	0.0	Min	I	-21.0	0.0	0.0	-3.4
0.0	0.0		J	-21.0	0.0	0.0	-3.4
0.0	0.0	G1	I	24.1	0.0	-0.8	2.6
0.0	0.0		J	24.1	0.0	0.8	2.6
0.0	0.0	G2	I	-1.8	0.0	0.0	0.9
0.0	0.0		J	-1.8	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.6	0.0	0.0	-0.4
0.0	0.0		J	-4.6	0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	-7.4	0.0	0.0	0.4
0.0	0.0		J	-7.4	0.0	0.0	0.4
0.0	0.0	Q5_ps X	I	-2.2	0.0	0.0	-0.3
0.0	0.0		J	-2.2	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-9.6	0.0	0.0	0.4
0.0	0.0		J	-9.6	0.0	0.0	0.4
0.0	0.0	INVSLU Max	I	112.3	0.0	-1.1	12.6
0.0	0.0		J	112.3	0.0	1.1	12.6
0.0	0.0	Min	I	-105.8	0.0	-1.1	-1.7
0.0	0.0		J	-105.8	0.0	1.1	-1.7
0.0	0.0	INVSLE Max	I	84.5	0.0	-0.8	9.3
0.0	0.0		J	84.5	0.0	0.8	9.3
0.0	0.0	Min	I	-76.1	0.0	-0.8	-1.3
0.0	0.0		J	-76.1	0.0	0.8	-1.3
8592	2	72 C1-C2;~1 Max	I	98.0	0.0	0.0	1.7
0.0	0.0		J	98.0	0.0	0.0	1.7
0.0	0.0	Min	I	-53.9	0.0	-0.0	-8.3
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-53.9	-0.0	-0.0	-8.3
0.0	0.0	C3-C4;~1 Max	I	80.7	0.0	0.0	1.8
0.0	0.0		J	80.7	0.0	0.0	1.8
0.0	0.0	Min	I	-43.0	0.0	-0.0	-6.6
0.0	0.0		J	-43.0	-0.0	-0.0	-6.6
0.0	0.0	C1-C2;~2 Max	I	57.9	0.0	0.0	0.8
0.0	0.0		J	57.9	0.0	0.0	0.8
0.0	0.0	Min	I	-30.6	0.0	-0.0	-5.1
0.0	0.0		J	-30.6	-0.0	-0.0	-5.1
0.0	0.0	C3-C4;~2 Max	I	46.0	0.0	0.0	0.8
0.0	0.0		J	46.0	0.0	0.0	0.8
0.0	0.0	Min	I	-21.0	0.0	-0.0	-3.8
0.0	0.0		J	-21.0	-0.0	-0.0	-3.8
0.0	0.0	G1	I	24.1	0.0	-0.9	-4.9
0.0	0.0		J	24.1	-0.0	0.9	-4.9
0.0	0.0	G2	I	-1.8	0.0	0.0	-0.7
0.0	0.0		J	-1.8	-0.0	-0.0	-0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-4.6	0.0	-0.0	-0.4
0.0	0.0		J	-4.6	0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	-7.4	0.0	0.0	0.1
0.0	0.0		J	-7.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	-2.2	0.0	-0.0	-0.6
0.0	0.0		J	-2.2	0.0	0.0	-0.6
0.0	0.0	Q5_ps Y	I	-9.6	0.0	0.0	0.3
0.0	0.0		J	-9.6	0.0	-0.0	0.3
0.0	0.0	INVSLU Max	I	112.6	0.0	-1.2	-9.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	112.6	0.0	1.2 -9.9
0.0	0.0		Min	I	-105.8	0.0	-1.2 -24.3
0.0	0.0			J	-105.8	-0.0	1.2 -24.3
0.0	0.0		INVSLE Max	I	84.7	0.0	-0.9 -7.5
0.0	0.0			J	84.7	0.0	0.9 -7.5
0.0	0.0		Min	I	-76.1	0.0	-0.9 -18.1
0.0	0.0			J	-76.1	-0.0	0.9 -18.1
8593	2	72	C1-C2;~1 Max	I	109.8	0.2	0.0 4.9
4.3	560.0			J	109.8	0.2	0.0 4.9
0.0	0.0		Min	I	-50.4	-0.2	-0.0 -3.2
-1.8	-569.9			J	-50.4	-0.2	-0.0 -3.2
0.0	0.0		C3-C4;~1 Max	I	102.2	0.2	0.0 3.8
3.0	489.9			J	102.2	0.2	0.0 3.8
0.0	0.0		Min	I	-27.9	-0.2	-0.0 -2.1
-2.2	-527.0			J	-27.9	-0.2	-0.0 -2.1
0.0	0.0		C1-C2;~2 Max	I	63.6	0.1	0.0 3.0
2.7	371.3			J	63.6	0.1	0.0 3.0
0.0	0.0		Min	I	-28.5	-0.1	-0.0 -1.9
-1.1	-378.6			J	-28.5	-0.1	-0.0 -1.9
0.0	0.0		C3-C4;~2 Max	I	56.1	0.1	0.0 2.2
1.7	326.2			J	56.1	0.1	0.0 2.2
0.0	0.0		Min	I	-13.5	-0.1	-0.0 -1.1
-1.4	-347.8			J	-13.5	-0.1	-0.0 -1.1
0.0	0.0		G1	I	44.2	-0.0	0.9 0.2
5430.5	-36.7			J	44.2	-0.0	2.6 0.2
0.0	0.0		G2	I	6.5	-0.0	0.0 -0.4
0.8	-21.7			J	6.5	-0.0	0.0 -0.4
0.0	0.0		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	-14.0	Q5_pc X	I	16.7	-0.0	0.0	0.2
0.0	0.0		J	16.7	-0.0	0.0	0.2
0.2	-46.9	Q5_pc Y	I	-15.5	-0.0	0.0	-0.2
0.0	0.0		J	-15.5	-0.0	0.0	-0.2
0.1	-12.0	Q5_ps X	I	17.4	-0.0	0.0	0.3
0.0	0.0		J	17.4	-0.0	0.0	0.3
0.0	-44.4	Q5_ps Y	I	-16.5	-0.0	0.0	-0.3
0.0	0.0		J	-16.5	-0.0	0.0	-0.3
7341.2	723.3	INVSLE Max	I	352.5	0.2	1.3	9.8
0.0	0.0		J	352.5	0.2	3.5	9.8
7332.0	-886.5	Min	I	106.2	-0.3	1.3	-1.5
0.0	0.0		J	106.2	-0.3	3.5	-1.5
5437.9	528.3	INVSLE Max	I	260.9	0.2	0.9	7.3
0.0	0.0		J	260.9	0.2	2.6	7.3
5431.2	-657.9	Min	I	80.7	-0.2	0.9	-1.0
0.0	0.0		J	80.7	-0.2	2.6	-1.0
8594	2	72 C1-C2;~1 Max	I	101.7	0.2	0.0	4.8
0.0	0.0		J	101.7	0.2	0.0	4.8
2.8	216.6	Min	I	-26.0	-0.1	-0.0	-2.6
0.0	0.0		J	-26.0	-0.1	-0.0	-2.6
-3.4	-589.8						
0.0	0.0	C3-C4;~1 Max	I	88.3	0.2	0.0	3.1
2.8	220.8		J	88.3	0.2	0.0	3.1
0.0	0.0	Min	I	-24.3	-0.1	-0.0	-2.5
-2.5	-546.1		J	-24.3	-0.1	-0.0	-2.5
0.0	0.0	C1-C2;~2 Max	I	61.7	0.1	0.0	3.1
1.8	125.1		J	61.7	0.1	0.0	3.1
0.0	0.0	Min	I	-13.9	-0.0	-0.0	-1.6
-1.9	-395.2		J	-13.9	-0.0	-0.0	-1.6

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4; ~2	Max	I	51.1	0.1	0.0	1.8
				J	51.1	0.1	0.0	1.8
1.8	112.8		Min	I	-11.5	-0.0	-0.0	-1.6
0.0	0.0			J	-11.5	-0.0	-0.0	-1.6
-1.3	-365.4							
		G1		I	43.4	-0.0	-2.5	1.9
0.0	0.0			J	43.4	-0.0	-0.8	1.9
5202.1	30.8							
		G2		I	8.8	-0.0	0.0	0.8
0.0	0.0			J	8.8	-0.0	0.0	0.8
-1.4	54.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	14.9	0.0	-0.0	0.0
0.0	0.0			J	14.9	0.0	-0.0	0.0
0.5	-57.1							
		Q5_pc	Y	I	-14.2	0.0	0.0	-0.1
0.0	0.0			J	-14.2	0.0	0.0	-0.1
-0.2	-22.0							
		Q5_ps	X	I	16.0	0.0	-0.0	0.1
0.0	0.0			J	16.0	0.0	-0.0	0.1
0.6	-63.5							
		Q5_ps	Y	I	-15.4	0.0	0.0	-0.2
0.0	0.0			J	-15.4	0.0	0.0	-0.2
-0.2	-10.8							
		INVSLE	Max	I	263.1	0.2	-3.3	13.5
0.0	0.0			J	263.1	0.2	-1.0	13.5
7022.6	647.5							
			Min	I	64.0	-0.2	-3.3	3.4
0.0	0.0			J	64.0	-0.2	-1.0	3.4
7013.2	-549.5							
		INVSLE	Max	I	194.6	0.1	-2.5	10.1
0.0	0.0			J	194.6	0.1	-0.8	10.1
5201.9	474.2							
			Min	I	49.1	-0.1	-2.5	2.6
0.0	0.0			J	49.1	-0.1	-0.8	2.6
5195.0	-404.9							
		72 C1-C2; ~1	Max	I	87.0	0.0	0.0	3.9
8595	2			J	87.0	0.0	0.0	3.9
0.0	0.0							

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-35.6	0.0	0.0	-4.8
0.0	0.0			J	-35.6	-0.0	0.0	-4.8
0.0	0.0	C3-C4;~1	Max	I	86.5	0.0	0.0	1.6
0.0	0.0			J	86.5	0.0	0.0	1.6
0.0	0.0		Min	I	-17.9	0.0	0.0	-5.3
0.0	0.0			J	-17.9	-0.0	0.0	-5.3
0.0	0.0	C1-C2;~2	Max	I	50.8	0.0	0.0	2.5
0.0	0.0			J	50.8	0.0	0.0	2.5
0.0	0.0		Min	I	-21.2	0.0	0.0	-3.1
0.0	0.0			J	-21.2	-0.0	0.0	-3.1
0.0	0.0	C3-C4;~2	Max	I	50.9	0.0	0.0	0.9
0.0	0.0			J	50.9	0.0	0.0	0.9
0.0	0.0		Min	I	-8.7	0.0	0.0	-3.5
0.0	0.0			J	-8.7	-0.0	0.0	-3.5
0.0	0.0		G1	I	49.3	0.0	-0.8	1.7
0.0	0.0			J	49.3	0.0	0.8	1.7
0.0	0.0		G2	I	11.9	0.0	0.0	0.5
0.0	0.0			J	11.9	0.0	0.0	0.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-5.3	0.0	0.0	-0.4
0.0	0.0			J	-5.3	-0.0	0.0	-0.4
0.0	0.0	Q5_pc	Y	I	-3.6	0.0	0.0	0.2
0.0	0.0			J	-3.6	-0.0	0.0	0.2
0.0	0.0	Q5_ps	X	I	-4.4	0.0	0.0	-0.3
0.0	0.0			J	-4.4	-0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	-4.2	0.0	0.0	0.2
0.0	0.0			J	-4.2	-0.0	0.0	0.2


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		INVS LU Max	I	249.5	0.0	-1.1	11.8	
0.0	0.0		J	249.5	0.0	1.1	11.8	
0.0	0.0	Min	I	74.5	0.0	-1.1	-1.3	
0.0	0.0		J	74.5	-0.0	1.1	-1.3	
0.0	0.0							
		INVS LE Max	I	185.5	0.0	-0.8	8.7	
0.0	0.0		J	185.5	0.0	0.8	8.7	
0.0	0.0	Min	I	56.5	0.0	-0.8	-0.9	
0.0	0.0		J	56.5	-0.0	0.8	-0.9	
0.0	0.0							
8596	2	72 C1-C2;~1 Max	I	86.7	0.0	0.0	4.4	
0.0	0.0		J	86.7	0.0	0.0	4.4	
0.0	0.0	Min	I	-35.5	0.0	-0.0	-4.0	
0.0	0.0		J	-35.5	0.0	0.0	-4.0	
0.0	0.0							
		C3-C4;~1 Max	I	86.2	0.0	0.0	3.3	
0.0	0.0		J	86.2	0.0	0.0	3.3	
0.0	0.0	Min	I	-17.9	0.0	-0.0	-4.9	
0.0	0.0		J	-17.9	0.0	0.0	-4.9	
0.0	0.0							
		C1-C2;~2 Max	I	50.6	0.0	0.0	2.9	
0.0	0.0		J	50.6	0.0	0.0	2.9	
0.0	0.0	Min	I	-21.2	0.0	-0.0	-2.0	
0.0	0.0		J	-21.2	0.0	0.0	-2.0	
0.0	0.0							
		C3-C4;~2 Max	I	50.7	0.0	0.0	2.1	
0.0	0.0		J	50.7	0.0	0.0	2.1	
0.0	0.0	Min	I	-8.7	0.0	-0.0	-2.4	
0.0	0.0		J	-8.7	0.0	0.0	-2.4	
0.0	0.0							
		G1	I	49.4	0.0	-0.9	-5.7	
0.0	0.0		J	49.4	0.0	0.9	-5.7	
0.0	0.0							
		G2	I	11.9	0.0	0.0	-2.3	
0.0	0.0		J	11.9	0.0	0.0	-2.3	
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	-5.4	0.0	-0.0
				J	-5.4	0.0	0.0
0.0	0.0		Q5_pc Y	I	-3.7	0.0	0.0
				J	-3.7	0.0	0.0
0.0	0.0		Q5_ps X	I	-4.4	0.0	-0.0
				J	-4.4	0.0	0.0
0.0	0.0		Q5_ps Y	I	-4.2	0.0	0.0
				J	-4.2	0.0	0.0
0.0	0.0		INVSLU Max	I	249.3	0.0	-1.2
				J	249.3	0.0	1.2
0.0	0.0		Min	I	74.7	0.0	-1.2
				J	74.7	0.0	1.2
0.0	0.0		INVSLE Max	I	185.3	0.0	-0.9
				J	185.3	0.0	0.9
0.0	0.0		Min	I	56.7	0.0	-0.9
				J	56.7	0.0	0.9
8597	2	72	C1-C2;~1 Max	I	101.6	0.1	0.0
3.2	216.6			J	101.6	0.1	0.0
0.0	0.0		Min	I	-26.0	-0.2	-0.0
-2.7	-589.8			J	-26.0	-0.2	-0.0
0.0	0.0		C3-C4;~1 Max	I	88.3	0.1	0.0
2.4	220.8			J	88.3	0.1	0.0
0.0	0.0		Min	I	-24.2	-0.2	-0.0
-2.6	-546.1			J	-24.2	-0.2	-0.0
0.0	0.0		C1-C2;~2 Max	I	61.7	0.0	0.0
1.8	125.1			J	61.7	0.0	0.0
0.0	0.0		Min	I	-13.9	-0.1	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.7	-395.2		J	-13.9	-0.1	-0.0	-1.3
0.0	0.0						
1.2	112.8	C3-C4; ~2	Max	I	51.0	0.0	0.0
0.0	0.0			J	51.0	0.0	0.0
-1.7	-365.4		Min	I	-11.5	-0.1	-0.0
0.0	0.0			J	-11.5	-0.1	-0.0
5209.3	30.8		G1	I	43.4	0.0	0.9
0.0	0.0			J	43.4	0.0	2.5
1.3	54.4		G2	I	8.8	0.0	0.0
0.0	0.0			J	8.8	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.5	-57.1		Q5_pc X	I	14.9	-0.0	-0.0
0.0	0.0			J	14.9	-0.0	-0.0
0.2	-22.0		Q5_pc Y	I	-14.2	-0.0	0.0
0.0	0.0			J	-14.2	-0.0	0.0
-0.5	-63.5		Q5_ps X	I	16.0	-0.0	-0.0
0.0	0.0			J	16.0	-0.0	-0.0
0.2	-10.8		Q5_ps Y	I	-15.4	-0.0	0.0
0.0	0.0			J	-15.4	-0.0	0.0
7041.6	647.5		INVSLU Max	I	263.1	0.2	1.2
0.0	0.0			J	263.1	0.2	3.4
7032.7	-549.5		Min	I	64.1	-0.2	1.2
0.0	0.0			J	64.1	-0.2	3.4
5216.0	474.2		INVSLE Max	I	194.6	0.2	0.9
0.0	0.0			J	194.6	0.2	2.5
5209.5	-404.9		Min	I	49.1	-0.1	0.9
0.0	0.0			J	49.1	-0.1	2.5


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8598	2	72	C1-C2;~1	Max	I	86.1	0.1	0.0	4.4
0.0	0.0				J	86.1	0.1	0.0	4.4
3.2	601.0			Min	I	-34.9	-0.2	-0.0	-2.8
0.0	0.0				J	-34.9	-0.2	-0.0	-2.8
-3.4	-230.5								
			C3-C4;~1	Max	I	86.6	0.1	0.0	4.6
0.0	0.0				J	86.6	0.1	0.0	4.6
2.2	547.7			Min	I	-18.0	-0.2	-0.0	-1.6
0.0	0.0				J	-18.0	-0.2	-0.0	-1.6
-2.7	-163.3								
			C1-C2;~2	Max	I	50.2	0.0	0.0	2.6
0.0	0.0				J	50.2	0.0	0.0	2.6
2.0	399.8			Min	I	-20.6	-0.1	-0.0	-1.8
0.0	0.0				J	-20.6	-0.1	-0.0	-1.8
-2.2	-126.6								
			C3-C4;~2	Max	I	51.1	0.0	0.0	2.6
0.0	0.0				J	51.1	0.0	0.0	2.6
1.1	369.1			Min	I	-8.4	-0.1	-0.0	-1.0
0.0	0.0				J	-8.4	-0.1	-0.0	-1.0
-1.7	-88.4								
				G1	I	47.7	0.0	-2.5	2.3
0.0	0.0				J	47.7	0.0	-0.8	2.3
5198.9	-7.5								
				G2	I	11.6	0.0	-0.0	0.8
0.0	0.0				J	11.6	0.0	-0.0	0.8
0.9	-41.9								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-8.5	0.0	-0.0	-0.2
0.0	0.0				J	-8.5	0.0	-0.0	-0.2
0.0	-18.4								
				Q5_pc Y	I	-20.1	0.0	-0.0	-0.0
0.0	0.0				J	-20.1	0.0	-0.0	-0.0
0.2	-14.1								
				Q5_ps X	I	-7.3	0.0	0.0	-0.3
0.0	0.0				J	-7.3	0.0	0.0	-0.3
-0.1	-10.2								


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	-19.6	0.0	-0.0	0.1	
0.3	-18.7		J	-19.6	0.0	-0.0	0.1	
0.0	0.0	INVS LU Max	I	272.5	0.2	-3.3	10.9	
7019.8	513.6		J	272.5	0.2	-1.0	10.9	
0.0	0.0	Min	I	72.1	-0.2	-3.3	0.5	
7010.5	-642.1		J	72.1	-0.2	-1.0	0.5	
0.0	0.0	INVS LE Max	I	201.4	0.1	-2.5	8.1	
5199.8	375.5		J	201.4	0.1	-0.8	8.1	
0.0	0.0	Min	I	55.7	-0.1	-2.5	0.4	
5192.9	-478.1		J	55.7	-0.1	-0.8	0.4	
8599	2	72 C1-C2;~1 Max	I	100.2	0.0	0.0	3.8	
0.0	0.0		J	100.2	0.0	0.0	3.8	
0.0	0.0	Min	I	-25.1	0.0	0.0	-5.7	
0.0	0.0		J	-25.1	-0.0	-0.0	-5.7	
0.0	0.0	C3-C4;~1 Max	I	85.3	0.0	0.0	3.9	
0.0	0.0		J	85.3	0.0	0.0	3.9	
0.0	0.0	Min	I	-22.0	0.0	0.0	-2.9	
0.0	0.0		J	-22.0	-0.0	-0.0	-2.9	
0.0	0.0	C1-C2;~2 Max	I	60.9	0.0	0.0	2.5	
0.0	0.0		J	60.9	0.0	0.0	2.5	
0.0	0.0	Min	I	-13.2	0.0	0.0	-3.6	
0.0	0.0		J	-13.2	-0.0	-0.0	-3.6	
0.0	0.0	C3-C4;~2 Max	I	49.2	0.0	0.0	2.6	
0.0	0.0		J	49.2	0.0	0.0	2.6	
0.0	0.0	Min	I	-9.9	0.0	0.0	-1.4	
0.0	0.0		J	-9.9	-0.0	-0.0	-1.4	
0.0	0.0	G1	I	44.5	0.0	-0.8	-0.8	
0.0	0.0		J	44.5	0.0	0.8	-0.8	
0.0	0.0	G2	I	9.6	0.0	0.0	-1.5	

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	9.6	0.0	0.0	-1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	17.9	0.0	0.0	-0.3
0.0	0.0		J	17.9	-0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	2.2	0.0	0.0	-0.2
0.0	0.0		J	2.2	-0.0	-0.0	-0.2
0.0	0.0	Q5_ps X	I	19.0	0.0	0.0	-0.2
0.0	0.0		J	19.0	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	0.5	0.0	0.0	-0.2
0.0	0.0		J	0.5	-0.0	-0.0	-0.2
0.0	0.0	INVSLE Max	I	242.1	0.0	-1.1	4.1
0.0	0.0		J	242.1	0.0	1.1	4.1
0.0	0.0	Min	I	40.6	0.0	-1.1	-9.4
0.0	0.0		J	40.6	-0.0	1.1	-9.4
0.0	0.0	INVSLE Max	I	178.9	0.0	-0.8	3.0
0.0	0.0		J	178.9	0.0	0.8	3.0
0.0	0.0	Min	I	32.0	0.0	-0.8	-7.0
0.0	0.0		J	32.0	-0.0	0.8	-7.0
8600	2	72 C1-C2;~1 Max	I	100.6	0.0	0.0	2.0
0.0	0.0		J	100.6	0.0	0.0	2.0
0.0	0.0	Min	I	-25.1	0.0	0.0	-6.3
0.0	0.0		J	-25.1	0.0	0.0	-6.3
0.0	0.0	C3-C4;~1 Max	I	85.6	0.0	0.0	2.3
0.0	0.0		J	85.6	0.0	0.0	2.3
0.0	0.0	Min	I	-22.0	0.0	0.0	-4.3
0.0	0.0		J	-22.0	0.0	0.0	-4.3
0.0	0.0	C1-C2;~2 Max	I	61.1	0.0	0.0	1.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	61.1	0.0	0.0	1.1
0.0	0.0	Min	I	-13.2	0.0	0.0	-4.1
0.0	0.0		J	-13.2	0.0	0.0	-4.1
0.0	0.0	C3-C4; ~2 Max	I	49.4	0.0	0.0	1.1
0.0	0.0		J	49.4	0.0	0.0	1.1
0.0	0.0	Min	I	-9.9	0.0	0.0	-2.7
0.0	0.0		J	-9.9	0.0	0.0	-2.7
0.0	0.0	G1	I	44.5	0.0	-0.9	-2.1
0.0	0.0		J	44.5	0.0	0.9	-2.1
0.0	0.0	G2	I	9.5	0.0	0.0	0.2
0.0	0.0		J	9.5	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	17.9	0.0	0.0	-0.2
0.0	0.0		J	17.9	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	2.2	0.0	0.0	0.2
0.0	0.0		J	2.2	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	19.0	0.0	0.0	-0.4
0.0	0.0		J	19.0	0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	0.5	0.0	0.0	0.3
0.0	0.0		J	0.5	0.0	0.0	0.3
0.0	0.0	INVSLE Max	I	242.3	0.0	-1.2	-6.3
0.0	0.0		J	242.3	0.0	1.2	-6.3
0.0	0.0	Min	I	40.4	0.0	-1.2	-18.2
0.0	0.0		J	40.4	0.0	1.2	-18.2
0.0	0.0	INVSLE Max	I	179.1	0.0	-0.9	-4.8
0.0	0.0		J	179.1	0.0	0.9	-4.8
0.0	0.0	Min	I	31.9	0.0	-0.9	-13.6
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	31.9	0.0	0.9	-13.6	
0.0	0.0								
8601	2	72	C1-C2;~1	Max	I	86.2	0.2	0.0	3.8
3.2	601.0				J	86.2	0.2	0.0	3.8
0.0	0.0								
				Min	I	-34.9	-0.1	-0.0	-3.2
-3.0	-230.5				J	-34.9	-0.1	-0.0	-3.2
0.0	0.0								
				Max	I	86.7	0.2	0.0	4.4
2.5	547.7				J	86.7	0.2	0.0	4.4
0.0	0.0								
				Min	I	-18.0	-0.1	-0.0	-2.2
-2.1	-163.3				J	-18.0	-0.1	-0.0	-2.2
0.0	0.0								
				Max	I	50.3	0.1	0.0	2.1
2.1	399.8				J	50.3	0.1	0.0	2.1
0.0	0.0								
				Min	I	-20.6	-0.0	-0.0	-2.1
-1.8	-126.6				J	-20.6	-0.0	-0.0	-2.1
0.0	0.0								
				Max	I	51.1	0.1	0.0	2.4
1.6	369.1				J	51.1	0.1	0.0	2.4
0.0	0.0								
				Min	I	-8.4	-0.0	-0.0	-1.4
-1.1	-88.4				J	-8.4	-0.0	-0.0	-1.4
0.0	0.0								
				G1	I	47.7	-0.0	0.9	2.0
5200.1	-7.5				J	47.7	-0.0	2.5	2.0
0.0	0.0								
				G2	I	11.6	-0.0	-0.0	1.1
-0.8	-41.9				J	11.6	-0.0	-0.0	1.1
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-8.5	-0.0	-0.0	-0.2
-0.0	-18.4				J	-8.5	-0.0	-0.0	-0.2
0.0	0.0								
				Q5_pc Y	I	-20.1	-0.0	-0.0	0.1
-0.2	-14.1				J	-20.1	-0.0	-0.0	0.1
0.0	0.0								
				Q5_ps X	I	-7.3	-0.0	0.0	-0.3
0.1	-10.2								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-7.3	-0.0	0.0	-0.3
-0.3	-18.7	Q5_ps Y	I	-19.6	-0.0	-0.0	0.2
0.0	0.0		J	-19.6	-0.0	-0.0	0.2
7027.8	513.6	INVS LU Max	I	272.5	0.2	1.2	9.2
0.0	0.0		J	272.5	0.2	3.4	9.2
7019.0	-642.1	Min	I	72.1	-0.2	1.2	-1.5
0.0	0.0		J	72.1	-0.2	3.4	-1.5
5205.8	375.5	INVS LE Max	I	201.4	0.1	0.9	6.8
0.0	0.0		J	201.4	0.1	2.5	6.8
5199.3	-478.1	Min	I	55.6	-0.2	0.9	-1.1
0.0	0.0		J	55.6	-0.2	2.5	-1.1
8602	2	72 C1-C2;~1 Max	I	92.2	0.2	0.0	4.6
0.0	0.0		J	92.2	0.2	0.0	4.6
4.4	661.3	Min	I	-46.1	-0.2	-0.0	-2.8
0.0	0.0		J	-46.1	-0.2	-0.0	-2.8
-3.1	-570.2						
0.0	0.0	C3-C4;~1 Max	I	77.2	0.2	0.0	4.0
4.5	585.1		J	77.2	0.2	0.0	4.0
0.0	0.0	Min	I	-35.7	-0.2	-0.0	-1.7
-1.7	-504.5		J	-35.7	-0.2	-0.0	-1.7
0.0	0.0	C1-C2;~2 Max	I	55.5	0.1	0.0	2.7
2.6	430.6		J	55.5	0.1	0.0	2.7
0.0	0.0	Min	I	-27.0	-0.1	-0.0	-1.7
-2.0	-369.8		J	-27.0	-0.1	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	45.0	0.1	0.0	2.4
2.7	379.7		J	45.0	0.1	0.0	2.4
0.0	0.0	Min	I	-17.1	-0.1	-0.0	-0.8
-1.0	-325.1		J	-17.1	-0.1	-0.0	-0.8
0.0	0.0	G1	I	24.9	-0.0	-2.5	1.1
5419.1	54.3		J	24.9	-0.0	-0.8	1.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	-0.7	-0.0	-0.0	-0.2
0.6	28.0		J	-0.7	-0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.0	0.0	-0.0	0.3
0.1	-22.5		J	-8.0	0.0	-0.0	0.3
0.0	0.0	Q5_pc Y	I	-23.5	-0.0	0.0	-0.2
-0.0	24.4		J	-23.5	-0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-5.1	0.0	0.0	0.4
-0.0	-22.9		J	-5.1	0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	-23.9	-0.0	-0.0	-0.2
0.1	25.3		J	-23.9	-0.0	-0.0	-0.2
0.0	0.0	INVSLU Max	I	115.5	0.2	-3.4	11.5
7316.9	1070.6		J	115.5	0.2	-1.0	11.5
0.0	0.0	Min	I	-113.5	-0.3	-3.4	1.0
7306.5	-635.9		J	-113.5	-0.3	-1.0	1.0
0.0	0.0	INVSLE Max	I	85.7	0.1	-2.5	8.5
5419.8	792.1		J	85.7	0.1	-0.8	8.5
0.0	0.0	Min	I	-80.9	-0.2	-2.5	0.8
5412.2	-468.7		J	-80.9	-0.2	-0.8	0.8
8603	2	72 C1-C2;~1 Max	I	108.8	0.0	0.0	3.1
0.0	0.0		J	108.8	0.0	0.0	3.1
0.0	0.0	Min	I	-49.9	0.0	-0.0	-6.8
0.0	0.0		J	-49.9	-0.0	0.0	-6.8
0.0	0.0	C3-C4;~1 Max	I	97.2	0.0	0.0	1.0
0.0	0.0		J	97.2	0.0	0.0	1.0
0.0	0.0	Min	I	-28.8	0.0	-0.0	-7.2
0.0	0.0		J	-28.8	-0.0	0.0	-7.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	63.1	0.0	0.0	1.9
				J	63.1	0.0	0.0	1.9
0.0	0.0		Min	I	-28.2	0.0	-0.0	-4.2
0.0	0.0			J	-28.2	-0.0	0.0	-4.2
0.0	0.0	C3-C4;~2	Max	I	53.0	0.0	0.0	0.5
				J	53.0	0.0	0.0	0.5
0.0	0.0		Min	I	-13.1	0.0	-0.0	-4.5
0.0	0.0			J	-13.1	-0.0	0.0	-4.5
0.0	0.0	G1		I	44.2	0.0	-0.8	-0.8
				J	44.2	0.0	0.8	-0.8
0.0	0.0	G2		I	7.5	0.0	0.0	-0.4
				J	7.5	0.0	0.0	-0.4
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	19.6	0.0	0.0	-0.2
				J	19.6	0.0	0.0	-0.2
0.0	0.0	Q5_pc	Y	I	-0.8	0.0	-0.0	0.2
				J	-0.8	-0.0	0.0	0.2
0.0	0.0	Q5_ps	X	I	20.4	0.0	0.0	-0.2
				J	20.4	0.0	0.0	-0.2
0.0	0.0	Q5_ps	Y	I	-2.0	0.0	-0.0	0.2
				J	-2.0	-0.0	0.0	0.2
0.0	0.0	INVS LU	Max	I	350.8	0.0	-1.1	5.3
				J	350.8	0.0	1.1	5.3
0.0	0.0		Min	I	101.3	0.0	-1.1	-9.1
				J	101.3	-0.0	1.1	-9.1
0.0	0.0	INVS LE	Max	I	259.5	0.0	-0.8	3.9
				J	259.5	0.0	0.8	3.9

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	77.3	0.0	-0.8	-6.7
0.0	0.0			J	77.3	-0.0	0.8	-6.7
0.0	0.0							
8604	2	72	C1-C2;~1	Max	I	109.0	0.0	4.7
0.0	0.0			J	109.0	0.0	0.0	4.7
0.0	0.0		Min	I	-49.9	-0.0	0.0	-6.8
0.0	0.0			J	-49.9	0.0	-0.0	-6.8
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	97.3	0.0	5.0
0.0	0.0			J	97.3	0.0	0.0	5.0
0.0	0.0		Min	I	-28.8	-0.0	0.0	-4.3
0.0	0.0			J	-28.8	0.0	-0.0	-4.3
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	63.3	0.0	2.7
0.0	0.0			J	63.3	0.0	0.0	2.7
0.0	0.0		Min	I	-28.2	-0.0	0.0	-4.3
0.0	0.0			J	-28.2	0.0	-0.0	-4.3
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	53.1	0.0	2.7
0.0	0.0			J	53.1	0.0	0.0	2.7
0.0	0.0		Min	I	-13.1	-0.0	0.0	-2.4
0.0	0.0			J	-13.1	0.0	-0.0	-2.4
0.0	0.0							
0.0	0.0		G1	I	44.3	-0.0	-0.9	-0.7
0.0	0.0			J	44.3	0.0	0.9	-0.7
0.0	0.0							
0.0	0.0		G2	I	7.5	-0.0	0.0	0.8
0.0	0.0			J	7.5	0.0	-0.0	0.8
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	19.6	-0.0	-0.1
0.0	0.0			J	19.6	0.0	-0.0	-0.1
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	-0.8	0.0	0.2
0.0	0.0			J	-0.8	0.0	0.0	0.2
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_ps X	I	20.3	-0.0	0.0	-0.3
0.0	0.0		J	20.3	0.0	-0.0	-0.3
0.0	0.0	Q5_ps Y	I	-2.0	0.0	0.0	0.3
0.0	0.0		J	-2.0	0.0	0.0	0.3
0.0	0.0	INVS LU Max	I	351.2	0.0	-1.2	-2.0
0.0	0.0		J	351.2	0.0	1.2	-2.0
0.0	0.0	Min	I	101.5	-0.0	-1.2	-18.3
0.0	0.0		J	101.5	0.0	1.2	-18.3
0.0	0.0	INVS LE Max	I	259.8	0.0	-0.9	-1.7
0.0	0.0		J	259.8	0.0	0.9	-1.7
0.0	0.0	Min	I	77.4	-0.0	-0.9	-13.7
0.0	0.0		J	77.4	0.0	0.9	-13.7
8605	2	72 C1-C2;~1 Max	I	92.2	0.2	0.0	5.1
2.9	661.3		J	92.2	0.2	0.0	5.1
0.0	0.0	Min	I	-46.1	-0.2	-0.0	-2.4
-4.1	-570.2		J	-46.1	-0.2	-0.0	-2.4
0.0	0.0	C3-C4;~1 Max	I	77.2	0.2	0.0	4.3
1.6	585.1		J	77.2	0.2	0.0	4.3
0.0	0.0	Min	I	-35.7	-0.2	-0.0	-1.3
-4.2	-504.5		J	-35.7	-0.2	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	55.5	0.1	0.0	3.1
1.8	430.6		J	55.5	0.1	0.0	3.1
0.0	0.0	Min	I	-27.0	-0.1	-0.0	-1.4
-2.5	-369.8		J	-27.0	-0.1	-0.0	-1.4
0.0	0.0	C3-C4;~2 Max	I	45.0	0.1	0.0	2.6
0.9	379.7		J	45.0	0.1	0.0	2.6
0.0	0.0	Min	I	-17.1	-0.1	-0.0	-0.6
-2.5	-325.1		J	-17.1	-0.1	-0.0	-0.6
0.0	0.0	G1	I	24.9	0.0	0.9	1.1

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5419.0	54.3			J	24.9	0.0	2.6	1.1
0.0	0.0							
		G2		I	-0.6	0.0	-0.0	-0.0
-0.6	28.0			J	-0.6	0.0	-0.0	-0.0
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-8.0	-0.0	-0.0	0.3
-0.1	-22.5			J	-8.0	-0.0	-0.0	0.3
0.0	0.0							
		Q5_pc Y		I	-23.5	0.0	0.0	-0.2
0.0	24.4			J	-23.5	0.0	0.0	-0.2
0.0	0.0							
		Q5_ps X		I	-5.1	-0.0	0.0	0.4
0.0	-22.9			J	-5.1	-0.0	0.0	0.4
0.0	0.0							
		Q5_ps Y		I	-23.9	0.0	-0.0	-0.2
-0.1	25.3			J	-23.9	0.0	-0.0	-0.2
0.0	0.0							
		INVSLE Max		I	115.5	0.3	1.3	10.9
7324.4	1070.6			J	115.5	0.3	3.5	10.9
0.0	0.0							
		Min		I	-113.5	-0.2	1.3	0.2
7314.6	-635.9			J	-113.5	-0.2	3.5	0.2
0.0	0.0							
		INVSLE Max		I	85.7	0.3	0.9	8.1
5425.5	792.1			J	85.7	0.3	2.6	8.1
0.0	0.0							
		Min		I	-80.9	-0.2	0.9	0.2
5418.4	-468.7			J	-80.9	-0.2	2.6	0.2
0.0	0.0							
		72 C1-C2;~1 Max		I	76.1	0.2	0.0	4.4
8606	2			J	76.1	0.2	0.0	4.4
0.0	0.0							
		Min		I	-56.1	-0.2	-0.0	-3.5
4.6	494.4			J	-56.1	-0.2	-0.0	-3.5
0.0	0.0							
		C3-C4;~1 Max		I	51.5	0.2	0.0	3.3
-2.6	-532.2			J	51.5	0.2	0.0	3.3
0.0	0.0							
		Min		I	-51.4	-0.1	-0.0	-1.8
5.1	415.5							

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-51.4	-0.1	-0.0	-1.8
-1.7	-502.5							
		C1-C2;~2	Max	I	46.2	0.1	0.0	2.6
0.0	0.0			J	46.2	0.1	0.0	2.6
2.8	328.9		Min	I	-32.0	-0.1	-0.0	-2.0
0.0	0.0			J	-32.0	-0.1	-0.0	-2.0
-1.5	-357.0							
		C3-C4;~2	Max	I	28.5	0.1	0.0	1.8
0.0	0.0			J	28.5	0.1	0.0	1.8
3.0	271.0		Min	I	-25.8	-0.1	-0.0	-0.9
0.0	0.0			J	-25.8	-0.1	-0.0	-0.9
-0.9	-328.6							
		G1		I	-7.6	-0.0	-2.5	0.7
0.0	0.0			J	-7.6	-0.0	-0.8	0.7
5422.0	8.6							
		G2		I	-12.1	-0.0	-0.0	-0.3
0.0	0.0			J	-12.1	-0.0	-0.0	-0.3
0.7	0.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-5.9	-0.0	0.0	0.2
0.0	0.0			J	-5.9	-0.0	0.0	0.2
-0.1	13.7							
		Q5_pc	Y	I	-20.4	-0.0	0.0	-0.3
0.0	0.0			J	-20.4	-0.0	0.0	-0.3
-0.0	46.3							
		Q5_ps	X	I	-3.3	-0.0	0.0	0.3
0.0	0.0			J	-3.3	-0.0	0.0	0.3
-0.2	15.5							
		Q5_ps	Y	I	-20.6	-0.0	-0.0	-0.4
0.0	0.0			J	-20.6	-0.0	-0.0	-0.4
0.0	44.3							
		INVSLU	Max	I	-46.6	0.2	-3.4	11.7
0.0	0.0			J	-46.6	0.2	-1.0	11.7
7321.9	838.2		Min	I	-261.7	-0.3	-3.4	0.5
0.0	0.0			J	-261.7	-0.3	-1.0	0.5
7311.5	-631.0							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	-35.9	0.1	-2.5	9.0
0.0	0.0			J	-35.9	0.1	-0.8	9.0
5423.3	611.7		Min	I	-192.5	-0.2	-2.5	0.7
0.0	0.0			J	-192.5	-0.2	-0.8	0.7
5415.6	-470.5							
8607	2	72	C1-C2;~1 Max	I	77.1	0.0	0.0	3.1
0.0	0.0			J	77.1	0.0	0.0	3.1
0.0	0.0		Min	I	-64.8	-0.0	0.0	-6.2
0.0	0.0			J	-64.8	-0.0	-0.0	-6.2
0.0	0.0							
			C3-C4;~1 Max	I	65.2	0.0	0.0	1.6
0.0	0.0			J	65.2	0.0	0.0	1.6
0.0	0.0		Min	I	-33.6	-0.0	0.0	-6.7
0.0	0.0			J	-33.6	-0.0	-0.0	-6.7
0.0	0.0							
			C1-C2;~2 Max	I	45.0	0.0	0.0	1.9
0.0	0.0			J	45.0	0.0	0.0	1.9
0.0	0.0		Min	I	-37.8	-0.0	0.0	-3.9
0.0	0.0			J	-37.8	-0.0	-0.0	-3.9
0.0	0.0							
			C3-C4;~2 Max	I	34.5	0.0	0.0	0.8
0.0	0.0			J	34.5	0.0	0.0	0.8
0.0	0.0		Min	I	-17.1	-0.0	0.0	-4.2
0.0	0.0			J	-17.1	-0.0	-0.0	-4.2
0.0	0.0							
			G1	I	8.2	0.0	-0.8	-0.0
0.0	0.0			J	8.2	-0.0	0.8	-0.0
0.0	0.0							
			G2	I	-5.4	0.0	0.0	-0.2
0.0	0.0			J	-5.4	-0.0	0.0	-0.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	15.8	0.0	0.0	-0.1
0.0	0.0			J	15.8	-0.0	0.0	-0.1
0.0	0.0							
			Q5_pc Y	I	-3.4	-0.0	0.0	0.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-3.4	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	16.8	0.0	0.0	-0.1
0.0	0.0		J	16.8	-0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-4.1	-0.0	0.0	0.1
0.0	0.0		J	-4.1	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	INVS LU Max	I	303.6	0.0	-1.1	5.3
0.0	0.0		J	303.6	0.0	1.1	5.3
0.0	0.0	Min	I	83.6	-0.0	-1.1	-8.0
0.0	0.0		J	83.6	-0.0	1.1	-8.0
0.0	0.0						
0.0	0.0	INVS LE Max	I	223.5	0.0	-0.8	3.9
0.0	0.0		J	223.5	0.0	0.8	3.9
0.0	0.0	Min	I	62.6	-0.0	-0.8	-5.9
0.0	0.0		J	62.6	-0.0	0.8	-5.9
0.0	0.0						
8608	2	72 C1-C2;~1 Max	I	77.3	0.0	0.0	5.7
0.0	0.0		J	77.3	0.0	0.0	5.7
0.0	0.0	Min	I	-64.7	-0.0	0.0	-5.7
0.0	0.0		J	-64.7	-0.0	0.0	-5.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	65.2	0.0	0.0	5.5
0.0	0.0		J	65.2	0.0	0.0	5.5
0.0	0.0	Min	I	-33.6	-0.0	0.0	-3.9
0.0	0.0		J	-33.6	-0.0	0.0	-3.9
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	45.1	0.0	0.0	3.2
0.0	0.0		J	45.1	0.0	0.0	3.2
0.0	0.0	Min	I	-37.7	-0.0	0.0	-3.4
0.0	0.0		J	-37.7	-0.0	0.0	-3.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	34.4	0.0	0.0	2.8
0.0	0.0		J	34.4	0.0	0.0	2.8
0.0	0.0	Min	I	-17.1	-0.0	0.0	-2.0
0.0	0.0		J	-17.1	-0.0	0.0	-2.0

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G1	I	8.2	-0.0	-0.9	0.3
0.0	0.0		J	8.2	0.0	0.9	0.3
0.0	0.0						
		G2	I	-5.4	-0.0	0.0	1.2
0.0	0.0		J	-5.4	0.0	0.0	1.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	15.8	-0.0	0.0	-0.2
0.0	0.0		J	15.8	0.0	0.0	-0.2
0.0	0.0						
		Q5_pc Y	I	-3.4	0.0	0.0	0.1
0.0	0.0		J	-3.4	-0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	16.8	-0.0	0.0	-0.4
0.0	0.0		J	16.8	0.0	0.0	-0.4
0.0	0.0						
		Q5_ps Y	I	-4.1	0.0	0.0	0.2
0.0	0.0		J	-4.1	-0.0	0.0	0.2
0.0	0.0						
		INVSLE Max	I	304.0	0.0	-1.2	0.3
0.0	0.0		J	304.0	0.0	1.2	0.3
0.0	0.0						
		Min	I	83.7	-0.0	-1.2	-15.5
0.0	0.0		J	83.7	-0.0	1.2	-15.5
0.0	0.0						
		INVSLE Max	I	223.7	0.0	-0.9	-0.4
0.0	0.0		J	223.7	0.0	0.9	-0.4
0.0	0.0						
		Min	I	62.7	-0.0	-0.9	-12.1
0.0	0.0		J	62.7	-0.0	0.9	-12.1
0.0	0.0						
8609	2	72 C1-C2;~1 Max	I	76.1	0.2	0.0	4.9
2.4	494.4		J	76.1	0.2	0.0	4.9
0.0	0.0						
		Min	I	-56.1	-0.2	-0.0	-3.0
-4.3	-532.2		J	-56.1	-0.2	-0.0	-3.0
0.0	0.0						
		C3-C4;~1 Max	I	51.5	0.1	0.0	3.8
1.6	415.5						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	51.5	0.1	0.0	3.8
0.0	0.0							
			Min	I	-51.4	-0.2	-0.0	-1.7
-4.8	-502.5							
				J	-51.4	-0.2	-0.0	-1.7
0.0	0.0							
			C1-C2;~2 Max	I	46.2	0.1	0.0	2.9
1.5	328.9							
				J	46.2	0.1	0.0	2.9
0.0	0.0							
			Min	I	-32.0	-0.1	-0.0	-1.7
-2.6	-357.0							
				J	-32.0	-0.1	-0.0	-1.7
0.0	0.0							
			C3-C4;~2 Max	I	28.5	0.1	0.0	2.0
0.8	271.0							
				J	28.5	0.1	0.0	2.0
0.0	0.0							
			Min	I	-25.8	-0.1	-0.0	-0.8
-2.8	-328.6							
				J	-25.8	-0.1	-0.0	-0.8
0.0	0.0							
			G1	I	-7.6	0.0	0.9	0.7
5421.7	8.6							
				J	-7.6	0.0	2.6	0.7
0.0	0.0							
			G2	I	-12.1	0.0	-0.0	-0.1
-0.6	0.3							
				J	-12.1	0.0	-0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-5.9	0.0	0.0	0.2
0.1	13.7							
				J	-5.9	0.0	0.0	0.2
0.0	0.0							
			Q5_pc Y	I	-20.3	0.0	0.0	-0.3
0.0	46.3							
				J	-20.3	0.0	0.0	-0.3
0.0	0.0							
			Q5_ps X	I	-3.3	0.0	0.0	0.2
0.2	15.5							
				J	-3.3	0.0	0.0	0.2
0.0	0.0							
			Q5_ps Y	I	-20.6	0.0	-0.0	-0.4
-0.0	44.3							
				J	-20.6	0.0	-0.0	-0.4
0.0	0.0							
			INVSLU Max	I	-46.7	0.3	1.3	11.2
7327.0	838.2							
				J	-46.7	0.3	3.5	11.2
0.0	0.0							
			Min	I	-261.7	-0.2	1.3	0.0
7317.2	-631.0							

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-261.7	-0.2	3.5	0.0
5427.7	611.7	INVSLE Max	I	-35.9	0.2	0.9	8.5
0.0	0.0		J	-35.9	0.2	2.6	8.5
5420.4	-470.5	Min	I	-192.5	-0.2	0.9	0.3
0.0	0.0		J	-192.5	-0.2	2.6	0.3
8610	2	72 C1-C2;~1 Max	I	67.2	0.1	0.0	3.9
0.0	0.0		J	67.2	0.1	0.0	3.9
4.1	306.4	Min	I	-34.8	-0.1	-0.0	-3.1
0.0	0.0		J	-34.8	-0.1	-0.0	-3.1
-1.8	-375.8						
0.0	0.0	C3-C4;~1 Max	I	50.6	0.1	0.0	2.7
4.6	252.5		J	50.6	0.1	0.0	2.7
0.0	0.0	Min	I	-22.9	-0.1	-0.0	-2.3
-1.5	-356.3		J	-22.9	-0.1	-0.0	-2.3
0.0	0.0	C1-C2;~2 Max	I	43.5	0.1	0.0	2.4
2.4	202.1		J	43.5	0.1	0.0	2.4
0.0	0.0	Min	I	-19.5	-0.1	-0.0	-1.7
-1.0	-253.3		J	-19.5	-0.1	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	32.0	0.1	0.0	1.5
2.7	162.5		J	32.0	0.1	0.0	1.5
0.0	0.0	Min	I	-10.7	-0.0	-0.0	-1.2
-0.7	-233.2		J	-10.7	-0.0	-0.0	-1.2
0.0	0.0	G1	I	-7.8	0.0	-2.5	-0.5
5424.4	-2.6		J	-7.8	0.0	-0.8	-0.5
0.0	0.0	G2	I	-12.4	0.0	-0.0	-0.8
0.6	-6.8		J	-12.4	0.0	-0.0	-0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.2	-0.0	0.0	0.1
0.0	0.0		J	0.2	-0.0	0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	21.0							
		Q5_pc	Y	I	-11.1	-0.0	-0.0	-0.1
0.0	0.0			J	-11.1	-0.0	-0.0	-0.1
0.0	38.3							
		Q5_ps	X	I	2.6	-0.0	0.0	0.3
0.0	0.0			J	2.6	-0.0	0.0	0.3
-0.1	22.2							
		Q5_ps	Y	I	-11.7	-0.0	-0.0	-0.1
0.0	0.0			J	-11.7	-0.0	-0.0	-0.1
0.1	36.5							
		INVS LU	Max	I	-223.2	0.2	-3.4	7.7
0.0	0.0			J	-223.2	0.2	-1.0	7.7
7327.1	397.5		Min	I	-380.9	-0.1	-3.4	-2.0
0.0	0.0			J	-380.9	-0.1	-1.0	-2.0
7318.3	-592.4							
		INVS LE	Max	I	-177.4	0.1	-2.5	6.1
0.0	0.0			J	-177.4	0.1	-0.8	6.1
5427.2	273.4		Min	I	-292.7	-0.1	-2.5	-1.1
0.0	0.0			J	-292.7	-0.1	-0.8	-1.1
5420.7	-454.7							
8611	2	72 C1-C2;~1	Max	I	64.0	0.0	0.0	2.4
0.0	0.0			J	64.0	0.0	0.0	2.4
0.0	0.0		Min	I	-50.5	0.0	0.0	-5.1
0.0	0.0			J	-50.5	0.0	0.0	-5.1
0.0	0.0							
		C3-C4;~1	Max	I	54.5	0.0	0.0	1.6
0.0	0.0			J	54.5	0.0	0.0	1.6
0.0	0.0		Min	I	-34.5	0.0	0.0	-5.9
0.0	0.0			J	-34.5	0.0	0.0	-5.9
0.0	0.0							
		C1-C2;~2	Max	I	38.9	0.0	0.0	1.4
0.0	0.0			J	38.9	0.0	0.0	1.4
0.0	0.0		Min	I	-29.2	0.0	0.0	-3.2
0.0	0.0			J	-29.2	0.0	0.0	-3.2
0.0	0.0							
		C3-C4;~2	Max	I	33.2	0.0	0.0	0.8
0.0	0.0			J	33.2	0.0	0.0	0.8
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Min	I	-16.3	0.0	0.0	-3.8
0.0	0.0		J	-16.3	0.0	0.0	-3.8
0.0	0.0	G1	I	-11.2	0.0	-0.8	0.9
0.0	0.0		J	-11.2	0.0	0.8	0.9
0.0	0.0	G2	I	-13.7	0.0	0.0	0.2
0.0	0.0		J	-13.7	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.7	0.0	0.0	-0.3
0.0	0.0		J	9.7	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-1.7	0.0	0.0	-0.3
0.0	0.0		J	-1.7	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	11.6	0.0	0.0	-0.3
0.0	0.0		J	11.6	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	-2.5	0.0	0.0	-0.2
0.0	0.0		J	-2.5	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	110.3	0.0	-1.1	4.4
0.0	0.0		J	110.3	0.0	1.1	4.4
0.0	0.0	Min	I	-61.8	0.0	-1.1	-7.3
0.0	0.0		J	-61.8	0.0	1.1	-7.3
0.0	0.0	INVSLE Max	I	70.2	0.0	-0.8	3.1
0.0	0.0		J	70.2	0.0	0.8	3.1
0.0	0.0	Min	I	-55.9	0.0	-0.8	-5.5
0.0	0.0		J	-55.9	0.0	0.8	-5.5
8612	2	72 C1-C2;~1 Max	I	64.1	0.0	0.0	5.3
0.0	0.0		J	64.1	0.0	0.0	5.3
0.0	0.0	Min	I	-50.4	0.0	0.0	-4.4
0.0	0.0		J	-50.4	-0.0	0.0	-4.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1 Max	I	54.4	0.0	0.0	4.6
			J	54.4	0.0	0.0	4.6
0.0	0.0	Min	I	-34.5	0.0	0.0	-2.8
0.0	0.0		J	-34.5	-0.0	0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	39.0	0.0	0.0	3.0
			J	39.0	0.0	0.0	3.0
0.0	0.0	Min	I	-29.1	0.0	0.0	-2.6
0.0	0.0		J	-29.1	-0.0	0.0	-2.6
0.0	0.0	C3-C4;~2 Max	I	33.1	0.0	0.0	2.5
			J	33.1	0.0	0.0	2.5
0.0	0.0	Min	I	-16.3	0.0	0.0	-1.4
0.0	0.0		J	-16.3	-0.0	0.0	-1.4
0.0	0.0	G1	I	-11.2	0.0	-0.9	0.8
			J	-11.2	-0.0	0.9	0.8
0.0	0.0	G2	I	-13.7	0.0	0.0	1.4
			J	-13.7	-0.0	0.0	1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.7	0.0	0.0	-0.3
			J	9.7	-0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-1.7	0.0	0.0	-0.2
			J	-1.7	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	11.6	0.0	0.0	-0.5
			J	11.6	-0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	-2.4	0.0	0.0	-0.1
			J	-2.4	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	110.4	0.0	-1.2	4.1
			J	110.4	0.0	1.2	4.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	-61.8	0.0	-1.2	-9.6
0.0	0.0			J	-61.8	-0.0	1.2	-9.6
0.0	0.0		INVSLE Max	I	70.3	0.0	-0.9	2.4
0.0	0.0			J	70.3	0.0	0.9	2.4
0.0	0.0		Min	I	-55.9	0.0	-0.9	-7.7
0.0	0.0			J	-55.9	-0.0	0.9	-7.7
0.0	0.0							
8613	2	72	C1-C2;~1 Max	I	67.2	0.1	0.0	4.0
1.7	306.4			J	67.2	0.1	0.0	4.0
0.0	0.0		Min	I	-34.8	-0.1	-0.0	-2.4
-3.9	-375.8			J	-34.8	-0.1	-0.0	-2.4
0.0	0.0							
			C3-C4;~1 Max	I	50.6	0.1	0.0	3.1
1.4	252.5			J	50.6	0.1	0.0	3.1
0.0	0.0		Min	I	-22.9	-0.1	-0.0	-1.8
-4.3	-356.3			J	-22.9	-0.1	-0.0	-1.8
0.0	0.0							
			C1-C2;~2 Max	I	43.5	0.1	0.0	2.6
0.9	202.1			J	43.5	0.1	0.0	2.6
0.0	0.0		Min	I	-19.5	-0.1	-0.0	-1.4
-2.2	-253.3			J	-19.5	-0.1	-0.0	-1.4
0.0	0.0							
			C3-C4;~2 Max	I	32.0	0.1	0.0	1.9
0.7	162.5			J	32.0	0.1	0.0	1.9
0.0	0.0		Min	I	-10.7	-0.1	-0.0	-0.9
-2.5	-233.2			J	-10.7	-0.1	-0.0	-0.9
0.0	0.0							
			G1	I	-7.8	-0.0	0.9	-0.6
5424.5	-2.6			J	-7.8	-0.0	2.6	-0.6
0.0	0.0							
			G2	I	-12.4	-0.0	-0.0	-0.6
-0.6	-6.8			J	-12.4	-0.0	-0.0	-0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	21.0	Q5_pc X	I	0.3	0.0	0.0	0.1
			J	0.3	0.0	0.0	0.1
0.0	0.0						
-0.0	38.3	Q5_pc Y	I	-11.1	0.0	-0.0	-0.1
			J	-11.1	0.0	-0.0	-0.1
0.0	0.0						
0.1	22.2	Q5_ps X	I	2.6	0.0	0.0	0.2
			J	2.6	0.0	0.0	0.2
0.0	0.0						
-0.1	36.5	Q5_ps Y	I	-11.7	0.0	-0.0	-0.1
			J	-11.7	0.0	-0.0	-0.1
0.0	0.0						
7327.5	397.5	INVS LU Max	I	-223.3	0.1	1.3	7.3
			J	-223.3	0.1	3.5	7.3
0.0	0.0						
7319.3	-592.4	Min	I	-380.9	-0.2	1.3	-1.7
			J	-380.9	-0.2	3.5	-1.7
0.0	0.0						
5428.0	273.4	INVS LE Max	I	-177.4	0.1	0.9	5.7
			J	-177.4	0.1	2.6	5.7
0.0	0.0						
5421.9	-454.7	Min	I	-292.7	-0.1	0.9	-0.9
			J	-292.7	-0.1	2.6	-0.9
0.0	0.0						
8614	2	72 C1-C2;~1 Max	I	61.6	0.1	0.0	3.0
0.0	0.0		J	61.6	0.1	0.0	3.0
3.7	281.1						
		Min	I	-28.2	-0.1	-0.0	-3.6
0.0	0.0		J	-28.2	-0.1	-0.0	-3.6
-1.6	-284.2						
		C3-C4;~1 Max	I	53.1	0.1	0.0	2.0
0.0	0.0		J	53.1	0.1	0.0	2.0
4.0	233.1						
		Min	I	-17.4	-0.1	-0.0	-2.9
0.0	0.0		J	-17.4	-0.1	-0.0	-2.9
-1.3	-245.5						
		C1-C2;~2 Max	I	38.9	0.1	0.0	1.7
0.0	0.0		J	38.9	0.1	0.0	1.7
2.1	186.2						
		Min	I	-15.6	-0.1	-0.0	-2.1
0.0	0.0		J	-15.6	-0.1	-0.0	-2.1
-0.9	-188.4						
		C3-C4;~2 Max	I	34.0	0.0	0.0	1.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	34.0	0.0	1.0
2.3	152.1		Min	I	-7.3	-0.0	-1.5
0.0	0.0			J	-7.3	-0.0	-1.5
-0.6	-161.1						
			G1	I	-2.8	0.0	-1.3
0.0	0.0			J	-2.8	0.0	-1.3
5426.8	-5.5						
			G2	I	-10.6	0.0	-1.1
0.0	0.0			J	-10.6	0.0	-1.1
0.6	-2.2						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	2.3	-0.0	0.2
0.0	0.0			J	2.3	-0.0	0.2
-0.1	25.3						
			Q5_pc Y	I	-9.8	-0.0	0.1
0.0	0.0			J	-9.8	-0.0	0.1
-0.2	42.6						
			Q5_ps X	I	4.6	-0.0	0.3
0.0	0.0			J	4.6	-0.0	0.3
-0.2	24.7						
			Q5_ps Y	I	-10.1	-0.0	0.0
0.0	0.0			J	-10.1	-0.0	0.0
-0.2	41.1						
			INVSLE Max	I	-268.8	0.1	5.9
0.0	0.0			J	-268.8	0.1	5.9
7332.8	624.5		Min	I	-407.6	-0.2	-3.5
0.0	0.0			J	-407.6	-0.2	-3.5
7324.9	-215.3						
			INVSLE Max	I	-215.9	0.0	5.0
0.0	0.0			J	-215.9	0.0	5.0
5431.6	470.7						
			Min	I	-317.5	-0.1	-1.9
0.0	0.0			J	-317.5	-0.1	-1.9
5425.8	-145.7						
			72 C1-C2;~1 Max	I	59.4	0.0	2.3
8615	2			J	59.4	0.0	2.3
0.0	0.0						
0.0	0.0		Min	I	-35.7	0.0	-3.6

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		J	-35.7	0.0	0.0	-3.6
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	50.4	0.0	0.0	1.8
0.0	0.0		J	50.4	0.0	0.0	1.8
0.0	0.0	Min	I	-29.9	0.0	0.0	-4.1
0.0	0.0		J	-29.9	0.0	0.0	-4.1
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	36.8	0.0	0.0	1.3
0.0	0.0		J	36.8	0.0	0.0	1.3
0.0	0.0	Min	I	-20.1	0.0	0.0	-2.2
0.0	0.0		J	-20.1	0.0	0.0	-2.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	31.2	0.0	0.0	0.9
0.0	0.0		J	31.2	0.0	0.0	0.9
0.0	0.0	Min	I	-14.0	0.0	0.0	-2.5
0.0	0.0		J	-14.0	0.0	0.0	-2.5
0.0	0.0						
0.0	0.0	G1	I	-9.8	0.0	-0.8	1.7
0.0	0.0		J	-9.8	0.0	0.8	1.7
0.0	0.0						
0.0	0.0	G2	I	-13.4	0.0	0.0	0.5
0.0	0.0		J	-13.4	0.0	0.0	0.5
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	7.5	0.0	0.0	-0.1
0.0	0.0		J	7.5	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	9.7	0.0	0.0	-0.2
0.0	0.0		J	9.7	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-0.8	0.0	0.0	0.0
0.0	0.0		J	-0.8	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	INVSLE Max	I	-39.3	0.0	-1.1	0.6	
			J	-39.3	0.0	1.1	0.6	
0.0	0.0	Min	I	-181.2	0.0	-1.1	-8.2	
			J	-181.2	0.0	1.1	-8.2	
0.0	0.0	INVSLE Max	I	-45.6	0.0	-0.8	-0.0	
			J	-45.6	0.0	0.8	-0.0	
0.0	0.0	Min	I	-149.7	0.0	-0.8	-6.6	
			J	-149.7	0.0	0.8	-6.6	
8616	2	72 C1-C2;~1 Max	I	59.5	0.0	0.0	6.0	
0.0	0.0		J	59.5	0.0	0.0	6.0	
0.0	0.0	Min	I	-35.7	0.0	-0.0	-4.0	
			J	-35.7	0.0	0.0	-4.0	
0.0	0.0	C3-C4;~1 Max	I	50.4	0.0	0.0	5.1	
			J	50.4	0.0	0.0	5.1	
0.0	0.0	Min	I	-29.9	0.0	-0.0	-2.6	
			J	-29.9	0.0	0.0	-2.6	
0.0	0.0	C1-C2;~2 Max	I	36.8	0.0	0.0	3.3	
			J	36.8	0.0	0.0	3.3	
0.0	0.0	Min	I	-20.1	0.0	-0.0	-2.3	
			J	-20.1	0.0	0.0	-2.3	
0.0	0.0	C3-C4;~2 Max	I	31.2	0.0	0.0	2.8	
			J	31.2	0.0	0.0	2.8	
0.0	0.0	Min	I	-14.0	0.0	-0.0	-1.3	
			J	-14.0	0.0	0.0	-1.3	
0.0	0.0	G1	I	-9.9	0.0	-0.9	1.4	
			J	-9.9	0.0	0.9	1.4	
0.0	0.0	G2	I	-13.4	0.0	-0.0	1.7	
			J	-13.4	0.0	0.0	1.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	7.5	0.0	-0.0	-0.3
0.0	0.0		J	7.5	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-0.2	0.0	0.0	-0.4
0.0	0.0		J	-0.2	0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	9.8	0.0	-0.0	-0.6
0.0	0.0		J	9.8	0.0	0.0	-0.6
0.0	0.0	Q5_ps Y	I	-0.8	0.0	0.0	-0.3
0.0	0.0		J	-0.8	0.0	0.0	-0.3
0.0	0.0	INVSLE Max	I	-39.0	0.0	-1.2	7.6
0.0	0.0		J	-39.0	0.0	1.2	7.6
0.0	0.0	Min	I	-181.1	0.0	-1.2	-6.5
0.0	0.0		J	-181.1	0.0	1.2	-6.5
0.0	0.0	INVSLE Max	I	-45.4	0.0	-0.9	4.9
0.0	0.0		J	-45.4	0.0	0.9	4.9
0.0	0.0	Min	I	-149.6	0.0	-0.9	-5.5
0.0	0.0		J	-149.6	0.0	0.9	-5.5
8617	2	72 C1-C2;~1 Max	I	61.6	0.1	0.0	3.1
1.5	281.1		J	61.6	0.1	0.0	3.1
0.0	0.0	Min	I	-28.2	-0.1	-0.0	-2.9
-3.4	-284.2		J	-28.2	-0.1	-0.0	-2.9
0.0	0.0	C3-C4;~1 Max	I	53.1	0.1	0.0	2.3
1.2	233.1		J	53.1	0.1	0.0	2.3
0.0	0.0	Min	I	-17.4	-0.1	-0.0	-2.4
-3.7	-245.5		J	-17.4	-0.1	-0.0	-2.4
0.0	0.0	C1-C2;~2 Max	I	38.9	0.1	0.0	1.8
0.8	186.2		J	38.9	0.1	0.0	1.8
0.0	0.0	Min	I	-15.6	-0.1	-0.0	-1.6
-2.0	-188.4		J	-15.6	-0.1	-0.0	-1.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2	Max	I	34.0	0.0	1.3
0.6	152.1			J	34.0	0.0	1.3
0.0	0.0						
			Min	I	-7.3	-0.1	-1.2
-2.2	-161.1			J	-7.3	-0.1	-1.2
0.0	0.0						
			G1	I	-2.8	-0.0	-1.3
5427.0	-5.5			J	-2.8	-0.0	-1.3
0.0	0.0						
			G2	I	-10.6	-0.0	-0.9
-0.5	-2.2			J	-10.6	-0.0	-0.9
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	2.4	0.0	0.2
0.1	25.3			J	2.4	0.0	0.2
0.0	0.0						
			Q5_pc Y	I	-9.8	0.0	0.0
0.2	42.6			J	-9.8	0.0	0.0
0.0	0.0						
			Q5_ps X	I	4.6	0.0	0.3
0.2	24.7			J	4.6	0.0	0.3
0.0	0.0						
			Q5_ps Y	I	-10.1	0.0	-0.0
0.2	41.1			J	-10.1	0.0	-0.0
0.0	0.0						
			INVS LU Max	I	-268.8	0.2	6.2
7327.6	624.5			J	-268.8	0.2	6.2
0.0	0.0						
			Min	I	-407.6	-0.1	-2.3
7320.2	-215.3			J	-407.6	-0.1	-2.3
0.0	0.0						
			INVS LE Max	I	-215.9	0.2	5.2
5428.0	470.7			J	-215.9	0.2	5.2
0.0	0.0						
			Min	I	-317.5	-0.0	-1.1
5422.5	-145.7			J	-317.5	-0.0	-1.1
0.0	0.0						
			72 C1-C2;~1 Max	I	57.6	0.1	2.8
8618	2						
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	57.6	0.1	0.0	2.8
3.4	285.3		Min	I	-28.9	-0.1	-0.0	-4.0
0.0	0.0			J	-28.9	-0.1	-0.0	-4.0
-1.7	-265.1							
		C3-C4;~1	Max	I	49.4	0.1	0.0	1.9
0.0	0.0			J	49.4	0.1	0.0	1.9
3.7	238.4		Min	I	-19.0	-0.1	-0.0	-3.2
0.0	0.0			J	-19.0	-0.1	-0.0	-3.2
-1.4	-233.6							
		C1-C2;~2	Max	I	36.5	0.1	0.0	1.6
0.0	0.0			J	36.5	0.1	0.0	1.6
2.0	189.9		Min	I	-16.3	-0.1	-0.0	-2.2
0.0	0.0			J	-16.3	-0.1	-0.0	-2.2
-1.0	-175.0							
		C3-C4;~2	Max	I	31.6	0.0	0.0	0.9
0.0	0.0			J	31.6	0.0	0.0	0.9
2.1	155.9		Min	I	-8.4	-0.0	-0.0	-1.6
0.0	0.0			J	-8.4	-0.0	-0.0	-1.6
-0.7	-146.4							
			G1	I	-6.1	0.0	-2.5	-1.7
0.0	0.0			J	-6.1	0.0	-0.8	-1.7
5428.6	-2.7							
			G2	I	-11.6	0.0	-0.0	-1.2
0.0	0.0			J	-11.6	0.0	-0.0	-1.2
0.5	-3.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.0	-0.0	0.0	0.2
0.0	0.0			J	4.0	-0.0	0.0	0.2
-0.1	30.8							
			Q5_pc Y	I	-7.8	-0.0	0.0	0.2
0.0	0.0			J	-7.8	-0.0	0.0	0.2
-0.3	48.8							
			Q5_ps X	I	6.3	-0.0	0.0	0.4
0.0	0.0			J	6.3	-0.0	0.0	0.4
-0.2	30.5							
			Q5_ps Y	I	-8.0	-0.0	0.0	0.2
0.0	0.0							

MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.2	46.9		J	-8.0	-0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	-218.0	0.1	-3.4	4.4
7335.8	477.2		J	-218.0	0.1	-1.0	4.4
0.0	0.0	Min	I	-348.8	-0.1	-3.4	-5.1
7328.1	-353.7		J	-348.8	-0.1	-1.0	-5.1
0.0	0.0	INVS LE Max	I	-177.6	0.1	-2.5	3.9
5433.9	354.4		J	-177.6	0.1	-0.8	3.9
0.0	0.0	Min	I	-273.5	-0.1	-2.5	-3.1
5428.2	-254.5		J	-273.5	-0.1	-0.8	-3.1
8619	2	72 C1-C2;~1 Max	I	57.8	0.0	0.0	2.4
0.0	0.0		J	57.8	0.0	0.0	2.4
0.0	0.0	Min	I	-33.0	-0.0	0.0	-3.1
0.0	0.0		J	-33.0	0.0	0.0	-3.1
0.0	0.0	C3-C4;~1 Max	I	49.0	0.0	0.0	2.2
0.0	0.0		J	49.0	0.0	0.0	2.2
0.0	0.0	Min	I	-26.3	-0.0	0.0	-3.7
0.0	0.0		J	-26.3	0.0	0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	36.0	0.0	0.0	1.4
0.0	0.0		J	36.0	0.0	0.0	1.4
0.0	0.0	Min	I	-18.6	-0.0	0.0	-1.9
0.0	0.0		J	-18.6	0.0	0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	30.5	0.0	0.0	1.1
0.0	0.0		J	30.5	0.0	0.0	1.1
0.0	0.0	Min	I	-12.2	-0.0	0.0	-2.3
0.0	0.0		J	-12.2	0.0	0.0	-2.3
0.0	0.0	G1	I	-8.9	0.0	-0.8	2.3
0.0	0.0		J	-8.9	0.0	0.8	2.3
0.0	0.0	G2	I	-12.7	0.0	0.0	0.8
0.0	0.0		J	-12.7	0.0	0.0	0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.9	0.0	0.0	-0.1
0.0	0.0		J	5.9	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-1.3	-0.0	0.0	0.0
0.0	0.0		J	-1.3	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	8.2	0.0	0.0	-0.1
0.0	0.0		J	8.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	-1.6	-0.0	0.0	0.0
0.0	0.0		J	-1.6	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	-137.0	0.0	-1.1	1.4
0.0	0.0		J	-137.0	0.0	1.1	1.4
0.0	0.0	Min	I	-270.2	-0.0	-1.1	-7.1
0.0	0.0		J	-270.2	0.0	1.1	-7.1
0.0	0.0	INVS LE Max	I	-117.5	0.0	-0.8	0.4
0.0	0.0		J	-117.5	0.0	0.8	0.4
0.0	0.0	Min	I	-215.4	-0.0	-0.8	-5.8
0.0	0.0		J	-215.4	0.0	0.8	-5.8
8620	2	72 C1-C2;~1 Max	I	57.9	0.0	0.0	6.0
0.0	0.0		J	57.9	0.0	0.0	6.0
0.0	0.0	Min	I	-33.0	-0.0	-0.0	-4.0
0.0	0.0		J	-33.0	-0.0	-0.0	-4.0
0.0	0.0	C3-C4;~1 Max	I	48.9	0.0	0.0	5.1
0.0	0.0		J	48.9	0.0	0.0	5.1
0.0	0.0	Min	I	-26.3	-0.0	-0.0	-2.7
0.0	0.0		J	-26.3	-0.0	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	36.1	0.0	0.0	3.3
0.0	0.0		J	36.1	0.0	0.0	3.3

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-18.6	-0.0	-0.0	-2.3
			J	-18.6	-0.0	-0.0	-2.3
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	30.5	0.0	0.0	2.7
			J	30.5	0.0	0.0	2.7
0.0	0.0						
0.0	0.0	Min	I	-12.2	-0.0	-0.0	-1.3
			J	-12.2	-0.0	-0.0	-1.3
0.0	0.0						
0.0	0.0	G1	I	-8.9	0.0	-0.9	1.4
			J	-8.9	0.0	0.9	1.4
0.0	0.0						
0.0	0.0	G2	I	-12.7	0.0	0.0	1.6
			J	-12.7	0.0	-0.0	1.6
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	5.9	0.0	0.0	-0.4
			J	5.9	0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-1.2	-0.0	-0.0	-0.5
			J	-1.2	-0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	Q5_ps X	I	8.2	0.0	0.0	-0.6
			J	8.2	0.0	-0.0	-0.6
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-1.5	-0.0	-0.0	-0.4
			J	-1.5	-0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	INVSLU Max	I	-136.8	0.0	-1.2	9.2
			J	-136.8	0.0	1.2	9.2
0.0	0.0						
0.0	0.0	Min	I	-270.1	-0.0	-1.2	-5.1
			J	-270.1	-0.0	1.2	-5.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	-117.3	0.0	-0.9	6.1
			J	-117.3	0.0	0.9	6.1
0.0	0.0						
0.0	0.0	Min	I	-215.3	-0.0	-0.9	-4.5
			J	-215.3	-0.0	0.9	-4.5
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8621	2	72	C1-C2;~1	Max	I	57.6	0.1	0.0	2.8
1.6	285.3				J	57.6	0.1	0.0	2.8
0.0	0.0								
				Min	I	-28.9	-0.1	-0.0	-3.3
-3.2	-265.1				J	-28.9	-0.1	-0.0	-3.3
0.0	0.0								
				C3-C4;~1	Max	I	49.4	0.1	0.0
1.3	238.4				J	49.4	0.1	0.0	2.1
0.0	0.0								
				Min	I	-19.0	-0.1	-0.0	-2.8
-3.5	-233.6				J	-19.0	-0.1	-0.0	-2.8
0.0	0.0								
				C1-C2;~2	Max	I	36.5	0.1	0.0
0.9	189.9				J	36.5	0.1	0.0	1.7
0.0	0.0								
				Min	I	-16.3	-0.1	-0.0	-1.8
-1.9	-175.0				J	-16.3	-0.1	-0.0	-1.8
0.0	0.0								
				C3-C4;~2	Max	I	31.6	0.1	0.0
0.7	155.9				J	31.6	0.1	0.0	1.1
0.0	0.0								
				Min	I	-8.4	-0.0	-0.0	-1.4
-2.0	-146.4				J	-8.4	-0.0	-0.0	-1.4
0.0	0.0								
				G1	I	-6.1	-0.0	0.9	-1.8
5429.5	-2.7				J	-6.1	-0.0	2.6	-1.8
0.0	0.0								
				G2	I	-11.6	-0.0	-0.0	-1.1
-0.4	-3.8				J	-11.6	-0.0	-0.0	-1.1
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	4.0	0.0	0.0	0.2
0.1	30.8				J	4.0	0.0	0.0	0.2
0.0	0.0								
				Q5_pc Y	I	-7.8	0.0	0.0	0.1
0.2	48.8				J	-7.8	0.0	0.0	0.1
0.0	0.0								
				Q5_ps X	I	6.3	0.0	0.0	0.3
0.2	30.5				J	6.3	0.0	0.0	0.3
0.0	0.0								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.2	46.9	Q5_ps Y	I	-8.0	0.0	0.0	0.1
0.0	0.0		J	-8.0	0.0	0.0	0.1
7330.4	477.2	INVSLE Max	I	-218.0	0.2	1.3	4.8
0.0	0.0		J	-218.0	0.2	3.5	4.8
7323.1	-353.7	Min	I	-348.8	-0.1	1.3	-3.8
0.0	0.0		J	-348.8	-0.1	3.5	-3.8
5429.9	354.4	INVSLE Max	I	-177.7	0.1	0.9	4.2
0.0	0.0		J	-177.7	0.1	2.6	4.2
5424.6	-254.5	Min	I	-273.5	-0.1	0.9	-2.2
0.0	0.0		J	-273.5	-0.1	2.6	-2.2
8622	2	72 C1-C2;~1 Max	I	56.1	0.1	0.0	2.8
0.0	0.0		J	56.1	0.1	0.0	2.8
3.1	280.7	Min	I	-30.0	-0.1	-0.0	-4.0
0.0	0.0		J	-30.0	-0.1	-0.0	-4.0
-1.9	-267.6						
0.0	0.0	C3-C4;~1 Max	I	48.0	0.1	0.0	1.9
3.4	234.1		J	48.0	0.1	0.0	1.9
0.0	0.0	Min	I	-21.6	-0.1	-0.0	-3.3
-1.6	-236.6		J	-21.6	-0.1	-0.0	-3.3
0.0	0.0	C1-C2;~2 Max	I	35.6	0.1	0.0	1.6
1.8	187.1		J	35.6	0.1	0.0	1.6
0.0	0.0	Min	I	-17.0	-0.1	-0.0	-2.2
-1.1	-176.9		J	-17.0	-0.1	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	30.7	0.0	0.0	0.9
2.0	153.1		J	30.7	0.0	0.0	0.9
0.0	0.0	Min	I	-9.8	-0.0	-0.0	-1.7
-0.8	-148.5		J	-9.8	-0.0	-0.0	-1.7
0.0	0.0	G1	I	-8.8	0.0	-2.5	-1.7
5430.2	-3.7		J	-8.8	0.0	-0.8	-1.7
		G2	I	-12.7	0.0	-0.0	-1.3

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-12.7	0.0	-0.0 -1.3
0.2	-3.8						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	6.0	-0.0	0.0 0.3
0.0	0.0			J	6.0	-0.0	0.0 0.3
-0.1	30.3						
			Q5_pc Y	I	-5.3	-0.0	0.0 0.3
0.0	0.0			J	-5.3	-0.0	0.0 0.3
-0.3	50.6						
			Q5_ps X	I	8.3	-0.0	0.0 0.4
0.0	0.0			J	8.3	-0.0	0.0 0.4
-0.2	29.9						
			Q5_ps Y	I	-5.4	-0.0	0.0 0.3
0.0	0.0			J	-5.4	-0.0	0.0 0.3
-0.3	48.6						
			INVS LU Max	I	-135.9	0.1	-3.4 4.6
0.0	0.0			J	-135.9	0.1	-1.0 4.6
7337.3	340.6						
			Min	I	-262.8	-0.1	-3.4 -5.1
0.0	0.0			J	-262.8	-0.1	-1.0 -5.1
7329.7	-490.7						
			INVS LE Max	I	-116.6	0.1	-2.5 4.1
0.0	0.0			J	-116.6	0.1	-0.8 4.1
5434.9	249.4						
			Min	I	-209.8	-0.1	-2.5 -3.1
0.0	0.0			J	-209.8	-0.1	-0.8 -3.1
5429.3	-359.6						
8623	2	72	C1-C2;~1 Max	I	58.5	0.0	0.0 2.5
0.0	0.0			J	58.5	0.0	0.0 2.5
0.0	0.0						
			Min	I	-31.1	0.0	-0.0 -2.9
0.0	0.0			J	-31.1	-0.0	-0.0 -2.9
0.0	0.0						
			C3-C4;~1 Max	I	49.8	0.0	0.0 2.4
0.0	0.0			J	49.8	0.0	0.0 2.4
0.0	0.0						
			Min	I	-22.3	0.0	-0.0 -3.5
0.0	0.0			J	-22.3	-0.0	-0.0 -3.5
0.0	0.0						
			C1-C2;~2 Max	I	36.6	0.0	0.0 1.5

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	36.6	0.0	0.0	1.5
0.0	0.0	Min	I	-17.5	0.0	-0.0	-1.8
0.0	0.0		J	-17.5	-0.0	-0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	31.3	0.0	0.0	1.3
0.0	0.0		J	31.3	0.0	0.0	1.3
0.0	0.0	Min	I	-10.1	0.0	-0.0	-2.2
0.0	0.0		J	-10.1	-0.0	-0.0	-2.2
0.0	0.0	G1	I	-6.3	0.0	-0.8	2.7
0.0	0.0		J	-6.3	-0.0	0.8	2.7
0.0	0.0	G2	I	-11.6	0.0	0.0	0.9
0.0	0.0		J	-11.6	-0.0	-0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	4.2	0.0	0.0	-0.1
0.0	0.0		J	4.2	-0.0	-0.0	-0.1
0.0	0.0	Q5_pc Y	I	-2.7	0.0	-0.0	-0.0
0.0	0.0		J	-2.7	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	6.7	0.0	0.0	-0.1
0.0	0.0		J	6.7	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps Y	I	-2.7	0.0	-0.0	-0.0
0.0	0.0		J	-2.7	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	-223.2	0.0	-1.1	2.6
0.0	0.0		J	-223.2	0.0	1.1	2.6
0.0	0.0	Min	I	-351.7	0.0	-1.1	-5.8
0.0	0.0		J	-351.7	-0.0	1.1	-5.8
0.0	0.0	INVSLE Max	I	-181.3	0.0	-0.8	1.3
0.0	0.0		J	-181.3	0.0	0.8	1.3
0.0	0.0	Min	I	-275.9	0.0	-0.8	-4.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-275.9	-0.0	0.8	-4.9
0.0	0.0							
8624	2	72	C1-C2;~1	Max	I	58.6	0.0	5.5
0.0	0.0				J	58.6	0.0	5.5
0.0	0.0			Min	I	-31.0	-0.0	-4.2
0.0	0.0				J	-31.0	0.0	-4.2
0.0	0.0							
			C3-C4;~1	Max	I	49.7	0.0	4.6
0.0	0.0				J	49.7	0.0	4.6
0.0	0.0			Min	I	-22.3	-0.0	-2.9
0.0	0.0				J	-22.3	0.0	-2.9
0.0	0.0							
			C1-C2;~2	Max	I	36.6	0.0	3.1
0.0	0.0				J	36.6	0.0	3.1
0.0	0.0			Min	I	-17.5	-0.0	-2.4
0.0	0.0				J	-17.5	0.0	-2.4
0.0	0.0							
			C3-C4;~2	Max	I	31.3	0.0	2.4
0.0	0.0				J	31.3	0.0	2.4
0.0	0.0			Min	I	-10.1	-0.0	-1.4
0.0	0.0				J	-10.1	0.0	-1.4
0.0	0.0							
			G1		I	-6.3	0.0	0.8
0.0	0.0				J	-6.3	0.0	0.8
0.0	0.0							
			G2		I	-11.6	0.0	1.4
0.0	0.0				J	-11.6	0.0	1.4
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	4.3	0.0	-0.3
0.0	0.0				J	4.3	0.0	-0.3
0.0	0.0							
			Q5_pc	Y	I	-2.7	-0.0	-0.6
0.0	0.0				J	-2.7	0.0	-0.6
0.0	0.0							
			Q5_ps	X	I	6.7	0.0	-0.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	6.7	0.0	-0.0	-0.6
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-2.7	-0.0	-0.0	-0.5
0.0	0.0		J	-2.7	0.0	0.0	-0.5
0.0	0.0						
0.0	0.0	INVS LU Max	I	-223.1	0.0	-1.2	7.6
0.0	0.0		J	-223.1	0.0	1.2	7.6
0.0	0.0	Min	I	-351.7	-0.0	-1.2	-6.4
0.0	0.0		J	-351.7	0.0	1.2	-6.4
0.0	0.0						
0.0	0.0	INVS LE Max	I	-181.2	0.0	-0.9	4.9
0.0	0.0		J	-181.2	0.0	0.9	4.9
0.0	0.0	Min	I	-276.0	-0.0	-0.9	-5.4
0.0	0.0		J	-276.0	0.0	0.9	-5.4
0.0	0.0						
8625	2	72 C1-C2;~1 Max	I	56.1	0.1	0.0	2.8
1.8	280.7		J	56.1	0.1	0.0	2.8
0.0	0.0	Min	I	-30.0	-0.1	-0.0	-3.5
-2.9	-267.6		J	-30.0	-0.1	-0.0	-3.5
0.0	0.0						
1.5	234.1	C3-C4;~1 Max	I	48.0	0.1	0.0	2.0
0.0	0.0		J	48.0	0.1	0.0	2.0
0.0	0.0	Min	I	-21.6	-0.1	-0.0	-3.0
-3.2	-236.6		J	-21.6	-0.1	-0.0	-3.0
0.0	0.0						
1.0	187.1	C1-C2;~2 Max	I	35.6	0.1	0.0	1.6
0.0	0.0		J	35.6	0.1	0.0	1.6
0.0	0.0	Min	I	-17.0	-0.1	-0.0	-1.9
-1.7	-176.9		J	-17.0	-0.1	-0.0	-1.9
0.0	0.0						
0.8	153.1	C3-C4;~2 Max	I	30.7	0.0	0.0	1.1
0.0	0.0		J	30.7	0.0	0.0	1.1
0.0	0.0	Min	I	-9.8	-0.0	-0.0	-1.5
-1.8	-148.5		J	-9.8	-0.0	-0.0	-1.5
0.0	0.0						
5432.1	-3.7	G1	I	-8.8	-0.0	0.9	-2.0
			J	-8.8	-0.0	2.6	-2.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
-0.2	-3.8		G2	I	-12.7	-0.0	-0.0	-1.2
0.0	0.0			J	-12.7	-0.0	-0.0	-1.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.1	30.3		Q5_pc X	I	6.0	0.0	0.0	0.2
0.0	0.0			J	6.0	0.0	0.0	0.2
0.0	0.0							
0.3	50.6		Q5_pc Y	I	-5.3	0.0	0.0	0.2
0.0	0.0			J	-5.3	0.0	0.0	0.2
0.0	0.0							
0.2	29.9		Q5_ps X	I	8.3	0.0	0.0	0.3
0.0	0.0			J	8.3	0.0	0.0	0.3
0.0	0.0							
0.2	48.6		Q5_ps Y	I	-5.4	0.0	0.0	0.2
0.0	0.0			J	-5.4	0.0	0.0	0.2
0.0	0.0							
7334.4	340.6		INVS LU Max	I	-135.9	0.1	1.3	4.7
0.0	0.0			J	-135.9	0.1	3.5	4.7
0.0	0.0							
7327.3	-490.7		Min	I	-262.8	-0.2	1.3	-4.2
0.0	0.0			J	-262.8	-0.2	3.5	-4.2
0.0	0.0							
5432.9	249.4		INVS LE Max	I	-116.6	0.1	0.9	4.1
0.0	0.0			J	-116.6	0.1	2.6	4.1
0.0	0.0							
5427.7	-359.6		Min	I	-209.9	-0.1	0.9	-2.5
0.0	0.0			J	-209.9	-0.1	2.6	-2.5
0.0	0.0							
8626	2	72	C1-C2;~1 Max	I	57.3	0.1	0.0	3.0
0.0	0.0			J	57.3	0.1	0.0	3.0
2.6	301.8							
0.0	0.0		Min	I	-31.8	-0.1	-0.0	-3.8
0.0	0.0			J	-31.8	-0.1	-0.0	-3.8
-2.2	-262.0							
0.0	0.0		C3-C4;~1 Max	I	49.1	0.1	0.0	2.1
0.0	0.0			J	49.1	0.1	0.0	2.1
2.9	257.2							
0.0	0.0		Min	I	-23.8	-0.1	-0.0	-3.1
0.0	0.0			J	-23.8	-0.1	-0.0	-3.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-1.9	-233.8						
		C1-C2;~2 Max	I	36.3	0.1	0.0	1.7
0.0	0.0		J	36.3	0.1	0.0	1.7
1.5	201.8						
		Min	I	-18.1	-0.1	-0.0	-2.1
0.0	0.0		J	-18.1	-0.1	-0.0	-2.1
-1.3	-172.7						
		C3-C4;~2 Max	I	31.2	0.0	0.0	1.1
0.0	0.0		J	31.2	0.0	0.0	1.1
1.7	169.4						
		Min	I	-11.0	-0.1	-0.0	-1.5
0.0	0.0		J	-11.0	-0.1	-0.0	-1.5
-1.0	-145.3						
		G1	I	-9.9	0.0	-2.5	-1.4
0.0	0.0		J	-9.9	0.0	-0.8	-1.4
5431.3	-1.8						
		G2	I	-13.4	0.0	0.0	-1.1
0.0	0.0		J	-13.4	0.0	0.0	-1.1
-0.0	-5.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	8.2	-0.0	0.0	0.3
0.0	0.0		J	8.2	-0.0	0.0	0.3
-0.1	26.8						
		Q5_pc Y	I	-2.3	-0.0	0.0	0.4
0.0	0.0		J	-2.3	-0.0	0.0	0.4
-0.3	46.9						
		Q5_ps X	I	10.5	-0.0	0.0	0.4
0.0	0.0		J	10.5	-0.0	0.0	0.4
-0.2	27.3						
		Q5_ps Y	I	-2.4	-0.0	0.0	0.4
0.0	0.0		J	-2.4	-0.0	0.0	0.4
-0.3	45.1						
		INVSLU Max	I	-38.1	0.2	-3.4	6.3
0.0	0.0		J	-38.1	0.2	-1.0	6.3
7337.5	220.0						
		Min	I	-173.1	-0.1	-3.4	-3.7
0.0	0.0		J	-173.1	-0.1	-1.0	-3.7
7330.1	-625.6						
		INVSLE Max	I	-44.7	0.1	-2.5	5.2
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5435.2	153.2		J	-44.7	0.1	-0.8	5.2
		Min	I	-143.6	-0.0	-2.5	-2.1
0.0	0.0		J	-143.6	-0.0	-0.8	-2.1
5429.7	-466.9						
8627	2	72 C1-C2;~1	Max	I	61.4	0.0	2.6
0.0	0.0		J	61.4	0.0	0.0	2.6
0.0	0.0	Min	I	-28.6	0.0	0.0	-2.7
0.0	0.0		J	-28.6	-0.0	-0.0	-2.7
0.0	0.0						
		C3-C4;~1	Max	I	52.4	0.0	2.4
0.0	0.0		J	52.4	0.0	0.0	2.4
0.0	0.0	Min	I	-19.3	0.0	0.0	-3.4
0.0	0.0		J	-19.3	-0.0	-0.0	-3.4
0.0	0.0						
		C1-C2;~2	Max	I	38.5	0.0	1.5
0.0	0.0		J	38.5	0.0	0.0	1.5
0.0	0.0	Min	I	-16.0	0.0	0.0	-1.7
0.0	0.0		J	-16.0	-0.0	-0.0	-1.7
0.0	0.0						
		C3-C4;~2	Max	I	33.2	0.0	1.3
0.0	0.0		J	33.2	0.0	0.0	1.3
0.0	0.0	Min	I	-8.5	0.0	0.0	-2.1
0.0	0.0		J	-8.5	-0.0	-0.0	-2.1
0.0	0.0						
		G1	I	-2.9	0.0	-0.8	3.0
0.0	0.0		J	-2.9	-0.0	0.8	3.0
0.0	0.0						
		G2	I	-10.6	0.0	0.0	1.0
0.0	0.0		J	-10.6	-0.0	-0.0	1.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	2.6	0.0	0.0	-0.1
0.0	0.0		J	2.6	-0.0	-0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	-4.5	0.0	0.0	-0.1
0.0	0.0		J	-4.5	0.0	0.0	-0.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0							
		Q5_ps X	I	5.3	0.0	0.0	-0.2	
0.0	0.0		J	5.3	-0.0	-0.0	-0.2	
0.0	0.0							
		Q5_ps Y	I	-4.1	0.0	0.0	-0.1	
0.0	0.0		J	-4.1	0.0	0.0	-0.1	
0.0	0.0							
		INVS LU Max	I	-277.5	0.0	-1.1	3.1	
0.0	0.0		J	-277.5	0.0	1.1	3.1	
0.0	0.0							
		Min	I	-407.0	0.0	-1.1	-5.2	
0.0	0.0		J	-407.0	-0.0	1.1	-5.2	
0.0	0.0							
		INVS LE Max	I	-222.0	0.0	-0.8	1.7	
0.0	0.0		J	-222.0	0.0	0.8	1.7	
0.0	0.0							
		Min	I	-317.4	0.0	-0.8	-4.4	
0.0	0.0		J	-317.4	-0.0	0.8	-4.4	
0.0	0.0							
8628	2	72 C1-C2;~1 Max	I	61.5	0.0	0.0	4.5	
0.0	0.0		J	61.5	0.0	0.0	4.5	
0.0	0.0							
		Min	I	-28.5	0.0	0.0	-4.7	
0.0	0.0		J	-28.5	-0.0	-0.0	-4.7	
0.0	0.0							
		C3-C4;~1 Max	I	52.4	0.0	0.0	3.7	
0.0	0.0		J	52.4	0.0	0.0	3.7	
0.0	0.0							
		Min	I	-19.4	0.0	0.0	-3.1	
0.0	0.0		J	-19.4	-0.0	-0.0	-3.1	
0.0	0.0							
		C1-C2;~2 Max	I	38.6	0.0	0.0	2.5	
0.0	0.0		J	38.6	0.0	0.0	2.5	
0.0	0.0							
		Min	I	-16.0	0.0	0.0	-2.8	
0.0	0.0		J	-16.0	-0.0	-0.0	-2.8	
0.0	0.0							
		C3-C4;~2 Max	I	33.2	0.0	0.0	1.9	
0.0	0.0		J	33.2	0.0	0.0	1.9	
0.0	0.0							
		Min	I	-8.5	0.0	0.0	-1.6	
0.0	0.0		J	-8.5	-0.0	-0.0	-1.6	
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G1	I	-2.9	0.0	-0.9	-0.3
			J	-2.9	0.0	0.9	-0.3
0.0	0.0	G2	I	-10.6	0.0	0.0	1.0
			J	-10.6	0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.7	0.0	0.0	-0.3
			J	2.7	0.0	-0.0	-0.3
0.0	0.0	Q5_pc Y	I	-4.5	0.0	0.0	-0.6
			J	-4.5	-0.0	0.0	-0.6
0.0	0.0	Q5_ps X	I	5.3	0.0	0.0	-0.6
			J	5.3	0.0	-0.0	-0.6
0.0	0.0	Q5_ps Y	I	-4.1	0.0	0.0	-0.6
			J	-4.1	-0.0	0.0	-0.6
0.0	0.0	INVSLE Max	I	-277.5	0.0	-1.2	3.7
			J	-277.5	0.0	1.2	3.7
0.0	0.0	Min	I	-407.1	0.0	-1.2	-9.8
			J	-407.1	-0.0	1.2	-9.8
0.0	0.0	INVSLE Max	I	-222.1	0.0	-0.9	2.1
			J	-222.1	0.0	0.9	2.1
0.0	0.0	Min	I	-317.4	0.0	-0.9	-7.8
			J	-317.4	-0.0	0.9	-7.8
8629	2	72 C1-C2;~1 Max	I	57.2	0.1	0.0	3.0
2.1	301.8		J	57.2	0.1	0.0	3.0
0.0	0.0	Min	I	-31.8	-0.1	-0.0	-3.4
-2.4	-262.0		J	-31.8	-0.1	-0.0	-3.4
0.0	0.0	C3-C4;~1 Max	I	49.1	0.1	0.0	2.2
1.8	257.2		J	49.1	0.1	0.0	2.2
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.7	-233.8	Min	I	-23.8	-0.1	-0.0	-2.9
0.0	0.0		J	-23.8	-0.1	-0.0	-2.9
1.2	201.8	C1-C2;~2 Max	I	36.3	0.1	0.0	1.7
0.0	0.0		J	36.3	0.1	0.0	1.7
-1.4	-172.7	Min	I	-18.1	-0.1	-0.0	-1.9
0.0	0.0		J	-18.1	-0.1	-0.0	-1.9
0.9	169.4	C3-C4;~2 Max	I	31.2	0.1	0.0	1.2
0.0	0.0		J	31.2	0.1	0.0	1.2
-1.6	-145.3	Min	I	-11.0	-0.0	-0.0	-1.4
0.0	0.0		J	-11.0	-0.0	-0.0	-1.4
5434.6	-1.8	G1	I	-9.9	-0.0	0.9	-1.8
0.0	0.0		J	-9.9	-0.0	2.6	-1.8
0.0	-5.8	G2	I	-13.4	-0.0	0.0	-1.1
0.0	0.0		J	-13.4	-0.0	0.0	-1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	26.8	Q5_pc X	I	8.2	0.0	0.0	0.3
0.0	0.0		J	8.2	0.0	0.0	0.3
0.3	46.9	Q5_pc Y	I	-2.3	0.0	0.0	0.4
0.0	0.0		J	-2.3	0.0	0.0	0.4
0.2	27.3	Q5_ps X	I	10.5	0.0	0.0	0.4
0.0	0.0		J	10.5	0.0	0.0	0.4
0.2	45.1	Q5_ps Y	I	-2.4	0.0	0.0	0.3
0.0	0.0		J	-2.4	0.0	0.0	0.3
7338.7	220.0	INVSLU Max	I	-38.2	0.1	1.3	5.8
0.0	0.0		J	-38.2	0.1	3.5	5.8
7331.7	-625.6	Min	I	-173.1	-0.2	1.3	-3.4
0.0	0.0		J	-173.1	-0.2	3.5	-3.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


5436.1	153.2	INVSLE Max	I	-44.7	0.0	0.9	4.9
			J	-44.7	0.0	2.6	4.9
0.0	0.0						
5431.0	-466.9	Min	I	-143.6	-0.2	0.9	-1.9
			J	-143.6	-0.2	2.6	-1.9
0.0	0.0						
8630	2	72 C1-C2;~1 Max	I	61.1	0.1	0.0	3.8
0.0	0.0		J	61.1	0.1	0.0	3.8
2.3	389.0						
		Min	I	-44.9	-0.1	-0.0	-3.1
0.0	0.0		J	-44.9	-0.1	-0.0	-3.1
-3.0	-318.7						
		C3-C4;~1 Max	I	52.5	0.1	0.0	3.1
0.0	0.0		J	52.5	0.1	0.0	3.1
2.5	350.4						
		Min	I	-25.7	-0.1	-0.0	-2.4
0.0	0.0		J	-25.7	-0.1	-0.0	-2.4
-2.5	-300.8						
		C1-C2;~2 Max	I	38.3	0.1	0.0	2.3
0.0	0.0		J	38.3	0.1	0.0	2.3
1.3	262.6						
		Min	I	-26.6	-0.1	-0.0	-1.8
0.0	0.0		J	-26.6	-0.1	-0.0	-1.8
-1.8	-203.3						
		C3-C4;~2 Max	I	33.1	0.1	0.0	1.8
0.0	0.0		J	33.1	0.1	0.0	1.8
1.5	234.1						
		Min	I	-11.9	-0.1	-0.0	-1.2
0.0	0.0		J	-11.9	-0.1	-0.0	-1.2
-1.4	-184.1						
		G1	I	-11.4	0.0	-2.5	-0.6
0.0	0.0		J	-11.4	0.0	-0.8	-0.6
5432.2	-33.1						
		G2	I	-13.8	0.0	0.0	-0.8
0.0	0.0		J	-13.8	0.0	0.0	-0.8
-0.4	-13.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	11.2	-0.0	0.0	0.3
0.0	0.0		J	11.2	-0.0	0.0	0.3
-0.0	15.8						

MIDAS


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	-0.4	-0.0	0.0	0.6
-0.1	49.1			J	-0.4	-0.0	0.0	0.6
0.0	0.0	Q5_ps	X	I	13.4	-0.0	0.0	0.5
-0.2	16.6			J	13.4	-0.0	0.0	0.5
0.0	0.0	Q5_ps	Y	I	-0.3	-0.0	0.0	0.6
-0.1	47.2			J	-0.3	-0.0	0.0	0.6
0.0	0.0	INVSLU	Max	I	111.3	0.1	-3.4	7.2
7338.3	656.2			J	111.3	0.1	-1.0	7.2
0.0	0.0		Min	I	-51.9	-0.2	-3.4	-3.2
7330.7	-387.8			J	-51.9	-0.2	-1.0	-3.2
0.0	0.0	INVSLE	Max	I	71.0	0.1	-2.5	5.7
5435.9	505.7			J	71.0	0.1	-0.8	5.7
0.0	0.0		Min	I	-48.4	-0.2	-2.5	-2.0
5430.3	-261.1			J	-48.4	-0.2	-0.8	-2.0
8631	2	72 C1-C2;~1	Max	I	71.0	0.0	0.0	2.7
0.0	0.0			J	71.0	0.0	0.0	2.7
0.0	0.0		Min	I	-38.0	-0.0	0.0	-3.0
0.0	0.0			J	-38.0	-0.0	-0.0	-3.0
0.0	0.0	C3-C4;~1	Max	I	53.0	0.0	0.0	2.1
0.0	0.0			J	53.0	0.0	0.0	2.1
0.0	0.0		Min	I	-30.3	-0.0	0.0	-3.4
0.0	0.0			J	-30.3	-0.0	-0.0	-3.4
0.0	0.0	C1-C2;~2	Max	I	44.6	0.0	0.0	1.6
0.0	0.0			J	44.6	0.0	0.0	1.6
0.0	0.0		Min	I	-21.2	-0.0	0.0	-1.9
0.0	0.0			J	-21.2	-0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2	Max	I	32.3	0.0	0.0	1.1
0.0	0.0			J	32.3	0.0	0.0	1.1
0.0	0.0		Min	I	-14.2	-0.0	0.0	-2.2
0.0	0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-14.2	-0.0	-0.0	-2.2
0.0	0.0	G1	I	-7.9	0.0	-0.8	3.1
0.0	0.0		J	-7.9	-0.0	0.8	3.1
0.0	0.0	G2	I	-12.4	0.0	0.0	1.1
0.0	0.0		J	-12.4	-0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.3	0.0	0.0	-0.2
0.0	0.0		J	-0.3	-0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	-6.4	-0.0	0.0	-0.1
0.0	0.0		J	-6.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	2.7	0.0	0.0	-0.2
0.0	0.0		J	2.7	-0.0	-0.0	-0.2
0.0	0.0	Q5_ps Y	I	-5.8	-0.0	0.0	-0.1
0.0	0.0		J	-5.8	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	-224.2	0.0	-1.1	3.8
0.0	0.0		J	-224.2	0.0	1.1	3.8
0.0	0.0	Min	I	-382.8	-0.0	-1.1	-4.7
0.0	0.0		J	-382.8	-0.0	1.1	-4.7
0.0	0.0	INVS LE Max	I	-177.8	0.0	-0.8	2.3
0.0	0.0		J	-177.8	0.0	0.8	2.3
0.0	0.0	Min	I	-294.4	-0.0	-0.8	-4.0
0.0	0.0		J	-294.4	-0.0	0.8	-4.0
8632	2	72 C1-C2;~1 Max	I	71.1	0.0	0.0	3.4
0.0	0.0		J	71.1	0.0	0.0	3.4
0.0	0.0	Min	I	-38.0	-0.0	-0.0	-6.2
0.0	0.0		J	-38.0	0.0	0.0	-6.2
0.0	0.0	C3-C4;~1 Max	I	53.2	0.0	0.0	2.9

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	53.2	0.0	0.0	2.9
0.0	0.0	Min	I	-30.3	-0.0	-0.0	-4.1
0.0	0.0		J	-30.3	0.0	0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	44.7	0.0	0.0	1.9
0.0	0.0		J	44.7	0.0	0.0	1.9
0.0	0.0	Min	I	-21.2	-0.0	-0.0	-3.9
0.0	0.0		J	-21.2	0.0	0.0	-3.9
0.0	0.0	C3-C4;~2 Max	I	32.4	0.0	0.0	1.5
0.0	0.0		J	32.4	0.0	0.0	1.5
0.0	0.0	Min	I	-14.2	-0.0	-0.0	-2.4
0.0	0.0		J	-14.2	0.0	0.0	-2.4
0.0	0.0	G1	I	-8.0	0.0	-0.9	-1.8
0.0	0.0		J	-8.0	0.0	0.9	-1.8
0.0	0.0	G2	I	-12.4	0.0	0.0	0.4
0.0	0.0		J	-12.4	0.0	0.0	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.3	0.0	0.0	-0.2
0.0	0.0		J	-0.3	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-6.4	-0.0	-0.0	-0.4
0.0	0.0		J	-6.4	0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	2.7	0.0	0.0	-0.5
0.0	0.0		J	2.7	0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	-5.7	-0.0	-0.0	-0.4
0.0	0.0		J	-5.7	0.0	0.0	-0.4
0.0	0.0	INVSLU Max	I	-224.0	0.0	-1.2	1.1
0.0	0.0		J	-224.0	0.0	1.2	1.1
0.0	0.0	Min	I	-382.7	-0.0	-1.2	-12.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-382.7	0.0	1.2	-12.7
0.0	0.0							
			INVSLE Max	I	-177.6	0.0	-0.9	0.5
0.0	0.0			J	-177.6	0.0	0.9	0.5
0.0	0.0		Min	I	-294.3	-0.0	-0.9	-9.6
0.0	0.0			J	-294.3	0.0	0.9	-9.6
0.0	0.0							
8633	2	72	C1-C2;~1 Max	I	61.1	0.1	0.0	3.2
2.8	389.0			J	61.1	0.1	0.0	3.2
0.0	0.0		Min	I	-44.9	-0.1	-0.0	-2.9
-2.1	-318.7			J	-44.9	-0.1	-0.0	-2.9
0.0	0.0							
			C3-C4;~1 Max	I	52.5	0.1	0.0	3.0
2.3	350.4			J	52.5	0.1	0.0	3.0
0.0	0.0		Min	I	-25.7	-0.1	-0.0	-2.4
-2.4	-300.8			J	-25.7	-0.1	-0.0	-2.4
0.0	0.0							
			C1-C2;~2 Max	I	38.3	0.1	0.0	1.9
1.7	262.6			J	38.3	0.1	0.0	1.9
0.0	0.0		Min	I	-26.6	-0.1	-0.0	-1.7
-1.2	-203.3			J	-26.6	-0.1	-0.0	-1.7
0.0	0.0							
			C3-C4;~2 Max	I	33.1	0.1	0.0	1.8
1.3	234.1			J	33.1	0.1	0.0	1.8
0.0	0.0		Min	I	-11.9	-0.1	-0.0	-1.2
-1.4	-184.1			J	-11.9	-0.1	-0.0	-1.2
0.0	0.0							
			G1	I	-11.4	-0.0	0.9	-1.2
5437.1	-33.1			J	-11.4	-0.0	2.6	-1.2
0.0	0.0							
			G2	I	-13.8	-0.0	0.0	-0.9
0.3	-13.6			J	-13.8	-0.0	0.0	-0.9
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	11.2	0.0	0.0	0.3
0.0	15.8							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	11.2	0.0	0.0	0.3
0.1	49.1	Q5_pc Y	I	-0.4	0.0	0.0	0.6
0.0	0.0		J	-0.4	0.0	0.0	0.6
0.1	16.6	Q5_ps X	I	13.4	0.0	0.0	0.4
0.0	0.0		J	13.4	0.0	0.0	0.4
0.1	47.2	Q5_ps Y	I	-0.3	0.0	0.0	0.6
0.0	0.0		J	-0.3	0.0	0.0	0.6
7342.7	656.2	INVS LU Max	I	111.3	0.2	1.3	5.9
0.0	0.0		J	111.3	0.2	3.5	5.9
7335.5	-387.8	Min	I	-51.9	-0.1	1.3	-3.4
0.0	0.0		J	-51.9	-0.1	3.5	-3.4
5438.9	505.7	INVS LE Max	I	71.0	0.2	0.9	4.7
0.0	0.0		J	71.0	0.2	2.6	4.7
5433.6	-261.1	Min	I	-48.4	-0.1	0.9	-2.1
0.0	0.0		J	-48.4	-0.1	2.6	-2.1
8634	2	72 C1-C2;~1 Max	I	81.4	0.2	0.0	4.5
0.0	0.0		J	81.4	0.2	0.0	4.5
1.8	573.2	Min	I	-64.7	-0.2	-0.0	-3.6
0.0	0.0		J	-64.7	-0.2	-0.0	-3.6
-4.7	-531.7						
0.0	0.0	C3-C4;~1 Max	I	68.9	0.2	0.0	3.6
2.2	509.4		J	68.9	0.2	0.0	3.6
0.0	0.0	Min	I	-35.4	-0.2	-0.0	-2.8
-3.7	-499.3		J	-35.4	-0.2	-0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	47.3	0.1	0.0	2.6
1.1	383.2		J	47.3	0.1	0.0	2.6
0.0	0.0	Min	I	-37.6	-0.1	-0.0	-2.1
-2.9	-338.2		J	-37.6	-0.1	-0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	36.7	0.1	0.0	2.1
			J	36.7	0.1	0.0	2.1

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.3	336.3		Min	I	-16.1	-0.1	-0.0	-1.4
0.0	0.0			J	-16.1	-0.1	-0.0	-1.4
-2.1	-309.3							
		G1		I	7.2	0.0	-2.5	0.3
0.0	0.0			J	7.2	0.0	-0.8	0.3
5432.2	-65.7							
		G2		I	-5.8	0.0	0.0	-0.4
0.0	0.0			J	-5.8	0.0	0.0	-0.4
-0.9	-29.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	18.2	0.0	0.0	0.2
0.0	0.0			J	18.2	0.0	0.0	0.2
-0.0	-5.6							
		Q5_pc Y		I	6.3	-0.0	0.0	0.5
0.0	0.0			J	6.3	-0.0	0.0	0.5
-0.1	63.8							
		Q5_ps X		I	19.5	0.0	0.0	0.3
0.0	0.0			J	19.5	0.0	0.0	0.3
-0.2	-3.3							
		Q5_ps Y		I	6.2	-0.0	0.0	0.5
0.0	0.0			J	6.2	-0.0	0.0	0.5
-0.1	60.9							
		INVSLE Max		I	319.4	0.3	-3.4	10.5
0.0	0.0			J	319.4	0.3	-1.0	10.5
7336.6	722.1		Min	I	89.4	-0.2	-3.4	-1.3
0.0	0.0			J	89.4	-0.2	-1.0	-1.3
7327.1	-884.4							
		INVSLE Max		I	235.3	0.2	-2.5	8.0
0.0	0.0			J	235.3	0.2	-0.8	8.0
5434.7	538.9		Min	I	67.3	-0.2	-2.5	-0.7
0.0	0.0			J	67.3	-0.2	-0.8	-0.7
5427.7	-642.6							
8635	2	72 C1-C2;~1 Max		I	85.0	0.0	0.0	4.4
0.0	0.0			J	85.0	0.0	0.0	4.4
0.0	0.0		Min	I	-64.8	0.0	0.0	-3.6
0.0	0.0			J	-64.8	0.0	0.0	-3.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	61.7	0.0	0.0	2.7
0.0	0.0		J	61.7	0.0	0.0	2.7
0.0	0.0	Min	I	-66.1	0.0	0.0	-3.7
0.0	0.0		J	-66.1	0.0	0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	49.2	0.0	0.0	2.7
0.0	0.0		J	49.2	0.0	0.0	2.7
0.0	0.0	Min	I	-36.3	0.0	0.0	-2.2
0.0	0.0		J	-36.3	0.0	0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	31.9	0.0	0.0	1.4
0.0	0.0		J	31.9	0.0	0.0	1.4
0.0	0.0	Min	I	-33.2	0.0	0.0	-2.3
0.0	0.0		J	-33.2	0.0	0.0	-2.3
0.0	0.0	G1	I	-8.6	0.0	-0.8	3.3
0.0	0.0		J	-8.6	0.0	0.8	3.3
0.0	0.0	G2	I	-12.4	0.0	0.0	1.1
0.0	0.0		J	-12.4	0.0	0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-8.9	0.0	0.0	-0.2
0.0	0.0		J	-8.9	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-14.4	0.0	0.0	-0.2
0.0	0.0		J	-14.4	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-5.4	0.0	0.0	-0.2
0.0	0.0		J	-5.4	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-13.2	0.0	0.0	-0.2
0.0	0.0		J	-13.2	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	-44.5	0.0	-1.1	6.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-44.5	0.0	1.1	6.4
0.0	0.0	Min	I	-274.4	0.0	-1.1	-5.0
0.0	0.0		J	-274.4	0.0	1.1	-5.0
0.0	0.0	INVSLE Max	I	-33.8	0.0	-0.8	4.2
0.0	0.0		J	-33.8	0.0	0.8	4.2
0.0	0.0	Min	I	-202.2	0.0	-0.8	-4.2
0.0	0.0		J	-202.2	0.0	0.8	-4.2
8636	2	72 C1-C2;~1 Max	I	85.2	0.0	0.0	2.9
0.0	0.0		J	85.2	0.0	0.0	2.9
0.0	0.0	Min	I	-64.8	0.0	-0.0	-8.4
0.0	0.0		J	-64.8	-0.0	0.0	-8.4
0.0	0.0	C3-C4;~1 Max	I	61.7	0.0	0.0	2.4
0.0	0.0		J	61.7	0.0	0.0	2.4
0.0	0.0	Min	I	-66.2	0.0	-0.0	-6.5
0.0	0.0		J	-66.2	-0.0	0.0	-6.5
0.0	0.0	C1-C2;~2 Max	I	49.4	0.0	0.0	1.6
0.0	0.0		J	49.4	0.0	0.0	1.6
0.0	0.0	Min	I	-36.3	0.0	-0.0	-5.1
0.0	0.0		J	-36.3	-0.0	0.0	-5.1
0.0	0.0	C3-C4;~2 Max	I	31.9	0.0	0.0	1.3
0.0	0.0		J	31.9	0.0	0.0	1.3
0.0	0.0	Min	I	-33.2	0.0	-0.0	-3.6
0.0	0.0		J	-33.2	-0.0	0.0	-3.6
0.0	0.0	G1	I	-8.7	0.0	-0.9	-4.3
0.0	0.0		J	-8.7	0.0	0.9	-4.3
0.0	0.0	G2	I	-12.5	0.0	0.0	-0.6
0.0	0.0		J	-12.5	0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc X	I	-8.9	0.0	0.0	-0.3
0.0	0.0		J	-8.9	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	-14.4	0.0	-0.0	-0.4
0.0	0.0		J	-14.4	-0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	-5.4	0.0	0.0	-0.6
0.0	0.0		J	-5.4	0.0	0.0	-0.6
0.0	0.0	Q5_ps Y	I	-13.2	0.0	-0.0	-0.5
0.0	0.0		J	-13.2	-0.0	0.0	-0.5
0.0	0.0	INVSLE Max	I	-44.3	0.0	-1.2	-5.5
0.0	0.0		J	-44.3	0.0	1.2	-5.5
0.0	0.0	Min	I	-274.5	0.0	-1.2	-21.6
0.0	0.0		J	-274.5	-0.0	1.2	-21.6
0.0	0.0	INVSLE Max	I	-33.7	0.0	-0.9	-4.2
0.0	0.0		J	-33.7	0.0	0.9	-4.2
0.0	0.0	Min	I	-202.3	0.0	-0.9	-16.1
0.0	0.0		J	-202.3	-0.0	0.9	-16.1
8637	2	72 C1-C2;~1 Max	I	81.4	0.2	0.0	3.9
4.4	573.2		J	81.4	0.2	0.0	3.9
0.0	0.0	Min	I	-64.7	-0.2	-0.0	-3.7
-1.7	-531.7		J	-64.7	-0.2	-0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	68.9	0.2	0.0	3.5
3.5	509.4		J	68.9	0.2	0.0	3.5
0.0	0.0	Min	I	-35.4	-0.2	-0.0	-3.2
-2.1	-499.3		J	-35.4	-0.2	-0.0	-3.2
0.0	0.0	C1-C2;~2 Max	I	47.3	0.1	0.0	2.2
2.7	383.2		J	47.3	0.1	0.0	2.2
0.0	0.0	Min	I	-37.6	-0.1	-0.0	-2.2
-1.0	-338.2		J	-37.6	-0.1	-0.0	-2.2
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			C3-C4 ; ~2 Max	I	36.7	0.1	0.0	1.9
1.9	336.3			J	36.7	0.1	0.0	1.9
0.0	0.0		Min	I	-16.1	-0.1	-0.0	-1.6
-1.3	-309.3			J	-16.1	-0.1	-0.0	-1.6
0.0	0.0							
			G1	I	7.2	-0.0	0.9	-0.7
5439.7	-65.7			J	7.2	-0.0	2.6	-0.7
0.0	0.0							
			G2	I	-5.8	-0.0	0.0	-0.7
0.8	-29.0			J	-5.8	-0.0	0.0	-0.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	18.2	-0.0	0.0	0.2
0.0	-5.6			J	18.2	-0.0	0.0	0.2
0.0	0.0							
			Q5_pc Y	I	6.3	0.0	0.0	0.5
0.1	63.8			J	6.3	0.0	0.0	0.5
0.0	0.0							
			Q5_ps X	I	19.5	-0.0	0.0	0.3
0.2	-3.3			J	19.5	-0.0	0.0	0.3
0.0	0.0							
			Q5_ps Y	I	6.2	0.0	0.0	0.5
0.1	60.9			J	6.2	0.0	0.0	0.5
0.0	0.0							
			INVS LU Max	I	319.4	0.2	1.3	8.4
7349.6	722.1			J	319.4	0.2	3.5	8.4
0.0	0.0		Min	I	89.4	-0.3	1.3	-2.8
7340.6	-884.4			J	89.4	-0.3	3.5	-2.8
0.0	0.0							
			INVS LE Max	I	235.2	0.2	0.9	6.6
5443.9	538.9			J	235.2	0.2	2.6	6.6
0.0	0.0		Min	I	67.3	-0.2	0.9	-1.7
5437.3	-642.6			J	67.3	-0.2	2.6	-1.7
0.0	0.0							
			72 C1-C2 ; ~1 Max	I	112.9	0.2	0.0	5.0
8638	2			J	112.9	0.2	0.0	5.0
0.0	0.0							
1.9	563.7							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-53.2	-0.2	-0.0	-3.0
0.0	0.0			J	-53.2	-0.2	-0.0	-3.0
-4.5	-563.5							
			C3-C4;~1 Max	I	100.7	0.2	0.0	4.4
0.0	0.0			J	100.7	0.2	0.0	4.4
2.4	494.7							
			Min	I	-33.1	-0.2	-0.0	-2.2
0.0	0.0			J	-33.1	-0.2	-0.0	-2.2
-3.2	-516.3							
			C1-C2;~2 Max	I	65.2	0.1	0.0	3.0
0.0	0.0			J	65.2	0.1	0.0	3.0
1.2	376.9							
			Min	I	-29.9	-0.1	-0.0	-1.8
0.0	0.0			J	-29.9	-0.1	-0.0	-1.8
-2.9	-375.0							
			C3-C4;~2 Max	I	55.1	0.1	0.0	2.6
0.0	0.0			J	55.1	0.1	0.0	2.6
1.5	330.0							
			Min	I	-15.6	-0.1	-0.0	-1.1
0.0	0.0			J	-15.6	-0.1	-0.0	-1.1
-1.8	-340.6							
			G1	I	42.3	0.0	-2.5	1.2
0.0	0.0			J	42.3	0.0	-0.8	1.2
5443.0	-42.7							
			G2	I	6.8	0.0	0.0	-0.2
0.0	0.0			J	6.8	0.0	0.0	-0.2
-0.7	-25.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	24.2	0.0	0.0	0.3
0.0	0.0			J	24.2	0.0	0.0	0.3
-0.0	-19.4							
			Q5_pc Y	I	14.8	-0.0	-0.0	0.4
0.0	0.0			J	14.8	-0.0	-0.0	0.4
0.1	30.9							
			Q5_ps X	I	25.4	0.0	0.0	0.4
0.0	0.0			J	25.4	0.0	0.0	0.4
-0.2	-16.5							
			Q5_ps Y	I	14.6	-0.0	-0.0	0.4
0.0	0.0			J	14.6	-0.0	-0.0	0.4
0.1	30.5							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	INVSLE Max	I	364.1	0.3	-3.4	12.7
7346.3	616.2		J	364.1	0.3	-1.0	12.7
0.0	0.0	Min	I	96.3	-0.2	-3.4	1.1
7336.8	-961.2		J	96.3	-0.2	-1.1	1.1
0.0	0.0	INVSLE Max	I	269.3	0.2	-2.5	9.5
5441.7	449.2		J	269.3	0.2	-0.8	9.5
0.0	0.0	Min	I	74.2	-0.1	-2.5	1.0
5434.6	-715.1		J	74.2	-0.1	-0.8	1.0
8639	2	72 C1-C2;~1 Max	I	97.8	0.0	0.0	4.4
0.0	0.0		J	97.8	0.0	0.0	4.4
0.0	0.0	Min	I	-50.1	0.0	-0.0	-4.6
0.0	0.0		J	-50.1	-0.0	-0.0	-4.6
0.0	0.0	C3-C4;~1 Max	I	80.4	0.0	0.0	2.2
0.0	0.0		J	80.4	0.0	0.0	2.2
0.0	0.0	Min	I	-41.7	0.0	-0.0	-5.1
0.0	0.0		J	-41.7	-0.0	-0.0	-5.1
0.0	0.0	C1-C2;~2 Max	I	57.8	0.0	0.0	2.7
0.0	0.0		J	57.8	0.0	0.0	2.7
0.0	0.0	Min	I	-29.0	0.0	-0.0	-3.0
0.0	0.0		J	-29.0	-0.0	-0.0	-3.0
0.0	0.0	C3-C4;~2 Max	I	46.0	0.0	0.0	1.2
0.0	0.0		J	46.0	0.0	0.0	1.2
0.0	0.0	Min	I	-20.5	0.0	-0.0	-3.4
0.0	0.0		J	-20.5	-0.0	-0.0	-3.4
0.0	0.0	G1	I	22.7	0.0	-0.8	2.5
0.0	0.0		J	22.7	-0.0	0.8	2.5
0.0	0.0	G2	I	-1.4	0.0	-0.0	0.8
0.0	0.0		J	-1.4	-0.0	-0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-10.5	0.0	-0.0	-0.4
0.0	0.0		J	-10.5	-0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_pc Y	I	-17.1	0.0	0.0	-0.7
0.0	0.0		J	-17.1	0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	Q5_ps X	I	-6.5	0.0	-0.0	-0.3
0.0	0.0		J	-6.5	-0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	-15.5	0.0	0.0	-0.6
0.0	0.0		J	-15.5	0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	INVSLE Max	I	109.8	0.0	-1.1	11.9
0.0	0.0		J	109.8	0.0	1.1	11.9
0.0	0.0	Min	I	-120.6	0.0	-1.1	-2.2
0.0	0.0		J	-120.6	-0.0	1.1	-2.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	82.0	0.0	-0.8	8.7
0.0	0.0		J	82.0	0.0	0.8	8.7
0.0	0.0	Min	I	-86.4	0.0	-0.8	-1.6
0.0	0.0		J	-86.4	-0.0	0.8	-1.6
0.0	0.0						
8640	2	72 C1-C2;~1 Max	I	98.0	0.0	0.0	1.8
0.0	0.0		J	98.0	0.0	0.0	1.8
0.0	0.0	Min	I	-50.1	0.0	0.0	-8.2
0.0	0.0		J	-50.1	0.0	0.0	-8.2
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	80.3	0.0	0.0	1.7
0.0	0.0		J	80.3	0.0	0.0	1.7
0.0	0.0	Min	I	-41.8	0.0	0.0	-6.4
0.0	0.0		J	-41.8	0.0	0.0	-6.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	58.0	0.0	0.0	0.9
0.0	0.0		J	58.0	0.0	0.0	0.9
0.0	0.0	Min	I	-29.0	0.0	0.0	-5.1
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-29.0	0.0	0.0	-5.1
0.0	0.0	C3-C4;~2 Max	I	46.0	0.0	0.0	0.8
0.0	0.0		J	46.0	0.0	0.0	0.8
0.0	0.0	Min	I	-20.5	0.0	0.0	-3.7
0.0	0.0		J	-20.5	0.0	0.0	-3.7
0.0	0.0	G1	I	22.7	0.0	-0.9	-4.3
0.0	0.0		J	22.7	0.0	0.9	-4.3
0.0	0.0	G2	I	-1.4	0.0	0.0	-0.6
0.0	0.0		J	-1.4	0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-10.5	0.0	0.0	-0.4
0.0	0.0		J	-10.5	0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	-17.1	0.0	0.0	-0.5
0.0	0.0		J	-17.1	0.0	0.0	-0.5
0.0	0.0	Q5_ps X	I	-6.6	0.0	0.0	-0.7
0.0	0.0		J	-6.6	0.0	0.0	-0.7
0.0	0.0	Q5_ps Y	I	-15.5	0.0	0.0	-0.5
0.0	0.0		J	-15.5	0.0	0.0	-0.5
0.0	0.0	INVSLE Max	I	110.0	0.0	-1.2	-11.1
0.0	0.0		J	110.0	0.0	1.2	-11.1
0.0	0.0	Min	I	-120.6	0.0	-1.2	-25.5
0.0	0.0		J	-120.6	0.0	1.2	-25.5
0.0	0.0	INVSLE Max	I	82.1	0.0	-0.9	-8.4
0.0	0.0		J	82.1	0.0	0.9	-8.4
0.0	0.0	Min	I	-86.5	0.0	-0.9	-19.0
0.0	0.0		J	-86.5	0.0	0.9	-19.0
8641	2	72 C1-C2;~1 Max	I	112.9	0.2	0.0	5.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
4.3	563.7		J	112.9	0.2	0.0	5.0
0.0	0.0						
		Min	I	-53.2	-0.2	-0.0	-3.2
-1.8	-563.5		J	-53.2	-0.2	-0.0	-3.2
0.0	0.0						
		C3-C4;~1 Max	I	100.7	0.2	0.0	3.9
3.0	494.7		J	100.7	0.2	0.0	3.9
0.0	0.0						
		Min	I	-33.1	-0.2	-0.0	-2.4
-2.3	-516.3		J	-33.1	-0.2	-0.0	-2.4
0.0	0.0						
		C1-C2;~2 Max	I	65.2	0.1	0.0	3.0
2.7	376.9		J	65.2	0.1	0.0	3.0
0.0	0.0						
		Min	I	-29.9	-0.1	-0.0	-1.9
-1.1	-375.0		J	-29.9	-0.1	-0.0	-1.9
0.0	0.0						
		C3-C4;~2 Max	I	55.1	0.1	0.0	2.3
1.7	330.0		J	55.1	0.1	0.0	2.3
0.0	0.0						
		Min	I	-15.6	-0.1	-0.0	-1.3
-1.4	-340.6		J	-15.6	-0.1	-0.0	-1.3
0.0	0.0						
		G1	I	42.3	-0.0	0.9	0.2
5449.8	-42.7		J	42.3	-0.0	2.6	0.2
0.0	0.0						
		G2	I	6.8	-0.0	0.0	-0.4
0.7	-25.6		J	6.8	-0.0	0.0	-0.4
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	24.2	-0.0	0.0	0.3
0.0	-19.4		J	24.2	-0.0	0.0	0.3
0.0	0.0						
		Q5_pc Y	I	14.8	0.0	-0.0	0.4
-0.1	30.9		J	14.8	0.0	-0.0	0.4
0.0	0.0						
		Q5_ps X	I	25.4	-0.0	0.0	0.4
0.2	-16.5		J	25.4	-0.0	0.0	0.4
0.0	0.0						
		Q5_ps Y	I	14.6	0.0	-0.0	0.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.1	30.5			J	14.6	0.0	-0.0 0.4
0.0	0.0						
7368.0	616.2		INVS LU Max	I	364.0	0.2	1.3 10.0
0.0	0.0			J	364.0	0.2	3.5 10.0
7358.9	-961.2		Min	I	96.3	-0.3	1.3 -1.7
0.0	0.0			J	96.3	-0.3	3.5 -1.7
5457.8	449.2		INVS LE Max	I	269.3	0.1	0.9 7.5
0.0	0.0			J	269.3	0.1	2.6 7.5
5451.1	-715.1		Min	I	74.2	-0.2	0.9 -1.2
0.0	0.0			J	74.2	-0.2	2.6 -1.2
8642.0	2 0.0	72	C1-C2;~1 Max	I	102.9	0.2	0.0 4.9
2.8	201.3			J	102.9	0.2	0.0 4.9
0.0	0.0		Min	I	-28.5	-0.1	-0.0 -2.6
-3.4	-564.1			J	-28.5	-0.1	-0.0 -2.6
0.0	0.0		C3-C4;~1 Max	I	88.2	0.2	0.0 3.2
2.8	181.4			J	88.2	0.2	0.0 3.2
0.0	0.0		Min	I	-24.2	-0.1	-0.0 -2.5
-2.3	-521.3			J	-24.2	-0.1	-0.0 -2.5
0.0	0.0		C1-C2;~2 Max	I	62.1	0.1	0.0 3.1
1.8	118.7			J	62.1	0.1	0.0 3.1
0.0	0.0		Min	I	-14.7	-0.0	-0.0 -1.6
-1.9	-382.8			J	-14.7	-0.0	-0.0 -1.6
0.0	0.0		C3-C4;~2 Max	I	50.8	0.1	0.0 1.8
1.8	96.2			J	50.8	0.1	0.0 1.8
0.0	0.0		Min	I	-11.5	-0.0	-0.0 -1.6
-1.2	-353.4			J	-11.5	-0.0	-0.0 -1.6
0.0	0.0		G1	I	43.4	-0.0	-2.5 1.9
5264.8	37.6			J	43.4	-0.0	-0.8 1.9
0.0	0.0		G2	I	9.5	-0.0	0.0 0.9
				J	9.5	-0.0	0.0 0.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.3	53.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	21.8	0.0	-0.0	0.2
0.0	0.0		J	21.8	0.0	-0.0	0.2
0.8	-105.2						
		Q5_pc Y	I	18.6	0.0	-0.0	0.2
0.0	0.0		J	18.6	0.0	-0.0	0.2
0.5	-24.8						
		Q5_ps X	I	23.6	0.0	-0.0	0.3
0.0	0.0		J	23.6	0.0	-0.0	0.3
0.9	-114.6						
		Q5_ps Y	I	18.3	0.0	-0.0	0.2
0.0	0.0		J	18.3	0.0	-0.0	0.2
0.5	-27.1						
		INVSLE Max	I	244.6	0.1	-3.4	14.3
0.0	0.0		J	244.6	0.1	-1.0	14.3
7107.7	748.3	Min	I	28.1	-0.2	-3.4	3.7
0.0	0.0		J	28.1	-0.2	-1.0	3.7
7097.8	-474.3						
		INVSLE Max	I	180.7	0.1	-2.5	10.6
0.0	0.0		J	180.7	0.1	-0.8	10.6
5264.9	545.0	Min	I	23.2	-0.2	-2.5	2.8
0.0	0.0		J	23.2	-0.2	-0.8	2.8
5257.7	-346.5						
8643	2	72 C1-C2;~1 Max	I	86.5	0.0	0.0	3.9
0.0	0.0		J	86.5	0.0	0.0	3.9
0.0	0.0						
		Min	I	-36.2	-0.0	-0.0	-4.7
0.0	0.0		J	-36.2	0.0	0.0	-4.7
0.0	0.0						
		C3-C4;~1 Max	I	86.5	0.0	0.0	1.4
0.0	0.0		J	86.5	0.0	0.0	1.4
0.0	0.0						
		Min	I	-17.6	-0.0	-0.0	-5.2
0.0	0.0		J	-17.6	0.0	0.0	-5.2
0.0	0.0						
		C1-C2;~2 Max	I	50.6	0.0	0.0	2.4
0.0	0.0		J	50.6	0.0	0.0	2.4


MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-21.4	-0.0	-0.0	-3.1
0.0	0.0			J	-21.4	0.0	0.0	-3.1
0.0	0.0	C3-C4;~2	Max	I	51.3	0.0	0.0	0.8
0.0	0.0			J	51.3	0.0	0.0	0.8
0.0	0.0		Min	I	-8.5	-0.0	-0.0	-3.4
0.0	0.0			J	-8.5	0.0	0.0	-3.4
0.0	0.0		G1	I	46.1	0.0	-0.8	1.4
0.0	0.0			J	46.1	0.0	0.8	1.4
0.0	0.0		G2	I	10.7	0.0	-0.0	0.5
0.0	0.0			J	10.7	0.0	0.0	0.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-11.0	0.0	-0.0	-0.4
0.0	0.0			J	-11.0	0.0	0.0	-0.4
0.0	0.0	Q5_pc	Y	I	-18.3	-0.0	0.0	-0.6
0.0	0.0			J	-18.3	0.0	0.0	-0.6
0.0	0.0	Q5_ps	X	I	-9.3	0.0	-0.0	-0.3
0.0	0.0			J	-9.3	0.0	0.0	-0.3
0.0	0.0	Q5_ps	Y	I	-17.1	-0.0	0.0	-0.6
0.0	0.0			J	-17.1	0.0	0.0	-0.6
0.0	0.0	INVSLE	Max	I	275.2	0.0	-1.1	11.3
0.0	0.0			J	275.2	0.0	1.1	11.3
0.0	0.0		Min	I	76.5	-0.0	-1.1	-2.0
0.0	0.0			J	76.5	0.0	1.1	-2.0
0.0	0.0	INVSLE	Max	I	203.6	0.0	-0.8	8.4
0.0	0.0			J	203.6	0.0	0.8	8.4
0.0	0.0		Min	I	58.9	-0.0	-0.8	-1.5
0.0	0.0			J	58.9	0.0	0.8	-1.5


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0									
8644	2	72	C1-C2;~1	Max	I	86.2	0.0	0.0	4.3	
0.0	0.0				J	86.2	0.0	0.0	4.3	
0.0	0.0				Min	I	-36.2	0.0	-4.0	
0.0	0.0				J	-36.2	0.0	0.0	-4.0	
0.0	0.0									
0.0	0.0		C3-C4;~1	Max	I	86.2	0.0	0.0	3.2	
0.0	0.0				J	86.2	0.0	0.0	3.2	
0.0	0.0				Min	I	-17.6	0.0	-4.4	
0.0	0.0				J	-17.6	0.0	0.0	-4.4	
0.0	0.0									
0.0	0.0		C1-C2;~2	Max	I	50.4	0.0	0.0	2.8	
0.0	0.0				J	50.4	0.0	0.0	2.8	
0.0	0.0				Min	I	-21.3	0.0	-2.0	
0.0	0.0				J	-21.3	0.0	0.0	-2.0	
0.0	0.0									
0.0	0.0		C3-C4;~2	Max	I	51.0	0.0	0.0	2.0	
0.0	0.0				J	51.0	0.0	0.0	2.0	
0.0	0.0				Min	I	-8.5	0.0	-2.2	
0.0	0.0				J	-8.5	0.0	0.0	-2.2	
0.0	0.0									
0.0	0.0				G1	I	46.1	0.0	-0.8	-5.2
0.0	0.0				J	46.1	0.0	0.8	-5.2	
0.0	0.0									
0.0	0.0				G2	I	10.7	0.0	0.0	-2.2
0.0	0.0				J	10.7	0.0	0.0	-2.2	
0.0	0.0									
0.0	0.0				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0		Q5_pc	X	I	-11.1	0.0	0.0	1.3	
0.0	0.0				J	-11.1	0.0	0.0	1.3	
0.0	0.0									
0.0	0.0		Q5_pc	Y	I	-18.3	0.0	0.0	0.3	
0.0	0.0				J	-18.3	0.0	0.0	0.3	
0.0	0.0									
0.0	0.0		Q5_ps	X	I	-9.4	0.0	0.0	1.5	
0.0	0.0				J	-9.4	0.0	0.0	1.5	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		Q5_ps	Y	I	-17.1	0.0	0.3
0.0	0.0			J	-17.1	0.0	0.3
0.0	0.0						
		INVSLU	Max	I	275.0	0.0	-5.0
0.0	0.0			J	275.0	0.0	-5.0
0.0	0.0						
			Min	I	76.8	0.0	-19.0
0.0	0.0			J	76.8	0.0	-19.0
0.0	0.0						
		INVSLE	Max	I	203.5	0.0	-3.9
0.0	0.0			J	203.5	0.0	-3.9
0.0	0.0						
			Min	I	59.1	0.0	-14.1
0.0	0.0			J	59.1	0.0	-14.1
0.0	0.0						
8645	2	72	C1-C2;~1	Max	102.8	0.1	5.2
3.2	201.3			J	102.8	0.1	5.2
0.0	0.0						
			Min	I	-28.5	-0.2	-2.1
-2.7	-564.1			J	-28.5	-0.2	-2.1
0.0	0.0						
			C3-C4;~1	Max	88.2	0.1	3.3
2.2	181.4			J	88.2	0.1	3.3
0.0	0.0						
			Min	I	-24.2	-0.2	-2.2
-2.7	-521.3			J	-24.2	-0.2	-2.2
0.0	0.0						
			C1-C2;~2	Max	62.0	0.0	3.4
1.8	118.7			J	62.0	0.0	3.4
0.0	0.0						
			Min	I	-14.7	-0.1	-1.3
-1.7	-382.8			J	-14.7	-0.1	-1.3
0.0	0.0						
			C3-C4;~2	Max	50.7	0.0	2.0
1.1	96.2			J	50.7	0.0	2.0
0.0	0.0						
			Min	I	-11.5	-0.1	-1.3
-1.7	-353.4			J	-11.5	-0.1	-1.3
0.0	0.0						
			G1	I	43.4	0.0	0.7
5271.2	37.6			J	43.4	0.0	0.7
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.3	53.4	G2	I	9.5	0.0	0.0	0.4
0.0	0.0		J	9.5	0.0	0.0	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.8	-105.2	Q5_pc X	I	21.8	-0.0	-0.0	0.5
0.0	0.0		J	21.8	-0.0	-0.0	0.5
-0.4	-24.8	Q5_pc Y	I	18.6	-0.0	-0.0	0.3
0.0	0.0		J	18.6	-0.0	-0.0	0.3
-0.8	-114.6	Q5_ps X	I	23.6	-0.0	-0.0	0.6
0.0	0.0		J	23.6	-0.0	-0.0	0.6
-0.4	-27.1	Q5_ps Y	I	18.3	-0.0	-0.0	0.3
0.0	0.0		J	18.3	-0.0	-0.0	0.3
7125.4	748.3	INVSLE Max	I	244.6	0.2	1.2	11.7
0.0	0.0		J	244.6	0.2	3.4	11.7
7115.9	-474.3	Min	I	28.1	-0.2	1.2	0.8
0.0	0.0		J	28.1	-0.2	3.4	0.8
5278.0	545.0	INVSLE Max	I	180.7	0.2	0.9	8.7
0.0	0.0		J	180.7	0.2	2.5	8.7
5271.1	-346.5	Min	I	23.3	-0.1	0.9	0.7
0.0	0.0		J	23.3	-0.1	2.5	0.7
8646	2	72 C1-C2;~1 Max	I	86.3	0.1	0.0	4.3
0.0	0.0		J	86.3	0.1	0.0	4.3
3.6	585.9	Min	I	-43.5	-0.2	-0.0	-3.3
0.0	0.0		J	-43.5	-0.2	-0.0	-3.3
-3.5	-253.4	C3-C4;~1 Max	I	86.6	0.0	0.0	4.3
0.0	0.0		J	86.6	0.0	0.0	4.3
2.0	537.6	Min	I	-18.0	-0.2	-0.0	-1.8
0.0	0.0		J	-18.0	-0.2	-0.0	-1.8
-2.8	-148.6						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		C1-C2;~2	Max	I	50.2	0.0	0.0	2.6
0.0	0.0			J	50.2	0.0	0.0	2.6
2.1	391.7		Min	I	-24.0	-0.1	-0.0	-2.0
0.0	0.0			J	-24.0	-0.1	-0.0	-2.0
-2.2	-135.6							
		C3-C4;~2	Max	I	50.8	0.0	0.0	2.6
0.0	0.0			J	50.8	0.0	0.0	2.6
1.1	363.2		Min	I	-8.7	-0.1	-0.0	-1.1
0.0	0.0			J	-8.7	-0.1	-0.0	-1.1
-1.7	-82.2							
		G1		I	48.9	0.0	-2.5	2.2
0.0	0.0			J	48.9	0.0	-0.7	2.2
5225.2	-1.5							
		G2		I	11.8	0.0	-0.0	0.7
0.0	0.0			J	11.8	0.0	-0.0	0.7
0.9	-41.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-22.2	0.0	-0.0	-0.3
0.0	0.0			J	-22.2	0.0	-0.0	-0.3
0.2	-39.6							
		Q5_pc	Y	I	6.5	0.0	-0.0	-0.4
0.0	0.0			J	6.5	0.0	-0.0	-0.4
0.0	-15.4							
		Q5_ps	X	I	-20.0	0.0	0.0	-0.4
0.0	0.0			J	-20.0	0.0	0.0	-0.4
-0.0	-26.8							
		Q5_ps	Y	I	6.5	0.0	0.0	-0.4
0.0	0.0			J	6.5	0.0	0.0	-0.4
-0.1	-10.7							
		INVSLU	Max	I	266.4	0.2	-3.3	10.3
0.0	0.0			J	266.4	0.2	-1.0	10.3
7056.0	499.2		Min	I	50.8	-0.2	-3.3	-0.8
0.0	0.0			J	50.8	-0.2	-1.0	-0.8
7046.0	-705.2							
		INVSLE	Max	I	196.9	0.2	-2.5	7.6
0.0	0.0			J	196.9	0.2	-0.7	7.6
5226.6	362.5							

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	40.2	-0.1	-2.5	-0.5	
0.0	0.0			J	40.2	-0.1	-0.7	-0.5	
5219.2	-524.3								
8647	2	72	C1-C2;~1	Max	I	103.2	0.0	0.0	3.7
0.0	0.0				J	103.2	0.0	0.0	3.7
0.0	0.0		Min	I	-30.4	-0.0	-0.0	-6.3	
0.0	0.0			J	-30.4	-0.0	-0.0	-6.3	
0.0	0.0								
			C3-C4;~1	Max	I	86.5	0.0	0.0	3.9
0.0	0.0			J	86.5	0.0	0.0	3.9	
0.0	0.0		Min	I	-24.2	-0.0	-0.0	-2.8	
0.0	0.0			J	-24.2	-0.0	-0.0	-2.8	
0.0	0.0								
			C1-C2;~2	Max	I	62.3	0.0	0.0	2.4
0.0	0.0			J	62.3	0.0	0.0	2.4	
0.0	0.0		Min	I	-15.6	-0.0	-0.0	-3.8	
0.0	0.0			J	-15.6	-0.0	-0.0	-3.8	
0.0	0.0								
			C3-C4;~2	Max	I	50.1	0.0	0.0	2.6
0.0	0.0			J	50.1	0.0	0.0	2.6	
0.0	0.0		Min	I	-11.4	-0.0	-0.0	-1.5	
0.0	0.0			J	-11.4	-0.0	-0.0	-1.5	
0.0	0.0								
			G1	I	42.5	0.0	-0.8	-0.2	
0.0	0.0			J	42.5	0.0	0.8	-0.2	
0.0	0.0								
			G2	I	8.7	0.0	-0.0	-1.5	
0.0	0.0			J	8.7	0.0	0.0	-1.5	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	33.2	-0.0	0.0	-0.5	
0.0	0.0			J	33.2	-0.0	-0.0	-0.5	
0.0	0.0								
			Q5_pc Y	I	-3.9	0.0	0.0	-0.0	
0.0	0.0			J	-3.9	0.0	0.0	-0.0	
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	34.5	-0.0	0.0	-0.4
0.0	0.0		J	34.5	-0.0	-0.0	-0.4
0.0	0.0	Q5_ps Y	I	-2.7	0.0	0.0	0.0
0.0	0.0		J	-2.7	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	280.6	0.0	-1.1	4.9
0.0	0.0		J	280.6	0.0	1.1	4.9
0.0	0.0	Min	I	38.7	-0.0	-1.1	-9.9
0.0	0.0		J	38.7	-0.0	1.1	-9.9
0.0	0.0	INVS LE Max	I	206.6	0.0	-0.8	3.6
0.0	0.0		J	206.6	0.0	0.8	3.6
0.0	0.0	Min	I	33.3	-0.0	-0.8	-7.3
0.0	0.0		J	33.3	-0.0	0.8	-7.3
8648	2	72 C1-C2;~1 Max	I	103.5	0.0	0.0	2.1
0.0	0.0		J	103.5	0.0	0.0	2.1
0.0	0.0	Min	I	-30.4	0.0	0.0	-6.4
0.0	0.0		J	-30.4	0.0	0.0	-6.4
0.0	0.0	C3-C4;~1 Max	I	86.8	0.0	0.0	2.1
0.0	0.0		J	86.8	0.0	0.0	2.1
0.0	0.0	Min	I	-24.2	0.0	0.0	-4.5
0.0	0.0		J	-24.2	0.0	0.0	-4.5
0.0	0.0	C1-C2;~2 Max	I	62.5	0.0	0.0	1.1
0.0	0.0		J	62.5	0.0	0.0	1.1
0.0	0.0	Min	I	-15.6	0.0	0.0	-4.1
0.0	0.0		J	-15.6	0.0	0.0	-4.1
0.0	0.0	C3-C4;~2 Max	I	50.3	0.0	0.0	1.1
0.0	0.0		J	50.3	0.0	0.0	1.1
0.0	0.0	Min	I	-11.4	0.0	0.0	-2.7
0.0	0.0		J	-11.4	0.0	0.0	-2.7
0.0	0.0	G1	I	42.5	0.0	-0.9	-2.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	42.5	0.0	0.9	-2.5
0.0	0.0	G2	I	8.7	0.0	0.0	0.2
0.0	0.0		J	8.7	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	33.1	0.0	0.0	-0.2
0.0	0.0		J	33.1	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	-3.9	0.0	0.0	-0.0
0.0	0.0		J	-3.9	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	34.4	0.0	0.0	-0.5
0.0	0.0		J	34.4	0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	-2.7	0.0	0.0	-0.1
0.0	0.0		J	-2.7	0.0	0.0	-0.1
0.0	0.0	INVSLE Max	I	280.8	0.0	-1.2	-7.0
0.0	0.0		J	280.8	0.0	1.2	-7.0
0.0	0.0	Min	I	38.5	0.0	-1.2	-18.8
0.0	0.0		J	38.5	0.0	1.2	-18.8
0.0	0.0	INVSLE Max	I	206.7	0.0	-0.9	-5.3
0.0	0.0		J	206.7	0.0	0.9	-5.3
0.0	0.0	Min	I	33.1	0.0	-0.9	-14.0
0.0	0.0		J	33.1	0.0	0.9	-14.0
8649	2	72 C1-C2;~1 Max	I	86.3	0.2	0.0	3.8
3.2	585.9		J	86.3	0.2	0.0	3.8
0.0	0.0	Min	I	-43.5	-0.1	-0.0	-3.5
-3.3	-253.4		J	-43.5	-0.1	-0.0	-3.5
0.0	0.0	C3-C4;~1 Max	I	86.6	0.2	0.0	4.1
2.5	537.6		J	86.6	0.2	0.0	4.1
0.0	0.0	Min	I	-18.0	-0.0	-0.0	-2.3
-1.9	-148.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-18.0	-0.0	-0.0	-2.3
2.0	391.7	C1-C2;~2 Max	I	50.2	0.1	0.0	2.1
0.0	0.0		J	50.2	0.1	0.0	2.1
-2.0	-135.6	Min	I	-24.0	-0.0	-0.0	-2.3
0.0	0.0		J	-24.0	-0.0	-0.0	-2.3
1.6	363.2	C3-C4;~2 Max	I	50.8	0.1	0.0	2.4
0.0	0.0		J	50.8	0.1	0.0	2.4
-1.0	-82.2	Min	I	-8.7	-0.0	-0.0	-1.5
0.0	0.0		J	-8.7	-0.0	-0.0	-1.5
5227.5	-1.5	G1	I	48.9	-0.0	0.9	1.8
0.0	0.0		J	48.9	-0.0	2.5	1.8
-0.8	-41.1	G2	I	11.8	-0.0	-0.0	1.0
0.0	0.0		J	11.8	-0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.2	-39.6	Q5_pc X	I	-22.2	-0.0	-0.0	-0.2
0.0	0.0		J	-22.2	-0.0	-0.0	-0.2
-0.0	-15.4	Q5_pc Y	I	6.5	-0.0	-0.0	-0.4
0.0	0.0		J	6.5	-0.0	-0.0	-0.4
0.0	-26.8	Q5_ps X	I	-20.0	-0.0	0.0	-0.4
0.0	0.0		J	-20.0	-0.0	0.0	-0.4
0.1	-10.7	Q5_ps Y	I	6.5	-0.0	0.0	-0.4
0.0	0.0		J	6.5	-0.0	0.0	-0.4
7064.4	499.2	INVSLU Max	I	266.4	0.2	1.3	8.3
0.0	0.0		J	266.4	0.2	3.4	8.3
7055.2	-705.2	Min	I	50.7	-0.2	1.3	-2.6
0.0	0.0		J	50.7	-0.2	3.4	-2.6
		INVSLE Max	I	196.9	0.1	0.9	6.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5232.9	362.5			J	196.9	0.1	2.5	6.1	
0.0	0.0								
			Min	I	40.1	-0.2	0.9	-1.9	
5226.1	-524.3			J	40.1	-0.2	2.5	-1.9	
0.0	0.0								
8650	2	72	C1-C2;~1	Max	I	96.3	0.2	0.0	4.6
0.0	0.0								
					J	96.3	0.2	0.0	4.6
4.6	617.4								
			Min	I	-56.7	-0.2	-0.0	-3.1	
0.0	0.0			J	-56.7	-0.2	-0.0	-3.1	
-3.3	-534.6								
			C3-C4;~1	Max	I	80.4	0.1	0.0	4.0
0.0	0.0				J	80.4	0.1	0.0	4.0
4.7	532.9								
			Min	I	-37.8	-0.2	-0.0	-1.5	
0.0	0.0			J	-37.8	-0.2	-0.0	-1.5	
-1.9	-473.2								
			C1-C2;~2	Max	I	57.0	0.1	0.0	2.8
0.0	0.0				J	57.0	0.1	0.0	2.8
2.7	408.5								
			Min	I	-31.3	-0.1	-0.0	-1.8	
0.0	0.0			J	-31.3	-0.1	-0.0	-1.8	
-2.0	-357.2								
			C3-C4;~2	Max	I	46.0	0.1	0.0	2.4
0.0	0.0				J	46.0	0.1	0.0	2.4
2.7	353.3								
			Min	I	-18.8	-0.1	-0.0	-0.7	
0.0	0.0			J	-18.8	-0.1	-0.0	-0.7	
-1.0	-314.9								
			G1	I	24.3	-0.0	-2.5	1.1	
0.0	0.0			J	24.3	-0.0	-0.8	1.1	
5426.4	55.1								
			G2	I	-1.2	-0.0	-0.0	-0.2	
0.0	0.0			J	-1.2	-0.0	-0.0	-0.2	
0.6	27.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-22.5	0.0	-0.0	0.6
0.0	0.0			J	-22.5	0.0	-0.0	0.6	
0.2	-43.8								
			Q5_pc	Y	I	6.0	0.0	0.0	-0.3
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-44.5		J	6.0	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	-17.7	0.0	-0.0	0.7
0.1	-43.9		J	-17.7	0.0	-0.0	0.7
0.0	0.0	Q5_ps Y	I	6.9	0.0	0.0	-0.2
-0.1	-42.2		J	6.9	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	115.9	0.2	-3.4	11.6
7326.9	966.8		J	115.9	0.2	-1.0	11.6
0.0	0.0	Min	I	-131.2	-0.3	-3.4	0.1
7315.8	-668.6		J	-131.2	-0.3	-1.0	0.1
0.0	0.0	INVSLE Max	I	86.1	0.1	-2.5	8.7
5427.2	712.8		J	86.1	0.1	-0.8	8.7
0.0	0.0	Min	I	-94.0	-0.2	-2.5	0.2
5419.0	-492.6		J	-94.0	-0.2	-0.8	0.2
8651	2	72 C1-C2;~1 Max	I	112.8	0.0	0.0	4.1
0.0	0.0		J	112.8	0.0	0.0	4.1
0.0	0.0	Min	I	-61.5	-0.0	-0.0	-6.9
0.0	0.0		J	-61.5	0.0	-0.0	-6.9
0.0	0.0	C3-C4;~1 Max	I	98.4	0.0	0.0	1.1
0.0	0.0		J	98.4	0.0	0.0	1.1
0.0	0.0	Min	I	-32.2	-0.0	-0.0	-7.3
0.0	0.0		J	-32.2	0.0	-0.0	-7.3
0.0	0.0	C1-C2;~2 Max	I	65.1	0.0	0.0	2.3
0.0	0.0		J	65.1	0.0	0.0	2.3
0.0	0.0	Min	I	-33.2	-0.0	-0.0	-4.3
0.0	0.0		J	-33.2	0.0	-0.0	-4.3
0.0	0.0	C3-C4;~2 Max	I	54.2	0.0	0.0	0.5
0.0	0.0		J	54.2	0.0	0.0	0.5
0.0	0.0	Min	I	-15.2	-0.0	-0.0	-4.6
0.0	0.0		J	-15.2	0.0	-0.0	-4.6


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G1	I	42.2	-0.0	-0.8	-0.7
0.0	0.0		J	42.2	0.0	0.8	-0.7
0.0	0.0	G2	I	5.9	-0.0	0.0	-0.3
0.0	0.0		J	5.9	0.0	-0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	33.9	0.0	-0.0	-0.5
0.0	0.0		J	33.9	0.0	0.0	-0.5
0.0	0.0	Q5_pc Y	I	-0.5	-0.0	0.0	0.2
0.0	0.0		J	-0.5	0.0	-0.0	0.2
0.0	0.0	Q5_ps X	I	34.7	0.0	-0.0	-0.5
0.0	0.0		J	34.7	0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	0.4	-0.0	0.0	0.2
0.0	0.0		J	0.4	0.0	-0.0	0.2
0.0	0.0	INVSLE Max	I	379.2	0.0	-1.1	7.0
0.0	0.0		J	379.2	0.0	1.1	7.0
0.0	0.0	Min	I	82.8	-0.0	-1.1	-9.4
0.0	0.0		J	82.8	0.0	1.1	-9.4
0.0	0.0	INVSLE Max	I	279.9	0.0	-0.8	5.1
0.0	0.0		J	279.9	0.0	0.8	5.1
0.0	0.0	Min	I	64.9	-0.0	-0.8	-6.9
0.0	0.0		J	64.9	0.0	0.8	-6.9
8652	2	72 C1-C2;~1 Max	I	113.1	0.0	0.0	5.1
0.0	0.0		J	113.1	0.0	0.0	5.1
0.0	0.0	Min	I	-61.5	0.0	0.0	-7.1
0.0	0.0		J	-61.5	-0.0	0.0	-7.1
0.0	0.0	C3-C4;~1 Max	I	98.5	0.0	0.0	5.0
0.0	0.0		J	98.5	0.0	0.0	5.0


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-32.2	0.0	0.0	-4.7
0.0	0.0			J	-32.2	-0.0	0.0	-4.7
0.0	0.0	C1-C2;~2	Max	I	65.3	0.0	0.0	2.8
0.0	0.0			J	65.3	0.0	0.0	2.8
0.0	0.0		Min	I	-33.1	0.0	0.0	-4.4
0.0	0.0			J	-33.1	-0.0	0.0	-4.4
0.0	0.0	C3-C4;~2	Max	I	54.2	0.0	0.0	2.7
0.0	0.0			J	54.2	0.0	0.0	2.7
0.0	0.0		Min	I	-15.2	0.0	0.0	-2.5
0.0	0.0			J	-15.2	-0.0	0.0	-2.5
0.0	0.0		G1	I	42.2	0.0	-0.9	-0.7
0.0	0.0			J	42.2	0.0	0.9	-0.7
0.0	0.0		G2	I	5.9	0.0	0.0	0.8
0.0	0.0			J	5.9	0.0	0.0	0.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	33.9	0.0	0.0	-0.1
0.0	0.0			J	33.9	-0.0	0.0	-0.1
0.0	0.0	Q5_pc	Y	I	-0.5	0.0	0.0	0.2
0.0	0.0			J	-0.5	0.0	0.0	0.2
0.0	0.0	Q5_ps	X	I	34.7	0.0	0.0	-0.4
0.0	0.0			J	34.7	-0.0	0.0	-0.4
0.0	0.0	Q5_ps	Y	I	0.4	0.0	0.0	0.1
0.0	0.0			J	0.4	0.0	0.0	0.1
0.0	0.0	INVSLU	Max	I	379.5	0.0	-1.2	-2.2
0.0	0.0			J	379.5	0.0	1.2	-2.2
0.0	0.0		Min	I	83.0	0.0	-1.2	-19.0
0.0	0.0			J	83.0	-0.0	1.2	-19.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
			INVSLE Max	I	280.2	0.0	-0.9	-1.9
0.0	0.0			J	280.2	0.0	0.9	-1.9
0.0	0.0		Min	I	65.0	0.0	-0.9	-14.3
0.0	0.0			J	65.0	-0.0	0.9	-14.3
0.0	0.0							
8653	2	72	C1-C2;~1 Max	I	96.3	0.2	0.0	5.2
3.1	617.4			J	96.3	0.2	0.0	5.2
0.0	0.0		Min	I	-56.7	-0.2	-0.0	-2.9
-4.3	-534.6			J	-56.7	-0.2	-0.0	-2.9
0.0	0.0							
			C3-C4;~1 Max	I	80.4	0.2	0.0	4.3
1.8	532.9			J	80.4	0.2	0.0	4.3
0.0	0.0		Min	I	-37.8	-0.2	-0.0	-1.2
-4.4	-473.2			J	-37.8	-0.2	-0.0	-1.2
0.0	0.0							
			C1-C2;~2 Max	I	57.0	0.1	0.0	3.1
1.9	408.5			J	57.0	0.1	0.0	3.1
0.0	0.0		Min	I	-31.3	-0.1	-0.0	-1.6
-2.5	-357.2			J	-31.3	-0.1	-0.0	-1.6
0.0	0.0							
			C3-C4;~2 Max	I	46.0	0.1	0.0	2.6
1.0	353.3			J	46.0	0.1	0.0	2.6
0.0	0.0		Min	I	-18.8	-0.1	-0.0	-0.6
-2.6	-314.9			J	-18.8	-0.1	-0.0	-0.6
0.0	0.0							
			G1	I	24.3	0.0	0.9	1.1
5426.3	55.1			J	24.3	0.0	2.6	1.1
0.0	0.0							
			G2	I	-1.2	0.0	-0.0	-0.1
-0.6	27.9			J	-1.2	0.0	-0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-22.5	-0.0	-0.0	0.7
-0.2	-43.8			J	-22.5	-0.0	-0.0	0.7
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	-44.5	Q5_pc Y	I	6.0	-0.0	0.0	-0.3
0.0	0.0		J	6.0	-0.0	0.0	-0.3
-0.0	-43.9	Q5_ps X	I	-17.7	-0.0	-0.0	0.8
0.0	0.0		J	-17.7	-0.0	-0.0	0.8
0.1	-42.2	Q5_ps Y	I	6.9	-0.0	0.0	-0.2
0.0	0.0		J	6.9	-0.0	0.0	-0.2
7334.9	966.8	INVS LU Max	I	115.9	0.3	1.3	11.1
0.0	0.0		J	115.9	0.3	3.5	11.1
7324.4	-668.6	Min	I	-131.2	-0.2	1.3	-1.0
0.0	0.0		J	-131.2	-0.2	3.5	-1.0
5433.3	712.8	INVS LE Max	I	86.0	0.2	0.9	8.2
0.0	0.0		J	86.0	0.2	2.6	8.2
5425.6	-492.6	Min	I	-93.9	-0.2	0.9	-0.6
0.0	0.0		J	-93.9	-0.2	2.6	-0.6
8654	2	72 C1-C2;~1 Max	I	83.4	0.2	0.0	4.4
0.0	0.0		J	83.4	0.2	0.0	4.4
4.8	520.4	Min	I	-65.1	-0.2	-0.0	-3.5
0.0	0.0		J	-65.1	-0.2	-0.0	-3.5
-2.7	-579.4						
0.0	0.0	C3-C4;~1 Max	I	63.2	0.2	0.0	3.3
5.2	422.0		J	63.2	0.2	0.0	3.3
0.0	0.0	Min	I	-57.6	-0.1	-0.0	-1.8
-1.9	-542.7		J	-57.6	-0.1	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	48.8	0.1	0.0	2.6
2.9	333.3		J	48.8	0.1	0.0	2.6
0.0	0.0	Min	I	-35.9	-0.1	-0.0	-2.0
-1.6	-380.2		J	-35.9	-0.1	-0.0	-2.0
0.0	0.0	C3-C4;~2 Max	I	31.6	0.1	0.0	1.8
3.1	265.9		J	31.6	0.1	0.0	1.8
		Min	I	-29.5	-0.1	-0.0	-0.9

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-0.9	-351.6		J	-29.5	-0.1	-0.0	-0.9
		G1	I	-8.2	-0.0	-2.5	0.6
0.0	0.0		J	-8.2	-0.0	-0.8	0.6
5426.6	12.3						
		G2	I	-13.0	-0.0	-0.0	-0.4
0.0	0.0		J	-13.0	-0.0	-0.0	-0.4
0.7	2.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-18.8	-0.0	-0.0	0.4
0.0	0.0		J	-18.8	-0.0	-0.0	0.4
0.0	18.5						
		Q5_pc Y	I	4.8	0.0	0.0	-0.2
0.0	0.0		J	4.8	0.0	0.0	-0.2
-0.1	-52.4						
		Q5_ps X	I	-14.3	-0.0	0.0	0.5
0.0	0.0		J	-14.3	-0.0	0.0	0.5
-0.2	20.7						
		Q5_ps Y	I	5.9	0.0	0.0	-0.1
0.0	0.0		J	5.9	0.0	0.0	-0.1
-0.1	-47.5						
		INVSLU Max	I	-48.0	0.2	-3.4	11.7
0.0	0.0		J	-48.0	0.2	-1.0	11.7
7328.2	875.5						
		Min	I	-282.2	-0.3	-3.4	0.3
0.0	0.0		J	-282.2	-0.3	-1.0	0.3
7317.4	-703.5						
		INVSLE Max	I	-36.8	0.2	-2.5	9.0
0.0	0.0		J	-36.8	0.2	-0.8	9.0
5428.0	638.4						
		Min	I	-207.8	-0.2	-2.5	0.6
0.0	0.0		J	-207.8	-0.2	-0.8	0.6
5420.0	-524.3						
8655	2	72 C1-C2;~1 Max	I	80.3	0.0	0.0	3.7
0.0	0.0		J	80.3	0.0	0.0	3.7
0.0	0.0						
		Min	I	-70.9	0.0	-0.0	-6.2
0.0	0.0		J	-70.9	0.0	-0.0	-6.2
0.0	0.0						

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	C3-C4;~1 Max	I	68.1	0.0	0.0	1.5	
			J	68.1	0.0	0.0	1.5	
0.0	0.0	Min	I	-32.5	0.0	-0.0	-6.7	
			J	-32.5	0.0	-0.0	-6.7	
0.0	0.0	C1-C2;~2 Max	I	46.8	0.0	0.0	2.1	
			J	46.8	0.0	0.0	2.1	
0.0	0.0	Min	I	-40.0	0.0	-0.0	-3.9	
			J	-40.0	0.0	-0.0	-3.9	
0.0	0.0	C3-C4;~2 Max	I	36.4	0.0	0.0	0.8	
			J	36.4	0.0	0.0	0.8	
0.0	0.0	Min	I	-16.0	0.0	-0.0	-4.2	
			J	-16.0	0.0	-0.0	-4.2	
0.0	0.0	G1	I	6.3	0.0	-0.8	0.0	
			J	6.3	0.0	0.8	0.0	
0.0	0.0	G2	I	-7.3	0.0	-0.0	-0.1	
			J	-7.3	0.0	0.0	-0.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	24.9	0.0	0.0	-0.4	
			J	24.9	0.0	-0.0	-0.4	
0.0	0.0	Q5_pc Y	I	2.7	0.0	-0.0	0.5	
			J	2.7	0.0	0.0	0.5	
0.0	0.0	Q5_ps X	I	26.2	0.0	0.0	-0.3	
			J	26.2	0.0	-0.0	-0.3	
0.0	0.0	Q5_ps Y	I	3.6	0.0	-0.0	0.4	
			J	3.6	0.0	0.0	0.4	
0.0	0.0	INVSLU Max	I	323.7	0.0	-1.1	6.6	
			J	323.7	0.0	1.1	6.6	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	74.7	0.0	-1.1	-8.2
0.0	0.0			J	74.7	0.0	1.1	-8.2
0.0	0.0							
			INVSLE Max	I	238.1	0.0	-0.8	4.9
0.0	0.0			J	238.1	0.0	0.8	4.9
0.0	0.0							
			Min	I	57.0	0.0	-0.8	-6.1
0.0	0.0			J	57.0	0.0	0.8	-6.1
0.0	0.0							
8656	2	72	C1-C2;~1 Max	I	80.4	0.0	0.0	6.1
0.0	0.0			J	80.4	0.0	0.0	6.1
0.0	0.0							
			Min	I	-70.8	0.0	-0.0	-5.9
0.0	0.0			J	-70.8	-0.0	0.0	-5.9
0.0	0.0							
			C3-C4;~1 Max	I	68.1	0.0	0.0	5.5
0.0	0.0			J	68.1	0.0	0.0	5.5
0.0	0.0							
			Min	I	-32.5	0.0	-0.0	-4.4
0.0	0.0			J	-32.5	-0.0	0.0	-4.4
0.0	0.0							
			C1-C2;~2 Max	I	46.9	0.0	0.0	3.3
0.0	0.0			J	46.9	0.0	0.0	3.3
0.0	0.0							
			Min	I	-40.0	0.0	-0.0	-3.5
0.0	0.0			J	-40.0	-0.0	0.0	-3.5
0.0	0.0							
			C3-C4;~2 Max	I	36.3	0.0	0.0	2.9
0.0	0.0			J	36.3	0.0	0.0	2.9
0.0	0.0							
			Min	I	-16.0	0.0	-0.0	-2.3
0.0	0.0			J	-16.0	-0.0	0.0	-2.3
0.0	0.0							
			G1	I	6.3	0.0	-0.9	0.3
0.0	0.0			J	6.3	0.0	0.9	0.3
0.0	0.0							
			G2	I	-7.3	0.0	0.0	1.2
0.0	0.0			J	-7.3	0.0	0.0	1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	25.0	0.0	-0.0	-0.3

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	25.0	-0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_pc Y	I	2.7	0.0	0.0	0.3
0.0	0.0		J	2.7	0.0	0.0	0.3
0.0	0.0						
0.0	0.0	Q5_ps X	I	26.2	0.0	-0.0	-0.6
0.0	0.0		J	26.2	-0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	Q5_ps Y	I	3.5	0.0	0.0	0.2
0.0	0.0		J	3.5	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	INVS LU Max	I	324.0	0.0	-1.2	0.7
0.0	0.0		J	324.0	0.0	1.2	0.7
0.0	0.0						
0.0	0.0	Min	I	74.9	0.0	-1.2	-16.1
0.0	0.0		J	74.9	-0.0	1.2	-16.1
0.0	0.0						
0.0	0.0	INVS LE Max	I	238.3	0.0	-0.9	-0.1
0.0	0.0		J	238.3	0.0	0.9	-0.1
0.0	0.0						
0.0	0.0	Min	I	57.1	0.0	-0.9	-12.5
0.0	0.0		J	57.1	-0.0	0.9	-12.5
0.0	0.0						
8657	2	72 C1-C2;~1 Max	I	83.3	0.2	0.0	4.9
2.6	520.4		J	83.3	0.2	0.0	4.9
0.0	0.0						
0.0	0.0	Min	I	-65.1	-0.2	-0.0	-3.1
-4.5	-579.4		J	-65.1	-0.2	-0.0	-3.1
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	63.2	0.1	0.0	3.7
1.7	422.0		J	63.2	0.1	0.0	3.7
0.0	0.0						
0.0	0.0	Min	I	-57.6	-0.2	-0.0	-1.6
-4.9	-542.7		J	-57.6	-0.2	-0.0	-1.6
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	48.7	0.1	0.0	3.0
1.5	333.3		J	48.7	0.1	0.0	3.0
0.0	0.0						
0.0	0.0	Min	I	-35.9	-0.1	-0.0	-1.7
-2.7	-380.2		J	-35.9	-0.1	-0.0	-1.7
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	31.6	0.1	0.0	2.1
0.9	265.9						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				J	31.6	0.1	2.1
0.0	0.0						
			Min	I	-29.5	-0.1	-0.7
-2.9	-351.6						
				J	-29.5	-0.1	-0.7
0.0	0.0						
			G1	I	-8.2	0.0	0.6
5426.4	12.3						
				J	-8.2	0.0	0.6
0.0	0.0						
			G2	I	-13.0	0.0	-0.2
-0.6	2.4						
				J	-13.0	0.0	-0.2
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0						
				J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-18.8	0.0	0.4
-0.0	18.5						
				J	-18.8	0.0	0.4
0.0	0.0						
			Q5_pc Y	I	4.8	-0.0	-0.2
0.1	-52.4						
				J	4.8	-0.0	-0.2
0.0	0.0						
			Q5_ps X	I	-14.3	0.0	0.4
0.1	20.7						
				J	-14.3	0.0	0.4
0.0	0.0						
			Q5_ps Y	I	5.9	-0.0	-0.1
0.1	-47.5						
				J	5.9	-0.0	-0.1
0.0	0.0						
			INVSLU Max	I	-48.0	0.3	11.2
7333.6	875.5						
				J	-48.0	0.3	11.2
0.0	0.0						
			Min	I	-282.1	-0.2	-0.3
7323.5	-703.5						
				J	-282.1	-0.2	-0.3
0.0	0.0						
			INVSLE Max	I	-36.9	0.2	8.5
5432.6	638.4						
				J	-36.9	0.2	8.5
0.0	0.0						
			Min	I	-207.8	-0.2	0.1
5425.1	-524.3						
				J	-207.8	-0.2	0.1
0.0	0.0						
			72 C1-C2;~1 Max	I	70.4	0.1	3.9
8658	2						
0.0	0.0			J	70.4	0.1	3.9
			Min	I	-37.4	-0.1	-3.1
4.2	313.1						
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.9	-405.2		J	-37.4	-0.1	-0.0	-3.1
		C3-C4;~1 Max	I	52.9	0.1	0.0	2.7
0.0	0.0		J	52.9	0.1	0.0	2.7
4.7	253.6	Min	I	-23.2	-0.1	-0.0	-2.0
0.0	0.0		J	-23.2	-0.1	-0.0	-2.0
-1.7	-379.2						
		C1-C2;~2 Max	I	44.4	0.1	0.0	2.4
0.0	0.0		J	44.4	0.1	0.0	2.4
2.4	200.4	Min	I	-20.6	-0.1	-0.0	-1.7
0.0	0.0		J	-20.6	-0.1	-0.0	-1.7
-1.0	-267.5						
		C3-C4;~2 Max	I	32.4	0.1	0.0	1.5
0.0	0.0		J	32.4	0.1	0.0	1.5
2.7	157.8	Min	I	-11.3	-0.0	-0.0	-1.1
0.0	0.0		J	-11.3	-0.0	-0.0	-1.1
-0.8	-247.1						
		G1	I	-7.4	0.0	-2.5	-0.6
0.0	0.0		J	-7.4	0.0	-0.8	-0.6
5426.3	-2.9						
		G2	I	-13.1	0.0	-0.0	-0.9
0.0	0.0		J	-13.1	0.0	-0.0	-0.9
0.6	-6.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-4.6	-0.0	-0.0	0.3
0.0	0.0		J	-4.6	-0.0	-0.0	0.3
0.0	34.7						
		Q5_pc Y	I	4.4	0.0	0.0	-0.1
0.0	0.0		J	4.4	0.0	0.0	-0.1
-0.0	-30.2						
		Q5_ps X	I	-1.0	-0.0	0.0	0.4
0.0	0.0		J	-1.0	-0.0	0.0	0.4
-0.1	35.7						
		Q5_ps Y	I	5.5	0.0	0.0	-0.0
0.0	0.0		J	5.5	0.0	0.0	-0.0
-0.1	-27.0						
		INVSLU Max	I	-230.2	0.2	-3.4	7.7

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-230.2	0.2	-1.0 7.7
7329.6	393.6		Min	I	-384.0	-0.1	-3.4 -2.2
0.0	0.0			J	-384.0	-0.1	-1.0 -2.2
7320.7	-638.7		INVSLE Max	I	-182.2	0.1	-2.5 6.1
0.0	0.0			J	-182.2	0.1	-0.8 6.1
5429.0	270.8		Min	I	-295.5	-0.1	-2.5 -1.2
0.0	0.0			J	-295.5	-0.1	-0.8 -1.2
5422.4	-489.1						
8659	2	72	C1-C2;~1	Max	I	60.7	0.0 0.0 2.3
0.0	0.0			J	60.7	0.0	0.0 2.3
0.0	0.0		Min	I	-46.1	-0.0	0.0 -5.1
0.0	0.0			J	-46.1	-0.0	0.0 -5.1
0.0	0.0		C3-C4;~1	Max	I	52.3	0.0 0.0 1.5
0.0	0.0			J	52.3	0.0	0.0 1.5
0.0	0.0		Min	I	-20.0	-0.0	0.0 -5.9
0.0	0.0			J	-20.0	-0.0	0.0 -5.9
0.0	0.0		C1-C2;~2	Max	I	38.1	0.0 0.0 1.4
0.0	0.0			J	38.1	0.0	0.0 1.4
0.0	0.0		Min	I	-27.0	-0.0	0.0 -3.3
0.0	0.0			J	-27.0	-0.0	0.0 -3.3
0.0	0.0		C3-C4;~2	Max	I	33.0	0.0 0.0 0.8
0.0	0.0			J	33.0	0.0	0.0 0.8
0.0	0.0		Min	I	-9.7	-0.0	0.0 -3.8
0.0	0.0			J	-9.7	-0.0	0.0 -3.8
0.0	0.0		G1	I	-12.0	-0.0	-0.8 1.0
0.0	0.0			J	-12.0	0.0	0.8 1.0
0.0	0.0		G2	I	-15.0	-0.0	0.0 0.3
0.0	0.0			J	-15.0	0.0	0.0 0.3
0.0	0.0		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		Q5_pc X	I	14.2	0.0	0.0	-0.6	
0.0	0.0		J	14.2	-0.0	0.0	-0.6	
0.0	0.0							
		Q5_pc Y	I	5.2	-0.0	0.0	0.4	
0.0	0.0		J	5.2	0.0	0.0	0.4	
0.0	0.0							
		Q5_ps X	I	16.8	0.0	0.0	-0.6	
0.0	0.0		J	16.8	-0.0	0.0	-0.6	
0.0	0.0							
		Q5_ps Y	I	6.2	-0.0	0.0	0.3	
0.0	0.0		J	6.2	0.0	0.0	0.3	
0.0	0.0							
		INVSLE Max	I	113.7	0.0	-1.1	5.0	
0.0	0.0		J	113.7	0.0	1.1	5.0	
0.0	0.0	Min	I	-56.1	-0.0	-1.1	-7.3	
0.0	0.0		J	-56.1	-0.0	1.1	-7.3	
0.0	0.0							
		INVSLE Max	I	72.6	0.0	-0.8	3.6	
0.0	0.0		J	72.6	0.0	0.8	3.6	
0.0	0.0	Min	I	-51.3	-0.0	-0.8	-5.5	
0.0	0.0		J	-51.3	-0.0	0.8	-5.5	
0.0	0.0							
8660	2	72 C1-C2;~1 Max	I	60.8	0.0	0.0	5.5	
0.0	0.0		J	60.8	0.0	0.0	5.5	
0.0	0.0	Min	I	-46.1	0.0	0.0	-4.5	
0.0	0.0		J	-46.1	0.0	-0.0	-4.5	
0.0	0.0							
		C3-C4;~1 Max	I	52.2	0.0	0.0	4.7	
0.0	0.0		J	52.2	0.0	0.0	4.7	
0.0	0.0	Min	I	-20.0	0.0	0.0	-3.1	
0.0	0.0		J	-20.0	0.0	-0.0	-3.1	
0.0	0.0							
		C1-C2;~2 Max	I	38.2	0.0	0.0	3.0	
0.0	0.0		J	38.2	0.0	0.0	3.0	
0.0	0.0	Min	I	-27.0	0.0	0.0	-2.6	
0.0	0.0		J	-27.0	0.0	-0.0	-2.6	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2 Max	I	32.9	0.0	0.0	2.5
			J	32.9	0.0	0.0	2.5
0.0	0.0	Min	I	-9.7	0.0	0.0	-1.5
0.0	0.0		J	-9.7	0.0	-0.0	-1.5
0.0	0.0	G1	I	-12.0	0.0	-0.9	0.8
			J	-12.0	0.0	0.9	0.8
0.0	0.0	G2	I	-15.0	0.0	0.0	1.4
			J	-15.0	0.0	0.0	1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	14.3	0.0	0.0	-0.6
			J	14.3	0.0	-0.0	-0.6
0.0	0.0	Q5_pc Y	I	5.1	0.0	0.0	0.3
			J	5.1	0.0	0.0	0.3
0.0	0.0	Q5_ps X	I	16.8	0.0	0.0	-0.9
			J	16.8	0.0	-0.0	-0.9
0.0	0.0	Q5_ps Y	I	6.2	0.0	0.0	0.1
			J	6.2	0.0	0.0	0.1
0.0	0.0	INVSLE Max	I	113.8	0.0	-1.2	4.4
			J	113.8	0.0	1.2	4.4
0.0	0.0	Min	I	-56.2	0.0	-1.2	-10.1
			J	-56.2	0.0	1.2	-10.1
0.0	0.0	INVSLE Max	I	72.7	0.0	-0.9	2.6
			J	72.7	0.0	0.9	2.6
0.0	0.0	Min	I	-51.3	0.0	-0.9	-8.1
			J	-51.3	0.0	0.9	-8.1
8661	2	72 C1-C2; ~1 Max	I	70.4	0.1	0.0	4.0
1.7	313.1		J	70.4	0.1	0.0	4.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-37.4	-0.1	-0.0	-2.4
-3.9	-405.2			J	-37.4	-0.1	-0.0	-2.4
0.0	0.0							
		C3-C4;~1	Max	I	52.9	0.1	0.0	3.1
1.6	253.6			J	52.9	0.1	0.0	3.1
0.0	0.0		Min	I	-23.2	-0.1	-0.0	-1.4
-4.4	-379.2			J	-23.2	-0.1	-0.0	-1.4
0.0	0.0							
		C1-C2;~2	Max	I	44.4	0.1	0.0	2.5
0.9	200.4			J	44.4	0.1	0.0	2.5
0.0	0.0		Min	I	-20.6	-0.1	-0.0	-1.4
-2.3	-267.5			J	-20.6	-0.1	-0.0	-1.4
0.0	0.0							
		C3-C4;~2	Max	I	32.4	0.1	0.0	1.9
0.8	157.8			J	32.4	0.1	0.0	1.9
0.0	0.0		Min	I	-11.3	-0.1	-0.0	-0.7
-2.6	-247.1			J	-11.3	-0.1	-0.0	-0.7
0.0	0.0							
		G1		I	-7.4	-0.0	0.9	-0.6
5426.6	-2.9			J	-7.4	-0.0	2.6	-0.6
0.0	0.0							
		G2		I	-13.1	-0.0	-0.0	-0.7
-0.5	-6.5			J	-13.1	-0.0	-0.0	-0.7
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-4.6	0.0	-0.0	0.3
-0.0	34.7			J	-4.6	0.0	-0.0	0.3
0.0	0.0							
		Q5_pc	Y	I	4.4	-0.0	0.0	-0.1
0.0	-30.2			J	4.4	-0.0	0.0	-0.1
0.0	0.0							
		Q5_ps	X	I	-1.0	0.0	0.0	0.4
0.1	35.7			J	-1.0	0.0	0.0	0.4
0.0	0.0							
		Q5_ps	Y	I	5.5	-0.0	0.0	-0.1
0.1	-27.0			J	5.5	-0.0	0.0	-0.1


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
7330.4	393.6	INVS LU	Max	I	-230.2	0.1	1.3	7.2
				J	-230.2	0.1	3.5	7.2
0.0	0.0							
7322.1	-638.7		Min	I	-384.0	-0.2	1.3	-1.9
				J	-384.0	-0.2	3.5	-1.9
0.0	0.0							
5430.2	270.8	INVS LE	Max	I	-182.2	0.1	0.9	5.7
				J	-182.2	0.1	2.6	5.7
0.0	0.0							
5424.0	-489.1		Min	I	-295.5	-0.2	0.9	-1.1
				J	-295.5	-0.2	2.6	-1.1
0.0	0.0							
8662	2	72 C1-C2;~1	Max	I	61.5	0.1	0.0	3.0
0.0	0.0			J	61.5	0.1	0.0	3.0
3.8	269.7							
			Min	I	-28.1	-0.1	-0.0	-3.7
0.0	0.0			J	-28.1	-0.1	-0.0	-3.7
-1.6	-294.8							
0.0	0.0		C3-C4;~1	Max	I	52.6	0.1	0.0
				J	52.6	0.1	0.0	2.2
4.0	221.0							
			Min	I	-13.6	-0.1	-0.0	-2.5
0.0	0.0			J	-13.6	-0.1	-0.0	-2.5
-1.4	-252.8							
0.0	0.0		C1-C2;~2	Max	I	38.6	0.1	0.0
				J	38.6	0.1	0.0	1.7
2.2	177.9							
			Min	I	-15.5	-0.1	-0.0	-2.1
0.0	0.0			J	-15.5	-0.1	-0.0	-2.1
-0.9	-194.6							
0.0	0.0		C3-C4;~2	Max	I	33.3	0.1	0.0
				J	33.3	0.1	0.0	1.1
2.3	143.6							
			Min	I	-6.2	-0.0	-0.0	-1.3
0.0	0.0			J	-6.2	-0.0	-0.0	-1.3
-0.7	-166.7							
0.0	0.0		G1	I	-2.4	0.0	-2.5	-1.3
				J	-2.4	0.0	-0.8	-1.3
5426.3	-9.2							
0.0	0.0		G2	I	-11.4	0.0	-0.0	-1.2
				J	-11.4	0.0	-0.0	-1.2
0.5	-3.4							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	0.0	-0.0	0.0
0.0	0.0			J	0.0	-0.0	0.0
-0.1	45.8						
			Q5_pc Y	I	4.6	0.0	-0.0
0.0	0.0			J	4.6	0.0	-0.0
0.0	-22.8						
			Q5_ps X	I	3.4	-0.0	0.0
0.0	0.0			J	3.4	-0.0	0.0
-0.3	44.0						
			Q5_ps Y	I	5.8	0.0	0.0
0.0	0.0			J	5.8	0.0	0.0
-0.0	-21.1						
			INVSLU Max	I	-278.7	0.1	-3.4
0.0	0.0			J	-278.7	0.1	-1.0
7331.9	609.2		Min	I	-407.9	-0.2	-3.4
0.0	0.0			J	-407.9	-0.2	-1.0
7324.1	-235.3						
			INVSLE Max	I	-223.1	0.0	-2.5
0.0	0.0			J	-223.1	0.0	-0.8
5430.9	459.5		Min	I	-318.2	-0.1	-2.5
0.0	0.0			J	-318.2	-0.1	-0.8
5425.2	-160.0						
8663	2	72	C1-C2;~1 Max	I	57.1	0.0	0.0
0.0	0.0			J	57.1	0.0	0.0
0.0	0.0		Min	I	-32.1	-0.0	-0.0
0.0	0.0			J	-32.1	0.0	0.0
0.0	0.0						
			C3-C4;~1 Max	I	49.1	0.0	0.0
0.0	0.0			J	49.1	0.0	0.0
0.0	0.0		Min	I	-17.7	-0.0	-0.0
0.0	0.0			J	-17.7	0.0	0.0
0.0	0.0						
			C1-C2;~2 Max	I	36.2	0.0	0.0
0.0	0.0			J	36.2	0.0	0.0
0.0	0.0		Min	I	-18.1	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-18.1	0.0	0.0	-2.2
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	I	31.3	0.0	0.0	0.8
0.0	0.0		J	31.3	0.0	0.0	0.8
0.0	0.0	Min	I	-8.5	-0.0	-0.0	-2.5
0.0	0.0		J	-8.5	0.0	0.0	-2.5
0.0	0.0	G1	I	-9.9	0.0	-0.8	1.7
0.0	0.0		J	-9.9	0.0	0.8	1.7
0.0	0.0	G2	I	-14.3	0.0	-0.0	0.7
0.0	0.0		J	-14.3	0.0	0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	10.2	-0.0	0.0	-0.3
0.0	0.0		J	10.2	0.0	0.0	-0.3
0.0	0.0	Q5_pc Y	I	5.2	0.0	-0.0	0.2
0.0	0.0		J	5.2	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	13.1	-0.0	0.0	-0.3
0.0	0.0		J	13.1	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	6.4	0.0	-0.0	0.2
0.0	0.0		J	6.4	0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	-38.2	0.0	-1.1	1.1
0.0	0.0		J	-38.2	0.0	1.1	1.1
0.0	0.0	Min	I	-177.0	-0.0	-1.1	-8.0
0.0	0.0		J	-177.0	0.0	1.1	-8.0
0.0	0.0	INVS LE Max	I	-44.8	0.0	-0.8	0.3
0.0	0.0		J	-44.8	0.0	0.8	0.3
0.0	0.0	Min	I	-146.3	-0.0	-0.8	-6.4
0.0	0.0		J	-146.3	0.0	0.8	-6.4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8664	2	72	C1-C2;~1	Max	I	57.2	0.0	0.0	6.1
0.0	0.0				J	57.2	0.0	0.0	6.1
0.0	0.0			Min	I	-32.1	-0.0	0.0	-4.0
0.0	0.0				J	-32.1	0.0	-0.0	-4.0
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	49.1	0.0	0.0	5.1
0.0	0.0				J	49.1	0.0	0.0	5.1
0.0	0.0			Min	I	-17.7	-0.0	0.0	-2.9
0.0	0.0				J	-17.7	0.0	-0.0	-2.9
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	36.3	0.0	0.0	3.4
0.0	0.0				J	36.3	0.0	0.0	3.4
0.0	0.0			Min	I	-18.1	-0.0	0.0	-2.3
0.0	0.0				J	-18.1	0.0	-0.0	-2.3
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	31.3	0.0	0.0	2.8
0.0	0.0				J	31.3	0.0	0.0	2.8
0.0	0.0			Min	I	-8.5	-0.0	0.0	-1.4
0.0	0.0				J	-8.5	0.0	-0.0	-1.4
0.0	0.0								
0.0	0.0			G1	I	-9.9	-0.0	-0.9	1.4
0.0	0.0				J	-9.9	0.0	0.9	1.4
0.0	0.0								
0.0	0.0			G2	I	-14.3	-0.0	0.0	1.7
0.0	0.0				J	-14.3	0.0	-0.0	1.7
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc X	I	10.2	0.0	0.0	-0.6
0.0	0.0				J	10.2	0.0	0.0	-0.6
0.0	0.0								
0.0	0.0			Q5_pc Y	I	5.2	-0.0	0.0	0.2
0.0	0.0				J	5.2	0.0	-0.0	0.2
0.0	0.0								
0.0	0.0			Q5_ps X	I	13.1	0.0	0.0	-0.9
0.0	0.0				J	13.1	0.0	0.0	-0.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	6.4	-0.0	0.0	0.1
0.0	0.0		J	6.4	0.0	-0.0	0.1
0.0	0.0	INVS LU Max	I	-37.9	0.0	-1.2	8.0
0.0	0.0		J	-37.9	0.0	1.2	8.0
0.0	0.0	Min	I	-176.8	-0.0	-1.2	-6.8
0.0	0.0		J	-176.8	0.0	1.2	-6.8
0.0	0.0	INVS LE Max	I	-44.6	0.0	-0.9	5.2
0.0	0.0		J	-44.6	0.0	0.9	5.2
0.0	0.0	Min	I	-146.2	-0.0	-0.9	-5.7
0.0	0.0		J	-146.2	0.0	0.9	-5.7
8665	2	72 C1-C2;~1 Max	I	61.5	0.1	0.0	3.1
1.5	269.7		J	61.5	0.1	0.0	3.1
0.0	0.0	Min	I	-28.1	-0.1	-0.0	-3.0
-3.5	-294.8		J	-28.1	-0.1	-0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	52.6	0.1	0.0	2.3
1.3	221.0		J	52.6	0.1	0.0	2.3
0.0	0.0	Min	I	-13.6	-0.1	-0.0	-2.1
-3.7	-252.8		J	-13.6	-0.1	-0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	38.6	0.1	0.0	1.8
0.8	177.9		J	38.6	0.1	0.0	1.8
0.0	0.0	Min	I	-15.5	-0.1	-0.0	-1.6
-2.0	-194.6		J	-15.5	-0.1	-0.0	-1.6
0.0	0.0	C3-C4;~2 Max	I	33.3	0.0	0.0	1.3
0.6	143.6		J	33.3	0.0	0.0	1.3
0.0	0.0	Min	I	-6.2	-0.1	-0.0	-1.1
-2.2	-166.7		J	-6.2	-0.1	-0.0	-1.1
0.0	0.0	G1	I	-2.4	-0.0	0.9	-1.3
5426.6	-9.2		J	-2.4	-0.0	2.6	-1.3
0.0	0.0	G2	I	-11.4	-0.0	-0.0	-1.0
-0.5	-3.4						


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-11.4	-0.0	-0.0	-1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	45.8	Q5_pc X	I	0.0	0.0	0.0	0.4
0.0	0.0		J	0.0	0.0	0.0	0.4
-0.0	-22.8	Q5_pc Y	I	4.6	-0.0	-0.0	-0.2
0.0	0.0		J	4.6	-0.0	-0.0	-0.2
0.3	44.0	Q5_ps X	I	3.4	0.0	0.0	0.5
0.0	0.0		J	3.4	0.0	0.0	0.5
0.0	-21.1	Q5_ps Y	I	5.8	-0.0	0.0	-0.1
0.0	0.0		J	5.8	-0.0	0.0	-0.1
7327.3	609.2	INVSLE Max	I	-278.7	0.2	1.3	6.3
0.0	0.0		J	-278.7	0.2	3.5	6.3
7319.9	-235.3	Min	I	-407.9	-0.1	1.3	-2.6
0.0	0.0		J	-407.9	-0.1	3.5	-2.6
5427.7	459.5	INVSLE Max	I	-223.1	0.1	0.9	5.2
0.0	0.0		J	-223.1	0.1	2.6	5.2
5422.3	-160.0	Min	I	-318.2	-0.1	0.9	-1.3
0.0	0.0		J	-318.2	-0.1	2.6	-1.3
8666	2	72 C1-C2;~1 Max	I	58.5	0.1	0.0	2.8
0.0	0.0		J	58.5	0.1	0.0	2.8
3.4	275.3	Min	I	-30.9	-0.1	-0.0	-4.1
0.0	0.0		J	-30.9	-0.1	-0.0	-4.1
-1.7	-270.9						
0.0	0.0	C3-C4;~1 Max	I	49.8	0.1	0.0	2.0
3.6	226.7		J	49.8	0.1	0.0	2.0
0.0	0.0	Min	I	-16.4	-0.1	-0.0	-2.8
-1.5	-227.4		J	-16.4	-0.1	-0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	36.7	0.1	0.0	1.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	36.7	0.1	0.0	1.6
2.0	182.8		Min	I	-17.1	-0.1	-0.0	-2.3
0.0	0.0			J	-17.1	-0.1	-0.0	-2.3
-0.9	-178.5							
			C3-C4;~2 Max	I	31.4	0.0	0.0	1.0
0.0	0.0			J	31.4	0.0	0.0	1.0
2.1	148.8		Min	I	-7.7	-0.0	-0.0	-1.5
0.0	0.0			J	-7.7	-0.0	-0.0	-1.5
-0.7	-149.3							
			G1	I	-5.9	0.0	-2.5	-1.7
0.0	0.0			J	-5.9	0.0	-0.8	-1.7
5425.0	-7.7							
			G2	I	-12.5	0.0	-0.0	-1.3
0.0	0.0			J	-12.5	0.0	-0.0	-1.3
0.4	-5.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	3.1	-0.0	0.0	0.4
0.0	0.0			J	3.1	-0.0	0.0	0.4
-0.2	57.1							
			Q5_pc Y	I	4.0	0.0	-0.0	-0.1
0.0	0.0			J	4.0	0.0	-0.0	-0.1
0.0	-21.8							
			Q5_ps X	I	6.3	-0.0	0.0	0.6
0.0	0.0			J	6.3	-0.0	0.0	0.6
-0.3	55.4							
			Q5_ps Y	I	5.2	0.0	0.0	-0.1
0.0	0.0			J	5.2	0.0	0.0	-0.1
-0.1	-19.9							
			INVSLE Max	I	-223.3	0.1	-3.4	4.5
0.0	0.0			J	-223.3	0.1	-1.0	4.5
7330.6	479.4		Min	I	-351.3	-0.1	-3.4	-5.5
0.0	0.0			J	-351.3	-0.1	-1.0	-5.5
7323.2	-360.7							
			INVSLE Max	I	-181.5	0.1	-2.5	3.9
0.0	0.0			J	-181.5	0.1	-0.8	3.9
5430.0	356.6		Min	I	-275.7	-0.1	-2.5	-3.4
0.0	0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5424.5	-258.1		J	-275.7	-0.1	-0.8	-3.4
8667	2	72 C1-C2;~1 Max	I	56.0	0.0	0.0	2.4
0.0	0.0		J	56.0	0.0	0.0	2.4
0.0	0.0	Min	I	-29.7	-0.0	-0.0	-3.0
0.0	0.0		J	-29.7	-0.0	0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	48.1	0.0	0.0	1.9
0.0	0.0		J	48.1	0.0	0.0	1.9
0.0	0.0	Min	I	-15.6	-0.0	-0.0	-3.7
0.0	0.0		J	-15.6	-0.0	0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	35.6	0.0	0.0	1.4
0.0	0.0		J	35.6	0.0	0.0	1.4
0.0	0.0	Min	I	-16.7	-0.0	-0.0	-1.9
0.0	0.0		J	-16.7	-0.0	0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	30.7	0.0	0.0	1.0
0.0	0.0		J	30.7	0.0	0.0	1.0
0.0	0.0	Min	I	-7.4	-0.0	-0.0	-2.2
0.0	0.0		J	-7.4	-0.0	0.0	-2.2
0.0	0.0	G1	I	-8.6	-0.0	-0.8	2.4
0.0	0.0		J	-8.6	0.0	0.8	2.4
0.0	0.0	G2	I	-13.6	-0.0	0.0	0.9
0.0	0.0		J	-13.6	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.6	0.0	-0.0	-0.2
0.0	0.0		J	6.6	-0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	6.1	-0.0	0.0	0.1
0.0	0.0		J	6.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	9.7	0.0	-0.0	-0.3

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	9.7	-0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	7.3	-0.0	0.0	0.1
0.0	0.0		J	7.3	0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	-139.9	0.0	-1.1	1.8
0.0	0.0		J	-139.9	0.0	1.1	1.8
0.0	0.0	Min	I	-267.5	-0.0	-1.1	-6.8
0.0	0.0		J	-267.5	-0.0	1.1	-6.8
0.0	0.0	INVS LE Max	I	-119.7	0.0	-0.8	0.8
0.0	0.0		J	-119.7	0.0	0.8	0.8
0.0	0.0	Min	I	-213.4	-0.0	-0.8	-5.6
0.0	0.0		J	-213.4	-0.0	0.8	-5.6
8668	2	72 C1-C2;~1 Max	I	56.1	0.0	0.0	6.1
0.0	0.0		J	56.1	0.0	0.0	6.1
0.0	0.0	Min	I	-29.7	0.0	0.0	-3.9
0.0	0.0		J	-29.7	0.0	-0.0	-3.9
0.0	0.0	C3-C4;~1 Max	I	48.1	0.0	0.0	4.9
0.0	0.0		J	48.1	0.0	0.0	4.9
0.0	0.0	Min	I	-15.6	0.0	0.0	-2.7
0.0	0.0		J	-15.6	0.0	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	35.7	0.0	0.0	3.4
0.0	0.0		J	35.7	0.0	0.0	3.4
0.0	0.0	Min	I	-16.7	0.0	0.0	-2.3
0.0	0.0		J	-16.7	0.0	-0.0	-2.3
0.0	0.0	C3-C4;~2 Max	I	30.7	0.0	0.0	2.6
0.0	0.0		J	30.7	0.0	0.0	2.6
0.0	0.0	Min	I	-7.4	0.0	0.0	-1.3
0.0	0.0		J	-7.4	0.0	-0.0	-1.3
0.0	0.0	G1	I	-8.6	0.0	-0.9	1.3
0.0	0.0		J	-8.6	0.0	0.9	1.3

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	-13.6	0.0	0.0	1.7
0.0	0.0		J	-13.6	0.0	-0.0	1.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	6.6	0.0	0.0	-0.6
0.0	0.0		J	6.6	0.0	0.0	-0.6
0.0	0.0	Q5_pc Y	I	6.1	0.0	0.0	0.1
0.0	0.0		J	6.1	0.0	-0.0	0.1
0.0	0.0	Q5_ps X	I	9.7	0.0	0.0	-0.9
0.0	0.0		J	9.7	0.0	0.0	-0.9
0.0	0.0	Q5_ps Y	I	7.2	0.0	0.0	0.0
0.0	0.0		J	7.2	0.0	-0.0	0.0
0.0	0.0	INVSLE Max	I	-139.7	0.0	-1.2	9.4
0.0	0.0		J	-139.7	0.0	1.2	9.4
0.0	0.0	Min	I	-267.5	0.0	-1.2	-5.2
0.0	0.0		J	-267.5	0.0	1.2	-5.2
0.0	0.0	INVSLE Max	I	-119.6	0.0	-0.9	6.2
0.0	0.0		J	-119.6	0.0	0.9	6.2
0.0	0.0	Min	I	-213.4	0.0	-0.9	-4.5
0.0	0.0		J	-213.4	0.0	0.9	-4.5
8669	2	72 C1-C2;~1 Max	I	58.5	0.1	0.0	2.8
1.6	275.3		J	58.5	0.1	0.0	2.8
0.0	0.0	Min	I	-30.9	-0.1	-0.0	-3.4
-3.2	-270.9		J	-30.9	-0.1	-0.0	-3.4
0.0	0.0	C3-C4;~1 Max	I	49.8	0.1	0.0	2.1
1.4	226.7		J	49.8	0.1	0.0	2.1
0.0	0.0	Min	I	-16.4	-0.1	-0.0	-2.4
-3.4	-227.4		J	-16.4	-0.1	-0.0	-2.4
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		C1-C2;~2	Max	I	36.7	0.1	0.0	1.7
0.9	182.8			J	36.7	0.1	0.0	1.7
0.0	0.0							
			Min	I	-17.1	-0.1	-0.0	-1.9
-1.9	-178.5			J	-17.1	-0.1	-0.0	-1.9
0.0	0.0							
		C3-C4;~2	Max	I	31.4	0.0	0.0	1.1
0.7	148.8			J	31.4	0.0	0.0	1.1
0.0	0.0							
			Min	I	-7.7	-0.0	-0.0	-1.3
-2.0	-149.3			J	-7.7	-0.0	-0.0	-1.3
0.0	0.0							
				G1	I	-5.9	-0.0	0.9
5426.0	-7.7			J	-5.9	-0.0	2.6	-1.8
0.0	0.0							
				G2	I	-12.5	-0.0	-0.0
-0.4	-5.6			J	-12.5	-0.0	-0.0	-1.2
0.0	0.0							
				Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	3.2	0.0	0.0	0.4
0.2	57.1			J	3.2	0.0	0.0	0.4
0.0	0.0							
		Q5_pc	Y	I	4.0	-0.0	-0.0	-0.1
-0.0	-21.8			J	4.0	-0.0	-0.0	-0.1
0.0	0.0							
		Q5_ps	X	I	6.3	0.0	0.0	0.5
0.3	55.4			J	6.3	0.0	0.0	0.5
0.0	0.0							
		Q5_ps	Y	I	5.2	-0.0	0.0	-0.1
0.0	-19.9			J	5.2	-0.0	0.0	-0.1
0.0	0.0							
		INVSLE	Max	I	-223.3	0.2	1.3	4.8
7325.6	479.4			J	-223.3	0.2	3.5	4.8
0.0	0.0							
			Min	I	-351.2	-0.1	1.3	-4.3
7318.6	-360.7			J	-351.2	-0.1	3.5	-4.3
0.0	0.0							
		INVSLE	Max	I	-181.5	0.1	0.9	4.2
5426.4	356.6			J	-181.5	0.1	2.6	4.2

MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		Min	I	-275.7	-0.1	0.9	-2.5	
5421.3	-258.1		J	-275.7	-0.1	2.6	-2.5	
0.0	0.0							
8670	2	72 C1-C2;~1 Max	I	57.8	0.1	0.0	2.8	
0.0	0.0		J	57.8	0.1	0.0	2.8	
3.1	276.1							
		Min	I	-33.5	-0.1	-0.0	-4.1	
0.0	0.0		J	-33.5	-0.1	-0.0	-4.1	
-1.8	-272.2							
		C3-C4;~1 Max	I	49.0	0.1	0.0	2.0	
0.0	0.0		J	49.0	0.1	0.0	2.0	
3.2	227.9							
		Min	I	-20.1	-0.1	-0.0	-2.8	
0.0	0.0		J	-20.1	-0.1	-0.0	-2.8	
-1.6	-228.0							
		C1-C2;~2 Max	I	36.1	0.1	0.0	1.6	
0.0	0.0		J	36.1	0.1	0.0	1.6	
1.8	183.4							
		Min	I	-18.5	-0.1	-0.0	-2.3	
0.0	0.0		J	-18.5	-0.1	-0.0	-2.3	
-1.0	-178.9							
		C3-C4;~2 Max	I	30.6	0.0	0.0	1.0	
0.0	0.0		J	30.6	0.0	0.0	1.0	
1.9	149.6							
		Min	I	-9.7	-0.0	-0.0	-1.5	
0.0	0.0		J	-9.7	-0.0	-0.0	-1.5	
-0.8	-149.3							
		G1	I	-8.8	0.0	-2.5	-1.7	
0.0	0.0		J	-8.8	0.0	-0.8	-1.7	
5424.9	-8.4							
		G2	I	-13.6	0.0	-0.0	-1.3	
0.0	0.0		J	-13.6	0.0	-0.0	-1.3	
0.2	-5.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	6.4	-0.0	0.0	0.4	
0.0	0.0		J	6.4	-0.0	0.0	0.4	
-0.2	58.2							
		Q5_pc Y	I	3.5	0.0	0.0	-0.1	
0.0	0.0		J	3.5	0.0	0.0	-0.1	
-0.0	-20.7							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	9.4	-0.0	0.0	0.6
-0.3	56.1		J	9.4	-0.0	0.0	0.6
0.0	0.0	Q5_ps Y	I	4.7	0.0	0.0	-0.0
-0.1	-19.0		J	4.7	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	-134.8	0.1	-3.4	4.6
7329.6	352.8		J	-134.8	0.1	-1.0	4.6
0.0	0.0	Min	I	-269.6	-0.1	-3.4	-5.5
7322.6	-492.0		J	-269.6	-0.1	-1.0	-5.5
0.0	0.0	INVS LE Max	I	-116.0	0.1	-2.5	4.0
5429.3	259.1		J	-116.0	0.1	-0.8	4.0
0.0	0.0	Min	I	-215.0	-0.1	-2.5	-3.4
5424.1	-358.9		J	-215.0	-0.1	-0.8	-3.4
8671	2	72 C1-C2;~1 Max	I	57.8	0.0	0.0	2.6
0.0	0.0		J	57.8	0.0	0.0	2.6
0.0	0.0	Min	I	-28.3	-0.0	-0.0	-2.8
0.0	0.0		J	-28.3	0.0	-0.0	-2.8
0.0	0.0	C3-C4;~1 Max	I	49.7	0.0	0.0	2.2
0.0	0.0		J	49.7	0.0	0.0	2.2
0.0	0.0	Min	I	-13.5	-0.0	-0.0	-3.5
0.0	0.0		J	-13.5	0.0	-0.0	-3.5
0.0	0.0	C1-C2;~2 Max	I	36.6	0.0	0.0	1.5
0.0	0.0		J	36.6	0.0	0.0	1.5
0.0	0.0	Min	I	-15.8	-0.0	-0.0	-1.7
0.0	0.0		J	-15.8	0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	31.8	0.0	0.0	1.2
0.0	0.0		J	31.8	0.0	0.0	1.2
0.0	0.0	Min	I	-6.2	-0.0	-0.0	-2.1
0.0	0.0		J	-6.2	0.0	-0.0	-2.1
0.0	0.0	G1	I	-5.7	-0.0	-0.8	2.8

MIDAS

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-5.7	0.0	0.8	2.8
0.0	0.0						
0.0	0.0	G2	I	-12.5	-0.0	0.0	1.1
0.0	0.0		J	-12.5	0.0	-0.0	1.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	3.3	0.0	-0.0	-0.2
0.0	0.0		J	3.3	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	7.0	-0.0	0.0	0.1
0.0	0.0		J	7.0	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	6.4	0.0	-0.0	-0.2
0.0	0.0		J	6.4	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	8.1	-0.0	0.0	0.1
0.0	0.0		J	8.1	0.0	-0.0	0.1
0.0	0.0						
0.0	0.0	INVSLE Max	I	-224.7	0.0	-1.1	3.0
0.0	0.0		J	-224.7	0.0	1.1	3.0
0.0	0.0						
0.0	0.0	Min	I	-353.6	-0.0	-1.1	-5.6
0.0	0.0		J	-353.6	0.0	1.1	-5.6
0.0	0.0						
0.0	0.0	INVSLE Max	I	-182.7	0.0	-0.8	1.7
0.0	0.0		J	-182.7	0.0	0.8	1.7
0.0	0.0						
0.0	0.0	Min	I	-277.2	-0.0	-0.8	-4.7
0.0	0.0		J	-277.2	0.0	0.8	-4.7
0.0	0.0						
8672	2	72 C1-C2;~1 Max	I	57.9	0.0	0.0	5.5
0.0	0.0		J	57.9	0.0	0.0	5.5
0.0	0.0						
0.0	0.0	Min	I	-28.3	-0.0	0.0	-4.0
0.0	0.0		J	-28.3	-0.0	0.0	-4.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	49.7	0.0	0.0	4.3
0.0	0.0		J	49.7	0.0	0.0	4.3
0.0	0.0						
0.0	0.0	Min	I	-13.5	-0.0	0.0	-2.8

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-13.5	-0.0	0.0	-2.8
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	36.7	0.0	0.0	3.0
0.0	0.0		J	36.7	0.0	0.0	3.0
0.0	0.0	Min	I	-15.8	-0.0	0.0	-2.4
0.0	0.0		J	-15.8	-0.0	0.0	-2.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	31.8	0.0	0.0	2.3
0.0	0.0		J	31.8	0.0	0.0	2.3
0.0	0.0	Min	I	-6.2	-0.0	0.0	-1.4
0.0	0.0		J	-6.2	-0.0	0.0	-1.4
0.0	0.0						
0.0	0.0	G1	I	-5.7	-0.0	-0.9	0.8
0.0	0.0		J	-5.7	0.0	0.9	0.8
0.0	0.0						
0.0	0.0	G2	I	-12.5	-0.0	0.0	1.4
0.0	0.0		J	-12.5	0.0	0.0	1.4
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	3.3	0.0	0.0	-0.6
0.0	0.0		J	3.3	-0.0	0.0	-0.6
0.0	0.0						
0.0	0.0	Q5_pc Y	I	7.0	-0.0	0.0	0.0
0.0	0.0		J	7.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	6.4	0.0	0.0	-0.8
0.0	0.0		J	6.4	-0.0	0.0	-0.8
0.0	0.0						
0.0	0.0	Q5_ps Y	I	8.1	-0.0	0.0	-0.1
0.0	0.0		J	8.1	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	INVS LU Max	I	-224.6	0.0	-1.2	7.6
0.0	0.0		J	-224.6	0.0	1.2	7.6
0.0	0.0	Min	I	-353.6	-0.0	-1.2	-6.2
0.0	0.0		J	-353.6	-0.0	1.2	-6.2
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			INVSLE Max	I	-182.6	0.0	-0.9	4.9
0.0	0.0			J	-182.6	0.0	0.9	4.9
0.0	0.0		Min	I	-277.2	-0.0	-0.9	-5.2
0.0	0.0			J	-277.2	-0.0	0.9	-5.2
0.0	0.0							
8673	2	72	C1-C2;~1 Max	I	57.8	0.1	0.0	2.8
1.7	276.1			J	57.8	0.1	0.0	2.8
0.0	0.0		Min	I	-33.5	-0.1	-0.0	-3.6
-2.9	-272.2			J	-33.5	-0.1	-0.0	-3.6
0.0	0.0							
			C3-C4;~1 Max	I	49.0	0.1	0.0	2.0
1.5	227.9			J	49.0	0.1	0.0	2.0
0.0	0.0		Min	I	-20.1	-0.1	-0.0	-2.6
-3.0	-228.0			J	-20.1	-0.1	-0.0	-2.6
0.0	0.0							
			C1-C2;~2 Max	I	36.1	0.1	0.0	1.6
1.0	183.4			J	36.1	0.1	0.0	1.6
0.0	0.0		Min	I	-18.5	-0.1	-0.0	-2.0
-1.7	-178.9			J	-18.5	-0.1	-0.0	-2.0
0.0	0.0							
			C3-C4;~2 Max	I	30.6	0.0	0.0	1.1
0.8	149.6			J	30.6	0.0	0.0	1.1
0.0	0.0		Min	I	-9.7	-0.0	-0.0	-1.3
-1.8	-149.3			J	-9.7	-0.0	-0.0	-1.3
0.0	0.0							
			G1	I	-8.8	-0.0	0.9	-2.0
5426.9	-8.4			J	-8.8	-0.0	2.6	-2.0
0.0	0.0							
			G2	I	-13.6	-0.0	-0.0	-1.3
-0.2	-5.2			J	-13.6	-0.0	-0.0	-1.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	6.4	0.0	0.0	0.4
0.2	58.2			J	6.4	0.0	0.0	0.4
0.0	0.0							
			Q5_pc Y	I	3.5	-0.0	0.0	-0.1

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	-20.7		J	3.5	-0.0	0.0	-0.1
0.0	0.0						
0.3	56.1	Q5_ps X	I	9.4	0.0	0.0	0.5
0.0	0.0		J	9.4	0.0	0.0	0.5
0.1	-19.0	Q5_ps Y	I	4.7	-0.0	0.0	-0.0
0.0	0.0		J	4.7	-0.0	0.0	-0.0
7327.2	352.8	INVS LU Max	I	-134.9	0.1	1.3	4.6
0.0	0.0		J	-134.9	0.1	3.5	4.6
7320.6	-492.0	Min	I	-269.6	-0.2	1.3	-4.7
0.0	0.0		J	-269.6	-0.2	3.5	-4.7
5427.6	259.1	INVS LE Max	I	-116.0	0.1	0.9	4.0
0.0	0.0		J	-116.0	0.1	2.6	4.0
5422.7	-358.9	Min	I	-215.0	-0.1	0.9	-2.8
0.0	0.0		J	-215.0	-0.1	2.6	-2.8
8674	2	72 C1-C2;~1 Max	I	59.3	0.1	0.0	3.0
0.0	0.0		J	59.3	0.1	0.0	3.0
2.5	304.2	Min	I	-38.2	-0.1	-0.0	-3.9
0.0	0.0		J	-38.2	-0.1	-0.0	-3.9
-2.2	-266.9						
0.0	0.0	C3-C4;~1 Max	I	50.4	0.1	0.0	2.2
2.7	257.7		J	50.4	0.1	0.0	2.2
0.0	0.0	Min	I	-23.4	-0.1	-0.0	-2.6
-1.9	-221.2		J	-23.4	-0.1	-0.0	-2.6
0.0	0.0	C1-C2;~2 Max	I	36.8	0.1	0.0	1.7
1.5	202.3		J	36.8	0.1	0.0	1.7
0.0	0.0	Min	I	-20.9	-0.1	-0.0	-2.2
-1.3	-173.5		J	-20.9	-0.1	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	31.2	0.0	0.0	1.1
1.6	170.0		J	31.2	0.0	0.0	1.1
0.0	0.0	Min	I	-11.5	-0.1	-0.0	-1.3
			J	-11.5	-0.1	-0.0	-1.3


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.0	-143.4						
		G1	I	-10.0	0.0	-2.5	-1.3
0.0	0.0		J	-10.0	0.0	-0.8	-1.3
5424.8	-4.6						
		G2	I	-14.3	0.0	0.0	-1.2
0.0	0.0		J	-14.3	0.0	0.0	-1.2
-0.1	-6.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	9.6	-0.0	0.0	0.5
0.0	0.0		J	9.6	-0.0	0.0	0.5
-0.1	53.5						
		Q5_pc Y	I	3.1	0.0	0.0	-0.1
0.0	0.0		J	3.1	0.0	0.0	-0.1
-0.1	-17.5						
		Q5_ps X	I	12.6	-0.0	0.0	0.6
0.0	0.0		J	12.6	-0.0	0.0	0.6
-0.3	52.4						
		Q5_ps Y	I	4.4	0.0	0.0	0.0
0.0	0.0		J	4.4	0.0	0.0	0.0
-0.1	-15.6						
		INVSLE Max	I	-33.8	0.2	-3.4	6.1
0.0	0.0		J	-33.8	0.2	-1.0	6.1
7328.4	246.6	Min	I	-182.8	-0.1	-3.4	-4.0
0.0	0.0		J	-182.8	-0.1	-1.0	-4.0
7321.5	-620.5						
		INVSLE Max	I	-41.6	0.1	-2.5	5.1
0.0	0.0		J	-41.6	0.1	-0.8	5.1
5428.4	173.6	Min	I	-150.7	-0.1	-2.5	-2.4
0.0	0.0		J	-150.7	-0.1	-0.8	-2.4
5423.3	-461.6						
8675	2	72 C1-C2;~1 Max	I	62.0	0.0	0.0	2.8
0.0	0.0		J	62.0	0.0	0.0	2.8
0.0	0.0	Min	I	-27.3	0.0	-0.0	-2.8
0.0	0.0		J	-27.3	0.0	-0.0	-2.8
0.0	0.0						
		C3-C4;~1 Max	I	53.5	0.0	0.0	2.4
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	53.5	0.0	0.0	2.4
0.0	0.0	Min	I	-12.3	0.0	-0.0	-3.4
0.0	0.0		J	-12.3	0.0	-0.0	-3.4
0.0	0.0	C1-C2;~2 Max	I	39.0	0.0	0.0	1.6
0.0	0.0		J	39.0	0.0	0.0	1.6
0.0	0.0	Min	I	-15.0	0.0	-0.0	-1.7
0.0	0.0		J	-15.0	0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	34.2	0.0	0.0	1.3
0.0	0.0		J	34.2	0.0	0.0	1.3
0.0	0.0	Min	I	-5.3	0.0	-0.0	-2.1
0.0	0.0		J	-5.3	0.0	-0.0	-2.1
0.0	0.0	G1	I	-2.2	0.0	-0.8	3.1
0.0	0.0		J	-2.2	0.0	0.8	3.1
0.0	0.0	G2	I	-11.4	0.0	0.0	1.2
0.0	0.0		J	-11.4	0.0	-0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.2	0.0	-0.0	-0.2
0.0	0.0		J	0.2	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	7.7	0.0	0.0	0.0
0.0	0.0		J	7.7	0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	3.5	0.0	-0.0	-0.2
0.0	0.0		J	3.5	0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	8.8	0.0	0.0	0.0
0.0	0.0		J	8.8	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	-277.8	0.0	-1.1	3.7
0.0	0.0		J	-277.8	0.0	1.1	3.7
0.0	0.0	Min	I	-412.2	0.0	-1.1	-5.1
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-412.2	0.0	1.1	-5.1
0.0	0.0	INVSLE Max	I	-222.6	0.0	-0.8	2.1
0.0	0.0		J	-222.6	0.0	0.8	2.1
0.0	0.0	Min	I	-321.2	0.0	-0.8	-4.3
0.0	0.0		J	-321.2	0.0	0.8	-4.3
8676	2	72 C1-C2;~1 Max	I	62.1	0.0	0.0	4.5
0.0	0.0		J	62.1	0.0	0.0	4.5
0.0	0.0	Min	I	-27.3	0.0	-0.0	-4.5
0.0	0.0		J	-27.3	-0.0	-0.0	-4.5
0.0	0.0	C3-C4;~1 Max	I	53.5	0.0	0.0	3.3
0.0	0.0		J	53.5	0.0	0.0	3.3
0.0	0.0	Min	I	-12.3	0.0	-0.0	-3.0
0.0	0.0		J	-12.3	-0.0	-0.0	-3.0
0.0	0.0	C1-C2;~2 Max	I	39.1	0.0	0.0	2.5
0.0	0.0		J	39.1	0.0	0.0	2.5
0.0	0.0	Min	I	-15.0	0.0	-0.0	-2.7
0.0	0.0		J	-15.0	-0.0	-0.0	-2.7
0.0	0.0	C3-C4;~2 Max	I	34.2	0.0	0.0	1.8
0.0	0.0		J	34.2	0.0	0.0	1.8
0.0	0.0	Min	I	-5.3	0.0	-0.0	-1.6
0.0	0.0		J	-5.3	-0.0	-0.0	-1.6
0.0	0.0	G1	I	-2.2	0.0	-0.9	-0.4
0.0	0.0		J	-2.2	0.0	0.9	-0.4
0.0	0.0	G2	I	-11.4	0.0	0.0	1.0
0.0	0.0		J	-11.4	0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.3	0.0	-0.0	-0.5
0.0	0.0		J	0.3	-0.0	0.0	-0.5

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0							
		Q5_pc	Y	I	7.7	0.0	0.0	-0.1
0.0	0.0			J	7.7	0.0	-0.0	-0.1
0.0	0.0							
		Q5_ps	X	I	3.6	0.0	-0.0	-0.8
0.0	0.0			J	3.6	-0.0	0.0	-0.8
0.0	0.0							
		Q5_ps	Y	I	8.8	0.0	0.0	-0.2
0.0	0.0			J	8.8	0.0	-0.0	-0.2
0.0	0.0							
		INVS LU	Max	I	-277.8	0.0	-1.2	3.6
0.0	0.0			J	-277.8	0.0	1.2	3.6
0.0	0.0		Min	I	-412.3	0.0	-1.2	-9.4
0.0	0.0			J	-412.3	-0.0	1.2	-9.4
0.0	0.0							
		INVS LE	Max	I	-222.6	0.0	-0.9	2.0
0.0	0.0			J	-222.6	0.0	0.9	2.0
0.0	0.0		Min	I	-321.2	0.0	-0.9	-7.5
0.0	0.0			J	-321.2	-0.0	0.9	-7.5
0.0	0.0							
8677	2	72 C1-C2;~1	Max	I	59.3	0.1	0.0	2.9
2.0	304.2			J	59.3	0.1	0.0	2.9
0.0	0.0		Min	I	-38.2	-0.1	-0.0	-3.6
-2.4	-266.9			J	-38.2	-0.1	-0.0	-3.6
0.0	0.0							
		C3-C4;~1	Max	I	50.4	0.1	0.0	2.2
1.8	257.7			J	50.4	0.1	0.0	2.2
0.0	0.0		Min	I	-23.4	-0.1	-0.0	-2.5
-2.6	-221.2			J	-23.4	-0.1	-0.0	-2.5
0.0	0.0							
		C1-C2;~2	Max	I	36.8	0.1	0.0	1.7
1.2	202.3			J	36.8	0.1	0.0	1.7
0.0	0.0		Min	I	-20.9	-0.1	-0.0	-2.0
-1.4	-173.5			J	-20.9	-0.1	-0.0	-2.0
0.0	0.0							
		C3-C4;~2	Max	I	31.2	0.1	0.0	1.2
0.9	170.0			J	31.2	0.1	0.0	1.2
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-11.5	-0.0	-0.0	-1.3
-1.5	-143.4			J	-11.5	-0.0	-0.0	-1.3
0.0	0.0							
			G1	I	-10.0	-0.0	0.9	-1.8
5428.2	-4.6			J	-10.0	-0.0	2.6	-1.8
0.0	0.0							
			G2	I	-14.3	-0.0	0.0	-1.2
0.1	-6.5			J	-14.3	-0.0	0.0	-1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	9.7	0.0	0.0	0.4
0.1	53.5			J	9.7	0.0	0.0	0.4
0.0	0.0							
			Q5_pc Y	I	3.1	-0.0	0.0	-0.1
0.1	-17.5			J	3.1	-0.0	0.0	-0.1
0.0	0.0							
			Q5_ps X	I	12.6	0.0	0.0	0.6
0.3	52.4			J	12.6	0.0	0.0	0.6
0.0	0.0							
			Q5_ps Y	I	4.4	-0.0	0.0	-0.0
0.1	-15.6			J	4.4	-0.0	0.0	-0.0
0.0	0.0							
			INVSLU Max	I	-33.8	0.1	1.3	5.7
7330.0	246.6			J	-33.8	0.1	3.5	5.7
0.0	0.0							
			Min	I	-182.8	-0.2	1.3	-3.9
7323.5	-620.5			J	-182.8	-0.2	3.5	-3.9
0.0	0.0							
			INVSLE Max	I	-41.6	0.1	0.9	4.8
5429.7	173.6			J	-41.6	0.1	2.6	4.8
0.0	0.0							
			Min	I	-150.7	-0.1	0.9	-2.2
5424.9	-461.6			J	-150.7	-0.1	2.6	-2.2
0.0	0.0							
			72 C1-C2;~1 Max	I	63.8	0.1	0.0	3.7
8678	2			J	63.8	0.1	0.0	3.7
0.0	0.0							
			Min	I	-56.8	-0.1	-0.0	-3.4
2.2	396.4			J	-56.8	-0.1	-0.0	-3.4
0.0	0.0							
-3.0	-320.9							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1	Max	I	54.3	0.1	0.0	3.0	
				J	54.3	0.1	0.0	3.0	
2.4	355.9		Min	I	-28.0	-0.1	-0.0	-1.9	
0.0	0.0			J	-28.0	-0.1	-0.0	-1.9	
-2.5	-280.2								
0.0	0.0	C1-C2;~2	Max	I	38.9	0.1	0.0	2.2	
				J	38.9	0.1	0.0	2.2	
1.3	266.9		Min	I	-31.6	-0.1	-0.0	-1.9	
0.0	0.0			J	-31.6	-0.1	-0.0	-1.9	
-1.8	-201.3								
0.0	0.0	C3-C4;~2	Max	I	33.1	0.1	0.0	1.8	
				J	33.1	0.1	0.0	1.8	
1.4	238.5		Min	I	-13.7	-0.1	-0.0	-1.0	
0.0	0.0			J	-13.7	-0.1	-0.0	-1.0	
-1.4	-171.7								
0.0	0.0		G1	I	-11.7	0.0	-2.5	-0.5	
				J	-11.7	0.0	-0.8	-0.5	
5424.0	-34.8								
0.0	0.0		G2	I	-14.8	0.0	0.0	-0.8	
				J	-14.8	0.0	0.0	-0.8	
-0.4	-12.8								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	12.4	-0.0	-0.0	0.5
				J	12.4	-0.0	-0.0	0.5	
0.0	47.2								
0.0	0.0		Q5_pc	Y	I	4.6	0.0	0.0	-0.1
				J	4.6	0.0	0.0	-0.1	
-0.1	-25.0								
0.0	0.0		Q5_ps	X	I	15.1	-0.0	0.0	0.7
				J	15.1	-0.0	0.0	0.7	
-0.1	46.1								
0.0	0.0		Q5_ps	Y	I	5.8	0.0	0.0	0.0
				J	5.8	0.0	0.0	0.0	
-0.1	-22.8								
0.0	0.0		INVSLU	Max	I	116.0	0.1	-3.4	6.9
				J	116.0	0.1	-1.0	6.9	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7326.8	671.0		Min	I	-69.1	-0.2	-3.4	-3.6	
0.0	0.0			J	-69.1	-0.2	-1.0	-3.6	
7319.4	-382.5								
		INVSLE	Max	I	74.3	0.1	-2.5	5.5	
0.0	0.0			J	74.3	0.1	-0.8	5.5	
5427.4	517.4		Min	I	-61.2	-0.2	-2.5	-2.3	
0.0	0.0			J	-61.2	-0.2	-0.8	-2.3	
5421.9	-256.6								
8679	2	72	C1-C2;~1	Max	I	67.0	0.0	0.0	3.1
0.0	0.0				J	67.0	0.0	0.0	3.1
0.0	0.0			Min	I	-36.0	0.0	-0.0	-3.1
0.0	0.0			J	-36.0	-0.0	-0.0	-3.1	
0.0	0.0								
			C3-C4;~1	Max	I	50.6	0.0	0.0	2.2
0.0	0.0			J	50.6	0.0	0.0	2.2	
0.0	0.0			Min	I	-16.6	0.0	-0.0	-3.5
0.0	0.0			J	-16.6	-0.0	-0.0	-3.5	
0.0	0.0								
			C1-C2;~2	Max	I	43.3	0.0	0.0	1.7
0.0	0.0			J	43.3	0.0	0.0	1.7	
0.0	0.0			Min	I	-19.8	0.0	-0.0	-1.9
0.0	0.0			J	-19.8	-0.0	-0.0	-1.9	
0.0	0.0								
			C3-C4;~2	Max	I	32.0	0.0	0.0	1.2
0.0	0.0			J	32.0	0.0	0.0	1.2	
0.0	0.0			Min	I	-8.3	0.0	-0.0	-2.2
0.0	0.0			J	-8.3	-0.0	-0.0	-2.2	
0.0	0.0								
			G1	I	-7.3	0.0	-0.8	3.1	
0.0	0.0			J	-7.3	-0.0	0.8	3.1	
0.0	0.0								
			G2	I	-13.1	0.0	-0.0	1.2	
0.0	0.0			J	-13.1	-0.0	0.0	1.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company					Client
		Author					File Name
						PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc X	I	-4.0	0.0	0.0	-0.2
			J	-4.0	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_pc Y	I	8.3	0.0	-0.0	0.0
			J	8.3	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-0.5	0.0	0.0	-0.3
			J	-0.5	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_ps Y	I	9.3	0.0	-0.0	0.0
			J	9.3	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	-233.2	0.0	-1.1	4.9
			J	-233.2	0.0	1.1	4.9
0.0	0.0						
0.0	0.0	Min	I	-387.2	0.0	-1.1	-4.5
			J	-387.2	-0.0	1.1	-4.5
0.0	0.0						
0.0	0.0	INVS LE Max	I	-184.6	0.0	-0.8	3.1
			J	-184.6	0.0	0.8	3.1
0.0	0.0						
0.0	0.0	Min	I	-297.6	0.0	-0.8	-3.8
			J	-297.6	-0.0	0.8	-3.8
0.0	0.0						
8680	2	72 C1-C2;~1 Max	I	67.1	0.0	0.0	3.5
0.0	0.0		J	67.1	0.0	0.0	3.5
0.0	0.0						
0.0	0.0	Min	I	-36.0	-0.0	-0.0	-6.1
			J	-36.0	0.0	-0.0	-6.1
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	50.7	0.0	0.0	2.6
			J	50.7	0.0	0.0	2.6
0.0	0.0						
0.0	0.0	Min	I	-16.6	-0.0	-0.0	-4.1
			J	-16.6	0.0	-0.0	-4.1
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	43.4	0.0	0.0	2.0
			J	43.4	0.0	0.0	2.0
0.0	0.0						
0.0	0.0	Min	I	-19.8	-0.0	-0.0	-3.8
			J	-19.8	0.0	-0.0	-3.8
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	32.1	0.0	0.0	1.4

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	32.1	0.0	0.0	1.4
0.0	0.0	Min	I	-8.3	-0.0	-0.0	-2.4
0.0	0.0		J	-8.3	0.0	-0.0	-2.4
0.0	0.0	G1	I	-7.3	0.0	-0.9	-1.8
0.0	0.0		J	-7.3	0.0	0.9	-1.8
0.0	0.0	G2	I	-13.1	0.0	0.0	0.4
0.0	0.0		J	-13.1	0.0	-0.0	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-3.9	-0.0	-0.0	-0.2
0.0	0.0		J	-3.9	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	8.3	0.0	0.0	-0.1
0.0	0.0		J	8.3	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	-0.4	-0.0	-0.0	-0.5
0.0	0.0		J	-0.4	0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	9.3	0.0	0.0	-0.2
0.0	0.0		J	9.3	0.0	-0.0	-0.2
0.0	0.0	INVSLE Max	I	-233.0	0.0	-1.2	1.0
0.0	0.0		J	-233.0	0.0	1.2	1.0
0.0	0.0	Min	I	-387.1	-0.0	-1.2	-12.3
0.0	0.0		J	-387.1	0.0	1.2	-12.3
0.0	0.0	INVSLE Max	I	-184.5	0.0	-0.9	0.4
0.0	0.0		J	-184.5	0.0	0.9	0.4
0.0	0.0	Min	I	-297.5	-0.0	-0.9	-9.4
0.0	0.0		J	-297.5	0.0	0.9	-9.4
8681	2	72 C1-C2;~1 Max	I	63.8	0.1	0.0	3.2
2.8	396.4		J	63.8	0.1	0.0	3.2
0.0	0.0	Min	I	-56.8	-0.1	-0.0	-3.3

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.1	-320.9		J	-56.8	-0.1	-0.0	-3.3
0.0	0.0						
		C3-C4;~1 Max	I	54.3	0.1	0.0	3.0
2.4	355.9		J	54.3	0.1	0.0	3.0
0.0	0.0	Min	I	-28.0	-0.1	-0.0	-1.9
-2.2	-280.2		J	-28.0	-0.1	-0.0	-1.9
0.0	0.0						
		C1-C2;~2 Max	I	38.9	0.1	0.0	1.9
1.7	266.9		J	38.9	0.1	0.0	1.9
0.0	0.0	Min	I	-31.6	-0.1	-0.0	-1.8
-1.2	-201.3		J	-31.6	-0.1	-0.0	-1.8
0.0	0.0						
		C3-C4;~2 Max	I	33.1	0.1	0.0	1.8
1.3	238.5		J	33.1	0.1	0.0	1.8
0.0	0.0	Min	I	-13.7	-0.1	-0.0	-1.0
-1.3	-171.7		J	-13.7	-0.1	-0.0	-1.0
0.0	0.0						
		G1	I	-11.7	-0.0	0.9	-1.2
5428.9	-34.8		J	-11.7	-0.0	2.6	-1.2
0.0	0.0						
		G2	I	-14.8	-0.0	0.0	-0.9
0.4	-12.8		J	-14.8	-0.0	0.0	-0.9
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	12.4	0.0	-0.0	0.6
-0.0	47.2		J	12.4	0.0	-0.0	0.6
0.0	0.0						
		Q5_pc Y	I	4.6	-0.0	0.0	-0.1
0.1	-25.0		J	4.6	-0.0	0.0	-0.1
0.0	0.0						
		Q5_ps X	I	15.1	0.0	0.0	0.7
0.1	46.1		J	15.1	0.0	0.0	0.7
0.0	0.0						
		Q5_ps Y	I	5.8	-0.0	0.0	-0.0
0.1	-22.8		J	5.8	-0.0	0.0	-0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7331.7	671.0	INVSLE Max	I	116.0	0.2	1.3	5.7
			J	116.0	0.2	3.5	5.7
0.0	0.0						
7324.8	-382.5	Min	I	-69.1	-0.1	1.3	-4.0
			J	-69.1	-0.1	3.5	-4.0
0.0	0.0						
5430.8	517.4	INVSLE Max	I	74.3	0.2	0.9	4.6
			J	74.3	0.2	2.6	4.6
0.0	0.0						
5425.7	-256.6	Min	I	-61.2	-0.1	0.9	-2.5
			J	-61.2	-0.1	2.6	-2.5
0.0	0.0						
8682	2	72 C1-C2;~1 Max	I	77.2	0.2	0.0	4.2
0.0	0.0		J	77.2	0.2	0.0	4.2
1.9	591.3						
0.0	0.0	Min	I	-73.6	-0.2	-0.0	-3.9
			J	-73.6	-0.2	-0.0	-3.9
-4.9	-518.0						
0.0	0.0	C3-C4;~1 Max	I	65.1	0.1	0.0	3.5
			J	65.1	0.1	0.0	3.5
2.3	518.7						
0.0	0.0	Min	I	-33.0	-0.2	-0.0	-2.1
			J	-33.0	-0.2	-0.0	-2.1
-3.7	-459.9						
0.0	0.0	C1-C2;~2 Max	I	45.1	0.1	0.0	2.5
			J	45.1	0.1	0.0	2.5
1.1	395.6						
0.0	0.0	Min	I	-41.3	-0.1	-0.0	-2.2
			J	-41.3	-0.1	-0.0	-2.2
-3.0	-326.5						
0.0	0.0	C3-C4;~2 Max	I	34.5	0.1	0.0	2.0
			J	34.5	0.1	0.0	2.0
1.4	345.5						
0.0	0.0	Min	I	-16.8	-0.1	-0.0	-1.0
			J	-16.8	-0.1	-0.0	-1.0
-2.1	-283.7						
0.0	0.0	G1	I	7.5	0.0	-2.5	0.4
			J	7.5	0.0	-0.8	0.4
5422.6	-62.1						
0.0	0.0	G2	I	-6.5	0.0	0.0	-0.4
			J	-6.5	0.0	0.0	-0.4
-0.9	-25.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	20.5	-0.0	-0.0	0.2
0.0	40.0		J	20.5	-0.0	-0.0	0.2
0.0	0.0	Q5_pc Y	I	8.1	0.0	0.0	0.1
-0.1	-31.9		J	8.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	22.0	-0.0	0.0	0.4
-0.1	39.7		J	22.0	-0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	8.9	0.0	0.0	0.2
-0.1	-29.0		J	8.9	0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	310.8	0.2	-3.4	9.9
7323.7	751.0		J	310.8	0.2	-1.0	9.9
0.0	0.0	Min	I	70.4	-0.2	-3.4	-1.4
7313.9	-818.5		J	70.4	-0.2	-1.0	-1.4
0.0	0.0	INVS LE Max	I	228.5	0.2	-2.5	7.6
5425.1	563.2		J	228.5	0.2	-0.8	7.6
0.0	0.0	Min	I	53.1	-0.2	-2.5	-0.7
5417.9	-594.1		J	53.1	-0.2	-0.8	-0.7
8683	2	72 C1-C2;~1 Max	I	75.3	0.0	0.0	5.4
0.0	0.0		J	75.3	0.0	0.0	5.4
0.0	0.0	Min	I	-62.9	-0.0	-0.0	-3.7
0.0	0.0		J	-62.9	-0.0	-0.0	-3.7
0.0	0.0	C3-C4;~1 Max	I	51.3	0.0	0.0	2.9
0.0	0.0		J	51.3	0.0	0.0	2.9
0.0	0.0	Min	I	-43.1	-0.0	-0.0	-4.0
0.0	0.0		J	-43.1	-0.0	-0.0	-4.0
0.0	0.0	C1-C2;~2 Max	I	45.8	0.0	0.0	3.1
0.0	0.0		J	45.8	0.0	0.0	3.1
0.0	0.0	Min	I	-34.6	-0.0	-0.0	-2.3
0.0	0.0		J	-34.6	-0.0	-0.0	-2.3

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		C3-C4;~2 Max	I	28.4	0.0	0.0	1.6
0.0	0.0		J	28.4	0.0	0.0	1.6
0.0	0.0	Min	I	-22.5	-0.0	-0.0	-2.4
0.0	0.0		J	-22.5	-0.0	-0.0	-2.4
0.0	0.0	G1	I	-7.6	-0.0	-0.8	3.3
0.0	0.0		J	-7.6	0.0	0.8	3.3
0.0	0.0	G2	I	-12.7	-0.0	0.0	1.2
0.0	0.0		J	-12.7	0.0	-0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-18.5	0.0	-0.0	-0.2
0.0	0.0		J	-18.5	-0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	13.6	-0.0	0.0	-0.2
0.0	0.0		J	13.6	0.0	-0.0	-0.2
0.0	0.0	Q5_ps X	I	-14.3	0.0	-0.0	-0.2
0.0	0.0		J	-14.3	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	14.4	-0.0	0.0	-0.2
0.0	0.0		J	14.4	0.0	-0.0	-0.2
0.0	0.0	INVS LU Max	I	-58.1	0.0	-1.1	8.0
0.0	0.0		J	-58.1	0.0	1.1	8.0
0.0	0.0	Min	I	-278.0	-0.0	-1.1	-5.0
0.0	0.0		J	-278.0	-0.0	1.1	-5.0
0.0	0.0	INVS LE Max	I	-44.3	0.0	-0.8	5.4
0.0	0.0		J	-44.3	0.0	0.8	5.4
0.0	0.0	Min	I	-204.8	-0.0	-0.8	-4.2
0.0	0.0		J	-204.8	-0.0	0.8	-4.2
8684	2	72 C1-C2;~1 Max	I	75.5	0.0	0.0	3.1
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	75.5	0.0	0.0	3.1
0.0	0.0	Min	I	-62.8	0.0	-0.0	-8.4
0.0	0.0		J	-62.8	-0.0	-0.0	-8.4
0.0	0.0	C3-C4;~1 Max	I	51.2	0.0	0.0	2.3
0.0	0.0		J	51.2	0.0	0.0	2.3
0.0	0.0	Min	I	-43.1	0.0	-0.0	-6.5
0.0	0.0		J	-43.1	-0.0	-0.0	-6.5
0.0	0.0	C1-C2;~2 Max	I	45.9	0.0	0.0	1.7
0.0	0.0		J	45.9	0.0	0.0	1.7
0.0	0.0	Min	I	-34.6	0.0	-0.0	-5.1
0.0	0.0		J	-34.6	-0.0	-0.0	-5.1
0.0	0.0	C3-C4;~2 Max	I	28.3	0.0	0.0	1.2
0.0	0.0		J	28.3	0.0	0.0	1.2
0.0	0.0	Min	I	-22.5	0.0	-0.0	-3.6
0.0	0.0		J	-22.5	-0.0	-0.0	-3.6
0.0	0.0	G1	I	-7.6	0.0	-0.9	-4.4
0.0	0.0		J	-7.6	-0.0	0.9	-4.4
0.0	0.0	G2	I	-12.7	0.0	-0.0	-0.6
0.0	0.0		J	-12.7	-0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-18.5	0.0	0.0	-0.2
0.0	0.0		J	-18.5	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	13.6	0.0	-0.0	-0.3
0.0	0.0		J	13.6	-0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	-14.2	0.0	0.0	-0.4
0.0	0.0		J	-14.2	0.0	-0.0	-0.4
0.0	0.0	Q5_ps Y	I	14.4	0.0	-0.0	-0.4

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	14.4	-0.0	0.0	-0.4
0.0	0.0	INVS LU Max	I	-57.9	0.0	-1.2	-5.3
0.0	0.0		J	-57.9	0.0	1.2	-5.3
0.0	0.0	Min	I	-278.0	0.0	-1.2	-21.4
0.0	0.0		J	-278.0	-0.0	1.2	-21.4
0.0	0.0	INVS LE Max	I	-44.2	0.0	-0.9	-4.0
0.0	0.0		J	-44.2	0.0	0.9	-4.0
0.0	0.0	Min	I	-204.7	0.0	-0.9	-15.9
0.0	0.0		J	-204.7	-0.0	0.9	-15.9
8685	2	72 C1-C2;~1 Max	I	77.1	0.2	0.0	3.7
4.6	591.3		J	77.1	0.2	0.0	3.7
0.0	0.0	Min	I	-73.6	-0.2	-0.0	-4.1
-1.8	-518.0		J	-73.6	-0.2	-0.0	-4.1
0.0	0.0						
3.5	518.7	C3-C4;~1 Max	I	65.1	0.2	0.0	3.3
0.0	0.0		J	65.1	0.2	0.0	3.3
0.0	0.0	Min	I	-33.0	-0.1	-0.0	-2.6
-2.2	-459.9		J	-33.0	-0.1	-0.0	-2.6
0.0	0.0						
2.8	395.6	C1-C2;~2 Max	I	45.1	0.1	0.0	2.2
0.0	0.0		J	45.1	0.1	0.0	2.2
0.0	0.0	Min	I	-41.3	-0.1	-0.0	-2.3
-1.0	-326.5		J	-41.3	-0.1	-0.0	-2.3
0.0	0.0						
2.0	345.5	C3-C4;~2 Max	I	34.5	0.1	0.0	1.9
0.0	0.0		J	34.5	0.1	0.0	1.9
0.0	0.0	Min	I	-16.8	-0.1	-0.0	-1.3
-1.3	-283.7		J	-16.8	-0.1	-0.0	-1.3
0.0	0.0						
5430.2	-62.1	G1	I	7.5	-0.0	0.9	-0.6
0.0	0.0		J	7.5	-0.0	2.6	-0.6
0.9	-25.6	G2	I	-6.5	-0.0	0.0	-0.7
0.0	0.0		J	-6.5	-0.0	0.0	-0.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	40.0	Q5_pc X	I	20.5	0.0	-0.0	0.2
0.0	0.0		J	20.5	0.0	-0.0	0.2
0.0	-31.9	Q5_pc Y	I	8.1	-0.0	0.0	0.1
0.0	0.0		J	8.1	-0.0	0.0	0.1
0.1	39.7	Q5_ps X	I	22.0	0.0	0.0	0.4
0.0	0.0		J	22.0	0.0	0.0	0.4
0.1	-29.0	Q5_ps Y	I	8.9	-0.0	0.0	0.1
0.0	0.0		J	8.9	-0.0	0.0	0.1
7336.9	751.0	INVS LU Max	I	310.8	0.2	1.3	8.0
0.0	0.0		J	310.8	0.2	3.5	8.0
7327.8	-818.5	Min	I	70.3	-0.3	1.3	-3.1
0.0	0.0		J	70.3	-0.3	3.5	-3.1
5434.6	563.2	INVS LE Max	I	228.5	0.2	0.9	6.2
0.0	0.0		J	228.5	0.2	2.6	6.2
5427.8	-594.1	Min	I	53.1	-0.2	0.9	-2.0
0.0	0.0		J	53.1	-0.2	2.6	-2.0
8686	2	72 C1-C2;~1 Max	I	109.5	0.2	0.0	4.8
0.0	0.0		J	109.5	0.2	0.0	4.8
1.9	581.8	Min	I	-58.7	-0.2	-0.0	-3.3
0.0	0.0		J	-58.7	-0.2	-0.0	-3.3
-4.7	-561.6						
0.0	0.0	C3-C4;~1 Max	I	95.2	0.2	0.0	4.2
2.5	501.7		J	95.2	0.2	0.0	4.2
0.0	0.0	Min	I	-26.9	-0.2	-0.0	-1.8
-3.2	-512.0		J	-26.9	-0.2	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	63.6	0.1	0.0	2.9
1.2	384.8		J	63.6	0.1	0.0	2.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-31.7	-0.1	-0.0	-1.9
0.0	0.0			J	-31.7	-0.1	-0.0	-1.9
-2.9	-370.7							
		C3-C4;~2	Max	I	52.3	0.1	0.0	2.5
0.0	0.0			J	52.3	0.1	0.0	2.5
1.5	333.8							
			Min	I	-12.4	-0.1	-0.0	-0.9
0.0	0.0			J	-12.4	-0.1	-0.0	-0.9
-1.9	-334.1							
			G1	I	43.6	0.0	-2.5	1.2
0.0	0.0			J	43.6	0.0	-0.8	1.2
5422.9	-31.1							
			G2	I	6.8	0.0	0.0	-0.2
0.0	0.0			J	6.8	0.0	0.0	-0.2
-0.8	-21.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	29.4	-0.0	-0.0	0.3
0.0	0.0			J	29.4	-0.0	-0.0	0.3
0.1	0.6							
			Q5_pc Y	I	6.7	-0.0	0.0	0.1
0.0	0.0			J	6.7	-0.0	0.0	0.1
-0.1	0.2							
			Q5_ps X	I	30.5	-0.0	0.0	0.4
0.0	0.0			J	30.5	-0.0	0.0	0.4
-0.0	1.6							
			Q5_ps Y	I	7.6	-0.0	0.0	0.2
0.0	0.0			J	7.6	-0.0	0.0	0.2
-0.2	1.2							
			INVSLU Max	I	362.5	0.3	-3.4	12.1
0.0	0.0			J	362.5	0.3	-1.0	12.1
7319.6	690.5							
			Min	I	82.4	-0.2	-3.4	0.7
0.0	0.0			J	82.4	-0.2	-1.0	0.7
7309.7	-854.2							
			INVSLE Max	I	267.5	0.2	-2.5	9.1
0.0	0.0			J	267.5	0.2	-0.8	9.1
5421.9	507.2							
			Min	I	64.0	-0.2	-2.5	0.6
0.0	0.0			J	64.0	-0.2	-0.8	0.6
5414.6	-636.9							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8687	2	72	C1-C2;~1	Max	I	91.5	0.0	0.0	5.3
0.0	0.0				J	91.5	0.0	0.0	5.3
0.0	0.0			Min	I	-52.5	-0.0	0.0	-4.6
0.0	0.0				J	-52.5	0.0	0.0	-4.6
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	76.8	0.0	0.0	2.3
0.0	0.0				J	76.8	0.0	0.0	2.3
0.0	0.0			Min	I	-32.2	-0.0	0.0	-5.1
0.0	0.0				J	-32.2	0.0	0.0	-5.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	55.1	0.0	0.0	3.1
0.0	0.0				J	55.1	0.0	0.0	3.1
0.0	0.0			Min	I	-29.4	-0.0	0.0	-3.0
0.0	0.0				J	-29.4	0.0	0.0	-3.0
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	44.8	0.0	0.0	1.3
0.0	0.0				J	44.8	0.0	0.0	1.3
0.0	0.0			Min	I	-15.7	-0.0	0.0	-3.3
0.0	0.0				J	-15.7	0.0	0.0	-3.3
0.0	0.0								
0.0	0.0		G1		I	25.1	0.0	-0.8	2.6
0.0	0.0				J	25.1	0.0	0.8	2.6
0.0	0.0								
0.0	0.0		G2		I	-0.8	0.0	0.0	0.9
0.0	0.0				J	-0.8	0.0	0.0	0.9
0.0	0.0								
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc	X	I	-22.8	-0.0	0.0	-0.6
0.0	0.0				J	-22.8	0.0	0.0	-0.6
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	15.2	0.0	0.0	-0.1
0.0	0.0				J	15.2	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		Q5_ps	X	I	-18.2	-0.0	0.0	-0.5
0.0	0.0				J	-18.2	0.0	0.0	-0.5
0.0	0.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps Y	I	16.1	0.0	0.0	-0.0
0.0	0.0		J	16.1	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	113.0	0.0	-1.1	13.2
0.0	0.0		J	113.0	0.0	1.1	13.2
0.0	0.0	Min	I	-122.5	-0.0	-1.1	-1.8
0.0	0.0		J	-122.5	0.0	1.1	-1.8
0.0	0.0	INVSLE Max	I	83.8	0.0	-0.8	9.7
0.0	0.0		J	83.8	0.0	0.8	9.7
0.0	0.0	Min	I	-87.6	-0.0	-0.8	-1.3
0.0	0.0		J	-87.6	0.0	0.8	-1.3
8688	2	72 C1-C2;~1 Max	I	91.7	0.0	0.0	1.8
0.0	0.0		J	91.7	0.0	0.0	1.8
0.0	0.0	Min	I	-52.5	0.0	0.0	-8.2
0.0	0.0		J	-52.5	-0.0	-0.0	-8.2
0.0	0.0	C3-C4;~1 Max	I	76.7	0.0	0.0	1.8
0.0	0.0		J	76.7	0.0	0.0	1.8
0.0	0.0	Min	I	-32.2	0.0	0.0	-6.4
0.0	0.0		J	-32.2	-0.0	-0.0	-6.4
0.0	0.0	C1-C2;~2 Max	I	55.3	0.0	0.0	0.9
0.0	0.0		J	55.3	0.0	0.0	0.9
0.0	0.0	Min	I	-29.4	0.0	0.0	-5.1
0.0	0.0		J	-29.4	-0.0	-0.0	-5.1
0.0	0.0	C3-C4;~2 Max	I	44.7	0.0	0.0	0.8
0.0	0.0		J	44.7	0.0	0.0	0.8
0.0	0.0	Min	I	-15.7	0.0	0.0	-3.7
0.0	0.0		J	-15.7	-0.0	-0.0	-3.7
0.0	0.0	G1	I	25.0	0.0	-0.9	-4.6
0.0	0.0		J	25.0	0.0	0.9	-4.6
0.0	0.0	G2	I	-0.8	0.0	0.0	-0.6

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-0.8	0.0	-0.0	-0.6
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-22.8	0.0	0.0	-0.3
0.0	0.0		J	-22.8	-0.0	-0.0	-0.3
0.0	0.0						
		Q5_pc Y	I	15.2	0.0	0.0	-0.3
0.0	0.0		J	15.2	0.0	-0.0	-0.3
0.0	0.0						
		Q5_ps X	I	-18.1	0.0	0.0	-0.6
0.0	0.0		J	-18.1	-0.0	-0.0	-0.6
0.0	0.0						
		Q5_ps Y	I	16.1	0.0	0.0	-0.4
0.0	0.0		J	16.1	0.0	-0.0	-0.4
0.0	0.0						
		INVSLE Max	I	113.2	0.0	-1.2	-10.6
0.0	0.0		J	113.2	0.0	1.2	-10.6
0.0	0.0						
		Min	I	-122.5	0.0	-1.2	-24.8
0.0	0.0		J	-122.5	-0.0	1.2	-24.8
0.0	0.0						
		INVSLE Max	I	83.9	0.0	-0.9	-8.0
0.0	0.0		J	83.9	0.0	0.9	-8.0
0.0	0.0						
		Min	I	-87.6	0.0	-0.9	-18.5
0.0	0.0		J	-87.6	-0.0	0.9	-18.5
0.0	0.0						
8689	2	72 C1-C2;~1 Max	I	109.4	0.2	0.0	4.8
4.4	581.8		J	109.4	0.2	0.0	4.8
0.0	0.0						
		Min	I	-58.7	-0.2	-0.0	-3.6
-1.8	-561.6		J	-58.7	-0.2	-0.0	-3.6
0.0	0.0						
		C3-C4;~1 Max	I	95.2	0.2	0.0	3.8
3.0	501.7		J	95.2	0.2	0.0	3.8
0.0	0.0						
		Min	I	-26.9	-0.2	-0.0	-2.1
-2.3	-512.0		J	-26.9	-0.2	-0.0	-2.1
0.0	0.0						
		C1-C2;~2 Max	I	63.5	0.1	0.0	2.9

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.7	384.8			J	63.5	0.1	0.0	2.9
0.0	0.0							
			Min	I	-31.7	-0.1	-0.0	-2.1
-1.1	-370.7			J	-31.7	-0.1	-0.0	-2.1
0.0	0.0							
			C3-C4;~2 Max	I	52.3	0.1	0.0	2.2
1.8	333.8			J	52.3	0.1	0.0	2.2
0.0	0.0							
			Min	I	-12.4	-0.1	-0.0	-1.1
-1.5	-334.1			J	-12.4	-0.1	-0.0	-1.1
0.0	0.0							
			G1	I	43.6	-0.0	0.9	0.2
5430.0	-31.1			J	43.6	-0.0	2.6	0.2
0.0	0.0							
			G2	I	6.8	-0.0	0.0	-0.4
0.7	-21.4			J	6.8	-0.0	0.0	-0.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	29.4	0.0	-0.0	0.3
-0.1	0.6			J	29.4	0.0	-0.0	0.3
0.0	0.0							
			Q5_pc Y	I	6.7	0.0	0.0	0.1
0.1	0.2			J	6.7	0.0	0.0	0.1
0.0	0.0							
			Q5_ps X	I	30.5	0.0	0.0	0.4
0.0	1.6			J	30.5	0.0	0.0	0.4
0.0	0.0							
			Q5_ps Y	I	7.6	0.0	0.0	0.2
0.2	1.2			J	7.6	0.0	0.0	0.2
0.0	0.0							
			INVSLE Max	I	362.4	0.2	1.3	9.6
7341.0	690.5			J	362.4	0.2	3.5	9.6
0.0	0.0							
			Min	I	82.4	-0.3	1.3	-2.3
7331.7	-854.2			J	82.4	-0.3	3.5	-2.3
0.0	0.0							
			INVSLE Max	I	267.5	0.2	0.9	7.2
5437.8	507.2			J	267.5	0.2	2.6	7.2
0.0	0.0							
			Min	I	64.0	-0.2	0.9	-1.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5430.9	-636.9			J	64.0	-0.2	2.6	-1.6	
0.0	0.0								
8690	2	72	C1-C2;~1	Max	I	101.4	0.2	0.0	4.9
0.0	0.0				J	101.4	0.2	0.0	4.9
2.8	239.6			Min	I	-26.1	-0.1	-0.0	-2.6
0.0	0.0				J	-26.1	-0.1	-0.0	-2.6
-3.8	-562.5								
			C3-C4;~1	Max	I	84.8	0.2	0.0	3.3
0.0	0.0				J	84.8	0.2	0.0	3.3
2.8	207.8			Min	I	-21.7	-0.1	-0.0	-2.5
0.0	0.0				J	-21.7	-0.1	-0.0	-2.5
-2.7	-521.7								
			C1-C2;~2	Max	I	61.4	0.1	0.0	3.1
0.0	0.0				J	61.4	0.1	0.0	3.1
1.8	132.1			Min	I	-13.5	-0.0	-0.0	-1.6
0.0	0.0				J	-13.5	-0.0	-0.0	-1.6
-2.1	-379.1								
			C3-C4;~2	Max	I	49.0	0.1	0.0	1.9
0.0	0.0				J	49.0	0.1	0.0	1.9
1.8	106.0			Min	I	-9.8	-0.0	-0.0	-1.6
0.0	0.0				J	-9.8	-0.0	-0.0	-1.6
-1.4	-350.9								
			G1		I	45.7	-0.0	-2.5	2.0
0.0	0.0				J	45.7	-0.0	-0.8	2.0
5237.4	33.7								
			G2		I	10.3	-0.0	0.0	0.9
0.0	0.0				J	10.3	-0.0	0.0	0.9
-1.4	53.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	28.7	0.0	-0.0	0.3
0.0	0.0				J	28.7	0.0	-0.0	0.3
1.0	-107.6								
			Q5_pc	Y	I	4.0	-0.0	0.0	0.0
0.0	0.0				J	4.0	-0.0	0.0	0.0
-0.0	7.3								
			Q5_ps	X	I	30.1	0.0	-0.0	0.3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	30.1	0.0	-0.0	0.3
1.0	-116.6							
		Q5_ps	Y	I	5.3	0.0	-0.0	0.1
0.0	0.0			J	5.3	0.0	-0.0	0.1
0.0	-0.9							
		INVSLE	Max	I	264.8	0.2	-3.4	13.9
0.0	0.0			J	264.8	0.2	-1.1	13.9
7070.8	756.4			Min	38.8	-0.2	-3.4	3.3
0.0	0.0			J	38.8	-0.2	-1.1	3.3
7059.9	-520.1							
		INVSLE	Max	I	195.1	0.1	-2.5	10.3
0.0	0.0			J	195.1	0.1	-0.8	10.3
5237.5	551.3			Min	32.9	-0.2	-2.5	2.5
0.0	0.0			J	32.9	-0.2	-0.8	2.5
5229.6	-379.9							
8691	2	72	C1-C2;~1	Max	86.3	0.0	0.0	4.6
0.0	0.0			J	86.3	0.0	0.0	4.6
0.0	0.0			Min	-42.5	-0.0	0.0	-4.7
0.0	0.0			J	-42.5	-0.0	0.0	-4.7
0.0	0.0							
		C3-C4;~1	Max	I	86.7	0.0	0.0	1.7
0.0	0.0			J	86.7	0.0	0.0	1.7
0.0	0.0			Min	-19.6	-0.0	0.0	-5.2
0.0	0.0			J	-19.6	-0.0	0.0	-5.2
0.0	0.0							
		C1-C2;~2	Max	I	50.4	0.0	0.0	2.8
0.0	0.0			J	50.4	0.0	0.0	2.8
0.0	0.0			Min	-23.7	-0.0	0.0	-3.0
0.0	0.0			J	-23.7	-0.0	0.0	-3.0
0.0	0.0							
		C3-C4;~2	Max	I	51.3	0.0	0.0	0.9
0.0	0.0			J	51.3	0.0	0.0	0.9
0.0	0.0			Min	-9.0	-0.0	0.0	-3.4
0.0	0.0			J	-9.0	-0.0	0.0	-3.4
0.0	0.0							
		G1		I	47.2	0.0	-0.8	1.1
0.0	0.0			J	47.2	-0.0	0.8	1.1

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G2	I	11.1	0.0	0.0	0.5
0.0	0.0		J	11.1	-0.0	0.0	0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-22.6	-0.0	0.0	-0.5
0.0	0.0		J	-22.6	0.0	0.0	-0.5
0.0	0.0						
		Q5_pc Y	I	12.8	0.0	0.0	-0.0
0.0	0.0		J	12.8	-0.0	0.0	-0.0
0.0	0.0						
		Q5_ps X	I	-20.4	-0.0	0.0	-0.5
0.0	0.0		J	-20.4	0.0	0.0	-0.5
0.0	0.0						
		Q5_ps Y	I	12.6	0.0	0.0	0.0
0.0	0.0		J	12.6	-0.0	0.0	0.0
0.0	0.0						
		INVS LU Max	I	269.8	0.0	-1.1	12.1
0.0	0.0		J	269.8	0.0	1.1	12.1
0.0	0.0						
		Min	I	54.7	-0.0	-1.1	-2.1
0.0	0.0		J	54.7	-0.0	1.1	-2.1
0.0	0.0						
		INVS LE Max	I	199.2	0.0	-0.8	8.9
0.0	0.0		J	199.2	0.0	0.8	8.9
0.0	0.0						
		Min	I	42.9	-0.0	-0.8	-1.5
0.0	0.0		J	42.9	-0.0	0.8	-1.5
0.0	0.0						
8692	2	72 C1-C2;~1 Max	I	86.0	0.0	0.0	4.3
0.0	0.0		J	86.0	0.0	0.0	4.3
0.0	0.0						
		Min	I	-42.4	-0.0	-0.0	-4.2
0.0	0.0		J	-42.4	0.0	0.0	-4.2
0.0	0.0						
		C3-C4;~1 Max	I	86.4	0.0	0.0	3.2
0.0	0.0		J	86.4	0.0	0.0	3.2
0.0	0.0						
		Min	I	-19.6	-0.0	-0.0	-4.9
0.0	0.0		J	-19.6	0.0	0.0	-4.9

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	50.2	0.0	0.0	2.8
0.0	0.0		J	50.2	0.0	0.0	2.8
0.0	0.0	Min	I	-23.6	-0.0	-0.0	-2.1
0.0	0.0		J	-23.6	0.0	0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	51.0	0.0	0.0	2.1
0.0	0.0		J	51.0	0.0	0.0	2.1
0.0	0.0	Min	I	-9.0	-0.0	-0.0	-2.4
0.0	0.0		J	-9.0	0.0	0.0	-2.4
0.0	0.0	G1	I	47.2	-0.0	-0.8	-5.2
0.0	0.0		J	47.2	0.0	0.8	-5.2
0.0	0.0	G2	I	11.1	-0.0	-0.0	-2.3
0.0	0.0		J	11.1	0.0	0.0	-2.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-22.7	0.0	0.0	1.4
0.0	0.0		J	-22.7	0.0	0.0	1.4
0.0	0.0	Q5_pc Y	I	12.8	-0.0	-0.0	-0.0
0.0	0.0		J	12.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-20.4	0.0	0.0	1.6
0.0	0.0		J	-20.4	0.0	0.0	1.6
0.0	0.0	Q5_ps Y	I	12.6	-0.0	-0.0	0.1
0.0	0.0		J	12.6	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	269.6	0.0	-1.1	-5.1
0.0	0.0		J	269.6	0.0	1.1	-5.1
0.0	0.0	Min	I	55.0	-0.0	-1.1	-20.1
0.0	0.0		J	55.0	0.0	1.1	-20.1
0.0	0.0	INVSLE Max	I	199.1	0.0	-0.8	-4.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	199.1	0.0	0.8	-4.0	
0.0	0.0		Min	I	43.1	-0.0	-0.8	-14.9	
0.0	0.0			J	43.1	0.0	0.8	-14.9	
0.0	0.0								
8693	2	72	C1-C2;~1	Max	I	101.3	0.1	0.0	5.1
3.7	239.6				J	101.3	0.1	0.0	5.1
0.0	0.0		Min	I	-26.1	-0.2	-0.0	-2.1	
-2.7	-562.5			J	-26.1	-0.2	-0.0	-2.1	
0.0	0.0								
			C3-C4;~1	Max	I	84.7	0.1	0.0	3.2
2.6	207.8			J	84.7	0.1	0.0	3.2	
0.0	0.0		Min	I	-21.7	-0.2	-0.0	-2.2	
-2.7	-521.7			J	-21.7	-0.2	-0.0	-2.2	
0.0	0.0								
			C1-C2;~2	Max	I	61.4	0.0	0.0	3.3
2.0	132.1			J	61.4	0.0	0.0	3.3	
0.0	0.0		Min	I	-13.5	-0.1	-0.0	-1.3	
-1.8	-379.1			J	-13.5	-0.1	-0.0	-1.3	
0.0	0.0								
			C3-C4;~2	Max	I	49.0	0.0	0.0	2.0
1.3	106.0			J	49.0	0.0	0.0	2.0	
0.0	0.0		Min	I	-9.8	-0.1	-0.0	-1.3	
-1.7	-350.9			J	-9.8	-0.1	-0.0	-1.3	
0.0	0.0								
			G1	I	45.7	0.0	0.9	0.8	
5243.7	33.7			J	45.7	0.0	2.5	0.8	
0.0	0.0								
			G2	I	10.3	0.0	0.0	0.4	
1.3	53.9			J	10.3	0.0	0.0	0.4	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	28.7	-0.0	-0.0	0.6
-1.0	-107.6			J	28.7	-0.0	-0.0	0.6	
0.0	0.0								
			Q5_pc	Y	I	4.0	0.0	0.0	0.0
0.0	7.3			J	4.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-1.0	-116.6	Q5_ps X	I	30.0	-0.0	-0.0	0.7
0.0	0.0		J	30.0	-0.0	-0.0	0.7
-0.0	-0.9	Q5_ps Y	I	5.3	-0.0	-0.0	0.1
0.0	0.0		J	5.3	-0.0	-0.0	0.1
7089.1	756.4	INVS LU Max	I	264.8	0.2	1.2	11.2
0.0	0.0		J	264.8	0.2	3.4	11.2
7078.7	-520.1	Min	I	38.9	-0.2	1.2	0.4
0.0	0.0		J	38.9	-0.2	3.4	0.4
5251.2	551.3	INVS LE Max	I	195.0	0.2	0.9	8.3
0.0	0.0		J	195.0	0.2	2.5	8.3
5243.6	-379.9	Min	I	32.9	-0.1	0.9	0.4
0.0	0.0		J	32.9	-0.1	2.5	0.4
8694	2	72 C1-C2;~1 Max	I	86.8	0.1	0.0	4.4
0.0	0.0		J	86.8	0.1	0.0	4.4
3.4	582.2	Min	I	-35.0	-0.2	-0.0	-2.9
0.0	0.0		J	-35.0	-0.2	-0.0	-2.9
-3.5	-224.1						
0.0	0.0	C3-C4;~1 Max	I	85.8	0.0	0.0	4.3
2.3	529.4		J	85.8	0.0	0.0	4.3
0.0	0.0	Min	I	-19.0	-0.2	-0.0	-1.8
-2.7	-150.1		J	-19.0	-0.2	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	50.5	0.0	0.0	2.6
2.1	389.5		J	50.5	0.0	0.0	2.6
0.0	0.0	Min	I	-20.9	-0.1	-0.0	-1.9
-2.2	-125.4		J	-20.9	-0.1	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	50.4	0.0	0.0	2.6
1.2	358.3		J	50.4	0.0	0.0	2.6
0.0	0.0	Min	I	-9.2	-0.1	-0.0	-1.1
-1.7	-82.2		J	-9.2	-0.1	-0.0	-1.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G1	I	50.2	0.0	-2.5	2.3
0.0	0.0			J	50.2	0.0	-0.7	2.3
5226.2	-2.5							
			G2	I	12.4	0.0	-0.0	0.8
0.0	0.0			J	12.4	0.0	-0.0	0.8
0.9	-42.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-19.1	0.0	-0.0	-0.4
0.0	0.0			J	-19.1	0.0	-0.0	-0.4
0.2	-48.3							
			Q5_pc Y	I	8.9	-0.0	0.0	0.0
0.0	0.0			J	8.9	-0.0	0.0	0.0
-0.2	15.2							
			Q5_ps X	I	-17.1	0.0	-0.0	-0.5
0.0	0.0			J	-17.1	0.0	-0.0	-0.5
0.0	-36.8							
			Q5_ps Y	I	9.0	-0.0	0.0	-0.0
0.0	0.0			J	9.0	-0.0	0.0	-0.0
-0.2	20.0							
			INVSLU Max	I	268.1	0.2	-3.3	10.8
0.0	0.0			J	268.1	0.2	-1.0	10.8
7057.0	522.0							
			Min	I	69.3	-0.2	-3.3	0.2
0.0	0.0			J	69.3	-0.2	-1.0	0.2
7047.4	-653.5							
			INVSLE Max	I	198.4	0.1	-2.5	8.0
0.0	0.0			J	198.4	0.1	-0.7	8.0
5227.3	379.6							
			Min	I	53.7	-0.1	-2.5	0.2
0.0	0.0			J	53.7	-0.1	-0.7	0.2
5220.2	-484.7							
8695	2	72	C1-C2;~1 Max	I	101.7	0.0	0.0	3.7
0.0	0.0			J	101.7	0.0	0.0	3.7
0.0	0.0							
			Min	I	-27.7	-0.0	0.0	-6.1
0.0	0.0			J	-27.7	0.0	0.0	-6.1
0.0	0.0							
			C3-C4;~1 Max	I	87.1	0.0	0.0	3.9
0.0	0.0			J	87.1	0.0	0.0	3.9
0.0	0.0							

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Min	I	-26.1	-0.0	0.0	-2.8
0.0	0.0		J	-26.1	0.0	0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	61.8	0.0	0.0	2.4
0.0	0.0		J	61.8	0.0	0.0	2.4
0.0	0.0	Min	I	-14.6	-0.0	0.0	-3.7
0.0	0.0		J	-14.6	0.0	0.0	-3.7
0.0	0.0	C3-C4;~2 Max	I	50.5	0.0	0.0	2.6
0.0	0.0		J	50.5	0.0	0.0	2.6
0.0	0.0	Min	I	-12.2	-0.0	0.0	-1.4
0.0	0.0		J	-12.2	0.0	0.0	-1.4
0.0	0.0	G1	I	42.4	-0.0	-0.8	-0.2
0.0	0.0		J	42.4	0.0	0.8	-0.2
0.0	0.0	G2	I	8.8	-0.0	0.0	-1.5
0.0	0.0		J	8.8	0.0	0.0	-1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	25.3	0.0	0.0	-0.5
0.0	0.0		J	25.3	0.0	0.0	-0.5
0.0	0.0	Q5_pc Y	I	8.1	-0.0	0.0	0.1
0.0	0.0		J	8.1	0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	26.6	0.0	0.0	-0.4
0.0	0.0		J	26.6	0.0	0.0	-0.4
0.0	0.0	Q5_ps Y	I	9.3	-0.0	0.0	0.1
0.0	0.0		J	9.3	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	259.3	0.0	-1.1	5.2
0.0	0.0		J	259.3	0.0	1.1	5.2
0.0	0.0	Min	I	39.2	-0.0	-1.1	-9.1
0.0	0.0		J	39.2	0.0	1.1	-9.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		INVSLE Max	I	191.1	0.0	-0.8	3.8
0.0	0.0			J	191.1	0.0	0.8	3.8
0.0	0.0		Min	I	31.4	-0.0	-0.8	-6.7
0.0	0.0			J	31.4	0.0	0.8	-6.7
8696	2	72	C1-C2;~1 Max	I	102.0	0.0	0.0	2.0
0.0	0.0			J	102.0	0.0	0.0	2.0
0.0	0.0		Min	I	-27.7	-0.0	-0.0	-6.3
0.0	0.0			J	-27.7	-0.0	0.0	-6.3
0.0	0.0		C3-C4;~1 Max	I	87.4	0.0	0.0	2.3
0.0	0.0			J	87.4	0.0	0.0	2.3
0.0	0.0		Min	I	-26.1	-0.0	-0.0	-4.3
0.0	0.0			J	-26.1	-0.0	0.0	-4.3
0.0	0.0		C1-C2;~2 Max	I	62.0	0.0	0.0	1.1
0.0	0.0			J	62.0	0.0	0.0	1.1
0.0	0.0		Min	I	-14.6	-0.0	-0.0	-4.1
0.0	0.0			J	-14.6	-0.0	0.0	-4.1
0.0	0.0		C3-C4;~2 Max	I	50.7	0.0	0.0	1.1
0.0	0.0			J	50.7	0.0	0.0	1.1
0.0	0.0		Min	I	-12.2	-0.0	-0.0	-2.7
0.0	0.0			J	-12.2	-0.0	0.0	-2.7
0.0	0.0		G1	I	42.4	-0.0	-0.9	-2.6
0.0	0.0			J	42.4	0.0	0.9	-2.6
0.0	0.0		G2	I	8.7	-0.0	-0.0	0.2
0.0	0.0			J	8.7	0.0	0.0	0.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	25.2	0.0	0.0	-0.2
0.0	0.0			J	25.2	-0.0	0.0	-0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	8.1	-0.0	0.0
				J	8.1	0.0	0.0
0.0	0.0	Q5_ps	X	I	26.6	0.0	0.0
				J	26.6	-0.0	0.0
0.0	0.0	Q5_ps	Y	I	9.4	-0.0	0.0
				J	9.4	0.0	0.0
0.0	0.0	INVS LU	Max	I	259.5	0.0	-1.2
				J	259.5	0.0	1.2
0.0	0.0		Min	I	39.0	-0.0	-1.2
				J	39.0	-0.0	1.2
0.0	0.0	INVS LE	Max	I	191.2	0.0	-0.9
				J	191.2	0.0	0.9
0.0	0.0		Min	I	31.3	-0.0	-0.9
				J	31.3	-0.0	0.9
8697	2	72 C1-C2;~1	Max	I	86.9	0.2	0.0
3.2	582.2			J	86.9	0.2	0.0
0.0	0.0		Min	I	-35.0	-0.1	-0.0
-3.2	-224.1			J	-35.0	-0.1	-0.0
0.0	0.0	C3-C4;~1	Max	I	85.9	0.2	0.0
2.5	529.4			J	85.9	0.2	0.0
0.0	0.0		Min	I	-19.0	-0.0	-0.0
-2.1	-150.1			J	-19.0	-0.0	-0.0
0.0	0.0	C1-C2;~2	Max	I	50.5	0.1	0.0
2.0	389.5			J	50.5	0.1	0.0
0.0	0.0		Min	I	-20.9	-0.0	-0.0
-1.9	-125.4			J	-20.9	-0.0	-0.0
0.0	0.0	C3-C4;~2	Max	I	50.4	0.1	0.0
1.6	358.3			J	50.4	0.1	0.0
0.0	0.0		Min	I	-9.2	-0.0	-0.0
-1.1	-82.2						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-9.2	-0.0	-0.0	-1.4
5228.6	-2.5	G1	I	50.2	-0.0	0.9	1.9
0.0	0.0		J	50.2	-0.0	2.5	1.9
-0.8	-42.3	G2	I	12.4	-0.0	-0.0	1.1
0.0	0.0		J	12.4	-0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.2	-48.3	Q5_pc X	I	-19.1	-0.0	-0.0	-0.3
0.0	0.0		J	-19.1	-0.0	-0.0	-0.3
0.1	15.2	Q5_pc Y	I	8.9	0.0	0.0	-0.0
0.0	0.0		J	8.9	0.0	0.0	-0.0
-0.0	-36.8	Q5_ps X	I	-17.2	-0.0	-0.0	-0.5
0.0	0.0		J	-17.2	-0.0	-0.0	-0.5
0.2	20.0	Q5_ps Y	I	9.0	0.0	0.0	-0.1
0.0	0.0		J	9.0	0.0	0.0	-0.1
7066.0	522.0	INVS LU Max	I	268.2	0.2	1.3	8.7
0.0	0.0		J	268.2	0.2	3.4	8.7
7057.1	-653.5	Min	I	69.3	-0.2	1.3	-1.9
0.0	0.0		J	69.3	-0.2	3.4	-1.9
5234.1	379.6	INVS LE Max	I	198.4	0.1	0.9	6.4
0.0	0.0		J	198.4	0.1	2.5	6.4
5227.6	-484.7	Min	I	53.6	-0.2	0.9	-1.4
0.0	0.0		J	53.6	-0.2	2.5	-1.4
8698.0	2.0	72 C1-C2;~1 Max	I	99.1	0.2	0.0	4.6
4.4	595.3		J	99.1	0.2	0.0	4.6
0.0	0.0	Min	I	-51.8	-0.2	-0.0	-2.8
-3.0	-532.5		J	-51.8	-0.2	-0.0	-2.8
		C3-C4;~1 Max	I	80.6	0.1	0.0	4.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	80.6	0.1	0.0 4.0
4.5	517.7		Min	I	-47.5	-0.2	-0.0 -1.7
0.0	0.0			J	-47.5	-0.2	-0.0 -1.7
-1.7	-472.1		C1-C2;~2 Max	I	58.3	0.1	0.0 2.8
0.0	0.0			J	58.3	0.1	0.0 2.8
2.6	397.3		Min	I	-29.9	-0.1	-0.0 -1.6
0.0	0.0			J	-29.9	-0.1	-0.0 -1.6
-1.9	-358.1		C3-C4;~2 Max	I	45.8	0.1	0.0 2.4
0.0	0.0			J	45.8	0.1	0.0 2.4
2.7	344.4		Min	I	-22.8	-0.1	-0.0 -0.8
0.0	0.0			J	-22.8	-0.1	-0.0 -0.8
-1.0	-316.0						
			G1	I	25.7	-0.0	-2.5 1.1
0.0	0.0			J	25.7	-0.0	-0.8 1.1
5427.1	52.4						
			G2	I	-0.8	-0.0	-0.0 -0.2
0.0	0.0			J	-0.8	-0.0	-0.0 -0.2
0.6	26.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-20.0	0.0	-0.0 0.5
0.0	0.0			J	-20.0	0.0	-0.0 0.5
0.2	-66.1						
			Q5_pc Y	I	12.4	-0.0	0.0 0.2
0.0	0.0			J	12.4	-0.0	0.0 0.2
-0.1	8.2						
			Q5_ps X	I	-16.0	0.0	-0.0 0.6
0.0	0.0			J	-16.0	0.0	-0.0 0.6
0.1	-65.7						
			Q5_ps Y	I	13.7	-0.0	0.0 0.3
0.0	0.0			J	13.7	-0.0	0.0 0.3
-0.1	6.5						
			INVSLU Max	I	126.0	0.2	-3.4 11.5
0.0	0.0			J	126.0	0.2	-1.0 11.5
7327.7	980.5		Min	I	-113.8	-0.3	-3.4 0.7


MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-113.8	-0.3	-1.0	0.7
7317.1	-660.9							
			INVSLE Max	I	93.8	0.1	-2.5	8.6
0.0	0.0			J	93.8	0.1	-0.8	8.6
5427.8	722.1							
			Min	I	-81.1	-0.2	-2.5	0.6
0.0	0.0			J	-81.1	-0.2	-0.8	0.6
5420.0	-485.0							
8699	2	72	C1-C2;~1 Max	I	110.1	0.0	0.0	3.2
0.0	0.0			J	110.1	0.0	0.0	3.2
0.0	0.0							
			Min	I	-49.8	-0.0	0.0	-6.9
0.0	0.0			J	-49.8	-0.0	0.0	-6.9
0.0	0.0							
			C3-C4;~1 Max	I	99.3	0.0	0.0	1.0
0.0	0.0			J	99.3	0.0	0.0	1.0
0.0	0.0							
			Min	I	-32.5	-0.0	0.0	-7.3
0.0	0.0			J	-32.5	-0.0	0.0	-7.3
0.0	0.0							
			C1-C2;~2 Max	I	63.9	0.0	0.0	1.9
0.0	0.0			J	63.9	0.0	0.0	1.9
0.0	0.0							
			Min	I	-28.2	-0.0	0.0	-4.3
0.0	0.0			J	-28.2	-0.0	0.0	-4.3
0.0	0.0							
			C3-C4;~2 Max	I	54.8	0.0	0.0	0.5
0.0	0.0			J	54.8	0.0	0.0	0.5
0.0	0.0							
			Min	I	-15.4	-0.0	0.0	-4.5
0.0	0.0			J	-15.4	-0.0	0.0	-4.5
0.0	0.0							
			G1	I	42.7	-0.0	-0.8	-0.8
0.0	0.0			J	42.7	0.0	0.8	-0.8
0.0	0.0							
			G2	I	6.5	-0.0	0.0	-0.4
0.0	0.0			J	6.5	0.0	0.0	-0.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	25.6	0.0	0.0	-0.5
0.0	0.0							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	25.6	-0.0	0.0	-0.5
0.0	0.0	Q5_pc Y	I	10.6	-0.0	0.0	-0.2
0.0	0.0		J	10.6	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	26.4	0.0	0.0	-0.5
0.0	0.0		J	26.4	-0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	11.5	-0.0	0.0	-0.2
0.0	0.0		J	11.5	0.0	0.0	-0.2
0.0	0.0	INVS LU Max	I	356.0	0.0	-1.1	5.5
0.0	0.0		J	356.0	0.0	1.1	5.5
0.0	0.0	Min	I	94.0	-0.0	-1.1	-9.4
0.0	0.0		J	94.0	-0.0	1.1	-9.4
0.0	0.0	INVS LE Max	I	262.9	0.0	-0.8	4.0
0.0	0.0		J	262.9	0.0	0.8	4.0
0.0	0.0	Min	I	72.2	-0.0	-0.8	-6.9
0.0	0.0		J	72.2	-0.0	0.8	-6.9
8700	2	72 C1-C2;~1 Max	I	110.4	0.0	0.0	4.8
0.0	0.0		J	110.4	0.0	0.0	4.8
0.0	0.0	Min	I	-49.8	0.0	0.0	-7.0
0.0	0.0		J	-49.8	0.0	-0.0	-7.0
0.0	0.0	C3-C4;~1 Max	I	99.4	0.0	0.0	5.3
0.0	0.0		J	99.4	0.0	0.0	5.3
0.0	0.0	Min	I	-32.5	0.0	0.0	-4.3
0.0	0.0		J	-32.5	0.0	-0.0	-4.3
0.0	0.0	C1-C2;~2 Max	I	64.1	0.0	0.0	2.7
0.0	0.0		J	64.1	0.0	0.0	2.7
0.0	0.0	Min	I	-28.2	0.0	0.0	-4.4
0.0	0.0		J	-28.2	0.0	-0.0	-4.4
0.0	0.0	C3-C4;~2 Max	I	54.8	0.0	0.0	2.8
0.0	0.0		J	54.8	0.0	0.0	2.8

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-15.4	0.0	0.0	-2.4
0.0	0.0			J	-15.4	0.0	-0.0	-2.4
0.0	0.0		G1	I	42.7	0.0	-0.9	-0.6
0.0	0.0			J	42.7	0.0	0.9	-0.6
0.0	0.0		G2	I	6.5	0.0	0.0	0.9
0.0	0.0			J	6.5	0.0	-0.0	0.9
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	25.6	0.0	0.0	-0.1
0.0	0.0			J	25.6	0.0	0.0	-0.1
0.0	0.0		Q5_pc Y	I	10.7	0.0	0.0	-0.3
0.0	0.0			J	10.7	0.0	0.0	-0.3
0.0	0.0		Q5_ps X	I	26.4	0.0	0.0	-0.3
0.0	0.0			J	26.4	0.0	0.0	-0.3
0.0	0.0		Q5_ps Y	I	11.5	0.0	0.0	-0.4
0.0	0.0			J	11.5	0.0	0.0	-0.4
0.0	0.0		INVSLU Max	I	356.4	0.0	-1.2	-1.6
0.0	0.0			J	356.4	0.0	1.2	-1.6
0.0	0.0		Min	I	94.2	0.0	-1.2	-18.7
0.0	0.0			J	94.2	0.0	1.2	-18.7
0.0	0.0		INVSLE Max	I	263.2	0.0	-0.9	-1.4
0.0	0.0			J	263.2	0.0	0.9	-1.4
0.0	0.0		Min	I	72.4	0.0	-0.9	-14.0
0.0	0.0			J	72.4	0.0	0.9	-14.0
8701	2	72	C1-C2;~1 Max	I	99.0	0.2	0.0	5.1
2.9	595.3			J	99.0	0.2	0.0	5.1
0.0	0.0		Min	I	-51.8	-0.2	-0.0	-2.4
-4.1	-532.5			J	-51.8	-0.2	-0.0	-2.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
1.6	517.7	C3-C4;~1 Max	I	80.6	0.2	0.0	4.3
			J	80.6	0.2	0.0	4.3
0.0	0.0						
-4.3	-472.1	Min	I	-47.5	-0.2	-0.0	-1.4
			J	-47.5	-0.2	-0.0	-1.4
0.0	0.0						
1.8	397.3	C1-C2;~2 Max	I	58.3	0.1	0.0	3.1
			J	58.3	0.1	0.0	3.1
0.0	0.0						
-2.5	-358.1	Min	I	-29.9	-0.1	-0.0	-1.4
			J	-29.9	-0.1	-0.0	-1.4
0.0	0.0						
0.9	344.4	C3-C4;~2 Max	I	45.8	0.1	0.0	2.6
			J	45.8	0.1	0.0	2.6
0.0	0.0						
-2.5	-316.0	Min	I	-22.8	-0.1	-0.0	-0.6
			J	-22.8	-0.1	-0.0	-0.6
0.0	0.0						
5426.9	52.4	G1	I	25.7	0.0	0.9	1.1
			J	25.7	0.0	2.6	1.1
0.0	0.0						
-0.6	26.0	G2	I	-0.8	0.0	-0.0	-0.0
			J	-0.8	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.2	-66.1	Q5_pc X	I	-20.1	-0.0	-0.0	0.6
			J	-20.1	-0.0	-0.0	0.6
0.0	0.0						
0.1	8.2	Q5_pc Y	I	12.4	0.0	0.0	0.2
			J	12.4	0.0	0.0	0.2
0.0	0.0						
-0.1	-65.7	Q5_ps X	I	-16.0	-0.0	-0.0	0.6
			J	-16.0	-0.0	-0.0	0.6
0.0	0.0						
0.1	6.5	Q5_ps Y	I	13.7	0.0	0.0	0.3
			J	13.7	0.0	0.0	0.3
0.0	0.0						
7335.1	980.5	INVSLU Max	I	126.0	0.3	1.3	11.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	126.0	0.3	3.5	11.0
0.0	0.0							
			Min	I	-113.8	-0.2	1.3	-0.2
7325.2	-660.9							
				J	-113.8	-0.2	3.5	-0.2
0.0	0.0							
			INVSLE Max	I	93.8	0.2	0.9	8.1
5433.5	722.1							
				J	93.8	0.2	2.6	8.1
0.0	0.0							
			Min	I	-81.1	-0.2	0.9	-0.1
5426.2	-485.0							
				J	-81.1	-0.2	2.6	-0.1
0.0	0.0							
			72 C1-C2;~1 Max	I	85.4	0.2	0.0	4.4
8702	2							
0.0	0.0			J	85.4	0.2	0.0	4.4
4.5	510.3							
			Min	I	-66.1	-0.2	-0.0	-3.4
0.0	0.0							
				J	-66.1	-0.2	-0.0	-3.4
-2.5	-586.9							
			C3-C4;~1 Max	I	58.9	0.2	0.0	3.2
0.0	0.0							
				J	58.9	0.2	0.0	3.2
5.0	421.6							
			Min	I	-68.7	-0.1	-0.0	-1.9
0.0	0.0							
				J	-68.7	-0.1	-0.0	-1.9
-1.6	-578.5							
			C1-C2;~2 Max	I	49.7	0.1	0.0	2.6
0.0	0.0							
				J	49.7	0.1	0.0	2.6
2.7	326.4							
			Min	I	-37.0	-0.1	-0.0	-2.0
0.0	0.0							
				J	-37.0	-0.1	-0.0	-2.0
-1.5	-386.0							
			C3-C4;~2 Max	I	31.1	0.1	0.0	1.7
0.0	0.0							
				J	31.1	0.1	0.0	1.7
3.0	263.8							
			Min	I	-34.3	-0.1	-0.0	-0.9
0.0	0.0							
				J	-34.3	-0.1	-0.0	-0.9
-0.8	-366.0							
			G1	I	-7.6	-0.0	-2.5	0.6
0.0	0.0							
				J	-7.6	-0.0	-0.8	0.6
5427.1	4.9							
			G2	I	-12.9	0.0	-0.0	-0.3
0.0	0.0							
				J	-12.9	0.0	-0.0	-0.3
0.7	-2.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc X	I	-18.0	0.0	-0.0	0.3
0.0	-18.6		J	-18.0	0.0	-0.0	0.3
0.0	0.0	Q5_pc Y	I	13.0	-0.0	0.0	0.3
-0.1	22.7		J	13.0	-0.0	0.0	0.3
0.0	0.0	Q5_ps X	I	-14.5	0.0	0.0	0.4
-0.1	-16.9		J	-14.5	0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	14.2	-0.0	0.0	0.3
-0.2	23.4		J	14.2	-0.0	0.0	0.3
0.0	0.0	INVS LU Max	I	-32.8	0.2	-3.4	11.6
7328.7	832.5		J	-32.8	0.2	-1.0	11.6
0.0	0.0	Min	I	-273.3	-0.3	-3.4	0.5
7318.4	-689.5		J	-273.3	-0.3	-1.0	0.5
0.0	0.0	INVS LE Max	I	-25.3	0.2	-2.5	8.9
5428.4	608.9		J	-25.3	0.2	-0.8	8.9
0.0	0.0	Min	I	-201.0	-0.2	-2.5	0.7
5420.7	-515.5		J	-201.0	-0.2	-0.8	0.7
8703	2	72 C1-C2;~1 Max	I	78.6	0.0	0.0	3.1
0.0	0.0		J	78.6	0.0	0.0	3.1
0.0	0.0	Min	I	-60.6	0.0	0.0	-6.2
0.0	0.0		J	-60.6	-0.0	-0.0	-6.2
0.0	0.0	C3-C4;~1 Max	I	67.4	0.0	0.0	1.8
0.0	0.0		J	67.4	0.0	0.0	1.8
0.0	0.0	Min	I	-33.3	0.0	0.0	-6.7
0.0	0.0		J	-33.3	-0.0	-0.0	-6.7
0.0	0.0	C1-C2;~2 Max	I	45.9	0.0	0.0	1.9
0.0	0.0		J	45.9	0.0	0.0	1.9
0.0	0.0	Min	I	-35.5	0.0	0.0	-3.9
0.0	0.0		J	-35.5	-0.0	-0.0	-3.9

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C3-C4 ; ~2 Max	I	36.4	0.0	0.0	0.9
			J	36.4	0.0	0.0	0.9
0.0	0.0	Min	I	-15.8	0.0	0.0	-4.2
0.0	0.0		J	-15.8	-0.0	-0.0	-4.2
0.0	0.0	G1	I	6.5	0.0	-0.8	-0.0
0.0	0.0		J	6.5	-0.0	0.8	-0.0
0.0	0.0	G2	I	-6.9	0.0	0.0	-0.1
0.0	0.0		J	-6.9	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	16.9	0.0	0.0	-0.2
0.0	0.0		J	16.9	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	12.3	0.0	0.0	-0.2
0.0	0.0		J	12.3	-0.0	-0.0	-0.2
0.0	0.0	Q5_ps X	I	17.8	0.0	0.0	-0.2
0.0	0.0		J	17.8	0.0	-0.0	-0.2
0.0	0.0	Q5_ps Y	I	13.1	0.0	0.0	-0.2
0.0	0.0		J	13.1	-0.0	-0.0	-0.2
0.0	0.0	INVSLE Max	I	301.7	0.0	-1.1	5.5
0.0	0.0		J	301.7	0.0	1.1	5.5
0.0	0.0	Min	I	83.4	0.0	-1.1	-8.1
0.0	0.0		J	83.4	-0.0	1.1	-8.1
0.0	0.0	INVSLE Max	I	222.0	0.0	-0.8	4.1
0.0	0.0		J	222.0	0.0	0.8	4.1
0.0	0.0	Min	I	62.5	0.0	-0.8	-6.0
0.0	0.0		J	62.5	-0.0	0.8	-6.0
8704	2	72 C1-C2 ; ~1 Max	I	78.8	0.0	0.0	5.7
0.0	0.0		J	78.8	0.0	0.0	5.7
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Min	I	-60.6	-0.0	-5.8
0.0	0.0			J	-60.6	0.0	-5.8
0.0	0.0		C3-C4;~1	Max	I	67.3	5.8
0.0	0.0			J	67.3	0.0	5.8
0.0	0.0			Min	I	-33.3	-3.9
0.0	0.0			J	-33.3	0.0	-3.9
0.0	0.0		C1-C2;~2	Max	I	46.1	3.2
0.0	0.0			J	46.1	0.0	3.2
0.0	0.0			Min	I	-35.4	-3.4
0.0	0.0			J	-35.4	0.0	-3.4
0.0	0.0		C3-C4;~2	Max	I	36.4	3.0
0.0	0.0			J	36.4	0.0	3.0
0.0	0.0			Min	I	-15.8	-2.0
0.0	0.0			J	-15.8	0.0	-2.0
0.0	0.0		G1	I	6.5	-0.9	0.4
0.0	0.0			J	6.5	0.9	0.4
0.0	0.0		G2	I	-6.9	-0.0	1.3
0.0	0.0			J	-6.9	0.0	1.3
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	X	I	16.8	-0.2
0.0	0.0			J	16.8	0.0	-0.2
0.0	0.0		Q5_pc	Y	I	12.3	-0.4
0.0	0.0			J	12.3	0.0	-0.4
0.0	0.0		Q5_ps	X	I	17.8	-0.4
0.0	0.0			J	17.8	0.0	-0.4
0.0	0.0		Q5_ps	Y	I	13.1	-0.6
0.0	0.0			J	13.1	0.0	-0.6


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	302.0	0.0	-1.2	0.5
				J	302.0	0.0	1.2	0.5
0.0	0.0		Min	I	83.6	-0.0	-1.2	-15.9
0.0	0.0			J	83.6	-0.0	1.2	-15.9
0.0	0.0							
0.0	0.0		INVSLE Max	I	222.2	0.0	-0.9	-0.3
				J	222.2	0.0	0.9	-0.3
0.0	0.0		Min	I	62.7	-0.0	-0.9	-12.3
0.0	0.0			J	62.7	-0.0	0.9	-12.3
0.0	0.0							
8705	2	72	C1-C2;~1 Max	I	85.3	0.2	0.0	4.9
2.4	510.3			J	85.3	0.2	0.0	4.9
0.0	0.0		Min	I	-66.1	-0.2	-0.0	-2.9
-4.2	-586.9			J	-66.1	-0.2	-0.0	-2.9
0.0	0.0							
1.5	421.6		C3-C4;~1 Max	I	58.9	0.1	0.0	3.6
				J	58.9	0.1	0.0	3.6
0.0	0.0		Min	I	-68.8	-0.2	-0.0	-1.7
-4.7	-578.5			J	-68.8	-0.2	-0.0	-1.7
0.0	0.0							
1.4	326.4		C1-C2;~2 Max	I	49.7	0.1	0.0	2.9
				J	49.7	0.1	0.0	2.9
0.0	0.0		Min	I	-37.0	-0.1	-0.0	-1.7
-2.6	-386.0			J	-37.0	-0.1	-0.0	-1.7
0.0	0.0							
0.8	263.8		C3-C4;~2 Max	I	31.1	0.1	0.0	2.1
				J	31.1	0.1	0.0	2.1
0.0	0.0		Min	I	-34.3	-0.1	-0.0	-0.8
-2.8	-366.0			J	-34.3	-0.1	-0.0	-0.8
0.0	0.0							
5426.7	4.9		G1	I	-7.6	0.0	0.9	0.7
				J	-7.6	0.0	2.6	0.7
0.0	0.0							
-0.7	-2.3		G2	I	-12.9	-0.0	-0.0	-0.1
				J	-12.9	-0.0	-0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-18.6	Q5_pc X	I	-18.0	-0.0	-0.0	0.3
0.0	0.0		J	-18.0	-0.0	-0.0	0.3
0.1	22.7	Q5_pc Y	I	13.0	0.0	0.0	0.2
0.0	0.0		J	13.0	0.0	0.0	0.2
0.1	-16.9	Q5_ps X	I	-14.5	-0.0	0.0	0.4
0.0	0.0		J	-14.5	-0.0	0.0	0.4
0.2	23.4	Q5_ps Y	I	14.2	0.0	0.0	0.3
0.0	0.0		J	14.2	0.0	0.0	0.3
7333.8	832.5	INVSLE Max	I	-32.8	0.3	1.3	11.1
0.0	0.0		J	-32.8	0.3	3.5	11.1
7324.1	-689.5	Min	I	-273.3	-0.2	1.3	-0.0
0.0	0.0		J	-273.3	-0.2	3.5	-0.0
5432.8	608.9	INVSLE Max	I	-25.3	0.2	0.9	8.5
0.0	0.0		J	-25.3	0.2	2.6	8.5
5425.6	-515.5	Min	I	-201.0	-0.2	0.9	0.3
0.0	0.0		J	-201.0	-0.2	2.6	0.3
8706	2	72 C1-C2;~1 Max	I	71.2	0.1	0.0	3.9
0.0	0.0		J	71.2	0.1	0.0	3.9
4.0	307.9	Min	I	-38.8	-0.1	-0.0	-2.9
0.0	0.0		J	-38.8	-0.1	-0.0	-2.9
-1.7	-401.3						
0.0	0.0	C3-C4;~1 Max	I	52.7	0.1	0.0	2.6
4.5	253.1		J	52.7	0.1	0.0	2.6
0.0	0.0	Min	I	-30.5	-0.1	-0.0	-2.3
-1.4	-393.7		J	-30.5	-0.1	-0.0	-2.3
0.0	0.0	C1-C2;~2 Max	I	44.8	0.1	0.0	2.4
2.3	197.8		J	44.8	0.1	0.0	2.4
0.0	0.0	Min	I	-21.7	-0.1	-0.0	-1.7

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.0	-266.7		J	-21.7	-0.1	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	32.0	0.1	0.0	1.5
2.7	157.8		J	32.0	0.1	0.0	1.5
0.0	0.0	Min	I	-14.3	-0.0	-0.0	-1.2
-0.7	-252.2		J	-14.3	-0.0	-0.0	-1.2
0.0	0.0	G1	I	-7.5	0.0	-2.5	-0.6
5427.0	-6.2		J	-7.5	0.0	-0.8	-0.6
0.0	0.0	G2	I	-13.2	0.0	-0.0	-0.9
0.6	-8.8		J	-13.2	0.0	-0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-5.3	-0.0	-0.0	0.3
0.0	8.9		J	-5.3	-0.0	-0.0	0.3
0.0	0.0	Q5_pc Y	I	7.8	-0.0	0.0	0.1
-0.1	13.3		J	7.8	-0.0	0.0	0.1
0.0	0.0	Q5_ps X	I	-2.6	-0.0	0.0	0.4
-0.1	9.2		J	-2.6	-0.0	0.0	0.4
0.0	0.0	Q5_ps Y	I	9.2	-0.0	0.0	0.2
-0.2	14.4		J	9.2	-0.0	0.0	0.2
0.0	0.0	INVSLE Max	I	-216.3	0.2	-3.4	7.7
7330.3	360.8		J	-216.3	0.2	-1.0	7.7
0.0	0.0	Min	I	-378.8	-0.1	-3.4	-2.0
7321.7	-620.5		J	-378.8	-0.1	-1.0	-2.0
0.0	0.0	INVSLE Max	I	-171.9	0.1	-2.5	6.1
5429.6	247.7		J	-171.9	0.1	-0.8	6.1
0.0	0.0	Min	I	-291.2	-0.1	-2.5	-1.0
5423.2	-477.3		J	-291.2	-0.1	-0.8	-1.0
8707	2	72 C1-C2;~1 Max	I	59.7	0.0	0.0	2.3


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	59.7	0.0	0.0	2.3
0.0	0.0	Min	I	-42.6	0.0	0.0	-5.0
0.0	0.0		J	-42.6	-0.0	0.0	-5.0
0.0	0.0	C3-C4;~1 Max	I	52.1	0.0	0.0	1.6
0.0	0.0		J	52.1	0.0	0.0	1.6
0.0	0.0	Min	I	-25.6	0.0	0.0	-5.9
0.0	0.0		J	-25.6	-0.0	0.0	-5.9
0.0	0.0	C1-C2;~2 Max	I	37.6	0.0	0.0	1.4
0.0	0.0		J	37.6	0.0	0.0	1.4
0.0	0.0	Min	I	-25.3	0.0	0.0	-3.2
0.0	0.0		J	-25.3	-0.0	0.0	-3.2
0.0	0.0	C3-C4;~2 Max	I	33.2	0.0	0.0	0.8
0.0	0.0		J	33.2	0.0	0.0	0.8
0.0	0.0	Min	I	-11.8	0.0	0.0	-3.8
0.0	0.0		J	-11.8	-0.0	0.0	-3.8
0.0	0.0	G1	I	-12.1	0.0	-0.8	0.9
0.0	0.0		J	-12.1	0.0	0.8	0.9
0.0	0.0	G2	I	-15.1	0.0	0.0	0.3
0.0	0.0		J	-15.1	0.0	0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	9.1	0.0	0.0	-0.5
0.0	0.0		J	9.1	-0.0	0.0	-0.5
0.0	0.0	Q5_pc Y	I	7.7	0.0	0.0	0.0
0.0	0.0		J	7.7	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	10.8	0.0	0.0	-0.5
0.0	0.0		J	10.8	-0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	9.2	0.0	0.0	-0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	9.2	0.0	0.0	-0.0
0.0	0.0							
			INVS LU Max	I	98.8	0.0	-1.1	4.7
0.0	0.0			J	98.8	0.0	1.1	4.7
0.0	0.0		Min	I	-55.8	0.0	-1.1	-7.2
0.0	0.0			J	-55.8	-0.0	1.1	-7.2
0.0	0.0							
			INVS LE Max	I	61.8	0.0	-0.8	3.4
0.0	0.0			J	61.8	0.0	0.8	3.4
0.0	0.0		Min	I	-51.5	0.0	-0.8	-5.4
0.0	0.0			J	-51.5	-0.0	0.8	-5.4
0.0	0.0							
8708	2	72	C1-C2;~1 Max	I	59.8	0.0	0.0	5.2
0.0	0.0			J	59.8	0.0	0.0	5.2
0.0	0.0		Min	I	-42.6	-0.0	0.0	-4.3
0.0	0.0			J	-42.6	-0.0	0.0	-4.3
0.0	0.0							
			C3-C4;~1 Max	I	52.0	0.0	0.0	4.6
0.0	0.0			J	52.0	0.0	0.0	4.6
0.0	0.0		Min	I	-25.7	-0.0	0.0	-2.7
0.0	0.0			J	-25.7	-0.0	0.0	-2.7
0.0	0.0							
			C1-C2;~2 Max	I	37.6	0.0	0.0	2.9
0.0	0.0			J	37.6	0.0	0.0	2.9
0.0	0.0		Min	I	-25.2	-0.0	0.0	-2.6
0.0	0.0			J	-25.2	-0.0	0.0	-2.6
0.0	0.0							
			C3-C4;~2 Max	I	33.1	0.0	0.0	2.5
0.0	0.0			J	33.1	0.0	0.0	2.5
0.0	0.0		Min	I	-11.8	-0.0	0.0	-1.4
0.0	0.0			J	-11.8	-0.0	0.0	-1.4
0.0	0.0							
			G1	I	-12.1	0.0	-0.9	0.9
0.0	0.0			J	-12.1	-0.0	0.9	0.9
0.0	0.0							
			G2	I	-15.1	0.0	0.0	1.5
0.0	0.0			J	-15.1	-0.0	0.0	1.5

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	9.2	-0.0	0.0	-0.4
0.0	0.0		J	9.2	0.0	0.0	-0.4
0.0	0.0						
		Q5_pc Y	I	7.7	0.0	0.0	-0.2
0.0	0.0		J	7.7	-0.0	0.0	-0.2
0.0	0.0						
		Q5_ps X	I	10.8	-0.0	0.0	-0.6
0.0	0.0		J	10.8	0.0	0.0	-0.6
0.0	0.0						
		Q5_ps Y	I	9.2	0.0	0.0	-0.4
0.0	0.0		J	9.2	-0.0	0.0	-0.4
0.0	0.0						
		INVSLE Max	I	98.9	0.0	-1.2	3.9
0.0	0.0		J	98.9	0.0	1.2	3.9
0.0	0.0	Min	I	-55.8	-0.0	-1.2	-9.7
0.0	0.0		J	-55.8	-0.0	1.2	-9.7
0.0	0.0						
		INVSLE Max	I	61.9	0.0	-0.9	2.2
0.0	0.0		J	61.9	0.0	0.9	2.2
0.0	0.0	Min	I	-51.5	-0.0	-0.9	-7.8
0.0	0.0		J	-51.5	-0.0	0.9	-7.8
0.0	0.0						
8709	2	72 C1-C2;~1 Max	I	71.2	0.1	0.0	4.0
1.6	307.9		J	71.2	0.1	0.0	4.0
0.0	0.0	Min	I	-38.8	-0.1	-0.0	-2.3
-3.7	-401.3		J	-38.8	-0.1	-0.0	-2.3
0.0	0.0						
		C3-C4;~1 Max	I	52.6	0.1	0.0	3.1
1.3	253.1		J	52.6	0.1	0.0	3.1
0.0	0.0	Min	I	-30.5	-0.1	-0.0	-1.8
-4.3	-393.7		J	-30.5	-0.1	-0.0	-1.8
0.0	0.0						
		C1-C2;~2 Max	I	44.8	0.1	0.0	2.5
0.9	197.8		J	44.8	0.1	0.0	2.5


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	I	-21.7	-0.1	-0.0	-1.3
-2.2	-266.7		J	-21.7	-0.1	-0.0	-1.3
0.0	0.0						
		C3-C4;~2 Max	I	32.0	0.1	0.0	1.9
0.6	157.8		J	32.0	0.1	0.0	1.9
0.0	0.0						
		Min	I	-14.3	-0.1	-0.0	-0.9
-2.5	-252.2		J	-14.3	-0.1	-0.0	-0.9
0.0	0.0						
		G1	I	-7.5	-0.0	0.9	-0.6
5427.1	-6.2		J	-7.5	-0.0	2.6	-0.6
0.0	0.0						
		G2	I	-13.2	-0.0	-0.0	-0.7
-0.6	-8.8		J	-13.2	-0.0	-0.0	-0.7
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.3	0.0	-0.0	0.3
-0.0	8.9		J	-5.3	0.0	-0.0	0.3
0.0	0.0						
		Q5_pc Y	I	7.8	0.0	0.0	0.1
0.1	13.3		J	7.8	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	-2.6	0.0	0.0	0.4
0.1	9.2		J	-2.6	0.0	0.0	0.4
0.0	0.0						
		Q5_ps Y	I	9.2	0.0	0.0	0.2
0.2	14.4		J	9.2	0.0	0.0	0.2
0.0	0.0						
		INVSLE Max	I	-216.3	0.1	1.3	7.3
7331.0	360.8		J	-216.3	0.1	3.5	7.3
0.0	0.0						
		Min	I	-378.8	-0.2	1.3	-1.8
7322.9	-620.5		J	-378.8	-0.2	3.5	-1.8
0.0	0.0						
		INVSLE Max	I	-171.9	0.1	0.9	5.7
5430.7	247.7		J	-171.9	0.1	2.6	5.7
0.0	0.0						
		Min	I	-291.3	-0.2	0.9	-0.9
5424.6	-477.3		J	-291.3	-0.2	2.6	-0.9

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0								
8710	2	72	C1-C2;~1	Max	I	61.8	0.1	0.0	3.0
0.0	0.0				J	61.8	0.1	0.0	3.0
3.6	269.6								
			Min		I	-29.0	-0.1	-0.0	-3.5
0.0	0.0				J	-29.0	-0.1	-0.0	-3.5
-1.4	-289.4								
			C3-C4;~1	Max	I	52.4	0.1	0.0	2.0
0.0	0.0				J	52.4	0.1	0.0	2.0
3.9	225.8								
			Min		I	-20.1	-0.1	-0.0	-2.9
0.0	0.0				J	-20.1	-0.1	-0.0	-2.9
-1.1	-251.5								
			C1-C2;~2	Max	I	38.7	0.1	0.0	1.7
0.0	0.0				J	38.7	0.1	0.0	1.7
2.1	178.9								
			Min		I	-16.3	-0.1	-0.0	-2.0
0.0	0.0				J	-16.3	-0.1	-0.0	-2.0
-0.8	-191.8								
			C3-C4;~2	Max	I	33.0	0.1	0.0	1.0
0.0	0.0				J	33.0	0.1	0.0	1.0
2.3	146.9								
			Min		I	-8.9	-0.0	-0.0	-1.5
0.0	0.0				J	-8.9	-0.0	-0.0	-1.5
-0.5	-165.3								
			G1		I	-2.1	0.0	-2.5	-1.3
0.0	0.0				J	-2.1	0.0	-0.8	-1.3
5426.8	-10.2								
			G2		I	-11.4	0.0	-0.0	-1.2
0.0	0.0				J	-11.4	0.0	-0.0	-1.2
0.6	-4.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-1.0	-0.0	0.0	0.3
0.0	0.0				J	-1.0	-0.0	0.0	0.3
-0.1	23.7								
			Q5_pc	Y	I	6.7	-0.0	0.0	0.2
0.0	0.0				J	6.7	-0.0	0.0	0.2
-0.1	4.9								
			Q5_ps	X	I	1.2	-0.0	0.0	0.4
0.0	0.0				J	1.2	-0.0	0.0	0.4


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.1	21.9							
		Q5_ps Y	I	8.2	-0.0	0.0	0.3	
0.0	0.0		J	8.2	-0.0	0.0	0.3	
-0.2	5.3							
		INVSLU Max	I	-267.7	0.1	-3.4	5.9	
0.0	0.0		J	-267.7	0.1	-1.0	5.9	
7332.4	569.3							
		Min	I	-402.4	-0.2	-3.4	-3.4	
0.0	0.0		J	-402.4	-0.2	-1.0	-3.4	
7325.0	-228.1							
		INVSLE Max	I	-215.0	0.0	-2.5	5.0	
0.0	0.0		J	-215.0	0.0	-0.8	5.0	
5431.3	430.5							
		Min	I	-313.8	-0.1	-2.5	-1.9	
0.0	0.0		J	-313.8	-0.1	-0.8	-1.9	
5425.8	-157.1							
8711	2	72 C1-C2;~1 Max	I	56.0	0.0	0.0	2.2	
0.0	0.0		J	56.0	0.0	0.0	2.2	
0.0	0.0							
		Min	I	-29.6	0.0	0.0	-3.6	
0.0	0.0		J	-29.6	0.0	0.0	-3.6	
0.0	0.0							
		C3-C4;~1 Max	I	48.7	0.0	0.0	1.8	
0.0	0.0		J	48.7	0.0	0.0	1.8	
0.0	0.0							
		Min	I	-22.6	0.0	0.0	-4.1	
0.0	0.0		J	-22.6	0.0	0.0	-4.1	
0.0	0.0							
		C1-C2;~2 Max	I	35.7	0.0	0.0	1.3	
0.0	0.0		J	35.7	0.0	0.0	1.3	
0.0	0.0							
		Min	I	-16.9	0.0	0.0	-2.2	
0.0	0.0		J	-16.9	0.0	0.0	-2.2	
0.0	0.0							
		C3-C4;~2 Max	I	31.3	0.0	0.0	0.9	
0.0	0.0		J	31.3	0.0	0.0	0.9	
0.0	0.0							
		Min	I	-10.3	0.0	0.0	-2.5	
0.0	0.0		J	-10.3	0.0	0.0	-2.5	
0.0	0.0							
		G1	I	-10.4	0.0	-0.8	1.7	
0.0	0.0		J	-10.4	0.0	0.8	1.7	
0.0	0.0							


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		G2	I	-14.7	0.0	0.0	0.6
0.0	0.0			J	-14.7	0.0	0.0	0.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc X	I	5.5	0.0	0.0	-0.3
0.0	0.0			J	5.5	0.0	0.0	-0.3
0.0	0.0		Q5_pc Y	I	6.3	0.0	0.0	-0.1
0.0	0.0			J	6.3	0.0	0.0	-0.1
0.0	0.0		Q5_ps X	I	7.2	0.0	0.0	-0.3
0.0	0.0			J	7.2	0.0	0.0	-0.3
0.0	0.0		Q5_ps Y	I	8.1	0.0	0.0	-0.1
0.0	0.0			J	8.1	0.0	0.0	-0.1
0.0	0.0		INVSLE Max	I	-49.4	0.0	-1.1	0.9
0.0	0.0			J	-49.4	0.0	1.1	0.9
0.0	0.0		Min	I	-176.5	0.0	-1.1	-8.1
0.0	0.0			J	-176.5	0.0	1.1	-8.1
0.0	0.0		INVSLE Max	I	-53.0	0.0	-0.8	0.1
0.0	0.0			J	-53.0	0.0	0.8	0.1
0.0	0.0		Min	I	-146.2	0.0	-0.8	-6.5
0.0	0.0			J	-146.2	0.0	0.8	-6.5
8712	2	72	C1-C2;~1 Max	I	56.1	0.0	0.0	5.8
0.0	0.0			J	56.1	0.0	0.0	5.8
0.0	0.0		Min	I	-29.6	-0.0	-0.0	-3.8
0.0	0.0			J	-29.6	-0.0	-0.0	-3.8
0.0	0.0		C3-C4;~1 Max	I	48.6	0.0	0.0	5.0
0.0	0.0			J	48.6	0.0	0.0	5.0
0.0	0.0		Min	I	-22.6	-0.0	-0.0	-2.4
0.0	0.0			J	-22.6	-0.0	-0.0	-2.4

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	C1-C2;~2 Max	I	35.8	0.0	0.0	3.3
			J	35.8	0.0	0.0	3.3
0.0	0.0	Min	I	-16.9	-0.0	-0.0	-2.2
			J	-16.9	-0.0	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	31.3	0.0	0.0	2.7
			J	31.3	0.0	0.0	2.7
0.0	0.0	Min	I	-10.3	-0.0	-0.0	-1.2
			J	-10.3	-0.0	-0.0	-1.2
0.0	0.0	G1	I	-10.5	-0.0	-0.9	1.5
			J	-10.5	0.0	0.9	1.5
0.0	0.0	G2	I	-14.7	-0.0	0.0	1.8
			J	-14.7	0.0	-0.0	1.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	5.5	0.0	-0.0	-0.4
			J	5.5	-0.0	0.0	-0.4
0.0	0.0	Q5_pc Y	I	6.4	-0.0	-0.0	-0.2
			J	6.4	0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	7.2	0.0	-0.0	-0.5
			J	7.2	-0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	8.1	-0.0	-0.0	-0.4
			J	8.1	0.0	0.0	-0.4
0.0	0.0	INVSLU Max	I	-49.2	0.0	-1.2	7.3
			J	-49.2	0.0	1.2	7.3
0.0	0.0	Min	I	-176.3	-0.0	-1.2	-6.4
			J	-176.3	-0.0	1.2	-6.4
0.0	0.0	INVSLE Max	I	-52.8	0.0	-0.9	4.6
			J	-52.8	0.0	0.9	4.6

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-146.1	-0.0	-0.9	-5.4
0.0	0.0			J	-146.1	-0.0	0.9	-5.4
0.0	0.0							
8713	2	72	C1-C2;~1	Max	I	61.8	0.1	0.0
1.4	269.6				J	61.8	0.1	0.0
0.0	0.0							
			Min	I	-29.0	-0.1	-0.0	-2.9
-3.4	-289.4			J	-29.0	-0.1	-0.0	-2.9
0.0	0.0							
			C3-C4;~1	Max	I	52.4	0.1	0.0
1.1	225.8			J	52.4	0.1	0.0	2.2
0.0	0.0							
			Min	I	-20.1	-0.1	-0.0	-2.5
-3.7	-251.5			J	-20.1	-0.1	-0.0	-2.5
0.0	0.0							
			C1-C2;~2	Max	I	38.7	0.1	0.0
0.8	178.9			J	38.7	0.1	0.0	1.8
0.0	0.0							
			Min	I	-16.3	-0.1	-0.0	-1.6
-2.0	-191.8			J	-16.3	-0.1	-0.0	-1.6
0.0	0.0							
			C3-C4;~2	Max	I	33.0	0.0	0.0
0.5	146.9			J	33.0	0.0	0.0	1.2
0.0	0.0							
			Min	I	-8.9	-0.1	-0.0	-1.2
-2.1	-165.3			J	-8.9	-0.1	-0.0	-1.2
0.0	0.0							
			G1	I	-2.1	-0.0	0.9	-1.3
5427.0	-10.2			J	-2.1	-0.0	2.6	-1.3
0.0	0.0							
			G2	I	-11.4	-0.0	-0.0	-1.0
-0.5	-4.1			J	-11.4	-0.0	-0.0	-1.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-1.0	0.0	0.0
0.1	23.7			J	-1.0	0.0	0.0	0.3
0.0	0.0							
			Q5_pc	Y	I	6.7	0.0	0.0
0.1	4.9			J	6.7	0.0	0.0	0.1
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.1	21.9	Q5_ps X	I	1.2	0.0	0.0	0.4
			J	1.2	0.0	0.0	0.4
0.0	0.0						
0.2	5.3	Q5_ps Y	I	8.2	0.0	0.0	0.2
			J	8.2	0.0	0.0	0.2
0.0	0.0						
7327.6	569.3	INVS LU Max	I	-267.7	0.2	1.3	6.2
			J	-267.7	0.2	3.5	6.2
0.0	0.0						
7320.6	-228.1	Min	I	-402.4	-0.1	1.3	-2.3
			J	-402.4	-0.1	3.5	-2.3
0.0	0.0						
5427.9	430.5	INVS LE Max	I	-215.0	0.1	0.9	5.2
			J	-215.0	0.1	2.6	5.2
0.0	0.0						
5422.8	-157.1	Min	I	-313.8	-0.1	0.9	-1.1
			J	-313.8	-0.1	2.6	-1.1
0.0	0.0						
8714	2	72 C1-C2;~1 Max	I	58.8	0.1	0.0	2.7
0.0	0.0		J	58.8	0.1	0.0	2.7
3.3	278.5						
		Min	I	-31.4	-0.1	-0.0	-3.8
0.0	0.0		J	-31.4	-0.1	-0.0	-3.8
-1.5	-263.9						
		C3-C4;~1 Max	I	49.6	0.1	0.0	1.7
0.0	0.0		J	49.6	0.1	0.0	1.7
3.5	234.2						
		Min	I	-23.1	-0.1	-0.0	-3.1
0.0	0.0		J	-23.1	-0.1	-0.0	-3.1
-1.2	-224.1						
		C1-C2;~2 Max	I	36.7	0.1	0.0	1.6
0.0	0.0		J	36.7	0.1	0.0	1.6
1.9	186.1						
		Min	I	-17.7	-0.1	-0.0	-2.2
0.0	0.0		J	-17.7	-0.1	-0.0	-2.2
-0.9	-174.3						
		C3-C4;~2 Max	I	31.0	0.0	0.0	0.9
0.0	0.0		J	31.0	0.0	0.0	0.9
2.0	153.9						
		Min	I	-10.5	-0.0	-0.0	-1.6
0.0	0.0		J	-10.5	-0.0	-0.0	-1.6
-0.6	-146.1						
		G1	I	-5.5	0.0	-2.5	-1.7
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5426.4	-8.5		J	-5.5	0.0	-0.8	-1.7
		G2	I	-12.5	0.0	-0.0	-1.3
0.0	0.0		J	-12.5	0.0	-0.0	-1.3
0.5	-6.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.9	-0.0	0.0	0.3
0.0	0.0		J	0.9	-0.0	0.0	0.3
-0.1	33.2						
		Q5_pc Y	I	6.8	-0.0	0.0	0.2
0.0	0.0		J	6.8	-0.0	0.0	0.2
-0.1	4.2						
		Q5_ps X	I	2.8	-0.0	0.0	0.4
0.0	0.0		J	2.8	-0.0	0.0	0.4
-0.1	31.1						
		Q5_ps Y	I	8.4	-0.0	0.0	0.3
0.0	0.0		J	8.4	-0.0	0.0	0.3
-0.2	5.1						
		INVSLE Max	I	-214.1	0.1	-3.4	4.3
0.0	0.0		J	-214.1	0.1	-1.0	4.3
7332.2	426.1	Min	I	-348.1	-0.1	-3.4	-5.0
0.0	0.0		J	-348.1	-0.1	-1.0	-5.0
7325.3	-365.8						
		INVSLE Max	I	-174.7	0.1	-2.5	3.8
0.0	0.0		J	-174.7	0.1	-0.8	3.8
5431.2	317.2	Min	I	-273.1	-0.1	-2.5	-3.0
0.0	0.0		J	-273.1	-0.1	-0.8	-3.0
5426.1	-265.0						
8715	2	72 C1-C2;~1 Max	I	55.2	0.0	0.0	2.4
0.0	0.0		J	55.2	0.0	0.0	2.4
0.0	0.0	Min	I	-27.9	-0.0	-0.0	-3.1
0.0	0.0		J	-27.9	0.0	-0.0	-3.1
0.0	0.0						
		C3-C4;~1 Max	I	47.7	0.0	0.0	2.2
0.0	0.0		J	47.7	0.0	0.0	2.2
0.0	0.0	Min	I	-20.5	-0.0	-0.0	-3.7
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-20.5	0.0	-0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	35.3	0.0	0.0	1.4
0.0	0.0		J	35.3	0.0	0.0	1.4
0.0	0.0	Min	I	-15.8	-0.0	-0.0	-1.9
0.0	0.0		J	-15.8	0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	30.8	0.0	0.0	1.1
0.0	0.0		J	30.8	0.0	0.0	1.1
0.0	0.0	Min	I	-9.2	-0.0	-0.0	-2.2
0.0	0.0		J	-9.2	0.0	-0.0	-2.2
0.0	0.0	G1	I	-9.4	-0.0	-0.8	2.3
0.0	0.0		J	-9.4	0.0	0.8	2.3
0.0	0.0	G2	I	-14.0	-0.0	-0.0	0.9
0.0	0.0		J	-14.0	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	2.4	0.0	0.0	-0.2
0.0	0.0		J	2.4	0.0	-0.0	-0.2
0.0	0.0	Q5_pc Y	I	6.4	-0.0	0.0	-0.1
0.0	0.0		J	6.4	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	3.9	0.0	0.0	-0.2
0.0	0.0		J	3.9	0.0	-0.0	-0.2
0.0	0.0	Q5_ps Y	I	8.2	-0.0	0.0	-0.1
0.0	0.0		J	8.2	0.0	-0.0	-0.1
0.0	0.0	INVSLU Max	I	-143.8	0.0	-1.1	1.6
0.0	0.0		J	-143.8	0.0	1.1	1.6
0.0	0.0	Min	I	-267.6	-0.0	-1.1	-6.9
0.0	0.0		J	-267.6	0.0	1.1	-6.9
0.0	0.0	INVSLE Max	I	-122.6	0.0	-0.8	0.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-122.6	0.0	0.8	0.6	
0.0	0.0		Min	I	-213.4	-0.0	-0.8	-5.7	
0.0	0.0			J	-213.4	0.0	0.8	-5.7	
0.0	0.0								
8716	2	72	C1-C2;~1	Max	I	55.3	0.0	0.0	5.7
0.0	0.0			J	55.3	0.0	0.0	5.7	
0.0	0.0		Min	I	-27.9	-0.0	-0.0	-3.6	
0.0	0.0			J	-27.9	-0.0	-0.0	-3.6	
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	47.7	0.0	0.0	4.8
0.0	0.0			J	47.7	0.0	0.0	4.8	
0.0	0.0		Min	I	-20.5	-0.0	-0.0	-2.1	
0.0	0.0			J	-20.5	-0.0	-0.0	-2.1	
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	35.4	0.0	0.0	3.2
0.0	0.0			J	35.4	0.0	0.0	3.2	
0.0	0.0		Min	I	-15.8	-0.0	-0.0	-2.2	
0.0	0.0			J	-15.8	-0.0	-0.0	-2.2	
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	30.8	0.0	0.0	2.6
0.0	0.0			J	30.8	0.0	0.0	2.6	
0.0	0.0		Min	I	-9.2	-0.0	-0.0	-1.0	
0.0	0.0			J	-9.2	-0.0	-0.0	-1.0	
0.0	0.0								
0.0	0.0		G1	I	-9.4	0.0	-0.9	1.5	
0.0	0.0			J	-9.4	-0.0	0.9	1.5	
0.0	0.0								
0.0	0.0		G2	I	-14.0	0.0	0.0	1.8	
0.0	0.0			J	-14.0	-0.0	-0.0	1.8	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	X	I	2.4	-0.0	-0.0	-0.3
0.0	0.0			J	2.4	0.0	0.0	-0.3	
0.0	0.0								
0.0	0.0		Q5_pc	Y	I	6.4	0.0	-0.0	-0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	6.4	-0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	4.0	-0.0	-0.0	-0.5
0.0	0.0		J	4.0	0.0	0.0	-0.5
0.0	0.0	Q5_ps Y	I	8.2	0.0	-0.0	-0.4
0.0	0.0		J	8.2	-0.0	0.0	-0.4
0.0	0.0	INVSLU Max	I	-143.7	0.0	-1.2	8.5
0.0	0.0		J	-143.7	0.0	1.2	8.5
0.0	0.0	Min	I	-267.6	-0.0	-1.2	-4.7
0.0	0.0		J	-267.6	-0.0	1.2	-4.7
0.0	0.0	INVSLE Max	I	-122.5	0.0	-0.9	5.5
0.0	0.0		J	-122.5	0.0	0.9	5.5
0.0	0.0	Min	I	-213.4	-0.0	-0.9	-4.1
0.0	0.0		J	-213.4	-0.0	0.9	-4.1
8717	2	72 C1-C2;~1 Max	I	58.8	0.1	0.0	2.8
1.4	278.5		J	58.8	0.1	0.0	2.8
0.0	0.0	Min	I	-31.4	-0.1	-0.0	-3.2
-3.1	-263.9		J	-31.4	-0.1	-0.0	-3.2
0.0	0.0	C3-C4;~1 Max	I	49.6	0.1	0.0	2.0
1.1	234.2		J	49.6	0.1	0.0	2.0
0.0	0.0	Min	I	-23.1	-0.1	-0.0	-2.8
-3.3	-224.1		J	-23.1	-0.1	-0.0	-2.8
0.0	0.0	C1-C2;~2 Max	I	36.7	0.1	0.0	1.6
0.8	186.1		J	36.7	0.1	0.0	1.6
0.0	0.0	Min	I	-17.7	-0.1	-0.0	-1.8
-1.8	-174.3		J	-17.7	-0.1	-0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	31.0	0.0	0.0	1.1
0.6	153.9		J	31.0	0.0	0.0	1.1
0.0	0.0	Min	I	-10.5	-0.0	-0.0	-1.4
-1.9	-146.1		J	-10.5	-0.0	-0.0	-1.4
0.0	0.0						


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5427.2	-8.5	G1	I	-5.5	-0.0	0.9	-1.8
0.0	0.0		J	-5.5	-0.0	2.6	-1.8
-0.4	-6.0	G2	I	-12.5	-0.0	-0.0	-1.2
0.0	0.0		J	-12.5	-0.0	-0.0	-1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	33.2	Q5_pc X	I	0.9	0.0	0.0	0.2
0.0	0.0		J	0.9	0.0	0.0	0.2
0.1	4.2	Q5_pc Y	I	6.8	0.0	0.0	0.2
0.0	0.0		J	6.8	0.0	0.0	0.2
0.1	31.1	Q5_ps X	I	2.8	0.0	0.0	0.3
0.0	0.0		J	2.8	0.0	0.0	0.3
0.2	5.1	Q5_ps Y	I	8.4	0.0	0.0	0.2
0.0	0.0		J	8.4	0.0	0.0	0.2
7327.1	426.1	INVSLE Max	I	-214.1	0.1	1.3	4.7
0.0	0.0		J	-214.1	0.1	3.5	4.7
7320.7	-365.8	Min	I	-348.1	-0.1	1.3	-3.8
0.0	0.0		J	-348.1	-0.1	3.5	-3.8
5427.6	317.2	INVSLE Max	I	-174.7	0.1	0.9	4.1
0.0	0.0		J	-174.7	0.1	2.6	4.1
5422.8	-265.0	Min	I	-273.1	-0.1	0.9	-2.2
0.0	0.0		J	-273.1	-0.1	2.6	-2.2
8718	2	72 C1-C2;~1 Max	I	57.9	0.1	0.0	2.6
0.0	0.0		J	57.9	0.1	0.0	2.6
2.9	280.2	Min	I	-33.2	-0.1	-0.0	-3.8
0.0	0.0		J	-33.2	-0.1	-0.0	-3.8
-1.6	-264.2	C3-C4;~1 Max	I	48.6	0.1	0.0	1.7
0.0	0.0		J	48.6	0.1	0.0	1.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.1	236.2		Min	I	-27.2	-0.1	-0.0	-3.1
0.0	0.0			J	-27.2	-0.1	-0.0	-3.1
-1.4	-223.0							
		C1-C2;~2	Max	I	36.1	0.1	0.0	1.5
0.0	0.0			J	36.1	0.1	0.0	1.5
1.7	187.6		Min	I	-18.7	-0.1	-0.0	-2.2
0.0	0.0			J	-18.7	-0.1	-0.0	-2.2
-1.0	-173.7							
		C3-C4;~2	Max	I	30.2	0.0	0.0	0.8
0.0	0.0			J	30.2	0.0	0.0	0.8
1.8	155.5		Min	I	-12.7	-0.0	-0.0	-1.6
0.0	0.0			J	-12.7	-0.0	-0.0	-1.6
-0.7	-145.0							
			G1	I	-8.3	0.0	-2.5	-1.8
0.0	0.0			J	-8.3	0.0	-0.8	-1.8
5425.5	-10.2							
			G2	I	-13.6	0.0	-0.0	-1.4
0.0	0.0			J	-13.6	0.0	-0.0	-1.4
0.3	-5.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	2.7	-0.0	0.0	0.2
0.0	0.0			J	2.7	-0.0	0.0	0.2
-0.1	35.2							
			Q5_pc Y	I	7.0	-0.0	0.0	0.2
0.0	0.0			J	7.0	-0.0	0.0	0.2
-0.1	3.0							
			Q5_ps X	I	4.3	-0.0	0.0	0.3
0.0	0.0			J	4.3	-0.0	0.0	0.3
-0.1	32.8							
			Q5_ps Y	I	8.7	-0.0	0.0	0.3
0.0	0.0			J	8.7	-0.0	0.0	0.3
-0.2	3.9							
			INVSLU Max	I	-129.9	0.2	-3.4	4.3
0.0	0.0			J	-129.9	0.2	-1.0	4.3
7330.0	291.8		Min	I	-265.5	-0.1	-3.4	-4.8
0.0	0.0			J	-265.5	-0.1	-1.0	-4.8

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7323.6	-506.7							
		INVSLE	Max	I	-112.2	0.1	-2.5	3.8
0.0	0.0			J	-112.2	0.1	-0.8	3.8
5429.6	213.6							
			Min	I	-211.8	-0.1	-2.5	-2.9
0.0	0.0			J	-211.8	-0.1	-0.8	-2.9
5424.8	-373.1							
8719	2	72	C1-C2;~1	Max	I	57.5	0.0	0.0
0.0	0.0			J	57.5	0.0	0.0	2.6
0.0	0.0							
			Min	I	-27.8	0.0	0.0	-2.9
0.0	0.0			J	-27.8	0.0	-0.0	-2.9
0.0	0.0							
			C3-C4;~1	Max	I	49.8	0.0	0.0
0.0	0.0			J	49.8	0.0	0.0	2.6
0.0	0.0							
			Min	I	-18.7	0.0	0.0	-3.5
0.0	0.0			J	-18.7	0.0	-0.0	-3.5
0.0	0.0							
			C1-C2;~2	Max	I	36.5	0.0	0.0
0.0	0.0			J	36.5	0.0	0.0	1.5
0.0	0.0							
			Min	I	-15.6	0.0	0.0	-1.8
0.0	0.0			J	-15.6	0.0	-0.0	-1.8
0.0	0.0							
			C3-C4;~2	Max	I	32.0	0.0	0.0
0.0	0.0			J	32.0	0.0	0.0	1.3
0.0	0.0							
			Min	I	-8.1	0.0	0.0	-2.2
0.0	0.0			J	-8.1	0.0	-0.0	-2.2
0.0	0.0							
			G1	I	-6.7	0.0	-0.8	2.7
0.0	0.0			J	-6.7	0.0	0.8	2.7
0.0	0.0							
			G2	I	-12.9	0.0	0.0	1.0
0.0	0.0			J	-12.9	0.0	-0.0	1.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-0.2	0.0	0.0
0.0	0.0			J	-0.2	0.0	0.0	-0.1
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_pc	Y	I	6.4	0.0	0.0	-0.1
0.0	0.0			J	6.4	0.0	0.0	-0.1
0.0	0.0	Q5_ps	X	I	1.2	0.0	0.0	-0.1
0.0	0.0			J	1.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps	Y	I	8.3	0.0	0.0	-0.1
0.0	0.0			J	8.3	0.0	0.0	-0.1
0.0	0.0	INVSLE	Max	I	-225.1	0.0	-1.1	2.9
0.0	0.0			J	-225.1	0.0	1.1	2.9
0.0	0.0		Min	I	-351.8	0.0	-1.1	-5.6
0.0	0.0			J	-351.8	0.0	1.1	-5.6
0.0	0.0	INVSLE	Max	I	-182.8	0.0	-0.8	1.5
0.0	0.0			J	-182.8	0.0	0.8	1.5
0.0	0.0		Min	I	-275.8	0.0	-0.8	-4.7
0.0	0.0			J	-275.8	0.0	0.8	-4.7
8720	2	72 C1-C2;~1	Max	I	57.6	0.0	0.0	5.0
0.0	0.0			J	57.6	0.0	0.0	5.0
0.0	0.0		Min	I	-27.8	-0.0	0.0	-3.7
0.0	0.0			J	-27.8	-0.0	-0.0	-3.7
0.0	0.0	C3-C4;~1	Max	I	49.8	0.0	0.0	4.1
0.0	0.0			J	49.8	0.0	0.0	4.1
0.0	0.0		Min	I	-18.7	-0.0	0.0	-2.2
0.0	0.0			J	-18.7	-0.0	-0.0	-2.2
0.0	0.0	C1-C2;~2	Max	I	36.6	0.0	0.0	2.9
0.0	0.0			J	36.6	0.0	0.0	2.9
0.0	0.0		Min	I	-15.5	-0.0	0.0	-2.2
0.0	0.0			J	-15.5	-0.0	-0.0	-2.2
0.0	0.0	C3-C4;~2	Max	I	32.0	0.0	0.0	2.2
0.0	0.0			J	32.0	0.0	0.0	2.2
0.0	0.0		Min	I	-8.1	-0.0	0.0	-1.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		J	-8.1	-0.0	-0.0	-1.1
0.0	0.0						
0.0	0.0	G1	I	-6.7	0.0	-0.9	1.0
0.0	0.0		J	-6.7	-0.0	0.9	1.0
0.0	0.0						
0.0	0.0	G2	I	-12.9	0.0	0.0	1.5
0.0	0.0		J	-12.9	-0.0	0.0	1.5
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-0.2	-0.0	0.0	-0.3
0.0	0.0		J	-0.2	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	Q5_pc Y	I	6.4	0.0	0.0	-0.2
0.0	0.0		J	6.4	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps X	I	1.3	-0.0	0.0	-0.4
0.0	0.0		J	1.3	0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_ps Y	I	8.3	0.0	0.0	-0.4
0.0	0.0		J	8.3	-0.0	-0.0	-0.4
0.0	0.0						
0.0	0.0	INVSLU Max	I	-225.0	0.0	-1.2	6.6
0.0	0.0		J	-225.0	0.0	1.2	6.6
0.0	0.0						
0.0	0.0	Min	I	-351.8	-0.0	-1.2	-5.7
0.0	0.0		J	-351.8	-0.0	1.2	-5.7
0.0	0.0						
0.0	0.0	INVSLE Max	I	-182.8	0.0	-0.9	4.1
0.0	0.0		J	-182.8	0.0	0.9	4.1
0.0	0.0						
0.0	0.0	Min	I	-275.9	-0.0	-0.9	-4.9
0.0	0.0		J	-275.9	-0.0	0.9	-4.9
0.0	0.0						
8721	2	72 C1-C2;~1 Max	I	57.9	0.1	0.0	2.7
1.5	280.2		J	57.9	0.1	0.0	2.7
0.0	0.0						
0.0	0.0	Min	I	-33.2	-0.1	-0.0	-3.4
-2.7	-264.2		J	-33.2	-0.1	-0.0	-3.4
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.3	236.2	C3-C4;~1 Max	I	48.6	0.1	0.0	1.9
			J	48.6	0.1	0.0	1.9
0.0	0.0						
-2.9	-223.0	Min	I	-27.2	-0.1	-0.0	-2.9
			J	-27.2	-0.1	-0.0	-2.9
0.0	0.0						
0.9	187.6	C1-C2;~2 Max	I	36.0	0.1	0.0	1.6
			J	36.0	0.1	0.0	1.6
0.0	0.0						
-1.6	-173.7	Min	I	-18.7	-0.1	-0.0	-1.9
			J	-18.7	-0.1	-0.0	-1.9
0.0	0.0						
0.7	155.5	C3-C4;~2 Max	I	30.2	0.1	0.0	1.0
			J	30.2	0.1	0.0	1.0
0.0	0.0						
-1.7	-145.0	Min	I	-12.7	-0.0	-0.0	-1.5
			J	-12.7	-0.0	-0.0	-1.5
0.0	0.0						
5427.3	-10.2	G1	I	-8.3	-0.0	0.9	-2.1
			J	-8.3	-0.0	2.6	-2.1
0.0	0.0						
-0.2	-5.9	G2	I	-13.6	-0.0	-0.0	-1.3
			J	-13.6	-0.0	-0.0	-1.3
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.1	35.2	Q5_pc X	I	2.7	0.0	0.0	0.2
			J	2.7	0.0	0.0	0.2
0.0	0.0						
0.1	3.0	Q5_pc Y	I	7.0	0.0	0.0	0.1
			J	7.0	0.0	0.0	0.1
0.0	0.0						
0.1	32.8	Q5_ps X	I	4.3	0.0	0.0	0.3
			J	4.3	0.0	0.0	0.3
0.0	0.0						
0.1	3.9	Q5_ps Y	I	8.7	0.0	0.0	0.2
			J	8.7	0.0	0.0	0.2
0.0	0.0						
7327.7	291.8	INVSLU Max	I	-129.9	0.1	1.3	4.4
			J	-129.9	0.1	3.5	4.4
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7321.6	-506.7		Min	I	-265.5	-0.2	1.3	-4.1
				J	-265.5	-0.2	3.5	-4.1
0.0	0.0							
5428.0	213.6		INVSLE Max	I	-112.2	0.1	0.9	3.9
				J	-112.2	0.1	2.6	3.9
0.0	0.0							
5423.5	-373.1		Min	I	-211.8	-0.1	0.9	-2.4
				J	-211.8	-0.1	2.6	-2.4
0.0	0.0							
8722	2	72	C1-C2;~1 Max	I	59.1	0.1	0.0	2.8
0.0	0.0			J	59.1	0.1	0.0	2.8
2.4	308.8							
			Min	I	-35.9	-0.1	-0.0	-3.5
0.0	0.0			J	-35.9	-0.1	-0.0	-3.5
-2.0	-259.8							
			C3-C4;~1 Max	I	49.9	0.1	0.0	1.8
0.0	0.0			J	49.9	0.1	0.0	1.8
2.7	266.1							
			Min	I	-30.6	-0.1	-0.0	-2.8
0.0	0.0			J	-30.6	-0.1	-0.0	-2.8
-1.7	-216.2							
			C1-C2;~2 Max	I	36.6	0.1	0.0	1.6
0.0	0.0			J	36.6	0.1	0.0	1.6
1.4	206.9							
			Min	I	-20.2	-0.1	-0.0	-2.0
0.0	0.0			J	-20.2	-0.1	-0.0	-2.0
-1.2	-168.4							
			C3-C4;~2 Max	I	30.8	0.0	0.0	1.0
0.0	0.0			J	30.8	0.0	0.0	1.0
1.6	175.8							
			Min	I	-14.5	-0.1	-0.0	-1.4
0.0	0.0			J	-14.5	-0.1	-0.0	-1.4
-0.9	-138.8							
			G1	I	-9.4	0.0	-2.5	-1.5
0.0	0.0			J	-9.4	0.0	-0.8	-1.5
5425.1	-7.9							
			G2	I	-14.2	0.0	0.0	-1.2
0.0	0.0			J	-14.2	0.0	0.0	-1.2
-0.0	-7.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	4.1	-0.0	0.0	0.2


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	4.1	-0.0	0.0 0.2
-0.0	33.3						
		Q5_pc	Y	I	7.3	-0.0	0.0 0.2
0.0	0.0			J	7.3	-0.0	0.0 0.2
-0.1	2.3						
		Q5_ps	X	I	5.4	-0.0	0.0 0.3
0.0	0.0			J	5.4	-0.0	0.0 0.3
-0.1	31.2						
		Q5_ps	Y	I	9.2	-0.0	0.0 0.3
0.0	0.0			J	9.2	-0.0	0.0 0.3
-0.2	3.9						
		INVSLU	Max	I	-33.4	0.2	-3.4 5.8
0.0	0.0			J	-33.4	0.2	-1.0 5.8
7328.3	182.9		Min	I	-174.8	-0.1	-3.4 -3.1
0.0	0.0			J	-174.8	-0.1	-1.0 -3.1
7321.9	-644.6						
		INVSLE	Max	I	-41.0	0.1	-2.5 4.9
0.0	0.0			J	-41.0	0.1	-0.8 4.9
5428.3	125.9		Min	I	-144.8	-0.0	-2.5 -1.7
0.0	0.0			J	-144.8	-0.0	-0.8 -1.7
5423.6	-482.6						
8723	2	72	C1-C2;~1	Max	61.7	0.0	0.0 2.7
0.0	0.0			J	61.7	0.0	0.0 2.7
0.0	0.0		Min	I	-27.8	0.0	0.0 -2.8
0.0	0.0			J	-27.8	0.0	-0.0 -2.8
0.0	0.0						
		C3-C4;~1	Max	I	53.7	0.0	0.0 2.7
0.0	0.0			J	53.7	0.0	0.0 2.7
0.0	0.0		Min	I	-18.0	0.0	0.0 -3.4
0.0	0.0			J	-18.0	0.0	-0.0 -3.4
0.0	0.0						
		C1-C2;~2	Max	I	38.9	0.0	0.0 1.6
0.0	0.0			J	38.9	0.0	0.0 1.6
0.0	0.0		Min	I	-15.2	0.0	0.0 -1.7
0.0	0.0			J	-15.2	0.0	-0.0 -1.7
0.0	0.0						
		C3-C4;~2	Max	I	34.4	0.0	0.0 1.4
0.0	0.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	34.4	0.0	0.0	1.4
0.0	0.0	Min	I	-7.7	0.0	0.0	-2.1
0.0	0.0		J	-7.7	0.0	-0.0	-2.1
0.0	0.0	G1	I	-3.4	0.0	-0.8	3.0
0.0	0.0		J	-3.4	0.0	0.8	3.0
0.0	0.0	G2	I	-11.7	0.0	0.0	1.1
0.0	0.0		J	-11.7	0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.2	0.0	0.0	-0.1
0.0	0.0		J	-2.2	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	6.3	0.0	0.0	-0.1
0.0	0.0		J	6.3	0.0	0.0	-0.1
0.0	0.0	Q5_ps X	I	-0.9	0.0	0.0	-0.1
0.0	0.0		J	-0.9	0.0	0.0	-0.1
0.0	0.0	Q5_ps Y	I	8.3	0.0	0.0	-0.1
0.0	0.0		J	8.3	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	-276.3	0.0	-1.1	3.4
0.0	0.0		J	-276.3	0.0	1.1	3.4
0.0	0.0	Min	I	-408.5	0.0	-1.1	-5.1
0.0	0.0		J	-408.5	0.0	1.1	-5.1
0.0	0.0	INVSLE Max	I	-221.3	0.0	-0.8	1.9
0.0	0.0		J	-221.3	0.0	0.8	1.9
0.0	0.0	Min	I	-318.4	0.0	-0.8	-4.3
0.0	0.0		J	-318.4	0.0	0.8	-4.3
8724	2	72 C1-C2;~1 Max	I	61.8	0.0	0.0	4.1
0.0	0.0		J	61.8	0.0	0.0	4.1
0.0	0.0	Min	I	-27.8	0.0	-0.0	-4.1
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-27.8	-0.0	-0.0	-4.1
0.0	0.0	C3-C4;~1 Max	I	53.7	0.0	0.0	3.1
0.0	0.0		J	53.7	0.0	0.0	3.1
0.0	0.0	Min	I	-18.0	0.0	-0.0	-2.5
0.0	0.0		J	-18.0	-0.0	-0.0	-2.5
0.0	0.0	C1-C2;~2 Max	I	39.0	0.0	0.0	2.3
0.0	0.0		J	39.0	0.0	0.0	2.3
0.0	0.0	Min	I	-15.2	0.0	-0.0	-2.6
0.0	0.0		J	-15.2	-0.0	-0.0	-2.6
0.0	0.0	C3-C4;~2 Max	I	34.4	0.0	0.0	1.7
0.0	0.0		J	34.4	0.0	0.0	1.7
0.0	0.0	Min	I	-7.7	0.0	-0.0	-1.3
0.0	0.0		J	-7.7	-0.0	-0.0	-1.3
0.0	0.0	G1	I	-3.4	0.0	-0.9	-0.1
0.0	0.0		J	-3.4	-0.0	0.9	-0.1
0.0	0.0	G2	I	-11.7	0.0	0.0	1.1
0.0	0.0		J	-11.7	-0.0	-0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-2.2	0.0	-0.0	-0.2
0.0	0.0		J	-2.2	0.0	0.0	-0.2
0.0	0.0	Q5_pc Y	I	6.4	0.0	-0.0	-0.2
0.0	0.0		J	6.4	-0.0	-0.0	-0.2
0.0	0.0	Q5_ps X	I	-0.9	0.0	-0.0	-0.3
0.0	0.0		J	-0.9	0.0	0.0	-0.3
0.0	0.0	Q5_ps Y	I	8.3	0.0	-0.0	-0.4
0.0	0.0		J	8.3	-0.0	0.0	-0.4
0.0	0.0	INVSLU Max	I	-276.3	0.0	-1.2	2.6


MIDAS

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-276.3	0.0	1.2	2.6
0.0	0.0		Min	I	-408.7	0.0	-1.2	-8.8
0.0	0.0			J	-408.7	-0.0	1.2	-8.8
0.0	0.0		INVSLE Max	I	-221.3	0.0	-0.9	1.2
0.0	0.0			J	-221.3	0.0	0.9	1.2
0.0	0.0		Min	I	-318.5	0.0	-0.9	-7.2
0.0	0.0			J	-318.5	-0.0	0.9	-7.2
0.0	0.0							
8725	2	72	C1-C2;~1	Max	I	59.1	0.1	0.0
1.9	308.8			J	59.1	0.1	0.0	2.8
0.0	0.0		Min	I	-35.9	-0.1	-0.0	-3.2
-2.3	-259.8			J	-35.9	-0.1	-0.0	-3.2
0.0	0.0							
1.6	266.1		C3-C4;~1	Max	I	49.9	0.1	0.0
0.0	0.0			J	49.9	0.1	0.0	2.0
0.0	0.0		Min	I	-30.6	-0.1	-0.0	-2.8
-2.5	-216.2			J	-30.6	-0.1	-0.0	-2.8
0.0	0.0							
1.1	206.9		C1-C2;~2	Max	I	36.6	0.1	0.0
0.0	0.0			J	36.6	0.1	0.0	1.6
0.0	0.0		Min	I	-20.2	-0.1	-0.0	-1.8
-1.3	-168.4			J	-20.2	-0.1	-0.0	-1.8
0.0	0.0							
0.9	175.8		C3-C4;~2	Max	I	30.8	0.1	0.0
0.0	0.0			J	30.8	0.1	0.0	1.1
0.0	0.0		Min	I	-14.5	-0.0	-0.0	-1.4
-1.5	-138.8			J	-14.5	-0.0	-0.0	-1.4
0.0	0.0							
5428.2	-7.9		G1	I	-9.4	-0.0	0.9	-1.9
0.0	0.0			J	-9.4	-0.0	2.6	-1.9
0.0	0.0							
0.0	-7.7		G2	I	-14.2	-0.0	0.0	-1.2
0.0	0.0			J	-14.2	-0.0	0.0	-1.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	33.3	Q5_pc X	I	4.1	0.0	0.0	0.2
0.0	0.0		J	4.1	0.0	0.0	0.2
0.1	2.3	Q5_pc Y	I	7.3	0.0	0.0	0.1
0.0	0.0		J	7.3	0.0	0.0	0.1
0.1	31.2	Q5_ps X	I	5.5	0.0	0.0	0.3
0.0	0.0		J	5.5	0.0	0.0	0.3
0.1	3.9	Q5_ps Y	I	9.2	0.0	0.0	0.2
0.0	0.0		J	9.2	0.0	0.0	0.2
7330.0	182.9	INVSLE Max	I	-33.4	0.1	1.3	5.4
0.0	0.0		J	-33.4	0.1	3.5	5.4
7324.0	-644.6	Min	I	-174.9	-0.2	1.3	-3.1
0.0	0.0		J	-174.9	-0.2	3.5	-3.1
5429.7	125.9	INVSLE Max	I	-41.0	0.0	0.9	4.6
0.0	0.0		J	-41.0	0.0	2.6	4.6
5425.2	-482.6	Min	I	-144.8	-0.2	0.9	-1.6
0.0	0.0		J	-144.8	-0.2	2.6	-1.6
8726.0	2.0	72 C1-C2;~1 Max	I	62.5	0.1	0.0	3.4
0.0	0.0		J	62.5	0.1	0.0	3.4
2.1	394.2	Min	I	-50.3	-0.1	-0.0	-2.9
0.0	0.0		J	-50.3	-0.1	-0.0	-2.9
-2.8	-304.8						
0.0	0.0	C3-C4;~1 Max	I	52.7	0.1	0.0	2.8
2.3	356.6		J	52.7	0.1	0.0	2.8
0.0	0.0	Min	I	-34.8	-0.1	-0.0	-2.0
-2.4	-268.8		J	-34.8	-0.1	-0.0	-2.0
0.0	0.0	C1-C2;~2 Max	I	38.3	0.1	0.0	2.2
1.3	269.1		J	38.3	0.1	0.0	2.2
0.0	0.0	Min	I	-29.3	-0.1	-0.0	-1.7
-1.7	-193.7		J	-29.3	-0.1	-0.0	-1.7

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4; ~2	Max	I	32.2	0.0	0.0	1.8
				J	32.2	0.0	0.0	1.8
1.4	241.7		Min	I	-16.8	-0.1	-0.0	-1.0
0.0	0.0			J	-16.8	-0.1	-0.0	-1.0
-1.4	-163.7							
		G1		I	-11.2	0.0	-2.5	-0.7
0.0	0.0			J	-11.2	0.0	-0.8	-0.7
5424.6	-42.1							
		G2		I	-14.6	0.0	0.0	-0.9
0.0	0.0			J	-14.6	0.0	0.0	-0.9
-0.4	-15.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	4.5	-0.0	-0.0	0.3
0.0	0.0			J	4.5	-0.0	-0.0	0.3
0.1	35.4							
		Q5_pc Y		I	9.2	0.0	0.0	0.1
0.0	0.0			J	9.2	0.0	0.0	0.1
-0.0	-5.9							
		Q5_ps X		I	5.5	-0.0	-0.0	0.3
0.0	0.0			J	5.5	-0.0	-0.0	0.3
0.0	33.1							
		Q5_ps Y		I	11.0	0.0	0.0	0.2
0.0	0.0			J	11.0	0.0	0.0	0.2
-0.1	-4.2							
		INVSLE Max		I	116.3	0.1	-3.4	6.5
0.0	0.0			J	116.3	0.1	-1.0	6.5
7327.4	597.2		Min	I	-52.5	-0.2	-3.4	-2.6
0.0	0.0			J	-52.5	-0.2	-1.0	-2.6
7320.4	-410.1							
		INVSLE Max		I	75.1	0.1	-2.5	5.2
0.0	0.0			J	75.1	0.1	-0.8	5.2
5427.8	461.7		Min	I	-48.8	-0.1	-2.5	-1.5
0.0	0.0			J	-48.8	-0.1	-0.8	-1.5
5422.6	-279.8							
8727	2	72 C1-C2; ~1	Max	I	66.0	0.0	0.0	2.9
0.0	0.0			J	66.0	0.0	0.0	2.9

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-32.9	0.0	-0.0	-3.0
0.0	0.0			J	-32.9	-0.0	0.0	-3.0
0.0	0.0	C3-C4;~1	Max	I	50.1	0.0	0.0	2.5
0.0	0.0			J	50.1	0.0	0.0	2.5
0.0	0.0		Min	I	-21.9	0.0	-0.0	-3.5
0.0	0.0			J	-21.9	-0.0	0.0	-3.5
0.0	0.0	C1-C2;~2	Max	I	43.0	0.0	0.0	1.7
0.0	0.0			J	43.0	0.0	0.0	1.7
0.0	0.0		Min	I	-18.4	0.0	-0.0	-1.9
0.0	0.0			J	-18.4	-0.0	0.0	-1.9
0.0	0.0	C3-C4;~2	Max	I	32.1	0.0	0.0	1.3
0.0	0.0			J	32.1	0.0	0.0	1.3
0.0	0.0		Min	I	-10.1	0.0	-0.0	-2.2
0.0	0.0			J	-10.1	-0.0	0.0	-2.2
0.0	0.0		G1	I	-9.4	0.0	-0.8	3.1
0.0	0.0			J	-9.4	0.0	0.8	3.1
0.0	0.0		G2	I	-13.8	0.0	0.0	1.2
0.0	0.0			J	-13.8	0.0	0.0	1.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-4.2	0.0	-0.0	-0.1
0.0	0.0			J	-4.2	-0.0	0.0	-0.1
0.0	0.0	Q5_pc	Y	I	6.3	0.0	-0.0	-0.1
0.0	0.0			J	6.3	0.0	0.0	-0.1
0.0	0.0	Q5_ps	X	I	-3.0	0.0	-0.0	-0.1
0.0	0.0			J	-3.0	-0.0	0.0	-0.1
0.0	0.0	Q5_ps	Y	I	8.4	0.0	-0.0	-0.1
0.0	0.0			J	8.4	0.0	0.0	-0.1


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0						
		INVS LU Max	I	-233.0	0.0	-1.1	4.3
0.0	0.0		J	-233.0	0.0	1.1	4.3
0.0	0.0	Min	I	-378.1	0.0	-1.1	-4.5
0.0	0.0		J	-378.1	-0.0	1.1	-4.5
0.0	0.0						
		INVS LE Max	I	-184.2	0.0	-0.8	2.6
0.0	0.0		J	-184.2	0.0	0.8	2.6
0.0	0.0	Min	I	-290.8	0.0	-0.8	-3.8
0.0	0.0		J	-290.8	-0.0	0.8	-3.8
0.0	0.0						
8728	2	72 C1-C2;~1 Max	I	66.2	0.0	0.0	3.2
0.0	0.0		J	66.2	0.0	0.0	3.2
0.0	0.0	Min	I	-32.9	-0.0	0.0	-5.8
0.0	0.0		J	-32.9	0.0	0.0	-5.8
0.0	0.0						
		C3-C4;~1 Max	I	50.1	0.0	0.0	2.4
0.0	0.0		J	50.1	0.0	0.0	2.4
0.0	0.0	Min	I	-21.9	-0.0	0.0	-3.7
0.0	0.0		J	-21.9	0.0	0.0	-3.7
0.0	0.0						
		C1-C2;~2 Max	I	43.1	0.0	0.0	1.8
0.0	0.0		J	43.1	0.0	0.0	1.8
0.0	0.0	Min	I	-18.4	-0.0	0.0	-3.7
0.0	0.0		J	-18.4	0.0	0.0	-3.7
0.0	0.0						
		C3-C4;~2 Max	I	32.1	0.0	0.0	1.4
0.0	0.0		J	32.1	0.0	0.0	1.4
0.0	0.0	Min	I	-10.1	-0.0	0.0	-2.2
0.0	0.0		J	-10.1	0.0	0.0	-2.2
0.0	0.0						
		G1	I	-9.5	-0.0	-0.9	-1.7
0.0	0.0		J	-9.5	0.0	0.9	-1.7
0.0	0.0						
		G2	I	-13.8	-0.0	0.0	0.5
0.0	0.0		J	-13.8	0.0	0.0	0.5
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc X	I	-4.2	0.0	0.0
				J	-4.2	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc Y	I	6.3	-0.0	0.0
				J	6.3	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_ps X	I	-3.0	0.0	0.0
				J	-3.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_ps Y	I	8.4	-0.0	0.0
				J	8.4	0.0	0.0
0.0	0.0						
0.0	0.0		INVSLU Max	I	-232.8	0.0	-1.2
				J	-232.8	0.0	1.2
0.0	0.0						
0.0	0.0		Min	I	-378.0	-0.0	-1.2
				J	-378.0	0.0	1.2
0.0	0.0						
0.0	0.0		INVSLE Max	I	-184.0	0.0	-0.9
				J	-184.0	0.0	0.9
0.0	0.0						
0.0	0.0		Min	I	-290.7	-0.0	-0.9
				J	-290.7	0.0	0.9
0.0	0.0						
8729	2	72	C1-C2;~1 Max	I	62.5	0.1	0.0
2.7	394.2			J	62.5	0.1	0.0
0.0	0.0						
			Min	I	-50.3	-0.1	-0.0
-2.0	-304.8			J	-50.3	-0.1	-0.0
0.0	0.0						
			C3-C4;~1 Max	I	52.7	0.1	0.0
2.3	356.6			J	52.7	0.1	0.0
0.0	0.0						
			Min	I	-34.8	-0.1	-0.0
-2.2	-268.8			J	-34.8	-0.1	-0.0
0.0	0.0						
			C1-C2;~2 Max	I	38.2	0.1	0.0
1.6	269.1			J	38.2	0.1	0.0
0.0	0.0						
			Min	I	-29.3	-0.1	-0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.2	-193.7		J	-29.3	-0.1	-0.0	-1.6
0.0	0.0						
1.3	241.7	C3-C4; ~2 Max	I	32.2	0.1	0.0	1.8
0.0	0.0		J	32.2	0.1	0.0	1.8
-1.3	-163.7	Min	I	-16.8	-0.1	-0.0	-1.1
0.0	0.0		J	-16.8	-0.1	-0.0	-1.1
5429.3	-42.1	G1	I	-11.2	-0.0	0.9	-1.3
0.0	0.0		J	-11.2	-0.0	2.6	-1.3
0.3	-15.8	G2	I	-14.6	-0.0	0.0	-1.0
0.0	0.0		J	-14.6	-0.0	0.0	-1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	35.4	Q5_pc X	I	4.5	0.0	-0.0	0.3
0.0	0.0		J	4.5	0.0	-0.0	0.3
0.0	-5.9	Q5_pc Y	I	9.2	-0.0	0.0	0.1
0.0	0.0		J	9.2	-0.0	0.0	0.1
-0.0	33.1	Q5_ps X	I	5.5	0.0	-0.0	0.3
0.0	0.0		J	5.5	0.0	-0.0	0.3
0.1	-4.2	Q5_ps Y	I	11.0	-0.0	0.0	0.2
0.0	0.0		J	11.0	-0.0	0.0	0.2
7332.3	597.2	INVSLU Max	I	116.3	0.2	1.3	5.3
0.0	0.0		J	116.3	0.2	3.5	5.3
7325.7	-410.1	Min	I	-52.5	-0.1	1.3	-3.0
0.0	0.0		J	-52.5	-0.1	3.5	-3.0
5431.3	461.7	INVSLE Max	I	75.1	0.1	0.9	4.3
0.0	0.0		J	75.1	0.1	2.6	4.3
5426.3	-279.8	Min	I	-48.8	-0.1	0.9	-1.8
0.0	0.0		J	-48.8	-0.1	2.6	-1.8


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
8730	2	72	C1-C2;~1	Max	I	70.1	0.1	0.0	3.8
0.0	0.0				J	70.1	0.1	0.0	3.8
1.8	579.7			Min	I	-60.3	-0.2	-0.0	-3.1
0.0	0.0				J	-60.3	-0.2	-0.0	-3.1
-4.7	-491.2								
			C3-C4;~1	Max	I	54.4	0.1	0.0	3.1
0.0	0.0				J	54.4	0.1	0.0	3.1
2.3	517.4			Min	I	-29.5	-0.2	-0.0	-2.1
0.0	0.0				J	-29.5	-0.2	-0.0	-2.1
-3.8	-440.4								
			C1-C2;~2	Max	I	42.1	0.1	0.0	2.3
0.0	0.0				J	42.1	0.1	0.0	2.3
1.1	395.4			Min	I	-36.1	-0.1	-0.0	-1.9
0.0	0.0				J	-36.1	-0.1	-0.0	-1.9
-2.9	-313.4								
			C3-C4;~2	Max	I	31.7	0.1	0.0	1.8
0.0	0.0				J	31.7	0.1	0.0	1.8
1.4	349.0			Min	I	-15.7	-0.1	-0.0	-1.0
0.0	0.0				J	-15.7	-0.1	-0.0	-1.0
-2.1	-270.5								
				G1	I	6.1	0.0	-2.5	0.1
0.0	0.0				J	6.1	0.0	-0.8	0.1
5423.2	-83.0								
				G2	I	-6.9	0.0	0.0	-0.5
0.0	0.0				J	-6.9	0.0	0.0	-0.5
-0.9	-33.8								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	7.2	-0.0	-0.0	0.0
0.0	0.0				J	7.2	-0.0	-0.0	0.0
0.1	43.5								
				Q5_pc Y	I	13.2	0.0	-0.0	0.2
0.0	0.0				J	13.2	0.0	-0.0	0.2
0.0	-17.7								
				Q5_ps X	I	7.5	-0.0	-0.0	0.1
0.0	0.0				J	7.5	-0.0	-0.0	0.1
0.0	40.8								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps Y	I	14.4	0.0	0.0	0.3
-0.1	-14.8		J	14.4	0.0	0.0	0.3
0.0	0.0	INVS LU Max	I	306.4	0.3	-3.4	9.5
7324.4	656.6		J	306.4	0.3	-1.0	9.5
0.0	0.0	Min	I	106.6	-0.2	-3.4	-0.1
7314.8	-867.4		J	106.6	-0.2	-1.0	-0.1
0.0	0.0	INVS LE Max	I	226.4	0.2	-2.5	7.3
5425.7	490.5		J	226.4	0.2	-0.8	7.3
0.0	0.0	Min	I	80.1	-0.1	-2.5	0.3
5418.6	-632.6		J	80.1	-0.1	-0.8	0.3
8731	2	72 C1-C2;~1 Max	I	68.3	0.0	0.0	4.5
0.0	0.0		J	68.3	0.0	0.0	4.5
0.0	0.0	Min	I	-49.0	0.0	0.0	-3.5
0.0	0.0		J	-49.0	0.0	0.0	-3.5
0.0	0.0	C3-C4;~1 Max	I	45.2	0.0	0.0	3.0
0.0	0.0		J	45.2	0.0	0.0	3.0
0.0	0.0	Min	I	-45.2	0.0	0.0	-3.7
0.0	0.0		J	-45.2	0.0	0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	42.9	0.0	0.0	2.7
0.0	0.0		J	42.9	0.0	0.0	2.7
0.0	0.0	Min	I	-28.6	0.0	0.0	-2.2
0.0	0.0		J	-28.6	0.0	0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	26.3	0.0	0.0	1.6
0.0	0.0		J	26.3	0.0	0.0	1.6
0.0	0.0	Min	I	-23.0	0.0	0.0	-2.3
0.0	0.0		J	-23.0	0.0	0.0	-2.3
0.0	0.0	G1	I	-12.0	0.0	-0.8	3.4
0.0	0.0		J	-12.0	0.0	0.8	3.4
0.0	0.0	G2	I	-14.4	0.0	0.0	1.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-14.4	0.0	0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-12.3	0.0	0.0	-0.0
0.0	0.0		J	-12.3	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	7.6	0.0	0.0	-0.3
0.0	0.0		J	7.6	0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	-10.8	0.0	0.0	-0.0
0.0	0.0		J	-10.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	9.8	0.0	0.0	-0.2
0.0	0.0		J	9.8	0.0	0.0	-0.2
0.0	0.0	INVSLE Max	I	-69.6	0.0	-1.1	6.7
0.0	0.0		J	-69.6	0.0	1.1	6.7
0.0	0.0	Min	I	-250.0	0.0	-1.1	-4.9
0.0	0.0		J	-250.0	0.0	1.1	-4.9
0.0	0.0	INVSLE Max	I	-51.9	0.0	-0.8	4.4
0.0	0.0		J	-51.9	0.0	0.8	4.4
0.0	0.0	Min	I	-183.9	0.0	-0.8	-4.1
0.0	0.0		J	-183.9	0.0	0.8	-4.1
8732	2	72 C1-C2;~1 Max	I	68.5	0.0	0.0	2.7
0.0	0.0		J	68.5	0.0	0.0	2.7
0.0	0.0	Min	I	-48.9	0.0	0.0	-8.0
0.0	0.0		J	-48.9	-0.0	0.0	-8.0
0.0	0.0	C3-C4;~1 Max	I	45.2	0.0	0.0	2.1
0.0	0.0		J	45.2	0.0	0.0	2.1
0.0	0.0	Min	I	-45.3	0.0	0.0	-6.1
0.0	0.0		J	-45.3	-0.0	0.0	-6.1
0.0	0.0	C1-C2;~2 Max	I	43.1	0.0	0.0	1.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	43.1	0.0	0.0	1.5
0.0	0.0	Min	I	-28.6	0.0	0.0	-5.0
0.0	0.0		J	-28.6	-0.0	0.0	-5.0
0.0	0.0	C3-C4; ~2 Max	I	26.3	0.0	0.0	1.1
0.0	0.0		J	26.3	0.0	0.0	1.1
0.0	0.0	Min	I	-23.0	0.0	0.0	-3.5
0.0	0.0		J	-23.0	-0.0	0.0	-3.5
0.0	0.0	G1	I	-12.1	0.0	-0.9	-4.2
0.0	0.0		J	-12.1	-0.0	0.9	-4.2
0.0	0.0	G2	I	-14.4	0.0	0.0	-0.6
0.0	0.0		J	-14.4	-0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-12.2	0.0	0.0	0.1
0.0	0.0		J	-12.2	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	7.6	0.0	0.0	-0.2
0.0	0.0		J	7.6	-0.0	0.0	-0.2
0.0	0.0	Q5_ps X	I	-10.8	0.0	0.0	0.1
0.0	0.0		J	-10.8	0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	9.8	0.0	0.0	-0.4
0.0	0.0		J	9.8	-0.0	0.0	-0.4
0.0	0.0	INVSLE Max	I	-69.4	0.0	-1.2	-6.2
0.0	0.0		J	-69.4	0.0	1.2	-6.2
0.0	0.0	Min	I	-250.0	0.0	-1.2	-21.0
0.0	0.0		J	-250.0	-0.0	1.2	-21.0
0.0	0.0	INVSLE Max	I	-51.8	0.0	-0.9	-4.8
0.0	0.0		J	-51.8	0.0	0.9	-4.8
0.0	0.0	Min	I	-183.9	0.0	-0.9	-15.7
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
				J	-183.9	-0.0	0.9	-15.7		
0.0	0.0									
8733	2	72	C1-C2;~1	Max	I	70.1	0.2	0.0	3.3	
4.4	579.7				J	70.1	0.2	0.0	3.3	
0.0	0.0									
				Min	I	-60.3	-0.2	-0.0	-3.3	
-1.7	-491.2				J	-60.3	-0.2	-0.0	-3.3	
0.0	0.0									
				C3-C4;~1	Max	I	54.5	0.2	0.0	2.8
3.6	517.4				J	54.5	0.2	0.0	2.8	
0.0	0.0									
				Min	I	-29.5	-0.1	-0.0	-2.6	
-2.1	-440.4				J	-29.5	-0.1	-0.0	-2.6	
0.0	0.0									
				C1-C2;~2	Max	I	42.1	0.1	0.0	2.0
2.8	395.4				J	42.1	0.1	0.0	2.0	
0.0	0.0									
				Min	I	-36.1	-0.1	-0.0	-1.9	
-1.0	-313.4				J	-36.1	-0.1	-0.0	-1.9	
0.0	0.0									
				C3-C4;~2	Max	I	31.7	0.1	0.0	1.7
2.0	349.0				J	31.7	0.1	0.0	1.7	
0.0	0.0									
				Min	I	-15.7	-0.1	-0.0	-1.3	
-1.3	-270.5				J	-15.7	-0.1	-0.0	-1.3	
0.0	0.0									
				G1	I	6.1	-0.0	0.9	-0.9	
5430.7	-83.0				J	6.1	-0.0	2.6	-0.9	
0.0	0.0									
				G2	I	-6.9	-0.0	0.0	-0.8	
0.9	-33.8				J	-6.9	-0.0	0.0	-0.8	
0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	7.2	0.0	-0.0	0.1
-0.1	43.5				J	7.2	0.0	-0.0	0.1	
0.0	0.0									
				Q5_pc	Y	I	13.2	-0.0	-0.0	0.2
-0.0	-17.7				J	13.2	-0.0	-0.0	0.2	
0.0	0.0									
				Q5_ps	X	I	7.6	0.0	-0.0	0.1
-0.0	40.8									

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	7.6	0.0	-0.0	0.1
0.1	-14.8	Q5_ps Y	I	14.4	-0.0	0.0	0.3
0.0	0.0		J	14.4	-0.0	0.0	0.3
7337.6	656.6	INVS LU Max	I	306.4	0.2	1.3	7.5
0.0	0.0		J	306.4	0.2	3.5	7.5
7328.6	-867.4	Min	I	106.6	-0.3	1.3	-1.7
0.0	0.0		J	106.6	-0.3	3.5	-1.7
5435.1	490.5	INVS LE Max	I	226.4	0.2	0.9	5.9
0.0	0.0		J	226.4	0.2	2.6	5.9
5428.4	-632.6	Min	I	80.1	-0.2	0.9	-0.9
0.0	0.0		J	80.1	-0.2	2.6	-0.9
8734	2	72 C1-C2;~1 Max	I	102.1	0.2	0.0	4.5
0.0	0.0		J	102.1	0.2	0.0	4.5
1.9	588.1	Min	I	-43.5	-0.2	-0.0	-2.6
0.0	0.0		J	-43.5	-0.2	-0.0	-2.6
-4.5	-563.8						
0.0	0.0	C3-C4;~1 Max	I	87.7	0.2	0.0	3.9
2.4	514.4		J	87.7	0.2	0.0	3.9
0.0	0.0	Min	I	-22.4	-0.2	-0.0	-1.7
-3.2	-506.6		J	-22.4	-0.2	-0.0	-1.7
0.0	0.0	C1-C2;~2 Max	I	60.5	0.1	0.0	2.8
1.2	390.0		J	60.5	0.1	0.0	2.8
0.0	0.0	Min	I	-25.5	-0.1	-0.0	-1.6
-2.8	-368.9		J	-25.5	-0.1	-0.0	-1.6
0.0	0.0	C3-C4;~2 Max	I	49.2	0.1	0.0	2.4
1.5	340.8		J	49.2	0.1	0.0	2.4
0.0	0.0	Min	I	-10.3	-0.1	-0.0	-0.9
-1.9	-328.4		J	-10.3	-0.1	-0.0	-0.9
0.0	0.0	G1	I	42.0	0.0	-2.5	1.0
5423.3	-57.9		J	42.0	0.0	-0.8	1.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	G2	I	6.4	0.0	0.0	-0.2
-0.8	-30.2		J	6.4	0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	10.9	-0.0	-0.0	-0.0
0.1	15.6		J	10.9	-0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	13.4	0.0	0.0	0.2
-0.1	-7.3		J	13.4	0.0	0.0	0.2
0.0	0.0	Q5_ps X	I	10.8	-0.0	-0.0	0.0
0.1	13.6		J	10.8	-0.0	-0.0	0.0
0.0	0.0	Q5_ps Y	I	14.8	0.0	0.0	0.4
-0.2	-5.0		J	14.8	0.0	0.0	0.4
0.0	0.0	INVSLU Max	I	358.1	0.3	-3.4	11.9
7320.0	635.3		J	358.1	0.3	-1.0	11.9
0.0	0.0	Min	I	137.5	-0.2	-3.4	1.9
7310.5	-947.8		J	137.5	-0.2	-1.0	1.9
0.0	0.0	INVSLE Max	I	266.0	0.2	-2.5	8.9
5422.2	463.9		J	266.0	0.2	-0.8	8.9
0.0	0.0	Min	I	104.3	-0.1	-2.5	1.6
5415.1	-706.8		J	104.3	-0.1	-0.8	1.6
8735	2	72 C1-C2;~1 Max	I	86.0	0.0	0.0	4.3
0.0	0.0		J	86.0	0.0	0.0	4.3
0.0	0.0	Min	I	-40.8	-0.0	-0.0	-4.4
0.0	0.0		J	-40.8	-0.0	0.0	-4.4
0.0	0.0	C3-C4;~1 Max	I	72.9	0.0	0.0	2.3
0.0	0.0		J	72.9	0.0	0.0	2.3
0.0	0.0	Min	I	-28.3	-0.0	-0.0	-4.9
0.0	0.0		J	-28.3	-0.0	0.0	-4.9
0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C1-C2;~2	Max	I	52.8	0.0	0.0	2.7
				J	52.8	0.0	0.0	2.7
0.0	0.0		Min	I	-24.5	-0.0	-0.0	-2.9
0.0	0.0			J	-24.5	-0.0	0.0	-2.9
0.0	0.0	C3-C4;~2	Max	I	43.4	0.0	0.0	1.3
				J	43.4	0.0	0.0	1.3
0.0	0.0		Min	I	-13.8	-0.0	-0.0	-3.3
0.0	0.0			J	-13.8	-0.0	0.0	-3.3
0.0	0.0	G1		I	20.9	-0.0	-0.8	2.7
				J	20.9	0.0	0.8	2.7
0.0	0.0	G2		I	-2.3	-0.0	-0.0	0.9
				J	-2.3	0.0	0.0	0.9
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	-15.0	0.0	-0.0	-0.2
				J	-15.0	-0.0	0.0	-0.2
0.0	0.0	Q5_pc	Y	I	6.9	-0.0	0.0	-0.2
				J	6.9	0.0	0.0	-0.2
0.0	0.0	Q5_ps	X	I	-13.6	0.0	-0.0	-0.2
				J	-13.6	-0.0	0.0	-0.2
0.0	0.0	Q5_ps	Y	I	9.4	-0.0	0.0	-0.1
				J	9.4	0.0	0.0	-0.1
0.0	0.0	INVS LU	Max	I	95.3	0.0	-1.1	11.6
				J	95.3	0.0	1.1	11.6
0.0	0.0		Min	I	-103.0	-0.0	-1.1	-1.3
0.0	0.0			J	-103.0	-0.0	1.1	-1.3
0.0	0.0	INVS LE	Max	I	71.8	0.0	-0.8	8.5
				J	71.8	0.0	0.8	8.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-73.1	-0.0	-0.8	-1.0
0.0	0.0			J	-73.1	-0.0	0.8	-1.0
0.0	0.0							
8736	2	72	C1-C2;~1	Max	I	86.2	0.0	1.5
0.0	0.0			J	86.2	0.0	0.0	1.5
0.0	0.0		Min	I	-40.8	-0.0	-0.0	-7.9
0.0	0.0			J	-40.8	-0.0	-0.0	-7.9
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	72.8	0.0	1.5
0.0	0.0			J	72.8	0.0	0.0	1.5
0.0	0.0		Min	I	-28.3	-0.0	-0.0	-6.1
0.0	0.0			J	-28.3	-0.0	-0.0	-6.1
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	52.9	0.0	0.8
0.0	0.0			J	52.9	0.0	0.0	0.8
0.0	0.0		Min	I	-24.4	-0.0	-0.0	-5.0
0.0	0.0			J	-24.4	-0.0	-0.0	-5.0
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	43.4	0.0	0.7
0.0	0.0			J	43.4	0.0	0.0	0.7
0.0	0.0		Min	I	-13.7	-0.0	-0.0	-3.6
0.0	0.0			J	-13.7	-0.0	-0.0	-3.6
0.0	0.0							
0.0	0.0		G1	I	20.9	-0.0	-0.9	-4.5
0.0	0.0			J	20.9	0.0	0.9	-4.5
0.0	0.0							
0.0	0.0		G2	I	-2.3	-0.0	-0.0	-0.6
0.0	0.0			J	-2.3	0.0	-0.0	-0.6
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	X	I	-15.0	0.0	0.0
0.0	0.0			J	-15.0	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	Y	I	6.9	-0.0	-0.3
0.0	0.0			J	6.9	0.0	-0.0	-0.3
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q5_ps X	I	-13.6	0.0	0.0	0.0
0.0	0.0		J	-13.6	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	9.4	-0.0	0.0	-0.5
0.0	0.0		J	9.4	0.0	-0.0	-0.5
0.0	0.0	INVS LU Max	I	95.5	0.0	-1.2	-11.4
0.0	0.0		J	95.5	0.0	1.2	-11.4
0.0	0.0	Min	I	-103.0	-0.0	-1.2	-24.6
0.0	0.0		J	-103.0	-0.0	1.2	-24.6
0.0	0.0	INVS LE Max	I	71.9	0.0	-0.9	-8.6
0.0	0.0		J	71.9	0.0	0.9	-8.6
0.0	0.0	Min	I	-73.1	-0.0	-0.9	-18.3
0.0	0.0		J	-73.1	-0.0	0.9	-18.3
8737	2	72 C1-C2;~1 Max	I	102.0	0.2	0.0	4.5
4.2	588.1		J	102.0	0.2	0.0	4.5
0.0	0.0	Min	I	-43.5	-0.2	-0.0	-2.8
-1.7	-563.8		J	-43.5	-0.2	-0.0	-2.8
0.0	0.0	C3-C4;~1 Max	I	87.7	0.2	0.0	3.5
3.0	514.4		J	87.7	0.2	0.0	3.5
0.0	0.0	Min	I	-22.4	-0.2	-0.0	-2.0
-2.2	-506.6		J	-22.4	-0.2	-0.0	-2.0
0.0	0.0	C1-C2;~2 Max	I	60.5	0.1	0.0	2.8
2.7	390.0		J	60.5	0.1	0.0	2.8
0.0	0.0	Min	I	-25.6	-0.1	-0.0	-1.7
-1.1	-368.9		J	-25.6	-0.1	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	49.2	0.1	0.0	2.1
1.7	340.8		J	49.2	0.1	0.0	2.1
0.0	0.0	Min	I	-10.3	-0.1	-0.0	-1.1
-1.4	-328.4		J	-10.3	-0.1	-0.0	-1.1
0.0	0.0	G1	I	42.0	-0.0	0.9	0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5430.5	-57.9		J	42.0	-0.0	2.6	0.1
0.0	0.0						
		G2	I	6.4	-0.0	0.0	-0.4
0.7	-30.2		J	6.4	-0.0	0.0	-0.4
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	10.9	0.0	-0.0	0.0
-0.1	15.6		J	10.9	0.0	-0.0	0.0
0.0	0.0						
		Q5_pc Y	I	13.4	-0.0	0.0	0.2
0.1	-7.3		J	13.4	-0.0	0.0	0.2
0.0	0.0						
		Q5_ps X	I	10.8	0.0	-0.0	0.1
-0.1	13.6		J	10.8	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps Y	I	14.8	-0.0	0.0	0.3
0.2	-5.0		J	14.8	-0.0	0.0	0.3
0.0	0.0						
		INVSLE Max	I	358.1	0.2	1.3	9.3
7341.5	635.3		J	358.1	0.2	3.5	9.3
0.0	0.0						
		Min	I	137.4	-0.3	1.3	-0.9
7332.6	-947.8		J	137.4	-0.3	3.5	-0.9
0.0	0.0						
		INVSLE Max	I	266.0	0.2	0.9	7.0
5438.2	463.9		J	266.0	0.2	2.6	7.0
0.0	0.0						
		Min	I	104.3	-0.2	0.9	-0.5
5431.6	-706.8		J	104.3	-0.2	2.6	-0.5
0.0	0.0						
		72 C1-C2;~1 Max	I	96.0	0.2	0.0	4.7
8738	2		J	96.0	0.2	0.0	4.7
0.0	0.0						
		Min	I	-19.6	-0.1	-0.0	-2.4
2.9	213.0		J	-19.6	-0.1	-0.0	-2.4
0.0	0.0						
		C3-C4;~1 Max	I	79.3	0.2	0.0	3.0
-3.3	-583.1		J	79.3	0.2	0.0	3.0
0.0	0.0						
		Min	I	-15.1	-0.1	-0.0	-2.4
2.8	207.5						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-15.1	-0.1	-2.4
-2.4	-535.9						
		C1-C2;~2	Max	I	59.3	0.1	3.0
0.0	0.0			J	59.3	0.1	3.0
1.8	124.2		Min	I	-10.9	-0.0	-1.6
0.0	0.0			J	-10.9	-0.0	-1.6
-1.9	-387.7						
		C3-C4;~2	Max	I	46.8	0.1	1.8
0.0	0.0			J	46.8	0.1	1.8
1.8	105.1		Min	I	-6.9	-0.0	-1.5
0.0	0.0			J	-6.9	-0.0	-1.5
-1.3	-355.3						
		G1		I	43.7	-0.0	2.0
0.0	0.0			J	43.7	-0.0	2.0
5213.5	6.5						
		G2		I	9.5	-0.0	0.9
0.0	0.0			J	9.5	-0.0	0.9
-1.3	43.1						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	I	11.7	0.0	0.1
0.0	0.0			J	11.7	0.0	0.1
0.3	-25.0						
		Q5_pc	Y	I	10.6	0.0	0.1
0.0	0.0			J	10.6	0.0	0.1
0.5	-43.9						
		Q5_ps	X	I	11.5	0.0	0.1
0.0	0.0			J	11.5	0.0	0.1
0.3	-26.1						
		Q5_ps	Y	I	12.6	0.0	0.1
0.0	0.0			J	12.6	0.0	0.1
0.5	-53.9						
		INVSLU	Max	I	261.0	0.2	13.8
0.0	0.0			J	261.0	0.2	13.8
7038.0	600.1		Min	I	83.9	-0.2	4.0
0.0	0.0			J	83.9	-0.2	4.0
7028.8	-553.6						

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			INVSLE Max	I	193.7	0.1	-2.5	10.3
0.0	0.0			J	193.7	0.1	-0.8	10.3
5213.2	439.3		Min	I	64.2	-0.1	-2.5	3.0
0.0	0.0			J	64.2	-0.1	-0.8	3.0
5206.5	-409.4							
8739	2	72	C1-C2;~1 Max	I	82.4	0.0	0.0	3.7
0.0	0.0			J	82.4	0.0	0.0	3.7
0.0	0.0		Min	I	-32.5	-0.0	-0.0	-4.5
0.0	0.0			J	-32.5	0.0	-0.0	-4.5
0.0	0.0							
			C3-C4;~1 Max	I	83.3	0.0	0.0	1.4
0.0	0.0			J	83.3	0.0	0.0	1.4
0.0	0.0		Min	I	-14.0	-0.0	-0.0	-5.0
0.0	0.0			J	-14.0	0.0	-0.0	-5.0
0.0	0.0							
			C1-C2;~2 Max	I	48.9	0.0	0.0	2.4
0.0	0.0			J	48.9	0.0	0.0	2.4
0.0	0.0		Min	I	-19.6	-0.0	-0.0	-3.0
0.0	0.0			J	-19.6	0.0	-0.0	-3.0
0.0	0.0							
			C3-C4;~2 Max	I	50.0	0.0	0.0	0.8
0.0	0.0			J	50.0	0.0	0.0	0.8
0.0	0.0		Min	I	-6.8	-0.0	-0.0	-3.4
0.0	0.0			J	-6.8	0.0	-0.0	-3.4
0.0	0.0							
			G1	I	44.6	0.0	-0.8	1.7
0.0	0.0			J	44.6	0.0	0.8	1.7
0.0	0.0							
			G2	I	10.4	0.0	-0.0	0.5
0.0	0.0			J	10.4	0.0	0.0	0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-13.9	-0.0	-0.0	-0.2
0.0	0.0			J	-13.9	0.0	0.0	-0.2
0.0	0.0							
			Q5_pc Y	I	4.0	0.0	0.0	-0.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	4.0	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q5_ps X	I	-13.1	-0.0	-0.0	-0.2
0.0	0.0		J	-13.1	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps Y	I	4.7	0.0	0.0	-0.1
0.0	0.0		J	4.7	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	INVS LU Max	I	251.9	0.0	-1.1	11.3
0.0	0.0		J	251.9	0.0	1.1	11.3
0.0	0.0						
0.0	0.0	Min	I	70.5	-0.0	-1.1	-0.9
0.0	0.0		J	70.5	0.0	1.1	-0.9
0.0	0.0						
0.0	0.0	INVS LE Max	I	187.1	0.0	-0.8	8.4
0.0	0.0		J	187.1	0.0	0.8	8.4
0.0	0.0						
0.0	0.0	Min	I	54.6	-0.0	-0.8	-0.6
0.0	0.0		J	54.6	0.0	0.8	-0.6
0.0	0.0						
8740	2	72 C1-C2;~1 Max	I	82.1	0.0	0.0	4.2
0.0	0.0		J	82.1	0.0	0.0	4.2
0.0	0.0						
0.0	0.0	Min	I	-32.4	0.0	0.0	-3.8
0.0	0.0		J	-32.4	-0.0	-0.0	-3.8
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	83.0	0.0	0.0	3.2
0.0	0.0		J	83.0	0.0	0.0	3.2
0.0	0.0						
0.0	0.0	Min	I	-14.0	0.0	0.0	-4.2
0.0	0.0		J	-14.0	-0.0	-0.0	-4.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	48.7	0.0	0.0	2.8
0.0	0.0		J	48.7	0.0	0.0	2.8
0.0	0.0						
0.0	0.0	Min	I	-19.6	0.0	0.0	-1.9
0.0	0.0		J	-19.6	-0.0	-0.0	-1.9
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	49.8	0.0	0.0	2.0
0.0	0.0		J	49.8	0.0	0.0	2.0
0.0	0.0						
0.0	0.0	Min	I	-6.8	0.0	0.0	-2.1
0.0	0.0		J	-6.8	-0.0	-0.0	-2.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		G1	I	44.6	0.0	-0.9	-5.2
0.0	0.0		J	44.6	0.0	0.9	-5.2
0.0	0.0						
		G2	I	10.4	0.0	0.0	-2.1
0.0	0.0		J	10.4	0.0	-0.0	-2.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-13.9	0.0	0.0	0.4
0.0	0.0		J	-13.9	-0.0	0.0	0.4
0.0	0.0						
		Q5_pc Y	I	4.0	0.0	0.0	0.8
0.0	0.0		J	4.0	0.0	-0.0	0.8
0.0	0.0						
		Q5_ps X	I	-13.1	0.0	0.0	0.4
0.0	0.0		J	-13.1	-0.0	0.0	0.4
0.0	0.0						
		Q5_ps Y	I	4.7	0.0	0.0	0.9
0.0	0.0		J	4.7	0.0	-0.0	0.9
0.0	0.0						
		INVSLE Max	I	251.7	0.0	-1.2	-5.9
0.0	0.0		J	251.7	0.0	1.2	-5.9
0.0	0.0						
		Min	I	70.7	0.0	-1.2	-18.7
0.0	0.0		J	70.7	-0.0	1.2	-18.7
0.0	0.0						
		INVSLE Max	I	187.0	0.0	-0.9	-4.5
0.0	0.0		J	187.0	0.0	0.9	-4.5
0.0	0.0						
		Min	I	54.8	0.0	-0.9	-13.9
0.0	0.0		J	54.8	-0.0	0.9	-13.9
0.0	0.0						
8741	2	72 C1-C2;~1 Max	I	95.9	0.1	0.0	4.9
3.1	213.0		J	95.9	0.1	0.0	4.9
0.0	0.0						
		Min	I	-19.6	-0.2	-0.0	-1.9
-2.7	-583.1		J	-19.6	-0.2	-0.0	-1.9
0.0	0.0						
		C3-C4;~1 Max	I	79.2	0.1	0.0	3.1
2.3	207.5						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				J	79.2	0.1	0.0	3.1
0.0	0.0							
			Min	I	-15.1	-0.2	-0.0	-2.0
-2.7	-535.9							
				J	-15.1	-0.2	-0.0	-2.0
0.0	0.0							
			C1-C2;~2 Max	I	59.3	0.0	0.0	3.3
1.8	124.2							
				J	59.3	0.0	0.0	3.3
0.0	0.0							
			Min	I	-10.9	-0.1	-0.0	-1.2
-1.7	-387.7							
				J	-10.9	-0.1	-0.0	-1.2
0.0	0.0							
			C3-C4;~2 Max	I	46.8	0.0	0.0	2.0
1.2	105.1							
				J	46.8	0.0	0.0	2.0
0.0	0.0							
			Min	I	-6.9	-0.1	-0.0	-1.3
-1.7	-355.3							
				J	-6.9	-0.1	-0.0	-1.3
0.0	0.0							
			G1	I	43.7	0.0	0.9	0.8
5220.4	6.5							
				J	43.7	0.0	2.5	0.8
0.0	0.0							
			G2	I	9.5	0.0	0.0	0.4
1.3	43.1							
				J	9.5	0.0	0.0	0.4
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	11.7	-0.0	-0.0	0.2
-0.3	-25.0							
				J	11.7	-0.0	-0.0	0.2
0.0	0.0							
			Q5_pc Y	I	10.6	-0.0	-0.0	0.2
-0.4	-43.9							
				J	10.6	-0.0	-0.0	0.2
0.0	0.0							
			Q5_ps X	I	11.5	-0.0	-0.0	0.2
-0.3	-26.1							
				J	11.5	-0.0	-0.0	0.2
0.0	0.0							
			Q5_ps Y	I	12.6	-0.0	-0.0	0.3
-0.5	-53.9							
				J	12.6	-0.0	-0.0	0.3
0.0	0.0							
			INVSLU Max	I	260.9	0.2	1.2	10.9
7056.4	600.1							
				J	260.9	0.2	3.4	10.9
0.0	0.0							
			Min	I	84.0	-0.2	1.2	1.2
7047.8	-553.6							

MIDAS


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	84.0	-0.2	3.4	1.2
5227.0	439.3	INVSLE Max	I	193.7	0.1	0.9	8.1
0.0	0.0		J	193.7	0.1	2.5	8.1
5220.6	-409.4	Min	I	64.2	-0.1	0.9	0.9
0.0	0.0		J	64.2	-0.1	2.5	0.9
8742	2	72 C1-C2;~1 Max	I	83.8	0.1	0.0	4.2
0.0	0.0		J	83.8	0.1	0.0	4.2
3.0	579.6	Min	I	-34.5	-0.2	-0.0	-2.8
0.0	0.0		J	-34.5	-0.2	-0.0	-2.8
-3.3	-217.4						
0.0	0.0	C3-C4;~1 Max	I	84.1	0.0	0.0	4.1
1.7	520.6		J	84.1	0.0	0.0	4.1
0.0	0.0	Min	I	-16.4	-0.2	-0.0	-1.6
0.0	0.0		J	-16.4	-0.2	-0.0	-1.6
-2.5	-149.5						
0.0	0.0	C1-C2;~2 Max	I	49.4	0.0	0.0	2.5
1.9	387.0		J	49.4	0.0	0.0	2.5
0.0	0.0	Min	I	-20.6	-0.1	-0.0	-1.9
0.0	0.0		J	-20.6	-0.1	-0.0	-1.9
-2.1	-123.1						
0.0	0.0	C3-C4;~2 Max	I	49.9	0.0	0.0	2.5
1.0	352.3		J	49.9	0.0	0.0	2.5
0.0	0.0	Min	I	-8.2	-0.1	-0.0	-1.0
0.0	0.0		J	-8.2	-0.1	-0.0	-1.0
-1.6	-81.4						
0.0	0.0	G1	I	44.7	0.0	-2.5	2.0
5227.2	-20.9		J	44.7	0.0	-0.8	2.0
0.0	0.0	G2	I	10.6	0.0	-0.0	0.7
0.9	-45.4		J	10.6	0.0	-0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-1.1	0.0	-0.0	-0.1
			J	-1.1	0.0	-0.0	-0.1

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	-24.5								
		Q5_pc	Y	I	-8.3	0.0	-0.0	-0.2	
0.0	0.0			J	-8.3	0.0	-0.0	-0.2	
0.0	-2.5								
		Q5_ps	X	I	-1.0	0.0	-0.0	-0.1	
0.0	0.0			J	-1.0	0.0	-0.0	-0.1	
0.0	-23.8								
		Q5_ps	Y	I	-6.9	-0.0	0.0	-0.3	
0.0	0.0			J	-6.9	-0.0	0.0	-0.3	
-0.1	7.0								
		INVS LU	Max	I	257.8	0.2	-3.4	10.8	
0.0	0.0			J	257.8	0.2	-1.0	10.8	
7058.6	453.1		Min	I	82.6	-0.1	-3.4	0.9	
0.0	0.0			J	82.6	-0.1	-1.0	0.9	
7050.0	-666.9								
		INVS LE	Max	I	191.6	0.2	-2.5	8.0	
0.0	0.0			J	191.6	0.2	-0.8	8.0	
5228.5	329.9		Min	I	62.9	-0.1	-2.5	0.8	
0.0	0.0			J	62.9	-0.1	-0.8	0.8	
5222.2	-496.5								
8743	2	72	C1-C2;~1	Max	I	94.4	0.0	0.0	3.5
0.0	0.0			J	94.4	0.0	0.0	3.5	
0.0	0.0		Min	I	-19.1	-0.0	-0.0	-5.5	
0.0	0.0			J	-19.1	-0.0	0.0	-5.5	
0.0	0.0								
		C3-C4;~1	Max	I	78.1	0.0	0.0	3.7	
0.0	0.0			J	78.1	0.0	0.0	3.7	
0.0	0.0		Min	I	-11.6	-0.0	-0.0	-2.5	
0.0	0.0			J	-11.6	-0.0	0.0	-2.5	
0.0	0.0								
		C1-C2;~2	Max	I	58.5	0.0	0.0	2.3	
0.0	0.0			J	58.5	0.0	0.0	2.3	
0.0	0.0		Min	I	-10.7	-0.0	-0.0	-3.5	
0.0	0.0			J	-10.7	-0.0	0.0	-3.5	
0.0	0.0								
		C3-C4;~2	Max	I	45.9	0.0	0.0	2.5	
0.0	0.0			J	45.9	0.0	0.0	2.5	
0.0	0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-5.4	-0.0	-0.0	-1.3
			J	-5.4	-0.0	0.0	-1.3
0.0	0.0						
		G1	I	43.1	-0.0	-0.8	-1.1
0.0	0.0		J	43.1	0.0	0.8	-1.1
0.0	0.0						
		G2	I	9.6	-0.0	-0.0	-1.5
0.0	0.0		J	9.6	0.0	0.0	-1.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.4	0.0	0.0	-0.1
0.0	0.0		J	-1.4	-0.0	0.0	-0.1
0.0	0.0						
		Q5_pc Y	I	22.3	-0.0	0.0	-0.2
0.0	0.0		J	22.3	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps X	I	-1.3	0.0	0.0	-0.0
0.0	0.0		J	-1.3	-0.0	0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	23.7	-0.0	0.0	-0.1
0.0	0.0		J	23.7	0.0	0.0	-0.1
0.0	0.0						
		INVSLU Max	I	254.7	0.0	-1.1	3.1
0.0	0.0		J	254.7	0.0	1.1	3.1
0.0	0.0						
		Min	I	57.1	-0.0	-1.1	-9.6
0.0	0.0		J	57.1	-0.0	1.1	-9.6
0.0	0.0						
		INVSLE Max	I	188.6	0.0	-0.8	2.3
0.0	0.0		J	188.6	0.0	0.8	2.3
0.0	0.0						
		Min	I	46.4	-0.0	-0.8	-7.1
0.0	0.0		J	46.4	-0.0	0.8	-7.1
0.0	0.0						
8744	2	72 C1-C2;~1 Max	I	94.8	0.0	0.0	1.8
0.0	0.0		J	94.8	0.0	0.0	1.8
0.0	0.0						
		Min	I	-19.1	0.0	0.0	-6.2
0.0	0.0		J	-19.1	-0.0	-0.0	-6.2
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	C3-C4;~1 Max	I	78.4	0.0	0.0	1.8
			J	78.4	0.0	0.0	1.8
0.0	0.0	Min	I	-11.6	0.0	0.0	-4.2
0.0	0.0		J	-11.6	-0.0	-0.0	-4.2
0.0	0.0	C1-C2;~2 Max	I	58.8	0.0	0.0	1.0
			J	58.8	0.0	0.0	1.0
0.0	0.0	Min	I	-10.7	0.0	0.0	-4.1
0.0	0.0		J	-10.7	-0.0	-0.0	-4.1
0.0	0.0	C3-C4;~2 Max	I	46.2	0.0	0.0	1.0
			J	46.2	0.0	0.0	1.0
0.0	0.0	Min	I	-5.4	0.0	0.0	-2.7
0.0	0.0		J	-5.4	-0.0	-0.0	-2.7
0.0	0.0	G1	I	43.1	0.0	-0.9	-1.6
			J	43.1	0.0	0.9	-1.6
0.0	0.0	G2	I	9.6	0.0	0.0	0.2
			J	9.6	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.4	0.0	0.0	-0.0
			J	-1.4	-0.0	-0.0	-0.0
0.0	0.0	Q5_pc Y	I	22.3	0.0	0.0	-0.1
			J	22.3	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	-1.3	0.0	0.0	-0.0
			J	-1.3	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps Y	I	23.7	0.0	0.0	-0.4
			J	23.7	0.0	-0.0	-0.4
0.0	0.0	INVSLU Max	I	254.9	0.0	-1.2	-4.5
			J	254.9	0.0	1.2	-4.5

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		Min	I	56.9	0.0	-1.2	-15.6
0.0	0.0			J	56.9	-0.0	1.2	-15.6
0.0	0.0		INVSLE Max	I	188.7	0.0	-0.9	-3.5
0.0	0.0			J	188.7	0.0	0.9	-3.5
0.0	0.0		Min	I	46.2	0.0	-0.9	-11.6
0.0	0.0			J	46.2	-0.0	0.9	-11.6
8745	2	72	C1-C2;~1 Max	I	83.9	0.2	0.0	3.5
3.1	579.6			J	83.9	0.2	0.0	3.5
0.0	0.0		Min	I	-34.6	-0.1	-0.0	-3.2
-2.9	-217.4			J	-34.6	-0.1	-0.0	-3.2
0.0	0.0		C3-C4;~1 Max	I	84.2	0.2	0.0	3.9
2.4	520.6			J	84.2	0.2	0.0	3.9
0.0	0.0		Min	I	-16.4	-0.0	-0.0	-2.1
-1.6	-149.5			J	-16.4	-0.0	-0.0	-2.1
0.0	0.0		C1-C2;~2 Max	I	49.4	0.1	0.0	2.0
2.0	387.0			J	49.4	0.1	0.0	2.0
0.0	0.0		Min	I	-20.6	-0.0	-0.0	-2.1
-1.8	-123.1			J	-20.6	-0.0	-0.0	-2.1
0.0	0.0		C3-C4;~2 Max	I	49.9	0.1	0.0	2.3
1.5	352.3			J	49.9	0.1	0.0	2.3
0.0	0.0		Min	I	-8.2	-0.0	-0.0	-1.4
-0.9	-81.4			J	-8.2	-0.0	-0.0	-1.4
0.0	0.0		G1	I	44.7	-0.0	0.9	1.9
5227.7	-20.9			J	44.7	-0.0	2.5	1.9
0.0	0.0		G2	I	10.6	-0.0	-0.0	1.0
-0.8	-45.4			J	10.6	-0.0	-0.0	1.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-24.5	Q5_pc X	I	-1.1	-0.0	-0.0	-0.1
0.0	0.0		J	-1.1	-0.0	-0.0	-0.1
-0.0	-2.5	Q5_pc Y	I	-8.3	-0.0	-0.0	-0.2
0.0	0.0		J	-8.3	-0.0	-0.0	-0.2
-0.0	-23.8	Q5_ps X	I	-1.0	-0.0	-0.0	-0.1
0.0	0.0		J	-1.0	-0.0	-0.0	-0.1
0.1	7.0	Q5_ps Y	I	-6.9	0.0	0.0	-0.3
0.0	0.0		J	-6.9	0.0	0.0	-0.3
7063.7	453.1	INVSLE Max	I	257.8	0.1	1.2	9.4
0.0	0.0		J	257.8	0.1	3.4	9.4
7055.6	-666.9	Min	I	82.5	-0.2	1.2	-0.5
0.0	0.0		J	82.5	-0.2	3.4	-0.5
5232.4	329.9	INVSLE Max	I	191.6	0.1	0.9	7.0
0.0	0.0		J	191.6	0.1	2.5	7.0
5226.4	-496.5	Min	I	62.9	-0.2	0.9	-0.3
0.0	0.0		J	62.9	-0.2	2.5	-0.3
8746	2	72 C1-C2;~1 Max	I	98.3	0.2	0.0	4.6
0.0	0.0		J	98.3	0.2	0.0	4.6
3.7	589.9	Min	I	-46.1	-0.2	-0.0	-3.0
0.0	0.0		J	-46.1	-0.2	-0.0	-3.0
-2.4	-596.6						
0.0	0.0	C3-C4;~1 Max	I	82.2	0.2	0.0	3.7
3.9	504.4		J	82.2	0.2	0.0	3.7
0.0	0.0	Min	I	-34.2	-0.2	-0.0	-1.8
-1.3	-528.0		J	-34.2	-0.2	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	58.4	0.1	0.0	2.7
2.3	390.8		J	58.4	0.1	0.0	2.7
0.0	0.0	Min	I	-26.4	-0.1	-0.0	-1.8
-1.6	-398.6		J	-26.4	-0.1	-0.0	-1.8
		C3-C4;~2 Max	I	47.1	0.1	0.0	2.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	47.1	0.1	0.0 2.2
2.4	332.3		Min	I	-17.0	-0.1	-0.0 -0.9
0.0	0.0			J	-17.0	-0.1	-0.0 -0.9
-0.7	-351.4		G1	I	27.2	-0.0	-2.5 1.0
0.0	0.0			J	27.2	-0.0	-0.8 1.0
5214.7	30.9		G2	I	0.9	-0.0	-0.0 -0.1
0.0	0.0			J	0.9	-0.0	-0.0 -0.1
0.6	24.7		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Q5_pc X	I	-2.8	0.0	-0.0 0.1
0.0	0.0			J	-2.8	0.0	-0.0 0.1
0.1	-46.0		Q5_pc Y	I	-5.3	0.0	-0.0 0.4
0.0	0.0			J	-5.3	0.0	-0.0 0.4
0.2	-6.2		Q5_ps X	I	-2.7	0.0	-0.0 0.1
0.0	0.0			J	-2.7	0.0	-0.0 0.1
0.1	-44.3		Q5_ps Y	I	-1.9	0.0	-0.0 0.5
0.0	0.0			J	-1.9	0.0	-0.0 0.5
0.0	-9.5		INVSLE Max	I	164.8	0.2	-3.4 12.7
0.0	0.0			J	164.8	0.2	-1.0 12.7
7041.5	922.3		Min	I	-39.7	-0.3	-3.4 1.8
0.0	0.0			J	-39.7	-0.3	-1.0 1.8
7032.6	-762.3		INVSLE Max	I	123.3	0.2	-2.5 9.5
0.0	0.0			J	123.3	0.2	-0.8 9.5
5215.8	681.4		Min	I	-27.5	-0.2	-2.5 1.5
0.0	0.0			J	-27.5	-0.2	-0.8 1.5
5209.2	-560.4		72 C1-C2;~1 Max	I	100.1	0.0	0.0 3.1
8747	2			J	100.1	0.0	0.0 3.1
0.0	0.0		Min	I	-41.7	-0.0	-0.0 -6.5

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0		J	-41.7	0.0	-0.0	-6.5
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	I	87.1	0.0	0.9
0.0	0.0			J	87.1	0.0	0.9
0.0	0.0		Min	I	-15.5	-0.0	-6.9
0.0	0.0			J	-15.5	0.0	-6.9
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	I	59.9	0.0	1.9
0.0	0.0			J	59.9	0.0	1.9
0.0	0.0		Min	I	-24.8	-0.0	-4.0
0.0	0.0			J	-24.8	0.0	-4.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	I	48.7	0.0	0.4
0.0	0.0			J	48.7	0.0	0.4
0.0	0.0		Min	I	-7.3	-0.0	-4.3
0.0	0.0			J	-7.3	0.0	-4.3
0.0	0.0						
0.0	0.0		G1	I	40.1	-0.0	-1.4
0.0	0.0			J	40.1	0.0	-1.4
0.0	0.0						
0.0	0.0		G2	I	6.2	-0.0	-0.4
0.0	0.0			J	6.2	0.0	-0.4
0.0	0.0						
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc	X	I	-0.2	-0.1
0.0	0.0			J	-0.2	0.0	-0.1
0.0	0.0						
0.0	0.0		Q5_pc	Y	I	22.7	-0.3
0.0	0.0			J	22.7	0.0	-0.3
0.0	0.0						
0.0	0.0		Q5_ps	X	I	-0.2	-0.1
0.0	0.0			J	-0.2	0.0	-0.1
0.0	0.0						
0.0	0.0		Q5_ps	Y	I	23.8	-0.3
0.0	0.0			J	23.8	0.0	-0.3
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	INVS LU Max	I	311.5	0.0	-1.1	2.3
			J	311.5	0.0	1.1	2.3
0.0	0.0	Min	I	79.2	-0.0	-1.1	-11.8
0.0	0.0		J	79.2	0.0	1.1	-11.8
0.0	0.0	INVS LE Max	I	231.1	0.0	-0.8	1.6
0.0	0.0		J	231.1	0.0	0.8	1.6
0.0	0.0	Min	I	62.0	-0.0	-0.8	-8.7
0.0	0.0		J	62.0	0.0	0.8	-8.7
8748	2	72 C1-C2;~1 Max	I	100.3	0.0	0.0	4.5
0.0	0.0		J	100.3	0.0	0.0	4.5
0.0	0.0	Min	I	-41.7	0.0	0.0	-6.6
0.0	0.0		J	-41.7	-0.0	0.0	-6.6
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	4.3
0.0	0.0		J	87.1	0.0	0.0	4.3
0.0	0.0	Min	I	-15.6	0.0	0.0	-4.1
0.0	0.0		J	-15.6	-0.0	0.0	-4.1
0.0	0.0	C1-C2;~2 Max	I	60.0	0.0	0.0	2.5
0.0	0.0		J	60.0	0.0	0.0	2.5
0.0	0.0	Min	I	-24.8	0.0	0.0	-4.2
0.0	0.0		J	-24.8	-0.0	0.0	-4.2
0.0	0.0	C3-C4;~2 Max	I	48.6	0.0	0.0	2.4
0.0	0.0		J	48.6	0.0	0.0	2.4
0.0	0.0	Min	I	-7.3	0.0	0.0	-2.2
0.0	0.0		J	-7.3	-0.0	0.0	-2.2
0.0	0.0	G1	I	40.1	0.0	-0.9	-0.4
0.0	0.0		J	40.1	0.0	0.9	-0.4
0.0	0.0	G2	I	6.2	0.0	0.0	0.7
0.0	0.0		J	6.2	0.0	0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	-0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	22.7	0.0	0.0	-0.0
0.0	0.0		J	22.7	-0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	23.8	0.0	0.0	-0.3
0.0	0.0		J	23.8	-0.0	0.0	-0.3
0.0	0.0	INVS LU Max	I	311.9	0.0	-1.2	-2.1
0.0	0.0		J	311.9	0.0	1.2	-2.1
0.0	0.0	Min	I	79.3	0.0	-1.2	-17.2
0.0	0.0		J	79.3	-0.0	1.2	-17.2
0.0	0.0	INVS LE Max	I	231.3	0.0	-0.9	-1.8
0.0	0.0		J	231.3	0.0	0.9	-1.8
0.0	0.0	Min	I	62.1	0.0	-0.9	-13.0
0.0	0.0		J	62.1	-0.0	0.9	-13.0
8749	2	72 C1-C2;~1 Max	I	98.2	0.2	0.0	5.1
2.3	589.9		J	98.2	0.2	0.0	5.1
0.0	0.0	Min	I	-46.1	-0.2	-0.0	-2.4
-3.5	-596.6		J	-46.1	-0.2	-0.0	-2.4
0.0	0.0	C3-C4;~1 Max	I	82.2	0.2	0.0	4.1
1.2	504.4		J	82.2	0.2	0.0	4.1
0.0	0.0	Min	I	-34.2	-0.2	-0.0	-1.3
-3.8	-528.0		J	-34.2	-0.2	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	58.4	0.1	0.0	3.1
1.5	390.8		J	58.4	0.1	0.0	3.1
0.0	0.0	Min	I	-26.4	-0.1	-0.0	-1.4
-2.2	-398.6		J	-26.4	-0.1	-0.0	-1.4

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0								
		C3-C4;~2	Max	I	47.1	0.1	0.0	2.4	
0.7	332.3			J	47.1	0.1	0.0	2.4	
0.0	0.0								
			Min	I	-17.0	-0.1	-0.0	-0.6	
-2.3	-351.4			J	-17.0	-0.1	-0.0	-0.6	
0.0	0.0								
			G1	I	27.2	0.0	0.9	1.2	
5213.6	30.9			J	27.2	0.0	2.5	1.2	
0.0	0.0								
			G2	I	0.9	0.0	-0.0	0.1	
-0.5	24.7			J	0.9	0.0	-0.0	0.1	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-2.8	-0.0	-0.0	0.1	
-0.0	-46.0			J	-2.8	-0.0	-0.0	0.1	
0.0	0.0								
			Q5_pc Y	I	-5.3	-0.0	-0.0	0.4	
-0.1	-6.2			J	-5.3	-0.0	-0.0	0.4	
0.0	0.0								
			Q5_ps X	I	-2.7	-0.0	-0.0	0.1	
-0.0	-44.3			J	-2.7	-0.0	-0.0	0.1	
0.0	0.0								
			Q5_ps Y	I	-1.9	-0.0	-0.0	0.5	
-0.0	-9.5			J	-1.9	-0.0	-0.0	0.5	
0.0	0.0								
			INVS LU Max	I	164.8	0.3	1.2	12.4	
7045.3	922.3			J	164.8	0.3	3.4	12.4	
0.0	0.0								
			Min	I	-39.7	-0.2	1.2	1.4	
7036.8	-762.3			J	-39.7	-0.2	3.4	1.4	
0.0	0.0								
			INVS LE Max	I	123.3	0.2	0.9	9.3	
5218.8	681.4			J	123.3	0.2	2.5	9.3	
0.0	0.0								
			Min	I	-27.4	-0.2	0.9	1.2	
5212.5	-560.4			J	-27.4	-0.2	2.5	1.2	
0.0	0.0								
		72	C1-C2;~1	Max	I	81.1	0.2	0.0	4.3
8750	2								
0.0	0.0								

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	81.1	0.2	0.0	4.3	
3.5	469.0		Min	I	-56.2	-0.1	-0.0	-3.1	
0.0	0.0			J	-56.2	-0.1	-0.0	-3.1	
-1.8	-604.8								
			C3-C4;~1	Max	I	56.2	0.2	0.0	3.0
0.0	0.0			J	56.2	0.2	0.0	3.0	
3.8	389.8		Min	I	-45.5	-0.1	-0.0	-1.7	
0.0	0.0			J	-45.5	-0.1	-0.0	-1.7	
-1.2	-571.0								
			C1-C2;~2	Max	I	48.8	0.1	0.0	2.6
0.0	0.0			J	48.8	0.1	0.0	2.6	
2.1	288.8		Min	I	-31.5	-0.1	-0.0	-1.8	
0.0	0.0			J	-31.5	-0.1	-0.0	-1.8	
-1.2	-393.3								
			C3-C4;~2	Max	I	30.8	0.1	0.0	1.7
0.0	0.0			J	30.8	0.1	0.0	1.7	
2.3	232.5		Min	I	-23.6	-0.1	-0.0	-0.9	
0.0	0.0			J	-23.6	-0.1	-0.0	-0.9	
-0.7	-366.3								
			G1	I	-7.5	-0.0	-2.5	0.4	
0.0	0.0			J	-7.5	-0.0	-0.8	0.4	
5205.6	8.1								
			G2	I	-11.7	0.0	-0.0	-0.4	
0.0	0.0			J	-11.7	0.0	-0.0	-0.4	
0.6	-4.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-4.3	0.0	0.0	0.2
0.0	0.0			J	-4.3	0.0	0.0	0.2	
-0.0	-49.0								
			Q5_pc	Y	I	-1.8	-0.0	0.0	0.2
0.0	0.0			J	-1.8	-0.0	0.0	0.2	
-0.0	29.7								
			Q5_ps	X	I	-4.3	0.0	-0.0	0.1
0.0	0.0			J	-4.3	0.0	-0.0	0.1	
0.0	-47.7								
			Q5_ps	Y	I	1.1	-0.0	0.0	0.3
0.0	0.0								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.2	32.6		J	1.1	-0.0	0.0	0.3
0.0	0.0	INVS LU Max	I	-18.9	0.3	-3.4	11.5
7029.6	624.0		J	-18.9	0.3	-1.0	11.5
0.0	0.0	Min	I	-212.0	-0.2	-3.4	1.2
7022.0	-913.7		J	-212.0	-0.2	-1.1	1.2
0.0	0.0	INVS LE Max	I	-18.0	0.2	-2.5	8.8
5206.9	434.0		J	-18.0	0.2	-0.8	8.8
0.0	0.0	Min	I	-160.5	-0.1	-2.5	1.2
5201.2	-698.6		J	-160.5	-0.1	-0.8	1.2
8751	2	72 C1-C2;~1 Max	I	65.6	0.0	0.0	2.9
0.0	0.0		J	65.6	0.0	0.0	2.9
0.0	0.0	Min	I	-54.8	-0.0	0.0	-5.6
0.0	0.0		J	-54.8	0.0	-0.0	-5.6
0.0	0.0	C3-C4;~1 Max	I	56.8	0.0	0.0	1.7
0.0	0.0		J	56.8	0.0	0.0	1.7
0.0	0.0	Min	I	-23.9	-0.0	0.0	-6.2
0.0	0.0		J	-23.9	0.0	-0.0	-6.2
0.0	0.0	C1-C2;~2 Max	I	39.5	0.0	0.0	1.8
0.0	0.0		J	39.5	0.0	0.0	1.8
0.0	0.0	Min	I	-33.0	-0.0	0.0	-3.4
0.0	0.0		J	-33.0	0.0	-0.0	-3.4
0.0	0.0	C3-C4;~2 Max	I	34.2	0.0	0.0	0.9
0.0	0.0		J	34.2	0.0	0.0	0.9
0.0	0.0	Min	I	-12.3	-0.0	0.0	-3.8
0.0	0.0		J	-12.3	0.0	-0.0	-3.8
0.0	0.0	G1	I	0.5	-0.0	-0.8	-0.7
0.0	0.0		J	0.5	0.0	0.8	-0.7
0.0	0.0	G2	I	-8.4	-0.0	0.0	-0.3
0.0	0.0		J	-8.4	0.0	-0.0	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	17.6	0.0	0.0	-0.3
0.0	0.0		J	17.6	0.0	-0.0	-0.3
0.0	0.0	Q5_ps X	I	-0.6	0.0	0.0	0.0
0.0	0.0		J	-0.6	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	19.1	0.0	0.0	-0.2
0.0	0.0		J	19.1	0.0	-0.0	-0.2
0.0	0.0	INVS LU Max	I	189.4	0.0	-1.1	2.7
0.0	0.0		J	189.4	0.0	1.1	2.7
0.0	0.0	Min	I	-4.8	-0.0	-1.1	-10.1
0.0	0.0		J	-4.8	0.0	1.1	-10.1
0.0	0.0	INVS LE Max	I	135.8	0.0	-0.8	1.9
0.0	0.0		J	135.8	0.0	0.8	1.9
0.0	0.0	Min	I	-5.7	-0.0	-0.8	-7.5
0.0	0.0		J	-5.7	0.0	0.8	-7.5
8752	2	72 C1-C2;~1 Max	I	65.9	0.0	0.0	4.5
0.0	0.0		J	65.9	0.0	0.0	4.5
0.0	0.0	Min	I	-54.8	0.0	-0.0	-5.1
0.0	0.0		J	-54.8	-0.0	0.0	-5.1
0.0	0.0	C3-C4;~1 Max	I	56.7	0.0	0.0	3.8
0.0	0.0		J	56.7	0.0	0.0	3.8
0.0	0.0	Min	I	-24.0	0.0	-0.0	-3.3
0.0	0.0		J	-24.0	-0.0	0.0	-3.3
0.0	0.0	C1-C2;~2 Max	I	39.7	0.0	0.0	2.5
0.0	0.0		J	39.7	0.0	0.0	2.5

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	Min	I	-33.0	0.0	-0.0	-3.1
0.0	0.0		J	-33.0	-0.0	0.0	-3.1
0.0	0.0	C3-C4;~2 Max	I	34.1	0.0	0.0	2.1
0.0	0.0		J	34.1	0.0	0.0	2.1
0.0	0.0	Min	I	-12.3	0.0	-0.0	-1.7
0.0	0.0		J	-12.3	-0.0	0.0	-1.7
0.0	0.0	G1	I	0.5	0.0	-0.9	0.2
0.0	0.0		J	0.5	0.0	0.9	0.2
0.0	0.0	G2	I	-8.4	0.0	0.0	1.0
0.0	0.0		J	-8.4	0.0	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.4	0.0	-0.0	0.0
0.0	0.0		J	-0.4	-0.0	0.0	0.0
0.0	0.0	Q5_pc Y	I	17.6	0.0	0.0	-0.3
0.0	0.0		J	17.6	-0.0	0.0	-0.3
0.0	0.0	Q5_ps X	I	-0.6	0.0	-0.0	0.0
0.0	0.0		J	-0.6	-0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	19.2	0.0	0.0	-0.5
0.0	0.0		J	19.2	-0.0	0.0	-0.5
0.0	0.0	INVSLU Max	I	189.7	0.0	-1.2	-0.1
0.0	0.0		J	189.7	0.0	1.2	-0.1
0.0	0.0	Min	I	-4.8	0.0	-1.2	-13.5
0.0	0.0		J	-4.8	-0.0	1.2	-13.5
0.0	0.0	INVSLE Max	I	136.0	0.0	-0.9	-0.6
0.0	0.0		J	136.0	0.0	0.9	-0.6
0.0	0.0	Min	I	-5.8	0.0	-0.9	-10.5
0.0	0.0		J	-5.8	-0.0	0.9	-10.5

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8753	2	72	C1-C2;~1	Max	I	81.1	0.2	0.0	4.7
1.8	469.0				J	81.1	0.2	0.0	4.7
0.0	0.0								
-3.3	-604.8			Min	I	-56.2	-0.2	-0.0	-2.5
0.0	0.0				J	-56.2	-0.2	-0.0	-2.5
1.1	389.8		C3-C4;~1	Max	I	56.2	0.1	0.0	3.5
0.0	0.0				J	56.2	0.1	0.0	3.5
-3.6	-571.0			Min	I	-45.5	-0.2	-0.0	-1.3
0.0	0.0				J	-45.5	-0.2	-0.0	-1.3
1.1	288.8		C1-C2;~2	Max	I	48.7	0.1	0.0	2.9
0.0	0.0				J	48.7	0.1	0.0	2.9
-2.0	-393.3			Min	I	-31.5	-0.1	-0.0	-1.5
0.0	0.0				J	-31.5	-0.1	-0.0	-1.5
0.7	232.5		C3-C4;~2	Max	I	30.8	0.1	0.0	2.1
0.0	0.0				J	30.8	0.1	0.0	2.1
-2.2	-366.3			Min	I	-23.6	-0.1	-0.0	-0.7
0.0	0.0				J	-23.6	-0.1	-0.0	-0.7
5204.7	8.1			G1	I	-7.5	0.0	0.9	0.6
0.0	0.0				J	-7.5	0.0	2.5	0.6
-0.6	-4.7			G2	I	-11.7	-0.0	-0.0	-0.1
0.0	0.0				J	-11.7	-0.0	-0.0	-0.1
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	-49.0			Q5_pc X	I	-4.3	-0.0	0.0	0.2
0.0	0.0				J	-4.3	-0.0	0.0	0.2
0.0	29.7			Q5_pc Y	I	-1.8	0.0	0.0	0.2
0.0	0.0				J	-1.8	0.0	0.0	0.2
-0.0	-47.7			Q5_ps X	I	-4.3	-0.0	-0.0	0.1
0.0	0.0				J	-4.3	-0.0	-0.0	0.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.1	32.6	Q5_ps Y	I	1.1	0.0	0.0	0.3
0.0	0.0		J	1.1	0.0	0.0	0.3
7031.6	624.0	INVSLE Max	I	-18.9	0.2	1.2	11.1
0.0	0.0		J	-18.9	0.2	3.4	11.1
7024.4	-913.7	Min	I	-212.0	-0.3	1.2	1.1
0.0	0.0		J	-212.0	-0.3	3.4	1.1
5208.8	434.0	INVSLE Max	I	-18.0	0.1	0.9	8.5
0.0	0.0		J	-18.0	0.1	2.5	8.5
5203.5	-698.6	Min	I	-160.5	-0.2	0.9	1.1
0.0	0.0		J	-160.5	-0.2	2.5	1.1
8754	2	72 C1-C2;~1 Max	I	66.9	0.1	0.0	3.4
0.0	0.0		J	66.9	0.1	0.0	3.4
3.3	288.9	Min	I	-29.6	-0.1	-0.0	-3.4
0.0	0.0		J	-29.6	-0.1	-0.0	-3.4
-1.3	-412.6						
0.0	0.0	C3-C4;~1 Max	I	56.2	0.1	0.0	2.4
3.6	234.5		J	56.2	0.1	0.0	2.4
0.0	0.0	Min	I	-14.1	-0.1	-0.0	-2.4
-0.9	-377.3		J	-14.1	-0.1	-0.0	-2.4
0.0	0.0	C1-C2;~2 Max	I	42.6	0.1	0.0	2.0
1.9	183.0		J	42.6	0.1	0.0	2.0
0.0	0.0	Min	I	-16.6	-0.1	-0.0	-2.0
-0.8	-273.2		J	-16.6	-0.1	-0.0	-2.0
0.0	0.0	C3-C4;~2 Max	I	35.6	0.1	0.0	1.3
2.1	144.1		J	35.6	0.1	0.0	1.3
0.0	0.0	Min	I	-6.6	-0.0	-0.0	-1.3
-0.5	-250.7		J	-6.6	-0.0	-0.0	-1.3
0.0	0.0	G1	I	-3.7	0.0	-2.5	-1.0
5197.1	-11.0		J	-3.7	0.0	-0.8	-1.0
		G2	I	-10.9	0.0	-0.0	-1.0

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-10.9	0.0	-0.0 -1.0
0.5	-2.4						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-1.4	0.0	-0.0 0.1
0.0	0.0			J	-1.4	0.0	-0.0 0.1
0.0	-22.5						
			Q5_pc Y	I	1.7	-0.0	0.0 0.2
0.0	0.0			J	1.7	-0.0	0.0 0.2
-0.1	25.6						
			Q5_ps X	I	-1.6	0.0	-0.0 0.0
0.0	0.0			J	-1.6	0.0	-0.0 0.0
0.1	-22.0						
			Q5_ps Y	I	4.6	-0.0	0.0 0.3
0.0	0.0			J	4.6	-0.0	0.0 0.3
-0.2	24.7						
			INVS LU Max	I	-201.8	0.1	-3.4 7.8
0.0	0.0			J	-201.8	0.1	-1.1 7.8
7020.1	576.5		Min	I	-335.2	-0.2	-3.4 -1.7
0.0	0.0			J	-335.2	-0.2	-1.1 -1.7
7013.4	-416.8						
			INVS LE Max	I	-164.0	0.1	-2.5 6.3
0.0	0.0			J	-164.0	0.1	-0.8 6.3
5199.9	422.6		Min	I	-262.6	-0.1	-2.5 -0.7
0.0	0.0			J	-262.6	-0.1	-0.8 -0.7
5195.0	-309.7						
8755	2	72	C1-C2;~1 Max	I	59.6	0.0	0.0 2.2
0.0	0.0			J	59.6	0.0	0.0 2.2
0.0	0.0		Min	I	-29.2	0.0	-0.0 -4.3
0.0	0.0			J	-29.2	0.0	-0.0 -4.3
0.0	0.0						
			C3-C4;~1 Max	I	53.2	0.0	0.0 1.5
0.0	0.0			J	53.2	0.0	0.0 1.5
0.0	0.0		Min	I	-11.4	0.0	-0.0 -5.0
0.0	0.0			J	-11.4	0.0	-0.0 -5.0
0.0	0.0						
			C1-C2;~2 Max	I	38.2	0.0	0.0 1.3

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	38.2	0.0	0.0	1.3
0.0	0.0	Min	I	-17.2	0.0	-0.0	-2.6
0.0	0.0		J	-17.2	0.0	-0.0	-2.6
0.0	0.0	C3-C4;~2 Max	I	34.6	0.0	0.0	0.8
0.0	0.0		J	34.6	0.0	0.0	0.8
0.0	0.0	Min	I	-5.2	0.0	-0.0	-3.1
0.0	0.0		J	-5.2	0.0	-0.0	-3.1
0.0	0.0	G1	I	-6.3	0.0	-0.8	0.4
0.0	0.0		J	-6.3	0.0	0.8	0.4
0.0	0.0	G2	I	-11.6	0.0	0.0	0.2
0.0	0.0		J	-11.6	0.0	-0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.9	0.0	-0.0	-0.0
0.0	0.0		J	-0.9	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	11.6	0.0	0.0	-0.2
0.0	0.0		J	11.6	0.0	-0.0	-0.2
0.0	0.0	Q5_ps X	I	-1.3	0.0	-0.0	-0.0
0.0	0.0		J	-1.3	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	14.0	0.0	0.0	-0.3
0.0	0.0		J	14.0	0.0	-0.0	-0.3
0.0	0.0	INVSLE Max	I	3.2	0.0	-1.1	1.3
0.0	0.0		J	3.2	0.0	1.1	1.3
0.0	0.0	Min	I	-137.4	0.0	-1.1	-8.9
0.0	0.0		J	-137.4	0.0	1.1	-8.9
0.0	0.0	INVSLE Max	I	-12.6	0.0	-0.8	0.6
0.0	0.0		J	-12.6	0.0	0.8	0.6
0.0	0.0	Min	I	-115.2	0.0	-0.8	-6.9

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			J	-115.2	0.0	0.8	-6.9
0.0	0.0							
8756	2	72	C1-C2;~1	Max	I	59.7	0.0	4.9
0.0	0.0				J	59.7	0.0	4.9
0.0	0.0			Min	I	-29.2	-0.0	-4.0
0.0	0.0				J	-29.2	-0.0	-4.0
0.0	0.0							
			C3-C4;~1	Max	I	53.1	0.0	4.1
0.0	0.0				J	53.1	0.0	4.1
0.0	0.0			Min	I	-11.5	-0.0	-2.7
0.0	0.0				J	-11.5	-0.0	-2.7
0.0	0.0							
			C1-C2;~2	Max	I	38.2	0.0	2.8
0.0	0.0				J	38.2	0.0	2.8
0.0	0.0			Min	I	-17.2	-0.0	-2.4
0.0	0.0				J	-17.2	-0.0	-2.4
0.0	0.0							
			C3-C4;~2	Max	I	34.6	0.0	2.2
0.0	0.0				J	34.6	0.0	2.2
0.0	0.0			Min	I	-5.2	-0.0	-1.3
0.0	0.0				J	-5.2	-0.0	-1.3
0.0	0.0							
			G1		I	-6.3	-0.0	1.2
0.0	0.0				J	-6.3	0.0	1.2
0.0	0.0							
			G2		I	-11.6	-0.0	1.3
0.0	0.0				J	-11.6	0.0	1.3
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-0.9	0.0	0.0
0.0	0.0				J	-0.9	-0.0	0.0
0.0	0.0							
			Q5_pc	Y	I	11.6	0.0	-0.4
0.0	0.0				J	11.6	-0.0	-0.4
0.0	0.0							
			Q5_ps	X	I	-1.3	0.0	0.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	-1.3	-0.0	-0.0	0.1	
0.0	0.0								
0.0	0.0	Q5_ps	Y	I	14.0	0.0	0.0	-0.6	
0.0	0.0			J	14.0	-0.0	0.0	-0.6	
0.0	0.0								
0.0	0.0	INVSLE	Max	I	3.4	0.0	-1.2	4.3	
0.0	0.0			J	3.4	0.0	1.2	4.3	
0.0	0.0		Min	I	-137.3	-0.0	-1.2	-8.4	
0.0	0.0			J	-137.3	-0.0	1.2	-8.4	
0.0	0.0								
0.0	0.0	INVSLE	Max	I	-12.4	0.0	-0.9	2.5	
0.0	0.0			J	-12.4	0.0	0.9	2.5	
0.0	0.0		Min	I	-115.1	-0.0	-0.9	-6.9	
0.0	0.0			J	-115.1	-0.0	0.9	-6.9	
0.0	0.0								
8757	2	72	C1-C2;~1	Max	I	66.9	0.1	0.0	3.6
1.2	288.9			J	66.9	0.1	0.0	3.6	
0.0	0.0		Min	I	-29.6	-0.1	-0.0	-2.7	
-3.1	-412.6			J	-29.6	-0.1	-0.0	-2.7	
0.0	0.0								
0.0	0.0	C3-C4;~1	Max	I	56.2	0.1	0.0	2.8	
0.9	234.5			J	56.2	0.1	0.0	2.8	
0.0	0.0		Min	I	-14.2	-0.1	-0.0	-2.0	
-3.4	-377.3			J	-14.2	-0.1	-0.0	-2.0	
0.0	0.0								
0.0	0.0	C1-C2;~2	Max	I	42.5	0.1	0.0	2.2	
0.7	183.0			J	42.5	0.1	0.0	2.2	
0.0	0.0		Min	I	-16.6	-0.1	-0.0	-1.5	
-1.8	-273.2			J	-16.6	-0.1	-0.0	-1.5	
0.0	0.0								
0.0	0.0	C3-C4;~2	Max	I	35.6	0.0	0.0	1.6	
0.5	144.1			J	35.6	0.0	0.0	1.6	
0.0	0.0		Min	I	-6.6	-0.1	-0.0	-1.0	
-2.0	-250.7			J	-6.6	-0.1	-0.0	-1.0	
0.0	0.0								
0.0	0.0	G1		I	-3.7	-0.0	0.9	-0.9	
5196.3	-11.0			J	-3.7	-0.0	2.5	-0.9	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		G2	I	-10.9	-0.0	-0.0	-0.8
-0.5	-2.4		J	-10.9	-0.0	-0.0	-0.8
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.4	-0.0	-0.0	0.1
-0.0	-22.5		J	-1.4	-0.0	-0.0	0.1
0.0	0.0						
		Q5_pc Y	I	1.7	0.0	0.0	0.2
0.1	25.6		J	1.7	0.0	0.0	0.2
0.0	0.0						
		Q5_ps X	I	-1.6	-0.0	-0.0	0.1
-0.1	-22.0		J	-1.6	-0.0	-0.0	0.1
0.0	0.0						
		Q5_ps Y	I	4.6	0.0	0.0	0.3
0.2	24.7		J	4.6	0.0	0.0	0.3
0.0	0.0						
		INVS LU Max	I	-201.8	0.2	1.2	8.0
7017.6	576.5		J	-201.8	0.2	3.4	8.0
0.0	0.0						
		Min	I	-335.2	-0.1	1.2	-0.8
7011.2	-416.8		J	-335.2	-0.1	3.4	-0.8
0.0	0.0						
		INVS LE Max	I	-164.0	0.1	0.9	6.4
5198.3	422.6		J	-164.0	0.1	2.5	6.4
0.0	0.0						
		Min	I	-262.6	-0.1	0.9	-0.0
5193.7	-309.7		J	-262.6	-0.1	2.5	-0.0
0.0	0.0						
		72 C1-C2;~1 Max	I	60.6	0.1	0.0	2.7
8758	2		J	60.6	0.1	0.0	2.7
0.0	0.0						
		Min	I	-29.3	-0.1	-0.0	-3.9
2.9	273.4		J	-29.3	-0.1	-0.0	-3.9
0.0	0.0						
		C3-C4;~1 Max	I	51.9	0.1	0.0	1.9
-1.2	-308.2		J	51.9	0.1	0.0	1.9
0.0	0.0						
		Min	I	-14.2	-0.1	-0.0	-2.8
3.1	222.4		J	-14.2	-0.1	-0.0	-2.8
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.9	-261.3						
		C1-C2;~2 Max	I	38.2	0.1	0.0	1.6
0.0	0.0		J	38.2	0.1	0.0	1.6
1.7	179.2						
		Min	I	-16.5	-0.1	-0.0	-2.3
0.0	0.0		J	-16.5	-0.1	-0.0	-2.3
-0.7	-203.0						
		C3-C4;~2 Max	I	32.8	0.1	0.0	1.0
0.0	0.0		J	32.8	0.1	0.0	1.0
1.8	143.0						
		Min	I	-6.6	-0.0	-0.0	-1.5
0.0	0.0		J	-6.6	-0.0	-0.0	-1.5
-0.5	-171.0						
		G1	I	-5.0	0.0	-2.5	-1.9
0.0	0.0		J	-5.0	0.0	-0.8	-1.9
5206.0	-12.9						
		G2	I	-10.7	0.0	-0.0	-1.2
0.0	0.0		J	-10.7	0.0	-0.0	-1.2
0.5	-3.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.2	0.0	-0.0	0.0
0.0	0.0		J	-1.2	0.0	-0.0	0.0
0.1	-18.4						
		Q5_pc Y	I	3.5	-0.0	0.0	0.2
0.0	0.0		J	3.5	-0.0	0.0	0.2
-0.1	32.7						
		Q5_ps X	I	-1.6	0.0	-0.0	-0.0
0.0	0.0		J	-1.6	0.0	-0.0	-0.0
0.1	-18.0						
		Q5_ps Y	I	6.3	-0.0	0.0	0.4
0.0	0.0		J	6.3	-0.0	0.0	0.4
-0.2	31.4						
		INVSLU Max	I	-228.4	0.1	-3.4	4.4
0.0	0.0		J	-228.4	0.1	-1.1	4.4
7033.3	623.7						
		Min	I	-356.1	-0.2	-3.4	-5.0
0.0	0.0		J	-356.1	-0.2	-1.1	-5.0
7027.4	-220.3						
		INVSLE Max	I	-185.1	0.0	-2.5	3.8
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5209.8	468.3		J	-185.1	0.0	-0.8	3.8
			Min	I	-279.2	-0.1	-3.0
0.0	0.0						
			J	-279.2	-0.1	-0.8	-3.0
5205.4	-152.5						
8759	2	72	C1-C2;~1	Max	I	57.0	0.0
0.0	0.0				J	57.0	0.0
0.0	0.0				Min	I	-25.5
0.0	0.0				J	-25.5	-0.0
0.0	0.0						0.0
			C3-C4;~1	Max	I	50.0	0.0
0.0	0.0				J	50.0	0.0
0.0	0.0				Min	I	-10.8
0.0	0.0				J	-10.8	-0.0
0.0	0.0						0.0
			C1-C2;~2	Max	I	36.6	0.0
0.0	0.0				J	36.6	0.0
0.0	0.0				Min	I	-14.6
0.0	0.0				J	-14.6	-0.0
0.0	0.0						0.0
			C3-C4;~2	Max	I	32.6	0.0
0.0	0.0				J	32.6	0.0
0.0	0.0				Min	I	-4.9
0.0	0.0				J	-4.9	-0.0
0.0	0.0						0.0
			G1		I	-6.9	-0.0
0.0	0.0				J	-6.9	0.0
0.0	0.0						0.8
			G2		I	-11.3	-0.0
0.0	0.0				J	-11.3	0.0
0.0	0.0						0.0
			Q3		I	0.0	0.0
0.0	0.0				J	0.0	0.0
0.0	0.0						0.0
			Q5_pc	X	I	-1.6	0.0
0.0	0.0				J	-1.6	-0.0
0.0	0.0						0.0
			Q5_pc	Y	I	9.4	0.0
0.0	0.0				J	9.4	-0.0
							0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		Q5_ps X	I	-2.1	0.0	-0.0	-0.1	
0.0	0.0		J	-2.1	-0.0	0.0	-0.1	
0.0	0.0							
		Q5_ps Y	I	11.9	0.0	0.0	-0.1	
0.0	0.0		J	11.9	-0.0	0.0	-0.1	
0.0	0.0							
		INVS LU Max	I	-96.3	0.0	-1.1	0.8	
0.0	0.0		J	-96.3	0.0	1.1	0.8	
0.0	0.0							
		Min	I	-224.6	-0.0	-1.1	-7.9	
0.0	0.0		J	-224.6	-0.0	1.1	-7.9	
0.0	0.0							
		INVS LE Max	I	-87.6	0.0	-0.8	0.0	
0.0	0.0		J	-87.6	0.0	0.8	0.0	
0.0	0.0							
		Min	I	-181.4	-0.0	-0.8	-6.4	
0.0	0.0		J	-181.4	-0.0	0.8	-6.4	
0.0	0.0							
8760	2	72 C1-C2;~1 Max	I	57.1	0.0	0.0	5.6	
0.0	0.0		J	57.1	0.0	0.0	5.6	
0.0	0.0							
		Min	I	-25.5	0.0	0.0	-3.4	
0.0	0.0		J	-25.5	-0.0	-0.0	-3.4	
0.0	0.0							
		C3-C4;~1 Max	I	50.0	0.0	0.0	4.5	
0.0	0.0		J	50.0	0.0	0.0	4.5	
0.0	0.0							
		Min	I	-10.8	0.0	0.0	-2.4	
0.0	0.0		J	-10.8	-0.0	-0.0	-2.4	
0.0	0.0							
		C1-C2;~2 Max	I	36.7	0.0	0.0	3.2	
0.0	0.0		J	36.7	0.0	0.0	3.2	
0.0	0.0							
		Min	I	-14.6	0.0	0.0	-2.1	
0.0	0.0		J	-14.6	-0.0	-0.0	-2.1	
0.0	0.0							
		C3-C4;~2 Max	I	32.5	0.0	0.0	2.5	
0.0	0.0		J	32.5	0.0	0.0	2.5	
0.0	0.0							
		Min	I	-4.9	0.0	0.0	-1.2	
0.0	0.0		J	-4.9	-0.0	-0.0	-1.2	
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0	G1	I	-6.9	0.0	-0.8	2.4
0.0	0.0		J	-6.9	-0.0	0.8	2.4
0.0	0.0	G2	I	-11.3	0.0	0.0	1.7
0.0	0.0		J	-11.3	-0.0	0.0	1.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.6	0.0	0.0	0.0
0.0	0.0		J	-1.6	0.0	-0.0	0.0
0.0	0.0	Q5_pc Y	I	9.5	0.0	0.0	-0.4
0.0	0.0		J	9.5	0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	-2.1	0.0	0.0	0.1
0.0	0.0		J	-2.1	0.0	-0.0	0.1
0.0	0.0	Q5_ps Y	I	12.0	0.0	0.0	-0.6
0.0	0.0		J	12.0	0.0	0.0	-0.6
0.0	0.0	INVS LU Max	I	-96.0	0.0	-1.1	8.7
0.0	0.0		J	-96.0	0.0	1.1	8.7
0.0	0.0	Min	I	-224.5	0.0	-1.1	-4.2
0.0	0.0		J	-224.5	-0.0	1.1	-4.2
0.0	0.0	INVS LE Max	I	-87.4	0.0	-0.8	5.7
0.0	0.0		J	-87.4	0.0	0.8	5.7
0.0	0.0	Min	I	-181.3	0.0	-0.8	-3.7
0.0	0.0		J	-181.3	-0.0	0.8	-3.7
8761	2	72 C1-C2;~1 Max	I	60.6	0.1	0.0	2.8
1.1	273.4		J	60.6	0.1	0.0	2.8
0.0	0.0	Min	I	-29.3	-0.1	-0.0	-3.2
-2.8	-308.2		J	-29.3	-0.1	-0.0	-3.2
0.0	0.0	C3-C4;~1 Max	I	51.9	0.1	0.0	2.1
0.8	222.4		J	51.9	0.1	0.0	2.1
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-14.2	-0.1	-0.0	-2.4
-3.0	-261.3			J	-14.2	-0.1	-0.0	-2.4
0.0	0.0							
			C1-C2;~2 Max	I	38.2	0.1	0.0	1.7
0.7	179.2			J	38.2	0.1	0.0	1.7
0.0	0.0							
			Min	I	-16.5	-0.1	-0.0	-1.8
-1.6	-203.0			J	-16.5	-0.1	-0.0	-1.8
0.0	0.0							
			C3-C4;~2 Max	I	32.8	0.0	0.0	1.2
0.4	143.0			J	32.8	0.0	0.0	1.2
0.0	0.0							
			Min	I	-6.6	-0.1	-0.0	-1.3
-1.8	-171.0			J	-6.6	-0.1	-0.0	-1.3
0.0	0.0							
			G1	I	-5.0	-0.0	0.9	-1.6
5204.8	-12.9			J	-5.0	-0.0	2.5	-1.6
0.0	0.0							
			G2	I	-10.7	-0.0	-0.0	-1.0
-0.5	-3.8			J	-10.7	-0.0	-0.0	-1.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.2	-0.0	-0.0	0.0
-0.1	-18.4			J	-1.2	-0.0	-0.0	0.0
0.0	0.0							
			Q5_pc Y	I	3.6	0.0	0.0	0.2
0.1	32.7			J	3.6	0.0	0.0	0.2
0.0	0.0							
			Q5_ps X	I	-1.6	-0.0	-0.0	0.0
-0.1	-18.0			J	-1.6	-0.0	-0.0	0.0
0.0	0.0							
			Q5_ps Y	I	6.3	0.0	0.0	0.3
0.2	31.4			J	6.3	0.0	0.0	0.3
0.0	0.0							
			INVSLU Max	I	-228.4	0.2	1.2	5.1
7027.2	623.7			J	-228.4	0.2	3.4	5.1
0.0	0.0							
			Min	I	-356.1	-0.1	1.2	-3.3
7021.4	-220.3			J	-356.1	-0.1	3.4	-3.3
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


5205.3	468.3	INVSLE	Max	I	-185.1	0.2	0.9	4.4
				J	-185.1	0.2	2.5	4.4
0.0	0.0							
			Min	I	-279.2	-0.0	0.9	-1.8
5201.1	-152.5			J	-279.2	-0.0	2.5	-1.8
0.0	0.0							
8762	2	72	C1-C2;~1	Max	I	57.1	0.1	0.0
0.0	0.0			J	57.1	0.1	0.0	2.4
2.3	275.0							
			Min	I	-31.6	-0.1	-0.0	-4.0
0.0	0.0			J	-31.6	-0.1	-0.0	-4.0
-1.3	-289.6							
			C3-C4;~1	Max	I	48.4	0.1	0.0
0.0	0.0			J	48.4	0.1	0.0	1.6
2.4	223.6							
			Min	I	-17.3	-0.1	-0.0	-2.7
0.0	0.0			J	-17.3	-0.1	-0.0	-2.7
-1.0	-241.2							
			C1-C2;~2	Max	I	36.0	0.1	0.0
0.0	0.0			J	36.0	0.1	0.0	1.4
1.4	181.8							
			Min	I	-18.0	-0.1	-0.0	-2.3
0.0	0.0			J	-18.0	-0.1	-0.0	-2.3
-0.8	-191.6							
			C3-C4;~2	Max	I	30.4	0.0	0.0
0.0	0.0			J	30.4	0.0	0.0	0.8
1.4	145.3							
			Min	I	-8.3	-0.0	-0.0	-1.5
0.0	0.0			J	-8.3	-0.0	-0.0	-1.5
-0.6	-158.3							
			G1	I	-9.0	0.0	-2.5	-2.2
0.0	0.0			J	-9.0	0.0	-0.8	-2.2
5233.0	-9.2							
			G2	I	-11.9	0.0	-0.0	-1.3
0.0	0.0			J	-11.9	0.0	-0.0	-1.3
0.3	-3.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-1.3	0.0	-0.0
0.0	0.0			J	-1.3	0.0	-0.0	-0.0
0.1	-17.2							

MIDAS


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_pc	Y	I	5.1	-0.0	0.0	0.2
-0.1	39.0			J	5.1	-0.0	0.0	0.2
0.0	0.0	Q5_ps	X	I	-1.8	0.0	-0.0	-0.1
0.1	-16.7			J	-1.8	0.0	-0.0	-0.1
0.0	0.0	Q5_ps	Y	I	7.8	-0.0	0.0	0.4
-0.3	37.7			J	7.8	-0.0	0.0	0.4
0.0	0.0	INVSLU	Max	I	-197.4	0.1	-3.4	1.6
7069.1	468.2			J	-197.4	0.1	-1.1	1.6
0.0	0.0		Min	I	-326.4	-0.1	-3.4	-7.4
7063.8	-364.3			J	-326.4	-0.1	-1.1	-7.4
0.0	0.0	INVSLE	Max	I	-161.6	0.1	-2.5	1.8
5236.3	346.2			J	-161.6	0.1	-0.8	1.8
0.0	0.0		Min	I	-256.5	-0.1	-2.5	-4.8
5232.5	-265.3			J	-256.5	-0.1	-0.8	-4.8
8763	2	72 C1-C2;~1	Max	I	57.2	0.0	0.0	3.3
0.0	0.0			J	57.2	0.0	0.0	3.3
0.0	0.0		Min	I	-26.0	0.0	0.0	-2.4
0.0	0.0			J	-26.0	0.0	-0.0	-2.4
0.0	0.0	C3-C4;~1	Max	I	50.2	0.0	0.0	2.8
0.0	0.0			J	50.2	0.0	0.0	2.8
0.0	0.0		Min	I	-10.3	0.0	0.0	-3.2
0.0	0.0			J	-10.3	0.0	-0.0	-3.2
0.0	0.0	C1-C2;~2	Max	I	36.7	0.0	0.0	1.9
0.0	0.0			J	36.7	0.0	0.0	1.9
0.0	0.0		Min	I	-14.8	0.0	0.0	-1.4
0.0	0.0			J	-14.8	0.0	-0.0	-1.4
0.0	0.0	C3-C4;~2	Max	I	32.7	0.0	0.0	1.5
0.0	0.0			J	32.7	0.0	0.0	1.5
0.0	0.0		Min	I	-4.5	0.0	0.0	-1.9
0.0	0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	-4.5	0.0	-0.0	-1.9
0.0	0.0	G1	I	-7.1	0.0	-0.8	2.1
0.0	0.0		J	-7.1	0.0	0.8	2.1
0.0	0.0	G2	I	-11.0	0.0	0.0	1.0
0.0	0.0		J	-11.0	0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.8	0.0	0.0	-0.1
0.0	0.0		J	-1.8	0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	7.8	0.0	0.0	-0.1
0.0	0.0		J	7.8	0.0	-0.0	-0.1
0.0	0.0	Q5_ps X	I	-2.3	0.0	0.0	-0.0
0.0	0.0		J	-2.3	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	10.4	0.0	0.0	-0.1
0.0	0.0		J	10.4	0.0	-0.0	-0.1
0.0	0.0	INVSLE Max	I	-180.9	0.0	-1.1	3.7
0.0	0.0		J	-180.9	0.0	1.1	3.7
0.0	0.0	Min	I	-307.3	0.0	-1.1	-5.3
0.0	0.0		J	-307.3	0.0	1.1	-5.3
0.0	0.0	INVSLE Max	I	-150.0	0.0	-0.8	2.1
0.0	0.0		J	-150.0	0.0	0.8	2.1
0.0	0.0	Min	I	-242.6	0.0	-0.8	-4.5
0.0	0.0		J	-242.6	0.0	0.8	-4.5
8764	2	72 C1-C2;~1 Max	I	57.3	0.0	0.0	5.1
0.0	0.0		J	57.3	0.0	0.0	5.1
0.0	0.0	Min	I	-26.0	0.0	-0.0	-3.2
0.0	0.0		J	-26.0	-0.0	0.0	-3.2
0.0	0.0	C3-C4;~1 Max	I	50.2	0.0	0.0	4.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	50.2	0.0	0.0	4.0
0.0	0.0	Min	I	-10.3	0.0	-0.0	-1.8
0.0	0.0		J	-10.3	-0.0	0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	36.8	0.0	0.0	2.9
0.0	0.0		J	36.8	0.0	0.0	2.9
0.0	0.0	Min	I	-14.8	0.0	-0.0	-2.0
0.0	0.0		J	-14.8	-0.0	0.0	-2.0
0.0	0.0	C3-C4;~2 Max	I	32.7	0.0	0.0	2.2
0.0	0.0		J	32.7	0.0	0.0	2.2
0.0	0.0	Min	I	-4.5	0.0	-0.0	-0.9
0.0	0.0		J	-4.5	-0.0	0.0	-0.9
0.0	0.0	G1	I	-7.1	0.0	-0.8	2.6
0.0	0.0		J	-7.1	-0.0	0.8	2.6
0.0	0.0	G2	I	-11.0	0.0	-0.0	1.7
0.0	0.0		J	-11.0	-0.0	0.0	1.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.8	0.0	0.0	0.1
0.0	0.0		J	-1.8	-0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	7.8	0.0	-0.0	-0.4
0.0	0.0		J	7.8	-0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	-2.3	0.0	0.0	0.1
0.0	0.0		J	-2.3	-0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	10.4	0.0	-0.0	-0.6
0.0	0.0		J	10.4	-0.0	0.0	-0.6
0.0	0.0	INVSLU Max	I	-180.7	0.0	-1.1	9.4
0.0	0.0		J	-180.7	-0.0	1.1	9.4
0.0	0.0	Min	I	-307.3	0.0	-1.1	-2.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	-307.3	-0.0	1.1	-2.5
0.0	0.0							
			INVSLE Max	I	-149.8	0.0	-0.8	6.3
0.0	0.0			J	-149.8	-0.0	0.8	6.3
0.0	0.0		Min	I	-242.6	0.0	-0.8	-2.5
0.0	0.0			J	-242.6	-0.0	0.8	-2.5
0.0	0.0							
8765	2	72	C1-C2;~1 Max	I	57.1	0.1	0.0	2.5
1.2	275.0			J	57.1	0.1	0.0	2.5
0.0	0.0		Min	I	-31.7	-0.1	-0.0	-3.4
-2.2	-289.6			J	-31.7	-0.1	-0.0	-3.4
0.0	0.0							
			C3-C4;~1 Max	I	48.4	0.1	0.0	1.8
0.9	223.6			J	48.4	0.1	0.0	1.8
0.0	0.0		Min	I	-17.3	-0.1	-0.0	-2.6
-2.4	-241.2			J	-17.3	-0.1	-0.0	-2.6
0.0	0.0							
			C1-C2;~2 Max	I	36.0	0.1	0.0	1.5
0.8	181.8			J	36.0	0.1	0.0	1.5
0.0	0.0		Min	I	-18.0	-0.1	-0.0	-1.9
-1.3	-191.6			J	-18.0	-0.1	-0.0	-1.9
0.0	0.0							
			C3-C4;~2 Max	I	30.4	0.0	0.0	1.0
0.5	145.3			J	30.4	0.0	0.0	1.0
0.0	0.0		Min	I	-8.3	-0.1	-0.0	-1.4
-1.4	-158.3			J	-8.3	-0.1	-0.0	-1.4
0.0	0.0							
			G1	I	-9.0	-0.0	0.9	-2.1
5232.5	-9.2			J	-9.0	-0.0	2.5	-2.1
0.0	0.0							
			G2	I	-11.9	-0.0	-0.0	-1.2
-0.3	-3.4			J	-11.9	-0.0	-0.0	-1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.3	-0.0	-0.0	0.0
-0.1	-17.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-1.3	-0.0	-0.0	0.0
0.1	39.0	Q5_pc Y	I	5.1	0.0	0.0	0.2
0.0	0.0		J	5.1	0.0	0.0	0.2
-0.1	-16.7	Q5_ps X	I	-1.8	-0.0	-0.0	-0.0
0.0	0.0		J	-1.8	-0.0	-0.0	-0.0
0.3	37.7	Q5_ps Y	I	7.8	0.0	0.0	0.3
0.0	0.0		J	7.8	0.0	0.0	0.3
7064.6	468.2	INVS LU Max	I	-197.4	0.2	1.2	2.3
0.0	0.0		J	-197.4	0.2	3.4	2.3
7059.4	-364.3	Min	I	-326.4	-0.1	1.2	-6.0
0.0	0.0		J	-326.4	-0.1	3.4	-6.0
5233.0	346.2	INVS LE Max	I	-161.6	0.1	0.9	2.3
0.0	0.0		J	-161.6	0.1	2.5	2.3
5229.2	-265.3	Min	I	-256.5	-0.1	0.9	-3.9
0.0	0.0		J	-256.5	-0.1	2.5	-3.9
8766	2	72 C1-C2;~1 Max	I	56.7	0.1	0.0	2.3
0.0	0.0		J	56.7	0.1	0.0	2.3
1.8	278.5	Min	I	-30.7	-0.1	-0.0	-3.8
0.0	0.0		J	-30.7	-0.1	-0.0	-3.8
-1.7	-289.0						
0.0	0.0	C3-C4;~1 Max	I	48.9	0.1	0.0	1.4
2.0	225.7		J	48.9	0.1	0.0	1.4
0.0	0.0	Min	I	-19.2	-0.1	-0.0	-2.6
-1.5	-240.5		J	-19.2	-0.1	-0.0	-2.6
0.0	0.0	C1-C2;~2 Max	I	35.8	0.1	0.0	1.3
1.0	185.0		J	35.8	0.1	0.0	1.3
0.0	0.0	Min	I	-17.4	-0.1	-0.0	-2.2
-1.1	-191.6		J	-17.4	-0.1	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	30.8	0.0	0.0	0.7
			J	30.8	0.0	0.0	0.7

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.2	147.5		Min	I	-9.5	-0.0	-0.0	-1.4
0.0	0.0			J	-9.5	-0.0	-0.0	-1.4
-0.8	-158.2							
			G1	I	-10.2	0.0	-2.5	-2.3
0.0	0.0			J	-10.2	0.0	-0.8	-2.3
5214.2	-8.0							
			G2	I	-12.0	0.0	-0.0	-1.4
0.0	0.0			J	-12.0	0.0	-0.0	-1.4
0.1	-2.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-1.6	0.0	-0.0	-0.0
0.0	0.0			J	-1.6	0.0	-0.0	-0.0
0.1	-15.1							
			Q5_pc Y	I	6.8	-0.0	0.0	0.2
0.0	0.0			J	6.8	-0.0	0.0	0.2
-0.2	38.8							
			Q5_ps X	I	-2.2	0.0	-0.0	-0.1
0.0	0.0			J	-2.2	0.0	-0.0	-0.1
0.1	-14.6							
			Q5_ps Y	I	9.5	-0.0	0.0	0.4
0.0	0.0			J	9.5	-0.0	0.0	0.4
-0.3	37.3							
			INVSLU Max	I	-184.0	0.2	-3.4	1.5
0.0	0.0			J	-184.0	0.2	-1.1	1.5
7043.3	361.2							
			Min	I	-314.2	-0.1	-3.4	-7.1
0.0	0.0			J	-314.2	-0.1	-1.1	-7.1
7037.9	-474.9							
			INVSLE Max	I	-152.1	0.1	-2.5	1.7
0.0	0.0			J	-152.1	0.1	-0.8	1.7
5217.2	265.1							
			Min	I	-247.6	-0.1	-2.5	-4.6
0.0	0.0			J	-247.6	-0.1	-0.8	-4.6
5213.3	-349.1							
			72 C1-C2;~1 Max	I	57.2	0.0	0.0	3.7
8767	2			J	57.2	0.0	0.0	3.7
0.0	0.0							
			Min	I	-27.9	0.0	-0.0	-2.1
0.0	0.0			J	-27.9	-0.0	0.0	-2.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	49.5	0.0	0.0	3.3
0.0	0.0		J	49.5	0.0	0.0	3.3
0.0	0.0	Min	I	-9.9	0.0	-0.0	-2.9
0.0	0.0		J	-9.9	-0.0	0.0	-2.9
0.0	0.0	C1-C2;~2 Max	I	36.6	0.0	0.0	2.2
0.0	0.0		J	36.6	0.0	0.0	2.2
0.0	0.0	Min	I	-15.9	0.0	-0.0	-1.2
0.0	0.0		J	-15.9	-0.0	0.0	-1.2
0.0	0.0	C3-C4;~2 Max	I	32.2	0.0	0.0	1.8
0.0	0.0		J	32.2	0.0	0.0	1.8
0.0	0.0	Min	I	-4.4	0.0	-0.0	-1.7
0.0	0.0		J	-4.4	-0.0	0.0	-1.7
0.0	0.0	G1	I	-7.5	0.0	-0.8	2.8
0.0	0.0		J	-7.5	0.0	0.8	2.8
0.0	0.0	G2	I	-10.9	0.0	-0.0	1.3
0.0	0.0		J	-10.9	0.0	0.0	1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.6	0.0	0.0	-0.0
0.0	0.0		J	-1.6	0.0	0.0	-0.0
0.0	0.0	Q5_pc Y	I	6.1	0.0	-0.0	-0.0
0.0	0.0		J	6.1	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-2.2	0.0	0.0	-0.0
0.0	0.0		J	-2.2	0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	8.7	0.0	-0.0	-0.1
0.0	0.0		J	8.7	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	-209.5	0.0	-1.1	6.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-209.5	0.0	1.1	6.4
0.0	0.0	Min	I	-335.4	0.0	-1.1	-2.7
0.0	0.0		J	-335.4	0.0	1.1	-2.7
0.0	0.0	INVSLE Max	I	-170.8	0.0	-0.8	4.1
0.0	0.0		J	-170.8	0.0	0.8	4.1
0.0	0.0	Min	I	-263.3	0.0	-0.8	-2.6
0.0	0.0		J	-263.3	0.0	0.8	-2.6
8768	2	72 C1-C2;~1 Max	I	57.3	0.0	0.0	4.1
0.0	0.0		J	57.3	0.0	0.0	4.1
0.0	0.0	Min	I	-27.8	-0.0	0.0	-3.3
0.0	0.0		J	-27.8	-0.0	0.0	-3.3
0.0	0.0	C3-C4;~1 Max	I	49.5	0.0	0.0	2.9
0.0	0.0		J	49.5	0.0	0.0	2.9
0.0	0.0	Min	I	-9.9	-0.0	0.0	-1.8
0.0	0.0		J	-9.9	-0.0	0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	36.7	0.0	0.0	2.4
0.0	0.0		J	36.7	0.0	0.0	2.4
0.0	0.0	Min	I	-15.9	-0.0	0.0	-2.1
0.0	0.0		J	-15.9	-0.0	0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	32.2	0.0	0.0	1.6
0.0	0.0		J	32.2	0.0	0.0	1.6
0.0	0.0	Min	I	-4.4	-0.0	0.0	-1.0
0.0	0.0		J	-4.4	-0.0	0.0	-1.0
0.0	0.0	G1	I	-7.6	0.0	-0.8	1.9
0.0	0.0		J	-7.6	-0.0	0.8	1.9
0.0	0.0	G2	I	-10.9	0.0	0.0	1.4
0.0	0.0		J	-10.9	-0.0	0.0	1.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q5_pc X	I	-1.6	0.0	0.0	0.1
0.0	0.0		J	-1.6	-0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	6.1	0.0	0.0	-0.4
0.0	0.0		J	6.1	-0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	-2.2	0.0	0.0	0.1
0.0	0.0		J	-2.2	-0.0	0.0	0.1
0.0	0.0	Q5_ps Y	I	8.7	0.0	0.0	-0.7
0.0	0.0		J	8.7	-0.0	0.0	-0.7
0.0	0.0	INVS LU Max	I	-209.4	0.0	-1.1	8.7
0.0	0.0		J	-209.4	-0.0	1.1	8.7
0.0	0.0	Min	I	-335.5	0.0	-1.1	-2.1
0.0	0.0		J	-335.5	-0.0	1.1	-2.1
0.0	0.0	INVS LE Max	I	-170.7	0.0	-0.8	5.8
0.0	0.0		J	-170.7	-0.0	0.8	5.8
0.0	0.0	Min	I	-263.3	0.0	-0.8	-2.1
0.0	0.0		J	-263.3	-0.0	0.8	-2.1
8769	2	72 C1-C2;~1 Max	I	56.7	0.1	0.0	2.3
1.7	278.5		J	56.7	0.1	0.0	2.3
0.0	0.0	Min	I	-30.7	-0.1	-0.0	-3.5
-1.7	-289.0		J	-30.7	-0.1	-0.0	-3.5
0.0	0.0	C3-C4;~1 Max	I	48.9	0.1	0.0	1.6
1.4	225.7		J	48.9	0.1	0.0	1.6
0.0	0.0	Min	I	-19.2	-0.1	-0.0	-2.7
-2.0	-240.5		J	-19.2	-0.1	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	35.8	0.1	0.0	1.4
1.0	185.0		J	35.8	0.1	0.0	1.4
0.0	0.0	Min	I	-17.4	-0.1	-0.0	-2.0
-1.0	-191.6		J	-17.4	-0.1	-0.0	-2.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			C3-C4;~2 Max	I	30.8	0.0	0.0
0.8	147.5			J	30.8	0.0	0.0
0.0	0.0		Min	I	-9.5	-0.1	-0.0
-1.2	-158.2			J	-9.5	-0.1	-0.0
0.0	0.0						
			G1	I	-10.2	-0.0	0.9
5215.0	-8.0			J	-10.2	-0.0	2.5
0.0	0.0						
			G2	I	-12.0	-0.0	-0.0
-0.1	-2.3			J	-12.0	-0.0	-0.0
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-1.6	-0.0	-0.0
-0.1	-15.1			J	-1.6	-0.0	-0.0
0.0	0.0						
			Q5_pc Y	I	6.8	0.0	0.0
0.2	38.8			J	6.8	0.0	0.0
0.0	0.0						
			Q5_ps X	I	-2.2	-0.0	-0.0
-0.1	-14.6			J	-2.2	-0.0	-0.0
0.0	0.0						
			Q5_ps Y	I	9.5	0.0	0.0
0.3	37.3			J	9.5	0.0	0.0
0.0	0.0						
			INVSLE Max	I	-184.0	0.1	1.2
7041.4	361.2			J	-184.0	0.1	3.4
0.0	0.0		Min	I	-314.2	-0.2	1.2
7036.2	-474.9			J	-314.2	-0.2	3.4
0.0	0.0						
			INVSLE Max	I	-152.1	0.1	0.9
5215.8	265.1			J	-152.1	0.1	2.5
0.0	0.0		Min	I	-247.6	-0.1	0.9
5212.0	-349.1			J	-247.6	-0.1	2.5
0.0	0.0						
			72 C1-C2;~1 Max	I	56.9	0.1	0.0
8770	2			J	56.9	0.1	0.0
0.0	0.0						
1.6	279.3						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-29.1	-0.1	-3.4
0.0	0.0			J	-29.1	-0.1	-3.4
-1.7	-282.7						
		C3-C4;~1	Max	I	49.4	0.1	1.3
0.0	0.0			J	49.4	0.1	1.3
1.9	227.5						
			Min	I	-20.2	-0.1	-2.3
0.0	0.0			J	-20.2	-0.1	-2.3
-1.5	-234.7						
		C1-C2;~2	Max	I	35.9	0.1	1.4
0.0	0.0			J	35.9	0.1	1.4
0.9	186.5						
			Min	I	-16.5	-0.1	-2.0
0.0	0.0			J	-16.5	-0.1	-2.0
-1.1	-187.7						
		C3-C4;~2	Max	I	31.2	0.0	0.7
0.0	0.0			J	31.2	0.0	0.7
1.2	149.8						
			Min	I	-10.1	-0.0	-1.3
0.0	0.0			J	-10.1	-0.0	-1.3
-0.8	-154.9						
		G1		I	-10.6	0.0	-2.1
0.0	0.0			J	-10.6	0.0	-2.1
5213.7	-5.8						
		G2		I	-11.8	0.0	-1.3
0.0	0.0			J	-11.8	0.0	-1.3
-0.0	-1.1						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	I	-1.9	0.0	-0.0
0.0	0.0			J	-1.9	0.0	-0.0
0.1	-12.9						
		Q5_pc	Y	I	8.3	-0.0	0.2
0.0	0.0			J	8.3	-0.0	0.2
-0.2	35.3						
		Q5_ps	X	I	-2.6	0.0	-0.1
0.0	0.0			J	-2.6	0.0	-0.1
0.1	-12.5						
		Q5_ps	Y	I	11.1	-0.0	0.4
0.0	0.0			J	11.1	-0.0	0.4
-0.3	33.8						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		INVSLE Max	I	-129.5	0.2	-3.4	2.2
				J	-129.5	0.2	-1.1	2.2
7042.0	275.6		Min	I	-260.5	-0.1	-3.4	-5.9
0.0	0.0			J	-260.5	-0.1	-1.1	-5.9
7036.7	-546.6							
			INVSLE Max	I	-111.8	0.1	-2.5	2.2
0.0	0.0			J	-111.8	0.1	-0.8	2.2
5216.3	200.6		Min	I	-207.7	-0.1	-2.5	-3.7
0.0	0.0			J	-207.7	-0.1	-0.8	-3.7
5212.4	-403.7							
8771	2	72	C1-C2;~1 Max	I	59.1	0.0	0.0	3.4
0.0	0.0			J	59.1	0.0	0.0	3.4
0.0	0.0		Min	I	-28.4	-0.0	-0.0	-2.1
0.0	0.0			J	-28.4	0.0	-0.0	-2.1
0.0	0.0							
			C3-C4;~1 Max	I	50.9	0.0	0.0	3.1
0.0	0.0			J	50.9	0.0	0.0	3.1
0.0	0.0		Min	I	-10.4	-0.0	-0.0	-3.0
0.0	0.0			J	-10.4	0.0	-0.0	-3.0
0.0	0.0							
			C1-C2;~2 Max	I	37.6	0.0	0.0	2.0
0.0	0.0			J	37.6	0.0	0.0	2.0
0.0	0.0		Min	I	-16.2	-0.0	-0.0	-1.2
0.0	0.0			J	-16.2	0.0	-0.0	-1.2
0.0	0.0							
			C3-C4;~2 Max	I	32.9	0.0	0.0	1.7
0.0	0.0			J	32.9	0.0	0.0	1.7
0.0	0.0		Min	I	-4.7	-0.0	-0.0	-1.8
0.0	0.0			J	-4.7	0.0	-0.0	-1.8
0.0	0.0							
			G1	I	-5.7	0.0	-0.8	2.7
0.0	0.0			J	-5.7	0.0	0.8	2.7
0.0	0.0							
			G2	I	-9.8	0.0	0.0	1.2
0.0	0.0			J	-9.8	0.0	-0.0	1.2
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	I	-1.4	0.0	-0.0	-0.0
0.0	0.0		J	-1.4	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_pc Y	I	4.4	0.0	0.0	0.0
0.0	0.0		J	4.4	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps X	I	-2.0	0.0	-0.0	-0.0
0.0	0.0		J	-2.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps Y	I	7.0	0.0	0.0	-0.0
0.0	0.0		J	7.0	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	-243.5	0.0	-1.1	6.4
0.0	0.0		J	-243.5	0.0	1.1	6.4
0.0	0.0	Min	I	-369.5	0.0	-1.1	-2.2
0.0	0.0		J	-369.5	0.0	1.1	-2.2
0.0	0.0						
0.0	0.0	INVSLE Max	I	-196.1	0.0	-0.8	4.2
0.0	0.0		J	-196.1	0.0	0.8	4.2
0.0	0.0	Min	I	-288.8	0.0	-0.8	-2.2
0.0	0.0		J	-288.8	0.0	0.8	-2.2
0.0	0.0						
8772	2	72 C1-C2;~1 Max	I	59.2	0.0	0.0	3.4
0.0	0.0		J	59.2	0.0	0.0	3.4
0.0	0.0	Min	I	-28.4	0.0	0.0	-3.4
0.0	0.0		J	-28.4	0.0	0.0	-3.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	50.9	0.0	0.0	2.3
0.0	0.0		J	50.9	0.0	0.0	2.3
0.0	0.0	Min	I	-10.4	0.0	0.0	-1.9
0.0	0.0		J	-10.4	0.0	0.0	-1.9
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	37.7	0.0	0.0	2.0
0.0	0.0		J	37.7	0.0	0.0	2.0
0.0	0.0	Min	I	-16.2	0.0	0.0	-2.2
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-16.2	0.0	0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	32.9	0.0	0.0	1.3
0.0	0.0		J	32.9	0.0	0.0	1.3
0.0	0.0	Min	I	-4.7	0.0	0.0	-1.1
0.0	0.0		J	-4.7	0.0	0.0	-1.1
0.0	0.0	G1	I	-5.7	0.0	-0.8	1.5
0.0	0.0		J	-5.7	0.0	0.8	1.5
0.0	0.0	G2	I	-9.8	0.0	0.0	1.2
0.0	0.0		J	-9.8	0.0	0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-1.4	0.0	0.0	0.1
0.0	0.0		J	-1.4	0.0	0.0	0.1
0.0	0.0	Q5_pc Y	I	4.4	0.0	0.0	-0.4
0.0	0.0		J	4.4	0.0	0.0	-0.4
0.0	0.0	Q5_ps X	I	-2.0	0.0	0.0	0.2
0.0	0.0		J	-2.0	0.0	0.0	0.2
0.0	0.0	Q5_ps Y	I	7.0	0.0	0.0	-0.7
0.0	0.0		J	7.0	0.0	0.0	-0.7
0.0	0.0	INVSLE Max	I	-243.5	0.0	-1.1	6.6
0.0	0.0		J	-243.5	0.0	1.1	6.6
0.0	0.0	Min	I	-369.6	0.0	-1.1	-3.4
0.0	0.0		J	-369.6	0.0	1.1	-3.4
0.0	0.0	INVSLE Max	I	-196.1	0.0	-0.8	4.3
0.0	0.0		J	-196.1	0.0	0.8	4.3
0.0	0.0	Min	I	-288.9	0.0	-0.8	-3.0
0.0	0.0		J	-288.9	0.0	0.8	-3.0
8773	2	72 C1-C2;~1 Max	I	56.8	0.1	0.0	2.3

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.7	279.3		J	56.8	0.1	0.0	2.3
0.0	0.0						
		Min	I	-29.1	-0.1	-0.0	-3.2
-1.5	-282.7		J	-29.1	-0.1	-0.0	-3.2
0.0	0.0						
		C3-C4;~1 Max	I	49.4	0.1	0.0	1.7
1.4	227.5		J	49.4	0.1	0.0	1.7
0.0	0.0						
		Min	I	-20.2	-0.1	-0.0	-2.4
-1.9	-234.7		J	-20.2	-0.1	-0.0	-2.4
0.0	0.0						
		C1-C2;~2 Max	I	35.9	0.1	0.0	1.4
1.1	186.5		J	35.9	0.1	0.0	1.4
0.0	0.0						
		Min	I	-16.5	-0.1	-0.0	-1.8
-0.9	-187.7		J	-16.5	-0.1	-0.0	-1.8
0.0	0.0						
		C3-C4;~2 Max	I	31.2	0.0	0.0	0.9
0.8	149.8		J	31.2	0.0	0.0	0.9
0.0	0.0						
		Min	I	-10.1	-0.1	-0.0	-1.3
-1.1	-154.9		J	-10.1	-0.1	-0.0	-1.3
0.0	0.0						
		G1	I	-10.6	-0.0	0.9	-2.3
5215.0	-5.8		J	-10.6	-0.0	2.5	-2.3
0.0	0.0						
		G2	I	-11.8	-0.0	0.0	-1.3
0.0	-1.1		J	-11.8	-0.0	0.0	-1.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.9	-0.0	-0.0	-0.0
-0.1	-12.9		J	-1.9	-0.0	-0.0	-0.0
0.0	0.0						
		Q5_pc Y	I	8.3	0.0	0.0	0.1
0.2	35.3		J	8.3	0.0	0.0	0.1
0.0	0.0						
		Q5_ps X	I	-2.6	-0.0	-0.0	-0.0
-0.1	-12.5		J	-2.6	-0.0	-0.0	-0.0
0.0	0.0						
		Q5_ps Y	I	11.1	0.0	0.0	0.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.3	33.8			J	11.1	0.0	0.0
0.0	0.0						0.3
7042.0	275.6		INVS LU Max	I	-129.5	0.1	1.2
				J	-129.5	0.1	3.4
0.0	0.0		Min	I	-260.5	-0.2	1.2
7036.8	-546.6			J	-260.5	-0.2	3.4
0.0	0.0						-5.6
5216.3	200.6		INVS LE Max	I	-111.8	0.1	0.9
				J	-111.8	0.1	2.5
0.0	0.0		Min	I	-207.8	-0.1	0.9
5212.4	-403.7			J	-207.8	-0.1	2.5
0.0	0.0						-3.5
8774	2	72	C1-C2;~1 Max	I	56.2	0.1	0.0
0.0	0.0			J	56.2	0.1	0.0
0.8	260.3		Min	I	-27.7	-0.1	-0.0
0.0	0.0			J	-27.7	-0.1	-0.0
-2.1	-285.8						-2.5
			C3-C4;~1 Max	I	49.1	0.1	0.0
0.0	0.0			J	49.1	0.1	0.0
1.5	208.9		Min	I	-19.8	-0.1	-0.0
0.0	0.0			J	-19.8	-0.1	-0.0
-1.5	-232.7						-1.6
			C1-C2;~2 Max	I	35.8	0.1	0.0
0.0	0.0			J	35.8	0.1	0.0
0.4	176.0		Min	I	-15.8	-0.1	-0.0
0.0	0.0			J	-15.8	-0.1	-0.0
-1.3	-190.9						-1.4
			C3-C4;~2 Max	I	31.4	0.0	0.0
0.0	0.0			J	31.4	0.0	0.0
0.9	139.1		Min	I	-9.9	-0.0	-0.0
0.0	0.0			J	-9.9	-0.0	-0.0
-0.9	-154.1						-0.9
			G1	I	-10.0	0.0	-2.5
0.0	0.0			J	-10.0	0.0	-0.8
5213.3	-8.0						-1.3
			G2	I	-11.2	0.0	0.0
0.0	0.0			J	-11.2	0.0	0.0
							-0.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.3	-2.6						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-2.4	0.0	-0.0
0.0	0.0			J	-2.4	0.0	-0.0
0.1	-9.4						
			Q5_pc Y	I	9.9	-0.0	0.0
0.0	0.0			J	9.9	-0.0	0.0
-0.2	26.8						
			Q5_ps X	I	-3.0	0.0	-0.0
0.0	0.0			J	-3.0	0.0	-0.0
0.1	-9.0						
			Q5_ps Y	I	12.6	-0.0	0.0
0.0	0.0			J	12.6	-0.0	0.0
-0.3	25.1						
			INVSLE Max	I	-69.4	0.2	-3.4
0.0	0.0			J	-69.4	0.2	-1.1
7040.8	133.0		Min	I	-200.5	-0.0	-3.4
0.0	0.0			J	-200.5	-0.0	-1.1
7035.7	-652.5						
			INVSLE Max	I	-67.6	0.2	-2.5
0.0	0.0			J	-67.6	0.2	-0.8
5215.4	93.4		Min	I	-163.4	-0.0	-2.5
0.0	0.0			J	-163.4	-0.0	-0.8
5211.6	-484.9						
8775	2	72	C1-C2;~1 Max	I	58.8	0.0	0.0
0.0	0.0			J	58.8	0.0	0.0
0.0	0.0		Min	I	-27.7	-0.0	0.0
0.0	0.0			J	-27.7	-0.0	-0.0
0.0	0.0						
			C3-C4;~1 Max	I	51.6	0.0	0.0
0.0	0.0			J	51.6	0.0	0.0
0.0	0.0		Min	I	-10.9	-0.0	0.0
0.0	0.0			J	-10.9	-0.0	-0.0
0.0	0.0						
			C1-C2;~2 Max	I	37.4	0.0	0.0
0.0	0.0			J	37.4	0.0	0.0


MIDAS

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
		Min	I	-15.8	-0.0	0.0	-1.2	
0.0	0.0		J	-15.8	-0.0	-0.0	-1.2	
0.0	0.0							
		C3-C4;~2 Max	I	33.5	0.0	0.0	1.7	
0.0	0.0		J	33.5	0.0	0.0	1.7	
0.0	0.0							
		Min	I	-5.0	-0.0	0.0	-1.7	
0.0	0.0		J	-5.0	-0.0	-0.0	-1.7	
0.0	0.0							
		G1	I	-3.3	0.0	-0.8	2.9	
0.0	0.0		J	-3.3	-0.0	0.8	2.9	
0.0	0.0							
		G2	I	-8.5	0.0	0.0	1.3	
0.0	0.0		J	-8.5	-0.0	-0.0	1.3	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.9	0.0	0.0	-0.0	
0.0	0.0		J	-0.9	-0.0	0.0	-0.0	
0.0	0.0							
		Q5_pc Y	I	2.2	0.0	0.0	0.1	
0.0	0.0		J	2.2	-0.0	-0.0	0.1	
0.0	0.0							
		Q5_ps X	I	-1.6	0.0	0.0	-0.0	
0.0	0.0		J	-1.6	-0.0	0.0	-0.0	
0.0	0.0							
		Q5_ps Y	I	4.6	0.0	0.0	0.0	
0.0	0.0		J	4.6	-0.0	-0.0	0.0	
0.0	0.0							
		INVSLE Max	I	-261.2	0.0	-1.1	5.9	
0.0	0.0		J	-261.2	-0.0	1.1	5.9	
0.0	0.0							
		Min	I	-382.0	0.0	-1.1	-2.7	
0.0	0.0		J	-382.0	-0.0	1.1	-2.7	
0.0	0.0							
		INVSLE Max	I	-209.4	0.0	-0.8	3.8	
0.0	0.0		J	-209.4	-0.0	0.8	3.8	
0.0	0.0							
		Min	I	-298.6	0.0	-0.8	-2.5	
0.0	0.0		J	-298.6	-0.0	0.8	-2.5	

MIDAS

PROJECT TITLE :


		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0									
8776	2	72	C1-C2;~1	Max	I	58.9	0.0	0.0	1.8	
0.0	0.0				J	58.9	0.0	0.0	1.8	
0.0	0.0				Min	I	-27.6	0.0	-3.6	
0.0	0.0				J	-27.6	-0.0	0.0	-3.6	
0.0	0.0									
0.0	0.0		C3-C4;~1	Max	I	51.6	0.0	0.0	1.3	
0.0	0.0				J	51.6	0.0	0.0	1.3	
0.0	0.0				Min	I	-10.9	0.0	-2.0	
0.0	0.0				J	-10.9	-0.0	0.0	-2.0	
0.0	0.0									
0.0	0.0		C1-C2;~2	Max	I	37.5	0.0	0.0	1.0	
0.0	0.0				J	37.5	0.0	0.0	1.0	
0.0	0.0				Min	I	-15.8	0.0	-2.4	
0.0	0.0				J	-15.8	-0.0	0.0	-2.4	
0.0	0.0									
0.0	0.0		C3-C4;~2	Max	I	33.4	0.0	0.0	0.7	
0.0	0.0				J	33.4	0.0	0.0	0.7	
0.0	0.0				Min	I	-5.0	0.0	-1.3	
0.0	0.0				J	-5.0	-0.0	0.0	-1.3	
0.0	0.0									
0.0	0.0				G1	I	-3.3	0.0	-0.8	0.4
0.0	0.0				J	-3.3	-0.0	0.8	0.4	
0.0	0.0									
0.0	0.0				G2	I	-8.5	0.0	-0.0	0.8
0.0	0.0				J	-8.5	-0.0	0.0	0.8	
0.0	0.0									
0.0	0.0				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0		Q5_pc	X	I	-1.0	0.0	0.0	0.1	
0.0	0.0				J	-1.0	-0.0	0.0	0.1	
0.0	0.0									
0.0	0.0		Q5_pc	Y	I	2.2	0.0	-0.0	-0.3	
0.0	0.0				J	2.2	-0.0	0.0	-0.3	
0.0	0.0									
0.0	0.0		Q5_ps	X	I	-1.6	0.0	0.0	0.2	
0.0	0.0				J	-1.6	-0.0	0.0	0.2	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
		Q5_ps	Y	I	4.7	0.0	-0.0
0.0	0.0			J	4.7	-0.0	0.0
0.0	0.0						
		INVSLU	Max	I	-261.3	0.0	-1.1
0.0	0.0			J	-261.3	-0.0	1.1
0.0	0.0						
			Min	I	-382.1	0.0	-1.1
0.0	0.0			J	-382.1	-0.0	1.1
0.0	0.0						
		INVSLE	Max	I	-209.5	0.0	-0.8
0.0	0.0			J	-209.5	-0.0	0.8
0.0	0.0						
			Min	I	-298.7	0.0	-0.8
0.0	0.0			J	-298.7	-0.0	0.8
0.0	0.0						
8777	2	72	C1-C2;~1	Max	I	56.2	0.1
2.0	260.3			J	56.2	0.1	0.0
0.0	0.0						
			Min	I	-27.7	-0.1	-0.0
-0.8	-285.8			J	-27.7	-0.1	-0.0
0.0	0.0						
		C3-C4;~1	Max	I	49.1	0.1	0.0
1.5	208.9			J	49.1	0.1	0.0
0.0	0.0						
			Min	I	-19.8	-0.1	-0.0
-1.4	-232.7			J	-19.8	-0.1	-0.0
0.0	0.0						
		C1-C2;~2	Max	I	35.8	0.1	0.0
1.3	176.0			J	35.8	0.1	0.0
0.0	0.0						
			Min	I	-15.8	-0.1	-0.0
-0.4	-190.9			J	-15.8	-0.1	-0.0
0.0	0.0						
		C3-C4;~2	Max	I	31.4	0.0	0.0
0.9	139.1			J	31.4	0.0	0.0
0.0	0.0						
			Min	I	-9.9	-0.0	-0.0
-0.9	-154.1			J	-9.9	-0.0	-0.0
0.0	0.0						
		G1		I	-10.0	-0.0	0.9
5215.7	-8.0			J	-10.0	-0.0	2.5
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			G2	I	-11.2	-0.0	0.0
0.2	-2.6			J	-11.2	-0.0	-1.0
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-2.4	-0.0	-0.0
-0.1	-9.4			J	-2.4	-0.0	-0.0
0.0	0.0						
			Q5_pc Y	I	9.9	0.0	0.0
0.2	26.8			J	9.9	0.0	0.2
0.0	0.0						
			Q5_ps X	I	-3.0	-0.0	-0.0
-0.1	-9.0			J	-3.0	-0.0	-0.1
0.0	0.0						
			Q5_ps Y	I	12.6	0.0	0.0
0.3	25.1			J	12.6	0.0	0.3
0.0	0.0						
			INVSLE Max	I	-69.4	0.0	1.2
7043.3	133.0			J	-69.4	0.0	3.4
0.0	0.0						
			Min	I	-200.5	-0.2	1.2
7038.4	-652.5			J	-200.5	-0.2	-3.5
0.0	0.0						
			INVSLE Max	I	-67.6	0.0	0.9
5217.3	93.4			J	-67.6	0.0	2.5
0.0	0.0						
			Min	I	-163.5	-0.2	0.9
5213.6	-484.9			J	-163.5	-0.2	-2.1
0.0	0.0						
			72 C1-C2;~1 Max	I	44.0	0.1	0.0
8778	2			J	44.0	0.1	2.6
0.0	0.0						
			Min	I	-20.4	-0.0	-0.0
0.9	90.2			J	-20.4	-0.0	-0.6
0.0	0.0						
			C3-C4;~1 Max	I	29.7	0.1	0.0
-1.9	-338.7			J	29.7	0.1	1.2
0.0	0.0						
			Min	I	-17.8	-0.0	-0.0
1.0	41.8			J	-17.8	-0.0	-0.6
0.0	0.0						
-1.5	-294.4						

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C1-C2;~2	Max	I	29.1	0.1	0.0	1.9
0.0	0.0				J	29.1	0.1	0.0	1.9
0.6	52.5			Min	I	-12.4	-0.0	-0.0	-0.3
0.0	0.0				J	-12.4	-0.0	-0.0	-0.3
-1.1	-227.8								
			C3-C4;~2	Max	I	19.3	0.1	0.0	0.7
0.0	0.0				J	19.3	0.1	0.0	0.7
0.6	21.1			Min	I	-9.2	-0.0	-0.0	-0.3
0.0	0.0				J	-9.2	-0.0	-0.0	-0.3
-0.9	-199.4								
				G1	I	-6.8	-0.0	-2.4	-0.0
0.0	0.0				J	-6.8	-0.0	-0.8	-0.0
5003.0	3.0								
				G2	I	-7.0	-0.0	0.0	-0.0
0.0	0.0				J	-7.0	-0.0	0.0	-0.0
-0.7	28.3								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-2.5	-0.0	0.0	-0.1
0.0	0.0				J	-2.5	-0.0	0.0	-0.1
-0.1	1.2								
				Q5_pc Y	I	10.5	0.0	-0.0	0.2
0.0	0.0				J	10.5	0.0	-0.0	0.2
0.2	-8.8								
				Q5_ps X	I	-3.2	-0.0	0.0	-0.1
0.0	0.0				J	-3.2	-0.0	0.0	-0.1
-0.1	4.0								
				Q5_ps Y	I	12.8	0.0	-0.0	0.3
0.0	0.0				J	12.8	0.0	-0.0	0.3
0.3	-19.5								
				INVSLU Max	I	-4.9	0.2	-3.3	5.5
0.0	0.0				J	-4.9	0.2	-1.1	5.5
6757.3	-130.2								
				Min	I	-110.6	0.0	-3.3	0.7
0.0	0.0				J	-110.6	0.0	-1.1	0.7
6752.9	-724.9								
				INVSLE Max	I	-18.4	0.2	-2.4	4.3
0.0	0.0				J	-18.4	0.2	-0.8	4.3
5005.6	-105.7								

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-95.3	0.0	-2.4	0.8	
0.0	0.0			J	-95.3	0.0	-0.8	0.8	
5002.4	-545.0								
8779	2	72	C1-C2;~1	Max	I	36.2	0.0	0.0	3.0
0.0	0.0				J	36.2	0.0	0.0	3.0
0.0	0.0		Min	I	-23.1	0.0	0.0	-1.8	
0.0	0.0			J	-23.1	-0.0	0.0	-1.8	
0.0	0.0								
			C3-C4;~1	Max	I	38.5	0.0	0.0	2.1
0.0	0.0			J	38.5	0.0	0.0	2.1	
0.0	0.0		Min	I	-8.7	0.0	0.0	-2.2	
0.0	0.0			J	-8.7	-0.0	0.0	-2.2	
0.0	0.0								
			C1-C2;~2	Max	I	22.9	0.0	0.0	1.8
0.0	0.0			J	22.9	0.0	0.0	1.8	
0.0	0.0		Min	I	-13.7	0.0	0.0	-1.1	
0.0	0.0			J	-13.7	-0.0	0.0	-1.1	
0.0	0.0								
			C3-C4;~2	Max	I	25.1	0.0	0.0	1.2
0.0	0.0			J	25.1	0.0	0.0	1.2	
0.0	0.0		Min	I	-4.4	0.0	0.0	-1.4	
0.0	0.0			J	-4.4	-0.0	0.0	-1.4	
0.0	0.0								
			G1	I	1.1	0.0	-0.8	2.5	
0.0	0.0			J	1.1	-0.0	0.8	2.5	
0.0	0.0								
			G2	I	-3.9	0.0	0.0	1.0	
0.0	0.0			J	-3.9	-0.0	0.0	1.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	0.5	0.0	0.0	-0.0	
0.0	0.0			J	0.5	-0.0	0.0	-0.0	
0.0	0.0								
			Q5_pc Y	I	-3.4	0.0	0.0	0.1	
0.0	0.0			J	-3.4	-0.0	0.0	0.1	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0	Q5_ps X	I	0.4	0.0	0.0	-0.0
0.0	0.0		J	0.4	-0.0	0.0	-0.0
0.0	0.0	Q5_ps Y	I	-2.9	0.0	0.0	0.1
0.0	0.0		J	-2.9	-0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	-233.9	0.0	-1.1	4.5
0.0	0.0		J	-233.9	-0.0	1.1	4.5
0.0	0.0	Min	I	-323.2	0.0	-1.1	-2.7
0.0	0.0		J	-323.2	-0.0	1.1	-2.7
0.0	0.0	INVS LE Max	I	-188.1	0.0	-0.8	2.8
0.0	0.0		J	-188.1	-0.0	0.8	2.8
0.0	0.0	Min	I	-253.9	0.0	-0.8	-2.4
0.0	0.0		J	-253.9	-0.0	0.8	-2.4
8780	2	72 C1-C2;~1 Max	I	36.0	0.0	0.0	0.7
0.0	0.0		J	36.0	0.0	0.0	0.7
0.0	0.0	Min	I	-23.1	-0.0	-0.0	-1.3
0.0	0.0		J	-23.1	-0.0	0.0	-1.3
0.0	0.0	C3-C4;~1 Max	I	38.3	0.0	0.0	0.3
0.0	0.0		J	38.3	0.0	0.0	0.3
0.0	0.0	Min	I	-8.7	-0.0	-0.0	-1.3
0.0	0.0		J	-8.7	-0.0	0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	22.8	0.0	0.0	0.5
0.0	0.0		J	22.8	0.0	0.0	0.5
0.0	0.0	Min	I	-13.7	-0.0	-0.0	-0.8
0.0	0.0		J	-13.7	-0.0	0.0	-0.8
0.0	0.0	C3-C4;~2 Max	I	25.0	0.0	0.0	0.2
0.0	0.0		J	25.0	0.0	0.0	0.2
0.0	0.0	Min	I	-4.4	-0.0	-0.0	-0.8
0.0	0.0		J	-4.4	-0.0	0.0	-0.8
0.0	0.0	G1	I	1.1	0.0	-0.8	-1.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	1.1	-0.0	0.8	-1.5
0.0	0.0	G2	I	-3.9	0.0	0.0	-0.5
0.0	0.0		J	-3.9	-0.0	0.0	-0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.5	0.0	-0.0	-0.1
0.0	0.0		J	0.5	-0.0	0.0	-0.1
0.0	0.0	Q5_pc Y	I	-3.4	0.0	0.0	0.5
0.0	0.0		J	-3.4	0.0	0.0	0.5
0.0	0.0	Q5_ps X	I	0.4	0.0	-0.0	-0.2
0.0	0.0		J	0.4	-0.0	0.0	-0.2
0.0	0.0	Q5_ps Y	I	-2.9	0.0	0.0	0.6
0.0	0.0		J	-2.9	0.0	0.0	0.6
0.0	0.0	INVSLE Max	I	-234.3	0.0	-1.1	-0.2
0.0	0.0		J	-234.3	-0.0	1.1	-0.2
0.0	0.0	Min	I	-323.3	0.0	-1.1	-4.0
0.0	0.0		J	-323.3	-0.0	1.1	-4.0
0.0	0.0	INVSLE Max	I	-188.5	0.0	-0.8	-0.3
0.0	0.0		J	-188.5	-0.0	0.8	-0.3
0.0	0.0	Min	I	-253.9	0.0	-0.8	-3.0
0.0	0.0		J	-253.9	-0.0	0.8	-3.0
8781 1.9	2 90.2	72 C1-C2;~1 Max	I	43.9	0.0	0.0	2.8
0.0	0.0		J	43.9	0.0	0.0	2.8
-0.9	-338.7	Min	I	-20.4	-0.1	-0.0	-1.2
0.0	0.0		J	-20.4	-0.1	-0.0	-1.2
1.5	41.8	C3-C4;~1 Max	I	29.6	0.0	0.0	1.2
0.0	0.0		J	29.6	0.0	0.0	1.2
-1.0	-294.4	Min	I	-17.8	-0.1	-0.0	-1.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	-17.8	-0.1	-0.0	-1.0
1.1	52.5	C1-C2;~2 Max	I	29.0	0.0	0.0	2.0
0.0	0.0		J	29.0	0.0	0.0	2.0
-0.6	-227.8	Min	I	-12.4	-0.1	-0.0	-0.7
0.0	0.0		J	-12.4	-0.1	-0.0	-0.7
0.8	21.1	C3-C4;~2 Max	I	19.3	0.0	0.0	0.7
0.0	0.0		J	19.3	0.0	0.0	0.7
-0.6	-199.4	Min	I	-9.2	-0.1	-0.0	-0.5
0.0	0.0		J	-9.2	-0.1	-0.0	-0.5
5006.9	3.0	G1	I	-6.8	0.0	0.9	-0.9
0.0	0.0		J	-6.8	0.0	2.5	-0.9
0.7	28.3	G2	I	-7.0	0.0	0.0	-0.4
0.0	0.0		J	-7.0	0.0	0.0	-0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	1.2	Q5_pc X	I	-2.5	0.0	0.0	-0.1
0.0	0.0		J	-2.5	0.0	0.0	-0.1
-0.2	-8.8	Q5_pc Y	I	10.5	-0.0	-0.0	0.3
0.0	0.0		J	10.5	-0.0	-0.0	0.3
0.1	4.0	Q5_ps X	I	-3.2	0.0	0.0	-0.1
0.0	0.0		J	-3.2	0.0	0.0	-0.1
-0.2	-19.5	Q5_ps Y	I	12.8	-0.0	-0.0	0.5
0.0	0.0		J	12.8	-0.0	-0.0	0.5
6760.5	-130.2	INVSLU Max	I	-5.0	-0.0	1.2	5.3
0.0	0.0		J	-5.0	-0.0	3.3	5.3
6756.2	-724.9	Min	I	-110.6	-0.2	1.2	-0.7
0.0	0.0		J	-110.6	-0.2	3.3	-0.7
		INVSLE Max	I	-18.5	-0.0	0.9	4.2


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5007.5	-105.7			J	-18.5	-0.0	2.5 4.2
0.0	0.0		Min	I	-95.3	-0.2	0.9 -0.1
5004.4	-545.0			J	-95.3	-0.2	2.5 -0.1
0.0	0.0						
9175	2	63	C1-C2;~1	Max	I	32.6	0.0 1.2 4.0
0.0	1.3			J	32.6	0.0	1.2 4.0
217.3	25.5		Min	I	-65.3	-0.0	-0.4 -6.2
-0.0	-0.9			J	-65.3	-0.0	-0.4 -6.2
-717.7	-20.1						
			C3-C4;~1	Max	I	24.2	0.0 1.6 3.4
0.0	1.9			J	24.2	0.0	1.6 3.4
230.4	27.8		Min	I	-88.8	-0.0	-0.4 -8.7
-0.0	-0.8			J	-88.8	-0.0	-0.4 -8.7
-944.8	-16.4						
			C1-C2;~2	Max	I	17.3	0.0 0.6 2.5
0.0	0.8			J	17.3	0.0	0.6 2.5
113.0	15.0		Min	I	-34.3	-0.0	-0.2 -3.4
-0.0	-0.6			J	-34.3	-0.0	-0.2 -3.4
-385.6	-11.0						
			C3-C4;~2	Max	I	12.5	0.0 0.9 1.9
0.0	1.1			J	12.5	0.0	0.9 1.9
121.0	15.6		Min	I	-48.6	-0.0	-0.2 -5.4
-0.0	-0.5			J	-48.6	-0.0	-0.2 -5.4
-528.6	-9.0						
			G1	I	-48.0	-0.0	0.6 -7.7
-0.0	0.8			J	-48.0	-0.0	1.6 -7.7
-666.8	1.7						
			G2	I	-18.2	0.0	0.4 -2.6
-0.0	0.3			J	-18.2	0.0	0.4 -2.6
-226.1	0.1						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	X	I	-2.9	0.0 0.0 -2.4
-0.0	0.0			J	-2.9	0.0	0.0 -2.4
-4.0	-5.2						
			Q5_pc	Y	I	8.3	-0.0 -0.0 6.5
0.0	-0.1						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
15.0	14.2		J	8.3	-0.0	-0.0	6.5	
-0.0	-0.0	Q5_ps X	I	-2.2	0.0	-0.0	-2.1	
0.3	-5.0		J	-2.2	0.0	-0.0	-2.1	
0.0	0.0	Q5_ps Y	I	6.0	-0.0	0.0	5.7	
-0.3	13.5		J	6.0	-0.0	0.0	5.7	
-0.0	3.3	INVSLU Max	I	-9.9	0.0	3.3	7.5	
-772.9	66.9		J	-9.9	0.0	4.6	7.5	
-0.0	-0.6	Min	I	-188.6	-0.1	0.6	-21.9	
2386.2	-23.3		J	-188.6	-0.1	1.9	-21.9	-
-0.0	2.4	INVSLE Max	I	-6.0	0.0	2.4	5.4	
-566.6	49.3		J	-6.0	0.0	3.4	5.4	
-0.0	-0.5	Min	I	-137.3	-0.1	0.5	-15.3	
1759.7	-15.6		J	-137.3	-0.1	1.4	-15.3	-
9176	2	63 C1-C2;~1 Max	I	84.5	3.4	0.5	117.7	
208.2	7769.6		J	84.5	3.4	0.5	117.7	
432.1	5536.4	Min	I	-48.1	-3.9	-1.6	-60.2	
-764.8	-10868.5		J	-48.1	-3.9	-1.6	-60.2	
-124.0	-8044.4							
229.6	11816.4	C3-C4;~1 Max	I	72.0	4.7	0.5	119.9	
570.2	8497.7		J	72.0	4.7	0.5	119.9	
-993.3	-7142.7	Min	I	-65.7	-2.6	-2.1	-39.7	
-131.0	-5290.4		J	-65.7	-2.6	-2.1	-39.7	
109.3	3913.1	C1-C2;~2 Max	I	46.3	1.8	0.2	68.6	
234.7	2793.1		J	46.3	1.8	0.2	68.6	
-417.2	-6078.9	Min	I	-24.6	-2.2	-0.9	-32.2	
-64.4	-4498.7		J	-24.6	-2.2	-0.9	-32.2	
121.0	6313.9	C3-C4;~2 Max	I	39.4	2.6	0.3	67.2	
322.5	4545.4		J	39.4	2.6	0.3	67.2	
-563.1	-3815.6	Min	I	-34.4	-1.4	-1.2	-20.0	
-68.8	-2821.7		J	-34.4	-1.4	-1.2	-20.0	

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-701.4	1846.1	G1	I	24.5	0.9	-1.9	46.3	
			J	24.5	0.9	-0.7	46.3	
278.9	1163.9							
		G2	I	9.6	0.3	-0.5	7.0	
-239.7	664.7		J	9.6	0.3	-0.5	7.0	
133.5	440.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	54.0	-0.4	-0.0	-4.5	
1.9	-337.1		J	54.0	-0.4	-0.0	-4.5	
6.3	-50.5							
		Q5_pc Y	I	-148.3	1.1	0.0	11.3	
-1.0	850.3		J	-148.3	1.1	0.0	11.3	
-19.3	73.9							
		Q5_ps X	I	51.7	-0.4	0.0	-3.9	
5.5	-448.2		J	51.7	-0.4	0.0	-3.9	
3.8	-145.8							
		Q5_ps Y	I	-142.1	1.1	-0.0	9.4	
-14.2	1159.7		J	-142.1	1.1	-0.0	9.4	
-9.9	339.2							
		INVSLU Max	I	392.8	9.9	-2.4	289.7	
-868.5	20387.0		J	392.8	9.9	-0.8	289.7	
1285.3	13376.8							
		Min	I	-142.5	-3.7	-6.0	26.2	-
2522.9	-11768.1		J	-142.5	-3.7	-4.4	26.2	
304.0	-9087.9							
		INVSLE Max	I	279.4	7.3	-1.8	217.2	
-638.0	15071.9		J	279.4	7.3	-0.6	217.2	
947.4	9872.0							
		Min	I	-85.5	-2.6	-4.4	23.5	-
1863.2	-8633.3		J	-85.5	-2.6	-3.2	23.5	
223.1	-6758.6							
9177	2	63 C1-C2;~1 Max	I	206.7	3.3	0.7	115.3	
432.1	5537.2		J	206.7	3.3	0.7	115.3	
39.6	3470.6							
		Min	I	-11.4	-3.9	-0.2	-59.9	
-124.0	-8045.1		J	-11.4	-3.9	-0.2	-59.9	
-114.3	-5353.9							
		C3-C4;~1 Max	I	235.9	4.7	1.0	114.4	
570.2	8498.6		J	235.9	4.7	1.0	114.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
39.3	5323.1							
			Min	I	-9.4	-2.6	-0.2	-39.2
-131.0	-5290.8			J	-9.4	-2.6	-0.2	-39.2
-148.5	-3674.1							
		C1-C2;~2	Max	I	126.2	1.7	0.4	67.8
234.6	2793.5			J	126.2	1.7	0.4	67.8
20.2	1770.2							
			Min	I	-7.0	-2.2	-0.1	-32.0
-64.4	-4499.1			J	-7.0	-2.2	-0.1	-32.0
-61.3	-3006.5							
		C3-C4;~2	Max	I	147.2	2.6	0.5	64.5
322.5	4545.9			J	147.2	2.6	0.5	64.5
20.5	2862.2							
			Min	I	-5.6	-1.4	-0.1	-19.6
-68.8	-2821.9			J	-5.6	-1.4	-0.1	-19.6
-82.4	-1986.6							
			G1	I	178.8	0.9	0.0	33.6
278.9	1164.2			J	178.8	0.9	1.2	33.6
-159.3	483.2							
			G2	I	69.7	0.3	0.2	4.0
133.5	440.3			J	69.7	0.3	0.2	4.0
-32.3	216.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	44.7	-0.4	0.0	-6.3
6.3	-50.6			J	44.7	-0.4	0.0	-6.3
-0.9	230.4							
			Q5_pc Y	I	-124.9	1.0	-0.0	16.0
-19.3	74.1			J	-124.9	1.0	-0.0	16.0
3.1	-687.6							
			Q5_ps X	I	42.3	-0.4	0.0	-5.4
3.8	-145.9			J	42.3	-0.4	0.0	-5.4
-0.2	151.3							
			Q5_ps Y	I	-117.9	1.1	-0.0	13.5
-9.9	339.5			J	-117.9	1.1	-0.0	13.5
0.6	-467.6							
			INVSLU Max	I	901.8	9.8	1.5	274.0
1285.3	13378.9			J	901.8	9.8	3.1	274.0
-147.5	7816.8							
			Min	I	284.7	-3.6	-0.2	8.6
304.0	-9088.6			J	284.7	-3.6	1.4	8.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-406.9	-7834.9							
			INVSLE Max	I	667.6	7.3	1.1	205.8
947.4	9873.6			J	667.6	7.3	2.3	205.8
-106.1	5654.0		Min	I	231.9	-2.6	-0.1	11.4
223.0	-6759.1			J	231.9	-2.6	1.0	11.4
-297.8	-5848.1							
9178	2	63	C1-C2;~1 Max	I	322.2	3.4	0.1	84.3
39.6	3469.9			J	322.2	3.4	0.1	84.3
67.5	1490.9		Min	I	-42.8	-3.9	-0.2	-50.4
-114.3	-5353.1			J	-42.8	-3.9	-0.2	-50.4
-19.9	-3167.4							
			C3-C4;~1 Max	I	373.4	4.7	0.1	87.4
39.3	5322.1			J	373.4	4.7	0.1	87.4
92.3	2212.2		Min	I	-45.1	-2.6	-0.3	-32.1
-148.5	-3673.6			J	-45.1	-2.6	-0.3	-32.1
-20.6	-2662.5							
			C1-C2;~2 Max	I	191.8	1.8	0.0	48.7
20.2	1769.8			J	191.8	1.8	0.0	48.7
37.0	787.5		Min	I	-24.8	-2.2	-0.1	-27.2
-61.3	-3006.1			J	-24.8	-2.2	-0.1	-27.2
-10.2	-1879.8							
			C3-C4;~2 Max	I	227.1	2.6	0.0	48.6
20.5	2861.6			J	227.1	2.6	0.0	48.6
53.0	1204.3		Min	I	-25.3	-1.4	-0.2	-15.8
-82.4	-1986.3			J	-25.3	-1.4	-0.2	-15.8
-10.8	-1592.5							
			G1	I	269.7	0.9	-0.8	24.5
-159.3	483.0			J	269.7	0.9	0.4	24.5
-20.7	-201.4							
			G2	I	105.3	0.3	-0.1	3.8
-32.3	216.6			J	105.3	0.3	-0.1	3.8
20.3	-4.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	38.5	-0.4	-0.0	-5.7
-0.9	230.6			J	38.5	-0.4	-0.0	-5.7
1.2	513.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3.1	-688.0	Q5_pc	Y	I	-109.7	1.0	0.0	14.8
				J	-109.7	1.0	0.0	14.8
-3.6	-1453.0							
		Q5_ps	X	I	35.8	-0.4	-0.0	-5.2
-0.2	151.5			J	35.8	-0.4	-0.0	-5.2
0.6	449.5							
		Q5_ps	Y	I	-102.3	1.1	0.0	13.4
0.6	-468.0			J	-102.3	1.1	0.0	13.4
-1.9	-1276.3							
		INVSLU	Max	I	1318.5	9.8	-1.0	226.2
-147.5	7815.2			J	1318.5	9.8	0.6	226.2
170.6	2469.4							
			Min	I	528.1	-3.7	-1.6	13.5
-407.0	-7834.8			J	528.1	-3.7	0.0	13.5
11.9	-7408.4							
		INVSLE	Max	I	981.2	7.3	-0.8	170.8
-106.1	5652.8			J	981.2	7.3	0.4	170.8
128.7	1582.8							
			Min	I	414.4	-2.6	-1.2	15.2
-297.8	-5848.1			J	414.4	-2.6	0.0	15.2
11.5	-5540.3							
9179	2	63 C1-C2;~1	Max	I	449.7	3.4	0.1	58.7
67.5	1490.7			J	449.7	3.4	0.1	58.7
7.7	937.9							
			Min	I	-73.0	-3.9	-0.0	-47.4
-19.9	-3167.1			J	-73.0	-3.9	-0.0	-47.4
-22.4	-2990.8							
		C3-C4;~1	Max	I	523.4	4.7	0.1	67.5
92.3	2211.9			J	523.4	4.7	0.1	67.5
14.0	765.9							
			Min	I	-81.4	-2.6	-0.0	-30.7
-20.6	-2662.4			J	-81.4	-2.6	-0.0	-30.7
-27.4	-3012.0							
		C1-C2;~2	Max	I	263.8	1.8	0.1	32.7
37.0	787.4			J	263.8	1.8	0.1	32.7
3.9	503.3							
			Min	I	-40.1	-2.2	-0.0	-25.9
-10.2	-1879.7			J	-40.1	-2.2	-0.0	-25.9
-12.8	-1871.6							
		C3-C4;~2	Max	I	313.3	2.6	0.1	36.6
53.0	1204.2			J	313.3	2.6	0.1	36.6
8.4	409.3							
			Min	I	-44.0	-1.4	-0.0	-15.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-10.8	-1592.4		J	-44.0	-1.4	-0.0	-15.7
-15.9	-1887.5						
		G1	I	364.7	0.9	-0.5	17.2
-20.7	-201.4		J	364.7	0.9	0.7	17.2
-82.2	-885.9						
		G2	I	141.7	0.3	0.0	4.7
20.3	-4.0		J	141.7	0.3	0.0	4.7
-2.7	-219.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	34.3	-0.4	0.0	-6.2
1.2	513.0		J	34.3	-0.4	0.0	-6.2
-0.2	792.8						
		Q5_pc Y	I	-100.3	1.0	-0.0	16.7
-3.6	-1453.0		J	-100.3	1.0	-0.0	16.7
1.2	-2210.1						
		Q5_ps X	I	31.4	-0.4	0.0	-6.2
0.6	449.5		J	31.4	-0.4	0.0	-6.2
-0.3	744.0						
		Q5_ps Y	I	-92.3	1.1	-0.0	16.8
-1.9	-1276.3		J	-92.3	1.1	-0.0	16.8
1.4	-2074.1						
		INVSLE Max	I	1744.6	9.8	-0.4	190.6
170.6	2469.1		J	1744.6	9.8	1.2	190.6
-48.2	123.7						
		Min	I	747.5	-3.6	-0.7	5.5
11.9	-7407.8		J	747.5	-3.6	0.9	5.5
-106.2	-9722.1						
		INVSLE Max	I	1299.7	7.3	-0.3	144.1
128.7	1582.6		J	1299.7	7.3	0.9	144.1
-33.5	-348.6						
		Min	I	574.5	-2.5	-0.5	9.2
11.5	-5539.9		J	574.5	-2.5	0.7	9.2
-76.3	-7263.9						
9180	2	63 C1-C2;~1 Max	I	567.8	3.4	0.0	44.3
7.7	937.3		J	567.8	3.4	0.0	44.3
137.1	3471.9						
		Min	I	-87.0	-3.9	-0.2	-49.2
-22.4	-2990.9		J	-87.0	-3.9	-0.2	-49.2
-16.7	-5359.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
14.0	765.3	C3-C4;~1 Max	I	636.7	4.8	0.0	54.7
			J	636.7	4.8	0.0	54.7
115.3	2525.9	Min	I	-98.4	-2.6	-0.2	-30.3
-27.4	-3011.6		J	-98.4	-2.6	-0.2	-30.3
-31.5	-6087.6						
3.9	502.9	C1-C2;~2 Max	I	336.5	1.8	0.0	24.2
			J	336.5	1.8	0.0	24.2
84.2	1932.4	Min	I	-46.9	-2.2	-0.1	-28.2
-12.8	-1871.7		J	-46.9	-2.2	-0.1	-28.2
-8.1	-3112.0						
8.4	408.9	C3-C4;~2 Max	I	383.3	2.6	0.0	29.4
			J	383.3	2.6	0.0	29.4
70.5	1379.0	Min	I	-52.5	-1.4	-0.1	-15.9
-15.9	-1887.4		J	-52.5	-1.4	-0.1	-15.9
-17.1	-3496.8						
-82.2	-886.1	G1	I	446.8	0.9	-0.7	10.6
			J	446.8	0.9	0.5	10.6
-13.6	-1569.9						
-2.7	-219.5	G2	I	171.9	0.3	-0.0	4.0
			J	171.9	0.3	-0.0	4.0
20.9	-433.2						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.2	792.8	Q5_pc X	I	32.4	-0.4	-0.0	-6.5
			J	32.4	-0.4	-0.0	-6.5
3.2	1072.5						
1.2	-2210.1	Q5_pc Y	I	-96.6	1.0	0.0	18.0
			J	-96.6	1.0	0.0	18.0
-9.8	-2966.7						
-0.3	743.9	Q5_ps X	I	30.0	-0.4	-0.0	-6.8
			J	30.0	-0.4	-0.0	-6.8
4.4	1038.3						
1.4	-2074.0	Q5_ps Y	I	-90.2	1.1	0.0	18.8
			J	-90.2	1.1	0.0	18.8
-13.0	-2871.0						
-48.2	122.6	INVSLU Max	I	2093.3	9.9	-1.0	153.9
			J	2093.3	9.9	0.6	153.9
305.9	1822.1						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-106.2	-9722.0		Min	I	927.1	-3.6	-1.3	-18.8	
				J	927.1	-3.6	0.3	-18.8	
60.7	-16423.4								
		INVSLE	Max	I	1560.1	7.4	-0.7	115.9	
-33.5	-349.4			J	1560.1	7.4	0.4	115.9	
231.9	879.4								
			Min	I	709.2	-2.5	-1.0	-9.6	
-76.3	-7263.9			J	709.2	-2.5	0.2	-9.6	
51.6	-12240.3								
9181	2	63	C1-C2;~1	Max	I	669.0	0.8	0.1	103.0
79.4	3416.3			J	669.0	0.8	0.1	103.0	
32.0	2908.0								
			Min	I	-103.3	-1.5	-0.1	-27.5	
-61.4	-5340.3			J	-103.3	-1.5	-0.1	-27.5	
-8.2	-4151.5								
		C3-C4;~1	Max	I	732.3	0.7	0.1	90.8	
96.0	2493.0			J	732.3	0.7	0.1	90.8	
45.4	2007.5								
			Min	I	-115.6	-1.6	-0.1	-20.9	
-39.8	-6044.7			J	-115.6	-1.6	-0.1	-20.9	
-9.1	-4992.8								
		C1-C2;~2	Max	I	398.0	0.4	0.0	64.8	
47.8	1900.8			J	398.0	0.4	0.0	64.8	
18.3	1634.2								
			Min	I	-55.6	-0.9	-0.0	-14.1	
-34.6	-3105.9			J	-55.6	-0.9	-0.0	-14.1	
-4.4	-2386.8								
		C3-C4;~2	Max	I	441.5	0.4	0.1	55.5	
57.4	1361.4			J	441.5	0.4	0.1	55.5	
27.4	1091.6								
			Min	I	-61.3	-0.9	-0.0	-10.2	
-21.6	-3475.4			J	-61.3	-0.9	-0.0	-10.2	
-4.8	-2879.2								
		G1		I	524.9	-0.3	-0.7	17.3	
-66.8	-1572.7			J	524.9	-0.3	0.6	17.3	
-61.6	-1299.2								
		G2		I	202.0	-0.1	-0.0	1.2	
1.7	-434.6			J	202.0	-0.1	-0.0	1.2	
11.3	-373.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	30.3	0.3	0.0	1.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.7	1071.3			J	30.3	0.3	0.0	1.5
-0.8	860.0							
-8.1	-2963.7	Q5_pc	Y	I	-92.4	-0.7	-0.0	-5.2
2.2	-2397.4			J	-92.4	-0.7	-0.0	-5.2
2.4	1036.6	Q5_ps	X	I	28.4	0.3	0.0	2.2
-1.1	836.9			J	28.4	0.3	0.0	2.2
-7.3	-2866.7	Q5_ps	Y	I	-87.0	-0.7	-0.0	-7.5
3.0	-2333.2			J	-87.0	-0.7	-0.0	-7.5
124.9	1741.7	INVSLU	Max	I	2392.2	0.4	-0.7	194.3
51.8	1603.5			J	2392.2	0.4	1.0	194.3
-102.2	-16365.3		Min	I	1081.3	-4.1	-1.0	8.8
-25.8	-13377.9			J	1081.3	-4.1	0.7	8.8
97.7	820.5	INVSLE	Max	I	1781.8	0.1	-0.5	144.7
40.2	822.9			J	1781.8	0.1	0.7	144.7
-69.4	-12197.0		Min	I	823.1	-3.1	-0.7	7.9
-17.0	-9954.7			J	823.1	-3.1	0.6	7.9
9182	2	63 C1-C2;~1	Max	I	762.2	0.8	0.0	79.2
32.0	2906.3			J	762.2	0.8	0.0	79.2
36.8	2429.1		Min	I	-124.2	-1.5	-0.0	-33.9
-8.2	-4150.3			J	-124.2	-1.5	-0.0	-33.9
-3.3	-3042.9							
45.4	2006.4	C3-C4;~1	Max	I	825.9	0.7	0.0	70.0
36.8	1547.4			J	825.9	0.7	0.0	70.0
-9.1	-4991.2		Min	I	-138.7	-1.6	-0.0	-20.6
-6.5	-3940.1			J	-138.7	-1.6	-0.0	-20.6
18.3	1633.2	C1-C2;~2	Max	I	453.0	0.4	0.0	49.1
22.0	1391.9			J	453.0	0.4	0.0	49.1
-4.4	-2386.1		Min	I	-66.9	-0.9	-0.0	-18.3
-1.6	-1726.7			J	-66.9	-0.9	-0.0	-18.3
27.4	1091.0	C3-C4;~2	Max	I	497.1	0.4	0.0	41.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
24.3	840.9		J	497.1	0.4	0.0	41.3
		Min	I	-73.6	-0.9	-0.0	-10.1
-4.8	-2878.4		J	-73.6	-0.9	-0.0	-10.1
-3.6	-2284.7						
		G1	I	600.3	-0.3	-0.6	9.5
-61.6	-1299.1		J	600.3	-0.3	0.6	9.5
-64.7	-1029.0						
		G2	I	232.4	-0.1	0.0	0.0
11.3	-373.6		J	232.4	-0.1	0.0	0.0
8.2	-312.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	27.7	0.3	-0.0	0.6
-0.8	859.9		J	27.7	0.3	-0.0	0.6
1.0	647.7						
		Q5_pc Y	I	-86.6	-0.7	0.0	-2.5
2.2	-2397.3		J	-86.6	-0.7	0.0	-2.5
-2.7	-1828.4						
		Q5_ps X	I	25.9	0.3	-0.0	1.0
-1.1	836.9		J	25.9	0.3	-0.0	1.0
1.1	635.7						
		Q5_ps Y	I	-81.5	-0.7	0.0	-3.7
3.0	-2333.2		J	-81.5	-0.7	0.0	-3.7
-2.8	-1795.2						
		INVSLU Max	I	2667.5	0.4	-0.8	139.8
51.8	1601.0		J	2667.5	0.4	0.9	139.8
45.7	1463.9						
		Min	I	1209.4	-4.1	-0.9	-17.4
-25.8	-13375.8		J	1209.4	-4.1	0.8	-17.4
-17.7	-10425.5						
		INVSLE Max	I	1984.6	0.2	-0.6	103.7
40.2	821.1		J	1984.6	0.2	0.7	103.7
36.7	821.6						
		Min	I	916.2	-3.0	-0.7	-12.4
-17.0	-9953.2		J	916.2	-3.0	0.6	-12.4
-9.9	-7741.6						
9183	2	63 C1-C2;~1 Max	I	875.1	0.8	0.0	48.7
36.8	2429.3		J	875.1	0.8	0.0	48.7
53.1	2026.0						
		Min	I	-163.0	-1.5	-0.0	-46.6
-3.3	-3043.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-13.5	-2315.1		J	-163.0	-1.5	-0.0	-46.6
36.8	1547.6	C3-C4;~1 Max	I	959.8	0.7	0.0	45.5
67.4	1250.3		J	959.8	0.7	0.0	45.5
-6.5	-3940.3	Min	I	-182.2	-1.6	-0.1	-30.8
-15.2	-2941.1		J	-182.2	-1.6	-0.1	-30.8
22.0	1392.0	C1-C2;~2 Max	I	515.2	0.5	0.0	29.4
30.6	1202.2		J	515.2	0.5	0.0	29.4
-1.6	-1726.7	Min	I	-87.7	-0.9	-0.0	-27.5
-7.2	-1343.0		J	-87.7	-0.9	-0.0	-27.5
24.3	841.0	C3-C4;~2 Max	I	572.3	0.4	0.0	25.4
40.0	707.5		J	572.3	0.4	0.0	25.4
-3.6	-2284.8	Min	I	-96.6	-0.9	-0.0	-17.4
-8.0	-1724.7		J	-96.6	-0.9	-0.0	-17.4
-64.7	-1028.9	G1	I	683.7	-0.3	-0.7	1.5
-49.4	-762.8		J	683.7	-0.3	0.6	1.5
8.2	-312.2	G2	I	264.8	-0.1	-0.0	0.5
14.3	-245.9		J	264.8	-0.1	-0.0	0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.0	647.7	Q5_pc X	I	24.8	0.3	0.0	-0.8
-0.1	433.3		J	24.8	0.3	0.0	-0.8
-2.7	-1828.3	Q5_pc Y	I	-80.5	-0.7	-0.0	1.9
-0.2	-1252.3		J	-80.5	-0.7	-0.0	1.9
1.1	635.7	Q5_ps X	I	22.5	0.3	0.0	-1.0
-0.4	431.1		J	22.5	0.3	0.0	-1.0
-2.8	-1795.1	Q5_ps Y	I	-74.3	-0.7	-0.0	2.6
0.5	-1246.7		J	-74.3	-0.7	-0.0	2.6
		INVSLU Max	I	3007.2	0.5	-0.9	92.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
45.7	1464.1			J	3007.2	0.5	92.2
115.6	1408.4						
			Min	I	1320.6	-4.0	-39.9
-17.7	-10425.8			J	1320.6	-4.0	-39.9
3.7	-7551.4						
			INVSLE Max	I	2235.4	0.2	68.8
36.7	821.8			J	2235.4	0.2	68.8
88.4	881.7						
			Min	I	996.8	-3.0	-28.8
-9.9	-7741.8			J	996.8	-3.0	-28.8
5.6	-5588.2						
9184	2	63	C1-C2;~1 Max	I	986.0	0.9	27.1
53.1	2026.1			J	986.0	0.9	27.1
14.8	1706.6						
			Min	I	-201.9	-1.5	-72.3
-13.5	-2315.2			J	-201.9	-1.5	-72.3
-5.1	-1992.0						
			C3-C4;~1 Max	I	1087.4	0.7	32.9
67.4	1250.4			J	1087.4	0.7	32.9
24.7	1015.6						
			Min	I	-225.8	-1.5	-57.2
-15.2	-2941.2			J	-225.8	-1.5	-57.2
-5.6	-2214.6						
			C1-C2;~2 Max	I	576.8	0.5	15.0
30.6	1202.3			J	576.8	0.5	15.0
9.5	1066.3						
			Min	I	-108.6	-0.9	-47.5
-7.2	-1343.0			J	-108.6	-0.9	-47.5
-3.2	-1248.6						
			C3-C4;~2 Max	I	643.9	0.4	17.4
40.0	707.5			J	643.9	0.4	17.4
16.5	610.9						
			Min	I	-119.7	-0.9	-35.3
-8.0	-1724.7			J	-119.7	-0.9	-35.3
-3.4	-1359.3						
			G1	I	760.5	-0.3	-7.2
-49.4	-762.8			J	760.5	-0.3	-7.2
-76.3	-500.8						
			G2	I	294.1	-0.1	0.8
14.3	-245.9			J	294.1	-0.1	0.8
5.2	-174.9						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-0.1	433.2	Q5_pc X	I	22.1	0.3	-0.0	-2.3
0.1	216.2		J	22.1	0.3	-0.0	-2.3
-0.2	-1252.3	Q5_pc Y	I	-75.2	-0.7	-0.0	6.7
0.2	-668.3		J	-75.2	-0.7	-0.0	6.7
-0.4	431.1	Q5_ps X	I	19.6	0.3	-0.0	-3.1
-0.1	222.8		J	19.6	0.3	-0.0	-3.1
0.5	-1246.7	Q5_ps Y	I	-68.4	-0.7	-0.0	9.3
0.8	-686.6		J	-68.4	-0.7	-0.0	9.3
115.6	1409.0	INVS LU Max	I	3325.8	0.6	-0.7	67.8
5.3	1445.4		J	3325.8	0.6	1.0	67.8
3.7	-7551.1	Min	I	1417.5	-4.0	-0.8	-86.3
-35.9	-5051.1		J	1417.5	-4.0	0.9	-86.3
88.4	882.2	INVS LE Max	I	2470.8	0.3	-0.5	50.7
6.0	1009.7		J	2470.8	0.3	0.8	50.7
5.5	-5587.9	Min	I	1067.4	-3.0	-0.6	-62.5
-24.5	-3713.5		J	1067.4	-3.0	0.7	-62.5
9185	2	63 C1-C2;~1 Max	I	1085.0	0.9	0.0	14.6
14.8	1705.4		J	1085.0	0.9	0.0	14.6
137.5	1998.6	Min	I	-222.4	-1.5	-0.2	-95.1
-5.1	-1991.9		J	-222.4	-1.5	-0.2	-95.1
-11.2	-2131.0						
24.7	1014.5	C3-C4;~1 Max	I	1180.9	0.7	0.0	22.5
124.6	1382.7		J	1180.9	0.7	0.0	22.5
-5.6	-2213.9	Min	I	-248.5	-1.5	-0.1	-78.5
-21.5	-2030.8		J	-248.5	-1.5	-0.1	-78.5
9.5	1065.7	C1-C2;~2 Max	I	637.3	0.5	0.0	7.1
84.8	1294.0		J	637.3	0.5	0.0	7.1
-3.2	-1248.7	Min	I	-119.7	-0.9	-0.1	-63.3
-5.1	-1370.9		J	-119.7	-0.9	-0.1	-63.3


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

16.5	610.3	C3-C4; ~2 Max	I	701.1	0.4	0.0	11.5
			J	701.1	0.4	0.0	11.5
77.1	860.6	Min	I	-131.7	-0.9	-0.1	-50.2
-3.4	-1359.0		J	-131.7	-0.9	-0.1	-50.2
-11.5	-1258.4						
		G1	I	824.9	-0.3	-0.7	-17.3
-76.3	-500.8		J	824.9	-0.3	0.6	-17.3
-15.1	-240.4						
		G2	I	317.4	-0.1	-0.0	-1.4
5.2	-174.8		J	317.4	-0.1	-0.0	-1.4
23.3	-102.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	21.3	0.3	-0.0	-3.1
0.1	216.1		J	21.3	0.3	-0.0	-3.1
2.5	-0.8						
		Q5_pc Y	I	-74.7	-0.7	0.0	9.4
0.2	-668.1		J	-74.7	-0.7	0.0	9.4
-8.0	-84.1						
		Q5_ps X	I	19.3	0.3	-0.0	-4.2
-0.1	222.7		J	19.3	0.3	-0.0	-4.2
3.6	14.4						
		Q5_ps Y	I	-69.2	-0.7	0.0	12.8
0.8	-686.3		J	-69.2	-0.7	0.0	12.8
-11.1	-125.9						
		INVSLE Max	I	3584.7	0.6	-1.0	31.5
5.3	1443.6		J	3584.7	0.6	0.7	31.5
312.6	2269.7	Min	I	1520.6	-3.9	-1.3	-144.3
-35.9	-5050.0		J	1520.6	-3.9	0.5	-144.3
83.5	-3456.7						
		INVSLE Max	I	2662.7	0.3	-0.8	22.9
6.0	1008.4		J	2662.7	0.3	0.5	22.9
236.7	1717.7	Min	I	1143.8	-2.9	-1.0	-106.0
-24.5	-3712.7		J	1143.8	-2.9	0.3	-106.0
68.0	-2512.8						
9186	2	63 C1-C2; ~1 Max	I	1159.3	0.9	0.1	103.7
111.4	1982.4		J	1159.3	0.9	0.1	103.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
34.6	1993.8							
			Min	I	-239.4	-1.1	-0.1	-19.2
-46.2	-2134.1			J	-239.4	-1.1	-0.1	-19.2
-9.5	-1834.2							
		C3-C4;~1	Max	I	1246.2	0.9	0.1	89.1
136.6	1377.2			J	1246.2	0.9	0.1	89.1
46.7	1252.1		Min	I	-267.1	-0.7	-0.0	-20.2
-31.4	-2029.4			J	-267.1	-0.7	-0.0	-20.2
-10.6	-2061.8							
		C1-C2;~2	Max	I	682.5	0.5	0.1	66.0
66.3	1282.8			J	682.5	0.5	0.1	66.0
20.3	1265.2		Min	I	-128.8	-0.7	-0.0	-9.4
-25.1	-1371.9			J	-128.8	-0.7	-0.0	-9.4
-5.1	-1153.5							
		C3-C4;~2	Max	I	740.9	0.6	0.1	55.2
82.2	855.8			J	740.9	0.6	0.1	55.2
28.6	758.1		Min	I	-141.6	-0.4	-0.0	-10.0
-16.1	-1256.5			J	-141.6	-0.4	-0.0	-10.0
-5.6	-1269.7							
		G1		I	878.3	0.0	-0.6	22.6
-40.9	-240.9			J	878.3	0.0	0.7	22.6
-61.0	-265.6							
		G2		I	337.9	0.0	0.0	3.8
13.7	-102.9			J	337.9	0.0	0.0	3.8
11.4	-114.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	20.4	-0.1	0.0	2.6
1.0	-1.5			J	20.4	-0.1	0.0	2.6
-0.7	73.7							
		Q5_pc	Y	I	-73.4	0.3	-0.0	-8.5
-3.7	-82.4			J	-73.4	0.3	-0.0	-8.5
1.9	-302.4							
		Q5_ps	X	I	18.7	-0.1	0.0	3.3
0.8	13.2			J	18.7	-0.1	0.0	3.3
-1.0	89.4							
		Q5_ps	Y	I	-68.9	0.3	-0.0	-10.6
-3.4	-122.7			J	-68.9	0.3	-0.0	-10.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2.7	-345.8								
		INVSLE	Max	I	3773.3	1.8	-0.6	197.8	
252.6	2248.0			J	3773.3	1.8	1.1	197.8	
67.7	2251.4								
			Min	I	1598.1	-1.4	-0.9	15.2	
-0.8	-3457.6			J	1598.1	-1.4	0.9	15.2	
-13.1	-3768.0								
		INVSLE	Max	I	2801.5	1.3	-0.4	146.3	
192.9	1701.8			J	2801.5	1.3	0.8	146.3	
51.7	1677.5								
			Min	I	1200.1	-1.0	-0.7	12.2	
5.7	-2513.5			J	1200.1	-1.0	0.6	12.2	
-7.9	-2741.0								
9187	2	63	C1-C2;~1	Max	I	1221.8	0.9	0.0	74.2
34.6	1993.4			J	1221.8	0.9	0.0	74.2	
57.4	2053.6								
			Min	I	-260.1	-1.0	-0.0	-25.6	
-9.5	-1833.8			J	-260.1	-1.0	-0.0	-25.6	
-7.3	-1719.7								
			C3-C4;~1	Max	I	1305.0	0.9	0.0	63.1
46.7	1251.9			J	1305.0	0.9	0.0	63.1	
61.7	1254.8								
			Min	I	-290.0	-0.7	-0.0	-18.9	
-10.6	-2061.2			J	-290.0	-0.7	-0.0	-18.9	
-8.1	-2251.4								
			C1-C2;~2	Max	I	719.2	0.5	0.0	46.6
20.3	1264.9			J	719.2	0.5	0.0	46.6	
35.7	1268.4								
			Min	I	-140.0	-0.7	-0.0	-13.9	
-5.1	-1153.2			J	-140.0	-0.7	-0.0	-13.9	
-3.9	-1052.9								
			C3-C4;~2	Max	I	775.3	0.6	0.0	37.7
28.6	758.0			J	775.3	0.6	0.0	37.7	
39.1	739.1								
			Min	I	-153.8	-0.4	-0.0	-9.2	
-5.6	-1269.3			J	-153.8	-0.4	-0.0	-9.2	
-4.2	-1379.6								
			G1	I	925.8	0.0	-0.7	11.2	
-61.0	-265.5			J	925.8	0.0	0.6	11.2	
-43.6	-292.2								
			G2	I	357.6	0.0	-0.0	1.1	
11.4	-114.7			J	357.6	0.0	-0.0	1.1	
16.0	-125.7								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	18.8	-0.1	-0.0
-0.7	73.7			J	18.8	-0.1	-0.0
0.6	147.8						
			Q5_pc Y	I	-70.6	0.3	0.0
1.9	-302.4			J	-70.6	0.3	0.0
-2.0	-519.7						
			Q5_ps X	I	17.2	-0.1	-0.0
-1.0	89.3			J	17.2	-0.1	-0.0
0.7	164.0						
			Q5_ps Y	I	-66.1	0.3	0.0
2.7	-345.8			J	-66.1	0.3	0.0
-2.0	-564.5						
			INVSLE Max	I	3928.6	1.8	-0.9
67.7	2251.1			J	3928.6	1.8	0.8
128.8	2277.8		Min	I	1648.2	-1.3	-1.0
-13.1	-3767.1			J	1648.2	-1.3	0.8
31.0	-4469.4						
			INVSLE Max	I	2914.5	1.3	-0.7
51.7	1677.2			J	2914.5	1.3	0.6
98.0	1667.2		Min	I	1234.7	-0.9	-0.7
-7.9	-2740.3			J	1234.7	-0.9	0.6
25.8	-3261.4						
9188	2	63	C1-C2;~1 Max	I	1328.7	0.9	0.0
57.4	2053.7			J	1328.7	0.9	0.0
62.9	2459.7		Min	I	-305.3	-1.0	-0.0
-7.3	-1719.6			J	-305.3	-1.0	-0.0
-14.7	-2028.6						
			C3-C4;~1 Max	I	1428.5	0.9	0.0
61.7	1254.9			J	1428.5	0.9	0.0
76.3	1444.2		Min	I	-340.6	-0.7	-0.0
-8.1	-2251.5			J	-340.6	-0.7	-0.0
-16.6	-2563.1						
			C1-C2;~2 Max	I	778.4	0.6	0.0
35.7	1268.6			J	778.4	0.6	0.0
37.4	1518.2		Min	I	-164.2	-0.6	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.9	-1052.8		J	-164.2	-0.6	-0.0	-29.8
-7.9	-1248.7						
39.1	739.1	C3-C4;~2 Max	I	844.5	0.6	0.0	21.8
46.4	845.5		J	844.5	0.6	0.0	21.8
-4.2	-1379.7	Min	I	-180.5	-0.4	-0.0	-20.3
-8.8	-1562.7		J	-180.5	-0.4	-0.0	-20.3
		G1	I	994.2	0.0	-0.6	-0.4
-43.6	-292.2		J	994.2	0.0	0.7	-0.4
-51.3	-325.3						
		G2	I	384.4	0.0	0.0	0.3
16.0	-125.7		J	384.4	0.0	0.0	0.3
15.9	-132.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	16.6	-0.1	0.0	-0.2
0.6	147.8		J	16.6	-0.1	0.0	-0.2
-0.1	219.4						
		Q5_pc Y	I	-67.0	0.3	-0.0	0.6
-2.0	-519.7		J	-67.0	0.3	-0.0	0.6
-0.2	-728.7						
		Q5_ps X	I	14.7	-0.1	0.0	-0.6
0.7	164.0		J	14.7	-0.1	0.0	-0.6
-0.3	234.9						
		Q5_ps Y	I	-61.7	0.3	-0.0	1.6
-2.0	-564.5		J	-61.7	0.3	-0.0	1.6
0.4	-771.4						
		INVSLU Max	I	4209.0	1.8	-0.8	70.2
128.8	2277.8		J	4209.0	1.8	0.9	70.2
145.4	2746.2						
		Min	I	1700.2	-1.2	-0.9	-50.5
31.0	-4469.7		J	1700.2	-1.2	0.8	-50.5
19.6	-5346.2						
		INVSLE Max	I	3120.7	1.3	-0.6	52.0
98.0	1667.2		J	3120.7	1.3	0.7	52.0
110.6	1983.6						
		Min	I	1271.2	-0.9	-0.7	-37.2
25.8	-3261.6		J	1271.2	-0.9	0.6	-37.2
17.4	-3913.6						


MIDAS

PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name			
9189 62.9	2 2459.6	70	C1-C2;~1 Max	I	1467.3	0.9	0.1	23.0
				J	1467.3	0.9	0.1	23.0
18.6	2990.7		Min	I	-358.9	-1.0	-0.0	-78.9
-14.7	-2029.3			J	-358.9	-1.0	-0.0	-78.9
-6.1	-2600.4							
76.3	1444.1		C3-C4;~1 Max	I	1582.2	0.9	0.1	25.8
				J	1582.2	0.9	0.1	25.8
30.5	1712.0		Min	I	-400.6	-0.6	-0.0	-62.8
-16.6	-2563.6			J	-400.6	-0.6	-0.0	-62.8
-5.9	-2976.3							
37.4	1518.2		C1-C2;~2 Max	I	856.6	0.6	0.0	12.9
				J	856.6	0.6	0.0	12.9
11.9	1849.2		Min	I	-193.0	-0.6	-0.0	-51.8
-7.9	-1249.2			J	-193.0	-0.6	-0.0	-51.8
-3.9	-1620.1							
46.4	845.5		C3-C4;~2 Max	I	931.8	0.6	0.0	13.4
				J	931.8	0.6	0.0	13.4
20.3	995.9		Min	I	-212.3	-0.4	-0.0	-39.4
-8.8	-1563.0			J	-212.3	-0.4	-0.0	-39.4
-3.6	-1802.3							
-51.3	-325.4		G1	I	1080.5	0.0	-0.7	-10.7
-86.5	-363.7			J	1080.5	0.0	0.8	-10.7
15.9	-132.9		G2	I	417.5	0.0	0.0	-0.4
				J	417.5	0.0	0.0	-0.4
7.2	-136.6							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.1	219.3		Q5_pc X	I	15.0	-0.1	0.0	-1.8
				J	15.0	-0.1	0.0	-1.8
-0.6	288.5							
-0.2	-728.6		Q5_pc Y	I	-65.9	0.3	-0.0	5.6
				J	-65.9	0.3	-0.0	5.6
2.5	-930.4							
-0.3	234.8		Q5_ps X	I	12.8	-0.1	0.0	-2.7
				J	12.8	-0.1	0.0	-2.7
-0.9	302.4							

MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.4	-771.3	Q5_ps Y	I	-60.0	0.2	-0.0	8.4	
3.2	-967.9		J	-60.0	0.2	-0.0	8.4	
145.4	2746.1	INVS LU Max	I	4573.6	1.9	-0.8	43.7	
35.8	3360.6		J	4573.6	1.9	1.2	43.7	
19.6	-5346.8	Min	I	1778.3	-1.2	-1.0	-107.7	
-18.0	-6369.6		J	1778.3	-1.2	1.0	-107.7	
110.6	1983.6	INVS LE Max	I	3389.7	1.4	-0.6	32.5	
28.8	2407.5		J	3389.7	1.4	0.9	32.5	
17.4	-3914.0	Min	I	1327.9	-0.8	-0.7	-78.9	
-10.7	-4676.0		J	1327.9	-0.8	0.8	-78.9	
9190	2	70 C1-C2;~1 Max	I	1560.6	1.0	0.0	12.4	
18.6	2990.2		J	1560.6	1.0	0.0	12.4	
161.1	3593.5	Min	I	-386.6	-1.0	-0.2	-99.2	
-6.1	-2600.3		J	-386.6	-1.0	-0.2	-99.2	
-18.7	-3284.4							
30.5	1711.4	C3-C4;~1 Max	I	1672.8	1.0	0.0	17.9	
158.5	2060.7		J	1672.8	1.0	0.0	17.9	
-5.9	-2975.7	Min	I	-431.2	-0.7	-0.2	-81.9	
-23.0	-3512.6		J	-431.2	-0.7	-0.2	-81.9	
11.9	1849.0	C1-C2;~2 Max	I	913.1	0.6	0.0	6.1	
103.5	2225.2		J	913.1	0.6	0.0	6.1	
-3.9	-1620.1	Min	I	-208.0	-0.6	-0.1	-65.9	
-9.5	-2060.8		J	-208.0	-0.6	-0.1	-65.9	
20.3	995.6	C3-C4;~2 Max	I	986.9	0.6	0.0	8.9	
97.6	1197.2		J	986.9	0.6	0.0	8.9	
-3.6	-1802.1	Min	I	-228.6	-0.4	-0.1	-52.5	
-11.6	-2119.3		J	-228.6	-0.4	-0.1	-52.5	
-86.5	-363.7	G1	I	1131.9	0.1	-0.8	-19.9	
-11.5	-404.3		J	1131.9	0.1	0.6	-19.9	
7.2	-136.5	G2	I	435.8	0.0	-0.0	-2.6	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
28.3	-139.9		J	435.8	0.0	-0.0	-2.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.6	288.5	Q5_pc X	I	14.5	-0.1	-0.0	-2.5
2.8	357.3		J	14.5	-0.1	-0.0	-2.5
2.5	-930.3	Q5_pc Y	I	-66.8	0.3	0.0	8.0
-9.3	-1130.7		J	-66.8	0.3	0.0	8.0
-0.9	302.3	Q5_ps X	I	12.8	-0.1	-0.0	-3.7
3.9	369.3		J	12.8	-0.1	-0.0	-3.7
3.2	-967.8	Q5_ps Y	I	-62.0	0.2	0.0	11.4
-12.5	-1162.4		J	-62.0	0.2	0.0	11.4
35.8	3359.8	INVS LU Max	I	4786.3	1.9	-1.1	15.7
369.7	4042.3		J	4786.3	1.9	0.9	15.7
-18.0	-6368.8	Min	I	1825.6	-1.1	-1.5	-156.6
104.5	-7586.1		J	1825.6	-1.1	0.5	-156.6
28.8	2407.0	INVS LE Max	I	3546.9	1.4	-0.8	11.2
279.3	2879.3		J	3546.9	1.4	0.6	11.2
-10.7	-4675.4	Min	I	1362.7	-0.8	-1.1	-115.4
84.1	-5583.6		J	1362.7	-0.8	0.4	-115.4
9191	2	70 C1-C2;~1 Max	I	1608.7	0.8	0.2	101.5
167.8	3570.8		J	1608.7	0.8	0.2	101.5
46.8	3418.8	Min	I	-405.9	-1.0	-0.0	-21.4
-39.0	-3266.3		J	-405.9	-1.0	-0.0	-21.4
-16.3	-2837.4						
189.9	2043.7	C3-C4;~1 Max	I	1714.7	0.7	0.2	86.7
62.1	1943.6		J	1714.7	0.7	0.2	86.7
-41.8	-3486.3	Min	I	-452.3	-0.8	-0.0	-23.7
-18.2	-3442.8		J	-452.3	-0.8	-0.0	-23.7
102.0	2213.6	C1-C2;~2 Max	I	942.2	0.5	0.1	64.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
27.4	2086.9		J	942.2	0.5	0.1	64.2
		Min	I	-218.4	-0.7	-0.0	-10.7
-20.2	-2051.5		J	-218.4	-0.7	-0.0	-10.7
-8.7	-1743.6						
		C3-C4;~2 Max	I	1012.3	0.4	0.1	53.2
116.1	1188.4		J	1012.3	0.4	0.1	53.2
37.8	1110.0	Min	I	-239.8	-0.5	-0.0	-11.9
-21.9	-2105.7		J	-239.8	-0.5	-0.0	-11.9
-9.6	-2075.9						
		G1	I	1157.5	-0.0	-0.7	24.2
-18.3	-402.1		J	1157.5	-0.0	0.8	24.2
-68.6	-367.1						
		G2	I	445.7	-0.0	0.0	4.9
26.2	-138.9		J	445.7	-0.0	0.0	4.9
13.6	-134.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	13.6	-0.0	0.0	1.7
1.5	356.7		J	13.6	-0.0	0.0	1.7
-1.3	360.5						
		Q5_pc Y	I	-65.7	0.0	-0.0	-5.9
-6.0	-1129.3		J	-65.7	0.0	-0.0	-5.9
3.3	-1141.7						
		Q5_ps X	I	12.1	-0.0	0.0	2.3
1.5	368.3		J	12.1	-0.0	0.0	2.3
-1.6	374.5						
		Q5_ps Y	I	-61.6	0.0	-0.0	-7.8
-6.4	-1160.0		J	-61.6	0.0	-0.0	-7.8
4.3	-1179.1						
		INVSLE Max	I	4874.1	0.9	-0.6	184.0
398.3	4016.8		J	4874.1	0.9	1.4	184.0
99.6	3998.1	Min	I	1830.3	-1.6	-0.9	4.5
74.9	-7543.1		J	1830.3	-1.6	1.1	4.5
-14.9	-7320.1						
		INVSLE Max	I	3610.7	0.7	-0.4	136.0
301.4	2860.5		J	3610.7	0.7	1.1	136.0
75.3	2854.7	Min	I	1364.8	-1.2	-0.7	3.8
62.6	-5551.8						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-9.1	-5376.9		J	1364.8	-1.2	0.8	3.8
9192	2	70 C1-C2;~1 Max	I	1632.7	0.8	0.0	77.8
46.8	3418.3		J	1632.7	0.8	0.0	77.8
65.1	3270.4		J	1632.7	0.8	0.0	77.8
		Min	I	-426.8	-1.0	-0.0	-24.1
-16.3	-2836.6		J	-426.8	-1.0	-0.0	-24.1
-9.0	-2516.9		J	-426.8	-1.0	-0.0	-24.1
		C3-C4;~1 Max	I	1736.5	0.7	0.0	65.6
62.1	1943.4		J	1736.5	0.7	0.0	65.6
71.9	1884.1		J	1736.5	0.7	0.0	65.6
		Min	I	-475.4	-0.8	-0.0	-21.7
-18.2	-3441.9		J	-475.4	-0.8	-0.0	-21.7
-10.0	-3432.1		J	-475.4	-0.8	-0.0	-21.7
		C1-C2;~2 Max	I	955.2	0.5	0.0	48.9
27.4	2086.7		J	955.2	0.5	0.0	48.9
40.5	1960.5		J	955.2	0.5	0.0	48.9
		Min	I	-229.7	-0.7	-0.0	-13.3
-8.7	-1743.1		J	-229.7	-0.7	-0.0	-13.3
-4.8	-1509.5		J	-229.7	-0.7	-0.0	-13.3
		C3-C4;~2 Max	I	1023.9	0.4	0.0	39.4
37.8	1110.0		J	1023.9	0.4	0.0	39.4
45.6	1057.5		J	1023.9	0.4	0.0	39.4
		Min	I	-252.0	-0.5	-0.0	-10.7
-9.6	-2075.4		J	-252.0	-0.5	-0.0	-10.7
-5.2	-2066.2		J	-252.0	-0.5	-0.0	-10.7
		G1	I	1169.3	-0.0	-0.8	14.6
-68.6	-366.9		J	1169.3	-0.0	0.7	14.6
-53.4	-332.9		J	1169.3	-0.0	0.7	14.6
		G2	I	451.7	-0.0	-0.0	2.6
13.6	-134.7		J	451.7	-0.0	-0.0	2.6
17.5	-129.7		J	451.7	-0.0	-0.0	2.6
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	11.9	-0.0	-0.0	0.9
-1.3	360.5		J	11.9	-0.0	-0.0	0.9
0.3	363.4		J	11.9	-0.0	-0.0	0.9
		Q5_pc Y	I	-62.3	0.0	0.0	-3.3
3.3	-1141.7		J	-62.3	0.0	0.0	-3.3
-1.0	-1151.6		J	-62.3	0.0	0.0	-3.3
		Q5_ps X	I	10.4	-0.0	-0.0	1.2
-1.6	374.5		J	10.4	-0.0	-0.0	1.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.3	379.4		J	10.4	-0.0	-0.0	1.2
4.3	-1179.1	Q5_ps Y	I	-58.2	0.0	0.0	-4.4
-1.0	-1194.6		J	-58.2	0.0	0.0	-4.4
99.6	3997.8	INVS LU Max	I	4900.3	0.9	-1.0	129.7
152.2	3955.4		J	4900.3	0.9	1.0	129.7
-14.9	-7318.6	Min	I	1802.1	-1.6	-1.1	-13.9
39.8	-7165.8		J	1802.1	-1.6	0.9	-13.9
75.3	2854.5	INVS LE Max	I	3628.0	0.7	-0.8	95.5
115.8	2829.2		J	3628.0	0.7	0.7	95.5
-9.1	-5375.8	Min	I	1341.3	-1.2	-0.8	-10.5
32.7	-5255.1		J	1341.3	-1.2	0.7	-10.5
9193	2	70 C1-C2;~1 Max	I	1687.1	0.8	0.0	50.2
65.1	3270.4		J	1687.1	0.8	0.0	50.2
86.8	3461.1	Min	I	-468.8	-1.0	-0.0	-41.0
-9.0	-2517.0		J	-468.8	-1.0	-0.0	-41.0
-27.5	-2528.1						
71.9	1884.2	C3-C4;~1 Max	I	1800.8	0.7	0.0	44.8
101.2	2003.3		J	1800.8	0.7	0.0	44.8
-10.0	-3432.2	Min	I	-522.4	-0.7	-0.1	-27.6
-30.9	-3458.6		J	-522.4	-0.7	-0.1	-27.6
40.5	1960.6	C1-C2;~2 Max	I	984.1	0.6	0.0	31.2
51.0	2084.4		J	984.1	0.6	0.0	31.2
-4.8	-1509.5	Min	I	-252.2	-0.6	-0.0	-25.7
-14.8	-1513.6		J	-252.2	-0.6	-0.0	-25.7
45.6	1057.6	C3-C4;~2 Max	I	1058.4	0.4	0.0	26.2
60.6	1132.9		J	1058.4	0.4	0.0	26.2
-5.2	-2066.2	Min	I	-276.9	-0.5	-0.0	-15.9
-16.3	-2078.1		J	-276.9	-0.5	-0.0	-15.9
-53.4	-332.9	G1	I	1186.3	-0.0	-0.7	4.7
-46.5	-304.1		J	1186.3	-0.0	0.7	4.7

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

17.5	-129.7	G2	I	458.9	-0.0	-0.0	1.6
20.4	-122.1		J	458.9	-0.0	-0.0	1.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.3	363.5	Q5_pc X	I	9.5	-0.0	0.0	-0.3
-0.6	364.5		J	9.5	-0.0	0.0	-0.3
-1.0	-1151.6	Q5_pc Y	I	-58.2	0.0	-0.0	0.8
0.6	-1155.5		J	-58.2	0.0	-0.0	0.8
0.3	379.4	Q5_ps X	I	7.9	-0.0	0.0	-0.5
-0.8	381.6		J	7.9	-0.0	0.0	-0.5
-1.0	-1194.6	Q5_ps Y	I	-53.6	0.0	-0.0	1.3
1.2	-1201.6		J	-53.6	0.0	-0.0	1.3
152.2	3955.3	INVSLE Max	I	4989.0	1.0	-1.0	80.2
196.9	4350.8		J	4989.0	1.0	1.0	80.2
39.8	-7166.1	Min	I	1748.1	-1.5	-1.1	-44.3
17.4	-7070.7		J	1748.1	-1.5	0.9	-44.3
115.8	2829.2	INVSLE Max	I	3692.2	0.7	-0.7	59.3
148.5	3127.8		J	3692.2	0.7	0.8	59.3
32.7	-5255.4	Min	I	1299.2	-1.1	-0.8	-32.8
15.6	-5178.5		J	1299.2	-1.1	0.7	-32.8
9194	2	70 C1-C2;~1 Max	I	1738.1	0.9	0.1	28.5
86.8	3461.1		J	1738.1	0.9	0.1	28.5
34.7	3855.1	Min	I	-510.3	-0.9	-0.0	-63.5
-27.5	-2528.1		J	-510.3	-0.9	-0.0	-63.5
-4.6	-2868.1						
101.2	2003.3	C3-C4;~1 Max	I	1857.8	0.7	0.1	26.9
47.0	2210.1		J	1857.8	0.7	0.1	26.9
-30.9	-3458.6	Min	I	-568.9	-0.7	-0.0	-47.8
-5.1	-3527.0		J	-568.9	-0.7	-0.0	-47.8

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

51.0	2084.4	C1-C2;~2	Max	I	1011.6	0.6	0.0	17.0
				J	1011.6	0.6	0.0	17.0
21.5	2356.0		Min	I	-274.5	-0.6	-0.0	-41.3
-14.8	-1513.6			J	-274.5	-0.6	-0.0	-41.3
-2.4	-1752.4							
60.6	1132.9	C3-C4;~2	Max	I	1089.1	0.5	0.0	14.4
				J	1089.1	0.5	0.0	14.4
30.2	1266.8		Min	I	-301.5	-0.5	-0.0	-29.7
-16.3	-2078.1			J	-301.5	-0.5	-0.0	-29.7
-2.7	-2113.5							
		G1		I	1195.2	-0.0	-0.7	-5.4
-46.5	-304.1			J	1195.2	-0.0	0.8	-5.4
-71.6	-280.1							
		G2		I	462.3	-0.0	0.0	0.6
20.4	-122.1			J	462.3	-0.0	0.0	0.6
12.4	-111.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	7.4	0.0	-0.0	-1.6
-0.6	364.5			J	7.4	0.0	-0.0	-1.6
-0.5	363.6							
		Q5_pc	Y	I	-55.0	-0.0	-0.0	4.9
0.6	-1155.5			J	-55.0	-0.0	-0.0	4.9
1.9	-1153.4							
		Q5_ps	X	I	5.8	0.0	-0.0	-2.3
-0.8	381.6			J	5.8	0.0	-0.0	-2.3
-0.8	381.0							
		Q5_ps	Y	I	-50.4	-0.0	-0.0	6.9
1.2	-1201.6			J	-50.4	-0.0	-0.0	6.9
2.8	-1199.9							
		INVSLU	Max	I	5054.2	1.0	-0.8	44.7
196.9	4351.0			J	5054.2	1.0	1.2	44.7
79.8	5002.1		Min	I	1679.2	-1.4	-1.0	-88.3
17.4	-7070.6			J	1679.2	-1.4	1.0	-88.3
6.0	-7039.7							
		INVSLE	Max	I	3739.4	0.8	-0.6	33.1
148.5	3127.9			J	3739.4	0.8	0.9	33.1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
61.0	3615.4		Min	I	1246.8	-1.1	-0.7	-64.8	
15.6	-5178.5			J	1246.8	-1.1	0.7	-64.8	
6.6	-5150.7								
9195	2	70	C1-C2;~1	Max	I	1770.6	0.9	0.0	15.1
34.7	3855.0			J	1770.6	0.9	0.0	15.1	
141.2	4263.5		Min	I	-531.1	-0.9	-0.2	-83.7	
-4.6	-2868.0			J	-531.1	-0.9	-0.2	-83.7	
-21.1	-3328.6								
			C3-C4;~1	Max	I	1886.5	0.7	0.0	16.3
47.0	2209.9			J	1886.5	0.7	0.0	16.3	
138.2	2454.8		Min	I	-591.9	-0.7	-0.1	-67.7	
-5.1	-3526.6			J	-591.9	-0.7	-0.1	-67.7	
-23.4	-3664.2								
			C1-C2;~2	Max	I	1031.9	0.6	0.0	8.4
21.5	2356.0			J	1031.9	0.6	0.0	8.4	
91.0	2632.9		Min	I	-285.8	-0.6	-0.1	-55.4	
-2.4	-1752.4			J	-285.8	-0.6	-0.1	-55.4	
-10.9	-2069.3								
			C3-C4;~2	Max	I	1107.1	0.5	0.0	8.2
30.2	1266.7			J	1107.1	0.5	0.0	8.2	
90.0	1421.6		Min	I	-313.7	-0.5	-0.1	-43.5	
-2.7	-2113.3			J	-313.7	-0.5	-0.1	-43.5	
-11.8	-2190.3								
			G1	I	1192.2	-0.0	-0.8	-15.9	
-71.6	-280.0			J	1192.2	-0.0	0.7	-15.9	
-35.2	-261.2								
			G2	I	459.7	-0.0	-0.0	-2.0	
12.4	-111.5			J	459.7	-0.0	-0.0	-2.0	
19.3	-101.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	6.6	0.0	-0.0	-2.2
-0.5	363.5			J	6.6	0.0	-0.0	-2.2	
1.7	362.2								
			Q5_pc	Y	I	-54.2	-0.0	0.0	7.2
1.9	-1153.3			J	-54.2	-0.0	0.0	7.2	
-6.3	-1149.7								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.8	380.9	Q5_ps X	I	5.2	0.0	-0.0	-3.1
2.6	379.7		J	5.2	0.0	-0.0	-3.1
2.8	-1199.8	Q5_ps Y	I	-50.7	-0.0	0.0	10.0
-8.9	-1196.0		J	-50.7	-0.0	0.0	10.0
79.8	5002.3	INVS LU Max	I	5068.7	1.1	-1.0	8.9
290.4	5637.5		J	5068.7	1.1	0.9	8.9
6.0	-7038.9	Min	I	1625.2	-1.4	-1.3	-139.0
56.9	-7134.4		J	1625.2	-1.4	0.7	-139.0
61.0	3615.5	INVS LE Max	I	3750.0	0.8	-0.8	6.0
220.6	4089.2		J	3750.0	0.8	0.7	6.0
6.6	-5150.2	Min	I	1206.5	-1.0	-1.0	-102.6
48.5	-5218.3		J	1206.5	-1.0	0.5	-102.6
9196	2	70 C1-C2;~1 Max	I	1771.3	1.4	0.2	144.6
195.8	4272.1		J	1771.3	1.4	0.2	144.6
47.4	5810.4	Min	I	-546.4	-3.5	-0.0	-39.7
-46.6	-3321.1		J	-546.4	-3.5	-0.0	-39.7
-19.9	-2573.8						
210.3	2457.8	C3-C4;~1 Max	I	1884.3	1.5	0.2	125.6
62.0	4012.0		J	1884.3	1.5	0.2	125.6
-52.6	-3650.5	Min	I	-608.5	-3.3	-0.0	-44.8
-22.2	-3080.1		J	-608.5	-3.3	-0.0	-44.8
119.3	2639.5	C1-C2;~2 Max	I	1032.4	0.7	0.1	89.6
27.8	3494.2		J	1032.4	0.7	0.1	89.6
-24.9	-2065.4	Min	I	-294.0	-2.1	-0.0	-21.0
-10.7	-1474.6		J	-294.0	-2.1	-0.0	-21.0
128.8	1423.4	C3-C4;~2 Max	I	1105.9	0.8	0.1	77.0
37.8	2297.5		J	1105.9	0.8	0.1	77.0
-27.7	-2182.9	Min	I	-322.6	-1.9	-0.0	-23.3
-11.7	-1738.5		J	-322.6	-1.9	-0.0	-23.3
		G1	I	1175.1	-1.6	-0.6	48.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.2	-250.6		J	1175.1	-1.6	0.8	48.2
-73.2	1067.0						
		G2	I	453.2	-0.6	0.0	13.7
33.1	-97.8		J	453.2	-0.6	0.0	13.7
12.0	405.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.3	0.0	0.0	1.8
1.5	361.9		J	5.3	0.0	0.0	1.8
-1.2	353.2						
		Q5_pc Y	I	-52.1	0.1	-0.0	-7.5
-6.4	-1149.4		J	-52.1	0.1	-0.0	-7.5
3.1	-1216.6						
		Q5_ps X	I	4.2	0.0	0.0	2.5
1.8	379.2		J	4.2	0.0	0.0	2.5
-1.6	370.2						
		Q5_ps Y	I	-49.0	0.1	-0.0	-9.7
-7.6	-1195.2		J	-49.0	0.1	-0.0	-9.7
4.0	-1260.1						
		INVSLE Max	I	5007.1	-0.1	-0.5	255.7
458.4	5666.8		J	5007.1	-0.1	1.5	255.7
84.0	9581.3	Min	I	1548.1	-7.0	-0.8	-13.4
91.9	-7097.7		J	1548.1	-7.0	1.1	-13.4
-35.2	-4610.6						
		INVSLE Max	I	3703.3	-0.0	-0.4	187.9
345.5	4110.8		J	3703.3	-0.0	1.1	187.9
63.5	6956.9	Min	I	1148.1	-5.1	-0.6	-10.4
74.9	-5191.1		J	1148.1	-5.1	0.9	-10.4
-24.4	-3393.4						
9197	2	70 C1-C2;~1 Max	I	1751.7	1.4	0.0	123.8
47.4	5811.0		J	1751.7	1.4	0.0	123.8
65.9	7545.1	Min	I	-564.2	-3.5	-0.0	-37.3
-19.9	-2573.6		J	-564.2	-3.5	-0.0	-37.3
-12.0	-2527.2						
		C3-C4;~1 Max	I	1865.0	1.5	0.0	111.4
62.0	4012.8		J	1865.0	1.5	0.0	111.4
74.9	5988.1	Min	I	-628.1	-3.3	-0.0	-42.1


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-22.2	-3079.9		J	-628.1	-3.3	-0.0	-42.1
-13.3	-2867.0						
		C1-C2;~2 Max	I	1019.2	0.8	0.0	76.4
27.8	3494.6		J	1019.2	0.8	0.0	76.4
40.4	4458.7	Min	I	-303.7	-2.1	-0.0	-19.8
-10.7	-1474.4		J	-303.7	-2.1	-0.0	-19.8
-6.4	-1335.3						
		C3-C4;~2 Max	I	1092.8	0.8	0.0	67.0
37.8	2297.9		J	1092.8	0.8	0.0	67.0
46.9	3439.6	Min	I	-333.0	-1.9	-0.0	-21.9
-11.7	-1738.3		J	-333.0	-1.9	-0.0	-21.9
-7.0	-1481.2						
		G1	I	1147.5	-1.7	-0.8	41.6
-73.2	1067.5		J	1147.5	-1.7	0.7	41.6
-55.4	2392.0						
		G2	I	444.1	-0.6	-0.0	12.7
12.0	405.5		J	444.1	-0.6	-0.0	12.7
17.0	912.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.4	0.0	-0.0	1.1
-1.2	353.2		J	3.4	0.0	-0.0	1.1
-0.1	343.7						
		Q5_pc Y	I	-48.0	0.1	0.0	-5.3
3.1	-1216.6		J	-48.0	0.1	0.0	-5.3
0.0	-1282.3						
		Q5_ps X	I	2.2	0.0	-0.0	1.5
-1.6	370.2		J	2.2	0.0	-0.0	1.5
-0.1	360.1						
		Q5_ps Y	I	-44.8	0.1	0.0	-6.6
4.0	-1260.1		J	-44.8	0.1	0.0	-6.6
0.2	-1322.5						
		INVSLU Max	I	4891.7	-0.0	-1.0	210.1
84.0	9582.9		J	4891.7	-0.0	1.0	210.1
147.9	13742.7	Min	I	1439.5	-7.0	-1.1	-23.3
-35.2	-4609.8		J	1439.5	-7.0	0.9	-23.3
28.9	-2621.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
63.5	6958.1	INVSLE Max	I	3615.9	0.0	-0.8	153.8
			J	3615.9	0.0	0.7	153.8
112.5	9983.6	Min	I	1065.1	-5.1	-0.8	-18.3
-24.4	-3392.8		J	1065.1	-5.1	0.6	-18.3
24.4	-1967.2						
9198	2	70 C1-C2;~1 Max	I	1769.2	1.4	0.0	95.1
65.9	7545.1		J	1769.2	1.4	0.0	95.1
100.2	9796.1	Min	I	-605.4	-3.4	-0.1	-36.8
-12.0	-2527.2		J	-605.4	-3.4	-0.1	-36.8
-38.0	-3471.7						
		C3-C4;~1 Max	I	1888.3	1.5	0.0	92.1
74.9	5988.1		J	1888.3	1.5	0.0	92.1
113.2	8147.1	Min	I	-674.2	-3.2	-0.1	-38.4
-13.3	-2867.0		J	-674.2	-3.2	-0.1	-38.4
-42.4	-3840.0						
		C1-C2;~2 Max	I	1026.9	0.8	0.0	58.2
40.4	4458.7		J	1026.9	0.8	0.0	58.2
58.9	5780.5	Min	I	-325.8	-2.0	-0.0	-19.9
-6.4	-1335.3		J	-325.8	-2.0	-0.0	-19.9
-20.4	-1868.5						
		C3-C4;~2 Max	I	1103.8	0.8	0.0	55.0
46.9	3439.6		J	1103.8	0.8	0.0	55.0
67.6	4681.6	Min	I	-357.4	-1.9	-0.0	-20.0
-7.0	-1481.2		J	-357.4	-1.9	-0.0	-20.0
-22.5	-2031.8						
		G1	I	1126.2	-1.7	-0.8	34.5
-55.4	2392.0		J	1126.2	-1.7	0.7	34.5
-45.7	3716.8						
		G2	I	436.6	-0.6	-0.0	13.0
17.0	912.7		J	436.6	-0.6	-0.0	13.0
21.0	1424.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.2	0.0	0.0	-0.2
-0.1	343.7		J	1.2	0.0	0.0	-0.2
-0.6	332.2						
		Q5_pc Y	I	-44.4	0.1	0.0	-1.2


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	-1282.3			J	-44.4	0.1	0.0 -1.2
0.0	-1342.2						
-0.1	360.1	Q5_ps X		I	-0.1	0.0	0.0 -0.2
-0.8	347.2			J	-0.1	0.0	0.0 -0.2
0.2	-1322.5	Q5_ps Y		I	-41.0	0.1	-0.0 -1.0
0.3	-1376.4			J	-41.0	0.1	-0.0 -1.0
147.9	13742.6	INVS LU Max		I	4837.9	-0.0	-0.9 166.2
191.1	18586.6			J	4837.9	-0.0	1.1 166.2
28.9	-2621.8	Min		I	1298.5	-6.9	-1.1 -16.3
-20.1	-2238.1			J	1298.5	-6.9	0.9 -16.3
112.5	9983.6	INVS LE Max		I	3574.3	0.0	-0.7 121.9
143.4	13515.1			J	3574.3	0.0	0.8 121.9
24.4	-1967.2	Min		I	958.4	-5.0	-0.8 -13.1
-13.0	-1731.7			J	958.4	-5.0	0.7 -13.1
9199	2	70 C1-C2;~1 Max		I	1784.8	1.4	0.1 62.4
100.2	9795.8			J	1784.8	1.4	0.1 62.4
15.3	12212.0	Min		I	-646.4	-3.4	-0.1 -52.7
-38.0	-3471.5			J	-646.4	-3.4	-0.1 -52.7
-29.6	-4538.5						
113.2	8146.8	C3-C4;~1 Max		I	1905.9	1.5	0.2 64.9
26.6	10435.0			J	1905.9	1.5	0.2 64.9
-42.4	-3839.9	Min		I	-720.2	-3.2	-0.1 -36.3
-32.5	-4995.9			J	-720.2	-3.2	-0.1 -36.3
58.9	5780.3	C1-C2;~2 Max		I	1034.3	0.7	0.1 37.7
7.9	7200.9			J	1034.3	0.7	0.1 37.7
-20.4	-1868.4	Min		I	-347.8	-2.0	-0.0 -32.0
-18.4	-2449.6			J	-347.8	-2.0	-0.0 -32.0
67.6	4681.5	C3-C4;~2 Max		I	1111.8	0.8	0.1 38.1
15.4	5997.2			J	1111.8	0.8	0.1 38.1
-22.5	-2031.7	Min		I	-381.8	-1.8	-0.0 -19.0
				J	-381.8	-1.8	-0.0 -19.0

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-20.4	-2654.5							
		G1	I	1097.6	-1.6	-0.7	21.0	
-45.7	3716.6		J	1097.6	-1.6	0.8	21.0	
-96.2	5030.8							
		G2	I	425.7	-0.6	0.0	10.9	
21.0	1424.8		J	425.7	-0.6	0.0	10.9	
3.0	1938.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.8	0.0	-0.0	-1.4	
-0.6	332.2		J	-0.8	0.0	-0.0	-1.4	
-0.6	318.7							
		Q5_pc Y	I	-41.8	0.1	-0.0	3.5	
0.0	-1342.1		J	-41.8	0.1	-0.0	3.5	
4.1	-1395.2							
		Q5_ps X	I	-2.0	0.0	0.0	-2.0	
-0.8	347.2		J	-2.0	0.0	0.0	-2.0	
-0.9	331.4							
		Q5_ps Y	I	-38.7	0.1	-0.0	5.3	
0.3	-1376.4		J	-38.7	0.1	-0.0	5.3	
5.0	-1420.9							
		INVSLE Max	I	4759.8	-0.1	-0.7	138.9	
191.1	18586.1		J	4759.8	-0.1	1.3	138.9	
43.6	23653.7							
		Min	I	1139.3	-6.8	-1.1	-26.1	
-20.1	-2237.9		J	1139.3	-6.8	0.9	-26.1	
-43.5	-2088.3							
		INVSLE Max	I	3515.0	0.0	-0.6	102.9	
143.4	13514.7		J	3515.0	0.0	0.9	102.9	
35.8	17212.5							
		Min	I	838.7	-5.0	-0.8	-18.8	
-13.0	-1731.5		J	838.7	-5.0	0.7	-18.8	
-28.2	-1669.7							
9200	2	70 C1-C2;~1 Max	I	1790.8	1.3	0.1	16.2	
15.3	12214.8		J	1790.8	1.3	0.1	16.2	
277.4	14530.2							
		Min	I	-669.9	-3.2	-0.4	-80.3	
-29.6	-4539.9		J	-669.9	-3.2	-0.4	-80.3	
-85.6	-5575.9							
		C3-C4;~1 Max	I	1911.2	1.4	0.1	16.9	
26.6	10437.8							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
291.2	12648.5		J	1911.2	1.4	0.1	16.9
		Min	I	-746.2	-3.1	-0.4	-62.3
-32.5	-4997.5		J	-746.2	-3.1	-0.4	-62.3
-94.9	-6139.2						
		C1-C2;~2 Max	I	1038.5	0.7	0.1	9.4
7.9	7202.5		J	1038.5	0.7	0.1	9.4
168.9	8561.5						
		Min	I	-360.5	-1.9	-0.2	-53.1
-18.4	-2450.3		J	-360.5	-1.9	-0.2	-53.1
-46.2	-3010.5						
		C3-C4;~2 Max	I	1115.5	0.8	0.1	9.0
15.4	5998.7		J	1115.5	0.8	0.1	9.0
178.8	7271.1						
		Min	I	-395.6	-1.8	-0.2	-40.5
-20.4	-2655.3		J	-395.6	-1.8	-0.2	-40.5
-50.4	-3263.1						
		G1	I	1065.2	-1.5	-0.9	-11.9
-96.2	5032.6		J	1065.2	-1.5	0.6	-11.9
28.1	6259.2						
		G2	I	411.8	-0.6	-0.1	-0.0
3.0	1938.8		J	411.8	-0.6	-0.1	-0.0
44.4	2420.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-2.2	0.0	-0.0	-2.1
-0.6	318.7		J	-2.2	0.0	-0.0	-2.1
0.3	304.5						
		Q5_pc Y	I	-40.2	0.1	0.0	8.0
4.1	-1395.3		J	-40.2	0.1	0.0	8.0
-9.8	-1439.4						
		Q5_ps X	I	-3.1	0.0	-0.0	-3.0
-0.9	331.3		J	-3.1	0.0	-0.0	-3.0
1.0	314.5						
		Q5_ps Y	I	-37.9	0.0	0.0	10.6
5.0	-1421.0		J	-37.9	0.0	0.0	10.6
-11.7	-1455.7						
		INVSLU Max	I	4661.2	-0.2	-0.8	86.5
43.6	23657.8		J	4661.2	-0.2	1.2	86.5
409.5	28604.4						
		Min	I	1001.2	-6.6	-1.5	-59.0
-43.5	-2090.5						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-129.2	-1890.1		J	1001.2	-6.6	0.5	-59.0
		INVSLE Max	I	3441.3	-0.1	-0.6	66.3
35.8	17215.4		J	3441.3	-0.1	0.9	66.3
300.4	20830.6	Min	I	735.6	-4.8	-1.1	-40.5
-28.2	-1671.3		J	735.6	-4.8	0.3	-40.5
-97.4	-1566.0						
9201	2	70 C1-C2;~1 Max	I	1770.2	32.4	0.1	799.4
119.1	14179.7		J	1770.2	32.4	0.1	799.4
74.4	5416.3	Min	I	-689.4	-13.1	-0.1	-1870.1
-27.4	-5425.0		J	-689.4	-13.1	-0.1	-1870.1
-36.5	-15789.4						
		C3-C4;~1 Max	I	1892.1	34.5	0.1	891.4
119.3	12290.1		J	1892.1	34.5	0.1	891.4
90.8	6118.8	Min	I	-767.8	-14.7	-0.1	-1991.2
-23.3	-5971.9		J	-767.8	-14.7	-0.1	-1991.2
-40.6	-18177.9						
		C1-C2;~2 Max	I	1025.9	18.8	0.1	430.4
76.0	8361.8		J	1025.9	18.8	0.1	430.4
43.4	2901.6	Min	I	-371.0	-7.1	-0.0	-1077.9
-15.0	-2928.8		J	-371.0	-7.1	-0.0	-1077.9
-19.6	-9196.3						
		C3-C4;~2 Max	I	1103.8	20.1	0.1	472.9
76.2	7066.7		J	1103.8	20.1	0.1	472.9
54.6	3231.5	Min	I	-407.1	-7.8	-0.0	-1154.1
-11.9	-3173.9		J	-407.1	-7.8	-0.0	-1154.1
-21.5	-10716.4						
		G1	I	1021.7	18.2	-0.7	-1029.7
-54.5	6031.3		J	1021.7	18.2	0.8	-1029.7
-70.6	-8911.4						
		G2	I	395.2	7.0	-0.0	-396.6
14.1	2333.9		J	395.2	7.0	-0.0	-396.6
15.5	-3465.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-4.2	-0.1	0.0	4.5
1.7	304.2		J	-4.2	-0.1	0.0	4.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.2	395.5							
-2.3	-1419.5	Q5_pc	Y	I	-37.1	-0.7	-0.0	69.7
1.2	-844.2			J	-37.1	-0.7	-0.0	69.7
2.2	314.1	Q5_ps	X	I	-5.1	-0.1	0.0	5.2
-1.6	418.5			J	-5.1	-0.1	0.0	5.2
-4.1	-1435.9	Q5_ps	Y	I	-34.9	-0.7	-0.0	66.9
2.1	-896.8			J	-34.9	-0.7	-0.0	66.9
401.7	28309.2	INVS LU	Max	I	4488.1	75.4	-0.5	1263.5
42.2	-6201.4			J	4488.1	75.4	1.6	1263.5
199.7	-1450.5		Min	I	830.5	7.7	-0.7	-2753.6
-137.5	-40521.4			J	830.5	7.7	1.3	-2753.6
310.9	20639.2	INVS LE	Max	I	3311.0	55.4	-0.3	1019.5
29.3	-4536.7			J	3311.0	55.4	1.2	1019.5
161.5	-1215.8		Min	I	606.6	5.3	-0.5	-1946.9
-103.5	-29846.5			J	606.6	5.3	1.0	-1946.9
9202	2	70 C1-C2;~1	Max	I	1725.8	17.3	0.0	505.9
63.6	5421.2			J	1725.8	17.3	0.0	505.9
78.6	11158.9		Min	I	-710.6	-7.0	-0.0	-1142.9
-31.8	-15801.2			J	-710.6	-7.0	-0.0	-1142.9
-21.6	-29265.8							
79.3	6124.2	C3-C4;~1	Max	I	1851.0	18.3	0.0	564.5
91.1	12533.6			J	1851.0	18.3	0.0	564.5
-35.4	-18191.1		Min	I	-791.4	-7.8	-0.0	-1223.0
-23.9	-33012.1			J	-791.4	-7.8	-0.0	-1223.0
37.2	2904.3	C1-C2;~2	Max	I	997.7	10.1	0.0	272.4
47.1	5991.0			J	997.7	10.1	0.0	272.4
-17.1	-9203.1		Min	I	-382.4	-3.8	-0.0	-658.5
-11.6	-16932.3			J	-382.4	-3.8	-0.0	-658.5
48.0	3234.4	C3-C4;~2	Max	I	1077.6	10.7	0.0	299.4
55.7	6631.7			J	1077.6	10.7	0.0	299.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-18.8	-10724.1		Min	I	-419.6	-4.1	-0.0	-709.4
				J	-419.6	-4.1	-0.0	-709.4
-12.7	-19364.6							
			G1	I	964.4	9.3	-0.8	-606.7
-76.5	-8918.4			J	964.4	9.3	0.7	-606.7
-56.1	-16571.7							
			G2	I	374.9	3.6	-0.0	-233.7
13.2	-3468.2			J	374.9	3.6	-0.0	-233.7
19.0	-6442.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-6.7	-0.1	-0.0	3.8
-1.2	395.6			J	-6.7	-0.1	-0.0	3.8
-0.5	450.5							
			Q5_pc Y	I	-32.3	-0.4	0.0	42.6
1.6	-843.8			J	-32.3	-0.4	0.0	42.6
0.6	-545.9							
			Q5_ps X	I	-7.7	-0.1	-0.0	4.1
-1.5	418.5			J	-7.7	-0.1	-0.0	4.1
-0.7	479.6							
			Q5_ps Y	I	-29.7	-0.3	0.0	41.2
2.5	-896.4			J	-29.7	-0.3	0.0	41.2
1.0	-615.3							
			INVSLU Max	I	4244.9	38.6	-1.1	881.4
27.3	-6196.4			J	4244.9	38.6	0.9	881.4
144.1	-9014.4							
			Min	I	619.4	2.8	-1.2	-1608.3
-130.5	-40540.8			J	619.4	2.8	0.8	-1608.3
-12.3	-71483.7							
			INVSLE Max	I	3127.7	28.4	-0.8	706.1
18.8	-4532.5			J	3127.7	28.4	0.7	706.1
108.8	-6401.1							
			Min	I	446.5	1.8	-0.9	-1132.5
-97.8	-29860.3			J	446.5	1.8	0.6	-1132.5
-7.0	-52601.9							
9203	2	70	C1-C2;~1 Max	I	1703.9	1.0	0.0	39.3
74.0	11157.9			J	1703.9	1.0	0.0	39.3
99.3	10466.4							
			Min	I	-749.9	-2.3	-0.1	-51.9
-19.4	-29262.8			J	-749.9	-2.3	-0.1	-51.9
-52.6	-28105.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

86.3	12532.4	C3-C4;~1	Max	I	1831.0	1.0	0.1	45.4
				J	1831.0	1.0	0.1	45.4
112.1	11777.3		Min	I	-835.6	-2.4	-0.1	-67.3
-21.5	-33009.0			J	-835.6	-2.4	-0.1	-67.3
-58.7	-31779.7							
44.5	5990.4	C1-C2;~2	Max	I	983.2	0.6	0.0	20.4
				J	983.2	0.6	0.0	20.4
58.5	5616.5		Min	I	-403.6	-1.4	-0.0	-30.9
-10.5	-16930.5			J	-403.6	-1.4	-0.0	-30.9
-28.3	-16304.1							
52.9	6631.0	C3-C4;~2	Max	I	1064.0	0.5	0.0	23.1
				J	1064.0	0.5	0.0	23.1
67.1	6229.0		Min	I	-443.0	-1.5	-0.0	-41.2
-11.4	-19362.9			J	-443.0	-1.5	-0.0	-41.2
-31.1	-18700.9							
-58.4	-16569.7		G1	I	901.5	-0.7	-0.7	6.3
				J	901.5	-0.7	0.8	6.3
-69.9	-15963.5							
18.1	-6441.3		G2	I	351.3	-0.3	0.0	2.0
				J	351.3	-0.3	0.0	2.0
13.9	-6207.8							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.5	450.5		Q5_pc X	I	-8.9	0.0	0.0	1.8
				J	-8.9	0.0	0.0	1.8
-1.1	443.6							
0.8	-546.0		Q5_pc Y	I	-29.1	0.0	0.0	-0.2
				J	-29.1	0.0	0.0	-0.2
0.1	-571.0							
-0.7	479.6		Q5_ps X	I	-9.9	0.0	0.0	1.8
				J	-9.9	0.0	0.0	1.8
-1.2	471.1							
1.2	-615.3		Q5_ps Y	I	-26.6	0.0	0.0	-0.2
				J	-26.6	0.0	0.0	-0.2
0.3	-635.1							
138.3	-9014.5		INVSLU Max	I	4024.2	0.6	-0.9	91.9
				J	4024.2	0.6	1.2	91.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
103.5	-9328.4		Min	I	372.0	-4.1	-1.0	-63.4
-8.6	-71478.3			J	372.0	-4.1	1.0	-63.4
-129.1	-69158.1							
		INVSLE	Max	I	2962.0	0.5	-0.6	70.4
104.8	-6401.4			J	2962.0	0.5	0.9	70.4
77.2	-6673.3		Min	I	260.5	-3.0	-0.8	-44.4
-4.0	-52598.0			J	260.5	-3.0	0.8	-44.4
-94.9	-50915.4							
9204	2	70 C1-C2;~1	Max	I	1643.1	10.1	0.1	1203.0
103.6	10476.7			J	1643.1	10.1	0.1	1203.0
32.1	2245.4		Min	I	-771.7	-21.9	-0.1	-534.6
-54.4	-28126.4			J	-771.7	-21.9	-0.1	-534.6
-9.0	-10672.1							
		C3-C4;~1	Max	I	1765.5	11.2	0.1	1282.6
116.6	11788.8			J	1765.5	11.2	0.1	1282.6
44.5	2607.9		Min	I	-860.2	-23.3	-0.1	-596.1
-60.7	-31801.9			J	-860.2	-23.3	-0.1	-596.1
-8.7	-12723.3							
		C1-C2;~2	Max	I	947.1	5.4	0.1	691.8
61.0	5622.0			J	947.1	5.4	0.1	691.8
19.4	1183.6		Min	I	-415.2	-12.6	-0.0	-287.8
-29.3	-16316.1			J	-415.2	-12.6	-0.0	-287.8
-6.0	-6345.6							
		C3-C4;~2	Max	I	1024.5	6.0	0.1	742.1
69.7	6235.0			J	1024.5	6.0	0.1	742.1
28.0	1360.0		Min	I	-456.0	-13.5	-0.0	-316.2
-32.2	-18713.7			J	-456.0	-13.5	-0.0	-316.2
-5.8	-7689.7							
		G1		I	812.3	-11.1	-0.7	646.1
-67.3	-15973.9			J	812.3	-11.1	0.8	646.1
-75.5	-6803.6							
		G2		I	316.8	-4.3	0.0	248.1
14.9	-6211.8			J	316.8	-4.3	0.0	248.1
13.4	-2648.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	443.7	Q5_pc X	I	-10.6	0.1	-0.0	-2.5
			J	-10.6	0.1	-0.0	-2.5
-0.1	346.1						
		Q5_pc Y	I	-25.9	0.4	-0.0	-45.4
-0.1	-570.2		J	-25.9	0.4	-0.0	-45.4
1.5	-926.9						
		Q5_ps X	I	-11.3	0.1	-0.0	-2.7
-1.2	471.2		J	-11.3	0.1	-0.0	-2.7
-0.5	364.6						
		Q5_ps Y	I	-24.1	0.4	-0.0	-44.3
0.1	-634.3		J	-24.1	0.4	-0.0	-44.3
2.5	-965.9						
		INVS LU Max	I	3715.5	0.7	-0.9	1700.1
109.2	-9311.4		J	3715.5	0.7	1.2	1700.1
13.5	-9176.5						
		Min	I	124.1	-46.7	-1.1	-917.9
-132.0	-69185.2		J	124.1	-46.7	0.9	-917.9
-61.4	-31542.2						
		INVS LE Max	I	2732.8	0.9	-0.6	1199.0
81.3	-6659.6		J	2732.8	0.9	0.9	1199.0
10.8	-6903.7						
		Min	I	76.0	-34.2	-0.8	-734.2
-97.3	-50934.5		J	76.0	-34.2	0.7	-734.2
-44.5	-23347.3						
		70 C1-C2;~1 Max	I	1597.3	20.2	0.1	2094.6
9205	2		J	1597.3	20.2	0.1	2094.6
47.4	2234.4						
		Min	I	-787.2	-42.3	-0.2	-967.4
158.0	26186.6		J	-787.2	-42.3	-0.2	-967.4
-8.3	-10649.8						
		C3-C4;~1 Max	I	1718.3	22.4	0.1	2229.6
-72.4	-14414.6		J	1718.3	22.4	0.1	2229.6
60.5	2595.4						
		Min	I	-878.1	-45.3	-0.2	-1078.9
174.1	24951.9		J	-878.1	-45.3	-0.2	-1078.9
-8.4	-12698.8						
		C1-C2;~2 Max	I	921.1	10.8	0.1	1204.3
-77.9	-15925.2		J	921.1	10.8	0.1	1204.3
28.5	1177.6						
		Min	I	-423.6	-24.3	-0.1	-520.7
98.1	14983.1		J	-423.6	-24.3	-0.1	-520.7
-4.5	-6332.8						
		C3-C4;~2 Max	I	997.4	11.9	0.0	1288.7
-38.0	-7777.3						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
37.6	1353.3			J	997.4	11.9	0.0	1288.7
108.7	14123.3		Min	I	-465.5	-26.2	-0.1	-572.2
-4.4	-7675.5			J	-465.5	-26.2	-0.1	-572.2
-41.0	-8461.6							
			G1	I	733.2	-21.0	-0.7	1081.5
-66.4	-6792.2			J	733.2	-21.0	0.8	1081.5
-80.6	10518.1							
			G2	I	284.6	-8.2	0.0	416.1
16.9	-2644.2			J	284.6	-8.2	0.0	416.1
4.5	4086.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-13.0	0.3	0.0	-7.1
-0.2	346.0			J	-13.0	0.3	0.0	-7.1
-3.3	131.1							
			Q5_pc Y	I	-21.4	0.8	-0.0	-72.8
0.9	-927.7			J	-21.4	0.8	-0.0	-72.8
2.7	-1568.0							
			Q5_ps X	I	-13.4	0.3	0.0	-7.5
-0.6	364.5			J	-13.4	0.3	0.0	-7.5
-2.8	134.6							
			Q5_ps Y	I	-20.5	0.7	0.0	-70.7
1.9	-966.7			J	-20.5	0.7	0.0	-70.7
1.2	-1567.7							
			INVSLE Max	I	3463.4	2.0	-0.9	3053.4
33.9	-9192.1			J	3463.4	2.0	1.2	3053.4
195.8	47076.3		Min	I	-80.2	-90.9	-1.3	-1544.1
-60.5	-31509.1			J	-80.2	-90.9	0.8	-1544.1
-150.3	-12597.0							
			INVSLE Max	I	2546.7	2.1	-0.7	2162.1
25.1	-6916.3			J	2546.7	2.1	0.9	2162.1
148.5	34160.1		Min	I	-75.3	-66.6	-1.0	-1233.8
-44.7	-23323.8			J	-75.3	-66.6	0.6	-1233.8
-107.5	-9833.3							
			70 C1-C2;~1 Max	I	1539.4	40.7	0.3	1136.5
9206	2			J	1539.4	40.7	0.3	1136.5
231.8	26235.4							
			Min	I	-803.6	-22.7	-0.1	-1949.0
26.0	4331.7							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-72.7	-14400.9		J	-803.6	-22.7	-0.1	-1949.0
-26.2	-9314.3						
232.5	25004.6	C3-C4;~1 Max	I	1663.0	44.0	0.3	1272.8
39.6	5010.9		J	1663.0	44.0	0.3	1272.8
-80.4	-15908.8	Min	I	-897.1	-25.4	-0.1	-2099.7
-28.1	-11708.2		J	-897.1	-25.4	-0.1	-2099.7
141.0	15010.4	C1-C2;~2 Max	I	886.8	23.4	0.2	611.5
15.5	2302.7		J	886.8	23.4	0.2	611.5
-39.1	-7770.0	Min	I	-432.4	-12.2	-0.0	-1118.7
-13.9	-5533.3		J	-432.4	-12.2	-0.0	-1118.7
141.8	14145.4	C3-C4;~2 Max	I	964.5	25.4	0.2	674.9
24.9	2630.2		J	964.5	25.4	0.2	674.9
-42.5	-8452.9	Min	I	-475.6	-13.4	-0.0	-1211.7
-14.5	-7096.8		J	-475.6	-13.4	-0.0	-1211.7
9.6	10579.9	G1	I	650.0	16.1	-0.6	-694.4
-111.4	-2629.3		J	650.0	16.1	0.9	-694.4
39.6	4110.7	G2	I	252.5	6.3	0.0	-266.5
-0.5	-1038.5		J	252.5	6.3	0.0	-266.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
3.6	137.0	Q5_pc X	I	-16.2	-0.4	0.0	31.2
-1.7	497.0		J	-16.2	-0.4	0.0	31.2
-11.6	-1578.1	Q5_pc Y	I	-14.9	-0.5	-0.0	37.3
3.2	-1169.7		J	-14.9	-0.5	-0.0	37.3
4.2	140.3	Q5_ps X	I	-16.5	-0.4	0.0	30.3
-2.0	508.0		J	-16.5	-0.4	0.0	30.3
-13.5	-1577.8	Q5_ps Y	I	-14.2	-0.5	-0.0	37.7
4.0	-1189.3		J	-14.2	-0.5	-0.0	37.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
445.2	47200.0	INVSLE Max	I	3172.5	76.3	-0.3	2142.3
			J	3172.5	76.3	1.7	2142.3
-85.1	4645.2	Min	I	-312.9	-18.3	-0.8	-2477.8
2.0	-12535.3		J	-312.9	-18.3	1.2	-2477.8
-182.2	-20031.2						
334.3	34252.6	INVSLE Max	I	2330.2	55.7	-0.2	1683.8
			J	2330.2	55.7	1.3	1683.8
-63.8	3408.7	Min	I	-249.5	-14.3	-0.6	-1733.4
7.5	-9785.3		J	-249.5	-14.3	0.9	-1733.4
-135.3	-14714.1						
9207	2	70 C1-C2;~1 Max	I	1466.8	20.7	0.0	679.9
13.0	4343.6		J	1466.8	20.7	0.0	679.9
95.5	13887.5	Min	I	-824.5	-11.7	-0.1	-1114.3
-27.1	-9336.1		J	-824.5	-11.7	-0.1	-1114.3
-43.8	-25813.2						
25.6	5024.2	C3-C4;~1 Max	I	1595.0	22.1	0.0	762.3
			J	1595.0	22.1	0.0	762.3
110.4	15701.4	Min	I	-921.2	-13.0	-0.1	-1202.0
-29.2	-11732.0		J	-921.2	-13.0	-0.1	-1202.0
-49.0	-29802.9						
7.6	2309.1	C1-C2;~2 Max	I	842.5	11.9	0.0	365.8
			J	842.5	11.9	0.0	365.8
55.8	7445.8	Min	I	-443.6	-6.3	-0.1	-639.5
-15.5	-5545.8		J	-443.6	-6.3	-0.1	-639.5
-23.6	-14945.1						
16.4	2637.3	C3-C4;~2 Max	I	922.9	12.8	0.0	404.2
			J	922.9	12.8	0.0	404.2
65.6	8299.0	Min	I	-488.3	-6.9	-0.1	-693.9
-16.7	-7110.6		J	-488.3	-6.9	-0.1	-693.9
-25.9	-17536.3						
-117.3	-2638.3	G1	I	558.5	7.8	-0.8	-356.5
			J	558.5	7.8	0.7	-356.5
-61.3	-9015.8						
		G2	I	218.8	3.0	-0.0	-136.6
-2.7	-1042.0		J	218.8	3.0	-0.0	-136.6
17.1	-3528.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.4	497.3	Q5_pc X	I	-19.9	-0.2	0.0	20.0
-1.6	647.6		J	-19.9	-0.2	0.0	20.0
3.6	-1169.4	Q5_pc Y	I	-7.9	-0.3	0.0	22.4
1.2	-892.7		J	-7.9	-0.3	0.0	22.4
-1.7	508.3	Q5_ps X	I	-20.2	-0.2	0.0	19.2
-1.7	662.1		J	-20.2	-0.2	0.0	19.2
4.3	-1188.9	Q5_ps Y	I	-6.8	-0.3	0.0	23.3
1.7	-919.0		J	-6.8	-0.3	0.0	23.3
-99.5	4665.1	INVS LU Max	I	2832.0	36.9	-1.1	1412.3
96.5	13263.8		J	2832.0	36.9	1.0	1412.3
-179.9	-20060.7	Min	I	-600.6	-11.1	-1.3	-1279.9
-121.4	-49773.9		J	-600.6	-11.1	0.7	-1279.9
-73.6	3424.5	INVS LE Max	I	2074.3	26.9	-0.8	1105.9
71.7	10174.8		J	2074.3	26.9	0.7	1105.9
-132.7	-14734.9	Min	I	-465.7	-8.7	-1.0	-885.3
-89.5	-36400.7		J	-465.7	-8.7	0.6	-885.3
9208	2	70 C1-C2;~1 Max	I	1415.6	1.7	0.0	91.4
90.3	13884.6		J	1415.6	1.7	0.0	91.4
77.0	13623.4	Min	I	-863.6	-1.1	-0.0	-15.9
-40.3	-25807.3		J	-863.6	-1.1	-0.0	-15.9
-50.7	-25860.1						
104.8	15698.1	C3-C4;~1 Max	I	1541.5	1.4	0.1	102.5
87.2	15404.1		J	1541.5	1.4	0.1	102.5
-45.1	-29796.8	Min	I	-965.6	-1.0	-0.0	-17.8
-56.5	-29694.3		J	-965.6	-1.0	-0.0	-17.8
52.8	7444.2	C1-C2;~2 Max	I	812.3	1.1	0.0	55.0
45.6	7301.5		J	812.3	1.1	0.0	55.0
-21.7	-14941.8	Min	I	-464.5	-0.7	-0.0	-8.1
			J	-464.5	-0.7	-0.0	-8.1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-27.3	-14975.4							
		C3-C4;~2	Max	I	891.0	0.8	0.0	62.5
62.4	8297.3			J	891.0	0.8	0.0	62.5
52.5	8139.1							
			Min	I	-511.8	-0.6	-0.0	-9.0
-23.9	-17532.9			J	-511.8	-0.6	-0.0	-9.0
-29.9	-17462.4							
		G1		I	457.9	0.5	-0.7	63.6
-62.7	-9012.9			J	457.9	0.5	0.8	63.6
-90.5	-9422.6							
		G2		I	180.4	0.2	0.0	23.9
16.6	-3527.4			J	180.4	0.2	0.0	23.9
5.9	-3682.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-22.0	0.1	-0.0	1.9
-1.5	647.5			J	-22.0	0.1	-0.0	1.9
-1.0	552.5							
		Q5_pc	Y	I	-4.7	-0.2	0.0	-3.0
1.3	-892.8			J	-4.7	-0.2	0.0	-3.0
0.0	-739.9							
		Q5_ps	X	I	-22.1	0.1	-0.0	1.9
-1.6	662.0			J	-22.1	0.1	-0.0	1.9
-1.1	570.1							
		Q5_ps	Y	I	-4.3	-0.2	0.0	-2.8
1.8	-919.1			J	-4.3	-0.2	0.0	-2.8
0.1	-768.1							
		INVS LU	Max	I	2494.1	3.9	-0.9	157.3
91.3	13261.5			J	2494.1	3.9	1.2	157.3
3.7	11535.7							
			Min	I	-930.1	-0.3	-1.0	-10.4
-113.7	-49763.7			J	-930.1	-0.3	1.1	-10.4
-192.2	-50679.1							
		INVS LE	Max	I	1821.4	2.9	-0.6	112.8
68.1	10172.9			J	1821.4	2.9	0.9	112.8
3.1	8886.1							
			Min	I	-712.1	-0.2	-0.7	-11.0
-83.5	-36393.4			J	-712.1	-0.2	0.8	-11.0
-141.9	-37100.2							
		70 C1-C2;~1	Max	I	1348.4	12.6	0.1	1151.1
9209	2							
83.3	13626.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
31.7	3395.9		J	1348.4	12.6	0.1	1151.1
		Min	I	-894.0	-19.5	-0.1	-711.7
-54.3	-25863.6		J	-894.0	-19.5	-0.1	-711.7
-10.6	-10618.0						
		C3-C4;~1 Max	I	1467.0	14.1	0.1	1238.2
93.8	15407.6		J	1467.0	14.1	0.1	1238.2
45.3	3915.1	Min	I	-1000.4	-21.1	-0.1	-796.4
-60.5	-29697.9		J	-1000.4	-21.1	-0.1	-796.4
-9.4	-12589.5						
		C1-C2;~2 Max	I	773.6	6.8	0.0	659.4
49.2	7303.1		J	773.6	6.8	0.0	659.4
18.6	1784.3	Min	I	-480.8	-11.2	-0.0	-383.0
-29.2	-14977.4		J	-480.8	-11.2	-0.0	-383.0
-7.1	-6290.0						
		C3-C4;~2 Max	I	847.5	7.5	0.0	713.8
56.2	8140.9		J	847.5	7.5	0.0	713.8
28.1	2036.7	Min	I	-530.1	-12.2	-0.0	-422.3
-32.1	-17464.4		J	-530.1	-12.2	-0.0	-422.3
-6.2	-7573.8						
		G1	I	344.8	-5.1	-0.8	369.7
-88.1	-9422.8		J	344.8	-5.1	0.7	369.7
-74.2	-5256.1						
		G2	I	136.2	-2.0	-0.0	140.5
6.8	-3682.5		J	136.2	-2.0	-0.0	140.5
14.1	-2043.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-23.2	0.4	-0.0	-17.8
-1.1	552.6		J	-23.2	0.4	-0.0	-17.8
0.1	192.9						
		Q5_pc Y	I	-2.2	-0.1	-0.0	-25.5
-0.1	-739.9		J	-2.2	-0.1	-0.0	-25.5
0.9	-673.4						
		Q5_ps X	I	-22.9	0.4	-0.0	-16.8
-1.1	570.2		J	-22.9	0.4	-0.0	-16.8
-0.4	217.3						
		Q5_ps Y	I	-3.0	-0.1	-0.0	-27.1
-0.1	-768.1						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.1	-710.1		J	-3.0	-0.1	-0.0	-27.1
10.3	11541.5	INVSLU Max	I	2113.7	19.2	-1.0	1218.9
-9.1	-3890.9		J	2113.7	19.2	1.1	1218.9
-200.0	-50682.7	Min	I	-1259.0	-29.1	-1.2	-1573.7
-86.2	-27384.3		J	-1259.0	-29.1	0.9	-1573.7
7.6	8890.6	INVSLE Max	I	1538.0	14.7	-0.7	834.6
-5.9	-2945.7		J	1538.0	14.7	0.8	834.6
-148.0	-37102.8	Min	I	-957.2	-21.0	-0.9	-1230.6
-62.9	-20258.4		J	-957.2	-21.0	0.6	-1230.6
9210	2	70 C1-C2;~1 Max	I	1307.5	24.1	0.1	1815.9
45.7	3383.8		J	1307.5	24.1	0.1	1815.9
137.9	21355.5	Min	I	-927.6	-35.7	-0.1	-1178.1
-13.2	-10601.3		J	-927.6	-35.7	-0.1	-1178.1
-96.5	-16550.5						
60.1	3901.3	C3-C4;~1 Max	I	1428.2	26.9	0.1	1946.8
160.8	20066.6		J	1428.2	26.9	0.1	1946.8
-12.8	-12570.7	Min	I	-1040.2	-38.8	-0.2	-1318.7
-100.5	-18359.4		J	-1040.2	-38.8	-0.2	-1318.7
26.8	1777.7	C1-C2;~2 Max	I	750.5	12.9	0.1	1040.4
85.5	12242.0		J	750.5	12.9	0.1	1040.4
-7.3	-6280.4	Min	I	-498.7	-20.5	-0.1	-633.9
-50.5	-8931.6		J	-498.7	-20.5	-0.1	-633.9
36.7	2029.4	C3-C4;~2 Max	I	825.4	14.3	0.1	1120.9
100.3	11344.6		J	825.4	14.3	0.1	1120.9
-6.7	-7562.9	Min	I	-551.1	-22.4	-0.1	-699.2
-52.5	-9758.7		J	-551.1	-22.4	-0.1	-699.2
-69.7	-5252.2	G1	I	243.0	-8.7	-0.7	515.0
-131.0	1889.0		J	243.0	-8.7	0.8	515.0
15.8	-2041.9	G2	I	94.8	-3.4	0.0	196.2
-15.2	767.3		J	94.8	-3.4	0.0	196.2


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.2	192.5	Q5_pc X	I	-26.8	0.7	0.0	-31.1
			J	-26.8	0.7	0.0	-31.1
-7.3	-417.6						
0.6	-673.8	Q5_pc Y	I	5.8	-0.0	-0.0	-36.0
			J	5.8	-0.0	-0.0	-36.0
11.0	-633.6						
-0.6	217.0	Q5_ps X	I	-26.1	0.7	0.0	-29.4
			J	-26.1	0.7	0.0	-29.4
-6.6	-379.9						
1.7	-710.5	Q5_ps Y	I	3.8	-0.0	-0.0	-38.6
			J	3.8	-0.0	-0.0	-38.6
9.4	-694.8						
4.0	-3916.6	INVSLE Max	I	1795.5	37.9	-0.7	1860.0
			J	1795.5	37.9	1.4	1860.0
34.0	18852.7	Min	I	-1585.2	-52.2	-1.1	-2613.3
			J	-1585.2	-52.2	0.9	-2613.3
-95.9	-27366.7						
-338.4	-35902.9						
3.0	-2965.7	INVSLE Max	I	1300.3	28.9	-0.5	1272.9
			J	1300.3	28.9	1.0	1272.9
27.0	13171.0	Min	I	-1200.3	-37.7	-0.8	-2035.9
			J	-1200.3	-37.7	0.7	-2035.9
-71.0	-20246.3						
-247.4	-27304.2						
9211	2	70 C1-C2;~1 Max	I	1261.8	30.7	0.3	1022.6
217.8	21495.8		J	1261.8	30.7	0.3	1022.6
21.5	4848.1	Min	I	-968.8	-25.7	-0.1	-1105.5
			J	-968.8	-25.7	-0.1	-1105.5
-86.9	-16592.2						
-32.1	-8002.7						
212.5	20213.9	C3-C4;~1 Max	I	1390.7	33.9	0.3	1160.7
			J	1390.7	33.9	0.3	1160.7
37.2	5618.7	Min	I	-1089.3	-28.9	-0.1	-1218.9
			J	-1089.3	-28.9	-0.1	-1218.9
-92.1	-18401.4						
-34.0	-10005.2						
133.4	12320.3	C1-C2;~2 Max	I	723.4	17.4	0.2	549.5
			J	723.4	17.4	0.2	549.5
12.6	2538.6						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-46.5	-8954.3		Min	I	-520.6	-13.8	-0.0	-637.2
				J	-520.6	-13.8	-0.0	-637.2
-16.9	-4917.7							
130.7	11429.7	C3-C4;~2	Max	I	802.8	19.4	0.2	615.0
				J	802.8	19.4	0.2	615.0
23.5	2915.8							
			Min	I	-576.9	-15.3	-0.0	-706.6
-48.8	-9781.1			J	-576.9	-15.3	-0.0	-706.6
-17.4	-6179.9							
			G1	I	135.3	1.5	-0.6	118.4
-21.7	1986.1			J	135.3	1.5	0.9	118.4
-124.2	741.9							
			G2	I	52.7	0.6	0.0	48.5
27.3	804.3			J	52.7	0.6	0.0	48.5
-5.5	284.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-31.7	-0.7	0.0	67.2
6.0	-406.7			J	-31.7	-0.7	0.0	67.2
-1.8	189.9							
			Q5_pc Y	I	17.2	0.2	-0.0	-21.8
-16.4	-652.9			J	17.2	0.2	-0.0	-21.8
4.1	-780.7							
			Q5_ps X	I	-30.7	-0.7	0.0	63.3
6.7	-369.3			J	-30.7	-0.7	0.0	63.3
-2.1	214.1							
			Q5_ps Y	I	14.7	0.1	-0.0	-16.4
-18.8	-714.5			J	14.7	0.1	-0.0	-16.4
4.8	-810.1							
			INVSLU Max	I	1439.1	28.1	-0.4	2701.6
301.2	19052.9			J	1439.1	28.1	1.6	2701.6
-145.3	12786.0							
			Min	I	-1965.9	-58.0	-0.9	-631.8
-146.7	-35983.6			J	-1965.9	-58.0	1.1	-631.8
-248.8	-9711.5							
			INVSLE Max	I	1031.5	19.7	-0.3	2064.3
224.2	13311.1			J	1031.5	19.7	1.2	2064.3
-108.9	9543.0							
			Min	I	-1486.5	-44.0	-0.7	-396.0
-105.4	-27369.6			J	-1486.5	-44.0	0.8	-396.0
-184.9	-7017.7							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9212	2	70	C1-C2;~1	Max	I	1202.9	16.8	0.1	603.4
15.2	4859.3				J	1202.9	16.8	0.1	603.4
105.2	15922.6			Min	I	-1016.9	-13.7	-0.1	-614.9
-30.1	-8014.8				J	-1016.9	-13.7	-0.1	-614.9
-67.9	-20103.4								
			C3-C4;~1	Max	I	1342.6	17.9	0.1	686.6
29.8	5631.8				J	1342.6	17.9	0.1	686.6
125.0	18106.3			Min	I	-1146.4	-15.4	-0.1	-671.2
-31.4	-10021.0				J	-1146.4	-15.4	-0.1	-671.2
-76.7	-24286.6								
			C1-C2;~2	Max	I	688.2	9.7	0.0	324.1
8.8	2544.7				J	688.2	9.7	0.0	324.1
60.8	8520.4			Min	I	-546.2	-7.4	-0.1	-357.1
-16.6	-4924.4				J	-546.2	-7.4	-0.1	-357.1
-36.4	-11667.4								
			C3-C4;~2	Max	I	774.4	10.3	0.0	363.7
19.0	2922.8				J	774.4	10.3	0.0	363.7
73.6	9554.4			Min	I	-606.9	-8.2	-0.1	-390.8
-17.0	-6189.2				J	-606.9	-8.2	-0.1	-390.8
-40.6	-14353.7								
			G1		I	11.6	0.6	-0.8	128.1
-123.0	741.3				J	11.6	0.6	0.7	128.1
-83.0	269.8								
			G2		I	6.0	0.3	-0.0	52.1
-5.0	284.7				J	6.0	0.3	-0.0	52.1
8.6	74.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-36.8	-0.3	0.0	42.2
-1.2	190.6				J	-36.8	-0.3	0.0	42.2
-2.3	415.8								
			Q5_pc	Y	I	29.2	-0.2	0.0	-11.3
3.9	-781.0				J	29.2	-0.2	0.0	-11.3
3.7	-654.2								
			Q5_ps	X	I	-35.7	-0.3	0.0	39.4
-1.6	214.8				J	-35.7	-0.3	0.0	39.4
-2.5	436.8								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4.7	-810.4	Q5_ps Y	I	26.6	-0.2	0.0	-7.1
4.0	-673.3		J	26.6	-0.2	0.0	-7.1
-146.7	12816.2	INVSLE Max	I	1019.5	14.1	-1.0	1663.2
4.2	38021.8		J	1019.5	14.1	1.1	1663.2
-236.3	-9720.9	Min	I	-2406.9	-31.4	-1.2	-245.8
-274.8	-20386.0		J	-2406.9	-31.4	0.8	-245.8
-109.3	9566.3	INVSLE Max	I	713.7	9.8	-0.7	1268.5
0.4	28741.9		J	713.7	9.8	0.8	1268.5
-175.2	-7023.7	Min	I	-1819.5	-23.8	-0.9	-139.9
-205.8	-14435.9		J	-1819.5	-23.8	0.6	-139.9
9213	2	70 C1-C2;~1 Max	I	1129.1	3.3	0.1	91.5
102.5	15919.4		J	1129.1	3.3	0.1	91.5
79.9	16271.1	Min	I	-1072.4	-1.1	-0.0	-26.4
-65.1	-20099.4		J	-1072.4	-1.1	-0.0	-26.4
-74.8	-21308.5						
122.3	18102.6	C3-C4;~1 Max	I	1263.4	2.9	0.1	81.4
92.4	18412.8		J	1263.4	2.9	0.1	81.4
-73.5	-24282.2	Min	I	-1210.6	-0.7	-0.0	-24.8
-83.8	-25376.3		J	-1210.6	-0.7	-0.0	-24.8
59.3	8518.6	C1-C2;~2 Max	I	646.7	2.1	0.0	57.1
47.8	8711.8		J	646.7	2.1	0.0	57.1
-34.9	-11665.2	Min	I	-575.8	-0.7	-0.0	-15.5
-40.1	-12331.4		J	-575.8	-0.7	-0.0	-15.5
72.1	9552.4	C3-C4;~2 Max	I	729.4	1.8	0.0	48.5
56.1	9719.9		J	729.4	1.8	0.0	48.5
-38.9	-14351.3	Min	I	-640.8	-0.4	-0.0	-13.7
-44.3	-14921.6		J	-640.8	-0.4	-0.0	-13.7
-82.0	270.6	G1	I	-143.1	1.4	-0.7	48.8
-123.8	-920.5		J	-143.1	1.4	0.8	48.8
		G2	I	-54.0	0.6	0.0	19.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9.0	74.7			J	-54.0	0.6	0.0	19.9
-7.4	-407.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-2.1	415.6		Q5_pc X	I	-38.8	0.3	-0.0	-0.0
-1.0	202.6			J	-38.8	0.3	-0.0	-0.0
			Q5_pc Y	I	34.0	-0.5	0.0	3.3
3.7	-654.1			J	34.0	-0.5	0.0	3.3
1.5	-212.3							
			Q5_ps X	I	-37.2	0.2	-0.0	-0.2
-2.3	436.7			J	-37.2	0.2	-0.0	-0.2
-1.0	239.0							
			Q5_ps Y	I	29.9	-0.5	0.0	3.8
4.0	-673.1			J	29.9	-0.5	0.0	3.8
1.2	-260.9							
			INVSLE Max	I	518.8	7.9	-0.8	121.3
4.0	38014.3			J	518.8	7.9	1.2	121.3
-132.0	35544.8		Min	I	-2891.1	1.0	-0.9	-43.7
-266.8	-20382.4			J	-2891.1	1.0	1.1	-43.7
-372.7	-23952.7							
			INVSLE Max	I	337.4	5.8	-0.6	84.6
0.4	28736.2			J	337.4	5.8	0.9	84.6
-101.0	26943.9		Min	I	-2183.2	0.8	-0.7	-37.2
-199.8	-14433.5			J	-2183.2	0.8	0.8	-37.2
-279.1	-17100.0							
9214	2	70	C1-C2;~1 Max	I	1024.3	13.7	0.1	596.8
82.9	16274.2			J	1024.3	13.7	0.1	596.8
55.7	5194.0		Min	I	-1108.5	-13.2	-0.1	-619.7
-77.8	-21310.4			J	-1108.5	-13.2	-0.1	-619.7
-19.8	-12549.2							
			C3-C4;~1 Max	I	1145.5	15.6	0.1	629.0
95.5	18416.3			J	1145.5	15.6	0.1	629.0
72.9	5731.4		Min	I	-1253.4	-14.4	-0.1	-703.8
-87.2	-25378.1			J	-1253.4	-14.4	-0.1	-703.8
-20.7	-14506.1							
			C1-C2;~2 Max	I	588.7	7.4	0.0	347.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
49.4	8713.5			J	588.7	7.4	0.0	347.2
32.3	2743.7							
			Min	I	-594.9	-7.7	-0.0	-332.7
-41.7	-12332.6			J	-594.9	-7.7	-0.0	-332.7
-10.6	-7450.8							
			C3-C4;~2 Max	I	662.8	8.3	0.0	363.7
57.8	9721.8			J	662.8	8.3	0.0	363.7
44.2	2992.5							
			Min	I	-663.1	-8.5	-0.0	-372.4
-46.1	-14922.6			J	-663.1	-8.5	-0.0	-372.4
-11.0	-8641.7							
			G1	I	-313.9	4.6	-0.8	-158.9
-124.1	-918.4			J	-313.9	4.6	0.7	-158.9
-70.0	-4694.8							
			G2	I	-120.8	1.8	-0.0	-62.5
-7.5	-406.5			J	-120.8	1.8	-0.0	-62.5
15.4	-1887.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-40.1	0.8	-0.0	-45.4
-1.2	202.7			J	-40.1	0.8	-0.0	-45.4
2.1	-483.8							
			Q5_pc Y	I	37.6	-1.0	0.0	20.3
1.7	-212.4			J	37.6	-1.0	0.0	20.3
-2.2	601.2							
			Q5_ps X	I	-37.7	0.8	-0.0	-42.2
-1.2	239.1			J	-37.7	0.8	-0.0	-42.2
1.5	-405.3							
			Q5_ps Y	I	31.5	-0.9	0.0	15.3
1.3	-260.9			J	31.5	-0.9	0.0	15.3
-1.0	462.0							
			INVSLU Max	I	-22.9	43.6	-1.1	23.2
-131.7	35555.5			J	-22.9	43.6	0.9	23.2
-10.8	1047.5							
			Min	I	-3333.4	1.2	-1.3	-1857.7
-381.3	-23949.4			J	-3333.4	1.2	0.7	-1857.7
-141.2	-27355.2							
			INVSLE Max	I	-66.7	32.8	-0.8	-31.1
-101.1	26951.9			J	-66.7	32.8	0.7	-31.1
-9.0	846.9							
			Min	I	-2513.6	1.6	-1.0	-1418.3


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name		
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-285.7	-17097.5			J	-2513.6	1.6	0.5	-1418.3	
-105.3	-20112.0								
9215	2	70	C1-C2;~1	Max	I	941.6	27.4	0.2	914.4
62.6	5182.9				J	941.6	27.4	0.2	914.4
144.4	12663.5			Min	I	-1157.0	-24.1	-0.2	-1056.1
-27.8	-12540.6				J	-1157.0	-24.1	-0.2	-1056.1
-162.4	-18545.7								
			C3-C4;~1	Max	I	1063.3	31.1	0.2	982.0
80.4	5718.8				J	1063.3	31.1	0.2	982.0
179.2	10632.1			Min	I	-1315.0	-27.0	-0.2	-1202.1
-30.0	-14496.2				J	-1315.0	-27.0	-0.2	-1202.1
-187.1	-21193.0								
			C1-C2;~2	Max	I	543.4	14.7	0.1	530.0
36.3	2737.7				J	543.4	14.7	0.1	530.0
88.1	7447.7			Min	I	-620.1	-13.9	-0.1	-566.1
-14.9	-7445.8				J	-620.1	-13.9	-0.1	-566.1
-85.2	-9830.6								
			C3-C4;~2	Max	I	616.7	16.5	0.1	568.1
48.6	2985.8				J	616.7	16.5	0.1	568.1
109.8	6003.5			Min	I	-694.7	-15.7	-0.1	-635.0
-15.9	-8635.8				J	-694.7	-15.7	-0.1	-635.0
-97.3	-11077.8								
			G1		I	-489.2	9.6	-0.6	-370.8
-72.7	-4699.5				J	-489.2	9.6	0.9	-370.8
-220.2	-12615.4								
			G2		I	-190.5	3.8	0.1	-145.9
14.4	-1889.7				J	-190.5	3.8	0.1	-145.9
-49.3	-4977.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-47.1	1.4	0.0	-74.5
1.5	-484.6				J	-47.1	1.4	0.0	-74.5
-14.1	-1607.1								
			Q5_pc	Y	I	52.6	-1.5	-0.0	33.9
-1.9	601.4				J	52.6	-1.5	-0.0	33.9
27.9	1809.4								
			Q5_ps	X	I	-43.9	1.3	0.0	-68.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	-406.0						
-13.1	-1456.2		J	-43.9	1.3	0.0	-68.9
-0.8	462.1	Q5_ps Y	I	44.6	-1.3	-0.0	24.8
25.7	1505.3		J	44.6	-1.3	-0.0	24.8
-13.2	1013.0	INVS LU Max	I	-505.0	86.7	-0.2	-184.6
-237.5	-24227.1		J	-505.0	86.7	1.8	-184.6
-165.8	-27359.8	Min	I	-3810.3	5.6	-0.8	-3267.3
-782.2	-73190.3		J	-3810.3	5.6	1.2	-3267.3
-11.3	820.7	INVS LE Max	I	-426.8	65.4	-0.2	-210.4
-183.5	-18961.7		J	-426.8	65.4	1.3	-210.4
-124.1	-20116.0	Min	I	-2868.2	5.5	-0.6	-2484.0
-583.3	-54989.6		J	-2868.2	5.5	0.9	-2484.0
9216	2	70 C1-C2;~1 Max	I	844.5	18.6	0.2	668.5
187.6	12727.8		J	844.5	18.6	0.2	668.5
15.1	11979.4	Min	I	-1207.5	-35.5	-0.1	-469.3
-113.7	-18553.5		J	-1207.5	-35.5	-0.1	-469.3
-42.4	-8154.9						
184.4	10658.8	C3-C4;~1 Max	I	972.1	21.7	0.2	766.6
31.4	12954.0		J	972.1	21.7	0.2	766.6
-120.5	-21201.4	Min	I	-1380.2	-40.3	-0.1	-535.2
-46.3	-9898.3		J	-1380.2	-40.3	-0.1	-535.2
117.6	7484.5	C1-C2;~2 Max	I	487.4	10.7	0.2	355.5
8.7	6089.4		J	487.4	10.7	0.2	355.5
-60.3	-9833.6	Min	I	-645.2	-18.8	-0.1	-278.3
-22.5	-4886.7		J	-645.2	-18.8	-0.1	-278.3
116.2	6016.3	C3-C4;~2 Max	I	563.3	12.4	0.2	403.0
19.8	6638.3		J	563.3	12.4	0.2	403.0
-62.8	-11079.8	Min	I	-727.3	-21.1	-0.1	-312.5
-24.1	-5899.4		J	-727.3	-21.1	-0.1	-312.5
-97.0	-12600.0	G1	I	-674.3	-27.9	-0.7	440.4
			J	-674.3	-27.9	0.8	440.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-142.9	10385.3						
		G2	I	-262.4	-11.1	0.0	171.1
-1.8	-4971.7		J	-262.4	-11.1	0.0	171.1
-12.6	4120.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-56.4	-4.1	0.0	83.0
5.7	-1596.1		J	-56.4	-4.1	0.0	83.0
0.2	1771.1						
		Q5_pc Y	I	71.9	6.7	-0.0	-97.4
-15.8	1782.7		J	71.9	6.7	-0.0	-97.4
1.9	-3701.2						
		Q5_ps X	I	-52.5	-3.8	0.0	78.9
6.6	-1444.8		J	-52.5	-3.8	0.0	78.9
-0.1	1710.0						
		Q5_ps Y	I	62.5	6.1	-0.0	-91.3
-18.5	1477.4		J	62.5	6.1	-0.0	-91.3
2.4	-3556.2						
		INVSLE Max	I	-997.5	-49.0	-0.6	2392.4
45.3	-24126.2		J	-997.5	-49.0	1.4	2392.4
-205.9	47161.6						
		Min	I	-4302.4	-144.6	-1.2	459.6
-398.9	-73139.4		J	-4302.4	-144.6	0.9	459.6
-314.2	9648.9						
		INVSLE Max	I	-794.5	-38.3	-0.5	1801.6
28.6	-18885.3		J	-794.5	-38.3	1.0	1801.6
-153.3	35088.6						
		Min	I	-3233.0	-108.3	-0.9	382.9
-298.3	-54953.7		J	-3233.0	-108.3	0.7	382.9
-233.3	7794.9						
		70 C1-C2;~1 Max	I	731.9	10.6	0.1	164.0
9217	2		J	731.9	10.6	0.1	164.0
13.1	11987.4						
		Min	I	-1267.5	-20.5	-0.1	-177.8
72.9	28464.3		J	-1267.5	-20.5	-0.1	-177.8
-41.2	-8161.5						
		C3-C4;~1 Max	I	867.0	12.0	0.1	158.4
-77.4	-15195.5		J	867.0	12.0	0.1	158.4
28.7	12968.4						
		Min	I	-1454.9	-23.0	-0.1	-180.9
93.7	31762.8		J	-1454.9	-23.0	-0.1	-180.9
-45.1	-9906.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-89.2	-18721.9						
7.5	6094.2	C1-C2;~2	Max	I	419.2	6.2	0.0
42.2	14833.3			J	419.2	6.2	0.0
-22.3	-4890.6		Min	I	-673.6	-10.7	-0.1
-41.3	-8830.6			J	-673.6	-10.7	-0.1
18.2	6645.9	C3-C4;~2	Max	I	499.2	7.1	0.0
55.4	16389.1			J	499.2	7.1	0.0
-24.2	-5904.4		Min	I	-763.1	-11.9	-0.1
-47.0	-10946.9			J	-763.1	-11.9	-0.1
-139.9	10394.5		G1	I	-874.4	-18.4	-0.8
-130.3	25515.8			J	-874.4	-18.4	0.7
-11.4	4124.0		G2	I	-338.7	-7.3	-0.0
-10.9	10162.7			J	-338.7	-7.3	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.8	1772.5		Q5_pc X	I	-66.0	-3.3	0.0
-5.0	4459.7			J	-66.0	-3.3	0.0
1.1	-3702.9		Q5_pc Y	I	90.8	5.6	-0.0
9.7	-8301.5			J	90.8	5.6	-0.0
0.5	1711.3		Q5_ps X	I	-61.4	-3.1	0.0
-5.0	4230.3			J	-61.4	-3.1	0.0
1.7	-3557.9		Q5_ps Y	I	80.2	5.2	-0.0
9.5	-7805.8			J	80.2	5.2	-0.0
-201.7	47209.1		INVSLU Max	I	-1527.7	-31.2	-0.9
-135.5	119873.4			J	-1527.7	-31.2	1.2
-303.3	9662.1		Min	I	-4825.8	-88.6	-1.2
-399.8	36776.3			J	-4825.8	-88.6	0.9
-149.9	35124.3		INVSLE Max	I	-1189.9	-24.4	-0.6

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-104.0	89400.5		J	-1189.9	-24.4	0.9	367.3
		Min	I	-3620.9	-66.2	-0.9	-40.6
-225.0	7805.5		J	-3620.9	-66.2	0.7	-40.6
-298.6	28953.9						
9218	2	70 C1-C2;~1 Max	I	652.7	4.2	0.1	348.2
73.6	28458.9		J	652.7	4.2	0.1	348.2
54.2	31779.9	Min	I	-1389.6	-7.0	-0.0	-627.7
-79.5	-15193.0		J	-1389.6	-7.0	-0.0	-627.7
-128.8	-17691.4						
		C3-C4;~1 Max	I	788.2	3.9	0.2	345.8
94.4	31756.4		J	788.2	3.9	0.2	345.8
73.7	35063.4	Min	I	-1599.7	-6.3	-0.0	-742.5
-91.7	-18718.5		J	-1599.7	-6.3	-0.0	-742.5
-155.8	-20671.6						
		C1-C2;~2 Max	I	371.3	2.7	0.1	207.1
42.6	14830.3		J	371.3	2.7	0.1	207.1
32.8	16467.7	Min	I	-731.6	-4.0	-0.0	-327.6
-42.4	-8829.4		J	-731.6	-4.0	-0.0	-327.6
-64.9	-10500.9						
		C3-C4;~2 Max	I	450.7	2.5	0.1	198.5
55.7	16385.7		J	450.7	2.5	0.1	198.5
45.1	17998.1	Min	I	-831.6	-3.5	-0.0	-382.5
-48.3	-10945.0		J	-831.6	-3.5	-0.0	-382.5
-79.7	-12221.4						
		G1	I	-1138.6	-5.7	-0.6	-504.9
-132.2	25512.5		J	-1138.6	-5.7	0.9	-504.9
-247.0	30194.0						
		G2	I	-441.3	-2.4	0.0	-198.7
-11.7	10161.4		J	-441.3	-2.4	0.0	-198.7
-50.5	12146.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-73.1	-2.3	-0.0	-37.0
-5.0	4459.4		J	-73.1	-2.3	-0.0	-37.0
0.6	6349.0						
		Q5_pc Y	I	102.2	4.3	0.0	12.1
9.5	-8301.3		J	102.2	4.3	0.0	12.1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.3	-11866.0							
-4.9	4230.0	Q5_ps X	I	-67.2	-2.2	-0.0	-32.5	
1.0	6011.3		J	-67.2	-2.2	-0.0	-32.5	
9.3	-7805.6	Q5_ps Y	I	88.6	4.1	0.0	4.1	
-1.6	-11151.1		J	88.6	4.1	0.0	4.1	
-139.6	119854.1	INVS LU Max	I	-2171.0	-4.7	-0.5	-765.8	
			J	-2171.0	-4.7	1.5	-765.8	
-402.4	139438.8	Min	I	-5578.6	-27.8	-0.8	-2304.8	
-407.8	36770.6		J	-5578.6	-27.8	1.3	-2304.8	
-713.4	42837.7							
-107.1	89385.9	INVS LE Max	I	-1669.8	-4.2	-0.4	-599.7	
			J	-1669.8	-4.2	1.1	-599.7	
-300.9	103837.6	Min	I	-4180.3	-20.6	-0.6	-1734.8	
-304.6	28949.4		J	-4180.3	-20.6	0.9	-1734.8	
-531.2	33863.4							
9219	2	83 C1-C2;~1 Max	I	627.9	15.2	0.5	651.8	
57.9	31789.6		J	627.9	15.2	0.5	651.8	
512.2	22803.7	Min	I	-1624.7	-10.3	-0.6	-1409.4	
-135.8	-17694.3		J	-1624.7	-10.3	-0.6	-1409.4	
-478.8	-15199.3							
78.0	35075.0	C3-C4;~1 Max	I	767.2	17.9	0.4	694.1	
			J	767.2	17.9	0.4	694.1	
874.2	21684.5	Min	I	-1873.4	-10.8	-1.0	-1658.8	
-164.4	-20675.5		J	-1873.4	-10.8	-1.0	-1658.8	
-372.2	-16121.2							
34.9	16472.8	C1-C2;~2 Max	I	352.7	8.0	0.3	378.7	
			J	352.7	8.0	0.3	378.7	
295.0	11536.1	Min	I	-846.5	-6.2	-0.3	-734.4	
-68.2	-10502.6		J	-846.5	-6.2	-0.3	-734.4	
-250.2	-9424.8							
47.5	18004.0	C3-C4;~2 Max	I	433.2	9.3	0.2	393.5	
			J	433.2	9.3	0.2	393.5	
522.8	10914.1	Min	I	-964.6	-6.4	-0.6	-854.2	
-83.7	-12223.7		J	-964.6	-6.4	-0.6	-854.2	
-189.7	-9866.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-255.0	30203.6	G1	I	-1501.5	10.5	-2.2	-1212.5
			J	-1501.5	10.5	2.4	-1212.5
-349.3	21605.6	G2	I	-582.9	3.9	-0.1	-475.2
			J	-582.9	3.9	-0.1	-475.2
-53.7	12150.7						
29.7	8977.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	6350.0	Q5_pc X	I	-84.8	-1.2	0.1	-113.4
			J	-84.8	-1.2	0.1	-113.4
-116.1	7370.5						
		Q5_pc Y	I	120.2	3.0	-0.3	70.8
0.1	-11866.8		J	120.2	3.0	-0.3	70.8
260.0	-14298.4						
		Q5_ps X	I	-76.9	-1.2	0.1	-102.3
0.3	6012.1		J	-76.9	-1.2	0.1	-102.3
-122.4	6999.6						
		Q5_ps Y	I	102.1	2.9	-0.3	51.7
-1.3	-11151.8		J	102.1	2.9	-0.3	51.7
275.8	-13530.5						
		INVSLU Max	I	-2992.0	57.3	-1.4	-1879.5
-416.8	139476.7		J	-2992.0	57.3	4.8	-1879.5
307.5	100028.9						
		Min	I	-6773.2	13.2	-4.0	-5259.9
-744.2	42853.5		J	-6773.2	13.2	2.1	-5259.9
1987.0	21743.3						
		INVSLE Max	I	-2285.4	42.8	-1.0	-1468.8
-312.0	103866.1		J	-2285.4	42.8	3.5	-1468.8
192.2	74063.3						
		Min	I	-5070.3	10.5	-3.0	-3957.8
-554.6	33875.6		J	-5070.3	10.5	1.6	-3957.8
1472.8	17980.4						
		83 C1-C2;~1 Max	I	612.9	33.8	2.3	787.6
9220	2		J	612.9	33.8	2.3	787.6
515.8	22803.2						
		Min	I	-1821.7	-15.2	-2.2	-1862.3
1729.5	20283.2		J	-1821.7	-15.2	-2.2	-1862.3
-484.0	-15199.1						
2014.1	-17801.3						
		C3-C4;~1 Max	I	742.3	39.4	2.9	850.2
879.1	21682.0		J	742.3	39.4	2.9	850.2
1801.5	16192.7						

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-384.3	-16120.6		Min	I	-2106.6	-17.2	-2.0	-2190.0		
				J	-2106.6	-17.2	-2.0	-2190.0	-	
2415.4	-18110.1		C1-C2;~2	Max	I	340.9	17.7	1.1	454.2	
297.2	11536.0			J	340.9	17.7	1.1	454.2		
1113.6	12206.5			Min	I	-941.4	-8.8	-1.4	-967.5	
-251.4	-9424.8			J	-941.4	-8.8	-1.4	-967.5	-	
1041.7	-10144.8									
			C3-C4;~2	Max	I	413.1	20.4	1.4	478.7	
526.0	10913.8			J	413.1	20.4	1.4	478.7		
1153.3	9619.3			Min	I	-1077.6	-9.8	-1.3	-1124.6	
-195.9	-9866.1			J	-1077.6	-9.8	-1.3	-1124.6	-	
1236.6	-9724.0									
				G1	I	-1820.5	28.8	-0.3	-1663.2	
-364.2	21602.7			J	-1820.5	28.8	4.3	-1663.2	-	
2000.8	-2086.9									
				G2	I	-708.7	11.0	0.9	-651.7	
23.9	8976.4			J	-708.7	11.0	0.9	-651.7		
-742.2	-64.9									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
				Q5_pc	X	I	-96.6	-0.2	-0.3	-155.1
-117.5	7370.5			J	-96.6	-0.2	-0.3	-155.1		
96.4	7547.4									
				Q5_pc	Y	I	142.5	1.5	0.6	99.9
260.9	-14298.8			J	142.5	1.5	0.6	99.9		
-200.4	-15567.1									
				Q5_ps	X	I	-87.0	-0.3	-0.3	-140.2
-123.6	6999.7			J	-87.0	-0.3	-0.3	-140.2		
111.1	7225.5									
				Q5_ps	Y	I	120.5	1.7	0.6	74.3
276.4	-13531.0			J	120.5	1.7	0.6	74.3		
-241.3	-14931.6									
				INVSLU	Max	I	-3682.4	134.2	5.7	-2648.4
279.5	100022.7			J	-3682.4	134.2	11.9	-2648.4	-	
2183.9	32311.4									
				Min	I	-7784.9	54.9	-2.1	-7031.9	-
2030.2	21737.7			J	-7784.9	54.9	4.1	-7031.9	-	
8237.5	-47540.4									

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

170.5	74058.6	INVSLE Max	I	-2802.4	100.5	4.3	-2062.7	
			J	-2802.4	100.5	8.8	-2062.7	-
1681.1	22817.1	Min	I	-5822.3	42.0	-1.5	-5289.1	-
1505.6	17976.2		J	-5822.3	42.0	3.1	-5289.1	-
6138.6	-34256.7							
9221	2	83 C1-C2;~1 Max	I	575.6	22.2	2.6	2821.4	
1780.9	20327.8		J	575.6	22.2	2.6	2821.4	
151.2	25195.1	Min	I	-1977.9	-38.1	-2.1	-1281.2	-
1822.1	-17746.5		J	-1977.9	-38.1	-2.1	-1281.2	
-561.1	-12042.0							
		C3-C4;~1 Max	I	699.4	16.8	2.6	3322.8	
1830.3	16224.9		J	699.4	16.8	2.6	3322.8	
359.5	30822.3	Min	I	-2292.3	-51.4	-2.6	-1061.7	-
2175.0	-18055.3		J	-2292.3	-51.4	-2.6	-1061.7	
-626.7	-11956.1							
		C1-C2;~2 Max	I	315.3	11.9	1.7	1452.9	
1151.4	12230.2		J	315.3	11.9	1.7	1452.9	
82.4	12927.2	Min	I	-1014.1	-19.1	-1.1	-790.2	
-944.0	-10119.1		J	-1014.1	-19.1	-1.1	-790.2	
-317.3	-7297.0							
		C3-C4;~2 Max	I	383.1	8.8	1.6	1685.0	
1177.4	9638.1		J	383.1	8.8	1.6	1685.0	
214.4	15362.3	Min	I	-1165.6	-25.9	-1.3	-611.6	-
1112.0	-9703.2		J	-1165.6	-25.9	-1.3	-611.6	
-355.6	-7096.4							
		G1	I	-2108.3	-30.8	-3.5	2964.7	-
1685.7	-1984.8		J	-2108.3	-30.8	1.1	2964.7	
-709.0	23224.3							
		G2	I	-820.0	-11.5	-0.6	1186.6	
-619.7	-25.0		J	-820.0	-11.5	-0.6	1186.6	
-123.4	9375.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-109.0	7.9	0.2	321.2	
126.9	7562.0		J	-109.0	7.9	0.2	321.2	
-57.4	1086.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-267.0	-15600.9	Q5_pc	Y	I	168.5	-15.6	-0.5	-476.7
				J	168.5	-15.6	-0.5	-476.7
121.9	-2802.0	Q5_ps	X	I	-98.1	7.9	0.2	290.1
140.4	7239.6			J	-98.1	7.9	0.2	290.1
-58.9	783.7	Q5_ps	Y	I	143.8	-15.8	-0.5	-414.9
-305.9	-14964.7			J	143.8	-15.8	-0.5	-414.9
125.4	-2036.7	INVS LU	Max	I	-4298.2	-6.9	-2.3	11047.3
1413.0	32625.8			J	-4298.2	-6.9	3.9	11047.3
-978.1	76941.6		Min	I	-8640.2	-134.4	-10.1	3973.9
7300.8	-47273.0			J	-8640.2	-134.4	-4.0	3973.9
2529.0	14031.3	INVS LE	Max	I	-3262.4	-5.6	-1.8	8209.4
1111.0	23048.4			J	-3262.4	-5.6	2.8	8209.4
-741.0	56275.3		Min	I	-6456.3	-97.9	-7.5	3033.4
5436.7	-34055.8			J	-6456.3	-97.9	-3.0	3033.4
1873.6	10048.6	83 C1-C2;~1	Max	I	514.1	23.3	1.0	2457.6
9222	2			J	514.1	23.3	1.0	2457.6
158.8	25200.0		Min	I	-2118.7	-20.8	-1.3	-1234.3
865.5	36334.6			J	-2118.7	-20.8	-1.3	-1234.3
-563.7	-12042.6	C3-C4;~1	Max	I	637.1	16.4	1.2	2845.5
-780.7	-24224.6			J	637.1	16.4	1.2	2845.5
373.5	30831.1		Min	I	-2458.7	-29.4	-1.7	-1026.1
1248.1	51934.1			J	-2458.7	-29.4	-1.7	-1026.1
-630.4	-11957.9	C1-C2;~2	Max	I	272.9	12.4	0.5	1281.4
-850.4	-17058.7			J	272.9	12.4	0.5	1281.4
84.2	12929.1		Min	I	-1077.0	-10.4	-0.7	-768.8
502.7	17733.1			J	-1077.0	-10.4	-0.7	-768.8
-319.7	-7297.2	C3-C4;~2	Max	I	340.7	8.7	0.6	1447.1
-397.8	-12827.7			J	340.7	8.7	0.6	1447.1
219.3	15366.7		Min	I	-1241.6	-14.7	-0.9	-601.5
737.8	25751.5			J	-1241.6	-14.7	-0.9	-601.5
-358.4	-7097.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-447.6	-8852.5		J	-1241.6	-14.7	-0.9	-601.5
		G1	I	-2391.2	-7.0	-2.5	2449.3
-682.6	23232.8		J	-2391.2	-7.0	2.0	2449.3
-470.9	28945.4						
		G2	I	-927.2	-2.2	-0.1	986.2
-112.9	9378.5		J	-927.2	-2.2	-0.1	986.2
-63.5	11208.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-121.4	9.2	-0.1	271.5
-54.5	1086.9		J	-121.4	9.2	-0.1	271.5
-5.2	-6458.2						
		Q5_pc Y	I	194.7	-17.7	0.1	-409.9
117.7	-2802.4		J	194.7	-17.7	0.1	-409.9
26.7	11678.1						
		Q5_ps X	I	-109.3	9.1	-0.1	244.3
-56.4	784.0		J	-109.3	9.1	-0.1	244.3
-12.9	-6641.1						
		Q5_ps Y	I	167.7	-17.6	0.1	-355.1
121.7	-2037.0		J	167.7	-17.6	0.1	-355.1
43.1	12350.2						
		INVS LU Max	I	-4915.4	56.2	-1.0	9266.9
-908.6	76971.6		J	-4915.4	56.2	5.2	9266.9
-145.3	106209.3						
		Min	I	-9445.2	-46.7	-5.0	3021.2
2475.7	14047.7		J	-9445.2	-46.7	1.1	3021.2
3026.2	-17625.4						
		INVS LE Max	I	-3722.4	41.7	-0.7	6880.8
-688.8	56297.7		J	-3722.4	41.7	3.9	6880.8
-150.8	76318.3						
		Min	I	-7051.8	-32.2	-3.6	2309.0
1833.9	10061.0		J	-7051.8	-32.2	0.9	2309.0
2281.2	-13854.0						
		83 C1-C2;~1 Max	I	503.7	32.0	3.9	1941.7
9223	2		J	503.7	32.0	3.9	1941.7
859.8	36331.4						
		Min	I	-2249.6	-10.3	-0.4	-1224.1
472.6	39707.3		J	-2249.6	-10.3	-0.4	-1224.1
-766.7	-24225.0						
3244.0	-44903.5						
		C3-C4;~1 Max	I	576.3	24.5	5.3	2194.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1243.2	51930.4			J	576.3	24.5	5.3	2194.4	
501.0	57232.3								
		Min		I	-2612.1	-13.5	-0.3	-1071.3	
-830.6	-17059.0								
				J	-2612.1	-13.5	-0.3	-1071.3	-
4169.4	-31227.5								
		C1-C2;~2	Max	I	269.5	17.0	1.9	1039.3	
499.2	17731.4								
				J	269.5	17.0	1.9	1039.3	
246.5	19954.5								
		Min		I	-1131.1	-5.8	-0.2	-764.4	
-389.4	-12828.0								
				J	-1131.1	-5.8	-0.2	-764.4	-
1573.6	-23649.5								
		C3-C4;~2	Max	I	301.7	13.1	2.7	1130.5	
734.9	25749.6								
				J	301.7	13.1	2.7	1130.5	
262.9	28593.9								
		Min		I	-1306.1	-7.3	-0.2	-637.6	
-437.3	-8852.7								
				J	-1306.1	-7.3	-0.2	-637.6	-
2042.0	-16366.2								
		G1		I	-2677.2	19.5	2.9	1615.8	
-452.3	28941.5								
				J	-2677.2	19.5	7.4	1615.8	-
4674.9	12977.2								
		G2		I	-1036.6	8.0	2.0	663.4	
-56.0	11206.7								
				J	-1036.6	8.0	2.0	663.4	-
1660.7	4635.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-126.2	10.6	0.1	192.0	
-3.1	-6458.4								
				J	-126.2	10.6	0.1	192.0	
-116.7	-15138.6								
		Q5_pc	Y	I	204.9	-19.9	-0.3	-306.3	
23.4	11678.3								
				J	204.9	-19.9	-0.3	-306.3	
248.1	27944.8								
		Q5_ps	X	I	-112.5	10.3	0.1	171.9	
-11.0	-6641.3								
				J	-112.5	10.3	0.1	171.9	
-83.1	-15086.0								
		Q5_ps	Y	I	174.3	-19.4	-0.2	-264.3	
40.2	12350.4								
				J	174.3	-19.4	-0.2	-264.3	
167.2	28270.1								
		INVSLU	Max	I	-5530.4	133.8	12.6	6697.5	
-116.0	106195.2								
				J	-5530.4	133.8	18.7	6697.5	-
7680.2	68359.9								
		Min		I	-10203.6	33.8	4.3	1531.2	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2957.8	-17635.5			J	-10203.6	33.8	10.5	1531.2	-1
4431.8	-119824.0								
		INVSLE	Max	I	-4178.6	99.8	9.2	4965.5	
-128.6	76307.7			J	-4178.6	99.8	13.7	4965.5	-
5686.1	45573.0		Min	I	-7612.9	29.2	3.2	1179.5	-
2230.5	-13861.6			J	-7612.9	29.2	7.7	1179.5	-1
0654.2	-90096.5								
9224	2	83	C1-C2;~1	Max	I	494.6	48.0	2.3	1523.2
470.6	39711.6			J	494.6	48.0	2.3	1523.2	1
0992.4	33927.7		Min	I	-2364.8	-10.3	-17.0	-1359.8	-
3239.3	-44904.7			J	-2364.8	-10.3	-17.0	-1359.8	-
1430.9	-76951.6								
		C3-C4;~1	Max	I	562.4	42.0	2.1	1687.0	
498.0	57238.1			J	562.4	42.0	2.1	1687.0	1
4854.0	50423.0		Min	I	-2746.4	-11.7	-22.7	-1303.8	-
4161.6	-31228.3			J	-2746.4	-11.7	-22.7	-1303.8	-
1263.5	-55813.4								
		C1-C2;~2	Max	I	266.1	24.9	1.1	839.0	
245.3	19956.6			J	266.1	24.9	1.1	839.0	
5409.4	17925.9		Min	I	-1176.7	-5.9	-8.2	-826.2	-
1572.3	-23650.1			J	-1176.7	-5.9	-8.2	-826.2	
-708.3	-41052.6								
		C3-C4;~2	Max	I	296.4	21.9	1.1	884.9	
261.3	28596.8			J	296.4	21.9	1.1	884.9	
7401.9	26064.6		Min	I	-1360.1	-6.7	-11.1	-762.0	-
2039.1	-16366.5			J	-1360.1	-6.7	-11.1	-762.0	
-654.1	-29909.0								
		G1		I	-2939.7	48.4	-25.4	714.0	-
4664.6	12982.0			J	-2939.7	48.4	-20.9	714.0	1
4272.5	-26667.8								
		G2		I	-1137.6	19.2	-8.8	314.0	-
1656.4	4636.7			J	-1137.6	19.2	-8.8	314.0	
5529.9	-11102.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-130.7	12.0	-0.7	119.9	
-115.4	-15139.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
463.0	-24945.8		J	-130.7	12.0	-0.7	119.9	
245.9	27946.8	Q5_pc Y	I	214.6	-22.0	1.5	-214.9	
-955.9	46000.7		J	214.6	-22.0	1.5	-214.9	
-81.9	-15087.0	Q5_ps X	I	-115.5	11.5	-0.5	107.4	
320.5	-24530.2		J	-115.5	11.5	-0.5	107.4	
165.3	28272.1	Q5_ps Y	I	180.6	-21.3	1.0	-187.3	
-624.6	45697.9		J	180.6	-21.3	1.0	-187.3	
7663.1	68375.7	INVS LU Max	I	-6040.3	225.6	-36.3	4236.0	-
3160.4	-39978.3		J	-6040.3	225.6	-30.2	4236.0	4
4396.2	-119821.3	Min	I	-10893.5	100.0	-72.6	-263.9	-1
9455.1	-294735.3		J	-10893.5	100.0	-66.5	-263.9	1
5673.1	45584.5	INVS LE Max	I	-4557.0	168.3	-26.7	3131.4	-
1677.5	-38063.5		J	-4557.0	168.3	-22.1	3131.4	3
0627.8	-90094.5	Min	I	-8123.4	79.1	-53.4	-173.2	-1
4245.5	-220638.9		J	-8123.4	79.1	-48.8	-173.2	1
9225	2	83 C1-C2;~1 Max	I	515.3	65.8	43.1	1218.2	1
0991.2	33921.9		J	515.3	65.8	43.1	1218.2	
3319.5	28425.7	Min	I	-2629.4	-12.4	-5.8	-1561.0	-
1431.9	-76953.4		J	-2629.4	-12.4	-5.8	-1561.0	-2
4575.0	-124246.5							
4855.1	50415.3	C3-C4;~1 Max	I	582.0	61.5	57.4	1294.5	1
3506.5	40166.2		J	582.0	61.5	57.4	1294.5	
1265.2	-55816.0	Min	I	-3092.8	-14.0	-5.8	-1594.1	-
2455.2	-98190.9		J	-3092.8	-14.0	-5.8	-1594.1	-3
5408.1	17923.1	C1-C2;~2 Max	I	278.4	33.7	20.9	692.8	
1729.7	15587.7		J	278.4	33.7	20.9	692.8	
-708.9	-41053.7	Min	I	-1295.2	-6.7	-3.0	-920.7	
1907.6	-65908.8		J	-1295.2	-6.7	-3.0	-920.7	-1
7402.0	26060.9	C3-C4;~2 Max	I	308.4	31.6	28.1	696.7	
			J	308.4	31.6	28.1	696.7	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1840.8	21652.2		Min	I	-1519.0	-7.6	-3.0	-913.9	
-655.0	-29910.5			J	-1519.0	-7.6	-3.0	-913.9	-1
5873.8	-52390.3								
		G1		I	-3385.5	77.1	56.4	-122.8	1
4273.9	-26678.1			J	-3385.5	77.1	60.9	-122.8	-3
3744.6	-89831.8								
		G2		I	-1308.6	30.3	22.3	-16.7	
5530.7	-11106.4			J	-1308.6	30.3	22.3	-16.7	-1
2723.9	-35950.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-149.1	13.3	1.6	47.9	
463.8	-24945.3			J	-149.1	13.3	1.6	47.9	
-870.7	-35842.1								
		Q5_pc Y		I	254.2	-24.3	-3.4	-99.7	
-957.4	45999.4			J	254.2	-24.3	-3.4	-99.7	
1856.1	65854.4								
		Q5_ps X		I	-130.0	12.7	1.1	44.6	
321.2	-24529.7			J	-130.0	12.7	1.1	44.6	
-588.1	-34931.0								
		Q5_ps Y		I	211.5	-23.1	-2.2	-91.6	
-626.0	45696.6			J	211.5	-23.1	-2.2	-91.6	
1192.1	64628.6								
		INVSLU Max		I	-6754.6	318.5	173.8	1936.0	4
3169.5	-40007.1			J	-6754.6	318.5	179.9	1936.0	-5
0139.2	-193423.7								
		Min		I	-12173.3	162.9	82.2	-2143.1	1
9458.8	-294753.8			J	-12173.3	162.9	88.4	-2143.1	-10
2028.4	-546598.7								
		INVSLE Max		I	-5085.3	237.6	127.8	1424.4	3
1684.1	-38084.7			J	-5085.3	237.6	132.3	1424.4	-3
6898.8	-158525.7								
		Min		I	-9065.3	126.5	60.4	-1583.8	1
4248.3	-220652.8			J	-9065.3	126.5	65.0	-1583.8	-7
5087.9	-408565.6								
		83 C1-C2;~1 Max		I	560.7	15.1	5.9	1758.7	
9226	2			J	560.7	15.1	5.9	1758.7	1
3307.9	33392.3								
		Min		I	-2675.4	-70.0	-43.1	-1222.2	-2
1172.5	39769.7			J	-2675.4	-70.0	-43.1	-1222.2	-
4555.9	-125461.7								

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1598.7	-77061.1							
		C3-C4;~1 Max	I	635.0	17.1	6.0	1967.1	
3488.8	49762.9		J	635.0	17.1	6.0	1967.1	1
5203.0	61578.2							
		Min	I	-3157.4	-66.3	-57.5	-1198.0	-3
2423.3	-100494.9		J	-3157.4	-66.3	-57.5	-1198.0	-
1466.1	-57375.8							
		C1-C2;~2 Max	I	302.7	8.4	3.0	1006.0	
1722.8	18373.2		J	302.7	8.4	3.0	1006.0	
5481.8	20094.0							
		Min	I	-1319.8	-35.9	-20.9	-699.0	-1
1902.8	-66648.7		J	-1319.8	-35.9	-20.9	-699.0	
-800.0	-40850.3							
		C3-C4;~2 Max	I	336.2	9.4	3.1	1073.6	
1831.2	26789.6		J	336.2	9.4	3.1	1073.6	
7555.1	31240.9							
		Min	I	-1553.8	-34.2	-28.2	-659.9	-1
5865.4	-54136.7		J	-1553.8	-34.2	-28.2	-659.9	
-762.0	-30735.0							
		G1	I	-3381.3	-81.5	-60.5	464.5	-3
3708.6	-87003.0		J	-3381.3	-81.5	-55.9	464.5	1
4400.9	-19637.8							
		G2	I	-1307.1	-32.1	-22.1	153.3	-1
2709.4	-34764.1		J	-1307.1	-32.1	-22.1	153.3	
5589.4	-8279.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	77.4	-9.9	-1.7	-59.2	
-852.9	-34969.7		J	77.4	-9.9	-1.7	-59.2	
588.8	-26772.5							
		Q5_pc Y	I	-179.7	17.4	3.7	108.1	
1817.1	63738.9		J	-179.7	17.4	3.7	108.1	-
1228.5	49394.0							
		Q5_ps X	I	84.8	-9.5	-1.2	-57.9	
-571.7	-34141.8		J	84.8	-9.5	-1.2	-57.9	
437.7	-26304.7							
		Q5_ps Y	I	-199.4	16.6	2.5	107.4	
1156.0	62697.7		J	-199.4	16.6	2.5	107.4	
-879.4	48995.7							
		INVSLU Max	I	-6726.3	-180.6	-87.0	3157.7	-5
0153.9	-187288.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3905.1	-8768.4		J	-6726.3	-180.6	-80.9	3157.7	4
		Min	I	-12169.4	-329.4	-179.3	-1342.5	-10
1906.1	-544239.5		J	-12169.4	-329.4	-173.1	-1342.5	1
9011.4	-284840.7							
		INVSLE Max	I	-5057.8	-138.4	-64.0	2298.9	-3
6908.6	-153992.1		J	-5057.8	-138.4	-59.4	2298.9	3
2198.8	-15237.4							
		Min	I	-9065.8	-246.3	-131.9	-1020.1	-7
5001.3	-407184.5		J	-9065.8	-246.3	-127.3	-1020.1	1
3922.9	-213149.6							
9227	2	83 C1-C2;~1 Max	I	516.2	13.0	17.4	1442.0	1
1178.0	39775.9		J	516.2	13.0	17.4	1442.0	
594.4	47292.0							
		Min	I	-2346.6	-50.7	-2.6	-1461.5	-
1601.0	-77059.4		J	-2346.6	-50.7	-2.6	-1461.5	-
3510.3	-43619.8							
		C3-C4;~1 Max	I	589.4	15.1	23.4	1488.6	1
5209.6	61586.9		J	589.4	15.1	23.4	1488.6	
671.2	68256.6							
		Min	I	-2741.0	-45.2	-2.6	-1474.6	-
1468.2	-57373.4		J	-2741.0	-45.2	-2.6	-1474.6	-
4590.9	-31675.5							
		C1-C2;~2 Max	I	277.6	7.6	8.4	868.6	
5485.1	20097.0		J	277.6	7.6	8.4	868.6	
318.4	23425.3							
		Min	I	-1156.8	-26.3	-1.3	-826.1	
-801.2	-40849.3		J	-1156.8	-26.3	-1.3	-826.1	-
1707.2	-22603.3							
		C3-C4;~2 Max	I	310.3	8.8	11.4	849.3	
7558.7	31245.2		J	310.3	8.8	11.4	849.3	
353.7	33931.2							
		Min	I	-1347.1	-23.7	-1.3	-810.5	
-763.1	-30733.6		J	-1347.1	-23.7	-1.3	-810.5	-
2250.3	-16465.6							
		G1	I	-2944.4	-51.0	21.0	-445.8	1
4402.0	-19627.1		J	-2944.4	-51.0	25.6	-445.8	-
4864.8	22499.7							
		G2	I	-1140.5	-20.2	8.9	-206.7	
5589.6	-8275.8		J	-1140.5	-20.2	8.9	-206.7	-
1737.1	8423.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

588.0	-26773.1	Q5_pc X	I	66.4	-10.5	0.9	-86.7	
-137.3	-18109.7		J	66.4	-10.5	0.9	-86.7	
1227.1	49395.4	Q5_pc Y	I	-157.8	18.8	-1.9	142.9	-
311.9	33896.6		J	-157.8	18.8	-1.9	142.9	
437.0	-26305.3	Q5_ps X	I	71.7	-10.1	0.7	-77.7	
-100.3	-17941.7		J	71.7	-10.1	0.7	-77.7	
-878.0	48997.1	Q5_ps Y	I	-172.3	18.2	-1.3	125.6	
223.6	33986.1		J	-172.3	18.2	-1.3	125.6	
3910.0	-8737.5	INVS LU Max	I	-6062.7	-109.4	67.7	773.8	4
7560.9	109035.7		J	-6062.7	-109.4	73.9	773.8	-
9006.8	-284821.7	Min	I	-10842.9	-233.9	29.2	-3483.6	1
5226.1	-103011.4		J	-10842.9	-233.9	35.4	-3483.6	-1
2202.3	-15214.7	INVS LE Max	I	-4569.1	-85.9	49.7	521.0	3
5590.3	75385.3		J	-4569.1	-85.9	54.3	521.0	-
3919.1	-213135.4	Min	I	-8088.9	-174.8	21.4	-2613.6	1
1226.7	-77167.1		J	-8088.9	-174.8	26.0	-2613.6	-1
9228	2	83 C1-C2;~1 Max	I	473.6	12.8	0.8	1180.0	
593.7	47287.5		J	473.6	12.8	0.8	1180.0	
771.2	46735.5	Min	I	-2169.0	-32.6	-4.4	-1810.4	-
3512.3	-43618.5		J	-2169.0	-32.6	-4.4	-1810.4	
-584.2	-23195.4							
670.4	68250.2	C3-C4;~1 Max	I	546.0	17.1	0.8	1091.9	
1216.4	64603.8		J	546.0	17.1	0.8	1091.9	
4591.6	-31674.5	Min	I	-2504.6	-25.5	-6.2	-1865.8	-
-524.4	-17507.7		J	-2504.6	-25.5	-6.2	-1865.8	
318.1	23423.1	C1-C2;~2 Max	I	253.1	7.5	0.4	760.1	
458.7	23272.9		J	253.1	7.5	0.4	760.1	
1707.6	-22602.7	Min	I	-1080.0	-17.0	-2.2	-1013.5	-
-307.9	-11927.8		J	-1080.0	-17.0	-2.2	-1013.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
353.3	33928.1	C3-C4;~2	Max	I	285.3	9.6	0.4	669.6	
				J	285.3	9.6	0.4	669.6	
725.9	32424.4		Min	I	-1241.0	-13.6	-3.1	-1026.5	-
2249.8	-16465.1			J	-1241.0	-13.6	-3.1	-1026.5	
-287.6	-8853.8								
			G1	I	-2658.3	-20.8	-7.9	-1395.9	-
4873.4	22494.6			J	-2658.3	-20.8	-3.3	-1395.9	
-261.8	39642.0								
			G2	I	-1030.4	-8.5	-2.1	-576.0	-
1740.7	8421.1			J	-1030.4	-8.5	-2.1	-576.0	
25.0	15440.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	58.8	-11.1	-0.2	-81.2	
-138.1	-18108.7			J	58.8	-11.1	-0.2	-81.2	
66.2	-8935.9								
			Q5_pc Y	I	-144.3	20.3	0.5	91.1	
313.0	33894.6			J	-144.3	20.3	0.5	91.1	
-134.2	17086.9								
			Q5_ps X	I	63.2	-10.8	-0.2	-68.2	
-100.9	-17940.7			J	63.2	-10.8	-0.2	-68.2	
52.5	-9017.4								
			Q5_ps Y	I	-155.8	19.9	0.4	66.2	
224.5	33984.1			J	-155.8	19.9	0.4	66.2	
-104.5	17537.4								
			INVSLE Max	I	-5639.7	-34.3	-10.1	-1462.1	-
7581.8	109018.6			J	-5639.7	-34.3	-3.9	-1462.1	
78.2	152674.3								
			Min	I	-10017.7	-139.4	-20.5	-5738.0	-1
5248.9	-103014.4			J	-10017.7	-139.4	-14.3	-5738.0	
2594.2	3389.1								
			INVSLE Max	I	-4257.7	-29.7	-7.4	-1149.0	-
5606.4	75372.9			J	-4257.7	-29.7	-2.8	-1149.0	
-4.9	110564.6								
			Min	I	-7481.4	-104.0	-15.0	-4304.2	-1
1244.0	-77169.3			J	-7481.4	-104.0	-10.4	-4304.2	
1966.6	2261.2								
9229	2	83	C1-C2;~1	Max	I	462.1	20.7	1.5	1121.4
776.5	46737.4			J	462.1	20.7	1.5	1121.4	
286.3	36571.8								

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-598.8	-23194.3	Min	I	-2004.1	-19.9	-0.8	-2313.3
			J	-2004.1	-19.9	-0.8	-2313.3
-797.8	-15008.8						
1221.7	64606.1	C3-C4;~1 Max	I	580.0	28.8	2.0	945.9
			J	580.0	28.8	2.0	945.9
489.6	45120.1						
		Min	I	-2290.0	-13.4	-0.9	-2460.1
-532.6	-17506.7		J	-2290.0	-13.4	-0.9	-2460.1
1009.5	-15004.3						
		C1-C2;~2 Max	I	250.0	10.5	0.8	742.3
462.1	23273.6		J	250.0	10.5	0.8	742.3
141.3	19049.8						
		Min	I	-1015.5	-9.9	-0.4	-1268.2
-316.0	-11927.2		J	-1015.5	-9.9	-0.4	-1268.2
-421.1	-8681.3						
		C3-C4;~2 Max	I	317.0	14.2	1.1	606.7
729.4	32425.5		J	317.0	14.2	1.1	606.7
269.7	23248.0						
		Min	I	-1155.4	-6.7	-0.5	-1345.8
-298.3	-8853.3		J	-1155.4	-6.7	-0.5	-1345.8
-526.5	-8363.6						
		G1	I	-2347.2	7.8	-1.6	-2271.1
-280.2	39645.9		J	-2347.2	7.8	3.0	-2271.1
-867.7	33177.6						
		G2	I	-911.2	2.6	0.2	-916.3
17.6	15441.8		J	-911.2	2.6	0.2	-916.3
-187.5	13296.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	53.8	-11.7	0.2	-71.6
65.4	-8936.0		J	53.8	-11.7	0.2	-71.6
-107.0	744.9						
		Q5_pc Y	I	-135.7	22.0	-0.5	27.4
-133.6	17087.3		J	-135.7	22.0	-0.5	27.4
238.2	-1062.5						
		Q5_ps X	I	57.1	-11.5	0.2	-55.7
51.9	-9017.6		J	57.1	-11.5	0.2	-55.7
-104.2	453.4						
		Q5_ps Y	I	-143.9	21.6	-0.4	-2.0
-104.1	17537.8		J	-143.9	21.6	-0.4	-2.0
231.5	-347.4						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

45.1	152688.1	INVS LU Max	I	-5062.9	51.8	-0.1	-3272.1	
			J	-5062.9	51.8	6.1	-3272.1	
-736.5	117662.6	Min	I	-9181.5	-53.5	-4.9	-8235.9	-
2653.2	3400.4		J	-9181.5	-53.5	1.3	-8235.9	-
3189.0	34576.0							
		INVS LE Max	I	-3832.9	35.6	-0.1	-2510.0	
-30.1	110574.9		J	-3832.9	35.6	4.4	-2510.0	
-554.3	86758.0	Min	I	-6865.6	-39.4	-3.7	-6177.4	-
2011.0	2269.8		J	-6865.6	-39.4	0.9	-6177.4	-
2339.2	25354.1							
9230	2	83 C1-C2;~1 Max	I	517.8	34.2	1.5	1158.6	
280.1	36568.1		J	517.8	34.2	1.5	1158.6	
1622.2	24716.5	Min	I	-1868.2	-17.3	-2.2	-2703.4	
-794.7	-15008.2		J	-1868.2	-17.3	-2.2	-2703.4	-
1559.2	-18217.8							
		C3-C4;~1 Max	I	633.8	47.5	1.8	974.5	
480.2	45116.3		J	633.8	47.5	1.8	974.5	
1674.3	20222.0	Min	I	-2126.3	-11.1	-2.2	-2958.3	-
1008.4	-15003.3		J	-2126.3	-11.1	-2.2	-2958.3	-
1879.6	-18075.9							
		C1-C2;~2 Max	I	290.4	16.2	0.8	763.6	
140.4	19048.3		J	290.4	16.2	0.8	763.6	
1061.8	14385.8	Min	I	-957.0	-9.0	-1.5	-1462.5	
-418.1	-8680.9		J	-957.0	-9.0	-1.5	-1462.5	
-777.5	-10743.5							
		C3-C4;~2 Max	I	356.5	22.9	0.9	623.7	
267.1	23246.4		J	356.5	22.9	0.9	623.7	
1091.9	11815.0	Min	I	-1082.9	-5.6	-1.5	-1612.6	
-525.1	-8362.9		J	-1082.9	-5.6	-1.5	-1612.6	
-927.3	-10270.5							
		G1	I	-2077.0	33.8	-1.3	-2814.2	
-895.5	33170.1		J	-2077.0	33.8	3.3	-2814.2	-
1712.4	5281.4							
		G2	I	-810.0	12.7	0.5	-1128.1	
-198.6	13293.7		J	-810.0	12.7	0.5	-1128.1	
-624.5	2819.1							
		Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-107.6	745.6	Q5_pc X		I	54.1	-12.3	-0.4	-59.4
236.1	10930.2			J	54.1	-12.3	-0.4	-59.4
238.1	-1064.3	Q5_pc Y		I	-134.5	23.6	0.8	-24.7
-451.3	-20536.4			J	-134.5	23.6	0.8	-24.7
-104.7	454.1	Q5_ps X		I	57.3	-12.1	-0.4	-42.7
245.7	10456.5			J	57.3	-12.1	-0.4	-42.7
231.1	-349.0	Q5_ps Y		I	-142.0	23.3	0.9	-54.8
-479.3	-19622.1			J	-142.0	23.3	0.9	-54.8
-808.6	117641.5	INVSLU Max		I	-4475.2	145.3	3.2	-4423.5
1592.4	58019.8			J	-4475.2	145.3	9.4	-4423.5
3246.8	34557.7	Min		I	-8443.4	12.9	-3.7	-10088.1
7202.4	-37767.0			J	-8443.4	12.9	2.4	-10088.1
-608.7	86742.0	INVSLE Max		I	-3397.5	105.7	2.4	-3380.2
1259.1	41607.5			J	-3397.5	105.7	7.0	-3380.2
2383.0	25340.4	Min		I	-6319.0	11.7	-2.6	-7568.2
5354.5	-25970.5			J	-6319.0	11.7	1.9	-7568.2
9231	2	83 C1-C2;~1 Max		I	567.5	15.6	1.9	1906.0
1545.9	24702.6			J	567.5	15.6	1.9	1906.0
669.2	31658.0	Min		I	-1730.6	-35.2	-2.1	-956.5
1668.1	-18277.7			J	-1730.6	-35.2	-2.1	-956.5
-509.0	-20417.4							
1615.9	20246.3	C3-C4;~1 Max		I	700.4	18.0	1.8	2232.6
1127.4	33192.7			J	700.4	18.0	1.8	2232.6
1970.7	-18130.9	Min		I	-1964.4	-40.0	-2.8	-864.6
-466.7	-22690.2			J	-1964.4	-40.0	-2.8	-864.6
1016.4	14378.3	C1-C2;~2 Max		I	325.1	9.4	1.3	999.4
348.3	15809.3			J	325.1	9.4	1.3	999.4
-843.6	-10768.9	Min		I	-894.7	-18.6	-1.0	-591.3


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-260.0	-12418.0		J	-894.7	-18.6	-1.0	-591.3	
1059.9	11826.3	C3-C4;~2 Max	I	404.2	10.7	1.2	1157.6	
613.4	16636.0		J	404.2	10.7	1.2	1157.6	
-993.9	-10289.9	Min	I	-1007.5	-20.9	-1.4	-505.9	
-244.4	-13609.1		J	-1007.5	-20.9	-1.4	-505.9	
1919.8	5228.8	G1	I	-1810.2	-31.8	-4.5	1700.1	-
-127.5	32811.5		J	-1810.2	-31.8	0.3	1700.1	
-701.4	2799.9	G2	I	-708.0	-12.3	-0.9	678.5	
119.2	13448.2		J	-708.0	-12.3	-0.9	678.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
226.4	10922.1	Q5_pc X	I	53.3	3.5	0.4	-191.8	
-122.0	7857.4		J	53.3	3.5	0.4	-191.8	
-443.2	-20526.6	Q5_pc Y	I	-130.2	-7.5	-0.8	484.8	
227.9	-14049.1		J	-130.2	-7.5	-0.8	484.8	
234.6	10447.8	Q5_ps X	I	56.3	3.5	0.4	-194.9	
-130.2	7439.8		J	56.3	3.5	0.4	-194.9	
-467.7	-19610.3	Q5_ps Y	I	-137.0	-7.3	-0.8	487.1	
250.1	-13254.9		J	-137.0	-7.3	-0.8	487.1	
2218.6	57824.3	INVS LU Max	I	-3855.0	-61.4	-4.4	7539.8	-
846.9	143584.3		J	-3855.0	-61.4	2.0	7539.8	
7858.4	-37951.6	Min	I	-7686.7	-153.2	-12.3	2361.8	-
1772.6	42854.1		J	-7686.7	-153.2	-5.8	2361.8	-
1731.5	41458.8	INVS LE Max	I	-2936.4	-47.6	-3.4	5630.0	-
577.0	106804.4		J	-2936.4	-47.6	1.4	5630.0	
5850.0	-26153.4	Min	I	-5757.4	-114.6	-9.1	1859.1	-
1333.0	34062.6		J	-5757.4	-114.6	-4.3	1859.1	-
9232	2	83 C1-C2;~1 Max	I	617.8	10.2	1.4	1453.1	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
670.4	31661.2		J	617.8	10.2	1.4	1453.1
639.0	41374.0						
		Min	I	-1584.8	-14.3	-0.7	-826.8
-499.0	-20419.0						
			J	-1584.8	-14.3	-0.7	-826.8
-873.6	-22370.1						
		C3-C4;~1 Max	I	755.7	10.8	2.0	1707.2
1128.4	33199.9						
			J	755.7	10.8	2.0	1707.2
843.3	44978.8						
		Min	I	-1788.1	-16.1	-0.6	-710.2
-452.5	-22691.9						
			J	-1788.1	-16.1	-0.6	-710.2
1106.9	-27267.9						
		C1-C2;~2 Max	I	360.7	6.4	0.7	761.7
348.1	15811.1						
			J	360.7	6.4	0.7	761.7
392.9	21217.8						
		Min	I	-828.9	-7.6	-0.4	-516.6
-253.7	-12418.9						
			J	-828.9	-7.6	-0.4	-516.6
-442.1	-13309.8						
		C3-C4;~2 Max	I	443.8	6.8	1.1	885.3
612.4	16639.7						
			J	443.8	6.8	1.1	885.3
526.8	22868.9						
		Min	I	-926.7	-8.6	-0.3	-415.7
-235.9	-13610.0						
			J	-926.7	-8.6	-0.3	-415.7
-558.1	-16257.5						
		G1	I	-1532.2	-10.2	-1.3	1253.9
-109.8	32816.6						
			J	-1532.2	-10.2	3.5	1253.9
1060.2	41636.9						
		G2	I	-598.9	-3.8	0.4	501.0
126.2	13450.2						
			J	-598.9	-3.8	0.4	501.0
-263.5	16755.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	49.8	2.8	-0.2	-160.5
-124.1	7856.8						
			J	49.8	2.8	-0.2	-160.5
32.8	5388.9						
		Q5_pc Y	I	-121.5	-5.8	0.3	399.2
233.2	-14047.8						
			J	-121.5	-5.8	0.3	399.2
-37.7	-9034.8						
		Q5_ps X	I	52.4	2.7	-0.2	-162.6
-132.4	7439.2						
			J	52.4	2.7	-0.2	-162.6
34.3	5062.5						
		Q5_ps Y	I	-126.5	-5.6	0.3	400.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
255.4	-13253.6			J	-126.5	-5.6	0.3	400.4	
-42.8	-8435.2								
			INVSLU Max	I	-3234.6	-13.3	1.6	5727.4	
895.8	143602.9			J	-3234.6	-13.3	8.1	5727.4	-
1244.1	183681.0		Min	I	-6887.2	-60.1	-2.7	1588.0	-
1721.0	42862.9			J	-6887.2	-60.1	3.8	1588.0	-
3944.8	69885.2								
			INVSLE Max	I	-2475.1	-10.9	1.2	4275.0	
613.7	106818.4			J	-2475.1	-10.9	6.0	4275.0	
-940.4	137442.8		Min	I	-5164.6	-44.8	-2.0	1262.0	-
1293.6	34069.1			J	-5164.6	-44.8	2.8	1262.0	-
2935.9	54354.3								
9233	2	83	C1-C2;~1 Max	I	683.8	8.6	0.6	827.3	
635.1	41371.1			J	683.8	8.6	0.6	827.3	
169.4	35891.0		Min	I	-1422.3	-5.1	-0.8	-583.7	
-863.7	-22369.1			J	-1422.3	-5.1	-0.8	-583.7	
-220.5	-19180.7								
			C3-C4;~1 Max	I	830.5	8.4	0.7	986.3	
838.8	44975.2			J	830.5	8.4	0.7	986.3	
235.5	39133.4		Min	I	-1580.6	-5.0	-1.1	-471.0	-
1096.0	-27266.8			J	-1580.6	-5.0	-1.1	-471.0	
-234.5	-24459.2								
			C1-C2;~2 Max	I	408.0	4.7	0.3	422.9	
390.6	21216.4			J	408.0	4.7	0.3	422.9	
108.0	18477.7		Min	I	-758.7	-3.2	-0.4	-368.0	
-437.2	-13309.2			J	-758.7	-3.2	-0.4	-368.0	
-120.2	-11292.1								
			C3-C4;~2 Max	I	497.9	4.4	0.4	495.5	
524.1	22867.2			J	497.9	4.4	0.4	495.5	
151.6	20007.3		Min	I	-837.2	-3.1	-0.6	-283.3	
-553.1	-16256.8			J	-837.2	-3.1	-0.6	-283.3	
-128.8	-14562.8								
			G1	I	-1220.6	7.8	-3.2	700.8	-
1049.2	41633.6			J	-1220.6	7.8	1.6	700.8	
-343.3	34854.2								
			G2	I	-477.0	3.2	-0.2	280.1	
-259.0	16753.9			J	-477.0	3.2	-0.2	280.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-64.9	13948.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	45.7	2.2	0.0	-113.1
31.2	5389.1			J	45.7	2.2	0.0	-113.1
-0.9	3509.0							
			Q5_pc Y	I	-113.7	-4.1	-0.0	259.6
-33.9	-9035.2			J	-113.7	-4.1	-0.0	259.6
0.2	-5518.5							
			Q5_ps X	I	47.1	2.0	0.0	-114.1
32.7	5062.7			J	47.1	2.0	0.0	-114.1
-1.4	3297.7							
			Q5_ps Y	I	-115.5	-3.8	-0.0	261.0
-39.1	-8435.7			J	-115.5	-3.8	-0.0	261.0
1.5	-5151.2							
			INVSLE Max	I	-2549.0	34.8	-4.0	3315.5
1226.2	183668.2			J	-2549.0	34.8	2.5	3315.5
-535.2	155749.2		Min	I	-6008.6	9.0	-6.6	728.6
3899.2	69878.2			J	-6008.6	9.0	-0.1	728.6
1171.3	59965.9							
			INVSLE Max	I	-1967.4	25.7	-3.0	2466.3
-926.3	137433.3			J	-1967.4	25.7	1.8	2466.3
-409.5	116772.5		Min	I	-4514.9	7.2	-4.9	584.7
2901.9	54349.0			J	-4514.9	7.2	-0.1	584.7
-880.6	46557.7							
		69	C1-C2;~1 Max	I	735.8	23.9	0.2	621.8
9234	2			J	735.8	23.9	0.2	621.8
169.1	35887.1							
			Min	I	-1226.8	-12.0	-0.3	-378.8
37.9	17331.2			J	-1226.8	-12.0	-0.3	-378.8
-217.0	-19180.2							
-88.2	-10925.4							
			C3-C4;~1 Max	I	881.8	26.2	0.3	697.4
235.8	39128.8			J	881.8	26.2	0.3	697.4
58.0	18276.6		Min	I	-1339.4	-14.0	-0.3	-290.6
-230.2	-24457.9			J	-1339.4	-14.0	-0.3	-290.6
-105.8	-13366.4							
			C1-C2;~2 Max	I	444.3	12.7	0.1	363.8
107.8	18475.6			J	444.3	12.7	0.1	363.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
18.5	8855.5							
			Min	I	-667.6	-7.3	-0.1	-225.3
-118.5	-11291.9			J	-667.6	-7.3	-0.1	-225.3
-49.1	-6500.2							
		C3-C4;~2	Max	I	534.0	13.8	0.2	385.4
151.6	20004.9			J	534.0	13.8	0.2	385.4
31.1	9332.9							
			Min	I	-725.9	-8.4	-0.2	-161.5
-126.6	-14562.0			J	-725.9	-8.4	-0.2	-161.5
-57.5	-7935.5							
			G1	I	-883.7	21.9	-1.2	203.9
-338.8	34850.5			J	-883.7	21.9	0.9	203.9
-182.2	15864.5							
			G2	I	-345.4	8.8	-0.1	81.9
-63.1	13946.7			J	-345.4	8.8	-0.1	81.9
-7.9	6356.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	39.8	1.5	-0.0	-65.5
-1.8	3509.2			J	39.8	1.5	-0.0	-65.5
0.9	2173.2							
			Q5_pc Y	I	-101.2	-2.4	-0.0	116.9
2.2	-5519.5			J	-101.2	-2.4	-0.0	116.9
2.7	-3425.6							
			Q5_ps X	I	40.3	1.4	-0.0	-66.1
-2.3	3298.0			J	40.3	1.4	-0.0	-66.1
0.3	2089.0							
			Q5_ps Y	I	-100.4	-2.1	-0.0	120.4
3.4	-5152.2			J	-100.4	-2.1	-0.0	120.4
3.7	-3292.5							
			INVSLE Max	I	-1795.2	102.8	-1.7	1369.5
-522.9	155737.2			J	-1795.2	102.8	1.2	1369.5
-176.9	69235.5							
			Min	I	-4976.0	44.1	-2.5	-293.7
1155.9	59960.0			J	-4976.0	44.1	0.4	-293.7
-402.7	20351.4							
			INVSLE Max	I	-1405.8	77.2	-1.3	993.7
-400.4	116763.4			J	-1405.8	77.2	0.9	993.7
-129.3	51768.6							
			Min	I	-3748.4	34.1	-1.9	-222.7
-869.0	46553.2			J	-3748.4	34.1	0.3	-222.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
16.9	1342.4						
		Q5_ps Y	I	-98.9	-0.8	0.0	37.0
4.4	-3292.8		J	-98.9	-0.8	0.0	37.0
-32.6	-2615.6						
		INVSLU Max	I	-1209.6	160.7	-0.6	610.9
-181.7	69218.2		J	-1209.6	160.7	2.2	610.9
-123.0	-19910.0	Min	I	-4342.1	68.4	-1.7	-1803.7
-395.7	20342.5		J	-4342.1	68.4	1.2	-1803.7
-990.7	-80154.4						
		INVSLE Max	I	-969.8	121.1	-0.5	404.2
-133.3	51755.3		J	-969.8	121.1	1.7	404.2
-102.2	-16068.4	Min	I	-3276.9	52.9	-1.2	-1379.5
-291.4	16007.8		J	-3276.9	52.9	0.9	-1379.5
-741.4	-60355.5						
9236	2	69 C1-C2;~1 Max	I	906.5	26.0	0.3	1173.5
320.2	18406.7		J	906.5	26.0	0.3	1173.5
107.2	3124.1	Min	I	-1055.2	-27.1	-0.3	-1084.8
-264.9	-21354.4		J	-1055.2	-27.1	-0.3	-1084.8
-33.2	-11398.0						
		C3-C4;~1 Max	I	1039.9	29.5	0.4	1274.3
383.0	15215.0		J	1039.9	29.5	0.4	1274.3
163.0	2837.2	Min	I	-1138.0	-28.9	-0.3	-1126.1
-281.7	-22782.9		J	-1138.0	-28.9	-0.3	-1126.1
-34.9	-14689.9						
		C1-C2;~2 Max	I	549.7	15.7	0.2	651.3
206.1	11179.3		J	549.7	15.7	0.2	651.3
60.2	1752.4	Min	I	-583.0	-15.1	-0.2	-662.4
-147.5	-11936.4		J	-583.0	-15.1	-0.2	-662.4
-17.1	-7135.6						
		C3-C4;~2 Max	I	631.5	17.9	0.2	702.8
243.9	9159.5		J	631.5	17.9	0.2	702.8
94.4	1477.5	Min	I	-625.8	-16.1	-0.2	-680.3
-157.7	-12724.3		J	-625.8	-16.1	-0.2	-680.3
-17.6	-9155.2						
		G1	I	-475.7	-8.7	-1.3	437.3
-287.7	-11594.1		J	-475.7	-8.7	0.8	437.3
-82.1	-4060.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-61.6	-4555.4	G2	I	-189.1	-3.4	-0.1	179.8
			J	-189.1	-3.4	-0.1	179.8
33.6	-1570.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	41.7	1.2	0.0	-79.2
0.2	1287.2		J	41.7	1.2	0.0	-79.2
-1.3	276.2						
		Q5_pc Y	I	-101.3	-2.9	-0.0	221.8
-5.8	-2520.2		J	-101.3	-2.9	-0.0	221.8
4.2	15.2						
		Q5_ps X	I	42.4	1.2	0.0	-80.7
1.1	1330.8		J	42.4	1.2	0.0	-80.7
-2.6	310.5						
		Q5_ps Y	I	-100.4	-2.9	-0.0	219.5
-7.5	-2595.1		J	-100.4	-2.9	-0.0	219.5
7.3	-113.1						
		INVS LU Max	I	-720.2	-8.3	-1.7	3970.6
-306.9	-19952.7		J	-720.2	-8.3	1.2	3970.6
74.9	1450.3						
		Min	I	-3842.7	-92.6	-2.7	330.8
1214.7	-80095.1		J	-3842.7	-92.6	0.2	330.8
-199.7	-23095.6						
		INVS LE Max	I	-605.5	-8.1	-1.3	3007.5
-245.2	-16102.6		J	-605.5	-8.1	0.8	3007.5
52.5	1401.2						
		Min	I	-2905.0	-70.1	-2.0	340.9
-916.8	-60316.5		J	-2905.0	-70.1	0.1	340.9
-150.4	-16744.2						
9237	2	69 C1-C2;~1 Max	I	977.7	14.9	0.2	691.0
99.9	3125.4		J	977.7	14.9	0.2	691.0
132.9	14143.2						
		Min	I	-986.4	-13.7	-0.1	-705.6
-31.8	-11404.8		J	-986.4	-13.7	-0.1	-705.6
-122.0	-21760.8						
		C3-C4;~1 Max	I	1111.5	16.8	0.2	750.4
155.3	2845.5		J	1111.5	16.8	0.2	750.4
160.0	15060.5						
		Min	I	-1055.1	-14.5	-0.1	-692.8
-27.2	-14696.8		J	-1055.1	-14.5	-0.1	-692.8
-140.8	-27554.3						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-134.0	-16740.1		Min	I	-2531.8	-34.2	-0.9	177.9	
				J	-2531.8	-34.2	1.2	177.9	
-486.9	-13914.5								
9238	2	69	C1-C2;~1	Max	I	1107.9	2.2	0.1	180.2
129.5	14140.2				J	1107.9	2.2	0.1	180.2
226.0	14058.8								
			Min	I	-938.5	-3.2	-0.2	-162.8	
-118.3	-21758.6				J	-938.5	-3.2	-0.2	-162.8
-117.7	-20988.0								
			C3-C4;~1	Max	I	1263.8	2.0	0.1	172.5
156.7	15057.3				J	1263.8	2.0	0.1	172.5
287.5	14959.6								
			Min	I	-988.5	-2.9	-0.3	-120.8	
-136.8	-27552.4				J	-988.5	-2.9	-0.3	-120.8
-125.5	-27088.4								
			C1-C2;~2	Max	I	666.1	1.4	0.0	109.3
80.2	7872.9				J	666.1	1.4	0.0	109.3
131.9	7841.0								
			Min	I	-528.5	-2.1	-0.1	-105.9	
-61.4	-13225.1				J	-528.5	-2.1	-0.1	-105.9
-64.2	-12752.4								
			C3-C4;~2	Max	I	760.5	1.2	0.0	96.0
97.9	8358.2				J	760.5	1.2	0.0	96.0
167.8	8333.7								
			Min	I	-556.4	-1.8	-0.1	-76.3	
-69.3	-16845.4				J	-556.4	-1.8	-0.1	-76.3
-68.2	-16572.6								
			G1	I	-71.3	-0.6	-1.2	50.2	
-210.7	-1162.6				J	-71.3	-0.6	0.9	50.2
-82.3	-608.2								
			G2	I	-29.0	-0.2	-0.1	20.4	
-22.2	-431.9				J	-29.0	-0.2	-0.1	20.4
28.9	-239.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	38.8	-0.1	0.0	3.1	
4.0	-213.4				J	38.8	-0.1	0.0	3.1
-0.4	-155.2								
			Q5_pc Y	I	-97.0	0.1	-0.0	-7.3	
-6.1	1287.1				J	-97.0	0.1	-0.0	-7.3
-0.1	1175.3								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
4.4	-178.3	Q5_ps X	I	38.5	-0.1	0.0	2.3
			J	38.5	-0.1	0.0	2.3
-1.1	-117.0						
		Q5_ps Y	I	-92.8	0.1	-0.0	-5.5
-6.8	1115.9		J	-92.8	0.1	-0.0	-5.5
1.8	999.4						
		INVSLU Max	I	370.8	1.6	-1.5	547.2
-229.0	39427.3		J	370.8	1.6	1.3	547.2
134.5	40401.1	Min	I	-2844.5	-5.9	-2.0	70.9
-636.1	-20412.5		J	-2844.5	-5.9	0.8	70.9
-423.8	-18479.3						
		INVSLE Max	I	202.6	1.2	-1.1	412.3
-175.4	30237.1		J	202.6	1.2	1.0	412.3
90.9	30934.2	Min	I	-2166.2	-4.3	-1.5	60.5
-476.2	-13917.1		J	-2166.2	-4.3	0.6	60.5
-322.6	-12524.2						
9239	2	69 C1-C2;~1 Max	I	1271.9	13.2	0.3	895.4
230.4	14061.3		J	1271.9	13.2	0.3	895.4
39.0	5653.5	Min	I	-928.8	-18.1	-0.1	-668.7
-121.4	-20992.1		J	-928.8	-18.1	-0.1	-668.7
-68.4	-8740.7						
		C3-C4;~1 Max	I	1456.7	13.9	0.3	944.4
292.5	14962.1		J	1456.7	13.9	0.3	944.4
70.1	4945.1	Min	I	-975.0	-19.6	-0.2	-712.8
-129.5	-27092.7		J	-975.0	-19.6	-0.2	-712.8
-78.0	-11735.9						
		C1-C2;~2 Max	I	753.4	7.5	0.2	536.4
134.5	7842.5		J	753.4	7.5	0.2	536.4
22.5	3043.0	Min	I	-521.2	-10.9	-0.1	-371.6
-66.3	-12754.9		J	-521.2	-10.9	-0.1	-371.6
-38.2	-5452.8						
		C3-C4;~2 Max	I	861.2	7.8	0.2	551.8
170.7	8335.2		J	861.2	7.8	0.2	551.8
43.1	2686.4	Min	I	-547.0	-11.7	-0.1	-396.0
-70.4	-16575.0		J	-547.0	-11.7	-0.1	-396.0
-42.6	-7285.1						
		G1	I	136.9	-1.1	-0.9	24.8
-82.2	-609.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-186.7	309.2		J	136.9	-1.1	1.2	24.8
		G2	I	52.4	-0.4	0.0	6.4
28.9	-240.4		J	52.4	-0.4	0.0	6.4
-7.8	68.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	35.5	-0.7	0.0	50.3
-0.1	-155.3		J	35.5	-0.7	0.0	50.3
-1.9	411.8						
		Q5_pc Y	I	-92.3	1.7	-0.0	-143.3
-1.0	1175.6		J	-92.3	1.7	-0.0	-143.3
6.9	-264.7						
		Q5_ps X	I	34.7	-0.7	0.0	49.2
-0.8	-117.1		J	34.7	-0.7	0.0	49.2
-2.5	446.8						
		Q5_ps Y	I	-86.4	1.6	-0.0	-136.6
1.0	999.6		J	-86.4	1.6	-0.0	-136.6
8.2	-381.2						
		INVS LU Max	I	1033.5	36.0	-0.9	948.5
140.4	40407.6		J	1033.5	36.0	2.0	948.5
-205.2	13443.4						
		Min	I	-2415.5	-12.1	-1.6	-1546.6
-430.9	-18482.5		J	-2415.5	-12.1	1.3	-1546.6
-417.5	-10773.5						
		INVS LE Max	I	693.8	27.6	-0.7	651.3
95.1	30939.3		J	693.8	27.6	1.5	651.3
-154.6	10158.0						
		Min	I	-1848.7	-7.9	-1.2	-1177.8
-328.0	-12526.3		J	-1848.7	-7.9	0.9	-1177.8
-310.9	-7725.6						
9240	2	69 C1-C2;~1 Max	I	1390.1	25.9	0.1	1519.4
47.2	5658.3		J	1390.1	25.9	0.1	1519.4
408.3	30873.0						
		Min	I	-908.8	-35.3	-0.5	-1154.2
-65.7	-8734.1		J	-908.8	-35.3	-0.5	-1154.2
-145.1	-21106.8						
		C3-C4;~1 Max	I	1574.6	27.1	0.2	1673.0
79.5	4945.5		J	1574.6	27.1	0.2	1673.0
412.7	27328.9						
		Min	I	-953.3	-39.5	-0.5	-1227.4
-72.4	-11725.3						


MIDAS

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-157.7	-22082.4		J	-953.3	-39.5	-0.5	-1227.4
27.9	3046.6	C1-C2;~2 Max	I	820.5	14.6	0.1	898.3
260.5	17814.0		J	820.5	14.6	0.1	898.3
-35.7	-5448.7	Min	I	-507.7	-20.9	-0.3	-641.6
-80.2	-11746.8		J	-507.7	-20.9	-0.3	-641.6
49.3	2686.9	C3-C4;~2 Max	I	926.7	15.2	0.1	975.8
265.9	15703.3		J	926.7	15.2	0.1	975.8
-37.8	-7278.3	Min	I	-532.0	-23.2	-0.3	-682.0
-85.3	-12259.7		J	-532.0	-23.2	-0.3	-682.0
-186.0	311.5	G1	I	279.9	-4.1	-1.2	95.4
-45.4	3900.9		J	279.9	-4.1	0.9	95.4
-7.6	69.2	G2	I	106.5	-1.5	-0.0	31.3
29.6	1399.4		J	106.5	-1.5	-0.0	31.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.1	412.2	Q5_pc X	I	36.0	-1.2	-0.0	79.2
12.2	1408.5		J	36.0	-1.2	-0.0	79.2
4.7	-266.0	Q5_pc Y	I	-94.1	3.0	0.0	-226.7
-25.3	-2852.8		J	-94.1	3.0	0.0	-226.7
-1.8	447.3	Q5_ps X	I	35.5	-1.1	-0.0	77.4
14.8	1428.3		J	35.5	-1.1	-0.0	77.4
6.1	-382.5	Q5_ps Y	I	-88.6	2.8	0.0	-215.6
-30.2	-2831.4		J	-88.6	2.8	0.0	-215.6
-202.6	13442.3	INVSLU Max	I	1532.5	66.5	-1.4	1556.2
392.6	26133.5		J	1532.5	66.5	1.5	1556.2
-416.2	-10767.6	Min	I	-2049.7	-28.8	-2.3	-2767.5
-422.9	-50491.2		J	-2049.7	-28.8	0.6	-2767.5
		INVSLE Max	I	1066.9	51.0	-1.0	1058.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-153.2	10156.4			J	1066.9	51.0	1.1 1058.4
283.4	17754.2		Min	I	-1574.0	-19.2	-1.7 -2114.0
-310.8	-7721.9			J	-1574.0	-19.2	0.4 -2114.0
-317.3	-38624.6						
9241	2	69	C1-C2;~1	Max	I	1440.4	41.1 0.5 1158.3
478.1	30865.3			J	1440.4	41.1	0.5 1158.3
91.3	2278.3		Min	I	-871.9	-24.4	-0.2 -1934.5
-230.4	-21149.5			J	-871.9	-24.4	-0.2 -1934.5
-31.1	-10733.4						
			C3-C4;~1	Max	I	1616.8	46.0 0.5 1217.5
556.4	27357.5			J	1616.8	46.0	0.5 1217.5
142.4	1534.4		Min	I	-913.5	-25.6	-0.3 -2073.8
-245.8	-22133.3			J	-913.5	-25.6	-0.3 -2073.8
-32.4	-13869.8						
			C1-C2;~2	Max	I	848.1	24.0 0.3 642.8
289.6	17809.8			J	848.1	24.0	0.3 642.8
49.4	1412.5		Min	I	-485.6	-13.5	-0.1 -1136.8
-125.7	-11767.3			J	-485.6	-13.5	-0.1 -1136.8
-16.4	-6566.4						
			C3-C4;~2	Max	I	949.9	26.8 0.3 674.1
333.6	15716.9			J	949.9	26.8	0.3 674.1
80.2	932.5		Min	I	-507.9	-14.2	-0.1 -1212.7
-133.6	-12284.4			J	-507.9	-14.2	-0.1 -1212.7
-16.4	-8443.3						
			G1	I	383.4	12.5	-1.0 -554.9
-47.0	3906.7			J	383.4	12.5	1.1 -554.9
-81.0	-6903.3						
			G2	I	147.0	4.8	-0.0 -206.3
30.8	1403.0			J	147.0	4.8	-0.0 -206.3
34.6	-2767.8						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	X	I	37.2	1.1 0.0 -83.6
3.6	1403.3			J	37.2	1.1	0.0 -83.6
-3.7	457.8						
			Q5_pc	Y	I	-97.3	-2.9 -0.0 223.7
-11.2	-2845.2						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7.7	-331.4		J	-97.3	-2.9	-0.0	223.7
4.3	1422.0	Q5_ps X	I	36.9	1.1	0.0	-84.5
-4.9	486.0		J	36.9	1.1	0.0	-84.5
-12.1	-2821.3	Q5_ps Y	I	-92.0	-2.7	-0.0	218.1
10.6	-448.3		J	-92.0	-2.7	-0.0	218.1
462.3	26178.2	INVSLU Max	I	1900.5	58.2	-0.9	3091.5
114.7	-8908.0		J	1900.5	58.2	1.9	3091.5
-640.9	-50491.3	Min	I	-1690.5	-43.7	-2.1	-1754.4
-135.1	-31532.0		J	-1690.5	-43.7	0.8	-1754.4
329.6	17789.1	INVSLE Max	I	1344.8	41.3	-0.7	2406.3
84.1	-6634.4		J	1344.8	41.3	1.4	2406.3
-486.1	-38623.8	Min	I	-1302.3	-33.8	-1.5	-1153.4
-99.9	-23331.8		J	-1302.3	-33.8	0.6	-1153.4
9242	2	69 C1-C2;~1 Max	I	1465.2	22.2	0.1	695.7
77.6	2272.9		J	1465.2	22.2	0.1	695.7
137.7	11092.4	Min	I	-838.4	-12.8	-0.1	-1211.2
-33.5	-10740.1		J	-838.4	-12.8	-0.1	-1211.2
-76.8	-28164.9						
126.6	1533.2	C3-C4;~1 Max	I	1639.5	24.8	0.2	731.6
161.5	11736.3		J	1639.5	24.8	0.2	731.6
-30.2	-13877.9	Min	I	-878.8	-13.4	-0.1	-1291.4
-85.6	-34512.5		J	-878.8	-13.4	-0.1	-1291.4
41.1	1408.7	C1-C2;~2 Max	I	856.9	13.0	0.1	385.1
84.4	6090.5		J	856.9	13.0	0.1	385.1
-19.3	-6571.0	Min	I	-464.9	-7.1	-0.1	-712.5
-41.9	-16640.7		J	-464.9	-7.1	-0.1	-712.5
70.5	931.6	C3-C4;~2 Max	I	956.8	14.4	0.1	403.9
100.0	6427.5		J	956.8	14.4	0.1	403.9
-15.9	-8448.9	Min	I	-486.0	-7.4	-0.1	-754.5
-45.7	-20440.9		J	-486.0	-7.4	-0.1	-754.5

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-86.4	-6905.5	G1	I	477.3	6.9	-1.0	-370.5
			J	477.3	6.9	1.1	-370.5
-129.4	-12863.8	G2	I	185.9	2.7	0.0	-138.4
32.6	-2768.6		J	185.9	2.7	0.0	-138.4
10.3	-5068.8	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-4.5	457.1	Q5_pc X	I	37.4	0.5	-0.0	-49.8
			J	37.4	0.5	-0.0	-49.8
3.7	-3.6						
9.8	-329.8	Q5_pc Y	I	-98.9	-1.4	0.0	134.0
-8.1	920.4		J	-98.9	-1.4	0.0	134.0
-5.7	485.4	Q5_ps X	I	36.9	0.5	-0.0	-50.5
			J	36.9	0.5	-0.0	-50.5
3.8	32.2						
12.7	-446.7	Q5_ps Y	I	-92.9	-1.4	0.0	130.8
-7.9	724.9		J	-92.9	-1.4	0.0	130.8
107.4	-8909.3	INVSLU Max	I	2234.4	32.1	-1.1	1946.2
			J	2234.4	32.1	1.8	1946.2
40.8	6563.6	Min	I	-1343.3	-22.1	-1.5	-1025.9
-126.3	-31535.7		J	-1343.3	-22.1	1.4	-1025.9
-307.4	-57529.1						
		INVSLE Max	I	1597.3	22.9	-0.8	1518.0
79.9	-6634.6		J	1597.3	22.9	1.3	1518.0
29.5	5535.9	Min	I	-1039.6	-17.1	-1.1	-665.7
-92.0	-23333.9		J	-1039.6	-17.1	1.0	-665.7
-227.3	-41817.4						
9243	2	69 C1-C2;~1 Max	I	1586.0	1.3	0.1	88.3
131.3	11090.2		J	1586.0	1.3	0.1	88.3
211.5	11509.2	Min	I	-843.1	-2.3	-0.1	-124.7
-73.6	-28162.1		J	-843.1	-2.3	-0.1	-124.7
-85.8	-27806.5						
155.1	11734.0	C3-C4;~1 Max	I	1788.2	1.2	0.1	81.0
			J	1788.2	1.2	0.1	81.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
264.3	12184.7		Min	I	-887.7	-1.9	-0.2	-98.2
-82.4	-34509.8			J	-887.7	-1.9	-0.2	-98.2
-92.5	-34397.2							
		C1-C2;~2	Max	I	918.9	0.9	0.0	53.4
80.5	6089.2			J	918.9	0.9	0.0	53.4
121.1	6327.6		Min	I	-462.6	-1.5	-0.1	-81.6
-40.0	-16639.0			J	-462.6	-1.5	-0.1	-81.6
-45.0	-16414.8							
		C3-C4;~2	Max	I	1032.1	0.7	0.0	43.7
96.1	6426.2			J	1032.1	0.7	0.0	43.7
151.4	6683.4		Min	I	-485.2	-1.2	-0.1	-62.1
-43.8	-20439.2			J	-485.2	-1.2	-0.1	-62.1
-48.1	-20361.9							
		G1		I	613.7	-0.9	-1.2	-1.8
-131.7	-12863.6			J	613.7	-0.9	1.0	-1.8
-47.8	-12085.0							
		G2		I	240.4	-0.4	-0.0	-1.3
9.4	-5068.7			J	240.4	-0.4	-0.0	-1.3
43.1	-4752.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	35.0	-0.1	0.0	0.7
3.5	-3.4			J	35.0	-0.1	0.0	0.7
-0.2	40.5							
		Q5_pc	Y	I	-96.9	0.1	-0.0	-3.0
-7.4	920.0			J	-96.9	0.1	-0.0	-3.0
-1.9	803.6							
		Q5_ps	X	I	34.1	-0.1	0.0	0.4
3.5	32.3			J	34.1	-0.1	0.0	0.4
-0.8	77.1							
		Q5_ps	Y	I	-89.6	0.1	-0.0	-2.2
-7.1	724.5			J	-89.6	0.1	-0.0	-2.2
0.0	609.9							
		INVSLU	Max	I	2770.0	-0.6	-1.5	366.5
37.4	6558.7			J	2770.0	-0.6	1.3	366.5
347.8	9283.8		Min	I	-1016.8	-5.8	-1.9	73.6
-296.5	-57526.3			J	-1016.8	-5.8	1.0	73.6

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-137.3	-55048.3							
		INVSLE	Max	I	1996.9	-0.5	-1.1	279.4
27.6	5532.1			J	1996.9	-0.5	1.0	279.4
257.5	7596.0							
		Min		I	-795.3	-4.4	-1.4	62.8
-218.7	-41815.6			J	-795.3	-4.4	0.7	62.8
-101.6	-39950.3							
9244	2	69 C1-C2;~1	Max	I	1695.8	12.1	0.3	1381.6
219.0	11512.2			J	1695.8	12.1	0.3	1381.6
26.1	3354.2							
		Min		I	-841.9	-25.0	-0.1	-725.6
-89.9	-27812.7			J	-841.9	-25.0	-0.1	-725.6
-77.7	-8103.8							
		C3-C4;~1	Max	I	1919.2	12.8	0.4	1520.6
272.5	12188.0			J	1919.2	12.8	0.4	1520.6
47.4	2720.9							
		Min		I	-890.4	-27.5	-0.1	-771.5
-96.9	-34404.2			J	-890.4	-27.5	-0.1	-771.5
-90.1	-11531.4							
		C1-C2;~2	Max	I	976.0	6.6	0.2	797.6
125.4	6329.3			J	976.0	6.6	0.2	797.6
13.2	1787.2							
		Min		I	-457.2	-14.5	-0.1	-394.0
-47.2	-16418.3			J	-457.2	-14.5	-0.1	-394.0
-45.3	-4998.1							
		C3-C4;~2	Max	I	1098.6	6.9	0.2	868.4
156.0	6685.1			J	1098.6	6.9	0.2	868.4
26.6	1524.2							
		Min		I	-481.0	-15.8	-0.1	-417.0
-50.4	-20365.7			J	-481.0	-15.8	-0.1	-417.0
-52.1	-7098.0							
		G1		I	737.2	-10.9	-0.9	528.8
-45.0	-12088.3			J	737.2	-10.9	1.2	528.8
-188.1	-2645.1							
		G2		I	288.8	-4.3	0.1	199.4
44.1	-4753.7			J	288.8	-4.3	0.1	199.4
-7.5	-1060.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	32.3	-0.6	0.0	47.1
0.1	40.4			J	32.3	-0.6	0.0	47.1
-1.9	557.7							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-2.7	803.9	Q5_pc	Y	I	-93.5	1.7	-0.0	-132.6
5.5	-648.0			J	-93.5	1.7	-0.0	-132.6
-0.5	77.0	Q5_ps	X	I	31.1	-0.6	0.0	46.8
-2.7	583.3			J	31.1	-0.6	0.0	46.8
-0.7	610.1	Q5_ps	Y	I	-85.4	1.6	-0.0	-126.5
7.2	-743.6			J	-85.4	1.6	-0.0	-126.5
359.1	9287.9	INVS LU	Max	I	3251.4	11.9	-0.7	1927.7
-121.2	3177.3			J	3251.4	11.9	2.1	1927.7
-144.4	-55058.6		Min	I	-709.8	-45.6	-1.4	-1405.4
-316.9	-18084.7			J	-709.8	-45.6	1.5	-1405.4
265.4	7599.3	INVS LE	Max	I	2356.1	9.4	-0.6	1340.7
-87.8	2411.8			J	2356.1	9.4	1.6	1340.7
-107.2	-39957.6		Min	I	-565.6	-32.9	-1.1	-1110.6
-231.9	-13251.4			J	-565.6	-32.9	1.1	-1110.6
9245	2	69 C1-C2;~1	Max	I	1772.4	23.7	0.1	2389.9
26.3	3358.5			J	1772.4	23.7	0.1	2389.9
385.7	40102.5		Min	I	-824.7	-48.5	-0.5	-1235.8
-65.2	-8094.0			J	-824.7	-48.5	-0.5	-1235.8
-104.7	-19528.6							
56.9	2724.5	C3-C4;~1	Max	I	1991.7	25.1	0.1	2655.8
390.4	37566.5			J	1991.7	25.1	0.1	2655.8
-76.4	-11515.7		Min	I	-873.6	-54.4	-0.5	-1313.7
-112.7	-20611.2			J	-873.6	-54.4	-0.5	-1313.7
12.9	1789.7	C1-C2;~2	Max	I	1020.8	12.9	0.1	1374.3
240.7	22563.2			J	1020.8	12.9	0.1	1374.3
-37.0	-4992.2		Min	I	-445.3	-27.8	-0.3	-669.6
-57.2	-10536.6			J	-445.3	-27.8	-0.3	-669.6
33.0	1526.4	C3-C4;~2	Max	I	1140.5	13.5	0.1	1513.5
246.1	20987.3			J	1140.5	13.5	0.1	1513.5
			Min	I	-469.0	-31.0	-0.3	-708.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-42.9	-7088.2		J	-469.0	-31.0	-0.3	-708.3
-60.7	-11044.5						
		G1	I	823.3	-21.8	-1.3	970.2
-179.3	-2636.5		J	823.3	-21.8	0.8	970.2
13.1	16263.1						
		G2	I	320.3	-8.5	-0.1	368.7
-4.2	-1056.8		J	320.3	-8.5	-0.1	368.7
52.5	6328.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	32.2	-1.0	-0.0	74.3
-1.2	558.1		J	32.2	-1.0	-0.0	74.3
10.6	1464.1						
		Q5_pc Y	I	-94.9	3.0	0.0	-210.6
3.5	-649.3		J	-94.9	3.0	0.0	-210.6
-26.4	-3246.3						
		Q5_ps X	I	31.6	-1.0	-0.0	73.3
-2.0	583.7		J	31.6	-1.0	-0.0	73.3
13.1	1464.9						
		Q5_ps Y	I	-87.7	2.8	0.0	-199.6
5.3	-744.7		J	-87.7	2.8	0.0	-199.6
-30.8	-3145.9						
		INVSLU Max	I	3593.8	21.1	-1.6	3368.6
-114.1	3182.1		J	3593.8	21.1	1.2	3368.6
710.8	68530.1						
		Min	I	-445.3	-91.6	-2.5	-2369.2
-300.5	-18066.6		J	-445.3	-91.6	0.3	-2369.2
-15.8	-19276.9						
		INVSLE Max	I	2613.1	16.9	-1.2	2345.0
-83.6	2414.3		J	2613.1	16.9	0.9	2345.0
532.2	49375.0						
		Min	I	-366.1	-66.2	-1.9	-1877.1
-221.2	-13238.9		J	-366.1	-66.2	0.2	-1877.1
-2.6	-15234.3						
9246	2	69 C1-C2;~1 Max	I	1816.9	52.5	0.5	1130.0
463.7	40115.5		J	1816.9	52.5	0.5	1130.0
93.3	2097.9						
		Min	I	-804.0	-23.0	-0.2	-2600.7
-177.5	-19572.5		J	-804.0	-23.0	-0.2	-2600.7
-36.0	-10276.5						


MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
522.6	37642.4	C3-C4;~1	Max	I	2030.0	58.6	0.5	1202.0	
				J	2030.0	58.6	0.5	1202.0	
138.2	1682.1		Min	I	-852.6	-24.4	-0.2	-2844.8	
-190.1	-20660.9			J	-852.6	-24.4	-0.2	-2844.8	
-36.6	-13749.7								
277.5	22571.1	C1-C2;~2	Max	I	1046.6	30.1	0.3	604.2	
				J	1046.6	30.1	0.3	604.2	
52.1	1129.0		Min	I	-432.2	-12.3	-0.1	-1495.5	
-94.5	-10558.6			J	-432.2	-12.3	-0.1	-1495.5	
-19.5	-6200.3								
310.5	21022.6	C3-C4;~2	Max	I	1162.7	33.4	0.3	638.3	
				J	1162.7	33.4	0.3	638.3	
78.9	959.1		Min	I	-455.4	-13.0	-0.1	-1623.4	
-100.4	-11069.3			J	-455.4	-13.0	-0.1	-1623.4	
-18.7	-8284.1								
18.0	16268.4		G1	I	890.8	26.6	-0.9	-1312.0	
				J	890.8	26.6	1.2	-1312.0	
-87.3	-6742.5								
55.8	6331.1		G2	I	346.4	10.4	0.0	-500.5	
				J	346.4	10.4	0.0	-500.5	
32.2	-2651.3								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
5.9	1461.8		Q5_pc	X	I	32.2	1.0	0.0	-71.1
				J	32.2	1.0	0.0	-71.1	
-3.7	636.9								
-16.6	-3241.6		Q5_pc	Y	I	-96.4	-2.9	-0.0	207.4
				J	-96.4	-2.9	-0.0	207.4	
7.0	-761.5								
7.1	1461.7		Q5_ps	X	I	31.9	0.9	0.0	-71.8
				J	31.9	0.9	0.0	-71.8	
-4.8	650.0								
-18.2	-3139.6		Q5_ps	Y	I	-89.7	-2.7	-0.0	199.3
				J	-89.7	-2.7	-0.0	199.3	
9.6	-840.3								
838.2	68588.2		INVSLU	Max	I	3828.5	108.3	-0.5	2437.3
				J	3828.5	108.3	2.4	2437.3	
138.0	-7952.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-153.9	-19294.8		Min	I	-236.6	-9.0	-1.5	-3399.2
				J	-236.6	-9.0	1.4	-3399.2
-110.6	-30717.1							
			INVSLE Max	I	2788.2	78.6	-0.4	1944.8
623.4	49417.0			J	2788.2	78.6	1.7	1944.8
100.8	-5873.9							
			Min	I	-210.1	-7.9	-1.1	-2350.8
-109.2	-15249.3			J	-210.1	-7.9	1.0	-2350.8
-82.4	-22635.3							
9247	2	69	C1-C2;~1 Max	I	1865.2	27.9	0.1	642.7
74.5	2094.6			J	1865.2	27.9	0.1	642.7
159.0	10819.0							
			Min	I	-794.4	-12.1	-0.2	-1511.1
-41.0	-10289.2			J	-794.4	-12.1	-0.2	-1511.1
-72.9	-33404.6							
			C3-C4;~1 Max	I	2082.9	31.2	0.2	684.6
118.0	1679.4			J	2082.9	31.2	0.2	684.6
189.4	11627.3							
			Min	I	-844.3	-12.8	-0.2	-1647.6
-40.2	-13765.3			J	-844.3	-12.8	-0.2	-1647.6
-82.3	-40304.6							
			C1-C2;~2 Max	I	1071.6	16.1	0.1	342.7
40.4	1126.8			J	1071.6	16.1	0.1	342.7
96.6	5690.7							
			Min	I	-424.4	-6.4	-0.1	-869.9
-23.7	-6208.1			J	-424.4	-6.4	-0.1	-869.9
-39.6	-19441.9							
			C3-C4;~2 Max	I	1190.0	17.8	0.1	362.4
66.6	957.0			J	1190.0	17.8	0.1	362.4
115.7	6069.3							
			Min	I	-447.8	-6.8	-0.1	-940.6
-21.9	-8293.7			J	-447.8	-6.8	-0.1	-940.6
-43.7	-23436.2							
			G1	I	961.9	14.0	-1.1	-766.8
-99.7	-6750.9			J	961.9	14.0	1.1	-766.8
-102.7	-18876.3							
			G2	I	376.2	5.5	0.0	-291.6
27.4	-2654.5			J	376.2	5.5	0.0	-291.6
20.7	-7395.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	31.3	0.5	-0.0	-41.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.4	636.4			J	31.3	0.5	-0.0 -41.6
3.2	216.7						
8.9	-759.9	Q5_pc	Y	I	-96.2	-1.5	0.0 122.1
-7.9	509.4			J	-96.2	-1.5	0.0 122.1
-5.5	649.4	Q5_ps	X	I	30.9	0.5	-0.0 -42.2
3.2	239.9			J	30.9	0.5	-0.0 -42.2
11.5	-838.8	Q5_ps	Y	I	-89.0	-1.3	0.0 118.1
-7.4	330.6			J	-89.0	-1.3	0.0 118.1
118.9	-7955.0	INVSLU	Max	I	4056.4	56.8	-1.2 1529.4
199.7	-6963.5			J	4056.4	56.8	1.7 1529.4
-111.7	-30733.6		Min	I	-68.4	-5.2	-1.7 -1838.8
-181.2	-77988.5			J	-68.4	-5.2	1.2 -1838.8
88.0	-5875.0	INVSLE	Max	I	2955.8	41.2	-0.9 1216.9
148.7	-4447.2			J	2955.8	41.2	1.2 1216.9
-81.7	-22646.7		Min	I	-86.8	-4.5	-1.3 -1261.7
-132.4	-56990.4			J	-86.8	-4.5	0.9 -1261.7
9248	2	69 C1-C2;~1	Max	I	1997.2	1.3	0.1 143.8
153.3	10808.3			J	1997.2	1.3	0.1 143.8
236.7	11116.1		Min	I	-816.9	-1.9	-0.2 -75.2
-71.4	-33380.8			J	-816.9	-1.9	-0.2 -75.2
-76.4	-33081.6						
183.8	11616.0	C3-C4;~1	Max	I	2240.0	1.2	0.1 148.0
289.8	11918.1			J	2240.0	1.2	0.1 148.0
-81.0	-40278.5		Min	I	-872.7	-1.6	-0.2 -60.6
-84.2	-40145.2			J	-872.7	-1.6	-0.2 -60.6
93.0	5685.0	C1-C2;~2	Max	I	1142.5	0.8	0.0 87.0
136.2	5871.3			J	1142.5	0.8	0.0 87.0
-38.6	-19428.3		Min	I	-431.5	-1.2	-0.1 -43.3
-38.1	-19251.1			J	-431.5	-1.2	-0.1 -43.3
112.2	6063.2	C3-C4;~2	Max	I	1273.1	0.7	0.1 84.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
166.8	6247.5		J	1273.1	0.7	0.1	84.7
		Min	I	-457.2	-0.9	-0.1	-29.5
-42.8	-23421.4		J	-457.2	-0.9	-0.1	-29.5
-41.5	-23342.9						
		G1	I	1074.0	-0.7	-1.2	42.9
-106.4	-18864.3		J	1074.0	-0.7	1.0	42.9
-18.9	-18265.5						
		G2	I	420.9	-0.3	-0.0	17.5
19.3	-7390.6		J	420.9	-0.3	-0.0	17.5
54.4	-7167.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	29.1	0.0	0.0	0.9
3.0	217.4		J	29.1	0.0	0.0	0.9
-1.2	214.5						
		Q5_pc Y	I	-94.4	0.0	-0.0	-2.4
-7.3	507.4		J	-94.4	0.0	-0.0	-2.4
0.4	482.0						
		Q5_ps X	I	28.4	-0.0	0.0	0.6
3.0	240.6		J	28.4	-0.0	0.0	0.6
-1.8	242.9						
		Q5_ps Y	I	-86.3	0.0	-0.0	-1.3
-6.8	328.7		J	-86.3	0.0	-0.0	-1.3
2.0	296.8						
		INVSLU Max	I	4482.3	0.2	-1.5	361.4
195.1	-6986.3		J	4482.3	0.2	1.4	361.4
521.4	-5228.3						
		Min	I	110.1	-4.2	-2.0	55.7
-175.5	-77957.2		J	110.1	-4.2	0.9	55.7
14.3	-76381.5						
		INVSLE Max	I	3269.4	0.1	-1.1	266.4
145.8	-4465.4		J	3269.4	0.1	1.0	266.4
387.3	-3153.1						
		Min	I	43.4	-3.1	-1.5	40.3
-127.8	-56968.8		J	43.4	-3.1	0.7	40.3
11.9	-55794.9						
		69 C1-C2;~1 Max	I	2085.3	11.2	0.3	1665.4
9249	2		J	2085.3	11.2	0.3	1665.4
246.0	11118.8						
		Min	I	-821.3	-29.4	-0.1	-682.5
32.2	2689.3						
-80.1	-33088.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-85.6	-8688.7		J	-821.3	-29.4	-0.1	-682.5
300.0	11921.0	C3-C4;~1 Max	I	2342.3	12.1	0.4	1837.6
57.3	2085.6		J	2342.3	12.1	0.4	1837.6
-87.9	-40152.5	Min	I	-881.8	-32.4	-0.1	-733.8
-97.6	-12412.6		J	-881.8	-32.4	-0.1	-733.8
141.5	5872.7	C1-C2;~2 Max	I	1189.4	5.9	0.2	950.7
16.4	1425.9		J	1189.4	5.9	0.2	950.7
-40.0	-19254.8	Min	I	-429.0	-16.8	-0.1	-357.6
-50.6	-5343.1		J	-429.0	-16.8	-0.1	-357.6
172.6	6249.0	C3-C4;~2 Max	I	1326.3	6.3	0.2	1038.0
31.6	1171.1		J	1326.3	6.3	0.2	1038.0
-43.4	-23346.9	Min	I	-456.3	-18.4	-0.1	-381.1
-57.3	-7590.9		J	-456.3	-18.4	-0.1	-381.1
-14.0	-18269.4	G1	I	1155.1	-16.4	-0.9	877.0
-183.1	-4063.7		J	1155.1	-16.4	1.3	877.0
56.2	-7168.9	G2	I	452.6	-6.4	0.1	336.6
-5.1	-1630.7		J	452.6	-6.4	0.1	336.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.0	214.4	Q5_pc X	I	26.5	-0.4	0.0	38.1
-2.6	584.4		J	26.5	-0.4	0.0	38.1
-0.2	482.4	Q5_pc Y	I	-90.9	1.4	-0.0	-115.3
7.1	-764.6		J	-90.9	1.4	-0.0	-115.3
-1.5	242.8	Q5_ps X	I	25.7	-0.4	0.0	38.0
-3.5	611.0		J	25.7	-0.4	0.0	38.0
1.4	297.1	Q5_ps Y	I	-82.6	1.3	-0.0	-109.0
9.0	-858.5		J	-82.6	1.3	-0.0	-109.0
		INVSLU Max	I	4805.4	-1.5	-0.6	2504.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
535.0	-5225.1			J	4805.4	-1.5	2.3 2504.0
-44.8	-935.2						
			Min	I	289.2	-64.1	-1.3 -1175.0
9.4	-76392.7						
				J	289.2	-64.1	1.6 -1175.0
-266.8	-22699.1						
			INVSLE Max	I	3509.4	-0.4	-0.5 1757.4
397.0	-3150.4						
				J	3509.4	-0.4	1.7 1757.4
-31.2	-641.1						
			Min	I	176.1	-46.6	-1.0 -952.5
7.8	-55802.8						
				J	176.1	-46.6	1.1 -952.5
-194.7	-16660.5						
9250	2	69	C1-C2;~1 Max	I	2144.7	22.4	0.2 2821.7
33.5	2692.8						
				J	2144.7	22.4	0.2 2821.7
512.5	46654.8						
			Min	I	-812.1	-57.6	-0.6 -1145.6
-68.7	-8675.5						
				J	-812.1	-57.6	-0.6 -1145.6
-127.3	-17995.2						
			C3-C4;~1 Max	I	2398.8	24.0	0.2 3122.8
68.0	2088.2						
				J	2398.8	24.0	0.2 3122.8
536.4	44145.3						
			Min	I	-874.5	-64.2	-0.7 -1232.7
-80.2	-12397.0						
				J	-874.5	-64.2	-0.7 -1232.7
-136.6	-19373.8						
			C1-C2;~2 Max	I	1224.5	11.7	0.1 1608.1
17.0	1428.1						
				J	1224.5	11.7	0.1 1608.1
311.9	26040.9						
			Min	I	-421.2	-32.8	-0.4 -598.5
-39.7	-5335.0						
				J	-421.2	-32.8	-0.4 -598.5
-66.3	-9315.0						
			C3-C4;~2 Max	I	1359.1	12.4	0.1 1761.9
38.7	1173.1						
				J	1359.1	12.4	0.1 1761.9
327.6	24441.4						
			Min	I	-449.1	-36.3	-0.4 -638.3
-46.2	-7581.5						
				J	-449.1	-36.3	-0.4 -638.3
-70.5	-9926.6						
			G1	I	1208.1	-32.5	-1.4 1514.0
-169.1	-4054.2						
				J	1208.1	-32.5	0.8 1514.0
104.1	24058.4						
			G2	I	471.5	-12.7	-0.1 581.8
0.2	-1627.1						
				J	471.5	-12.7	-0.1 581.8
87.6	9347.9						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0						
				J	0.0	0.0	0.0 0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-2.0	584.7	Q5_pc X	I	25.7	-0.8	-0.0	61.2
9.0	1268.1		J	25.7	-0.8	-0.0	61.2
5.4	-765.6	Q5_pc Y	I	-91.8	2.7	0.0	-188.8
-27.5	-3106.1		J	-91.8	2.7	0.0	-188.8
-2.9	611.3	Q5_ps X	I	25.5	-0.8	-0.0	60.9
11.6	1285.4		J	25.5	-0.8	-0.0	60.9
7.3	-859.4	Q5_ps Y	I	-84.3	2.5	0.0	-178.0
-31.1	-3012.2		J	-84.3	2.5	0.0	-178.0
-33.0	-929.0	INVS LU Max	I	5036.1	-4.5	-1.8	4335.5
1138.9	94685.8		J	5036.1	-4.5	1.1	4335.5
-242.7	-22678.2	Min	I	451.9	-128.6	-3.0	-1884.5
181.0	-43.8		J	451.9	-128.6	-0.1	-1884.5
-23.7	-637.4	INVS LE Max	I	3682.5	-2.1	-1.3	3050.1
849.7	68804.1		J	3682.5	-2.1	0.8	3050.1
-178.4	-16645.9	Min	I	299.0	-93.6	-2.2	-1532.0
143.8	-951.8		J	299.0	-93.6	-0.1	-1532.0
9251	2	69 C1-C2;~1 Max	I	2168.1	62.0	0.7	1066.1
574.7	46670.7		J	2168.1	62.0	0.7	1066.1
54.1	2544.5	Min	I	-798.2	-22.7	-0.2	-2906.7
-178.4	-18022.8		J	-798.2	-22.7	-0.2	-2906.7
-47.4	-11836.4						
633.2	44183.1	C3-C4;~1 Max	I	2419.1	69.0	0.7	1155.5
95.3	2504.5		J	2419.1	69.0	0.7	1155.5
-193.3	-19404.9	Min	I	-861.6	-24.6	-0.2	-3189.4
-49.2	-15811.5		J	-861.6	-24.6	-0.2	-3189.4
342.5	26050.4	C1-C2;~2 Max	I	1237.7	35.3	0.4	545.9
29.1	1278.0		J	1237.7	35.3	0.4	545.9
-91.6	-9328.5	Min	I	-411.5	-11.6	-0.1	-1656.4
-27.7	-7063.5		J	-411.5	-11.6	-0.1	-1656.4

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

375.5	24456.1	C3-C4; ~2	Max	I	1370.6	38.9	0.4	585.6	
				J	1370.6	38.9	0.4	585.6	
54.7	1277.2		Min	I	-439.6	-12.4	-0.1	-1800.6	
-98.1	-9941.5			J	-439.6	-12.4	-0.1	-1800.6	
-27.6	-9401.1								
		G1		I	1241.9	36.0	-0.8	-1666.0	
113.8	24066.4			J	1241.9	36.0	1.3	-1666.0	
-126.0	-7141.0								
		G2		I	484.7	14.1	0.1	-640.1	
92.1	9351.3			J	484.7	14.1	0.1	-640.1	
17.5	-2849.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	24.9	0.7	0.0	-56.8	
6.7	1267.0			J	24.9	0.7	0.0	-56.8	
-4.5	644.0								
		Q5_pc	Y	I	-92.6	-2.7	-0.0	198.0	
-18.0	-3101.4			J	-92.6	-2.7	-0.0	198.0	
9.6	-733.7								
		Q5_ps	X	I	24.9	0.7	0.0	-57.8	
8.4	1283.9			J	24.9	0.7	0.0	-57.8	
-5.6	663.8								
		Q5_ps	Y	I	-85.3	-2.5	-0.0	188.9	
-20.5	-3006.8			J	-85.3	-2.5	-0.0	188.9	
11.9	-829.1								
		INVSLE	Max	I	5156.5	142.3	0.0	1879.4	
1237.4	94725.2			J	5156.5	142.3	2.9	1879.4	
79.2	-7388.8		Min	I	560.9	11.0	-1.3	-4342.5	
89.1	-59.5			J	560.9	11.0	1.6	-4342.5	
-133.1	-33490.2								
		INVSLE	Max	I	3772.3	103.8	0.0	1528.7	
920.5	68832.0			J	3772.3	103.8	2.2	1528.7	
58.7	-5400.8		Min	I	380.4	6.9	-0.9	-3053.7	
72.3	-965.3			J	380.4	6.9	1.2	-3053.7	
-97.3	-24637.3								
9252	2	69	C1-C2; ~1	Max	I	2176.9	33.4	0.1	634.3
40.2	2547.4			J	2176.9	33.4	0.1	634.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
213.0	12090.2		Min	I	-787.4	-12.1	-0.2	-1747.7
-56.9	-11851.5			J	-787.4	-12.1	-0.2	-1747.7
-66.6	-39977.6							
		C3-C4;~1	Max	I	2430.6	37.0	0.1	688.6
77.1	2509.4			J	2430.6	37.0	0.1	688.6
249.6	13210.6		Min	I	-852.7	-13.1	-0.3	-1914.3
-62.9	-15828.3			J	-852.7	-13.1	-0.3	-1914.3
-71.0	-47683.6							
		C1-C2;~2	Max	I	1240.1	19.0	0.0	323.6
20.5	1279.5			J	1240.1	19.0	0.0	323.6
126.2	6072.0		Min	I	-402.8	-6.1	-0.1	-996.4
-34.0	-7072.3			J	-402.8	-6.1	-0.1	-996.4
-35.4	-23022.0							
		C3-C4;~2	Max	I	1374.6	20.9	0.1	347.6
43.3	1279.6			J	1374.6	20.9	0.1	347.6
148.4	6558.9		Min	I	-431.6	-6.6	-0.2	-1081.0
-37.2	-9410.7			J	-431.6	-6.6	-0.2	-1081.0
-37.4	-27390.8							
		G1		I	1268.1	19.2	-1.2	-999.2
-141.5	-7150.1			J	1268.1	19.2	0.9	-999.2
-34.6	-23789.6							
		G2		I	497.0	7.5	-0.0	-383.3
11.5	-2853.1			J	497.0	7.5	-0.0	-383.3
47.8	-9360.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	23.1	0.4	-0.0	-34.4
-5.0	643.6			J	23.1	0.4	-0.0	-34.4
1.3	322.4							
		Q5_pc	Y	I	-91.6	-1.4	0.0	121.7
11.5	-732.6			J	-91.6	-1.4	0.0	121.7
-6.1	500.2							
		Q5_ps	X	I	22.9	0.4	-0.0	-35.2
-6.1	663.4			J	22.9	0.4	-0.0	-35.2
1.1	345.0							
		Q5_ps	Y	I	-83.7	-1.3	0.0	116.6
13.7	-828.0			J	-83.7	-1.3	0.0	116.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.0	303.7						
58.4	-7387.2	INVSLE	Max	I	5219.1	75.3	-1.5 1243.9
454.4	-13985.6			J	5219.1	75.3	1.4 1243.9
-151.3	-33513.1		Min	I	621.9	5.1	-2.0 -2489.0
10.7	-97093.1			J	621.9	5.1	0.9 -2489.0
44.5	-5398.7	INVSLE	Max	I	3817.4	54.9	-1.1 1005.9
337.3	-9576.8			J	3817.4	54.9	1.0 1005.9
-109.3	-24653.6		Min	I	424.2	3.0	-1.5 -1743.0
9.5	-71071.3			J	424.2	3.0	0.6 -1743.0
9253	2	69 C1-C2;~1	Max	I	2230.3	2.2	0.1 70.7
202.8	12088.1			J	2230.3	2.2	0.1 70.7
238.3	12554.7		Min	I	-791.1	-1.1	-0.1 -83.6
-63.0	-39972.3			J	-791.1	-1.1	-0.1 -83.6
-79.7	-40838.3						
238.6	13208.4	C3-C4;~1	Max	I	2494.8	2.1	0.1 62.4
283.6	13700.3			J	2494.8	2.1	0.1 62.4
-67.1	-47678.0		Min	I	-861.3	-0.9	-0.1 -75.4
-88.8	-48733.2			J	-861.3	-0.9	-0.1 -75.4
120.4	6071.0	C1-C2;~2	Max	I	1267.9	1.4	0.0 45.0
138.2	6321.7			J	1267.9	1.4	0.0 45.0
-33.5	-23019.0		Min	I	-399.9	-0.7	-0.1 -53.5
-40.6	-23501.0			J	-399.9	-0.7	-0.1 -53.5
142.3	6557.8	C3-C4;~2	Max	I	1407.8	1.3	0.0 35.5
164.8	6818.8			J	1407.8	1.3	0.0 35.5
-35.5	-27387.6		Min	I	-430.4	-0.5	-0.1 -44.0
-44.7	-27975.8			J	-430.4	-0.5	-0.1 -44.0
-40.5	-23786.5	G1		I	1309.1	0.5	-1.1 -8.7
-20.2	-24204.2			J	1309.1	0.5	1.0 -8.7
45.5	-9358.7	G2		I	513.8	0.2	-0.0 -3.3
53.8	-9521.3			J	513.8	0.2	-0.0 -3.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	20.4	0.0	0.0
1.1	322.5			J	20.4	0.0	0.0
-1.0	311.4						
			Q5_pc Y	I	-88.4	-0.0	-0.0
-5.3	499.9			J	-88.4	-0.0	-0.0
0.0	500.0						
			Q5_ps X	I	20.2	0.0	0.0
0.9	345.1			J	20.2	0.0	0.0
-1.3	336.4						
			Q5_ps Y	I	-80.3	0.0	-0.0
-4.3	303.4			J	-80.3	0.0	-0.0
1.1	300.5						
			INVSLE Max	I	5378.1	3.2	-1.3
440.7	-13986.2			J	5378.1	3.2	1.5
535.2	-13552.5		Min	I	688.3	-1.3	-1.7
18.3	-97082.6			J	688.3	-1.3	1.2
30.5	-98737.8						
			INVSLE Max	I	3934.6	2.4	-1.0
327.8	-9577.5			J	3934.6	2.4	1.1
397.8	-9223.5		Min	I	472.5	-1.0	-1.2
15.6	-71063.7			J	472.5	-1.0	0.9
24.1	-72257.0						
			69 C1-C2;~1 Max	I	2250.8	11.0	0.3
9254	2			J	2250.8	11.0	0.3
248.5	12556.9		Min	I	-783.6	-32.0	-0.1
32.5	3226.5			J	-783.6	-32.0	-0.1
-83.2	-40844.3						
-68.8	-13862.3						
			C3-C4;~1 Max	I	2515.8	12.0	0.3
294.7	13702.8			J	2515.8	12.0	0.3
66.1	3377.5		Min	I	-857.6	-35.4	-0.1
-92.6	-48739.9			J	-857.6	-35.4	-0.1
-75.9	-18300.2						
			C1-C2;~2 Max	I	1278.0	5.5	0.2
144.0	6322.8			J	1278.0	5.5	0.2
16.1	1628.1		Min	I	-391.2	-18.3	-0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-42.3	-23504.4		J	-391.2	-18.3	-0.1	-318.1	
-41.2	-8233.2							
171.0	6820.0	C3-C4;~2 Max	I	1417.7	6.0	0.2	1100.3	
36.9	1702.1		J	1417.7	6.0	0.2	1100.3	
-46.5	-27979.4	Min	I	-423.1	-20.0	-0.1	-344.0	
-45.4	-10818.7		J	-423.1	-20.0	-0.1	-344.0	
-14.3	-24207.9	G1	I	1322.8	-18.7	-0.9	1013.9	
-160.8	-7978.5		J	1322.8	-18.7	1.2	1013.9	
56.0	-9522.8	G2	I	519.0	-7.3	0.1	389.5	
3.8	-3170.8		J	519.0	-7.3	0.1	389.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.8	311.4	Q5_pc X	I	17.7	-0.3	0.0	32.0	
-2.9	575.9		J	17.7	-0.3	0.0	32.0	
-0.6	500.2	Q5_pc Y	I	-84.3	1.4	-0.0	-112.4	
7.5	-689.2		J	-84.3	1.4	-0.0	-112.4	
-1.1	336.4	Q5_ps X	I	17.6	-0.3	0.0	32.7	
-4.0	603.1		J	17.6	-0.3	0.0	32.7	
0.4	300.8	Q5_ps Y	I	-76.5	1.3	-0.0	-106.9	
9.6	-793.5		J	-76.5	1.3	-0.0	-106.9	
549.1	-13552.3	INVSLU Max	I	5459.3	-7.0	-0.7	2642.2	
13.1	-6122.7		J	5459.3	-7.0	2.2	2642.2	
24.7	-98750.2	Min	I	753.4	-73.5	-1.4	-1132.8	
-192.2	-36628.1		J	753.4	-73.5	1.5	-1132.8	
407.6	-9223.1	INVSLE Max	I	3996.3	-4.6	-0.5	1858.1	
11.2	-4360.2		J	3996.3	-4.6	1.6	1858.1	
19.2	-72266.0	Min	I	521.8	-53.6	-1.0	-923.3	
-139.9	-26864.9		J	521.8	-53.6	1.1	-923.3	


MIDAS

PROJECT TITLE :


		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9255	2	69	C1-C2;~1	Max	I	2275.4	21.9	0.2	3032.0
40.7	3221.5				J	2275.4	21.9	0.2	3032.0
554.3	46042.0			Min	I	-788.9	-63.3	-0.7	-1076.7
-52.8	-13845.2				J	-788.9	-63.3	-0.7	-1076.7
-140.6	-16178.2								
			C3-C4;~1	Max	I	2536.6	24.1	0.2	3337.5
79.0	3370.9				J	2536.6	24.1	0.2	3337.5
595.3	42908.6			Min	I	-869.7	-70.4	-0.7	-1179.4
-57.4	-18281.2				J	-869.7	-70.4	-0.7	-1179.4
-154.1	-17813.2								
			C1-C2;~2	Max	I	1293.2	10.9	0.1	1722.2
21.4	1625.5				J	1293.2	10.9	0.1	1722.2
332.5	25582.8			Min	I	-393.9	-35.9	-0.4	-538.4
-31.2	-8223.4				J	-393.9	-35.9	-0.4	-538.4
-70.3	-8068.8								
			C3-C4;~2	Max	I	1430.6	11.9	0.1	1877.5
45.3	1698.9				J	1430.6	11.9	0.1	1877.5
356.6	23631.2			Min	I	-429.9	-39.6	-0.4	-583.0
-33.4	-10807.9				J	-429.9	-39.6	-0.4	-583.0
-76.2	-8796.5								
				G1	I	1332.4	-37.3	-1.4	1743.4
-144.0	-7968.5				J	1332.4	-37.3	0.8	1743.4
126.5	24367.2								
				G2	I	521.0	-14.6	-0.1	671.1
10.2	-3166.9				J	521.0	-14.6	-0.1	671.1
97.0	9491.3								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	16.2	-0.6	-0.0	50.5
-2.4	576.2				J	16.2	-0.6	-0.0	50.5
5.6	1057.8								
			Q5_pc	Y	I	-84.5	2.6	0.0	-184.6
5.7	-690.2				J	-84.5	2.6	0.0	-184.6
-24.7	-2931.1								
			Q5_ps	X	I	16.5	-0.6	-0.0	51.5
-3.5	603.4				J	16.5	-0.6	-0.0	51.5
8.0	1087.9								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
7.9	-794.4	Q5_ps Y	I	-77.4	2.4	0.0	-175.0
			J	-77.4	2.4	0.0	-175.0
-27.3	-2849.4						
		INVS LU Max	I	5547.3	-15.8	-1.8	4717.4
28.5	-6128.4		J	5547.3	-15.8	1.1	4717.4
1272.1	97394.1						
		Min	I	796.7	-148.0	-3.0	-1712.6
-165.9	-36601.0		J	796.7	-148.0	-0.1	-1712.6
215.8	5913.6						
		INVS LE Max	I	4064.1	-10.5	-1.3	3332.3
21.2	-4365.3		J	4064.1	-10.5	0.8	3332.3
947.9	70976.4						
		Min	I	556.3	-108.1	-2.2	-1406.1
-121.9	-26845.6		J	556.3	-108.1	-0.1	-1406.1
168.8	3603.8						
		69 C1-C2;~1 Max	I	2272.8	57.1	0.7	1032.0
9256	2		J	2272.8	57.1	0.7	1032.0
574.3	46053.4						
		Min	I	-799.3	-20.2	-0.2	-2853.1
39.8	2717.4		J	-799.3	-20.2	-0.2	-2853.1
-160.1	-16191.3						
		C3-C4;~1 Max	I	2533.1	63.5	0.7	1140.8
-58.1	-9054.1		J	2533.1	63.5	0.7	1140.8
617.5	42940.4						
		Min	I	-882.3	-22.3	-0.2	-3138.9
76.5	2132.1		J	-882.3	-22.3	-0.2	-3138.9
-177.5	-17828.7						
		C1-C2;~2 Max	I	1291.2	32.4	0.4	519.5
-65.4	-12844.8		J	1291.2	32.4	0.4	519.5
343.4	25589.1						
		Min	I	-401.1	-10.2	-0.1	-1619.0
20.8	1418.5		J	-401.1	-10.2	-0.1	-1619.0
-80.2	-8075.6						
		C3-C4;~2 Max	I	1428.0	35.7	0.4	568.1
-33.9	-5499.8		J	1428.0	35.7	0.4	568.1
368.8	23651.4						
		Min	I	-438.1	-11.1	-0.1	-1763.8
44.1	1154.7		J	-438.1	-11.1	-0.1	-1763.8
-88.1	-8804.4						
		G1	I	1328.8	33.6	-0.7	-1641.5
-37.4	-7761.2		J	1328.8	33.6	1.4	-1641.5
127.9	24371.0						
		G2	I	519.7	13.1	0.1	-633.2
-150.2	-4709.6						
97.4	9492.5						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
8.0	-1898.7		J	519.7	13.1	0.1	-633.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.0	1058.8	Q5_pc X	I	14.2	0.4	0.0	-37.0
-4.3	703.9		J	14.2	0.4	0.0	-37.0
-16.3	-2926.9	Q5_pc Y	I	-84.8	-2.2	-0.0	182.5
9.8	-982.5		J	-84.8	-2.2	-0.0	182.5
9.2	1088.7	Q5_ps X	I	14.6	0.4	0.0	-38.3
-5.4	728.0		J	14.6	0.4	0.0	-38.3
-19.7	-2845.6	Q5_ps Y	I	-77.6	-2.1	-0.0	172.7
11.6	-1064.3		J	-77.6	-2.1	-0.0	172.7
1276.1	97391.4	INVS LU Max	I	5550.8	134.1	0.1	1647.6
32.1	-2999.5		J	5550.8	134.1	3.0	1647.6
173.5	5882.0	Min	I	787.3	14.2	-1.1	-4458.4
-177.1	-25776.9		J	787.3	14.2	1.7	-4458.4
951.0	70974.1	INVS LE Max	I	4067.3	98.0	0.1	1349.4
24.4	-2217.9		J	4067.3	98.0	2.2	1349.4
136.5	3579.6	Min	I	550.1	9.4	-0.8	-3149.2
-129.2	-18959.1		J	550.1	9.4	1.3	-3149.2
9257	2	69 C1-C2;~1 Max	I	2246.4	26.9	0.1	591.8
30.3	2714.2		J	2246.4	26.9	0.1	591.8
232.7	9418.5	Min	I	-812.2	-9.3	-0.3	-1636.1
-70.4	-9066.3		J	-812.2	-9.3	-0.3	-1636.1
-68.6	-31257.4						
62.0	2130.0	C3-C4;~1 Max	I	2508.8	29.7	0.1	654.6
277.6	10469.0		J	2508.8	29.7	0.1	654.6
-79.4	-12860.7	Min	I	-898.0	-10.3	-0.3	-1792.9
-74.5	-38130.8		J	-898.0	-10.3	-0.3	-1792.9
15.1	1416.4	C1-C2;~2 Max	I	1273.6	15.3	0.0	298.4

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
135.6	4785.2		J	1273.6	15.3	0.0	298.4
		Min	I	-409.9	-4.7	-0.2	-930.1
-42.1	-5506.9		J	-409.9	-4.7	-0.2	-930.1
-34.8	-18097.4						
		C3-C4;~2 Max	I	1412.0	16.8	0.1	326.4
35.3	1153.0		J	1412.0	16.8	0.1	326.4
161.9	5257.1	Min	I	-448.2	-5.1	-0.2	-1008.4
-47.1	-7770.6		J	-448.2	-5.1	-0.2	-1008.4
-37.4	-22074.8						
		G1	I	1311.4	15.6	-1.2	-930.8
-165.3	-4719.4		J	1311.4	15.6	0.9	-930.8
-17.3	-18276.2						
		G2	I	514.9	6.1	-0.1	-358.5
2.1	-1902.5		J	514.9	6.1	-0.1	-358.5
54.8	-7212.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	11.5	0.2	-0.0	-21.9
-4.7	703.7		J	11.5	0.2	-0.0	-21.9
-0.4	515.4						
		Q5_pc Y	I	-83.5	-1.0	0.0	108.8
11.5	-981.5		J	-83.5	-1.0	0.0	108.8
-4.5	-86.8						
		Q5_ps X	I	11.7	0.2	-0.0	-22.7
-5.7	727.8		J	11.7	0.2	-0.0	-22.7
-0.7	537.5						
		Q5_ps Y	I	-75.7	-1.0	0.0	103.5
13.3	-1063.3		J	-75.7	-1.0	0.0	103.5
-3.0	-240.3						
		INVSLU Max	I	5471.1	61.8	-1.6	1068.7
14.3	-3006.8		J	5471.1	61.8	1.3	1068.7
533.2	-10966.2	Min	I	721.7	5.9	-2.2	-2431.2
-197.3	-25799.6		J	721.7	5.9	0.7	-2431.2
49.8	-77503.7						
		INVSLE Max	I	4007.2	45.1	-1.2	868.8
12.5	-2222.5		J	4007.2	45.1	1.0	868.8
395.9	-7580.3	Min	I	500.2	3.9	-1.6	-1709.3
-142.7	-18975.2						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
38.4	-56798.6			J	500.2	3.9	0.5	-1709.3	
9258	2	69	C1-C2;~1	Max	I	2237.9	1.9	0.1	141.6
224.4	9416.3			J	2237.9	1.9	0.1	141.6	
211.9	7753.7			Min	I	-839.9	-4.8	-0.1	-74.8
-65.8	-31251.3			J	-839.9	-4.8	-0.1	-74.8	
-79.9	-27836.0								
			C3-C4;~1	Max	I	2498.8	2.1	0.1	138.7
268.6	10466.6			J	2498.8	2.1	0.1	138.7	
247.5	8612.2			Min	I	-931.2	-4.9	-0.1	-62.5
-71.4	-38124.1			J	-931.2	-4.9	-0.1	-62.5	
-90.3	-34281.2								
			C1-C2;~2	Max	I	1267.8	1.0	0.0	87.5
130.9	4784.1			J	1267.8	1.0	0.0	87.5	
124.2	3904.4			Min	I	-427.2	-2.8	-0.0	-43.3
-33.4	-18094.0			J	-427.2	-2.8	-0.0	-43.3	
-41.8	-16196.2								
			C3-C4;~2	Max	I	1406.0	1.1	0.1	81.7
156.9	5255.9			J	1406.0	1.1	0.1	81.7	
146.0	4291.6			Min	I	-468.0	-2.8	-0.0	-30.1
-35.9	-22071.1			J	-468.0	-2.8	-0.0	-30.1	
-46.4	-19949.0								
			G1	I	1288.3	-2.1	-1.0	39.1	
-22.0	-18272.4			J	1288.3	-2.1	1.1	39.1	
-47.0	-16487.0								
			G2	I	506.4	-0.8	0.0	15.0	
53.0	-7211.4			J	506.4	-0.8	0.0	15.0	
43.1	-6510.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	8.8	0.0	0.0	0.9
-0.5	515.5			J	8.8	0.0	0.0	0.9	
-1.1	478.8								
			Q5_pc	Y	I	-80.5	0.2	-0.0	-2.0
-3.9	-87.2			J	-80.5	0.2	-0.0	-2.0	
0.7	-261.1								
			Q5_ps	X	I	9.2	0.0	0.0	1.1
-0.8	537.6								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.2	504.6		J	9.2	0.0	0.0	1.1
-2.5	-240.6	Q5_ps Y	I	-73.0	0.2	-0.0	-1.8
1.1	-397.0		J	-73.0	0.2	-0.0	-1.8
521.2	-10966.2	INVS LU Max	I	5407.3	0.6	-1.2	155.5
446.0	-11353.6		J	5407.3	0.6	1.7	155.5
55.2	-77491.4	Min	I	631.9	-9.3	-1.5	-140.2
-12.0	-70121.5		J	631.9	-9.3	1.4	-140.2
387.5	-7580.5	INVS LE Max	I	3960.2	0.5	-0.9	111.7
332.8	-7948.3		J	3960.2	0.5	1.2	111.7
42.8	-56789.7	Min	I	433.7	-6.8	-1.1	-107.0
-6.4	-51416.3		J	433.7	-6.8	1.0	-107.0
9259	2	69 C1-C2;~1 Max	I	2201.0	12.8	0.3	1682.7
220.9	7755.7		J	2201.0	12.8	0.3	1682.7
43.2	8497.9	Min	I	-857.5	-32.6	-0.1	-656.4
-83.4	-27840.5		J	-857.5	-32.6	-0.1	-656.4
-64.2	-6311.5						
257.1	8614.5	C3-C4;~1 Max	I	2450.6	14.2	0.3	1836.5
81.9	6752.4		J	2450.6	14.2	0.3	1836.5
-94.0	-34286.0	Min	I	-953.4	-36.0	-0.1	-730.0
-69.0	-8318.4		J	-953.4	-36.0	-0.1	-730.0
129.3	3905.4	C1-C2;~2 Max	I	1247.1	6.6	0.2	954.5
21.6	4919.5		J	1247.1	6.6	0.2	954.5
-43.6	-16198.7	Min	I	-439.4	-18.5	-0.1	-335.5
-38.6	-3633.2		J	-439.4	-18.5	-0.1	-335.5
151.4	4292.7	C3-C4;~2 Max	I	1379.7	7.2	0.2	1032.2
44.9	3998.5		J	1379.7	7.2	0.2	1032.2
-48.3	-19951.6	Min	I	-482.3	-20.2	-0.1	-368.5
-41.5	-4749.2		J	-482.3	-20.2	-0.1	-368.5
-42.0	-16489.6	G1	I	1240.8	-18.2	-1.0	933.6
-142.0	-711.0		J	1240.8	-18.2	1.2	933.6

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

45.0	-6511.6	G2	I	487.4	-7.1	0.0	359.6
11.1	-326.8		J	487.4	-7.1	0.0	359.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.0	478.8	Q5_pc X	I	6.5	-0.1	0.0	20.5
-2.9	555.1		J	6.5	-0.1	0.0	20.5
0.1	-260.9	Q5_pc Y	I	-76.9	1.3	-0.0	-104.9
8.4	-1400.5		J	-76.9	1.3	-0.0	-104.9
-1.1	504.6	Q5_ps X	I	7.1	-0.1	0.0	21.9
-4.1	592.0		J	7.1	-0.1	0.0	21.9
0.6	-396.9	Q5_ps Y	I	-70.3	1.2	-0.0	-100.0
10.6	-1441.9		J	-70.3	1.2	-0.0	-100.0
457.4	-11353.0	INVSLU Max	I	5269.8	-3.2	-0.9	2374.0
63.9	9735.5		J	5269.8	-3.2	2.0	2374.0
-18.5	-70130.5	Min	I	535.9	-73.4	-1.5	-1279.6
-154.8	-15487.3		J	535.9	-73.4	1.4	-1279.6
340.7	-7947.8	INVSLE Max	I	3860.5	-1.7	-0.6	1664.9
48.9	6985.0		J	3860.5	-1.7	1.5	1664.9
-11.6	-51422.8	Min	I	364.2	-53.5	-1.1	-1027.5
-112.0	-11511.8		J	364.2	-53.5	1.1	-1027.5
9260	2	69 C1-C2;~1 Max	I	2202.9	22.8	0.2	2715.0
48.4	8510.3		J	2202.9	22.8	0.2	2715.0
579.0	54683.5	Min	I	-878.7	-57.4	-0.7	-1072.5
-51.8	-6309.1		J	-878.7	-57.4	-0.7	-1072.5
-186.5	-23064.4						
90.7	6763.1	C3-C4;~1 Max	I	2449.0	25.3	0.3	2971.3
634.4	52775.6		J	2449.0	25.3	0.3	2971.3
-55.2	-8315.2	Min	I	-978.4	-63.6	-0.7	-1193.3
-207.3	-25648.2		J	-978.4	-63.6	-0.7	-1193.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

25.0	4926.4	C1-C2;~2	Max	I	1249.3	11.7	0.1	1537.9
				J	1249.3	11.7	0.1	1537.9
343.7	30239.0		Min	I	-452.4	-32.4	-0.4	-549.1
-30.8	-3630.9			J	-452.4	-32.4	-0.4	-549.1
-96.2	-11921.2							
		C3-C4;~2	Max	I	1380.0	12.8	0.1	1668.7
50.9	4004.4			J	1380.0	12.8	0.1	1668.7
375.1	29047.6		Min	I	-497.0	-35.7	-0.4	-603.3
-32.7	-4746.6			J	-497.0	-35.7	-0.4	-603.3
-105.4	-13071.4							
		G1		I	1213.9	-32.2	-1.3	1509.1
-129.9	-703.1			J	1213.9	-32.2	0.8	1509.1
112.9	27185.5							
		G2		I	475.1	-12.6	-0.1	582.2
15.8	-323.7			J	475.1	-12.6	-0.1	582.2
91.9	10607.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	4.0	-0.2	-0.0	30.4
-2.6	555.2			J	4.0	-0.2	-0.0	30.4
1.1	697.1							
		Q5_pc	Y	I	-77.9	2.2	0.0	-165.2
7.0	-1401.3			J	-77.9	2.2	0.0	-165.2
-23.9	-3337.5							
		Q5_ps	X	I	5.1	-0.2	-0.0	32.4
-3.9	592.2			J	5.1	-0.2	-0.0	32.4
3.4	754.3							
		Q5_ps	Y	I	-71.7	2.1	0.0	-157.2
9.3	-1442.6			J	-71.7	2.1	0.0	-157.2
-25.5	-3222.0							
		INVSLU	Max	I	5227.9	-7.0	-1.6	4010.2
72.9	9754.0			J	5227.9	-7.0	1.3	4010.2
1260.3	111276.4		Min	I	460.6	-131.1	-3.0	-1909.4
-136.6	-15482.8			J	460.6	-131.1	-0.1	-1909.4
81.1	-3178.9							
		INVSLE	Max	I	3831.2	-4.1	-1.2	2823.5
54.5	6997.9			J	3831.2	-4.1	1.0	2823.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
937.9	81017.7		Min	I	310.3	-95.7	-2.2	-1539.3	
-99.8	-11509.2			J	310.3	-95.7	-0.1	-1539.3	
67.6	-3319.0								
9261	2	69	C1-C2;~1	Max	I	2190.0	74.2	0.6	1391.9
531.4	54644.4			J	2190.0	74.2	0.6	1391.9	
36.0	5414.7		Min	I	-900.3	-32.7	-0.2	-3172.3	
-161.9	-23039.6			J	-900.3	-32.7	-0.2	-3172.3	
-62.1	-14465.3								
555.5	52686.5		C3-C4;~1	Max	I	2438.7	82.2	0.7	1556.5
69.0	6188.8			J	2438.7	82.2	0.7	1556.5	
-181.4	-25621.1		Min	I	-1003.7	-36.6	-0.2	-3486.0	
-71.9	-18757.7			J	-1003.7	-36.6	-0.2	-3486.0	
320.0	30217.6		C1-C2;~2	Max	I	1240.9	41.9	0.4	723.0
19.1	2879.2			J	1240.9	41.9	0.4	723.0	
-83.7	-11908.7		Min	I	-465.3	-17.0	-0.1	-1793.2	
-35.5	-8540.8			J	-465.3	-17.0	-0.1	-1793.2	
335.7	28997.7		C3-C4;~2	Max	I	1373.1	46.1	0.4	796.9
40.5	3236.4			J	1373.1	46.1	0.4	796.9	
-92.5	-13057.9		Min	I	-511.6	-18.8	-0.1	-1955.2	
-40.1	-11069.8			J	-511.6	-18.8	-0.1	-1955.2	
93.0	27155.2		G1	I	1182.2	38.6	-0.8	-1621.8	
-165.3	-6309.5			J	1182.2	38.6	1.4	-1621.8	
83.7	10596.0		G2	I	463.0	15.1	0.1	-623.3	
1.7	-2527.9			J	463.0	15.1	0.1	-623.3	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
7.1	699.8		Q5_pc	X	I	0.6	-0.1	0.0	-12.4
-3.4	758.0			J	0.6	-0.1	0.0	-12.4	
-13.6	-3329.3		Q5_pc	Y	I	-79.4	-3.0	-0.0	209.6
8.2	-716.4			J	-79.4	-3.0	-0.0	209.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9.8	757.0	Q5_ps X	I	1.8	-0.0	0.0	-16.0
-4.4	773.8		J	1.8	-0.0	0.0	-16.0
-17.9	-3215.1	Q5_ps Y	I	-72.7	-2.8	-0.0	199.2
9.6	-807.4		J	-72.7	-2.8	-0.0	199.2
1161.4	111200.9	INVS LU Max	I	5127.3	162.0	0.1	2194.1
			J	5127.3	162.0	3.0	2194.1
-35.7	1580.8	Min	I	337.1	-3.8	-1.1	-4990.6
141.9	-3150.2		J	337.1	-3.8	1.8	-4990.6
-240.6	-33461.4						
868.9	80966.0	INVS LE Max	I	3755.9	118.2	0.1	1763.5
			J	3755.9	118.2	2.2	1763.5
-26.3	1341.0	Min	I	218.2	-4.2	-0.8	-3530.5
115.6	-3294.6		J	218.2	-4.2	1.3	-3530.5
-177.0	-24515.1						
9262	2	69 C1-C2;~1 Max	I	2147.4	46.1	0.1	904.6
24.5	5422.0		J	2147.4	46.1	0.1	904.6
256.3	23314.6	Min	I	-922.3	-20.8	-0.3	-2020.3
-73.5	-14483.1		J	-922.3	-20.8	-0.3	-2020.3
-86.8	-53699.6						
52.5	6197.0	C3-C4;~1 Max	I	2399.3	50.7	0.1	1012.8
			J	2399.3	50.7	0.1	1012.8
310.5	26253.9	Min	I	-1029.7	-23.2	-0.4	-2217.5
-85.4	-18777.7		J	-1029.7	-23.2	-0.4	-2217.5
-96.1	-62558.5						
12.4	2883.0	C1-C2;~2 Max	I	1214.1	26.1	0.1	471.0
			J	1214.1	26.1	0.1	471.0
147.2	12225.6	Min	I	-478.7	-10.8	-0.2	-1142.7
-43.5	-8550.8		J	-478.7	-10.8	-0.2	-1142.7
-44.2	-30638.4						
30.6	3240.6	C3-C4;~2 Max	I	1348.6	28.5	0.1	519.7
			J	1348.6	28.5	0.1	519.7
178.3	13556.7	Min	I	-526.8	-11.9	-0.2	-1245.4
-50.0	-11081.0		J	-526.8	-11.9	-0.2	-1245.4
-48.2	-35672.8						
		G1	I	1132.4	23.2	-1.3	-1006.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-180.3	-6319.2		J	1132.4	23.2	0.9	-1006.9
-8.4	-26461.5						
		G2	I	445.6	9.1	-0.1	-386.2
-4.0	-2531.7		J	445.6	9.1	-0.1	-386.2
58.5	-10427.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-3.2	-0.1	-0.0	-6.9
-3.5	757.9		J	-3.2	-0.1	-0.0	-6.9
-2.3	808.1						
		Q5_pc Y	I	-79.6	-1.9	0.0	138.1
10.1	-715.3		J	-79.6	-1.9	0.0	138.1
-4.5	931.5						
		Q5_ps X	I	-2.3	-0.0	-0.0	-9.5
-4.5	773.7		J	-2.3	-0.0	-0.0	-9.5
-2.7	793.1						
		Q5_ps Y	I	-72.2	-1.8	0.0	132.0
11.5	-806.4		J	-72.2	-1.8	0.0	132.0
-2.6	722.2						
		INVSLE Max	I	4921.8	97.9	-1.6	1463.5
-56.9	1589.8		J	4921.8	97.9	1.3	1463.5
557.5	4851.1						
		Min	I	149.3	-5.4	-2.3	-3146.0
-261.2	-33490.3		J	149.3	-5.4	0.6	-3146.0
0.5	-116722.4						
		INVSLE Max	I	3601.0	71.3	-1.2	1172.3
-40.7	1348.5		J	3601.0	71.3	1.0	1172.3
412.8	4649.7						
		Min	I	76.5	-4.9	-1.7	-2223.7
-190.7	-24535.7		J	76.5	-4.9	0.4	-2223.7
0.8	-85280.5						
		69 C1-C2;~1 Max	I	2088.0	10.9	0.2	138.9
9263	2		J	2088.0	10.9	0.2	138.9
240.8	23312.1						
		Min	I	-944.5	-4.9	-0.1	-300.3
188.2	27533.1		J	-944.5	-4.9	-0.1	-300.3
-79.7	-53693.9						
		C3-C4;~1 Max	I	2326.6	11.6	0.2	159.7
-101.7	-62265.2		J	2326.6	11.6	0.2	159.7
293.8	26251.2						
		Min	I	-1057.2	-5.5	-0.1	-327.8
219.3	31011.5						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-88.0	-62552.2						
-120.8	-71799.6		J	-1057.2	-5.5	-0.1	-327.8
138.5	12224.3	C1-C2;~2 Max	I	1181.1	6.4	0.1	72.7
111.5	14440.2		J	1181.1	6.4	0.1	72.7
-40.4	-30635.3	Min	I	-493.2	-2.6	-0.0	-174.4
-53.9	-35478.0		J	-493.2	-2.6	-0.0	-174.4
169.0	13555.3	C3-C4;~2 Max	I	1310.1	6.7	0.1	81.9
131.4	16016.0		J	1310.1	6.7	0.1	81.9
-44.1	-35669.4	Min	I	-543.8	-2.8	-0.1	-187.3
-62.2	-40864.0		J	-543.8	-2.8	-0.1	-187.3
-15.9	-26458.1	G1	I	1051.5	4.6	-1.0	-115.5
-101.0	-30478.7		J	1051.5	4.6	1.2	-115.5
55.6	-10426.6	G2	I	414.4	1.8	0.0	-45.0
22.1	-11994.6		J	414.4	1.8	0.0	-45.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.3	808.1	Q5_pc X	I	-5.8	-0.0	-0.0	2.2
-1.7	819.1		J	-5.8	-0.0	-0.0	2.2
-3.4	931.1	Q5_pc Y	I	-77.8	-0.4	-0.0	19.9
0.0	1305.6		J	-77.8	-0.4	-0.0	19.9
-2.7	793.1	Q5_ps X	I	-4.6	0.0	-0.0	2.0
-1.6	792.4		J	-4.6	0.0	-0.0	2.0
-1.6	721.9	Q5_ps Y	I	-71.1	-0.4	-0.0	18.9
-0.1	1081.5		J	-71.1	-0.4	-0.0	18.9
533.1	4848.1	INVSLU Max	I	4632.5	21.1	-0.9	75.8
247.1	7197.2		J	4632.5	21.1	2.0	75.8
11.5	-116712.6	Min	I	-75.7	-2.7	-1.4	-618.2
-215.1	-133948.0		J	-75.7	-2.7	1.5	-618.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
395.5	4647.2	INVSLE Max	I	3386.6	15.4	-0.7	63.8	
			J	3386.6	15.4	1.5	63.8	
184.6	6557.5	Min	I	-90.7	-2.2	-1.0	-447.6	
9.6	-85273.6		J	-90.7	-2.2	1.1	-447.6	
-157.6	-97820.4							
9264	2	69 C1-C2;~1 Max	I	1970.3	13.6	0.2	1753.9	
196.4	27548.7		J	1970.3	13.6	0.2	1753.9	
67.2	15749.7	Min	I	-940.0	-30.3	-0.1	-802.1	
-104.5	-62296.7		J	-940.0	-30.3	-0.1	-802.1	
-33.6	-36918.2							
		C3-C4;~1 Max	I	2184.1	15.2	0.2	1901.0	
227.3	31029.0		J	2184.1	15.2	0.2	1901.0	
111.0	17834.1	Min	I	-1054.6	-33.7	-0.2	-899.0	
-123.6	-71833.8		J	-1054.6	-33.7	-0.2	-899.0	
-28.6	-43194.8							
		C1-C2;~2 Max	I	1116.5	7.1	0.1	998.1	
116.4	14448.4		J	1116.5	7.1	0.1	998.1	
36.9	8273.2	Min	I	-493.7	-17.3	-0.1	-420.0	
-55.5	-35495.9		J	-493.7	-17.3	-0.1	-420.0	
-20.2	-21212.3							
		C3-C4;~2 Max	I	1233.4	7.8	0.1	1076.3	
136.2	16025.0		J	1233.4	7.8	0.1	1076.3	
63.0	9225.1	Min	I	-545.2	-19.1	-0.1	-463.6	
-63.8	-40883.3		J	-545.2	-19.1	-0.1	-463.6	
-16.4	-24778.5							
		G1	I	934.2	-14.8	-1.1	839.1	
-96.4	-30493.1		J	934.2	-14.8	1.1	839.1	
-99.2	-17698.9							
		G2	I	368.1	-5.8	-0.0	318.9	
23.8	-12000.2		J	368.1	-5.8	-0.0	318.9	
27.8	-6967.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-7.9	0.1	0.0	10.1	
-1.6	818.9		J	-7.9	0.1	0.0	10.1	
-2.8	743.4							
		Q5_pc Y	I	-73.4	1.2	-0.0	-118.1	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.6	1307.8			J	-73.4	1.2	-0.0 -118.1
5.0	262.0						
		Q5_ps X		I	-6.3	0.1	0.0 13.6
-1.5	792.3			J	-6.3	0.1	0.0 13.6
-4.2	734.1						
		Q5_ps Y		I	-68.0	1.1	-0.0 -114.7
-0.7	1083.7			J	-68.0	1.1	-0.0 -114.7
7.6	123.5						
		INVS LU Max		I	4223.7	4.6	-1.1 2308.4
253.8	7226.8			J	4223.7	4.6	1.8 2308.4
89.8	3664.4		Min	I	-280.7	-63.7	-1.7 -1684.2
-222.8	-133992.1			J	-280.7	-63.7	1.2 -1684.2
-114.5	-80062.6						
		INVS LE Max		I	3086.7	4.0	-0.8 1610.0
189.0	6581.0			J	3086.7	4.0	1.3 1610.0
65.5	3387.5		Min	I	-240.1	-46.4	-1.2 -1331.7
-163.9	-97851.2			J	-240.1	-46.4	0.9 -1331.7
-85.1	-58533.4						
		69 C1-C2;~1 Max		I	1908.2	34.3	0.2 3383.1
9265	2			J	1908.2	34.3	0.2 3383.1
109.4	15738.2						
438.0	30304.5		Min	I	-947.1	-71.8	-0.4 -1603.7
-32.9	-36895.1			J	-947.1	-71.8	-0.4 -1603.7
-174.0	-13976.7						
		C3-C4;~1 Max		I	2114.7	38.4	0.2 3665.2
156.0	17821.2			J	2114.7	38.4	0.2 3665.2
494.7	27112.7		Min	I	-1064.4	-79.6	-0.5 -1800.0
-35.5	-43170.0			J	-1064.4	-79.6	-0.5 -1800.0
-195.7	-15499.1						
		C1-C2;~2 Max		I	1082.4	18.0	0.1 1923.3
61.9	8267.1			J	1082.4	18.0	0.1 1923.3
259.7	16883.4		Min	I	-499.2	-40.7	-0.3 -842.2
-16.7	-21199.0			J	-499.2	-40.7	-0.3 -842.2
-91.3	-7344.7						
		C3-C4;~2 Max		I	1195.9	19.9	0.1 2073.4
89.3	9218.4			J	1195.9	19.9	0.1 2073.4
291.8	15164.4		Min	I	-552.0	-44.9	-0.3 -930.5
-17.9	-24764.3			J	-552.0	-44.9	-0.3 -930.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-101.1	-8010.6						
		G1	I	852.2	-34.0	-1.2	1573.5
-76.1	-17688.8		J	852.2	-34.0	1.0	1573.5
6.1	11777.1						
		G2	I	334.4	-13.4	-0.0	600.0
36.6	-6963.9		J	334.4	-13.4	-0.0	600.0
52.8	4617.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-11.9	0.3	0.0	11.8
-2.6	743.4		J	-11.9	0.3	0.0	11.8
-5.1	510.3						
		Q5_pc Y	I	-71.6	2.9	0.0	-220.7
1.8	260.5		J	-71.6	2.9	0.0	-220.7
-14.3	-2222.9						
		Q5_ps X	I	-9.8	0.2	-0.0	18.2
-3.9	734.2		J	-9.8	0.2	-0.0	18.2
-3.3	556.9						
		Q5_ps Y	I	-66.6	2.7	0.0	-213.9
4.4	122.0		J	-66.6	2.7	0.0	-213.9
-14.7	-2184.8						
		INVSLU Max	I	3987.7	15.0	-1.4	4784.8
141.6	3646.3		J	3987.7	15.0	1.4	4784.8
858.0	56048.2						
		Min	I	-433.0	-149.5	-2.4	-2990.4
-121.6	-80029.9		J	-433.0	-149.5	0.5	-2990.4
-99.8	-9787.8						
		INVSLE Max	I	2915.2	12.5	-1.1	3363.8
101.6	3373.0		J	2915.2	12.5	1.0	3363.8
642.1	40741.2						
		Min	I	-349.8	-109.0	-1.8	-2366.1
-93.0	-58510.3		J	-349.8	-109.0	0.4	-2366.1
-65.4	-7729.9						
		69 C1-C2;~1 Max	I	1838.8	25.1	0.7	341.5
9266	2		J	1838.8	25.1	0.7	341.5
492.7	30473.2						
		Min	I	-956.3	-13.0	-0.2	-881.9
29.5	9982.0		J	-956.3	-13.0	-0.2	-881.9
-185.5	-14044.0						
		C3-C4;~1 Max	I	2046.6	28.3	0.7	381.6
-106.7	-4937.5						
502.7	27259.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
40.0	7508.9		J	2046.6	28.3	0.7	381.6
		Min	I	-1076.6	-14.6	-0.3	-1032.2
-211.3	-15574.5		J	-1076.6	-14.6	-0.3	-1032.2
-118.6	-6191.4						
		C1-C2;~2 Max	I	1041.8	14.1	0.4	175.2
298.2	16975.9		J	1041.8	14.1	0.4	175.2
14.4	5660.5						
		Min	I	-505.5	-6.8	-0.1	-500.6
-98.0	-7380.9		J	-505.5	-6.8	-0.1	-500.6
-62.8	-2811.7						
		C3-C4;~2 Max	I	1156.4	15.8	0.4	193.3
306.9	15247.5		J	1156.4	15.8	0.4	193.3
20.1	4308.0						
		Min	I	-559.7	-7.6	-0.1	-575.8
-109.4	-8050.4		J	-559.7	-7.6	-0.1	-575.8
-69.4	-3534.7						
		G1	I	771.0	11.6	-0.8	-492.2
33.7	11838.4		J	771.0	11.6	1.3	-492.2
-204.2	1780.8						
		G2	I	302.9	4.6	0.1	-202.4
60.4	4637.8		J	302.9	4.6	0.1	-202.4
-13.3	660.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-17.2	-0.1	0.0	10.3
8.4	519.2		J	-17.2	-0.1	0.0	10.3
-2.7	614.2						
		Q5_pc Y	I	-69.2	-0.8	-0.0	27.2
-17.7	-2233.3		J	-69.2	-0.8	-0.0	27.2
12.7	-1501.4						
		Q5_ps X	I	-15.2	-0.1	0.0	13.5
11.5	566.9		J	-15.2	-0.1	0.0	13.5
-3.8	654.2						
		Q5_ps Y	I	-63.7	-0.8	-0.0	17.8
-22.4	-2197.8		J	-63.7	-0.8	-0.0	17.8
13.7	-1545.3						
		INVSLU Max	I	3738.4	52.5	-0.1	39.3
820.9	56143.4		J	3738.4	52.5	2.7	39.3
-110.1	16142.1						
		Min	I	-602.4	-7.0	-1.5	-1918.1
-174.9	-10040.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-347.1	-8394.4		J	-602.4	-7.0	1.4	-1918.1
610.4	40801.0	INVSLE Max	I	2732.3	38.3	-0.1	56.4
-77.2	11665.7		J	2732.3	38.3	2.0	56.4
-124.8	-7926.6	Min	I	-473.9	-5.6	-1.1	-1390.0
-251.1	-6309.3		J	-473.9	-5.6	1.0	-1390.0
9267 30.7	2 9968.8	69 C1-C2;~1 Max	I	1745.7	2.5	0.1	407.3
207.8	9634.8		J	1745.7	2.5	0.1	407.3
-112.0	-4938.3	Min	I	-966.9	-2.1	-0.3	-289.5
-85.5	-4791.2		J	-966.9	-2.1	-0.3	-289.5
39.2	7496.5	C3-C4;~1 Max	I	1951.9	2.4	0.1	368.3
258.0	6863.8		J	1951.9	2.4	0.1	368.3
-124.9	-6192.9	Min	I	-1090.7	-1.8	-0.4	-359.9
-95.9	-6232.6		J	-1090.7	-1.8	-0.4	-359.9
15.1	5653.1	C1-C2;~2 Max	I	986.9	1.4	0.1	253.0
118.3	5399.0		J	986.9	1.4	0.1	253.0
-65.9	-2813.4	Min	I	-512.7	-1.3	-0.2	-145.8
-44.4	-2592.0		J	-512.7	-1.3	-0.2	-145.8
19.3	4300.9	C3-C4;~2 Max	I	1101.5	1.2	0.1	224.4
147.2	3852.0		J	1101.5	1.2	0.1	224.4
-73.0	-3536.8	Min	I	-568.6	-1.0	-0.2	-176.3
-49.1	-3417.8		J	-568.6	-1.0	-0.2	-176.3
-208.0	1773.6	G1	I	672.2	1.1	-1.2	-111.5
-50.9	814.2		J	672.2	1.1	0.9	-111.5
-14.9	657.5	G2	I	266.1	0.4	-0.1	-52.4
41.5	271.4		J	266.1	0.4	-0.1	-52.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.6	614.4	Q5_pc X	I	-22.6	0.2	0.0	-1.8
			J	-22.6	0.2	0.0	-1.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-4.1	447.4							
12.7	-1500.2	Q5_pc	Y	I	-65.5	0.2	0.0	-37.0
-2.5	-1686.0			J	-65.5	0.2	0.0	-37.0
-3.7	654.4	Q5_ps	X	I	-20.7	0.2	0.0	2.3
-4.4	501.9			J	-20.7	0.2	0.0	2.3
13.6	-1544.3	Q5_ps	Y	I	-59.5	0.2	0.0	-41.3
-0.9	-1726.4			J	-59.5	0.2	0.0	-41.3
-116.7	16123.2	INVS LU	Max	I	3388.9	6.5	-1.4	88.2
358.4	13341.3			J	3388.9	6.5	1.4	88.2
-361.2	-8395.5		Min	I	-836.5	-0.1	-2.2	-1014.1
-126.7	-11114.5			J	-836.5	-0.1	0.7	-1014.1
-82.1	11652.6	INVS LE	Max	I	2473.0	4.8	-1.1	48.9
266.7	9549.5			J	2473.0	4.8	1.1	48.9
-261.5	-6309.5		Min	I	-648.2	-0.1	-1.6	-762.7
-92.1	-8341.1			J	-648.2	-0.1	0.5	-762.7
9268	2	69 C1-C2;~1	Max	I	1648.4	5.2	0.1	739.7
209.5	9643.9			J	1648.4	5.2	0.1	739.7
148.5	15123.0		Min	I	-985.4	-8.5	-0.0	-471.7
-86.8	-4790.3			J	-985.4	-8.5	-0.0	-471.7
-97.2	-8137.7							
259.7	6872.2	C3-C4;~1	Max	I	1829.6	5.9	0.2	731.4
168.3	11870.5			J	1829.6	5.9	0.2	731.4
-97.4	-6230.9		Min	I	-1114.4	-9.1	-0.0	-544.6
-117.1	-9002.6			J	-1114.4	-9.1	-0.0	-544.6
119.3	5404.2	C1-C2;~2	Max	I	935.0	2.8	0.1	440.3
89.1	8396.8			J	935.0	2.8	0.1	440.3
-45.1	-2590.7		Min	I	-525.2	-5.0	-0.0	-252.9
-51.0	-4363.2			J	-525.2	-5.0	-0.0	-252.9
148.2	3856.9	C3-C4;~2	Max	I	1038.3	3.1	0.1	429.6
102.8	6600.5			J	1038.3	3.1	0.1	429.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-49.9	-3416.1		Min	I	-583.6	-5.3	-0.0	-285.4
				J	-583.6	-5.3	-0.0	-285.4
-59.5	-4729.1							
			G1	I	538.5	-1.7	-1.0	97.2
-50.8	819.1			J	538.5	-1.7	1.2	97.2
-146.3	2253.5							
			G2	I	213.7	-0.7	0.0	34.3
41.5	273.2			J	213.7	-0.7	0.0	34.3
3.3	840.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-25.1	0.3	-0.0	-9.9
-4.1	447.3			J	-25.1	0.3	-0.0	-9.9
-0.5	188.1							
			Q5_pc Y	I	-60.7	0.5	-0.0	-61.7
-2.8	-1686.8			J	-60.7	0.5	-0.0	-61.7
0.0	-2154.9							
			Q5_ps X	I	-22.5	0.3	-0.0	-6.4
-4.5	501.8			J	-22.5	0.3	-0.0	-6.4
-0.1	264.3							
			Q5_ps Y	I	-56.2	0.5	-0.0	-61.9
-1.1	-1727.2			J	-56.2	0.5	-0.0	-61.9
-0.9	-2166.6							
			INVSLU Max	I	2923.3	9.5	-1.0	516.1
359.1	13355.0			J	2923.3	9.5	1.9	516.1
51.1	20231.7							
			Min	I	-1160.3	-11.7	-1.3	-1328.8
-130.5	-11112.4			J	-1160.3	-11.7	1.6	-1328.8
-335.2	-16216.7							
			INVSLE Max	I	2128.0	7.2	-0.7	339.8
267.1	9559.1			J	2128.0	7.2	1.4	339.8
40.2	14424.2							
			Min	I	-888.8	-8.4	-1.0	-1018.5
-95.0	-8340.0			J	-888.8	-8.4	1.2	-1018.5
-245.9	-12287.3							
9269	2	69 C1-C2;~1	Max	I	1556.3	4.7	0.2	209.2
145.7	15128.4			J	1556.3	4.7	0.2	209.2
69.4	13344.0							
			Min	I	-1010.1	-1.8	-0.2	-143.3
-95.3	-8142.1			J	-1010.1	-1.8	-0.2	-143.3
-44.6	-7100.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

165.5	11875.1	C3-C4;~1	Max	I	1710.6	4.6	0.2	203.4
				J	1710.6	4.6	0.2	203.4
108.6	9763.8		Min	I	-1145.7	-2.0	-0.2	-148.5
-114.9	-9007.5			J	-1145.7	-2.0	-0.2	-148.5
-41.5	-7775.9							
		C1-C2;~2	Max	I	886.7	2.9	0.1	130.5
87.6	8399.7			J	886.7	2.9	0.1	130.5
35.2	7556.4		Min	I	-540.9	-0.9	-0.1	-77.8
-50.0	-4365.5			J	-540.9	-0.9	-0.1	-77.8
-26.5	-3797.1							
		C3-C4;~2	Max	I	977.7	2.8	0.1	121.3
101.2	6603.0			J	977.7	2.8	0.1	121.3
56.1	5472.1		Min	I	-602.3	-1.0	-0.1	-75.0
-58.4	-4731.7			J	-602.3	-1.0	-0.1	-75.0
-24.1	-4046.2							
		G1		I	398.6	1.4	-1.1	0.2
-146.7	2254.0			J	398.6	1.4	1.0	0.2
-94.6	999.0							
		G2		I	158.3	0.6	-0.0	6.3
3.1	840.5			J	158.3	0.6	-0.0	6.3
29.6	361.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-27.0	0.1	0.0	-4.5
-0.5	187.9			J	-27.0	0.1	0.0	-4.5
-2.5	78.2							
		Q5_pc	Y	I	-54.3	-0.0	-0.0	15.6
0.2	-2155.7			J	-54.3	-0.0	-0.0	15.6
14.5	-2146.5							
		Q5_ps	X	I	-23.8	0.1	0.0	-5.1
-0.0	264.1			J	-23.8	0.1	0.0	-5.1
-4.3	152.6							
		Q5_ps	Y	I	-51.6	-0.0	-0.0	16.4
-0.7	-2167.4			J	-51.6	-0.0	-0.0	16.4
16.9	-2147.8							
		INVSLU	Max	I	2419.0	8.3	-1.3	-19.4
49.8	20235.3			J	2419.0	8.3	1.5	-19.4


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
122.6	16179.3							
			Min	I	-1534.8	-0.9	-1.9	-530.4
-329.8	-16228.4			J	-1534.8	-0.9	1.0	-530.4
-110.4	-16196.2							
			INVSLE Max	I	1752.6	6.1	-1.0	-25.8
39.4	14426.5			J	1752.6	6.1	1.1	-25.8
94.5	11468.9							
			Min	I	-1168.9	-0.7	-1.4	-402.2
-241.7	-12296.2			J	-1168.9	-0.7	0.7	-402.2
-76.2	-12226.7							
9270	2	69	C1-C2;~1 Max	I	1544.5	30.4	0.4	543.4
69.4	13336.8			J	1544.5	30.4	0.4	543.4
603.6	10299.1							
			Min	I	-1063.6	-19.3	-0.7	-896.3
-42.7	-7099.6			J	-1063.6	-19.3	-0.7	-896.3
-336.4	-21301.7							
			C3-C4;~1 Max	I	1702.4	32.6	0.5	620.0
110.7	9755.8			J	1702.4	32.6	0.5	620.0
665.8	11845.5							
			Min	I	-1209.9	-21.9	-0.7	-935.7
-38.9	-7770.4			J	-1209.9	-21.9	-0.7	-935.7
-383.8	-25150.6							
			C1-C2;~2 Max	I	882.4	17.6	0.2	291.4
35.3	7552.5			J	882.4	17.6	0.2	291.4
357.9	5457.1							
			Min	I	-570.7	-10.3	-0.4	-524.3
-25.5	-3797.7			J	-570.7	-10.3	-0.4	-524.3
-179.5	-12795.1							
			C3-C4;~2 Max	I	976.7	18.8	0.2	326.2
57.9	5467.6			J	976.7	18.8	0.2	326.2
392.6	6187.1							
			Min	I	-637.2	-11.5	-0.4	-551.0
-22.6	-4043.1			J	-637.2	-11.5	-0.4	-551.0
-201.2	-15095.9							
			G1	I	302.7	7.0	-1.1	-180.4
-93.3	996.2			J	302.7	7.0	1.0	-180.4
-39.5	-5098.5							
			G2	I	119.4	2.8	-0.0	-56.3
29.9	359.9			J	119.4	2.8	-0.0	-56.3
34.7	-2024.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.6	78.4	Q5_pc X	I	-33.5	-0.4	0.0	10.7
			J	-33.5	-0.4	0.0	10.7
-12.2	385.4	Q5_pc Y	I	-47.9	-1.1	0.0	119.7
13.5	-2145.5		J	-47.9	-1.1	0.0	119.7
-16.8	-1206.4	Q5_ps X	I	-29.7	-0.3	0.0	5.2
-4.3	152.9		J	-29.7	-0.3	0.0	5.2
-9.6	399.5	Q5_ps Y	I	-45.5	-1.1	0.0	119.8
15.9	-2146.9		J	-45.5	-1.1	0.0	119.8
-17.0	-1227.1	INVSLE Max	I	2098.7	44.1	-0.4	1002.6
126.0	16170.8		J	2098.7	44.1	2.5	1002.6
551.0	14099.7	Min	I	-1919.1	-31.5	-2.1	-1313.1
-105.4	-16185.7		J	-1919.1	-31.5	0.8	-1313.1
-896.2	-38016.6	INVSLE Max	I	1510.4	31.8	-0.3	769.4
96.9	11463.2		J	1510.4	31.8	1.9	769.4
388.5	10646.8	Min	I	-1459.4	-24.0	-1.5	-930.0
-72.8	-12218.5		J	-1459.4	-24.0	0.6	-930.0
-681.3	-27797.0	69 C1-C2;~1 Max	I	1497.5	2.8	0.4	240.9
9271	2		J	1497.5	2.8	0.4	240.9
313.6	10516.0	Min	I	-1109.8	-4.6	-0.1	-275.1
63.4	9582.2		J	-1109.8	-4.6	-0.1	-275.1
-117.0	-21597.9	C3-C4;~1 Max	I	1660.7	2.5	0.4	185.3
-65.6	-18003.3		J	1660.7	2.5	0.4	185.3
319.6	12095.9	Min	I	-1266.5	-4.7	-0.1	-301.4
88.0	11042.4		J	-1266.5	-4.7	-0.1	-301.4
-135.6	-25477.1	C1-C2;~2 Max	I	854.6	1.7	0.2	158.2
-75.4	-21726.1		J	854.6	1.7	0.2	158.2
198.8	5573.7	Min	I	-596.4	-2.9	-0.0	-162.2
34.6	5079.5		J	-596.4	-2.9	-0.0	-162.2
-62.2	-12960.0	C3-C4;~2 Max	I	952.2	1.5	0.2	120.7
-34.0	-10646.0						

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
205.3	6319.0		J	952.2	1.5	0.2	120.7
54.5	5768.3						
		Min	I	-667.9	-3.0	-0.0	-170.3
-69.9	-15277.5		J	-667.9	-3.0	-0.0	-170.3
-36.8	-12879.7						
		G1	I	196.7	-1.2	-1.0	-153.5
-86.5	-5165.0		J	196.7	-1.2	1.2	-153.5
-179.0	-4126.4						
		G2	I	78.4	-0.4	0.0	-75.3
15.6	-2049.6		J	78.4	-0.4	0.0	-75.3
-4.2	-1664.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-42.0	0.3	0.0	4.4
8.6	395.2		J	-42.0	0.3	0.0	4.4
-0.9	169.3						
		Q5_pc Y	I	-40.9	0.2	0.0	1.9
14.2	-1157.6		J	-40.9	0.2	0.0	1.9
11.2	-1333.0						
		Q5_ps X	I	-38.0	0.2	0.0	8.7
10.9	408.2		J	-38.0	0.2	0.0	8.7
-1.8	204.9						
		Q5_ps Y	I	-38.1	0.2	-0.0	-4.7
9.1	-1180.7		J	-38.1	0.2	-0.0	-4.7
11.7	-1355.0						
		INVSLE Max	I	1734.5	2.5	-0.7	-66.3
330.1	14574.2		J	1734.5	2.5	2.2	-66.3
-193.2	14647.9						
		Min	I	-2292.9	-8.2	-1.3	-806.3
-310.0	-38233.1		J	-2292.9	-8.2	1.5	-806.3
-434.0	-31989.0						
		INVSLE Max	I	1236.0	1.8	-0.5	-50.3
247.3	11024.1		J	1236.0	1.8	1.6	-50.3
-148.0	11072.1						
		Min	I	-1741.6	-6.1	-1.0	-597.8
-224.9	-27938.0		J	-1741.6	-6.1	1.2	-597.8
-324.9	-23296.1						
		69 C1-C2;~1 Max	I	1387.9	2.8	0.1	221.8
9272	2		J	1387.9	2.8	0.1	221.8
63.4	9582.0						
		Min	I	-1136.5	-4.7	-0.2	-278.4
226.4	8655.2						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-65.6	-18003.0		J	-1136.5	-4.7	-0.2	-278.4
-131.7	-14490.3						
88.0	11042.2	C3-C4;~1 Max	I	1546.7	2.5	0.1	169.5
284.9	9963.5		J	1546.7	2.5	0.1	169.5
-75.4	-21727.1	Min	I	-1302.4	-4.8	-0.3	-299.8
-150.6	-18030.7		J	-1302.4	-4.8	-0.3	-299.8
34.6	5079.4	C1-C2;~2 Max	I	791.6	1.7	0.1	144.5
129.2	4579.6		J	791.6	1.7	0.1	144.5
-34.0	-10645.7	Min	I	-611.9	-3.0	-0.1	-162.8
-69.7	-8378.8		J	-611.9	-3.0	-0.1	-162.8
54.5	5768.2	C3-C4;~2 Max	I	887.9	1.5	0.1	108.7
163.8	5198.5		J	887.9	1.5	0.1	108.7
-36.8	-12880.0	Min	I	-687.9	-3.0	-0.1	-166.9
-78.4	-10514.7		J	-687.9	-3.0	-0.1	-166.9
-179.0	-4127.2	G1	I	50.4	-1.2	-1.2	-155.4
-92.1	-3090.9		J	50.4	-1.2	1.0	-155.4
-4.2	-1665.3	G2	I	23.1	-0.4	-0.0	-71.5
25.2	-1277.6		J	23.1	-0.4	-0.0	-71.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.9	169.5	Q5_pc X	I	-50.0	0.3	0.0	0.9
-6.9	-58.6		J	-50.0	0.3	0.0	0.9
11.2	-1333.5	Q5_pc Y	I	-34.5	0.2	0.0	-1.9
11.0	-1531.5		J	-34.5	0.2	0.0	-1.9
-1.8	205.1	Q5_ps X	I	-45.8	0.2	0.0	4.5
-7.2	-0.7		J	-45.8	0.2	0.0	4.5
11.7	-1355.5	Q5_ps Y	I	-31.6	0.2	-0.0	-7.2
12.2	-1550.9		J	-31.6	0.2	-0.0	-7.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-193.2	14646.0	INVS LU Max	I	1261.9	2.7	-1.4	-140.0
			J	1261.9	2.7	1.5	-140.0
168.4	14570.8	Min	I	-2674.4	-8.1	-1.9	-847.6
-434.0	-31992.9		J	-2674.4	-8.1	1.0	-847.6
-439.3	-25978.0						
		INVS LE Max	I	883.3	2.0	-1.0	-108.5
-148.0	11070.5		J	883.3	2.0	1.1	-108.5
118.2	10995.3	Min	I	-2025.7	-6.0	-1.4	-632.4
-324.9	-23299.0		J	-2025.7	-6.0	0.7	-632.4
-330.5	-18836.7						
9273	2	69 C1-C2;~1 Max	I	1256.7	2.8	0.2	184.7
226.4	8654.7		J	1256.7	2.8	0.2	184.7
139.3	7760.7	Min	I	-1176.4	-4.7	-0.1	-292.2
-131.7	-14489.7		J	-1176.4	-4.7	-0.1	-292.2
-136.6	-12551.4						
		C3-C4;~1 Max	I	1385.9	2.6	0.3	141.4
284.9	9962.9		J	1385.9	2.6	0.3	141.4
159.7	8913.8	Min	I	-1356.8	-4.8	-0.1	-308.5
-150.6	-18029.8		J	-1356.8	-4.8	-0.1	-308.5
-166.7	-15605.6						
		C1-C2;~2 Max	I	718.7	1.8	0.1	117.6
129.2	4579.3		J	718.7	1.8	0.1	117.6
83.9	4091.8	Min	I	-631.1	-2.9	-0.0	-170.0
-69.7	-8378.4		J	-631.1	-2.9	-0.0	-170.0
-70.1	-7275.6						
		C3-C4;~2 Max	I	801.3	1.5	0.1	88.1
163.8	5198.2		J	801.3	1.5	0.1	88.1
98.8	4639.2	Min	I	-713.4	-3.0	-0.0	-170.5
-78.4	-10514.2		J	-713.4	-3.0	-0.0	-170.5
-82.9	-9091.1						
		G1	I	-162.3	-1.2	-0.9	-158.2
-92.1	-3090.8		J	-162.3	-1.2	1.2	-158.2
-220.3	-2047.6						
		G2	I	-60.0	-0.5	0.1	-63.0
25.2	-1277.5		J	-60.0	-0.5	0.1	-63.0
-25.3	-871.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.9	-58.7	Q5_pc X	I	-53.0	0.3	-0.0	-5.9
-1.1	-296.3		J	-53.0	0.3	-0.0	-5.9
11.0	-1531.5	Q5_pc Y	I	-29.7	0.2	0.0	4.5
10.6	-1719.5		J	-29.7	0.2	0.0	4.5
-7.2	-0.8	Q5_ps X	I	-47.8	0.3	-0.0	-4.1
-0.4	-219.3		J	-47.8	0.3	-0.0	-4.1
12.2	-1550.9	Q5_ps Y	I	-29.0	0.2	0.0	1.9
8.7	-1731.8		J	-29.0	0.2	0.0	1.9
168.4	14569.6	INVS LU Max	I	649.9	2.7	-0.9	-198.5
-202.3	14528.7		J	649.9	2.7	2.0	-198.5
-439.3	-25977.2	Min	I	-3148.0	-8.1	-1.3	-875.1
-662.0	-21667.5		J	-3148.0	-8.1	1.6	-875.1
118.2	10994.4	INVS LE Max	I	431.3	2.0	-0.6	-153.1
-153.6	10943.7		J	431.3	2.0	1.5	-153.1
-330.5	-18836.1	Min	I	-2375.0	-6.0	-1.0	-653.5
-492.7	-15639.1		J	-2375.0	-6.0	1.2	-653.5
9274	2	69 C1-C2;~1 Max	I	1125.6	2.9	0.1	176.6
139.3	7761.1		J	1125.6	2.9	0.1	176.6
95.5	6891.5	Min	I	-1226.5	-4.6	-0.2	-345.5
-136.6	-12551.5		J	-1226.5	-4.6	-0.2	-345.5
-39.3	-12638.1						
159.7	8914.3	C3-C4;~1 Max	I	1230.2	2.6	0.1	131.5
149.7	7887.1		J	1230.2	2.6	0.1	131.5
-166.7	-15605.6	Min	I	-1429.6	-4.7	-0.3	-353.1
-36.3	-15385.5		J	-1429.6	-4.7	-0.3	-353.1
83.9	4092.1	C1-C2;~2 Max	I	642.8	1.8	0.1	110.8
51.5	3615.0		J	642.8	1.8	0.1	110.8
-70.1	-7275.7	Min	I	-653.0	-2.9	-0.1	-203.9
			J	-653.0	-2.9	-0.1	-203.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-21.0	-7676.1						
		C3-C4;~2	Max	I	712.8	1.5	0.1 80.1
98.8	4639.4			J	712.8	1.5	0.1 80.1
85.3	4089.6		Min	I	-744.9	-3.0	-0.1 -198.3
-82.9	-9091.2			J	-744.9	-3.0	-0.1 -198.3
-17.9	-9309.0						
		G1		I	-386.1	-1.2	-1.2 -169.7
-220.3	-2047.1			J	-386.1	-1.2	0.9 -169.7
-83.4	-1015.8						
		G2		I	-147.6	-0.5	-0.1 -57.8
-25.3	-871.6			J	-147.6	-0.5	-0.1 -57.8
33.9	-454.9						
		Q3		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
		Q5_pc	X	I	-55.1	0.3	-0.0 -13.4
-1.1	-296.3			J	-55.1	0.3	-0.0 -13.4
0.5	-544.4						
		Q5_pc	Y	I	-26.6	0.2	-0.0 13.1
10.6	-1719.4			J	-26.6	0.2	-0.0 13.1
14.6	-1895.7						
		Q5_ps	X	I	-48.8	0.3	0.0 -13.3
-0.4	-219.2			J	-48.8	0.3	0.0 -13.3
-1.4	-451.3						
		Q5_ps	Y	I	-28.2	0.2	-0.0 13.0
8.7	-1731.7			J	-28.2	0.2	-0.0 13.0
16.7	-1896.6						
		INVS LU	Max	I	39.6	2.8	-1.6 -207.4
-202.3	14530.7			J	39.6	2.8	1.3 -207.4
74.3	14516.2		Min	I	-3650.2	-8.0	-2.1 -946.4
-662.0	-21666.2			J	-3650.2	-8.0	0.8 -946.4
-207.0	-20314.0						
		INVS LE	Max	I	-18.5	2.0	-1.2 -159.5
-153.6	10945.2			J	-18.5	2.0	0.9 -159.5
52.2	10916.0		Min	I	-2744.4	-5.9	-1.6 -705.1
-492.7	-15638.1			J	-2744.4	-5.9	0.6 -705.1
-154.2	-14631.3						
9275	2	69 C1-C2;~1	Max	I	1058.7	2.9	0.4 160.4
95.5	6892.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
373.4	6412.5		J	1058.7	2.9	0.4	160.4
		Min	I	-1308.0	-4.6	-0.4	-392.3
-39.3	-12639.3		J	-1308.0	-4.6	-0.4	-392.3
-332.4	-13081.5						
		C3-C4;~1 Max	I	1162.8	2.6	0.4	129.5
149.7	7887.7		J	1162.8	2.6	0.4	129.5
425.6	7000.8	Min	I	-1533.4	-4.7	-0.4	-391.0
-36.3	-15387.6		J	-1533.4	-4.7	-0.4	-391.0
-384.6	-15555.1						
		C1-C2;~2 Max	I	601.9	1.8	0.2	98.8
51.5	3615.2		J	601.9	1.8	0.2	98.8
227.2	3369.5	Min	I	-692.7	-2.9	-0.3	-236.5
-21.0	-7676.6		J	-692.7	-2.9	-0.3	-236.5
-177.2	-8281.6						
		C3-C4;~2 Max	I	672.1	1.6	0.2	74.5
85.3	4089.9		J	672.1	1.6	0.2	74.5
259.1	3601.8	Min	I	-794.8	-2.9	-0.3	-225.1
-17.9	-9310.0		J	-794.8	-2.9	-0.3	-225.1
-201.9	-9777.7						
		G1	I	-575.7	-1.2	-0.8	-174.6
-83.4	-1016.8		J	-575.7	-1.2	1.3	-174.6
-292.6	16.6						
		G2	I	-222.6	-0.5	0.1	-54.9
33.9	-455.2		J	-222.6	-0.5	0.1	-54.9
-63.7	-32.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-65.3	0.3	0.0	-17.3
0.5	-544.2		J	-65.3	0.3	0.0	-17.3
-25.3	-794.4						
		Q5_pc Y	I	-23.9	0.2	0.0	16.6
14.6	-1895.7		J	-23.9	0.2	0.0	16.6
5.9	-2069.6						
		Q5_ps X	I	-57.9	0.3	0.0	-18.2
-1.4	-451.1		J	-57.9	0.3	0.0	-18.2
-22.2	-686.7						
		Q5_ps Y	I	-26.0	0.2	0.0	18.0
16.7	-1896.6						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.0	-2056.9		J	-26.0	0.2	0.0	18.0
74.3	14515.6	INVS LU Max	I	-422.5	2.7	-0.1	-211.9
-151.6	14745.1		J	-422.5	2.7	2.8	-211.9
-207.0	-20318.3	Min	I	-4179.9	-8.1	-1.3	-989.2
1290.8	-19430.6		J	-4179.9	-8.1	1.5	-989.2
52.2	10915.6	INVS LE Max	I	-361.7	2.0	-0.1	-162.1
-126.1	11069.2		J	-361.7	2.0	2.1	-162.1
-154.2	-14634.5	Min	I	-3136.2	-6.0	-1.0	-735.5
-966.6	-13970.2		J	-3136.2	-6.0	1.2	-735.5
9276	2	69 C1-C2;~1 Max	I	989.3	6.9	0.4	308.2
338.1	6461.3		J	989.3	6.9	0.4	308.2
21.6	13159.1	Min	I	-1390.9	-13.0	-0.3	-446.8
-246.7	-13176.7		J	-1390.9	-13.0	-0.3	-446.8
-91.4	-10983.8						
341.3	7066.1	C3-C4;~1 Max	I	1095.7	6.5	0.4	239.3
44.9	14869.2		J	1095.7	6.5	0.4	239.3
-299.5	-15680.7	Min	I	-1636.6	-14.0	-0.3	-521.6
-110.2	-12468.6		J	-1636.6	-14.0	-0.3	-521.6
212.1	3393.2	C1-C2;~2 Max	I	558.1	4.1	0.3	184.7
10.5	6688.6		J	558.1	4.1	0.3	184.7
-126.7	-8332.3	Min	I	-733.0	-6.9	-0.1	-260.5
-51.4	-6499.9		J	-733.0	-6.9	-0.1	-260.5
216.6	3635.0	C3-C4;~2 Max	I	629.5	3.8	0.3	135.5
28.3	7457.1		J	629.5	3.8	0.3	135.5
-148.6	-9841.1	Min	I	-844.9	-7.2	-0.2	-289.4
-60.1	-7377.0		J	-844.9	-7.2	-0.2	-289.4
-248.7	-18.8	G1	I	-763.1	-11.7	-1.1	-145.5
-220.7	10029.4		J	-763.1	-11.7	1.0	-145.5
-48.5	-47.0	G2	I	-295.1	-4.7	-0.0	-67.3
-19.9	3980.0		J	-295.1	-4.7	-0.0	-67.3


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
3.0	-787.2	Q5_pc X	I	-78.5	-3.9	-0.0	72.2
6.2	2542.7		J	-78.5	-3.9	-0.0	72.2
2.0	-2070.2	Q5_pc Y	I	-20.4	-1.1	-0.0	10.2
15.8	-1090.3		J	-20.4	-1.1	-0.0	10.2
6.5	-679.0	Q5_ps X	I	-70.4	-3.6	0.0	74.3
5.0	2448.2		J	-70.4	-3.6	0.0	74.3
-3.7	-2059.5	Q5_ps Y	I	-22.4	-1.1	-0.0	1.8
15.4	-1090.7		J	-22.4	-1.1	-0.0	1.8
-75.7	14830.4	INVSLE Max	I	-878.2	-12.6	-1.0	324.1
-284.7	47693.9		J	-878.2	-12.6	1.8	324.1
-946.3	-19604.2	Min	I	-4708.2	-47.8	-2.1	-926.1
-522.6	6211.0		J	-4708.2	-47.8	0.8	-926.1
-62.1	11135.5	INVSLE Max	I	-700.5	-9.7	-0.8	245.2
-211.0	35593.7		J	-700.5	-9.7	1.4	245.2
-706.5	-14095.5	Min	I	-3527.1	-35.3	-1.5	-671.3
-385.1	5204.6		J	-3527.1	-35.3	0.6	-671.3
9277	2	69 C1-C2;~1 Max	I	896.5	6.9	0.2	303.6
21.6	13160.9		J	896.5	6.9	0.2	303.6
175.9	21493.7	Min	I	-1477.1	-13.0	-0.3	-473.3
-91.4	-10984.9		J	-1477.1	-13.0	-0.3	-473.3
-161.0	-12499.1						
44.9	14871.0	C3-C4;~1 Max	I	1004.9	6.6	0.2	238.5
230.3	24347.7		J	1004.9	6.6	0.2	238.5
-110.2	-12470.2	Min	I	-1746.7	-14.0	-0.3	-540.5
-188.1	-13850.7		J	-1746.7	-14.0	-0.3	-540.5
10.5	6689.7	C1-C2;~2 Max	I	498.4	4.1	0.1	180.2
99.8	10719.1		J	498.4	4.1	0.1	180.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-51.4	-6500.5		Min	I	-772.7	-6.9	-0.1	-277.9
				J	-772.7	-6.9	-0.1	-277.9
-85.9	-6970.0							
		C3-C4;~2	Max	I	571.3	3.9	0.1	133.2
28.3	7458.2			J	571.3	3.9	0.1	133.2
133.2	11963.0							
			Min	I	-895.6	-7.2	-0.2	-300.8
-60.1	-7377.9			J	-895.6	-7.2	-0.2	-300.8
-98.8	-7803.1							
			G1	I	-975.7	-11.7	-1.1	-139.2
-220.7	10030.0			J	-975.7	-11.7	1.0	-139.2
-176.6	20184.1							
			G2	I	-376.3	-4.7	-0.0	-60.1
-19.9	3980.2			J	-376.3	-4.7	-0.0	-60.1
-9.4	8054.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-90.8	-3.9	0.0	75.9
6.2	2543.4			J	-90.8	-3.9	0.0	75.9
-13.6	5908.3							
			Q5_pc Y	I	-16.9	-1.1	0.0	15.3
15.8	-1090.3			J	-16.9	-1.1	0.0	15.3
10.3	-100.9							
			Q5_ps X	I	-81.8	-3.6	0.0	76.7
5.0	2448.9			J	-81.8	-3.6	0.0	76.7
-13.4	5607.8							
			Q5_ps Y	I	-19.0	-1.1	0.0	7.8
15.4	-1090.8			J	-19.0	-1.1	0.0	7.8
11.4	-111.8							
			INVSLU Max	I	-1392.7	-12.6	-1.1	338.8
-284.7	47700.5			J	-1392.7	-12.6	1.8	338.8
-86.9	85665.9							
			Min	I	-5270.8	-47.9	-1.8	-937.5
-522.6	6211.6			J	-5270.8	-47.9	1.0	-937.5
-676.2	23463.1							
			INVSLE Max	I	-1081.8	-9.8	-0.8	256.4
-211.0	35598.7			J	-1081.8	-9.8	1.4	256.4
-71.6	63646.0							
			Min	I	-3942.3	-35.4	-1.4	-678.9
-385.1	5205.3			J	-3942.3	-35.4	0.8	-678.9
-506.4	18357.7							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

9278	2	69	C1-C2;~1	Max	I	824.6	7.0	0.4	303.9	
175.9	21493.1				J	824.6	7.0	0.4	303.9	
133.2	30144.6									
				Min	I	-1625.1	-13.0	-0.1	-516.4	
-161.0	-12498.9				J	-1625.1	-13.0	-0.1	-516.4	
-336.5	-17899.2									
				C3-C4;~1	Max	I	925.8	6.6	0.5	233.2
230.3	24347.0				J	925.8	6.6	0.5	233.2	
165.4	34213.6									
				Min	I	-1943.7	-14.0	-0.1	-578.0	
-188.1	-13850.4				J	-1943.7	-14.0	-0.1	-578.0	
-445.3	-18754.1									
				C1-C2;~2	Max	I	450.1	4.1	0.2	181.4
99.8	10718.8				J	450.1	4.1	0.2	181.4	
75.1	14874.7									
				Min	I	-837.5	-6.9	-0.1	-305.3	
-86.0	-6969.8				J	-837.5	-6.9	-0.1	-305.3	
-169.2	-10235.1									
				C3-C4;~2	Max	I	518.2	3.9	0.3	129.0
133.2	11962.6				J	518.2	3.9	0.3	129.0	
97.5	16629.6									
				Min	I	-981.3	-7.2	-0.1	-324.2	
-98.8	-7802.9				J	-981.3	-7.2	-0.1	-324.2	
-223.7	-10736.8									
				G1	I	-1279.8	-11.7	-0.7	-146.4	
-176.6	20183.9				J	-1279.8	-11.7	1.4	-146.4	
-506.7	30333.4									
				G2	I	-495.2	-4.7	0.1	-53.3	
-9.4	8053.9				J	-495.2	-4.7	0.1	-53.3	
-129.0	12140.6									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-98.0	-3.9	-0.0	78.2
-13.6	5908.4				J	-98.0	-3.9	-0.0	78.2	
5.3	9262.5									
				Q5_pc	Y	I	-16.2	-1.2	-0.0	25.8
10.3	-100.8				J	-16.2	-1.2	-0.0	25.8	
18.1	898.4									
				Q5_ps	X	I	-87.2	-3.6	-0.0	76.9
-13.4	5607.9				J	-87.2	-3.6	-0.0	76.9	
7.0	8753.0									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

11.4	-111.7	Q5_ps Y	I	-21.1	-1.1	-0.0	20.2	
13.0	881.0		J	-21.1	-1.1	-0.0	20.2	
-86.9	85664.2	INVS LU Max	I	-2041.3	-12.6	-0.1	341.0	
-713.2	124134.4		J	-2041.3	-12.6	2.8	341.0	
-676.2	23462.6	Min	I	-6091.5	-48.0	-1.0	-990.4	
1570.3	35955.5		J	-6091.5	-48.0	1.9	-990.4	-
-71.6	63644.8	INVS LE Max	I	-1560.4	-9.8	-0.1	258.5	
-529.7	92066.6		J	-1560.4	-9.8	2.1	258.5	
-506.4	18357.2	Min	I	-4547.5	-35.4	-0.7	-717.3	
1162.1	27983.9		J	-4547.5	-35.4	1.4	-717.3	-
9279	2	83 C1-C2;~1 Max	I	791.6	7.0	0.5	310.7	
133.2	30146.0		J	791.6	7.0	0.5	310.7	
599.1	39745.6	Min	I	-1858.7	-12.9	-0.8	-632.9	
-336.5	-17899.1		J	-1858.7	-12.9	-0.8	-632.9	
-516.8	-23827.5							
165.4	34215.9	C3-C4;~1 Max	I	891.4	6.6	0.4	241.0	
1016.5	45247.7		J	891.4	6.6	0.4	241.0	
-445.3	-18754.0	Min	I	-2243.0	-14.0	-1.3	-683.8	
-468.4	-24276.6		J	-2243.0	-14.0	-1.3	-683.8	
75.1	14875.4	C1-C2;~2 Max	I	420.1	4.2	0.3	184.4	
323.0	19642.0		J	420.1	4.2	0.3	184.4	
-169.2	-10235.0	Min	I	-943.9	-6.8	-0.4	-379.4	
-261.8	-13783.2		J	-943.9	-6.8	-0.4	-379.4	
97.5	16630.7	C3-C4;~2 Max	I	486.5	3.9	0.2	131.4	
574.7	22062.7		J	486.5	3.9	0.2	131.4	
-223.7	-10736.6	Min	I	-1115.9	-7.1	-0.7	-388.7	
-241.3	-14012.7		J	-1115.9	-7.1	-0.7	-388.7	
-506.7	30335.0	G1	I	-1653.9	-11.7	-2.7	-175.0	
-282.1	40460.4		J	-1653.9	-11.7	2.1	-175.0	
		G2	I	-641.5	-4.7	-0.2	-52.7	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-129.0	12141.0			J	-641.5	-4.7	-0.2	-52.7	
80.3	16236.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-110.1	-3.9	0.2	85.5	
5.3	9262.4			J	-110.1	-3.9	0.2	85.5	
-165.7	12618.3								
			Q5_pc Y	I	-17.9	-1.2	-0.1	38.3	
18.1	898.3			J	-17.9	-1.2	-0.1	38.3	
70.6	1912.3								
			Q5_ps X	I	-96.8	-3.6	0.2	81.6	
7.0	8752.9			J	-96.8	-3.6	0.2	81.6	
-174.8	11895.8								
			Q5_ps Y	I	-25.7	-1.2	-0.1	34.6	
13.0	880.8			J	-25.7	-1.2	-0.1	34.6	
91.5	1891.9								
			INVSLE Max	I	-2792.1	-12.6	-2.2	344.4	
-713.2	124140.2			J	-2792.1	-12.6	4.3	344.4	
456.5	164187.8		Min	I	-7221.9	-47.9	-5.0	-1152.0	-
1570.3	35958.5			J	-7221.9	-47.9	1.4	-1152.0	-
1911.7	47617.2								
			INVSLE Max	I	-2116.8	-9.8	-1.6	262.4	
-529.6	92070.9			J	-2116.8	-9.8	3.2	262.4	
302.6	121663.4		Min	I	-5383.4	-35.4	-3.7	-834.7	-
1162.1	27986.1			J	-5383.4	-35.4	1.1	-834.7	-
1429.5	36997.2								
9280	2	83	C1-C2;~1 Max	I	787.1	7.0	2.1	304.1	
599.1	39746.7			J	787.1	7.0	2.1	304.1	
1740.1	49538.5		Min	I	-2066.4	-12.9	-2.1	-716.3	
-516.8	-23829.1			J	-2066.4	-12.9	-2.1	-716.3	-
1982.1	-29856.9								
			C3-C4;~1 Max	I	871.0	6.6	2.8	241.5	
1016.5	45247.7			J	871.0	6.6	2.8	241.5	
1801.0	56461.3		Min	I	-2499.8	-14.0	-1.9	-760.4	
-468.4	-24278.1			J	-2499.8	-14.0	-1.9	-760.4	-
2435.3	-29917.3								
			C1-C2;~2 Max	I	410.8	4.2	1.0	179.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
323.0	19642.5			J	410.8	4.2	1.0	179.3	
1097.7	24538.7		Min	I	-1041.2	-6.8	-1.3	-433.9	
-261.8	-13784.2			J	-1041.2	-6.8	-1.3	-433.9	-
1009.4	-17383.8								
			C3-C4;~2 Max	I	464.6	3.9	1.3	130.9	
574.7	22062.5			J	464.6	3.9	1.3	130.9	
1145.3	27609.6		Min	I	-1236.1	-7.1	-1.2	-437.7	
-241.3	-14013.6			J	-1236.1	-7.1	-1.2	-437.7	-
1220.4	-17349.6								
			G1	I	-1973.5	-11.6	-0.5	-199.5	
-282.1	40462.0			J	-1973.5	-11.6	4.4	-199.5	-
1971.4	50547.6								
			G2	I	-767.0	-4.7	0.9	-55.1	
80.3	16237.2			J	-767.0	-4.7	0.9	-55.1	
-719.3	20324.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-124.7	-3.8	-0.3	83.5	
-165.7	12619.1			J	-124.7	-3.8	-0.3	83.5	
115.4	15945.2								
			Q5_pc Y	I	-14.4	-1.1	-0.0	38.7	
70.6	1912.6			J	-14.4	-1.1	-0.0	38.7	
100.1	2905.0								
			Q5_ps X	I	-109.2	-3.6	-0.4	78.4	
-174.8	11896.6			J	-109.2	-3.6	-0.4	78.4	
136.1	15009.2								
			Q5_ps Y	I	-23.5	-1.1	0.0	36.8	
91.5	1892.2			J	-23.5	-1.1	0.0	36.8	
68.7	2886.2								
			INVSLU Max	I	-3427.7	-12.6	4.8	326.9	
456.5	164192.4			J	-3427.7	-12.6	11.2	326.9	-
1918.6	204439.1		Min	I	-8202.8	-47.8	-2.4	-1260.5	-
1911.7	47618.1			J	-8202.8	-47.8	4.0	-1260.5	-
7845.3	59126.5								
			INVSLE Max	I	-2589.1	-9.7	3.5	250.3	
302.6	121666.8			J	-2589.1	-9.7	8.3	250.3	-
1463.5	151407.3		Min	I	-6109.5	-35.3	-1.8	-914.5	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1429.5	36998.0			J	-6109.5	-35.3	3.0	-914.5	-
5838.2	45894.4								
9281	2	83	C1-C2;~1	Max	I	768.7	59.3	2.6	1561.5
1742.0	49456.2				J	768.7	59.3	2.6	1561.5
331.9	14965.1			Min	I	-2240.9	-25.4	-2.1	-1339.2
1851.4	-29810.9				J	-2240.9	-25.4	-2.1	-1339.2
-819.1	-12312.2								
			C3-C4;~1	Max	I	850.6	54.1	2.6	1732.6
1792.6	56333.5				J	850.6	54.1	2.6	1732.6
518.2	18421.9			Min	I	-2713.0	-26.6	-2.7	-1319.5
2304.1	-29880.9				J	-2713.0	-26.6	-2.7	-1319.5
1027.1	-10737.0								
			C1-C2;~2	Max	I	393.9	29.3	1.7	853.3
1101.8	24497.6				J	393.9	29.3	1.7	853.3
161.8	8368.5			Min	I	-1122.2	-13.6	-1.1	-805.4
-933.9	-17355.0				J	-1122.2	-13.6	-1.1	-805.4
-435.5	-7962.1								
			C3-C4;~2	Max	I	445.8	26.8	1.7	902.8
1143.0	27543.7				J	445.8	26.8	1.7	902.8
267.1	9520.4			Min	I	-1336.0	-14.3	-1.4	-754.8
1138.4	-17326.7				J	-1336.0	-14.3	-1.4	-754.8
-540.5	-6929.6								
			G1		I	-2259.6	52.3	-3.5	729.5
1821.3	50470.8				J	-2259.6	52.3	1.1	729.5
-812.8	7361.2								
			G2		I	-877.5	20.5	-0.6	301.3
-662.8	20292.8				J	-877.5	20.5	-0.6	301.3
-159.5	3425.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-139.1	19.2	0.3	174.2
140.8	15935.9				J	-139.1	19.2	0.3	174.2
-78.6	85.0								
			Q5_pc	Y	I	-7.2	6.2	0.0	-3.9
65.9	2871.4				J	-7.2	6.2	0.0	-3.9
34.4	-2281.1								
			Q5_ps	X	I	-122.0	18.5	0.3	157.3


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
161.5	15001.9			J	-122.0	18.5	0.3	157.3	
-82.2	-237.6								
		Q5_ps	Y	I	-16.9	5.7	-0.0	-3.0	
31.6	2852.0			J	-16.9	5.7	-0.0	-3.0	
32.1	-1842.0								
		INVSLE	Max	I	-3990.0	241.4	-2.3	4031.0	-
1470.5	204215.1			J	-3990.0	241.4	3.9	4031.0	
-843.0	22031.8								
			Min	I	-9051.2	90.8	-9.8	-429.6	-
7254.4	59141.2			J	-9051.2	90.8	-3.7	-429.6	-
3070.7	-23565.3								
		INVSLE	Max	I	-3006.5	179.8	-1.7	2986.3	-
1128.3	151242.6			J	-3006.5	179.8	2.8	2986.3	
-622.2	15287.8								
			Min	I	-6737.0	70.8	-7.3	-294.6	-
5393.9	45905.2			J	-6737.0	70.8	-2.7	-294.6	-
2261.9	-18183.6								
		83 C1-C2;~1	Max	I	732.4	37.0	1.3	1999.7	
9282	2			J	732.4	37.0	1.3	1999.7	
316.2	14963.4								
			Min	I	-2402.3	-17.3	-1.8	-1430.0	
983.2	17179.0			J	-2402.3	-17.3	-1.8	-1430.0	
-805.8	-12312.0								
-876.4	-35043.9								
		C3-C4;~1	Max	I	808.7	29.3	1.6	2274.0	
505.9	18419.1			J	808.7	29.3	1.6	2274.0	
1411.7	23036.8								
			Min	I	-2911.7	-18.8	-2.3	-1326.5	-
1015.7	-10736.8			J	-2911.7	-18.8	-2.3	-1326.5	
-985.1	-24523.2								
		C1-C2;~2	Max	I	364.8	18.6	0.7	1070.6	
153.9	8367.7			J	364.8	18.6	0.7	1070.6	
554.7	8658.3								
			Min	I	-1193.9	-9.4	-0.9	-864.8	
-427.4	-7962.0			J	-1193.9	-9.4	-0.9	-864.8	
-456.0	-17443.2								
		C3-C4;~2	Max	I	412.9	14.8	0.8	1174.3	
262.8	9518.9			J	412.9	14.8	0.8	1174.3	
810.9	11284.6								
			Min	I	-1425.5	-10.0	-1.2	-768.4	
-534.2	-6929.4			J	-1425.5	-10.0	-1.2	-768.4	
-518.6	-12036.6								
		G1		I	-2545.4	20.4	-2.8	1354.6	
-824.9	7358.4			J	-2545.4	20.4	1.8	1354.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-398.7	-9430.2							
		G2	I	-986.2	8.1	-0.2	556.2	
-164.4	3424.3		J	-986.2	8.1	-0.2	556.2	
-31.3	-3222.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-152.6	17.2	-0.1	240.4	
-81.0	84.2		J	-152.6	17.2	-0.1	240.4	
24.9	-14066.4							
		Q5_pc Y	I	0.1	6.0	-0.1	65.9	
34.1	-2282.1		J	0.1	6.0	-0.1	65.9	
104.4	-7267.3							
		Q5_ps X	I	-134.1	16.7	-0.1	214.2	
-84.3	-238.3		J	-134.1	16.7	-0.1	214.2	
14.6	-13979.0							
		Q5_ps Y	I	-10.4	5.4	-0.1	68.0	
31.8	-1842.9		J	-10.4	5.4	-0.1	68.0	
115.1	-6274.1							
		INVSLE Max	I	-4565.0	136.2	-0.7	6022.9	
-882.4	22023.6		J	-4565.0	136.2	5.5	6022.9	
238.8	-19564.0							
		Min	I	-9862.2	30.0	-6.2	589.8	-
3082.4	-23571.3		J	-9862.2	30.0	-0.1	589.8	-
3184.7	-123292.4							
		INVSLE Max	I	-3432.2	101.5	-0.4	4467.9	
-651.7	15281.7		J	-3432.2	101.5	4.1	4467.9	
125.0	-17760.2							
		Min	I	-7335.7	25.1	-4.5	475.5	-
2270.6	-18188.0		J	-7335.7	25.1	0.0	475.5	-
2397.0	-92720.5							
		83 C1-C2;~1 Max	I	737.7	28.7	4.5	2292.5	
9283	2		J	737.7	28.7	4.5	2292.5	
987.6	17178.4							
		Min	I	-2560.7	-17.0	-0.8	-1527.8	
719.0	28545.6		J	-2560.7	-17.0	-0.8	-1527.8	-
-884.0	-35043.8							
3715.7	-57716.9							
		C3-C4;~1 Max	I	764.9	20.2	6.3	2632.4	
1415.5	23036.4		J	764.9	20.2	6.3	2632.4	
704.9	38556.2							
		Min	I	-3116.7	-21.5	-0.7	-1362.3	
-995.5	-24522.5		J	-3116.7	-21.5	-0.7	-1362.3	-

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

4995.4	-40414.4							
		C1-C2;~2 Max	I	366.5	14.5	2.2	1212.9	
557.2	8658.0		J	366.5	14.5	2.2	1212.9	
362.7	14376.2							
		Min	I	-1256.8	-9.0	-0.4	-918.6	
-460.5	-17443.3		J	-1256.8	-9.0	-0.4	-918.6	-
1786.4	-28806.2							
		C3-C4;~2 Max	I	379.8	10.2	3.1	1350.6	
813.1	11284.3		J	379.8	10.2	3.1	1350.6	
362.2	18851.7							
		Min	I	-1508.2	-10.9	-0.4	-786.7	
-524.1	-12036.3		J	-1508.2	-10.9	-0.4	-786.7	-
2408.6	-20089.1							
		G1	I	-2861.9	5.8	3.4	1721.1	
-406.3	-9429.8		J	-2861.9	5.8	8.0	1721.1	-
5098.3	-14203.3							
		G2	I	-1108.5	2.4	2.2	713.4	
-34.5	-3222.1		J	-1108.5	2.4	2.2	713.4	-
1838.8	-5188.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-156.8	16.3	0.3	287.1	
23.7	-14066.0		J	-156.8	16.3	0.3	287.1	
-230.6	-27485.0							
		Q5_pc Y	I	3.2	5.9	0.0	127.2	
103.9	-7266.8		J	3.2	5.9	0.0	127.2	
88.9	-12137.7							
		Q5_ps X	I	-136.2	15.9	0.2	253.0	
13.4	-13978.7		J	-136.2	15.9	0.2	253.0	
-175.7	-27084.2							
		Q5_ps Y	I	-10.4	5.2	0.1	130.8	
114.6	-6273.6		J	-10.4	5.2	0.1	130.8	
34.4	-10537.2							
		INVSLU Max	I	-5160.8	92.1	14.1	7199.0	
228.4	-19564.1		J	-5160.8	92.1	20.3	7199.0	-
7546.0	-18418.6							
		Min	I	-10683.2	-5.0	4.0	1065.9	-
3213.4	-123291.2		J	-10683.2	-5.0	10.1	1065.9	-1
5675.6	-197860.3							
		INVSLE Max	I	-3869.9	68.7	10.3	5341.7	
117.2	-17760.2							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5544.3	-19086.2			J	-3869.9	68.7	14.9	5341.7	-
			Min	I	-7939.7	-1.0	2.8	837.0	-
2418.4	-92719.6			J	-7939.7	-1.0	7.4	837.0	-1
1535.5	-148341.4								
9284	2	83	C1-C2;~1	Max	I	754.2	33.9	3.2	2154.9
718.0	28549.8			J	754.2	33.9	3.2	2154.9	1
1937.2	39490.7		Min	I	-2718.7	-16.2	-18.6	-1612.0	-
3712.6	-57715.5			J	-2718.7	-16.2	-18.6	-1612.0	-
1974.5	-85308.7								
			C3-C4;~1	Max	I	777.5	25.9	2.9	2464.3
703.7	38562.9			J	777.5	25.9	2.9	2464.3	1
6629.1	51817.9		Min	I	-3328.3	-18.6	-25.6	-1506.6	-
4991.8	-40411.7			J	-3328.3	-18.6	-25.6	-1506.6	-
1726.5	-61301.2								
			C1-C2;~2	Max	I	375.7	17.1	1.6	1150.3
362.2	14378.3			J	375.7	17.1	1.6	1150.3	
5792.4	19865.1		Min	I	-1322.1	-8.6	-8.9	-963.1	-
1785.2	-28805.3			J	-1322.1	-8.6	-8.9	-963.1	-
-967.4	-42754.7								
			C3-C4;~2	Max	I	387.7	13.1	1.5	1269.2
361.7	18854.9			J	387.7	13.1	1.5	1269.2	
8123.3	25439.0		Min	I	-1600.0	-9.6	-12.3	-862.4	-
2407.3	-20087.7			J	-1600.0	-9.6	-12.3	-862.4	
-882.5	-30665.3								
			G1	I	-3157.0	15.4	-26.8	1391.5	-
5093.7	-14194.2			J	-3157.0	15.4	-22.3	1391.5	1
5149.0	-26920.2								
			G2	I	-1222.4	6.1	-9.4	594.3	-
1836.9	-5185.1			J	-1222.4	6.1	-9.4	594.3	
5921.4	-10217.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-160.8	16.8	-1.4	268.8
-229.9	-27486.2			J	-160.8	16.8	-1.4	268.8	
897.5	-41332.5								
			Q5_pc	Y	I	4.6	5.9	0.3	120.7
89.3	-12137.9			J	4.6	5.9	0.3	120.7	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-132.6	-17039.9								
		Q5_ps X	I	-138.4	16.3	-1.0	235.7		
-175.1	-27085.4		J	-138.4	16.3	-1.0	235.7		
676.8	-40562.2								
		Q5_ps Y	I	-11.9	5.3	-0.0	123.9		
34.8	-10537.3		J	-11.9	5.3	-0.0	123.9		
49.2	-14868.9								
		INVS LU Max	I	-5643.7	120.1	-35.2	6367.5	-	
7539.2	-18395.9		J	-5643.7	120.1	-29.0	6367.5	4	
5622.7	-36872.7								
		Min	I	-11476.1	19.0	-76.6	380.7	-1	
5661.1	-197847.1		J	-11476.1	19.0	-70.5	380.7	1	
8892.2	-296392.0								
		INVS LE Max	I	-4224.5	89.5	-25.7	4727.0	-	
5539.1	-19069.7		J	-4224.5	89.5	-21.1	4727.0	3	
3408.6	-35040.3								
		Min	I	-8523.4	16.9	-56.2	328.2	-1	
1524.7	-148331.7		J	-8523.4	16.9	-51.6	328.2	1	
3727.9	-221765.8								
		83 C1-C2;~1 Max	I	803.6	58.2	46.4	1811.6	1	
9285	2		J	803.6	58.2	46.4	1811.6		
1939.5	39486.7								
		Min	I	-3063.0	-18.5	-7.7	-1832.4	-	
4367.3	48480.8		J	-3063.0	-18.5	-7.7	-1832.4	-2	
1975.6	-85312.5								
6502.2	-130493.8								
		C3-C4;~1 Max	I	824.0	53.1	63.8	2012.3	1	
6632.2	51811.3		J	824.0	53.1	63.8	2012.3		
4253.8	57091.1								
		Min	I	-3779.0	-19.0	-7.2	-1901.8	-	
1729.0	-61306.3		J	-3779.0	-19.0	-7.2	-1901.8	-3	
6095.3	-101526.9								
		C1-C2;~2 Max	I	402.2	29.2	22.2	984.3		
5792.1	19863.1		J	402.2	29.2	22.2	984.3		
2148.5	24238.3								
		Min	I	-1487.9	-9.4	-3.8	-1065.0		
-967.9	-42756.8		J	-1487.9	-9.4	-3.8	-1065.0	-1	
2645.1	-65662.8								
		C3-C4;~2 Max	I	413.3	26.8	30.7	1043.5		
8123.0	25435.9		J	413.3	26.8	30.7	1043.5		
2133.2	28215.2								
		Min	I	-1816.7	-9.7	-3.7	-1059.1		
-883.5	-30668.0		J	-1816.7	-9.7	-3.7	-1059.1	-1	
7290.1	-51179.5								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5157.5	-26932.1	G1	I	-3629.8	53.0	59.2	470.8	1
			J	-3629.8	53.0	63.8	470.8	-3
5530.6	-70650.6							
		G2	I	-1404.4	20.7	23.6	232.5	
5925.3	-10221.9		J	-1404.4	20.7	23.6	232.5	-1
3503.8	-27262.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-181.0	18.8	3.1	167.6	
899.9	-41331.8		J	-181.0	18.8	3.1	167.6	-
1630.8	-56842.4							
		Q5_pc Y	I	16.4	6.0	-1.0	78.6	
-131.5	-17040.0		J	16.4	6.0	-1.0	78.6	
691.3	-22004.2							
		Q5_ps X	I	-153.4	18.1	2.3	147.6	
679.0	-40561.5		J	-153.4	18.1	2.3	147.6	-
1195.1	-55467.8							
		Q5_ps Y	I	-4.3	5.5	-0.3	75.2	
50.3	-14869.1		J	-4.3	5.5	-0.3	75.2	
318.8	-19433.5							
		INVSLU Max	I	-6334.7	234.3	181.5	3960.7	4
5647.6	-36900.4		J	-6334.7	234.3	187.7	3960.7	-4
9192.7	-130358.0							
		Min	I	-12874.5	96.4	79.5	-1625.1	1
8907.1	-296414.6		J	-12874.5	96.4	85.7	-1625.1	-10
6752.6	-485913.9							
		INVSLE Max	I	-4731.1	174.3	133.1	2950.3	3
3427.3	-35060.7		J	-4731.1	174.3	137.7	2950.3	-3
5967.4	-106957.0							
		Min	I	-9551.2	74.6	58.0	-1164.9	1
3739.5	-221782.5		J	-9551.2	74.6	62.6	-1164.9	-7
8386.9	-362752.8							
9286	2	83 C1-C2;~1 Max	I	783.0	32.0	7.6	2264.7	
4365.7	53461.5		J	783.0	32.0	7.6	2264.7	1
1921.2	53706.4							
		Min	I	-3063.0	-102.9	-46.3	-1306.1	-2
6472.2	-135210.0		J	-3063.0	-102.9	-46.3	-1306.1	-
1931.6	-63726.5							
		C3-C4;~1 Max	I	803.8	32.9	7.2	2619.6	
4247.3	66280.4		J	803.8	32.9	7.2	2619.6	1
6629.2	81461.0							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6048.9	-108902.3		Min	I	-3771.8	-115.1	-63.6	-1260.2	-3
				J	-3771.8	-115.1	-63.6	-1260.2	-
1702.7	-41212.3								
2149.7	27217.4	C1-C2;~2	Max	I	389.8	16.2	3.7	1249.1	
				J	389.8	16.2	3.7	1249.1	
5772.3	26133.2								
2631.9	-68610.5		Min	I	-1489.1	-51.8	-22.1	-743.1	-1
				J	-1489.1	-51.8	-22.1	-743.1	
-926.5	-31762.8								
2132.5	33373.4	C3-C4;~2	Max	I	400.9	16.7	3.6	1384.5	
				J	400.9	16.7	3.6	1384.5	
8107.9	39588.6								
7268.0	-55836.2		Min	I	-1812.4	-57.0	-30.6	-679.1	-1
				J	-1812.4	-57.0	-30.6	-679.1	
-845.0	-20594.1								
5503.3	-73316.9		G1	I	-3639.2	-113.7	-63.6	1178.1	-3
				J	-3639.2	-113.7	-59.0	1178.1	1
5061.6	20472.6								
3492.2	-28229.1		G2	I	-1408.6	-44.2	-23.5	450.4	-1
				J	-1408.6	-44.2	-23.5	450.4	
5895.5	8215.7								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
1621.2	-56380.1		Q5_pc X	I	-23.6	-18.3	-3.1	-11.8	-
				J	-23.6	-18.3	-3.1	-11.8	
971.6	-41297.3								
679.3	-23788.1		Q5_pc Y	I	70.8	-5.7	1.1	-18.9	
				J	70.8	-5.7	1.1	-18.9	
-250.1	-19052.8								
1187.0	-55102.1		Q5_ps X	I	-4.1	-17.3	-2.3	-25.6	-
				J	-4.1	-17.3	-2.3	-25.6	
741.1	-40818.9								
305.9	-21350.6		Q5_ps Y	I	47.9	-5.6	0.5	-14.7	
				J	47.9	-5.6	0.5	-14.7	
-75.6	-16736.4								
9166.0	-123238.9		INVSLU Max	I	-6480.1	-207.2	-85.5	5126.1	-4
				J	-6480.1	-207.2	-79.3	5126.1	4
5605.3	104921.0								
6644.0	-496735.1		Min	I	-12784.6	-440.0	-187.3	-207.6	-10
				J	-12784.6	-440.0	-181.1	-207.6	1
8799.4	-165417.2								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5946.8	-101631.6		INVSLE Max	I	-4832.0	-157.3	-62.5	3784.9	-3
				J	-4832.0	-157.3	-57.9	3784.9	3
3394.0	70531.9		Min	I	-9492.5	-327.3	-137.4	-163.5	-7
8306.9	-370778.1			J	-9492.5	-327.3	-132.8	-163.5	1
3667.3	-124212.3								
9287	2	83	C1-C2;~1 Max	I	743.7	21.7	18.6	1729.7	1
1932.3	53714.3			J	743.7	21.7	18.6	1729.7	
733.0	64376.7		Min	I	-2775.7	-60.4	-3.2	-1868.5	-
1934.3	-63722.9			J	-2775.7	-60.4	-3.2	-1868.5	-
3730.2	-32106.4								
			C3-C4;~1 Max	I	767.4	23.0	25.6	1819.1	1
6644.5	81473.7			J	767.4	23.0	25.6	1819.1	
741.6	96143.6		Min	I	-3378.7	-55.6	-2.9	-2020.1	-
1703.6	-41208.4			J	-3378.7	-55.6	-2.9	-2020.1	-
4996.6	-18389.7								
			C1-C2;~2 Max	I	370.2	11.5	8.9	995.0	
5778.4	26136.9			J	370.2	11.5	8.9	995.0	
365.3	30644.0		Min	I	-1362.4	-30.5	-1.5	-1025.1	
-927.8	-31760.8			J	-1362.4	-30.5	-1.5	-1025.1	-
1785.2	-15709.0								
			C3-C4;~2 Max	I	382.1	12.2	12.3	994.1	
8116.2	39594.6			J	382.1	12.2	12.3	994.1	
374.8	45888.6		Min	I	-1635.9	-28.3	-1.4	-1059.8	
-845.1	-20591.8			J	-1635.9	-28.3	-1.4	-1059.8	-
2393.2	-8835.6								
			G1	I	-3180.4	-53.9	22.1	-510.3	1
5069.4	20487.8			J	-3180.4	-53.9	26.7	-510.3	-
5055.5	64978.7								
			G2	I	-1232.6	-21.0	9.4	-216.0	
5898.2	8221.4			J	-1232.6	-21.0	9.4	-216.0	-
1821.1	25545.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-24.0	-17.6	1.5	-120.4	
970.2	-41298.0			J	-24.0	-17.6	1.5	-120.4	
-248.0	-26750.5								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-250.8	-19053.0	Q5_pc	Y	I	60.2	-6.8	-0.5	-66.0	
				J	60.2	-6.8	-0.5	-66.0	
196.0	-13468.3								
739.6	-40819.7	Q5_ps	X	I	-8.3	-17.0	1.1	-112.5	
				J	-8.3	-17.0	1.1	-112.5	
-189.4	-26795.1								
-76.4	-16736.4	Q5_ps	Y	I	42.0	-6.3	-0.3	-73.6	
				J	42.0	-6.3	-0.3	-73.6	
149.7	-11563.1								
5629.6	104963.2	INVSLU	Max	I	-5781.0	-94.9	70.3	1187.8	4
				J	-5781.0	-94.9	76.5	1187.8	-
7488.0	228752.8		Min	I	-11486.7	-239.3	28.9	-4211.9	1
8801.9	-165388.6			J	-11486.7	-239.3	35.0	-4211.9	-1
5681.1	7464.4								
3411.9	70563.1	INVSLE	Max	I	-4319.7	-73.6	51.5	861.8	3
				J	-4319.7	-73.6	56.1	861.8	-
5504.5	164946.0		Min	I	-8538.2	-178.2	21.0	-3121.8	1
3668.8	-124191.1			J	-8538.2	-178.2	25.6	-3121.8	-1
1540.4	4595.4								
9288	2	83 C1-C2;~1	Max	I	725.3	18.2	0.9	1475.7	
734.5	64369.2			J	725.3	18.2	0.9	1475.7	
874.3	61377.1		Min	I	-2622.4	-28.0	-4.5	-2518.6	-
3740.4	-32105.3			J	-2622.4	-28.0	-4.5	-2518.6	
-760.8	-17778.2								
743.3	96132.7	C3-C4;~1	Max	I	753.9	23.6	0.8	1347.6	
				J	753.9	23.6	0.8	1347.6	
1309.9	87209.5		Min	I	-3175.8	-20.2	-6.4	-2867.5	-
5005.6	-18388.6			J	-3175.8	-20.2	-6.4	-2867.5	
-827.7	-15022.5								
365.9	30640.5	C1-C2;~2	Max	I	363.1	9.7	0.4	891.8	
				J	363.1	9.7	0.4	891.8	
503.6	29337.5		Min	I	-1303.3	-13.9	-2.2	-1356.2	-
1789.3	-15708.6			J	-1303.3	-13.9	-2.2	-1356.2	
-392.8	-8569.7								
375.3	45883.4	C3-C4;~2	Max	I	376.9	12.1	0.4	772.4	
				J	376.9	12.1	0.4	772.4	
762.0	41878.0		Min	I	-1556.5	-10.1	-3.2	-1493.3	-
2395.5	-8835.0								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-442.2	-7680.8		J	-1556.5	-10.1	-3.2	-1493.3	
5073.1	64969.0	G1	I	-2890.9	-5.7	-7.9	-1938.0	-
-415.7	69677.2		J	-2890.9	-5.7	-3.4	-1938.0	
1828.2	25541.5	G2	I	-1121.0	-2.3	-2.2	-776.7	-
-30.6	27431.5		J	-1121.0	-2.3	-2.2	-776.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-250.0	-26749.1	Q5_pc X	I	-27.7	-17.1	-0.4	-173.5	
59.5	-12636.6		J	-27.7	-17.1	-0.4	-173.5	
194.6	-13467.6	Q5_pc Y	I	44.2	-7.3	0.2	-155.7	
2.5	-7416.3		J	44.2	-7.3	0.2	-155.7	
-191.2	-26793.6	Q5_ps X	I	-14.0	-16.7	-0.3	-152.0	
40.8	-12996.1		J	-14.0	-16.7	-0.3	-152.0	
148.1	-11562.5	Q5_ps Y	I	28.0	-6.6	0.2	-168.8	
7.4	-6144.4		J	28.0	-6.6	0.2	-168.8	
7520.6	228722.2	INVS LU Max	I	-5308.0	8.5	-10.0	-1614.6	-
64.1	235943.0		J	-5308.0	8.5	-3.9	-1614.6	
5731.6	7452.6	Min	I	-10692.7	-91.9	-20.6	-7790.2	-1
2928.8	71463.8		J	-10692.7	-91.9	-14.4	-7790.2	-
5529.0	164923.6	INVS LE Max	I	-3971.0	3.6	-7.3	-1224.7	-
2.7	172502.8		J	-3971.0	3.6	-2.8	-1224.7	
1577.9	4586.7	Min	I	-7953.8	-68.5	-15.1	-5776.1	-1
2206.3	52351.2		J	-7953.8	-68.5	-10.5	-5776.1	-
9289	2	83 C1-C2;~1 Max	I	708.2	31.5	1.6	1586.0	
885.6	61380.0		J	708.2	31.5	1.6	1586.0	
360.6	40981.1	Min	I	-2448.9	-17.2	-1.2	-3312.1	
-788.0	-17778.3		J	-2448.9	-17.2	-1.2	-3312.1	
-787.3	-13877.0	C3-C4;~1 Max	I	790.5	46.6	2.2	1322.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1319.6	87213.2			J	790.5	46.6	2.2	1322.5	
570.8	52433.7		Min	I	-2946.0	-9.9	-1.5	-3946.1	
-866.1	-15023.2			J	-2946.0	-9.9	-1.5	-3946.1	
-997.8	-13021.0								
		C1-C2;~2	Max	I	355.7	14.8	0.8	952.2	
510.2	29338.8			J	355.7	14.8	0.8	952.2	
175.0	20776.0		Min	I	-1233.6	-8.9	-0.6	-1739.7	
-409.6	-8569.8			J	-1233.6	-8.9	-0.6	-1739.7	
-414.9	-7915.7								
		C3-C4;~2	Max	I	407.8	21.9	1.1	755.1	
767.5	41879.6			J	407.8	21.9	1.1	755.1	
301.3	26047.0		Min	I	-1462.9	-5.0	-0.8	-2047.6	
-462.4	-7681.2			J	-1462.9	-5.0	-0.8	-2047.6	
-519.2	-7307.1								
		G1		I	-2570.8	32.2	-1.9	-3051.4	
-446.6	69681.8			J	-2570.8	32.2	2.6	-3051.4	
-730.2	43111.9								
		G2		I	-998.0	12.4	0.1	-1213.7	
-42.9	27433.3			J	-998.0	12.4	0.1	-1213.7	
-134.6	17178.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-27.6	-16.6	0.2	-215.8	
57.1	-12636.6			J	-27.6	-16.6	0.2	-215.8	
-140.4	1100.6								
		Q5_pc Y		I	28.6	-7.6	-0.1	-248.7	
0.1	-7416.2			J	28.6	-7.6	-0.1	-248.7	
92.0	-1151.0								
		Q5_ps X		I	-16.4	-16.4	0.2	-185.2	
38.7	-12996.1			J	-16.4	-16.4	0.2	-185.2	
-135.9	575.5								
		Q5_ps Y		I	14.4	-6.6	-0.1	-264.9	
4.7	-6144.3			J	14.4	-6.6	-0.1	-264.9	
97.3	-680.5								
		INVSLU	Max	I	-4718.2	122.4	-0.4	-3288.7	
17.2	235958.2			J	-4718.2	122.4	5.7	-3288.7	
-514.6	141934.9		Min	I	-9813.8	6.4	-5.8	-11204.7	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3036.2	71473.8			J	-9813.8	6.4	0.4	-11204.7	-
2885.0	50343.8								
		INVSLE	Max	I	-3536.3	88.5	-0.4	-2479.4	
-32.1	172514.1			J	-3536.3	88.5	4.2	-2479.4	
-385.7	104498.7		Min	I	-7307.0	4.8	-4.3	-8310.0	-
2286.3	52358.7			J	-7307.0	4.8	0.2	-8310.0	-
2122.8	36806.9								
9290	2	83	C1-C2;~1	Max	I	758.6	55.3	2.2	1724.7
332.7	40975.6			J	758.6	55.3	2.2	1724.7	
1778.5	22345.8		Min	I	-2287.9	-19.1	-2.5	-3851.6	
-779.7	-13875.0			J	-2287.9	-19.1	-2.5	-3851.6	-
1999.2	-21644.7								
		C3-C4;~1	Max	I	843.0	76.4	2.7	1435.4	
549.7	52426.8			J	843.0	76.4	2.7	1435.4	
1790.0	18444.0		Min	I	-2744.6	-13.9	-2.4	-4653.8	
-993.3	-13018.7			J	-2744.6	-13.9	-2.4	-4653.8	-
2499.8	-22780.2								
		C1-C2;~2	Max	I	394.7	26.6	1.1	1020.6	
160.7	20773.9			J	394.7	26.6	1.1	1020.6	
1130.1	13349.8		Min	I	-1161.1	-9.9	-1.6	-2006.6	
-409.8	-7914.7			J	-1161.1	-9.9	-1.6	-2006.6	
-999.4	-11893.4								
		C3-C4;~2	Max	I	447.3	36.6	1.4	805.8	
293.9	26044.4			J	447.3	36.6	1.4	805.8	
1141.1	10921.7		Min	I	-1371.3	-6.9	-1.6	-2409.5	
-516.4	-7305.9			J	-1371.3	-6.9	-1.6	-2409.5	-
1226.6	-11644.5								
		G1		I	-2282.6	60.0	-0.7	-3655.6	
-765.9	43102.3			J	-2282.6	60.0	3.8	-3655.6	-
2052.6	-6439.4								
		G2		I	-890.0	23.3	0.7	-1450.6	
-148.8	17174.3			J	-890.0	23.3	0.7	-1450.6	
-763.4	-2013.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-18.2	-16.3	-0.5	-233.6	
-142.7	1101.1								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
288.4	14562.4		J	-18.2	-16.3	-0.5	-233.6
89.1	-1151.5	Q5_pc Y	I	29.7	-7.7	-0.1	-301.7
180.3	5226.3		J	29.7	-7.7	-0.1	-301.7
-137.8	575.9	Q5_ps X	I	-7.8	-16.2	-0.5	-199.5
307.9	13969.5		J	-7.8	-16.2	-0.5	-199.5
94.2	-681.1	Q5_ps Y	I	16.4	-6.6	-0.1	-319.1
142.4	4773.2		J	16.4	-6.6	-0.1	-319.1
-607.3	141907.0	INVS LU Max	I	-4113.3	225.8	4.7	-4179.3
1808.2	24272.9		J	-4113.3	225.8	10.9	-4179.3
2947.2	50326.8	Min	I	-9009.9	67.6	-3.2	-13333.4
8118.4	-62859.5		J	-9009.9	67.6	2.9	-13333.4
-454.8	104477.9	INVS LE Max	I	-3089.3	165.6	3.5	-3151.4
1386.6	16924.3		J	-3089.3	165.6	8.1	-3151.4
2169.0	36794.3	Min	I	-6712.5	50.6	-2.3	-9892.0
6022.4	-45676.5		J	-6712.5	50.6	2.3	-9892.0
9291	2	83 C1-C2;~1 Max	I	786.7	18.6	2.1	2226.3
1746.1	22339.4		J	786.7	18.6	2.1	2226.3
739.2	25350.4	Min	I	-2115.3	-39.8	-2.5	-1064.6
2197.3	-21714.5		J	-2115.3	-39.8	-2.5	-1064.6
-496.5	-18273.9						
1782.0	18460.9	C3-C4;~1 Max	I	881.6	20.3	1.9	2729.4
1219.3	25113.2		J	881.6	20.3	1.9	2729.4
2715.4	-22822.8	Min	I	-2531.9	-47.8	-3.4	-1025.8
-483.1	-19214.1		J	-2531.9	-47.8	-3.4	-1025.8
1105.4	13346.4	C1-C2;~2 Max	I	417.5	10.4	1.3	1144.6
398.4	12614.9		J	417.5	10.4	1.3	1144.6
1111.6	-11925.7	Min	I	-1079.9	-20.6	-1.2	-593.4
-252.3	-10862.1		J	-1079.9	-20.6	-1.2	-593.4
1134.0	10930.6	C3-C4;~2 Max	I	476.9	11.4	1.2	1375.8
			J	476.9	11.4	1.2	1375.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
679.8	12431.1		Min	I	-1270.6	-24.3	-1.6	-551.2	-
1353.9	-11658.0			J	-1270.6	-24.3	-1.6	-551.2	
-247.8	-11367.9								
			G1	I	-1991.9	-32.9	-4.9	1778.7	-
2317.9	-6521.8			J	-1991.9	-32.9	-0.1	1778.7	
-180.7	21972.4								
			G2	I	-779.1	-12.7	-1.1	707.9	
-861.9	-2043.8			J	-779.1	-12.7	-1.1	707.9	
118.1	8992.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-10.3	3.2	0.5	-103.1	
260.1	14545.1			J	-10.3	3.2	0.5	-103.1	
-182.9	11739.8								
			Q5_pc Y	I	33.9	1.3	0.2	114.1	
134.2	5199.6			J	33.9	1.3	0.2	114.1	
-74.0	4090.8								
			Q5_ps X	I	-0.5	3.2	0.5	-113.7	
277.8	13951.4			J	-0.5	3.2	0.5	-113.7	
-195.7	11151.7								
			Q5_ps Y	I	21.8	1.0	0.2	123.0	
96.8	4747.2			J	21.8	1.0	0.2	123.0	
-58.6	3865.9								
			INVSLU Max	I	-3502.5	-50.9	-4.8	7297.7	-
2426.8	24056.5			J	-3502.5	-50.9	1.7	7297.7	
963.5	95918.6								
			Min	I	-8171.8	-148.6	-13.1	1970.4	-
8966.4	-63093.7			J	-8171.8	-148.6	-6.6	1970.4	-
1682.0	14625.0								
			INVSLE Max	I	-2637.2	-38.8	-3.6	5438.7	-
1847.8	16762.6			J	-2637.2	-38.8	1.2	5438.7	
678.4	70905.6								
			Min	I	-6091.4	-110.7	-9.7	1507.8	-
6657.3	-45853.7			J	-6091.4	-110.7	-4.9	1507.8	-
1256.8	12253.4								
		83	C1-C2;~1 Max	I	797.9	11.8	1.0	1666.7	
9292	2			J	797.9	11.8	1.0	1666.7	
737.3	25353.0								
			Min	I	-1906.6	-18.3	-0.5	-866.4	
146.0	37133.3			J	-1906.6	-18.3	-0.5	-866.4	
-484.4	-18275.6								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-350.9	-22016.4							
		C3-C4;~1	Max	I	910.2	12.5	1.6	2047.4
1218.2	25120.3			J	910.2	12.5	1.6	2047.4
179.5	42178.2							
			Min	I	-2272.8	-22.0	-0.4	-810.0
-466.1	-19215.7			J	-2272.8	-22.0	-0.4	-810.0
-460.8	-25203.0							
		C1-C2;~2	Max	I	430.9	7.1	0.5	857.1
396.8	12615.9			J	430.9	7.1	0.5	857.1
80.7	18918.5							
			Min	I	-981.0	-9.5	-0.2	-491.8
-245.4	-10862.9			J	-981.0	-9.5	-0.2	-491.8
-175.3	-12543.0							
		C3-C4;~2	Max	I	502.0	7.4	0.8	1032.3
678.4	12434.4			J	502.0	7.4	0.8	1032.3
103.0	21141.1							
			Min	I	-1148.1	-11.3	-0.2	-439.2
-238.5	-11368.8			J	-1148.1	-11.3	-0.2	-439.2
-230.2	-14536.1							
			G1	I	-1668.3	-13.0	-2.0	1306.1
-165.0	21977.4			J	-1668.3	-13.0	2.8	1306.1
-505.5	33197.2							
			G2	I	-652.4	-4.9	0.3	520.6
124.3	8994.1			J	-652.4	-4.9	0.3	520.6
-129.3	13266.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-6.6	3.3	-0.2	-89.8
-183.9	11739.2			J	-6.6	3.3	-0.2	-89.8
9.2	8874.8							
			Q5_pc Y	I	32.3	0.9	-0.1	83.4
-73.0	4090.5			J	32.3	0.9	-0.1	83.4
42.1	3279.3							
			Q5_ps X	I	1.7	3.2	-0.2	-97.6
-196.8	11151.1			J	1.7	3.2	-0.2	-97.6
11.6	8382.3							
			Q5_ps Y	I	22.1	0.8	-0.1	90.9
-57.5	3865.6			J	22.1	0.8	-0.1	90.9
39.1	3178.7							
			INVSLU Max	I	-2835.8	-13.9	-0.8	5457.1
994.1	95929.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-693.0	145253.3		J	-2835.8	-13.9	5.7	5457.1	
		Min	I	-7191.0	-66.3	-3.9	1361.8	-
1635.3	14631.4		J	-7191.0	-66.3	2.6	1361.8	-
1633.2	38314.0							
		INVSLE Max	I	-2142.9	-10.9	-0.6	4067.0	
701.4	70914.0		J	-2142.9	-10.9	4.2	4067.0	
-517.4	107993.0	Min	I	-5364.6	-49.3	-2.9	1045.4	-
1221.8	12258.2		J	-5364.6	-49.3	1.9	1045.4	-
1208.3	29961.9							
9293	2	69 C1-C2;~1 Max	I	826.4	7.5	0.1	776.5	
141.7	37121.6		J	826.4	7.5	0.1	776.5	
177.9	33660.7	Min	I	-1669.8	-4.8	-0.4	-489.1	
-341.6	-22012.2		J	-1669.8	-4.8	-0.4	-489.1	
-168.1	-19282.9							
		C3-C4;~1 Max	I	948.8	7.3	0.2	975.5	
174.8	42163.9		J	948.8	7.3	0.2	975.5	
238.8	38525.7	Min	I	-1970.7	-4.5	-0.6	-410.5	
-450.1	-25198.1		J	-1970.7	-4.5	-0.6	-410.5	
-193.7	-23234.8							
		C1-C2;~2 Max	I	458.2	4.3	0.1	389.5	
78.4	18912.4		J	458.2	4.3	0.1	389.5	
101.3	17242.5	Min	I	-872.3	-3.0	-0.2	-288.8	
-170.9	-12540.8		J	-872.3	-3.0	-0.2	-288.8	
-90.3	-10857.8							
		C3-C4;~2 Max	I	535.2	4.0	0.1	479.8	
100.4	21133.8		J	535.2	4.0	0.1	479.8	
137.3	19431.4	Min	I	-1011.1	-2.7	-0.3	-231.3	
-225.5	-14533.6		J	-1011.1	-2.7	-0.3	-231.3	
-102.7	-13390.6							
		G1	I	-1299.3	4.7	-1.4	626.7	
-496.4	33187.3		J	-1299.3	4.7	0.7	626.7	
-183.8	29097.5							
		G2	I	-507.8	2.0	-0.1	251.3	
-125.6	13263.0		J	-507.8	2.0	-0.1	251.3	
-12.4	11538.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8.4	8875.1	Q5_pc X	I	-5.0	3.3	0.0	-73.1	
-7.7	5977.2		J	-5.0	3.3	0.0	-73.1	
42.6	3278.6	Q5_pc Y	I	15.2	0.8	0.1	12.7	
-7.9	2546.2		J	15.2	0.8	0.1	12.7	
10.8	8382.6	Q5_ps X	I	0.6	3.1	0.0	-76.8	
-8.6	5655.0		J	0.6	3.1	0.0	-76.8	
39.7	3178.0	Q5_ps Y	I	7.3	0.8	0.1	18.5	
-7.8	2481.7		J	7.3	0.8	0.1	18.5	
-680.3	145215.5	INVS LU Max	I	-2085.9	23.2	-1.8	2674.0	
-88.5	129007.3		J	-2085.9	23.2	1.1	2674.0	
1600.6	38301.7	Min	I	-6054.6	0.5	-2.9	565.3	-
-686.7	34871.7		J	-6054.6	0.5	-0.0	565.3	
-507.9	107964.8	INVS LE Max	I	-1586.5	17.1	-1.3	1987.2	
-72.1	96084.1		J	-1586.5	17.1	0.8	1987.2	
1183.9	29952.7	Min	I	-4524.2	0.7	-2.1	434.9	-
-514.1	27151.0		J	-4524.2	0.7	-0.0	434.9	
9294	2	69 C1-C2;~1 Max	I	903.7	24.9	0.3	586.6	
180.1	33666.0		J	903.7	24.9	0.3	586.6	
32.3	14128.9	Min	I	-1521.0	-13.6	-0.2	-404.2	
-167.2	-19285.5		J	-1521.0	-13.6	-0.2	-404.2	
-104.1	-9890.5							
241.8	38531.9	C3-C4;~1 Max	I	1039.7	28.9	0.4	658.1	
62.0	14484.9		J	1039.7	28.9	0.4	658.1	
-192.4	-23238.1	Min	I	-1773.8	-14.8	-0.2	-422.5	
-124.5	-11807.9		J	-1773.8	-14.8	-0.2	-422.5	
102.5	17245.4	C1-C2;~2 Max	I	510.8	13.0	0.2	341.1	
16.5	7300.5		J	510.8	13.0	0.2	341.1	
-89.7	-10859.2	Min	I	-806.3	-7.7	-0.1	-216.3	
-57.8	-5883.6		J	-806.3	-7.7	-0.1	-216.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
138.7	19434.8	C3-C4;~2	Max	I	595.0	14.8	0.2	364.9
				J	595.0	14.8	0.2	364.9
36.6	7259.1		Min	I	-924.7	-8.4	-0.1	-218.3
-101.9	-13392.5			J	-924.7	-8.4	-0.1	-218.3
-67.4	-7067.2							
		G1		I	-999.9	19.8	-1.0	28.9
-180.5	29100.3			J	-999.9	19.8	1.1	28.9
-222.1	11939.4							
		G2		I	-391.1	7.9	0.0	13.9
-11.0	11539.8			J	-391.1	7.9	0.0	13.9
-21.1	4693.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-3.5	3.4	-0.0	-65.9
-8.4	5977.0			J	-3.5	3.4	-0.0	-65.9
2.3	3041.3							
		Q5_pc	Y	I	-1.3	1.0	-0.0	-70.9
-8.2	2546.6			J	-1.3	1.0	-0.0	-70.9
19.0	1707.1							
		Q5_ps	X	I	-0.0	3.1	-0.0	-66.7
-9.3	5654.8			J	-0.0	3.1	-0.0	-66.7
1.5	2943.5							
		Q5_ps	Y	I	-7.3	1.0	-0.0	-65.8
-8.0	2482.1			J	-7.3	1.0	-0.0	-65.8
18.8	1605.2							
		INVSLE	Max	I	-1425.1	92.3	-1.0	920.8
-77.4	129023.5			J	-1425.1	92.3	1.9	920.8
-268.2	50390.7		Min	I	-5229.6	27.2	-1.8	-665.7
-678.6	34875.4			J	-5229.6	27.2	1.0	-665.7
-554.2	9421.1							
		INVSLE	Max	I	-1097.9	68.8	-0.7	663.4
-63.9	96096.3			J	-1097.9	68.8	1.4	663.4
-199.2	37496.5		Min	I	-3915.6	21.0	-1.4	-502.3
-508.1	27154.0			J	-3915.6	21.0	0.8	-502.3
-408.5	7554.1							
9295	2	69 C1-C2;~1	Max	I	1003.0	44.8	0.3	976.6
32.6	14125.5			J	1003.0	44.8	0.3	976.6
349.9	20517.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-98.8	-9884.1	Min	I	-1434.3	-24.8	-0.5	-1052.0	
			J	-1434.3	-24.8	-0.5	-1052.0	
-259.1	-28411.4							
		C3-C4;~1	Max	I	1138.8	51.9	0.3	1097.4
62.1	14474.7			J	1138.8	51.9	0.3	1097.4
354.3	17769.4							
		Min	I	-1663.5	-27.7	-0.5	-1202.9	
-118.3	-11799.3			J	-1663.5	-27.7	-0.5	-1202.9
-314.4	-32909.9							
		C1-C2;~2	Max	I	575.1	23.7	0.1	566.7
17.4	7300.1			J	575.1	23.7	0.1	566.7
220.8	11752.4							
		Min	I	-765.3	-13.9	-0.3	-567.9	
-54.3	-5880.0			J	-765.3	-13.9	-0.3	-567.9
-132.4	-15187.9							
		C3-C4;~2	Max	I	658.3	26.9	0.2	620.1
37.6	7254.0			J	658.3	26.9	0.2	620.1
225.0	9864.8							
		Min	I	-872.5	-15.6	-0.3	-640.1	
-63.3	-7062.2			J	-872.5	-15.6	-0.3	-640.1
-155.2	-17286.1							
		G1	I	-787.6	31.7	-1.0	-365.7	
-224.7	11933.0			J	-787.6	31.7	1.1	-365.7
-254.9	-15486.4							
		G2	I	-311.2	12.6	0.0	-143.1	
-22.1	4690.5			J	-311.2	12.6	0.0	-143.1
-53.4	-6182.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	X	I	4.8	3.4	-0.0	-61.9
1.6	3040.8			J	4.8	3.4	-0.0	-61.9
15.4	92.4							
		Q5_pc	Y	I	-2.3	1.2	-0.0	-129.2
17.8	1705.8			J	-2.3	1.2	-0.0	-129.2
24.8	666.9							
		Q5_ps	X	I	8.1	3.1	-0.0	-61.4
0.8	2943.1			J	8.1	3.1	-0.0	-61.4
20.2	251.2							
		Q5_ps	Y	I	-7.9	1.3	-0.0	-124.5
17.7	1603.9			J	-7.9	1.3	-0.0	-124.5
21.0	468.1							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-276.6	50359.0	INVS LU	Max	I	-883.8	158.5	-0.8	552.5
				J	-883.8	158.5	2.1	552.5
-44.3	-17525.5		Min	I	-4675.7	44.8	-1.9	-2785.4
-552.2	9415.6			J	-4675.7	44.8	1.0	-2785.4
-991.8	-90853.4							
		INVS LE	Max	I	-697.6	118.4	-0.6	364.9
-205.7	37472.6			J	-697.6	118.4	1.5	364.9
-40.4	-13716.5		Min	I	-3505.7	34.7	-1.4	-2090.4
-407.4	7549.6			J	-3505.7	34.7	0.8	-2090.4
-738.9	-67944.6							
9296	2	69 C1-C2;~1	Max	I	1072.8	31.0	0.4	1507.0
378.0	20506.0			J	1072.8	31.0	0.4	1507.0
110.7	3758.9		Min	I	-1351.1	-36.2	-0.4	-1267.3
-349.6	-28411.9			J	-1351.1	-36.2	-0.4	-1267.3
-42.6	-13028.6							
		C3-C4;~1	Max	I	1207.5	34.8	0.4	1761.4
447.9	17800.5			J	1207.5	34.8	0.4	1761.4
167.6	4128.7		Min	I	-1560.9	-41.6	-0.4	-1317.0
-403.3	-32885.7			J	-1560.9	-41.6	-0.4	-1317.0
-45.9	-16376.2							
		C1-C2;~2	Max	I	619.1	17.8	0.3	804.8
231.3	11751.4			J	619.1	17.8	0.3	804.8
61.7	2021.1		Min	I	-723.8	-19.5	-0.2	-733.9
-188.5	-15196.1			J	-723.8	-19.5	-0.2	-733.9
-21.6	-8120.2							
		C3-C4;~2	Max	I	701.3	20.2	0.3	922.1
272.4	9890.7			J	701.3	20.2	0.3	922.1
96.3	2202.3		Min	I	-821.4	-22.0	-0.2	-755.4
-214.5	-17286.1			J	-821.4	-22.0	-0.2	-755.4
-23.1	-10151.8							
		G1		I	-598.8	-12.8	-1.3	567.3
-312.7	-15446.9			J	-598.8	-12.8	0.8	567.3
-89.1	-4380.8							
		G2		I	-239.0	-5.1	-0.1	236.0
-70.8	-6164.4			J	-239.0	-5.1	-0.1	236.0
31.0	-1733.8							
		Q3		I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-12.6	75.7	Q5_pc X	I	14.0	0.3	-0.0	-48.0
-0.9	-179.0		J	14.0	0.3	-0.0	-48.0
-19.3	639.0	Q5_pc Y	I	0.1	-0.5	-0.0	90.1
-0.5	1109.2		J	0.1	-0.5	-0.0	90.1
-11.0	232.2	Q5_ps X	I	17.1	0.4	-0.0	-53.8
-3.1	-89.7		J	17.1	0.4	-0.0	-53.8
-21.1	441.8	Q5_ps Y	I	-5.0	-0.6	-0.0	92.8
0.6	1004.7		J	-5.0	-0.6	-0.0	92.8
-149.3	-17551.4	INVSLE Max	I	-401.3	-0.8	-1.5	4239.9
70.5	2609.6		J	-401.3	-0.8	1.3	4239.9
1333.1	-90780.4	Min	I	-4163.7	-105.0	-2.8	-78.2
-219.2	-27068.6		J	-4163.7	-105.0	0.1	-78.2
-123.2	-13736.7	INVSLE Max	I	-340.4	-1.8	-1.2	3189.9
49.9	2168.7		J	-340.4	-1.8	1.0	3189.9
-997.5	-67895.2	Min	I	-3125.5	-78.9	-2.1	3.3
-164.6	-19667.2		J	-3125.5	-78.9	0.1	3.3
9297	2	69 C1-C2;~1 Max	I	1136.0	17.0	0.2	869.0
101.6	3767.0		J	1136.0	17.0	0.2	869.0
147.5	18965.8	Min	I	-1271.0	-18.0	-0.1	-800.6
-37.1	-13034.8		J	-1271.0	-18.0	-0.1	-800.6
-148.2	-25227.6						
158.1	4138.3	C3-C4;~1 Max	I	1275.1	19.0	0.3	1016.0
173.3	21606.1		J	1275.1	19.0	0.3	1016.0
-32.0	-16382.2	Min	I	-1459.4	-20.6	-0.1	-791.4
-178.0	-31246.1		J	-1459.4	-20.6	-0.1	-791.4
56.2	2025.6	C1-C2;~2 Max	I	657.2	9.9	0.1	464.4
89.1	10277.4		J	657.2	9.9	0.1	464.4
-19.8	-8124.2	Min	I	-684.2	-9.7	-0.1	-470.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-76.5	-14953.5		J	-684.2	-9.7	-0.1	-470.9
90.6	2207.5	C3-C4;~2 Max	I	741.5	11.1	0.1	532.1
106.4	11520.8		J	741.5	11.1	0.1	532.1
-15.5	-10155.8	Min	I	-771.8	-11.0	-0.1	-454.0
-89.3	-18679.1		J	-771.8	-11.0	-0.1	-454.0
-83.9	-4376.1	G1	I	-408.5	-5.5	-0.9	294.4
-223.0	346.7		J	-408.5	-5.5	1.2	294.4
33.1	-1731.9	G2	I	-164.2	-2.2	0.1	123.8
-27.6	151.9		J	-164.2	-2.2	0.1	123.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.3	-179.4	Q5_pc X	I	20.2	-0.0	-0.0	-26.4
2.7	-169.0		J	20.2	-0.0	-0.0	-26.4
0.4	1109.4	Q5_pc Y	I	-2.6	-0.5	-0.0	58.9
13.8	1578.2		J	-2.6	-0.5	-0.0	58.9
-3.6	-90.2	Q5_ps X	I	22.5	0.0	-0.0	-29.9
3.5	-107.7		J	22.5	0.0	-0.0	-29.9
1.5	1004.9	Q5_ps Y	I	-6.8	-0.6	-0.0	60.4
12.7	1508.4		J	-6.8	-0.6	-0.0	60.4
75.1	2635.2	INVSLU Max	I	79.4	3.6	-0.7	2462.8
-195.6	46127.7		J	79.4	3.6	2.2	2462.8
-190.8	-27064.5	Min	I	-3648.6	-50.8	-1.3	-95.7
-694.7	-28063.6		J	-3648.6	-50.8	1.6	-95.7
53.8	2187.9	INVSLE Max	I	15.3	2.1	-0.5	1856.3
-149.6	34875.8		J	15.3	2.1	1.6	1856.3
-143.0	-19663.9	Min	I	-2743.4	-38.2	-0.9	-31.0
-517.5	-19870.3		J	-2743.4	-38.2	1.2	-31.0
9298	2	69 C1-C2;~1 Max	I	1265.3	1.8	0.1	172.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
143.6	18961.9		J	1265.3	1.8	0.1	172.4
245.7	18864.8						
		Min	I	-1222.8	-3.5	-0.2	-156.1
-143.4	-25224.7		J	-1222.8	-3.5	-0.2	-156.1
-152.5	-24172.2						
		C3-C4;~1 Max	I	1433.4	1.5	0.1	166.3
169.3	21601.5		J	1433.4	1.5	0.1	166.3
309.8	21538.5						
		Min	I	-1389.5	-3.1	-0.3	-114.9
-172.5	-31243.7		J	-1389.5	-3.1	-0.3	-114.9
-171.2	-30474.1						
		C1-C2;~2 Max	I	732.1	1.1	0.0	106.1
86.9	10275.3		J	732.1	1.1	0.0	106.1
140.4	10220.8						
		Min	I	-663.1	-2.3	-0.1	-102.1
-74.0	-14951.8		J	-663.1	-2.3	-0.1	-102.1
-80.8	-14292.2						
		C3-C4;~2 Max	I	831.4	0.9	0.0	94.0
104.1	11518.4		J	831.4	0.9	0.0	94.0
177.3	11489.9						
		Min	I	-741.6	-2.0	-0.1	-72.9
-86.4	-18677.8		J	-741.6	-2.0	-0.1	-72.9
-89.6	-18205.9						
		G1	I	-187.7	-1.0	-1.2	39.1
-221.4	344.5		J	-187.7	-1.0	0.9	39.1
-97.1	1216.6						
		G2	I	-77.6	-0.4	-0.1	16.3
-26.9	151.0		J	-77.6	-0.4	-0.1	16.3
23.0	460.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	20.0	-0.4	0.0	8.2
2.6	-168.9		J	20.0	-0.4	0.0	8.2
-2.9	140.3						
		Q5_pc Y	I	-21.7	-0.2	0.0	-7.7
14.1	1578.2		J	-21.7	-0.2	0.0	-7.7
-8.6	1766.6						
		Q5_ps X	I	20.6	-0.4	0.0	7.1
3.4	-107.6		J	20.6	-0.4	0.0	7.1
-4.1	196.4						
		Q5_ps Y	I	-24.4	-0.2	0.0	-6.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
13.1	1508.4			J	-24.4	-0.2	0.0	-6.7
-8.3	1691.4							
		INVS LU	Max	I	700.1	0.8	-1.5	504.1
-193.8	46115.6			J	700.1	0.8	1.3	504.1
186.9	47804.2		Min	I	-3150.0	-6.9	-2.1	45.9
-680.6	-28066.3			J	-3150.0	-6.9	0.8	45.9
-477.9	-25592.7							
		INVS LE	Max	I	473.1	0.6	-1.1	379.7
-148.1	34866.7			J	473.1	0.6	1.0	379.7
131.6	36064.6		Min	I	-2375.9	-5.0	-1.5	41.4
-506.8	-19872.4			J	-2375.9	-5.0	0.6	41.4
-359.7	-18068.0							
9299	2	69 C1-C2;~1	Max	I	1427.6	17.3	0.3	960.7
250.4	18868.3			J	1427.6	17.3	0.3	960.7
41.0	5584.4		Min	I	-1209.9	-20.7	-0.2	-830.9
-157.2	-24176.9			J	-1209.9	-20.7	-0.2	-830.9
-67.8	-9089.2							
		C3-C4;~1	Max	I	1628.0	19.5	0.4	1009.4
315.1	21542.5			J	1628.0	19.5	0.4	1009.4
70.7	5502.7		Min	I	-1365.1	-22.5	-0.2	-949.3
-176.5	-30479.1			J	-1365.1	-22.5	-0.2	-949.3
-77.5	-12376.1							
		C1-C2;~2	Max	I	818.7	9.4	0.2	558.9
143.0	10222.7			J	818.7	9.4	0.2	558.9
24.0	2988.5		Min	I	-653.8	-12.1	-0.1	-447.6
-83.3	-14294.9			J	-653.8	-12.1	-0.1	-447.6
-37.4	-5679.4							
		C3-C4;~2	Max	I	932.7	10.4	0.2	573.4
180.3	11492.0			J	932.7	10.4	0.2	573.4
44.1	2885.2		Min	I	-727.0	-13.0	-0.1	-504.2
-92.4	-18208.6			J	-727.0	-13.0	-0.1	-504.2
-41.3	-7719.5							
		G1		I	23.8	0.2	-1.0	-56.4
-97.5	1215.8			J	23.8	0.2	1.2	-56.4
-189.1	1051.5							
		G2		I	4.9	0.2	0.0	-28.1
22.9	460.6			J	4.9	0.2	0.0	-28.1


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
								PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-8.8	299.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	20.2	-0.7	0.0	42.4
-2.6	140.2			J	20.2	-0.7	0.0	42.4
-3.4	745.5							
			Q5_pc Y	I	-40.0	0.4	-0.0	-87.3
-9.1	1766.8			J	-40.0	0.4	-0.0	-87.3
11.5	1449.9							
			Q5_ps X	I	19.5	-0.7	0.0	42.1
-3.8	196.4			J	19.5	-0.7	0.0	42.1
-4.3	798.5							
			Q5_ps Y	I	-41.4	0.4	-0.0	-85.6
-8.8	1691.7			J	-41.4	0.4	-0.0	-85.6
11.6	1348.0							
			INVSLE Max	I	1385.3	39.8	-0.9	1130.6
193.9	47812.1			J	1385.3	39.8	2.0	1130.6
-204.2	14937.4		Min	I	-2727.3	-18.2	-1.6	-1670.7
-486.2	-25597.3			J	-2727.3	-18.2	1.2	-1670.7
-425.0	-11919.3							
			INVSLE Max	I	978.9	30.1	-0.6	804.9
136.7	36070.6			J	978.9	30.1	1.5	804.9
-154.0	11141.0		Min	I	-2062.1	-12.7	-1.2	-1258.5
-365.9	-18071.2			J	-2062.1	-12.7	0.9	-1258.5
-316.0	-8559.5							
9300	2	69	C1-C2;~1 Max	I	1538.1	33.7	0.2	1637.1
51.1	5582.3			J	1538.1	33.7	0.2	1637.1
422.7	32053.0		Min	I	-1178.6	-40.0	-0.5	-1431.7
-68.9	-9080.5			J	-1178.6	-40.0	-0.5	-1431.7
-178.9	-25773.4							
			C3-C4;~1 Max	I	1739.9	38.0	0.2	1792.9
82.4	5496.4			J	1739.9	38.0	0.2	1792.9
429.6	29667.6		Min	I	-1324.2	-44.6	-0.5	-1630.6
-77.0	-12363.1			J	-1324.2	-44.6	-0.5	-1630.6
-204.8	-28775.5							
			C1-C2;~2 Max	I	882.9	18.2	0.1	939.8
30.2	2988.0			J	882.9	18.2	0.1	939.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
267.0	18241.8							
			Min	I	-634.7	-22.9	-0.3	-770.9
-36.7	-5674.4			J	-634.7	-22.9	-0.3	-770.9
-96.3	-13884.0							
		C3-C4;~2	Max	I	996.1	20.3	0.1	1016.9
51.2	2882.3			J	996.1	20.3	0.1	1016.9
273.5	16550.4							
			Min	I	-703.2	-25.5	-0.3	-865.9
-39.0	-7711.8			J	-703.2	-25.5	-0.3	-865.9
-107.4	-15280.2							
			G1	I	173.0	-1.4	-1.2	-35.9
-189.6	1052.8			J	173.0	-1.4	0.9	-35.9
-59.5	2257.8							
			G2	I	60.6	-0.4	-0.0	-24.7
-9.2	299.9			J	60.6	-0.4	-0.0	-24.7
22.5	609.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	25.6	-1.0	-0.0	63.5
-2.8	745.8			J	25.6	-1.0	-0.0	63.5
17.1	1621.4							
			Q5_pc Y	I	-45.0	1.1	0.0	-141.7
10.2	1448.8			J	-45.0	1.1	0.0	-141.7
9.7	510.5							
			Q5_ps X	I	25.1	-1.0	-0.0	62.7
-3.7	798.8			J	25.1	-1.0	-0.0	62.7
21.2	1657.5							
			Q5_ps Y	I	-46.0	1.1	0.0	-139.3
10.3	1346.8			J	-46.0	1.1	0.0	-139.3
7.3	373.9							
			INVSLU Max	I	1876.3	74.0	-1.3	1904.5
-195.4	14927.6			J	1876.3	74.0	1.5	1904.5
435.0	31977.9							
			Min	I	-2341.3	-39.5	-2.3	-2972.3
-428.8	-11906.4			J	-2341.3	-39.5	0.5	-2972.3
-452.2	-53059.0							
			INVSLE Max	I	1344.9	56.1	-1.0	1348.0
-147.9	11133.3			J	1344.9	56.1	1.1	1348.0
318.4	22616.6							
			Min	I	-1773.2	-27.9	-1.7	-2245.6
-319.4	-8550.6			J	-1773.2	-27.9	0.4	-2245.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-336.5	-40157.4								
9301	2	69	C1-C2;~1	Max	I	1578.6	43.9	0.5	1435.0
516.7	32056.6				J	1578.6	43.9	0.5	1435.0
91.1	2879.1				Min	I	-1127.0	-30.6	-2050.0
-295.5	-25819.8				J	-1127.0	-30.6	-0.3	-2050.0
-33.2	-11120.1								
			C3-C4;~1	Max	I	1773.3	49.1	0.6	1609.6
598.5	29696.3				J	1773.3	49.1	0.6	1609.6
143.2	2291.6				Min	I	-1261.8	-34.2	-2207.1
-332.3	-28829.5				J	-1261.8	-34.2	-0.4	-2207.1
-32.6	-14336.8								
			C1-C2;~2	Max	I	906.6	25.0	0.3	769.6
306.5	18242.0				J	906.6	25.0	0.3	769.6
49.2	1679.3				Min	I	-605.5	-16.4	-1177.6
-156.7	-13906.8				J	-605.5	-16.4	-0.2	-1177.6
-17.3	-6739.0								
			C3-C4;~2	Max	I	1015.7	27.9	0.4	851.4
351.8	16564.0				J	1015.7	27.9	0.4	851.4
80.4	1282.8				Min	I	-668.7	-18.1	-1259.5
-174.1	-15307.0				J	-668.7	-18.1	-0.2	-1259.5
-16.4	-8620.7								
			G1		I	284.2	9.7	-1.1	-437.8
-74.0	2258.6				J	284.2	9.7	1.1	-437.8
-83.1	-6128.3								
			G2		I	103.4	3.6	-0.0	-152.2
20.4	611.7				J	103.4	3.6	-0.0	-152.2
33.7	-2487.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	31.5	1.0	0.0	-87.5
0.3	1611.7				J	31.5	1.0	0.0	-87.5
-4.4	784.8								
			Q5_pc	Y	I	-46.0	-1.5	-0.0	96.8
-24.3	488.4				J	-46.0	-1.5	-0.0	96.8
-5.4	1787.9								
			Q5_ps	X	I	31.2	0.9	0.0	-89.5
1.3	1645.9				J	31.2	0.9	0.0	-89.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-6.6	831.4						
		Q5_ps Y	I	-46.6	-1.5	-0.0	97.3
-25.0	353.1		J	-46.6	-1.5	-0.0	97.3
-4.3	1654.2						
		INVSLE Max	I	2226.1	65.8	-0.8	3223.6
563.8	32037.9		J	2226.1	65.8	2.0	3223.6
114.3	-5558.3						
		Min	I	-1954.1	-49.4	-2.2	-2103.1
-736.4	-53059.3		J	-1954.1	-49.4	0.7	-2103.1
-133.7	-32017.9						
		INVSLE Max	I	1608.4	47.5	-0.6	2486.9
408.4	22663.5		J	1608.4	47.5	1.5	2486.9
84.2	-4257.1						
		Min	I	-1481.9	-37.6	-1.6	-1445.9
-551.5	-40156.6		J	-1481.9	-37.6	0.5	-1445.9
-98.8	-23618.4						
		69 C1-C2;~1 Max	I	1593.3	23.8	0.1	865.5
9302	2		J	1593.3	23.8	0.1	865.5
77.6	2874.0						
		Min	I	-1078.5	-16.1	-0.1	-1286.9
146.7	14660.5		J	-1078.5	-16.1	-0.1	-1286.9
-34.1	-11126.8						
		C3-C4;~1 Max	I	1786.6	26.6	0.2	969.2
-95.6	-29722.2		J	1786.6	26.6	0.2	969.2
127.9	2291.2						
		Min	I	-1203.6	-18.0	-0.1	-1378.4
171.0	16421.5		J	-1203.6	-18.0	-0.1	-1378.4
-28.6	-14344.7						
		C1-C2;~2 Max	I	911.3	13.6	0.1	463.3
-112.2	-36380.4		J	911.3	13.6	0.1	463.3
41.2	1675.7						
		Min	I	-577.5	-8.6	-0.1	-741.1
88.5	7770.4		J	-577.5	-8.6	-0.1	-741.1
-19.5	-6743.6						
		C3-C4;~2 Max	I	1018.8	15.1	0.1	511.9
-50.9	-17254.4		J	1018.8	15.1	0.1	511.9
71.1	1282.3						
		Min	I	-636.0	-9.5	-0.1	-786.8
104.3	8602.5		J	-636.0	-9.5	-0.1	-786.8
-15.2	-8626.1						
		G1	I	385.6	5.5	-1.0	-302.4
-58.2	-21176.7		J	385.6	5.5	1.1	-302.4
-87.3	-6129.7						
-137.5	-10906.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
32.2	-2487.6	G2	I	144.5	2.0	0.0	-106.5
			J	144.5	2.0	0.0	-106.5
6.5	-4262.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-5.2	784.1	Q5_pc X	I	35.2	0.5	-0.0	-53.2
			J	35.2	0.5	-0.0	-53.2
3.4	391.8						
-4.5	1788.2	Q5_pc Y	I	-50.3	-0.9	-0.0	61.0
			J	-50.3	-0.9	-0.0	61.0
4.9	2566.3						
-7.4	830.6	Q5_ps X	I	34.5	0.4	-0.0	-54.6
			J	34.5	0.4	-0.0	-54.6
3.6	450.2						
-3.4	1654.6	Q5_ps Y	I	-50.2	-0.9	-0.0	61.5
			J	-50.2	-0.9	-0.0	61.5
4.6	2429.6						
102.4	-5560.0	INVSLE Max	I	2545.1	36.5	-1.1	2031.4
			J	2545.1	36.5	1.8	2031.4
62.2	13654.9	Min	I	-1582.3	-25.3	-1.5	-1247.6
-125.5	-32024.0		J	-1582.3	-25.3	1.3	-1247.6
-328.9	-62247.1						
76.5	-4257.9	INVSLE Max	I	1848.6	26.4	-0.8	1571.0
			J	1848.6	26.4	1.3	1571.0
47.1	10430.1	Min	I	-1202.0	-19.3	-1.1	-849.8
-91.7	-23622.4		J	-1202.0	-19.3	1.0	-849.8
-241.9	-45451.5						
9303	2	69 C1-C2;~1 Max	I	1705.7	1.5	0.1	89.5
139.8	14657.7		J	1705.7	1.5	0.1	89.5
219.6	15130.8	Min	I	-1073.0	-2.5	-0.1	-127.9
-91.3	-29719.2		J	-1073.0	-2.5	-0.1	-127.9
-104.0	-29402.8						
164.0	16418.4	C3-C4;~1 Max	I	1928.0	1.4	0.1	81.8
			J	1928.0	1.4	0.1	81.8
274.3	16976.3	Min	I	-1193.9	-2.1	-0.2	-102.3
-107.6	-36377.4		J	-1193.9	-2.1	-0.2	-102.3
-114.6	-36282.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
84.4	7768.9	C1-C2;~2 Max	I	969.7	0.9	0.0	53.6
			J	969.7	0.9	0.0	53.6
124.3	8035.5						
		Min	I	-570.4	-1.5	-0.1	-83.9
-48.6	-17252.6		J	-570.4	-1.5	-0.1	-83.9
-53.5	-17038.2						
		C3-C4;~2 Max	I	1090.8	0.8	0.0	43.3
100.2	8600.8		J	1090.8	0.8	0.0	43.3
155.4	8907.7						
		Min	I	-626.8	-1.3	-0.1	-64.8
-55.6	-21174.9		J	-626.8	-1.3	-0.1	-64.8
-58.4	-21103.6						
		G1	I	525.8	-0.9	-1.2	-1.2
-139.4	-10906.3		J	525.8	-0.9	1.0	-1.2
-55.9	-10111.0						
		G2	I	200.1	-0.4	-0.0	-0.6
5.8	-4262.9		J	200.1	-0.4	-0.0	-0.6
39.6	-3949.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	35.4	-0.1	0.0	1.3
3.1	391.9		J	35.4	-0.1	0.0	1.3
-0.6	500.6						
		Q5_pc Y	I	-68.1	0.0	0.0	-7.8
5.2	2566.3		J	-68.1	0.0	0.0	-7.8
-13.9	2553.1						
		Q5_ps X	I	33.7	-0.1	0.0	0.9
3.3	450.4		J	33.7	-0.1	0.0	0.9
-1.8	559.8						
		Q5_ps Y	I	-66.8	0.0	0.0	-6.9
5.0	2429.6		J	-66.8	0.0	0.0	-6.9
-13.2	2422.1						
		INVSLU Max	I	3087.1	-0.4	-1.5	369.5
58.0	13649.8		J	3087.1	-0.4	1.3	369.5
384.4	16579.1						
		Min	I	-1250.1	-6.0	-1.9	62.0
-318.0	-62243.8		J	-1250.1	-6.0	1.0	62.0
-165.7	-59916.3						
		INVSLE Max	I	2251.0	-0.3	-1.1	281.2
44.5	10426.2		J	2251.0	-0.3	1.0	281.2
285.3	12628.1						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-233.3	-45449.1		Min	I	-952.7	-4.5	-1.4	54.4	
				J	-952.7	-4.5	0.7	54.4	
-120.3	-43694.6								
9304	2	69	C1-C2;~1	Max	I	1807.4	15.1	0.3	1442.5
227.3	15134.6				J	1807.4	15.1	0.3	1442.5
24.8	3499.2								
			Min	I	-1061.2	-26.1	-0.1	-883.2	
-108.8	-29409.2			J	-1061.2	-26.1	-0.1	-883.2	
-75.4	-8268.0								
			C3-C4;~1	Max	I	2052.1	16.7	0.4	1592.3
282.8	16980.3			J	2052.1	16.7	0.4	1592.3	
45.3	3195.7								
			Min	I	-1177.2	-29.0	-0.2	-985.8	
-120.0	-36290.2			J	-1177.2	-29.0	-0.2	-985.8	
-88.3	-11757.5								
			C1-C2;~2	Max	I	1023.5	8.0	0.2	818.6
128.7	8037.4			J	1023.5	8.0	0.2	818.6	
12.6	1882.3								
			Min	I	-560.0	-14.9	-0.1	-466.5	
-56.1	-17041.8			J	-560.0	-14.9	-0.1	-466.5	
-44.0	-5080.1								
			C3-C4;~2	Max	I	1154.4	8.7	0.2	892.8
160.1	8909.8			J	1154.4	8.7	0.2	892.8	
26.0	1737.0								
			Min	I	-614.0	-16.3	-0.1	-514.7	
-61.3	-21107.6			J	-614.0	-16.3	-0.1	-514.7	
-50.9	-7216.2								
			G1	I	653.7	-9.5	-0.9	458.4	
-53.5	-10113.9			J	653.7	-9.5	1.2	458.4	
-188.2	-1878.9								
			G2	I	250.0	-3.6	0.1	167.2	
40.4	-3950.3			J	250.0	-3.6	0.1	167.2	
-7.6	-814.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	35.5	-0.7	0.0	54.4
-0.3	500.5			J	35.5	-0.7	0.0	54.4	
-4.2	1110.7								
			Q5_pc	Y	I	-84.5	1.2	-0.0	-92.9
-14.4	2553.5			J	-84.5	1.2	-0.0	-92.9	
8.6	1524.7								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.5	559.7	Q5_ps X	I	33.0	-0.7	0.0	53.7
			J	33.0	-0.7	0.0	53.7
-5.4	1147.0						
		Q5_ps Y	I	-82.2	1.2	-0.0	-90.7
-13.7	2422.5		J	-82.2	1.2	-0.0	-90.7
8.8	1422.0						
		INVS LU Max	I	3573.4	14.6	-0.7	2150.6
396.7	16583.8		J	3573.4	14.6	2.2	2150.6
-123.8	5297.3	Min	I	-938.3	-49.2	-1.4	-1497.1
-173.1	-59927.7		J	-938.3	-49.2	1.4	-1497.1
-319.5	-18043.8						
		INVS LE Max	I	2611.8	11.2	-0.5	1523.3
294.1	12631.9		J	2611.8	11.2	1.6	1523.3
-89.8	3888.6	Min	I	-718.9	-35.9	-1.1	-1166.3
-126.0	-43702.9		J	-718.9	-35.9	1.1	-1166.3
-233.7	-13197.9						
9305	2	69 C1-C2;~1 Max	I	1880.3	29.6	0.2	2502.6
27.0	3501.1		J	1880.3	29.6	0.2	2502.6
401.6	40143.5	Min	I	-1037.8	-51.0	-0.5	-1511.3
-66.1	-8256.5		J	-1037.8	-51.0	-0.5	-1511.3
-137.7	-23536.6						
		C3-C4;~1 Max	I	2122.6	32.8	0.2	2790.2
56.8	3196.8		J	2122.6	32.8	0.2	2790.2
410.7	39701.7	Min	I	-1148.4	-57.5	-0.5	-1683.5
-78.3	-11739.4		J	-1148.4	-57.5	-0.5	-1683.5
-155.2	-25893.1						
		C1-C2;~2 Max	I	1067.3	15.6	0.1	1415.5
13.2	1884.0		J	1067.3	15.6	0.1	1415.5
248.0	22587.0	Min	I	-545.3	-28.9	-0.3	-796.8
-37.2	-5073.4		J	-545.3	-28.9	-0.3	-796.8
-72.8	-12363.2						
		C3-C4;~2 Max	I	1195.9	17.1	0.1	1562.3
33.2	1738.2		J	1195.9	17.1	0.1	1562.3
255.2	21810.7	Min	I	-596.6	-32.3	-0.3	-877.6
-43.3	-7205.5		J	-596.6	-32.3	-0.3	-877.6
-80.5	-13448.1						
		G1	I	744.1	-19.3	-1.3	852.1
-180.5	-1871.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	14814.6		J	744.1	-19.3	0.9	852.1
-4.8	-811.8	G2	I	282.6	-7.3	-0.1	314.1
46.1	5547.1		J	282.6	-7.3	-0.1	314.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.4	1111.2	Q5_pc X	I	38.6	-1.2	-0.0	86.7
15.4	2169.8		J	38.6	-1.2	-0.0	86.7
7.2	1523.4	Q5_pc Y	I	-90.2	2.5	0.0	-156.2
-4.6	-613.1		J	-90.2	2.5	0.0	-156.2
-4.6	1147.4	Q5_ps X	I	36.8	-1.2	-0.0	84.7
19.6	2152.2		J	36.8	-1.2	-0.0	84.7
7.4	1420.7	Q5_ps Y	I	-87.7	2.4	0.0	-152.4
-5.7	-656.2		J	-87.7	2.4	0.0	-152.4
-111.0	5298.5	INVS LU Max	I	3910.4	26.8	-1.6	3769.6
742.7	72400.4		J	3910.4	26.8	1.3	3769.6
-306.2	-18018.3	Min	I	-667.8	-99.5	-2.6	-2551.1
-49.0	-20654.6		J	-667.8	-99.5	0.3	-2551.1
-81.3	3888.7	INVS LE Max	I	2863.7	20.7	-1.2	2670.5
558.7	52694.0		J	2863.7	20.7	0.9	2670.5
-225.0	-13179.9	Min	I	-515.5	-72.6	-1.9	-1990.7
-25.8	-15946.3		J	-515.5	-72.6	0.2	-1990.7
9306	2	69 C1-C2;~1 Max	I	1922.2	55.5	0.5	1403.8
484.1	40162.8		J	1922.2	55.5	0.5	1403.8
92.2	2177.7	Min	I	-1012.1	-28.7	-0.2	-2733.7
-217.0	-23581.4		J	-1012.1	-28.7	-0.2	-2733.7
-36.6	-10990.8						
546.5	39774.4	C3-C4;~1 Max	I	2159.9	62.3	0.5	1548.4
138.2	2123.1		J	2159.9	62.3	0.5	1548.4
-240.2	-25943.7	Min	I	-1117.3	-31.7	-0.3	-3010.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-34.5	-14723.9		J	-1117.3	-31.7	-0.3	-3010.9
286.1	22596.6	C1-C2;~2 Max	I	1092.5	31.4	0.3	731.7
51.6	1140.9		J	1092.5	31.4	0.3	731.7
-113.0	-12385.6	Min	I	-529.8	-15.0	-0.1	-1553.0
-19.8	-6597.1		J	-529.8	-15.0	-0.1	-1553.0
320.3	21843.5	C3-C4;~2 Max	I	1218.3	35.0	0.3	798.9
78.8	1078.7		J	1218.3	35.0	0.3	798.9
-123.8	-13473.3	Min	I	-578.6	-16.3	-0.1	-1693.3
-17.8	-8804.0		J	-578.6	-16.3	-0.1	-1693.3
2.1	14816.9	G1	I	815.8	24.6	-1.0	-1220.0
-88.1	-6502.1		J	815.8	24.6	1.2	-1220.0
49.1	5549.3	G2	I	309.8	9.4	0.0	-452.7
31.6	-2582.2		J	309.8	9.4	0.0	-452.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.8	2165.5	Q5_pc X	I	41.2	1.3	0.0	-99.5
-4.1	1066.4		J	41.2	1.3	0.0	-99.5
-28.4	-627.2	Q5_pc Y	I	-92.6	-2.8	-0.0	150.6
-7.9	1820.4		J	-92.6	-2.8	-0.0	150.6
9.4	2146.6	Q5_ps X	I	39.9	1.2	0.0	-99.5
-6.2	1092.0		J	39.9	1.2	0.0	-99.5
-28.7	-669.7	Q5_ps Y	I	-89.9	-2.7	-0.0	147.0
-6.9	1699.1		J	-89.9	-2.7	-0.0	147.0
911.3	72477.9	INVSLU Max	I	4137.6	117.4	-0.5	2631.4
139.6	-5768.0		J	4137.6	117.4	2.4	2631.4
-201.8	-20663.8	Min	I	-453.3	-14.5	-1.6	-3794.8
-110.7	-31861.9		J	-453.3	-14.5	1.3	-3794.8
		INVSLE Max	I	3032.4	85.8	-0.3	2072.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
680.0	52751.1			J	3032.4	85.8	1.8	2072.5	
102.0	-4309.4		Min	I	-356.0	-11.6	-1.2	-2667.6	
-140.8	-15954.0			J	-356.0	-11.6	1.0	-2667.6	
-82.3	-23395.4								
9307	2	69	C1-C2;~1	Max	I	1967.7	29.7	0.1	799.8
74.3	2178.0			J	1967.7	29.7	0.1	799.8	
169.6	14403.2		Min	I	-997.9	-15.1	-0.2	-1592.4	
-41.4	-11006.1			J	-997.9	-15.1	-0.2	-1592.4	
-92.0	-35793.5								
			C3-C4;~1	Max	I	2211.8	33.3	0.2	881.4
119.2	2126.6			J	2211.8	33.3	0.2	881.4	
200.6	15889.7		Min	I	-1099.0	-16.6	-0.2	-1749.3	
-38.3	-14741.8			J	-1099.0	-16.6	-0.2	-1749.3	
-108.9	-43215.7								
			C1-C2;~2	Max	I	1117.0	16.9	0.1	415.9
40.2	1140.1			J	1117.0	16.9	0.1	415.9	
101.8	7416.3		Min	I	-519.8	-7.9	-0.1	-906.1	
-23.9	-6606.1			J	-519.8	-7.9	-0.1	-906.1	
-49.0	-20596.4								
			C3-C4;~2	Max	I	1245.7	18.7	0.1	453.8
66.9	1077.9			J	1245.7	18.7	0.1	453.8	
121.2	8109.2		Min	I	-566.6	-8.6	-0.1	-984.6	
-21.1	-8814.6			J	-566.6	-8.6	-0.1	-984.6	
-56.4	-24816.8								
			G1	I	890.7	13.2	-1.1	-719.9	
-99.6	-6509.7			J	890.7	13.2	1.1	-719.9	
-109.9	-17904.2								
			G2	I	340.4	5.0	0.0	-266.3	
27.4	-2585.0			J	340.4	5.0	0.0	-266.3	
17.2	-6942.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	42.6	0.7	-0.0	-59.3
-5.1	1065.7			J	42.6	0.7	-0.0	-59.3	
2.3	494.6								
			Q5_pc	Y	I	-98.1	-1.6	-0.0	90.4
-6.5	1821.2								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
3.0	3184.2		J	-98.1	-1.6	-0.0	90.4
-7.1	1091.2	Q5_ps X	I	40.9	0.6	-0.0	-59.6
2.5	550.3		J	40.9	0.6	-0.0	-59.6
-5.5	1699.9	Q5_ps Y	I	-94.8	-1.5	-0.0	88.6
2.9	3018.4		J	-94.8	-1.5	-0.0	88.6
117.0	-5765.4	INVSLU Max	I	4364.2	62.4	-1.2	1636.3
219.7	141.4		J	4364.2	62.4	1.7	1636.3
-111.6	-31885.4	Min	I	-282.1	-7.9	-1.7	-2077.9
-203.5	-85382.5		J	-282.1	-7.9	1.2	-2077.9
86.6	-4306.6	INVSLE Max	I	3197.9	45.5	-0.9	1287.4
165.2	468.4		J	3197.9	45.5	1.3	1287.4
-81.8	-23412.0	Min	I	-230.7	-6.3	-1.3	-1451.8
-147.8	-62458.1		J	-230.7	-6.3	0.9	-1451.8
9308	2	69 C1-C2;~1 Max	I	2094.9	1.5	0.1	140.8
163.4	14390.0		J	2094.9	1.5	0.1	140.8
239.3	14793.4	Min	I	-1016.3	-1.8	-0.2	-80.1
-89.7	-35768.7		J	-1016.3	-1.8	-0.2	-80.1
-88.1	-35709.8						
194.4	15875.2	C3-C4;~1 Max	I	2366.3	1.4	0.1	145.3
295.0	16323.9		J	2366.3	1.4	0.1	145.3
-106.6	-43188.4	Min	I	-1116.0	-1.6	-0.2	-65.8
-95.2	-43314.5		J	-1116.0	-1.6	-0.2	-65.8
98.0	7409.5	C1-C2;~2 Max	I	1186.0	0.9	0.0	84.8
137.1	7640.9		J	1186.0	0.9	0.0	84.8
-47.7	-20582.4	Min	I	-525.0	-1.1	-0.1	-45.8
-43.5	-20530.1		J	-525.0	-1.1	-0.1	-45.8
117.5	8101.7	C3-C4;~2 Max	I	1327.8	0.9	0.1	82.5
168.7	8352.9		J	1327.8	0.9	0.1	82.5
-55.0	-24801.5	Min	I	-571.1	-0.9	-0.1	-32.1
-46.7	-24860.4		J	-571.1	-0.9	-0.1	-32.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-113.3	-17893.2	G1	I	1005.1	-0.5	-1.2	36.8
			J	1005.1	-0.5	1.0	36.8
-25.0	-17428.5						
		G2	I	385.5	-0.2	-0.0	15.0
15.9	-6938.4		J	385.5	-0.2	-0.0	15.0
51.3	-6773.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	43.3	-0.0	0.0	2.2
2.0	495.6		J	43.3	-0.0	0.0	2.2
-0.2	518.9						
		Q5_pc Y	I	-116.0	-0.0	0.0	-6.7
3.4	3182.9		J	-116.0	-0.0	0.0	-6.7
-17.6	3183.2						
		Q5_ps X	I	40.8	-0.0	0.0	1.7
2.2	551.2		J	40.8	-0.0	0.0	1.7
-1.3	582.4						
		Q5_ps Y	I	-111.7	-0.0	0.0	-5.9
3.3	3017.0		J	-111.7	-0.0	0.0	-5.9
-16.7	3019.8						
		INVSLE Max	I	4803.9	1.0	-1.5	363.9
214.6	116.9		J	4803.9	1.0	1.4	363.9
553.3	1631.2						
		Min	I	-105.9	-3.6	-2.0	47.5
-197.9	-85348.1		J	-105.9	-3.6	0.9	47.5
-5.2	-84610.3						
		INVSLE Max	I	3520.2	0.8	-1.1	268.7
161.8	449.0		J	3520.2	0.8	1.0	268.7
411.0	1569.9						
		Min	I	-101.2	-2.6	-1.5	35.2
-143.3	-62434.0		J	-101.2	-2.6	0.6	35.2
-0.3	-61888.3						
9309	2	69 C1-C2;~1 Max	I	2175.3	14.1	0.3	1738.1
249.2	14796.6		J	2175.3	14.1	0.3	1738.1
31.1	2894.6						
		Min	I	-1011.8	-30.9	-0.1	-833.1
-92.9	-35716.4		J	-1011.8	-30.9	-0.1	-833.1
-81.7	-9776.2						
		C3-C4;~1 Max	I	2462.6	15.5	0.4	1931.6
306.0	16327.3		J	2462.6	15.5	0.4	1931.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
56.1	3072.6		Min	I	-1107.7	-34.4	-0.1	-915.3
-100.5	-43321.9			J	-1107.7	-34.4	-0.1	-915.3
-94.5	-13717.9							
142.7	7642.5	C1-C2;~2	Max	I	1229.7	7.2	0.2	982.8
				J	1229.7	7.2	0.2	982.8
15.7	1501.0		Min	I	-518.3	-17.6	-0.1	-427.9
-46.0	-20533.8			J	-518.3	-17.6	-0.1	-427.9
-48.1	-5914.6							
174.8	8354.7	C3-C4;~2	Max	I	1378.4	7.9	0.2	1078.1
				J	1378.4	7.9	0.2	1078.1
31.6	1605.9		Min	I	-562.5	-19.3	-0.1	-466.1
-49.5	-24864.5			J	-562.5	-19.3	-0.1	-466.1
-55.1	-8269.0							
			G1	I	1089.8	-15.6	-0.9	828.4
-20.3	-17432.1			J	1089.8	-15.6	1.3	828.4
-182.2	-3947.1							
			G2	I	418.3	-5.9	0.1	310.6
53.1	-6774.8			J	418.3	-5.9	0.1	310.6
-4.7	-1631.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	43.5	-0.7	0.0	59.9
0.2	518.7			J	43.5	-0.7	0.0	59.9
-5.9	1133.5							
			Q5_pc Y	I	-131.4	1.8	-0.0	-113.1
-18.3	3183.7			J	-131.4	1.8	-0.0	-113.1
9.4	1621.4							
			Q5_ps X	I	40.7	-0.7	0.0	58.7
-1.0	582.3			J	40.7	-0.7	0.0	58.7
-7.3	1175.5							
			Q5_ps Y	I	-126.3	1.7	-0.0	-109.0
-17.4	3020.3			J	-126.3	1.7	-0.0	-109.0
9.6	1517.6							
			INVSLU Max	I	5132.5	1.7	-0.6	2756.0
569.4	1634.8			J	5132.5	1.7	2.3	2756.0
-46.2	327.3		Min	I	76.2	-68.9	-1.3	-1290.9
-12.2	-84622.3			J	76.2	-68.9	1.5	-1290.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-266.6	-25258.4							
		INVSLE Max	I	3762.2	1.7	-0.4	1954.9	
422.5	1572.8		J	3762.2	1.7	1.7	1954.9	
-32.5	208.4							
		Min	I	34.3	-50.3	-1.0	-1027.7	
-5.9	-61896.8		J	34.3	-50.3	1.1	-1027.7	
-194.4	-18527.8							
9310	2	69 C1-C2;~1 Max	I	2230.9	27.5	0.2	2927.2	
35.7	2894.1		J	2230.9	27.5	0.2	2927.2	
531.8	45254.8							
		Min	I	-997.6	-59.8	-0.7	-1389.8	
-68.2	-9759.7		J	-997.6	-59.8	-0.7	-1389.8	
-165.1	-21266.6							
		C3-C4;~1 Max	I	2516.9	30.1	0.2	3263.4	
68.5	3064.7		J	2516.9	30.1	0.2	3263.4	
562.8	45247.6							
		Min	I	-1090.0	-67.3	-0.7	-1525.0	
-80.3	-13698.8		J	-1090.0	-67.3	-0.7	-1525.0	
-180.5	-23172.2							
		C1-C2;~2 Max	I	1263.5	14.1	0.1	1653.0	
18.3	1501.5		J	1263.5	14.1	0.1	1653.0	
321.3	25435.3							
		Min	I	-508.2	-33.8	-0.4	-712.2	
-39.0	-5905.1		J	-508.2	-33.8	-0.4	-712.2	
-84.2	-10811.7							
		C3-C4;~2 Max	I	1410.6	15.3	0.1	1819.9	
39.4	1601.8		J	1410.6	15.3	0.1	1819.9	
339.9	24758.4							
		Min	I	-550.8	-37.6	-0.4	-774.9	
-45.3	-8258.2		J	-550.8	-37.6	-0.4	-774.9	
-91.2	-11688.4							
		G1	I	1145.6	-30.5	-1.4	1426.4	
-169.3	-3938.0		J	1145.6	-30.5	0.8	1426.4	
92.2	22489.3							
		G2	I	437.9	-11.7	-0.1	535.7	
0.1	-1628.3		J	437.9	-11.7	-0.1	535.7	
81.1	8471.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	45.0	-1.3	-0.0	97.4	
-5.0	1134.0		J	45.0	-1.3	-0.0	97.4	
14.9	2277.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7.7	1620.1	Q5_pc	Y	I	-138.1	3.7	0.0	-193.9
-19.2	-1543.6			J	-138.1	3.7	0.0	-193.9
-6.4	1176.0	Q5_ps	X	I	42.9	-1.3	-0.0	95.0
19.0	2266.2			J	42.9	-1.3	-0.0	95.0
7.9	1516.3	Q5_ps	Y	I	-132.8	3.5	0.0	-187.1
-19.2	-1526.3			J	-132.8	3.5	0.0	-187.1
-30.0	317.3	INVS LU	Max	I	5359.1	1.4	-1.7	4734.2
1176.6	94679.8			J	5359.1	1.4	1.1	4734.2
-244.7	-25229.5		Min	I	241.1	-136.6	-3.0	-2079.3
138.5	-1796.1			J	241.1	-136.6	-0.1	-2079.3
-21.5	200.3	INVS LE	Max	I	3931.3	1.9	-1.3	3363.5
880.1	69134.4			J	3931.3	1.9	0.8	3363.5
-179.5	-18507.3		Min	I	158.6	-99.9	-2.2	-1657.7
113.7	-2025.6			J	158.6	-99.9	-0.1	-1657.7
9311	2	69 C1-C2;~1	Max	I	2251.3	62.1	0.7	1272.5
584.2	45264.5			J	2251.3	62.1	0.7	1272.5
54.2	2391.0		Min	I	-979.4	-26.8	-0.2	-2955.4
-210.0	-21287.7			J	-979.4	-26.8	-0.2	-2955.4
-49.1	-11369.3							
647.9	45271.8	C3-C4;~1	Max	I	2535.7	69.9	0.7	1386.8
97.5	2568.2			J	2535.7	69.9	0.7	1386.8
-228.9	-23195.2		Min	I	-1068.2	-29.2	-0.3	-3275.1
-49.3	-15484.0			J	-1068.2	-29.2	-0.3	-3275.1
345.9	25440.3	C1-C2;~2	Max	I	1275.8	35.1	0.4	641.4
28.9	1204.4			J	1275.8	35.1	0.4	641.4
-106.3	-10821.9		Min	I	-496.4	-13.5	-0.1	-1673.2
-28.5	-6793.9			J	-496.4	-13.5	-0.1	-1673.2
380.8	24765.3	C3-C4;~2	Max	I	1421.8	39.1	0.4	694.3
55.3	1294.9			J	1421.8	39.1	0.4	694.3
			Min	I	-537.3	-14.6	-0.1	-1830.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-114.9	-11699.5		J	-537.3	-14.6	-0.1	-1830.8
-27.9	-9198.4						
		G1	I	1182.2	33.3	-0.8	-1568.4
98.5	22492.1		J	1182.2	33.3	1.3	-1568.4
-125.4	-6317.0						
		G2	I	451.8	12.7	0.1	-588.9
84.8	8473.0		J	451.8	12.7	0.1	-588.9
17.6	-2556.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	45.7	1.3	0.0	-99.4
13.0	2276.4		J	45.7	1.3	0.0	-99.4
-5.5	1118.5						
		Q5_pc Y	I	-141.8	-4.1	-0.0	205.2
-36.7	-1552.6		J	-141.8	-4.1	-0.0	205.2
-5.3	2009.0						
		Q5_ps X	I	43.9	1.3	0.0	-98.5
15.3	2264.2		J	43.9	1.3	0.0	-98.5
-7.5	1156.6						
		Q5_ps Y	I	-136.1	-3.9	-0.0	197.8
-36.4	-1535.0		J	-136.1	-3.9	-0.0	197.8
-4.6	1881.0						
		INVSLU Max	I	5473.4	146.2	0.1	2050.5
1300.7	94734.0		J	5473.4	146.2	3.0	2050.5
79.8	-4855.6						
		Min	I	352.9	5.0	-1.3	-4612.5
51.0	-1794.1		J	352.9	5.0	1.6	-4612.5
-128.4	-32842.3						
		INVSLE Max	I	4015.8	106.9	0.1	1638.4
968.9	69173.9		J	4015.8	106.9	2.2	1638.4
59.3	-3643.3						
		Min	I	241.7	2.9	-1.0	-3269.8
48.1	-2024.9		J	241.7	2.9	1.2	-3269.8
-94.2	-24106.3						
		69 C1-C2;~1 Max	I	2255.1	32.3	0.1	745.7
9312	2		J	2255.1	32.3	0.1	745.7
43.0	2396.1						
		Min	I	-962.5	-13.7	-0.3	-1754.4
223.6	13795.6		J	-962.5	-13.7	-0.3	-1754.4
-59.8	-11384.6						
-86.9	-38608.3						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
82.4	2574.0	C3-C4;~1	Max	I	2543.5	36.2	0.1	812.0
				J	2543.5	36.2	0.1	812.0
263.4	14989.7		Min	I	-1047.6	-14.9	-0.3	-1939.8
-64.4	-15501.1			J	-1047.6	-14.9	-0.3	-1939.8
-95.7	-46645.8							
21.6	1206.8	C1-C2;~2	Max	I	1276.3	18.3	0.1	374.8
				J	1276.3	18.3	0.1	374.8
131.2	6866.6		Min	I	-484.9	-6.9	-0.2	-994.3
-35.4	-6802.8			J	-484.9	-6.9	-0.2	-994.3
-45.0	-22138.7							
45.4	1297.7	C3-C4;~2	Max	I	1424.3	20.3	0.1	405.5
				J	1424.3	20.3	0.1	405.5
154.8	7415.0		Min	I	-524.0	-7.4	-0.2	-1085.0
-38.1	-9208.1			J	-524.0	-7.4	-0.2	-1085.0
-49.0	-26627.9							
-140.0	-6325.4		G1	I	1211.1	17.2	-1.2	-930.9
				J	1211.1	17.2	1.0	-930.9
-41.5	-21197.6							
12.1	-2559.7		G2	I	464.8	6.6	-0.0	-349.0
				J	464.8	6.6	-0.0	-349.0
44.2	-8256.3							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-6.5	1117.9		Q5_pc	X	45.3	0.7	-0.0	-60.4
				J	45.3	0.7	-0.0	-60.4
1.3	518.2							
-3.4	2009.9		Q5_pc	Y	-147.4	-2.2	0.0	125.0
				J	-147.4	-2.2	0.0	125.0
-7.0	3911.4							
-8.5	1156.0		Q5_ps	X	43.1	0.7	-0.0	-60.1
				J	43.1	0.7	-0.0	-60.1
1.0	585.6							
-2.7	1882.0		Q5_ps	Y	-141.1	-2.1	0.0	120.7
				J	-141.1	-2.1	0.0	120.7
-6.5	3707.0							
60.9	-4848.9		INVSLU	Max	5531.3	74.7	-1.5	1333.5
				J	5531.3	74.7	1.4	1333.5
479.5	-7070.9							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-149.0	-32868.1		Min	I	418.0	1.8	-2.0	-2606.4	
				J	418.0	1.8	0.8	-2606.4	
-17.9	-97319.4								
46.5	-3637.7	INVSLE	Max	I	4056.4	54.6	-1.1	1061.7	
				J	4056.4	54.6	1.1	1061.7	
357.0	-4894.9								
-108.1	-24124.7		Min	I	288.4	0.9	-1.5	-1840.0	
				J	288.4	0.9	0.6	-1840.0	
-10.5	-71224.1								
9313	2	69	C1-C2;~1	Max	I	2299.1	1.6	0.1	80.8
213.9	13793.0			J	2299.1	1.6	0.1	80.8	
237.4	14013.6								
-82.8	-38602.7		Min	I	-956.0	-1.5	-0.1	-77.6	
				J	-956.0	-1.5	-0.1	-77.6	
-86.3	-38737.0								
			C3-C4;~1	Max	I	2599.6	1.5	0.1	76.0
252.9	14986.8			J	2599.6	1.5	0.1	76.0	
286.0	15232.6								
-91.3	-46639.7		Min	I	-1037.3	-1.3	-0.1	-69.5	
				J	-1037.3	-1.3	-0.1	-69.5	
-92.2	-46881.0								
			C1-C2;~2	Max	I	1299.8	1.0	0.0	51.2
125.7	6865.2			J	1299.8	1.0	0.0	51.2	
137.5	6996.3								
-42.9	-22135.6		Min	I	-477.1	-0.9	-0.1	-49.4	
				J	-477.1	-0.9	-0.1	-49.4	
-43.1	-22206.3								
			C3-C4;~2	Max	I	1453.7	0.9	0.1	43.8
148.9	7413.6			J	1453.7	0.9	0.1	43.8	
165.3	7555.1								
-46.8	-26624.5		Min	I	-514.4	-0.8	-0.1	-40.2	
				J	-514.4	-0.8	-0.1	-40.2	
-45.9	-26758.7								
			G1	I	1255.4	-0.1	-1.1	1.8	
-46.7	-21194.6			J	1255.4	-0.1	1.0	1.8	
-25.1	-21148.6								
			G2	I	482.6	-0.0	-0.0	0.8	
42.3	-8255.2			J	482.6	-0.0	-0.0	0.8	
50.9	-8239.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	45.4	-0.0	-0.0	1.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	518.3			J	45.4	-0.0	-0.0 1.3
1.2	522.4						
-6.3	3911.0	Q5_pc	Y	I	-162.0	-0.0	0.0 -0.7
-19.5	3927.0			J	-162.0	-0.0	0.0 -0.7
0.7	585.7	Q5_ps	X	I	42.9	-0.0	0.0 1.3
0.4	594.2			J	42.9	-0.0	0.0 1.3
-5.8	3706.7	Q5_ps	Y	I	-155.0	-0.0	0.0 -0.2
-18.6	3725.6			J	-155.0	-0.0	0.0 -0.2
465.9	-7072.2	INVSLU	Max	I	5692.2	1.9	-1.3 155.4
563.5	-6428.2			J	5692.2	1.9	1.5 155.4
-10.1	-97307.9		Min	I	490.8	-2.4	-1.7 -60.8
17.8	-97350.1			J	490.8	-2.4	1.2 -60.8
347.4	-4895.9	INVSLE	Max	I	4173.3	1.4	-1.0 115.1
418.4	-4407.7			J	4173.3	1.4	1.1 115.1
-4.3	-71215.8		Min	I	342.0	-1.8	-1.2 -44.9
16.9	-71233.6			J	342.0	-1.8	0.9 -44.9
9314	2	69 C1-C2;~1	Max	I	2310.6	13.2	0.3 1802.8
247.5	14016.1			J	2310.6	13.2	0.3 1802.8
33.5	2791.8		Min	I	-936.7	-32.9	-0.1 -742.2
-90.2	-38743.1			J	-936.7	-32.9	-0.1 -742.2
-70.4	-11062.1						
297.1	15235.3	C3-C4;~1	Max	I	2612.7	14.3	0.4 1999.9
65.7	2955.5			J	2612.7	14.3	0.4 1999.9
-96.5	-46887.8		Min	I	-1013.1	-36.7	-0.1 -804.5
-79.2	-15284.6			J	-1013.1	-36.7	-0.1 -804.5
143.2	6997.5	C1-C2;~2	Max	I	1306.2	6.5	0.2 1020.4
16.6	1417.5			J	1306.2	6.5	0.2 1020.4
-45.0	-22209.7		Min	I	-462.9	-18.6	-0.1 -368.1
-41.9	-6625.0			J	-462.9	-18.6	-0.1 -368.1
171.5	7556.4	C3-C4;~2	Max	I	1460.1	7.0	0.2 1116.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
36.9	1505.7		J	1460.1	7.0	0.2	1116.2
		Min	I	-497.9	-20.5	-0.1	-396.8
-47.9	-26762.4		J	-497.9	-20.5	-0.1	-396.8
-46.7	-9100.5						
		G1	I	1273.9	-18.0	-0.9	967.6
-19.6	-21152.2		J	1273.9	-18.0	1.2	967.6
-163.4	-5549.5						
		G2	I	489.4	-6.9	0.1	363.5
53.0	-8240.7		J	489.4	-6.9	0.1	363.5
2.8	-2264.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	45.4	-0.7	0.0	63.3
1.6	522.2		J	45.4	-0.7	0.0	63.3
-6.8	1140.1						
		Q5_pc Y	I	-174.4	2.4	-0.0	-140.2
-20.3	3927.6		J	-174.4	2.4	-0.0	-140.2
8.2	1852.8						
		Q5_ps X	I	42.9	-0.7	0.0	62.7
0.8	594.0		J	42.9	-0.7	0.0	62.7
-8.5	1188.2						
		Q5_ps Y	I	-166.9	2.3	-0.0	-134.4
-19.4	3726.2		J	-166.9	2.3	-0.0	-134.4
8.2	1743.1						
		INVSLU Max	I	5772.3	-4.4	-0.7	2826.0
579.0	-6427.5		J	5772.3	-4.4	2.2	2826.0
11.1	-2487.3						
		Min	I	563.5	-77.5	-1.4	-1212.5
11.2	-97363.2		J	563.5	-77.5	1.5	-1212.5
-199.3	-30446.5						
		INVSLE Max	I	4232.2	-2.8	-0.5	2001.0
429.4	-4407.0		J	4232.2	-2.8	1.6	2001.0
9.9	-1853.0						
		Min	I	397.2	-56.7	-1.0	-971.8
11.5	-71243.1		J	397.2	-56.7	1.1	-971.8
-144.8	-22316.5						
		69 C1-C2;~1 Max	I	2334.5	25.7	0.2	3045.5
9315	2		J	2334.5	25.7	0.2	3045.5
41.8	2787.0						
		Min	I	-924.8	-63.5	-0.7	-1249.3
576.0	46936.1						
-56.7	-11045.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-174.0	-19701.8		J	-924.8	-63.5	-0.7	-1249.3
78.9	2948.6	C3-C4;~1 Max	I	2634.2	27.8	0.2	3388.7
625.6	46949.7		J	2634.2	27.8	0.2	3388.7
-63.4	-15265.8	Min	I	-998.1	-71.4	-0.7	-1352.7
-187.7	-21202.7		J	-998.1	-71.4	-0.7	-1352.7
21.8	1415.0	C1-C2;~2 Max	I	1321.6	12.7	0.1	1721.6
343.5	26349.0		J	1321.6	12.7	0.1	1721.6
-33.0	-6615.5	Min	I	-453.8	-35.9	-0.4	-617.7
-85.3	-9661.3		J	-453.8	-35.9	-0.4	-617.7
45.3	1502.3	C3-C4;~2 Max	I	1473.8	13.6	0.1	1889.7
371.1	25643.7		J	1473.8	13.6	0.1	1889.7
-36.1	-9089.9	Min	I	-487.4	-39.8	-0.4	-665.4
-91.6	-10341.4		J	-487.4	-39.8	-0.4	-665.4
-148.2	-5540.0	G1	I	1287.7	-35.2	-1.4	1651.9
119.0	24949.4		J	1287.7	-35.2	0.8	1651.9
8.6	-2260.5	G2	I	492.9	-13.5	-0.1	621.9
92.3	9422.2		J	492.9	-13.5	-0.1	621.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.8	1140.6	Q5_pc X	I	45.5	-1.4	-0.0	102.3
12.0	2314.4		J	45.5	-1.4	-0.0	102.3
6.0	1851.3	Q5_pc Y	I	-181.7	4.8	0.0	-242.5
-32.2	-2329.0		J	-181.7	4.8	0.0	-242.5
-7.6	1188.8	Q5_ps X	I	43.6	-1.3	-0.0	100.8
15.7	2311.4		J	43.6	-1.3	-0.0	100.8
6.1	1741.6	Q5_ps Y	I	-173.8	4.6	0.0	-232.5
-30.9	-2256.6		J	-173.8	4.6	0.0	-232.5
		INVSLU Max	I	5860.0	-10.4	-1.7	4982.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
28.0	-2494.9			J	5860.0	-10.4	1.2 4982.8
1329.6	102574.9		Min	I	629.4	-153.0	-3.1 -1854.6
-174.9	-30416.6			J	629.4	-153.0	-0.2 -1854.6
173.6	6377.0						
			INVSLE Max	I	4298.5	-7.0	-1.3 3540.2
21.3	-1859.3			J	4298.5	-7.0	0.8 3540.2
991.6	75005.1		Min	I	448.2	-111.9	-2.3 -1492.3
-128.2	-22295.2			J	448.2	-111.9	-0.2 -1492.3
139.6	4057.9						
9316	2	69	C1-C2;~1 Max	I	2333.6	63.5	0.7 1237.1
578.9	46936.2			J	2333.6	63.5	0.7 1237.1
41.4	2796.2		Min	I	-924.4	-25.7	-0.2 -3033.3
-178.4	-19703.7			J	-924.4	-25.7	-0.2 -3033.3
-58.5	-11063.4						
			C3-C4;~1 Max	I	2633.7	71.5	0.7 1323.7
628.8	46949.6			J	2633.7	71.5	0.7 1323.7
80.0	2963.2		Min	I	-993.4	-27.6	-0.2 -3376.3
-192.2	-21204.7			J	-993.4	-27.6	-0.2 -3376.3
-64.1	-15334.3						
			C1-C2;~2 Max	I	1321.0	35.9	0.4 611.0
345.2	26348.8			J	1321.0	35.9	0.4 611.0
21.5	1449.8		Min	I	-453.7	-12.7	-0.1 -1714.9
-87.4	-9662.0			J	-453.7	-12.7	-0.1 -1714.9
-33.8	-6619.5						
			C3-C4;~2 Max	I	1473.3	39.9	0.4 649.8
373.0	25643.2			J	1473.3	39.9	0.4 649.8
45.4	1544.8		Min	I	-484.8	-13.5	-0.1 -1882.2
-93.8	-10342.1			J	-484.8	-13.5	-0.1 -1882.2
-36.6	-9110.8						
			G1	I	1288.6	35.3	-0.8 -1654.8
119.3	24949.8			J	1288.6	35.3	1.4 -1654.8
-147.9	-5611.3						
			G2	I	493.3	13.5	0.1 -623.1
92.1	9422.0			J	493.3	13.5	0.1 -623.1
8.6	-2288.6						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
16.5	2316.8	Q5_pc X	I	44.4	1.3	0.0	-93.6
-5.2	1174.9		J	44.4	1.3	0.0	-93.6
-39.2	-2332.6	Q5_pc Y	I	-187.1	-5.4	-0.0	270.3
-4.3	2306.2		J	-187.1	-5.4	-0.0	270.3
19.6	2313.6	Q5_ps X	I	42.6	1.3	0.0	-92.6
-7.0	1219.1		J	42.6	1.3	0.0	-92.6
-38.4	-2260.4	Q5_ps Y	I	-178.7	-5.1	-0.0	258.7
-3.8	2169.7		J	-178.7	-5.1	-0.0	258.7
1340.2	102575.9	INVS LU Max	I	5863.1	153.5	0.2	1847.3
28.1	-2034.9		J	5863.1	153.5	3.1	1847.3
161.2	6368.9	Min	I	629.7	10.1	-1.2	-4984.2
-175.7	-30887.7		J	629.7	10.1	1.7	-4984.2
998.9	75005.5	INVS LE Max	I	4300.3	112.3	0.2	1485.6
21.4	-1540.1		J	4300.3	112.3	2.3	1485.6
130.8	4052.0	Min	I	448.7	6.8	-0.9	-3538.8
-128.9	-22605.0		J	448.7	6.8	1.3	-3538.8
9317	2	69 C1-C2;~1 Max	I	2308.1	33.1	0.1	738.0
33.6	2801.9		J	2308.1	33.1	0.1	738.0
249.8	14243.3	Min	I	-935.2	-13.3	-0.3	-1803.0
-72.0	-11079.5		J	-935.2	-13.3	-0.3	-1803.0
-89.8	-38951.2						
67.2	2969.5	C3-C4;~1 Max	I	2611.7	37.0	0.1	788.6
299.4	15241.7		J	2611.7	37.0	0.1	788.6
-79.9	-15352.5	Min	I	-1001.9	-14.3	-0.4	-2001.4
-97.5	-47203.8		J	-1001.9	-14.3	-0.4	-2001.4
16.7	1452.7	C1-C2;~2 Max	I	1304.7	18.8	0.1	365.5
144.4	7120.7		J	1304.7	18.8	0.1	365.5
-42.8	-6628.7	Min	I	-462.0	-6.6	-0.2	-1020.7
-44.7	-22322.9		J	-462.0	-6.6	-0.2	-1020.7

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

37.4	1547.9	C3-C4; ~2	Max	I	1459.0	20.7	0.1	388.2
				J	1459.0	20.7	0.1	388.2
172.8	7595.3		Min	I	-492.3	-7.0	-0.2	-1116.6
-47.3	-9121.2			J	-492.3	-7.0	-0.2	-1116.6
-48.3	-26915.7							
		G1		I	1276.8	18.2	-1.2	-974.5
-163.1	-5620.8			J	1276.8	18.2	0.9	-974.5
-18.7	-21364.4							
		G2		I	490.7	7.0	-0.1	-366.2
2.9	-2292.2			J	490.7	7.0	-0.1	-366.2
53.4	-8321.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	42.6	0.7	-0.0	-57.2
-6.1	1174.4			J	42.6	0.7	-0.0	-57.2
0.0	550.3							
		Q5_pc	Y	I	-193.7	-2.8	0.0	164.7
-1.7	2307.6			J	-193.7	-2.8	0.0	164.7
-13.6	4766.5							
		Q5_ps	X	I	40.4	0.7	-0.0	-56.9
-7.9	1218.6			J	40.4	0.7	-0.0	-56.9
-0.6	619.1							
		Q5_ps	Y	I	-184.7	-2.7	0.0	157.8
-1.4	2171.0			J	-184.7	-2.7	0.0	157.8
-12.8	4521.5							
		INVSLE	Max	I	5784.5	78.5	-1.5	1215.2
10.6	-2028.2			J	5784.5	78.5	1.4	1215.2
575.5	-5756.7		Min	I	557.5	4.1	-2.2	-2847.7
-198.9	-30916.5			J	557.5	4.1	0.7	-2847.7
15.0	-98637.8							
		INVSLE	Max	I	4239.5	57.4	-1.1	972.9
9.6	-1534.4			J	4239.5	57.4	1.0	972.9
427.1	-3948.7		Min	I	393.5	2.7	-1.6	-2014.7
-144.8	-22625.6			J	393.5	2.7	0.5	-2014.7
13.8	-72114.0							
9318	2	69 C1-C2; ~1	Max	I	2295.1	1.8	0.1	73.2
239.6	14240.9			J	2295.1	1.8	0.1	73.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
212.0	14275.7		Min	I	-955.1	-1.4	-0.1	-87.6
-85.8	-38945.4			J	-955.1	-1.4	-0.1	-87.6
-84.1	-39297.3							
		C3-C4;~1	Max	I	2598.6	1.6	0.1	64.1
288.3	15239.1			J	2598.6	1.6	0.1	64.1
251.9	15304.6		Min	I	-1019.0	-1.2	-0.1	-84.2
-93.3	-47197.4			J	-1019.0	-1.2	-0.1	-84.2
-89.0	-47518.7							
		C1-C2;~2	Max	I	1297.5	1.1	0.1	46.2
138.7	7119.5			J	1297.5	1.1	0.1	46.2
124.6	7116.1		Min	I	-476.2	-0.8	-0.0	-55.4
-42.8	-22319.7			J	-476.2	-0.8	-0.0	-55.4
-43.4	-22521.9							
		C3-C4;~2	Max	I	1452.2	1.0	0.1	36.2
166.6	7594.0			J	1452.2	1.0	0.1	36.2
148.1	7604.9		Min	I	-505.7	-0.7	-0.0	-48.9
-46.3	-26912.2			J	-505.7	-0.7	-0.0	-48.9
-45.9	-27092.6							
		G1		I	1261.0	0.3	-1.0	-8.1
-24.2	-21361.1			J	1261.0	0.3	1.1	-8.1
-46.8	-21631.3							
		G2		I	484.8	0.1	0.0	-3.1
51.4	-8320.3			J	484.8	0.1	0.0	-3.1
42.1	-8419.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	43.0	0.1	-0.0	1.3
-0.3	550.4			J	43.0	0.1	-0.0	1.3
2.3	500.5							
		Q5_pc	Y	I	-206.3	-0.0	0.0	2.4
-12.7	4766.1			J	-206.3	-0.0	0.0	2.4
-20.5	4771.3							
		Q5_ps	X	I	40.8	0.1	-0.0	1.5
-0.9	619.2			J	40.8	0.1	-0.0	1.5
1.8	570.6							
		Q5_ps	Y	I	-196.8	-0.0	0.0	2.7
-11.9	4521.1			J	-196.8	-0.0	0.0	2.7


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-19.6	4530.5						
		INVS LU	Max	I	5724.2	3.3	-1.2 50.2
559.8	-5757.2			J	5724.2	3.3	1.7 50.2
478.0	-6360.3						
			Min	I	469.1	-1.1	-1.5 -171.1
21.8	-98625.4			J	469.1	-1.1	1.3 -171.1
-19.0	-99760.1						
		INVS LE	Max	I	4193.1	2.4	-0.9 37.4
416.0	-3949.2			J	4193.1	2.4	1.2 37.4
355.4	-4404.8						
			Min	I	327.9	-0.8	-1.1 -126.3
19.3	-72105.0			J	327.9	-0.8	1.0 -126.3
-10.0	-72953.7						
		69 C1-C2;~1	Max	I	2249.4	13.7	0.3 1753.3
9319	2 14278.3			J	2249.4	13.7	0.3 1753.3
221.9							
			Min	I	-962.1	-32.5	-0.1 -741.9
43.6	2681.5			J	-962.1	-32.5	-0.1 -741.9
-88.2	-39302.8						
-57.1	-11855.3						
		C3-C4;~1	Max	I	2542.3	14.6	0.3 1940.8
262.7	15307.3			J	2542.3	14.6	0.3 1940.8
81.3	2873.2						
			Min	I	-1022.4	-36.5	-0.1 -788.0
-93.2	-47524.8			J	-1022.4	-36.5	-0.1 -788.0
-62.7	-16081.2						
		C1-C2;~2	Max	I	1273.0	6.9	0.2 994.1
130.2	7117.5			J	1273.0	6.9	0.2 994.1
22.0	1312.9						
			Min	I	-484.0	-18.5	-0.1 -372.2
-45.5	-22525.0			J	-484.0	-18.5	-0.1 -372.2
-33.9	-7064.2						
		C3-C4;~2	Max	I	1422.2	7.3	0.2 1085.2
154.1	7606.3			J	1422.2	7.3	0.2 1085.2
45.4	1408.4						
			Min	I	-512.3	-20.4	-0.1 -393.4
-48.0	-27095.9			J	-512.3	-20.4	-0.1 -393.4
-36.9	-9524.6						
		G1		I	1219.1	-17.5	-1.0 940.7
-41.4	-21634.3			J	1219.1	-17.5	1.2 940.7
-139.9	-6480.9						
		G2		I	467.9	-6.7	0.0 352.6
44.2	-8420.9			J	467.9	-6.7	0.0 352.6
12.2	-2614.1						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	43.4	-0.6	0.0
2.6	500.3			J	43.4	-0.6	0.0
-7.2	1041.1						
			Q5_pc Y	I	-216.0	3.1	-0.0
-21.4	4772.0			J	-216.0	3.1	-0.0
6.6	2125.3						
			Q5_ps X	I	41.5	-0.6	0.0
2.1	570.5			J	41.5	-0.6	0.0
-9.2	1090.9						
			Q5_ps Y	I	-206.0	2.9	-0.0
-20.5	4531.2			J	-206.0	2.9	-0.0
6.5	2010.0						
			INVSLE Max	I	5582.0	-1.6	-0.8
492.0	-6358.9			J	5582.0	-1.6	2.0
60.3	-4686.3		Min	I	381.0	-76.1	-1.4
-27.0	-99771.8			J	381.0	-76.1	1.4
-147.1	-34100.5						
			INVSLE Max	I	4088.0	-0.8	-0.6
365.3	-4403.6			J	4088.0	-0.8	1.5
46.0	-3526.1		Min	I	264.2	-55.6	-1.1
-16.4	-72962.1			J	264.2	-55.6	1.1
-106.6	-25031.0						
		69	C1-C2;~1 Max	I	2242.8	26.7	0.2
9320	2			J	2242.8	26.7	0.2
55.0	2677.1		Min	I	-977.0	-62.0	-0.7
583.4	44787.9			J	-977.0	-62.0	-0.7
-46.8	-11839.5						
-206.5	-20776.6						
			C3-C4;~1 Max	I	2532.5	28.3	0.3
97.1	2867.2			J	2532.5	28.3	0.3
648.1	44634.8		Min	I	-1035.3	-69.8	-0.7
-47.8	-16063.7			J	-1035.3	-69.8	-0.7
-218.7	-21904.7						
			C1-C2;~2 Max	I	1270.9	13.5	0.1
29.6	1310.3			J	1270.9	13.5	0.1
345.5	25177.0		Min	I	-494.4	-35.1	-0.4

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-27.3	-7055.2		J	-494.4	-35.1	-0.4	-635.4
-104.5	-10532.8						
		C3-C4;~2 Max	I	1418.3	14.2	0.1	1825.6
55.6	1405.5		J	1418.3	14.2	0.1	1825.6
380.5	24387.5	Min	I	-522.0	-39.0	-0.4	-671.1
-26.8	-9514.6		J	-522.0	-39.0	-0.4	-671.1
-110.2	-11050.7						
		G1	I	1191.9	-33.5	-1.3	1581.3
-125.3	-6472.3		J	1191.9	-33.5	0.8	1581.3
102.3	22581.5						
		G2	I	455.6	-12.8	-0.1	593.7
17.7	-2610.8		J	455.6	-12.8	-0.1	593.7
86.6	8514.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	42.1	-1.2	-0.0	98.3
-6.2	1041.7		J	42.1	-1.2	-0.0	98.3
8.4	2112.8						
		Q5_pc Y	I	-224.6	6.0	0.1	-296.2
3.9	2123.6		J	-224.6	6.0	0.1	-296.2
-46.9	-3098.2						
		Q5_ps X	I	40.8	-1.2	-0.0	98.2
-8.3	1091.5		J	40.8	-1.2	-0.0	98.2
11.6	2124.7						
		Q5_ps Y	I	-214.1	5.7	0.1	-282.7
3.9	2008.3		J	-214.1	5.7	0.1	-282.7
-44.5	-2970.3						
		INVSLU Max	I	5531.7	-4.2	-1.6	4669.8
80.0	-4694.2		J	5531.7	-4.2	1.3	4669.8
1306.5	94273.3	Min	I	311.0	-147.6	-3.0	-2083.3
-126.9	-34073.3		J	311.0	-147.6	-0.1	-2083.3
51.8	-1338.6						
		INVSLE Max	I	4051.8	-2.4	-1.2	3304.3
59.4	-3532.5		J	4051.8	-2.4	1.0	3304.3
972.0	68740.7	Min	I	214.6	-107.8	-2.2	-1658.5
-93.0	-25011.7		J	214.6	-107.8	-0.1	-1658.5
48.8	-1669.9						


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
9321	2	69	C1-C2;~1	Max	I	2218.9	59.0	0.7	1344.6
532.5	44769.6				J	2218.9	59.0	0.7	1344.6
35.5	2950.9			Min	I	-992.1	-27.1	-0.2	-2870.6
-170.2	-20756.7				J	-992.1	-27.1	-0.2	-2870.6
-69.6	-9813.3								
565.0	44603.7		C3-C4;~1	Max	I	2510.8	66.7	0.7	1414.3
70.7	3118.8				J	2510.8	66.7	0.7	1414.3
-181.1	-21883.8			Min	I	-1048.7	-28.6	-0.2	-3207.8
-80.2	-13926.7				J	-1048.7	-28.6	-0.2	-3207.8
321.3	25167.1		C1-C2;~2	Max	I	1256.7	33.4	0.4	687.8
18.1	1550.1				J	1256.7	33.4	0.4	687.8
-86.5	-10523.0			Min	I	-504.4	-13.8	-0.1	-1623.3
-39.6	-5929.0				J	-504.4	-13.8	-0.1	-1623.3
340.5	24376.7		C3-C4;~2	Max	I	1405.2	37.2	0.4	720.8
40.3	1652.5				J	1405.2	37.2	0.4	720.8
-91.7	-11040.5			Min	I	-531.5	-14.5	-0.1	-1787.6
-45.3	-8356.5				J	-531.5	-14.5	-0.1	-1787.6
92.0	22572.4		G1		I	1157.1	30.7	-0.8	-1441.8
-168.5	-4027.7				J	1157.1	30.7	1.4	-1441.8
80.9	8510.0		G2		I	442.4	11.7	0.1	-542.0
0.4	-1660.2				J	442.4	11.7	0.1	-542.0
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
19.5	2118.6		Q5_pc	X	I	38.9	1.1	0.0	-76.5
-4.4	1150.8				J	38.9	1.1	0.0	-76.5
-38.7	-3092.9		Q5_pc	Y	I	-232.4	-6.5	-0.0	347.8
-3.6	2555.0				J	-232.4	-6.5	-0.0	347.8
23.5	2130.8		Q5_ps	X	I	37.6	1.1	0.0	-76.0
-6.1	1195.2				J	37.6	1.1	0.0	-76.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-37.5	-2965.6	Q5_ps Y	I	-221.3	-6.2	-0.0	331.4
			J	-221.3	-6.2	-0.0	331.4
-3.5	2412.6						
1196.4	94212.0	INVS LU Max	I	5422.0	137.8	0.1	2095.2
			J	5422.0	137.8	3.0	2095.2
-30.0	1110.3						
119.5	-1337.4	Min	I	198.2	-2.5	-1.1	-4770.8
			J	198.2	-2.5	1.7	-4770.8
-241.5	-26500.1						
893.3	68696.9	INVS LE Max	I	3969.7	100.6	0.1	1662.0
			J	3969.7	100.6	2.2	1662.0
-21.4	728.9						
100.8	-1668.1	Min	I	131.2	-2.5	-0.8	-3377.5
			J	131.2	-2.5	1.3	-3377.5
-177.5	-19382.5						
9322	2	69 C1-C2;~1 Max	I	2159.0	29.9	0.1	796.6
30.6	2953.9		J	2159.0	29.9	0.1	796.6
248.7	14534.9						
-82.6	-9828.9	Min	I	-1003.0	-13.6	-0.3	-1686.5
			J	-1003.0	-13.6	-0.3	-1686.5
-92.0	-34859.1						
58.1	3125.1	C3-C4;~1 Max	I	2452.9	33.5	0.1	836.9
			J	2452.9	33.5	0.1	836.9
306.2	15375.0						
-94.6	-13944.5	Min	I	-1057.3	-14.4	-0.4	-1878.9
			J	-1057.3	-14.4	-0.4	-1878.9
-98.5	-42630.2						
15.5	1551.1	C1-C2;~2 Max	I	1220.7	17.0	0.1	408.3
			J	1220.7	17.0	0.1	408.3
142.4	7488.2						
-48.5	-5938.1	Min	I	-512.8	-7.0	-0.2	-955.3
			J	-512.8	-7.0	-0.2	-955.3
-45.5	-20055.9						
32.5	1655.9	C3-C4;~2 Max	I	1370.8	18.7	0.1	427.5
			J	1370.8	18.7	0.1	427.5
174.8	7918.7						
-55.2	-8366.8	Min	I	-539.0	-7.3	-0.2	-1047.9
			J	-539.0	-7.3	-0.2	-1047.9
-48.5	-24434.1						
-181.7	-4036.8	G1	I	1102.8	15.4	-1.3	-831.3
			J	1102.8	15.4	0.9	-831.3
-19.6	-17352.9						
-4.6	-1663.7	G2	I	423.5	5.9	-0.1	-312.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
53.4	-6743.7		J	423.5	5.9	-0.1	-312.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.1	1150.4	Q5_pc X	I	35.3	0.6	-0.0	-45.7
-1.8	621.0		J	35.3	0.6	-0.0	-45.7
-0.4	2557.0	Q5_pc Y	I	-240.1	-3.3	0.0	210.6
-18.5	5439.6		J	-240.1	-3.3	0.0	210.6
-6.8	1194.8	Q5_ps X	I	33.6	0.6	-0.0	-45.5
-2.8	677.7		J	33.6	0.6	-0.0	-45.5
-0.4	2414.4	Q5_ps Y	I	-228.4	-3.2	0.0	200.8
-17.4	5161.8		J	-228.4	-3.2	0.0	200.8
-47.1	1118.8	INVSLE Max	I	5201.2	68.3	-1.6	1291.6
569.3	2799.9		J	5201.2	68.3	1.3	1291.6
-262.5	-26527.7	Min	I	30.3	-2.3	-2.3	-2753.7
-10.4	-85298.4		J	30.3	-2.3	0.6	-2753.7
-32.9	735.9	INVSLE Max	I	3803.7	49.8	-1.2	1023.0
422.3	2299.1		J	3803.7	49.8	1.0	1023.0
-191.7	-19402.1	Min	I	5.4	-2.0	-1.7	-1945.5
-4.6	-62233.7		J	5.4	-2.0	0.4	-1945.5
9323	2	69 C1-C2;~1 Max	I	2074.9	1.7	0.2	78.4
239.3	14531.8		J	2074.9	1.7	0.2	78.4
164.3	14017.1	Min	I	-1006.5	-1.7	-0.1	-128.2
-87.5	-34852.4		J	-1006.5	-1.7	-0.1	-128.2
-93.9	-34636.4	C3-C4;~1 Max	I	2354.0	1.4	0.2	59.4
295.8	15371.7		J	2354.0	1.4	0.2	59.4
198.5	14875.1	Min	I	-1056.9	-1.7	-0.1	-134.6
-93.8	-42622.6		J	-1056.9	-1.7	-0.1	-134.6
-104.3	-42201.5	C1-C2;~2 Max	I	1175.1	1.0	0.1	46.1
137.1	7486.6						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
98.2	7193.9		J	1175.1	1.0	0.1	46.1
		Min	I	-518.7	-1.1	-0.0	-78.1
-43.2	-20052.2		J	-518.7	-1.1	-0.0	-78.1
-49.3	-19946.2						
		C3-C4;~2 Max	I	1318.5	0.8	0.1	27.5
169.0	7917.0		J	1318.5	0.8	0.1	27.5
118.8	7632.3	Min	I	-543.5	-1.0	-0.1	-76.6
-46.1	-24430.0		J	-543.5	-1.0	-0.1	-76.6
-54.0	-24206.3						
		G1	I	1020.0	0.3	-1.0	-33.5
-24.2	-17349.2		J	1020.0	0.3	1.2	-33.5
-111.3	-17642.1						
		G2	I	391.4	0.1	0.0	-13.8
51.7	-6742.3		J	391.4	0.1	0.0	-13.8
16.6	-6840.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	35.5	0.1	-0.0	1.7
-2.1	621.2		J	35.5	0.1	-0.0	1.7
3.3	570.6						
		Q5_pc Y	I	-248.5	0.2	0.0	11.7
-17.2	5438.9		J	-248.5	0.2	0.0	11.7
-22.1	5299.0						
		Q5_ps X	I	34.1	0.1	-0.0	2.4
-3.0	677.8		J	34.1	0.1	-0.0	2.4
3.3	623.8						
		Q5_ps Y	I	-236.4	0.1	0.0	11.5
-16.2	5161.1		J	-236.4	0.1	0.0	11.5
-21.2	5032.1						
		INVS LU Max	I	4888.0	3.4	-0.9	-47.9
553.5	2796.2		J	4888.0	3.4	2.0	-47.9
234.2	1165.4	Min	I	-163.9	-1.5	-1.4	-356.5
-3.5	-85286.1		J	-163.9	-1.5	1.5	-356.5
-214.5	-85426.3						
		INVS LE Max	I	3571.1	2.6	-0.7	-36.3
411.1	2296.1		J	3571.1	2.6	1.5	-36.3
174.7	1084.5	Min	I	-137.9	-1.1	-1.0	-263.3
0.8	-62224.8						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-154.7	-62350.9			J	-137.9	-1.1	1.1	-263.3	
9324	2	69	C1-C2;~1	Max	I	1945.8	14.8	0.2	1555.6
170.4	14029.8				J	1945.8	14.8	0.2	1555.6
73.3	2502.3			Min	I	-987.9	-29.2	-0.1	-773.8
-96.2	-34660.5				J	-987.9	-29.2	-0.1	-773.8
-40.6	-10428.9								
			C3-C4;~1	Max	I	2198.4	15.5	0.2	1710.3
204.6	14888.3				J	2198.4	15.5	0.2	1710.3
118.5	2248.7			Min	I	-1033.4	-32.9	-0.2	-807.6
-106.3	-42228.1				J	-1033.4	-32.9	-0.2	-807.6
-38.9	-14119.8								
			C1-C2;~2	Max	I	1105.1	7.7	0.1	886.1
101.9	7200.5				J	1105.1	7.7	0.1	886.1
39.9	1349.4			Min	I	-513.2	-16.6	-0.1	-401.6
-50.6	-19959.8				J	-513.2	-16.6	-0.1	-401.6
-23.5	-6286.4								
			C3-C4;~2	Max	I	1235.6	8.0	0.1	962.0
122.5	7639.2				J	1235.6	8.0	0.1	962.0
66.9	1232.4			Min	I	-536.1	-18.4	-0.1	-418.3
-55.2	-24221.1				J	-536.1	-18.4	-0.1	-418.3
-21.2	-8449.1								
			G1		I	907.5	-13.4	-1.1	727.6
-107.9	-17653.2				J	907.5	-13.4	1.1	727.6
-100.3	-6075.8								
			G2		I	347.0	-5.1	-0.0	269.5
17.9	-6844.8				J	347.0	-5.1	-0.0	269.5
27.0	-2414.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	35.6	-0.5	0.0	52.5
3.6	569.8				J	35.6	-0.5	0.0	52.5
-6.1	1004.8								
			Q5_pc	Y	I	-250.9	3.8	-0.0	-206.2
-23.0	5302.5				J	-250.9	3.8	-0.0	-206.2
1.8	2041.3								
			Q5_ps	X	I	34.9	-0.5	0.0	54.2
3.6	623.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.3	1045.7		J	34.9	-0.5	0.0	54.2
-22.1	5035.4	Q5_ps Y	I	-238.8	3.6	-0.0	-196.1
1.7	1935.4		J	-238.8	3.6	-0.0	-196.1
240.3	1190.3	INVS LU Max	I	4462.9	8.8	-1.1	2102.4
118.5	-5064.9		J	4462.9	8.8	1.7	2102.4
-221.0	-85461.3	Min	I	-351.4	-63.2	-1.7	-1668.0
-107.2	-31179.0		J	-351.4	-63.2	1.2	-1668.0
178.7	1104.1	INVS LE Max	I	3258.0	6.9	-0.8	1460.2
88.0	-3843.0		J	3258.0	6.9	1.3	1460.2
-159.9	-62375.3	Min	I	-274.7	-46.0	-1.3	-1305.2
-78.4	-22914.7		J	-274.7	-46.0	0.9	-1305.2
9325	2	69 C1-C2;~1 Max	I	1896.7	28.1	0.2	2660.1
91.0	2503.2		J	1896.7	28.1	0.2	2660.1
479.2	40186.3	Min	I	-998.3	-54.3	-0.5	-1354.7
-36.3	-10414.3		J	-998.3	-54.3	-0.5	-1354.7
-210.6	-23173.1						
138.0	2248.9	C3-C4;~1 Max	I	2142.7	29.4	0.2	2935.9
541.5	39463.1		J	2142.7	29.4	0.2	2935.9
-36.0	-14102.2	Min	I	-1041.7	-61.3	-0.5	-1412.9
-220.0	-23955.4		J	-1041.7	-61.3	-0.5	-1412.9
51.0	1350.7	C1-C2;~2 Max	I	1078.9	14.6	0.1	1513.0
283.7	22621.7		J	1078.9	14.6	0.1	1513.0
-19.7	-6277.8	Min	I	-521.2	-30.8	-0.3	-704.6
-109.7	-12153.6		J	-521.2	-30.8	-0.3	-704.6
78.7	1233.5	C3-C4;~2 Max	I	1206.1	15.3	0.1	1649.6
317.3	21608.4		J	1206.1	15.3	0.1	1649.6
-18.5	-8438.7	Min	I	-543.4	-34.4	-0.3	-733.5
-114.5	-12538.4		J	-543.4	-34.4	-0.3	-733.5
-88.9	-6068.0	G1	I	834.8	-24.9	-1.2	1232.3
7.2	15515.1		J	834.8	-24.9	1.0	1232.3

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

31.3	-2411.8	G2	I	317.2	-9.5	-0.0	457.8
51.3	5825.0		J	317.2	-9.5	-0.0	457.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.3	1005.5	Q5_pc X	I	32.7	-1.0	-0.0	85.9
3.1	1877.9		J	32.7	-1.0	-0.0	85.9
-1.5	2038.6	Q5_pc Y	I	-259.9	7.2	0.1	-364.9
-57.4	-4204.9		J	-259.9	7.2	0.1	-364.9
-7.5	1046.4	Q5_ps X	I	32.6	-1.0	-0.0	88.0
5.8	1904.1		J	32.6	-1.0	-0.0	88.0
-1.4	1932.9	Q5_ps Y	I	-247.2	6.9	0.1	-347.2
-54.0	-4006.1		J	-247.2	6.9	0.1	-347.2
139.4	-5067.8	INVSLU Max	I	4241.7	16.3	-1.3	3842.1
923.3	73550.7		J	4241.7	16.3	1.6	3842.1
-105.4	-31154.6	Min	I	-525.0	-119.0	-2.4	-2685.6
-208.1	-20609.2		J	-525.0	-119.0	0.4	-2685.6
102.2	-3845.9	INVSLE Max	I	3095.1	12.7	-1.0	2685.0
686.0	53297.8		J	3095.1	12.7	1.2	2685.0
-78.4	-22897.7	Min	I	-401.1	-86.6	-1.8	-2101.7
-144.4	-15889.7		J	-401.1	-86.6	0.3	-2101.7
9326	2	69 C1-C2;~1 Max	I	1850.1	52.0	0.5	1435.0
408.5	40163.2		J	1850.1	52.0	0.5	1435.0
25.9	3975.5	Min	I	-1018.5	-30.6	-0.2	-2426.2
-148.4	-23135.4		J	-1018.5	-30.6	-0.2	-2426.2
-66.2	-9153.9						
420.9	39392.7	C3-C4;~1 Max	I	2099.8	58.9	0.5	1482.9
58.4	4172.7		J	2099.8	58.9	0.5	1482.9
-159.0	-23915.8	Min	I	-1060.6	-31.9	-0.2	-2701.3
-76.8	-13065.4		J	-1060.6	-31.9	-0.2	-2701.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

250.9	22609.3	C1-C2;~2	Max	I	1051.4	29.5	0.3	757.8
				J	1051.4	29.5	0.3	757.8
12.8	2094.4		Min	I	-533.8	-16.1	-0.1	-1379.9
-77.6	-12134.4			J	-533.8	-16.1	-0.1	-1379.9
-37.1	-5558.5							
259.6	21575.9	C3-C4;~2	Max	I	1180.8	33.0	0.3	782.7
				J	1180.8	33.0	0.3	782.7
33.9	2205.8		Min	I	-555.7	-16.8	-0.1	-1515.6
-82.7	-12518.4			J	-555.7	-16.8	-0.1	-1515.6
-42.6	-7897.8							
		G1		I	765.4	20.1	-0.9	-891.1
2.5	15508.3			J	765.4	20.1	1.3	-891.1
-179.1	-1907.9							
		G2		I	291.0	7.7	0.1	-328.6
46.7	5820.9			J	291.0	7.7	0.1	-328.6
-4.4	-817.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	27.4	1.0	0.0	-46.7
20.5	1888.0			J	27.4	1.0	0.0	-46.7
-3.3	1040.2							
		Q5_pc	Y	I	-271.6	-8.4	-0.0	467.4
-30.3	-4186.9			J	-271.6	-8.4	-0.0	467.4
-3.2	3104.3							
		Q5_ps	X	I	27.2	1.0	0.0	-49.0
24.9	1915.0			J	27.2	1.0	0.0	-49.0
-4.8	1082.6							
		Q5_ps	Y	I	-258.1	-8.0	-0.0	444.0
-29.0	-3989.4			J	-258.1	-8.0	-0.0	444.0
-3.2	2936.6							
		INVSLU	Max	I	4016.5	105.2	-0.3	2636.3
767.6	73451.8			J	4016.5	105.2	2.6	2636.3
-112.2	8185.8		Min	I	-739.1	-32.4	-1.3	-3853.7
-69.7	-20591.3			J	-739.1	-32.4	1.6	-3853.7
-300.7	-20673.5							
		INVSLE	Max	I	2926.6	76.2	-0.2	2040.9
575.8	53227.0			J	2926.6	76.2	1.9	2040.9

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-82.1	5955.8		Min	I	-559.8	-24.6	-0.9	-2704.2	
-40.4	-15876.3			J	-559.8	-24.6	1.2	-2704.2	
-221.3	-15007.5								
9327	2	69	C1-C2;~1	Max	I	1772.5	27.5	0.1	839.3
22.7	3978.1			J	1772.5	27.5	0.1	839.3	
224.7	17568.0		Min	I	-1036.9	-16.3	-0.3	-1398.1	
-74.5	-9166.7			J	-1036.9	-16.3	-0.3	-1398.1	
-107.2	-31573.7								
			C3-C4;~1	Max	I	2024.0	30.6	0.1	865.5
46.3	4180.2			J	2024.0	30.6	0.1	865.5	
281.6	18418.2		Min	I	-1077.3	-17.0	-0.4	-1539.5	
-86.7	-13083.6			J	-1077.3	-17.0	-0.4	-1539.5	
-112.7	-39003.7								
			C1-C2;~2	Max	I	1005.4	15.6	0.1	444.5
11.6	2095.2			J	1005.4	15.6	0.1	444.5	
127.6	9302.2		Min	I	-546.0	-8.6	-0.2	-798.6	
-43.5	-5565.8			J	-546.0	-8.6	-0.2	-798.6	
-55.2	-18250.9								
			C3-C4;~2	Max	I	1136.5	17.2	0.1	458.2
26.5	2210.2			J	1136.5	17.2	0.1	458.2	
159.3	9783.0		Min	I	-567.3	-9.0	-0.2	-866.1	
-50.1	-7908.4			J	-567.3	-9.0	-0.2	-866.1	
-58.0	-22536.6								
			G1	I	677.3	9.9	-1.2	-480.7	
-187.2	-1915.8			J	677.3	9.9	0.9	-480.7	
-51.5	-10532.8								
			G2	I	259.3	3.8	-0.1	-175.3	
-7.3	-820.7			J	259.3	3.8	-0.1	-175.3	
41.2	-4099.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	22.3	0.7	-0.0	-28.0
-3.7	1039.9			J	22.3	0.7	-0.0	-28.0	
-2.8	475.1								
			Q5_pc	Y	I	-283.0	-4.5	0.0	288.1
1.2	3107.5			J	-283.0	-4.5	0.0	288.1	
-28.4	7031.9								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-5.3	1082.4	Q5_ps X	I	21.5	0.6	-0.0	-30.0
-3.9	523.2		J	21.5	0.6	-0.0	-30.0
1.0	2939.6	Q5_ps Y	I	-268.7	-4.3	0.0	273.8
-26.9	6668.9		J	-268.7	-4.3	0.0	273.8
-126.0	8199.4	INVS LU Max	I	3683.8	53.2	-1.4	1566.6
404.0	24211.0		J	3683.8	53.2	1.4	1566.6
-312.2	-20700.4	Min	I	-1012.2	-19.2	-2.2	-2198.7
-179.5	-65966.0		J	-1012.2	-19.2	0.7	-2198.7
-91.2	5966.5	INVS LE Max	I	2676.3	38.4	-1.1	1210.1
298.2	18113.0		J	2676.3	38.4	1.1	1210.1
-228.7	-15026.3	Min	I	-764.5	-14.6	-1.6	-1540.6
-130.3	-47747.2		J	-764.5	-14.6	0.5	-1540.6
9328	2	69 C1-C2;~1 Max	I	1670.4	3.2	0.1	109.4
217.1	17564.3		J	1670.4	3.2	0.1	109.4
143.2	18406.3	Min	I	-1048.5	-1.3	-0.0	-78.2
-102.4	-31567.4		J	-1048.5	-1.3	-0.0	-78.2
-96.2	-33194.9						
273.3	18414.4	C3-C4;~1 Max	I	1899.0	3.0	0.2	85.0
171.1	19338.2		J	1899.0	3.0	0.2	85.0
-107.8	-38996.5	Min	I	-1085.7	-1.2	-0.1	-74.9
-105.7	-40591.4		J	-1085.7	-1.2	-0.1	-74.9
123.2	9300.3	C1-C2;~2 Max	I	951.5	2.0	0.1	73.0
86.0	9728.1		J	951.5	2.0	0.1	73.0
-52.7	-18247.4	Min	I	-556.1	-0.7	-0.0	-49.1
-50.6	-19178.7		J	-556.1	-0.7	-0.0	-49.1
154.6	9781.1	C3-C4;~2 Max	I	1072.3	1.9	0.1	54.6
103.3	10252.9		J	1072.3	1.9	0.1	54.6
-55.4	-22532.7	Min	I	-576.4	-0.6	-0.0	-42.0
-55.0	-23425.7		J	-576.4	-0.6	-0.0	-42.0
		G1	I	551.9	0.9	-1.0	4.8

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-54.0	-10529.7			J	551.9	0.9	1.2	4.8
-135.9	-11270.1							
			G2	I	210.4	0.3	0.0	2.4
40.3	-4098.1			J	210.4	0.3	0.0	2.4
7.1	-4384.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	23.4	0.3	-0.0	2.7
-3.0	475.2			J	23.4	0.3	-0.0	2.7
4.4	230.5							
			Q5_pc Y	I	-291.4	-0.2	-0.0	15.4
-26.7	7030.9			J	-291.4	-0.2	-0.0	15.4
-19.3	7196.8							
			Q5_ps X	I	23.3	0.3	-0.0	3.0
-4.1	523.3			J	23.3	0.3	-0.0	3.0
4.5	284.9							
			Q5_ps Y	I	-276.8	-0.2	-0.0	14.9
-25.2	6668.0			J	-276.8	-0.2	-0.0	14.9
-18.5	6828.3							
			INVSLE Max	I	3215.0	6.2	-1.0	-59.2
391.2	24206.1			J	3215.0	6.2	1.9	-59.2
78.5	24192.0							
			Min	I	-1338.9	-0.4	-1.3	-340.1
-171.3	-65954.3			J	-1338.9	-0.4	1.6	-340.1
-329.8	-69667.2							
			INVSLE Max	I	2326.3	4.6	-0.7	-51.9
289.1	18109.2			J	2326.3	4.6	1.4	-51.9
58.3	18090.7							
			Min	I	-1008.1	-0.2	-1.0	-258.0
-124.0	-47738.8			J	-1008.1	-0.2	1.1	-258.0
-241.7	-50475.1							
			69 C1-C2;~1 Max	I	1560.5	14.7	0.2	1238.0
9329	2			J	1560.5	14.7	0.2	1238.0
150.2	18409.2							
			Min	I	-1056.5	-22.7	-0.1	-805.3
78.6	5797.2			J	-1056.5	-22.7	-0.1	-805.3
-100.4	-33198.2							
-35.1	-14925.0							
			C3-C4;~1 Max	I	1760.9	15.1	0.1	1323.8
178.2	19341.2			J	1760.9	15.1	0.1	1323.8
131.3	6354.4							
			Min	I	-1091.3	-25.4	-0.2	-828.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-109.9	-40594.7		J	-1091.3	-25.4	-0.2	-828.1
-31.9	-19125.9						
90.2	9729.6	C1-C2;~2 Max	I	894.2	7.9	0.1	718.1
42.1	2977.1		J	894.2	7.9	0.1	718.1
-53.0	-19180.6	Min	I	-564.1	-13.1	-0.1	-431.3
-19.5	-8851.9		J	-564.1	-13.1	-0.1	-431.3
107.4	10254.5	C3-C4;~2 Max	I	1001.6	8.1	0.1	758.0
73.1	3295.9		J	1001.6	8.1	0.1	758.0
-57.3	-23427.6	Min	I	-583.8	-14.5	-0.1	-443.6
-16.3	-11274.6		J	-583.8	-14.5	-0.1	-443.6
-133.6	-11270.2	G1	I	413.8	-6.3	-1.1	336.7
-89.9	-5849.4		J	413.8	-6.3	1.0	336.7
7.9	-4384.8	G2	I	155.6	-2.3	-0.0	119.4
31.1	-2355.6		J	155.6	-2.3	-0.0	119.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.7	230.4	Q5_pc X	I	25.3	-0.1	0.0	34.1
-5.6	326.6		J	25.3	-0.1	0.0	34.1
-20.7	7197.8	Q5_pc Y	I	-295.8	4.3	-0.0	-265.1
0.7	3439.9		J	-295.8	4.3	-0.0	-265.1
4.7	284.8	Q5_ps X	I	26.3	-0.1	0.0	38.3
-8.2	401.7		J	26.3	-0.1	0.0	38.3
-19.9	6829.3	Q5_ps Y	I	-280.9	4.1	-0.0	-251.5
0.6	3263.5		J	-280.9	4.1	-0.0	-251.5
84.3	24198.0	INVSLU Max	I	2694.4	24.1	-1.3	1334.4
102.0	3464.4		J	2694.4	24.1	1.6	1334.4
-342.0	-69671.5	Min	I	-1688.5	-38.4	-1.8	-2047.8
-132.6	-37125.8		J	-1688.5	-38.4	1.1	-2047.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
61.9	18095.2	INVSLE Max	I	1937.9	18.2	-1.0	895.9
			J	1937.9	18.2	1.2	895.9
76.0	2434.5	Min	I	-1269.3	-27.6	-1.3	-1574.0
-251.1	-50478.1		J	-1269.3	-27.6	0.8	-1574.0
-97.0	-27173.7						
9330	2	69 C1-C2;~1 Max	I	1543.0	30.1	0.3	2007.5
95.2	5789.3		J	1543.0	30.1	0.3	2007.5
505.7	28581.5	Min	I	-1100.3	-43.9	-0.5	-1367.2
-36.2	-14914.7		J	-1100.3	-43.9	-0.5	-1367.2
-281.4	-20516.9						
		C3-C4;~1 Max	I	1742.9	31.0	0.3	2158.5
150.4	6346.3		J	1742.9	31.0	0.3	2158.5
586.6	25848.7	Min	I	-1136.0	-49.4	-0.6	-1407.1
-39.0	-19114.5		J	-1136.0	-49.4	-0.6	-1407.1
-293.3	-20790.7						
		C1-C2;~2 Max	I	888.2	16.1	0.2	1162.0
51.6	2972.7		J	888.2	16.1	0.2	1162.0
300.7	16409.7	Min	I	-589.6	-25.2	-0.3	-733.7
-18.0	-8845.8		J	-589.6	-25.2	-0.3	-733.7
-149.1	-11079.7						
		C3-C4;~2 Max	I	996.0	16.6	0.2	1235.7
84.2	3291.4		J	996.0	16.6	0.2	1235.7
344.7	14442.3	Min	I	-610.1	-28.1	-0.3	-755.1
-19.2	-11267.7		J	-610.1	-28.1	-0.3	-755.1
-155.6	-11223.9						
		G1	I	315.1	-11.2	-1.1	497.0
-84.7	-5847.5		J	315.1	-11.2	1.0	497.0
-62.8	3853.7						
		G2	I	115.6	-4.2	0.0	174.0
33.0	-2355.0		J	115.6	-4.2	0.0	174.0
25.2	1253.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	21.5	-0.5	-0.0	54.7
-5.0	327.1		J	21.5	-0.5	-0.0	54.7
-2.7	759.9						
		Q5_pc Y	I	-313.0	8.7	0.1	-459.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-3.8	3436.9		J	-313.0	8.7	0.1	-459.4
-79.4	-4136.2						
		Q5_ps X	I	23.3	-0.6	-0.0	61.4
-7.6	402.2		J	23.3	-0.6	-0.0	61.4
-0.4	879.6						
		Q5_ps Y	I	-296.9	8.3	0.1	-436.1
-3.7	3260.6		J	-296.9	8.3	0.1	-436.1
-74.6	-3927.6						
		INVS LU Max	I	2386.6	51.8	-0.8	2302.3
116.9	3445.6		J	2386.6	51.8	2.1	2302.3
599.4	32270.3						
		Min	I	-2063.3	-72.4	-2.1	-3338.0
-147.8	-37112.8		J	-2063.3	-72.4	0.8	-3338.0
-731.5	-41827.2						
		INVS LE Max	I	1704.3	39.0	-0.6	1560.0
85.9	2420.2		J	1704.3	39.0	1.6	1560.0
430.2	22638.7						
		Min	I	-1550.3	-51.8	-1.5	-2556.8
-109.5	-27164.9		J	-1550.3	-51.8	0.6	-2556.8
-545.1	-31696.8						
		69 C1-C2;~1 Max	I	1494.9	35.8	0.5	1161.7
9331	2		J	1494.9	35.8	0.5	1161.7
441.4	28606.3						
		Min	I	-1142.0	-28.6	-0.2	-1401.0
51.3	5755.8		J	-1142.0	-28.6	-0.2	-1401.0
-196.6	-20506.0						
		C3-C4;~1 Max	I	1697.6	40.3	0.5	1187.3
-71.9	-9526.3		J	1697.6	40.3	0.5	1187.3
455.8	25854.1						
		Min	I	-1178.3	-29.5	-0.2	-1500.6
86.0	5409.9		J	-1178.3	-29.5	-0.2	-1500.6
-211.1	-20784.9						
		C1-C2;~2 Max	I	860.8	20.5	0.3	625.8
-77.0	-13096.1		J	860.8	20.5	0.3	625.8
276.1	16423.3						
		Min	I	-613.7	-15.4	-0.1	-815.3
30.3	3116.6		J	-613.7	-15.4	-0.1	-815.3
-104.5	-11074.1						
		C3-C4;~2 Max	I	970.3	22.9	0.3	640.0
-38.0	-5911.9		J	970.3	22.9	0.3	640.0
286.1	14446.2						
		Min	I	-635.0	-15.9	-0.1	-857.6
52.9	2870.9		J	-635.0	-15.9	-0.1	-857.6
-111.5	-11220.2						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-39.1	-8057.3							
			G1	I	206.5	4.3	-0.9	-41.8
-51.0	3853.8			J	206.5	4.3	1.2	-41.8
-190.4	160.5							
			G2	I	74.0	1.5	0.0	-7.7
25.9	1250.5			J	74.0	1.5	0.0	-7.7
-9.4	-50.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	14.2	0.7	0.0	11.5
25.5	778.6			J	14.2	0.7	0.0	11.5
-0.8	183.7							
			Q5_pc Y	I	-334.4	-8.3	-0.0	530.0
-24.5	-4108.6			J	-334.4	-8.3	-0.0	530.0
-2.0	3092.8							
			Q5_ps X	I	16.1	0.7	0.0	7.5
30.1	899.8			J	16.1	0.7	0.0	7.5
-2.2	280.2							
			Q5_ps Y	I	-316.9	-7.9	-0.0	503.1
-23.2	-3901.7			J	-316.9	-7.9	-0.0	503.1
-2.1	2925.9							
			INVSLE Max	I	2039.3	45.9	-0.5	2673.3
479.9	32210.9			J	2039.3	45.9	2.4	2673.3
-202.3	14271.6		Min	I	-2445.1	-63.2	-1.6	-1909.5
-466.2	-41862.6			J	-2445.1	-63.2	1.3	-1909.5
-426.0	-16745.4							
			INVSLE Max	I	1440.9	32.2	-0.4	2001.7
350.2	22594.2			J	1440.9	32.2	1.8	2001.7
-152.6	10503.5		Min	I	-1836.3	-47.6	-1.2	-1322.3
-347.3	-31727.2			J	-1836.3	-47.6	1.0	-1322.3
-318.0	-12059.7							
9332	2	69	C1-C2;~1 Max	I	1381.3	17.3	0.2	628.0
42.2	5757.6			J	1381.3	17.3	0.2	628.0
247.2	15414.0		Min	I	-1167.2	-12.8	-0.3	-792.9
-70.6	-9535.9			J	-1167.2	-12.8	-0.3	-792.9
-154.1	-21811.5							
			C3-C4;~1 Max	I	1579.7	18.7	0.2	642.6
75.6	5415.8							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
313.8	16270.4		J	1579.7	18.7	0.2	642.6
		Min	I	-1204.4	-13.2	-0.3	-802.3
-77.6	-13109.4		J	-1204.4	-13.2	-0.3	-802.3
-161.5	-28190.2						
		C1-C2;~2 Max	I	794.8	10.1	0.1	337.9
24.8	3117.0		J	794.8	10.1	0.1	337.9
141.2	8251.9	Min	I	-629.0	-6.9	-0.2	-468.9
-38.4	-5917.3		J	-629.0	-6.9	-0.2	-468.9
-81.3	-12820.0						
		C3-C4;~2 Max	I	903.5	10.7	0.1	345.7
46.8	2873.5		J	903.5	10.7	0.1	345.7
179.0	8763.4	Min	I	-651.0	-7.1	-0.2	-459.6
-41.0	-8064.9		J	-651.0	-7.1	-0.2	-459.6
-85.4	-16697.4						
		G1	I	60.0	2.2	-1.2	-8.2
-190.6	158.7		J	60.0	2.2	1.0	-8.2
-91.4	-1760.5						
		G2	I	19.3	0.8	-0.0	0.9
-9.4	-50.8		J	19.3	0.8	-0.0	0.9
25.3	-719.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.2	0.6	0.0	4.2
-0.7	183.8		J	7.2	0.6	0.0	4.2
-2.8	-337.5						
		Q5_pc Y	I	-352.8	-3.4	0.0	304.1
2.9	3096.8		J	-352.8	-3.4	0.0	304.1
-38.8	6073.5						
		Q5_ps X	I	9.1	0.6	0.0	2.2
-2.1	280.4		J	9.1	0.6	0.0	2.2
-3.8	-246.1						
		Q5_ps Y	I	-334.1	-3.3	0.0	288.8
2.6	2929.8		J	-334.1	-3.3	0.0	288.8
-36.7	5755.5						
		INVSLU Max	I	1559.8	22.0	-1.3	1365.8
-210.4	14283.7		J	1559.8	22.0	1.6	1365.8
220.8	36633.3	Min	I	-2833.6	-27.3	-2.0	-1132.2
-422.6	-16761.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-490.7	-34320.9		J	-2833.6	-27.3	0.8	-1132.2
		INVSLE Max	I	1081.6	15.5	-0.9	1018.6
-158.2	10512.7		J	1081.6	15.5	1.2	1018.6
154.2	27394.0	Min	I	-2125.8	-20.6	-1.5	-791.2
-314.9	-12070.5		J	-2125.8	-20.6	0.6	-791.2
-367.7	-24354.8						
9333	2	69 C1-C2;~1 Max	I	1257.9	4.5	0.2	192.3
244.0	15410.0		J	1257.9	4.5	0.2	192.3
143.1	13436.8	Min	I	-1214.7	-3.3	-0.1	-213.5
-151.4	-21806.3		J	-1214.7	-3.3	-0.1	-213.5
-144.9	-21684.5						
		C3-C4;~1 Max	I	1429.9	3.9	0.3	151.7
310.4	16266.4		J	1429.9	3.9	0.3	151.7
172.4	14255.2	Min	I	-1264.6	-3.0	-0.1	-197.4
-158.7	-28184.6		J	-1264.6	-3.0	-0.1	-197.4
-164.5	-27839.6						
		C1-C2;~2 Max	I	723.5	2.4	0.1	122.8
139.4	8249.8		J	723.5	2.4	0.1	122.8
85.9	7133.4	Min	I	-651.1	-2.0	-0.0	-123.5
-79.8	-12817.1		J	-651.1	-2.0	-0.0	-123.5
-74.1	-12693.4						
		C3-C4;~2 Max	I	819.4	2.0	0.1	93.3
177.1	8761.2		J	819.4	2.0	0.1	93.3
104.4	7613.9	Min	I	-678.5	-1.7	-0.0	-104.4
-83.9	-16694.4		J	-678.5	-1.7	-0.0	-104.4
-82.8	-16417.0						
		G1	I	-148.4	2.8	-0.9	-77.4
-91.6	-1759.5		J	-148.4	2.8	1.2	-77.4
-217.0	-4219.7						
		G2	I	-61.8	1.1	0.1	-31.9
25.3	-719.5		J	-61.8	1.1	0.1	-31.9
-25.2	-1656.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	8.4	0.5	-0.0	-10.2
-2.8	-337.5		J	8.4	0.5	-0.0	-10.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5.6	-802.6							
-37.3	6072.2	Q5_pc	Y	I	-359.7	1.5	-0.0	-16.8
-18.8	4769.8			J	-359.7	1.5	-0.0	-16.8
-3.8	-246.1	Q5_ps	X	I	11.9	0.5	-0.0	-7.8
6.4	-678.4			J	11.9	0.5	-0.0	-7.8
-35.3	5754.2	Q5_ps	Y	I	-340.6	1.4	-0.0	-15.5
-17.9	4526.9			J	-340.6	1.4	-0.0	-15.5
214.4	36624.1	INVS LU	Max	I	957.3	15.2	-0.8	-92.4
-184.8	25936.8			J	957.3	15.2	2.1	-92.4
-486.1	-34314.7		Min	I	-3327.7	2.1	-1.3	-670.5
-673.6	-39476.7			J	-3327.7	2.1	1.5	-670.5
149.6	27387.1	INVS LE	Max	I	635.1	11.3	-0.6	-78.6
-142.1	19493.0			J	635.1	11.3	1.5	-78.6
-364.3	-24350.5		Min	I	-2491.0	1.7	-1.0	-504.7
-501.7	-28325.5			J	-2491.0	1.7	1.1	-504.7
9334	2	69 C1-C2;~1	Max	I	1139.2	17.8	0.1	702.7
146.3	13438.8			J	1139.2	17.8	0.1	702.7
114.8	5159.3		Min	I	-1269.3	-15.9	-0.2	-765.5
-148.9	-21685.7			J	-1269.3	-15.9	-0.2	-765.5
-43.3	-14304.1							
175.7	14257.2	C3-C4;~1	Max	I	1286.6	18.7	0.1	688.5
175.2	3967.6			J	1286.6	18.7	0.1	688.5
-168.8	-27840.2		Min	I	-1341.9	-17.5	-0.3	-827.9
-47.1	-17637.8			J	-1341.9	-17.5	-0.3	-827.9
87.7	7134.6	C1-C2;~2	Max	I	652.8	9.5	0.1	410.9
63.1	2965.0			J	652.8	9.5	0.1	410.9
-76.2	-12694.2		Min	I	-674.2	-9.2	-0.1	-399.1
-21.2	-8270.8			J	-674.2	-9.2	-0.1	-399.1
106.1	7615.1	C3-C4;~2	Max	I	735.4	9.9	0.1	382.7
99.7	2045.0			J	735.4	9.9	0.1	382.7

MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	I	-710.7	-10.0	-0.1	-425.8
-84.9	-16417.5			J	-710.7	-10.0	-0.1	-425.8
-23.1	-10088.1							
			G1	I	-366.9	6.0	-1.2	-274.7
-218.5	-4218.3			J	-366.9	6.0	0.9	-274.7
-80.0	-9437.3							
			G2	I	-147.5	2.4	-0.1	-114.1
-25.8	-1656.3			J	-147.5	2.4	-0.1	-114.1
34.4	-3722.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	10.9	0.5	0.0	-25.7
5.5	-802.6			J	10.9	0.5	0.0	-25.7
3.2	-1209.4							
			Q5_pc Y	I	-361.4	6.0	-0.0	-313.5
-20.4	4770.6			J	-361.4	6.0	-0.0	-313.5
2.8	-457.3							
			Q5_ps X	I	16.2	0.4	0.0	-18.0
6.3	-678.4			J	16.2	0.4	0.0	-18.0
0.2	-999.8							
			Q5_ps Y	I	-342.1	5.7	-0.0	-296.9
-19.5	4527.6			J	-342.1	5.7	-0.0	-296.9
2.3	-417.3							
			INVSLU Max	I	358.8	56.1	-1.6	165.8
-185.3	25944.5			J	358.8	56.1	1.3	165.8
104.5	-11522.3							
			Min	I	-3840.2	-3.7	-2.2	-2464.7
-687.2	-39474.0			J	-3840.2	-3.7	0.7	-2464.7
-201.5	-44475.3							
			INVSLE Max	I	193.2	41.8	-1.2	63.7
-142.9	19498.7			J	193.2	41.8	0.9	63.7
75.4	-8593.8							
			Min	I	-2869.0	-1.7	-1.6	-1843.0
-511.9	-28323.4			J	-2869.0	-1.7	0.5	-1843.0
-150.9	-32842.2							
9335	2	69 C1-C2;~1	Max	I	1085.2	31.2	0.4	1037.0
118.9	5163.8			J	1085.2	31.2	0.4	1037.0
368.5	22254.7							
			Min	I	-1353.0	-26.2	-0.4	-1230.3
-49.6	-14306.3			J	-1353.0	-26.2	-0.4	-1230.3
-339.9	-31695.9							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

179.1	3970.8	C3-C4;~1	Max	I	1225.9	33.0	0.4	1064.8
				J	1225.9	33.0	0.4	1064.8
426.1	18572.8		Min	I	-1440.4	-29.3	-0.4	-1331.4
-53.4	-17640.0			J	-1440.4	-29.3	-0.4	-1331.4
-353.1	-34190.2							
		C1-C2;~2	Max	I	619.0	16.5	0.2	595.6
65.8	2967.5			J	619.0	16.5	0.2	595.6
225.1	12415.5		Min	I	-714.3	-14.9	-0.2	-641.4
-24.8	-8270.9			J	-714.3	-14.9	-0.2	-641.4
-181.3	-16455.7							
		C3-C4;~2	Max	I	697.3	17.4	0.2	590.5
102.2	2046.7			J	697.3	17.4	0.2	590.5
258.5	9843.6		Min	I	-757.5	-16.6	-0.3	-684.9
-26.7	-10088.0			J	-757.5	-16.6	-0.3	-684.9
-189.4	-17539.8							
			G1	I	-555.8	11.0	-0.8	-471.9
-83.3	-9441.1			J	-555.8	11.0	1.3	-471.9
-309.0	-18939.2							
			G2	I	-221.7	4.4	0.1	-194.2
33.1	-3724.1			J	-221.7	4.4	0.1	-194.2
-69.2	-7506.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	4.2	0.4	0.0	-33.7
2.9	-1209.4			J	4.2	0.4	0.0	-33.7
-17.4	-1533.0							
		Q5_pc	Y	I	-390.3	9.9	0.1	-496.8
-0.8	-460.1			J	-390.3	9.9	0.1	-496.8
-119.2	-9030.8							
		Q5_ps	X	I	10.9	0.2	0.0	-22.4
-0.0	-999.8			J	10.9	0.2	0.0	-22.4
-13.6	-1179.6							
		Q5_ps	Y	I	-369.0	9.4	0.1	-470.8
-1.1	-420.0			J	-369.0	9.4	0.1	-470.8
-111.7	-8528.9							
		INVSLU	Max	I	-86.9	98.2	-0.0	231.7
97.5	-11527.0			J	-86.9	98.2	2.8	231.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-106.5	-20196.0		Min	I	-4388.9	-3.7	-1.4	-3897.3	
-221.7	-44489.1			J	-4388.9	-3.7	1.5	-3897.3	-
1372.9	-112652.1								
		INVSLE	Max	I	-139.4	73.3	-0.0	83.0	
69.9	-8597.6			J	-139.4	73.3	2.1	83.0	
-99.6	-16542.8		Min	I	-3274.1	-0.9	-1.0	-2909.4	
-166.2	-32852.7			J	-3274.1	-0.9	1.1	-2909.4	-
1021.8	-83824.6								
9336	2	69	C1-C2;~1	Max	I	1022.6	28.6	0.4	895.3
347.8	22278.9			J	1022.6	28.6	0.4	895.3	
32.9	15941.2		Min	I	-1438.5	-52.5	-0.3	-843.3	
-263.2	-31692.7			J	-1438.5	-52.5	-0.3	-843.3	
-89.7	-10959.3								
		C3-C4;~1	Max	I	1161.9	32.2	0.4	910.7	
361.6	18565.1			J	1161.9	32.2	0.4	910.7	
62.3	16845.6		Min	I	-1537.6	-56.9	-0.3	-895.4	
-302.1	-34221.1			J	-1537.6	-56.9	-0.3	-895.4	
-107.2	-13141.9								
		C1-C2;~2	Max	I	577.8	15.5	0.3	476.9	
217.8	12428.8			J	577.8	15.5	0.3	476.9	
18.2	8056.6		Min	I	-755.4	-27.0	-0.1	-492.2	
-133.7	-16445.6			J	-755.4	-27.0	-0.1	-492.2	
-48.4	-6345.8								
		C3-C4;~2	Max	I	655.0	17.3	0.3	485.9	
225.6	9836.7			J	655.0	17.3	0.3	485.9	
38.6	8484.9		Min	I	-804.1	-29.1	-0.1	-506.0	
-150.2	-17542.4			J	-804.1	-29.1	-0.1	-506.0	
-56.3	-7617.8								
		G1		I	-743.2	-37.6	-1.1	332.2	
-252.4	-18970.4			J	-743.2	-37.6	1.0	332.2	
-220.3	13618.2								
		G2		I	-293.2	-14.9	-0.0	131.6	
-51.7	-7521.1			J	-293.2	-14.9	-0.0	131.6	
-20.6	5348.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
18.4	-1512.1	Q5_pc X	I	-6.8	-7.3	0.0	180.8
			J	-6.8	-7.3	0.0	180.8
8.6	4805.5						
-24.8	-8981.0	Q5_pc Y	I	-428.0	-17.7	-0.0	474.6
			J	-428.0	-17.7	-0.0	474.6
12.7	6386.6						
24.3	-1157.4	Q5_ps X	I	0.5	-6.6	0.0	172.5
			J	0.5	-6.6	0.0	172.5
7.1	4584.2						
-22.9	-8482.0	Q5_ps Y	I	-404.4	-16.8	-0.0	450.0
			J	-404.4	-16.8	-0.0	450.0
11.7	6032.8						
-50.1	-20206.8	INVSLE Max	I	-526.2	-45.4	-1.0	2693.3
			J	-526.2	-45.4	1.9	2693.3
-275.8	61019.5	Min	I	-4940.8	-197.7	-2.1	-599.3
			J	-4940.8	-197.7	0.8	-599.3
-990.7	-112647.6						
-527.6	9040.4						
-45.6	-16543.8	INVSLE Max	I	-468.2	-36.5	-0.8	2002.9
			J	-468.2	-36.5	1.4	2002.9
-205.0	45224.9	Min	I	-3681.2	-146.9	-1.5	-372.8
			J	-3681.2	-146.9	0.6	-372.8
-739.0	-83821.0						
-389.8	7573.5						
9337	2	69 C1-C2;~1 Max	I	932.4	18.7	0.2	368.3
29.3	15949.4		J	932.4	18.7	0.2	368.3
172.6	45863.4	Min	I	-1530.0	-35.6	-0.3	-510.1
			J	-1530.0	-35.6	-0.3	-510.1
-90.0	-10965.7						
-162.0	-24717.4						
58.1	16854.3	C3-C4;~1 Max	I	1072.8	21.1	0.2	324.8
			J	1072.8	21.1	0.2	324.8
229.0	49773.8	Min	I	-1647.4	-38.8	-0.3	-547.4
			J	-1647.4	-38.8	-0.3	-547.4
-107.9	-13150.1						
-169.5	-29918.3						
16.1	8060.5	C1-C2;~2 Max	I	517.0	10.2	0.1	203.7
			J	517.0	10.2	0.1	203.7
98.8	23191.7	Min	I	-797.0	-18.1	-0.1	-303.9
			J	-797.0	-18.1	-0.1	-303.9
-49.6	-6349.4						
-86.9	-13418.7						
		C3-C4;~2 Max	I	594.9	11.3	0.1	171.6

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
36.3	8489.2		J	594.9	11.3	0.1	171.6
132.1	25043.2	Min	I	-853.7	-19.6	-0.2	-310.1
-57.7	-7622.4		J	-853.7	-19.6	-0.2	-310.1
-91.4	-16442.3						
		G1	I	-955.0	-28.0	-1.1	-1.6
-218.2	13624.1		J	-955.0	-28.0	1.0	-1.6
-178.6	37893.4						
		G2	I	-372.8	-11.1	-0.0	-1.3
-19.8	5350.9		J	-372.8	-11.1	-0.0	-1.3
-10.3	14960.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-17.3	-7.1	0.0	154.8
10.2	4806.8		J	-17.3	-7.1	0.0	154.8
-10.8	10931.8						
		Q5_pc Y	I	-462.2	-12.3	0.1	191.2
16.3	6392.0		J	-462.2	-12.3	0.1	191.2
-55.7	17008.3						
		Q5_ps X	I	-9.4	-6.5	0.0	150.9
8.6	4585.5		J	-9.4	-6.5	0.0	150.9
-11.3	10208.1						
		Q5_ps Y	I	-436.6	-11.6	0.1	181.9
15.1	6038.0		J	-436.6	-11.6	0.1	181.9
-52.6	16063.3						
		INVSLE Max	I	-1027.7	-34.8	-1.0	776.5
-271.4	61054.0		J	-1027.7	-34.8	1.8	776.5
-59.8	179360.2	Min	I	-5531.9	-137.7	-1.9	-803.9
-524.8	9042.4		J	-5531.9	-137.7	1.0	-803.9
-697.9	41160.8						
		INVSLE Max	I	-842.0	-27.6	-0.8	578.7
-201.7	45250.6		J	-842.0	-27.6	1.4	578.7
-54.7	133087.4	Min	I	-4116.8	-102.2	-1.4	-566.5
-387.2	7575.8		J	-4116.8	-102.2	0.8	-566.5
-520.0	32985.3						
		69 C1-C2;~1 Max	I	870.0	8.4	0.4	526.8
9338	2		J	870.0	8.4	0.4	526.8
170.8	45859.7						
		Min	I	-1688.1	-14.3	-0.1	-797.8
143.8	57389.8						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-163.0	-24715.7		J	-1688.1	-14.3	-0.1	-797.8
-342.4	-30843.0						
		C3-C4;~1 Max	I	1006.5	8.8	0.5	448.9
226.2	49769.9		J	1006.5	8.8	0.5	448.9
183.7	62412.2	Min	I	-1852.5	-15.2	-0.1	-936.5
-170.5	-29916.0		J	-1852.5	-15.2	-0.1	-936.5
-439.9	-36229.1						
		C1-C2;~2 Max	I	470.8	4.7	0.2	306.7
97.9	23189.7		J	470.8	4.7	0.2	306.7
79.1	28891.7	Min	I	-865.4	-7.1	-0.1	-395.8
-87.4	-13417.8		J	-865.4	-7.1	-0.1	-395.8
-171.5	-16803.1						
		C3-C4;~2 Max	I	545.1	4.8	0.3	247.6
130.7	25041.1		J	545.1	4.8	0.3	247.6
103.7	31210.8	Min	I	-941.5	-7.4	-0.1	-458.0
-91.9	-16441.1		J	-941.5	-7.4	-0.1	-458.0
-221.4	-19779.2						
		G1	I	-1254.3	-12.7	-0.7	-606.3
-181.6	37891.6		J	-1254.3	-12.7	1.4	-606.3
-489.6	48901.2						
		G2	I	-489.2	-5.1	0.1	-242.9
-11.5	14960.1		J	-489.2	-5.1	0.1	-242.9
-122.4	19382.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-19.0	-6.7	-0.0	111.7
-9.3	10932.0		J	-19.0	-6.7	-0.0	111.7
17.5	16751.1						
		Q5_pc Y	I	-485.6	-5.2	-0.1	-250.9
-55.9	17006.5		J	-485.6	-5.2	-0.1	-250.9
-7.1	21525.7						
		Q5_ps X	I	-8.4	-6.3	-0.0	117.2
-9.8	10208.3		J	-8.4	-6.3	-0.0	117.2
19.6	15646.9						
		Q5_ps Y	I	-458.5	-4.9	-0.1	-236.2
-52.8	16061.6		J	-458.5	-4.9	-0.1	-236.2
-6.8	20327.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-69.8	179347.3	INVSLE Max	I	-1654.1	-12.8	-0.0	-400.6	
			J	-1654.1	-12.8	2.9	-400.6	
-703.2	227161.6	Min	I	-6387.7	-57.4	-1.1	-2827.7	
-705.9	41159.7		J	-6387.7	-57.4	1.8	-2827.7	-
1576.5	55249.5	INVSLE Max	I	-1306.5	-10.3	-0.0	-329.1	
-62.1	133077.8		J	-1306.5	-10.3	2.1	-329.1	
-524.2	168496.0	Min	I	-4748.1	-42.4	-0.8	-2093.5	
-525.9	32984.1		J	-4748.1	-42.4	1.4	-2093.5	-
1168.8	44023.9	83 C1-C2;~1 Max	I	853.8	16.6	0.5	1047.3	
9339	2		J	853.8	16.6	0.5	1047.3	
150.9	57405.3	Min	I	-1928.6	-12.1	-1.0	-1862.4	
728.6	44345.1		J	-1928.6	-12.1	-1.0	-1862.4	
-357.3	-30849.3	C3-C4;~1 Max	I	992.6	18.3	0.4	1012.4	
-451.3	-27130.3		J	992.6	18.3	0.4	1012.4	
191.7	62430.0	Min	I	-2152.1	-12.5	-1.5	-2126.7	
1183.6	47700.8		J	-2152.1	-12.5	-1.5	-2126.7	
-456.6	-36236.6	C1-C2;~2 Max	I	448.6	8.5	0.3	580.2	
-403.3	-30146.2		J	448.6	8.5	0.3	580.2	
82.8	28899.5	Min	I	-973.7	-7.2	-0.5	-927.9	
385.2	22030.2		J	-973.7	-7.2	-0.5	-927.9	
-178.7	-16806.3	C3-C4;~2 Max	I	521.4	9.4	0.2	526.2	
-228.4	-15206.4		J	521.4	9.4	0.2	526.2	
107.9	31219.4	Min	I	-1074.4	-7.3	-0.8	-1041.3	
652.9	23560.2		J	-1074.4	-7.3	-0.8	-1041.3	
-229.2	-19783.0	G1	I	-1619.9	10.3	-2.9	-1439.2	
-204.2	-16649.3		J	-1619.9	10.3	1.9	-1439.2	
-502.3	48914.4	G2	I	-631.9	3.9	-0.3	-576.6	
-70.3	39993.7		J	-631.9	3.9	-0.3	-576.6	
-127.5	19387.5	Q3	I	0.0	0.0	0.0	0.0	
160.6	16014.3							
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
18.7	16751.5	Q5_pc X	I	-21.0	-6.3	0.4	82.1	
-327.4	22233.7		J	-21.0	-6.3	0.4	82.1	
-13.4	21532.1	Q5_pc Y	I	-525.1	3.4	0.1	-738.3	
-134.9	18613.4		J	-525.1	3.4	0.1	-738.3	
21.0	15647.0	Q5_ps X	I	-6.9	-6.1	0.4	100.5	
-341.0	20933.5		J	-6.9	-6.1	0.4	100.5	
-12.8	20333.7	Q5_ps Y	I	-495.5	3.2	0.1	-696.9	
-132.0	17577.2		J	-495.5	3.2	0.1	-696.9	
-719.0	227218.3	INVS LU Max	I	-2358.5	59.7	-2.6	-1025.9	
1235.7	182567.7		J	-2358.5	59.7	3.9	-1025.9	
1628.0	55260.5	Min	I	-7548.9	6.7	-6.1	-6639.9	-
1560.8	37453.5		J	-7548.9	6.7	0.4	-6639.9	-
-536.4	168538.0	INVS LE Max	I	-1831.5	44.2	-1.9	-855.5	
871.1	135027.2		J	-1831.5	44.2	2.9	-855.5	
1207.2	44032.8	Min	I	-5606.2	5.8	-4.4	-4915.5	-
1156.8	30499.7		J	-5606.2	5.8	0.4	-4915.5	-
9340	2	83 C1-C2;~1 Max	I	842.8	50.4	2.8	1411.5	
726.7	44337.4		J	842.8	50.4	2.8	1411.5	
1896.7	22111.2	Min	I	-2137.9	-23.7	-2.3	-2654.7	
-459.5	-27127.5		J	-2137.9	-23.7	-2.3	-2654.7	-
2406.5	-16011.9							
1178.8	47691.3	C3-C4;~1 Max	I	983.3	56.4	3.5	1377.0	
1996.1	17412.0		J	983.3	56.4	3.5	1377.0	
-417.6	-30142.9	Min	I	-2399.8	-26.7	-2.2	-3052.8	
2742.8	-15871.0		J	-2399.8	-26.7	-2.2	-3052.8	-
385.9	22026.5	C1-C2;~2 Max	I	432.1	25.5	1.4	747.3	
1176.9	13188.0		J	432.1	25.5	1.4	747.3	
-232.1	-15205.0	Min	I	-1070.5	-12.7	-1.5	-1320.8	
			J	-1070.5	-12.7	-1.5	-1320.8	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1207.7	-9795.3								
		C3-C4;~2	Max	I	503.6	28.3	1.7	707.5	
652.6	23555.8			J	503.6	28.3	1.7	707.5	
1226.7	10272.0								
			Min	I	-1188.5	-14.2	-1.3	-1496.5	
-212.1	-16647.7			J	-1188.5	-14.2	-1.3	-1496.5	-
1368.5	-9352.4								
			G1	I	-1938.8	40.4	0.2	-2110.3	
-98.4	39986.6			J	-1938.8	40.4	5.0	-2110.3	-
2379.7	4974.8								
			G2	I	-756.2	15.7	1.2	-846.2	
149.3	16011.4			J	-756.2	15.7	1.2	-846.2	
-878.4	2443.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-19.9	-5.9	-1.0	75.4	
-326.2	22234.2			J	-19.9	-5.9	-1.0	75.4	
528.1	27387.1								
			Q5_pc Y	I	-581.9	12.7	0.4	-1053.8	
-149.2	18611.2			J	-581.9	12.7	0.4	-1053.8	
-484.7	7605.2								
			Q5_ps X	I	-3.5	-6.0	-1.0	103.0	
-339.4	20934.0			J	-3.5	-6.0	-1.0	103.0	
549.9	26126.0								
			Q5_ps Y	I	-548.5	12.0	0.3	-994.9	
-145.5	17575.1			J	-548.5	12.0	0.3	-994.9	
-447.4	7188.6								
			INVSLU Max	I	-2951.8	192.0	7.8	-1638.4	
1167.9	182542.0			J	-2951.8	192.0	14.3	-1638.4	-
2198.8	64657.0								
			Min	I	-8566.3	57.0	-1.9	-9562.0	-
1631.1	37444.3			J	-8566.3	57.0	4.6	-9562.0	-
9546.8	-44748.4								
			INVSLE Max	I	-2275.9	142.7	5.7	-1349.0	
820.0	135008.0			J	-2275.9	142.7	10.5	-1349.0	-
1708.9	45154.8								
			Min	I	-6357.2	44.4	-1.3	-7077.8	-
1209.8	30492.8			J	-6357.2	44.4	3.5	-7077.8	-
7081.5	-30080.4								
		83	C1-C2;~1	Max	I	813.7	20.4	2.7	3938.9
9341	2								
1911.7	22147.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
308.4	39944.4		J	813.7	20.4	2.7	3938.9	
2179.8	-15975.5	Min	I	-2309.0	-44.3	-2.6	-1932.1	-
-723.6	-15469.2		J	-2309.0	-44.3	-2.6	-1932.1	
1987.0	17428.5	C3-C4;~1 Max	I	956.4	13.8	2.7	4360.8	
469.3	48518.5		J	956.4	13.8	2.7	4360.8	
2527.8	-15873.2	Min	I	-2599.0	-58.5	-2.9	-1780.7	-
-882.2	-16064.6		J	-2599.0	-58.5	-2.9	-1780.7	
1195.6	13204.5	C1-C2;~2 Max	I	405.8	10.9	1.7	1992.9	
150.8	19759.2		J	405.8	10.9	1.7	1992.9	
1085.6	-9780.4	Min	I	-1148.6	-21.1	-1.3	-1091.0	-
-396.4	-8848.1		J	-1148.6	-21.1	-1.3	-1091.0	
1230.5	10278.7	C3-C4;~2 Max	I	477.0	7.1	1.7	2218.3	
258.2	23840.1		J	477.0	7.1	1.7	2218.3	
1245.2	-9356.7	Min	I	-1279.9	-28.0	-1.5	-934.2	-
-473.1	-8983.5		J	-1279.9	-28.0	-1.5	-934.2	
2097.6	5057.5	G1	I	-2223.5	-45.4	-4.0	3553.7	-
-655.5	42102.3		J	-2223.5	-45.4	0.5	3553.7	
-774.3	2473.4	G2	I	-864.4	-17.4	-0.8	1409.1	
-109.4	16651.2		J	-864.4	-17.4	-0.8	1409.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
562.7	27410.0	Q5_pc X	I	-23.3	33.4	1.1	538.2	
-305.5	136.4		J	-23.3	33.4	1.1	538.2	
-322.9	7681.1	Q5_pc Y	I	-638.0	-5.9	-0.7	1526.5	
235.9	12516.5		J	-638.0	-5.9	-0.7	1526.5	
584.7	26149.2	Q5_ps X	I	-5.6	32.7	1.1	466.7	
-299.1	-571.8		J	-5.6	32.7	1.1	466.7	
-295.5	7259.9	Q5_ps Y	I	-601.0	-5.4	-0.6	1433.3	

MIDAS

PROJECT TITLE :

		Company		Client				
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
218.8	11682.3		J	-601.0	-5.4	-0.6	1433.3	
1539.4	64925.3	INVS LU Max	I	-3490.6	-13.3	-2.7	14334.5	-
-349.9	147634.9		J	-3490.6	-13.3	3.5	14334.5	
8647.2	-44552.0	Min	I	-9438.9	-186.2	-12.2	3091.3	-
2724.2	37918.2		J	-9438.9	-186.2	-6.1	3091.3	-
1216.6	45354.0	INVS LE Max	I	-2679.1	-12.8	-2.1	10580.9	-
-273.1	108127.7		J	-2679.1	-12.8	2.4	10580.9	
6406.6	-29929.4	Min	I	-7000.2	-135.0	-9.0	2456.1	-
1991.1	28524.9		J	-7000.2	-135.0	-4.5	2456.1	-
9342	2	83 C1-C2;~1 Max	I	809.4	21.0	1.2	3280.5	
342.1	39951.5		J	809.4	21.0	1.2	3280.5	
879.8	46506.2	Min	I	-2464.4	-20.7	-1.5	-1735.9	
-732.5	-15472.3		J	-2464.4	-20.7	-1.5	-1735.9	
-807.6	-17008.7							
492.2	48527.3	C3-C4;~1 Max	I	928.9	13.2	1.3	3543.5	
1271.5	63816.0		J	928.9	13.2	1.3	3543.5	
-885.7	-16068.1	Min	I	-2785.0	-29.0	-2.0	-1581.3	
-775.4	-11617.5		J	-2785.0	-29.0	-2.0	-1581.3	
169.0	19761.9	C1-C2;~2 Max	I	399.2	10.8	0.7	1682.4	
506.0	22195.7		J	399.2	10.8	0.7	1682.4	
-403.5	-8849.7	Min	I	-1216.3	-10.4	-0.8	-1003.5	
-426.6	-8625.7		J	-1216.3	-10.4	-0.8	-1003.5	
268.0	23843.9	C3-C4;~2 Max	I	451.1	6.7	0.7	1816.2	
747.4	30859.7		J	451.1	6.7	0.7	1816.2	
-476.5	-8985.3	Min	I	-1361.4	-14.2	-1.1	-855.7	
-420.3	-6011.3		J	-1361.4	-14.2	-1.1	-855.7	
-610.9	42112.6	G1	I	-2502.1	-9.9	-2.5	2834.9	
-410.7	50199.5		J	-2502.1	-9.9	2.0	2834.9	
-91.7	16655.2	G2	I	-968.5	-3.6	-0.1	1127.3	
-34.1	19606.0		J	-968.5	-3.6	-0.1	1127.3	

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-298.5	135.3	Q5_pc X	I	-29.6	34.0	-0.6	491.4	
169.5	-27597.0		J	-29.6	34.0	-0.6	491.4	
254.9	12521.3	Q5_pc Y	I	-684.3	4.5	0.7	1202.3	
-328.9	8816.8		J	-684.3	4.5	0.7	1202.3	
-293.1	-573.0	Q5_ps X	I	-10.7	33.0	-0.5	428.3	
142.6	-27530.0		J	-10.7	33.0	-0.5	428.3	
236.7	11686.9	Q5_ps Y	I	-644.4	4.4	0.7	1127.5	
-313.8	8064.1		J	-644.4	4.4	0.7	1127.5	
-236.7	147672.5	INVS LU Max	I	-4010.4	71.1	0.2	11492.6	
167.0	176125.3		J	-4010.4	71.1	6.3	11492.6	
2634.1	37930.2	Min	I	-10255.9	-62.6	-5.6	2201.4	-
3231.8	12196.7		J	-10255.9	-62.6	0.5	2201.4	-
-187.9	108155.4	INVS LE Max	I	-3066.5	50.5	0.2	8482.8	
57.2	127026.8		J	-3066.5	50.5	4.7	8482.8	
1924.0	28534.3	Min	I	-7601.6	-42.7	-4.0	1760.7	-
2416.7	10496.9		J	-7601.6	-42.7	0.5	1760.7	-
9343	2	83 C1-C2;~1 Max	I	852.6	39.9	4.6	2422.2	
868.9	46502.7		J	852.6	39.9	4.6	2422.2	
801.5	41958.5	Min	I	-2634.4	-20.1	-0.9	-1539.6	
-782.8	-17008.4		J	-2634.4	-20.1	-0.9	-1539.6	-
3751.6	-35019.0							
1261.4	63811.5	C3-C4;~1 Max	I	977.3	33.9	6.1	2474.5	
916.2	62481.0		J	977.3	33.9	6.1	2474.5	
-745.2	-11616.2	Min	I	-3052.7	-23.1	-0.9	-1433.3	
4739.0	-20140.3		J	-3052.7	-23.1	-0.9	-1433.3	-
499.8	22194.3	C1-C2;~2 Max	I	425.3	19.8	2.2	1283.6	
399.9	20196.7		J	425.3	19.8	2.2	1283.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-413.6	-8625.4		Min	I	-1285.6	-10.5	-0.5	-919.4	
				J	-1285.6	-10.5	-0.5	-919.4	-
1788.7	-17281.5		C3-C4;~2	Max					
741.7	30857.6			I	479.8	16.7	3.0	1297.4	
				J	479.8	16.7	3.0	1297.4	
450.7	30356.4								
			Min	I	-1486.5	-11.8	-0.5	-814.0	
-404.2	-6010.7			J	-1486.5	-11.8	-0.5	-814.0	-
2290.3	-9542.1								
			G1	I	-2810.6	25.4	3.3	1779.1	
-383.9	50194.3			J	-2810.6	25.4	7.9	1779.1	-
4949.5	29436.2								
			G2	I	-1086.6	10.1	2.1	714.7	
-23.4	19603.9			J	-1086.6	10.1	2.1	714.7	-
1766.3	11387.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X					
174.7	-27596.9			I	-23.0	34.5	0.8	392.2	
				J	-23.0	34.5	0.8	392.2	
-445.5	-55798.3								
			Q5_pc	Y					
-317.5	8814.9			I	-699.7	14.1	-0.4	775.6	
				J	-699.7	14.1	-0.4	775.6	
37.4	-2692.5								
			Q5_ps	X					
147.1	-27529.9			I	-1.5	33.3	0.6	345.1	
				J	-1.5	33.3	0.6	345.1	
-354.2	-54720.4								
			Q5_ps	Y					
-303.2	8062.2			I	-658.6	13.4	-0.4	725.4	
				J	-658.6	13.4	-0.4	725.4	
52.1	-2907.3								
			INVSLU	Max					
197.0	176106.9			I	-4470.1	172.6	14.3	7754.0	
				J	-4470.1	172.6	20.4	7754.0	-
7013.8	128137.6								
			Min	I	-11170.1	21.8	3.4	939.0	-
3134.3	12184.9			J	-11170.1	21.8	9.5	939.0	-1
5450.3	-111840.8								
			INVSLE	Max					
80.6	127013.1			I	-3405.2	127.6	10.4	5726.6	
				J	-3405.2	127.6	15.0	5726.6	-
5177.3	87877.4								
			Min	I	-8274.9	21.9	2.5	781.9	-
2344.7	10488.1			J	-8274.9	21.9	7.0	781.9	-1
1367.2	-80084.5								

MIDAS

PROJECT TITLE :

		Company			Client						
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G					
9344	2	83	C1-C2;~1	Max	I	896.0	64.7	3.6	1895.2		
798.4	41962.2				J	896.0	64.7	3.6	1895.2	1	
2193.3	43766.3				Min	I	-2852.8	-26.0	-19.1	-1669.9	-
3743.9	-35020.1				J	-2852.8	-26.0	-19.1	-1669.9	-	
2205.0	-77581.5										
			C3-C4;~1	Max	I	1025.1	60.9	3.8	1886.8		
912.5	62486.5				J	1025.1	60.9	3.8	1886.8	1	
5781.3	60382.6				Min	I	-3330.8	-29.6	-24.5	-1730.5	-
4732.3	-20140.5				J	-3330.8	-29.6	-24.5	-1730.5	-	
2229.5	-58437.3										
			C1-C2;~2	Max	I	451.2	32.1	1.8	1028.1		
398.6	20198.4				J	451.2	32.1	1.8	1028.1		
5881.4	21111.8				Min	I	-1395.7	-13.0	-9.1	-977.9	-
1786.0	-17282.0				J	-1395.7	-13.0	-9.1	-977.9	-	
1047.7	-38273.1										
			C3-C4;~2	Max	I	507.9	30.1	1.9	1000.5		
449.1	30359.1				J	507.9	30.1	1.9	1000.5		
7779.6	29161.5				Min	I	-1625.2	-14.6	-11.9	-965.1	-
2288.3	-9542.2				J	-1625.2	-14.6	-11.9	-965.1	-	
1076.1	-28535.1										
					G1	I	-3092.6	59.2	-26.6	742.4	-
4937.2	29440.8				J	-3092.6	59.2	-22.1	742.4	1	
4959.0	-18858.7										
					G2	I	-1195.1	23.1	-9.2	310.6	-
1761.3	11388.9				J	-1195.1	23.1	-9.2	310.6		
5772.0	-7477.3										
					Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0		
0.0	0.0										
			Q5_pc	X	I	-10.0	35.0	-2.7	294.9		
-442.2	-55801.4				J	-10.0	35.0	-2.7	294.9		
1787.9	-84353.4										
			Q5_pc	Y	I	-720.8	22.3	0.2	440.3		
43.1	-2693.7				J	-720.8	22.3	0.2	440.3		
-87.3	-20860.2										
			Q5_ps	X	I	13.7	33.5	-2.2	264.5		
-351.3	-54723.5				J	13.7	33.5	-2.2	264.5		
1416.3	-82033.2										

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

57.5	-2908.5	Q5_ps Y	I	-678.2	21.1	0.3	410.0	
-159.7	-20143.0		J	-678.2	21.1	0.3	410.0	
6994.3	128153.2	INVS LU Max	I	-4879.8	281.2	-33.4	4865.8	-
5330.8	23452.0		J	-4879.8	281.2	-27.3	4865.8	4
5410.8	-111840.8	Min	I	-12057.6	91.0	-76.6	-821.5	-1
7798.0	-319618.9		J	-12057.6	91.0	-70.5	-821.5	1
5162.4	87888.5	INVS LE Max	I	-3707.5	208.6	-24.5	3599.3	-
3162.6	2805.4		J	-3707.5	208.6	-20.0	3599.3	3
1337.9	-80084.3	Min	I	-8928.3	72.3	-56.2	-554.8	-1
3006.3	-236582.8		J	-8928.3	72.3	-51.6	-554.8	1
9345	2	83 C1-C2;~1 Max	I	960.9	86.9	47.8	1664.2	1
2191.2	43762.4		J	960.9	86.9	47.8	1664.2	
4985.1	58940.9	Min	I	-3191.1	-32.4	-8.8	-1987.0	-
2204.5	-77584.7		J	-3191.1	-32.4	-8.8	-1987.0	-2
6955.3	-142023.5							
5777.4	60376.7	C3-C4;~1 Max	I	1098.0	90.2	60.8	1635.5	1
5474.8	70847.1		J	1098.0	90.2	60.8	1635.5	
2229.8	-58441.6	Min	I	-3766.0	-37.2	-9.4	-2217.6	-
3981.9	-120185.7		J	-3766.0	-37.2	-9.4	-2217.6	-3
5879.4	21109.8	C1-C2;~2 Max	I	486.6	43.0	22.8	906.8	
2403.5	28586.4		J	486.6	43.0	22.8	906.8	
1047.3	-38274.7	Min	I	-1557.1	-16.0	-4.2	-1115.5	-
2794.4	-70491.4		J	-1557.1	-16.0	-4.2	-1115.5	-1
7776.8	29158.6	C3-C4;~2 Max	I	547.1	44.2	29.5	863.7	
2642.5	34048.6		J	547.1	44.2	29.5	863.7	
1076.0	-28537.3	Min	I	-1836.5	-18.1	-4.6	-1196.2	-
6417.7	-59341.4		J	-1836.5	-18.1	-4.6	-1196.2	-1
4960.2	-18869.4	G1	I	-3550.9	89.0	58.9	-160.5	1
4995.9	-91548.4		J	-3550.9	89.0	63.5	-160.5	-3
		G2	I	-1369.5	34.7	23.2	-45.9	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
5772.7	-7481.2							
		J	-1369.5	34.7	23.2	-45.9	-1	
3141.6	-35777.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0	J	0.0	0.0	0.0	0.0		
0.0	0.0							
			Q5_pc X	I	6.2	35.4	5.5	144.9
1790.0	-84352.0	J	6.2	35.4	5.5	144.9	-	
2707.9	-113237.3							
			Q5_pc Y	I	-820.7	29.0	0.9	240.9
-84.6	-20860.0	J	-820.7	29.0	0.9	240.9		
-811.4	-44505.5							
			Q5_ps X	I	35.3	33.6	4.2	136.2
1418.2	-82031.8	J	35.3	33.6	4.2	136.2	-	
2008.8	-109457.9							
			Q5_ps Y	I	-771.2	27.4	0.6	224.2
-157.3	-20142.7	J	-771.2	27.4	0.6	224.2		
-607.6	-42527.5							
			INVSLE Max	I	-5451.4	381.2	180.7	2700.3
5334.8	23429.1	J	-5451.4	381.2	186.8	2700.3	-4	
6724.4	-114647.8							
			Min	I	-13495.1	145.6	76.0	-2973.6
7803.1	-319638.7	J	-13495.1	145.6	82.1	-2973.6	-10	
4865.0	-618445.7							
			INVSLE Max	I	-4131.8	283.0	132.5	2003.6
3165.5	2788.7	J	-4131.8	283.0	137.0	2003.6	-3	
4282.0	-104978.8							
			Min	I	-9980.7	113.2	55.7	-2167.2
3010.3	-236597.6	J	-9980.7	113.2	60.2	-2167.2	-7	
6988.1	-458451.3							
			83 C1-C2;~1 Max	I	947.5	28.7	8.5	2059.4
9346	2	J	947.5	28.7	8.5	2059.4	1	
4978.5	57796.8							
			Min	I	-3181.4	-77.6	-46.5	-1569.0
2065.4	44764.3	J	-3181.4	-77.6	-46.5	-1569.0	-2	
6932.2	-140586.0							
			C3-C4;~1 Max	I	1086.3	33.0	9.2	2124.7
2166.2	-82306.6	J	1086.3	33.0	9.2	2124.7	1	
5469.9	68667.4							
			Min	I	-3658.2	-77.8	-59.1	-1671.0
5543.1	56553.7	J	-3658.2	-77.8	-59.1	-1671.0	-3	
3955.2	-118672.4							
			C1-C2;~2 Max	I	479.6	14.1	4.1	1141.5
2192.6	-62385.6							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2400.5	27736.7			J	479.6	14.1	4.1	1141.5	
5809.0	21796.6		Min	I	-1551.6	-38.3	-22.1	-862.0	-1
2781.4	-69591.6			J	-1551.6	-38.3	-22.1	-862.0	-
1024.4	-40782.2								
			C3-C4;~2 Max	I	540.7	16.0	4.4	1155.4	
2640.0	32723.5			J	540.7	16.0	4.4	1155.4	
7663.7	27299.8		Min	I	-1791.3	-38.2	-28.6	-876.6	-1
6399.9	-58401.4			J	-1791.3	-38.2	-28.6	-876.6	-
1052.8	-30468.8								
			G1	I	-3530.9	-78.2	-62.0	380.8	-3
4976.5	-90599.2			J	-3530.9	-78.2	-57.4	380.8	1
4812.4	-25369.3								
			G2	I	-1352.4	-30.4	-22.6	109.7	-1
3135.7	-35527.2			J	-1352.4	-30.4	-22.6	109.7	
5718.4	-10184.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-373.8	-40.8	-5.1	-196.4	-
2736.8	-115574.0			J	-373.8	-40.8	-5.1	-196.4	
1489.4	-81582.9								
			Q5_pc Y	I	689.3	-0.0	-2.0	128.5	
-666.8	-35627.8			J	689.3	-0.0	-2.0	128.5	
987.9	-35588.1								
			Q5_ps X	I	-322.1	-38.7	-3.8	-189.7	-
2036.6	-111726.5			J	-322.1	-38.7	-3.8	-189.7	
1134.3	-79426.3								
			Q5_ps Y	I	665.7	0.0	-1.6	117.6	
-471.2	-34216.8			J	665.7	0.0	-1.6	117.6	
855.0	-34226.8								
			INVSLE Max	I	-5592.7	-121.8	-80.5	3449.2	-4
6671.4	-111390.9			J	-5592.7	-121.8	-74.3	3449.2	4
4488.0	2151.2		Min	I	-13238.6	-344.7	-181.7	-2028.4	-10
4821.4	-616965.0			J	-13238.6	-344.7	-175.5	-2028.4	1
7863.8	-338381.5								
			INVSLE Max	I	-4230.2	-95.8	-59.0	2527.2	-3
4244.8	-102822.5			J	-4230.2	-95.8	-54.4	2527.2	3
2560.1	-12799.6		Min	I	-9801.9	-255.4	-133.3	-1504.1	-7


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6954.0	-457202.9									
				J	-9801.9	-255.4	-128.7	-1504.1	1	
3037.1	-250782.0									
9347	2	83	C1-C2;~1	Max	I	884.0	22.9	18.6	1758.7	1
2069.2	44767.9				J	884.0	22.9	18.6	1758.7	
817.4	38773.9			Min	I	-2837.2	-56.8	-3.5	-1772.5	-
2167.1	-82303.5				J	-2837.2	-56.8	-3.5	-1772.5	-
3807.9	-40865.5									
			C3-C4;~1	Max	I	1013.8	26.0	23.6	1726.7	1
5545.9	56558.8				J	1013.8	26.0	23.6	1726.7	
919.9	53925.5			Min	I	-3237.5	-52.5	-3.7	-1912.1	-
2193.0	-62381.2				J	-3237.5	-52.5	-3.7	-1912.1	-
4696.4	-26039.3									
			C1-C2;~2	Max	I	444.8	11.4	8.8	1011.4	
5811.5	21798.5				J	444.8	11.4	8.8	1011.4	
400.3	18824.6			Min	I	-1387.8	-28.0	-1.7	-969.0	-
1024.9	-40780.6				J	-1387.8	-28.0	-1.7	-969.0	-
1813.9	-20143.7									
			C3-C4;~2	Max	I	501.8	12.8	11.4	962.4	
7665.9	27302.3				J	501.8	12.8	11.4	962.4	
451.1	26370.3			Min	I	-1586.1	-25.8	-1.8	-1000.9	-
1053.2	-30466.6				J	-1586.1	-25.8	-1.8	-1000.9	-
2275.0	-12485.7									
			G1		I	-3070.9	-50.5	21.5	-449.3	1
4813.0	-25359.1				J	-3070.9	-50.5	26.1	-449.3	-
5019.6	16720.5									
			G2		I	-1177.2	-19.7	9.0	-214.5	
5718.3	-10180.4				J	-1177.2	-19.7	9.0	-214.5	-
1779.7	6279.0									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	-332.9	-37.6	2.2	-404.0	
1486.9	-81584.4				J	-332.9	-37.6	2.2	-404.0	
-351.7	-50263.9									
			Q5_pc	Y	I	593.6	-5.1	1.5	200.3	
988.9	-35588.4				J	593.6	-5.1	1.5	200.3	
-253.4	-31373.5									
			Q5_ps	X	I	-289.9	-35.9	1.7	-373.2	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1131.9	-79427.8			J	-289.9	-35.9	1.7	-373.2	
-261.8	-49448.7								
		Q5_ps	Y	I	572.8	-4.8	1.3	190.5	
855.9	-34227.1			J	572.8	-4.8	1.3	190.5	
-217.0	-30196.6								
		INVSLU	Max	I	-5006.0	-70.8	67.8	1586.8	4
4487.8	2172.7			J	-5006.0	-70.8	74.1	1586.8	-
7179.7	82605.7								
			Min	I	-11813.7	-252.5	26.9	-4096.1	1
7863.8	-338362.8			J	-11813.7	-252.5	33.2	-4096.1	-1
5394.8	-136798.3								
		INVSLE	Max	I	-3794.7	-58.8	49.7	1128.6	3
2560.0	-12783.8			J	-3794.7	-58.8	54.3	1128.6	-
5292.9	54287.7								
			Min	I	-8758.3	-186.9	19.7	-3027.1	1
3036.8	-250768.1			J	-8758.3	-186.9	24.3	-3027.1	-1
1331.2	-100819.9								
		83 C1-C2;~1	Max	I	841.3	18.4	0.9	1535.9	
9348	2			J	841.3	18.4	0.9	1535.9	
818.9	38770.0								
			Min	I	-2608.6	-37.3	-4.6	-2127.7	-
885.4	36970.4			J	-2608.6	-37.3	-4.6	-2127.7	
3812.7	-40864.7								
-737.1	-17665.9								
		C3-C4;~1	Max	I	965.2	21.0	0.9	1420.0	
922.1	53920.3			J	965.2	21.0	0.9	1420.0	
1220.9	49838.2								
			Min	I	-2982.8	-30.5	-5.9	-2326.4	-
4700.9	-26039.4			J	-2982.8	-30.5	-5.9	-2326.4	
-743.1	-11238.6								
		C1-C2;~2	Max	I	419.2	9.5	0.4	915.7	
401.0	18822.7			J	419.2	9.5	0.4	915.7	
508.7	18013.7								
			Min	I	-1273.3	-18.6	-2.2	-1149.8	-
1815.8	-20143.3			J	-1273.3	-18.6	-2.2	-1149.8	
-390.1	-8939.8								
		C3-C4;~2	Max	I	473.2	10.6	0.5	810.3	
452.0	26367.8			J	473.2	10.6	0.5	810.3	
728.0	24484.9								
			Min	I	-1456.3	-15.0	-2.9	-1210.4	-
2276.0	-12485.8			J	-1456.3	-15.0	-2.9	-1210.4	
-397.0	-5730.4								
		G1		I	-2784.4	-21.7	-7.9	-1350.7	-
5027.2	16715.7			J	-2784.4	-21.7	-3.3	-1350.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-349.0	34823.2							
		G2	I	-1068.0	-8.7	-2.1	-559.8	-
1782.9	6277.3		J	-1068.0	-8.7	-2.1	-559.8	
-11.0	13545.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-328.3	-34.1	-0.4	-615.0	
-355.8	-50260.8		J	-328.3	-34.1	-0.4	-615.0	
2.5	-21820.7							
		Q5_pc Y	I	568.5	-10.6	-0.7	385.3	
-251.1	-31372.5		J	568.5	-10.6	-0.7	385.3	
367.1	-22493.7							
		Q5_ps X	I	-289.2	-32.9	-0.3	-562.9	
-265.6	-49445.6		J	-289.2	-32.9	-0.3	-562.9	
-18.6	-21994.0							
		Q5_ps Y	I	547.4	-10.2	-0.7	369.8	
-214.7	-30195.7		J	547.4	-10.2	-0.7	369.8	
340.0	-21665.2							
		INVS LU Max	I	-4589.7	-14.2	-9.6	-99.1	-
7189.4	82590.3		J	-4589.7	-14.2	-3.4	-99.1	
261.0	117089.9							
		Min	I	-10942.7	-159.0	-20.2	-6420.1	-1
5420.8	-136798.6		J	-10942.7	-159.0	-13.9	-6420.1	-
3051.3	-15495.8							
		INVS LE Max	I	-3487.2	-16.2	-7.1	-144.1	-
5300.5	54276.7		J	-3487.2	-16.2	-2.5	-144.1	
123.6	83324.3							
		Min	I	-8117.3	-117.5	-14.8	-4744.3	-1
1350.4	-100821.2		J	-8117.3	-117.5	-10.2	-4744.3	-
2281.0	-11172.2							
9349	2	83 C1-C2;~1 Max	I	799.3	19.1	1.5	1607.5	
894.2	36972.5		J	799.3	19.1	1.5	1607.5	
253.1	30926.5							
		Min	I	-2430.9	-22.5	-1.0	-2757.3	
-754.3	-17665.3		J	-2430.9	-22.5	-1.0	-2757.3	
-767.2	-11658.3							
		C3-C4;~1 Max	I	923.6	25.5	1.8	1452.2	
1229.7	49841.2		J	923.6	25.5	1.8	1452.2	
455.4	36099.2							
		Min	I	-2739.1	-14.3	-1.1	-3093.2	
-766.4	-11238.2		J	-2739.1	-14.3	-1.1	-3093.2	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-847.5	-11787.3							
		C1-C2;~2	Max	I	393.5	9.5	0.8	946.7
513.7	18014.5			J	393.5	9.5	0.8	946.7
124.6	16096.4							
			Min	I	-1201.5	-11.6	-0.5	-1448.0
-399.2	-8939.6			J	-1201.5	-11.6	-0.5	-1448.0
-413.2	-7043.9							
		C3-C4;~2	Max	I	449.7	12.4	1.0	807.2
732.8	24486.2			J	449.7	12.4	1.0	807.2
255.8	18472.4							
			Min	I	-1340.9	-7.3	-0.6	-1585.9
-409.2	-5730.3			J	-1340.9	-7.3	-0.6	-1585.9
-459.6	-6989.6							
			G1	I	-2471.0	7.1	-1.8	-2225.6
-366.2	34827.6			J	-2471.0	7.1	2.8	-2225.6
-813.4	28892.8							
			G2	I	-948.8	2.4	0.2	-895.5
-18.0	13546.9			J	-948.8	2.4	0.2	-895.5
-158.5	11585.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-321.4	-30.2	0.1	-858.8
-4.5	-21820.0			J	-321.4	-30.2	0.1	-858.8
-128.7	3377.0							
			Q5_pc Y	I	552.0	-16.9	0.8	627.0
371.9	-22495.0			J	552.0	-16.9	0.8	627.0
-328.1	-8390.7							
			Q5_ps X	I	-286.4	-29.5	0.1	-785.3
-25.0	-21993.4			J	-286.4	-29.5	0.1	-785.3
-128.1	2572.4							
			Q5_ps Y	I	530.1	-16.3	0.8	602.2
344.6	-21666.4			J	530.1	-16.3	0.8	602.2
-311.0	-8110.4							
			INVSLU Max	I	-4110.7	49.9	-0.1	-1372.3
243.6	117105.4			J	-4110.7	49.9	6.1	-1372.3
-643.6	95623.2							
			Min	I	-10048.9	-71.5	-5.7	-9264.0
3120.5	-15484.3			J	-10048.9	-71.5	0.6	-9264.0
2993.2	15873.2							
			INVSLE Max	I	-3134.2	33.5	-0.2	-1117.3
110.1	83335.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-493.6	69543.8		J	-3134.2	33.5	4.4	-1117.3	
		Min	I	-7459.2	-51.1	-4.2	-6848.5	-
2332.3	-11164.7		J	-7459.2	-51.1	0.4	-6848.5	-
2190.3	11588.5							
9350	2	83 C1-C2;~1 Max	I	813.0	35.7	2.0	1747.2	
248.4	30921.4		J	813.0	35.7	2.0	1747.2	
1841.0	25008.6	Min	I	-2271.7	-20.4	-2.5	-3266.7	
-764.5	-11656.9		J	-2271.7	-20.4	-2.5	-3266.7	-
1935.2	-18334.3							
		C3-C4;~1 Max	I	953.1	47.1	2.4	1596.2	
446.3	36092.5		J	953.1	47.1	2.4	1596.2	
1897.3	18408.9	Min	I	-2560.8	-12.9	-2.5	-3736.0	
-846.6	-11784.7		J	-2560.8	-12.9	-2.5	-3736.0	-
2243.0	-17747.5							
		C1-C2;~2 Max	I	406.8	17.0	1.0	1007.1	
124.4	16094.5		J	406.8	17.0	1.0	1007.1	
1161.6	14611.6	Min	I	-1132.3	-10.9	-1.6	-1687.4	
-410.0	-7043.4		J	-1132.3	-10.9	-1.6	-1687.4	
-965.7	-10735.2							
		C3-C4;~2 Max	I	477.1	22.7	1.2	862.5	
253.2	18469.7		J	477.1	22.7	1.2	862.5	
1187.5	10963.2	Min	I	-1262.6	-6.8	-1.6	-1903.4	
-457.5	-6988.3		J	-1262.6	-6.8	-1.6	-1903.4	-
1106.7	-9867.8							
		G1	I	-2190.6	34.9	-1.1	-2799.6	
-841.3	28884.5		J	-2190.6	34.9	3.6	-2799.6	-
1876.8	-233.7							
		G2	I	-843.4	13.0	0.6	-1116.9	
-169.7	11582.1		J	-843.4	13.0	0.6	-1116.9	
-675.9	706.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-286.7	-26.2	-0.6	-1018.1	
-138.9	3375.8		J	-286.7	-26.2	-0.6	-1018.1	
393.0	25256.5							
		Q5_pc Y	I	518.0	-23.6	-1.1	819.8	
-320.0	-8386.5		J	518.0	-23.6	-1.1	819.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
566.0	11259.7							
-137.5	2571.4	Q5_ps X	I	-254.4	-25.9	-0.7	-932.0	
424.8	24160.8		J	-254.4	-25.9	-0.7	-932.0	
-303.2	-8106.4	Q5_ps Y	I	497.6	-22.6	-1.0	786.6	
554.2	10765.6		J	497.6	-22.6	-1.0	786.6	
-717.5	95593.2	INVS LU Max	I	-3567.1	142.1	4.2	-2200.6	
1196.9	50075.8		J	-3567.1	142.1	10.5	-2200.6	-
3038.9	15863.2	Min	I	-9243.3	1.2	-4.3	-11435.4	-
7805.1	-57150.3		J	-9243.3	1.2	1.9	-11435.4	-
-548.4	69521.7	INVS LE Max	I	-2729.6	102.7	3.1	-1754.2	
-959.7	35323.2		J	-2729.6	102.7	7.7	-1754.2	
2225.3	11580.6	Min	I	-6865.2	3.0	-3.1	-8459.1	-
5779.2	-39735.3		J	-6865.2	3.0	1.5	-8459.1	-
9351	2	83 C1-C2;~1 Max	I	844.4	22.6	2.2	2321.9	
1817.2	24982.0		J	844.4	22.6	2.2	2321.9	
719.0	33730.0	Min	I	-2101.2	-44.7	-2.4	-1316.3	-
2116.4	-18374.2		J	-2101.2	-44.7	-2.4	-1316.3	
-518.3	-22887.6							
1897.8	18406.4	C3-C4;~1 Max	I	982.9	24.4	2.0	2618.3	
1066.5	35818.2		J	982.9	24.4	2.0	2618.3	
2453.7	-17771.6	Min	I	-2368.5	-50.7	-2.9	-1213.8	-
-520.4	-25028.2		J	-2368.5	-50.7	-2.9	-1213.8	
1139.3	14599.7	C1-C2;~2 Max	I	434.3	11.9	1.4	1159.9	
386.5	16423.1		J	434.3	11.9	1.4	1159.9	
1065.7	-10755.4	Min	I	-1054.5	-22.8	-1.2	-701.5	-
-263.1	-13023.3		J	-1054.5	-22.8	-1.2	-701.5	
1180.6	10962.9	C3-C4;~2 Max	I	505.7	13.1	1.3	1287.9	
611.1	17509.0		J	505.7	13.1	1.3	1287.9	
1223.7	-9875.5	Min	I	-1174.1	-25.5	-1.4	-622.6	-
-266.8	-14011.5		J	-1174.1	-25.5	-1.4	-622.6	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
2115.4	-297.1	G1	I	-1909.8	-35.6	-4.6	1808.6	-
			J	-1909.8	-35.6	0.2	1808.6	
-241.0	30542.9							
		G2	I	-735.7	-13.5	-1.0	703.1	
-768.0	682.0		J	-735.7	-13.5	-1.0	703.1	
84.8	12385.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-250.1	0.6	0.7	313.8	
283.8	25199.3		J	-250.1	0.6	0.7	313.8	
-361.9	24716.7							
		Q5_pc Y	I	474.4	13.0	0.8	-808.0	
668.2	11302.3		J	474.4	13.0	0.8	-808.0	
-29.8	34.7							
		Q5_ps X	I	-220.7	0.9	0.8	266.8	
317.5	24104.1		J	-220.7	0.9	0.8	266.8	
-375.2	23361.3							
		Q5_ps Y	I	456.0	12.5	0.8	-778.0	
648.8	10804.7		J	456.0	12.5	0.8	-778.0	
-40.3	13.3							
		INVSLU Max	I	-3011.0	-48.5	-4.0	8139.6	-
1681.2	49805.7		J	-3011.0	-48.5	2.5	8139.6	
750.4	144751.1							
		Min	I	-8389.4	-173.3	-12.3	1373.5	-
8758.4	-57275.3		J	-8389.4	-173.3	-5.8	1373.5	-
2043.4	18118.3							
		INVSLE Max	I	-2314.1	-38.0	-3.1	6036.1	-
1331.7	35123.9		J	-2314.1	-38.0	1.7	6036.1	
505.3	106539.3							
		Min	I	-6234.9	-128.7	-9.1	1131.9	-
6484.9	-39837.2		J	-6234.9	-128.7	-4.3	1131.9	-
1515.9	16032.8							
9352	2	83 C1-C2;~1 Max	I	855.4	12.9	0.9	1682.9	
720.3	33734.0		J	855.4	12.9	0.9	1682.9	
148.2	47859.7							
		Min	I	-1893.7	-18.3	-0.5	-983.0	
-506.7	-22889.6		J	-1893.7	-18.3	-0.5	-983.0	
-355.7	-27218.1							
		C3-C4;~1 Max	I	990.9	13.4	1.3	1896.5	
1068.1	35825.0		J	990.9	13.4	1.3	1896.5	
189.5	52746.7							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-505.9	-25030.6	Min	I	-2134.1	-20.8	-0.5	-925.1
			J	-2134.1	-20.8	-0.5	-925.1
-423.7	-31794.4						
		C1-C2;~2 Max	I	450.2	7.6	0.5	842.0
386.1	16425.9		J	450.2	7.6	0.5	842.0
81.6	24038.6						
		Min	I	-958.7	-9.5	-0.3	-546.9
-256.1	-13024.3		J	-958.7	-9.5	-0.3	-546.9
-177.6	-14939.5						
		C3-C4;~2 Max	I	522.4	7.8	0.7	933.2
610.6	17512.1		J	522.4	7.8	0.7	933.2
107.0	26257.8						
		Min	I	-1065.5	-10.6	-0.2	-480.8
-258.5	-14012.6		J	-1065.5	-10.6	-0.2	-480.8
-215.7	-17485.2						
		G1	I	-1597.4	-12.0	-2.1	1274.6
-221.6	30548.4		J	-1597.4	-12.0	2.7	1274.6
-497.9	40932.1						
		G2	I	-613.4	-4.4	0.2	495.3
92.3	12387.4		J	-613.4	-4.4	0.2	495.3
-123.0	16220.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-220.4	3.7	-0.4	203.0
-358.7	24716.7		J	-220.4	3.7	-0.4	203.0
16.3	21493.5						
		Q5_pc Y	I	427.5	7.0	-0.1	-599.7
-38.7	33.2		J	427.5	7.0	-0.1	-599.7
25.0	-6015.5						
		Q5_ps X	I	-195.0	3.6	-0.5	169.6
-372.4	23361.1		J	-195.0	3.6	-0.5	169.6
19.6	20207.8						
		Q5_ps Y	I	410.8	6.7	-0.1	-577.3
-48.8	11.8		J	410.8	6.7	-0.1	-577.3
25.6	-5757.5						
		INVSLU Max	I	-2414.9	-9.6	-1.1	5878.8
791.4	144769.9		J	-2414.9	-9.6	5.4	5878.8
-693.8	194156.5						
		Min	I	-7403.1	-68.4	-4.3	912.1
1980.2	18124.7		J	-7403.1	-68.4	2.1	912.1
1566.7	41337.8						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

536.5	106553.3	INVSLE	Max	I	-1868.0	-8.1	-0.8	4359.2	
				J	-1868.0	-8.1	4.0	4359.2	
-517.9	143815.1		Min	I	-5506.0	-50.7	-3.2	760.1	-
1468.7	16037.7			J	-5506.0	-50.7	1.6	760.1	-
1161.2	33481.9								
9353	2	69	C1-C2;~1	Max	I	872.8	10.2	0.1	756.7
142.4	47847.0			J	872.8	10.2	0.1	756.7	
175.7	41323.9		Min	I	-1651.2	-6.2	-0.4	-519.4	
-343.7	-27213.1			J	-1651.2	-6.2	-0.4	-519.4	
-160.1	-23169.9								
			C3-C4;~1	Max	I	1003.7	10.0	0.1	859.8
182.9	52732.3			J	1003.7	10.0	0.1	859.8	
219.1	45862.0		Min	I	-1861.4	-6.2	-0.5	-439.2	
-410.6	-31788.2			J	-1861.4	-6.2	-0.5	-439.2	
-182.3	-28027.6								
			C1-C2;~2	Max	I	472.5	5.4	0.1	376.8
78.5	24032.2			J	472.5	5.4	0.1	376.8	
100.2	20900.6		Min	I	-849.6	-3.6	-0.2	-303.5	
-171.8	-14937.0			J	-849.6	-3.6	-0.2	-303.5	
-86.4	-12622.9								
			C3-C4;~2	Max	I	545.2	5.1	0.1	422.6
103.5	26250.7			J	545.2	5.1	0.1	422.6	
128.4	22983.4		Min	I	-943.5	-3.5	-0.3	-243.2	
-209.5	-17482.0			J	-943.5	-3.5	-0.3	-243.2	
-96.7	-15492.9								
			G1	I	-1235.1	7.8	-1.4	559.9	
-487.8	40921.4			J	-1235.1	7.8	0.7	559.9	
-180.2	34145.8								
			G2	I	-473.1	3.2	-0.1	217.8	
-119.0	16216.4			J	-473.1	3.2	-0.1	217.8	
-11.3	13457.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-201.5	6.9	0.1	6.2
17.5	21491.0			J	-201.5	6.9	0.1	6.2	
-32.5	15503.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
20.1	-6011.2	Q5_pc	Y	I	396.3	0.9	-0.0	-263.3
				J	396.3	0.9	-0.0	-263.3
42.6	-6801.9							
20.5	20205.7	Q5_ps	X	I	-181.1	6.5	0.1	-6.3
				J	-181.1	6.5	0.1	-6.3
-32.3	14586.1							
20.9	-5753.4	Q5_ps	Y	I	379.4	0.8	-0.0	-254.0
				J	379.4	0.8	-0.0	-254.0
39.6	-6477.8							
-684.7	194113.1	INVSLU	Max	I	-1709.3	38.2	-1.8	2646.7
				J	-1709.3	38.2	1.1	2646.7
-94.5	163752.5							
1522.2	41326.5		Min	I	-6290.5	3.5	-2.8	310.9
				J	-6290.5	3.5	0.1	310.9
-713.1	36095.8							
-510.5	143782.8	INVSLE	Max	I	-1342.6	28.0	-1.3	1958.8
				J	-1342.6	28.0	0.8	1958.8
-79.8	121536.2							
1128.1	33473.0		Min	I	-4683.3	3.2	-2.0	263.7
				J	-4683.3	3.2	0.1	263.7
-532.4	29042.8							
9354	2	69 C1-C2;~1	Max	I	938.0	29.3	0.3	526.5
177.5	41328.5			J	938.0	29.3	0.3	526.5
25.6	16727.9							
			Min	I	-1492.3	-16.2	-0.2	-380.0
-159.2	-23172.3			J	-1492.3	-16.2	-0.2	-380.0
-95.3	-11556.9							
221.3	45867.2	C3-C4;~1	Max	I	1066.3	32.6	0.3	530.4
				J	1066.3	32.6	0.3	530.4
53.9	18232.2							
			Min	I	-1681.6	-18.2	-0.2	-370.4
-181.3	-28030.8			J	-1681.6	-18.2	-0.2	-370.4
-103.5	-13746.5							
101.1	20903.1	C1-C2;~2	Max	I	519.4	15.0	0.1	312.0
				J	519.4	15.0	0.1	312.0
13.9	8422.9							
			Min	I	-780.9	-8.9	-0.1	-208.9
-85.9	-12624.2			J	-780.9	-8.9	-0.1	-208.9
-53.4	-6668.4							
129.5	22986.2	C3-C4;~2	Max	I	593.3	16.4	0.2	304.8
				J	593.3	16.4	0.2	304.8
33.8	9124.3							
			Min	I	-865.8	-9.8	-0.1	-193.7
-96.1	-15494.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-57.8	-7975.2		J	-865.8	-9.8	-0.1	-193.7
-177.3	34148.0	G1	I	-939.1	22.9	-1.0	-21.0
-219.1	14276.1		J	-939.1	22.9	1.1	-21.0
-10.2	13457.9	G2	I	-359.0	9.0	0.0	-7.7
-19.5	5676.0		J	-359.0	9.0	0.0	-7.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-33.6	15503.9	Q5_pc X	I	-189.1	9.9	-0.1	-203.8
16.5	6919.1		J	-189.1	9.9	-0.1	-203.8
41.5	-6803.8	Q5_pc Y	I	378.9	-4.8	0.1	66.7
-7.6	-2656.0		J	378.9	-4.8	0.1	66.7
-33.5	14586.8	Q5_ps X	I	-172.5	9.2	-0.1	-198.1
14.5	6612.3		J	-172.5	9.2	-0.1	-198.1
38.5	-6479.6	Q5_ps Y	I	361.6	-4.6	0.1	61.7
-7.5	-2482.4		J	361.6	-4.6	0.1	61.7
-86.6	163767.8	INVSLE Max	I	-1088.7	114.3	-1.0	718.2
-271.6	65517.7		J	-1088.7	114.3	1.8	718.2
-704.8	36098.5	Min	I	-5480.3	28.0	-1.9	-877.9
-513.8	9892.1		J	-5480.3	28.0	1.0	-877.9
-73.9	121547.7	INVSLE Max	I	-882.8	84.9	-0.8	500.9
-201.5	48558.0		J	-882.8	84.9	1.3	500.9
-526.3	29045.1	Min	I	-4085.3	22.3	-1.4	-654.1
-378.7	8276.4		J	-4085.3	22.3	0.8	-654.1
9355	2	69 C1-C2;~1 Max	I	1030.5	48.7	0.3	922.2
29.9	16719.5		J	1030.5	48.7	0.3	922.2
359.9	22309.9	Min	I	-1402.1	-28.0	-0.5	-976.4
-94.5	-11549.9		J	-1402.1	-28.0	-0.5	-976.4
-268.9	-27816.4	C3-C4;~1 Max	I	1150.4	54.5	0.3	959.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
58.9	18222.3			J	1150.4	54.5	0.3	959.1
372.5	17999.1		Min	I	-1580.1	-31.4	-0.5	-1071.9
-103.3	-13737.8			J	-1580.1	-31.4	-0.5	-1071.9
-305.9	-30742.0							
		C1-C2;~2	Max	I	580.8	25.2	0.1	535.0
16.5	8419.0			J	580.8	25.2	0.1	535.0
224.7	12375.8		Min	I	-740.0	-15.2	-0.3	-523.0
-51.8	-6664.5			J	-740.0	-15.2	-0.3	-523.0
-137.1	-14560.2							
		C3-C4;~2	Max	I	650.9	27.8	0.2	545.7
36.6	9119.6			J	650.9	27.8	0.2	545.7
232.4	9625.6		Min	I	-819.7	-17.0	-0.3	-564.5
-56.3	-7970.3			J	-819.7	-17.0	-0.3	-564.5
-152.8	-15780.5							
		G1		I	-730.5	34.0	-1.0	-383.3
-222.0	14270.1			J	-730.5	34.0	1.1	-383.3
-253.2	-15211.4							
		G2		I	-280.0	13.2	0.0	-148.1
-20.6	5673.7			J	-280.0	13.2	0.0	-148.1
-48.2	-5785.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-160.4	12.5	-0.0	-349.2
13.2	6915.7			J	-160.4	12.5	-0.0	-349.2
19.5	-3950.6							
		Q5_pc	Y	I	358.0	-10.0	-0.0	303.7
-5.2	-2652.1			J	358.0	-10.0	-0.0	303.7
37.7	6047.9							
		Q5_ps	X	I	-145.4	11.6	-0.0	-332.4
11.4	6609.0			J	-145.4	11.6	-0.0	-332.4
26.5	-3459.7							
		Q5_ps	Y	I	341.7	-9.6	-0.1	287.7
-5.3	-2478.6			J	341.7	-9.6	-0.1	287.7
38.8	5857.4							
		INVSLU	Max	I	-584.0	182.1	-0.8	379.2
-277.4	65482.4			J	-584.0	182.1	2.1	379.2
-21.3	-14054.6		Min	I	-4914.5	43.6	-1.9	-2991.2


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-520.0	9888.1		J	-4914.5	43.6	1.0	-2991.2	-
1005.0	-96560.9							
		INVSLE Max	I	-507.4	135.7	-0.6	213.1	
-205.9	48531.6		J	-507.4	135.7	1.6	213.1	
		Min	I	-3667.5	34.8	-1.4	-2236.9	
-25.4	-11734.4		J	-3667.5	34.8	0.7	-2236.9	
-383.9	8272.7							
-749.1	-72043.7							
9356	2	69 C1-C2;~1 Max	I	1095.9	30.6	0.4	1374.5	
379.9	22307.6		J	1095.9	30.6	0.4	1374.5	
		Min	I	-1319.0	-34.3	-0.4	-1256.6	
118.0	5336.3		J	-1319.0	-34.3	-0.4	-1256.6	
-335.5	-27804.7							
-46.0	-14949.5							
		C3-C4;~1 Max	I	1209.2	33.4	0.4	1531.4	
428.5	17999.4		J	1209.2	33.4	0.4	1531.4	
		Min	I	-1486.2	-38.5	-0.4	-1225.1	
161.8	6206.9		J	-1486.2	-38.5	-0.4	-1225.1	
-378.0	-30723.7							
-53.2	-17699.8							
		C1-C2;~2 Max	I	622.9	17.4	0.3	722.1	
230.9	12380.9		J	622.9	17.4	0.3	722.1	
		Min	I	-700.1	-18.3	-0.2	-692.8	
64.9	2729.6		J	-700.1	-18.3	-0.2	-692.8	
-180.0	-14563.0							
-23.1	-8897.4							
		C3-C4;~2 Max	I	690.9	19.1	0.3	788.1	
261.4	9628.5		J	690.9	19.1	0.3	788.1	
		Min	I	-774.6	-20.1	-0.2	-687.9	
94.6	3123.1		J	-774.6	-20.1	-0.2	-687.9	
-199.8	-15781.6							
-26.3	-10706.1							
		G1	I	-546.4	-11.2	-1.3	505.2	
-302.4	-15172.4		J	-546.4	-11.2	0.8	505.2	
		G2	I	-208.9	-4.3	-0.1	195.5	
-85.3	-5430.3		J	-208.9	-4.3	-0.1	195.5	
-67.0	-5770.8							
		Q3	I	0.0	0.0	0.0	0.0	
31.9	-2088.6		J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0							
		Q5_pc X	I	-129.3	-4.1	-0.1	207.1	
-67.2	-3998.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.6	-485.0		J	-129.3	-4.1	-0.1	207.1
92.4	6073.5	Q5_pc Y	I	334.2	9.1	0.1	-429.8
3.9	-1839.4		J	334.2	9.1	0.1	-429.8
-61.5	-3508.7	Q5_ps X	I	-115.9	-3.7	-0.1	183.3
-1.8	-318.2		J	-115.9	-3.7	-0.1	183.3
88.1	5880.0	Q5_ps Y	I	319.2	8.7	0.1	-412.8
2.4	-1671.4		J	319.2	8.7	0.1	-412.8
-128.7	-14032.2	INVS LU Max	I	-140.7	4.8	-1.5	4276.6
72.7	2475.7		J	-140.7	4.8	1.4	4276.6
1383.8	-96556.8	Min	I	-4381.0	-108.7	-2.8	-260.9
-224.5	-33109.2		J	-4381.0	-108.7	0.0	-260.9
-115.0	-11723.0	INVS LE Max	I	-176.4	1.6	-1.1	3202.7
51.4	1951.5		J	-176.4	1.6	1.0	3202.7
1032.4	-72042.6	Min	I	-3272.8	-81.3	-2.1	-101.1
-168.2	-24162.5		J	-3272.8	-81.3	0.0	-101.1
9357	2	69 C1-C2;~1 Max	I	1153.6	17.0	0.2	802.1
111.2	5340.2		J	1153.6	17.0	0.2	802.1
152.0	18349.5	Min	I	-1237.3	-17.3	-0.1	-773.6
-41.1	-14953.5		J	-1237.3	-17.3	-0.1	-773.6
-151.3	-25587.4						
155.2	6213.9	C3-C4;~1 Max	I	1263.2	18.3	0.3	892.7
178.3	21036.7		J	1263.2	18.3	0.3	892.7
-43.3	-17704.3	Min	I	-1392.4	-19.4	-0.1	-741.4
-172.8	-30446.0		J	-1392.4	-19.4	-0.1	-741.4
60.5	2731.4	C1-C2;~2 Max	I	658.3	9.8	0.1	421.6
90.7	9900.6		J	658.3	9.8	0.1	421.6
-21.0	-8900.1	Min	I	-661.0	-9.3	-0.1	-450.7
-77.8	-14955.9		J	-661.0	-9.3	-0.1	-450.7
90.4	3127.1	C3-C4;~2 Max	I	726.2	10.6	0.1	459.4
			J	726.2	10.6	0.1	459.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
108.1	11160.5		Min	I	-730.0	-10.2	-0.1	-417.3
-20.8	-10709.3			J	-730.0	-10.2	-0.1	-417.3
-87.2	-18224.3							
		G1		I	-360.2	-4.9	-0.9	267.1
-80.8	-5426.1			J	-360.2	-4.9	1.2	267.1
-219.3	-1157.3							
		G2		I	-135.2	-1.8	0.1	103.4
33.6	-2086.9			J	-135.2	-1.8	0.1	103.4
-24.4	-485.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-107.4	-2.5	0.0	128.6
3.5	-484.1			J	-107.4	-2.5	0.0	128.6
0.1	1714.2							
		Q5_pc Y		I	314.7	4.8	-0.0	-253.0
-0.0	-1842.0			J	314.7	4.8	-0.0	-253.0
24.0	-6010.7							
		Q5_ps X		I	-96.2	-2.3	-0.0	114.0
-0.1	-317.4			J	-96.2	-2.3	-0.0	114.0
1.4	1710.1							
		Q5_ps Y		I	300.3	4.6	-0.0	-243.0
-1.4	-1674.0			J	300.3	4.6	-0.0	-243.0
23.3	-5644.5							
		INVSLE Max		I	153.5	3.0	-0.5	1892.4
80.1	2500.1			J	153.5	3.0	1.6	1892.4
-181.6	46657.1							
		Min		I	-3849.5	-54.0	-1.3	-183.1
-194.2	-33105.2			J	-3849.5	-54.0	1.6	-183.1
-698.8	-33663.9							
		INVSLE Max		I	153.5	3.0	-0.5	1892.4
57.5	1969.7			J	153.5	3.0	1.6	1892.4
-140.6	35002.3							
		Min		I	-2879.8	-40.4	-0.9	-77.5
-145.2	-24158.9			J	-2879.8	-40.4	1.2	-77.5
-520.5	-23693.3							
		69 C1-C2;~1 Max		I	1277.4	2.0	0.1	184.3
9358	2			J	1277.4	2.0	0.1	184.3
148.1	18346.2							
		Min		I	-1181.5	-3.5	-0.2	-166.8
248.2	18710.6			J	-1181.5	-3.5	-0.2	-166.8
-146.8	-25585.0							

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-147.3	-24964.5						
174.5	21033.1	C3-C4;~1 Max	I	1391.6	1.6	0.1	160.5
291.6	21449.5		J	1391.6	1.6	0.1	160.5
-167.8	-30444.1	Min	I	-1325.6	-3.0	-0.2	-125.0
-167.4	-30080.0		J	-1325.6	-3.0	-0.2	-125.0
88.5	9898.8	C1-C2;~2 Max	I	730.9	1.3	0.0	110.7
141.1	10091.9		J	730.9	1.3	0.0	110.7
-75.4	-14954.5	Min	I	-637.3	-2.2	-0.1	-108.5
-78.2	-14559.5		J	-637.3	-2.2	-0.1	-108.5
106.0	11158.6	C3-C4;~2 Max	I	804.1	1.0	0.0	90.6
169.5	11373.8		J	804.1	1.0	0.0	90.6
-84.6	-18223.2	Min	I	-701.8	-1.9	-0.1	-79.0
-87.2	-17991.0		J	-701.8	-1.9	-0.1	-79.0
-217.8	-1159.2	G1	I	-142.3	-1.3	-1.2	51.4
-92.2	-35.8		J	-142.3	-1.3	0.9	51.4
-23.9	-486.3	G2	I	-50.5	-0.5	-0.1	20.1
24.9	-59.1		J	-50.5	-0.5	-0.1	20.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.8	1713.9	Q5_pc X	I	-107.9	-0.9	0.0	9.8
-16.9	2501.7		J	-107.9	-0.9	0.0	9.8
22.6	-6009.8	Q5_pc Y	I	311.1	0.3	-0.0	3.7
31.8	-6264.2		J	311.1	0.3	-0.0	3.7
2.1	1709.8	Q5_ps X	I	-99.1	-0.9	0.0	7.9
-17.8	2463.2		J	-99.1	-0.9	0.0	7.9
22.0	-5643.6	Q5_ps Y	I	295.8	0.3	-0.0	3.2
29.3	-5881.1		J	295.8	0.3	-0.0	3.2
-180.9	46645.5	INVSLU Max	I	877.3	0.4	-1.5	558.8

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
180.7	50205.0		J	877.3	0.4	1.3	558.8
		Min	I	-3351.0	-8.7	-2.0	67.3
-683.6	-33666.2		J	-3351.0	-8.7	0.9	67.3
-496.0	-30635.3						
		INVSLE Max	I	578.3	0.2	-1.1	420.9
-139.7	34993.6		J	578.3	0.2	1.0	420.9
124.8	37605.0	Min	I	-2512.3	-6.4	-1.5	58.1
-509.1	-23695.2		J	-2512.3	-6.4	0.6	58.1
-372.2	-21441.4						
9359	2	69 C1-C2;~1 Max	I	1405.0	16.0	0.3	873.6
252.3	18714.0		J	1405.0	16.0	0.3	873.6
41.6	5915.0	Min	I	-1133.0	-20.3	-0.2	-689.5
-150.8	-24969.3		J	-1133.0	-20.3	-0.2	-689.5
-69.1	-10017.6						
		C3-C4;~1 Max	I	1522.2	17.9	0.3	857.3
295.7	21453.3		J	1522.2	17.9	0.3	857.3
70.7	6394.3	Min	I	-1268.4	-21.1	-0.2	-758.8
-171.2	-30084.8		J	-1268.4	-21.1	-0.2	-758.8
-73.7	-12885.3						
		C1-C2;~2 Max	I	803.5	8.7	0.2	511.9
143.4	10093.8		J	803.5	8.7	0.2	511.9
24.4	3164.0	Min	I	-614.4	-11.8	-0.1	-373.1
-80.1	-14562.2		J	-614.4	-11.8	-0.1	-373.1
-37.7	-6161.2						
		C3-C4;~2 Max	I	880.0	9.5	0.2	494.0
171.8	11375.9		J	880.0	9.5	0.2	494.0
44.6	3322.8	Min	I	-675.2	-12.3	-0.1	-402.7
-89.3	-17993.7		J	-675.2	-12.3	-0.1	-402.7
-39.4	-8050.8						
		G1	I	65.6	-0.7	-1.0	-11.9
-92.2	-36.7		J	65.6	-0.7	1.2	-11.9
-189.3	588.3						
		G2	I	29.7	-0.3	0.0	-4.2
24.9	-59.5		J	29.7	-0.3	0.0	-4.2
-8.7	219.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-17.5	2502.1	Q5_pc X	I	-105.2	0.7	-0.0	-108.8
0.3	1875.5		J	-105.2	0.7	-0.0	-108.8
33.3	-6265.2	Q5_pc Y	I	303.3	-4.2	0.0	263.5
-1.4	-2585.5		J	303.3	-4.2	0.0	263.5
-18.3	2463.6	Q5_ps X	I	-98.6	0.6	-0.0	-100.0
-1.3	1910.9		J	-98.6	0.6	-0.0	-100.0
30.7	-5882.1	Q5_ps Y	I	287.5	-4.0	0.0	251.2
-2.0	-2380.6		J	287.5	-4.0	0.0	251.2
187.2	50213.5	INVS LU Max	I	1453.0	40.0	-0.9	1106.3
-213.4	16201.3		J	1453.0	40.0	2.0	1106.3
-503.0	-30640.2	Min	I	-2860.2	-20.4	-1.6	-1571.8
-410.9	-14480.0		J	-2860.2	-20.4	1.2	-1571.8
129.4	37611.5	INVS LE Max	I	1005.2	30.1	-0.7	770.9
-160.3	12007.6		J	1005.2	30.1	1.5	770.9
-377.4	-21444.7	Min	I	-2149.3	-14.0	-1.2	-1177.8
-306.4	-10374.6		J	-2149.3	-14.0	0.9	-1177.8
9360	2	69 C1-C2;~1 Max	I	1520.6	31.1	0.2	1497.4
51.7	5913.5		J	1520.6	31.1	0.2	1497.4
446.7	31099.6	Min	I	-1108.5	-39.0	-0.5	-1207.3
-70.5	-10007.9		J	-1108.5	-39.0	-0.5	-1207.3
-195.4	-22255.4						
81.7	6384.8	C3-C4;~1 Max	I	1632.4	34.8	0.2	1538.9
452.6	27329.2		J	1632.4	34.8	0.2	1538.9
-74.0	-12872.7	Min	I	-1241.1	-41.5	-0.5	-1330.9
-221.4	-24395.9		J	-1241.1	-41.5	-0.5	-1330.9
30.4	3163.8	C1-C2;~2 Max	I	870.0	16.9	0.1	865.3
278.1	17618.3		J	870.0	16.9	0.1	865.3
-37.2	-6155.7	Min	I	-599.2	-22.3	-0.3	-654.5
-104.5	-12098.7		J	-599.2	-22.3	-0.3	-654.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
51.2	3317.6	C3-C4;~2 Max	I	943.5	18.5	0.1	886.7
			J	943.5	18.5	0.1	886.7
284.7	15221.8	Min	I	-658.5	-23.9	-0.3	-707.4
-37.7	-8043.4		J	-658.5	-23.9	-0.3	-707.4
-116.0	-12994.4						
		G1	I	211.0	-2.9	-1.2	29.6
-189.2	590.1		J	211.0	-2.9	0.9	29.6
-55.0	3061.8						
		G2	I	84.4	-1.2	-0.0	12.0
-8.6	220.5		J	84.4	-1.2	-0.0	12.0
28.1	1255.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-88.5	2.2	-0.0	-185.6
-1.4	1874.0		J	-88.5	2.2	-0.0	-185.6
24.1	-2.9						
		Q5_pc Y	I	291.1	-8.4	-0.0	440.4
2.7	-2582.2		J	291.1	-8.4	-0.0	440.4
39.0	4686.0						
		Q5_ps X	I	-82.3	2.0	-0.0	-171.4
-2.9	1909.4		J	-82.3	2.0	-0.0	-171.4
29.6	179.3						
		Q5_ps Y	I	276.1	-8.0	-0.0	419.5
2.0	-2377.5		J	276.1	-8.0	-0.0	419.5
39.6	4523.7						
		INVSLE Max	I	1929.6	75.9	-1.3	1806.5
-203.3	16179.3		J	1929.6	75.9	1.6	1806.5
486.7	32930.9	Min	I	-2473.7	-42.3	-2.4	-2860.5
-418.4	-14466.3		J	-2473.7	-42.3	0.5	-2860.5
-493.5	-50423.0						
		INVSLE Max	I	1362.2	57.1	-1.0	1247.7
-153.4	11990.9		J	1362.2	57.1	1.2	1247.7
354.4	22994.2	Min	I	-1860.7	-29.3	-1.8	-2150.6
-312.4	-10365.3		J	-1860.7	-29.3	0.4	-2150.6
-366.5	-38124.5						
9361	2	69 C1-C2;~1 Max	I	1569.0	43.9	0.5	1312.8
509.8	31073.5		J	1569.0	43.9	0.5	1312.8
95.9	3489.4						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-272.5	-22268.2	Min	I	-1067.7	-29.0	-0.3	-2007.2
			J	-1067.7	-29.0	-0.3	-2007.2
-34.3	-13162.0						
558.8	27328.5	C3-C4;~1 Max	I	1674.3	46.6	0.6	1457.5
			J	1674.3	46.6	0.6	1457.5
134.1	4233.7						
-307.8	-24408.6	Min	I	-1195.3	-32.4	-0.3	-2053.5
			J	-1195.3	-32.4	-0.3	-2053.5
-38.3	-15710.0						
301.6	17602.6	C1-C2;~2 Max	I	897.3	25.0	0.3	708.6
			J	897.3	25.0	0.3	708.6
51.6	1772.4						
-145.3	-12105.6	Min	I	-575.5	-15.6	-0.2	-1153.7
			J	-575.5	-15.6	-0.2	-1153.7
-17.4	-7816.4						
333.0	15221.0	C3-C4;~2 Max	I	967.7	26.8	0.3	771.2
			J	967.7	26.8	0.3	771.2
77.4	2137.6						
-161.0	-13001.2	Min	I	-632.2	-17.1	-0.2	-1185.5
			J	-632.2	-17.1	-0.2	-1185.5
-18.9	-9505.7						
-64.4	3065.0	G1	I	318.2	10.8	-1.0	-488.2
			J	318.2	10.8	1.1	-488.2
-83.4	-6290.1						
24.5	1256.9	G2	I	126.4	4.3	-0.0	-188.3
			J	126.4	4.3	-0.0	-188.3
33.0	-2463.4						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-30.9	-36.1	Q5_pc X	I	-70.5	-2.0	-0.0	68.7
			J	-70.5	-2.0	-0.0	68.7
-6.4	1696.1						
66.5	4698.3	Q5_pc Y	I	276.5	7.6	0.1	-397.7
			J	276.5	7.6	0.1	-397.7
0.0	-1858.6						
-27.5	144.8	Q5_ps X	I	-64.8	-1.8	-0.0	55.5
			J	-64.8	-1.8	-0.0	55.5
-9.5	1740.2						
63.5	4534.1	Q5_ps Y	I	262.5	7.2	0.1	-380.6
			J	262.5	7.2	0.1	-380.6
-1.4	-1692.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

543.7	32968.1	INVSLE Max	I	2280.7	67.3	-0.8	3325.9
			J	2280.7	67.3	2.0	3325.9
100.5	-3707.6	Min	I	-2091.0	-53.0	-2.2	-2129.7
-745.9	-50389.7		J	-2091.0	-53.0	0.7	-2129.7
-143.8	-33977.0						
		INVSLE Max	I	1628.2	48.1	-0.6	2550.5
389.6	23022.7		J	1628.2	48.1	1.5	2550.5
73.8	-2873.8	Min	I	-1573.3	-40.0	-1.6	-1437.6
-556.8	-38097.4		J	-1573.3	-40.0	0.5	-1437.6
-106.3	-25047.8						
9362	2	69 C1-C2;~1 Max	I	1586.9	23.4	0.1	786.6
80.2	3493.3		J	1586.9	23.4	0.1	786.6
151.2	15861.8	Min	I	-1025.0	-14.8	-0.2	-1255.4
-33.7	-13171.8		J	-1025.0	-14.8	-0.2	-1255.4
-97.9	-31892.6						
		C3-C4;~1 Max	I	1687.7	24.7	0.2	873.2
116.9	4239.2		J	1687.7	24.7	0.2	873.2
171.6	18144.3	Min	I	-1147.4	-16.5	-0.2	-1276.1
-30.9	-15720.9		J	-1147.4	-16.5	-0.2	-1276.1
-111.6	-36524.3						
		C1-C2;~2 Max	I	903.4	13.4	0.1	423.8
42.7	1774.0		J	903.4	13.4	0.1	423.8
90.3	8404.0	Min	I	-550.4	-8.0	-0.1	-723.2
-19.1	-7822.2		J	-550.4	-8.0	-0.1	-723.2
-51.9	-18326.3						
		C3-C4;~2 Max	I	971.3	14.2	0.1	461.2
67.3	2140.0		J	971.3	14.2	0.1	461.2
104.5	9449.7	Min	I	-604.6	-8.7	-0.1	-737.1
-15.8	-9512.3		J	-604.6	-8.7	-0.1	-737.1
-57.9	-21454.6						
		G1	I	415.9	6.1	-1.0	-331.7
-88.2	-6291.9		J	415.9	6.1	1.1	-331.7
-134.6	-11547.5						
		G2	I	166.5	2.4	0.0	-128.0
31.1	-2464.1		J	166.5	2.4	0.0	-128.0
9.0	-4546.7						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-5.8	1696.3	Q5_pc X	I	-58.7	-1.2	-0.0	38.1
-0.2	2720.7		J	-58.7	-1.2	-0.0	38.1
-3.7	-1861.2	Q5_pc Y	I	263.2	3.8	-0.0	-235.3
20.8	-5192.8		J	263.2	3.8	-0.0	-235.3
-9.0	1740.4	Q5_ps X	I	-54.1	-1.1	-0.0	30.1
0.2	2696.4		J	-54.1	-1.1	-0.0	30.1
-4.9	-1694.6	Q5_ps Y	I	249.7	3.6	-0.0	-225.2
19.8	-4854.6		J	249.7	3.6	-0.0	-225.2
86.4	-3692.8	INVSLE Max	I	2587.4	36.3	-1.1	2078.0
77.5	18539.2		J	2587.4	36.3	1.8	2078.0
-127.3	-33989.1	Min	I	-1713.7	-26.3	-1.6	-1247.0
-342.2	-64610.5		J	-1713.7	-26.3	1.3	-1247.0
64.6	-2862.5	INVSLE Max	I	1861.0	25.9	-0.8	1598.3
57.0	13958.7		J	1861.0	25.9	1.3	1598.3
-93.0	-25056.0	Min	I	-1290.0	-19.9	-1.2	-833.3
-251.1	-46941.3		J	-1290.0	-19.9	1.0	-833.3
9363	2	69 C1-C2;~1 Max	I	1698.8	1.2	0.0	87.0
144.1	15859.1		J	1698.8	1.2	0.0	87.0
220.3	15771.0	Min	I	-1017.0	-2.7	-0.1	-123.9
-93.7	-31889.5		J	-1017.0	-2.7	-0.1	-123.9
-98.2	-30961.7						
164.7	18141.4	C3-C4;~1 Max	I	1810.4	1.0	0.1	72.2
254.5	17983.9		J	1810.4	1.0	0.1	72.2
-107.0	-36521.3	Min	I	-1140.0	-2.2	-0.2	-97.2
-111.3	-35724.5		J	-1140.0	-2.2	-0.2	-97.2
86.1	8402.5	C1-C2;~2 Max	I	961.4	0.7	0.0	52.6
124.3	8383.2		J	961.4	0.7	0.0	52.6
-49.6	-18324.5	Min	I	-542.4	-1.7	-0.1	-81.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-50.8	-17792.5		J	-542.4	-1.7	-0.1	-81.4
100.5	9448.1	C3-C4;~2 Max	I	1035.7	0.6	0.0	39.8
146.9	9394.4		J	1035.7	0.6	0.0	39.8
-55.4	-21452.8	Min	I	-596.5	-1.4	-0.1	-61.9
-56.5	-21008.1		J	-596.5	-1.4	-0.1	-61.9
-136.8	-11547.4	G1	I	553.5	-0.9	-1.2	-1.3
-53.5	-10725.9		J	553.5	-0.9	1.0	-1.3
8.1	-4546.7	G2	I	220.6	-0.4	-0.0	-1.6
40.6	-4215.5		J	220.6	-0.4	-0.0	-1.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	2720.6	Q5_pc X	I	-59.2	-0.3	0.0	-5.3
-11.6	2996.0		J	-59.2	-0.3	0.0	-5.3
19.4	-5192.0	Q5_pc Y	I	257.5	-0.1	-0.0	4.5
20.6	-5121.6		J	257.5	-0.1	-0.0	4.5
0.4	2696.3	Q5_ps X	I	-56.2	-0.3	0.0	-5.5
-12.7	2962.3		J	-56.2	-0.3	0.0	-5.5
18.6	-4853.8	Q5_ps Y	I	243.6	-0.1	-0.0	4.2
18.7	-4785.4		J	243.6	-0.1	-0.0	4.2
72.2	18533.5	INVSLE Max	I	3084.7	-0.8	-1.5	360.7
361.6	20536.8		J	3084.7	-0.8	1.3	360.7
-329.7	-64606.7	Min	I	-1361.8	-6.5	-1.9	66.4
-169.3	-61188.4		J	-1361.8	-6.5	1.0	66.4
53.7	13954.4	INVSLE Max	I	2232.2	-0.6	-1.1	274.6
267.7	15473.5		J	2232.2	-0.6	1.0	274.6
-241.4	-46938.6	Min	I	-1027.2	-4.8	-1.4	57.4
-122.9	-44380.8		J	-1027.2	-4.8	0.7	57.4
9364	2	69 C1-C2;~1 Max	I	1802.3	14.9	0.3	1407.4


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
227.8	15774.5		J	1802.3	14.9	0.3	1407.4
23.1	3730.7						
		Min	I	-1005.1	-26.9	-0.1	-800.0
-102.6	-30968.2						
			J	-1005.1	-26.9	-0.1	-800.0
-77.0	-9099.6						
		C3-C4;~1 Max	I	1921.3	16.8	0.3	1456.6
262.3	17987.9						
			J	1921.3	16.8	0.3	1456.6
42.6	4028.3						
		Min	I	-1129.0	-28.1	-0.1	-891.6
-116.3	-35731.3						
			J	-1129.0	-28.1	-0.1	-891.6
-83.8	-11978.1						
		C1-C2;~2 Max	I	1015.7	7.9	0.2	798.8
128.6	8385.0						
			J	1015.7	7.9	0.2	798.8
11.8	1971.9						
		Min	I	-532.1	-15.2	-0.1	-425.7
-53.1	-17796.1						
			J	-532.1	-15.2	-0.1	-425.7
-44.7	-5499.9						
		C3-C4;~2 Max	I	1094.2	8.7	0.2	829.4
151.3	9396.4						
			J	1094.2	8.7	0.2	829.4
24.9	2100.7						
		Min	I	-586.4	-16.0	-0.1	-465.1
-59.0	-21011.9						
			J	-586.4	-16.0	-0.1	-465.1
-49.2	-7414.0						
		G1	I	678.3	-10.0	-0.9	484.4
-51.0	-10728.9						
			J	678.3	-10.0	1.2	484.4
-188.5	-2063.7						
		G2	I	268.7	-4.0	0.1	185.1
41.5	-4216.7						
			J	268.7	-4.0	0.1	185.1
-7.7	-785.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-57.8	0.5	-0.0	-48.5
-11.9	2996.2						
			J	-57.8	0.5	-0.0	-48.5
-3.9	2539.5						
		Q5_pc Y	I	249.3	-3.9	0.0	241.5
22.0	-5122.4						
			J	249.3	-3.9	0.0	241.5
-2.6	-1762.6						
		Q5_ps X	I	-55.9	0.5	-0.0	-42.9
-13.0	2962.5						
			J	-55.9	0.5	-0.0	-42.9
-5.7	2535.6						
		Q5_ps Y	I	235.4	-3.7	0.0	230.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
20.1	-4786.1			J	235.4	-3.7	0.0	230.1
-3.3	-1604.1							
		INVS LU	Max	I	3533.2	17.1	-0.7	2079.1
373.7	20541.8			J	3533.2	17.1	2.2	2079.1
-131.8	7182.4		Min	I	-1033.5	-50.5	-1.4	-1525.8
-176.9	-61199.4			J	-1033.5	-50.5	1.4	-1525.8
-309.6	-18997.3							
		INVS LE	Max	I	2567.1	13.0	-0.5	1456.2
276.1	15477.4			J	2567.1	13.0	1.6	1456.2
-95.5	5244.7		Min	I	-782.4	-36.5	-1.1	-1181.9
-128.8	-44388.7			J	-782.4	-36.5	1.1	-1181.9
-226.7	-13809.1							
9365	2	69 C1-C2;~1	Max	I	1881.5	28.8	0.2	2453.9
25.9	3732.1			J	1881.5	28.8	0.2	2453.9
420.4	40886.4		Min	I	-988.1	-51.9	-0.5	-1378.9
-67.7	-9086.6			J	-988.1	-51.9	-0.5	-1378.9
-148.2	-22086.2							
		C3-C4;~1	Max	I	1994.9	32.4	0.2	2562.4
53.9	4024.4			J	1994.9	32.4	0.2	2562.4
423.6	37928.5		Min	I	-1111.6	-55.0	-0.5	-1539.5
-75.0	-11961.2			J	-1111.6	-55.0	-0.5	-1539.5
-168.5	-24606.5							
		C1-C2;~2	Max	I	1062.5	15.2	0.1	1386.6
12.7	1973.1			J	1062.5	15.2	0.1	1386.6
256.7	22780.2		Min	I	-520.7	-29.2	-0.3	-731.8
-37.9	-5492.5			J	-520.7	-29.2	-0.3	-731.8
-78.0	-11638.7							
		C3-C4;~2	Max	I	1137.6	16.8	0.1	1456.1
31.9	2099.1			J	1137.6	16.8	0.1	1456.1
261.7	20973.8		Min	I	-574.6	-31.2	-0.3	-801.0
-42.2	-7404.0			J	-574.6	-31.2	-0.3	-801.0
-87.0	-12705.4							
		G1		I	765.8	-20.2	-1.3	895.5
-180.4	-2055.7			J	765.8	-20.2	0.9	895.5
4.6	15424.6							
		G2		I	300.6	-8.0	-0.1	344.2
-4.6	-782.5			J	300.6	-8.0	-0.1	344.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
50.7	6121.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-48.5	1.3	-0.0	-79.0
-4.7	2538.8		J	-48.5	1.3	-0.0	-79.0
14.9	1416.3						
		Q5_pc Y	I	242.8	-7.3	-0.0	398.6
1.1	-1759.9		J	242.8	-7.3	-0.0	398.6
38.6	4571.0						
		Q5_ps X	I	-46.1	1.2	-0.0	-71.3
-6.4	2534.9		J	-46.1	1.2	-0.0	-71.3
20.6	1462.8						
		Q5_ps Y	I	229.6	-6.9	-0.0	379.0
0.3	-1601.5		J	229.6	-6.9	-0.0	379.0
39.1	4386.1						
		INVS LU Max	I	3867.5	30.6	-1.6	3648.7
-117.7	7176.1		J	3867.5	30.6	1.3	3648.7
786.0	75759.7	Min	I	-763.2	-100.4	-2.6	-2606.3
-300.1	-18974.4		J	-763.2	-100.4	0.3	-2606.3
-82.9	-20883.7						
		INVS LE Max	I	2818.3	23.3	-1.2	2558.0
-86.2	5239.2		J	2818.3	23.3	1.0	2558.0
588.8	54944.5	Min	I	-579.4	-72.8	-2.0	-2022.2
-220.7	-13793.0		J	-579.4	-72.8	0.2	-2022.2
-49.7	-16033.7						
9366	2	69 C1-C2;~1 Max	I	1930.2	56.2	0.5	1335.1
478.8	40897.0		J	1930.2	56.2	0.5	1335.1
94.2	2425.2	Min	I	-969.8	-27.7	-0.2	-2745.8
-199.3	-22114.9		J	-969.8	-27.7	-0.2	-2745.8
-35.7	-11683.1						
		C3-C4;~1 Max	I	2038.0	59.2	0.5	1501.1
512.5	37947.0		J	2038.0	59.2	0.5	1501.1
126.4	2738.8	Min	I	-1092.5	-31.2	-0.2	-2842.3
-224.6	-24638.6		J	-1092.5	-31.2	-0.2	-2842.3
-36.8	-14351.5						
		C1-C2;~2 Max	I	1091.0	31.7	0.3	698.0
282.2	22785.7		J	1091.0	31.7	0.3	698.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
52.5	1247.0							
			Min	I	-509.0	-14.5	-0.1	-1551.9
-104.3	-11653.2			J	-509.0	-14.5	-0.1	-1551.9
-19.3	-6943.4							
		C3-C4;~2	Max	I	1163.2	33.7	0.3	769.5
304.5	20982.1			J	1163.2	33.7	0.3	769.5
74.3	1361.4							
			Min	I	-562.5	-16.0	-0.1	-1617.6
-115.3	-12721.2			J	-562.5	-16.0	-0.1	-1617.6
-18.7	-8743.3							
		G1		I	834.7	25.3	-1.0	-1248.5
6.7	15428.7			J	834.7	25.3	1.2	-1248.5
-88.5	-6531.6							
		G2		I	327.3	10.0	0.0	-480.1
51.7	6123.0			J	327.3	10.0	0.0	-480.1
31.1	-2513.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-39.0	-1.0	-0.0	6.6
-13.3	1399.1			J	-39.0	-1.0	-0.0	6.6
-6.8	2228.0							
		Q5_pc	Y	I	236.3	6.7	0.1	-352.3
48.3	4577.4			J	236.3	6.7	0.1	-352.3
-0.9	-1221.3							
		Q5_ps	X	I	-36.5	-0.9	-0.0	0.2
-9.7	1444.7			J	-36.5	-0.9	-0.0	0.2
-9.5	2230.2							
		Q5_ps	Y	I	223.7	6.3	0.1	-336.0
46.8	4391.4			J	223.7	6.3	0.1	-336.0
-2.2	-1096.0							
		INVSLE	Max	I	4098.7	116.8	-0.5	2750.4
880.3	75829.9			J	4098.7	116.8	2.4	2750.4
122.0	-4600.2							
			Min	I	-552.7	-17.2	-1.6	-3747.4
-201.7	-20882.4			J	-552.7	-17.2	1.3	-3747.4
-110.4	-31682.5							
		INVSLE	Max	I	2991.0	85.0	-0.3	2151.3
655.0	54995.1			J	2991.0	85.0	1.8	2151.3
89.1	-3469.9							
			Min	I	-422.9	-13.4	-1.2	-2615.0
-140.1	-16033.3			J	-422.9	-13.4	1.0	-2615.0


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-82.2	-23233.7									
9367	2	69	C1-C2;~1	Max	I	1980.8	29.9	0.1	757.7	
74.7	2427.2				J	1980.8	29.9	0.1	757.7	
174.1	14403.4									
				Min	I	-960.3	-14.4	-0.2	-1595.8	
-39.8	-11699.7				J	-960.3	-14.4	-0.2	-1595.8	
-94.5	-36761.4									
				C3-C4;~1	Max	I	2089.4	31.4	0.2	852.1
107.0	2744.9				J	2089.4	31.4	0.2	852.1	
197.9	16485.5									
				Min	I	-1083.6	-16.2	-0.2	-1646.8	
-38.4	-14369.8				J	-1083.6	-16.2	-0.2	-1646.8	
-108.3	-41284.5									
				C1-C2;~2	Max	I	1117.8	16.9	0.1	395.2
40.6	1247.2				J	1117.8	16.9	0.1	395.2	
103.5	7439.9									
				Min	I	-501.5	-7.5	-0.1	-903.3	
-23.1	-6952.8				J	-501.5	-7.5	-0.1	-903.3	
-50.0	-21010.5									
				C3-C4;~2	Max	I	1191.1	17.9	0.1	435.8
62.3	1363.8				J	1191.1	17.9	0.1	435.8	
120.0	8367.1									
				Min	I	-555.1	-8.3	-0.1	-938.1	
-21.0	-8754.0				J	-555.1	-8.3	-0.1	-938.1	
-56.1	-24067.2									
				G1	I	907.0	13.5	-1.1	-733.4	
-100.4	-6539.5				J	907.0	13.5	1.1	-733.4	
-107.6	-18231.9									
				G2	I	357.2	5.3	0.0	-281.0	
26.6	-2516.1				J	357.2	5.3	0.0	-281.0	
19.4	-7117.6									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-33.0	-0.5	-0.0	-0.4
-6.7	2228.0				J	-33.0	-0.5	-0.0	-0.4	
-2.9	2674.2									
				Q5_pc	Y	I	230.6	3.4	-0.0	-200.0
-4.2	-1223.9				J	230.6	3.4	-0.0	-200.0	
22.1	-4203.9									
				Q5_ps	X	I	-31.4	-0.5	-0.0	-4.5
-9.5	2230.1				J	-31.4	-0.5	-0.0	-4.5	


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.5	2661.6							
		Q5_ps	Y	I	218.2	3.3	-0.0	-191.1
-5.3	-1098.6			J	218.2	3.3	-0.0	-191.1
20.9	-3915.3							
		INVSLU	Max	I	4318.1	61.5	-1.2	1697.0
100.2	-4590.5			J	4318.1	61.5	1.7	1697.0
234.0	1922.0							
			Min	I	-380.6	-9.1	-1.7	-2036.6
-110.0	-31705.9			J	-380.6	-9.1	1.1	-2036.6
-219.1	-83634.5							
		INVSLE	Max	I	3152.3	44.7	-0.9	1327.1
74.3	-3461.8			J	3152.3	44.7	1.3	1327.1
174.2	1762.6							
			Min	I	-297.4	-7.1	-1.3	-1411.9
-80.6	-23250.2			J	-297.4	-7.1	0.8	-1411.9
-158.5	-61052.1							
		69 C1-C2;~1	Max	I	2110.4	1.4	0.1	139.3
9368	2			J	2110.4	1.4	0.1	139.3
167.8	14390.9							
			Min	I	-977.1	-1.9	-0.2	-78.4
243.3	14628.2			J	-977.1	-1.9	-0.2	-78.4
-92.2	-36736.4							
-84.4	-36508.1							
		C3-C4;~1	Max	I	2229.7	1.3	0.1	131.5
191.9	16471.4			J	2229.7	1.3	0.1	131.5
277.1	16699.2							
			Min	I	-1105.2	-1.6	-0.2	-59.0
-105.9	-41258.5			J	-1105.2	-1.6	-0.2	-59.0
-96.9	-41165.9							
		C1-C2;~2	Max	I	1187.7	0.9	0.0	84.1
99.7	7433.3			J	1187.7	0.9	0.0	84.1
138.6	7580.7							
			Min	I	-506.1	-1.2	-0.1	-45.3
-48.7	-20996.4			J	-506.1	-1.2	-0.1	-45.3
-41.9	-20853.7							
		C3-C4;~2	Max	I	1267.6	0.8	0.1	76.7
116.3	8359.9			J	1267.6	0.8	0.1	76.7
161.5	8500.8							
			Min	I	-561.6	-1.0	-0.1	-28.9
-54.7	-24052.5			J	-561.6	-1.0	-0.1	-28.9
-47.2	-23994.3							
		G1		I	1018.9	-0.5	-1.2	38.1
-111.1	-18220.5			J	1018.9	-0.5	1.0	38.1
-23.7	-17761.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
18.1	-7113.2	G2	I	401.2	-0.2	-0.0	15.4
			J	401.2	-0.2	-0.0	15.4
52.1	-6945.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-3.0	2674.1	Q5_pc X	I	-32.7	-0.1	0.0	-4.0
			J	-32.7	-0.1	0.0	-4.0
-7.5	2752.5						
		Q5_pc Y	I	228.3	0.0	0.0	9.4
21.1	-4200.5		J	228.3	0.0	0.0	9.4
13.7	-4229.0						
		Q5_ps X	I	-32.1	-0.1	0.0	-4.5
-2.6	2661.6		J	-32.1	-0.1	0.0	-4.5
-8.7	2745.7						
		Q5_ps Y	I	215.5	0.0	0.0	8.7
20.1	-3912.1		J	215.5	0.0	0.0	8.7
12.3	-3935.3						
		INVSLE Max	I	4722.3	0.8	-1.5	358.8
228.0	1896.3		J	4722.3	0.8	1.4	358.8
524.9	3300.7						
		Min	I	-190.8	-3.9	-2.0	47.9
-212.1	-83600.0		J	-190.8	-3.9	0.9	47.9
-4.6	-82429.3						
		INVSLE Max	I	3450.0	0.6	-1.1	264.6
170.3	1742.5		J	3450.0	0.6	1.0	264.6
390.0	2787.8						
		Min	I	-158.9	-2.9	-1.5	35.6
-152.9	-61028.1		J	-158.9	-2.9	0.7	35.6
-0.3	-60152.0						
9369	2	69 C1-C2;~1 Max	I	2193.0	13.6	0.3	1731.9
253.1	14631.2		J	2193.0	13.6	0.3	1731.9
31.0	3025.5						
		Min	I	-972.1	-31.1	-0.1	-782.3
-89.0	-36514.9		J	-972.1	-31.1	-0.1	-782.3
-84.1	-10391.8						
		C3-C4;~1 Max	I	2316.9	15.5	0.4	1799.7
287.2	16702.6		J	2316.9	15.5	0.4	1799.7
53.4	3493.6						
		Min	I	-1102.4	-32.4	-0.1	-883.6
-102.0	-41173.0		J	-1102.4	-32.4	-0.1	-883.6
-91.8	-13340.6						


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
144.1	7582.2	C1-C2;~2	Max	I	1232.4	7.0	0.2	975.1
				J	1232.4	7.0	0.2	975.1
15.7	1599.5		Min	I	-499.4	-17.6	-0.1	-403.1
-44.2	-20857.5			J	-499.4	-17.6	-0.1	-403.1
-49.3	-6218.2							
167.2	8502.5	C3-C4;~2	Max	I	1314.8	7.8	0.2	1018.6
				J	1314.8	7.8	0.2	1018.6
30.4	1825.9		Min	I	-555.6	-18.4	-0.1	-446.4
-49.7	-23998.2			J	-555.6	-18.4	-0.1	-446.4
-54.3	-8182.1							
			G1	I	1100.9	-15.6	-0.9	838.2
-19.0	-17764.9			J	1100.9	-15.6	1.3	838.2
-182.6	-4210.8							
			G2	I	432.7	-6.1	0.1	322.8
54.0	-6947.2			J	432.7	-6.1	0.1	322.8
-4.9	-1645.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-30.6	0.3	-0.0	-6.0
-7.6	2752.6			J	-30.6	0.3	-0.0	-6.0
-6.6	2488.0							
			Q5_pc Y	I	220.9	-3.2	0.0	198.9
14.9	-4229.6			J	220.9	-3.2	0.0	198.9
-2.0	-1446.9							
			Q5_ps X	I	-30.7	0.3	-0.0	-3.9
-8.8	2745.7			J	-30.7	0.3	-0.0	-3.9
-8.6	2495.1							
			Q5_ps Y	I	208.3	-3.0	0.0	189.2
13.4	-3935.9			J	208.3	-3.0	0.0	189.2
-2.9	-1302.8							
			INVSLU Max	I	5020.2	2.9	-0.6	2653.9
540.3	3304.5			J	5020.2	2.9	2.3	2653.9
-53.5	1975.5		Min	I	6.6	-67.5	-1.3	-1326.7
-11.8	-82440.9			J	6.6	-67.5	1.5	-1326.7
-261.3	-25229.2							
			INVSLE Max	I	3671.3	2.5	-0.5	1872.0
400.9	2790.8			J	3671.3	2.5	1.7	1872.0
-37.7	1408.1							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-6.1	-60160.3		Min	I	-13.1	-49.2	-1.0	-1050.1	
				J	-13.1	-49.2	1.1	-1050.1	
-190.7	-18411.8								
9370	2	69	C1-C2;~1	Max	I	2253.5	26.8	0.2	2938.3
35.9	3019.6				J	2253.5	26.8	0.2	2938.3
547.8	46351.6								
			Min	I	-961.8	-60.9	-0.7	-1314.9	
-70.2	-10375.8			J	-961.8	-60.9	-0.7	-1314.9	
-170.1	-20361.8								
			C3-C4;~1	Max	I	2372.9	30.4	0.2	3060.1
65.2	3486.8			J	2372.9	30.4	0.2	3060.1	
560.0	43320.8								
			Min	I	-1092.7	-64.0	-0.7	-1486.5	
-78.3	-13323.7			J	-1092.7	-64.0	-0.7	-1486.5	
-194.3	-23027.0								
			C1-C2;~2	Max	I	1268.6	13.7	0.1	1651.7
18.2	1596.3			J	1268.6	13.7	0.1	1651.7	
328.3	25789.5								
			Min	I	-491.4	-34.2	-0.4	-675.9	
-39.9	-6209.0			J	-491.4	-34.2	-0.4	-675.9	
-86.9	-10372.4								
			C3-C4;~2	Max	I	1348.4	15.3	0.1	1730.6
38.0	1822.3			J	1348.4	15.3	0.1	1730.6	
339.5	23917.6								
			Min	I	-547.7	-36.2	-0.4	-749.2	
-44.7	-8172.2			J	-547.7	-36.2	-0.4	-749.2	
-97.5	-11498.2								
			G1	I	1154.7	-31.1	-1.4	1449.8	
-169.2	-4201.7			J	1154.7	-31.1	0.8	1449.8	
94.4	22710.6								
			G2	I	451.7	-12.2	-0.1	558.8	
0.2	-1641.5			J	451.7	-12.2	-0.1	558.8	
84.8	8895.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-25.1	0.7	-0.0	-9.9
-6.7	2487.9			J	-25.1	0.7	-0.0	-9.9	
9.6	1904.5								
			Q5_pc	Y	I	216.6	-6.2	-0.1	328.9
1.1	-1445.1			J	216.6	-6.2	-0.1	328.9	
44.5	3912.5								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.6	2495.0	Q5_ps X	I	-24.6	0.7	-0.0	-7.1
			J	-24.6	0.7	-0.0	-7.1
15.1	1924.6						
		Q5_ps Y	I	204.6	-5.8	-0.1	312.5
0.0	-1301.1		J	204.6	-5.8	-0.1	312.5
44.6	3761.6						
		INVS LU Max	I	5242.9	3.4	-1.7	4587.6
-36.4	1968.0		J	5242.9	3.4	1.2	4587.6
1204.6	98522.9						
		Min	I	174.5	-135.1	-3.0	-2142.3
-242.0	-25204.4		J	174.5	-135.1	-0.1	-2142.3
106.1	-2180.6						
		INVS LE Max	I	3838.6	3.2	-1.3	3242.9
-26.3	1401.8		J	3838.6	3.2	0.8	3242.9
899.1	71866.8						
		Min	I	113.1	-98.6	-2.2	-1698.4
-177.7	-18394.2		J	113.1	-98.6	-0.1	-1698.4
91.3	-2206.7						
9371	2	69 C1-C2;~1 Max	I	2278.8	63.6	0.7	1235.3
586.3	46358.9		J	2278.8	63.6	0.7	1235.3
55.3	2602.3		Min	-948.1	-26.2	-0.2	-3009.4
-197.5	-20375.5		J	-948.1	-26.2	-0.2	-3009.4
-47.7	-12250.8						
		C3-C4;~1 Max	I	2395.0	66.7	0.7	1405.4
618.0	43322.6		J	2395.0	66.7	0.7	1405.4
88.2	3015.6						
		Min	I	-1079.0	-29.8	-0.3	-3115.7
-224.5	-23042.1		J	-1079.0	-29.8	-0.3	-3115.7
-48.6	-15093.9						
		C1-C2;~2 Max	I	1283.4	35.7	0.4	624.3
345.8	25793.6		J	1283.4	35.7	0.4	624.3
29.5	1293.5						
		Min	I	-482.0	-13.3	-0.1	-1693.9
-100.4	-10379.0		J	-482.0	-13.3	-0.1	-1693.9
-27.8	-7246.2						
		C3-C4;~2 Max	I	1361.7	37.8	0.4	696.7
367.7	23915.5		J	1361.7	37.8	0.4	696.7
51.8	1466.7						
		Min	I	-538.3	-14.8	-0.1	-1765.7
-111.9	-11505.2		J	-538.3	-14.8	-0.1	-1765.7
-27.4	-9150.9						
		G1	I	1189.4	33.8	-0.8	-1585.6
101.4	22716.8						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-126.0	-6576.8		J	1189.4	33.8	1.3	-1585.6
		G2	I	465.1	13.2	0.1	-610.4
87.7	8897.8		J	465.1	13.2	0.1	-610.4
17.0	-2573.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-20.3	-0.4	0.0	-22.4
-2.4	1897.9		J	-20.3	-0.4	0.0	-22.4
-6.4	2268.1						
		Q5_pc Y	I	212.1	5.8	0.1	-301.4
42.8	3911.8		J	212.1	5.8	0.1	-301.4
-6.4	-1121.8						
		Q5_ps X	I	-19.7	-0.4	0.0	-25.4
1.6	1917.3		J	-19.7	-0.4	0.0	-25.4
-9.1	2286.6						
		Q5_ps Y	I	200.6	5.5	0.1	-287.3
42.2	3760.5		J	200.6	5.5	0.1	-287.3
-7.3	-997.9						
		INVSLE Max	I	5358.4	144.3	0.1	2129.0
1265.1	98558.5		J	5358.4	144.3	2.9	2129.0
66.1	-3979.4						
		Min	I	286.6	3.6	-1.3	-4517.0
50.6	-2174.0		J	286.6	3.6	1.6	-4517.0
-130.1	-32509.9						
		INVSLE Max	I	3924.9	105.4	0.1	1691.3
941.8	71892.0		J	3924.9	105.4	2.2	1691.3
49.1	-2987.7						
		Min	I	196.3	2.0	-1.0	-3191.6
47.8	-2203.1		J	196.3	2.0	1.2	-3191.6
-95.4	-23819.0						
		69 C1-C2;~1 Max	I	2285.9	33.2	0.1	723.6
9372	2		J	2285.9	33.2	0.1	723.6
43.9	2607.7						
		Min	I	-934.0	-13.4	-0.3	-1786.6
228.8	13921.1		J	-934.0	-13.4	-0.3	-1786.6
-59.2	-12267.0						
		C3-C4;~1 Max	I	2403.0	34.7	0.1	823.7
-87.3	-40289.8		J	2403.0	34.7	0.1	823.7
74.3	3022.1						
		Min	I	-1065.0	-15.2	-0.3	-1846.1
253.1	16018.3						
-63.6	-15110.8						

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-99.3	-44934.5		J	-1065.0	-15.2	-0.3	-1846.1
22.1	1296.1	C1-C2;~2 Max	I	1285.7	18.7	0.1	364.7
133.2	6968.7		J	1285.7	18.7	0.1	364.7
-35.0	-7255.4	Min	I	-472.1	-6.8	-0.2	-1006.7
-45.3	-22947.4		J	-472.1	-6.8	-0.2	-1006.7
42.4	1469.7	C3-C4;~2 Max	I	1364.9	19.7	0.1	407.3
150.6	7880.4		J	1364.9	19.7	0.1	407.3
-37.6	-9160.5	Min	I	-528.2	-7.6	-0.2	-1046.8
-50.5	-26086.1		J	-528.2	-7.6	-0.2	-1046.8
-140.9	-6585.5	G1	I	1216.4	17.5	-1.2	-940.5
-40.7	-21776.7		J	1216.4	17.5	1.0	-940.5
11.3	-2576.5	G2	I	477.4	6.9	-0.0	-361.5
45.6	-8525.0		J	477.4	6.9	-0.0	-361.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.6	2268.0	Q5_pc X	I	-17.3	-0.2	-0.0	-16.6
-4.5	2449.4		J	-17.3	-0.2	-0.0	-16.6
-9.2	-1123.6	Q5_pc Y	I	206.0	2.9	-0.0	-176.8
20.3	-3656.4		J	206.0	2.9	-0.0	-176.8
-9.4	2286.5	Q5_ps X	I	-17.5	-0.2	-0.0	-18.6
-4.7	2471.2		J	-17.5	-0.2	-0.0	-18.6
-10.0	-999.6	Q5_ps Y	I	194.6	2.8	-0.0	-168.8
18.9	-3393.1		J	194.6	2.8	-0.0	-168.8
50.3	-3973.0	INVSLU Max	I	5409.5	73.9	-1.4	1374.9
480.8	-6411.0		J	5409.5	73.9	1.4	1374.9
-152.4	-32534.8	Min	I	356.9	1.3	-2.1	-2547.6
-31.4	-95278.9		J	356.9	1.3	0.8	-2547.6
		INVSLE Max	I	3961.5	53.9	-1.1	1089.4

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
38.5	-2982.3			J	3961.5	53.9	1.1	1089.4	
357.0	-4348.2								
			Min	I	246.3	0.5	-1.5	-1792.5	
-110.4	-23836.7								
				J	246.3	0.5	0.6	-1792.5	
-19.7	-69688.8								
9373	2	69	C1-C2;~1	Max	I	2330.0	1.4	0.1	85.8
218.7	13918.5								
				J	2330.0	1.4	0.1	85.8	
241.0	13925.6								
			Min	I	-925.9	-1.7	-0.1	-74.7	
-83.3	-40284.1								
				J	-925.9	-1.7	-0.1	-74.7	
-82.4	-40033.7								
			C3-C4;~1	Max	I	2451.7	1.2	0.1	72.8
242.9	16015.4								
				J	2451.7	1.2	0.1	72.8	
269.7	15998.0								
			Min	I	-1058.5	-1.4	-0.1	-58.9	
-94.7	-44928.7								
				J	-1058.5	-1.4	-0.1	-58.9	
-94.9	-44739.1								
			C1-C2;~2	Max	I	1309.4	0.9	0.0	54.2
127.5	6967.4								
				J	1309.4	0.9	0.0	54.2	
138.9	6991.0								
			Min	I	-463.7	-1.1	-0.1	-47.3	
-43.2	-22944.2								
				J	-463.7	-1.1	-0.1	-47.3	
-41.4	-22800.5								
			C3-C4;~2	Max	I	1391.6	0.7	0.0	43.8
144.8	7878.9								
				J	1391.6	0.7	0.0	43.8	
158.8	7890.8								
			Min	I	-520.3	-0.9	-0.1	-34.8	
-48.3	-26082.8								
				J	-520.3	-0.9	-0.1	-34.8	
-46.8	-25976.8								
			G1	I	1257.9	-0.2	-1.1	6.4	
-46.1	-21773.7								
				J	1257.9	-0.2	1.0	6.4	
-24.8	-21574.4								
			G2	I	493.8	-0.1	-0.0	2.4	
43.5	-8523.8								
				J	493.8	-0.1	-0.0	2.4	
51.7	-8447.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-15.1	-0.0	-0.0	0.1
-4.6	2449.3								
				J	-15.1	-0.0	-0.0	0.1	
-4.0	2488.4								
			Q5_pc	Y	I	197.7	-0.0	0.0	-0.4
19.3	-3655.8								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
10.6	-3633.2		J	197.7	-0.0	0.0	-0.4
-4.9	2471.2	Q5_ps X	I	-16.0	-0.0	-0.0	-0.1
-4.8	2511.9		J	-16.0	-0.0	-0.0	-0.1
18.0	-3392.5	Q5_ps Y	I	186.5	-0.0	0.0	-0.3
9.6	-3369.8		J	186.5	-0.0	0.0	-0.3
467.2	-6412.5	INVSLU Max	I	5542.2	1.2	-1.3	163.8
533.8	-5833.1		J	5542.2	1.2	1.5	163.8
-23.2	-95267.3	Min	I	447.6	-3.1	-1.7	-53.6
22.4	-94367.9		J	447.6	-3.1	1.2	-53.6
347.5	-4349.5	INVSLE Max	I	4059.5	0.9	-1.0	121.0
397.0	-3907.1		J	4059.5	0.9	1.1	121.0
-13.2	-69680.5	Min	I	312.1	-2.3	-1.2	-39.9
19.6	-69004.0		J	312.1	-2.3	0.9	-39.9
9374	2	69 C1-C2;~1 Max	I	2340.4	13.0	0.3	1830.3
251.4	13928.0		J	2340.4	13.0	0.3	1830.3
34.5	2773.9	Min	I	-905.3	-33.7	-0.1	-715.4
-86.3	-40039.8		J	-905.3	-33.7	-0.1	-715.4
-72.3	-11581.9						
280.3	16000.7	C3-C4;~1 Max	I	2460.8	14.9	0.3	1894.6
62.1	3189.8		J	2460.8	14.9	0.3	1894.6
-99.4	-44745.3	Min	I	-1037.6	-35.1	-0.1	-817.4
-78.1	-14548.4		J	-1037.6	-35.1	-0.1	-817.4
144.8	6992.2	C1-C2;~2 Max	I	1315.3	6.5	0.2	1030.5
17.0	1443.9		J	1315.3	6.5	0.2	1030.5
-43.2	-22803.9	Min	I	-449.1	-19.0	-0.1	-355.8
-42.9	-6874.1		J	-449.1	-19.0	-0.1	-355.8
164.8	7892.1	C3-C4;~2 Max	I	1396.6	7.3	0.2	1073.1
35.4	1637.6		J	1396.6	7.3	0.2	1073.1
-48.9	-25980.2	Min	I	-505.3	-19.9	-0.1	-398.8
-46.5	-8848.3		J	-505.3	-19.9	-0.1	-398.8

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-19.3	-21577.9	G1	I	1273.3	-18.2	-0.9	973.4
			J	1273.3	-18.2	1.2	973.4
-163.3	-5809.6	G2	I	499.3	-7.1	0.1	374.0
53.9	-8449.2		J	499.3	-7.1	0.1	374.0
2.7	-2281.3	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-3.9	2488.3	Q5_pc X	I	-11.9	0.1	0.0	19.2
			J	-11.9	0.1	0.0	19.2
-8.6	2422.3	Q5_pc Y	I	186.8	-2.8	0.0	165.9
11.6	-3633.7		J	186.8	-2.8	0.0	165.9
-1.2	-1211.4	Q5_ps X	I	-13.0	0.1	0.0	20.4
-4.7	2511.9		J	-13.0	0.1	0.0	20.4
-10.8	2439.9	Q5_ps Y	I	176.3	-2.6	0.0	158.3
10.5	-3370.3		J	176.3	-2.6	0.0	158.3
-2.3	-1079.2	INVSLE Max	I	4102.6	-2.5	-0.5	1925.7
548.9	-5832.5		J	4102.6	-2.5	1.6	1925.7
4.3	-1264.8	Min	I	380.0	-55.8	-1.0	-985.4
15.5	-94380.2		J	380.0	-55.8	1.1	-985.4
-200.4	-29571.4	INVSLE Max	I	4102.6	-2.5	-0.5	1925.7
407.6	-3906.5		J	4102.6	-2.5	1.6	1925.7
4.7	-945.4	Min	I	380.0	-55.8	-1.0	-985.4
14.0	-69012.9		J	380.0	-55.8	1.1	-985.4
-145.8	-21590.3	69 C1-C2;~1 Max	I	2366.8	25.1	0.2	3086.6
9375	2		J	2366.8	25.1	0.2	3086.6
42.9	2768.3	Min	I	-895.5	-64.9	-0.7	-1202.0
593.1	48283.8		J	-895.5	-64.9	-0.7	-1202.0
-58.5	-11565.5	C3-C4;~1 Max	I	2483.8	28.8	0.2	3201.5
-176.8	-19204.6		J	2483.8	28.8	0.2	3201.5
74.2	3183.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
613.9	45227.1		Min	I	-1028.5	-67.9	-0.7	-1374.9
-63.1	-14531.1			J	-1028.5	-67.9	-0.7	-1374.9
-203.8	-22048.9							
		C1-C2;~2	Max	I	1332.2	12.4	0.1	1735.5
22.1	1441.1			J	1332.2	12.4	0.1	1735.5
351.3	26838.0		Min	I	-441.3	-36.5	-0.4	-596.1
-33.8	-6864.7			J	-441.3	-36.5	-0.4	-596.1
-87.1	-9460.0							
		C3-C4;~2	Max	I	1411.5	14.0	0.1	1812.1
43.2	1634.3			J	1411.5	14.0	0.1	1812.1
367.5	24970.5		Min	I	-497.7	-38.5	-0.4	-669.0
-36.2	-8838.4			J	-497.7	-38.5	-0.4	-669.0
-98.7	-10674.6							
		G1		I	1285.5	-35.5	-1.4	1656.9
-147.9	-5800.1			J	1285.5	-35.5	0.8	1656.9
121.0	24922.1							
		G2		I	502.0	-13.9	-0.1	637.8
8.6	-2277.7			J	502.0	-13.9	-0.1	637.8
95.0	9739.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.1	0.2	-0.0	29.2
-8.3	2422.5			J	-9.1	0.2	-0.0	29.2
4.5	2265.2							
		Q5_pc	Y	I	182.7	-5.3	-0.0	274.0
1.4	-1210.0			J	182.7	-5.3	-0.0	274.0
42.8	3359.2							
		Q5_ps	X	I	-9.7	0.2	-0.0	30.5
-10.5	2440.0			J	-9.7	0.2	-0.0	30.5
9.2	2265.6							
		Q5_ps	Y	I	172.8	-5.0	-0.0	261.2
0.1	-1077.9			J	172.8	-5.0	-0.0	261.2
42.7	3242.0							
		INVSLU	Max	I	5681.3	-9.7	-1.7	4793.7
21.7	-1270.4			J	5681.3	-9.7	1.2	4793.7
1333.4	106673.0		Min	I	611.0	-149.8	-3.1	-1877.7
-178.5	-29545.0			J	611.0	-149.8	-0.2	-1877.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
152.5	5677.2							
			INVSLE Max	I	4166.7	-6.5	-1.3	3398.3
16.4	-950.3			J	4166.7	-6.5	0.9	3398.3
993.9	78015.4							
			Min	I	435.2	-109.5	-2.3	-1506.9
-130.9	-21571.4			J	435.2	-109.5	-0.2	-1506.9
124.8	3651.6							
9376	2	69	C1-C2;~1 Max	I	2369.4	65.1	0.7	1222.0
580.0	48271.4			J	2369.4	65.1	0.7	1222.0
41.3	2758.4							
			Min	I	-897.8	-25.2	-0.2	-3108.9
-167.5	-19197.7			J	-897.8	-25.2	-0.2	-3108.9
-58.7	-11679.0							
			C3-C4;~1 Max	I	2485.8	68.1	0.7	1407.8
601.9	45208.2			J	2485.8	68.1	0.7	1407.8
71.5	3185.7							
			Min	I	-1034.5	-29.0	-0.2	-3222.0
-193.0	-22040.6			J	-1034.5	-29.0	-0.2	-3222.0
-63.9	-14600.8							
			C1-C2;~2 Max	I	1333.6	36.6	0.4	606.8
344.8	26832.2			J	1333.6	36.6	0.4	606.8
21.4	1425.3							
			Min	I	-442.5	-12.5	-0.1	-1747.3
-82.5	-9456.8			J	-442.5	-12.5	-0.1	-1747.3
-34.0	-6939.1							
			C3-C4;~2 Max	I	1412.7	38.6	0.4	687.4
361.3	24959.1			J	1412.7	38.6	0.4	687.4
41.9	1611.8							
			Min	I	-501.4	-14.1	-0.1	-1823.7
-93.6	-10670.9			J	-501.4	-14.1	-0.1	-1823.7
-36.8	-8893.3							
			G1	I	1285.2	35.5	-0.8	-1657.8
118.9	24917.7			J	1285.2	35.5	1.4	-1657.8
-149.6	-5809.8							
			G2	I	501.7	13.9	0.1	-637.3
94.4	9737.9			J	501.7	13.9	0.1	-637.3
7.8	-2272.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-7.9	-0.1	0.0	-35.0
7.2	2266.5			J	-7.9	-0.1	0.0	-35.0
-5.4	2316.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

32.2	3352.8	Q5_pc	Y	I	179.5	4.9	0.0	-262.8
-7.9	-892.4			J	179.5	4.9	0.0	-262.8
11.7	2266.8	Q5_ps	X	I	-8.5	-0.1	0.0	-35.9
-7.8	2342.3			J	-8.5	-0.1	0.0	-35.9
32.6	3235.9	Q5_ps	Y	I	169.9	4.6	0.0	-250.8
-8.6	-783.3			J	169.9	4.6	0.0	-250.8
1301.7	106646.5	INVS LU	Max	I	5683.7	149.8	0.2	1895.8
18.2	-1525.9			J	5683.7	149.8	3.1	1895.8
170.6	5690.1		Min	I	608.1	10.0	-1.2	-4827.5
-178.7	-29707.3			J	608.1	10.0	1.7	-4827.5
971.0	77996.5	INVS LE	Max	I	4168.8	109.6	0.1	1520.4
14.0	-1140.2			J	4168.8	109.6	2.3	1520.4
137.5	3661.0		Min	I	433.1	6.6	-0.8	-3424.8
-130.8	-21706.4			J	433.1	6.6	1.3	-3424.8
9377	2	69 C1-C2;~1	Max	I	2346.1	33.4	0.1	725.2
34.0	2764.6			J	2346.1	33.4	0.1	725.2
257.6	13816.7		Min	I	-910.5	-12.9	-0.3	-1836.7
-74.0	-11696.1			J	-910.5	-12.9	-0.3	-1836.7
-90.2	-39882.3							
60.3	3193.0	C3-C4;~1	Max	I	2464.8	34.7	0.1	835.3
286.2	15944.2			J	2464.8	34.7	0.1	835.3
-79.6	-14618.8		Min	I	-1048.5	-14.8	-0.3	-1899.3
-103.5	-44523.0			J	-1048.5	-14.8	-0.3	-1899.3
16.9	1428.4	C1-C2;~2	Max	I	1318.6	18.8	0.1	361.2
147.8	6928.5			J	1318.6	18.8	0.1	361.2
-43.9	-6948.8		Min	I	-451.9	-6.4	-0.2	-1033.7
-45.2	-22732.0			J	-451.9	-6.4	-0.2	-1033.7
34.5	1615.4	C3-C4;~2	Max	I	1399.4	19.7	0.1	409.0
167.8	7851.8			J	1399.4	19.7	0.1	409.0
			Min	I	-511.5	-7.2	-0.2	-1075.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-47.5	-8903.6		J	-511.5	-7.2	-0.2	-1075.9
-50.9	-25881.3						
		G1	I	1271.9	18.0	-1.2	-969.3
-165.1	-5819.3		J	1271.9	18.0	0.9	-969.3
-17.2	-21429.3						
		G2	I	498.2	7.0	-0.1	-371.9
1.8	-2276.6		J	498.2	7.0	-0.1	-371.9
54.6	-8378.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-7.3	0.0	0.0	-24.0
-5.8	2316.3		J	-7.3	0.0	0.0	-24.0
-6.1	2291.3						
		Q5_pc Y	I	174.1	2.4	-0.0	-154.5
-10.3	-894.0		J	174.1	2.4	-0.0	-154.5
19.1	-3003.0						
		Q5_ps X	I	-8.7	0.0	-0.0	-24.9
-8.2	2342.1		J	-8.7	0.0	-0.0	-24.9
-6.8	2329.7						
		Q5_ps Y	I	164.5	2.3	-0.0	-147.7
-10.9	-784.9		J	164.5	2.3	-0.0	-147.7
17.7	-2783.9						
		INVSLU Max	I	5598.8	75.4	-1.5	1238.2
3.8	-1519.5		J	5598.8	75.4	1.4	1238.2
565.6	-6474.0						
		Min	I	542.5	4.1	-2.2	-2731.6
-203.8	-29734.8		J	542.5	4.1	0.7	-2731.6
5.1	-93510.1						
		INVSLE Max	I	4104.5	55.1	-1.1	989.2
4.4	-1134.7		J	4104.5	55.1	1.0	989.2
419.4	-4356.4						
		Min	I	382.3	2.6	-1.6	-1930.9
-148.0	-21726.1		J	382.3	2.6	0.5	-1930.9
6.7	-68427.2						
9378	2	69 C1-C2;~1 Max	I	2331.4	1.7	0.1	75.3
247.3	13814.3		J	2331.4	1.7	0.1	75.3
211.8	13710.9						
		Min	I	-929.1	-1.5	-0.1	-86.6
-86.4	-39876.2		J	-929.1	-1.5	-0.1	-86.6
-78.8	-40002.6						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
275.7	15941.4	C3-C4;~1	Max	I	2450.5	1.4	0.1	59.7
				J	2450.5	1.4	0.1	59.7
235.5	15832.1		Min	I	-1069.2	-1.3	-0.1	-73.5
-99.1	-44516.7			J	-1069.2	-1.3	-0.1	-73.5
-90.5	-44599.4							
142.0	6927.3	C1-C2;~2	Max	I	1310.9	1.1	0.1	47.5
				J	1310.9	1.1	0.1	47.5
124.2	6855.7		Min	I	-465.7	-0.9	-0.0	-54.5
-43.3	-22728.6			J	-465.7	-0.9	-0.0	-54.5
-41.1	-22807.8							
161.8	7850.5	C3-C4;~2	Max	I	1392.4	0.9	0.1	35.1
				J	1392.4	0.9	0.1	35.1
141.2	7776.7		Min	I	-526.5	-0.8	-0.0	-44.1
-48.8	-25877.8			J	-526.5	-0.8	-0.0	-44.1
-46.3	-25926.7							
-22.7	-21425.8		G1	I	1253.2	0.2	-1.0	-5.9
				J	1253.2	0.2	1.1	-5.9
-48.5	-21621.0							
52.5	-8376.7		G2	I	491.1	0.1	0.0	-2.2
				J	491.1	0.1	0.0	-2.2
42.3	-8455.3							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-6.2	2291.3		Q5_pc	X	-3.7	0.0	-0.0	1.3
				J	-3.7	0.0	-0.0	1.3
-0.6	2259.0							
18.3	-3002.4		Q5_pc	Y	163.9	0.0	0.0	-3.4
				J	163.9	0.0	0.0	-3.4
5.7	-3004.5							
-7.0	2329.7		Q5_ps	X	-5.4	0.0	-0.0	1.3
				J	-5.4	0.0	-0.0	1.3
-1.2	2295.6							
16.8	-2783.4		Q5_ps	Y	154.9	0.0	0.0	-3.2
				J	154.9	0.0	0.0	-3.2
5.3	-2787.3							
550.6	-6474.7		INVSLU	Max	5518.7	2.9	-1.2	53.3
				J	5518.7	2.9	1.7	53.3
444.9	-7171.7							

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
11.9	-93497.5		Min	I	472.2	-1.4	-1.5	-171.4	
				J	472.2	-1.4	1.3	-171.4	
-5.5	-94162.4								
408.8	-4357.1	INVSLE	Max	I	4045.3	2.2	-0.9	39.4	
				J	4045.3	2.2	1.2	39.4	
332.1	-4882.1		Min	I	329.0	-1.0	-1.1	-126.6	
12.2	-68418.1			J	329.0	-1.0	1.0	-126.6	
-0.7	-68919.1								
9379	2	69	C1-C2;~1	Max	I	2283.1	13.6	0.3	1787.4
221.9	13713.5			J	2283.1	13.6	0.3	1787.4	
45.2	2392.1		Min	I	-935.1	-33.4	-0.1	-728.9	
-82.9	-40008.3			J	-935.1	-33.4	-0.1	-728.9	
-58.8	-11827.5								
245.8	15835.1		C3-C4;~1	Max	I	2396.6	15.6	0.3	1846.1
				J	2396.6	15.6	0.3	1846.1	
76.3	2768.3		Min	I	-1075.3	-34.8	-0.1	-838.7	
-95.1	-44605.2			J	-1075.3	-34.8	-0.1	-838.7	
-63.3	-14668.8								
129.9	6857.1		C1-C2;~2	Max	I	1285.5	6.9	0.2	1008.0
				J	1285.5	6.9	0.2	1008.0	
22.6	1206.6		Min	I	-473.1	-18.8	-0.1	-368.1	
-43.1	-22811.0			J	-473.1	-18.8	-0.1	-368.1	
-34.8	-7021.6								
147.1	7778.2		C3-C4;~2	Max	I	1363.7	7.7	0.2	1048.4
				J	1363.7	7.7	0.2	1048.4	
43.2	1376.0		Min	I	-534.3	-19.8	-0.1	-416.2	
-48.6	-25930.0			J	-534.3	-19.8	-0.1	-416.2	
-37.4	-8918.9								
-43.2	-21624.0		G1	I	1208.7	-17.5	-1.0	935.0	
				J	1208.7	-17.5	1.2	935.0	
-139.0	-6482.3								
44.4	-8456.5		G2	I	473.1	-6.8	0.0	358.4	
				J	473.1	-6.8	0.0	358.4	
12.1	-2545.4								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	0.8	-0.0	0.0	30.8

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.4	2258.9		J	0.8	-0.0	0.0	30.8
-9.9	2272.0						
6.5	-3004.9	Q5_pc Y	I	151.5	-2.3	0.0	137.5
0.3	-1003.5		J	151.5	-2.3	0.0	137.5
-1.0	2295.5	Q5_ps X	I	-0.6	0.0	0.0	31.9
-12.4	2292.1		J	-0.6	0.0	0.0	31.9
6.0	-2787.6	Q5_ps Y	I	143.6	-2.2	0.0	132.0
-1.1	-891.2		J	143.6	-2.2	0.0	132.0
458.3	-7170.4	INVSLU Max	I	5362.1	-1.7	-0.9	2517.9
53.4	-4000.4		J	5362.1	-1.7	2.0	2517.9
-13.7	-94173.7	Min	I	402.3	-73.9	-1.4	-1354.2
-152.9	-31630.0		J	402.3	-73.9	1.5	-1354.2
341.5	-4881.0	INVSLE Max	I	3931.5	-0.8	-0.6	1774.2
40.6	-2998.6		J	3931.5	-0.8	1.5	1774.2
-7.2	-68927.3	Min	I	277.8	-54.0	-1.1	-1075.7
-111.0	-23162.0		J	277.8	-54.0	1.1	-1075.7
9380	2	69 C1-C2;~1 Max	I	2279.8	26.3	0.2	3002.3
57.4	2387.0		J	2279.8	26.3	0.2	3002.3
600.8	46632.1	Min	I	-952.7	-63.5	-0.7	-1240.7
-48.5	-11811.7		J	-952.7	-63.5	-0.7	-1240.7
-208.6	-20791.3						
90.7	2762.1	C3-C4;~1 Max	I	2391.5	30.2	0.3	3106.5
630.5	43548.9		J	2391.5	30.2	0.3	3106.5
-49.1	-14652.4	Min	I	-1095.2	-66.4	-0.7	-1427.4
-240.0	-23834.3		J	-1095.2	-66.4	-0.7	-1427.4
30.4	1204.2	C1-C2;~2 Max	I	1285.3	13.3	0.1	1691.4
353.4	25944.9		J	1285.3	13.3	0.1	1691.4
-28.1	-7012.6	Min	I	-485.0	-35.7	-0.4	-628.2
-105.9	-10614.4		J	-485.0	-35.7	-0.4	-628.2
52.9	1373.2	C3-C4;~2 Max	I	1362.4	15.0	0.1	1763.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
374.7	24070.7		J	1362.4	15.0	0.1	1763.3
		Min	I	-547.3	-37.7	-0.4	-710.0
-27.6	-8909.4		J	-547.3	-37.7	-0.4	-710.0
-119.6	-11945.3						
		G1	I	1180.5	-33.5	-1.3	1571.1
-124.4	-6473.7		J	1180.5	-33.5	0.8	1571.1
102.1	22526.7						
		G2	I	460.0	-13.1	-0.1	603.0
17.7	-2542.1		J	460.0	-13.1	-0.1	603.0
87.4	8779.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	1.5	-0.1	-0.0	48.7
-9.4	2272.3		J	1.5	-0.1	-0.0	48.7
-0.2	2347.9						
		Q5_pc Y	I	147.7	-4.3	-0.0	226.9
2.4	-1002.4		J	147.7	-4.3	-0.0	226.9
39.4	2726.8						
		Q5_ps X	I	0.6	-0.1	-0.0	49.9
-11.9	2292.4		J	0.6	-0.1	-0.0	49.9
3.6	2339.0						
		Q5_ps Y	I	140.3	-4.1	-0.0	217.5
1.0	-890.1		J	140.3	-4.1	-0.0	217.5
39.2	2647.4						
		INVSLU Max	I	5310.1	-4.7	-1.6	4447.3
72.2	-4006.2		J	5310.1	-4.7	1.3	4447.3
1288.7	98332.0						
		Min	I	337.2	-142.8	-3.0	-2081.8
-133.4	-31605.9		J	337.2	-142.8	-0.1	-2081.8
42.6	-1705.7						
		INVSLE Max	I	3895.2	-2.7	-1.2	3147.0
53.2	-3003.6		J	3895.2	-2.7	1.0	3147.0
959.9	71848.7						
		Min	I	231.3	-104.4	-2.2	-1659.1
-97.8	-23144.8		J	231.3	-104.4	-0.1	-1659.1
42.1	-1889.7						
		69 C1-C2;~1 Max	I	2261.0	61.1	0.7	1364.3
9381	2		J	2261.0	61.1	0.7	1364.3
531.4	46600.1						
		Min	I	-972.0	-27.1	-0.2	-2984.2
34.9	2824.2						
-158.5	-20762.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-70.5	-10222.5		J	-972.0	-27.1	-0.2	-2984.2
543.0	43526.1	C3-C4;~1 Max	I	2375.0	64.0	0.7	1570.1
63.5	3286.8		J	2375.0	64.0	0.7	1570.1
-181.8	-23800.4	Min	I	-1117.2	-31.1	-0.2	-3102.1
-79.1	-13097.9		J	-1117.2	-31.1	-0.2	-3102.1
320.3	25928.3	C1-C2;~2 Max	I	1274.0	34.4	0.4	701.9
17.8	1496.3		J	1274.0	34.4	0.4	701.9
-81.2	-10600.3	Min	I	-497.2	-13.9	-0.1	-1676.9
-40.1	-6156.0		J	-497.2	-13.9	-0.1	-1676.9
331.2	24061.7	C3-C4;~2 Max	I	1352.4	36.4	0.4	792.8
37.3	1709.5		J	1352.4	36.4	0.4	792.8
-91.5	-11929.0	Min	I	-560.9	-15.7	-0.1	-1756.6
-45.2	-8084.0		J	-560.9	-15.7	-0.1	-1756.6
90.2	22515.6	G1	I	1145.3	30.8	-0.8	-1436.6
-170.5	-4148.9		J	1145.3	30.8	1.4	-1436.6
83.0	8774.7	G2	I	446.0	12.0	0.1	-550.1
-0.4	-1613.4		J	446.0	12.0	0.1	-550.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
15.5	2356.2	Q5_pc X	I	-0.4	0.1	0.0	-32.3
-3.8	2275.5		J	-0.4	0.1	0.0	-32.3
22.0	2716.7	Q5_pc Y	I	145.4	4.0	0.0	-226.1
-8.7	-723.7		J	145.4	4.0	0.0	-226.1
20.6	2347.8	Q5_ps X	I	-1.6	0.1	0.0	-32.3
-5.9	2298.9		J	-1.6	0.1	0.0	-32.3
23.6	2638.3	Q5_ps Y	I	138.0	3.8	0.0	-216.2
-9.2	-630.4		J	138.0	3.8	0.0	-216.2
		INVSLU Max	I	5201.1	133.8	0.1	2122.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1158.4	98244.8		J	5201.1	133.8	3.0	2122.1
-36.9	1473.3	Min	I	225.0	-1.8	-1.1	-4592.4
140.3	-1686.0		J	225.0	-1.8	1.7	-4592.4
-245.1	-24741.9						
		INVSLE Max	I	3814.4	97.8	0.1	1686.7
866.7	71786.1		J	3814.4	97.8	2.2	1686.7
-26.7	1040.4	Min	I	147.8	-2.1	-0.8	-3256.8
115.4	-1874.5		J	147.8	-2.1	1.3	-3256.8
-179.7	-18074.8						
9382	2	69 C1-C2;~1 Max	I	2205.1	31.2	0.1	813.7
31.2	2831.3		J	2205.1	31.2	0.1	813.7
258.2	14566.9	Min	I	-986.9	-13.7	-0.4	-1760.8
-85.6	-10239.6		J	-986.9	-13.7	-0.4	-1760.8
-92.6	-36423.2						
		C3-C4;~1 Max	I	2322.9	32.4	0.1	936.7
52.3	3295.3		J	2322.9	32.4	0.1	936.7
291.7	16825.5	Min	I	-1134.1	-15.8	-0.4	-1826.4
-93.1	-13116.2		J	-1134.1	-15.8	-0.4	-1826.4
-106.7	-40958.3						
		C1-C2;~2 Max	I	1240.3	17.6	0.1	419.6
15.9	1500.0		J	1240.3	17.6	0.1	419.6
146.8	7554.1	Min	I	-507.6	-7.1	-0.2	-990.9
-50.2	-6165.7		J	-507.6	-7.1	-0.2	-990.9
-46.0	-20852.6						
		C3-C4;~2 Max	I	1321.3	18.4	0.1	474.0
29.9	1713.8		J	1321.3	18.4	0.1	474.0
169.6	8558.4	Min	I	-572.4	-8.0	-0.2	-1035.0
-55.1	-8094.5		J	-572.4	-8.0	-0.2	-1035.0
-52.1	-23951.2						
		G1	I	1090.4	15.5	-1.3	-829.6
-183.8	-4158.0		J	1090.4	15.5	0.9	-829.6
-18.4	-17572.9						
		G2	I	426.3	6.0	-0.1	-317.2
-5.5	-1616.9		J	426.3	6.0	-0.1	-317.2
54.1	-6838.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-4.1	2275.4	Q5_pc X	I	-2.0	0.1	0.0	-20.9
-8.0	2176.2		J	-2.0	0.1	0.0	-20.9
-10.8	-725.2	Q5_pc Y	I	140.0	2.0	-0.0	-133.7
16.9	-2428.2		J	140.0	2.0	-0.0	-133.7
-6.2	2298.9	Q5_ps X	I	-4.0	0.1	0.0	-21.2
-9.2	2210.3		J	-4.0	0.1	0.0	-21.2
-11.2	-631.8	Q5_ps Y	I	132.6	1.9	-0.0	-128.0
15.4	-2254.3		J	132.6	1.9	-0.0	-128.0
-51.7	1482.5	INVS LU Max	I	4979.0	66.6	-1.5	1313.3
551.3	1582.1		J	4979.0	66.6	1.4	1313.3
-267.4	-24768.8	Min	I	60.1	-1.9	-2.3	-2657.6
-16.8	-80796.7		J	60.1	-1.9	0.6	-2657.6
-36.5	1048.0	INVS LE Max	I	3648.6	48.6	-1.1	1042.3
409.1	1597.7		J	3648.6	48.6	1.0	1042.3
-194.9	-18094.0	Min	I	23.6	-1.8	-1.7	-1881.2
-9.5	-59099.9		J	23.6	-1.8	0.4	-1881.2
9383	2	69 C1-C2;~1 Max	I	2119.1	1.8	0.2	80.2
248.2	14563.8		J	2119.1	1.8	0.2	80.2
162.3	14166.5	Min	I	-990.9	-1.5	-0.1	-142.5
-87.9	-36416.3		J	-990.9	-1.5	-0.1	-142.5
-89.1	-36438.8						
281.4	16821.9	C3-C4;~1 Max	I	2231.8	1.5	0.2	63.5
184.9	16379.2		J	2231.8	1.5	0.2	63.5
-101.3	-40951.1	Min	I	-1138.1	-1.4	-0.1	-134.6
-103.9	-40843.7		J	-1138.1	-1.4	-0.1	-134.6
141.1	7552.6	C1-C2;~2 Max	I	1194.2	1.1	0.1	45.8
97.2	7324.9		J	1194.2	1.1	0.1	45.8
-43.6	-20848.8	Min	I	-514.0	-1.0	-0.0	-85.6
-47.2	-20883.9		J	-514.0	-1.0	-0.0	-85.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

163.8	8556.6	C3-C4; ~2	Max	I	1272.6	0.9	0.1	31.1
				J	1272.6	0.9	0.1	31.1
113.3	8309.3		Min	I	-579.1	-0.8	-0.1	-78.4
-49.3	-23947.2			J	-579.1	-0.8	-0.1	-78.4
-53.7	-23897.3							
		G1		I	1005.4	0.5	-1.0	-37.2
-23.1	-17569.2			J	1005.4	0.5	1.2	-37.2
-114.5	-18009.4							
		G2		I	393.3	0.2	0.0	-15.0
52.3	-6837.0			J	393.3	0.2	0.0	-15.0
16.4	-7002.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	2.8	0.1	-0.0	3.3
-8.1	2176.2			J	2.8	0.1	-0.0	3.3
4.0	2132.9							
		Q5_pc	Y	I	127.1	0.0	0.0	-8.9
16.1	-2427.6			J	127.1	0.0	0.0	-8.9
-1.7	-2429.4							
		Q5_ps	X	I	1.0	0.1	-0.0	3.8
-9.3	2210.3			J	1.0	0.1	-0.0	3.8
3.9	2159.4							
		Q5_ps	Y	I	120.6	0.0	0.0	-8.1
14.6	-2253.8			J	120.6	0.0	0.0	-8.1
-1.5	-2259.7							
		INVSLE	Max	I	4658.9	3.6	-0.9	-50.0
535.9	1578.3			J	4658.9	3.6	2.0	-50.0
204.2	21.7		Min	I	-119.1	-1.0	-1.4	-366.7
-9.7	-80784.9			J	-119.1	-1.0	1.5	-366.7
-192.9	-81602.1							
		INVSLE	Max	I	3412.7	2.7	-0.7	-37.3
398.1	1594.7			J	3412.7	2.7	1.5	-37.3
154.2	438.3		Min	I	-109.7	-0.7	-1.0	-270.7
-3.8	-59091.5			J	-109.7	-0.7	1.1	-270.7
-139.4	-59699.9							
9384	2	69 C1-C2; ~1	Max	I	1985.6	14.9	0.2	1612.4
168.6	14179.4			J	1985.6	14.9	0.2	1612.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
76.9	2220.0		Min	I	-972.6	-30.3	-0.1	-781.0
-91.3	-36464.0			J	-972.6	-30.3	-0.1	-781.0
-41.1	-11141.5							
		C3-C4;~1	Max	I	2087.2	17.0	0.2	1661.9
190.9	16394.0			J	2087.2	17.0	0.2	1661.9
109.4	2232.5		Min	I	-1116.5	-31.7	-0.2	-897.1
-106.3	-40869.8			J	-1116.5	-31.7	-0.2	-897.1
-39.7	-13773.4							
		C1-C2;~2	Max	I	1122.6	7.8	0.1	913.4
101.0	7331.7			J	1122.6	7.8	0.1	913.4
41.4	1154.5		Min	I	-508.8	-17.1	-0.1	-407.9
-48.5	-20898.1			J	-508.8	-17.1	-0.1	-407.9
-23.7	-6663.0							
		C3-C4;~2	Max	I	1194.4	8.7	0.1	949.3
117.0	8316.9			J	1194.4	8.7	0.1	949.3
63.2	1131.5		Min	I	-572.6	-18.1	-0.1	-459.6
-55.1	-23912.2			J	-572.6	-18.1	-0.1	-459.6
-21.6	-8437.8							
		G1		I	890.7	-13.3	-1.1	721.5
-111.0	-18020.5			J	890.7	-13.3	1.1	721.5
-99.1	-6488.1							
		G2		I	347.9	-5.2	-0.0	273.9
17.7	-7006.5			J	347.9	-5.2	-0.0	273.9
27.2	-2509.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	8.4	-0.1	0.0	34.7
4.2	2132.3			J	8.4	-0.1	0.0	34.7
-9.7	2216.3							
		Q5_pc	Y	I	111.5	-1.8	-0.0	110.8
-1.2	-2431.1			J	111.5	-1.8	-0.0	110.8
3.8	-876.4							
		Q5_ps	X	I	7.4	-0.1	0.0	36.6
4.1	2158.8			J	7.4	-0.1	0.0	36.6
-12.3	2223.6							
		Q5_ps	Y	I	106.4	-1.7	-0.0	107.4
-1.0	-2261.3			J	106.4	-1.7	-0.0	107.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.2	-782.4						
			INVSLE Max	I	4233.6	8.2	-1.2 1997.7
209.6	46.5			J	4233.6	8.2	1.7 1997.7
106.1	-4992.7		Min	I	-292.1	-60.9	-1.7 -1656.4
-199.2	-81635.7			J	-292.1	-60.9	1.2 -1656.4
-114.5	-30590.0						
			INVSLE Max	I	3101.0	6.5	-0.9 1391.5
157.8	457.8			J	3101.0	6.5	1.3 1391.5
78.2	-3749.9		Min	I	-236.5	-44.4	-1.3 -1300.5
-144.4	-59723.4			J	-236.5	-44.4	0.9 -1300.5
-83.9	-22415.4						
9385	2	69	C1-C2;~1 Max	I	1940.1	28.2	0.2 2766.9
95.6	2220.3			J	1940.1	28.2	0.2 2766.9
495.6	41651.5		Min	I	-987.8	-56.4	-0.5 -1371.7
-36.3	-11126.1			J	-987.8	-56.4	-0.5 -1371.7
-215.0	-23158.4						
			C3-C4;~1 Max	I	2040.7	32.4	0.3 2859.3
127.6	2228.8			J	2040.7	32.4	0.3 2859.3
528.2	38659.1		Min	I	-1134.4	-59.2	-0.5 -1575.8
-37.0	-13756.3			J	-1134.4	-59.2	-0.5 -1575.8
-248.1	-26452.5						
			C1-C2;~2 Max	I	1098.5	14.8	0.1 1565.4
53.1	1155.5			J	1098.5	14.8	0.1 1565.4
291.1	23188.6		Min	I	-519.2	-31.8	-0.3 -718.0
-19.6	-6654.1			J	-519.2	-31.8	-0.3 -718.0
-112.3	-12212.2						
			C3-C4;~2 Max	I	1169.4	16.6	0.1 1632.2
74.7	1130.6			J	1169.4	16.6	0.1 1632.2
313.4	21431.7		Min	I	-584.5	-33.8	-0.3 -809.0
-18.9	-8427.6			J	-584.5	-33.8	-0.3 -809.0
-127.0	-13671.5						
			G1	I	817.1	-24.8	-1.2 1223.4
-87.6	-6480.4			J	817.1	-24.8	1.0 1223.4
5.2	15037.4						
			G2	I	317.0	-9.7	-0.0 465.8
31.6	-2506.9			J	317.0	-9.7	-0.0 465.8
50.3	5875.5						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	6.9	-0.3	56.0
-9.1	2216.9			J	6.9	-0.3	56.0
-4.8	2453.7						
			Q5_pc Y	I	107.0	-3.3	186.9
5.6	-875.3			J	107.0	-3.3	186.9
29.9	1955.7						
			Q5_ps X	I	6.5	-0.2	58.4
-11.8	2224.2			J	6.5	-0.2	58.4
-1.9	2436.2						
			Q5_ps Y	I	102.4	-3.1	180.9
3.9	-781.3			J	102.4	-3.1	180.9
29.8	1920.0						
			INVSLE Max	I	4015.3	14.9	3659.7
126.1	-4998.2			J	4015.3	14.9	3659.7
895.4	75921.0		Min	I	-463.7	-114.6	-2664.1
-112.5	-30568.6			J	-463.7	-114.6	-2664.1
-206.5	-20436.2						
			INVSLE Max	I	2941.5	11.9	2565.9
91.8	-3754.9			J	2941.5	11.9	2565.9
668.2	55300.0		Min	I	-362.0	-83.7	-2093.5
-83.7	-22400.3			J	-362.0	-83.7	-2093.5
-144.0	-15748.5						
			69 C1-C2;~1 Max	I	1899.7	52.2	1492.8
9386	2			J	1899.7	52.2	1492.8
402.4	41614.5		Min	I	-1014.9	-29.3	-2552.0
25.9	3591.7			J	-1014.9	-29.3	-2552.0
-134.4	-23107.4						
-68.3	-8488.3						
			C3-C4;~1 Max	I	2006.2	55.0	1723.3
403.2	38614.5			J	2006.2	55.0	1723.3
52.8	3445.6		Min	I	-1166.3	-33.7	-2663.7
-153.6	-26391.9			J	-1166.3	-33.7	-2663.7
-76.2	-11240.9						
			C1-C2;~2 Max	I	1074.2	29.4	789.9
248.1	23170.0			J	1074.2	29.4	789.9
12.7	1901.5		Min	I	-535.3	-15.5	-1437.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-71.4	-12186.6		J	-535.3	-15.5	-0.1	-1437.8
-38.2	-5203.9						
252.1	21409.7	C3-C4;~2 Max	I	1148.4	31.4	0.3	894.0
31.4	1824.2		J	1148.4	31.4	0.3	894.0
-79.7	-13641.6	Min	I	-603.0	-17.5	-0.1	-1514.1
-42.8	-7067.0		J	-603.0	-17.5	-0.1	-1514.1
-0.1	15029.7	G1	I	747.1	19.6	-0.9	-866.7
-181.6	-1942.8		J	747.1	19.6	1.3	-866.7
48.4	5872.5	G2	I	289.5	7.6	0.1	-326.5
-5.1	-735.2		J	289.5	7.6	0.1	-326.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
22.0	2469.6	Q5_pc X	I	1.8	0.2	0.0	-11.0
-2.3	2254.0		J	1.8	0.2	0.0	-11.0
9.4	1942.4	Q5_pc Y	I	105.0	3.0	0.0	-199.8
-7.2	-631.8		J	105.0	3.0	0.0	-199.8
27.2	2453.2	Q5_ps X	I	1.0	0.2	0.0	-12.8
-4.0	2271.1		J	1.0	0.2	0.0	-12.8
11.8	1908.2	Q5_ps Y	I	100.3	2.8	0.0	-192.0
-7.7	-548.4		J	100.3	2.8	0.0	-192.0
743.2	75828.2	INVSLU Max	I	3792.4	97.6	-0.3	2606.6
-116.6	6408.7		J	3792.4	97.6	2.6	2606.6
-48.0	-20425.6	Min	I	-679.6	-27.6	-1.3	-3675.4
-303.8	-17672.4		J	-679.6	-27.6	1.6	-3675.4
558.8	55231.2	INVSLE Max	I	2775.8	71.1	-0.2	2028.9
-85.4	4679.6		J	2775.8	71.1	1.9	2028.9
-24.4	-15738.6	Min	I	-522.7	-21.2	-0.9	-2597.8
-223.1	-12857.7		J	-522.7	-21.2	1.2	-2597.8


MIDAS

PROJECT TITLE :

	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9387	2	69	C1-C2;~1	Max	I	1826.7	26.6	0.1	872.1
24.4	3589.9				J	1826.7	26.6	0.1	872.1
233.9	15242.8			Min	I	-1039.2	-14.9	-0.3	-1467.7
-79.3	-8501.3				J	-1039.2	-14.9	-0.3	-1467.7
-108.6	-30143.6								
			C3-C4;~1	Max	I	1939.0	27.7	0.2	1007.9
42.6	3450.1				J	1939.0	27.7	0.2	1007.9
267.9	17681.3			Min	I	-1195.0	-17.1	-0.4	-1519.4
-86.3	-11257.9				J	-1195.0	-17.1	-0.4	-1519.4
-125.5	-34724.1								
			C1-C2;~2	Max	I	1030.5	15.1	0.1	462.3
12.5	1900.2				J	1030.5	15.1	0.1	462.3
131.7	8123.9			Min	I	-550.4	-7.9	-0.2	-829.7
-46.0	-5211.3				J	-550.4	-7.9	-0.2	-829.7
-56.2	-17428.2								
			C3-C4;~2	Max	I	1108.4	15.9	0.1	523.8
24.8	1826.0				J	1108.4	15.9	0.1	523.8
154.5	9236.6			Min	I	-620.3	-8.9	-0.2	-864.6
-50.6	-7077.3				J	-620.3	-8.9	-0.2	-864.6
-63.6	-20574.4								
				G1	I	658.0	9.6	-1.2	-465.1
-189.5	-1950.6				J	658.0	9.6	0.9	-465.1
-51.8	-10277.9								
				G2	I	256.6	3.8	-0.1	-173.6
-8.1	-738.2				J	256.6	3.8	-0.1	-173.6
40.9	-3987.3								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc X	I	-2.2	0.3	0.0	-7.4
-2.4	2254.1				J	-2.2	0.3	0.0	-7.4
-8.3	2002.6								
				Q5_pc Y	I	100.0	1.5	-0.0	-121.3
-9.1	-633.3				J	100.0	1.5	-0.0	-121.3
13.9	-1896.8								
				Q5_ps X	I	-3.8	0.3	0.0	-9.4
-4.2	2271.3				J	-3.8	0.3	0.0	-9.4
-9.7	2033.8								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-9.5	-549.9	Q5_ps Y	I	95.1	1.4	-0.0	-116.9
			J	95.1	1.4	-0.0	-116.9
12.5	-1760.4						
		INVS LU Max	I	3459.9	48.2	-1.4	1531.8
-127.5	6406.4		J	3459.9	48.2	1.5	1531.8
378.3	16995.3	Min	I	-951.2	-15.0	-2.2	-2098.4
-318.0	-17695.7		J	-951.2	-15.0	0.7	-2098.4
-177.8	-57356.6						
		INVS LE Max	I	2527.1	35.1	-1.1	1190.1
-92.6	4678.7		J	2527.1	35.1	1.1	1190.1
280.4	12989.3	Min	I	-727.0	-11.5	-1.6	-1482.7
-232.5	-12874.1		J	-727.0	-11.5	0.5	-1482.7
-129.6	-41819.2						
9388	2	69 C1-C2;~1 Max	I	1719.6	2.6	0.1	121.7
226.1	15239.1		J	1719.6	2.6	0.1	121.7
139.2	14922.2	Min	I	-1050.6	-1.3	-0.1	-88.2
-103.8	-30136.9		J	-1050.6	-1.3	-0.1	-88.2
-90.7	-30650.9						
		C3-C4;~1 Max	I	1824.1	2.2	0.2	94.9
259.8	17677.0		J	1824.1	2.2	0.2	94.9
157.9	17286.1	Min	I	-1208.1	-1.1	-0.1	-73.4
-119.9	-34717.0		J	-1208.1	-1.1	-0.1	-73.4
-105.1	-35063.8						
		C1-C2;~2 Max	I	974.5	1.6	0.1	80.2
127.3	8121.9		J	974.5	1.6	0.1	80.2
84.0	7938.8	Min	I	-560.6	-0.8	-0.0	-53.5
-53.6	-17424.6		J	-560.6	-0.8	-0.0	-53.5
-48.2	-17753.1						
		C3-C4;~2 Max	I	1048.4	1.3	0.1	60.5
150.0	9234.4		J	1048.4	1.3	0.1	60.5
97.5	9016.3	Min	I	-631.6	-0.7	-0.0	-41.0
-60.7	-20570.5		J	-631.6	-0.7	-0.0	-41.0
-54.4	-20787.1						
		G1	I	529.8	1.0	-1.0	0.2
-54.2	-10274.9		J	529.8	1.0	1.2	0.2
-140.0	-11107.0						
		G2	I	206.7	0.4	0.0	1.0
40.0	-3986.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
6.5	-4327.9		J	206.7	0.4	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-8.4	2002.5	Q5_pc X	I	4.0	0.2	-0.0	5.5
6.4	1790.0		J	4.0	0.2	-0.0	5.5
13.2	-1896.3	Q5_pc Y	I	86.2	0.0	0.0	-9.6
-2.7	-1904.9		J	86.2	0.0	0.0	-9.6
-9.7	2033.7	Q5_ps X	I	3.1	0.2	-0.0	5.7
6.4	1826.1		J	3.1	0.2	-0.0	5.7
11.8	-1760.0	Q5_ps Y	I	82.5	0.0	0.0	-8.8
-2.4	-1770.1		J	82.5	0.0	0.0	-8.8
366.2	16990.7	INVSLE Max	I	2987.5	6.3	-1.0	-69.1
52.9	14133.2		J	2987.5	6.3	1.9	-69.1
-170.1	-57345.8	Min	I	-1261.1	0.6	-1.3	-369.7
-313.6	-59968.0		J	-1261.1	0.6	1.5	-369.7
271.8	12985.6	INVSLE Max	I	2176.4	4.6	-0.7	-59.6
40.7	10848.7		J	2176.4	4.6	1.4	-59.6
-123.7	-41811.4	Min	I	-959.2	0.5	-1.0	-281.0
-229.9	-43787.1		J	-959.2	0.5	1.1	-281.0
9389	2	69 C1-C2;~1 Max	I	1601.9	15.8	0.1	1298.6
146.2	14925.1		J	1601.9	15.8	0.1	1298.6
80.0	2913.8	Min	I	-1055.8	-24.1	-0.1	-848.7
-94.9	-30654.2		J	-1055.8	-24.1	-0.1	-848.7
-33.5	-11605.4						
164.7	17289.4	C3-C4;~1 Max	I	1694.2	18.2	0.1	1321.0
116.2	2343.7		J	1694.2	18.2	0.1	1321.0
-109.8	-35067.0	Min	I	-1213.9	-25.4	-0.2	-977.8
-29.8	-13939.0		J	-1213.9	-25.4	-0.2	-977.8
88.1	7940.4	C1-C2;~2 Max	I	913.9	8.5	0.1	746.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
42.4	1587.3		J	913.9	8.5	0.1	746.0
		Min	I	-567.5	-13.8	-0.1	-456.1
-50.5	-17755.0		J	-567.5	-13.8	-0.1	-456.1
-19.2	-7027.1						
		C3-C4;~2 Max	I	980.9	9.6	0.1	764.3
101.6	9018.1		J	980.9	9.6	0.1	764.3
66.6	1286.2	Min	I	-639.1	-14.6	-0.1	-514.8
-57.1	-20788.9		J	-639.1	-14.6	-0.1	-514.8
-15.6	-8590.9						
		G1	I	389.1	-5.6	-1.1	307.9
-138.0	-11107.1		J	389.1	-5.6	1.0	307.9
-86.9	-6219.9						
		G2	I	151.1	-2.2	-0.0	114.3
7.2	-4327.9		J	151.1	-2.2	-0.0	114.3
31.8	-2457.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	11.6	0.1	0.0	25.0
6.5	1789.8		J	11.6	0.1	0.0	25.0
-8.8	1703.4						
		Q5_pc Y	I	70.5	-1.2	-0.0	90.4
-2.2	-1905.1		J	70.5	-1.2	-0.0	90.4
2.0	-831.3						
		Q5_ps X	I	11.8	0.1	0.0	28.9
6.6	1825.9		J	11.8	0.1	0.0	28.9
-11.8	1749.2						
		Q5_ps Y	I	68.4	-1.2	-0.0	89.0
-1.9	-1770.2		J	68.4	-1.2	-0.0	89.0
0.4	-734.8						
		INVSLE Max	I	2462.0	25.7	-1.3	1214.3
57.2	14138.6		J	2462.0	25.7	1.5	1214.3
88.7	-5375.0	Min	I	-1590.9	-35.5	-1.8	-2051.9
-325.2	-59971.7		J	-1590.9	-35.5	1.1	-2051.9
-129.1	-31192.3						
		INVSLE Max	I	1786.2	19.5	-1.0	823.3
43.5	10852.8		J	1786.2	19.5	1.1	823.3
65.9	-4092.2	Min	I	-1206.6	-25.6	-1.3	-1584.1
-238.9	-43789.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-94.3	-22989.0			J	-1206.6	-25.6	0.8 -1584.1
9390	2	69	C1-C2;~1	Max	I	1587.5	30.5 0.3 2082.1
95.0	2917.1			J	1587.5	30.5	0.3 2082.1
524.3	33228.1			Min	I	-1104.9	-44.9 -0.5 -1418.3
-33.3	-11597.0			J	-1104.9	-44.9	-0.5 -1418.3
-290.9	-25255.9						
			C3-C4;~1	Max	I	1684.6	35.1 0.4 2129.9
132.3	2342.1			J	1684.6	35.1	0.4 2129.9
572.4	29560.2			Min	I	-1272.5	-47.4 -0.6 -1635.0
-35.9	-13929.6			J	-1272.5	-47.4	-0.6 -1635.0
-338.2	-28960.9						
			C1-C2;~2	Max	I	909.6	16.4 0.2 1193.5
51.2	1590.3			J	909.6	16.4	0.2 1193.5
309.4	18684.5			Min	I	-595.7	-25.6 -0.3 -763.5
-17.2	-7021.8			J	-595.7	-25.6	-0.3 -763.5
-154.6	-13653.5						
			C3-C4;~2	Max	I	979.5	18.5 0.2 1232.0
76.5	1285.7			J	979.5	18.5	0.2 1232.0
341.1	16488.5			Min	I	-672.0	-27.4 -0.4 -862.2
-17.9	-8584.8			J	-672.0	-27.4	-0.4 -862.2
-176.2	-15330.7						
			G1	I	288.8	-10.0	-1.1 448.4
-82.4	-6218.4			J	288.8	-10.0	1.1 448.4
-70.7	2428.6						
			G2	I	109.4	-3.8	0.0 165.3
33.5	-2457.3			J	109.4	-3.8	0.0 165.3
20.6	854.9						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	X	I	7.4	-0.1 0.0 39.8
-8.4	1703.8			J	7.4	-0.1	0.0 39.8
-13.0	1802.1						
			Q5_pc	Y	I	65.4	-2.2 -0.0 147.9
3.4	-830.5			J	65.4	-2.2	-0.0 147.9
22.6	1048.8						
			Q5_ps	X	I	8.3	-0.1 -0.0 46.1
-11.4	1749.8						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-10.8	1871.9		J	8.3	-0.1	-0.0	46.1
1.7	-734.0	Q5_ps Y	I	63.8	-2.1	-0.0	145.5
22.6	1089.1		J	63.8	-2.1	-0.0	145.5
101.0	-5374.7	INVS LU Max	I	2146.6	50.6	-0.7	2071.7
533.6	34539.4		J	2146.6	50.6	2.1	2071.7
-141.2	-31184.7	Min	I	-1963.4	-64.7	-2.0	-3277.2
-736.5	-52659.6		J	-1963.4	-64.7	0.9	-3277.2
74.0	-4092.5	INVS LE Max	I	1548.6	38.4	-0.5	1419.1
386.3	24522.1		J	1548.6	38.4	1.6	1419.1
-104.2	-22983.8	Min	I	-1487.1	-46.7	-1.5	-2523.3
-551.5	-39829.5		J	-1487.1	-46.7	0.6	-2523.3
9391	2	69 C1-C2;~1 Max	I	1547.6	40.0	0.5	1402.7
427.5	33216.7		J	1547.6	40.0	0.5	1402.7
49.3	5767.4	Min	I	-1157.3	-32.9	-0.2	-1651.7
-179.2	-25207.5		J	-1157.3	-32.9	-0.2	-1651.7
-70.5	-8954.4						
428.4	29527.4	C3-C4;~1 Max	I	1652.8	42.3	0.5	1639.4
77.9	5376.9		J	1652.8	42.3	0.5	1639.4
-203.6	-28900.3	Min	I	-1336.2	-38.0	-0.2	-1709.5
-74.0	-11630.5		J	-1336.2	-38.0	-0.2	-1709.5
269.3	18680.5	C1-C2;~2 Max	I	886.2	22.9	0.3	757.5
29.2	3044.0		J	886.2	22.9	0.3	757.5
-96.6	-13629.7	Min	I	-625.3	-17.8	-0.1	-945.5
-37.5	-5620.4		J	-625.3	-17.8	-0.1	-945.5
273.4	16472.8	C3-C4;~2 Max	I	960.5	24.5	0.3	867.4
49.2	2814.9		J	960.5	24.5	0.3	867.4
-107.0	-15301.1	Min	I	-707.1	-20.2	-0.1	-982.9
-38.0	-7416.9		J	-707.1	-20.2	-0.1	-982.9
-60.5	2425.2	G1	I	178.9	1.7	-0.9	14.7
-190.6	926.4		J	178.9	1.7	1.2	14.7

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

25.1	853.2	G2	I	65.9	0.6	0.0	14.1
-9.3	352.1		J	65.9	0.6	0.0	14.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
32.7	1831.1	Q5_pc X	I	-2.2	0.4	0.0	47.1
1.3	1519.6		J	-2.2	0.4	0.0	47.1
-2.7	1031.1	Q5_pc Y	I	62.9	1.7	0.0	-189.9
-10.2	-477.7		J	62.9	1.7	0.0	-189.9
37.7	1902.4	Q5_ps X	I	-1.2	0.4	0.0	41.5
-0.3	1573.6		J	-1.2	0.4	0.0	41.5
0.6	1073.6	Q5_ps Y	I	61.3	1.7	0.0	-183.0
-10.3	-403.3		J	61.3	1.7	0.0	-183.0
450.8	34485.7	INVSLE Max	I	1796.8	38.1	-0.5	2979.3
-201.5	14999.6		J	1796.8	38.1	2.4	2979.3
-461.3	-52668.2	Min	I	-2351.6	-73.4	-1.6	-1883.4
-424.9	-11222.8		J	-2351.6	-73.4	1.3	-1883.4
329.0	24478.5	INVSLE Max	I	1285.2	26.8	-0.4	2246.9
-152.4	11184.4		J	1285.2	26.8	1.7	2246.9
-342.2	-39835.7	Min	I	-1779.3	-55.6	-1.2	-1329.9
-316.5	-8037.0		J	-1779.3	-55.6	1.0	-1329.9
9392	2	69 C1-C2;~1 Max	I	1435.5	20.5	0.2	808.2
39.3	5768.6		J	1435.5	20.5	0.2	808.2
254.8	18128.5	Min	I	-1189.3	-16.6	-0.3	-965.5
-69.9	-8963.3		J	-1189.3	-16.6	-0.3	-965.5
-155.7	-23802.7	C3-C4;~1 Max	I	1546.7	21.1	0.2	946.6
66.8	5383.5		J	1546.7	21.1	0.2	946.6
297.1	21100.9	Min	I	-1376.8	-19.2	-0.3	-959.5
-75.0	-11642.8		J	-1376.8	-19.2	-0.3	-959.5
-180.9	-28622.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

23.0	3044.1	C1-C2;~2	Max	I	821.5	11.9	0.1	436.5
				J	821.5	11.9	0.1	436.5
145.0	9839.7		Min	I	-644.7	-9.0	-0.2	-560.3
-38.4	-5625.4			J	-644.7	-9.0	-0.2	-560.3
-82.7	-14102.2							
42.3	2818.0	C3-C4;~2	Max	I	899.6	12.4	0.1	501.0
				J	899.6	12.4	0.1	501.0
173.3	11221.6		Min	I	-730.8	-10.2	-0.2	-552.2
-40.8	-7424.3			J	-730.8	-10.2	-0.2	-552.2
-94.2	-17405.8							
		G1		I	30.6	0.0	-1.2	40.1
-190.2	925.0			J	30.6	0.0	1.0	40.1
-95.8	888.9							
		G2		I	9.5	-0.0	-0.0	20.5
-9.1	351.6			J	9.5	-0.0	-0.0	20.5
22.9	381.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.8	0.5	0.0	25.2
1.8	1520.2			J	-9.8	0.5	0.0	25.2
-8.4	1046.8							
		Q5_pc	Y	I	57.3	0.8	-0.0	-117.9
-12.0	-479.1			J	57.3	0.8	-0.0	-117.9
7.7	-1149.6							
		Q5_ps	X	I	-9.1	0.6	0.0	21.5
0.1	1574.1			J	-9.1	0.6	0.0	21.5
-9.8	1089.4							
		Q5_ps	Y	I	55.9	0.8	-0.0	-113.7
-12.1	-404.6			J	55.9	0.8	-0.0	-113.7
6.7	-1071.5							
		INVSLU	Max	I	1312.3	17.4	-1.2	1655.8
-209.5	15007.4			J	1312.3	17.4	1.6	1655.8
171.2	45631.5		Min	I	-2737.5	-38.4	-2.0	-1137.8
-422.5	-11234.2			J	-2737.5	-38.4	0.9	-1137.8
-489.3	-23563.7							
		INVSLE	Max	I	924.0	12.2	-0.9	1244.8
-157.9	11190.7			J	924.0	12.2	1.2	1244.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
119.9	34482.8		Min	I	-2068.3	-29.1	-1.5	-808.8	
-314.1	-8044.9			J	-2068.3	-29.1	0.7	-808.8	
-368.3	-16619.6								
9393	2	69	C1-C2;~1	Max	I	1269.1	3.5	0.2	162.1
250.0	18125.0				J	1269.1	3.5	0.2	162.1
142.5	17772.7		Min	I	-1204.4	-2.0	-0.1	-180.2	
-151.2	-23797.9			J	-1204.4	-2.0	-0.1	-180.2	
-143.6	-24421.0								
			C3-C4;~1	Max	I	1371.0	3.1	0.3	120.1
292.1	21096.8			J	1371.0	3.1	0.3	120.1	
166.0	20598.6		Min	I	-1397.5	-1.7	-0.1	-157.4	
-175.7	-28617.3			J	-1397.5	-1.7	-0.1	-157.4	
-166.2	-28972.1								
			C1-C2;~2	Max	I	733.0	2.2	0.1	105.8
142.3	9837.7			J	733.0	2.2	0.1	105.8	
86.2	9647.6		Min	I	-654.6	-1.3	-0.0	-109.1	
-80.3	-14099.4			J	-654.6	-1.3	-0.0	-109.1	
-73.8	-14510.2								
			C3-C4;~2	Max	I	805.6	1.9	0.1	76.2
170.5	11219.4			J	805.6	1.9	0.1	76.2	
102.4	10953.4		Min	I	-743.7	-1.1	-0.0	-89.9	
-91.4	-17403.2			J	-743.7	-1.1	-0.0	-89.9	
-83.6	-17630.1								
			G1	I	-181.4	1.1	-0.9	-48.4	
-95.6	889.7			J	-181.4	1.1	1.2	-48.4	
-222.2	-104.2								
			G2	I	-72.8	0.4	0.1	-19.2	
23.0	381.5			J	-72.8	0.4	0.1	-19.2	
-26.3	-2.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-3.0	0.7	-0.0	-8.2
-8.3	1046.6			J	-3.0	0.7	-0.0	-8.2	
10.5	440.4								
			Q5_pc	Y	I	41.5	-0.1	0.0	-8.7
7.0	-1149.2			J	41.5	-0.1	0.0	-8.7	
-10.9	-1044.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-9.7	1089.3	Q5_ps X	I	-0.5	0.7	-0.0	-6.6
11.2	501.8		J	-0.5	0.7	-0.0	-6.6
6.0	-1071.2	Q5_ps Y	I	41.7	-0.1	0.0	-7.6
-9.7	-975.1		J	41.7	-0.1	0.0	-7.6
164.6	45623.4	INVS LU Max	I	654.5	7.9	-0.8	-62.4
-199.9	42625.8		J	654.5	7.9	2.0	-62.4
-481.8	-23559.3	Min	I	-3157.7	-0.8	-1.4	-540.2
-667.9	-26174.0		J	-3157.7	-0.8	1.5	-540.2
115.1	34476.6	INVS LE Max	I	438.4	5.8	-0.6	-54.0
-152.3	32286.7		J	438.4	5.8	1.5	-54.0
-362.7	-16616.6	Min	I	-2380.0	-0.6	-1.0	-406.8
-497.5	-18536.9		J	-2380.0	-0.6	1.1	-406.8
9394	2	69 C1-C2;~1 Max	I	1135.7	18.0	0.1	801.5
146.6	17776.3		J	1135.7	18.0	0.1	801.5
104.1	3378.7	Min	I	-1254.8	-17.2	-0.2	-863.0
-148.4	-24423.6		J	-1254.8	-17.2	-0.2	-863.0
-36.0	-12277.9						
169.9	20602.9	C3-C4;~1 Max	I	1231.3	21.0	0.1	768.5
145.9	2997.7		J	1231.3	21.0	0.1	768.5
-171.8	-28974.4	Min	I	-1460.4	-18.4	-0.3	-1012.7
-33.3	-14759.9		J	-1460.4	-18.4	-0.3	-1012.7
88.5	9649.6	C1-C2;~2 Max	I	656.3	9.7	0.1	470.5
57.4	1758.0		J	656.3	9.7	0.1	470.5
-76.4	-14511.7	Min	I	-676.5	-10.0	-0.1	-461.5
-19.2	-7680.7		J	-676.5	-10.0	-0.1	-461.5
104.7	10955.6	C3-C4;~2 Max	I	722.9	11.1	0.1	444.1
85.8	1576.8		J	722.9	11.1	0.1	444.1
-86.6	-17631.4	Min	I	-770.9	-10.9	-0.1	-530.3
-16.1	-9345.5		J	-770.9	-10.9	-0.1	-530.3
		G1	I	-402.7	5.4	-1.2	-293.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-223.8	-102.1		J	-402.7	5.4	0.9	-293.9
-81.4	-4809.7						
		G2	I	-159.3	2.2	-0.1	-119.9
-26.9	-1.1		J	-159.3	2.2	-0.1	-119.9
33.6	-1871.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.7	0.8	0.0	-38.0
10.2	440.4		J	5.7	0.8	0.0	-38.0
1.9	-214.0						
		Q5_pc Y	I	24.6	-0.8	-0.0	89.3
-10.4	-1044.1		J	24.6	-0.8	-0.0	89.3
-2.6	-364.8						
		Q5_ps X	I	10.2	0.7	0.0	-29.1
11.0	501.8		J	10.2	0.7	0.0	-29.1
-1.5	-78.4						
		Q5_ps Y	I	26.8	-0.8	-0.0	88.8
-9.2	-975.2		J	26.8	-0.8	-0.0	88.8
-4.0	-294.7						
		INVSLE Max	I	45.0	51.7	-1.6	125.7
-201.9	42637.3		J	45.0	51.7	1.3	125.7
63.9	-814.1						
		Min	I	-3633.1	-3.0	-2.1	-2484.2
-682.0	-26171.4		J	-3633.1	-3.0	0.7	-2484.2
-186.4	-25957.7						
		INVSLE Max	I	-10.1	38.8	-1.2	51.6
-154.0	32295.3		J	-10.1	38.8	0.9	51.6
45.4	-352.7						
		Min	I	-2731.3	-1.6	-1.6	-1869.8
-508.2	-18534.9		J	-2731.3	-1.6	0.5	-1869.8
-139.6	-18929.0						
		69 C1-C2;~1 Max	I	1071.7	35.4	0.4	1255.1
9395	2		J	1071.7	35.4	0.4	1255.1
112.7	3378.5						
		Min	I	-1337.2	-30.7	-0.4	-1477.5
381.0	21860.0		J	-1337.2	-30.7	-0.4	-1477.5
-40.7	-12273.5						
		C3-C4;~1 Max	I	1172.5	41.3	0.5	1267.3
-348.8	-28914.9		J	1172.5	41.3	0.5	1267.3
154.6	2989.5						
		Min	I	-1561.1	-33.3	-0.4	-1734.3
431.1	18290.6						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-46.0	-14754.9		J	-1561.1	-33.3	-0.4	-1734.3
-411.3	-33852.6						
62.6	1758.3	C1-C2;~2 Max	I	618.1	19.1	0.2	725.5
232.7	12348.4		J	618.1	19.1	0.2	725.5
-20.6	-7677.7	Min	I	-717.1	-17.7	-0.3	-789.4
-188.4	-15499.0		J	-717.1	-17.7	-0.3	-789.4
91.2	1572.3	C3-C4;~2 Max	I	686.4	21.8	0.2	731.1
265.5	10148.8		J	686.4	21.8	0.2	731.1
-22.9	-9342.0	Min	I	-820.3	-19.4	-0.3	-907.5
-217.9	-17786.0		J	-820.3	-19.4	-0.3	-907.5
-86.4	-4814.3	G1	I	-592.9	12.4	-0.8	-555.9
-312.8	-15591.8		J	-592.9	12.4	1.3	-555.9
31.5	-1872.9	G2	I	-235.1	4.9	0.1	-225.5
-73.1	-6147.0		J	-235.1	4.9	0.1	-225.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.4	-214.0	Q5_pc X	I	-3.9	0.7	0.0	-52.3
-33.3	-801.1		J	-3.9	0.7	0.0	-52.3
-1.3	-364.1	Q5_pc Y	I	19.9	-1.1	-0.0	141.2
14.8	603.8		J	19.9	-1.1	-0.0	141.2
-1.9	-78.3	Q5_ps X	I	2.0	0.5	0.0	-38.0
-29.9	-520.6		J	2.0	0.5	0.0	-38.0
-2.6	-294.0	Q5_ps Y	I	22.9	-1.2	-0.0	140.6
15.4	708.5		J	22.9	-1.2	-0.0	140.6
58.5	-826.9	INVSLU Max	I	-424.2	104.1	-0.1	90.9
-162.7	-16460.7		J	-424.2	104.1	2.8	90.9
-214.9	-25962.4	Min	I	-4150.4	1.3	-1.3	-4215.4
1359.9	-93114.7		J	-4150.4	1.3	1.5	-4215.4


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
41.0	-362.4	INVSLE Max	I	-357.5	78.2	-0.0	3.8
			J	-357.5	78.2	2.1	3.8
-134.2	-12959.0	Min	I	-3115.0	2.2	-1.0	-3167.3
-161.3	-18932.8		J	-3115.0	2.2	1.2	-3167.3
1016.5	-69632.9						-
9396	2	69 C1-C2;~1 Max	I	1000.9	25.9	0.5	1077.7
352.1	21865.3		J	1000.9	25.9	0.5	1077.7
31.6	16011.0	Min	I	-1422.4	-47.8	-0.3	-979.4
-263.3	-28908.0		J	-1422.4	-47.8	-0.3	-979.4
-100.8	-10191.2						
		C3-C4;~1 Max	I	1109.9	28.7	0.5	1261.9
357.8	18250.7		J	1109.9	28.7	0.5	1261.9
60.4	16588.5	Min	I	-1665.2	-55.6	-0.3	-1042.4
-301.9	-33843.3		J	-1665.2	-55.6	-0.3	-1042.4
-109.3	-12083.7						
		C1-C2;~2 Max	I	573.9	14.4	0.3	583.5
221.4	12345.0		J	573.9	14.4	0.3	583.5
16.9	8079.0	Min	I	-759.6	-25.2	-0.1	-568.0
-134.2	-15486.9		J	-759.6	-25.2	-0.1	-568.0
-55.2	-6026.9						
		C3-C4;~2 Max	I	646.0	16.1	0.3	669.7
226.2	10118.2		J	646.0	16.1	0.3	669.7
36.8	8287.3	Min	I	-872.2	-28.8	-0.2	-597.5
-150.4	-17771.1		J	-872.2	-28.8	-0.2	-597.5
-59.9	-7188.8						
		G1	I	-781.3	-34.3	-1.1	404.3
-259.1	-15628.8		J	-781.3	-34.3	1.0	404.3
-223.9	14115.8						
		G2	I	-308.5	-13.6	-0.0	163.3
-52.0	-6161.4		J	-308.5	-13.6	-0.0	163.3
-21.4	5658.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-20.9	-8.6	0.0	245.1
33.0	-761.2		J	-20.9	-8.6	0.0	245.1
14.2	6646.2						
		Q5_pc Y	I	19.2	1.6	0.0	-145.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-14.5	584.2			J	19.2	1.6	0.0	-145.4
-16.6	-842.3							
		Q5_ps X		I	-14.3	-7.9	0.0	235.1
39.2	-478.8			J	-14.3	-7.9	0.0	235.1
12.5	6359.2							
		Q5_ps Y		I	22.2	1.7	0.0	-137.5
-10.1	691.4			J	22.2	1.7	0.0	-137.5
-16.3	-775.6							
		INVSLU Max		I	-891.3	-45.5	-1.0	3056.6
-35.3	-16492.1			J	-891.3	-45.5	1.9	3056.6
-276.3	61263.5		Min	I	-4675.3	-174.6	-2.1	-495.4
-985.4	-93068.8			J	-4675.3	-174.6	0.8	-495.4
-535.2	10592.9							
		INVSLE Max		I	-704.0	-35.5	-0.8	2284.3
-34.2	-12976.3			J	-704.0	-35.5	1.4	2284.3
-205.3	45343.6		Min	I	-3504.2	-130.0	-1.5	-314.1
-733.6	-69598.3			J	-3504.2	-130.0	0.6	-314.1
-394.9	8695.9							
		69 C1-C2;~1 Max		I	900.0	14.7	0.2	424.8
9397	2			J	900.0	14.7	0.2	424.8
32.5	16013.8							
181.8	38839.2		Min	I	-1512.6	-28.2	-0.3	-585.7
-107.0	-10197.7			J	-1512.6	-28.2	-0.3	-585.7
-168.4	-20623.8							
		C3-C4;~1 Max		I	1018.5	16.1	0.3	469.1
61.9	16599.4			J	1018.5	16.1	0.3	469.1
226.5	43985.7		Min	I	-1774.2	-32.5	-0.3	-613.4
-116.3	-12092.0			J	-1774.2	-32.5	-0.3	-613.4
-199.1	-24725.4							
		C1-C2;~2 Max		I	509.0	8.3	0.1	225.9
16.4	8079.2			J	509.0	8.3	0.1	225.9
103.2	19868.8		Min	I	-802.2	-14.7	-0.2	-340.5
-59.2	-6030.6			J	-802.2	-14.7	-0.2	-340.5
-90.6	-11578.8							
		C3-C4;~2 Max		I	585.9	9.1	0.1	243.3
36.5	8292.7			J	585.9	9.1	0.1	243.3
132.7	22239.3		Min	I	-924.1	-16.7	-0.2	-346.5
-64.2	-7193.8			J	-924.1	-16.7	-0.2	-346.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-105.0	-14190.3						
		G1	I	-994.1	-22.6	-1.1	18.0
-220.9	14122.3		J	-994.1	-22.6	1.0	18.0
-181.8	33731.0						
		G2	I	-389.7	-9.0	-0.0	8.5
-20.2	5660.9		J	-389.7	-9.0	-0.0	8.5
-12.8	13489.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-35.4	-8.0	0.0	190.0
16.6	6648.2		J	-35.4	-8.0	0.0	190.0
-18.9	13569.4						
		Q5_pc Y	I	16.0	1.2	-0.0	-74.9
-17.9	-843.7		J	16.0	1.2	-0.0	-74.9
5.6	-1895.1						
		Q5_ps X	I	-28.1	-7.4	0.0	185.2
14.9	6361.1		J	-28.1	-7.4	0.0	185.2
-19.7	12790.5						
		Q5_ps Y	I	19.2	1.2	-0.0	-68.6
-17.5	-776.9		J	19.2	1.2	-0.0	-68.6
4.8	-1845.1						
		INVSLE Max	I	-1410.4	-28.2	-1.0	936.3
-264.4	61298.1		J	-1410.4	-28.2	1.9	936.3
-93.1	153989.3						
		Min	I	-5244.4	-108.2	-1.9	-867.1
-537.2	10597.9		J	-5244.4	-108.2	1.0	-867.1
-701.5	36804.4						
		INVSLE Max	I	-1089.0	-22.1	-0.7	695.7
-196.3	45369.5		J	-1089.0	-22.1	1.4	695.7
-76.3	114173.3						
		Min	I	-3924.3	-80.3	-1.4	-614.8
-395.9	8700.2		J	-3924.3	-80.3	0.8	-614.8
-524.4	29178.9						
		69 C1-C2;~1 Max	I	821.0	5.5	0.4	498.4
9398	2		J	821.0	5.5	0.4	498.4
179.6	38834.3						
		Min	I	-1667.8	-9.0	-0.1	-757.8
140.2	44349.7		J	-1667.8	-9.0	-0.1	-757.8
-169.1	-20621.2						
		C3-C4;~1 Max	I	941.3	5.2	0.5	417.0
-347.4	-24026.3						
223.8	43979.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
178.5	49796.1		J	941.3	5.2	0.5	417.0
		Min	I	-1956.0	-8.7	-0.2	-924.2
-200.0	-24722.3		J	-1956.0	-8.7	-0.2	-924.2
-418.8	-27532.1						
		C1-C2;~2 Max	I	455.5	3.3	0.2	295.2
102.1	19866.1		J	455.5	3.3	0.2	295.2
77.8	22587.0						
		Min	I	-870.6	-4.9	-0.1	-380.0
-91.0	-11577.4		J	-870.6	-4.9	-0.1	-380.0
-173.4	-13618.8						
		C3-C4;~2 Max	I	531.4	3.1	0.3	235.9
131.4	22236.0		J	531.4	3.1	0.3	235.9
101.6	25067.7						
		Min	I	-1004.5	-4.5	-0.1	-457.0
-105.6	-14188.6		J	-1004.5	-4.5	-0.1	-457.0
-213.5	-15775.4						
		G1	I	-1295.4	-6.9	-0.7	-590.9
-184.8	33728.5		J	-1295.4	-6.9	1.4	-590.9
-496.3	39683.9						
		G2	I	-506.7	-2.8	0.1	-234.7
-14.0	13488.6		J	-506.7	-2.8	0.1	-234.7
-123.6	15957.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-32.6	-7.3	-0.1	109.6
-17.2	13569.3		J	-32.6	-7.3	-0.1	109.6
34.8	19932.2						
		Q5_pc Y	I	1.8	0.8	0.0	29.4
5.3	-1894.6		J	1.8	0.8	0.0	29.4
-35.4	-2628.1						
		Q5_ps X	I	-22.3	-6.9	-0.1	114.6
-18.1	12790.5		J	-22.3	-6.9	-0.1	114.6
37.1	18778.9						
		Q5_ps Y	I	7.2	0.8	0.0	34.1
4.6	-1844.6		J	7.2	0.8	0.0	34.1
-31.9	-2551.3						
		INVSLU Max	I	-2068.1	-0.3	-0.1	-451.7
-104.2	153973.7		J	-2068.1	-0.3	2.8	-451.7
-676.9	180623.0						
		Min	I	-6038.0	-33.8	-1.1	-2569.4
-707.4	36801.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1547.1	40352.1		J	-6038.0	-33.8	1.8	-2569.4	-
		INVSLE Max	I	-1574.3	-1.1	-0.1	-353.2	
-84.4	114161.5		J	-1574.3	-1.1	2.1	-353.2	
-504.8	133579.2	Min	I	-4510.6	-24.7	-0.8	-1907.3	
-528.9	29176.2		J	-4510.6	-24.7	1.3	-1907.3	-
1144.6	32332.4							
9399	2	83 C1-C2;~1 Max	I	790.5	18.2	0.5	913.8	
145.3	44362.3		J	790.5	18.2	0.5	913.8	
726.2	31383.3	Min	I	-1910.1	-12.2	-1.0	-1711.1	
-357.7	-24031.0		J	-1910.1	-12.2	-1.0	-1711.1	
-526.1	-20139.4							
		C3-C4;~1 Max	I	913.9	21.9	0.5	857.0	
183.9	49811.3		J	913.9	21.9	0.5	857.0	
1095.3	32024.6	Min	I	-2237.3	-12.8	-1.4	-2065.5	
-430.4	-27537.6		J	-2237.3	-12.8	-1.4	-2065.5	
-529.2	-21354.9							
		C1-C2;~2 Max	I	427.0	9.5	0.3	518.8	
80.5	22593.5		J	427.0	9.5	0.3	518.8	
390.3	15442.2	Min	I	-981.4	-7.3	-0.5	-880.2	
-178.3	-13621.3		J	-981.4	-7.3	-0.5	-880.2	
-267.3	-11827.5							
		C3-C4;~2 Max	I	502.4	11.3	0.2	469.3	
104.6	25075.4		J	502.4	11.3	0.2	469.3	
624.4	15800.2	Min	I	-1132.9	-7.6	-0.7	-1045.3	
-218.6	-15778.3		J	-1132.9	-7.6	-0.7	-1045.3	
-270.3	-12482.5							
		G1	I	-1665.8	12.6	-2.7	-1309.9	
-506.2	39694.5		J	-1665.8	12.6	2.1	-1309.9	
-225.9	28783.2							
		G2	I	-651.4	4.8	-0.3	-520.2	
-127.5	15961.3		J	-651.4	4.8	-0.3	-520.2	
90.5	11820.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-30.3	-6.8	0.5	52.1	
35.7	19932.7		J	-30.3	-6.8	0.5	52.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-389.9	25826.3							
-34.6	-2629.2	Q5_pc	Y	I	-12.8	0.7	-0.1	125.8
46.2	-3224.1			J	-12.8	0.7	-0.1	125.8
38.0	18779.3	Q5_ps	X	I	-16.2	-6.5	0.5	68.7
-401.1	24450.0			J	-16.2	-6.5	0.5	68.7
-31.0	-2552.3	Q5_ps	Y	I	-4.9	0.6	-0.1	130.5
28.7	-3050.8			J	-4.9	0.6	-0.1	130.5
-689.6	180663.9	INVS LU	Max	I	-2821.4	68.7	-2.1	-1281.3
884.5	133299.7			J	-2821.4	68.7	4.4	-1281.3
1583.2	40364.0		Min	I	-7130.0	9.7	-5.6	-5529.8
2010.4	13296.3			J	-7130.0	9.7	0.9	-5529.8
-514.4	133609.6	INVS LE	Max	I	-2131.8	50.9	-1.6	-989.6
605.5	97771.9			J	-2131.8	50.9	3.2	-989.6
1171.5	32341.5		Min	I	-5319.3	8.1	-4.1	-4119.8
1486.9	13318.9			J	-5319.3	8.1	0.7	-4119.8
9400	2	83 C1-C2;~1	Max	I	776.1	43.2	2.4	1143.3
728.6	31379.5			J	776.1	43.2	2.4	1143.3
1741.8	24928.1		Min	I	-2119.6	-20.0	-2.1	-2337.0
-539.4	-20137.5			J	-2119.6	-20.0	-2.1	-2337.0
2126.4	-19362.0							
1097.8	32017.6	C3-C4;~1	Max	I	891.8	51.2	3.0	1110.5
1801.6	19119.3			J	891.8	51.2	3.0	1110.5
-549.6	-21352.8		Min	I	-2485.5	-22.1	-2.0	-2811.7
2571.3	-20316.7			J	-2485.5	-22.1	-2.0	-2811.7
392.4	15440.2	C1-C2;~2	Max	I	412.1	22.3	1.1	637.6
1107.7	14456.0			J	412.1	22.3	1.1	637.6
-275.2	-11826.5		Min	I	-1080.3	-11.1	-1.4	-1201.3
1075.5	-10889.6			J	-1080.3	-11.1	-1.4	-1201.3
626.8	15796.9	C3-C4;~2	Max	I	479.7	26.0	1.4	602.2
1145.6	11264.5			J	479.7	26.0	1.4	602.2

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-281.5	-12481.5		Min	I	-1250.8	-12.3	-1.2	-1422.3	
				J	-1250.8	-12.3	-1.2	-1422.3	-
1287.5	-10723.3								
			G1	I	-1987.5	35.6	-0.1	-1833.8	
-244.4	28777.9			J	-1987.5	35.6	4.7	-1833.8	-
2212.3	-2043.7								
			G2	I	-778.4	13.8	1.0	-727.9	
83.2	11818.4			J	-778.4	13.8	1.0	-727.9	
-821.1	-115.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-34.5	-6.4	-1.1	31.2	
-389.4	25827.1			J	-34.5	-6.4	-1.1	31.2	
592.9	31354.3								
			Q5_pc Y	I	-17.8	0.8	0.2	174.1	
47.9	-3224.1			J	-17.8	0.8	0.2	174.1	
-122.3	-3934.8								
			Q5_ps X	I	-18.1	-6.3	-1.2	55.2	
-400.4	24450.9			J	-18.1	-6.3	-1.2	55.2	
607.1	29932.0								
			Q5_ps Y	I	-8.3	0.6	0.1	179.8	
30.5	-3050.6			J	-8.3	0.6	0.1	179.8	
-89.8	-3569.1								
			INVSLU Max	I	-3475.5	162.6	6.3	-1926.6	
850.7	133282.3			J	-3475.5	162.6	12.8	-1926.6	-
1901.9	55217.1								
			Min	I	-8097.1	52.2	-2.6	-7579.3	-
2074.3	13287.7			J	-8097.1	52.2	3.9	-7579.3	-
8872.4	-68795.5								
			INVSLE Max	I	-2617.1	120.9	4.6	-1481.8	
580.1	97758.9			J	-2617.1	120.9	9.4	-1481.8	-
1480.2	37541.0								
			Min	I	-6035.9	40.0	-1.9	-5645.8	-
1534.7	13312.6			J	-6035.9	40.0	2.9	-5645.8	-
6564.5	-47668.6								
9401	2	83 C1-C2;~1	Max	I	746.5	19.0	2.5	3657.1	
1786.3	24938.4			J	746.5	19.0	2.5	3657.1	
335.2	34525.8								
			Min	I	-2291.1	-41.1	-2.1	-1697.0	-
1943.9	-19286.7			J	-2291.1	-41.1	-2.1	-1697.0	-
-840.5	-12026.7								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1825.6	19097.9	C3-C4;~1	Max	I	858.0	11.9	2.5	4496.2	
				J	858.0	11.9	2.5	4496.2	
573.8	40809.5		Min	I	-2689.9	-56.0	-2.7	-1426.2	-
2339.7	-20249.6			J	-2689.9	-56.0	-2.7	-1426.2	
-957.4	-11941.9								
		C1-C2;~2	Max	I	389.1	9.9	1.6	1908.0	
1138.3	14461.0			J	389.1	9.9	1.6	1908.0	
162.3	17887.2		Min	I	-1160.8	-19.4	-1.1	-1006.4	
-970.6	-10855.0			J	-1160.8	-19.4	-1.1	-1006.4	
-440.8	-7149.4								
		C3-C4;~2	Max	I	452.3	6.1	1.6	2323.6	
1161.7	11254.0			J	452.3	6.1	1.6	2323.6	
302.6	20820.9		Min	I	-1347.9	-26.8	-1.4	-803.3	-
1154.9	-10699.8			J	-1347.9	-26.8	-1.4	-803.3	
-509.1	-6926.3								
		G1		I	-2273.8	-42.9	-3.7	3421.8	-
1958.8	-1964.5			J	-2273.8	-42.9	0.9	3421.8	
-811.7	33078.5								
		G2		I	-889.2	-16.3	-0.7	1381.2	
-722.0	-83.7			J	-889.2	-16.3	-0.7	1381.2	
-163.8	13235.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-47.6	37.4	1.1	758.1	
658.8	31394.6			J	-47.6	37.4	1.1	758.1	
-261.7	865.9								
		Q5_pc	Y	I	-19.3	-6.6	-0.1	-325.2	
-148.7	-3950.6			J	-19.3	-6.6	-0.1	-325.2	
-65.5	1451.0								
		Q5_ps	X	I	-29.8	36.4	1.1	684.8	
674.0	29972.6			J	-29.8	36.4	1.1	684.8	
-251.0	245.9								
		Q5_ps	Y	I	-9.1	-5.6	-0.1	-330.3	
-113.7	-3583.4			J	-9.1	-5.6	-0.1	-330.3	
-66.6	1028.3								
		INVSLU	Max	I	-4060.1	-2.2	-2.0	13070.3	-
1235.4	55482.9			J	-4060.1	-2.2	4.1	13070.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-543.6	104758.1		Min	I	-8935.4	-179.4	-11.0	3345.0	-
8044.4	-68611.7			J	-8935.4	-179.4	-4.9	3345.0	-
3081.8	30817.4								
		INVSLE	Max	I	-3051.0	-4.9	-1.6	9669.2	
-986.0	37735.9			J	-3051.0	-4.9	2.9	9669.2	
-415.4	76827.7		Min	I	-6656.0	-129.6	-8.1	2566.3	-
5941.9	-47525.4			J	-6656.0	-129.6	-3.6	2566.3	-
2260.7	22250.2								
9402	2	83	C1-C2;~1	Max	I	695.6	20.3	1.3	3100.3
362.1	34530.7			J	695.6	20.3	1.3	3100.3	
883.4	45676.4		Min	I	-2450.4	-23.0	-1.7	-1569.8	
-848.1	-12028.5			J	-2450.4	-23.0	-1.7	-1569.8	
-775.1	-18555.0								
		C3-C4;~1	Max	I	810.4	12.0	1.6	3817.4	
595.0	40816.2			J	810.4	12.0	1.6	3817.4	
1259.7	61382.1		Min	I	-2876.9	-31.5	-2.1	-1315.5	
-962.9	-11944.0			J	-2876.9	-31.5	-2.1	-1315.5	
-868.5	-11869.9								
		C1-C2;~2	Max	I	350.3	10.2	0.7	1623.0	
176.1	17889.0			J	350.3	10.2	0.7	1623.0	
509.4	22080.6		Min	I	-1232.3	-11.2	-0.9	-943.8	
-445.6	-7150.3			J	-1232.3	-11.2	-0.9	-943.8	
-406.7	-9386.5								
		C3-C4;~2	Max	I	415.2	6.0	0.8	1976.1	
310.0	20823.5			J	415.2	6.0	0.8	1976.1	
744.9	30037.0		Min	I	-1433.3	-15.1	-1.1	-754.2	
-512.4	-6927.5			J	-1433.3	-15.1	-1.1	-754.2	
-463.1	-5782.2								
		G1		I	-2555.4	-15.2	-2.7	2842.6	
-778.3	33087.4			J	-2555.4	-15.2	1.8	2842.6	
-414.1	45526.3								
		G2		I	-995.8	-5.5	-0.1	1153.2	
-150.4	13238.5			J	-995.8	-5.5	-0.1	1153.2	
-44.1	17730.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-254.3	865.2	Q5_pc X	I	-62.0	38.3	-0.5	683.5
137.1	-30379.6		J	-62.0	38.3	-0.5	683.5
-68.7	1450.6	Q5_pc Y	I	-23.0	-6.5	-0.1	-277.8
-19.8	6788.9		J	-23.0	-6.5	-0.1	-277.8
-244.3	245.2	Q5_ps X	I	-43.0	37.1	-0.4	617.5
108.4	-30025.5		J	-43.0	37.1	-0.4	617.5
-69.8	1027.8	Q5_ps Y	I	-12.2	-5.7	-0.1	-283.0
-27.4	5664.1		J	-12.2	-5.7	-0.1	-283.0
-460.4	104784.4	INVS LU Max	I	-4636.6	62.4	-0.2	10995.3
48.2	164352.9		J	-4636.6	62.4	5.9	10995.3
3021.2	30833.1	Min	I	-9726.1	-84.0	-6.0	2492.3
3071.6	-3564.6		J	-9726.1	-84.0	0.1	2492.3
-352.9	76847.4	INVS LE Max	I	-3478.0	43.3	-0.1	8128.6
-14.9	118018.4		J	-3478.0	43.3	4.4	8128.6
2215.9	22262.0	Min	I	-7239.7	-58.4	-4.3	1921.3
2307.6	-1003.5		J	-7239.7	-58.4	0.2	1921.3
9403	2	83 C1-C2;~1 Max	I	711.2	35.1	4.6	2406.2
873.6	45674.4		J	711.2	35.1	4.6	2406.2
769.5	48291.6	Min	I	-2622.5	-17.8	-1.0	-1483.5
-752.9	-18556.2		J	-2622.5	-17.8	-1.0	-1483.5
3755.9	-38630.4						
1251.3	61379.3	C3-C4;~1 Max	I	777.8	28.3	6.1	2864.0
792.7	65712.0		J	777.8	28.3	6.1	2864.0
-836.0	-11870.3	Min	I	-3071.7	-19.9	-0.9	-1305.5
4759.7	-25512.7		J	-3071.7	-19.9	-0.9	-1305.5
503.8	22079.8	C1-C2;~2 Max	I	356.5	17.7	2.3	1286.3
384.6	23481.0		J	356.5	17.7	2.3	1286.3
-392.7	-9387.1	Min	I	-1301.0	-9.6	-0.5	-895.3
1793.4	-19270.3		J	-1301.0	-9.6	-0.5	-895.3
		C3-C4;~2 Max	I	385.6	14.4	3.0	1485.2


MIDAS

PROJECT TITLE :

		Company	Client						
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G					
740.2	30035.8		J	385.6	14.4	3.0	1485.2		
397.7	32212.4								
		Min	I	-1512.3	-10.5	-0.5	-756.3		
-446.0	-5782.1		J	-1512.3	-10.5	-0.5	-756.3	-	
2299.5	-12758.4								
		G1	I	-2867.7	17.4	3.4	1874.5		
-389.1	45521.8		J	-2867.7	17.4	7.9	1874.5	-	
5013.4	31315.7								
		G2	I	-1115.2	7.2	2.2	773.7		
-33.9	17728.9		J	-1115.2	7.2	2.2	773.7	-	
1796.2	11841.7								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-53.2	39.3	0.6	540.5		
143.6	-30379.7		J	-53.2	39.3	0.6	540.5		
-384.6	-62437.2								
		Q5_pc Y	I	-38.2	-6.4	0.2	-197.5		
-22.3	6789.0		J	-38.2	-6.4	0.2	-197.5		
-165.7	12003.6								
		Q5_ps X	I	-31.1	37.8	0.5	490.6		
114.3	-30025.5		J	-31.1	37.8	0.5	490.6		
-297.1	-60889.1								
		Q5_ps Y	I	-25.0	-5.7	0.1	-201.8		
-29.9	5664.2		J	-25.0	-5.7	0.1	-201.8		
-122.1	10288.1								
		INVSLU Max	I	-5230.4	147.5	14.2	7928.8		
89.2	164339.1		J	-5230.4	147.5	20.3	7928.8	-	
7190.1	146208.9								
		Min	I	-10523.0	-6.1	3.5	1086.6	-	
2987.2	-3575.6		J	-10523.0	-6.1	9.6	1086.6	-1	
5378.3	-116044.3								
		INVSLE Max	I	-3914.0	108.3	10.4	5858.0		
15.3	118008.1		J	-3914.0	108.3	14.9	5858.0	-	
5293.0	101053.3								
		Min	I	-7827.4	1.3	2.5	861.8	-	
2244.4	-1011.7		J	-7827.4	1.3	7.0	861.8	-1	
1307.0	-82280.4								
		83 C1-C2;~1 Max	I	729.2	59.5	3.4	1892.2		
9404	2		J	729.2	59.5	3.4	1892.2	1	
768.3	48296.9								
2037.1	46350.7		Min	I	-2777.3	-21.2	-18.9	-1657.4	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3747.7	-38631.3			J	-2777.3	-21.2	-18.9	-1657.4	-
2011.5	-78511.5								
		C3-C4;~1	Max	I	794.8	55.4	3.2	2150.4	
791.2	65719.4			J	794.8	55.4	3.2	2150.4	1
6144.0	60801.6		Min	I	-3244.4	-22.7	-24.9	-1601.0	-
4750.9	-25513.1			J	-3244.4	-22.7	-24.9	-1601.0	-
1799.9	-58398.8								
		C1-C2;~2	Max	I	363.5	30.2	1.6	1025.5	
384.1	23483.5			J	363.5	30.2	1.6	1025.5	
5812.4	22914.1		Min	I	-1360.5	-11.2	-9.0	-960.9	-
1790.1	-19270.6			J	-1360.5	-11.2	-9.0	-960.9	
-964.6	-40114.8								
		C3-C4;~2	Max	I	392.1	28.3	1.6	1111.0	
397.2	32216.0			J	392.1	28.3	1.6	1111.0	
7922.4	30481.9		Min	I	-1579.6	-12.0	-12.0	-899.0	-
2296.9	-12758.5			J	-1579.6	-12.0	-12.0	-899.0	
-884.3	-30055.0								
		G1		I	-3154.3	53.1	-26.8	786.3	-
4999.7	31322.5			J	-3154.3	53.1	-22.3	786.3	1
5057.7	-12071.1								
		G2		I	-1225.1	21.1	-9.4	348.1	-
1790.4	11844.2			J	-1225.1	21.1	-9.4	348.1	
5846.8	-5389.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-38.3	40.1	-2.6	397.5	
-380.0	-62440.6			J	-38.3	40.1	-2.6	397.5	
1732.1	-95200.6								
		Q5_pc	Y	I	-53.2	-6.0	-0.5	-126.5	
-167.2	12004.2			J	-53.2	-6.0	-0.5	-126.5	
241.5	16940.1								
		Q5_ps	X	I	-13.4	38.4	-2.0	366.7	
-292.9	-60892.5			J	-13.4	38.4	-2.0	366.7	
1380.1	-92207.1								
		Q5_ps	Y	I	-37.7	-5.5	-0.3	-128.2	
-123.7	10288.6			J	-37.7	-5.5	-0.3	-128.2	
86.1	14769.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7168.9	146231.1	INVSLE Max	I	-5706.5	257.6	-33.9	5027.2	-
			J	-5706.5	257.6	-27.7	5027.2	4
5539.9	65459.9	Min	I	-11255.1	67.5	-76.7	-828.9	-1
5334.6	-116040.7		J	-11255.1	67.5	-70.6	-828.9	1
7912.3	-306467.1							
		INVSLE Max	I	-4264.1	190.2	-24.8	3712.7	-
5276.8	101069.4		J	-4264.1	190.2	-20.3	3712.7	3
3291.7	33453.9	Min	I	-8367.0	56.4	-56.2	-572.1	-1
1274.8	-82277.5		J	-8367.0	56.4	-51.7	-572.1	1
3057.8	-224867.0							
9405	2	83 C1-C2;~1 Max	I	773.1	87.0	47.1	1511.3	1
2033.9	46345.4		J	773.1	87.0	47.1	1511.3	
4398.2	54355.0	Min	I	-3072.6	-27.3	-7.8	-1974.9	-
2009.7	-78515.5		J	-3072.6	-27.3	-7.8	-1974.9	-2
6570.7	-142299.0							
		C3-C4;~1 Max	I	839.2	91.6	62.2	1634.2	1
6140.5	60793.9		J	839.2	91.6	62.2	1634.2	
4414.5	62738.6	Min	I	-3623.1	-29.2	-7.6	-2043.0	-
1800.0	-58403.8		J	-3623.1	-29.2	-7.6	-2043.0	-3
4873.9	-120295.5							
		C1-C2;~2 Max	I	386.2	43.8	22.4	829.6	
5810.2	22911.5		J	386.2	43.8	22.4	829.6	
2150.1	27596.4	Min	I	-1490.6	-13.9	-3.8	-1102.3	
-963.6	-40117.0		J	-1490.6	-13.9	-3.8	-1102.3	-1
2633.0	-72877.4							
		C3-C4;~2 Max	I	415.6	45.9	30.0	847.0	
7919.4	30478.2		J	415.6	45.9	30.0	847.0	
2184.9	31961.6	Min	I	-1750.6	-14.8	-3.7	-1115.9	
-884.5	-30057.7		J	-1750.6	-14.8	-3.7	-1115.9	-1
6768.2	-62038.8							
		G1	I	-3616.7	92.0	59.5	-301.3	1
5058.6	-12084.0		J	-3616.7	92.0	64.0	-301.3	-3
5336.8	-87208.4							
		G2	I	-1402.6	36.2	23.5	-81.6	
5847.6	-5394.5		J	-1402.6	36.2	23.5	-81.6	-1
3375.3	-34957.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
1735.6	-95199.3	Q5_pc X	I	-29.8	40.9	5.4	208.7	
2662.0	-128630.5		J	-29.8	40.9	5.4	208.7	-
240.4	16940.0	Q5_pc Y	I	-66.4	-5.5	1.1	-93.5	
-690.5	21394.1		J	-66.4	-5.5	1.1	-93.5	
1383.5	-92205.8	Q5_ps X	I	0.3	38.8	4.2	203.6	
2010.3	-123904.6		J	0.3	38.8	4.2	203.6	-
85.0	14769.5	Q5_ps Y	I	-46.9	-5.1	0.6	-88.6	
-366.5	18931.1		J	-46.9	-5.1	0.6	-88.6	
5544.6	65432.7	INVS LU Max	I	-6397.3	384.1	181.7	2229.9	4
7801.5	-67550.8		J	-6397.3	384.1	187.8	2229.9	-4
7917.8	-306488.2	Min	I	-12540.9	145.4	77.5	-3110.0	1
5632.4	-604427.0		J	-12540.9	145.4	83.6	-3110.0	-10
3295.1	33434.0	INVS LE Max	I	-4770.4	284.2	133.1	1652.8	3
5006.0	-70580.0		J	-4770.4	284.2	137.7	1652.8	-3
3062.2	-224885.1	Min	I	-9312.4	114.3	56.7	-2274.9	1
7488.7	-445923.5		J	-9312.4	114.3	61.2	-2274.9	-7
9406	2	83 C1-C2;~1 Max	I	793.3	27.4	7.5	1923.8	
4412.3	49611.5		J	793.3	27.4	7.5	1923.8	1
1850.6	43617.3	Min	I	-3080.0	-85.2	-45.9	-1437.9	-2
6572.3	-137835.7		J	-3080.0	-85.2	-45.9	-1437.9	-
1921.6	-74922.4							
4415.7	55666.8	C3-C4;~1 Max	I	857.3	29.3	7.4	2200.7	
6061.3	56683.1		J	857.3	29.3	7.4	2200.7	1
4861.2	-113968.8	Min	I	-3641.7	-89.3	-60.9	-1407.9	-3
1741.1	-53247.4		J	-3641.7	-89.3	-60.9	-1407.9	-
2156.5	24847.7	C1-C2;~2 Max	I	397.5	13.9	3.7	1079.8	
5732.9	21951.1		J	397.5	13.9	3.7	1079.8	
2633.9	-70139.9	Min	I	-1492.9	-42.6	-21.9	-794.1	-1
			J	-1492.9	-42.6	-21.9	-794.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-936.0	-38058.6							
		C3-C4;~2	Max	I	426.1	14.8	3.7	1177.8
2182.7	27604.3			J	426.1	14.8	3.7	1177.8
7878.7	28062.1							
			Min	I	-1759.9	-44.4	-29.4	-750.4 -1
6764.8	-57908.5			J	-1759.9	-44.4	-29.4	-750.4
-877.7	-26847.5							
		G1		I	-3613.5	-91.4	-62.5	426.6 -3
5318.9	-86854.0			J	-3613.5	-91.4	-57.9	426.6 1
4902.6	-10642.1							
		G2		I	-1402.2	-35.9	-23.0	144.3 -1
3367.6	-34654.1			J	-1402.2	-35.9	-23.0	144.3
5805.2	-4691.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-358.0	-46.1	-5.1	-163.2 -
2674.4	-129393.1			J	-358.0	-46.1	-5.1	-163.2
1558.3	-90972.7							
		Q5_pc	Y	I	-22.1	5.7	-1.1	-27.9
-697.2	20381.8			J	-22.1	5.7	-1.1	-27.9
183.9	15599.6							
		Q5_ps	X	I	-311.2	-43.7	-3.9	-152.9 -
2021.1	-124498.2			J	-311.2	-43.7	-3.9	-152.9
1226.9	-88102.1							
		Q5_ps	Y	I	-5.0	5.4	-0.5	-29.7
-373.3	17924.1			J	-5.0	5.4	-0.5	-29.7
30.0	13455.2							
		INVSLU	Max	I	-6102.5	-136.5	-82.0	3478.2 -4
7755.6	-72175.4			J	-6102.5	-136.5	-75.8	3478.2 4
5043.1	58891.8							
			Min	I	-12820.6	-384.0	-183.6	-1727.8 -10
5593.3	-598720.5			J	-12820.6	-384.0	-177.3	-1727.8 1
7961.2	-294677.3							
		INVSLE	Max	I	-4571.1	-108.4	-60.0	2546.4 -3
4972.9	-74099.6			J	-4571.1	-108.4	-55.4	2546.4 3
2937.8	29029.7							
			Min	I	-9499.8	-283.8	-134.5	-1288.1 -7
7459.1	-441673.6			J	-9499.8	-283.8	-129.9	-1288.1 1
3084.9	-216640.5							
		83 C1-C2;~1	Max	I	746.2	20.0	18.3	1554.2 1
9407	2							
1854.0	43622.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
688.9	45759.4		J	746.2	20.0	18.3	1554.2	
1922.0	-74918.3	Min	I	-2743.1	-57.5	-3.1	-1771.3	-
3724.5	-36821.7		J	-2743.1	-57.5	-3.1	-1771.3	-
6066.4	56690.8	C3-C4;~1 Max	I	811.2	21.4	24.5	1618.7	1
718.6	64133.1		J	811.2	21.4	24.5	1618.7	
1740.6	-53242.1	Min	I	-3208.8	-53.2	-2.9	-1798.7	-
4871.0	-22152.4		J	-3208.8	-53.2	-2.9	-1798.7	-
5735.6	21953.7	C1-C2;~2 Max	I	372.3	10.3	8.7	912.3	
344.1	22218.4		J	372.3	10.3	8.7	912.3	
-936.3	-38056.3	Min	I	-1331.6	-29.0	-1.5	-962.9	-
1785.1	-18514.5		J	-1331.6	-29.0	-1.5	-962.9	-
7882.0	28065.7	C3-C4;~2 Max	I	401.0	11.1	11.8	897.0	
365.2	30964.7		J	401.0	11.1	11.8	897.0	
-877.7	-26844.7	Min	I	-1551.8	-26.9	-1.5	-949.7	-
2353.0	-10996.1		J	-1551.8	-26.9	-1.5	-949.7	-
4902.8	-10628.8	G1	I	-3148.8	-52.4	21.7	-686.6	1
5071.6	33022.8		J	-3148.8	-52.4	26.3	-686.6	-
5804.9	-4686.6	G2	I	-1224.1	-20.7	9.1	-296.4	
1822.2	12606.3		J	-1224.1	-20.7	9.1	-296.4	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1554.8	-90973.8	Q5_pc X	I	-329.1	-41.8	2.3	-441.1	
-372.4	-56160.1		J	-329.1	-41.8	2.3	-441.1	
183.9	15599.5	Q5_pc Y	I	-12.7	5.8	0.4	27.3	
-111.2	10790.3		J	-12.7	5.8	0.4	27.3	
1223.7	-88103.2	Q5_ps X	I	-290.0	-39.9	1.8	-401.4	
-292.5	-54880.9		J	-290.0	-39.9	1.8	-401.4	
30.0	13455.1	Q5_ps Y	I	0.6	5.2	0.1	31.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-67.8	9103.4		J	0.6	5.2	0.1	31.3	
5042.5	58919.3	INVS LU Max	I	-5431.4	-64.5	68.8	973.5	4
7380.5	142074.7		J	-5431.4	-64.5	75.1	973.5	-
7959.5	-294655.2	Min	I	-11450.9	-254.4	27.4	-4434.0	1
5596.8	-102365.1		J	-11450.9	-254.4	33.6	-4434.0	-1
2937.3	29049.9	INVS LE Max	I	-4078.9	-54.3	50.4	672.4	3
5431.4	98401.2		J	-4078.9	-54.3	55.0	672.4	-
3083.1	-216621.6	Min	I	-8493.8	-187.7	20.0	-3274.4	1
1467.8	-72823.4		J	-8493.8	-187.7	24.6	-3274.4	-1
9408	2	83 C1-C2;~1 Max	I	734.1	16.0	0.8	1433.0	
691.9	45754.0		J	734.1	16.0	0.8	1433.0	
961.7	42931.3	Min	I	-2588.1	-33.3	-4.5	-2333.8	-
3734.2	-36820.7		J	-2588.1	-33.3	-4.5	-2333.8	
-803.5	-18027.8							
722.3	64125.6	C3-C4;~1 Max	I	802.6	18.0	0.7	1290.3	
1435.8	59747.9		J	802.6	18.0	0.7	1290.3	
4878.9	-22152.4	Min	I	-2989.9	-26.3	-6.2	-2447.6	-
-850.1	-11828.8		J	-2989.9	-26.3	-6.2	-2447.6	
345.6	22215.8	C1-C2;~2 Max	I	366.2	8.5	0.4	860.5	
543.7	20205.2		J	366.2	8.5	0.4	860.5	
1789.2	-18514.0	Min	I	-1268.2	-17.1	-2.2	-1231.1	-
-427.9	-9160.0		J	-1268.2	-17.1	-2.2	-1231.1	
366.8	30961.1	C3-C4;~2 Max	I	395.8	9.3	0.4	731.6	
816.5	28616.3		J	395.8	9.3	0.4	731.6	
2355.6	-10996.2	Min	I	-1458.1	-13.4	-3.1	-1273.8	-
-455.7	-6216.1		J	-1458.1	-13.4	-3.1	-1273.8	
5084.9	33015.7	G1	I	-2855.8	-15.7	-8.0	-1790.2	-
-372.2	46119.7		J	-2855.8	-15.7	-3.3	-1790.2	
1827.6	12603.7	G2	I	-1110.4	-6.5	-2.2	-728.2	-
-13.5	18015.7		J	-1110.4	-6.5	-2.2	-728.2	


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-378.4	-56156.9	Q5_pc X	I	-326.0	-37.4	-0.5	-725.0	
63.2	-24956.1		J	-326.0	-37.4	-0.5	-725.0	
-110.5	10789.8	Q5_pc Y	I	-10.8	5.7	-0.0	123.3	
-79.7	6048.4		J	-10.8	5.7	-0.0	123.3	
-297.9	-54877.7	Q5_ps X	I	-289.6	-36.0	-0.4	-659.5	
46.0	-24860.7		J	-289.6	-36.0	-0.4	-659.5	
-67.0	9103.0	Q5_ps Y	I	0.6	5.0	0.0	128.6	
-87.1	4940.9		J	0.6	5.0	0.0	128.6	
7397.1	142051.8	INVS LU Max	I	-4943.5	5.9	-10.0	-857.7	-
301.7	158604.6		J	-4943.5	5.9	-3.8	-857.7	
5639.8	-102369.4	Min	I	-10650.3	-139.3	-20.4	-7401.5	-1
2927.8	5827.4		J	-10650.3	-139.3	-14.2	-7401.5	-
5444.3	98384.6	INVS LE Max	I	-3720.6	-1.3	-7.3	-708.9	-
174.8	114099.5		J	-3720.6	-1.3	-2.7	-708.9	
1499.5	-72826.9	Min	I	-7904.4	-102.4	-15.0	-5459.5	-1
2206.8	5357.3		J	-7904.4	-102.4	-10.4	-5459.5	-
9409	2	83 C1-C2;~1 Max	I	727.4	24.2	1.7	1573.8	
969.3	42934.1		J	727.4	24.2	1.7	1573.8	
325.7	32703.3	Min	I	-2425.4	-20.4	-1.3	-3062.2	
-826.1	-18027.7		J	-2425.4	-20.4	-1.3	-3062.2	
-811.3	-12034.7							
1442.0	59752.2	C3-C4;~1 Max	I	844.1	33.2	2.4	1347.9	
505.2	39823.7		J	844.1	33.2	2.4	1347.9	
-874.9	-11829.5	Min	I	-2770.9	-13.6	-1.4	-3360.7	
1041.8	-12229.2		J	-2770.9	-13.6	-1.4	-3360.7	-
548.3	20206.3	C1-C2;~2 Max	I	363.3	11.7	0.9	923.9	
158.4	16734.1		J	363.3	11.7	0.9	923.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-439.7	-9159.9		Min	I	-1203.4	-10.6	-0.7	-1568.3
				J	-1203.4	-10.6	-0.7	-1568.3
-430.2	-7145.7							
		C3-C4;~2	Max	I	426.9	16.3	1.2	740.0
820.2	28618.5			J	426.9	16.3	1.2	740.0
272.6	19913.0							
			Min	I	-1369.5	-7.1	-0.7	-1719.9
-469.0	-6216.4			J	-1369.5	-7.1	-0.7	-1719.9
-542.7	-7217.2							
			G1	I	-2534.3	16.1	-1.8	-2746.6
-395.8	46124.1			J	-2534.3	16.1	2.8	-2746.6
-826.6	32695.9							
			G2	I	-986.2	5.9	0.2	-1102.0
-23.1	18017.3			J	-986.2	5.9	0.2	-1102.0
-171.8	13103.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-319.7	-33.2	0.3	-1018.1
54.2	-24955.6			J	-319.7	-33.2	0.3	-1018.1
-177.5	2715.7							
			Q5_pc Y	I	-8.0	5.6	-0.1	220.9
-77.9	6048.4			J	-8.0	5.6	-0.1	220.9
-14.4	1407.6							
			Q5_ps X	I	-286.4	-32.2	0.3	-928.5
37.7	-24860.2			J	-286.4	-32.2	0.3	-928.5
-178.1	1993.8							
			Q5_ps Y	I	1.3	4.8	-0.1	225.7
-85.2	4940.8			J	1.3	4.8	-0.1	225.7
-16.1	973.3							
			INVSLE Max	I	-4344.3	84.4	0.1	-2036.1
264.3	158619.8			J	-4344.3	84.4	6.3	-2036.1
-716.7	103654.4							
			Min	I	-9800.1	-53.0	-5.5	-10530.2
3003.7	5838.1			J	-9800.1	-53.0	0.7	-10530.2
3124.6	28494.8							
			INVSLE Max	I	-3280.3	59.1	-0.0	-1610.5
146.9	114110.9			J	-3280.3	59.1	4.6	-1610.5
-536.0	75876.0							
			Min	I	-7279.0	-36.9	-4.1	-7766.7
2263.5	5365.3			J	-7279.0	-36.9	0.5	-7766.7
2295.9	20564.3							

MIDAS

PROJECT TITLE :

		Company		Client				
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9410	2	83	C1-C2; ~1 Max	I	769.2	45.4	2.2	1709.3
303.1	32697.7			J	769.2	45.4	2.2	1709.3
1804.9	23421.4		Min	I	-2267.4	-20.0	-2.6	-3554.8
-806.9	-12032.4			J	-2267.4	-20.0	-2.6	-3554.8
1991.8	-22138.4							-
			C3-C4; ~1 Max	I	892.9	59.3	2.5	1468.4
490.7	39817.6			J	892.9	59.3	2.5	1468.4
1863.0	20250.2		Min	I	-2578.9	-14.4	-2.6	-3990.2
1040.6	-12226.4			J	-2578.9	-14.4	-2.6	-3990.2
2339.9	-21552.9							-
			C1-C2; ~2 Max	I	396.0	22.2	1.1	986.2
147.0	16732.0			J	396.0	22.2	1.1	986.2
1147.3	13780.3		Min	I	-1133.4	-10.6	-1.7	-1798.3
-426.9	-7144.5			J	-1133.4	-10.6	-1.7	-1798.3
1000.7	-12001.7							-
			C3-C4; ~2 Max	I	464.2	29.3	1.3	788.3
267.9	19910.6			J	464.2	29.3	1.3	788.3
1180.2	11774.0		Min	I	-1283.2	-7.5	-1.6	-2033.8
-541.7	-7215.8			J	-1283.2	-7.5	-1.6	-2033.8
1166.6	-11130.5							-
			G1	I	-2248.2	43.5	-1.0	-3320.4
-858.9	32687.3			J	-2248.2	43.5	3.6	-3320.4
1933.2	-3597.6							-
			G2	I	-878.4	16.6	0.6	-1326.6
-184.7	13099.7			J	-878.4	16.6	0.6	-1326.6
-713.4	-720.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-290.0	-29.3	-0.8	-1192.0
-189.1	2714.8			J	-290.0	-29.3	-0.8	-1192.0
455.3	27175.4							
			Q5_pc Y	I	-5.1	5.5	0.1	274.0
-11.8	1407.8			J	-5.1	5.5	0.1	274.0
-122.2	-3198.6							
			Q5_ps X	I	-259.3	-28.7	-0.8	-1089.1
-188.6	1993.0			J	-259.3	-28.7	-0.8	-1089.1
475.6	25953.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-13.4	973.6	Q5_ps Y	I	3.8	4.6	0.1	277.9	
-87.2	-2883.6		J	3.8	4.6	0.1	277.9	
-785.6	103628.1	INVS LU Max	I	-3777.8	179.2	4.2	-2785.2	
1347.7	44373.4		J	-3777.8	179.2	10.4	-2785.2	-
3193.2	28482.1	Min	I	-8986.7	15.2	-4.1	-12625.1	-
7841.1	-68293.1		J	-8986.7	15.2	2.1	-12625.1	-
-588.2	75856.5	INVS LE Max	I	-2860.0	130.1	3.1	-2186.1	
1057.4	29848.3		J	-2860.0	130.1	7.7	-2186.1	-
2346.4	20554.7	Min	I	-6679.7	13.8	-3.0	-9316.1	-
5806.6	-48329.2		J	-6679.7	13.8	1.7	-9316.1	-
9411	2	83 C1-C2;~1 Max	I	792.4	19.7	2.1	2148.3	
1785.8	23423.0		J	792.4	19.7	2.1	2148.3	
672.8	28440.8	Min	I	-2096.1	-42.4	-2.4	-1040.9	-
2187.8	-22222.2		J	-2096.1	-42.4	-2.4	-1040.9	-
-477.7	-19545.8							
1870.3	20277.9	C3-C4;~1 Max	I	918.9	22.5	2.0	2513.2	
1143.8	30123.0		J	918.9	22.5	2.0	2513.2	
2524.5	-21620.2	Min	I	-2377.7	-47.8	-3.0	-1046.7	-
-433.9	-20664.5		J	-2377.7	-47.8	-3.0	-1046.7	-
1125.8	13778.9	C1-C2;~2 Max	I	416.0	10.8	1.4	1071.9	
367.4	13993.5		J	416.0	10.8	1.4	1071.9	
1107.5	-12039.8	Min	I	-1054.1	-21.6	-1.2	-574.5	-
-243.4	-11476.4		J	-1054.1	-21.6	-1.2	-574.5	-
1175.6	11785.6	C3-C4;~2 Max	I	486.1	12.3	1.2	1243.2	
641.8	15058.5		J	486.1	12.3	1.2	1243.2	
1276.3	-11154.8	Min	I	-1188.5	-24.3	-1.5	-555.3	-
-226.3	-11986.7		J	-1188.5	-24.3	-1.5	-555.3	-
2170.9	-3664.4	G1	I	-1962.5	-34.3	-4.6	1791.1	-
-226.5	26063.5		J	-1962.5	-34.3	0.2	1791.1	-
		G2	I	-768.8	-13.3	-1.0	713.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-801.5	-744.9		J	-768.8	-13.3	-1.0	713.3	
98.7	10749.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-260.1	1.2	0.8	421.1	
367.7	27127.2		J	-260.1	1.2	0.8	421.1	
-343.9	26053.1							
		Q5_pc Y	I	-1.6	-0.6	-0.1	-261.7	
-126.4	-3199.9		J	-1.6	-0.6	-0.1	-261.7	
-23.2	-2717.6							
		Q5_ps X	I	-232.5	1.4	0.9	376.7	
392.1	25907.3		J	-232.5	1.4	0.9	376.7	
-349.1	24661.6							
		Q5_ps Y	I	6.9	-0.4	-0.1	-262.6	
-93.9	-2886.4		J	6.9	-0.4	-0.1	-262.6	
-39.7	-2572.0							
		INVS LU Max	I	-3224.0	-54.5	-4.1	7373.2	-
1965.7	44125.3		J	-3224.0	-54.5	2.3	7373.2	
890.6	125157.9							
		Min	I	-8142.5	-151.6	-12.5	1809.3	-
8560.6	-68451.8		J	-8142.5	-151.6	-6.1	1809.3	-
1917.4	7869.7							
		INVS LE Max	I	-2447.9	-41.4	-3.1	5479.2	-
1514.9	29680.0		J	-2447.9	-41.4	1.7	5479.2	
611.2	91660.8							
		Min	I	-6056.6	-113.2	-9.2	1414.0	-
6351.0	-48517.8		J	-6056.6	-113.2	-4.4	1414.0	-
1423.0	9257.7							
		83 C1-C2;~1 Max	I	791.5	12.4	0.8	1583.6	
9412	2		J	791.5	12.4	0.8	1583.6	
671.9	28443.3							
		Min	I	-1890.3	-18.9	-0.5	-841.3	
134.0	41375.3		J	-1890.3	-18.9	-0.5	-841.3	
-465.6	-19547.4							
-341.1	-23699.4							
		C3-C4;~1 Max	I	939.7	13.6	1.4	1854.2	
1143.7	30130.4		J	939.7	13.6	1.4	1854.2	
173.2	45048.1							
		Min	I	-2132.5	-21.1	-0.4	-818.5	
-420.7	-20666.1		J	-2132.5	-21.1	-0.4	-818.5	
-439.4	-27485.9							
		C1-C2;~2 Max	I	420.7	7.3	0.4	791.0	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
366.2	13995.7			J	420.7	7.3	0.4	791.0	
75.7	20757.3								
		Min		I	-957.8	-9.7	-0.2	-473.9	
-236.6	-11477.2								
				J	-957.8	-9.7	-0.2	-473.9	
-170.9	-13304.1								
		C3-C4;~2 Max		I	506.8	7.9	0.7	918.6	
640.6	15062.1								
				J	506.8	7.9	0.7	918.6	
101.0	22419.2								
		Min		I	-1073.2	-10.9	-0.2	-438.7	
-218.8	-11987.5								
				J	-1073.2	-10.9	-0.2	-438.7	
-220.2	-15494.5								
		G1		I	-1644.1	-12.6	-2.1	1285.3	
-209.1	26068.9								
				J	-1644.1	-12.6	2.7	1285.3	
-506.3	36933.5								
		G2		I	-643.4	-4.7	0.3	512.0	
105.6	10751.5								
				J	-643.4	-4.7	0.3	512.0	
-129.9	14850.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	-235.6	4.3	-0.4	280.2	
-339.9	26053.4								
				J	-235.6	4.3	-0.4	280.2	
17.9	22299.8								
		Q5_pc Y		I	1.8	-0.7	-0.0	-188.3	
-25.8	-2718.3								
				J	1.8	-0.7	-0.0	-188.3	
-18.6	-2103.9								
		Q5_ps X		I	-211.8	4.2	-0.4	248.3	
-345.6	24661.8								
				J	-211.8	4.2	-0.4	248.3	
19.3	21013.5								
		Q5_ps Y		I	9.0	-0.6	-0.0	-189.6	
-42.2	-2572.7								
				J	9.0	-0.6	-0.0	-189.6	
-15.2	-2045.8								
		INVSLE Max		I	-2599.6	-11.3	-0.9	5379.6	
922.0	125177.0								
				J	-2599.6	-11.3	5.6	5379.6	
-716.1	170975.3								
		Min		I	-7171.2	-65.9	-4.2	1236.3	-
1862.4	7877.0								
				J	-7171.2	-65.9	2.3	1236.3	-
1576.6	32914.7								
		INVSLE Max		I	-1983.5	-9.1	-0.7	4000.4	
635.1	91675.0								
				J	-1983.5	-9.1	4.1	4000.4	
-532.5	126246.1								
		Min		I	-5338.5	-49.0	-3.1	968.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1382.1	9263.2			J	-5338.5	-49.0	1.7	968.6	-
1167.5	26952.3								
9413	2	69	C1-C2;~1	Max	I	824.0	8.7	0.1	723.7
129.1	41363.6				J	824.0	8.7	0.1	723.7
176.5	36968.1			Min	I	-1660.3	-5.2	-0.4	-470.9
-330.8	-23695.2				J	-1660.3	-5.2	-0.4	-470.9
-167.3	-20683.2								
			C3-C4;~1	Max	I	980.1	8.8	0.1	859.8
168.0	45034.5				J	980.1	8.8	0.1	859.8
241.5	40247.5			Min	I	-1844.3	-4.8	-0.5	-412.5
-427.8	-27480.8				J	-1844.3	-4.8	-0.5	-412.5
-178.9	-25154.4								
			C1-C2;~2	Max	I	449.3	4.9	0.1	357.2
73.0	20751.5				J	449.3	4.9	0.1	357.2
100.0	18696.8			Min	I	-853.1	-3.2	-0.2	-278.9
-166.0	-13301.9				J	-853.1	-3.2	-0.2	-278.9
-89.1	-11477.5								
			C3-C4;~2	Max	I	540.2	4.7	0.1	417.5
98.2	22412.5				J	540.2	4.7	0.1	417.5
137.6	20247.6			Min	I	-943.3	-2.9	-0.3	-223.8
-214.9	-15491.8				J	-943.3	-2.9	-0.3	-223.8
-95.7	-14154.5								
			G1		I	-1273.9	6.4	-1.4	584.1
-496.7	36923.1				J	-1273.9	6.4	0.7	584.1
-179.7	31402.6								
			G2		I	-497.6	2.7	-0.1	233.5
-126.1	14846.7				J	-497.6	2.7	-0.1	233.5
-10.6	12526.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-215.3	7.6	0.1	29.5
19.5	22296.7				J	-215.3	7.6	0.1	29.5
-27.5	15697.8								
			Q5_pc	Y	I	3.1	-1.0	-0.0	-60.9
-19.9	-2102.3				J	3.1	-1.0	-0.0	-60.9
-6.3	-1208.6								
			Q5_ps	X	I	-195.4	7.2	0.1	18.4


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
20.7	21010.7					
-26.6	14785.6		J	-195.4	7.2	0.1 18.4
-16.6	-2044.2	Q5_ps Y	I	8.1	-1.0	-0.0 -64.1
-6.9	-1178.4		J	8.1	-1.0	-0.0 -64.1
-702.0	170934.4	INVS LU Max	I	-1855.7	32.8	-1.9 2439.1
-68.6	146402.8		J	-1855.7	32.8	1.0 2439.1
1542.3	32904.6	Min	I	-6056.1	-1.0	-2.8 533.0 -
-685.6	29854.2		J	-6056.1	-1.0	0.1 533.0
-521.9	126215.7	INVS LE Max	I	-1431.9	23.9	-1.4 1814.6
-59.2	108395.7		J	-1431.9	23.9	0.8 1814.6
1141.7	26944.3	Min	I	-4514.6	0.1	-2.1 410.8 -
-512.6	24156.4		J	-4514.6	0.1	0.0 410.8
9414	2	69 C1-C2;~1 Max	I	902.3	26.0	0.3 496.4
178.1	36972.8		J	902.3	26.0	0.3 496.4
24.6	15008.9	Min	I	-1514.2	-14.0	-0.2 -356.1
-166.1	-20685.6		J	-1514.2	-14.0	-0.2 -356.1
-91.9	-10689.6					
243.9	40252.6	C3-C4;~1 Max	I	1070.6	28.7	0.3 554.9
54.0	15894.4		J	1070.6	28.7	0.3 554.9
-177.5	-25157.6	Min	I	-1653.3	-15.7	-0.2 -321.9
-111.5	-13000.4		J	-1653.3	-15.7	-0.2 -321.9
100.9	18699.4	C1-C2;~2 Max	I	501.7	13.3	0.1 295.9
13.6	7570.4		J	501.7	13.3	0.1 295.9
-88.5	-11478.8	Min	I	-789.1	-7.8	-0.1 -196.5
-51.5	-6256.2		J	-789.1	-7.8	-0.1 -196.5
138.8	20250.3	C3-C4;~2 Max	I	599.0	14.5	0.2 312.8
33.6	7990.8		J	599.0	14.5	0.2 312.8
-95.0	-14156.2	Min	I	-860.1	-8.7	-0.1 -168.9
-60.6	-7604.9		J	-860.1	-8.7	-0.1 -168.9
-176.7	31404.9	G1	I	-972.1	21.3	-1.0 -0.4
			J	-972.1	21.3	1.1 -0.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-222.6	12958.5						
		G2	I	-379.2	8.5	0.0	1.5
-9.4	12527.0		J	-379.2	8.5	0.0	1.5
-21.4	5148.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-202.0	10.8	-0.1	-233.7
-28.6	15698.8		J	-202.0	10.8	-0.1	-233.7
21.3	6349.3						
		Q5_pc Y	I	4.3	-1.4	0.0	59.3
-6.3	-1209.0		J	4.3	-1.4	0.0	59.3
-14.8	-26.4						
		Q5_ps X	I	-185.0	10.1	-0.1	-225.0
-27.7	14786.5		J	-185.0	10.1	-0.1	-225.0
19.1	6047.2						
		Q5_ps Y	I	7.6	-1.4	0.0	53.1
-7.0	-1178.9		J	7.6	-1.4	0.0	53.1
-14.5	13.1						
		INVSLE Max	I	-1201.3	103.2	-1.0	844.2
-58.5	146417.9		J	-1201.3	103.2	1.9	844.2
-273.1	57732.1						
		Min	I	-5242.4	23.8	-1.8	-806.3
-678.9	29856.3		J	-5242.4	23.8	1.1	-806.3
-534.8	7295.3						
		INVSLE Max	I	-948.5	76.5	-0.7	593.9
-51.8	108407.0		J	-948.5	76.5	1.4	593.9
-202.8	42726.6						
		Min	I	-3915.0	19.0	-1.4	-597.5
-507.6	24158.3		J	-3915.0	19.0	0.8	-597.5
-393.8	6212.6						
9415	2	69 C1-C2;~1 Max	I	1000.1	45.2	0.3	857.4
28.7	15000.2		J	1000.1	45.2	0.3	857.4
350.1	18487.7						
		Min	I	-1428.5	-24.8	-0.5	-931.5
-91.6	-10682.8		J	-1428.5	-24.8	-0.5	-931.5
-264.5	-26032.6						
		C3-C4;~1 Max	I	1167.8	49.4	0.3	967.4
59.0	15885.1		J	1167.8	49.4	0.3	967.4
359.6	15781.7						
		Min	I	-1549.1	-28.6	-0.5	-981.6
-110.6	-12991.8		J	-1549.1	-28.6	-0.5	-981.6

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-305.5	-28549.3						
		C1-C2;~2 Max	I	565.6	23.3	0.1	498.6
15.9	7567.2		J	565.6	23.3	0.1	498.6
221.0	10469.2						
		Min	I	-749.7	-13.6	-0.3	-493.0
-50.1	-6252.3		J	-749.7	-13.6	-0.3	-493.0
-134.9	-13536.1						
		C3-C4;~2 Max	I	661.3	25.4	0.2	546.4
36.4	7986.2		J	661.3	25.4	0.2	546.4
227.2	8544.8						
		Min	I	-811.8	-15.7	-0.3	-522.0
-59.0	-7600.0		J	-811.8	-15.7	-0.3	-522.0
-152.0	-14757.0						
		G1	I	-760.1	32.5	-1.0	-369.8
-225.2	12952.5		J	-760.1	32.5	1.1	-369.8
-255.6	-15152.9						
		G2	I	-298.6	12.9	0.0	-144.8
-22.4	5146.4		J	-298.6	12.9	0.0	-144.8
-53.2	-6007.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-176.3	13.6	0.0	-412.4
17.6	6345.3		J	-176.3	13.6	0.0	-412.4
12.0	-5424.6						
		Q5_pc Y	I	5.0	-1.6	-0.0	132.6
-13.7	-25.2		J	5.0	-1.6	-0.0	132.6
-5.1	1350.0						
		Q5_ps X	I	-160.9	12.7	-0.0	-391.1
15.5	6043.4		J	-160.9	12.7	-0.0	-391.1
16.7	-4921.6						
		Q5_ps Y	I	8.4	-1.6	-0.0	124.0
-13.4	14.2		J	8.4	-1.6	-0.0	124.0
-0.2	1422.9						
		INVSLU Max	I	-692.7	167.9	-0.8	568.7
-277.8	57698.4		J	-692.7	167.9	2.1	568.7
-56.3	-16618.5						
		Min	I	-4678.0	38.2	-1.9	-2804.8
-538.3	7293.1		J	-4678.0	38.2	1.0	-2804.8
-975.8	-89882.7						
		INVSLE Max	I	-570.7	124.8	-0.6	354.6
-206.3	42701.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-48.7	-13437.4		J	-570.7	124.8	1.5	354.6
		Min	I	-3499.3	30.5	-1.4	-2089.2
-397.0	6210.2		J	-3499.3	30.5	0.8	-2089.2
-728.2	-66983.9						
9416	2	69 C1-C2;~1 Max	I	1067.9	29.4	0.4	1343.3
376.0	18485.7		J	1067.9	29.4	0.4	1343.3
115.0	6072.8	Min	I	-1346.9	-34.4	-0.4	-1127.3
-345.0	-26028.9		J	-1346.9	-34.4	-0.4	-1127.3
-46.9	-15144.2						
		C3-C4;~1 Max	I	1235.0	33.9	0.4	1482.8
449.9	15785.2		J	1235.0	33.9	0.4	1482.8
175.5	6356.2	Min	I	-1454.5	-37.0	-0.4	-1197.2
-367.5	-28512.0		J	-1454.5	-37.0	-0.4	-1197.2
-48.6	-19039.9						
		C1-C2;~2 Max	I	609.0	16.7	0.2	700.8
227.9	10472.7		J	609.0	16.7	0.2	700.8
63.9	3150.0	Min	I	-710.2	-18.2	-0.2	-651.1
-183.0	-13541.5		J	-710.2	-18.2	-0.2	-651.1
-24.0	-9070.0						
		C3-C4;~2 Max	I	704.0	19.2	0.3	768.0
270.2	8548.2		J	704.0	19.2	0.3	768.0
100.1	3313.6	Min	I	-765.3	-19.5	-0.2	-678.3
-196.0	-14750.5		J	-765.3	-19.5	-0.2	-678.3
-24.9	-11276.6						
		G1	I	-572.9	-11.7	-1.3	534.2
-302.8	-15110.2		J	-572.9	-11.7	0.8	534.2
-86.1	-5010.6						
		G2	I	-226.4	-4.6	-0.1	218.5
-67.2	-5987.9		J	-226.4	-4.6	-0.1	218.5
32.5	-2007.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-149.2	-4.8	-0.1	320.8
-61.4	-5463.6		J	-149.2	-4.8	-0.1	320.8
6.4	-1328.0						
		Q5_pc Y	I	6.3	0.7	0.0	-183.2
-3.9	1350.6		J	6.3	0.7	0.0	-183.2


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-9.2	712.8						
-55.2	-4960.4	Q5_ps X	I	-135.6	-4.4	-0.1	294.6
3.8	-1161.1		J	-135.6	-4.4	-0.1	294.6
-2.8	1421.0	Q5_ps Y	I	9.9	0.8	0.0	-180.7
-10.5	737.0		J	9.9	0.8	0.0	-180.7
-104.0	-16572.4	INVS LU Max	I	-251.2	2.9	-1.5	4065.5
89.6	4105.7		J	-251.2	2.9	1.4	4065.5
1317.9	-89853.6	Min	I	-4150.6	-101.3	-2.8	-130.0
-229.5	-32569.4		J	-4150.6	-101.3	0.1	-130.0
-93.4	-13409.3	INVS LE Max	I	-241.6	0.6	-1.1	3047.9
63.2	3237.3		J	-241.6	0.6	1.0	3047.9
-984.4	-66963.3	Min	I	-3110.2	-76.0	-2.1	-17.2
-172.0	-23752.4		J	-3110.2	-76.0	0.1	-17.2
9417	2	69 C1-C2;~1 Max	I	1129.2	16.3	0.2	778.2
108.3	6079.9		J	1129.2	16.3	0.2	778.2
148.3	19937.4	Min	I	-1267.8	-17.3	-0.1	-719.2
-40.2	-15148.6		J	-1267.8	-17.3	-0.1	-719.2
-151.4	-25900.3						
168.5	6363.7	C3-C4;~1 Max	I	1301.8	18.6	0.3	860.5
177.5	21137.6		J	1301.8	18.6	0.3	860.5
-38.4	-19044.7	Min	I	-1359.8	-18.4	-0.1	-724.0
-172.0	-32762.2		J	-1359.8	-18.4	-0.1	-724.0
59.7	3153.9	C1-C2;~2 Max	I	646.2	9.4	0.1	406.0
89.4	10651.2		J	646.2	9.4	0.1	406.0
-20.8	-9072.9	Min	I	-671.9	-9.2	-0.1	-423.3
-77.9	-15109.7		J	-671.9	-9.2	-0.1	-423.3
95.7	3317.7	C3-C4;~2 Max	I	743.9	10.7	0.1	445.4
107.9	11320.7		J	743.9	10.7	0.1	445.4
-19.3	-11280.0	Min	I	-719.5	-9.8	-0.1	-410.8
-86.9	-19162.1		J	-719.5	-9.8	-0.1	-410.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-81.4	-5006.1	G1	I	-383.2	-5.0	-0.9	281.9
			J	-383.2	-5.0	1.2	281.9
-221.5	-637.7						
		G2	I	-151.1	-2.0	0.1	116.0
34.4	-2005.5		J	-151.1	-2.0	0.1	116.0
-26.7	-296.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	-130.3	-2.9	0.0	197.7
9.4	-1326.2		J	-130.3	-2.9	0.0	197.7
0.6	1177.3						
		Q5_pc Y	I	8.8	0.5	-0.0	-114.6
-10.9	711.7		J	8.8	0.5	-0.0	-114.6
-8.8	278.6						
		Q5_ps X	I	-118.8	-2.7	0.0	181.4
6.5	-1159.5		J	-118.8	-2.7	0.0	181.4
1.2	1158.6						
		Q5_ps Y	I	11.8	0.5	-0.0	-112.8
-12.2	735.9		J	11.8	0.5	-0.0	-112.8
-7.5	295.1						
		INVSLU Max	I	200.0	5.2	-0.7	2393.8
97.7	4126.6		J	200.0	5.2	2.1	2393.8
-193.6	43398.5						
		Min	I	-3627.6	-50.0	-1.3	-101.1
-203.7	-32561.9		J	-3627.6	-50.0	1.6	-101.1
-681.2	-31485.5						
		INVSLE Max	I	93.7	3.0	-0.5	1797.8
69.6	3253.2		J	93.7	3.0	1.6	1797.8
-147.9	32894.8						
		Min	I	-2724.2	-37.5	-0.9	-23.9
-152.2	-23746.7		J	-2724.2	-37.5	1.2	-23.9
-507.9	-22417.8						
		69 C1-C2;~1 Max	I	1256.9	1.8	0.1	176.1
9418	2		J	1256.9	1.8	0.1	176.1
144.8	19934.0						
		Min	I	-1218.6	-3.4	-0.2	-155.9
241.3	19899.9		J	-1218.6	-3.4	-0.2	-155.9
-147.1	-25898.0						
		C3-C4;~1 Max	I	1459.4	1.4	0.1	169.2
-148.7	-24925.7		J	1459.4	1.4	0.1	169.2
173.9	21133.9						
310.6	21141.9						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-167.3	-32760.3	Min	I	-1289.8	-3.0	-0.3	-117.2
			J	-1289.8	-3.0	-0.3	-117.2
-156.3	-32051.5						
87.4	10649.4	C1-C2;~2 Max	I	719.9	1.1	0.0	107.5
			J	719.9	1.1	0.0	107.5
137.8	10625.6						
-75.6	-15108.3	Min	I	-650.4	-2.3	-0.1	-103.1
			J	-650.4	-2.3	-0.1	-103.1
-78.6	-14506.3						
105.9	11318.8	C3-C4;~2 Max	I	832.9	0.9	0.0	94.7
			J	832.9	0.9	0.0	94.7
176.9	11322.7						
-84.5	-19161.0	Min	I	-689.3	-1.9	-0.1	-74.9
			J	-689.3	-1.9	-0.1	-74.9
-82.9	-18738.6						
		G1	I	-160.0	-1.1	-1.2	46.6
-219.9	-639.7		J	-160.0	-1.1	0.9	46.6
-91.7	316.8						
		G2	I	-62.7	-0.4	-0.1	19.1
-26.1	-297.0		J	-62.7	-0.4	-0.1	19.1
25.7	56.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-130.5	-0.8	0.0	5.5
1.7	1176.8		J	-130.5	-0.8	0.0	5.5
-13.2	1865.8						
		Q5_pc Y	I	13.2	0.1	-0.0	6.1
-9.4	278.8		J	13.2	0.1	-0.0	6.1
-6.4	223.6						
		Q5_ps X	I	-120.5	-0.8	0.0	4.1
2.3	1158.1		J	-120.5	-0.8	0.0	4.1
-13.3	1810.2						
		Q5_ps Y	I	14.6	0.1	-0.0	5.1
-8.1	295.3		J	14.6	0.1	-0.0	5.1
-7.0	251.0						
		INVSLU Max	I	812.6	0.9	-1.6	520.9
-191.0	43387.3		J	812.6	0.9	1.3	520.9
190.7	45943.7						
		Min	I	-3133.7	-7.6	-2.0	61.9
-668.6	-31488.1		J	-3133.7	-7.6	0.8	61.9
-463.4	-29225.8						


MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-145.8	32886.5	INVSLE Max	I	545.0	0.6	-1.2	392.3
			J	545.0	0.6	1.0	392.3
133.4	34702.7	Min	I	-2360.8	-5.5	-1.5	53.1
-498.3	-22419.9		J	-2360.8	-5.5	0.6	53.1
-349.4	-20729.6						
9419	2	69 C1-C2;~1 Max	I	1386.2	16.4	0.3	833.6
245.1	19903.4		J	1386.2	16.4	0.3	833.6
42.0	6186.9	Min	I	-1173.6	-19.8	-0.2	-690.9
-152.3	-24930.3		J	-1173.6	-19.8	-0.2	-690.9
-68.0	-10231.7						
		C3-C4;~1 Max	I	1619.0	17.3	0.3	884.3
314.8	21145.5		J	1619.0	17.3	0.3	884.3
74.0	6532.5	Min	I	-1232.7	-21.9	-0.2	-733.7
-160.1	-32056.5		J	-1232.7	-21.9	-0.2	-733.7
-73.9	-14097.3						
		C1-C2;~2 Max	I	793.0	8.8	0.2	488.6
140.0	10627.5		J	793.0	8.8	0.2	488.6
25.2	3266.5	Min	I	-628.6	-11.5	-0.1	-368.5
-80.5	-14508.9		J	-628.6	-11.5	-0.1	-368.5
-37.2	-6255.7						
		C3-C4;~2 Max	I	919.8	9.3	0.2	503.5
179.3	11324.6		J	919.8	9.3	0.2	503.5
46.3	3450.2	Min	I	-662.1	-12.5	-0.1	-392.5
-84.9	-18741.3		J	-662.1	-12.5	-0.1	-392.5
-39.0	-8536.5						
		G1	I	53.5	-0.3	-1.0	-32.4
-91.9	315.9		J	53.5	-0.3	1.2	-32.4
-189.2	597.1						
		G2	I	21.2	-0.1	0.0	-15.8
25.6	56.1		J	21.2	-0.1	0.0	-15.8
-8.8	133.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-127.1	1.2	-0.0	-181.5
-14.2	1866.3		J	-127.1	1.2	-0.0	-181.5
5.0	802.6						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.7	223.4	Q5_pc Y	I	17.0	-0.4	0.0	124.8
			J	17.0	-0.4	0.0	124.8
-11.8	578.8						
-14.3	1810.7	Q5_ps X	I	-118.4	1.1	-0.0	-169.7
			J	-118.4	1.1	-0.0	-169.7
3.5	837.8						
-6.3	250.9	Q5_ps Y	I	17.1	-0.4	0.0	120.0
			J	17.1	-0.4	0.0	120.0
-12.0	617.9						
196.8	45951.3	INVS LU Max	I	1425.3	36.8	-0.9	1041.7
			J	1425.3	36.8	2.0	1041.7
-197.6	14545.8	Min	I	-2653.3	-18.3	-1.6	-1469.4
			J	-2653.3	-18.3	1.3	-1469.4
-469.9	-29230.7						
-418.4	-14749.1						
137.8	34708.5	INVS LE Max	I	997.9	27.9	-0.7	730.2
			J	997.9	27.9	1.5	730.2
-149.0	10884.9	Min	I	-2006.3	-12.8	-1.2	-1105.7
			J	-2006.3	-12.8	0.9	-1105.7
-354.2	-20733.0						
-311.0	-10708.0						
9420	2	69 C1-C2;~1 Max	I	1495.3	31.8	0.2	1426.5
51.4	6181.4		J	1495.3	31.8	0.2	1426.5
442.5	28501.2	Min	I	-1142.3	-37.9	-0.5	-1208.6
			J	-1142.3	-37.9	-0.5	-1208.6
-69.5	-10221.9						
-201.3	-21966.1						
85.1	6523.1	C3-C4;~1 Max	I	1728.9	33.4	0.2	1589.7
			J	1728.9	33.4	0.2	1589.7
456.4	26075.8	Min	I	-1195.9	-43.4	-0.5	-1278.7
			J	-1195.9	-43.4	-0.5	-1278.7
-74.8	-14083.6						
-215.5	-22829.7						
30.8	3264.0	C1-C2;~2 Max	I	857.2	17.1	0.1	824.6
			J	857.2	17.1	0.1	824.6
276.5	16324.4	Min	I	-610.7	-21.7	-0.3	-645.7
			J	-610.7	-21.7	-0.3	-645.7
-36.8	-6250.2						
-106.9	-11782.7						
52.9	3445.1	C3-C4;~2 Max	I	982.8	17.9	0.1	903.9
			J	982.8	17.9	0.1	903.9
285.9	14545.0	Min	I	-641.1	-24.5	-0.3	-685.2
-38.0	-8528.8						


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-113.4	-12256.7		J	-641.1	-24.5	-0.3	-685.2
		G1	I	202.3	-2.3	-1.2	-0.1
-189.5	598.7		J	202.3	-2.3	0.9	-0.1
-55.9	2577.3						
		G2	I	77.4	-0.8	-0.0	-5.3
-8.9	134.3		J	77.4	-0.8	-0.0	-5.3
24.9	870.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-111.8	3.0	-0.0	-297.5
2.3	800.5		J	-111.8	3.0	-0.0	-297.5
20.3	-1802.0						
		Q5_pc Y	I	19.8	-0.8	-0.0	192.2
-10.0	579.9		J	19.8	-0.8	-0.0	192.2
-4.8	1262.5						
		Q5_ps X	I	-103.9	2.8	-0.0	-278.2
0.9	835.8		J	-103.9	2.8	-0.0	-278.2
23.5	-1575.4						
		Q5_ps Y	I	20.1	-0.8	-0.0	184.6
-10.3	618.9		J	20.1	-0.8	-0.0	184.6
-0.4	1304.1						
		INVS LU Max	I	1890.3	69.5	-1.3	1748.7
-190.0	14525.2		J	1890.3	69.5	1.6	1748.7
464.3	26340.0						
		Min	I	-2259.5	-39.6	-2.3	-2659.1
-423.9	-14734.8		J	-2259.5	-39.6	0.5	-2659.1
-479.2	-46200.2						
		INVS LE Max	I	1345.9	52.7	-1.0	1217.5
-143.8	10869.2		J	1345.9	52.7	1.2	1217.5
339.0	18335.8						
		Min	I	-1713.2	-27.7	-1.7	-2007.9
-315.7	-10698.1		J	-1713.2	-27.7	0.4	-2007.9
-357.2	-35157.4						
9421	2	69 C1-C2;~1 Max	I	1537.9	41.7	0.5	1311.5
493.7	28459.5		J	1537.9	41.7	0.5	1311.5
89.0	3295.7						
		Min	I	-1094.1	-28.7	-0.3	-1918.7
-272.4	-21974.5		J	-1094.1	-28.7	-0.3	-1918.7
-29.5	-12693.6						
		C3-C4;~1 Max	I	1764.8	47.6	0.6	1373.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
580.4	26069.7			J	1764.8	47.6	0.6	1373.8
143.8	3510.2							
		Min		I	-1142.7	-30.0	-0.3	-2105.6
-286.3	-22835.2			J	-1142.7	-30.0	-0.3	-2105.6
-27.9	-16447.8							
		C1-C2;~2	Max	I	882.5	23.8	0.3	699.6
293.6	16298.8			J	882.5	23.8	0.3	699.6
48.7	1670.4							
		Min		I	-584.0	-15.3	-0.2	-1106.3
-144.3	-11787.2			J	-584.0	-15.3	-0.2	-1106.3
-15.4	-7600.6							
		C3-C4;~2	Max	I	1004.4	27.0	0.3	733.9
340.9	14541.0			J	1004.4	27.0	0.3	733.9
81.0	1798.3							
		Min		I	-611.5	-16.0	-0.2	-1199.5
-152.2	-12260.7			J	-611.5	-16.0	-0.2	-1199.5
-14.1	-9720.1							
		G1		I	312.2	10.3	-1.0	-464.8
-64.9	2580.7			J	312.2	10.3	1.1	-464.8
-81.1	-6357.3							
		G2		I	120.2	4.0	-0.0	-171.5
24.4	873.3			J	120.2	4.0	-0.0	-171.5
34.9	-2588.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-96.5	-2.9	-0.0	159.1
-29.8	-1834.5			J	-96.5	-2.9	-0.0	159.1
-3.1	711.9							
		Q5_pc	Y	I	23.8	1.1	0.0	-132.3
0.4	1270.5			J	23.8	1.1	0.0	-132.3
-4.3	302.0							
		Q5_ps	X	I	-89.4	-2.7	-0.0	144.2
-26.1	-1607.7			J	-89.4	-2.7	-0.0	144.2
-5.2	761.1							
		Q5_ps	Y	I	24.3	1.1	0.0	-131.3
1.3	1309.8			J	24.3	1.1	0.0	-131.3
-6.0	353.0							
		INVSLU	Max	I	2224.6	64.0	-0.9	3029.5
543.1	26381.8			J	2224.6	64.0	2.0	3029.5
112.7	-5733.5							
		Min		I	-1874.4	-46.1	-2.1	-1954.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-680.6	-46168.1			J	-1874.4	-46.1	0.8	-1954.0	
-129.1	-33958.3								
		INVSLE	Max	I	1598.9	46.0	-0.6	2345.2	
391.6	18366.3			J	1598.9	46.0	1.5	2345.2	
82.8	-4294.5		Min	I	-1424.5	-35.1	-1.6	-1325.1	
-510.9	-35129.8			J	-1424.5	-35.1	0.6	-1325.1	
-95.7	-25106.9								
9422	2	69	C1-C2;~1	Max	I	1549.4	21.9	0.1	781.1
74.2	3300.1			J	1549.4	21.9	0.1	781.1	
148.1	15524.8		Min	I	-1043.2	-14.5	-0.1	-1195.3	
-28.6	-12703.2			J	-1043.2	-14.5	-0.1	-1195.3	
-99.9	-30115.0								
		C3-C4;~1	Max	I	1774.0	25.0	0.2	816.8	
126.6	3515.8			J	1774.0	25.0	0.2	816.8	
176.5	16317.1		Min	I	-1087.3	-15.1	-0.1	-1301.9	
-22.8	-16458.9			J	-1087.3	-15.1	-0.1	-1301.9	
-110.0	-37501.8								
		C1-C2;~2	Max	I	886.1	12.6	0.1	416.2	
40.2	1672.3			J	886.1	12.6	0.1	416.2	
88.9	8200.4		Min	I	-555.7	-7.7	-0.1	-691.4	
-16.9	-7606.3			J	-555.7	-7.7	-0.1	-691.4	
-52.6	-17412.4								
		C3-C4;~2	Max	I	1006.0	14.2	0.1	436.0	
71.0	1800.9			J	1006.0	14.2	0.1	436.0	
106.4	8651.0		Min	I	-580.6	-8.1	-0.1	-742.4	
-12.4	-9726.8			J	-580.6	-8.1	-0.1	-742.4	
-57.2	-21622.6								
		G1		I	412.5	5.7	-1.0	-316.7	
-85.6	-6358.8			J	412.5	5.7	1.1	-316.7	
-136.2	-11335.7								
		G2		I	161.5	2.2	0.0	-117.7	
33.2	-2589.2			J	161.5	2.2	0.0	-117.7	
7.5	-4520.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-87.1	-1.7	-0.0	91.1	
-1.7	712.9								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.5	2191.6		J	-87.1	-1.7	-0.0	91.1
-5.5	301.0	Q5_pc Y	I	29.1	0.7	-0.0	-78.8
-2.3	-288.7		J	29.1	0.7	-0.0	-78.8
-3.8	762.0	Q5_ps X	I	-81.2	-1.6	-0.0	82.1
-1.4	2143.6		J	-81.2	-1.6	-0.0	82.1
-7.2	352.1	Q5_ps Y	I	29.1	0.7	-0.0	-78.3
-1.8	-220.3		J	29.1	0.7	-0.0	-78.3
100.4	-5719.8	INVS LU Max	I	2522.0	34.4	-1.1	1891.8
65.5	13591.3		J	2522.0	34.4	1.8	1891.8
-119.1	-33968.9	Min	I	-1497.6	-22.7	-1.5	-1132.4
-325.5	-63009.0		J	-1497.6	-22.7	1.4	-1132.4
74.6	-4283.9	INVS LE Max	I	1824.0	24.7	-0.8	1469.0
49.6	10478.8		J	1824.0	24.7	1.3	1469.0
-87.2	-25114.1	Min	I	-1141.9	-17.3	-1.1	-759.0
-239.7	-45970.0		J	-1141.9	-17.3	1.0	-759.0
9423	2	69 C1-C2;~1 Max	I	1647.9	1.1	0.0	87.6
141.6	15522.0		J	1647.9	1.1	0.0	87.6
207.3	15503.3	Min	I	-1022.5	-2.5	-0.1	-124.5
-95.9	-30111.9		J	-1022.5	-2.5	-0.1	-124.5
-91.9	-29292.4						
169.7	16314.2	C3-C4;~1 Max	I	1899.4	1.0	0.0	80.7
264.5	16295.4		J	1899.4	1.0	0.0	80.7
-106.0	-37498.7	Min	I	-1064.1	-2.2	-0.2	-100.7
-95.6	-36820.8		J	-1064.1	-2.2	-0.2	-100.7
85.1	8198.9	C1-C2;~2 Max	I	938.3	0.7	0.0	52.9
118.3	8207.1		J	938.3	0.7	0.0	52.9
-50.4	-17410.6	Min	I	-542.2	-1.6	-0.1	-82.2
-47.8	-16932.3		J	-542.2	-1.6	-0.1	-82.2
102.5	8649.4	C3-C4;~2 Max	I	1070.9	0.6	0.0	42.8
			J	1070.9	0.6	0.0	42.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
150.2	8658.2		Min	I	-565.8	-1.3	-0.1	-63.8
-55.0	-21620.8			J	-565.8	-1.3	-0.1	-63.8
-49.8	-21246.0							
		G1		I	554.2	-0.9	-1.2	-0.7
-138.2	-11335.7			J	554.2	-0.9	1.0	-0.7
-52.0	-10526.4							
		G2		I	218.2	-0.4	-0.0	-0.9
6.8	-4520.0			J	218.2	-0.4	-0.0	-0.9
41.8	-4195.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-88.3	-0.4	0.0	-10.0
-1.1	2191.3			J	-88.3	-0.4	0.0	-10.0
-11.7	2518.9							
		Q5_pc Y		I	35.9	0.1	-0.0	9.5
-2.7	-288.4			J	35.9	0.1	-0.0	9.5
2.0	-336.9							
		Q5_ps X		I	-83.1	-0.4	0.0	-10.1
-1.0	2143.3			J	-83.1	-0.4	0.0	-10.1
-11.9	2452.5							
		Q5_ps Y		I	34.6	0.0	-0.0	8.7
-2.2	-220.1			J	34.6	0.0	-0.0	8.7
0.9	-260.9							
		INVSLE Max		I	3023.2	-0.5	-1.6	363.3
61.7	13586.1			J	3023.2	-0.5	1.3	363.3
365.8	15923.0		Min	I	-1136.6	-6.2	-1.9	59.0
-315.3	-63005.5			J	-1136.6	-6.2	1.0	59.0
-141.4	-60317.9							
		INVSLE Max		I	2196.8	-0.4	-1.2	276.1
47.2	10474.9			J	2196.8	-0.4	1.0	276.1
271.1	12209.4		Min	I	-872.7	-4.6	-1.4	52.1
-231.7	-45967.5			J	-872.7	-4.6	0.7	52.1
-103.1	-43929.5							
9424	2	69 C1-C2;~1	Max	I	1739.7	14.5	0.3	1332.4
214.2	15506.7			J	1739.7	14.5	0.3	1332.4
18.8	3855.1		Min	I	-998.6	-25.4	-0.1	-780.4
-96.1	-29298.6			J	-998.6	-25.4	-0.1	-780.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-71.8	-8788.3						
		C3-C4;~1 Max	I	2011.7	15.1	0.3	1495.9
272.3	16299.0		J	2011.7	15.1	0.3	1495.9
42.5	3772.0						
		Min	I	-1038.3	-28.6	-0.1	-813.9
-100.0	-36827.9		J	-1038.3	-28.6	-0.1	-813.9
-84.1	-12599.4						
		C1-C2;~2 Max	I	987.8	7.6	0.2	760.6
122.2	8208.8		J	987.8	7.6	0.2	760.6
9.7	2028.3						
		Min	I	-527.0	-14.5	-0.1	-412.3
-50.0	-16935.7		J	-527.0	-14.5	-0.1	-412.3
-42.0	-5332.6						
		C3-C4;~2 Max	I	1129.6	8.0	0.2	840.0
154.6	8660.0		J	1129.6	8.0	0.2	840.0
25.0	1992.3						
		Min	I	-549.4	-16.1	-0.1	-431.4
-52.1	-21249.9		J	-549.4	-16.1	-0.1	-431.4
-48.7	-7590.0						
		G1	I	683.8	-9.8	-0.9	475.3
-49.7	-10529.5		J	683.8	-9.8	1.2	475.3
-188.6	-2038.5						
		G2	I	269.1	-3.8	0.1	179.3
42.6	-4196.3		J	269.1	-3.8	0.1	179.3
-7.7	-864.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-86.4	0.9	-0.0	-106.1
-12.3	2519.2		J	-86.4	0.9	-0.0	-106.1
-1.4	1708.7						
		Q5_pc Y	I	40.6	-0.6	0.0	93.6
2.6	-337.1		J	40.6	-0.6	0.0	93.6
-6.1	206.9						
		Q5_ps X	I	-81.8	0.9	-0.0	-98.5
-12.5	2452.8		J	-81.8	0.9	-0.0	-98.5
-2.8	1692.7						
		Q5_ps Y	I	38.5	-0.6	0.0	90.8
1.5	-261.0		J	38.5	-0.6	0.0	90.8
-6.9	268.0						
		INVSLU Max	I	3473.0	13.1	-0.7	1977.3
377.0	15927.2						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-125.9	5420.4		J	3473.0	13.1	2.1	1977.3
		Min	I	-799.9	-47.6	-1.4	-1332.0
-147.8	-60328.8		J	-799.9	-47.6	1.5	-1332.0
-307.7	-19868.9						
		INVSLE Max	I	2531.4	10.2	-0.6	1389.5
279.0	12212.8		J	2531.4	10.2	1.6	1389.5
-91.0	3962.3	Min	I	-622.2	-34.6	-1.0	-1047.7
-108.1	-43937.2		J	-622.2	-34.6	1.1	-1047.7
-224.8	-14542.7						
9425	2	69 C1-C2;~1 Max	I	1814.5	27.8	0.2	2320.0
23.3	3856.2		J	1814.5	27.8	0.2	2320.0
411.8	37600.6	Min	I	-976.1	-48.9	-0.5	-1342.2
-64.8	-8775.5		J	-976.1	-48.9	-0.5	-1342.2
-149.1	-21118.4						
		C3-C4;~1 Max	I	2083.1	28.9	0.2	2631.1
54.9	3768.1		J	2083.1	28.9	0.2	2631.1
425.5	37471.7	Min	I	-1014.0	-56.0	-0.5	-1398.5
-75.1	-12580.9		J	-1014.0	-56.0	-0.5	-1398.5
-158.1	-21790.0						
		C1-C2;~2 Max	I	1033.0	14.7	0.1	1319.2
11.7	2029.7		J	1033.0	14.7	0.1	1319.2
252.9	21238.8	Min	I	-513.6	-27.7	-0.3	-708.3
-36.6	-5325.3		J	-513.6	-27.7	-0.3	-708.3
-78.2	-11102.7						
		C3-C4;~2 Max	I	1172.1	15.3	0.1	1474.7
32.4	1990.7		J	1172.1	15.3	0.1	1474.7
262.1	20580.9	Min	I	-534.9	-31.4	-0.3	-740.2
-41.8	-7579.4		J	-534.9	-31.4	-0.3	-740.2
-82.6	-11476.2						
		G1	I	774.3	-19.8	-1.3	880.8
-180.9	-2030.6		J	774.3	-19.8	0.9	880.8
4.4	15139.0						
		G2	I	302.2	-7.8	-0.1	335.2
-4.8	-861.7		J	302.2	-7.8	-0.1	335.2
48.4	5872.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-3.0	1707.6	Q5_pc X	I	-76.9	2.1	-0.0	-166.6
9.6	-107.8		J	-76.9	2.1	-0.0	-166.6
-4.8	207.8	Q5_pc Y	I	42.7	-1.3	-0.0	142.7
5.5	1293.0		J	42.7	-1.3	-0.0	142.7
-4.2	1691.6	Q5_ps X	I	-72.3	2.0	-0.0	-155.0
12.8	-19.7		J	-72.3	2.0	-0.0	-155.0
-5.6	268.8	Q5_ps Y	I	41.1	-1.2	-0.0	137.8
9.2	1310.2		J	41.1	-1.2	-0.0	137.8
-112.6	5420.0	INVS LU Max	I	3793.2	23.0	-1.6	3472.6
745.2	66094.3		J	3793.2	23.0	1.3	3472.6
-296.7	-19843.8	Min	I	-526.2	-95.4	-2.6	-2267.4
-60.0	-16410.5		J	-526.2	-95.4	0.3	-2267.4
-82.1	3961.2	INVS LE Max	I	2771.7	18.1	-1.2	2442.1
560.0	47940.3		J	2771.7	18.1	0.9	2442.1
-217.8	-14525.1	Min	I	-417.6	-69.4	-1.9	-1787.5
-35.1	-13002.0		J	-417.6	-69.4	0.2	-1787.5
9426	2	69 C1-C2;~1 Max	I	1860.9	52.7	0.5	1289.0
455.9	37603.0		J	1860.9	52.7	0.5	1289.0
88.0	2190.1	Min	I	-954.3	-26.4	-0.2	-2606.1
-189.4	-21141.5		J	-954.3	-26.4	-0.2	-2606.1
-30.0	-11049.1						
519.8	37522.1	C3-C4;~1 Max	I	2124.4	60.1	0.5	1337.3
134.7	2163.4		J	2124.4	60.1	0.5	1337.3
-197.0	-21814.8	Min	I	-990.4	-27.4	-0.2	-2910.4
-26.7	-14928.6		J	-990.4	-27.4	-0.2	-2910.4
271.2	21240.0	C1-C2;~2 Max	I	1061.0	30.0	0.3	673.7
50.0	1132.6		J	1061.0	30.0	0.3	673.7
-99.3	-11114.4	Min	I	-500.7	-13.8	-0.1	-1485.9
-16.9	-6639.5		J	-500.7	-13.8	-0.1	-1485.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
306.0	20602.5	C3-C4;~2 Max	I	1197.1	33.8	0.3	700.7
			J	1197.1	33.8	0.3	700.7
77.5	1111.6	Min	I	-521.0	-14.4	-0.1	-1637.1
-103.5	-11488.9		J	-521.0	-14.4	-0.1	-1637.1
-14.1	-8896.7						
		G1	I	845.8	25.1	-1.0	-1245.2
7.5	15143.9		J	845.8	25.1	1.2	-1245.2
-85.3	-6573.2						
		G2	I	329.7	9.8	0.0	-474.9
51.9	5875.2		J	329.7	9.8	0.0	-474.9
33.2	-2621.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-66.8	-1.8	-0.0	77.5
-19.2	-126.1		J	-66.8	-1.8	-0.0	77.5
-4.1	1413.9						
		Q5_pc Y	I	43.2	1.4	0.0	-116.0
11.8	1298.3		J	43.2	1.4	0.0	-116.0
-2.1	118.5						
		Q5_ps X	I	-62.6	-1.7	-0.0	69.3
-15.7	-37.7		J	-62.6	-1.7	-0.0	69.3
-5.7	1411.4						
		Q5_ps Y	I	42.0	1.3	0.0	-114.5
12.8	1313.9		J	42.0	1.3	0.0	-114.5
-3.8	176.0						
		INVS LU Max	I	4010.4	111.3	-0.5	2428.0
860.2	66159.9		J	4010.4	111.3	2.4	2428.0
131.2	-6312.1	Min	I	-314.8	-10.0	-1.5	-3515.2
-142.0	-16391.1		J	-314.8	-10.0	1.4	-3515.2
-98.5	-31967.4						
		INVS LE Max	I	2933.7	81.2	-0.4	1932.4
641.6	47987.5		J	2933.7	81.2	1.8	1932.4
95.7	-4683.8	Min	I	-261.2	-8.4	-1.1	-2454.5
-98.2	-12988.3		J	-261.2	-8.4	1.0	-2454.5
-73.9	-23499.2						
9427	2	69 C1-C2;~1 Max	I	1906.9	28.2	0.1	732.4
70.7	2192.6		J	1906.9	28.2	0.1	732.4
169.9	13670.7						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-34.6	-11065.0		Min	I	-939.4	-13.8	-0.2	-1520.4
				J	-939.4	-13.8	-0.2	-1520.4
-96.8	-34613.4							
		C3-C4;~1	Max	I	2175.8	32.1	0.2	759.6
115.7	2169.0			J	2175.8	32.1	0.2	759.6
205.1	14260.6							
			Min	I	-974.2	-14.3	-0.2	-1690.5
-31.2	-14947.5			J	-974.2	-14.3	-0.2	-1690.5
-107.6	-42408.5							
		C1-C2;~2	Max	I	1086.2	16.1	0.1	382.1
39.1	1133.1			J	1086.2	16.1	0.1	382.1
101.6	7103.5							
			Min	I	-491.2	-7.2	-0.1	-868.5
-20.8	-6648.6			J	-491.2	-7.2	-0.1	-868.5
-50.9	-19978.2							
		C3-C4;~2	Max	I	1224.9	18.0	0.1	397.3
65.8	1113.8			J	1224.9	18.0	0.1	397.3
122.7	7435.5							
			Min	I	-510.7	-7.5	-0.1	-952.2
-17.9	-8907.6			J	-510.7	-7.5	-0.1	-952.2
-55.8	-24332.2							
		G1		I	921.0	13.4	-1.1	-734.8
-96.7	-6581.0			J	921.0	13.4	1.1	-734.8
-109.8	-18221.7							
		G2		I	361.0	5.3	0.0	-279.3
28.8	-2624.6			J	361.0	5.3	0.0	-279.3
17.9	-7188.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-60.0	-1.0	0.0	41.0
-3.4	1414.5			J	-60.0	-1.0	0.0	41.0
-3.7	2241.8							
		Q5_pc	Y	I	44.0	0.7	-0.0	-69.4
-3.2	117.7			J	44.0	0.7	-0.0	-69.4
-1.7	-531.1							
		Q5_ps	X	I	-56.7	-0.9	-0.0	35.8
-5.1	1411.9			J	-56.7	-0.9	-0.0	35.8
-3.5	2193.1							
		Q5_ps	Y	I	42.6	0.7	-0.0	-68.8
-4.9	175.3			J	42.6	0.7	-0.0	-68.8
-1.3	-444.1							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

110.2	-6306.0	INVSLE Max	I	4220.8	59.0	-1.2	1518.2
			J	4220.8	59.0	1.7	1518.2
224.1	-2163.3	Min	I	-139.7	-5.2	-1.7	-1914.4
-98.8	-31991.2		J	-139.7	-5.2	1.2	-1914.4
-204.6	-82701.9						
		INVSLE Max	I	3087.9	43.0	-0.9	1206.2
81.5	-4678.4		J	3087.9	43.0	1.2	1206.2
168.3	-1097.1	Min	I	-134.2	-4.5	-1.3	-1327.2
-72.8	-23515.9		J	-134.2	-4.5	0.9	-1327.2
-148.8	-60456.4						
9428	2	69 C1-C2;~1 Max	I	2023.8	1.3	0.1	131.2
163.6	13658.5		J	2023.8	1.3	0.1	131.2
228.3	13869.4	Min	I	-944.0	-1.9	-0.2	-74.8
-94.4	-34589.5		J	-944.0	-1.9	-0.2	-74.8
-74.6	-34303.9						
		C3-C4;~1 Max	I	2317.6	1.2	0.1	138.5
198.8	14248.0		J	2317.6	1.2	0.1	138.5
284.6	14454.9	Min	I	-978.3	-1.6	-0.2	-57.2
-105.4	-42381.8		J	-978.3	-1.6	-0.2	-57.2
-76.9	-42244.0						
		C1-C2;~2 Max	I	1150.6	0.8	0.0	80.0
97.8	7097.1		J	1150.6	0.8	0.0	80.0
132.0	7224.5	Min	I	-490.8	-1.2	-0.1	-43.8
-49.5	-19964.6		J	-490.8	-1.2	-0.1	-43.8
-37.6	-19785.7						
		C3-C4;~2 Max	I	1301.4	0.7	0.0	78.9
118.9	7428.9		J	1301.4	0.7	0.0	78.9
163.8	7554.1	Min	I	-509.9	-1.0	-0.1	-28.4
-54.5	-24317.2		J	-509.9	-1.0	-0.1	-28.4
-38.8	-24229.5						
		G1	I	1037.9	-0.6	-1.2	38.1
-113.3	-18210.3		J	1037.9	-0.6	1.0	38.1
-19.8	-17721.8						
		G2	I	407.7	-0.2	-0.0	15.7
16.5	-7183.7		J	407.7	-0.2	-0.0	15.7
54.2	-7006.5						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-3.5	2241.0	Q5_pc X	I	-59.0	-0.1	0.0	-7.8
-7.0	2325.8		J	-59.0	-0.1	0.0	-7.8
-2.0	-530.0	Q5_pc Y	I	48.1	-0.0	-0.0	5.0
2.1	-527.6		J	48.1	-0.0	-0.0	5.0
-3.4	2192.4	Q5_ps X	I	-56.2	-0.1	0.0	-8.2
-7.3	2274.8		J	-56.2	-0.1	0.0	-8.2
-1.6	-443.0	Q5_ps Y	I	45.8	-0.0	-0.0	4.5
1.0	-433.6		J	45.8	-0.0	-0.0	4.5
218.6	-2185.7	INVS LU Max	I	4620.6	0.9	-1.5	352.2
523.8	-958.6		J	4620.6	0.9	1.4	352.2
-198.4	-82669.8	Min	I	65.0	-3.6	-2.0	50.2
23.2	-81688.5		J	65.0	-3.6	0.9	50.2
164.7	-1115.0	INVS LE Max	I	3381.2	0.6	-1.1	259.7
389.0	-214.4		J	3381.2	0.6	1.0	259.7
-143.7	-60434.0	Min	I	14.5	-2.7	-1.5	37.0
19.1	-59704.3		J	14.5	-2.7	0.7	37.0
9429	2	69 C1-C2;~1 Max	I	2096.7	12.7	0.3	1633.7
237.3	13872.1		J	2096.7	12.7	0.3	1633.7
25.4	3058.0	Min	I	-927.8	-29.1	-0.1	-738.9
-78.7	-34310.3		J	-927.8	-29.1	-0.1	-738.9
-78.7	-10004.5						
294.7	14457.8	C3-C4;~1 Max	I	2403.2	13.2	0.4	1841.0
52.8	3229.4		J	2403.2	13.2	0.4	1841.0
-81.2	-42251.2	Min	I	-960.8	-32.8	-0.1	-766.4
-90.7	-14143.3		J	-960.8	-32.8	-0.1	-766.4
137.1	7225.9	C1-C2;~2 Max	I	1191.2	6.6	0.2	929.3
13.0	1615.6		J	1191.2	6.6	0.2	929.3
-39.7	-19789.3	Min	I	-479.6	-16.6	-0.0	-382.2


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-46.6	-6020.3		J	-479.6	-16.6	-0.0	-382.2
169.4	7555.6	C3-C4;~2 Max	I	1347.7	6.8	0.2	1030.1
30.3	1715.6		J	1347.7	6.8	0.2	1030.1
-41.1	-24233.5	Min	I	-497.9	-18.4	-0.1	-397.5
-53.2	-8445.4		J	-497.9	-18.4	-0.1	-397.5
-15.2	-17725.5	G1	I	1125.0	-15.6	-0.9	841.5
-183.1	-4258.9		J	1125.0	-15.6	1.3	841.5
56.0	-7007.9	G2	I	441.7	-6.1	0.1	323.3
-5.0	-1751.9		J	441.7	-6.1	0.1	323.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-7.3	2325.9	Q5_pc X	I	-55.9	0.7	-0.0	-51.0
-2.7	1722.8		J	-55.9	0.7	-0.0	-51.0
2.5	-527.9	Q5_pc Y	I	51.2	-0.8	0.0	77.4
-7.8	144.2		J	51.2	-0.8	0.0	77.4
-7.6	2274.9	Q5_ps X	I	-53.3	0.7	-0.0	-47.3
-4.0	1706.4		J	-53.3	0.7	-0.0	-47.3
1.5	-433.8	Q5_ps Y	I	48.3	-0.7	0.0	75.1
-8.7	215.0		J	48.3	-0.7	0.0	75.1
538.0	-955.8	INVSLU Max	I	4914.0	-0.5	-0.6	2523.7
-46.2	-201.7		J	4914.0	-0.5	2.2	2523.7
17.3	-81699.6	Min	I	272.0	-64.0	-1.3	-1135.7
-253.9	-26756.0		J	272.0	-64.0	1.6	-1135.7
399.0	-212.0	INVSLE Max	I	3598.0	0.2	-0.5	1779.9
-31.9	-188.4		J	3598.0	0.2	1.7	1779.9
14.3	-59712.1	Min	I	166.9	-46.7	-1.0	-920.5
-184.7	-19628.5		J	166.9	-46.7	1.2	-920.5
9430	2	69 C1-C2;~1 Max	I	2153.5	25.0	0.2	2775.3


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
32.7	3052.9			J	2153.5	25.0	0.2	2775.3	
527.9	42681.0		Min	I	-912.5	-57.2	-0.6	-1240.7	
-67.4	-9990.0			J	-912.5	-57.2	-0.6	-1240.7	
-163.4	-18837.4								
			C3-C4;~1	Max	I	2457.2	26.0	0.2	3135.1
66.8	3224.0			J	2457.2	26.0	0.2	3135.1	
562.7	42970.6		Min	I	-944.6	-65.1	-0.7	-1286.2	
-77.3	-14126.1			J	-944.6	-65.1	-0.7	-1286.2	
-169.8	-19446.1								
			C1-C2;~2	Max	I	1226.1	12.9	0.1	1576.5
17.0	1612.8			J	1226.1	12.9	0.1	1576.5	
319.5	24134.8		Min	I	-469.7	-32.5	-0.4	-640.7	
-38.6	-6011.7			J	-469.7	-32.5	-0.4	-640.7	
-84.0	-9659.8								
			C3-C4;~2	Max	I	1380.5	13.4	0.1	1752.9
38.7	1712.5			J	1380.5	13.4	0.1	1752.9	
339.7	23600.0		Min	I	-487.5	-36.4	-0.4	-666.0	
-43.9	-8435.5			J	-487.5	-36.4	-0.4	-666.0	
-87.5	-9993.1								
			G1	I	1181.7	-31.1	-1.4	1460.3	
-169.8	-4249.7			J	1181.7	-31.1	0.8	1460.3	
95.5	22702.4								
			G2	I	461.8	-12.2	-0.1	561.7	
0.1	-1748.3			J	461.8	-12.2	-0.1	561.7	
83.7	8789.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-49.3	1.4	-0.0	-81.0
-3.5	1722.3			J	-49.3	1.4	-0.0	-81.0	
4.7	494.9								
			Q5_pc	Y	I	52.6	-1.5	-0.0	126.1
-6.6	144.9			J	52.6	-1.5	-0.0	126.1	
9.6	1464.7								
			Q5_ps	X	I	-46.7	1.3	-0.0	-75.0
-4.7	1705.9			J	-46.7	1.3	-0.0	-75.0	
7.6	543.4								
			Q5_ps	Y	I	50.3	-1.5	-0.0	121.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-7.6	215.7			J	50.3	-1.5	-0.0 121.9
13.1	1477.8						
		INVS LU	Max	I	5126.3	-3.6	-1.8 4375.9
-28.4	-208.3			J	5126.3	-3.6	1.1 4375.9
1149.5	87816.9		Min	I	439.2	-129.2	-3.0 -1819.8
-234.9	-26731.2			J	439.2	-129.2	-0.1 -1819.8
143.3	917.9						
		INVS LE	Max	I	3756.8	-1.5	-1.3 3092.7
-20.0	-194.1			J	3756.8	-1.5	0.8 3092.7
859.5	63937.9		Min	I	291.9	-94.3	-2.2 -1479.9
-172.0	-19611.0			J	291.9	-94.3	-0.1 -1479.9
115.4	-236.4						
9431	2	69 C1-C2;~1	Max	I	2176.8	59.0	0.6 1146.2
557.5	42688.9			J	2176.8	59.0	0.6 1146.2
52.2	2069.7		Min	I	-895.6	-23.9	-0.2 -2829.9
-180.2	-18847.7			J	-895.6	-23.9	-0.2 -2829.9
-43.7	-11131.5						
		C3-C4;~1	Max	I	2477.8	67.0	0.7 1186.9
621.8	42991.3			J	2477.8	67.0	0.7 1186.9
94.0	2056.5		Min	I	-926.9	-24.7	-0.2 -3169.1
-186.1	-19456.5			J	-926.9	-24.7	-0.2 -3169.1
-44.6	-15250.9						
		C1-C2;~2	Max	I	1240.4	33.6	0.4 584.2
332.6	24139.2			J	1240.4	33.6	0.4 584.2
28.2	1018.5		Min	I	-459.3	-12.2	-0.1 -1611.8
-92.5	-9664.9			J	-459.3	-12.2	-0.1 -1611.8
-26.1	-6676.7						
		C3-C4;~2	Max	I	1393.3	37.6	0.4 606.7
367.7	23605.7			J	1393.3	37.6	0.4 606.7
53.9	1022.1		Min	I	-476.6	-12.7	-0.1 -1778.0
-95.7	-9998.3			J	-476.6	-12.7	-0.1 -1778.0
-25.9	-9069.6						
		G1		I	1218.5	33.7	-0.8 -1596.3
107.1	22713.7			J	1218.5	33.7	1.3 -1596.3
-122.9	-6498.1						
		G2		I	476.1	13.2	0.1 -613.3
89.3	8794.0			J	476.1	13.2	0.1 -613.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
18.9	-2637.5						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-42.9	-1.1	-0.0
-10.6	486.2			J	-42.9	-1.1	-0.0
-2.6	1418.2						
			Q5_pc Y	I	52.7	1.6	0.0
15.8	1468.7			J	52.7	1.6	0.0
-3.9	110.7						
			Q5_ps X	I	-40.6	-1.0	-0.0
-7.3	535.0			J	-40.6	-1.0	-0.0
-4.1	1419.5						
			Q5_ps Y	I	50.6	1.5	0.0
17.4	1480.8			J	50.6	1.5	0.0
-5.5	181.9						
			INVSLE Max	I	5235.1	137.0	0.0
1233.4	87881.0			J	5235.1	137.0	2.9
75.2	-6441.2		Min	I	543.8	10.3	-1.3
114.3	932.8			J	543.8	10.3	1.6
-118.8	-32376.7						
			INVSLE Max	I	3837.3	100.1	0.0
918.8	63983.5			J	3837.3	100.1	2.2
55.8	-4768.4		Min	I	369.3	6.4	-0.9
91.9	-226.8			J	369.3	6.4	1.2
-87.4	-23790.8						
9432	2	69	C1-C2;~1 Max	I	2180.6	31.0	0.1
41.8	2071.0			J	2180.6	31.0	0.1
220.2	12442.1		Min	I	-876.7	-12.2	-0.3
-55.2	-11146.7			J	-876.7	-12.2	-0.3
-85.7	-37229.6						
			C3-C4;~1 Max	I	2484.3	35.1	0.1
79.9	2062.5			J	2484.3	35.1	0.1
262.6	12899.5		Min	I	-907.1	-12.6	-0.3
-60.6	-15268.0			J	-907.1	-12.6	-0.3
-89.3	-45401.6						
			C1-C2;~2 Max	I	1241.5	17.7	0.1
21.1	1018.5			J	1241.5	17.7	0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
129.5	6317.9		Min	I	-447.5	-6.2	-0.2	-963.7
-33.3	-6685.5			J	-447.5	-6.2	-0.2	-963.7
-44.5	-21471.0							
		C3-C4;~2	Max	I	1396.0	19.7	0.1	355.7
44.6	1025.2			J	1396.0	19.7	0.1	355.7
154.1	6570.6		Min	I	-464.3	-6.5	-0.2	-1059.8
-36.2	-9079.3			J	-464.3	-6.5	-0.2	-1059.8
-46.5	-26000.9							
		G1		I	1247.9	17.7	-1.2	-953.0
-137.5	-6506.7			J	1247.9	17.7	1.0	-953.0
-40.0	-21785.3							
		G2		I	489.5	6.9	-0.0	-365.6
13.3	-2640.8			J	489.5	6.9	-0.0	-365.6
45.7	-8621.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-38.1	-0.6	0.0	17.9
-2.3	1418.4			J	-38.1	-0.6	0.0	17.9
-3.8	1903.8							
		Q5_pc Y		I	52.8	0.9	-0.0	-73.2
-5.0	110.1			J	52.8	0.9	-0.0	-73.2
-0.3	-627.1							
		Q5_ps X		I	-36.5	-0.5	0.0	14.9
-3.8	1419.7			J	-36.5	-0.5	0.0	14.9
-4.0	1879.6							
		Q5_ps Y		I	50.5	0.8	-0.0	-71.7
-6.6	181.3			J	50.5	0.8	-0.0	-71.7
-0.4	-520.4							
		INVSLU Max		I	5282.1	70.7	-1.4	1215.3
59.1	-6440.3			J	5282.1	70.7	1.4	1215.3
469.9	-11004.5		Min	I	608.6	4.8	-2.0	-2405.4
-139.5	-32401.2			J	608.6	4.8	0.9	-2405.4
-12.0	-93137.8							
		INVSLE Max		I	3869.9	51.6	-1.1	984.1
45.1	-4767.1			J	3869.9	51.6	1.1	984.1
349.7	-7566.1		Min	I	415.1	2.9	-1.5	-1688.2
-101.3	-23808.2			J	415.1	2.9	0.6	-1688.2


MIDAS

PROJECT TITLE :

		Company					Client	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Author					File Name		
-6.8	-68151.7								
9433	2	69	C1-C2;~1	Max	I	2216.0	1.4	0.1	80.7
210.8	12439.7				J	2216.0	1.4	0.1	80.7
224.3	12495.2								
			Min		I	-857.5	-1.6	-0.1	-76.7
-82.0	-37224.4				J	-857.5	-1.6	-0.1	-76.7
-67.2	-37117.4								
			C3-C4;~1	Max	I	2528.5	1.3	0.1	76.4
252.4	12897.0				J	2528.5	1.3	0.1	76.4
271.8	12945.5								
			Min		I	-886.6	-1.3	-0.1	-68.9
-85.6	-45395.7				J	-886.6	-1.3	-0.1	-68.9
-69.1	-45350.1								
			C1-C2;~2	Max	I	1261.4	0.9	0.0	51.2
124.1	6316.7				J	1261.4	0.9	0.0	51.2
131.3	6360.5								
			Min		I	-434.7	-1.0	-0.0	-49.1
-42.7	-21468.0				J	-434.7	-1.0	-0.0	-49.1
-33.9	-21401.3								
			C3-C4;~2	Max	I	1420.5	0.8	0.0	44.0
148.3	6569.3				J	1420.5	0.8	0.0	44.0
158.7	6609.0								
			Min		I	-450.6	-0.8	-0.1	-39.9
-44.6	-25997.7				J	-450.6	-0.8	-0.1	-39.9
-34.9	-25971.1								
			G1		I	1294.3	-0.1	-1.1	3.4
-45.4	-21782.4				J	1294.3	-0.1	1.0	3.4
-20.2	-21668.0								
			G2		I	508.3	-0.0	-0.0	1.4
43.6	-8620.6				J	508.3	-0.0	-0.0	1.4
53.8	-8577.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-35.0	-0.1	0.0	-2.7
-3.7	1903.7				J	-35.0	-0.1	0.0	-2.7
-3.9	1959.9								
			Q5_pc	Y	I	56.0	0.0	-0.0	2.0
-0.7	-626.9				J	56.0	0.0	-0.0	2.0
3.1	-635.5								
			Q5_ps	X	I	-33.8	-0.1	0.0	-3.0
-3.9	1879.5				J	-33.8	-0.1	0.0	-3.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.0	1930.9						
		Q5_ps	Y	I	53.0	0.0	-0.0 2.0
-0.8	-520.3			J	53.0	0.0	-0.0 2.0
2.3	-524.7						
		INVSLU	Max	I	5412.5	1.6	-1.4 156.5
457.7	-11005.3			J	5412.5	1.6	1.5 156.5
523.9	-10561.8		Min	I	701.3	-2.6	-1.7 -61.0
-5.3	-93127.2			J	701.3	-2.6	1.2 -61.0
56.7	-92788.9						
		INVSLE	Max	I	3964.6	1.2	-1.0 115.6
341.2	-7566.9			J	3964.6	1.2	1.1 115.6
389.3	-7233.8		Min	I	482.3	-1.9	-1.2 -45.1
-1.3	-68144.1			J	482.3	-1.9	0.9 -45.1
43.7	-67881.4						
9434	2	69	C1-C2;~1	Max	I	2220.5	11.7 0.3 1717.8
233.8	12497.2			J	2220.5	11.7	0.3 1717.8
29.6	2610.4		Min	I	-826.9	-31.4	-0.1 -648.9
-70.6	-37122.9			J	-826.9	-31.4	-0.1 -648.9
-67.3	-10713.9						
		C3-C4;~1	Max	I	2531.0	12.1	0.3 1923.1
282.4	12947.6			J	2531.0	12.1	0.3 1923.1
63.4	2571.4		Min	I	-854.4	-35.4	-0.1 -671.1
-72.5	-45356.3			J	-854.4	-35.4	-0.1 -671.1
-75.1	-14924.1						
		C1-C2;~2	Max	I	1264.8	5.9	0.2 979.9
136.8	6361.5			J	1264.8	5.9	0.2 979.9
14.8	1349.6		Min	I	-416.1	-17.9	-0.0 -326.7
-35.6	-21404.3			J	-416.1	-17.9	-0.0 -326.7
-40.2	-6422.2						
		C3-C4;~2	Max	I	1422.7	6.1	0.2 1079.6
164.6	6610.0			J	1422.7	6.1	0.2 1079.6
36.1	1360.6		Min	I	-431.0	-19.9	-0.1 -338.8
-36.6	-25974.5			J	-431.0	-19.9	-0.1 -338.8
-44.6	-8873.5						
		G1		I	1314.6	-18.4	-0.9 989.0
-14.7	-21671.4			J	1314.6	-18.4	1.2 989.0
-163.2	-5776.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
55.9	-8578.8	G2	I	515.9	-7.2	0.1	380.0
			J	515.9	-7.2	0.1	380.0
3.0	-2357.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-4.0	1960.0	Q5_pc X	I	-30.9	0.4	0.0	-20.0
			J	-30.9	0.4	0.0	-20.0
-4.1	1634.6						
		Q5_pc Y	I	58.5	-0.9	0.0	79.9
3.5	-635.8		J	58.5	-0.9	0.0	79.9
-7.9	118.5						
		Q5_ps X	I	-29.7	0.4	0.0	-17.9
-4.2	1930.9		J	-29.7	0.4	0.0	-17.9
-5.4	1618.9						
		Q5_ps Y	I	55.4	-0.8	0.0	77.8
2.7	-524.8		J	55.4	-0.8	0.0	77.8
-9.1	197.4						
		INVSLE Max	I	5466.4	-7.0	-0.7	2575.8
537.6	-10562.0		J	5466.4	-7.0	2.2	2575.8
13.6	-3912.5						
		Min	I	790.8	-72.7	-1.3	-1070.1
51.2	-92800.3		J	790.8	-72.7	1.6	-1070.1
-187.5	-30526.4						
		INVSLE Max	I	4004.5	-4.5	-0.5	1812.9
398.9	-7233.8		J	4004.5	-4.5	1.6	1812.9
12.1	-2893.6						
		Min	I	548.9	-53.1	-1.0	-877.1
39.2	-67889.7		J	548.9	-53.1	1.2	-877.1
-135.8	-22389.7						
		69 C1-C2;~1 Max	I	2243.6	22.4	0.2	2890.9
9435	2		J	2243.6	22.4	0.2	2890.9
40.5	2606.8						
		Min	I	-812.1	-60.3	-0.7	-1085.4
566.6	44303.8		J	-812.1	-60.3	-0.7	-1085.4
-56.3	-10698.7						
		C3-C4;~1 Max	I	2550.3	23.2	0.2	3245.0
-162.8	-17065.1		J	2550.3	23.2	0.2	3245.0
78.8	2566.4						
		Min	I	-838.9	-68.3	-0.7	-1122.1
618.9	44579.4		J	-838.9	-68.3	-0.7	-1122.1
-60.9	-14906.8						
			J	-838.9	-68.3	-0.7	-1122.1
-168.7	-17620.3						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
21.4	1347.7	C1-C2;~2	Max	I	1280.5	11.3	0.1	1647.2
				J	1280.5	11.3	0.1	1647.2
339.9	25089.3		Min	I	-406.4	-34.3	-0.4	-545.2
-32.7	-6413.3			J	-406.4	-34.3	-0.4	-545.2
-81.4	-8497.3							
45.4	1358.0	C3-C4;~2	Max	I	1436.1	11.7	0.1	1820.5
				J	1436.1	11.7	0.1	1820.5
368.7	24535.5		Min	I	-420.9	-38.3	-0.4	-565.2
-34.8	-8863.6			J	-420.9	-38.3	-0.4	-565.2
-84.6	-8797.0							
			G1	I	1329.3	-35.8	-1.4	1683.6
-148.0	-5766.3			J	1329.3	-35.8	0.8	1683.6
125.5	25192.1							
			G2	I	519.7	-14.0	-0.1	648.1
8.9	-2354.0			J	519.7	-14.0	-0.1	648.1
96.1	9764.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-26.6	0.7	-0.0	-31.5
-4.4	1634.5			J	-26.6	0.7	-0.0	-31.5
1.7	988.9							
			Q5_pc Y	I	59.8	-1.7	-0.0	130.1
-6.7	119.2			J	59.8	-1.7	-0.0	130.1
11.8	1588.1							
			Q5_ps X	I	-25.3	0.7	-0.0	-28.1
-5.6	1618.8			J	-25.3	0.7	-0.0	-28.1
3.7	1001.4							
			Q5_ps Y	I	57.0	-1.6	-0.0	126.3
-7.9	198.1			J	57.0	-1.6	-0.0	126.3
14.6	1598.4							
			INVSLU Max	I	5541.1	-15.9	-1.8	4528.9
33.0	-3915.4			J	5541.1	-15.9	1.1	4528.9
1275.6	94916.3		Min	I	858.0	-142.5	-3.0	-1601.0
-167.7	-30500.8			J	858.0	-142.5	-0.1	-1601.0
191.1	8088.1							
			INVSLE Max	I	4061.2	-10.6	-1.3	3200.1
25.2	-2896.5			J	4061.2	-10.6	0.8	3200.1
951.1	69181.6							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-122.6	-22371.5		Min	I	600.2	-104.1	-2.2	-1323.1	
				J	600.2	-104.1	-0.1	-1323.1	
149.3	5076.1								
9436	2	69	C1-C2;~1	Max	I	2244.1	60.0	0.7	1061.2
545.8	44288.5				J	2244.1	60.0	0.7	1061.2
40.2	2036.1								
			Min	I	-800.5	-21.4	-0.2	-2901.0	
-141.9	-17051.6				J	-800.5	-21.4	-0.2	-2901.0
-54.2	-10468.9								
			C3-C4;~1	Max	I	2550.5	67.9	0.7	1092.6
593.3	44559.7				J	2550.5	67.9	0.7	1092.6
76.9	1918.4								
			Min	I	-826.9	-22.1	-0.2	-3254.5	
-146.0	-17605.7				J	-826.9	-22.1	-0.2	-3254.5
-60.9	-14588.1								
			C1-C2;~2	Max	I	1281.2	34.2	0.4	528.9
328.9	25080.9				J	1281.2	34.2	0.4	528.9
21.0	1041.5								
			Min	I	-398.5	-10.6	-0.1	-1654.4	
-70.8	-8490.4				J	-398.5	-10.6	-0.1	-1654.4
-32.0	-6321.6								
			C3-C4;~2	Max	I	1436.7	38.2	0.4	544.9
355.6	24524.9				J	1436.7	38.2	0.4	544.9
44.2	1002.5								
			Min	I	-412.8	-11.0	-0.1	-1827.6	
-73.0	-8789.4				J	-412.8	-11.0	-0.1	-1827.6
-35.3	-8735.9								
			G1	I	1330.6	35.9	-0.8	-1686.8	
126.0	25190.3				J	1330.6	35.9	1.4	-1686.8
-145.5	-5850.4								
			G2	I	520.2	14.0	0.1	-649.5	
96.1	9763.9				J	520.2	14.0	0.1	-649.5
9.8	-2386.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-23.0	-0.5	-0.0	7.5
-2.3	986.6				J	-23.0	-0.5	-0.0	7.5
-1.7	1430.6								
			Q5_pc	Y	I	59.9	1.8	0.0	-126.2
17.2	1590.9				J	59.9	1.8	0.0	-126.2
-3.9	65.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.7	999.5	Q5_ps X	I	-22.1	-0.5	0.0	5.5
-2.9	1427.0		J	-22.1	-0.5	0.0	5.5
19.5	1600.8	Q5_ps Y	I	57.1	1.7	0.0	-122.5
-5.4	148.4		J	57.1	1.7	0.0	-122.5
1258.0	94897.9	INVSLU Max	I	5535.3	141.8	0.1	1589.4
26.8	-4619.6		J	5535.3	141.8	3.0	1589.4
228.9	8111.0	Min	I	868.0	17.1	-1.1	-4506.4
-166.3	-29637.3		J	868.0	17.1	1.8	-4506.4
938.0	69168.0	INVSLE Max	I	4056.5	103.6	0.1	1316.5
20.4	-3383.8		J	4056.5	103.6	2.2	1316.5
178.0	5093.5	Min	I	607.3	11.5	-0.8	-3182.1
-122.1	-21724.7		J	607.3	11.5	1.3	-3182.1
9437	2	69 C1-C2;~1 Max	I	2217.9	30.8	0.1	628.5
33.8	2040.1		J	2217.9	30.8	0.1	628.5
243.0	11164.6	Min	I	-793.2	-10.8	-0.3	-1714.3
-69.4	-10484.8		J	-793.2	-10.8	-0.3	-1714.3
-83.9	-36347.5						
65.5	1924.0	C3-C4;~1 Max	I	2526.4	34.6	0.1	647.1
294.2	11475.8		J	2526.4	34.6	0.1	647.1
-78.5	-14606.4	Min	I	-815.3	-11.2	-0.4	-1916.9
-86.9	-44361.1		J	-815.3	-11.2	-0.4	-1916.9
16.7	1043.7	C1-C2;~2 Max	I	1265.0	17.6	0.1	314.4
141.3	5618.8		J	1265.0	17.6	0.1	314.4
-41.6	-6330.8	Min	I	-394.7	-5.4	-0.2	-979.2
-42.5	-21028.2		J	-394.7	-5.4	-0.2	-979.2
36.7	1005.3	C3-C4;~2 Max	I	1422.2	19.5	0.1	324.0
170.3	5778.0		J	1422.2	19.5	0.1	324.0
-46.6	-8746.3	Min	I	-405.9	-5.6	-0.2	-1077.6
-44.2	-25504.5		J	-405.9	-5.6	-0.2	-1077.6
-160.9	-5860.1	G1	I	1319.1	18.2	-1.2	-987.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-16.3	-21659.7		J	1319.1	18.2	0.9	-987.3
		G2	I	517.7	7.1	-0.1	-379.4
3.9	-2389.8		J	517.7	7.1	-0.1	-379.4
55.3	-8571.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-19.9	-0.2	0.0	1.4
-1.7	1430.7		J	-19.9	-0.2	0.0	1.4
-4.1	1632.6						
		Q5_pc Y	I	59.9	0.9	-0.0	-77.2
-5.1	64.8		J	59.9	0.9	-0.0	-77.2
0.5	-752.4						
		Q5_ps X	I	-19.6	-0.2	0.0	-0.1
-2.8	1427.1		J	-19.6	-0.2	0.0	-0.1
-4.5	1617.9						
		Q5_ps Y	I	56.7	0.9	-0.0	-75.1
-6.6	147.8		J	56.7	0.9	-0.0	-75.1
0.0	-630.8						
		INVSLE Max	I	5443.7	71.3	-1.5	1059.0
13.1	-4616.1		J	5443.7	71.3	1.4	1059.0
550.7	-12276.8						
		Min	I	824.6	7.9	-2.2	-2541.4
-190.4	-29664.1		J	824.6	7.9	0.7	-2541.4
28.7	-90595.3						
		INVSLE Max	I	3986.3	52.1	-1.1	870.0
11.5	-3380.5		J	3986.3	52.1	1.0	870.0
408.7	-8454.2						
		Min	I	572.8	5.2	-1.6	-1786.7
-138.5	-21743.7		J	572.8	5.2	0.5	-1786.7
22.6	-66250.3						
9438	2	69 C1-C2;~1 Max	I	2197.1	1.5	0.1	76.9
233.6	11162.4		J	2197.1	1.5	0.1	76.9
197.2	10994.2						
		Min	I	-799.3	-1.5	-0.1	-83.1
-80.5	-36341.7		J	-799.3	-1.5	-0.1	-83.1
-61.9	-36309.8						
		C3-C4;~1 Max	I	2502.1	1.2	0.1	68.6
283.9	11473.6		J	2502.1	1.2	0.1	68.6
234.9	11305.2						
		Min	I	-821.4	-1.4	-0.1	-79.1
-83.5	-44354.6						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-64.3	-44226.3		J	-821.4	-1.4	-0.1	-79.1
136.0	5617.7	C1-C2;~2 Max	I	1254.6	0.9	0.1	48.7
117.7	5511.4		J	1254.6	0.9	0.1	48.7
-40.9	-21025.0	Min	I	-402.7	-1.0	-0.0	-52.5
-32.9	-21008.6		J	-402.7	-1.0	-0.0	-52.5
164.5	5776.9	C3-C4;~2 Max	I	1410.8	0.8	0.1	39.2
140.3	5671.0		J	1410.8	0.8	0.1	39.2
-42.5	-25500.9	Min	I	-414.1	-0.8	-0.0	-45.6
-34.1	-25429.6		J	-414.1	-0.8	-0.0	-45.6
-21.7	-21656.2	G1	I	1304.8	0.1	-1.0	-2.2
-41.8	-21772.1		J	1304.8	0.1	1.1	-2.2
53.2	-8570.2	G2	I	512.4	0.0	0.0	-0.9
44.9	-8612.4		J	512.4	0.0	0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.1	1632.5	Q5_pc X	I	-15.8	-0.0	-0.0	-1.7
-0.8	1641.6		J	-15.8	-0.0	-0.0	-1.7
0.1	-752.2	Q5_pc Y	I	63.0	0.0	-0.0	1.6
3.7	-768.9		J	63.0	0.0	-0.0	1.6
-4.6	1617.8	Q5_ps X	I	-15.6	-0.0	-0.0	-1.9
-0.8	1620.7		J	-15.6	-0.0	-0.0	-1.9
-0.4	-630.6	Q5_ps Y	I	59.5	0.0	-0.0	1.8
3.2	-647.2		J	59.5	0.0	-0.0	1.8
537.5	-12276.7	INVSLU Max	I	5356.3	2.7	-1.2	58.5
432.4	-13045.3		J	5356.3	2.7	1.7	58.5
34.1	-90583.3	Min	I	756.2	-1.4	-1.5	-160.5
21.8	-90967.9		J	756.2	-1.4	1.4	-160.5
		INVSLE Max	I	3920.0	2.0	-0.9	43.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
399.5	-8454.4			J	3920.0	2.0	43.1
321.8	-9040.7						
			Min	I	521.0	-1.0	-118.9
27.2	-66241.6						
				J	521.0	-1.0	-118.9
18.2	-66542.2						
9439	2	69	C1-C2;~1	Max	I	2146.1	1658.4
206.3	10996.3						
				J	2146.1	11.3	0.2
40.7	2104.1						
			Min	I	-794.8	-30.5	-617.8
-65.2	-36315.0						
				J	-794.8	-30.5	-617.8
-55.6	-10686.9						
			C3-C4;~1	Max	I	2436.9	1847.4
244.8	11307.4						
				J	2436.9	11.6	0.3
79.6	1913.2						
			Min	I	-816.6	-34.4	-635.8
-67.5	-44232.0						
				J	-816.6	-34.4	-635.8
-60.1	-14664.2						
			C1-C2;~2	Max	I	1228.0	950.4
123.0	5512.5						
				J	1228.0	5.8	0.1
20.7	1088.3						
			Min	I	-405.4	-17.5	-314.5
-34.6	-21011.5						
				J	-405.4	-17.5	-314.5
-33.2	-6414.5						
			C3-C4;~2	Max	I	1377.4	1043.1
145.9	5672.1						
				J	1377.4	5.9	0.2
44.5	1005.1						
			Min	I	-416.8	-19.4	-324.0
-35.8	-25432.8						
				J	-416.8	-19.4	-324.0
-35.7	-8744.6						
			G1	I	1264.6	-17.7	958.9
-36.5	-21775.2						
				J	1264.6	-17.7	958.9
-139.8	-6473.3						
			G2	I	495.9	-6.9	368.0
47.0	-8613.6						
				J	495.9	-6.9	368.0
12.4	-2623.2						
			Q3	I	0.0	0.0	0.0
0.0	0.0						
				J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	X	I	-11.0	-0.4
-0.9	1641.6						
				J	-11.0	0.1	0.0
-5.0	1514.3						
			Q5_pc	Y	I	65.5	83.2
4.2	-769.1						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-7.9	53.7		J	65.5	-1.0	0.0	83.2
-0.9	1620.7	Q5_ps X	I	-10.7	0.1	0.0	0.6
-6.2	1492.6		J	-10.7	0.1	0.0	0.6
3.7	-647.4	Q5_ps Y	I	62.1	-0.9	0.0	81.3
-9.4	135.5		J	62.1	-0.9	0.0	81.3
444.2	-13045.0	INVSLU Max	I	5193.8	-5.2	-0.9	2327.9
64.5	-6767.8		J	5193.8	-5.2	2.0	2327.9
15.0	-90978.1	Min	I	683.7	-69.1	-1.4	-1174.2
-138.3	-32130.7		J	683.7	-69.1	1.5	-1174.2
330.1	-9040.3	INVSLE Max	I	3800.2	-3.2	-0.7	1627.9
49.4	-5035.3		J	3800.2	-3.2	1.5	1627.9
12.7	-66549.6	Min	I	468.1	-50.3	-1.0	-955.1
-99.8	-23620.8		J	468.1	-50.3	1.1	-955.1
9440	2	69 C1-C2;~1 Max	I	2140.3	21.8	0.2	2779.6
54.2	2104.3		J	2140.3	21.8	0.2	2779.6
566.0	42329.9	Min	I	-805.9	-58.0	-0.6	-1046.5
-47.4	-10673.6		J	-805.9	-58.0	-0.6	-1046.5
-178.7	-17638.8						
97.3	1913.1	C3-C4;~1 Max	I	2426.7	22.4	0.2	3103.0
631.8	42471.7		J	2426.7	22.4	0.2	3103.0
-47.0	-14648.2	Min	I	-828.0	-65.7	-0.7	-1076.9
-183.8	-18112.3		J	-828.0	-65.7	-0.7	-1076.9
29.3	1089.1	C1-C2;~2 Max	I	1227.0	11.1	0.1	1591.5
338.2	24085.0		J	1227.0	11.1	0.1	1591.5
-27.6	-6406.9	Min	I	-414.2	-33.2	-0.4	-534.5
-91.5	-9106.9		J	-414.2	-33.2	-0.4	-534.5
55.6	1005.8	C3-C4;~2 Max	I	1374.2	11.4	0.1	1751.5
374.0	23490.9		J	1374.2	11.4	0.1	1751.5
-26.5	-8735.3	Min	I	-425.9	-37.1	-0.4	-550.6
-94.1	-9357.3		J	-425.9	-37.1	-0.4	-550.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-125.1	-6464.5	G1	I	1238.6	-34.0	-1.3	1612.2
			J	1238.6	-34.0	0.8	1612.2
108.6	23007.6						
		G2	I	483.8	-13.3	-0.1	619.7
18.0	-2619.8		J	483.8	-13.3	-0.1	619.7
90.1	8912.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-8.1	0.2	-0.0	0.9
-5.0	1514.4		J	-8.1	0.2	-0.0	0.9
-0.0	1299.2						
		Q5_pc Y	I	66.8	-1.9	-0.0	136.3
-6.6	54.5		J	66.8	-1.9	-0.0	136.3
13.6	1670.4						
		Q5_ps X	I	-7.8	0.2	-0.0	2.6
-6.2	1492.7		J	-7.8	0.2	-0.0	2.6
1.2	1282.0						
		Q5_ps Y	I	63.7	-1.8	-0.0	132.8
-8.2	136.2		J	63.7	-1.8	-0.0	132.8
15.9	1674.6						
		INVSLU Max	I	5131.3	-11.8	-1.6	4116.7
85.0	-6766.7		J	5131.3	-11.8	1.3	4116.7
1223.4	85653.8						
		Min	I	617.3	-134.1	-2.9	-1771.6
-122.4	-32108.3		J	617.3	-134.1	0.0	-1771.6
97.9	858.6						
		INVSLE Max	I	3755.1	-7.5	-1.2	2892.6
63.3	-5035.3		J	3755.1	-7.5	0.9	2892.6
910.5	62214.5						
		Min	I	420.3	-97.8	-2.1	-1450.9
-89.5	-23604.9		J	420.3	-97.8	0.0	-1450.9
78.6	-374.0						
9441	2	69 C1-C2;~1 Max	I	2119.5	55.8	0.6	1145.5
499.6	42302.2		J	2119.5	55.8	0.6	1145.5
34.8	2140.1						
		Min	I	-820.0	-22.2	-0.1	-2756.9
-125.6	-17608.2		J	-820.0	-22.2	-0.1	-2756.9
-66.2	-9176.3						
		C3-C4;~1 Max	I	2407.8	63.2	0.6	1180.0
528.3	42425.7		J	2407.8	63.2	0.6	1180.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
67.4	1909.7		Min	I	-842.6	-22.8	-0.2	-3098.4
-129.5	-18080.4			J	-842.6	-22.8	-0.2	-3098.4
-78.5	-12988.3							
305.8	24069.8	C1-C2;~2	Max	I	1215.0	31.9	0.4	597.0
				J	1215.0	31.9	0.4	597.0
17.7	1160.9		Min	I	-424.2	-11.5	-0.1	-1577.0
-65.2	-9091.9			J	-424.2	-11.5	-0.1	-1577.0
-38.2	-5615.0							
323.4	23472.2	C3-C4;~2	Max	I	1363.4	35.7	0.4	615.8
				J	1363.4	35.7	0.4	615.8
38.8	1052.1		Min	I	-436.2	-11.9	-0.1	-1746.6
-67.2	-9341.7			J	-436.2	-11.9	-0.1	-1746.6
-44.8	-7900.9							
101.7	22998.9		G1	I	1204.4	31.7	-0.8	-1486.1
-166.6	-4437.8			J	1204.4	31.7	1.4	-1486.1
86.0	8908.1		G2	I	470.7	12.4	0.1	-571.9
				J	470.7	12.4	0.1	-571.9
1.3	-1816.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
3.9	1301.0	Q5_pc	X	I	-6.4	-0.1	0.0	-11.6
-0.6	1371.3			J	-6.4	-0.1	0.0	-11.6
18.9	1672.7	Q5_pc	Y	I	66.6	1.9	0.0	-135.1
-3.7	3.8			J	66.6	1.9	0.0	-135.1
6.7	1284.6	Q5_ps	X	I	-6.5	-0.1	0.0	-11.7
-1.4	1360.5			J	-6.5	-0.1	0.0	-11.7
21.8	1677.2	Q5_ps	Y	I	63.3	1.8	0.0	-130.2
-5.1	91.1			J	63.3	1.8	0.0	-130.2
1113.7	85571.1	INVSLU	Max	I	5012.0	125.1	0.0	1806.2
-31.6	-2006.5			J	5012.0	125.1	2.9	1806.2
			Min	I	504.0	5.5	-1.1	-4212.9
191.6	877.0			J	504.0	5.5	1.8	-4212.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-235.1	-24898.3							
		INVSLE	Max	I	3666.0	91.2	0.0	1477.4
831.6	62154.7			J	3666.0	91.2	2.2	1477.4
-22.6	-1477.9							
		Min		I	335.6	2.8	-0.8	-2963.2
151.1	-358.6			J	335.6	2.8	1.3	-2963.2
-172.8	-18252.0							
		69 C1-C2;~1	Max	I	2061.9	28.4	0.1	682.3
9442	2			J	2061.9	28.4	0.1	682.3
32.3	2139.5							
		Min		I	-829.0	-11.1	-0.3	-1627.6
242.5	11234.1			J	-829.0	-11.1	-0.3	-1627.6
-81.8	-9191.8							
		C3-C4;~1	Max	I	2351.4	31.8	0.1	703.3
-80.6	-32938.3			J	2351.4	31.8	0.1	703.3
56.6	1909.5							
		Min		I	-852.0	-11.4	-0.4	-1822.7
300.5	11580.7			J	-852.0	-11.4	-0.4	-1822.7
-95.4	-13006.6							
		C1-C2;~2	Max	I	1180.7	16.3	0.1	356.7
-83.0	-40320.6			J	1180.7	16.3	0.1	356.7
16.4	1159.9							
		Min		I	-431.9	-5.8	-0.2	-932.5
139.8	5917.0			J	-431.9	-5.8	-0.2	-932.5
-48.3	-5624.1							
		C3-C4;~2	Max	I	1330.6	18.0	0.1	368.1
-40.1	-19186.0			J	1330.6	18.0	0.1	368.1
31.7	1051.2							
		Min		I	-444.3	-6.0	-0.2	-1028.6
172.4	6110.7			J	-444.3	-6.0	-0.2	-1028.6
-55.7	-7911.3							
		G1		I	1150.9	16.0	-1.3	-859.9
-41.3	-23401.4			J	1150.9	16.0	0.9	-859.9
-180.0	-4447.2							
		G2		I	451.8	6.2	-0.1	-330.5
-15.8	-18268.4			J	451.8	6.2	-0.1	-330.5
-3.8	-1819.8							
		Q3		I	0.0	0.0	0.0	0.0
55.8	-7212.2			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-4.4	-0.0	0.0	-9.3
0.0	0.0			J	-4.4	-0.0	0.0	-9.3
-0.7	1371.4							
-4.4	1376.2							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.9	3.0	Q5_pc	Y	I	66.1	1.0	-0.0	-82.4
0.6	-883.4			J	66.1	1.0	-0.0	-82.4
-1.6	1360.5	Q5_ps	X	I	-5.1	-0.0	0.0	-9.5
-5.0	1363.8			J	-5.1	-0.0	0.0	-9.5
-6.3	90.4	Q5_ps	Y	I	62.3	1.0	-0.0	-79.5
-0.3	-756.2			J	62.3	1.0	-0.0	-79.5
-43.7	-2007.8	INVS LU	Max	I	4781.2	62.1	-1.6	1128.3
537.5	-5010.7			J	4781.2	62.1	1.3	1128.3
-257.8	-24923.4		Min	I	337.6	1.8	-2.3	-2430.1
12.0	-77554.8			J	337.6	1.8	0.6	-2430.1
-30.3	-1478.1	INVS LE	Max	I	3492.7	45.2	-1.2	919.9
398.7	-3056.4			J	3492.7	45.2	1.0	919.9
-188.2	-18269.7		Min	I	210.0	0.7	-1.7	-1705.0
10.0	-56609.2			J	210.0	0.7	0.5	-1705.0
9443	2	69 C1-C2;~1	Max	I	1974.6	1.7	0.2	75.7
233.5	11231.4			J	1974.6	1.7	0.2	75.7
151.1	10870.2		Min	I	-823.5	-1.4	-0.1	-138.1
-77.0	-32931.8			J	-823.5	-1.4	-0.1	-138.1
-70.6	-32997.5							
290.5	11578.0	C3-C4;~1	Max	I	2246.3	1.4	0.3	58.5
181.6	11213.5			J	2246.3	1.4	0.3	58.5
-79.5	-40313.3		Min	I	-846.2	-1.3	-0.1	-143.6
-81.2	-40192.2			J	-846.2	-1.3	-0.1	-143.6
134.7	5915.6	C1-C2;~2	Max	I	1134.0	1.1	0.1	43.9
92.2	5702.6			J	1134.0	1.1	0.1	43.9
-38.3	-19182.4		Min	I	-433.9	-0.9	-0.0	-83.6
-38.2	-19231.2			J	-433.9	-0.9	-0.0	-83.6
166.8	6109.3	C3-C4;~2	Max	I	1276.2	0.8	0.1	28.8
111.3	5894.5			J	1276.2	0.8	0.1	28.8
			Min	I	-446.4	-0.8	-0.1	-81.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-39.6	-23397.4		J	-446.4	-0.8	-0.1	-81.9
-42.8	-23337.7						
		G1	I	1069.7	0.5	-1.0	-38.1
-20.5	-18264.5		J	1069.7	0.5	1.2	-38.1
-106.0	-18718.9						
		G2	I	420.0	0.2	0.0	-15.6
54.0	-7210.7		J	420.0	0.2	0.0	-15.6
19.3	-7372.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.6	-0.0	-0.0	-0.6
-4.4	1376.2		J	0.6	-0.0	-0.0	-0.6
3.1	1379.5						
		Q5_pc Y	I	68.4	0.0	-0.0	-1.7
0.1	-883.1		J	68.4	0.0	-0.0	-1.7
4.9	-895.2						
		Q5_ps X	I	0.0	0.0	-0.0	-0.6
-5.1	1363.8		J	0.0	0.0	-0.0	-0.6
3.3	1359.1						
		Q5_ps Y	I	64.6	0.0	-0.0	-0.9
-0.8	-756.0		J	64.6	0.0	-0.0	-0.9
4.6	-772.6						
		INVSLU Max	I	4451.9	3.5	-0.9	-51.0
524.2	-5013.5		J	4451.9	3.5	2.0	-51.0
188.8	-6550.3						
		Min	I	153.9	-0.7	-1.4	-350.1
16.8	-77543.9		J	153.9	-0.7	1.5	-350.1
-174.8	-78431.1						
		INVSLE Max	I	3248.4	2.6	-0.6	-37.0
389.4	-3058.7		J	3248.4	2.6	1.5	-37.0
141.3	-4205.4						
		Min	I	73.8	-0.5	-1.0	-258.3
14.1	-56601.5		J	73.8	-0.5	1.1	-258.3
-127.4	-57266.5						
		69 C1-C2;~1 Max	I	1844.2	12.0	0.2	1479.4
9444	2		J	1844.2	12.0	0.2	1479.4
156.6	10880.8						
		Min	I	-799.8	-27.4	-0.1	-642.4
75.2	1888.6		J	-799.8	-27.4	-0.1	-642.4
-72.1	-33020.7						
-40.8	-10333.3						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
187.0	11224.4	C3-C4;~1	Max	I	2086.7	12.3	0.2	1635.7	
				J	2086.7	12.3	0.2	1635.7	
120.3	1679.7		Min	I	-821.9	-30.9	-0.2	-661.2	
-82.4	-40217.9			J	-821.9	-30.9	-0.2	-661.2	
-37.7	-13865.3								
95.6	5708.2	C1-C2;~2	Max	I	1063.8	6.4	0.1	855.3	
				J	1063.8	6.4	0.1	855.3	
40.8	1040.8		Min	I	-426.3	-15.8	-0.1	-341.7	
-39.2	-19244.5			J	-426.3	-15.8	-0.1	-341.7	
-23.5	-6232.1								
114.7	5900.4	C3-C4;~2	Max	I	1192.1	6.6	0.1	933.9	
				J	1192.1	6.6	0.1	933.9	
67.6	952.7		Min	I	-438.7	-17.6	-0.1	-352.2	
-43.6	-23352.3			J	-438.7	-17.6	-0.1	-352.2	
-20.7	-8332.8								
-102.5	-18730.6		G1	I	957.9	-13.8	-1.1	757.6	
				J	957.9	-13.8	1.1	757.6	
-99.1	-6766.3								
20.6	-7377.4		G2	I	375.2	-5.4	-0.0	288.4	
				J	375.2	-5.4	-0.0	288.4	
27.9	-2687.2								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
3.2	1379.2		Q5_pc	X	I	6.0	-0.1	0.0	14.1
				J	6.0	-0.1	0.0	14.1	
-5.1	1449.1								
5.3	-896.7		Q5_pc	Y	I	69.4	-1.0	0.0	86.8
				J	69.4	-1.0	0.0	86.8	
-6.0	8.5								
3.4	1358.8		Q5_ps	X	I	5.7	-0.1	0.0	14.5
				J	5.7	-0.1	0.0	14.5	
-6.1	1416.7								
5.0	-773.9		Q5_ps	Y	I	66.0	-1.0	0.0	85.5
				J	66.0	-1.0	0.0	85.5	
-7.7	84.8								
193.0	-6529.8		INVSLU	Max	I	4021.4	4.3	-1.2	1775.5
				J	4021.4	4.3	1.7	1775.5	
121.3	-7587.6								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-180.2	-78459.6		Min	I	-30.1	-56.0	-1.7	-1481.6	
				J	-30.1	-56.0	1.2	-1481.6	
-107.0	-31463.7								
		INVSLE	Max	I	2931.3	3.9	-0.9	1217.2	
144.0	-4188.8			J	2931.3	3.9	1.2	1217.2	
90.0	-5646.2								
			Min	I	-60.6	-40.6	-1.2	-1183.9	
-131.8	-57286.2			J	-60.6	-40.6	0.9	-1183.9	
-78.3	-23138.9								
9445	2	69	C1-C2;~1	Max	I	1797.3	22.8	0.2	2542.0
93.5	1891.2			J	1797.3	22.8	0.2	2542.0	
459.7	37246.4								
			Min	I	-809.2	-51.3	-0.5	-1127.4	
-36.4	-10320.7			J	-809.2	-51.3	-0.5	-1127.4	
-177.9	-19281.5								
		C3-C4;~1	Max	I	2033.7	23.5	0.2	2819.0	
140.3	1682.2			J	2033.7	23.5	0.2	2819.0	
523.3	36945.3								
			Min	I	-832.0	-58.0	-0.5	-1160.4	
-34.7	-13849.8			J	-832.0	-58.0	-0.5	-1160.4	
-183.8	-19767.5								
		C1-C2;~2	Max	I	1039.2	12.2	0.1	1467.8	
52.2	1042.7			J	1039.2	12.2	0.1	1467.8	
275.6	21341.5								
			Min	I	-434.2	-29.5	-0.3	-601.5	
-19.6	-6224.3			J	-434.2	-29.5	-0.3	-601.5	
-94.5	-10380.5								
		C3-C4;~2	Max	I	1164.7	12.5	0.1	1608.8	
79.8	954.7			J	1164.7	12.5	0.1	1608.8	
310.3	20642.1								
			Min	I	-447.0	-33.1	-0.3	-620.1	
-18.0	-8323.3			J	-447.0	-33.1	-0.3	-620.1	
-97.7	-10651.1								
		G1		I	885.8	-26.1	-1.2	1293.1	
-87.1	-6758.1			J	885.8	-26.1	0.9	1293.1	
14.0	15870.4								
		G2		I	345.2	-10.2	-0.0	493.8	
32.4	-2684.1			J	345.2	-10.2	-0.0	493.8	
54.6	6167.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	7.7	-0.2	-0.0	25.6	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-4.9	1449.4		J	7.7	-0.2	-0.0	25.6
-0.8	1629.5						
-4.6	9.6	Q5_pc Y	I	69.8	-2.0	-0.0	147.3
13.0	1772.8		J	69.8	-2.0	-0.0	147.3
-5.9	1417.0	Q5_ps X	I	7.3	-0.2	-0.0	26.2
-0.3	1583.5		J	7.3	-0.2	-0.0	26.2
-6.4	85.9	Q5_ps Y	I	66.7	-1.9	-0.0	144.2
14.6	1766.2		J	66.7	-1.9	-0.0	144.2
140.7	-7587.1	INVSLU Max	I	3791.9	7.6	-1.4	3280.6
830.7	62857.3		J	3791.9	7.6	1.5	3280.6
-106.6	-31446.3	Min	I	-202.4	-106.1	-2.3	-2356.8
-147.3	-17302.3		J	-202.4	-106.1	0.5	-2356.8
103.0	-5646.8	INVSLE Max	I	2762.6	6.9	-1.0	2267.1
618.2	45284.1		J	2762.6	6.9	1.1	2267.1
-79.6	-23127.0	Min	I	-186.9	-77.0	-1.7	-1889.1
-104.5	-13857.1		J	-186.9	-77.0	0.4	-1889.1
9446	2	69 C1-C2;~1 Max	I	1753.9	46.9	0.5	1228.1
378.3	37220.1		J	1753.9	46.9	0.5	1228.1
26.2	3018.4	Min	I	-829.9	-23.3	-0.1	-2323.9
-103.0	-19234.5		J	-829.9	-23.3	-0.1	-2323.9
-64.5	-7948.5						
386.1	36863.3	C3-C4;~1 Max	I	1995.6	53.3	0.5	1270.8
55.8	2716.1		J	1995.6	53.3	0.5	1270.8
-110.5	-19717.7	Min	I	-854.1	-24.0	-0.1	-2615.8
-76.9	-11271.9		J	-854.1	-24.0	-0.1	-2615.8
237.4	21327.6	C1-C2;~2 Max	I	1013.8	27.1	0.3	664.4
12.9	1669.4		J	1013.8	27.1	0.3	664.4
-56.2	-10356.9	Min	I	-447.3	-12.6	-0.1	-1340.8
-36.5	-4900.1		J	-447.3	-12.6	-0.1	-1340.8
244.1	20604.1	C3-C4;~2 Max	I	1142.4	30.4	0.3	689.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
32.7	1529.3		J	1142.4	30.4	0.3	689.1
		Min	I	-461.1	-13.0	-0.1	-1489.7
-59.5	-10625.9		J	-461.1	-13.0	-0.1	-1489.7
-42.9	-6935.4						
		G1	I	816.7	21.2	-0.8	-935.5
14.0	15866.9		J	816.7	21.2	1.3	-935.5
-178.5	-2498.9						
		G2	I	318.7	8.3	0.1	-357.0
52.1	6165.0		J	318.7	8.3	0.1	-357.0
-4.0	-1033.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	7.9	0.3	0.0	-24.5
8.7	1634.9		J	7.9	0.3	0.0	-24.5
0.3	1371.3						
		Q5_pc Y	I	69.1	2.1	0.0	-155.1
17.7	1774.3		J	69.1	2.1	0.0	-155.1
-2.7	-69.7						
		Q5_ps X	I	7.0	0.3	0.0	-23.5
11.1	1589.8		J	7.0	0.3	0.0	-23.5
-0.2	1351.4						
		Q5_ps Y	I	65.7	2.0	0.0	-149.5
21.0	1768.6		J	65.7	2.0	0.0	-149.5
-4.0	20.7						
		INVSLU Max	I	3556.7	88.6	-0.4	2297.6
695.1	62779.6		J	3556.7	88.6	2.5	2297.6
-114.8	3491.0						
		Min	I	-414.7	-19.6	-1.2	-3228.4
-7.3	-17280.3		J	-414.7	-19.6	1.7	-3228.4
-298.7	-18269.2						
		INVSLE Max	I	2587.1	64.1	-0.3	1826.7
521.1	45227.7		J	2587.1	64.1	1.9	1826.7
-84.0	2586.5						
		Min	I	-345.4	-15.8	-0.9	-2246.0
3.1	-13839.3		J	-345.4	-15.8	1.2	-2246.0
-219.9	-13349.4						
		69 C1-C2;~1 Max	I	1678.1	23.9	0.1	719.0
9447	2		J	1678.1	23.9	0.1	719.0
26.3	3013.9						
		Min	I	-846.7	-11.7	-0.3	-1338.7
216.6	11144.1						
-76.4	-7958.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-90.3	-26788.9		J	-846.7	-11.7	-0.3	-1338.7
46.3	2712.6	C3-C4;~1 Max	I	1922.5	26.7	0.1	745.0
273.1	11566.9		J	1922.5	26.7	0.1	745.0
-90.2	-11287.7	Min	I	-872.2	-12.1	-0.4	-1490.9
-93.2	-33470.3		J	-872.2	-12.1	-0.4	-1490.9
13.3	1666.5	C1-C2;~2 Max	I	969.1	13.9	0.1	389.9
124.2	6115.9		J	969.1	13.9	0.1	389.9
-44.5	-4905.9	Min	I	-459.0	-6.4	-0.2	-775.5
-47.3	-15840.2		J	-459.0	-6.4	-0.2	-775.5
26.3	1527.1	C3-C4;~2 Max	I	1100.1	15.3	0.1	404.9
156.0	6369.3		J	1100.1	15.3	0.1	404.9
-51.9	-6945.1	Min	I	-473.6	-6.6	-0.2	-850.7
-48.9	-19806.7		J	-473.6	-6.6	-0.2	-850.7
-186.8	-2507.2	G1	I	729.4	10.5	-1.2	-505.5
-46.8	-11613.2		J	729.4	10.5	0.9	-505.5
-7.1	-1037.0	G2	I	286.9	4.1	-0.1	-191.4
43.8	-4605.9		J	286.9	4.1	-0.1	-191.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	1371.2	Q5_pc X	I	8.8	0.2	0.0	-16.6
-3.2	1192.0		J	8.8	0.2	0.0	-16.6
-4.1	-70.7	Q5_pc Y	I	68.0	1.2	-0.0	-97.8
2.5	-1084.2		J	68.0	1.2	-0.0	-97.8
-0.5	1351.4	Q5_ps X	I	7.4	0.2	0.0	-16.4
-3.9	1180.4		J	7.4	0.2	0.0	-16.4
-5.4	19.9	Q5_ps Y	I	64.0	1.1	-0.0	-94.6
1.3	-945.6		J	64.0	1.1	-0.0	-94.6
		INVSLU Max	I	3212.6	43.6	-1.5	1361.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-122.0	3487.1			J	3212.6	43.6	1.4	1361.2
358.0	9245.3							
			Min	I	-682.8	-10.9	-2.1	-1833.2
-313.8	-18288.2							
				J	-682.8	-10.9	0.7	-1833.2
-142.3	-53700.6							
			INVSLE Max	I	2328.9	31.5	-1.1	1079.4
-88.2	2584.6							
				J	2328.9	31.5	1.0	1079.4
264.7	7514.4							
			Min	I	-547.5	-8.7	-1.6	-1273.9
-229.8	-13362.4							
				J	-547.5	-8.7	0.6	-1273.9
-105.5	-38953.2							
9448	2	69	C1-C2;~1 Max	I	1568.7	2.3	0.1	125.0
209.6	11141.0							
				J	1568.7	2.3	0.1	125.0
128.3	10696.3							
			Min	I	-847.0	-1.3	-0.1	-87.1
-86.4	-26782.8							
				J	-847.0	-1.3	-0.1	-87.1
-72.1	-27098.3							
			C3-C4;~1 Max	I	1789.1	1.9	0.2	98.4
265.3	11563.8							
				J	1789.1	1.9	0.2	98.4
152.2	11092.3							
			Min	I	-872.8	-1.2	-0.1	-81.0
-89.2	-33463.3							
				J	-872.8	-1.2	-0.1	-81.0
-81.7	-33563.8							
			C1-C2;~2 Max	I	912.1	1.5	0.1	82.0
120.1	6114.2							
				J	912.1	1.5	0.1	82.0
79.2	5859.8							
			Min	I	-464.1	-0.9	-0.0	-52.8
-45.2	-15836.8							
				J	-464.1	-0.9	-0.0	-52.8
-39.2	-16042.2							
			C3-C4;~2 Max	I	1032.5	1.2	0.1	62.4
151.6	6367.6							
				J	1032.5	1.2	0.1	62.4
94.8	6097.4							
			Min	I	-479.1	-0.8	-0.0	-43.6
-46.7	-19802.8							
				J	-479.1	-0.8	-0.0	-43.6
-43.3	-19874.0							
			G1	I	606.0	0.9	-1.0	4.1
-49.3	-11610.0							
				J	606.0	0.9	1.2	4.1
-131.2	-12431.2							
			G2	I	238.4	0.4	0.0	2.2
42.8	-4604.6							
				J	238.4	0.4	0.0	2.2
9.4	-4930.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-3.3	1192.0	Q5_pc X	I	14.6	0.0	-0.0	1.1
4.5	1175.6		J	14.6	0.0	-0.0	1.1
1.9	-1084.0	Q5_pc Y	I	69.6	0.1	-0.0	-3.0
4.3	-1154.9		J	69.6	0.1	-0.0	-3.0
-4.0	1180.4	Q5_ps X	I	13.3	0.0	-0.0	0.9
4.7	1157.3		J	13.3	0.0	-0.0	0.9
0.8	-945.4	Q5_ps Y	I	66.0	0.1	-0.0	-2.4
4.2	-1014.3		J	66.0	0.1	-0.0	-2.4
348.2	9241.5	INVS LU Max	I	2725.0	5.8	-1.0	-67.5
31.4	6276.9		J	2725.0	5.8	1.9	-67.5
-136.3	-53690.6	Min	I	-993.8	0.8	-1.3	-359.2
-292.6	-56124.8		J	-993.8	0.8	1.5	-359.2
257.8	7511.3	INVS LE Max	I	1965.2	4.4	-0.7	-58.2
23.4	5277.7		J	1965.2	4.4	1.4	-58.2
-100.7	-38946.1	Min	I	-780.2	0.6	-1.0	-273.9
-216.0	-40789.0		J	-780.2	0.6	1.1	-273.9
9449	2	69 C1-C2;~1 Max	I	1449.3	12.6	0.1	1172.4
134.3	10698.5		J	1449.3	12.6	0.1	1172.4
77.7	2421.3	Min	I	-841.7	-21.5	-0.1	-687.2
-75.2	-27101.1		J	-841.7	-21.5	-0.1	-687.2
-33.2	-10458.8						
158.3	11094.5	C3-C4;~1 Max	I	1639.0	13.0	0.1	1263.1
128.7	1665.6		J	1639.0	13.0	0.1	1263.1
-84.7	-33566.5	Min	I	-867.7	-24.2	-0.2	-711.1
-27.8	-13544.8		J	-867.7	-24.2	-0.2	-711.1
82.9	5861.1	C1-C2;~2 Max	I	850.7	6.9	0.1	693.0
41.2	1526.6		J	850.7	6.9	0.1	693.0
-41.0	-16043.9	Min	I	-466.1	-12.6	-0.1	-380.0
-19.0	-6390.6		J	-466.1	-12.6	-0.1	-380.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

98.5	6098.7	C3-C4; ~2	Max	I	956.8	7.2	0.1	738.7
				J	956.8	7.2	0.1	738.7
71.5	1022.5		Min	I	-481.5	-14.1	-0.1	-394.0
-45.1	-19875.7			J	-481.5	-14.1	-0.1	-394.0
-14.7	-8218.6							
		G1		I	470.5	-6.5	-1.1	355.2
-129.0	-12431.4			J	470.5	-6.5	1.0	355.2
-86.4	-6779.9							
		G2		I	184.1	-2.5	-0.0	133.2
10.2	-4930.5			J	184.1	-2.5	-0.0	133.2
32.8	-2731.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	20.5	-0.3	0.0	25.0
4.7	1175.4			J	20.5	-0.3	0.0	25.0
-4.6	1396.9							
		Q5_pc	Y	I	70.0	-1.0	0.0	96.9
4.8	-1155.2			J	70.0	-1.0	0.0	96.9
-7.0	-264.5							
		Q5_ps	X	I	19.6	-0.2	0.0	25.2
4.8	1157.1			J	19.6	-0.2	0.0	25.2
-5.5	1361.6							
		Q5_ps	Y	I	67.2	-1.0	0.0	95.8
4.7	-1014.6			J	67.2	-1.0	0.0	95.8
-9.0	-159.5							
		INVSLE	Max	I	2184.8	21.5	-1.4	945.9
34.0	6281.2			J	2184.8	21.5	1.5	945.9
107.3	-7898.8		Min	I	-1325.1	-30.5	-1.8	-1893.8
-302.8	-56127.0			J	-1325.1	-30.5	1.1	-1893.8
-123.8	-31967.3							
		INVSLE	Max	I	1562.3	16.7	-1.0	609.7
24.8	5281.1			J	1562.3	16.7	1.1	609.7
79.9	-5965.5		Min	I	-1028.3	-21.7	-1.3	-1480.8
-224.0	-40790.5			J	-1028.3	-21.7	0.8	-1480.8
-90.3	-23607.8							
9450	2	69 C1-C2; ~1	Max	I	1426.4	23.9	0.2	1867.8
91.2	2426.6			J	1426.4	23.9	0.2	1867.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
476.1	28999.8		Min	I	-875.5	-39.7	-0.5	-1142.3
-31.5	-10452.8			J	-875.5	-39.7	-0.5	-1142.3
-230.3	-20927.2							
		C3-C4;~1	Max	I	1617.3	24.7	0.3	2023.9
144.2	1667.2			J	1617.3	24.7	0.3	2023.9
558.0	26743.1		Min	I	-904.2	-44.8	-0.5	-1183.4
-30.8	-13537.3			J	-904.2	-44.8	-0.5	-1183.4
-239.8	-21562.8							
		C1-C2;~2	Max	I	842.7	13.3	0.1	1102.6
49.4	1530.3			J	842.7	13.3	0.1	1102.6
288.5	17000.8		Min	I	-487.1	-23.3	-0.3	-633.3
-16.5	-6386.4			J	-487.1	-23.3	-0.3	-633.3
-125.4	-11636.8							
		C3-C4;~2	Max	I	950.3	13.7	0.1	1184.7
80.9	1023.5			J	950.3	13.7	0.1	1184.7
333.7	15384.8		Min	I	-504.2	-26.1	-0.3	-657.3
-15.8	-8213.3			J	-504.2	-26.1	-0.3	-657.3
-131.0	-12009.5							
		G1		I	375.5	-11.9	-1.1	529.0
-81.3	-6777.9			J	375.5	-11.9	1.0	529.0
-51.0	3499.2							
		G2		I	145.0	-4.6	0.0	197.3
34.7	-2730.7			J	145.0	-4.6	0.0	197.3
30.1	1260.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	20.6	-0.6	-0.0	43.3
-4.2	1397.3			J	20.6	-0.6	-0.0	43.3
-3.4	1897.2							
		Q5_pc	Y	I	69.0	-2.0	-0.0	161.7
-5.5	-263.3			J	69.0	-2.0	-0.0	161.7
9.5	1496.3							
		Q5_ps	X	I	19.7	-0.5	-0.0	43.6
-5.1	1362.0			J	19.7	-0.5	-0.0	43.6
-3.5	1838.1							
		Q5_ps	Y	I	66.7	-2.0	-0.0	159.4
-7.5	-158.4			J	66.7	-2.0	-0.0	159.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
10.6	1538.6							
		INVSLE	Max	I	1848.7	42.4	-0.8	1615.4
115.0	-7897.9			J	1848.7	42.4	2.1	1615.4
454.6	22191.7							
			Min	I	-1679.5	-55.1	-1.9	-3005.6
-132.2	-31964.3			J	-1679.5	-55.1	0.9	-3005.6
-639.4	-49482.7							
		INVSLE	Max	I	1308.0	32.8	-0.6	1056.0
84.5	-5965.5			J	1308.0	32.8	1.5	1056.0
324.1	14910.1							
			Min	I	-1296.2	-39.1	-1.4	-2345.4
-97.8	-23606.2			J	-1296.2	-39.1	0.7	-2345.4
-485.0	-37929.1							
		69 C1-C2;~1	Max	I	1378.3	34.5	0.5	1150.9
9451	2			J	1378.3	34.5	0.5	1150.9
401.1	28992.2							
			Min	I	-913.2	-25.3	-0.1	-1466.2
48.0	4995.4			J	-913.2	-25.3	-0.1	-1466.2
-140.0	-20879.6							
-64.9	-8577.0							
		C3-C4;~1	Max	I	1576.1	38.9	0.5	1206.4
407.5	26711.0			J	1576.1	38.9	0.5	1206.4
79.4	4466.5							
			Min	I	-945.5	-26.3	-0.1	-1625.3
-153.5	-21510.6			J	-945.5	-26.3	-0.1	-1625.3
-72.0	-11494.3							
		C1-C2;~2	Max	I	815.9	20.4	0.3	639.6
257.3	16998.1			J	815.9	20.4	0.3	639.6
28.5	2769.0							
			Min	I	-509.6	-14.2	-0.1	-870.8
-77.4	-11613.6			J	-509.6	-14.2	-0.1	-870.8
-35.1	-5368.2							
		C3-C4;~2	Max	I	927.5	22.9	0.3	672.9
263.6	15369.5			J	927.5	22.9	0.3	672.9
49.6	2449.2							
			Min	I	-529.0	-14.8	-0.1	-948.4
-82.9	-11983.6			J	-529.0	-14.8	-0.1	-948.4
-37.3	-7164.0							
		G1		I	270.0	4.2	-0.9	-49.8
-40.8	3499.1			J	270.0	4.2	1.2	-49.8
-184.9	-171.2							
		G2		I	104.0	1.6	0.0	-15.5
30.8	1257.7			J	104.0	1.6	0.0	-15.5
-7.3	-144.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	18.7	0.7	0.0
14.8	1908.5			J	18.7	0.7	0.0
1.9	1271.4						
			Q5_pc Y	I	67.4	2.2	0.0
14.6	1497.7			J	67.4	2.2	0.0
-4.6	-409.8						
			Q5_ps X	I	17.3	0.7	0.0
16.6	1850.4			J	17.3	0.7	0.0
1.5	1249.2						
			Q5_ps Y	I	64.9	2.1	0.0
18.4	1541.7			J	64.9	2.1	0.0
-5.6	-294.3						
			INVSLE Max	I	1477.9	28.0	-0.6
381.9	22140.4			J	1477.9	28.0	2.3
-204.4	12087.4		Min	I	-2047.6	-63.9	-1.5
-402.0	-49473.7			J	-2047.6	-63.9	1.4
-417.1	-12462.3						
			INVSLE Max	I	1028.0	18.8	-0.4
276.3	14870.2			J	1028.0	18.8	1.7
-154.6	9068.7		Min	I	-1574.5	-49.0	-1.1
-302.4	-37922.9			J	-1574.5	-49.0	1.0
-311.6	-8946.7						
		69	C1-C2;~1 Max	I	1261.8	17.7	0.1
9452	2			J	1261.8	17.7	0.1
40.3	4991.0						
			Min	I	-933.8	-12.7	-0.3
229.1	13085.2			J	-933.8	-12.7	-0.3
-66.8	-8583.5						
			C3-C4;~1 Max	I	1458.3	19.3	0.1
70.2	4466.2			J	1458.3	19.3	0.1
293.7	13859.1		Min	I	-969.6	-13.3	-0.3
-77.3	-11505.0			J	-969.6	-13.3	-0.3
-126.2	-26572.7						
			C1-C2;~2 Max	I	749.4	10.7	0.1
23.3	2765.5			J	749.4	10.7	0.1
133.7	7314.2		Min	I	-523.6	-7.2	-0.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-37.2	-5372.3			J	-523.6	-7.2	-0.2	-519.7
-66.1	-12518.9							
		C3-C4;~2	Max	I	861.8	11.5	0.1	391.6
43.5	2448.7			J	861.8	11.5	0.1	391.6
170.9	7747.9		Min	I	-545.2	-7.5	-0.2	-534.8
-41.8	-7170.7			J	-545.2	-7.5	-0.2	-534.8
-68.9	-16286.6							
			G1	I	125.3	1.4	-1.2	5.0
-185.2	-173.2			J	125.3	1.4	0.9	5.0
-83.3	-1368.8							
			G2	I	49.5	0.5	-0.0	4.3
-7.4	-145.0			J	49.5	0.5	-0.0	4.3
28.9	-581.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	18.0	0.5	0.0	-14.3
1.7	1271.4			J	18.0	0.5	0.0	-14.3
-2.4	815.9							
			Q5_pc Y	I	66.7	1.2	-0.0	-113.7
-6.3	-410.9			J	66.7	1.2	-0.0	-113.7
0.8	-1489.7							
			Q5_ps X	I	16.4	0.5	0.0	-14.0
1.3	1249.2			J	16.4	0.5	0.0	-14.0
-3.2	808.8							
			Q5_ps Y	I	63.9	1.2	-0.0	-109.4
-7.2	-295.4			J	63.9	1.2	-0.0	-109.4
-0.4	-1341.3							
			INVSLU Max	I	974.7	12.3	-1.3	1537.6
-206.8	12089.7			J	974.7	12.3	1.6	1537.6
140.1	37076.5		Min	I	-2423.1	-33.8	-2.0	-849.7
-417.2	-12468.4			J	-2423.1	-33.8	0.9	-849.7
-431.1	-20187.8							
			INVSLE Max	I	651.7	8.1	-0.9	1172.7
-155.9	9071.2			J	651.7	8.1	1.2	1172.7
94.9	28396.1		Min	I	-1856.3	-25.9	-1.4	-580.5
-310.9	-8950.5			J	-1856.3	-25.9	0.7	-580.5
-328.0	-13823.3							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9453	2	69	C1-C2;~1	Max	I	1096.1	3.3	0.2	162.2
224.9	13082.6				J	1096.1	3.3	0.2	162.2
128.7	12859.3			Min	I	-940.0	-1.9	-0.1	-175.8
-117.7	-20538.0				J	-940.0	-1.9	-0.1	-175.8
-117.3	-21284.3								
			C3-C4;~1	Max	I	1260.2	2.9	0.3	120.3
289.1	13856.5				J	1260.2	2.9	0.3	120.3
154.4	13619.0			Min	I	-984.9	-1.7	-0.1	-171.6
-122.4	-26568.4				J	-984.9	-1.7	-0.1	-171.6
-137.1	-27017.3								
			C1-C2;~2	Max	I	661.3	2.2	0.1	105.8
131.3	7312.7				J	661.3	2.2	0.1	105.8
80.1	7183.8			Min	I	-529.6	-1.2	-0.0	-107.3
-64.0	-12516.4				J	-529.6	-1.2	-0.0	-107.3
-61.1	-12981.9								
			C3-C4;~2	Max	I	759.0	1.8	0.1	76.2
168.3	7746.3				J	759.0	1.8	0.1	76.2
97.2	7594.6			Min	I	-555.3	-1.1	-0.0	-95.7
-66.8	-16284.1				J	-555.3	-1.1	-0.0	-95.7
-69.4	-16560.6								
			G1		I	-82.4	1.2	-0.9	-45.3
-83.3	-1367.7				J	-82.4	1.2	1.2	-45.3
-209.1	-2382.1								
			G2		I	-32.0	0.4	0.1	-18.4
29.0	-581.5				J	-32.0	0.4	0.1	-18.4
-21.9	-954.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	24.2	0.2	-0.0	-2.4
-2.5	815.9				J	24.2	0.2	-0.0	-2.4
7.6	613.5								
			Q5_pc	Y	I	69.4	0.1	-0.0	-6.1
0.1	-1489.4				J	69.4	0.1	-0.0	-6.1
2.3	-1610.8								
			Q5_ps	X	I	23.0	0.2	-0.0	-2.2
-3.3	808.8				J	23.0	0.2	-0.0	-2.2
7.8	606.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.0	-1341.1	Q5_ps Y	I	67.6	0.1	-0.0	-4.8
			J	67.6	0.1	-0.0	-4.8
2.9	-1460.2						
		INVS LU Max	I	300.4	7.3	-0.8	-62.0
135.4	37069.8		J	300.4	7.3	2.1	-62.0
-232.8	34623.6	Min	I	-2855.4	-0.2	-1.3	-529.2
-424.6	-20184.8		J	-2855.4	-0.2	1.5	-529.2
-639.9	-23135.0						
		INVS LE Max	I	151.9	5.4	-0.6	-53.7
91.5	28390.9		J	151.9	5.4	1.5	-53.7
-178.5	26589.5	Min	I	-2176.5	-0.2	-1.0	-398.9
-323.0	-13821.3		J	-2176.5	-0.2	1.1	-398.9
-479.0	-15979.9						
9454	2	69 C1-C2;~1 Max	I	967.1	13.7	0.1	680.8
131.9	12862.2		J	967.1	13.7	0.1	680.8
98.9	2538.3	Min	I	-986.9	-14.3	-0.2	-687.4
-120.9	-21286.5		J	-986.9	-14.3	-0.2	-687.4
-32.3	-11430.1						
		C3-C4;~1 Max	I	1103.0	14.5	0.1	666.4
157.5	13622.3		J	1103.0	14.5	0.1	666.4
156.0	1732.1	Min	I	-1053.1	-16.2	-0.2	-747.7
-140.9	-27019.2		J	-1053.1	-16.2	-0.2	-747.7
-25.9	-14568.5						
		C1-C2;~2 Max	I	586.6	7.7	0.1	422.8
82.1	7185.4		J	586.6	7.7	0.1	422.8
55.0	1577.8	Min	I	-549.8	-8.8	-0.1	-381.6
-63.1	-12983.3		J	-549.8	-8.8	-0.1	-381.6
-17.7	-7165.9						
		C3-C4;~2 Max	I	669.6	8.1	0.1	403.4
99.1	7596.4		J	669.6	8.1	0.1	403.4
89.5	997.5	Min	I	-584.5	-9.9	-0.1	-412.2
-71.6	-16561.8		J	-584.5	-9.9	-0.1	-412.2
-12.9	-9092.8						
		G1	I	-300.6	4.0	-1.2	-249.5
-210.5	-2380.3		J	-300.6	4.0	0.9	-249.5
-79.2	-5854.0						
		G2	I	-118.4	1.6	-0.1	-102.1
-22.5	-953.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
35.0	-2303.8		J	-118.4	1.6	-0.1	-102.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.6	613.3	Q5_pc X	I	30.6	-0.1	0.0	14.1
-1.0	737.8		J	30.6	-0.1	0.0	14.1
2.9	-1611.1	Q5_pc Y	I	71.5	-1.0	0.0	103.8
-5.5	-745.0		J	71.5	-1.0	0.0	103.8
7.9	605.8	Q5_ps X	I	30.0	-0.1	0.0	14.8
-1.9	722.2		J	30.0	-0.1	0.0	14.8
3.4	-1460.5	Q5_ps Y	I	71.0	-1.0	0.0	103.4
-7.6	-607.3		J	71.0	-1.0	0.0	103.4
-236.4	34634.7	INVS LU Max	I	-315.8	45.9	-1.6	-229.6
79.9	-3125.5		J	-315.8	45.9	1.2	-229.6
-653.0	-23131.4	Min	I	-3355.2	2.7	-2.1	-2345.0
-184.1	-27560.8		J	-3355.2	2.7	0.7	-2345.0
-181.4	26597.8	INVS LE Max	I	-303.1	34.8	-1.2	-228.1
56.9	-2085.4		J	-303.1	34.8	0.9	-228.1
-489.0	-15977.0	Min	I	-2545.0	3.0	-1.6	-1781.2
-138.0	-20086.2		J	-2545.0	3.0	0.5	-1781.2
9455	2	69 C1-C2;~1 Max	I	896.9	27.3	0.3	1050.4
105.8	2536.7		J	896.9	27.3	0.3	1050.4
324.9	17153.1	Min	I	-1053.3	-25.3	-0.3	-1176.8
-33.8	-11424.9		J	-1053.3	-25.3	-0.3	-1176.8
-261.3	-22868.1						
163.3	1728.0	C3-C4;~1 Max	I	1028.4	29.1	0.3	1089.6
391.8	14495.1		J	1028.4	29.1	0.3	1089.6
-33.7	-14562.8	Min	I	-1133.8	-29.0	-0.4	-1279.3
-277.0	-24407.6		J	-1133.8	-29.0	-0.4	-1279.3
59.5	1577.9	C1-C2;~2 Max	I	545.8	15.2	0.2	644.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
208.6	10511.8		J	545.8	15.2	0.2	644.6
		Min	I	-582.7	-15.4	-0.2	-652.5
-17.4	-7162.6		J	-582.7	-15.4	-0.2	-652.5
-146.0	-12740.9						
		C3-C4;~2 Max	I	626.6	16.2	0.2	660.5
94.3	995.6		J	626.6	16.2	0.2	660.5
248.0	8684.2	Min	I	-624.4	-17.5	-0.2	-704.7
-17.2	-9089.1		J	-624.4	-17.5	-0.2	-704.7
-155.7	-13585.7						
		G1	I	-484.7	9.6	-0.8	-475.9
-83.4	-5858.0		J	-484.7	9.6	1.3	-475.9
-280.6	-14135.8						
		G2	I	-191.4	3.8	0.1	-193.7
33.3	-2305.4		J	-191.4	3.8	0.1	-193.7
-58.1	-5557.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	28.6	-0.6	0.0	28.7
-0.8	738.2		J	28.6	-0.6	0.0	28.7
-8.4	1243.7						
		Q5_pc Y	I	73.0	-2.1	-0.0	174.1
-3.9	-743.9		J	73.0	-2.1	-0.0	174.1
8.5	1034.1						
		Q5_ps X	I	28.1	-0.6	0.0	29.9
-1.7	722.6		J	28.1	-0.6	0.0	29.9
-8.7	1217.9						
		Q5_ps Y	I	73.1	-2.0	-0.0	173.0
-6.0	-606.1		J	73.1	-2.0	-0.0	173.0
9.9	1159.9						
		INVSLU Max	I	-806.4	94.0	-0.2	-463.2
69.3	-3142.9		J	-806.4	94.0	2.6	-463.2
-284.7	-28774.6	Min	I	-3856.7	12.0	-1.2	-3974.6
-203.8	-27566.3		J	-3856.7	12.0	1.7	-3974.6
1202.8	-87120.1						
		INVSLE Max	I	-667.9	71.3	-0.2	-435.5
48.4	-2098.6		J	-667.9	71.3	2.0	-435.5
-228.9	-22627.9	Min	I	-2917.7	10.8	-0.9	-3013.2
-153.4	-20090.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-907.9	-65681.0		J	-2917.7	10.8	1.3	-3013.2
9456	2	69 C1-C2;~1 Max	I	818.4	19.6	0.4	860.0
327.7	17169.1		J	818.4	19.6	0.4	860.0
33.5	13852.2		Min	I	-1120.5	-36.8	-841.2
-218.8	-22873.8		J	-1120.5	-36.8	-0.2	-841.2
-100.2	-9284.8		J	-1120.5	-36.8	-0.2	-841.2
		C3-C4;~1 Max	I	951.0	22.5	0.4	904.5
332.1	14467.0		J	951.0	22.5	0.4	904.5
64.1	14233.2		Min	I	-1211.8	-40.1	-956.5
-266.0	-24442.5		J	-1211.8	-40.1	-0.2	-956.5
-120.7	-10932.9		J	-1211.8	-40.1	-0.2	-956.5
		C1-C2;~2 Max	I	498.3	11.8	0.3	480.0
211.1	10513.8		J	498.3	11.8	0.3	480.0
17.7	7349.3		Min	I	-616.4	-19.9	-512.4
-113.2	-12736.0		J	-616.4	-19.9	-0.1	-512.4
-55.1	-5582.1		J	-616.4	-19.9	-0.1	-512.4
		C3-C4;~2 Max	I	580.1	13.5	0.3	506.9
215.4	8659.3		J	580.1	13.5	0.3	506.9
38.4	7223.2		Min	I	-664.1	-21.6	-562.8
-134.1	-13590.9		J	-664.1	-21.6	-0.1	-562.8
-64.5	-6579.6		J	-664.1	-21.6	-0.1	-562.8
		G1	I	-666.9	-30.0	-1.1	332.7
-237.6	-14177.5		J	-666.9	-30.0	1.0	332.7
-220.9	11832.0		J	-666.9	-30.0	1.0	332.7
		G2	I	-261.5	-11.9	-0.0	129.1
-46.0	-5576.7		J	-261.5	-11.9	-0.0	129.1
-20.9	4716.9		J	-261.5	-11.9	-0.0	129.1
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	23.4	-1.3	0.0	50.6
19.6	1261.2		J	23.4	-1.3	0.0	50.6
6.3	2416.0		J	23.4	-1.3	0.0	50.6
		Q5_pc Y	I	73.9	-0.1	0.0	-55.6
13.7	1039.5		J	73.9	-0.1	0.0	-55.6
-4.3	1124.1		J	73.9	-0.1	0.0	-55.6
		Q5_ps X	I	22.7	-1.2	0.0	50.1
21.2	1236.5		J	22.7	-1.2	0.0	50.1

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
6.1	2314.5		J	22.7	-1.2	0.0	50.1
18.4	1167.4	Q5_ps Y	I	73.9	0.1	0.0	-50.7
-5.1	1121.7		J	73.9	0.1	0.0	-50.7
-112.3	-28733.5	INVS LU Max	I	-1300.3	-65.6	-1.1	2614.2
-276.7	52461.5		J	-1300.3	-65.6	1.8	2614.2
-955.2	-87179.3	Min	I	-4353.0	-152.5	-2.0	1.8
-537.5	14138.4		J	-4353.0	-152.5	0.8	1.8
-93.9	-22594.4	INVS LE Max	I	-1035.5	-50.7	-0.8	1988.6
-205.0	39235.7		J	-1035.5	-50.7	1.3	1988.6
-715.7	-65719.4	Min	I	-3286.9	-114.9	-1.5	60.9
-397.4	11170.3		J	-3286.9	-114.9	0.6	60.9
9457	2	69 C1-C2;~1 Max	I	712.7	11.1	0.2	364.3
33.8	13853.1		J	712.7	11.1	0.2	364.3
154.4	29804.0	Min	I	-1195.4	-21.7	-0.3	-538.0
-106.0	-9289.2		J	-1195.4	-21.7	-0.3	-538.0
-126.1	-16343.3						
64.0	14235.1	C3-C4;~1 Max	I	845.7	12.5	0.2	353.5
216.0	32659.5		J	845.7	12.5	0.2	353.5
-127.5	-10939.4	Min	I	-1303.4	-23.9	-0.3	-604.7
-133.8	-20415.1		J	-1303.4	-23.9	-0.3	-604.7
17.1	7348.7	C1-C2;~2 Max	I	431.4	6.8	0.1	200.3
91.5	15367.3		J	431.4	6.8	0.1	200.3
-58.9	-5584.9	Min	I	-651.7	-11.6	-0.1	-321.7
-70.0	-9617.8		J	-651.7	-11.6	-0.1	-321.7
37.4	7223.3	C3-C4;~2 Max	I	514.5	7.6	0.1	189.6
127.7	16691.3		J	514.5	7.6	0.1	189.6
-68.8	-6583.8	Min	I	-707.6	-12.6	-0.2	-343.4
-74.7	-12252.3		J	-707.6	-12.6	-0.2	-343.4
-218.5	11837.6	G1	I	-874.3	-20.1	-1.1	-6.1
-165.5	29243.7		J	-874.3	-20.1	1.0	-6.1

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-20.0	4719.0	G2	I	-340.1	-8.0	-0.0	-4.4
-5.0	11660.4		J	-340.1	-8.0	-0.0	-4.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
6.8	2416.4	Q5_pc X	I	19.7	-1.6	0.0	48.4
-5.3	3761.9		J	19.7	-1.6	0.0	48.4
-4.6	1123.2	Q5_pc Y	I	75.2	-1.2	-0.0	20.0
-0.3	2138.4		J	75.2	-1.2	-0.0	20.0
6.6	2314.9	Q5_ps X	I	18.9	-1.5	0.0	47.7
-6.0	3571.4		J	18.9	-1.5	0.0	47.7
-5.4	1120.8	Q5_ps Y	I	75.1	-1.0	-0.0	22.9
-1.4	1995.2		J	75.1	-1.0	-0.0	22.9
-266.4	52484.8	INVS LU Max	I	-1855.6	-41.4	-1.1	726.6
-139.1	130239.0		J	-1855.6	-41.4	1.8	726.6
-537.3	14149.7	Min	I	-4892.2	-93.3	-1.8	-668.7
-620.8	51816.9		J	-4892.2	-93.3	1.1	-668.7
-196.9	39253.5	INVS LE Max	I	-1447.5	-31.9	-0.8	555.9
-112.3	97721.1		J	-1447.5	-31.9	1.3	555.9
-396.7	11179.4	Min	I	-3686.8	-70.1	-1.3	-471.3
-468.4	40132.3		J	-3686.8	-70.1	0.8	-471.3
9458	2	69 C1-C2;~1 Max	I	632.7	4.7	0.4	415.0
152.2	29800.4		J	632.7	4.7	0.4	415.0
131.0	34083.9	Min	I	-1336.3	-7.8	-0.1	-629.2
-126.5	-16341.9		J	-1336.3	-7.8	-0.1	-629.2
-323.3	-19136.8	C3-C4;~1 Max	I	752.2	4.4	0.6	341.3
213.0	32655.7		J	752.2	4.4	0.6	341.3
164.0	37268.0	Min	I	-1487.6	-7.7	-0.2	-752.0
-134.3	-20412.8		J	-1487.6	-7.7	-0.2	-752.0
-427.5	-22609.3						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

90.4	15365.2	C1-C2;~2 Max	I	377.8	2.9	0.2	261.6	
			J	377.8	2.9	0.2	261.6	
74.1	17487.3							
-70.3	-9617.0	Min	I	-713.5	-4.4	-0.1	-322.1	
			J	-713.5	-4.4	-0.1	-322.1	
-163.5	-11408.7							
		C3-C4;~2 Max	I	453.8	2.8	0.3	205.3	
126.2	16689.0		J	453.8	2.8	0.3	205.3	
95.8	18911.9							
		Min	I	-788.0	-4.1	-0.1	-380.1	
-75.1	-12250.9		J	-788.0	-4.1	-0.1	-380.1	
-217.4	-13609.9							
		G1	I	-1169.1	-6.4	-0.7	-554.9	
-168.3	29241.6		J	-1169.1	-6.4	1.4	-554.9	
-480.2	34816.7							
		G2	I	-455.5	-2.7	0.1	-221.0	
-6.2	11659.6		J	-455.5	-2.7	0.1	-221.0	
-119.6	13984.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	25.0	-1.8	-0.0	44.9	
-4.8	3761.9		J	25.0	-1.8	-0.0	44.9	
20.1	5329.8							
		Q5_pc Y	I	80.5	-2.4	-0.0	134.1	
0.5	2139.1		J	80.5	-2.4	-0.0	134.1	
3.9	4201.6							
		Q5_ps X	I	25.0	-1.7	-0.0	44.7	
-5.5	3571.5		J	25.0	-1.7	-0.0	44.7	
20.9	5046.8							
		Q5_ps Y	I	82.1	-2.2	-0.0	135.4	
-0.5	1995.9		J	82.1	-2.2	-0.0	135.4	
5.9	3923.0							
		INVSLU Max	I	-2535.3	-6.9	-0.0	-689.9	
-149.9	130225.3		J	-2535.3	-6.9	2.9	-689.9	
-723.7	151121.9							
		Min	I	-5704.1	-28.1	-1.1	-2506.7	
-627.4	51811.3		J	-5704.1	-28.1	1.8	-2506.7	
1558.5	60693.8							
		INVSLE Max	I	-1950.8	-5.4	-0.0	-542.8	
-120.3	97710.7		J	-1950.8	-5.4	2.1	-542.8	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-540.7	113240.4		Min	I	-4287.3	-20.8	-0.8	-1870.7	
-473.4	40127.9			J	-4287.3	-20.8	1.3	-1870.7	-
1156.4	46967.2								
9459	2	83	C1-C2;~1	Max	I	594.8	14.6	0.5	695.4
134.3	34094.0			J	594.8	14.6	0.5	695.4	
644.5	24878.7		Min	I	-1551.6	-10.0	-0.9	-1383.3	
-331.0	-19139.6			J	-1551.6	-10.0	-0.9	-1383.3	
-411.3	-17227.4								
			C3-C4;~1	Max	I	702.9	16.4	0.4	647.8
167.3	37279.9			J	702.9	16.4	0.4	647.8	
1125.4	26205.1		Min	I	-1757.9	-10.6	-1.5	-1598.6	
-435.7	-22613.1			J	-1757.9	-10.6	-1.5	-1598.6	
-374.6	-18304.3								
			C1-C2;~2	Max	I	346.7	7.8	0.2	431.6
76.0	17492.7			J	346.7	7.8	0.2	431.6	
353.4	12629.7		Min	I	-811.6	-6.3	-0.4	-732.7	
-167.2	-11410.3			J	-811.6	-6.3	-0.4	-732.7	
-212.1	-10533.5								
			C3-C4;~2	Max	I	416.3	8.8	0.2	385.4
97.8	18918.1			J	416.3	8.8	0.2	385.4	
636.1	13283.5		Min	I	-909.9	-6.6	-0.8	-838.4	
-221.0	-13612.2			J	-909.9	-6.6	-0.8	-838.4	
-196.8	-11115.9								
			G1	I	-1528.2	11.0	-2.7	-1221.8	
-489.2	34826.6			J	-1528.2	11.0	2.0	-1221.8	
-185.7	25308.0								
			G2	I	-596.7	4.1	-0.3	-484.4	
-123.2	13988.8			J	-596.7	4.1	-0.3	-484.4	
113.7	10415.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	31.4	-2.1	0.2	49.9
20.6	5329.7			J	31.4	-2.1	0.2	49.9	
-120.8	7188.6								
			Q5_pc	Y	I	89.0	-3.7	0.2	259.7
6.0	4200.0			J	89.0	-3.7	0.2	259.7	
-148.4	7370.9								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

21.4	5046.6	Q5_ps X	I	32.1	-2.0	0.2	50.7	
-123.1	6818.8		J	32.1	-2.0	0.2	50.7	
8.0	3921.4	Q5_ps Y	I	92.7	-3.5	0.2	260.5	
-164.6	6983.6		J	92.7	-3.5	0.2	260.5	
-741.2	151160.2	INVS LU Max	I	-3325.5	61.0	-2.5	-1813.6	
689.7	107257.7		J	-3325.5	61.0	4.0	-1813.6	
1592.4	60711.3	Min	I	-6807.6	18.0	-5.4	-5377.9	-
1651.8	33902.6		J	-6807.6	18.0	1.0	-5377.9	-
-554.1	113269.2	INVS LE Max	I	-2538.5	45.7	-1.8	-1421.2	
471.8	79990.5		J	-2538.5	45.7	3.0	-1421.2	
1181.9	46980.6	Min	I	-5106.1	14.3	-4.0	-4026.8	-
1242.9	26636.2		J	-5106.1	14.3	0.8	-4026.8	-
9460	2	83 C1-C2;~1 Max	I	562.7	34.2	2.1	843.9	
644.0	24877.0		J	562.7	34.2	2.1	843.9	
1569.1	21669.8	Min	I	-1729.2	-15.1	-2.0	-1883.7	
-421.5	-17226.1		J	-1729.2	-15.1	-2.0	-1883.7	-
1737.1	-18710.2							
1125.4	26198.7	C3-C4;~1 Max	I	660.6	38.8	2.8	817.3	
1605.4	18149.2		J	660.6	38.8	2.8	817.3	
-386.5	-18302.8	Min	I	-1970.5	-16.8	-1.8	-2174.9	
2051.3	-17620.7		J	-1970.5	-16.8	-1.8	-2174.9	-
353.9	12629.1	C1-C2;~2 Max	I	321.6	18.0	1.0	517.9	
1029.1	13141.7		J	321.6	18.0	1.0	517.9	
-218.5	-10532.7	Min	I	-894.7	-9.1	-1.3	-997.4	
-881.1	-10663.4		J	-894.7	-9.1	-1.3	-997.4	
637.5	13280.5	C3-C4;~2 Max	I	385.5	20.3	1.4	484.7	
1059.0	10931.8		J	385.5	20.3	1.4	484.7	
-204.0	-11115.2	Min	I	-1010.1	-10.1	-1.2	-1139.7	
1036.0	-9598.7		J	-1010.1	-10.1	-1.2	-1139.7	-
		G1	I	-1835.8	31.5	-0.3	-1707.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-202.3	25302.8			J	-1835.8	31.5	4.5	-1707.5	-
2019.6	-1944.6								
		G2		I	-717.5	12.1	1.0	-676.8	
107.1	10413.4			J	-717.5	12.1	1.0	-676.8	
-741.7	-93.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	30.9	-2.5	-0.4	58.7	
-120.2	7189.0			J	30.9	-2.5	-0.4	58.7	
193.0	9390.6								
		Q5_pc Y		I	99.3	-4.9	-0.5	337.8	
-145.0	7371.7			J	99.3	-4.9	-0.5	337.8	
289.0	11585.5								
		Q5_ps X		I	31.6	-2.5	-0.4	60.5	
-122.5	6819.3			J	31.6	-2.5	-0.4	60.5	
188.7	8946.2								
		Q5_ps Y		I	104.2	-4.8	-0.5	338.7	
-161.2	6984.5			J	104.2	-4.8	-0.5	338.7	
311.3	11137.0								
		INVSLE Max		I	-4014.0	148.5	5.7	-2652.6	
646.6	107240.0			J	-4014.0	148.5	12.2	-2652.6	-
2643.0	25498.1		Min	I	-7744.9	64.7	-1.7	-7335.8	-
1702.8	33893.9			J	-7744.9	64.7	4.8	-7335.8	-
8099.8	-49868.8								
		INVSLE Max		I	-3052.1	111.2	4.2	-2068.9	
439.3	79977.3			J	-3052.1	111.2	9.0	-2068.9	-
2040.2	17793.3		Min	I	-5802.5	49.8	-1.2	-5492.9	-
1281.7	26629.7			J	-5802.5	49.8	3.6	-5492.9	-
6043.7	-36489.3								
9461	2	83 C1-C2;~1 Max		I	516.9	16.2	2.3	2915.5	
1641.0	21681.8			J	516.9	16.2	2.3	2915.5	
281.6	36216.3		Min	I	-1873.5	-39.2	-1.6	-1139.6	-
1619.8	-18646.7			J	-1873.5	-39.2	-1.6	-1139.6	
-777.2	-13963.1								
		C3-C4;~1 Max		I	593.0	11.3	2.2	3262.3	
1655.2	18137.4			J	593.0	11.3	2.2	3262.3	
455.5	45039.1		Min	I	-2140.3	-53.7	-1.9	-910.2	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1952.3	-17579.7			J	-2140.3	-53.7	-1.9	-910.2	-
1005.3	-12597.8								
1072.3	13148.5	C1-C2;~2	Max	I	288.6	8.6	1.5	1556.4	
139.0	19093.4			J	288.6	8.6	1.5	1556.4	
-810.1	-10634.2		Min	I	-961.2	-18.6	-0.9	-746.2	
-409.4	-7960.5			J	-961.2	-18.6	-0.9	-746.2	
1085.7	10926.6	C3-C4;~2	Max	I	338.0	5.9	1.5	1760.5	
256.0	23275.0			J	338.0	5.9	1.5	1760.5	
-965.0	-9585.1		Min	I	-1090.1	-25.9	-1.0	-573.6	
-522.3	-6928.3			J	-1090.1	-25.9	-1.0	-573.6	
1794.6	-1878.8		G1	I	-2110.4	-41.0	-3.4	3257.9	-
-844.0	31839.1			J	-2110.4	-41.0	1.1	3257.9	
-659.0	-70.2		G2	I	-822.6	-15.6	-0.6	1296.5	
-183.8	12787.1			J	-822.6	-15.6	-0.6	1296.5	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
222.2	9407.9	Q5_pc	X	I	26.0	11.3	0.3	201.2	
-43.2	125.5			J	26.0	11.3	0.3	201.2	
283.4	11586.1	Q5_pc	Y	I	106.1	14.5	0.6	-106.4	
-173.3	-338.1			J	106.1	14.5	0.6	-106.4	
219.5	8964.2	Q5_ps	X	I	26.5	10.9	0.3	191.5	
-36.9	4.2			J	26.5	10.9	0.3	191.5	
308.1	11138.8	Q5_ps	Y	I	111.3	14.5	0.6	-129.8	
-170.9	-807.3			J	111.3	14.5	0.6	-129.8	
1986.4	25720.9	INVSLU	Max	I	-4659.1	-43.7	-3.0	11787.0	-
-792.4	111715.8			J	-4659.1	-43.7	3.1	11787.0	
7366.7	-49577.5		Min	I	-8540.0	-164.1	-9.7	5482.4	-
3076.3	31454.2			J	-8540.0	-164.1	-3.5	5482.4	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1543.9	17963.0	INVSLE Max	I	-3532.3	-33.2	-2.4	8827.3	-
			J	-3532.3	-33.2	2.2	8827.3	
-590.7	82316.0	Min	I	-6392.9	-120.5	-7.2	4184.0	-
5491.5	-36268.8		J	-6392.9	-120.5	-2.6	4184.0	-
2259.4	22908.0							
9462	2	83 C1-C2;~1 Max	I	464.2	17.0	0.8	2521.5	
288.7	36220.0		J	464.2	17.0	0.8	2521.5	
770.8	50482.8	Min	I	-2012.7	-24.0	-1.4	-1092.6	
-779.6	-13963.0		J	-2012.7	-24.0	-1.4	-1092.6	
-568.6	-22522.4							
		C3-C4;~1 Max	I	537.5	11.4	0.9	2749.8	
465.6	45042.9		J	537.5	11.4	0.9	2749.8	
1192.5	69972.3	Min	I	-2309.4	-34.6	-2.0	-868.1	-
1004.8	-12598.7		J	-2309.4	-34.6	-2.0	-868.1	
-539.2	-17088.1							
		C1-C2;~2 Max	I	249.8	8.6	0.4	1360.8	
140.3	19094.9		J	249.8	8.6	0.4	1360.8	
459.0	25244.3	Min	I	-1022.2	-11.8	-0.8	-721.3	
-412.2	-7960.5		J	-1022.2	-11.8	-0.8	-721.3	
-305.9	-11700.5							
		C3-C4;~2 Max	I	298.4	5.6	0.5	1488.2	
259.0	23276.4		J	298.4	5.6	0.5	1488.2	
716.6	35068.5	Min	I	-1165.9	-16.9	-1.1	-552.3	
-523.0	-6928.9		J	-1165.9	-16.9	-1.1	-552.3	
-303.0	-8633.0							
		G1	I	-2384.6	-15.7	-2.9	2717.1	
-812.7	31847.2		J	-2384.6	-15.7	1.7	2717.1	
-303.8	44741.1							
		G2	I	-925.6	-5.8	-0.2	1085.8	
-171.3	12790.2		J	-925.6	-5.8	-0.2	1085.8	
8.7	17555.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	21.7	11.1	-0.1	183.8	
-41.3	125.3		J	21.7	11.1	-0.1	183.8	
38.0	-9014.3							
		Q5_pc Y	I	109.8	13.2	-0.3	-54.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-174.2	-339.5			J	109.8	13.2	-0.3	-54.1	
91.3	-11219.1								
		Q5_ps X		I	22.2	10.7	-0.1	174.9	
-35.1	4.0			J	22.2	10.7	-0.1	174.9	
29.0	-8810.0								
		Q5_ps Y		I	115.3	13.2	-0.3	-77.5	
-172.1	-808.7			J	115.3	13.2	-0.3	-77.5	
70.5	-11668.5								
		INVS LU Max		I	-5263.2	22.0	-1.1	9894.1	
-709.0	111741.5			J	-5263.2	22.0	5.0	9894.1	
-117.2	165815.6								
		Min		I	-9304.2	-71.5	-5.7	4376.0	-
3007.6	31472.5			J	-9304.2	-71.5	0.4	4376.0	-
2658.9	20753.3								
		INVS LE Max		I	-3980.5	16.4	-0.8	7408.3	
-527.9	82335.2			J	-3980.5	16.4	3.8	7408.3	
-147.8	120860.8								
		Min		I	-6959.1	-51.1	-4.2	3345.3	-
2207.4	22921.9			J	-6959.1	-51.1	0.4	3345.3	-
2018.3	14903.1								
		83 C1-C2;~1 Max		I	479.3	27.0	4.5	1927.6	
9463	2			J	479.3	27.0	4.5	1927.6	
766.1	50480.8								
		Min		I	-2178.3	-13.6	-0.8	-1081.6	
609.9	53264.6			J	-2178.3	-13.6	-0.8	-1081.6	-
-551.7	-22523.3								
3551.4	-39571.4								
		C3-C4;~1 Max		I	501.8	21.4	6.2	2004.8	
1188.5	69969.9			J	501.8	21.4	6.2	2004.8	
635.9	77707.1								
		Min		I	-2530.3	-18.8	-0.8	-928.5	
-517.3	-17088.4			J	-2530.3	-18.8	-0.8	-928.5	-
4613.1	-29711.6								
		C1-C2;~2 Max		I	254.8	14.4	2.2	1067.0	
455.8	25243.4			J	254.8	14.4	2.2	1067.0	
325.7	26358.7								
		Min		I	-1087.7	-7.8	-0.4	-710.9	
-296.6	-11701.0			J	-1087.7	-7.8	-0.4	-710.9	-
1724.0	-20694.3								
		C3-C4;~2 Max		I	266.8	11.4	3.1	1096.7	
713.8	35067.4			J	266.8	11.4	3.1	1096.7	
340.7	38675.4								
		Min		I	-1254.7	-10.2	-0.4	-589.0	
-290.8	-8633.0			J	-1254.7	-10.2	-0.4	-589.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2259.3	-15374.4								
		G1	I	-2695.3	14.4	3.4	1797.0		
-280.4	44737.0		J	-2695.3	14.4	8.0	1797.0	-	
4954.1	32938.2								
		G2	I	-1045.3	5.9	2.2	727.8		
18.1	17553.4		J	-1045.3	5.9	2.2	727.8	-	
1776.7	12734.1								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	27.8	10.9	0.1	148.3		
39.8	-9014.3		J	27.8	10.9	0.1	148.3		
-57.9	-18002.9								
		Q5_pc Y	I	115.5	11.8	0.4	20.2		
91.1	-11218.8		J	115.5	11.8	0.4	20.2		
-228.5	-20944.0								
		Q5_ps X	I	29.0	10.5	0.1	142.1		
30.6	-8810.0		J	29.0	10.5	0.1	142.1		
-41.6	-17460.5								
		Q5_ps Y	I	123.1	11.7	0.3	-0.5		
70.1	-11668.2		J	123.1	11.7	0.3	-0.5		
-163.8	-21309.0								
		INVSLU Max	I	-5850.2	108.4	14.4	7052.4		
-70.0	165801.4		J	-5850.2	108.4	20.6	7052.4	-	
7958.6	134684.0								
		Min	I	-10151.3	25.2	4.3	2618.8	-	
2583.2	20741.8		J	-10151.3	25.2	10.5	2618.8	-1	
5456.1	-61341.4								
		INVSLE Max	I	-4412.8	81.3	10.6	5282.9		
-111.9	120850.1		J	-4412.8	81.3	15.1	5282.9	-	
5884.8	95642.5								
		Min	I	-7583.4	21.3	3.1	2018.5	-	
1961.4	14894.4		J	-7583.4	21.3	7.7	2018.5	-1	
1408.0	-46768.9								
		83 C1-C2;~1 Max	I	523.1	46.1	2.6	1478.4		
9464	2		J	523.1	46.1	2.6	1478.4	1	
610.1	53270.1								
		Min	I	-2344.5	-12.3	-17.9	-1305.1	-	
1446.5	46061.3		J	-2344.5	-12.3	-17.9	-1305.1	-	
3546.3	-39572.8								
		C3-C4;~1 Max	I	545.3	42.5	2.5	1470.0		
1541.2	-68079.8								
636.1	77715.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5217.9	70926.0		J	545.3	42.5	2.5	1470.0	1
		Min	I	-2762.6	-14.0	-23.6	-1308.2	-
4609.0	-29712.4		J	-2762.6	-14.0	-23.6	-1308.2	-
1416.5	-52158.5							
		C1-C2;~2 Max	I	279.8	24.3	1.3	833.4	
325.8	26361.3		J	279.8	24.3	1.3	833.4	
5601.6	23111.4							
		Min	I	-1156.7	-7.3	-8.6	-804.6	-
1722.1	-20695.0		J	-1156.7	-7.3	-8.6	-804.6	
-784.8	-36424.6							
		C3-C4;~2 Max	I	292.0	22.4	1.3	805.1	
340.8	38679.2		J	292.0	22.4	1.3	805.1	
7571.0	35773.4							
		Min	I	-1355.6	-8.3	-11.5	-764.5	-
2258.2	-15374.7		J	-1355.6	-8.3	-11.5	-764.5	
-750.7	-27668.0							
		G1	I	-2980.0	48.0	-26.4	741.8	-
4941.0	32945.0		J	-2980.0	48.0	-21.9	741.8	1
4900.7	-6546.0							
		G2	I	-1155.4	18.9	-9.2	316.7	-
1771.3	12736.7		J	-1155.4	18.9	-9.2	316.7	
5784.2	-2823.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	36.1	10.7	-0.6	112.2	
-56.6	-18003.8		J	36.1	10.7	-0.6	112.2	
419.5	-26785.2							
		Q5_pc Y	I	124.2	10.4	-1.3	87.6	
-228.0	-20945.3		J	124.2	10.4	-1.3	87.6	
828.8	-29484.7							
		Q5_ps X	I	37.8	10.2	-0.5	109.6	
-40.4	-17461.4		J	37.8	10.2	-0.5	109.6	
358.9	-25883.2							
		Q5_ps Y	I	133.7	10.2	-0.9	72.1	
-163.4	-21310.3		J	133.7	10.2	-0.9	72.1	
567.0	-29674.4							
		INVSLU Max	I	-6278.6	213.1	-37.9	4329.4	-
7925.8	134705.9		J	-6278.6	213.1	-31.8	4329.4	4
4771.0	17115.3							
		Min	I	-10967.9	112.7	-75.5	365.7	-1
5417.0	-61334.2							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0654.3	-223614.9		J	-10967.9	112.7	-69.4	365.7	2
5859.8	95658.6	INVSLE Max	I	-4728.1	159.8	-27.9	3249.0	-
2887.5	5813.6		J	-4728.1	159.8	-23.3	3249.0	3
1378.5	-46763.6	Min	I	-8185.1	86.9	-55.6	327.9	-1
5133.8	-168573.8		J	-8185.1	86.9	-51.0	327.9	1
9465	2	83 C1-C2;~1 Max	I	569.0	69.1	44.3	1177.2	1
1441.4	46054.1		J	569.0	69.1	44.3	1177.2	
3375.4	35617.7	Min	I	-2670.0	-15.1	-5.9	-1676.0	-
1539.0	-68081.8		J	-2670.0	-15.1	-5.9	-1676.0	-2
5132.3	-112799.6							
5211.6	70916.0	C3-C4;~1 Max	I	591.2	69.2	57.9	1113.9	1
3366.8	54138.1		J	591.2	69.2	57.9	1113.9	
1414.6	-52161.2	Min	I	-3177.9	-15.9	-5.8	-1863.1	-
2523.0	-93348.6		J	-3177.9	-15.9	-5.8	-1863.1	-3
5598.3	23108.0	C1-C2;~2 Max	I	305.6	35.8	21.5	671.0	
1764.0	19496.9		J	305.6	35.8	21.5	671.0	
-783.6	-36425.9	Min	I	-1316.2	-8.3	-3.1	-968.3	
2156.0	-60913.5		J	-1316.2	-8.3	-3.1	-968.3	-1
7567.5	35768.5	C3-C4;~2 Max	I	318.2	35.6	28.4	611.3	
1798.0	28841.8		J	318.2	35.6	28.4	611.3	
-749.7	-27669.7	Min	I	-1560.1	-8.8	-3.1	-1027.3	
5929.4	-50495.9		J	-1560.1	-8.8	-3.1	-1027.3	-1
4901.3	-6558.5	G1	I	-3427.6	85.2	58.2	-332.9	1
4795.1	-76593.5		J	-3427.6	85.2	62.7	-332.9	-3
5784.7	-2828.2	G2	I	-1326.4	33.3	23.0	-107.4	
3133.0	-30241.3		J	-1326.4	33.3	23.0	-107.4	-1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
420.5	-26784.9	Q5_pc X	I	42.8	10.4	1.2	68.5	
			J	42.8	10.4	1.2	68.5	

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-599.7	-35298.6								
830.0	-29483.6	Q5_pc Y	I	139.5	9.0	2.5	80.9		
1233.2	-36889.5		J	139.5	9.0	2.5	80.9	-	
359.9	-25882.9	Q5_ps X	I	44.7	9.9	1.0	70.6		
-502.1	-34009.3		J	44.7	9.9	1.0	70.6		
568.1	-29673.3	Q5_ps Y	I	153.0	8.6	1.6	78.6		
-734.4	-36781.4		J	153.0	8.6	1.6	78.6		
4773.7	17079.2	INVS LU Max	I	-6978.6	330.5	178.0	1820.2	4	
3598.5	-186142.0		J	-6978.6	330.5	184.1	1820.2	-5	
0666.4	-223638.3	Min	I	-12317.9	197.0	87.3	-2429.9	2	
4281.1	-477909.0		J	-12317.9	197.0	93.5	-2429.9	-10	
2889.9	5786.8	INVS LE Max	I	-5244.0	247.6	131.0	1381.4	3	
9467.6	-148044.0		J	-5244.0	247.6	135.6	1381.4	-3	
5143.3	-168591.2	Min	I	-9180.5	150.0	64.2	-1756.0	1	
6845.8	-359249.1		J	-9180.5	150.0	68.7	-1756.0	-7	
9466	2	83 C1-C2;~1 Max	I	526.1	12.0	5.8	1533.8		
3385.7	29936.9		J	526.1	12.0	5.8	1533.8	1	
1265.1	38331.1	Min	I	-2635.5	-61.6	-44.0	-1062.9	-2	
5136.6	-110350.3		J	-2635.5	-61.6	-44.0	-1062.9	-	
1376.8	-68198.7								
3381.1	43177.5	C3-C4;~1 Max	I	545.5	12.3	5.6	1528.1		
4826.5	56767.4		J	545.5	12.3	5.6	1528.1	1	
2540.3	-89301.0	Min	I	-3123.6	-59.7	-57.4	-1092.3	-3	
1229.5	-50470.9		J	-3123.6	-59.7	-57.4	-1092.3	-	
1770.0	16447.2	C1-C2;~2 Max	I	282.6	6.5	3.0	900.3		
5522.8	19968.4		J	282.6	6.5	3.0	900.3		
2153.6	-59530.7	Min	I	-1297.5	-31.9	-21.3	-620.0	-1	
-694.8	-36817.6		J	-1297.5	-31.9	-21.3	-620.0		
1805.9	23202.6	C3-C4;~2 Max	I	293.7	6.7	3.0	873.1		
7394.3	28973.2		J	293.7	6.7	3.0	873.1		

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5930.8	-47861.4		Min	I	-1530.7	-30.8	-28.1	-602.5	-1
				J	-1530.7	-30.8	-28.1	-602.5	
-649.4	-26867.2								
4804.4	-77255.3		G1	I	-3445.0	-75.4	-62.8	389.5	-3
				J	-3445.0	-75.4	-58.3	389.5	1
4830.1	-15465.8								
3138.4	-30648.1		G2	I	-1332.8	-29.6	-23.0	118.1	-1
				J	-1332.8	-29.6	-23.0	118.1	
5745.9	-6412.7								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-605.8	-35110.7		Q5_pc X	I	-159.6	-13.0	-1.2	-27.5	
				J	-159.6	-13.0	-1.2	-27.5	
378.0	-24484.6								
1261.5	-38572.4		Q5_pc Y	I	-126.1	-14.0	-2.3	-48.9	-
				J	-126.1	-14.0	-2.3	-48.9	
632.4	-27078.1								
-506.6	-33670.5		Q5_ps X	I	-147.8	-12.3	-1.0	-22.4	
				J	-147.8	-12.3	-1.0	-22.4	
330.1	-23557.0								
-761.2	-38393.4		Q5_ps Y	I	-98.3	-13.4	-1.4	-46.4	
				J	-98.3	-13.4	-1.4	-46.4	
379.8	-27370.7								
3543.1	-196084.3		INVSLU Max	I	-7067.3	-175.1	-94.3	2916.9	-5
				J	-7067.3	-175.1	-88.2	2916.9	4
4206.2	-20565.5								
4313.9	-472777.3		Min	I	-12307.8	-300.1	-183.7	-716.5	-10
				J	-12307.8	-300.1	-177.5	-716.5	2
1193.4	-238010.3								
9426.4	-155231.4		INVSLE Max	I	-5312.9	-133.8	-69.4	2169.5	-3
				J	-5312.9	-133.8	-64.8	2169.5	3
2498.9	-21860.2								
6866.1	-355046.2		Min	I	-9173.5	-224.5	-135.3	-515.4	-7
				J	-9173.5	-224.5	-130.7	-515.4	1
5536.7	-179320.0								
9467	2	83	C1-C2;~1 Max	I	504.5	9.4	17.4	1288.2	1
1267.8	38337.7			J	504.5	9.4	17.4	1288.2	
490.4	42102.5								
1375.9	-68196.6		Min	I	-2366.2	-41.1	-2.2	-1385.0	-
				J	-2366.2	-41.1	-2.2	-1385.0	-
3329.1	-40802.0								

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

4826.8	56776.1	C3-C4;~1	Max	I	524.9	10.3	22.7	1184.0	1
				J	524.9	10.3	22.7	1184.0	
485.3	61416.9		Min	I	-2778.4	-36.7	-2.1	-1525.8	-
1228.1	-50468.0			J	-2778.4	-36.7	-2.1	-1525.8	-
4218.5	-29838.3								
5524.9	19971.6	C1-C2;~2	Max	I	269.9	5.3	8.4	782.3	
				J	269.9	5.3	8.4	782.3	
255.8	21051.5		Min	I	-1177.2	-21.7	-1.1	-770.9	
-694.3	-36816.3			J	-1177.2	-21.7	-1.1	-770.9	-
1610.1	-21634.0								
7394.9	28977.4	C3-C4;~2	Max	I	281.2	6.0	11.1	692.8	
				J	281.2	6.0	11.1	692.8	
259.0	30623.3		Min	I	-1372.3	-19.3	-1.1	-811.5	
-648.6	-26865.4			J	-1372.3	-19.3	-1.1	-811.5	-
2064.3	-15637.0								
4830.5	-15454.0	G1		I	-2989.8	-41.3	21.7	-565.0	1
				J	-2989.8	-41.3	26.3	-565.0	-
4858.3	18402.1								
5745.7	-6408.3	G2		I	-1158.4	-16.4	9.1	-257.3	
				J	-1158.4	-16.4	9.1	-257.3	-
1732.0	7000.2								
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
377.3	-24484.7	Q5_pc	X	I	-149.6	-11.2	0.6	-124.3	
				J	-149.6	-11.2	0.6	-124.3	
-89.9	-15307.2								
631.5	-27079.1	Q5_pc	Y	I	-97.9	-12.8	1.0	-105.1	
				J	-97.9	-12.8	1.0	-105.1	
-164.3	-16553.6								
329.4	-23557.1	Q5_ps	X	I	-139.3	-10.7	0.5	-113.2	
				J	-139.3	-10.7	0.5	-113.2	
-80.8	-14794.1								
378.9	-27371.8	Q5_ps	Y	I	-76.5	-12.5	0.6	-88.2	
				J	-76.5	-12.5	0.6	-88.2	
-102.4	-17097.8								
4206.3	-20532.1	INVSLU	Max	I	-6300.9	-97.8	68.3	768.2	4
				J	-6300.9	-97.8	74.4	768.2	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

8249.8	78458.6									
			Min	I	-11029.8	-191.7	32.9	-3254.4	2	
1195.9	-237987.7			J	-11029.8	-191.7	39.0	-3254.4	-1	
4902.6	-89333.4									
		INVSLE	Max	I	-4747.6	-76.3	50.3	560.8	3	
2499.1	-21835.5			J	-4747.6	-76.3	54.8	560.8	-	
6110.3	54179.8									
			Min	I	-8230.5	-143.6	24.2	-2402.3	1	
5538.6	-179303.2			J	-8230.5	-143.6	28.7	-2402.3	-1	
1016.4	-67903.5									
		83	C1-C2;~1	Max	I	512.8	11.1	0.4	1138.2	
9468	2			J	512.8	11.1	0.4	1138.2		
492.3	42097.4									
				Min	I	-2244.4	-26.8	-4.1	-1786.9	-
867.7	36171.5			J	-2244.4	-26.8	-4.1	-1786.9		
3334.2	-40800.7									
				Min	I	-2244.4	-26.8	-4.1	-1786.9	-
-674.7	-23592.7			J	-2244.4	-26.8	-4.1	-1786.9		
		C3-C4;~1	Max	I	535.4	15.6	0.3	928.0		
487.6	61409.9			J	535.4	15.6	0.3	928.0		
1182.5	52235.5									
			Min	I	-2640.9	-20.5	-5.3	-2001.1	-	
4225.4	-29837.8			J	-2640.9	-20.5	-5.3	-2001.1		
-785.9	-16626.7									
		C1-C2;~2	Max	I	273.0	6.0	0.2	714.1		
256.8	21049.0			J	273.0	6.0	0.2	714.1		
501.6	17696.6									
			Min	I	-1128.6	-14.5	-2.0	-963.8	-	
1612.0	-21633.4			J	-1128.6	-14.5	-2.0	-963.8		
-360.4	-12660.7									
		C3-C4;~2	Max	I	285.1	8.2	0.2	557.2		
260.2	30619.8			J	285.1	8.2	0.2	557.2		
709.6	25890.4									
			Min	I	-1316.7	-11.0	-2.7	-1037.4	-	
2067.0	-15636.8			J	-1316.7	-11.0	-2.7	-1037.4		
-413.1	-8586.1									
				G1	I	-2714.0	-12.7	-7.8	-1473.5	-
4867.3	18395.6			J	-2714.0	-12.7	-3.2	-1473.5		
-364.4	28778.6									
				G2	I	-1052.9	-5.3	-2.1	-608.6	-
1735.8	6997.8			J	-1052.9	-5.3	-2.1	-608.6		
-25.3	11308.6									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-91.4	-15306.4	Q5_pc X	I	-145.6	-9.6	-0.2	-235.6	
32.7	-7451.7		J	-145.6	-9.6	-0.2	-235.6	
-165.3	-16552.3	Q5_pc Y	I	-90.9	-11.9	-0.2	-124.0	
-25.4	-6767.7		J	-90.9	-11.9	-0.2	-124.0	
-82.2	-14793.3	Q5_ps X	I	-135.2	-9.2	-0.1	-217.8	
33.6	-7261.7		J	-135.2	-9.2	-0.1	-217.8	
-103.2	-17096.5	Q5_ps Y	I	-72.5	-11.8	-0.1	-99.2	
-41.0	-7395.5		J	-72.5	-11.8	-0.1	-99.2	
8263.5	78438.3	INVS LU Max	I	-5755.1	-25.2	-11.5	-1036.1	-
20.6	104591.1		J	-5755.1	-25.2	-5.3	-1036.1	
4929.9	-89340.2	Min	I	-10305.3	-103.8	-19.5	-5698.3	-1
2695.7	-11190.1		J	-10305.3	-103.8	-13.3	-5698.3	-
6120.5	54164.9	INVS LE Max	I	-4342.5	-21.2	-8.4	-800.1	-
-24.7	75573.5		J	-4342.5	-21.2	-3.9	-800.1	
1036.6	-67908.5	Min	I	-7693.6	-77.9	-14.4	-4222.2	-1
2032.4	-9196.8		J	-7693.6	-77.9	-9.8	-4222.2	-
9469	2	83 C1-C2;~1 Max	I	526.7	22.0	1.3	1135.0	
871.9	36174.1		J	526.7	22.0	1.3	1135.0	
148.2	22520.8	Min	I	-2107.7	-21.1	-0.7	-2229.9	
-686.9	-23592.3		J	-2107.7	-21.1	-0.7	-2229.9	
-614.1	-12233.8							
1185.9	52238.7	C3-C4;~1 Max	I	595.8	31.5	1.6	846.2	
315.3	28490.8		J	595.8	31.5	1.6	846.2	
-801.3	-16626.4	Min	I	-2482.8	-15.7	-0.9	-2551.8	
-666.7	-11397.6		J	-2482.8	-15.7	-0.9	-2551.8	
504.2	17697.9	C1-C2;~2 Max	I	278.8	10.9	0.7	710.3	
86.4	11429.2		J	278.8	10.9	0.7	710.3	
-366.7	-12660.5	Min	I	-1071.8	-11.3	-0.4	-1170.8	
-337.6	-7442.8		J	-1071.8	-11.3	-0.4	-1170.8	
		C3-C4;~2 Max	I	325.0	15.7	0.9	513.7	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
711.7	25892.0		J	325.0	15.7	0.9	513.7
201.4	14119.8						
		Min	I	-1249.9	-8.3	-0.5	-1300.8
-421.0	-8585.9		J	-1249.9	-8.3	-0.5	-1300.8
-367.9	-6844.5						
		G1	I	-2414.9	10.4	-1.7	-2207.7
-379.0	28781.9		J	-2414.9	10.4	2.9	-2207.7
-879.8	20291.1						
		G2	I	-938.7	3.7	0.2	-891.6
-31.2	11309.9		J	-938.7	3.7	0.2	-891.6
-190.9	8293.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-141.6	-8.1	0.1	-343.0
30.4	-7451.6		J	-141.6	-8.1	0.1	-343.0
-47.2	-781.2						
		Q5_pc Y	I	-83.6	-11.2	0.1	-146.6
-26.4	-6767.6		J	-83.6	-11.2	0.1	-146.6
-86.1	2377.1						
		Q5_ps X	I	-131.3	-7.8	0.1	-318.5
31.5	-7261.6		J	-131.3	-7.8	0.1	-318.5
-48.3	-830.6						
		Q5_ps Y	I	-68.2	-11.2	0.1	-116.6
-41.8	-7395.4		J	-68.2	-11.2	0.1	-116.6
-87.4	1791.1						
		INVSLE Max	I	-5099.3	51.4	-0.4	-2332.2
-4.3	104602.9		J	-5099.3	51.4	5.7	-2332.2
1496.4	68947.7						
		Min	I	-9510.3	-39.7	-4.0	-7926.8
2741.7	-11181.8		J	-9510.3	-39.7	2.2	-7926.8
2977.2	9690.6						
		INVSLE Max	I	-3856.1	36.2	-0.3	-1783.7
-43.2	75582.3		J	-3856.1	36.2	4.2	-1783.7
1129.0	50432.4						
		Min	I	-7104.6	-29.8	-2.9	-5882.1
2066.9	-9190.6		J	-7104.6	-29.8	1.6	-5882.1
2214.4	6855.2						
		83 C1-C2;~1 Max	I	590.4	34.7	1.7	1160.2
9470	2		J	590.4	34.7	1.7	1160.2
148.8	22516.8						
1749.8	18055.8		Min	-1966.9	-21.1	-2.5	-2500.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-618.6	-12233.4			J	-1966.9	-21.1	-2.5	-2500.8	-
1626.2	-17044.6								
		C3-C4;~1	Max	I	658.1	47.9	2.1	859.7	
312.0	28483.5			J	658.1	47.9	2.1	859.7	
1738.3	13767.7		Min	I	-2315.2	-15.9	-2.4	-2899.6	
-672.0	-11396.3			J	-2315.2	-15.9	-2.4	-2899.6	-
1967.0	-17556.8								
		C1-C2;~2	Max	I	322.5	17.3	0.9	719.7	
87.3	11427.7			J	322.5	17.3	0.9	719.7	
1135.4	11008.4		Min	I	-1008.9	-11.4	-1.6	-1297.9	
-338.5	-7442.7			J	-1008.9	-11.4	-1.6	-1297.9	
-842.3	-9873.3								
		C3-C4;~2	Max	I	367.6	24.0	1.1	514.1	
200.5	14116.0			J	367.6	24.0	1.1	514.1	
1132.3	8203.5		Min	I	-1173.4	-8.5	-1.6	-1469.5	
-369.7	-6843.9			J	-1173.4	-8.5	-1.6	-1469.5	-
1003.2	-9588.7								
		G1		I	-2129.4	27.9	-1.5	-2602.9	
-896.9	20284.2			J	-2129.4	27.9	3.0	-2602.9	-
1528.8	-2577.3								
		G2		I	-830.7	10.5	0.4	-1044.3	
-197.8	8290.4			J	-830.7	10.5	0.4	-1044.3	
-560.0	-320.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-134.5	-7.0	-0.2	-402.1	
-49.9	-781.6			J	-134.5	-7.0	-0.2	-402.1	
95.0	4940.5								
		Q5_pc	Y	I	-64.7	-10.5	-0.4	-161.2	
-87.1	2377.1			J	-64.7	-10.5	-0.4	-161.2	
207.5	11014.7								
		Q5_ps	X	I	-124.9	-6.8	-0.2	-373.8	
-50.7	-830.9			J	-124.9	-6.8	-0.2	-373.8	
92.3	4720.8								
		Q5_ps	Y	I	-50.8	-10.7	-0.4	-129.2	
-88.2	1791.1			J	-50.8	-10.7	-0.4	-129.2	
238.1	10559.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1532.6	68923.9		INVSLU Max	I	-4453.8	117.1	2.2	-3053.4	-
				J	-4453.8	117.1	8.3	-3053.4	-
1189.6	27440.8		Min	I	-8709.8	5.0	-4.7	-9258.0	-
3017.7	9677.3			J	-8709.8	5.0	1.4	-9258.0	-
6580.9	-40462.7								
			INVSLE Max	I	-3376.3	85.4	1.6	-2332.6	-
1156.1	50414.6			J	-3376.3	85.4	6.2	-2332.6	
-936.1	19595.2		Min	I	-6511.0	3.8	-3.4	-6875.1	-
2244.6	6845.2			J	-6511.0	3.8	1.1	-6875.1	-
4902.0	-29235.1								
9471	2	83	C1-C2;~1 Max	I	628.4	11.4	2.1	1326.0	
1693.9	18018.5			J	628.4	11.4	2.1	1326.0	
549.7	16962.2		Min	I	-1813.9	-23.1	-1.9	-570.1	-
1784.6	-17092.2			J	-1813.9	-23.1	-1.9	-570.1	
-500.5	-13049.0								
			C3-C4;~1 Max	I	703.8	11.3	1.9	1579.5	
1705.2	13740.1			J	703.8	11.3	1.9	1579.5	
864.5	15318.3		Min	I	-2131.1	-27.6	-2.4	-534.3	-
2171.9	-17610.4			J	-2131.1	-27.6	-2.4	-534.3	
-463.4	-13123.8								
			C1-C2;~2 Max	I	348.7	6.7	1.4	686.2	
1095.0	10988.1			J	348.7	6.7	1.4	686.2	
316.1	9021.2		Min	I	-937.8	-12.1	-1.0	-330.0	
-923.4	-9895.4			J	-937.8	-12.1	-1.0	-330.0	
-260.6	-8220.7								
			C3-C4;~2 Max	I	399.4	6.6	1.2	806.0	
1107.2	8187.1			J	399.4	6.6	1.2	806.0	
526.1	8030.6		Min	I	-1086.5	-14.2	-1.2	-298.9	-
1109.6	-9610.5			J	-1086.5	-14.2	-1.2	-298.9	
-239.8	-8250.4								
			G1	I	-1843.9	-19.8	-4.0	1207.5	-
1795.6	-2662.9			J	-1843.9	-19.8	0.6	1207.5	
-408.8	13496.2								
			G2	I	-720.4	-7.5	-0.8	467.3	
-664.0	-355.0			J	-720.4	-7.5	-0.8	467.3	
1.1	5795.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
83.9	4934.1	Q5_pc X	I	-127.0	-0.2	0.2	253.2	
-51.3	5057.4		J	-127.0	-0.2	0.2	253.2	
162.1	10991.5	Q5_pc Y	I	-46.6	2.2	0.4	-85.1	
-197.1	9156.8		J	-46.6	2.2	0.4	-85.1	
83.5	4715.5	Q5_ps X	I	-118.2	-0.1	0.2	237.8	
-46.7	4803.1		J	-118.2	-0.1	0.2	237.8	
192.8	10536.1	Q5_ps Y	I	-34.5	2.2	0.5	-88.4	
-211.4	8717.1		J	-34.5	2.2	0.5	-88.4	
1856.3	27188.5	INVS LU Max	I	-3818.5	-36.6	-3.6	5200.3	-
85.8	68296.0		J	-3818.5	-36.6	2.5	5200.3	
7382.0	-40695.2	Min	I	-7874.1	-93.2	-10.4	1842.6	-
2111.7	11197.7		J	-7874.1	-93.2	-4.3	1842.6	-
1429.2	19409.4	INVS LE Max	I	-2903.2	-28.1	-2.7	3900.8	-
30.8	50643.1		J	-2903.2	-28.1	1.8	3900.8	
5500.8	-29409.4	Min	I	-5890.4	-69.7	-7.7	1447.4	-
1570.7	9568.9		J	-5890.4	-69.7	-3.2	1447.4	-
9472	2	83 C1-C2;~1 Max	I	643.0	8.2	0.7	1019.3	
548.7	16961.7		J	643.0	8.2	0.7	1019.3	
57.8	20771.7	Min	I	-1619.3	-11.3	-0.5	-485.4	
-496.6	-13048.7		J	-1619.3	-11.3	-0.5	-485.4	
-136.5	-14046.6							
863.0	15318.9	C3-C4;~1 Max	I	729.5	7.7	1.0	1216.1	
72.7	22870.7		J	729.5	7.7	1.0	1216.1	
-455.4	-13123.8	Min	I	-1898.0	-13.6	-0.4	-448.2	
-166.8	-15415.4		J	-1898.0	-13.6	-0.4	-448.2	
315.5	9020.8	C1-C2;~2 Max	I	360.5	5.0	0.4	529.1	
34.8	10765.9		J	360.5	5.0	0.4	529.1	
-258.9	-8220.5	Min	I	-844.1	-5.9	-0.3	-284.6	
			J	-844.1	-5.9	-0.3	-284.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-68.8	-8448.4							
525.1	8030.8	C3-C4;~2	Max	I	419.8	4.6	0.6	622.2
45.3	11691.1			J	419.8	4.6	0.6	622.2
-235.6	-8250.4		Min	I	-973.8	-7.0	-0.2	-253.5
-84.9	-9368.4			J	-973.8	-7.0	-0.2	-253.5
-401.7	13498.1		G1	I	-1525.5	-7.7	-2.4	897.7
-259.3	19787.0			J	-1525.5	-7.7	2.1	897.7
3.8	5796.6		G2	I	-594.9	-2.8	0.1	348.1
-56.1	8097.2			J	-594.9	-2.8	0.1	348.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-49.8	5057.8	Q5_pc	X	I	-116.8	0.8	-0.1	187.7
0.4	4395.5			J	-116.8	0.8	-0.1	187.7
-197.6	9156.2	Q5_pc	Y	I	-33.5	2.5	-0.2	-68.0
0.8	7130.8			J	-33.5	2.5	-0.2	-68.0
-45.3	4803.4	Q5_ps	X	I	-109.0	0.8	-0.1	176.1
0.2	4156.0			J	-109.0	0.8	-0.1	176.1
-211.9	8716.4	Q5_ps	Y	I	-24.0	2.4	-0.3	-70.7
2.0	6769.5			J	-24.0	2.4	-0.3	-70.7
100.8	68298.2	INVSLE	Max	I	-3112.9	-8.4	-2.3	3960.6
-432.0	92225.7			J	-3112.9	-8.4	3.8	3960.6
2090.4	11201.7		Min	I	-6870.3	-42.2	-4.9	1325.7
-756.8	27704.1			J	-6870.3	-42.2	1.2	1325.7
42.3	50644.8	INVSLE	Max	I	-2375.6	-6.7	-1.8	2971.8
-323.5	68785.0			J	-2375.6	-6.7	2.8	2971.8
1554.5	9571.9		Min	I	-5143.3	-31.5	-3.6	1045.1
-564.0	21942.0			J	-5143.3	-31.5	0.9	1045.1
9473	2	70 C1-C2;~1	Max	I	663.3	5.4	0.0	469.3
56.1	20764.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
72.4	19188.7		J	663.3	5.4	0.0	469.3
		Min	I	-1378.7	-3.8	-0.1	-278.9
-132.9	-14044.8		J	-1378.7	-3.8	-0.1	-278.9
-73.2	-11867.0						
		C3-C4;~1 Max	I	750.8	4.8	0.0	561.5
70.9	22862.6		J	750.8	4.8	0.0	561.5
90.0	21558.1	Min	I	-1615.0	-3.5	-0.2	-236.5
-162.3	-15413.2		J	-1615.0	-3.5	-0.2	-236.5
-86.3	-13777.4						
		C1-C2;~2 Max	I	376.8	3.4	0.0	243.4
33.9	10762.5		J	376.8	3.4	0.0	243.4
41.7	10013.3	Min	I	-726.7	-2.5	-0.1	-168.7
-67.1	-8447.4		J	-726.7	-2.5	-0.1	-168.7
-39.2	-6942.1						
		C3-C4;~2 Max	I	437.0	2.8	0.0	287.0
44.3	11687.0		J	437.0	2.8	0.0	287.0
53.6	11089.3	Min	I	-836.8	-2.3	-0.1	-136.7
-82.8	-9367.1		J	-836.8	-2.3	-0.1	-136.7
-45.4	-8242.4						
		G1	I	-1150.3	3.3	-0.9	388.7
-255.3	19780.2		J	-1150.3	3.3	0.6	388.7
-124.4	17065.3						
		G2	I	-448.3	1.5	-0.1	152.1
-54.5	8094.6		J	-448.3	1.5	-0.1	152.1
-9.2	6886.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-101.3	1.9	0.0	68.8
1.2	4394.0		J	-101.3	1.9	0.0	68.8
-3.3	2839.6						
		Q5_pc Y	I	-26.8	2.6	0.0	-39.5
0.5	7131.1		J	-26.8	2.6	0.0	-39.5
-5.6	4971.3						
		Q5_ps X	I	-94.3	1.8	0.0	64.3
0.9	4154.6		J	-94.3	1.8	0.0	64.3
-2.9	2673.4						
		Q5_ps Y	I	-20.4	2.5	0.0	-41.1
1.6	6769.8						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.8	4739.4		J	-20.4	2.5	0.0	-41.1
-424.2	92200.1	INVS LU Max	I	-2256.7	18.6	-1.3	1797.5
-129.3	81242.0		J	-2256.7	18.6	0.7	1797.5
-741.3	27691.7	Min	I	-5632.8	1.3	-1.6	539.2
-377.3	24590.9		J	-5632.8	1.3	0.5	539.2
-317.5	68765.6	INVS LE Max	I	-1733.6	13.7	-1.0	1349.3
-98.9	60665.2		J	-1733.6	13.7	0.5	1349.3
-552.2	21932.5	Min	I	-4220.9	1.3	-1.2	426.4
-281.9	19364.3		J	-4220.9	1.3	0.3	426.4
9474	2	70 C1-C2;~1 Max	I	739.4	13.5	0.1	162.9
72.2	19192.8		J	739.4	13.5	0.1	162.9
16.1	9246.9	Min	I	-1253.1	-8.1	-0.1	-141.3
-72.1	-11868.8		J	-1253.1	-8.1	-0.1	-141.3
-43.6	-7039.7						
89.8	21563.0	C3-C4;~1 Max	I	829.8	15.2	0.1	153.6
30.2	9421.8		J	829.8	15.2	0.1	153.6
-85.0	-13779.8	Min	I	-1465.4	-8.5	-0.1	-125.3
-48.6	-7967.5		J	-1465.4	-8.5	-0.1	-125.3
41.6	10015.6	C1-C2;~2 Max	I	423.2	7.0	0.1	102.0
9.2	4903.3		J	423.2	7.0	0.1	102.0
-38.6	-6943.1	Min	I	-667.3	-4.8	-0.0	-81.8
-22.9	-4251.3		J	-667.3	-4.8	-0.0	-81.8
53.5	11092.0	C3-C4;~2 Max	I	485.4	7.8	0.1	92.3
19.3	4851.3		J	485.4	7.8	0.1	92.3
-44.7	-8243.8	Min	I	-766.3	-5.1	-0.0	-69.0
-25.0	-4848.6		J	-766.3	-5.1	-0.0	-69.0
-123.4	17067.9	G1	I	-877.1	12.4	-0.7	-40.5
-143.7	6958.2		J	-877.1	12.4	0.8	-40.5
-8.8	6887.1	G2	I	-342.2	5.0	0.0	-14.1
-13.5	2793.7		J	-342.2	5.0	0.0	-14.1

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.2	2840.2	Q5_pc X	I	-93.0	3.0	-0.0	-40.8
3.8	425.1		J	-93.0	3.0	-0.0	-40.8
-5.8	4971.0	Q5_pc Y	I	-21.6	2.8	-0.0	-21.7
-2.7	2686.7		J	-21.6	2.8	-0.0	-21.7
-2.8	2674.0	Q5_ps X	I	-86.3	2.8	-0.0	-38.5
3.6	390.6		J	-86.3	2.8	-0.0	-38.5
-6.0	4739.1	Q5_ps Y	I	-17.5	2.6	-0.0	-22.8
-3.1	2619.9		J	-17.5	2.6	-0.0	-22.8
-126.5	81256.4	INVSLU Max	I	-1587.6	59.0	-0.9	144.3
-210.8	33450.4		J	-1587.6	59.0	1.2	144.3
-372.9	24595.9	Min	I	-4853.4	21.8	-1.1	-339.8
-324.0	5138.9		J	-4853.4	21.8	0.9	-339.8
-96.8	60676.2	INVSLE Max	I	-1234.5	44.2	-0.6	98.3
-157.1	24881.9		J	-1234.5	44.2	0.9	98.3
-278.5	19368.2	Min	I	-3641.3	17.0	-0.8	-254.8
-240.5	4268.6		J	-3641.3	17.0	0.7	-254.8
9475	2	70 C1-C2;~1 Max	I	848.6	24.2	0.1	364.8
17.1	9241.1		J	848.6	24.2	0.1	364.8
176.2	9978.6	Min	I	-1190.9	-13.8	-0.2	-481.8
-44.0	-7034.7		J	-1190.9	-13.8	-0.2	-481.8
-95.8	-12614.9						
31.6	9412.7	C3-C4;~1 Max	I	934.2	27.8	0.1	387.2
170.8	7642.6		J	934.2	27.8	0.1	387.2
-49.6	-7961.3	Min	I	-1387.7	-14.9	-0.2	-560.0
-106.5	-14480.9		J	-1387.7	-14.9	-0.2	-560.0
9.8	4900.7	C1-C2;~2 Max	I	489.9	12.8	0.0	217.3
111.5	5992.5		J	489.9	12.8	0.0	217.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-22.9	-4248.5		Min	I	-637.9	-8.0	-0.1	-256.8
				J	-637.9	-8.0	-0.1	-256.8
-51.4	-6661.3							
		C3-C4;~2	Max	I	549.0	14.5	0.0	229.5
20.1	4846.9			J	549.0	14.5	0.0	229.5
109.2	4347.2							
			Min	I	-729.2	-8.7	-0.1	-293.8
-25.3	-4845.0			J	-729.2	-8.7	-0.1	-293.8
-55.2	-7510.6							
			G1	I	-675.4	19.3	-0.8	-308.5
-145.3	6951.5			J	-675.4	19.3	0.7	-308.5
-96.7	-8875.1							
			G2	I	-265.2	7.7	-0.0	-118.6
-14.1	2791.1			J	-265.2	7.7	-0.0	-118.6
-2.2	-3538.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-86.2	3.9	0.0	-109.3
3.2	423.3			J	-86.2	3.9	0.0	-109.3
-0.7	-2738.8							
			Q5_pc Y	I	-9.3	2.9	-0.0	-12.5
-2.8	2686.4			J	-9.3	2.9	-0.0	-12.5
13.9	296.7							
			Q5_ps X	I	-80.0	3.6	0.0	-102.6
3.0	388.8			J	-80.0	3.6	0.0	-102.6
-1.1	-2588.1							
			Q5_ps Y	I	-5.9	2.7	-0.0	-13.5
-3.2	2619.6			J	-5.9	2.7	-0.0	-13.5
16.2	417.6							
			INVSLU Max	I	-1043.5	100.2	-0.9	-265.2
-213.8	33418.6			J	-1043.5	100.2	1.1	-265.2
33.4	-14135.8							
			Min	I	-4333.2	35.5	-1.4	-1740.7
-329.1	5128.2			J	-4333.2	35.5	0.6	-1740.7
-373.3	-52086.0							
			INVSLE Max	I	-829.6	75.1	-0.7	-230.2
-159.5	24857.9			J	-829.6	75.1	0.8	-230.2
20.1	-11298.2							
			Min	I	-3254.9	27.7	-1.0	-1308.6
-244.5	4260.2			J	-3254.9	27.7	0.5	-1308.6
-279.3	-39044.3							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9476	2	70	C1-C2;~1	Max	I	941.8	18.7	0.1	819.5
141.3	9921.6				J	941.8	18.7	0.1	819.5
62.3	5419.3				Min	I	-1138.1	-20.4	-715.9
-147.8	-12601.1				J	-1138.1	-20.4	-0.2	-715.9
-30.6	-11236.8								
			C3-C4;~1	Max	I	1024.1	20.1	0.2	951.1
169.9	7613.0				J	1024.1	20.1	0.2	951.1
79.7	6259.0				Min	I	-1319.5	-23.6	-730.3
-174.7	-14465.1				J	-1319.5	-23.6	-0.2	-730.3
-34.3	-12633.9								
			C1-C2;~2	Max	I	544.1	10.9	0.1	440.1
85.9	5959.1				J	544.1	10.9	0.1	440.1
36.0	2865.7				Min	I	-611.7	-11.0	-417.5
-77.8	-6655.5				J	-611.7	-11.0	-0.1	-417.5
-16.5	-6666.3								
			C3-C4;~2	Max	I	601.7	11.8	0.1	500.6
105.0	4330.6				J	601.7	11.8	0.1	500.6
48.1	3255.0				Min	I	-695.4	-12.5	-426.4
-90.8	-7505.1				J	-695.4	-12.5	-0.1	-426.4
-18.1	-7555.4								
			G1		I	-490.5	-7.0	-0.9	305.6
-201.9	-8870.6				J	-490.5	-7.0	0.6	305.6
-74.4	-3132.9								
			G2		I	-193.3	-2.8	-0.1	119.3
-42.8	-3536.6				J	-193.3	-2.8	-0.1	119.3
13.1	-1263.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-80.1	-1.9	-0.0	152.7
-9.6	-2739.2				J	-80.1	-1.9	-0.0	152.7
2.6	-1176.7								
			Q5_pc	Y	I	3.6	0.1	-0.0	-57.8
-16.4	277.6				J	3.6	0.1	-0.0	-57.8
0.0	174.3								
			Q5_ps	X	I	-74.5	-1.8	-0.0	143.6
-8.5	-2587.9				J	-74.5	-1.8	-0.0	143.6
2.6	-1129.8								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-15.3	397.1	Q5_ps Y	I	6.1	0.2	-0.0	-57.5
-0.9	262.0		J	6.1	0.2	-0.0	-57.5
-216.4	-14209.8	INVSLE Max	I	-541.7	-3.4	-1.2	2704.6
-19.4	5880.0		J	-541.7	-3.4	0.8	2704.6
-711.1	-52062.5	Min	I	-3849.7	-65.9	-1.7	159.9
-178.0	-21743.4		J	-3849.7	-65.9	0.3	159.9
-166.4	-11352.1	INVSLE Max	I	-455.8	-3.6	-0.9	2049.5
-16.0	4394.1		J	-455.8	-3.6	0.6	2049.5
-530.7	-39025.9	Min	I	-2895.6	-49.6	-1.3	184.9
-133.1	-15910.8		J	-2895.6	-49.6	0.3	184.9
9477	2	70 C1-C2;~1 Max	I	1021.2	10.4	0.1	485.6
58.3	5427.6		J	1021.2	10.4	0.1	485.6
77.0	13569.7	Min	I	-1088.0	-10.2	-0.0	-477.1
-25.7	-11243.0		J	-1088.0	-10.2	-0.0	-477.1
-70.0	-17563.1						
75.5	6268.5	C3-C4;~1 Max	I	1104.9	11.0	0.1	562.2
86.6	15767.5		J	1104.9	11.0	0.1	562.2
-28.6	-12640.9	Min	I	-1254.9	-11.8	-0.0	-473.5
-80.1	-20580.1		J	-1254.9	-11.8	-0.0	-473.5
33.7	2870.2	C1-C2;~2 Max	I	587.9	6.2	0.0	261.3
46.2	7276.7		J	587.9	6.2	0.0	261.3
-13.9	-6669.9	Min	I	-585.8	-5.5	-0.0	-280.1
-37.6	-10118.9		J	-585.8	-5.5	-0.0	-280.1
45.7	3260.1	C3-C4;~2 Max	I	646.9	6.5	0.0	296.6
53.3	8294.1		J	646.9	6.5	0.0	296.6
-15.1	-7559.6	Min	I	-662.5	-6.2	-0.0	-276.2
-42.2	-12173.1		J	-662.5	-6.2	-0.0	-276.2
-72.7	-3129.1	G1	I	-314.3	-3.1	-0.7	133.5
-121.5	-570.3		J	-314.3	-3.1	0.8	133.5
		G2	I	-123.3	-1.2	0.0	51.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
13.8	-1261.9		J	-123.3	-1.2	0.0	51.7
-7.1	-239.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-75.6	-1.1	0.0	94.3
3.6	-1175.1		J	-75.6	-1.1	0.0	94.3
-0.6	-260.3						
		Q5_pc Y	I	13.8	-0.0	-0.0	-35.7
-0.4	173.6		J	13.8	-0.0	-0.0	-35.7
-0.3	200.4						
		Q5_ps X	I	-70.3	-1.0	0.0	88.6
3.5	-1128.3		J	-70.3	-1.0	0.0	88.6
-0.6	-275.0						
		Q5_ps Y	I	14.9	-0.0	-0.0	-35.1
-1.3	261.3		J	14.9	-0.0	-0.0	-35.1
-0.2	271.1						
		INVSLE Max	I	-51.9	0.3	-0.7	1565.7
-16.6	5905.5		J	-51.9	0.3	1.3	1565.7
-136.3	30620.1	Min	I	-3373.8	-32.5	-0.9	-7.0
-163.6	-21737.4		J	-3373.8	-32.5	1.1	-7.0
-362.5	-18917.7						
		INVSLE Max	I	-90.4	-0.3	-0.6	1190.9
-13.6	4413.6		J	-90.4	-0.3	1.0	1190.9
-104.1	23170.9	Min	I	-2541.0	-24.5	-0.7	38.5
-122.0	-15905.9		J	-2541.0	-24.5	0.8	38.5
-271.6	-13489.0						
9478	2	70 C1-C2;~1 Max	I	1127.8	1.3	0.0	32.0
75.3	13567.5		J	1127.8	1.3	0.0	32.0
99.3	13266.7	Min	I	-1051.9	-2.6	-0.1	-88.3
-68.2	-17561.8		J	-1051.9	-2.6	-0.1	-88.3
-60.5	-16830.2						
		C3-C4;~1 Max	I	1226.3	0.9	0.0	21.1
84.9	15765.1		J	1226.3	0.9	0.0	21.1
116.7	15470.6	Min	I	-1211.2	-2.2	-0.1	-68.6
-78.0	-20579.0		J	-1211.2	-2.2	-0.1	-68.6
-69.7	-20032.9						
		C1-C2;~2 Max	I	646.5	0.8	0.0	19.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
45.3	7275.5		J	646.5	0.8	0.0	19.8
57.3	7112.4						
		Min	I	-566.7	-1.7	-0.0	-56.4
-36.7	-10118.1		J	-566.7	-1.7	-0.0	-56.4
-32.6	-9713.2						
		C3-C4;~2 Max	I	714.8	0.5	0.0	11.9
52.3	8292.8		J	714.8	0.5	0.0	11.9
69.1	8136.8						
		Min	I	-639.8	-1.4	-0.0	-41.9
-41.1	-12172.4		J	-639.8	-1.4	-0.0	-41.9
-36.8	-11899.6						
		G1	I	-136.0	-0.7	-0.8	-39.3
-121.2	-572.0		J	-136.0	-0.7	0.7	-39.3
-78.1	36.1						
		G2	I	-53.5	-0.3	-0.0	-16.3
-7.0	-239.9		J	-53.5	-0.3	-0.0	-16.3
9.9	13.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-75.6	-0.2	0.0	-2.5
-0.3	-260.6		J	-75.6	-0.2	0.0	-2.5
-1.3	-100.8						
		Q5_pc Y	I	16.9	-0.3	0.0	3.6
-0.5	200.5		J	16.9	-0.3	0.0	3.6
-2.0	430.1						
		Q5_ps X	I	-70.1	-0.2	0.0	-2.5
-0.3	-275.2		J	-70.1	-0.2	0.0	-2.5
-1.1	-126.0						
		Q5_ps Y	I	16.3	-0.3	0.0	3.8
-0.3	271.2		J	16.3	-0.3	0.0	3.8
-2.5	485.2						
		INVSLE Max	I	515.1	0.5	-1.1	69.8
-136.2	30612.7		J	515.1	0.5	0.9	69.8
6.4	31558.6						
		Min	I	-2911.7	-5.3	-1.2	-99.2
-357.0	-18920.9		J	-2911.7	-5.3	0.8	-99.2
-248.9	-17145.3						
		INVSLE Max	I	332.7	0.4	-0.8	55.9
-103.8	23165.3		J	332.7	0.4	0.7	55.9
2.6	23845.7						
		Min	I	-2195.5	-3.9	-0.9	-68.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-267.3	-13491.5			J	-2195.5	-3.9	0.6	-68.8	
-186.2	-12173.9								
9479	2	70	C1-C2;~1	Max	I	1207.3	10.5	0.1	483.7
100.9	13269.1				J	1207.3	10.5	0.1	483.7
21.0	4830.5			Min	I	-1000.4	-13.0	-0.0	-477.6
-62.2	-16833.3				J	-1000.4	-13.0	-0.0	-477.6
-27.9	-8033.8								
			C3-C4;~1	Max	I	1313.9	12.0	0.1	513.1
118.3	15473.4				J	1313.9	12.0	0.1	513.1
35.4	5755.0			Min	I	-1150.3	-13.3	-0.1	-554.4
-71.7	-20036.2				J	-1150.3	-13.3	-0.1	-554.4
-30.6	-9716.8								
			C1-C2;~2	Max	I	690.8	5.7	0.1	281.0
58.2	7113.7				J	690.8	5.7	0.1	281.0
12.4	2543.7			Min	I	-539.1	-7.5	-0.0	-257.3
-33.5	-9715.0				J	-539.1	-7.5	-0.0	-257.3
-14.7	-4866.8								
			C3-C4;~2	Max	I	763.7	6.4	0.1	301.1
70.0	8138.3				J	763.7	6.4	0.1	301.1
22.6	2985.6			Min	I	-607.8	-7.7	-0.0	-292.9
-37.9	-11901.4				J	-607.8	-7.7	-0.0	-292.9
-15.7	-5963.8								
			G1		I	24.2	-0.1	-0.7	-108.6
-78.8	35.4				J	24.2	-0.1	0.8	-108.6
-118.4	142.3								
			G2		I	8.8	-0.1	0.0	-43.7
9.6	12.9				J	8.8	-0.1	0.0	-43.7
-3.7	62.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-75.5	0.7	-0.0	-94.6
-1.7	-100.6				J	-75.5	0.7	-0.0	-94.6
0.7	-679.5								
			Q5_pc	Y	I	20.9	-0.6	0.0	42.3
-1.8	430.1				J	20.9	-0.6	0.0	42.3
-3.3	886.1								
			Q5_ps	X	I	-69.8	0.7	-0.0	-88.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.4	-125.8			J	-69.8	0.7	-0.0 -88.9
0.8	-663.3						
		Q5_ps	Y	I	19.0	-0.5	0.0 41.1
-2.3	485.2			J	19.0	-0.5	0.0 41.1
-4.0	913.9						
		INVSLE	Max	I	1043.3	25.7	-0.8 222.2
6.3	31564.0			J	1043.3	25.7	1.2 222.2
-138.9	11671.3						
			Min	I	-2419.2	-9.8	-1.1 -1389.1
-253.5	-17148.1			J	-2419.2	-9.8	1.0 -1389.1
-233.8	-10810.6						
		INVSLE	Max	I	729.5	19.4	-0.6 126.1
2.5	23849.9			J	729.5	19.4	0.9 126.1
-103.8	8697.8						
			Min	I	-1825.3	-6.8	-0.8 -1054.8
-189.7	-12175.8			J	-1825.3	-6.8	0.7 -1054.8
-173.7	-7837.3						
		70 C1-C2;~1	Max	I	1263.1	19.5	0.0 856.1
9480	2			J	1263.1	19.5	0.0 856.1
24.9	4821.4						
			Min	I	-950.8	-23.4	-0.2 -801.0
184.4	15754.6			J	-950.8	-23.4	-0.2 -801.0
-31.0	-8024.1						
		C3-C4;~1	Max	I	1360.7	22.4	0.0 925.2
-63.2	-11341.8			J	1360.7	22.4	0.0 925.2
			Min	I	-1090.6	-24.9	-0.2 -927.2
39.7	5744.3			J	-1090.6	-24.9	-0.2 -927.2
175.9	13714.9						
		C1-C2;~2	Max	I	724.4	10.5	0.0 492.6
-35.4	-9704.4			J	724.4	10.5	0.0 492.6
-69.4	-12745.7						
			Min	I	-512.7	-13.3	-0.1 -431.8
14.7	2538.7			J	-512.7	-13.3	-0.1 -431.8
114.7	9136.7						
		C3-C4;~2	Max	I	791.3	11.8	0.0 540.4
-16.3	-4861.4			J	791.3	11.8	0.0 540.4
-34.1	-6152.2						
			Min	I	-576.4	-14.4	-0.1 -490.3
25.2	2979.9			J	-576.4	-14.4	-0.1 -490.3
110.5	7747.7						
		G1		I	145.4	-1.0	-0.9 -102.6
-18.3	-5956.5			J	145.4	-1.0	0.7 -102.6
-36.5	-6770.0						
-119.1	142.9						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-35.2	925.3							
		G2	I	54.6	-0.4	-0.0	-41.4	
-4.1	62.9		J	54.6	-0.4	-0.0	-41.4	
21.6	367.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-73.9	1.5	-0.0	-146.2	
-0.2	-681.0		J	-73.9	1.5	-0.0	-146.2	
1.2	-1879.2							
		Q5_pc Y	I	30.0	-0.8	-0.0	63.3	
-2.9	886.6		J	30.0	-0.8	-0.0	63.3	
13.2	1548.9							
		Q5_ps X	I	-68.5	1.4	-0.0	-137.2	
-0.0	-664.7		J	-68.5	1.4	-0.0	-137.2	
0.7	-1775.9							
		Q5_ps Y	I	28.2	-0.8	-0.0	60.5	
-3.6	914.4		J	28.2	-0.8	-0.0	60.5	
15.4	1530.7							
		INVS LU Max	I	1463.3	46.1	-1.2	524.1	
-138.7	11647.8		J	1463.3	46.1	0.9	524.1	
248.1	14122.8							
		Min	I	-1979.1	-20.4	-1.6	-2239.9	
-245.3	-10804.0		J	-1979.1	-20.4	0.5	-2239.9	
-118.5	-27735.2							
		INVS LE Max	I	1047.3	34.9	-0.9	323.5	
-104.0	8679.7		J	1047.3	34.9	0.6	323.5	
186.1	9772.1							
		Min	I	-1492.7	-14.2	-1.2	-1704.4	
-182.6	-7833.0		J	-1492.7	-14.2	0.4	-1704.4	
-83.7	-20983.2							
		70 C1-C2;~1 Max	I	1301.1	24.2	0.2	864.1	
9481	2		J	1301.1	24.2	0.2	864.1	
146.5	15664.3							
		Min	I	-905.3	-16.2	-0.1	-1333.2	
41.3	2402.4		J	-905.3	-16.2	-0.1	-1333.2	
-90.5	-11321.2							
-11.7	-7870.1							
		C3-C4;~1 Max	I	1391.8	25.8	0.2	986.6	
167.1	13612.4		J	1391.8	25.8	0.2	986.6	
55.2	2828.7							
		Min	I	-1035.7	-18.5	-0.1	-1406.9	
-105.5	-12726.2		J	-1035.7	-18.5	-0.1	-1406.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-11.0	-9338.5							
		C1-C2;~2	Max	I	747.4	13.9	0.1	466.6
89.9	9088.2			J	747.4	13.9	0.1	466.6
24.1	1279.3							
			Min	I	-488.4	-8.8	-0.1	-762.2
-48.1	-6140.9			J	-488.4	-8.8	-0.1	-762.2
-6.7	-4704.1							
		C3-C4;~2	Max	I	810.1	15.0	0.1	522.2
103.6	7688.4			J	810.1	15.0	0.1	522.2
33.8	1486.8							
			Min	I	-547.6	-9.8	-0.1	-813.5
-55.2	-6759.6			J	-547.6	-9.8	-0.1	-813.5
-5.9	-5667.7							
			G1	I	248.3	5.5	-0.8	-384.1
-118.1	852.6			J	248.3	5.5	0.7	-384.1
-70.1	-3688.2							
			G2	I	94.9	2.2	-0.0	-147.4
-10.7	339.4			J	94.9	2.2	-0.0	-147.4
15.2	-1427.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-71.5	-1.5	-0.0	100.9
-10.6	-1890.7			J	-71.5	-1.5	-0.0	100.9
0.7	-642.7							
			Q5_pc Y	I	38.1	0.8	-0.0	-79.4
-2.6	1540.3			J	38.1	0.8	-0.0	-79.4
-1.1	878.6							
			Q5_ps X	I	-66.4	-1.4	-0.0	94.3
-9.8	-1786.4			J	-66.4	-1.4	-0.0	94.3
0.8	-625.0							
			Q5_ps Y	I	36.0	0.8	0.0	-75.6
-1.7	1521.4			J	36.0	0.8	0.0	-75.6
-2.1	904.5							
			INVSLU Max	I	1811.7	34.7	-0.9	2096.2
56.2	14026.4			J	1811.7	34.7	1.1	2096.2
7.7	-2945.4							
			Min	I	-1594.1	-27.9	-1.3	-1316.7
-330.8	-27704.0			J	-1594.1	-27.9	0.7	-1316.7
-84.7	-20952.6							
			INVSLE Max	I	1310.4	25.0	-0.7	1626.2
42.9	9705.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
6.4	-2297.1		J	1310.4	25.0	0.8	1626.2
		Min	I	-1202.9	-21.2	-1.0	-888.4
-242.4	-20954.4		J	-1202.9	-21.2	0.5	-888.4
-61.9	-15518.6						
9482	2	70 C1-C2;~1 Max	I	1334.0	12.5	0.1	518.0
33.8	2402.7		J	1334.0	12.5	0.1	518.0
68.8	8621.2						
		Min	I	-867.2	-8.1	-0.1	-834.8
-10.4	-7881.4		J	-867.2	-8.1	-0.1	-834.8
-44.4	-16966.8						
		C3-C4;~1 Max	I	1423.3	13.2	0.1	591.1
47.4	2835.9		J	1423.3	13.2	0.1	591.1
76.9	10027.6						
		Min	I	-990.0	-9.2	-0.1	-883.6
-9.0	-9351.6		J	-990.0	-9.2	-0.1	-883.6
-50.5	-19826.6						
		C1-C2;~2 Max	I	765.9	7.2	0.0	279.8
19.7	1277.8		J	765.9	7.2	0.0	279.8
41.0	4624.2						
		Min	I	-468.0	-4.4	-0.0	-477.2
-6.6	-4710.6		J	-468.0	-4.4	-0.0	-477.2
-23.9	-9847.9						
		C3-C4;~2 Max	I	827.8	7.7	0.0	312.9
29.3	1490.1		J	827.8	7.7	0.0	312.9
47.0	5276.0						
		Min	I	-523.6	-4.9	-0.0	-511.2
-5.5	-5675.4		J	-523.6	-4.9	-0.0	-511.2
-26.7	-11793.8						
		G1	I	346.4	2.9	-0.7	-269.5
-72.5	-3690.9		J	346.4	2.9	0.8	-269.5
-92.3	-6046.6						
		G2	I	135.0	1.1	0.0	-103.3
14.2	-1428.4		J	135.0	1.1	0.0	-103.3
4.7	-2349.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-68.8	-0.9	0.0	61.7
1.3	-641.6		J	-68.8	-0.9	0.0	61.7
-2.1	57.5						
		Q5_pc Y	I	43.1	0.4	-0.0	-50.4
-1.6	877.6		J	43.1	0.4	-0.0	-50.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.4	560.4						
1.4	-623.9	Q5_ps X	I	-63.9	-0.8	0.0	57.6
-2.0	26.5		J	-63.9	-0.8	0.0	57.6
-2.6	903.6	Q5_ps Y	I	40.2	0.4	-0.0	-48.0
1.3	613.2		J	40.2	0.4	-0.0	-48.0
1.7	-2930.0	INVS LU Max	I	2124.8	17.7	-0.9	1266.9
-8.5	7192.9		J	2124.8	17.7	1.2	1266.9
-79.3	-20962.8	Min	I	-1256.9	-14.0	-1.0	-835.0
-184.3	-34118.9		J	-1256.9	-14.0	1.0	-835.0
2.4	-2284.9	INVS LE Max	I	1544.8	12.7	-0.6	985.9
-5.8	5505.4		J	1544.8	12.7	0.9	985.9
-57.4	-15525.5	Min	I	-951.0	-10.7	-0.8	-562.8
-135.7	-25021.3		J	-951.0	-10.7	0.7	-562.8
9483	2	70 C1-C2;~1 Max	I	1403.3	0.7	0.0	17.8
65.8	8619.0		J	1403.3	0.7	0.0	17.8
83.1	8273.3	Min	I	-838.0	-2.4	-0.0	-61.1
-42.6	-16964.2		J	-838.0	-2.4	-0.0	-61.1
-35.1	-15774.1						
73.7	10025.1	C3-C4;~1 Max	I	1501.0	0.6	0.0	15.5
95.9	9627.1		J	1501.0	0.6	0.0	15.5
-48.5	-19824.0	Min	I	-956.0	-2.1	-0.1	-55.5
-40.0	-18711.0		J	-956.0	-2.1	-0.1	-55.5
39.3	4623.0	C1-C2;~2 Max	I	805.2	0.4	0.0	11.1
48.5	4438.9		J	805.2	0.4	0.0	11.1
-23.0	-9846.4	Min	I	-452.3	-1.5	-0.0	-38.4
-18.9	-9166.5		J	-452.3	-1.5	-0.0	-38.4
45.2	5274.7	C3-C4;~2 Max	I	872.4	0.3	0.0	8.8
57.3	5066.9		J	872.4	0.3	0.0	8.8
-25.6	-11792.4	Min	I	-505.7	-1.3	-0.0	-33.5
-21.1	-11166.7		J	-505.7	-1.3	-0.0	-33.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-93.4	-6046.5	G1	I	463.2	-1.1	-0.8	-32.5
			J	463.2	-1.1	0.7	-32.5
-62.7	-5133.2	G2	I	180.7	-0.4	-0.0	-12.2
4.2	-2349.3		J	180.7	-0.4	-0.0	-12.2
16.1	-2000.3	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-1.9	57.3	Q5_pc X	I	-68.0	-0.1	0.0	-3.5
			J	-68.0	-0.1	0.0	-3.5
-2.3	141.7	Q5_pc Y	I	44.7	-0.1	0.0	0.1
1.3	560.6		J	44.7	-0.1	0.0	0.1
0.1	659.1						
-1.8	26.3	Q5_ps X	I	-63.0	-0.1	0.0	-3.4
			J	-63.0	-0.1	0.0	-3.4
-2.0	105.1	Q5_ps Y	I	40.8	-0.1	0.0	0.1
1.1	613.4		J	40.8	-0.1	0.0	0.1
-0.4	710.9						
-11.4	7188.6	INVSLE Max	I	2526.5	-1.1	-1.1	44.5
			J	2526.5	-1.1	0.9	44.5
89.8	8483.1	Min	I	-912.9	-5.5	-1.2	-68.3
-179.9	-34116.7		J	-912.9	-5.5	0.9	-68.3
-97.7	-30959.7						
-7.7	5502.1	INVSLE Max	I	1844.5	-0.8	-0.8	34.7
			J	1844.5	-0.8	0.7	34.7
67.5	6450.8	Min	I	-694.2	-4.1	-0.9	-48.4
-132.2	-25019.7		J	-694.2	-4.1	0.6	-48.4
-71.0	-22678.2						
9484	2	70 C1-C2;~1 Max	I	1466.4	8.5	0.1	843.3
85.9	8275.1		J	1466.4	8.5	0.1	843.3
16.2	3427.7	Min	I	-805.8	-15.7	-0.0	-508.6
-36.9	-15777.7		J	-805.8	-15.7	-0.0	-508.6
-24.6	-4486.3						
98.8	9629.1	C3-C4;~1 Max	I	1568.4	9.7	0.1	895.7
			J	1568.4	9.7	0.1	895.7
28.3	2868.4						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-42.0	-18714.8	Min	I	-918.6	-16.4	-0.0	-581.8
			J	-918.6	-16.4	-0.0	-581.8
-25.9	-5702.9						
50.1	4439.9	C1-C2;~2 Max	I	841.9	4.6	0.1	483.2
9.5	1959.6		J	841.9	4.6	0.1	483.2
-19.9	-9168.5	Min	I	-435.0	-9.0	-0.0	-274.6
-13.8	-2779.2		J	-435.0	-9.0	-0.0	-274.6
59.0	5068.0	C3-C4;~2 Max	I	911.5	5.1	0.1	518.6
18.1	1605.9		J	911.5	5.1	0.1	518.6
-22.2	-11168.8	Min	I	-486.0	-9.5	-0.0	-307.9
-14.1	-3570.9		J	-486.0	-9.5	-0.0	-307.9
-61.9	-5135.1	G1	I	570.6	-6.2	-0.7	280.1
-112.7	-40.7		J	570.6	-6.2	0.8	280.1
16.4	-2001.0	G2	I	222.0	-2.4	0.0	108.3
-1.4	-28.0		J	222.0	-2.4	0.0	108.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.5	141.8	Q5_pc X	I	-66.3	0.6	-0.0	-65.9
0.0	-365.6		J	-66.3	0.6	-0.0	-65.9
0.3	658.9	Q5_pc Y	I	46.4	-0.6	0.0	50.3
-2.8	1179.8		J	46.4	-0.6	0.0	50.3
-2.2	105.3	Q5_ps X	I	-61.2	0.6	-0.0	-61.6
0.2	-364.6		J	-61.2	0.6	-0.0	-61.6
-0.3	710.8	Q5_ps Y	I	42.0	-0.6	0.0	47.2
-3.5	1196.5		J	42.0	-0.6	0.0	47.2
92.9	8484.3	INVSLU Max	I	2896.5	7.7	-0.8	1005.9
-85.5	5532.4		J	2896.5	7.7	1.3	1005.9
-101.8	-30966.0	Min	I	-580.2	-28.8	-1.0	-1107.3
-163.7	-8917.5		J	-580.2	-28.8	1.1	-1107.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

69.7	6451.9	INVSLE Max	I	2121.0	5.9	-0.6	693.1
			J	2121.0	5.9	0.9	693.1
-63.0	3967.8	Min	I	-445.5	-20.9	-0.7	-863.4
-74.2	-22682.8		J	-445.5	-20.9	0.8	-863.4
-120.5	-6578.5						
9485	2	70 C1-C2;~1 Max	I	1539.0	15.6	0.0	1405.4
22.3	3433.5		J	1539.0	15.6	0.0	1405.4
197.6	22773.1	Min	I	-785.5	-28.7	-0.2	-818.0
-24.1	-4474.9		J	-785.5	-28.7	-0.2	-818.0
-55.4	-11456.8						
		C3-C4;~1 Max	I	1637.8	17.7	0.1	1494.9
34.8	2868.9		J	1637.8	17.7	0.1	1494.9
195.3	21146.2	Min	I	-894.7	-30.4	-0.2	-934.7
-26.0	-5687.7		J	-894.7	-30.4	-0.2	-934.7
-62.4	-12873.8						
		C1-C2;~2 Max	I	886.4	8.4	0.0	804.3
13.3	1964.3		J	886.4	8.4	0.0	804.3
121.6	13098.5	Min	I	-424.1	-16.4	-0.1	-441.7
-13.1	-2772.7		J	-424.1	-16.4	-0.1	-441.7
-29.8	-6209.1						
		C3-C4;~2 Max	I	954.0	9.4	0.0	864.8
22.1	1606.7		J	954.0	9.4	0.0	864.8
121.3	11984.5	Min	I	-473.4	-17.6	-0.1	-494.7
-13.6	-3561.8		J	-473.4	-17.6	-0.1	-494.7
-32.9	-6832.3						
		G1	I	660.2	-11.7	-0.9	512.7
-109.8	-33.8		J	660.2	-11.7	0.6	512.7
-9.6	9560.5						
		G2	I	255.1	-4.5	-0.0	198.3
-0.3	-25.3		J	255.1	-4.5	-0.0	198.3
31.2	3692.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-63.5	1.2	-0.0	-101.2
-0.5	-366.7		J	-63.5	1.2	-0.0	-101.2
-0.5	-1367.4						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.3	1180.6	Q5_pc Y	I	51.1	-1.1	-0.0	78.5
			J	51.1	-1.1	-0.0	78.5
10.3	2068.4						
-0.4	-365.5	Q5_ps X	I	-58.8	1.1	0.0	-94.3
			J	-58.8	1.1	0.0	-94.3
-0.8	-1291.0						
-3.1	1197.2	Q5_ps Y	I	47.2	-1.0	-0.0	73.1
			J	47.2	-1.0	-0.0	73.1
12.1	2016.3						
-79.1	5539.4	INVSLU Max	I	3230.9	12.3	-1.2	1808.9
			J	3230.9	12.3	0.8	1808.9
367.0	42856.9						
-165.4	-8899.4	Min	I	-302.3	-54.9	-1.6	-1653.2
			J	-302.3	-54.9	0.4	-1653.2
-2.5	-8989.5						
-58.6	3972.1	INVSLE Max	I	2371.8	9.6	-0.9	1258.1
			J	2371.8	9.6	0.6	1258.1
276.4	31113.6						
-122.2	-6565.8	Min	I	-236.9	-40.0	-1.2	-1293.0
			J	-236.9	-40.0	0.3	-1293.0
4.1	-7015.4						
9486	2	70 C1-C2;~1 Max	I	1591.8	34.5	0.2	811.7
162.3	22710.5		J	1591.8	34.5	0.2	811.7
50.9	1941.1						
-69.4	-11455.3	Min	I	-767.3	-16.0	-0.1	-1797.4
			J	-767.3	-16.0	-0.1	-1797.4
-10.0	-7851.0						
175.9	21070.4	C3-C4;~1 Max	I	1688.9	36.5	0.2	923.6
			J	1688.9	36.5	0.2	923.6
63.9	2162.6						
-79.3	-12872.8	Min	I	-873.4	-18.2	-0.1	-1893.1
			J	-873.4	-18.2	-0.1	-1893.1
-11.2	-9601.2						
99.7	13063.0	C1-C2;~2 Max	I	917.9	19.8	0.1	438.5
			J	917.9	19.8	0.1	438.5
30.3	1066.3						
-37.3	-6208.3	Min	I	-414.4	-8.6	-0.0	-1032.4
			J	-414.4	-8.6	-0.0	-1032.4
-5.4	-4688.0						
109.2	11938.1	C3-C4;~2 Max	I	984.6	21.2	0.1	488.9
			J	984.6	21.2	0.1	488.9
39.4	1150.1						
-41.8	-6831.8	Min	I	-462.1	-9.6	-0.0	-1098.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.9	-5843.6		J	-462.1	-9.6	-0.0	-1098.2
		G1	I	738.6	17.3	-0.8	-943.9
-68.1	9503.2		J	738.6	17.3	0.7	-943.9
-62.4	-4525.6						
		G2	I	285.4	6.7	-0.0	-363.0
8.6	3670.6		J	285.4	6.7	-0.0	-363.0
17.4	-1769.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-60.7	-1.3	-0.0	89.7
-7.6	-1371.4		J	-60.7	-1.3	-0.0	89.7
0.2	-291.2						
		Q5_pc Y	I	55.1	1.3	0.0	-106.9
2.2	2061.4		J	55.1	1.3	0.0	-106.9
-0.9	976.4						
		Q5_ps X	I	-56.2	-1.2	-0.0	83.4
-7.2	-1294.5		J	-56.2	-1.2	-0.0	83.4
0.4	-296.5						
		Q5_ps Y	I	51.1	1.2	0.0	-100.7
3.2	2008.9		J	51.1	1.2	0.0	-100.7
-1.8	1010.5						
		INVSLE Max	I	3495.7	74.5	-0.7	1454.9
231.8	42772.6		J	3495.7	74.5	1.3	1454.9
48.5	-5476.1						
		Min	I	-72.7	-1.7	-1.1	-2540.0
-126.4	-8975.3		J	-72.7	-1.7	0.9	-2540.0
-54.4	-23114.8						
		INVSLE Max	I	2569.2	54.5	-0.5	1156.2
175.5	31053.0		J	2569.2	54.5	1.0	1156.2
36.1	-4166.7						
		Min	I	-66.0	-1.7	-0.8	-1788.8
-88.8	-7003.9		J	-66.0	-1.7	0.7	-1788.8
-40.1	-17102.2						
9487	2	70 C1-C2;~1 Max	I	1634.7	20.1	0.1	495.8
40.5	1943.0		J	1634.7	20.1	0.1	495.8
88.3	8869.2						
		Min	I	-751.5	-9.0	-0.1	-1139.1
-7.6	-7867.5		J	-751.5	-9.0	-0.1	-1139.1
-46.1	-23492.0						
		C3-C4;~1 Max	I	1734.1	21.1	0.1	564.0

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
53.1	2168.7			J	1734.1	21.1	0.1	564.0	
98.9	10206.6		Min	I	-855.0	-10.2	-0.1	-1202.3	
-7.4	-9619.6			J	-855.0	-10.2	-0.1	-1202.3	
-52.5	-26616.5								
			C1-C2;~2	Max	I	942.1	11.6	0.0	267.9
24.3	1066.6			J	942.1	11.6	0.0	267.9	
52.4	4773.4		Min	I	-405.8	-4.9	-0.0	-654.8	
-4.4	-4697.4			J	-405.8	-4.9	-0.0	-654.8	
-24.9	-13633.9								
			C3-C4;~2	Max	I	1010.5	12.3	0.0	298.6
33.1	1152.7			J	1010.5	12.3	0.0	298.6	
60.0	5385.0		Min	I	-452.4	-5.4	-0.1	-698.5	
-4.1	-5854.3			J	-452.4	-5.4	-0.1	-698.5	
-27.8	-15746.8								
			G1	I	815.0	10.2	-0.7	-616.8	
-68.2	-4534.4			J	815.0	10.2	0.8	-616.8	
-73.4	-12827.4								
			G2	I	316.8	4.0	0.0	-236.7	
15.1	-1772.5			J	316.8	4.0	0.0	-236.7	
11.4	-4988.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-58.6	-0.8	0.0	56.3
0.8	-290.3			J	-58.6	-0.8	0.0	56.3	
-2.1	335.5								
			Q5_pc	Y	I	57.9	0.8	-0.0	-69.5
-1.5	975.3			J	57.9	0.8	-0.0	-69.5	
1.3	337.0								
			Q5_ps	X	I	-54.1	-0.7	0.0	52.3
0.9	-295.6			J	-54.1	-0.7	0.0	52.3	
-1.9	282.0								
			Q5_ps	Y	I	53.0	0.7	-0.0	-65.8
-2.4	1009.5			J	53.0	0.7	-0.0	-65.8	
1.0	424.4								
			INVSLU	Max	I	3730.9	43.1	-0.9	924.0
35.2	-5468.3			J	3730.9	43.1	1.1	924.0	
82.0	-6429.4		Min	I	130.1	-0.7	-1.1	-1585.7	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-49.4	-23138.3			J	130.1	-0.7	0.9	-1585.7
-126.2	-56747.1							
			INVSLE Max	I	2742.8	31.5	-0.7	735.2
26.7	-4160.1			J	2742.8	31.5	0.8	735.2
61.4	-4548.8		Min	I	83.4	-0.8	-0.8	-1114.6
-35.8	-17118.9			J	83.4	-0.8	0.7	-1114.6
-92.5	-41776.2							
9488	2	70	C1-C2;~1 Max	I	1710.9	3.1	0.0	8.3
84.3	8861.2			J	1710.9	3.1	0.0	8.3
90.2	9813.3		Min	I	-738.4	-1.2	-0.1	-66.8
-44.5	-23475.3			J	-738.4	-1.2	-0.1	-66.8
-25.8	-25345.8							
			C3-C4;~1 Max	I	1817.1	3.0	0.0	11.4
94.8	10197.5			J	1817.1	3.0	0.0	11.4
102.7	11262.4		Min	I	-839.6	-1.3	-0.1	-73.4
-50.7	-26599.0			J	-839.6	-1.3	-0.1	-73.4
-29.2	-28614.6							
			C1-C2;~2 Max	I	986.6	1.9	0.0	4.0
50.1	4769.1			J	986.6	1.9	0.0	4.0
53.5	5285.4		Min	I	-398.8	-0.6	-0.0	-40.7
-24.0	-13624.3			J	-398.8	-0.6	-0.0	-40.7
-14.0	-14683.6							
			C3-C4;~2 Max	I	1059.4	1.8	0.0	5.7
57.7	5380.2			J	1059.4	1.8	0.0	5.7
62.2	5945.7		Min	I	-444.3	-0.7	-0.0	-45.3
-26.8	-15736.7			J	-444.3	-0.7	-0.0	-45.3
-15.5	-16891.9							
			G1	I	913.4	1.1	-0.8	-45.1
-75.7	-12819.0			J	913.4	1.1	0.7	-45.1
-45.3	-13725.5							
			G2	I	355.3	0.4	-0.0	-16.9
10.5	-4984.9			J	355.3	0.4	-0.0	-16.9
22.3	-5335.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-58.7	-0.1	-0.0	-0.3
-1.9	334.6							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.5	418.2		J	-58.7	-0.1	-0.0	-0.3
1.0	338.0	Q5_pc Y	I	60.6	0.1	0.0	-2.7
0.6	269.2		J	60.6	0.1	0.0	-2.7
-1.7	281.1	Q5_ps X	I	-54.0	-0.1	-0.0	-0.4
-1.2	357.7		J	-54.0	-0.1	-0.0	-0.4
0.8	425.4	Q5_ps Y	I	55.1	0.1	0.0	-2.7
0.1	365.3		J	55.1	0.1	0.0	-2.7
76.6	-6443.2	INVS LU Max	I	4072.0	5.8	-1.1	1.4
176.7	-6180.2		J	4072.0	5.8	1.0	1.4
-123.2	-56727.0	Min	I	376.4	-0.3	-1.2	-117.9
-4.0	-60767.0		J	376.4	-0.3	0.8	-117.9
57.6	-4559.9	INVS LE Max	I	2995.6	4.2	-0.8	2.2
132.7	-4332.0		J	2995.6	4.2	0.7	2.2
-90.1	-41762.1	Min	I	266.2	-0.3	-0.9	-85.8
-0.9	-44710.9		J	266.2	-0.3	0.6	-85.8
9489	2	70 C1-C2;~1 Max	I	1750.9	6.7	0.1	1092.6
94.2	9815.0		J	1750.9	6.7	0.1	1092.6
26.5	4391.1	Min	I	-708.8	-16.8	-0.0	-472.2
-27.7	-25350.6		J	-708.8	-16.8	-0.0	-472.2
-22.7	-12257.5						
106.8	11264.3	C3-C4;~1 Max	I	1858.0	7.6	0.1	1153.4
39.4	5075.6		J	1858.0	7.6	0.1	1153.4
-31.3	-28619.4	Min	I	-805.6	-17.5	-0.0	-537.4
-24.0	-14491.2		J	-805.6	-17.5	-0.0	-537.4
55.8	5286.3	C1-C2;~2 Max	I	1011.1	3.6	0.1	629.1
15.8	2356.6		J	1011.1	3.6	0.1	629.1
-15.0	-14686.3	Min	I	-382.9	-9.8	-0.0	-255.1
-12.7	-7168.4		J	-382.9	-9.8	-0.0	-255.1
64.6	5946.7	C3-C4;~2 Max	I	1084.4	4.0	0.1	670.6
			J	1084.4	4.0	0.1	670.6


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
24.8	2671.4							
			Min	I	-426.3	-10.2	-0.0	-284.5
-16.6	-16894.7			J	-426.3	-10.2	-0.0	-284.5
-12.9	-8647.7							
		G1		I	986.9	-9.3	-0.7	588.9
-43.3	-13728.5			J	986.9	-9.3	0.8	588.9
-99.9	-6206.3							
		G2		I	383.4	-3.6	0.0	226.6
23.1	-5336.3			J	383.4	-3.6	0.0	226.6
3.1	-2417.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-57.4	0.6	-0.0	-56.3
-1.7	418.4			J	-57.4	0.6	-0.0	-56.3
0.2	-50.7							
		Q5_pc Y		I	62.7	-0.7	0.0	66.2
0.9	268.9			J	62.7	-0.7	0.0	66.2
-2.8	809.5							
		Q5_ps X		I	-52.7	0.5	-0.0	-52.5
-1.4	357.9			J	-52.7	0.5	-0.0	-52.5
0.3	-75.0							
		Q5_ps Y		I	57.0	-0.6	0.0	62.4
0.3	365.0			J	57.0	-0.6	0.0	62.4
-3.7	864.4							
		INVSLU Max		I	4328.7	-2.6	-0.7	1587.5
182.0	-6179.8			J	4328.7	-2.6	1.3	1587.5
-27.7	-3165.9							
		Min		I	619.9	-37.8	-0.9	-814.3
-7.5	-60776.0			J	619.9	-37.8	1.1	-814.3
-118.5	-31038.0							
		INVSLE Max		I	3187.3	-1.8	-0.5	1119.4
136.5	-4331.5			J	3187.3	-1.8	1.0	1119.4
-20.4	-2324.4							
		Min		I	448.4	-27.7	-0.7	-650.9
-3.7	-44717.4			J	448.4	-27.7	0.8	-650.9
-87.2	-22862.5							
9490	2	70 C1-C2;~1 Max		I	1797.7	14.0	0.0	1907.8
37.4	4384.8			J	1797.7	14.0	0.0	1907.8
224.3	18924.0							
		Min		I	-688.9	-35.1	-0.3	-797.3
-22.3	-12241.3			J	-688.9	-35.1	-0.3	-797.3

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-53.5	-7016.1						
		C3-C4;~1	Max	I	1903.2	15.9	0.0
50.9	5068.4			J	1903.2	15.9	0.0
231.2	16805.5						2010.2
			Min	I	-783.0	-37.0	-0.3
-25.4	-14474.0			J	-783.0	-37.0	-0.3
-61.3	-7902.0						-907.0
		C1-C2;~2	Max	I	1040.6	7.6	0.0
22.3	2353.1			J	1040.6	7.6	0.0
137.5	10997.6						1099.2
			Min	I	-372.1	-20.2	-0.2
-11.9	-7159.0			J	-372.1	-20.2	-0.2
-28.8	-3801.3						-430.8
		C3-C4;~2	Max	I	1112.9	8.4	0.0
31.9	2667.6			J	1112.9	8.4	0.0
142.9	9526.8						1168.9
			Min	I	-414.3	-21.6	-0.2
-13.3	-8637.7			J	-414.3	-21.6	-0.2
-32.3	-4193.0						-480.2
			G1	I	1045.9	-20.0	-0.9
-92.8	-6196.8			J	1045.9	-20.0	0.6
14.7	10049.8						1061.4
			G2	I	404.7	-7.8	-0.0
5.8	-2414.0			J	404.7	-7.8	-0.0
40.3	3885.7						408.3
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc X	I	-55.5	1.2	0.0
-0.5	-51.4			J	-55.5	1.2	0.0
-1.2	-1024.1						-92.8
			Q5_pc Y	I	65.8	-1.4	-0.0
-2.1	810.4			J	65.8	-1.4	-0.0
8.4	1928.7						111.7
			Q5_ps X	I	-51.0	1.1	0.0
-0.3	-75.7			J	-51.0	1.1	0.0
-1.5	-971.7						-86.4
			Q5_ps Y	I	60.5	-1.3	-0.0
-3.0	865.3			J	60.5	-1.3	-0.0
9.8	1893.3						104.9
			INVSLU Max	I	4569.2	-8.7	-1.3
-12.3	-3171.9						2960.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
527.6	42134.4		J	4569.2	-8.7	0.7	2960.1
		Min	I	824.3	-82.7	-1.7	-1179.1
-119.1	-31012.9		J	824.3	-82.7	0.3	-1179.1
117.5	2447.6						
		INVSLE Max	I	3368.0	-6.1	-1.0	2100.2
-9.6	-2329.6		J	3368.0	-6.1	0.5	2100.2
397.3	30785.8	Min	I	602.8	-60.7	-1.3	-951.0
-88.4	-22844.5		J	602.8	-60.7	0.2	-951.0
94.6	1645.3						
9491	2	70 C1-C2;~1 Max	I	1817.0	27.6	0.3	533.2
213.7	18965.4		J	1817.0	27.6	0.3	533.2
26.8	1829.7	Min	I	-668.2	-10.0	-0.1	-1501.4
-63.9	-7044.8		J	-668.2	-10.0	-0.1	-1501.4
-10.4	-6647.7						
		C3-C4;~1 Max	I	1922.6	29.1	0.3	606.7
222.5	16866.4		J	1922.6	29.1	0.3	606.7
40.0	1541.8	Min	I	-759.6	-11.4	-0.1	-1583.9
-72.1	-7934.1		J	-759.6	-11.4	-0.1	-1583.9
-9.9	-8461.7						
		C1-C2;~2 Max	I	1052.4	15.9	0.2	288.0
131.9	11021.6		J	1052.4	15.9	0.2	288.0
16.3	1017.6	Min	I	-360.8	-5.4	-0.0	-866.4
-34.6	-3816.9		J	-360.8	-5.4	-0.0	-866.4
-6.9	-3990.0						
		C3-C4;~2 Max	I	1124.8	17.0	0.2	321.1
138.7	9565.3		J	1124.8	17.0	0.2	321.1
25.5	848.9	Min	I	-401.9	-6.0	-0.0	-922.2
-38.2	-4210.1		J	-401.9	-6.0	-0.0	-922.2
-6.5	-5178.4						
		G1	I	1089.9	17.0	-0.7	-956.8
-13.3	10059.2		J	1089.9	17.0	0.8	-956.8
-79.5	-3708.3						
		G2	I	421.7	6.6	0.0	-370.1
28.9	3888.7		J	421.7	6.6	0.0	-370.1
10.8	-1450.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-7.5	-1030.9	Q5_pc X	I	-53.1	-0.9	-0.0	58.9
1.4	-335.8		J	-53.1	-0.9	-0.0	58.9
7.8	1931.8	Q5_pc Y	I	67.5	1.1	0.0	-89.2
-2.6	1014.7		J	67.5	1.1	0.0	-89.2
-7.3	-978.0	Q5_ps X	I	-48.8	-0.8	-0.0	54.4
1.5	-339.7		J	-48.8	-0.8	-0.0	54.4
9.3	1896.4	Q5_ps Y	I	62.0	1.0	0.0	-82.4
-3.6	1058.3		J	62.0	1.0	0.0	-82.4
404.5	42151.5	INVS LU Max	I	4730.2	68.6	-0.5	649.8
35.0	-4722.3		J	4730.2	68.6	1.5	649.8
-7.2	2360.0	Min	I	987.7	11.9	-1.0	-2468.1
-37.6	-20442.1		J	987.7	11.9	1.0	-2468.1
303.1	30793.8	INVS LE Max	I	3488.8	50.4	-0.4	537.0
27.2	-3601.7		J	3488.8	50.4	1.1	537.0
-0.9	1576.2	Min	I	725.6	8.5	-0.7	-1760.7
-26.3	-15110.7		J	725.6	8.5	0.8	-1760.7
9492	2	70 C1-C2;~1 Max	I	1808.5	11.4	0.1	273.7
22.1	1828.0		J	1808.5	11.4	0.1	273.7
99.5	4363.5	Min	I	-642.7	-4.0	-0.1	-790.1
-14.9	-6660.3		J	-642.7	-4.0	-0.1	-790.1
-36.3	-15105.6						
35.2	1541.8	C3-C4;~1 Max	I	1916.3	11.8	0.1	311.5
111.8	5011.6		J	1916.3	11.8	0.1	311.5
-15.9	-8476.2	Min	I	-730.8	-4.6	-0.1	-831.4
-41.4	-17893.4		J	-730.8	-4.6	-0.1	-831.4
13.0	1016.0	C1-C2;~2 Max	I	1046.8	6.7	0.0	147.9
58.6	2347.2		J	1046.8	6.7	0.0	147.9
-9.6	-3997.2	Min	I	-347.1	-2.2	-0.1	-456.4
-19.6	-8820.8		J	-347.1	-2.2	-0.1	-456.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
22.1	848.3	C3-C4;~2	Max	I	1120.6	6.9	0.0	164.9
				J	1120.6	6.9	0.0	164.9
67.1	2642.4		Min	I	-386.6	-2.4	-0.1	-484.0
-10.3	-5187.0			J	-386.6	-2.4	-0.1	-484.0
-21.9	-10699.1							
		G1		I	1122.0	6.9	-0.8	-509.9
-85.0	-3717.2			J	1122.0	6.9	0.7	-509.9
-47.1	-9334.8							
		G2		I	435.7	2.7	-0.0	-197.4
8.6	-1453.5			J	435.7	2.7	-0.0	-197.4
21.4	-3632.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-50.6	-0.4	0.0	31.5
1.7	-335.2			J	-50.6	-0.4	0.0	31.5
-1.4	-33.2							
		Q5_pc	Y	I	67.7	0.5	-0.0	-48.9
-3.2	1013.8			J	67.7	0.5	-0.0	-48.9
1.0	620.2							
		Q5_ps	X	I	-46.3	-0.3	0.0	29.0
1.8	-339.2			J	-46.3	-0.3	0.0	29.0
-1.2	-62.0							
		Q5_ps	Y	I	61.5	0.4	-0.0	-45.1
-4.0	1057.5			J	61.5	0.4	-0.0	-45.1
0.5	698.2							
		INVS LU	Max	I	4818.5	26.9	-1.0	426.0
28.1	-4728.8			J	4818.5	26.9	1.0	426.0
192.5	-9344.4							
			Min	I	1123.2	4.0	-1.3	-1204.9
-46.7	-20464.4			J	1123.2	4.0	0.8	-1204.9
-16.8	-41382.5							
		INVS LE	Max	I	3554.6	19.7	-0.7	347.2
22.3	-3605.9			J	3554.6	19.7	0.8	347.2
144.3	-6858.9							
			Min	I	826.3	2.8	-0.9	-854.4
-32.6	-15126.7			J	826.3	2.8	0.6	-854.4
-10.6	-30508.2							
9493	2	70 C1-C2;~1	Max	I	1802.1	0.9	0.0	152.1
97.8	4361.6			J	1802.1	0.9	0.0	152.1
79.2	3647.7							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-35.7	-15100.9		Min	I	-606.4	-3.7	-0.0	-50.7
				J	-606.4	-3.7	-0.0	-50.7
-17.2	-12619.0							
110.0	5009.5	C3-C4;~1	Max	I	1910.1	1.0	0.0	155.2
				J	1910.1	1.0	0.0	155.2
88.9	4184.9							
-40.8	-17888.5		Min	I	-689.2	-3.4	-0.0	-57.6
				J	-689.2	-3.4	-0.0	-57.6
-19.3	-15258.1							
		C1-C2;~2	Max	I	1044.5	0.5	0.0	90.5
57.6	2346.1			J	1044.5	0.5	0.0	90.5
47.9	1961.1							
-19.3	-8818.1		Min	I	-327.5	-2.2	-0.0	-27.3
				J	-327.5	-2.2	-0.0	-27.3
-9.3	-7365.1							
		C3-C4;~2	Max	I	1118.6	0.5	0.0	92.6
66.1	2641.3			J	1118.6	0.5	0.0	92.6
54.8	2205.4							
-21.5	-10696.2		Min	I	-364.7	-2.1	-0.0	-30.4
				J	-364.7	-2.1	-0.0	-30.4
-10.2	-9140.9							
			G1	I	1156.4	-2.1	-0.7	82.8
-48.2	-9332.0			J	1156.4	-2.1	0.7	82.8
-48.4	-7664.8							
			G2	I	449.2	-0.8	0.0	31.8
21.0	-3631.4			J	449.2	-0.8	0.0	31.8
20.8	-2984.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-49.1	0.1	-0.0	-6.4
-1.3	-33.4			J	-49.1	0.1	-0.0	-6.4
-0.9	-76.6							
			Q5_pc Y	I	68.8	-0.1	-0.0	8.8
0.9	620.4			J	68.8	-0.1	-0.0	8.8
0.9	713.3							
			Q5_ps X	I	-44.9	0.0	-0.0	-6.1
-1.1	-62.1			J	-44.9	0.0	-0.0	-6.1
-0.8	-101.7							
			Q5_ps Y	I	62.5	-0.1	-0.0	8.6
0.4	698.4			J	62.5	-0.1	-0.0	8.6
0.6	784.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

190.2	-9344.3	INVSLE Max	I	4924.6	-2.6	-1.0	250.9
			J	4924.6	-2.6	1.1	250.9
176.2	-7081.1	INVSLE Min	I	1291.5	-9.1	-1.1	-52.4
-15.7	-41373.3		J	1291.5	-9.1	0.9	-52.4
28.5	-34613.0	INVSLE Max	I	3634.7	-1.9	-0.7	179.4
142.6	-6859.0		J	3634.7	-1.9	0.8	179.4
133.1	-5189.8	INVSLE Min	I	952.8	-6.7	-0.8	-44.1
-9.7	-30501.5		J	952.8	-6.7	0.7	-44.1
23.7	-25488.7	70 C1-C2;~1 Max	I	1785.1	4.3	0.1	824.4
9494	2		J	1785.1	4.3	0.1	824.4
81.4	3647.6	INVSLE Min	I	-566.9	-13.8	-0.0	-280.3
40.2	3445.1		J	-566.9	-13.8	-0.0	-280.3
-17.9	-12619.0	C3-C4;~1 Max	I	1888.7	4.9	0.1	871.1
-17.0	-3379.8		J	1888.7	4.9	0.1	871.1
91.1	4184.8	INVSLE Min	I	-644.1	-14.3	-0.0	-318.6
54.0	2161.2		J	-644.1	-14.3	-0.0	-318.6
-20.2	-15258.1	C1-C2;~2 Max	I	1036.8	2.3	0.0	476.2
-19.3	-4169.5		J	1036.8	2.3	0.0	476.2
49.1	1961.1	INVSLE Min	I	-306.2	-8.0	-0.0	-151.5
23.8	2085.4		J	-306.2	-8.0	-0.0	-151.5
-9.7	-7365.1	C3-C4;~2 Max	I	1108.1	2.6	0.0	508.2
-9.1	-2094.3		J	1108.1	2.6	0.0	508.2
56.1	2205.4	INVSLE Min	I	-340.8	-8.4	-0.0	-168.7
33.4	1245.5		J	-340.8	-8.4	-0.0	-168.7
-10.7	-9140.8	G1	I	1177.6	-8.8	-0.7	542.0
-10.2	-2558.2		J	1177.6	-8.8	0.8	542.0
-47.0	-7665.0	G2	I	456.8	-3.4	0.0	209.9
-80.9	-503.3		J	456.8	-3.4	0.0	209.9
21.3	-2984.5	Q3	I	0.0	0.0	0.0	0.0
10.1	-206.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-1.0	-76.6	Q5_pc X	I	-47.5	0.4	-0.0	-35.0
0.2	-366.7		J	-47.5	0.4	-0.0	-35.0
1.0	713.3	Q5_pc Y	I	70.5	-0.6	0.0	53.6
-2.6	1171.2		J	70.5	-0.6	0.0	53.6
-0.9	-101.8	Q5_ps X	I	-43.4	0.3	-0.0	-32.5
0.4	-367.8		J	-43.4	0.3	-0.0	-32.5
0.7	784.3	Q5_ps Y	I	64.5	-0.5	0.0	49.9
-3.5	1204.6		J	64.5	-0.5	0.0	49.9
179.5	-7082.6	INVS LU Max	I	4992.0	-8.2	-0.8	1272.1
47.3	4721.0		J	4992.0	-8.2	1.2	1272.1
27.4	-34614.4	Min	I	1445.8	-35.0	-0.9	-430.4
-56.2	-7666.9		J	1445.8	-35.0	1.1	-430.4
135.4	-5190.9	INVS LE Max	I	3687.1	-6.0	-0.6	900.7
35.8	3424.2		J	3687.1	-6.0	0.9	900.7
22.8	-25489.8	Min	I	1069.7	-25.8	-0.7	-353.2
-40.6	-5595.8		J	1069.7	-25.8	0.8	-353.2
9495	2	70 C1-C2;~1 Max	I	1798.6	6.1	0.0	1119.6
42.6	3449.2		J	1798.6	6.1	0.0	1119.6
192.5	16860.6	Min	I	-546.1	-19.5	-0.2	-376.7
-17.8	-3375.6		J	-546.1	-19.5	-0.2	-376.7
-41.2	-4809.1						
56.6	2163.0	C3-C4;~1 Max	I	1902.1	7.0	0.0	1183.9
206.6	14650.5		J	1902.1	7.0	0.0	1183.9
-20.2	-4163.1	Min	I	-620.6	-20.4	-0.2	-428.1
-47.5	-5446.1		J	-620.6	-20.4	-0.2	-428.1
25.2	2088.0	C1-C2;~2 Max	I	1046.7	3.3	0.0	645.7
117.8	9903.8		J	1046.7	3.3	0.0	645.7
-9.5	-2091.9	Min	I	-294.9	-11.4	-0.1	-203.6


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-22.1	-2601.8		J	-294.9	-11.4	-0.1	-203.6
35.0	1246.5	C3-C4;~2 Max	I	1117.9	3.7	0.0	689.8
127.6	8375.5		J	1117.9	3.7	0.0	689.8
-10.6	-2554.3	Min	I	-328.4	-12.0	-0.1	-226.7
-25.0	-2886.7		J	-328.4	-12.0	-0.1	-226.7
-79.2	-498.5	G1	I	1201.3	-12.8	-0.8	749.7
-2.7	9883.0		J	1201.3	-12.8	0.7	749.7
10.8	-204.1	G2	I	464.3	-5.0	-0.0	290.9
33.3	3821.6		J	464.3	-5.0	-0.0	290.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	-367.0	Q5_pc X	I	-46.3	0.5	0.0	-46.9
-1.7	-789.8		J	-46.3	0.5	0.0	-46.9
-2.4	1171.6	Q5_pc Y	I	72.9	-0.8	-0.0	72.6
6.4	1834.6		J	72.9	-0.8	-0.0	72.6
0.3	-368.1	Q5_ps X	I	-42.4	0.5	0.0	-43.4
-1.8	-755.7		J	-42.4	0.5	0.0	-43.4
-3.3	1205.1	Q5_ps Y	I	67.2	-0.8	-0.0	67.1
7.3	1813.6		J	67.2	-0.8	-0.0	67.1
50.9	4728.6	INVS LU Max	I	5105.4	-12.5	-1.2	1751.2
484.8	41775.7		J	5105.4	-12.5	0.8	1751.2
-57.1	-7656.9	Min	I	1568.5	-51.0	-1.6	-555.6
130.3	8359.5		J	1568.5	-51.0	0.4	-555.6
38.3	3429.5	INVS LE Max	I	3773.7	-9.1	-0.9	1240.6
366.1	30695.0		J	3773.7	-9.1	0.6	1240.6
-41.3	-5588.7	Min	I	1163.5	-37.5	-1.2	-458.5
104.3	6186.8		J	1163.5	-37.5	0.3	-458.5
9496	2	70 C1-C2;~1 Max	I	1790.9	13.8	0.2	218.2

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
185.1	16906.3		J	1790.9	13.8	0.2	218.2
26.0	6912.7						
		Min	I	-527.4	-4.1	-0.0	-756.4
-36.7	-4821.4						
			J	-527.4	-4.1	-0.0	-756.4
-7.2	-2270.7						
		C3-C4;~1 Max	I	1897.6	14.4	0.2	248.5
183.3	14695.5						
			J	1897.6	14.4	0.2	248.5
38.6	5275.5						
		Min	I	-599.7	-4.6	-0.1	-804.3
-41.2	-5459.5						
			J	-599.7	-4.6	-0.1	-804.3
-6.9	-2998.1						
		C1-C2;~2 Max	I	1042.4	8.1	0.1	117.8
116.3	9929.7						
			J	1042.4	8.1	0.1	117.8
16.3	4158.0						
		Min	I	-284.8	-2.2	-0.0	-437.1
-19.7	-2608.5						
			J	-284.8	-2.2	-0.0	-437.1
-4.7	-1259.1						
		C3-C4;~2 Max	I	1115.3	8.4	0.1	131.5
116.5	8401.6						
			J	1115.3	8.4	0.1	131.5
25.2	3075.0						
		Min	I	-317.3	-2.4	-0.0	-468.4
-21.6	-2893.8						
			J	-317.3	-2.4	-0.0	-468.4
-4.3	-1695.7						
		G1	I	1214.1	9.5	-0.7	-550.3
-9.2	9911.0						
			J	1214.1	9.5	0.8	-550.3
-81.5	2187.6						
		G2	I	469.2	3.7	0.0	-214.8
30.4	3832.1						
			J	469.2	3.7	0.0	-214.8
9.8	841.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-44.8	-0.4	-0.0	27.2
-4.8	-793.3						
			J	-44.8	-0.4	-0.0	27.2
1.0	-488.6						
		Q5_pc Y	I	73.8	0.6	0.0	-50.7
8.9	1839.1						
			J	73.8	0.6	0.0	-50.7
-2.4	1327.3						
		Q5_ps X	I	-41.0	-0.3	-0.0	24.7
-5.0	-759.1						
			J	-41.0	-0.3	-0.0	24.7
1.1	-480.2						
		Q5_ps Y	I	67.7	0.6	0.0	-45.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.1	1818.5			J	67.7	0.6	0.0	-45.2
-3.2	1348.4							
			INVSLU Max	I	5155.5	37.3	-0.5	259.8
391.0	41803.9			J	5155.5	37.3	1.5	259.8
51.5	13784.9		Min	I	1651.2	10.5	-0.9	-1252.7
69.6	8299.8			J	1651.2	10.5	1.1	-1252.7
-14.6	-1983.7							
			INVSLE Max	I	3812.0	27.5	-0.4	223.1
294.5	30712.2			J	3812.0	27.5	1.1	223.1
40.0	10071.1		Min	I	1226.2	7.8	-0.7	-890.5
57.6	6139.6			J	1226.2	7.8	0.8	-890.5
-8.7	-1432.5							
9497	2	70	C1-C2;~1 Max	I	1753.3	9.6	0.0	156.3
24.9	6907.8			J	1753.3	9.6	0.0	156.3
90.7	1721.8		Min	I	-504.2	-2.8	-0.1	-556.7
-7.6	-2272.0			J	-504.2	-2.8	-0.1	-556.7
-27.5	-5562.2							
			C3-C4;~1 Max	I	1864.5	9.8	0.0	178.1
37.5	5270.8			J	1864.5	9.8	0.0	178.1
104.5	1122.6		Min	I	-573.7	-3.2	-0.1	-588.2
-7.2	-2999.6			J	-573.7	-3.2	-0.1	-588.2
-31.4	-7459.7							
			C1-C2;~2 Max	I	1019.1	5.6	0.0	84.4
15.7	4155.2			J	1019.1	5.6	0.0	84.4
53.3	969.1		Min	I	-272.2	-1.5	-0.1	-323.0
-5.0	-1260.2			J	-272.2	-1.5	-0.1	-323.0
-14.8	-3351.1							
			C3-C4;~2 Max	I	1094.9	5.7	0.0	94.3
24.6	3072.3			J	1094.9	5.7	0.0	94.3
62.7	590.5		Min	I	-303.5	-1.7	-0.1	-343.3
-4.6	-1696.9			J	-303.5	-1.7	-0.1	-343.3
-16.6	-4610.4							
			G1	I	1214.2	6.5	-0.8	-400.4
-82.4	2183.4			J	1214.2	6.5	0.7	-400.4
-45.5	-3088.8							
			G2	I	470.8	2.5	-0.0	-155.8
9.4	839.4			J	470.8	2.5	-0.0	-155.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
22.0	-1201.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-43.0	-0.3	0.0	19.8
1.0	-488.4		J	-43.0	-0.3	0.0	19.8
-0.9	-275.3						
		Q5_pc Y	I	73.4	0.4	-0.0	-37.8
-2.5	1326.9		J	73.4	0.4	-0.0	-37.8
0.4	969.0						
		Q5_ps X	I	-39.2	-0.2	0.0	18.0
1.2	-480.0		J	-39.2	-0.2	0.0	18.0
-0.7	-284.6						
		Q5_ps Y	I	66.5	0.4	-0.0	-33.9
-3.3	1348.1		J	66.5	0.4	-0.0	-33.9
-0.2	1017.1						
		INVSLU Max	I	5127.2	25.2	-1.0	195.0
49.9	13776.3		J	5127.2	25.2	1.0	195.0
202.9	-2932.5						
		Min	I	1703.5	6.9	-1.2	-907.5
-15.5	-1987.2		J	1703.5	6.9	0.8	-907.5
17.7	-17071.7						
		INVSLE Max	I	3791.1	18.5	-0.8	166.7
38.8	10064.9		J	3791.1	18.5	0.7	166.7
152.6	-2229.0						
		Min	I	1264.8	5.1	-0.9	-645.0
-9.3	-1434.8		J	1264.8	5.1	0.6	-645.0
15.6	-12573.3						
9498	2	70 C1-C2;~1 Max	I	1709.3	3.1	0.0	28.3
89.8	1721.8		J	1709.3	3.1	0.0	28.3
73.3	1593.9						
		Min	I	-466.9	-0.9	-0.0	-117.9
-27.2	-5561.9		J	-466.9	-0.9	-0.0	-117.9
-11.7	-7401.4						
		C3-C4;~1 Max	I	1816.9	2.7	0.0	32.5
103.5	1122.6		J	1816.9	2.7	0.0	32.5
81.0	1713.9						
		Min	I	-531.0	-1.0	-0.0	-116.2
-31.1	-7459.3		J	-531.0	-1.0	-0.0	-116.2
-13.1	-9493.0						
		C1-C2;~2 Max	I	995.4	1.9	0.0	15.1
52.8	969.1		J	995.4	1.9	0.0	15.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
45.0	831.6							
			Min	I	-252.1	-0.5	-0.0	-71.2
-14.7	-3350.9			J	-252.1	-0.5	-0.0	-71.2
-6.3	-4401.4							
			C3-C4;~2	Max	I	1069.2	1.6	0.0
62.1	590.5			J	1069.2	1.6	0.0	17.0
50.8	894.8							
			Min	I	-280.9	-0.5	-0.0	-69.0
-16.4	-4610.2			J	-280.9	-0.5	-0.0	-69.0
-6.9	-5806.6							
			G1	I	1209.7	1.7	-0.7	-68.8
-46.2	-3088.6			J	1209.7	1.7	0.8	-68.8
-49.9	-4492.7							
			G2	I	469.2	0.7	0.0	-26.1
21.7	-1201.3			J	469.2	0.7	0.0	-26.1
20.1	-1740.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	X	I	-42.0	-0.1	-0.0
-0.9	-275.3			J	-42.0	-0.1	-0.0	2.8
-0.8	-209.4							
			Q5_pc	Y	I	75.4	0.1	-0.0
0.4	969.0			J	75.4	0.1	-0.0	-6.2
1.6	873.0							
			Q5_ps	X	I	-38.2	-0.1	0.0
-0.7	-284.6			J	-38.2	-0.1	0.0	2.5
-0.7	-223.5							
			Q5_ps	Y	I	68.5	0.1	-0.0
-0.2	1017.1			J	68.5	0.1	-0.0	-5.6
1.4	923.8							
			INVSLE	Max	I	5079.5	7.6	-0.9
201.3	-2931.3			J	5079.5	7.6	1.1	5.8
174.1	-5672.1							
			Min	I	1774.0	1.8	-1.1	-208.5
18.0	-17070.0			J	1774.0	1.8	1.0	-208.5
44.1	-22372.7							
			INVSLE	Max	I	3756.8	5.6	-0.7
151.5	-2228.1			J	3756.8	5.6	0.8	7.5
131.8	-4242.5							
			Min	I	1318.4	1.3	-0.8	-150.4
15.8	-12572.0			J	1318.4	1.3	0.7	-150.4


MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
35.7	-16496.9								
9499	2	70	C1-C2;~1	Max	I	1657.7	1.4	0.1	477.5
74.0	1594.3				J	1657.7	1.4	0.1	477.5
32.8	2884.4								
			Min		I	-428.1	-6.4	-0.0	-125.8
-11.9	-7403.6				J	-428.1	-6.4	-0.0	-125.8
-15.7	-3585.0								
			C3-C4;~1	Max	I	1757.6	1.6	0.1	496.8
81.6	1714.5				J	1757.6	1.6	0.1	496.8
46.7	1836.3								
			Min		I	-486.6	-6.6	-0.0	-142.9
-13.3	-9495.5				J	-486.6	-6.6	-0.0	-142.9
-16.0	-4462.9								
			C1-C2;~2	Max	I	968.0	0.8	0.0	278.5
45.4	831.8				J	968.0	0.8	0.0	278.5
19.2	1762.0								
			Min		I	-231.2	-3.8	-0.0	-68.0
-6.4	-4402.8				J	-231.2	-3.8	-0.0	-68.0
-8.8	-2236.1								
			C3-C4;~2	Max	I	1037.1	0.9	0.0	291.3
51.2	895.2				J	1037.1	0.9	0.0	291.3
28.8	1074.7								
			Min		I	-257.5	-3.9	-0.0	-75.7
-7.0	-5808.1				J	-257.5	-3.9	-0.0	-75.7
-8.6	-2782.7								
			G1		I	1194.1	-4.5	-0.7	353.6
-49.4	-4494.7				J	1194.1	-4.5	0.8	353.6
-82.9	-884.5								
			G2		I	462.7	-1.7	0.0	138.3
20.3	-1741.7				J	462.7	-1.7	0.0	138.3
9.3	-337.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-41.0	0.2	-0.0	-18.5
-0.8	-209.3				J	-41.0	0.2	-0.0	-18.5
0.7	-331.6								
			Q5_pc	Y	I	78.1	-0.3	0.0	35.2
1.7	872.8				J	78.1	-0.3	0.0	35.2
-3.7	1130.4								
			Q5_ps	X	I	-37.4	0.1	-0.0	-17.1
-0.7	-223.4				J	-37.4	0.1	-0.0	-17.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	-334.2						
1.5	923.6	Q5_ps	Y	I	71.7	-0.3	0.0 32.4
-4.6	1154.3			J	71.7	-0.3	0.0 32.4
174.9	-5673.9	INVSLU	Max	I	4997.3	-5.2	-0.8 751.5
50.5	2375.5			J	4997.3	-5.2	1.2 751.5
43.7	-22378.4		Min	I	1827.0	-16.9	-0.9 -175.4
-40.8	-9578.0			J	1827.0	-16.9	1.1 -175.4
132.4	-4243.7	INVSLE	Max	I	3697.5	-3.8	-0.6 532.4
38.6	1653.7			J	3697.5	-3.8	0.9 532.4
35.4	-16501.1		Min	I	1359.6	-12.4	-0.7 -149.5
-28.6	-7050.0			J	1359.6	-12.4	0.8 -149.5
9500	2	70 C1-C2;~1	Max	I	1636.9	3.8	0.0 890.8
35.7	2888.8			J	1636.9	3.8	0.0 890.8
204.5	12955.6		Min	I	-407.4	-15.6	-0.2 -234.2
-15.1	-3579.1			J	-407.4	-15.6	-0.2 -234.2
-41.4	-2802.1						
49.8	1838.1	C3-C4;~1	Max	I	1739.6	4.3	0.0 936.0
230.5	11134.4			J	1739.6	4.3	0.0 936.0
-15.6	-4455.3		Min	I	-463.3	-16.5	-0.3 -266.1
-47.7	-3188.3			J	-463.3	-16.5	-0.3 -266.1
20.9	1764.9	C1-C2;~2	Max	I	956.9	2.1	0.0 518.0
123.7	7676.9			J	956.9	2.1	0.0 518.0
-8.3	-2232.6		Min	I	-220.0	-9.1	-0.1 -126.6
-22.1	-1512.4			J	-220.0	-9.1	-0.1 -126.6
30.7	1075.8	C3-C4;~2	Max	I	1027.6	2.3	0.0 548.7
141.0	6418.6			J	1027.6	2.3	0.0 548.7
-8.1	-2778.1		Min	I	-245.1	-9.8	-0.2 -140.9
-25.0	-1687.4			J	-245.1	-9.8	-0.2 -140.9
-80.4	-878.2		G1	I	1185.5	-11.4	-0.9 667.0
9.4	8323.0			J	1185.5	-11.4	0.6 667.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
10.3	-334.9	G2	I	457.8	-4.4	-0.0	259.8
			J	457.8	-4.4	-0.0	259.8
38.0	3232.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-40.4	0.4	0.0	-33.2
0.6	-331.9		J	-40.4	0.4	0.0	-33.2
-3.1	-653.4						
		Q5_pc Y	I	80.7	-0.8	-0.0	64.5
-3.5	1131.1		J	80.7	-0.8	-0.0	64.5
9.0	1781.5						
		Q5_ps X	I	-36.9	0.4	0.0	-30.6
0.8	-334.5		J	-36.9	0.4	0.0	-30.6
-3.1	-627.7						
		Q5_ps Y	I	74.4	-0.7	-0.0	59.3
-4.4	1154.9		J	74.4	-0.7	-0.0	59.3
9.0	1748.6						
		INVSLU Max	I	4982.2	-14.8	-1.2	1557.9
55.2	2385.2		J	4982.2	-14.8	0.8	1557.9
503.9	33864.7	Min	I	1863.0	-44.4	-1.6	-180.9
-39.3	-9565.3		J	1863.0	-44.4	0.4	-180.9
112.2	8863.7						
		INVSLE Max	I	3688.4	-10.9	-0.9	1112.1
41.9	1660.5		J	3688.4	-10.9	0.6	1112.1
378.7	24863.3	Min	I	1388.7	-32.8	-1.2	-167.3
-27.6	-7040.9		J	1388.7	-32.8	0.3	-167.3
89.8	6581.6						
9501	2	70 C1-C2;~1 Max	I	1590.6	19.2	0.2	278.2
175.8	12927.4		J	1590.6	19.2	0.2	278.2
17.4	1520.0	Min	I	-387.6	-4.6	-0.0	-1163.9
-25.0	-2784.6		J	-387.6	-4.6	-0.0	-1163.9
-8.6	-5986.0						
		C3-C4;~1 Max	I	1700.4	20.4	0.2	317.1
173.9	11099.1		J	1700.4	20.4	0.2	317.1
30.5	1176.6	Min	I	-441.2	-5.2	-0.0	-1250.9
-28.7	-3167.5		J	-441.2	-5.2	-0.0	-1250.9
-7.7	-7319.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
112.2	7660.3	C1-C2;~2	Max	I	928.9	11.2	0.1	150.2
				J	928.9	11.2	0.1	150.2
11.1	844.1		Min	I	-209.3	-2.5	-0.0	-675.8
-13.0	-1503.0			J	-209.3	-2.5	-0.0	-675.8
-5.7	-3609.8							
106.5	6399.1	C3-C4;~2	Max	I	1003.9	12.0	0.1	167.8
				J	1003.9	12.0	0.1	167.8
20.3	608.9		Min	I	-233.4	-2.8	-0.0	-733.3
-14.6	-1676.4			J	-233.4	-2.8	-0.0	-733.3
-4.8	-4468.4							
			G1	I	1162.5	14.5	-0.6	-891.4
-5.8	8283.9			J	1162.5	14.5	0.9	-891.4
-91.2	-3453.2							
			G2	I	448.9	5.6	0.0	-345.6
31.7	3217.7			J	448.9	5.6	0.0	-345.6
6.7	-1332.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-39.2	-0.6	-0.0	42.0
-3.7	-652.3			J	-39.2	-0.6	-0.0	42.0
0.9	-183.0							
			Q5_pc Y	I	81.2	1.3	0.0	-95.6
9.2	1777.7			J	81.2	1.3	0.0	-95.6
-2.3	694.7							
			Q5_ps X	I	-35.7	-0.5	-0.0	38.2
-4.1	-627.0			J	-35.7	-0.5	-0.0	38.2
1.1	-196.5							
			Q5_ps Y	I	74.3	1.2	0.0	-86.6
12.1	1746.3			J	74.3	1.2	0.0	-86.6
-3.1	746.9							
			INVSLU Max	I	4898.1	56.1	-0.4	118.6
433.7	33812.0			J	4898.1	56.1	1.6	118.6
9.3	-4741.6		Min	I	1860.8	19.1	-0.8	-2170.3
141.0	8884.0			J	1860.8	19.1	1.2	-2170.3
-47.6	-17925.6							
			INVSLE Max	I	3627.1	41.3	-0.3	130.3
328.0	24827.2			J	3627.1	41.3	1.2	130.3
8.3	-3573.0							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
112.4	6599.0		Min	I	1388.0	14.1	-0.6	-1552.4	
				J	1388.0	14.1	0.9	-1552.4	
-33.5	-13246.3								
9502	2	70	C1-C2;~1	Max	I	1496.6	9.2	0.0	166.0
14.6	1518.6			J	1496.6	9.2	0.0	166.0	
72.4	2638.9								
			Min	I	-359.3	-2.1	-0.1	-714.2	
-11.6	-5994.6			J	-359.3	-2.1	-0.1	-714.2	
-16.4	-12741.1								
			C3-C4;~1	Max	I	1609.9	9.4	0.0	189.3
27.5	1179.3			J	1609.9	9.4	0.0	189.3	
86.2	2997.7								
			Min	I	-409.2	-2.3	-0.1	-765.2	
-11.5	-7330.0			J	-409.2	-2.3	-0.1	-765.2	
-18.8	-14809.8								
			C1-C2;~2	Max	I	872.2	5.4	0.0	89.6
9.1	842.9			J	872.2	5.4	0.0	89.6	
42.9	1422.4								
			Min	I	-193.9	-1.1	-0.0	-415.7	
-7.4	-3614.6			J	-193.9	-1.1	-0.0	-415.7	
-8.8	-7508.8								
			C3-C4;~2	Max	I	949.0	5.6	0.0	100.2
18.2	610.4			J	949.0	5.6	0.0	100.2	
52.2	1583.5								
			Min	I	-216.4	-1.2	-0.1	-449.1	
-7.3	-4474.5			J	-216.4	-1.2	-0.1	-449.1	
-9.9	-8905.3								
			G1	I	1111.5	6.8	-0.8	-546.9	
-95.0	-3460.6			J	1111.5	6.8	0.7	-546.9	
-45.1	-9010.9								
			G2	I	430.7	2.7	-0.0	-212.3	
5.2	-1335.1			J	430.7	2.7	-0.0	-212.3	
19.4	-3490.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-37.2	-0.3	0.0	26.5
1.0	-182.7			J	-37.2	-0.3	0.0	26.5	
-0.8	71.4								
			Q5_pc	Y	I	79.6	0.8	-0.0	-61.9
-2.7	694.0			J	79.6	0.8	-0.0	-61.9	
1.3	62.9								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.2	-196.2	Q5_ps X	I	-33.7	-0.3	0.0	24.1
			J	-33.7	-0.3	0.0	24.1
-0.6	39.1						
		Q5_ps Y	I	71.7	0.7	-0.0	-56.1
-3.5	746.3		J	71.7	0.7	-0.0	-56.1
0.6	154.5						
		INVSLU Max	I	4678.0	25.5	-1.1	136.4
4.1	-4749.1		J	4678.0	25.5	0.9	136.4
168.9	-13120.0	Min	I	1808.9	8.2	-1.2	-1263.6
-53.5	-17944.0		J	1808.9	8.2	0.8	-1263.6
25.0	-37288.7						
		INVSLE Max	I	3464.1	18.7	-0.8	128.8
4.7	-3578.1		J	3464.1	18.7	0.7	128.8
127.6	-9670.2	Min	I	1349.4	6.1	-0.9	-900.0
-37.6	-13259.6		J	1349.4	6.1	0.6	-900.0
21.1	-27563.4						
9503	2	63 C1-C2;~1 Max	I	1357.6	0.6	0.0	21.8
70.5	2640.2		J	1357.6	0.6	0.0	21.8
62.4	2381.6	Min	I	-307.9	-1.8	-0.0	-35.8
-15.9	-12747.0		J	-307.9	-1.8	-0.0	-35.8
-9.0	-11671.0						
		C3-C4;~1 Max	I	1457.7	0.5	0.0	14.9
84.1	2999.3		J	1457.7	0.5	0.0	14.9
67.8	2698.4	Min	I	-350.5	-1.9	-0.0	-38.4
-18.2	-14816.2		J	-350.5	-1.9	-0.0	-38.4
-10.1	-13558.7						
		C1-C2;~2 Max	I	793.6	0.3	0.0	14.1
41.7	1423.1		J	793.6	0.3	0.0	14.1
38.4	1282.8	Min	I	-166.2	-1.1	-0.0	-22.6
-8.6	-7512.2		J	-166.2	-1.1	-0.0	-22.6
-4.8	-6890.3						
		C3-C4;~2 Max	I	862.1	0.2	0.0	8.9
51.0	1584.3		J	862.1	0.2	0.0	8.9
42.6	1425.0	Min	I	-185.4	-1.2	-0.0	-23.8
-9.6	-8909.1		J	-185.4	-1.2	-0.0	-23.8
-5.3	-8182.4						
		G1	I	1023.3	-0.8	-0.7	-10.9
-46.6	-9015.7						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-42.0	-8339.9		J	1023.3	-0.8	0.6	-10.9
		G2	I	396.8	-0.3	0.0	-4.3
18.8	-3492.5		J	396.8	-0.3	0.0	-4.3
17.6	-3235.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-34.9	-0.0	0.0	0.6
-0.7	71.7		J	-34.9	-0.0	0.0	0.6
-1.0	97.5						
		Q5_pc Y	I	79.0	0.2	-0.0	-3.1
1.1	62.2		J	79.0	0.2	-0.0	-3.1
2.6	-62.1						
		Q5_ps X	I	-31.7	-0.0	0.0	0.4
-0.5	39.4		J	-31.7	-0.0	0.0	0.4
-0.9	67.0						
		Q5_ps Y	I	71.8	0.2	-0.0	-2.4
0.4	153.9		J	71.8	0.2	-0.0	-2.4
2.5	22.9						
		INVSLE Max	I	4308.9	-1.1	-0.8	8.5
165.5	-13114.3		J	4308.9	-1.1	0.9	8.5
140.5	-11913.3						
		Min	I	1725.8	-4.7	-0.9	-78.4
25.4	-37294.3		J	1725.8	-4.7	0.9	-78.4
30.7	-34036.0						
		INVSLE Max	I	3192.0	-0.8	-0.6	6.7
125.1	-9665.6		J	3192.0	-0.8	0.7	6.7
106.4	-8760.7						
		Min	I	1289.1	-3.5	-0.7	-57.2
21.5	-27567.1		J	1289.1	-3.5	0.6	-57.2
25.4	-25134.9						
9504	2	63 C1-C2;~1 Max	I	1244.3	2.3	0.0	605.4
63.9	2381.8		J	1244.3	2.3	0.0	605.4
31.4	1109.3						
		Min	I	-263.5	-10.5	-0.0	-138.7
-9.3	-11672.6		J	-263.5	-10.5	-0.0	-138.7
-9.1	-3824.0						
		C3-C4;~1 Max	I	1329.2	2.6	0.0	647.7
69.4	2698.6		J	1329.2	2.6	0.0	647.7
42.8	966.3						
		Min	I	-299.7	-11.4	-0.0	-157.7
-10.5	-13560.2						

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-9.9	-4585.4		J	-299.7	-11.4	-0.0	-157.7
39.3	1283.0	C1-C2;~2 Max	I	730.6	1.3	0.0	351.3
18.4	681.5		J	730.6	1.3	0.0	351.3
-5.0	-6891.2	Min	I	-142.3	-6.1	-0.0	-74.9
-4.9	-2361.4		J	-142.3	-6.1	-0.0	-74.9
43.5	1425.1	C3-C4;~2 Max	I	789.6	1.4	0.0	380.5
26.4	574.8		J	789.6	1.4	0.0	380.5
-5.5	-8183.3	Min	I	-158.6	-6.7	-0.0	-83.5
-5.2	-2878.0		J	-158.6	-6.7	-0.0	-83.5
-40.8	-8341.1	G1	I	948.5	-7.8	-0.6	482.9
-66.1	-2053.2		J	948.5	-7.8	0.7	482.9
18.1	-3236.3	G2	I	367.4	-3.0	0.0	187.7
10.5	-805.1		J	367.4	-3.0	0.0	187.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.1	97.6	Q5_pc X	I	-33.4	0.2	-0.0	-23.8
0.3	-87.6		J	-33.4	0.2	-0.0	-23.8
2.8	-62.2	Q5_pc Y	I	80.6	-0.5	0.0	54.5
-2.0	309.9		J	80.6	-0.5	0.0	54.5
-1.0	67.0	Q5_ps X	I	-30.5	0.2	-0.0	-22.0
0.5	-98.2		J	-30.5	0.2	-0.0	-22.0
2.6	22.8	Q5_ps Y	I	74.4	-0.4	0.0	50.6
-2.8	347.9		J	74.4	-0.4	0.0	50.6
142.9	-11916.8	INVSLU Max	I	4012.2	-10.8	-0.7	1025.3
41.5	-1918.4		J	4012.2	-10.8	1.0	1025.3
30.2	-34041.8	Min	I	1668.1	-30.5	-0.8	-160.3
-33.2	-10164.2		J	1668.1	-30.5	1.0	-160.3
		INVSLE Max	I	2974.2	-8.0	-0.5	727.2

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
108.1	-8763.3			J	2974.2	-8.0	0.8	727.2	
31.7	-1392.7								
			Min	I	1248.6	-22.5	-0.6	-143.7	
24.9	-25139.2								
				J	1248.6	-22.5	0.7	-143.7	
-23.4	-7459.3								
9505	2	63	C1-C2;~1	Max	I	1183.9	3.8	0.1	933.2
34.8	1110.7								
				J	1183.9	3.8	0.1	933.2	
125.7	11646.0								
			Min	I	-242.5	-17.5	-0.1	-208.7	
-9.4	-3815.2								
				J	-242.5	-17.5	-0.1	-208.7	
-42.3	-2609.6								
			C3-C4;~1	Max	I	1272.4	4.3	0.0	999.6
46.4	966.6								
				J	1272.4	4.3	0.0	999.6	
154.0	11358.3								
			Min	I	-276.0	-19.0	-0.2	-237.3	
-10.7	-4575.7								
				J	-276.0	-19.0	-0.2	-237.3	
-31.5	-2979.1								
			C1-C2;~2	Max	I	695.4	2.1	0.0	542.1
20.4	682.8								
				J	695.4	2.1	0.0	542.1	
74.8	6837.7								
			Min	I	-130.9	-10.2	-0.1	-112.8	
-5.0	-2356.3								
				J	-130.9	-10.2	-0.1	-112.8	
-23.0	-1408.4								
			C3-C4;~2	Max	I	756.4	2.3	0.0	588.1
28.6	575.2								
				J	756.4	2.3	0.0	588.1	
93.1	6572.8								
			Min	I	-146.1	-11.2	-0.1	-125.7	
-5.6	-2872.1								
				J	-146.1	-11.2	-0.1	-125.7	
-16.2	-1576.0								
			G1	I	903.3	-13.3	-0.7	749.4	
-63.2	-2045.2								
				J	903.3	-13.3	0.6	749.4	
-29.0	8760.2								
			G2	I	348.4	-5.2	-0.0	291.3	
11.6	-802.0								
				J	348.4	-5.2	-0.0	291.3	
19.5	3376.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-32.8	0.4	0.0	-36.3
0.2	-88.0								
				J	-32.8	0.4	0.0	-36.3	
-1.9	-441.3								
			Q5_pc	Y	I	82.7	-1.0	-0.0	85.3
-1.7	310.9								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.6	1101.4		J	82.7	-1.0	-0.0	85.3
0.4	-98.6	Q5_ps X	I	-30.1	0.4	0.0	-33.4
-1.7	-418.4		J	-30.1	0.4	0.0	-33.4
-2.5	348.8	Q5_ps Y	I	76.6	-0.9	-0.0	78.8
4.9	1062.9		J	76.6	-0.9	-0.0	78.8
47.0	-1910.4	INVSLU Max	I	3870.3	-19.7	-1.0	1695.5
329.8	34454.1		J	3870.3	-19.7	0.8	1695.5
-33.0	-10146.7	Min	I	1631.0	-52.9	-1.3	-127.9
54.6	12727.8		J	1631.0	-52.9	0.5	-127.9
35.7	-1387.1	INVSLE Max	I	2871.4	-14.7	-0.7	1208.3
250.2	25486.0		J	2871.4	-14.7	0.6	1208.3
-23.4	-7446.7	Min	I	1223.8	-39.1	-0.9	-131.0
47.2	9539.3		J	1223.8	-39.1	0.4	-131.0
9506	2	63 C1-C2;~1 Max	I	1113.1	13.7	0.2	141.4
154.2	11660.5		J	1113.1	13.7	0.2	141.4
11.8	2174.2	Min	I	-225.2	-3.1	-0.0	-698.9
-16.0	-2606.4		J	-225.2	-3.1	-0.0	-698.9
-10.5	-2213.5						
141.3	11358.1	C3-C4;~1 Max	I	1210.3	15.2	0.2	161.6
23.0	1578.1		J	1210.3	15.2	0.2	161.6
-22.5	-2974.8	Min	I	-256.7	-3.5	-0.0	-768.0
-11.0	-2737.1		J	-256.7	-3.5	-0.0	-768.0
94.6	6848.7	C1-C2;~2 Max	I	652.3	7.8	0.1	76.4
7.4	1350.5		J	652.3	7.8	0.1	76.4
-7.9	-1406.8	Min	I	-121.6	-1.7	-0.0	-406.5
-6.5	-1429.7		J	-121.6	-1.7	-0.0	-406.5
86.9	6593.0	C3-C4;~2 Max	I	718.6	8.9	0.1	85.5
15.3	968.1		J	718.6	8.9	0.1	85.5
-11.4	-1573.7	Min	I	-135.8	-1.8	-0.0	-451.4
-6.8	-1774.2		J	-135.8	-1.8	-0.0	-451.4

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-7.0	8782.1	G1	I	853.8	10.9	-0.6	-562.0
			J	853.8	10.9	0.8	-562.0
-84.8	-84.9						
		G2	I	329.4	4.2	0.0	-219.3
27.6	3384.6		J	329.4	4.2	0.0	-219.3
3.1	-19.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-32.1	-0.3	-0.0	30.3
-3.0	-442.5		J	-32.1	-0.3	-0.0	30.3
0.4	-209.2						
		Q5_pc Y	I	83.7	0.5	0.0	-83.5
8.5	1103.3		J	83.7	0.5	0.0	-83.5
-0.5	658.7						
		Q5_ps X	I	-29.3	-0.3	-0.0	27.4
-3.5	-419.9		J	-29.3	-0.3	-0.0	27.4
0.6	-211.7						
		Q5_ps Y	I	76.7	0.5	0.0	-74.9
11.4	1066.6		J	76.7	0.5	0.0	-74.9
-1.3	679.9						
		INVSLU Max	I	3693.7	43.7	-0.4	24.4
349.1	34448.6		J	3693.7	43.7	1.4	24.4
-15.9	2855.4						
		Min	I	1562.6	17.5	-0.7	-1380.9
95.2	12705.1		J	1562.6	17.5	1.1	-1380.9
-62.7	-4960.5						
		INVSLE Max	I	2741.5	32.4	-0.3	47.2
264.1	25481.0		J	2741.5	32.4	1.0	47.2
-10.2	2043.1						
		Min	I	1174.0	13.1	-0.5	-982.6
77.2	9521.7		J	1174.0	13.1	0.8	-982.6
-44.8	-3658.6						
9507	2	63 C1-C2;~1 Max	I	1015.5	7.7	0.0	82.3
10.7	2167.8		J	1015.5	7.7	0.0	82.3
61.7	1350.4						
		Min	I	-204.3	-1.8	-0.1	-424.2
-12.5	-2217.2		J	-204.3	-1.8	-0.1	-424.2
-14.5	-7334.6						
		C3-C4;~1 Max	I	1118.7	8.5	0.0	94.1
21.6	1571.3		J	1118.7	8.5	0.0	94.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
76.0	1532.3							
			Min	I	-233.1	-2.0	-0.1	-458.5
-13.3	-2743.5			J	-233.1	-2.0	-0.1	-458.5
-16.7	-9115.3							
		C1-C2;~2	Max	I	592.8	4.4	0.0	44.4
6.6	1346.6			J	592.8	4.4	0.0	44.4
35.6	723.3		Min	I	-110.3	-1.0	-0.0	-248.1
-7.7	-1432.2			J	-110.3	-1.0	-0.0	-248.1
-7.8	-4316.7							
		C3-C4;~2	Max	I	662.5	4.9	0.0	49.8
14.3	963.9			J	662.5	4.9	0.0	49.8
45.1	804.9		Min	I	-123.3	-1.1	-0.1	-269.6
-8.2	-1778.6			J	-123.3	-1.1	-0.1	-269.6
-8.8	-5534.1							
		G1		I	791.5	6.1	-0.7	-335.2
-86.9	-92.6			J	791.5	6.1	0.6	-335.2
-43.3	-5049.3							
		G2		I	306.9	2.3	-0.0	-130.9
2.3	-22.6			J	306.9	2.3	-0.0	-130.9
17.8	-1913.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-31.1	-0.1	0.0	19.2
0.5	-208.8			J	-31.1	-0.1	0.0	19.2
-0.8	-129.6							
		Q5_pc	Y	I	84.1	0.0	-0.0	-54.0
-0.8	657.8			J	84.1	0.0	-0.0	-54.0
1.5	618.9							
		Q5_ps	X	I	-28.2	-0.1	0.0	17.3
0.7	-211.4			J	-28.2	-0.1	0.0	17.3
-0.6	-142.7							
		Q5_ps	Y	I	76.0	0.0	-0.0	-48.7
-1.6	679.2			J	76.0	0.0	-0.0	-48.7
0.6	658.2							
		INVSLU	Max	I	3435.3	24.0	-1.0	62.3
-18.3	2840.9			J	3435.3	24.0	0.8	62.3
137.7	-8114.5		Min	I	1459.1	9.6	-1.1	-781.0
-66.9	-4973.5			J	1459.1	9.6	0.7	-781.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9.9	-23602.8							
		INVSLE	Max	I	2549.7	17.8	-0.7	65.1
-11.9	2032.9			J	2549.7	17.8	0.6	65.1
104.3	-6128.5							
		Min		I	1097.0	7.2	-0.8	-552.3
-47.8	-3667.8			J	1097.0	7.2	0.5	-552.3
9.8	-17518.8							
9508	2	63 C1-C2;~1	Max	I	900.6	2.0	0.0	35.2
60.9	1349.9			J	900.6	2.0	0.0	35.2
33.3	1801.5							
		Min		I	-166.4	-0.6	-0.0	-25.2
-14.4	-7332.7			J	-166.4	-0.6	-0.0	-25.2
-2.6	-8480.2							
		C3-C4;~1	Max	I	989.0	2.0	0.1	28.3
75.1	1531.7			J	989.0	2.0	0.1	28.3
37.3	2045.2							
		Min		I	-189.7	-0.7	-0.0	-20.8
-16.5	-9113.1			J	-189.7	-0.7	-0.0	-20.8
-5.3	-10399.3							
		C1-C2;~2	Max	I	528.8	1.2	0.0	22.8
35.1	723.0			J	528.8	1.2	0.0	22.8
21.7	965.4							
		Min		I	-89.9	-0.3	-0.0	-16.1
-7.7	-4315.6			J	-89.9	-0.3	-0.0	-16.1
-1.3	-4908.9							
		C3-C4;~2	Max	I	589.5	1.1	0.0	16.8
44.6	804.6			J	589.5	1.1	0.0	16.8
24.7	1074.5							
		Min		I	-100.4	-0.3	-0.0	-12.1
-8.7	-5532.9			J	-100.4	-0.3	-0.0	-12.1
-2.9	-6218.4							
		G1		I	709.8	1.1	-0.6	11.5
-44.0	-5047.7			J	709.8	1.1	0.7	11.5
-67.7	-5954.7							
		G2		I	275.5	0.4	0.0	4.6
17.5	-1912.6			J	275.5	0.4	0.0	4.6
8.2	-2231.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-30.7	0.1	-0.0	-0.2
-0.8	-129.6			J	-30.7	0.1	-0.0	-0.2
-0.7	-229.6							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1.3	619.1	Q5_pc Y	I	88.1	-0.6	-0.0	-0.5
3.0	1078.1		J	88.1	-0.6	-0.0	-0.5
-0.6	-142.8	Q5_ps X	I	-28.0	0.1	0.0	-0.3
-0.7	-237.3		J	-28.0	0.1	0.0	-0.3
0.5	658.3	Q5_ps Y	I	80.7	-0.5	-0.0	-0.2
3.0	1090.9		J	80.7	-0.5	-0.0	-0.2
136.1	-8112.7	INVS LU Max	I	3101.7	6.1	-0.7	22.7
43.4	-9302.4		J	3101.7	6.1	1.0	22.7
10.1	-23597.6	Min	I	1351.9	1.4	-0.9	-59.7
-19.4	-28043.1		J	1351.9	1.4	0.9	-59.7
103.1	-6127.2	INVS LE Max	I	2303.3	4.5	-0.6	16.1
34.9	-7099.1		J	2303.3	4.5	0.8	16.1
10.0	-17514.9	Min	I	1018.9	1.2	-0.6	-44.9
-11.2	-20837.3		J	1018.9	1.2	0.7	-44.9
9509	2	63 C1-C2;~1 Max	I	779.8	0.8	0.0	364.7
36.2	1801.5		J	779.8	0.8	0.0	364.7
34.0	1744.0	Min	I	-127.8	-4.5	-0.0	-67.5
-2.5	-8480.9		J	-127.8	-4.5	-0.0	-67.5
-8.3	-5680.5						
37.9	2045.2	C3-C4;~1 Max	I	848.7	0.8	0.0	409.4
47.1	1719.9		J	848.7	0.8	0.0	409.4
-5.0	-10399.9	Min	I	-145.5	-4.7	-0.0	-76.7
-9.5	-6975.4		J	-145.5	-4.7	-0.0	-76.7
22.1	965.4	C1-C2;~2 Max	I	462.1	0.5	0.0	211.9
19.5	912.7		J	462.1	0.5	0.0	211.9
-1.2	-4909.3	Min	I	-69.1	-2.8	-0.0	-36.5
-4.5	-3249.1		J	-69.1	-2.8	-0.0	-36.5
25.2	1074.6	C3-C4;~2 Max	I	510.4	0.5	0.0	243.6
28.6	892.1		J	510.4	0.5	0.0	243.6
		Min	I	-77.1	-2.9	-0.0	-40.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.8	-6218.8		J	-77.1	-2.9	-0.0	-40.7
-5.0	-4102.9						
		G1	I	618.0	-3.3	-0.7	321.4
-67.0	-5955.4		J	618.0	-3.3	0.6	321.4
-61.7	-3246.3						
		G2	I	239.7	-1.3	-0.0	126.0
8.5	-2231.8		J	239.7	-1.3	-0.0	126.0
12.2	-1146.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-30.3	0.3	-0.0	-19.6
-0.8	-229.5		J	-30.3	0.3	-0.0	-19.6
0.4	-508.0						
		Q5_pc Y	I	92.4	-1.2	0.0	56.0
3.1	1078.0		J	92.4	-1.2	0.0	56.0
-2.4	2064.3						
		Q5_ps X	I	-28.0	0.3	-0.0	-18.1
-0.7	-237.3		J	-28.0	0.3	-0.0	-18.1
0.6	-496.2						
		Q5_ps Y	I	86.3	-1.1	0.0	51.8
3.1	1090.8		J	86.3	-1.1	0.0	51.8
-3.2	2011.6						
		INVSLE Max	I	2737.1	-3.4	-0.8	619.9
44.3	-9304.1		J	2737.1	-3.4	0.9	619.9
42.4	-4072.9						
		Min	I	1228.5	-13.3	-0.9	-137.1
-19.2	-28045.4		J	1228.5	-13.3	0.9	-137.1
-38.2	-19597.2						
		INVSLE Max	I	2034.5	-2.6	-0.6	431.9
35.5	-7100.3		J	2034.5	-2.6	0.7	431.9
32.6	-3382.1						
		Min	I	929.4	-9.7	-0.7	-121.4
-11.2	-20839.0		J	929.4	-9.7	0.6	-121.4
-26.8	-14578.7						
9510	2	63 C1-C2;~1 Max	I	690.2	1.2	0.1	561.2
36.1	1746.2		J	690.2	1.2	0.1	561.2
85.3	5517.9						
		Min	I	-107.3	-8.7	-0.1	-99.8
-8.7	-5675.9		J	-107.3	-8.7	-0.1	-99.8
-59.5	-2568.6						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
49.4	1719.6	C3-C4;~1	Max	I	758.6	1.3	0.1	628.1	
				J	758.6	1.3	0.1	628.1	
105.4	4117.7		Min	I	-122.3	-9.4	-0.1	-113.5	
-9.9	-6970.9			J	-122.3	-9.4	-0.1	-113.5	
-37.5	-2833.8								
20.7	914.1	C1-C2;~2	Max	I	409.3	0.6	0.0	327.0	
				J	409.3	0.6	0.0	327.0	
51.1	3304.6		Min	I	-58.0	-5.3	-0.1	-54.0	
-4.7	-3246.3			J	-58.0	-5.3	-0.1	-54.0	
-33.6	-1607.6								
30.0	891.9	C3-C4;~2	Max	I	456.8	0.7	0.0	374.5	
				J	456.8	0.7	0.0	374.5	
63.2	2413.6		Min	I	-64.8	-5.8	-0.1	-60.2	
-5.2	-4100.1			J	-64.8	-5.8	-0.1	-60.2	
-20.2	-1764.9								
-59.7	-3241.5		G1	I	545.8	-6.9	-0.7	493.8	
				J	545.8	-6.9	0.7	493.8	
-63.2	2321.1								
13.0	-1145.0		G2	I	210.6	-2.7	0.0	193.4	
				J	210.6	-2.7	0.0	193.4	
5.3	1045.2								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.3	-508.4		Q5_pc	X	I	-30.7	0.5	0.0	-30.8
				J	-30.7	0.5	0.0	-30.8	
-2.9	-941.7								
-2.0	2065.4		Q5_pc	Y	I	97.7	-1.8	-0.0	90.3
				J	97.7	-1.8	-0.0	90.3	
10.2	3535.9								
0.5	-496.5		Q5_ps	X	I	-28.5	0.5	0.0	-28.4
				J	-28.5	0.5	0.0	-28.4	
-2.7	-899.6								
-2.9	2012.7		Q5_ps	Y	I	91.4	-1.7	-0.0	83.6
				J	91.4	-1.7	-0.0	83.6	
9.1	3388.4								
45.5	-4067.5		INVSLU	Max	I	2475.8	-10.2	-0.8	1019.7
				J	2475.8	-10.2	1.0	1019.7	
179.8	13368.1								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-38.1	-19590.1		Min	I	1110.7	-28.0	-1.1	-144.0	
				J	1110.7	-28.0	0.7	-144.0	
-61.2	-4728.6								
		INVSLE	Max	I	1842.3	-7.7	-0.6	714.3	
34.7	-3378.1			J	1842.3	-7.7	0.7	714.3	
138.7	9438.9								
			Min	I	844.2	-20.6	-0.8	-135.7	
-27.0	-14573.7			J	844.2	-20.6	0.5	-135.7	
-38.5	-3353.9								
9511	2	63	C1-C2;~1	Max	I	591.6	5.9	0.2	44.5
142.5	5604.0			J	591.6	5.9	0.2	44.5	
7.0	1233.5								
			Min	I	-90.5	-1.0	-0.0	-287.5	
-14.9	-2574.3			J	-90.5	-1.0	-0.0	-287.5	
-28.8	-2641.1								
			C3-C4;~1	Max	I	665.9	5.1	0.2	51.3
121.7	4172.5			J	665.9	5.1	0.2	51.3	
14.0	1011.6								
			Min	I	-103.4	-1.4	-0.0	-319.0	
-28.6	-2847.7			J	-103.4	-1.4	-0.0	-319.0	
-32.4	-2866.9								
			C1-C2;~2	Max	I	349.3	3.5	0.1	23.9
87.8	3354.4			J	349.3	3.5	0.1	23.9	
3.7	753.5								
			Min	I	-48.9	-0.5	-0.0	-167.8	
-7.1	-1607.8			J	-48.9	-0.5	-0.0	-167.8	
-16.9	-1746.4								
			C3-C4;~2	Max	I	400.1	3.1	0.1	27.1
74.9	2443.9			J	400.1	3.1	0.1	27.1	
8.4	615.7								
			Min	I	-54.8	-0.8	-0.0	-187.9	
-15.6	-1769.0			J	-54.8	-0.8	-0.0	-187.9	
-19.3	-1931.6								
			G1	I	471.1	3.3	-0.5	-231.3	
-15.9	2356.8			J	471.1	3.3	0.7	-231.3	
-96.4	-188.8								
			G2	I	181.8	1.3	0.0	-88.5	
22.5	1059.1			J	181.8	1.3	0.0	-88.5	
-4.8	30.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-30.9	-0.6	-0.0	24.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.8	-942.4			J	-30.9	-0.6	-0.0 24.3
0.7	-462.1						
9.4	3537.2	Q5_pc	Y	I	101.9	2.3	0.0 -80.4
-1.5	1737.7			J	101.9	2.3	0.0 -80.4
-3.4	-900.6	Q5_ps	X	I	-28.6	-0.6	-0.0 22.8
0.8	-434.5			J	-28.6	-0.6	-0.0 22.8
12.4	3391.5	Q5_ps	Y	I	94.5	2.3	0.0 -74.7
-1.9	1631.6			J	94.5	2.3	0.0 -74.7
297.4	13461.3	INVSLU	Max	I	2187.7	16.9	-0.3 55.2
-69.7	905.1			J	2187.7	16.9	1.4 55.2
49.4	-4763.1		Min	I	965.8	2.4	-0.7 -596.5
-135.0	-7993.7			J	965.8	2.4	1.0 -596.5
225.8	9505.8	INVSLE	Max	I	1628.6	12.4	-0.2 51.2
-49.7	257.4			J	1628.6	12.4	1.0 51.2
43.3	-3381.0		Min	I	737.1	2.0	-0.5 -417.9
-97.9	-6037.2			J	737.1	2.0	0.8 -417.9
9512	2	63 C1-C2;~1	Max	I	471.2	4.2	0.0 25.3
7.2	1231.7			J	471.2	4.2	0.0 25.3
71.6	1425.0		Min	I	-71.9	-1.8	-0.1 -173.2
-29.8	-2643.2			J	-71.9	-1.8	-0.1 -173.2
-17.2	-3909.4						
13.7	1009.1	C3-C4;~1	Max	I	549.9	3.1	0.0 30.4
94.6	2028.1			J	549.9	3.1	0.0 30.4
-33.4	-2869.8		Min	I	-82.5	-2.9	-0.2 -186.4
-19.7	-3659.1			J	-82.5	-2.9	-0.2 -186.4
3.7	752.2	C1-C2;~2	Max	I	275.4	2.4	0.0 13.6
39.4	760.9			J	275.4	2.4	0.0 13.6
-17.5	-1747.7		Min	I	-38.9	-0.9	-0.1 -102.1
-9.2	-2326.8			J	-38.9	-0.9	-0.1 -102.1
8.2	614.0	C3-C4;~2	Max	I	328.6	1.7	0.0 16.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
54.4	1108.6		J	328.6	1.7	0.0	16.3
		Min	I	-43.7	-1.6	-0.1	-110.3
-19.9	-1933.3		J	-43.7	-1.6	-0.1	-110.3
-10.4	-2280.8						
		G1	I	388.4	0.8	-0.7	-128.9
-97.2	-192.4		J	388.4	0.8	0.5	-128.9
-21.4	-789.4						
		G2	I	151.3	0.4	-0.0	-47.6
-5.1	28.5		J	151.3	0.4	-0.0	-47.6
23.1	-243.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-30.9	-0.4	0.0	14.6
0.8	-461.8		J	-30.9	-0.4	0.0	14.6
-1.7	-123.1						
		Q5_pc Y	I	105.6	1.7	-0.0	-48.4
-1.8	1736.6		J	105.6	1.7	-0.0	-48.4
4.7	408.7						
		Q5_ps X	I	-28.4	-0.4	0.0	14.1
0.8	-434.2		J	-28.4	-0.4	0.0	14.1
-1.2	-97.9						
		Q5_ps Y	I	96.9	1.7	-0.0	-45.9
-2.1	1630.6		J	96.9	1.7	-0.0	-45.9
3.0	301.6						
		INVSLU Max	I	1830.8	8.3	-1.0	42.5
-70.1	900.7		J	1830.8	8.3	0.7	42.5
175.7	-220.0						
		Min	I	787.0	-4.5	-1.2	-343.6
-137.0	-7998.0		J	787.0	-4.5	0.5	-343.6
13.0	-8971.4						
		INVSLE Max	I	1362.1	6.0	-0.7	36.0
-50.0	254.4		J	1362.1	6.0	0.5	36.0
132.1	-388.3						
		Min	I	603.0	-3.3	-0.9	-241.6
-99.3	-6040.2		J	603.0	-3.3	0.3	-241.6
12.2	-6816.4						
		63 C1-C2;~1 Max	I	332.1	3.4	0.2	28.2
9513	2		J	332.1	3.4	0.2	28.2
71.2	1425.9						
		Min	I	-36.5	-3.4	-0.1	-49.9
33.7	3497.3						
-17.1	-3909.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-112.1	-5681.0		J	-36.5	-3.4	-0.1	-49.9
94.2	2029.3	C3-C4;~1	Max	I	388.4	2.3	18.9
36.7	5271.0		J	388.4	2.3	0.3	18.9
-19.6	-3658.7		Min	I	-41.6	-4.7	-49.6
-145.0	-4102.1		J	-41.6	-4.7	-0.1	-49.6
39.2	761.4	C1-C2;~2	Max	I	197.2	1.9	15.3
17.6	1796.4		J	197.2	1.9	0.1	15.3
-9.2	-2326.5		Min	I	-19.9	-1.8	-30.3
-59.6	-3265.5		J	-19.9	-1.8	-0.0	-30.3
54.2	1109.2	C3-C4;~2	Max	I	236.1	1.2	9.7
19.2	2864.8		J	236.1	1.2	0.2	9.7
-10.3	-2280.5		Min	I	-22.2	-2.5	-29.5
-80.5	-2288.2		J	-22.2	-2.5	-0.0	-29.5
-21.6	-788.3	G1	I	280.9	-1.4	-0.4	-5.5
-173.1	261.4		J	280.9	-1.4	0.8	-5.5
23.1	-243.0	G2	I	109.9	-0.5	0.1	2.8
-35.1	130.5		J	109.9	-0.5	0.1	2.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.7	-123.2	Q5_pc	X	I	-31.6	-0.2	-1.0
1.6	54.3		J	-31.6	-0.2	-0.0	-1.0
4.6	408.9	Q5_pc	Y	I	113.9	1.0	4.8
-2.9	-358.6		J	113.9	1.0	0.0	4.8
-1.1	-97.9	Q5_ps	X	I	-29.3	-0.2	-0.4
0.7	89.3		J	-29.3	-0.2	-0.0	-0.4
2.9	301.8	Q5_ps	Y	I	105.9	1.0	2.9
-0.5	-509.5		J	105.9	1.0	0.0	2.9
		INVSLU	Max	I	1365.4	2.1	-49.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
174.9	-217.0			J	1365.4	2.1	1.6	-49.5
-172.0	6743.5		Min	I	549.8	-10.6	-0.6	-163.5
13.0	-8970.0			J	549.8	-10.6	1.1	-163.5
-422.6	-8687.2							
			INVSLE Max	I	1015.1	1.4	-0.1	-42.3
131.5	-386.2			J	1015.1	1.4	1.2	-42.3
-124.0	4819.9		Min	I	430.3	-7.8	-0.4	-126.1
12.2	-6815.4			J	430.3	-7.8	0.8	-126.1
-309.2	-6562.4							
9514	2	63	C1-C2;~1 Max	I	207.7	2.7	0.2	100.3
33.8	3498.5			J	207.7	2.7	0.2	100.3
424.7	6401.2		Min	I	-9.5	-4.6	-0.7	-42.0
-112.1	-5681.6			J	-9.5	-4.6	-0.7	-42.0
-106.1	-7179.6							
			C3-C4;~1 Max	I	241.2	1.7	0.2	84.7
36.8	5272.7			J	241.2	1.7	0.2	84.7
549.7	9295.5		Min	I	-10.9	-5.8	-0.9	-44.6
-145.0	-4102.2			J	-10.9	-5.8	-0.9	-44.6
-121.6	-4660.1							
			C1-C2;~2 Max	I	126.8	1.5	0.1	57.3
17.6	1797.0			J	126.8	1.5	0.1	57.3
230.0	3302.9		Min	I	-5.5	-2.5	-0.4	-25.2
-59.7	-3265.8			J	-5.5	-2.5	-0.4	-25.2
-56.8	-4010.5							
			C3-C4;~2 Max	I	150.7	0.9	0.1	49.0
19.2	2865.8			J	150.7	0.9	0.1	49.0
310.4	5034.3		Min	I	-6.3	-3.2	-0.5	-25.9
-80.4	-2288.1			J	-6.3	-3.2	-0.5	-25.9
-63.9	-2444.2							
			G1	I	179.5	-2.7	-1.2	53.5
-172.9	262.1			J	179.5	-2.7	0.0	53.5
284.1	2357.8							
			G2	I	70.2	-1.0	-0.2	28.5
-35.0	130.9			J	70.2	-1.0	-0.2	28.5
139.9	916.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
1.5	54.4	Q5_pc X	I	-33.7	-0.0	0.0	-15.5
-7.4	69.5		J	-33.7	-0.0	0.0	-15.5
-2.8	-359.2	Q5_pc Y	I	127.6	0.2	-0.0	56.8
19.1	-531.2		J	127.6	0.2	-0.0	56.8
0.7	89.4	Q5_ps X	I	-31.6	-0.0	0.0	-14.4
-3.9	124.0		J	-31.6	-0.0	0.0	-14.4
-0.4	-510.1	Q5_ps Y	I	120.2	0.3	-0.0	52.2
9.7	-761.4		J	120.2	0.3	-0.0	52.2
-172.6	6747.5	INVS LU Max	I	914.3	-2.4	-1.5	-0.5
1266.8	17172.0		J	914.3	-2.4	0.2	-0.5
-423.0	-8687.4	Min	I	285.2	-14.3	-3.0	-300.4
326.3	-6025.5		J	285.2	-14.3	-1.3	-300.4
-124.5	4822.8	INVS LE Max	I	676.5	-1.9	-1.1	-20.3
933.0	12595.3		J	676.5	-1.9	0.2	-20.3
-309.5	-6562.5	Min	I	232.4	-10.7	-2.2	-233.4
238.8	-4517.2		J	232.4	-10.7	-1.0	-233.4
9515	2	63 C1-C2;~1 Max	I	74.6	2.2	1.5	119.5
424.7	6400.6		J	74.6	2.2	1.5	119.5
187.6	9595.3	Min	I	-54.2	-4.9	-0.4	-81.6
-105.9	-7178.1		J	-54.2	-4.9	-0.4	-81.6
-760.0	-8769.4						
549.6	9294.5	C3-C4;~1 Max	I	70.8	1.5	2.0	86.4
215.0	13529.4		J	70.8	1.5	2.0	86.4
-121.4	-4659.2	Min	I	-70.6	-6.3	-0.4	-97.2
-961.9	-5422.9		J	-70.6	-6.3	-0.4	-97.2
230.0	3302.6	C1-C2;~2 Max	I	40.8	1.2	0.8	66.8
100.7	4953.7		J	40.8	1.2	0.8	66.8
-56.7	-4009.6	Min	I	-27.8	-2.7	-0.2	-46.3
-415.6	-4876.8		J	-27.8	-2.7	-0.2	-46.3

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

310.4	5033.8	C3-C4; ~2 Max	I	38.4	0.8	1.1	47.0
			J	38.4	0.8	1.1	47.0
113.3	7300.3	Min	I	-37.4	-3.5	-0.2	-54.3
-63.8	-2443.7		J	-37.4	-3.5	-0.2	-54.3
-545.6	-2777.9						
		G1	I	13.2	-3.2	0.7	17.1
284.3	2358.3		J	13.2	-3.2	1.9	17.1
-724.0	4854.7						
		G2	I	5.2	-1.2	0.5	16.6
140.0	917.0		J	5.2	-1.2	0.5	16.6
-248.0	1861.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-38.0	0.2	-0.0	-19.7
-7.4	69.2		J	-38.0	0.2	-0.0	-19.7
4.7	-60.6						
		Q5_pc Y	I	150.8	-0.5	0.0	73.1
19.4	-530.1		J	150.8	-0.5	0.0	73.1
0.4	-141.8						
		Q5_ps X	I	-36.4	0.1	-0.0	-19.0
-4.0	123.7		J	-36.4	0.1	-0.0	-19.0
-0.4	20.0						
		Q5_ps Y	I	144.4	-0.4	-0.0	69.5
10.0	-760.3		J	144.4	-0.4	-0.0	69.5
13.6	-475.8						
		INVSLU Max	I	370.8	-4.3	4.0	-43.2
1266.0	17168.0		J	370.8	-4.3	5.7	-43.2
-913.6	28496.7	Min	I	-168.0	-16.7	0.8	-467.3
325.2	-6024.2		J	-168.0	-16.7	2.5	-467.3
2510.9	-1862.0						-
		INVSLE Max	I	263.1	-3.3	3.0	-53.7
932.2	12592.3		J	263.1	-3.3	4.2	-53.7
-670.0	21094.2	Min	I	-104.0	-12.4	0.6	-358.1
237.9	-4516.5		J	-104.0	-12.4	1.8	-358.1
1852.6	-1374.8						-
		63 C1-C2; ~1 Max	I	25.5	0.0	0.3	20.7
9516	2		J	25.5	0.0	0.3	20.7
188.9	21.4						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	2.0							
-715.8	-34.1		Min	I	-70.3	-0.1	-1.2	-4.4
				J	-70.3	-0.1	-1.2	-4.4
-0.0	-0.5							
216.4	30.0		C3-C4;~1	Max	I	23.3	0.0	0.4
				J	23.3	0.0	0.4	21.7
0.0	2.5							
-925.2	-27.1		Min	I	-93.3	-0.0	-1.5	-6.6
				J	-93.3	-0.0	-1.5	-6.6
-0.0	-0.8							
101.1	11.4		C1-C2;~2	Max	I	13.2	0.0	0.2
				J	13.2	0.0	0.2	12.2
0.0	1.2							
-384.1	-19.5		Min	I	-37.0	-0.0	-0.6	-2.7
				J	-37.0	-0.0	-0.6	-2.7
-0.0	-0.4							
113.7	16.6		C3-C4;~2	Max	I	12.1	0.0	0.2
				J	12.1	0.0	0.2	13.5
0.0	1.5							
-517.9	-14.9		Min	I	-51.2	-0.0	-0.8	-4.2
				J	-51.2	-0.0	-0.8	-4.2
-0.0	-0.5							
-701.1	-4.2		G1	I	-58.0	-0.0	-1.6	19.2
				J	-58.0	-0.0	-0.6	19.2
-0.0	1.6							
-239.2	-2.0		G2	I	-22.1	-0.0	-0.4	6.9
				J	-22.1	-0.0	-0.4	6.9
-0.0	0.6							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
9.0	6.4		Q5_pc	X	I	3.0	0.0	0.0
				J	3.0	0.0	0.0	-4.3
0.0	-0.2							
-17.1	-24.6		Q5_pc	Y	I	-10.0	-0.0	-0.0
				J	-10.0	-0.0	-0.0	15.8
-0.0	0.8							
3.4	6.3		Q5_ps	X	I	2.3	0.0	0.0
				J	2.3	0.0	0.0	-4.0
0.0	-0.2							
-1.6	-23.9		Q5_ps	Y	I	-7.6	-0.0	-0.0
				J	-7.6	-0.0	-0.0	14.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.7							
-849.9	125.4		INVSLE Max	I	-34.7	0.2	-2.1	24.6
				J	-34.7	0.2	-0.7	24.6
-0.0	3.0		Min	I	-213.2	-0.0	-4.6	-46.6 -
2421.8	-5.5			J	-213.2	-0.0	-3.3	-46.6
-0.0	-2.9							
-622.7	94.7		INVSLE Max	I	-24.2	0.2	-1.5	14.5
				J	-24.2	0.2	-0.5	14.5
-0.0	1.9		Min	I	-155.1	0.0	-3.4	-35.6 -
1784.8	1.1			J	-155.1	0.0	-2.4	-35.6
-0.0	-2.3							
9517	2	63	C1-C2;~1 Max	I	12.1	0.0	1.6	15.7
0.0	0.8			J	12.1	0.0	1.6	15.7
81.1	18.4		Min	I	-84.8	-0.0	-0.1	-4.1
-0.0	-2.2			J	-84.8	-0.0	-0.1	-4.1
-935.1	-22.6							
			C3-C4;~1 Max	I	22.4	0.0	1.2	9.1
0.0	0.7			J	22.4	0.0	1.2	9.1
114.5	19.6		Min	I	-62.6	-0.0	-0.2	-3.0
-0.0	-1.4			J	-62.6	-0.0	-0.2	-3.0
-707.9	-19.6							
			C1-C2;~2 Max	I	5.7	0.0	0.9	10.1
0.0	0.5			J	5.7	0.0	0.9	10.1
39.0	10.8		Min	I	-49.8	-0.0	-0.1	-2.6
-0.0	-1.3			J	-49.8	-0.0	-0.1	-2.6
-559.2	-13.7							
			C3-C4;~2 Max	I	11.7	0.0	0.7	5.5
0.0	0.4			J	11.7	0.0	0.7	5.5
56.5	10.8		Min	I	-36.1	-0.0	-0.1	-1.7
-0.0	-0.9			J	-36.1	-0.0	-0.1	-1.7
-412.4	-12.1							
			G1	I	-37.3	-0.0	0.5	10.3
-0.0	-0.7			J	-37.3	-0.0	1.5	10.3
-582.0	4.1							
			G2	I	-14.3	-0.0	0.3	3.7
-0.0	-0.3			J	-14.3	-0.0	0.3	3.7
-196.1	2.2							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	2.0	-0.0	-0.0
-0.0	0.0			J	2.0	-0.0	-0.0
27.8	0.2						
			Q5_pc Y	I	-5.3	0.0	0.1
0.0	-0.0			J	-5.3	0.0	0.1
-73.1	-0.8						
			Q5_ps X	I	1.2	-0.0	-0.0
-0.0	-0.0			J	1.2	-0.0	-0.0
21.4	0.0						
			Q5_ps Y	I	-3.1	0.0	0.1
0.0	0.0			J	-3.1	0.0	0.1
-54.9	-0.1						
			INVSLE Max	I	-15.9	0.1	3.3
-0.0	0.5			J	-15.9	0.1	4.6
-796.0	19.6		Min	I	-170.0	-0.0	0.7
-0.0	-3.6			J	-170.0	-0.0	2.0
2344.6	-38.9						3.7
			INVSLE Max	I	-10.7	0.0	2.4
-0.0	0.4			J	-10.7	0.0	3.4
-591.1	13.7		Min	I	-124.2	-0.0	0.5
-0.0	-2.6			J	-124.2	-0.0	1.5
1728.5	-29.5						2.4
			63 C1-C2;~1 Max	I	74.2	2.1	0.2
9518	2			J	74.2	2.1	0.2
88.1	6681.1						29.5
			Min	I	-27.7	-4.4	-2.1
572.7	5154.6			J	-27.7	-4.4	-2.1
-988.5	-11302.6						-109.9
-48.7	-8277.9						-109.9
			C3-C4;~1 Max	I	87.8	3.5	0.2
104.3	10477.4			J	87.8	3.5	0.2
434.4	7968.6		Min	I	-28.0	-3.0	-1.6
-764.0	-7696.8			J	-28.0	-3.0	-1.6
-67.1	-5632.6						-100.8
			C1-C2;~2 Max	I	42.6	1.1	0.1
44.3	3355.8			J	42.6	1.1	0.1
345.4	2589.5		Min	I	-14.5	-2.6	-1.3
							-66.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-595.6	-6364.5		J	-14.5	-2.6	-1.3	-66.0
-23.6	-4647.4						
50.9	5591.4	C3-C4;~2 Max	I	50.3	1.9	0.1	25.7
255.4	4238.9		J	50.3	1.9	0.1	25.7
-448.9	-4184.1	Min	I	-15.8	-1.7	-0.9	-60.5
-32.9	-3060.2		J	-15.8	-1.7	-0.9	-60.5
		G1	I	43.2	-0.1	-1.7	-34.5
-622.0	625.7		J	43.2	-0.1	-0.5	-34.5
226.0	682.8						
		G2	I	17.3	0.0	-0.4	-1.9
-211.9	282.0		J	17.3	0.0	-0.4	-1.9
116.2	268.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-0.3	-0.0	0.1	2.3
28.7	-52.6		J	-0.3	-0.0	0.1	2.3
-17.9	-48.3						
		Q5_pc Y	I	0.1	0.0	-0.2	-6.3
-75.2	88.0		J	0.1	0.0	-0.2	-6.3
47.2	76.1						
		Q5_ps X	I	-0.8	-0.1	0.0	1.0
22.8	-187.3		J	-0.8	-0.1	0.0	1.0
-14.1	-144.4						
		Q5_ps Y	I	1.6	0.2	-0.1	-2.6
-57.8	464.8		J	1.6	0.2	-0.1	-2.6
36.2	344.1						
		INVSLU Max	I	270.2	3.4	-2.4	-28.2
-897.0	13903.5		J	270.2	3.4	-0.8	-28.2
1264.1	11438.3						
		Min	I	113.4	-7.2	-5.9	-253.8
2507.5	-15657.8		J	113.4	-7.2	-4.2	-253.8
315.5	-10631.3						
		INVSLE Max	I	204.6	2.4	-1.8	-25.1
-667.2	10178.5		J	204.6	2.4	-0.6	-25.1
931.9	8431.0						
		Min	I	88.5	-5.4	-4.3	-191.4
1850.2	-11707.1		J	88.5	-5.4	-3.1	-191.4
235.5	-7906.7						


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9519	2	63	C1-C2;~1	Max	I	296.0	2.1	0.9	30.7
572.7	5155.0				J	296.0	2.1	0.9	30.7
13.1	3747.2								
-48.7	-8278.6		Min		I	-46.4	-4.4	-0.1	-100.7
-140.6	-5387.8				J	-46.4	-4.4	-0.1	-100.7
			C3-C4;~1	Max	I	263.1	3.4	0.7	49.5
434.4	7969.2				J	263.1	3.4	0.7	49.5
23.8	5713.4								
-67.1	-5633.3		Min		I	-51.7	-3.0	-0.1	-95.2
-108.3	-3711.5				J	-51.7	-3.0	-0.1	-95.2
			C1-C2;~2	Max	I	181.5	1.1	0.6	15.2
345.4	2589.7				J	181.5	1.1	0.6	15.2
5.9	1891.9								
-23.6	-4647.8		Min		I	-24.9	-2.6	-0.0	-58.2
-83.6	-3017.6				J	-24.9	-2.6	-0.0	-58.2
			C3-C4;~2	Max	I	158.2	1.9	0.4	26.1
255.4	4239.2				J	158.2	1.9	0.4	26.1
12.2	3064.3								
-32.9	-3060.6		Min		I	-27.3	-1.7	-0.1	-57.6
-63.2	-2022.2				J	-27.3	-1.7	-0.1	-57.6
			G1		I	189.0	-0.1	-0.1	-20.0
226.0	682.8				J	189.0	-0.1	1.1	-20.0
-145.4	746.7								
			G2		I	74.6	0.0	0.2	1.7
116.2	268.9				J	74.6	0.0	0.2	1.7
-26.7	258.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-2.9	-0.0	-0.0	1.4
-17.9	-48.3				J	-2.9	-0.0	-0.0	1.4
4.6	-44.5								
			Q5_pc	Y	I	6.1	0.0	0.1	-4.0
47.2	76.1				J	6.1	0.0	0.1	-4.0
-12.2	65.8								
			Q5_ps	X	I	-2.8	-0.1	-0.0	0.3
-14.1	-144.4				J	-2.8	-0.1	-0.0	0.3
3.4	-102.5								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
36.2	344.1	Q5_ps	Y	I	5.7	0.2	0.1	-0.6
-8.9	226.0			J	5.7	0.2	0.1	-0.6
1264.1	11439.0	INVS LU	Max	I	904.3	3.4	1.4	-9.3
-146.9	9328.0			J	904.3	3.4	3.0	-9.3
315.5	-10632.5		Min	I	423.9	-7.2	-0.2	-219.3
-390.9	-5777.1			J	423.9	-7.2	1.4	-219.3
931.9	8431.5	INVS LE	Max	I	677.9	2.4	1.0	-11.4
-106.9	6945.8			J	677.9	2.4	2.2	-11.4
235.5	-7907.6		Min	I	322.9	-5.4	-0.1	-166.4
-286.0	-4234.4			J	322.9	-5.4	1.1	-166.4
9520	2	63 C1-C2;~1	Max	I	433.6	2.1	0.0	27.0
13.1	3747.0			J	433.6	2.1	0.0	27.0
92.9	3156.3		Min	I	-59.5	-4.4	-0.3	-75.8
-140.6	-5387.0			J	-59.5	-4.4	-0.3	-75.8
-6.1	-2605.3							
23.8	5712.7	C3-C4;~1	Max	I	377.0	3.4	0.0	43.3
69.1	3652.7			J	377.0	3.4	0.0	43.3
-108.3	-3710.9		Min	I	-68.5	-3.0	-0.2	-66.5
-11.3	-1867.7			J	-68.5	-3.0	-0.2	-66.5
5.9	1891.8	C1-C2;~2	Max	I	265.2	1.1	0.0	13.5
57.0	1790.0			J	265.2	1.1	0.0	13.5
-83.6	-3017.1		Min	I	-31.9	-2.6	-0.2	-45.0
-2.8	-1448.7			J	-31.9	-2.6	-0.2	-45.0
12.2	3063.9	C3-C4;~2	Max	I	226.1	1.9	0.0	23.0
41.5	2025.4			J	226.1	1.9	0.0	23.0
-63.2	-2021.9		Min	I	-36.7	-1.7	-0.1	-39.1
-5.8	-1018.9			J	-36.7	-1.7	-0.1	-39.1
-145.4	746.7	G1		I	273.1	-0.1	-0.8	-12.8
-30.4	809.8			J	273.1	-0.1	0.4	-12.8
-26.7	258.0	G2		I	107.6	0.0	-0.1	0.8


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
17.4	242.0		J	107.6	0.0	-0.1	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.6	-44.5	Q5_pc X	I	-1.1	-0.0	0.0	1.0
-1.1	-40.7		J	-1.1	-0.0	0.0	1.0
-12.2	65.8	Q5_pc Y	I	0.6	0.0	-0.0	-3.0
2.8	55.1		J	0.6	0.0	-0.0	-3.0
3.4	-102.5	Q5_ps X	I	-0.8	-0.1	0.0	0.1
-0.6	-60.2		J	-0.8	-0.1	0.0	0.1
-8.9	226.0	Q5_ps Y	I	-0.6	0.2	-0.0	-0.5
1.3	106.9		J	-0.6	0.2	-0.0	-0.5
-146.9	9327.3	INVSLE Max	I	1322.4	3.4	-1.0	-10.9
160.7	7480.4		J	1322.4	3.4	0.6	-10.9
-391.0	-5775.7	Min	I	642.6	-7.2	-1.5	-177.3
15.0	-1067.0		J	642.6	-7.2	0.1	-177.3
-106.9	6945.3	INVSLE Max	I	992.1	2.4	-0.8	-12.8
121.7	5655.7		J	992.1	2.4	0.4	-12.8
-286.0	-4233.3	Min	I	488.7	-5.5	-1.1	-135.7
14.1	-668.4		J	488.7	-5.5	0.1	-135.7
9521	2	63 C1-C2;~1 Max	I	575.4	2.1	0.1	27.3
92.9	3156.0		J	575.4	2.1	0.1	27.3
17.3	3061.1		I	-73.5	-4.4	-0.0	-61.4
-6.1	-2604.9	Min	I	-73.5	-4.4	-0.0	-61.4
-23.4	-568.6		J	-73.5	-4.4	-0.0	-61.4
69.1	3652.3	C3-C4;~1 Max	I	498.2	3.4	0.1	43.3
8.7	2704.8		J	498.2	3.4	0.1	43.3
-11.3	-1867.5	Min	I	-85.9	-3.0	-0.0	-48.6
-20.3	-572.3		J	-85.9	-3.0	-0.0	-48.6
57.0	1789.9	C1-C2;~2 Max	I	351.1	1.1	0.1	13.8

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
11.7	1994.8		J	351.1	1.1	0.1	13.8
		Min	I	-39.4	-2.6	-0.0	-35.7
-2.8	-1448.5		J	-39.4	-2.6	-0.0	-35.7
-14.4	-317.0						
		C3-C4; ~2 Max	I	298.5	1.9	0.1	23.1
41.5	2025.3		J	298.5	1.9	0.1	23.1
5.6	1748.5	Min	I	-46.4	-1.7	-0.0	-28.0
-5.8	-1018.8		J	-46.4	-1.7	-0.0	-28.0
-12.4	-301.5						
		G1	I	360.4	-0.1	-0.5	-6.2
-30.4	809.7		J	360.4	-0.1	0.7	-6.2
-80.8	875.4						
		G2	I	141.1	0.0	0.0	-0.5
17.4	242.0		J	141.1	0.0	0.0	-0.5
-1.6	221.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-0.1	-0.0	-0.0	0.8
-1.1	-40.7		J	-0.1	-0.0	-0.0	0.8
0.3	-37.0						
		Q5_pc Y	I	-2.9	0.0	0.0	-2.4
2.8	55.1		J	-2.9	0.0	0.0	-2.4
-0.8	44.7						
		Q5_ps X	I	0.7	-0.1	-0.0	0.1
-0.6	-60.2		J	0.7	-0.1	-0.0	0.1
0.2	-18.1						
		Q5_ps Y	I	-5.3	0.2	0.0	-0.4
1.3	106.8		J	-5.3	0.2	0.0	-0.4
-0.3	-11.9						
		INVSLE Max	I	1738.5	3.4	-0.5	-1.5
160.7	7479.7		J	1738.5	3.4	1.1	-1.5
-43.2	7623.5	Min	I	840.4	-7.2	-0.7	-147.3
15.0	-1066.8		J	840.4	-7.2	0.9	-147.3
-99.5	2637.8						
		INVSLE Max	I	1302.7	2.4	-0.4	-5.8
121.7	5655.2		J	1302.7	2.4	0.8	-5.8
-29.8	5840.8	Min	I	637.9	-5.5	-0.5	-113.4
14.1	-668.2						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-71.4	2153.7		J	637.9	-5.5	0.7	-113.4	
9522	2	63 C1-C2;~1 Max	I	696.5	2.2	0.1	30.5	
17.3	3062.0		J	696.5	2.2	0.1	30.5	
137.6	5493.1		Min	I	-103.1	-4.4	-0.2	-59.2
-23.4	-568.6		J	-103.1	-4.4	-0.2	-59.2	
-44.2	-1589.3							
		C3-C4;~1 Max	I	626.9	3.5	0.1	43.8	
8.7	2705.3		J	626.9	3.5	0.1	43.8	
159.7	4349.5		Min	I	-115.8	-3.1	-0.2	-37.6
-20.3	-572.1		J	-115.8	-3.1	-0.2	-37.6	
-43.8	-2464.5							
		C1-C2;~2 Max	I	424.2	1.1	0.0	16.1	
11.7	1995.2		J	424.2	1.1	0.0	16.1	
79.4	3463.2		Min	I	-55.3	-2.6	-0.1	-35.4
-14.4	-316.9		J	-55.3	-2.6	-0.1	-35.4	
-22.9	-872.1							
		C3-C4;~2 Max	I	375.9	1.9	0.0	23.8	
5.6	1748.8		J	375.9	1.9	0.0	23.8	
92.7	2691.8		Min	I	-61.5	-1.7	-0.1	-21.3
-12.4	-301.2		J	-61.5	-1.7	-0.1	-21.3	
-22.9	-1397.3							
		G1	I	448.1	-0.1	-0.7	-0.9	
-80.8	875.9		J	448.1	-0.1	0.5	-0.9	
1.0	935.9							
		G2	I	173.5	0.0	-0.0	-0.4	
-1.6	221.7		J	173.5	0.0	-0.0	-0.4	
27.1	197.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.9	-0.0	0.0	0.7	
0.3	-37.0		J	-0.9	-0.0	0.0	0.7	
-2.0	-32.8							
		Q5_pc Y	I	-1.9	0.0	-0.0	-2.3	
-0.8	44.8		J	-1.9	0.0	-0.0	-2.3	
4.4	33.4							
		Q5_ps X	I	-0.3	-0.1	0.0	0.1	
0.2	-18.2							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.7	24.6		J	-0.3	-0.1	0.0	0.1
-0.3	-11.8	Q5_ps Y	I	-3.8	0.2	-0.0	-0.7
6.1	-132.1		J	-3.8	0.2	-0.0	-0.7
-43.2	7625.5	INVS LU Max	I	2107.8	3.4	-1.0	18.4
351.6	11868.0		J	2107.8	3.4	0.6	18.4
-99.5	2638.8	Min	I	1007.9	-7.3	-1.4	-124.8
68.4	1065.2		J	1007.9	-7.3	0.2	-124.8
-29.8	5842.3	INVS LE Max	I	1578.0	2.4	-0.7	10.0
265.6	9066.8		J	1578.0	2.4	0.5	10.0
-71.4	2154.4	Min	I	763.4	-5.5	-1.0	-95.7
56.4	1069.2		J	763.4	-5.5	0.2	-95.7
9523	2	63 C1-C2;~1 Max	I	804.4	1.2	0.1	25.3
91.3	5467.7		J	804.4	1.2	0.1	25.3
51.2	4563.7	Min	I	-135.5	-0.5	-0.1	-82.5
-46.2	-1554.6		J	-135.5	-0.5	-0.1	-82.5
-4.4	-1255.1						
83.2	4328.0	C3-C4;~1 Max	I	741.2	1.2	0.1	25.6
36.2	3468.7		J	741.2	1.2	0.1	25.6
-69.6	-2406.3	Min	I	-151.0	-0.6	-0.1	-83.9
-4.8	-2033.1		J	-151.0	-0.6	-0.1	-83.9
55.5	3453.2	C1-C2;~2 Max	I	488.0	0.8	0.1	14.1
32.6	2862.7		J	488.0	0.8	0.1	14.1
-24.0	-855.5	Min	I	-72.7	-0.3	-0.0	-53.6
-2.3	-678.1		J	-72.7	-0.3	-0.0	-53.6
51.0	2683.0	C3-C4;~2 Max	I	443.0	0.8	0.1	13.5
22.4	2125.5		J	443.0	0.8	0.1	13.5
-37.8	-1366.6	Min	I	-79.9	-0.3	-0.1	-53.5
-2.5	-1150.5		J	-79.9	-0.3	-0.1	-53.5
-82.9	952.1	G1	I	532.7	0.2	-0.7	-8.6
-64.3	819.3		J	532.7	0.2	0.6	-8.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-4.2	204.1	G2	I	206.2	0.0	-0.0	2.4
10.8	199.1		J	206.2	0.0	-0.0	2.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.3	-34.3	Q5_pc X	I	-2.2	-0.1	0.0	-1.3
0.2	41.1		J	-2.2	-0.1	0.0	-1.3
-5.8	37.0	Q5_pc Y	I	0.4	0.3	-0.0	3.8
-0.8	-175.5		J	0.4	0.3	-0.0	3.8
3.1	22.4	Q5_ps X	I	-1.8	-0.1	0.0	-2.1
0.3	85.5		J	-1.8	-0.1	0.0	-2.1
-7.9	-126.6	Q5_ps Y	I	-0.9	0.2	-0.0	5.8
-0.9	-303.6		J	-0.9	0.2	-0.0	5.8
94.9	11861.1	INVSLU Max	I	2436.7	3.0	-0.8	9.4
56.1	9883.0		J	2436.7	3.0	1.0	9.4
-132.8	1164.6	Min	I	1143.0	0.1	-1.0	-145.3
-20.9	661.3		J	1143.0	0.1	0.7	-145.3
76.1	9060.5	INVSLE Max	I	1821.4	2.3	-0.6	5.4
43.5	7515.8		J	1821.4	2.3	0.7	5.4
-91.8	1142.1	Min	I	863.4	0.2	-0.8	-108.7
-13.4	708.3		J	863.4	0.2	0.5	-108.7
9524	2	63 C1-C2;~1 Max	I	908.9	1.2	0.0	28.2
51.2	4562.3		J	908.9	1.2	0.0	28.2
46.2	3670.9	Min	I	-166.0	-0.5	-0.0	-64.6
-4.4	-1253.9		J	-166.0	-0.5	-0.0	-64.6
-9.8	-1065.4						
36.2	3467.6	C3-C4;~1 Max	I	844.6	1.2	0.0	34.0
43.2	2772.4		J	844.6	1.2	0.0	34.0
-4.8	-2031.3	Min	I	-185.3	-0.6	-0.0	-62.0
-10.7	-1644.0		J	-185.3	-0.6	-0.0	-62.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

32.6	2862.0	C1-C2;~2	Max	I	549.3	0.8	0.0	15.9
				J	549.3	0.8	0.0	15.9
29.8	2281.1		Min	I	-89.1	-0.3	-0.0	-41.5
-2.3	-677.5			J	-89.1	-0.3	-0.0	-41.5
-5.0	-583.5							
22.4	2124.9	C3-C4;~2	Max	I	503.2	0.8	0.0	18.2
				J	503.2	0.8	0.0	18.2
27.2	1689.2		Min	I	-98.0	-0.3	-0.0	-38.3
-2.5	-1149.6			J	-98.0	-0.3	-0.0	-38.3
-5.6	-926.1							
-64.3	819.7		G1	I	612.1	0.2	-0.7	-0.0
				J	612.1	0.2	0.6	-0.0
-61.7	696.1							
10.8	199.3		G2	I	238.2	0.0	0.0	3.9
				J	238.2	0.0	0.0	3.9
9.9	196.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.2	41.0		Q5_pc X	I	-3.4	-0.1	0.0	-1.3
				J	-3.4	-0.1	0.0	-1.3
-0.2	115.9							
-0.8	-175.4		Q5_pc Y	I	2.6	0.3	-0.0	3.5
				J	2.6	0.3	-0.0	3.5
0.4	-386.6							
0.3	85.4		Q5_ps X	I	-3.2	-0.1	0.0	-1.9
				J	-3.2	-0.1	0.0	-1.9
-0.4	147.7							
-0.9	-303.4		Q5_ps Y	I	1.7	0.2	-0.0	5.3
				J	1.7	0.2	-0.0	5.3
0.8	-478.5							
56.1	9881.6		INVSLU Max	I	2739.0	2.9	-0.8	41.1
				J	2739.0	2.9	0.9	41.1
60.5	8031.0		Min	I	1255.9	0.0	-0.9	-98.3
-20.9	664.5			J	1255.9	0.0	0.8	-98.3
-17.0	160.1							
43.5	7514.8		INVSLE Max	I	2043.7	2.2	-0.6	29.6
				J	2043.7	2.2	0.7	29.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
47.7	6062.4								
			Min	I	945.5	0.1	-0.7	-73.2	
-13.4	710.6			J	945.5	0.1	0.6	-73.2	
-9.6	283.7								
9525	2	63	C1-C2;~1	Max	I	1027.3	1.2	0.0	43.6
46.2	3671.1				J	1027.3	1.2	0.0	43.6
65.5	2954.0								
			Min	I	-181.4	-0.6	-0.1	-49.5	
-9.8	-1065.6			J	-181.4	-0.6	-0.1	-49.5	
-4.3	-971.2								
			C3-C4;~1	Max	I	944.4	1.2	0.0	44.0
43.2	2772.5			J	944.4	1.2	0.0	44.0	
52.2	2212.7								
			Min	I	-202.2	-0.6	-0.0	-35.7	
-10.7	-1644.2			J	-202.2	-0.6	-0.0	-35.7	
-5.1	-1393.7								
			C1-C2;~2	Max	I	619.7	0.8	0.0	25.7
29.8	2281.2			J	619.7	0.8	0.0	25.7	
41.2	1829.2								
			Min	I	-97.4	-0.4	-0.0	-29.6	
-5.0	-583.6			J	-97.4	-0.4	-0.0	-29.6	
-2.2	-556.8								
			C3-C4;~2	Max	I	561.8	0.8	0.0	24.4
27.2	1689.2			J	561.8	0.8	0.0	24.4	
32.3	1349.2								
			Min	I	-107.0	-0.4	-0.0	-20.5	
-5.6	-926.3			J	-107.0	-0.4	-0.0	-20.5	
-2.5	-802.8								
			G1	I	685.5	0.2	-0.7	7.6	
-61.7	696.1			J	685.5	0.2	0.6	7.6	
-54.8	575.5								
			G2	I	266.7	0.0	-0.0	3.0	
9.9	196.0			J	266.7	0.0	-0.0	3.0	
12.6	187.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-2.9	-0.1	-0.0	-0.9
-0.2	115.9			J	-2.9	-0.1	-0.0	-0.9	
0.5	191.5								
			Q5_pc	Y	I	0.6	0.3	0.0	2.0
0.4	-386.6			J	0.6	0.3	0.0	2.0	
-1.5	-600.1								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.4	147.7	Q5_ps X	I	-2.3	-0.1	-0.0	-1.2
0.7	211.1		J	-2.3	-0.1	-0.0	-1.2
0.8	-478.5	Q5_ps Y	I	-1.6	0.2	0.0	3.1
-2.0	-657.2		J	-1.6	0.2	0.0	3.1
60.5	8031.3	INVSLU Max	I	3051.3	2.9	-0.9	57.9
107.7	6427.5		J	3051.3	2.9	0.9	57.9
-17.0	159.8	Min	I	1386.1	-0.0	-1.0	-72.0
9.8	-522.1		J	1386.1	-0.0	0.8	-72.0
47.7	6062.7	INVSLE Max	I	2274.1	2.2	-0.6	41.8
82.6	4794.3		J	2274.1	2.2	0.7	41.8
-9.6	283.5	Min	I	1041.0	0.1	-0.7	-54.1
10.3	-273.6		J	1041.0	0.1	0.6	-54.1
9526	2	63 C1-C2;~1 Max	I	1135.3	1.2	0.1	72.5
65.5	2954.1		J	1135.3	1.2	0.1	72.5
34.7	2754.4	Min	I	-196.8	-0.6	-0.0	-46.1
-4.3	-971.4		J	-196.8	-0.6	-0.0	-46.1
-3.7	-942.0						
52.2	2212.7	C3-C4;~1 Max	I	1038.4	1.1	0.0	73.8
22.7	1888.5		J	1038.4	1.1	0.0	73.8
-5.1	-1393.9	Min	I	-219.1	-0.6	-0.0	-25.4
-5.0	-1214.3		J	-219.1	-0.6	-0.0	-25.4
41.2	1829.3	C1-C2;~2 Max	I	683.7	0.8	0.0	44.3
23.5	1756.6		J	683.7	0.8	0.0	44.3
-2.2	-556.9	Min	I	-105.7	-0.4	-0.0	-26.9
-2.1	-566.7		J	-105.7	-0.4	-0.0	-26.9
32.3	1349.2	C3-C4;~2 Max	I	617.0	0.7	0.0	44.2
15.1	1172.2		J	617.0	0.7	0.0	44.2
-2.5	-802.9	Min	I	-115.9	-0.4	-0.0	-13.6
-3.0	-722.3		J	-115.9	-0.4	-0.0	-13.6
		G1	I	752.1	0.1	-0.6	16.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-54.8	575.4		J	752.1	0.1	0.7	16.0
-76.2	459.5						
		G2	I	291.9	0.0	0.0	2.5
12.6	187.1		J	291.9	0.0	0.0	2.5
5.8	173.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-2.6	-0.1	0.0	-0.4
0.5	191.5		J	-2.6	-0.1	0.0	-0.4
0.2	267.9						
		Q5_pc Y	I	-1.0	0.3	-0.0	0.5
-1.5	-600.2		J	-1.0	0.3	-0.0	0.5
-0.6	-816.0						
		Q5_ps X	I	-1.6	-0.1	0.0	-0.5
0.7	211.2		J	-1.6	-0.1	0.0	-0.5
0.1	275.7						
		Q5_ps Y	I	-4.5	0.2	-0.0	0.8
-2.0	-657.2		J	-4.5	0.2	-0.0	0.8
-0.4	-839.3						
		INVSLE Max	I	3335.5	2.8	-0.7	103.2
107.7	6427.3		J	3335.5	2.8	1.0	103.2
18.7	5537.8						
		Min	I	1502.6	-0.1	-0.8	-59.5
9.8	-522.9		J	1502.6	-0.1	0.9	-59.5
-36.0	-1288.8						
		INVSLE Max	I	2484.2	2.2	-0.5	75.2
82.6	4794.1		J	2484.2	2.2	0.7	75.2
15.8	4055.9						
		Min	I	1126.7	0.0	-0.6	-45.3
10.3	-274.2		J	1126.7	0.0	0.7	-45.3
-24.6	-892.1						
9527	2	63 C1-C2;~1 Max	I	1234.4	1.2	0.1	94.9
34.7	2753.8		J	1234.4	1.2	0.1	94.9
158.0	2834.3						
		Min	I	-229.8	-0.6	-0.2	-43.2
-3.7	-940.9		J	-229.8	-0.6	-0.2	-43.2
-46.1	-1184.0						
		C3-C4;~1 Max	I	1147.8	1.1	0.1	95.6
22.7	1888.2		J	1147.8	1.1	0.1	95.6
172.2	1905.7						
		Min	I	-256.1	-0.6	-0.2	-20.5

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.0	-1212.6			J	-256.1	-0.6	-20.5
-50.7	-1452.4						
		C1-C2;~2	Max	I	742.6	0.8	58.9
23.5	1756.3			J	742.6	0.8	58.9
92.4	1848.5		Min	I	-123.5	-0.4	-25.3
-2.1	-566.2			J	-123.5	-0.4	-25.3
-24.0	-727.0						
		C3-C4;~2	Max	I	682.1	0.7	59.0
15.1	1172.0			J	682.1	0.7	59.0
100.4	1202.2		Min	I	-135.6	-0.4	-10.4
-3.0	-721.3			J	-135.6	-0.4	-10.4
-26.7	-903.8						
		G1		I	821.6	0.2	24.9
-76.2	460.0			J	821.6	0.2	24.9
0.6	339.3						
		G2		I	317.3	0.0	4.2
5.8	173.4			J	317.3	0.0	4.2
29.9	155.9						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	I	-3.5	-0.1	-0.1
0.2	267.9			J	-3.5	-0.1	-0.1
-1.4	344.8						
		Q5_pc	Y	I	0.0	0.3	-0.4
-0.6	-816.0			J	0.0	0.3	-0.4
2.2	-1033.1						
		Q5_ps	X	I	-2.6	-0.1	-0.1
0.1	275.7			J	-2.6	-0.1	-0.1
-1.9	341.0						
		Q5_ps	Y	I	-3.2	0.2	-0.5
-0.4	-839.2			J	-3.2	0.2	-0.5
3.4	-1023.3						
		INVSLU	Max	I	3611.0	2.8	155.9
18.7	5537.6			J	3611.0	2.8	155.9
376.2	5056.6		Min	I	1592.5	-0.1	-32.3
-36.0	-1285.8			J	1592.5	-0.1	-32.3
71.3	-2590.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
15.8	4055.7	INVSLE Max	I	2688.2	2.1	-0.7	114.9
			J	2688.2	2.1	0.6	114.9
283.7	3623.2	Min	I	1193.4	0.0	-1.0	-24.4
-24.6	-889.9		J	1193.4	0.0	0.3	-24.4
58.1	-1903.2						
9528	2	63 C1-C2;~1 Max	I	1315.4	0.8	0.1	23.2
117.5	2827.3		J	1315.4	0.8	0.1	23.2
52.6	2796.8	Min	I	-265.8	-1.1	-0.1	-81.6
-32.0	-1166.2		J	-265.8	-1.1	-0.1	-81.6
-6.3	-1067.3						
		C3-C4;~1 Max	I	1237.2	0.7	0.1	16.7
105.7	1900.4		J	1237.2	0.7	0.1	16.7
38.6	1926.7	Min	I	-296.5	-0.8	-0.1	-80.2
-50.7	-1416.2		J	-296.5	-0.8	-0.1	-80.2
-6.9	-1414.6						
		C1-C2;~2 Max	I	789.4	0.5	0.1	13.5
73.0	1847.2		J	789.4	0.5	0.1	13.5
33.6	1786.5	Min	I	-142.7	-0.7	-0.0	-53.6
-16.6	-717.9		J	-142.7	-0.7	-0.0	-53.6
-3.4	-637.4						
		C3-C4;~2 Max	I	733.9	0.4	0.1	8.9
65.7	1200.8		J	733.9	0.4	0.1	8.9
24.0	1204.4	Min	I	-156.9	-0.5	-0.0	-51.7
-27.7	-882.6		J	-156.9	-0.5	-0.0	-51.7
-3.7	-854.9						
		G1	I	882.6	-0.0	-0.6	-14.9
-59.1	353.8		J	882.6	-0.0	0.7	-14.9
-62.7	369.7						
		G2	I	340.8	-0.0	-0.0	-0.6
6.6	161.6		J	340.8	-0.0	-0.0	-0.6
11.0	169.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-4.7	0.0	0.0	-1.2
1.7	343.6		J	-4.7	0.0	0.0	-1.2
0.3	332.7						
		Q5_pc Y	I	2.0	-0.0	-0.0	3.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.1	-1030.6		J	2.0	-0.0	-0.0	3.4
-1.0	-1014.4						
2.4	339.4	Q5_ps X	I	-4.0	0.0	0.0	-1.8
0.3	332.6		J	-4.0	0.0	0.0	-1.8
-6.1	-1019.4	Q5_ps Y	I	-0.7	-0.0	-0.0	5.0
-1.1	-1014.3		J	-0.7	-0.0	-0.0	5.0
202.1	5065.7	INVS LU Max	I	3834.4	1.0	-0.7	3.1
73.6	5057.3		J	3834.4	1.0	1.1	3.1
-32.3	-2518.1	Min	I	1649.8	-1.5	-0.9	-144.6
-8.6	-2453.9		J	1649.8	-1.5	0.8	-144.6
156.0	3629.6	INVS LE Max	I	2852.3	0.7	-0.5	1.5
56.2	3631.5		J	2852.3	0.7	0.8	1.5
-17.1	-1850.6	Min	I	1234.8	-1.1	-0.7	-107.5
-4.6	-1797.1		J	1234.8	-1.1	0.6	-107.5
9529	2	63 C1-C2;~1 Max	I	1388.0	0.7	0.0	31.4
52.6	2796.0		J	1388.0	0.7	0.0	31.4
75.2	2917.6	Min	I	-299.1	-1.1	-0.0	-60.1
-6.3	-1066.9		J	-299.1	-1.1	-0.0	-60.1
-16.7	-1038.5						
38.6	1926.2	C3-C4;~1 Max	I	1311.3	0.7	0.0	28.9
71.3	2075.9		J	1311.3	0.7	0.0	28.9
-6.9	-1413.4	Min	I	-333.9	-0.8	-0.0	-54.3
-18.8	-1433.4		J	-333.9	-0.8	-0.0	-54.3
33.6	1786.1	C1-C2;~2 Max	I	830.9	0.5	0.0	18.8
46.8	1827.3		J	830.9	0.5	0.0	18.8
-3.4	-637.2	Min	I	-160.6	-0.7	-0.0	-38.9
-9.0	-594.8		J	-160.6	-0.7	-0.0	-38.9
24.0	1204.2	C3-C4;~2 Max	I	776.0	0.4	0.0	16.0
43.6	1285.6		J	776.0	0.4	0.0	16.0
-3.7	-854.2	Min	I	-176.7	-0.5	-0.0	-33.7
			J	-176.7	-0.5	-0.0	-33.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-9.9	-831.8							
			G1	I	935.1	-0.0	-0.7	-2.2
-62.7	369.9			J	935.1	-0.0	0.6	-2.2
-40.1	394.1							
			G2	I	362.5	-0.0	-0.0	2.6
11.0	169.9			J	362.5	-0.0	-0.0	2.6
17.6	179.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-5.9	0.0	0.0	-1.1
0.3	332.7			J	-5.9	0.0	0.0	-1.1
-0.2	321.3							
			Q5_pc Y	I	3.9	-0.0	-0.0	2.9
-1.0	-1014.3			J	3.9	-0.0	-0.0	2.9
-0.0	-997.2							
			Q5_ps X	I	-5.4	0.0	0.0	-1.6
0.3	332.6			J	-5.4	0.0	0.0	-1.6
-0.3	325.2							
			Q5_ps Y	I	1.7	-0.0	-0.0	4.2
-1.1	-1014.1			J	1.7	-0.0	-0.0	4.2
0.2	-1007.6							
			INVSLU Max	I	4019.3	0.9	-0.9	41.6
73.6	5056.6			J	4019.3	0.9	0.8	41.6
150.3	5300.5		Min	I	1684.2	-1.6	-1.0	-87.0
-8.6	-2451.8			J	1684.2	-1.6	0.7	-87.0
23.1	-2368.3							
			INVSLE Max	I	2986.9	0.7	-0.7	30.6
56.2	3631.0			J	2986.9	0.7	0.6	30.6
113.9	3822.8		Min	I	1258.0	-1.2	-0.7	-64.3
-4.6	-1795.5			J	1258.0	-1.2	0.6	-64.3
19.7	-1724.8							
9530	2	63	C1-C2;~1 Max	I	1491.0	0.7	0.0	54.0
75.2	2917.7			J	1491.0	0.7	0.0	54.0
73.2	3325.1		Min	I	-321.1	-1.1	-0.0	-43.6
-16.7	-1038.6			J	-321.1	-1.1	-0.0	-43.6
-5.6	-1180.8							
			C3-C4;~1 Max	I	1400.0	0.7	0.0	48.2
71.3	2075.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
60.9	2342.4		J	1400.0	0.7	0.0	48.2
		Min	I	-358.2	-0.8	-0.0	-29.5
-18.8	-1433.6		J	-358.2	-0.8	-0.0	-29.5
-6.3	-1618.6						
		C1-C2;~2 Max	I	891.8	0.5	0.0	33.1
46.8	1827.4		J	891.8	0.5	0.0	33.1
46.6	2077.5	Min	I	-172.5	-0.7	-0.0	-26.1
-9.0	-594.8		J	-172.5	-0.7	-0.0	-26.1
-3.0	-671.9						
		C3-C4;~2 Max	I	827.8	0.4	0.0	27.8
43.6	1285.6		J	827.8	0.4	0.0	27.8
38.3	1444.3	Min	I	-189.6	-0.5	-0.0	-16.7
-9.9	-831.9		J	-189.6	-0.5	-0.0	-16.7
-3.2	-925.4						
		G1	I	993.1	-0.0	-0.6	9.5
-40.1	394.1		J	993.1	-0.0	0.7	9.5
-55.9	423.9						
		G2	I	385.1	-0.0	0.0	3.3
17.6	179.7		J	385.1	-0.0	0.0	3.3
14.3	185.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.1	0.0	-0.0	-0.6
-0.2	321.3		J	-6.1	0.0	-0.0	-0.6
0.5	310.8						
		Q5_pc Y	I	3.5	-0.0	0.0	1.1
-0.0	-997.2		J	3.5	-0.0	0.0	1.1
-1.5	-982.9						
		Q5_ps X	I	-5.3	0.0	-0.0	-0.8
-0.3	325.2		J	-5.3	0.0	-0.0	-0.8
0.6	319.1						
		Q5_ps Y	I	0.3	-0.0	0.0	1.7
0.2	-1007.6		J	0.3	-0.0	0.0	1.7
-1.9	-1005.2						
		INVSLU Max	I	4263.3	0.8	-0.8	81.3
150.3	5300.8		J	4263.3	0.8	0.9	81.3
136.6	5949.2	Min	I	1755.9	-1.6	-0.9	-52.3
23.0	-2368.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
26.6	-2494.1		J	1755.9	-1.6	0.9	-52.3
113.9	3823.0	INVSLE Max	I	3166.3	0.6	-0.6	59.8
104.2	4315.6		J	3166.3	0.6	0.7	59.8
19.7	-1724.9	Min	I	1309.8	-1.2	-0.7	-39.1
22.9	-1807.7		J	1309.8	-1.2	0.6	-39.1
9531	2	70 C1-C2;~1 Max	I	1620.4	0.7	0.0	86.7
73.2	3325.5		J	1620.4	0.7	0.0	86.7
43.5	3921.1	Min	I	-351.6	-1.1	-0.0	-43.3
-5.6	-1180.8		J	-351.6	-1.1	-0.0	-43.3
-4.6	-1404.0						
60.9	2343.0	C3-C4;~1 Max	I	1518.5	0.6	0.0	83.5
29.1	2728.9		J	1518.5	0.6	0.0	83.5
-6.3	-1618.6	Min	I	-391.9	-0.8	-0.0	-22.3
-6.4	-1883.9		J	-391.9	-0.8	-0.0	-22.3
46.6	2077.7	C1-C2;~2 Max	I	968.3	0.4	0.0	53.6
29.1	2465.0		J	968.3	0.4	0.0	53.6
-3.0	-671.9	Min	I	-188.9	-0.7	-0.0	-25.2
-2.5	-804.0		J	-188.9	-0.7	-0.0	-25.2
38.3	1444.7	C3-C4;~2 Max	I	897.4	0.4	0.0	50.7
19.1	1684.4		J	897.4	0.4	0.0	50.7
-3.2	-925.4	Min	I	-207.4	-0.5	-0.0	-11.4
-3.8	-1075.0		J	-207.4	-0.5	-0.0	-11.4
-55.9	424.0	G1	I	1068.8	-0.0	-0.7	19.9
-85.5	459.2		J	1068.8	-0.0	0.8	19.9
14.3	185.1	G2	I	413.9	-0.0	0.0	3.9
7.9	187.0		J	413.9	-0.0	0.0	3.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.5	310.8	Q5_pc X	I	-6.6	0.0	0.0	-0.1
			J	-6.6	0.0	0.0	-0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	301.0							
-1.5	-983.0	Q5_pc	Y	I	3.5	-0.0	-0.0	-0.4
-0.9	-970.9			J	3.5	-0.0	-0.0	-0.4
0.6	319.1	Q5_ps	X	I	-5.4	0.0	0.0	-0.1
0.2	314.1			J	-5.4	0.0	0.0	-0.1
-1.9	-1005.2	Q5_ps	Y	I	-0.8	0.0	-0.0	-0.6
-0.7	-1005.9			J	-0.8	0.0	-0.0	-0.6
136.6	5949.6	INVS LU	Max	I	4584.3	0.8	-0.9	134.3
51.3	6869.7			J	4584.3	0.8	1.1	134.3
26.6	-2494.2		Min	I	1855.9	-1.7	-1.0	-42.0
-17.6	-2714.7			J	1855.9	-1.7	1.0	-42.0
104.2	4315.8	INVS LE	Max	I	3403.4	0.6	-0.6	98.6
40.3	5010.6			J	3403.4	0.6	0.8	98.6
22.9	-1807.8		Min	I	1383.2	-1.2	-0.7	-31.9
-10.6	-1959.5			J	1383.2	-1.2	0.8	-31.9
9532	2	70 C1-C2;~1	Max	I	1719.9	0.7	0.1	106.5
43.5	3920.9			J	1719.9	0.7	0.1	106.5
211.4	4644.5		Min	I	-393.8	-1.1	-0.2	-42.2
-4.6	-1403.2			J	-393.8	-1.1	-0.2	-42.2
-63.1	-1710.1							
29.1	2728.8	C3-C4;~1	Max	I	1627.1	0.6	0.1	103.4
221.1	3221.5			J	1627.1	0.6	0.1	103.4
-6.4	-1883.2		Min	I	-439.2	-0.8	-0.2	-23.6
-71.0	-2253.7			J	-439.2	-0.8	-0.2	-23.6
29.1	2465.0	C1-C2;~2	Max	I	1027.0	0.4	0.0	66.3
125.9	2940.3			J	1027.0	0.4	0.0	66.3
-2.5	-803.5		Min	I	-211.5	-0.7	-0.1	-24.3
-33.8	-988.0			J	-211.5	-0.7	-0.1	-24.3
19.1	1684.4	C3-C4;~2	Max	I	961.6	0.4	0.0	63.9
129.8	1993.2			J	961.6	0.4	0.0	63.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.8	-1074.6		Min	I	-232.5	-0.5	-0.2	-12.1
				J	-232.5	-0.5	-0.2	-12.1
-37.5	-1294.8							
			G1	I	1126.0	-0.0	-0.9	28.1
-85.5	459.6			J	1126.0	-0.0	0.6	28.1
8.7	491.8							
			G2	I	434.6	0.0	-0.0	5.7
7.9	187.1			J	434.6	0.0	-0.0	5.7
36.7	186.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-8.0	0.0	0.0	0.1
0.3	301.0			J	-8.0	0.0	0.0	0.1
-1.8	291.8							
			Q5_pc Y	I	5.6	-0.0	-0.0	-1.1
-0.9	-970.9			J	5.6	-0.0	-0.0	-1.1
2.2	-959.9							
			Q5_ps X	I	-6.8	0.0	0.0	0.2
0.2	314.0			J	-6.8	0.0	0.0	0.2
-2.1	309.7							
			Q5_ps Y	I	1.2	0.0	-0.0	-1.6
-0.7	-1005.9			J	1.2	0.0	-0.0	-1.6
2.9	-1008.1							
			INVSLU Max	I	4817.9	0.8	-1.1	180.1
51.3	6869.8			J	4817.9	0.8	0.9	180.1
472.5	7985.2							
			Min	I	1888.7	-1.7	-1.6	-22.6
-17.6	-2713.2			J	1888.7	-1.7	0.4	-22.6
74.1	-3055.1							
			INVSLE Max	I	3576.0	0.5	-0.8	133.0
40.3	5010.7			J	3576.0	0.5	0.7	133.0
355.5	5852.2							
			Min	I	1407.3	-1.3	-1.2	-17.0
-10.6	-1958.4			J	1407.3	-1.3	0.3	-17.0
60.7	-2197.8							
9533	2	70	C1-C2;~1 Max	I	1783.0	1.0	0.2	24.7
148.0	4638.9			J	1783.0	1.0	0.2	24.7
65.4	4389.5							
			Min	I	-434.6	-1.0	-0.1	-77.6
-21.9	-1687.8			J	-434.6	-1.0	-0.1	-77.6
-9.4	-1612.2							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

143.2	3208.8	C3-C4;~1	Max	I	1696.9	0.8	0.2	15.3
				J	1696.9	0.8	0.2	15.3
47.7	3090.4		Min	I	-485.1	-0.7	-0.1	-71.6
-37.3	-2225.3			J	-485.1	-0.7	-0.1	-71.6
-10.4	-2193.3							
		C1-C2;~2	Max	I	1062.9	0.6	0.1	14.8
94.0	2940.7			J	1062.9	0.6	0.1	14.8
41.9	2736.2		Min	I	-233.5	-0.6	-0.0	-51.0
-11.4	-977.4			J	-233.5	-0.6	-0.0	-51.0
-5.1	-911.1							
		C3-C4;~2	Max	I	1001.4	0.5	0.1	8.2
91.0	1987.2			J	1001.4	0.5	0.1	8.2
29.8	1894.8		Min	I	-256.7	-0.5	-0.0	-46.0
-21.0	-1281.6			J	-256.7	-0.5	-0.0	-46.0
-5.5	-1235.1							
		G1		I	1160.6	0.0	-0.7	-15.8
-40.0	503.6			J	1160.6	0.0	0.8	-15.8
-71.8	475.8							
		G2		I	448.1	0.0	0.0	-1.5
17.5	190.9			J	448.1	0.0	0.0	-1.5
12.5	185.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.6	-0.0	0.0	-0.7
1.8	290.9			J	-9.6	-0.0	0.0	-0.7
0.3	306.0							
		Q5_pc	Y	I	8.3	0.0	-0.0	2.0
-4.3	-958.3			J	8.3	0.0	-0.0	2.0
-1.0	-997.4							
		Q5_ps	X	I	-8.6	-0.0	0.0	-1.2
2.4	308.5			J	-8.6	-0.0	0.0	-1.2
0.3	323.6							
		Q5_ps	Y	I	4.3	0.0	-0.0	3.3
-6.0	-1005.7			J	4.3	0.0	-0.0	3.3
-1.1	-1044.6							
		INVSLU	Max	I	4949.0	1.3	-0.7	14.7
311.8	7992.4			J	4949.0	1.3	1.3	14.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
97.8	7746.0		Min	I	1869.7	-1.4	-1.0	-127.0
53.8	-2999.2			J	1869.7	-1.4	1.0	-127.0
-6.4	-2936.2							
		INVSLE	Max	I	3671.5	1.0	-0.5	10.5
238.0	5857.2			J	3671.5	1.0	1.0	10.5
74.1	5671.9		Min	I	1391.8	-1.1	-0.7	-94.2
47.5	-2156.9			J	1391.8	-1.1	0.8	-94.2
-2.9	-2107.9							
9534	2	70 C1-C2;~1	Max	I	1822.5	1.0	0.0	34.0
65.4	4389.1			J	1822.5	1.0	0.0	34.0
91.7	4242.4		Min	I	-469.8	-1.0	-0.1	-60.7
-9.4	-1611.7			J	-469.8	-1.0	-0.1	-60.7
-21.6	-1576.3							
		C3-C4;~1	Max	I	1735.9	0.8	0.0	27.0
47.7	3089.9			J	1735.9	0.8	0.0	27.0
85.7	3050.9		Min	I	-524.6	-0.7	-0.1	-51.2
-10.4	-2192.7			J	-524.6	-0.7	-0.1	-51.2
-24.3	-2184.2							
		C1-C2;~2	Max	I	1084.1	0.6	0.0	20.9
41.9	2736.0			J	1084.1	0.6	0.0	20.9
57.2	2606.0		Min	I	-252.3	-0.6	-0.0	-39.4
-5.1	-910.9			J	-252.3	-0.6	-0.0	-39.4
-11.6	-868.4							
		C3-C4;~2	Max	I	1022.0	0.5	0.0	15.3
29.8	1894.5			J	1022.0	0.5	0.0	15.3
52.4	1854.5		Min	I	-277.6	-0.5	-0.0	-31.6
-5.5	-1234.8			J	-277.6	-0.5	-0.0	-31.6
-12.9	-1203.1							
		G1		I	1178.4	0.0	-0.8	-5.3
-71.8	476.0			J	1178.4	0.0	0.7	-5.3
-48.2	454.8							
		G2		I	456.6	0.0	-0.0	1.1
12.5	185.2			J	456.6	0.0	-0.0	1.1
19.9	180.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.3	306.0	Q5_pc X	I	-11.1	-0.0	0.0	-0.7
			J	-11.1	-0.0	0.0	-0.7
-0.2	320.8						
		Q5_pc Y	I	10.7	0.0	-0.0	1.7
-1.0	-997.4		J	10.7	0.0	-0.0	1.7
-0.3	-1035.9						
		Q5_ps X	I	-10.1	-0.0	0.0	-1.1
0.3	323.5		J	-10.1	-0.0	0.0	-1.1
-0.3	338.2						
		Q5_ps Y	I	7.0	0.0	-0.0	2.9
-1.1	-1044.5		J	7.0	0.0	-0.0	2.9
-0.1	-1082.6						
		INVS LU Max	I	5011.0	1.2	-1.0	48.4
97.8	7745.6		J	5011.0	1.2	1.0	48.4
184.4	7671.1	Min	I	1822.5	-1.5	-1.1	-82.6
-6.4	-2935.0		J	1822.5	-1.5	0.9	-82.6
27.2	-2869.5						
		INVS LE Max	I	3715.0	0.9	-0.8	35.9
74.1	5671.5		J	3715.0	0.9	0.7	35.9
139.5	5615.5	Min	I	1354.7	-1.1	-0.9	-61.0
-2.9	-2107.0		J	1354.7	-1.1	0.6	-61.0
23.1	-2054.3						
9535	2	70 C1-C2;~1 Max	I	1859.7	0.9	0.0	50.2
91.7	4242.5		J	1859.7	0.9	0.0	50.2
90.0	4336.1	Min	I	-488.0	-1.0	-0.0	-46.6
-21.6	-1576.3		J	-488.0	-1.0	-0.0	-46.6
-13.0	-1644.1						
		C3-C4;~1 Max	I	1765.0	0.8	0.0	41.3
85.7	3051.0		J	1765.0	0.8	0.0	41.3
77.3	3114.7	Min	I	-544.7	-0.8	-0.0	-31.1
-24.3	-2184.4		J	-544.7	-0.8	-0.0	-31.1
-14.4	-2321.0						
		C1-C2;~2 Max	I	1105.6	0.6	0.0	31.4
57.2	2606.1		J	1105.6	0.6	0.0	31.4
56.5	2653.6	Min	I	-262.2	-0.6	-0.0	-28.5
-11.6	-868.4		J	-262.2	-0.6	-0.0	-28.5
-7.0	-896.7						
		C3-C4;~2 Max	I	1038.4	0.5	0.0	24.1

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
52.4	1854.5		J	1038.4	0.5	0.0	24.1
47.8	1884.1						
		Min	I	-288.3	-0.5	-0.0	-17.8
-12.9	-1203.2		J	-288.3	-0.5	-0.0	-17.8
-7.6	-1275.8						
		G1	I	1185.0	0.0	-0.7	4.1
-48.2	454.8		J	1185.0	0.0	0.7	4.1
-53.2	437.9						
		G2	I	459.4	0.0	0.0	1.9
19.9	180.6		J	459.4	0.0	0.0	1.9
17.8	172.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-11.5	-0.0	-0.0	-0.4
-0.2	320.8		J	-11.5	-0.0	-0.0	-0.4
0.2	336.1						
		Q5_pc Y	I	11.3	0.1	0.0	0.7
-0.3	-1035.9		J	11.3	0.1	0.0	0.7
-1.1	-1076.2						
		Q5_ps X	I	-10.4	-0.0	-0.0	-0.6
-0.3	338.2		J	-10.4	-0.0	-0.0	-0.6
0.4	353.7						
		Q5_ps Y	I	6.9	0.1	0.0	1.2
-0.1	-1082.6		J	6.9	0.1	0.0	1.2
-1.5	-1123.3						
		INVSLE Max	I	5053.4	1.2	-0.9	78.7
184.4	7671.4		J	5053.4	1.2	1.1	78.7
173.1	7935.0						
		Min	I	1786.7	-1.5	-1.0	-53.3
27.2	-2869.6		J	1786.7	-1.5	1.0	-53.3
30.2	-2989.2						
		INVSLE Max	I	3745.0	0.9	-0.7	58.1
139.5	5615.7		J	3745.0	0.9	0.8	58.1
131.1	5811.0						
		Min	I	1326.8	-1.1	-0.8	-39.5
23.1	-2054.3		J	1326.8	-1.1	0.7	-39.5
25.4	-2137.6						
		70 C1-C2;~1 Max	I	1884.9	0.9	0.1	75.6
9536	2		J	1884.9	0.9	0.1	75.6
90.0	4336.1						
		Min	I	-505.8	-1.0	-0.0	-41.0
59.7	4656.1						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-13.0	-1644.2		J	-505.8	-1.0	-0.0	-41.0
-6.6	-1870.9						
77.3	3114.7	C3-C4;~1 Max	I	1787.4	0.7	0.1	68.3
44.4	3301.6		J	1787.4	0.7	0.1	68.3
-14.4	-2321.1	Min	I	-564.3	-0.8	-0.0	-23.4
-7.4	-2558.5		J	-564.3	-0.8	-0.0	-23.4
56.5	2653.6	C1-C2;~2 Max	I	1119.9	0.6	0.0	47.2
38.9	2868.7		J	1119.9	0.6	0.0	47.2
-7.0	-896.8	Min	I	-271.7	-0.7	-0.0	-23.9
-3.5	-1038.6		J	-271.7	-0.7	-0.0	-23.9
47.8	1884.1	C3-C4;~2 Max	I	1051.2	0.5	0.0	41.4
28.3	1999.0		J	1051.2	0.5	0.0	41.4
-7.6	-1275.8	Min	I	-298.7	-0.5	-0.0	-12.4
-3.9	-1420.5		J	-298.7	-0.5	-0.0	-12.4
-53.2	437.8	G1	I	1183.4	0.0	-0.7	13.5
-72.0	425.6		J	1183.4	0.0	0.8	13.5
17.8	172.9	G2	I	458.3	0.0	0.0	2.5
12.5	162.3		J	458.3	0.0	0.0	2.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	336.1	Q5_pc X	I	-12.0	-0.0	-0.0	-0.2
0.3	352.0		J	-12.0	-0.0	-0.0	-0.2
-1.1	-1076.2	Q5_pc Y	I	11.9	0.1	-0.0	-0.3
-0.9	-1118.1		J	11.9	0.1	-0.0	-0.3
0.4	353.8	Q5_ps X	I	-10.6	-0.0	0.0	-0.2
0.2	370.0		J	-10.6	-0.0	0.0	-0.2
-1.5	-1123.3	Q5_ps Y	I	6.9	0.1	-0.0	-0.5
-0.7	-1166.4		J	6.9	0.1	-0.0	-0.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
173.1	7934.9	INVSLE Max	I	5064.7	1.1	-0.9	121.8
			J	5064.7	1.1	1.1	121.8
93.9	8518.5	Min	I	1736.5	-1.5	-1.0	-36.3
30.2	-2989.5		J	1736.5	-1.5	1.0	-36.3
1.8	-3233.9						
131.1	5810.8	INVSLE Max	I	3752.5	0.8	-0.6	89.8
			J	3752.5	0.8	0.8	89.8
71.6	6243.9	Min	I	1288.8	-1.1	-0.7	-27.3
25.4	-2137.8		J	1288.8	-1.1	0.8	-27.3
3.5	-2312.5						
9537	2	70 C1-C2;~1 Max	I	1929.9	0.9	0.1	96.4
59.7	4656.1		J	1929.9	0.9	0.1	96.4
211.8	5129.4	Min	I	-544.9	-1.0	-0.2	-39.4
-6.6	-1870.1		J	-544.9	-1.0	-0.2	-39.4
-73.8	-2135.4						
44.4	3301.5	C3-C4;~1 Max	I	1841.0	0.7	0.1	90.4
			J	1841.0	0.7	0.1	90.4
215.8	3580.5	Min	I	-608.2	-0.8	-0.2	-24.3
-7.4	-2557.9		J	-608.2	-0.8	-0.2	-24.3
-83.0	-2851.9						
38.9	2868.8	C1-C2;~2 Max	I	1145.8	0.6	0.0	60.2
			J	1145.8	0.6	0.0	60.2
127.5	3193.9	Min	I	-292.7	-0.7	-0.1	-22.6
-3.5	-1038.1		J	-292.7	-0.7	-0.1	-22.6
-39.6	-1200.2						
28.3	1999.0	C3-C4;~2 Max	I	1082.4	0.5	0.1	55.7
			J	1082.4	0.5	0.1	55.7
132.3	2174.3	Min	I	-321.9	-0.5	-0.1	-12.5
-3.9	-1420.2		J	-321.9	-0.5	-0.1	-12.5
-43.9	-1601.0						
-72.0	425.9	G1	I	1189.2	0.0	-0.8	22.9
			J	1189.2	0.0	0.7	22.9
-7.8	414.4						
12.5	162.4	G2	I	459.2	0.0	-0.0	4.7
			J	459.2	0.0	-0.0	4.7
30.5	150.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.3	351.9	Q5_pc X	I	-13.2	-0.0	0.0	-0.1
-1.6	368.1		J	-13.2	-0.0	0.0	-0.1
-0.9	-1118.1	Q5_pc Y	I	13.6	0.1	-0.0	-0.8
1.3	-1160.6		J	13.6	0.1	-0.0	-0.8
0.2	370.0	Q5_ps X	I	-11.8	-0.0	0.0	0.1
-1.7	386.7		J	-11.8	-0.0	0.0	0.1
-0.7	-1166.4	Q5_ps Y	I	8.4	0.1	-0.0	-1.3
1.2	-1210.4		J	8.4	0.1	-0.0	-1.3
93.9	8518.6	INVS LU Max	I	5112.0	1.1	-1.0	170.0
418.6	9337.2		J	5112.0	1.1	1.0	170.0
1.8	-3232.8	Min	I	1661.1	-1.6	-1.5	-14.8
12.3	-3526.7		J	1661.1	-1.6	0.5	-14.8
71.6	6244.0	INVS LE Max	I	3787.1	0.8	-0.8	125.8
315.2	6853.2		J	3787.1	0.8	0.7	125.8
3.5	-2311.7	Min	I	1232.7	-1.2	-1.1	-10.9
14.4	-2520.8		J	1232.7	-1.2	0.4	-10.9
9538	2	70 C1-C2;~1 Max	I	1959.1	1.7	0.2	57.5
146.3	5130.6		J	1959.1	1.7	0.2	57.5
59.7	6990.8	Min	I	-586.6	-4.4	-0.0	-59.6
-12.0	-2109.5		J	-586.6	-4.4	-0.0	-59.6
-10.8	-1774.0						
149.0	3567.0	C3-C4;~1 Max	I	1874.7	1.9	0.2	36.2
43.0	5034.0		J	1874.7	1.9	0.2	36.2
-22.6	-2814.9	Min	I	-655.0	-4.0	-0.0	-50.5
-12.0	-2411.1		J	-655.0	-4.0	-0.0	-50.5
94.0	3198.7	C1-C2;~2 Max	I	1161.2	0.9	0.1	35.4
38.6	4276.6		J	1161.2	0.9	0.1	35.4
-6.3	-1186.5	Min	I	-315.1	-2.7	-0.0	-36.8
			J	-315.1	-2.7	-0.0	-36.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.8	-931.2							
95.6	2167.6	C3-C4;~2	Max	I	1100.4	1.0	0.1	20.5
27.1	2979.9			J	1100.4	1.0	0.1	20.5
-13.0	-1580.7		Min	I	-346.7	-2.4	-0.0	-30.2
-6.3	-1292.6			J	-346.7	-2.4	-0.0	-30.2
-23.6	422.1	G1		I	1184.8	-1.7	-0.7	5.0
-78.0	1749.9			J	1184.8	-1.7	0.8	5.0
23.7	153.8	G2		I	457.7	-0.6	0.0	6.8
9.9	673.0			J	457.7	-0.6	0.0	6.8
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.9	367.5	Q5_pc	X	I	-14.6	0.0	0.0	-1.0
0.2	335.0			J	-14.6	0.0	0.0	-1.0
-2.1	-1159.7	Q5_pc	Y	I	15.5	-0.1	-0.0	2.2
-0.7	-1116.9			J	15.5	-0.1	-0.0	2.2
1.3	385.9	Q5_ps	X	I	-13.2	0.0	0.0	-1.3
0.2	355.7			J	-13.2	0.0	0.0	-1.3
-3.3	-1209.1	Q5_ps	Y	I	10.4	-0.0	-0.0	3.1
-0.7	-1174.9			J	10.4	-0.0	-0.0	3.1
341.8	9344.8	INVS LU	Max	I	5110.2	0.4	-0.6	90.6
73.1	13576.8			J	5110.2	0.4	1.4	90.6
106.3	-3469.1		Min	I	1553.4	-8.2	-0.9	-71.4
-24.8	-1126.3			J	1553.4	-8.2	1.1	-71.4
260.0	6858.5	INVS LE	Max	I	3784.3	0.3	-0.4	66.3
55.8	9954.6			J	3784.3	0.3	1.1	66.3
85.9	-2478.6		Min	I	1151.6	-6.0	-0.6	-53.4
-16.6	-787.6			J	1151.6	-6.0	0.8	-53.4
9539	2	70 C1-C2;~1	Max	I	1967.2	1.7	0.0	75.4
59.7	6991.2							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
105.1	9301.8		J	1967.2	1.7	0.0	75.4
		Min	I	-623.4	-4.4	-0.1	-45.4
-10.8	-1774.3		J	-623.4	-4.4	-0.1	-45.4
-28.8	-2678.7						
		C3-C4;~1 Max	I	1880.3	1.9	0.0	53.6
43.0	5034.5		J	1880.3	1.9	0.0	53.6
96.9	7252.1	Min	I	-696.3	-4.1	-0.1	-36.4
-12.0	-2411.5		J	-696.3	-4.1	-0.1	-36.4
-32.3	-3056.5						
		C1-C2;~2 Max	I	1163.4	0.9	0.0	46.4
38.6	4276.8		J	1163.4	0.9	0.0	46.4
64.7	5571.9	Min	I	-334.8	-2.7	-0.0	-26.0
-5.8	-931.4		J	-334.8	-2.7	-0.0	-26.0
-15.5	-1412.6						
		C3-C4;~2 Max	I	1100.8	1.0	0.0	31.2
27.1	2980.2		J	1100.8	1.0	0.0	31.2
58.6	4212.5	Min	I	-368.5	-2.5	-0.0	-18.8
-6.3	-1292.8		J	-368.5	-2.5	-0.0	-18.8
-17.1	-1576.2						
		G1	I	1166.5	-1.7	-0.8	17.4
-78.0	1750.1		J	1166.5	-1.7	0.7	17.4
-45.0	3087.4						
		G2	I	452.3	-0.7	-0.0	10.1
9.9	673.1		J	452.3	-0.7	-0.0	10.1
21.1	1194.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-15.8	0.0	0.0	-1.1
0.2	335.0		J	-15.8	0.0	0.0	-1.1
-0.3	302.2						
		Q5_pc Y	I	17.3	-0.1	-0.0	2.0
-0.7	-1116.9		J	17.3	-0.1	-0.0	2.0
-0.4	-1073.8						
		Q5_ps X	I	-14.5	0.0	0.0	-1.3
0.2	355.6		J	-14.5	0.0	0.0	-1.3
-0.3	325.0						
		Q5_ps Y	I	12.4	-0.0	-0.0	2.6
-0.7	-1174.8						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.4	-1140.3		J	12.4	-0.0	-0.0	2.6
73.1	13577.5	INVS LU Max	I	5046.9	0.4	-1.0	137.1
196.7	18449.9		J	5046.9	0.4	1.0	137.1
-24.8	-1126.5	Min	I	1420.0	-8.2	-1.2	-29.6
10.5	-166.6		J	1420.0	-8.2	0.8	-29.6
55.8	9955.1	INVS LE Max	I	3734.8	0.3	-0.8	101.0
148.2	13527.2		J	3734.8	0.3	0.7	101.0
-16.6	-787.8	Min	I	1050.5	-6.0	-0.9	-22.2
10.4	-119.6		J	1050.5	-6.0	0.6	-22.2
9540	2	70 C1-C2;~1 Max	I	1963.4	1.7	0.1	93.2
105.1	9301.9		J	1963.4	1.7	0.1	93.2
73.6	12228.7	Min	I	-643.4	-4.4	-0.0	-37.3
-28.8	-2678.7		J	-643.4	-4.4	-0.0	-37.3
-12.1	-3931.5						
96.9	7252.1	C3-C4;~1 Max	I	1872.5	1.9	0.1	76.6
63.7	9959.5		J	1872.5	1.9	0.1	76.6
-32.3	-3056.4	Min	I	-718.4	-4.1	-0.0	-41.2
-13.5	-4366.7		J	-718.4	-4.1	-0.0	-41.2
64.7	5571.9	C1-C2;~2 Max	I	1160.5	0.9	0.0	57.5
46.9	7306.1		J	1160.5	0.9	0.0	57.5
-15.5	-1412.6	Min	I	-345.6	-2.7	-0.0	-19.8
-6.5	-2102.7		J	-345.6	-2.7	-0.0	-19.8
58.6	4212.5	C3-C4;~2 Max	I	1095.4	1.0	0.0	45.2
40.0	5786.1		J	1095.4	1.0	0.0	45.2
-17.1	-1576.2	Min	I	-380.2	-2.5	-0.0	-21.6
-7.1	-2297.7		J	-380.2	-2.5	-0.0	-21.6
-45.0	3087.4	G1	I	1136.7	-1.7	-0.7	28.4
-64.5	4431.6		J	1136.7	-1.7	0.8	28.4
21.1	1194.6	G2	I	441.0	-0.6	0.0	11.3
13.3	1713.9		J	441.0	-0.6	0.0	11.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.3	302.2	Q5_pc X	I	-16.5	0.0	-0.0	-0.9
			J	-16.5	0.0	-0.0	-0.9
0.1	269.8						
-0.4	-1073.8	Q5_pc Y	I	18.5	-0.1	0.0	1.1
			J	18.5	-0.1	0.0	1.1
-0.5	-1032.2						
-0.3	325.0	Q5_ps X	I	-15.1	0.0	-0.0	-0.9
			J	-15.1	0.0	-0.0	-0.9
0.1	295.1						
-0.4	-1140.3	Q5_ps Y	I	13.2	-0.0	0.0	1.0
			J	13.2	-0.0	0.0	1.0
-0.7	-1108.2						
196.7	18450.2	INVS LU Max	I	4948.7	0.4	-0.9	174.4
			J	4948.7	0.4	1.1	174.4
126.6	24168.1	Min	I	1294.9	-8.3	-1.0	-9.0
			J	1294.9	-8.3	1.0	-9.0
10.5	-166.3						
8.1	-93.6						
148.2	13527.5	INVS LE Max	I	3660.5	0.3	-0.7	128.4
			J	3660.5	0.3	0.8	128.4
96.8	17726.5	Min	I	956.5	-6.1	-0.7	-7.3
			J	956.5	-6.1	0.7	-7.3
10.4	-119.3						
9.2	-107.5						
9541	2	70 C1-C2;~1 Max	I	1952.3	1.7	0.0	111.9
73.6	12228.2		J	1952.3	1.7	0.0	111.9
115.0	15608.1	Min	I	-664.7	-4.4	-0.1	-39.0
			J	-664.7	-4.4	-0.1	-39.0
-12.1	-3931.3						
-31.0	-5262.8						
63.7	9959.0	C3-C4;~1 Max	I	1863.6	1.9	0.0	98.0
			J	1863.6	1.9	0.0	98.0
97.8	13143.3	Min	I	-742.0	-4.1	-0.1	-41.3
			J	-742.0	-4.1	-0.1	-41.3
-13.5	-4366.5						
-34.7	-5826.7						
46.9	7305.8	C1-C2;~2 Max	I	1153.3	0.9	0.0	69.0
			J	1153.3	0.9	0.0	69.0
70.5	9361.9						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.5	-2102.6		Min	I	-357.1	-2.7	-0.0	-20.3
				J	-357.1	-2.7	-0.0	-20.3
-16.6	-2824.2							
		C3-C4;~2	Max	I	1089.6	1.0	0.0	59.5
40.0	5785.8			J	1089.6	1.0	0.0	59.5
58.6	7695.5		Min	I	-392.7	-2.5	-0.0	-21.6
-7.1	-2297.6			J	-392.7	-2.5	-0.0	-21.6
-18.4	-3078.9							
			G1	I	1101.0	-1.7	-0.8	31.7
-64.5	4431.4			J	1101.0	-1.7	0.7	31.7
-42.1	5775.0							
			G2	I	426.6	-0.6	-0.0	9.6
13.3	1713.8			J	426.6	-0.6	-0.0	9.6
24.1	2227.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-17.3	0.0	0.0	-0.4
0.1	269.8			J	-17.3	0.0	0.0	-0.4
-0.5	238.2							
			Q5_pc Y	I	19.9	-0.0	-0.0	-0.3
-0.5	-1032.2			J	19.9	-0.0	-0.0	-0.3
0.2	-992.5							
			Q5_ps X	I	-15.7	0.0	0.0	-0.3
0.1	295.1			J	-15.7	0.0	0.0	-0.3
-0.5	266.2							
			Q5_ps Y	I	14.3	-0.0	-0.0	-0.9
-0.7	-1108.2			J	14.3	-0.0	-0.0	-0.9
0.1	-1078.8							
			INVSLU Max	I	4827.0	0.3	-0.9	224.3
126.6	24167.2			J	4827.0	0.3	1.0	224.3
174.5	30529.6		Min	I	1153.8	-8.3	-1.1	16.8
8.1	-93.5			J	1153.8	-8.3	0.9	16.8
-28.5	-193.9							
			INVSLE Max	I	3569.2	0.3	-0.7	166.2
96.8	17725.8			J	3569.2	0.3	0.8	166.2
129.5	22404.0		Min	I	851.0	-6.1	-0.8	12.5
9.2	-107.5			J	851.0	-6.1	0.7	12.5
-20.8	-221.8							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9542	2	70	C1-C2;~1	Max	I	1972.3	1.6	0.2	87.5
115.0	15612.1				J	1972.3	1.6	0.2	87.5
60.2	18909.2				I	-708.7	-4.2	-0.0	-37.2
-31.0	-5264.8			Min	J	-708.7	-4.2	-0.0	-37.2
-53.2	-6540.3				I	1891.3	1.8	0.1	79.2
97.8	13147.5			C3-C4;~1	J	1891.3	1.8	0.1	79.2
68.6	16225.3				I	-791.2	-3.9	-0.0	-22.2
-34.7	-5828.9			Min	J	-791.2	-3.9	-0.0	-22.2
-46.0	-7241.1				I	1164.2	0.9	0.1	55.6
70.5	9364.2			C1-C2;~2	J	1164.2	0.9	0.1	55.6
38.6	11379.3				I	-380.7	-2.6	-0.0	-21.4
-16.6	-2825.2			Min	J	-380.7	-2.6	-0.0	-21.4
-31.5	-3513.1				I	1105.4	0.9	0.1	50.3
58.6	7698.0			C3-C4;~2	J	1105.4	0.9	0.1	50.3
45.3	9547.9				I	-418.7	-2.4	-0.0	-11.4
-18.4	-3080.1			Min	J	-418.7	-2.4	-0.0	-11.4
-25.5	-3830.3				I	1071.6	-1.6	-0.6	14.7
-42.1	5776.7			G1	J	1071.6	-1.6	0.8	14.7
-112.8	7033.6				I	413.7	-0.6	0.0	1.4
24.1	2228.5			G2	J	413.7	-0.6	0.0	1.4
-11.3	2707.4				I	0.0	0.0	0.0	0.0
0.0	0.0			Q3	J	0.0	0.0	0.0	0.0
0.0	0.0				I	-18.1	0.0	-0.0	0.5
-0.5	238.1			Q5_pc X	J	-18.1	0.0	-0.0	0.5
1.5	209.6				I	20.6	-0.0	0.0	-2.0
0.2	-992.4			Q5_pc Y	J	20.6	-0.0	0.0	-2.0
-4.1	-957.2				I	-16.5	0.0	-0.0	0.7
-0.5	266.2			Q5_ps X	J	-16.5	0.0	-0.0	0.7
1.5	240.3								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.1	-1078.8	Q5_ps Y	I	14.6	-0.0	0.0	-2.7
-4.3	-1053.4		J	14.6	-0.0	0.0	-2.7
174.5	30534.6	INVS LU Max	I	4747.0	0.1	-0.8	235.5
150.9	36870.1		J	4747.0	0.1	1.2	235.5
-28.5	-197.1	Min	I	979.2	-8.1	-1.1	63.6
-20.8	-155.9		J	979.2	-8.1	0.9	63.6
129.5	22407.6	INVS LE Max	I	3509.0	0.1	-0.6	177.8
122.8	27076.9		J	3509.0	0.1	0.9	177.8
-20.8	-224.3	Min	I	720.8	-6.0	-0.8	50.7
-3.8	-222.1		J	720.8	-6.0	0.6	50.7
9543	2	70 C1-C2;~1 Max	I	1992.2	37.0	0.3	965.4
229.7	18436.0		J	1992.2	37.0	0.3	965.4
59.7	5398.7	Min	I	-759.9	-15.0	-0.0	-2232.1
-42.5	-6343.8		J	-759.9	-15.0	-0.0	-2232.1
-16.3	-12983.9						
236.5	15751.2	C3-C4;~1 Max	I	1913.2	35.6	0.3	1077.0
44.9	6114.6		J	1913.2	35.6	0.3	1077.0
-47.2	-7023.3	Min	I	-848.4	-16.8	-0.0	-2176.4
-18.1	-14302.5		J	-848.4	-16.8	-0.0	-2176.4
143.2	11105.1	C1-C2;~2 Max	I	1174.1	21.8	0.2	518.4
38.6	2888.3		J	1174.1	21.8	0.2	518.4
-22.8	-3406.9	Min	I	-408.2	-8.1	-0.0	-1306.3
-8.7	-7328.9		J	-408.2	-8.1	-0.0	-1306.3
146.8	9272.5	C3-C4;~2 Max	I	1116.3	20.7	0.2	569.7
28.4	3225.0		J	1116.3	20.7	0.2	569.7
-24.9	-3714.3	Min	I	-449.0	-8.9	-0.0	-1263.1
-9.6	-8078.9		J	-449.0	-8.9	-0.0	-1263.1
38.0	6770.1	G1	I	1038.7	18.4	-0.6	-1096.0
-78.8	-7558.1		J	1038.7	18.4	0.9	-1096.0
		G2	I	400.9	7.1	0.1	-418.5


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
46.1	2605.9		J	400.9	7.1	0.1	-418.5
7.2	-2934.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.2	218.4	Q5_pc X	I	-19.1	-0.4	-0.0	34.3
			J	-19.1	-0.4	-0.0	34.3
0.0	521.1						
		Q5_pc Y	I	21.4	0.5	0.0	-48.0
3.7	-970.8		J	21.4	0.5	0.0	-48.0
-0.4	-1324.5						
		Q5_ps X	I	-17.4	-0.4	-0.0	31.7
-1.9	248.5		J	-17.4	-0.4	-0.0	31.7
0.1	527.1						
		Q5_ps Y	I	15.2	0.3	0.0	-39.6
2.8	-1065.2		J	15.2	0.3	0.0	-39.6
-0.4	-1328.7						
		INVSLE Max	I	4644.0	79.3	-0.5	1369.9
396.2	36384.4		J	4644.0	79.3	1.4	1369.9
77.3	-2365.7						
		Min	I	770.6	5.8	-0.9	-3183.7
6.5	266.9		J	770.6	5.8	1.0	-3183.7
-28.4	-32312.9						
		INVSLE Max	I	3430.4	58.3	-0.4	1100.7
292.7	26743.6		J	3430.4	58.3	1.1	1100.7
60.0	-1698.2						
		Min	I	564.1	3.9	-0.7	-2265.9
4.5	119.3		J	564.1	3.9	0.7	-2265.9
-18.2	-23704.7						
9544	2	70 C1-C2;~1 Max	I	1996.2	20.1	0.0	608.1
48.6	5404.3		J	1996.2	20.1	0.0	608.1
125.0	11762.3						
		Min	I	-808.8	-8.2	-0.1	-1383.9
-13.6	-12996.6		J	-808.8	-8.2	-0.1	-1383.9
-41.2	-27367.0						
		C3-C4;~1 Max	I	1913.3	19.2	0.0	678.2
34.2	6120.8		J	1913.3	19.2	0.0	678.2
115.1	13242.1						
		Min	I	-903.0	-9.2	-0.1	-1353.8
-14.5	-14315.7		J	-903.0	-9.2	-0.1	-1353.8
-46.1	-28756.0						
		C1-C2;~2 Max	I	1173.7	11.9	0.0	326.6

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
31.9	2891.2		J	1173.7	11.9	0.0	326.6
76.0	6303.9	Min	I	-434.4	-4.4	-0.1	-811.0
-7.2	-7336.2		J	-434.4	-4.4	-0.1	-811.0
-22.1	-15672.1						
		C3-C4;~2 Max	I	1113.3	11.2	0.0	358.8
21.9	3228.3		J	1113.3	11.2	0.0	358.8
69.0	6994.6	Min	I	-477.8	-4.8	-0.1	-787.1
-8.0	-8086.6		J	-477.8	-4.8	-0.1	-787.1
-24.4	-16408.6						
		G1	I	996.7	9.7	-0.8	-664.2
-84.9	-7565.4		J	996.7	9.7	0.7	-664.2
-36.8	-15092.2						
		G2	I	386.0	3.7	-0.0	-252.9
4.9	-2937.5		J	386.0	3.7	-0.0	-252.9
22.0	-5846.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-20.1	-0.2	0.0	22.1
0.2	521.3		J	-20.1	-0.2	0.0	22.1
-0.5	686.8						
		Q5_pc Y	I	22.4	0.3	-0.0	-31.4
-0.6	-1324.8		J	22.4	0.3	-0.0	-31.4
-0.2	-1521.2						
		Q5_ps X	I	-18.3	-0.2	0.0	20.5
0.2	527.3		J	-18.3	-0.2	0.0	20.5
-0.4	680.2						
		Q5_ps Y	I	16.1	0.2	-0.0	-26.2
-0.6	-1328.9		J	16.1	0.2	-0.0	-26.2
-0.5	-1477.2						
		INVSLE Max	I	4491.9	41.8	-0.9	961.8
62.1	-2360.6		J	4491.9	41.8	1.0	961.8
195.3	-3777.5	Min	I	537.6	1.8	-1.2	-1878.8
-24.1	-32334.6		J	537.6	1.8	0.8	-1878.8
-36.5	-63213.1						
		INVSLE Max	I	3314.3	30.8	-0.7	769.3
49.3	-1693.9		J	3314.3	30.8	0.7	769.3
146.1	-2585.3	Min	I	388.2	1.1	-0.9	-1330.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-14.6	-23720.3			J	388.2	1.1	0.6	-1330.6	
-25.6	-46408.8								
9545	2	70	C1-C2;~1	Max	I	1957.2	0.8	0.1	46.2
119.5	11761.4				J	1957.2	0.8	0.1	46.2
82.9	11264.5			Min	I	-831.7	-2.0	-0.0	-88.2
-38.7	-27364.5				J	-831.7	-2.0	-0.0	-88.2
-28.7	-26604.8								
			C3-C4;~1	Max	I	1875.5	0.7	0.1	45.4
109.8	13241.0				J	1875.5	0.7	0.1	45.4
75.3	12711.1			Min	I	-928.2	-1.7	-0.0	-92.5
-43.3	-28753.5				J	-928.2	-1.7	-0.0	-92.5
-32.0	-27893.0								
			C1-C2;~2	Max	I	1150.2	0.4	0.1	25.0
72.8	6303.4				J	1150.2	0.4	0.1	25.0
52.4	6034.2			Min	I	-446.7	-1.3	-0.0	-55.6
-20.8	-15670.7				J	-446.7	-1.3	-0.0	-55.6
-15.4	-15269.6								
			C3-C4;~2	Max	I	1090.5	0.4	0.0	24.8
65.9	6994.1				J	1090.5	0.4	0.0	24.8
46.8	6711.6			Min	I	-491.2	-1.0	-0.0	-58.7
-22.9	-16407.2				J	-491.2	-1.0	-0.0	-58.7
-16.9	-15930.4								
			G1		I	932.7	-0.6	-0.7	-14.1
-39.4	-15090.6				J	932.7	-0.6	0.8	-14.1
-67.4	-14605.2								
			G2		I	361.4	-0.2	0.0	-4.7
21.1	-5846.1				J	361.4	-0.2	0.0	-4.7
10.0	-5657.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-20.9	0.0	0.0	1.8
-0.4	686.8				J	-20.9	0.0	0.0	1.8
-0.9	668.7								
			Q5_pc	Y	I	24.1	-0.0	-0.0	-3.2
-0.3	-1521.2				J	24.1	-0.0	-0.0	-3.2
1.3	-1497.9								
			Q5_ps	X	I	-19.1	0.0	0.0	1.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.3	680.1		J	-19.1	0.0	0.0	1.7
-0.8	664.5						
-0.7	-1477.1	Q5_ps Y	I	17.7	-0.0	-0.0	-3.1
1.2	-1459.9		J	17.7	-0.0	-0.0	-3.1
188.2	-3777.1	INVSLE Max	I	4254.9	0.4	-0.8	119.2
74.0	-4019.5		J	4254.9	0.4	1.2	119.2
-32.2	-63207.9	Min	I	316.4	-3.4	-0.9	-73.9
-83.5	-61531.2		J	316.4	-3.4	1.0	-73.9
141.1	-2585.1	INVSLE Max	I	3136.6	0.4	-0.6	92.9
56.4	-2791.8		J	3136.6	0.4	0.9	92.9
-22.1	-46405.1	Min	I	222.4	-2.5	-0.7	-49.7
-60.0	-45193.4		J	222.4	-2.5	0.8	-49.7
9546	2	70 C1-C2;~1 Max	I	1877.5	11.1	0.0	1446.4
87.7	11276.6		J	1877.5	11.1	0.0	1446.4
120.3	3879.9	Min	I	-840.3	-25.0	-0.1	-648.7
-31.0	-26629.2		J	-840.3	-25.0	-0.1	-648.7
-41.6	-8744.5						
80.1	12724.6	C3-C4;~1 Max	I	1802.9	12.4	0.0	1412.2
104.1	3204.2		J	1802.9	12.4	0.0	1412.2
-34.5	-27917.1	Min	I	-937.4	-24.0	-0.1	-723.4
-46.6	-10216.2		J	-937.4	-24.0	-0.1	-723.4
55.2	6040.6	C1-C2;~2 Max	I	1102.9	6.0	0.0	845.3
72.9	2282.9		J	1102.9	6.0	0.0	845.3
-16.6	-15283.8	Min	I	-451.4	-14.7	-0.0	-348.3
-22.3	-4971.0		J	-451.4	-14.7	-0.0	-348.3
49.5	6718.8	C3-C4;~2 Max	I	1047.8	6.6	0.0	819.0
61.7	1666.4		J	1047.8	6.6	0.0	819.0
-18.3	-15944.2	Min	I	-496.1	-13.9	-0.0	-382.7
-24.6	-5850.8		J	-496.1	-13.9	-0.0	-382.7
-64.8	-14616.4	G1	I	847.2	-11.7	-0.7	680.7
			J	847.2	-11.7	0.7	680.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-42.1	-5519.3							
		G2	I	327.8	-4.5	-0.0	260.3	
11.0	-5661.5		J	327.8	-4.5	-0.0	260.3	
21.6	-2144.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-21.2	0.3	-0.0	-21.8	
-0.9	669.1		J	-21.2	0.3	-0.0	-21.8	
-0.5	431.5							
		Q5_pc Y	I	25.1	-0.4	0.0	29.8	
1.4	-1498.5		J	25.1	-0.4	0.0	29.8	
-0.1	-1206.9							
		Q5_ps X	I	-19.5	0.3	-0.0	-20.2	
-0.9	664.9		J	-19.5	0.3	-0.0	-20.2	
-0.4	447.4							
		Q5_ps Y	I	18.9	-0.3	0.0	24.1	
1.3	-1460.3		J	18.9	-0.3	0.0	24.1	
-0.4	-1237.2							
		INVS LU Max	I	3942.8	1.1	-1.0	2035.7	
81.0	-4000.3		J	3942.8	1.1	0.9	2035.7	
182.7	-3802.5							
		Min	I	97.5	-50.1	-1.1	-947.2	
-86.6	-61563.8		J	97.5	-50.1	0.8	-947.2	
-43.4	-25004.7							
		INVS LE Max	I	2904.6	1.1	-0.8	1449.6	
61.4	-2776.6		J	2904.6	1.1	0.7	1449.6	
136.5	-2884.1							
		Min	I	59.7	-36.7	-0.8	-756.0	
-62.6	-45216.4		J	59.7	-36.7	0.6	-756.0	
-31.0	-18428.6							
9547	2	70 C1-C2;~1 Max	I	1824.2	21.5	0.2	2447.3	
140.1	3877.8		J	1824.2	21.5	0.2	2447.3	
73.1	31106.6							
		Min	I	-866.0	-47.4	-0.0	-1113.0	
-50.6	-8720.3		J	-866.0	-47.4	-0.0	-1113.0	
-32.7	-14137.0							
		C3-C4;~1 Max	I	1755.5	24.0	0.1	2383.3	
123.4	3189.7		J	1755.5	24.0	0.1	2383.3	
82.1	28211.2							
		Min	I	-965.6	-45.6	-0.0	-1241.1	
-56.6	-10193.5		J	-965.6	-45.6	-0.0	-1241.1	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-41.9	-15573.7						
84.4	2283.4	C1-C2;~2 Max	I	1070.8	11.6	0.1	1431.2
47.2	18292.3		J	1070.8	11.6	0.1	1431.2
-27.2	-4957.1	Min	I	-465.2	-27.7	-0.0	-597.7
-16.7	-7614.4		J	-465.2	-27.7	-0.0	-597.7
72.8	1658.7	C3-C4;~2 Max	I	1019.7	12.7	0.1	1381.9
52.8	16323.1		J	1019.7	12.7	0.1	1381.9
-29.9	-5838.1	Min	I	-511.0	-26.4	-0.0	-656.6
-21.7	-8259.7		J	-511.0	-26.4	-0.0	-656.6
-32.9	-5508.1	G1	I	760.0	-21.6	-0.6	1134.8
-96.9	11315.1		J	760.0	-21.6	0.8	1134.8
25.1	-2139.7	G2	I	292.4	-8.4	0.0	434.0
-6.5	4362.0		J	292.4	-8.4	0.0	434.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.8	431.1	Q5_pc X	I	-20.5	0.6	-0.0	-37.7
1.2	-18.6		J	-20.5	0.6	-0.0	-37.7
0.3	-1206.5	Q5_pc Y	I	23.1	-0.7	0.0	52.2
-3.1	-654.8		J	23.1	-0.7	0.0	52.2
-0.7	447.1	Q5_ps X	I	-18.6	0.5	-0.0	-34.9
1.4	34.1		J	-18.6	0.5	-0.0	-34.9
-0.1	-1236.9	Q5_ps Y	I	16.6	-0.5	0.0	42.8
-3.9	-812.1		J	16.6	-0.5	0.0	42.8
210.8	-3804.5	INVSLU Max	I	3670.5	2.4	-0.6	3530.5
-4.1	56284.6		J	3670.5	2.4	1.4	3530.5
-56.1	-24972.5	Min	I	-137.2	-95.3	-0.9	-1542.7
-176.9	-7912.5		J	-137.2	-95.3	1.1	-1542.7
156.5	-2886.6	INVSLE Max	I	2703.3	2.3	-0.4	2520.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.5	41206.3		J	2703.3	2.3	1.0	2520.3
		Min	I	-114.2	-70.0	-0.6	-1230.7
-41.1	-18405.7		J	-114.2	-70.0	0.8	-1230.7
-126.2	-6259.8						
9548	2	70 C1-C2;~1 Max	I	1792.4	47.9	0.1	1440.8
89.8	31109.0		J	1792.4	47.9	0.1	1440.8
105.4	5896.6						
		Min	I	-909.7	-25.6	-0.1	-2455.1
-13.9	-14085.1		J	-909.7	-25.6	-0.1	-2455.1
-48.0	-8598.6						
		C3-C4;~1 Max	I	1722.2	46.0	0.1	1603.6
94.5	28224.3		J	1722.2	46.0	0.1	1603.6
91.9	6770.1						
		Min	I	-1013.6	-28.6	-0.1	-2388.9
-7.6	-15516.3		J	-1013.6	-28.6	-0.1	-2388.9
-53.6	-10111.0						
		C1-C2;~2 Max	I	1050.4	28.0	0.0	773.9
57.4	18297.6		J	1050.4	28.0	0.0	773.9
64.3	3134.7						
		Min	I	-488.7	-13.7	-0.1	-1427.4
-7.8	-7586.5		J	-488.7	-13.7	-0.1	-1427.4
-25.8	-4786.7						
		C3-C4;~2 Max	I	998.3	26.6	0.0	848.5
62.1	16336.6		J	998.3	26.6	0.0	848.5
54.8	3552.9						
		Min	I	-536.5	-15.1	-0.0	-1375.5
-4.0	-8229.2		J	-536.5	-15.1	-0.0	-1375.5
-28.4	-5661.7						
		G1	I	675.3	17.0	-0.7	-773.3
-48.5	11357.6		J	675.3	17.0	0.7	-773.3
-62.6	-1893.6						
		G2	I	259.7	6.6	-0.0	-294.1
12.0	4378.5		J	259.7	6.6	-0.0	-294.1
13.5	-751.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-19.9	-0.6	0.0	37.9
-1.1	-18.4		J	-19.9	-0.6	0.0	37.9
-1.2	442.6						
		Q5_pc Y	I	21.0	0.7	0.0	-42.2
2.1	-653.2		J	21.0	0.7	0.0	-42.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.7	-1161.7						
-1.1	34.4	Q5_ps X	I	-18.0	-0.5	0.0	35.1
-1.1	455.1		J	-18.0	-0.5	0.0	35.1
		Q5_ps Y	I	14.3	0.5	0.0	-32.6
2.1	-810.6		J	14.3	0.5	0.0	-32.6
1.5	-1174.7						
		INVS LU Max	I	3412.2	84.9	-0.7	2487.2
176.3	56296.8		J	3412.2	84.9	1.2	2487.2
80.4	8699.4	Min	I	-413.7	-19.6	-1.0	-3067.9
26.2	-7823.0		J	-413.7	-19.6	1.0	-3067.9
-137.3	-16181.0						
		INVS LE Max	I	2510.4	62.2	-0.5	1943.0
134.8	41218.0		J	2510.4	62.2	0.9	1943.0
59.8	6445.2	Min	I	-320.8	-15.1	-0.7	-2166.3
23.9	-6191.1		J	-320.8	-15.1	0.7	-2166.3
-101.3	-11829.9						
9549	2	70 C1-C2;~1 Max	I	1768.7	24.2	0.0	878.7
84.1	5910.3		J	1768.7	24.2	0.0	878.7
110.5	15849.2	Min	I	-963.3	-12.9	-0.0	-1443.9
-35.4	-8622.0		J	-963.3	-12.9	-0.0	-1443.9
-49.5	-26120.0						
		C3-C4;~1 Max	I	1691.2	23.1	0.0	978.0
71.2	6785.5		J	1691.2	23.1	0.0	978.0
100.0	17913.2	Min	I	-1072.6	-14.4	-0.0	-1417.7
-39.6	-10135.8		J	-1072.6	-14.4	-0.0	-1417.7
-55.0	-27614.0						
		C1-C2;~2 Max	I	1034.0	14.2	0.0	472.0
52.0	3142.2		J	1034.0	14.2	0.0	472.0
66.9	8485.9	Min	I	-517.6	-6.9	-0.0	-839.3
-19.0	-4800.0		J	-517.6	-6.9	-0.0	-839.3
-26.6	-14900.6						
		C3-C4;~2 Max	I	977.2	13.3	0.0	517.5
42.8	3561.1		J	977.2	13.3	0.0	517.5
59.6	9454.3	Min	I	-567.7	-7.6	-0.0	-816.7
-20.9	-5675.9		J	-567.7	-7.6	-0.0	-816.7
-29.1	-15651.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-69.2	-1903.6	G1	I	591.3	8.6	-0.7	-430.7
			J	591.3	8.6	0.7	-430.7
-62.5	-8574.2	G2	I	228.9	3.3	-0.0	-162.8
11.0	-754.9		J	228.9	3.3	-0.0	-162.8
11.9	-3340.1	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.9	443.0	Q5_pc X	I	-19.7	-0.3	-0.0	24.3
			J	-19.7	-0.3	-0.0	24.3
-0.2	698.2	Q5_pc Y	I	19.9	0.4	0.0	-28.1
1.4	-1162.2		J	19.9	0.4	0.0	-28.1
-0.8	-1465.9	Q5_ps X	I	-17.8	-0.3	-0.0	22.7
			J	-17.8	-0.3	-0.0	22.7
-0.1	690.4	Q5_ps Y	I	13.0	0.3	0.0	-22.7
1.2	-1175.1		J	13.0	0.3	0.0	-22.7
-1.3	-1407.1	INVSLE Max	I	2308.0	30.8	-0.7	1290.7
54.6	8719.8		J	2308.0	30.8	0.7	1290.7
96.7	16936.7	Min	I	-557.1	-8.3	-0.8	-1165.0
-114.9	-16215.9		J	-557.1	-8.3	0.7	-1165.0
-128.1	-47163.7	INVSLE Max	I	2308.0	30.8	-0.7	1290.7
41.6	6461.3		J	2308.0	30.8	0.7	1290.7
72.5	12815.4	Min	I	-557.1	-8.3	-0.8	-1165.0
-83.7	-11854.7		J	-557.1	-8.3	0.7	-1165.0
-93.9	-34471.0	70 C1-C2;~1 Max	I	1712.8	1.8	0.0	109.1
9550	2		J	1712.8	1.8	0.0	109.1
103.4	15846.4	Min	I	-997.5	-2.6	-0.0	-44.3
88.5	14634.1		J	-997.5	-2.6	-0.0	-44.3
-44.9	-26114.5	C3-C4;~1 Max	I	1638.2	1.8	0.0	103.8
-41.6	-25170.0		J	1638.2	1.8	0.0	103.8
93.0	17910.1						
83.5	16612.9						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-49.9	-27608.6		Min	I	-1109.9	-2.2	-0.0	-38.9	
				J	-1109.9	-2.2	-0.0	-38.9	
-46.6	-26610.7								
			C1-C2;~2	Max	I	1001.0	0.9	0.0	66.0
62.8	8484.4			J	1001.0	0.9	0.0	66.0	
54.8	7827.4								
			Min	I	-536.0	-1.7	-0.0	-27.0	
-24.1	-14897.4			J	-536.0	-1.7	-0.0	-27.0	
-22.3	-14359.8								
			C3-C4;~2	Max	I	945.8	0.9	0.0	63.4
55.6	9452.7			J	945.8	0.9	0.0	63.4	
50.8	8761.5								
			Min	I	-587.5	-1.4	-0.0	-22.9	
-26.4	-15648.7			J	-587.5	-1.4	-0.0	-22.9	
-24.7	-15076.9								
			G1	I	497.6	0.6	-0.7	41.1	
-64.5	-8571.6			J	497.6	0.6	0.7	41.1	
-68.7	-9037.1								
			G2	I	193.0	0.2	0.0	16.5	
11.2	-3339.1			J	193.0	0.2	0.0	16.5	
9.6	-3524.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-20.5	-0.0	0.0	0.9
-0.1	698.1			J	-20.5	-0.0	0.0	0.9	
-1.5	711.4								
			Q5_pc	Y	I	21.7	0.1	-0.0	-2.6
-0.9	-1465.8			J	21.7	0.1	-0.0	-2.6	
2.6	-1516.3								
			Q5_ps	X	I	-18.7	-0.0	0.0	1.1
0.0	690.3			J	-18.7	-0.0	0.0	1.1	
-1.5	704.5								
			Q5_ps	Y	I	15.1	0.1	-0.0	-3.6
-1.4	-1407.1			J	15.1	0.1	-0.0	-3.6	
2.5	-1462.8								
			INVSLU	Max	I	2818.3	4.8	-0.9	198.1
89.6	16935.2			J	2818.3	4.8	1.1	198.1	
39.7	13402.4								
			Min	I	-1031.3	-1.3	-1.0	-13.7	
-119.0	-47153.5			J	-1031.3	-1.3	1.0	-13.7	
-147.4	-47678.9								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

67.6	12814.1	INVSLE Max	I	2063.9	3.6	-0.6	146.5
			J	2063.9	3.6	0.8	146.5
29.8	10136.4	Min	I	-784.8	-0.9	-0.7	-10.1
-86.8	-34463.6		J	-784.8	-0.9	0.7	-10.1
-108.4	-34906.9						
9551	2	70 C1-C2;~1 Max	I	1640.6	15.8	0.0	1481.6
96.3	14636.8		J	1640.6	15.8	0.0	1481.6
90.0	4511.6	Min	I	-1027.2	-24.9	-0.0	-901.0
-46.3	-25172.9		J	-1027.2	-24.9	-0.0	-901.0
-37.8	-7674.5						
		C3-C4;~1 Max	I	1574.1	17.5	0.0	1440.2
91.2	16615.9		J	1574.1	17.5	0.0	1440.2
73.3	3728.8	Min	I	-1142.2	-23.8	-0.0	-1001.0
-51.8	-26613.6		J	-1142.2	-23.8	-0.0	-1001.0
-42.0	-9080.0						
		C1-C2;~2 Max	I	958.5	8.5	0.0	860.8
59.3	7828.9		J	958.5	8.5	0.0	860.8
55.0	2763.6	Min	I	-552.0	-14.5	-0.0	-484.1
-24.8	-14361.4		J	-552.0	-14.5	-0.0	-484.1
-20.3	-4314.4						
		C3-C4;~2 Max	I	908.3	9.3	0.0	829.3
55.2	8763.1		J	908.3	9.3	0.0	829.3
43.5	1923.9	Min	I	-604.7	-13.7	-0.0	-529.7
-27.4	-15078.5		J	-604.7	-13.7	-0.0	-529.7
-22.2	-5146.6						
		G1	I	394.7	-5.6	-0.7	412.9
-66.3	-9037.2		J	394.7	-5.6	0.7	412.9
-70.0	-4683.3						
		G2	I	152.8	-2.2	-0.0	157.1
10.5	-3524.3		J	152.8	-2.2	-0.0	157.1
10.8	-1845.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-21.1	0.3	-0.0	-22.7
-1.6	711.5		J	-21.1	0.3	-0.0	-22.7
-0.2	486.1						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.7	-1516.4	Q5_pc	Y	I	23.3	-0.3	0.0	23.5
				J	23.3	-0.3	0.0	23.5
-0.5	-1308.5	Q5_ps	X	I	-19.4	0.3	-0.0	-20.8
-1.6	704.5			J	-19.4	0.3	-0.0	-20.8
-0.1	498.8	Q5_ps	Y	I	17.1	-0.2	0.0	17.0
2.6	-1462.8			J	17.1	-0.2	0.0	17.0
-0.9	-1328.7	INVS LU	Max	I	2460.5	23.1	-1.0	1677.2
48.8	13407.0			J	2460.5	23.1	1.0	1677.2
71.6	-2549.3		Min	I	-1338.1	-34.6	-1.1	-1716.5
-156.0	-47682.4			J	-1338.1	-34.6	0.9	-1716.5
-107.6	-23253.2	INVS LE	Max	I	1796.4	17.6	-0.7	1174.7
36.2	10139.8			J	1796.4	17.6	0.7	1174.7
55.0	-2076.2		Min	I	-1014.3	-25.1	-0.8	-1336.0
-115.1	-34909.4			J	-1014.3	-25.1	0.7	-1336.0
-77.6	-17237.9	70 C1-C2;~1	Max	I	1574.0	28.7	0.1	2303.2
9552	2			J	1574.0	28.7	0.1	2303.2
108.9	4507.1		Min	I	-1056.7	-44.4	-0.0	-1449.6
98.1	30437.3			J	-1056.7	-44.4	-0.0	-1449.6
-49.6	-7655.1	C3-C4;~1	Max	I	1510.1	31.8	0.1	2243.1
-52.4	-20094.9			J	1510.1	31.8	0.1	2243.1
91.6	3718.4		Min	I	-1172.8	-42.7	-0.1	-1611.0
102.0	27543.9			J	-1172.8	-42.7	-0.1	-1611.0
-55.2	-9061.9	C1-C2;~2	Max	I	919.5	15.4	0.1	1337.6
-63.6	-21752.6			J	919.5	15.4	0.1	1337.6
66.0	2762.6		Min	I	-568.1	-25.9	-0.0	-778.8
62.0	17887.9			J	-568.1	-25.9	-0.0	-778.8
-26.6	-4303.2	C3-C4;~2	Max	I	871.2	16.8	0.1	1290.5
-26.9	-10777.3			J	871.2	16.8	0.1	1290.5
54.0	1923.1		Min	I	-621.0	-24.6	-0.0	-852.6
64.9	15917.4			J	-621.0	-24.6	-0.0	-852.6
-29.2	-5136.6							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-32.7	-11550.6		J	-621.0	-24.6	-0.0	-852.6
		G1	I	277.1	-9.9	-0.7	604.4
-64.9	-4679.4		J	277.1	-9.9	0.8	604.4
-110.5	2982.4						
		G2	I	105.4	-3.8	0.0	229.9
12.8	-1844.3		J	105.4	-3.8	0.0	229.9
-12.1	1110.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-18.7	0.6	-0.0	-37.5
-0.5	485.8		J	-18.7	0.6	-0.0	-37.5
2.5	48.6						
		Q5_pc Y	I	18.6	-0.6	0.0	41.2
-0.2	-1308.3		J	18.6	-0.6	0.0	41.2
-5.0	-859.0						
		Q5_ps X	I	-16.9	0.5	-0.0	-34.8
-0.4	498.6		J	-16.9	0.5	-0.0	-34.8
2.9	96.2						
		Q5_ps Y	I	12.0	-0.4	0.0	31.9
-0.6	-1328.7		J	12.0	-0.4	0.0	31.9
-6.5	-1009.8						
		INVSLE Max	I	2086.4	42.1	-0.6	2574.9
92.4	-2562.4		J	2086.4	42.1	1.3	2574.9
-86.3	33048.6						
		Min	I	-1655.4	-61.8	-0.8	-2783.5
-129.9	-23235.6		J	-1655.4	-61.8	1.1	-2783.5
-318.9	-38953.9						
		INVSLE Max	I	1517.8	32.1	-0.4	1803.3
69.6	-2086.7		J	1517.8	32.1	1.0	1803.3
-64.5	23627.1						
		Min	I	-1251.4	-44.8	-0.6	-2160.4
-95.0	-17225.8		J	-1251.4	-44.8	0.8	-2160.4
-236.2	-29593.6						
		70 C1-C2;~1 Max	I	1527.6	39.3	0.1	1459.8
9553	2		J	1527.6	39.3	0.1	1459.8
87.3	30548.6						
		Min	I	-1106.3	-30.0	-0.2	-1670.1
113.3	5953.1		J	-1106.3	-30.0	-0.2	-1670.1
-40.1	-20114.2						
-70.4	-3854.1						
		C3-C4;~1 Max	I	1456.9	37.6	0.1	1613.6


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
91.1	27615.0			J	1456.9	37.6	0.1	1613.6
94.6	4823.6							
		Min		I	-1225.1	-33.2	-0.1	-1623.5
-16.3	-21775.4							
				J	-1225.1	-33.2	-0.1	-1623.5
-78.3	-4819.9							
		C1-C2;~2	Max	I	892.1	22.9	0.1	784.6
53.2	17951.7							
				J	892.1	22.9	0.1	784.6
69.7	3470.0							
		Min		I	-595.0	-16.1	-0.1	-967.5
-24.6	-10788.2							
				J	-595.0	-16.1	-0.1	-967.5
-37.9	-2143.6							
		C3-C4;~2	Max	I	839.6	21.7	0.1	854.1
58.3	15952.3							
				J	839.6	21.7	0.1	854.1
56.2	2711.0							
		Min		I	-648.9	-17.6	-0.1	-926.9
-9.0	-11562.8							
				J	-648.9	-17.6	-0.1	-926.9
-41.5	-2681.3							
		G1		I	150.5	2.1	-0.7	53.6
-45.7	3070.6							
				J	150.5	2.1	0.8	53.6
-89.2	1463.0							
		G2		I	56.1	0.8	0.0	25.7
13.2	1145.2							
				J	56.1	0.8	0.0	25.7
3.2	558.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-16.0	-0.5	-0.0	22.9
-2.2	46.2							
				J	-16.0	-0.5	-0.0	22.9
-1.7	459.6							
		Q5_pc	Y	I	13.3	0.5	0.0	-0.1
3.7	-851.2							
				J	13.3	0.5	0.0	-0.1
3.2	-1262.2							
		Q5_ps	X	I	-14.2	-0.5	-0.0	21.6
-2.3	94.1							
				J	-14.2	-0.5	-0.0	21.6
-1.6	467.2							
		Q5_ps	Y	I	6.3	0.3	0.0	4.9
4.2	-1003.2							
				J	6.3	0.3	0.0	4.9
2.8	-1265.3							
		INVSLU	Max	I	1693.4	37.7	-0.4	3162.7
209.9	33101.2							
				J	1693.4	37.7	1.5	3162.7
-34.2	12573.5							
		Min		I	-2051.6	-61.1	-0.8	-1311.5

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
26.1	-39068.4			J	-2051.6	-61.1	1.1	-1311.5	
-298.6	-4242.0								
		INVSLE	Max	I	1222.4	26.8	-0.3	2411.1	
163.1	23656.2			J	1222.4	26.8	1.1	2411.1	
-28.4	9246.3		Min	I	-1549.6	-46.3	-0.6	-900.1	
27.4	-29689.2			J	-1549.6	-46.3	0.8	-900.1	
-223.9	-3041.4								
9554	2	70	C1-C2;~1	Max	I	1500.6	21.4	0.0	903.3
100.3	5956.2			J	1500.6	21.4	0.0	903.3	
110.5	15986.8		Min	I	-1173.7	-16.2	-0.0	-999.1	
-58.8	-3866.0			J	-1173.7	-16.2	-0.0	-999.1	
-59.6	-18158.9								
		C3-C4;~1	Max	I	1412.7	20.4	0.0	999.5	
81.9	4826.8			J	1412.7	20.4	0.0	999.5	
94.8	18061.2		Min	I	-1296.9	-18.0	-0.0	-973.3	
-65.4	-4834.8			J	-1296.9	-18.0	-0.0	-973.3	
-65.4	-19458.0								
		C1-C2;~2	Max	I	877.5	12.5	0.0	485.4	
62.1	3470.4			J	877.5	12.5	0.0	485.4	
67.8	8554.6		Min	I	-631.5	-8.7	-0.0	-569.3	
-31.7	-2149.8			J	-631.5	-8.7	-0.0	-569.3	
-32.1	-10301.0								
		C3-C4;~2	Max	I	813.2	11.8	0.0	528.9	
48.9	2711.3			J	813.2	11.8	0.0	528.9	
57.1	9525.9		Min	I	-687.1	-9.5	-0.0	-556.5	
-34.7	-2689.2			J	-687.1	-9.5	-0.0	-556.5	
-34.6	-10933.0								
		G1		I	14.9	1.2	-0.7	64.5	
-88.6	1461.1			J	14.9	1.2	0.7	64.5	
-87.9	551.1								
		G2		I	4.8	0.4	0.0	28.3	
3.5	558.2			J	4.8	0.4	0.0	28.3	
2.0	232.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-14.1	-0.4	-0.0	16.6	
-1.5	459.9								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.6	745.3		J	-14.1	-0.4	-0.0	16.6
3.2	-1262.5	Q5_pc Y	I	9.2	0.4	0.0	-3.6
-1.9	-1608.3		J	9.2	0.4	0.0	-3.6
-1.4	467.6	Q5_ps X	I	-12.2	-0.3	-0.0	16.0
0.8	730.2		J	-12.2	-0.3	-0.0	16.0
2.8	-1265.6	Q5_ps Y	I	2.0	0.3	0.0	-1.5
-2.6	-1530.5		J	2.0	0.3	0.0	-1.5
-43.9	12586.6	INVS LU Max	I	1285.2	20.4	-1.0	2010.6
-6.9	36124.1		J	1285.2	20.4	1.0	2010.6
-273.4	-4253.8	Min	I	-2516.8	-33.5	-1.0	-717.3
-247.7	-17421.9		J	-2516.8	-33.5	0.9	-717.3
-35.1	9256.8	INVS LE Max	I	913.2	14.4	-0.7	1532.7
-6.7	27156.0		J	913.2	14.4	0.7	1532.7
-204.6	-3049.2	Min	I	-1901.2	-25.4	-0.8	-485.7
-184.7	-12293.3		J	-1901.2	-25.4	0.7	-485.7
9555	2	70 C1-C2;~1 Max	I	1428.8	3.0	0.1	101.3
106.1	15983.7		J	1428.8	3.0	0.1	101.3
98.3	16005.0	Min	I	-1233.7	-1.2	-0.0	-74.8
-55.2	-18155.3		J	-1233.7	-1.2	-0.0	-74.8
-67.2	-19663.6						
90.5	18057.8	C3-C4;~1 Max	I	1349.2	2.7	0.0	102.6
92.0	18130.6		J	1349.2	2.7	0.0	102.6
-60.6	-19454.2	Min	I	-1361.5	-0.6	-0.0	-78.4
-75.3	-20920.3		J	-1361.5	-0.6	-0.0	-78.4
65.3	8553.0	C1-C2;~2 Max	I	836.1	1.8	0.0	57.9
61.3	8557.0		J	836.1	1.8	0.0	57.9
-29.7	-10298.9	Min	I	-663.9	-0.8	-0.0	-48.6
-36.1	-11185.3		J	-663.9	-0.8	-0.0	-48.6
54.6	9524.0	C3-C4;~2 Max	I	776.8	1.6	0.0	64.4
			J	776.8	1.6	0.0	64.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
56.2	9555.7		Min	I	-721.5	-0.4	-0.0	-52.0
-32.1	-10930.9			J	-721.5	-0.4	-0.0	-52.0
-39.8	-11781.8							
		G1		I	-127.9	1.9	-0.7	19.8
-87.3	551.9			J	-127.9	1.9	0.7	19.8
-96.4	-903.0							
		G2		I	-50.3	0.7	0.0	6.9
2.2	232.7			J	-50.3	0.7	0.0	6.9
-1.4	-317.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-14.7	-0.2	0.0	4.4
0.7	745.3			J	-14.7	-0.2	0.0	4.4
-2.5	876.1							
		Q5_pc Y		I	11.0	0.3	-0.0	-8.5
-1.9	-1608.3			J	11.0	0.3	-0.0	-8.5
5.2	-1873.0							
		Q5_ps X		I	-13.1	-0.2	0.0	4.8
0.9	730.2			J	-13.1	-0.2	0.0	4.8
-2.4	855.5							
		Q5_ps Y		I	4.5	0.3	-0.0	-9.9
-2.7	-1530.5			J	4.5	0.3	-0.0	-9.9
4.8	-1782.6							
		INVSLU Max		I	810.7	8.0	-0.8	158.2
-9.2	36118.1			J	810.7	8.0	1.1	158.2
-69.4	33611.4							
		Min		I	-2982.7	1.7	-1.0	-101.4
-237.7	-17418.1			J	-2982.7	1.7	1.0	-101.4
-313.0	-22478.7							
		INVSLE Max		I	555.1	5.9	-0.6	115.8
-8.2	27151.4			J	555.1	5.9	0.8	115.8
-54.9	25295.0							
		Min		I	-2252.9	1.3	-0.7	-75.4
-177.2	-12290.6			J	-2252.9	1.3	0.7	-75.4
-234.7	-16003.5							
		70 C1-C2;~1 Max		I	1325.0	16.5	0.0	986.2
9556	2			J	1325.0	16.5	0.0	986.2
103.1	16008.5							
		Min		I	-1283.9	-16.7	-0.0	-909.0
105.6	4596.5			J	-1283.9	-16.7	-0.0	-909.0
-71.5	-19665.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-61.5	-8578.5							
		C3-C4;~1	Max	I	1260.0	18.1	0.0	981.8
96.6	18134.4			J	1260.0	18.1	0.0	981.8
82.5	4274.7							
			Min	I	-1415.2	-15.4	-0.0	-1000.0
-80.0	-20922.4			J	-1415.2	-15.4	-0.0	-1000.0
-67.4	-9686.0							
		C1-C2;~2	Max	I	775.8	8.9	0.0	571.5
64.1	8558.9			J	775.8	8.9	0.0	571.5
65.2	2710.5							
			Min	I	-691.2	-9.9	-0.0	-488.9
-38.4	-11186.4			J	-691.2	-9.9	-0.0	-488.9
-33.1	-4850.4							
		C3-C4;~2	Max	I	725.6	9.6	0.0	566.4
58.8	9557.7			J	725.6	9.6	0.0	566.4
49.3	2193.7							
			Min	I	-750.1	-8.8	-0.0	-529.6
-42.4	-11782.9			J	-750.1	-8.8	-0.0	-529.6
-35.8	-5486.4							
			G1	I	-286.4	4.5	-0.7	-121.1
-96.7	-901.2			J	-286.4	4.5	0.7	-121.1
-96.7	-4415.0							
			G2	I	-112.1	1.8	-0.0	-51.7
-1.6	-316.5			J	-112.1	1.8	-0.0	-51.7
0.2	-1678.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-15.2	0.0	-0.0	-8.6
-2.5	876.1			J	-15.2	0.0	-0.0	-8.6
1.0	850.7							
			Q5_pc Y	I	12.4	0.2	0.0	-12.5
5.1	-1872.9			J	12.4	0.2	0.0	-12.5
-1.7	-2046.5							
			Q5_ps X	I	-13.9	0.0	-0.0	-7.6
-2.4	855.5			J	-13.9	0.0	-0.0	-7.6
1.1	837.7							
			Q5_ps Y	I	6.8	0.3	0.0	-16.3
4.7	-1782.6			J	6.8	0.3	0.0	-16.3
-2.3	-2000.4							
			INVSLU Max	I	291.6	45.0	-0.9	577.7
-66.3	33621.4							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-45.3	-362.4		J	291.6	45.0	1.0	577.7
		Min	I	-3434.8	-2.4	-1.1	-2126.1
-322.7	-22476.6		J	-3434.8	-2.4	0.9	-2126.1
-281.9	-23327.5						
		INVSLE Max	I	165.8	33.9	-0.7	382.7
-52.9	25302.5		J	165.8	33.9	0.7	382.7
-35.9	-364.0	Min	I	-2592.5	-1.1	-0.8	-1618.5
-242.1	-16001.9		J	-2592.5	-1.1	0.7	-1618.5
-211.0	-17102.3						
9557	2	70 C1-C2;~1 Max	I	1208.4	32.6	0.2	1557.6
118.3	4588.6		J	1208.4	32.6	0.2	1557.6
89.9	20634.2	Min	I	-1310.9	-32.0	-0.1	-1520.2
-73.8	-8566.3		J	-1310.9	-32.0	-0.1	-1520.2
-82.9	-22915.6						
		C3-C4;~1 Max	I	1150.2	35.9	0.2	1544.5
95.0	4258.1		J	1150.2	35.9	0.2	1544.5
87.1	17761.2	Min	I	-1439.1	-30.4	-0.1	-1674.6
-80.9	-9674.1		J	-1439.1	-30.4	-0.1	-1674.6
-98.6	-24083.5						
		C1-C2;~2 Max	I	709.0	17.5	0.1	902.6
72.6	2707.4		J	709.0	17.5	0.1	902.6
59.4	12376.7	Min	I	-706.2	-18.7	-0.0	-817.6
-39.7	-4843.4		J	-706.2	-18.7	-0.0	-817.6
-43.1	-12291.1						
		C3-C4;~2 Max	I	663.9	19.0	0.1	887.6
56.4	2184.9		J	663.9	19.0	0.1	887.6
57.5	10387.4	Min	I	-763.2	-17.5	-0.0	-886.8
-42.9	-5479.8		J	-763.2	-17.5	-0.0	-886.8
-52.0	-12796.5						
		G1	I	-459.6	9.0	-0.6	-266.6
-98.7	-4420.1		J	-459.6	9.0	0.8	-266.6
-168.3	-11414.8						
		G2	I	-180.6	3.5	0.0	-109.7
-0.6	-1680.3		J	-180.6	3.5	0.0	-109.7
-34.0	-4403.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.8	850.7	Q5_pc X	I	-10.4	0.2	-0.0	-19.0
3.4	670.5		J	-10.4	0.2	-0.0	-19.0
-1.8	-2047.1	Q5_pc Y	I	2.4	0.1	0.0	-8.7
-7.3	-2096.7		J	2.4	0.1	0.0	-8.7
1.0	837.7	Q5_ps X	I	-9.4	0.2	-0.0	-17.8
3.8	674.3		J	-9.4	0.2	-0.0	-17.8
-2.4	-2001.0	Q5_ps Y	I	-2.6	0.2	0.0	-13.6
-8.5	-2140.2		J	-2.6	0.2	0.0	-13.6
-39.0	-390.4	INVS LU Max	I	-235.7	89.6	-0.6	725.4
-214.0	-10529.2		J	-235.7	89.6	1.4	725.4
-311.2	-23330.0	Min	I	-3828.6	-2.4	-0.9	-3672.3
-481.6	-74672.3		J	-3828.6	-2.4	1.0	-3672.3
-31.9	-385.4	INVS LE Max	I	-226.7	67.6	-0.4	465.0
-161.5	-8874.5		J	-226.7	67.6	1.0	465.0
-233.2	-17104.7	Min	I	-2886.7	-0.5	-0.7	-2790.0
-358.8	-56108.3		J	-2886.7	-0.5	0.8	-2790.0
9558	2	70 C1-C2;~1 Max	I	1093.8	26.0	0.2	927.8
136.7	20717.9		J	1093.8	26.0	0.2	927.8
80.1	12198.6	Min	I	-1349.3	-41.5	-0.1	-706.4
-31.8	-22970.6		J	-1349.3	-41.5	-0.1	-706.4
-96.8	-4671.4						
133.8	17851.7	C3-C4;~1 Max	I	1031.8	25.3	0.2	998.1
61.9	10939.4		J	1031.8	25.3	0.2	998.1
-18.4	-24146.4	Min	I	-1473.9	-44.2	-0.1	-675.2
-101.6	-6543.1		J	-1473.9	-44.2	-0.1	-675.2
85.2	12425.3	C1-C2;~2 Max	I	644.0	15.1	0.1	495.7
50.1	6591.5		J	644.0	15.1	0.1	495.7
-19.8	-12320.9	Min	I	-727.5	-22.3	-0.1	-414.4
-51.1	-2415.3		J	-727.5	-22.3	-0.1	-414.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
85.8	10441.9	C3-C4 ; ~2	Max	I	596.7	14.5	0.1	529.3
				J	596.7	14.5	0.1	529.3
37.2	5701.6		Min	I	-782.2	-23.5	-0.0	-386.2
-9.5	-12830.0			J	-782.2	-23.5	-0.0	-386.2
-53.6	-3462.3							
		G1		I	-653.7	-25.2	-0.5	434.6
-12.6	-11405.0			J	-653.7	-25.2	0.9	434.6
-161.1	8209.8							
		G2		I	-255.7	-9.6	0.1	172.0
26.2	-4399.6			J	-255.7	-9.6	0.1	172.0
-24.5	3045.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-4.5	1.3	-0.0	-5.6
-6.0	665.8			J	-4.5	1.3	-0.0	-5.6
-1.2	-342.2							
		Q5_pc	Y	I	-10.7	-3.1	0.0	45.5
13.0	-2086.5			J	-10.7	-3.1	0.0	45.5
2.8	353.1							
		Q5_ps	X	I	-3.8	1.2	-0.0	-4.7
-5.9	670.0			J	-3.8	1.2	-0.0	-4.7
-1.3	-249.1							
		Q5_ps	Y	I	-15.1	-3.0	0.0	44.0
12.9	-2131.1			J	-15.1	-3.0	0.0	44.0
2.8	182.7							
		INVS LU	Max	I	-789.6	-36.8	-0.2	2616.0
209.2	-10516.3			J	-789.6	-36.8	1.7	2616.0
-235.0	34527.7		Min	I	-4275.2	-137.2	-0.7	233.1
-41.6	-74839.0			J	-4275.2	-137.2	1.3	233.1
-485.3	8590.8							
		INVS LE	Max	I	-639.1	-29.0	-0.2	1971.2
154.7	-8869.5			J	-639.1	-29.0	1.3	1971.2
-178.2	25826.9		Min	I	-3219.6	-103.0	-0.5	212.2
-29.4	-56237.7			J	-3219.6	-103.0	1.0	212.2
-363.3	6661.5							
9559	2	70 C1-C2 ; ~1	Max	I	988.8	14.4	0.0	255.3
75.6	12206.4			J	988.8	14.4	0.0	255.3
78.4	29252.7							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-90.7	-4680.2	Min	I	-1423.8	-24.5	-0.1	-257.7	
			J	-1423.8	-24.5	-0.1	-257.7	
-53.8	-13548.6	C3-C4;~1	Max	I	915.8	14.7	0.0	257.9
57.6	10956.1			J	915.8	14.7	0.0	257.9
60.9	30592.9	Min	I	-1535.4	-25.7	-0.1	-256.8	
-94.8	-6552.9		J	-1535.4	-25.7	-0.1	-256.8	
-57.1	-16889.8	C1-C2;~2	Max	I	584.1	8.3	0.0	134.2
47.5	6594.6		J	584.1	8.3	0.0	134.2	
49.1	15559.0	Min	I	-761.8	-13.1	-0.0	-150.6	
-47.7	-2420.1		J	-761.8	-13.1	-0.0	-150.6	
-28.5	-7268.2	C3-C4;~2	Max	I	529.2	8.0	0.0	135.7
34.7	5710.6		J	529.2	8.0	0.0	135.7	
37.5	16166.8	Min	I	-814.9	-13.6	-0.0	-143.5	
-50.0	-3467.5		J	-814.9	-13.6	-0.0	-143.5	
-29.6	-9040.4	G1	I	-867.1	-15.8	-0.8	80.4	
-158.1	8216.6		J	-867.1	-15.8	0.7	80.4	
-116.4	20488.8	G2	I	-336.8	-5.9	-0.0	32.7	
-23.3	3048.2		J	-336.8	-5.9	-0.0	32.7	
-10.0	7637.8	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	X	I	0.9	1.3	-0.0	-0.0
-1.3	-342.2		J	0.9	1.3	-0.0	-0.0	
2.4	-1335.1	Q5_pc	Y	I	-23.4	-2.8	0.0	9.8
3.1	353.5		J	-23.4	-2.8	0.0	9.8	
-5.3	2536.3	Q5_ps	X	I	1.1	1.2	-0.0	1.1
-1.3	-249.1		J	1.1	1.2	-0.0	1.1	
2.6	-1148.1	Q5_ps	Y	I	-26.9	-2.6	0.0	7.1
3.1	183.0		J	-26.9	-2.6	0.0	7.1	
-5.9	2200.4							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-232.3	34560.0	INVSLE Max	I	-1364.4	-22.0	-1.1	619.0
			J	-1364.4	-22.0	0.9	619.0
-109.8	95777.0	INVSLE Min	I	-4814.2	-81.4	-1.2	-94.8
-468.0	8598.6		J	-4814.2	-81.4	0.7	-94.8
-302.2	27110.2	INVSLE Max	I	-1068.8	-17.3	-0.8	468.6
-176.0	25851.5		J	-1068.8	-17.3	0.7	468.6
-83.4	71741.1	INVSLE Min	I	-3621.1	-61.0	-0.9	-58.8
-350.2	6668.0		J	-3621.1	-61.0	0.5	-58.8
-225.3	21214.9	70 C1-C2;~1 Max	I	916.8	4.0	0.2	607.7
9560	2		J	916.8	4.0	0.2	607.7
80.6	29246.7	70 C1-C2;~1 Min	I	-1567.0	-6.7	-0.1	-793.7
99.8	33287.5		J	-1567.0	-6.7	-0.1	-793.7
-56.4	-13543.9	C3-C4;~1 Max	I	852.5	4.0	0.2	590.3
-160.2	-15960.8		J	852.5	4.0	0.2	590.3
63.0	30585.7	C3-C4;~1 Min	I	-1666.6	-5.1	-0.1	-866.5
87.7	34323.8		J	-1666.6	-5.1	-0.1	-866.5
-60.1	-16885.1	C1-C2;~2 Max	I	541.4	2.3	0.1	358.0
-147.7	-19270.0		J	541.4	2.3	0.1	358.0
50.4	15555.6	C1-C2;~2 Min	I	-837.2	-3.8	-0.0	-426.5
62.4	17674.0		J	-837.2	-3.8	-0.0	-426.5
-29.9	-7265.4	C3-C4;~2 Max	I	491.3	2.1	0.1	347.1
-82.6	-8643.1		J	491.3	2.1	0.1	347.1
38.7	16163.0	C3-C4;~2 Min	I	-882.7	-2.7	-0.0	-458.3
53.4	18125.3		J	-882.7	-2.7	-0.0	-458.3
-31.1	-9037.8	G1	I	-1114.8	-3.2	-0.6	-471.1
-76.6	-10222.9		J	-1114.8	-3.2	0.9	-471.1
-118.2	20485.8	G2	I	-432.3	-1.0	0.0	-185.7
-229.1	22937.0		J	-432.3	-1.0	0.0	-185.7
-10.7	7636.7	G2	I	-432.3	-1.0	0.0	-185.7
-48.6	8410.6		J	-432.3	-1.0	0.0	-185.7
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
2.5	-1335.1	Q5_pc	X	I	1.1	1.2	0.0	7.6
-5.5	-2304.2			J	1.1	1.2	0.0	7.6
-5.4	2536.2	Q5_pc	Y	I	-25.9	-2.4	-0.0	-46.4
11.6	4390.1			J	-25.9	-2.4	-0.0	-46.4
2.6	-1148.1	Q5_ps	X	I	0.7	1.1	0.0	8.6
-5.8	-2024.7			J	0.7	1.1	0.0	8.6
-6.1	2200.3	Q5_ps	Y	I	-27.6	-2.1	-0.0	-49.8
12.4	3865.6			J	-27.6	-2.1	-0.0	-49.8
-110.7	95758.4	INVSLU	Max	I	-2012.6	0.9	-0.3	-287.3
-355.3	107596.7			J	-2012.6	0.9	1.6	-287.3
-310.5	27107.7		Min	I	-5546.8	-17.8	-0.7	-2360.8
-727.3	27343.0			J	-5546.8	-17.8	1.2	-2360.8
-84.2	71727.0	INVSLE	Max	I	-1554.6	0.4	-0.2	-243.6
-269.5	80458.0			J	-1554.6	0.4	1.2	-243.6
-231.5	21212.8		Min	I	-4169.2	-13.1	-0.5	-1773.4
-543.5	21596.1			J	-4169.2	-13.1	0.9	-1773.4
9561	2	83 C1-C2;~1	Max	I	902.2	16.3	0.9	1299.1
106.7	33301.4			J	902.2	16.3	0.9	1299.1
1129.5	21967.0		Min	I	-1839.5	-12.5	-1.4	-1888.7
-167.4	-15968.2			J	-1839.5	-12.5	-1.4	-1888.7
-814.2	-12251.5							
94.3	34339.3	C3-C4;~1	Max	I	849.3	18.1	1.1	1289.6
732.1	21411.3			J	849.3	18.1	1.1	1289.6
-160.7	-19277.8		Min	I	-1922.6	-10.5	-0.9	-2061.3
-960.1	-15548.6			J	-1922.6	-10.5	-0.9	-2061.3
66.4	17681.5	C1-C2;~2	Max	I	528.5	8.7	0.5	758.4
735.5	11484.5			J	528.5	8.7	0.5	758.4
-85.8	-8647.2		Min	I	-976.4	-7.8	-0.9	-1017.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-412.6	-6665.5		J	-976.4	-7.8	-0.9	-1017.2
57.3	18133.6	C3-C4;~2 Max	I	485.2	9.5	0.6	747.0
467.2	11206.7		J	485.2	9.5	0.6	747.0
-83.6	-10227.2	Min	I	-1015.1	-6.3	-0.5	-1092.7
-486.3	-8306.0		J	-1015.1	-6.3	-0.5	-1092.7
-236.4	22946.5	G1	I	-1460.9	12.2	-1.2	-1117.9
-991.7	13485.6		J	-1460.9	12.2	3.1	-1117.9
-51.5	8414.3	G2	I	-566.7	5.0	0.3	-443.0
-251.4	4560.7		J	-566.7	5.0	0.3	-443.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.3	-2304.5	Q5_pc X	I	1.7	1.2	-0.1	14.4
40.3	-3248.5		J	1.7	1.2	-0.1	14.4
10.9	4391.2	Q5_pc Y	I	-30.3	-1.9	0.1	-107.9
-72.2	5894.4		J	-30.3	-1.9	0.1	-107.9
-5.6	-2024.9	Q5_ps X	I	0.5	1.1	-0.1	15.2
44.6	-2884.2		J	0.5	1.1	-0.1	15.2
11.6	3866.7	Q5_ps Y	I	-30.2	-1.7	0.1	-111.4
-86.4	5176.4		J	-30.2	-1.7	0.1	-111.4
-364.5	107640.8	INVSLU Max	I	-2852.2	62.9	1.1	-859.2
-827.4	63776.7		J	-2852.2	62.9	7.0	-859.2
-754.1	27353.5	Min	I	-6720.3	18.0	-2.4	-5589.8
3778.4	2520.7		J	-6720.3	18.0	3.4	-5589.8
-276.7	80491.0	INVSLE Max	I	-2186.8	47.1	0.9	-712.5
-640.4	47346.3		J	-2186.8	47.1	5.2	-712.5
-563.8	21604.4	Min	I	-5048.0	14.2	-1.8	-4202.3
2816.7	2757.4		J	-5048.0	14.2	2.6	-4202.3
9562	2	83 C1-C2;~1 Max	I	829.1	38.3	1.7	1665.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1143.5	21961.6		J	829.1	38.3	1.7	1665.3
1068.7	19981.7						
		Min	I	-2001.5	-21.9	-1.6	-2536.9
-835.6	-12251.9						
			J	-2001.5	-21.9	-1.6	-2536.9
-696.8	-13131.9						
		C3-C4;~1 Max	I	793.6	40.9	0.7	1676.3
745.0	21406.1						
			J	793.6	40.9	0.7	1676.3
1242.1	14497.3						
		Min	I	-2048.5	-20.0	-1.9	-2771.7
-976.5	-15549.4						
			J	-2048.5	-20.0	-1.9	-2771.7
-400.8	-16508.8						
		C1-C2;~2 Max	I	481.3	20.3	1.0	960.6
743.7	11481.5						
			J	481.3	20.3	1.0	960.6
731.1	13123.4						
		Min	I	-1056.0	-13.1	-0.9	-1365.9
-424.4	-6665.8						
			J	-1056.0	-13.1	-0.9	-1365.9
-375.9	-6679.9						
		C3-C4;~2 Max	I	449.9	21.5	0.4	968.3
474.6	11203.9						
			J	449.9	21.5	0.4	968.3
858.1	9159.1						
		Min	I	-1076.9	-11.7	-1.1	-1469.0
-493.7	-8306.5						
			J	-1076.9	-11.7	-1.1	-1469.0
-198.6	-8312.4						
		G1	I	-1742.6	30.2	-2.8	-1517.5
1005.6	13479.2						
			J	-1742.6	30.2	1.5	-1517.5
-487.4	-10015.5						
		G2	I	-676.8	12.0	-0.1	-602.3
-257.0	4558.2						
			J	-676.8	12.0	-0.1	-602.3
-162.7	-4740.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	12.1	1.2	0.0	13.0
40.4	-3248.0						
			J	12.1	1.2	0.0	13.0
28.0	-4182.5						
		Q5_pc Y	I	-53.9	-1.6	-0.0	-132.1
-73.5	5893.1						
			J	-53.9	-1.6	-0.0	-132.1
-60.5	7104.9						
		Q5_ps X	I	10.1	1.1	0.0	13.3
44.8	-2883.7						
			J	10.1	1.1	0.0	13.3
22.9	-3748.3						
		Q5_ps Y	I	-52.0	-1.3	-0.0	-134.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-87.7	5175.1			J	-52.0	-1.3	-0.0	-134.7	
-49.5	6206.1								
-841.2	63754.1	INVS LU	Max	I	-3556.2	142.8	-2.0	-1287.9	
360.4	-4867.2			J	-3556.2	142.8	3.8	-1287.9	
3835.4	2506.8		Min	I	-7537.9	55.3	-6.9	-7530.6	-
2366.2	-66918.4			J	-7537.9	55.3	-1.1	-7530.6	-
-651.5	47329.4	INVS LE	Max	I	-2715.3	107.3	-1.5	-1056.3	
237.3	-4804.1			J	-2715.3	107.3	2.8	-1056.3	
2859.7	2746.7		Min	I	-5657.6	42.7	-5.1	-5662.8	-
1774.2	-49820.6			J	-5657.6	42.7	-0.8	-5662.8	-
9563	2	83 C1-C2;~1	Max	I	730.8	24.6	2.1	3688.0	
1181.0	19973.4			J	730.8	24.6	2.1	3688.0	
836.3	22815.6		Min	I	-2128.5	-40.5	-1.0	-1179.5	
-562.2	-13167.8			J	-2128.5	-40.5	-1.0	-1179.5	-
1295.7	-12922.0								
1346.9	14535.7	C3-C4;~1	Max	I	726.0	21.2	2.3	3725.3	
649.3	28396.8			J	726.0	21.2	2.3	3725.3	
-328.0	-16557.3		Min	I	-2139.2	-52.9	-0.5	-1370.8	
1463.7	-10577.4			J	-2139.2	-52.9	-0.5	-1370.8	-
789.9	13114.7	C1-C2;~2	Max	I	417.1	13.9	1.2	1917.1	
522.5	11845.0			J	417.1	13.9	1.2	1917.1	
-297.6	-6698.1		Min	I	-1115.3	-20.7	-0.6	-605.1	
-676.1	-6941.2			J	-1115.3	-20.7	-0.6	-605.1	
921.2	9185.1	C3-C4;~2	Max	I	408.2	11.8	1.4	1951.8	
386.0	14431.6			J	408.2	11.8	1.4	1951.8	
-164.9	-8338.2		Min	I	-1117.6	-26.8	-0.2	-682.0	
-760.4	-5453.7			J	-1117.6	-26.8	-0.2	-682.0	
-235.2	-10051.1		G1	I	-2007.9	-32.8	-0.5	3246.7	
1510.1	15560.5			J	-2007.9	-32.8	3.8	3246.7	-
-66.0	-4755.1		G2	I	-778.2	-13.7	0.5	1224.6	
				J	-778.2	-13.7	0.5	1224.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-458.8	5912.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	24.6	0.8	0.1	-161.5
2.2	-4182.6			J	24.6	0.8	0.1	-161.5
-74.4	-4813.1							
			Q5_pc Y	I	-80.9	-2.0	-0.2	448.9
-5.1	7104.6			J	-80.9	-2.0	-0.2	448.9
167.2	8683.8							
			Q5_ps X	I	21.7	1.3	0.1	-143.6
-2.4	-3748.0			J	21.7	1.3	0.1	-143.6
-71.6	-4730.1							
			Q5_ps Y	I	-77.0	-3.2	-0.2	407.1
5.3	6204.6			J	-77.0	-3.2	-0.2	407.1
160.0	8677.3							
			INVS LU Max	I	-4228.7	-34.0	4.0	12400.0
971.6	-4960.2			J	-4228.7	-34.0	9.9	12400.0
2411.5	61780.0		Min	I	-8248.7	-142.2	-0.8	4712.3
1615.0	-67064.9			J	-8248.7	-142.2	5.1	4712.3
5817.7	-9631.2							
			INVS LE Max	I	-3218.8	-25.4	3.0	9242.8
696.9	-4874.7			J	-3218.8	-25.4	7.3	9242.8
1840.8	44523.8		Min	I	-6185.8	-105.3	-0.5	3608.1
1218.4	-49931.0			J	-6185.8	-105.3	3.8	3608.1
4341.6	-7215.5							
9564	2	83	C1-C2;~1 Max	I	662.7	24.2	0.6	3256.3
830.0	22820.9			J	662.7	24.2	0.6	3256.3
1137.5	35773.7		Min	I	-2268.3	-20.4	-2.0	-1075.8
1264.7	-12923.3			J	-2268.3	-20.4	-2.0	-1075.8
-310.8	-26197.4							
			C3-C4;~1 Max	I	698.1	17.3	0.9	3283.4
643.2	28404.6			J	698.1	17.3	0.9	3283.4
794.2	50562.1		Min	I	-2245.6	-30.8	-1.8	-1296.9
1429.6	-10579.2			J	-2245.6	-30.8	-1.8	-1296.9
-446.9	-20360.9							
			C1-C2;~2 Max	I	373.0	13.4	0.3	1700.1
519.9	11847.7			J	373.0	13.4	0.3	1700.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
734.7	18002.6		Min	I	-1179.6	-10.1	-1.0	-554.7
-659.6	-6941.8			J	-1179.6	-10.1	-1.0	-554.7
-159.0	-13823.6							
		C3-C4;~2	Max	I	374.1	9.3	0.5	1716.9
383.6	14435.8			J	374.1	9.3	0.5	1716.9
505.7	25568.4		Min	I	-1164.9	-15.2	-0.9	-646.9
-742.4	-5454.6			J	-1164.9	-15.2	-0.9	-646.9
-237.4	-10534.8							
		G1		I	-2284.0	-9.4	-3.9	2763.3
1480.1	15565.1			J	-2284.0	-9.4	0.5	2763.3
-159.0	22915.6							
		G2		I	-881.6	-4.6	-0.6	1035.0
-447.5	5914.2			J	-881.6	-4.6	-0.6	1035.0
34.7	9522.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	35.1	0.4	-0.1	-128.8
-75.8	-4812.9			J	35.1	0.4	-0.1	-128.8
-3.8	-5105.0							
		Q5_pc Y		I	-103.7	-0.8	0.2	358.6
171.3	8683.6			J	-103.7	-0.8	0.2	358.6
11.4	9277.6							
		Q5_ps X		I	31.2	0.9	-0.1	-113.2
-72.8	-4729.9			J	31.2	0.9	-0.1	-113.2
3.1	-5405.4							
		Q5_ps Y		I	-97.6	-2.0	0.2	321.7
163.7	8677.2			J	-97.6	-2.0	0.2	321.7
-6.7	10213.1							
		INVSLU Max		I	-4838.0	24.6	-5.3	10666.7
2352.1	61801.1			J	-4838.0	24.6	0.5	10666.7
927.5	99084.1		Min	I	-9029.4	-51.0	-9.7	3837.9
5710.8	-9622.0			J	-9029.4	-51.0	-3.8	3837.9
1231.9	-21240.9							
		INVSLE Max		I	-3675.2	19.0	-4.0	7947.9
1796.2	44539.7			J	-3675.2	19.0	0.3	7947.9
673.0	71483.9		Min	I	-6766.1	-36.9	-7.2	2937.3
4261.4	-7208.5			J	-6766.1	-36.9	-2.8	2937.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
135.8	-5765.8							
			Q5_ps Y	I	-96.3	-0.7	0.3	191.3
-4.3	10213.0			J	-96.3	-0.7	0.3	191.3
-251.9	10780.7							
			INVSLU Max	I	-5466.7	99.7	20.0	7923.8
979.6	99072.7			J	-5466.7	99.7	25.9	7923.8 -1
0254.9	66551.6		Min	I	-9831.6	33.5	9.3	2505.4 -
1175.4	-21248.7			J	-9831.6	33.5	15.2	2505.4 -1
7710.6	-92352.4							
			INVSLE Max	I	-4144.7	75.5	14.9	5899.8
711.9	71475.3			J	-4144.7	75.5	19.2	5899.8 -
7723.3	46086.2		Min	I	-7363.9	26.6	7.1	1915.4
-882.5	-16414.7			J	-7363.9	26.6	11.4	1915.4 -1
3202.5	-70442.9							
		83	C1-C2;~1 Max	I	593.1	51.9	2.6	1838.8
9566	2			J	593.1	51.9	2.6	1838.8 1
599.7	38105.2							
6465.4	30663.0		Min	I	-2570.7	-9.8	-26.0	-907.9 -
4367.1	-47732.1			J	-2570.7	-9.8	-26.0	-907.9 -
1490.8	-80995.2							
			C3-C4;~1 Max	I	673.2	41.0	3.1	1853.0
700.8	58203.6			J	673.2	41.0	3.1	1853.0 1
3305.6	54785.4		Min	I	-2456.4	-12.9	-21.3	-1034.5 -
3732.2	-34026.7			J	-2456.4	-12.9	-21.3	-1034.5 -
1787.7	-57534.8							
			C1-C2;~2 Max	I	318.6	26.0	1.4	1005.0
318.3	18828.4			J	318.6	26.0	1.4	1005.0
8519.5	14690.8		Min	I	-1314.9	-4.9	-13.2	-511.1 -
2204.7	-25089.3			J	-1314.9	-4.9	-13.2	-511.1
-778.0	-42159.9							
			C3-C4;~2 Max	I	355.0	20.2	1.6	971.8
362.4	28845.2			J	355.0	20.2	1.6	971.8
6763.2	26825.5		Min	I	-1264.7	-6.2	-10.7	-531.5 -
1865.3	-17571.7			J	-1264.7	-6.2	-10.7	-531.5
-904.4	-29728.0							
			G1	I	-2807.5	43.2	-30.0	1113.0 -
5071.5	10679.0			J	-2807.5	43.2	-25.6	1113.0 1
6659.9	-23105.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1789.3	5575.9	G2	I	-1079.5	15.7	-10.3	391.4	-
			J	-1079.5	15.7	-10.3	391.4	
6231.0	-6665.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q5_pc X	I	33.4	-0.5	1.4	-30.7	
169.3	-5042.1		J	33.4	-0.5	1.4	-30.7	
-957.1	-4624.4							
		Q5_pc Y	I	-102.2	1.9	-2.9	80.7	
-325.2	8831.4		J	-102.2	1.9	-2.9	80.7	
1947.1	7344.7							
		Q5_ps X	I	28.0	0.1	1.2	-23.5	
135.4	-5766.0		J	28.0	0.1	1.2	-23.5	
-789.9	-5819.9							
		Q5_ps Y	I	-91.6	0.5	-2.3	63.3	
-250.9	10781.2		J	-91.6	0.5	-2.3	63.3	
1572.8	10402.8							
		INVSLU Max	I	-6005.6	194.3	-57.1	5065.0	-1
0234.1	66564.2		J	-6005.6	194.3	-51.3	5065.0	6
0204.8	-35152.4							
		Min	I	-10568.9	103.4	-101.6	1021.6	-1
7661.1	-92345.5		J	-10568.9	103.4	-95.8	1021.6	3
2058.4	-231676.7							
		INVSLE Max	I	-4546.9	146.4	-43.0	3765.3	-
7707.5	46095.6		J	-4546.9	146.4	-38.7	3765.3	4
4773.8	-31193.0							
		Min	I	-7913.4	79.3	-75.6	780.9	-1
3165.7	-70437.8		J	-7913.4	79.3	-71.3	780.9	2
4184.2	-175787.2							
		83 C1-C2;~1 Max	I	594.2	76.1	64.8	1271.5	1
9567	2		J	594.2	76.1	64.8	1271.5	
6470.0	30659.0							
		Min	I	-2842.4	-14.6	-6.0	-1062.3	-
3182.5	24986.9		J	-2842.4	-14.6	-6.0	-1062.3	-3
1493.0	-80998.6							
		C3-C4;~1 Max	I	676.5	64.2	52.8	1286.0	1
4399.0	-133863.0		J	676.5	64.2	52.8	1286.0	
3313.0	54780.7							
		Min	I	-2668.8	-17.7	-7.1	-1057.1	-
3768.2	50159.3		J	-2668.8	-17.7	-7.1	-1057.1	-2
1790.0	-57537.3							
8211.5	-98404.6							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8521.6	14688.7	C1-C2;~2 Max	I	320.3	38.3	33.1	728.3	
			J	320.3	38.3	33.1	728.3	
1677.6	11019.8							
		Min	I	-1438.8	-7.6	-3.1	-628.3	
-779.1	-42161.4		J	-1438.8	-7.6	-3.1	-628.3	-1
7520.2	-68749.7							
		C3-C4;~2 Max	I	357.7	32.1	26.5	681.4	
6767.4	26823.1		J	357.7	32.1	26.5	681.4	
1928.9	24042.0							
		Min	I	-1357.2	-9.0	-3.6	-566.4	
-905.7	-29729.2		J	-1357.2	-9.0	-3.6	-566.4	-1
4156.3	-49770.7							
		G1	I	-3219.3	71.8	67.3	197.0	1
6664.6	-23113.6		J	-3219.3	71.8	71.6	197.0	-3
7626.8	-79181.3							
		G2	I	-1232.7	26.6	25.7	51.7	
6232.5	-6668.4		J	-1232.7	26.6	25.7	51.7	-1
3819.5	-27444.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	45.7	-0.9	-3.4	11.2	
-957.1	-4624.0		J	45.7	-0.9	-3.4	11.2	
1673.6	-3894.9							
		Q5_pc Y	I	-130.3	3.1	6.9	-23.3	
1947.2	7343.5		J	-130.3	3.1	6.9	-23.3	-
3430.2	4950.9							
		Q5_ps X	I	37.3	-0.3	-2.7	11.8	
-789.9	-5819.5		J	37.3	-0.3	-2.7	11.8	
1353.2	-5616.9							
		Q5_ps Y	I	-112.6	1.5	5.5	-25.6	
1572.8	10401.7		J	-112.6	1.5	5.5	-25.6	-
2714.6	9230.7							
		INVSLU Max	I	-6892.1	298.2	243.3	2224.2	6
0222.2	-35176.9		J	-6892.1	298.2	249.1	2224.2	-7
4787.8	-194143.6							
		Min	I	-11877.1	166.1	133.9	-987.9	3
2066.3	-231697.1		J	-11877.1	166.1	139.7	-987.9	-13
2488.0	-451485.3							
		INVSLE Max	I	-5213.0	224.2	181.1	1638.5	4
4786.7	-31211.2		J	-5213.0	224.2	185.4	1638.5	-5
6338.1	-151545.6							


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4190.1	-175802.6		Min	I	-8888.2	126.8	100.9	-737.7	2	
				J	-8888.2	126.8	105.2	-737.7	-9	
8621.6	-341509.0									
9568	2	83	C1-C2;~1	Max	I	570.2	14.0	5.9	1209.1	
3206.3	28941.4			J	570.2	14.0	5.9	1209.1	1	
6459.9	36131.6									
			Min	I	-2783.2	-78.9	-65.4	-1228.1	-3	
4370.3	-133967.4			J	-2783.2	-78.9	-65.4	-1228.1	-	
1363.2	-79296.2									
			C3-C4;~1	Max	I	649.3	17.3	7.1	1352.1	
3791.1	58897.7			J	649.3	17.3	7.1	1352.1	1	
3295.8	62997.5									
			Min	I	-2601.3	-66.1	-53.3	-1138.3	-2	
8181.4	-99218.4			J	-2601.3	-66.1	-53.3	-1138.3	-	
1756.6	-56638.4									
			C1-C2;~2	Max	I	307.4	7.3	3.1	660.2	
1691.3	13337.9			J	307.4	7.3	3.1	660.2		
8526.4	17537.8									
			Min	I	-1400.4	-39.8	-33.4	-704.5	-1	
7491.3	-68936.9			J	-1400.4	-39.8	-33.4	-704.5		
-697.8	-40809.0									
			C3-C4;~2	Max	I	343.3	8.7	3.6	702.5	
1942.5	29084.7			J	343.3	8.7	3.6	702.5		
6789.6	31084.5									
			Min	I	-1313.3	-33.1	-26.8	-615.8	-1	
4124.5	-50721.0			J	-1313.3	-33.1	-26.8	-615.8		
-861.0	-29029.7									
			G1	I	-3210.2	-75.4	-72.2	52.7	-3	
7657.9	-76350.2			J	-3210.2	-75.4	-67.9	52.7	1	
6508.8	-18032.6									
			G2	I	-1229.2	-27.9	-25.8	51.4	-1	
3832.0	-26252.1			J	-1229.2	-27.9	-25.8	51.4		
6159.9	-4635.0									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	50.0	1.3	3.4	13.6	
1668.6	-3129.4			J	50.0	1.3	3.4	13.6		
-998.2	-4122.6									
			Q5_pc	Y	I	-141.8	-4.3	-7.1	-21.9	-
3416.6	3024.8			J	-141.8	-4.3	-7.1	-21.9		
2060.9	6366.6									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1348.7	-4931.5	Q5_ps X	I	41.3	0.6	2.8	7.5	
			J	41.3	0.6	2.8	7.5	
-825.0	-5370.7							
2702.2	7482.9	Q5_ps Y	I	-123.2	-2.6	-5.7	-8.8	-
			J	-123.2	-2.6	-5.7	-8.8	
1673.5	9512.7							
4796.5	-181999.1	INVS LU Max	I	-6924.3	-176.6	-141.1	1720.7	-7
			J	-6924.3	-176.6	-135.3	1720.7	6
0303.4	-15956.4	Min	I	-11813.3	-314.2	-251.7	-1802.0	-13
2464.2	-447999.9		J	-11813.3	-314.2	-245.9	-1802.0	3
2001.5	-219512.9							
6341.8	-142661.0	INVS LE Max	I	-5239.1	-134.9	-106.3	1245.5	-5
			J	-5239.1	-134.9	-102.1	1245.5	4
4856.1	-16955.1	Min	I	-8841.6	-236.2	-187.3	-1361.0	-9
8603.1	-339281.4		J	-8841.6	-236.2	-183.0	-1361.0	2
4166.4	-166888.7							
9569	2	83 C1-C2;~1 Max	I	528.0	9.9	26.2	795.2	1
6456.2	36136.0		J	528.0	9.9	26.2	795.2	
418.6	42784.5	Min	I	-2404.1	-56.0	-2.3	-1693.5	-
1363.4	-79292.2		J	-2404.1	-56.0	-2.3	-1693.5	-
4183.0	-43437.2							
3290.2	63002.9	C3-C4;~1 Max	I	599.3	14.2	21.3	1013.7	1
			J	599.3	14.2	21.3	1013.7	
528.3	65247.9	Min	I	-2273.2	-45.0	-2.9	-1397.5	-
1755.3	-56635.7		J	-2273.2	-45.0	-2.9	-1397.5	-
3557.8	-31335.3							
8524.5	17540.2	C1-C2;~2 Max	I	283.8	5.0	13.4	471.1	
			J	283.8	5.0	13.4	471.1	
217.0	21195.8	Min	I	-1207.0	-28.4	-1.2	-944.2	
-698.0	-40806.9		J	-1207.0	-28.4	-1.2	-944.2	-
2119.5	-22269.8							
6786.2	31087.2	C3-C4;~2 Max	I	316.3	7.0	10.8	515.9	
			J	316.3	7.0	10.8	515.9	
262.7	32425.9	Min	I	-1145.3	-22.6	-1.4	-769.6	
-860.7	-29028.3		J	-1145.3	-22.6	-1.4	-769.6	-
1804.8	-15963.9							
6506.2	-18023.9	G1	I	-2784.7	-46.9	25.4	-848.9	1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4836.7	18286.4		J	-2784.7	-46.9	29.7	-848.9	-
6159.3	-4631.5	G2	I	-1071.2	-17.1	10.2	-281.7	
1696.0	8560.4		J	-1071.2	-17.1	10.2	-281.7	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-997.9	-4123.0	Q5_pc X	I	44.2	0.8	-1.5	62.0	
200.4	-4724.5		J	44.2	0.8	-1.5	62.0	
2060.4	6367.8	Q5_pc Y	I	-131.8	-2.9	3.2	-147.2	
-409.9	8577.2		J	-131.8	-2.9	3.2	-147.2	
-824.8	-5371.1	Q5_ps X	I	38.1	0.1	-1.3	48.7	
162.7	-5480.0		J	38.1	0.1	-1.3	48.7	
1673.1	9513.8	Q5_ps Y	I	-118.8	-1.3	2.6	-117.1	
-326.8	10544.5		J	-118.8	-1.3	2.6	-117.1	
0289.6	-15930.1	INVSLE Max	I	-6093.7	-111.3	96.7	-656.3	6
0166.8	91929.9		J	-6093.7	-111.3	102.4	-656.3	-1
1995.3	-219490.6	Min	I	-10385.6	-211.1	51.6	-4576.1	3
7264.9	-70234.0		J	-10385.6	-211.1	57.4	-4576.1	-1
4845.5	-16935.5	INVSLE Max	I	-4617.6	-85.5	72.0	-551.9	4
7676.2	65014.2		J	-4617.6	-85.5	76.2	-551.9	-
4161.5	-166871.9	Min	I	-7779.2	-159.0	39.0	-3435.8	2
2879.4	-53963.6		J	-7779.2	-159.0	43.3	-3435.8	-1
9570	2	83 C1-C2;~1 Max	I	540.7	8.8	0.5	631.2	
420.2	42782.1		J	540.7	8.8	0.5	631.2	
1201.1	41517.8		I	-2218.7	-34.0	-6.2	-2213.1	-
4197.9	-43437.4	Min	J	-2218.7	-34.0	-6.2	-2213.1	
-599.1	-22237.6							
531.7	65244.5	C3-C4;~1 Max	I	587.2	17.0	1.0	743.9	
857.9	58062.1		J	587.2	17.0	1.0	743.9	
3570.9	-31335.3	Min	I	-2106.8	-25.3	-4.9	-1824.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-901.3	-17291.1		J	-2106.8	-25.3	-4.9	-1824.3	
217.6	21194.6	C1-C2;~2 Max	I	293.3	4.2	0.2	364.1	
753.3	20962.2		J	293.3	4.2	0.2	364.1	
2127.6	-22269.8	Min	I	-1114.6	-17.3	-3.2	-1184.9	-
-304.1	-11437.4		J	-1114.6	-17.3	-3.2	-1184.9	
264.2	32424.2	C3-C4;~2 Max	I	310.0	8.5	0.5	371.3	
526.6	29372.9		J	310.0	8.5	0.5	371.3	
1811.9	-15963.9	Min	I	-1059.6	-12.8	-2.5	-965.0	-
-461.0	-8748.2		J	-1059.6	-12.8	-2.5	-965.0	
4848.8	18282.9	G1	I	-2553.1	-18.0	-8.0	-1735.6	-
-323.1	32231.6		J	-2553.1	-18.0	-3.7	-1735.6	
1700.2	8558.9	G2	I	-985.2	-5.9	-2.1	-625.3	-
-38.1	13134.8		J	-985.2	-5.9	-2.1	-625.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
201.2	-4724.3	Q5_pc X	I	46.9	0.2	0.3	119.0	
-26.9	-4858.6		J	46.9	0.2	0.3	119.0	
-412.0	8576.8	Q5_pc Y	I	-137.0	-1.1	-0.6	-314.0	
86.7	9423.7		J	-137.0	-1.1	-0.6	-314.0	
163.4	-5479.8	Q5_ps X	I	42.0	-0.4	0.2	100.5	
-16.0	-5175.1		J	42.0	-0.4	0.2	100.5	
-328.6	10544.0	Q5_ps Y	I	-126.3	0.3	-0.5	-271.2	
59.9	10330.7		J	-126.3	0.3	-0.5	-271.2	
0189.1	91918.3	INVSLU Max	I	-5599.1	-36.7	-14.6	-2728.0	-1
990.2	129892.5		J	-5599.1	-36.7	-8.8	-2728.0	
7315.7	-70240.6	Min	I	-9633.6	-107.6	-25.5	-7285.2	-1
2004.1	4525.2		J	-9633.6	-107.6	-19.7	-7285.2	-
		INVSLE Max	I	-4248.4	-29.1	-11.0	-2125.6	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
7693.6	65005.5			J	-4248.4	-29.1	-6.7	-2125.6	
727.9	94505.1								
			Min	I	-7218.7	-81.5	-19.0	-5459.4	-1
2917.6	-53968.5								
				J	-7218.7	-81.5	-14.7	-5459.4	-
1478.5	2896.9								
9571	2	83	C1-C2;~1	Max	I	588.6	18.4	2.0	612.1
1190.5	41519.3								
				J	588.6	18.4	2.0	612.1	
766.3	32531.9								
			Min	I	-2043.4	-22.2	-0.9	-2795.3	
-601.1	-22236.4								
				J	-2043.4	-22.2	-0.9	-2795.3	-
1197.4	-11354.9								
			C3-C4;~1	Max	I	605.4	29.1	1.7	641.8
846.6	58064.0								
				J	605.4	29.1	1.7	641.8	
601.7	38438.2								
			Min	I	-1996.0	-15.1	-1.5	-2395.3	
-901.4	-17290.3								
				J	-1996.0	-15.1	-1.5	-2395.3	-
1138.3	-12034.9								
			C1-C2;~2	Max	I	334.5	8.9	1.0	338.6
748.9	20962.9								
				J	334.5	8.9	1.0	338.6	
504.1	17403.8								
			Min	I	-1032.5	-11.9	-0.4	-1458.2	
-305.2	-11436.7								
				J	-1032.5	-11.9	-0.4	-1458.2	
-630.5	-5776.9								
			C3-C4;~2	Max	I	318.1	14.1	0.9	311.5
520.9	29373.8								
				J	318.1	14.1	0.9	311.5	
384.1	19895.0								
			Min	I	-1003.1	-7.9	-0.8	-1245.1	
-461.3	-8747.8								
				J	-1003.1	-7.9	-0.8	-1245.1	
-628.1	-6136.3								
			G1	I	-2303.2	9.0	-0.9	-2576.9	
-344.1	32234.6								
				J	-2303.2	9.0	3.4	-2576.9	-
1295.9	25282.8								
			G2	I	-892.7	4.5	0.4	-954.8	
-45.8	13135.9								
				J	-892.7	4.5	0.4	-954.8	
-375.9	9626.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	47.7	-0.4	0.0	174.9
-25.5	-4858.7								
				J	47.7	-0.4	0.0	174.9	
-38.3	-4512.4								
			Q5_pc	Y	I	-138.0	0.7	0.0	-480.2
82.8	9423.9								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
71.4	8870.7		J	-138.0	0.7	0.0	-480.2
-14.7	-5175.1	Q5_ps X	I	44.1	-1.0	0.0	152.3
-40.0	-4431.5		J	44.1	-1.0	0.0	152.3
56.5	10330.9	Q5_ps Y	I	-130.1	2.0	-0.0	-426.8
75.2	8811.8		J	-130.1	2.0	-0.0	-426.8
924.9	129903.2	INVSLU Max	I	-5027.4	47.7	3.6	-4466.9
2590.1	96845.7		J	-5027.4	47.7	9.4	-4466.9
2048.1	4534.6	Min	I	-8851.6	-22.7	-1.2	-9971.4
5369.8	12739.7		J	-8851.6	-22.7	4.6	-9971.4
678.9	94513.2	INVSLE Max	I	-3821.4	34.4	2.7	-3451.6
1988.5	70723.6		J	-3821.4	34.4	7.0	-3451.6
1512.3	2904.0	Min	I	-6635.8	-17.7	-0.8	-7464.9
4038.0	9605.6		J	-6635.8	-17.7	3.5	-7464.9
9572	2	83 C1-C2;~1 Max	I	620.9	36.2	0.9	706.4
769.3	32531.1		J	620.9	36.2	0.9	706.4
1202.5	24770.5	Min	I	-1860.6	-18.6	-1.9	-3185.1
1226.6	-11356.3		J	-1860.6	-18.6	-1.9	-3185.1
-485.3	-11572.3						
602.3	38438.2	C3-C4;~1 Max	I	609.2	49.0	0.4	695.6
1346.2	17760.0		J	609.2	49.0	0.4	695.6
1161.1	-12034.7	Min	I	-1776.0	-17.0	-2.2	-2776.7
-240.9	-13992.2		J	-1776.0	-17.0	-2.2	-2776.7
505.3	17403.6	C1-C2;~2 Max	I	361.3	17.8	0.6	394.6
786.1	15814.0		J	361.3	17.8	0.6	394.6
-645.3	-5777.7	Min	I	-948.0	-10.5	-1.1	-1642.7
-273.6	-6094.9		J	-948.0	-10.5	-1.1	-1642.7
383.8	19895.3	C3-C4;~2 Max	I	348.4	24.1	0.2	347.8
908.3	10763.0		J	348.4	24.1	0.2	347.8
-640.4	-6136.1	Min	I	-902.8	-9.7	-1.3	-1428.8
-124.3	-7232.3		J	-902.8	-9.7	-1.3	-1428.8

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1326.9	25279.0	G1	I	-2014.7	34.7	-3.8	-3122.2	-
			J	-2014.7	34.7	0.5	-3122.2	
-26.0	-1592.3							
		G2	I	-784.8	14.5	-0.5	-1169.4	
-387.5	9624.9		J	-784.8	14.5	-0.5	-1169.4	
23.0	-1624.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	42.2	-1.1	-0.1	209.7	
-36.2	-4512.3		J	42.2	-1.1	-0.1	209.7	
11.5	-3692.0							
		Q5_pc Y	I	-129.8	2.5	0.1	-580.0	
65.7	8870.0		J	-129.8	2.5	0.1	-580.0	
-28.4	6952.6							
		Q5_ps X	I	39.4	-1.5	-0.1	185.2	
-38.2	-4431.4		J	39.4	-1.5	-0.1	185.2	
6.4	-3242.2							
		Q5_ps Y	I	-122.9	3.6	0.1	-521.7	
70.1	8811.2		J	-122.9	3.6	0.1	-521.7	
-16.1	5993.6							
		INVS LU Max	I	-4444.9	142.9	-6.0	-5439.3	-
2660.2	96833.7		J	-4444.9	142.9	-0.2	-5439.3	
1490.7	18975.4							
		Min	I	-8028.6	47.2	-10.3	-11736.8	-
5472.9	12729.3		J	-8028.6	47.2	-4.5	-11736.8	-
1032.9	-45868.8							
		INVS LE Max	I	-3388.4	105.8	-4.5	-4194.9	-
2041.4	70714.4		J	-3388.4	105.8	-0.2	-4194.9	
1087.1	13050.1							
		Min	I	-6025.7	35.3	-7.7	-8782.4	-
4116.0	9597.5		J	-6025.7	35.3	-3.4	-8782.4	
-778.5	-34055.6							
9573	2	83 C1-C2;~1 Max	I	688.7	20.6	1.9	1771.3	
1004.9	24814.7		J	688.7	20.6	1.9	1771.3	
1111.7	29508.8							
		Min	I	-1703.9	-35.2	-1.6	-1148.8	
-615.1	-11595.0		J	-1703.9	-35.2	-1.6	-1148.8	
1190.6	-9954.5							
		C3-C4;~1 Max	I	637.5	18.2	2.4	2027.1	
1170.3	17761.4		J	637.5	18.2	2.4	2027.1	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
793.9	26426.3		Min	I	-1633.1	-34.9	-0.8	-1062.8
-320.7	-14015.8			J	-1633.1	-34.9	-0.8	-1062.8
1499.0	-13591.1							-
		C1-C2;~2	Max	I	414.1	12.9	1.0	901.6
686.0	15841.7			J	414.1	12.9	1.0	901.6
698.4	15237.8		Min	I	-880.8	-18.5	-1.0	-693.7
-356.5	-6106.9			J	-880.8	-18.5	-1.0	-693.7
-605.1	-5192.7							
		C3-C4;~2	Max	I	372.5	11.0	1.3	1021.1
810.5	10755.3			J	372.5	11.0	1.3	1021.1
484.7	13377.1		Min	I	-844.3	-18.3	-0.5	-626.5
-170.9	-7245.4			J	-844.3	-18.3	-0.5	-626.5
-753.9	-7111.2							
		G1		I	-1729.5	-32.5	-1.1	1569.9
-341.1	-1561.6			J	-1729.5	-32.5	3.4	1569.9
1303.3	24885.0							-
		G2		I	-675.9	-12.9	0.4	638.8
-99.4	-1611.4			J	-675.9	-12.9	0.4	638.8
-385.2	8924.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	35.4	-0.4	-0.0	-56.2
24.1	-3688.1			J	35.4	-0.4	-0.0	-56.2
29.3	-3353.1							
		Q5_pc	Y	I	-119.8	-0.7	-0.0	327.4
-45.8	6945.2			J	-119.8	-0.7	-0.0	327.4
-26.0	7521.3							
		Q5_ps	X	I	33.1	-0.3	-0.0	-60.4
19.9	-3239.1			J	33.1	-0.3	-0.0	-60.4
38.2	-2960.4							
		Q5_ps	Y	I	-113.4	-0.8	0.0	328.1
-36.5	5988.1			J	-113.4	-0.8	0.0	328.1
-48.8	6635.5							
		INVSLU	Max	I	-3812.6	-69.1	2.6	6839.3
734.3	19095.9			J	-3812.6	-69.1	8.7	6839.3
1342.3	105316.0							-
			Min	I	-7258.1	-145.8	-2.8	1962.5
1758.5	-45826.7			J	-7258.1	-145.8	3.3	1962.5
								-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4919.5	33592.9							
		INVSLE	Max	I	-2919.3	-53.2	2.0	5121.1
530.7	13138.4			J	-2919.3	-53.2	6.5	5121.1
1019.2	78570.0							-
		Min		I	-5455.5	-109.9	-2.1	1552.3
1309.7	-34026.3			J	-5455.5	-109.9	2.4	1552.3
3665.0	26444.6							-
9574	2	83 C1-C2;~1	Max	I	769.8	12.1	1.0	1455.4
1101.5	29514.3			J	769.8	12.1	1.0	1455.4
1021.9	36854.8							-
		Min		I	-1558.5	-14.5	-1.6	-967.2
1172.1	-9954.6			J	-1558.5	-14.5	-1.6	-967.2
-743.9	-13763.6							-
		C3-C4;~1	Max	I	690.7	9.9	0.8	1734.0
784.0	26433.8			J	690.7	9.9	0.8	1734.0
1014.4	35297.1							-
		Min		I	-1504.1	-15.3	-2.3	-912.4
1477.5	-13590.9			J	-1504.1	-15.3	-2.3	-912.4
-714.4	-16781.7							-
		C1-C2;~2	Max	I	473.2	7.8	0.6	740.4
692.3	15240.5			J	473.2	7.8	0.6	740.4
678.0	18604.2							-
		Min		I	-817.5	-7.7	-0.8	-579.2
-595.7	-5192.5			J	-817.5	-7.7	-0.8	-579.2
-397.2	-7453.0							-
		C3-C4;~2	Max	I	412.0	6.1	0.4	876.3
478.9	13381.1			J	412.0	6.1	0.4	876.3
584.7	17892.2							-
		Min		I	-790.1	-8.0	-1.2	-539.5
-743.1	-7110.7			J	-790.1	-8.0	-1.2	-539.5
-393.5	-8857.2							-
		G1		I	-1462.1	-12.5	-3.2	1239.2
1286.5	24893.2			J	-1462.1	-12.5	1.3	1239.2
-539.4	35024.7							-
		G2		I	-571.7	-5.1	-0.4	505.9
-378.4	8927.8			J	-571.7	-5.1	-0.4	505.9
-77.2	13094.8							-
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							-
		Q5_pc	X	I	29.7	-0.8	0.1	-45.7
28.7	-3353.5			J	29.7	-0.8	0.1	-45.7
-17.9	-2705.5							-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-22.5	7522.4	Q5_pc	Y	I	-111.1	0.8	-0.1	256.1	
40.7	6872.1			J	-111.1	0.8	-0.1	256.1	
37.5	-2960.9	Q5_ps	X	I	28.0	-0.7	0.1	-51.1	
-21.8	-2395.4			J	28.0	-0.7	0.1	-51.1	
-45.3	6636.6	Q5_ps	Y	I	-105.6	0.6	-0.1	261.6	
49.8	6136.4			J	-105.6	0.6	-0.1	261.6	
1316.5	105341.4	INVSLU	Max	I	-3183.4	-22.3	-2.8	5471.7	-
-391.0	146779.2			J	-3183.4	-22.3	3.3	5471.7	
4849.8	33609.1		Min	I	-6526.6	-60.8	-7.5	1364.1	-
2848.0	62000.1			J	-6526.6	-60.8	-1.4	1364.1	-
-999.3	78588.8	INVSLE	Max	I	-2451.9	-17.4	-2.1	4088.7	
-339.2	110005.4			J	-2451.9	-17.4	2.5	4088.7	
3612.7	26456.8		Min	I	-4913.5	-45.8	-5.5	1080.2	-
2153.8	48122.3			J	-4913.5	-45.8	-1.0	1080.2	-
9575	2	83 C1-C2;~1	Max	I	839.5	7.4	1.1	918.0	
1020.5	36852.1			J	839.5	7.4	1.1	918.0	
210.9	32553.5		Min	I	-1383.8	-3.1	-0.8	-674.4	
-740.5	-13763.3			J	-1383.8	-3.1	-0.8	-674.4	
-237.5	-12539.9								
1020.7	35294.5	C3-C4;~1	Max	I	742.9	5.1	1.4	1173.2	
168.2	31754.4			J	742.9	5.1	1.4	1173.2	
-713.1	-16781.9		Min	I	-1375.2	-2.6	-0.8	-606.4	
-276.2	-15588.2			J	-1375.2	-2.6	-0.8	-606.4	
676.0	18602.8	C1-C2;~2	Max	I	521.0	4.2	0.7	464.9	
137.6	16449.0			J	521.0	4.2	0.7	464.9	
-395.0	-7452.9		Min	I	-733.8	-1.9	-0.4	-403.7	
-121.4	-6736.8			J	-733.8	-1.9	-0.4	-403.7	
583.9	17890.8	C3-C4;~2	Max	I	448.2	2.5	0.8	595.7	
105.8	16075.4			J	448.2	2.5	0.8	595.7	
			Min	I	-716.6	-1.4	-0.4	-359.9	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-392.2	-8857.5		J	-716.6	-1.4	-0.4	-359.9
-139.8	-8368.9						
		G1	I	-1206.7	4.8	-2.4	735.6
-528.1	35021.6		J	-1206.7	4.8	2.1	735.6
-377.0	31076.0						
		G2	I	-473.7	1.7	0.0	300.0
-72.6	13093.6		J	-473.7	1.7	0.0	300.0
-88.7	11736.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	29.1	-1.2	-0.0	-21.7
-18.3	-2705.4		J	29.1	-1.2	-0.0	-21.7
7.3	-1720.6						
		Q5_pc Y	I	-107.6	2.4	0.1	117.9
42.9	6872.0		J	-107.6	2.4	0.1	117.9
-8.2	4884.7						
		Q5_ps X	I	28.7	-1.1	-0.0	-27.5
-22.3	-2395.4		J	28.7	-1.1	-0.0	-27.5
8.0	-1505.9						
		Q5_ps Y	I	-104.6	2.2	0.1	128.2
52.1	6136.3		J	-104.6	2.2	0.1	128.2
-10.2	4353.8						
		INVSLU Max	I	-2509.3	24.6	-2.4	3311.6
-364.8	146767.2		J	-2509.3	24.6	3.7	3311.6
-486.8	129130.3						
		Min	I	-5704.6	5.9	-5.4	605.2
2819.6	61991.6		J	-5704.6	5.9	0.7	605.2
1159.1	55346.5						
		INVSLE Max	I	-1946.6	18.3	-1.8	2463.5
-319.6	109996.4		J	-1946.6	18.3	2.7	2463.5
-367.2	96850.8						
		Min	I	-4299.1	4.8	-4.1	474.4
2132.2	48115.9		J	-4299.1	4.8	0.4	474.4
-864.2	42847.4						
		69 C1-C2;~1 Max	I	869.8	22.2	0.2	609.6
9576	2		J	869.8	22.2	0.2	609.6
208.9	32549.0						
		Min	I	-1180.9	-12.2	-0.3	-423.2
151.2	20380.5		J	-1180.9	-12.2	-0.3	-423.2
-231.7	-12536.5						
-145.3	-5808.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
166.1	31748.9	C3-C4;~1 Max	I	764.3	21.5	0.1	679.9
			J	764.3	21.5	0.1	679.9
139.9	17445.5	Min	I	-1211.3	-10.7	-0.4	-295.4
-268.1	-15584.9		J	-1211.3	-10.7	-0.4	-295.4
-139.1	-8154.5						
136.6	16446.7	C1-C2;~2 Max	I	541.1	11.7	0.1	348.5
			J	541.1	11.7	0.1	348.5
98.1	11113.3	Min	I	-633.2	-7.4	-0.2	-242.0
-118.5	-6735.0		J	-633.2	-7.4	-0.2	-242.0
-79.9	-2985.3						
104.7	16072.6	C3-C4;~2 Max	I	463.8	11.3	0.1	361.1
			J	463.8	11.3	0.1	361.1
79.1	9202.6	Min	I	-638.9	-6.3	-0.2	-159.5
-135.7	-8366.9		J	-638.9	-6.3	-0.2	-159.5
-78.2	-4243.2						
-372.0	31071.7	G1	I	-933.4	19.2	-1.2	217.4
			J	-933.4	19.2	0.8	217.4
-194.8	15461.5						
		G2	I	-368.9	7.3	-0.1	88.6
-86.7	11734.5		J	-368.9	7.3	-0.1	88.6
-20.7	5775.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
7.2	-1720.3	Q5_pc X	I	27.3	-1.6	0.0	5.0
			J	27.3	-1.6	0.0	5.0
0.1	-400.1						
-7.8	4883.1	Q5_pc Y	I	-99.2	4.1	-0.0	-26.0
			J	-99.2	4.1	-0.0	-26.0
-1.1	1579.6						
7.8	-1505.6	Q5_ps X	I	28.0	-1.5	0.0	-0.2
			J	28.0	-1.5	0.0	-0.2
-0.4	-278.7						
-9.7	4352.3	Q5_ps Y	I	-98.7	3.8	-0.0	-13.0
			J	-98.7	3.8	-0.0	-13.0
0.1	1278.0						
-480.2	129114.6	INVSLU Max	I	-1817.4	91.2	-1.5	1200.2
			J	-1817.4	91.2	1.2	1200.2
-297.7	62879.8						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1138.2	55344.1		Min	I	-4805.5	37.5	-2.2	-335.9	-
				J	-4805.5	37.5	0.5	-335.9	
-700.0	21514.2								
		INVSLE	Max	I	-1424.9	68.5	-1.1	868.8	
-362.3	96839.0			J	-1424.9	68.5	0.9	868.8	
-230.8	46941.6								
			Min	I	-3625.1	29.3	-1.6	-265.5	
-848.7	42845.3			J	-3625.1	29.3	0.4	-265.5	
-528.7	16511.0								
9577	2	69	C1-C2;~1	Max	926.2	36.8	0.2	651.1	
154.6	20380.2			J	926.2	36.8	0.2	651.1	
305.8	21868.9								
			Min	I	-1040.2	-23.2	-0.3	-557.2	
-149.6	-5807.6			J	-1040.2	-23.2	-0.3	-557.2	
-78.1	-18767.0								
		C3-C4;~1	Max	I	829.2	36.8	0.1	600.4	
145.5	17446.3			J	829.2	36.8	0.1	600.4	
336.9	17179.3								
			Min	I	-1065.4	-21.2	-0.4	-501.6	
-142.6	-8151.9			J	-1065.4	-21.2	-0.4	-501.6	
-75.0	-18344.8								
		C1-C2;~2	Max	I	578.5	19.6	0.1	408.8	
100.2	11113.8			J	578.5	19.6	0.1	408.8	
183.0	13707.1								
			Min	I	-566.9	-14.2	-0.2	-300.3	
-82.3	-2984.8			J	-566.9	-14.2	-0.2	-300.3	
-43.7	-10415.9								
		C3-C4;~2	Max	I	509.0	19.1	0.1	347.6	
81.4	9203.8			J	509.0	19.1	0.1	347.6	
191.2	10574.9								
			Min	I	-573.0	-12.7	-0.2	-274.7	
-80.2	-4241.7			J	-573.0	-12.7	-0.2	-274.7	
-37.3	-10155.3								
			G1	I	-670.8	30.2	-1.3	-146.4	
-194.9	15459.7			J	-670.8	30.2	0.7	-146.4	
28.2	-9124.0								
			G2	I	-268.4	11.7	-0.1	-58.1	
-20.7	5774.4			J	-268.4	11.7	-0.1	-58.1	
53.5	-3747.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	22.2	-2.0	0.0	22.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	-400.0		J	22.2	-2.0	0.0	22.7	
-5.8	1221.4							
		Q5_pc	Y	I	-88.7	5.4	-0.0	-111.8
-2.0	1578.6		J	-88.7	5.4	-0.0	-111.8	
12.8	-2854.4							
		Q5_ps	X	I	23.4	-1.9	0.0	18.3
-0.2	-278.6		J	23.4	-1.9	0.0	18.3	
-6.0	1263.9							
		Q5_ps	Y	I	-88.7	5.2	-0.0	-98.2
-0.7	1277.1		J	-88.7	5.2	-0.0	-98.2	
13.4	-2931.6							
		INVSLU	Max	I	-1211.3	149.6	-1.8	213.3
-296.3	62866.8		J	-1211.3	149.6	0.9	213.3	
526.3	-11298.3							
			Min	I	-4059.5	58.8	-2.5	-1619.0
-710.7	21506.9		J	-4059.5	58.8	0.2	-1619.0	
-57.0	-71294.8							
		INVSLE	Max	I	-972.2	112.7	-1.3	105.5
-230.3	46931.5		J	-972.2	112.7	0.7	105.5	
387.4	-9897.3							
			Min	I	-3070.2	46.1	-1.9	-1236.9
-536.9	16505.0		J	-3070.2	46.1	0.1	-1236.9	
-43.0	-53958.6							
		69 C1-C2;~1	Max	I	1016.9	29.9	0.2	887.4
9578	2		J	1016.9	29.9	0.2	887.4	
163.1	21841.5							
			Min	I	-950.9	-24.1	-0.3	-1156.9
214.6	4427.3		J	-950.9	-24.1	-0.3	-1156.9	
-171.2	-18741.9							
			Max	I	920.0	27.1	0.2	910.0
-131.4	-7715.9		J	920.0	27.1	0.2	910.0	
177.0	17101.7							
			Min	I	-968.0	-24.4	-0.3	-1052.2
151.0	3148.7		J	-968.0	-24.4	-0.3	-1052.2	
-210.0	-18318.1							
			Max	I	635.5	18.6	0.1	488.4
-145.7	-9548.6		J	635.5	18.6	0.1	488.4	
106.4	13691.4							
			Min	I	-526.9	-13.4	-0.2	-723.2
135.8	2735.2		J	-526.9	-13.4	-0.2	-723.2	
-94.3	-10402.5							
			Max	I	567.4	16.7	0.1	492.0
-69.4	-4558.1		J	567.4	16.7	0.1	492.0	
115.6	10520.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
93.4	1754.0		J	567.4	16.7	0.1	492.0
		Min	I	-531.8	-13.5	-0.2	-649.5
-111.2	-10141.5		J	-531.8	-13.5	-0.2	-649.5
-74.8	-5476.5						
		G1	I	-437.1	-7.1	-1.1	285.3
-246.1	-9103.6		J	-437.1	-7.1	0.9	285.3
-194.6	-3326.8						
		G2	I	-177.4	-3.0	-0.0	124.0
-55.2	-3739.1		J	-177.4	-3.0	-0.0	124.0
-20.5	-1332.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	17.2	0.4	-0.0	-14.5
2.5	1224.7		J	17.2	0.4	-0.0	-14.5
5.8	886.9						
		Q5_pc Y	I	-80.6	-2.3	0.0	185.1
-0.9	-2856.4		J	-80.6	-2.3	0.0	185.1
-9.6	-971.9						
		Q5_ps X	I	18.5	0.5	-0.0	-16.5
3.7	1266.6		J	18.5	0.5	-0.0	-16.5
6.6	892.6						
		Q5_ps Y	I	-80.4	-2.3	0.0	180.8
-4.0	-2932.5		J	-80.4	-2.3	0.0	180.8
-11.2	-1051.6						
		INVSLU Max	I	-653.1	-5.8	-1.1	3144.2
-195.0	-11206.7		J	-653.1	-5.8	1.6	3144.2
-123.6	2864.8						
		Min	I	-3477.7	-83.3	-1.8	20.7
-721.9	-71135.7		J	-3477.7	-83.3	0.9	20.7
-627.3	-17752.0						
		INVSLE Max	I	-557.9	-6.4	-0.8	2394.7
-143.4	-9827.4		J	-557.9	-6.4	1.2	2394.7
-98.9	2274.0						
		Min	I	-2639.5	-63.5	-1.3	105.7
-533.3	-53838.4		J	-2639.5	-63.5	0.7	105.7
-470.7	-12868.1						
		69 C1-C2;~1 Max	I	1131.0	16.1	0.1	541.8
9579	2		J	1131.0	16.1	0.1	541.8
204.2	4428.7						
		Min	I	-896.3	-11.9	-0.2	-707.7
201.0	11657.5						
-123.3	-7719.5						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-107.8	-17919.6		J	-896.3	-11.9	-0.2	-707.7
141.9	3151.9	C3-C4;~1 Max	I	1018.8	14.1	0.1	571.0
206.5	12309.2		J	1018.8	14.1	0.1	571.0
-137.5	-9550.9	Min	I	-909.3	-12.1	-0.2	-642.8
-113.5	-19519.7		J	-909.3	-12.1	-0.2	-642.8
129.2	2735.5	C1-C2;~2 Max	I	704.3	10.1	0.1	285.8
128.3	6440.1		J	704.3	10.1	0.1	285.8
-65.0	-4560.5	Min	I	-501.9	-6.6	-0.1	-439.5
-59.3	-10919.4		J	-501.9	-6.6	-0.1	-439.5
87.8	1755.1	C3-C4;~2 Max	I	627.1	8.7	0.0	298.9
118.2	6774.3		J	627.1	8.7	0.0	298.9
-70.4	-5478.0	Min	I	-507.0	-6.7	-0.1	-395.8
-62.3	-11602.6		J	-507.0	-6.7	-0.1	-395.8
-191.8	-3322.1	G1	I	-234.9	-3.1	-1.1	207.8
-106.3	-828.0		J	-234.9	-3.1	0.9	207.8
-19.3	-1330.7	G2	I	-97.2	-1.3	-0.0	90.4
11.4	-260.5		J	-97.2	-1.3	-0.0	90.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.7	886.6	Q5_pc X	I	13.4	0.2	0.0	-12.3
-1.6	686.5		J	13.4	0.2	0.0	-12.3
-7.8	-970.5	Q5_pc Y	I	-75.7	-1.2	-0.0	121.1
2.5	46.2		J	-75.7	-1.2	-0.0	121.1
6.4	892.3	Q5_ps X	I	14.9	0.3	0.0	-14.4
-1.9	666.0		J	14.9	0.3	0.0	-14.4
-9.5	-1050.1	Q5_ps Y	I	-75.4	-1.3	-0.0	120.4
3.3	-18.3		J	-75.4	-1.3	-0.0	120.4
		INVSLU Max	I	-118.7	-0.6	-1.3	1959.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-123.0	2881.0			J	-118.7	-0.6	1.4	1959.7
-8.3	32408.3		Min	I	-3009.3	-41.1	-1.8	15.6
-598.3	-17738.3			J	-3009.3	-41.1	0.9	15.6
-444.9	-11796.5							
			INVSLE Max	I	-161.9	-1.5	-1.0	1487.4
-97.6	2286.6			J	-161.9	-1.5	1.0	1487.4
-14.3	24964.2		Min	I	-2292.9	-31.3	-1.3	63.5
-448.7	-12857.6			J	-2292.9	-31.3	0.7	63.5
-337.4	-7688.6							
9580	2	69	C1-C2;~1 Max	I	1244.1	1.8	0.2	318.5
198.8	11655.2			J	1244.1	1.8	0.2	318.5
195.5	11525.1		Min	I	-841.8	-3.0	-0.1	-177.9
-106.4	-17918.3			J	-841.8	-3.0	-0.1	-177.9
-88.5	-17205.4							
			C3-C4;~1 Max	I	1100.8	1.1	0.3	345.8
206.2	12306.9			J	1100.8	1.1	0.3	345.8
148.2	12203.1		Min	I	-858.3	-2.6	-0.1	-139.1
-112.3	-19518.6			J	-858.3	-2.6	-0.1	-139.1
-114.3	-18680.8							
			C1-C2;~2 Max	I	768.6	1.1	0.1	186.4
126.7	6438.8			J	768.6	1.1	0.1	186.4
122.8	6329.1		Min	I	-472.7	-1.9	-0.1	-105.3
-58.4	-10918.6			J	-472.7	-1.9	-0.1	-105.3
-45.1	-10504.9							
			C3-C4;~2 Max	I	674.8	0.6	0.1	189.5
116.9	6773.0			J	674.8	0.6	0.1	189.5
92.6	6663.8		Min	I	-479.5	-1.4	-0.1	-79.2
-61.4	-11601.9			J	-479.5	-1.4	-0.1	-79.2
-58.1	-11122.9							
			G1	I	-81.1	-0.9	-0.9	140.9
-104.5	-829.4			J	-81.1	-0.9	1.1	140.9
-156.7	-60.6							
			G2	I	-37.8	-0.4	0.0	57.0
12.2	-261.1			J	-37.8	-0.4	0.0	57.0
-9.6	66.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-1.7	686.6	Q5_pc X	I	13.2	0.1	-0.0	-7.3
4.2	631.8		J	13.2	0.1	-0.0	-7.3
3.3	45.9	Q5_pc Y	I	-75.4	-0.0	0.0	11.6
-5.8	74.9		J	-75.4	-0.0	0.0	11.6
-2.0	666.1	Q5_ps X	I	15.6	0.1	-0.0	-8.8
5.2	606.3		J	15.6	0.1	-0.0	-8.8
4.0	-18.6	Q5_ps Y	I	-76.8	-0.1	0.0	15.1
-7.9	28.9		J	-76.8	-0.1	0.0	15.1
-0.9	32399.9	INVS LU Max	I	385.1	0.1	-1.0	734.2
-28.4	34104.6		J	385.1	0.1	1.7	734.2
-436.9	-11800.3	Min	I	-2588.8	-6.4	-1.5	6.3
-457.1	-8725.9		J	-2588.8	-6.4	1.2	6.3
-8.7	24957.8	INVS LE Max	I	214.9	0.1	-0.7	538.0
-24.7	26230.3		J	214.9	0.1	1.3	538.0
-331.2	-7691.6	Min	I	-1977.9	-4.8	-1.1	0.4
-341.4	-5411.8		J	-1977.9	-4.8	0.9	0.4
9581	2	69 C1-C2;~1 Max	I	1340.8	11.6	0.1	829.9
199.3	11526.9		J	1340.8	11.6	0.1	829.9
239.0	7073.0	Min	I	-788.8	-19.2	-0.2	-455.1
-90.0	-17207.9		J	-788.8	-19.2	-0.2	-455.1
-116.9	-5092.7						
151.8	12204.9	C3-C4;~1 Max	I	1172.5	11.8	0.1	800.8
202.0	5263.4		J	1172.5	11.8	0.1	800.8
-113.7	-18683.2	Min	I	-807.8	-16.9	-0.2	-451.1
-121.9	-6906.7		J	-807.8	-16.9	-0.2	-451.1
125.4	6330.1	C1-C2;~2 Max	I	820.6	6.5	0.0	516.8
150.1	4157.5		J	820.6	6.5	0.0	516.8
-46.1	-10506.4	Min	I	-443.8	-11.8	-0.1	-258.1
-64.9	-2876.9		J	-443.8	-11.8	-0.1	-258.1

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

94.9	6664.8	C3-C4; ~2	Max	I	715.2	6.6	0.1	496.5
				J	715.2	6.6	0.1	496.5
123.5	3014.6		Min	I	-451.8	-10.3	-0.1	-256.6
-57.8	-11124.3			J	-451.8	-10.3	-0.1	-256.6
-67.4	-3861.0							
		G1		I	60.8	-0.9	-1.1	140.5
-155.3	-61.4			J	60.8	-0.9	0.9	140.5
-96.3	648.2							
		G2		I	16.6	-0.3	-0.0	48.4
-9.1	66.2			J	16.6	-0.3	-0.0	48.4
19.0	290.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	12.8	-0.1	0.0	-1.6
4.2	631.8			J	12.8	-0.1	0.0	-1.6
-0.1	720.5							
		Q5_pc	Y	I	-74.3	1.2	-0.0	-97.6
-6.3	75.1			J	-74.3	1.2	-0.0	-97.6
1.4	-873.8							
		Q5_ps	X	I	16.1	-0.1	0.0	-1.5
5.1	606.3			J	16.1	-0.1	0.0	-1.5
-0.1	722.1							
		Q5_ps	Y	I	-77.3	1.2	-0.0	-91.8
-8.4	29.0			J	-77.3	1.2	-0.0	-91.8
1.7	-919.2							
		INVSLE	Max	I	854.5	31.2	-1.2	774.7
-24.1	34109.0			J	854.5	31.2	1.5	774.7
32.8	15789.1		Min	I	-2179.9	-12.7	-1.7	-1135.7
-457.9	-8727.2			J	-2179.9	-12.7	1.0	-1135.7
-456.8	-4656.5							
		INVSLE	Max	I	567.2	24.0	-0.9	513.7
-21.8	26233.7			J	567.2	24.0	1.1	513.7
14.8	11909.7		Min	I	-1670.5	-8.4	-1.2	-888.4
-342.4	-5412.6			J	-1670.5	-8.4	0.8	-888.4
-347.7	-3118.6							
9582	2	69 C1-C2; ~1	Max	I	1424.9	21.9	0.3	1386.4
251.0	7077.9			J	1424.9	21.9	0.3	1386.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
285.0	30852.4		Min	I	-731.9	-37.5	-0.2	-764.0
-123.5	-5085.5			J	-731.9	-37.5	-0.2	-764.0
-75.5	-16621.5							
		C3-C4;~1	Max	I	1262.5	22.4	0.2	1275.3
213.2	5268.1			J	1262.5	22.4	0.2	1275.3
292.6	25169.1		Min	I	-745.8	-33.2	-0.2	-767.1
-128.4	-6899.3			J	-745.8	-33.2	-0.2	-767.1
-64.4	-16436.6							
		C1-C2;~2	Max	I	868.4	12.4	0.2	859.5
157.6	4161.0			J	868.4	12.4	0.2	859.5
173.5	18646.9		Min	I	-415.0	-22.9	-0.1	-432.5
-68.7	-2872.1			J	-415.0	-22.9	-0.1	-432.5
-42.5	-9427.2							
		C3-C4;~2	Max	I	768.7	12.6	0.1	785.9
130.5	3018.0			J	768.7	12.6	0.1	785.9
183.5	15169.9		Min	I	-421.5	-20.3	-0.1	-431.3
-71.2	-3856.3			J	-421.5	-20.3	-0.1	-431.3
-32.6	-9316.1							
		G1		I	231.4	-2.5	-1.1	163.5
-94.5	651.8			J	231.4	-2.5	0.9	163.5
6.7	2720.9							
		G2		I	82.0	-0.8	-0.0	52.0
19.6	292.1			J	82.0	-0.8	-0.0	52.0
43.9	961.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	9.5	-0.3	0.0	3.6
-0.1	720.4			J	9.5	-0.3	0.0	3.6
-2.6	946.7							
		Q5_pc	Y	I	-68.6	2.2	-0.0	-164.9
-0.1	-874.7			J	-68.6	2.2	-0.0	-164.9
3.9	-2694.1							
		Q5_ps	X	I	12.9	-0.4	0.0	5.3
-0.1	722.1			J	12.9	-0.4	0.0	5.3
-2.8	1016.0							
		Q5_ps	Y	I	-71.5	2.3	-0.0	-159.0
0.2	-920.0			J	-71.5	2.3	-0.0	-159.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4.6	-2776.3							
		INVSLE Max	I	1336.6	58.3	-1.5	1163.0	
40.1	15791.5		J	1336.6	58.3	1.2	1163.0	
500.7	28337.3							
		Min	I	-1717.3	-26.5	-2.2	-2040.9	
-472.3	-4652.3		J	-1717.3	-26.5	0.5	-2040.9	
-3.4	-40601.9							
		INVSLE Max	I	928.6	44.7	-1.1	765.5	
19.5	11910.8		J	928.6	44.7	0.9	765.5	
374.0	19689.3							
		Min	I	-1324.5	-17.8	-1.6	-1585.9	
-360.0	-3116.2		J	-1324.5	-17.8	0.4	-1585.9	
1.1	-31017.6							
		69 C1-C2;~1 Max	I	1533.6	44.1	0.1	868.3	
9583	2		J	1533.6	44.1	0.1	868.3	
184.3	30782.9							
		Min	I	-715.0	-20.3	-0.3	-2053.7	
222.6	4826.9		J	-715.0	-20.3	-0.3	-2053.7	
-108.8	-16591.7							
		C3-C4;~1 Max	I	1376.6	39.8	0.2	883.6	
-73.6	-9625.1		J	1376.6	39.8	0.2	883.6	
195.3	25124.8							
		Min	I	-729.4	-20.7	-0.2	-1861.8	
157.8	2447.8		J	-729.4	-20.7	-0.2	-1861.8	
-145.8	-16405.9							
		C1-C2;~2 Max	I	926.0	26.4	0.1	488.8	
-82.6	-12156.3		J	926.0	26.4	0.1	488.8	
120.1	18608.7							
		Min	I	-403.8	-11.4	-0.2	-1229.4	
136.3	3040.1		J	-403.8	-11.4	-0.2	-1229.4	
-57.0	-9410.7							
		C3-C4;~2 Max	I	830.1	23.8	0.1	495.8	
-39.9	-5386.0		J	830.1	23.8	0.1	495.8	
128.1	15148.1							
		Min	I	-411.0	-11.6	-0.1	-1113.8	
96.0	1393.5		J	-411.0	-11.6	-0.1	-1113.8	
-75.1	-9299.0							
		G1	I	395.7	12.9	-1.1	-697.6	
-43.7	-6689.6		J	395.7	12.9	0.9	-697.6	
-181.0	2690.8							
		G2	I	147.1	4.9	-0.1	-259.9	
-98.5	-7831.6		J	147.1	4.9	-0.1	-259.9	
-31.1	949.6							
17.6	-3063.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	5.5	0.1	0.0
4.6	947.6			J	5.5	0.1	0.0
2.6	835.3						
			Q5_pc Y	I	-63.5	-2.0	0.0
-3.2	-2700.6			J	-63.5	-2.0	0.0
-6.7	-1068.6						
			Q5_ps X	I	8.7	0.2	0.0
5.9	1016.5			J	8.7	0.2	0.0
3.5	841.6						
			Q5_ps Y	I	-65.4	-2.0	0.0
-6.2	-2782.0			J	-65.4	-2.0	0.0
-8.1	-1142.4						
			INVSLE Max	I	1840.8	56.7	-1.4
-104.5	28425.7			J	1840.8	56.7	1.3
180.1	-4284.4		Min	I	-1328.5	-34.5	-2.0
-573.4	-40391.2			J	-1328.5	-34.5	0.7
-243.9	-29135.1						
			INVSLE Max	I	1305.9	40.3	-1.1
-80.1	19764.8			J	1305.9	40.3	0.9
132.9	-3120.0		Min	I	-1033.2	-26.9	-1.5
-426.8	-30850.6			J	-1033.2	-26.9	0.5
-180.3	-21385.4						
		69	C1-C2;~1 Max	I	1635.5	22.3	0.1
9584	2			J	1635.5	22.3	0.1
204.0	4822.3						
			Min	I	-720.8	-10.2	-0.1
205.6	8753.8			J	-720.8	-10.2	-0.1
-66.6	-9630.8						
-77.8	-24130.3						
			C3-C4;~1 Max	I	1477.7	19.8	0.1
141.4	2444.5			J	1477.7	19.8	0.1
212.2	9320.1		Min	I	-741.4	-10.3	-0.2
-76.1	-12160.9			J	-741.4	-10.3	-0.2
-83.5	-26726.3						
			C1-C2;~2 Max	I	975.1	13.4	0.1
125.0	3037.3			J	975.1	13.4	0.1
126.2	4805.3		Min	I	-402.4	-5.7	-0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-35.8	-5390.0			J	-402.4	-5.7	-0.1	-740.7
-41.2	-14376.0							
86.1	1391.3	C3-C4;~2	Max	I	879.6	11.9	0.0	285.1
118.9	5109.7			J	879.6	11.9	0.0	285.1
-39.7	-6692.8		Min	I	-412.4	-5.8	-0.1	-663.5
-43.9	-15433.1			J	-412.4	-5.8	-0.1	-663.5
-105.1	-7833.5		G1	I	535.5	6.1	-1.1	-396.7
-51.4	-12770.9			J	535.5	6.1	0.9	-396.7
15.2	-3063.7		G2	I	204.3	2.3	-0.0	-145.2
33.4	-4950.7			J	204.3	2.3	-0.0	-145.2
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
2.7	835.2	Q5_pc	X	I	2.1	0.1	0.0	1.5
-1.4	739.3			J	2.1	0.1	0.0	1.5
-5.5	-1067.5	Q5_pc	Y	I	-60.5	-1.1	-0.0	78.4
0.1	-132.8			J	-60.5	-1.1	-0.0	78.4
3.5	841.5	Q5_ps	X	I	5.1	0.2	0.0	-2.3
-1.6	712.9			J	5.1	0.2	0.0	-2.3
-6.9	-1141.3	Q5_ps	Y	I	-61.5	-1.2	-0.0	80.4
0.8	-202.3			J	-61.5	-1.2	-0.0	80.4
164.3	-4284.0	INVSLU	Max	I	2297.2	28.4	-1.3	1497.2
219.6	3776.5			J	2297.2	28.4	1.4	1497.2
-223.7	-29132.8		Min	I	-1020.5	-17.8	-1.7	-991.1
-182.3	-46216.9			J	-1020.5	-17.8	1.0	-991.1
122.6	-3119.0	INVSLE	Max	I	1647.5	20.2	-0.9	1187.8
161.6	3477.7			J	1647.5	20.2	1.1	1187.8
-164.1	-21383.2		Min	I	-802.0	-13.8	-1.2	-645.0
-135.9	-33455.9			J	-802.0	-13.8	0.8	-645.0


MIDAS

PROJECT TITLE :

	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9585	2	69	C1-C2;~1	Max	I	1706.7	1.8	0.2	192.4
199.1	8752.1				J	1706.7	1.8	0.2	192.4
161.8	8791.9								
-75.3	-24127.4		Min		I	-691.3	-3.7	-0.1	-130.3
-47.8	-22607.7				J	-691.3	-3.7	-0.1	-130.3
			C3-C4;~1	Max	I	1527.4	1.2	0.2	245.2
207.5	9318.5				J	1527.4	1.2	0.2	245.2
124.2	9246.7								
-81.0	-26724.0		Min		I	-713.3	-3.3	-0.1	-105.6
-64.6	-25006.2				J	-713.3	-3.3	-0.1	-105.6
			C1-C2;~2	Max	I	1011.8	1.1	0.1	108.0
122.3	4804.3				J	1011.8	1.1	0.1	108.0
99.9	4893.0								
-39.7	-14374.3		Min		I	-383.9	-2.1	-0.0	-72.8
-24.4	-13588.6				J	-383.9	-2.1	-0.0	-72.8
			C3-C4;~2	Max	I	905.6	0.7	0.1	133.3
115.4	5108.8				J	905.6	0.7	0.1	133.3
77.1	5141.9								
-42.4	-15431.8		Min		I	-394.5	-1.9	-0.0	-58.8
-33.1	-14578.3				J	-394.5	-1.9	-0.0	-58.8
			G1		I	622.0	-2.3	-0.9	81.5
-53.3	-12770.2				J	622.0	-2.3	1.1	81.5
-111.9	-10866.1								
			G2		I	238.6	-0.9	0.0	34.9
32.7	-4950.4				J	238.6	-0.9	0.0	34.9
8.9	-4220.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	1.6	0.1	-0.0	-4.8
-1.4	739.3				J	1.6	0.1	-0.0	-4.8
2.5	649.1								
			Q5_pc	Y	I	-61.2	-0.2	0.0	4.7
0.6	-133.0				J	-61.2	-0.2	0.0	4.7
-6.6	32.1								
			Q5_ps	X	I	5.1	0.1	-0.0	-6.4
-1.7	712.9				J	5.1	0.1	-0.0	-6.4
3.2	627.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.3	-202.5	Q5_ps Y	I	-63.0	-0.2	0.0	8.2
-7.8	-43.5		J	-63.0	-0.2	0.0	8.2
218.7	3773.5	INVS LU Max	I	2655.4	-1.2	-1.0	584.0
143.6	6695.5		J	2655.4	-1.2	1.7	584.0
-173.4	-46214.5	Min	I	-721.8	-9.0	-1.5	68.5
-173.8	-40714.3		J	-721.8	-9.0	1.2	68.5
161.5	3475.4	INVS LE Max	I	1918.2	-0.9	-0.8	433.7
110.4	5610.6		J	1918.2	-0.9	1.2	433.7
-128.8	-33454.2	Min	I	-575.2	-6.6	-1.1	52.5
-123.9	-29421.2		J	-575.2	-6.6	0.9	52.5
9586	2	69 C1-C2;~1 Max	I	1770.4	9.8	0.1	1407.2
168.4	8793.8		J	1770.4	9.8	0.1	1407.2
224.6	6202.9	Min	I	-665.3	-27.3	-0.2	-561.6
-49.1	-22612.7		J	-665.3	-27.3	-0.2	-561.6
-77.3	-5252.9						
130.1	9248.7	C3-C4;~1 Max	I	1575.9	10.3	0.1	1317.3
191.5	4222.0		J	1575.9	10.3	0.1	1317.3
-63.1	-25010.5	Min	I	-688.9	-24.4	-0.2	-584.1
-82.5	-7623.4		J	-688.9	-24.4	-0.2	-584.1
104.0	4894.1	C1-C2;~2 Max	I	1044.4	5.3	0.0	826.7
135.7	3688.5		J	1044.4	5.3	0.0	826.7
-25.4	-13591.4	Min	I	-367.5	-16.0	-0.1	-306.6
-41.0	-2954.0		J	-367.5	-16.0	-0.1	-306.6
80.8	5142.9	C3-C4;~2 Max	I	931.3	5.6	0.0	773.2
113.7	2445.9		J	931.3	5.6	0.0	773.2
-32.3	-14580.7	Min	I	-378.6	-14.3	-0.1	-316.7
-43.4	-4240.1		J	-378.6	-14.3	-0.1	-316.7
-108.0	-10868.6	G1	I	699.6	-12.1	-1.1	622.4
-46.9	-1056.3		J	699.6	-12.1	0.9	622.4
10.4	-4221.7	G2	I	268.3	-4.6	-0.0	238.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
39.1	-462.6		J	268.3	-4.6	-0.0	238.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.4	649.1	Q5_pc X	I	1.3	0.1	0.0	-10.2
-0.9	562.8		J	1.3	0.1	0.0	-10.2
-6.9	32.2	Q5_pc Y	I	-61.0	0.7	-0.0	-67.6
-0.8	-576.5		J	-61.0	0.7	-0.0	-67.6
3.1	627.2	Q5_ps X	I	5.3	0.0	0.0	-8.6
-1.0	589.9		J	5.3	0.0	0.0	-8.6
-8.1	-43.4	Q5_ps Y	I	-63.6	0.8	-0.0	-64.4
-0.3	-680.3		J	-63.6	0.8	-0.0	-64.4
152.7	6697.3	INVS LU Max	I	2977.3	6.5	-1.3	1770.4
283.1	9075.6		J	2977.3	6.5	1.4	1770.4
-172.2	-40721.1	Min	I	-452.6	-45.6	-1.7	-1039.6
-133.1	-10627.7		J	-452.6	-45.6	1.0	-1039.6
116.6	5612.1	INVS LE Max	I	2161.5	5.5	-1.0	1222.3
209.8	6738.9		J	2161.5	5.5	1.0	1222.3
-123.2	-29426.0	Min	I	-371.0	-32.9	-1.3	-850.2
-98.3	-7779.2		J	-371.0	-32.9	0.7	-850.2
9587	2	69 C1-C2;~1 Max	I	1854.0	18.6	0.3	2338.9
246.2	6210.2		J	1854.0	18.6	0.3	2338.9
209.7	42197.2		I	-663.2	-51.4	-0.1	-900.9
-85.8	-5242.7	Min	I	-663.2	-51.4	-0.1	-900.9
-75.7	-14436.5		J	-663.2	-51.4	-0.1	-900.9
211.0	4228.3	C3-C4;~1 Max	I	1670.1	19.4	0.1	2137.4
220.6	35561.0		J	1670.1	19.4	0.1	2137.4
-91.3	-7612.6	Min	I	-691.9	-46.0	-0.1	-932.4
-54.1	-15046.2		J	-691.9	-46.0	-0.1	-932.4
148.4	3692.7	C1-C2;~2 Max	I	1088.2	10.2	0.2	1375.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
127.7	24546.9		J	1088.2	10.2	0.2	1375.8
		Min	I	-361.8	-30.1	-0.1	-495.3
-45.6	-2947.4		J	-361.8	-30.1	-0.1	-495.3
-41.3	-7811.1						
		C3-C4;~2 Max	I	982.2	10.6	0.1	1257.7
125.1	2449.8		J	982.2	10.6	0.1	1257.7
139.3	20652.2	Min	I	-375.1	-27.1	-0.1	-509.6
-48.2	-4233.3		J	-375.1	-27.1	-0.1	-509.6
-27.7	-8067.6						
		G1	I	800.2	-22.0	-1.0	999.8
-37.5	-1047.2		J	800.2	-22.0	1.0	999.8
-44.0	16864.1						
		G2	I	306.2	-8.4	0.0	381.0
42.7	-459.1		J	306.2	-8.4	0.0	381.0
23.6	6403.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.0	0.1	0.0	-12.1
-1.0	562.7		J	-1.0	0.1	0.0	-12.1
-1.7	484.9						
		Q5_pc Y	I	-56.2	1.6	-0.0	-112.6
-1.9	-577.1		J	-56.2	1.6	-0.0	-112.6
2.6	-1874.2						
		Q5_ps X	I	3.0	-0.0	0.0	-8.0
-1.1	589.7		J	3.0	-0.0	0.0	-8.0
-1.8	607.3						
		Q5_ps Y	I	-58.6	1.7	-0.0	-110.5
-1.4	-680.8		J	-58.6	1.7	-0.0	-110.5
2.9	-2036.9						
		INVSLU Max	I	3329.7	12.0	-1.2	2907.4
309.8	9086.0		J	3329.7	12.0	1.5	2907.4
415.1	71596.6	Min	I	-208.5	-86.5	-1.7	-1711.5
-149.2	-10613.5		J	-208.5	-86.5	1.0	-1711.5
10.2	-9055.6						
		INVSLE Max	I	2425.9	10.1	-0.9	2010.2
228.3	6745.6		J	2425.9	10.1	1.1	2010.2
316.1	51853.4	Min	I	-187.5	-62.6	-1.3	-1396.1
-111.4	-7769.6						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
16.6	-7639.1			J	-187.5	-62.6	0.7	-1396.1	
9588	2	69	C1-C2;~1	Max	I	1965.0	58.1	0.1	918.3
120.3	42170.5				J	1965.0	58.1	0.1	918.3
271.4	5090.5			Min	I	-678.4	-19.6	-0.4	-2788.1
-118.5	-14438.8				J	-678.4	-19.6	-0.4	-2788.1
-62.2	-8811.8								
			C3-C4;~1	Max	I	1785.9	52.9	0.1	968.0
137.8	35522.9				J	1785.9	52.9	0.1	968.0
206.3	2874.9			Min	I	-713.8	-20.7	-0.3	-2535.1
-135.6	-15047.7				J	-713.8	-20.7	-0.3	-2535.1
-66.1	-11833.0								
			C1-C2;~2	Max	I	1147.1	33.8	0.1	490.5
75.8	24531.0				J	1147.1	33.8	0.1	490.5
162.7	3112.4			Min	I	-365.0	-10.5	-0.2	-1619.1
-68.4	-7813.1				J	-365.0	-10.5	-0.2	-1619.1
-33.9	-4914.2								
			C3-C4;~2	Max	I	1044.2	30.8	0.1	512.5
88.2	20626.9				J	1044.2	30.8	0.1	512.5
124.2	1578.9			Min	I	-381.1	-11.0	-0.2	-1475.2
-73.4	-8069.2				J	-381.1	-11.0	-0.2	-1475.2
-35.7	-6495.5								
			G1		I	911.2	28.0	-1.2	-1378.8
-179.5	16847.0				J	911.2	28.0	0.8	-1378.8
-32.7	-5957.0								
			G2		I	350.1	10.8	-0.1	-528.3
-30.7	6397.4				J	350.1	10.8	-0.1	-528.3
44.0	-2414.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-3.9	-0.2	0.0	20.1
3.7	485.5				J	-3.9	-0.2	0.0	20.1
1.2	647.7								
			Q5_pc	Y	I	-51.0	-1.4	0.0	81.4
-6.1	-1877.4				J	-51.0	-1.4	0.0	81.4
-6.6	-753.0								
			Q5_ps	X	I	-0.0	-0.1	0.0	13.8
4.6	607.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.0	679.9		J	-0.0	-0.1	0.0	13.8
-8.0	-2039.6	Q5_ps Y	I	-52.8	-1.4	-0.0	83.3
-7.5	-879.1		J	-52.8	-1.4	-0.0	83.3
15.0	71644.9	INVS LU Max	I	3694.5	106.8	-1.5	1811.3
414.7	-1529.9		J	3694.5	106.8	1.3	1811.3
-364.9	-8978.9	Min	I	-13.6	-2.1	-2.2	-3405.9
-52.8	-25732.2		J	-13.6	-2.1	0.5	-3405.9
21.4	51889.9	INVS LE Max	I	2696.3	77.7	-1.1	1486.7
307.0	-1122.3		J	2696.3	77.7	0.9	1486.7
-259.2	-7581.1	Min	I	-43.6	-2.8	-1.6	-2367.0
-38.5	-18949.5		J	-43.6	-2.8	0.4	-2367.0
9589	2	69 C1-C2;~1 Max	I	2094.8	30.5	0.1	508.1
245.8	5086.3		J	2094.8	30.5	0.1	508.1
213.6	9832.3	Min	I	-701.6	-10.1	-0.1	-1598.1
-54.1	-8825.4		J	-701.6	-10.1	-0.1	-1598.1
-68.6	-30193.1						
183.3	2872.2	C3-C4;~1 Max	I	1907.1	27.6	0.1	533.4
199.5	10567.3		J	1907.1	27.6	0.1	533.4
-57.9	-11846.7	Min	I	-743.3	-10.6	-0.1	-1437.6
-73.9	-33452.8		J	-743.3	-10.6	-0.1	-1437.6
147.8	3109.2	C1-C2;~2 Max	I	1216.7	17.8	0.1	273.1
131.3	5166.9		J	1216.7	17.8	0.1	273.1
-29.5	-4922.3	Min	I	-373.1	-5.4	-0.0	-930.0
-35.5	-17617.6		J	-373.1	-5.4	-0.0	-930.0
110.7	1576.4	C3-C4;~2 Max	I	1109.2	16.1	0.1	284.4
120.8	5510.4		J	1109.2	16.1	0.1	284.4
-31.3	-6503.6	Min	I	-391.8	-5.6	-0.1	-840.0
-37.8	-18968.0		J	-391.8	-5.6	-0.1	-840.0
-45.5	-5965.0	G1	I	1020.3	14.6	-1.0	-776.5
-47.3	-17829.1		J	1020.3	14.6	1.0	-776.5

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

39.1	-2417.8	G2	I	395.1	5.6	0.0	-296.8
34.9	-6998.6		J	395.1	5.6	0.0	-296.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.4	647.7	Q5_pc X	I	-6.5	-0.1	0.0	10.5
-1.1	730.9		J	-6.5	-0.1	0.0	10.5
-5.9	-752.3	Q5_pc Y	I	-47.3	-0.7	-0.0	50.9
0.1	-154.2		J	-47.3	-0.7	-0.0	50.9
2.1	679.9	Q5_ps X	I	-2.7	-0.0	0.0	6.3
-1.3	712.6		J	-2.7	-0.0	0.0	6.3
-6.7	-878.3	Q5_ps Y	I	-48.7	-0.8	-0.0	52.9
0.6	-254.5		J	-48.7	-0.8	-0.0	52.9
384.2	-1532.7	INVSLU Max	I	4053.9	55.2	-1.1	1151.3
299.2	-5019.1		J	4053.9	55.2	1.6	1151.3
-36.4	-25746.4	Min	I	137.4	-1.7	-1.5	-1817.7
-90.9	-65762.0		J	137.4	-1.7	1.2	-1817.7
285.8	-1123.4	INVSLE Max	I	2960.4	40.1	-0.8	939.2
222.9	-3079.7		J	2960.4	40.1	1.2	939.2
-24.9	-18959.1	Min	I	65.6	-1.9	-1.1	-1253.3
-65.9	-47977.0		J	65.6	-1.9	0.9	-1253.3
9590	2	69 C1-C2;~1 Max	I	2194.0	1.8	0.1	226.6
207.2	9823.2		J	2194.0	1.8	0.1	226.6
183.2	9694.5	Min	I	-702.6	-2.6	-0.1	-90.8
-66.6	-30166.4		J	-702.6	-2.6	-0.1	-90.8
-34.7	-29464.7	C3-C4;~1 Max	I	1985.7	1.3	0.2	251.4
193.9	10557.7		J	1985.7	1.3	0.2	251.4
145.5	10353.1	Min	I	-746.8	-2.2	-0.1	-92.0
-71.8	-33428.5		J	-746.8	-2.2	-0.1	-92.0
-41.5	-32553.9						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

127.5	5162.1	C1-C2; ~2	Max	I	1271.2	1.1	0.1	131.4
				J	1271.2	1.1	0.1	131.4
113.1	5141.3		Min	I	-371.3	-1.5	-0.1	-44.8
-34.4	-17602.2			J	-371.3	-1.5	-0.1	-44.8
-18.5	-17266.5							
		C3-C4; ~2	Max	I	1153.0	0.8	0.1	139.8
117.5	5505.3			J	1153.0	0.8	0.1	139.8
90.9	5450.2		Min	I	-391.0	-1.3	-0.1	-46.1
-36.7	-18954.2			J	-391.0	-1.3	-0.1	-46.1
-21.4	-18545.7							
		G1		I	1091.6	-0.9	-1.0	98.9
-50.6	-17815.7			J	1091.6	-0.9	1.0	98.9
-76.0	-17089.0							
		G2		I	423.4	-0.4	0.0	38.6
33.7	-6993.5			J	423.4	-0.4	0.0	38.6
23.1	-6699.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-7.0	0.0	-0.0	-3.7
-1.1	730.7			J	-7.0	0.0	-0.0	-3.7
1.9	716.6							
		Q5_pc	Y	I	-47.5	-0.0	0.0	3.5
0.3	-155.0			J	-47.5	-0.0	0.0	3.5
-5.1	-138.5							
		Q5_ps	X	I	-2.7	0.0	-0.0	-4.2
-1.3	712.4			J	-2.7	0.0	-0.0	-4.2
2.5	696.1							
		Q5_ps	Y	I	-49.4	-0.0	0.0	4.8
0.9	-255.3			J	-49.4	-0.0	0.0	4.8
-5.9	-231.3							
		INVSLU	Max	I	4337.5	0.4	-1.1	470.6
293.4	-5036.7			J	4337.5	0.4	1.6	470.6
296.2	-3747.9		Min	I	281.9	-5.4	-1.6	0.5
-85.2	-65733.5			J	281.9	-5.4	1.1	0.5
-16.4	-62962.2							
		INVSLE	Max	I	3170.2	0.3	-0.8	341.1
219.0	-3094.3			J	3170.2	0.3	1.2	341.1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
224.0	-2112.7		Min	I	172.4	-4.1	-1.2	-6.7	
-61.3	-47957.4			J	172.4	-4.1	0.8	-6.7	
-6.8	-45879.6								
9591	2	69	C1-C2;~1	Max	I	2252.5	10.0	0.1	1770.1
192.0	9696.3				J	2252.5	10.0	0.1	1770.1
274.6	5021.0		Min	I	-694.8	-32.3	-0.2	-574.8	
-36.0	-29470.3			J	-694.8	-32.3	-0.2	-574.8	
-76.7	-6865.5								
153.4	10355.0		C3-C4;~1	Max	I	2034.2	10.7	0.1	1647.0
231.3	2999.9			J	2034.2	10.7	0.1	1647.0	
-42.1	-32559.0		Min	I	-741.0	-29.2	-0.2	-614.7	
-83.3	-9691.0			J	-741.0	-29.2	-0.2	-614.7	
118.4	5142.2		C1-C2;~2	Max	I	1302.2	5.2	0.0	1020.3
163.5	3015.5			J	1302.2	5.2	0.0	1020.3	
-19.5	-17269.7		Min	I	-364.8	-18.6	-0.1	-299.2	
-39.1	-3958.1			J	-364.8	-18.6	-0.1	-299.2	
95.7	5451.2		C3-C4;~2	Max	I	1179.4	5.5	0.0	950.4
136.3	1726.7			J	1179.4	5.5	0.0	950.4	
-22.1	-18548.5		Min	I	-385.3	-16.9	-0.1	-316.5	
-42.0	-5477.6			J	-385.3	-16.9	-0.1	-316.5	
-70.3	-17092.2		G1	I	1141.7	-16.7	-1.1	937.5	
-13.4	-3499.6			J	1141.7	-16.7	0.9	937.5	
25.3	-6700.3		G2	I	442.6	-6.5	-0.0	360.5	
52.7	-1420.2			J	442.6	-6.5	-0.0	360.5	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
1.8	716.6		Q5_pc	X	I	-7.3	0.1	0.0	-16.6
-0.8	604.7			J	-7.3	0.1	0.0	-16.6	
-5.3	-138.4		Q5_pc	Y	I	-46.7	0.7	-0.0	-40.6
-0.5	-680.6			J	-46.7	0.7	-0.0	-40.6	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2.4	696.1	Q5_ps X	I	-2.7	0.1	0.0	-13.4
-0.8	633.8		J	-2.7	0.1	0.0	-13.4
-6.1	-231.2	Q5_ps Y	I	-49.2	0.7	-0.0	-40.5
-0.4	-790.3		J	-49.2	0.7	-0.0	-40.5
308.2	-3746.5	INVS LU Max	I	4552.4	-3.6	-1.3	2352.8
496.3	4257.6		J	4552.4	-3.6	1.4	2352.8
-17.5	-62970.3	Min	I	427.0	-63.0	-1.7	-939.8
11.5	-16828.7		J	427.0	-63.0	1.0	-939.8
232.3	-2111.4	INVS LE Max	I	3331.0	-2.1	-1.0	1643.2
369.1	3278.0		J	3331.0	-2.1	1.0	1643.2
-8.2	-45885.4	Min	I	281.4	-45.9	-1.3	-790.4
10.2	-12250.7		J	281.4	-45.9	0.7	-790.4
9592	2	69 C1-C2;~1 Max	I	2298.7	19.3	0.3	2908.3
302.1	5027.4		J	2298.7	19.3	0.3	2908.3
210.1	48444.0	Min	I	-692.0	-62.7	-0.1	-921.8
-85.5	-6854.9		J	-692.0	-62.7	-0.1	-921.8
-78.8	-14177.6						
256.5	3005.2	C3-C4;~1 Max	I	2090.4	20.7	0.2	2664.1
224.8	41162.9		J	2090.4	20.7	0.2	2664.1
-92.7	-9679.4	Min	I	-742.4	-56.8	-0.1	-983.3
-60.5	-15222.8		J	-742.4	-56.8	-0.1	-983.3
179.3	3019.4	C1-C2;~2 Max	I	1326.8	10.1	0.2	1677.0
130.9	27717.4		J	1326.8	10.1	0.2	1677.0
-43.7	-3951.4	Min	I	-359.1	-36.1	-0.1	-482.0
-42.2	-7313.6		J	-359.1	-36.1	-0.1	-482.0
150.8	1730.2	C3-C4;~2 Max	I	1210.1	10.7	0.1	1538.2
143.9	23568.7		J	1210.1	10.7	0.1	1538.2
-46.8	-5470.4	Min	I	-381.2	-32.8	-0.1	-508.8
-30.4	-7760.2		J	-381.2	-32.8	-0.1	-508.8
		G1	I	1189.6	-32.4	-0.9	1524.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.0	-3490.1		J	1189.6	-32.4	1.1	1524.6
-63.4	22851.8						
		G2	I	459.9	-12.6	0.1	586.7
58.2	-1416.5		J	459.9	-12.6	0.1	586.7
14.9	8803.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-9.0	0.2	0.0	-24.4
-1.1	604.5		J	-9.0	0.2	0.0	-24.4
-1.3	402.5						
		Q5_pc Y	I	-42.1	1.3	-0.0	-70.4
-1.2	-680.9		J	-42.1	1.3	-0.0	-70.4
3.5	-1739.0						
		Q5_ps X	I	-4.3	0.1	0.0	-18.6
-0.9	633.7		J	-4.3	0.1	0.0	-18.6
-1.1	534.1						
		Q5_ps Y	I	-44.6	1.4	-0.0	-71.4
-1.0	-790.6		J	-44.6	1.4	-0.0	-71.4
3.0	-1893.9						
		INVSLE Max	I	4741.8	-8.7	-0.9	3937.0
532.8	4268.1		J	4741.8	-8.7	1.8	3937.0
400.8	94585.6						
		Min	I	560.6	-123.6	-1.5	-1443.5
-2.3	-16811.8		J	560.6	-123.6	1.2	-1443.5
-15.4	5505.2						
		INVSLE Max	I	3473.7	-5.3	-0.7	2759.8
394.7	3285.0		J	3473.7	-5.3	1.4	2759.8
306.3	69106.1						
		Min	I	382.1	-90.2	-1.1	-1216.3
-1.5	-12239.0		J	382.1	-90.2	0.9	-1216.3
-1.6	3352.5						
9593	2	69 C1-C2;~1 Max	I	2363.3	66.6	0.1	900.1
151.1	48432.1		J	2363.3	66.6	0.1	900.1
298.7	4819.3						
		Min	I	-700.3	-19.7	-0.4	-3071.0
-109.6	-14180.3		J	-700.3	-19.7	-0.4	-3071.0
-65.7	-9505.3						
		C3-C4;~1 Max	I	2159.3	61.0	0.1	974.6
168.6	41133.2		J	2159.3	61.0	0.1	974.6
236.3	3020.4						
		Min	I	-756.2	-21.3	-0.3	-2811.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-110.0	-15224.4		J	-756.2	-21.3	-0.3	-2811.2
-70.5	-12762.3						
95.5	27709.5	C1-C2;~2 Max	I	1360.9	38.2	0.1	456.9
177.4	2789.6		J	1360.9	38.2	0.1	456.9
-62.5	-7316.1	Min	I	-358.8	-10.0	-0.3	-1761.4
-34.3	-5335.5		J	-358.8	-10.0	-0.3	-1761.4
108.6	23547.6	C3-C4;~2 Max	I	1246.7	35.1	0.1	488.6
140.3	1546.6		J	1246.7	35.1	0.1	488.6
-59.4	-7762.3	Min	I	-383.0	-10.7	-0.2	-1616.8
-36.5	-7057.2		J	-383.0	-10.7	-0.2	-1616.8
-143.2	22846.5	G1	I	1245.0	35.6	-1.2	-1665.0
-6.0	-6134.8		J	1245.0	35.6	0.8	-1665.0
-17.2	8801.5	G2	I	482.0	13.8	-0.1	-642.5
55.2	-2462.6		J	482.0	13.8	-0.1	-642.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
3.0	403.1	Q5_pc X	I	-11.2	-0.4	0.0	29.7
0.5	719.5		J	-11.2	-0.4	0.0	29.7
-6.1	-1741.4	Q5_pc Y	I	-36.8	-1.0	-0.0	53.8
-5.2	-943.2		J	-36.8	-1.0	-0.0	53.8
3.7	534.6	Q5_ps X	I	-6.6	-0.3	0.0	23.1
1.1	746.9		J	-6.6	-0.3	0.0	23.1
-7.4	-1896.2	Q5_ps Y	I	-39.3	-1.0	-0.0	55.9
-5.6	-1051.3		J	-39.3	-1.0	-0.0	55.9
164.9	94606.9	INVSLU Max	I	4935.2	134.6	-1.4	1441.8
555.5	-575.8		J	4935.2	134.6	1.3	1441.8
-222.2	5536.3	Min	I	657.7	14.0	-2.2	-4116.6
47.7	-26008.7		J	657.7	14.0	0.5	-4116.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
133.2	69120.7	INVSLE Max	I	3617.3	98.3	-1.0	1212.9
			J	3617.3	98.3	1.0	1212.9
412.2	-298.9	Min	I	453.6	9.2	-1.6	-2897.2
-152.8	3374.7		J	453.6	9.2	0.4	-2897.2
36.8	-19012.3						
9594	2	69 C1-C2;~1 Max	I	2440.7	34.9	0.1	534.2
270.5	4816.3		J	2440.7	34.9	0.1	534.2
234.5	10200.8	Min	I	-714.7	-10.2	-0.1	-1845.4
-57.6	-9518.5		J	-714.7	-10.2	-0.1	-1845.4
-61.3	-34439.7						
		C3-C4;~1 Max	I	2229.9	31.8	0.1	577.1
210.6	3021.1		J	2229.9	31.8	0.1	577.1
212.8	11186.7	Min	I	-776.0	-11.1	-0.1	-1687.1
-61.8	-12775.9		J	-776.0	-11.1	-0.1	-1687.1
-68.5	-38182.2						
		C1-C2;~2 Max	I	1401.8	20.1	0.1	272.3
161.1	2787.1		J	1401.8	20.1	0.1	272.3
141.7	5089.9	Min	I	-361.9	-5.2	-0.0	-1059.5
-30.2	-5343.1		J	-361.9	-5.2	-0.0	-1059.5
-31.0	-19922.5						
		C3-C4;~2 Max	I	1283.7	18.3	0.0	290.7
125.6	1546.2		J	1283.7	18.3	0.0	290.7
127.7	5516.8	Min	I	-388.2	-5.6	-0.1	-972.6
-32.1	-7065.1		J	-388.2	-5.6	-0.1	-972.6
-34.3	-21467.9						
		G1	I	1300.5	18.6	-1.0	-995.8
-21.4	-6143.5		J	1300.5	18.6	1.0	-995.8
-28.6	-21249.8						
		G2	I	505.8	7.2	0.0	-383.6
49.3	-2466.0		J	505.8	7.2	0.0	-383.6
42.3	-8337.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-13.4	-0.2	0.0	17.4
0.8	719.7		J	-13.4	-0.2	0.0	17.4
-1.0	886.0						
		Q5_pc Y	I	-32.7	-0.5	-0.0	35.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.7	-942.8			J	-32.7	-0.5	-0.0 35.9
1.1	-502.9						
1.3	746.9	Q5_ps X		I	-8.7	-0.1	0.0 13.1
-0.8	857.7			J	-8.7	-0.1	0.0 13.1
-5.1	-1050.9	Q5_ps Y		I	-34.9	-0.6	-0.0 37.3
0.9	-586.4			J	-34.9	-0.6	-0.0 37.3
518.3	-581.0	INVS LU Max		I	5118.6	69.6	-1.1 980.0
428.1	-9879.6			J	5118.6	69.6	1.6 980.0
61.3	-26027.5	Min		I	717.2	6.5	-1.4 -2355.1
17.2	-78122.4			J	717.2	6.5	1.3 -2355.1
386.1	-302.0	INVS LE Max		I	3751.4	50.8	-0.9 817.0
320.2	-6618.3			J	3751.4	50.8	1.2 817.0
48.2	-19025.5	Min		I	495.4	4.2	-1.1 -1648.6
15.9	-57050.3			J	495.4	4.2	0.9 -1648.6
9595	2	69 C1-C2;~1 Max		I	2478.0	1.6	0.1 132.0
224.0	10199.2			J	2478.0	1.6	0.1 132.0
213.8	10108.0	Min		I	-711.8	-2.4	-0.1 -100.1
-58.7	-34434.9			J	-711.8	-2.4	-0.1 -100.1
-42.7	-33791.8						
203.4	11185.1	C3-C4;~1 Max		I	2258.4	1.2	0.1 145.7
182.3	11028.7			J	2258.4	1.2	0.1 145.7
-65.8	-38177.8	Min		I	-775.4	-1.9	-0.1 -97.9
-46.6	-37553.0			J	-775.4	-1.9	-0.1 -97.9
135.7	5089.1	C1-C2;~2 Max		I	1421.6	0.9	0.1 76.6
130.4	5083.1			J	1421.6	0.9	0.1 76.6
-29.8	-19919.8	Min		I	-357.9	-1.4	-0.0 -51.4
-22.6	-19575.3			J	-357.9	-1.4	-0.0 -51.4
122.3	5516.0	C3-C4;~2 Max		I	1298.8	0.7	0.1 81.1
111.4	5479.4			J	1298.8	0.7	0.1 81.1
-33.0	-21465.5	Min		I	-385.1	-1.1	-0.0 -51.6
				J	-385.1	-1.1	-0.0 -51.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-24.4	-21143.1						
		G1	I	1322.7	-0.5	-1.0	24.3
-34.3	-21247.1		J	1322.7	-0.5	1.0	24.3
-44.2	-20842.7						
		G2	I	515.1	-0.2	0.0	9.9
40.1	-8336.5		J	515.1	-0.2	0.0	9.9
36.0	-8174.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-14.0	0.0	-0.0	-2.3
-0.9	886.0		J	-14.0	0.0	-0.0	-2.3
0.7	873.1						
		Q5_pc Y	I	-31.7	-0.1	0.0	6.1
1.3	-503.0		J	-31.7	-0.1	0.0	6.1
-4.5	-452.9						
		Q5_ps X	I	-9.1	0.0	-0.0	-2.6
-0.8	857.7		J	-9.1	0.0	-0.0	-2.6
1.1	846.0						
		Q5_ps Y	I	-34.1	-0.1	0.0	6.2
1.2	-586.5		J	-34.1	-0.1	0.0	6.2
-4.7	-538.1						
		INVSLU Max	I	5213.1	1.3	-1.2	253.5
415.9	-9879.0		J	5213.1	1.3	1.5	253.5
392.7	-9410.2						
		Min	I	763.8	-4.1	-1.5	-89.5
22.3	-78113.8		J	763.8	-4.1	1.2	-89.5
33.1	-76567.1						
		INVSLE Max	I	3821.2	1.0	-0.9	186.5
311.6	-6618.0		J	3821.2	1.0	1.1	186.5
294.4	-6278.8						
		Min	I	529.7	-3.0	-1.1	-66.8
20.2	-57044.1		J	529.7	-3.0	0.9	-66.8
28.6	-55908.3						
		69 C1-C2;~1 Max	I	2489.0	10.1	0.1	1901.9
9596	2		J	2489.0	10.1	0.1	1901.9
224.3	10109.5						
		Min	I	-705.6	-35.6	-0.1	-563.9
283.9	4753.8		J	-705.6	-35.6	-0.1	-563.9
-45.6	-33796.7						
-71.9	-8455.5						
		C3-C4;~1 Max	I	2269.1	11.2	0.1	1762.5
192.0	11030.4						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
233.9	2703.0		J	2269.1	11.2	0.1	1762.5
		Min	I	-772.9	-32.4	-0.1	-621.8
-49.5	-37557.5		J	-772.9	-32.4	-0.1	-621.8
-80.1	-11703.1						
		C1-C2;~2 Max	I	1426.3	5.1	0.0	1088.1
136.4	5083.8		J	1426.3	5.1	0.0	1088.1
168.1	2789.5	Min	I	-352.2	-20.4	-0.1	-282.2
-24.0	-19578.0		J	-352.2	-20.4	-0.1	-282.2
-36.3	-4805.0						
		C3-C4;~2 Max	I	1303.9	5.5	0.0	1009.9
116.9	5480.1		J	1303.9	5.5	0.0	1009.9
137.5	1465.7	Min	I	-381.4	-18.6	-0.1	-308.0
-25.8	-21145.6		J	-381.4	-18.6	-0.1	-308.0
-40.1	-6542.8						
		G1	I	1330.4	-19.1	-1.0	1040.1
-38.2	-20845.5		J	1330.4	-19.1	1.0	1040.1
-10.2	-5325.0						
		G2	I	517.8	-7.4	-0.0	401.8
38.3	-8176.0		J	517.8	-7.4	-0.0	401.8
53.9	-2133.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-14.5	0.2	0.0	-21.8
0.6	873.2		J	-14.5	0.2	0.0	-21.8
-0.8	681.6						
		Q5_pc Y	I	-30.4	0.4	-0.0	-23.6
-4.6	-452.8		J	-30.4	0.4	-0.0	-23.6
0.5	-767.3						
		Q5_ps X	I	-9.4	0.2	0.0	-17.9
1.0	846.0		J	-9.4	0.2	0.0	-17.9
-0.5	712.4						
		Q5_ps Y	I	-32.9	0.4	-0.0	-25.0
-4.8	-538.0		J	-32.9	0.4	-0.0	-25.0
0.1	-881.1						
		INVSLU Max	I	5270.7	-7.9	-1.3	2530.0
406.6	-9410.9		J	5270.7	-7.9	1.4	2530.0
554.1	980.0	Min	I	812.5	-71.6	-1.6	-919.5
28.7	-76576.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
61.4	-22617.9		J	812.5	-71.6	1.1	-919.5
304.1	-6279.2	INVSLE Max	I	3865.4	-5.2	-1.0	1778.4
412.9	863.9		J	3865.4	-5.2	1.0	1778.4
24.8	-55914.9	Min	I	567.1	-52.4	-1.2	-773.7
48.0	-16513.8		J	567.1	-52.4	0.8	-773.7
9597	2	69 C1-C2;~1 Max	I	2482.4	19.6	0.4	3151.5
313.5	4757.2		J	2482.4	19.6	0.4	3151.5
179.2	51264.2	Min	I	-718.5	-68.7	-0.1	-916.7
-80.6	-8441.3		J	-718.5	-68.7	-0.1	-916.7
-89.3	-14438.9		J	-718.5	-68.7	-0.1	-916.7
261.1	2704.7	C3-C4;~1 Max	I	2272.0	21.6	0.3	2897.7
195.1	43653.0		J	2272.0	21.6	0.3	2897.7
-89.6	-11687.8	Min	I	-792.8	-62.7	-0.1	-1007.3
-78.4	-15932.3		J	-792.8	-62.7	-0.1	-1007.3
185.1	2792.3	C1-C2;~2 Max	I	1422.2	9.8	0.2	1802.6
113.5	29127.5		J	1422.2	9.8	0.2	1802.6
-40.7	-4796.9	Min	I	-359.9	-39.3	-0.1	-457.8
-48.9	-7245.7		J	-359.9	-39.3	-0.1	-457.8
153.0	1467.7	C3-C4;~2 Max	I	1305.4	10.6	0.2	1659.9
126.5	24828.7		J	1305.4	10.6	0.2	1659.9
-44.8	-6534.1	Min	I	-393.1	-36.0	-0.1	-497.7
-40.0	-7911.3		J	-393.1	-36.0	-0.1	-497.7
6.0	-5315.5	G1	I	1321.0	-37.0	-0.9	1721.0
-105.6	24769.6		J	1321.0	-37.0	1.1	1721.0
60.2	-2129.7	G2	I	512.4	-14.4	0.1	665.3
-2.0	9577.8		J	512.4	-14.4	0.1	665.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.1	681.4	Q5_pc X	I	-15.3	0.4	-0.0	-33.8
			J	-15.3	0.4	-0.0	-33.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.1	321.2						
0.1	-767.4	Q5_pc	Y	I	-25.9	0.8	-0.0 -43.1
3.3	-1412.1			J	-25.9	0.8	-0.0 -43.1
-0.7	712.3	Q5_ps	X	I	-10.2	0.3	-0.0 -27.2
0.3	465.8			J	-10.2	0.3	-0.0 -27.2
-0.3	-881.3	Q5_ps	Y	I	-28.8	0.9	-0.0 -45.3
2.0	-1581.1			J	-28.8	0.9	-0.0 -45.3
594.4	986.8	INVS LU	Max	I	5280.4	-17.3	-0.6 4358.6
284.6	102739.3			J	5280.4	-17.3	2.1 4358.6
48.2	-22595.4		Min	I	812.2	-140.6	-1.3 -1333.4
-105.3	9482.4			J	812.2	-140.6	1.4 -1333.4
441.2	868.2	INVS LE	Max	I	3875.4	-11.7	-0.5 3077.2
221.6	75184.3			J	3875.4	-11.7	1.5 3077.2
36.8	-16497.8		Min	I	569.1	-102.9	-1.0 -1133.3
-66.7	6293.4			J	569.1	-102.9	1.0 -1133.3
9598	2	69 C1-C2;~1	Max	I	2496.8	69.7	0.1 1019.2
174.9	51250.0			J	2496.8	69.7	0.1 1019.2
312.0	5413.3		Min	I	-750.3	-21.5	-0.4 -3211.6
-90.1	-14430.0			J	-750.3	-21.5	-0.4 -3211.6
-72.4	-9286.0						
190.6	43647.8	C3-C4;~1	Max	I	2287.2	63.8	0.1 1129.8
257.3	3735.1			J	2287.2	63.8	0.1 1129.8
-73.7	-15921.8		Min	I	-830.7	-23.8	-0.3 -2952.7
-79.6	-12531.0			J	-830.7	-23.8	-0.3 -2952.7
110.1	29117.9	C1-C2;~2	Max	I	1429.0	39.8	0.1 518.2
184.1	3093.5			J	1429.0	39.8	0.1 518.2
-50.5	-7240.5		Min	I	-379.0	-10.9	-0.2 -1831.6
-36.1	-5220.7			J	-379.0	-10.9	-0.2 -1831.6
123.0	24825.8	C3-C4;~2	Max	I	1312.6	36.5	0.1 567.6
151.0	1930.6			J	1312.6	36.5	0.1 567.6

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-38.8	-7905.3	Min	I	-415.0	-11.9	-0.2	-1687.0
			J	-415.0	-11.9	-0.2	-1687.0
-39.3	-6946.2						
		G1	I	1317.5	36.8	-1.1	-1711.1
-100.9	24771.0		J	1317.5	36.8	0.9	-1711.1
7.0	-5200.5						
		G2	I	511.3	14.3	-0.1	-662.1
-0.4	9578.5		J	511.3	14.3	-0.1	-662.1
60.6	-2092.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.6	-0.5	0.0	36.0
1.9	321.3		J	-16.6	-0.5	0.0	36.0
-0.8	750.3						
		Q5_pc Y	I	-20.8	-0.5	-0.0	31.8
-6.0	-1413.3		J	-20.8	-0.5	-0.0	31.8
-3.2	-990.7						
		Q5_ps X	I	-11.4	-0.4	0.0	29.1
2.4	465.9		J	-11.4	-0.4	0.0	29.1
-0.3	777.6						
		Q5_ps Y	I	-24.0	-0.6	-0.0	34.2
-6.5	-1582.3		J	-24.0	-0.6	-0.0	34.2
-3.2	-1090.8						
		INVSLU Max	I	5295.6	141.8	-1.3	1492.8
283.3	102724.6		J	5295.6	141.8	1.4	1492.8
598.7	1990.2						
		Min	I	765.9	14.6	-2.1	-4433.1
-106.6	9498.7		J	765.9	14.6	0.6	-4433.1
64.3	-24017.8						
		INVSLE Max	I	3887.5	103.8	-1.0	1251.1
219.9	75173.3		J	3887.5	103.8	1.0	1251.1
444.2	1577.1						
		Min	I	534.9	9.7	-1.5	-3133.6
-68.1	6305.5		J	534.9	9.7	0.5	-3133.6
48.8	-17556.0						
9599	2	69 C1-C2;~1 Max	I	2530.0	36.0	0.1	609.0
281.8	5410.0		J	2530.0	36.0	0.1	609.0
232.1	12019.1						
		Min	I	-789.1	-11.0	-0.0	-1930.3
-63.0	-9300.2		J	-789.1	-11.0	-0.0	-1930.3
-61.7	-35298.9						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

229.6	3736.6	C3-C4;~1	Max	I	2311.5	32.9	0.1	674.2	
				J	2311.5	32.9	0.1	674.2	
202.5	13422.4		Min	I	-876.0	-12.2	-0.1	-1784.4	
-69.1	-12546.3			J	-876.0	-12.2	-0.1	-1784.4	
-70.5	-38887.5								
166.9	3090.9	C1-C2;~2	Max	I	1445.7	20.6	0.1	309.0	
				J	1445.7	20.6	0.1	309.0	
140.1	6164.0		Min	I	-401.3	-5.6	-0.0	-1101.2	
-31.4	-5228.9			J	-401.3	-5.6	-0.0	-1101.2	
-32.0	-20164.6								
135.2	1930.5	C3-C4;~2	Max	I	1324.1	18.8	0.1	338.0	
				J	1324.1	18.8	0.1	338.0	
121.9	6797.0		Min	I	-440.3	-6.1	-0.0	-1020.6	
-34.0	-6954.9			J	-440.3	-6.1	-0.0	-1020.6	
-36.0	-21795.0								
			G1	I	1320.4	19.0	-1.0	-1033.6	
-9.1	-5210.1			J	1320.4	19.0	1.0	-1033.6	
-42.2	-20698.4								
			G2	I	514.4	7.4	0.0	-399.6	
54.4	-2095.8			J	514.4	7.4	0.0	-399.6	
36.8	-8128.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-18.1	-0.3	0.0	22.0
-0.5	750.5			J	-18.1	-0.3	0.0	22.0	
-0.5	977.9								
			Q5_pc	Y	I	-16.6	-0.3	-0.0	22.2
-2.9	-990.4			J	-16.6	-0.3	-0.0	22.2	
1.6	-757.3								
			Q5_ps	X	I	-12.8	-0.2	0.0	17.8
-0.1	777.7			J	-12.8	-0.2	0.0	17.8	
-0.1	944.7								
			Q5_ps	Y	I	-19.8	-0.3	-0.0	23.0
-2.8	-1090.6			J	-19.8	-0.3	-0.0	23.0	
0.9	-824.6								
			INVSLU	Max	I	5317.3	72.3	-1.1	985.8
557.7	1983.4			J	5317.3	72.3	1.6	985.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
412.5	-6272.5		Min	I	686.6	6.7	-1.3	-2570.3
78.8	-24040.3			J	686.6	6.7	1.4	-2570.3
1.0	-78651.1							
			INVSLE Max	I	3902.0	52.9	-0.8	822.5
415.3	1572.8			J	3902.0	52.9	1.2	822.5
309.2	-3990.3		Min	I	474.3	4.3	-1.0	-1808.6
60.9	-17572.0			J	474.3	4.3	1.0	-1808.6
4.6	-57473.7							
9600	2	69	C1-C2;~1 Max	I	2535.9	2.2	0.1	103.5
221.4	12017.4			J	2535.9	2.2	0.1	103.5
223.1	11725.8		Min	I	-810.9	-1.9	-0.1	-120.2
-58.6	-35294.2			J	-810.9	-1.9	-0.1	-120.2
-49.3	-35371.0							
			C3-C4;~1 Max	I	2315.6	1.7	0.1	94.0
192.7	13420.6			J	2315.6	1.7	0.1	94.0
199.8	13082.7		Min	I	-901.4	-1.4	-0.1	-137.0
-67.3	-38882.8			J	-901.4	-1.4	-0.1	-137.0
-54.0	-38958.6							
			C1-C2;~2 Max	I	1448.5	1.3	0.0	55.6
134.0	6163.2			J	1448.5	1.3	0.0	55.6
135.2	5984.7		Min	I	-414.1	-1.1	-0.1	-68.8
-30.4	-20161.8			J	-414.1	-1.1	-0.1	-68.8
-24.7	-20199.1							
			C3-C4;~2 Max	I	1325.6	1.0	0.0	53.7
116.3	6796.1			J	1325.6	1.0	0.0	53.7
120.5	6597.4		Min	I	-454.7	-0.9	-0.1	-74.8
-34.3	-21792.4			J	-454.7	-0.9	-0.1	-74.8
-26.8	-21831.5							
			G1	I	1308.2	0.4	-1.0	-23.6
-48.2	-20695.5			J	1308.2	0.4	1.0	-23.6
-31.6	-20995.6							
			G2	I	510.2	0.1	-0.0	-9.4
34.5	-8127.5			J	510.2	0.1	-0.0	-9.4
41.2	-8243.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.4	977.8	Q5_pc X	I	-18.9	0.0	0.0	-0.5
			J	-18.9	0.0	0.0	-0.5
-0.7	975.9	Q5_pc Y	I	-15.1	-0.1	0.0	5.9
1.8	-757.3		J	-15.1	-0.1	0.0	5.9
-3.1	-714.9	Q5_ps X	I	-13.6	0.0	0.0	-0.3
-0.0	944.6		J	-13.6	0.0	0.0	-0.3
-0.5	943.3	Q5_ps Y	I	-18.1	-0.0	0.0	4.5
1.1	-824.6		J	-18.1	-0.0	0.0	4.5
-2.8	-785.2	INVSLE Max	I	5288.5	3.5	-1.3	92.0
398.6	-6271.9		J	5288.5	3.5	1.5	92.0
419.5	-7183.7	Min	I	614.1	-2.1	-1.5	-243.2
5.6	-78641.6		J	614.1	-2.1	1.2	-243.2
39.9	-79196.0	INVSLE Max	I	3879.8	2.6	-0.9	69.0
299.4	-3990.0		J	3879.8	2.6	1.1	69.0
313.9	-4654.3	Min	I	419.8	-1.5	-1.1	-178.4
8.6	-57466.8		J	419.8	-1.5	0.9	-178.4
33.1	-57866.7	69 C1-C2;~1 Max	I	2515.3	12.0	0.1	1912.6
9601	2		J	2515.3	12.0	0.1	1912.6
233.8	11727.7	Min	I	-828.9	-35.8	-0.1	-647.5
278.9	4632.0		J	-828.9	-35.8	-0.1	-647.5
-52.2	-35375.6	C3-C4;~1 Max	I	2301.6	13.4	0.1	1759.8
-74.6	-9531.8		J	2301.6	13.4	0.1	1759.8
209.5	13084.9	Min	I	-922.5	-32.7	-0.1	-721.9
222.2	2657.6		J	-922.5	-32.7	-0.1	-721.9
-57.2	-38963.2	C1-C2;~2 Max	I	1436.1	6.2	0.0	1091.0
-84.2	-12821.8		J	1436.1	6.2	0.0	1091.0
141.3	5985.7	Min	I	-425.0	-20.4	-0.1	-333.9
165.0	2663.3		J	-425.0	-20.4	-0.1	-333.9
-26.1	-20201.9	C3-C4;~2 Max	I	1317.0	6.8	0.1	1006.7
-38.8	-5381.7						

MIDAS

PROJECT TITLE :


		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
126.0	6598.5			J	1317.0	6.8	0.1	1006.7
130.8	1321.4							
		Min		I	-466.9	-18.7	-0.0	-367.2
-28.3	-21834.1			J	-466.9	-18.7	-0.0	-367.2
-43.1	-7118.9							
		G1		I	1281.5	-18.0	-1.0	975.6
-26.1	-20998.2			J	1281.5	-18.0	1.0	975.6
-26.1	-6332.7							
		G2		I	499.5	-7.0	-0.0	376.6
43.3	-8244.5			J	499.5	-7.0	-0.0	376.6
47.6	-2528.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-19.5	0.3	-0.0	-23.4
-0.9	975.9			J	-19.5	0.3	-0.0	-23.4
-0.4	736.2							
		Q5_pc Y		I	-13.4	0.2	-0.0	-10.5
-3.2	-714.9			J	-13.4	0.2	-0.0	-10.5
1.6	-847.0							
		Q5_ps X		I	-14.3	0.2	-0.0	-18.9
-0.6	943.3			J	-14.3	0.2	-0.0	-18.9
0.1	765.2							
		Q5_ps Y		I	-16.2	0.2	-0.0	-13.6
-2.8	-785.2			J	-16.2	0.2	-0.0	-13.6
0.7	-952.7							
		INVSLE Max		I	5223.0	-3.5	-1.3	2429.3
432.5	-7183.5			J	5223.0	-3.5	1.5	2429.3
527.0	-962.7							
		Min		I	546.6	-70.4	-1.6	-1169.5
33.8	-79205.1			J	546.6	-70.4	1.2	-1169.5
33.9	-26050.0							
		INVSLE Max		I	3832.1	-2.0	-0.9	1706.6
323.0	-4654.0			J	3832.1	-2.0	1.1	1706.6
393.4	-567.0							
		Min		I	370.7	-51.5	-1.1	-956.0
28.1	-57873.2			J	370.7	-51.5	0.9	-956.0
28.3	-19037.3							
		69 C1-C2;~1 Max		I	2462.6	23.2	0.4	3180.7
9602	2			J	2462.6	23.2	0.4	3180.7
308.5	4634.5							
151.4	50395.7			Min	-841.9	-68.9	-0.1	-1074.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-84.5	-9517.7			J	-841.9	-68.9	-0.1	-1074.0
-103.3	-16937.2							
		C3-C4;~1	Max	I	2256.2	25.8	0.3	2922.9
249.2	2655.7			J	2256.2	25.8	0.3	2922.9
168.7	42909.9		Min	I	-939.0	-63.2	-0.1	-1195.9
-95.1	-12807.2			J	-939.0	-63.2	-0.1	-1195.9
-105.3	-18836.7							
		C1-C2;~2	Max	I	1406.8	11.9	0.2	1812.8
181.9	2665.6			J	1406.8	11.9	0.2	1812.8
97.5	28566.3		Min	I	-434.2	-39.3	-0.1	-552.5
-43.9	-5373.6			J	-434.2	-39.3	-0.1	-552.5
-58.3	-8759.2							
		C3-C4;~2	Max	I	1292.1	13.1	0.2	1669.4
146.3	1323.1			J	1292.1	13.1	0.2	1669.4
110.6	24337.5		Min	I	-477.7	-36.1	-0.1	-607.1
-48.7	-7110.6			J	-477.7	-36.1	-0.1	-607.1
-55.6	-9603.4							
		G1		I	1219.7	-35.0	-0.8	1637.1
-10.9	-6324.4			J	1219.7	-35.0	1.2	1637.1
-146.7	22128.1							
		G2		I	473.6	-13.6	0.1	633.1
53.5	-2525.3			J	473.6	-13.6	0.1	633.1
-18.3	8561.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-19.3	0.6	-0.0	-38.2
-0.8	736.1			J	-19.3	0.6	-0.0	-38.2
1.3	272.3							
		Q5_pc	Y	I	-8.9	0.3	-0.0	-20.9
1.4	-847.0			J	-8.9	0.3	-0.0	-20.9
3.4	-1120.1							
		Q5_ps	X	I	-13.9	0.4	-0.0	-31.0
-0.2	765.0			J	-13.9	0.4	-0.0	-31.0
2.0	419.2							
		Q5_ps	Y	I	-12.3	0.4	-0.0	-24.6
0.5	-952.8			J	-12.3	0.4	-0.0	-24.6
1.4	-1288.7							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
565.4	-958.6	INVS LU Max	I	5072.0	-8.7	-0.5	4252.6
			J	5072.0	-8.7	2.2	4252.6
161.5	96936.8	Min	I	445.2	-137.6	-1.3	-1724.5
17.9	-26029.5		J	445.2	-137.6	1.4	-1724.5
-214.6	1456.9	INVS LE Max	I	3723.1	-5.3	-0.4	3002.2
420.4	-564.7		J	3723.1	-5.3	1.6	3002.2
131.3	70963.3	Min	I	298.4	-100.7	-0.9	-1420.3
15.0	-19022.9		J	298.4	-100.7	1.1	-1420.3
-146.8	386.8	69 C1-C2;~1 Max	I	2426.4	66.6	0.1	1219.7
9603	2		J	2426.4	66.6	0.1	1219.7
199.9	50406.2	Min	I	-866.0	-24.8	-0.4	-3133.1
312.4	5915.6		J	-866.0	-24.8	-0.4	-3133.1
-73.5	-16925.1	C3-C4;~1 Max	I	2216.8	60.7	0.2	1364.9
-96.1	-7979.7		J	2216.8	60.7	0.2	1364.9
214.3	42936.9	Min	I	-968.2	-27.7	-0.2	-2888.5
264.9	4285.2		J	-968.2	-27.7	-0.2	-2888.5
-48.9	-18822.7	C1-C2;~2 Max	I	1386.1	37.9	0.1	635.7
-107.0	-10981.8		J	1386.1	37.9	0.1	635.7
124.8	28574.2	Min	I	-449.4	-12.9	-0.2	-1783.1
183.7	3383.0		J	-449.4	-12.9	-0.2	-1783.1
-40.2	-8752.3	C3-C4;~2 Max	I	1269.6	34.7	0.1	700.8
-49.4	-4504.2		J	1269.6	34.7	0.1	700.8
137.7	24357.8	Min	I	-495.2	-14.2	-0.1	-1645.7
154.4	2244.0		J	-495.2	-14.2	-0.1	-1645.7
-25.3	-9595.6	G1	I	1157.3	31.2	-1.1	-1471.2
-54.3	-6134.0		J	1157.3	31.2	0.9	-1471.2
-59.8	22140.3	G2	I	449.1	12.2	-0.1	-568.7
-1.0	-3285.9		J	449.1	12.2	-0.1	-568.7
16.0	8566.3	G2	I	449.1	12.2	-0.1	-568.7
57.6	-1342.6		J	449.1	12.2	-0.1	-568.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	271.8	Q5_pc X	I	-19.1	-0.5	0.0	36.0
-2.3	717.0		J	-19.1	-0.5	0.0	36.0
-5.9	-1121.0	Q5_pc Y	I	-3.6	-0.0	-0.0	9.8
-1.0	-1118.4		J	-3.6	-0.0	-0.0	9.8
0.4	418.7	Q5_ps X	I	-13.6	-0.4	0.0	29.1
-2.0	743.9		J	-13.6	-0.4	0.0	29.1
-5.6	-1289.5	Q5_ps Y	I	-7.7	-0.1	-0.0	12.9
-0.6	-1195.1		J	-7.7	-0.1	-0.0	12.9
390.9	96919.2	INVS LU Max	I	4914.4	128.5	-1.2	1915.7
554.8	5806.3		J	4914.4	128.5	1.5	1915.7
-8.3	1442.4	Min	I	297.2	0.2	-1.9	-4221.3
-15.5	-19018.3		J	297.2	0.2	0.8	-4221.3
298.3	70950.7	INVS LE Max	I	3607.4	94.1	-0.9	1562.7
411.4	4359.7		J	3607.4	94.1	1.1	1562.7
3.4	376.6	Min	I	189.8	-0.9	-1.4	-2978.4
-10.8	-13879.7		J	189.8	-0.9	0.6	-2978.4
9604	2	69 C1-C2;~1 Max	I	2408.1	34.5	0.1	750.7
283.1	5912.1		J	2408.1	34.5	0.1	750.7
203.6	13732.6	Min	I	-900.3	-12.9	-0.1	-1906.0
-84.6	-7993.6		J	-900.3	-12.9	-0.1	-1906.0
-54.0	-32787.8						
237.9	4286.6	C3-C4;~1 Max	I	2188.6	31.5	0.2	839.4
167.9	15540.8		J	2188.6	31.5	0.2	839.4
-94.2	-10996.8	Min	I	-1008.3	-14.4	-0.1	-1781.3
-65.3	-36062.6		J	-1008.3	-14.4	-0.1	-1781.3
167.0	3380.4	C1-C2;~2 Max	I	1374.4	19.7	0.1	390.5
124.0	7193.1		J	1374.4	19.7	0.1	390.5
-43.5	-4512.3	Min	I	-469.6	-6.7	-0.0	-1084.7
			J	-469.6	-6.7	-0.0	-1084.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-28.3	-18701.3								
		C3-C4;~2	Max	I	1252.1	17.9	0.1	430.3	
139.0	2244.0			J	1252.1	17.9	0.1	430.3	
102.6	8018.6								
			Min	I	-518.1	-7.4	-0.0	-1015.1	
-47.7	-6142.6			J	-518.1	-7.4	-0.0	-1015.1	
-33.2	-20239.7								
			G1	I	1102.5	16.2	-0.9	-908.5	
-14.8	-3295.2			J	1102.5	16.2	1.1	-908.5	
-74.7	-16494.4								
			G2	I	429.5	6.3	0.0	-350.8	
52.3	-1346.2			J	429.5	6.3	0.0	-350.8	
23.8	-6496.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-19.4	-0.3	-0.0	22.9	
-2.0	717.2			J	-19.4	-0.3	-0.0	22.9	
0.6	950.0								
			Q5_pc Y	I	1.3	-0.0	-0.0	8.7	
-0.9	-1118.3			J	1.3	-0.0	-0.0	8.7	
2.4	-1115.1								
			Q5_ps X	I	-13.8	-0.2	-0.0	19.0	
-1.7	744.1			J	-13.8	-0.2	-0.0	19.0	
1.2	917.8								
			Q5_ps Y	I	-3.3	-0.1	-0.0	9.3	
-0.5	-1195.0			J	-3.3	-0.1	-0.0	9.3	
1.1	-1151.8								
			INVSLE Max	I	4762.0	65.9	-1.0	1214.3	
515.6	5799.9			J	4762.0	65.9	1.7	1214.3	
321.3	3326.1								
			Min	I	115.0	-0.8	-1.3	-2533.2	
2.8	-19040.0			J	115.0	-0.8	1.4	-2533.2	
-46.1	-68345.6								
			INVSLE Max	I	3493.3	48.2	-0.7	991.7	
383.8	4355.8			J	3493.3	48.2	1.3	991.7	
242.9	3012.3								
			Min	I	53.7	-1.1	-1.0	-1781.2	
4.2	-13895.0			J	53.7	-1.1	1.0	-1781.2	
-28.9	-49929.2								
		69	C1-C2;~1	Max	I	2367.2	2.4	0.1	77.6
9605	2								
192.9	13730.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
215.3	13598.0		J	2367.2	2.4	0.1	77.6
		Min	I	-924.5	-1.8	-0.1	-213.6
-50.3	-32782.4		J	-924.5	-1.8	-0.1	-213.6
-74.1	-33220.2						
		C3-C4;~1 Max	I	2154.3	2.0	0.1	69.6
158.0	15538.3		J	2154.3	2.0	0.1	69.6
199.1	15398.3						
		Min	I	-1036.2	-1.2	-0.2	-238.3
-61.8	-36057.2		J	-1036.2	-1.2	-0.2	-238.3
-82.5	-36604.5						
		C1-C2;~2 Max	I	1351.1	1.4	0.1	37.7
117.9	7191.9		J	1351.1	1.4	0.1	37.7
130.8	7095.1						
		Min	I	-483.6	-1.1	-0.1	-125.1
-26.3	-18698.0		J	-483.6	-1.1	-0.1	-125.1
-38.3	-18849.3						
		C3-C4;~2 Max	I	1232.0	1.2	0.1	35.1
96.9	8017.4		J	1232.0	1.2	0.1	35.1
119.6	7919.6						
		Min	I	-533.8	-0.7	-0.1	-133.1
-31.2	-20236.7		J	-533.8	-0.7	-0.1	-133.1
-42.1	-20486.2						
		G1	I	1048.2	0.9	-1.0	-100.6
-80.3	-16491.3		J	1048.2	0.9	1.0	-100.6
-52.7	-17192.5						
		G2	I	408.9	0.3	-0.0	-39.1
21.7	-6495.0		J	408.9	0.3	-0.0	-39.1
33.0	-6775.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-20.2	0.0	0.0	2.4
0.7	949.9		J	-20.2	0.0	0.0	2.4
-2.7	942.0						
		Q5_pc Y	I	3.4	-0.0	0.0	5.4
2.5	-1115.1		J	3.4	-0.0	0.0	5.4
-0.7	-1095.0						
		Q5_ps X	I	-14.8	0.0	0.0	2.8
1.3	917.7		J	-14.8	0.0	0.0	2.8
-2.6	913.9						
		Q5_ps Y	I	-0.6	-0.0	0.0	3.0
1.1	-1151.9						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.2	-1140.7		J	-0.6	-0.0	0.0	3.0
306.9	3324.0	INVS LU Max	I	4577.9	4.9	-1.2	-27.1
315.6	1728.6		J	4577.9	4.9	1.6	-27.1
-41.5	-68337.2	Min	I	-53.0	-0.8	-1.6	-463.1
-91.2	-70446.2		J	-53.0	-0.8	1.1	-463.1
232.8	3010.5	INVS LE Max	I	3355.9	3.7	-0.8	-12.9
235.9	1809.6		J	3355.9	3.7	1.2	-12.9
-25.0	-49923.1	Min	I	-71.7	-0.6	-1.2	-335.2
-65.2	-51507.2		J	-71.7	-0.6	0.9	-335.2
9606	2	69 C1-C2;~1 Max	I	2282.3	13.8	0.1	1778.7
222.7	13610.6		J	2282.3	13.8	0.1	1778.7
266.4	5732.7	Min	I	-936.2	-33.6	-0.1	-731.3
-77.2	-33247.3		J	-936.2	-33.6	-0.1	-731.3
-80.1	-9298.3						
205.6	15412.5	C3-C4;~1 Max	I	2086.2	15.4	0.1	1612.2
204.8	3447.5		J	2086.2	15.4	0.1	1612.2
-86.1	-36631.7	Min	I	-1050.0	-30.5	-0.1	-820.9
-91.6	-12471.4		J	-1050.0	-30.5	-0.1	-820.9
135.0	7101.7	C1-C2;~2 Max	I	1302.8	7.3	0.0	1015.1
157.3	3378.6		J	1302.8	7.3	0.0	1015.1
-40.0	-18865.9	Min	I	-491.1	-19.2	-0.1	-385.5
-42.3	-5180.7		J	-491.1	-19.2	-0.1	-385.5
123.3	7926.9	C3-C4;~2 Max	I	1192.9	8.0	0.1	923.6
120.8	1757.5		J	1192.9	8.0	0.1	923.6
-44.0	-20501.3	Min	I	-542.2	-17.5	-0.1	-425.7
-47.4	-6844.4		J	-542.2	-17.5	-0.1	-425.7
-49.6	-17205.1	G1	I	973.1	-13.9	-1.0	735.6
-50.9	-5891.8		J	973.1	-13.9	1.0	735.6
34.2	-6780.6	G2	I	379.4	-5.4	-0.0	283.2
37.3	-2379.9		J	379.4	-5.4	-0.0	283.2


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.7	942.3	Q5_pc X	I	-20.6	0.3	-0.0	-20.4
			J	-20.6	0.3	-0.0	-20.4
-0.0	680.3						
-0.6	-1095.0	Q5_pc Y	I	5.7	-0.1	-0.0	2.1
			J	5.7	-0.1	-0.0	2.1
2.7	-1034.3						
-2.7	914.2	Q5_ps X	I	-15.6	0.2	-0.0	-15.6
			J	-15.6	0.2	-0.0	-15.6
0.7	717.6						
0.2	-1140.6	Q5_ps Y	I	2.3	-0.0	-0.0	-2.6
			J	2.3	-0.0	-0.0	-2.6
1.4	-1130.8						
322.7	1752.1	INVSLE Max	I	4320.8	7.1	-1.2	2033.2
			J	4320.8	7.1	1.5	2033.2
409.9	15.3	Min	I	-215.0	-59.6	-1.6	-1513.0
			J	-215.0	-59.6	1.1	-1513.0
-99.1	-70478.5						
-78.3	-26421.9						
240.7	1828.5	INVSLE Max	I	3166.3	5.9	-0.9	1419.3
			J	3166.3	5.9	1.1	1419.3
305.8	-1.0	Min	I	-190.9	-43.5	-1.2	-1204.7
			J	-190.9	-43.5	0.8	-1204.7
-71.4	-51529.6						
-55.4	-19446.2						
9607	2	69 C1-C2;~1 Max	I	2174.1	26.6	0.4	3080.3
294.6	5734.0		J	2174.1	26.6	0.4	3080.3
114.1	46617.5	Min	I	-937.2	-63.6	-0.1	-1284.4
			J	-937.2	-63.6	-0.1	-1284.4
-91.6	-9282.2						
-112.6	-19267.0						
230.3	3442.4	C3-C4;~1 Max	I	1985.2	29.8	0.3	2815.7
			J	1985.2	29.8	0.3	2815.7
131.2	39262.3	Min	I	-1052.3	-58.1	-0.1	-1440.6
			J	-1052.3	-58.1	-0.1	-1440.6
-104.2	-12454.9						
-127.3	-21452.8						
173.5	3380.3	C1-C2;~2 Max	I	1243.0	14.0	0.3	1755.4
			J	1243.0	14.0	0.3	1755.4
74.2	26498.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-48.4	-5171.3	Min	I	-493.9	-36.3	-0.1	-675.4
			J	-493.9	-36.3	-0.1	-675.4
-64.9	-10185.6						
135.4	1758.4	C3-C4;~2 Max	I	1137.2	15.4	0.2	1608.6
			J	1137.2	15.4	0.2	1608.6
86.4	22320.1						
		Min	I	-545.5	-33.3	-0.1	-745.5
-54.0	-6835.0		J	-545.5	-33.3	-0.1	-745.5
-68.7	-11143.8						
		G1	I	858.5	-26.6	-0.8	1307.8
-38.8	-5884.5		J	858.5	-26.6	1.2	1307.8
-183.8	15763.6						
		G2	I	332.6	-10.4	0.1	504.5
42.0	-2377.0		J	332.6	-10.4	0.1	504.5
-32.2	6050.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-18.5	0.6	-0.0	-36.8
-0.4	680.1		J	-18.5	0.6	-0.0	-36.8
3.5	181.4						
		Q5_pc Y	I	10.2	-0.2	-0.0	0.8
2.8	-1034.2		J	10.2	-0.2	-0.0	0.8
3.2	-905.4						
		Q5_ps X	I	-13.4	0.5	-0.0	-29.3
0.4	717.5		J	-13.4	0.5	-0.0	-29.3
4.3	337.1						
		Q5_ps Y	I	6.0	-0.1	0.0	-4.8
1.3	-1130.7		J	6.0	-0.1	0.0	-4.8
0.8	-1084.0						
		INVSLU Max	I	3987.3	12.5	-0.5	3770.7
443.4	13.5		J	3987.3	12.5	2.2	3770.7
2.4	78080.6						
		Min	I	-401.7	-114.7	-1.3	-2398.8
-99.9	-26403.1		J	-401.7	-114.7	1.4	-2398.8
-352.7	-15443.8						
		INVSLE Max	I	2922.4	10.4	-0.4	2648.0
329.3	-3.2		J	2922.4	10.4	1.6	2648.0
12.8	56869.4						
		Min	I	-326.3	-83.7	-1.0	-1917.0
-72.8	-19433.2		J	-326.3	-83.7	1.0	-1917.0
-249.7	-12287.2						

MIDAS

PROJECT TITLE :

	Company		Client
	Author		File Name

PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

9608	2	69	C1-C2;~1	Max	I	2091.5	59.1	0.2	1435.2
197.3	46635.0				J	2091.5	59.1	0.2	1435.2
266.4	7207.5								
-70.1	-19251.8			Min	I	-954.0	-28.2	-0.3	-2763.9
-107.6	-6475.8				J	-954.0	-28.2	-0.3	-2763.9
208.7	39288.8		C3-C4;~1	Max	I	1895.7	53.3	0.2	1613.6
					J	1895.7	53.3	0.2	1613.6
226.8	5675.3								
-34.4	-21435.6			Min	I	-1072.4	-31.8	-0.2	-2560.5
-121.0	-9024.8				J	-1072.4	-31.8	-0.2	-2560.5
121.5	26510.2		C1-C2;~2	Max	I	1197.1	33.7	0.1	761.2
					J	1197.1	33.7	0.1	761.2
157.0	4105.2								
-38.9	-10177.4			Min	I	-505.3	-15.0	-0.2	-1575.3
-56.5	-3621.6				J	-505.3	-15.0	-0.2	-1575.3
133.3	22339.6		C3-C4;~2	Max	I	1087.3	30.5	0.1	841.1
					J	1087.3	30.5	0.1	841.1
132.0	2994.3								
-18.2	-11134.7			Min	I	-558.3	-16.6	-0.1	-1459.0
-62.5	-5017.2				J	-558.3	-16.6	-0.1	-1459.0
-40.0	15782.6			G1	I	740.6	19.9	-1.0	-899.4
-43.3	-423.7				J	740.6	19.9	1.0	-899.4
24.8	6057.4			G2	I	286.4	7.7	-0.0	-347.2
40.8	-226.9				J	286.4	7.7	-0.0	-347.2
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
-1.5	179.9			Q5_pc	X	-16.2	-0.5	0.0	21.6
-3.6	592.6				J	-16.2	-0.5	0.0	21.6
-5.2	-905.0			Q5_pc	Y	15.7	0.6	-0.0	-6.7
1.6	-1380.6				J	15.7	0.6	-0.0	-6.7
-1.5	335.9			Q5_ps	X	-11.0	-0.4	0.0	16.3
-3.4	623.6				J	-11.0	-0.4	0.0	16.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.2	-1084.0	Q5_ps Y	I	10.4	0.4	-0.0	-3.9
2.1	-1429.5		J	10.4	0.4	-0.0	-3.9
404.5	78024.7	INVS LU Max	I	3656.0	96.2	-0.9	2542.6
349.2	12253.7		J	3656.0	96.2	1.8	2542.6
18.8	-15499.6	Min	I	-644.4	-27.5	-1.6	-3405.8
-180.3	-12145.0		J	-644.4	-27.5	1.1	-3405.8
307.7	56827.1	INVS LE Max	I	2678.1	70.1	-0.7	2008.2
258.3	9016.3		J	2678.1	70.1	1.3	2008.2
22.7	-12329.5	Min	I	-505.2	-21.5	-1.2	-2395.2
-133.4	-8872.8		J	-505.2	-21.5	0.8	-2395.2
9609	2	69 C1-C2;~1 Max	I	2038.2	31.4	0.1	887.6
240.8	7203.5		J	2038.2	31.4	0.1	887.6
184.5	15933.7	Min	I	-989.9	-15.0	-0.1	-1661.4
-94.1	-6489.6		J	-989.9	-15.0	-0.1	-1661.4
-67.3	-28160.3						
203.2	5677.7	C3-C4;~1 Max	I	1828.4	28.2	0.2	997.9
144.5	18277.1		J	1828.4	28.2	0.2	997.9
-105.8	-9039.7	Min	I	-1113.5	-16.9	-0.1	-1630.7
-83.2	-30857.1		J	-1113.5	-16.9	-0.1	-1630.7
142.4	4102.3	C1-C2;~2 Max	I	1166.8	17.9	0.1	469.6
112.0	8468.7		J	1166.8	17.9	0.1	469.6
-49.3	-3629.7	Min	I	-526.5	-7.9	-0.0	-946.3
-35.0	-16020.1		J	-526.5	-7.9	-0.0	-946.3
118.6	2994.8	C3-C4;~2 Max	I	1048.7	16.1	0.1	519.0
88.3	9551.3		J	1048.7	16.1	0.1	519.0
-54.6	-5025.7	Min	I	-581.9	-8.8	-0.0	-895.1
-41.7	-17374.7		J	-581.9	-8.8	-0.0	-895.1
-51.8	-432.2	G1	I	632.8	10.8	-0.9	-561.1
-113.7	-9239.2		J	632.8	10.8	1.1	-561.1
		G2	I	246.2	4.2	0.0	-217.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
37.6	-230.1			J	246.2	4.2	0.0	-217.6
8.5	-3642.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-3.4	592.9		Q5_pc X	I	-14.9	-0.3	-0.0	14.5
				J	-14.9	-0.3	-0.0	14.5
1.8	847.3							
			Q5_pc Y	I	21.4	0.3	-0.0	-0.4
1.5	-1380.6			J	21.4	0.3	-0.0	-0.4
3.2	-1644.4							
			Q5_ps X	I	-9.6	-0.2	-0.0	12.2
-3.2	623.9			J	-9.6	-0.2	-0.0	12.2
2.5	812.8							
			Q5_ps Y	I	15.3	0.3	0.0	-1.1
2.1	-1429.5			J	15.3	0.3	0.0	-1.1
1.4	-1633.5							
			INVS LU Max	I	3348.8	50.4	-1.0	1549.0
317.6	12247.9			J	3348.8	50.4	1.7	1549.0
171.9	21113.1							
			Min	I	-944.4	-15.4	-1.4	-2067.2
-156.3	-12165.4			J	-944.4	-15.4	1.4	-2067.2
-195.3	-48178.0							
			INVS LE Max	I	2448.2	36.6	-0.8	1225.6
236.2	9012.8			J	2448.2	36.6	1.2	1225.6
131.7	16123.3							
			Min	I	-729.2	-12.0	-1.0	-1451.1
-114.4	-8887.0			J	-729.2	-12.0	1.0	-1451.1
-139.9	-34984.2							
			69 C1-C2;~1 Max	I	1994.6	3.7	0.1	128.9
9610	2			J	1994.6	3.7	0.1	128.9
176.4	15931.1							
			Min	I	-1036.6	-1.5	-0.1	-187.7
210.1	16149.7			J	-1036.6	-1.5	-0.1	-187.7
-63.8	-28155.4							
-87.6	-29939.5							
			C3-C4;~1 Max	I	1794.8	3.2	0.1	93.3
136.9	18274.2			J	1794.8	3.2	0.1	93.3
214.2	18571.8							
			Min	I	-1166.2	-0.9	-0.2	-242.4
-80.1	-30852.2			J	-1166.2	-0.9	-0.2	-242.4
-99.0	-32722.3							
			C1-C2;~2 Max	I	1142.7	2.2	0.0	71.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
107.2	8467.3		J	1142.7	2.2	0.0	71.4
126.6	8546.2						
		Min	I	-552.6	-0.9	-0.1	-106.7
-33.0	-16017.1						
			J	-552.6	-0.9	-0.1	-106.7
-45.8	-16957.7						
		C3-C4;~2 Max	I	1029.3	1.9	0.0	52.7
83.8	9549.8						
			J	1029.3	1.9	0.0	52.7
117.9	9671.8						
		Min	I	-610.6	-0.5	-0.1	-132.4
-39.7	-17372.1						
			J	-610.6	-0.5	-0.1	-132.4
-51.0	-18332.4						
		G1	I	550.2	2.2	-1.1	-83.7
-117.2	-9236.9						
			J	550.2	2.2	0.9	-83.7
-57.3	-11052.3						
		G2	I	214.8	0.8	-0.0	-35.5
7.1	-3641.1						
			J	214.8	0.8	-0.0	-35.5
31.4	-4332.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.2	-0.1	0.0	3.2
1.9	847.3						
			J	-16.2	-0.1	0.0	3.2
-4.5	921.4						
		Q5_pc Y	I	25.3	0.0	0.0	4.6
3.2	-1644.4						
			J	25.3	0.0	0.0	4.6
1.8	-1663.1						
		Q5_ps X	I	-11.3	-0.1	0.0	4.6
2.6	812.8						
			J	-11.3	-0.1	0.0	4.6
-4.5	880.5						
		Q5_ps Y	I	19.9	0.0	-0.0	0.3
1.4	-1633.5						
			J	19.9	0.0	-0.0	0.3
2.7	-1656.7						
		INVSLE Max	I	3067.3	8.0	-1.3	-67.0
161.0	21110.3						
			J	3067.3	8.0	1.4	-67.0
241.9	19132.9						
		Min	I	-1245.3	0.8	-1.7	-576.4
-190.9	-48170.4						
			J	-1245.3	0.8	1.0	-576.4
-188.9	-53107.6						
		INVSLE Max	I	2235.3	5.9	-0.9	-50.5
124.1	16121.0						
			J	2235.3	5.9	1.1	-50.5
179.3	14723.1						
		Min	I	-955.9	0.5	-1.2	-427.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-136.2	-34978.7			J	-955.9	0.5	0.8	-427.2	
-139.3	-38566.7								
9611	2	69	C1-C2;~1	Max	I	1940.4	15.3	0.1	1533.9
218.5	16152.6				J	1940.4	15.3	0.1	1533.9
228.7	6159.4			Min	I	-1085.2	-26.8	-0.1	-845.5
-92.2	-29943.0				J	-1085.2	-26.8	-0.1	-845.5
-89.1	-11414.0								
			C3-C4;~1	Max	I	1758.1	17.2	0.2	1381.0
220.8	18575.0				J	1758.1	17.2	0.2	1381.0
159.1	4894.7			Min	I	-1221.1	-24.1	-0.0	-950.3
-104.1	-32725.8				J	-1221.1	-24.1	-0.0	-950.3
-106.9	-14207.0								
			C1-C2;~2	Max	I	1112.7	8.2	0.1	881.0
131.4	8547.7				J	1112.7	8.2	0.1	881.0
136.3	3603.1			Min	I	-579.7	-15.5	-0.1	-453.1
-48.3	-16959.9				J	-579.7	-15.5	-0.1	-453.1
-47.0	-6366.2								
			C3-C4;~2	Max	I	1008.4	9.0	0.1	797.0
122.3	9673.5				J	1008.4	9.0	0.1	797.0
94.6	2468.4			Min	I	-640.4	-13.9	-0.0	-499.7
-53.7	-18334.3				J	-640.4	-13.9	-0.0	-499.7
-54.5	-7803.4								
			G1		I	458.8	-5.2	-0.9	332.7
-55.7	-11052.7				J	458.8	-5.2	1.1	332.7
-111.6	-6835.5								
			G2		I	179.1	-2.0	0.0	124.1
32.0	-4332.2				J	179.1	-2.0	0.0	124.1
13.1	-2669.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-17.8	0.2	-0.0	-8.8
-4.5	921.4				J	-17.8	0.2	-0.0	-8.8
0.7	798.5								
			Q5_pc	Y	I	30.0	-0.3	-0.0	8.2
1.8	-1663.1				J	30.0	-0.3	-0.0	8.2
5.7	-1392.4								
			Q5_ps	X	I	-13.2	0.1	-0.0	-4.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-4.4	880.5			J	-13.2	0.1	-0.0 -4.3
1.6	805.7						
2.7	-1656.7	Q5_ps	Y	I	25.3	-0.3	-0.0 2.2
3.7	-1444.7			J	25.3	-0.3	-0.0 2.2
245.3	19138.0	INVSLE	Max	I	2748.0	24.6	-1.1 1348.1
206.3	1220.8			J	2748.0	24.6	1.7 1348.1
-201.5	-53111.7		Min	I	-1574.1	-35.4	-1.4 -2021.4
-257.0	-28780.1			J	-1574.1	-35.4	1.3 -2021.4
181.3	14727.0	INVSLE	Max	I	1993.9	18.8	-0.8 921.1
154.8	1010.2			J	1993.9	18.8	1.2 921.1
-149.1	-38569.6		Min	I	-1203.7	-25.6	-1.1 -1573.7
-187.6	-21027.0			J	-1203.7	-25.6	0.9 -1573.7
9612	2	69 C1-C2;~1	Max	I	1857.1	30.6	0.3 2545.9
251.6	6157.8			J	1857.1	30.6	0.3 2545.9
183.1	36114.5		Min	I	-1104.1	-52.8	-0.1 -1449.0
-101.2	-11402.7			J	-1104.1	-52.8	-0.1 -1449.0
-108.8	-21467.2						
179.4	4888.6	C3-C4;~1	Max	I	1674.7	34.4	0.2 2323.8
192.7	29756.1			J	1674.7	34.4	0.2 2323.8
-119.7	-14197.0		Min	I	-1241.6	-47.9	-0.2 -1628.1
-149.5	-23742.1			J	-1241.6	-47.9	-0.2 -1628.1
149.6	3603.0	C1-C2;~2	Max	I	1071.2	16.4	0.2 1457.9
120.1	20861.2			J	1071.2	16.4	0.2 1457.9
-53.7	-6359.6		Min	I	-592.2	-30.3	-0.1 -774.7
-56.5	-11586.7			J	-592.2	-30.3	-0.1 -774.7
106.4	2466.0	C3-C4;~2	Max	I	966.3	18.1	0.1 1333.3
127.3	17141.0			J	966.3	18.1	0.1 1333.3
-61.6	-7797.7		Min	I	-653.4	-27.6	-0.1 -854.5
-76.4	-12536.7			J	-653.4	-27.6	-0.1 -854.5
-106.1	-6834.5	G1		I	312.5	-10.9	-0.9 590.3
				J	312.5	-10.9	1.1 590.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-188.8	2047.0						
		G2	I	119.8	-4.3	0.1	224.4
15.2	-2669.1		J	119.8	-4.3	0.1	224.4
-33.7	814.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-14.4	0.4	-0.0	-19.0
0.5	798.6		J	-14.4	0.4	-0.0	-19.0
3.9	467.3						
		Q5_pc Y	I	35.8	-0.8	-0.0	13.5
5.9	-1392.2		J	35.8	-0.8	-0.0	13.5
7.4	-776.9						
		Q5_ps X	I	-9.6	0.3	-0.0	-13.0
1.5	805.8		J	-9.6	0.3	-0.0	-13.0
5.3	570.8						
		Q5_ps Y	I	29.8	-0.6	-0.0	7.4
3.7	-1444.6		J	29.8	-0.6	-0.0	7.4
4.0	-932.8						
		INVSLE Max	I	2323.8	49.2	-0.6	2449.1
227.2	1211.1		J	2323.8	49.2	2.1	2449.1
-108.9	39447.8						
		Min	I	-1923.9	-70.0	-1.3	-3220.0
-284.7	-28773.9		J	-1923.9	-70.0	1.4	-3220.0
-584.2	-42757.0						
		INVSLE Max	I	1676.8	37.6	-0.5	1690.7
169.2	1002.5		J	1676.8	37.6	1.5	1690.7
-83.0	28395.4						
		Min	I	-1464.9	-50.6	-0.9	-2506.1
-209.3	-21023.0		J	-1464.9	-50.6	1.1	-2506.1
-434.0	-32393.5						
		69 C1-C2;~1 Max	I	1758.1	46.9	0.3	1425.0
9613	2		J	1758.1	46.9	0.3	1425.0
270.2	36181.1						
		Min	I	-1131.3	-32.6	-0.3	-1903.1
285.9	7751.8		J	-1131.3	-32.6	-0.3	-1903.1
-72.6	-21489.5						
-159.4	-6859.0						
		C3-C4;~1 Max	I	1567.1	41.8	0.3	1600.0
278.5	29792.0		J	1567.1	41.8	0.3	1600.0
238.7	7348.7						
		Min	I	-1271.8	-36.7	-0.2	-1774.4
-44.7	-23767.0		J	-1271.8	-36.7	-0.2	-1774.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-180.0	-8662.7						
		C1-C2;~2	Max	I	1018.4	27.2	0.1 765.5
166.5	20896.9			J	1018.4	27.2	0.1 765.5
172.0	4336.1						
			Min	I	-609.3	-17.6	-0.2 -1102.4
-40.9	-11598.9			J	-609.3	-17.6	-0.2 -1102.4
-85.4	-3903.7						
		C3-C4;~2	Max	I	908.3	24.2	0.1 843.0
176.6	17157.9			J	908.3	24.2	0.1 843.0
141.0	3792.4						
			Min	I	-671.5	-19.4	-0.1 -1024.6
-22.9	-12550.0			J	-671.5	-19.4	-0.1 -1024.6
-94.6	-4897.1						
			G1	I	140.6	0.6	-0.9 -23.8
7.8	2077.6			J	140.6	0.6	1.1 -23.8
-103.8	1573.9						
			G2	I	52.3	0.2	0.0 -4.3
44.0	827.5			J	52.3	0.2	0.0 -4.3
16.7	634.8						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	-9.9	-0.3	0.0 -14.8
-4.2	462.2			J	-9.9	-0.3	0.0 -14.8
-6.8	725.1						
			Q5_pc Y	I	41.6	1.1	-0.0 3.7
-1.9	-772.0			J	41.6	1.1	-0.0 3.7
8.8	-1633.3						
			Q5_ps X	I	-4.9	-0.2	0.0 -16.5
-4.1	566.3			J	-4.9	-0.2	0.0 -16.5
-6.3	724.8						
			Q5_ps Y	I	34.1	0.9	-0.0 4.7
-0.6	-928.8			J	34.1	0.9	-0.0 4.7
8.8	-1630.1						
			INVSLU Max	I	1837.7	42.6	-0.5 3052.4
480.1	39362.5			J	1837.7	42.6	2.2 3052.4
117.9	19336.5						
			Min	I	-2327.4	-72.1	-1.3 -1703.5
-1.4	-42957.1			J	-2327.4	-72.1	1.4 -1703.5
-526.9	-5763.1						
			INVSLE Max	I	1313.8	30.2	-0.4 2333.9
358.4	28322.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
78.5	14493.1		J	1313.8	30.2	1.6	2333.9
		Min	I	-1766.0	-54.6	-1.0	-1187.0
2.3	-32552.2		J	-1766.0	-54.6	1.0	-1187.0
-397.9	-3881.4						
9614	2	69 C1-C2;~1 Max	I	1663.7	24.4	0.2	882.2
268.5	7752.0		J	1663.7	24.4	0.2	882.2
218.6	19246.5	Min	I	-1178.3	-17.1	-0.1	-1176.1
-145.9	-6869.9		J	-1178.3	-17.1	-0.1	-1176.1
-109.1	-23187.4						
		C3-C4;~1 Max	I	1461.7	21.6	0.2	991.8
222.1	7353.5		J	1461.7	21.6	0.2	991.8
164.4	22177.7	Min	I	-1326.1	-19.2	-0.1	-1187.1
-164.8	-8674.1		J	-1326.1	-19.2	-0.1	-1187.1
-134.4	-24607.2						
		C1-C2;~2 Max	I	967.1	14.2	0.1	472.0
162.0	4335.5		J	967.1	14.2	0.1	472.0
134.1	10337.0	Min	I	-636.3	-9.2	-0.0	-678.6
-78.1	-3910.0		J	-636.3	-9.2	-0.0	-678.6
-56.0	-13446.6						
		C3-C4;~2 Max	I	849.5	12.5	0.1	520.9
131.5	3794.3		J	849.5	12.5	0.1	520.9
101.0	11680.9	Min	I	-701.3	-10.2	-0.0	-650.9
-86.6	-4903.5		J	-701.3	-10.2	-0.0	-650.9
-66.3	-14097.3						
		G1	I	-37.8	0.3	-0.9	-55.0
-104.2	1571.0		J	-37.8	0.3	1.1	-55.0
-163.8	1342.5						
		G2	I	-15.6	0.1	0.0	-18.9
16.6	633.7		J	-15.6	0.1	0.0	-18.9
-11.8	531.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.1	-0.3	-0.0	-4.6
-6.9	725.2		J	-6.1	-0.3	-0.0	-4.6
2.8	944.9						
		Q5_pc Y	I	46.5	0.5	0.0	7.2
8.9	-1633.4		J	46.5	0.5	0.0	7.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7.0	-2028.5							
-6.4	724.9	Q5_ps X	I	-1.3	-0.2	-0.0	-4.8	
3.9	895.0		J	-1.3	-0.2	-0.0	-4.8	
8.9	-1630.2	Q5_ps Y	I	38.2	0.4	0.0	5.0	
4.4	-1961.2		J	38.2	0.4	0.0	5.0	
102.5	19341.2	INVS LU Max	I	1347.9	22.4	-1.0	1801.8	
10.9	48030.5		J	1347.9	22.4	1.7	1801.8	
-498.4	-5774.1	Min	I	-2772.0	-37.3	-1.5	-1152.7	
-478.2	-18780.3		J	-2772.0	-37.3	1.2	-1152.7	
67.8	14497.3	INVS LE Max	I	947.9	15.9	-0.8	1381.6	
5.3	36272.8		J	947.9	15.9	1.2	1381.6	
-376.1	-3888.8	Min	I	-2097.7	-28.2	-1.1	-805.9	
-356.1	-12946.3		J	-2097.7	-28.2	0.9	-805.9	
9615	2	69 C1-C2;~1 Max	I	1567.6	3.3	0.1	176.2	
213.1	19243.6		J	1567.6	3.3	0.1	176.2	
219.7	19074.6	Min	I	-1241.5	-1.8	-0.2	-308.0	
-105.5	-23183.9		J	-1241.5	-1.8	-0.2	-308.0	
-133.4	-24188.8							
159.3	22174.4	C3-C4;~1 Max	I	1390.8	2.6	0.1	127.0	
221.5	21975.5		J	1390.8	2.6	0.1	127.0	
-131.9	-24603.7	Min	I	-1394.8	-1.0	-0.2	-331.9	
-151.8	-25729.6		J	-1394.8	-1.0	-0.2	-331.9	
130.7	10335.4	C1-C2;~2 Max	I	915.1	2.0	0.1	105.1	
135.2	10232.2		J	915.1	2.0	0.1	105.1	
-53.8	-13444.7	Min	I	-670.8	-1.1	-0.1	-182.0	
-71.1	-13980.8		J	-670.8	-1.1	-0.1	-182.0	
97.9	11679.1	C3-C4;~2 Max	I	809.3	1.5	0.1	73.8	
123.4	11569.9		J	809.3	1.5	0.1	73.8	
-64.9	-14095.4	Min	I	-738.1	-0.6	-0.1	-183.6	
-79.5	-14693.1		J	-738.1	-0.6	-0.1	-183.6	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-164.7	1343.1	G1	I	-184.8	1.8	-1.1	-138.3
			J	-184.8	1.8	0.9	-138.3
-114.2	-148.0						
		G2	I	-71.4	0.7	-0.0	-55.3
-12.1	531.8		J	-71.4	0.7	-0.0	-55.3
8.8	-67.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.9	-0.2	0.0	12.6
2.8	944.8		J	-6.9	-0.2	0.0	12.6
-8.7	1130.7						
		Q5_pc Y	I	49.8	-0.1	-0.0	3.7
7.1	-2028.3		J	49.8	-0.1	-0.0	3.7
7.4	-1936.1						
		Q5_ps X	I	-2.9	-0.2	0.0	13.5
3.9	895.0		J	-2.9	-0.2	0.0	13.5
-8.5	1078.6						
		Q5_ps Y	I	42.9	-0.1	-0.0	-0.8
4.4	-1961.1		J	42.9	-0.1	-0.0	-0.8
8.1	-1887.7						
		INVSLU Max	I	894.4	9.4	-1.2	3.8
5.0	48024.1		J	894.4	9.4	1.5	3.8
37.7	43832.6						
		Min	I	-3194.6	2.1	-1.7	-704.8
-473.5	-18777.3		J	-3194.6	2.1	1.0	-704.8
-482.0	-24054.2						
		INVSLE Max	I	608.1	7.0	-0.9	7.4
1.2	36267.9		J	608.1	7.0	1.1	7.4
21.1	33125.3						
		Min	I	-2414.2	1.6	-1.3	-515.8
-352.2	-12944.3		J	-2414.2	1.6	0.7	-515.8
-362.7	-16903.1						
9616	2	69 C1-C2;~1 Max	I	1447.4	18.4	0.1	936.3
224.0	19077.9		J	1447.4	18.4	0.1	936.3
232.3	6124.9						
		Min	I	-1302.7	-20.7	-0.1	-842.0
-137.5	-24190.7		J	-1302.7	-20.7	-0.1	-842.0
-148.6	-10752.9						
		C3-C4;~1 Max	I	1306.5	20.6	0.2	861.0
224.3	21979.1		J	1306.5	20.6	0.2	861.0
159.7	5883.3						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-156.4	-25731.4	Min	I	-1460.1	-18.3	-0.1	-946.8
			J	-1460.1	-18.3	-0.1	-946.8
-175.1	-12622.3						
137.8	10233.9	C1-C2;~2 Max	I	847.6	9.9	0.1	555.1
			J	847.6	9.9	0.1	555.1
141.5	3508.7						
-73.3	-13981.9	Min	I	-703.9	-12.2	-0.1	-453.0
			J	-703.9	-12.2	-0.1	-453.0
-77.6	-6109.9						
125.8	11571.8	C3-C4;~2 Max	I	760.4	10.9	0.1	511.2
			J	760.4	10.9	0.1	511.2
95.9	2995.3						
-82.0	-14694.0	Min	I	-772.9	-10.7	-0.0	-497.7
			J	-772.9	-10.7	-0.0	-497.7
-88.5	-7093.8						
-116.5	-146.3	G1	I	-342.9	5.5	-0.9	-291.3
			J	-342.9	5.5	1.1	-291.3
-200.4	-4611.6						
7.9	-66.5	G2	I	-132.1	2.1	0.0	-117.8
			J	-132.1	2.1	0.0	-117.8
-21.6	-1814.3						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-8.5	1130.7	Q5_pc X	I	-7.9	-0.2	-0.0	28.6
			J	-7.9	-0.2	-0.0	28.6
3.9	1274.0						
7.4	-1936.2	Q5_pc Y	I	53.4	-0.7	-0.0	0.2
			J	53.4	-0.7	-0.0	0.2
11.0	-1327.8						
-8.2	1078.5	Q5_ps X	I	-4.8	-0.2	-0.0	29.8
			J	-4.8	-0.2	-0.0	29.8
4.7	1255.9						
8.0	-1887.8	Q5_ps Y	I	47.9	-0.6	-0.0	-4.8
			J	47.9	-0.6	-0.0	-4.8
8.4	-1362.2						
34.3	43842.5	INVSLU Max	I	397.7	53.2	-0.9	215.4
			J	397.7	53.2	1.8	215.4
-60.5	1845.8						
-495.0	-24051.8	Min	I	-3623.5	-4.0	-1.4	-2378.3
			J	-3623.5	-4.0	1.3	-2378.3
-630.2	-25853.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

18.4	33132.7	INVSLE Max	I	237.3	40.1	-0.7	121.1
			J	237.3	40.1	1.3	121.1
-49.6	1403.8	Min	I	-2734.2	-2.1	-1.0	-1796.4
-372.6	-16901.2		J	-2734.2	-2.1	1.0	-1796.4
-470.1	-18936.7						
9617	2	69 C1-C2;~1 Max	I	1304.4	36.3	0.4	1560.0
246.3	6121.4		J	1304.4	36.3	0.4	1560.0
156.8	26853.4	Min	I	-1335.4	-38.8	-0.2	-1441.4
-161.3	-10747.2		J	-1335.4	-38.8	-0.2	-1441.4
-154.2	-26277.7						
		C3-C4;~1 Max	I	1182.5	40.6	0.3	1446.7
172.3	5873.7		J	1182.5	40.6	0.3	1446.7
168.6	21625.9	Min	I	-1492.5	-35.3	-0.2	-1612.7
-189.2	-12618.3		J	-1492.5	-35.3	-0.2	-1612.7
-189.5	-28855.5						
		C1-C2;~2 Max	I	766.4	19.6	0.2	921.4
149.8	3507.4		J	766.4	19.6	0.2	921.4
105.4	15808.4	Min	I	-719.9	-22.7	-0.1	-779.0
-84.5	-6106.4		J	-719.9	-22.7	-0.1	-779.0
-85.9	-14144.7						
		C3-C4;~2 Max	I	689.9	21.5	0.2	850.0
103.3	2990.2		J	689.9	21.5	0.2	850.0
113.0	12549.3	Min	I	-787.9	-20.6	-0.1	-853.3
-96.0	-7091.4		J	-787.9	-20.6	-0.1	-853.3
-101.5	-15187.0						
		G1	I	-544.3	11.1	-1.0	-428.0
-204.6	-4617.4		J	-544.3	11.1	1.0	-428.0
-240.2	-13609.3						
		G2	I	-211.5	4.3	0.0	-171.2
-23.3	-1816.6		J	-211.5	4.3	0.0	-171.2
-53.1	-5305.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.1	-0.1	0.0	32.7
4.3	1274.5		J	-1.1	-0.1	0.0	32.7
3.4	1337.2						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.0	-1327.7	Q5_pc	Y	I	55.3	-1.4	0.0	4.6
				J	55.3	-1.4	0.0	4.6
2.5	-152.4							
5.1	1256.5	Q5_ps	X	I	1.5	-0.2	0.0	33.9
				J	1.5	-0.2	0.0	33.9
4.6	1380.0							
8.4	-1362.3	Q5_ps	Y	I	49.2	-1.3	0.0	0.1
				J	49.2	-1.3	0.0	0.1
-0.7	-316.6							
-57.7	1825.5	INVSLU	Max	I	-162.1	104.3	-0.8	399.9
				J	-162.1	104.3	1.9	399.9
-185.4	-9333.7							
			Min	I	-4037.3	-5.6	-1.7	-3942.2
-665.4	-25863.1			J	-4037.3	-5.6	1.0	-3942.2
-674.9	-86947.6							
		INVSLE	Max	I	-176.7	78.7	-0.6	228.7
-48.1	1388.4			J	-176.7	78.7	1.4	228.7
-135.8	-8143.6							
			Min	I	-3039.9	-2.5	-1.2	-2983.3
-496.8	-18944.6			J	-3039.9	-2.5	0.8	-2983.3
-498.0	-65457.0							
9618	2	69 C1-C2;~1	Max	I	1181.8	29.8	0.4	1005.3
294.5	26872.5			J	1181.8	29.8	0.4	1005.3
198.5	16493.0							
			Min	I	-1396.0	-45.8	-0.2	-891.6
-67.8	-26299.8			J	-1396.0	-45.8	-0.2	-891.6
-209.9	-4884.7							
		C3-C4;~1	Max	I	1061.8	27.4	0.4	1102.9
299.1	21686.5			J	1061.8	27.4	0.4	1102.9
163.4	14297.9							
			Min	I	-1557.9	-50.6	-0.1	-839.5
-57.5	-28882.5			J	-1557.9	-50.6	-0.1	-839.5
-229.2	-6782.0							
		C1-C2;~2	Max	I	695.5	17.3	0.2	543.3
180.1	15819.0			J	695.5	17.3	0.2	543.3
121.8	8873.1							
			Min	I	-748.3	-24.5	-0.1	-528.6
-38.5	-14155.8			J	-748.3	-24.5	-0.1	-528.6
-110.4	-2497.8							
		C3-C4;~2	Max	I	618.6	15.8	0.2	584.0
188.0	12591.2			J	618.6	15.8	0.2	584.0
96.6	7146.0							
			Min	I	-817.1	-26.5	-0.1	-451.4
-28.3	-15200.1							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-120.8	-3662.1		J	-817.1	-26.5	-0.1	-451.4
		G1	I	-775.8	-32.5	-0.7	453.7
23.5	-13623.1		J	-775.8	-32.5	1.3	453.7
-244.7	12863.3						
		G2	I	-300.9	-12.3	0.1	173.7
50.4	-5311.1		J	-300.9	-12.3	0.1	173.7
-36.9	4725.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	8.2	2.7	-0.0	-50.6
-13.3	1331.5		J	8.2	2.7	-0.0	-50.6
-7.1	-849.0						
		Q5_pc Y	I	56.9	2.4	-0.0	5.3
0.1	-148.4		J	56.9	2.4	-0.0	5.3
14.5	-2096.3						
		Q5_ps X	I	10.3	2.5	-0.0	-45.7
-12.7	1375.0		J	10.3	2.5	-0.0	-45.7
-7.1	-680.8						
		Q5_ps Y	I	49.9	2.2	-0.0	1.7
1.6	-313.6		J	49.9	2.2	-0.0	1.7
15.0	-2115.4						
		INVS LU Max	I	-747.0	-45.3	-0.0	2805.0
467.6	-9426.1		J	-747.0	-45.3	2.7	2805.0
-281.8	48749.7						
		Min	I	-4547.9	-158.6	-0.9	21.5
-51.5	-87092.0		J	-4547.9	-158.6	1.8	21.5
-885.3	13555.0						
		INVS LE Max	I	-609.5	-35.4	-0.0	2119.6
343.4	-8213.0		J	-609.5	-35.4	2.0	2119.6
-218.2	36184.3						
		Min	I	-3417.4	-119.0	-0.7	64.4
-39.3	-65565.8		J	-3417.4	-119.0	1.3	64.4
-663.2	10393.7						
		69 C1-C2;~1 Max	I	1082.9	15.4	0.2	444.3
9619	2		J	1082.9	15.4	0.2	444.3
191.6	16497.4						
		Min	I	-1494.1	-26.4	-0.2	-577.8
161.5	34003.3		J	-1494.1	-26.4	-0.2	-577.8
-201.6	-4890.1						
-114.0	-14847.4						
		C3-C4;~1 Max	I	960.3	14.0	0.2	462.7

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
156.9	14304.9		J	960.3	14.0	0.2	462.7
114.2	36877.3	Min	I	-1664.9	-28.8	-0.2	-602.5
-219.9	-6788.0		J	-1664.9	-28.8	-0.2	-602.5
-151.2	-17193.0						
		C1-C2;~2 Max	I	636.1	9.0	0.1	231.8
117.7	8874.8		J	636.1	9.0	0.1	231.8
100.6	17827.3	Min	I	-795.4	-14.1	-0.1	-329.0
-105.8	-2500.7		J	-795.4	-14.1	-0.1	-329.0
-57.9	-8074.7						
		C3-C4;~2 Max	I	554.8	8.0	0.1	240.0
92.9	7147.4		J	554.8	8.0	0.1	240.0
70.5	19047.9	Min	I	-866.8	-15.1	-0.1	-321.9
-115.8	-3665.3		J	-866.8	-15.1	-0.1	-321.9
-76.0	-9411.1						
		G1	I	-1021.1	-20.1	-1.0	12.5
-241.5	12867.5		J	-1021.1	-20.1	1.0	12.5
-208.9	29187.6						
		G2	I	-393.8	-7.5	-0.0	1.3
-35.7	4727.0		J	-393.8	-7.5	-0.0	1.3
-31.1	10834.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	16.7	2.4	-0.0	-15.0
-7.5	-849.3		J	16.7	2.4	-0.0	-15.0
6.6	-2803.6						
		Q5_pc Y	I	58.6	1.7	0.0	4.4
14.5	-2096.5		J	58.6	1.7	0.0	4.4
5.5	-3454.8						
		Q5_ps X	I	18.0	2.2	-0.0	-10.5
-7.5	-681.1		J	18.0	2.2	-0.0	-10.5
7.4	-2492.2						
		Q5_ps Y	I	51.3	1.6	0.0	-2.7
15.0	-2115.6		J	51.3	1.6	0.0	-2.7
2.6	-3417.7						
		INVSLU Max	I	-1341.1	-29.4	-1.2	859.0
-281.2	48770.4		J	-1341.1	-29.4	1.5	859.0
-146.2	120135.3	Min	I	-5156.2	-93.4	-1.9	-605.9

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-862.8	13561.5			J	-5156.2	-93.4	0.8	-605.9	
-580.2	40921.7								
		INVSLE	Max	I	-1050.4	-22.9	-0.9	657.4	
-217.3	36200.2			J	-1050.4	-22.9	1.1	657.4	
-109.9	89759.2		Min	I	-3868.6	-70.0	-1.4	-425.8	
-646.2	10399.0			J	-3868.6	-70.0	0.6	-425.8	
-430.5	31543.1								
9620	2	69	C1-C2;~1	Max	I	1006.8	3.9	0.4	561.9
163.2	33999.6			J	1006.8	3.9	0.4	561.9	
242.5	38278.8		Min	I	-1627.5	-7.0	-0.3	-701.7	
-117.4	-14844.4			J	-1627.5	-7.0	-0.3	-701.7	
-335.5	-16468.8								
		C3-C4;~1	Max	I	905.9	3.6	0.4	471.6	
115.5	36872.4			J	905.9	3.6	0.4	471.6	
257.1	40831.9		Min	I	-1798.9	-5.7	-0.4	-863.0	
-156.1	-17190.3			J	-1798.9	-5.7	-0.4	-863.0	
-323.7	-18717.4								
		C1-C2;~2	Max	I	589.3	2.4	0.2	336.5	
101.5	17825.3			J	589.3	2.4	0.2	336.5	
147.7	20106.6		Min	I	-863.6	-3.9	-0.1	-348.9	
-59.6	-8072.9			J	-863.6	-3.9	-0.1	-348.9	
-170.7	-8985.1								
		C3-C4;~2	Max	I	519.0	2.0	0.2	280.6	
71.2	19045.3			J	519.0	2.0	0.2	280.6	
131.7	21164.3		Min	I	-935.1	-2.9	-0.2	-421.8	
-78.5	-9409.6			J	-935.1	-2.9	-0.2	-421.8	
-168.7	-10145.7								
		G1		I	-1257.6	-4.4	-0.8	-622.3	
-212.2	29185.2			J	-1257.6	-4.4	1.2	-622.3	
-348.7	32759.6								
		G2		I	-483.3	-1.5	0.0	-247.9	
-32.4	10833.7			J	-483.3	-1.5	0.0	-247.9	
-72.2	12031.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	17.5	2.1	0.0	39.8	
6.7	-2803.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-18.6	-4478.4		J	17.5	2.1	0.0	39.8
5.5	-3454.8	Q5_pc Y	I	61.7	0.9	-0.0	-6.7
17.1	-4222.1		J	61.7	0.9	-0.0	-6.7
7.6	-2492.1	Q5_ps X	I	17.3	1.9	0.0	42.8
-19.6	-4021.8		J	17.3	1.9	0.0	42.8
2.5	-3417.7	Q5_ps Y	I	56.2	1.0	-0.0	-16.5
20.3	-4198.2		J	56.2	1.0	-0.0	-16.5
-149.4	120122.1	INVS LU Max	I	-1943.1	-3.0	-0.2	-452.1
-444.3	134676.7		J	-1943.1	-3.0	2.5	-452.1
-592.5	40918.7	Min	I	-5841.9	-21.4	-1.4	-2447.4
1277.8	46224.1		J	-5841.9	-21.4	1.3	-2447.4
-112.2	89749.2	INVS LE Max	I	-1500.7	-2.6	-0.1	-348.9
-342.1	100621.9		J	-1500.7	-2.6	1.9	-348.9
-439.5	31540.8	Min	I	-4380.4	-15.9	-1.0	-1821.6
-957.0	35698.6		J	-4380.4	-15.9	1.0	-1821.6
9621	2	83 C1-C2;~1 Max	I	966.5	19.2	1.2	1074.0
247.9	38290.9		J	966.5	19.2	1.2	1074.0
1221.8	24641.4	Min	I	-1839.1	-14.8	-1.3	-1599.1
-344.6	-16474.7		J	-1839.1	-14.8	-1.3	-1599.1
1126.3	-10481.3	C3-C4;~1 Max	I	887.1	21.7	1.6	975.9
259.0	40846.1		J	887.1	21.7	1.6	975.9
826.4	24313.8	Min	I	-2016.6	-12.4	-0.8	-1839.2
-334.6	-18723.3		J	-2016.6	-12.4	-0.8	-1839.2
1433.9	-13224.6	C1-C2;~2 Max	I	559.1	10.1	0.6	638.9
151.1	20113.1		J	559.1	10.1	0.6	638.9
774.3	12747.9	Min	I	-971.9	-8.9	-0.8	-832.9
-175.8	-8988.4		J	-971.9	-8.9	-0.8	-832.9
-565.1	-5748.9	C3-C4;~2 Max	I	501.3	11.1	0.8	575.8
134.3	21171.7		J	501.3	11.1	0.8	575.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
509.8	12566.8		Min	I	-1045.6	-7.2	-0.5	-932.7	
-174.5	-10149.0			J	-1045.6	-7.2	-0.5	-932.7	
-710.8	-7236.4								
		G1		I	-1566.3	14.6	-1.1	-1313.8	
-359.1	32770.3			J	-1566.3	14.6	3.4	-1313.8	-
1324.2	20903.7								
		G2		I	-601.3	5.8	0.4	-519.9	
-76.3	12035.3			J	-601.3	5.8	0.4	-519.9	
-373.5	7295.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	18.7	1.7	-0.1	95.8	
-17.9	-4479.3			J	18.7	1.7	-0.1	95.8	
28.7	-5864.7								
		Q5_pc Y		I	67.8	0.2	-0.1	-23.6	
16.9	-4221.9			J	67.8	0.2	-0.1	-23.6	
66.0	-4370.2								
		Q5_ps X		I	17.0	1.5	-0.1	96.7	
-18.8	-4022.7			J	17.0	1.5	-0.1	96.7	
37.4	-5277.4								
		Q5_ps Y		I	64.1	0.3	-0.0	-34.4	
20.0	-4198.0			J	64.1	0.3	-0.0	-34.4	
43.8	-4406.2								
		INVSLE Max		I	-2673.5	69.8	1.5	-1260.4	
-464.2	134720.0			J	-2673.5	69.8	7.6	-1260.4	-
1007.5	82355.4								
		Min		I	-6822.8	17.5	-2.5	-5365.6	-
1311.3	46238.5			J	-6822.8	17.5	3.5	-5365.6	-
4711.5	20679.9								
		INVSLE Max		I	-2048.4	52.2	1.1	-985.1	
-357.0	100654.4			J	-2048.4	52.2	5.6	-985.1	
-762.6	61260.5								
		Min		I	-5112.9	13.7	-1.9	-4013.3	
-982.1	35709.8			J	-5112.9	13.7	2.6	-4013.3	-
3497.5	16356.9								
		83 C1-C2;~1 Max		I	882.0	43.4	1.8	1373.9	
9622	2			J	882.0	43.4	1.8	1373.9	
1234.8	24637.5								
		Min		I	-2001.3	-25.9	-1.9	-2164.4	-
1023.4	24990.1			J	-2001.3	-25.9	-1.9	-2164.4	-
1144.5	-10481.9								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-625.8	-15695.6							
		C3-C4;~1	Max	I	828.2	48.1	0.9	1274.3
837.1	24306.8			J	828.2	48.1	0.9	1274.3
1185.9	18197.3							
			Min	I	-2152.1	-23.4	-2.4	-2453.7
1455.5	-13226.0			J	-2152.1	-23.4	-2.4	-2453.7
-323.6	-19162.8							
		C1-C2;~2	Max	I	501.6	22.9	1.1	818.3
782.0	12746.3			J	501.6	22.9	1.1	818.3
697.1	15569.5							
			Min	I	-1045.4	-15.2	-1.1	-1139.3
-573.9	-5749.4			J	-1045.4	-15.2	-1.1	-1139.3
-357.3	-7889.1							
		C3-C4;~2	Max	I	461.6	24.8	0.5	750.3
515.9	12563.4			J	461.6	24.8	0.5	750.3
819.7	10890.4							
			Min	I	-1105.9	-13.4	-1.3	-1260.8
-721.1	-7237.3			J	-1105.9	-13.4	-1.3	-1260.8
-170.3	-9380.8							
			G1	I	-1857.8	36.0	-3.5	-1748.5
1342.5	20894.6			J	-1857.8	36.0	1.0	-1748.5
-343.2	-8382.6							
			G2	I	-714.3	14.0	-0.3	-690.3
-380.7	7292.2			J	-714.3	14.0	-0.3	-690.3
-98.7	-4127.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	33.2	1.4	-0.0	121.5
30.0	-5863.7			J	33.2	1.4	-0.0	121.5
46.9	-7025.8							
		Q5_pc	Y	I	69.1	-0.7	0.1	-31.7
65.6	-4370.4			J	69.1	-0.7	0.1	-31.7
-2.7	-3838.2							
		Q5_ps	X	I	30.1	1.3	-0.0	120.4
38.7	-5276.4			J	30.1	1.3	-0.0	120.4
38.7	-6335.8							
		Q5_ps	Y	I	65.1	-0.6	0.1	-41.0
43.3	-4406.4			J	65.1	-0.6	0.1	-41.0
0.2	-3958.0							
		INVSLU	Max	I	-3361.6	159.5	-2.8	-1837.6
1029.5	82331.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
702.0	7946.4		J	-3361.6	159.5	3.3	-1837.6	
		Min	I	-7582.1	57.0	-8.6	-7223.6	-
4779.6	20661.2		J	-7582.1	57.0	-2.5	-7223.6	-
1828.1	-64306.3							
		INVSLE Max	I	-2559.9	119.5	-2.1	-1436.9	
-779.6	61242.8		J	-2559.9	119.5	2.4	-1436.9	
502.9	4867.7	Min	I	-5676.9	43.8	-6.3	-5410.3	-
3548.7	16342.9		J	-5676.9	43.8	-1.8	-5410.3	-
1365.1	-47716.0							
9623	2	83 C1-C2;~1 Max	I	791.9	23.4	2.3	3920.6	
1193.1	24970.1		J	791.9	23.4	2.3	3920.6	
979.2	24659.8	Min	I	-2143.1	-43.9	-1.2	-1225.2	
-494.6	-15712.0		J	-2143.1	-43.9	-1.2	-1225.2	-
1534.7	-7077.6							
		C3-C4;~1 Max	I	768.8	19.7	2.5	3956.4	
1340.8	18225.2		J	768.8	19.7	2.5	3956.4	
814.4	31740.2	Min	I	-2277.7	-59.9	-0.7	-1417.9	
-235.7	-19191.0		J	-2277.7	-59.9	-0.7	-1417.9	-
1679.3	-5719.4							
		C1-C2;~2 Max	I	439.0	13.0	1.3	2035.9	
784.0	15552.5		J	439.0	13.0	1.3	2035.9	
588.4	12627.1	Min	I	-1107.4	-21.5	-0.7	-624.2	
-275.9	-7893.0		J	-1107.4	-21.5	-0.7	-624.2	
-774.9	-3470.9							
		C3-C4;~2 Max	I	421.6	11.0	1.4	2068.9	
906.6	10910.2		J	421.6	11.0	1.4	2068.9	
468.8	15547.4	Min	I	-1157.1	-29.1	-0.3	-700.8	
-121.6	-9388.8		J	-1157.1	-29.1	-0.3	-700.8	
-874.4	-2827.3							
		G1	I	-2145.9	-43.0	-0.3	3518.5	
-27.2	-8421.1		J	-2145.9	-43.0	4.0	3518.5	-
1448.6	24891.6							
		G2	I	-823.8	-17.8	0.6	1304.0	
23.2	-4142.8		J	-823.8	-17.8	0.6	1304.0	
-430.3	9678.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

11.8	-7027.4	Q5_pc X	I	50.5	1.5	0.2	-349.5	
-121.2	-8223.0		J	50.5	1.5	0.2	-349.5	
0.2	-3837.4	Q5_pc Y	I	69.0	2.1	-0.1	-8.0	
108.9	-5444.0		J	69.0	2.1	-0.1	-8.0	
4.5	-6336.7	Q5_ps X	I	45.8	2.3	0.2	-316.6	
-116.6	-8089.6		J	45.8	2.3	0.2	-316.6	
7.6	-3958.8	Q5_ps Y	I	64.4	1.2	-0.1	-34.6	
113.9	-4857.5		J	64.4	1.2	-0.1	-34.6	
1417.3	7846.7	INVS LU Max	I	-4027.4	-48.2	4.7	12864.9	
2108.8	81342.7		J	-4027.4	-48.2	10.5	12864.9	-
1081.8	-64420.0	Min	I	-8295.5	-164.5	-0.6	4980.5	-
5916.0	14137.2		J	-8295.5	-164.5	5.2	4980.5	-
1031.3	4794.6	INVS LE Max	I	-3053.2	-35.7	3.5	9607.2	
1615.4	59002.2		J	-3053.2	-35.7	7.8	9607.2	-
-818.3	-47799.3	Min	I	-6205.6	-121.5	-0.4	3813.5	
4419.4	10316.7		J	-6205.6	-121.5	3.9	3813.5	-
9624	2	83 C1-C2;~1 Max	I	734.8	22.9	1.2	3525.0	
971.6	24661.3		J	734.8	22.9	1.2	3525.0	
1176.5	36324.5	Min	I	-2301.7	-21.6	-2.3	-1194.1	-
1496.8	-7078.9		J	-2301.7	-21.6	-2.3	-1194.1	
-573.2	-18482.7							
808.1	31745.2	C3-C4;~1 Max	I	708.9	14.8	1.8	3576.4	
814.6	54692.7		J	708.9	14.8	1.8	3576.4	
1640.3	-5721.5	Min	I	-2417.4	-34.4	-2.3	-1474.0	-
-869.1	-11605.3		J	-2417.4	-34.4	-2.3	-1474.0	
585.1	12627.2	C1-C2;~2 Max	I	398.0	12.5	0.6	1836.3	
742.8	17352.6		J	398.0	12.5	0.6	1836.3	
-756.3	-3471.8	Min	I	-1177.4	-10.2	-1.2	-607.6	
-295.4	-9287.0		J	-1177.4	-10.2	-1.2	-607.6	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
466.2	15549.8	C3-C4;~2 Max	I	378.6	8.0	0.9	1865.9	
			J	378.6	8.0	0.9	1865.9	
507.6	25951.7	Min	I	-1216.0	-16.1	-1.2	-722.7	
-853.9	-2828.4		J	-1216.0	-16.1	-1.2	-722.7	
-450.5	-5879.2							
		G1	I	-2436.4	-16.1	-3.5	2943.1	-
1413.9	24896.3		J	-2436.4	-16.1	0.8	2943.1	
-358.9	37352.7							
		G2	I	-932.0	-7.5	-0.5	1081.0	
-417.5	9680.4		J	-932.0	-7.5	-0.5	1081.0	
-50.0	15509.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	64.6	0.7	-0.1	-281.2	
-124.6	-8223.0		J	64.6	0.7	-0.1	-281.2	
-29.2	-8751.1							
		Q5_pc Y	I	69.2	1.3	0.1	-22.3	
108.8	-5444.1		J	69.2	1.3	0.1	-22.3	
8.2	-6483.1							
		Q5_ps X	I	58.4	1.5	-0.1	-252.9	
-119.7	-8089.6		J	58.4	1.5	-0.1	-252.9	
-16.9	-9229.8							
		Q5_ps Y	I	64.5	0.5	0.2	-49.5	
113.5	-4857.6		J	64.5	0.5	0.2	-49.5	
-11.0	-5239.2							
		INVS LU Max	I	-4661.2	13.5	-3.9	11152.9	-
2044.8	81360.7		J	-4661.2	13.5	1.9	11152.9	
905.4	127225.7	Min	I	-9041.2	-66.2	-9.7	3828.8	-
5795.3	14146.9		J	-9041.2	-66.2	-4.0	3828.8	-
1908.7	12686.9							
		INVS LE Max	I	-3523.4	10.9	-3.0	8329.8	-
1567.2	59015.8		J	-3523.4	10.9	1.3	8329.8	
671.0	92220.8	Min	I	-6758.6	-48.0	-7.3	2941.9	-
4328.7	10324.1		J	-6758.6	-48.0	-3.0	2941.9	-
1409.6	8544.0							
9625	2	83 C1-C2;~1 Max	I	689.3	34.9	6.6	2830.3	
1189.8	36321.9		J	689.3	34.9	6.6	2830.3	
776.4	37108.7							

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-575.8	-18482.6		Min	I	-2479.3	-10.0	-1.2	-1174.0		
				J	-2479.3	-10.0	-1.2	-1174.0	-	
4503.4	-40509.8		C3-C4;~1	Max	I	691.7	23.8	5.4	2905.9	
831.2	54689.8			J	691.7	23.8	5.4	2905.9		
888.0	62786.9			Min	I	-2538.8	-19.2	-1.6	-1514.6	
-876.9	-11605.3			J	-2538.8	-19.2	-1.6	-1514.6	-	
3897.8	-22731.9									
			C1-C2;~2	Max	I	355.8	17.8	3.4	1487.6	
748.2	17351.3			J	355.8	17.8	3.4	1487.6		
395.7	17286.5			Min	I	-1258.3	-4.5	-0.6	-565.6	
-296.5	-9286.8			J	-1258.3	-4.5	-0.6	-565.6	-	
2260.8	-20602.8									
			C3-C4;~2	Max	I	356.3	11.7	2.7	1509.1	
515.8	25950.1			J	356.3	11.7	2.7	1509.1		
446.2	29258.7			Min	I	-1273.3	-9.1	-0.8	-748.0	
-454.3	-5879.2			J	-1273.3	-9.1	-0.8	-748.0	-	
1959.8	-11196.4									
				G1	I	-2690.0	13.8	3.8	2023.0	
-333.6	37349.5			J	-2690.0	13.8	8.0	2023.0	-	
4902.2	26682.1									
				G2	I	-1026.0	3.9	2.1	725.7	
-40.8	15508.5			J	-1026.0	3.9	2.1	725.7	-	
1695.6	12503.7									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
				Q5_pc	X	I	64.3	-0.3	-0.4	-172.0
-31.5	-8751.0			J	64.3	-0.3	-0.4	-172.0		
270.6	-8537.9									
				Q5_pc	Y	I	70.7	0.6	-0.3	-48.0
7.9	-6483.0			J	70.7	0.6	-0.3	-48.0		
216.7	-6980.9									
				Q5_ps	X	I	56.4	0.6	-0.3	-151.9
-19.0	-9229.7			J	56.4	0.6	-0.3	-151.9		
215.8	-9703.5									
				Q5_ps	Y	I	68.2	-0.2	-0.3	-73.2
-11.6	-5239.1			J	68.2	-0.2	-0.3	-73.2		
246.5	-5106.3									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

978.0	127213.8		INVS LU Max	I	-5246.8	97.9	19.5	8353.9	
				J	-5246.8	97.9	25.3	8353.9	-
9373.4	99055.5		Min	I	-9735.2	23.7	7.7	2076.6	-
1868.6	12679.3			J	-9735.2	23.7	13.5	2076.6	-1
7138.8	-55763.3								
			INVS LE Max	I	-3960.1	74.2	14.6	6240.3	
725.4	92211.9			J	-3960.1	74.2	18.9	6240.3	-
7056.4	70027.5		Min	I	-7275.4	19.3	5.8	1613.4	-
1379.1	8538.3			J	-7275.4	19.3	10.1	1613.4	-1
2772.5	-43514.8								
9626	2	83	C1-C2;~1 Max	I	673.6	58.5	3.5	2081.0	
770.0	37111.6			J	673.6	58.5	3.5	2081.0	1
6888.2	32463.0		Min	I	-2643.3	-13.5	-27.1	-1279.7	-
4483.0	-40509.1			J	-2643.3	-13.5	-27.1	-1279.7	-
1963.8	-78665.8								
			C3-C4;~1 Max	I	699.3	47.3	4.2	2181.8	
878.7	62790.9			J	699.3	47.3	4.2	2181.8	1
3637.1	62989.0		Min	I	-2648.0	-16.6	-22.1	-1522.3	-
3878.0	-22731.3			J	-2648.0	-16.6	-22.1	-1522.3	-
2392.3	-50440.5								
			C1-C2;~2 Max	I	343.5	29.3	1.8	1114.1	
392.4	17288.0			J	343.5	29.3	1.8	1114.1	
8705.0	14396.7		Min	I	-1331.4	-6.6	-13.7	-673.6	-
2250.1	-20602.5			J	-1331.4	-6.6	-13.7	-673.6	
-986.2	-39507.8								
			C3-C4;~2 Max	I	358.7	23.5	2.1	1125.1	
441.7	29260.6			J	358.7	23.5	2.1	1125.1	
6936.5	29346.0		Min	I	-1324.0	-7.9	-11.1	-757.8	-
1949.3	-11196.1			J	-1324.0	-7.9	-11.1	-757.8	-
1176.3	-24793.6								
			G1	I	-2925.0	45.9	-29.4	1032.8	-
4887.2	26686.7			J	-2925.0	45.9	-25.1	1032.8	1
6237.6	-8829.4								
			G2	I	-1113.3	16.1	-9.9	347.1	-
1690.3	12505.5			J	-1113.3	16.1	-9.9	347.1	
5949.1	34.0								
			Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
269.5	-8538.3	Q5_pc X	I	60.8	-1.2	2.4	-62.0	
1564.6	-7596.4		J	60.8	-1.2	2.4	-62.0	-
216.1	-6981.0	Q5_pc Y	I	71.3	-0.1	1.0	-69.1	
-520.2	-6931.9		J	71.3	-0.1	1.0	-69.1	
214.8	-9703.8	Q5_ps X	I	51.6	-0.2	1.9	-51.1	
1290.4	-9538.7		J	51.6	-0.2	1.9	-51.1	-
245.7	-5106.3	Q5_ps Y	I	70.9	-0.9	1.2	-90.5	
-662.7	-4429.6		J	70.9	-0.9	1.2	-90.5	
9354.3	99069.3	INVS LU Max	I	-5726.0	203.6	-53.8	5342.0	-
8887.0	2822.7		J	-5726.0	203.6	-48.0	5342.0	5
7077.7	-55754.5	Min	I	-10373.2	100.0	-100.3	217.2	-1
0042.1	-202084.8		J	-10373.2	100.0	-94.5	217.2	3
7041.8	70037.6	INVS LE Max	I	-4317.4	153.2	-40.5	3991.3	-
3805.9	-3151.7		J	-4317.4	153.2	-36.2	3991.3	4
2726.8	-43508.2	Min	I	-7750.3	76.7	-74.6	204.4	-1
2647.8	-153922.2		J	-7750.3	76.7	-70.3	204.4	2
9627	2	83 C1-C2;~1 Max	I	692.0	87.4	67.0	1467.0	1
6894.9	32460.8		J	692.0	87.4	67.0	1467.0	
4185.5	37847.7	Min	I	-2941.0	-19.7	-7.9	-1449.1	-
1967.7	-78671.2		J	-2941.0	-19.7	-7.9	-1449.1	-3
5207.2	-137443.9							
3646.6	62985.4	C3-C4;~1 Max	I	720.6	74.8	54.5	1579.8	1
4617.2	65563.0		J	720.6	74.8	54.5	1579.8	
2398.6	-50445.6	Min	I	-2795.3	-21.9	-8.9	-1577.0	-
8811.4	-100687.4		J	-2795.3	-21.9	-8.9	-1577.0	-2
8708.1	14395.5	C1-C2;~2 Max	I	352.3	43.9	34.1	799.5	
2109.3	17121.5		J	352.3	43.9	34.1	799.5	
-988.2	-39510.2	Min	I	-1466.8	-9.9	-4.0	-762.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7836.0	-67932.6		J	-1466.8	-9.9	-4.0	-762.4	-1
6941.8	29344.3	C3-C4;~2 Max	I	368.8	37.4	27.3	812.1	
2319.5	30656.5		J	368.8	37.4	27.3	812.1	
1179.3	-24796.0	Min	I	-1395.2	-10.9	-4.5	-803.6	-
4393.0	-49224.9		J	-1395.2	-10.9	-4.5	-803.6	-1
6241.5	-8839.2	G1	I	-3336.1	79.2	66.7	16.8	1
7110.2	-70138.7		J	-3336.1	79.2	71.0	16.8	-3
5950.3	30.1	G2	I	-1263.9	28.7	25.0	-24.1	
3382.2	-22213.1		J	-1263.9	28.7	25.0	-24.1	-1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1564.7	-7595.5	Q5_pc X	I	76.7	-2.0	-5.5	24.9	-
2669.9	-6025.2		J	76.7	-2.0	-5.5	24.9	
-520.9	-6932.1	Q5_pc Y	I	67.2	-0.8	-1.9	-57.6	
962.2	-6294.1		J	67.2	-0.8	-1.9	-57.6	
1290.4	-9537.8	Q5_ps X	I	62.7	-0.9	-4.4	23.4	-
2145.9	-8847.2		J	62.7	-0.9	-4.4	23.4	
-663.5	-4429.8	Q5_ps Y	I	69.7	-1.7	-2.4	-72.4	
1223.7	-3145.2		J	69.7	-1.7	-2.4	-72.4	
8906.4	2797.8	INVSLU Max	I	-6554.2	319.3	239.7	2369.6	5
0697.0	-149384.5		J	-6554.2	319.3	245.5	2369.6	-7
0043.7	-202110.5	Min	I	-11635.3	168.0	127.4	-1995.7	3
9265.7	-434773.2		J	-11635.3	168.0	133.2	-1995.7	-12
3820.4	-3170.3	INVSLE Max	I	-4936.5	239.7	178.4	1764.6	4
3167.6	-118384.3		J	-4936.5	239.7	182.7	1764.6	-5
2649.3	-153941.4	Min	I	-8690.1	127.9	95.9	-1461.3	2
6195.8	-328944.1		J	-8690.1	127.9	100.2	-1461.3	-9
9628	2	83 C1-C2;~1 Max	I	674.6	18.3	7.6	1453.7	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
4215.2	36442.1		J	674.6	18.3	7.6	1453.7	1
6695.2	33299.4	Min	I	-2893.0	-84.6	-66.7	-1471.0	-3
5280.4	-136768.0		J	-2893.0	-84.6	-66.7	-1471.0	-
1729.9	-77493.8							
		C3-C4;~1 Max	I	702.5	20.4	8.5	1609.1	
4657.0	64454.9		J	702.5	20.4	8.5	1609.1	1
3377.1	63833.1	Min	I	-2738.2	-71.5	-54.2	-1559.0	-2
8894.3	-100390.1		J	-2738.2	-71.5	-54.2	-1559.0	-
2019.7	-50702.0							
		C1-C2;~2 Max	I	341.7	9.1	3.8	765.0	
2125.9	16376.4		J	341.7	9.1	3.8	765.0	
8617.1	15197.3	Min	I	-1431.4	-42.0	-33.9	-802.9	-1
7885.1	-67703.6		J	-1431.4	-42.0	-33.9	-802.9	
-856.6	-38811.4							
		C3-C4;~2 Max	I	357.6	10.0	4.3	817.2	
2340.3	30111.1		J	357.6	10.0	4.3	817.2	
6790.7	30157.5	Min	I	-1354.1	-35.1	-27.2	-804.6	-1
4449.3	-49107.8		J	-1354.1	-35.1	-27.2	-804.6	
-989.3	-24993.0							
		G1	I	-3340.9	-79.5	-71.0	-57.3	-3
7103.4	-71721.9		J	-3340.9	-79.5	-66.7	-57.3	1
6281.9	-10052.8							
		G2	I	-1266.0	-28.9	-24.9	5.2	-1
3379.8	-22763.7		J	-1266.0	-28.9	-24.9	5.2	
5961.2	-375.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	78.7	1.9	5.5	19.6	
2666.7	-5603.6		J	78.7	1.9	5.5	19.6	-
1582.7	-7110.7							
		Q5_pc Y	I	53.2	-0.9	1.7	-45.1	
979.7	-8160.9		J	53.2	-0.9	1.7	-45.1	
-375.6	-7472.6							
		Q5_ps X	I	64.3	0.8	4.4	8.5	
2143.3	-8525.8		J	64.3	0.8	4.4	8.5	-
1301.4	-9137.6							
		Q5_ps Y	I	55.6	-0.0	2.3	-52.0	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
1242.0	-5143.3			J	55.6	-0.0	2.3	-52.0		
-508.8	-5107.7									
		INVS LU	Max	I	-6580.6	-170.3	-133.6	1990.2	-7	
0641.4	-151690.0			J	-6580.6	-170.3	-127.8	1990.2	5	
8677.4	1599.4		Min	I	-11576.2	-315.6	-245.0	-2367.7	-12	
9356.9	-438030.5			J	-11576.2	-315.6	-239.2	-2367.7	3	
0563.4	-202642.6									
		INVS LE	Max	I	-4956.0	-129.6	-100.5	1465.3	-5	
3126.6	-120182.0			J	-4956.0	-129.6	-96.2	1465.3	4	
3646.5	-4028.5		Min	I	-8645.9	-236.9	-182.3	-1756.9	-9	
6264.0	-331197.9			J	-8645.9	-236.9	-178.0	-1756.9	2	
3032.3	-154322.6									
9629	2	83	C1-C2;~1	Max	I	627.1	12.6	26.5	1095.6	1
6691.3	33302.2			J	627.1	12.6	26.5	1095.6		
611.0	38304.0		Min	I	-2564.2	-57.0	-2.9	-1923.5	-	
1730.3	-77488.3			J	-2564.2	-57.0	-2.9	-1923.5	-	
4380.6	-39700.0									
		C3-C4;~1	Max	I	651.0	15.5	21.5	1327.5	1	
3370.3	63837.4			J	651.0	15.5	21.5	1327.5		
683.1	64365.2		Min	I	-2536.4	-45.3	-3.4	-1939.2	-	
2019.5	-50697.0			J	-2536.4	-45.3	-3.4	-1939.2	-	
3742.9	-23184.0									
		C1-C2;~2	Max	I	315.4	6.1	13.4	566.0		
8615.2	15198.8			J	315.4	6.1	13.4	566.0		
299.8	18061.7		Min	I	-1272.8	-28.3	-1.5	-1044.8		
-857.0	-38808.8			J	-1272.8	-28.3	-1.5	-1044.8	-	
2203.5	-19844.8									
		C3-C4;~2	Max	I	329.3	7.3	10.8	664.6		
6786.5	30159.6			J	329.3	7.3	10.8	664.6		
331.3	30382.9		Min	I	-1247.8	-22.1	-1.7	-1015.9		
-989.5	-24990.7			J	-1247.8	-22.1	-1.7	-1015.9	-	
1872.1	-11246.1									
		G1		I	-2937.0	-46.3	25.2	-1077.0	1	
6277.6	-10043.0			J	-2937.0	-46.3	29.5	-1077.0	-	
4937.4	25853.5									
		G2		I	-1119.0	-16.3	9.9	-367.2		
5959.9	-371.5			J	-1119.0	-16.3	9.9	-367.2	-	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1706.3	12246.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	65.9	1.1	-2.4	107.3
1582.3	-7111.6			J	65.9	1.1	-2.4	107.3
290.4	-7951.7							
			Q5_pc Y	I	34.6	-1.2	-0.6	-66.0
-376.0	-7472.4			J	34.6	-1.2	-0.6	-66.0
102.9	-6524.7							
			Q5_ps X	I	55.9	0.1	-2.0	83.2
1301.1	-9138.4			J	55.9	0.1	-2.0	83.2
229.7	-9195.0							
			Q5_ps Y	I	34.5	-0.4	-0.8	-66.4
-509.2	-5107.6			J	34.5	-0.4	-0.8	-66.4
125.0	-4798.2							
			INVS LU Max	I	-5805.2	-101.9	93.7	-481.3
8661.3	1624.3			J	-5805.2	-101.9	99.5	-481.3
9646.1	98874.8							
			Min	I	-10264.5	-201.9	49.1	-5084.5
0553.5	-202615.8			J	-10264.5	-201.9	54.9	-5084.5
7004.8	-55926.2							
			INVS LE Max	I	-4375.1	-78.1	69.8	-394.9
3634.4	-4009.9			J	-4375.1	-78.1	74.1	-394.9
7256.6	69949.5							
			Min	I	-7669.4	-152.0	37.0	-3790.4
3024.8	-154302.5			J	-7669.4	-152.0	41.3	-3790.4
2668.8	-43657.6							
		83	C1-C2;~1 Max	I	639.2	9.5	0.8	781.2
9630	2			J	639.2	9.5	0.8	781.2
614.9	38301.5							
			Min	I	-2413.9	-34.9	-6.3	-2510.6
1181.4	36577.1			J	-2413.9	-34.9	-6.3	-2510.6
4394.9	-39700.9							
-591.1	-18271.2							
			C3-C4;~1 Max	I	645.1	18.8	1.2	1053.9
688.0	64361.7			J	645.1	18.8	1.2	1053.9
858.4	55338.6							
			Min	I	-2426.1	-24.1	-5.2	-2365.1
3760.0	-23184.7			J	-2426.1	-24.1	-5.2	-2365.1
-899.2	-11728.9							
			C1-C2;~2 Max	I	333.7	4.2	0.4	427.6
301.8	18060.5			J	333.7	4.2	0.4	427.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
745.6	17609.3		Min	I	-1205.6	-17.8	-3.3	-1334.1	-
2210.4	-19845.3			J	-1205.6	-17.8	-3.3	-1334.1	
-299.7	-9132.9								
		C3-C4;~2	Max	I	329.2	8.8	0.5	527.0	
333.4	30381.3			J	329.2	8.8	0.5	527.0	
526.8	26583.5		Min	I	-1197.2	-12.0	-2.6	-1248.4	-
1881.3	-11246.5			J	-1197.2	-12.0	-2.6	-1248.4	
-458.8	-5937.0								
		G1		I	-2701.5	-14.1	-8.1	-2073.0	-
4952.9	25849.0			J	-2701.5	-14.1	-3.8	-2073.0	
-304.5	36812.0								
		G2		I	-1032.8	-4.0	-2.2	-748.5	-
1711.8	12244.7			J	-1032.8	-4.0	-2.2	-748.5	
-34.8	15348.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	69.5	0.1	0.4	216.1	
291.9	-7951.3			J	69.5	0.1	0.4	216.1	
-43.4	-8022.1								
		Q5_pc Y		I	31.7	-1.4	-0.0	-126.8	
102.0	-6524.6			J	31.7	-1.4	-0.0	-126.8	
126.0	-5411.7								
		Q5_ps X		I	61.4	-0.8	0.3	182.5	
231.0	-9194.7			J	61.4	-0.8	0.3	182.5	
-25.1	-8576.1								
		Q5_ps Y		I	31.1	-0.6	0.0	-122.1	
124.1	-4798.2			J	31.1	-0.6	0.0	-122.1	
113.9	-4316.1								
		INVSLU Max		I	-5317.9	-24.0	-14.1	-2698.5	-
9671.0	98861.8			J	-5317.9	-24.0	-8.3	-2698.5	
1070.1	126062.5		Min	I	-9589.2	-99.1	-25.0	-7899.6	-1
7058.5	-55935.1			J	-9589.2	-99.1	-19.2	-7899.6	-
1965.5	12249.3								
		INVSLE Max		I	-4012.0	-19.6	-10.6	-2069.1	-
7275.6	69940.0			J	-4012.0	-19.6	-6.3	-2069.1	
784.9	91427.0		Min	I	-7166.6	-75.1	-18.6	-5892.9	-1
2708.9	-43664.2			J	-7166.6	-75.1	-14.3	-5892.9	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-96.2	-7248.0							
112.4	-4316.0	Q5_ps	Y	I	26.9	-0.8	0.2	-177.9
-30.5	-3686.8			J	26.9	-0.8	0.2	-177.9
1002.4	126072.9	INVSLU	Max	I	-4725.0	65.6	3.9	-4605.6
2154.5	82924.6			J	-4725.0	65.6	9.7	-4605.6
2018.9	12257.5		Min	I	-8892.4	-12.5	-1.9	-10672.7
5713.8	10852.9			J	-8892.4	-12.5	3.9	-10672.7
734.1	91434.9	INVSLE	Max	I	-3570.0	47.5	3.0	-3512.2
1642.5	60258.9			J	-3570.0	47.5	7.3	-3512.2
1487.3	8196.8		Min	I	-6647.7	-10.1	-1.3	-7963.4
4266.5	7847.3			J	-6647.7	-10.1	3.0	-7963.4
9632	2	83 C1-C2;~1	Max	I	736.2	41.7	1.1	834.9
920.0	27227.2			J	736.2	41.7	1.1	834.9
1185.5	25630.1		Min	I	-2090.6	-20.9	-2.2	-3556.6
1474.5	-9148.6			J	-2090.6	-20.9	-2.2	-3556.6
-480.9	-18976.2							
844.2	34492.7	C3-C4;~1	Max	I	700.5	57.5	0.6	821.5
1336.6	19248.2			J	700.5	57.5	0.6	821.5
1626.8	-7295.2		Min	I	-2150.7	-18.5	-2.5	-3303.7
-231.2	-22820.6			J	-2150.7	-18.5	-2.5	-3303.7
565.4	14359.1	C1-C2;~2	Max	I	409.6	20.1	0.7	447.8
780.8	16158.1			J	409.6	20.1	0.7	447.8
-761.6	-4509.0		Min	I	-1062.0	-11.8	-1.2	-1839.5
-269.8	-10028.9			J	-1062.0	-11.8	-1.2	-1839.5
449.3	17496.2	C3-C4;~2	Max	I	382.8	27.6	0.3	392.7
905.1	11497.2			J	382.8	27.6	0.3	392.7
-858.3	-3682.7		Min	I	-1077.9	-10.4	-1.4	-1714.1
-119.2	-11771.9			J	-1077.9	-10.4	-1.4	-1714.1
1489.3	24415.4	G1		I	-2160.3	42.7	-4.0	-3567.5
-40.6	-8663.2			J	-2160.3	42.7	0.3	-3567.5


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-444.5	9500.0	G2	I	-833.6	17.8	-0.6	-1328.8	
			J	-833.6	17.8	-0.6	-1328.8	
22.3	-4314.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	58.5	-1.8	-0.1	386.4	
-89.9	-7310.7		J	58.5	-1.8	-0.1	386.4	
14.0	-5901.1							
		Q5_pc Y	I	6.7	-1.9	0.0	-209.8	
-28.3	-4153.8		J	6.7	-1.9	0.0	-209.8	
-32.9	-2696.6							
		Q5_ps X	I	53.8	-2.6	-0.1	341.9	
-92.9	-7248.0		J	53.8	-2.6	-0.1	341.9	
5.9	-5267.7							
		Q5_ps Y	I	5.7	-1.1	-0.0	-198.1	
-32.5	-3688.0		J	5.7	-1.1	-0.0	-198.1	
-26.4	-2869.8							
		INVSLU Max	I	-4115.4	160.2	-5.4	-5774.3	-
2222.5	82912.6		J	-4115.4	160.2	0.4	-5774.3	
1441.5	7011.3							
		Min	I	-8118.0	50.9	-10.5	-12398.4	-
5822.5	10837.5		J	-8118.0	50.9	-4.7	-12398.4	-
1071.5	-69019.2							
		INVSLE Max	I	-3116.5	118.3	-4.0	-4396.3	-
1693.5	60249.8		J	-3116.5	118.3	0.3	-4396.3	
1048.4	4291.5							
		Min	I	-6073.6	37.6	-7.8	-9251.5	-
4348.2	7835.6		J	-6073.6	37.6	-3.5	-9251.5	
-808.6	-51240.5							
9633	2	83 C1-C2;~1 Max	I	807.5	23.7	1.9	1880.8	
1051.4	25648.6		J	807.5	23.7	1.9	1880.8	
1222.3	23518.4							
		Min	I	-1944.2	-42.0	-1.7	-1167.4	
-659.5	-18984.5		J	-1944.2	-42.0	-1.7	-1167.4	-
1179.2	-7593.1							
		C3-C4;~1 Max	I	742.1	21.3	2.4	2114.6	
1211.1	19236.0		J	742.1	21.3	2.4	2114.6	
870.5	19704.9							
		Min	I	-2008.5	-44.8	-0.9	-1071.5	
-373.3	-22831.5		J	-2008.5	-44.8	-0.9	-1071.5	-
1497.4	-10107.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
706.8	16169.5	C1-C2;~2	Max	I	464.1	14.2	1.1	961.4
				J	464.1	14.2	1.1	961.4
775.5	12304.4		Min	I	-999.7	-21.8	-1.1	-708.1
-373.2	-10035.3			J	-999.7	-21.8	-1.1	-708.1
-588.8	-4069.2							
829.2	11483.7	C3-C4;~2	Max	I	415.3	12.4	1.3	1054.3
				J	415.3	12.4	1.3	1054.3
532.8	9743.1		Min	I	-1022.1	-23.1	-0.5	-638.0
-195.2	-11780.2			J	-1022.1	-23.1	-0.5	-638.0
-738.7	-5416.1							
			G1	I	-1876.9	-36.4	-1.1	1756.7
-360.5	-8631.6			J	-1876.9	-36.4	3.4	1756.7
1317.1	21016.7							-
			G2	I	-726.3	-14.3	0.3	700.3
-102.0	-4300.9			J	-726.3	-14.3	0.3	700.3
-379.1	7362.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	44.4	-1.0	0.0	-94.6
41.8	-5895.1			J	44.4	-1.0	0.0	-94.6
35.3	-5067.8							
			Q5_pc Y	I	-18.2	-2.2	-0.2	364.2
10.8	-2695.2			J	-18.2	-2.2	-0.2	364.2
190.8	-942.7							
			Q5_ps X	I	40.6	-0.9	-0.0	-97.7
35.1	-5263.1			J	40.6	-0.9	-0.0	-97.7
48.5	-4514.3							
			Q5_ps Y	I	-18.7	-2.2	-0.2	349.6
15.8	-2868.5			J	-18.7	-2.2	-0.2	349.6
174.7	-1117.5							
			INVSLU Max	I	-3487.2	-59.4	2.6	6970.2
709.8	7095.1			J	-3487.2	-59.4	8.7	6970.2
-909.7	79510.1		Min	I	-7368.8	-155.8	-3.4	1884.0
1890.6	-68964.2			J	-7368.8	-155.8	2.7	1884.0
4924.7	24993.4							-
			INVSLE Max	I	-2649.5	-45.6	1.9	5204.9
507.7	4353.4			J	-2649.5	-45.6	6.4	5204.9
-700.6	59199.0							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1412.9	-51200.8		Min	I	-5518.8	-116.7	-2.5	1485.8	-
				J	-5518.8	-116.7	2.0	1485.8	-
3649.2	19492.0								
9634	2	83	C1-C2;~1	Max	I	875.1	13.8	1.3	1400.4
1211.3	23522.7			J	875.1	13.8	1.3	1400.4	
232.8	34144.4								
			Min	I	-1783.5	-18.5	-1.3	-921.0	-
1161.3	-7593.2			J	-1783.5	-18.5	-1.3	-921.0	
-323.4	-12779.1								
			C3-C4;~1	Max	I	795.1	11.6	0.9	1614.4
860.8	19712.2			J	795.1	11.6	0.9	1614.4	
246.1	34226.0								
			Min	I	-1862.5	-20.7	-1.7	-830.3	-
1476.5	-10106.8			J	-1862.5	-20.7	-1.7	-830.3	
-316.1	-14752.5								
			C1-C2;~2	Max	I	514.4	8.5	0.8	705.9
768.9	12305.9			J	514.4	8.5	0.8	705.9	
145.0	17342.7								
			Min	I	-927.6	-9.7	-0.6	-557.2	
-579.9	-4069.0			J	-927.6	-9.7	-0.6	-557.2	
-167.1	-6931.0								
			C3-C4;~2	Max	I	455.2	6.9	0.5	793.6
527.1	9746.9			J	455.2	6.9	0.5	793.6	
128.2	17220.9								
			Min	I	-959.9	-10.6	-0.8	-493.0	
-728.4	-5415.5			J	-959.9	-10.6	-0.8	-493.0	
-167.1	-7891.4								
			G1	I	-1588.9	-14.8	-3.4	1311.8	-
1298.9	21025.6			J	-1588.9	-14.8	1.1	1311.8	
-367.8	33100.1								
			G2	I	-615.2	-6.0	-0.4	524.9	
-371.8	7365.6			J	-615.2	-6.0	-0.4	524.9	
-78.9	12238.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	32.2	-1.4	0.1	-72.8
34.3	-5068.7			J	32.2	-1.4	0.1	-72.8	
-10.9	-3888.0								
			Q5_pc	Y	I	-37.6	-1.5	0.2	249.2
194.4	-942.5			J	-37.6	-1.5	0.2	249.2	
-8.5	272.2								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
47.5	-4515.2	Q5_ps X	I	29.5	-1.3	0.1	-78.1
			J	29.5	-1.3	0.1	-78.1
-13.7	-3456.1						
178.1	-1117.3	Q5_ps Y	I	-37.8	-1.5	0.2	240.1
			J	-37.8	-1.5	0.2	240.1
-8.1	105.5						
-882.4	79534.1	INVSLU Max	I	-2827.3	-19.3	-3.4	5182.5
			J	-2827.3	-19.3	2.7	5182.5
-487.5	124954.8	Min	I	-6590.8	-68.6	-7.8	1311.1
4860.8	25010.7		J	-6590.8	-68.6	-1.8	1311.1
1275.8	51835.4						
-680.0	59216.9	INVSLE Max	I	-2158.2	-15.0	-2.5	3866.8
			J	-2158.2	-15.0	2.0	3866.8
-372.9	93432.3	Min	I	-4940.9	-51.3	-5.8	1032.3
3601.0	19505.0		J	-4940.9	-51.3	-1.3	1032.3
-955.3	39788.1						
9635	2	69 C1-C2;~1 Max	I	907.4	6.8	0.3	685.9
228.5	34133.4		J	907.4	6.8	0.3	685.9
156.5	30390.6	Min	I	-1550.9	-3.0	-0.4	-504.0
-315.4	-12774.2		J	-1550.9	-3.0	-0.4	-504.0
-123.7	-11638.0						
246.5	34214.0	C3-C4;~1 Max	I	813.7	4.6	0.4	861.4
			J	813.7	4.6	0.4	861.4
119.4	31171.5	Min	I	-1653.6	-2.3	-0.4	-435.0
-308.2	-14747.9		J	-1653.6	-2.3	-0.4	-435.0
-163.6	-13832.3						
142.2	17336.9	C1-C2;~2 Max	I	541.1	3.9	0.1	342.1
			J	541.1	3.9	0.1	342.1
98.5	15445.7	Min	I	-812.7	-1.9	-0.2	-305.4
-162.9	-6928.1		J	-812.7	-1.9	-0.2	-305.4
-62.6	-6311.6						
126.3	17214.8	C3-C4;~2 Max	I	473.0	2.3	0.2	425.6
			J	473.0	2.3	0.2	425.6
73.3	15676.7	Min	I	-855.2	-1.3	-0.2	-259.2
-162.9	-7888.7		J	-855.2	-1.3	-0.2	-259.2
-81.9	-7512.0						
-357.4	33089.2	G1	I	-1277.8	4.5	-1.2	609.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-211.1	29459.7		J	-1277.8	4.5	0.8	609.6
		G2	I	-497.3	1.5	-0.1	245.7
-74.7	12234.1		J	-497.3	1.5	-0.1	245.7
-33.1	11004.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	30.0	-1.9	-0.0	-26.7
-11.4	-3887.2		J	30.0	-1.9	-0.0	-26.7
7.4	-2301.9						
		Q5_pc Y	I	-37.2	-0.6	-0.0	71.2
-6.7	270.0		J	-37.2	-0.6	-0.0	71.2
21.9	774.3						
		Q5_ps X	I	29.3	-1.8	-0.0	-33.3
-14.3	-3455.4		J	29.3	-1.8	-0.0	-33.3
9.1	-2012.8						
		Q5_ps Y	I	-37.8	-0.6	-0.0	70.1
-6.4	103.4		J	-37.8	-0.6	-0.0	70.1
20.3	627.1						
		INVSLE Max	I	-2101.9	20.9	-1.3	2452.3
-464.8	124914.5		J	-2101.9	20.9	1.4	2452.3
-146.4	111287.7						
		Min	I	-5626.1	4.2	-2.5	480.9
1243.9	51819.0		J	-5626.1	4.2	0.2	480.9
-617.9	46389.3						
		INVSLE Max	I	-1614.6	15.5	-1.0	1823.6
-355.8	93402.1		J	-1614.6	15.5	1.0	1823.6
-111.3	83255.1						
		Min	I	-4220.2	3.4	-1.8	372.8
-931.4	39775.5		J	-4220.2	3.4	0.2	372.8
-457.6	35489.1						
9636	2	69 C1-C2;~1 Max	I	968.4	24.2	0.2	493.6
154.8	30394.0		J	968.4	24.2	0.2	493.6
180.3	16119.5						
		Min	I	-1398.9	-13.1	-0.2	-381.0
-120.2	-11640.2		J	-1398.9	-13.1	-0.2	-381.0
-196.9	-3939.6						
		C3-C4;~1 Max	I	864.0	25.0	0.2	513.8
117.5	31175.6		J	864.0	25.0	0.2	513.8
147.7	13884.2						
		Min	I	-1523.3	-11.6	-0.3	-352.1
-158.6	-13834.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-207.8	-5862.4		J	-1523.3	-11.6	-0.3	-352.1
97.6	15447.6	C1-C2;~2 Max	I	581.7	12.6	0.1	291.2
113.3	8911.0		J	581.7	12.6	0.1	291.2
-60.8	-6313.0	Min	I	-738.2	-7.8	-0.1	-198.1
-104.8	-1981.0		J	-738.2	-7.8	-0.1	-198.1
72.2	15678.9	C3-C4;~2 Max	I	507.0	12.9	0.1	280.1
89.3	7366.2		J	507.0	12.9	0.1	280.1
-79.4	-7513.2	Min	I	-790.0	-6.7	-0.1	-185.2
-110.9	-3115.4		J	-790.0	-6.7	-0.1	-185.2
-208.1	29462.1	G1	I	-1039.8	20.1	-1.0	-29.6
-245.2	13098.8		J	-1039.8	20.1	1.0	-29.6
-31.9	11005.8	G2	I	-408.2	7.6	0.0	-9.2
-37.7	4795.1		J	-408.2	7.6	0.0	-9.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.4	-2301.9	Q5_pc X	I	28.5	-2.4	0.0	18.2
-3.2	-338.4		J	28.5	-2.4	0.0	18.2
21.7	775.0	Q5_pc Y	I	-36.9	0.2	0.0	-88.2
2.0	598.2		J	-36.9	0.2	0.0	-88.2
9.0	-2012.9	Q5_ps X	I	29.9	-2.2	0.0	11.5
-4.0	-189.0		J	29.9	-2.2	0.0	11.5
20.1	627.7	Q5_ps Y	I	-38.0	0.2	0.0	-82.4
1.5	475.5		J	-38.0	0.2	0.0	-82.4
-143.5	111300.0	INVSLU Max	I	-1517.2	87.3	-0.8	540.0
-303.9	47590.0		J	-1517.2	87.3	1.9	540.0
-605.7	46392.9	Min	I	-4947.5	31.5	-1.5	-826.7
-833.7	16837.7		J	-4947.5	31.5	1.2	-826.7
		INVSLE Max	I	-1177.5	65.4	-0.6	373.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-109.2	83264.4			J	-1177.5	65.4	1.4 373.9
-232.8	35432.6		Min	I	-3713.5	24.4	-1.1 -626.7
-448.6	35492.0			J	-3713.5	24.4	0.9 -626.7
-624.8	12732.9						
9637	2	69	C1-C2;~1	Max	I	1047.3	42.1 0.2 720.4
185.8	16117.8			J	1047.3	42.1	0.2 720.4
314.4	24266.5		Min	I	-1290.5	-25.7	-0.4 -862.8
-204.1	-3936.3			J	-1290.5	-25.7	-0.4 -862.8
-81.1	-25838.3						
			C3-C4;~1	Max	I	953.0	44.8 0.1 626.4
152.7	13883.5			J	953.0	44.8	0.1 626.4
344.3	20192.6		Min	I	-1406.4	-23.6	-0.4 -846.3
-214.8	-5858.8			J	-1406.4	-23.6	-0.4 -846.3
-82.6	-27193.1						
			C1-C2;~2	Max	I	633.4	22.2 0.1 448.6
116.7	8911.1			J	633.4	22.2	0.1 448.6
188.9	14728.3		Min	I	-686.2	-15.3	-0.2 -459.7
-108.7	-1979.1			J	-686.2	-15.3	-0.2 -459.7
-44.3	-13805.6						
			C3-C4;~2	Max	I	566.0	23.2 0.1 377.1
92.2	7366.9			J	566.0	23.2	0.1 377.1
197.2	11940.0		Min	I	-738.3	-13.8	-0.2 -451.3
-114.7	-3113.4			J	-738.3	-13.8	-0.2 -451.3
-40.2	-14336.6						
			G1	I	-795.9	32.8	-1.3 -476.6
-248.7	13094.4			J	-795.9	32.8	0.7 -476.6
19.5	-13650.0						
			G2	I	-316.3	12.7	-0.1 -187.6
-39.1	4793.4			J	-316.3	12.7	-0.1 -187.6
50.2	-5515.8						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc X	I	20.6	-2.8	0.0 48.3
-2.8	-338.2			J	20.6	-2.8	0.0 48.3
-9.9	1960.1						
			Q5_pc Y	I	-53.5	0.9	0.0 -179.1
0.4	596.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-15.1	-121.6		J	-53.5	0.9	0.0	-179.1
-3.7	-188.8	Q5_ps X	I	22.6	-2.7	0.0	42.6
-10.3	1995.7		J	22.6	-2.7	0.0	42.6
-0.0	473.4	Q5_ps Y	I	-54.1	0.9	0.0	-169.7
-14.9	-226.1		J	-54.1	0.9	0.0	-169.7
-306.9	47571.1	INVSLU Max	I	-931.2	149.9	-1.8	-152.2
533.6	-10999.3		J	-931.2	149.9	0.9	-152.2
-852.8	16829.9	Min	I	-4340.1	49.7	-2.7	-2611.8
-70.0	-83997.9		J	-4340.1	49.7	0.0	-2611.8
-235.4	35418.2	INVSLE Max	I	-743.4	112.5	-1.3	-167.4
392.9	-9359.9		J	-743.4	112.5	0.7	-167.4
-639.4	12726.5	Min	I	-3261.4	38.6	-2.0	-1965.5
-52.2	-63171.6		J	-3261.4	38.6	0.0	-1965.5
9638	2	69 C1-C2;~1 Max	I	1147.3	33.7	0.2	1172.7
165.9	24244.9		J	1147.3	33.7	0.2	1172.7
221.9	4915.8	Min	I	-1211.2	-32.2	-0.3	-1277.0
-163.7	-25819.0		J	-1211.2	-32.2	-0.3	-1277.0
-153.2	-9239.3						
179.1	20147.3	C3-C4;~1 Max	I	1058.9	31.3	0.2	1264.4
162.3	4181.6		J	1058.9	31.3	0.2	1264.4
-204.2	-27167.0	Min	I	-1326.6	-35.3	-0.3	-1190.2
-178.2	-11277.3		J	-1326.6	-35.3	-0.3	-1190.2
108.8	14716.2	C1-C2;~2 Max	I	695.6	20.4	0.1	633.3
139.0	2970.9		J	695.6	20.4	0.1	633.3
-89.8	-13795.5	Min	I	-654.9	-17.5	-0.2	-786.2
-79.9	-5342.5		J	-654.9	-17.5	-0.2	-786.2
117.6	11909.6	C3-C4;~2 Max	I	631.9	18.7	0.1	673.1
98.2	2190.6		J	631.9	18.7	0.1	673.1
-107.6	-14323.8	Min	I	-704.9	-18.8	-0.2	-723.2
-90.1	-6360.5		J	-704.9	-18.8	-0.2	-723.2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-239.9	-13639.4	G1	I	-566.3	-11.6	-1.0	450.4
			J	-566.3	-11.6	1.0	450.4
-204.7	-4203.2	G2	I	-227.9	-4.7	-0.0	188.1
-52.6	-5510.8		J	-227.9	-4.7	-0.0	188.1
-25.2	-1663.7	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
2.7	1968.6	Q5_pc X	I	12.0	0.3	-0.0	-11.8
			J	12.0	0.3	-0.0	-11.8
7.1	1701.9	Q5_pc Y	I	-75.5	-2.9	0.0	347.1
21.3	-112.4		J	-75.5	-2.9	0.0	347.1
16.4	2258.2	Q5_ps X	I	14.1	0.4	-0.0	-15.0
5.0	2003.1		J	14.1	0.4	-0.0	-15.0
8.4	1686.1	Q5_ps Y	I	-75.2	-2.9	0.0	331.9
19.7	-217.2		J	-75.2	-2.9	0.0	331.9
14.9	2115.0	INVSLE Max	I	-316.0	-1.3	-0.8	2817.5
-163.5	-10914.3		J	-316.0	-1.3	1.2	2817.5
-83.4	1986.2	Min	I	-2880.5	-73.7	-1.4	-140.5
-719.5	-83863.8		J	-2880.5	-73.7	0.6	-140.5
-653.1	-23939.2	INVSLE Max	I	-316.0	-1.3	-0.8	2817.5
-121.6	-9296.2		J	-316.0	-1.3	1.2	2817.5
-67.4	1428.2	Min	I	-2880.5	-73.7	-1.4	-140.5
-530.6	-63070.4		J	-2880.5	-73.7	0.6	-140.5
-487.2	-17474.8	69 C1-C2;~1 Max	I	1266.5	17.8	0.1	676.4
9639	2		J	1266.5	17.8	0.1	676.4
210.3	4917.1	Min	I	-1169.2	-16.1	-0.2	-761.9
219.1	15084.2		J	-1169.2	-16.1	-0.2	-761.9
-142.7	-9241.7	C3-C4;~1 Max	I	1170.6	16.1	0.1	746.6
-140.1	-20272.4		J	1170.6	16.1	0.1	746.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
226.7	17051.2		Min	I	-1282.3	-17.6	-0.2	-709.1
-166.9	-11277.6			J	-1282.3	-17.6	-0.2	-709.1
-156.7	-21953.1							
		C1-C2;~2	Max	I	767.6	10.8	0.1	362.6
131.8	2971.2			J	767.6	10.8	0.1	362.6
136.3	8197.5		Min	I	-636.3	-8.7	-0.1	-469.6
-74.2	-5344.5			J	-636.3	-8.7	-0.1	-469.6
-74.8	-12123.9							
		C3-C4;~2	Max	I	697.8	9.6	0.0	391.0
91.9	2191.7			J	697.8	9.6	0.0	391.0
126.3	9124.6		Min	I	-686.2	-9.4	-0.1	-433.6
-84.1	-6361.3			J	-686.2	-9.4	-0.1	-433.6
-82.6	-12857.4							
			G1	I	-366.6	-5.6	-1.1	299.0
-200.4	-4197.4			J	-366.6	-5.6	0.9	299.0
-121.3	391.8							
			G2	I	-149.9	-2.3	-0.0	126.1
-23.3	-1661.3			J	-149.9	-2.3	-0.0	126.1
5.7	233.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	5.6	0.3	0.0	-12.8
6.9	1701.5			J	5.6	0.3	0.0	-12.8
-4.7	1488.2							
		Q5_pc	Y	I	-95.5	-1.4	0.0	205.0
19.6	2259.7			J	-95.5	-1.4	0.0	205.0
-8.0	3430.4							
		Q5_ps	X	I	8.0	0.3	0.0	-16.3
8.2	1685.6			J	8.0	0.3	0.0	-16.3
-5.1	1437.8							
		Q5_ps	Y	I	-94.3	-1.4	0.0	196.0
18.0	2116.5			J	-94.3	-1.4	0.0	196.0
-8.0	3271.8							
		INVSLU	Max	I	198.1	1.4	-1.3	2256.2
-79.8	2004.7			J	198.1	1.4	1.4	2256.2
37.8	38917.0		Min	I	-3414.6	-49.0	-1.8	-149.1
-624.4	-23925.6			J	-3414.6	-49.0	0.9	-149.1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-494.3	-19913.5								
		INVSLE	Max	I	90.0	0.2	-1.0	1692.3	
-64.4	1442.2			J	90.0	0.2	1.0	1692.3	
21.6	29320.1								
			Min	I	-2573.4	-37.0	-1.4	-62.1	
-465.1	-17464.2			J	-2573.4	-37.0	0.7	-62.1	
-371.4	-13800.6								
9640	2	69	C1-C2;~1	Max	I	1366.8	1.8	0.2	321.9
216.3	15081.3			J	1366.8	1.8	0.2	321.9	
196.6	15282.9								
			Min	I	-1107.5	-3.3	-0.1	-180.3	
-137.5	-20270.8			J	-1107.5	-3.3	-0.1	-180.3	
-102.5	-19440.3								
			C3-C4;~1	Max	I	1251.0	1.1	0.3	352.2
225.5	17047.9			J	1251.0	1.1	0.3	352.2	
155.6	17273.4								
			Min	I	-1218.0	-3.0	-0.1	-144.3	
-154.0	-21951.7			J	-1218.0	-3.0	-0.1	-144.3	
-129.5	-20946.7								
			C1-C2;~2	Max	I	827.3	1.1	0.1	188.7
134.4	8195.9			J	827.3	1.1	0.1	188.7	
123.8	8283.8								
			Min	I	-603.5	-2.0	-0.1	-106.1	
-73.3	-12123.1			J	-603.5	-2.0	-0.1	-106.1	
-52.0	-11653.7								
			C3-C4;~2	Max	I	745.3	0.6	0.1	192.9
124.7	9122.9			J	745.3	0.6	0.1	192.9	
96.1	9210.8								
			Min	I	-652.5	-1.6	-0.1	-80.9	
-81.0	-12856.6			J	-652.5	-1.6	-0.1	-80.9	
-64.0	-12304.0								
			G1	I	-207.7	-1.7	-0.9	129.1	
-119.1	390.1			J	-207.7	-1.7	1.1	129.1	
-163.3	1759.7								
			G2	I	-90.1	-0.7	0.0	52.4	
6.6	232.4			J	-90.1	-0.7	0.0	52.4	
-13.0	780.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	5.6	0.2	-0.0	-9.7
-4.8	1488.3			J	5.6	0.2	-0.0	-9.7	
5.0	1338.8								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-6.9	3430.1	Q5_pc	Y	I	-99.4	0.3	-0.0	-27.8
16.2	3154.5			J	-99.4	0.3	-0.0	-27.8
-5.3	1437.8	Q5_ps	X	I	9.5	0.2	-0.0	-12.5
6.7	1286.7			J	9.5	0.2	-0.0	-12.5
-7.0	3271.5	Q5_ps	Y	I	-98.2	0.3	-0.0	-26.4
14.9	3013.9			J	-98.2	0.3	-0.0	-26.4
42.1	38907.3	INVS LU	Max	I	675.5	-1.6	-1.0	735.5
-6.9	42431.0			J	675.5	-1.6	1.8	735.5
-482.8	-19916.2		Min	I	-2993.0	-9.0	-1.5	-33.5
-476.3	-14844.1			J	-2993.0	-9.0	1.2	-33.5
25.0	29312.9	INVS LE	Max	I	445.9	-1.2	-0.7	538.3
-8.3	31981.1			J	445.9	-1.2	1.3	538.3
-362.8	-13802.8		Min	I	-2258.2	-6.7	-1.2	-27.6
-353.8	-10024.4			J	-2258.2	-6.7	0.9	-27.6
9641	2	69 C1-C2;~1	Max	I	1446.6	14.8	0.1	967.6
200.9	15285.5			J	1446.6	14.8	0.1	967.6
255.0	6726.4		Min	I	-1044.7	-20.8	-0.2	-680.8
-105.1	-19443.2			J	-1044.7	-20.8	-0.2	-680.8
-149.5	-5496.0							
159.7	17276.2	C3-C4;~1	Max	I	1319.3	16.2	0.1	937.5
221.1	5332.9			J	1319.3	16.2	0.1	937.5
-129.7	-20949.8		Min	I	-1151.7	-19.1	-0.2	-743.0
-166.1	-7308.1			J	-1151.7	-19.1	-0.2	-743.0
126.6	8285.2	C1-C2;~2	Max	I	873.0	8.1	0.1	582.1
157.1	3934.9			J	873.0	8.1	0.1	582.1
-53.6	-11655.4		Min	I	-569.8	-12.6	-0.1	-370.0
-80.2	-3181.2			J	-569.8	-12.6	-0.1	-370.0
98.7	9212.3	C3-C4;~2	Max	I	784.7	8.7	0.1	561.8
131.6	2958.0			J	784.7	8.7	0.1	561.8
			Min	I	-617.4	-11.3	-0.1	-397.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-64.0	-12305.7		J	-617.4	-11.3	-0.1	-397.9
-87.8	-4181.8						
		G1	I	-59.8	0.2	-1.1	30.6
-162.6	1759.3		J	-59.8	0.2	0.9	30.6
-109.7	1622.1						
		G2	I	-34.8	0.2	-0.0	4.5
-12.7	779.9		J	-34.8	0.2	-0.0	4.5
13.1	620.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	5.3	0.1	0.0	-6.0
4.9	1338.9		J	5.3	0.1	0.0	-6.0
-2.5	1250.8						
		Q5_pc Y	I	-102.1	2.1	0.0	-255.0
14.6	3154.9		J	-102.1	2.1	0.0	-255.0
-1.5	1407.4						
		Q5_ps X	I	10.7	0.0	0.0	-6.5
6.6	1286.7		J	10.7	0.0	0.0	-6.5
-2.6	1248.8						
		Q5_ps Y	I	-100.7	2.1	0.0	-243.7
13.3	3014.3		J	-100.7	2.1	0.0	-243.7
-2.0	1318.0						
		INVSLE Max	I	1113.6	34.9	-1.2	1071.1
-4.2	42437.1		J	1113.6	34.9	1.5	1071.1
77.3	17615.1						
		Min	I	-2577.9	-19.0	-1.7	-1697.2
-476.7	-14846.8		J	-2577.9	-19.0	1.0	-1697.2
-495.8	-3864.9						
		INVSLE Max	I	773.8	26.4	-0.9	732.2
-6.4	31985.7		J	773.8	26.4	1.1	732.2
50.1	13205.7						
		Min	I	-1947.0	-13.3	-1.3	-1284.4
-354.5	-10026.2		J	-1947.0	-13.3	0.7	-1284.4
-374.0	-2517.8						
9642	2	69 C1-C2;~1 Max	I	1538.3	28.3	0.3	1524.2
268.9	6727.1		J	1538.3	28.3	0.3	1524.2
282.3	32483.4						
		Min	I	-1002.8	-40.1	-0.3	-1097.1
-159.8	-5487.5		J	-1002.8	-40.1	-0.3	-1097.1
-75.0	-21123.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
234.6	5333.9	C3-C4;~1 Max	I	1426.4	31.2	0.2	1456.4
			J	1426.4	31.2	0.2	1456.4
290.6	28100.9	Min	I	-1103.0	-37.1	-0.3	-1185.7
-177.3	-7299.2		J	-1103.0	-37.1	-0.3	-1185.7
-62.6	-22381.0						
165.5	3935.9	C1-C2;~2 Max	I	923.8	15.5	0.2	929.5
			J	923.8	15.5	0.2	929.5
171.9	19408.9	Min	I	-546.2	-24.2	-0.1	-596.3
-85.8	-3175.8		J	-546.2	-24.2	-0.1	-596.3
-42.3	-11397.7						
139.6	2959.2	C3-C4;~2 Max	I	845.1	16.8	0.1	875.7
			J	845.1	16.8	0.1	875.7
182.1	16440.4	Min	I	-591.3	-22.1	-0.1	-639.1
-93.9	-4176.4		J	-591.3	-22.1	-0.1	-639.1
-31.5	-11964.8						
-109.6	1624.6	G1	I	115.2	0.1	-1.1	-9.3
			J	115.2	0.1	0.9	-9.3
1.5	1527.4						
13.0	620.9	G2	I	31.6	0.3	-0.0	-18.1
			J	31.6	0.3	-0.0	-18.1
43.1	337.8						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.6	1250.6	Q5_pc X	I	0.9	0.0	0.0	-2.5
			J	0.9	0.0	0.0	-2.5
-2.9	1218.4						
-5.3	1404.7	Q5_pc Y	I	-118.0	3.7	0.0	-382.8
			J	-118.0	3.7	0.0	-382.8
-16.4	-1615.7						
-2.6	1248.7	Q5_ps X	I	6.3	-0.1	0.0	-0.5
			J	6.3	-0.1	0.0	-0.5
-3.4	1332.3						
-5.6	1315.3	Q5_ps Y	I	-115.8	3.6	0.0	-366.2
			J	-115.8	3.6	0.0	-366.2
-15.9	-1630.4						
90.4	17608.9	INVSLU Max	I	1618.0	67.1	-1.4	1515.6
			J	1618.0	67.1	1.3	1515.6
509.8	34942.7						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-521.5	-3854.9		Min	I	-2160.3	-35.9	-2.2	-2831.8	
				J	-2160.3	-35.9	0.5	-2831.8	
-13.2	-42032.5								
		INVSLE	Max	I	1149.6	50.6	-1.1	1027.9	
59.0	13200.7			J	1149.6	50.6	0.9	1027.9	
380.5	25041.0								
			Min	I	-1633.3	-25.1	-1.6	-2141.4	
-393.6	-2511.2			J	-1633.3	-25.1	0.4	-2141.4	
-4.7	-31762.2								
9643	2	69	C1-C2;~1	Max	I	1649.3	46.8	0.1	1247.7
187.6	32419.5			J	1649.3	46.8	0.1	1247.7	
221.3	5313.5								
			Min	I	-998.1	-27.8	-0.3	-2202.9	
-111.0	-21091.9			J	-998.1	-27.8	-0.3	-2202.9	
-91.7	-10169.8								
		C3-C4;~1	Max	I	1551.3	44.3	0.2	1365.7	
200.6	28054.2			J	1551.3	44.3	0.2	1365.7	
168.0	3633.0								
			Min	I	-1097.4	-30.5	-0.2	-2096.6	
-153.5	-22344.8			J	-1097.4	-30.5	-0.2	-2096.6	
-107.5	-13018.9								
		C1-C2;~2	Max	I	982.2	27.7	0.1	671.1	
122.1	19374.0			J	982.2	27.7	0.1	671.1	
136.8	3244.5								
			Min	I	-539.2	-14.9	-0.2	-1303.7	
-57.3	-11381.2			J	-539.2	-14.9	-0.2	-1303.7	
-49.0	-5682.8								
		C3-C4;~2	Max	I	910.8	25.9	0.1	724.2	
131.1	16417.0			J	910.8	25.9	0.1	724.2	
101.1	1874.7								
			Min	I	-584.3	-16.2	-0.1	-1225.0	
-78.0	-11945.8			J	-584.3	-16.2	-0.1	-1225.0	
-55.7	-7135.1								
		G1		I	282.2	9.9	-1.1	-537.6	
-184.0	1498.4			J	282.2	9.9	0.9	-537.6	
-106.8	-6537.8								
		G2		I	97.1	3.6	-0.1	-189.9	
-31.6	326.6			J	97.1	3.6	-0.1	-189.9	
12.9	-2579.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-4.4	-0.2	0.0	30.5	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.6	1222.0		J	-4.4	-0.2	0.0	30.5
2.3	1367.5						
27.3	-1625.2	Q5_pc Y	I	-140.7	-4.7	0.0	370.4
1.8	2218.1		J	-140.7	-4.7	0.0	370.4
7.9	1335.1	Q5_ps X	I	0.5	-0.1	0.0	22.7
3.7	1384.9		J	0.5	-0.1	0.0	22.7
25.3	-1639.3	Q5_ps Y	I	-137.2	-4.6	0.0	355.1
1.3	2082.4		J	-137.2	-4.6	0.0	355.1
-75.1	35030.5	INVSLU Max	I	2144.7	65.4	-1.4	3187.1
184.0	634.8		J	2144.7	65.4	1.3	3187.1
-602.2	-41826.7	Min	I	-1816.6	-47.4	-2.1	-2297.2
-263.9	-28106.6		J	-1816.6	-47.4	0.6	-2297.2
-59.6	25115.3	INVSLE Max	I	1541.4	47.0	-1.1	2451.9
137.5	467.0		J	1541.4	47.0	1.0	2451.9
-446.4	-31599.3	Min	I	-1374.2	-35.9	-1.5	-1561.3
-194.0	-20527.2		J	-1374.2	-35.9	0.5	-1561.3
9644	2	69 C1-C2;~1 Max	I	1738.7	23.9	0.1	721.1
202.2	5312.8		J	1738.7	23.9	0.1	721.1
213.1	13640.5	Min	I	-997.7	-14.0	-0.1	-1322.8
-82.0	-10178.0		J	-997.7	-14.0	-0.1	-1322.8
-97.6	-27111.5						
150.4	3636.0	C3-C4;~1 Max	I	1647.9	22.3	0.1	789.7
224.0	15325.8		J	1647.9	22.3	0.1	789.7
-97.5	-13025.9	Min	I	-1097.3	-15.3	-0.2	-1244.9
-108.0	-30112.7		J	-1097.3	-15.3	-0.2	-1244.9
125.2	3243.6	C1-C2;~2 Max	I	1026.5	14.2	0.1	389.6
129.6	7221.4		J	1026.5	14.2	0.1	389.6
-43.5	-5688.0	Min	I	-534.9	-7.5	-0.1	-786.7
-50.6	-15685.4		J	-534.9	-7.5	-0.1	-786.7
90.6	1875.7	C3-C4;~2 Max	I	958.5	13.1	0.0	420.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
123.3	8022.6		J	958.5	13.1	0.0	420.3
		Min	I	-580.3	-8.1	-0.1	-732.6
-50.1	-7139.4		J	-580.3	-8.1	-0.1	-732.6
-55.5	-17040.3						
		G1	I	424.3	4.7	-1.1	-305.7
-111.8	-6538.6		J	424.3	4.7	0.9	-305.7
-61.4	-10364.1						
		G2	I	154.4	1.7	-0.0	-104.7
11.1	-2579.7		J	154.4	1.7	-0.0	-104.7
29.2	-3961.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-8.8	-0.0	0.0	16.9
2.5	1367.6		J	-8.8	-0.0	0.0	16.9
-2.5	1401.2						
		Q5_pc Y	I	-163.3	-2.4	0.0	215.9
5.2	2220.2		J	-163.3	-2.4	0.0	215.9
-15.7	4184.3						
		Q5_ps X	I	-4.3	0.0	0.0	10.4
3.9	1384.9		J	-4.3	0.0	0.0	10.4
-3.0	1366.0						
		Q5_ps Y	I	-158.4	-2.3	0.0	207.1
4.6	2084.3		J	-158.4	-2.3	0.0	207.1
-15.2	3984.4						
		INVSLU Max	I	2601.7	33.2	-1.3	1993.2
170.8	643.1		J	2601.7	33.2	1.4	1993.2
258.7	16907.7						
		Min	I	-1520.8	-24.0	-1.7	-1247.4
-243.1	-28110.5		J	-1520.8	-24.0	1.0	-1247.4
-217.7	-51966.1						
		INVSLE Max	I	1881.4	23.9	-0.9	1535.7
128.7	473.5		J	1881.4	23.9	1.1	1535.7
191.1	12810.5						
		Min	I	-1150.6	-18.1	-1.2	-835.9
-177.3	-20529.4		J	-1150.6	-18.1	0.8	-835.9
-159.7	-37649.2						
		69 C1-C2;~1 Max	I	1791.8	1.7	0.2	187.4
9645	2		J	1791.8	1.7	0.2	187.4
205.9	13638.1						
		Min	I	-957.3	-3.5	-0.1	-126.8
159.5	13513.5						
-93.7	-27108.6						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-57.7	-25519.6		J	-957.3	-3.5	-0.1	-126.8
218.3	15323.2	C3-C4;~1 Max	I	1690.8	1.1	0.2	241.1
130.4	15142.5		J	1690.8	1.1	0.2	241.1
-103.8	-30109.8	Min	I	-1052.4	-3.4	-0.1	-104.1
-72.9	-28355.6		J	-1052.4	-3.4	-0.1	-104.1
125.3	7220.1	C1-C2;~2 Max	I	1056.3	1.1	0.1	106.2
100.0	7210.3		J	1056.3	1.1	0.1	106.2
-48.5	-15683.8	Min	I	-511.3	-2.1	-0.0	-72.1
-29.7	-14851.2		J	-511.3	-2.1	-0.0	-72.1
119.4	8021.2	C3-C4;~2 Max	I	982.1	0.6	0.1	131.0
80.7	7979.7		J	982.1	0.6	0.1	131.0
-53.2	-17038.7	Min	I	-554.7	-1.9	-0.0	-58.2
-36.1	-16161.2		J	-554.7	-1.9	-0.0	-58.2
-62.8	-10363.7	G1	I	516.3	-2.1	-0.9	75.0
-116.6	-8619.9		J	516.3	-2.1	1.1	75.0
28.8	-3961.0	G2	I	189.8	-0.8	0.0	33.0
6.2	-3303.7		J	189.8	-0.8	0.0	33.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.5	1401.2	Q5_pc X	I	-8.9	0.1	-0.0	-3.4
2.7	1303.9		J	-8.9	0.1	-0.0	-3.4
-14.6	4183.8	Q5_pc Y	I	-170.7	0.3	-0.0	-30.5
2.7	3936.2		J	-170.7	0.3	-0.0	-30.5
-3.0	1366.0	Q5_ps X	I	-3.6	0.1	-0.0	-6.4
3.9	1272.6		J	-3.6	0.1	-0.0	-6.4
-14.1	3984.0	Q5_ps Y	I	-165.3	0.3	-0.0	-28.9
2.3	3746.8		J	-165.3	0.3	-0.0	-28.9
		INVSLU Max	I	2932.3	-0.4	-1.0	594.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
255.4	16903.1			J	2932.3	-0.4	1.7	594.1
140.7	18937.6							
			Min	I	-1214.7	-8.1	-1.5	42.4
-205.5	-51962.4							
				J	-1214.7	-8.1	1.2	42.4
-177.8	-46870.1							
			INVSLE Max	I	2130.4	-0.3	-0.8	439.7
189.2	12807.0							
				J	2130.4	-0.3	1.3	439.7
109.1	14280.2							
			Min	I	-918.7	-5.9	-1.1	35.1
-150.3	-37646.6							
				J	-918.7	-5.9	0.9	35.1
-126.4	-33941.5							
9646	2	69	C1-C2;~1 Max	I	1838.2	13.7	0.1	1475.6
166.2	13516.0							
				J	1838.2	13.7	0.1	1475.6
227.0	6268.1							
			Min	I	-920.5	-28.0	-0.2	-789.4
-60.2	-25524.3							
				J	-920.5	-28.0	-0.2	-789.4
-97.9	-5720.7							
			C3-C4;~1 Max	I	1732.3	15.1	0.1	1504.3
136.9	15145.3							
				J	1732.3	15.1	0.1	1504.3
202.5	4622.0							
			Min	I	-1011.4	-26.5	-0.2	-863.5
-74.4	-28360.4							
				J	-1011.4	-26.5	-0.2	-863.5
-107.7	-8114.4							
			C1-C2;~2 Max	I	1081.9	7.2	0.0	863.0
104.2	7211.7							
				J	1081.9	7.2	0.0	863.0
137.2	3731.3							
			Min	I	-489.7	-16.4	-0.1	-416.7
-31.2	-14853.8							
				J	-489.7	-16.4	-0.1	-416.7
-50.8	-3242.6							
			C3-C4;~2 Max	I	1005.1	7.9	0.0	836.9
84.7	7981.2							
				J	1005.1	7.9	0.0	836.9
118.6	2606.2							
			Min	I	-531.2	-15.3	-0.1	-450.3
-37.2	-16163.8							
				J	-531.2	-15.3	-0.1	-450.3
-55.4	-4549.4							
			G1	I	599.5	-10.2	-1.1	520.7
-113.4	-8622.1							
				J	599.5	-10.2	0.9	520.7
-56.6	-274.6							
			G2	I	221.0	-3.8	-0.0	193.8
7.4	-3304.5							
				J	221.0	-3.8	-0.0	193.8
34.4	-218.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
2.5	1303.9	Q5_pc X	I	-8.7	0.3	0.0	-23.0
-1.4	1077.2		J	-8.7	0.3	0.0	-23.0
1.0	3936.7	Q5_pc Y	I	-174.7	3.1	0.0	-267.7
-14.7	1450.4		J	-174.7	3.1	0.0	-267.7
3.7	1272.6	Q5_ps X	I	-2.6	0.2	0.0	-21.0
-1.6	1117.6		J	-2.6	0.2	0.0	-21.0
0.7	3747.3	Q5_ps Y	I	-168.9	2.9	0.0	-256.1
-14.3	1348.9		J	-168.9	2.9	0.0	-256.1
149.5	18940.8	INVS LU Max	I	3226.8	15.1	-1.3	2072.2
308.6	11234.1		J	3226.8	15.1	1.4	2072.2
-179.9	-46878.0	Min	I	-934.5	-48.6	-1.7	-1606.2
-169.7	-10793.1		J	-934.5	-48.6	1.0	-1606.2
115.2	14282.6	INVS LE Max	I	2352.4	11.6	-1.0	1443.0
229.3	8251.2		J	2352.4	11.6	1.0	1443.0
-128.4	-33947.1	Min	I	-706.8	-35.2	-1.3	-1246.1
-123.0	-7871.8		J	-706.8	-35.2	0.7	-1246.1
9647	2	69 C1-C2;~1 Max	I	1907.4	26.0	0.3	2450.0
249.8	6272.5		J	1907.4	26.0	0.3	2450.0
203.9	42295.0	Min	I	-905.5	-53.0	-0.1	-1276.9
-109.9	-5709.0		J	-905.5	-53.0	-0.1	-1276.9
-65.0	-18899.8						
224.2	4626.2	C3-C4;~1 Max	I	1817.0	28.6	0.2	2366.0
216.0	38076.2		J	1817.0	28.6	0.2	2366.0
-120.9	-8101.7	Min	I	-993.9	-50.3	-0.2	-1397.6
-45.3	-20565.7		J	-993.9	-50.3	-0.2	-1397.6
150.5	3734.4	C1-C2;~2 Max	I	1119.6	13.8	0.2	1436.1
124.6	24735.0		J	1119.6	13.8	0.2	1436.1
-57.2	-3235.3	Min	I	-477.9	-31.1	-0.1	-676.7
-37.2	-9931.9		J	-477.9	-31.1	-0.1	-676.7

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

131.0	2609.2	C3-C4; ~2	Max	I	1051.7	15.0	0.1	1366.7
				J	1051.7	15.0	0.1	1366.7
136.7	21814.8		Min	I	-518.3	-29.1	-0.1	-731.5
-62.2	-4541.8			J	-518.3	-29.1	-0.1	-731.5
-23.7	-10675.8							
		G1		I	705.0	-18.9	-1.0	840.4
-48.7	-266.5			J	705.0	-18.9	1.0	840.4
-44.9	15131.8							
		G2		I	260.5	-7.0	0.0	309.4
37.3	-215.7			J	260.5	-7.0	0.0	309.4
24.9	5468.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-10.5	0.4	-0.0	-33.7
-1.7	1076.9			J	-10.5	0.4	-0.0	-33.7
-0.5	743.1							
		Q5_pc	Y	I	-186.7	5.5	-0.0	-406.2
-18.6	1447.5			J	-186.7	5.5	-0.0	-406.2
-14.7	-3062.7							
		Q5_ps	X	I	-4.6	0.2	-0.0	-27.8
-1.9	1117.4			J	-4.6	0.2	-0.0	-27.8
-1.0	927.9							
		Q5_ps	Y	I	-180.2	5.3	-0.0	-389.0
-18.0	1346.1			J	-180.2	5.3	-0.0	-389.0
-14.2	-3006.0							
		INVSLE	Max	I	3571.9	27.3	-1.2	3315.0
339.5	11237.6			J	3571.9	27.3	1.5	3315.0
427.1	74612.7							
			Min	I	-680.9	-92.9	-1.7	-2610.4
-194.4	-10773.1			J	-680.9	-92.9	1.0	-2610.4
21.2	-15762.1							
		INVSLE	Max	I	2609.6	20.9	-0.9	2309.5
250.8	8253.2			J	2609.6	20.9	1.1	2309.5
324.6	54274.4							
			Min	I	-515.8	-67.4	-1.3	-2025.5
-142.2	-7858.0			J	-515.8	-67.4	0.7	-2025.5
25.9	-12261.5							
9648	2	69 C1-C2; ~1	Max	I	2003.6	58.6	0.1	1241.4
123.5	42274.5			J	2003.6	58.6	0.1	1241.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
263.5	5397.8		Min	I	-911.2	-26.1	-0.4	-2820.1
-109.3	-18907.0			J	-911.2	-26.1	-0.4	-2820.1
-85.2	-9240.3							
		C3-C4;~1	Max	I	1924.1	56.4	0.1	1357.1
140.4	38042.7			J	1924.1	56.4	0.1	1357.1
218.2	3322.0		Min	I	-998.8	-28.5	-0.3	-2715.7
-129.8	-20573.4			J	-998.8	-28.5	-0.3	-2715.7
-94.8	-12450.0							
		C1-C2;~2	Max	I	1171.9	34.2	0.1	645.7
78.5	24722.3			J	1171.9	34.2	0.1	645.7
160.3	3240.7		Min	I	-476.6	-13.6	-0.2	-1643.4
-62.8	-9936.3			J	-476.6	-13.6	-0.2	-1643.4
-45.0	-5130.5							
		C3-C4;~2	Max	I	1109.6	32.5	0.1	698.3
90.7	21791.9			J	1109.6	32.5	0.1	698.3
129.7	1763.6		Min	I	-516.6	-14.7	-0.2	-1560.9
-69.7	-10680.4			J	-516.6	-14.7	-0.2	-1560.9
-49.3	-6795.1							
		G1		I	819.0	25.3	-1.2	-1238.3
-177.5	15112.7			J	819.0	25.3	0.8	-1238.3
-42.6	-5491.5							
		G2		I	305.1	9.5	-0.1	-460.6
-28.5	5461.2			J	305.1	9.5	-0.1	-460.6
38.3	-2270.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-13.2	-0.5	0.0	49.8
3.8	744.8			J	-13.2	-0.5	0.0	49.8
0.9	1166.5							
		Q5_pc	Y	I	-203.5	-6.3	0.0	411.4
16.0	-3065.1			J	-203.5	-6.3	0.0	411.4
-10.1	2080.9							
		Q5_ps	X	I	-7.6	-0.4	0.0	40.0
5.4	929.2			J	-7.6	-0.4	0.0	40.0
2.1	1221.2							
		Q5_ps	Y	I	-196.0	-6.1	0.0	393.4
14.9	-3008.3			J	-196.0	-6.1	0.0	393.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-9.8	1940.3						
			INVSLE Max	I	3934.5	113.1	-1.4 2632.6
32.3	74665.9			J	3934.5	113.1	1.3 2632.6
410.2	977.4		Min	I	-485.0	-16.0	-2.2 -3747.2
-361.4	-15696.0			J	-485.0	-16.0	0.5 -3747.2
-91.7	-26862.7						
			INVSLE Max	I	2876.5	82.3	-1.0 2056.9
33.5	54314.5			J	2876.5	82.3	1.0 2056.9
304.7	623.8		Min	I	-370.1	-12.4	-1.6 -2614.0
-255.9	-12211.5			J	-370.1	-12.4	0.4 -2614.0
-65.7	-19721.0						
9649	2	69	C1-C2;~1 Max	I	2118.4	30.5	0.1 695.0
237.5	5396.1			J	2118.4	30.5	0.1 695.0
217.5	13273.8		Min	I	-929.6	-13.3	-0.1 -1611.5
-74.1	-9255.3			J	-929.6	-13.3	-0.1 -1611.5
-83.6	-32048.3						
			C3-C4;~1 Max	I	2039.3	29.2	0.1 760.3
193.4	3322.1			J	2039.3	29.2	0.1 760.3
208.9	14646.1		Min	I	-1017.6	-14.6	-0.1 -1540.8
-83.0	-12464.8			J	-1017.6	-14.6	-0.1 -1540.8
-91.4	-35802.1						
			C1-C2;~2 Max	I	1235.2	17.9	0.1 362.8
145.1	3238.5			J	1235.2	17.9	0.1 362.8
133.5	6823.5		Min	I	-482.4	-7.0	-0.0 -941.6
-39.1	-5139.3			J	-482.4	-7.0	-0.0 -941.6
-42.7	-18378.1						
			C3-C4;~2 Max	I	1171.8	16.8	0.0 392.5
115.4	1762.4			J	1171.8	16.8	0.0 392.5
125.1	7462.6		Min	I	-522.6	-7.5	-0.1 -888.9
-43.1	-6803.6			J	-522.6	-7.5	-0.1 -888.9
-46.3	-20040.9						
			G1	I	929.4	13.1	-1.0 -693.9
-54.1	-5498.4			J	929.4	13.1	1.0 -693.9
-54.0	-16142.7						
			G2	I	349.6	4.9	0.0 -256.9
34.1	-2272.7			J	349.6	4.9	0.0 -256.9
31.9	-6260.8						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-15.7	-0.3	29.3
1.3	1166.7			J	-15.7	-0.3	29.3
-0.8	1397.3						
			Q5_pc Y	I	-221.6	-3.2	233.6
-6.3	2083.4			J	-221.6	-3.2	233.6
-16.2	4727.5						
			Q5_ps X	I	-10.3	-0.2	22.5
2.4	1221.4			J	-10.3	-0.2	22.5
-1.3	1377.8						
			Q5_ps Y	I	-213.1	-3.1	223.2
-6.2	1942.7			J	-213.1	-3.1	223.2
-15.8	4485.3						
			INVSLE Max	I	4290.9	57.9	1628.7
376.4	980.9			J	4290.9	57.9	1628.7
327.0	4653.3		Min	I	-341.6	-8.9	-1993.6
-67.5	-26881.4			J	-341.6	-8.9	-1993.6
-119.2	-71961.3						
			INVSLE Max	I	3136.8	42.1	1271.4
281.3	627.1			J	3136.8	42.1	1271.4
243.6	3644.9		Min	I	-265.2	-6.9	-1380.7
-46.7	-19733.9			J	-265.2	-6.9	-1380.7
-84.8	-52476.3						
			69 C1-C2;~1 Max	I	2203.4	1.8	220.7
9650	2			J	2203.4	1.8	220.7
210.9	13261.6		Min	I	-927.7	-2.4	-85.8
176.4	13280.3			J	-927.7	-2.4	-85.8
-80.7	-32022.5						
-44.8	-31503.1						
			C3-C4;~1 Max	I	2114.6	1.3	246.7
202.8	14632.8			J	2114.6	1.3	246.7
150.5	14648.9		Min	I	-1014.7	-2.1	-87.2
-88.2	-35775.8			J	-1014.7	-2.1	-87.2
-54.8	-35154.1						
			C1-C2;~2 Max	I	1284.1	1.1	128.8
129.7	6817.2			J	1284.1	1.1	128.8
111.0	6867.8		Min	I	-479.2	-1.4	-42.3


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-41.2	-18363.2		J	-479.2	-1.4	-0.1	-42.3
-23.6	-18119.7						
121.6	7455.8	C3-C4;~2 Max	I	1214.4	0.8	0.1	137.1
93.4	7503.3		J	1214.4	0.8	0.1	137.1
-44.6	-20026.2	Min	I	-518.9	-1.2	-0.1	-43.6
-27.9	-19750.2		J	-518.9	-1.2	-0.1	-43.6
		G1	I	1003.2	-0.8	-1.0	93.4
-56.8	-16130.7		J	1003.2	-0.8	1.0	93.4
-81.1	-15481.1						
		G2	I	378.0	-0.3	0.0	36.4
30.9	-6256.3		J	378.0	-0.3	0.0	36.4
20.3	-5995.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.1	-0.0	-0.0	-2.0
-0.7	1396.9		J	-16.1	-0.0	-0.0	-2.0
1.9	1405.3						
		Q5_pc Y	I	-229.3	0.2	-0.0	-30.3
-15.3	4723.4		J	-229.3	0.2	-0.0	-30.3
2.3	4574.0						
		Q5_ps X	I	-9.9	-0.0	-0.0	-3.4
-1.2	1377.4		J	-9.9	-0.0	-0.0	-3.4
2.9	1380.1						
		Q5_ps Y	I	-220.2	0.2	-0.0	-29.2
-14.9	4481.4		J	-220.2	0.2	-0.0	-29.2
2.1	4341.9						
		INVSLU Max	I	4557.2	0.9	-1.1	490.8
320.2	4627.1		J	4557.2	0.9	1.6	490.8
287.3	5958.4						
		Min	I	-200.0	-5.1	-1.6	-14.6
-111.1	-71926.6		J	-200.0	-5.1	1.1	-14.6
-29.0	-69508.8						
		INVSLE Max	I	3332.9	0.6	-0.8	354.8
238.9	3624.4		J	3332.9	0.6	1.2	354.8
218.4	4647.1						
		Min	I	-160.3	-3.8	-1.2	-15.5
-78.5	-52452.3		J	-160.3	-3.8	0.8	-15.5
-15.6	-50644.6						


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9651	2	69	C1-C2;~1	Max	I	2249.8	13.0	0.1	1770.5
186.3	13282.7				J	2249.8	13.0	0.1	1770.5
269.2	5258.3			Min	I	-913.9	-32.1	-0.2	-752.1
-48.5	-31508.4				J	-913.9	-32.1	-0.2	-752.1
-93.5	-7330.2								
160.1	14651.4		C3-C4;~1	Max	I	2158.1	14.2	0.1	1738.9
240.2	3514.6				J	2158.1	14.2	0.1	1738.9
-58.2	-35159.7			Min	I	-998.6	-30.8	-0.2	-818.9
-101.8	-10253.4				J	-998.6	-30.8	-0.2	-818.9
116.8	6869.0		C1-C2;~2	Max	I	1310.2	6.7	0.0	1026.6
162.1	3142.0				J	1310.2	6.7	0.0	1026.6
-25.5	-18122.7			Min	I	-469.7	-18.6	-0.1	-384.5
-47.1	-4184.8				J	-469.7	-18.6	-0.1	-384.5
99.0	7504.5		C3-C4;~2	Max	I	1238.8	7.2	0.0	994.1
140.4	1950.7				J	1238.8	7.2	0.0	994.1
-29.8	-19753.3			Min	I	-508.4	-17.6	-0.1	-414.8
-50.9	-5755.1				J	-508.4	-17.6	-0.1	-414.8
-75.8	-15484.1			G1	I	1057.0	-15.4	-1.1	858.0
-20.2	-2926.8				J	1057.0	-15.4	0.9	858.0
22.3	-5996.5			G2	I	398.1	-5.8	-0.0	321.5
48.5	-1252.6				J	398.1	-5.8	-0.0	321.5
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
1.7	1405.4		Q5_pc	X	I	-16.1	0.3	0.0	-31.3
0.2	1192.9				J	-16.1	0.3	0.0	-31.3
0.6	4574.8		Q5_pc	Y	I	-233.1	3.6	0.0	-275.5
-18.1	1609.1				J	-233.1	3.6	0.0	-275.5
2.8	1380.1		Q5_ps	X	I	-9.3	0.2	0.0	-26.9
0.1	1238.3				J	-9.3	0.2	0.0	-26.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.5	4342.7	Q5_ps Y	I	-223.6	3.5	0.0	-263.5
			J	-223.6	3.5	0.0	-263.5
-17.5	1502.6						
300.1	5961.4	INVS LU Max	I	4755.0	3.4	-1.3	2563.0
			J	4755.0	3.4	1.4	2563.0
511.9	6185.6						
		Min	I	-49.9	-65.7	-1.7	-1428.5
-33.1	-69518.2		J	-49.9	-65.7	1.0	-1428.5
-21.4	-17651.5						
227.4	4649.5	INVS LE Max	I	3480.3	2.8	-1.0	1792.2
			J	3480.3	2.8	1.0	1792.2
380.7	4606.1						
		Min	I	-47.8	-47.9	-1.3	-1127.7
-19.2	-50651.3		J	-47.8	-47.9	0.7	-1127.7
-12.0	-12836.5						
9652	2	69 C1-C2;~1 Max	I	2285.2	25.1	0.3	2900.8
296.2	5260.5		J	2285.2	25.1	0.3	2900.8
206.4	46876.3						
		Min	I	-898.7	-61.8	-0.1	-1215.2
-104.9	-7315.9		J	-898.7	-61.8	-0.1	-1215.2
-67.4	-17775.2						
266.4	3516.1	C3-C4;~1 Max	I	2204.6	27.4	0.2	2815.1
			J	2204.6	27.4	0.2	2815.1
222.1	42759.6						
		Min	I	-979.9	-59.6	-0.2	-1324.4
-114.2	-10237.5		J	-979.9	-59.6	-0.2	-1324.4
-53.4	-19294.7						
177.7	3144.2	C1-C2;~2 Max	I	1329.9	12.8	0.2	1683.7
			J	1329.9	12.8	0.2	1683.7
128.5	27190.0						
		Min	I	-458.1	-35.9	-0.1	-623.0
-53.0	-4176.6		J	-458.1	-35.9	-0.1	-623.0
-38.0	-9026.7						
155.4	1952.6	C3-C4;~2 Max	I	1265.1	13.9	0.1	1609.9
			J	1265.1	13.9	0.1	1609.9
142.0	24318.8						
		Min	I	-495.2	-34.1	-0.1	-672.6
-57.2	-5746.1		J	-495.2	-34.1	-0.1	-672.6
-27.2	-9715.0						
		G1	I	1110.2	-29.7	-0.9	1392.9
-7.2	-2918.0		J	1110.2	-29.7	1.1	1392.9
-62.7	21306.5						
		G2	I	417.4	-11.2	0.0	521.6
53.4	-1249.2						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
16.8	7886.6		J	417.4	-11.2	0.0	521.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.3	1192.6	Q5_pc X	I	-16.4	0.5	-0.0	-49.7
1.0	787.7		J	-16.4	0.5	-0.0	-49.7
-22.2	1606.5	Q5_pc Y	I	-242.6	6.8	-0.0	-433.5
-12.6	-3964.0		J	-242.6	6.8	-0.0	-433.5
-0.3	1238.1	Q5_ps X	I	-9.6	0.3	-0.0	-41.1
1.1	980.8		J	-9.6	0.3	-0.0	-41.1
-21.5	1500.0	Q5_ps Y	I	-232.5	6.5	-0.0	-414.4
-12.3	-3836.1		J	-232.5	6.5	-0.0	-414.4
551.2	6187.9	INVS LU Max	I	4941.0	4.8	-0.9	4246.5
412.7	95704.4		J	4941.0	4.8	1.8	4246.5
-42.7	-17626.2	Min	I	96.5	-128.0	-1.5	-2237.8
-0.8	-761.8		J	96.5	-128.0	1.2	-2237.8
408.2	4607.2	INVS LE Max	I	3618.9	4.0	-0.7	2979.8
314.6	70011.6		J	3618.9	4.0	1.3	2979.8
-28.8	-12818.6	Min	I	62.7	-93.4	-1.1	-1765.6
9.9	-916.3		J	62.7	-93.4	0.9	-1765.6
9653	2	69 C1-C2;~1 Max	I	2337.2	65.2	0.1	1154.4
156.4	46864.6		J	2337.2	65.2	0.1	1154.4
286.5	4874.5	Min	I	-895.8	-24.8	-0.4	-3018.8
-94.6	-17780.8		J	-895.8	-24.8	-0.4	-3018.8
-86.2	-9817.5						
173.4	42729.7	C3-C4;~1 Max	I	2263.5	63.3	0.1	1252.4
245.0	3351.1		J	2263.5	63.3	0.1	1252.4
-106.9	-19301.3	Min	I	-974.4	-26.9	-0.3	-2936.0
-94.5	-13260.2		J	-974.4	-26.9	-0.3	-2936.0
99.1	27182.0	C1-C2;~2 Max	I	1358.3	37.8	0.1	579.1

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
173.2	2820.3		J	1358.3	37.8	0.1	579.1
		Min	I	-452.4	-12.5	-0.2	-1748.5
-55.3	-9030.6		J	-452.4	-12.5	-0.2	-1748.5
-44.1	-5494.5						
		C3-C4;~2 Max	I	1297.0	36.2	0.1	623.5
112.2	24297.4		J	1297.0	36.2	0.1	623.5
144.5	1693.1	Min	I	-488.2	-13.4	-0.2	-1676.6
-56.8	-9719.3		J	-488.2	-13.4	-0.2	-1676.6
-48.0	-7291.0						
		G1	I	1169.9	33.3	-1.2	-1555.8
-143.0	21297.1		J	1169.9	33.3	0.8	-1555.8
-14.7	-5857.6						
		G2	I	440.8	12.6	-0.1	-584.9
-15.4	7883.1		J	440.8	12.6	-0.1	-584.9
49.9	-2393.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-17.1	-0.6	0.0	56.6
2.0	788.6		J	-17.1	-0.6	0.0	56.6
0.5	1260.1						
		Q5_pc Y	I	-257.1	-7.6	0.0	463.4
13.8	-3961.9		J	-257.1	-7.6	0.0	463.4
-12.8	2259.1						
		Q5_ps X	I	-10.6	-0.4	0.0	46.4
3.3	981.6		J	-10.6	-0.4	0.0	46.4
1.4	1309.7						
		Q5_ps Y	I	-246.2	-7.3	0.0	441.4
13.0	-3834.1		J	-246.2	-7.3	0.0	441.4
-12.2	2116.8						
		INVSLU Max	I	5134.2	139.3	-1.4	2191.4
182.1	95720.6		J	5134.2	139.3	1.3	2191.4
547.8	1318.1	Min	I	200.7	1.2	-2.2	-4408.9
-221.1	-734.8		J	200.7	1.2	0.5	-4408.9
10.4	-27230.2						
		INVSLE Max	I	3760.4	101.7	-1.0	1727.8
145.6	70023.1		J	3760.4	101.7	1.0	1727.8
407.2	1001.0	Min	I	140.3	0.4	-1.6	-3099.5
-151.3	-897.1						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
10.8	-19844.7			J	140.3	0.4	0.4	-3099.5	
9654	2	69	C1-C2;~1	Max	I	2401.3	34.0	0.1	691.7
258.8	4873.4			J	2401.3	34.0	0.1	691.7	
229.5	12917.6			Min	I	-902.5	-12.8	-0.1	-1815.4
-75.6	-9831.4			J	-902.5	-12.8	-0.1	-1815.4	
-67.2	-35714.0								
			C3-C4;~1	Max	I	2326.1	32.8	0.1	751.3
218.2	3353.4			J	2326.1	32.8	0.1	751.3	
216.7	14029.9			Min	I	-979.5	-13.9	-0.1	-1766.1
-83.2	-13274.9			J	-979.5	-13.9	-0.1	-1766.1	
-72.4	-39953.7								
			C1-C2;~2	Max	I	1393.3	19.8	0.1	348.0
157.1	2818.6			J	1393.3	19.8	0.1	348.0	
140.3	6403.1			Min	I	-451.9	-6.5	-0.0	-1052.6
-38.8	-5502.5			J	-451.9	-6.5	-0.0	-1052.6	
-33.3	-20420.5								
			C3-C4;~2	Max	I	1330.1	18.8	0.0	375.0
129.2	1693.3			J	1330.1	18.8	0.0	375.0	
129.5	6910.5			Min	I	-486.9	-7.0	-0.1	-1010.6
-42.3	-7299.4			J	-486.9	-7.0	-0.1	-1010.6	
-35.7	-22274.6								
			G1	I	1228.5	17.3	-1.0	-928.7	
-29.0	-5865.5			J	1228.5	17.3	1.0	-928.7	
-31.3	-19942.5								
			G2	I	465.3	6.5	0.0	-348.4	
44.5	-2396.3			J	465.3	6.5	0.0	-348.4	
40.3	-7723.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-18.1	-0.3	0.0	35.8
1.0	1260.4			J	-18.1	-0.3	0.0	35.8	
0.8	1519.2								
			Q5_pc	Y	I	-273.1	-4.0	0.0	278.5
-8.5	2261.4			J	-273.1	-4.0	0.0	278.5	
-17.5	5498.6								
			Q5_ps	X	I	-11.7	-0.2	0.0	29.0
1.8	1309.9								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.8	1491.8		J	-11.7	-0.2	0.0	29.0
-8.1	2119.0	Q5_ps Y	I	-261.2	-3.8	0.0	265.0
-16.9	5214.7		J	-261.2	-3.8	0.0	265.0
508.0	1317.9	INVSLE Max	I	5315.7	71.7	-1.2	1441.0
441.6	-1490.0		J	5315.7	71.7	1.5	1441.0
31.0	-27252.7	Min	I	260.2	-0.2	-1.5	-2525.3
2.5	-84265.3		J	260.2	-0.2	1.3	-2525.3
379.2	1001.4	INVSLE Max	I	3891.5	52.3	-0.9	1134.3
329.5	-856.7		J	3891.5	52.3	1.1	1134.3
27.0	-19860.6	Min	I	183.1	-0.4	-1.1	-1766.6
6.6	-61438.6		J	183.1	-0.4	0.9	-1766.6
9655	2	69 C1-C2;~1 Max	I	2429.6	1.7	0.1	125.7
219.3	12915.6		J	2429.6	1.7	0.1	125.7
210.1	12912.6	Min	I	-895.0	-2.3	-0.1	-96.9
-63.9	-35709.6		J	-895.0	-2.3	-0.1	-96.9
-57.6	-35252.3						
207.0	14027.7	C3-C4;~1 Max	I	2350.3	1.3	0.1	140.7
190.1	14038.5		J	2350.3	1.3	0.1	140.7
-68.8	-39949.1	Min	I	-970.0	-1.9	-0.1	-97.6
-64.5	-39477.9		J	-970.0	-1.9	-0.1	-97.6
134.4	6402.1	C1-C2;~2 Max	I	1409.4	1.0	0.1	73.0
129.6	6441.7		J	1409.4	1.0	0.1	73.0
-31.7	-20418.0	Min	I	-445.6	-1.4	-0.0	-55.1
-29.6	-20172.8		J	-445.6	-1.4	-0.0	-55.1
124.0	6909.4	C3-C4;~2 Max	I	1343.6	0.7	0.1	77.4
115.2	6955.0		J	1343.6	0.7	0.1	77.4
-34.0	-22272.0	Min	I	-479.7	-1.1	-0.0	-52.0
-32.8	-22035.3		J	-479.7	-1.1	-0.0	-52.0
-36.5	-19940.0	G1	I	1254.1	-0.5	-1.0	23.4
-49.7	-19566.5		J	1254.1	-0.5	1.0	23.4

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

38.4	-7722.6	G2	I	475.4	-0.2	0.0	9.4
33.0	-7577.4		J	475.4	-0.2	0.0	9.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.0	1519.2	Q5_pc X	I	-18.4	-0.0	0.0	1.0
0.4	1525.2		J	-18.4	-0.0	0.0	1.0
-16.0	5498.0	Q5_pc Y	I	-278.8	0.2	-0.0	-14.1
-4.7	5369.1		J	-278.8	0.2	-0.0	-14.1
1.0	1491.8	Q5_ps X	I	-11.7	-0.0	-0.0	0.2
1.1	1498.7		J	-11.7	-0.0	-0.0	0.2
-15.5	5214.1	Q5_ps Y	I	-266.4	0.1	-0.0	-13.9
-4.4	5093.6		J	-266.4	0.1	-0.0	-13.9
428.0	-1490.8	INVSLU Max	I	5399.8	1.8	-1.2	253.2
390.0	-1123.8		J	5399.8	1.8	1.6	253.2
10.4	-84255.8	Min	I	308.4	-3.8	-1.5	-93.9
10.9	-83035.4		J	308.4	-3.8	1.2	-93.9
320.1	-857.4	INVSLE Max	I	3952.7	1.4	-0.9	185.6
293.2	-594.0		J	3952.7	1.4	1.1	185.6
12.9	-61431.7	Min	I	218.5	-2.8	-1.1	-69.7
13.0	-60553.3		J	218.5	-2.8	0.9	-69.7
9656	2	69 C1-C2;~1 Max	I	2434.3	12.5	0.1	1855.3
220.4	12914.5		J	2434.3	12.5	0.1	1855.3
269.8	5045.5	Min	I	-883.2	-34.7	-0.1	-685.3
-61.2	-35256.9		J	-883.2	-34.7	-0.1	-685.3
-79.7	-8770.3						
200.0	14040.5	C3-C4;~1 Max	I	2356.8	13.5	0.1	1818.4
236.0	3379.7		J	2356.8	13.5	0.1	1818.4
-68.1	-39482.7	Min	I	-956.1	-33.6	-0.1	-738.9
-85.8	-12148.7		J	-956.1	-33.6	-0.1	-738.9


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

135.6	6442.6	C1-C2;~2	Max	I	1411.5	6.2	0.0	1073.4	
				J	1411.5	6.2	0.0	1073.4	
162.9	2969.8		Min	I	-437.2	-20.1	-0.1	-337.2	
-31.4	-20175.3			J	-437.2	-20.1	-0.1	-337.2	
-39.4	-4944.7								
120.9	6955.9	C3-C4;~2	Max	I	1346.9	6.6	0.0	1037.1	
				J	1346.9	6.6	0.0	1037.1	
138.5	1733.9		Min	I	-470.3	-19.2	-0.1	-361.3	
-34.6	-22038.0			J	-470.3	-19.2	-0.1	-361.3	
-42.3	-6741.0								
				G1	I	1265.4	-18.2	-1.0	980.3
-44.0	-19569.3			J	1265.4	-18.2	1.0	980.3	
-14.7	-4769.4								
				G2	I	479.4	-6.9	-0.0	369.1
35.1	-7578.4			J	479.4	-6.9	-0.0	369.1	
50.3	-1968.7								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-18.5	0.3	-0.0	-34.1	
0.2	1525.3			J	-18.5	0.3	-0.0	-34.1	
1.5	1279.2								
		Q5_pc	Y	I	-282.2	4.3	0.0	-306.2	
-6.5	5369.8			J	-282.2	4.3	0.0	-306.2	
-19.0	1878.6								
		Q5_ps	X	I	-11.4	0.2	-0.0	-28.6	
0.9	1498.7			J	-11.4	0.2	-0.0	-28.6	
1.8	1334.2								
		Q5_ps	Y	I	-269.2	4.1	0.0	-292.0	
-6.1	5094.3			J	-269.2	4.1	0.0	-292.0	
-18.4	1765.4								
		INVSLU	Max	I	5449.6	-1.4	-1.3	2715.0	
405.1	-1123.6			J	5449.6	-1.4	1.4	2715.0	
555.7	2711.3		Min	I	364.6	-74.2	-1.6	-1338.4	
3.9	-83045.5			J	364.6	-74.2	1.1	-1338.4	
41.4	-23882.4								
		INVSLE	Max	I	3990.3	-0.7	-1.0	1903.5	
303.7	-593.7			J	3990.3	-0.7	1.0	1903.5	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
413.5	2015.6								
			Min	I	261.3	-54.1	-1.2	-1058.2	
7.4	-60560.7			J	261.3	-54.1	0.8	-1058.2	
35.0	-17432.9								
9657	2	69	C1-C2;~1	Max	I	2419.6	24.2	0.4	3075.1
298.4	5047.2				J	2419.6	24.2	0.4	3075.1
180.0	49211.0								
			Min	I	-861.5	-66.8	-0.1	-1136.4	
-90.0	-8755.5			J	-861.5	-66.8	-0.1	-1136.4	
-79.2	-17109.2								
			C3-C4;~1	Max	I	2350.0	26.2	0.3	2997.3
263.8	3377.3				J	2350.0	26.2	0.3	2997.3
196.7	45090.3								
			Min	I	-930.1	-64.8	-0.1	-1227.1	
-97.0	-12132.6			J	-930.1	-64.8	-0.1	-1227.1	
-74.0	-18469.9								
			C1-C2;~2	Max	I	1403.4	11.9	0.2	1779.0
179.5	2971.8				J	1403.4	11.9	0.2	1779.0
113.4	28438.9								
			Min	I	-422.6	-38.7	-0.1	-560.8	
-44.4	-4936.3			J	-422.6	-38.7	-0.1	-560.8	
-45.3	-8383.3								
			C3-C4;~2	Max	I	1343.8	12.8	0.2	1708.4
154.3	1735.6				J	1343.8	12.8	0.2	1708.4
126.7	25544.0								
			Min	I	-453.7	-37.0	-0.1	-601.7	
-47.7	-6732.0			J	-453.7	-37.0	-0.1	-601.7	
-38.4	-9012.9								
			G1	I	1261.2	-35.0	-0.9	1621.6	
0.4	-4760.4				J	1261.2	-35.0	1.1	1621.6
-102.1	23788.5								
			G2	I	476.4	-13.3	0.1	610.8	
56.0	-1965.3				J	476.4	-13.3	0.1	610.8
0.9	8851.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-17.2	0.6	-0.0	-55.6
1.0	1279.0				J	-17.2	0.6	-0.0	-55.6
3.1	812.3								
			Q5_pc	Y	I	-288.8	8.1	-0.0	-490.6
-23.6	1875.8				J	-288.8	8.1	-0.0	-490.6
-8.5	-4758.3								


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.3	1334.0	Q5_ps X	I	-10.1	0.4	-0.0	-45.9
3.8	1026.7		J	-10.1	0.4	-0.0	-45.9
-22.8	1762.8	Q5_ps Y	I	-275.4	7.8	-0.0	-467.4
-8.3	-4562.0		J	-275.4	7.8	-0.0	-467.4
598.4	2713.1	INVS LU Max	I	5457.3	-4.7	-0.7	4645.7
298.4	103538.3		J	5457.3	-4.7	2.0	4645.7
22.0	-23856.1	Min	I	415.3	-144.9	-1.4	-2045.4
-89.2	3604.2		J	415.3	-144.9	1.3	-2045.4
443.5	2016.4	INVS LE Max	I	3997.5	-3.1	-0.5	3271.8
231.3	75693.8		J	3997.5	-3.1	1.5	3271.8
19.7	-17414.3	Min	I	301.2	-105.8	-1.0	-1619.1
-54.7	2303.0		J	301.2	-105.8	1.0	-1619.1
9658	2	69 C1-C2;~1 Max	I	2422.7	66.9	0.1	1174.7
179.8	49202.4		J	2422.7	66.9	0.1	1174.7
300.5	5204.7	Min	I	-873.4	-24.6	-0.4	-3093.7
-79.4	-17104.4		J	-873.4	-24.6	-0.4	-3093.7
-90.2	-8865.7						
195.3	45082.3	C3-C4;~1 Max	I	2354.8	65.0	0.1	1267.1
265.3	3529.2		J	2354.8	65.0	0.1	1267.1
-76.1	-18465.3	Min	I	-942.9	-26.6	-0.3	-3022.0
-97.8	-12327.7		J	-942.9	-26.6	-0.3	-3022.0
112.9	28432.2	C1-C2;~2 Max	I	1404.9	38.7	0.1	582.0
180.5	3051.4		J	1404.9	38.7	0.1	582.0
-45.7	-8380.0	Min	I	-430.1	-12.2	-0.2	-1787.6
-44.3	-4981.3		J	-430.1	-12.2	-0.2	-1787.6
125.8	25537.9	C3-C4;~2 Max	I	1346.1	37.1	0.1	626.4
155.2	1862.4		J	1346.1	37.1	0.1	626.4
-39.3	-9009.6	Min	I	-462.8	-13.1	-0.2	-1720.4
-47.8	-6812.9		J	-462.8	-13.1	-0.2	-1720.4
		G1	I	1262.4	35.0	-1.1	-1623.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-104.0	23790.0		J	1262.4	35.0	0.9	-1623.9
0.9	-4758.5						
		G2	I	476.8	13.3	-0.1	-612.1
0.2	8851.7		J	476.8	13.3	-0.1	-612.1
56.4	-1965.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.2	-0.5	0.0	55.5
0.3	812.3		J	-16.2	-0.5	0.0	55.5
-0.5	1242.6						
		Q5_pc Y	I	-300.9	-8.9	0.0	527.3
10.4	-4755.3		J	-300.9	-8.9	0.0	527.3
-19.3	2481.1						
		Q5_ps X	I	-9.1	-0.3	0.0	45.2
1.2	1026.6		J	-9.1	-0.3	0.0	45.2
0.1	1297.9						
		Q5_ps Y	I	-286.8	-8.5	0.0	500.9
9.9	-4559.2		J	-286.8	-8.5	0.0	500.9
-18.2	2334.9						
		INVSLE Max	I	5472.0	145.5	-1.3	2130.6
299.5	103524.0		J	5472.0	145.5	1.4	2130.6
597.0	3572.1						
		Min	I	386.8	3.4	-2.1	-4705.6
-90.0	3613.1		J	386.8	3.4	0.6	-4705.6
24.6	-24562.6						
		INVSLE Max	I	4007.5	106.2	-1.0	1680.1
232.2	75683.3		J	4007.5	106.2	1.1	1680.1
442.7	2618.3						
		Min	I	280.7	2.1	-1.5	-3313.5
-54.9	2309.2		J	280.7	2.1	0.5	-3313.5
21.2	-17891.4						
		69 C1-C2;~1 Max	I	2443.9	34.9	0.1	711.3
9659	2		J	2443.9	34.9	0.1	711.3
271.9	5203.1						
		Min	I	-904.3	-12.8	-0.1	-1872.5
220.5	13427.2		J	-904.3	-12.8	-0.1	-1872.5
-79.8	-8880.5						
		C3-C4;~1 Max	I	2370.7	33.8	0.1	768.4
-63.7	-35530.9		J	2370.7	33.8	0.1	768.4
237.4	3531.7						
		Min	I	-973.2	-13.8	-0.1	-1838.6
201.5	14451.5						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-86.6	-12343.6		J	-973.2	-13.8	-0.1	-1838.6
-68.5	-39900.9						
163.9	3049.4	C1-C2;~2 Max	I	1416.1	20.2	0.1	351.5
135.7	6721.7		J	1416.1	20.2	0.1	351.5
-39.3	-4989.7	Min	I	-448.9	-6.3	-0.0	-1081.7
-32.6	-20304.5		J	-448.9	-6.3	-0.0	-1081.7
139.3	1862.7	C3-C4;~2 Max	I	1353.5	19.3	0.1	378.8
121.5	7226.7		J	1353.5	19.3	0.1	378.8
-42.5	-6821.9	Min	I	-481.9	-6.8	-0.0	-1047.3
-35.0	-22231.0		J	-481.9	-6.8	-0.0	-1047.3
-14.2	-4767.5	G1	I	1268.7	18.2	-1.0	-983.3
-43.6	-19616.6		J	1268.7	18.2	1.0	-983.3
50.7	-1969.2	G2	I	480.8	6.9	0.0	-370.7
35.1	-7598.8		J	480.8	6.9	0.0	-370.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	1242.9	Q5_pc X	I	-15.8	-0.3	-0.0	36.4
2.3	1486.5		J	-15.8	-0.3	-0.0	36.4
-14.4	2483.8	Q5_pc Y	I	-316.1	-4.7	0.0	321.0
-17.6	6278.7		J	-316.1	-4.7	0.0	321.0
0.6	1298.2	Q5_ps X	I	-8.8	-0.2	-0.0	30.1
2.8	1458.7		J	-8.8	-0.2	-0.0	30.1
-13.5	2337.4	Q5_ps Y	I	-301.1	-4.4	0.0	304.6
-17.1	5951.5		J	-301.1	-4.4	0.0	304.6
554.0	3570.3	INVSLU Max	I	5492.0	74.8	-1.1	1388.4
415.0	333.8		J	5492.0	74.8	1.6	1388.4
44.1	-24588.6	Min	I	309.9	0.7	-1.4	-2754.7
-6.9	-84343.7		J	309.9	0.7	1.3	-2754.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
412.4	2617.5	INVSLE Max	I	4019.0	54.5	-0.8	1094.4
			J	4019.0	54.5	1.2	1094.4
310.2	435.3	Min	I	222.6	0.2	-1.0	-1931.8
36.7	-17909.8		J	222.6	0.2	1.0	-1931.8
0.1	-61451.6						
9660	2	69 C1-C2;~1 Max	I	2446.3	2.2	0.1	93.7
210.1	13425.4		J	2446.3	2.2	0.1	93.7
219.8	13364.8	Min	I	-923.9	-1.7	-0.1	-128.6
-60.0	-35526.5		J	-923.9	-1.7	-0.1	-128.6
-62.9	-35930.6						
		C3-C4;~1 Max	I	2372.8	1.9	0.1	97.8
191.4	14449.6		J	2372.8	1.9	0.1	97.8
206.6	14417.6	Min	I	-992.5	-1.3	-0.1	-141.5
-64.7	-39896.2		J	-992.5	-1.3	-0.1	-141.5
-68.6	-40284.7						
		C1-C2;~2 Max	I	1417.4	1.4	0.0	53.4
129.6	6720.8		J	1417.4	1.4	0.0	53.4
134.5	6655.1	Min	I	-460.9	-1.0	-0.1	-74.6
-30.8	-20302.0		J	-460.9	-1.0	-0.1	-74.6
-31.2	-20526.3						
		C3-C4;~2 Max	I	1354.4	1.1	0.0	51.2
115.7	7225.7		J	1354.4	1.1	0.0	51.2
123.8	7169.8	Min	I	-494.0	-0.7	-0.1	-78.2
-33.1	-22228.4		J	-494.0	-0.7	-0.1	-78.2
-33.8	-22431.1						
		G1	I	1259.3	0.4	-1.0	-22.9
-49.3	-19614.0		J	1259.3	0.4	1.0	-22.9
-36.6	-19975.4						
		G2	I	477.8	0.2	-0.0	-9.5
33.0	-7597.8		J	477.8	0.2	-0.0	-9.5
38.5	-7736.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.4	-0.0	0.0	3.4
2.6	1486.5		J	-16.4	-0.0	0.0	3.4
-0.9	1505.6						
		Q5_pc Y	I	-324.0	0.0	-0.0	-6.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-15.8	6278.0		J	-324.0	0.0	-0.0	-6.4
-10.0	6247.2						
3.0	1458.6	Q5_ps X	I	-9.3	-0.0	0.0	3.6
-0.6	1477.4		J	-9.3	-0.0	0.0	3.6
-15.3	5950.8	Q5_ps Y	I	-308.2	0.0	-0.0	-6.7
-9.4	5923.9		J	-308.2	0.0	-0.0	-6.7
399.8	333.5	INVS LU Max	I	5461.6	3.6	-1.3	84.7
423.7	-216.7		J	5461.6	3.6	1.5	84.7
0.3	-84333.8	Min	I	236.0	-1.7	-1.5	-250.0
16.3	-85309.9		J	236.0	-1.7	1.2	-250.0
299.6	435.1	INVS LE Max	I	3994.8	2.7	-0.9	63.2
317.3	44.4		J	3994.8	2.7	1.1	63.2
5.8	-61444.3	Min	I	167.3	-1.3	-1.1	-183.8
16.8	-62154.6		J	167.3	-1.3	0.9	-183.8
9661	2	69 C1-C2;~1 Max	I	2424.9	13.4	0.1	1832.7
230.1	13366.9		J	2424.9	13.4	0.1	1832.7
260.4	4802.4						
-66.4	-35935.1	Min	I	-939.1	-34.4	-0.1	-724.0
-79.1	-9638.3		J	-939.1	-34.4	-0.1	-724.0
216.5	14419.9	C3-C4;~1 Max	I	2357.0	14.4	0.1	1791.4
221.3	3195.6		J	2357.0	14.4	0.1	1791.4
-72.2	-40289.4	Min	I	-1007.1	-33.4	-0.1	-775.4
-84.2	-13049.3		J	-1007.1	-33.4	-0.1	-775.4
140.5	6656.2	C1-C2;~2 Max	I	1404.6	6.8	0.0	1061.1
158.0	2775.9		J	1404.6	6.8	0.0	1061.1
-32.8	-20528.9	Min	I	-470.7	-19.9	-0.1	-364.9
-40.5	-5411.9		J	-470.7	-19.9	-0.1	-364.9
129.5	7170.9	C3-C4;~2 Max	I	1345.0	7.2	0.1	1022.7
130.7	1595.3		J	1345.0	7.2	0.1	1022.7
-35.5	-22433.7	Min	I	-503.8	-19.0	-0.0	-390.5
			J	-503.8	-19.0	-0.0	-390.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-43.0	-7197.0						
		G1	I	1235.6	-17.4	-1.0	934.5
-31.3	-19977.9		J	1235.6	-17.4	1.0	934.5
-27.9	-5788.9						
		G2	I	468.6	-6.6	-0.0	350.9
40.5	-7737.5		J	468.6	-6.6	-0.0	350.9
44.9	-2359.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-16.6	0.3	-0.0	-30.6
-1.0	1505.7		J	-16.6	0.3	-0.0	-30.6
2.9	1291.0						
		Q5_pc Y	I	-329.2	4.9	0.0	-339.1
-12.1	6248.0		J	-329.2	4.9	0.0	-339.1
-20.4	2250.7						
		Q5_ps X	I	-9.6	0.2	-0.0	-24.1
-0.7	1477.5		J	-9.6	0.2	-0.0	-24.1
3.6	1346.6						
		Q5_ps Y	I	-312.8	4.7	0.0	-322.5
-11.3	5924.6		J	-312.8	4.7	0.0	-322.5
-19.6	2127.4						
		INVSLU Max	I	5396.4	1.6	-1.3	2601.2
437.8	-215.6		J	5396.4	1.6	1.5	2601.2
520.2	1298.1						
		Min	I	170.6	-73.1	-1.5	-1530.1
7.9	-85319.6		J	170.6	-73.1	1.2	-1530.1
18.3	-26853.0						
		INVSLE Max	I	3946.6	1.4	-0.9	1818.1
327.1	45.3		J	3946.6	1.4	1.1	1818.1
387.3	983.5						
		Min	I	119.6	-53.2	-1.1	-1196.9
10.3	-62161.7		J	119.6	-53.2	0.9	-1196.9
18.2	-19569.1						
		69 C1-C2;~1 Max	I	2367.6	25.9	0.4	3048.0
9662	2		J	2367.6	25.9	0.4	3048.0
288.3	4803.4						
		Min	I	-941.8	-65.8	-0.1	-1208.1
155.2	47520.0		J	-941.8	-65.8	-0.1	-1208.1
-90.0	-9623.9						
		C3-C4;~1 Max	I	2303.9	27.7	0.3	2977.3
-95.6	-18689.1						
248.4	3193.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
173.1	43581.6		J	2303.9	27.7	0.3	2977.3
		Min	I	-1007.2	-64.1	-0.1	-1295.5
-95.9	-13034.1		J	-1007.2	-64.1	-0.1	-1295.5
-105.8	-19909.9						
		C1-C2;~2 Max	I	1372.8	13.0	0.2	1762.4
174.2	2777.6		J	1372.8	13.0	0.2	1762.4
98.6	27482.0						
		Min	I	-475.5	-38.1	-0.1	-607.1
-46.0	-5403.7		J	-475.5	-38.1	-0.1	-607.1
-55.8	-9466.3						
		C3-C4;~2 Max	I	1316.3	13.9	0.2	1696.3
146.1	1595.0		J	1316.3	13.9	0.2	1696.3
112.0	24699.3						
		Min	I	-507.8	-36.6	-0.1	-650.3
-48.9	-7188.4		J	-507.8	-36.6	-0.1	-650.3
-56.3	-10064.2						
		G1	I	1179.1	-33.5	-0.8	1563.7
-13.5	-5780.8		J	1179.1	-33.5	1.2	1563.7
-142.6	21518.0						
		G2	I	445.1	-12.7	0.1	588.6
50.3	-2356.5		J	445.1	-12.7	0.1	588.6
-15.4	7991.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-13.9	0.5	-0.0	-51.8
2.5	1290.8		J	-13.9	0.5	-0.0	-51.8
5.1	875.5						
		Q5_pc Y	I	-333.2	9.4	-0.0	-550.1
-25.5	2247.6		J	-333.2	9.4	-0.0	-550.1
-3.2	-5376.4						
		Q5_ps X	I	-6.7	0.3	-0.0	-41.4
3.2	1346.4		J	-6.7	0.3	-0.0	-41.4
6.3	1090.5						
		Q5_ps Y	I	-316.5	8.9	-0.0	-522.6
-24.5	2124.5		J	-316.5	8.9	-0.0	-522.6
-3.3	-5116.3						
		INVSLU Max	I	5241.2	1.6	-0.5	4523.1
561.0	1297.4		J	5241.2	1.6	2.2	4523.1
172.9	97882.0						
		Min	I	85.4	-141.6	-1.3	-2330.7
-3.5	-26828.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-212.7	-2825.9		J	85.4	-141.6	1.4	-2330.7
415.9	982.5	INVSLE Max	I	3833.5	1.5	-0.4	3177.4
139.2	71505.0		J	3833.5	1.5	1.6	3177.4
1.2	-19552.1	Min	I	58.8	-103.2	-1.0	-1826.2
-145.7	-2376.6		J	58.8	-103.2	1.0	-1826.2
9663	2	69 C1-C2;~1 Max	I	2322.9	63.2	0.1	1335.5
207.3	47525.5		J	2322.9	63.2	0.1	1335.5
298.7	5580.3	Min	I	-955.4	-27.0	-0.3	-2986.9
-65.8	-18676.3		J	-955.4	-27.0	-0.3	-2986.9
-108.5	-7860.3						
221.4	43603.6	C3-C4;~1 Max	I	2255.5	61.4	0.2	1424.9
269.5	3997.4		J	2255.5	61.4	0.2	1424.9
-55.0	-19896.6	Min	I	-1018.7	-28.7	-0.2	-2926.1
-116.0	-10997.1		J	-1018.7	-28.7	-0.2	-2926.1
128.9	27486.9	C1-C2;~2 Max	I	1347.9	36.6	0.1	682.3
178.7	3272.4		J	1347.9	36.6	0.1	682.3
-37.1	-9459.0	Min	I	-486.1	-13.8	-0.2	-1725.3
-54.7	-4457.5		J	-486.1	-13.8	-0.2	-1725.3
141.7	24716.6	C3-C4;~2 Max	I	1289.5	35.0	0.1	728.2
156.7	2149.4		J	1289.5	35.0	0.1	728.2
-27.8	-10056.5	Min	I	-517.9	-14.7	-0.1	-1664.1
-58.3	-6121.5		J	-517.9	-14.7	-0.1	-1664.1
-63.0	21525.2	G1	I	1121.7	30.2	-1.1	-1413.6
-6.4	-3069.4		J	1121.7	30.2	0.9	-1413.6
16.7	7994.0	G2	I	422.6	11.4	-0.0	-531.0
53.9	-1303.1		J	422.6	11.4	-0.0	-531.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.0	874.5	Q5_pc X	I	-10.9	-0.3	-0.0	43.6
			J	-10.9	-0.3	-0.0	43.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.4	1117.6							
4.2	-5369.9	Q5_pc	Y	I	-341.9	-10.1	0.0	600.3
-27.4	2821.2			J	-341.9	-10.1	0.0	600.3
-1.5	1089.5	Q5_ps	X	I	-3.4	-0.1	-0.0	33.5
-1.0	1170.6			J	-3.4	-0.1	-0.0	33.5
4.1	-5110.3	Q5_ps	Y	I	-324.7	-9.5	0.0	568.8
-25.8	2666.0			J	-324.7	-9.5	0.0	568.8
403.9	97852.0	INVS LU	Max	I	5078.1	132.8	-1.1	2521.8
559.7	7638.0			J	5078.1	132.8	1.6	2521.8
8.6	-2833.7		Min	I	-48.6	-9.4	-1.9	-4514.7
-49.3	-19819.7			J	-48.6	-9.4	0.8	-4514.7
308.7	71484.2	INVS LE	Max	I	3712.4	96.7	-0.8	1966.9
414.1	5612.7			J	3712.4	96.7	1.2	1966.9
16.5	-2381.8		Min	I	-39.6	-7.3	-1.4	-3165.3
-33.4	-14350.2			J	-39.6	-7.3	0.6	-3165.3
9664	2	69 C1-C2;~1	Max	I	2295.2	32.5	0.2	824.9
270.6	5578.3			J	2295.2	32.5	0.2	824.9
189.6	14651.0		Min	I	-981.6	-13.9	-0.1	-1820.1
-95.9	-7874.5			J	-981.6	-13.9	-0.1	-1820.1
-53.5	-32566.8							
241.9	3999.2	C3-C4;~1	Max	I	2219.7	31.5	0.2	881.3
164.7	15642.1			J	2219.7	31.5	0.2	881.3
-102.5	-11012.6		Min	I	-1044.0	-14.9	-0.1	-1874.8
-60.3	-36701.9			J	-1044.0	-14.9	-0.1	-1874.8
162.6	3270.3	C1-C2;~2	Max	I	1331.8	18.8	0.1	420.3
118.5	7548.9			J	1331.8	18.8	0.1	420.3
-48.2	-4465.7		Min	I	-502.8	-7.1	-0.0	-1049.9
-27.9	-18637.3			J	-502.8	-7.1	-0.0	-1049.9
141.1	2149.6	C3-C4;~2	Max	I	1268.3	18.0	0.1	449.1
101.2	8076.9			J	1268.3	18.0	0.1	449.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-51.4	-6130.4		Min	I	-534.7	-7.6	-0.0	-1025.3
				J	-534.7	-7.6	-0.0	-1025.3
-31.0	-20486.9							
			G1	I	1070.8	15.5	-0.9	-867.9
-19.7	-3078.3			J	1070.8	15.5	1.1	-867.9
-74.3	-15732.5							
			G2	I	404.3	5.9	0.0	-326.4
48.9	-1306.4			J	404.3	5.9	0.0	-326.4
22.8	-6099.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-8.8	-0.2	-0.0	29.8
-0.9	1117.9			J	-8.8	-0.2	-0.0	29.8
4.2	1250.2							
			Q5_pc Y	I	-354.4	-5.2	-0.0	370.2
-21.7	2824.4			J	-354.4	-5.2	-0.0	370.2
-13.0	7100.0							
			Q5_ps X	I	-1.3	-0.1	-0.0	24.2
-0.7	1170.9			J	-1.3	-0.1	-0.0	24.2
5.1	1225.2							
			Q5_ps Y	I	-336.4	-5.0	-0.0	350.4
-20.4	2669.0			J	-336.4	-5.0	-0.0	350.4
-12.6	6726.4							
			INVSLU Max	I	4921.5	67.7	-1.0	1597.5
517.6	7636.7			J	4921.5	67.7	1.7	1597.5
313.3	9558.4							
			Min	I	-224.3	-5.7	-1.4	-2789.6
-25.2	-19845.0			J	-224.3	-5.7	1.3	-2789.6
-47.4	-73885.9							
			INVSLE Max	I	3593.7	49.3	-0.7	1247.6
384.6	5612.2			J	3593.7	49.3	1.3	1247.6
236.2	7172.8							
			Min	I	-170.7	-4.4	-1.0	-1952.7
-14.6	-14368.0			J	-170.7	-4.4	1.0	-1952.7
-29.3	-53691.2							
9665	2	69	C1-C2;~1 Max	I	2256.0	2.4	0.1	86.9
179.6	14648.5			J	2256.0	2.4	0.1	86.9
213.7	14592.3							
			Min	I	-1003.9	-1.8	-0.1	-226.4
-49.4	-32561.3			J	-1003.9	-1.8	-0.1	-226.4
-83.9	-33094.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

154.9	15639.4	C3-C4;~1	Max	I	2184.8	2.1	0.1	91.5
				J	2184.8	2.1	0.1	91.5
205.9	15626.8		Min	I	-1066.2	-1.3	-0.2	-253.0
-56.7	-36696.2			J	-1066.2	-1.3	-0.2	-253.0
-89.3	-37327.3							
		C1-C2;~2	Max	I	1309.0	1.4	0.1	42.8
112.6	7547.7			J	1309.0	1.4	0.1	42.8
130.8	7482.1		Min	I	-516.1	-1.1	-0.1	-131.6
-25.7	-18634.2			J	-516.1	-1.1	-0.1	-131.6
-42.6	-18895.1							
		C3-C4;~2	Max	I	1247.9	1.2	0.1	45.5
95.6	8075.5			J	1247.9	1.2	0.1	45.5
123.0	8027.8		Min	I	-548.2	-0.8	-0.1	-140.2
-29.0	-20483.7			J	-548.2	-0.8	-0.1	-140.2
-45.3	-20775.7							
		G1		I	1018.8	0.8	-1.0	-93.8
-79.6	-15729.5			J	1018.8	0.8	1.0	-93.8
-55.9	-16415.1							
		G2		I	385.1	0.3	-0.0	-36.7
20.8	-6097.9			J	385.1	0.3	-0.0	-36.7
31.5	-6371.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.3	0.0	0.0	6.0
4.4	1250.1			J	-9.3	0.0	0.0	6.0
-2.4	1244.2							
		Q5_pc	Y	I	-361.6	-0.0	0.0	19.5
-10.8	7098.9			J	-361.6	-0.0	0.0	19.5
-20.6	7110.1							
		Q5_ps	X	I	-2.2	-0.0	0.0	6.8
5.2	1225.1			J	-2.2	-0.0	0.0	6.8
-2.5	1226.9							
		Q5_ps	Y	I	-342.9	-0.0	0.0	17.9
-10.6	6725.4			J	-342.9	-0.0	0.0	17.9
-19.2	6737.5							
		INVSLU	Max	I	4742.8	5.1	-1.1	7.8
297.9	9555.0			J	4742.8	5.1	1.6	7.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
328.4	7978.0		Min	I	-392.9	-0.5	-1.6	-492.3
-40.6	-73876.0			J	-392.9	-0.5	1.1	-492.3
-117.6	-76308.2							
		INVSLE	Max	I	3459.6	3.8	-0.8	11.1
225.4	7170.1			J	3459.6	3.8	1.2	11.1
244.5	5971.4		Min	I	-296.4	-0.4	-1.2	-356.8
-23.8	-53684.1			J	-296.4	-0.4	0.8	-356.8
-83.1	-55514.8							
9666	2	69 C1-C2;~1	Max	I	2177.2	14.7	0.1	1665.9
220.5	14606.0			J	2177.2	14.7	0.1	1665.9
242.0	5593.9		Min	I	-1012.9	-31.5	-0.1	-775.7
-87.2	-33121.6			J	-1012.9	-31.5	-0.1	-775.7
-81.1	-9360.9							
		C3-C4;~1	Max	I	2117.0	15.5	0.1	1614.4
212.3	15641.4			J	2117.0	15.5	0.1	1614.4
199.8	3479.9		Min	I	-1074.3	-30.4	-0.1	-822.4
-92.7	-37355.5			J	-1074.3	-30.4	-0.1	-822.4
-86.5	-12685.2							
		C1-C2;~2	Max	I	1263.0	7.6	0.0	967.8
134.8	7489.2			J	1263.0	7.6	0.0	967.8
147.3	3328.2		Min	I	-522.6	-18.3	-0.1	-402.2
-44.4	-18910.7			J	-522.6	-18.3	-0.1	-402.2
-42.4	-5213.5							
		C3-C4;~2	Max	I	1208.9	8.0	0.1	924.5
126.6	8035.3			J	1208.9	8.0	0.1	924.5
118.5	1837.1		Min	I	-554.5	-17.4	-0.0	-427.1
-47.1	-20791.4			J	-554.5	-17.4	-0.0	-427.1
-45.2	-6929.6							
		G1		I	946.6	-13.3	-1.0	707.8
-52.9	-16427.3			J	946.6	-13.3	1.0	707.8
-52.4	-5573.6							
		G2		I	357.6	-5.0	-0.0	263.1
32.6	-6376.2			J	357.6	-5.0	-0.0	263.1
34.8	-2292.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.5	1244.6	Q5_pc X	I	-9.6	0.2	-0.0	-20.7
			J	-9.6	0.2	-0.0	-20.7
3.7	1090.0						
		Q5_pc Y	I	-362.9	5.4	0.0	-364.2
-22.2	7116.3		J	-362.9	5.4	0.0	-364.2
-22.5	2695.8						
		Q5_ps X	I	-2.9	0.1	-0.0	-13.5
-2.6	1227.2		J	-2.9	0.1	-0.0	-13.5
4.7	1163.0						
		Q5_ps Y	I	-343.7	5.1	0.0	-345.5
-20.8	6743.4		J	-343.7	5.1	0.0	-345.5
-21.5	2556.2						
		INVSLE Max	I	4492.7	12.2	-1.2	2182.1
336.2	8007.7		J	4492.7	12.2	1.5	2182.1
396.3	1555.4	Min	I	-549.9	-61.0	-1.6	-1832.7
-126.7	-76347.4		J	-549.9	-61.0	1.1	-1832.7
-87.7	-27973.9						
		INVSLE Max	I	3274.7	9.3	-0.9	1510.0
249.8	5994.4		J	3274.7	9.3	1.1	1510.0
294.7	1007.0	Min	I	-412.3	-44.2	-1.2	-1415.3
-90.1	-55542.0		J	-412.3	-44.2	0.8	-1415.3
-60.9	-20507.1						
9667	2	69 C1-C2;~1 Max	I	2070.0	28.5	0.4	2914.1
268.7	5593.7		J	2070.0	28.5	0.4	2914.1
123.0	43542.3	Min	I	-1005.0	-60.3	-0.1	-1379.6
-93.5	-9344.6		J	-1005.0	-60.3	-0.1	-1379.6
-108.4	-20626.6						
		C3-C4;~1 Max	I	2011.9	30.2	0.3	2841.7
225.7	3478.8		J	2011.9	30.2	0.3	2841.7
140.3	39614.1	Min	I	-1063.4	-58.7	-0.1	-1464.5
-99.3	-12668.0		J	-1063.4	-58.7	-0.1	-1464.5
-127.3	-21670.2						
		C1-C2;~2 Max	I	1203.1	14.8	0.2	1688.2
162.9	3329.2		J	1203.1	14.8	0.2	1688.2
78.5	25290.6	Min	I	-521.6	-35.0	-0.1	-713.0
-48.9	-5204.0		J	-521.6	-35.0	-0.1	-713.0
-60.7	-10742.8						
		C3-C4;~2 Max	I	1151.4	15.6	0.2	1621.6

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
133.3	1837.7		J	1151.4	15.6	0.2	1621.6
90.9	22520.0	Min	I	-552.5	-33.5	-0.1	-757.9
-51.9	-6919.8		J	-552.5	-33.5	-0.1	-757.9
-68.4	-11285.5						
		G1	I	838.1	-25.8	-0.8	1261.7
-40.7	-5566.5		J	838.1	-25.8	1.2	1261.7
-176.6	15414.0						
		G2	I	313.8	-9.7	0.1	471.3
39.1	-2289.7		J	313.8	-9.7	0.1	471.3
-28.3	5617.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-5.0	0.3	-0.0	-39.2
3.3	1090.0		J	-5.0	0.3	-0.0	-39.2
7.3	807.2						
		Q5_pc Y	I	-359.9	10.5	-0.0	-626.3
-28.3	2691.4		J	-359.9	10.5	-0.0	-626.3
4.1	-5839.8						
		Q5_ps X	I	1.9	0.1	-0.0	-28.1
4.4	1163.1		J	1.9	0.1	-0.0	-28.1
8.8	1042.0						
		Q5_ps Y	I	-340.7	9.9	-0.0	-593.5
-27.1	2552.0		J	-340.7	9.9	-0.0	-593.5
3.7	-5526.4						
		INVS LU Max	I	4160.1	22.2	-0.5	4063.6
432.9	1547.5		J	4160.1	22.2	2.2	4063.6
24.3	78433.1	Min	I	-717.7	-118.9	-1.3	-2974.8
-115.0	-27950.2		J	-717.7	-118.9	1.4	-2974.8
-350.1	-20115.4						
		INVS LE Max	I	3030.8	16.8	-0.4	2831.4
320.1	1000.6		J	3030.8	16.8	1.6	2831.4
28.1	56862.5	Min	I	-534.4	-86.3	-1.0	-2298.7
-82.0	-20490.8		J	-534.4	-86.3	1.0	-2298.7
-248.3	-15357.8						
9668	2	69 C1-C2;~1 Max	I	1983.0	55.5	0.2	1519.1
202.0	43556.5		J	1983.0	55.5	0.2	1519.1
254.8	6606.1	Min	I	-1012.6	-29.5	-0.3	-2621.5

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-62.2	-20610.7		J	-1012.6	-29.5	-0.3	-2621.5
-116.7	-6282.2						
213.1	39639.2	C3-C4;~1 Max	I	1917.3	53.6	0.2	1610.7
230.7	4975.0		J	1917.3	53.6	0.2	1610.7
-44.0	-21653.0	Min	I	-1068.6	-31.2	-0.2	-2689.8
-123.4	-9136.8		J	-1068.6	-31.2	-0.2	-2689.8
123.7	25300.3	C1-C2;~2 Max	I	1154.9	32.2	0.1	793.4
152.7	3879.0		J	1154.9	32.2	0.1	793.4
-35.8	-10734.3	Min	I	-529.0	-15.4	-0.2	-1516.7
-60.4	-3542.0		J	-529.0	-15.4	-0.2	-1516.7
135.4	22538.7	C3-C4;~2 Max	I	1099.3	30.6	0.1	843.6
133.9	2758.7		J	1099.3	30.6	0.1	843.6
-22.9	-11276.2	Min	I	-559.3	-16.4	-0.1	-1474.5
-63.9	-5068.5		J	-559.3	-16.4	-0.1	-1474.5
-45.3	15431.8	G1	I	726.4	19.5	-1.0	-875.6
-46.6	-482.6		J	726.4	19.5	1.0	-875.6
24.6	5624.4	G2	I	270.2	7.3	-0.0	-325.6
38.4	-296.7		J	270.2	7.3	-0.0	-325.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.3	805.4	Q5_pc X	I	0.3	-0.1	-0.0	17.7
-2.3	860.1		J	0.3	-0.1	-0.0	17.7
-3.6	-5831.1	Q5_pc Y	I	-362.5	-11.0	0.0	701.5
-33.6	3112.8		J	-362.5	-11.0	0.0	701.5
-3.4	1040.5	Q5_ps X	I	7.5	0.1	-0.0	9.6
-2.2	918.7		J	7.5	0.1	-0.0	9.6
-3.1	-5518.2	Q5_ps Y	I	-343.2	-10.4	0.0	663.1
-31.6	2945.3		J	-343.2	-10.4	0.0	663.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
412.5	78365.8	INVSLE Max	I	3827.5	101.0	-0.9	3157.8
			J	3827.5	101.0	1.8	3157.8
358.7	12828.8	Min	I	-944.6	-35.8	-1.6	-3910.7
34.5	-20162.9		J	-944.6	-35.8	1.1	-3910.7
-212.3	-14027.2						
		INVSLE Max	I	2784.5	73.0	-0.7	2414.6
314.6	56812.4		J	2784.5	73.0	1.3	2414.6
263.7	9325.6	Min	I	-702.1	-26.8	-1.2	-2727.7
35.0	-15394.4		J	-702.1	-26.8	0.9	-2727.7
-154.7	-10152.7						
9669	2	69 C1-C2;~1 Max	I	1923.2	29.2	0.1	940.5
230.2	6602.8		J	1923.2	29.2	0.1	940.5
170.4	16066.4	Min	I	-1041.6	-15.5	-0.1	-1605.1
-102.2	-6295.4		J	-1041.6	-15.5	-0.1	-1605.1
-67.1	-27644.6						
		C3-C4;~1 Max	I	1845.5	28.1	0.2	999.7
206.8	4972.2		J	1845.5	28.1	0.2	999.7
143.0	17161.0	Min	I	-1096.5	-16.4	-0.1	-1696.3
-108.1	-9151.5		J	-1096.5	-16.4	-0.1	-1696.3
-78.0	-31431.3						
		C1-C2;~2 Max	I	1121.5	16.9	0.1	489.4
138.6	3876.5		J	1121.5	16.9	0.1	489.4
106.3	8443.5	Min	I	-547.3	-8.1	-0.0	-911.9
-52.8	-3549.9		J	-547.3	-8.1	-0.0	-911.9
-34.7	-15859.2						
		C3-C4;~2 Max	I	1058.7	16.0	0.1	521.6
120.4	2756.4		J	1058.7	16.0	0.1	521.6
87.8	9068.6	Min	I	-577.6	-8.6	-0.0	-934.5
-55.8	-5077.0		J	-577.6	-8.6	-0.0	-934.5
-39.6	-17616.6						
		G1	I	623.5	10.5	-0.9	-540.9
-54.9	-490.8		J	623.5	10.5	1.1	-540.9
-111.6	-9047.5						
		G2	I	231.9	3.9	0.0	-203.3
35.3	-299.8		J	231.9	3.9	0.0	-203.3
8.2	-3487.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name			
						PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
0.0	0.0		J	0.0	0.0	0.0
-2.1	860.4	Q5_pc X	I	4.3	-0.1	-0.0
5.5	957.3		J	4.3	-0.1	-0.0
-26.9	3117.4	Q5_pc Y	I	-371.1	-5.8	-0.0
-15.7	7877.3		J	-371.1	-5.8	-0.0
-2.1	918.9	Q5_ps X	I	11.7	-0.0	-0.0
6.6	925.2		J	11.7	-0.0	-0.0
-25.2	2949.6	Q5_ps Y	I	-351.2	-5.5	-0.0
-15.1	7451.8		J	-351.2	-5.5	-0.0
322.9	12828.2	INVS LU Max	I	3513.7	52.5	-1.0
166.4	24937.1		J	3513.7	52.5	1.7
-182.2	-14051.3	Min	I	-1230.9	-19.5	-1.4
-197.1	-54841.6		J	-1230.9	-19.5	1.3
238.8	9325.7	INVS LE Max	I	2548.8	37.9	-0.7
126.6	18494.8		J	2548.8	37.9	1.3
-131.8	-10169.4	Min	I	-916.3	-14.7	-1.0
-140.6	-39550.2		J	-916.3	-14.7	1.0
9670	2	69 C1-C2;~1 Max	I	1884.2	3.4	0.1
163.2	16063.6		J	1884.2	3.4	0.1
208.0	16108.5	Min	I	-1088.1	-1.7	-0.2
-63.9	-27639.7		J	-1088.1	-1.7	-0.2
-95.6	-29125.6					
135.8	17158.0	C3-C4;~1 Max	I	1813.1	3.2	0.1
221.9	17290.8		J	1813.1	3.2	0.1
-75.4	-31426.2	Min	I	-1143.8	-1.1	-0.2
-101.3	-33023.0		J	-1143.8	-1.1	-0.2
101.9	8442.0	C1-C2;~2 Max	I	1098.9	2.0	0.0
126.2	8417.4		J	1098.9	2.0	0.0
-32.8	-15856.4	Min	I	-573.3	-1.1	-0.1
			J	-573.3	-1.1	-0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-49.3	-16645.3						
83.4	9067.0	C3-C4;~2	Max	I	1039.7	1.8	0.0 58.9
120.5	9084.8			J	1039.7	1.8	0.0 58.9
-37.9	-17613.8		Min	I	-604.4	-0.6	-0.1 -134.3
-52.2	-18418.6			J	-604.4	-0.6	-0.1 -134.3
-114.9	-9045.3		G1	I	542.8	2.1	-1.1 -74.9
-60.8	-10735.9			J	542.8	2.1	0.9 -74.9
6.9	-3486.9		G2	I	201.9	0.8	-0.0 -33.0
29.7	-4123.6			J	201.9	0.8	-0.0 -33.0
0.0	0.0		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
5.6	957.3	Q5_pc	X	I	3.8	-0.1	0.0 7.3
-3.6	1077.8			J	3.8	-0.1	0.0 7.3
-13.1	7876.3	Q5_pc	Y	I	-380.9	-0.1	0.0 21.4
-26.2	7984.4			J	-380.9	-0.1	0.0 21.4
6.7	925.2	Q5_ps	X	I	10.7	-0.1	0.0 9.9
-3.8	1039.4			J	10.7	-0.1	0.0 9.9
-12.5	7450.8	Q5_ps	Y	I	-360.1	-0.1	0.0 19.6
-24.6	7553.0			J	-360.1	-0.1	0.0 19.6
154.5	24933.3	INVSLU	Max	I	3240.7	7.8	-1.3 -54.3
269.9	22720.5			J	3240.7	7.8	1.5 -54.3
-191.2	-54832.8		Min	I	-1532.7	0.6	-1.7 -598.2
-213.5	-59575.1			J	-1532.7	0.6	1.0 -598.2
118.4	18491.9	INVSLE	Max	I	2341.5	5.7	-0.9 -43.4
198.9	16890.6			J	2341.5	5.7	1.1 -43.4
-135.9	-39543.9		Min	I	-1143.5	0.4	-1.2 -443.5
-155.7	-43004.5			J	-1143.5	0.4	0.8 -443.5
9671	2	69 C1-C2;~1	Max	I	1837.4	16.1	0.1 1430.1
215.7	16111.5						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
206.5	5848.3		J	1837.4	16.1	0.1	1430.1
		Min	I	-1136.6	-25.5	-0.1	-876.4
-100.3	-29129.1		J	-1136.6	-25.5	-0.1	-876.4
-89.2	-10501.1						
		C3-C4;~1 Max	I	1777.9	16.9	0.2	1386.7
228.8	17294.0		J	1777.9	16.9	0.2	1386.7
156.4	4158.8	Min	I	-1193.0	-24.4	-0.1	-922.3
-106.2	-33026.6		J	-1193.0	-24.4	-0.1	-922.3
-99.4	-13563.0						
		C1-C2;~2 Max	I	1071.7	8.6	0.1	836.8
130.8	8419.0		J	1071.7	8.6	0.1	836.8
127.2	3499.9	Min	I	-600.6	-14.9	-0.0	-464.0
-51.8	-16647.2		J	-600.6	-14.9	-0.0	-464.0
-46.9	-5872.6						
		C3-C4;~2 Max	I	1019.4	9.0	0.1	800.8
124.8	9086.5		J	1019.4	9.0	0.1	800.8
93.4	2145.6	Min	I	-632.2	-14.1	-0.0	-490.4
-54.9	-18420.5		J	-632.2	-14.1	-0.0	-490.4
-51.6	-7423.6						
		G1	I	453.4	-5.2	-0.9	327.8
-59.3	-10736.4		J	453.4	-5.2	1.1	327.8
-109.6	-6535.9						
		G2	I	167.7	-1.9	0.0	114.9
30.2	-4123.8		J	167.7	-1.9	0.0	114.9
12.2	-2573.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	3.4	-0.2	-0.0	-3.4
-3.6	1077.8		J	3.4	-0.2	-0.0	-3.4
5.4	1214.0						
		Q5_pc Y	I	-387.0	5.8	-0.0	-416.9
-28.5	7985.6		J	-387.0	5.8	-0.0	-416.9
-14.2	3284.1						
		Q5_ps X	I	9.8	-0.3	-0.0	4.1
-3.8	1039.4		J	9.8	-0.3	-0.0	4.1
6.8	1245.6						
		Q5_ps Y	I	-365.6	5.5	-0.0	-394.5
-26.8	7554.1						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-13.6	3111.3		J	-365.6	5.5	-0.0	-394.5
275.7	22726.4	INVS LU Max	I	2930.0	29.2	-1.0	1571.6
183.8	2019.6		J	2930.0	29.2	1.7	1571.6
-227.8	-59580.5	Min	I	-1857.6	-38.3	-1.4	-2354.5
-254.7	-30097.0		J	-1857.6	-38.3	1.3	-2354.5
202.6	16895.0	INVS LE Max	I	2106.0	21.8	-0.8	1060.4
137.3	1405.8		J	2106.0	21.8	1.2	1060.4
-166.6	-43008.4	Min	I	-1388.8	-27.4	-1.1	-1792.3
-185.6	-21946.4		J	-1388.8	-27.4	0.9	-1792.3
9672	2	69 C1-C2;~1 Max	I	1756.3	32.0	0.3	2385.4
226.8	5846.2		J	1756.3	32.0	0.3	2385.4
188.0	34515.7	Min	I	-1149.4	-49.8	-0.1	-1507.9
-100.9	-10490.1		J	-1149.4	-49.8	-0.1	-1507.9
-111.1	-23254.0						
175.9	4153.2	C3-C4;~1 Max	I	1691.7	33.5	0.2	2336.0
201.0	30719.5		J	1691.7	33.5	0.2	2336.0
-110.8	-13552.5	Min	I	-1202.9	-48.3	-0.2	-1589.7
-150.9	-24033.3		J	-1202.9	-48.3	-0.2	-1589.7
139.4	3499.6	C1-C2;~2 Max	I	1030.8	16.9	0.2	1388.8
122.4	20314.5		J	1030.8	16.9	0.2	1388.8
-53.3	-5866.2	Min	I	-610.5	-29.1	-0.1	-795.8
-57.3	-12437.4		J	-610.5	-29.1	-0.1	-795.8
104.9	2143.4	C3-C4;~2 Max	I	976.1	17.8	0.1	1339.9
131.4	17660.3		J	976.1	17.8	0.1	1339.9
-58.0	-7417.7	Min	I	-641.2	-27.7	-0.1	-842.1
-76.8	-12860.6		J	-641.2	-27.7	-0.1	-842.1
-104.3	-6534.7	G1	I	313.3	-10.8	-0.9	575.8
-182.5	2224.3		J	313.3	-10.8	1.1	575.8
14.1	-2573.5	G2	I	111.3	-4.0	0.1	207.5
-31.1	658.6		J	111.3	-4.0	0.1	207.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.3	1214.3	Q5_pc X	I	10.0	-0.2	-0.0	-11.8
10.0	1369.6		J	10.0	-0.2	-0.0	-11.8
-20.7	3279.6	Q5_pc Y	I	-377.4	11.2	-0.0	-700.8
16.1	-5874.8		J	-377.4	11.2	-0.0	-700.8
6.8	1246.0	Q5_ps X	I	16.8	-0.4	-0.0	-2.0
12.2	1536.4		J	16.8	-0.4	-0.0	-2.0
-19.8	3107.0	Q5_ps Y	I	-356.3	10.6	-0.0	-662.6
15.2	-5540.3		J	-356.3	10.6	-0.0	-662.6
207.1	2005.4	INVS LU Max	I	2494.9	57.5	-0.6	2839.9
-86.5	41267.4		J	2494.9	57.5	2.1	2839.9
-286.0	-30086.1	Min	I	-2179.3	-75.2	-1.3	-3787.9
-590.7	-48348.4		J	-2179.3	-75.2	1.4	-3787.9
153.0	1395.0	INVS LE Max	I	1781.2	43.0	-0.5	1937.3
-67.6	29349.2		J	1781.2	43.0	1.5	1937.3
-209.5	-21939.2	Min	I	-1630.9	-53.8	-1.0	-2878.8
-439.0	-36249.5		J	-1630.9	-53.8	1.0	-2878.8
9673	2	69 C1-C2;~1 Max	I	1654.5	43.9	0.3	1472.6
273.0	34572.0		J	1654.5	43.9	0.3	1472.6
274.7	7278.4	Min	I	-1169.2	-33.7	-0.3	-1823.6
-67.6	-23274.6		J	-1169.2	-33.7	-0.3	-1823.6
-166.7	-6076.0						
282.1	30752.3	C3-C4;~1 Max	I	1579.1	42.0	0.3	1558.5
242.5	6291.0		J	1579.1	42.0	0.3	1558.5
-52.2	-24052.4	Min	I	-1219.9	-35.1	-0.2	-1901.0
-173.3	-8333.2		J	-1219.9	-35.1	-0.2	-1901.0
167.8	20345.9	C1-C2;~2 Max	I	976.1	25.9	0.1	780.4
168.0	4201.7		J	976.1	25.9	0.1	780.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-38.8	-12448.8		Min	I	-624.5	-18.0	-0.2	-1056.9
				J	-624.5	-18.0	-0.2	-1056.9
-88.8	-3480.0							
178.3	17675.7	C3-C4;~2	Max	I	915.9	24.4	0.2	830.0
				J	915.9	24.4	0.2	830.0
143.0	3373.6							
			Min	I	-654.3	-18.9	-0.1	-1030.2
-26.7	-12871.4			J	-654.3	-18.9	-0.1	-1030.2
-92.5	-4700.1							
			G1	I	148.5	0.8	-0.9	-30.3
1.4	2253.3			J	148.5	0.8	1.1	-30.3
-104.8	1591.5							
			G2	I	46.7	0.1	0.0	-0.6
42.8	670.0			J	46.7	0.1	0.0	-0.6
15.2	607.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	18.0	0.3	-0.0	-21.2
-4.5	1365.3			J	18.0	0.3	-0.0	-21.2
-2.8	1084.3							
			Q5_pc Y	I	-370.7	-11.5	0.0	745.2
-11.1	-5866.7			J	-370.7	-11.5	0.0	745.2
-36.0	3488.7							
			Q5_ps X	I	25.3	0.5	-0.0	-25.5
-4.8	1532.9			J	25.3	0.5	-0.0	-25.5
-2.4	1089.5							
			Q5_ps Y	I	-349.9	-10.8	0.0	703.1
-10.3	-5532.8			J	-349.9	-10.8	0.0	703.1
-33.8	3298.4							
			INVSLU Max	I	1994.3	47.5	-0.5	3650.9
493.7	41165.6			J	1994.3	47.5	2.2	3650.9
123.4	20157.0							
			Min	I	-2553.4	-79.8	-1.3	-2360.8
1.7	-48537.4			J	-2553.4	-79.8	1.4	-2360.8
-546.2	-7198.3							
			INVSLE Max	I	1407.3	33.1	-0.4	2727.7
369.0	29264.3			J	1407.3	33.1	1.7	2727.7
80.7	14951.0							
			Min	I	-1911.9	-59.7	-0.9	-1626.0
6.0	-36400.2			J	-1911.9	-59.7	1.1	-1626.0
-410.5	-4847.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9674	2	69	C1-C2;~1	Max	I	1557.4	22.8	0.2	913.4
258.3	7278.6				J	1557.4	22.8	0.2	913.4
205.1	18720.4				I	-1208.9	-17.7	-0.1	-1173.4
-152.7	-6086.1			Min	J	-1208.9	-17.7	-0.1	-1173.4
-111.8	-22080.4				I	1468.8	21.6	0.2	970.0
225.8	6294.6				J	1468.8	21.6	0.2	970.0
165.8	19910.3				I	-1259.9	-18.4	-0.1	-1257.9
-158.5	-8344.4			Min	J	-1259.9	-18.4	-0.1	-1257.9
-129.9	-24744.7				I	922.9	13.5	0.1	481.8
158.5	4201.1				J	922.9	13.5	0.1	481.8
128.5	10005.7				I	-648.4	-9.4	-0.0	-675.4
-81.3	-3486.1			Min	J	-648.4	-9.4	-0.0	-675.4
-57.1	-12897.5				I	854.7	12.5	0.1	514.0
133.4	3375.1				J	854.7	12.5	0.1	514.0
101.7	10717.1				I	-678.6	-9.9	-0.1	-695.8
-84.6	-4706.5			Min	J	-678.6	-9.9	-0.1	-695.8
-64.8	-14118.9				I	-23.7	0.3	-0.9	-54.2
-105.2	1588.7			G1	J	-23.7	0.3	1.1	-54.2
-159.9	1350.4				I	-18.4	0.0	0.0	-15.7
15.2	606.1			G2	J	-18.4	0.0	0.0	-15.7
-11.5	594.1				I	0.0	0.0	0.0	0.0
0.0	0.0			Q3	J	0.0	0.0	0.0	0.0
0.0	0.0				I	24.3	0.0	-0.0	-4.6
-3.0	1084.4			Q5_pc X	J	24.3	0.0	-0.0	-4.6
8.6	1080.7				I	-373.1	-6.3	-0.0	474.6
-28.8	3493.8			Q5_pc Y	J	-373.1	-6.3	-0.0	474.6
-5.8	8623.2				I	31.6	0.1	-0.0	-5.7
-2.6	1089.6			Q5_ps X	J	31.6	0.1	-0.0	-5.7
10.3	1009.3								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-27.0	3303.3	Q5_ps Y	I	-352.0	-5.9	-0.0	447.6
-5.5	8145.6		J	-352.0	-5.9	-0.0	447.6
102.8	20166.5	INVS LU Max	I	1498.6	25.1	-1.0	2192.8
-5.9	51064.8		J	1498.6	25.1	1.7	2192.8
-511.7	-7213.6	Min	I	-2976.4	-41.9	-1.5	-1669.2
-473.6	-24741.3		J	-2976.4	-41.9	1.2	-1669.2
66.7	14958.3	INVS LE Max	I	1036.5	17.5	-0.7	1639.0
-7.8	38068.3		J	1036.5	17.5	1.3	1639.0
-384.7	-4857.4	Min	I	-2228.6	-31.3	-1.1	-1158.4
-353.0	-16934.5		J	-2228.6	-31.3	0.9	-1158.4
9675	2	69 C1-C2;~1 Max	I	1471.7	3.2	0.1	173.0
200.4	18717.3		J	1471.7	3.2	0.1	173.0
217.7	18926.0	Min	I	-1269.5	-1.6	-0.2	-309.5
-108.5	-22077.0		J	-1269.5	-1.6	-0.2	-309.5
-138.1	-23325.4						
161.1	19907.2	C3-C4;~1 Max	I	1397.3	2.7	0.1	135.0
227.9	20127.0		J	1397.3	2.7	0.1	135.0
-127.3	-24741.0	Min	I	-1320.6	-0.9	-0.2	-336.9
-144.2	-26082.9		J	-1320.6	-0.9	-0.2	-336.9
125.6	10004.1	C1-C2;~2 Max	I	874.6	2.0	0.1	103.0
134.9	10094.3		J	874.6	2.0	0.1	103.0
-55.1	-12895.6	Min	I	-682.1	-1.0	-0.1	-183.3
-73.2	-13558.0		J	-682.1	-1.0	-0.1	-183.3
98.8	10715.4	C3-C4;~2 Max	I	814.3	1.6	0.1	77.0
125.2	10811.1		J	814.3	1.6	0.1	77.0
-63.1	-14116.8	Min	I	-712.8	-0.5	-0.1	-185.6
-76.6	-14815.0		J	-712.8	-0.5	-0.1	-185.6
-160.7	1351.1	G1	I	-168.5	1.6	-1.1	-129.1
-114.9	39.7		J	-168.5	1.6	0.9	-129.1
		G2	I	-72.3	0.6	-0.0	-52.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-11.8	594.4		J	-72.3	0.6	-0.0	-52.4
8.5	72.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
8.6	1080.7	Q5_pc X	I	23.5	-0.3	0.0	17.4
-6.4	1360.0		J	23.5	-0.3	0.0	17.4
		Q5_pc Y	I	-386.4	-0.5	0.0	29.7
-2.9	8622.2		J	-386.4	-0.5	0.0	29.7
-32.9	9043.4						
		Q5_ps X	I	29.7	-0.3	0.0	19.6
10.4	1009.3		J	29.7	-0.3	0.0	19.6
-6.5	1286.4						
		Q5_ps Y	I	-364.2	-0.5	0.0	27.7
-2.8	8144.6		J	-364.2	-0.5	0.0	27.7
-30.9	8546.3						
		INVS LU Max	I	1066.3	8.8	-1.2	23.5
-10.7	51057.8		J	1066.3	8.8	1.5	23.5
67.5	48477.4						
		Min	I	-3398.8	1.4	-1.7	-718.3
-468.6	-24737.1		J	-3398.8	1.4	1.0	-718.3
-494.1	-30184.1						
		INVS LE Max	I	711.4	6.6	-0.9	20.1
-11.0	38063.1		J	711.4	6.6	1.1	20.1
41.6	36089.5						
		Min	I	-2544.5	1.1	-1.3	-525.5
-349.1	-16931.7		J	-2544.5	1.1	0.7	-525.5
-370.0	-20972.5						
9676	2	69 C1-C2;~1 Max	I	1363.2	18.4	0.1	855.1
221.7	18929.4		J	1363.2	18.4	0.1	855.1
216.8	5848.8						
		Min	I	-1327.1	-19.2	-0.1	-837.7
-142.3	-23327.3		J	-1327.1	-19.2	-0.1	-837.7
-151.7	-9930.3						
		C3-C4;~1 Max	I	1310.5	19.2	0.2	845.5
231.2	20130.4		J	1310.5	19.2	0.2	845.5
160.9	4984.5						
		Min	I	-1378.2	-18.2	-0.1	-884.3
-148.6	-26085.0		J	-1378.2	-18.2	-0.1	-884.3
-167.7	-11978.8						
		C1-C2;~2 Max	I	811.4	9.9	0.1	515.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
137.4	10096.1		J	811.4	9.9	0.1	515.8
134.9	3399.2						
		Min	I	-714.0	-11.5	-0.1	-448.4
-75.5	-13559.1						
			J	-714.0	-11.5	-0.1	-448.4
-78.9	-5694.5						
		C3-C4;~2 Max	I	764.3	10.4	0.1	505.7
127.6	10812.9						
			J	764.3	10.4	0.1	505.7
96.4	2593.6						
		Min	I	-745.0	-10.7	-0.0	-475.7
-79.1	-14816.1						
			J	-745.0	-10.7	-0.0	-475.7
-85.9	-6734.5						
		G1	I	-324.4	5.1	-0.9	-274.4
-117.0	41.3						
			J	-324.4	5.1	1.1	-274.4
-196.0	-4077.3						
		G2	I	-130.8	2.1	0.0	-114.3
7.6	73.5						
			J	-130.8	2.1	0.0	-114.3
-21.3	-1605.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	22.4	-0.7	-0.0	37.7
-6.1	1359.9						
			J	22.4	-0.7	-0.0	37.7
12.0	1916.3						
		Q5_pc Y	I	-397.1	5.5	-0.0	-430.4
-35.2	9044.5						
			J	-397.1	5.5	-0.0	-430.4
-6.7	4523.4						
		Q5_ps X	I	27.2	-0.8	-0.0	41.8
-6.1	1286.3						
			J	27.2	-0.8	-0.0	41.8
13.3	1899.7						
		Q5_ps Y	I	-374.0	5.2	-0.0	-406.3
-33.0	8547.4						
			J	-374.0	5.2	-0.0	-406.3
-6.2	4291.4						
		INVSLE Max	I	590.4	55.0	-0.9	478.5
66.9	48488.0						
			J	590.4	55.0	1.8	478.5
-80.3	5509.2						
		Min	I	-3825.2	-6.9	-1.4	-2644.4
-509.2	-30182.9						
			J	-3825.2	-6.9	1.3	-2644.4
-620.8	-26700.2						
		INVSLE Max	I	355.3	41.2	-0.7	288.4
40.9	36097.4						
			J	355.3	41.2	1.3	288.4
-64.9	3888.6						
		Min	I	-2862.6	-3.9	-1.0	-1967.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-381.2	-20971.4			J	-2862.6	-3.9	1.0	-1967.4	
-463.7	-19367.0								
9677	2	69	C1-C2;~1	Max	I	1232.5	36.4	0.4	1453.0
229.2	5844.6				J	1232.5	36.4	0.4	1453.0
163.7	25327.9			Min	I	-1360.9	-36.0	-0.2	-1461.4
-164.0	-9924.6				J	-1360.9	-36.0	-0.2	-1461.4
-157.8	-26643.6								
			C3-C4;~1	Max	I	1188.0	37.8	0.3	1444.6
172.7	4975.2				J	1188.0	37.8	0.3	1444.6
177.7	21921.4			Min	I	-1412.3	-35.0	-0.2	-1535.5
-180.1	-11974.0				J	-1412.3	-35.0	-0.2	-1535.5
-194.0	-27390.5								
			C1-C2;~2	Max	I	734.5	19.6	0.2	867.9
142.5	3397.6				J	734.5	19.6	0.2	867.9
108.4	15166.6			Min	I	-730.7	-21.5	-0.1	-782.3
-85.6	-5691.0				J	-730.7	-21.5	-0.1	-782.3
-87.1	-14289.4								
			C3-C4;~2	Max	I	694.4	20.4	0.2	849.9
103.5	2588.6				J	694.4	20.4	0.2	849.9
117.6	12750.3			Min	I	-761.6	-20.5	-0.1	-826.8
-92.8	-6731.6				J	-761.6	-20.5	-0.1	-826.8
-102.6	-14718.8								
			G1		I	-522.4	10.3	-1.0	-404.0
-199.8	-4082.8				J	-522.4	10.3	1.1	-404.0
-239.1	-12460.5								
			G2		I	-208.1	4.1	0.0	-166.5
-22.9	-1607.4				J	-208.1	4.1	0.0	-166.5
-52.2	-4979.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	30.0	-1.0	0.0	45.7
12.4	1917.0				J	30.0	-1.0	0.0	45.7
3.1	2700.8								
			Q5_pc	Y	I	-381.8	11.1	-0.0	-728.6
-13.3	4519.4				J	-381.8	11.1	-0.0	-728.6
17.8	-4532.5								
			Q5_ps	X	I	34.4	-1.1	0.0	50.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
13.8	1900.5		J	34.4	-1.1	0.0	50.5
5.6	2782.7						
-12.5	4287.7	Q5_ps Y	I	-359.4	10.5	-0.0	-687.5
16.9	-4235.0		J	-359.4	10.5	-0.0	-687.5
-78.1	5484.5	INVSLE Max	I	27.7	108.3	-0.8	900.1
-172.1	-6715.2		J	27.7	108.3	1.9	900.1
-654.7	-26705.6	Min	I	-4230.1	-11.4	-1.7	-4445.8
-705.9	-86043.4		J	-4230.1	-11.4	1.0	-4445.8
-63.9	3870.2	INVSLE Max	I	-60.5	81.1	-0.6	552.1
-128.0	-6458.6		J	-60.5	81.1	1.4	552.1
-489.3	-19371.7	Min	I	-3163.5	-6.1	-1.2	-3310.7
-521.0	-64616.0		J	-3163.5	-6.1	0.8	-3310.7
9678	2	69 C1-C2;~1 Max	I	1123.3	27.5	0.4	1022.0
291.9	25348.2		J	1123.3	27.5	0.4	1022.0
194.8	16189.7	Min	I	-1425.4	-45.5	-0.2	-880.1
-64.0	-26664.9		J	-1425.4	-45.5	-0.2	-880.1
-208.8	-4648.7						
299.7	21992.0	C3-C4;~1 Max	I	1072.1	28.0	0.4	1060.3
184.2	13977.1		J	1072.1	28.0	0.4	1060.3
-52.3	-27414.6	Min	I	-1480.9	-47.1	-0.1	-911.6
-214.6	-6968.4		J	-1480.9	-47.1	-0.1	-911.6
178.9	15177.8	C1-C2;~2 Max	I	668.0	16.1	0.2	546.0
120.5	8901.3		J	668.0	16.1	0.2	546.0
-36.1	-14300.2	Min	I	-761.0	-24.2	-0.1	-512.3
-111.9	-2403.0		J	-761.0	-24.2	-0.1	-512.3
188.3	12800.0	C3-C4;~2 Max	I	624.9	15.5	0.2	568.9
98.0	7361.5		J	624.9	15.5	0.2	568.9
-25.8	-14730.8	Min	I	-793.2	-25.1	-0.1	-498.3
-115.5	-3771.7		J	-793.2	-25.1	-0.1	-498.3
20.1	-12473.1	G1	I	-749.9	-31.2	-0.7	446.1
			J	-749.9	-31.2	1.3	446.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-242.1	12925.6						
		G2	I	-295.5	-11.9	0.1	174.2
50.2	-4984.7		J	-295.5	-11.9	0.1	174.2
-36.2	4738.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	40.5	5.2	-0.0	-79.1
-15.1	2691.8		J	40.5	5.2	-0.0	-79.1
-1.7	-1567.3						
		Q5_pc Y	I	-366.0	-9.8	0.0	417.8
-20.7	-4547.3		J	-366.0	-9.8	0.0	417.8
-43.3	3465.1						
		Q5_ps X	I	44.8	5.0	-0.0	-73.2
-14.9	2774.8		J	44.8	5.0	-0.0	-73.2
-2.2	-1319.6						
		Q5_ps Y	I	-344.4	-9.3	0.0	394.1
-19.4	-4249.0		J	-344.4	-9.3	0.0	394.1
-40.7	3298.2						
		INVS LU Max	I	-560.0	-39.5	-0.0	3080.7
479.3	-6788.3		J	-560.0	-39.5	2.7	3080.7
-261.8	50074.7						
		Min	I	-4734.5	-158.6	-0.9	-333.4
-49.0	-86203.1		J	-4734.5	-158.6	1.8	-333.4
-892.5	12573.9						
		INVS LE Max	I	-495.0	-31.6	-0.0	2299.5
352.3	-6515.2		J	-495.0	-31.6	2.0	2299.5
-205.6	37097.8						
		Min	I	-3538.4	-118.6	-0.7	-173.7
-36.3	-64734.7		J	-3538.4	-118.6	1.3	-173.7
-667.0	9781.4						
		69 C1-C2;~1 Max	I	1036.4	14.6	0.2	442.8
9679	2		J	1036.4	14.6	0.2	442.8
188.9	16194.4						
		Min	I	-1526.7	-25.9	-0.2	-567.0
154.6	32711.5		J	-1526.7	-25.9	-0.2	-567.0
-200.5	-4653.7						
		C3-C4;~1 Max	I	975.0	14.8	0.3	439.2
-116.1	-13821.1		J	975.0	14.8	0.3	439.2
176.4	13981.0						
		Min	I	-1588.2	-26.6	-0.2	-615.9
117.9	33871.5		J	-1588.2	-26.6	-0.2	-615.9
-206.0	-6974.7						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-149.1	-17764.2							
		C1-C2;~2	Max	I	612.3	8.5	0.1	228.5
116.9	8903.2			J	612.3	8.5	0.1	228.5
97.4	17119.6							
			Min	I	-809.6	-13.8	-0.1	-324.0
-107.4	-2405.8			J	-809.6	-13.8	-0.1	-324.0
-58.0	-7480.4							
		C3-C4;~2	Max	I	562.8	8.2	0.1	229.6
94.4	7363.0			J	562.8	8.2	0.1	229.6
72.2	17814.8							
			Min	I	-844.2	-14.2	-0.1	-327.0
-110.9	-3775.2			J	-844.2	-14.2	-0.1	-327.0
-74.4	-9661.1							
			G1	I	-991.0	-19.2	-1.0	21.7
-239.0	12929.7			J	-991.0	-19.2	1.0	21.7
-204.6	28606.9							
			G2	I	-386.3	-7.3	-0.0	6.4
-34.9	4739.8			J	-386.3	-7.3	-0.0	6.4
-30.3	10654.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	50.0	4.5	-0.0	-31.4
-2.4	-1567.8			J	50.0	4.5	-0.0	-31.4
10.7	-5243.2							
			Q5_pc Y	I	-360.9	-4.9	-0.1	170.5
-39.7	3470.2			J	-360.9	-4.9	-0.1	170.5
12.3	7489.6							
			Q5_ps X	I	53.6	4.3	-0.0	-24.0
-2.8	-1320.0			J	53.6	4.3	-0.0	-24.0
12.4	-4783.9							
			Q5_ps Y	I	-339.4	-4.7	-0.1	161.1
-37.3	3302.9			J	-339.4	-4.7	-0.1	161.1
11.7	7093.4							
			INVSLU Max	I	-1148.2	-26.5	-1.2	982.6
-263.3	50100.0			J	-1148.2	-26.5	1.5	982.6
-152.8	119121.2							
			Min	I	-5341.1	-91.3	-1.9	-753.6
-867.9	12575.4			J	-5341.1	-91.3	0.8	-753.6
-584.8	35931.8							
			INVSLE Max	I	-931.9	-21.0	-0.9	737.5
-206.1	37116.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-115.8	88791.2		J	-931.9	-21.0	1.1	737.5
		Min	I	-3989.6	-68.3	-1.4	-525.8
-648.7	9783.4		J	-3989.6	-68.3	0.6	-525.8
-434.2	28168.0						
9680	2	69 C1-C2;~1 Max	I	974.6	3.5	0.4	518.8
156.2	32707.2		J	974.6	3.5	0.4	518.8
239.9	36172.0	Min	I	-1662.4	-6.9	-0.3	-693.9
-119.3	-13818.2		J	-1662.4	-6.9	-0.3	-693.9
-322.0	-15094.4						
		C3-C4;~1 Max	I	926.3	3.3	0.3	468.8
119.2	33866.8		J	926.3	3.3	0.3	468.8
265.1	37121.7	Min	I	-1718.7	-5.2	-0.4	-802.5
-153.8	-17761.3		J	-1718.7	-5.2	-0.4	-802.5
-308.4	-18890.9						
		C1-C2;~2 Max	I	570.6	2.1	0.2	314.4
98.3	17117.3		J	570.6	2.1	0.2	314.4
147.2	18963.3	Min	I	-879.1	-3.9	-0.1	-345.0
-59.7	-7478.7		J	-879.1	-3.9	-0.1	-345.0
-165.9	-8200.1						
		C3-C4;~2 Max	I	529.4	1.8	0.2	280.7
72.9	17812.2		J	529.4	1.8	0.2	280.7
132.5	19579.2	Min	I	-912.1	-2.7	-0.2	-395.9
-76.7	-9659.5		J	-912.1	-2.7	-0.2	-395.9
-160.0	-10187.0						
		G1	I	-1224.4	-4.1	-0.8	-592.4
-207.6	28604.5		J	-1224.4	-4.1	1.2	-592.4
-350.0	31951.2						
		G2	I	-473.5	-1.4	0.0	-236.4
-31.5	10653.3		J	-473.5	-1.4	0.0	-236.4
-71.6	11778.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	50.2	3.7	0.0	39.1
10.7	-5243.2		J	50.2	3.7	0.0	39.1
-15.8	-8274.3						
		Q5_pc Y	I	-384.6	0.6	0.1	-214.8
12.1	7487.7		J	-384.6	0.6	0.1	-214.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-71.6	6986.6						
		Q5_ps X	I	51.7	3.4	0.0	47.1
12.5	-4783.8		J	51.7	3.4	0.0	47.1
-18.0	-7577.5						
		Q5_ps Y	I	-361.5	0.6	0.1	-201.9
11.5	7091.7		J	-361.5	0.6	0.1	-201.9
-67.3	6630.3						
		INVS LU Max	I	-1714.3	-0.7	-0.2	-332.2
-156.1	119106.6		J	-1714.3	-0.7	2.5	-332.2
-394.4	131404.9						
		Min	I	-6042.4	-21.6	-1.4	-2502.7
-596.4	35930.7		J	-6042.4	-21.6	1.3	-2502.7
1315.9	40894.0						
		INVS LE Max	I	-1357.3	-1.0	-0.1	-274.3
-118.2	88780.3		J	-1357.3	-1.0	1.9	-274.3
-308.9	97981.5						
		Min	I	-4512.1	-15.9	-1.0	-1853.4
-442.7	28166.9		J	-4512.1	-15.9	1.0	-1853.4
-982.0	32039.7						
9681	2	83 C1-C2;~1 Max	I	945.3	19.8	1.2	969.2
245.1	36184.7		J	945.3	19.8	1.2	969.2
1210.6	24463.2						
		Min	I	-1876.7	-14.5	-1.3	-1572.7
-331.3	-15100.5		J	-1876.7	-14.5	-1.3	-1572.7
1122.4	-9370.0						
		C3-C4;~1 Max	I	961.7	20.8	1.6	946.6
268.3	37135.0		J	961.7	20.8	1.6	946.6
856.8	22047.4						
		Min	I	-1928.8	-12.8	-0.9	-1705.3
-318.2	-18897.7		J	-1928.8	-12.8	-0.9	-1705.3
1368.6	-12453.6						
		C1-C2;~2 Max	I	544.6	10.4	0.6	585.3
150.4	18970.0		J	544.6	10.4	0.6	585.3
766.7	12964.6						
		Min	I	-989.0	-8.8	-0.8	-817.9
-170.9	-8203.6		J	-989.0	-8.8	-0.8	-817.9
-553.3	-5188.1						
		C3-C4;~2 Max	I	514.7	10.9	0.8	564.5
135.2	19586.2		J	514.7	10.9	0.8	564.5
520.2	11367.2						
		Min	I	-1021.2	-7.4	-0.5	-888.3
-165.8	-10190.8		J	-1021.2	-7.4	-0.5	-888.3
-673.3	-6892.9						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-359.8	31961.5		G1	I	-1528.6	14.0	-1.1	-1261.1	
				J	-1528.6	14.0	3.4	-1261.1	-
1263.3	20533.8								
			G2	I	-588.6	5.6	0.3	-500.0	
-75.5	11782.0			J	-588.6	5.6	0.3	-500.0	
-353.7	7201.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	51.6	2.9	-0.1	109.0	
-15.0	-8275.6			J	51.6	2.9	-0.1	109.0	
44.8	-10667.5								
			Q5_pc Y	I	-422.7	6.5	-0.2	-627.1	
-76.1	6991.8			J	-422.7	6.5	-0.2	-627.1	
90.9	1737.9								
			Q5_ps X	I	51.2	2.6	-0.1	116.6	
-17.1	-7578.7			J	51.2	2.6	-0.1	116.6	
61.3	-9730.2								
			Q5_ps Y	I	-397.2	6.1	-0.2	-590.2	
-71.5	6635.2			J	-397.2	6.1	-0.2	-590.2	
88.5	1705.1								
			INVSLU Max	I	-2381.9	73.5	1.5	-883.3	
-407.0	131446.7			J	-2381.9	73.5	7.6	-883.3	
-982.8	84228.3								
			Min	I	-7044.9	14.2	-2.7	-5622.6	-
1353.4	40906.6			J	-7044.9	14.2	3.4	-5622.6	-
4628.4	15189.1								
			INVSLE Max	I	-1861.5	54.7	1.1	-744.9	
-318.9	98012.9			J	-1861.5	54.7	5.6	-744.9	
-751.9	62308.6								
			Min	I	-5259.2	11.6	-1.9	-4171.9	-
1009.8	32049.5			J	-5259.2	11.6	2.6	-4171.9	-
3440.2	12590.8								
9682	2	83	C1-C2;~1 Max	I	869.9	44.4	1.7	1268.7	
1222.0	24458.5			J	869.9	44.4	1.7	1268.7	
1047.5	26164.4								
			Min	I	-2011.1	-25.3	-1.9	-2138.7	-
1139.5	-9370.0			J	-2011.1	-25.3	-1.9	-2138.7	
-634.2	-18452.4								
			C3-C4;~1 Max	I	850.5	46.0	0.9	1239.5	
866.4	22041.1			J	850.5	46.0	0.9	1239.5	
1206.5	20090.7								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1386.7	-12454.0		Min	I	-2062.0	-24.1	-2.3	-2280.0	-
				J	-2062.0	-24.1	-2.3	-2280.0	
-349.0	-20060.4								
		C1-C2;~2	Max	I	490.8	23.4	1.0	759.1	
773.5	12962.4			J	490.8	23.4	1.0	759.1	
708.4	16269.8								
			Min	I	-1051.5	-14.8	-1.1	-1122.9	
-561.3	-5188.3			J	-1051.5	-14.8	-1.1	-1122.9	
-360.7	-9447.9								
		C3-C4;~2	Max	I	470.1	24.3	0.5	736.6	
525.7	11364.0			J	470.1	24.3	0.5	736.6	
830.1	11785.3								
			Min	I	-1082.4	-13.7	-1.2	-1203.0	
-681.9	-6893.3			J	-1082.4	-13.7	-1.2	-1203.0	
-182.9	-10224.7								
			G1	I	-1811.7	34.9	-3.4	-1686.8	-
1280.7	20525.1			J	-1811.7	34.9	1.1	-1686.8	
-357.2	-7879.9								
			G2	I	-697.8	13.6	-0.3	-666.6	
-360.6	7198.0			J	-697.8	13.6	-0.3	-666.6	
-104.7	-3907.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	66.9	2.3	-0.0	142.1	
46.3	-10666.3			J	66.9	2.3	-0.0	142.1	
71.3	-12503.0								
			Q5_pc Y	I	-404.7	12.2	0.0	-896.7	
81.9	1736.9			J	-404.7	12.2	0.0	-896.7	
70.2	-8207.5								
			Q5_ps X	I	65.1	2.0	0.0	148.0	
62.9	-9729.0			J	65.1	2.0	0.0	148.0	
60.2	-11344.5								
			Q5_ps Y	I	-380.1	11.5	0.0	-844.1	
80.0	1704.2			J	-380.1	11.5	0.0	-844.1	
64.2	-7634.6								
			INVSLU Max	I	-3095.6	167.1	-2.9	-1238.0	-
1014.3	84203.5			J	-3095.6	167.1	3.2	-1238.0	
740.2	11586.7								
			Min	I	-7782.2	48.9	-8.4	-7642.8	-
4683.4	15172.2			J	-7782.2	48.9	-2.3	-7642.8	-
1873.0	-73322.3								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-775.3	62290.2		INVSLE Max	I	-2391.4	124.6	-2.2	-1048.8	
				J	-2391.4	124.6	2.3	-1048.8	
528.7	7070.2								
			Min	I	-5808.9	38.6	-6.2	-5673.5	-
3482.3	12578.1			J	-5808.9	38.6	-1.7	-5673.5	-
1397.5	-54158.3								
9683	2	83	C1-C2;~1 Max	I	786.3	20.9	2.3	3979.6	
1176.3	26149.4			J	786.3	20.9	2.3	3979.6	
971.9	25943.3								
			Min	I	-2132.5	-45.9	-1.2	-1191.6	
-458.1	-18468.6			J	-2132.5	-45.9	-1.2	-1191.6	-
1494.5	-6504.8								
			C3-C4;~1 Max	I	838.2	19.7	2.6	3776.9	
1328.1	20119.1			J	838.2	19.7	2.6	3776.9	
926.6	30894.7								
			Min	I	-2187.6	-57.2	-0.8	-1598.4	
-217.3	-20093.4			J	-2187.6	-57.2	-0.8	-1598.4	-
1561.1	-5001.7								
			C1-C2;~2 Max	I	430.6	11.7	1.3	2042.3	
779.0	16256.2			J	430.6	11.7	1.3	2042.3	
585.7	13453.2								
			Min	I	-1104.3	-22.7	-0.7	-605.4	
-256.7	-9452.2			J	-1104.3	-22.7	-0.7	-605.4	
-786.9	-3230.7								
			C3-C4;~2 Max	I	424.1	11.0	1.5	2007.7	
902.8	11805.2			J	424.1	11.0	1.5	2007.7	
471.1	15652.6								
			Min	I	-1135.6	-28.7	-0.4	-781.7	
-113.2	-10235.4			J	-1135.6	-28.7	-0.4	-781.7	
-831.1	-2416.1								
			G1	I	-2092.7	-42.7	-0.4	3538.4	
-41.3	-7915.2			J	-2092.7	-42.7	4.0	3538.4	-
1462.7	25519.0								
			G2	I	-804.3	-17.5	0.6	1312.1	
17.9	-3922.0			J	-804.3	-17.5	0.6	1312.1	
-427.9	9754.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	84.4	3.0	0.2	-599.6	
33.4	-12510.4			J	84.4	3.0	0.2	-599.6	
-115.2	-14845.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.5	-8208.4	Q5_pc	Y	I	-371.5	-7.7	0.5	763.4
				J	-371.5	-7.7	0.5	763.4
-389.8	-2193.5	Q5_ps	X	I	81.2	4.1	0.2	-548.1
21.8	-11350.3			J	81.2	4.1	0.2	-548.1
-112.1	-14565.1	Q5_ps	Y	I	-348.8	-6.9	0.5	716.2
-8.1	-7635.4			J	-348.8	-6.9	0.5	716.2
-364.9	-2220.9	INVS LU	Max	I	-3714.6	-48.9	5.1	13441.2
1435.8	11500.1			J	-3714.6	-48.9	11.0	13441.2
1952.0	85857.3		Min	I	-8468.2	-168.2	-0.8	4536.7
1035.7	-73446.5			J	-8468.2	-168.2	5.0	4536.7
6073.1	4579.3	INVS LE	Max	I	-2848.6	-36.7	3.8	10009.7
1044.7	7006.1			J	-2848.6	-36.7	8.1	10009.7
1520.1	61918.1		Min	I	-6320.3	-124.1	-0.5	3515.6
-781.6	-54249.3			J	-6320.3	-124.1	3.8	3515.6
4520.8	4320.2	83 C1-C2;~1	Max	I	732.0	20.6	1.0	3575.3
9684	2			J	732.0	20.6	1.0	3575.3
965.3	25948.1		Min	I	-2288.9	-22.8	-2.1	-1145.9
1178.8	38253.7			J	-2288.9	-22.8	-2.1	-1145.9
1458.7	-6504.1	C3-C4;~1	Max	I	809.2	14.6	1.6	3380.2
-540.9	-15522.8			J	809.2	14.6	1.6	3380.2
913.8	30898.9		Min	I	-2329.1	-32.4	-2.0	-1616.6
842.7	51810.0			J	-2329.1	-32.4	-2.0	-1616.6
1524.0	-5003.9	C1-C2;~2	Max	I	389.7	11.4	0.5	1842.7
-803.9	-10704.8			J	389.7	11.4	0.5	1842.7
582.9	13455.7		Min	I	-1164.9	-10.9	-1.1	-572.1
742.8	18517.6			J	-1164.9	-10.9	-1.1	-572.1
-767.9	-3230.2	C3-C4;~2	Max	I	412.7	7.9	0.8	1793.7
-272.9	-7772.3			J	412.7	7.9	0.8	1793.7
468.7	15654.7		Min	I	-1197.3	-15.7	-1.1	-791.0
520.3	25308.5			J	-1197.3	-15.7	-1.1	-791.0
-811.2	-2417.3							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-409.3	-5397.2		J	-1197.3	-15.7	-1.1	-791.0	
1427.2	25523.8	G1	I	-2378.2	-16.0	-3.6	2969.7	-
-313.3	38026.7		J	-2378.2	-16.0	0.7	2969.7	
-414.8	9756.6	G2	I	-910.0	-7.2	-0.5	1090.9	
-32.0	15403.5		J	-910.0	-7.2	-0.5	1090.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-121.2	-14845.7	Q5_pc X	I	97.7	1.7	-0.0	-507.1	
-98.3	-16151.0		J	97.7	1.7	-0.0	-507.1	
-382.0	-2190.0	Q5_pc Y	I	-347.9	-3.6	-0.6	676.5	
112.0	664.2		J	-347.9	-3.6	-0.6	676.5	
-117.6	-14565.3	Q5_ps X	I	92.9	2.8	-0.1	-460.4	
-74.2	-16790.7		J	92.9	2.8	-0.1	-460.4	
-357.5	-2217.7	Q5_ps Y	I	-326.3	-3.1	-0.6	634.4	
108.1	230.8		J	-326.3	-3.1	-0.6	634.4	
1893.7	85874.8	INVS LU Max	I	-4338.9	11.5	-3.8	11667.7	-
1010.6	130607.8		J	-4338.9	11.5	2.1	11667.7	
5941.8	4591.4	Min	I	-9201.7	-66.6	-10.0	3440.8	-
1867.8	10449.6		J	-9201.7	-66.6	-4.2	3440.8	-
1475.4	61931.3	INVS LE Max	I	-3311.1	9.1	-2.9	8686.2	-
739.1	94301.2		J	-3311.1	9.1	1.4	8686.2	
4423.0	4329.5	Min	I	-6866.7	-48.2	-7.5	2682.4	-
1378.1	7587.2		J	-6866.7	-48.2	-3.1	2682.4	-
9685	2	83 C1-C2;~1 Max	I	709.7	32.6	6.3	2881.9	
1189.4	38251.2		J	709.7	32.6	6.3	2881.9	
704.4	39485.5	Min	I	-2456.3	-9.5	-0.9	-1133.8	
-534.9	-15522.9		J	-2456.3	-9.5	-0.9	-1133.8	-
4434.0	-36101.7	C3-C4;~1 Max	I	805.6	23.4	5.1	2711.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
851.8	51807.2			J	805.6	23.4	5.1	2711.6	
838.7	59597.8								
		Min		I	-2450.1	-17.0	-1.3	-1580.8	
-802.0	-10704.9								
				J	-2450.1	-17.0	-1.3	-1580.8	-
3836.5	-22090.6								
		C1-C2;~2	Max	I	364.3	16.8	3.3	1500.4	
747.2	18516.4								
				J	364.3	16.8	3.3	1500.4	
353.7	18642.9								
		Min		I	-1245.4	-4.1	-0.4	-570.6	
-270.5	-7772.2								
				J	-1245.4	-4.1	-0.4	-570.6	-
2232.7	-18367.1								
		C3-C4;~2	Max	I	405.2	11.6	2.6	1433.1	
524.7	25306.9								
				J	405.2	11.6	2.6	1433.1	
410.3	28659.6								
		Min		I	-1256.4	-8.1	-0.6	-778.0	
-409.2	-5397.3								
				J	-1256.4	-8.1	-0.6	-778.0	-
1928.0	-10820.5								
		G1		I	-2632.7	13.6	3.7	2056.5	
-287.3	38023.4								
				J	-2632.7	13.6	8.1	2056.5	-
4916.5	27352.1								
		G2		I	-1002.9	4.1	2.2	738.2	
-22.5	15402.3								
				J	-1002.9	4.1	2.2	738.2	-
1707.6	12199.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	93.3	0.3	-0.9	-352.0	
-102.8	-16150.8								
				J	93.3	0.3	-0.9	-352.0	
599.9	-16348.2								
		Q5_pc	Y	I	-362.1	0.6	0.2	508.4	
118.2	663.5								
				J	-362.1	0.6	0.2	508.4	
-70.3	178.1								
		Q5_ps	X	I	86.2	1.5	-0.7	-315.3	
-78.2	-16790.6								
				J	86.2	1.5	-0.7	-315.3	
508.9	-17978.2								
		Q5_ps	Y	I	-339.6	0.9	0.2	476.1	
113.8	230.1								
				J	-339.6	0.9	0.2	476.1	
-75.0	-455.6								
		INVSLU	Max	I	-4872.6	95.2	19.7	8771.9	
1085.3	130595.6								
				J	-4872.6	95.2	25.5	8771.9	-
9327.1	101677.3								
		Min		I	-9927.9	27.0	7.7	1832.1	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1815.8	10441.8			J	-9927.9	27.0	13.6	1832.1	-1
7525.1	-56944.0								
		INVSLE	Max	I	-3710.7	72.2	14.6	6527.1	
794.8	94292.1			J	-3710.7	72.2	19.0	6527.1	-
7050.2	71484.8		Min	I	-7407.0	21.8	5.9	1454.3	-
1338.4	7581.0			J	-7407.0	21.8	10.3	1454.3	-1
3042.8	-43832.7								
9686	2	83	C1-C2;~1	Max	I	724.7	55.9	2.9	2142.5
698.8	39488.3			J	724.7	55.9	2.9	2142.5	1
6498.8	33810.6		Min	I	-2609.2	-13.8	-26.1	-1244.9	-
4413.3	-36100.5			J	-2609.2	-13.8	-26.1	-1244.9	-
1585.8	-72773.9								
		C3-C4;~1	Max	I	830.4	47.1	3.4	2011.3	
830.2	59601.2			J	830.4	47.1	3.4	2011.3	1
3236.6	58225.3		Min	I	-2588.0	-18.0	-21.3	-1535.0	-
3817.3	-22089.7			J	-2588.0	-18.0	-21.3	-1535.0	-
1896.5	-49499.8								
		C1-C2;~2	Max	I	372.2	28.1	1.4	1136.0	
350.8	18644.3			J	372.2	28.1	1.4	1136.0	
8517.5	15085.7		Min	I	-1314.6	-6.8	-13.3	-655.9	-
2221.8	-18366.5			J	-1314.6	-6.8	-13.3	-655.9	-
-769.2	-36819.2								
		C3-C4;~2	Max	I	418.8	23.4	1.6	1056.0	
406.1	28661.3			J	418.8	23.4	1.6	1056.0	
6733.3	27462.9		Min	I	-1310.1	-8.6	-10.7	-760.7	-
1917.6	-10820.0			J	-1310.1	-8.6	-10.7	-760.7	-
-896.2	-24303.7								
		G1		I	-2867.2	45.6	-28.8	1061.9	-
4900.9	27357.0			J	-2867.2	45.6	-24.5	1061.9	1
5991.6	-8379.8								
		G2		I	-1088.7	16.3	-9.7	358.3	-
1702.1	12201.3			J	-1088.7	16.3	-9.7	358.3	
5924.9	-534.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	82.6	-1.1	4.5	-187.8	
597.2	-16348.9								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2961.1	-15466.4		J	82.6	-1.1	4.5	-187.8	-
-66.1	178.1	Q5_pc Y	I	-381.5	4.9	0.8	343.6	
-698.2	-3685.6		J	-381.5	4.9	0.8	343.6	
506.5	-17978.9	Q5_ps X	I	73.9	0.3	3.9	-163.5	
2525.9	-18180.9		J	73.9	0.3	3.9	-163.5	-
-71.1	-455.6	Q5_ps Y	I	-357.8	4.9	0.7	320.8	
-605.0	-4311.7		J	-357.8	4.9	0.7	320.8	
9306.4	101691.4	INVS LU Max	I	-5321.7	205.6	-52.4	5651.3	-
9546.1	613.3		J	-5321.7	205.6	-46.5	5651.3	5
7460.1	-56934.0	Min	I	-10651.9	96.9	-100.5	68.2	-1
9382.4	-204075.2		J	-10651.9	96.9	-94.6	68.2	2
7034.2	71495.2	INVS LE Max	I	-4047.4	154.6	-39.6	4199.8	-
4208.5	-5401.5		J	-4047.4	154.6	-35.3	4199.8	4
2994.4	-43825.3	Min	I	-7944.8	74.8	-74.6	110.0	-1
2259.8	-154960.5		J	-7944.8	74.8	-70.3	110.0	2
9687	2	83 C1-C2;~1 Max	I	752.8	85.8	65.3	1510.4	1
6504.7	33808.1		J	752.8	85.8	65.3	1510.4	
3813.4	38626.8	Min	I	-2919.5	-21.2	-6.9	-1445.0	-
1588.2	-72779.7		J	-2919.5	-21.2	-6.9	-1445.0	-3
4799.5	-131047.8							
3245.0	58222.0	C3-C4;~1 Max	I	863.9	76.5	53.0	1435.5	1
4326.4	62476.4		J	863.9	76.5	53.0	1435.5	
1901.3	-49505.0	Min	I	-2828.2	-25.7	-7.9	-1579.0	-
8404.3	-100748.7		J	-2828.2	-25.7	-7.9	-1579.0	-2
8520.3	15084.3	C1-C2;~2 Max	I	387.1	43.1	33.2	820.1	
1867.8	17511.5		J	387.1	43.1	33.2	820.1	
-770.6	-36821.9	Min	I	-1463.4	-10.6	-3.4	-769.3	
7639.7	-65405.2		J	-1463.4	-10.6	-3.4	-769.3	-1
6738.2	27461.2	C3-C4;~2 Max	I	436.0	38.3	26.6	749.1	
			J	436.0	38.3	26.6	749.1	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2082.4	29204.8		Min	I	-1422.7	-12.5	-3.8	-800.6	
-898.6	-24306.2			J	-1422.7	-12.5	-3.8	-800.6	-1
4180.2	-49301.0								
		G1		I	-3267.9	79.7	65.0	16.4	1
5995.9	-8389.7			J	-3267.9	79.7	69.4	16.4	-3
6664.2	-70822.4								
		G2		I	-1235.4	29.1	24.6	-24.5	
5926.1	-538.8			J	-1235.4	29.1	24.6	-24.5	-1
3349.8	-23367.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	93.0	-2.3	-10.0	-36.2	-
2962.0	-15465.2			J	93.0	-2.3	-10.0	-36.2	
4903.8	-13647.8								
		Q5_pc Y		I	-374.9	9.3	-2.6	238.9	
-695.4	-3685.9			J	-374.9	9.3	-2.6	238.9	
1305.7	-10937.5								
		Q5_ps X		I	78.3	-0.8	-8.5	-30.9	-
2526.7	-18179.7			J	78.3	-0.8	-8.5	-30.9	
4094.8	-17565.5								
		Q5_ps Y		I	-352.4	9.0	-2.2	220.7	
-602.5	-4312.0			J	-352.4	9.0	-2.2	220.7	
1123.9	-11349.8								
		INVSLU Max		I	-6148.0	329.6	240.2	2458.1	5
9566.2	588.0			J	-6148.0	329.6	246.0	2458.1	-6
9448.6	-156267.1								
		Min		I	-11930.3	162.5	123.3	-2142.6	2
9386.4	-204101.5			J	-11930.3	162.5	129.2	-2142.6	-13
1095.4	-442090.8								
		INVSLE Max		I	-4665.2	247.1	178.4	1813.4	4
4223.5	-5420.3			J	-4665.2	247.1	182.8	1813.4	-5
2430.3	-124295.8								
		Min		I	-8898.4	124.6	93.3	-1562.7	2
2263.0	-154980.2			J	-8898.4	124.6	97.6	-1562.7	-9
7440.8	-334197.4								
		83 C1-C2;~1 Max		I	759.6	21.1	7.0	1475.3	
9688	2			J	759.6	21.1	7.0	1475.3	1
3820.0	38424.0								
		Min		I	-2940.3	-85.6	-66.9	-1471.2	-3
6661.7	33113.4			J	-2940.3	-85.6	-66.9	-1471.2	-
4855.2	-130976.6								

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1567.8	-73677.0									
		C3-C4;~1	Max	I	864.0	24.5	8.0	1444.3		
4338.5	61179.8			J	864.0	24.5	8.0	1444.3	1	
3302.5	57807.0									
			Min	I	-2842.2	-75.8	-54.2	-1552.7	-2	
8468.5	-100543.5			J	-2842.2	-75.8	-54.2	-1552.7	-	
1797.5	-50332.2									
		C1-C2;~2	Max	I	388.7	10.5	3.4	817.3		
1871.6	17216.3			J	388.7	10.5	3.4	817.3		
8605.0	14675.0									
			Min	I	-1473.8	-43.1	-34.0	-806.3	-1	
7675.2	-65362.3			J	-1473.8	-43.1	-34.0	-806.3		
-753.7	-37314.9									
		C3-C4;~2	Max	I	434.8	11.9	3.8	745.6		
2088.4	28731.6			J	434.8	11.9	3.8	745.6		
6762.0	27164.9									
			Min	I	-1424.5	-37.9	-27.2	-797.3	-1	
4223.4	-49233.4			J	-1424.5	-37.9	-27.2	-797.3		
-847.6	-24754.5									
			G1	I	-3293.3	-79.0	-71.1	-51.3	-3	
6686.4	-70153.9			J	-3293.3	-79.0	-66.8	-51.3	1	
6134.6	-9655.8									
			G2	I	-1253.7	-29.0	-25.2	5.7	-1	
3358.1	-23232.7			J	-1253.7	-29.0	-25.2	5.7		
5976.4	-996.9									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	X	I	131.1	1.9	10.1	-42.3	
4928.2	-15905.3			J	131.1	1.9	10.1	-42.3	-	
2825.0	-17346.3									
			Q5_pc	Y	I	388.2	8.0	2.8	234.0	
1291.8	-2714.5			J	388.2	8.0	2.8	234.0		
-869.0	-8829.4									
			Q5_ps	X	I	110.8	0.2	8.5	-51.3	
4117.9	-19764.2			J	110.8	0.2	8.5	-51.3	-	
2390.2	-19948.5									
			Q5_ps	Y	I	364.1	7.2	2.4	212.6	
1111.1	-3667.9			J	364.1	7.2	2.4	212.6		
-760.1	-9168.5									
			INVSLU	Max	I	-6145.1	-163.8	-132.8	1988.0	-6
9444.2	-155123.2									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0023.8	-2104.7		J	-6145.1	-163.8	-127.1	1988.0	6
		Min	I	-11979.7	-326.8	-252.1	-2521.1	-13
1226.4	-443163.8		J	-11979.7	-326.8	-246.3	-2521.1	3
0018.9	-210831.4							
		INVSLE Max	I	-4661.9	-125.4	-100.3	1445.6	-5
2428.5	-123614.3		J	-4661.9	-125.4	-96.1	1445.6	4
4577.8	-7628.6	Min	I	-8932.0	-245.1	-187.3	-1863.2	-9
7536.0	-334857.0		J	-8932.0	-245.1	-183.0	-1863.2	2
2728.6	-159928.2							
9689	2	83 C1-C2;~1 Max	I	729.7	13.9	26.7	1276.0	1
6658.1	33115.8		J	729.7	13.9	26.7	1276.0	
679.2	37839.2	Min	I	-2599.4	-56.3	-2.9	-2011.2	-
1567.3	-73671.4		J	-2599.4	-56.3	-2.9	-2011.2	-
4295.5	-37406.8							
		C3-C4;~1 Max	I	827.9	17.3	21.7	1374.0	1
3294.6	57810.2		J	827.9	17.3	21.7	1374.0	
771.9	59297.3	Min	I	-2655.2	-47.0	-3.2	-2117.4	-
1797.3	-50327.0		J	-2655.2	-47.0	-3.2	-2117.4	-
3723.2	-22445.2							
		C1-C2;~2 Max	I	373.0	6.7	13.6	660.5	
8603.2	14676.3		J	373.0	6.7	13.6	660.5	
339.2	17782.1	Min	I	-1307.9	-28.3	-1.4	-1084.4	
-753.7	-37312.3		J	-1307.9	-28.3	-1.4	-1084.4	-
2162.5	-19055.9							
		C3-C4;~2 Max	I	416.5	8.4	10.9	694.1	
6757.3	27166.5		J	416.5	8.4	10.9	694.1	
378.9	28323.4	Min	I	-1343.3	-23.3	-1.6	-1095.5	
-847.8	-24752.0		J	-1343.3	-23.3	-1.6	-1095.5	-
1866.9	-10886.9							
		G1	I	-2886.8	-45.3	25.2	-1067.4	1
6130.2	-9645.9		J	-2886.8	-45.3	29.4	-1067.4	-
4785.7	25059.5							
		G2	I	-1103.0	-16.2	10.0	-368.7	
5975.1	-993.0		J	-1103.0	-16.2	10.0	-368.7	-
1671.0	11422.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

2824.9	-17347.6	Q5_pc X	I	90.3	0.6	-4.3	85.5	-
466.6	-17833.9		J	90.3	0.6	-4.3	85.5	
-866.2	-8830.1	Q5_pc Y	I	383.4	3.6	-1.6	387.0	
356.8	-11592.0		J	383.4	3.6	-1.6	387.0	
2390.3	-19949.8	Q5_ps X	I	77.7	-0.8	-3.6	57.8	-
379.7	-19329.2		J	77.7	-0.8	-3.6	57.8	
-757.5	-9169.2	Q5_ps Y	I	360.9	3.1	-1.4	354.3	
322.8	-11523.2		J	360.9	3.1	-1.4	354.3	
0008.1	-2079.5	INVS LU Max	I	-5332.6	-98.9	96.8	-194.0	6
9308.7	96511.8		J	-5332.6	-98.9	102.5	-194.0	-
0008.4	-210805.4	Min	I	-10724.9	-204.7	48.6	-5604.0	3
6989.5	-66139.7		J	-10724.9	-204.7	54.3	-5604.0	-1
4565.9	-7609.9	INVS LE Max	I	-4054.1	-76.2	71.9	-208.1	4
7027.3	67439.7		J	-4054.1	-76.2	76.2	-208.1	-
2720.5	-159908.6	Min	I	-7997.2	-154.1	36.8	-4163.9	2
2654.6	-50665.1		J	-7997.2	-154.1	41.1	-4163.9	-1
9690	2	83 C1-C2;~1 Max	I	712.5	10.1	0.9	1127.6	
684.7	37836.6		J	712.5	10.1	0.9	1127.6	
1206.7	36049.9	Min	I	-2436.8	-33.4	-6.3	-2718.7	-
4313.6	-37407.9		J	-2436.8	-33.4	-6.3	-2718.7	
-571.1	-16090.7							
778.8	59293.8	C3-C4;~1 Max	I	802.7	17.8	1.1	1387.5	
830.9	50802.8		J	802.7	17.8	1.1	1387.5	
3742.0	-22446.1	Min	I	-2536.8	-23.8	-5.1	-2817.0	-
-748.9	-10529.4		J	-2536.8	-23.8	-5.1	-2817.0	
342.1	17780.8	C1-C2;~2 Max	I	363.6	4.5	0.5	572.4	
751.5	17444.6		J	363.6	4.5	0.5	572.4	
2172.3	-19056.4	Min	I	-1234.9	-17.2	-3.3	-1433.7	-
-287.2	-8074.5		J	-1234.9	-17.2	-3.3	-1433.7	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
382.3	28321.8	C3-C4;~2 Max	I	402.9	8.5	0.5	695.4	
			J	402.9	8.5	0.5	695.4	
513.1	24632.0	Min	I	-1286.8	-11.7	-2.6	-1467.4	-
1877.0	-10887.4		J	-1286.8	-11.7	-2.6	-1467.4	
-390.8	-5242.6							
		G1	I	-2653.6	-13.5	-8.0	-2054.0	-
4801.2	25054.9		J	-2653.6	-13.5	-3.7	-2054.0	
-322.4	35430.8							
		G2	I	-1015.1	-4.1	-2.1	-748.1	-
1676.5	11420.3		J	-1015.1	-4.1	-2.1	-748.1	
-30.7	14532.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	94.7	-0.7	0.6	230.5	
468.1	-17833.3		J	94.7	-0.7	0.6	230.5	
18.9	-17276.6							
		Q5_pc Y	I	370.6	-0.8	0.6	591.0	
361.6	-11591.6		J	370.6	-0.8	0.6	591.0	
-131.4	-10957.2							
		Q5_ps X	I	84.6	-2.0	0.4	189.9	
380.9	-19328.6		J	84.6	-2.0	0.4	189.9	
40.0	-17785.2							
		Q5_ps Y	I	349.8	-1.1	0.6	546.0	
327.2	-11522.8		J	349.8	-1.1	0.6	546.0	
-116.2	-10677.4							
		INVSLE Max	I	-4883.6	-26.7	-14.0	-1942.2	-
9331.5	96498.2		J	-4883.6	-26.7	-8.3	-1942.2	
1075.2	123896.6	Min	I	-10058.9	-97.3	-25.2	-8682.2	-1
7048.7	-66149.0		J	-10058.9	-97.3	-19.5	-8682.2	-
1801.3	2185.6							
		INVSLE Max	I	-3718.0	-21.6	-10.5	-1542.3	-
7044.8	67429.7		J	-3718.0	-21.6	-6.3	-1542.3	
787.4	89141.8	Min	I	-7502.2	-73.8	-18.8	-6456.1	-1
2698.8	-50671.9		J	-7502.2	-73.8	-14.5	-6456.1	-
1325.8	1516.4							
9691	2	83 C1-C2;~1 Max	I	746.0	22.7	2.1	1141.3	
1199.7	36052.1		J	746.0	22.7	2.1	1141.3	
1031.6	24303.5							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-577.8	-16089.7		Min	I	-2265.2	-21.6	-1.1	-3384.1	
				J	-2265.2	-21.6	-1.1	-3384.1	-
1429.8	-6784.2								
		C3-C4;~1	Max	I	803.5	33.5	2.2	1401.6	
823.1	50805.1			J	803.5	33.5	2.2	1401.6	
827.4	29576.3								
			Min	I	-2410.4	-14.8	-1.6	-3489.3	
-754.9	-10529.1			J	-2410.4	-14.8	-1.6	-3489.3	-
1628.8	-4543.3								
		C1-C2;~2	Max	I	392.4	10.8	1.1	568.6	
748.6	17445.7			J	392.4	10.8	1.1	568.6	
610.4	12695.0								
			Min	I	-1153.6	-11.8	-0.6	-1762.7	
-290.0	-8073.9			J	-1153.6	-11.8	-0.6	-1762.7	
-755.7	-3405.2								
		C3-C4;~2	Max	I	408.4	16.1	1.1	698.0	
509.2	24633.1			J	408.4	16.1	1.1	698.0	
476.9	14975.7								
			Min	I	-1226.0	-8.0	-0.8	-1824.9	
-392.7	-5242.5			J	-1226.0	-8.0	-0.8	-1824.9	
-852.9	-2164.3								
			G1	I	-2403.4	15.9	-0.8	-2966.9	
-348.0	35434.0			J	-2403.4	15.9	3.5	-2966.9	-
1386.2	23249.4								
			G2	I	-921.2	7.2	0.5	-1102.1	
-40.1	14534.0			J	-921.2	7.2	0.5	-1102.1	
-413.2	9004.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	94.0	-2.1	0.4	374.6
22.0	-17276.6			J	94.0	-2.1	0.4	374.6	
-264.2	-15671.2								
			Q5_pc	Y	I	360.0	-5.2	-0.5	794.6
-124.4	-10957.8			J	360.0	-5.2	-0.5	794.6	
283.1	-6947.0								
			Q5_ps	X	I	86.9	-3.3	0.4	323.4
42.6	-17785.2			J	86.9	-3.3	0.4	323.4	
-257.9	-15284.2								
			Q5_ps	Y	I	340.9	-5.3	-0.5	738.0
-109.7	-10678.0			J	340.9	-5.3	-0.5	738.0	
263.5	-6640.8								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1006.2	123907.6		INVS LU Max	I	-4361.7	67.9	4.2	-3533.1	
				J	-4361.7	67.9	9.9	-3533.1	-
1872.0	80010.4		Min	I	-9348.4	-15.8	-1.8	-11566.2	-
1856.4	2194.4			J	-9348.4	-15.8	3.9	-11566.2	-
5973.2	-1545.1								
			INVS LE Max	I	-3327.7	49.0	3.1	-2758.5	
736.0	89150.1			J	-3327.7	49.0	7.4	-2758.5	-
1453.9	57462.8		Min	I	-6973.5	-12.3	-1.2	-8603.0	-
1367.9	1523.4			J	-6973.5	-12.3	3.0	-8603.0	-
4454.1	-205.7								
9692	2	83	C1-C2;~1 Max	I	800.1	44.6	1.4	1199.2	
1039.2	24302.0			J	800.1	44.6	1.4	1199.2	
1185.4	26758.4		Min	I	-2108.1	-21.5	-2.3	-3770.6	-
1463.1	-6785.0			J	-2108.1	-21.5	-2.3	-3770.6	
-542.0	-18734.0								
			C3-C4;~1 Max	I	829.3	58.4	0.8	1382.7	
901.8	29571.1			J	829.3	58.4	0.8	1382.7	
1331.0	19706.4		Min	I	-2277.5	-19.4	-2.6	-3887.8	-
1666.4	-4541.2			J	-2277.5	-19.4	-2.6	-3887.8	
-226.5	-21574.7								
			C1-C2;~2 Max	I	432.3	22.0	0.8	604.9	
613.6	12694.9			J	432.3	22.0	0.8	604.9	
781.5	16405.4		Min	I	-1092.0	-11.9	-1.3	-1953.6	
-773.4	-3405.7			J	-1092.0	-11.9	-1.3	-1953.6	
-291.7	-9516.7								
			C3-C4;~2 Max	I	418.4	28.9	0.4	687.0	
479.1	14973.2			J	418.4	28.9	0.4	687.0	
903.2	11535.4		Min	I	-1168.1	-10.8	-1.5	-2036.1	
-872.8	-2163.2			J	-1168.1	-10.8	-1.5	-2036.1	
-118.1	-10790.2								
			G1	I	-2119.0	42.3	-3.9	-3532.7	-
1420.8	23244.6			J	-2119.0	42.3	0.3	-3532.7	
-33.8	-9162.0								
			G2	I	-815.1	17.4	-0.6	-1321.8	
-426.1	9002.8			J	-815.1	17.4	-0.6	-1321.8	
13.8	-4286.6								
			Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-259.7	-15672.0	Q5_pc X	I	57.8	-3.3	-0.3	473.7
			J	57.8	-3.3	-0.3	473.7
2.3	-13110.4						
292.2	-6944.1	Q5_pc Y	I	370.4	-9.4	0.4	905.2
			J	370.4	-9.4	0.4	905.2
3.5	236.5						
-254.0	-15285.0	Q5_ps X	I	53.4	-4.4	-0.3	417.0
			J	53.4	-4.4	-0.3	417.0
-8.6	-11884.9						
271.9	-6638.1	Q5_ps Y	I	350.8	-9.2	0.4	843.0
			J	350.8	-9.2	0.4	843.0
0.7	406.1						
1925.0	79992.3	INVS LU Max	I	-3763.3	168.6	-4.8	-4586.8
			J	-3763.3	168.6	0.9	-4586.8
1384.4	11616.6	Min	I	-8624.2	43.9	-10.9	-13331.3
6103.5	-1558.8		J	-8624.2	43.9	-5.1	-13331.3
1150.5	-77231.7						
1494.8	57449.1	INVS LE Max	I	-2883.9	124.1	-3.6	-3560.9
			J	-2883.9	124.1	0.6	-3560.9
1007.2	7067.3	Min	I	-6435.1	33.0	-8.1	-9917.6
4551.1	-216.0		J	-6435.1	33.0	-3.8	-9917.6
-870.0	-56998.3						
9693	2	83 C1-C2;~1 Max	I	888.1	26.0	2.0	2127.2
1056.0	26781.7		J	888.1	26.0	2.0	2127.2
1282.4	24552.1	Min	I	-1981.7	-43.8	-1.9	-1287.8
-722.6	-18718.5		J	-1981.7	-43.8	-1.9	-1287.8
1160.3	-9943.3						
1216.7	19677.4	C3-C4;~1 Max	I	840.0	23.7	2.3	2422.6
			J	840.0	23.7	2.3	2422.6
860.3	22128.4	Min	I	-2160.4	-48.6	-0.9	-1227.3
-359.6	-21554.7		J	-2160.4	-48.6	-0.9	-1227.3
1362.5	-12702.2						
709.8	16423.9	C1-C2;~2 Max	I	493.8	15.0	1.1	1116.4
			J	493.8	15.0	1.1	1116.4
795.3	13014.5	Min	I	-1037.4	-23.1	-1.1	-759.7
-397.5	-9513.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-571.7	-5501.7		J	-1037.4	-23.1	-1.1	-759.7
832.3	11515.2	C3-C4;~2 Max	I	462.3	13.5	1.3	1257.6
521.7	11456.8		J	462.3	13.5	1.3	1257.6
-187.9	-10785.3	Min	I	-1118.5	-25.2	-0.5	-726.1
-674.2	-7121.7		J	-1118.5	-25.2	-0.5	-726.1
-337.8	-9132.1	G1	I	-1836.4	-35.7	-1.1	1741.7
1309.2	19921.9		J	-1836.4	-35.7	3.4	1741.7
-102.2	-4274.3	G2	I	-707.5	-13.9	0.3	686.5
-359.9	7061.6		J	-707.5	-13.9	0.3	686.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
87.8	-13102.9	Q5_pc X	I	14.4	-4.4	-0.1	61.0
151.6	-9508.6		J	14.4	-4.4	-0.1	61.0
-44.2	241.7	Q5_pc Y	I	386.4	9.1	-0.1	-792.4
-1.4	-7189.2		J	386.4	9.1	-0.1	-792.4
76.1	-11879.3	Q5_ps X	I	12.5	-4.1	-0.1	46.7
165.3	-8553.7		J	12.5	-4.1	-0.1	46.7
-42.4	410.4	Q5_ps Y	I	365.8	8.7	-0.1	-753.7
7.3	-6651.6		J	365.8	8.7	-0.1	-753.7
782.2	11702.1	INVSLU Max	I	-3126.5	-51.9	2.4	7811.6
-894.6	82955.9		J	-3126.5	-51.9	8.5	7811.6
1993.9	-77137.3	Min	I	-7937.5	-169.0	-3.4	1376.3
4737.9	15547.1		J	-7937.5	-169.0	2.7	1376.3
558.6	7130.4	INVSLE Max	I	-2412.6	-40.7	1.8	5805.0
-690.1	61454.5		J	-2412.6	-40.7	6.3	5805.0
1486.0	-56929.6	Min	I	-5924.7	-126.2	-2.5	1143.7
3516.8	12789.9		J	-5924.7	-126.2	2.0	1143.7
9694	2	83 C1-C2;~1 Max	I	970.9	15.0	1.3	1575.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1270.8	24557.0			J	970.9	15.0	1.3	1575.2	
256.3	35727.8		Min	I	-1843.2	-19.8	-1.2	-1003.2	-
1143.3	-9943.1			J	-1843.2	-19.8	-1.2	-1003.2	
-326.3	-15745.5								
			C3-C4;~1	Max	I	902.4	12.7	0.9	1799.3
850.7	22135.4			J	902.4	12.7	0.9	1799.3	
249.6	39087.0		Min	I	-2028.3	-22.1	-1.5	-938.5	-
1342.8	-12701.9			J	-2028.3	-22.1	-1.5	-938.5	
-327.4	-19097.9								
			C1-C2;~2	Max	I	550.8	8.9	0.8	818.2
788.5	13016.7			J	550.8	8.9	0.8	818.2	
154.5	18790.1		Min	I	-973.4	-10.4	-0.6	-592.3	
-563.5	-5501.4			J	-973.4	-10.4	-0.6	-592.3	
-168.7	-8513.1								
			C3-C4;~2	Max	I	506.7	7.3	0.5	924.9
516.3	11460.3			J	506.7	7.3	0.5	924.9	
134.2	20350.6		Min	I	-1058.0	-11.5	-0.7	-557.1	
-664.9	-7121.4			J	-1058.0	-11.5	-0.7	-557.1	
-171.9	-10373.4								
			G1	I	-1548.4	-14.7	-3.4	1307.6	-
1291.2	19930.8			J	-1548.4	-14.7	1.1	1307.6	
-358.4	31894.7								
			G2	I	-595.5	-5.9	-0.3	515.1	
-352.8	7065.1			J	-595.5	-5.9	-0.3	515.1	
-77.6	11825.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-20.6	-4.1	0.2	24.2
152.1	-9510.1			J	-20.6	-4.1	0.2	24.2	
-39.2	-6181.8								
			Q5_pc	Y	I	391.5	3.9	-0.1	-562.0
-9.4	-7190.7			J	391.5	3.9	-0.1	-562.0	
57.9	-10342.2								
			Q5_ps	X	I	-20.1	-3.7	0.3	10.4
165.6	-8555.2			J	-20.1	-3.7	0.3	10.4	
-41.3	-5505.2								
			Q5_ps	Y	I	370.6	3.7	-0.1	-536.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.3	-6653.0			J	370.6	3.7	-0.1 -536.4
53.0	-9670.8						
		INVS LU	Max	I	-2431.0	-16.7	-3.3 5750.9
-870.5	82981.2			J	-2431.0	-16.7	2.8 5750.9
-447.3	136431.8		Min	I	-7184.6	-74.2	-7.6 956.0 -
4672.5	15563.6			J	-7184.6	-74.2	-1.5 956.0 -
1339.4	39266.3						
		INVS LE	Max	I	-1895.5	-13.3	-2.5 4270.9
-671.6	61473.3			J	-1895.5	-13.3	2.0 4270.9
-347.8	101582.5		Min	I	-5364.5	-55.4	-5.6 794.0 -
3467.6	12802.3			J	-5364.5	-55.4	-1.1 794.0 -
1000.9	30987.0						
9695	2	69 C1-C2;~1	Max	I	1002.4	7.0	0.3 706.1
250.8	35715.4			J	1002.4	7.0	0.3 706.1
159.3	32291.7		Min	I	-1630.2	-3.7	-0.4 -543.1
-316.8	-15739.5			J	-1630.2	-3.7	-0.4 -543.1
-120.3	-14322.9						
		C3-C4;~1	Max	I	914.8	5.2	0.3 812.8
246.0	39072.9			J	914.8	5.2	0.3 812.8
117.6	35601.1		Min	I	-1805.8	-3.3	-0.3 -463.4
-315.7	-19091.3			J	-1805.8	-3.3	-0.3 -463.4
-144.7	-17857.7						
		C1-C2;~2	Max	I	578.0	4.0	0.1 349.9
151.1	18783.5			J	578.0	4.0	0.1 349.9
99.3	16940.8		Min	I	-864.3	-2.2	-0.2 -321.9
-163.6	-8509.7			J	-864.3	-2.2	-0.2 -321.9
-60.1	-7714.3						
		C3-C4;~2	Max	I	521.7	2.7	0.2 399.9
131.4	20343.2			J	521.7	2.7	0.2 399.9
71.9	18478.9		Min	I	-944.4	-1.8	-0.2 -276.3
-165.7	-10369.7			J	-944.4	-1.8	-0.2 -276.3
-73.2	-9762.7						
		G1		I	-1241.5	4.0	-1.2 615.2
-348.1	31884.1			J	-1241.5	4.0	0.8 615.2
-208.9	28646.2						
		G2		I	-477.2	1.3	-0.1 241.9
-73.5	11821.4			J	-477.2	1.3	-0.1 241.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-30.1	10729.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-19.2	-3.8	-0.1	-6.0
-39.1	-6181.8			J	-19.2	-3.8	-0.1	-6.0
22.6	-3102.4							
			Q5_pc Y	I	357.9	-1.6	0.1	-197.0
53.8	-10337.3			J	357.9	-1.6	0.1	-197.0
-1.2	-9052.6							
			Q5_ps X	I	-16.1	-3.5	-0.1	-16.6
-41.4	-5505.1			J	-16.1	-3.5	-0.1	-16.6
24.2	-2682.5							
			Q5_ps Y	I	339.8	-1.5	0.1	-190.6
49.1	-9666.3			J	339.8	-1.5	0.1	-190.6
0.1	-8480.0							
			INVSLE Max	I	-1727.2	21.8	-1.4	2528.0
-436.6	136385.3			J	-1727.2	21.8	1.3	2528.0
-140.4	123271.3		Min	I	-6162.4	0.5	-2.5	342.8
1299.7	39256.4			J	-6162.4	0.5	0.2	342.8
-591.4	34807.2							
			INVSLE Max	I	-1364.9	16.1	-1.0	1872.8
-339.3	101547.9			J	-1364.9	16.1	1.0	1872.8
-107.1	91771.6		Min	I	-4602.6	0.8	-1.9	280.5
-971.4	30978.9			J	-4602.6	0.8	0.1	280.5
-438.1	27449.7							
9696	2	69	C1-C2;~1 Max	I	1064.6	25.8	0.2	574.1
157.7	32296.0			J	1064.6	25.8	0.2	574.1
200.0	16241.3		Min	I	-1494.7	-15.0	-0.2	-452.1
-116.9	-14325.8			J	-1494.7	-15.0	-0.2	-452.1
-196.1	-4760.4							
			C3-C4;~1 Max	I	963.1	28.5	0.2	565.4
116.4	35606.1			J	963.1	28.5	0.2	565.4
158.4	13890.2		Min	I	-1666.2	-14.9	-0.2	-456.5
-140.2	-17860.5			J	-1666.2	-14.9	-0.2	-456.5
-218.1	-6877.1							
			C1-C2;~2 Max	I	620.0	13.8	0.1	325.8
98.4	16943.1			J	620.0	13.8	0.1	325.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
121.1	8921.4		Min	I	-795.1	-8.7	-0.1	-232.2
-58.4	-7716.0			J	-795.1	-8.7	-0.1	-232.2
-105.5	-2449.4							
		C3-C4;~2	Max	I	555.1	15.0	0.1	306.9
71.3	18481.5			J	555.1	15.0	0.1	306.9
93.8	7310.1		Min	I	-873.1	-8.3	-0.1	-236.2
-70.9	-9764.2			J	-873.1	-8.3	-0.1	-236.2
-115.5	-3743.0							
		G1		I	-1006.1	19.6	-1.0	-23.6
-205.7	28648.6			J	-1006.1	19.6	1.0	-23.6
-239.2	12679.7							
		G2		I	-387.0	7.4	0.0	-8.8
-28.8	10730.3			J	-387.0	7.4	0.0	-8.8
-35.2	4738.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-18.3	-3.5	0.0	-27.4
22.4	-3102.0			J	-18.3	-3.5	0.0	-27.4
-13.6	-259.7							
		Q5_pc	Y	I	337.6	-6.8	-0.0	148.9
-1.4	-9054.1			J	337.6	-6.8	-0.0	148.9
35.3	-3519.5							
		Q5_ps	X	I	-12.8	-3.2	0.0	-33.8
23.9	-2682.1			J	-12.8	-3.2	0.0	-33.8
-14.0	-45.0							
		Q5_ps	Y	I	321.5	-6.4	-0.0	137.8
-0.1	-8481.4			J	321.5	-6.4	-0.0	137.8
32.9	-3255.6							
		INVSLU	Max	I	-1151.6	96.7	-0.8	672.0
-137.2	123286.0			J	-1151.6	96.7	1.9	672.0
-257.5	49713.5		Min	I	-5445.8	25.8	-1.5	-987.2
-579.6	34808.7			J	-5445.8	25.8	1.2	-987.2
-885.5	12168.6							
		INVSLE	Max	I	-932.7	72.2	-0.6	466.2
-104.8	91782.5			J	-932.7	72.2	1.4	466.2
-201.6	36824.9		Min	I	-4068.6	20.6	-1.1	-743.0
-429.5	27451.0			J	-4068.6	20.6	0.9	-743.0


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-662.1	9483.1									
9697	2	69	C1-C2;~1	Max	I	1152.7	45.2	0.2	879.6	
206.2	16236.8				J	1152.7	45.2	0.2	879.6	
297.8	26300.3									
				Min	I	-1391.5	-28.8	-0.4	-996.5	
-204.3	-4755.1				J	-1391.5	-28.8	-0.4	-996.5	
-70.4	-26648.3									
				C3-C4;~1	Max	I	1059.0	50.1	0.1	850.2
164.6	13886.0				J	1059.0	50.1	0.1	850.2	
300.5	21872.9									
				Min	I	-1559.7	-27.1	-0.4	-1112.9	
-227.3	-6870.9				J	-1559.7	-27.1	-0.4	-1112.9	
-55.8	-29538.8									
				C1-C2;~2	Max	I	676.3	24.1	0.1	504.1
124.7	8919.5				J	676.3	24.1	0.1	504.1	
181.7	15511.4									
				Min	I	-745.9	-16.6	-0.2	-535.2	
-110.0	-2446.5				J	-745.9	-16.6	-0.2	-535.2	
-38.6	-14359.9									
				C3-C4;~2	Max	I	616.8	26.4	0.1	472.8
97.3	7308.5				J	616.8	26.4	0.1	472.8	
188.9	12709.5									
				Min	I	-822.7	-15.6	-0.2	-588.9	
-120.4	-3739.7				J	-822.7	-15.6	-0.2	-588.9	
-27.2	-15639.7									
				G1	I	-762.9	31.9	-1.3	-462.1	
-242.6	12675.3				J	-762.9	31.9	0.7	-462.1	
21.1	-13244.6									
				G2	I	-294.9	12.1	-0.1	-179.5	
-36.5	4737.2				J	-294.9	12.1	-0.1	-179.5	
48.8	-5084.4									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	X	I	-39.5	-3.2	0.0	-35.2
-13.9	-260.7				J	-39.5	-3.2	0.0	-35.2	
-28.9	2375.1									
				Q5_pc	Y	I	335.4	-11.4	0.0	373.3
38.5	-3515.2				J	335.4	-11.4	0.0	373.3	
9.7	5767.9									
				Q5_ps	X	I	-32.6	-3.1	0.0	-37.9
-14.4	-46.0				J	-32.6	-3.1	0.0	-37.9	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-28.4	2459.5						
35.9	-3251.6	Q5_ps Y	I	319.4	-10.8	0.0	351.5
8.6	5548.9		J	319.4	-10.8	0.0	351.5
-256.3	49688.5	INVSLU Max	I	-566.9	165.8	-1.8	230.3
483.1	-6192.2		J	-566.9	165.8	0.9	230.3
-910.8	12165.8	Min	I	-4832.5	38.8	-2.7	-3131.5
-69.6	-91957.1		J	-4832.5	38.8	-0.0	-3131.5
-201.3	36806.1	INVSLE Max	I	-498.1	123.8	-1.3	99.8
354.3	-6172.4		J	-498.1	123.8	0.7	99.8
-681.0	9480.2	Min	I	-3613.1	31.2	-2.0	-2340.7
-51.3	-68932.9		J	-3613.1	31.2	-0.0	-2340.7
9698	2	69 C1-C2;~1 Max	I	1265.4	37.4	0.2	1423.0
160.1	26273.7		J	1265.4	37.4	0.2	1423.0
236.3	5749.0	Min	I	-1325.6	-35.9	-0.4	-1495.3
-161.4	-26626.2		J	-1325.6	-35.9	-0.4	-1495.3
-162.1	-10218.0						
174.1	21797.5	C3-C4;~1 Max	I	1173.9	34.9	0.2	1629.4
172.0	5053.9		J	1173.9	34.9	0.2	1629.4
-175.3	-29513.9	Min	I	-1493.0	-40.7	-0.3	-1420.6
-183.1	-11383.1		J	-1493.0	-40.7	-0.3	-1420.6
106.2	15497.1	C1-C2;~2 Max	I	744.5	22.0	0.1	767.1
145.0	3324.6		J	744.5	22.0	0.1	767.1
-88.9	-14348.5	Min	I	-715.3	-19.4	-0.2	-882.1
-84.9	-5836.0		J	-715.3	-19.4	-0.2	-882.1
115.4	12656.8	C3-C4;~2 Max	I	686.2	20.5	0.1	864.1
103.0	2585.2		J	686.2	20.5	0.1	864.1
-95.5	-15627.2	Min	I	-792.0	-21.6	-0.2	-837.9
-94.1	-6523.0		J	-792.0	-21.6	-0.2	-837.9
-237.4	-13234.0	G1	I	-533.9	-10.8	-1.0	428.0
-201.2	-4407.3		J	-533.9	-10.8	1.0	428.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-51.3	-5079.8	G2	I	-206.6	-4.2	-0.0	171.1
			J	-206.6	-4.2	-0.0	171.1
-21.0	-1674.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	-65.1	-2.1	0.0	182.7
15.6	2392.8		J	-65.1	-2.1	0.0	182.7
14.2	4096.7						
		Q5_pc Y	I	341.5	10.1	-0.0	-605.4
-12.6	5760.2		J	341.5	10.1	-0.0	-605.4
21.8	-2422.3						
		Q5_ps X	I	-57.3	-1.9	0.0	168.2
18.1	2475.4		J	-57.3	-1.9	0.0	168.2
15.7	3990.9						
		Q5_ps Y	I	324.8	9.6	-0.0	-574.4
-10.5	5541.3		J	324.8	9.6	-0.0	-574.4
21.6	-2235.9						
		INVSLE Max	I	16.2	10.8	-1.0	4504.9
-170.4	-6122.5		J	16.2	10.8	1.7	4504.9
-61.3	4326.1						
		Min	I	-4322.4	-112.7	-1.9	-803.2
-670.3	-91803.9		J	-4322.4	-112.7	0.8	-803.2
-666.8	-26176.2						
		INVSLE Max	I	-66.6	5.7	-0.7	3364.1
-126.2	-6118.6		J	-66.6	5.7	1.3	3364.1
-52.0	3048.8						
		Min	I	-3234.8	-84.4	-1.4	-487.1
-494.4	-68818.3		J	-3234.8	-84.4	0.6	-487.1
-497.6	-18999.3						
9699	2	69 C1-C2;~1 Max	I	1396.7	19.7	0.1	819.4
223.1	5752.7		J	1396.7	19.7	0.1	819.4
228.4	18263.8						
		Min	I	-1289.0	-18.1	-0.1	-884.6
-149.8	-10223.5		J	-1289.0	-18.1	-0.1	-884.6
-138.7	-23641.3						
		C3-C4;~1 Max	I	1293.3	18.0	0.1	940.4
159.9	5063.4		J	1293.3	18.0	0.1	940.4
211.8	21184.5						
		Min	I	-1456.8	-20.5	-0.2	-835.4
-169.2	-11387.7		J	-1456.8	-20.5	-0.2	-835.4
-157.1	-24935.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
137.1	3326.1	C1-C2;~2	Max	I	821.8	11.7	0.1	441.0
				J	821.8	11.7	0.1	441.0
139.9	9802.2		Min	I	-697.7	-9.8	-0.1	-525.8
-78.1	-5839.3			J	-697.7	-9.8	-0.1	-525.8
-74.0	-13692.7							
95.8	2590.3	C3-C4;~2	Max	I	755.0	10.6	0.0	497.7
				J	755.0	10.6	0.0	497.7
127.2	11200.4		Min	I	-774.8	-10.9	-0.1	-500.1
-86.5	-6525.7			J	-774.8	-10.9	-0.1	-500.1
-82.4	-14368.2							
			G1	I	-334.7	-5.4	-1.1	288.4
-197.0	-4401.5			J	-334.7	-5.4	0.9	288.4
-116.6	-46.7							
			G2	I	-128.0	-2.1	-0.0	116.0
-19.4	-1672.5			J	-128.0	-2.1	-0.0	116.0
7.6	17.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
15.8	4096.9	Q5_pc	X	I	-85.6	-0.8	0.0	95.7
				J	-85.6	-0.8	0.0	95.7
-18.5	4770.1							
16.1	-2425.9	Q5_pc	Y	I	348.9	5.1	-0.0	-361.2
				J	348.9	5.1	-0.0	-361.2
28.3	-6588.9							
17.2	3991.1	Q5_ps	X	I	-77.0	-0.7	0.0	85.3
				J	-77.0	-0.7	0.0	85.3
-18.3	4560.8							
16.2	-2239.3	Q5_ps	Y	I	331.6	4.9	-0.0	-343.8
				J	331.6	4.9	-0.0	-343.8
26.3	-6202.6							
-67.7	4346.8	INVSLU	Max	I	573.0	6.5	-1.3	2678.3
				J	573.0	6.5	1.4	2678.3
53.8	47562.6		Min	I	-3907.2	-57.1	-1.8	-435.7
-626.2	-26167.1			J	-3907.2	-57.1	0.9	-435.7
-517.6	-26558.7							
-55.7	3064.5	INVSLE	Max	I	345.2	3.6	-1.0	1997.9
				J	345.2	3.6	1.0	1997.9
31.4	35592.3							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-467.3	-18992.1		Min	I	-2927.0	-42.8	-1.3	-260.6	
				J	-2927.0	-42.8	0.7	-260.6	
-388.0	-18433.9								
9700	2	69	C1-C2;~1	Max	I	1503.6	1.8	0.2	308.9
224.3	18260.6				J	1503.6	1.8	0.2	308.9
201.9	18390.5								
			Min	I	-1230.2	-3.4	-0.1	-184.3	
-134.7	-23639.5			J	-1230.2	-3.4	-0.1	-184.3	
-107.1	-22632.2								
			C3-C4;~1	Max	I	1379.3	1.0	0.2	301.5
208.0	21180.9			J	1379.3	1.0	0.2	301.5	
159.9	21352.8								
			Min	I	-1392.4	-2.7	-0.1	-132.1	
-152.5	-24933.2			J	-1392.4	-2.7	-0.1	-132.1	
-123.4	-23938.0								
			C1-C2;~2	Max	I	884.5	1.1	0.1	182.0
137.4	9800.5			J	884.5	1.1	0.1	182.0	
125.9	9892.9								
			Min	I	-665.5	-2.0	-0.1	-107.9	
-71.8	-13691.7			J	-665.5	-2.0	-0.1	-107.9	
-54.5	-13173.8								
			C3-C4;~2	Max	I	804.9	0.6	0.1	170.7
124.9	11198.4			J	804.9	0.6	0.1	170.7	
98.1	11309.7								
			Min	I	-740.1	-1.5	-0.1	-76.0	
-79.9	-14367.2			J	-740.1	-1.5	-0.1	-76.0	
-61.4	-13849.7								
			G1	I	-177.7	-1.8	-0.9	131.1	
-114.4	-48.3			J	-177.7	-1.8	1.1	131.1	
-161.0	1416.6								
			G2	I	-67.1	-0.7	0.0	51.3	
8.4	16.6			J	-67.1	-0.7	0.0	51.3	
-9.8	601.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-84.5	0.5	-0.0	-31.4	
-18.1	4770.0			J	-84.5	0.5	-0.0	-31.4	
12.1	4332.3								
			Q5_pc Y	I	340.0	-0.1	0.0	12.4	
26.3	-6588.0			J	340.0	-0.1	0.0	12.4	
9.6	-6524.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-18.0	4560.7	Q5_ps X	I	-74.0	0.5	-0.0	-34.0
			J	-74.0	0.5	-0.0	-34.0
14.1	4130.9						
		Q5_ps Y	I	324.0	-0.1	0.0	9.8
24.4	-6201.7		J	324.0	-0.1	0.0	9.8
10.2	-6146.5						
		INVSLU Max	I	1053.0	-1.8	-1.0	685.4
53.4	47552.0		J	1053.0	-1.8	1.7	685.4
-3.1	51523.5	Min	I	-3468.5	-9.7	-1.5	-36.9
-502.5	-26560.4		J	-3468.5	-9.7	1.2	-36.9
-464.0	-21363.0						
		INVSLE Max	I	704.2	-1.4	-0.8	501.1
31.5	35584.3		J	704.2	-1.4	1.3	501.1
-5.5	38575.8	Min	I	-2599.7	-7.2	-1.1	-29.8
-376.7	-18435.3		J	-2599.7	-7.2	0.9	-29.8
-345.3	-14544.3						
9701	2	69 C1-C2;~1 Max	I	1591.1	17.2	0.1	1179.8
206.8	18393.4		J	1591.1	17.2	0.1	1179.8
264.7	7582.6	Min	I	-1172.3	-23.7	-0.2	-888.9
-110.4	-22635.7		J	-1172.3	-23.7	-0.2	-888.9
-148.1	-6452.3						
		C3-C4;~1 Max	I	1453.5	19.6	0.1	1182.7
164.8	21356.1		J	1453.5	19.6	0.1	1182.7
224.6	6872.3	Min	I	-1328.5	-21.7	-0.2	-1025.2
-127.0	-23941.5		J	-1328.5	-21.7	-0.2	-1025.2
-166.6	-8068.3						
		C1-C2;~2 Max	I	933.8	9.3	0.0	677.3
128.9	9894.5		J	933.8	9.3	0.0	677.3
160.9	4328.2	Min	I	-633.0	-13.9	-0.1	-472.0
-56.5	-13175.7		J	-633.0	-13.9	-0.1	-472.0
-79.3	-3666.3						
		C3-C4;~2 Max	I	846.7	10.3	0.1	647.9
101.1	11311.5		J	846.7	10.3	0.1	647.9
132.8	3619.0	Min	I	-704.8	-12.6	-0.1	-535.9
-63.6	-13851.6		J	-704.8	-12.6	-0.1	-535.9
-87.7	-4634.2						
		G1	I	-31.7	-0.3	-1.1	43.6
-160.2	1416.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-104.5	1662.9		J	-31.7	-0.3	0.9	43.6
		G2	I	-11.1	-0.2	-0.0	13.4
-9.5	600.8		J	-11.1	-0.2	-0.0	13.4
16.5	725.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-83.0	1.9	0.0	-153.8
11.0	4332.6		J	-83.0	1.9	0.0	-153.8
-11.5	2779.5						
		Q5_pc Y	I	328.7	-5.2	-0.0	378.7
11.9	-6525.3		J	328.7	-5.2	-0.0	378.7
25.4	-2257.2						
		Q5_ps X	I	-70.8	1.7	0.0	-146.9
13.0	4131.1		J	-70.8	1.7	0.0	-146.9
-11.1	2722.5						
		Q5_ps Y	I	314.1	-5.0	-0.0	357.3
12.3	-6147.4		J	314.1	-5.0	-0.0	357.3
23.9	-2084.5						
		INVSLE Max	I	1494.0	42.5	-1.2	1460.1
1.7	51530.7		J	1494.0	42.5	1.5	1460.1
108.7	20340.4	Min	I	-3039.3	-25.3	-1.7	-2202.2
-470.4	-21366.7		J	-3039.3	-25.3	1.0	-2202.2
-519.4	-5791.4						
		INVSLE Max	I	1035.5	31.8	-0.9	1008.9
-2.3	38581.2		J	1035.5	31.8	1.1	1008.9
71.2	15150.2	Min	I	-2278.6	-17.7	-1.2	-1653.4
-350.3	-14546.8		J	-2278.6	-17.7	0.8	-1653.4
-390.6	-3836.0						
9702	2	69 C1-C2;~1 Max	I	1690.3	32.6	0.3	1827.5
281.1	7582.7		J	1690.3	32.6	0.3	1827.5
276.9	35457.8	Min	I	-1132.9	-45.0	-0.3	-1426.6
-161.5	-6441.9		J	-1132.9	-45.0	-0.3	-1426.6
-66.7	-22388.7						
		C3-C4;~1 Max	I	1564.0	37.0	0.2	1758.0
240.9	6867.6		J	1564.0	37.0	0.2	1758.0
281.6	30363.2	Min	I	-1285.6	-41.6	-0.3	-1643.5
-182.2	-8057.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-53.3	-24919.6		J	-1285.6	-41.6	-0.3	-1643.5
170.3	4328.8	C1-C2;~2 Max	I	987.9	17.6	0.2	1051.7
169.5	20635.4		J	987.9	17.6	0.2	1051.7
-86.5	-3660.2	Min	I	-609.2	-26.3	-0.1	-761.5
-38.4	-12048.2		J	-609.2	-26.3	-0.1	-761.5
142.2	3617.0	C3-C4;~2 Max	I	907.8	19.6	0.1	1017.0
178.1	17453.3		J	907.8	19.6	0.1	1017.0
-95.8	-4628.0	Min	I	-679.3	-24.2	-0.2	-863.1
-27.1	-13158.5		J	-679.3	-24.2	-0.2	-863.1
-104.3	1665.6	G1	I	142.1	-0.7	-1.1	12.2
3.1	2240.8		J	142.1	-0.7	0.9	12.2
16.6	726.4	G2	I	54.8	-0.3	-0.0	-0.6
41.2	987.9		J	54.8	-0.3	-0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-13.7	2777.6	Q5_pc X	I	-93.9	3.1	-0.0	-222.8
-12.0	270.1		J	-93.9	3.1	-0.0	-222.8
31.1	-2253.1	Q5_pc Y	I	321.8	-9.7	0.0	602.6
6.8	5671.6		J	321.8	-9.7	0.0	602.6
-13.2	2720.6	Q5_ps X	I	-81.6	2.7	-0.0	-208.7
-12.3	499.6		J	-81.6	2.7	-0.0	-208.7
29.3	-2080.6	Q5_ps Y	I	307.3	-9.3	0.0	570.5
5.9	5477.7		J	307.3	-9.3	0.0	570.5
127.7	20334.1	INVSLU Max	I	1990.5	80.8	-1.4	2105.7
489.3	42603.6		J	1990.5	80.8	1.3	2105.7
-553.7	-5780.2	Min	I	-2606.3	-47.4	-2.2	-3664.8
-2.5	-49114.7		J	-2606.3	-47.4	0.5	-3664.8
		INVSLE Max	I	1407.3	60.5	-1.1	1445.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
84.2	15145.1			J	1407.3	60.5	1.0	1445.2	
365.3	30346.4		Min	I	-1954.8	-33.1	-1.6	-2748.9	
-416.4	-3828.5			J	-1954.8	-33.1	0.4	-2748.9	
2.6	-36836.8								
9703	2	69	C1-C2;~1	Max	I	1795.2	51.2	0.1	1467.3
182.7	35396.6			J	1795.2	51.2	0.1	1467.3	
232.5	5993.2		Min	I	-1113.2	-31.0	-0.3	-2453.0	
-112.6	-22368.5			J	-1113.2	-31.0	-0.3	-2453.0	
-100.0	-10864.1								
			C3-C4;~1	Max	I	1676.5	48.0	0.2	1680.8
197.2	30319.0			J	1676.5	48.0	0.2	1680.8	
177.4	4502.8		Min	I	-1265.9	-35.3	-0.2	-2326.2	
-136.4	-24899.1			J	-1265.9	-35.3	-0.2	-2326.2	
-114.8	-12547.4								
			C1-C2;~2	Max	I	1044.0	29.6	0.1	779.4
120.0	20601.7			J	1044.0	29.6	0.1	779.4	
141.7	3548.9		Min	I	-595.1	-16.5	-0.2	-1414.8	
-58.2	-12036.9			J	-595.1	-16.5	-0.2	-1414.8	
-53.2	-6029.9								
			C3-C4;~2	Max	I	968.1	27.6	0.1	877.9
129.1	17429.7			J	968.1	27.6	0.1	877.9	
105.7	2285.1		Min	I	-665.0	-18.5	-0.1	-1335.4	
-71.0	-13147.2			J	-665.0	-18.5	-0.1	-1335.4	
-59.8	-7034.3								
			G1	I	308.4	10.7	-1.1	-572.3	
-183.4	2209.6			J	308.4	10.7	0.9	-572.3	
-104.1	-6500.1								
			G2	I	119.8	4.2	-0.1	-219.1	
-31.2	974.8			J	119.8	4.2	-0.1	-219.1	
16.9	-2475.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-109.7	-3.5	0.0	258.1
19.7	272.6			J	-109.7	-3.5	0.0	258.1	
-0.1	3098.2								
			Q5_pc	Y	I	321.0	9.4	-0.0	-556.7
-6.0	5678.2								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
22.2	-1979.3		J	321.0	9.4	-0.0	-556.7
22.1	501.3	Q5_ps X	I	-97.7	-3.2	0.0	236.9
2.0	3064.3		J	-97.7	-3.2	0.0	236.9
-4.2	5483.7	Q5_ps Y	I	306.0	9.0	-0.0	-529.5
21.9	-1803.3		J	306.0	9.0	-0.0	-529.5
-87.5	42694.8	INVSLU Max	I	2489.8	75.3	-1.4	3796.0
219.0	2524.5		J	2489.8	75.3	1.3	3796.0
-573.3	-48925.2	Min	I	-2220.5	-58.4	-2.1	-2786.8
-289.8	-28082.2		J	-2220.5	-58.4	0.6	-2786.8
-68.4	30423.6	INVSLE Max	I	1780.5	54.0	-1.0	2896.4
161.7	1813.1		J	1780.5	54.0	1.0	2896.4
-425.6	-36685.9	Min	I	-1665.8	-43.8	-1.5	-1905.4
-212.2	-20445.4		J	-1665.8	-43.8	0.5	-1905.4
9704	2	69 C1-C2;~1 Max	I	1879.1	26.3	0.1	857.4
211.4	5995.0		J	1879.1	26.3	0.1	857.4
218.9	15837.1	Min	I	-1100.6	-15.7	-0.1	-1476.7
-88.6	-10875.2		J	-1100.6	-15.7	-0.1	-1476.7
-96.0	-29791.8						
157.9	4509.0	C3-C4;~1 Max	I	1762.9	24.4	0.1	981.1
208.5	18487.9		J	1762.9	24.4	0.1	981.1
-102.0	-12557.7	Min	I	-1254.2	-17.8	-0.2	-1388.3
-109.8	-31313.2		J	-1254.2	-17.8	-0.2	-1388.3
129.2	3549.1	C1-C2;~2 Max	I	1086.1	15.3	0.0	457.0
131.7	8329.8		J	1086.1	15.3	0.0	457.0
-46.8	-6036.4	Min	I	-585.2	-8.4	-0.1	-855.8
-49.9	-16932.7		J	-585.2	-8.4	-0.1	-855.8
94.2	2287.6	C3-C4;~2 Max	I	1011.6	14.1	0.0	514.2
123.4	9582.2		J	1011.6	14.1	0.0	514.2
-52.8	-7040.2	Min	I	-655.3	-9.4	-0.1	-802.0
-56.0	-17759.5		J	-655.3	-9.4	-0.1	-802.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-109.4	-6501.1	G1	I	449.7	5.2	-1.1	-327.0
			J	449.7	5.2	0.9	-327.0
-58.6	-10708.6						
		G2	I	176.9	2.1	-0.0	-123.6
14.8	-2476.1		J	176.9	2.1	-0.0	-123.6
30.6	-4156.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-124.1	-1.7	0.0	150.1
2.3	3099.5		J	-124.1	-1.7	0.0	150.1
-13.9	4482.6						
		Q5_pc Y	I	323.5	4.9	-0.0	-334.0
17.0	-1983.0		J	323.5	4.9	-0.0	-334.0
21.9	-5947.1						
		Q5_ps X	I	-112.4	-1.5	0.0	135.2
4.2	3065.3		J	-112.4	-1.5	0.0	135.2
-13.9	4310.5						
		Q5_ps Y	I	307.9	4.6	-0.0	-318.7
16.9	-1806.8		J	307.9	4.6	-0.0	-318.7
20.4	-5582.3						
		INVSLE Max	I	2923.6	38.6	-1.3	2367.1
196.0	2535.3		J	2923.6	38.6	1.4	2367.1
256.2	22978.5						
		Min	I	-1888.6	-29.7	-1.6	-1552.0
-257.7	-28089.8		J	-1888.6	-29.7	1.1	-1552.0
-227.0	-54957.8						
		INVSLE Max	I	2104.8	27.7	-0.9	1808.5
146.2	1821.7		J	2104.8	27.7	1.1	1808.5
188.5	17249.5						
		Min	I	-1416.6	-22.3	-1.2	-1050.0
-187.6	-20450.3		J	-1416.6	-22.3	0.8	-1050.0
-166.5	-39688.2						
9705	2	69 C1-C2;~1 Max	I	1928.0	1.8	0.2	187.3
210.8	15834.3		J	1928.0	1.8	0.2	187.3
165.2	15772.9						
		Min	I	-1054.9	-3.4	-0.1	-126.7
-91.4	-29788.4		J	-1054.9	-3.4	-0.1	-126.7
-63.4	-28325.5						
		C3-C4;~1 Max	I	1800.7	1.1	0.2	215.5
200.9	18484.7		J	1800.7	1.1	0.2	215.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
135.6	18346.6		Min	I	-1203.5	-3.1	-0.1	-103.7
-104.4	-31309.9			J	-1203.5	-3.1	-0.1	-103.7
-74.7	-29884.8							
		C1-C2;~2	Max	I	1114.3	1.1	0.1	105.1
127.0	8328.3			J	1114.3	1.1	0.1	105.1
102.5	8345.4		Min	I	-559.3	-2.0	-0.0	-72.2
-47.4	-16930.8			J	-559.3	-2.0	-0.0	-72.2
-32.7	-16162.1							
		C3-C4;~2	Max	I	1033.2	0.6	0.1	120.5
119.0	9580.5			J	1033.2	0.6	0.1	120.5
83.3	9559.2		Min	I	-627.1	-1.8	-0.0	-58.4
-53.2	-17757.7			J	-627.1	-1.8	-0.0	-58.4
-37.6	-17029.6							
		G1		I	539.7	-2.0	-0.9	73.6
-60.2	-10708.2			J	539.7	-2.0	1.1	73.6
-115.4	-9048.2							
		G2		I	212.5	-0.8	0.0	30.2
30.0	-4156.1			J	212.5	-0.8	0.0	30.2
8.4	-3530.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-124.2	0.3	-0.0	-16.3
-13.2	4482.2			J	-124.2	0.3	-0.0	-16.3
2.4	4256.0							
		Q5_pc	Y	I	317.5	-0.0	0.0	10.8
20.1	-5946.1			J	317.5	-0.0	0.0	10.8
14.7	-5929.3							
		Q5_ps	X	I	-111.6	0.3	-0.0	-19.6
-13.3	4310.2			J	-111.6	0.3	-0.0	-19.6
4.0	4093.6							
		Q5_ps	Y	I	302.6	-0.0	0.0	8.4
18.6	-5581.4			J	302.6	-0.0	0.0	8.4
14.6	-5567.9							
		INVSLU	Max	I	3239.9	-0.3	-1.1	547.4
249.2	22972.7			J	3239.9	-0.3	1.7	547.4
161.0	25196.5		Min	I	-1559.2	-7.8	-1.5	56.2
-212.5	-54953.0			J	-1559.2	-7.8	1.2	56.2

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-189.2	-50588.5							
		INVSLE	Max	I	2344.4	-0.2	-0.8	406.3
183.9	17245.2			J	2344.4	-0.2	1.2	406.3
123.2	18847.4							
		Min		I	-1168.2	-5.7	-1.1	44.6
-155.5	-39684.8			J	-1168.2	-5.7	0.9	44.6
-134.3	-36499.1							
9706	2	69 C1-C2;~1	Max	I	1969.5	15.2	0.1	1624.3
172.7	15775.6			J	1969.5	15.2	0.1	1624.3
233.8	6602.8							
		Min		I	-1011.2	-30.1	-0.1	-913.6
-66.5	-28330.5			J	-1011.2	-30.1	-0.1	-913.6
-98.4	-6584.1							
		C3-C4;~1	Max	I	1835.8	17.5	0.1	1580.8
142.9	18349.7			J	1835.8	17.5	0.1	1580.8
204.7	5431.3							
		Min		I	-1154.8	-28.2	-0.2	-1053.0
-78.1	-29889.6			J	-1154.8	-28.2	-0.2	-1053.0
-112.4	-8494.4							
		C1-C2;~2	Max	I	1138.1	8.0	0.0	929.1
107.0	8346.8			J	1138.1	8.0	0.0	929.1
139.7	3872.1							
		Min		I	-534.6	-17.3	-0.1	-478.4
-34.6	-16165.0			J	-534.6	-17.3	-0.1	-478.4
-51.1	-3673.5							
		C3-C4;~2	Max	I	1053.5	9.0	0.0	899.2
87.7	9560.8			J	1053.5	9.0	0.0	899.2
119.4	2906.4							
		Min		I	-600.0	-16.1	-0.1	-542.3
-39.7	-17032.3			J	-600.0	-16.1	-0.1	-542.3
-57.3	-4825.5							
		G1		I	621.0	-10.5	-1.1	540.5
-112.0	-9050.5			J	621.0	-10.5	0.9	540.5
-54.3	-475.6							
		G2		I	243.7	-4.1	-0.0	209.3
9.7	-3530.9			J	243.7	-4.1	-0.0	209.3
36.6	-191.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-122.5	2.2	0.0	-176.2
1.2	4256.4			J	-122.5	2.2	0.0	-176.2
-11.2	2443.6							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

16.8	-5930.1	Q5_pc Y	I	309.1	-4.8	-0.0	345.7
			J	309.1	-4.8	-0.0	345.7
21.7	-2030.6						
		Q5_ps X	I	-109.0	2.0	0.0	-166.3
2.9	4093.9		J	-109.0	2.0	0.0	-166.3
-11.1	2450.4						
		Q5_ps Y	I	295.1	-4.6	-0.0	326.9
16.6	-5568.6		J	295.1	-4.6	-0.0	326.9
20.3	-1853.2						
		INVSLU Max	I	3519.5	20.0	-1.3	2299.5
172.8	25200.4		J	3519.5	20.0	1.4	2299.5
324.5	12596.8						
		Min	I	-1254.5	-52.8	-1.7	-1937.1
-195.9	-50596.8		J	-1254.5	-52.8	1.0	-1937.1
-181.9	-12182.9						
		INVSLE Max	I	2556.4	15.2	-1.0	1602.7
131.4	18850.3		J	2556.4	15.2	1.0	1602.7
240.3	9213.4						
		Min	I	-938.7	-38.1	-1.2	-1489.4
-139.5	-36505.1		J	-938.7	-38.1	0.8	-1489.4
-131.9	-8816.1						
9707	2	69 C1-C2;~1 Max	I	2030.9	28.9	0.3	2696.1
259.1	6606.7		J	2030.9	28.9	0.3	2696.1
204.2	44652.5						
		Min	I	-982.8	-57.2	-0.2	-1478.1
-112.5	-6570.4		J	-982.8	-57.2	-0.2	-1478.1
-61.8	-20152.1						
		C3-C4;~1 Max	I	1907.9	33.1	0.2	2580.7
228.7	5429.0		J	1907.9	33.1	0.2	2580.7
212.3	39702.4						
		Min	I	-1123.9	-53.7	-0.2	-1700.2
-128.6	-8480.6		J	-1123.9	-53.7	-0.2	-1700.2
-44.2	-22864.1						
		C1-C2;~2 Max	I	1172.4	15.2	0.2	1546.4
154.1	3874.9		J	1172.4	15.2	0.2	1546.4
124.5	25738.5						
		Min	I	-516.5	-32.9	-0.1	-776.9
-58.5	-3665.3		J	-516.5	-32.9	-0.1	-776.9
-35.6	-10553.6						
		C3-C4;~2 Max	I	1094.3	17.1	0.1	1471.2
133.0	2905.8		J	1094.3	17.1	0.1	1471.2
134.9	22566.6						
		Min	I	-580.4	-30.7	-0.1	-878.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-65.7	-4817.3		J	-580.4	-30.7	-0.1	-878.8
-22.9	-11756.9						
		G1	I	724.9	-19.6	-1.0	874.6
-46.0	-467.3		J	724.9	-19.6	1.0	874.6
-44.2	15457.1						
		G2	I	282.1	-7.6	0.0	338.3
39.8	-188.6		J	282.1	-7.6	0.0	338.3
22.3	6027.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-126.0	4.0	-0.0	-270.6
-13.9	2441.6		J	-126.0	4.0	-0.0	-270.6
-5.3	-778.1						
		Q5_pc Y	I	298.9	-9.1	0.0	553.2
27.0	-2027.1		J	298.9	-9.1	0.0	553.2
0.6	5349.8						
		Q5_ps X	I	-112.8	3.6	-0.0	-251.5
-13.5	2448.5		J	-112.8	3.6	-0.0	-251.5
-5.6	-445.0						
		Q5_ps Y	I	285.3	-8.6	0.0	524.9
25.4	-1849.8		J	285.3	-8.6	0.0	524.9
0.3	5187.6						
		INVSLU Max	I	3834.2	36.7	-1.1	3773.6
359.9	12600.4		J	3834.2	36.7	1.6	3773.6
407.5	79771.5						
		Min	I	-962.8	-101.5	-1.8	-3157.2
-212.1	-12162.4		J	-962.8	-101.5	0.9	-3157.2
27.9	-21005.5						
		INVSLE Max	I	2792.8	27.7	-0.8	2633.8
265.0	9215.3		J	2792.8	27.7	1.2	2633.8
310.4	57873.3						
		Min	I	-720.7	-73.5	-1.3	-2426.4
-155.1	-8801.9		J	-720.7	-73.5	0.7	-2426.4
30.0	-16063.1						
9708	2	69 C1-C2;~1 Max	I	2120.8	62.6	0.1	1355.8
120.3	44635.9		J	2120.8	62.6	0.1	1355.8
276.6	5389.3						
		Min	I	-975.2	-28.0	-0.4	-3025.7
-111.1	-20167.2		J	-975.2	-28.0	-0.4	-3025.7
-92.8	-9933.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
137.7	39674.6	C3-C4;~1	Max	I	2002.8	59.2	0.2	1557.2
				J	2002.8	59.2	0.2	1557.2
228.2	3774.1		Min	I	-1116.7	-32.1	-0.3	-2864.4
-116.8	-22882.0			J	-1116.7	-32.1	-0.3	-2864.4
-106.2	-11848.1							
		C1-C2;~2	Max	I	1221.9	36.0	0.1	704.6
76.7	25727.3			J	1221.9	36.0	0.1	704.6
166.1	3217.0		Min	I	-509.0	-14.6	-0.2	-1736.9
-62.5	-10561.8			J	-509.0	-14.6	-0.2	-1736.9
-48.8	-5493.9							
		C3-C4;~2	Max	I	1146.7	33.8	0.1	795.7
89.2	22546.4			J	1146.7	33.8	0.1	795.7
134.6	1907.5		Min	I	-572.8	-16.4	-0.2	-1634.9
-64.6	-11766.4			J	-572.8	-16.4	-0.2	-1634.9
-54.9	-6652.4							
			G1	I	837.9	26.1	-1.2	-1277.9
-178.3	15437.0			J	837.9	26.1	0.8	-1277.9
-39.9	-5804.1							
			G2	I	326.1	10.2	-0.1	-495.0
-30.0	6020.2			J	326.1	10.2	-0.1	-495.0
42.3	-2285.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-132.9	-4.2	0.0	280.5
10.4	-777.7			J	-132.9	-4.2	0.0	280.5
-6.6	2617.5							
		Q5_pc	Y	I	293.1	8.5	-0.0	-485.2
0.7	5357.3			J	293.1	8.5	-0.0	-485.2
26.4	-1547.5							
		Q5_ps	X	I	-120.1	-3.8	0.0	257.6
12.3	-445.0			J	-120.1	-3.8	0.0	257.6
-4.7	2645.7							
		Q5_ps	Y	I	279.5	8.1	-0.0	-462.2
1.6	5194.5			J	279.5	8.1	-0.0	-462.2
25.6	-1386.7							
		INVSLU	Max	I	4168.3	120.6	-1.4	2977.8
20.3	79836.1			J	4168.3	120.6	1.3	2977.8
446.4	1293.5							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-342.0	-20956.2		Min	I	-729.8	-22.6	-2.2	-4082.5
				J	-729.8	-22.6	0.5	-4082.5
-117.8	-26688.5							
		INVSLE	Max	I	3040.3	87.6	-1.0	2313.8
24.9	57921.7			J	3040.3	87.6	1.0	2313.8
330.2	840.3							
			Min	I	-548.8	-17.3	-1.6	-2851.3
-242.0	-16024.9			J	-548.8	-17.3	0.4	-2851.3
-84.3	-19538.1							
		69 C1-C2;~1	Max	I	2232.0	32.6	0.1	763.5
9709	2			J	2232.0	32.6	0.1	763.5
248.4	5389.2							
			Min	I	-983.0	-14.4	-0.1	-1730.1
222.9	14379.2			J	-983.0	-14.4	-0.1	-1730.1
-80.4	-9950.3							
-83.1	-34315.7							
		C3-C4;~1	Max	I	2108.7	30.6	0.1	876.4
201.6	3780.0			J	2108.7	30.6	0.1	876.4
209.2	16662.4							
			Min	I	-1127.0	-16.4	-0.1	-1628.3
-92.1	-11864.8			J	-1127.0	-16.4	-0.1	-1628.3
-95.0	-35684.6							
		C1-C2;~2	Max	I	1283.6	18.8	0.1	398.0
149.9	3215.9			J	1283.6	18.8	0.1	398.0
135.3	7412.2							
			Min	I	-509.9	-7.5	-0.0	-995.6
-42.3	-5503.5			J	-509.9	-7.5	-0.0	-995.6
-42.5	-19477.0							
		C3-C4;~2	Max	I	1204.7	17.5	0.1	449.3
119.4	1909.6			J	1204.7	17.5	0.1	449.3
125.0	8454.1							
			Min	I	-574.5	-8.4	-0.1	-932.3
-47.6	-6662.0			J	-574.5	-8.4	-0.1	-932.3
-47.7	-20210.6							
		G1		I	947.6	13.5	-1.0	-716.2
-51.9	-5811.3			J	947.6	13.5	1.0	-716.2
-52.5	-16776.8							
		G2		I	370.9	5.3	0.0	-277.3
37.6	-2288.3			J	370.9	5.3	0.0	-277.3
32.9	-6575.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-140.9	-2.2	0.0	161.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.9	2619.3			J	-140.9	-2.2	0.0	161.8
-9.7	4380.3							
21.8	-1551.0	Q5_pc	Y	I	292.5	4.4	0.0	-282.8
17.2	-5113.6			J	292.5	4.4	0.0	-282.8
-2.3	2647.3	Q5_ps	X	I	-128.2	-2.0	0.0	147.3
-9.8	4242.2			J	-128.2	-2.0	0.0	147.3
21.2	-1390.1	Q5_ps	Y	I	278.7	4.2	0.0	-269.9
16.0	-4789.5			J	278.7	4.2	0.0	-269.9
409.1	1298.4	INVSLU	Max	I	4504.4	61.7	-1.1	1835.0
334.2	7563.9			J	4504.4	61.7	1.6	1835.0
-89.7	-26709.0		Min	I	-556.7	-12.4	-1.5	-2192.8
-126.0	-72309.2			J	-556.7	-12.4	1.3	-2192.8
304.2	844.7	INVSLE	Max	I	3287.0	44.8	-0.8	1424.5
248.6	5840.1			J	3287.0	44.8	1.2	1424.5
-62.4	-19552.3		Min	I	-423.0	-9.5	-1.1	-1521.3
-90.0	-52643.3			J	-423.0	-9.5	0.9	-1521.3
9710	2	69 C1-C2;~1	Max	I	2315.2	1.8	0.1	226.3
215.8	14365.9			J	2315.2	1.8	0.1	226.3
183.1	14423.7		Min	I	-975.8	-2.4	-0.1	-83.1
-79.9	-34287.8			J	-975.8	-2.4	-0.1	-83.1
-49.1	-33754.7							
202.7	16647.0	C3-C4;~1	Max	I	2179.2	1.3	0.2	231.7
155.1	16674.8			J	2179.2	1.3	0.2	231.7
-91.3	-35657.5		Min	I	-1119.6	-2.1	-0.1	-91.2
-57.4	-35118.4			J	-1119.6	-2.1	-0.1	-91.2
131.2	7405.2	C1-C2;~2	Max	I	1331.6	1.1	0.1	130.9
113.8	7471.5			J	1331.6	1.1	0.1	130.9
-40.8	-19461.1		Min	I	-504.3	-1.4	-0.1	-40.4
-25.7	-19201.0			J	-504.3	-1.4	-0.1	-40.4
121.3	8446.3	C3-C4;~2	Max	I	1245.1	0.8	0.1	131.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
95.6	8499.9		J	1245.1	0.8	0.1	131.6
		Min	I	-568.7	-1.2	-0.1	-45.2
-45.8	-20195.4		J	-568.7	-1.2	-0.1	-45.2
-29.4	-19941.7						
		G1	I	1020.5	-0.8	-1.0	95.2
-55.5	-16764.4		J	1020.5	-0.8	1.0	95.2
-79.7	-16079.7						
		G2	I	399.9	-0.3	0.0	36.4
31.8	-6571.0		J	399.9	-0.3	0.0	36.4
22.3	-6300.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-142.0	0.0	-0.0	-13.3
-9.0	4377.6		J	-142.0	0.0	-0.0	-13.3
1.0	4347.9						
		Q5_pc Y	I	291.4	-0.0	0.0	11.8
15.9	-5108.9		J	291.4	-0.0	0.0	11.8
12.2	-5105.6						
		Q5_ps X	I	-128.5	0.0	-0.0	-14.4
-9.2	4239.7		J	-128.5	0.0	-0.0	-14.4
2.3	4203.1						
		Q5_ps Y	I	278.1	0.0	0.0	10.4
14.7	-4785.0		J	278.1	0.0	0.0	10.4
12.1	-4785.3						
		INVSLU Max	I	4763.3	0.5	-1.2	455.8
326.4	7534.2		J	4763.3	0.5	1.6	455.8
308.0	9152.3						
		Min	I	-398.2	-5.2	-1.6	-4.1
-116.7	-72272.9		J	-398.2	-5.2	1.1	-4.1
-38.5	-69958.6						
		INVSLE Max	I	3478.4	0.3	-0.9	330.0
243.3	5817.0		J	3478.4	0.3	1.1	330.0
233.0	7046.3						
		Min	I	-306.1	-3.9	-1.2	-8.9
-82.8	-52618.2		J	-306.1	-3.9	0.8	-8.9
-22.1	-50873.7						
		69 C1-C2;~1 Max	I	2357.9	13.7	0.1	1886.2
9711	2		J	2357.9	13.7	0.1	1886.2
193.6	14426.2						
		Min	I	-955.6	-33.9	-0.2	-807.3
274.7	5383.6						
-53.0	-33760.3						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-92.3	-8306.2		J	-955.6	-33.9	-0.2	-807.3
165.2	16677.6	C3-C4;~1 Max	I	2216.5	15.8	0.1	1813.9
240.4	4220.6		J	2216.5	15.8	0.1	1813.9
-61.7	-35123.9	Min	I	-1097.2	-31.9	-0.2	-930.8
-106.1	-10285.1		J	-1097.2	-31.9	-0.2	-930.8
119.9	7472.8	C1-C2;~2 Max	I	1356.1	7.0	0.0	1078.9
163.9	3169.4		J	1356.1	7.0	0.0	1078.9
-27.8	-19204.2	Min	I	-492.0	-19.4	-0.1	-413.5
-46.6	-4667.8		J	-492.0	-19.4	-0.1	-413.5
101.4	8501.4	C3-C4;~2 Max	I	1266.7	8.0	0.0	1032.0
140.4	2228.7		J	1266.7	8.0	0.0	1032.0
-31.7	-19944.8	Min	I	-555.3	-18.2	-0.1	-468.9
-52.6	-5881.3		J	-555.3	-18.2	-0.1	-468.9
-74.3	-16082.7	G1	I	1073.0	-15.8	-1.1	879.0
-19.0	-3248.4		J	1073.0	-15.8	0.9	879.0
24.4	-6301.2	G2	I	420.0	-6.2	-0.0	339.9
50.9	-1275.2		J	420.0	-6.2	-0.0	339.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	4348.4	Q5_pc X	I	-140.6	2.2	0.0	-174.1
-8.1	2571.3		J	-140.6	2.2	0.0	-174.1
13.9	-5106.4	Q5_pc Y	I	285.7	-4.2	-0.0	281.2
18.1	-1653.3		J	285.7	-4.2	-0.0	281.2
1.3	4203.6	Q5_ps X	I	-126.5	2.0	0.0	-162.1
-7.8	2584.1		J	-126.5	2.0	0.0	-162.1
13.7	-4786.0	Q5_ps Y	I	273.0	-4.0	-0.0	267.1
17.1	-1493.4		J	273.0	-4.0	-0.0	267.1
		INVSLU Max	I	4950.2	5.8	-1.3	2721.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
323.6	9155.7			J	4950.2	5.8	1.4	2721.6
522.6	7396.9							
			Min	I	-228.5	-68.9	-1.7	-1587.6
-45.9	-69968.0							
				J	-228.5	-68.9	1.0	-1587.6
-24.1	-18384.1							
			INVSLE Max	I	3618.5	4.5	-1.0	1906.2
243.9	7048.9							
				J	3618.5	4.5	1.0	1906.2
388.5	5475.1							
			Min	I	-179.4	-50.2	-1.3	-1248.3
-28.0	-50880.4							
				J	-179.4	-50.2	0.7	-1248.3
-14.1	-13279.1							
9712	2	69	C1-C2;~1 Max	I	2385.5	26.4	0.3	3090.3
303.8	5386.0							
				J	2385.5	26.4	0.3	3090.3
206.5	48730.2							
			Min	I	-929.7	-65.4	-0.1	-1306.3
-104.7	-8291.4							
				J	-929.7	-65.4	-0.1	-1306.3
-66.7	-18280.1							
			C3-C4;~1 Max	I	2252.0	30.4	0.2	2939.4
268.1	4218.2							
				J	2252.0	30.4	0.2	2939.4
219.0	43672.3							
			Min	I	-1068.9	-61.7	-0.2	-1504.9
-120.3	-10270.2							
				J	-1068.9	-61.7	-0.2	-1504.9
-55.0	-20956.8							
			C1-C2;~2 Max	I	1372.2	13.6	0.2	1769.5
180.5	3171.6							
				J	1372.2	13.6	0.2	1769.5
128.1	27973.4							
			Min	I	-475.4	-37.5	-0.1	-670.9
-53.0	-4659.3							
				J	-475.4	-37.5	-0.1	-670.9
-37.6	-9304.7							
			C3-C4;~2 Max	I	1287.7	15.3	0.1	1672.5
156.1	2228.3							
				J	1287.7	15.3	0.1	1672.5
140.1	24745.5							
			Min	I	-537.3	-35.2	-0.1	-760.0
-59.8	-5872.7							
				J	-537.3	-35.2	-0.1	-760.0
-28.0	-10479.7							
			G1	I	1124.1	-30.5	-0.9	1427.6
-5.5	-3239.4							
				J	1124.1	-30.5	1.1	1427.6
-63.6	21547.2							
			G2	I	438.0	-11.9	0.1	553.3
56.1	-1271.7							
				J	438.0	-11.9	0.1	553.3
13.9	8428.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-10.8	2569.7	Q5_pc X	I	-139.5	4.1	-0.0	-277.4
			J	-139.5	4.1	-0.0	-277.4
0.0	-787.5						
22.5	-1650.8	Q5_pc Y	I	273.9	-8.1	0.0	458.5
			J	273.9	-8.1	0.0	458.5
-5.3	4939.8						
-10.3	2582.6	Q5_ps X	I	-125.7	3.7	-0.0	-256.4
			J	-125.7	3.7	-0.0	-256.4
0.3	-459.1						
21.2	-1491.0	Q5_ps Y	I	261.8	-7.7	0.0	436.3
			J	261.8	-7.7	0.0	436.3
-4.9	4800.6						
564.8	7400.2	INVS LU Max	I	5106.8	9.5	-0.8	4523.9
			J	5106.8	9.5	1.9	4523.9
395.6	99653.3	Min	I	-49.6	-134.5	-1.6	-2505.0
			J	-49.6	-134.5	1.2	-2505.0
-48.2	-18361.0						
0.3	-3315.7						
418.1	5476.8	INVS LE Max	I	3737.1	7.5	-0.6	3178.5
			J	3737.1	7.5	1.4	3178.5
302.3	72841.4	Min	I	-46.0	-98.1	-1.2	-1967.0
			J	-46.0	-98.1	0.8	-1967.0
-32.9	-13262.9						
10.2	-2773.3						
9713	2	69 C1-C2;~1 Max	I	2430.7	68.3	0.1	1188.3
154.7	48722.9		J	2430.7	68.3	0.1	1188.3
297.4	4587.3	Min	I	-916.0	-25.4	-0.4	-3166.7
			J	-916.0	-25.4	-0.4	-3166.7
-96.6	-18292.2						
-89.4	-10211.0						
171.9	43648.3	C3-C4;~1 Max	I	2300.0	64.6	0.1	1371.5
			J	2300.0	64.6	0.1	1371.5
250.9	3332.6	Min	I	-1054.8	-29.3	-0.3	-3003.7
			J	-1054.8	-29.3	-0.3	-3003.7
-98.7	-20970.7						
-102.5	-12218.0						
98.1	27967.3	C1-C2;~2 Max	I	1397.3	39.2	0.1	599.9
			J	1397.3	39.2	0.1	599.9
177.9	2660.8	Min	I	-464.7	-12.9	-0.2	-1814.5
			J	-464.7	-12.9	-0.2	-1814.5
-56.2	-9311.7						
-45.9	-5690.1						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

111.2	24727.0	C3-C4; ~2	Max	I	1314.5	36.9	0.1	681.1
				J	1314.5	36.9	0.1	681.1
147.4	1638.1		Min	I	-526.0	-14.6	-0.2	-1711.6
-53.6	-10487.6			J	-526.0	-14.6	-0.2	-1711.6
-51.7	-6925.1							
		G1		I	1181.9	33.9	-1.2	-1584.0
-143.4	21538.2			J	1181.9	33.9	0.8	-1584.0
-12.2	-6047.2							
		G2		I	460.5	13.3	-0.1	-614.4
-17.3	8424.9			J	460.5	13.3	-0.1	-614.4
53.5	-2361.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-140.8	-4.2	0.0	279.0
4.7	-787.3			J	-140.8	-4.2	0.0	279.0
-7.0	2609.9							
		Q5_pc	Y	I	264.5	7.4	-0.0	-413.6
5.8	4945.2			J	264.5	7.4	-0.0	-413.6
23.4	-1085.4							
		Q5_ps	X	I	-127.4	-3.8	0.0	257.2
6.3	-458.8			J	-127.4	-3.8	0.0	257.2
-5.6	2635.4							
		Q5_ps	Y	I	252.8	7.1	-0.0	-394.5
6.3	4805.7			J	252.8	7.1	-0.0	-394.5
22.5	-954.3							
		INVSLE	Max	I	5269.7	143.6	-1.4	2313.3
168.0	99683.9			J	5269.7	143.6	1.3	2313.3
578.6	1547.9		Min	I	88.3	-1.4	-2.2	-4557.8
-207.8	-3303.8			J	88.3	-1.4	0.5	-4557.8
-3.4	-25837.2							
		INVSLE	Max	I	3858.1	104.9	-1.0	1826.2
135.4	72863.1			J	3858.1	104.9	1.0	1826.2
429.2	1174.4		Min	I	55.3	-1.6	-1.6	-3208.3
-142.2	-2764.7			J	55.3	-1.6	0.4	-3208.3
1.1	-18762.8							
9714	2	69 C1-C2; ~1	Max	I	2489.8	35.6	0.1	713.5
268.1	4586.1			J	2489.8	35.6	0.1	713.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
230.3	13147.1		Min	I	-913.4	-13.2	-0.1	-1905.3
-78.4	-10225.8			J	-913.4	-13.2	-0.1	-1905.3
-63.2	-37147.9							
		C3-C4;~1	Max	I	2353.4	33.6	0.1	822.8
223.1	3335.4			J	2353.4	33.6	0.1	822.8
213.0	15250.5		Min	I	-1053.2	-15.2	-0.1	-1808.0
-89.9	-12232.8			J	-1053.2	-15.2	-0.1	-1808.0
-73.1	-38395.6							
		C1-C2;~2	Max	I	1430.0	20.5	0.1	361.3
161.0	2659.1			J	1430.0	20.5	0.1	361.3
140.0	6573.4		Min	I	-459.9	-6.7	-0.0	-1092.6
-40.3	-5698.5			J	-459.9	-6.7	-0.0	-1092.6
-31.4	-21097.7							
		C3-C4;~2	Max	I	1343.4	19.2	0.1	409.8
131.6	1638.4			J	1343.4	19.2	0.1	409.8
127.7	7504.9		Min	I	-521.4	-7.5	-0.0	-1032.0
-45.4	-6933.5			J	-521.4	-7.5	-0.0	-1032.0
-35.8	-21761.2							
		G1		I	1239.0	17.6	-1.0	-946.1
-27.0	-6055.4			J	1239.0	17.6	1.0	-946.1
-31.5	-20350.7							
		G2		I	484.6	6.9	0.0	-366.5
47.8	-2364.5			J	484.6	6.9	0.0	-366.5
41.2	-7956.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-143.6	-2.2	0.0	171.8
-4.4	2611.4			J	-143.6	-2.2	0.0	171.8
-4.7	4394.3							
		Q5_pc	Y	I	259.3	3.9	0.0	-255.7
19.5	-1087.8			J	259.3	3.9	0.0	-255.7
9.3	-4246.0							
		Q5_ps	X	I	-130.5	-2.0	0.0	157.9
-3.2	2636.7			J	-130.5	-2.0	0.0	157.9
-4.3	4259.7							
		Q5_ps	Y	I	247.8	3.7	0.0	-244.0
18.8	-956.6			J	247.8	3.7	0.0	-244.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8.9	-3973.8							
		INVSLE	Max	I	5427.0	73.9	-1.1	1521.5
537.0	1546.8			J	5427.0	73.9	1.6	1521.5
436.6	-644.8							
			Min	I	177.2	-1.6	-1.4	-2621.7
18.6	-25859.2			J	177.2	-1.6	1.3	-2621.7
10.3	-80976.8							
		INVSLE	Max	I	3972.8	53.9	-0.9	1198.5
399.9	1174.2			J	3972.8	53.9	1.2	1198.5
326.5	-99.6							
			Min	I	118.6	-1.5	-1.1	-1836.5
18.6	-18778.3			J	118.6	-1.5	0.9	-1836.5
11.9	-59018.9							
		69 C1-C2;~1	Max	I	2515.1	1.6	0.1	125.6
9715	2			J	2515.1	1.6	0.1	125.6
219.6	13145.0							
			Min	I	-900.2	-2.2	-0.1	-95.3
217.5	13223.7			J	-900.2	-2.2	-0.1	-95.3
-59.8	-37143.2							
-60.0	-36746.1							
		C3-C4;~1	Max	I	2371.8	1.3	0.1	131.2
202.9	15248.1			J	2371.8	1.3	0.1	131.2
193.6	15316.4							
			Min	I	-1038.9	-1.9	-0.1	-92.7
-69.1	-38390.9			J	-1038.9	-1.9	-0.1	-92.7
-69.0	-38040.4							
		C1-C2;~2	Max	I	1444.7	1.0	0.1	72.2
133.8	6572.4			J	1444.7	1.0	0.1	72.2
132.7	6648.0							
			Min	I	-451.0	-1.4	-0.1	-53.9
-29.8	-21095.1			J	-451.0	-1.4	-0.1	-53.9
-31.0	-20874.1							
		C3-C4;~2	Max	I	1354.1	0.7	0.1	73.7
121.9	7503.7			J	1354.1	0.7	0.1	73.7
116.9	7577.0							
			Min	I	-511.9	-1.1	-0.0	-52.0
-33.9	-21758.7			J	-511.9	-1.1	-0.0	-52.0
-35.0	-21570.5							
		G1		I	1263.3	-0.5	-1.0	22.1
-36.9	-20348.1			J	1263.3	-0.5	1.0	22.1
-48.1	-19976.5							
		G2		I	494.5	-0.2	0.0	8.6
39.1	-7954.9			J	494.5	-0.2	0.0	8.6
34.7	-7810.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-143.2	0.0	-0.0
-3.6	4393.9			J	-143.2	0.0	-0.0
-3.5	4379.4						
			Q5_pc Y	I	255.1	0.1	-0.0
7.8	-4245.4			J	255.1	0.1	-0.0
15.5	-4296.9						
			Q5_ps X	I	-129.8	0.0	-0.0
-3.4	4259.4			J	-129.8	0.0	-0.0
-2.6	4245.7						
			Q5_ps Y	I	244.0	0.1	-0.0
7.4	-3973.1			J	244.0	0.1	-0.0
14.9	-4021.6						
			INVSLE Max	I	5500.2	1.6	-1.2
422.4	-645.7			J	5500.2	1.6	1.5
413.3	-33.5		Min	I	243.1	-3.7	-1.5
18.7	-80967.4			J	243.1	-3.7	1.2
-1.4	-79948.0						
			INVSLE Max	I	4026.9	1.2	-0.9
316.5	-100.4			J	4026.9	1.2	1.1
309.6	340.8		Min	I	166.7	-2.7	-1.1
18.5	-59012.1			J	166.7	-2.7	0.9
4.5	-58271.3						
9716	2	69	C1-C2;~1 Max	I	2516.3	12.5	0.1
228.2	13225.5			J	2516.3	12.5	0.1
273.1	5010.3		Min	I	-882.7	-36.0	-0.1
-63.7	-36750.8			J	-882.7	-36.0	-0.1
-76.4	-9594.1						
			C3-C4;~1 Max	I	2372.2	14.4	0.1
203.7	15318.5			J	2372.2	14.4	0.1
234.3	3793.6		Min	I	-1019.7	-33.9	-0.1
-73.2	-38045.0			J	-1019.7	-33.9	-0.1
-88.4	-11715.4						
			C1-C2;~2 Max	I	1445.2	6.2	0.0
138.9	6648.9			J	1445.2	6.2	0.0
163.8	2929.7		Min	I	-440.1	-20.7	-0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-32.8	-20876.8		J	-440.1	-20.7	-0.1	-344.6
-37.8	-5348.2						
122.6	7578.0	C3-C4;~2 Max	I	1354.6	7.0	0.0	1052.1
137.7	1950.0		J	1354.6	7.0	0.0	1052.1
-37.0	-21573.0	Min	I	-500.0	-19.3	-0.1	-393.1
-43.1	-6653.5		J	-500.0	-19.3	-0.1	-393.1
-42.4	-19979.3	G1	I	1273.4	-18.3	-1.0	992.9
-14.4	-5071.1		J	1273.4	-18.3	1.0	992.9
37.0	-7811.9	G2	I	497.9	-7.2	-0.0	384.7
52.6	-1984.6		J	497.9	-7.2	-0.0	384.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.5	4379.7	Q5_pc X	I	-141.4	2.2	-0.0	-169.4
-4.2	2618.1		J	-141.4	2.2	-0.0	-169.4
16.8	-4297.4	Q5_pc Y	I	249.0	-3.6	0.0	235.3
12.0	-1366.6		J	249.0	-3.6	0.0	235.3
-3.5	4246.0	Q5_ps X	I	-127.9	2.0	0.0	-156.8
-3.6	2644.9		J	-127.9	2.0	0.0	-156.8
16.2	-4022.1	Q5_ps Y	I	238.4	-3.4	0.0	224.3
11.5	-1218.4		J	238.4	-3.4	0.0	224.3
428.4	-33.4	INVSLU Max	I	5538.7	-0.9	-1.3	2752.4
559.1	3717.7		J	5538.7	-0.9	1.4	2752.4
-8.7	-79957.7	Min	I	316.8	-75.5	-1.6	-1369.6
49.5	-23574.5		J	316.8	-75.5	1.1	-1369.6
320.2	340.9	INVSLE Max	I	4056.9	-0.3	-1.0	1933.5
416.6	2755.0		J	4056.9	-0.3	1.0	1933.5
-1.3	-58278.3	Min	I	222.1	-55.1	-1.2	-1088.4
40.7	-17112.4		J	222.1	-55.1	0.8	-1088.4


MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9717	2	69	C1-C2;~1	Max	I	2493.2	24.3	0.4	3211.6
303.3	5012.2				J	2493.2	24.3	0.4	3211.6
177.1	50453.6								
				Min	I	-852.1	-69.5	-0.1	-1153.6
-86.7	-9578.8				J	-852.1	-69.5	-0.1	-1153.6
-83.1	-16675.8								
			C3-C4;~1	Max	I	2355.6	28.1	0.3	3047.5
262.9	3790.8				J	2355.6	28.1	0.3	3047.5
192.4	45116.9								
				Min	I	-986.0	-65.6	-0.1	-1336.0
-100.4	-11700.0				J	-986.0	-65.6	-0.1	-1336.0
-74.0	-19267.7								
			C1-C2;~2	Max	I	1433.2	12.1	0.2	1839.7
181.1	2931.8				J	1433.2	12.1	0.2	1839.7
111.1	28932.9								
				Min	I	-421.3	-39.9	-0.1	-574.0
-42.9	-5339.5				J	-421.3	-39.9	-0.1	-574.0
-47.6	-8201.4								
			C3-C4;~2	Max	I	1346.8	13.7	0.2	1735.5
154.0	1949.5				J	1346.8	13.7	0.2	1735.5
123.8	25550.9								
				Min	I	-479.5	-37.4	-0.1	-654.0
-48.8	-6644.7				J	-479.5	-37.4	-0.1	-654.0
-38.8	-9318.9								
				G1	I	1266.7	-35.5	-0.9	1645.0
1.2	-5062.0				J	1266.7	-35.5	1.1	1645.0
-105.7	23821.0								
				G2	I	493.2	-13.9	0.1	638.1
58.7	-1981.0				J	493.2	-13.9	0.1	638.1
-2.7	9305.4								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-136.9	4.1	-0.0	-275.6
-6.8	2616.7				J	-136.9	4.1	-0.0	-275.6
5.5	-740.0								
			Q5_pc	Y	I	235.9	-7.0	0.0	391.4
15.7	-1364.6				J	235.9	-7.0	0.0	391.4
-9.4	4307.2								
			Q5_ps	X	I	-123.5	3.7	-0.0	-254.6
-6.1	2643.6				J	-123.5	3.7	-0.0	-254.6
6.3	-402.7								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
15.1	-1216.6	Q5_ps Y	I	226.0	-6.7	0.0	373.3
			J	226.0	-6.7	0.0	373.3
-8.4	4210.6						
603.1	3721.1	INVS LU Max	I	5517.1	-3.8	-0.6	4737.7
			J	5517.1	-3.8	2.1	4737.7
286.8	105633.4						
		Min	I	395.7	-148.1	-1.4	-2106.1
29.8	-23550.3		J	395.7	-148.1	1.3	-2106.1
-101.9	3756.8						
		INVS LE Max	I	4044.0	-2.3	-0.5	3342.5
447.6	2756.9		J	4044.0	-2.3	1.5	3342.5
222.8	77280.6						
		Min	I	281.8	-108.2	-1.0	-1674.8
25.0	-17095.3		J	281.8	-108.2	1.0	-1674.8
-63.9	2390.8						
9718	2	69 C1-C2;~1 Max	I	2488.0	69.2	0.1	1123.0
181.6	50450.1		J	2488.0	69.2	0.1	1123.0
310.8	4821.5						
		Min	I	-840.9	-23.8	-0.4	-3200.4
-78.5	-16683.8		J	-840.9	-23.8	-0.4	-3200.4
-90.1	-9325.5						
		C3-C4;~1 Max	I	2349.8	65.3	0.1	1295.6
196.7	45115.6		J	2349.8	65.3	0.1	1295.6
268.0	3511.2						
		Min	I	-971.7	-27.5	-0.3	-3028.4
-71.7	-19276.8		J	-971.7	-27.5	-0.3	-3028.4
-104.0	-11402.8						
		C1-C2;~2 Max	I	1430.8	39.7	0.1	556.7
113.9	28928.9		J	1430.8	39.7	0.1	556.7
184.8	2837.7						
		Min	I	-414.3	-11.8	-0.2	-1834.5
-44.9	-8206.3		J	-414.3	-11.8	-0.2	-1834.5
-44.6	-5222.4						
		C3-C4;~2 Max	I	1344.1	37.3	0.1	630.5
126.6	25548.4		J	1344.1	37.3	0.1	630.5
156.7	1801.8						
		Min	I	-470.3	-13.4	-0.2	-1726.4
-37.5	-9324.3		J	-470.3	-13.4	-0.2	-1726.4
-50.7	-6510.7						
		G1	I	1265.3	35.4	-1.1	-1643.3
-102.0	23823.4		J	1265.3	35.4	0.9	-1643.3
2.8	-5013.5						
		G2	I	492.5	13.8	-0.1	-636.9
-1.1	9306.5						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
59.3	-1954.9		J	492.5	13.8	-0.1	-636.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	-740.6	Q5_pc X	I	-134.2	-4.0	0.0	271.9
-8.8	2489.2		J	-134.2	-4.0	0.0	271.9
9.4	4310.7	Q5_pc Y	I	224.6	6.3	-0.0	-361.6
21.1	-828.2		J	224.6	6.3	-0.0	-361.6
1.2	-403.2	Q5_ps X	I	-121.0	-3.6	0.0	251.0
-7.9	2524.3		J	-121.0	-3.6	0.0	251.0
9.3	4213.9	Q5_ps Y	I	215.5	6.1	-0.0	-345.4
20.2	-714.3		J	215.5	6.1	-0.0	-345.4
294.6	105633.6	INVS LU Max	I	5500.0	147.1	-1.3	2022.1
619.5	3335.3		J	5500.0	147.1	1.4	2022.1
-93.8	3743.0	Min	I	425.0	5.2	-2.1	-4698.5
21.6	-23047.9		J	425.0	5.2	0.6	-4698.5
228.2	77280.4	INVS LE Max	I	4032.3	107.5	-1.0	1614.2
459.3	2472.7		J	4032.3	107.5	1.0	1614.2
-58.3	2380.6	Min	I	303.0	3.2	-1.5	-3315.7
19.2	-16738.5		J	303.0	3.2	0.5	-3315.7
9719	2	69 C1-C2;~1 Max	I	2502.8	36.1	0.1	678.8
280.8	4819.6		J	2502.8	36.1	0.1	678.8
216.4	12869.7	Min	I	-862.6	-12.4	-0.1	-1935.2
-79.9	-9341.0		J	-862.6	-12.4	-0.1	-1935.2
-57.4	-36589.5						
239.7	3514.0	C3-C4;~1 Max	I	2356.4	33.9	0.1	783.1
193.8	14884.5		J	2356.4	33.9	0.1	783.1
-92.2	-11418.5	Min	I	-995.7	-14.3	-0.1	-1839.4
-66.4	-37792.4		J	-995.7	-14.3	-0.1	-1839.4
167.6	2835.6	C1-C2;~2 Max	I	1438.9	20.7	0.1	335.5

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
132.9	6448.6		J	1438.9	20.7	0.1	335.5
		Min	I	-429.0	-6.1	-0.0	-1108.6
-39.6	-5231.2		J	-429.0	-6.1	-0.0	-1108.6
-29.7	-20827.0						
		C3-C4;~2 Max	I	1347.1	19.4	0.1	379.9
140.5	1802.2		J	1347.1	19.4	0.1	379.9
117.5	7319.7	Min	I	-486.2	-6.9	-0.0	-1049.0
-45.0	-6519.6		J	-486.2	-6.9	-0.0	-1049.0
-33.7	-21479.1						
		G1	I	1269.4	18.4	-1.0	-994.1
-12.7	-5022.8		J	1269.4	18.4	1.0	-994.1
-46.3	-20006.5						
		G2	I	495.8	7.2	0.0	-384.8
53.3	-1958.5		J	495.8	7.2	0.0	-384.8
35.4	-7811.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-134.1	-2.1	-0.0	170.5
-6.2	2490.7		J	-134.1	-2.1	-0.0	170.5
-0.7	4208.5						
		Q5_pc Y	I	217.9	3.3	0.0	-226.6
17.7	-830.3		J	217.9	3.3	0.0	-226.6
4.7	-3544.2						
		Q5_ps X	I	-121.1	-1.9	-0.0	157.9
-5.5	2525.7		J	-121.1	-1.9	-0.0	157.9
-0.0	4085.8						
		Q5_ps Y	I	209.2	3.2	0.0	-216.3
16.9	-716.4		J	209.2	3.2	0.0	-216.3
4.8	-3318.2						
		INVSLU Max	I	5493.1	75.6	-1.1	1326.0
576.1	3331.9		J	5493.1	75.6	1.6	1326.0
401.0	-939.6	Min	I	377.9	1.6	-1.4	-2751.5
40.8	-23072.7		J	377.9	1.6	1.3	-2751.5
10.8	-79628.7						
		INVSLE Max	I	4025.7	55.2	-0.8	1056.6
428.7	2470.8		J	4025.7	55.2	1.2	1056.6
301.1	-326.7	Min	I	265.8	0.8	-1.0	-1933.6
34.5	-16756.1						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
12.7	-58053.8			J	265.8	0.8	1.0	-1933.6	
9720	2	69	C1-C2;~1	Max	I	2502.1	2.0	0.1	96.2
205.5	12867.9			J	2502.1	2.0	0.1	96.2	
231.8	12756.4			Min	I	-875.9	-1.9	-0.1	-125.8
-53.8	-36584.5			J	-875.9	-1.9	-0.1	-125.8	
-65.3	-36733.6								
			C3-C4;~1	Max	I	2352.0	1.7	0.1	94.4
183.6	14882.3			J	2352.0	1.7	0.1	94.4	
212.6	14775.9			Min	I	-1010.0	-1.5	-0.1	-132.0
-62.4	-37787.6			J	-1010.0	-1.5	-0.1	-132.0	
-75.2	-37928.3								
			C1-C2;~2	Max	I	1438.7	1.2	0.0	54.6
126.6	6447.7			J	1438.7	1.2	0.0	54.6	
140.1	6351.7			Min	I	-438.1	-1.1	-0.1	-71.9
-27.9	-20824.2			J	-438.1	-1.1	-0.1	-71.9	
-32.6	-20890.4								
			C3-C4;~2	Max	I	1344.9	1.0	0.0	53.0
111.7	7318.7			J	1344.9	1.0	0.0	53.0	
127.1	7223.8			Min	I	-495.8	-0.9	-0.1	-73.8
-31.7	-21476.5			J	-495.8	-0.9	-0.1	-73.8	
-36.9	-21528.2								
			G1	I	1258.7	0.2	-1.0	-21.5	
-52.2	-20003.6			J	1258.7	0.2	1.0	-21.5	
-33.3	-20201.7								
			G2	I	491.9	0.1	-0.0	-8.6	
33.2	-7810.7			J	491.9	0.1	-0.0	-8.6	
40.5	-7890.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-134.7	-0.0	0.0	6.3
0.3	4208.1			J	-134.7	-0.0	0.0	6.3	
-6.2	4236.9								
			Q5_pc	Y	I	215.2	0.1	-0.0	-13.1
3.3	-3543.6			J	215.2	0.1	-0.0	-13.1	
15.2	-3636.4								
			Q5_ps	X	I	-121.8	-0.0	0.0	6.7
0.9	4085.5								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.8	4114.0		J	-121.8	-0.0	0.0	6.7
3.5	-3317.7	Q5_ps Y	I	206.5	0.1	-0.0	-12.0
14.4	-3405.1		J	206.5	0.1	-0.0	-12.0
385.6	-939.7	INVS LU Max	I	5450.6	3.1	-1.3	89.6
446.1	-1290.2		J	5450.6	3.1	1.5	89.6
18.0	-79618.7	Min	I	322.0	-2.3	-1.6	-242.0
4.3	-80067.4		J	322.0	-2.3	1.2	-242.0
290.3	-326.8	INVS LE Max	I	3993.5	2.3	-0.9	66.4
333.3	-576.8		J	3993.5	2.3	1.1	66.4
18.4	-58046.5	Min	I	223.3	-1.7	-1.1	-177.5
8.0	-58365.4		J	223.3	-1.7	0.9	-177.5
9721	2	69 C1-C2;~1 Max	I	2477.4	12.5	0.1	1873.1
242.1	12758.4		J	2477.4	12.5	0.1	1873.1
257.0	4788.2	Min	I	-885.1	-34.8	-0.1	-678.0
-68.5	-36738.2		J	-885.1	-34.8	-0.1	-678.0
-71.8	-10575.4						
222.2	14778.2	C3-C4;~1 Max	I	2330.0	14.4	0.1	1771.4
213.1	3664.6		J	2330.0	14.4	0.1	1771.4
-79.0	-37932.8	Min	I	-1019.6	-32.7	-0.1	-780.7
-82.8	-12617.5		J	-1019.6	-32.7	-0.1	-780.7
146.0	6352.8	C1-C2;~2 Max	I	1424.3	6.3	0.0	1077.0
155.5	2738.4		J	1424.3	6.3	0.0	1077.0
-34.1	-20893.1	Min	I	-445.1	-20.0	-0.1	-342.7
-37.0	-5883.0		J	-445.1	-20.0	-0.1	-342.7
132.6	7224.9	C3-C4;~2 Max	I	1332.6	7.1	0.1	1014.0
126.4	1811.7		J	1332.6	7.1	0.1	1014.0
-38.7	-21530.7	Min	I	-503.2	-18.7	-0.0	-387.1
-41.9	-7128.5		J	-503.2	-18.7	-0.0	-387.1
-28.1	-20204.2	G1	I	1233.7	-17.2	-1.0	935.3
-30.9	-6174.8		J	1233.7	-17.2	1.0	935.3

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

42.5	-7891.7	G2	I	481.5	-6.7	-0.0	361.4
			J	481.5	-6.7	-0.0	361.4
46.2	-2418.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-133.9	2.0	-0.0	-158.3
-7.1	4237.3		J	-133.9	2.0	-0.0	-158.3
-0.7	2614.7						
		Q5_pc Y	I	210.8	-3.0	0.0	199.1
16.3	-3636.8		J	210.8	-3.0	0.0	199.1
7.0	-1206.9						
		Q5_ps X	I	-121.3	1.8	-0.0	-145.2
-6.6	4114.4		J	-121.3	1.8	-0.0	-145.2
0.3	2642.5						
		Q5_ps Y	I	202.3	-2.9	0.0	190.8
15.5	-3405.5		J	202.3	-2.9	0.0	190.8
7.1	-1073.0						
		INVSLU Max	I	5373.8	-0.0	-1.3	2519.6
459.3	-1289.5		J	5373.8	-0.0	1.4	2519.6
510.8	1768.8						
		Min	I	273.5	-71.8	-1.5	-1421.4
-3.4	-80076.5		J	273.5	-71.8	1.2	-1421.4
39.5	-26435.4						
		INVSLE Max	I	3937.6	0.3	-0.9	1765.6
342.5	-576.2		J	3937.6	0.3	1.1	1765.6
381.7	1346.7						
		Min	I	187.7	-52.5	-1.1	-1127.2
1.9	-58372.0		J	187.7	-52.5	0.9	-1127.2
33.5	-19196.6						
		69 C1-C2;~1 Max	I	2410.1	24.6	0.4	3139.9
9722	2		J	2410.1	24.6	0.4	3139.9
286.6	4789.7						
153.3	48319.6						
		Min	I	-878.8	-68.0	-0.1	-1140.4
-82.5	-10561.2		J	-878.8	-68.0	-0.1	-1140.4
-101.0	-17439.6						
		C3-C4;~1 Max	I	2266.6	28.3	0.3	2964.3
240.9	3659.0		J	2266.6	28.3	0.3	2964.3
170.8	42830.5						
		Min	I	-1011.1	-64.0	-0.1	-1313.1
-95.0	-12603.4		J	-1011.1	-64.0	-0.1	-1313.1
-101.8	-19966.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

172.5	2740.2	C1-C2;~2	Max	I	1387.9	12.4	0.2	1802.4
				J	1387.9	12.4	0.2	1802.4
97.2	27763.9		Min	I	-445.8	-39.1	-0.1	-574.6
-42.4	-5874.9			J	-445.8	-39.1	-0.1	-574.6
-58.4	-8895.3							
		C3-C4;~2	Max	I	1298.9	14.0	0.2	1693.3
142.3	1809.1			J	1298.9	14.0	0.2	1693.3
110.3	24343.3		Min	I	-503.1	-36.6	-0.1	-649.1
-48.0	-7120.4			J	-503.1	-36.6	-0.1	-649.1
-55.4	-9986.7							
		G1		I	1174.4	-33.8	-0.8	1576.3
-16.0	-6166.8			J	1174.4	-33.8	1.2	1576.3
-145.0	21366.3							
		G2		I	456.2	-13.2	0.1	610.1
52.0	-2415.5			J	456.2	-13.2	0.1	610.1
-18.0	8322.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-127.0	3.9	-0.0	-263.1
-3.2	2613.4			J	-127.0	3.9	-0.0	-263.1
9.4	-545.3							
		Q5_pc	Y	I	197.4	-5.9	0.0	336.6
10.2	-1205.3			J	197.4	-5.9	0.0	336.6
-11.7	3578.4							
		Q5_ps	X	I	-114.4	3.5	-0.0	-242.2
-2.0	2641.3			J	-114.4	3.5	-0.0	-242.2
10.8	-227.1							
		Q5_ps	Y	I	189.9	-5.6	0.0	322.2
10.1	-1071.5			J	189.9	-5.6	0.0	322.2
-10.2	3519.2							
		INVSLU	Max	I	5189.5	-1.7	-0.5	4452.0
552.0	1770.4			J	5189.5	-1.7	2.2	4452.0
169.5	98154.1		Min	I	215.6	-142.2	-1.3	-2165.4
18.5	-26414.6			J	215.6	-142.2	1.4	-2165.4
-219.6	-472.5							
		INVSLE	Max	I	3804.4	-0.6	-0.4	3136.2
410.7	1347.3			J	3804.4	-0.6	1.6	3136.2

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
136.2	71851.5		Min	I	146.3	-103.9	-1.0	-1720.7	
16.8	-19182.0			J	146.3	-103.9	1.0	-1720.7	
-150.4	-728.1								
9723	2	69	C1-C2;~1	Max	I	2354.4	64.4	0.1	1208.4
212.0	48337.9			J	2354.4	64.4	0.1	1208.4	
306.8	5154.2		Min	I	-881.5	-24.9	-0.3	-3025.2	
-65.9	-17435.9			J	-881.5	-24.9	-0.3	-3025.2	
-103.7	-7808.5								
			C3-C4;~1	Max	I	2206.2	60.2	0.2	1385.5
224.6	42866.2			J	2206.2	60.2	0.2	1385.5	
267.6	3727.2		Min	I	-1012.8	-28.6	-0.2	-2849.1	
-54.7	-19962.3			J	-1012.8	-28.6	-0.2	-2849.1	
-119.4	-9698.6								
			C1-C2;~2	Max	I	1358.0	37.1	0.1	622.2
131.3	27775.7			J	1358.0	37.1	0.1	622.2	
181.8	3056.2		Min	I	-451.4	-12.8	-0.2	-1739.4	
-37.0	-8892.4			J	-451.4	-12.8	-0.2	-1739.4	
-52.5	-4441.0								
			C3-C4;~2	Max	I	1266.3	34.5	0.1	699.1
143.5	24368.0			J	1266.3	34.5	0.1	699.1	
156.0	1987.4		Min	I	-508.5	-14.4	-0.1	-1629.4	
-27.8	-9983.7			J	-508.5	-14.4	-0.1	-1629.4	
-59.3	-5611.9								
			G1	I	1113.8	30.1	-1.1	-1412.4	
-60.4	21378.5			J	1113.8	30.1	0.9	-1412.4	
-6.0	-3153.6								
			G2	I	432.3	11.7	-0.0	-544.9	
15.3	8327.2			J	432.3	11.7	-0.0	-544.9	
55.6	-1232.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-120.9	-3.5	0.0	253.3	
-4.7	-546.5			J	-120.9	-3.5	0.0	253.3	
-10.2	2323.4								
			Q5_pc Y	I	184.8	5.2	-0.0	-315.4	
12.4	3580.4			J	184.8	5.2	-0.0	-315.4	
18.7	-655.2								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-4.2	-228.2	Q5_ps X	I	-108.1	-3.2	0.0	233.6
-9.7	2353.8		J	-108.1	-3.2	0.0	233.6
11.8	3521.1	Q5_ps Y	I	178.3	5.0	-0.0	-302.1
17.8	-561.5		J	178.3	5.0	-0.0	-302.1
411.1	98147.7	INVS LU Max	I	4992.7	130.7	-1.2	2208.3
570.1	6924.9		J	4992.7	130.7	1.5	2208.3
-3.4	-502.4	Min	I	114.2	-4.2	-1.8	-4313.7
-38.9	-17308.3		J	114.2	-4.2	0.9	-4313.7
313.0	71847.1	INVS LE Max	I	3660.1	95.5	-0.9	1754.7
422.5	5132.7		J	3660.1	95.5	1.1	1754.7
7.6	-749.6	Min	I	71.0	-3.7	-1.4	-3034.4
-26.0	-12508.0		J	71.0	-3.7	0.6	-3034.4
9724	2	69 C1-C2;~1 Max	I	2317.8	33.0	0.2	747.1
277.9	5151.7		J	2317.8	33.0	0.2	747.1
185.9	13212.8	Min	I	-896.7	-12.8	-0.1	-1843.4
-92.1	-7823.4		J	-896.7	-12.8	-0.1	-1843.4
-47.4	-32356.5						
240.4	3730.1	C3-C4;~1 Max	I	2159.0	30.8	0.2	856.8
158.5	15270.1		J	2159.0	30.8	0.2	856.8
-106.1	-9713.9	Min	I	-1028.9	-14.7	-0.1	-1756.1
-55.6	-33468.2		J	-1028.9	-14.7	-0.1	-1756.1
165.3	3053.9	C1-C2;~2 Max	I	1337.7	19.0	0.1	383.5
116.4	6861.4		J	1337.7	19.0	0.1	383.5
-46.6	-4449.5	Min	I	-462.9	-6.6	-0.0	-1058.3
-25.0	-18536.4		J	-462.9	-6.6	-0.0	-1058.3
140.5	1988.0	C3-C4;~2 Max	I	1239.7	17.6	0.1	431.1
98.2	7774.5		J	1239.7	17.6	0.1	431.1
-52.6	-5620.8	Min	I	-520.7	-7.4	-0.0	-1003.8
-28.6	-19151.7		J	-520.7	-7.4	-0.0	-1003.8
		G1	I	1060.1	15.4	-0.9	-867.8

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-19.5	-3162.6		J	1060.1	15.4	1.1	-867.8
-76.0	-15722.4						
		G2	I	412.9	6.0	0.0	-334.0
50.4	-1235.5		J	412.9	6.0	0.0	-334.0
23.6	-6133.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-117.6	-1.9	-0.0	161.8
-7.7	2324.9		J	-117.6	-1.9	-0.0	161.8
3.7	3842.5						
		Q5_pc Y	I	176.3	2.7	0.0	-201.1
15.7	-657.1		J	176.3	2.7	0.0	-201.1
-0.1	-2888.1						
		Q5_ps X	I	-104.9	-1.7	-0.0	150.4
-7.4	2355.2		J	-104.9	-1.7	-0.0	150.4
4.8	3730.7						
		Q5_ps Y	I	170.3	2.6	0.0	-192.1
14.8	-563.4		J	170.3	2.6	0.0	-192.1
0.5	-2709.6						
		INVSLE Max	I	4806.4	66.2	-1.0	1410.9
529.3	6921.4		J	4806.4	66.2	1.7	1410.9
302.0	6281.1						
		Min	I	-28.9	-3.1	-1.4	-2596.3
-17.3	-17332.0		J	-28.9	-3.1	1.3	-2596.3
-30.5	-66431.9						
		INVSLE Max	I	3521.2	48.4	-0.7	1121.3
393.9	5130.7		J	3521.2	48.4	1.3	1121.3
228.6	4971.6						
		Min	I	-37.0	-2.6	-1.0	-1820.1
-8.9	-12524.7		J	-37.0	-2.6	1.0	-1820.1
-17.2	-48377.6						
9725	2	69 C1-C2;~1 Max	I	2275.6	2.4	0.1	90.1
176.0	13210.4		J	2275.6	2.4	0.1	90.1
220.2	13242.3						
		Min	I	-912.1	-1.8	-0.1	-233.5
-44.3	-32351.0		J	-912.1	-1.8	-0.1	-233.5
-80.4	-32988.0						
		C3-C4;~1 Max	I	2117.6	2.1	0.1	96.1
149.2	15267.4		J	2117.6	2.1	0.1	96.1
204.0	15341.1						
		Min	I	-1045.5	-1.3	-0.2	-238.6

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-52.3	-33462.8		J	-1045.5	-1.3	-0.2	-238.6
-92.4	-34133.4						
110.6	6860.2	C1-C2;~2 Max	I	1313.5	1.5	0.1	44.6
133.3	6835.2		J	1313.5	1.5	0.1	44.6
-23.3	-18533.3	Min	I	-473.1	-1.1	-0.1	-134.4
-41.1	-18845.1		J	-473.1	-1.1	-0.1	-134.4
92.8	7773.2	C3-C4;~2 Max	I	1216.4	1.2	0.1	47.7
122.2	7767.3		J	1216.4	1.2	0.1	47.7
-26.8	-19148.7	Min	I	-531.5	-0.8	-0.1	-135.0
-46.3	-19462.6		J	-531.5	-0.8	-0.1	-135.0
-81.3	-15719.3	G1	I	1006.9	0.9	-1.0	-97.7
-55.6	-16425.7		J	1006.9	0.9	1.0	-97.7
21.6	-6132.2	G2	I	392.3	0.3	-0.0	-37.4
31.4	-6415.5		J	392.3	0.3	-0.0	-37.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.7	3842.0	Q5_pc X	I	-117.9	-0.1	0.0	18.2
-8.6	3899.1		J	-117.9	-0.1	0.0	18.2
-1.4	-2887.5	Q5_pc Y	I	173.2	0.2	-0.0	-25.8
13.1	-3027.3		J	173.2	0.2	-0.0	-25.8
5.7	3730.2	Q5_ps X	I	-105.8	-0.1	0.0	19.0
-8.8	3793.0		J	-105.8	-0.1	0.0	19.0
-0.7	-2709.0	Q5_ps Y	I	167.2	0.2	-0.0	-23.7
12.2	-2837.8		J	167.2	0.2	-0.0	-23.7
289.6	6278.4	INVSLU Max	I	4615.8	5.3	-1.1	15.7
335.0	4867.6		J	4615.8	5.3	1.6	15.7
-27.0	-66423.0	Min	I	-179.4	-0.7	-1.6	-482.5
-110.7	-68941.4		J	-179.4	-0.7	1.1	-482.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
220.0	4969.4	INVSLE Max	I	3379.2	4.0	-0.8	16.8
			J	3379.2	4.0	1.2	16.8
250.1	3893.7	Min	I	-149.7	-0.5	-1.2	-348.8
-14.0	-48371.2		J	-149.7	-0.5	0.8	-348.8
-78.3	-50259.7						
9726	2	69 C1-C2;~1 Max	I	2193.9	13.2	0.1	1677.9
227.1	13254.5		J	2193.9	13.2	0.1	1677.9
241.6	5619.2	Min	I	-915.6	-31.9	-0.1	-687.5
-83.3	-33014.8		J	-915.6	-31.9	-0.1	-687.5
-72.3	-9675.3						
		C3-C4;~1 Max	I	2044.3	15.1	0.1	1552.4
210.1	15355.0		J	2044.3	15.1	0.1	1552.4
192.7	3636.5	Min	I	-1048.5	-29.5	-0.1	-785.4
-95.7	-34159.0		J	-1048.5	-29.5	-0.1	-785.4
-83.1	-11604.0						
		C1-C2;~2 Max	I	1266.3	6.9	0.0	970.9
137.4	6841.5		J	1266.3	6.9	0.0	970.9
146.7	3307.3	Min	I	-477.1	-18.5	-0.1	-360.6
-42.6	-18860.4		J	-477.1	-18.5	-0.1	-360.6
-38.4	-5356.4						
		C3-C4;~2 Max	I	1174.8	7.8	0.1	895.9
125.7	7774.4		J	1174.8	7.8	0.1	895.9
115.2	1757.1	Min	I	-535.3	-17.0	-0.0	-403.4
-48.1	-19477.2		J	-535.3	-17.0	-0.0	-403.4
-43.1	-6514.0						
		G1	I	933.8	-13.2	-1.0	700.7
-52.7	-16437.9		J	933.8	-13.2	1.0	700.7
-54.1	-5670.4						
		G2	I	363.0	-5.1	-0.0	269.3
32.6	-6420.2		J	363.0	-5.1	-0.0	269.3
36.5	-2242.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-116.1	1.8	-0.0	-139.0
-9.2	3901.6		J	-116.1	1.8	-0.0	-139.0
0.1	2453.8						
		Q5_pc Y	I	167.4	-2.4	0.0	164.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
13.8	-3030.3			J	167.4	-2.4	0.0	164.5
5.2	-1057.5							
-9.3	3795.3	Q5_ps X		I	-104.9	1.6	-0.0	-125.7
1.5	2496.5			J	-104.9	1.6	-0.0	-125.7
12.8	-2840.7	Q5_ps Y		I	161.4	-2.3	0.0	158.8
5.6	-934.0			J	161.4	-2.3	0.0	158.8
341.8	4893.1	INVS LU Max		I	4356.1	8.6	-1.2	2013.2
385.1	1804.1			J	4356.1	8.6	1.5	2013.2
-118.8	-68973.7	Min		I	-322.4	-59.2	-1.6	-1608.3
-62.5	-25864.0			J	-322.4	-59.2	1.1	-1608.3
254.7	3913.9	INVS LE Max		I	3187.8	6.8	-0.9	1398.0
287.8	1231.8			J	3187.8	6.8	1.1	1398.0
-84.6	-50282.1	Min		I	-255.4	-43.1	-1.2	-1262.7
-43.1	-18935.9			J	-255.4	-43.1	0.8	-1262.7
9727	2	69 C1-C2;~1 Max		I	2074.7	25.9	0.4	2946.9
268.9	5621.7			J	2074.7	25.9	0.4	2946.9
119.0	44218.4	Min		I	-897.4	-61.3	-0.1	-1232.4
-83.4	-9659.9			J	-897.4	-61.3	-0.1	-1232.4
-115.3	-18662.5							
217.9	3632.1	C3-C4;~1 Max		I	1927.9	29.6	0.3	2743.9
136.7	38253.9			J	1927.9	29.6	0.3	2743.9
-95.7	-11589.4	Min		I	-1025.6	-57.1	-0.2	-1409.0
-122.3	-21109.4			J	-1025.6	-57.1	-0.2	-1409.0
162.5	3309.8	C1-C2;~2 Max		I	1201.0	13.5	0.2	1699.8
75.4	25520.0			J	1201.0	13.5	0.2	1699.8
-44.2	-5347.4	Min		I	-471.3	-35.4	-0.1	-643.8
-66.8	-9851.0			J	-471.3	-35.4	-0.1	-643.8
129.7	1758.3	C3-C4;~2 Max		I	1111.9	15.2	0.2	1577.4
87.9	21899.7			J	1111.9	15.2	0.2	1577.4
-49.6	-6505.5	Min		I	-527.6	-32.8	-0.1	-720.9
				J	-527.6	-32.8	-0.1	-720.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-67.8	-10908.6						
		G1	I	822.4	-25.6	-0.8	1253.8
-42.4	-5663.4		J	822.4	-25.6	1.2	1253.8
-180.7	15193.7						
		G2	I	317.3	-9.9	0.1	482.3
41.0	-2239.7		J	317.3	-9.9	0.1	482.3
-31.0	5853.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-105.6	3.4	-0.0	-245.3
-2.2	2452.4		J	-105.6	3.4	-0.0	-245.3
13.8	-347.6						
		Q5_pc Y	I	152.7	-4.8	0.0	294.2
8.0	-1055.7		J	152.7	-4.8	0.0	294.2
-13.5	2811.7						
		Q5_ps X	I	-94.3	3.1	-0.0	-224.3
-0.6	2495.3		J	-94.3	3.1	-0.0	-224.3
15.5	-32.8						
		Q5_ps Y	I	147.8	-4.6	0.0	282.9
8.2	-932.2		J	147.8	-4.6	0.0	282.9
-11.7	2798.4						
		INVSLU Max	I	3996.2	15.5	-0.5	3807.1
419.6	1802.7		J	3996.2	15.5	2.2	3807.1
20.8	77634.5						
		Min	I	-464.2	-115.8	-1.3	-2602.9
-86.9	-25846.6		J	-464.2	-115.8	1.4	-2602.9
-353.6	-15619.1						
		INVSLE Max	I	2924.7	12.2	-0.4	2663.1
311.8	1230.0		J	2924.7	12.2	1.6	2663.1
25.3	56520.3						
		Min	I	-358.8	-84.4	-1.0	-2045.8
-62.3	-18923.9		J	-358.8	-84.4	1.0	-2045.8
-250.2	-12181.5						
		69 C1-C2;~1 Max	I	1974.8	55.5	0.1	1275.6
9728	2		J	1974.8	55.5	0.1	1275.6
211.7	44244.6						
		Min	I	-891.3	-25.9	-0.3	-2560.8
262.8	6440.5		J	-891.3	-25.9	-0.3	-2560.8
-69.1	-18656.9						
-109.5	-5830.0						
		C3-C4;~1 Max	I	1819.3	50.8	0.2	1449.2
219.7	38291.0						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
226.4	4656.3		J	1819.3	50.8	0.2	1449.2
		Min	I	-1016.3	-29.6	-0.2	-2396.1
-50.2	-21103.7		J	-1016.3	-29.6	-0.2	-2396.1
-125.7	-7531.3						
		C1-C2;~2 Max	I	1147.0	32.2	0.1	678.7
128.3	25535.8		J	1147.0	32.2	0.1	678.7
155.9	3779.2	Min	I	-472.4	-13.8	-0.2	-1485.9
-38.5	-9847.4		J	-472.4	-13.8	-0.2	-1485.9
-57.1	-3308.8						
		C3-C4;~2 Max	I	1053.2	29.4	0.1	754.8
138.8	21924.6		J	1053.2	29.4	0.1	754.8
132.2	2610.2	Min	I	-527.4	-15.4	-0.1	-1384.1
-25.9	-10905.0		J	-527.4	-15.4	-0.1	-1384.1
-64.3	-4347.5						
		G1	I	707.1	19.0	-1.0	-850.1
-42.1	15214.1		J	707.1	19.0	1.0	-850.1
-47.0	-279.8						
		G2	I	272.1	7.3	-0.0	-324.8
23.3	5861.6		J	272.1	7.3	-0.0	-324.8
39.0	-113.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-95.4	-3.0	0.0	235.8
-8.1	-347.4		J	-95.4	-3.0	0.0	235.8
-11.2	2126.3						
		Q5_pc Y	I	138.8	4.1	-0.0	-293.4
13.5	2809.5		J	138.8	4.1	-0.0	-293.4
15.0	-508.2						
		Q5_ps X	I	-83.8	-2.7	0.0	218.4
-8.3	-32.3		J	-83.8	-2.7	0.0	218.4
-11.0	2154.6						
		Q5_ps Y	I	134.9	4.0	-0.0	-281.0
12.6	2796.5		J	134.9	4.0	-0.0	-281.0
14.1	-430.6						
		INVSLU Max	I	3631.2	95.2	-1.0	2577.4
427.0	77588.6		J	3631.2	95.2	1.7	2577.4
358.7	12365.6	Min	I	-656.6	-26.9	-1.6	-3364.2
12.8	-15688.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-192.7	-10323.6		J	-656.6	-26.9	1.1	-3364.2
324.2	56485.4	INVSLE Max	I	2655.9	69.2	-0.7	2011.0
265.3	9054.7		J	2655.9	69.2	1.3	2011.0
19.2	-12234.3	Min	I	-501.7	-20.7	-1.1	-2351.1
-141.2	-7468.6		J	-501.7	-20.7	0.9	-2351.1
9729	2	69 C1-C2;~1 Max	I	1905.3	29.3	0.2	790.0
238.8	6435.0		J	1905.3	29.3	0.2	790.0
168.0	13566.6	Min	I	-906.1	-13.7	-0.1	-1541.3
-97.3	-5842.1		J	-906.1	-13.7	-0.1	-1541.3
-60.5	-26097.7						
204.2	4652.0	C3-C4;~1 Max	I	1734.0	26.8	0.2	898.7
135.5	15717.6		J	1734.0	26.8	0.2	898.7
-111.9	-7543.3	Min	I	-1030.8	-15.6	-0.1	-1471.0
-70.6	-27032.6		J	-1030.8	-15.6	-0.1	-1471.0
142.0	3775.7	C1-C2;~2 Max	I	1109.2	17.0	0.1	418.5
104.4	7263.9		J	1109.2	17.0	0.1	418.5
-50.7	-3316.3	Min	I	-484.0	-7.2	-0.0	-892.3
-31.2	-15018.4		J	-484.0	-7.2	-0.0	-892.3
119.5	2607.1	C3-C4;~2 Max	I	1006.3	15.4	0.1	466.1
83.7	8245.7		J	1006.3	15.4	0.1	466.1
-57.1	-4354.9	Min	I	-539.1	-8.1	-0.0	-847.7
-35.5	-15701.1		J	-539.1	-8.1	-0.0	-847.7
-55.1	-288.0	G1	I	601.0	10.3	-0.9	-527.2
-114.5	-8660.6		J	601.0	10.3	1.1	-527.2
36.0	-116.4	G2	I	232.4	4.0	0.0	-201.8
8.5	-3339.1		J	232.4	4.0	0.0	-201.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-8.9	2128.0	Q5_pc X	I	-88.5	-1.8	-0.0	158.3
			J	-88.5	-1.8	-0.0	158.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.9	3566.4							
12.1	-510.4	Q5_pc	Y	I	128.6	2.2	0.0	-194.4
-1.1	-2331.7			J	128.6	2.2	0.0	-194.4
-8.9	2156.2	Q5_ps	X	I	-76.8	-1.6	-0.0	149.2
6.3	3445.5			J	-76.8	-1.6	-0.0	149.2
11.4	-432.7	Q5_ps	Y	I	125.5	2.2	0.0	-185.1
-0.2	-2199.1			J	125.5	2.2	0.0	-185.1
327.2	12359.6	INVS LU	Max	I	3288.6	49.7	-1.0	1586.8
156.3	19574.9			J	3288.6	49.7	1.7	1586.8
-168.1	-10341.6		Min	I	-906.6	-15.0	-1.4	-2057.1
-174.6	-44557.4			J	-906.6	-15.0	1.3	-2057.1
243.2	9051.0	INVS LE	Max	I	2400.6	36.1	-0.7	1238.1
120.2	14799.3			J	2400.6	36.1	1.3	1238.1
-122.0	-7481.0		Min	I	-689.8	-11.6	-1.0	-1435.2
-124.2	-32230.6			J	-689.8	-11.6	1.0	-1435.2
9730	2	69 C1-C2;~1	Max	I	1864.3	3.5	0.1	137.4
160.9	13564.0			J	1864.3	3.5	0.1	137.4
217.2	13656.8		Min	I	-943.8	-1.9	-0.2	-193.1
-58.1	-26092.8			J	-943.8	-1.9	-0.2	-193.1
-93.7	-27585.9							
128.8	15714.7	C3-C4;~1	Max	I	1694.4	3.1	0.1	106.8
203.7	15897.9			J	1694.4	3.1	0.1	106.8
-69.8	-27028.0		Min	I	-1072.5	-1.2	-0.2	-221.8
-108.5	-28498.1			J	-1072.5	-1.2	-0.2	-221.8
100.1	7262.6	C1-C2;~2	Max	I	1085.9	2.0	0.0	76.1
130.1	7253.5			J	1085.9	2.0	0.0	76.1
-29.6	-15015.4		Min	I	-506.1	-1.1	-0.1	-107.8
-48.6	-15722.9			J	-506.1	-1.1	-0.1	-107.8
79.6	8244.2	C3-C4;~2	Max	I	984.3	1.8	0.0	59.6
120.7	8281.2			J	984.3	1.8	0.0	59.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-562.9	-0.7	-0.1	-123.5
-35.1	-15698.5			J	-562.9	-0.7	-0.1	-123.5
-55.2	-16436.5							
			G1	I	518.8	2.0	-1.1	-75.9
-117.8	-8658.3			J	518.8	2.0	0.9	-75.9
-60.8	-10312.6							
			G2	I	200.6	0.8	-0.0	-31.3
7.2	-3338.3			J	200.6	0.8	-0.0	-31.3
29.5	-3966.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-88.6	-0.3	0.0	21.0
5.9	3566.1			J	-88.6	-0.3	0.0	21.0
-10.6	3811.3							
			Q5_pc Y	I	125.5	0.2	-0.0	-24.8
-2.4	-2331.4			J	125.5	0.2	-0.0	-24.8
11.8	-2496.9							
			Q5_ps X	I	-77.8	-0.3	0.0	24.1
7.4	3445.2			J	-77.8	-0.3	0.0	24.1
-10.9	3681.8							
			Q5_ps Y	I	122.3	0.2	-0.0	-21.8
-1.5	-2198.8			J	122.3	0.2	-0.0	-21.8
11.0	-2355.2							
			INVSLU Max	I	3003.4	7.9	-1.2	-37.5
147.8	19571.8			J	3003.4	7.9	1.5	-37.5
254.6	17645.8							
			Min	I	-1187.2	0.1	-1.7	-567.0
-174.3	-44549.8			J	-1187.2	0.1	1.0	-567.0
-206.5	-49149.2							
			INVSLE Max	I	2185.5	5.8	-0.9	-31.2
114.3	14796.9			J	2185.5	5.8	1.1	-31.2
188.7	13401.8							
			Min	I	-901.9	0.0	-1.2	-420.1
-123.5	-32225.1			J	-901.9	0.0	0.8	-420.1
-151.2	-35567.8							
			69 C1-C2;~1 Max	I	1815.2	13.8	0.1	1393.7
9731	2			J	1815.2	13.8	0.1	1393.7
224.8	13659.2							
			Min	I	-984.9	-25.1	-0.1	-717.1
211.6	5721.3			J	-984.9	-25.1	-0.1	-717.1
-97.5	-27588.9							
-82.1	-10311.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

210.4	15900.6	C3-C4;~1	Max	I	1653.2	15.6	0.2	1257.0
				J	1653.2	15.6	0.2	1257.0
150.1	3982.0		Min	I	-1118.0	-22.5	-0.1	-808.2
-112.8	-28500.9			J	-1118.0	-22.5	-0.1	-808.2
-94.7	-11920.4							
		C1-C2;~2	Max	I	1058.1	7.5	0.1	817.9
134.5	7254.8			J	1058.1	7.5	0.1	817.9
128.8	3413.7		Min	I	-530.0	-14.7	-0.1	-389.0
-50.7	-15724.8			J	-530.0	-14.7	-0.1	-389.0
-43.4	-5761.0							
		C3-C4;~2	Max	I	961.5	8.2	0.1	739.7
124.7	8282.6			J	961.5	8.2	0.1	739.7
90.3	2031.1		Min	I	-588.9	-13.2	-0.0	-428.8
-57.5	-16438.1			J	-588.9	-13.2	-0.0	-428.8
-48.9	-6716.9							
		G1		I	427.9	-4.8	-0.9	308.0
-59.3	-10312.9			J	427.9	-4.8	1.1	308.0
-112.2	-6388.3							
		G2		I	164.3	-1.9	0.0	113.4
30.0	-3966.9			J	164.3	-1.9	0.0	113.4
13.3	-2447.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-86.7	1.2	-0.0	-124.0
-11.2	3811.6			J	-86.7	1.2	-0.0	-124.0
7.1	2869.5							
		Q5_pc	Y	I	119.9	-1.8	0.0	151.4
12.6	-2497.3			J	119.9	-1.8	0.0	151.4
-4.0	-1055.1							
		Q5_ps	X	I	-76.8	1.0	-0.0	-110.2
-11.4	3682.1			J	-76.8	1.0	-0.0	-110.2
8.8	2857.4							
		Q5_ps	Y	I	116.6	-1.7	0.0	147.0
11.7	-2355.5			J	116.6	-1.7	0.0	147.0
-2.8	-953.1							
		INVSLU	Max	I	2681.0	23.5	-1.0	1277.1
259.9	17650.3			J	2681.0	23.5	1.7	1277.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
190.1	2320.1						
		Min	I	-1494.6	-34.5	-1.4	-1968.0
-218.4	-49152.6		J	-1494.6	-34.5	1.3	-1968.0
-236.3	-26661.3						
		INVSLE Max	I	1942.5	17.8	-0.8	860.9
192.2	13405.1		J	1942.5	17.8	1.2	860.9
142.9	1683.5						
		Min	I	-1134.6	-24.9	-1.1	-1522.6
-160.5	-35570.2		J	-1134.6	-24.9	0.9	-1522.6
-172.0	-19401.6						
9732	2	69 C1-C2;~1 Max	I	1721.6	27.6	0.3	2324.3
232.0	5722.0		J	1721.6	27.6	0.3	2324.3
181.9	34458.4						
		Min	I	-984.8	-49.3	-0.1	-1243.8
-91.8	-10303.1		J	-984.8	-49.3	-0.1	-1243.8
-117.1	-20245.4						
		C3-C4;~1 Max	I	1555.7	31.2	0.2	2121.0
168.1	3978.7		J	1555.7	31.2	0.2	2121.0
196.3	28423.7						
		Min	I	-1114.0	-44.8	-0.2	-1404.7
-105.4	-11913.3		J	-1114.0	-44.8	-0.2	-1404.7
-140.0	-22378.3						
		C1-C2;~2 Max	I	1012.1	14.9	0.2	1357.3
141.0	3414.6		J	1012.1	14.9	0.2	1357.3
119.4	20224.4						
		Min	I	-534.0	-28.8	-0.1	-671.5
-48.9	-5755.6		J	-534.0	-28.8	-0.1	-671.5
-60.6	-11062.6						
		C3-C4;~2 Max	I	913.2	16.5	0.1	1239.1
101.1	2029.9		J	913.2	16.5	0.1	1239.1
128.3	16610.2						
		Min	I	-591.1	-26.2	-0.1	-742.0
-54.8	-6712.5		J	-591.1	-26.2	-0.1	-742.0
-73.0	-11956.1						
		G1	I	285.1	-10.1	-0.9	543.8
-107.2	-6387.5		J	285.1	-10.1	1.1	543.8
-185.8	1837.7						
		G2	I	106.3	-3.9	0.1	203.2
15.2	-2447.1		J	106.3	-3.9	0.1	203.2
-32.3	716.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.1	2868.5	Q5_pc X	I	-70.6	2.4	-0.0	-217.3
			J	-70.6	2.4	-0.0	-217.3
23.4	889.9						
		Q5_pc Y	I	102.5	-3.5	0.0	263.0
-1.5	-1053.7		J	102.5	-3.5	0.0	263.0
-21.8	1777.2						
		Q5_ps X	I	-60.5	2.2	-0.0	-197.8
6.9	2856.5		J	-60.5	2.2	-0.0	-197.8
25.6	1100.6						
		Q5_ps Y	I	100.6	-3.4	0.0	253.3
-0.5	-951.7		J	100.6	-3.4	0.0	253.3
-19.1	1796.7						
		INVSLE Max	I	2223.2	46.8	-0.6	2356.8
205.6	2312.7		J	2223.2	46.8	2.1	2356.8
-85.1	38859.7	Min	I	-1789.4	-68.1	-1.3	-3150.7
-259.1	-26658.3		J	-1789.4	-68.1	1.4	-3150.7
-581.2	-41068.8						
		INVSLE Max	I	1601.6	35.5	-0.4	1610.5
153.4	1677.6		J	1601.6	35.5	1.6	1610.5
-66.6	27933.2	Min	I	-1357.0	-49.1	-0.9	-2434.1
-190.1	-19400.0		J	-1357.0	-49.1	1.1	-2434.1
-430.9	-31036.2						
		69 C1-C2;~1 Max	I	1606.2	42.4	0.3	1094.7
9733	2		J	1606.2	42.4	0.3	1094.7
289.6	34534.2	Min	I	-989.1	-28.2	-0.3	-1599.4
285.6	7225.0		J	-989.1	-28.2	-0.3	-1599.4
-83.3	-20280.9						
-158.5	-5507.4						
		C3-C4;~1 Max	I	1429.9	37.6	0.3	1221.1
293.6	28470.8		J	1429.9	37.6	0.3	1221.1
236.7	5857.9	Min	I	-1114.5	-31.8	-0.2	-1474.8
-68.9	-22419.3		J	-1114.5	-31.8	-0.2	-1474.8
-181.2	-6837.4						
		C1-C2;~2 Max	I	951.8	25.2	0.1	601.2
175.2	20265.0		J	951.8	25.2	0.1	601.2
172.4	4136.4	Min	I	-540.7	-15.5	-0.2	-963.4
-45.5	-11081.6		J	-540.7	-15.5	-0.2	-963.4
-85.3	-3194.4						
		C3-C4;~2 Max	I	847.0	22.3	0.1	656.2

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
183.8	16632.9		J	847.0	22.3	0.1	656.2
140.8	3057.9						
		Min	I	-596.0	-17.0	-0.1	-886.2
-34.2	-11977.6		J	-596.0	-17.0	-0.1	-886.2
-95.5	-4006.0						
		G1	I	117.1	-0.0	-0.9	14.9
3.7	1867.6		J	117.1	-0.0	1.1	14.9
-107.3	1875.8						
		G2	I	40.3	-0.1	0.0	15.2
41.5	729.0		J	40.3	-0.1	0.0	15.2
14.6	807.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-53.4	-2.0	-0.0	200.5
-11.4	890.8		J	-53.4	-2.0	-0.0	200.5
-6.2	2495.0						
		Q5_pc Y	I	85.1	2.7	0.0	-279.3
13.8	1769.6		J	85.1	2.7	0.0	-279.3
4.2	-438.1						
		Q5_ps X	I	-42.9	-1.7	-0.0	186.7
-11.8	1102.1		J	-42.9	-1.7	-0.0	186.7
-6.1	2458.7						
		Q5_ps Y	I	84.6	2.7	0.0	-266.7
12.7	1789.8		J	84.6	2.7	0.0	-266.7
4.1	-385.2						
		INVSLE Max	I	1695.6	38.4	-0.5	2797.4
508.7	38786.1		J	1695.6	38.4	2.2	2797.4
119.4	19839.9						
		Min	I	-2130.7	-66.5	-1.3	-1513.0
-24.9	-41286.5		J	-2130.7	-66.5	1.4	-1513.0
-522.0	-3635.4						
		INVSLE Max	I	1208.9	27.0	-0.4	2124.3
379.5	27869.0		J	1208.9	27.0	1.6	2124.3
80.5	14787.5						
		Min	I	-1614.0	-50.3	-1.0	-1031.4
-13.9	-31208.0		J	-1614.0	-50.3	1.0	-1031.4
-393.8	-2268.9						
		69 C1-C2;~1 Max	I	1514.1	22.2	0.2	690.7
9734	2		J	1514.1	22.2	0.2	690.7
271.0	7223.5						
		Min	I	-1033.1	-14.8	-0.1	-997.6
207.7	15575.2						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-148.1	-5516.1		J	-1033.1	-14.8	-0.1	-997.6
-105.7	-19908.7						
		C3-C4;~1 Max	I	1324.7	19.5	0.2	773.0
223.0	5860.5		J	1324.7	19.5	0.2	773.0
159.3	17939.0	Min	I	-1161.6	-16.7	-0.1	-953.4
-169.6	-6845.9		J	-1161.6	-16.7	-0.1	-953.4
-123.2	-20347.1						
		C1-C2;~2 Max	I	900.8	13.2	0.1	376.3
163.7	4135.1		J	900.8	13.2	0.1	376.3
129.1	8452.8	Min	I	-565.1	-8.1	-0.1	-596.7
-79.6	-3199.9		J	-565.1	-8.1	-0.1	-596.7
-53.7	-11813.1						
		C3-C4;~2 Max	I	787.4	11.6	0.1	412.3
132.6	3056.7		J	787.4	11.6	0.1	412.3
98.3	9534.6	Min	I	-621.3	-9.0	-0.1	-570.9
-89.3	-4011.2		J	-621.3	-9.0	-0.1	-570.9
-61.6	-12140.8						
		G1	I	-58.3	-0.1	-0.9	-28.1
-107.3	1873.2		J	-58.3	-0.1	1.1	-28.1
-163.1	1924.6						
		G2	I	-26.6	-0.1	0.0	-5.0
14.7	806.9		J	-26.6	-0.1	0.0	-5.0
-11.1	857.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-41.3	-1.3	-0.0	141.9
-4.2	2496.7		J	-41.3	-1.3	-0.0	141.9
15.2	3581.3						
		Q5_pc Y	I	72.9	1.6	0.0	-188.1
1.5	-440.1		J	72.9	1.6	0.0	-188.1
-11.0	-1743.0						
		Q5_ps X	I	-31.0	-1.2	-0.0	135.1
-4.2	2460.2		J	-31.0	-1.2	-0.0	135.1
17.0	3421.2						
		Q5_ps Y	I	73.2	1.6	0.0	-178.4
1.5	-387.1		J	73.2	1.6	0.0	-178.4
-9.3	-1656.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
106.2	19843.9	INVSLE Max	I	1194.5	20.5	-1.0	1686.7
			J	1194.5	20.5	1.7	1686.7
8.6	44111.1	Min	I	-2548.8	-34.8	-1.5	-1042.3
-496.3	-3643.8		J	-2548.8	-34.8	1.2	-1042.3
-465.6	-14021.4	INVSLE Max	I	835.4	14.5	-0.8	1282.2
71.5	14791.0		J	835.4	14.5	1.3	1282.2
3.1	33217.5	Min	I	-1927.6	-26.3	-1.1	-714.2
-374.3	-2274.4		J	-1927.6	-26.3	0.9	-714.2
-346.1	-9366.2	69 C1-C2;~1 Max	I	1432.7	3.6	0.1	195.2
9735	2		J	1432.7	3.6	0.1	195.2
203.2	15572.7	Min	I	-1095.5	-1.9	-0.2	-335.6
226.5	15397.2		J	-1095.5	-1.9	-0.2	-335.6
-103.1	-19905.7	C3-C4;~1 Max	I	1258.0	2.9	0.1	147.9
-137.0	-20875.8		J	1258.0	2.9	0.1	147.9
155.0	17936.2	Min	I	-1229.1	-1.1	-0.2	-328.6
208.5	17784.0		J	-1229.1	-1.1	-0.2	-328.6
-122.5	-20344.2	C1-C2;~2 Max	I	854.8	2.1	0.1	110.9
-158.4	-21325.3		J	854.8	2.1	0.1	110.9
126.2	8451.4	Min	I	-598.8	-1.1	-0.1	-194.5
138.7	8379.0		J	-598.8	-1.1	-0.1	-194.5
-52.0	-11811.2	C3-C4;~2 Max	I	749.0	1.7	0.1	82.1
-73.2	-12344.4		J	749.0	1.7	0.1	82.1
95.6	9533.1	Min	I	-657.0	-0.6	-0.1	-183.9
125.6	9479.6		J	-657.0	-0.6	-0.1	-183.9
-61.4	-12139.2	G1	I	-204.8	1.8	-1.1	-131.6
-82.9	-12703.2		J	-204.8	1.8	0.9	-131.6
-163.8	1925.1	G2	I	-83.2	0.7	-0.0	-51.6
-116.9	466.5		J	-83.2	0.7	-0.0	-51.6
-11.4	858.0	Q3	I	0.0	0.0	0.0	0.0
6.8	275.1		J	0.0	0.0	0.0	0.0
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
16.2	3581.1	Q5_pc X	I	-42.4	-0.5	0.0	31.2
-11.1	4015.9		J	-42.4	-0.5	0.0	31.2
-12.3	-1742.7	Q5_pc Y	I	71.2	0.3	-0.0	-23.6
5.2	-1980.1		J	71.2	0.3	-0.0	-23.6
18.0	3421.1	Q5_ps X	I	-33.6	-0.5	0.0	34.1
-11.4	3849.2		J	-33.6	-0.5	0.0	34.1
-10.5	-1656.5	Q5_ps Y	I	70.9	0.3	-0.0	-20.7
4.7	-1874.3		J	70.9	0.3	-0.0	-20.7
5.0	44105.4	INVSLE Max	I	755.6	9.8	-1.2	53.5
50.0	40652.0		J	755.6	9.8	1.6	53.5
-463.9	-14019.1	Min	I	-2966.1	1.4	-1.7	-719.3
-489.5	-19374.0		J	-2966.1	1.4	1.0	-719.3
0.6	33213.1	INVSLE Max	I	506.9	7.2	-0.9	42.3
30.7	30589.1		J	506.9	7.2	1.2	42.3
-344.5	-9364.6	Min	I	-2240.4	1.1	-1.3	-526.0
-367.5	-13339.2		J	-2240.4	1.1	0.7	-526.0
9736	2	69 C1-C2;~1 Max	I	1328.0	16.2	0.2	809.3
229.6	15400.1		J	1328.0	16.2	0.2	809.3
224.3	5487.5	Min	I	-1156.6	-18.8	-0.1	-685.3
-139.6	-20877.4		J	-1156.6	-18.8	-0.1	-685.3
-143.1	-9594.8						
211.1	17787.2	C3-C4;~1 Max	I	1178.3	18.0	0.2	723.1
153.1	4624.8		J	1178.3	18.0	0.2	723.1
-161.2	-21326.7	Min	I	-1294.2	-16.3	-0.1	-753.7
-160.8	-10734.4		J	-1294.2	-16.3	-0.1	-753.7
140.8	8380.6	C1-C2;~2 Max	I	793.6	8.8	0.1	491.6
137.5	3202.7		J	793.6	8.8	0.1	491.6
-74.7	-12345.5	Min	I	-631.4	-11.3	-0.1	-367.7
			J	-631.4	-11.3	-0.1	-367.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-74.3	-5544.7						
127.3	9481.3	C3-C4;~2	Max	I	702.0	9.6	0.1 441.1
92.4	2377.5			J	702.0	9.6	0.1 441.1
-84.5	-12704.0		Min	I	-691.2	-9.8	-0.0 -395.4
-81.5	-6213.5			J	-691.2	-9.8	-0.0 -395.4
-119.2	468.2	G1		I	-362.3	5.8	-0.9 -306.3
-200.4	-4226.4			J	-362.3	5.8	1.1 -306.3
5.9	275.8	G2		I	-144.7	2.3	0.0 -125.5
-21.5	-1610.3			J	-144.7	2.3	0.0 -125.5
0.0	0.0	Q3		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
-11.4	4015.9	Q5_pc	X	I	-43.1	0.3	-0.0 -85.3
21.2	3782.2			J	-43.1	0.3	-0.0 -85.3
6.0	-1980.3	Q5_pc	Y	I	68.5	-1.0	0.0 146.1
-14.5	-1163.5			J	68.5	-1.0	0.0 146.1
-11.7	3849.3	Q5_ps	X	I	-36.1	0.2	-0.0 -74.5
22.4	3704.6			J	-36.1	0.2	-0.0 -74.5
5.4	-1874.5	Q5_ps	Y	I	67.5	-1.0	0.0 141.1
-12.7	-1061.0			J	67.5	-1.0	0.0 141.1
47.5	40661.4	INVS LU	Max	I	273.5	49.5	-0.9 141.6
-55.7	4120.7			J	273.5	49.5	1.8 141.6
-500.6	-19371.1		Min	I	-3389.6	-2.1	-1.4 -2231.3
-613.7	-24586.9			J	-3389.6	-2.1	1.3 -2231.3
28.6	30596.1	INVS LE	Max	I	147.4	37.3	-0.7 59.4
-46.6	2921.4			J	147.4	37.3	1.3 59.4
-375.9	-13336.9		Min	I	-2556.9	-0.7	-1.0 -1678.9
-457.1	-17839.2			J	-2556.9	-0.7	1.0 -1678.9
9737	2	69 C1-C2;~1	Max	I	1200.1	32.2	0.4 1350.5
236.7	5486.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
165.1	25809.1		J	1200.1	32.2	0.4	1350.5
		Min	I	-1198.4	-35.6	-0.2	-1169.1
-153.7	-9592.2		J	-1198.4	-35.6	-0.2	-1169.1
-170.6	-24683.0						
		C3-C4;~1 Max	I	1066.6	35.9	0.3	1213.0
163.8	4622.0		J	1066.6	35.9	0.3	1213.0
178.1	20261.3	Min	I	-1332.5	-31.8	-0.2	-1290.3
-172.4	-10733.6		J	-1332.5	-31.8	-0.2	-1290.3
-186.5	-26940.2						
		C1-C2;~2 Max	I	718.1	17.5	0.2	820.6
145.1	3202.6		J	718.1	17.5	0.2	820.6
108.1	15342.0	Min	I	-649.8	-21.3	-0.1	-635.5
-80.1	-5542.6		J	-649.8	-21.3	-0.1	-635.5
-93.2	-13339.5						
		C3-C4;~2 Max	I	636.0	19.1	0.2	735.8
98.9	2376.4		J	636.0	19.1	0.2	735.8
116.6	11934.7	Min	I	-707.3	-19.0	-0.1	-686.2
-87.7	-6212.5		J	-707.3	-19.0	-0.1	-686.2
-101.0	-14238.4						
		G1	I	-561.3	11.7	-1.0	-458.7
-204.9	-4232.4		J	-561.3	11.7	1.0	-458.7
-238.0	-13743.5						
		G2	I	-223.3	4.7	0.0	-187.7
-23.3	-1612.7		J	-223.3	4.7	0.0	-187.7
-51.6	-5413.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-25.9	1.0	0.0	-161.9
19.7	3782.1		J	-25.9	1.0	0.0	-161.9
13.9	2966.6						
		Q5_pc Y	I	54.0	-2.1	0.0	249.4
-12.2	-1162.4		J	54.0	-2.1	0.0	249.4
-17.3	520.6						
		Q5_ps X	I	-19.4	0.8	0.0	-147.1
21.1	3704.6		J	-19.4	0.8	0.0	-147.1
16.5	3047.0						
		Q5_ps Y	I	53.8	-2.0	0.0	239.2
-10.5	-1059.9						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-15.1	596.8		J	53.8	-2.0	0.0	239.2
-57.0	4103.7	INVS LU Max	I	-281.5	98.1	-0.8	292.4
-161.1	-8089.3		J	-281.5	98.1	1.9	292.4
-644.8	-24601.2	Min	I	-3797.7	-2.2	-1.6	-3721.6
-684.5	-84640.6		J	-3797.7	-2.2	1.1	-3721.6
-48.0	2908.4	INVS LE Max	I	-262.4	74.0	-0.6	136.4
-119.3	-7272.2		J	-262.4	74.0	1.4	136.4
-480.8	-17850.2	Min	I	-2859.8	0.0	-1.2	-2803.7
-504.7	-63581.3		J	-2859.8	0.0	0.8	-2803.7
9738	2	69 C1-C2;~1 Max	I	1093.2	26.8	0.4	841.4
320.2	25834.6		J	1093.2	26.8	0.4	841.4
195.7	16475.7	Min	I	-1270.4	-41.0	-0.2	-762.2
-91.0	-24708.1		J	-1270.4	-41.0	-0.2	-762.2
-193.5	-3785.3						
320.8	20308.9	C3-C4;~1 Max	I	960.7	23.9	0.4	862.0
153.7	13708.9		J	960.7	23.9	0.4	862.0
-91.5	-26968.7	Min	I	-1401.5	-44.3	-0.1	-632.0
-217.2	-5643.0		J	-1401.5	-44.3	-0.1	-632.0
191.4	15355.9	C1-C2;~2 Max	I	653.0	15.8	0.2	452.4
120.9	9024.8		J	653.0	15.8	0.2	452.4
-48.2	-13352.3	Min	I	-681.2	-21.7	-0.1	-467.6
-105.2	-1934.7		J	-681.2	-21.7	-0.1	-467.6
198.3	11966.0	C3-C4;~2 Max	I	570.0	14.0	0.2	458.8
92.9	7273.6		J	570.0	14.0	0.2	458.8
-44.0	-14252.6	Min	I	-736.2	-23.0	-0.1	-381.1
-115.7	-3039.7		J	-736.2	-23.0	-0.1	-381.1
20.2	-13756.3	G1	I	-790.0	-32.8	-0.7	477.1
-246.6	12943.5		J	-790.0	-32.8	1.3	477.1
48.4	-5419.2	G2	I	-311.7	-12.6	0.1	188.3
-39.1	4846.3		J	-311.7	-12.6	0.1	188.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-23.3	2950.9	Q5_pc X	I	-4.5	4.3	-0.0	25.8
-4.5	-546.2		J	-4.5	4.3	-0.0	25.8
12.4	524.1	Q5_pc Y	I	38.2	0.5	0.0	-140.8
-1.3	82.4		J	38.2	0.5	0.0	-140.8
-23.4	3033.0	Q5_ps X	I	1.6	4.1	-0.0	27.6
-5.4	-342.0		J	1.6	4.1	-0.0	27.6
11.4	600.5	Q5_ps Y	I	38.9	0.5	0.0	-131.9
-1.6	165.9		J	38.9	0.5	0.0	-131.9
507.0	-8183.8	INVS LU Max	I	-861.7	-46.5	-0.0	2569.6
-289.2	47474.8		J	-861.7	-46.5	2.7	2569.6
-91.5	-84779.9	Min	I	-4298.3	-150.2	-0.9	123.6
-854.7	16631.4		J	-4298.3	-150.2	1.8	123.6
372.5	-7342.7	INVS LE Max	I	-691.0	-36.4	-0.0	1937.1
-222.4	35345.7		J	-691.0	-36.4	2.0	1937.1
-67.8	-63687.1	Min	I	-3231.5	-112.6	-0.7	144.0
-640.7	12571.5		J	-3231.5	-112.6	1.3	144.0
9739	2	69 C1-C2;~1 Max	I	1009.1	13.5	0.2	386.5
190.2	16476.7		J	1009.1	13.5	0.2	386.5
161.1	29513.9	Min	I	-1376.8	-23.0	-0.2	-511.8
-186.8	-3788.5		J	-1376.8	-23.0	-0.2	-511.8
-121.1	-11434.3						
148.6	13709.6	C3-C4;~1 Max	I	872.1	11.7	0.2	366.2
117.7	30202.1		J	872.1	11.7	0.2	366.2
-210.0	-5646.4	Min	I	-1506.9	-24.5	-0.2	-475.6
-143.9	-13724.2		J	-1506.9	-24.5	-0.2	-475.6
117.5	9024.4	C1-C2;~2 Max	I	599.4	8.0	0.1	200.0
99.9	15062.0		J	599.4	8.0	0.1	200.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-101.5	-1936.6		Min	I	-729.8	-12.2	-0.1	-299.6
				J	-729.8	-12.2	-0.1	-299.6
-61.2	-6185.7							
89.9	7272.9	C3-C4;~2	Max	I	511.3	6.7	0.1	191.1
				J	511.3	6.7	0.1	191.1
72.1	15237.1							
			Min	I	-783.3	-12.7	-0.1	-265.3
-111.8	-3041.6			J	-783.3	-12.7	-0.1	-265.3
-73.6	-7487.6							
			G1	I	-1033.0	-20.0	-1.0	23.3
-243.1	12948.0			J	-1033.0	-20.0	1.0	23.3
-207.0	29252.7							
			G2	I	-404.0	-7.6	-0.0	9.7
-37.7	4848.1			J	-404.0	-7.6	-0.0	9.7
-29.8	11042.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	12.9	4.2	-0.0	17.9
-4.2	-545.4			J	12.9	4.2	-0.0	17.9
22.3	-3924.0							
			Q5_pc Y	I	26.6	0.1	0.0	-70.4
-2.6	80.7			J	26.6	0.1	0.0	-70.4
-16.3	34.8							
			Q5_ps X	I	18.1	3.9	-0.0	24.4
-5.1	-341.2			J	18.1	3.9	-0.0	24.4
24.0	-3524.7							
			Q5_ps Y	I	27.7	0.0	0.0	-63.5
-2.8	164.3			J	27.7	0.0	0.0	-63.5
-14.3	139.1							
			INVSLU Max	I	-1448.3	-29.1	-1.2	803.9
-287.0	47490.2			J	-1448.3	-29.1	1.5	803.9
-128.6	110618.2							
			Min	I	-4892.7	-87.9	-1.9	-535.6
-834.8	16642.3			J	-4892.7	-87.9	0.8	-535.6
-580.5	44254.4							
			INVSLE Max	I	-1125.8	-22.7	-0.9	611.1
-220.4	35357.6			J	-1125.8	-22.7	1.1	611.1
-98.1	82640.5							
			Min	I	-3673.7	-65.8	-1.4	-371.7
-625.6	12580.1			J	-3673.7	-65.8	0.6	-371.7
-429.8	34005.3							

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9740	2	69	C1-C2;~1	Max	I	938.6	2.7	0.4	539.3
162.9	29510.6				J	938.6	2.7	0.4	539.3
237.1	32781.9								
				Min	I	-1506.2	-6.7	-0.3	-711.8
-124.8	-11432.0				J	-1506.2	-6.7	-0.3	-711.8
-310.2	-12240.0								
			C3-C4;~1	Max	I	821.7	2.1	0.4	448.8
119.7	30197.9				J	821.7	2.1	0.4	448.8
230.8	32681.7								
				Min	I	-1636.4	-4.4	-0.4	-815.3
-148.6	-13722.0				J	-1636.4	-4.4	-0.4	-815.3
-313.6	-14369.4								
			C1-C2;~2	Max	I	555.3	1.7	0.2	320.4
100.9	15060.2				J	555.3	1.7	0.2	320.4
146.3	16699.6								
				Min	I	-795.1	-3.8	-0.2	-354.1
-63.1	-6184.2				J	-795.1	-3.8	-0.2	-354.1
-161.1	-6701.8								
			C3-C4;~2	Max	I	477.5	1.1	0.2	265.8
73.3	15234.9				J	477.5	1.1	0.2	265.8
127.7	16474.8								
				Min	I	-848.3	-2.3	-0.2	-408.8
-76.0	-7486.3				J	-848.3	-2.3	-0.2	-408.8
-165.4	-7696.0								
					G1	-1268.9	-4.1	-0.8	-627.4
-210.2	29250.1				J	-1268.9	-4.1	1.2	-627.4
-353.2	32610.3								
					G2	-494.8	-1.4	0.1	-248.2
-31.1	11041.1				J	-494.8	-1.4	0.1	-248.2
-76.9	12178.3								
					Q3	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	11.2	4.1	0.1	-6.8
22.4	-3924.4				J	11.2	4.1	0.1	-6.8
-24.7	-7229.4								
			Q5_pc	Y	I	27.4	-0.6	-0.0	53.3
-16.4	35.4				J	27.4	-0.6	-0.0	53.3
4.4	507.5								
			Q5_ps	X	I	14.1	3.8	0.1	5.3
24.2	-3525.0				J	14.1	3.8	0.1	5.3
-27.7	-6583.1								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-14.4	139.6	Q5_ps Y	I	27.4	-0.6	-0.0	55.5	
2.4	628.4		J	27.4	-0.6	-0.0	55.5	
-131.8	110606.0	INVS LU Max	I	-2044.5	-1.0	-0.2	-483.3	
-462.7	124352.1		J	-2044.5	-1.0	2.5	-483.3	
-592.6	44250.3	Min	I	-5570.2	-21.6	-1.4	-2408.0	
1250.6	47684.9		J	-5570.2	-21.6	1.3	-2408.0	-
-100.4	82631.3	INVS LE Max	I	-1571.5	-1.4	-0.1	-374.0	
-355.2	92732.0		J	-1571.5	-1.4	1.9	-374.0	
-438.7	34002.2	Min	I	-4179.4	-15.9	-1.0	-1792.5	
-935.5	36905.4		J	-4179.4	-15.9	1.0	-1792.5	
9741	2	83 C1-C2;~1 Max	I	896.0	18.4	1.3	962.2	
240.8	32792.3		J	896.0	18.4	1.3	962.2	
1289.9	23390.0	Min	I	-1709.1	-14.3	-1.4	-1417.7	
-317.2	-12244.8		J	-1709.1	-14.3	-1.4	-1417.7	-
1177.6	-6999.6							
230.4	32693.3	C3-C4;~1 Max	I	802.7	20.6	1.6	845.6	
878.2	19399.4		J	802.7	20.6	1.6	845.6	
-320.4	-14374.1	Min	I	-1843.0	-11.8	-0.9	-1552.9	
1376.6	-9546.9		J	-1843.0	-11.8	-0.9	-1552.9	-
148.9	16705.0	C1-C2;~2 Max	I	524.7	9.7	0.6	575.2	
799.7	12230.2		J	524.7	9.7	0.6	575.2	
-165.0	-6704.6	Min	I	-898.0	-8.7	-0.8	-713.8	
-587.6	-3771.2		J	-898.0	-8.7	-0.8	-713.8	
129.3	16480.7	C3-C4;~2 Max	I	459.9	10.6	0.8	500.6	
534.2	9658.3		J	459.9	10.6	0.8	500.6	
-169.1	-7698.6	Min	I	-952.2	-7.0	-0.6	-770.5	
-689.7	-5095.8		J	-952.2	-7.0	-0.6	-770.5	
-363.5	32621.0	G1	I	-1577.4	14.6	-1.1	-1325.8	
1304.8	20724.7		J	-1577.4	14.6	3.4	-1325.8	-
		G2	I	-614.5	5.9	0.3	-526.2	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-81.0	12182.5			J	-614.5	5.9	0.3	-526.2	
-363.2	7368.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	9.8	4.0	-0.2	-41.7	
-24.9	-7229.3			J	9.8	4.0	-0.2	-41.7	
146.0	-10488.5								
			Q5_pc Y	I	28.2	-1.2	0.2	190.7	
5.6	505.9			J	28.2	-1.2	0.2	190.7	
-147.2	1510.1								
			Q5_ps X	I	10.6	3.7	-0.2	-25.0	
-27.7	-6583.1			J	10.6	3.7	-0.2	-25.0	
160.5	-9570.7								
			Q5_ps Y	I	27.1	-1.2	0.2	186.7	
3.7	626.8			J	27.1	-1.2	0.2	186.7	
-129.9	1629.3								
			INVSLE Max	I	-2782.0	70.3	1.5	-1328.2	
-479.0	124388.9			J	-2782.0	70.3	7.6	-1328.2	
-809.2	82933.7								
			Min	I	-6530.5	16.0	-2.8	-5066.8	-
1281.4	47701.5			J	-6530.5	16.0	3.2	-5066.8	-
4674.1	19589.6								
			INVSLE Max	I	-2124.0	52.4	1.1	-1041.5	
-367.6	92759.7			J	-2124.0	52.4	5.6	-1041.5	
-622.5	61337.2								
			Min	I	-4896.9	12.8	-2.1	-3785.4	
-958.6	36918.1			J	-4896.9	12.8	2.4	-3785.4	-
3465.7	15814.1								
		83	C1-C2;~1 Max	I	819.4	40.3	1.9	1207.9	
9742	2			J	819.4	40.3	1.9	1207.9	
1301.1	23385.9								
			Min	I	-1867.3	-24.2	-2.0	-1887.5	-
1059.2	27197.5			J	-1867.3	-24.2	-2.0	-1887.5	
1195.3	-6999.6								
-708.9	-19209.6								
			C3-C4;~1 Max	I	748.5	44.1	0.9	1085.6	
887.8	19392.0			J	748.5	44.1	0.9	1085.6	
1213.8	19649.1								
			Min	I	-1973.0	-21.4	-2.3	-2047.2	-
1396.4	-9547.0			J	-1973.0	-21.4	-2.3	-2047.2	
-364.0	-23564.9								
			C1-C2;~2 Max	I	470.9	21.2	1.1	726.2	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
806.3	12228.8		J	470.9	21.2	1.1	726.2	
712.1	16784.6	Min	I	-969.0	-14.4	-1.1	-964.3	
-596.4	-3771.4		J	-969.0	-14.4	-1.1	-964.3	
-390.6	-10229.1							
		C3-C4;~2 Max	I	419.4	22.8	0.5	645.3	
539.8	9654.4		J	419.4	22.8	0.5	645.3	
830.4	11658.2	Min	I	-1007.9	-12.4	-1.3	-1027.8	
-699.5	-5096.2		J	-1007.9	-12.4	-1.3	-1027.8	
-189.4	-12207.8							
		G1	I	-1864.3	35.6	-3.5	-1762.0	-
1322.7	20715.7		J	-1864.3	35.6	1.0	-1762.0	
-331.6	-8285.5							
		G2	I	-726.2	14.1	-0.3	-700.0	
-370.3	7365.0		J	-726.2	14.1	-0.3	-700.0	
-97.1	-4110.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	35.9	4.0	0.1	-77.3	
145.3	-10487.4		J	35.9	4.0	0.1	-77.3	
76.9	-13716.7							
		Q5_pc Y	I	14.9	-1.7	-0.2	278.3	
-144.5	1510.3		J	14.9	-1.7	-0.2	278.3	
-10.5	2916.5							
		Q5_ps X	I	35.2	3.6	0.1	-59.5	
160.0	-9569.5		J	35.2	3.6	0.1	-59.5	
67.9	-12532.0							
		Q5_ps Y	I	14.0	-1.7	-0.1	269.5	
-127.3	1629.6		J	14.0	-1.7	-0.1	269.5	
-14.2	3008.3							
		INVSLU Max	I	-3451.7	154.7	-2.6	-1907.8	
-834.2	82909.8		J	-3451.7	154.7	3.5	-1907.8	
797.8	16376.7	Min	I	-7286.0	55.5	-8.5	-6803.1	-
4737.4	19573.2		J	-7286.0	55.5	-2.4	-6803.1	-
1936.2	-76842.5							
		INVSLE Max	I	-2622.6	115.8	-1.9	-1497.9	
-641.5	61319.4		J	-2622.6	115.8	2.6	-1497.9	
571.8	10677.0	Min	I	-5458.1	42.8	-6.3	-5087.0	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3513.4	15801.7			J	-5458.1	42.8	-1.8	-5087.0	-
1443.2	-56545.4								
9743	2	83	C1-C2;~1	Max	I	740.6	21.6	2.2	3593.9
1202.1	27173.3				J	740.6	21.6	2.2	3593.9
953.6	30344.5			Min	I	-2017.3	-44.5	-1.2	-885.4
-544.3	-19197.5				J	-2017.3	-44.5	-1.2	-885.4
1429.3	-8224.4								-
			C3-C4;~1	Max	I	703.4	18.9	2.5	3427.4
1342.2	19658.6				J	703.4	18.9	2.5	3427.4
758.5	35035.2			Min	I	-2094.2	-57.5	-0.6	-812.2
-240.4	-23545.9				J	-2094.2	-57.5	-0.6	-812.2
1651.6	-8183.1								-
			C1-C2;~2	Max	I	413.2	12.0	1.2	1863.6
789.7	16770.7				J	413.2	12.0	1.2	1863.6
579.2	15875.9			Min	I	-1032.7	-21.5	-0.7	-465.1
-293.0	-10221.4				J	-1032.7	-21.5	-0.7	-465.1
-761.7	-4107.5								
			C3-C4;~2	Max	I	384.7	10.6	1.4	1769.7
908.5	11670.6				J	384.7	10.6	1.4	1769.7
448.4	17986.6			Min	I	-1055.3	-27.8	-0.3	-390.6
-122.6	-12196.5				J	-1055.3	-27.8	-0.3	-390.6
-868.8	-4140.7								
			G1		I	-2148.9	-45.7	-0.3	3745.3
-30.2	-8321.3				J	-2148.9	-45.7	4.0	3745.3
1498.9	27551.8								-
			G2		I	-834.6	-18.8	0.6	1415.4
17.7	-4124.2				J	-834.6	-18.8	0.6	1415.4
-457.1	10592.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	68.3	3.7	0.2	-498.0
13.2	-13725.3				J	68.3	3.7	0.2	-498.0
-163.1	-16615.9								
			Q5_pc	Y	I	-2.2	-1.3	0.0	-225.8
23.3	2914.5				J	-2.2	-1.3	0.0	-225.8
2.4	3943.3								
			Q5_ps	X	I	66.0	4.6	0.2	-442.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3.0	-12538.6			J	66.0	4.6	0.2	-442.6	
-163.4	-16183.5								
		Q5_ps	Y	I	-2.5	-0.6	0.0	-202.0	
16.7	3007.0			J	-2.5	-0.6	0.0	-202.0	
0.4	3455.2								
		INVSLE	Max	I	-4075.6	-55.2	4.7	12921.5	
1450.0	16278.4			J	-4075.6	-55.2	10.6	12921.5	-
2146.5	98304.9			Min	-8025.4	-168.6	-0.7	5978.0	-
1138.7	-76898.0			J	-8025.4	-168.6	5.2	5978.0	-
5957.2	6187.8								
		INVSLE	Max	I	-3087.6	-41.0	3.5	9637.0	
1055.7	10604.2			J	-3087.6	-41.0	7.8	9637.0	-
1642.9	71075.5			Min	-6004.3	-124.5	-0.5	4560.1	
-858.8	-56585.4			J	-6004.3	-124.5	3.9	4560.1	-
4443.8	5746.6								
9744	2	83	C1-C2;~1	Max	686.7	20.7	1.2	3198.7	
948.5	30345.2			J	686.7	20.7	1.2	3198.7	
1251.0	41232.7			Min	-2182.4	-22.6	-2.2	-821.7	-
1398.7	-8221.7			J	-2182.4	-22.6	-2.2	-821.7	
-616.5	-16757.0								
		C3-C4;~1	Max	I	664.0	13.9	1.6	3025.1	
756.1	35036.1			J	664.0	13.9	1.6	3025.1	
869.1	56244.1			Min	-2229.8	-33.4	-2.3	-839.9	-
1618.4	-8182.8			J	-2229.8	-33.4	-2.3	-839.9	
-810.2	-11763.5								
		C1-C2;~2	Max	I	371.9	11.4	0.6	1672.9	
577.0	15875.8			J	371.9	11.4	0.6	1672.9	
774.1	19900.8			Min	-1104.1	-10.6	-1.1	-426.5	
-745.4	-4106.1			J	-1104.1	-10.6	-1.1	-426.5	
-311.7	-8600.6								
		C3-C4;~2	Max	I	352.9	7.6	0.8	1585.6	
447.9	17986.5			J	352.9	7.6	0.8	1585.6	
531.3	27454.7			Min	-1110.8	-15.7	-1.2	-414.4	
-851.3	-4140.6			J	-1110.8	-15.7	-1.2	-414.4	
-424.9	-6047.9								
		G1		I	-2439.0	-18.2	-3.6	3157.4	-
1461.0	27556.8			J	-2439.0	-18.2	0.7	3157.4	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-329.1	41810.8							
		G2	I	-942.9	-8.1	-0.5	1186.1	
-442.8	10594.5		J	-942.9	-8.1	-0.5	1186.1	
-29.9	16942.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	94.3	2.4	-0.2	-415.8	
-168.1	-16615.3		J	94.3	2.4	-0.2	-415.8	
-27.6	-18518.8							
		Q5_pc Y	I	-16.5	-1.2	0.1	-197.0	
0.0	3942.4		J	-16.5	-1.2	0.1	-197.0	
-93.0	4870.0							
		Q5_ps X	I	90.3	3.4	-0.2	-363.7	
-167.8	-16182.9		J	90.3	3.4	-0.2	-363.7	
-4.1	-18871.0							
		Q5_ps Y	I	-16.8	-0.4	0.1	-175.1	
-1.7	3454.3		J	-16.8	-0.4	0.1	-175.1	
-78.4	3802.1							
		INVSLE Max	I	-4690.1	6.7	-4.3	11153.8	-
2071.8	98317.4		J	-4690.1	6.7	1.6	11153.8	
1108.3	146999.5							
		Min	I	-8797.2	-70.6	-9.9	4953.4	-
5839.6	6200.7		J	-8797.2	-70.6	-4.0	4953.4	-
1841.7	14485.7							
		INVSLE Max	I	-3545.7	5.7	-3.2	8318.7	-
1586.8	71085.1		J	-3545.7	5.7	1.1	8318.7	
815.0	106328.6							
		Min	I	-6575.4	-51.3	-7.3	3781.2	-
4355.4	5756.3		J	-6575.4	-51.3	-3.0	3781.2	-
1357.8	11104.9							
		83 C1-C2;~1 Max	I	628.1	32.5	6.4	2550.8	
9745	2		J	628.1	32.5	6.4	2550.8	
1261.7	41230.9							
		Min	I	-2357.5	-9.4	-0.8	-841.1	
592.4	42804.8		J	-2357.5	-9.4	-0.8	-841.1	-
-612.0	-16757.4							
4395.9	-36157.8							
		C3-C4;~1 Max	I	670.1	22.7	5.1	2472.0	
882.9	56242.0		J	670.1	22.7	5.1	2472.0	
664.7	64054.0							
		Min	I	-2353.0	-17.6	-1.0	-942.9	
-808.4	-11763.4		J	-2353.0	-17.6	-1.0	-942.9	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3783.3	-22023.7								
		C1-C2;~2	Max	I	329.6	16.7	3.3	1356.5	
778.6	19900.0			J	329.6	16.7	3.3	1356.5	
293.8	20203.7								
			Min	I	-1183.6	-4.1	-0.4	-444.2	
-309.4	-8600.6			J	-1183.6	-4.1	-0.4	-444.2	-
2213.4	-18312.2								
		C3-C4;~2	Max	I	338.9	11.2	2.6	1300.5	
538.3	27453.7			J	338.9	11.2	2.6	1300.5	
323.4	30567.7								
			Min	I	-1157.5	-8.3	-0.5	-479.5	
-424.1	-6047.9			J	-1157.5	-8.3	-0.5	-479.5	-
1897.8	-10763.4								
			G1	I	-2696.3	12.9	3.8	2199.9	
-300.6	41807.4			J	-2696.3	12.9	8.2	2199.9	-
4990.8	31653.6								
			G2	I	-1039.6	3.9	2.2	813.3	
-19.3	16940.7			J	-1039.6	3.9	2.2	813.3	-
1757.8	13864.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	91.3	1.1	-0.8	-289.6	
-31.4	-18518.8			J	91.3	1.1	-0.8	-289.6	
609.3	-19366.1								
			Q5_pc Y	I	-18.1	-1.1	0.0	-131.1	
-94.7	4870.1			J	-18.1	-1.1	0.0	-131.1	
-101.9	5760.8								
			Q5_ps X	I	84.6	2.2	-0.7	-245.5	
-7.3	-18871.0			J	84.6	2.2	-0.7	-245.5	
520.5	-20565.8								
			Q5_ps Y	I	-19.7	-0.4	0.1	-114.2	
-80.0	3802.2			J	-19.7	-0.4	0.1	-114.2	
-129.4	4095.9								
			INVSLU Max	I	-5256.1	93.0	19.6	8306.8	
1182.9	146988.4			J	-5256.1	93.0	25.5	8306.8	-
9540.8	120528.7								
			Min	I	-9507.6	23.3	8.2	3069.1	-
1782.3	14477.6			J	-9507.6	23.3	14.0	3069.1	-1
7469.5	-49616.1								
			INVSLE Max	I	-3967.7	70.5	14.6	6194.1	
870.9	106320.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7201.4	85340.6		J	-3967.7	70.5	19.0	6194.1	-
		Min	I	-7104.8	19.0	6.2	2352.9	-
1312.9	11098.4		J	-7104.8	19.0	10.6	2352.9	-1
2993.2	-38110.5							
9746	2	83 C1-C2;~1 Max	I	610.1	55.9	2.7	1933.2	
588.1	42807.8		J	610.1	55.9	2.7	1933.2	1
6610.4	35854.6							
		Min	I	-2520.4	-12.1	-26.1	-1089.5	-
4381.5	-36156.4		J	-2520.4	-12.1	-26.1	-1089.5	-
1582.9	-72303.4							
		C3-C4;~1 Max	I	673.2	45.7	3.2	2008.9	
659.6	64057.8		J	673.2	45.7	3.2	2008.9	1
3241.0	61454.8							
		Min	I	-2452.2	-15.2	-21.1	-1195.3	-
3764.3	-22022.5		J	-2452.2	-15.2	-21.1	-1195.3	-
1921.8	-48484.5							
		C1-C2;~2 Max	I	307.5	27.9	1.3	1049.3	
291.6	20205.2		J	307.5	27.9	1.3	1049.3	
8569.7	16498.2							
		Min	I	-1256.1	-5.9	-13.3	-596.1	-
2206.4	-18311.5		J	-1256.1	-5.9	-13.3	-596.1	-
-782.3	-36673.6							
		C3-C4;~2 Max	I	336.9	22.5	1.5	1046.9	
320.8	30569.5		J	336.9	22.5	1.5	1046.9	
6729.3	29417.8							
		Min	I	-1220.3	-7.2	-10.6	-609.7	-
1887.6	-10762.8		J	-1220.3	-7.2	-10.6	-609.7	-
-933.6	-24127.3							
		G1	I	-2932.7	47.5	-29.1	1137.3	-
4973.1	31659.0		J	-2932.7	47.5	-24.8	1137.3	1
6183.5	-5623.5							
		G2	I	-1128.7	17.2	-9.9	402.8	-
1751.4	13866.7		J	-1128.7	17.2	-9.9	402.8	
6042.9	341.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	82.0	-0.3	4.7	-153.7	
607.0	-19366.8		J	82.0	-0.3	4.7	-153.7	-
3081.2	-19149.8							
		Q5_pc Y	I	-19.2	-1.1	-0.5	-64.3	
-102.9	5760.8		J	-19.2	-1.1	-0.5	-64.3	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
304.0	6603.0									
518.6	-20566.6	Q5_ps X	I	73.1	0.9	4.1	-120.8			
2670.8	-21292.5		J	73.1	0.9	4.1	-120.8		-	
-130.3	4095.9	Q5_ps Y	I	-22.0	-0.3	-0.7	-53.6			
441.0	4309.1		J	-22.0	-0.3	-0.7	-53.6			
9511.9	120544.5	INVS LU Max	I	-5758.2	203.4	-52.5	5378.9		-	
9845.8	17222.7		J	-5758.2	203.4	-46.7	5378.9		5	
7409.8	-49604.9	Min	I	-10217.1	105.4	-100.5	776.5		-1	
9281.2	-197820.4		J	-10217.1	105.4	-94.6	776.5		2	
7179.3	85352.3	INVS LE Max	I	-4341.3	153.1	-39.7	4008.4		-	
4410.4	6843.0		J	-4341.3	153.1	-35.4	4008.4		4	
2948.7	-38102.1	Min	I	-7633.3	80.7	-74.6	619.7		-1	
2180.7	-149894.9		J	-7633.3	80.7	-70.3	619.7		2	
9747	2	83 C1-C2;~1 Max	I	654.4	86.8	65.6	1445.0		1	
6613.4	35850.3		J	654.4	86.8	65.6	1445.0			
3957.5	36576.8	Min	I	-2852.3	-18.5	-7.0	-1479.4		-	
1582.4	-72308.8		J	-2852.3	-18.5	-7.0	-1479.4		-3	
5154.4	-132611.7									
3248.4	61449.5	C3-C4;~1 Max	I	726.8	75.3	53.1	1589.9		1	
4687.9	60352.1		J	726.8	75.3	53.1	1589.9			
1920.4	-48489.0	Min	I	-2719.2	-21.4	-8.4	-1495.2		-	
8690.4	-100271.2		J	-2719.2	-21.4	-8.4	-1495.2		-2	
8571.3	16496.0	C1-C2;~2 Max	I	332.4	43.3	33.4	787.0			
1994.7	16523.6		J	332.4	43.3	33.4	787.0			
-781.8	-36676.2	Min	I	-1413.4	-9.2	-3.5	-822.4			
7809.5	-66305.8		J	-1413.4	-9.2	-3.5	-822.4		-1	
6733.9	29415.2	C3-C4;~2 Max	I	365.9	37.2	26.6	812.9			
2322.4	28527.7		J	365.9	37.2	26.6	812.9			
-932.8	-24129.6	Min	I	-1344.9	-10.5	-4.1	-773.8			
4340.5	-49405.0		J	-1344.9	-10.5	-4.1	-773.8		-1	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6188.3	-5634.3	G1	I	-3338.7	84.9	65.8	7.3	1
			J	-3338.7	84.9	70.1	7.3	-3
7114.8	-72227.5							
		G2	I	-1279.0	31.6	25.0	-17.0	
6044.5	336.9		J	-1279.0	31.6	25.0	-17.0	-1
3607.9	-24427.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	105.9	-1.5	-10.6	-9.9	-
3081.9	-19148.6		J	105.9	-1.5	-10.6	-9.9	
5262.0	-17949.2							
		Q5_pc Y	I	-30.3	-0.9	1.4	-40.1	
303.6	6603.3		J	-30.3	-0.9	1.4	-40.1	
-760.0	7299.4							
		Q5_ps X	I	91.2	-0.2	-9.2	4.5	-
2671.3	-21291.4		J	91.2	-0.2	-9.2	4.5	
4509.9	-21162.9							
		Q5_ps Y	I	-35.7	-0.0	1.9	-37.2	
440.6	4309.4		J	-35.7	-0.0	1.9	-37.2	-
1025.9	4330.4							
		INVSLE Max	I	-6529.0	330.6	240.9	2329.8	5
9862.5	17193.2		J	-6529.0	330.6	246.7	2329.8	-6
8566.8	-151758.2							
		Min	I	-11551.5	181.7	121.8	-1907.3	2
9294.5	-197848.0		J	-11551.5	181.7	127.7	-1907.3	-13
1825.6	-444567.9							
		INVSLE Max	I	-4919.6	248.2	178.9	1729.8	4
4422.9	6821.0		J	-4919.6	248.2	183.2	1729.8	-5
1762.8	-120926.9							
		Min	I	-8625.8	138.1	92.1	-1403.5	2
2190.8	-149915.6		J	-8625.8	138.1	96.5	-1403.5	-9
7919.6	-335429.8							
9748	2	83 C1-C2;~1 Max	I	673.0	19.9	7.5	1434.2	
3928.2	37103.2		J	673.0	19.9	7.5	1434.2	1
6922.7	32611.9							
		Min	I	-2919.6	-88.1	-67.7	-1496.6	-3
5096.2	-133266.0		J	-2919.6	-88.1	-67.7	-1496.6	-
1859.6	-75053.1							
		C3-C4;~1 Max	I	748.8	24.0	9.1	1628.8	
4640.9	63646.7		J	748.8	24.0	9.1	1628.8	1
3642.5	59484.3							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8622.2	-99590.0	Min	I	-2783.0	-76.8	-54.9	-1460.2	-2
			J	-2783.0	-76.8	-54.9	-1460.2	-
2454.0	-50079.8							
		C1-C2;~2 Max	I	343.7	10.0	3.8	750.9	
1978.4	16736.3		J	343.7	10.0	3.8	750.9	
8722.4	14421.9							
		Min	I	-1457.5	-44.3	-34.4	-813.3	-1
7768.4	-66697.2		J	-1457.5	-44.3	-34.4	-813.3	
-932.6	-38365.0							
		C3-C4;~2 Max	I	378.8	11.8	4.5	823.5	
2298.8	29792.6		J	378.8	11.8	4.5	823.5	
6941.7	27887.9							
		Min	I	-1389.5	-38.4	-27.5	-764.4	-1
4291.6	-48660.1		J	-1389.5	-38.4	-27.5	-764.4	-
1188.2	-24900.9							
		G1	I	-3342.4	-82.2	-71.9	-22.4	-3
7137.0	-71756.1		J	-3342.4	-82.2	-67.7	-22.4	1
6360.5	-8748.0							
		G2	I	-1279.8	-30.4	-25.7	26.9	-1
3617.6	-24074.0		J	-1279.8	-30.4	-25.7	26.9	
6088.0	-748.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	102.6	1.4	10.9	-14.5	
5268.8	-18620.2		J	102.6	1.4	10.9	-14.5	-
3091.8	-19696.7							
		Q5_pc Y	I	-37.6	0.2	-1.5	-53.4	
-750.9	6262.1		J	-37.6	0.2	-1.5	-53.4	
386.0	6125.7							
		Q5_ps X	I	88.3	0.1	9.4	-12.5	
4515.1	-21668.9		J	88.3	0.1	9.4	-12.5	-
2687.4	-21713.6							
		Q5_ps Y	I	-42.8	-0.7	-2.0	-57.6	-
1017.1	3296.4		J	-42.8	-0.7	-2.0	-57.6	
524.5	3820.8							
		INVSLU Max	I	-6518.4	-173.7	-130.5	2076.1	-6
8662.0	-146184.0		J	-6518.4	-173.7	-124.7	2076.1	6
0689.3	8052.5							
		Min	I	-11655.5	-327.5	-253.7	-2239.4	-13
1790.9	-445532.5		J	-11655.5	-327.5	-248.0	-2239.4	2
8965.5	-209027.0							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1833.7	-116874.0		INVSLE Max	I	-4912.0	-132.2	-98.6	1522.5	-5
				J	-4912.0	-132.2	-94.3	1522.5	4
5040.9	-73.4		Min	I	-8703.5	-245.9	-188.4	-1667.0	-9
7893.3	-336130.9			J	-8703.5	-245.9	-184.2	-1667.0	2
1954.1	-158246.8								
9749	2	83	C1-C2;~1 Max	I	657.0	13.3	27.3	1247.8	1
6914.5	32614.7			J	657.0	13.3	27.3	1247.8	
742.5	38285.3		Min	I	-2637.5	-57.0	-3.4	-2182.8	-
1855.4	-75047.3			J	-2637.5	-57.0	-3.4	-2182.8	-
4420.9	-38473.3								
			C3-C4;~1 Max	I	729.3	17.8	22.3	1586.7	1
3632.1	59487.8			J	729.3	17.8	22.3	1586.7	
920.3	59453.4		Min	I	-2554.4	-47.2	-4.4	-2050.0	-
2446.5	-50074.4			J	-2554.4	-47.2	-4.4	-2050.0	-
3827.0	-23044.7								
			C1-C2;~2 Max	I	336.2	6.5	13.9	654.2	
8718.6	14423.4			J	336.2	6.5	13.9	654.2	
378.5	17877.6		Min	I	-1329.0	-28.6	-1.7	-1157.0	
-930.4	-38362.3			J	-1329.0	-28.6	-1.7	-1157.0	-
2220.5	-20005.7								
			C3-C4;~2 Max	I	369.7	8.4	11.2	782.1	
6935.8	27889.6			J	369.7	8.4	11.2	782.1	
455.2	28008.1		Min	I	-1290.1	-23.4	-2.1	-1073.5	-
1184.7	-24898.4			J	-1290.1	-23.4	-2.1	-1073.5	-
1922.8	-11511.9								
			G1	I	-2933.1	-46.2	25.6	-1094.0	1
6355.9	-8737.5			J	-2933.1	-46.2	29.8	-1094.0	-
4861.0	26687.8								
			G2	I	-1127.6	-16.7	10.2	-369.1	
6086.7	-743.8			J	-1127.6	-16.7	10.2	-369.1	-
1703.9	12024.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	72.3	0.3	-4.8	118.4	-
3091.4	-19697.9			J	72.3	0.3	-4.8	118.4	
564.6	-19931.9								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
385.4	6125.4	Q5_pc	Y	I	-38.1	0.6	0.7	-45.6	
				J	-38.1	0.6	0.7	-45.6	
-166.9	5670.3								
2687.1	-21714.7	Q5_ps	X	I	64.6	-0.9	-4.1	103.8	-
				J	64.6	-0.9	-4.1	103.8	
486.9	-21022.1								
523.9	3820.5	Q5_ps	Y	I	-40.3	-0.2	0.9	-57.0	
				J	-40.3	-0.2	0.9	-57.0	
-193.4	3986.3								
0666.5	8079.1	INVS LU	Max	I	-5712.0	-100.5	98.0	-194.0	6
				J	-5712.0	-100.5	103.8	-194.0	-
9009.5	104116.3								
8964.6	-208999.4		Min	I	-10387.3	-202.6	46.7	-5495.7	2
				J	-10387.3	-202.6	52.5	-5495.7	-1
7236.6	-63962.3								
5023.8	-53.6	INVS LE	Max	I	-4307.4	-77.1	72.8	-190.2	4
				J	-4307.4	-77.1	77.0	-190.2	-
6805.6	73034.7								
1953.1	-158226.1		Min	I	-7761.0	-152.6	35.4	-4101.6	2
				J	-7761.0	-152.6	39.7	-4101.6	-1
2824.4	-48810.4								
9750	2	83 C1-C2;~1	Max	I	672.0	10.2	1.2	1133.5	
749.1	38282.1			J	672.0	10.2	1.2	1133.5	
1142.5	36721.7								
4438.9	-38474.3		Min	I	-2490.4	-33.4	-6.6	-2961.6	-
				J	-2490.4	-33.4	-6.6	-2961.6	
-571.2	-17153.7								
930.8	59449.4	C3-C4;~1	Max	I	720.8	19.3	1.7	1589.5	
				J	720.8	19.3	1.7	1589.5	
813.1	51202.3								
3847.8	-23045.6		Min	I	-2433.0	-23.4	-5.3	-2752.2	-
				J	-2433.0	-23.4	-5.3	-2752.2	
-892.8	-11631.3								
381.9	17876.0	C1-C2;~2	Max	I	345.4	4.6	0.6	569.7	
				J	345.4	4.6	0.6	569.7	
728.5	17630.6								
2228.9	-20006.1		Min	I	-1262.8	-17.3	-3.4	-1544.8	-
				J	-1262.8	-17.3	-3.4	-1544.8	
-293.3	-8812.0								
460.2	28006.2	C3-C4;~2	Max	I	367.1	9.2	0.8	775.7	
				J	367.1	9.2	0.8	775.7	
507.4	24669.3								
1933.9	-11512.4		Min	I	-1229.1	-11.6	-2.7	-1451.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-459.0	-5964.4		J	-1229.1	-11.6	-2.7	-1451.3	
4877.5	26682.6	G1	I	-2697.9	-12.9	-8.0	-2117.4	-
-341.7	36593.8		J	-2697.9	-12.9	-3.8	-2117.4	
1709.6	12022.7	G2	I	-1040.1	-3.8	-2.2	-763.6	-
-49.7	14971.5		J	-1040.1	-3.8	-2.2	-763.6	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
566.5	-19931.2	Q5_pc X	I	80.1	-0.9	0.8	248.1	
-11.3	-19253.6		J	80.1	-0.9	0.8	248.1	
-167.2	5670.2	Q5_pc Y	I	-37.5	0.9	-0.2	3.0	
-34.8	4981.2		J	-37.5	0.9	-0.2	3.0	
488.6	-21021.4	Q5_ps X	I	73.6	-2.0	0.6	223.3	
3.4	-19499.9		J	73.6	-2.0	0.6	223.3	
-193.8	3986.2	Q5_ps Y	I	-38.1	0.1	-0.2	-13.7	
-20.2	3895.3		J	-38.1	0.1	-0.2	-13.7	
9029.0	104101.0	INVS LU Max	I	-5226.6	-22.1	-13.1	-2082.0	-
887.1	129865.1		J	-5226.6	-22.1	-7.3	-2082.0	
7297.9	-63972.3	Min	I	-9705.8	-94.8	-25.6	-8672.6	-1
1923.3	2267.7		J	-9705.8	-94.8	-19.8	-8672.6	-
6820.7	73023.4	INVS LE Max	I	-3946.1	-18.2	-9.9	-1622.7	-
656.8	93483.3		J	-3946.1	-18.2	-5.6	-1622.7	
2870.2	-48817.9	Min	I	-7253.4	-71.9	-19.0	-6471.6	-1
1420.3	2022.9		J	-7253.4	-71.9	-14.8	-6471.6	-
9751	2	83 C1-C2;~1 Max	I	711.6	22.8	2.2	1159.6	
1130.7	36724.3		J	711.6	22.8	2.2	1159.6	
959.4	23992.1	Min	I	-2330.3	-21.7	-1.2	-3671.4	
-572.4	-17153.8		J	-2330.3	-21.7	-1.2	-3671.4	-
1427.0	-6875.2	C3-C4;~1 Max	I	739.6	33.7	2.1	1557.7	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
799.2	51205.1			J	739.6	33.7	2.1	1557.7	
911.9	29169.1		Min	I	-2316.9	-14.9	-1.9	-3387.7	
-888.6	-11631.3			J	-2316.9	-14.9	-1.9	-3387.7	
1504.0	-6072.9							-	
			C1-C2;~2	Max	I	387.4	10.7	1.1	589.1
723.6	17632.0			J	387.4	10.7	1.1	589.1	
579.4	12269.4		Min	I	-1189.3	-12.1	-0.6	-1899.9	
-293.8	-8812.2			J	-1189.3	-12.1	-0.6	-1899.9	
-748.5	-3436.2								
			C3-C4;~2	Max	I	375.7	15.9	1.1	753.4
500.4	24670.7			J	375.7	15.9	1.1	753.4	
468.8	14516.7		Min	I	-1176.2	-8.1	-1.0	-1794.2	
-456.7	-5964.4			J	-1176.2	-8.1	-1.0	-1794.2	
-796.7	-2964.1								
			G1	I	-2444.7	17.0	-0.8	-3043.0	
-368.0	36597.0			J	-2444.7	17.0	3.5	-3043.0	
1388.3	23590.6							-	
			G2	I	-946.1	7.7	0.5	-1124.5	
-59.3	14972.7			J	-946.1	7.7	0.5	-1124.5	
-409.8	9068.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	81.9	-2.1	0.3	371.2
-8.2	-19253.7			J	81.9	-2.1	0.3	371.2	
-219.9	-17676.3								
			Q5_pc	Y	I	-36.3	1.2	0.1	55.2
-34.5	4981.2			J	-36.3	1.2	0.1	55.2	
-79.9	4078.8								
			Q5_ps	X	I	77.2	-3.1	0.3	337.8
6.3	-19499.9			J	77.2	-3.1	0.3	337.8	
-207.7	-17141.4								
			Q5_ps	Y	I	-35.2	0.4	0.1	34.5
-20.1	3895.3			J	-35.2	0.4	0.1	34.5	
-80.9	3585.3								
			INVSLU	Max	I	-4673.0	67.5	3.9	-3820.2
816.4	129876.7			J	-4673.0	67.5	9.6	-3820.2	
1926.1	83302.9		Min	I	-8964.7	-11.1	-2.2	-11547.6	
								-	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1971.7	2275.3			J	-8964.7	-11.1	3.5	-11547.6	-
5647.4	-2334.9								
		INVSLE	Max	I	-3533.4	48.9	2.9	-2941.9	
603.7	93492.0			J	-3533.4	48.9	7.2	-2941.9	-
1484.8	59825.4		Min	I	-6701.5	-9.0	-1.6	-8616.4	-
1457.0	2028.8			J	-6701.5	-9.0	2.7	-8616.4	-
4212.1	-527.0								
9752	2	83	C1-C2;~1	Max	I	768.9	45.2	1.1	1188.1
966.1	23987.3			J	768.9	45.2	1.1	1188.1	
1201.5	23947.4		Min	I	-2181.6	-22.2	-2.3	-4074.4	-
1462.1	-6875.0			J	-2181.6	-22.2	-2.3	-4074.4	
-497.5	-16768.8								
		C3-C4;~1	Max	I	764.2	57.8	0.7	1512.3	
923.9	29164.8			J	764.2	57.8	0.7	1512.3	
1354.2	18068.5		Min	I	-2173.3	-19.8	-2.5	-3827.6	-
1540.1	-6070.5			J	-2173.3	-19.8	-2.5	-3827.6	
-252.4	-20469.0								
		C1-C2;~2	Max	I	428.4	22.1	0.7	616.8	
582.2	12266.9			J	428.4	22.1	0.7	616.8	
790.5	15060.3		Min	I	-1123.3	-12.6	-1.3	-2102.1	
-767.1	-3436.1			J	-1123.3	-12.6	-1.3	-2102.1	
-276.7	-8289.5								
		C3-C4;~2	Max	I	418.6	28.3	0.4	737.5	
471.2	14514.6			J	418.6	28.3	0.4	737.5	
915.9	10768.7		Min	I	-1116.0	-11.1	-1.4	-1987.5	
-815.9	-2962.9			J	-1116.0	-11.1	-1.4	-1987.5	
-128.9	-10078.0								
		G1		I	-2155.5	43.4	-3.9	-3611.3	-
1423.3	23585.9			J	-2155.5	43.4	0.3	-3611.3	
-63.1	-9710.8								
		G2		I	-837.4	18.0	-0.6	-1347.8	
-422.8	9066.1			J	-837.4	18.0	-0.6	-1347.8	
6.8	-4709.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	52.1	-3.1	-0.3	453.6	
-215.6	-17677.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
16.8	-15274.4		J	52.1	-3.1	-0.3	453.6	
-79.1	4079.1	Q5_pc Y	I	-33.2	1.5	-0.1	82.7	
3.6	2919.1		J	-33.2	1.5	-0.1	82.7	
-203.7	-17142.0	Q5_ps X	I	49.8	-4.1	-0.3	415.4	
7.4	-13998.9		J	49.8	-4.1	-0.3	415.4	
-80.3	3585.6	Q5_ps Y	I	-31.9	0.7	-0.1	60.7	
-2.9	3032.0		J	-31.9	0.7	-0.1	60.7	
1992.5	83286.5	INVS LU Max	I	-4104.8	163.1	-5.0	-4932.0	-
1365.2	11044.4		J	-4104.8	163.1	0.7	-4932.0	
5763.8	-2347.1	Min	I	-8181.8	49.4	-10.5	-13290.4	-
1164.8	-76411.7		J	-8181.8	49.4	-4.7	-13290.4	-
1534.7	59813.0	INVS LE Max	I	-3109.8	120.4	-3.7	-3784.5	-
990.8	6622.4		J	-3109.8	120.4	0.5	-3784.5	
4299.5	-536.2	Min	I	-6122.9	36.6	-7.8	-9915.5	-
-881.0	-56123.3		J	-6122.9	36.6	-3.5	-9915.5	
9753	2	83 C1-C2;~1 Max	I	859.9	24.4	1.9	2138.4	
1031.4	23969.0		J	859.9	24.4	1.9	2138.4	
1188.1	23743.6	Min	I	-2047.3	-42.8	-1.7	-1296.7	
-631.6	-16758.5		J	-2047.3	-42.8	-1.7	-1296.7	-
1148.2	-10750.5							
1196.2	18040.8	C3-C4;~1 Max	I	824.8	22.4	2.3	2263.2	
827.0	22482.7		J	824.8	22.4	2.3	2263.2	
-338.9	-20410.9	Min	I	-2044.0	-44.0	-0.9	-1242.0	
1431.9	-14831.9		J	-2044.0	-44.0	-0.9	-1242.0	-
703.2	15077.7	C1-C2;~2 Max	I	491.4	14.4	1.1	1121.3	
762.0	12388.9		J	491.4	14.4	1.1	1121.3	
-359.2	-8288.8	Min	I	-1064.2	-22.4	-1.0	-779.5	
-573.9	-5892.8		J	-1064.2	-22.4	-1.0	-779.5	
827.4	10748.8	C3-C4;~2 Max	I	459.0	12.8	1.3	1176.8	
			J	459.0	12.8	1.3	1176.8	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
510.7	11736.2		Min	I	-1063.2	-23.0	-0.5	-733.3	
-176.5	-10048.2			J	-1063.2	-23.0	-0.5	-733.3	
-710.1	-7956.7								
		G1		I	-1867.2	-35.1	-1.1	1702.5	
-372.3	-9680.6			J	-1867.2	-35.1	3.4	1702.5	-
1327.7	18939.8								
		G2		I	-726.6	-13.9	0.3	681.4	
-115.1	-4696.2			J	-726.6	-13.9	0.3	681.4	
-381.8	6611.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	15.6	-4.6	-0.1	65.8	
90.1	-15267.6			J	15.6	-4.6	-0.1	65.8	
133.0	-11496.4								
		Q5_pc Y		I	-29.9	0.4	0.1	-172.1	
-0.4	2917.6			J	-29.9	0.4	0.1	-172.1	
-91.1	2616.5								
		Q5_ps X		I	15.9	-4.3	-0.1	52.6	
78.2	-13993.3			J	15.9	-4.3	-0.1	52.6	
140.5	-10529.2								
		Q5_ps Y		I	-28.6	0.4	0.1	-170.7	
-4.2	3029.7			J	-28.6	0.4	0.1	-170.7	
-73.7	2699.8								
		INVSLU Max		I	-3456.3	-54.2	2.3	6903.3	
689.5	11126.4			J	-3456.3	-54.2	8.4	6903.3	-
1014.0	81738.9								
		Min		I	-7434.7	-154.9	-3.3	1787.5	-
1940.3	-76268.3			J	-7434.7	-154.9	2.8	1787.5	-
4790.4	8968.6								
		INVSLE Max		I	-2627.7	-41.9	1.7	5167.0	
489.2	6682.5			J	-2627.7	-41.9	6.2	5167.0	
-772.8	60395.3								
		Min		I	-5570.7	-115.8	-2.4	1400.5	-
1446.8	-56018.6			J	-5570.7	-115.8	2.1	1400.5	-
3552.3	8024.2								
		83 C1-C2;~1 Max		I	942.7	13.9	1.2	1581.5	
9754	2			J	942.7	13.9	1.2	1581.5	
1176.3	23747.4								
		Min		I	-1892.9	-19.0	-1.2	-1009.5	-
244.6	36923.4			J	-1892.9	-19.0	-1.2	-1009.5	-
1130.8	-10749.3								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-333.7	-15880.3							
		C3-C4;~1	Max	I	886.0	11.9	0.8	1711.4
817.1	22488.2			J	886.0	11.9	0.8	1711.4
268.7	36645.7							
			Min	I	-1907.7	-20.0	-1.6	-951.7
1412.9	-14829.4			J	-1907.7	-20.0	-1.6	-951.7
-318.1	-19830.5							
		C1-C2;~2	Max	I	548.2	8.5	0.8	820.8
755.0	12390.6			J	548.2	8.5	0.8	820.8
149.4	19359.0							
			Min	I	-992.5	-9.9	-0.6	-607.2
-565.5	-5892.0			J	-992.5	-9.9	-0.6	-607.2
-171.0	-8666.0							
		C3-C4;~2	Max	I	500.2	6.9	0.5	876.3
505.0	11739.1			J	500.2	6.9	0.5	876.3
134.4	19316.2							
			Min	I	-1002.3	-10.4	-0.8	-563.4
-700.9	-7955.4			J	-1002.3	-10.4	-0.8	-563.4
-164.3	-10583.2							
			G1	I	-1573.4	-14.5	-3.4	1279.7
1310.6	18948.8			J	-1573.4	-14.5	1.1	1279.7
-361.1	30729.8							
			G2	I	-611.6	-5.9	-0.4	513.8
-375.0	6615.3			J	-611.6	-5.9	-0.4	513.8
-77.0	11385.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-13.9	-4.4	0.2	31.2
133.6	-11497.7			J	-13.9	-4.4	0.2	31.2
-32.7	-7922.0							
			Q5_pc Y	I	-26.7	0.6	-0.1	-124.5
-92.8	2616.1			J	-26.7	0.6	-0.1	-124.5
-12.7	2120.5							
			Q5_ps X	I	-11.4	-4.0	0.2	20.0
140.9	-10530.5			J	-11.4	-4.0	0.2	20.0
-32.9	-7244.4							
			Q5_ps Y	I	-25.3	0.6	-0.1	-126.0
-75.4	2699.3			J	-25.3	0.6	-0.1	-126.0
-14.6	2174.9							
			INVSLU Max	I	-2766.3	-16.0	-3.5	5139.2
-992.7	81762.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-440.3	127873.7		J	-2766.3	-16.0	2.6	5139.2	
		Min	I	-6662.5	-69.7	-7.7	1242.1	-
4728.5	8988.0		J	-6662.5	-69.7	-1.6	1242.1	-
1312.6	36996.4							
		INVSLE Max	I	-2114.7	-12.7	-2.6	3841.9	
-756.4	60412.8		J	-2114.7	-12.7	1.9	3841.9	
-340.2	95302.8	Min	I	-4997.1	-52.0	-5.7	971.7	-
3505.8	8038.9		J	-4997.1	-52.0	-1.2	971.7	
-982.0	29042.5							
9755	2	69 C1-C2;~1 Max	I	978.4	6.8	0.3	695.7	
239.7	36911.2		J	978.4	6.8	0.3	695.7	
154.1	32941.5	Min	I	-1657.5	-4.1	-0.4	-530.0	
-324.7	-15874.7		J	-1657.5	-4.1	-0.4	-530.0	
-119.1	-14276.6							
		C3-C4;~1 Max	I	905.7	5.3	0.4	828.1	
266.9	36632.7		J	905.7	5.3	0.4	828.1	
114.8	33282.1	Min	I	-1702.1	-4.2	-0.3	-461.4	
-308.8	-19824.5		J	-1702.1	-4.2	-0.3	-461.4	
-156.1	-18070.9							
		C1-C2;~2 Max	I	576.8	3.8	0.1	345.2	
146.3	19352.5		J	576.8	3.8	0.1	345.2	
98.0	17241.9	Min	I	-876.0	-2.4	-0.2	-322.0	
-166.1	-8662.8		J	-876.0	-2.4	-0.2	-322.0	
-60.2	-7765.4							
		C3-C4;~2 Max	I	518.5	2.8	0.2	406.3	
144.7	19309.3		J	518.5	2.8	0.2	406.3	
71.0	17468.8	Min	I	-896.7	-2.2	-0.2	-275.5	
-159.1	-10579.9		J	-896.7	-2.2	-0.2	-275.5	
-78.4	-9729.3							
		G1	I	-1262.3	3.7	-1.2	607.4	
-351.4	30719.4		J	-1262.3	3.7	0.8	607.4	
-212.4	27677.8							
		G2	I	-492.2	1.2	-0.0	245.5	
-73.1	11381.6		J	-492.2	1.2	-0.0	245.5	
-33.5	10374.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-32.6	-7922.0	Q5_pc X	I	-11.5	-4.2	-0.1	0.7	
19.9	-4519.6		J	-11.5	-4.2	-0.1	0.7	
-13.5	2121.5	Q5_pc Y	I	-24.0	0.7	-0.0	-44.0	
-8.6	1531.9		J	-24.0	0.7	-0.0	-44.0	
-32.8	-7244.3	Q5_ps X	I	-7.8	-3.9	-0.1	-6.6	
20.5	-4095.9		J	-7.8	-3.9	-0.1	-6.6	
-15.5	2175.9	Q5_ps Y	I	-21.2	0.7	-0.0	-48.3	
-6.4	1571.1		J	-21.2	0.7	-0.0	-48.3	
-422.7	127834.7	INVS LU Max	I	-2035.0	21.5	-1.3	2370.2	
-152.7	112944.5		J	-2035.0	21.5	1.4	2370.2	
1280.0	36982.0	Min	I	-5696.8	-0.9	-2.5	457.6	-
-607.4	35482.6		J	-5696.8	-0.9	0.2	457.6	
-326.9	95273.5	INVS LE Max	I	-1566.4	15.8	-1.0	1763.6	
-115.7	84320.8		J	-1566.4	15.8	1.0	1763.6	
-957.6	29031.4	Min	I	-4275.7	-0.2	-1.9	352.7	
-449.8	27544.3		J	-4275.7	-0.2	0.1	352.7	
9756	2	69 C1-C2;~1 Max	I	1045.1	25.8	0.2	565.3	
152.5	32945.5		J	1045.1	25.8	0.2	565.3	
186.2	15486.2	Min	I	-1524.7	-14.5	-0.2	-442.4	
-115.9	-14279.6		J	-1524.7	-14.5	-0.2	-442.4	
-201.6	-4785.0							
113.8	33286.8	C3-C4;~1 Max	I	960.4	26.0	0.2	619.7	
171.7	13233.4		J	960.4	26.0	0.2	619.7	
-151.3	-18073.7	Min	I	-1576.0	-14.5	-0.3	-426.4	
-202.3	-7361.9		J	-1576.0	-14.5	-0.3	-426.4	
97.1	17244.1	C1-C2;~2 Max	I	620.1	13.7	0.1	323.0	
115.2	8441.4		J	620.1	13.7	0.1	323.0	
-58.6	-7767.1	Min	I	-808.1	-8.5	-0.1	-229.7	
-105.0	-2445.5		J	-808.1	-8.5	-0.1	-229.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
70.4	17471.3	C3-C4 ; ~2	Max	I	554.6	13.8	0.1	328.2
				J	554.6	13.8	0.1	328.2
92.3	6895.1		Min	I	-831.8	-7.8	-0.1	-224.2
-76.0	-9730.9			J	-831.8	-7.8	-0.1	-224.2
-108.3	-3885.9							
		G1		I	-1024.0	18.9	-1.0	-14.0
-209.4	27680.2			J	-1024.0	18.9	1.0	-14.0
-239.9	12250.1							
		G2		I	-401.8	7.2	0.0	-2.6
-32.2	10375.8			J	-401.8	7.2	0.0	-2.6
-35.4	4519.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-9.5	-4.0	0.0	-20.3
19.8	-4519.2			J	-9.5	-4.0	0.0	-20.3
-9.0	-1262.7							
		Q5_pc Y		I	-22.9	0.8	0.0	26.9
-8.6	1531.7			J	-22.9	0.8	0.0	26.9
-12.8	848.2							
		Q5_ps X		I	-4.5	-3.7	0.0	-23.5
20.4	-4095.6			J	-4.5	-3.7	0.0	-23.5
-8.8	-1043.0							
		Q5_ps Y		I	-18.6	0.8	0.0	21.1
-6.5	1570.8			J	-18.6	0.8	0.0	21.1
-12.8	903.3							
		INVS LU	Max	I	-1441.1	88.3	-0.8	637.3
-149.7	112957.0			J	-1441.1	88.3	1.9	637.3
-286.1	45613.6		Min	I	-5020.8	26.4	-1.5	-845.1
-595.6	35485.8			J	-5020.8	26.4	1.2	-845.1
-833.6	12495.7							
		INVS LE	Max	I	-1122.4	66.1	-0.6	448.7
-113.5	84330.3			J	-1122.4	66.1	1.4	448.7
-220.7	33904.2		Min	I	-3771.0	20.8	-1.1	-645.8
-441.1	27546.8			J	-3771.0	20.8	0.9	-645.8
-624.6	9540.8							
		69 C1-C2 ; ~1	Max	I	1136.4	45.0	0.2	866.2
9757	2			J	1136.4	45.0	0.2	866.2
192.5	15481.4							
295.4	24882.4							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-209.9	-4779.7	Min	I	-1426.1	-27.9	-0.4	-1019.4
			J	-1426.1	-27.9	-0.4	-1019.4
-65.1	-26467.8						
179.4	13229.4	C3-C4;~1 Max	I	1063.0	46.1	0.1	867.6
			J	1063.0	46.1	0.1	867.6
324.1	21135.1						
-210.7	-7355.6	Min	I	-1470.7	-26.7	-0.4	-1018.0
			J	-1470.7	-26.7	-0.4	-1018.0
-54.9	-26781.6						
118.9	8439.5	C1-C2;~2 Max	I	676.7	24.0	0.1	505.2
			J	676.7	24.0	0.1	505.2
180.6	14940.7						
-109.5	-2442.7	Min	I	-760.9	-16.4	-0.2	-545.5
			J	-760.9	-16.4	-0.2	-545.5
-37.3	-14109.4						
95.8	6893.7	C3-C4;~2 Max	I	619.1	24.5	0.1	476.3
			J	619.1	24.5	0.1	476.3
189.7	12306.9						
-112.8	-3882.5	Min	I	-782.8	-15.4	-0.2	-547.3
			J	-782.8	-15.4	-0.2	-547.3
-27.4	-14247.0						
-243.0	12246.0	G1	I	-777.1	31.1	-1.3	-447.7
			J	-777.1	31.1	0.7	-447.7
21.0	-13117.1						
-36.7	4517.8	G2	I	-307.6	12.0	-0.1	-175.4
			J	-307.6	12.0	-0.1	-175.4
50.7	-5251.7						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-9.3	-1263.4	Q5_pc X	I	-26.5	-3.9	0.0	-27.9
			J	-26.5	-3.9	0.0	-27.9
-25.5	1885.6						
-12.2	848.8	Q5_pc Y	I	-20.1	1.0	-0.0	65.5
			J	-20.1	1.0	-0.0	65.5
-0.2	7.3						
-9.1	-1043.7	Q5_ps X	I	-20.3	-3.7	0.0	-28.2
			J	-20.3	-3.7	0.0	-28.2
-24.3	1962.5						
-12.3	903.9	Q5_ps Y	I	-15.9	1.0	-0.0	60.0
			J	-15.9	1.0	-0.0	60.0
-0.9	127.8						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-287.7	45593.4	INVSLE Max	I	-848.9	150.1	-1.8	-27.0
			J	-848.9	150.1	0.9	-27.0
506.0	-9839.3	INVSLE Min	I	-4416.1	43.2	-2.7	-2692.4
-853.9	12489.4		J	-4416.1	43.2	0.0	-2692.4
-65.3	-82979.8						
-222.3	33888.7	INVSLE Max	I	-683.1	112.6	-1.3	-68.6
			J	-683.1	112.6	0.7	-68.6
371.0	-8529.9	INVSLE Min	I	-3322.0	33.9	-2.0	-2034.2
-640.1	9535.6		J	-3322.0	33.9	0.0	-2034.2
-48.9	-62456.7						
9758	2	69 C1-C2;~1 Max	I	1249.8	36.2	0.2	1450.0
156.7	24861.5		J	1249.8	36.2	0.2	1450.0
227.9	5993.3	69 C1-C2;~1 Min	I	-1364.3	-36.2	-0.4	-1484.0
-153.6	-26449.1		J	-1364.3	-36.2	-0.4	-1484.0
-162.0	-10635.3						
170.4	21078.5	C3-C4;~1 Max	I	1184.5	34.6	0.2	1492.5
			J	1184.5	34.6	0.2	1492.5
169.9	5507.3	C3-C4;~1 Min	I	-1404.5	-37.2	-0.3	-1434.7
-194.5	-26756.4		J	-1404.5	-37.2	-0.3	-1434.7
-177.8	-13078.4						
105.6	14929.1	C1-C2;~2 Max	I	744.0	21.5	0.1	780.0
			J	744.0	21.5	0.1	780.0
142.1	3434.6	C1-C2;~2 Min	I	-731.8	-19.4	-0.2	-886.9
-85.1	-14099.8		J	-731.8	-19.4	-0.2	-886.9
-84.6	-6024.0						
114.5	12267.8	C3-C4;~2 Max	I	690.9	20.2	0.1	802.7
			J	690.9	20.2	0.1	802.7
102.1	2862.5	C3-C4;~2 Min	I	-753.1	-20.0	-0.2	-843.3
-103.1	-14234.8		J	-753.1	-20.0	-0.2	-843.3
-91.2	-7218.3						
-244.2	-13105.7	G1	I	-543.8	-10.7	-1.1	414.5
			J	-543.8	-10.7	1.0	414.5
-202.5	-4385.6						
-55.3	-5246.3	G2	I	-216.7	-4.3	-0.0	171.4
			J	-216.7	-4.3	-0.0	171.4
-23.6	-1753.1						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
12.7	1898.8	Q5_pc X	I	-47.3	-1.4	-0.0	145.7
14.6	3059.7		J	-47.3	-1.4	-0.0	145.7
-5.6	6.9	Q5_pc Y	I	-16.4	-0.2	0.0	-114.5
-11.7	142.5		J	-16.4	-0.2	0.0	-114.5
13.9	1974.5	Q5_ps X	I	-40.1	-1.2	-0.0	133.0
15.2	2967.2		J	-40.1	-1.2	-0.0	133.0
-3.4	127.0	Q5_ps Y	I	-12.6	-0.1	0.0	-112.2
-9.7	190.3		J	-12.6	-0.1	0.0	-112.2
-186.0	-9748.9	INVSLE Max	I	-251.6	3.2	-1.1	3843.8
-76.5	4057.2		J	-251.6	3.2	1.6	3843.8
-701.5	-82850.9	Min	I	-3920.0	-98.5	-1.9	-436.7
-650.4	-27197.1		J	-3920.0	-98.5	0.8	-436.7
-137.2	-8462.6	INVSLE Max	I	-242.7	0.8	-0.8	2901.5
-62.3	2921.6		J	-242.7	0.8	1.2	2901.5
-517.3	-62359.0	Min	I	-2953.7	-74.4	-1.4	-249.8
-485.5	-19821.7		J	-2953.7	-74.4	0.6	-249.8
9759	2	69 C1-C2;~1 Max	I	1380.3	19.2	0.1	844.3
214.7	5997.2		J	1380.3	19.2	0.1	844.3
217.4	19097.5	Min	I	-1329.9	-18.2	-0.1	-887.4
-149.4	-10640.7		J	-1329.9	-18.2	-0.1	-887.4
-138.6	-23513.6	C3-C4;~1 Max	I	1308.6	17.8	0.0	876.1
157.7	5516.2		J	1308.6	17.8	0.0	876.1
228.9	20138.2	Min	I	-1370.7	-18.8	-0.2	-853.1
-165.1	-13082.5		J	-1370.7	-18.8	-0.2	-853.1
-145.0	-26288.5	C1-C2;~2 Max	I	820.4	11.5	0.1	452.4
134.2	3436.0		J	820.4	11.5	0.1	452.4
135.0	10204.5	Min	I	-715.1	-9.8	-0.1	-533.0
-77.8	-6027.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-73.6	-13621.2		J	-715.1	-9.8	-0.1	-533.0
94.9	2867.3	C3-C4;~2 Max	I	761.4	10.4	0.0	467.9
125.5	10792.0		J	761.4	10.4	0.0	467.9
-84.3	-7220.8	Min	I	-737.4	-10.1	-0.1	-507.1
-77.3	-14824.8		J	-737.4	-10.1	-0.1	-507.1
-198.6	-4380.0	G1	I	-340.4	-5.2	-1.1	280.2
-117.1	-105.0		J	-340.4	-5.2	0.9	280.2
-21.9	-1750.8	G2	I	-136.1	-2.1	-0.0	117.4
7.8	-18.7		J	-136.1	-2.1	-0.0	117.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
15.9	3059.9	Q5_pc X	I	-63.9	-0.5	0.0	74.7
-14.8	3450.0		J	-63.9	-0.5	0.0	74.7
-12.8	141.9	Q5_pc Y	I	-12.3	-0.1	-0.0	-73.1
-6.0	210.0		J	-12.3	-0.1	-0.0	-73.1
16.4	2967.2	Q5_ps X	I	-55.9	-0.4	0.0	66.6
-14.1	3272.3		J	-55.9	-0.4	0.0	66.6
-10.7	189.7	Q5_ps Y	I	-8.8	-0.0	-0.0	-73.0
-6.2	210.5		J	-8.8	-0.0	-0.0	-73.0
-77.4	4077.9	INVS LU Max	I	312.7	2.5	-1.3	2294.1
45.1	42857.2		J	312.7	2.5	1.4	2294.1
-618.8	-27187.4	Min	I	-3516.1	-49.5	-1.8	-221.0
-486.3	-26028.9		J	-3516.1	-49.5	0.9	-221.0
-62.5	2937.3	INVS LE Max	I	173.6	1.1	-1.0	1730.0
26.0	32275.1		J	173.6	1.1	1.0	1730.0
-461.4	-19814.2	Min	I	-2654.0	-37.4	-1.3	-123.1
-365.6	-18291.5		J	-2654.0	-37.4	0.7	-123.1
9760	2	69 C1-C2;~1 Max	I	1484.5	1.6	0.2	297.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
213.4	19094.2		J	1484.5	1.6	0.2	297.7
199.3	19119.1						
		Min	I	-1268.1	-3.2	-0.1	-166.6
-134.5	-23511.7						
			J	-1268.1	-3.2	-0.1	-166.6
-107.2	-22454.7						
		C3-C4;~1 Max	I	1392.1	0.9	0.2	328.7
226.0	20134.8						
			J	1392.1	0.9	0.2	328.7
159.2	20173.1						
		Min	I	-1309.8	-2.8	-0.1	-125.5
-140.8	-26286.7						
			J	-1309.8	-2.8	-0.1	-125.5
-125.8	-25063.8						
		C1-C2;~2 Max	I	881.8	1.0	0.1	177.2
132.5	10202.7						
			J	881.8	1.0	0.1	177.2
125.4	10227.2						
		Min	I	-681.8	-1.9	-0.1	-101.8
-71.4	-13620.2						
			J	-681.8	-1.9	-0.1	-101.8
-54.7	-13064.4						
		C3-C4;~2 Max	I	810.3	0.5	0.1	181.9
123.2	10790.1						
			J	810.3	0.5	0.1	181.9
98.1	10813.3						
		Min	I	-704.5	-1.5	-0.1	-73.3
-75.0	-14823.8						
			J	-704.5	-1.5	-0.1	-73.3
-62.3	-14191.8						
		G1	I	-181.1	-1.7	-0.9	132.0
-115.0	-106.6						
			J	-181.1	-1.7	1.1	132.0
-162.9	1293.2						
		G2	I	-75.1	-0.7	0.0	54.3
8.6	-19.3						
			J	-75.1	-0.7	0.0	54.3
-12.3	546.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-62.3	0.5	-0.0	-29.2
-14.6	3449.9						
			J	-62.3	0.5	-0.0	-29.2
11.6	3006.7						
		Q5_pc Y	I	-9.2	-0.1	0.0	4.8
-6.4	210.0						
			J	-9.2	-0.1	0.0	4.8
-8.8	327.9						
		Q5_ps X	I	-53.5	0.5	-0.0	-29.5
-13.9	3272.2						
			J	-53.5	0.5	-0.0	-29.5
12.4	2842.5						
		Q5_ps Y	I	-4.7	-0.1	0.0	2.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-6.7	210.5			J	-4.7	-0.1	0.0 2.0
-6.8	314.2						
47.6	42847.7	INVSLE	Max	I	791.9	-1.6	-1.0 699.8
				J	791.9	-1.6	1.7 699.8
-8.5	45959.4		Min	I	-3092.5	-9.0	-1.5 -21.6
-473.8	-26031.1			J	-3092.5	-9.0	1.2 -21.6
-468.2	-20522.5						
		INVSLE	Max	I	531.3	-1.3	-0.7 511.0
28.0	32268.0			J	531.3	-1.3	1.3 511.0
-9.2	34637.2		Min	I	-2337.8	-6.7	-1.1 -19.4
-356.2	-18293.4			J	-2337.8	-6.7	0.9 -19.4
-348.1	-14207.8						
9761	2	69 C1-C2;~1	Max	I	1567.7	17.3	0.1 1142.6
204.3	19122.1			J	1567.7	17.3	0.1 1142.6
251.5	7308.4		Min	I	-1204.3	-22.8	-0.2 -884.7
-110.8	-22458.0			J	-1204.3	-22.8	-0.2 -884.7
-146.7	-6495.6						
		C3-C4;~1	Max	I	1462.3	17.9	0.1 1200.2
164.1	20176.1			J	1462.3	17.9	0.1 1200.2
219.3	6463.5		Min	I	-1245.9	-21.3	-0.2 -915.8
-128.7	-25067.3			J	-1245.9	-21.3	-0.2 -915.8
-152.5	-8810.1						
		C1-C2;~2	Max	I	928.9	9.3	0.0 663.0
128.5	10228.8			J	928.9	9.3	0.0 663.0
154.7	4160.3		Min	I	-647.1	-13.5	-0.1 -471.6
-56.8	-13066.2			J	-647.1	-13.5	-0.1 -471.6
-78.3	-3695.3						
		C3-C4;~2	Max	I	850.4	9.6	0.0 643.1
101.1	10815.0			J	850.4	9.6	0.0 643.1
130.0	3416.2		Min	I	-669.7	-12.3	-0.1 -488.9
-64.2	-14193.7			J	-669.7	-12.3	-0.1 -488.9
-81.5	-4911.7						
		G1		I	-33.0	-0.3	-1.1 53.4
-162.1	1292.6			J	-33.0	-0.3	0.9 53.4
-105.5	1501.6						
		G2		I	-19.0	-0.0	-0.0 16.7
-12.0	546.2			J	-19.0	-0.0	-0.0 16.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
15.7	584.6						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-60.4	1.5	0.0
10.7	3007.0			J	-60.4	1.5	0.0
-8.4	1747.8						-128.0
			Q5_pc Y	I	-6.7	-0.2	0.0
-8.3	327.9			J	-6.7	-0.2	0.0
-9.1	517.4						81.6
			Q5_ps X	I	-50.9	1.4	0.0
11.6	2842.7			J	-50.9	1.4	0.0
-7.7	1705.9						-119.9
			Q5_ps Y	I	-1.2	-0.3	0.0
-6.3	314.1			J	-1.2	-0.3	0.0
-8.7	536.2						77.1
			INVSLE Max	I	1231.8	36.6	-1.2
-4.0	45965.5			J	1231.8	36.6	1.5
77.9	18445.3		Min	I	-2675.4	-21.0	-1.7
-472.8	-20525.7			J	-2675.4	-21.0	1.0
-483.8	-6460.8						-1810.8
			INVSLE Max	I	860.8	27.7	-0.9
-6.1	34641.8			J	860.8	27.7	1.1
49.6	13790.9		Min	I	-2025.3	-14.8	-1.2
-351.9	-14210.0			J	-2025.3	-14.8	0.8
-365.3	-4425.0						-1379.4
9762	2	69	C1-C2;~1 Max	I	1656.1	32.8	0.3
267.3	7307.6			J	1656.1	32.8	0.3
271.8	33419.0		Min	I	-1155.7	-43.3	-0.3
-159.9	-6485.1			J	-1155.7	-43.3	-0.3
-61.1	-21939.0						-1429.6
			C3-C4;~1 Max	I	1566.0	33.9	0.2
235.2	6459.6			J	1566.0	33.9	0.2
280.7	29346.3		Min	I	-1194.5	-41.0	-0.3
-166.1	-8798.5			J	-1194.5	-41.0	-0.3
-42.2	-22466.3						-1476.5
			C1-C2;~2 Max	I	977.8	17.6	0.2
164.0	4160.7			J	977.8	17.6	0.2
							1047.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
167.7	19738.8		Min	I	-619.5	-25.6	-0.1	-764.7
-85.3	-3689.1			J	-619.5	-25.6	-0.1	-764.7
-36.0	-11778.7							
		C3-C4;~2	Max	I	908.6	18.2	0.1	1011.3
139.1	3414.6			J	908.6	18.2	0.1	1011.3
178.1	16921.8		Min	I	-641.0	-23.8	-0.2	-790.8
-88.8	-4905.2			J	-641.0	-23.8	-0.2	-790.8
-21.8	-12034.1							
		G1		I	144.4	-0.7	-1.1	26.0
-105.1	1504.4			J	144.4	-0.7	0.9	26.0
6.4	2039.1							
		G2		I	49.0	-0.1	-0.0	1.3
15.8	585.7			J	49.0	-0.1	-0.0	1.3
44.4	677.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-69.7	2.4	-0.0	-182.4
-10.2	1746.3			J	-69.7	2.4	-0.0	-182.4
-10.0	-199.4							
		Q5_pc Y		I	-1.8	-0.2	-0.0	121.1
-8.0	518.1			J	-1.8	-0.2	-0.0	121.1
2.0	719.0							
		Q5_ps X		I	-59.9	2.1	0.0	-168.7
-9.4	1704.5			J	-59.9	2.1	0.0	-168.7
-9.6	-12.8							
		Q5_ps Y		I	3.2	-0.4	-0.0	116.9
-7.6	536.9			J	3.2	-0.4	-0.0	116.9
1.3	829.1							
		INVSLE Max		I	1726.6	69.4	-1.4	1693.4
92.4	18438.4			J	1726.6	69.4	1.3	1693.4
485.9	35283.8		Min	I	-2247.1	-39.2	-2.2	-3028.7
-510.9	-6448.2			J	-2247.1	-39.2	0.5	-3028.7
6.6	-41455.5							
		INVSLE Max		I	1229.7	52.5	-1.1	1169.7
59.6	13785.2			J	1229.7	52.5	0.9	1169.7
362.4	25283.4		Min	I	-1704.5	-27.6	-1.6	-2303.8
-385.9	-4416.5			J	-1704.5	-27.6	0.4	-2303.8


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
8.7	-31464.6									
9763	2	69	C1-C2;~1	Max	I	1748.3	48.6	0.1	1450.4	
184.3	33364.1				J	1748.3	48.6	0.1	1450.4	
227.9	5704.6									
				Min	I	-1126.2	-30.6	-0.3	-2352.2	
-105.1	-21918.9				J	-1126.2	-30.6	-0.3	-2352.2	
-102.0	-10615.5									
				C3-C4;~1	Max	I	1670.5	46.7	0.2	1500.2
197.5	29311.6				J	1670.5	46.7	0.2	1500.2	
176.4	4080.9									
				Min	I	-1165.0	-31.6	-0.2	-2278.0	
-146.8	-22446.0				J	-1165.0	-31.6	-0.2	-2278.0	
-111.9	-13797.3									
				C1-C2;~2	Max	I	1027.8	28.4	0.1	772.2
121.1	19708.3				J	1027.8	28.4	0.1	772.2	
139.8	3421.9									
				Min	I	-601.3	-16.3	-0.2	-1372.6	
-54.0	-11767.7				J	-601.3	-16.3	-0.2	-1372.6	
-53.9	-5919.8									
				C3-C4;~2	Max	I	965.1	26.9	0.1	800.1
130.4	16904.8				J	965.1	26.9	0.1	800.1	
104.9	2114.3									
				Min	I	-623.0	-16.9	-0.1	-1308.9	
-75.0	-12022.9				J	-623.0	-16.9	-0.1	-1308.9	
-58.4	-7511.3									
				G1	I	314.4	10.7	-1.1	-581.0	
-185.8	2009.3				J	314.4	10.7	0.9	-581.0	
-105.3	-6668.1									
				G2	I	116.4	4.1	-0.1	-215.8	
-33.2	665.7				J	116.4	4.1	-0.1	-215.8	
14.7	-2652.9									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc X	I	-83.2	-2.7	0.0	204.4	
18.1	-198.2				J	-83.2	-2.7	0.0	204.4	
1.5	1972.8									
				Q5_pc Y	I	5.2	0.5	-0.0	-89.6	
-11.4	726.7				J	5.2	0.5	-0.0	-89.6	
-4.4	287.0									
				Q5_ps X	I	-73.4	-2.4	0.0	187.3	
19.0	-12.0				J	-73.4	-2.4	0.0	187.3	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.6	1941.0						
-8.7	835.9	Q5_ps Y	I	9.2	0.6	-0.0	-90.3
-2.9	340.1		J	9.2	0.6	-0.0	-90.3
-88.9	35381.7	INVSLU Max	I	2220.8	66.0	-1.4	3191.5
194.7	805.4		J	2220.8	66.0	1.3	3191.5
-586.3	-41269.9	Min	I	-1862.0	-47.1	-2.0	-2377.3
-272.0	-29073.2		J	-1862.0	-47.1	0.7	-2377.3
-69.0	25365.4	INVSLE Max	I	1597.5	47.5	-1.1	2470.0
145.1	618.8		J	1597.5	47.5	0.9	2470.0
-435.0	-31316.6	Min	I	-1415.7	-35.9	-1.5	-1627.8
-199.9	-21250.5		J	-1415.7	-35.9	0.5	-1627.8
9764	2	69 C1-C2;~1 Max	I	1821.1	24.8	0.1	849.6
207.3	5706.7		J	1821.1	24.8	0.1	849.6
208.0	15727.9	Min	I	-1104.9	-15.4	-0.1	-1417.2
-90.2	-10626.2		J	-1104.9	-15.4	-0.1	-1417.2
-92.3	-28507.3						
156.9	4086.2	C3-C4;~1 Max	I	1749.6	23.5	0.0	878.8
221.2	16617.0		J	1749.6	23.5	0.0	878.8
-100.3	-13807.3	Min	I	-1144.4	-15.9	-0.2	-1358.9
-96.3	-32360.7		J	-1144.4	-15.9	-0.2	-1358.9
127.5	3422.2	C1-C2;~2 Max	I	1064.5	14.6	0.0	453.4
126.9	8294.4		J	1064.5	14.6	0.0	453.4
-47.4	-5926.1	Min	I	-587.6	-8.2	-0.1	-830.3
-48.2	-16300.7		J	-587.6	-8.2	-0.1	-830.3
93.6	2116.3	C3-C4;~2 Max	I	1005.0	13.6	0.0	469.6
121.0	8800.4		J	1005.0	13.6	0.0	469.6
-51.9	-7517.0	Min	I	-609.8	-8.5	-0.1	-785.3
-50.5	-18019.9		J	-609.8	-8.5	-0.1	-785.3
-110.6	-6669.2	G1	I	459.0	5.1	-1.1	-329.8
-57.5	-10794.6		J	459.0	5.1	0.9	-329.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
12.7	-2653.2	G2	I	175.4	1.9	-0.0	-119.4
			J	175.4	1.9	-0.0	-119.4
31.4	-4233.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-95.8	-1.3	0.0	118.0
3.4	1973.7		J	-95.8	-1.3	0.0	118.0
-11.4	3037.2						
		Q5_pc Y	I	12.9	0.3	-0.0	-54.1
-5.3	286.5		J	12.9	0.3	-0.0	-54.1
-0.1	8.6						
		Q5_ps X	I	-85.9	-1.2	0.0	106.9
4.3	1941.8		J	-85.9	-1.2	0.0	106.9
-10.9	2895.0						
		Q5_ps Y	I	15.9	0.4	-0.0	-56.1
-3.7	339.6		J	15.9	0.4	-0.0	-56.1
-0.5	31.5						
		INVS LU Max	I	2647.7	33.5	-1.3	2005.0
177.2	816.2		J	2647.7	33.5	1.4	2005.0
250.0	17424.1						
		Min	I	-1528.1	-23.8	-1.7	-1307.0
-247.5	-29080.3		J	-1528.1	-23.8	1.1	-1307.0
-199.3	-54162.8						
		INVS LE Max	I	1915.6	24.1	-1.0	1552.8
133.3	627.3		J	1915.6	24.1	1.1	1552.8
184.4	13314.1						
		Min	I	-1164.9	-18.1	-1.2	-884.8
-180.7	-21255.1		J	-1164.9	-18.1	0.8	-884.8
-146.9	-39308.3						
9765	2	69 C1-C2;~1 Max	I	1867.9	1.6	0.1	175.4
200.5	15725.0		J	1867.9	1.6	0.1	175.4
164.6	15773.6						
		Min	I	-1055.8	-3.3	-0.1	-117.2
-87.8	-28504.0		J	-1055.8	-3.3	-0.1	-117.2
-65.3	-27135.2						
		C3-C4;~1 Max	I	1785.2	1.0	0.2	229.5
214.8	16614.1		J	1785.2	1.0	0.2	229.5
136.7	16610.4						
		Min	I	-1093.9	-3.0	-0.1	-92.5
-91.7	-32357.4		J	-1093.9	-3.0	-0.1	-92.5
-76.6	-30854.4						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
122.5	8292.9	C1-C2;~2 Max	I	1091.7	1.0	0.1	100.3
			J	1091.7	1.0	0.1	100.3
102.7	8353.6	Min	I	-560.4	-1.9	-0.0	-68.8
-45.8	-16298.8		J	-560.4	-1.9	-0.0	-68.8
-33.7	-15571.3						
116.8	8798.8	C3-C4;~2 Max	I	1025.6	0.6	0.1	125.5
			J	1025.6	0.6	0.1	125.5
83.9	8829.5	Min	I	-581.8	-1.7	-0.0	-53.4
-47.9	-18018.0		J	-581.8	-1.7	-0.0	-53.4
-38.5	-17260.0						
		G1	I	551.1	-2.1	-0.9	77.6
-59.0	-10794.2		J	551.1	-2.1	1.1	77.6
-116.1	-9083.5						
		G2	I	211.4	-0.8	0.0	34.2
30.9	-4233.7		J	211.4	-0.8	0.0	34.2
7.0	-3579.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-95.8	0.2	-0.0	-14.3
-10.8	3036.9		J	-95.8	0.2	-0.0	-14.3
2.9	2879.0						
		Q5_pc Y	I	18.1	-0.0	0.0	7.5
-0.4	8.7		J	18.1	-0.0	0.0	7.5
-2.0	14.6						
		Q5_ps X	I	-85.7	0.2	-0.0	-15.3
-10.4	2894.8		J	-85.7	0.2	-0.0	-15.3
3.7	2745.9						
		Q5_ps Y	I	21.4	-0.0	-0.0	4.5
-0.8	31.6		J	21.4	-0.0	-0.0	4.5
-0.7	35.8						
		INVSLU Max	I	2963.9	-0.6	-1.0	558.4
245.9	17419.3		J	2963.9	-0.6	1.7	558.4
147.4	19640.6	Min	I	-1207.0	-7.5	-1.4	64.6
-187.2	-54158.6		J	-1207.0	-7.5	1.3	64.6
-183.4	-49619.2						
		INVSLE Max	I	2154.4	-0.4	-0.8	413.6
181.9	13310.5		J	2154.4	-0.4	1.2	413.6
114.0	14912.4						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
-137.6	-39305.3	Min	I	-922.4	-5.5	-1.1	49.8	
			J	-922.4	-5.5	0.9	49.8	
-130.6	-36007.2							
9766	2	69 C1-C2;~1	Max	I	1907.0	14.7	0.1	1543.4
172.0	15776.2			J	1907.0	14.7	0.1	1543.4
221.3	6665.9		Min	I	-1009.0	-28.5	-0.1	-885.3
-68.7	-27140.0			J	-1009.0	-28.5	-0.1	-885.3
-93.3	-6406.1							
		C3-C4;~1	Max	I	1818.4	15.3	0.1	1623.1
144.0	16613.1			J	1818.4	15.3	0.1	1623.1
197.7	5072.0		Min	I	-1045.7	-27.3	-0.2	-918.2
-79.3	-30859.4			J	-1045.7	-27.3	-0.2	-918.2
-97.0	-9257.1							
		C1-C2;~2	Max	I	1114.4	7.8	0.0	894.5
107.2	8355.0			J	1114.4	7.8	0.0	894.5
134.0	3877.2		Min	I	-534.5	-16.6	-0.1	-466.7
-35.7	-15574.0			J	-534.5	-16.6	-0.1	-466.7
-48.8	-3586.2							
		C3-C4;~2	Max	I	1045.1	8.1	0.0	876.4
88.3	8831.0			J	1045.1	8.1	0.0	876.4
115.8	2781.9		Min	I	-555.1	-15.6	-0.1	-485.0
-40.2	-17262.7			J	-555.1	-15.6	-0.1	-485.0
-50.8	-5087.4							
		G1		I	634.4	-10.6	-1.1	550.4
-112.7	-9085.8			J	634.4	-10.6	0.9	550.4
-53.7	-452.2							
		G2		I	243.0	-4.1	-0.0	211.7
8.3	-3580.4			J	243.0	-4.1	-0.0	211.7
36.7	-275.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-94.4	1.7	0.0	-140.2
2.0	2879.3			J	-94.4	1.7	0.0	-140.2
-9.0	1513.6							
		Q5_pc Y		I	21.5	-0.4	-0.0	65.3
-1.6	14.6			J	21.5	-0.4	-0.0	65.3
-0.2	337.3							


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
2.8	2746.2	Q5_ps X	I	-84.1	1.5	0.0	-130.6
			J	-84.1	1.5	0.0	-130.6
-8.5	1512.7						
		Q5_ps Y	I	25.3	-0.4	0.0	62.7
-0.4	35.8		J	25.3	-0.4	0.0	62.7
-0.4	392.7						
		INVSLU Max	I	3243.8	14.5	-1.3	2126.9
156.4	19643.5		J	3243.8	14.5	1.4	2126.9
294.0	11288.5	Min	I	-912.2	-47.8	-1.7	-1556.1
-186.4	-49627.2		J	-912.2	-47.8	1.0	-1556.1
-152.0	-12932.2						
		INVSLE Max	I	2365.9	11.3	-1.0	1488.7
120.4	14914.8		J	2365.9	11.3	1.0	1488.7
218.3	8280.3	Min	I	-700.1	-34.6	-1.2	-1220.8
-133.3	-36012.9		J	-700.1	-34.6	0.8	-1220.8
-110.8	-9459.1						
9767	2	69 C1-C2;~1 Max	I	1959.4	28.0	0.3	2563.6
244.7	6668.7		J	1959.4	28.0	0.3	2563.6
198.8	42077.4	Min	I	-971.5	-54.0	-0.2	-1438.4
-106.6	-6392.5		J	-971.5	-54.0	-0.2	-1438.4
-54.4	-19077.1						
		C3-C4;~1 Max	I	1883.8	29.1	0.2	2509.1
220.3	5074.3		J	1883.8	29.1	0.2	2509.1
210.1	38015.8	Min	I	-1007.2	-51.8	-0.2	-1491.0
-110.8	-9242.0		J	-1007.2	-51.8	-0.2	-1491.0
-32.0	-19641.7						
		C1-C2;~2 Max	I	1144.3	14.8	0.2	1488.6
147.5	3879.6		J	1144.3	14.8	0.2	1488.6
122.6	24543.6	Min	I	-512.5	-31.4	-0.1	-760.0
-55.8	-3578.2		J	-512.5	-31.4	-0.1	-760.0
-32.3	-10041.5						
		C3-C4;~2 Max	I	1082.8	15.4	0.1	1433.0
128.7	2784.1		J	1082.8	15.4	0.1	1433.0
134.3	21704.3	Min	I	-532.5	-29.7	-0.1	-789.4
-58.1	-5078.8		J	-532.5	-29.7	-0.1	-789.4
-17.1	-10347.6						
		G1	I	741.8	-19.6	-1.0	886.4
-45.5	-443.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-39.4	15490.7		J	741.8	-19.6	1.0	886.4
39.8	-272.7	G2	I	283.5	-7.5	0.0	338.1
26.0	5824.0		J	283.5	-7.5	0.0	338.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-11.1	1512.1	Q5_pc X	I	-97.9	3.0	-0.0	-213.3
-5.8	-909.4		J	-97.9	3.0	-0.0	-213.3
0.8	338.0	Q5_pc Y	I	25.8	-0.7	-0.0	96.0
4.4	938.1		J	25.8	-0.7	-0.0	96.0
-10.4	1511.2	Q5_ps X	I	-87.7	2.7	-0.0	-196.9
-5.5	-663.8		J	-87.7	2.7	-0.0	-196.9
0.5	393.3	Q5_ps Y	I	29.1	-0.8	-0.0	94.7
3.8	1069.5		J	29.1	-0.8	-0.0	94.7
324.2	11291.1	INVSLE Max	I	3557.8	26.1	-1.2	3310.0
409.0	71489.9		J	3557.8	26.1	1.5	3310.0
-175.6	-12910.1	Min	I	-623.3	-91.4	-1.8	-2547.6
41.5	-13519.4		J	-623.3	-91.4	1.0	-2547.6
239.4	8281.5	INVSLE Max	I	2600.3	20.2	-0.9	2313.8
311.1	52005.6		J	2600.3	20.2	1.1	2313.8
-129.3	-9443.7	Min	I	-483.7	-66.4	-1.3	-1996.7
39.6	-10839.1		J	-483.7	-66.4	0.7	-1996.7
9768	2	69 C1-C2;~1 Max	I	2036.3	58.3	0.1	1285.8
119.9	42063.5		J	2036.3	58.3	0.1	1285.8
267.2	5268.9	Min	I	-952.5	-26.4	-0.4	-2841.5
-102.1	-19093.4		J	-952.5	-26.4	-0.4	-2841.5
-92.1	-9118.1						
137.4	37990.4	C3-C4;~1 Max	I	1969.2	56.5	0.1	1332.4
224.1	3226.8		J	1969.2	56.5	0.1	1332.4
-121.3	-19658.5	Min	I	-987.6	-27.4	-0.3	-2754.4


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-96.7	-12494.3		J	-987.6	-27.4	-0.3	-2754.4
78.1	24534.0	C1-C2;~2 Max	I	1187.6	34.0	0.1	673.8
162.0	3183.2		J	1187.6	34.0	0.1	673.8
-58.7	-10050.2	Min	I	-500.0	-13.8	-0.2	-1652.0
-48.4	-5080.0		J	-500.0	-13.8	-0.2	-1652.0
90.5	21685.3	C3-C4;~2 Max	I	1130.6	32.4	0.1	699.9
132.4	1730.6		J	1130.6	32.4	0.1	699.9
-65.1	-10356.7	Min	I	-519.7	-14.4	-0.2	-1577.0
-50.9	-6810.2		J	-519.7	-14.4	-0.2	-1577.0
-179.6	15471.3	G1	I	858.5	26.1	-1.2	-1289.7
-40.1	-5744.1		J	858.5	26.1	0.8	-1289.7
-30.7	5816.8	G2	I	329.6	10.1	-0.1	-493.2
40.8	-2374.9		J	329.6	10.1	-0.1	-493.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
9.1	-909.6	Q5_pc X	I	-104.2	-3.2	0.0	218.4
-4.1	1708.5		J	-104.2	-3.2	0.0	218.4
-3.7	939.8	Q5_pc Y	I	30.4	1.0	-0.0	-88.7
-0.2	107.8		J	30.4	1.0	-0.0	-88.7
9.9	-664.1	Q5_ps X	I	-94.1	-2.9	0.0	201.0
-3.2	1715.7		J	-94.1	-2.9	0.0	201.0
-2.0	1070.9	Q5_ps Y	I	33.0	1.1	-0.0	-90.1
0.9	192.9		J	33.0	1.1	-0.0	-90.1
22.3	71550.2	INVSLU Max	I	3884.6	109.4	-1.4	2402.2
407.8	-5.1		J	3884.6	109.4	1.3	2402.2
-343.3	-13466.1	Min	I	-385.2	-12.1	-2.1	-3625.7
-90.9	-27060.7		J	-385.2	-12.1	0.6	-3625.7
		INVSLE Max	I	2841.0	79.6	-1.0	1904.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
27.0	52051.2			J	2841.0	79.6	1.0	1904.8	
302.9	-67.7								
			Min	I	-307.8	-9.9	-1.6	-2531.2	
-242.6	-10798.5			J	-307.8	-9.9	0.4	-2531.2	
-65.9	-19881.0								
9769	2	69	C1-C2;~1	Max	I	2133.5	30.4	0.1	729.4
241.4	5268.7			J	2133.5	30.4	0.1	729.4	
211.3	13513.7								
			Min	I	-949.3	-13.6	-0.1	-1630.4	
-80.7	-9133.9			J	-949.3	-13.6	-0.1	-1630.4	
-77.0	-31894.0								
			C3-C4;~1	Max	I	2065.0	29.2	0.1	755.8
199.3	3227.6			J	2065.0	29.2	0.1	755.8	
202.7	14138.8								
			Min	I	-984.4	-14.0	-0.1	-1570.6	
-85.2	-12510.8			J	-984.4	-14.0	-0.1	-1570.6	
-79.8	-36089.8								
			C1-C2;~2	Max	I	1242.6	17.8	0.1	383.1
146.9	3182.0			J	1242.6	17.8	0.1	383.1	
130.2	7032.7								
			Min	I	-496.2	-7.1	-0.0	-949.8	
-42.4	-5089.1			J	-496.2	-7.1	-0.0	-949.8	
-39.8	-18270.0								
			C3-C4;~2	Max	I	1183.7	16.8	0.1	397.9
118.1	1729.8			J	1183.7	16.8	0.1	397.9	
121.9	7385.6								
			Min	I	-515.7	-7.4	-0.1	-901.7	
-44.7	-6819.6			J	-515.7	-7.4	-0.1	-901.7	
-41.3	-20113.5								
			G1	I	971.7	13.4	-1.0	-722.4	
-51.9	-5751.4			J	971.7	13.4	1.0	-722.4	
-50.7	-16700.3								
			G2	I	376.0	5.2	0.0	-275.2	
36.3	-2377.6			J	376.0	5.2	0.0	-275.2	
33.9	-6599.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-110.9	-1.7	0.0	125.2
-2.1	1709.9			J	-110.9	-1.7	0.0	125.2	
-8.5	3069.3								
			Q5_pc	Y	I	34.9	0.5	-0.0	-51.4
-1.0	107.2								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.5	-329.2		J	34.9	0.5	-0.0	-51.4
-1.3	1716.9	Q5_ps X	I	-100.8	-1.5	0.0	114.9
-8.0	2949.5		J	-100.8	-1.5	0.0	114.9
0.0	192.3	Q5_ps Y	I	36.9	0.6	-0.0	-53.0
1.0	-272.8		J	36.9	0.6	-0.0	-53.0
375.6	-0.7	INVSLU Max	I	4206.9	56.0	-1.1	1508.2
310.6	2215.4		J	4206.9	56.0	1.6	1508.2
-69.1	-27080.8	Min	I	-201.8	-7.0	-1.5	-1938.6
-97.7	-71118.0		J	-201.8	-7.0	1.2	-1938.6
280.5	-63.6	INVSLE Max	I	3076.4	40.7	-0.8	1192.3
231.4	2015.1		J	3076.4	40.7	1.2	1192.3
-48.6	-19894.9	Min	I	-174.5	-5.7	-1.1	-1344.1
-69.9	-51896.8		J	-174.5	-5.7	0.9	-1344.1
9770	2	69 C1-C2;~1 Max	I	2210.4	1.7	0.1	208.4
204.7	13501.0		J	2210.4	1.7	0.1	208.4
181.7	13632.7	Min	I	-937.5	-2.3	-0.1	-67.3
-73.9	-31867.8		J	-937.5	-2.3	-0.1	-67.3
-52.1	-31427.7						
196.6	14125.8	C3-C4;~1 Max	I	2131.4	1.2	0.2	233.5
157.2	14242.7		J	2131.4	1.2	0.2	233.5
-76.6	-36062.8	Min	I	-972.1	-2.0	-0.1	-65.3
-59.3	-35524.8		J	-972.1	-2.0	-0.1	-65.3
126.4	7026.1	C1-C2;~2 Max	I	1287.8	1.1	0.1	122.8
113.6	7120.9		J	1287.8	1.1	0.1	122.8
-38.1	-18254.9	Min	I	-488.7	-1.4	-0.1	-33.3
-27.1	-18039.4		J	-488.7	-1.4	-0.1	-33.3
118.4	7378.7	C3-C4;~2 Max	I	1222.1	0.7	0.1	130.8
96.7	7465.4		J	1222.1	0.7	0.1	130.8
-39.6	-20098.5	Min	I	-508.0	-1.2	-0.0	-33.0
-30.3	-19851.4		J	-508.0	-1.2	-0.0	-33.0

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-53.7	-16687.8	G1	I	1046.8	-0.9	-1.0	98.4
			J	1046.8	-0.9	1.0	98.4
-79.9	-15993.8						
		G2	I	405.4	-0.3	0.0	38.8
32.8	-6594.8		J	405.4	-0.3	0.0	38.8
21.4	-6313.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-111.3	0.0	-0.0	-11.8
-7.9	3067.2		J	-111.3	0.0	-0.0	-11.8
1.7	3051.8						
		Q5_pc Y	I	37.3	-0.0	0.0	6.9
1.3	-328.3		J	37.3	-0.0	0.0	6.9
-2.2	-290.8						
		Q5_ps X	I	-101.0	0.0	-0.0	-11.5
-7.5	2947.5		J	-101.0	0.0	-0.0	-11.5
2.1	2927.6						
		Q5_ps Y	I	39.7	-0.0	0.0	5.3
0.8	-271.9		J	39.7	-0.0	0.0	5.3
-1.1	-241.0						
		INVSLU Max	I	4455.5	0.6	-1.1	453.6
303.9	2191.5		J	4455.5	0.6	1.6	453.6
291.9	3780.4						
		Min	I	-41.2	-4.9	-1.6	26.3
-90.1	-71084.0		J	-41.2	-4.9	1.2	26.3
-37.4	-68899.1						
		INVSLE Max	I	3259.8	0.4	-0.9	327.8
226.9	1996.1		J	3259.8	0.4	1.2	327.8
221.7	3195.8						
		Min	I	-56.2	-3.6	-1.2	12.8
-64.0	-51873.1		J	-56.2	-3.6	0.9	12.8
-22.0	-50234.0						
9771	2	69 C1-C2;~1 Max	I	2248.6	12.7	0.1	1759.2
191.3	13634.9		J	2248.6	12.7	0.1	1759.2
258.8	5538.7						
		Min	I	-913.4	-31.5	-0.1	-747.2
-55.7	-31433.0		J	-913.4	-31.5	-0.1	-747.2
-83.5	-7774.5						
		C3-C4;~1 Max	I	2165.8	13.2	0.1	1790.7
166.6	14245.1		J	2165.8	13.2	0.1	1790.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
229.9	3955.5		Min	I	-947.1	-30.3	-0.2	-774.1
-62.4	-35530.3			J	-947.1	-30.3	-0.2	-774.1
-86.5	-10942.5							
		C1-C2;~2	Max	I	1310.1	6.6	0.0	1020.4
119.2	7122.1			J	1310.1	6.6	0.0	1020.4
156.6	3241.5		Min	I	-474.7	-18.3	-0.1	-387.5
-29.0	-18042.4			J	-474.7	-18.3	-0.1	-387.5
-42.8	-4386.5							
		C3-C4;~2	Max	I	1242.4	6.9	0.0	990.8
102.1	7466.7			J	1242.4	6.9	0.0	990.8
135.2	2120.8		Min	I	-493.5	-17.4	-0.1	-402.5
-32.1	-19854.5			J	-493.5	-17.4	-0.1	-402.5
-44.4	-6051.6							
		G1		I	1101.5	-15.8	-1.1	892.0
-74.6	-15996.9			J	1101.5	-15.8	0.9	892.0
-17.3	-3127.6							
		G2		I	426.1	-6.1	-0.0	342.7
23.5	-6314.9			J	426.1	-6.1	-0.0	342.7
51.2	-1324.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-109.6	1.7	0.0	-137.0
0.8	3052.2			J	-109.6	1.7	0.0	-137.0
-6.6	1699.7							
		Q5_pc	Y	I	38.8	-0.6	-0.0	61.2
-1.8	-291.0			J	38.8	-0.6	-0.0	61.2
1.4	229.1							
		Q5_ps	X	I	-99.3	1.5	0.0	-126.8
1.4	2928.0			J	-99.3	1.5	0.0	-126.8
-6.0	1691.7							
		Q5_ps	Y	I	41.6	-0.7	-0.0	60.2
-0.7	-241.2			J	41.6	-0.7	-0.0	60.2
1.2	299.6							
		INVSLU	Max	I	4636.4	0.6	-1.4	2474.4
304.5	3782.7			J	4636.4	0.6	1.3	2474.4
484.8	6047.3		Min	I	125.0	-62.7	-1.7	-1234.8
-41.2	-68908.1			J	125.0	-62.7	1.0	-1234.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6.7	-19261.9							
		INVSLE Max	I	3394.9	0.9	-1.0	1731.8	
230.5	3197.7		J	3394.9	0.9	1.0	1731.8	
360.7	4496.3							
		Min	I	67.7	-45.7	-1.3	-997.4	
-25.4	-50240.3		J	67.7	-45.7	0.7	-997.4	
7.4	-14024.6							
9772	2	69 C1-C2;~1 Max	I	2269.0	24.5	0.3	2887.7	
285.2	5541.4		J	2269.0	24.5	0.3	2887.7	
204.2	45526.2							
		Min	I	-878.2	-60.7	-0.1	-1216.5	
-94.7	-7761.2		J	-878.2	-60.7	-0.1	-1216.5	
-58.1	-16742.9							
		C3-C4;~1 Max	I	2194.6	25.5	0.2	2814.4	
255.7	3954.6		J	2194.6	25.5	0.2	2814.4	
218.2	41503.9							
		Min	I	-910.2	-58.7	-0.2	-1260.5	
-98.1	-10927.7		J	-910.2	-58.7	-0.2	-1260.5	
-46.3	-17294.9							
		C1-C2;~2 Max	I	1322.8	12.7	0.2	1676.0	
172.0	3243.9		J	1322.8	12.7	0.2	1676.0	
127.6	26474.8							
		Min	I	-454.2	-35.3	-0.1	-632.0	
-48.6	-4378.7		J	-454.2	-35.3	-0.1	-632.0	
-33.6	-8624.6							
		C3-C4;~2 Max	I	1260.3	13.2	0.1	1607.9	
149.9	2121.0		J	1260.3	13.2	0.1	1607.9	
140.3	23654.2							
		Min	I	-472.0	-33.6	-0.1	-656.5	
-50.4	-6043.1		J	-472.0	-33.6	-0.1	-656.5	
-24.1	-8926.9							
		G1	I	1156.7	-30.5	-0.9	1446.4	
-4.0	-3118.4		J	1156.7	-30.5	1.1	1446.4	
-56.8	21721.6							
		G2	I	446.1	-11.8	0.0	555.6	
56.3	-1321.2		J	446.1	-11.8	0.0	555.6	
18.0	8295.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-109.1	3.1	-0.0	-216.8	
-8.7	1698.5		J	-109.1	3.1	-0.0	-216.8	
-1.6	-854.1							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2.3	229.7	Q5_pc Y	I	41.8	-1.2	-0.0	94.9
4.2	1192.8		J	41.8	-1.2	-0.0	94.9
-7.9	1690.6	Q5_ps X	I	-98.9	2.9	-0.0	-200.2
-1.1	-635.0		J	-98.9	2.9	-0.0	-200.2
2.1	300.2	Q5_ps Y	I	44.5	-1.2	-0.0	94.8
4.1	1315.0		J	44.5	-1.2	-0.0	94.8
521.6	6051.4	INVS LU Max	I	4792.5	-0.3	-0.9	4047.3
400.0	90149.9		J	4792.5	-0.3	1.8	4047.3
-11.5	-19239.2	Min	I	304.4	-122.4	-1.5	-1942.9
19.3	3194.3		J	304.4	-122.4	1.2	-1942.9
386.5	4498.7	INVS LE Max	I	3511.7	0.6	-0.7	2840.4
305.2	65961.4		J	3511.7	0.6	1.3	2840.4
-7.2	-14008.7	Min	I	201.7	-89.4	-1.2	-1567.9
23.7	1708.9		J	201.7	-89.4	0.8	-1567.9
9773	2	69 C1-C2;~1 Max	I	2303.2	62.8	0.1	1069.5
155.5	45521.4		J	2303.2	62.8	0.1	1069.5
281.9	4205.9	Min	I	-852.5	-22.8	-0.4	-2929.7
-88.5	-16757.4		J	-852.5	-22.8	-0.4	-2929.7
-85.0	-9065.2						
173.4	41482.4	C3-C4;~1 Max	I	2232.8	60.9	0.1	1106.6
242.4	2473.4		J	2232.8	60.9	0.1	1106.6
-98.9	-17310.1	Min	I	-883.0	-23.6	-0.3	-2848.8
-88.6	-12463.8		J	-883.0	-23.6	-0.3	-2848.8
100.2	26470.1	C1-C2;~2 Max	I	1342.7	36.5	0.1	548.6
170.7	2503.5		J	1342.7	36.5	0.1	548.6
-51.4	-8632.6	Min	I	-438.3	-11.7	-0.2	-1703.2
-44.0	-5110.9		J	-438.3	-11.7	-0.2	-1703.2
113.5	23636.9	C3-C4;~2 Max	I	1282.4	34.9	0.1	569.2
143.0	1291.3		J	1282.4	34.9	0.1	569.2
		Min	I	-455.2	-12.1	-0.2	-1631.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-52.2	-8935.4		J	-455.2	-12.1	-0.2	-1631.8
-45.9	-6887.6						
		G1	I	1218.9	34.1	-1.2	-1610.9
-143.7	21711.8		J	1218.9	34.1	0.8	-1610.9
-12.9	-6049.1						
		G2	I	470.7	13.2	-0.1	-619.9
-17.1	8292.0		J	470.7	13.2	-0.1	-619.9
52.3	-2471.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-110.4	-3.2	0.0	214.6
4.0	-854.4		J	-110.4	-3.2	0.0	214.6
-4.5	1733.9						
		Q5_pc Y	I	45.8	1.4	-0.0	-100.8
-3.2	1192.8		J	45.8	1.4	-0.0	-100.8
0.3	64.3						
		Q5_ps X	I	-100.4	-2.9	0.0	198.8
4.7	-635.1		J	-100.4	-2.9	0.0	198.8
-3.8	1730.4						
		Q5_ps Y	I	47.9	1.4	-0.0	-101.2
-1.8	1315.0		J	47.9	1.4	-0.0	-101.2
1.0	153.4						
		INVSLU Max	I	4949.6	131.1	-1.4	1751.6
174.1	90175.3		J	4949.6	131.1	1.3	1751.6
530.0	-491.4						
		Min	I	449.4	8.7	-2.1	-4083.7
-200.7	3205.8		J	449.4	8.7	0.6	-4083.7
21.7	-26116.5						
		INVSLE Max	I	3627.0	95.7	-1.0	1425.4
140.6	65979.6		J	3627.0	95.7	1.0	1425.4
394.0	-292.6						
		Min	I	308.3	5.5	-1.6	-2868.5
-136.5	1716.8		J	308.3	5.5	0.5	-2868.5
18.2	-19043.0						
9774	2	69 C1-C2;~1 Max	I	2350.0	32.6	0.1	646.3
255.4	4204.3		J	2350.0	32.6	0.1	646.3
219.7	11481.9						
		Min	I	-838.0	-11.8	-0.1	-1764.9
-75.4	-9078.9		J	-838.0	-11.8	-0.1	-1764.9
-51.8	-33836.3						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
216.7	2472.4	C3-C4;~1 Max	I	2275.6	31.5	0.1	669.0
			J	2275.6	31.5	0.1	669.0
205.8	11918.0	Min	I	-867.5	-12.2	-0.1	-1717.9
-78.8	-12478.3		J	-867.5	-12.2	-0.1	-1717.9
-53.5	-38091.6						
155.3	2501.6	C1-C2;~2 Max	I	1369.3	19.0	0.1	332.3
			J	1369.3	19.0	0.1	332.3
135.5	5846.2	Min	I	-428.4	-6.1	-0.0	-1026.8
-39.0	-5118.7		J	-428.4	-6.1	-0.0	-1026.8
-25.8	-19444.3						
128.3	1289.6	C3-C4;~2 Max	I	1306.1	18.1	0.0	344.9
			J	1306.1	18.1	0.0	344.9
124.3	6088.4	Min	I	-444.7	-6.3	-0.1	-985.4
-40.9	-6895.8		J	-444.7	-6.3	-0.1	-985.4
-26.7	-21299.5						
-27.6	-6057.3	G1	I	1279.9	17.6	-1.0	-961.0
			J	1279.9	17.6	1.0	-961.0
-26.9	-20382.5						
46.6	-2474.6	G2	I	496.5	6.8	0.0	-369.0
			J	496.5	6.8	0.0	-369.0
42.9	-8028.9						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.5	1735.0	Q5_pc X	I	-112.7	-1.7	0.0	131.2
			J	-112.7	-1.7	0.0	131.2
-4.5	3079.0						
-0.7	63.8	Q5_pc Y	I	49.8	0.7	-0.0	-60.8
			J	49.8	0.7	-0.0	-60.8
2.9	-520.4						
-2.0	1731.4	Q5_ps X	I	-102.8	-1.5	0.0	121.7
			J	-102.8	-1.5	0.0	121.7
-4.0	2959.9						
0.1	152.9	Q5_ps Y	I	51.4	0.7	-0.0	-61.4
			J	51.4	0.7	-0.0	-61.4
2.8	-449.9						
493.7	-493.2	INVSLU Max	I	5095.0	67.2	-1.2	1184.3
			J	5095.0	67.2	1.5	1184.3
414.3	-6470.2						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
38.0	-26137.8		Min	I	548.5	3.6	-1.5	-2337.6
				J	548.5	3.6	1.3	-2337.6
37.3	-79525.3							
			INVSLE Max	I	3731.8	49.0	-0.9	957.8
368.6	-293.3			J	3731.8	49.0	1.1	957.8
309.5	-4307.0							
			Min	I	379.2	2.2	-1.1	-1633.5
31.4	-19058.0			J	379.2	2.2	0.9	-1633.5
30.9	-58011.3							
9775	2	69	C1-C2;~1 Max	I	2369.5	1.7	0.1	118.0
210.0	11480.0			J	2369.5	1.7	0.1	118.0
209.9	11723.2							
			Min	I	-819.9	-2.0	-0.1	-94.5
-48.9	-33831.9			J	-819.9	-2.0	-0.1	-94.5
-59.8	-33709.6							
			C3-C4;~1 Max	I	2289.8	1.3	0.1	131.9
196.6	11916.0			J	2289.8	1.3	0.1	131.9
191.6	12165.4							
			Min	I	-848.5	-1.7	-0.1	-97.1
-50.7	-38087.0			J	-848.5	-1.7	-0.1	-97.1
-63.6	-37980.5							
			C1-C2;~2 Max	I	1381.3	1.0	0.1	68.0
129.8	5845.2			J	1381.3	1.0	0.1	68.0
129.5	5995.4							
			Min	I	-417.5	-1.2	-0.0	-55.4
-24.5	-19441.8			J	-417.5	-1.2	-0.0	-55.4
-30.9	-19370.8							
			C3-C4;~2 Max	I	1314.8	0.8	0.1	72.4
119.1	6087.4			J	1314.8	0.8	0.1	72.4
115.9	6241.2							
			Min	I	-433.3	-1.0	-0.0	-53.1
-25.4	-21297.0			J	-433.3	-1.0	-0.0	-53.1
-32.9	-21241.6							
			G1	I	1306.5	-0.4	-1.0	22.9
-32.2	-20380.0			J	1306.5	-0.4	1.0	22.9
-48.4	-20076.8							
			G2	I	507.2	-0.1	0.0	9.4
40.9	-8027.9			J	507.2	-0.1	0.0	9.4
34.3	-7908.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-111.6	0.0	-0.0	-1.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.8	3078.7		J	-111.6	0.0	-0.0	-1.0
-1.8	3064.1						
2.6	-520.3	Q5_pc Y	I	51.2	-0.0	0.0	4.3
-1.0	-482.4		J	51.2	-0.0	0.0	4.3
-3.3	2959.6	Q5_ps X	I	-101.9	0.0	-0.0	-0.8
-1.5	2944.2		J	-101.9	0.0	-0.0	-0.8
2.4	-449.8	Q5_ps Y	I	53.1	-0.0	0.0	3.3
-0.4	-413.9		J	53.1	-0.0	0.0	3.3
402.1	-6470.5	INVSLU Max	I	5159.5	1.9	-1.2	230.1
383.9	-5831.7		J	5159.5	1.9	1.5	230.1
43.3	-79516.2	Min	I	614.4	-3.2	-1.5	-86.7
11.4	-79043.9		J	614.4	-3.2	1.3	-86.7
301.0	-4307.3	INVSLE Max	I	3778.9	1.4	-0.9	168.9
288.6	-3850.7		J	3778.9	1.4	1.1	168.9
35.8	-58004.8	Min	I	427.1	-2.3	-1.1	-65.2
12.9	-57673.4		J	427.1	-2.3	0.9	-65.2
9776	2	69 C1-C2;~1 Max	I	2366.2	10.9	0.0	1780.4
219.5	11724.8		J	2366.2	10.9	0.0	1780.4
256.9	5023.3	Min	I	-798.0	-33.0	-0.1	-604.3
-62.8	-33714.1		J	-798.0	-33.0	-0.1	-604.3
-62.4	-8735.0						
200.8	12167.0	C3-C4;~1 Max	I	2287.3	11.3	0.1	1739.5
222.3	3288.5		J	2287.3	11.3	0.1	1739.5
-66.5	-37985.1	Min	I	-825.7	-31.8	-0.1	-624.1
-64.4	-12177.5		J	-825.7	-31.8	-0.1	-624.1
135.2	5996.2	C1-C2;~2 Max	I	1379.8	5.5	0.0	1036.1
156.4	2957.1		J	1379.8	5.5	0.0	1036.1
-32.5	-19373.3	Min	I	-404.8	-19.2	-0.1	-305.9
-31.0	-4906.8		J	-404.8	-19.2	-0.1	-305.9
121.2	6242.0	C3-C4;~2 Max	I	1314.0	5.7	0.0	998.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
131.8	1760.1		J	1314.0	5.7	0.0	998.0
		Min	I	-420.0	-18.3	-0.1	-316.7
-34.4	-21244.2		J	-420.0	-18.3	-0.1	-316.7
-32.0	-6717.8						
		G1	I	1319.0	-18.6	-1.0	1017.4
-42.6	-20079.7		J	1319.0	-18.6	1.0	1017.4
-11.1	-4951.3						
		G2	I	511.6	-7.2	-0.0	391.7
36.5	-7909.6		J	511.6	-7.2	-0.0	391.7
53.3	-2041.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-109.4	1.7	0.0	-131.9
-2.6	3064.3		J	-109.4	1.7	0.0	-131.9
-3.7	1712.1						
		Q5_pc Y	I	52.1	-0.8	-0.0	69.3
-0.6	-482.5		J	52.1	-0.8	-0.0	69.3
2.6	188.3						
		Q5_ps X	I	-100.1	1.5	0.0	-122.1
-2.2	2944.4		J	-100.1	1.5	0.0	-122.1
-3.1	1702.7						
		Q5_ps Y	I	54.1	-0.8	-0.0	68.4
0.0	-414.0		J	54.1	-0.8	-0.0	68.4
2.6	273.5						
		INVSLU Max	I	5191.3	-6.1	-1.4	2467.5
397.2	-5832.2		J	5191.3	-6.1	1.4	2467.5
521.3	1911.9						
		Min	I	685.3	-68.9	-1.6	-1016.1
6.5	-79053.4		J	685.3	-68.9	1.1	-1016.1
80.8	-24391.0						
		INVSLE Max	I	3803.4	-4.0	-1.0	1727.2
297.8	-3851.0		J	3803.4	-4.0	1.0	1727.2
388.3	1437.8						
		Min	I	480.2	-50.2	-1.2	-835.6
8.7	-57680.3		J	480.2	-50.2	0.8	-835.6
62.5	-17817.6						
		69 C1-C2;~1 Max	I	2338.9	21.3	0.4	2960.8
9777	2		J	2338.9	21.3	0.4	2960.8
284.1	5025.8						
		Min	I	-758.9	-63.7	-0.1	-1012.8
179.1	46659.0						
-71.7	-8721.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-73.8	-14512.3		J	-758.9	-63.7	-0.1	-1012.8
248.7	3290.2	C3-C4;~1 Max	I	2265.1	22.0	0.3	2878.8
194.3	42494.0		J	2265.1	22.0	0.3	2878.8
-74.0	-12162.5	Min	I	-784.6	-61.7	-0.1	-1046.6
-70.3	-14986.7		J	-784.6	-61.7	-0.1	-1046.6
172.2	2959.3	C1-C2;~2 Max	I	1365.7	10.8	0.2	1722.5
112.8	27167.4		J	1365.7	10.8	0.2	1722.5
-35.7	-4898.8	Min	I	-382.4	-37.1	-0.1	-513.7
-43.2	-7271.1		J	-382.4	-37.1	-0.1	-513.7
146.9	1762.0	C3-C4;~2 Max	I	1303.7	11.2	0.2	1649.7
125.5	24258.8		J	1303.7	11.2	0.2	1649.7
-36.9	-6709.3	Min	I	-396.4	-35.4	-0.1	-532.3
-36.8	-7528.9		J	-396.4	-35.4	-0.1	-532.3
4.4	-4941.9	G1	I	1316.9	-36.0	-0.9	1684.2
-97.4	24343.0		J	1316.9	-36.0	1.1	1684.2
59.3	-2037.4	G2	I	509.0	-13.9	0.1	648.9
1.5	9318.1		J	509.0	-13.9	0.1	648.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.7	1711.0	Q5_pc X	I	-106.1	3.1	-0.0	-213.1
2.5	-843.7		J	-106.1	3.1	-0.0	-213.1
3.6	188.9	Q5_pc Y	I	54.6	-1.5	-0.0	108.9
3.9	1442.2		J	54.6	-1.5	-0.0	108.9
-4.9	1701.7	Q5_ps X	I	-96.9	2.9	-0.0	-197.4
3.1	-643.0		J	-96.9	2.9	-0.0	-197.4
3.7	274.1	Q5_ps Y	I	56.5	-1.6	-0.0	108.2
4.3	1564.6		J	56.5	-1.6	-0.0	108.2
		INVSLU Max	I	5172.0	-13.8	-0.7	4255.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
559.8	1916.4		J	5172.0	-13.8	2.0	4255.7
292.0	95599.3						
		Min	I	764.5	-135.1	-1.4	-1537.7
66.2	-24367.6						
			J	764.5	-135.1	1.3	-1537.7
-76.9	9781.6						
		INVSLE Max	I	3791.0	-9.2	-0.5	2993.7
415.3	1440.5						
			J	3791.0	-9.2	1.5	2993.7
226.5	69890.7						
		Min	I	540.3	-98.7	-1.0	-1269.3
50.4	-17801.0						
			J	540.3	-98.7	1.0	-1269.3
-46.3	6514.3						
9778	2	69 C1-C2;~1 Max	I	2326.1	63.0	0.1	911.7
182.3	46660.3						
			J	2326.1	63.0	0.1	911.7
289.8	4305.5						
		Min	I	-726.4	-19.4	-0.3	-2916.1
-74.5	-14522.6						
			J	-726.4	-19.4	-0.3	-2916.1
-81.0	-8043.1						
		C3-C4;~1 Max	I	2250.5	60.8	0.1	940.1
199.2	42503.9						
			J	2250.5	60.8	0.1	940.1
255.6	2563.5						
		Min	I	-750.1	-20.1	-0.3	-2829.7
-72.0	-14997.5						
			J	-750.1	-20.1	-0.3	-2829.7
-84.1	-11333.8						
		C1-C2;~2 Max	I	1359.7	36.7	0.1	454.2
115.6	27166.6						
			J	1359.7	36.7	0.1	454.2
175.2	2632.3						
		Min	I	-363.1	-9.7	-0.2	-1700.5
-42.2	-7276.9						
			J	-363.1	-9.7	-0.2	-1700.5
-40.8	-4569.5						
		C3-C4;~2 Max	I	1296.8	35.0	0.1	469.7
129.0	24264.3						
			J	1296.8	35.0	0.1	469.7
150.4	1429.6						
		Min	I	-376.0	-10.0	-0.1	-1625.6
-37.2	-7535.1						
			J	-376.0	-10.0	-0.1	-1625.6
-42.5	-6323.0						
		G1	I	1320.6	36.2	-1.1	-1696.8
-103.0	24343.4						
			J	1320.6	36.2	0.9	-1696.8
3.8	-5111.5						
		G2	I	510.4	14.0	-0.1	-653.7
-0.6	9318.4						
			J	510.4	14.0	-0.1	-653.7
59.1	-2100.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
0.6	-844.4	Q5_pc X	I	-104.3	-3.0	0.0	206.4
-5.6	1591.1		J	-104.3	-3.0	0.0	206.4
-2.9	1441.6	Q5_pc Y	I	58.3	1.7	-0.0	-116.9
1.4	31.1		J	58.3	1.7	-0.0	-116.9
0.9	-643.7	Q5_ps X	I	-95.3	-2.7	0.0	192.2
-5.3	1587.0		J	-95.3	-2.7	0.0	192.2
-1.9	1564.1	Q5_ps Y	I	60.0	1.8	-0.0	-116.1
1.8	127.8		J	60.0	1.8	-0.0	-116.1
297.6	95598.6	INVS LU Max	I	5152.4	134.0	-1.4	1379.5
563.6	825.8		J	5152.4	134.0	1.4	1379.5
-77.1	9765.7	Min	I	811.7	16.6	-2.0	-4197.9
48.6	-23151.2		J	811.7	16.6	0.7	-4197.9
231.4	69890.1	INVS LE Max	I	3776.1	97.9	-1.0	1153.6
418.1	660.6		J	3776.1	97.9	1.0	1153.6
-45.8	6502.4	Min	I	574.7	11.3	-1.5	-2950.3
37.4	-16888.0		J	574.7	11.3	0.5	-2950.3
9779	2	69 C1-C2;~1 Max	I	2330.3	32.8	0.1	562.4
263.1	4303.0		J	2330.3	32.8	0.1	562.4
207.5	9881.8	Min	I	-710.7	-10.1	-0.1	-1763.5
-72.6	-8057.1		J	-710.7	-10.1	-0.1	-1763.5
-44.6	-32818.2						
229.8	2561.7	C3-C4;~1 Max	I	2246.7	31.5	0.1	580.4
186.9	10142.2		J	2246.7	31.5	0.1	580.4
-75.4	-11349.0	Min	I	-731.4	-10.4	-0.1	-1721.9
-47.3	-36858.6		J	-731.4	-10.4	-0.1	-1721.9
159.7	2629.9	C1-C2;~2 Max	I	1362.6	19.1	0.1	281.0
129.2	4954.9		J	1362.6	19.1	0.1	281.0
-36.6	-4577.6	Min	I	-353.6	-5.0	-0.0	-1028.0
-23.4	-18949.1		J	-353.6	-5.0	-0.0	-1028.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


135.6	1427.5	C3-C4; ~2	Max	I	1294.8	18.1	0.1	290.8
				J	1294.8	18.1	0.1	290.8
114.5	5085.7		Min	I	-364.4	-5.2	-0.0	-989.3
-38.1	-6331.6			J	-364.4	-5.2	-0.0	-989.3
-24.7	-20725.6							
		G1		I	1329.6	18.7	-1.0	-1025.1
-11.7	-5120.9			J	1329.6	18.7	1.0	-1025.1
-39.6	-20377.9							
		G2		I	515.6	7.3	0.0	-394.8
53.1	-2104.2			J	515.6	7.3	0.0	-394.8
37.6	-8021.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-104.2	-1.6	-0.0	128.4
-3.7	1592.2			J	-104.2	-1.6	-0.0	128.4
-1.7	2871.8							
		Q5_pc	Y	I	62.3	0.9	-0.0	-70.4
0.4	30.5			J	62.3	0.9	-0.0	-70.4
3.7	-699.9							
		Q5_ps	X	I	-95.3	-1.4	-0.0	120.0
-3.5	1588.0			J	-95.3	-1.4	-0.0	120.0
-1.1	2762.1							
		Q5_ps	Y	I	63.6	0.9	-0.0	-69.9
0.8	127.2			J	63.6	0.9	-0.0	-69.9
3.9	-616.1							
		INVSLE	Max	I	5135.0	68.6	-1.1	948.4
525.7	821.3			J	5135.0	68.6	1.6	948.4
383.7	-8827.2		Min	I	814.2	7.4	-1.4	-2446.8
61.9	-23174.9			J	814.2	7.4	1.3	-2446.8
33.0	-77447.6							
		INVSLE	Max	I	3760.7	50.0	-0.8	786.2
391.5	657.9			J	3760.7	50.0	1.2	786.2
287.4	-6026.3		Min	I	574.0	4.9	-1.0	-1711.7
48.5	-16904.8			J	574.0	4.9	1.0	-1711.7
28.1	-56473.3							
9780	2	69 C1-C2; ~1	Max	I	2322.3	2.1	0.1	94.8
197.8	9880.3			J	2322.3	2.1	0.1	94.8

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
217.6	9951.5		Min	I	-715.8	-1.7	-0.1	-124.9
-41.8	-32813.8			J	-715.8	-1.7	-0.1	-124.9
-60.6	-33232.3							
177.6	10140.7	C3-C4;~1	Max	I	2237.3	1.8	0.1	96.3
				J	2237.3	1.8	0.1	96.3
205.5	10252.1		Min	I	-733.8	-1.3	-0.1	-141.8
-44.8	-36854.0			J	-733.8	-1.3	-0.1	-141.8
-63.2	-37288.0							
123.6	4954.2	C1-C2;~2	Max	I	1359.1	1.3	0.0	53.4
				J	1359.1	1.3	0.0	53.4
133.7	4949.3		Min	I	-358.6	-1.0	-0.1	-72.9
-22.0	-18946.6			J	-358.6	-1.0	-0.1	-72.9
-30.7	-19161.7							
109.1	5085.0	C3-C4;~2	Max	I	1290.2	1.1	0.0	50.9
				J	1290.2	1.1	0.0	50.9
123.5	5106.6		Min	I	-367.5	-0.8	-0.1	-78.4
-23.5	-20723.0			J	-367.5	-0.8	-0.1	-78.4
-32.1	-20929.7							
-45.5	-20375.0	G1		I	1321.6	0.3	-1.0	-19.2
				J	1321.6	0.3	1.0	-19.2
-33.5	-20646.5							
35.3	-8020.3	G2		I	512.9	0.1	-0.0	-8.1
				J	512.9	0.1	-0.0	-8.1
40.5	-8127.7							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-1.0	2871.6	Q5_pc	X	I	-103.8	-0.0	0.0	2.8
				J	-103.8	-0.0	0.0	2.8
-3.4	2886.2							
3.4	-699.7	Q5_pc	Y	I	63.7	-0.0	0.0	4.3
				J	63.7	-0.0	0.0	4.3
-0.3	-667.1							
-0.4	2761.9	Q5_ps	X	I	-95.2	-0.0	0.0	3.6
				J	-95.2	-0.0	0.0	3.6
-3.4	2774.5							
3.6	-616.0	Q5_ps	Y	I	65.0	-0.0	0.0	4.2
				J	65.0	-0.0	0.0	4.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.1	-584.9						
370.7	-8826.6	INVSLE	Max	I	5080.5	3.4	-1.2 84.2
407.7	-9087.3			J	5080.5	3.4	1.5 84.2
37.1	-77438.2		Min	I	768.0	-1.8	-1.5 -244.9
22.5	-78461.6			J	768.0	-1.8	1.2 -244.9
278.3	-6025.9	INVSLE	Max	I	3719.0	2.5	-0.9 62.7
305.2	-6210.6			J	3719.0	2.5	1.1 62.7
31.7	-56466.4		Min	I	538.4	-1.3	-1.1 -180.5
20.4	-57214.1			J	538.4	-1.3	0.9 -180.5
9781	2	69 C1-C2;~1	Max	I	2291.8	9.9	0.1 1703.0
226.8	9953.0			J	2291.8	9.9	0.1 1703.0
243.2	4570.7		Min	I	-718.5	-31.7	-0.1 -525.4
-63.1	-33236.4			J	-718.5	-31.7	-0.1 -525.4
-55.9	-9328.1						
214.3	10253.6	C3-C4;~1	Max	I	2211.1	10.1	0.1 1647.3
202.5	2824.6			J	2211.1	10.1	0.1 1647.3
-65.7	-37292.2		Min	I	-736.2	-30.5	-0.1 -537.2
-58.0	-12698.1			J	-736.2	-30.5	-0.1 -537.2
139.2	4950.0	C1-C2;~2	Max	I	1342.0	5.0	0.0 997.5
149.4	2695.7			J	1342.0	5.0	0.0 997.5
-31.9	-19164.1		Min	I	-362.6	-18.6	-0.1 -266.9
-29.2	-5229.5			J	-362.6	-18.6	-0.1 -266.9
128.7	5107.3	C3-C4;~2	Max	I	1276.0	5.1	0.1 952.1
121.5	1482.7			J	1276.0	5.1	0.1 952.1
-33.3	-20932.0		Min	I	-371.4	-17.6	-0.0 -272.7
-30.3	-6986.4			J	-371.4	-17.6	-0.0 -272.7
-28.1	-20649.2		G1	I	1299.2	-18.0	-1.0 980.5
-24.2	-6023.8			J	1299.2	-18.0	1.0 980.5
42.5	-8128.8		G2	I	503.9	-7.0	-0.0 376.3
47.9	-2460.0			J	503.9	-7.0	-0.0 376.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-102.2	1.5	-0.0	-122.6
-4.0	2886.5			J	-102.2	1.5	-0.0	-122.6
-1.5	1640.4							
			Q5_pc Y	I	64.4	-1.0	-0.0	79.0
0.1	-667.2			J	64.4	-1.0	-0.0	79.0
3.8	143.5							
			Q5_ps X	I	-94.2	1.4	-0.0	-113.2
-4.0	2774.7			J	-94.2	1.4	-0.0	-113.2
-0.8	1625.2							
			Q5_ps Y	I	65.6	-1.0	-0.0	78.3
0.4	-585.0			J	65.6	-1.0	-0.0	78.3
4.1	234.5							
			INVSLE Max	I	4993.3	-6.4	-1.3	2245.9
419.3	-9087.7			J	4993.3	-6.4	1.4	2245.9
478.7	-403.1		Min	I	721.5	-65.7	-1.5	-999.1
17.1	-78470.2			J	721.5	-65.7	1.2	-999.1
65.4	-26668.8							
			INVSLE Max	I	3654.7	-4.2	-0.9	1564.0
313.3	-6210.8			J	3654.7	-4.2	1.1	1564.0
357.0	-233.1		Min	I	504.0	-47.9	-1.1	-823.3
15.9	-57220.3			J	504.0	-47.9	0.9	-823.3
51.3	-19470.4							
		69	C1-C2;~1 Max	I	2222.5	19.3	0.4	2840.8
9782	2			J	2222.5	19.3	0.4	2840.8
268.8	4573.1		Min	I	-703.3	-61.1	-0.1	-888.2
156.0	43897.3			J	-703.3	-61.1	-0.1	-888.2
-63.8	-9315.4							
-92.8	-13862.3							
			C3-C4;~1 Max	I	2143.1	19.8	0.3	2748.5
227.2	2826.5			J	2143.1	19.8	0.3	2748.5
172.8	39747.2		Min	I	-720.2	-59.0	-0.1	-908.2
-65.8	-12684.9			J	-720.2	-59.0	-0.1	-908.2
-106.7	-14163.0							
			C1-C2;~2 Max	I	1304.6	9.8	0.2	1661.3
164.4	2697.9			J	1304.6	9.8	0.2	1661.3
98.8	25726.3		Min	I	-359.1	-35.7	-0.1	-449.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-33.3	-5222.1		J	-359.1	-35.7	-0.1	-449.1
-54.7	-7134.7						
135.7	1484.7	C3-C4;~2 Max	I	1240.3	10.0	0.2	1584.5
111.6	22845.2		J	1240.3	10.0	0.2	1584.5
-34.3	-6978.7	Min	I	-367.7	-34.1	-0.1	-459.0
-57.1	-7284.0		J	-367.7	-34.1	-0.1	-459.0
		G1	I	1244.7	-34.8	-0.8	1640.8
-9.2	-6015.3		J	1244.7	-34.8	1.2	1640.8
-138.5	22286.0						
		G2	I	480.5	-13.5	0.1	631.1
53.6	-2456.7		J	480.5	-13.5	0.1	631.1
-15.1	8512.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-97.5	2.9	-0.0	-200.6
-3.4	1639.4		J	-97.5	2.9	-0.0	-200.6
5.1	-728.0						
		Q5_pc Y	I	66.8	-1.9	0.0	124.8
4.9	144.2		J	66.8	-1.9	0.0	124.8
3.7	1664.2						
		Q5_ps X	I	-89.6	2.7	-0.0	-186.1
-2.5	1624.3		J	-89.6	2.7	-0.0	-186.1
5.9	-562.2						
		Q5_ps Y	I	68.0	-1.9	0.0	123.7
5.2	235.3		J	68.0	-1.9	0.0	123.7
4.6	1773.6						
		INVSLU Max	I	4813.3	-13.8	-0.6	3947.2
513.1	-399.9		J	4813.3	-13.8	2.1	3947.2
174.3	87820.7						
		Min	I	665.2	-128.2	-1.3	-1475.1
52.5	-26649.2		J	665.2	-128.2	1.4	-1475.1
-212.1	6443.8						
		INVSLE Max	I	3523.6	-9.2	-0.4	2765.1
381.0	-231.4		J	3523.6	-9.2	1.6	2765.1
140.0	64126.1						
		Min	I	464.0	-93.5	-1.0	-1224.7
40.5	-19456.7		J	464.0	-93.5	1.0	-1224.7
-145.5	4068.8						


MIDAS

PROJECT TITLE :


MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9783	2	69	C1-C2;~1	Max	I	2161.9	57.4	0.1	905.9
213.2	43915.8				J	2161.9	57.4	0.1	905.9
281.8	4525.6			Min	I	-693.7	-18.8	-0.3	-2697.4
-66.3	-13862.6				J	-693.7	-18.8	-0.3	-2697.4
-85.2	-6634.4								
			C3-C4;~1	Max	I	2075.4	54.9	0.1	924.1
229.0	39783.1				J	2075.4	54.9	0.1	924.1
252.3	2821.3			Min	I	-709.7	-19.2	-0.2	-2603.9
-56.6	-14163.5				J	-709.7	-19.2	-0.2	-2603.9
-87.5	-9440.3								
			C1-C2;~2	Max	I	1272.2	33.7	0.1	472.1
132.9	25738.0				J	1272.2	33.7	0.1	472.1
170.7	2811.7			Min	I	-358.8	-9.8	-0.2	-1584.4
-36.7	-7133.7				J	-358.8	-9.8	-0.2	-1584.4
-43.4	-3813.6								
			C3-C4;~2	Max	I	1204.3	31.8	0.1	481.5
146.4	22869.7				J	1204.3	31.8	0.1	481.5
148.6	1650.0			Min	I	-367.1	-10.0	-0.1	-1506.8
-29.0	-7283.1				J	-367.1	-10.0	-0.1	-1506.8
-44.6	-5324.5								
			G1		I	1190.0	31.6	-1.1	-1502.8
-61.7	22294.3				J	1190.0	31.6	0.9	-1502.8
-1.7	-3431.6								
			G2		I	458.8	12.2	-0.1	-577.0
16.2	8516.1				J	458.8	12.2	-0.1	-577.0
57.2	-1435.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	-93.6	-2.7	0.0	192.0
-2.5	-728.7				J	-93.6	-2.7	0.0	192.0
-6.4	1452.9								
			Q5_pc	Y	I	70.4	2.1	-0.0	-137.6
-2.4	1662.5				J	70.4	2.1	-0.0	-137.6
2.7	-45.9								
			Q5_ps	X	I	-85.7	-2.5	0.0	179.4
-2.5	-562.8				J	-85.7	-2.5	0.0	179.4
-6.3	1439.8								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.9	1772.0	Q5_ps Y	I	71.6	2.1	-0.0	-135.6
			J	71.6	2.1	-0.0	-135.6
2.8	51.5						
411.6	87808.8	INVS LU Max	I	4617.1	117.1	-1.2	1455.1
			J	4617.1	117.1	1.5	1455.1
507.4	4124.5	Min	I	572.0	8.8	-1.8	-3779.5
8.5	6409.3		J	572.0	8.8	0.9	-3779.5
-2.6	-17344.7						
314.4	64118.1	INVS LE Max	I	3378.6	85.4	-0.9	1213.6
			J	3378.6	85.4	1.1	1213.6
375.7	3113.4	Min	I	394.7	5.5	-1.3	-2638.3
16.2	4043.9		J	394.7	5.5	0.7	-2638.3
-1.3	-12596.0						
9784	2	69 C1-C2;~1 Max	I	2116.8	29.7	0.2	565.9
257.0	4520.2		J	2116.8	29.7	0.2	565.9
177.0	9420.9	Min	I	-694.9	-9.8	-0.1	-1648.3
-76.9	-6644.9		J	-694.9	-9.8	-0.1	-1648.3
-35.2	-28579.0						
228.4	2816.4	C3-C4;~1 Max	I	2019.1	28.4	0.2	577.5
			J	2019.1	28.4	0.2	577.5
150.8	9686.4	Min	I	-710.4	-10.0	-0.1	-1612.4
-79.0	-9452.2		J	-710.4	-10.0	-0.1	-1612.4
-42.0	-31950.5						
156.1	2808.2	C1-C2;~2 Max	I	1247.9	17.4	0.1	293.5
			J	1247.9	17.4	0.1	293.5
112.3	4975.2	Min	I	-363.7	-5.1	-0.0	-966.8
-39.1	-3820.2		J	-363.7	-5.1	-0.0	-966.8
-19.0	-16665.5						
134.8	1646.7	C3-C4;~2 Max	I	1173.3	16.4	0.1	299.4
			J	1173.3	16.4	0.1	299.4
94.5	5125.1	Min	I	-371.9	-5.2	-0.0	-932.3
-40.1	-5331.8		J	-371.9	-5.2	-0.0	-932.3
-21.9	-18171.1						
-15.6	-3441.0	G1	I	1142.1	16.3	-0.9	-924.4
			J	1142.1	16.3	1.1	-924.4
-70.5	-16747.4						
51.8	-1439.1	G2	I	441.4	6.3	0.0	-355.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
25.0	-6594.1		J	441.4	6.3	0.0	-355.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.6	1454.1	Q5_pc X	I	-91.5	-1.4	-0.0	121.4
1.3	2613.6		J	-91.5	-1.4	-0.0	121.4
1.5	-46.6	Q5_pc Y	I	74.2	1.1	-0.0	-83.6
3.7	-941.2		J	74.2	1.1	-0.0	-83.6
-4.6	1440.9	Q5_ps X	I	-83.7	-1.3	-0.0	114.3
2.1	2510.6		J	-83.7	-1.3	-0.0	114.3
1.5	50.9	Q5_ps Y	I	75.2	1.1	-0.0	-81.9
4.3	-845.1		J	75.2	1.1	-0.0	-81.9
473.0	4116.6	INVS LU Max	I	4423.1	59.9	-1.0	949.0
286.9	-2956.8		J	4423.1	59.9	1.7	949.0
11.2	-17363.4	Min	I	441.6	3.8	-1.4	-2274.4
-15.5	-63871.3		J	441.6	3.8	1.3	-2274.4
351.7	3108.3	INVS LE Max	I	3232.9	43.6	-0.7	789.8
216.7	-1688.3		J	3232.9	43.6	1.3	789.8
10.2	-12608.9	Min	I	295.9	2.2	-1.0	-1581.7
-6.8	-46461.7		J	295.9	2.2	1.0	-1581.7
9785	2	69 C1-C2;~1 Max	I	2067.1	2.3	0.1	84.6
169.1	9419.1		J	2067.1	2.3	0.1	84.6
202.6	9489.9	Min	I	-702.4	-1.8	-0.1	-221.0
-33.9	-28574.1		J	-702.4	-1.8	-0.1	-221.0
-67.1	-29193.4						
143.2	9684.6	C3-C4;~1 Max	I	1972.4	2.0	0.1	85.6
194.7	9781.1		J	1972.4	2.0	0.1	85.6
-41.5	-31945.5	Min	I	-717.6	-1.3	-0.2	-250.6
-69.0	-32676.9		J	-717.6	-1.3	-0.2	-250.6
107.4	4974.3	C1-C2;~2 Max	I	1220.3	1.4	0.1	41.4

MIDAS

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
125.9	4965.3		J	1220.3	1.4	0.1	41.4
		Min	I	-370.1	-1.1	-0.1	-128.8
-18.1	-16662.7		J	-370.1	-1.1	-0.1	-128.8
-34.6	-16957.1						
		C3-C4;~2 Max	I	1147.6	1.2	0.1	43.4
89.8	5124.2		J	1147.6	1.2	0.1	43.4
118.0	5129.0	Min	I	-378.2	-0.8	-0.1	-138.7
-21.3	-18168.3		J	-378.2	-0.8	-0.1	-138.7
-35.6	-18497.8						
		G1	I	1091.7	0.8	-1.0	-95.6
-76.0	-16744.3		J	1091.7	0.8	1.0	-95.6
-51.7	-17393.3						
		G2	I	422.4	0.3	-0.0	-37.8
22.9	-6592.9		J	422.4	0.3	-0.0	-37.8
33.6	-6856.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-90.8	-0.1	0.0	10.8
2.0	2613.3		J	-90.8	-0.1	0.0	10.8
-4.5	2654.7						
		Q5_pc Y	I	75.1	-0.0	0.0	-0.5
3.3	-941.0		J	75.1	-0.0	0.0	-0.5
1.0	-935.8						
		Q5_ps X	I	-83.6	-0.1	0.0	11.7
2.7	2510.3		J	-83.6	-0.1	0.0	11.7
-4.9	2552.1						
		Q5_ps Y	I	75.7	-0.0	0.0	0.3
3.9	-844.9		J	75.7	-0.0	0.0	0.3
0.7	-835.0						
		INVSLU Max	I	4219.3	5.0	-1.1	-2.6
275.8	-2958.3		J	4219.3	5.0	1.6	-2.6
289.7	-4305.3	Min	I	296.5	-0.6	-1.6	-476.0
-14.5	-63862.9		J	296.5	-0.6	1.1	-476.0
-85.2	-66402.0						
		INVSLE Max	I	3080.5	3.8	-0.8	4.4
209.1	-1689.7		J	3080.5	3.8	1.2	4.4
216.0	-2720.5	Min	I	186.8	-0.4	-1.2	-344.8
-5.5	-46455.8						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-61.1	-48364.2		J	186.8	-0.4	0.8	-344.8	
9786	2	69 C1-C2;~1 Max	I	1981.2	9.8	0.1	1482.6	
208.5	9498.8		J	1981.2	9.8	0.1	1482.6	
223.3	4976.5		Min	I	-701.1	-28.1	-496.3	
-69.0	-29217.0		J	-701.1	-28.1	-0.1	-496.3	
-52.9	-8539.8							
		C3-C4;~1 Max	I	1896.3	10.0	0.1	1405.3	
200.0	9790.2		J	1896.3	10.0	0.1	1405.3	
179.0	2823.6		Min	I	-715.8	-26.7	-504.5	
-70.9	-32700.7		J	-715.8	-26.7	-0.1	-504.5	
-56.3	-11624.8							
		C1-C2;~2 Max	I	1171.2	5.3	0.0	879.2	
129.4	4970.0		J	1171.2	5.3	0.0	879.2	
138.4	3080.1		Min	I	-371.8	-16.7	-266.1	
-35.7	-16971.0		J	-371.8	-16.7	-0.1	-266.1	
-28.9	-4753.0							
		C3-C4;~2 Max	I	1104.8	5.4	0.1	823.0	
121.1	5133.8		J	1104.8	5.4	0.1	823.0	
108.6	1572.3		Min	I	-379.7	-15.6	-270.5	
-36.7	-18511.4		J	-379.7	-15.6	-0.0	-270.5	
-30.4	-6356.7							
		G1	I	1020.2	-14.2	-1.0	765.9	
-48.5	-17406.5		J	1020.2	-14.2	1.0	765.9	
-46.4	-5837.6							
		G2	I	394.5	-5.5	-0.0	291.6	
34.8	-6861.3		J	394.5	-5.5	-0.0	291.6	
38.4	-2403.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-88.5	1.3	-0.0	-108.5	
-5.0	2656.6		J	-88.5	1.3	-0.0	-108.5	
-1.2	1568.9							
		Q5_pc Y	I	74.4	-1.1	-0.0	89.1	
1.4	-937.3		J	74.4	-1.1	-0.0	89.1	
5.2	-9.6							
		Q5_ps X	I	-81.9	1.2	-0.0	-99.7	
-5.3	2553.9							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.4	1550.7		J	-81.9	1.2	-0.0	-99.7
1.2	-836.4	Q5_ps Y	I	74.7	-1.1	-0.0	88.5
5.8	97.5		J	74.7	-1.1	-0.0	88.5
295.3	-4287.1	INVS LU Max	I	3951.5	1.6	-1.2	1726.8
351.8	-1079.6		J	3951.5	1.6	1.5	1726.8
-91.0	-66431.6	Min	I	151.4	-52.3	-1.6	-1151.0
-35.0	-26315.4		J	151.4	-52.3	1.1	-1151.0
219.8	-2705.7	INVS LE Max	I	2882.5	1.8	-0.9	1184.0
262.0	-861.9		J	2882.5	1.8	1.1	1184.0
-65.7	-48384.5	Min	I	79.4	-37.9	-1.2	-933.2
-23.9	-19346.0		J	79.4	-37.9	0.8	-933.2
9787	2	69 C1-C2;~1 Max	I	1863.2	19.2	0.4	2596.8
246.7	4980.2		J	1863.2	19.2	0.4	2596.8
123.9	38977.5	Min	I	-677.1	-53.8	-0.1	-899.8
-60.7	-8526.7		J	-677.1	-53.8	-0.1	-899.8
-112.0	-14251.3						
201.1	2826.4	C3-C4;~1 Max	I	1777.8	19.6	0.3	2482.7
140.5	34730.1		J	1777.8	19.6	0.3	2482.7
-63.8	-11612.3	Min	I	-690.3	-51.5	-0.1	-915.7
-134.6	-14438.2		J	-690.3	-51.5	-0.1	-915.7
152.3	3083.1	C1-C2;~2 Max	I	1106.6	10.3	0.2	1535.1
78.2	23141.5		J	1106.6	10.3	0.2	1535.1
-33.1	-4745.1	Min	I	-363.4	-31.8	-0.1	-479.3
-64.4	-7694.6		J	-363.4	-31.8	-0.1	-479.3
121.5	1574.9	C3-C4;~2 Max	I	1041.1	10.5	0.2	1447.6
90.1	20214.1		J	1041.1	10.5	0.2	1447.6
-34.5	-6349.3	Min	I	-370.6	-30.1	-0.1	-487.8
-72.3	-7784.1		J	-370.6	-30.1	-0.1	-487.8
-34.0	-5829.7	G1	I	912.9	-27.4	-0.8	1360.5
-175.6	16512.5		J	912.9	-27.4	1.2	1360.5

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

43.1	-2400.0	G2	I	350.3	-10.6	0.1	519.9
-29.0	6220.7		J	350.3	-10.6	0.1	519.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.9	1567.7	Q5_pc X	I	-82.0	2.6	-0.0	-187.4
7.2	-516.4		J	-82.0	2.6	-0.0	-187.4
6.6	-8.4	Q5_pc Y	I	76.0	-2.2	0.0	147.4
3.0	1751.3		J	76.0	-2.2	0.0	147.4
-2.0	1549.6	Q5_ps X	I	-75.6	2.4	-0.0	-173.9
8.0	-381.4		J	-75.6	2.4	-0.0	-173.9
7.1	98.6	Q5_ps Y	I	76.4	-2.2	0.0	145.6
4.3	1862.7		J	76.4	-2.2	0.0	145.6
380.2	-1078.9	INVSLE Max	I	3600.1	1.9	-0.6	3265.2
25.3	66881.6		J	3600.1	1.9	2.1	3265.2
-50.8	-26300.7	Min	I	5.3	-101.8	-1.3	-1814.0
-359.0	-8382.0		J	5.3	-101.8	1.4	-1814.0
281.5	-862.4	INVSLE Max	I	2624.9	2.5	-0.4	2258.9
28.9	48385.2		J	2624.9	2.5	1.6	2258.9
-36.8	-19336.1	Min	I	-26.9	-73.9	-1.0	-1478.4
-254.8	-7132.1		J	-26.9	-73.9	1.1	-1478.4
9788	2	69 C1-C2;~1 Max	I	1760.1	47.8	0.1	882.1
213.7	39003.1		J	1760.1	47.8	0.1	882.1
232.8	5774.8	Min	I	-660.6	-18.3	-0.2	-2195.1
-66.5	-14249.9		J	-660.6	-18.3	-0.2	-2195.1
-84.9	-5187.1	C3-C4;~1 Max	I	1663.5	44.9	0.1	892.5
225.5	34767.8		J	1663.5	44.9	0.1	892.5
207.2	4160.9	Min	I	-672.1	-18.7	-0.1	-2102.0
-51.3	-14437.2		J	-672.1	-18.7	-0.1	-2102.0
-87.1	-7469.4						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

130.1	23157.0	C1-C2;~2	Max	I	1051.0	28.5	0.1	483.9
				J	1051.0	28.5	0.1	483.9
142.3	3511.5		Min	I	-359.5	-10.0	-0.1	-1312.1
-37.1	-7693.2			J	-359.5	-10.0	-0.1	-1312.1
-45.1	-2900.9							
142.1	20239.2	C3-C4;~2	Max	I	979.8	26.5	0.1	489.7
				J	979.8	26.5	0.1	489.7
122.9	2415.8		Min	I	-366.0	-10.2	-0.1	-1238.3
-26.7	-7782.8			J	-366.0	-10.2	-0.1	-1238.3
-46.3	-4152.1							
-42.8	16528.5		G1	I	803.6	21.5	-1.0	-992.9
				J	803.6	21.5	1.0	-992.9
-40.5	-982.6							
24.8	6226.9		G2	I	307.0	8.2	-0.0	-378.4
				J	307.0	8.2	-0.0	-378.4
41.7	-468.6							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-4.6	-515.6		Q5_pc X	I	-76.1	-2.3	0.0	186.9
				J	-76.1	-2.3	0.0	186.9
-6.6	1391.1							
-1.0	1748.0		Q5_pc Y	I	79.1	2.4	-0.0	-179.0
				J	79.1	2.4	-0.0	-179.0
3.7	-166.5							
-4.9	-380.3		Q5_ps X	I	-69.6	-2.1	0.0	175.8
				J	-69.6	-2.1	0.0	175.8
-6.6	1369.2							
-1.1	1859.9		Q5_ps Y	I	79.8	2.4	-0.0	-173.6
				J	79.8	2.4	-0.0	-173.6
3.4	-65.8							
425.6	66832.9		INVSLU Max	I	3240.0	81.8	-1.0	1697.9
				J	3240.0	81.8	1.7	1697.9
294.4	9315.8		Min	I	-185.7	-12.2	-1.5	-2806.8
				J	-185.7	-12.2	1.2	-2806.8
23.2	-8457.9							
-149.3	-11067.9							
323.8	48348.5		INVSLE Max	I	2358.5	59.1	-0.7	1378.7
				J	2358.5	59.1	1.3	1378.7

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
216.7	6857.1		Min	I	-168.6	-10.2	-1.1	-1933.3	
26.3	-7189.4			J	-168.6	-10.2	0.9	-1933.3	
-111.1	-8056.4								
9789	2	69	C1-C2;~1	Max	I	1681.6	25.2	0.1	548.6
212.7	5768.4			J	1681.6	25.2	0.1	548.6	
158.7	8614.6		Min	I	-661.1	-9.6	-0.1	-1319.0	
-76.7	-5197.0			J	-661.1	-9.6	-0.1	-1319.0	
-48.1	-21923.5								
188.3	4154.7		C3-C4;~1	Max	I	1569.5	23.6	0.2	555.8
129.5	8920.9			J	1569.5	23.6	0.2	555.8	
-78.8	-7480.2		Min	I	-671.3	-9.8	-0.1	-1290.5	
-62.9	-24370.2			J	-671.3	-9.8	-0.1	-1290.5	
130.4	3507.6		C1-C2;~2	Max	I	1009.1	15.0	0.1	298.7
100.3	4794.1			J	1009.1	15.0	0.1	298.7	
-40.6	-2907.3		Min	I	-364.4	-5.2	-0.0	-786.4	
-24.9	-12882.7			J	-364.4	-5.2	-0.0	-786.4	
111.9	2412.0		C3-C4;~2	Max	I	928.9	13.8	0.1	302.7
80.8	4981.8			J	928.9	13.8	0.1	302.7	
-41.7	-4158.8		Min	I	-370.3	-5.4	-0.0	-758.0	
-32.0	-14200.3			J	-370.3	-5.4	-0.0	-758.0	
-49.8	-991.5		G1	I	704.0	11.6	-0.9	-613.1	
-106.5	-10405.4			J	704.0	11.6	1.1	-613.1	
38.2	-472.1		G2	I	269.5	4.4	0.0	-235.4	
10.7	-4072.6			J	269.5	4.4	0.0	-235.4	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-4.8	1392.4		Q5_pc	X	I	-72.1	-1.3	-0.0	123.1
1.3	2464.0			J	-72.1	-1.3	-0.0	123.1	
2.0	-167.5		Q5_pc	Y	I	82.5	1.2	-0.0	-112.0
5.7	-1145.6			J	82.5	1.2	-0.0	-112.0	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.9	1370.4	Q5_ps X	I	-65.7	-1.2	-0.0	117.1
			J	-65.7	-1.2	-0.0	117.1
2.1	2361.6						
		Q5_ps Y	I	83.1	1.2	-0.0	-107.3
1.8	-66.8		J	83.1	1.2	-0.0	-107.3
6.4	-1047.9						
		INVS LU Max	I	2894.8	42.5	-1.0	1038.9
268.7	9308.1		J	2894.8	42.5	1.7	1038.9
139.9	8545.0	Min	I	-430.2	-7.1	-1.4	-1713.7
-133.4	-11083.8		J	-430.2	-7.1	1.3	-1713.7
-169.5	-40833.1						
		INVS LE Max	I	2099.5	30.6	-0.7	844.2
199.1	6852.3		J	2099.5	30.6	1.3	844.2
107.1	6844.3	Min	I	-352.4	-5.9	-1.0	-1178.4
-98.2	-8067.2		J	-352.4	-5.9	1.0	-1178.4
-121.3	-29403.6						
9790	2	69 C1-C2;~1 Max	I	1629.4	3.3	0.1	128.8
152.9	8612.7		J	1629.4	3.3	0.1	128.8
195.5	8698.9	Min	I	-686.4	-1.8	-0.2	-186.8
-46.8	-21919.2		J	-686.4	-1.8	-0.2	-186.8
-75.4	-23380.5						
		C3-C4;~1 Max	I	1522.1	3.2	0.1	106.5
123.9	8919.0		J	1522.1	3.2	0.1	106.5
208.2	9051.2	Min	I	-696.4	-1.2	-0.2	-244.2
-64.4	-24365.9		J	-696.4	-1.2	-0.2	-244.2
-78.0	-25978.6						
		C1-C2;~2 Max	I	981.1	2.0	0.0	73.2
96.5	4793.1		J	981.1	2.0	0.0	73.2
120.7	4779.2	Min	I	-380.5	-1.1	-0.1	-105.2
-24.0	-12880.0		J	-380.5	-1.1	-0.1	-105.2
-39.7	-13817.9						
		C3-C4;~2 Max	I	903.5	1.8	0.0	59.7
77.2	4980.8		J	903.5	1.8	0.0	59.7
114.8	4996.3	Min	I	-386.3	-0.7	-0.1	-131.9
-32.8	-14197.8		J	-386.3	-0.7	-0.1	-131.9
-41.1	-14994.3						
		G1	I	626.2	2.0	-1.1	-74.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-110.2	-10402.9		J	626.2	2.0	0.9	-74.4
-55.5	-12057.6						
		G2	I	240.0	0.8	-0.0	-33.0
9.2	-4071.6		J	240.0	0.8	-0.0	-33.0
32.3	-4703.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-71.1	-0.2	0.0	12.4
2.0	2463.8		J	-71.1	-0.2	0.0	12.4
-5.4	2595.1						
		Q5_pc Y	I	82.5	-0.1	0.0	-0.6
5.0	-1145.4		J	82.5	-0.1	0.0	-0.6
1.1	-1074.4						
		Q5_ps X	I	-65.3	-0.2	0.0	14.1
2.8	2361.4		J	-65.3	-0.2	0.0	14.1
-5.7	2488.5						
		Q5_ps Y	I	82.6	-0.1	0.0	1.8
5.8	-1047.7		J	82.6	-0.1	0.0	1.8
0.6	-980.7						
		INVSLE Max	I	2589.3	7.6	-1.2	-51.0
131.5	8543.2		J	2589.3	7.6	1.5	-51.0
222.0	6427.6						
		Min	I	-699.0	0.4	-1.7	-577.0
-170.9	-40826.2		J	-699.0	0.4	1.0	-577.0
-174.1	-45533.8						
		INVSLE Max	I	1868.4	5.5	-0.9	-40.1
101.4	6842.7		J	1868.4	5.5	1.1	-40.1
163.7	5312.2						
		Min	I	-556.3	0.3	-1.2	-428.0
-121.9	-29398.7		J	-556.3	0.3	0.8	-428.0
-129.0	-32831.7						
		69 C1-C2;~1 Max	I	1571.1	9.7	0.1	1167.9
9791	2		J	1571.1	9.7	0.1	1167.9
201.6	8700.5						
		Min	I	-715.3	-21.1	-0.1	-479.4
191.2	4774.2		J	-715.3	-21.1	-0.1	-479.4
-77.8	-23382.9						
		C3-C4;~1 Max	I	1473.9	9.8	0.2	1083.2
-64.2	-8954.3		J	1473.9	9.8	0.2	1083.2
212.7	9052.8						
		Min	I	-725.2	-19.4	-0.1	-486.3
139.5	2547.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-80.4	-25981.0		J	-725.2	-19.4	-0.1	-486.3
-74.7	-11576.8						
124.4	4780.1	C1-C2;~2 Max	I	949.5	5.5	0.1	711.4
119.9	3034.1		J	949.5	5.5	0.1	711.4
-41.1	-13819.3	Min	I	-398.7	-12.8	-0.1	-271.3
-34.6	-5021.9		J	-398.7	-12.8	-0.1	-271.3
118.2	4997.2	C3-C4;~2 Max	I	878.0	5.5	0.1	653.6
85.2	1482.3		J	878.0	5.5	0.1	653.6
-42.5	-14995.6	Min	I	-404.5	-11.7	-0.0	-274.3
-38.9	-6366.9		J	-404.5	-11.7	-0.0	-274.3
-53.6	-12058.3	G1	I	539.6	-6.3	-0.9	401.5
-103.3	-6962.6		J	539.6	-6.3	1.1	401.5
32.9	-4704.0	G2	I	206.2	-2.4	0.0	146.6
15.5	-2752.8		J	206.2	-2.4	0.0	146.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.9	2595.3	Q5_pc X	I	-68.2	1.0	-0.0	-103.0
3.7	1797.2		J	-68.2	1.0	-0.0	-103.0
1.7	-1074.7	Q5_pc Y	I	80.8	-1.4	-0.0	114.5
2.9	44.7		J	80.8	-1.4	-0.0	114.5
-6.2	2488.7	Q5_ps X	I	-63.2	0.9	-0.0	-94.6
4.5	1753.3		J	-63.2	0.9	-0.0	-94.6
1.3	-981.0	Q5_ps Y	I	80.5	-1.4	-0.0	113.1
4.0	125.5		J	80.5	-1.4	-0.0	113.1
223.4	6430.7	INVSLU Max	I	2248.7	16.2	-1.0	976.4
149.0	-1448.3		J	2248.7	16.2	1.7	976.4
-182.9	-45536.5	Min	I	-996.8	-28.0	-1.4	-1462.7
-216.7	-26757.2		J	-996.8	-28.0	1.3	-1462.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
164.3	5314.6	INVSLE Max	I	1610.8	12.6	-0.8	633.6
			J	1610.8	12.6	1.2	633.6
111.4	-1042.4	Min	I	-782.5	-19.9	-1.1	-1158.0
-135.9	-32833.6		J	-782.5	-19.9	0.9	-1158.0
-159.0	-19550.1						
9792	2	69 C1-C2;~1 Max	I	1479.0	19.5	0.3	1944.1
208.3	4778.3		J	1479.0	19.5	0.3	1944.1
185.9	29180.5	Min	I	-708.7	-41.4	-0.1	-839.2
-70.7	-8948.3		J	-708.7	-41.4	-0.1	-839.2
-108.2	-15519.0						
		C3-C4;~1 Max	I	1374.5	19.7	0.2	1826.3
155.0	2550.1		J	1374.5	19.7	0.2	1826.3
198.0	24864.7	Min	I	-716.9	-38.8	-0.2	-844.9
-80.6	-11572.1		J	-716.9	-38.8	-0.2	-844.9
-150.0	-15381.5						
		C1-C2;~2 Max	I	904.4	10.9	0.2	1178.8
130.4	3036.7		J	904.4	10.9	0.2	1178.8
121.3	17897.8	Min	I	-399.7	-25.1	-0.1	-471.7
-38.4	-5017.8		J	-399.7	-25.1	-0.1	-471.7
-56.3	-8789.6						
		C3-C4;~2 Max	I	829.4	11.0	0.1	1094.0
94.7	1484.3		J	829.4	11.0	0.1	1094.0
129.9	14987.4	Min	I	-404.6	-23.2	-0.1	-474.9
-42.5	-6363.7		J	-404.6	-23.2	-0.1	-474.9
-76.6	-8698.8						
		G1	I	401.3	-13.0	-0.9	699.1
-96.9	-6960.7		J	401.3	-13.0	1.1	699.1
-180.7	3607.8						
		G2	I	149.7	-5.0	0.1	260.5
17.8	-2752.2		J	149.7	-5.0	0.1	260.5
-31.1	1289.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-58.2	2.0	-0.0	-175.3
2.1	1796.3		J	-58.2	2.0	-0.0	-175.3
13.9	205.2						
		Q5_pc Y	I	80.0	-2.5	0.0	184.8

MIDAS

PROJECT TITLE :

		Company					Client	
		Author					File Name	
4.6	46.1			J	80.0	-2.5	0.0	184.8
-2.5	2087.9							
			Q5_ps X	I	-53.3	1.8	-0.0	-163.2
3.0	1752.4			J	-53.3	1.8	-0.0	-163.2
14.7	275.8							
			Q5_ps Y	I	80.3	-2.5	0.0	180.6
5.7	126.9			J	80.3	-2.5	0.0	180.6
-0.2	2145.5							
			INVS LU Max	I	1803.6	32.0	-0.7	1815.0
163.3	-1450.8			J	1803.6	32.0	2.0	1815.0
-95.7	29121.7		Min	I	-1304.9	-54.9	-1.3	-2282.8
-235.1	-26757.1			J	-1304.9	-54.9	1.4	-2282.8
-590.3	-34980.7							
			INVS LE Max	I	1277.7	25.0	-0.5	1201.5
120.7	-1044.8			J	1277.7	25.0	1.5	1201.5
-74.4	20400.7		Min	I	-1014.1	-39.1	-0.9	-1809.3
-173.8	-19550.7			J	-1014.1	-39.1	1.1	-1809.3
-439.0	-26804.3							
			69 C1-C2;~1 Max	I	1217.4	3.3	0.1	176.2
9793	2			J	1217.4	3.3	0.1	176.2
188.7	10717.0							
			Min	I	-826.8	-1.7	-0.2	-317.2
198.9	10360.9			J	-826.8	-1.7	-0.2	-317.2
-87.2	-16908.8							
-106.6	-17646.6							
			C3-C4;~1 Max	I	1097.5	3.0	0.1	140.1
147.7	11408.8			J	1097.5	3.0	0.1	140.1
207.3	10970.6		Min	I	-844.5	-1.1	-0.3	-349.8
-114.6	-18232.2			J	-844.5	-1.1	-0.3	-349.8
-110.4	-19109.8							
			C1-C2;~2 Max	I	757.9	2.0	0.1	104.4
120.2	5907.1			J	757.9	2.0	0.1	104.4
126.8	5752.4		Min	I	-464.7	-1.1	-0.1	-186.3
-44.4	-10335.0			J	-464.7	-1.1	-0.1	-186.3
-58.5	-10777.3							
			C3-C4;~2 Max	I	673.3	1.6	0.1	79.7
92.5	6252.0			J	673.3	1.6	0.1	79.7
117.0	6075.6		Min	I	-472.1	-0.6	-0.1	-191.5
-58.0	-10892.0			J	-472.1	-0.6	-0.1	-191.5


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-60.7	-11398.6							
		G1	I	-70.9	1.8	-1.1	-130.4	
-154.8	-790.5		J	-70.9	1.8	0.9	-130.4	
-107.1	-2230.5							
		G2	I	-32.8	0.7	-0.0	-53.7	
-9.2	-237.6		J	-32.8	0.7	-0.0	-53.7	
11.8	-817.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-40.8	-0.2	0.0	12.7	
9.1	2289.2		J	-40.8	-0.2	0.0	12.7	
-3.1	2446.4							
		Q5_pc Y	I	85.5	-0.1	0.0	5.5	
1.2	-1090.5		J	85.5	-0.1	0.0	5.5	
-2.1	-1040.1							
		Q5_ps X	I	-37.0	-0.2	0.0	14.4	
9.8	2182.1		J	-37.0	-0.2	0.0	14.4	
-3.6	2335.5							
		Q5_ps Y	I	85.2	-0.1	0.0	7.6	
2.8	-1011.1		J	85.2	-0.1	0.0	7.6	
-2.5	-953.4							
		INVS LU Max	I	389.4	9.1	-1.2	22.9	
-31.2	32846.2		J	389.4	9.1	1.5	22.9	
-4.1	28801.6							
		Min	I	-2548.0	1.9	-1.7	-710.1	
-457.1	-11289.6		J	-2548.0	1.9	1.0	-710.1	
-438.6	-16210.3							
		INVS LE Max	I	217.9	6.8	-0.9	21.6	
-27.0	25146.9		J	217.9	6.8	1.1	21.6	
-11.0	22102.9							
		Min	I	-1946.5	1.5	-1.3	-519.7	
-341.3	-7241.0		J	-1946.5	1.5	0.7	-519.7	
-332.5	-10913.1							
9794	2	69 C1-C2;~1 Max	I	1116.7	12.2	0.2	689.0	
201.0	10363.1		J	1116.7	12.2	0.2	689.0	
197.9	3862.9							
		Min	I	-878.9	-15.6	-0.1	-515.8	
-107.8	-17647.8		J	-878.9	-15.6	-0.1	-515.8	
-117.8	-7951.3							
		C3-C4;~1 Max	I	1015.8	12.5	0.2	631.2	
207.6	10972.8							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
139.3	2256.0		J	1015.8	12.5	0.2	631.2
		Min	I	-893.6	-13.9	-0.1	-550.9
-111.6	-19110.8		J	-893.6	-13.9	-0.1	-550.9
-133.8	-9797.0						
		C1-C2;~2 Max	I	698.3	6.8	0.1	429.7
128.4	5753.6		J	698.3	6.8	0.1	429.7
126.4	2504.7	Min	I	-492.6	-9.8	-0.1	-276.5
-59.3	-10778.0		J	-492.6	-9.8	-0.1	-276.5
-62.1	-4685.0						
		C3-C4;~2 Max	I	625.6	6.9	0.1	389.6
118.3	6076.9		J	625.6	6.9	0.1	389.6
86.3	1328.9	Min	I	-498.7	-8.6	-0.0	-287.8
-61.5	-11399.2		J	-498.7	-8.6	-0.0	-287.8
-68.2	-5607.7						
		G1	I	-223.9	3.7	-0.9	-188.8
-108.7	-2229.2		J	-223.9	3.7	1.1	-188.8
-187.2	-5251.3						
		G2	I	-91.2	1.5	0.0	-82.8
11.1	-816.5		J	-91.2	1.5	0.0	-82.8
-17.6	-2066.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-39.8	0.6	-0.0	-97.0
-3.5	2446.5		J	-39.8	0.6	-0.0	-97.0
11.5	1981.1						
		Q5_pc Y	I	85.7	-1.5	-0.0	155.4
-1.2	-1040.4		J	85.7	-1.5	-0.0	155.4
1.4	168.9						
		Q5_ps X	I	-37.1	0.5	-0.0	-89.4
-4.1	2335.6		J	-37.1	0.5	-0.0	-89.4
11.9	1910.2						
		Q5_ps Y	I	84.2	-1.5	-0.0	150.7
-1.6	-953.7		J	84.2	-1.5	-0.0	150.7
2.7	239.3						
		INVSLU Max	I	-94.2	43.0	-0.9	54.2
-9.9	28809.8		J	-94.2	43.0	1.8	54.2
-114.7	-1434.7	Min	I	-2962.4	2.4	-1.4	-1899.4
-447.1	-16206.8						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-583.2	-23441.6		J	-2962.4	2.4	1.3	-1899.4
		INVSLE Max	I	-143.7	32.8	-0.7	-12.8
-15.5	22109.1		J	-143.7	32.8	1.3	-12.8
		Min	I	-2256.9	2.8	-1.0	-1439.2
-91.5	-1064.3		J	-2256.9	2.8	1.0	-1439.2
-338.9	-10910.3		J	-2256.9	2.8	1.0	-1439.2
-437.0	-17101.5		J	-2256.9	2.8	1.0	-1439.2
9795	2	69 C1-C2;~1 Max	I	1008.9	24.0	0.3	1128.9
207.9	3864.6		J	1008.9	24.0	0.3	1128.9
		Min	I	-929.7	-29.2	-0.2	-853.5
168.0	21212.9		J	-929.7	-29.2	-0.2	-853.5
-125.4	-7950.4		J	-929.7	-29.2	-0.2	-853.5
-165.3	-20017.7		J	-929.7	-29.2	-0.2	-853.5
		C3-C4;~1 Max	I	915.8	24.4	0.3	1034.7
148.1	2255.8		J	915.8	24.4	0.3	1034.7
		Min	I	-950.5	-26.7	-0.2	-878.0
180.2	17090.5		J	-950.5	-26.7	-0.2	-878.0
-141.7	-9798.2		J	-950.5	-26.7	-0.2	-878.0
-208.4	-20167.9		J	-950.5	-26.7	-0.2	-878.0
		C1-C2;~2 Max	I	631.6	13.4	0.2	708.0
132.7	2505.7		J	631.6	13.4	0.2	708.0
		Min	I	-514.9	-18.2	-0.1	-466.9
109.9	13308.4		J	-514.9	-18.2	-0.1	-466.9
-66.2	-4683.7		J	-514.9	-18.2	-0.1	-466.9
-90.5	-11095.6		J	-514.9	-18.2	-0.1	-466.9
		C3-C4;~2 Max	I	565.1	13.5	0.1	639.7
91.8	1330.2		J	565.1	13.5	0.1	639.7
		Min	I	-522.4	-16.5	-0.1	-474.8
118.0	10506.5		J	-522.4	-16.5	-0.1	-474.8
-72.4	-5607.6		J	-522.4	-16.5	-0.1	-474.8
-109.4	-10933.6		J	-522.4	-16.5	-0.1	-474.8
		G1	I	-422.0	7.6	-0.9	-260.9
-189.7	-5255.9		J	-422.0	7.6	1.1	-260.9
-240.1	-11412.1		J	-422.0	7.6	1.1	-260.9
		G2	I	-169.7	3.1	0.0	-113.2
-18.7	-2068.0		J	-169.7	3.1	0.0	-113.2
-53.4	-4573.9		J	-169.7	3.1	0.0	-113.2
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	-30.4	1.2	0.0	-164.0
10.0	1980.4		J	-30.4	1.2	0.0	-164.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9.0	1007.3							
		Q5_pc	Y	I	86.6	-2.7	0.0	244.3
3.7	170.5			J	86.6	-2.7	0.0	244.3
-2.2	2384.4							
		Q5_ps	X	I	-28.0	1.1	0.0	-153.5
10.5	1909.7			J	-28.0	1.1	0.0	-153.5
9.9	1003.4							
		Q5_ps	Y	I	85.1	-2.7	0.0	234.7
4.9	240.9			J	85.1	-2.7	0.0	234.7
0.0	2408.2							
		INVS LU	Max	I	-613.3	84.3	-0.9	79.3
-117.7	-1448.0			J	-613.3	84.3	1.8	79.3
-178.9	-17473.2							
			Min	I	-3414.6	7.1	-1.6	-3069.7
-607.7	-23457.6			J	-3414.6	7.1	1.1	-3069.7
-719.7	-77629.2							
		INVS LE	Max	I	-528.1	64.2	-0.7	-33.8
-94.3	-1074.6			J	-528.1	64.2	1.3	-33.8
-132.2	-14525.9							
			Min	I	-2591.6	7.3	-1.2	-2333.8
-455.9	-17113.9			J	-2591.6	7.3	0.8	-2333.8
-531.6	-58768.0							
9796	2	69 C1-C2;~1	Max	I	920.0	22.0	0.4	645.1
312.2	21233.7			J	920.0	22.0	0.4	645.1
161.7	15580.4							
			Min	I	-1009.2	-32.7	-0.2	-643.4
-78.2	-20036.2			J	-1009.2	-32.7	-0.2	-643.4
-156.4	-4423.8							
		C3-C4;~1	Max	I	821.4	19.8	0.4	616.8
344.6	17133.5			J	821.4	19.8	0.4	616.8
127.8	13617.9							
			Min	I	-1043.5	-33.7	-0.1	-549.8
-72.6	-20194.4			J	-1043.5	-33.7	-0.1	-549.8
-153.7	-6014.6							
		C1-C2;~2	Max	I	574.4	13.4	0.2	349.7
188.4	13320.1			J	574.4	13.4	0.2	349.7
106.2	8845.8							
			Min	I	-546.4	-17.5	-0.1	-408.8
-42.9	-11105.4			J	-546.4	-17.5	-0.1	-408.8
-86.2	-2262.3							
		C3-C4;~2	Max	I	504.5	11.9	0.2	334.0
197.2	10535.5			J	504.5	11.9	0.2	334.0
81.3	7423.3							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-36.1	-10944.0	Min	I	-561.0	-17.6	-0.1	-338.7
			J	-561.0	-17.6	-0.1	-338.7
-85.5	-3149.5						
		G1	I	-648.7	-27.2	-0.7	335.3
19.9	-11425.2		J	-648.7	-27.2	1.3	335.3
-228.4	10686.6						
		G2	I	-258.0	-10.5	0.1	132.8
50.4	-4579.6		J	-258.0	-10.5	0.1	132.8
-31.0	3947.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-19.6	0.5	-0.0	63.9
-8.2	998.6		J	-19.6	0.5	-0.0	63.9
-0.2	564.0						
		Q5_pc Y	I	89.7	4.4	-0.0	-161.4
-6.8	2385.1		J	89.7	4.4	-0.0	-161.4
0.3	-1190.6						
		Q5_ps X	I	-17.4	0.5	-0.0	62.1
-8.8	995.5		J	-17.4	0.5	-0.0	62.1
-1.0	562.5						
		Q5_ps Y	I	88.1	4.1	-0.0	-149.9
-6.9	2409.4		J	88.1	4.1	-0.0	-149.9
-0.4	-966.2						
		INVSLU Max	I	-1156.3	-52.2	-0.1	2217.0
510.3	-17563.1		J	-1156.3	-52.2	2.7	2217.0
-363.7	43699.1						
		Min	I	-3968.4	-135.4	-0.9	187.1
-75.2	-77784.2		J	-3968.4	-135.4	1.8	187.1
-793.7	12402.8						
		INVSLE Max	I	-930.5	-41.0	-0.0	1683.0
375.0	-14594.3		J	-930.5	-41.0	2.0	1683.0
-280.3	32532.6						
		Min	I	-3001.6	-102.0	-0.6	200.9
-57.6	-58884.5		J	-3001.6	-102.0	1.4	200.9
-598.8	9508.9						
9797	2	69 C1-C2;~1 Max	I	849.5	11.3	0.2	296.8
157.1	15581.0		J	849.5	11.3	0.2	296.8
151.2	24706.4						
		Min	I	-1115.9	-19.0	-0.2	-448.7
-151.3	-4425.3		J	-1115.9	-19.0	-0.2	-448.7
-113.2	-9965.1						

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

123.6	13617.8	C3-C4;~1 Max	I	739.8	9.8	0.2	254.1
			J	739.8	9.8	0.2	254.1
114.2	25327.2						
		Min	I	-1163.3	-18.9	-0.2	-468.0
-148.8	-6017.4		J	-1163.3	-18.9	-0.2	-468.0
-150.7	-11985.6						
		C1-C2;~2 Max	I	527.0	6.9	0.1	160.7
103.3	8845.4		J	527.0	6.9	0.1	160.7
96.0	12583.9						
		Min	I	-595.4	-10.1	-0.1	-271.5
-83.4	-2263.0		J	-595.4	-10.1	-0.1	-271.5
-58.0	-5367.3						
		C3-C4;~2 Max	I	449.2	5.8	0.1	136.8
78.8	7422.5		J	449.2	5.8	0.1	136.8
70.9	12821.8						
		Min	I	-613.2	-9.9	-0.1	-260.1
-82.8	-3151.1		J	-613.2	-9.9	-0.1	-260.1
-76.2	-6479.9						
		G1	I	-887.2	-16.7	-1.0	-27.5
-226.3	10689.5		J	-887.2	-16.7	1.0	-27.5
-202.1	24321.4						
		G2	I	-348.9	-6.4	-0.0	-13.0
-30.1	3948.8		J	-348.9	-6.4	-0.0	-13.0
-29.4	9124.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-11.2	0.7	-0.0	29.0
0.3	565.0		J	-11.2	0.7	-0.0	29.0
11.9	-42.3						
		Q5_pc Y	I	94.6	3.0	-0.0	-60.4
-1.0	-1192.1		J	94.6	3.0	-0.0	-60.4
0.5	-3669.6						
		Q5_ps X	I	-9.3	0.7	-0.0	30.7
-0.5	563.4		J	-9.3	0.7	-0.0	30.7
12.5	-12.5						
		Q5_ps Y	I	92.4	2.8	-0.0	-52.1
-1.6	-967.7		J	92.4	2.8	-0.0	-52.1
2.2	-3263.9						
		INVSLU Max	I	-1714.4	-32.3	-1.3	640.5
-360.4	43715.6		J	-1714.4	-32.3	1.4	640.5

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-162.9	100121.2		Min	I	-4602.0	-78.8	-1.8	-500.6	
-778.5	12411.9			J	-4602.0	-78.8	0.9	-500.6	
-592.1	43143.6								
		INVSLE	Max	I	-1345.8	-25.3	-0.9	493.9	
-277.4	32545.3			J	-1345.8	-25.3	1.1	493.9	
-123.6	75107.3		Min	I	-3472.2	-59.3	-1.4	-343.4	
-587.0	9516.4			J	-3472.2	-59.3	0.6	-343.4	
-439.9	33391.0								
9798	2	69	C1-C2;~1	Max	I	785.4	2.8	0.4	489.3
152.9	24704.0			J	785.4	2.8	0.4	489.3	
197.4	27717.3		Min	I	-1238.1	-6.3	-0.2	-670.5	
-116.8	-9963.2			J	-1238.1	-6.3	-0.2	-670.5	
-252.6	-10952.3								
		C3-C4;~1	Max	I	686.2	2.1	0.3	434.3	
116.1	25324.3			J	686.2	2.1	0.3	434.3	
211.4	27774.2		Min	I	-1270.5	-4.3	-0.4	-858.6	
-156.0	-11983.9			J	-1270.5	-4.3	-0.4	-858.6	
-238.3	-12742.9								
		C1-C2;~2	Max	I	485.4	1.7	0.2	293.7	
96.9	12582.6			J	485.4	1.7	0.2	293.7	
129.4	14104.6		Min	I	-661.4	-3.7	-0.1	-339.9	
-59.9	-5366.1			J	-661.4	-3.7	-0.1	-339.9	
-133.6	-5871.0								
		C3-C4;~2	Max	I	414.3	1.1	0.2	257.7	
72.0	12820.3			J	414.3	1.1	0.2	257.7	
113.2	14054.3		Min	I	-667.2	-2.2	-0.2	-433.5	
-78.8	-6478.9			J	-667.2	-2.2	-0.2	-433.5	
-128.7	-6762.0								
		G1		I	-1114.9	-3.4	-0.8	-548.7	
-205.1	24319.5			J	-1114.9	-3.4	1.2	-548.7	
-331.4	27074.0								
		G2		I	-435.1	-1.1	0.0	-223.1	
-30.6	9123.4			J	-435.1	-1.1	0.0	-223.1	
-65.2	10032.4								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
12.0	-42.7	Q5_pc X	I	-12.0	1.0	0.0	-33.2
			J	-12.0	1.0	0.0	-33.2
-6.5	-886.9						
0.6	-3669.1	Q5_pc Y	I	99.6	1.5	0.0	98.9
			J	99.6	1.5	0.0	98.9
-3.4	-4874.1						
12.6	-12.8	Q5_ps X	I	-11.1	1.0	0.0	-26.9
			J	-11.1	1.0	0.0	-26.9
-8.5	-802.8						
2.4	-3263.3	Q5_ps Y	I	95.4	1.3	0.0	100.7
			J	95.4	1.3	0.0	100.7
-6.0	-4331.9						
-166.2	100110.2	INVS LU Max	I	-2310.1	-3.0	-0.3	-469.5
			J	-2310.1	-3.0	2.4	-469.5
-554.3	111098.9	Min	I	-5264.8	-17.9	-1.3	-2467.3
			J	-5264.8	-17.9	1.4	-2467.3
-604.7	43139.9						
1192.4	47627.4						
-126.0	75099.0	INVS LE Max	I	-1792.7	-2.5	-0.2	-370.8
			J	-1792.7	-2.5	1.8	-370.8
-426.2	83308.3	Min	I	-3968.0	-13.4	-0.9	-1837.3
			J	-3968.0	-13.4	1.1	-1837.3
-449.3	33388.0						
-898.0	36942.2						
9799	2	83 C1-C2;~1 Max	I	745.4	14.4	1.2	862.1
200.8	27726.0		J	745.4	14.4	1.2	862.1
1155.0	22062.3	Min	I	-1439.8	-11.9	-1.3	-1270.7
			J	-1439.8	-11.9	-1.3	-1270.7
-257.9	-10956.6						
1086.4	-7750.6						
209.5	27783.9	C3-C4;~1 Max	I	658.8	15.3	1.7	783.9
			J	658.8	15.3	1.7	783.9
808.9	19309.8	Min	I	-1433.0	-9.6	-0.9	-1492.3
			J	-1433.0	-9.6	-0.9	-1492.3
-244.0	-12745.9						
1374.3	-9977.9						
131.7	14109.1	C1-C2;~2 Max	I	455.8	7.6	0.6	517.8
			J	455.8	7.6	0.6	517.8
743.5	11899.1	Min	I	-761.5	-7.6	-0.8	-648.5
			J	-761.5	-7.6	-0.8	-648.5
-136.4	-5873.4						
-551.1	-4060.2						
		C3-C4;~2 Max	I	393.2	8.0	0.8	463.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
114.7	14059.2			J	393.2	8.0	0.8	463.4	
505.6	9889.9		Min	I	-753.4	-5.9	-0.5	-750.4	
-131.7	-6763.5			J	-753.4	-5.9	-0.5	-750.4	
-688.1	-5273.3								
			G1	I	-1409.4	12.7	-1.1	-1116.5	
-340.0	27083.0			J	-1409.4	12.7	3.4	-1116.5	-
1261.5	16706.6								
			G2	I	-548.0	5.2	0.4	-451.6	
-68.7	10036.0			J	-548.0	5.2	0.4	-451.6	
-355.5	5822.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-13.0	1.3	-0.1	-102.7	
-7.2	-886.1			J	-13.0	1.3	-0.1	-102.7	
91.5	-1976.8								
			Q5_pc Y	I	108.0	-0.1	0.0	266.7	
-1.5	-4876.4			J	108.0	-0.1	0.0	266.7	
-27.8	-4769.0								
			Q5_ps X	I	-13.2	1.3	-0.1	-92.1	
-9.1	-802.1			J	-13.2	1.3	-0.1	-92.1	
94.3	-1827.8								
			Q5_ps Y	I	101.5	-0.2	0.0	260.7	
-4.1	-4334.1			J	101.5	-0.2	0.0	260.7	
-12.1	-4157.4								
			INVS LU Max	I	-3055.1	61.9	1.7	-1280.3	
-576.4	111135.9			J	-3055.1	61.9	7.8	-1280.3	-
1181.0	70659.5		Min	I	-6199.5	22.9	-2.5	-4938.9	-
1220.4	47643.2			J	-6199.5	22.9	3.6	-4938.9	-
4760.2	18820.9								
			INVS LE Max	I	-2353.5	46.6	1.3	-1022.2	
-442.9	83336.1			J	-2353.5	46.6	5.8	-1022.2	
-904.5	52674.7		Min	I	-4668.3	17.9	-1.8	-3696.7	
-919.0	36954.6			J	-4668.3	17.9	2.7	-3696.7	-
3543.6	14911.7								
			83 C1-C2;~1 Max	I	686.3	32.4	1.6	1077.2	
9800	2			J	686.3	32.4	1.6	1077.2	
1164.7	22058.2								
1035.9	22473.6		Min	I	-1598.3	-19.7	-1.8	-1618.0	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1102.2	-7750.3			J	-1598.3	-19.7	-1.8	-1618.0
-569.5	-14747.8							
		C3-C4;~1	Max	I	621.4	33.2	0.8	982.9
817.9	19302.2			J	621.4	33.2	0.8	982.9
1197.9	16163.1		Min	I	-1585.0	-17.3	-2.3	-1841.5
1392.7	-9978.2			J	-1585.0	-17.3	-2.3	-1841.5
-305.7	-16532.1							
		C1-C2;~2	Max	I	410.2	17.2	1.0	650.4
749.3	11897.6			J	410.2	17.2	1.0	650.4
708.6	14858.8		Min	I	-833.3	-12.3	-1.0	-826.4
-559.2	-4060.4			J	-833.3	-12.3	-1.0	-826.4
-329.8	-8124.3							
		C3-C4;~2	Max	I	363.4	17.4	0.5	582.4
510.8	9885.8			J	363.4	17.4	0.5	582.4
830.1	10239.6		Min	I	-819.9	-10.5	-1.3	-927.2
-697.3	-5273.8			J	-819.9	-10.5	-1.3	-927.2
-159.1	-8994.0							
		G1		I	-1694.4	31.2	-3.4	-1471.6
1276.2	16698.3			J	-1694.4	31.2	1.1	-1471.6
-338.4	-8688.3							
		G2		I	-659.3	12.3	-0.3	-593.5
-361.4	5819.4			J	-659.3	12.3	-0.3	-593.5
-99.5	-4221.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-2.2	1.6	0.1	-149.6
90.0	-1976.6			J	-2.2	1.6	0.1	-149.6
19.4	-3264.4							
		Q5_pc	Y	I	114.5	-1.6	-0.1	364.7
-24.2	-4767.9			J	114.5	-1.6	-0.1	364.7
33.2	-3476.6							
		Q5_ps	X	I	-2.8	1.5	0.1	-137.2
93.0	-1827.6			J	-2.8	1.5	0.1	-137.2
18.2	-3054.7							
		Q5_ps	Y	I	107.1	-1.6	-0.0	352.6
-8.6	-4156.2			J	107.1	-1.6	-0.0	352.6
26.1	-2877.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1205.1	70636.1	INVSLE Max	I	-3709.3	139.6	-3.2	-1853.2	-
			J	-3709.3	139.6	2.9	-1853.2	
747.8	-5975.7	Min	I	-6999.6	65.3	-8.6	-6449.7	-
4819.6	18804.8		J	-6999.6	65.3	-2.5	-6449.7	-
1698.0	-64891.3							
		INVSLE Max	I	-2840.7	105.2	-2.4	-1479.3	
-923.1	52657.3		J	-2840.7	105.2	2.1	-1479.3	
540.6	-5544.9	Min	I	-5262.7	50.3	-6.4	-4835.5	-
3588.5	14899.5		J	-5262.7	50.3	-1.9	-4835.5	-
1266.7	-48722.6							
9801	2	83 C1-C2;~1 Max	I	625.4	18.3	2.0	3142.4	
1225.5	22455.4		J	625.4	18.3	2.0	3142.4	
752.0	32566.0	Min	I	-1749.3	-42.0	-0.9	-711.3	
-445.6	-14739.9		J	-1749.3	-42.0	-0.9	-711.3	-
1157.2	-12068.8							
		C3-C4;~1 Max	I	597.1	17.6	2.2	2912.4	
1369.2	16174.4		J	597.1	17.6	2.2	2912.4	
580.8	39262.8	Min	I	-1756.7	-55.4	-0.3	-699.6	
-239.1	-16524.5		J	-1756.7	-55.4	-0.3	-699.6	-
1163.3	-10937.0							
		C1-C2;~2 Max	I	361.1	10.3	1.1	1623.6	
804.1	14847.6		J	361.1	10.3	1.1	1623.6	
493.7	17523.9	Min	I	-898.7	-20.8	-0.5	-386.1	
-251.0	-8118.8		J	-898.7	-20.8	-0.5	-386.1	
-597.6	-6178.7							
		C3-C4;~2 Max	I	341.7	10.0	1.3	1488.0	
925.1	10252.8		J	341.7	10.0	1.3	1488.0	
369.6	20413.6	Min	I	-880.3	-27.3	-0.2	-358.5	
-123.3	-8987.8		J	-880.3	-27.3	-0.2	-358.5	
-627.0	-5656.4							
		G1	I	-1979.4	-42.8	-0.4	3395.2	
-27.9	-8725.6		J	-1979.4	-42.8	3.9	3395.2	-
1368.3	24579.9							
		G2	I	-768.7	-17.7	0.5	1266.5	
22.6	-4237.1		J	-768.7	-17.7	0.5	1266.5	
-396.6	9510.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.3	-3268.9	Q5_pc X	I	11.6	1.3	0.1	-75.0
-49.6	-4303.2		J	11.6	1.3	0.1	-75.0
25.4	-3477.6	Q5_pc Y	I	119.3	2.3	0.1	-510.5
-30.8	-5291.5		J	119.3	2.3	0.1	-510.5
-8.7	-3058.2	Q5_ps X	I	10.7	1.5	0.1	-57.1
-54.6	-4196.1		J	10.7	1.5	0.1	-57.1
16.6	-2877.1	Q5_ps Y	I	111.2	3.2	0.1	-461.8
-33.5	-5332.6		J	111.2	3.2	0.1	-461.8
1491.9	-6071.2	INVS LU Max	I	-4335.0	-67.9	4.5	12424.7
2718.6	91942.2		J	-4335.0	-67.9	10.3	12424.7
1003.8	-64953.5	Min	I	-7765.6	-171.6	0.2	6303.3
5393.6	13119.8		J	-7765.6	-171.6	6.1	6303.3
1087.6	-5614.6	INVS LE Max	I	-3305.0	-51.0	3.4	9306.6
2082.7	67297.4		J	-3305.0	-51.0	7.7	9306.6
-757.7	-48767.5	Min	I	-5830.3	-127.5	0.2	4840.3
4057.5	9616.0		J	-5830.3	-127.5	4.6	4840.3
9802	2	83 C1-C2;~1 Max	I	597.6	18.3	0.8	2785.4
749.8	32566.7		J	597.6	18.3	0.8	2785.4
1169.5	46102.4	Min	I	-1926.7	-23.4	-1.9	-604.8
1129.0	-12067.1		J	-1926.7	-23.4	-1.9	-604.8
-595.0	-20942.6						
580.8	39262.8	C3-C4;~1 Max	I	563.9	13.5	1.5	2537.2
843.6	64016.8		J	563.9	13.5	1.5	2537.2
1112.2	-10937.0	Min	I	-1973.4	-35.1	-1.7	-615.8
-907.4	-17188.7		J	-1973.4	-35.1	-1.7	-615.8
493.0	17524.1	C1-C2;~2 Max	I	336.6	10.0	0.4	1455.6
741.1	23363.7		J	336.6	10.0	0.4	1455.6
-584.9	-6177.7	Min	I	-982.4	-11.3	-1.0	-324.9
			J	-982.4	-11.3	-1.0	-324.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-302.1	-10821.6							
		C3-C4;~2	Max	I	313.3	7.3	0.7	1307.7
370.4	20413.2			J	313.3	7.3	0.7	1307.7
520.0	32361.3							
			Min	I	-991.0	-17.1	-0.9	-303.8
-614.7	-5656.5			J	-991.0	-17.1	-0.9	-303.8
-462.6	-8761.7							
		G1		I	-2267.1	-18.2	-3.4	2872.5
1335.1	24584.0			J	-2267.1	-18.2	0.9	2872.5
-341.7	38709.0							
		G2		I	-876.6	-8.1	-0.4	1060.5
-384.3	9512.1			J	-876.6	-8.1	-0.4	1060.5
-46.0	15823.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	23.2	1.0	-0.1	-63.0
-50.4	-4302.7			J	23.2	1.0	-0.1	-63.0
26.0	-5117.5							
		Q5_pc	Y	I	123.2	0.8	0.1	-423.9
-35.8	-5292.4			J	123.2	0.8	0.1	-423.9
-76.9	-5921.6							
		Q5_ps	X	I	21.8	1.2	-0.1	-44.9
-55.1	-4195.6			J	21.8	1.2	-0.1	-44.9
32.6	-5120.8							
		Q5_ps	Y	I	114.1	1.7	0.0	-380.3
-38.0	-5333.4			J	114.1	1.7	0.0	-380.3
-58.0	-6681.3							
		INVSLU	Max	I	-4934.4	-5.4	-4.6	10767.6
2645.1	91954.9			J	-4934.4	-5.4	1.2	10767.6
899.7	150093.5							
			Min	I	-8627.0	-79.4	-9.3	5412.9
5272.2	13133.2			J	-8627.0	-79.4	-3.5	5412.9
2042.5	24739.4							
		INVSLE	Max	I	-3750.4	-3.7	-3.5	8068.7
2027.0	67307.1			J	-3750.4	-3.7	0.8	8068.7
659.3	110006.9							
			Min	I	-6469.2	-58.3	-7.0	4158.8
3966.2	9626.3			J	-6469.2	-58.3	-2.7	4158.8
1509.8	17941.6							
		83 C1-C2;~1	Max	I	542.8	27.0	5.8	2230.9
9803	2							
1179.9	46101.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
415.0	49605.1		J	542.8	27.0	5.8	2230.9
		Min	I	-2089.6	-9.5	-0.5	-602.3
-590.8	-20943.6		J	-2089.6	-9.5	-0.5	-602.3
3952.1	-37643.3						-
		C3-C4;~1 Max	I	542.9	20.2	4.8	1982.2
855.5	64015.0		J	542.9	20.2	4.8	1982.2
492.8	74720.8	Min	I	-2093.8	-18.2	-1.0	-661.8
-904.7	-17188.9		J	-2093.8	-18.2	-1.0	-661.8
3507.1	-28205.7						-
		C1-C2;~2 Max	I	296.5	14.1	3.1	1196.1
745.7	23363.0		J	296.5	14.1	3.1	1196.1
214.2	24610.2	Min	I	-1059.8	-4.6	-0.2	-340.7
-299.9	-10822.2		J	-1059.8	-4.6	-0.2	-340.7
2030.4	-19590.7						-
		C3-C4;~2 Max	I	291.3	10.4	2.5	1043.9
526.1	32360.4		J	291.3	10.4	2.5	1043.9
247.2	37241.7	Min	I	-1044.5	-9.0	-0.5	-326.7
-460.9	-8761.6		J	-1044.5	-9.0	-0.5	-326.7
1784.0	-14324.2						-
		G1	I	-2518.1	10.0	3.6	2021.7
-316.4	38706.1		J	-2518.1	10.0	7.9	2021.7
4795.9	30943.3						-
		G2	I	-969.4	2.7	2.1	727.8
-36.8	15822.4		J	-969.4	2.7	2.1	727.8
1672.0	13686.0						-
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	23.2	0.8	-0.2	-51.3
25.4	-5117.6		J	23.2	0.8	-0.2	-51.3
157.4	-5711.8						
		Q5_pc Y	I	123.4	-0.9	-0.5	-271.0
-80.5	-5921.4		J	123.4	-0.9	-0.5	-271.0
285.9	-5225.3						
		Q5_ps X	I	20.7	0.9	-0.1	-33.9
32.2	-5120.9		J	20.7	0.9	-0.1	-33.9
133.9	-5843.1						
		Q5_ps Y	I	112.1	0.2	-0.4	-238.1
-61.2	-6681.1						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
222.1	-6809.9		J	112.1	0.2	-0.4	-238.1	
976.0	150082.8	INVS LU Max	I	-5553.9	77.2	18.7	8118.5	
0176.0	133222.3		J	-5553.9	77.2	24.5	8118.5	-1
1983.0	24730.2	Min	I	-9335.5	14.7	8.7	3725.6	-
6691.2	-28750.4		J	-9335.5	14.7	14.5	3725.6	-1
716.7	109998.9	INVS LE Max	I	-4213.0	58.6	14.0	6089.1	
7671.1	96394.4		J	-4213.0	58.6	18.3	6089.1	-
1464.4	17934.6	Min	I	-6997.7	12.4	6.6	2871.2	-
2459.1	-22823.9		J	-6997.7	12.4	10.9	2871.2	-1
9804	2	83 C1-C2;~1 Max	I	532.4	48.3	2.2	1666.1	
412.9	49608.3		J	532.4	48.3	2.2	1666.1	1
5377.7	43482.6	Min	I	-2269.6	-9.0	-24.3	-724.2	-
3938.6	-37642.8		J	-2269.6	-9.0	-24.3	-724.2	-
1310.7	-67915.4							
488.7	74725.1	C3-C4;~1 Max	I	554.4	40.2	2.6	1451.6	
2894.0	72224.0		J	554.4	40.2	2.6	1451.6	1
3491.5	-28205.3	Min	I	-2239.3	-12.9	-20.6	-895.7	-
1574.7	-50284.0		J	-2239.3	-12.9	-20.6	-895.7	-
213.2	24611.7	C1-C2;~2 Max	I	284.8	24.8	1.1	932.5	
8085.7	21300.1		J	284.8	24.8	1.1	932.5	
2023.8	-19590.5	Min	I	-1152.6	-4.4	-12.6	-432.6	-
-667.3	-35666.7		J	-1152.6	-4.4	-12.6	-432.6	
245.4	37243.9	C3-C4;~2 Max	I	297.5	20.2	1.3	797.6	
6616.8	35555.3		J	297.5	20.2	1.3	797.6	
1775.7	-14324.0	Min	I	-1130.9	-6.4	-10.4	-457.4	-
-778.2	-25812.8		J	-1130.9	-6.4	-10.4	-457.4	
4779.8	30948.3	G1	I	-2750.1	41.5	-28.8	1072.4	-
5929.0	-1308.7		J	-2750.1	41.5	-24.5	1072.4	1
1666.4	13688.0	G2	I	-1055.5	14.8	-9.8	361.3	-
5922.6	2137.0		J	-1055.5	14.8	-9.8	361.3	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
156.9	-5712.0	Q5_pc X	I	21.7	0.5	1.2	-37.0	
			J	21.7	0.5	1.2	-37.0	
-806.3	-6075.2							
284.0	-5225.7	Q5_pc Y	I	120.3	-2.6	2.2	-112.0	
			J	120.3	-2.6	2.2	-112.0	-
1406.2	-3178.6							
133.6	-5843.3	Q5_ps X	I	18.3	0.7	1.1	-21.4	
			J	18.3	0.7	1.1	-21.4	
-713.7	-6364.7							
220.4	-6810.4	Q5_ps Y	I	107.3	-1.4	1.7	-91.8	
			J	107.3	-1.4	1.7	-91.8	-
1109.0	-5718.9							
0143.0	133238.2	INVS LU Max	I	-6046.3	186.0	-56.3	5233.8	-1
			J	-6046.3	186.0	-50.5	5233.8	5
6795.9	38048.0	Min	I	-10075.3	98.7	-96.5	1573.8	-1
			J	-10075.3	98.7	-90.7	1573.8	3
6631.0	-28739.9							
1379.1	-162075.4							
7645.7	96406.2	INVS LE Max	I	-4580.6	140.1	-42.4	3932.6	-
			J	-4580.6	140.1	-38.1	3932.6	4
2274.8	23892.7	Min	I	-7549.0	75.8	-71.9	1236.4	-1
			J	-7549.0	75.8	-67.6	1236.4	2
2413.8	-22816.0							
3635.0	-123536.8							
9805	2	83 C1-C2;~1 Max	I	573.7	74.3	60.8	1185.2	1
5381.9	43477.3		J	573.7	74.3	60.8	1185.2	
3110.7	30785.3	Min	I	-2621.7	-13.9	-5.6	-1163.4	-
			J	-2621.7	-13.9	-5.6	-1163.4	-3
1310.6	-67919.0							
2143.5	-114544.0							
2901.2	72217.7	C3-C4;~1 Max	I	598.9	65.3	51.4	1070.1	1
			J	598.9	65.3	51.4	1070.1	
3322.0	62088.8	Min	I	-2557.6	-15.8	-6.2	-1280.8	-
			J	-2557.6	-15.8	-6.2	-1280.8	-2
1576.6	-50286.6							
7369.5	-88213.4							
8087.6	21297.3	C1-C2;~2 Max	I	307.8	37.9	31.5	681.8	
			J	307.8	37.9	31.5	681.8	
1633.5	14449.3							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-667.0	-35668.5		Min	I	-1334.9	-7.3	-2.9	-645.8	
				J	-1334.9	-7.3	-2.9	-645.8	-1
6594.0	-59996.5								
		C3-C4;~2	Max	I	322.0	32.6	26.0	585.2	
6621.1	35552.2			J	322.0	32.6	26.0	585.2	
1734.1	30701.0								
			Min	I	-1294.4	-8.1	-3.2	-670.8	
-778.8	-25814.2			J	-1294.4	-8.1	-3.2	-670.8	-1
3784.4	-45330.2								
			G1	I	-3159.0	75.7	65.2	38.6	1
5933.6	-1318.4			J	-3159.0	75.7	69.5	38.6	-3
6449.2	-60262.3								
			G2	I	-1207.1	27.9	24.8	-20.1	
5923.9	2133.2			J	-1207.1	27.9	24.8	-20.1	-1
3336.5	-19613.4								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	32.7	0.2	-2.9	-11.1	
-806.6	-6074.9			J	32.7	0.2	-2.9	-11.1	
1454.0	-6198.5								
			Q5_pc Y	I	125.4	-4.2	-4.8	8.1	-
1406.5	-3177.5			J	125.4	-4.2	-4.8	8.1	
2323.5	110.5								
			Q5_ps X	I	28.1	0.4	-2.6	0.4	
-713.8	-6364.5			J	28.1	0.4	-2.6	0.4	
1290.2	-6688.4								
			Q5_ps Y	I	107.7	-2.8	-3.7	11.9	-
1109.2	-5717.9			J	107.7	-2.8	-3.7	11.9	
1764.4	-3538.8								
			INVSLU Max	I	-6847.9	307.5	230.7	2189.7	5
6817.7	38019.1			J	-6847.9	307.5	236.6	2189.7	-7
3283.1	-133773.2								
			Min	I	-11421.5	178.2	131.8	-1159.4	3
1392.0	-162100.3			J	-11421.5	178.2	137.6	-1159.4	-12
5343.9	-383384.9								
			INVSLE Max	I	-5179.6	231.2	171.8	1652.9	4
2291.4	23871.1			J	-5179.6	231.2	176.1	1652.9	-5
5093.9	-106248.1								
			Min	I	-8550.7	135.9	99.1	-826.4	2
3645.1	-123555.5			J	-8550.7	135.9	103.5	-826.4	-9
3347.7	-290319.2								

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

9806	2	83	C1-C2;~1	Max	I	597.6	13.9	5.8	1062.8	
3088.6	26412.1				J	597.6	13.9	5.8	1062.8	1
5453.6	36192.5				Min	I	-2677.2	-67.4	-60.8	-1184.6
2182.5	-114522.5				J	-2677.2	-67.4	-60.8	-1184.6	-3
1450.1	-71802.9									
			C3-C4;~1	Max	I	623.8	15.4	6.2	1008.6	
3310.8	53457.4				J	623.8	15.4	6.2	1008.6	1
2926.7	61903.9				Min	I	-2623.0	-59.4	-51.4	-1153.2
7413.7	-87704.8				J	-2623.0	-59.4	-51.4	-1153.2	-2
1562.6	-52535.5									
			C1-C2;~2	Max	I	320.6	7.2	3.0	602.8	
1620.7	11730.7				J	320.6	7.2	3.0	602.8	
8117.9	17490.8				Min	I	-1371.6	-34.4	-31.5	-697.5
6627.4	-59987.2				J	-1371.6	-34.4	-31.5	-697.5	-1
-751.5	-38217.9									
			C3-C4;~2	Max	I	335.4	7.9	3.2	548.8	
1725.5	25756.1				J	335.4	7.9	3.2	548.8	
6607.2	30244.6				Min	I	-1337.3	-29.8	-26.0	-619.1
3822.9	-44855.8				J	-1337.3	-29.8	-26.0	-619.1	-1
-803.6	-27281.3									
					G1	I	-3161.9	-65.4	-69.4	21.2
6438.6	-60941.1				J	-3161.9	-65.4	-65.1	21.2	-3
6031.5	-9929.4									1
					G2	I	-1208.5	-24.0	-24.7	28.1
3331.3	-20032.3				J	-1208.5	-24.0	-24.7	28.1	-1
5975.1	-1296.1									
					Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc	X	I	36.1	0.6	2.9	-9.2	
1449.3	-5897.9				J	36.1	0.6	2.9	-9.2	
-850.5	-6330.2									
			Q5_pc	Y	I	115.0	2.6	4.7	1.0	
2335.3	-1476.6				J	115.0	2.6	4.7	1.0	-
1309.4	-3541.5									
			Q5_ps	X	I	31.8	0.3	2.6	0.1	
1284.5	-6237.6				J	31.8	0.3	2.6	0.1	
-768.0	-6493.7									

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1775.7	-5058.4	Q5_ps Y	I	97.7	1.3	3.6	-6.3	
1016.2	-6084.7		J	97.7	1.3	3.6	-6.3	-
3300.1	-142338.6	INVS LU Max	I	-6807.3	-154.0	-137.1	1769.1	-7
6699.2	7609.3		J	-6807.3	-154.0	-131.3	1769.1	5
5419.5	-379727.7	Min	I	-11470.5	-270.5	-236.0	-1281.5	-12
1370.3	-184289.2		J	-11470.5	-270.5	-230.1	-1281.5	3
5109.4	-112277.8	INVS LE Max	I	-5147.3	-117.5	-103.1	1325.8	-5
2190.8	1283.3		J	-5147.3	-117.5	-98.8	1325.8	4
3405.0	-287335.1	Min	I	-8586.2	-203.4	-175.7	-932.6	-9
3603.3	-140019.8		J	-8586.2	-203.4	-171.4	-932.6	2
9807	2	83 C1-C2;~1 Max	I	596.9	8.8	24.3	884.8	1
5449.0	36197.0		J	596.9	8.8	24.3	884.8	
590.3	41106.1	Min	I	-2422.3	-42.6	-2.6	-1715.5	-
1448.0	-71799.6		J	-2422.3	-42.6	-2.6	-1715.5	-
4074.7	-44327.6							
2919.3	61909.3	C3-C4;~1 Max	I	621.2	12.1	20.7	953.3	1
622.3	62909.5		J	621.2	12.1	20.7	953.3	
1560.8	-52532.8	Min	I	-2443.0	-34.5	-2.7	-1743.7	-
3609.0	-32681.0		J	-2443.0	-34.5	-2.7	-1743.7	-
8115.6	17493.2	C1-C2;~2 Max	I	319.1	4.3	12.5	465.4	
311.6	20331.1		J	319.1	4.3	12.5	465.4	
-750.4	-38216.4	Min	I	-1254.2	-21.8	-1.3	-958.0	
2085.9	-23668.5		J	-1254.2	-21.8	-1.3	-958.0	-
6602.8	30247.2	C3-C4;~2 Max	I	333.1	5.9	10.4	493.6	
327.8	31194.0		J	333.1	5.9	10.4	493.6	
-802.6	-27280.0	Min	I	-1254.4	-17.0	-1.4	-923.4	
1810.9	-16932.9		J	-1254.4	-17.0	-1.4	-923.4	-
6028.2	-9920.4	G1	I	-2754.5	-33.9	24.6	-920.1	1
4878.1	16548.6		J	-2754.5	-33.9	29.0	-920.1	-
		G2	I	-1057.7	-12.0	9.9	-320.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
5974.1	-1292.5			J	-1057.7	-12.0	9.9	-320.4	-
1712.4	8054.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc X		I	30.5	0.2	-1.3	27.9	
-850.4	-6330.4			J	30.5	0.2	-1.3	27.9	
182.2	-6451.7								
		Q5_pc Y		I	93.1	1.5	-1.9	86.1	-
1309.2	-3542.6			J	93.1	1.5	-1.9	86.1	
207.8	-4710.1								
		Q5_ps X		I	27.7	-0.0	-1.2	34.1	
-767.8	-6493.9			J	27.7	-0.0	-1.2	34.1	
167.3	-6467.0								
		Q5_ps Y		I	81.2	0.3	-1.5	65.1	-
1016.1	-6085.7			J	81.2	0.3	-1.5	65.1	
147.1	-6344.7								
		INVSLE Max		I	-5934.1	-82.3	90.1	-373.0	5
6687.7	7635.8			J	-5934.1	-82.3	96.0	-373.0	-
9954.2	87059.1								
		Min		I	-10238.3	-158.8	50.1	-4169.0	3
1367.9	-184265.9			J	-10238.3	-158.8	56.0	-4169.0	-1
6669.1	-69324.0								
		INVSLE Max		I	-4491.7	-63.3	67.1	-292.1	4
2182.4	1303.1			J	-4491.7	-63.3	71.4	-292.1	-
7484.5	61875.2								
		Min		I	-7667.6	-119.8	37.8	-3092.5	2
3601.5	-140002.3			J	-7667.6	-119.8	42.1	-3092.5	-1
2430.8	-53103.9								
		83 C1-C2;~1 Max		I	612.3	9.2	0.8	893.0	
9808	2			J	612.3	9.2	0.8	893.0	
594.8	41102.8								
		Min		I	-2286.9	-27.6	-5.9	-2302.0	-
1133.4	35619.5			J	-2286.9	-27.6	-5.9	-2302.0	
4086.9	-44328.1								
-362.0	-26150.0								
		C3-C4;~1 Max		I	618.0	17.3	0.9	1068.2	
627.3	62904.9			J	618.0	17.3	0.9	1068.2	
796.5	51412.4								
		Min		I	-2342.9	-19.6	-5.0	-2371.5	-
3623.2	-32681.2			J	-2342.9	-19.6	-5.0	-2371.5	
-493.2	-20442.3								
		C1-C2;~2 Max		I	332.9	4.2	0.4	439.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
313.9	20329.4			J	332.9	4.2	0.4	439.4	
735.6	17934.3								
			Min	I	-1194.2	-15.0	-3.1	-1229.6	-
2091.9	-23668.7			J	-1194.2	-15.0	-3.1	-1229.6	
-186.1	-13896.9								
			C3-C4;~2 Max	I	330.8	8.3	0.4	544.6	
330.3	31191.6			J	330.8	8.3	0.4	544.6	
508.9	25931.2								
			Min	I	-1209.1	-10.2	-2.6	-1232.1	-
1818.4	-16933.0			J	-1209.1	-10.2	-2.6	-1232.1	
-261.1	-10574.7								
			G1	I	-2509.8	-7.5	-8.1	-1738.0	-
4889.8	16543.7			J	-2509.8	-7.5	-3.8	-1738.0	
-241.4	22426.2								
			G2	I	-965.4	-1.8	-2.2	-638.3	-
1716.5	8052.8			J	-965.4	-1.8	-2.2	-638.3	
2.9	9484.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	31.7	-0.2	0.3	59.5	
182.6	-6451.5			J	31.7	-0.2	0.3	59.5	
-17.3	-6281.7								
			Q5_pc Y	I	93.7	0.4	0.3	197.5	
209.0	-4709.7			J	93.7	0.4	0.3	197.5	
-6.4	-4984.5								
			Q5_ps X	I	28.7	-0.4	0.2	63.6	
167.8	-6466.8			J	28.7	-0.4	0.2	63.6	
-18.3	-6174.2								
			Q5_ps Y	I	83.8	-0.7	0.2	167.0	
148.1	-6344.3			J	83.8	-0.7	0.2	167.0	
9.5	-5809.6								
			INVSLE Max	I	-5419.3	-11.1	-14.5	-1797.9	-
9968.9	87043.2			J	-5419.3	-11.1	-8.7	-1797.9	
722.4	98492.4								
			Min	I	-9585.1	-72.4	-24.2	-6797.0	-1
6709.2	-69334.0			J	-9585.1	-72.4	-18.4	-6797.0	
1504.6	-17524.0								
			INVSLE Max	I	-4107.7	-9.6	-10.9	-1379.6	-
7495.6	61863.4			J	-4107.7	-9.6	-6.6	-1379.6	
516.7	71420.9								
			Min	I	-7180.9	-55.0	-18.0	-5056.3	-1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2460.6	-53111.4			J	-7180.9	-55.0	-13.7	-5056.3	-
1130.6	-13679.6								
9809	2	83	C1-C2;~1	Max	I	681.2	22.3	1.7	1003.9
1131.3	35621.3				J	681.2	22.3	1.7	1003.9
804.0	20595.9			Min	I	-2139.7	-22.5	-0.6	-2880.0
-370.3	-26149.7				J	-2139.7	-22.5	-0.6	-2880.0
1114.8	-14522.0								-
			C3-C4;~1	Max	I	647.9	33.2	1.6	1172.5
793.6	51414.3				J	647.9	33.2	1.6	1172.5
602.0	27175.6			Min	I	-2232.3	-16.6	-0.9	-2993.9
-501.5	-20442.4				J	-2232.3	-16.6	-0.9	-2993.9
1289.9	-11523.8								-
			C1-C2;~2	Max	I	380.7	11.0	0.9	506.1
734.6	17935.2				J	380.7	11.0	0.9	506.1
504.6	10586.7			Min	I	-1126.9	-12.7	-0.3	-1523.6
-189.9	-13896.7				J	-1126.9	-12.7	-0.3	-1523.6
-583.3	-7930.0								
			C3-C4;~2	Max	I	358.0	16.4	0.8	591.1
507.1	25932.2				J	358.0	16.4	0.8	591.1
361.4	13798.3			Min	I	-1157.8	-9.1	-0.5	-1561.0
-264.6	-10574.7				J	-1157.8	-9.1	-0.5	-1561.0
-668.6	-6000.0								
			G1		I	-2247.4	13.7	-0.8	-2405.4
-257.7	22428.3				J	-2247.4	13.7	3.5	-2405.4
1312.6	11704.5								-
			G2		I	-866.7	6.4	0.5	-901.2
-3.1	9485.2				J	-866.7	6.4	0.5	-901.2
-383.2	4514.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	31.2	-0.5	0.0	86.6
-16.7	-6281.8				J	31.2	-0.5	0.0	86.6
-31.4	-5857.4								
			Q5_pc	Y	I	91.8	-0.7	0.1	300.2
-4.4	-4984.5				J	91.8	-0.7	0.1	300.2
-121.4	-4472.7								
			Q5_ps	X	I	28.2	-0.7	0.0	88.6

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-17.7	-6174.2			J	28.2	-0.7	0.0	88.6	
-25.7	-5650.6								
		Q5_ps	Y	I	84.1	-1.6	0.2	262.4	
11.2	-5809.6			J	84.1	-1.6	0.2	262.4	
-119.3	-4558.8								
		INVSLU	Max	I	-4776.3	64.1	2.6	-2940.2	
686.8	98500.5			J	-4776.3	64.1	8.4	-2940.2	-
1999.2	50784.6								
			Min	I	-8874.6	-12.3	-1.2	-9105.3	-
1547.6	-17518.2			J	-8874.6	-12.3	4.6	-9105.3	-
5044.5	-16050.5								
		INVSLE	Max	I	-3627.8	46.9	1.9	-2254.5	
490.1	71427.0			J	-3627.8	46.9	6.2	-2254.5	-
1524.6	36582.5								
			Min	I	-6651.3	-9.6	-0.9	-6781.1	-
1162.8	-13675.2			J	-6651.3	-9.6	3.4	-6781.1	-
3764.2	-12143.9								
		83 C1-C2;~1	Max	I	749.8	36.4	0.8	1079.3	
9810	2			J	749.8	36.4	0.8	1079.3	
807.7	20591.8								
			Min	I	-2006.7	-23.6	-1.9	-3192.4	-
1283.7	17533.8			J	-2006.7	-23.6	-1.9	-3192.4	-
1132.7	-14520.5								
-648.3	-14058.5								
		C3-C4;~1	Max	I	720.7	48.8	0.3	1206.6	
605.5	27169.3			J	720.7	48.8	0.3	1206.6	
1437.9	13077.3								
			Min	I	-2127.6	-19.6	-2.1	-3333.8	-
1311.5	-11521.6			J	-2127.6	-19.6	-2.1	-3333.8	-
-542.2	-16565.7								
		C1-C2;~2	Max	I	425.6	18.5	0.5	549.4	
506.0	10584.7			J	425.6	18.5	0.5	549.4	
848.8	11627.9								
			Min	I	-1065.4	-13.4	-1.1	-1683.4	
-592.5	-7929.2			J	-1065.4	-13.4	-1.1	-1683.4	
-333.2	-7397.8								
		C3-C4;~2	Max	I	405.8	24.6	0.2	603.9	
362.7	13794.9			J	405.8	24.6	0.2	603.9	
973.5	8366.3								
			Min	I	-1111.1	-10.9	-1.3	-1742.1	
-679.9	-5998.8			J	-1111.1	-10.9	-1.3	-1742.1	
-281.0	-8672.0								
		G1		I	-1972.2	30.0	-3.3	-2775.9	-
1330.7	11701.6			J	-1972.2	30.0	1.0	-2775.9	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-412.7	-11663.6							
		G2	I	-763.9	12.6	-0.3	-1047.8	
-390.0	4513.5		J	-763.9	12.6	-0.3	-1047.8	
-131.5	-5340.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	25.1	-0.8	-0.0	102.4	
-30.8	-5857.5		J	25.1	-0.8	-0.0	102.4	
7.6	-5231.2							
		Q5_pc Y	I	75.0	-1.4	-0.2	359.9	
-119.1	-4472.8		J	75.0	-1.4	-0.2	359.9	
4.2	-3349.3							
		Q5_ps X	I	22.9	-0.9	-0.0	102.8	
-25.0	-5650.6		J	22.9	-0.9	-0.0	102.8	
6.4	-4945.1							
		Q5_ps Y	I	69.0	-2.3	-0.1	318.7	
-117.2	-4558.9		J	69.0	-2.3	-0.1	318.7	
-5.0	-2739.6							
		INVS LU Max	I	-4121.4	127.8	-4.1	-3638.5	-
2032.6	50769.5		J	-4121.4	127.8	1.7	-3638.5	
621.1	-10016.3							
		Min	I	-8141.0	27.4	-8.4	-10416.0	-
5107.9	-16055.2		J	-8141.0	27.4	-2.5	-10416.0	-
2208.9	-65466.8							
		INVS LE Max	I	-3138.1	94.6	-3.1	-2788.9	-
1549.6	36571.2		J	-3138.1	94.6	1.3	-2788.9	
429.1	-8429.0							
		Min	I	-6105.5	20.4	-6.2	-7761.3	-
3811.7	-12147.6		J	-6105.5	20.4	-1.9	-7761.3	-
1666.1	-48805.9							
		83 C1-C2;~1 Max	I	844.5	15.2	1.4	1764.4	
9811	2		J	844.5	15.2	1.4	1764.4	
1149.3	17547.2							
		Min	I	-1881.3	-24.5	-1.5	-1288.9	
1092.5	15541.8		J	-1881.3	-24.5	-1.5	-1288.9	
-742.9	-14030.5							
-761.4	-11749.1							
		C3-C4;~1 Max	I	786.3	13.6	1.8	1973.5	
1313.0	13049.4		J	786.3	13.6	1.8	1973.5	
699.7	14190.1							
		Min	I	-2033.0	-27.1	-0.6	-1310.7	
-579.3	-16520.5		J	-2033.0	-27.1	-0.6	-1310.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-930.0	-13774.0								
		C1-C2;~2	Max	I	488.2	9.2	0.9	953.3	
779.8	11639.0			J	488.2	9.2	0.9	953.3	
717.3	8614.7								
			Min	I	-1006.0	-13.1	-1.0	-755.7	
-390.8	-7384.1			J	-1006.0	-13.1	-1.0	-755.7	
-383.1	-6383.8								
		C3-C4;~2	Max	I	446.4	8.0	1.1	1043.5	
900.7	8346.4			J	446.4	8.0	1.1	1043.5	
449.0	7564.4								
			Min	I	-1068.1	-14.2	-0.4	-771.1	
-294.9	-8646.4			J	-1068.1	-14.2	-0.4	-771.1	
-473.0	-7536.9								
				G1	I	-1702.6	-20.5	-1.8	1041.2
-665.7	-11624.3			J	-1702.6	-20.5	2.6	1041.2	
-982.2	4386.9								
				G2	I	-661.1	-8.2	0.0	422.5
-228.4	-5325.0			J	-661.1	-8.2	0.0	422.5	
-245.3	1072.8								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	17.6	-1.1	0.0	-29.7	
22.8	-5233.4			J	17.6	-1.1	0.0	-29.7	
15.4	-4375.0								
		Q5_pc	Y	I	55.5	-0.7	-0.0	-100.0	
41.9	-3350.8			J	55.5	-0.7	-0.0	-100.0	
48.9	-2816.6								
		Q5_ps	X	I	16.3	-1.0	0.0	-27.9	
19.2	-4946.8			J	16.3	-1.0	0.0	-27.9	
12.5	-4138.4								
		Q5_ps	Y	I	50.7	-0.6	-0.0	-100.4	
33.5	-2742.4			J	50.7	-0.6	-0.0	-100.4	
61.8	-2299.0								
		INVSLU	Max	I	-3442.6	-36.9	0.1	5304.0	
-45.4	-9895.9			J	-3442.6	-36.9	6.0	5304.0	
-830.3	32258.1								
			Min	I	-7426.9	-96.0	-4.4	690.3	
2896.4	-65307.4			J	-7426.9	-96.0	1.5	690.3	
3648.6	-15193.2								
		INVSLE	Max	I	-2630.1	-28.5	0.1	3987.0	
-69.8	-8338.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-640.2	23765.4		J	-2630.1	-28.5	4.4	3987.0	
		Min	I	-5574.1	-72.1	-3.2	582.8	-
2176.0	-48686.5		J	-5574.1	-72.1	1.1	582.8	-
2721.4	-10800.4							
9812	2	83 C1-C2;~1 Max	I	910.6	9.4	1.3	1329.8	
1085.9	15543.2		J	910.6	9.4	1.3	1329.8	
105.4	20788.1	Min	I	-1730.0	-11.7	-0.9	-986.4	
-755.0	-11748.1		J	-1730.0	-11.7	-0.9	-986.4	
-153.3	-12787.0							
		C3-C4;~1 Max	I	839.7	7.7	0.8	1485.7	
693.5	14191.8		J	839.7	7.7	0.8	1485.7	
91.1	22601.7	Min	I	-1899.6	-13.1	-1.1	-1004.6	
-922.5	-13772.2		J	-1899.6	-13.1	-1.1	-1004.6	
-152.8	-15018.0							
		C1-C2;~2 Max	I	531.8	5.9	0.8	718.5	
713.4	8615.1		J	531.8	5.9	0.8	718.5	
65.6	11139.1	Min	I	-931.1	-6.2	-0.4	-583.5	
-380.2	-6383.2		J	-931.1	-6.2	-0.4	-583.5	
-79.5	-6808.1							
		C3-C4;~2 Max	I	480.6	4.6	0.5	785.6	
445.4	7564.9		J	480.6	4.6	0.5	785.6	
55.4	11873.3	Min	I	-1002.2	-6.8	-0.6	-591.9	
-469.6	-7535.8		J	-1002.2	-6.8	-0.6	-591.9	
-79.5	-8121.7							
		G1	I	-1415.6	-9.6	-3.1	788.4	
-976.1	4392.2		J	-1415.6	-9.6	1.2	788.4	
-225.2	11894.4							
		G2	I	-549.3	-4.0	-0.3	318.8	
-242.8	1074.9		J	-549.3	-4.0	-0.3	318.8	
-46.7	4167.3							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	10.7	-1.2	0.0	-24.0	
15.2	-4375.3		J	10.7	-1.2	0.0	-24.0	
-2.6	-3449.9							
		Q5_pc Y	I	37.8	-1.0	0.1	-80.4	
48.3	-2817.5		J	37.8	-1.0	0.1	-80.4	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.9	-2056.0							
12.3	-4138.6	Q5_ps X	I	10.3	-1.1	0.0	-22.3	
-2.1	-3265.4		J	10.3	-1.1	0.0	-22.3	
61.2	-2299.9	Q5_ps Y	I	34.4	-0.8	0.1	-81.9	
-7.9	-1655.4		J	34.4	-0.8	0.1	-81.9	
-824.9	32271.5	INVS LU Max	I	-2734.0	-14.5	-3.5	4006.8	
			J	-2734.0	-14.5	2.4	4006.8	
-341.3	63075.7	Min	I	-6595.9	-47.1	-6.8	500.3	-
3623.2	-15179.7		J	-6595.9	-47.1	-0.9	500.3	
-702.8	6079.2							
-635.9	23775.5	INVS LE Max	I	-2098.3	-11.3	-2.6	3011.0	
			J	-2098.3	-11.3	1.7	3011.0	
-258.6	47064.7	Min	I	-4953.9	-35.3	-5.0	424.3	-
2702.2	-10790.2		J	-4953.9	-35.3	-0.7	424.3	
-525.5	5305.0							
9813	2	70 C1-C2;~1 Max	I	920.8	5.1	0.1	571.1	
101.9	20778.4		J	920.8	5.1	0.1	571.1	
78.3	18468.4	Min	I	-1490.4	-4.1	-0.2	-472.8	
-150.3	-12782.5		J	-1490.4	-4.1	-0.2	-472.8	
-53.4	-10348.0							
87.7	22590.8	C3-C4;~1 Max	I	842.8	3.9	0.1	639.4	
			J	842.8	3.9	0.1	639.4	
61.1	20308.7	Min	I	-1646.4	-4.0	-0.2	-463.4	
-146.5	-15013.5		J	-1646.4	-4.0	-0.2	-463.4	
-59.1	-12271.8							
63.5	11133.8	C1-C2;~2 Max	I	542.6	3.0	0.0	306.8	
			J	542.6	3.0	0.0	306.8	
49.4	9927.1	Min	I	-805.1	-2.4	-0.1	-279.7	
-78.2	-6805.7		J	-805.1	-2.4	-0.1	-279.7	
-28.3	-5461.4							
53.4	11867.5	C3-C4;~2 Max	I	486.6	2.2	0.0	336.1	
			J	486.6	2.2	0.0	336.1	
37.8	10689.5	Min	I	-870.9	-2.2	-0.1	-276.5	
-76.1	-8119.4		J	-870.9	-2.2	-0.1	-276.5	
-30.5	-6604.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-221.6	11887.9	G1	I	-1079.7	0.5	-0.9	348.5
			J	-1079.7	0.5	0.6	348.5
-120.8	11500.4	G2	I	-419.2	-0.0	-0.0	139.4
			J	-419.2	-0.0	-0.0	139.4
-45.3	4164.7						
-11.4	4182.8						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.7	-3449.6	Q5_pc X	I	8.7	-1.3	-0.0	-10.6
			J	8.7	-1.3	-0.0	-10.6
1.1	-2444.2						
-7.3	-2055.2	Q5_pc Y	I	32.6	-1.3	-0.0	-34.2
			J	32.6	-1.3	-0.0	-34.2
4.0	-1005.3						
-2.2	-3265.1	Q5_ps X	I	8.3	-1.2	-0.0	-9.5
			J	8.3	-1.2	-0.0	-9.5
0.8	-2315.3						
-8.3	-1654.6	Q5_ps Y	I	31.2	-1.2	-0.0	-36.4
			J	31.2	-1.2	-0.0	-36.4
4.6	-738.2						
-336.9	63045.5	INVSLU Max	I	-1927.3	8.5	-1.2	1748.3
			J	-1927.3	8.5	0.8	1748.3
-121.3	58709.8	Min	I	-5451.7	-6.3	-1.6	185.3
			J	-5451.7	-6.3	0.4	185.3
-690.4	6070.5						
-314.2	10326.6						
-255.2	47042.0	INVSLE Max	I	-1490.8	6.2	-0.9	1312.4
			J	-1490.8	6.2	0.6	1312.4
-92.1	43877.7	Min	I	-4097.1	-4.5	-1.2	159.1
			J	-4097.1	-4.5	0.3	159.1
-516.1	5298.2						
-234.4	8364.2						
9814	2	70 C1-C2;~1 Max	I	990.9	15.7	0.1	230.8
77.2	18473.3		J	990.9	15.7	0.1	230.8
69.7	8869.2	Min	I	-1368.1	-11.2	-0.0	-185.1
			J	-1368.1	-11.2	-0.0	-185.1
-52.0	-10350.9						
-76.3	-4179.9						
60.0	20314.2	C3-C4;~1 Max	I	906.3	17.2	0.1	222.5
			J	906.3	17.2	0.1	222.5
51.3	7440.3						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-57.5	-12274.6		Min	I	-1518.7	-10.9	-0.0	-192.1
				J	-1518.7	-10.9	-0.0	-192.1
-83.6	-5340.6							
		C1-C2;~2	Max	I	584.7	8.5	0.0	135.7
48.7	9929.8			J	584.7	8.5	0.0	135.7
44.2	4985.0							
			Min	I	-740.8	-6.5	-0.0	-97.7
-27.6	-5462.9			J	-740.8	-6.5	-0.0	-97.7
-40.4	-2215.3							
		C3-C4;~2	Max	I	524.8	9.1	0.0	126.1
37.1	10692.5			J	524.8	9.1	0.0	126.1
31.1	3975.8							
			Min	I	-804.7	-6.1	-0.0	-100.7
-29.6	-6606.4			J	-804.7	-6.1	-0.0	-100.7
-44.0	-2900.9							
			G1	I	-841.5	8.9	-0.7	-36.0
-119.8	11502.6			J	-841.5	8.9	0.8	-36.0
-151.0	4519.5							
			G2	I	-327.5	3.3	0.0	-16.0
-11.0	4183.7			J	-327.5	3.3	0.0	-16.0
-20.2	1630.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	7.6	-1.4	0.0	2.3
1.0	-2444.2			J	7.6	-1.4	0.0	2.3
-0.3	-1363.6							
			Q5_pc Y	I	29.8	-1.7	0.0	8.1
4.0	-1005.4			J	29.8	-1.7	0.0	8.1
-1.9	318.7							
			Q5_ps X	I	7.2	-1.3	0.0	2.5
0.8	-2315.3			J	7.2	-1.3	0.0	2.5
-0.2	-1294.6							
			Q5_ps Y	I	30.2	-1.5	0.0	5.4
4.5	-738.4			J	30.2	-1.5	0.0	5.4
-2.1	446.9							
			INVSLU Max	I	-1304.3	50.6	-0.8	181.8
-120.6	58724.0			J	-1304.3	50.6	1.2	181.8
-219.4	22080.6							
			Min	I	-4745.8	9.2	-0.9	-403.8
-309.6	10329.6			J	-4745.8	9.2	1.0	-403.8
-429.9	442.8							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-91.5	43888.5	INVSLE Max	I	-1023.9	37.9	-0.6	126.1
			J	-1023.9	37.9	0.9	126.1
-165.9	16384.6	Min	I	-3569.2	7.5	-0.7	-306.6
			J	-3569.2	7.5	0.8	-306.6
-321.6	538.4						
9815	2	70 C1-C2;~1 Max	I	1099.2	27.7	0.1	576.4
72.2	8864.0		J	1099.2	27.7	0.1	576.4
150.6	16850.7	Min	I	-1312.1	-19.4	-0.2	-672.6
			J	-1312.1	-19.4	-0.2	-672.6
-79.4	-4172.3						
-35.6	-15765.6						
		C3-C4;~1 Max	I	1025.8	30.5	0.0	534.4
53.8	7435.3		J	1025.8	30.5	0.0	534.4
144.4	14130.2	Min	I	-1463.9	-18.7	-0.2	-745.2
			J	-1463.9	-18.7	-0.2	-745.2
-87.2	-5332.3						
-35.2	-17315.5						
		C1-C2;~2 Max	I	646.5	15.0	0.1	333.6
45.7	4983.0		J	646.5	15.0	0.1	333.6
92.9	10239.0	Min	I	-710.3	-11.2	-0.1	-363.9
			J	-710.3	-11.2	-0.1	-363.9
-42.1	-2211.2						
-21.2	-8547.2						
		C3-C4;~2 Max	I	594.4	16.2	0.0	308.5
32.6	3974.0		J	594.4	16.2	0.0	308.5
91.8	8401.2	Min	I	-775.5	-10.8	-0.1	-394.3
			J	-775.5	-10.8	-0.1	-394.3
-45.9	-2896.5						
-18.1	-9180.0						
		G1	I	-632.5	15.6	-0.9	-296.5
-152.4	4515.3		J	-632.5	15.6	0.5	-296.5
-16.1	-7712.8						
		G2	I	-248.3	5.9	-0.1	-120.0
-20.8	1628.7		J	-248.3	5.9	-0.1	-120.0
25.3	-2971.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	4.1	-1.5	0.0	10.5
-0.2	-1363.5		J	4.1	-1.5	0.0	10.5
-4.8	-222.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.8	319.0	Q5_pc	Y	I	20.4	-2.0	0.0	35.5
				J	20.4	-2.0	0.0	35.5
-9.3	1876.0							
-0.1	-1294.5	Q5_ps	X	I	4.0	-1.4	0.0	10.1
				J	4.0	-1.4	0.0	10.1
-4.1	-217.5							
-1.9	447.2	Q5_ps	Y	I	21.6	-1.8	0.0	32.8
				J	21.6	-1.8	0.0	32.8
-9.6	1872.6							
-220.3	22059.4	INVS LU	Max	I	-730.9	90.7	-1.3	-40.5
				J	-730.9	90.7	0.7	-40.5
210.3	-3989.6							
-438.7	440.2		Min	I	-4227.8	19.7	-1.7	-1888.4
				J	-4227.8	19.7	0.3	-1888.4
-58.0	-53490.7							
-166.7	16368.4	INVS LE	Max	I	-595.6	68.1	-0.9	-59.4
				J	-595.6	68.1	0.5	-59.4
155.2	-3774.6							
-328.2	536.0		Min	I	-3183.2	15.8	-1.2	-1423.5
				J	-3183.2	15.8	0.2	-1423.5
-42.2	-40192.0							
9816	2	70 C1-C2;~1	Max	I	1212.3	24.7	0.1	1186.0
101.8	16782.1			J	1212.3	24.7	0.1	1186.0
105.7	4567.4							
-97.5	-15713.6		Min	I	-1274.9	-24.1	-0.2	-1281.9
				J	-1274.9	-24.1	-0.2	-1281.9
-57.3	-7129.4							
96.4	14051.5	C3-C4;~1	Max	I	1142.7	23.2	0.1	1334.9
				J	1142.7	23.2	0.1	1334.9
82.4	4492.1							
-116.4	-17257.5		Min	I	-1429.3	-27.1	-0.1	-1268.2
				J	-1429.3	-27.1	-0.1	-1268.2
-64.3	-8084.6							
66.9	10199.5	C1-C2;~2	Max	I	710.7	14.5	0.0	640.3
				J	710.7	14.5	0.0	640.3
65.6	2653.8							
-50.2	-8518.8		Min	I	-689.5	-13.0	-0.1	-739.8
				J	-689.5	-13.0	-0.1	-739.8
-31.0	-3963.4							
63.0	8353.3	C3-C4;~2	Max	I	660.7	13.4	0.1	705.5
				J	660.7	13.4	0.1	705.5
49.5	2324.9							
-60.6	-9149.1		Min	I	-756.7	-14.3	-0.1	-733.3


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-34.1	-4554.6		J	-756.7	-14.3	-0.1	-733.3
		G1	I	-439.1	-6.1	-0.8	182.9
-186.5	-7711.8		J	-439.1	-6.1	0.6	182.9
-94.4	-2922.5						
		G2	I	-173.6	-2.4	-0.1	79.6
-40.5	-2971.2		J	-173.6	-2.4	-0.1	79.6
1.3	-1087.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	0.3	0.1	0.0	-9.3
2.4	-222.2		J	0.3	0.1	0.0	-9.3
0.4	-271.6						
		Q5_pc Y	I	11.0	0.3	0.0	-21.9
6.4	1880.7		J	11.0	0.3	0.0	-21.9
1.2	1656.7						
		Q5_ps X	I	0.7	0.1	0.0	-9.3
1.8	-217.5		J	0.7	0.1	0.0	-9.3
0.3	-274.7						
		Q5_ps Y	I	12.6	0.3	0.0	-22.9
7.6	1876.5		J	12.6	0.3	0.0	-22.9
1.7	1635.3						
		INVSLE Max	I	-184.5	4.2	-1.1	2886.8
-247.3	-3975.3		J	-184.5	4.2	0.8	2886.8
-38.5	2355.0						
		Min	I	-3770.5	-66.2	-1.5	-685.4
-553.4	-53314.1		J	-3770.5	-66.2	0.5	-685.4
-270.2	-17707.4						
		INVSLE Max	I	-187.9	2.1	-0.8	2192.8
-187.1	-3759.6		J	-187.9	2.1	0.6	2192.8
-30.8	1672.5						
		Min	I	-2842.8	-50.0	-1.1	-450.4
-412.9	-40056.1		J	-2842.8	-50.0	0.4	-450.4
-202.3	-12967.6						
9817	2	70 C1-C2;~1 Max	I	1321.8	13.2	0.0	708.5
97.9	4572.9		J	1321.8	13.2	0.0	708.5
98.6	12928.1						
		Min	I	-1242.7	-12.2	-0.0	-804.3
-50.2	-7138.8		J	-1242.7	-12.2	-0.0	-804.3
-66.1	-15387.8						
		C3-C4;~1 Max	I	1245.4	11.9	0.0	796.4

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
74.8	4501.1			J	1245.4	11.9	0.0	796.4	
91.5	14954.9		Min	I	-1398.8	-13.7	-0.0	-805.2	
-56.3	-8092.9			J	-1398.8	-13.7	-0.0	-805.2	
-75.5	-16330.4								
			C1-C2;~2	Max	I	773.3	7.8	0.0	382.6
61.1	2656.0			J	773.3	7.8	0.0	382.6	
61.3	6931.5		Min	I	-671.5	-6.6	-0.0	-467.4	
-27.1	-3968.8			J	-671.5	-6.6	-0.0	-467.4	
-35.7	-8626.4								
			C3-C4;~2	Max	I	718.4	6.9	0.0	420.9
45.1	2328.8			J	718.4	6.9	0.0	420.9	
55.8	7860.7		Min	I	-740.1	-7.3	-0.0	-468.0	
-29.8	-4559.1			J	-740.1	-7.3	-0.0	-468.0	
-39.9	-9189.1								
			G1	I	-264.9	-3.0	-0.7	83.6	
-93.3	-2918.4			J	-264.9	-3.0	0.7	83.6	
-96.4	-571.2								
			G2	I	-105.0	-1.2	0.0	38.7	
1.8	-1085.8			J	-105.0	-1.2	0.0	38.7	
-1.1	-167.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-2.8	0.1	0.0	-7.6
0.3	-271.8			J	-2.8	0.1	0.0	-7.6	
-1.6	-336.8								
			Q5_pc	Y	I	4.0	0.2	0.0	-17.6
1.1	1656.2			J	4.0	0.2	0.0	-17.6	
-2.9	1461.4								
			Q5_ps	X	I	-2.0	0.1	0.0	-7.2
0.2	-274.9			J	-2.0	0.1	0.0	-7.2	
-1.4	-341.1								
			Q5_ps	Y	I	5.9	0.3	0.0	-19.0
1.5	1634.7			J	5.9	0.3	0.0	-19.0	
-2.8	1430.4								
			INVSLU	Max	I	331.1	3.5	-0.9	1684.8
-42.7	2376.0			J	331.1	3.5	1.1	1684.8	
-68.3	27578.4		Min	I	-3348.8	-33.3	-1.0	-509.0	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-252.9	-17703.9		J	-3348.8	-33.3	1.0	-509.0
-308.6	-17287.3						
		INVSLE Max	I	197.0	2.1	-0.7	1281.7
-33.6	1688.6		J	197.0	2.1	0.8	1281.7
-53.9	20731.2	Min	I	-2528.3	-25.1	-0.7	-341.0
-189.2	-12964.6		J	-2528.3	-25.1	0.7	-341.0
-231.4	-12307.8						
9818	2	70 C1-C2;~1 Max	I	1418.0	1.3	0.0	77.1
95.6	12925.5		J	1418.0	1.3	0.0	77.1
101.3	12818.1	Min	I	-1190.1	-2.4	-0.1	-89.8
-63.6	-15386.2		J	-1190.1	-2.4	-0.1	-89.8
-49.7	-14179.2						
		C3-C4;~1 Max	I	1327.2	0.7	0.0	78.5
88.7	14952.0		J	1327.2	0.7	0.0	78.5
85.2	14814.2	Min	I	-1341.3	-2.0	-0.0	-89.5
-72.7	-16328.9		J	-1341.3	-2.0	-0.0	-89.5
-55.8	-15234.4						
		C1-C2;~2 Max	I	829.7	0.9	0.0	49.4
59.6	6930.0		J	829.7	0.9	0.0	49.4
62.7	6877.0	Min	I	-642.9	-1.5	-0.0	-53.6
-34.3	-8625.6		J	-642.9	-1.5	-0.0	-53.6
-26.8	-7893.4						
		C3-C4;~2 Max	I	765.7	0.4	0.0	51.7
54.2	7859.1		J	765.7	0.4	0.0	51.7
51.8	7791.1	Min	I	-709.5	-1.2	-0.0	-56.0
-38.4	-9188.3		J	-709.5	-1.2	-0.0	-56.0
-29.4	-8540.7						
		G1	I	-113.6	-1.2	-0.7	-9.6
-96.2	-572.5		J	-113.6	-1.2	0.7	-9.6
-89.2	333.7						
		G2	I	-46.1	-0.4	-0.0	-2.8
-1.0	-167.5		J	-46.1	-0.4	-0.0	-2.8
1.8	169.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-3.1	0.1	-0.0	-2.4
-1.6	-336.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.3	-410.5		J	-3.1	0.1	-0.0	-2.4
-3.0	1461.4	Q5_pc Y	I	4.9	0.2	-0.0	-4.9
1.6	1324.7		J	4.9	0.2	-0.0	-4.9
-1.4	-341.1	Q5_ps X	I	-2.5	0.1	-0.0	-1.9
0.2	-410.9		J	-2.5	0.1	-0.0	-1.9
-2.9	1430.4	Q5_ps Y	I	7.8	0.2	-0.0	-6.3
2.3	1299.9		J	7.8	0.2	-0.0	-6.3
-70.2	27570.7	INVS LU Max	I	827.5	-0.1	-1.0	114.4
-17.9	28888.1		J	827.5	-0.1	1.0	114.4
-302.7	-17289.1	Min	I	-2906.5	-5.5	-1.1	-121.7
-233.0	-14062.1		J	-2906.5	-5.5	0.8	-121.7
-55.2	20725.5	INVS LE Max	I	569.3	-0.1	-0.7	84.6
-14.5	21690.8		J	569.3	-0.1	0.7	84.6
-227.0	-12309.1	Min	I	-2195.9	-4.0	-0.8	-89.6
-173.6	-9947.5		J	-2195.9	-4.0	0.6	-89.6
9819	2	70 C1-C2;~1 Max	I	1484.5	11.9	0.0	827.0
104.0	12820.4		J	1484.5	11.9	0.0	827.0
90.2	5227.2	Min	I	-1130.2	-16.0	-0.0	-711.8
-52.2	-14182.0		J	-1130.2	-16.0	-0.0	-711.8
-50.6	-4085.4						
87.9	14816.9	C3-C4;~1 Max	I	1385.7	13.5	0.0	798.2
71.1	4891.6		J	1385.7	13.5	0.0	798.2
-58.7	-15237.2	Min	I	-1275.3	-15.3	-0.0	-804.9
-57.4	-4876.7		J	-1275.3	-15.3	-0.0	-804.9
64.2	6878.3	C1-C2;~2 Max	I	868.5	6.4	0.0	474.1
56.4	3007.8		J	868.5	6.4	0.0	474.1
-28.2	-7894.9	Min	I	-610.4	-9.4	-0.0	-383.9
-27.3	-2233.4		J	-610.4	-9.4	-0.0	-383.9
53.3	7792.5	C3-C4;~2 Max	I	799.7	7.1	0.0	458.3
			J	799.7	7.1	0.0	458.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
42.9	2591.2		Min	I	-674.4	-8.9	-0.0	-425.0
-31.0	-8542.2			J	-674.4	-8.9	-0.0	-425.0
-30.4	-2690.2							
		G1		I	22.0	-0.8	-0.7	-33.0
-89.4	333.1			J	22.0	-0.8	0.7	-33.0
-91.8	923.1							
		G2		I	6.3	-0.2	-0.0	-17.5
1.7	168.9			J	6.3	-0.2	-0.0	-17.5
2.6	359.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		I	-3.1	0.1	0.0	2.5
0.3	-410.4			J	-3.1	0.1	0.0	2.5
-1.2	-495.0							
		Q5_pc Y		I	6.1	0.1	0.0	7.9
1.7	1324.8			J	6.1	0.1	0.0	7.9
-1.6	1251.3							
		Q5_ps X		I	-2.7	0.1	0.0	3.0
0.2	-410.9			J	-2.7	0.1	0.0	3.0
-1.0	-487.6							
		Q5_ps Y		I	9.8	0.1	0.0	7.5
2.3	1299.9			J	9.8	0.1	0.0	7.5
-1.5	1256.2							
		INVSLE Max		I	912.7	19.2	-0.7	440.6
-16.2	28892.5			J	912.7	19.2	0.8	440.6
-57.7	10405.2							
		Min		I	-2454.3	-14.7	-1.0	-1573.5
-238.7	-14065.1			J	-2454.3	-14.7	1.0	-1573.5
-259.9	-5487.2							
		INVSLE Max		I	912.7	19.2	-0.7	440.6
-13.4	21694.2			J	912.7	19.2	0.8	440.6
-44.9	7636.2							
		Min		I	-1854.4	-10.4	-0.7	-1200.8
-178.0	-9949.6			J	-1854.4	-10.4	0.7	-1200.8
-194.4	-3969.2							
9820	2	70 C1-C2;~1 Max		I	1517.8	22.1	0.1	1354.4
98.2	5225.1			J	1517.8	22.1	0.1	1354.4
108.1	22896.0							
		Min		I	-1071.1	-29.6	-0.1	-1146.8
-57.5	-4075.6			J	-1071.1	-29.6	-0.1	-1146.8

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-30.5	-13910.5							
79.1	4883.7	C3-C4;~1	Max	I	1436.3	25.0	0.1	1322.4
116.3	20474.7			J	1436.3	25.0	0.1	1322.4
-65.3	-4865.0		Min	I	-1211.2	-28.3	-0.1	-1295.4
-14.4	-15365.9			J	-1211.2	-28.3	-0.1	-1295.4
61.0	3007.6	C1-C2;~2	Max	I	886.6	11.9	0.1	784.6
66.1	13587.5			J	886.6	11.9	0.1	784.6
-31.1	-2228.4		Min	I	-578.2	-17.3	-0.1	-618.7
-18.8	-7540.3			J	-578.2	-17.3	-0.1	-618.7
47.4	2588.0	C3-C4;~2	Max	I	829.4	13.2	0.0	758.4
69.6	11976.4			J	829.4	13.2	0.0	758.4
-34.5	-2684.1		Min	I	-640.3	-16.4	-0.1	-684.3
-7.1	-8148.5			J	-640.3	-16.4	-0.1	-684.3
-91.9	925.0		G1	I	157.5	-1.5	-0.8	-20.9
-31.9	2079.5			J	157.5	-1.5	0.6	-20.9
2.4	360.1		G2	I	57.6	-0.5	-0.0	-15.4
19.2	751.3			J	57.6	-0.5	-0.0	-15.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-1.1	-495.0		Q5_pc X	I	-5.1	0.1	0.0	5.2
-2.0	-594.9			J	-5.1	0.1	0.0	5.2
-1.5	1251.2		Q5_pc Y	I	3.4	0.0	0.0	15.8
-2.5	1235.0			J	3.4	0.0	0.0	15.8
-1.0	-487.6		Q5_ps X	I	-4.4	0.1	0.0	5.6
-1.6	-577.1			J	-4.4	0.1	0.0	5.6
-1.4	1256.1		Q5_ps Y	I	6.9	-0.1	0.0	16.5
-3.1	1296.8			J	6.9	-0.1	0.0	16.5
-51.4	10396.4		INVSLU Max	I	1698.1	46.0	-1.2	1114.3

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
258.1	24701.1		J	1698.1	46.0	0.8	1114.3
		Min	I	-1995.3	-27.8	-1.5	-2491.5
-274.9	-5477.4		J	-1995.3	-27.8	0.4	-2491.5
55.4	-29175.5						
		INVSLE Max	I	1227.7	34.9	-0.9	768.4
-40.6	7629.0		J	1227.7	34.9	0.6	768.4
198.4	17603.8	Min	I	-1507.5	-19.8	-1.1	-1900.4
-205.9	-3962.6		J	-1507.5	-19.8	0.3	-1900.4
48.6	-22140.2						
9821	2	70 C1-C2;~1 Max	I	1562.3	30.1	0.1	1071.0
109.1	22828.2		J	1562.3	30.1	0.1	1071.0
86.6	4215.5	Min	I	-1023.9	-19.3	-0.1	-1740.8
-61.8	-13906.3		J	-1023.9	-19.3	-0.1	-1740.8
-33.8	-5012.6						
		C3-C4;~1 Max	I	1488.1	28.8	0.1	1215.4
111.5	20451.7		J	1488.1	28.8	0.1	1215.4
69.3	3180.2	Min	I	-1160.4	-21.8	-0.1	-1699.6
-74.6	-15361.2		J	-1160.4	-21.8	-0.1	-1699.6
-38.5	-6156.2						
		C1-C2;~2 Max	I	912.5	17.6	0.0	577.5
69.0	13548.9		J	912.5	17.6	0.0	577.5
53.3	2672.7	Min	I	-552.5	-10.4	-0.1	-1011.8
-31.9	-7537.9		J	-552.5	-10.4	-0.1	-1011.8
-18.2	-2784.8						
		C3-C4;~2 Max	I	859.9	16.7	0.1	641.9
70.9	11970.2		J	859.9	16.7	0.1	641.9
41.4	1943.1	Min	I	-613.3	-11.5	-0.0	-981.4
-38.1	-8145.9		J	-613.3	-11.5	-0.0	-981.4
-20.3	-3476.5						
		G1	I	283.5	6.3	-0.8	-459.2
-118.2	2020.0		J	283.5	6.3	0.7	-459.2
-71.4	-2878.3						
		G2	I	106.8	2.4	-0.0	-170.7
-14.8	728.4		J	106.8	2.4	-0.0	-170.7
10.7	-1139.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


1.9	-593.0	Q5_pc X	I	-7.6	-0.2	0.0	6.9
-0.3	-442.9		J	-7.6	-0.2	0.0	6.9
3.8	1238.9	Q5_pc Y	I	0.1	0.0	0.0	7.3
0.8	1236.3		J	0.1	0.0	0.0	7.3
1.5	-575.2	Q5_ps X	I	-6.5	-0.2	0.0	5.8
-0.3	-444.2		J	-6.5	-0.2	0.0	5.8
5.2	1299.8	Q5_ps Y	I	3.1	0.0	0.0	3.7
1.0	1261.5		J	3.1	0.0	0.0	3.7
-89.2	24707.1	INVS LU Max	I	2095.4	40.5	-1.1	2099.6
61.3	-130.2		J	2095.4	40.5	0.9	2099.6
-347.3	-29078.7	Min	I	-1593.9	-30.0	-1.3	-1904.4
-109.0	-16357.3		J	-1593.9	-30.0	0.6	-1904.4
-66.7	17615.8	INVS LE Max	I	1526.7	29.3	-0.8	1631.5
47.1	-293.7		J	1526.7	29.3	0.6	1631.5
-257.3	-22060.3	Min	I	-1205.1	-22.8	-1.0	-1333.4
-78.9	-12149.0		J	-1205.1	-22.8	0.5	-1333.4
9822	2	70 C1-C2;~1 Max	I	1617.3	15.7	0.0	645.1
76.2	4211.8		J	1617.3	15.7	0.0	645.1
87.8	9077.2	Min	I	-989.8	-10.0	-0.0	-1081.5
-27.5	-5023.6		J	-989.8	-10.0	-0.0	-1081.5
-40.7	-15108.7						
59.2	3181.8	C3-C4;~1 Max	I	1541.1	14.9	0.0	731.8
82.3	10626.0		J	1541.1	14.9	0.0	731.8
-31.3	-6168.3	Min	I	-1123.9	-11.3	-0.0	-1054.9
-46.5	-16375.3		J	-1123.9	-11.3	-0.0	-1054.9
47.2	2669.0	C1-C2;~2 Max	I	944.5	9.2	0.0	347.9
54.1	4857.3		J	944.5	9.2	0.0	347.9
-14.8	-2790.8	Min	I	-533.9	-5.4	-0.0	-629.2
-21.9	-8505.2		J	-533.9	-5.4	-0.0	-629.2

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
35.6	1942.9	C3-C4;~2 Max	I	890.3	8.6	0.0	386.5
			J	890.3	8.6	0.0	386.5
49.9	5578.8	Min	I	-593.8	-6.0	-0.0	-610.2
-16.5	-3483.2		J	-593.8	-6.0	-0.0	-610.2
-24.6	-9273.4						
		G1	I	398.2	3.0	-0.7	-296.1
-74.2	-2881.0		J	398.2	3.0	0.7	-296.1
-68.8	-5228.0						
		G2	I	153.1	1.1	-0.0	-109.9
9.6	-1140.4		J	153.1	1.1	-0.0	-109.9
9.9	-2032.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-9.9	-0.1	0.0	3.4
-0.2	-442.9		J	-9.9	-0.1	0.0	3.4
-1.2	-362.3						
		Q5_pc Y	I	-2.7	0.0	0.0	3.2
0.8	1236.2		J	-2.7	0.0	0.0	3.2
-1.0	1203.2						
		Q5_ps X	I	-8.6	-0.1	0.0	3.0
-0.2	-444.2		J	-8.6	-0.1	0.0	3.0
-1.0	-372.3						
		Q5_ps Y	I	-0.1	0.1	0.0	0.4
1.0	1261.3		J	-0.1	0.1	0.0	0.4
-1.1	1208.9						
		INVS LU Max	I	2458.5	20.1	-0.9	1280.0
50.1	-129.1		J	2458.5	20.1	1.0	1280.0
42.3	9413.8	Min	I	-1259.9	-16.5	-1.0	-1174.1
-96.5	-16367.3		J	-1259.9	-16.5	0.9	-1174.1
-141.1	-29203.6						
		INVS LE Max	I	1797.9	14.6	-0.7	996.9
39.2	-292.2		J	1797.9	14.6	0.8	996.9
32.1	7064.0	Min	I	-955.1	-12.6	-0.7	-820.5
-69.2	-12155.7		J	-955.1	-12.6	0.7	-820.5
-103.7	-21381.0						
9823	2	70 C1-C2;~1 Max	I	1675.7	1.3	0.0	65.7
84.0	9074.9		J	1675.7	1.3	0.0	65.7
87.4	9194.5						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-38.4	-15106.0		Min	I	-954.2	-2.4	-0.0	-56.3
				J	-954.2	-2.4	-0.0	-56.3
-34.5	-14240.3							
		C3-C4;~1	Max	I	1591.8	0.9	0.0	66.4
78.7	10623.3			J	1591.8	0.9	0.0	66.4
76.7	10711.0							
			Min	I	-1084.3	-2.1	-0.0	-53.5
-44.0	-16372.7			J	-1084.3	-2.1	-0.0	-53.5
-39.2	-15588.6							
		C1-C2;~2	Max	I	979.3	0.9	0.0	41.1
51.9	4856.1			J	979.3	0.9	0.0	41.1
53.8	4927.0							
			Min	I	-514.6	-1.5	-0.0	-32.3
-20.7	-8503.7			J	-514.6	-1.5	-0.0	-32.3
-18.6	-8006.7							
		C3-C4;~2	Max	I	920.4	0.6	0.0	40.4
47.9	5577.4			J	920.4	0.6	0.0	40.4
46.5	5629.4							
			Min	I	-572.8	-1.3	-0.0	-31.0
-23.2	-9272.0			J	-572.8	-1.3	-0.0	-31.0
-20.7	-8840.0							
			G1	I	493.1	-1.5	-0.7	-2.1
-69.9	-5227.8			J	493.1	-1.5	0.7	-2.1
-71.7	-4088.3							
			G2	I	190.3	-0.6	0.0	-1.2
9.5	-2031.9			J	190.3	-0.6	0.0	-1.2
8.8	-1587.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-10.1	-0.0	-0.0	-0.8
-1.2	-362.3			J	-10.1	-0.0	-0.0	-0.8
-0.1	-354.0							
			Q5_pc Y	I	-1.4	0.1	-0.0	-1.9
-1.0	1203.2			J	-1.4	0.1	-0.0	-1.9
1.3	1146.3							
			Q5_ps X	I	-8.9	-0.0	-0.0	-0.5
-1.0	-372.3			J	-8.9	-0.0	-0.0	-0.5
-0.1	-362.9							
			Q5_ps Y	I	1.6	0.1	-0.0	-2.6
-1.1	1208.9			J	1.6	0.1	-0.0	-2.6
1.6	1154.3							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

38.2	9409.9	INVSLE Max	I	2789.3	-1.7	-1.0	85.3
			J	2789.3	-1.7	1.0	85.3
63.7	12280.5	INVSLE Min	I	-954.8	-6.9	-1.0	-83.8
-136.7	-29200.4		J	-954.8	-6.9	0.9	-83.8
-109.6	-25287.4						
		INVSLE Max	I	2045.6	-1.3	-0.7	61.3
29.2	7061.1		J	2045.6	-1.3	0.7	61.3
48.8	9231.1	INVSLE Min	I	-726.5	-5.2	-0.8	-63.7
-100.2	-21378.7		J	-726.5	-5.2	0.7	-63.7
-79.3	-18444.1						
9824	2	70 C1-C2;~1 Max	I	1725.8	9.1	0.0	1103.5
91.3	9196.2		J	1725.8	9.1	0.0	1103.5
81.7	5651.7	INVSLE Min	I	-919.0	-17.9	-0.0	-655.1
-36.9	-14243.6		J	-919.0	-17.9	-0.0	-655.1
-33.9	-3161.3						
		C3-C4;~1 Max	I	1639.2	10.4	0.0	1089.9
80.5	10713.0		J	1639.2	10.4	0.0	1089.9
67.9	4426.4	INVSLE Min	I	-1044.9	-17.0	-0.0	-744.9
-41.9	-15591.9		J	-1044.9	-17.0	-0.0	-744.9
-38.6	-4104.9						
		C1-C2;~2 Max	I	1009.3	4.9	0.0	641.2
56.0	4927.9		J	1009.3	4.9	0.0	641.2
50.4	3381.2	INVSLE Min	I	-495.6	-10.4	-0.0	-353.1
-19.9	-8008.6		J	-495.6	-10.4	-0.0	-353.1
-18.3	-1779.7						
		C3-C4;~2 Max	I	948.7	5.5	0.0	629.7
48.6	5630.5		J	948.7	5.5	0.0	629.7
40.8	2553.3	INVSLE Min	I	-551.9	-9.8	-0.0	-393.3
-22.1	-8841.8		J	-551.9	-9.8	-0.0	-393.3
-20.4	-2337.2						
		G1	I	581.0	-6.7	-0.7	341.5
-70.5	-4090.0		J	581.0	-6.7	0.7	341.5
-70.9	1183.7						
		G2	I	224.1	-2.6	-0.0	126.8
9.3	-1587.7		J	224.1	-2.6	-0.0	126.8
10.7	444.7						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.1	-354.0	Q5_pc X	I	-10.3	0.1	0.0	-4.9
-0.9	-418.4		J	-10.3	0.1	0.0	-4.9
1.2	1146.3	Q5_pc Y	I	-0.1	0.1	0.0	-6.4
-0.3	1074.2		J	-0.1	0.1	0.0	-6.4
-0.1	-362.9	Q5_ps X	I	-9.2	0.1	0.0	-3.9
-0.8	-417.3		J	-9.2	0.1	0.0	-3.9
1.6	1154.3	Q5_ps Y	I	3.2	0.1	0.0	-4.6
-0.3	1109.4		J	3.2	0.1	0.0	-4.6
67.8	12281.2	INVS LU Max	I	3094.8	6.0	-0.9	1286.0
44.1	11749.3		J	3094.8	6.0	1.0	1286.0
-114.1	-25293.7	Min	I	-664.3	-32.3	-1.0	-1220.8
-119.9	-3355.8		J	-664.3	-32.3	1.0	-1220.8
51.7	9231.7	INVS LE Max	I	2274.6	4.7	-0.7	900.5
33.6	8656.7		J	2274.6	4.7	0.8	900.5
-82.9	-18448.7	Min	I	-508.5	-23.7	-0.7	-955.6
-87.8	-2389.0		J	-508.5	-23.7	0.7	-955.6
9825	2	70 C1-C2;~1 Max	I	1768.7	17.1	0.1	1800.4
92.0	5655.1		J	1768.7	17.1	0.1	1800.4
95.8	27712.4	Min	I	-878.6	-33.0	-0.1	-1035.4
-39.8	-3151.2		J	-878.6	-33.0	-0.1	-1035.4
-13.2	-11330.2						
77.9	4429.4	C3-C4;~1 Max	I	1690.1	19.5	0.1	1759.0
99.9	24784.4		J	1690.1	19.5	0.1	1759.0
-45.4	-4094.2	Min	I	-999.6	-31.6	-0.1	-1177.1
-7.3	-12715.9		J	-999.6	-31.6	-0.1	-1177.1
56.4	3383.8	C1-C2;~2 Max	I	1036.4	9.2	0.1	1047.4
60.5	16383.4		J	1036.4	9.2	0.1	1047.4
-21.5	-1774.3	Min	I	-473.7	-19.3	-0.0	-558.1


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-7.5	-6128.2		J	-473.7	-19.3	-0.0	-558.1
46.6	2555.8	C3-C4;~2 Max	I	981.0	10.3	0.0	1016.0
65.1	14411.7		J	981.0	10.3	0.0	1016.0
-24.0	-2331.5	Min	I	-528.0	-18.2	-0.1	-621.5
-3.8	-6733.7		J	-528.0	-18.2	-0.1	-621.5
-67.6	1191.6	G1	I	672.8	-12.2	-0.8	574.0
-41.7	10704.6		J	672.8	-12.2	0.7	574.0
12.0	447.7	G2	I	258.0	-4.7	-0.0	214.3
15.5	4111.5		J	258.0	-4.7	-0.0	214.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.9	-418.6	Q5_pc X	I	-11.8	0.2	0.0	-7.4
-2.0	-551.5		J	-11.8	0.2	0.0	-7.4
-0.4	1074.1	Q5_pc Y	I	-0.8	0.1	0.0	-8.0
-0.6	1001.2		J	-0.8	0.1	0.0	-8.0
-0.8	-417.4	Q5_ps X	I	-10.6	0.1	0.0	-6.2
-1.7	-533.2		J	-10.6	0.1	0.0	-6.2
-0.4	1109.3	Q5_ps Y	I	2.5	0.0	0.0	-4.5
-0.7	1088.1		J	2.5	0.0	0.0	-4.5
56.5	11754.9	INVS LU Max	I	3394.3	11.5	-1.0	2233.0
223.6	53184.6		J	3394.3	11.5	0.9	2233.0
-130.6	-3339.9	Min	I	-364.2	-59.7	-1.3	-1801.0
67.3	-3195.7		J	-364.2	-59.7	0.6	-1801.0
42.3	8660.1	INVS LE Max	I	2499.3	8.9	-0.8	1576.7
171.4	39026.3		J	2499.3	8.9	0.7	1576.7
-96.1	-2378.0	Min	I	-283.2	-43.8	-1.0	-1410.4
55.9	-2603.3		J	-283.2	-43.8	0.5	-1410.4
9826	2	70 C1-C2;~1 Max	I	1816.6	39.6	0.0	978.7

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
103.1	27659.9			J	1816.6	39.6	0.0	978.7
111.7	3715.5							
		Min		I	-846.0	-17.5	-0.1	-2191.3
-48.5	-11342.0							
				J	-846.0	-17.5	-0.1	-2191.3
-35.0	-6607.1							
		C3-C4;~1	Max	I	1740.7	38.0	0.1	1114.5
109.6	24726.8							
				J	1740.7	38.0	0.1	1114.5
95.3	3130.2							
		Min		I	-963.1	-20.0	-0.1	-2134.6
-56.8	-12729.2							
				J	-963.1	-20.0	-0.1	-2134.6
-40.0	-8023.4							
		C1-C2;~2	Max	I	1065.8	23.2	0.0	527.5
65.2	16349.8							
				J	1065.8	23.2	0.0	527.5
68.1	2185.7							
		Min		I	-456.1	-9.5	-0.1	-1280.5
-25.4	-6134.6							
				J	-456.1	-9.5	-0.1	-1280.5
-18.8	-3670.0							
		C3-C4;~2	Max	I	1011.9	22.1	0.0	588.5
69.4	14373.8							
				J	1011.9	22.1	0.0	588.5
56.9	1620.9							
		Min		I	-508.7	-10.5	-0.1	-1239.2
-29.0	-6740.7							
				J	-508.7	-10.5	-0.1	-1239.2
-21.1	-4546.8							
		G1		I	765.3	18.2	-0.8	-1027.9
-93.3	10656.3							
				J	765.3	18.2	0.7	-1027.9
-47.4	-3682.8							
		G2		I	293.9	7.0	-0.0	-391.5
-4.3	4092.6							
				J	293.9	7.0	-0.0	-391.5
20.5	-1436.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-13.5	-0.3	0.0	12.9
0.9	-551.3							
				J	-13.5	-0.3	0.0	12.9
-0.7	-302.8							
		Q5_pc	Y	I	-2.0	-0.1	0.0	18.7
2.0	1002.8							
				J	-2.0	-0.1	0.0	18.7
0.7	1090.9							
		Q5_ps	X	I	-12.1	-0.3	0.0	11.5
0.7	-532.9							
				J	-12.1	-0.3	0.0	11.5
-0.7	-310.6							
		Q5_ps	Y	I	1.1	-0.0	0.0	14.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.9	1089.4			J	1.1	-0.0	0.0	14.2
0.9	1127.4							
		INVSLE Max	I		3680.4	80.1	-1.1	1429.9
16.3	53153.0			J	3680.4	80.1	0.9	1429.9
160.2	146.5	Min	I		-96.5	-0.9	-1.3	-3066.5
-212.0	-3177.3			J	-96.5	-0.9	0.7	-3066.5
-45.9	-17664.6							
		INVSLE Max	I		2712.3	58.9	-0.8	1142.6
15.2	39004.0			J	2712.3	58.9	0.7	1142.6
119.6	90.8	Min	I		-83.6	-1.1	-1.0	-2185.6
-153.6	-2588.4			J	-83.6	-1.1	0.5	-2185.6
-32.9	-12957.2							
9827	2	70 C1-C2;~1 Max	I		1879.4	22.8	0.0	605.1
98.3	3715.7			J	1879.4	22.8	0.0	605.1
98.5	10259.9	Min	I		-826.5	-9.8	-0.0	-1377.7
-29.0	-6623.3			J	-826.5	-9.8	-0.0	-1377.7
-36.2	-23017.9							
		C3-C4;~1 Max	I		1798.8	21.8	0.0	689.2
82.2	3141.6			J	1798.8	21.8	0.0	689.2
90.6	11829.7	Min	I		-941.4	-11.2	-0.0	-1342.3
-33.2	-8040.7			J	-941.4	-11.2	-0.0	-1342.3
-41.2	-24097.1							
		C1-C2;~2 Max	I		1103.1	13.4	0.0	326.1
60.3	2184.6			J	1103.1	13.4	0.0	326.1
61.2	5513.5	Min	I		-445.6	-5.3	-0.0	-805.3
-15.6	-3678.9			J	-445.6	-5.3	-0.0	-805.3
-19.5	-13143.5							
		C3-C4;~2 Max	I		1046.0	12.6	0.0	363.9
49.3	1627.0			J	1046.0	12.6	0.0	363.9
55.3	6231.9	Min	I		-497.2	-5.9	-0.0	-779.8
-17.5	-4556.5			J	-497.2	-5.9	-0.0	-779.8
-21.8	-13775.8							
		G1	I		858.3	10.6	-0.7	-653.6
-53.8	-3691.7			J	858.3	10.6	0.7	-653.6
-60.8	-12060.8							
		G2	I		331.5	4.1	0.0	-249.1
18.0	-1439.9			J	331.5	4.1	0.0	-249.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
13.5	-4667.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-15.0	-0.2	0.0	7.4
-0.6	-302.7		J	-15.0	-0.2	0.0	7.4
-1.2	-161.3						
		Q5_pc Y	I	-3.1	-0.1	0.0	11.6
0.8	1091.0		J	-3.1	-0.1	0.0	11.6
-0.2	1143.8						
		Q5_ps X	I	-13.4	-0.2	0.0	6.6
-0.6	-310.5		J	-13.4	-0.2	0.0	6.6
-1.0	-183.2						
		Q5_ps Y	I	-0.2	-0.0	0.0	8.6
1.0	1127.4		J	-0.2	-0.0	0.0	8.6
-0.2	1149.8						
		INVSLE Max	I	3968.6	46.0	-0.9	932.6
141.8	146.9		J	3968.6	46.0	1.1	932.6
100.6	-713.3	Min	I	133.3	-0.2	-1.0	-1878.7
-37.2	-17688.1		J	133.3	-0.2	1.0	-1878.7
-90.1	-51273.1						
		INVSLE Max	I	2925.2	33.8	-0.6	745.5
106.6	91.8		J	2925.2	33.8	0.8	745.5
75.7	-325.9	Min	I	86.3	-0.4	-0.7	-1335.4
-25.9	-12973.8		J	86.3	-0.4	0.7	-1335.4
-65.3	-37625.2						
9828	2	70 C1-C2;~1 Max	I	1958.8	2.9	0.0	38.3
93.8	10250.1		J	1958.8	2.9	0.0	38.3
102.5	11051.3	Min	I	-817.8	-1.0	-0.1	-72.8
-34.1	-22997.6		J	-817.8	-1.0	-0.1	-72.8
-30.6	-24677.1						
		C3-C4;~1 Max	I	1871.9	2.4	0.0	36.6
86.1	11818.6		J	1871.9	2.4	0.0	36.6
92.9	12710.0	Min	I	-931.9	-1.1	-0.0	-72.1
-38.8	-24077.4		J	-931.9	-1.1	-0.0	-72.1
-35.0	-25749.1						
		C1-C2;~2 Max	I	1150.5	1.8	0.0	23.9
58.5	5508.3		J	1150.5	1.8	0.0	23.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
63.2	5942.4							
			Min	I	-440.8	-0.6	-0.0	-44.0
-18.4	-13131.7			J	-440.8	-0.6	-0.0	-44.0
-16.5	-14103.7							
		C3-C4;~2	Max	I	1089.2	1.4	0.0	22.1
52.8	6226.0			J	1089.2	1.4	0.0	22.1
56.5	6698.7							
			Min	I	-492.2	-0.6	-0.0	-44.8
-20.5	-13764.5			J	-492.2	-0.6	-0.0	-44.8
-18.5	-14734.7							
				G1				
-63.2	-12051.4			I	942.6	1.0	-0.7	-22.9
				J	942.6	1.0	0.7	-22.9
-51.9	-12866.2							
				G2				
12.6	-4663.9			I	364.6	0.4	-0.0	-9.6
				J	364.6	0.4	-0.0	-9.6
17.1	-4978.3							
				Q3				
0.0	0.0			I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
				Q5_pc X				
-1.2	-161.4			I	-15.3	-0.0	-0.0	-0.6
				J	-15.3	-0.0	-0.0	-0.6
-0.5	-141.2							
				Q5_pc Y				
-0.2	1143.6			I	-2.1	-0.0	-0.0	-0.3
				J	-2.1	-0.0	-0.0	-0.3
1.0	1152.2							
				Q5_ps X				
-1.0	-183.4			I	-13.8	-0.0	-0.0	-0.4
				J	-13.8	-0.0	-0.0	-0.4
-0.5	-164.5							
				Q5_ps Y				
-0.2	1149.7			I	0.9	-0.0	-0.0	-0.6
				J	0.9	-0.0	-0.0	-0.6
1.2	1153.7							
				INVSLU Max				
94.2	-729.2			I	4269.6	5.8	-1.0	28.0
				J	4269.6	5.8	1.0	28.0
154.8	-980.3							
			Min	I	339.7	0.3	-1.1	-123.1
-86.9	-51247.2			J	339.7	0.3	0.8	-123.1
-32.7	-54974.1							
				INVSLE Max				
71.2	-338.6			I	3148.5	4.3	-0.7	20.5
				J	3148.5	4.3	0.7	20.5
116.8	-514.9							
			Min	I	239.4	0.2	-0.8	-91.3
-62.8	-37606.9			J	239.4	0.2	0.6	-91.3


MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-22.0	-40356.7								
9829	2	70	C1-C2;~1	Max	I	1998.5	7.9	0.0	1333.9
107.5	11053.2				J	1998.5	7.9	0.0	1333.9
84.6	4828.0								
				Min	I	-795.2	-19.6	-0.0	-574.6
-32.8	-24682.0				J	-795.2	-19.6	-0.0	-574.6
-25.2	-10308.1								
97.8	12712.2		C3-C4;~1	Max	I	1911.6	9.1	0.0	1303.7
					J	1911.6	9.1	0.0	1303.7
69.2	5592.1								
				Min	I	-906.5	-18.7	-0.0	-654.5
-37.6	-25753.9				J	-906.5	-18.7	-0.0	-654.5
-28.7	-11559.2								
66.1	5943.4		C1-C2;~2	Max	I	1174.6	4.3	0.0	780.6
					J	1174.6	4.3	0.0	780.6
52.8	2587.7								
				Min	I	-428.6	-11.6	-0.0	-309.7
-17.7	-14106.6				J	-428.6	-11.6	-0.0	-309.7
-13.6	-5773.7								
59.3	6699.9		C3-C4;~2	Max	I	1113.4	4.8	0.0	758.0
					J	1113.4	4.8	0.0	758.0
42.2	2939.4								
				Min	I	-478.7	-10.9	-0.0	-345.6
-19.8	-14737.5				J	-478.7	-10.9	-0.0	-345.6
-15.2	-6534.9								
-49.5	-12869.1				G1	1006.5	-9.7	-0.7	652.2
					J	1006.5	-9.7	0.7	652.2
-63.9	-5220.3								
18.0	-4979.4				G2	389.1	-3.8	0.0	247.8
					J	389.1	-3.8	0.0	247.8
14.1	-2026.5								
0.0	0.0				Q3	0.0	0.0	0.0	0.0
					J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.5	-141.2				Q5_pc X	-15.3	0.1	0.0	-8.4
					J	-15.3	0.1	0.0	-8.4
-0.9	-247.6								
1.0	1152.2				Q5_pc Y	-1.1	0.0	0.0	-11.9
					J	-1.1	0.0	0.0	-11.9
0.5	1123.5								
-0.5	-164.5				Q5_ps X	-13.9	0.1	0.0	-7.4
					J	-13.9	0.1	0.0	-7.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.8	-259.8						
1.2	1153.8	Q5_ps	Y	I	2.0	0.0	0.0 -9.3
0.5	1148.4			J	2.0	0.0	0.0 -9.3
161.3	-980.0	INVSLU	Max	I	4497.2	-1.5	-0.9 1854.5
119.3	289.8			J	4497.2	-1.5	1.1 1854.5
-36.3	-54983.3		Min	I	547.7	-40.5	-1.0 -851.3
-35.2	-24886.7			J	547.7	-40.5	1.0 -851.3
121.4	-514.6	INVSLE	Max	I	3318.7	-0.9	-0.7 1317.9
90.4	230.8			J	3318.7	-0.9	0.8 1317.9
-24.9	-40363.3		Min	I	395.2	-29.7	-0.7 -684.8
-23.9	-18268.7			J	395.2	-29.7	0.7 -684.8
9830	2	70 C1-C2;~1	Max	I	2007.0	16.3	0.1 2294.2
100.4	4820.8			J	2007.0	16.3	0.1 2294.2
135.8	24190.8		Min	I	-753.2	-40.8	-0.1 -970.8
-31.9	-10290.9			J	-753.2	-40.8	-0.1 -970.8
-12.6	-8056.6						
84.6	5583.8	C3-C4;~1	Max	I	1925.8	18.6	0.0 2228.5
143.6	21420.5			J	1925.8	18.6	0.0 2228.5
-36.3	-11541.7		Min	I	-858.7	-39.1	-0.1 -1106.2
-14.3	-9110.3			J	-858.7	-39.1	-0.1 -1106.2
62.0	2583.7	C1-C2;~2	Max	I	1182.0	8.8	0.0 1342.2
86.2	14371.2			J	1182.0	8.8	0.0 1342.2
-17.2	-5763.9		Min	I	-406.0	-23.9	-0.1 -523.2
-6.6	-4349.2			J	-406.0	-23.9	-0.1 -523.2
51.1	2935.0	C3-C4;~2	Max	I	1124.5	9.8	0.0 1294.2
91.9	12508.6			J	1124.5	9.8	0.0 1294.2
-19.2	-6524.7		Min	I	-453.5	-22.8	-0.1 -584.0
-7.3	-4817.3			J	-453.5	-22.8	-0.1 -584.0
-56.1	-5210.3		G1	I	1056.7	-20.7	-0.8 1140.2
-19.2	11090.1			J	1056.7	-20.7	0.7 1140.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
17.1	-2022.6	G2	I	407.1	-8.0	-0.0	434.9
			J	407.1	-8.0	-0.0	434.9
24.3	4271.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	-15.7	0.3	0.0	-13.9
-1.0	-247.7		J	-15.7	0.3	0.0	-13.9
		Q5_pc Y	I	-0.6	0.1	-0.0	-18.5
0.4	1123.3		J	-0.6	0.1	-0.0	-18.5
		Q5_ps X	I	-14.3	0.3	0.0	-12.3
-0.9	-259.9		J	-14.3	0.3	0.0	-12.3
		Q5_ps Y	I	2.6	-0.0	-0.0	-14.1
0.4	1148.3		J	2.6	-0.0	-0.0	-14.1
		INVSLE Max	I	4667.7	-6.8	-1.0	3379.3
142.1	282.9		J	4667.7	-6.8	1.0	3379.3
290.1	50687.4	Min	I	770.7	-87.5	-1.3	-1244.6
-44.3	-24858.5		J	770.7	-87.5	0.7	-1244.6
		INVSLE Max	I	3447.8	-4.6	-0.7	2414.7
106.7	225.1		J	3447.8	-4.6	0.7	2414.7
		Min	I	563.3	-64.4	-0.9	-1007.9
219.2	37229.9		J	563.3	-64.4	0.5	-1007.9
		70 C1-C2;~1 Max	I	2006.7	31.1	0.0	609.4
9831	2		J	2006.7	31.1	0.0	609.4
105.7	24289.5						
		Min	I	-711.7	-10.9	-0.1	-1751.2
108.8	3252.1		J	-711.7	-10.9	-0.1	-1751.2
		C3-C4;~1 Max	I	1925.6	29.9	0.1	694.5
-37.7	-8109.8		J	1925.6	29.9	0.1	694.5
		Min	I	-811.2	-12.5	-0.1	-1709.1
-28.3	-4172.1		J	-811.2	-12.5	-0.1	-1709.1
113.2	21527.3						
92.6	2004.6						
-44.3	-9170.8						
-32.4	-5480.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
66.8	14430.5	C1-C2;~2	Max	I	1183.4	18.3	0.0	328.5
				J	1183.4	18.3	0.0	328.5
66.9	2071.1		Min	I	-383.7	-5.9	-0.1	-1030.9
-19.8	-4377.9			J	-383.7	-5.9	-0.1	-1030.9
-15.2	-2355.7							
72.6	12574.3	C3-C4;~2	Max	I	1125.9	17.5	0.0	366.7
				J	1125.9	17.5	0.0	366.7
55.7	1226.3		Min	I	-428.5	-6.6	-0.0	-999.3
-22.7	-4849.3			J	-428.5	-6.6	-0.0	-999.3
-17.1	-3167.7							
-78.3	11113.6		G1	I	1101.6	17.5	-0.8	-1004.5
				J	1101.6	17.5	0.7	-1004.5
-43.0	-2701.0							
1.5	4281.1		G2	I	424.6	6.8	-0.0	-382.8
				J	424.6	6.8	-0.0	-382.8
22.6	-1055.4							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	-479.5		Q5_pc X	I	-16.1	-0.2	0.0	10.8
				J	-16.1	-0.2	0.0	10.8
-0.8	-284.6							
1.2	1076.4		Q5_pc Y	I	-0.2	-0.0	0.0	14.9
				J	-0.2	-0.0	0.0	14.9
0.9	1104.3							
-0.1	-468.9		Q5_ps X	I	-14.7	-0.2	0.0	9.8
				J	-14.7	-0.2	0.0	9.8
-0.8	-292.7							
1.6	1151.5		Q5_ps Y	I	2.9	0.0	0.0	11.4
				J	2.9	0.0	0.0	11.4
1.0	1144.9							
124.0	50806.3		INVSLU Max	I	4805.9	71.2	-1.0	563.0
				J	4805.9	71.2	1.0	563.0
196.8	-465.6		Min	I	972.7	12.0	-1.2	-2765.5
-90.8	3697.5			J	972.7	12.0	0.7	-2765.5
4.5	-14242.5							
97.4	37312.8		INVSLE Max	I	3552.0	52.5	-0.7	476.2
				J	3552.0	52.5	0.7	476.2
147.3	-453.0							


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-61.5	2560.8		Min	I	714.7	8.6	-0.9	-1987.5	
				J	714.7	8.6	0.6	-1987.5	
4.9	-10510.8								
9832	2	70	C1-C2;~1	Max	I	2004.8	12.9	0.0	325.6
98.6	3249.0				J	2004.8	12.9	0.0	325.6
92.7	4195.6								
			Min	I	-676.4	-4.6	-0.0	-930.9	
-24.7	-4183.4				J	-676.4	-4.6	-0.0	-930.9
-19.3	-12646.2								
			C3-C4;~1	Max	I	1917.3	12.2	0.0	371.3
82.6	2002.2				J	1917.3	12.2	0.0	371.3
83.1	4828.5								
			Min	I	-770.8	-5.2	-0.0	-916.3	
-28.3	-5493.0				J	-770.8	-5.2	-0.0	-916.3
-21.8	-14018.3								
			C1-C2;~2	Max	I	1182.8	7.6	0.0	175.5
60.9	2068.8				J	1182.8	7.6	0.0	175.5
57.9	2254.1								
			Min	I	-364.6	-2.5	-0.0	-548.0	
-13.3	-2361.9				J	-364.6	-2.5	-0.0	-548.0
-10.4	-7190.1								
			C3-C4;~2	Max	I	1121.3	7.1	0.0	196.0
49.9	1224.1				J	1121.3	7.1	0.0	196.0
51.2	2542.8								
			Min	I	-407.1	-2.8	-0.0	-536.4	
-15.0	-3174.7				J	-407.1	-2.8	-0.0	-536.4
-11.5	-8046.1								
			G1	I	1141.7	7.1	-0.7	-534.4	
-48.8	-2710.0				J	1141.7	7.1	0.7	-534.4
-50.6	-8323.0								
			G2	I	441.7	2.7	0.0	-202.9	
20.3	-1058.9				J	441.7	2.7	0.0	-202.9
17.7	-3227.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-16.4	-0.1	0.0	5.3
-0.8	-284.5				J	-16.4	-0.1	0.0	5.3
-1.0	-207.5								
			Q5_pc	Y	I	0.2	-0.0	0.0	8.5
1.0	1104.4				J	0.2	-0.0	0.0	8.5
0.8	1118.2								

MIDAS


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.7	-292.6	Q5_ps X	I	-15.0	-0.1	0.0	4.8	
			J	-15.0	-0.1	0.0	4.8	
-0.9	-223.3							
1.0	1145.0	Q5_ps Y	I	3.0	-0.0	0.0	6.6	
			J	3.0	-0.0	0.0	6.6	
1.0	1145.8							
181.3	-473.1	INVS LU Max	I	4918.8	28.0	-0.9	397.8	
			J	4918.8	28.0	1.0	397.8	
161.0	-6703.8	Min	I	1142.1	3.5	-1.0	-1375.6	
8.0	-14262.9		J	1142.1	3.5	1.0	-1375.6	
4.7	-34159.7							
136.1	-458.0	INVS LE Max	I	3636.1	20.6	-0.7	329.1	
			J	3636.1	20.6	0.8	329.1	
121.8	-4949.4	Min	I	840.8	2.4	-0.7	-983.4	
7.9	-10525.4		J	840.8	2.4	0.7	-983.4	
6.1	-25138.0							
9833	2	70 C1-C2;~1 Max	I	2005.7	0.7	0.0	166.9	
90.6	4193.6		J	2005.7	0.7	0.0	166.9	
104.2	3647.1	Min	I	-651.0	-3.6	-0.0	-46.8	
-18.5	-12641.4		J	-651.0	-3.6	-0.0	-46.8	
-27.8	-10234.5							
81.1	4826.4	C3-C4;~1 Max	I	1916.7	0.8	0.0	164.8	
			J	1916.7	0.8	0.0	164.8	
96.4	4192.7	Min	I	-742.2	-3.3	-0.0	-53.0	
-21.0	-14013.8		J	-742.2	-3.3	-0.0	-53.0	
-31.9	-11788.8							
56.7	2253.1	C1-C2;~2 Max	I	1184.3	0.4	0.0	99.4	
			J	1184.3	0.4	0.0	99.4	
64.3	1958.5	Min	I	-351.0	-2.3	-0.0	-25.3	
-10.0	-7187.3		J	-351.0	-2.3	-0.0	-25.3	
-15.0	-5741.3							
50.0	2541.6	C3-C4;~2 Max	I	1121.7	0.4	0.0	99.5	
			J	1121.7	0.4	0.0	99.5	
58.6	2206.9	Min	I	-392.0	-2.0	-0.0	-28.0	
-11.1	-8043.6		J	-392.0	-2.0	-0.0	-28.0	
-16.8	-6729.3							
-51.8	-8320.3	G1	I	1171.7	-2.1	-0.7	91.8	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-43.2	-6695.1		J	1171.7	-2.1	0.7	91.8
		G2	I	454.0	-0.8	-0.0	35.3
17.3	-3226.2		J	454.0	-0.8	-0.0	35.3
20.8	-2598.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc X	I	-16.1	0.0	-0.0	-1.3
-1.0	-207.5		J	-16.1	0.0	-0.0	-1.3
-0.7	-227.3						
		Q5_pc Y	I	1.0	0.0	-0.0	-1.3
0.8	1118.1		J	1.0	0.0	-0.0	-1.3
0.8	1113.1						
		Q5_ps X	I	-14.7	0.0	-0.0	-1.1
-0.9	-223.3		J	-14.7	0.0	-0.0	-1.1
-0.7	-242.1						
		Q5_ps Y	I	3.6	-0.0	0.0	-0.9
1.0	1145.8		J	3.6	-0.0	0.0	-0.9
0.8	1146.3						
		INVSLE Max	I	5014.7	-3.2	-1.0	259.2
158.2	-6703.7		J	5014.7	-3.2	1.0	259.2
191.7	-4160.8	Min	I	1276.0	-9.3	-1.1	-40.1
5.8	-34150.5		J	1276.0	-9.3	0.9	-40.1
6.5	-27739.2						
		INVSLE Max	I	3708.2	-2.4	-0.7	185.9
119.7	-4949.4		J	3708.2	-2.4	0.7	185.9
144.3	-3058.1	Min	I	941.0	-6.9	-0.8	-35.6
7.0	-25131.4		J	941.0	-6.9	0.7	-35.6
7.2	-20375.3						
9834	2	70 C1-C2;~1 Max	I	1994.2	4.4	0.1	986.3
106.7	3647.0		J	1994.2	4.4	0.1	986.3
70.1	4868.8	Min	I	-625.1	-15.0	-0.0	-324.9
-28.6	-10234.3		J	-625.1	-15.0	-0.0	-324.9
-13.9	-1853.5						
		C3-C4;~1 Max	I	1909.4	5.1	0.1	967.7
98.9	4192.6		J	1909.4	5.1	0.1	967.7
53.5	3232.0	Min	I	-712.9	-14.2	-0.0	-370.0
-32.8	-11788.6						

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
-15.8	-2789.3		J	-712.9	-14.2	-0.0	-370.0
65.7	1958.4	C1-C2;~2 Max	I	1178.4	2.4	0.0	581.4
44.6	2999.8		J	1178.4	2.4	0.0	581.4
-15.4	-5741.1	Min	I	-336.9	-8.9	-0.0	-175.1
-7.5	-1007.5		J	-336.9	-8.9	-0.0	-175.1
60.0	2206.8	C3-C4;~2 Max	I	1118.4	2.7	0.0	567.6
33.2	1934.9		J	1118.4	2.7	0.0	567.6
-17.3	-6729.2	Min	I	-376.5	-8.3	-0.0	-195.4
-8.3	-1563.7		J	-376.5	-8.3	-0.0	-195.4
-41.7	-6695.1	G1	I	1193.1	-8.9	-0.7	580.0
-68.3	338.4		J	1193.1	-8.9	0.8	580.0
21.3	-2598.8	G2	I	462.1	-3.4	0.0	220.3
12.8	116.7		J	462.1	-3.4	0.0	220.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.7	-227.3	Q5_pc X	I	-15.8	0.1	-0.0	-6.0
-0.7	-316.2		J	-15.8	0.1	-0.0	-6.0
0.8	1113.0	Q5_pc Y	I	1.8	0.0	-0.0	-8.9
1.0	1097.3		J	1.8	0.0	-0.0	-8.9
-0.7	-242.1	Q5_ps X	I	-14.4	0.1	-0.0	-5.5
-0.6	-323.7		J	-14.4	0.1	-0.0	-5.5
0.8	1146.3	Q5_ps Y	I	4.1	-0.0	-0.0	-6.6
1.1	1148.8		J	4.1	-0.0	-0.0	-6.6
195.3	-4162.6	INVSLU Max	I	5084.6	-8.7	-0.9	1445.8
113.0	9051.3		J	5084.6	-8.7	1.1	1445.8
5.5	-27740.6	Min	I	1401.6	-35.9	-1.0	-401.3
-4.8	-3262.2		J	1401.6	-35.9	1.0	-401.3
		INVSLE Max	I	3761.8	-6.3	-0.6	1031.7

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
146.9	-3059.5			J	3761.8	-6.3	0.8	1031.7	
85.8	6655.4								
			Min	I	1035.8	-26.5	-0.7	-335.3	
6.4	-20376.3								
				J	1035.8	-26.5	0.7	-335.3	
-1.4	-2319.5								
9835	2	70	C1-C2;~1	Max	I	1976.3	6.5	0.0	1362.5
73.2	4874.0								
				J	1976.3	6.5	0.0	1362.5	
149.0	20344.1								
			Min	I	-586.6	-21.3	-0.1	-449.8	
-14.9	-1850.1								
				J	-586.6	-21.3	-0.1	-449.8	
-8.3	-5004.4								
			C3-C4;~1	Max	I	1894.5	7.4	0.0	1340.5
56.5	3235.4								
				J	1894.5	7.4	0.0	1340.5	
153.2	17649.3								
			Min	I	-668.8	-20.4	-0.2	-512.4	
-16.9	-2785.4								
				J	-668.8	-20.4	-0.2	-512.4	
-16.2	-5688.8								
			C1-C2;~2	Max	I	1170.2	3.5	0.0	802.6
46.4	3003.2								
				J	1170.2	3.5	0.0	802.6	
95.7	12201.7								
			Min	I	-316.2	-12.6	-0.1	-242.4	
-8.0	-1005.7								
				J	-316.2	-12.6	-0.1	-242.4	
-4.0	-2694.7								
			C3-C4;~2	Max	I	1112.3	3.9	0.0	785.9
35.0	1937.0								
				J	1112.3	3.9	0.0	785.9	
98.2	10384.6								
			Min	I	-353.3	-12.0	-0.1	-270.5	
-9.0	-1561.6								
				J	-353.3	-12.0	-0.1	-270.5	
-9.2	-3001.6								
			G1	I	1206.2	-12.8	-0.8	807.2	
-66.5	343.4								
				J	1206.2	-12.8	0.7	807.2	
-16.4	10483.2								
			G2	I	465.7	-5.0	-0.0	306.4	
13.5	118.7								
				J	465.7	-5.0	-0.0	306.4	
25.5	4034.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-15.6	0.2	0.0	-8.2
-0.7	-316.2								
				J	-15.6	0.2	0.0	-8.2	
-1.2	-444.1								
			Q5_pc	Y	I	3.1	0.0	-0.0	-12.0
1.0	1097.3								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.2	1081.1		J	3.1	0.0	-0.0	-12.0
-0.7	-323.8	Q5_ps X	I	-14.3	0.1	0.0	-7.5
-1.2	-441.0		J	-14.3	0.1	0.0	-7.5
1.0	1148.7	Q5_ps Y	I	5.6	-0.0	-0.0	-8.9
3.2	1156.5		J	5.6	-0.0	-0.0	-8.9
117.5	9061.0	INVSLU Max	I	5135.1	-12.8	-1.1	2045.9
323.3	47972.5		J	5135.1	-12.8	0.9	2045.9
-5.9	-3254.3	Min	I	1536.2	-51.8	-1.3	-506.7
90.5	10882.1		J	1536.2	-51.8	0.6	-506.7
89.0	6662.3	INVSLE Max	I	3802.0	-9.3	-0.8	1463.2
245.1	35388.4		J	3802.0	-9.3	0.7	1463.2
-2.3	-2313.9	Min	I	1138.2	-38.2	-1.0	-426.1
73.0	8058.2		J	1138.2	-38.2	0.5	-426.1
9836	2	70 C1-C2;~1 Max	I	1948.8	15.2	0.1	258.6
153.3	20407.5		J	1948.8	15.2	0.1	258.6
78.4	9023.1	Min	I	-547.4	-4.3	-0.1	-912.4
-49.2	-5021.1		J	-547.4	-4.3	-0.1	-912.4
-13.6	-1935.1						
157.2	17719.8	C3-C4;~1 Max	I	1863.2	14.5	0.1	294.9
63.3	6768.0		J	1863.2	14.5	0.1	294.9
-56.6	-5707.4	Min	I	-623.8	-4.9	-0.1	-908.7
-15.6	-2400.0		J	-623.8	-4.9	-0.1	-908.7
93.7	12239.0	C1-C2;~2 Max	I	1155.7	9.0	0.1	139.4
49.6	5514.6		J	1155.7	9.0	0.1	139.4
-26.3	-2703.8	Min	I	-295.1	-2.3	-0.0	-540.7
-7.3	-1000.4		J	-295.1	-2.3	-0.0	-540.7
98.6	10427.9	C3-C4;~2 Max	I	1095.4	8.5	0.1	155.7
39.1	4001.7		J	1095.4	8.5	0.1	155.7
-29.7	-3011.6	Min	I	-329.5	-2.6	-0.0	-535.9
-8.2	-1222.0		J	-329.5	-2.6	-0.0	-535.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-39.5	10519.7	G1	I	1212.2	9.5	-0.7	-586.5
			J	1212.2	9.5	0.8	-586.5
-56.6	3027.5						
		G2	I	468.0	3.7	-0.0	-221.6
16.9	4048.9		J	468.0	3.7	-0.0	-221.6
17.4	1158.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-15.4	-0.1	-0.0	5.2
-0.8	-444.6		J	-15.4	-0.1	-0.0	5.2
-0.6	-347.4						
		Q5_pc Y	I	4.4	0.1	-0.0	6.8
0.3	1080.7		J	4.4	0.1	-0.0	6.8
1.0	1039.6						
		Q5_ps X	I	-14.2	-0.1	-0.0	4.8
-0.7	-441.5		J	-14.2	-0.1	-0.0	4.8
-0.5	-351.7						
		Q5_ps Y	I	7.0	0.1	-0.0	5.1
0.2	1156.4		J	7.0	0.1	-0.0	5.1
0.8	1099.3						
		INVS LU Max	I	5146.7	37.9	-0.7	191.4
298.9	48038.4		J	5146.7	37.9	1.2	191.4
141.6	18982.1						
		Min	I	1646.0	10.6	-1.0	-1450.8
8.8	10838.0		J	1646.0	10.6	0.9	-1450.8
13.0	1689.7						
		INVS LE Max	I	3812.3	28.0	-0.5	174.2
227.3	35434.0		J	3812.3	28.0	0.9	174.2
106.7	13972.5						
		Min	I	1221.2	7.8	-0.8	-1041.3
12.6	8022.2		J	1221.2	7.8	0.7	-1041.3
11.6	1301.9						
9837	2	70 C1-C2;~1 Max	I	1912.5	10.7	0.0	189.5
76.8	9017.0		J	1912.5	10.7	0.0	189.5
91.8	2799.4						
		Min	I	-512.3	-3.0	-0.0	-659.9
-13.2	-1933.4		J	-512.3	-3.0	-0.0	-659.9
-13.7	-3454.4						
		C3-C4;~1 Max	I	1819.4	10.1	0.0	216.2
61.8	6762.1		J	1819.4	10.1	0.0	216.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
79.6	1619.9		Min	I	-583.5	-3.4	-0.0	-653.5
-15.1	-2400.0			J	-583.5	-3.4	-0.0	-653.5
-15.4	-4684.7							
48.7	5511.1	C1-C2;~2	Max	I	1134.8	6.3	0.0	102.1
				J	1134.8	6.3	0.0	102.1
57.5	1695.6		Min	I	-276.2	-1.6	-0.0	-387.5
-7.1	-999.3			J	-276.2	-1.6	-0.0	-387.5
-7.4	-1878.0							
38.2	3998.3	C3-C4;~2	Max	I	1069.8	5.9	0.0	114.1
				J	1069.8	5.9	0.0	114.1
49.2	908.8		Min	I	-308.2	-1.8	-0.0	-385.1
-8.0	-1222.3			J	-308.2	-1.8	-0.0	-385.1
-8.1	-2630.3							
			G1	I	1212.4	6.6	-0.7	-423.0
-57.6	3023.3			J	1212.4	6.6	0.7	-423.0
-49.0	-2169.8							
			G2	I	469.6	2.5	-0.0	-160.2
17.0	1156.4			J	469.6	2.5	-0.0	-160.2
18.4	-846.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-15.1	-0.1	0.0	3.6
-0.6	-347.3			J	-15.1	-0.1	0.0	3.6
-0.8	-278.5							
			Q5_pc Y	I	5.4	0.0	-0.0	5.5
1.0	1039.7			J	5.4	0.0	-0.0	5.5
1.5	1005.4							
			Q5_ps X	I	-14.0	-0.1	0.0	3.3
-0.5	-351.7			J	-14.0	-0.1	0.0	3.3
-0.8	-288.2							
			Q5_ps Y	I	8.0	0.1	-0.0	4.5
0.8	1099.4			J	8.0	0.1	-0.0	4.5
1.8	1054.7							
			INVSLU Max	I	5120.7	26.1	-1.0	171.4
139.2	18972.1			J	5120.7	26.1	1.0	171.4
179.6	1341.1		Min	I	1723.8	6.9	-1.1	-1021.3
13.3	1687.8			J	1723.8	6.9	0.9	-1021.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

32.2	-10572.1							
		INVSLE Max	I	3793.4	19.3	-0.7	151.6	
105.0	13965.4		J	3793.4	19.3	0.7	151.6	
135.9	958.4							
		Min	I	1279.2	5.1	-0.8	-731.2	
11.9	1300.7		J	1279.2	5.1	0.7	-731.2	
26.9	-7732.2							
9838	2	70 C1-C2;~1 Max	I	1885.2	3.9	0.0	40.7	
90.8	2799.4		J	1885.2	3.9	0.0	40.7	
90.1	2334.7							
		Min	I	-492.4	-1.1	-0.0	-136.4	
-13.3	-3454.3		J	-492.4	-1.1	-0.0	-136.4	
-20.9	-5335.8							
		C3-C4;~1 Max	I	1795.5	3.6	0.0	46.6	
78.6	1620.0		J	1795.5	3.6	0.0	46.6	
84.8	1959.3							
		Min	I	-561.2	-1.2	-0.0	-132.1	
-15.0	-4684.6		J	-561.2	-1.2	-0.0	-132.1	
-24.0	-6717.8							
		C1-C2;~2 Max	I	1119.4	2.4	0.0	21.8	
56.8	1695.7		J	1119.4	2.4	0.0	21.8	
56.2	1319.9							
		Min	I	-265.5	-0.6	-0.0	-81.7	
-7.2	-1877.9		J	-265.5	-0.6	-0.0	-81.7	
-11.2	-2929.0							
		C3-C4;~2 Max	I	1056.5	2.2	0.0	24.5	
48.5	908.9		J	1056.5	2.2	0.0	24.5	
52.1	1019.7							
		Min	I	-296.4	-0.6	-0.0	-75.4	
-7.9	-2630.3		J	-296.4	-0.6	-0.0	-75.4	
-12.7	-3797.4							
		G1	I	1213.8	1.9	-0.7	-73.2	
-49.7	-2169.7		J	1213.8	1.9	0.7	-73.2	
-45.9	-3669.1							
		G2	I	470.5	0.7	-0.0	-28.6	
18.1	-846.7		J	470.5	0.7	-0.0	-28.6	
19.7	-1425.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-14.7	-0.0	-0.0	0.6	
-0.8	-278.5		J	-14.7	-0.0	-0.0	0.6	
-0.7	-252.3							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.5	1005.4	Q5_pc Y	I	5.6	0.0	0.0	1.5
0.7	975.9		J	5.6	0.0	0.0	1.5
-0.8	-288.2	Q5_ps X	I	-13.5	-0.0	-0.0	0.4
-0.6	-264.2		J	-13.5	-0.0	-0.0	0.4
1.8	1054.7	Q5_ps Y	I	7.6	0.0	0.0	2.0
0.5	1023.2		J	7.6	0.0	0.0	2.0
177.9	1342.5	INVS LU Max	I	5101.6	8.8	-0.9	16.3
182.2	-2103.4		J	5101.6	8.8	1.0	16.3
32.4	-10570.7	Min	I	1772.6	1.8	-1.0	-233.5
26.8	-16080.8		J	1772.6	1.8	0.9	-233.5
134.7	959.4	INVS LE Max	I	3779.9	6.5	-0.7	15.8
137.8	-1578.5		J	3779.9	6.5	0.8	15.8
27.1	-7731.1	Min	I	1316.0	1.4	-0.8	-169.0
22.8	-11802.1		J	1316.0	1.4	0.7	-169.0
9839	2	70 C1-C2;~1 Max	I	1846.9	1.5	0.0	589.2
90.9	2334.1		J	1846.9	1.5	0.0	589.2
81.6	4379.1	Min	I	-472.4	-6.8	-0.0	-146.7
-21.1	-5338.3		J	-472.4	-6.8	-0.0	-146.7
-12.5	-2302.5						
85.6	1960.0	C3-C4;~1 Max	I	1766.0	1.7	0.0	577.8
63.3	3019.3		J	1766.0	1.7	0.0	577.8
-24.2	-6720.2	Min	I	-538.6	-6.4	-0.0	-166.8
-14.2	-3198.9		J	-538.6	-6.4	-0.0	-166.8
56.7	1319.4	C1-C2;~2 Max	I	1097.5	0.8	0.0	351.2
51.3	2713.2		J	1097.5	0.8	0.0	351.2
-11.4	-2930.4	Min	I	-254.6	-4.1	-0.0	-79.1
-6.8	-1274.7		J	-254.6	-4.1	-0.0	-79.1
52.6	1020.1	C3-C4;~2 Max	I	1040.0	0.9	0.0	342.6
38.9	1825.3		J	1040.0	0.9	0.0	342.6
		Min	I	-284.5	-3.8	-0.0	-88.1


MIDAS

PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-12.8	-3798.8		J	-284.5	-3.8	-0.0	-88.1
-7.5	-1804.1						
		G1	I	1207.6	-4.4	-0.7	374.9
-45.3	-3671.1		J	1207.6	-4.4	0.7	374.9
-57.2	-199.9						
		G2	I	467.8	-1.7	0.0	141.0
19.9	-1426.0		J	467.8	-1.7	0.0	141.0
17.0	-85.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-14.2	0.0	0.0	-3.2
-0.7	-252.3		J	-14.2	0.0	0.0	-3.2
-0.7	-281.6						
		Q5_pc Y	I	5.7	0.0	-0.0	-3.7
0.7	975.9		J	5.7	0.0	-0.0	-3.7
1.4	953.3						
		Q5_ps X	I	-13.0	0.0	0.0	-3.1
-0.6	-264.1		J	-13.0	0.0	0.0	-3.1
-0.7	-291.2						
		Q5_ps Y	I	7.1	0.0	-0.0	-1.7
0.5	1023.2		J	7.1	0.0	-0.0	-1.7
1.5	1007.1						
		INVSLU Max	I	5056.9	-5.3	-0.9	895.5
183.3	-2106.9		J	5056.9	-5.3	1.1	895.5
152.2	6611.6						
		Min	I	1810.9	-16.8	-1.0	-131.7
26.5	-16086.7		J	1810.9	-16.8	1.0	-131.7
20.5	-5334.7						
		INVSLE Max	I	3748.1	-3.9	-0.7	641.3
138.6	-1581.1		J	3748.1	-3.9	0.8	641.3
114.8	4845.0						
		Min	I	1345.6	-12.4	-0.7	-119.1
22.5	-11806.4		J	1345.6	-12.4	0.7	-119.1
17.4	-3877.0						
9840	2	70 C1-C2;~1 Max	I	1802.3	4.1	0.1	1092.0
85.5	4385.1		J	1802.3	4.1	0.1	1092.0
110.7	15928.5						
		Min	I	-437.0	-17.1	-0.1	-283.4
-13.5	-2297.9		J	-437.0	-17.1	-0.1	-283.4
-26.0	-2856.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
67.1	3022.9	C3-C4;~1 Max	I	1722.5	4.7	0.1	1071.9
			J	1722.5	4.7	0.1	1071.9
111.5	13695.6	Min	I	-498.0	-16.5	-0.1	-322.8
-15.3	-3194.0		J	-498.0	-16.5	-0.1	-322.8
-40.3	-3261.9						
53.6	2717.1	C1-C2;~2 Max	I	1073.2	2.2	0.1	649.0
			J	1073.2	2.2	0.1	649.0
70.5	9649.6	Min	I	-235.6	-10.2	-0.1	-152.8
-7.3	-1272.1		J	-235.6	-10.2	-0.1	-152.8
-13.8	-1532.6						
41.1	1827.6	C3-C4;~2 Max	I	1016.6	2.5	0.1	633.3
			J	1016.6	2.5	0.1	633.3
71.1	8152.0	Min	I	-263.0	-9.8	-0.1	-170.4
-8.1	-1801.3		J	-263.0	-9.8	-0.1	-170.4
-22.7	-1715.0						
-54.7	-193.7	G1	I	1186.1	-11.3	-0.7	707.8
			J	1186.1	-11.3	0.7	707.8
-63.4	8750.8						
18.0	-82.8	G2	I	457.8	-4.4	0.0	268.0
			J	457.8	-4.4	0.0	268.0
7.2	3374.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.7	-281.7	Q5_pc X	I	-13.7	0.1	-0.0	-6.1
			J	-13.7	0.1	-0.0	-6.1
-0.7	-372.3						
1.4	953.2	Q5_pc Y	I	7.2	0.0	-0.0	-6.9
			J	7.2	0.0	-0.0	-6.9
3.6	946.6						
-0.7	-291.2	Q5_ps X	I	-12.7	0.1	0.0	-5.7
			J	-12.7	0.1	0.0	-5.7
-0.9	-374.1						
1.5	1007.1	Q5_ps Y	I	9.1	-0.0	-0.0	-4.4
			J	9.1	-0.0	-0.0	-4.4
5.0	1012.3						
158.6	6623.1	INVSLU Max	I	4980.2	-14.7	-0.9	1815.2
			J	4980.2	-14.7	1.1	1815.2
214.2	38934.9						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
20.0	-5324.6		Min	I	1850.1	-44.4	-1.2	-107.2	
				J	1850.1	-44.4	0.8	-107.2	
2.9	11324.0								
		INVSLE	Max	I	3693.6	-10.8	-0.7	1307.6	
119.4	4853.2			J	3693.6	-10.8	0.8	1307.6	
166.1	28743.5								
			Min	I	1376.9	-32.8	-0.9	-115.4	
16.9	-3869.8			J	1376.9	-32.8	0.6	-115.4	
10.0	8417.2								
9841	2	70	C1-C2;~1	Max	I	1741.1	22.0	0.2	320.7
194.7	15871.2			J	1741.1	22.0	0.2	320.7	
58.5	1976.2								
			Min	I	-398.3	-4.8	-0.1	-1381.0	
-53.0	-2843.6			J	-398.3	-4.8	-0.1	-1381.0	
-8.1	-4025.4								
		C3-C4;~1	Max	I	1655.6	20.7	0.2	365.3	
194.7	13628.3			J	1655.6	20.7	0.2	365.3	
45.3	1229.8								
			Min	I	-453.5	-5.4	-0.1	-1348.4	
-60.9	-3247.7			J	-453.5	-5.4	-0.1	-1348.4	
-9.3	-4933.2								
		C1-C2;~2	Max	I	1038.4	13.1	0.1	172.9	
116.4	9614.5			J	1038.4	13.1	0.1	172.9	
37.9	1160.7								
			Min	I	-214.7	-2.6	-0.0	-821.7	
-28.4	-1525.7			J	-214.7	-2.6	-0.0	-821.7	
-4.3	-2260.4								
		C3-C4;~2	Max	I	978.5	12.3	0.1	192.9	
120.2	8110.0			J	978.5	12.3	0.1	192.9	
28.6	634.6								
			Min	I	-239.6	-2.9	-0.0	-796.6	
-32.1	-1707.4			J	-239.6	-2.9	-0.0	-796.6	
-4.9	-2823.5								
		G1		I	1152.2	14.5	-0.6	-940.6	
5.0	8708.1			J	1152.2	14.5	0.8	-940.6	
-70.0	-2722.6								
		G2		I	444.5	5.6	0.0	-357.5	
34.0	3358.1			J	444.5	5.6	0.0	-357.5	
12.7	-1049.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	-13.2	-0.2	-0.0	7.7	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	-372.0			J	-13.2	-0.2	-0.0 7.7
-0.5	-243.5						
-0.6	947.0	Q5_pc	Y	I	8.8	0.1	-0.0 6.1
1.0	877.6			J	8.8	0.1	-0.0 6.1
-0.9	-373.9	Q5_ps	X	I	-12.4	-0.2	-0.0 7.2
-0.4	-251.1			J	-12.4	-0.2	-0.0 7.2
-1.2	1013.1	Q5_ps	Y	I	11.1	0.1	-0.0 3.6
0.8	908.8			J	11.1	0.1	-0.0 3.6
389.9	38845.5	INVSLU	Max	I	4851.7	57.5	-0.6 27.7
106.5	-1852.7			J	4851.7	57.5	1.4 27.7
42.9	11330.4		Min	I	1865.1	20.2	-1.0 -2343.6
13.3	-12760.1			J	1865.1	20.2	1.0 -2343.6
292.7	28680.3	INVSLE	Max	I	3600.0	42.6	-0.4 69.2
81.6	-1440.1			J	3600.0	42.6	1.0 69.2
35.9	8425.0		Min	I	1389.5	15.0	-0.7 -1686.3
12.7	-9402.6			J	1389.5	15.0	0.8 -1686.3
9842	2	70 C1-C2;~1	Max	I	1650.4	10.9	0.0 204.8
52.6	1974.1			J	1650.4	10.9	0.0 204.8
78.2	2812.3		Min	I	-359.0	-2.3	-0.0 -856.9
-6.7	-4033.6			J	-359.0	-2.3	-0.0 -856.9
-6.7	-11068.0						
39.5	1232.8	C3-C4;~1	Max	I	1556.3	10.1	0.0 233.5
66.4	3197.0			J	1556.3	10.1	0.0 233.5
-7.7	-4942.7		Min	I	-408.6	-2.6	-0.0 -849.0
-7.6	-11832.6			J	-408.6	-2.6	-0.0 -849.0
34.4	1159.0	C1-C2;~2	Max	I	984.9	6.5	0.0 110.3
49.7	1515.0			J	984.9	6.5	0.0 110.3
-3.6	-2264.9		Min	I	-193.6	-1.2	-0.0 -509.8
-3.6	-6382.8			J	-193.6	-1.2	-0.0 -509.8
25.2	636.2	C3-C4;~2	Max	I	919.7	6.0	0.0 123.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
41.6	1686.8		J	919.7	6.0	0.0	123.3
		Min	I	-215.9	-1.4	-0.0	-502.0
-4.1	-2828.8		J	-215.9	-1.4	-0.0	-502.0
-4.0	-6868.8						
		G1	I	1100.3	7.0	-0.8	-590.0
-74.1	-2730.1		J	1100.3	7.0	0.7	-590.0
-50.3	-8232.2						
		G2	I	425.8	2.7	-0.0	-223.8
11.1	-1052.5		J	425.8	2.7	-0.0	-223.8
15.4	-3169.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-12.6	-0.1	0.0	4.6
-0.4	-243.5		J	-12.6	-0.1	0.0	4.6
-0.6	-181.2						
		Q5_pc Y	I	9.8	0.0	-0.0	4.9
1.0	877.7		J	9.8	0.0	-0.0	4.9
1.6	851.7						
		Q5_ps X	I	-11.8	-0.1	0.0	4.3
-0.4	-251.0		J	-11.8	-0.1	0.0	4.3
-0.6	-190.8						
		Q5_ps Y	I	12.2	0.1	-0.0	3.7
0.8	908.9		J	12.2	0.1	-0.0	3.7
2.0	863.6						
		INVSLU Max	I	4638.1	27.4	-1.0	99.9
96.9	-1861.1		J	4638.1	27.4	1.0	99.9
144.0	-10211.4						
		Min	I	1835.7	9.0	-1.1	-1380.9
13.6	-12778.4		J	1835.7	9.0	0.9	-1380.9
25.3	-32034.2						
		INVSLE Max	I	3442.1	20.2	-0.7	107.4
74.7	-1446.0		J	3442.1	20.2	0.7	107.4
109.4	-7604.6						
		Min	I	1368.0	6.7	-0.8	-988.9
13.1	-9415.9		J	1368.0	6.7	0.7	-988.9
21.7	-23656.1						
		63 C1-C2;~1 Max	I	1522.7	0.5	0.0	33.1
9843	2		J	1522.7	0.5	0.0	33.1
75.8	2814.2						
		Min	I	-327.5	-1.5	-0.0	-74.7
81.2	2654.0						
-6.1	-11075.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-17.8	-10389.7		J	-327.5	-1.5	-0.0	-74.7
64.0	3199.1	C3-C4;~1 Max	I	1439.3	0.4	0.0	32.1
78.0	3015.9		J	1439.3	0.4	0.0	32.1
-7.0	-11840.5	Min	I	-373.0	-1.3	-0.0	-82.8
-20.5	-11037.6		J	-373.0	-1.3	-0.0	-82.8
48.2	1516.0	C1-C2;~2 Max	I	909.6	0.3	0.0	17.6
50.3	1429.1		J	909.6	0.3	0.0	17.6
-3.3	-6387.3	Min	I	-176.6	-0.9	-0.0	-44.4
-9.6	-6002.8		J	-176.6	-0.9	-0.0	-44.4
40.2	1688.0	C3-C4;~2 Max	I	851.2	0.2	0.0	17.8
47.6	1590.7		J	851.2	0.2	0.0	17.8
-3.6	-6873.5	Min	I	-197.0	-0.8	-0.0	-49.1
-10.8	-6413.8		J	-197.0	-0.8	-0.0	-49.1
-52.0	-8237.9	G1	I	1026.6	-0.7	-0.7	-28.9
-32.2	-7647.3		J	1026.6	-0.7	0.6	-28.9
14.7	-3172.0	G2	I	397.8	-0.3	-0.0	-11.1
19.7	-2937.9		J	397.8	-0.3	-0.0	-11.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.6	-181.1	Q5_pc X	I	-11.4	0.0	0.0	0.2
-0.6	-183.0		J	-11.4	0.0	0.0	0.2
1.6	851.7	Q5_pc Y	I	8.9	-0.0	0.0	1.0
0.6	858.7		J	8.9	-0.0	0.0	1.0
-0.6	-190.8	Q5_ps X	I	-10.7	0.0	-0.0	0.0
-0.5	-191.0		J	-10.7	0.0	-0.0	0.0
2.0	863.6	Q5_ps Y	I	10.4	-0.0	0.0	2.0
0.3	864.5		J	10.4	-0.0	0.0	2.0
		INVSLU Max	I	4321.6	-0.7	-0.8	18.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
140.2	-10205.7			J	4321.6	-0.7	0.9	18.2
164.3	-9318.2							
			Min	I	1741.8	-3.4	-0.9	-140.2
25.5	-32042.1							
				J	1741.8	-3.4	0.8	-140.2
26.0	-29836.1							
			INVSLE Max	I	3208.3	-0.5	-0.6	14.9
106.7	-7599.9							
				J	3208.3	-0.5	0.6	14.9
124.0	-6952.8							
			Min	I	1298.8	-2.5	-0.7	-102.3
22.0	-23661.5							
				J	1298.8	-2.5	0.6	-102.3
21.6	-22036.7							
9844	2	63	C1-C2;~1 Max	I	1419.4	2.5	0.0	751.7
83.0	2654.3							
				J	1419.4	2.5	0.0	751.7
59.1	2100.8							
			Min	I	-303.9	-11.2	-0.0	-159.0
-18.2	-10391.0							
				J	-303.9	-11.2	-0.0	-159.0
-6.9	-2807.6							
			C3-C4;~1 Max	I	1350.2	2.8	0.1	734.1
79.8	3016.2							
				J	1350.2	2.8	0.1	734.1
44.8	1464.0							
			Min	I	-346.4	-10.8	-0.0	-180.6
-20.9	-11038.7							
				J	-346.4	-10.8	-0.0	-180.6
-7.8	-3328.9							
			C1-C2;~2 Max	I	848.6	1.3	0.0	448.5
51.4	1429.3							
				J	848.6	1.3	0.0	448.5
37.4	1302.3							
			Min	I	-163.8	-6.7	-0.0	-85.7
-9.8	-6003.6							
				J	-163.8	-6.7	-0.0	-85.7
-3.7	-1609.5							
			C3-C4;~2 Max	I	799.2	1.5	0.0	436.2
48.7	1590.9							
				J	799.2	1.5	0.0	436.2
27.7	867.0							
			Min	I	-182.9	-6.4	-0.0	-95.4
-11.0	-6414.4							
				J	-182.9	-6.4	-0.0	-95.4
-4.1	-1933.6							
			G1	I	969.7	-7.8	-0.6	502.9
-31.0	-7648.4							
				J	969.7	-7.8	0.7	502.9
-55.7	-1507.9							
			G2	I	375.5	-3.0	0.0	190.1
20.1	-2938.4							
				J	375.5	-3.0	0.0	190.1
12.7	-563.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
-0.6	-183.0	Q5_pc X	I	-10.6	0.1	-0.0	-3.9
-0.5	-242.0		J	-10.6	0.1	-0.0	-3.9
0.6	858.7	Q5_pc Y	I	8.1	-0.0	-0.0	-2.7
1.3	894.0		J	8.1	-0.0	-0.0	-2.7
-0.5	-191.0	Q5_ps X	I	-9.7	0.1	-0.0	-3.9
-0.5	-244.3		J	-9.7	0.1	-0.0	-3.9
0.3	864.5	Q5_ps Y	I	8.7	-0.0	-0.0	-0.1
1.4	901.2		J	8.7	-0.0	-0.0	-0.1
167.0	-9321.9	INVS LU Max	I	4083.9	-10.4	-0.7	1167.6
105.8	755.0		J	4083.9	-10.4	1.0	1167.6
25.6	-29841.7	Min	I	1681.2	-29.5	-0.8	-98.1
13.1	-8184.3		J	1681.2	-29.5	0.9	-98.1
125.9	-6955.6	INVS LE Max	I	3033.6	-7.7	-0.6	835.4
80.5	468.5		J	3033.6	-7.7	0.7	835.4
21.3	-22040.9	Min	I	1255.2	-21.8	-0.6	-101.6
12.0	-6034.0		J	1255.2	-21.8	0.6	-101.6
9845	2	63 C1-C2;~1 Max	I	1334.6	4.3	0.1	1178.3
63.6	2103.6		J	1334.6	4.3	0.1	1178.3
97.9	14749.6		I	-268.8	-19.4	-0.1	-257.8
-7.8	-2800.1	Min	J	-268.8	-19.4	-0.1	-257.8
-31.7	-2687.9						
49.2	1466.9	C3-C4;~1 Max	I	1263.9	4.8	0.1	1156.7
90.2	13191.1		J	1263.9	4.8	0.1	1156.7
-8.9	-3320.8	Min	I	-306.2	-18.7	-0.1	-293.3
-48.8	-3054.9		J	-306.2	-18.7	-0.1	-293.3
40.1	1304.2	C1-C2;~2 Max	I	800.1	2.3	0.0	702.4
61.1	8925.5		J	800.1	2.3	0.0	702.4
-4.2	-1605.1	Min	I	-144.9	-11.5	-0.0	-138.9
-16.6	-1442.4		J	-144.9	-11.5	-0.0	-138.9


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

30.3	869.2	C3-C4; ~2	Max	I	749.8	2.6	0.0	686.2
				J	749.8	2.6	0.0	686.2
56.2	7852.5		Min	I	-161.7	-11.0	-0.1	-154.9
-4.7	-1928.8			J	-161.7	-11.0	-0.1	-154.9
-26.9	-1609.4							
		G1		I	907.3	-13.5	-0.6	802.0
-52.6	-1500.0			J	907.3	-13.5	0.7	802.0
-67.9	9158.3							
		G2		I	349.9	-5.2	0.0	303.8
13.8	-560.0			J	349.9	-5.2	0.0	303.8
2.0	3561.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-9.8	0.1	-0.0	-6.3
-0.6	-242.1			J	-9.8	0.1	-0.0	-6.3
-0.3	-348.1							
		Q5_pc	Y	I	8.8	-0.1	-0.0	-4.2
1.3	894.0			J	8.8	-0.1	-0.0	-4.2
2.7	957.2							
		Q5_ps	X	I	-9.2	0.1	0.0	-6.1
-0.5	-244.3			J	-9.2	0.1	0.0	-6.1
-0.7	-340.3							
		Q5_ps	Y	I	10.0	-0.1	-0.0	-1.5
1.4	901.3			J	10.0	-0.1	-0.0	-1.5
4.5	966.6							
		INVSLE	Max	I	3871.4	-19.5	-0.7	1979.1
113.0	764.1			J	3871.4	-19.5	1.0	1979.1
126.5	38561.0		Min	I	1638.6	-52.4	-0.9	-19.0
12.8	-8168.2			J	1638.6	-52.4	0.8	-19.0
-76.3	12801.9							
		INVSLE	Max	I	2878.8	-14.4	-0.5	1424.0
85.7	474.9			J	2878.8	-14.4	0.8	1424.0
99.5	28451.4		Min	I	1226.1	-38.8	-0.7	-55.2
11.6	-6022.4			J	1226.1	-38.8	0.6	-55.2
-50.3	9498.2							
9846	2	63 C1-C2; ~1	Max	I	1247.6	14.8	0.1	170.2
136.0	14797.0			J	1247.6	14.8	0.1	170.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
48.3	3739.2		Min	I	-233.0	-3.0	-0.1	-858.8
-36.5	-2692.2			J	-233.0	-3.0	-0.1	-858.8
-6.3	-702.0							
148.5	13244.5	C3-C4;~1	Max	I	1168.5	14.2	0.2	193.7
				J	1168.5	14.2	0.2	193.7
37.7	2666.3		Min	I	-265.1	-3.4	-0.0	-838.3
-40.5	-3059.4			J	-265.1	-3.4	-0.0	-838.3
-7.3	-984.3							
79.8	8954.0	C1-C2;~2	Max	I	749.7	8.9	0.1	91.7
				J	749.7	8.9	0.1	91.7
31.3	2389.0		Min	I	-125.6	-1.6	-0.0	-514.5
-18.8	-1444.7			J	-125.6	-1.6	-0.0	-514.5
-3.4	-375.2							
87.3	7886.9	C3-C4;~2	Max	I	694.5	8.5	0.1	102.3
				J	694.5	8.5	0.1	102.3
23.8	1649.2		Min	I	-140.1	-1.8	-0.0	-498.1
-21.2	-1611.8			J	-140.1	-1.8	-0.0	-498.1
-3.8	-534.3							
-9.4	9179.2	G1		I	840.0	10.4	-0.6	-597.5
				J	840.0	10.4	0.7	-597.5
-60.1	991.7							
25.1	3569.6	G2		I	323.8	4.0	0.0	-225.4
				J	323.8	4.0	0.0	-225.4
10.8	375.6							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.9	-348.2	Q5_pc	X	I	-9.0	-0.2	-0.0	4.4
				J	-9.0	-0.2	-0.0	4.4
-0.3	-217.7							
-0.2	957.3	Q5_pc	Y	I	9.5	0.3	-0.0	2.1
				J	9.5	0.3	-0.0	2.1
0.7	712.9							
-0.6	-340.6	Q5_ps	X	I	-8.6	-0.1	-0.0	4.3
				J	-8.6	-0.1	-0.0	4.3
-0.3	-222.3							
-1.4	967.6	Q5_ps	Y	I	11.3	0.3	-0.0	0.6
				J	11.3	0.3	-0.0	0.6


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.4	738.7							
327.8	38592.6	INVSLE	Max	I	3633.6	40.5	-0.5	-44.3
63.1	7522.4			J	3633.6	40.5	1.2	-44.3
71.1	12763.2		Min	I	1574.3	15.3	-0.8	-1473.3
-13.2	-137.6			J	1574.3	15.3	0.9	-1473.3
247.4	28474.0	INVSLE	Max	I	2704.1	29.9	-0.4	2.2
48.8	5510.7			J	2704.1	29.9	0.9	2.2
57.3	9468.8		Min	I	1180.0	11.3	-0.6	-1055.7
-7.6	-68.2			J	1180.0	11.3	0.7	-1055.7
9847	2	63 C1-C2;~1	Max	I	1151.2	8.0	0.0	110.7
45.3	3729.8			J	1151.2	8.0	0.0	110.7
65.1	1080.9		Min	I	-201.2	-1.8	-0.0	-513.4
-5.7	-702.1			J	-201.2	-1.8	-0.0	-513.4
-4.4	-4988.4							
34.8	2656.9	C3-C4;~1	Max	I	1061.7	7.9	0.0	126.2
52.1	1216.0			J	1061.7	7.9	0.0	126.2
-6.5	-984.7		Min	I	-228.7	-2.0	-0.0	-512.9
-5.3	-5572.9			J	-228.7	-2.0	-0.0	-512.9
29.5	2383.3	C1-C2;~2	Max	I	692.6	4.8	0.0	59.6
41.1	576.4			J	692.6	4.8	0.0	59.6
-3.1	-375.4		Min	I	-108.5	-1.0	-0.0	-307.1
-2.2	-2927.0			J	-108.5	-1.0	-0.0	-307.1
22.0	1643.6	C3-C4;~2	Max	I	631.0	4.7	0.0	66.6
32.4	637.1			J	631.0	4.7	0.0	66.6
-3.5	-534.7		Min	I	-120.8	-1.1	-0.0	-304.5
-2.6	-3277.7			J	-120.8	-1.1	-0.0	-304.5
-62.3	983.6		G1	I	770.5	5.8	-0.6	-367.7
-54.1	-3575.3			J	770.5	5.8	0.6	-367.7
10.0	372.5		G2	I	298.3	2.3	-0.0	-138.5
11.7	-1420.3			J	298.3	2.3	-0.0	-138.5

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	I	-8.1	-0.1	0.0
-0.3	-217.6			J	-8.1	-0.1	0.0
-0.5	-124.6						
			Q5_pc Y	I	9.5	0.3	-0.0
0.7	712.9			J	9.5	0.3	-0.0
1.5	509.7						
			Q5_ps X	I	-7.9	-0.1	0.0
-0.3	-222.3			J	-7.9	-0.1	0.0
-0.6	-141.0						
			Q5_ps Y	I	11.7	0.2	-0.0
0.5	738.7			J	11.7	0.2	-0.0
2.0	564.4						
			INVSLE Max	I	3364.7	21.3	-0.9
58.0	7503.7			J	3364.7	21.3	0.9
104.0	-4153.9		Min	I	1484.7	7.3	-0.9
-13.2	-143.9			J	1484.7	7.3	0.8
6.2	-14236.5						
			INVSLE Max	I	2505.0	15.7	-0.6
45.2	5497.3			J	2505.0	15.7	0.6
79.8	-3053.8		Min	I	1113.7	5.3	-0.7
-7.5	-72.6			J	1113.7	5.3	0.6
7.6	-10454.4						
9848	2	63	C1-C2;~1 Max	I	1049.4	1.8	0.0
64.1	1080.5			J	1049.4	1.8	0.0
52.1	1756.9		Min	I	-185.8	-1.2	-0.0
-4.2	-4986.5			J	-185.8	-1.2	-0.0
-10.6	-5909.7						
			C3-C4;~1 Max	I	973.6	2.0	0.0
51.1	1215.6			J	973.6	2.0	0.0
50.5	1749.4		Min	I	-211.4	-1.2	-0.0
-5.4	-5571.2			J	-211.4	-1.2	-0.0
-12.2	-6786.7						
			C1-C2;~2 Max	I	632.2	1.1	0.0
40.5	576.1			J	632.2	1.1	0.0
33.2	993.3		Min	I	-100.1	-0.7	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.1	-2925.9		J	-100.1	-0.7	-0.0	-27.8
-5.7	-3416.8						
31.8	636.8	C3-C4;~2 Max	I	579.3	1.2	0.0	29.5
31.6	993.2		J	579.3	1.2	0.0	29.5
-2.7	-3276.8	Min	I	-111.7	-0.7	-0.0	-33.2
-6.4	-3950.5		J	-111.7	-0.7	-0.0	-33.2
-54.9	-3573.8	G1	I	710.0	0.8	-0.6	-6.8
-52.3	-4242.4		J	710.0	0.8	0.6	-6.8
11.4	-1419.7	G2	I	275.4	0.4	-0.0	-3.1
12.4	-1713.0		J	275.4	0.4	-0.0	-3.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.5	-124.6	Q5_pc X	I	-7.3	-0.1	-0.0	-0.1
-0.3	-69.1		J	-7.3	-0.1	-0.0	-0.1
1.5	509.7	Q5_pc Y	I	7.7	0.2	0.0	1.7
0.1	338.3		J	7.7	0.2	0.0	1.7
-0.6	-141.0	Q5_ps X	I	-6.9	-0.1	-0.0	-0.4
-0.2	-96.0		J	-6.9	-0.1	-0.0	-0.4
2.1	564.4	Q5_ps Y	I	8.8	0.2	0.0	3.3
-0.3	432.1		J	8.8	0.2	0.0	3.3
102.4	-4151.7	INVSLU Max	I	3097.6	3.7	-0.8	64.1
78.5	-4218.8		J	3097.6	3.7	0.9	64.1
5.9	-14231.3	Min	I	1381.7	-1.0	-0.9	-95.4
-8.9	-16361.6		J	1381.7	-1.0	0.8	-95.4
78.7	-3052.1	INVSLE Max	I	2307.5	2.6	-0.6	48.4
60.8	-3019.7		J	2307.5	2.6	0.7	48.4
7.4	-10450.6	Min	I	1037.5	-0.8	-0.7	-69.4
-3.9	-11969.2		J	1037.5	-0.8	0.6	-69.4


MIDAS

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
9849	2	63 C1-C2;~1 Max	I	936.1	0.8	0.0	507.9
53.2	1756.9		J	936.1	0.8	0.0	507.9
52.0	3251.0						
-10.8	-5910.5	Min	I	-170.2	-6.3	-0.0	-82.5
-3.7	-3005.6		J	-170.2	-6.3	-0.0	-82.5
		C3-C4;~1 Max	I	878.6	0.9	0.0	494.2
51.6	1749.4		J	878.6	0.9	0.0	494.2
36.6	2895.7						
-12.4	-6787.3	Min	I	-193.9	-5.5	-0.0	-93.5
-4.2	-4049.5		J	-193.9	-5.5	-0.0	-93.5
		C1-C2;~2 Max	I	564.9	0.4	0.0	306.2
33.8	993.3		J	564.9	0.4	0.0	306.2
33.1	1992.9						
-5.8	-3417.3	Min	I	-91.7	-3.9	-0.0	-44.5
-2.0	-1664.7		J	-91.7	-3.9	-0.0	-44.5
		C3-C4;~2 Max	I	523.5	0.5	0.0	296.9
32.2	993.2		J	523.5	0.5	0.0	296.9
22.7	1781.4						
-6.5	-3950.9	Min	I	-102.4	-3.3	-0.0	-49.4
-2.2	-2292.6		J	-102.4	-3.3	-0.0	-49.4
		G1	I	642.3	-3.7	-0.6	332.2
-51.5	-4243.0		J	642.3	-3.7	0.7	332.2
-61.7	-1297.9						
		G2	I	249.0	-1.4	0.0	123.9
12.7	-1713.3		J	249.0	-1.4	0.0	123.9
10.4	-613.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-6.3	-0.0	0.0	-2.4
-0.3	-69.1		J	-6.3	-0.0	0.0	-2.4
-0.4	-47.1						
		Q5_pc Y	I	5.7	0.2	-0.0	-0.2
0.1	338.3		J	5.7	0.2	-0.0	-0.2
1.2	190.1						
		Q5_ps X	I	-5.8	-0.0	0.0	-2.7
-0.2	-96.0		J	-5.8	-0.0	0.0	-2.7
-0.4	-82.4						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.3	432.1	Q5_ps Y	I	5.7	0.1	-0.0	2.5
			J	5.7	0.1	-0.0	2.5
1.4	327.3						
80.0	-4220.6	INVS LU Max	I	2805.6	-6.6	-0.8	749.1
			J	2805.6	-6.6	0.9	749.1
73.2	3951.7	Min	I	1268.7	-16.7	-0.9	-66.9
-9.1	-16364.3		J	1268.7	-16.7	0.8	-66.9
-4.7	-6246.2						
61.9	-3021.0	INVS LE Max	I	2092.1	-5.0	-0.6	531.9
			J	2092.1	-5.0	0.7	531.9
56.7	3116.8	Min	I	954.6	-12.4	-0.7	-72.3
-4.1	-11971.3		J	954.6	-12.4	0.6	-72.3
-0.9	-4411.8						
9850	2	63 C1-C2;~1 Max	I	823.2	1.8	0.1	787.8
54.9	3256.0		J	823.2	1.8	0.1	787.8
80.2	10443.3	Min	I	-138.6	-11.6	-0.1	-140.8
-4.2	-3002.7		J	-138.6	-11.6	-0.1	-140.8
-46.0	-956.6						
39.4	2898.3	C3-C4;~1 Max	I	765.9	2.0	0.1	773.2
			J	765.9	2.0	0.1	773.2
75.2	8183.0	Min	I	-157.7	-10.6	-0.1	-160.0
-4.8	-4046.7		J	-157.7	-10.6	-0.1	-160.0
-66.9	-1189.6						
34.9	1996.0	C1-C2;~2 Max	I	498.8	1.0	0.1	473.7
			J	498.8	1.0	0.1	473.7
49.1	6505.3	Min	I	-74.6	-7.0	-0.0	-75.9
-2.3	-1663.0		J	-74.6	-7.0	-0.0	-75.9
-24.0	-475.7						
24.4	1782.9	C3-C4;~2 Max	I	457.9	1.1	0.1	462.6
			J	457.9	1.1	0.1	462.6
46.3	4942.9	Min	I	-83.2	-6.3	-0.0	-84.5
-2.5	-2291.0		J	-83.2	-6.3	-0.0	-84.5
-36.4	-571.1						
-59.7	-1293.3	G1	I	554.0	-7.5	-0.6	534.8
			J	554.0	-7.5	0.7	534.8
-88.6	4606.4						
11.2	-611.5	G2	I	213.5	-2.8	0.0	200.4

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-7.0	1631.0		J	213.5	-2.8	0.0	200.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.4	-47.1	Q5_pc X	I	-5.6	0.0	-0.0	-3.6
-0.3	-51.9		J	-5.6	0.0	-0.0	-3.6
1.2	190.2	Q5_pc Y	I	6.3	0.2	-0.0	-1.8
3.0	57.4		J	6.3	0.2	-0.0	-1.8
-0.4	-82.5	Q5_ps X	I	-5.2	0.0	0.0	-3.8
-0.8	-92.6		J	-5.2	0.0	0.0	-3.8
1.4	327.4	Q5_ps Y	I	6.8	0.1	-0.0	0.8
5.1	234.8		J	6.8	0.1	-0.0	0.8
77.8	3960.0	INVS LU Max	I	2482.4	-13.2	-0.6	1261.2
32.9	26304.6		J	2482.4	-13.2	1.1	1261.2
-4.9	-6240.9	Min	I	1146.8	-31.9	-0.9	-24.9
-171.1	10497.1		J	1146.8	-31.9	0.9	-24.9
60.0	3122.7	INVS LE Max	I	1854.5	-10.0	-0.5	900.6
29.6	19800.6		J	1854.5	-10.0	0.8	900.6
-1.1	-4408.2	Min	I	866.0	-23.8	-0.6	-51.6
-121.1	8099.0		J	866.0	-23.8	0.6	-51.6
9851	2	63 C1-C2;~1 Max	I	706.0	9.3	0.2	97.4
124.7	10504.9		J	706.0	9.3	0.2	97.4
22.2	3810.6	Min	I	-105.4	-0.9	-0.1	-315.6
-41.3	-963.5		J	-105.4	-0.9	-0.1	-315.6
-12.4	-569.4						
145.9	8245.2	C3-C4;~1 Max	I	641.7	7.1	0.2	86.6
14.8	3189.5		J	641.7	7.1	0.2	86.6
-37.5	-1199.5	Min	I	-119.7	-1.6	-0.0	-314.1
-10.9	-667.5		J	-119.7	-1.6	-0.0	-314.1
71.7	6540.3	C1-C2;~2 Max	I	429.7	5.7	0.1	59.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
14.8	2452.4		J	429.7	5.7	0.1	59.4
		Min	I	-56.8	-0.4	-0.0	-190.1
-22.0	-478.8		J	-56.8	-0.4	-0.0	-190.1
-7.3	-294.8						
		C3-C4;~2 Max	I	384.9	4.2	0.1	50.8
84.9	4980.0		J	384.9	4.2	0.1	50.8
9.7	1965.5	Min	I	-63.2	-0.8	-0.0	-187.9
-19.4	-575.4		J	-63.2	-0.8	-0.0	-187.9
-6.5	-338.1						
		G1	I	459.0	4.0	-0.5	-224.6
-4.7	4638.1		J	459.0	4.0	0.7	-224.6
-72.3	1606.0						
		G2	I	176.8	1.5	0.0	-87.0
25.1	1642.6		J	176.8	1.5	0.0	-87.0
2.5	514.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-4.7	-0.0	-0.0	4.2
-0.6	-51.8		J	-4.7	-0.0	-0.0	4.2
-0.2	-47.3						
		Q5_pc Y	I	6.7	-0.0	-0.0	-9.0
-0.9	56.4		J	6.7	-0.0	-0.0	-9.0
0.7	69.8						
		Q5_ps X	I	-4.7	-0.0	-0.0	3.6
-0.2	-92.7		J	-4.7	-0.0	-0.0	3.6
-0.1	-61.2						
		Q5_ps Y	I	8.1	0.1	-0.0	-7.3
-2.7	235.5		J	8.1	0.1	-0.0	-7.3
0.3	124.4						
		INVSLU Max	I	2128.1	22.8	-0.3	133.5
331.2	26349.9		J	2128.1	22.8	1.3	133.5
-22.6	9723.8	Min	I	1001.3	8.0	-0.7	-440.3
76.9	10447.4		J	1001.3	8.0	1.0	-440.3
-70.6	3552.6						
		INVSLE Max	I	1592.5	17.1	-0.2	123.2
250.3	19833.1		J	1592.5	17.1	1.0	123.2
-14.5	7359.1	Min	I	758.7	6.1	-0.5	-300.7
62.1	8061.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-50.0	2797.2			J	758.7	6.1	0.7	-300.7	
9852	2	63	C1-C2;~1	Max	I	578.6	6.2	0.0	77.7
21.4	3806.0			J	578.6	6.2	0.0	77.7	
86.9	2285.1			Min	I	-75.4	-1.2	-0.1	-180.3
-12.9	-568.2			J	-75.4	-1.2	-0.1	-180.3	
-6.8	-3245.9								
			C3-C4;~1	Max	I	506.3	4.5	0.0	67.1
14.0	3184.9			J	506.3	4.5	0.0	67.1	
64.1	3049.9			Min	I	-85.3	-2.3	-0.1	-198.4
-11.2	-666.1			J	-85.3	-2.3	-0.1	-198.4	
-13.0	-1946.3								
			C1-C2;~2	Max	I	353.1	3.7	0.0	48.2
14.4	2449.7			J	353.1	3.7	0.0	48.2	
53.8	1231.4			Min	I	-40.6	-0.6	-0.1	-103.8
-7.7	-294.2			J	-40.6	-0.6	-0.1	-103.8	
-3.1	-1900.1								
			C3-C4;~2	Max	I	303.7	2.7	0.0	40.2
9.1	1962.9			J	303.7	2.7	0.0	40.2	
39.0	1679.9			Min	I	-45.0	-1.2	-0.0	-113.8
-6.7	-337.3			J	-45.0	-1.2	-0.0	-113.8	
-6.8	-1062.4								
			G1	I	363.4	1.8	-0.6	-125.4	
-73.1	1601.9			J	363.4	1.8	0.6	-125.4	
-39.7	273.3								
			G2	I	141.2	0.6	-0.0	-50.7	
2.2	513.2			J	141.2	0.6	-0.0	-50.7	
13.9	43.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-3.7	0.0	-0.0	3.2
-0.2	-47.3			J	-3.7	0.0	-0.0	3.2	
0.6	-61.5								
			Q5_pc	Y	I	6.2	-0.1	0.0	-7.0
0.7	69.9			J	6.2	-0.1	0.0	-7.0	
-2.5	117.9								
			Q5_ps	X	I	-3.9	-0.0	-0.0	2.4
-0.1	-61.2								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	-49.4		J	-3.9	-0.0	-0.0	2.4
0.2	124.5	Q5_ps Y	I	8.1	0.1	0.0	-4.3
-1.1	59.0		J	8.1	0.1	0.0	-4.3
-23.5	9714.9	INVS LU Max	I	1739.3	13.1	-0.9	174.8
136.0	5264.8		J	1739.3	13.1	0.8	174.8
-71.1	3551.8	Min	I	831.9	1.5	-1.1	-210.7
-3.3	-3446.7		J	831.9	1.5	0.6	-210.7
-15.1	7352.8	INVS LE Max	I	1303.2	9.8	-0.6	147.6
103.6	3946.8		J	1303.2	9.8	0.6	147.6
-50.2	2796.9	Min	I	631.8	1.3	-0.8	-137.0
0.8	-2490.5		J	631.8	1.3	0.4	-137.0
9853	2	63 C1-C2;~1 Max	I	438.4	4.1	0.3	98.8
86.8	2285.5		J	438.4	4.1	0.3	98.8
14.8	3474.9	Min	I	-61.4	-2.2	-0.0	-40.8
-6.9	-3245.4		J	-61.4	-2.2	-0.0	-40.8
-126.4	-5537.8						
64.0	3050.7	C3-C4;~1 Max	I	386.9	2.8	0.2	86.9
28.0	5323.5		J	386.9	2.8	0.2	86.9
-13.2	-1945.9	Min	I	-69.6	-3.5	-0.1	-65.6
-95.9	-3668.3		J	-69.6	-3.5	-0.1	-65.6
53.8	1231.5	C1-C2;~2 Max	I	268.0	2.4	0.2	58.2
6.7	1764.3		J	268.0	2.4	0.2	58.2
-3.1	-1899.7	Min	I	-33.0	-1.2	-0.0	-20.6
-75.3	-3137.9		J	-33.0	-1.2	-0.0	-20.6
39.0	1680.3	C3-C4;~2 Max	I	232.3	1.6	0.1	51.1
14.5	2875.3		J	232.3	1.6	0.1	51.1
-6.9	-1062.1	Min	I	-36.7	-1.9	-0.0	-35.3
-56.2	-1993.9		J	-36.7	-1.9	-0.0	-35.3
-39.9	274.2	G1	I	279.7	-0.3	-0.5	10.8
-130.9	486.9		J	279.7	-0.3	0.7	10.8

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

13.8	43.6	G2	I	109.2	-0.2	0.0	-1.7
-20.3	167.8		J	109.2	-0.2	0.0	-1.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.6	-61.5	Q5_pc X	I	-2.4	0.0	0.0	1.6
-2.9	-91.5		J	-2.4	0.0	0.0	1.6
-2.5	117.9	Q5_pc Y	I	2.6	-0.1	-0.0	-4.7
11.4	189.8		J	2.6	-0.1	-0.0	-4.7
0.3	-49.4	Q5_ps X	I	-2.4	0.0	0.0	0.8
-2.2	-53.6		J	-2.4	0.0	0.0	0.8
-1.1	59.1	Q5_ps Y	I	3.3	0.0	-0.0	-1.2
8.3	23.3		J	3.3	0.0	-0.0	-1.2
136.3	5267.4	INVSLE Max	I	1333.5	6.0	-0.2	183.3
-117.5	8150.1		J	1333.5	6.0	1.4	183.3
-3.3	-3444.5	Min	I	643.1	-4.5	-0.7	-47.2
-346.4	-6854.2		J	643.1	-4.5	1.0	-47.2
103.8	3948.6	INVSLE Max	I	1000.2	4.5	-0.1	139.4
-85.4	5994.5		J	1000.2	4.5	1.1	139.4
0.8	-2488.9	Min	I	489.2	-3.2	-0.5	-30.7
-253.4	-5094.4		J	489.2	-3.2	0.7	-30.7
9854	2	63 C1-C2;~1 Max	I	300.4	3.1	0.1	198.2
14.8	3475.4		J	300.4	3.1	0.1	198.2
536.8	5715.9	Min	I	-48.0	-3.3	-0.9	-29.2
-125.8	-5537.9		J	-48.0	-3.3	-0.9	-29.2
-48.2	-7354.9						
27.8	5324.1	C3-C4;~1 Max	I	272.8	1.9	0.1	197.7
405.6	8536.6		J	272.8	1.9	0.1	197.7
-95.5	-3668.4	Min	I	-54.6	-4.6	-0.7	-27.4
-71.2	-4888.8		J	-54.6	-4.6	-0.7	-27.4

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

6.7	1764.6	C1-C2;~2	Max	I	183.9	1.8	0.0	120.9
				J	183.9	1.8	0.0	120.9
326.2	2919.5		Min	I	-25.8	-1.7	-0.5	-16.9
-75.0	-3138.0			J	-25.8	-1.7	-0.5	-16.9
-22.9	-4115.5							
		C3-C4;~2	Max	I	164.1	1.0	0.1	121.4
14.5	2875.6			J	164.1	1.0	0.1	121.4
240.7	4599.2		Min	I	-28.8	-2.5	-0.4	-13.3
-56.0	-1993.9			J	-28.8	-2.5	-0.4	-13.3
-35.0	-2613.9							
		G1		I	197.6	-1.7	-1.0	104.4
-130.6	487.2			J	197.6	-1.7	0.2	104.4
183.1	1792.1							
		G2		I	77.2	-0.7	-0.2	31.3
-20.2	168.0			J	77.2	-0.7	-0.2	31.3
97.4	714.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-0.7	0.1	-0.0	0.3
-2.9	-91.5			J	-0.7	0.1	-0.0	0.3
10.3	-132.0							
		Q5_pc	Y	I	-2.8	-0.1	0.1	-2.5
11.4	189.8			J	-2.8	-0.1	0.1	-2.5
-42.5	273.4							
		Q5_ps	X	I	-0.5	0.0	-0.0	-0.4
-2.2	-53.6			J	-0.5	0.0	-0.0	-0.4
8.0	-67.5							
		Q5_ps	Y	I	-2.8	0.0	0.1	0.9
8.3	23.3			J	-2.8	0.0	0.1	0.9
-32.3	-1.4							
		INVSLU	Max	I	920.1	1.6	-1.3	263.6
-117.6	8150.8			J	920.1	1.6	0.3	263.6
1142.4	14582.6		Min	I	435.8	-9.0	-2.8	-47.9
-345.6	-6854.4			J	435.8	-9.0	-1.2	-47.9
245.1	-7362.8							
		INVSLE	Max	I	690.0	1.3	-1.0	187.0
-85.4	5995.0			J	690.0	1.3	0.2	187.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
843.4	10686.6		Min	I	331.6	-6.6	-2.1	-43.4	
-252.8	-5094.7			J	331.6	-6.6	-0.9	-43.4	
184.4	-5532.9								
9855	2	63	C1-C2;~1	Max	I	85.4	3.0	1.9	189.9
537.4	5716.5			J	85.4	3.0	1.9	189.9	
83.8	8573.5		Min	I	-28.8	-4.3	-0.2	-42.1	
-48.3	-7353.8			J	-28.8	-4.3	-0.2	-42.1	
-913.4	-9409.7								
			C3-C4;~1	Max	I	101.9	1.7	1.5	197.3
406.2	8536.9			J	101.9	1.7	1.5	197.3	
102.4	12517.8		Min	I	-28.9	-5.6	-0.2	-37.3	
-71.3	-4887.8			J	-28.9	-5.6	-0.2	-37.3	
-698.8	-6112.7								
			C1-C2;~2	Max	I	48.5	1.7	1.2	115.5
326.5	2919.9			J	48.5	1.7	1.2	115.5	
41.7	4420.7		Min	I	-15.2	-2.3	-0.1	-26.5	
-23.0	-4114.9			J	-15.2	-2.3	-0.1	-26.5	
-553.3	-5280.5								
			C3-C4;~2	Max	I	58.3	0.9	0.9	120.9
241.1	4599.3			J	58.3	0.9	0.9	120.9	
49.2	6770.9		Min	I	-15.2	-3.1	-0.1	-23.1	
-35.1	-2613.3			J	-15.2	-3.1	-0.1	-23.1	
-412.7	-3234.4								
			G1	I	54.1	-2.5	0.4	121.4	
183.6	1793.1			J	54.1	-2.5	1.6	121.4	
-553.7	3666.1								
			G2	I	21.5	-1.0	0.4	36.4	
97.6	714.9			J	21.5	-1.0	0.4	36.4	
-180.4	1484.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	-1.1	0.1	0.0	-0.4
10.3	-132.1			J	-1.1	0.1	0.0	-0.4	
-15.4	-176.4								
			Q5_pc	Y	I	1.8	-0.1	-0.1	-0.8
-42.5	273.5			J	1.8	-0.1	-0.1	-0.8	
65.9	352.5								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8.0	-67.5	Q5_ps X	I	-0.6	0.0	0.0	-0.8	
-11.9	-83.0		J	-0.6	0.0	0.0	-0.8	
-32.3	-1.3	Q5_ps Y	I	0.0	0.0	-0.1	1.5	
50.2	-37.8		J	0.0	0.0	-0.1	1.5	
1143.1	14582.7	INVS LU Max	I	312.4	-0.5	3.8	247.3	
-791.4	23452.0		J	312.4	-0.5	5.4	247.3	
244.9	-7362.0	Min	I	132.6	-12.2	0.6	-77.2	
2281.2	-6784.7		J	132.6	-12.2	2.2	-77.2	-
843.9	10686.5	INVS LE Max	I	235.9	-0.3	2.8	172.6	
-590.1	17205.3		J	235.9	-0.3	4.0	172.6	
184.2	-5532.4	Min	I	102.9	-9.0	0.4	-67.6	
1684.9	-5145.3		J	102.9	-9.0	1.6	-67.6	-
9856	2	63 C1-C2;~1 Max	I	16.5	0.0	0.1	16.1	
78.7	14.7		J	16.5	0.0	0.1	16.1	
0.0	1.5	Min	I	-83.1	-0.0	-1.3	-15.3	
-848.7	-22.9		J	-83.1	-0.0	-1.3	-15.3	
-0.0	-1.9							
120.8	10.2	C3-C4;~1 Max	I	29.9	0.0	0.2	18.4	
0.0	2.0		J	29.9	0.0	0.2	18.4	
-639.7	-20.8	Min	I	-60.5	-0.0	-1.0	-10.9	
-0.0	-1.3		J	-60.5	-0.0	-1.0	-10.9	
37.1	10.3	C1-C2;~2 Max	I	7.9	0.0	0.1	9.3	
0.0	0.8		J	7.9	0.0	0.1	9.3	
-510.6	-13.8	Min	I	-49.0	-0.0	-0.8	-10.3	
-0.0	-1.1		J	-49.0	-0.0	-0.8	-10.3	
59.9	7.0	C3-C4;~2 Max	I	15.9	0.0	0.1	10.8	
0.0	1.1		J	15.9	0.0	0.1	10.8	
-375.9	-12.5	Min	I	-35.1	-0.0	-0.6	-7.2	
-0.0	-0.8		J	-35.1	-0.0	-0.6	-7.2	
		G1	I	-28.0	-0.0	-1.3	6.2	


MIDAS

PROJECT TITLE :

MIDAS	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-501.1	-10.5		J	-28.0	-0.0	-0.3	6.2
-0.0	0.6						
		G2	I	-10.4	-0.0	-0.2	2.9
-159.3	-3.6		J	-10.4	-0.0	-0.2	2.9
-0.0	0.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-1.5	0.0	-0.0	-0.5
-15.4	0.0		J	-1.5	0.0	-0.0	-0.5
0.0	-0.0						
		Q5_pc Y	I	5.6	-0.0	0.1	1.7
63.8	-0.0		J	5.6	-0.0	0.1	1.7
-0.0	0.1						
		Q5_ps X	I	-1.0	0.0	-0.0	-0.5
-11.8	0.1		J	-1.0	0.0	-0.0	-0.5
0.0	-0.0						
		Q5_ps Y	I	3.4	-0.0	0.1	1.5
47.3	-0.3		J	3.4	-0.0	0.1	1.5
-0.0	0.0						
		INVSLE Max	I	12.5	0.1	-1.7	-1.7
-647.7	50.4		J	12.5	0.1	-0.3	-1.7
-0.0	0.9						
		Min	I	-150.0	0.0	-3.9	-50.2
2071.4	-0.5		J	-150.0	0.0	-2.5	-50.2
-0.0	-4.5						
		INVSLE Max	I	10.2	0.1	-1.3	-3.4
-482.2	39.9		J	10.2	0.1	-0.2	-3.4
-0.0	0.5						
		Min	I	-109.4	0.0	-2.9	-39.2
1528.2	2.2		J	-109.4	0.0	-1.8	-39.2
-0.0	-3.5						
9857	2	69 C1-C2;~1 Max	I	1375.9	35.6	0.2	738.7
286.9	29247.1		J	1375.9	35.6	0.2	738.7
245.9	6606.5						
		Min	I	-721.2	-20.5	-0.3	-1324.6
-74.5	-15549.8		J	-721.2	-20.5	-0.3	-1324.6
-121.3	-5057.8						
		C3-C4;~1 Max	I	1258.9	32.5	0.2	740.8
316.1	24909.2		J	1258.9	32.5	0.2	740.8
211.5	5183.3						
		Min	I	-733.3	-20.9	-0.2	-1251.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-62.1	-15413.3		J	-733.3	-20.9	-0.2	-1251.7
-124.2	-6781.4						
174.7	17934.9	C1-C2;~2 Max	I	849.1	22.0	0.1	418.1
155.2	3950.0		J	849.1	22.0	0.1	418.1
-41.7	-8806.6	Min	I	-409.1	-11.6	-0.2	-828.4
-67.3	-2852.1		J	-409.1	-11.6	-0.2	-828.4
185.2	15009.4	C3-C4;~2 Max	I	767.4	19.8	0.1	417.8
129.4	2962.1		J	767.4	19.8	0.1	417.8
-31.7	-8716.4	Min	I	-415.0	-11.7	-0.1	-772.2
-69.1	-3804.0		J	-415.0	-11.7	-0.1	-772.2
3.6	3636.1	G1	I	239.2	3.6	-0.9	-168.1
-95.0	711.0		J	239.2	3.6	1.1	-168.1
43.5	1300.6	G2	I	85.3	1.2	0.0	-55.1
19.8	294.6		J	85.3	1.2	0.0	-55.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.2	208.7	Q5_pc X	I	-48.1	-1.6	-0.0	179.0
-1.2	1507.4		J	-48.1	-1.6	-0.0	179.0
-1.6	2080.2	Q5_pc Y	I	81.3	2.6	-0.0	-230.1
-0.5	3.2		J	81.3	2.6	-0.0	-230.1
-6.6	279.5	Q5_ps X	I	-43.3	-1.4	-0.0	169.4
-1.5	1459.7		J	-43.3	-1.4	-0.0	169.4
-1.9	2138.7	Q5_ps Y	I	82.1	2.5	-0.0	-220.2
-0.4	67.3		J	82.1	2.5	-0.0	-220.2
525.8	29028.9	INVSLU Max	I	1306.1	27.8	-0.5	2034.6
38.6	16312.5		J	1306.1	27.8	2.2	2034.6
-12.7	-35191.3	Min	I	-1687.5	-53.0	-1.2	-1168.0
-463.2	-4474.5		J	-1687.5	-53.0	1.5	-1168.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
392.3	20322.0	INVSLE Max	I	905.6	18.8	-0.4	1575.4
			J	905.6	18.8	1.6	1575.4
18.5	12262.6	Min	I	-1301.1	-40.7	-0.9	-766.2
-5.8	-26971.2		J	-1301.1	-40.7	1.1	-766.2
-353.0	-2934.1						
9858	2	69 C1-C2;~1 Max	I	1300.3	18.5	0.2	442.5
234.7	6601.9		J	1300.3	18.5	0.2	442.5
192.4	10718.7	Min	I	-775.7	-10.6	-0.1	-816.1
-115.1	-5064.8		J	-775.7	-10.6	-0.1	-816.1
-88.6	-16911.2						
		C3-C4;~1 Max	I	1168.8	16.7	0.2	440.3
200.7	5178.6		J	1168.8	16.7	0.2	440.3
151.1	11410.5	Min	I	-795.5	-10.8	-0.1	-790.3
-118.1	-6788.6		J	-795.5	-10.8	-0.1	-790.3
-113.9	-18234.5						
		C1-C2;~2 Max	I	804.6	11.5	0.1	251.7
148.2	3946.8		J	804.6	11.5	0.1	251.7
122.6	5908.1	Min	I	-436.7	-6.0	-0.0	-508.9
-63.7	-2856.7		J	-436.7	-6.0	-0.0	-508.9
-45.4	-10336.4						
		C3-C4;~2 Max	I	713.7	10.2	0.1	250.8
122.7	2958.7		J	713.7	10.2	0.1	250.8
94.7	6253.0	Min	I	-445.2	-6.1	-0.0	-490.2
-65.5	-3808.5		J	-445.2	-6.1	-0.0	-490.2
-57.6	-10893.3						
		G1	I	70.5	1.8	-0.9	-139.0
-96.7	707.3		J	70.5	1.8	1.1	-139.0
-153.5	-791.3						
		G2	I	20.8	0.7	0.0	-49.2
19.2	293.2		J	20.8	0.7	0.0	-49.2
-8.7	-238.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	I	-41.3	-1.0	-0.0	119.7
0.5	1508.7		J	-41.3	-1.0	-0.0	119.7
8.4	2289.4						
		Q5_pc Y	I	84.3	1.3	-0.0	-142.5


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.6	1.9			J	84.3	1.3	-0.0 -142.5
2.0	-1090.8						
		Q5_ps X		I	-36.6	-0.9	-0.0 114.6
0.1	1460.9			J	-36.6	-0.9	-0.0 114.6
9.1	2182.3						
		Q5_ps Y		I	85.2	1.3	-0.0 -134.8
-2.5	66.0			J	85.2	1.3	-0.0 -134.8
3.5	-1011.3						
		INVSLU Max		I	836.9	14.7	-1.0 1154.5
32.1	16311.8			J	836.9	14.7	1.7 1154.5
-28.4	32850.6		Min	I	-2144.1	-27.2	-1.5 -801.1
-448.8	-4481.0			J	-2144.1	-27.2	1.2 -801.1
-456.8	-11291.0						
		INVSLE Max		I	554.0	10.0	-0.8 898.8
14.4	12262.7			J	554.0	10.0	1.2 898.8
-25.2	25150.3		Min	I	-1642.9	-20.9	-1.1 -530.8
-341.5	-2938.2			J	-1642.9	-20.9	0.9 -530.8
-341.5	-7241.9						
9873	5	3 C1-C2;~1 Max		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0						
		C3-C4;~1 Max		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0						
		C1-C2;~2 Max		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0						
		C3-C4;~2 Max		I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 -0.0
-0.0	-0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0							
1089.3	-0.0	G1	I	0.0	0.0	-10.9	-0.0	-
1089.3	0.0		J	0.0	0.0	10.9	-0.0	-
		G2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.5	-168.1	Q5_pc X	I	2.0	-1.7	-3.5	-907.9	
			J	-2.0	1.7	-3.5	907.9	
-0.5	-168.1							
		Q5_pc Y	I	-0.8	5.0	1.4	2709.2	
-0.2	501.8		J	0.8	-5.0	1.4	-2709.2	
0.2	501.8							
		Q5_ps X	I	1.9	-1.6	-5.2	-1322.8	
0.7	-159.4		J	-1.9	1.6	-5.2	1322.8	
-0.7	-159.4							
		Q5_ps Y	I	-0.7	4.8	2.1	3945.0	
-0.3	475.4		J	0.7	-4.8	2.1	-3945.0	
0.3	475.4							
		INVSLE Max	I	2.8	7.1	-7.0	5917.5	-
1469.4	713.0		J	2.8	7.1	22.4	5917.5	-
1469.4	713.0	Min	I	-2.8	-7.1	-22.4	-5917.5	-
1471.6	-713.0		J	-2.8	-7.1	7.0	-5917.5	-
1471.6	-713.0							
		INVSLE Max	I	1.9	4.8	-5.7	3945.0	-
1088.6	475.4		J	1.9	4.8	16.0	3945.0	-
1088.6	475.4	Min	I	-1.9	-4.8	-16.0	-3945.0	-
1090.0	-475.4		J	-1.9	-4.8	5.7	-3945.0	-
1090.0	-475.4							
9874	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		G1		I	0.0	0.0	-13.3	0.0	-
1632.8	-0.0			J	0.0	0.0	13.3	0.0	-
1632.8	0.0								
		G2		I	0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	2.5	-2.0	-3.7	-1074.3	
0.4	-243.6			J	-2.5	2.0	-3.7	1074.3	
-0.4	-243.6								
		Q5_pc	Y	I	-1.0	6.1	1.5	3302.0	
-0.2	748.7			J	1.0	-6.1	1.5	-3302.0	
0.2	748.7								
		Q5_ps	X	I	2.4	-1.9	-5.4	-1565.2	
0.6	-230.9			J	-2.4	1.9	-5.4	1565.2	
-0.6	-230.9								
		Q5_ps	Y	I	-1.0	5.8	2.2	4808.1	
-0.2	709.3			J	1.0	-5.8	2.2	-4808.1	
0.2	709.3								
		INVSLU	Max	I	3.6	8.7	-9.9	7212.2	-
2203.3	1064.0			J	3.6	8.7	26.1	7212.2	-
2203.3	1064.0		Min	I	-3.6	-8.7	-26.1	-7212.2	-
2205.1	-1064.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2205.1	-1064.0		J	-3.6	-8.7	9.9	-7212.2	-
1632.1	709.3	INVSLE Max	I	2.4	5.8	-7.9	4808.1	-
1632.1	709.3		J	2.4	5.8	18.7	4808.1	-
1633.4	-709.3	Min	I	-2.4	-5.8	-18.7	-4808.1	-
1633.4	-709.3		J	-2.4	-5.8	7.9	-4808.1	-
9886	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
1931.8	-0.0	G1	I	-0.0	0.0	-14.5	0.0	-
1931.8	0.0		J	-0.0	0.0	14.5	0.0	-
-0.0	-0.0	G2	I	-0.0	0.0	-0.0	0.0	
0.0	0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.4	-288.2	Q5_pc X	I	2.7	-2.2	-3.7	-1168.5	
			J	-2.7	2.2	-3.7	1168.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.4	-288.2								
-0.2	885.9	Q5_pc	Y	I	-1.1	6.7	1.5	3591.7	
0.2	885.9			J	1.1	-6.7	1.5	-3591.7	
0.6	-273.2	Q5_ps	X	I	2.6	-2.1	-5.4	-1702.5	
-0.6	-273.2			J	-2.6	2.1	-5.4	1702.5	
-0.2	839.3	Q5_ps	Y	I	-1.0	6.3	2.2	5230.0	
0.2	839.3			J	1.0	-6.3	2.2	-5230.0	
2607.1	1258.9	INVS LU	Max	I	3.9	9.5	-11.5	7845.0	-
2607.1	1258.9			J	3.9	9.5	27.7	7845.0	-
2608.8	-1258.9		Min	I	-3.9	-9.5	-27.7	-7845.0	-
2608.8	-1258.9			J	-3.9	-9.5	11.5	-7845.0	-
1931.3	839.3	INVS LE	Max	I	2.6	6.3	-9.1	5230.0	-
1931.3	839.3			J	2.6	6.3	19.9	5230.0	-
1932.4	-839.3		Min	I	-2.6	-6.3	-19.9	-5230.0	-
1932.4	-839.3			J	-2.6	-6.3	9.1	-5230.0	-
9887	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			G1	I	-0.0	0.0	-14.5	0.0	-
1932.0	-0.0			J	-0.0	0.0	14.5	0.0	-
1932.0	0.0								
			G2	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0			J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	2.7	-2.2	-3.7	-1168.6	
0.4	-288.2			J	-2.7	2.2	-3.7	1168.6	
-0.4	-288.2								
			Q5_pc Y	I	-1.1	6.7	1.5	3591.9	
-0.2	886.0			J	1.1	-6.7	1.5	-3591.9	
0.2	886.0								
			Q5_ps X	I	2.6	-2.1	-5.4	-1702.6	
0.6	-273.2			J	-2.6	2.1	-5.4	1702.6	
-0.6	-273.2								
			Q5_ps Y	I	-1.0	6.3	2.2	5230.3	
-0.2	839.3			J	1.0	-6.3	2.2	-5230.3	
0.2	839.3								
			INVSLU Max	I	3.9	9.5	-11.5	7845.4	-
2607.4	1259.0			J	3.9	9.5	27.7	7845.4	-
2607.4	1259.0								
			Min	I	-3.9	-9.5	-27.7	-7845.4	-
2609.1	-1259.0			J	-3.9	-9.5	11.5	-7845.4	-
2609.1	-1259.0								
			INVSLE Max	I	2.6	6.3	-9.1	5230.3	-
1931.5	839.3			J	2.6	6.3	19.9	5230.3	-
1931.5	839.3								
			Min	I	-2.6	-6.3	-19.9	-5230.3	-
1932.6	-839.3			J	-2.6	-6.3	9.1	-5230.3	-
1932.6	-839.3								
			3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
9901	5			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-14.9	-0.0	-
2046.6	0.0		J	-0.0	0.0	14.9	-0.0	-
2046.6	-0.0							
		G2	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	2.7	-2.3	-3.5	-1260.4	
0.4	-320.0		J	-2.7	2.3	-3.5	1260.4	
-0.4	-320.0							
		Q5_pc Y	I	-1.1	6.9	1.4	3720.0	
-0.1	944.4		J	1.1	-6.9	1.4	-3720.0	
0.1	944.4							
		Q5_ps X	I	2.5	-2.2	-5.1	-1836.3	
0.5	-303.3		J	-2.5	2.2	-5.1	1836.3	
-0.5	-303.3							
		Q5_ps Y	I	-1.0	6.5	2.0	5416.7	
-0.2	894.7		J	1.0	-6.5	2.0	-5416.7	
0.2	894.7							
		INVSLU Max	I	3.8	9.8	-12.6	8125.1	-
2762.1	1342.0		J	3.8	9.8	27.8	8125.1	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

2762.1	1342.0		Min	I	-3.8	-9.8	-27.8	-8125.1	-
2763.6	-1342.0			J	-3.8	-9.8	12.6	-8125.1	-
2763.6	-1342.0								
		INVSLE	Max	I	2.5	6.5	-9.9	5416.7	-
2046.1	894.7			J	2.5	6.5	20.0	5416.7	-
2046.1	894.7		Min	I	-2.5	-6.5	-20.0	-5416.7	-
2047.1	-894.7			J	-2.5	-6.5	9.9	-5416.7	-
2047.1	-894.7								
9902	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		G1		I	-0.0	0.0	-14.9	-0.0	-
2046.7	0.0			J	-0.0	0.0	14.9	-0.0	-
2046.7	0.0								
		G2		I	-0.0	0.0	0.0	-0.0	
0.0	0.0			J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	-326.0	Q5_pc X	I	2.6	-2.4	-3.4	-1284.3	
			J	-2.6	2.4	-3.4	1284.3	
-0.3	-326.0							
-0.1	946.9	Q5_pc Y	I	-1.0	6.9	1.4	3729.7	
			J	1.0	-6.9	1.4	-3729.7	
0.1	946.9							
0.5	-309.1	Q5_ps X	I	2.4	-2.3	-4.9	-1871.1	
			J	-2.4	2.3	-4.9	1871.1	
-0.5	-309.1							
-0.2	897.0	Q5_ps Y	I	-1.0	6.5	2.0	5430.8	
			J	1.0	-6.5	2.0	-5430.8	
0.2	897.0							
2762.3	1345.5	INVS LU Max	I	3.7	9.8	-12.8	8146.2	-
			J	3.7	9.8	27.5	8146.2	-
2762.3	1345.5							
		Min	I	-3.7	-9.8	-27.5	-8146.2	-
2763.8	-1345.5		J	-3.7	-9.8	12.8	-8146.2	-
2763.8	-1345.5							
2046.2	897.0	INVS LE Max	I	2.4	6.5	-10.0	5430.8	-
			J	2.4	6.5	19.9	5430.8	-
2046.2	897.0							
		Min	I	-2.4	-6.5	-19.9	-5430.8	-
2047.2	-897.0		J	-2.4	-6.5	10.0	-5430.8	-
2047.2	-897.0							
9916	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.9	0.0	-
2046.2	-0.0		J	0.0	0.0	14.9	0.0	-
2046.2	-0.0							
		G2	I	0.0	0.0	0.0	-0.0	
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	1.3	-2.9	-1.7	-1567.2	
0.2	-397.8		J	-1.3	2.9	-1.7	1567.2	
-0.2	-397.8							
		Q5_pc Y	I	-0.5	7.1	0.7	3842.7	
-0.1	975.5		J	0.5	-7.1	0.7	-3842.7	
0.1	975.5							
		Q5_ps X	I	1.2	-2.8	-2.5	-2283.1	
0.3	-377.1		J	-1.2	2.8	-2.5	2283.1	
-0.3	-377.1							
		Q5_ps Y	I	-0.5	6.7	1.0	5595.4	
-0.1	924.1		J	0.5	-6.7	1.0	-5595.4	
0.1	924.1							
		INVS LU Max	I	1.9	10.1	-16.4	8393.1	-
2762.1	1386.1		J	1.9	10.1	23.9	8393.1	-
2762.1	1386.1							
		Min	I	-1.9	-10.1	-23.9	-8393.1	-
2762.8	-1386.1		J	-1.9	-10.1	16.4	-8393.1	-
2762.8	-1386.1							
		INVS LE Max	I	1.2	6.7	-12.4	5595.4	-
2046.0	924.1		J	1.2	6.7	17.4	5595.4	-
2046.0	924.1							
		Min	I	-1.2	-6.7	-17.4	-5595.4	-
2046.5	-924.1		J	-1.2	-6.7	12.4	-5595.4	-
2046.5	-924.1							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
9917	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
2046.6	0.0	G1		I	0.0	0.0	-14.9
2046.6	-0.0			J	0.0	0.0	14.9
0.0	0.0	G2		I	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.2	-401.3	Q5_pc	X	I	1.2	-2.9	-1.6
-0.2	-401.3			J	-1.2	2.9	-1.6
-0.1	977.0	Q5_pc	Y	I	-0.5	7.1	0.6
0.1	977.0			J	0.5	-7.1	0.6
0.2	-380.3	Q5_ps	X	I	1.1	-2.8	-2.3
-0.2	-380.3			J	-1.1	2.8	-2.3
-0.1	925.6	Q5_ps	Y	I	-0.5	6.8	0.9
0.1	925.6			J	0.5	-6.8	0.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2762.6	1388.3	INVSLE Max	I	1.7	10.1	-16.7	8405.5	-
			J	1.7	10.1	23.6	8405.5	-
2762.6	1388.3	Min	I	-1.7	-10.1	-23.6	-8405.5	-
2763.3	-1388.3		J	-1.7	-10.1	16.7	-8405.5	-
2763.3	-1388.3							
2046.4	925.6	INVSLE Max	I	1.1	6.8	-12.6	5603.7	-
			J	1.1	6.8	17.2	5603.7	-
2046.4	925.6	Min	I	-1.1	-6.8	-17.2	-5603.7	-
2046.9	-925.6		J	-1.1	-6.8	12.6	-5603.7	-
2046.9	-925.6							
9931	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2269.5	-0.0	G1	I	0.0	0.0	-15.7	0.0	-
			J	0.0	0.0	15.7	0.0	-
2269.5	0.0							
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.0	0.0							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-467.2	Q5_pc X	I	0.1	-3.2	-0.1	-1747.6	
-0.0	-467.2		J	-0.1	3.2	-0.1	1747.6	
0.0	1091.8	Q5_pc Y	I	0.2	7.6	-0.2	4084.2	
-0.0	1091.8		J	-0.2	-7.6	-0.2	-4084.2	
0.0	-442.8	Q5_ps X	I	0.1	-3.1	-0.1	-2545.8	
-0.0	-442.8		J	-0.1	3.1	-0.1	2545.8	
0.0	1034.3	Q5_ps Y	I	0.2	7.2	-0.3	5946.9	
-0.0	1034.3		J	-0.2	-7.2	-0.3	-5946.9	
3063.8	1551.5	INVS LU Max	I	0.2	10.7	-20.8	8920.4	-
3063.8	1551.5		J	0.2	10.7	21.7	8920.4	-
3063.9	-1551.5	Min	I	-0.2	-10.7	-21.7	-8920.4	-
3063.9	-1551.5		J	-0.2	-10.7	20.8	-8920.4	-
2269.5	1034.3	INVS LE Max	I	0.2	7.2	-15.4	5946.9	-
2269.5	1034.3		J	0.2	7.2	16.0	5946.9	-
2269.5	-1034.3	Min	I	-0.2	-7.2	-16.0	-5946.9	-
2269.5	-1034.3		J	-0.2	-7.2	15.4	-5946.9	-
9932	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-15.7	0.0	-
2270.2	-0.0		J	0.0	0.0	15.7	0.0	-
2270.2	0.0							
		G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.1	-3.2	-0.1	-1749.0	
0.0	-467.6		J	-0.1	3.2	-0.1	1749.0	
-0.0	-467.6							
		Q5_pc Y	I	0.3	7.6	-0.4	4082.0	
0.0	1091.4		J	-0.3	-7.6	-0.4	-4082.0	
-0.0	1091.4							
		Q5_ps X	I	0.1	-3.1	-0.2	-2547.9	
0.0	-443.2		J	-0.1	3.1	-0.2	2547.9	
-0.0	-443.2							
		Q5_ps Y	I	0.3	7.2	-0.5	5943.8	
0.1	1034.0		J	-0.3	-7.2	-0.5	-5943.8	
-0.1	1034.0							
		INVSLE Max	I	0.4	10.7	-20.4	8915.7	-
3064.7	1550.9		J	0.4	10.7	22.0	8915.7	-
3064.7	1550.9							
		Min	I	-0.4	-10.7	-22.0	-8915.7	-
3064.9	-1550.9		J	-0.4	-10.7	20.4	-8915.7	-
3064.9	-1550.9							
		INVSLE Max	I	0.3	7.2	-15.2	5943.8	-
2270.2	1034.0		J	0.3	7.2	16.3	5943.8	-
2270.2	1034.0							
		Min	I	-0.3	-7.2	-16.3	-5943.8	-
2270.3	-1034.0		J	-0.3	-7.2	15.2	-5943.8	-
2270.3	-1034.0							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
9945	5							
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2269.9	-0.0	G1	I	-0.0	0.0	-15.7	0.0	-
2269.9	0.0		J	-0.0	0.0	15.7	0.0	-
-0.0	-0.0	G2	I	-0.0	0.0	-0.0	0.0	
0.0	0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.1	-484.8	Q5_pc X	I	0.7	-3.4	-0.9	-1813.4	
-0.1	-484.8		J	-0.7	3.4	-0.9	1813.4	
0.2	1048.2	Q5_pc Y	I	1.8	7.3	-2.2	3920.6	
-0.2	1048.2		J	-1.8	-7.3	-2.2	-3920.6	
0.1	-459.5	Q5_ps X	I	0.7	-3.2	-1.3	-2641.7	
-0.1	-459.5		J	-0.7	3.2	-1.3	2641.7	
0.3	993.0	Q5_ps Y	I	1.7	6.9	-3.3	5708.7	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.3	993.0		J	-1.7	-6.9	-3.3	-5708.7	
3063.9	1489.5	INVS LU Max	I	2.5	10.3	-16.3	8563.1	-
3063.9	1489.5		J	2.5	10.3	26.1	8563.1	-
3064.8	-1489.5	Min	I	-2.5	-10.3	-26.1	-8563.1	-
3064.8	-1489.5		J	-2.5	-10.3	16.3	-8563.1	-
2269.6	993.0	INVS LE Max	I	1.7	6.9	-12.5	5708.7	-
2269.6	993.0		J	1.7	6.9	19.0	5708.7	-
2270.2	-993.0	Min	I	-1.7	-6.9	-19.0	-5708.7	-
2270.2	-993.0		J	-1.7	-6.9	12.5	-5708.7	-
9946	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2270.1	-0.0	G1	I	-0.0	0.0	-15.7	0.0	-
2270.1	0.0		J	-0.0	0.0	15.7	0.0	-
-0.0	-0.0	G2	I	-0.0	0.0	-0.0	0.0	
0.0	0.0		J	-0.0	0.0	-0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.1	-487.2	Q5_pc X	I	0.8	-3.4	-1.0	-1822.2	
			J	-0.8	3.4	-1.0	1822.2	
-0.1	-487.2							
0.2	1042.5	Q5_pc Y	I	1.9	7.2	-2.4	3898.9	
			J	-1.9	-7.2	-2.4	-3898.9	
-0.2	1042.5							
0.1	-461.8	Q5_ps X	I	0.7	-3.2	-1.4	-2654.5	
			J	-0.7	3.2	-1.4	2654.5	
-0.1	-461.8							
0.3	987.6	Q5_ps Y	I	1.8	6.8	-3.5	5677.2	
			J	-1.8	-6.8	-3.5	-5677.2	
-0.3	987.6							
3064.1	1481.3	INVS LU Max	I	2.7	10.3	-16.0	8515.8	-
			J	2.7	10.3	26.4	8515.8	-
3064.1	1481.3	Min	I	-2.7	-10.3	-26.4	-8515.8	-
			J	-2.7	-10.3	16.0	-8515.8	-
3065.1	-1481.3							
3065.1	-1481.3							
2269.7	987.6	INVS LE Max	I	1.8	6.8	-12.3	5677.2	-
			J	1.8	6.8	19.2	5677.2	-
2269.7	987.6	Min	I	-1.8	-6.8	-19.2	-5677.2	-
			J	-1.8	-6.8	12.3	-5677.2	-
2270.4	-987.6							
2270.4	-987.6							
9961	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
2270.5	0.0		G1	I	-0.0	0.0	-15.7	-0.0
				J	-0.0	0.0	15.7	-0.0
2270.5	-0.0							
0.0	0.0		G2	I	-0.0	0.0	0.0	-0.0
				J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.2	-537.7		Q5_pc X	I	1.4	-3.7	-1.7	-2010.9
				J	-1.4	3.7	-1.7	2010.9
-0.2	-537.7							
0.4	917.0		Q5_pc Y	I	3.4	6.4	-4.3	3429.3
				J	-3.4	-6.4	-4.3	-3429.3
-0.4	917.0							
0.2	-509.6		Q5_ps X	I	1.3	-3.5	-2.5	-2929.1
				J	-1.3	3.5	-2.5	2929.1
-0.2	-509.6							
0.6	868.6		Q5_ps Y	I	3.2	6.0	-6.2	4993.2
				J	-3.2	-6.0	-6.2	-4993.2
-0.6	868.6							
3064.2	1303.0		INVSLU Max	I	4.9	9.0	-11.9	7489.8
				J	4.9	9.0	30.5	7489.8
3064.2	1303.0							
3066.0	-1303.0		Min	I	-4.9	-9.0	-30.5	-7489.8
				J	-4.9	-9.0	11.9	-7489.8
3066.0	-1303.0							
2269.9	868.6		INVSLE Max	I	3.2	6.0	-9.5	4993.2
				J	3.2	6.0	21.9	4993.2
2269.9	868.6							
2271.1	-868.6		Min	I	-3.2	-6.0	-21.9	-4993.2
				J	-3.2	-6.0	9.5	-4993.2
2271.1	-868.6							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

9962	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
2270.6	0.0									
2270.6	-0.0									
0.0	0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
0.2	-543.8									
-0.2	-543.8									
0.4	901.9									
-0.4	901.9									
0.2	-515.3									
-0.2	-515.3									

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.6	854.4	Q5_ps Y	I	3.4	5.9	-6.4	4911.1	
-0.6	854.4		J	-3.4	-5.9	-6.4	-4911.1	
3064.4	1281.6	INVSLE Max	I	5.0	8.9	-11.6	7366.6	-
3064.4	1281.6		J	5.0	8.9	30.9	7366.6	-
3066.3	-1281.6	Min	I	-5.0	-8.9	-30.9	-7366.6	-
3066.3	-1281.6		J	-5.0	-8.9	11.6	-7366.6	-
2270.0	854.4	INVSLE Max	I	3.4	5.9	-9.3	4911.1	-
2270.0	854.4		J	3.4	5.9	22.2	4911.1	-
2271.3	-854.4	Min	I	-3.4	-5.9	-22.2	-4911.1	-
2271.3	-854.4		J	-3.4	-5.9	9.3	-4911.1	-
9976	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2273.9	0.0	G1	I	0.0	0.0	-15.7	-0.0	-
2273.9	-0.0		J	0.0	0.0	15.7	-0.0	-
		G2	I	0.0	0.0	0.0	-0.0	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.2	-616.6	Q5_pc X	I	1.8	-4.3	-2.3	-2304.0
-0.2	-616.6		J	-1.8	4.3	-2.3	2304.0
0.6	723.7	Q5_pc Y	I	4.6	5.0	-5.7	2704.5
-0.6	723.7		J	-4.6	-5.0	-5.7	-2704.5
0.3	-584.2	Q5_ps X	I	1.7	-4.0	-3.3	-3355.8
-0.3	-584.2		J	-1.7	4.0	-3.3	3355.8
0.8	685.6	Q5_ps Y	I	4.4	4.7	-8.3	3937.8
-0.8	685.6		J	-4.4	-4.7	-8.3	-3937.8
3068.6	1028.4	INVS LU Max	I	6.5	7.1	-8.7	5906.7
			J	6.5	7.1	33.8	5906.7
3068.6	1028.4						
3071.0	-1028.4	Min	I	-6.5	-7.1	-33.8	-5906.7
3071.0	-1028.4		J	-6.5	-7.1	8.7	-5906.7
2273.1	685.6	INVS LE Max	I	4.4	4.7	-7.4	3937.8
			J	4.4	4.7	24.1	3937.8
2273.1	685.6						
2274.7	-685.6	Min	I	-4.4	-4.7	-24.1	-3937.8
2274.7	-685.6		J	-4.4	-4.7	7.4	-3937.8
9977	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-15.7	-0.0	-
2270.5	0.0							
			J	0.0	0.0	15.7	-0.0	-
2270.5	-0.0							
		G2	I	0.0	0.0	0.0	-0.0	
0.0	0.0							
			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	1.8	-4.3	-2.3	-2302.3	
0.2	-615.6							
			J	-1.8	4.3	-2.3	2302.3	
-0.2	-615.6							
		Q5_pc Y	I	4.6	5.0	-5.7	2702.5	
0.6	722.6							
			J	-4.6	-5.0	-5.7	-2702.5	
-0.6	722.6							
		Q5_ps X	I	1.7	-4.0	-3.3	-3353.3	
0.3	-583.4							
			J	-1.7	4.0	-3.3	3353.3	
-0.3	-583.4							
		Q5_ps Y	I	4.4	4.7	-8.3	3934.8	
0.8	684.5							
			J	-4.4	-4.7	-8.3	-3934.8	
-0.8	684.5							
		INVSLE Max	I	6.5	7.1	-8.7	5902.2	-
3063.9	1026.8							
			J	6.5	7.1	33.7	5902.2	-
3063.9	1026.8							
		Min	I	-6.5	-7.1	-33.7	-5902.2	-
3066.3	-1026.8							
			J	-6.5	-7.1	8.7	-5902.2	-
3066.3	-1026.8							
		INVSLE Max	I	4.4	4.7	-7.4	3934.8	-
2269.7	684.5							
			J	4.4	4.7	24.1	3934.8	-
2269.7	684.5							
		Min	I	-4.4	-4.7	-24.1	-3934.8	-


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2271.3	-684.5			J	-4.4	-4.7	7.4	-3934.8	-
2271.3	-684.5								
9990	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1		I	0.0	0.0	-15.7	0.0
2268.6	-0.0				J	0.0	0.0	15.7	0.0
2268.6	0.0								
			G2		I	0.0	0.0	-0.0	0.0
-0.0	-0.0				J	0.0	0.0	-0.0	0.0
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	X	I	2.1	-4.8	-2.6	-2610.6
0.3	-697.8				J	-2.1	4.8	-2.6	2610.6
-0.3	-697.8								
			Q5_pc	Y	I	5.2	3.6	-6.5	1930.0
0.6	515.9				J	-5.2	-3.6	-6.5	-1930.0
-0.6	515.9								
			Q5_ps	X	I	2.0	-4.6	-3.8	-3802.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.4	-661.1			J	-2.0	4.6	-3.8	3802.0	
-0.4	-661.1								
		Q5_ps	Y	I	4.9	3.4	-9.5	2809.9	
0.9	488.6			J	-4.9	-3.4	-9.5	-2809.9	
-0.9	488.6								
		INVSLE	Max	I	7.4	6.9	-7.0	5703.0	-
3061.2	991.7			J	7.4	6.9	35.4	5703.0	-
3061.2	991.7								
			Min	I	-7.4	-6.9	-35.4	-5703.0	-
3063.9	-991.7			J	-7.4	-6.9	7.0	-5703.0	-
3063.9	-991.7								
		INVSLE	Max	I	4.9	4.6	-6.3	3802.0	-
2267.6	661.1			J	4.9	4.6	25.2	3802.0	-
2267.6	661.1								
			Min	I	-4.9	-4.6	-25.2	-3802.0	-
2269.5	-661.1			J	-4.9	-4.6	6.3	-3802.0	-
2269.5	-661.1								
		3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
9991	5			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		G1		I	0.0	0.0	-15.7	0.0	-
2268.7	-0.0			J	0.0	0.0	15.7	0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2268.7	0.0								
		G2	I	0.0	0.0	-0.0	0.0		
-0.0	-0.0		J	0.0	0.0	-0.0	0.0		
0.0	0.0								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	2.1	-4.9	-2.6	-2632.9		
0.3	-703.8		J	-2.1	4.9	-2.6	2632.9		
-0.3	-703.8								
		Q5_pc Y	I	5.2	3.5	-6.5	1874.5		
0.6	501.0		J	-5.2	-3.5	-6.5	-1874.5		
-0.6	501.0								
		Q5_ps X	I	2.0	-4.6	-3.8	-3834.6		
0.4	-666.8		J	-2.0	4.6	-3.8	3834.6		
-0.4	-666.8								
		Q5_ps Y	I	5.0	3.3	-9.5	2729.1		
0.9	474.6		J	-5.0	-3.3	-9.5	-2729.1		
-0.9	474.6								
		INVS LU Max	I	7.4	6.9	-6.9	5751.8	-	
3061.4	1000.2		J	7.4	6.9	35.5	5751.8	-	
3061.4	1000.2								
		Min	I	-7.4	-6.9	-35.5	-5751.8	-	
3064.1	-1000.2		J	-7.4	-6.9	6.9	-5751.8	-	
3064.1	-1000.2								
		INVS LE Max	I	5.0	4.6	-6.2	3834.6	-	
2267.8	666.8		J	5.0	4.6	25.2	3834.6	-	
2267.8	666.8								
		Min	I	-5.0	-4.6	-25.2	-3834.6	-	
2269.6	-666.8		J	-5.0	-4.6	6.2	-3834.6	-	
2269.6	-666.8								
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0		
10005	5		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1		I	-0.0	0.0	-15.7	0.0
2270.1	-0.0			J	-0.0	0.0	15.7	0.0
2270.1	0.0							
		G2		I	-0.0	0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	2.2	-5.5	-2.7	-2988.1
0.3	-798.9			J	-2.2	5.5	-2.7	2988.1
-0.3	-798.9							
		Q5_pc	Y	I	5.4	1.8	-6.7	991.4
0.6	265.1			J	-5.4	-1.8	-6.7	-991.4
-0.6	265.1							
		Q5_ps	X	I	2.0	-5.2	-3.9	-4351.5
0.4	-757.0			J	-2.0	5.2	-3.9	4351.5
-0.4	-757.0							
		Q5_ps	Y	I	5.1	1.7	-9.8	1443.0
0.9	251.0			J	-5.1	-1.7	-9.8	-1443.0
-0.9	251.0							
		INVSLU	Max	I	7.7	7.9	-6.5	6527.3
3063.3	1135.4			J	7.7	7.9	35.9	6527.3
3063.3	1135.4							
			Min	I	-7.7	-7.9	-35.9	-6527.3
3066.1	-1135.4			J	-7.7	-7.9	6.5	-6527.3
3066.1	-1135.4							
		INVSLE	Max	I	5.1	5.2	-5.9	4351.5
2269.2	757.0							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2269.2	757.0			J	5.1	5.2	25.5	4351.5	-
			Min	I	-5.1	-5.2	-25.5	-4351.5	-
2271.1	-757.0			J	-5.1	-5.2	5.9	-4351.5	-
2271.1	-757.0								
10006	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1	I	-0.0	0.0	-15.7	0.0	-
2270.2	-0.0			J	-0.0	0.0	15.7	0.0	-
2270.2	0.0								
			G2	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.3	-805.8		Q5_pc	X	I	2.2	-5.6	-2.7	-3013.7
				J	-2.2	5.6	-2.7	3013.7	
-0.3	-805.8								
			Q5_pc	Y	I	5.4	1.7	-6.7	927.8
0.6	248.1			J	-5.4	-1.7	-6.7	-927.8	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.6	248.1								
0.4	-763.5	Q5_ps X	I	2.0	-5.3	-3.9	-4388.8		
-0.4	-763.5		J	-2.0	5.3	-3.9	4388.8		
0.9	234.9	Q5_ps Y	I	5.1	1.6	-9.8	1350.4		
-0.9	234.9		J	-5.1	-1.6	-9.8	-1350.4		
3063.4	1145.2	INVS LU Max	I	7.7	7.9	-6.6	6583.1	-	
3063.4	1145.2		J	7.7	7.9	35.9	6583.1	-	
3066.2	-1145.2	Min	I	-7.7	-7.9	-35.9	-6583.1	-	
3066.2	-1145.2		J	-7.7	-7.9	6.6	-6583.1	-	
2269.3	763.5	INVS LE Max	I	5.1	5.3	-6.0	4388.8	-	
2269.3	763.5		J	5.1	5.3	25.5	4388.8	-	
2271.2	-763.5	Min	I	-5.1	-5.3	-25.5	-4388.8	-	
2271.2	-763.5		J	-5.1	-5.3	6.0	-4388.8	-	
10021	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2269.7	0.0	G1	I	-0.0	0.0	-15.7	-0.0	-
			J	-0.0	0.0	15.7	-0.0	-
2269.7	-0.0							
		G2	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	2.0	-6.3	-2.5	-3381.9	
0.2	-904.2		J	-2.0	6.3	-2.5	3381.9	
-0.2	-904.2							
		Q5_pc Y	I	5.0	0.0	-6.2	8.4	
0.6	2.3		J	-5.0	-0.0	-6.2	-8.4	
-0.6	2.3							
		Q5_ps X	I	1.9	-5.9	-3.6	-4924.8	
0.3	-856.6		J	-1.9	5.9	-3.6	4924.8	
-0.3	-856.6							
		Q5_ps Y	I	4.7	0.0	-9.0	11.5	
0.9	2.0		J	-4.7	-0.0	-9.0	-11.5	
-0.9	2.0							
		INVSLE Max	I	7.0	8.9	-7.7	7387.2	-
3062.8	1284.9		J	7.0	8.9	34.7	7387.2	-
3062.8	1284.9							
		Min	I	-7.0	-8.9	-34.7	-7387.2	-
3065.4	-1284.9		J	-7.0	-8.9	7.7	-7387.2	-
3065.4	-1284.9							
		INVSLE Max	I	4.7	5.9	-6.7	4924.8	-
2268.9	856.6		J	4.7	5.9	24.7	4924.8	-
2268.9	856.6							
		Min	I	-4.7	-5.9	-24.7	-4924.8	-
2270.6	-856.6		J	-4.7	-5.9	6.7	-4924.8	-
2270.6	-856.6							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10022	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
2270.4	0.0		G1	I	-0.0	0.0	-15.7	-0.0	-
				J	-0.0	0.0	15.7	-0.0	-
2270.4	-0.0								
0.0	0.0		G2	I	-0.0	0.0	0.0	-0.0	
				J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.2	-910.6		Q5_pc X	I	2.0	-6.3	-2.5	-3405.4	
				J	-2.0	6.3	-2.5	3405.4	
-0.2	-910.6								
0.6	-13.1		Q5_pc Y	I	4.9	-0.1	-6.1	-48.8	
				J	-4.9	0.1	-6.1	48.8	
-0.6	-13.1								
0.3	-862.7		Q5_ps X	I	1.9	-6.0	-3.6	-4959.0	
				J	-1.9	6.0	-3.6	4959.0	
-0.3	-862.7								
0.9	-12.5		Q5_ps Y	I	4.7	-0.1	-8.9	-72.0	
				J	-4.7	0.1	-8.9	72.0	
-0.9	-12.5								
3063.8	1294.0		INVSLU Max	I	7.0	9.0	-7.9	7438.5	-
				J	7.0	9.0	34.6	7438.5	-
3063.8	1294.0								
3066.3	-1294.0		Min	I	-7.0	-9.0	-34.6	-7438.5	-
				J	-7.0	-9.0	7.9	-7438.5	-
3066.3	-1294.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2269.6	862.7	INVSLE Max	I	4.7	6.0	-6.8	4959.0	-
			J	4.7	6.0	24.6	4959.0	-
2269.6	862.7	Min	I	-4.7	-6.0	-24.6	-4959.0	-
2271.3	-862.7		J	-4.7	-6.0	6.8	-4959.0	-
2271.3	-862.7							
10036	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-15.7	-0.0	-
2269.6	0.0		J	0.0	0.0	15.7	-0.0	-
2269.6	-0.0							
		G2	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	1.6	-6.8	-2.0	-3687.3	
0.2	-985.8		J	-1.6	6.8	-2.0	3687.3	
-0.2	-985.8							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.5	-201.4	Q5_pc	Y	I	4.1	-1.4	-5.1	-753.4
				J	-4.1	1.4	-5.1	753.4
-0.5	-201.4							
0.3	-933.9	Q5_ps	X	I	1.5	-6.5	-3.0	-5369.3
				J	-1.5	6.5	-3.0	5369.3
-0.3	-933.9							
0.7	-191.0	Q5_ps	Y	I	3.8	-1.3	-7.4	-1098.0
				J	-3.8	1.3	-7.4	1098.0
-0.7	-191.0							
3062.9	1400.9	INVS LU	Max	I	5.8	9.7	-10.2	8054.0
				J	5.8	9.7	32.3	8054.0
3062.9	1400.9							
3065.0	-1400.9		Min	I	-5.8	-9.7	-32.3	-8054.0
				J	-5.8	-9.7	10.2	-8054.0
3065.0	-1400.9							
2268.9	933.9	INVS LE	Max	I	3.8	6.5	-8.3	5369.3
				J	3.8	6.5	23.1	5369.3
2268.9	933.9							
2270.3	-933.9		Min	I	-3.8	-6.5	-23.1	-5369.3
				J	-3.8	-6.5	8.3	-5369.3
2270.3	-933.9							
10037	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2269.5	0.0	G1	I	0.0	0.0	-15.7	-0.0	-
2269.5	-0.0		J	0.0	0.0	15.7	-0.0	-
0.0	0.0	G2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.2	-991.9	Q5_pc X	I	1.6	-6.9	-2.0	-3710.3	
-0.2	-991.9		J	-1.6	6.9	-2.0	3710.3	
0.5	-216.8	Q5_pc Y	I	4.0	-1.5	-4.9	-811.0	
-0.5	-216.8		J	-4.0	1.5	-4.9	811.0	
0.3	-939.7	Q5_ps X	I	1.5	-6.5	-2.9	-5402.8	
-0.3	-939.7		J	-1.5	6.5	-2.9	5402.8	
0.7	-205.6	Q5_ps Y	I	3.8	-1.4	-7.2	-1181.9	
-0.7	-205.6		J	-3.8	1.4	-7.2	1181.9	
3062.8	1409.5	INVS LU Max	I	5.6	9.8	-10.4	8104.1	-
3062.8	1409.5		J	5.6	9.8	32.0	8104.1	-
3064.8	-1409.5	Min	I	-5.6	-9.8	-32.0	-8104.1	-
3064.8	-1409.5		J	-5.6	-9.8	10.4	-8104.1	-
2268.8	939.7	INVS LE Max	I	3.8	6.5	-8.5	5402.8	-
2268.8	939.7		J	3.8	6.5	22.9	5402.8	-
2270.2	-939.7	Min	I	-3.8	-6.5	-22.9	-5402.8	-
2270.2	-939.7		J	-3.8	-6.5	8.5	-5402.8	-
10050	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		G1	I	0.0	0.0	-15.7	0.0	-
2270.4	-0.0							
			J	0.0	0.0	15.7	0.0	-
2270.4	0.0							
		G2	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0							
			J	0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	1.1	-7.3	-1.4	-3916.5	
0.1	-1047.2							
			J	-1.1	7.3	-1.4	3916.5	
-0.1	-1047.2							
		Q5_pc Y	I	2.8	-2.5	-3.5	-1323.6	
0.3	-353.9							
			J	-2.8	2.5	-3.5	1323.6	
-0.3	-353.9							
		Q5_ps X	I	1.1	-6.9	-2.0	-5702.9	
0.2	-992.1							
			J	-1.1	6.9	-2.0	5702.9	
-0.2	-992.1							
		Q5_ps Y	I	2.7	-2.3	-5.1	-1928.4	
0.5	-335.5							
			J	-2.7	2.3	-5.1	1928.4	
-0.5	-335.5							
		INVSLU Max	I	4.0	10.3	-13.6	8554.4	-
3064.3	1488.1							
			J	4.0	10.3	28.9	8554.4	-
3064.3	1488.1							
		Min	I	-4.0	-10.3	-28.9	-8554.4	-

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


3065.8	-1488.1			J	-4.0	-10.3	13.6	-8554.4	-
3065.8	-1488.1								
		INVSLE	Max	I	2.7	6.9	-10.6	5702.9	-
2269.9	992.1			J	2.7	6.9	20.8	5702.9	-
2269.9	992.1		Min	I	-2.7	-6.9	-20.8	-5702.9	-
2270.9	-992.1			J	-2.7	-6.9	10.6	-5702.9	-
2270.9	-992.1								
10051	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1	I	0.0	0.0	-15.7	0.0	-
2270.2	-0.0			J	0.0	0.0	15.7	0.0	-
2270.2	0.0								
			G2	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	X	I	1.1	-7.3	-1.3	-3930.2
0.1	-1050.8								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.1	-1050.8		J	-1.1	7.3	-1.3	3930.2	
0.3	-363.1	Q5_pc Y	I	2.7	-2.5	-3.4	-1358.0	
-0.3	-363.1		J	-2.7	2.5	-3.4	1358.0	
0.2	-995.5	Q5_ps X	I	1.0	-6.9	-2.0	-5722.8	
-0.2	-995.5		J	-1.0	6.9	-2.0	5722.8	
0.5	-344.2	Q5_ps Y	I	2.6	-2.4	-4.9	-1978.5	
-0.5	-344.2		J	-2.6	2.4	-4.9	1978.5	
3064.1	1493.3	INVS LU Max	I	3.8	10.3	-13.9	8584.2	-
3064.1	1493.3		J	3.8	10.3	28.6	8584.2	-
3065.5	-1493.3	Min	I	-3.8	-10.3	-28.6	-8584.2	-
3065.5	-1493.3		J	-3.8	-10.3	13.9	-8584.2	-
2269.7	995.5	INVS LE Max	I	2.6	6.9	-10.8	5722.8	-
2269.7	995.5		J	2.6	6.9	20.6	5722.8	-
2270.7	-995.5	Min	I	-2.6	-6.9	-20.6	-5722.8	-
2270.7	-995.5		J	-2.6	-6.9	10.8	-5722.8	-
10065	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
2270.5	-0.0		G1	I	-0.0	0.0	-15.7	0.0 -
2270.5	0.0			J	-0.0	0.0	15.7	0.0 -
-0.0	-0.0		G2	I	-0.0	0.0	-0.0	0.0
0.0	0.0			J	-0.0	0.0	-0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.1	-1085.5		Q5_pc X	I	0.5	-7.5	-0.6	-4059.4
-0.1	-1085.5			J	-0.5	7.5	-0.6	4059.4
0.1	-449.1		Q5_pc Y	I	1.2	-3.1	-1.4	-1679.7
-0.1	-449.1			J	-1.2	3.1	-1.4	1679.7
0.1	-1028.3		Q5_ps X	I	0.4	-7.1	-0.8	-5910.9
-0.1	-1028.3			J	-0.4	7.1	-0.8	5910.9
0.2	-425.7		Q5_ps Y	I	1.1	-2.9	-2.1	-2447.0
-0.2	-425.7			J	-1.1	2.9	-2.1	2447.0
3064.9	1542.5		INVSLE Max	I	1.6	10.7	-18.1	8866.4 -
3064.9	1542.5			J	1.6	10.7	24.4	8866.4 -
3065.5	-1542.5		Min	I	-1.6	-10.7	-24.4	-8866.4 -
3065.5	-1542.5			J	-1.6	-10.7	18.1	-8866.4 -
2270.3	1028.3		INVSLE Max	I	1.1	7.1	-13.6	5910.9 -
2270.3	1028.3			J	1.1	7.1	17.8	5910.9 -
2270.7	-1028.3		Min	I	-1.1	-7.1	-17.8	-5910.9 -
2270.7	-1028.3			J	-1.1	-7.1	13.6	-5910.9 -
10066	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3064.6	1544.3		J	1.5	10.7	24.1	8877.4	-
		Min	I	-1.5	-10.7	-24.1	-8877.4	-
3065.2	-1544.3		J	-1.5	-10.7	18.4	-8877.4	-
3065.2	-1544.3		J	-1.5	-10.7	18.4	-8877.4	-
		INVSLE Max	I	1.0	7.1	-13.8	5918.3	-
2270.1	1029.5		J	1.0	7.1	17.6	5918.3	-
2270.1	1029.5		J	1.0	7.1	17.6	5918.3	-
		Min	I	-1.0	-7.1	-17.6	-5918.3	-
2270.5	-1029.5		J	-1.0	-7.1	13.8	-5918.3	-
2270.5	-1029.5		J	-1.0	-7.1	13.8	-5918.3	-
10081	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		G1	I	-0.0	0.0	-15.7	-0.0	-
2270.7	0.0		J	-0.0	0.0	15.7	-0.0	-
2270.7	-0.0		J	-0.0	0.0	15.7	-0.0	-
		G2	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.1	-1085.7	Q5_pc X	I	-0.7	-7.5	0.9	-4060.0	
0.1	-1085.7		J	0.7	7.5	0.9	4060.0	
0.0	-470.1	Q5_pc Y	I	0.3	-3.3	-0.4	-1758.1	
-0.0	-470.1		J	-0.3	3.3	-0.4	1758.1	
-0.1	-1028.5	Q5_ps X	I	-0.7	-7.1	1.3	-5911.7	
0.1	-1028.5		J	0.7	7.1	1.3	5911.7	
0.1	-445.6	Q5_ps Y	I	0.3	-3.1	-0.5	-2561.2	
-0.1	-445.6		J	-0.3	3.1	-0.5	2561.2	
3065.2	1542.7	INVSLE Max	I	1.0	10.7	-19.2	8867.5	-
3065.2	1542.7		J	1.0	10.7	23.2	8867.5	-
3065.6	-1542.7	Min	I	-1.0	-10.7	-23.2	-8867.5	-
3065.6	-1542.7		J	-1.0	-10.7	19.2	-8867.5	-
2270.5	1028.5	INVSLE Max	I	0.7	7.1	-14.4	5911.7	-
2270.5	1028.5		J	0.7	7.1	17.0	5911.7	-
2270.8	-1028.5	Min	I	-0.7	-7.1	-17.0	-5911.7	-
2270.8	-1028.5		J	-0.7	-7.1	14.4	-5911.7	-
10082	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C3-C4 ; ~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			G1	I	-0.0	0.0	-15.7	-0.0	-
2270.3	0.0			J	-0.0	0.0	15.7	-0.0	-
2270.3	-0.0								
			G2	I	-0.0	0.0	0.0	-0.0	
0.0	0.0			J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-0.8	-7.5	1.1	-4050.2	
-0.1	-1082.9			J	0.8	7.5	1.1	4050.2	
0.1	-1082.9								
			Q5_pc Y	I	0.3	-3.3	-0.4	-1761.7	
0.0	-471.1			J	-0.3	3.3	-0.4	1761.7	
-0.0	-471.1								
			Q5_ps X	I	-0.8	-7.1	1.5	-5897.5	
-0.1	-1025.9			J	0.8	7.1	1.5	5897.5	
0.1	-1025.9								
			Q5_ps Y	I	0.3	-3.1	-0.6	-2566.5	
0.1	-446.5			J	-0.3	3.1	-0.6	2566.5	
-0.1	-446.5								
			INVS LU Max	I	1.2	10.7	-18.9	8846.2	-
3064.6	1538.9			J	1.2	10.7	23.5	8846.2	-
3064.6	1538.9		Min	I	-1.2	-10.7	-23.5	-8846.2	-
3065.1	-1538.9			J	-1.2	-10.7	18.9	-8846.2	-
3065.1	-1538.9								
			INVS LE Max	I	0.8	7.1	-14.2	5897.5	-
2270.1	1025.9			J	0.8	7.1	17.3	5897.5	-
2270.1	1025.9		Min	I	-0.8	-7.1	-17.3	-5897.5	-
2270.4	-1025.9			J	-0.8	-7.1	14.2	-5897.5	-
2270.4	-1025.9								
			3 C1-C2 ; ~1 Max	I	0.0	0.0	0.0	0.0	
10096	5			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2270.6	0.0	G1	I	0.0	0.0	-15.7	-0.0	-
			J	0.0	0.0	15.7	-0.0	-
2270.6	-0.0							
0.0	0.0	G2	I	0.0	0.0	0.0	-0.0	
			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.3	-1010.0	Q5_pc X	I	-2.4	-7.0	3.0	-3777.0	
			J	2.4	7.0	3.0	3777.0	
0.3	-1010.0							
0.1	-500.5	Q5_pc Y	I	1.0	-3.5	-1.2	-1871.5	
			J	-1.0	3.5	-1.2	1871.5	
-0.1	-500.5							
-0.4	-956.8	Q5_ps X	I	-2.3	-6.6	4.4	-5499.7	
			J	2.3	6.6	4.4	5499.7	
0.4	-956.8							
0.2	-474.3	Q5_ps Y	I	0.9	-3.3	-1.8	-2726.3	
			J	-0.9	3.3	-1.8	2726.3	
-0.2	-474.3							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

3064.7	1435.2	INVSLE Max	I	3.4	9.9	-14.6	8249.5	-
			J	3.4	9.9	27.8	8249.5	-
3064.7	1435.2	Min	I	-3.4	-9.9	-27.8	-8249.5	-
3066.0	-1435.2		J	-3.4	-9.9	14.6	-8249.5	-
3066.0	-1435.2							
2270.2	956.8	INVSLE Max	I	2.3	6.6	-11.3	5499.7	-
			J	2.3	6.6	20.1	5499.7	-
2270.2	956.8	Min	I	-2.3	-6.6	-20.1	-5499.7	-
2271.0	-956.8		J	-2.3	-6.6	11.3	-5499.7	-
2271.0	-956.8							
10097	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2270.3	0.0	G1	I	0.0	0.0	-15.7	-0.0	-
			J	0.0	0.0	15.7	-0.0	-
2270.3	-0.0							
0.0	0.0	G2	I	0.0	0.0	0.0	-0.0	
			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.3	-1002.1	Q5_pc	X	I	-2.5	-6.9	3.1	-3747.7	
0.3	-1002.1			J	2.5	6.9	3.1	3747.7	
0.1	-503.5	Q5_pc	Y	I	1.0	-3.5	-1.3	-1883.1	
-0.1	-503.5			J	-1.0	3.5	-1.3	1883.1	
-0.4	-949.3	Q5_ps	X	I	-2.4	-6.6	4.6	-5456.9	
0.4	-949.3			J	2.4	6.6	4.6	5456.9	
0.2	-477.2	Q5_ps	Y	I	1.0	-3.3	-1.8	-2743.1	
-0.2	-477.2			J	-1.0	3.3	-1.8	2743.1	
3064.3	1423.9	INVSLE	Max	I	3.6	9.9	-14.3	8185.4	-
3064.3	1423.9			J	3.6	9.9	28.1	8185.4	-
3065.6	-1423.9		Min	I	-3.6	-9.9	-28.1	-8185.4	-
3065.6	-1423.9			J	-3.6	-9.9	14.3	-8185.4	-
2269.9	949.3	INVSLE	Max	I	2.4	6.6	-11.1	5456.9	-
2269.9	949.3			J	2.4	6.6	20.3	5456.9	-
2270.8	-949.3		Min	I	-2.4	-6.6	-20.3	-5456.9	-
2270.8	-949.3			J	-2.4	-6.6	11.1	-5456.9	-
10110	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2266.8	-0.0	G1	I	0.0	0.0	-15.7	0.0	-
2266.8	0.0		J	0.0	0.0	15.7	0.0	-
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0	
0.0	0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.4	-877.6	Q5_pc X	I	-3.7	-6.1	4.6	-3284.9	
0.4	-877.6		J	3.7	6.1	4.6	3284.9	
0.2	-552.0	Q5_pc Y	I	1.5	-3.8	-1.9	-2066.0	
-0.2	-552.0		J	-1.5	3.8	-1.9	2066.0	
-0.6	-831.4	Q5_ps X	I	-3.5	-5.8	6.7	-4782.9	
0.6	-831.4		J	3.5	5.8	6.7	4782.9	
0.3	-523.1	Q5_ps Y	I	1.4	-3.6	-2.7	-3009.4	
-0.3	-523.1		J	-1.4	3.6	-2.7	3009.4	
3059.2	1247.1	INVSLE Max	I	5.3	8.6	-11.1	7174.3	-
3059.2	1247.1		J	5.3	8.6	31.3	7174.3	-
3061.2	-1247.1	Min	I	-5.3	-8.6	-31.3	-7174.3	-
3061.2	-1247.1		J	-5.3	-8.6	11.1	-7174.3	-
2266.1	831.4	INVSLE Max	I	3.5	5.8	-9.0	4782.9	-
2266.1	831.4		J	3.5	5.8	22.5	4782.9	-
2267.4	-831.4	Min	I	-3.5	-5.8	-22.5	-4782.9	-
2267.4	-831.4		J	-3.5	-5.8	9.0	-4782.9	-
10111	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-15.7	0.0	-
2267.1	-0.0		J	0.0	0.0	15.7	0.0	-
2267.1	0.0							
		G2	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-3.8	-6.0	4.7	-3241.5	
-0.5	-866.1		J	3.8	6.0	4.7	3241.5	
0.5	-866.1							
		Q5_pc Y	I	1.5	-3.9	-1.9	-2083.7	
0.2	-556.7		J	-1.5	3.9	-1.9	2083.7	
-0.2	-556.7							
		Q5_ps X	I	-3.6	-5.7	6.9	-4719.8	
-0.7	-820.5		J	3.6	5.7	6.9	4719.8	
0.7	-820.5							
		Q5_ps Y	I	1.4	-3.7	-2.8	-3035.0	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.3	-527.6			J	-1.4	3.7	-2.8	3035.0	
-0.3	-527.6								
3059.6	1230.7	INVS LU	Max	I	5.4	8.5	-10.9	7079.6	-
3059.6	1230.7			J	5.4	8.5	31.6	7079.6	-
3061.6	-1230.7		Min	I	-5.4	-8.5	-31.6	-7079.6	-
3061.6	-1230.7			J	-5.4	-8.5	10.9	-7079.6	-
2266.4	820.5	INVS LE	Max	I	3.6	5.7	-8.8	4719.8	-
2266.4	820.5			J	3.6	5.7	22.6	4719.8	-
2267.8	-820.5		Min	I	-3.6	-5.7	-22.6	-4719.8	-
2267.8	-820.5			J	-3.6	-5.7	8.8	-4719.8	-
10125	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
2266.6	-0.0	G1		I	-0.0	0.0	-15.7	0.0	-
2266.6	0.0			J	-0.0	0.0	15.7	0.0	-
-0.0	-0.0	G2		I	-0.0	0.0	-0.0	0.0	
				J	-0.0	0.0	-0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-4.8	-4.7	5.9	-2545.2
-0.6	-680.0			J	4.8	4.7	5.9	2545.2
0.6	-680.0							
			Q5_pc Y	I	1.9	-4.4	-2.4	-2362.5
0.2	-631.2			J	-1.9	4.4	-2.4	2362.5
-0.2	-631.2							
			Q5_ps X	I	-4.5	-4.5	8.6	-3705.7
-0.8	-644.1			J	4.5	4.5	8.6	3705.7
0.8	-644.1							
			Q5_ps Y	I	1.8	-4.1	-3.5	-3440.9
0.3	-598.1			J	-1.8	4.1	-3.5	3440.9
-0.3	-598.1							
			INVS LU Max	I	6.8	6.7	-8.2	5558.5
3058.6	966.2			J	6.8	6.7	34.2	5558.5
3058.6	966.2							
			Min	I	-6.8	-6.7	-34.2	-5558.5
3061.1	-966.2			J	-6.8	-6.7	8.2	-5558.5
3061.1	-966.2							
			INVS LE Max	I	4.5	4.5	-7.1	3705.7
2265.7	644.1			J	4.5	4.5	24.4	3705.7
2265.7	644.1							
			Min	I	-4.5	-4.5	-24.4	-3705.7
2267.4	-644.1			J	-4.5	-4.5	7.1	-3705.7
2267.4	-644.1							
			3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
10126	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
2267.2	-0.0		G1	I	-0.0	0.0	-15.7	0.0
				J	-0.0	0.0	15.7	0.0
2267.2	0.0							
			G2	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.6	-665.2		Q5_pc X	I	-4.8	-4.6	6.0	-2489.6
				J	4.8	4.6	6.0	2489.6
0.6	-665.2							
			Q5_pc Y	I	1.9	-4.4	-2.4	-2385.3
0.2	-637.3			J	-1.9	4.4	-2.4	2385.3
-0.2	-637.3							
			Q5_ps X	I	-4.6	-4.4	8.7	-3624.7
-0.8	-630.1			J	4.6	4.4	8.7	3624.7
0.8	-630.1							
			Q5_ps Y	I	1.8	-4.2	-3.5	-3474.0
0.3	-603.9			J	-1.8	4.2	-3.5	3474.0
-0.3	-603.9							
			INVS LU Max	I	6.8	6.6	-8.1	5437.1
3059.5	945.2			J	6.8	6.6	34.3	5437.1
3059.5	945.2							
			Min	I	-6.8	-6.6	-34.3	-5437.1
3062.0	-945.2			J	-6.8	-6.6	8.1	-5437.1
3062.0	-945.2							
			INVS LE Max	I	4.6	4.4	-7.0	3624.7
2266.4	630.1			J	4.6	4.4	24.5	3624.7
2266.4	630.1							
			Min	I	-4.6	-4.4	-24.5	-3624.7
2268.1	-630.1			J	-4.6	-4.4	7.0	-3624.7

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2268.1	-630.1							
10141	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0							
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0							
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0							
-0.0	-0.0							
-0.0	-0.0							
2266.8	0.0		G1	I	-0.0	0.0	-15.7	-0.0
2266.8	-0.0			J	-0.0	0.0	15.7	-0.0
0.0	0.0							
-0.0	-0.0							
0.0	0.0							
0.0	0.0							
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0		G2	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
0.0	0.0							
0.0	0.0							
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.6	-428.4		Q5_pc X	I	-5.3	-3.0	6.7	-1603.6
0.6	-428.4			J	5.3	3.0	6.7	1603.6
0.3	-732.1		Q5_pc Y	I	2.1	-5.1	-2.7	-2740.2
-0.3	-732.1			J	-2.1	5.1	-2.7	2740.2
-0.9	-405.8		Q5_ps X	I	-5.1	-2.8	9.7	-2334.5
				J	5.1	2.8	9.7	2334.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.9	-405.8							
		Q5_ps	Y	I	2.0	-4.8	-3.9	-3990.6
0.4	-693.7			J	-2.0	4.8	-3.9	3990.6
-0.4	-693.7							
		INVSLU	Max	I	7.6	7.2	-6.7	5985.9
3058.8	1040.5			J	7.6	7.2	35.8	5985.9
3058.8	1040.5							
			Min	I	-7.6	-7.2	-35.8	-5985.9
3061.6	-1040.5			J	-7.6	-7.2	6.7	-5985.9
3061.6	-1040.5							
		INVSLE	Max	I	5.1	4.8	-6.0	3990.6
2265.9	693.7			J	5.1	4.8	25.4	3990.6
2265.9	693.7							
			Min	I	-5.1	-4.8	-25.4	-3990.6
2267.7	-693.7			J	-5.1	-4.8	6.0	-3990.6
2267.7	-693.7							
		3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
10142	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1		I	-0.0	0.0	-15.7	-0.0
2266.8	0.0			J	-0.0	0.0	15.7	-0.0
2266.8	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G2	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-5.4	-2.9	6.7	-1541.8
-0.6	-411.9			J	5.4	2.9	6.7	1541.8
0.6	-411.9							
			Q5_pc Y	I	2.1	-5.1	-2.7	-2765.0
0.3	-738.7			J	-2.1	5.1	-2.7	2765.0
-0.3	-738.7							
			Q5_ps X	I	-5.1	-2.7	9.7	-2244.5
-0.9	-390.2			J	5.1	2.7	9.7	2244.5
0.9	-390.2							
			Q5_ps Y	I	2.0	-4.9	-3.9	-4026.7
0.4	-700.0			J	-2.0	4.9	-3.9	4026.7
-0.4	-700.0							
			INVS LU Max	I	7.6	7.3	-6.6	6040.1
3058.8	1049.9			J	7.6	7.3	35.8	6040.1
3058.8	1049.9							
			Min	I	-7.6	-7.3	-35.8	-6040.1
3061.6	-1049.9			J	-7.6	-7.3	6.6	-6040.1
3061.6	-1049.9							
			INVS LE Max	I	5.1	4.9	-6.0	4026.7
2265.9	700.0			J	5.1	4.9	25.4	4026.7
2265.9	700.0							
			Min	I	-5.1	-4.9	-25.4	-4026.7
2267.8	-700.0			J	-5.1	-4.9	6.0	-4026.7
2267.8	-700.0							
			3 C1-C2; ~1 Max	I	0.0	0.0	0.0	0.0
10158	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4; ~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1		I	0.0	0.0	-15.7	-0.0
2266.8	0.0				J	0.0	0.0	15.7	-0.0
2266.8	-0.0								
			G2		I	0.0	0.0	0.0	-0.0
0.0	0.0				J	0.0	0.0	0.0	-0.0
-0.0	-0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc X		I	-5.3	-1.0	6.6	-549.7
-0.6	-146.9				J	5.3	1.0	6.6	549.7
0.6	-146.9								
			Q5_pc Y		I	2.1	-5.9	-2.6	-3162.7
0.3	-845.0				J	-2.1	5.9	-2.6	3162.7
-0.3	-845.0								
			Q5_ps X		I	-5.0	-1.0	9.6	-799.7
-0.9	-139.0				J	5.0	1.0	9.6	799.7
0.9	-139.0								
			Q5_ps Y		I	2.0	-5.5	-3.8	-4605.7
0.4	-800.6				J	-2.0	5.5	-3.8	4605.7
-0.4	-800.6								
			INVSLU Max		I	7.5	8.3	-6.8	6908.6
3058.8	1200.9				J	7.5	8.3	35.6	6908.6
3058.8	1200.9								
			Min		I	-7.5	-8.3	-35.6	-6908.6
3061.6	-1200.9				J	-7.5	-8.3	6.8	-6908.6
3061.6	-1200.9								
			INVSLE Max		I	5.0	5.5	-6.1	4605.7
2265.9	800.6				J	5.0	5.5	25.3	4605.7
2265.9	800.6								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2267.7	-800.6		Min	I	-5.0	-5.5	-25.3	-4605.7	-
				J	-5.0	-5.5	6.1	-4605.7	-
2267.7	-800.6								
10159	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
2045.0	0.0		G1	I	0.0	0.0	-14.9	0.0	-
				J	0.0	0.0	14.9	0.0	-
2045.0	-0.0								
0.0	-0.0		G2	I	0.0	0.0	0.0	0.0	
-0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.7	-118.2		Q5_pc X	I	-5.0	-0.9	6.5	-465.8	
0.7	-118.2			J	5.0	0.9	6.5	465.8	
0.3	-768.0		Q5_pc Y	I	2.0	-5.6	-2.6	-3026.6	
-0.3	-768.0			J	-2.0	5.6	-2.6	3026.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.0	-111.9	Q5_ps X	I	-4.7	-0.8	9.5	-677.5	
			J	4.7	0.8	9.5	677.5	
1.0	-111.9							
		Q5_ps Y	I	1.9	-5.3	-3.8	-4407.4	
0.4	-727.7		J	-1.9	5.3	-3.8	4407.4	
-0.4	-727.7							
		INVS LU Max	I	7.1	8.0	-5.8	6611.1	-
2759.3	1091.5		J	7.1	8.0	34.4	6611.1	-
2759.3	1091.5							
		Min	I	-7.1	-8.0	-34.4	-6611.1	-
2762.2	-1091.5		J	-7.1	-8.0	5.8	-6611.1	-
2762.2	-1091.5							
		INVS LE Max	I	4.7	5.3	-5.4	4407.4	-
2044.0	727.7		J	4.7	5.3	24.5	4407.4	-
2044.0	727.7							
		Min	I	-4.7	-5.3	-24.5	-4407.4	-
2045.9	-727.7		J	-4.7	-5.3	5.4	-4407.4	-
2045.9	-727.7							
10170	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.8	0.0	-
2024.8	-0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2024.8	0.0		J	0.0	0.0	14.8	0.0	-
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0	
0.0	0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.6	9.0	Q5_pc X	I	-4.6	0.1	6.1	35.7	
0.6	9.0		J	4.6	-0.1	6.1	-35.7	
0.3	-811.0	Q5_pc Y	I	1.9	-5.9	-2.5	-3211.8	
-0.3	-811.0		J	-1.9	5.9	-2.5	3211.8	
-0.9	8.7	Q5_ps X	I	-4.4	0.1	8.9	52.9	
0.9	8.7		J	4.4	-0.1	8.9	-52.9	
0.4	-768.4	Q5_ps Y	I	1.8	-5.6	-3.6	-4677.0	
-0.4	-768.4		J	-1.8	5.6	-3.6	4677.0	
2732.1	1152.6	INVS LU Max	I	6.6	8.5	-6.7	7015.5	-
2732.1	1152.6		J	6.6	8.5	33.4	7015.5	-
2734.9	-1152.6	Min	I	-6.6	-8.5	-33.4	-7015.5	-
2734.9	-1152.6		J	-6.6	-8.5	6.7	-7015.5	-
2023.9	768.4	INVS LE Max	I	4.4	5.6	-5.9	4677.0	-
2023.9	768.4		J	4.4	5.6	23.8	4677.0	-
2025.7	-768.4	Min	I	-4.4	-5.6	-23.8	-4677.0	-
2025.7	-768.4		J	-4.4	-5.6	5.9	-4677.0	-
10171	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2025.1	-0.0	G1	I	0.0	0.0	-14.9	0.0	-
2025.1	0.0		J	0.0	0.0	14.9	0.0	-
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0	
0.0	0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.6	17.3	Q5_pc X	I	-4.6	0.1	6.1	68.3	
0.6	17.3		J	4.6	-0.1	6.1	-68.3	
0.2	-814.5	Q5_pc Y	I	1.9	-6.0	-2.4	-3225.1	
-0.2	-814.5		J	-1.9	6.0	-2.4	3225.1	
-0.9	16.5	Q5_ps X	I	-4.4	0.1	8.9	100.3	
0.9	16.5		J	4.4	-0.1	8.9	-100.3	
0.4	-771.6	Q5_ps Y	I	1.8	-5.7	-3.6	-4696.4	
-0.4	-771.6		J	-1.8	5.7	-3.6	4696.4	
2732.6	1157.4	INVSLE Max	I	6.6	8.5	-6.7	7044.6	-
2732.6	1157.4		J	6.6	8.5	33.4	7044.6	-
2735.3	-1157.4	Min	I	-6.6	-8.5	-33.4	-7044.6	-
2735.3	-1157.4		J	-6.6	-8.5	6.7	-7044.6	-
		INVSLE Max	I	4.4	5.7	-6.0	4696.4	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2024.2	771.6			J	4.4	5.7	23.7	4696.4	-
2024.2	771.6		Min	I	-4.4	-5.7	-23.7	-4696.4	-
2026.0	-771.6			J	-4.4	-5.7	6.0	-4696.4	-
2026.0	-771.6								
10185	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
1998.2	-0.0		G1	I	-0.0	0.0	-14.8	0.0	-
1998.2	0.0			J	-0.0	0.0	14.8	0.0	-
-0.0	-0.0		G2	I	-0.0	0.0	-0.0	0.0	
0.0	0.0			J	-0.0	0.0	-0.0	0.0	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-0.6	130.7		Q5_pc X	I	-4.1	1.0	5.4	520.9	
0.6	130.7			J	4.1	-1.0	5.4	-520.9	
0.2	-849.2		Q5_pc Y	I	1.6	-6.3	-2.2	-3385.2	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.2	-849.2		J	-1.6	6.3	-2.2	3385.2
-0.8	123.9	Q5_ps X	I	-3.9	0.9	7.9	759.4
0.8	123.9		J	3.9	-0.9	7.9	-759.4
0.3	-804.5	Q5_ps Y	I	1.6	-5.9	-3.2	-4929.4
-0.3	-804.5		J	-1.6	5.9	-3.2	4929.4
2696.3	1206.7	INVSLU Max	I	5.8	8.9	-8.1	7394.2
2696.3	1206.7		J	5.8	8.9	31.8	7394.2
2698.8	-1206.7	Min	I	-5.8	-8.9	-31.8	-7394.2
2698.8	-1206.7		J	-5.8	-8.9	8.1	-7394.2
1997.4	804.5	INVSLE Max	I	3.9	5.9	-6.8	4929.4
1997.4	804.5		J	3.9	5.9	22.7	4929.4
1999.0	-804.5	Min	I	-3.9	-5.9	-22.7	-4929.4
1999.0	-804.5		J	-3.9	-5.9	6.8	-4929.4
10186	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1998.4	-0.0	G1	I	-0.0	0.0	-14.8	0.0	-
			J	-0.0	0.0	14.8	0.0	-
1998.4	0.0							
		G2	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-4.0	1.0	5.4	552.9	
-0.6	138.7		J	4.0	-1.0	5.4	-552.9	
0.6	138.7							
		Q5_pc Y	I	1.6	-6.3	-2.2	-3398.3	
0.2	-852.5		J	-1.6	6.3	-2.2	3398.3	
-0.2	-852.5							
		Q5_ps X	I	-3.8	1.0	7.8	805.9	
-0.8	131.5		J	3.8	-1.0	7.8	-805.9	
0.8	131.5							
		Q5_ps Y	I	1.5	-6.0	-3.1	-4948.4	
0.3	-807.6		J	-1.5	6.0	-3.1	4948.4	
-0.3	-807.6							
		INVSLE Max	I	5.7	8.9	-8.2	7422.6	-
2696.7	1211.5		J	5.7	8.9	31.6	7422.6	-
2696.7	1211.5							
		Min	I	-5.7	-8.9	-31.6	-7422.6	-
2699.1	-1211.5		J	-5.7	-8.9	8.2	-7422.6	-
2699.1	-1211.5							
		INVSLE Max	I	3.8	6.0	-6.9	4948.4	-
1997.6	807.6		J	3.8	6.0	22.6	4948.4	-
1997.6	807.6							
		Min	I	-3.8	-6.0	-22.6	-4948.4	-
1999.2	-807.6		J	-3.8	-6.0	6.9	-4948.4	-
1999.2	-807.6							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10200	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
1987.1	0.0		G1	I	-0.0	0.0	-14.7	-0.0
1987.1	-0.0			J	-0.0	0.0	14.7	-0.0
0.0	-0.0		G2	I	-0.0	0.0	0.0	0.0
-0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.5	206.9	Q5_pc	X	I	-3.6	1.5	4.8	827.1
0.5	206.9			J	3.6	-1.5	4.8	-827.1
0.2	-875.3	Q5_pc	Y	I	1.4	-6.5	-1.9	-3499.2
-0.2	-875.3			J	-1.4	6.5	-1.9	3499.2
-0.7	196.2	Q5_ps	X	I	-3.4	1.5	7.0	1205.3
0.7	196.2			J	3.4	-1.5	7.0	-1205.3
0.3	-829.3	Q5_ps	Y	I	1.4	-6.1	-2.8	-5095.3
-0.3	-829.3			J	-1.4	6.1	-2.8	5095.3
2681.5	1243.9	INVSLU	Max	I	5.1	9.2	-9.4	7643.0
2681.5	1243.9			J	5.1	9.2	30.3	7643.0
			Min	I	-5.1	-9.2	-30.3	-7643.0
2683.7	-1243.9			J	-5.1	-9.2	9.4	-7643.0

MIDAS

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2683.7	-1243.9								
		INVSLE Max	I	3.4	6.1	-7.7	5095.3	-	
1986.4	829.3		J	3.4	6.1	21.7	5095.3	-	
1986.4	829.3								
		Min	I	-3.4	-6.1	-21.7	-5095.3	-	
1987.8	-829.3		J	-3.4	-6.1	7.7	-5095.3	-	
1987.8	-829.3								
10201	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		G1	I	-0.0	0.0	-14.7	-0.0	-	
1986.8	0.0		J	-0.0	0.0	14.7	-0.0	-	
1986.8	-0.0								
		G2	I	-0.0	0.0	0.0	-0.0		
0.0	0.0		J	-0.0	0.0	0.0	-0.0		
-0.0	-0.0								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc X	I	-3.6	1.6	4.7	845.4		
-0.5	211.5		J	3.6	-1.6	4.7	-845.4		
0.5	211.5								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.2	-877.0	Q5_pc Y	I	1.4	-6.5	-1.9	-3506.3	
-0.2	-877.0		J	-1.4	6.5	-1.9	3506.3	
-0.7	200.5	Q5_ps X	I	-3.4	1.5	6.9	1232.0	
0.7	200.5		J	3.4	-1.5	6.9	-1232.0	
0.3	-830.9	Q5_ps Y	I	1.3	-6.2	-2.8	-5105.6	
-0.3	-830.9		J	-1.3	6.2	-2.8	5105.6	
2681.0	1246.3	INVS LU Max	I	5.1	9.2	-9.5	7658.4	-
2681.0	1246.3		J	5.1	9.2	30.2	7658.4	-
2683.2	-1246.3	Min	I	-5.1	-9.2	-30.2	-7658.4	-
2683.2	-1246.3		J	-5.1	-9.2	9.5	-7658.4	-
1986.0	830.9	INVS LE Max	I	3.4	6.2	-7.8	5105.6	-
1986.0	830.9		J	3.4	6.2	21.6	5105.6	-
1987.5	-830.9	Min	I	-3.4	-6.2	-21.6	-5105.6	-
1987.5	-830.9		J	-3.4	-6.2	7.8	-5105.6	-
10213	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
1809.2	0.0	G1	I	0.0	0.0	-14.0	-0.0	-
1809.2	-0.0		J	0.0	0.0	14.0	-0.0	-
		G2	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.5	234.9	Q5_pc X	I	-3.0	1.8	4.2	984.1	
0.5	234.9		J	3.0	-1.8	4.2	-984.1	
		Q5_pc Y	I	1.2	-6.3	-1.7	-3417.0	
0.2	-815.6		J	-1.2	6.3	-1.7	3417.0	
-0.2	-815.6							
		Q5_ps X	I	-2.9	1.7	6.1	1433.9	
-0.7	222.7		J	2.9	-1.7	6.1	-1433.9	
0.7	222.7							
		Q5_ps Y	I	1.1	-6.0	-2.5	-4975.6	
0.3	-772.7		J	-1.1	6.0	-2.5	4975.6	
-0.3	-772.7							
		INVSLU Max	I	4.3	9.0	-9.7	7463.4	-
2441.4	1159.0		J	4.3	9.0	28.2	7463.4	-
2441.4	1159.0	Min	I	-4.3	-9.0	-28.2	-7463.4	-
2443.4	-1159.0		J	-4.3	-9.0	9.7	-7463.4	-
2443.4	-1159.0							
		INVSLE Max	I	2.9	6.0	-7.9	4975.6	-
1808.5	772.7		J	2.9	6.0	20.2	4975.6	-
1808.5	772.7	Min	I	-2.9	-6.0	-20.2	-4975.6	-
1809.8	-772.7		J	-2.9	-6.0	7.9	-4975.6	-
1809.8	-772.7							
10214	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
-0.0	-0.0								
			C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Min	I	-0.0	-0.0	0.0	-0.0	
0.0	0.0			J	-0.0	-0.0	0.0	-0.0	
-0.0	-0.0								
-0.0	-0.0								
			C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
			Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
-0.0	-0.0								
			G1	I	0.0	0.0	-11.1	-0.0	-
1136.1	0.0			J	0.0	0.0	11.1	-0.0	-
1136.1	-0.0								
			G2	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-0.0	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-2.3	1.5	4.1	805.8	
-0.6	152.4			J	2.3	-1.5	4.1	-805.8	
0.6	152.4								
			Q5_pc Y	I	0.9	-5.0	-1.6	-2718.2	
0.2	-514.1			J	-0.9	5.0	-1.6	2718.2	
-0.2	-514.1								
			Q5_ps X	I	-2.2	1.4	6.0	1174.1	
-0.8	144.5			J	2.2	-1.4	6.0	-1174.1	
0.8	144.5								
			Q5_ps Y	I	0.9	-4.8	-2.4	-3958.0	
0.3	-487.1			J	-0.9	4.8	-2.4	3958.0	
-0.3	-487.1								
			INVSLU Max	I	3.3	7.2	-6.0	5937.0	-
1532.5	730.6			J	3.3	7.2	24.0	5937.0	-
1532.5	730.6								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1534.9	-730.6		Min	I	-3.3	-7.2	-24.0	-5937.0	-
				J	-3.3	-7.2	6.0	-5937.0	-
1534.9	-730.6								
1135.3	487.1	INVSLE	Max	I	2.2	4.8	-5.1	3958.0	-
				J	2.2	4.8	17.1	3958.0	-
1135.3	487.1								
1136.9	-487.1		Min	I	-2.2	-4.8	-17.1	-3958.0	-
				J	-2.2	-4.8	5.1	-3958.0	-
1136.9	-487.1								
10215	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
1088.9	0.0		G1	I	0.0	0.0	-10.9	0.0	-
				J	0.0	0.0	10.9	0.0	-
1088.9	-0.0								
-0.0	0.0		G2	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	-0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	-0.0			J	0.0	0.0	0.0	0.0
-0.0	0.0							
-0.0	0.0	Q5_pc	Y	I	-0.0	0.0	0.0	-0.0
0.0	-0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_ps	X	I	0.0	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_ps	Y	I	-0.0	0.0	0.0	-0.0
0.0	-0.0			J	-0.0	0.0	0.0	-0.0
1470.0	0.0	INVS LU	Max	I	-0.0	0.0	-14.7	0.0
1470.0	0.0			J	-0.0	0.0	14.7	0.0
1470.0	-0.0		Min	I	-0.0	-0.0	-14.7	-0.0
1470.0	-0.0			J	-0.0	-0.0	14.7	-0.0
1088.9	0.0	INVS LE	Max	I	-0.0	0.0	-10.9	0.0
1088.9	0.0			J	-0.0	0.0	10.9	0.0
1088.9	-0.0		Min	I	-0.0	-0.0	-10.9	-0.0
1088.9	-0.0			J	-0.0	-0.0	10.9	-0.0
10216	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1	I	0.0	0.0	-13.6	-0.0	-
1687.3	0.0			J	0.0	0.0	13.6	-
1687.3	-0.0							
		G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	
0.0	0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	-0.0							
		Q5_ps X	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	
0.0	0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	-0.0							
		INVSLU Max	I	-0.0	0.0	-18.3	0.0	-
2277.8	0.0			J	-0.0	0.0	18.3	-
2277.8	0.0							
		Min	I	-0.0	-0.0	-18.3	-0.0	-
2277.8	-0.0			J	-0.0	-0.0	18.3	-
2277.8	-0.0							
		INVSLE Max	I	-0.0	0.0	-13.6	0.0	-
1687.3	0.0			J	-0.0	0.0	13.6	-
1687.3	0.0							
		Min	I	-0.0	-0.0	-13.6	-0.0	-
1687.3	-0.0			J	-0.0	-0.0	13.6	-
1687.3	-0.0							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10228	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0							
-0.0	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
1940.3	-0.0	G1	I	-0.0	0.0	-14.5	0.0
1940.3	0.0		J	-0.0	0.0	14.5	0.0
-0.0	0.0	G2	I	-0.0	0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0	Q5_pc Y	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_ps X	I	-0.0	0.0	0.0	-0.0
0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_ps Y	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
		INVSLU Max	I	-0.0	0.0	-19.6	0.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
2619.4	0.0			J	-0.0	0.0	19.6	0.0	-
2619.4	0.0		Min	I	-0.0	-0.0	-19.6	-0.0	-
2619.4	-0.0			J	-0.0	-0.0	19.6	-0.0	-
2619.4	-0.0								
			INVSLE Max	I	-0.0	0.0	-14.5	0.0	-
1940.3	0.0			J	-0.0	0.0	14.5	0.0	-
1940.3	0.0		Min	I	-0.0	-0.0	-14.5	-0.0	-
1940.3	-0.0			J	-0.0	-0.0	14.5	-0.0	-
1940.3	-0.0								
10229	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1	I	-0.0	0.0	-14.5	0.0	-
1940.7	-0.0			J	-0.0	0.0	14.5	0.0	-
1940.7	0.0								
			G2	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0	Q5_pc Y	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_ps X	I	-0.0	0.0	0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0	Q5_ps Y	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
2619.9	0.0	INVSLE Max	I	-0.0	0.0	-19.6	0.0	-
2619.9	0.0		J	-0.0	0.0	19.6	0.0	-
2619.9	-0.0	Min	I	-0.0	-0.0	-19.6	-0.0	-
2619.9	-0.0		J	-0.0	-0.0	19.6	-0.0	-
1940.7	0.0	INVSLE Max	I	-0.0	0.0	-14.5	0.0	-
1940.7	0.0		J	-0.0	0.0	14.5	0.0	-
1940.7	-0.0	Min	I	-0.0	-0.0	-14.5	-0.0	-
1940.7	-0.0		J	-0.0	-0.0	14.5	-0.0	-
10243	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-14.1	0.0	-
1827.1	-0.0		J	-0.0	0.0	14.1	0.0	-
1827.1	0.0							
		G2	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_pc Y	I	0.0	0.0	0.0	0.0	
-0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0							
		Q5_ps X	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps Y	I	0.0	0.0	0.0	0.0	
-0.0	-0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		INVSLE Max	I	-0.0	0.0	-14.1	0.0	-
2466.7	0.0		J	-0.0	0.0	14.1	0.0	-
2466.7	0.0							
		Min	I	-0.0	-0.0	-14.1	-0.0	-
2466.7	-0.0		J	-0.0	-0.0	14.1	-0.0	-
2466.7	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.1	0.0	-
1827.1	0.0		J	-0.0	0.0	14.1	0.0	-
1827.1	0.0							
		Min	I	-0.0	-0.0	-14.1	-0.0	-
1827.1	-0.0		J	-0.0	-0.0	14.1	-0.0	-
1827.1	-0.0							
		3 C1-C2; ~1 Max	I	0.0	0.0	0.0	0.0	
10244	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1		I	-0.0	0.0	-14.1	0.0
1827.7	-0.0			J	-0.0	0.0	14.1	0.0
1827.7	0.0							
		G2		I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
		Q5_pc	Y	I	0.0	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_ps	X	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
		Q5_ps	Y	I	0.0	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
2467.3	-0.0	INVSLE Max	I	-0.0	-0.0	-19.0	0.0	-
2467.3	0.0		J	-0.0	-0.0	19.0	0.0	-
2467.3	-0.0	Min	I	-0.0	-0.0	-19.0	0.0	-
2467.3	0.0		J	-0.0	-0.0	19.0	0.0	-
1827.7	-0.0	INVSLE Max	I	-0.0	-0.0	-14.1	0.0	-
1827.7	0.0		J	-0.0	-0.0	14.1	0.0	-
1827.7	-0.0	Min	I	-0.0	-0.0	-14.1	0.0	-
1827.7	0.0		J	-0.0	-0.0	14.1	0.0	-
10258	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	G1	I	0.0	0.0	-14.1	-0.0	-
1828.4	0.0		J	0.0	0.0	14.1	-0.0	-
1828.4	-0.0	G2	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Q5_pc X	I	0.0	0.0	-0.0	0.0	
0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
0.0	0.0		Q5_pc Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0			J	-0.0	0.0	0.0	-0.0	
-0.0	0.0								
-0.0	-0.0		Q5_ps X	I	0.0	0.0	-0.0	0.0	
0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
0.0	0.0		Q5_ps Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0			J	-0.0	0.0	0.0	-0.0	
-0.0	0.0								
2468.3	0.0		INVS LU Max	I	0.0	0.0	-19.0	0.0	-
2468.3	-0.0			J	0.0	0.0	19.0	0.0	-
2468.3	0.0		Min	I	0.0	0.0	-19.0	-0.0	-
2468.3	-0.0			J	0.0	0.0	19.0	-0.0	-
1828.4	0.0		INVS LE Max	I	0.0	0.0	-14.1	0.0	-
1828.4	-0.0			J	0.0	0.0	14.1	0.0	-
1828.4	0.0		Min	I	0.0	0.0	-14.1	-0.0	-
1828.4	-0.0			J	0.0	0.0	14.1	-0.0	-
10259	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4; ~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
			G1	I	0.0	0.0	-14.1	-0.0
1828.5	0.0			J	0.0	0.0	14.1	-0.0
1828.5	-0.0							
			G2	I	0.0	0.0	0.0	0.0
0.0	-0.0			J	0.0	0.0	0.0	0.0
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	0.0		Q5_pc X	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
0.0	-0.0							
0.0	-0.0		Q5_pc Y	I	-0.0	0.0	0.0	0.0
-0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
-0.0	0.0		Q5_ps X	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
0.0	-0.0							
0.0	-0.0		Q5_ps Y	I	-0.0	0.0	0.0	0.0
-0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			INVSLU Max	I	0.0	0.0	-19.1	0.0
2468.5	0.0			J	0.0	0.0	19.1	0.0
2468.5	0.0							
2468.5	-0.0		Min	I	0.0	-0.0	-19.1	-0.0
2468.5	-0.0			J	0.0	-0.0	19.1	-0.0
2468.5	-0.0							
			INVSLE Max	I	0.0	0.0	-14.1	0.0
1828.5	0.0			J	0.0	0.0	14.1	0.0
1828.5	0.0							
1828.5	-0.0		Min	I	0.0	-0.0	-14.1	-0.0
1828.5	-0.0			J	0.0	-0.0	14.1	-0.0
1828.5	-0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
10273	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
2003.1	-0.0		G1		I	0.0	0.0	-14.8	0.0
					J	0.0	0.0	14.8	0.0
2003.1	0.0								
			G2		I	0.0	0.0	-0.0	0.0
-0.0	-0.0				J	0.0	0.0	-0.0	0.0
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc X		I	0.0	0.0	0.0	-0.0
0.0	-0.0				J	0.0	0.0	0.0	-0.0
-0.0	-0.0								
			Q5_pc Y		I	-0.0	0.0	-0.0	-0.0
-0.0	0.0				J	-0.0	0.0	-0.0	-0.0
0.0	-0.0								
			Q5_ps X		I	0.0	0.0	0.0	0.0
0.0	-0.0				J	0.0	0.0	0.0	0.0
-0.0	-0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.0	Q5_ps Y	I	-0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
2704.2	0.0	INVS LU Max	I	0.0	0.0	-19.9	0.0	-
2704.2	0.0		J	0.0	0.0	19.9	0.0	-
2704.2	-0.0	Min	I	0.0	-0.0	-19.9	-0.0	-
2704.2	-0.0		J	0.0	-0.0	19.9	-0.0	-
2003.1	0.0	INVS LE Max	I	0.0	0.0	-14.8	0.0	-
2003.1	0.0		J	0.0	0.0	14.8	0.0	-
2003.1	-0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2003.1	-0.0		J	0.0	-0.0	14.8	-0.0	-
10274	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2003.1	-0.0	G1	I	0.0	0.0	-14.8	0.0	-
2003.1	0.0		J	0.0	0.0	14.8	0.0	-
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc X	I	0.0	0.0	0.0	-0.0
-0.0	-0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0	Q5_pc Y	I	-0.0	0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	-0.0	0.0
0.0	0.0	Q5_ps X	I	0.0	0.0	0.0	-0.0
-0.0	-0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0	Q5_ps Y	I	-0.0	0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	-0.0	0.0
2704.2	0.0	INVSLE Max	I	0.0	0.0	-19.9	0.0
2704.2	0.0		J	0.0	0.0	19.9	0.0
2704.2	-0.0	Min	I	0.0	-0.0	-19.9	-0.0
2704.2	-0.0		J	0.0	-0.0	19.9	-0.0
2003.1	0.0	INVSLE Max	I	0.0	0.0	-14.8	0.0
2003.1	0.0		J	0.0	0.0	14.8	0.0
2003.1	-0.0	Min	I	0.0	-0.0	-14.8	-0.0
2003.1	-0.0		J	0.0	-0.0	14.8	-0.0
10287	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4; ~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-14.8	0.0	-
2003.1	-0.0							
			J	-0.0	0.0	14.8	0.0	-
2003.1	0.0							
		G2	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0							
			J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
			J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0							
			J	-0.0	0.0	0.0	-0.0	
0.0	-0.0							
		Q5_ps X	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
			J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0							
			J	-0.0	0.0	0.0	-0.0	
0.0	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2704.2	0.0							
			J	-0.0	0.0	14.8	0.0	-
2704.2	0.0							
		Min	I	-0.0	-0.0	-19.9	-0.0	-
2704.2	-0.0							
			J	-0.0	-0.0	19.9	-0.0	-
2704.2	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2003.1	0.0							
			J	-0.0	0.0	14.8	0.0	-
2003.1	0.0							
		Min	I	-0.0	-0.0	-14.8	-0.0	-
2003.1	-0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2003.1	-0.0		J	-0.0	-0.0	14.8	-0.0	-
10288	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2003.1	-0.0	G1	I	-0.0	0.0	-14.8	0.0	-
2003.1	0.0		J	-0.0	0.0	14.8	0.0	-
0.0	0.0	G2	I	-0.0	0.0	-0.0	0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0	Q5_pc Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0	Q5_ps X	I	-0.0	0.0	0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0	Q5_ps Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
2704.2	0.0	INVSLE Max	I	-0.0	0.0	-19.9	0.0	-
2704.2	0.0		J	-0.0	0.0	19.9	0.0	-
2704.2	-0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
2704.2	-0.0		J	-0.0	-0.0	19.9	-0.0	-
2003.1	0.0	INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2003.1	0.0		J	-0.0	0.0	14.8	0.0	-
2003.1	-0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2003.1	-0.0		J	-0.0	-0.0	14.8	-0.0	-
10303	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2003.3	0.0	G1	I	-0.0	0.0	-14.8	-0.0	-
2003.3	-0.0		J	-0.0	0.0	14.8	-0.0	-

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	G2	I	-0.0	0.0	0.0	-0.0	
			J	-0.0	0.0	0.0	-0.0	
-0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_ps X	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		INVSLE Max	I	-0.0	0.0	-19.9	0.0	-
2704.4	0.0		J	-0.0	0.0	19.9	0.0	-
2704.4	0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
2704.4	-0.0		J	-0.0	-0.0	19.9	-0.0	-
2704.4	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2003.3	0.0		J	-0.0	0.0	14.8	0.0	-
2003.3	0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2003.3	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2003.3	-0.0							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10304	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-14.8	-0.0	-
2002.9	0.0		J	-0.0	0.0	14.8	-0.0	-
2002.9	-0.0							
		G2	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_ps X	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		INVSLE Max	I	-0.0	0.0	-19.9	0.0	-
2704.0	0.0		J	-0.0	0.0	19.9	0.0	-
2704.0	0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
2704.0	-0.0		J	-0.0	-0.0	19.9	-0.0	-
2704.0	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2002.9	0.0		J	-0.0	0.0	14.8	0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

2002.9	0.0								
			Min	I	-0.0	-0.0	-14.8	-0.0	-
2002.9	-0.0			J	-0.0	-0.0	14.8	-0.0	-
2002.9	-0.0								
10318	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			G1	I	0.0	0.0	-14.8	-0.0	-
2002.8	0.0			J	0.0	0.0	14.8	-0.0	-
2002.8	-0.0								
			G2	I	0.0	0.0	0.0	-0.0	
0.0	0.0			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
			Q5_pc Y	I	-0.0	0.0	0.0	0.0	
0.0	-0.0			J	-0.0	0.0	0.0	0.0	
-0.0	-0.0								

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	-0.0	Q5_ps X	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.0	-0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		INVSLU Max	I	0.0	0.0	-19.9	0.0	-
2703.8	0.0		J	0.0	0.0	19.9	0.0	-
2703.8	0.0	Min	I	0.0	-0.0	-19.9	-0.0	-
2703.8	-0.0		J	0.0	-0.0	19.9	-0.0	-
2703.8	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2002.8	0.0		J	0.0	0.0	14.8	0.0	-
2002.8	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2002.8	-0.0		J	0.0	-0.0	14.8	-0.0	-
2002.8	-0.0							
10319	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.8	-0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2003.2	0.0		J	0.0	0.0	14.8	-0.0	-
2003.2	-0.0							
		G2	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps X	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
		INVSLE Max	I	0.0	0.0	-19.9	0.0	-
2704.3	0.0		J	0.0	0.0	19.9	0.0	-
2704.3	0.0	Min	I	0.0	-0.0	-19.9	-0.0	-
2704.3	-0.0		J	0.0	-0.0	19.9	-0.0	-
2704.3	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2003.2	0.0		J	0.0	0.0	14.8	0.0	-
2003.2	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2003.2	-0.0		J	0.0	-0.0	14.8	-0.0	-
2003.2	-0.0							
10332	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2006.8	-0.0	G1	I	0.0	0.0	-14.8	0.0	-
2006.8	0.0		J	0.0	0.0	14.8	0.0	-
-0.0	0.0							
0.0	-0.0	G2	I	0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	0.0	0.0	-0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.0	-0.0	Q5_pc X	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
-0.0	0.0	Q5_pc Y	I	-0.0	0.0	0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0							
0.0	-0.0	Q5_ps X	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
-0.0	0.0	Q5_ps Y	I	-0.0	0.0	0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
2709.1	0.0	INVSLU Max	I	0.0	0.0	-20.0	0.0	-
2709.1	0.0		J	0.0	0.0	20.0	0.0	-
2709.1	-0.0	Min	I	0.0	-0.0	-20.0	-0.0	-
2709.1	-0.0		J	0.0	-0.0	20.0	-0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2006.8	0.0	INVSLE Max	I	0.0	0.0	-14.8	0.0	-
			J	0.0	0.0	14.8	0.0	-
2006.8	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2006.8	-0.0		J	0.0	-0.0	14.8	-0.0	-
2006.8	-0.0							
10333	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.8	0.0	-
2006.9	-0.0		J	0.0	0.0	14.8	0.0	-
2006.9	0.0							
		G2	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.0	0.0	0.0	-0.0	
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	-0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0							
0.0	-0.0	Q5_ps X		I	0.0	0.0	0.0	-0.0
-0.0	-0.0			J	0.0	0.0	0.0	-0.0
-0.0	0.0	Q5_ps Y		I	-0.0	0.0	0.0	-0.0
0.0	-0.0			J	-0.0	0.0	0.0	-0.0
2709.3	0.0	INVS LU Max		I	0.0	0.0	-20.0	0.0 -
2709.3	0.0			J	0.0	0.0	20.0	0.0 -
2709.3	-0.0	Min		I	0.0	-0.0	-20.0	-0.0 -
2709.3	-0.0			J	0.0	-0.0	20.0	-0.0 -
2006.9	0.0	INVS LE Max		I	0.0	0.0	-14.8	0.0 -
2006.9	0.0			J	0.0	0.0	14.8	0.0 -
2006.9	-0.0	Min		I	0.0	-0.0	-14.8	-0.0 -
2006.9	-0.0			J	0.0	-0.0	14.8	-0.0 -
10347	5	3 C1-C2;~1 Max		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C3-C4;~1 Max		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C1-C2;~2 Max		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C3-C4;~2 Max		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Min		I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0							
2008.2	-0.0	G1	I	-0.0	0.0	-14.8	0.0	-
2008.2	0.0		J	-0.0	0.0	14.8	0.0	-
-0.0	0.0	G2	I	-0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0	Q5_ps X	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0	Q5_ps Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0	INVSLE Max	I	-0.0	0.0	-20.0	0.0	-
2711.0	0.0		J	-0.0	0.0	20.0	0.0	-
2711.0	0.0	Min	I	-0.0	-0.0	-20.0	-0.0	-
2711.0	-0.0		J	-0.0	-0.0	20.0	-0.0	-
2711.0	-0.0	INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2008.2	0.0		J	-0.0	0.0	14.8	0.0	-
2008.2	0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2008.2	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2008.2	-0.0	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10348	5		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
-0.0	-0.0							
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			G1	I	-0.0	0.0	-14.8	0.0	-
2008.4	-0.0			J	-0.0	0.0	14.8	0.0	-
2008.4	0.0								
			G2	I	-0.0	0.0	-0.0	0.0	
-0.0	0.0			J	-0.0	0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	-0.0	0.0	0.0	0.0	
-0.0	0.0			J	-0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0			J	-0.0	0.0	0.0	-0.0	
0.0	-0.0								
			Q5_ps X	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0			J	-0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_ps Y	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0			J	-0.0	0.0	0.0	-0.0	
0.0	-0.0								
			INVSLU Max	I	-0.0	0.0	-20.0	0.0	-
2711.4	0.0			J	-0.0	0.0	20.0	0.0	-
2711.4	0.0		Min	I	-0.0	-0.0	-20.0	-0.0	-
2711.4	-0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2711.4	-0.0		J	-0.0	-0.0	20.0	-0.0	-
2008.4	0.0	INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2008.4	0.0		J	-0.0	0.0	14.8	0.0	-
2008.4	-0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2008.4	-0.0		J	-0.0	-0.0	14.8	-0.0	-
10363	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2008.3	0.0	G1	I	-0.0	0.0	-14.8	-0.0	-
2008.3	-0.0		J	-0.0	0.0	14.8	-0.0	-
0.0	0.0	G2	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0	
			J	-0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.0							
		Q5_pc	Y	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
		Q5_ps	X	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
		Q5_ps	Y	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
		INVS LU	Max	I	-0.0	0.0	-20.0	0.0
2711.2	0.0			J	-0.0	0.0	20.0	0.0
2711.2	0.0							
			Min	I	-0.0	-0.0	-20.0	-0.0
2711.2	-0.0			J	-0.0	-0.0	20.0	-0.0
2711.2	-0.0							
		INVS LE	Max	I	-0.0	0.0	-14.8	0.0
2008.3	0.0			J	-0.0	0.0	14.8	0.0
2008.3	0.0							
			Min	I	-0.0	-0.0	-14.8	-0.0
2008.3	-0.0			J	-0.0	-0.0	14.8	-0.0
2008.3	-0.0							
		3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
10364	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-14.8	-0.0
2008.4	0.0			J	-0.0	0.0	14.8	-
2008.4	-0.0							
			G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q5_pc Y	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q5_ps X	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q5_ps Y	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			INVSLE Max	I	-0.0	0.0	-20.0	0.0
2711.4	0.0			J	-0.0	0.0	20.0	0.0
2711.4	0.0							
			Min	I	-0.0	-0.0	-20.0	-0.0
2711.4	-0.0			J	-0.0	-0.0	20.0	-0.0
2711.4	-0.0							
			INVSLE Max	I	-0.0	0.0	-14.8	0.0
2008.4	0.0			J	-0.0	0.0	14.8	0.0
2008.4	0.0							
			Min	I	-0.0	-0.0	-14.8	-0.0
2008.4	-0.0			J	-0.0	-0.0	14.8	-0.0
2008.4	-0.0							
			3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
10378	5			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
-0.0	-0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
				I	0.0	0.0	-14.8	-0.0	-
2006.3	0.0	G1		J	0.0	0.0	14.8	-0.0	-
2006.3	-0.0								
				I	0.0	0.0	0.0	-0.0	
0.0	0.0	G2		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0								
				I	0.0	0.0	0.0	0.0	
0.0	0.0	Q3		J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc	X	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
		Q5_pc	Y	I	-0.0	0.0	0.0	0.0	
0.0	-0.0			J	-0.0	0.0	0.0	0.0	
-0.0	0.0								
		Q5_ps	X	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
		Q5_ps	Y	I	-0.0	0.0	0.0	0.0	
0.0	-0.0			J	-0.0	0.0	0.0	0.0	
-0.0	0.0								
		INVSLU	Max	I	0.0	0.0	-20.0	0.0	-
2708.6	0.0			J	0.0	0.0	20.0	0.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2708.6	0.0		Min	I	0.0	-0.0	-20.0	-0.0	-
2708.6	-0.0			J	0.0	-0.0	20.0	-0.0	-
2708.6	-0.0								
		INVSLE	Max	I	0.0	0.0	-14.8	0.0	-
2006.3	0.0			J	0.0	0.0	14.8	0.0	-
2006.3	0.0		Min	I	0.0	-0.0	-14.8	-0.0	-
2006.3	-0.0			J	0.0	-0.0	14.8	-0.0	-
2006.3	-0.0								
10379	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		G1		I	0.0	0.0	-14.8	-0.0	-
2007.1	0.0			J	0.0	0.0	14.8	-0.0	-
2007.1	-0.0								
		G2		I	0.0	0.0	0.0	0.0	
0.0	-0.0			J	0.0	0.0	0.0	0.0	
-0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.0	Q5_pc X	I	0.0	0.0	-0.0	-0.0	
			J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
0.0	-0.0	Q5_pc Y	I	-0.0	0.0	0.0	0.0	
			J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
-0.0	0.0	Q5_ps X	I	0.0	0.0	-0.0	-0.0	
			J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
0.0	-0.0	Q5_ps Y	I	-0.0	0.0	0.0	0.0	
			J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
2709.6	0.0	INVS LU Max	I	0.0	0.0	-20.0	0.0	-
			J	0.0	0.0	20.0	0.0	-
2709.6	0.0	Min	I	0.0	-0.0	-20.0	-0.0	-
			J	0.0	-0.0	20.0	-0.0	-
2709.6	-0.0							
2709.6	-0.0							
2007.1	0.0	INVS LE Max	I	0.0	0.0	-14.8	0.0	-
			J	0.0	0.0	14.8	0.0	-
2007.1	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
			J	0.0	-0.0	14.8	-0.0	-
2007.1	-0.0							
2007.1	-0.0							
10392	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.8	0.0	-
2002.3	-0.0		J	0.0	0.0	14.8	0.0	-
2002.3	0.0							
		G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_pc Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps X	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		INVSLE Max	I	0.0	0.0	-19.9	0.0	-
2703.2	0.0		J	0.0	0.0	19.9	0.0	-
2703.2	0.0							
		Min	I	0.0	-0.0	-19.9	-0.0	-
2703.2	-0.0		J	0.0	-0.0	19.9	-0.0	-
2703.2	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2002.3	0.0		J	0.0	0.0	14.8	0.0	-
2002.3	0.0							
		Min	I	0.0	-0.0	-14.8	-0.0	-
2002.3	-0.0		J	0.0	-0.0	14.8	-0.0	-
2002.3	-0.0							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
10393	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
2002.6	-0.0	G1		I	0.0	0.0	-14.8	0.0
2002.6	0.0			J	0.0	0.0	14.8	0.0
-0.0	-0.0	G2		I	0.0	0.0	-0.0	0.0
0.0	0.0			J	0.0	0.0	-0.0	0.0
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	X	I	0.0	0.0	0.0	-0.0
-0.0	-0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_pc	Y	I	0.0	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_ps	X	I	0.0	0.0	0.0	-0.0
-0.0	-0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_ps	Y	I	0.0	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2703.5	0.0	INVS LU Max	I	0.0	0.0	-19.9	0.0	-
			J	0.0	0.0	19.9	0.0	-
2703.5	0.0	Min	I	0.0	-0.0	-19.9	-0.0	-
			J	0.0	-0.0	19.9	-0.0	-
2703.5	-0.0							
2002.6	0.0	INVS LE Max	I	0.0	0.0	-14.8	0.0	-
			J	0.0	0.0	14.8	0.0	-
2002.6	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
			J	0.0	-0.0	14.8	-0.0	-
2002.6	-0.0							
10407	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2003.0	-0.0	G1	I	-0.0	0.0	-14.8	0.0	-
			J	-0.0	0.0	14.8	0.0	-
2003.0	0.0							
		G2	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
0.0	-0.0	Q5_pc Y	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Q5_ps X	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
0.0	-0.0	Q5_ps Y	I	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
2704.1	0.0	INVS LU Max	I	-0.0	0.0	-19.9	0.0	-
			J	-0.0	0.0	19.9	0.0	-
2704.1	0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
2704.1	-0.0		J	-0.0	-0.0	19.9	-0.0	-
2704.1	-0.0							
2003.0	0.0	INVS LE Max	I	-0.0	0.0	-14.8	0.0	-
			J	-0.0	0.0	14.8	0.0	-
2003.0	0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2003.0	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2003.0	-0.0							
10408	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-14.8	0.0
2002.5	-0.0			J	-0.0	0.0	14.8	0.0
2002.5	0.0							
			G2	I	-0.0	0.0	-0.0	0.0
-0.0	0.0			J	-0.0	0.0	-0.0	0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.0	0.0	0.0	-0.0
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0							
			Q5_pc Y	I	0.0	0.0	0.0	-0.0
0.0	-0.0			J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q5_ps X	I	-0.0	0.0	0.0	-0.0
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0							
			Q5_ps Y	I	0.0	0.0	0.0	-0.0
0.0	-0.0			J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
			INVSLE Max	I	-0.0	0.0	-14.8	0.0
2703.3	0.0			J	-0.0	0.0	14.8	0.0
2703.3	0.0							
			Min	I	-0.0	-0.0	-19.9	-0.0
2703.3	-0.0			J	-0.0	-0.0	19.9	-0.0
2703.3	-0.0							
			INVSLE Max	I	-0.0	0.0	-14.8	0.0
2002.5	0.0			J	-0.0	0.0	14.8	0.0
2002.5	0.0							
			Min	I	-0.0	-0.0	-14.8	-0.0
2002.5	-0.0			J	-0.0	-0.0	14.8	-0.0
2002.5	-0.0							
		10423	5	3 C1-C2;~1	Max	I	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
2002.6	0.0	G1	I	-0.0	0.0	-14.8	-0.0
2002.6	-0.0		J	-0.0	0.0	14.8	-0.0
0.0	0.0	G2	I	-0.0	0.0	0.0	-0.0
-0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc Y	I	0.0	0.0	0.0	-0.0
0.0	-0.0		J	0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_ps X	I	-0.0	0.0	0.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0	Q5_ps Y	I	0.0	0.0	0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
2703.6	0.0	INVS LU Max	I	-0.0	0.0	-19.9	0.0	-
2703.6	0.0		J	-0.0	0.0	19.9	0.0	-
2703.6	-0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
2703.6	-0.0		J	-0.0	-0.0	19.9	-0.0	-
2002.6	0.0	INVS LE Max	I	-0.0	0.0	-14.8	0.0	-
2002.6	0.0		J	-0.0	0.0	14.8	0.0	-
2002.6	-0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2002.6	-0.0		J	-0.0	-0.0	14.8	-0.0	-
10424	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
2003.0	0.0	G1	I	-0.0	0.0	-14.8	-0.0	-
2003.0	-0.0		J	-0.0	0.0	14.8	-0.0	-
0.0	-0.0	G2	I	-0.0	0.0	0.0	0.0	
-0.0	0.0		J	-0.0	0.0	0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0	
-0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0	Q5_pc Y	I	0.0	0.0	0.0	0.0	-0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps X	I	-0.0	0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	-0.0
-0.0	0.0	Q5_ps Y	I	0.0	0.0	0.0	0.0	-0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0	-0.0
2704.0	0.0	INVSLE Max	I	-0.0	0.0	-19.9	0.0	-
			J	-0.0	0.0	19.9	0.0	-
2704.0	0.0							
2704.0	-0.0	Min	I	-0.0	-0.0	-19.9	-0.0	-
			J	-0.0	-0.0	19.9	-0.0	-
2704.0	-0.0							
2003.0	0.0	INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
			J	-0.0	0.0	14.8	0.0	-
2003.0	0.0							
2003.0	-0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
			J	-0.0	-0.0	14.8	-0.0	-
2003.0	-0.0							
10438	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	0.0	0.0	-14.8	-0.0
2002.6	0.0			J	0.0	0.0	14.8	-0.0
2002.6	-0.0							
			G2	I	0.0	0.0	0.0	-0.0
0.0	0.0			J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	0.0	0.0	-0.0	0.0
-0.0	-0.0			J	0.0	0.0	-0.0	0.0
0.0	0.0							
			Q5_pc Y	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
0.0	-0.0							
			Q5_ps X	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0
0.0	-0.0							
			Q5_ps Y	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
0.0	-0.0							
			INVSLU Max	I	0.0	0.0	-19.9	0.0
2703.5	0.0			J	0.0	0.0	19.9	0.0
2703.5	0.0							
			Min	I	0.0	-0.0	-19.9	-0.0
2703.5	-0.0			J	0.0	-0.0	19.9	-0.0
2703.5	-0.0							
			INVSLE Max	I	0.0	0.0	-14.8	0.0
2002.6	0.0			J	0.0	0.0	14.8	0.0
2002.6	0.0							
			Min	I	0.0	-0.0	-14.8	-0.0
2002.6	-0.0			J	0.0	-0.0	14.8	-0.0
2002.6	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

10439	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
				G1	I	0.0	0.0	-14.8	-0.0	-
2002.7	0.0				J	0.0	0.0	14.8	-0.0	-
2002.7	-0.0									
				G2	I	0.0	0.0	0.0	0.0	
0.0	-0.0				J	0.0	0.0	0.0	0.0	
-0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Q5_pc X	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0				J	0.0	0.0	-0.0	0.0	
0.0	-0.0									
-0.0	0.0			Q5_pc Y	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0				J	0.0	0.0	-0.0	-0.0	
0.0	-0.0									
-0.0	0.0			Q5_ps X	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0				J	0.0	0.0	-0.0	-0.0	
0.0	-0.0									

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	0.0	Q5_ps Y	I	0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	0.0	0.0	-0.0	-0.0	
2703.7	0.0	INVSLE Max	I	0.0	0.0	-19.9	0.0	-
2703.7	0.0		J	0.0	0.0	19.9	0.0	-
2703.7	-0.0	Min	I	0.0	-0.0	-19.9	-0.0	-
2703.7	-0.0		J	0.0	-0.0	19.9	-0.0	-
2002.7	0.0	INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2002.7	0.0		J	0.0	0.0	14.8	0.0	-
2002.7	-0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2002.7	-0.0		J	0.0	-0.0	14.8	-0.0	-
10452	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	G1	I	0.0	-0.0	-14.8	0.0	-
2006.2	-0.0		J	0.0	-0.0	14.8	0.0	-
2006.2	0.0	G2	I	0.0	0.0	-0.0	-0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	Q5_pc X	I	0.0	0.0	0.0	-0.0
-0.0	-0.0		J	0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_pc Y	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_ps X	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_ps Y	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
		INVS LU Max	I	0.0	0.0	-20.0	0.0
2708.3	0.0		J	0.0	0.0	20.0	0.0
2708.3	0.0	Min	I	0.0	-0.0	-20.0	-0.0
2708.3	-0.0		J	0.0	-0.0	20.0	-0.0
2708.3	-0.0						
		INVS LE Max	I	0.0	0.0	-14.8	0.0
2006.2	0.0		J	0.0	0.0	14.8	0.0
2006.2	0.0	Min	I	0.0	-0.0	-14.8	-0.0
2006.2	-0.0		J	0.0	-0.0	14.8	-0.0
2006.2	-0.0						
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
10453	5		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-14.8	0.0	-
2006.1	-0.0		J	0.0	0.0	14.8	0.0	-
2006.1	0.0							
		G2	I	0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_pc Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps X	I	0.0	0.0	0.0	-0.0	
0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_ps Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2708.3	0.0		J	0.0	0.0	14.8	0.0	-
2708.3	0.0							
		Min	I	0.0	-0.0	-20.0	-0.0	-
2708.3	-0.0		J	0.0	-0.0	20.0	-0.0	-
2708.3	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2006.1	0.0		J	0.0	0.0	14.8	0.0	-
2006.1	0.0							
		Min	I	0.0	-0.0	-14.8	-0.0	-

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2006.1	-0.0		J	0.0	-0.0	14.8	-0.0	-
2006.1	-0.0							
10467	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
2006.1	-0.0	G1		I	-0.0	0.0	-14.8	0.0
				J	-0.0	0.0	14.8	0.0
2006.1	0.0							
-0.0	0.0	G2		I	-0.0	0.0	-0.0	-0.0
0.0	-0.0			J	-0.0	0.0	-0.0	-0.0
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X		I	-0.0	0.0	0.0	-0.0
0.0	-0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0	Q5_pc Y		I	0.0	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_ps X		I	-0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
0.0	-0.0	Q5_ps	Y	I	0.0	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0	0.0
2708.2	0.0	INVSLE	Max	I	-0.0	0.0	-20.0	0.0
2708.2	0.0			J	-0.0	0.0	20.0	0.0
2708.2	-0.0		Min	I	-0.0	-0.0	-20.0	-0.0
2708.2	-0.0			J	-0.0	-0.0	20.0	-0.0
2006.1	0.0	INVSLE	Max	I	-0.0	0.0	-14.8	0.0
2006.1	0.0			J	-0.0	0.0	14.8	0.0
2006.1	-0.0		Min	I	-0.0	-0.0	-14.8	-0.0
2006.1	-0.0			J	-0.0	-0.0	14.8	-0.0
10468	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
2006.1	-0.0	G1		I	-0.0	0.0	-14.8	0.0
				J	-0.0	0.0	14.8	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2006.1	0.0							
		G2	I	-0.0	0.0	-0.0	0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0							
		Q5_pc Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q5_ps X	I	-0.0	0.0	0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	0.0	-0.0	
0.0	-0.0							
		Q5_ps Y	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		INVSLE Max	I	-0.0	0.0	-20.0	0.0	-
2708.3	0.0		J	-0.0	0.0	20.0	0.0	-
2708.3	0.0	Min	I	-0.0	-0.0	-20.0	-0.0	-
2708.3	-0.0		J	-0.0	-0.0	20.0	-0.0	-
2708.3	-0.0							
		INVSLE Max	I	-0.0	0.0	-14.8	0.0	-
2006.1	0.0		J	-0.0	0.0	14.8	0.0	-
2006.1	0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2006.1	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2006.1	-0.0							
10483	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-14.8	-0.0
2006.0	0.0			J	-0.0	0.0	14.8	-0.0
2006.0	-0.0							
			G2	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q5_pc Y	I	0.0	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0	0.0
0.0	-0.0							
			Q5_ps X	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q5_ps Y	I	0.0	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0	0.0
0.0	-0.0							
			INVSLU Max	I	-0.0	0.0	-20.0	0.0
2708.1	0.0			J	-0.0	0.0	20.0	0.0
2708.1	0.0							
			Min	I	-0.0	-0.0	-20.0	-0.0
2708.1	-0.0			J	-0.0	-0.0	20.0	-0.0
2708.1	-0.0							
			INVSLE Max	I	-0.0	0.0	-14.8	0.0
2006.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2006.0	0.0		J	-0.0	0.0	14.8	0.0	-
		Min	I	-0.0	-0.0	-14.8	-0.0	-
2006.0	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2006.0	-0.0		J	-0.0	-0.0	14.8	-0.0	-
10484	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
2006.3	0.0	G1	I	-0.0	0.0	-14.8	-0.0	-
			J	-0.0	0.0	14.8	-0.0	-
2006.3	-0.0		J	-0.0	0.0	14.8	-0.0	-
		G2	I	-0.0	0.0	0.0	0.0	
0.0	-0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0		J	-0.0	0.0	0.0	0.0	
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc X	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	0.0		J	-0.0	0.0	0.0	0.0	
		Q5_pc Y	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	-0.0							
		Q5_ps X	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	0.0							
		Q5_ps Y	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0							
		INVS LU Max	I	-0.0	0.0	-20.0	0.0	-
2708.5	0.0		J	-0.0	0.0	20.0	0.0	-
2708.5	0.0	Min	I	-0.0	-0.0	-20.0	-0.0	-
2708.5	-0.0		J	-0.0	-0.0	20.0	-0.0	-
2708.5	-0.0							
		INVS LE Max	I	-0.0	0.0	-14.8	0.0	-
2006.3	0.0		J	-0.0	0.0	14.8	0.0	-
2006.3	0.0	Min	I	-0.0	-0.0	-14.8	-0.0	-
2006.3	-0.0		J	-0.0	-0.0	14.8	-0.0	-
2006.3	-0.0							
10498	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2006.2	0.0	G1	I	0.0	0.0	-14.8	-0.0	-
			J	0.0	0.0	14.8	-0.0	-
2006.2	-0.0							
		G2	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q5_pc Y	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q5_ps X	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q5_ps Y	I	0.0	0.0	0.0	-0.0	
-0.0	0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0							
		INVSLE Max	I	0.0	0.0	-20.0	0.0	-
2708.4	0.0		J	0.0	0.0	20.0	0.0	-
2708.4	0.0	Min	I	0.0	-0.0	-20.0	-0.0	-
2708.4	-0.0		J	0.0	-0.0	20.0	-0.0	-
2708.4	-0.0							
		INVSLE Max	I	0.0	0.0	-14.8	0.0	-
2006.2	0.0		J	0.0	0.0	14.8	0.0	-
2006.2	0.0	Min	I	0.0	-0.0	-14.8	-0.0	-
2006.2	-0.0		J	0.0	-0.0	14.8	-0.0	-
2006.2	-0.0							
10499	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0
				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
1831.5	-0.0		G1	I	0.0	0.0	-14.1	0.0
				J	0.0	0.0	14.1	0.0
1831.5	0.0							
0.0	0.0		G2	I	0.0	0.0	0.0	-0.0
				J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	-0.0		Q5_pc X	I	-0.0	0.0	-0.0	-0.0
				J	-0.0	0.0	-0.0	-0.0
0.0	-0.0							
-0.0	-0.0		Q5_pc Y	I	0.0	0.0	-0.0	0.0
				J	0.0	0.0	-0.0	0.0
0.0	0.0							
-0.0	-0.0		Q5_ps X	I	-0.0	0.0	-0.0	0.0
				J	-0.0	0.0	-0.0	0.0
0.0	0.0							
-0.0	-0.0		Q5_ps Y	I	0.0	0.0	-0.0	0.0
				J	0.0	0.0	-0.0	0.0
0.0	0.0							
2472.5	0.0		INVSLU Max	I	0.0	0.0	-19.1	0.0
				J	0.0	0.0	19.1	0.0
2472.5	0.0							
2472.5	-0.0		Min	I	0.0	-0.0	-19.1	-0.0
				J	0.0	-0.0	19.1	-0.0
2472.5	-0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

1831.5	0.0		INVSLE Max	I	0.0	0.0	-14.1	0.0	-
				J	0.0	0.0	14.1	0.0	-
1831.5	0.0		Min	I	0.0	-0.0	-14.1	-0.0	-
				J	0.0	-0.0	14.1	-0.0	-
1831.5	-0.0								
10510	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
			G1	I	0.0	0.0	-14.2	0.0	-
1847.5	-0.0			J	0.0	0.0	14.2	0.0	-
1847.5	0.0								
			G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0			J	0.0	0.0	-0.0	-0.0	
0.0	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc X	I	0.0	0.0	0.0	-0.0	
0.0	-0.0			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	-0.0	Q5_pc	Y	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
-0.0	0.0							
0.0	-0.0	Q5_ps	X	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
-0.0	-0.0							
0.0	-0.0	Q5_ps	Y	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
-0.0	0.0							
2494.2	0.0	INVS LU	Max	I	0.0	0.0	-19.1	0.0
				J	0.0	0.0	19.1	0.0
2494.2	0.0		Min	I	0.0	-0.0	-19.1	-0.0
				J	0.0	-0.0	19.1	-0.0
2494.2	-0.0							
1847.5	0.0	INVS LE	Max	I	0.0	0.0	-14.2	0.0
				J	0.0	0.0	14.2	0.0
1847.5	0.0		Min	I	0.0	-0.0	-14.2	-0.0
				J	0.0	-0.0	14.2	-0.0
1847.5	-0.0							
10511	5	3 C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
0.0	0.0	C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
1847.6	-0.0	G1	I	0.0	0.0	-14.2	0.0	-
1847.6	0.0		J	0.0	0.0	14.2	0.0	-
-0.0	0.0	G2	I	0.0	0.0	-0.0	-0.0	
0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	-0.0	Q5_pc X	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	0.0	Q5_pc Y	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0	Q5_ps X	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	-0.0	Q5_ps Y	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
2494.3	-0.0	INVS LU Max	I	0.0	0.0	-19.1	0.0	-
2494.3	0.0		J	0.0	0.0	19.1	0.0	-
2494.3	-0.0	Min	I	0.0	-0.0	-19.1	-0.0	-
2494.3	-0.0		J	0.0	-0.0	19.1	-0.0	-
1847.6	-0.0	INVS LE Max	I	0.0	0.0	-14.2	0.0	-
1847.6	0.0		J	0.0	0.0	14.2	0.0	-
1847.6	-0.0	Min	I	0.0	-0.0	-14.2	-0.0	-
1847.6	-0.0		J	0.0	-0.0	14.2	-0.0	-
10525	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		G1	I	-0.0	0.0	-14.3	0.0	-
1875.7	-0.0							
			J	-0.0	0.0	14.3	0.0	-
1875.7	0.0							
		G2	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0							
			J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	I	0.0	0.0	0.0	-0.0	
-0.0	0.0							
			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_pc Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
			J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_ps X	I	0.0	0.0	0.0	-0.0	
0.0	0.0							
			J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_ps Y	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
			J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		INVSLU Max	I	-0.0	0.0	-19.3	-0.0	-
2532.2	0.0							
			J	-0.0	0.0	19.3	-0.0	-
2532.2	-0.0							
		Min	I	-0.0	0.0	-19.3	-0.0	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2532.2	0.0			J	-0.0	0.0	19.3	-0.0	-
2532.2	-0.0								
		INVSLE	Max	I	-0.0	0.0	-14.3	-0.0	-
1875.7	0.0			J	-0.0	0.0	14.3	-0.0	-
1875.7	-0.0		Min	I	-0.0	0.0	-14.3	-0.0	-
1875.7	0.0			J	-0.0	0.0	14.3	-0.0	-
1875.7	-0.0								
10526	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
		G1		I	-0.0	0.0	-14.3	0.0	-
1876.0	-0.0			J	-0.0	0.0	14.3	0.0	-
1876.0	0.0								
		G2		I	-0.0	0.0	-0.0	0.0	
-0.0	0.0				J	-0.0	0.0	-0.0	0.0
0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
		Q5_pc	X	I	0.0	0.0	0.0	-0.0	
-0.0	0.0								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	0.0	Q5_pc Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0	Q5_ps X	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0	Q5_ps Y	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
2532.6	0.0	INVS LU Max	I	-0.0	0.0	-19.3	0.0	-
2532.6	0.0		J	-0.0	0.0	19.3	0.0	-
2532.6	-0.0	Min	I	-0.0	-0.0	-19.3	-0.0	-
2532.6	-0.0		J	-0.0	-0.0	19.3	-0.0	-
1876.0	0.0	INVS LE Max	I	-0.0	0.0	-14.3	0.0	-
1876.0	0.0		J	-0.0	0.0	14.3	0.0	-
1876.0	-0.0	Min	I	-0.0	-0.0	-14.3	-0.0	-
1876.0	-0.0		J	-0.0	-0.0	14.3	-0.0	-
10540	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
1885.5	0.0		G1	I	-0.0	0.0	-14.3	-0.0 -
1885.5	-0.0			J	-0.0	0.0	14.3	-0.0 -
			G2	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	0.0		Q5_pc X	I	0.0	0.0	0.0	-0.0
0.0	-0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0		Q5_pc Y	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0		Q5_ps X	I	0.0	0.0	0.0	-0.0
0.0	-0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0		Q5_ps Y	I	-0.0	0.0	0.0	0.0
-0.0	0.0			J	-0.0	0.0	0.0	0.0
2545.4	0.0		INVSLE Max	I	-0.0	0.0	-19.3	-0.0 -
2545.4	-0.0			J	-0.0	0.0	19.3	-0.0 -
2545.4	0.0		Min	I	-0.0	0.0	-19.3	-0.0 -
2545.4	-0.0			J	-0.0	0.0	19.3	-0.0 -
1885.5	0.0		INVSLE Max	I	-0.0	0.0	-14.3	-0.0 -
1885.5	-0.0			J	-0.0	0.0	14.3	-0.0 -
1885.5	0.0		Min	I	-0.0	0.0	-14.3	-0.0 -
1885.5	-0.0			J	-0.0	0.0	14.3	-0.0 -
10541	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1		I	-0.0	0.0	-14.3	-0.0
1886.1	0.0			J	-0.0	0.0	14.3	-0.0
1886.1	-0.0							
		G2		I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	I	0.0	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0	0.0
0.0	-0.0							
		Q5_pc	Y	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_ps	X	I	0.0	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0							
		Q5_ps	Y	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
		INVSLU	Max	I	-0.0	0.0	-19.3	0.0
2546.2	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

2546.2	0.0		J	-0.0	0.0	19.3	0.0	-
		Min	I	-0.0	-0.0	-19.3	-0.0	-
2546.2	-0.0		J	-0.0	-0.0	19.3	-0.0	-
2546.2	-0.0		J	-0.0	-0.0	19.3	-0.0	-
		INVSLE Max	I	-0.0	0.0	-14.3	0.0	-
1886.1	0.0		J	-0.0	0.0	14.3	0.0	-
1886.1	0.0	Min	I	-0.0	-0.0	-14.3	-0.0	-
1886.1	-0.0		J	-0.0	-0.0	14.3	-0.0	-
1886.1	-0.0		J	-0.0	-0.0	14.3	-0.0	-
10553	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	0.0	-0.0	
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
		G1	I	0.0	0.0	-13.6	0.0	-
1695.8	0.0		J	0.0	0.0	13.6	0.0	-
1695.8	-0.0		J	0.0	0.0	13.6	0.0	-
		G2	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	
-0.0	0.0		J	0.0	0.0	0.0	0.0	
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.0	-0.0	Q5_pc X	I	-0.0	0.0	0.0	-0.0	
			J	-0.0	0.0	0.0	-0.0	
0.0	0.0							
		Q5_pc Y	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0							
		Q5_ps X	I	-0.0	0.0	0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_ps Y	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		INVS LU Max	I	-0.0	0.0	-18.3	0.0	-
2289.4	0.0		J	-0.0	0.0	18.3	0.0	-
2289.4	0.0	Min	I	-0.0	-0.0	-18.3	-0.0	-
2289.4	-0.0		J	-0.0	-0.0	18.3	-0.0	-
2289.4	-0.0							
		INVS LE Max	I	-0.0	0.0	-13.6	0.0	-
1695.8	0.0		J	-0.0	0.0	13.6	0.0	-
1695.8	0.0	Min	I	-0.0	-0.0	-13.6	-0.0	-
1695.8	-0.0		J	-0.0	-0.0	13.6	-0.0	-
1695.8	-0.0							
10554	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			C3-C4 ; ~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	0.0	0.0	-11.7	-0.0 -
1261.8	-0.0			J	0.0	0.0	11.7	-0.0 -
1261.8	-0.0							
			G2	I	0.0	0.0	0.0	-0.0
0.0	-0.0			J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q5_pc Y	I	0.0	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0							
			Q5_ps X	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_ps Y	I	0.0	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0							
			INVS LU Max	I	-0.0	0.0	-15.8	0.0 -
1703.5	0.0			J	-0.0	0.0	15.8	0.0 -
1703.5	0.0		Min	I	-0.0	-0.0	-15.8	-0.0 -
1703.5	-0.0			J	-0.0	-0.0	15.8	-0.0 -
1703.5	-0.0							
			INVS LE Max	I	-0.0	0.0	-11.7	0.0 -
1261.8	0.0			J	-0.0	0.0	11.7	0.0 -
1261.8	0.0		Min	I	-0.0	-0.0	-11.7	-0.0 -
1261.8	-0.0			J	-0.0	-0.0	11.7	-0.0 -
1261.8	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

BEAM ELEMENT FORCES & MOMENTS MIN/MAX SUMMARY BY PROPERTY PRINTOUT Unit System :
kN , mm

* LENGTH : the length between two nodes

[SECTION NAME : Fittizio , SECTION ID : 3 , SECTION SHAPE : SR]
[SECTION SIZE] D:10

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
10005	AXL	INVSLU	1	I	7.7	7.9	-6.5	6527.3	-3063.3
1135.4	866.29								
9931	SHY	INVSLU	1	I	0.2	10.7	-20.8	8920.4	-3063.8
1551.5	866.17								
10005	SHZ	INVSLU	1	J	7.7	7.9	35.9	6527.3	-3063.3
1135.4	866.29								
9931	TOR	INVSLU	1	I	0.2	10.7	-20.8	8920.4	-3063.8
1551.5	866.17								
10159	MTY	Q5 ps X	1	J	4.7	0.8	9.5	677.5	1.0
-111.9	822.21								
9931	MTZ	INVSLU	1	J	0.2	10.7	21.7	8920.4	-3063.8
1551.5	866.17								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
10005	AXL	INVSLU	1	I	-7.7	-7.9	-35.9	-6527.3	-3066.1
-1135.4	866.29								
9931	SHY	INVSLU	1	I	-0.2	-10.7	-21.7	-8920.4	-3063.9
-1551.5	866.17								
10005	SHZ	INVSLU	1	I	-7.7	-7.9	-35.9	-6527.3	-3066.1
-1135.4	866.29								
9931	TOR	INVSLU	1	I	-0.2	-10.7	-21.7	-8920.4	-3063.9
-1551.5	866.17								
9976	MTY	INVSLU	1	J	-6.5	-7.1	8.7	-5906.7	-3071.0
-1028.4	867.02								
9931	MTZ	INVSLU	1	J	-0.2	-10.7	20.8	-8920.4	-3063.9
-1551.5	866.17								

[SECTION NAME : 600x30 , SECTION ID : 62 , SECTION SHAPE : SB]
[SECTION SIZE] H:30 B:650

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
5175	AXL	C3-C4;~1	1	I	119.2	8.8	0.4	127.7	209.8
13010.9	812.80								
5545	SHY	INVSLU	1	I	-654.3	177.3	-0.3	548.2	88.0
27597.6	748.73								
4862	SHZ	INVSLU	1	J	-281.4	-15.0	9.3	58.4	-1559.5
55567.3	600.08								
5177	TOR	INVSLU	1	I	-2220.0	106.8	-0.1	1378.9	371.5
37365.1	812.77								
5546	MTY	INVSLU	1	J	-267.0	-42.7	-6.3	-102.0	3429.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

```

-0.4 645.86
4863 MTZ INVSLU 1 I -632.4 132.5 1.0 439.6 611.7
75149.6 734.68

```

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
5183 AXL	INVSLU	1	I	-3120.6	-92.4	-2.3	-977.2	-501.3
-45971.0	810.50							
5205 SHY	INVSLU	1	I	-696.9	-163.7	-1.0	-489.6	-107.4
-91859.5	746.84							
5546 SHZ	INVSLU	1	I	-349.5	-150.4	-9.0	-850.4	-2035.6
-97156.4	645.86							
5178 TOR	INVSLU	1	I	-2830.0	-104.7	-2.6	-1346.5	-673.8
-49490.2	810.61							
5204 MTY	INVSLU	1	J	-333.8	23.0	7.6	-39.0	-2048.3
-75620.7	599.98							
5545 MTZ	INVSLU	1	J	-712.7	48.4	-0.7	-72.5	-257.1
109441.7	748.73							

[SECTION NAME : 700x30 , SECTION ID : 63 , SECTION SHAPE : SB]
[SECTION SIZE] H:30 B:700

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
9843 AXL	INVSLU	1	I	4321.6	-0.7	-0.8	18.2	140.2
-10205.7	789.61							
9506 SHY	INVSLU	1	I	3693.7	43.7	-0.4	24.4	349.1
34448.6	810.51							
9515 SHZ	INVSLU	1	J	370.8	-4.3	5.7	-43.2	-913.6
28496.7	773.35							
9845 TOR	INVSLU	1	I	3871.4	-19.5	-0.7	1979.1	113.0
764.1	789.53							
9176 MTY	INVSLU	1	J	392.8	9.9	-0.8	289.7	1285.3
13376.8	734.68							
9846 MTZ	INVSLU	1	I	3633.6	40.5	-0.5	-44.3	327.8
38592.6	789.61							

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH							
9843 AXL	C3-C4;~1	1	I	-373.0	-1.3	-0.0	-82.8	-7.0
-11840.5	789.61							
9505 SHY	INVSLU	1	I	1631.0	-52.9	-1.3	-127.9	-33.0
-10146.7	810.43							
9176 SHZ	INVSLU	1	I	-142.5	-3.7	-6.0	26.2	-2522.9
-11768.1	734.68							
9846 TOR	INVSLU	1	I	1574.3	15.3	-0.8	-1473.3	71.1
12763.2	789.61							
9176 MTY	INVSLU	1	I	-142.5	-3.7	-6.0	26.2	-2522.9
-11768.1	734.68							
9503 MTZ	INVSLU	1	I	1725.8	-4.7	-0.9	-78.4	25.4
-37294.3	810.42							

[SECTION NAME : 2L 180x18 , SECTION ID : 66 , SECTION SHAPE : 2L]

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

[SECTION SIZE] H:180 B:180 tw:18 tf:18 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
8364	AXL	INVSLU	1 J	951.9	0.0	2.1	-3.8	0.0
0.0	3282.51							
8239	SHY	INVSLU	1 I	490.8	0.9	-5.8	-1.9	0.0
0.0	2996.11							
8369	SHZ	INVSLU	1 J	109.0	0.5	6.2	26.0	0.0
0.0	3104.26							
8396	TOR	INVSLU	1 I	379.2	0.0	-2.1	95.5	0.0
0.0	3289.62							
8369	MTY	INVSLU	1 I	109.0	0.5	2.2	26.0	13111.4
1402.5	3104.26							
8509	MTZ	INVSLU	1 I	243.6	0.7	2.1	-8.9	12011.9
2104.4	3009.58							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
8332	AXL	INVSLU	1 I	-1051.3	0.0	-2.1	-74.0	0.0
0.0	3291.62							
8240	SHY	INVSLU	1 I	-252.1	-0.8	1.9	-9.4	11655.8
-2561.0	3033.79							
8346	SHZ	INVSLU	1 I	-63.5	-0.2	-6.1	-51.9	0.0
0.0	3286.29							
8420	TOR	INVSLU	1 J	-956.1	0.0	2.0	-113.4	0.0
0.0	3172.66							
8305	MTY	C1-C2;~1	1 I	-127.0	-0.2	-0.0	-12.4	-26.2
-504.9	3088.48							
8240	MTZ	INVSLU	1 I	-252.1	-0.8	1.9	-9.4	11655.8
-2561.0	3033.79							

[SECTION NAME : 600x40 , SECTION ID : 67 , SECTION SHAPE : SB]

[SECTION SIZE] H:40 B:600

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
5055	AXL	C3-C4;~1	1 I	145.0	11.0	1.1	308.9	562.1
15339.2	866.32							
5284	SHY	INVSLU	1 I	-2329.6	195.5	1.9	2645.4	1331.8
34800.9	813.68							
5010	SHZ	INVSLU	1 J	-2105.2	19.2	6.0	614.9	344.7
39439.1	866.21							
4942	TOR	INVSLU	1 I	-2545.7	128.9	1.7	2743.6	1434.3
41727.6	866.28							
4995	MTY	INVSLU	1 J	-2129.5	25.2	1.7	519.9	2240.5
30978.8	866.31							
4950	MTZ	INVSLU	1 J	-2107.0	14.9	5.7	566.3	276.9
51388.5	866.35							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

```

-----
  4943 AXL   INVSLU      1   I   -3143.8   -124.9   -3.8   -2635.3   -935.9
-69983.0  866.28
  5285 SHY   INVSLU      1   I   -2877.5   -195.5   -4.0   -2651.3   -1065.0 -
124417.1  813.68
  4995 SHZ   INVSLU      1   I   -2705.4   -19.1    -6.0   -631.4   -2028.5
 -976.0   866.31
  5063 TOR   INVSLU      1   I   -3128.1   -130.5   -4.0   -2683.0   -1017.7
-72675.6  866.13
  5010 MTY   INVSLU      1   J   -2745.1   -25.2    0.5   -516.4   -2035.5
 -1478.0  866.21
  5285 MTZ   INVSLU      1   I   -2877.5   -195.5   -4.0   -2651.3   -1065.0 -
124417.1  813.68
  
```

[SECTION NAME : 800x40 , SECTION ID : 69 , SECTION SHAPE : SB]
 [SECTION SIZE] H:40 B:800

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
9316	AXL	INVSLU	1	I	5863.1	153.5	0.2	1847.3	1340.2
102575.9		866.36							
5365	SHY	INVSLU	1	I	3395.2	363.9	26.7	4449.5	11229.3
169177.6		814.49							
5022	SHZ	INVSLU	1	J	3010.7	330.5	50.6	3947.0	5872.5
119899.8		866.12							
9315	TOR	INVSLU	1	I	5860.0	-10.4	-1.7	4982.8	28.0
-2494.9		866.27							
5022	MTY	INVSLU	1	I	3010.7	330.5	47.7	3947.0	20993.4
178210.1		866.12							
9338	MTZ	INVSLU	1	J	-1654.1	-12.8	2.9	-400.6	-703.2
227161.6		866.19							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
9338	AXL	INVSLU	1	J	-6387.7	-57.4	1.8	-2827.7	-1576.5
55249.5		866.19							
5264	SHY	INVSLU	1	I	1368.1	-380.3	-24.9	-4125.9	-9568.2 -
167045.2		813.67							
5103	SHZ	INVSLU	1	I	438.6	-322.3	-49.1	-3864.8	-20952.9 -
124773.8		865.67							
9261	TOR	INVSLU	1	I	337.1	-3.8	-1.1	-4990.6	141.9
-3150.2		866.35							
5022	MTY	INVSLU	1	J	615.7	-128.4	-13.6	-2284.9	-21576.3 -
122864.9		866.12							
5263	MTZ	INVSLU	1	I	1967.3	-240.1	-19.4	-2213.7	-7366.5 -
255288.7		813.74							

[SECTION NAME : 800x30 , SECTION ID : 70 , SECTION SHAPE : SB]
 [SECTION SIZE] H:30 B:800

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
9496	AXL	INVSLU	1	I	5155.5	37.3	-0.5	259.8	391.0
41803.9		810.50							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5245 SHY	INVSLU	1	I	2917.2	310.4	14.0	2401.4	5712.6
127260.9	777.48							
4902 SHZ	INVSLU	1	J	2751.8	277.4	19.4	1538.9	2867.3
103515.7	822.43							
9547 TOR	INVSLU	1	I	3670.5	2.4	-0.6	3530.5	210.8
-3804.5	777.22							
5162 MTY	INVSLU	1	J	3248.5	265.4	8.4	1739.2	7595.6
85069.8	818.15							
4901 MTZ	INVSLU	1	J	2300.6	129.3	16.8	1243.4	3762.2
152474.6	822.52							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
9473	AXL	INVSLU	1	I	-5632.8	1.3	-1.6	539.2	-741.3
27691.7	818.21								
5505	SHY	INVSLU	1	I	1214.5	-289.6	-14.8	-2180.8	-5502.5
127200.2	781.47								
5163	SHZ	INVSLU	1	I	328.8	-285.5	-20.2	-1640.5	-8130.9
103852.7	818.24								
9557	TOR	INVSLU	1	I	-3828.6	-2.4	-0.9	-3672.3	-311.2
-23330.0	777.49								
5163	MTY	INVSLU	1	I	328.8	-285.5	-20.2	-1640.5	-8130.9
103852.7	818.24								
5247	MTZ	INVSLU	1	J	2313.5	-165.0	-3.5	-1739.9	-3673.3
196247.3	777.45								

[SECTION NAME : 2L140x13 , SECTION ID : 71 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:140 B:140 tw:13 tf:13 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
8039	AXL	INVSLU	1	I	648.9	0.0	-0.6	9.2	574.7
0.5	2412.68								
7899	SHY	INVSLU	1	J	186.4	0.0	1.3	0.9	311.3
-0.2	2399.96								
7896	SHZ	INVSLU	1	J	-115.2	0.0	1.5	2.5	-637.5
0.3	2400.04								
7932	TOR	INVSLU	1	J	182.0	-0.0	1.3	12.9	277.0
4.7	2399.99								
8069	MTY	INVSLU	1	I	587.7	0.0	-0.6	8.8	582.6
0.4	2400.00								
7932	MTZ	INVSLU	1	J	182.0	-0.0	1.3	12.9	277.0
4.7	2399.99								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
8048	AXL	INVSLU	1	J	-711.2	-0.0	0.3	-2.9	0.0
0.0	2400.00								
8067	SHY	INVSLU	1	I	35.7	-0.0	-1.3	-2.6	-1025.2
-4.7	2399.99								
8055	SHZ	INVSLU	1	I	-634.1	-0.0	-1.5	-2.1	-1439.8
-0.3	2400.04								
7917	TOR	INVSLU	1	J	-86.1	0.0	0.8	-13.1	-1017.5
-4.1	2399.99								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8055 MTY	INVSLU	1	I	-634.1	-0.0	-1.5	-2.1	-1439.8
-0.3	2400.04							
8067 MTZ	INVSLU	1	I	35.7	-0.0	-1.3	-2.6	-1025.2
-4.7	2399.99							

[SECTION NAME : 2L140x13 , SECTION ID : 72 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:140 B:140 tw:13 tf:13 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
8652	AXL	INVSLU	1	I	379.5	0.0	-1.2	-2.2	0.0
0.0	3288.24								
8605	SHY	INVSLU	1	J	115.5	0.3	3.5	10.9	0.0
0.0	3085.34								
8641	SHZ	INVSLU	1	J	364.0	0.2	3.5	10.0	0.0
0.0	3104.26								
8642	TOR	INVSLU	1	J	244.6	0.1	-1.0	14.3	7107.7
748.3	3224.52								
8641	MTY	INVSLU	1	I	364.0	0.2	1.3	10.0	7368.0
616.2	3104.26								
8602	MTZ	INVSLU	1	J	115.5	0.2	-1.0	11.5	7316.9
1070.6	3281.16								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
8580	AXL	INVSLU	1	I	-419.2	-0.0	-1.2	-9.5	0.0
0.0	3287.91								
8545	SHY	INVSLU	1	I	21.9	-0.3	1.2	-1.3	7037.7
-1059.2	3035.52								
8638	SHZ	INVSLU	1	I	96.3	-0.2	-3.4	1.1	0.0
0.0	3283.66								
8640	TOR	INVSLU	1	J	-120.6	0.0	1.2	-25.5	0.0
0.0	3299.66								
8657	MTY	C3-C4;~1	1	I	-57.6	-0.2	-0.0	-1.6	-4.9
-542.7	3088.12								
8542	MTZ	INVSLU	1	J	22.0	-0.2	-1.0	2.2	7018.3
-1059.2	3211.16								

[SECTION NAME : 2L110x12 , SECTION ID : 74 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:110 B:110 tw:12 tf:12 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
7683	AXL	INVSLU	1	I	213.6	0.0	-1.2	1.0	0.0
0.0	4800.08								
7641	SHY	INVSLU	1	J	146.3	0.0	1.2	4.1	0.0
0.0	4799.97								
7635	SHZ	INVSLU	1	J	66.0	0.0	1.3	3.1	0.0
0.0	4825.37								
7620	TOR	INVSLU	1	J	136.2	0.0	1.2	4.4	0.0
0.0	4799.96								
7635	MTY	INVSLU	1	J	-249.1	0.0	1.3	-1.0	0.0
0.0	4825.37								
7635	MTZ	INVSLU	1	J	-249.1	0.0	1.3	-1.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0 4825.37

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
7635	AXL	INVSLU	1 I	-249.1	-0.0	-1.3	-1.0	0.0
0.0	4825.37							
7614	SHY	INVSLU	1 I	-105.1	-0.0	-1.2	-3.9	0.0
0.0	4799.93							
7635	SHZ	INVSLU	1 I	-249.1	-0.0	-1.3	-1.0	0.0
0.0	4825.37							
7752	TOR	INVSLU	1 I	-104.0	0.0	-1.2	-4.3	0.0
0.0	4799.98							
7635	MTY	INVSLU	1 J	-249.1	0.0	1.3	-1.0	0.0
0.0	4825.37							
7635	MTZ	INVSLU	1 J	-249.1	0.0	1.3	-1.0	0.0
0.0	4825.37							

[SECTION NAME : 2L120x12 , SECTION ID : 78 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:120 B:120 tw:12 tf:12 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
8133	AXL	INVSLU	1 J	390.8	0.0	0.7	0.7	0.0
0.0	3162.83							
8150	SHY	INVSLU	1 I	188.1	0.0	-0.7	-2.9	0.0
0.0	3162.85							
8166	SHZ	INVSLU	1 J	346.3	0.0	0.7	3.0	0.0
0.0	3172.48							
8165	TOR	INVSLU	1 J	25.5	0.0	0.7	8.7	0.0
0.0	3162.84							
8133	MTY	INVSLU	1 J	390.8	0.0	0.7	0.7	0.0
0.0	3162.83							
8133	MTZ	INVSLU	1 J	390.8	0.0	0.7	0.7	0.0
0.0	3162.83							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
8132	AXL	INVSLU	1 I	-384.6	-0.0	-0.7	-0.6	0.0
0.0	3162.83							
8151	SHY	INVSLU	1 I	-183.2	-0.0	-0.7	-3.4	0.0
0.0	3162.85							
8166	SHZ	INVSLU	1 I	345.1	0.0	-0.7	3.0	0.0
0.0	3172.48							
8197	TOR	INVSLU	1 J	-301.3	0.0	0.7	-8.4	0.0
0.0	3162.82							
8133	MTY	INVSLU	1 J	390.8	0.0	0.7	0.7	0.0
0.0	3162.83							
8133	MTZ	INVSLU	1 J	390.8	0.0	0.7	0.7	0.0
0.0	3162.83							

[SECTION NAME : 900x80 , SECTION ID : 83 , SECTION SHAPE : SB]
 [SECTION SIZE] H:80 B:900

** MAX

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
4972	AXL	INVSLU	1	J	11089.7	333.2	87.1	28240.1	-3471.1
350738.4		824.63							
5435	SHY	INVSLU	1	I	9935.0	561.5	11.4	24200.5	-1664.7
348619.2		766.36							
9567	SHZ	INVSLU	1	J	-6892.1	298.2	249.1	2224.2	-74787.8
194143.6		781.40							
4907	TOR	INVSLU	1	I	6567.2	379.8	91.3	29161.3	37357.4
139083.0		822.48							
5099	MTY	INVSLU	1	J	6068.9	190.4	87.7	14739.0	65312.7
138521.1		865.65							
5093	MTZ	INVSLU	1	I	10935.9	370.9	8.0	12785.2	-4589.9
411669.8		833.71							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z		LENGTH							
9345	AXL	INVSLU	1	J	-13495.1	145.6	82.1	-2973.6	-104865.0
618445.7		816.27							
4968	SHY	INVSLU	1	I	3829.3	-593.0	-44.6	-27283.4	-20616.3
348670.4		824.64							
9748	SHZ	INVSLU	1	I	-11655.5	-327.5	-253.7	-2239.4	-131790.9
445532.5		766.36							
5158	TOR	INVSLU	1	I	3280.8	-398.4	-98.4	-29721.8	-40495.3
264444.3		818.17							
9567	MTY	INVSLU	1	J	-11877.1	166.1	139.7	-987.9	-132488.0
451485.3		781.40							
9345	MTZ	INVSLU	1	J	-13495.1	145.6	82.1	-2973.6	-104865.0
618445.7		816.27							


REACTION FORCES & MOMENTS DEFAULT PRINTOUT.
kN , mm

Unit System :

Node	LC	FX	FY	FZ	MX	MY
MZ						
5148	C1-C2;~1	Max	33.5	85.7	942.8	0.0
0.0		Min	-31.5	-91.0	-259.0	0.0
0.0						
	C3-C4;~1	Max	37.6	93.5	1232.4	0.0
0.0		Min	-34.4	-102.3	-269.7	0.0
0.0						
	C1-C2;~2	Max	17.5	45.7	516.7	0.0
0.0		Min	-16.8	-47.6	-133.8	0.0
0.0						
	C3-C4;~2	Max	19.7	49.0	700.3	0.0
0.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-18.0	-53.5	-141.5	0.0	0.0
0.0	G1		5.4	-14.8	750.9	0.0	0.0
0.0	G2		2.4	-6.6	283.1	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-40.9	111.1	33.1	0.0	0.0
0.0	Q5_pc Y		111.9	-304.2	-95.1	0.0	0.0
0.0	Q5_ps X		-38.8	105.6	26.7	0.0	0.0
0.0	Q5_ps Y		106.2	-288.7	-72.5	0.0	0.0
0.0	INVSLU	Max	199.8	461.4	2986.4	0.0	0.0
0.0		Min	-169.7	-543.1	787.4	0.0	0.0
0.0	INVSLE	Max	136.6	308.5	2197.2	0.0	0.0
0.0		Min	-113.5	-371.4	581.1	0.0	0.0
5198	C1-C2;~1	Max	115.9	176.4	1714.7	0.0	0.0
0.0		Min	-116.8	-175.0	-240.1	0.0	0.0
0.0	C3-C4;~1	Max	129.7	197.5	2315.8	0.0	0.0
0.0		Min	-130.8	-195.8	-215.1	0.0	0.0
0.0	C1-C2;~2	Max	61.4	91.5	830.7	0.0	0.0
0.0		Min	-60.6	-92.7	-119.5	0.0	0.0
0.0	C3-C4;~2	Max	67.6	102.2	1136.3	0.0	0.0
0.0		Min	-67.7	-102.1	-111.6	0.0	0.0
0.0	G1		-13.3	20.1	2323.3	0.0	0.0
0.0	G2		-5.6	8.5	881.0	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-229.8	346.9	145.2	0.0	0.0
0.0	Q5_pc Y		443.3	-669.3	-296.5	0.0	0.0
0.0	Q5_ps X		-217.6	328.5	119.0	0.0	0.0
0.0	Q5_ps Y		419.7	-633.5	-236.5	0.0	0.0
0.0	INVSLU	Max	677.6	1153.4	7079.5	0.0	0.0
0.0		Min	-764.0	-1023.0	3095.4	0.0	0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	INVSLE	Max	453.8	786.3	5188.7	0.0	0.0
0.0		Min	-520.8	-685.0	2277.1	0.0	0.0
5258	C1-C2;~1	Max	155.9	131.7	1861.9	0.0	0.0
0.0		Min	-168.8	-121.7	-331.0	0.0	0.0
0.0	C3-C4;~1	Max	180.1	152.5	2584.1	0.0	0.0
0.0		Min	-195.4	-140.6	-294.8	0.0	0.0
0.0	C1-C2;~2	Max	77.7	68.3	890.6	0.0	0.0
0.0		Min	-87.6	-60.6	-162.0	0.0	0.0
0.0	C3-C4;~2	Max	88.6	78.1	1243.6	0.0	0.0
0.0		Min	-100.0	-69.1	-150.1	0.0	0.0
0.0	G1		7.8	-6.0	2438.1	0.0	0.0
0.0	G2		3.4	-2.6	933.3	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-438.5	342.2	247.2	0.0	0.0
0.0	Q5_pc Y		-132.5	103.4	-13.7	0.0	0.0
0.0	Q5_ps X		-415.4	324.2	206.5	0.0	0.0
0.0	Q5_ps Y		-125.6	98.0	13.3	0.0	0.0
0.0	INVSLU	Max	783.2	560.0	7382.1	0.0	0.0
0.0		Min	-717.7	-611.1	3001.8	0.0	0.0
0.0	INVSLE	Max	535.7	377.4	5400.7	0.0	0.0
0.0		Min	-483.7	-418.1	2189.1	0.0	0.0
5318	C1-C2;~1	Max	312.3	843.7	1917.1	0.0	0.0
0.0		Min	-335.0	-840.3	-375.8	0.0	0.0
0.0	C3-C4;~1	Max	390.0	988.4	2457.6	0.0	0.0
0.0		Min	-428.2	-1096.4	-389.1	0.0	0.0
0.0	C1-C2;~2	Max	150.6	415.6	910.3	0.0	0.0
0.0		Min	-168.5	-414.7	-178.5	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.0	C3-C4;~2	Max	191.7	485.9	1191.2	0.0	0.0
0.0		Min	-211.3	-531.4	-187.2	0.0	0.0
0.0	G1		-7.9	-21.8	2422.8	0.0	0.0
0.0	G2		-5.9	-17.4	915.0	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-811.8	762.0	446.9	0.0	0.0
0.0	Q5_pc Y		-841.8	-1486.3	127.4	0.0	0.0
0.0	Q5_ps X		-769.9	719.0	379.6	0.0	0.0
0.0	Q5_ps Y		-799.6	-1414.3	108.2	0.0	0.0
0.0	INVS LU	Max	1435.9	2789.8	7425.5	0.0	0.0
0.0		Min	-1507.1	-2826.5	2778.1	0.0	0.0
0.0	INVS LE	Max	974.2	1912.2	5424.9	0.0	0.0
0.0		Min	-1028.1	-1976.2	2041.9	0.0	0.0
5378	C1-C2;~1	Max	198.4	3.1	1874.4	0.0	0.0
0.0		Min	-203.7	-3.0	-334.1	0.0	0.0
0.0	C3-C4;~1	Max	214.2	3.7	2509.0	0.0	0.0
0.0		Min	-247.0	-3.2	-305.3	0.0	0.0
0.0	C1-C2;~2	Max	99.4	1.6	894.0	0.0	0.0
0.0		Min	-106.4	-1.5	-162.3	0.0	0.0
0.0	C3-C4;~2	Max	107.4	1.9	1212.1	0.0	0.0
0.0		Min	-125.9	-1.6	-153.4	0.0	0.0
0.0	G1		16.7	-0.3	2428.2	0.0	0.0
0.0	G2		5.3	-0.1	924.3	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-1188.0	18.0	465.3	0.0	0.0
0.0	Q5_pc Y		151.9	-2.3	17.8	0.0	0.0
0.0	Q5_ps X		-1125.4	17.1	400.8	0.0	0.0
0.0	Q5_ps Y		143.1	-2.2	-5.6	0.0	0.0
0.0	INVS LU	Max	1892.5	27.3	7449.5	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-1798.7	-28.7	2773.7	0.0	0.0
0.0							
0.0	INVSLE	Max	1279.1	18.3	5435.9	0.0	0.0
0.0		Min	-1204.9	-19.4	2034.5	0.0	0.0
0.0							
5438	C1-C2;~1	Max	191.5	60.8	1753.2	0.0	0.0
0.0		Min	-208.2	-66.1	-230.0	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	221.0	70.2	2311.7	0.0	0.0
0.0		Min	-223.6	-71.0	-207.6	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	101.8	32.4	847.0	0.0	0.0
0.0		Min	-108.3	-34.4	-116.5	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	114.8	36.5	1135.2	0.0	0.0
0.0		Min	-117.2	-37.2	-109.9	0.0	0.0
0.0							
0.0	G1		-37.1	-11.8	2400.3	0.0	0.0
0.0	G2		-14.6	-4.6	911.2	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-350.7	-111.4	113.4	0.0	0.0
0.0	Q5_pc Y		-483.7	-153.7	196.9	0.0	0.0
0.0	Q5_ps X		-332.6	-105.7	102.2	0.0	0.0
0.0	Q5_ps Y		-457.5	-145.3	152.4	0.0	0.0
0.0							
0.0	INVSLU	Max	753.3	239.3	7179.0	0.0	0.0
0.0		Min	-932.5	-296.2	3393.2	0.0	0.0
0.0							
0.0	INVSLE	Max	504.5	160.3	5272.9	0.0	0.0
0.0		Min	-642.5	-204.1	2494.9	0.0	0.0
0.0							
5488	C1-C2;~1	Max	86.0	51.3	975.6	0.0	0.0
0.0		Min	-74.2	-44.2	-240.8	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	93.1	55.5	1258.6	0.0	0.0
0.0		Min	-83.2	-49.6	-270.7	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	45.2	26.9	528.3	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0		Min	-39.7	-23.6	-126.2	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	49.3	29.4	709.8	0.0	0.0
0.0		Min	-43.5	-25.9	-142.2	0.0	0.0
0.0	G1		20.0	12.0	839.0	0.0	0.0
0.0	G2		8.4	5.0	319.9	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		66.0	39.3	-29.6	0.0	0.0
0.0	Q5_pc Y		-262.5	-156.4	93.8	0.0	0.0
0.0	Q5_ps X		62.5	37.2	-21.1	0.0	0.0
0.0	Q5_ps Y		-249.2	-148.5	69.9	0.0	0.0
0.0							
0.0	INVSLU	Max	481.3	286.8	3165.8	0.0	0.0
0.0		Min	-391.5	-233.2	932.5	0.0	0.0
0.0							
0.0	INVSLE	Max	329.9	196.6	2327.9	0.0	0.0
0.0		Min	-261.3	-155.6	686.1	0.0	0.0
0.0							
5491	C1-C2;~1	Max	0.0	0.0	1260.6	0.0	0.0
0.0		Min	0.0	0.0	-109.6	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	0.0	0.0	973.7	0.0	0.0
0.0		Min	0.0	0.0	-154.1	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	0.0	0.0	760.2	0.0	0.0
0.0		Min	0.0	0.0	-52.7	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	0.0	574.8	0.0	0.0
0.0		Min	0.0	0.0	-75.7	0.0	0.0
0.0							
0.0	G1		0.0	0.0	655.7	0.0	0.0
0.0	G2		0.0	0.0	251.2	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		0.0	0.0	-43.5	0.0	0.0
0.0	Q5_pc Y		0.0	0.0	115.3	0.0	0.0
0.0	Q5_ps X		0.0	0.0	-34.7	0.0	0.0
0.0	Q5_ps Y		0.0	0.0	89.9	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0							
	INVSLU	Max	0.0	0.0	2969.2	0.0	0.0
0.0		Min	0.0	0.0	851.8	0.0	0.0
0.0							
	INVSLE	Max	0.0	0.0	2188.0	0.0	0.0
0.0		Min	0.0	0.0	634.9	0.0	0.0
0.0							
5541	C1-C2;~1	Max	0.0	0.0	2404.7	0.0	0.0
0.0		Min	0.0	0.0	-225.8	0.0	0.0
0.0							
	C3-C4;~1	Max	0.0	0.0	1952.1	0.0	0.0
0.0		Min	0.0	0.0	-273.1	0.0	0.0
0.0							
	C1-C2;~2	Max	0.0	0.0	1224.1	0.0	0.0
0.0		Min	0.0	0.0	-117.9	0.0	0.0
0.0							
	C3-C4;~2	Max	0.0	0.0	977.6	0.0	0.0
0.0		Min	0.0	0.0	-137.9	0.0	0.0
0.0							
	G1		0.0	0.0	2564.4	0.0	0.0
0.0							
	G2		0.0	0.0	944.1	0.0	0.0
0.0							
	Q3		0.0	0.0	0.0	0.0	0.0
0.0							
	Q5_pc X		0.0	0.0	-146.9	0.0	0.0
0.0							
	Q5_pc Y		0.0	0.0	298.5	0.0	0.0
0.0							
	Q5_ps X		0.0	0.0	-121.5	0.0	0.0
0.0							
	Q5_ps Y		0.0	0.0	242.1	0.0	0.0
0.0							
	INVSLU	Max	0.0	0.0	9179.7	0.0	0.0
0.0		Min	0.0	0.0	5027.4	0.0	0.0
0.0							
	INVSLE	Max	0.0	0.0	6831.3	0.0	0.0
0.0		Min	0.0	0.0	3795.3	0.0	0.0
0.0							
5601	C1-C2;~1	Max	0.0	0.0	2451.7	0.0	0.0
0.0		Min	0.0	0.0	-292.2	0.0	0.0
0.0							
	C3-C4;~1	Max	0.0	0.0	1985.7	0.0	0.0
0.0		Min	0.0	0.0	-333.7	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0							
0.0	C1-C2;~2	Max	0.0	0.0	1242.8	0.0	0.0
0.0		Min	0.0	0.0	-146.7	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	0.0	991.8	0.0	0.0
0.0		Min	0.0	0.0	-166.1	0.0	0.0
0.0							
0.0		G1	0.0	0.0	2515.0	0.0	0.0
0.0		G2	0.0	0.0	908.0	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0		Q5_pc X	0.0	0.0	-233.3	0.0	0.0
0.0		Q5_pc Y	0.0	0.0	-76.0	0.0	0.0
0.0		Q5_ps X	0.0	0.0	-192.2	0.0	0.0
0.0		Q5_ps Y	0.0	0.0	-95.7	0.0	0.0
0.0							
0.0	INVSLU	Max	0.0	0.0	8928.6	0.0	0.0
0.0		Min	0.0	0.0	4748.3	0.0	0.0
0.0							
0.0	INVSLE	Max	0.0	0.0	6644.4	0.0	0.0
0.0		Min	0.0	0.0	3579.0	0.0	0.0
0.0							
5661	C1-C2;~1	Max	327.1	869.0	2417.2	0.0	0.0
0.0		Min	-325.3	-864.4	-256.2	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	424.1	1126.9	1950.8	0.0	0.0
0.0		Min	-384.0	-1020.3	-293.8	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	161.9	430.2	1226.6	0.0	0.0
0.0		Min	-159.9	-424.9	-124.5	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	205.6	546.4	974.1	0.0	0.0
0.0		Min	-188.8	-501.7	-140.0	0.0	0.0
0.0							
0.0		G1	8.6	22.7	2482.4	0.0	0.0
0.0		G2	6.7	17.9	905.9	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0		Q5_pc X	-20.3	-54.1	-432.7	0.0	0.0
0.0		Q5_pc Y	-275.4	-731.7	-119.9	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps X		-18.0	-47.9	-368.3	0.0	0.0
0.0	Q5_ps Y		-258.5	-686.8	-104.9	0.0	0.0
0.0	INVS LU	Max	819.0	2176.2	9076.5	0.0	0.0
0.0		Min	-767.6	-2039.5	4638.0	0.0	0.0
0.0	INVS LE	Max	587.4	1560.8	6742.9	0.0	0.0
0.0		Min	-551.1	-1464.4	3512.8	0.0	0.0
5721	C1-C2;~1	Max	0.0	0.0	2446.1	0.0	0.0
0.0		Min	0.0	0.0	-273.2	0.0	0.0
0.0	C3-C4;~1	Max	0.0	0.0	1974.7	0.0	0.0
0.0		Min	0.0	0.0	-333.7	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	1239.5	0.0	0.0
0.0		Min	0.0	0.0	-137.0	0.0	0.0
0.0	C3-C4;~2	Max	0.0	0.0	986.1	0.0	0.0
0.0		Min	0.0	0.0	-163.8	0.0	0.0
0.0	G1		0.0	0.0	2521.1	0.0	0.0
0.0	G2		0.0	0.0	926.4	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		0.0	0.0	-464.9	0.0	0.0
0.0	Q5_pc Y		0.0	0.0	60.4	0.0	0.0
0.0	Q5_ps X		0.0	0.0	-404.4	0.0	0.0
0.0	Q5_ps Y		0.0	0.0	80.2	0.0	0.0
0.0	INVS LU	Max	0.0	0.0	9162.6	0.0	0.0
0.0		Min	0.0	0.0	4573.0	0.0	0.0
0.0	INVS LE	Max	0.0	0.0	6802.4	0.0	0.0
0.0		Min	0.0	0.0	3464.7	0.0	0.0
5782	C1-C2;~1	Max	0.0	0.0	2250.4	0.0	0.0
0.0		Min	0.0	0.0	-218.8	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C3-C4;~1	Max	0.0	0.0	1898.5	0.0	0.0
0.0		Min	0.0	0.0	-240.2	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	1162.4	0.0	0.0
0.0		Min	0.0	0.0	-113.6	0.0	0.0
0.0	C3-C4;~2	Max	0.0	0.0	955.7	0.0	0.0
0.0		Min	0.0	0.0	-123.2	0.0	0.0
0.0	G1		0.0	0.0	2481.5	0.0	0.0
0.0	G2		0.0	0.0	909.8	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		0.0	0.0	-126.5	0.0	0.0
0.0	Q5_pc Y		0.0	0.0	-201.5	0.0	0.0
0.0	Q5_ps X		0.0	0.0	-113.3	0.0	0.0
0.0	Q5_ps Y		0.0	0.0	-157.6	0.0	0.0
0.0	INVSLU	Max	0.0	0.0	8674.1	0.0	0.0
0.0		Min	0.0	0.0	4949.2	0.0	0.0
0.0	INVSLE	Max	0.0	0.0	6459.3	0.0	0.0
0.0		Min	0.0	0.0	3726.9	0.0	0.0
5832	C1-C2;~1	Max	0.0	0.0	1218.6	0.0	0.0
0.0		Min	0.0	0.0	-112.5	0.0	0.0
0.0	C3-C4;~1	Max	0.0	0.0	934.5	0.0	0.0
0.0		Min	0.0	0.0	-169.5	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	740.4	0.0	0.0
0.0		Min	0.0	0.0	-53.1	0.0	0.0
0.0	C3-C4;~2	Max	0.0	0.0	556.4	0.0	0.0
0.0		Min	0.0	0.0	-83.7	0.0	0.0
0.0	G1		0.0	0.0	577.0	0.0	0.0
0.0	G2		0.0	0.0	216.3	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		0.0	0.0	26.2	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	Q5_pc	Y	0.0	0.0	-107.5	0.0	0.0
0.0	Q5_ps	X	0.0	0.0	20.8	0.0	0.0
0.0	Q5_ps	Y	0.0	0.0	-83.3	0.0	0.0
0.0	INVS LU	Max	0.0	0.0	2776.7	0.0	0.0
0.0		Min	0.0	0.0	709.3	0.0	0.0
0.0	INVS LE	Max	0.0	0.0	2048.4	0.0	0.0
0.0		Min	0.0	0.0	531.3	0.0	0.0

SUMMATION OF REACTION FORCES

LC	SUM-FX	SUM-FY	SUM-FZ
G1	0.2	0.1	27399.6
G2	0.0	0.0	10229.8
Q3	0.0	0.0	0.0
Q5_pc X	-3014.1	1454.0	0.0
Q5_pc Y	-1288.8	-3400.4	-0.0
Q5_ps X	-2855.3	1378.0	0.0
Q5_ps Y	-1221.5	-3221.3	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


REACTION FORCES & MOMENTS LOCAL PRINTOUT.
kN , mm

Unit System :

Node MZ	LC		FX	FY	FZ	MX	MY
5148	C1-C2;~1	Max	0.0	91.3	942.8	0.0	0.0
0.0		Min	-0.0	-96.9	-259.0	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	0.0	99.7	1232.4	0.0	0.0
0.0		Min	-0.0	-109.0	-269.7	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	0.0	48.7	516.7	0.0	0.0
0.0		Min	-0.0	-50.8	-133.8	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	52.2	700.3	0.0	0.0
0.0		Min	-0.0	-57.0	-141.5	0.0	0.0
0.0							
0.0	G1		-0.0	-15.7	750.9	0.0	0.0
0.0	G2		-0.0	-7.0	283.1	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-0.0	118.3	33.1	0.0	0.0
0.0	Q5_pc Y		0.0	-324.2	-95.1	0.0	0.0
0.0	Q5_ps X		0.0	112.5	26.7	0.0	0.0
0.0	Q5_ps Y		0.0	-307.6	-72.5	0.0	0.0
0.0							
0.0	INVSLU	Max	0.0	491.7	2986.4	0.0	0.0
0.0		Min	-0.0	-578.6	787.4	0.0	0.0
0.0							
0.0	INVSLE	Max	0.0	328.8	2197.2	0.0	0.0
0.0		Min	-0.0	-395.7	581.1	0.0	0.0
0.0							
5198	C1-C2;~1	Max	0.0	211.6	1714.7	0.0	0.0
0.0		Min	-0.0	-209.9	-240.1	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	0.0	236.9	2315.8	0.0	0.0
0.0		Min	-0.0	-234.9	-215.1	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	C1-C2;~2	Max	0.0	109.7	830.7	0.0	0.0
0.0		Min	-0.0	-111.2	-119.5	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	122.5	1136.3	0.0	0.0
0.0		Min	-0.0	-122.5	-111.6	0.0	0.0
0.0							
0.0		G1	-0.0	24.1	2323.3	0.0	0.0
0.0		G2	-0.0	10.2	881.0	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc	X	0.0	416.1	145.2	0.0	0.0
0.0	Q5_pc	Y	-0.0	-802.8	-296.5	0.0	0.0
0.0	Q5_ps	X	-0.0	394.1	119.0	0.0	0.0
0.0	Q5_ps	Y	0.0	-759.9	-236.5	0.0	0.0
0.0							
0.0	INVSLU	Max	0.0	1383.4	7079.5	0.0	0.0
0.0		Min	-0.0	-1227.0	3095.4	0.0	0.0
0.0							
0.0	INVSLE	Max	0.0	943.1	5188.7	0.0	0.0
0.0		Min	-0.0	-821.7	2277.1	0.0	0.0
0.0							
5258	C1-C2;~1	Max	0.0	214.1	1861.9	0.0	0.0
0.0		Min	-0.0	-197.8	-331.0	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	0.0	247.9	2584.1	0.0	0.0
0.0		Min	-0.0	-228.5	-294.8	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	0.0	111.1	890.6	0.0	0.0
0.0		Min	-0.0	-98.5	-162.0	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	126.9	1243.6	0.0	0.0
0.0		Min	-0.0	-112.4	-150.1	0.0	0.0
0.0							
0.0		G1	0.0	-9.8	2438.1	0.0	0.0
0.0		G2	-0.0	-4.3	933.3	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc	X	-0.0	556.2	247.2	0.0	0.0
0.0	Q5_pc	Y	0.0	168.1	-13.7	0.0	0.0
0.0	Q5_ps	X	0.0	526.9	206.5	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Q5_ps Y		0.0	159.4	13.3	0.0	0.0
0.0	INVS LU	Max	0.0	910.3	7382.1	0.0	0.0
0.0		Min	-0.1	-993.4	3001.8	0.0	0.0
0.0	INVS LE	Max	0.0	613.5	5400.7	0.0	0.0
0.0		Min	-0.0	-679.6	2189.1	0.0	0.0
5378	C1-C2;~1	Max	0.0	203.7	1874.4	0.0	0.0
0.0		Min	-0.0	-198.5	-334.1	0.0	0.0
0.0	C3-C4;~1	Max	0.0	247.0	2509.0	0.0	0.0
0.0		Min	-0.0	-214.2	-305.3	0.0	0.0
0.0	C1-C2;~2	Max	0.0	106.4	894.0	0.0	0.0
0.0		Min	-0.0	-99.4	-162.3	0.0	0.0
0.0	C3-C4;~2	Max	0.0	125.9	1212.1	0.0	0.0
0.0		Min	-0.0	-107.4	-153.4	0.0	0.0
0.0	G1		0.0	-16.7	2428.2	0.0	0.0
0.0	G2		-0.0	-5.3	924.3	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-0.0	1188.1	465.3	0.0	0.0
0.0	Q5_pc Y		0.0	-151.9	17.8	0.0	0.0
0.0	Q5_ps X		-0.0	1125.5	400.8	0.0	0.0
0.0	Q5_ps Y		-0.0	-143.1	-5.6	0.0	0.0
0.0	INVS LU	Max	0.0	1798.9	7449.5	0.0	0.0
0.0		Min	-0.0	-1892.7	2773.7	0.0	0.0
0.0	INVS LE	Max	0.0	1205.1	5435.9	0.0	0.0
0.0		Min	-0.0	-1279.3	2034.5	0.0	0.0
5438	C1-C2;~1	Max	0.0	218.5	1753.2	0.0	0.0
0.0		Min	-0.0	-200.9	-230.0	0.0	0.0
0.0	C3-C4;~1	Max	0.0	234.7	2311.7	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	Min	-0.0	-231.9	-207.6	0.0	0.0	
0.0	C1-C2;~2	Max	0.0	113.6	847.0	0.0	0.0
0.0	Min	-0.0	-106.9	-116.5	0.0	0.0	
0.0	C3-C4;~2	Max	0.0	122.9	1135.2	0.0	0.0
0.0	Min	-0.0	-120.5	-109.9	0.0	0.0	
0.0	G1	0.0	38.9	2400.3	0.0	0.0	
0.0	G2	0.0	15.3	911.2	0.0	0.0	
0.0	Q3	0.0	0.0	0.0	0.0	0.0	
0.0	Q5_pc X	-0.0	368.0	113.4	0.0	0.0	
0.0	Q5_pc Y	0.0	507.5	196.9	0.0	0.0	
0.0	Q5_ps X	-0.0	349.0	102.2	0.0	0.0	
0.0	Q5_ps Y	0.0	480.0	152.4	0.0	0.0	
0.0	INVS LU	Max	0.0	978.4	7179.0	0.0	0.0
0.0	Min	-0.0	-790.4	3393.2	0.0	0.0	
0.0	INVS LE	Max	0.0	674.1	5272.9	0.0	0.0
0.0	Min	-0.0	-529.4	2494.9	0.0	0.0	
5488	C1-C2;~1	Max	0.0	86.4	975.6	0.0	0.0
0.0	Min	-0.0	-100.1	-240.8	0.0	0.0	
0.0	C3-C4;~1	Max	0.0	96.9	1258.6	0.0	0.0
0.0	Min	-0.0	-108.4	-270.7	0.0	0.0	
0.0	C1-C2;~2	Max	0.0	46.2	528.3	0.0	0.0
0.0	Min	-0.0	-52.6	-126.2	0.0	0.0	
0.0	C3-C4;~2	Max	0.0	50.6	709.8	0.0	0.0
0.0	Min	-0.0	-57.4	-142.2	0.0	0.0	
0.0	G1	0.1	-23.4	839.0	0.0	0.0	
0.0	G2	0.0	-9.7	319.9	0.0	0.0	
0.0	Q3	0.0	0.0	0.0	0.0	0.0	
0.0	Q5_pc X	-0.0	-76.8	-29.6	0.0	0.0	
0.0	Q5_pc Y	0.0	305.6	93.8	0.0	0.0	


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	Q5_ps X		-0.0	-72.8	-21.1	0.0	0.0
0.0	Q5_ps Y		0.0	290.1	69.9	0.0	0.0
0.0	INVS LU	Max	0.1	455.7	3165.8	0.0	0.0
0.0		Min	0.0	-560.3	932.5	0.0	0.0
0.0	INVS LE	Max	0.1	304.1	2327.9	0.0	0.0
0.0		Min	0.0	-384.1	686.1	0.0	0.0
5661	C1-C2;~1	Max	928.5	0.0	2417.2	0.0	0.0
0.0		Min	-923.6	-0.0	-256.2	0.0	0.0
0.0	C3-C4;~1	Max	1204.1	0.0	1950.8	0.0	0.0
0.0		Min	-1090.1	-0.0	-293.8	0.0	0.0
0.0	C1-C2;~2	Max	459.6	0.0	1226.6	0.0	0.0
0.0		Min	-454.0	-0.0	-124.5	0.0	0.0
0.0	C3-C4;~2	Max	583.8	0.0	974.1	0.0	0.0
0.0		Min	-536.0	-0.0	-140.0	0.0	0.0
0.0	G1		24.3	-0.0	2482.4	0.0	0.0
0.0	G2		19.1	0.0	905.9	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc X		-57.8	-0.0	-432.7	0.0	0.0
0.0	Q5_pc Y		-781.8	-0.0	-119.9	0.0	0.0
0.0	Q5_ps X		-51.2	-0.0	-368.3	0.0	0.0
0.0	Q5_ps Y		-733.9	-0.0	-104.9	0.0	0.0
0.0	INVS LU	Max	2325.2	0.0	9076.5	0.0	0.0
0.0		Min	-2179.2	0.0	4638.0	0.0	0.0
0.0	INVS LE	Max	1667.6	0.0	6742.9	0.0	0.0
0.0		Min	-1564.7	0.0	3512.8	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

PLATE ELEMENT FORCES (LOCAL) DEFAULT PRINTOUT
kN , mm

Unit System :


ELEM	MAT My	SEC Mz	LC	NODE	Fx	Fy	Fz	Mx
5547	2	4	C1-C2;~1	Max	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0
	0.0	0.0		Min	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0
	0.0	0.0		Min	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0
	0.0	0.0		Min	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0
	0.0	0.0		Min	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0
	0.0	0.0		Min	5147	0.0	0.0	0.0
	0.0	0.0			5148	0.0	0.0	0.0
	0.0	0.0			5835	0.0	0.0	0.0
	0.0	0.0			5834	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~2	Max	5147	0.0	0.0	0.0	0.0
0.0	0.0			5148	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			5834	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5147	0.0	0.0	0.0	0.0
0.0	0.0			5148	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			5834	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5147	-48.0	0.6	0.0	-7.7
0.8	-0.0			5148	-59.7	179.0	0.0	-5.6
-1.2	-0.0			5835	58.6	-132.3	-0.0	11.3
-1.9	-0.0			5834	49.1	-47.2	0.0	8.9
0.2	0.0							
			G2	5147	-18.2	0.4	-0.0	-2.6
0.3	-0.0			5148	-22.6	67.7	0.0	-1.0
-0.3	-0.0			5835	22.2	-50.0	-0.0	4.5
-0.7	-0.0			5834	18.6	-18.0	0.0	3.3
0.1	0.0							
			Q3	5147	0.0	0.0	0.0	0.0
0.0	0.0			5148	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			5834	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	5147	-2.9	0.0	-0.0	-2.4
0.0	-0.0			5148	-3.3	6.5	-0.1	-7.5
-0.5	-0.0			5835	3.4	-3.9	0.1	-5.1
1.0	-0.0			5834	2.7	-2.7	0.0	-1.8
-0.1	0.0							
			Q5_pc Y	5147	8.3	-0.0	0.0	6.5
-0.1	0.0			5148	9.3	-18.9	0.1	20.1
1.5	0.0			5835	-9.8	11.3	-0.2	13.6
-2.7	0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	0.0			5834	-7.8	7.7	-0.0	4.9
			Q5_ps X	5147	-2.2	-0.0	-0.0	-2.1
-0.0	-0.0			5148	-2.5	5.0	-0.1	-7.1
-0.5	-0.0			5835	2.5	-2.9	0.1	-5.2
1.0	-0.0			5834	2.2	-2.0	0.0	-1.9
-0.1	0.0							
			Q5_ps Y	5147	6.0	0.0	0.0	5.7
0.0	0.0			5148	6.9	-13.4	0.1	19.1
1.3	0.0			5835	-7.0	7.8	-0.1	13.9
-2.7	0.0			5834	-5.8	5.6	-0.0	5.3
0.3	0.0							
			INVS LU Max	5147	-52.4	1.2	0.1	4.1
0.7	-0.0			5148	-65.8	300.2	0.3	32.1
1.1	-0.0			5835	88.8	-208.7	0.1	41.8
-0.0	-0.0			5834	67.8	-52.2	0.0	21.9
1.0	0.0							
			Min	5147	-70.3	1.2	-0.0	-12.8
0.6	-0.0			5148	-86.4	260.0	-0.1	-25.1
-2.9	-0.0			5835	67.8	-232.2	-0.3	0.0
-8.1	-0.0			5834	50.3	-68.9	-0.1	6.1
0.1	0.0							
			INVS LE Max	5147	-37.6	0.9	0.0	2.9
0.5	-0.0			5148	-47.1	217.7	0.2	22.5
0.8	-0.0			5835	63.0	-154.1	0.1	29.6
-0.4	-0.0			5834	47.4	-37.5	0.0	15.6
0.8	0.0							
			Min	5147	-49.5	0.8	-0.0	-8.4
0.4	-0.0			5148	-60.8	190.9	-0.1	-15.6
-1.9	-0.0			5835	49.0	-169.8	-0.2	1.8
-5.8	-0.0			5834	35.7	-48.6	-0.0	5.0
0.2	0.0							
5548	2	4	C1-C2;~1 Max	5148	0.0	0.0	0.0	0.0
0.0	0.0			5149	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.0	0.0	Min	5148	0.0	0.0	0.0	0.0
0.0	0.0		5149	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5148	0.0	0.0	0.0
0.0	0.0			5149	0.0	0.0	0.0
0.0	0.0			5838	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5148	0.0	0.0	0.0	0.0
0.0	0.0		5149	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5148	0.0	0.0	0.0
0.0	0.0			5149	0.0	0.0	0.0
0.0	0.0			5838	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5148	0.0	0.0	0.0	0.0
0.0	0.0		5149	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5148	0.0	0.0	0.0
0.0	0.0			5149	0.0	0.0	0.0
0.0	0.0			5838	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5148	0.0	0.0	0.0	0.0
0.0	0.0		5149	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
1.0	-0.0	G1	5148	141.9	264.3	0.0	-5.5
-0.3	-0.0		5149	125.1	30.3	0.0	-6.4
-0.4	0.0		5838	-137.1	-124.7	0.0	8.9
2.1	-0.0		5835	-129.9	-169.7	-0.0	12.9
0.2	-0.0	G2	5148	54.7	100.2	0.0	-0.3
-0.1	-0.0		5149	48.4	11.3	0.0	-1.4
0.0	0.0		5838	-52.8	-47.8	-0.0	3.0
0.7	-0.0		5835	-50.2	-63.8	-0.0	5.0
0.0	0.0	Q3	5148	0.0	0.0	0.0	0.0
0.0	0.0		5149	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.6	-0.0	Q5_pc X	5148	-9.6	2.6	-0.1	-9.3
-0.1	-0.0		5149	-0.9	3.0	-0.0	-3.4
-0.3	0.0		5838	8.9	0.8	0.0	-2.6
-0.6	-0.0		5835	1.6	-6.3	0.1	-6.2
-1.5	0.0	Q5_pc Y	5148	25.1	-8.7	0.2	25.1
0.2	0.0		5149	1.3	-8.1	0.0	9.1
0.8	0.0		5838	-23.2	-1.3	-0.0	6.9
1.7	0.0		5835	-3.2	18.0	-0.2	16.7
0.5	-0.0	Q5_ps X	5148	-9.9	0.8	-0.1	-9.0
-0.1	-0.0		5149	-1.3	2.5	-0.0	-3.1
-0.3	0.0		5838	9.3	1.4	0.0	-2.6
-0.6	-0.0		5835	1.9	-4.8	0.1	-6.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.4	0.0	Q5_ps Y		5148	26.5	-2.2	0.2	24.0
				5149	2.8	-6.6	0.0	8.4
0.1	0.0			5838	-24.8	-3.8	-0.0	7.1
0.8	0.0			5835	-4.5	12.6	-0.2	16.9
1.7	0.0							
		INVS LU	Max	5148	318.4	457.0	0.4	40.6
2.8	-0.0			5149	268.5	40.9	0.1	8.4
0.0	-0.0			5838	-234.8	-217.4	0.1	25.0
1.4	0.0			5835	-264.3	-238.1	0.1	49.7
6.4	-0.0							
			Min	5148	238.9	441.4	-0.1	-31.4
-1.5	-0.0			5149	260.2	21.1	-0.1	-16.8
-0.4	-0.0			5838	-309.1	-228.6	-0.1	3.8
-1.1	0.0			5835	-277.8	-275.8	-0.4	-1.1
1.4	-0.0							
		INVS LE	Max	5148	233.7	335.7	0.3	28.4
1.8	-0.0			5149	200.3	28.2	0.0	5.7
0.0	-0.0			5838	-177.6	-160.9	0.0	17.7
1.0	0.0			5835	-197.9	-174.6	0.1	35.2
4.6	-0.0							
			Min	5148	180.7	325.3	-0.1	-19.6
-1.0	-0.0			5149	194.8	14.9	-0.0	-11.0
-0.3	-0.0			5838	-227.1	-168.4	-0.0	3.6
-0.7	0.0			5835	-206.9	-199.7	-0.3	1.3
1.3	-0.0							
5560	2	4 C1-C2;~1	Max	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5160	0.0	0.0	0.0	0.0
0.0	0.0			5161	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0	0.0
0.0	0.0			5860	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5160	-53.0	10.8	-0.0	-5.9
0.6	-0.0			5161	131.8	-14.3	-0.0	-6.1
-0.6	-0.0			5862	46.7	-11.2	0.0	5.2
-0.4	0.0			5860	-125.5	15.0	0.0	5.1
0.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		G2	5160	-20.4	4.4	0.0	-0.2
0.1	-0.0		5161	50.9	-5.3	0.0	-0.2
-0.0	-0.0		5862	18.0	-4.7	-0.0	0.9
-0.1	0.0		5860	-48.5	5.5	-0.0	0.9
0.1	0.0						
		Q3	5160	0.0	0.0	0.0	0.0
0.0	0.0		5161	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.0	0.0		5860	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5160	-2.7	-0.4	-0.0	-1.0
0.1	0.0		5161	0.5	0.4	-0.0	-1.0
-0.1	0.0		5862	2.6	0.4	0.0	0.6
-0.0	0.0		5860	-0.5	-0.3	0.0	0.6
0.0	0.0						
		Q5_pc Y	5160	7.9	0.7	0.0	3.0
-0.3	-0.0		5161	-5.0	-0.4	0.0	3.1
0.2	-0.0		5862	-7.6	-0.5	-0.0	-1.8
0.1	0.0		5860	4.7	0.2	-0.0	-1.8
-0.1	0.0						
		Q5_ps X	5160	-2.6	-0.5	-0.0	-1.3
0.1	0.0		5161	0.2	0.4	-0.0	-1.4
-0.1	0.0		5862	2.6	0.4	0.0	0.7
-0.0	0.0		5860	-0.2	-0.3	0.0	0.7
0.1	0.0						
		Q5_ps Y	5160	7.8	0.9	0.0	4.2
-0.3	-0.0		5161	-4.1	-0.5	0.0	4.3
0.3	-0.0		5862	-7.6	-0.6	-0.0	-2.4
0.2	0.0		5860	3.9	0.3	-0.0	-2.4
-0.2	0.0						
		INVSLU Max	5160	-118.1	19.9	0.0	2.6
0.8	-0.0		5161	273.7	-24.5	-0.0	2.7
0.2	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.2	0.0			5862	119.5	-18.3	0.0	4.4
				5860	-240.2	27.0	0.0	4.2
0.7	0.0							
			Min	5160	-141.4	17.0	-0.0	-9.8
-0.3	-0.0			5161	261.5	-26.2	-0.0	-10.2
-0.8	-0.0			5862	96.8	-20.3	0.0	-2.7
-0.7	0.0			5860	-251.9	26.1	-0.0	-2.9
0.2	0.0							
			INVSLE Max	5160	-89.6	14.3	0.0	1.8
0.5	-0.0			5161	201.9	-18.0	-0.0	1.9
0.2	-0.0			5862	88.6	-13.4	0.0	2.4
-0.2	0.0			5860	-177.6	19.7	0.0	2.2
0.5	0.0							
			Min	5160	-105.1	12.4	-0.0	-6.5
-0.2	-0.0			5161	193.7	-19.1	-0.0	-6.7
-0.5	-0.0			5862	73.5	-14.7	0.0	-2.3
-0.5	0.0			5860	-185.4	19.2	0.0	-2.5
0.2	0.0							
5561	2	10	C1-C2;~1	Max	5161	0.0	0.0	0.0
0.0	0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5161	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5161	0.0	0.0	0.0
0.0	0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5161	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5864	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	5161	0.0	0.0	0.0
0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5161	0.0	0.0	0.0
0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	5161	0.0	0.0	0.0
0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5161	0.0	0.0	0.0
0.0	0.0			5162	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0						
0.4	-0.0		G1	5161	-45.4	12.9	-0.0
-0.4	-0.0			5162	115.1	-5.9	-0.0
-0.4	0.0			5864	44.1	-16.6	0.0
0.4	0.0			5862	-113.8	9.9	0.0
0.0	-0.0		G2	5161	-17.8	5.3	0.0
-0.1	-0.0			5162	44.1	-1.7	0.0
-0.1	0.0			5864	17.3	-6.9	-0.0
0.1	0.0			5862	-43.6	3.3	-0.0
0.0	0.0		Q3	5161	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5162	0.0	0.0	0.0	0.0
0.0	0.0		5864	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	5161	-2.1	-0.4	-0.0	-0.6
-0.0	0.0		5162	0.3	-0.0	0.0	-0.4
0.0	0.0		5864	2.1	0.6	0.0	0.3
0.0	0.0		5862	-0.3	-0.3	0.0	0.4
-0.2	-0.0	Q5_pc Y	5161	6.1	0.4	0.0	1.8
0.1	-0.0		5162	-4.2	0.3	0.0	1.4
0.0	0.0		5864	-6.2	-0.9	-0.0	-1.1
-0.1	0.0		5862	4.3	0.2	-0.0	-1.2
0.1	0.0	Q5_ps X	5161	-2.0	-0.4	-0.0	-0.8
-0.0	0.0		5162	0.1	-0.1	0.0	-0.6
0.0	0.0		5864	2.1	0.8	0.0	0.4
0.0	0.0		5862	-0.1	-0.2	0.0	0.5
-0.3	-0.0	Q5_ps Y	5161	5.8	0.5	0.0	2.5
0.1	-0.0		5162	-3.6	0.6	0.0	1.9
0.0	0.0		5864	-5.9	-1.3	-0.0	-1.4
-0.2	0.0		5862	3.8	0.1	-0.0	-1.5
0.7	-0.0	INVSLU Max	5161	-100.9	24.4	0.0	-1.7
-0.7	-0.0		5162	234.1	-9.0	-0.0	-5.5
-0.6	0.0		5864	107.8	-26.8	0.0	6.3
0.5	0.0		5862	-212.4	15.7	0.0	4.7
-0.1	-0.0	Min	5161	-118.2	22.7	-0.0	-9.1
-1.1	-0.0		5162	223.2	-10.8	-0.0	-11.3
-0.6	0.0		5864	90.1	-30.6	0.0	2.1
0.0	0.0		5862	-223.7	15.0	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	5161	-76.1	17.8	0.0	-1.5
0.5	-0.0				5162	172.7	-6.8	-0.0	-4.5
-0.6	-0.0				5864	79.6	-19.6	0.0	4.4
-0.4	0.0				5862	-157.1	11.5	0.0	3.0
0.3	0.0								
				Min	5161	-87.7	16.7	-0.0	-6.5
-0.1	-0.0				5162	165.4	-8.0	-0.0	-8.3
-0.8	-0.0				5864	67.8	-22.1	0.0	1.5
-0.4	0.0				5862	-164.6	11.0	0.0	-0.0
0.0	0.0								
5575	2	10	C1-C2;~1	Max	5175	0.0	0.0	0.0	0.0
0.0		0.0			5176	0.0	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0	0.0
0.0		0.0			5890	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5175	0.0	0.0	0.0	0.0
0.0		0.0			5176	0.0	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0	0.0
0.0		0.0			5890	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5175	0.0	0.0	0.0	0.0
0.0		0.0			5176	0.0	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0	0.0
0.0		0.0			5890	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5175	0.0	0.0	0.0	0.0
0.0		0.0			5176	0.0	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0	0.0
0.0		0.0			5890	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5175	0.0	0.0	0.0	0.0
0.0		0.0			5176	0.0	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0	0.0
0.0		0.0			5890	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	5175	0.0	0.0	0.0	0.0
0.0	0.0		5176	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		5890	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	5175	0.0	0.0	0.0
0.0	0.0		5176	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		5890	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	5175	0.0	0.0	0.0
0.0	0.0		5176	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		5890	0.0	0.0	0.0	0.0
0.0	0.0						
			G1	5175	-105.0	-11.2	1.2
-21.7	0.0		5176	25.9	11.6	1.0	311.4
18.3	0.0		5892	102.1	13.6	-1.0	290.5
6.2	-0.0		5890	-23.0	-13.7	-1.2	-14.5
-7.2	0.0						-17.3
			G2	5175	-40.6	-4.0	0.4
-8.3	0.0		5176	10.3	4.7	0.4	119.8
7.0	0.0		5892	39.4	4.9	-0.4	111.8
2.4	-0.0		5890	-9.2	-5.6	-0.4	-5.6
-2.8	0.0						-6.6
			Q3	5175	0.0	0.0	0.0
0.0	0.0		5176	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		5890	0.0	0.0	0.0	0.0
0.0	0.0						0.0
		Q5_pc X		5175	-0.4	-0.4	-0.0
0.0	0.0		5176	-1.7	0.2	-0.0	-1.3
-0.1	0.0		5892	0.5	0.4	0.0	-1.5
-0.0	-0.0						-0.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.0	-0.0		5890	1.6	-0.3	0.0	-0.3
		Q5_pc Y	5175	3.9	0.5	-0.1	-22.2
1.7	-0.0		5176	-0.6	-0.3	-0.1	-21.0
-1.5	-0.0		5892	-4.0	-0.8	0.1	4.5
-0.7	0.0		5890	0.6	0.6	0.1	4.8
0.7	-0.0						
		Q5_ps X	5175	-0.3	-0.3	-0.0	-1.4
0.1	0.0		5176	-1.7	0.2	-0.0	-1.6
-0.1	0.0		5892	0.4	0.4	0.0	-0.3
-0.0	-0.0		5890	1.6	-0.3	0.0	-0.3
-0.0	-0.0						
		Q5_ps Y	5175	3.5	0.5	-0.1	-21.6
1.6	-0.0		5176	-0.6	-0.2	-0.1	-20.5
-1.5	-0.0		5892	-3.6	-0.7	0.1	4.4
-0.7	0.0		5890	0.7	0.4	0.1	4.6
0.7	-0.0						
		INVSLE Max	5175	-208.8	-32.0	0.7	-17.6
12.4	0.0		5176	0.8	31.1	0.6	-28.2
-9.4	0.0		5892	209.9	38.7	-0.4	196.8
-11.9	0.0		5890	13.9	-34.8	-0.5	206.5
13.1	0.0						
		Min	5175	-219.5	-33.4	0.5	-82.4
7.4	0.0		5176	-4.3	30.5	0.4	-89.6
-13.8	0.0		5892	199.1	36.5	-0.6	183.7
-13.9	0.0		5890	9.0	-36.1	-0.7	192.5
11.0	0.0						
		INVSLE Max	5175	-154.6	-24.1	0.4	-43.7
11.2	0.0		5176	-1.9	23.2	0.4	-50.4
-9.1	0.0		5892	154.5	28.9	-0.2	153.9
-9.9	0.0		5890	12.5	-26.0	-0.3	161.4
10.7	0.0						
		Min	5175	-161.7	-25.0	0.3	-86.9
7.9	0.0		5176	-5.3	22.8	0.2	-91.3
-12.1	0.0						

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-11.3	0.0			5892	147.3	27.5	-0.4	145.1
9.3	0.0			5890	9.2	-26.9	-0.4	152.1
5576	2	4	C1-C2;~1	Max	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						
				Min	5176	0.0	0.0	0.0
0.0		0.0			5177	0.0	0.0	0.0
0.0		0.0			5894	0.0	0.0	0.0
0.0		0.0			5892	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5894	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0	Min	5176	0.0	0.0	0.0	0.0
0.0	0.0		5177	0.0	0.0	0.0	0.0
0.0	0.0		5894	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0						
-28.6	0.0	G1	5176	-115.0	-13.1	1.6	348.7
14.4	0.0		5177	17.2	15.2	1.0	291.6
-6.6	-0.0		5894	110.9	15.9	-1.0	20.3
-7.4	-0.0		5892	-13.1	-17.7	-1.5	1.9
-11.0	0.0	G2	5176	-44.9	-4.7	0.6	134.4
5.6	0.0		5177	6.5	6.6	0.4	112.8
-2.5	-0.0		5894	43.3	5.6	-0.4	8.0
-2.8	-0.0		5892	-4.9	-7.4	-0.6	0.8
0.0	0.0	Q3	5176	0.0	0.0	0.0	0.0
0.0	0.0		5177	0.0	0.0	0.0	0.0
0.0	0.0		5894	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0						
0.2	0.0	Q5_pc X	5176	0.0	-0.2	-0.0	-2.8
-0.1	0.0		5177	-1.7	0.4	-0.0	-2.9
0.1	0.0		5894	0.0	0.2	0.0	-0.8
-0.0	-0.0		5892	1.6	-0.3	0.0	-0.5
2.2	-0.0	Q5_pc Y	5176	3.7	0.3	-0.1	-24.2
-1.1	-0.0		5177	-0.6	-1.0	-0.0	-18.7
0.1	0.0		5894	-3.6	-0.0	0.0	3.3
0.8	0.0		5892	0.5	0.7	0.1	4.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Q5_ps X						
0.2	0.0	5176	0.3	-0.2	-0.0	-2.9		
		5177	-1.6	0.3	-0.0	-3.1		
-0.2	0.0	5894	-0.2	0.1	0.0	-0.9		
0.2	0.0	5892	1.5	-0.2	0.0	-0.6		
0.0	-0.0							
		Q5_ps Y						
2.2	-0.0	5176	3.1	0.2	-0.1	-23.6		
		5177	-0.9	-0.8	-0.0	-18.1		
-1.0	-0.0	5894	-3.0	0.1	0.0	3.3		
0.1	0.0	5892	0.9	0.5	0.1	4.6		
0.8	0.0							
		INVS LU Max						
17.1	0.0	5176	-211.0	-32.7	0.8	-7.3		
		5177	-8.3	33.8	1.1	44.4		
-2.7	0.0	5894	209.1	39.3	-0.9	220.7		
-13.6	-0.0	5892	24.1	-37.6	-0.5	249.1		
15.8	0.0							
		Min						
10.5	0.0	5176	-220.2	-33.3	0.5	-78.2		
		5177	-13.1	31.4	0.9	-9.8		
-5.8	0.0	5894	200.0	38.9	-1.1	210.7		
-14.1	-0.0	5892	19.4	-39.1	-0.8	235.2		
13.5	0.0							
		INVS LE Max						
15.5	0.0	5176	-155.1	-24.4	0.5	-40.6		
		5177	-8.0	24.7	0.7	5.3		
-3.7	0.0	5894	152.9	29.4	-0.6	169.9		
-10.0	-0.0	5892	19.4	-27.8	-0.3	193.3		
12.8	0.0							
		Min						
11.1	0.0	5176	-161.2	-24.8	0.3	-87.8		
		5177	-11.2	23.1	0.7	-30.9		
-5.7	0.0	5894	146.9	29.1	-0.7	163.3		
-10.3	-0.0	5892	16.3	-28.8	-0.5	184.1		
11.3	0.0							
5590	2	4 C1-C2;~1 Max						
0.0	0.0	5190	0.0	0.0	0.0	0.0		
		5191	0.0	0.0	0.0	0.0		
0.0	0.0	5922	0.0	0.0	0.0	0.0		
0.0	0.0	5920	0.0	0.0	0.0	0.0		
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	5190	0.0	0.0	0.0	0.0
0.0	0.0		5191	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
0.0	0.0		5920	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5190	0.0	0.0	0.0
0.0	0.0			5191	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			5920	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5190	0.0	0.0	0.0	0.0
0.0	0.0		5191	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
0.0	0.0		5920	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5190	0.0	0.0	0.0
0.0	0.0			5191	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			5920	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5190	0.0	0.0	0.0	0.0
0.0	0.0		5191	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
0.0	0.0		5920	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5190	0.0	0.0	0.0
0.0	0.0			5191	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			5920	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5190	0.0	0.0	0.0	0.0
0.0	0.0		5191	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
0.0	0.0		5920	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

16.3	0.0	G1	5190	-69.6	-39.7	-1.3	-311.4
-21.9	0.0		5191	-244.7	63.8	-1.1	-316.7
-13.5	0.0		5922	81.8	35.7	1.1	10.0
3.2	0.0		5920	232.5	-59.5	1.3	-9.2
6.3	0.0	G2	5190	-27.2	-15.2	-0.5	-121.6
-8.5	0.0		5191	-95.2	25.1	-0.4	-123.7
-5.2	0.0		5922	31.9	13.5	0.4	3.4
1.2	0.0		5920	90.5	-23.5	0.5	-4.0
0.0	0.0	Q3	5190	0.0	0.0	0.0	0.0
0.0	0.0		5191	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
0.0	0.0		5920	0.0	0.0	0.0	0.0
2.5	-0.0	Q5_pc X	5190	1.4	-0.6	-0.1	-37.9
-2.4	-0.0		5191	-10.2	2.1	-0.1	-36.6
-1.4	0.0		5922	-0.7	0.7	0.1	6.9
0.9	0.0		5920	9.5	-2.2	0.1	6.1
-2.0	0.0	Q5_pc Y	5190	-1.0	0.9	0.1	32.4
1.3	0.0		5191	14.8	-3.0	0.1	29.4
0.2	-0.0		5922	-0.0	-1.3	-0.1	0.2
-0.4	-0.0		5920	-13.8	3.5	-0.1	0.7
2.3	-0.0	Q5_ps X	5190	1.7	-0.4	-0.1	-34.9
-2.2	-0.0		5191	-8.9	1.8	-0.1	-33.5
-1.3	0.0		5922	-1.1	0.5	0.1	6.3
0.8	0.0		5920	8.3	-1.9	0.1	5.7
-1.8	0.0	Q5_ps Y	5190	-1.8	0.4	0.1	27.5
1.0	0.0		5191	11.9	-2.3	0.1	24.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	-0.0			5922	0.9	-0.9	-0.1	0.5
-0.3	-0.0			5920	-11.0	2.8	-0.1	0.8
41.9	0.0	INVS LU	Max	5190	-74.3	-76.4	-3.4	-713.1
-44.0	0.0			5191	-570.6	151.2	-2.7	-702.2
-25.4	0.0			5922	114.6	64.2	3.0	-46.4
5.6	0.0			5920	568.9	-128.7	3.8	-99.4
35.0	0.0		Min	5190	-79.7	-78.0	-3.8	-817.8
-50.6	0.0			5191	-606.3	144.3	-3.0	-802.7
-29.2	0.0			5922	111.3	61.4	2.7	-65.4
3.1	0.0			5920	536.1	-137.2	3.4	-116.4
31.9	0.0	INVS LE	Max	5190	-52.9	-56.9	-2.6	-551.4
-34.1	0.0			5191	-430.2	113.0	-2.1	-542.4
-19.8	0.0			5922	83.0	47.3	2.3	-33.4
4.5	0.0			5920	425.9	-96.7	2.9	-73.4
27.3	0.0		Min	5190	-56.5	-57.9	-2.9	-621.2
-38.5	0.0			5191	-454.0	108.5	-2.3	-609.4
-22.3	0.0			5922	80.7	45.5	2.1	-46.1
2.8	0.0			5920	404.0	-102.4	2.6	-84.7
5591	2	8 C1-C2;~1	Max	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0		Min	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5191	0.0	0.0	0.0	0.0
0.0	0.0			5192	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5191	-118.2	-66.9	-1.5	-393.4
31.5	0.0			5192	-218.9	43.5	-1.1	-322.4
-15.3	0.0			5924	115.5	63.2	1.1	11.0
-3.0	0.0			5922	221.6	-39.5	1.5	22.7
16.3	0.0							
		G2		5191	-46.5	-25.3	-0.6	-153.3
12.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.9	0.0		5192	-85.8	18.4	-0.4	-125.0
-1.2	0.0		5924	45.4	23.4	0.4	3.9
6.3	0.0		5922	86.8	-16.5	0.6	8.2
0.0	0.0	Q3	5191	0.0	0.0	0.0	0.0
0.0	0.0		5192	0.0	0.0	0.0	0.0
0.0	0.0		5924	0.0	0.0	0.0	0.0
0.0	0.0		5922	0.0	0.0	0.0	0.0
3.4	-0.0	Q5_pc X	5191	-1.5	-2.0	-0.1	-39.9
-1.3	-0.0		5192	-7.6	2.5	-0.1	-28.4
-0.9	-0.0		5924	1.3	0.4	0.1	6.6
1.9	0.0		5922	7.9	-0.9	0.1	8.3
-2.1	0.0	Q5_pc Y	5191	3.1	2.7	0.1	29.2
0.5	0.0		5192	11.7	-4.9	0.1	19.0
0.7	0.0		5924	-2.9	0.2	-0.1	0.3
-0.8	-0.0		5922	-11.9	2.0	-0.1	0.4
3.1	-0.0	Q5_ps X	5191	-0.9	-1.6	-0.1	-36.3
-1.1	-0.0		5192	-6.4	2.2	-0.1	-25.7
-0.9	-0.0		5924	0.6	0.1	0.1	6.1
1.7	0.0		5922	6.7	-0.7	0.1	7.6
-1.6	0.0	Q5_ps Y	5191	1.6	1.9	0.1	23.2
0.3	0.0		5192	8.9	-4.2	0.0	14.5
0.6	0.0		5924	-1.4	0.9	-0.0	0.8
-0.6	-0.0		5922	-9.1	1.4	-0.1	0.9
73.6	0.0	INVSLU Max	5191	-217.6	-148.5	-3.7	-847.5
-30.0	0.0		5192	-484.8	98.6	-2.6	-695.2
-3.1	0.0		5924	215.8	136.5	2.9	-34.1
36.6	0.0		5922	519.1	-73.4	4.0	-22.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5191	-223.3	-154.3	-4.1	-956.4
64.4	0.0			5192	-511.5	85.9	-2.8	-772.4
-33.4	0.0			5924	210.6	133.8	2.7	-52.2
-5.7	0.0			5922	491.7	-77.6	3.6	-45.8
31.4	0.0							
		INVSLE	Max	5191	-161.5	-111.5	-2.8	-652.4
55.9	0.0			5192	-364.4	73.1	-2.0	-533.3
-23.0	0.0			5924	159.6	101.8	2.2	-24.1
-2.7	0.0			5922	388.0	-54.6	3.0	-15.4
27.9	0.0							
			Min	5191	-165.2	-115.4	-3.1	-725.0
49.8	0.0			5192	-382.2	64.7	-2.1	-584.7
-25.3	0.0			5924	156.1	100.0	2.1	-36.2
-4.5	0.0			5922	369.7	-57.4	2.8	-30.6
24.5	0.0							
5605	2	8 C1-C2;~1	Max	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C1-C2; ~2	Max	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0		Min	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
0.0	0.0		Min	5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0
0.0	0.0			5950	0.0	0.0	0.0	0.0
17.3	-0.0	G1		5205	203.8	43.9	-0.9	-283.1
-17.8	-0.0			5206	126.0	-59.4	-1.0	-294.4
-10.0	-0.0			5952	-203.7	-39.5	1.0	28.4
12.3	-0.0			5950	-126.1	55.2	0.9	36.4
6.8	-0.0	G2		5205	79.8	18.0	-0.4	-112.5
-7.1	-0.0			5206	49.2	-22.5	-0.4	-117.0
-3.9	-0.0			5952	-79.8	-16.2	0.4	10.6
4.8	-0.0			5950	-49.2	20.7	0.4	13.7
0.0	0.0	Q3		5205	0.0	0.0	0.0	0.0
0.0	0.0			5206	0.0	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5950	0.0	0.0	0.0	0.0
-1.8	-0.0	Q5_pc X	5205	-4.1	-0.6	0.1	25.2
2.0	-0.0		5206	-1.0	1.3	0.1	27.8
1.5	0.0		5952	4.2	0.2	-0.1	-9.5
-1.6	-0.0		5950	1.0	-1.0	-0.1	-9.7
5.3	0.0	Q5_pc Y	5205	9.1	0.9	-0.2	-75.7
-6.2	0.0		5206	1.3	-2.8	-0.2	-83.6
-4.3	-0.0		5952	-9.4	-0.3	0.2	29.1
4.3	0.0		5950	-1.0	2.2	0.2	29.0
-1.8	-0.0	Q5_ps X	5205	-4.7	-0.8	0.1	25.8
2.0	0.0		5206	-1.5	1.5	0.1	28.2
1.5	0.0		5952	4.8	0.3	-0.1	-9.4
-1.6	-0.0		5950	1.4	-1.1	-0.1	-9.6
5.2	0.0	Q5_ps Y	5205	10.6	1.4	-0.2	-75.4
-6.1	0.0		5206	2.7	-3.3	-0.2	-82.6
-4.2	-0.0		5952	-10.9	-0.7	0.2	28.2
4.2	0.0		5950	-2.4	2.6	0.2	28.2
43.5	-0.0	INVSLE Max	5205	460.4	83.3	-2.2	-585.2
-39.7	-0.0		5206	207.4	-117.3	-2.8	-666.3
-21.4	-0.0		5952	-427.9	-71.0	3.4	48.0
33.0	-0.0		5950	-200.1	117.3	2.8	65.4
27.8	-0.0	Min	5205	428.6	79.1	-2.7	-811.4
-58.0	-0.0		5206	199.4	-127.1	-3.5	-914.2
-34.0	-0.0		5952	-460.6	-73.1	2.8	-36.5
20.3	-0.0		5950	-207.2	109.6	2.2	-19.1
32.6	-0.0	INVSLE Max	5205	342.5	61.3	-1.7	-459.9
			5206	151.3	-87.7	-2.2	-524.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-31.7	-0.0			5952	-320.9	-52.4	2.6	34.8
-17.2	-0.0			5950	-146.4	87.1	2.1	47.8
24.6	-0.0							
			Min	5205	321.3	58.4	-2.1	-610.8
22.1	-0.0			5206	146.0	-94.3	-2.6	-689.9
-43.8	-0.0			5952	-342.7	-53.8	2.2	-21.5
-25.6	-0.0			5950	-151.1	82.0	1.7	-8.5
16.2	-0.0							
5606	2	4	C1-C2;~1	Max	5206	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0
0.0	0.0				5954	0.0	0.0	0.0
0.0	0.0				5952	0.0	0.0	0.0
0.0	0.0							
			Min	5206	0.0	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0
0.0	0.0				5954	0.0	0.0	0.0
0.0	0.0				5952	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5206	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0
0.0	0.0				5954	0.0	0.0	0.0
0.0	0.0				5952	0.0	0.0	0.0
0.0	0.0							
			Min	5206	0.0	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0
0.0	0.0				5954	0.0	0.0	0.0
0.0	0.0				5952	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5206	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0
0.0	0.0				5954	0.0	0.0	0.0
0.0	0.0				5952	0.0	0.0	0.0
0.0	0.0							
			Min	5206	0.0	0.0	0.0	0.0
0.0	0.0				5207	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5954	0.0	0.0	0.0	0.0
0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5206	0.0	0.0	0.0
0.0	0.0			5207	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0
0.0	0.0						
			Min	5206	0.0	0.0	0.0
0.0	0.0			5207	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0
0.0	0.0						
			G1	5206	210.8	56.5	-0.8
14.1	-0.0			5207	105.1	-32.1	-0.9
-10.0	-0.0			5954	-205.2	-62.6	0.9
2.5	0.0			5952	-110.7	38.4	0.8
6.0	-0.0						
			G2	5206	82.3	22.7	-0.3
5.6	-0.0			5207	40.7	-11.6	-0.3
-3.9	-0.0			5954	-80.1	-25.4	0.3
1.0	0.0			5952	-42.9	14.2	0.3
2.4	-0.0						
			Q3	5206	0.0	0.0	0.0
0.0	0.0			5207	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			5952	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	5206	-4.9	-1.4	0.1
-1.8	-0.0			5207	0.2	-0.4	0.1
1.0	-0.0			5954	4.7	1.8	-0.1
0.3	-0.0			5952	0.0	-0.0	-0.1
-1.2	0.0						

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		Q5_pc	Y	5206	11.2	2.8	-0.2	-59.2
5.2	0.0			5207	-1.5	0.2	-0.2	-54.1
-3.1	0.0			5954	-10.8	-3.1	0.2	11.6
-0.6	0.0			5952	1.1	0.1	0.2	16.7
3.3	-0.0							
		Q5_ps	X	5206	-5.3	-1.6	0.1	19.8
-1.7	0.0			5207	-0.2	-0.5	0.1	17.9
1.0	0.0			5954	5.2	2.2	-0.1	-3.0
0.3	-0.0			5952	0.4	-0.1	-0.1	-4.9
-1.2	0.0							
		Q5_ps	Y	5206	12.5	3.3	-0.2	-58.0
5.1	-0.0			5207	-0.2	0.4	-0.2	-52.6
-2.9	0.0			5954	-12.1	-4.1	0.2	10.9
-0.6	0.0			5952	-0.1	0.3	0.2	15.9
3.3	-0.0							
		INVSLE	Max	5206	510.6	123.6	-2.4	-559.6
49.7	-0.0			5207	130.7	-75.5	-2.8	-605.6
-32.6	-0.0			5954	-453.2	-104.0	3.3	-85.3
13.5	0.0			5952	-149.0	68.5	2.8	-25.0
18.0	-0.0							
			Min	5206	473.3	113.7	-2.9	-733.5
34.5	-0.0			5207	128.0	-76.9	-3.3	-763.3
-41.5	-0.0			5954	-489.5	-116.2	2.8	-118.0
11.6	0.0			5952	-150.9	67.5	2.4	-72.8
8.2	-0.0							
		INVSLE	Max	5206	381.3	91.7	-1.9	-440.0
37.6	-0.0			5207	93.1	-56.8	-2.2	-474.7
-25.7	-0.0			5954	-341.0	-76.9	2.5	-65.0
10.2	0.0			5952	-107.2	50.5	2.2	-19.6
13.4	-0.0							
			Min	5206	356.4	85.0	-2.2	-555.9
27.4	-0.0			5207	91.3	-57.7	-2.5	-579.8
-31.6	-0.0			5954	-365.2	-85.1	2.2	-86.8
9.0	0.0			5952	-108.5	49.8	1.8	-51.4
6.9	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


5619	2	4	C1-C2;~1	Max	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5219	0.0	0.0	0.0	0.0
0.0		0.0			5220	0.0	0.0	0.0	0.0
0.0		0.0			5980	0.0	0.0	0.0	0.0
0.0		0.0			5978	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		Min	5219	0.0	0.0	0.0	0.0	0.0
0.0	0.0		5220	0.0	0.0	0.0	0.0	0.0
0.0	0.0		5980	0.0	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0	0.0
0.0	0.0							
		G1	5219	1.2	10.6	1.2	365.6	
-18.6	-0.0		5220	120.3	-17.9	1.7	435.6	
34.1	-0.0		5980	-4.5	-18.4	-1.6	-42.0	
14.0	0.0		5978	-117.0	26.0	-1.2	-15.0	
-0.1	0.0							
		G2	5219	1.2	5.0	0.5	140.5	
-7.1	-0.0		5220	47.7	-6.6	0.6	166.7	
13.0	-0.0		5980	-2.5	-8.0	-0.6	-15.4	
5.3	0.0		5978	-46.4	9.7	-0.5	-5.0	
-0.0	0.0							
		Q3	5219	0.0	0.0	0.0	0.0	
0.0	0.0		5220	0.0	0.0	0.0	0.0	
0.0	0.0		5980	0.0	0.0	0.0	0.0	
0.0	0.0		5978	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	5219	-3.1	0.1	0.1	19.7	
-1.1	0.0		5220	0.7	0.5	0.1	23.6	
2.0	0.0		5980	3.0	0.2	-0.1	-5.5	
0.9	0.0		5978	-0.6	-0.8	-0.1	-4.0	
-0.1	0.0							
		Q5_pc Y	5219	6.9	-0.7	-0.2	-56.9	
3.2	-0.0		5220	-5.0	-0.6	-0.2	-68.6	
-5.8	-0.0		5980	-6.6	0.0	0.2	15.3	
-2.5	-0.0		5978	4.7	1.2	0.2	10.8	
0.4	-0.0							
		Q5_ps X	5219	-3.2	0.1	0.1	19.7	
-1.1	0.0		5220	0.5	0.5	0.1	23.8	
2.0	0.0							

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.9	0.0		5980	3.1	0.3	-0.1	-5.6
-0.1	0.0		5978	-0.4	-1.0	-0.1	-4.2
3.1	-0.0	Q5_ps Y	5219	7.0	-0.6	-0.1	-54.3
-5.6	-0.0		5220	-3.9	-0.7	-0.2	-65.7
-2.4	-0.0		5980	-6.7	-0.2	0.2	15.0
0.4	-0.0		5978	3.7	1.5	0.1	10.8
14.6	-0.0	INVS LU Max	5219	53.7	23.3	0.8	-17.6
-15.6	-0.0		5220	185.8	-32.8	0.5	-75.5
-15.7	-0.0		5980	-40.6	-32.4	0.1	285.9
12.7	0.0		5978	-166.9	47.0	-0.4	241.8
5.4	-0.0	Min	5219	32.8	21.6	0.4	-180.4
-32.2	-0.0		5220	174.0	-35.1	-0.1	-272.7
-22.9	-0.0		5980	-60.8	-33.3	-0.5	240.9
11.6	0.0		5978	-177.9	42.5	-0.8	209.4
12.8	-0.0	INVS LE Max	5219	40.5	16.8	0.5	-60.2
-16.5	-0.0		5220	133.1	-24.2	0.2	-113.8
-14.0	-0.0		5980	-32.3	-23.5	0.2	225.7
9.9	0.0		5978	-120.0	34.2	-0.2	189.4
6.7	-0.0	Min	5219	26.5	15.7	0.2	-168.7
-27.7	-0.0		5220	125.2	-25.7	-0.2	-245.2
-18.9	-0.0		5980	-45.8	-24.1	-0.2	195.7
9.2	0.0		5978	-127.3	31.2	-0.5	167.8
5620	2	10 C1-C2; ~1 Max	5220	0.0	0.0	0.0	0.0
0.0	0.0		5221	0.0	0.0	0.0	0.0
0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		5980	0.0	0.0	0.0	0.0
0.0	0.0		5220	0.0	0.0	0.0	0.0
0.0	0.0	Min	5221	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		5980	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
			Min	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
			Min	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
			Min	5220	0.0	0.0	0.0
0.0	0.0			5221	0.0	0.0	0.0
0.0	0.0			5982	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0
0.0	0.0						
		G1		5220	-8.3	15.7	1.2
-22.1	-0.0						373.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
28.4	-0.0		5221	108.3	-14.8	1.4	410.2
14.8	-0.0		5982	5.5	-15.1	-1.4	-57.7
-12.0	0.0		5980	-105.6	14.5	-1.2	-52.9
		G2					
-8.4	-0.0		5220	-3.0	6.6	0.5	142.5
10.8	-0.0		5221	42.5	-5.5	0.5	157.0
5.7	-0.0		5982	1.9	-6.4	-0.5	-21.6
-4.6	0.0		5980	-41.4	5.3	-0.5	-19.8
		Q3					
0.0	0.0		5220	0.0	0.0	0.0	0.0
0.0	0.0		5221	0.0	0.0	0.0	0.0
0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		5980	0.0	0.0	0.0	0.0
		Q5_pc X					
-1.3	0.0		5220	-2.9	-0.5	0.1	18.9
1.4	0.0		5221	0.3	0.5	0.1	19.5
0.8	-0.0		5982	2.9	0.3	-0.1	-5.2
-0.8	0.0		5980	-0.3	-0.3	-0.1	-5.0
		Q5_pc Y					
3.8	-0.0		5220	6.8	0.6	-0.2	-56.0
-4.1	-0.0		5221	-3.8	-0.7	-0.2	-58.5
-2.3	0.0		5982	-6.7	-0.2	0.2	14.7
2.3	-0.0		5980	3.7	0.3	0.2	14.2
		Q5_ps X					
-1.3	0.0		5220	-3.0	-0.5	0.1	19.1
1.4	0.0		5221	0.2	0.5	0.1	19.7
0.8	-0.0		5982	3.0	0.3	-0.1	-5.2
-0.8	0.0		5980	-0.2	-0.3	-0.1	-5.0
		Q5_ps Y					
3.6	-0.0		5220	6.6	0.7	-0.2	-53.7
-3.9	-0.0		5221	-3.1	-0.7	-0.2	-56.0
-2.2	0.0		5982	-6.6	-0.3	0.2	14.3
2.2	-0.0		5980	3.1	0.3	0.2	13.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	5220	45.3	31.9	0.4	-82.0
23.7	-0.0				5221	181.4	-31.2	0.5	-74.8
-10.8	-0.0				5982	-33.1	-30.7	-0.0	252.7
-11.8	-0.0				5980	-164.6	33.5	0.0	237.3
20.3	-0.0								
				Min	5220	25.5	29.8	-0.0	-243.1
12.8	-0.0				5221	172.1	-33.4	0.0	-242.9
-22.6	-0.0				5982	-52.8	-31.7	-0.5	209.7
-18.4	-0.0				5980	-173.8	32.5	-0.5	196.0
13.7	-0.0								
			INVS LE	Max	5220	35.0	23.3	0.2	-109.4
20.1	-0.0				5221	131.1	-23.2	0.2	-107.2
-11.8	-0.0				5982	-27.5	-22.6	0.1	200.6
-11.0	-0.0				5980	-119.3	24.8	0.1	188.5
16.7	-0.0								
				Min	5220	21.8	21.9	-0.1	-216.8
12.8	-0.0				5221	124.9	-24.6	-0.1	-219.2
-19.7	-0.0				5982	-40.6	-23.3	-0.2	172.0
-15.4	-0.0				5980	-125.4	24.1	-0.2	161.0
12.3	-0.0								
5635	2	10	C1-C2;~1	Max	5235	0.0	0.0	0.0	0.0
0.0		0.0			5236	0.0	0.0	0.0	0.0
0.0		0.0			6012	0.0	0.0	0.0	0.0
0.0		0.0			6010	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5235	0.0	0.0	0.0	0.0
0.0		0.0			5236	0.0	0.0	0.0	0.0
0.0		0.0			6012	0.0	0.0	0.0	0.0
0.0		0.0			6010	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5235	0.0	0.0	0.0	0.0
0.0		0.0			5236	0.0	0.0	0.0	0.0
0.0		0.0			6012	0.0	0.0	0.0	0.0
0.0		0.0			6010	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	5235	0.0	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5235	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	5235	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5235	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	5235	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5235	-107.5	-14.7	1.6	452.1
-29.8	0.0		5236	5.9	16.5	1.4	422.0
25.4	0.0		6012	104.4	14.1	-1.4	-46.9
13.5	0.0		6010	-2.9	-15.6	-1.6	-48.9
-14.1	0.0						
		G2	5235	-42.1	-5.4	0.6	173.0
-11.4	0.0		5236	2.4	6.8	0.5	161.2
9.6	0.0		6012	40.9	5.1	-0.5	-16.8
5.1	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.4	0.0		6010	-1.2	-6.5	-0.6	-17.7
		Q3	5235	0.0	0.0	0.0	0.0
0.0	0.0		5236	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		6010	0.0	0.0	0.0	0.0
		Q5_pc X	5235	-1.0	-0.3	0.0	4.7
-0.4	0.0		5236	-1.5	0.2	0.0	4.2
0.3	0.0		6012	1.1	0.5	-0.0	-2.5
0.2	-0.0		6010	1.5	-0.4	-0.0	-2.6
-0.3	0.0						
		Q5_pc Y	5235	5.8	0.4	-0.2	-62.5
4.3	-0.0		5236	-3.0	-0.6	-0.2	-60.6
-4.2	-0.0		6012	-5.7	-0.2	0.2	16.2
-2.6	0.0		6010	2.9	0.4	0.2	16.3
2.4	-0.0						
		Q5_ps X	5235	-0.9	-0.3	0.0	6.1
-0.5	0.0		5236	-1.3	0.1	0.0	5.8
0.4	0.0		6012	0.9	0.5	-0.0	-2.8
0.3	-0.0		6010	1.2	-0.4	-0.0	-2.9
-0.3	0.0						
		Q5_ps Y	5235	4.9	0.2	-0.2	-60.1
4.2	-0.0		5236	-3.1	-0.4	-0.2	-58.6
-4.1	-0.0		6012	-4.9	-0.1	0.2	16.0
-2.5	0.0		6010	3.1	0.3	0.2	16.0
2.3	-0.0						
		INVSLU Max	5235	-172.2	-32.4	0.9	-7.8
19.8	0.0		5236	-28.6	31.1	0.8	-20.9
-10.1	0.0		6012	179.1	34.3	-0.3	269.7
-13.9	0.0		6010	45.7	-30.3	-0.3	281.0
19.1	0.0						
		Min	5235	-186.9	-33.3	0.4	-188.1
7.4	0.0		5236	-38.0	29.9	0.3	-196.7

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-22.3	0.0			6012	164.4	32.8	-0.8	221.8
-21.5	0.0			6010	36.5	-31.4	-0.9	232.9
12.3	0.0							
			INVSLE Max	5235	-125.4	-24.0	0.5	-58.9
17.5	0.0			5236	-23.3	22.6	0.4	-66.7
-11.1	0.0			6012	129.3	25.4	-0.1	212.9
-12.7	0.0			6010	35.4	-22.2	-0.2	221.6
15.9	0.0							
			Min	5235	-135.2	-24.6	0.2	-179.1
9.2	0.0			5236	-29.6	21.8	0.1	-183.9
-19.2	0.0			6012	119.6	24.4	-0.4	180.9
-17.7	0.0			6010	29.2	-23.0	-0.5	189.6
11.3	0.0							
5636	2	4	C1-C2;~1 Max	5236	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5236	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1 Max	5236	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5236	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2 Max	5236	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0	Min	5236	0.0	0.0	0.0	0.0
0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5236	0.0	0.0	0.0	0.0
0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5236	0.0	0.0	0.0	0.0
0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0						
-39.9	0.0	G1	5236	-123.2	-18.7	2.1	531.1
24.7	0.0		5237	-8.1	12.2	1.7	473.9
-1.6	-0.0		6014	119.7	27.3	-1.7	2.6
-15.2	-0.0		6012	11.6	-20.6	-2.0	-30.6
-15.2	0.0	G2	5236	-48.7	-6.9	0.8	203.1
9.4	0.0		5237	-3.5	5.6	0.7	182.0
-0.7	-0.0		6014	47.3	10.1	-0.7	2.8
-5.7	0.0		6012	4.9	-8.8	-0.8	-10.0
0.0	0.0	Q3	5236	0.0	0.0	0.0	0.0
0.0	0.0		5237	0.0	0.0	0.0	0.0
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	5236	-0.6	-0.2	0.0	3.6
-0.4	0.0		5237	-1.6	0.7	-0.0	1.6
0.1	0.0		6014	0.6	-0.0	0.0	-3.3
0.2	0.0		6012	1.5	-0.4	-0.0	-3.3
-0.3	-0.0						
		Q5_pc Y	5236	7.4	0.6	-0.3	-77.4
6.4	-0.0		5237	-2.0	-0.4	-0.2	-66.6
-3.9	-0.0		6014	-7.2	-1.3	0.2	12.7
-0.5	0.0		6012	1.9	1.0	0.2	18.0
2.8	0.0						
		Q5_ps X	5236	-0.4	-0.1	0.0	5.8
-0.6	0.0		5237	-1.2	0.6	-0.0	3.4
0.2	0.0		6014	0.4	-0.2	0.0	-3.7
0.3	-0.0		6012	1.2	-0.3	-0.0	-3.8
-0.4	-0.0						
		Q5_ps Y	5236	6.2	0.4	-0.2	-75.0
6.2	-0.0		5237	-2.4	-0.4	-0.2	-64.3
-3.8	-0.0		6014	-6.1	-0.8	0.2	13.1
-0.6	0.0		6012	2.3	0.8	0.2	18.1
2.7	0.0						
		INVSLE Max	5236	-169.8	-33.0	1.1	13.9
29.7	0.0		5237	-32.9	21.4	1.4	78.9
-2.1	0.0		6014	180.4	45.7	-0.9	309.4
-16.1	-0.0		6012	47.8	-29.8	-0.4	346.0
23.5	0.0						
		Min	5236	-188.4	-34.2	0.3	-211.1
11.0	0.0		5237	-40.1	19.4	0.9	-114.0
-13.5	0.0		6014	162.1	43.3	-1.4	270.1
-17.8	-0.0		6012	41.0	-32.1	-1.1	291.8
15.3	0.0						
		INVSLE Max	5236	-122.0	-24.1	0.6	-54.3
26.1	0.0		5237	-25.0	15.1	0.9	3.2
-4.9	0.0		6014	128.4	33.1	-0.6	240.4
-12.6	-0.0		6012	35.6	-21.3	-0.1	271.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


19.3	0.0							
		Min	5236	-134.4	-24.9	0.1	-204.3	
13.6	0.0		5237	-29.8	13.9	0.6	-125.4	
-12.4	0.0		6014	116.2	31.6	-0.9	214.2	
-13.7	-0.0		6012	31.0	-22.8	-0.6	235.1	
13.9	0.0							
5650	2	4 C1-C2;~1	Max	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5250	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5250	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5250	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5250	-97.2	-45.9	0.0	-2.3
-0.4	0.0			5251	-247.1	62.6	0.0	-3.8
0.2	0.0			6042	106.3	40.8	-0.0	13.2
-1.3	0.0			6040	238.1	-57.2	-0.0	10.0
0.3	0.0							
			G2	5250	-38.2	-17.7	0.0	4.4
-0.6	0.0			5251	-96.4	24.8	0.0	3.9
0.5	0.0			6042	41.7	15.6	-0.0	2.1
-0.1	0.0			6040	92.9	-22.7	-0.0	0.8
-0.2	0.0							
			Q3	5250	0.0	0.0	0.0	0.0
0.0	0.0			5251	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			6040	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5250	1.3	-0.4	0.0	1.7
-0.0	-0.0			5251	-10.5	2.1	-0.0	2.7
0.7	-0.0			6042	-0.8	0.7	0.0	-3.2
0.9	0.0			6040	10.0	-2.4	-0.0	-1.9
-0.2	0.0							
		Q5_pc Y		5250	1.3	0.2	0.0	6.1
-0.4	0.0			5251	-1.7	0.6	0.0	6.2
0.6	0.0							

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.6	0.0		6042	-1.7	-0.4	-0.0	-4.5
-0.3	0.0		6040	2.1	-0.3	-0.0	-4.2
0.0	-0.0	Q5_ps X	5250	1.7	-0.1	0.0	0.5
0.6	-0.0		5251	-8.8	1.6	-0.0	1.5
0.8	0.0		6042	-1.3	0.5	0.0	-2.6
-0.1	0.0		6040	8.3	-2.0	-0.0	-1.3
-0.5	0.0	Q5_ps Y	5250	0.1	-0.4	0.0	7.1
0.7	0.0		5251	-3.4	1.1	0.0	7.1
0.6	0.0		6042	-0.5	-0.1	-0.0	-4.9
-0.3	0.0		6040	3.7	-0.6	-0.0	-4.6
-0.7	0.0	INVS LU Max	5250	-116.1	-76.6	0.1	19.9
3.7	0.0		5251	-500.7	126.2	0.1	21.1
0.8	0.0		6042	144.9	66.9	-0.1	23.1
1.0	0.0		6040	502.1	-109.4	-0.1	19.9
-2.2	0.0	Min	5250	-121.4	-77.6	0.1	-1.3
1.7	0.0		5251	-527.0	121.3	0.1	-0.2
-1.7	0.0		6042	141.1	65.5	-0.1	8.5
-0.1	0.0		6040	477.2	-115.5	-0.1	6.3
-0.6	0.0	INVS LE Max	5250	-82.8	-56.2	0.1	14.6
2.8	0.0		5251	-373.4	93.3	0.1	15.6
0.6	0.0		6042	104.0	48.9	-0.1	16.1
0.7	0.0		6040	372.3	-81.2	-0.0	14.0
-1.6	0.0	Min	5250	-86.3	-56.9	0.0	0.5
1.4	0.0		5251	-390.9	90.0	0.1	1.5
-1.0	0.0		6042	101.5	48.0	-0.1	6.4
-0.0	0.0		6040	355.7	-85.3	-0.1	4.9
5651	2	8 C1-C2;~1 Max	5251	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		5252	0.0	0.0	0.0	0.0
0.0	0.0		6044	0.0	0.0	0.0	0.0
0.0	0.0		6042	0.0	0.0	0.0	0.0
0.0	0.0	Min	5251	0.0	0.0	0.0	0.0
0.0	0.0		5252	0.0	0.0	0.0	0.0
0.0	0.0		6044	0.0	0.0	0.0	0.0
0.0	0.0		6042	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5251	0.0	0.0	0.0
0.0	0.0			5252	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5251	0.0	0.0	0.0	0.0
0.0	0.0		5252	0.0	0.0	0.0	0.0
0.0	0.0		6044	0.0	0.0	0.0	0.0
0.0	0.0		6042	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5251	0.0	0.0	0.0
0.0	0.0			5252	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5251	0.0	0.0	0.0	0.0
0.0	0.0		5252	0.0	0.0	0.0	0.0
0.0	0.0		6044	0.0	0.0	0.0	0.0
0.0	0.0		6042	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5251	0.0	0.0	0.0
0.0	0.0			5252	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5251	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				5252	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0						
		G1		5251	-127.1	-66.7	-0.1
1.4	0.0			5252	-232.9	36.6	-0.2
-1.8	0.0			6044	126.5	71.6	0.2
1.5	0.0			6042	233.5	-41.2	0.1
1.4	0.0						
		G2		5251	-49.9	-25.2	-0.0
-0.1	0.0			5252	-91.2	15.6	-0.1
-0.4	0.0			6044	49.7	26.7	0.1
0.8	0.0			6042	91.4	-17.1	0.0
0.1	0.0						
		Q3		5251	0.0	0.0	0.0
0.0	0.0			5252	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5251	-1.6	-1.8	0.0
-0.8	-0.0			5252	-9.2	3.2	0.0
0.2	-0.0			6044	1.4	-0.0	-0.0
-0.6	0.0			6042	9.4	-1.4	-0.0
-0.8	0.0						
		Q5_pc Y		5251	-0.0	-0.6	0.0
-0.8	0.0			5252	-1.9	-0.5	0.0
0.1	0.0			6044	-0.4	1.0	-0.0
-0.2	0.0			6042	2.2	0.0	-0.0
-0.6	0.0						
		Q5_ps X		5251	-0.8	-1.4	0.0
-0.6	-0.0			5252	-7.6	2.9	0.0
0.1	-0.0			6044	0.6	-0.4	-0.0
-0.6	0.0			6042	7.8	-1.1	-0.0
-0.7	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.9	0.0	Q5_ps Y		5251	-1.3	-1.2	0.0	7.4
0.2	0.0			5252	-3.5	-0.4	0.0	4.6
-0.1	0.0			6044	0.9	1.9	-0.0	-2.2
-0.6	0.0			6042	3.9	-0.3	-0.0	-4.8
1.4	0.0	INVS LU	Max	5251	-199.6	-126.8	-0.1	-11.6
-1.5	0.0			5252	-454.1	77.8	-0.4	-51.5
5.5	0.0			6044	201.5	129.8	0.4	-34.7
1.5	0.0			6042	478.4	-69.4	0.1	1.2
-1.1	0.0		Min	5251	-203.4	-131.0	-0.1	-33.7
-2.1	0.0			5252	-476.8	69.0	-0.4	-65.3
3.7	0.0			6044	198.8	124.2	0.4	-41.4
-0.6	0.0			6042	455.2	-72.7	0.1	-13.1
0.8	0.0	INVS LE	Max	5251	-145.8	-94.1	-0.1	-8.5
-1.1	0.0			5252	-337.8	57.5	-0.3	-38.2
4.0	0.0			6044	146.9	95.3	0.3	-26.6
0.9	0.0			6042	354.3	-51.1	0.1	-0.3
-0.9	0.0		Min	5251	-148.3	-96.9	-0.1	-23.2
-1.5	0.0			5252	-353.0	51.6	-0.3	-47.4
2.8	0.0			6044	145.1	91.5	0.3	-31.1
-0.5	0.0			6042	338.8	-53.3	0.0	-9.9
5664	2	8 C1-C2;~1	Max	5264	0.0	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0	0.0
0.0	0.0		Min	5264	0.0	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5264	0.0	0.0	0.0
0.0	0.0			5265	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6068	0.0	0.0	0.0
0.0	0.0						
16.9	-0.0	G1		5264	230.9	38.3	-1.2
-28.9	-0.0			5265	123.9	-65.4	-1.4
-13.8	-0.0			6070	-231.3	-41.0	1.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	-0.0		6068	-123.5	68.4	1.2	10.2
		G2	5264	90.7	16.2	-0.5	-131.8
6.6	-0.0		5265	48.7	-24.8	-0.6	-150.3
-11.4	-0.0		6070	-90.9	-17.1	0.6	10.6
-5.4	-0.0		6068	-48.6	25.7	0.5	3.9
0.4	-0.0						
		Q3	5264	0.0	0.0	0.0	0.0
0.0	0.0		5265	0.0	0.0	0.0	0.0
0.0	0.0		6070	0.0	0.0	0.0	0.0
0.0	0.0		6068	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5264	1.0	1.7	0.0	11.9
-0.9	-0.0		5265	0.5	0.1	0.0	10.9
1.2	-0.0		6070	-0.9	-0.6	-0.0	-6.1
1.0	-0.0		6068	-0.6	-1.2	-0.0	-4.2
-0.0	0.0						
		Q5_pc Y	5264	-8.8	1.7	-0.0	-21.1
0.9	0.0		5265	-7.9	3.5	-0.1	-33.6
-3.1	0.0		6070	8.5	1.5	0.1	17.0
-2.2	0.0		6068	8.2	-6.7	0.0	12.9
1.2	0.0						
		Q5_ps X	5264	-0.6	1.5	0.0	13.7
-1.0	-0.0		5265	-0.6	0.6	0.0	13.2
1.4	-0.0		6070	0.7	-0.2	-0.0	-6.3
1.1	-0.0		6068	0.5	-1.9	-0.0	-4.5
-0.0	0.0						
		Q5_ps Y	5264	-7.3	1.9	-0.0	-22.2
1.0	0.0		5265	-7.0	3.1	-0.1	-34.6
-3.2	0.0		6070	7.0	1.2	0.1	16.5
-2.2	0.0		6068	7.4	-6.2	0.0	12.4
1.2	0.0						
		INVSLU Max	5264	475.5	78.8	-2.5	-612.4
31.1	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-46.5	-0.0			5265	211.6	-123.1	-3.0	-673.2
				6070	-455.0	-70.0	3.2	-15.3
-19.3	-0.0			6068	-188.9	133.5	2.7	-42.7
0.3	-0.0							
			Min	5264	453.5	73.0	-2.6	-679.0
28.1	-0.0			5265	190.5	-132.5	-3.2	-777.1
-56.1	-0.0			6070	-476.0	-73.6	2.9	-64.9
-26.0	-0.0			6068	-211.1	114.8	2.6	-80.0
-3.3	-0.0							
			INVSLE Max	5264	352.1	58.3	-1.9	-463.3
23.2	-0.0			5265	154.0	-91.6	-2.2	-512.0
-35.5	-0.0			6070	-338.6	-51.6	2.4	-12.8
-14.9	-0.0			6068	-138.8	97.6	2.0	-33.0
0.2	-0.0							
			Min	5264	337.5	54.5	-2.0	-507.7
21.2	-0.0			5265	139.9	-97.8	-2.4	-581.2
-41.9	-0.0			6070	-352.6	-54.0	2.2	-45.8
-19.4	-0.0			6068	-153.5	85.2	1.9	-57.9
-2.2	-0.0							
5665	2	4	C1-C2;~1	Max	5265	0.0	0.0	0.0
0.0	0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5265	0.0	0.0	0.0
0.0	0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5265	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5266	0.0	0.0	0.0	0.0
0.0	0.0		6072	0.0	0.0	0.0	0.0
0.0	0.0		6070	0.0	0.0	0.0	0.0
0.0	0.0		6070	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	5265	0.0	0.0	0.0
0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0		Min	5265	0.0	0.0	0.0
0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	5265	0.0	0.0	0.0
0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0		Min	5265	0.0	0.0	0.0
0.0	0.0			5266	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0
19.0	-0.0	G1		5265	245.1	61.2	-1.0
				5266	93.6	-45.3	-1.2
-17.0	-0.0			6072	-235.7	-56.2	1.2
-6.2	-0.0			6070	-103.0	40.7	1.0
12.4	-0.0			6070	-103.0	40.7	1.0
				6070	-103.0	40.7	1.0
7.5	-0.0	G2		5265	95.9	24.4	-0.4
				5266	36.5	-17.4	-0.5
-6.7	-0.0			6072	-92.2	-22.3	0.5
-2.4	-0.0			6070	-40.1	15.4	0.4
4.9	-0.0			6070	-40.1	15.4	0.4

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	5265	0.0	0.0	0.0	0.0
0.0	0.0			5266	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			6070	0.0	0.0	0.0	0.0
			Q5_pc X	5265	1.0	0.1	0.0	5.9
-0.9	-0.0			5266	0.5	0.2	0.0	4.4
0.2	-0.0			6072	-0.9	-0.6	-0.0	-3.8
0.4	-0.0			6070	-0.5	0.3	0.0	-4.7
-1.1	-0.0							
			Q5_pc Y	5265	-9.3	-3.4	-0.1	-36.7
2.4	0.0			5266	-8.1	3.2	-0.1	-41.8
-3.3	0.0			6072	8.9	2.1	0.1	18.8
-2.2	0.0			6070	8.5	-1.9	0.1	17.1
1.7	0.0							
			Q5_ps X	5265	-0.6	-0.3	0.0	7.8
-1.1	-0.0			5266	-0.4	0.6	0.0	6.2
0.3	-0.0			6072	0.6	-0.3	-0.0	-3.7
0.4	-0.0			6070	0.4	0.0	-0.0	-4.7
-1.2	-0.0							
			Q5_ps Y	5265	-7.8	-3.0	-0.1	-37.3
2.5	0.0			5266	-7.5	2.8	-0.1	-42.2
-3.3	0.0			6072	7.4	1.7	0.1	18.1
-2.1	0.0			6070	7.9	-1.6	0.1	16.5
1.7	0.0							
			INVSLU Max	5265	523.9	126.7	-2.2	-549.4
36.4	-0.0			5266	130.0	-73.7	-2.8	-589.7
-29.7	-0.0			6072	-476.1	-108.7	3.1	-44.1
-7.1	-0.0			6070	-132.0	69.8	2.4	-14.6
22.5	-0.0							
			Min	5265	500.6	117.9	-2.4	-661.3
29.1	-0.0			5266	107.5	-82.2	-3.1	-716.4
-39.7	-0.0			6072	-498.4	-113.9	2.8	-98.4
-13.5	-0.0			6070	-155.6	64.9	2.2	-64.1

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

17.3	-0.0							
		INVSLE	Max	5265	388.9	93.6	-1.7	-421.0
27.2	-0.0			5266	92.4	-54.4	-2.1	-453.3
-23.2	-0.0			6072	-354.9	-80.8	2.3	-34.2
-5.9	-0.0			6070	-95.8	51.0	1.8	-12.0
16.8	-0.0							
			Min	5265	373.3	87.7	-1.8	-495.6
22.3	-0.0			5266	77.4	-60.1	-2.3	-537.8
-29.8	-0.0			6072	-369.8	-84.2	2.1	-70.4
-10.2	-0.0			6070	-111.5	47.7	1.7	-45.1
13.3	-0.0							
5679	2	4	C1-C2;~1	Max	5279	0.0	0.0	0.0
0.0	0.0	0.0			5280	0.0	0.0	0.0
0.0	0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0	0.0			6098	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5279	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5280	0.0	0.0	0.0
0.0	0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0	0.0			6098	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5279	0.0	0.0	0.0
0.0	0.0	0.0			5280	0.0	0.0	0.0
0.0	0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0	0.0			6098	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5279	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5280	0.0	0.0	0.0
0.0	0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0	0.0			6098	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5279	0.0	0.0	0.0
0.0	0.0	0.0			5280	0.0	0.0	0.0
0.0	0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6098	0.0	0.0	0.0	0.0
		Min	5279	0.0	0.0	0.0	0.0
0.0	0.0		5280	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0		6098	0.0	0.0	0.0	0.0
		C3-C4; ~2	Max	5279	0.0	0.0	0.0
0.0	0.0		5280	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0		6098	0.0	0.0	0.0	0.0
			Min	5279	0.0	0.0	0.0
0.0	0.0		5280	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0		6098	0.0	0.0	0.0	0.0
		G1	5279	6.8	10.8	1.1	336.6
-16.9	-0.0		5280	117.2	-18.3	1.6	404.2
31.7	-0.0		6100	-9.8	-18.7	-1.5	-39.8
13.3	0.0		6098	-114.2	26.5	-1.1	-14.6
-0.3	0.0						
		G2	5279	3.6	4.9	0.4	125.9
-6.3	-0.0		5280	45.7	-6.8	0.6	150.6
11.8	-0.0		6100	-4.8	-8.0	-0.6	-14.0
4.9	0.0		6098	-44.5	9.9	-0.4	-4.6
-0.1	0.0						
		Q3	5279	0.0	0.0	0.0	0.0
0.0	0.0		5280	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0		6098	0.0	0.0	0.0	0.0
		Q5_pc X	5279	-2.3	0.5	0.1	27.1
-1.5	-0.0		5280	2.9	0.1	0.1	33.4
2.9	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.3	0.0			6100	2.2	-0.3	-8.0
-0.3	0.0			6098	-2.8	-0.3	-5.8
2.0	0.0	Q5_pc Y		5279	-2.9	-0.3	-41.2
-4.0	0.0			5280	-15.5	3.0	-51.0
-1.8	0.0			6100	3.1	2.5	6.7
0.1	-0.0			6098	15.3	-5.2	2.8
-1.5	-0.0	Q5_ps X		5279	-2.7	0.5	26.8
2.9	-0.0			5280	2.3	0.2	33.3
1.3	0.0			6100	2.6	-0.1	-8.1
-0.3	0.0			6098	-2.2	-0.6	-6.0
1.9	0.0	Q5_ps Y		5279	-2.6	-0.2	-40.1
-3.9	0.0			5280	-14.8	2.9	-49.6
-1.8	0.0			6100	2.8	2.4	6.6
0.1	-0.0			6098	14.6	-5.0	2.8
9.5	-0.0	INVSLE Max		5279	38.9	22.8	22.7
-12.1	-0.0			5280	210.1	-29.5	-27.1
-14.1	-0.0			6100	-38.5	-29.4	263.3
12.4	0.0			6098	-158.3	52.5	227.0
3.7	-0.0	Min		5279	30.9	21.4	-97.5
-23.9	-0.0			5280	165.8	-38.1	-175.9
-19.4	-0.0			6100	-47.0	-36.5	238.9
11.6	0.0			6098	-202.0	37.5	208.9
8.8	-0.0	INVSLE Max		5279	28.9	16.4	-22.8
-13.3	-0.0			5280	150.6	-21.9	-69.6
-12.6	-0.0			6100	-29.3	-21.4	209.0
9.7	0.0			6098	-115.4	37.8	178.6
5.0	-0.0	Min		5279	23.6	15.5	-102.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-21.1	-0.0	5280	121.1	-27.6	0.0	-168.8
-16.1	-0.0	6100	-34.9	-26.2	-0.4	192.8
9.2	0.0	6098	-144.5	27.8	-0.6	166.6

5680	2	10	C1-C2;~1	Max	5280	0.0	0.0	0.0	0.0
0.0		0.0			5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0
0.0		0.0		Min	5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0

0.0		0.0	C3-C4;~1	Max	5280	0.0	0.0	0.0	0.0
0.0		0.0			5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0
0.0		0.0		Min	5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0

0.0		0.0	C1-C2;~2	Max	5280	0.0	0.0	0.0	0.0
0.0		0.0			5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0
0.0		0.0		Min	5281	0.0	0.0	0.0	0.0
0.0		0.0			6102	0.0	0.0	0.0	0.0
0.0		0.0			6100	0.0	0.0	0.0	0.0
0.0		0.0			5280	0.0	0.0	0.0	0.0

			C3-C4;~2	Max	5280	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5281	0.0	0.0	0.0	0.0
0.0	0.0		6102	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0	Min	5280	0.0	0.0	0.0	0.0
0.0	0.0		5281	0.0	0.0	0.0	0.0
0.0	0.0		6102	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
0.0	0.0						
-20.7	-0.0	G1	5280	-2.9	16.1	1.1	351.2
27.0	-0.0		5281	106.2	-15.3	1.3	389.3
13.8	-0.0		6102	0.3	-15.6	-1.3	-53.8
-11.3	0.0		6100	-103.7	15.0	-1.1	-49.6
-7.7	-0.0	G2	5280	-0.6	6.7	0.4	130.9
10.1	-0.0		5281	41.1	-5.6	0.5	145.3
5.1	-0.0		6102	-0.4	-6.5	-0.5	-19.5
-4.2	0.0		6100	-40.0	5.4	-0.4	-18.0
0.0	0.0	Q3	5280	0.0	0.0	0.0	0.0
0.0	0.0		5281	0.0	0.0	0.0	0.0
0.0	0.0		6102	0.0	0.0	0.0	0.0
0.0	0.0		6100	0.0	0.0	0.0	0.0
-1.9	-0.0	Q5_pc X	5280	-2.3	-0.1	0.1	28.1
2.1	-0.0		5281	2.6	-0.0	0.1	29.8
1.2	-0.0		6102	2.2	-0.1	-0.1	-7.7
-1.2	0.0		6100	-2.6	0.2	-0.1	-7.4
2.7	0.0	Q5_pc Y	5280	-2.3	-3.0	-0.1	-46.2
-3.7	0.0		5281	-15.0	2.8	-0.2	-52.1
-2.0	0.0		6102	2.6	2.4	0.2	9.0
1.5	0.0		6100	14.7	-2.2	0.1	8.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-1.9	-0.0	Q5_ps X	5280	-2.4	-0.2	0.1	28.0
2.1	-0.0		5281	2.2	0.1	0.1	29.6
1.2	-0.0		6102	2.4	-0.0	-0.1	-7.7
-1.2	0.0		6100	-2.2	0.1	-0.1	-7.4
2.6	0.0	Q5_ps Y	5280	-2.1	-2.8	-0.1	-44.9
-3.6	0.0		5281	-14.3	2.7	-0.2	-50.6
-1.9	0.0		6102	2.3	2.3	0.2	8.8
1.5	0.0		6100	14.1	-2.1	0.1	8.0
18.3	-0.0	INVS LU Max	5280	30.7	34.9	0.6	-35.1
-6.9	-0.0		5281	204.2	-28.0	0.7	-18.2
-10.1	-0.0		6102	-31.2	-27.4	-0.2	233.3
16.9	-0.0		6100	-153.9	35.6	-0.2	217.2
10.4	-0.0	Min	5280	23.4	26.5	0.2	-169.7
-17.7	-0.0		5281	161.3	-36.0	0.2	-169.9
-15.9	-0.0		6102	-38.5	-34.2	-0.7	207.0
12.4	-0.0		6100	-196.1	29.3	-0.6	193.2
15.8	-0.0	INVS LE Max	5280	23.6	25.2	0.3	-68.7
-8.5	-0.0		5281	147.2	-20.9	0.4	-59.5
-9.6	-0.0		6102	-24.6	-20.3	-0.1	186.1
14.1	-0.0		6100	-113.0	26.1	-0.1	173.5
10.6	-0.0	Min	5280	18.7	19.6	0.1	-158.5
-15.7	-0.0		5281	118.6	-26.2	0.1	-160.7
-13.4	-0.0		6102	-29.4	-24.8	-0.4	168.6
11.1	-0.0		6100	-141.1	21.8	-0.3	157.4
5695	2	10 C1-C2; ~1 Max	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6130	0.0	0.0	0.0	0.0
0.0	0.0	Min	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		6130	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5295	0.0	0.0	0.0
0.0	0.0			5296	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0
0.0	0.0			6130	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		6130	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5295	0.0	0.0	0.0
0.0	0.0			5296	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0
0.0	0.0			6130	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		6130	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5295	0.0	0.0	0.0
0.0	0.0			5296	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0
0.0	0.0			6130	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		6130	0.0	0.0	0.0	0.0
		G1	5295	-106.1	-15.0	1.3	391.2
-27.2	0.0		5296	4.7	15.8	1.1	353.0
20.8	0.0		6132	103.5	14.8	-1.1	-50.6
11.4	-0.0		6130	-2.1	-15.3	-1.3	-55.1
-14.1	0.0						
		G2	5295	-41.0	-5.5	0.5	146.2
-10.1	0.0		5296	1.3	6.6	0.4	131.7
7.7	0.0		6132	40.0	5.3	-0.4	-18.4
4.2	-0.0		6130	-0.3	-6.4	-0.5	-20.0
-5.3	0.0						
		Q3	5295	0.0	0.0	0.0	0.0
0.0	0.0		5296	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		6130	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5295	-2.0	0.1	0.1	24.5
-1.8	-0.0		5296	2.1	-0.3	0.1	23.2
1.6	0.0		6132	1.9	0.2	-0.1	-6.0
1.0	-0.0		6130	-2.1	-0.1	-0.1	-6.3
-1.0	0.0						
		Q5_pc Y	5295	10.4	-1.2	-0.3	-101.7
6.8	-0.0		5296	-16.7	0.6	-0.3	-96.7
-6.1	-0.0		6132	-9.8	1.3	0.3	16.5
-3.5	0.0		6130	16.1	-0.7	0.3	16.9
3.5	-0.0						
		Q5_ps X	5295	-1.6	0.2	0.1	24.9
-1.8	-0.0		5296	2.3	-0.4	0.1	23.7
1.6	-0.0		6132	1.6	0.2	-0.1	-6.2
1.0	-0.0		6130	-2.3	-0.0	-0.1	-6.5
-1.0	0.0						
		Q5_ps Y	5295	9.8	-1.2	-0.3	-96.8
6.5	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-5.8	-0.0			5296	-15.9	0.6	-0.3	-92.1
				6132	-9.3	1.2	0.3	15.7
-3.3	0.0			6130	15.4	-0.6	0.3	16.1
3.3	-0.0							
		INVS LU	Max	5295	-168.2	-30.6	0.9	39.2
22.8	0.0			5296	-5.3	31.9	0.8	24.7
-6.2	0.0			6132	189.2	34.7	0.1	229.2
-10.0	0.0			6130	60.1	-30.2	0.0	244.8
18.2	0.0							
			Min	5295	-197.7	-34.2	-0.0	-251.2
3.4	0.0			5296	-53.1	30.1	-0.1	-251.5
-23.8	0.0			6132	161.3	31.0	-0.8	182.0
-19.9	0.0			6130	13.9	-32.1	-0.9	196.4
8.2	0.0							
		INVS LE	Max	5295	-123.3	-22.7	0.5	-22.9
19.2	0.0			5296	-7.2	23.3	0.5	-30.4
-7.9	0.0			6132	136.6	25.5	0.1	181.6
-9.5	0.0			6130	44.3	-22.2	0.1	193.9
15.0	0.0							
			Min	5295	-142.9	-25.1	-0.1	-216.5
6.3	0.0			5296	-39.0	22.1	-0.1	-214.5
-19.6	0.0			6132	118.0	23.0	-0.5	150.1
-16.2	0.0			6130	13.5	-23.5	-0.5	161.7
8.3	0.0							
5696	2	4	C1-C2;~1	Max	5296	0.0	0.0	0.0
0.0		0.0			5297	0.0	0.0	0.0
0.0		0.0			6134	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0
0.0		0.0						
				Min	5296	0.0	0.0	0.0
0.0		0.0			5297	0.0	0.0	0.0
0.0		0.0			6134	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	5296	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5296	0.0	0.0	0.0	0.0
0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5296	0.0	0.0	0.0
0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5296	0.0	0.0	0.0	0.0
0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	5296	0.0	0.0	0.0
0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5296	0.0	0.0	0.0	0.0
0.0	0.0			5297	0.0	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5296	-117.1	-18.0	1.6	407.0
-31.9	0.0			5297	-4.7	10.6	1.1	339.5
17.1	0.0			6134	114.1	26.1	-1.1	-14.9
0.2	-0.0			6132	7.7	-18.4	-1.5	-40.4
-13.3	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	5296	-45.7	-6.7	0.6	151.8
-11.9	0.0		5297	-2.8	4.8	0.4	127.1
6.4	0.0		6134	44.5	9.8	-0.4	-4.7
0.1	-0.0		6132	4.0	-7.9	-0.6	-14.3
-4.9	-0.0						
		Q3	5296	0.0	0.0	0.0	0.0
0.0	0.0		5297	0.0	0.0	0.0	0.0
0.0	0.0		6134	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5296	-2.0	0.3	0.1	27.6
-2.4	0.0		5297	2.2	0.9	0.1	22.4
1.3	-0.0		6134	1.9	-1.0	-0.1	-5.1
0.2	-0.0		6132	-2.1	-0.2	-0.1	-6.7
-1.1	-0.0						
		Q5_pc Y	5296	14.3	-0.6	-0.4	-121.5
9.6	-0.0		5297	-16.6	0.4	-0.3	-105.3
-5.7	-0.0		6134	-13.5	0.3	0.3	7.7
0.1	0.0		6132	15.8	-0.1	0.4	15.5
3.8	0.0						
		Q5_ps X	5296	-1.5	0.4	0.1	28.2
-2.4	-0.0		5297	2.7	0.8	0.1	22.7
1.3	-0.0		6134	1.3	-1.2	-0.1	-5.4
0.2	-0.0		6132	-2.5	-0.0	-0.1	-6.9
-1.1	-0.0						
		Q5_ps Y	5296	13.6	-0.6	-0.4	-115.7
9.2	-0.0		5297	-15.8	0.3	-0.3	-100.3
-5.4	-0.0		6134	-12.8	0.4	0.3	7.3
0.1	0.0		6132	15.1	-0.1	0.4	14.8
3.6	0.0						
		INVSLU Max	5296	-167.5	-33.2	1.0	58.7
32.7	0.0		5297	-13.5	23.5	1.3	101.5
1.0	0.0		6134	199.2	47.2	-0.3	228.2
-11.5	-0.0						


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
22.5	0.0			6132	67.6	-33.0	0.2	273.2	
			Min	5296	-208.2	-35.1	-0.2	-288.6	
5.3	0.0			5297	-61.1	21.1	0.3	-199.5	
-15.3	0.0			6134	160.9	43.7	-1.2	206.1	
-12.2	-0.0			6132	22.5	-33.4	-1.0	228.8	
11.7	0.0								
			INVSLE	Max	5296	-122.2	-24.4	0.6	-14.3
27.2	0.0			5297	-12.5	17.0	0.8	28.0	
-1.9	0.0			6134	142.7	34.4	-0.1	179.3	
-9.1	-0.0			6132	49.2	-24.0	0.2	215.6	
18.3	0.0								
			Min	5296	-149.3	-25.7	-0.3	-245.8	
8.9	0.0			5297	-44.2	15.3	0.2	-172.7	
-12.8	0.0			6134	117.1	32.1	-0.8	164.6	
-9.5	-0.0			6132	19.1	-24.2	-0.6	186.0	
11.1	0.0								
5710	2	4	C1-C2;~1	Max	5310	0.0	0.0	0.0	0.0
0.0	0.0				5311	0.0	0.0	0.0	0.0
0.0	0.0				6162	0.0	0.0	0.0	0.0
0.0	0.0				6160	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	5310	0.0	0.0	0.0	0.0	0.0
0.0	0.0				5311	0.0	0.0	0.0	0.0
0.0	0.0				6162	0.0	0.0	0.0	0.0
0.0	0.0				6160	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	5310	0.0	0.0	0.0	0.0
0.0	0.0				5311	0.0	0.0	0.0	0.0
0.0	0.0				6162	0.0	0.0	0.0	0.0
0.0	0.0				6160	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	5310	0.0	0.0	0.0	0.0	0.0
0.0	0.0				5311	0.0	0.0	0.0	0.0
0.0	0.0				6162	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6160	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	5310	0.0	0.0	0.0
0.0	0.0		5311	0.0	0.0	0.0	0.0
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0		6160	0.0	0.0	0.0	0.0
0.0	0.0		Min	5310	0.0	0.0	0.0
0.0	0.0		5311	0.0	0.0	0.0	0.0
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0		6160	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	5310	0.0	0.0	0.0
0.0	0.0		5311	0.0	0.0	0.0	0.0
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0		6160	0.0	0.0	0.0	0.0
0.0	0.0		Min	5310	0.0	0.0	0.0
0.0	0.0		5311	0.0	0.0	0.0	0.0
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0		6160	0.0	0.0	0.0	0.0
16.9	0.0	G1	5310	-95.9	-45.5	-1.3	-333.5
-22.6	0.0		5311	-241.9	60.4	-1.3	-350.3
-13.7	0.0		6162	105.1	41.1	1.2	18.2
5.8	0.0		6160	232.8	-55.8	1.3	4.8
6.8	0.0	G2	5310	-37.3	-17.4	-0.5	-133.1
-9.1	0.0		5311	-94.4	24.0	-0.5	-140.1
-5.5	0.0		6162	40.8	15.5	0.5	7.7
2.3	0.0		6160	90.8	-22.1	0.5	2.3
0.0	0.0	Q3	5310	0.0	0.0	0.0	0.0
0.0	0.0		5311	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0		6160	0.0	0.0	0.0	0.0
1.8	0.0	Q5_pc X	5310	0.4	0.4	-0.1	-21.6
-0.4	0.0		5311	-2.0	0.3	-0.1	-18.0
0.7	0.0		6162	-0.4	0.1	0.1	2.8
0.6	0.0		6160	1.9	-0.9	0.1	4.8
14.7	-0.0	Q5_pc Y	5310	14.1	-1.5	-0.7	-230.7
-14.6	-0.0		5311	-43.8	6.7	-0.7	-223.4
-9.4	-0.0		6162	-11.3	2.2	0.7	46.2
7.3	-0.0		6160	41.0	-7.5	0.8	42.9
1.5	0.0	Q5_ps X	5310	1.3	0.9	-0.0	-16.3
0.0	0.0		5311	0.2	-0.2	-0.0	-12.3
0.9	0.0		6162	-1.3	-0.2	0.0	1.8
0.5	0.0		6160	-0.2	-0.4	0.0	4.0
13.9	-0.0	Q5_ps Y	5310	13.4	-1.4	-0.7	-218.1
-13.8	-0.0		5311	-41.3	6.3	-0.6	-211.1
-8.9	-0.0		6162	-10.8	2.1	0.6	43.7
6.9	-0.0		6160	38.6	-7.0	0.7	40.6
58.9	0.0	INVSLE Max	5310	-99.7	-77.2	-2.3	-432.8
-22.7	0.0		5311	-459.0	133.2	-2.1	-443.7
-10.1	0.0		6162	161.7	71.8	3.9	15.2
20.7	0.0		6160	553.3	-102.4	4.4	-16.6
17.1	0.0	Min	5310	-140.0	-81.3	-4.4	-1087.1
-64.0	0.0		5311	-582.9	114.4	-4.0	-1077.1
-36.7	0.0		6162	129.3	65.6	2.1	-116.1
-0.1	0.0		6160	437.4	-123.4	2.3	-138.6
		INVSLE Max	5310	-72.1	-56.9	-1.8	-360.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

43.0	0.0			5311	-347.2	98.2	-1.7	-366.7
-19.1	0.0			6162	115.7	52.5	2.9	7.2
-8.9	0.0			6160	407.8	-76.8	3.2	-16.1
15.0	0.0							
			Min	5310	-99.0	-59.7	-3.2	-796.9
15.2	0.0			5311	-429.8	85.7	-2.9	-789.0
-46.7	0.0			6162	94.1	48.4	1.7	-80.3
-26.6	0.0			6160	330.5	-90.8	1.8	-97.4
1.1	0.0							
5711	2	8	C1-C2;~1	Max	5311	0.0	0.0	0.0
0.0		0.0			5312	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0
0.0		0.0			6162	0.0	0.0	0.0
0.0		0.0						
			Min	5311	0.0	0.0	0.0	0.0
0.0		0.0			5312	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0
0.0		0.0			6162	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	5311	0.0	0.0	0.0
0.0		0.0			5312	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0
0.0		0.0			6162	0.0	0.0	0.0
0.0		0.0						
			Min	5311	0.0	0.0	0.0	0.0
0.0		0.0			5312	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0
0.0		0.0			6162	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	5311	0.0	0.0	0.0
0.0		0.0			5312	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0
0.0		0.0			6162	0.0	0.0	0.0
0.0		0.0						
			Min	5311	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5312	0.0	0.0	0.0	0.0
0.0	0.0		6164	0.0	0.0	0.0	0.0
0.0	0.0		6162	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5311	0.0	0.0	0.0
0.0	0.0			5312	0.0	0.0	0.0
0.0	0.0			6164	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0
0.0	0.0						
			Min	5311	0.0	0.0	0.0
0.0	0.0			5312	0.0	0.0	0.0
0.0	0.0			6164	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0
0.0	0.0						
			G1	5311	-123.6	-64.7	-1.9
35.8	0.0			5312	-227.2	37.5	-1.6
-24.1	0.0			6164	123.2	67.9	1.7
-0.6	0.0			6162	227.6	-40.4	1.8
14.7	0.0						22.9
			G2	5311	-48.4	-24.5	-0.7
14.3	0.0			5312	-88.9	15.8	-0.6
-9.6	0.0			6164	48.2	25.4	0.7
-0.3	0.0			6162	89.1	-16.8	0.7
5.9	0.0						9.9
			Q3	5311	0.0	0.0	0.0
0.0	0.0			5312	0.0	0.0	0.0
0.0	0.0			6164	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5311	0.1	0.1	-0.0
0.7	0.0			5312	-1.2	1.8	0.0
0.5	0.0			6164	-0.1	-1.5	-0.0
-0.7	-0.0			6162	1.2	-0.4	0.0
-0.1	0.0						2.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

21.0	-0.0	Q5_pc Y	5311	4.4	-6.5	-0.9	-264.2
-11.1	-0.0		5312	-32.4	10.0	-0.6	-217.2
-3.4	0.0		6164	-5.5	-1.6	0.7	33.7
11.0	-0.0		6162	33.5	-1.9	0.9	50.2
0.1	0.0	Q5_ps X	5311	1.4	0.7	-0.0	-4.1
0.8	0.0		5312	0.9	1.5	0.0	5.2
-0.6	-0.0		6164	-1.3	-2.2	-0.0	1.7
-0.4	0.0		6162	-1.0	0.0	0.0	0.7
19.9	-0.0	Q5_ps Y	5311	4.3	-6.1	-0.8	-249.7
-10.5	-0.0		5312	-30.4	9.4	-0.6	-205.2
-3.2	0.0		6164	-5.4	-1.5	0.6	32.0
10.4	-0.0		6162	31.5	-1.7	0.8	47.6
100.0	0.0	INVS LU Max	5311	-193.7	-120.4	-3.1	-644.8
-30.6	0.0		5312	-422.7	89.5	-2.9	-635.6
7.7	0.0		6164	207.3	128.6	4.8	-44.0
41.7	0.0		6162	516.4	-68.3	5.5	4.5
40.3	0.0	Min	5311	-206.6	-138.7	-5.6	-1393.8
-62.2	0.0		5312	-513.8	61.4	-4.7	-1251.2
-1.9	0.0		6164	191.1	122.1	3.0	-140.0
10.5	0.0		6162	422.0	-73.5	3.0	-138.4
73.1	0.0	INVS LE Max	5311	-142.0	-90.0	-2.4	-521.6
-24.5	0.0		5312	-317.9	65.5	-2.3	-506.7
5.2	0.0		6164	150.9	94.6	3.5	-36.1
30.3	0.0		6162	380.5	-50.4	4.1	-1.3
33.3	0.0	Min	5311	-150.6	-102.2	-4.1	-1020.9
-45.5	0.0		5312	-378.6	46.8	-3.5	-917.1
-1.2	0.0		6164	140.1	90.3	2.3	-100.1

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				6162	317.6	-53.9	2.4	-96.5
9.5	0.0							
5724	2	8 C1-C2;~1	Max	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			6188	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5324	0.0	0.0	0.0	0.0
0.0	0.0			5325	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6188	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5324	0.0	0.0	0.0	0.0
0.0	0.0		5325	0.0	0.0	0.0	0.0
0.0	0.0		6190	0.0	0.0	0.0	0.0
0.0	0.0		6188	0.0	0.0	0.0	0.0
0.0	0.0						
18.9	-0.0	G1	5324	225.3	36.9	-1.3	-366.2
			5325	123.4	-64.2	-1.6	-408.9
-30.1	-0.0		6190	-225.6	-40.3	1.5	19.1
-13.0	-0.0		6188	-123.2	67.9	1.3	5.1
1.1	-0.0						
		G2	5324	87.4	15.8	-0.5	-141.0
7.2	-0.0		5325	48.1	-23.9	-0.6	-158.1
-11.6	-0.0		6190	-87.5	-16.8	0.6	6.8
-5.0	-0.0		6188	-48.0	24.9	0.5	1.7
0.4	-0.0						
		Q3	5324	0.0	0.0	0.0	0.0
0.0	0.0		5325	0.0	0.0	0.0	0.0
0.0	0.0		6190	0.0	0.0	0.0	0.0
0.0	0.0		6188	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5324	15.0	7.2	-0.2	-73.3
3.2	0.0		5325	-0.6	-2.4	-0.3	-100.2
-7.8	0.0		6190	-15.5	-1.9	0.3	20.3
-4.0	-0.0		6188	1.1	-2.9	0.2	14.7
2.0	0.0						
		Q5_pc Y	5324	-26.2	-7.1	0.4	149.0
-7.6	-0.0		5325	3.6	5.4	0.6	180.0
14.5	-0.0		6190	27.1	1.4	-0.6	-34.3
8.3	-0.0		6188	-4.5	0.3	-0.5	-21.9
-2.2	0.0						
		Q5_ps X	5324	11.8	6.6	-0.2	-64.3
2.8	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.9	0.0			5325	-2.2	-1.6	-0.3	-88.8
				6190	-12.2	-1.3	0.3	18.1
-3.6	-0.0			6188	2.6	-3.7	0.2	12.9
1.9	0.0							
		Q5_ps Y		5324	-25.9	-6.8	0.4	143.4
-7.3	-0.0			5325	2.7	5.5	0.6	173.2
14.0	-0.0			6190	26.7	1.5	-0.6	-33.1
7.9	-0.0			6188	-3.6	-0.1	-0.4	-21.3
-2.1	0.0							
		INVS LU	Max	5324	505.3	86.7	-2.4	-547.8
46.7	-0.0			5325	204.7	-120.1	-2.8	-593.9
-38.1	-0.0			6190	-427.2	-69.5	4.5	-10.2
-11.6	-0.0			6188	-194.4	129.5	3.8	-44.7
2.2	-0.0							
			Min	5324	427.7	66.3	-3.7	-977.9
24.8	-0.0			5325	196.5	-136.4	-4.6	-1113.5
-80.1	-0.0			6190	-507.4	-74.0	2.8	-109.4
-35.4	-0.0			6188	-205.2	118.4	2.5	-108.5
-4.0	-0.0							
		INVS LE	Max	5324	372.9	63.8	-1.9	-433.1
34.3	-0.0			5325	149.4	-89.8	-2.2	-473.7
-30.9	-0.0			6190	-321.0	-51.3	3.3	-10.4
-10.0	-0.0			6188	-142.4	95.1	2.8	-35.3
1.6	-0.0							
			Min	5324	321.2	50.2	-2.7	-719.8
19.7	-0.0			5325	143.9	-100.7	-3.4	-820.1
-58.8	-0.0			6190	-374.4	-54.3	2.2	-76.5
-25.9	-0.0			6188	-149.6	87.7	1.9	-77.8
-2.6	-0.0							
5725	2	4	C1-C2;~1	Max	5325	0.0	0.0	0.0
0.0	0.0	0.0			5326	0.0	0.0	0.0
0.0	0.0	0.0			6192	0.0	0.0	0.0
0.0	0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5325	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5325	0.0	0.0	0.0	0.0
0.0	0.0			5326	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		G1	5325	238.9	60.0	-1.1	-311.6
19.4	-0.0		5326	95.1	-45.0	-1.2	-309.0
-16.3	-0.0		6192	-229.9	-55.1	1.2	-0.5
-5.5	-0.0		6190	-104.2	40.4	1.1	12.7
11.8	-0.0						
		G2	5325	92.1	23.6	-0.4	-120.7
7.5	-0.0		5326	36.9	-17.0	-0.5	-119.7
-6.3	-0.0		6192	-88.7	-21.7	0.5	-0.6
-2.1	-0.0		6190	-40.3	15.2	0.4	4.5
4.5	-0.0						
		Q3	5325	0.0	0.0	0.0	0.0
0.0	0.0		5326	0.0	0.0	0.0	0.0
0.0	0.0		6192	0.0	0.0	0.0	0.0
0.0	0.0		6190	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5325	19.5	2.9	-0.3	-96.5
5.4	0.0		5326	-4.7	-0.3	-0.3	-105.8
-7.3	0.0		6192	-18.4	-4.1	0.3	21.2
-3.6	0.0		6190	3.6	1.5	0.3	20.2
2.9	-0.0						
		Q5_pc Y	5325	-34.9	-5.4	0.5	156.7
-10.2	-0.0		5326	12.2	1.3	0.6	166.6
10.7	-0.0		6192	32.5	5.5	-0.6	-28.1
5.6	-0.0		6190	-9.9	-1.4	-0.4	-31.5
-7.2	-0.0						
		Q5_ps X	5325	16.0	2.1	-0.3	-86.9
4.8	0.0		5326	-5.7	0.3	-0.3	-96.1
-6.7	0.0		6192	-15.0	-3.4	0.3	19.5
-3.3	0.0		6190	4.7	1.0	0.3	18.4
2.5	-0.0						
		Q5_ps Y	5325	-34.1	-5.4	0.4	150.4
-9.8	-0.0		5326	11.0	1.5	0.5	159.6
10.2	-0.0		6192	31.8	5.5	-0.5	-26.9
5.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-7.0	-0.0			6190	-8.8	-1.5	-0.4	-30.2
		INVS LU	Max	5325	567.0	131.1	-2.1	-461.7
52.1	-0.0			5326	134.5	-75.9	-2.4	-480.9
-22.4	-0.0			6192	-442.8	-103.8	4.0	-39.9
-2.9	-0.0			6190	-130.2	69.8	3.4	-6.5
30.8	-0.0							
			Min	5325	464.8	114.9	-3.4	-912.9
22.6	-0.0			5326	101.4	-80.3	-4.0	-959.8
-53.0	-0.0			6192	-538.2	-120.2	2.4	-120.7
-18.9	-0.0			6190	-156.5	65.2	2.1	-97.0
10.0	-0.0							
		INVS LE	Max	5325	418.9	96.7	-1.6	-372.9
38.2	-0.0			5326	95.2	-56.0	-1.9	-390.0
-18.8	-0.0			6192	-333.8	-77.7	3.0	-31.7
-3.3	-0.0			6190	-94.5	51.1	2.5	-7.2
22.5	-0.0							
			Min	5325	350.7	86.0	-2.5	-673.6
18.6	-0.0			5326	73.1	-58.9	-3.0	-709.2
-39.2	-0.0			6192	-397.5	-88.6	1.9	-85.6
-13.9	-0.0			6190	-112.0	48.0	1.6	-67.5
8.6	-0.0							
5739	2	4	C1-C2;~1	Max	5339	0.0	0.0	0.0
0.0	0.0				5340	0.0	0.0	0.0
0.0	0.0				6220	0.0	0.0	0.0
0.0	0.0				6218	0.0	0.0	0.0
0.0	0.0							
				Min	5339	0.0	0.0	0.0
0.0	0.0				5340	0.0	0.0	0.0
0.0	0.0				6220	0.0	0.0	0.0
0.0	0.0				6218	0.0	0.0	0.0
0.0	0.0							
				Max	5339	0.0	0.0	0.0
0.0	0.0	C3-C4;~1			5340	0.0	0.0	0.0
0.0	0.0				6220	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5339	0.0	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5339	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5339	0.0	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5339	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5339	0.0	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5339	4.5	10.5	1.1	346.0
-17.5	-0.0		5340	116.9	-18.0	1.6	413.8
32.4	-0.0		6220	-7.6	-18.4	-1.6	-39.8
13.3	0.0		6218	-113.8	26.1	-1.2	-14.3
-0.2	0.0						
		G2	5339	2.0	5.0	0.4	134.1
-6.8	-0.0		5340	46.1	-6.5	0.6	159.6
12.4	-0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.1	0.0		6220	-3.3	-7.9	-0.6	-14.8
-0.0	0.0		6218	-44.9	9.5	-0.5	-5.0
0.0	0.0	Q3	5339	0.0	0.0	0.0	0.0
0.0	0.0		5340	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		6218	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	5339	2.2	1.1	-0.0	-4.4
0.0	0.0		5340	-2.0	0.2	-0.0	-2.8
0.2	0.0		6220	-2.1	-0.2	0.0	-3.8
-0.3	-0.0		6218	1.9	-1.1	0.0	-4.2
-5.5	-0.0	Q5_pc Y	5339	-15.3	0.3	0.3	100.9
9.3	-0.0		5340	13.0	0.8	0.4	116.9
3.7	0.0		6220	14.5	-0.1	-0.4	-15.6
0.0	0.0		6218	-12.2	-1.0	-0.3	-8.4
0.0	0.0	Q5_ps X	5339	1.4	1.0	-0.0	-2.9
0.2	0.0		5340	-2.6	0.4	-0.0	-0.8
0.3	0.0		6220	-1.3	-0.0	0.0	-4.3
-0.3	-0.0		6218	2.5	-1.4	0.0	-4.7
-5.3	-0.0	Q5_ps Y	5339	-14.8	0.3	0.3	96.1
8.9	-0.0		5340	12.0	0.8	0.4	111.4
3.5	0.0		6220	14.0	0.0	-0.4	-15.1
0.0	0.0		6218	-11.2	-1.1	-0.3	-8.3
14.5	-0.0	INVSLU Max	5339	58.0	24.3	1.3	106.9
-4.7	-0.0		5340	206.8	-32.8	1.1	65.6
-11.7	-0.0		6220	-22.8	-33.1	0.1	276.0
12.6	0.0		6218	-164.1	47.0	-0.3	232.3
		Min	5339	13.7	21.2	0.4	-181.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-1.3	-0.0			5340	170.9	-35.2	-0.1	-268.7
-31.4	-0.0			6220	-64.8	-33.5	-1.1	230.7
-22.2	-0.0			6218	-197.8	42.8	-1.3	207.5
11.6	0.0							
		INVSLE	Max	5339	42.1	17.5	0.8	32.0
12.2	-0.0			5340	148.5	-24.1	0.6	-9.0
-8.5	-0.0			6220	-19.2	-24.0	0.2	217.8
-11.0	-0.0			6218	-119.4	34.2	-0.2	182.4
9.8	0.0							
			Min	5339	12.6	15.5	0.2	-160.2
1.7	-0.0			5340	124.5	-25.7	-0.2	-231.9
-26.2	-0.0			6220	-47.2	-24.3	-0.6	187.6
-18.0	-0.0			6218	-141.8	31.4	-0.8	165.9
9.1	0.0							
5740	2	10	C1-C2;~1	Max	5340	0.0	0.0	0.0
0.0	0.0	0.0			5341	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			6220	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5340	0.0	0.0	0.0
0.0	0.0	0.0			5341	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			6220	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5340	0.0	0.0	0.0
0.0	0.0	0.0			5341	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			6220	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5340	0.0	0.0	0.0
0.0	0.0	0.0			5341	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			6220	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
		C1-C2; ~2	Max	5340	0.0	0.0	0.0	0.0
0.0	0.0			5341	0.0	0.0	0.0	0.0
0.0	0.0			6222	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0		Min	5340	0.0	0.0	0.0	0.0
0.0	0.0			5341	0.0	0.0	0.0	0.0
0.0	0.0			6222	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5340	0.0	0.0	0.0	0.0
0.0	0.0			5341	0.0	0.0	0.0	0.0
0.0	0.0			6222	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0		Min	5340	0.0	0.0	0.0	0.0
0.0	0.0			5341	0.0	0.0	0.0	0.0
0.0	0.0			6222	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5340	-5.0	15.7	1.1	356.4
-21.0	-0.0			5341	105.6	-14.9	1.3	393.1
27.2	-0.0			6222	2.4	-15.2	-1.3	-55.0
14.1	-0.0			6220	-103.0	14.6	-1.1	-50.3
-11.4	0.0							
			G2	5340	-2.2	6.5	0.4	137.0
-8.1	-0.0			5341	41.2	-5.4	0.5	151.1
10.4	-0.0			6222	1.1	-6.3	-0.5	-20.7
5.4	-0.0			6220	-40.2	5.2	-0.4	-19.0
-4.4	0.0							
			Q3	5340	0.0	0.0	0.0	0.0
0.0	0.0			5341	0.0	0.0	0.0	0.0
0.0	0.0			6222	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.1	0.0	Q5_pc X	5340	2.4	-0.2	-0.0	-0.8
0.1	0.0		5341	-1.0	-0.2	-0.0	-0.7
0.2	-0.0		6222	-2.2	-0.2	0.0	-2.8
-0.1	0.0		6220	0.8	0.6	0.0	-2.6
-5.9	-0.0	Q5_pc Y	5340	-15.3	-0.7	0.3	92.8
6.5	-0.0		5341	9.6	1.2	0.3	97.1
3.4	-0.0		6222	14.8	0.5	-0.3	-16.8
-3.4	0.0		6220	-9.1	-1.0	-0.3	-16.2
-0.2	0.0	Q5_ps X	5340	1.9	-0.4	-0.0	0.8
0.2	0.0		5341	-1.4	-0.1	-0.0	0.8
0.2	-0.0		6222	-1.7	-0.1	0.0	-3.2
-0.2	0.0		6220	1.2	0.5	0.0	-3.0
-5.7	-0.0	Q5_ps Y	5340	-14.6	-0.8	0.3	88.5
6.2	-0.0		5341	8.9	1.2	0.3	92.6
3.2	-0.0		6222	14.2	0.6	-0.3	-16.1
-3.2	0.0		6220	-8.5	-1.0	-0.3	-15.6
23.0	-0.0	INVSLE Max	5340	49.9	32.0	0.8	29.4
-3.1	-0.0		5341	197.3	-30.5	0.9	42.8
-8.0	-0.0		6222	-14.5	-30.3	-0.0	244.8
19.6	-0.0		6220	-163.4	34.3	0.0	229.7
5.9	-0.0	Min	5340	6.0	29.7	-0.0	-236.3
-21.8	-0.0		5341	170.5	-34.0	0.0	-235.1
-17.7	-0.0		6222	-57.0	-32.0	-0.9	196.4
10.0	-0.0		6220	-188.8	31.5	-0.8	182.9
19.0	-0.0	INVSLE Max	5340	36.8	23.4	0.5	-26.6
-6.1	-0.0		5341	142.8	-22.7	0.5	-19.7
			6222	-13.9	-22.3	0.1	193.9

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-8.2	-0.0				6220	-119.5	25.3	0.1	182.1
16.0	-0.0								
			Min		5340	7.5	21.8	-0.1	-203.7
7.7	-0.0				5341	124.9	-25.0	-0.1	-205.0
-18.5	-0.0				6222	-42.2	-23.4	-0.5	161.7
-14.6	-0.0				6220	-136.5	23.4	-0.5	150.8
9.5	-0.0								
5755	2	10	C1-C2;~1	Max	5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0			6250	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0			6250	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0			6250	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0			6250	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0			6250	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5355	0.0	0.0	0.0	0.0
0.0		0.0			5356	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6250	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4; ~2	Max	5355	0.0	0.0	0.0	0.0
0.0	0.0			5356	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0	0.0
0.0	0.0			6250	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5355	0.0	0.0	0.0	0.0
0.0	0.0			5356	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0	0.0
0.0	0.0			6250	0.0	0.0	0.0	0.0
0.0	0.0							
-27.0	0.0		G1	5355	-106.4	-15.4	1.3	388.8
20.7	0.0			5356	2.7	16.2	1.1	351.7
11.2	-0.0			6252	103.8	15.0	-1.1	-49.5
-14.0	0.0			6250	-0.2	-15.6	-1.3	-54.2
-10.3	0.0		G2	5355	-41.6	-5.7	0.5	148.3
7.8	0.0			5356	0.9	6.7	0.4	134.0
4.3	-0.0			6252	40.6	5.5	-0.4	-18.4
-5.3	0.0			6250	0.1	-6.5	-0.5	-20.2
0.0	0.0		Q3	5355	0.0	0.0	0.0	0.0
0.0	0.0			5356	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0	0.0
0.0	0.0			6250	0.0	0.0	0.0	0.0
-1.0	-0.0		Q5_pc X	5355	2.5	1.0	0.0	13.5
1.1	-0.0			5356	3.0	-1.2	0.0	13.8
0.7	-0.0			6252	-2.4	-0.4	-0.0	-5.2
-0.6	0.0			6250	-3.1	0.7	-0.0	-5.3
-4.4	0.0		Q5_pc Y	5355	-14.3	-2.4	0.2	61.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

3.4	0.0			5356	-0.4	2.5	0.2	56.0
2.0	-0.0			6252	14.1	1.9	-0.2	-11.2
-2.4	0.0			6250	0.6	-2.0	-0.2	-12.1
		Q5_ps X		5355	2.8	1.0	0.0	14.1
-1.0	-0.0			5356	3.1	-1.3	0.0	14.5
1.2	-0.0			6252	-2.7	-0.4	-0.0	-5.4
0.7	-0.0			6250	-3.3	0.7	-0.0	-5.5
-0.6	0.0							
		Q5_ps Y		5355	-13.4	-2.2	0.2	59.6
-4.2	0.0			5356	-0.1	2.3	0.2	54.0
3.3	0.0			6252	13.2	1.8	-0.2	-10.9
1.9	-0.0			6250	0.4	-1.9	-0.2	-11.7
-2.3	0.0							
		INVS LU	Max	5355	-164.5	-28.9	0.8	4.9
18.0	0.0			5356	-21.2	34.2	0.7	-11.2
-8.8	0.0			6252	196.5	35.2	-0.2	220.6
-11.5	0.0			6250	38.7	-28.0	-0.2	236.3
15.9	0.0							
			Min	5355	-204.7	-35.5	0.2	-173.9
5.3	0.0			5356	-30.6	27.3	0.2	-173.3
-18.7	0.0			6252	157.0	29.9	-0.7	188.0
-17.3	0.0			6250	28.9	-33.6	-0.8	201.0
9.0	0.0							
		INVS LE	Max	5355	-120.9	-21.5	0.5	-43.0
15.9	0.0			5356	-17.2	24.8	0.4	-51.7
-9.4	0.0			6252	141.6	25.8	-0.1	175.6
-10.5	0.0			6250	29.5	-20.7	-0.1	187.9
13.4	0.0							
			Min	5355	-147.7	-25.9	0.1	-162.3
7.4	0.0			5356	-23.5	20.2	0.1	-159.8
-16.1	0.0			6252	115.2	22.3	-0.4	153.9
-14.3	0.0			6250	22.9	-24.4	-0.5	164.5
8.8	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5756	2	4	C1-C2;~1	Max	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0		Min	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0		Min	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0		Min	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5356	0.0	0.0	0.0	0.0
0.0		0.0			5357	0.0	0.0	0.0	0.0
0.0		0.0			6254	0.0	0.0	0.0	0.0
0.0		0.0			6252	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	5356	0.0	0.0	0.0	0.0
0.0	0.0			5357	0.0	0.0	0.0	0.0
0.0	0.0			6254	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0	0.0
		G1		5356	-117.4	-18.5	1.6	405.9
-31.8	0.0			5357	-6.9	10.5	1.1	337.9
17.0	0.0			6254	114.4	26.9	-1.1	-13.9
0.3	-0.0			6252	9.9	-18.7	-1.5	-38.9
-13.1	-0.0							
		G2		5356	-46.3	-6.8	0.6	155.0
-12.1	0.0			5357	-3.3	5.0	0.4	129.6
6.5	0.0			6254	45.1	9.9	-0.4	-4.7
0.1	-0.0			6252	4.5	-8.1	-0.6	-14.3
-5.0	-0.0							
		Q3		5356	0.0	0.0	0.0	0.0
0.0	0.0			5357	0.0	0.0	0.0	0.0
0.0	0.0			6254	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5356	2.6	1.2	0.0	17.6
-1.7	-0.0			5357	3.4	0.9	0.0	14.0
0.9	-0.0			6254	-2.7	-2.7	-0.0	-5.8
0.3	-0.0			6252	-3.3	0.6	-0.0	-6.6
-0.8	-0.0							
		Q5_pc Y		5356	-15.1	-2.5	0.2	63.7
-5.2	0.0			5357	-0.9	0.4	0.2	51.8
2.6	0.0			6254	14.9	4.5	-0.2	-5.5
0.2	-0.0			6252	1.2	-2.3	-0.2	-10.1
-2.3	-0.0							
		Q5_ps X		5356	3.2	1.4	0.1	18.3
-1.7	-0.0			5357	3.8	0.8	0.0	14.4
1.0	-0.0			6254	-3.3	-2.9	-0.0	-6.1
0.3	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.8	-0.0			6252	-3.7	0.7	-0.1	-6.9
		Q5_ps Y		5356	-14.1	-2.3	0.2	61.5
-5.0	0.0			5357	-0.5	0.3	0.1	49.9
2.6	0.0			6254	13.8	4.1	-0.2	-5.5
0.2	-0.0			6252	0.8	-2.1	-0.2	-9.9
-2.2	-0.0							
		INVS LU	Max	5356	-168.9	-30.4	0.8	4.7
24.4	0.0			5357	-28.1	23.4	1.1	49.3
-2.1	0.0			6254	202.9	51.3	-0.6	227.4
-11.6	-0.0			6252	47.3	-30.0	-0.2	265.9
19.8	0.0							
			Min	5356	-211.2	-37.4	0.2	-179.9
9.5	0.0			5357	-39.5	21.0	0.6	-100.6
-9.7	0.0			6254	161.4	39.1	-1.1	209.1
-12.4	-0.0			6252	36.1	-36.2	-0.9	236.2
13.1	0.0							
		INVS LE	Max	5356	-123.3	-22.5	0.5	-47.1
21.4	0.0			5357	-21.6	16.9	0.7	-4.0
-3.9	0.0			6254	145.3	37.0	-0.4	178.9
-9.1	-0.0			6252	35.1	-21.9	-0.0	210.7
16.4	0.0							
			Min	5356	-151.5	-27.1	0.0	-170.1
11.4	0.0			5357	-29.2	15.3	0.4	-103.9
-9.0	0.0			6254	117.6	28.9	-0.7	166.7
-9.7	-0.0			6252	27.6	-26.0	-0.5	190.8
11.9	0.0							
5770	2	4 C1-C2;~1	Max	5370	0.0	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5370	0.0	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6280	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5370	0.0	0.0	0.0
0.0	0.0			5371	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0
0.0	0.0			6280	0.0	0.0	0.0
0.0	0.0						
17.2	0.0	G1		5370	-94.8	-45.6	-1.3
				5371	-245.7	61.4	-1.1
-19.7	0.0						-320.7
							-317.3

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-12.3	0.0		6282	104.2	40.9	1.1	15.2
5.8	0.0		6280	236.3	-56.4	1.3	0.8
6.9	0.0	G2	5370	-36.7	-17.4	-0.5	-127.6
-7.8	0.0		5371	-95.9	24.3	-0.4	-126.1
-4.8	0.0		6282	40.3	15.5	0.4	5.8
2.3	0.0		6280	92.2	-22.4	0.5	0.2
0.0	0.0	Q3	5370	0.0	0.0	0.0	0.0
0.0	0.0		5371	0.0	0.0	0.0	0.0
0.0	0.0		6282	0.0	0.0	0.0	0.0
0.0	0.0		6280	0.0	0.0	0.0	0.0
0.0	0.0						
3.1	-0.0	Q5_pc X	5370	3.7	1.5	-0.1	-39.5
-1.2	-0.0		5371	-0.5	-0.7	-0.1	-32.8
0.1	0.0		6282	-3.6	-0.3	0.1	7.9
1.5	-0.0		6280	0.4	-0.6	0.1	10.6
-4.1	0.0	Q5_pc Y	5370	-7.9	-2.7	0.1	52.9
3.3	0.0		5371	-7.1	2.7	0.1	48.2
2.4	0.0		6282	8.2	1.8	-0.1	-20.8
-2.6	0.0		6280	6.7	-1.8	-0.1	-22.1
2.8	-0.0	Q5_ps X	5370	4.8	2.0	-0.1	-34.1
-0.8	-0.0		5371	1.8	-1.3	-0.1	-27.4
0.3	0.0		6282	-4.7	-0.6	0.1	7.0
1.3	-0.0		6280	-1.8	-0.1	0.1	9.7
-4.0	0.0	Q5_ps Y	5370	-7.0	-2.3	0.1	52.3
3.3	0.0		5371	-5.6	2.2	0.1	47.9
2.4	0.0		6282	7.3	1.5	-0.1	-20.1
-2.5	0.0		6280	5.3	-1.5	-0.1	-21.2

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLE	Max	5370	-109.8	-74.8	-2.9	-599.3
41.3	0.0				5371	-503.8	125.7	-2.4	-564.4
-29.2	0.0				6282	156.4	70.0	2.7	-23.3
-15.8	0.0				6280	495.0	-109.2	3.3	-52.6
13.3	0.0								
				Min	5370	-131.0	-81.6	-3.3	-756.2
29.4	0.0				5371	-520.4	119.0	-2.7	-708.0
-39.1	0.0				6282	134.5	65.3	2.4	-83.5
-22.9	0.0				6280	479.1	-113.7	2.9	-116.2
5.7	0.0								
			INVSLE	Max	5370	-79.1	-55.2	-2.2	-462.0
31.0	0.0				5371	-375.4	92.9	-1.8	-433.9
-22.5	0.0				6282	112.2	51.2	2.0	-18.9
-12.3	0.0				6280	367.5	-81.1	2.4	-40.9
9.9	0.0								
				Min	5370	-93.1	-59.7	-2.4	-566.6
23.0	0.0				5371	-386.6	88.5	-2.0	-529.6
-29.1	0.0				6282	97.6	48.1	1.8	-59.0
-17.0	0.0				6280	356.9	-84.1	2.2	-83.3
4.9	0.0								
5771	2	8	C1-C2;~1	Max	5371	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5371	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5371	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	5371	0.0	0.0	0.0	0.0
0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5371	0.0	0.0	0.0	0.0
0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5371	0.0	0.0	0.0	0.0
0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5371	0.0	0.0	0.0	0.0
0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5371	0.0	0.0	0.0	0.0
0.0	0.0			5372	0.0	0.0	0.0	0.0
0.0	0.0			6284	0.0	0.0	0.0	0.0
0.0	0.0			6282	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5371	-124.7	-65.5	-1.6	-407.2
30.3	0.0			5372	-231.2	38.3	-1.3	-363.0
-18.5	0.0			6284	124.4	68.7	1.3	6.3
-1.0	0.0			6282	231.6	-41.1	1.5	22.3
13.7	0.0							
		G2		5371	-48.8	-24.7	-0.6	-160.8
12.0	0.0			5372	-90.7	16.5	-0.5	-142.5
-7.2	0.0			6284	48.6	25.4	0.5	2.3
-0.4	0.0			6282	90.8	-17.2	0.6	8.4
5.4	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Q3	5371	0.0	0.0	0.0	0.0
0.0	0.0		5372	0.0	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		6282	0.0	0.0	0.0	0.0
1.8	-0.0	Q5_pc X	5371	2.9	1.2	-0.1	-24.3
0.1	-0.0		5372	0.3	3.7	0.0	-9.2
-1.1	-0.0		6284	-3.0	-4.7	-0.0	5.9
0.6	0.0		6282	-0.2	-0.3	0.1	6.4
-4.4	0.0	Q5_pc Y	5371	-7.5	-2.8	0.1	47.9
1.7	0.0		5372	-7.4	-0.7	0.0	33.0
1.5	0.0		6284	7.9	5.2	-0.0	-17.2
-2.9	0.0		6282	7.0	-1.7	-0.1	-22.0
1.3	-0.0	Q5_ps X	5371	4.4	1.9	-0.1	-18.1
0.4	-0.0		5372	2.6	3.3	0.0	-4.5
-1.1	-0.0		6284	-4.5	-5.4	-0.0	4.9
0.4	0.0		6282	-2.5	0.2	0.1	5.3
-4.4	0.0	Q5_ps Y	5371	-6.5	-2.3	0.1	48.2
1.7	0.0		5372	-5.8	-0.9	0.0	33.6
1.4	0.0		6284	6.8	4.5	-0.0	-16.7
-2.9	0.0		6282	5.5	-1.3	-0.1	-21.4
60.5	0.0	INVSLU Max	5371	-192.6	-124.2	-3.2	-706.9
-29.8	0.0		5372	-455.8	81.6	-2.8	-649.3
3.8	0.0		6284	211.7	131.9	3.0	-51.8
26.5	0.0		6282	473.6	-70.2	3.5	-27.0
47.4	0.0	Min	5371	-212.0	-131.2	-3.6	-851.6
-35.0	0.0		5372	-473.3	71.6	-2.9	-750.2
			6284	191.3	115.6	2.8	-101.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.5	0.0			6282	457.0	-74.3	3.1	-91.1
17.8	0.0							
		INVSLE	Max	5371	-141.4	-92.3	-2.4	-539.3
45.1	0.0			5372	-339.0	60.3	-2.1	-492.6
-22.6	0.0			6284	154.0	96.5	2.2	-40.3
2.5	0.0			6282	351.0	-51.8	2.6	-22.0
19.7	0.0							
			Min	5371	-154.3	-96.9	-2.7	-635.7
36.3	0.0			5372	-350.7	53.6	-2.2	-559.8
-26.0	0.0			6284	140.4	85.7	2.1	-73.6
-0.3	0.0			6282	339.9	-54.5	2.4	-64.7
13.9	0.0							
5784	2	8	C1-C2;~1	Max	5384	0.0	0.0	0.0
0.0		0.0			5385	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			6308	0.0	0.0	0.0
0.0		0.0						
			Min	5384	0.0	0.0	0.0	0.0
0.0		0.0			5385	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			6308	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	5384	0.0	0.0	0.0
0.0		0.0			5385	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			6308	0.0	0.0	0.0
0.0		0.0						
			Min	5384	0.0	0.0	0.0	0.0
0.0		0.0			5385	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			6308	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	5384	0.0	0.0	0.0
0.0		0.0			5385	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0		6308	0.0	0.0	0.0	0.0
0.0	0.0	Min	5384	0.0	0.0	0.0	0.0
0.0	0.0		5385	0.0	0.0	0.0	0.0
0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0		6308	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5384	0.0	0.0	0.0	0.0
0.0	0.0		5385	0.0	0.0	0.0	0.0
0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0		6308	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5384	0.0	0.0	0.0	0.0
0.0	0.0		5385	0.0	0.0	0.0	0.0
0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0		6308	0.0	0.0	0.0	0.0
0.0	0.0						
18.0	-0.0	G1	5384	230.5	37.6	-1.2	-352.3
-29.7	-0.0		5385	125.6	-65.6	-1.5	-397.8
-13.3	-0.0		6310	-230.9	-41.2	1.5	23.1
1.2	-0.0		6308	-125.2	69.5	1.3	8.2
7.0	-0.0	G2	5384	91.0	16.0	-0.5	-138.7
-11.8	-0.0		5385	49.8	-25.0	-0.6	-157.4
-5.2	-0.0		6310	-91.1	-17.3	0.6	8.9
0.5	-0.0		6308	-49.7	26.3	0.5	3.3
0.0	0.0	Q3	5384	0.0	0.0	0.0	0.0
0.0	0.0		5385	0.0	0.0	0.0	0.0
0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0		6308	0.0	0.0	0.0	0.0
4.3	0.0	Q5_pc X	5384	16.0	6.3	-0.2	-93.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-10.4	0.0			5385	-0.7	-2.9	-0.4	-127.8
				6310	-16.5	-1.7	0.4	33.2
-5.7	-0.0			6308	1.2	-1.7	0.2	25.7
2.8	0.0							
		Q5_pc	Y	5384	0.6	-0.0	0.1	48.9
-2.7	0.0			5385	1.3	-0.2	0.2	66.4
6.0	0.0			6310	-0.3	-0.3	-0.2	-29.8
3.8	0.0			6308	-1.6	0.6	-0.1	-24.1
-1.8	-0.0							
		Q5_ps	X	5384	13.3	5.6	-0.2	-84.6
3.9	0.0			5385	-1.8	-2.3	-0.4	-116.8
-9.5	0.0			6310	-13.8	-1.2	0.4	30.9
-5.2	-0.0			6308	2.3	-2.1	0.2	23.9
2.6	0.0							
		Q5_ps	Y	5384	-0.7	-0.1	0.1	48.7
-2.7	0.0			5385	0.4	0.2	0.2	65.7
6.0	0.0			6310	1.0	-0.1	-0.2	-28.7
3.8	0.0			6308	-0.6	0.0	-0.1	-23.2
-1.7	-0.0							
		INVSLE	Max	5384	480.9	83.4	-2.5	-562.6
37.8	-0.0			5385	201.4	-123.5	-2.8	-601.3
-39.9	-0.0			6310	-441.1	-69.2	3.8	-6.7
-14.4	-0.0			6308	-194.5	126.6	3.1	-33.5
2.9	-0.0							
			Min	5384	441.0	66.5	-3.1	-816.4
26.1	-0.0			5385	196.1	-130.4	-3.9	-951.8
-68.5	-0.0			6310	-482.4	-72.7	2.7	-99.3
-29.9	-0.0			6308	-201.3	120.2	2.5	-105.3
-5.0	-0.0							
		INVSLE	Max	5384	355.3	61.3	-1.9	-434.5
27.9	-0.0			5385	146.7	-91.7	-2.1	-469.4
-31.4	-0.0			6310	-328.9	-50.9	2.8	-7.9
-11.7	-0.0			6308	-142.0	92.9	2.3	-27.5
2.0	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5384	328.7	50.1	-2.3	-603.7
20.1	-0.0			5385	143.1	-96.3	-2.9	-703.0
-50.5	-0.0			6310	-356.5	-53.3	2.1	-69.7
-22.0	-0.0			6308	-146.5	88.6	1.9	-75.3
-3.3	-0.0							
5785	2	4	C1-C2;~1	Max	5385	0.0	0.0	0.0
0.0	0.0	0.0			5386	0.0	0.0	0.0
0.0	0.0	0.0			6312	0.0	0.0	0.0
0.0	0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5386	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6312	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5385	0.0	0.0	0.0
0.0	0.0	0.0			5386	0.0	0.0	0.0
0.0	0.0	0.0			6312	0.0	0.0	0.0
0.0	0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5386	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6312	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5385	0.0	0.0	0.0
0.0	0.0	0.0			5386	0.0	0.0	0.0
0.0	0.0	0.0			6312	0.0	0.0	0.0
0.0	0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5386	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6312	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6310	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~2	Max	5385	0.0	0.0	0.0	0.0
0.0	0.0			5386	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5385	0.0	0.0	0.0	0.0
0.0	0.0			5386	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5385	244.7	61.5	-1.1	-308.8
19.4	-0.0			5386	96.2	-45.9	-1.2	-309.0
-16.6	-0.0			6312	-235.4	-56.3	1.2	2.6
-5.8	-0.0			6310	-105.5	41.0	1.1	15.9
12.0	-0.0							
		G2		5385	96.1	24.6	-0.4	-122.5
7.7	-0.0			5386	37.9	-17.7	-0.5	-122.5
-6.6	-0.0			6312	-92.5	-22.5	0.5	0.8
-2.3	-0.0			6310	-41.5	15.6	0.4	6.0
4.7	-0.0							
		Q3		5385	0.0	0.0	0.0	0.0
0.0	0.0			5386	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5385	21.0	3.4	-0.3	-122.7
7.3	0.0			5386	-5.2	-0.5	-0.4	-133.4
-9.4	0.0			6312	-19.9	-4.2	0.4	32.8
-4.9	0.0			6310	4.2	1.3	0.3	31.4
4.3	-0.0							
		Q5_pc Y		5385	0.1	0.2	0.1	60.8
-4.5	0.0			5386	1.2	-0.2	0.1	63.2
4.7	0.0			6312	0.3	-0.2	-0.1	-27.5
3.0	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.3	0.0			6310	-1.6	0.2	-0.1	-26.5
		Q5_ps X		5385	18.1	2.8	-0.3	-112.8
6.7	0.0			5386	-5.7	-0.1	-0.4	-123.1
-8.7	0.0			6312	-17.1	-3.6	0.4	30.7
-4.6	0.0			6310	4.7	1.0	0.3	29.3
3.9	-0.0							
		Q5_ps Y		5385	-1.2	-0.2	0.1	59.7
-4.4	0.0			5386	0.5	0.1	0.1	61.8
4.5	0.0			6312	1.5	0.1	-0.1	-26.2
2.9	0.0			6310	-0.8	-0.1	-0.1	-25.4
-3.2	0.0							
		INVS LU	Max	5385	536.2	125.8	-2.0	-465.2
44.5	-0.0			5386	125.1	-76.8	-2.4	-485.7
-22.2	-0.0			6312	-458.4	-105.1	3.6	-30.3
-3.3	-0.0			6310	-134.5	68.0	3.0	-4.1
25.1	-0.0							
			Min	5385	482.0	117.5	-3.0	-803.7
24.4	-0.0			5386	108.1	-77.8	-3.6	-855.2
-48.3	-0.0			6312	-509.8	-115.8	2.5	-122.4
-17.0	-0.0			6310	-148.7	65.0	2.0	-91.9
13.4	-0.0							
		INVS LE	Max	5385	396.7	92.8	-1.6	-368.3
32.8	-0.0			5386	88.5	-56.4	-1.9	-386.6
-18.3	-0.0			6312	-342.8	-78.2	2.6	-25.3
-3.4	-0.0			6310	-97.0	49.6	2.2	-5.6
18.5	-0.0							
			Min	5385	360.6	87.3	-2.2	-594.0
19.4	-0.0			5386	77.2	-57.0	-2.6	-632.9
-35.7	-0.0			6312	-377.0	-85.4	1.9	-86.7
-12.5	-0.0			6310	-106.4	47.7	1.6	-64.1
10.7	-0.0							
5799	2	4	C1-C2;~1	Max	5399	0.0	0.0	0.0
0.0	0.0				5400	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0	Min	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
		G1	5399	6.1	10.8	1.1	343.9
-17.3	-0.0		5400	120.3	-18.8	1.6	413.9
32.4	-0.0		6340	-9.2	-19.1	-1.6	-40.2
13.3	0.0		6338	-117.2	27.3	-1.1	-15.0
-0.3	0.0						
		G2	5399	3.1	5.0	0.4	132.2
-6.7	-0.0		5400	47.8	-7.0	0.6	158.4
12.4	-0.0		6340	-4.4	-8.3	-0.6	-14.7
5.1	0.0		6338	-46.6	10.3	-0.4	-5.0
-0.1	0.0						
		Q3	5399	0.0	0.0	0.0	0.0
0.0	0.0		5400	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		6338	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5399	4.2	1.1	-0.1	-24.3
1.3	0.0		5400	-3.4	0.0	-0.1	-27.5
-2.1	0.0		6340	-4.1	-0.3	0.1	3.0
-0.8	-0.0		6338	3.3	-0.9	0.1	0.8
-0.1	-0.0						
		Q5_pc Y	5399	-0.8	0.0	0.1	31.7
-1.7	-0.0		5400	5.0	-0.6	0.1	39.9
3.4	-0.0		6340	0.7	-0.6	-0.1	-10.5
1.6	0.0		6338	-4.9	1.2	-0.1	-7.5
-0.3	0.0						
		Q5_ps X	5399	3.7	1.0	-0.1	-22.2
1.2	0.0		5400	-3.5	0.1	-0.1	-24.9
-1.9	0.0		6340	-3.5	-0.1	0.1	2.4
-0.7	-0.0		6338	3.4	-1.0	0.1	0.4
-0.1	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.7	-0.0	Q5_ps Y		5399	-1.2	0.1	0.1	31.1
				5400	4.3	-0.5	0.1	39.3
3.4	-0.0			6340	1.1	-0.5	-0.1	-10.4
1.6	0.0			6338	-4.3	0.9	-0.1	-7.5
-0.3	0.0							
		INVS LU	Max	5399	41.2	22.7	0.8	-22.1
10.8	-0.0			5400	187.8	-32.3	0.5	-78.9
-15.8	-0.0			6340	-38.0	-31.2	-0.2	271.4
-15.8	-0.0			6338	-167.2	45.7	-0.6	231.2
12.5	0.0							
			Min	5399	30.2	19.6	0.6	-115.4
5.6	-0.0			5400	174.8	-33.8	0.1	-196.8
-26.0	-0.0			6340	-48.7	-32.6	-0.5	240.2
-20.5	-0.0			6338	-180.1	42.7	-0.8	208.7
11.5	0.0							
		INVS LE	Max	5399	30.6	16.3	0.5	-57.3
9.9	-0.0			5400	134.5	-23.6	0.2	-109.6
-16.2	-0.0			6340	-29.1	-22.5	0.0	215.0
-13.9	-0.0			6338	-120.2	33.1	-0.4	181.7
9.8	0.0							
			Min	5399	23.3	14.2	0.4	-119.5
6.5	-0.0			5400	125.8	-24.6	-0.0	-188.2
-23.0	-0.0			6340	-36.2	-23.4	-0.2	194.2
-17.1	-0.0			6338	-128.7	31.1	-0.5	166.7
9.1	0.0							
5800	2	10 C1-C2;~1	Max	5400	0.0	0.0	0.0	0.0
0.0		0.0		5401	0.0	0.0	0.0	0.0
0.0		0.0		6342	0.0	0.0	0.0	0.0
0.0		0.0		6340	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4;~1	Max	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5400	0.0	0.0	0.0	0.0
0.0	0.0			5401	0.0	0.0	0.0	0.0
0.0	0.0			6342	0.0	0.0	0.0	0.0
0.0	0.0			6340	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5400	-3.5	16.5	1.1	357.8
-21.1	-0.0			5401	109.3	-15.8	1.3	394.2
27.4	-0.0			6342	0.8	-15.9	-1.3	-56.2
14.4	-0.0			6340	-106.6	15.4	-1.1	-51.0
-11.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-8.0	-0.0	G2	5400	-1.1	6.9	0.4	136.8
10.5	-0.0		5401	43.0	-5.9	0.5	150.9
5.5	-0.0		6342	0.0	-6.7	-0.5	-21.0
-4.3	0.0		6340	-41.9	5.6	-0.4	-19.0
0.0	0.0	Q3	5400	0.0	0.0	0.0	0.0
0.0	0.0		5401	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
1.3	0.0	Q5_pc X	5400	4.4	-0.0	-0.1	-21.3
-1.5	0.0		5401	-2.0	-0.4	-0.1	-22.2
-0.7	0.0		6342	-4.3	-0.4	0.1	3.6
0.7	-0.0		6340	1.8	0.8	0.1	3.5
-2.3	-0.0	Q5_pc Y	5400	-0.9	0.6	0.1	34.5
2.7	-0.0		5401	4.6	-0.6	0.1	37.0
1.6	-0.0		6342	0.9	-0.5	-0.1	-10.5
-1.4	0.0		6340	-4.6	0.4	-0.1	-9.9
1.2	0.0	Q5_ps X	5400	4.0	-0.1	-0.1	-19.2
-1.3	0.0		5401	-2.0	-0.3	-0.1	-19.9
-0.7	0.0		6342	-3.9	-0.3	0.1	3.1
0.7	-0.0		6340	1.8	0.7	0.1	3.0
-2.3	-0.0	Q5_ps Y	5400	-1.2	0.5	0.1	33.9
2.6	-0.0		5401	4.1	-0.4	0.1	36.2
1.5	-0.0		6342	1.2	-0.4	-0.1	-10.3
-1.4	0.0		6340	-4.1	0.4	-0.1	-9.7
19.7	-0.0	INVSLU Max	5400	34.0	30.7	0.4	-84.0
-10.9	-0.0		5401	182.6	-30.7	0.5	-77.4


PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-11.7	-0.0		6342	-29.8	-29.2	-0.2	239.2	
18.0	-0.0		6340	-162.7	32.7	-0.2	224.3	
		Min	5400	22.0	29.2	0.2	-185.7	
12.9	-0.0		5401	170.4	-32.0	0.2	-186.1	
-18.8	-0.0		6342	-41.4	-30.5	-0.5	208.3	
-16.3	-0.0		6340	-175.0	30.6	-0.4	195.1	
13.8	-0.0							
		INVSLE Max	5400	26.0	22.3	0.2	-106.1	
17.1	-0.0		5401	131.7	-22.6	0.2	-104.2	
-11.6	-0.0		6342	-23.9	-21.4	-0.0	190.7	
-10.8	-0.0		6340	-117.8	24.0	-0.0	178.9	
15.0	-0.0							
		Min	5400	18.0	21.3	0.0	-173.9	
12.6	-0.0		5401	123.5	-23.5	0.0	-176.7	
-16.9	-0.0		6342	-31.6	-22.2	-0.2	170.1	
-13.8	-0.0		6340	-126.0	22.6	-0.2	159.4	
12.2	-0.0							
5815	2	10 C1-C2;~1	Max	5415	0.0	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5415	0.0	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5415	0.0	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5415	0.0	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		6370	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	5415	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5415	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	5415	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5415	0.0	0.0	0.0
0.0	0.0			5416	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0			6370	0.0	0.0	0.0
0.0	0.0						
-28.0	0.0	G1		5415	-108.1	-14.8	1.4
21.7	0.0			5416	8.1	15.6	1.2
11.9	-0.0			6372	105.4	14.6	-1.2
-14.5	0.0			6370	-5.4	-15.1	-1.4
-10.7	0.0	G2		5415	-42.5	-5.5	0.5
8.3	0.0			5416	2.9	6.6	0.4
4.5	-0.0			6372	41.4	5.3	-0.5
-5.6	0.0			6370	-1.8	-6.4	-0.5
0.0	0.0	Q3		5415	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5416	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		6370	0.0	0.0	0.0	0.0
-0.4	-0.0	Q5_pc X	5415	2.7	0.9	0.0	5.3
0.5	-0.0		5416	2.8	-1.0	0.0	6.0
0.3	-0.0		6372	-2.6	-0.7	-0.0	-2.3
-0.2	0.0		6370	-2.9	0.8	-0.0	-2.2
-2.9	-0.0	Q5_pc Y	5415	-2.9	0.4	0.1	41.8
2.7	-0.0		5416	4.7	-0.3	0.1	39.9
1.6	-0.0		6372	2.9	-0.2	-0.1	-10.1
-1.6	0.0		6370	-4.7	0.1	-0.1	-10.5
-0.4	-0.0	Q5_ps X	5415	2.8	0.9	0.0	5.5
0.5	-0.0		5416	2.9	-1.1	0.0	6.2
0.4	-0.0		6372	-2.7	-0.7	-0.0	-2.3
-0.2	0.0		6370	-3.0	0.8	-0.0	-2.3
-2.9	-0.0	Q5_ps Y	5415	-2.6	0.5	0.1	40.8
2.6	-0.0		5416	4.7	-0.4	0.1	39.0
1.6	-0.0		6372	2.6	-0.2	-0.1	-9.9
-1.6	0.0		6370	-4.6	0.2	-0.1	-10.3
21.7	0.0	INVS LU Max	5415	-172.2	-31.1	0.4	-107.0
-14.8	0.0		5416	-29.7	32.5	0.3	-113.1
-14.8	0.0		6372	172.9	34.2	-0.0	231.3
17.8	0.0		6370	51.2	-30.2	-0.0	246.7
13.1	0.0	Min	5415	-180.5	-33.9	0.1	-229.4
-22.7	0.0		5416	-43.7	29.4	0.0	-230.0
-19.5	0.0		6372	164.7	32.2	-0.4	201.6
13.1	0.0		6370	37.2	-32.5	-0.4	215.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	5415	-124.9	-23.1	0.2	-129.3
19.1	0.0				5416	-24.7	23.8	0.1	-130.7
-14.2	0.0				6372	124.8	25.2	0.1	184.5
-13.0	0.0				6370	39.6	-22.2	0.1	196.7
15.0	0.0								
				Min	5415	-130.4	-25.0	-0.1	-210.9
13.3	0.0				5416	-34.1	21.7	-0.1	-208.7
-19.4	0.0				6372	119.3	23.9	-0.1	164.7
-16.2	0.0				6370	30.4	-23.8	-0.2	176.1
11.9	0.0								
5816	2	4	C1-C2;~1	Max	5416	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6374	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5416	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6374	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5416	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6374	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5416	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6374	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	5416	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6374	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	5416	0.0	0.0	0.0	0.0
0.0	0.0		5417	0.0	0.0	0.0	0.0
0.0	0.0		6374	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5416	0.0	0.0	0.0
0.0	0.0			5417	0.0	0.0	0.0
0.0	0.0			6374	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0						
			Min	5416	0.0	0.0	0.0
0.0	0.0			5417	0.0	0.0	0.0
0.0	0.0			6374	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0						
			G1	5416	-119.8	-17.8	1.6
-33.5	0.0			5417	-1.2	10.8	1.2
18.2	0.0			6374	116.5	25.7	-1.2
0.1	-0.0			6372	4.5	-18.4	-1.6
-13.8	-0.0						
			G2	5416	-47.6	-6.6	0.6
-12.8	0.0			5417	-1.3	5.0	0.5
7.0	0.0			6374	46.3	9.7	-0.5
0.0	-0.0			6372	2.6	-8.0	-0.6
-5.3	-0.0						
			Q3	5416	0.0	0.0	0.0
0.0	0.0			5417	0.0	0.0	0.0
0.0	0.0			6374	0.0	0.0	0.0
0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5416	2.5	1.0	0.0
-0.8	-0.0			5417	3.1	0.1	0.0
0.5	-0.0			6374	-2.6	-1.8	-0.0
0.1	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.3	-0.0		6372	-3.1	0.7	-0.0	-3.0
		Q5_pc Y	5416	-3.8	0.3	0.2	48.7
-4.1	-0.0		5417	4.8	0.4	0.1	40.4
2.3	-0.0		6374	3.6	-0.7	-0.1	-7.6
0.2	-0.0		6372	-4.6	-0.0	-0.2	-10.8
-1.8	-0.0						
		Q5_ps X	5416	2.7	1.1	0.0	8.9
-0.8	-0.0		5417	3.3	0.1	0.0	7.6
0.5	-0.0		6374	-2.8	-1.9	-0.0	-2.8
0.1	-0.0		6372	-3.2	0.7	-0.0	-3.1
-0.3	-0.0						
		Q5_ps Y	5416	-3.2	0.4	0.2	47.5
-4.0	-0.0		5417	4.9	0.3	0.1	39.2
2.2	-0.0		6374	3.0	-0.8	-0.1	-7.6
0.2	-0.0		6372	-4.7	0.1	-0.2	-10.7
-1.7	-0.0						
		INVSLE Max	5416	-174.4	-32.5	0.4	-114.0
30.7	0.0		5417	-37.3	23.1	0.8	-49.7
-7.1	0.0		6374	176.4	47.7	-0.4	235.6
-11.7	-0.0		6372	59.1	-31.9	0.1	278.4
22.1	0.0						
		Min	5416	-184.1	-35.7	-0.1	-256.6
18.7	0.0		5417	-52.0	22.1	0.4	-167.3
-13.7	0.0		6374	167.3	41.9	-0.7	212.8
-12.5	-0.0		6372	45.0	-34.1	-0.4	246.3
16.9	0.0						
		INVSLE Max	5416	-125.5	-23.9	0.1	-140.2
26.7	0.0		5417	-29.7	16.7	0.5	-82.2
-7.9	0.0		6374	126.2	34.7	-0.2	185.1
-9.2	-0.0		6372	44.8	-23.2	0.2	220.6
18.4	0.0						
		Min	5416	-131.9	-26.1	-0.2	-235.2
18.7	0.0		5417	-39.5	16.1	0.2	-160.6
-12.3	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-9.7	-0.0			6374	120.1	30.8	-0.4	170.0
14.9	0.0			6372	35.4	-24.6	-0.1	199.2
5832	2	8	C1-C2;~1	Max	5432	0.0	0.0	0.0
0.0		0.0			5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0		Min	5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0			5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0		Min	5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0			5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0		Min	5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0			5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0		Min	5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0			5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0
0.0		0.0			5432	0.0	0.0	0.0
0.0		0.0		Min	5433	0.0	0.0	0.0
0.0		0.0			6406	0.0	0.0	0.0
0.0		0.0			6404	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0		6404	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5432	0.0	0.0	0.0	0.0
0.0	0.0		5433	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0		6404	0.0	0.0	0.0	0.0
0.0	0.0						
12.1	0.0	G1	5432	-85.5	-38.6	-0.6	-151.0
2.9	0.0		5433	-208.5	62.5	0.8	28.7
-19.2	0.0		6406	84.8	25.9	-0.8	126.6
2.9	0.0		6404	209.3	-49.6	0.6	30.6
4.7	0.0	G2	5432	-33.3	-14.2	-0.3	-59.3
1.1	0.0		5433	-81.9	24.8	0.3	10.5
-7.6	0.0		6406	32.8	9.8	-0.3	48.5
1.2	0.0		6404	82.4	-20.4	0.3	11.3
0.0	0.0	Q3	5432	0.0	0.0	0.0	0.0
0.0	0.0		5433	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0		6404	0.0	0.0	0.0	0.0
0.0	0.0						
-0.1	-0.0	Q5_pc X	5432	-4.2	-1.9	-0.0	0.2
-0.2	-0.0		5433	0.5	-3.8	-0.1	-14.3
2.6	-0.0		6406	5.3	4.9	0.1	-20.2
0.6	-0.0		6404	-1.7	0.8	0.0	-5.0
-2.3	-0.0	Q5_pc Y	5432	3.8	0.3	0.1	20.3
-0.6	0.0		5433	9.8	-5.5	-0.2	-11.5
3.8	0.0		6406	-4.3	1.4	0.2	-32.1
-1.3	-0.0		6404	-9.3	3.8	-0.1	-14.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Q5_ps X						
-0.1	-0.0		5432	-4.6	-1.9	-0.0	0.6	
			5433	0.5	-3.7	-0.1	-13.6	
-0.2	-0.0		6406	5.8	5.0	0.1	-19.7	
2.7	-0.0		6404	-1.7	0.7	0.0	-5.0	
0.5	-0.0							
		Q5_ps Y						
-2.2	-0.0		5432	3.8	0.4	0.1	20.3	
			5433	10.5	-5.6	-0.2	-11.5	
-0.6	-0.0		6406	-4.1	1.3	0.2	-32.0	
3.9	0.0		6404	-10.3	3.9	-0.1	-14.2	
-1.2	-0.0							
		INVS LU Max						
30.2	0.0		5432	-155.5	-77.3	-1.5	-308.1	
			5433	-452.3	143.4	2.1	103.3	
8.3	0.0		6406	183.0	62.1	-1.5	327.5	
-34.8	0.0		6404	471.5	-103.1	1.7	46.0	
2.9	0.0							
		Min						
23.5	0.0		5432	-169.2	-83.1	-1.7	-369.0	
			5433	-483.9	126.4	1.5	62.5	
6.6	0.0		6406	165.5	47.2	-2.1	231.5	
-46.4	0.0		6404	440.8	-114.8	1.5	3.5	
-0.8	0.0							
		INVS LE Max						
22.6	0.0		5432	-116.0	-58.0	-1.2	-236.7	
			5433	-339.8	106.0	1.5	74.5	
6.2	0.0		6406	135.9	46.2	-1.1	241.7	
-26.6	0.0		6404	351.1	-77.5	1.3	33.0	
2.2	0.0							
		Min						
18.2	0.0		5432	-125.1	-61.9	-1.3	-277.4	
			5433	-360.9	94.7	1.1	47.3	
5.0	0.0		6406	124.2	36.2	-1.5	177.7	
-34.3	0.0		6404	330.6	-85.2	1.2	4.6	
-0.2	0.0							
5833	2	8 C1-C2;~1 Max	5433	0.0	0.0	0.0	0.0	
0.0	0.0		5434	0.0	0.0	0.0	0.0	
0.0	0.0		6408	0.0	0.0	0.0	0.0	
0.0	0.0		6406	0.0	0.0	0.0	0.0	
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	5433	0.0	0.0	0.0	0.0
0.0	0.0		5434	0.0	0.0	0.0	0.0
0.0	0.0		6408	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5433	0.0	0.0	0.0
0.0	0.0			5434	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5433	0.0	0.0	0.0	0.0
0.0	0.0		5434	0.0	0.0	0.0	0.0
0.0	0.0		6408	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5433	0.0	0.0	0.0
0.0	0.0			5434	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5433	0.0	0.0	0.0	0.0
0.0	0.0		5434	0.0	0.0	0.0	0.0
0.0	0.0		6408	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5433	0.0	0.0	0.0
0.0	0.0			5434	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5433	0.0	0.0	0.0	0.0
0.0	0.0		5434	0.0	0.0	0.0	0.0
0.0	0.0		6408	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.1	0.0	G1	5433	-65.5	-26.1	0.7	11.5
			5434	-185.1	43.5	-0.8	-173.8
-11.4	0.0		6408	75.1	35.8	0.8	19.6
-2.8	-0.0		6406	175.5	-53.0	-0.7	119.8
27.5	0.0						
		G2	5433	-23.0	-9.4	0.3	4.3
-0.5	0.0		5434	-69.2	17.0	-0.3	-67.3
-4.4	0.0		6408	27.0	12.2	0.3	6.5
-1.0	-0.0		6406	65.2	-19.8	-0.3	45.5
10.5	0.0						
		Q3	5433	0.0	0.0	0.0	0.0
0.0	0.0		5434	0.0	0.0	0.0	0.0
0.0	0.0		6408	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5433	-5.3	-4.1	-0.1	-18.0
0.4	-0.0		5434	-6.3	0.4	-0.0	-8.9
-0.6	0.0		6408	3.7	3.3	0.0	0.5
-1.5	0.0		6406	7.9	0.4	0.1	-15.8
-1.0	-0.0						
		Q5_pc Y	5433	-3.2	-3.7	-0.2	-13.4
0.2	0.0		5434	4.6	-2.0	0.0	14.0
1.1	0.0		6408	3.3	1.6	-0.0	-9.9
0.1	0.0		6406	-4.7	4.2	0.2	-29.1
-4.6	0.0						
		Q5_ps X	5433	-5.4	-3.9	-0.1	-17.4
0.4	-0.0		5434	-6.7	0.5	-0.0	-8.6
-0.5	-0.0		6408	3.7	3.3	0.0	0.6
-1.4	0.0		6406	8.3	0.1	0.1	-15.2
-0.9	-0.0						
		Q5_ps Y	5433	-3.5	-3.5	-0.2	-13.5
0.2	0.0		5434	4.1	-1.9	0.0	13.8
1.1	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.1	0.0			6408	3.4	1.7	-0.0	-9.3
-4.5	0.0			6406	-3.9	3.7	0.2	-28.7
-0.8	0.0	INVS LU	Max	5433	-81.6	-30.3	2.0	68.2
-21.3	0.0			5434	-420.5	98.3	-1.9	-371.9
3.1	-0.0			6408	108.1	74.3	2.1	25.8
75.2	0.0			6406	430.2	-122.5	-1.5	317.4
-1.9	0.0		Min	5433	-97.7	-42.1	1.4	16.0
-24.6	0.0			5434	-440.5	92.5	-2.0	-413.3
-1.2	-0.0			6408	97.0	64.3	1.9	-2.1
61.8	0.0			6406	405.2	-133.6	-2.0	231.3
-0.6	0.0	INVS LE	Max	5433	-59.3	-22.5	1.4	47.8
-16.3	0.0			5434	-316.2	73.1	-1.4	-283.4
2.0	-0.0			6408	77.5	54.9	1.5	18.6
56.3	0.0			6406	322.1	-92.2	-1.1	234.9
-1.3	0.0		Min	5433	-70.1	-30.4	1.1	13.0
-18.4	0.0			5434	-329.6	69.3	-1.5	-311.0
-0.8	-0.0			6408	70.1	48.2	1.5	0.1
47.3	0.0			6406	305.4	-99.7	-1.5	177.6
5844	2	8 C1-C2;~1	Max	5444	0.0	0.0	0.0	0.0
0.0	0.0			5445	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0			6428	0.0	0.0	0.0	0.0
0.0	0.0		Min	5444	0.0	0.0	0.0	0.0
0.0	0.0			5445	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0			6428	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	5444	0.0	0.0	0.0	0.0
0.0	0.0			5445	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5444	0.0	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5444	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5444	0.0	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5444	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5444	0.0	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5444	225.7	43.2	-0.7	-227.0
10.6	-0.0		5445	123.6	-69.7	-1.1	-280.4
-22.9	-0.0		6430	-228.3	-41.2	1.1	21.5
-12.6	-0.0		6428	-120.9	67.9	0.8	10.0
2.2	-0.0						
		G2	5444	88.5	18.3	-0.3	-86.7
4.0	-0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.8	-0.0		5445	48.5	-26.4	-0.4	-107.6
-4.8	-0.0		6430	-89.5	-17.1	0.4	6.9
0.8	-0.0		6428	-47.5	25.2	0.3	2.8
0.0	0.0	Q3	5444	0.0	0.0	0.0	0.0
0.0	0.0		5445	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		6428	0.0	0.0	0.0	0.0
2.2	0.0	Q5_pc X	5444	10.3	2.0	-0.1	-44.7
-5.6	0.0		5445	1.7	-3.0	-0.2	-62.4
-3.6	-0.0		6430	-10.9	-0.8	0.2	18.5
1.6	0.0		6428	-1.2	1.8	0.1	14.9
-0.9	0.0	Q5_pc Y	5444	4.3	3.1	0.0	13.9
1.9	-0.0		5445	2.0	-0.7	0.0	16.4
1.6	-0.0		6430	-4.2	-1.3	-0.0	-9.9
-0.2	0.0		6428	-2.1	-1.1	-0.0	-7.3
2.0	0.0	Q5_ps X	5444	9.7	1.8	-0.1	-42.0
-5.3	0.0		5445	1.7	-2.8	-0.2	-58.7
-3.3	-0.0		6430	-10.2	-0.8	0.2	17.5
1.5	0.0		6428	-1.2	1.9	0.1	14.1
-0.9	0.0	Q5_ps Y	5444	2.4	2.7	0.0	14.2
1.9	0.0		5445	0.7	-0.1	0.0	17.0
1.5	-0.0		6430	-2.3	-0.9	-0.0	-9.3
-0.2	0.0		6428	-0.8	-1.7	-0.0	-6.9
24.4	-0.0	INVSLU Max	5444	531.1	96.5	-1.7	-445.8
-41.6	-0.0		5445	237.6	-154.2	-2.4	-546.2
-21.1	-0.0		6430	-508.4	-78.8	2.9	12.7
5.6	-0.0		6428	-225.8	149.3	2.1	-5.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5444	501.9	88.6	-2.0	-571.9
18.3	-0.0			5445	232.4	-162.8	-3.0	-722.2
-57.5	-0.0			6430	-539.2	-81.4	2.4	-39.8
-31.1	-0.0			6428	-229.6	143.7	1.8	-47.4
1.2	-0.0							
		INVSLE	Max	5444	396.9	71.8	-1.3	-345.7
18.3	-0.0			5445	176.1	-115.9	-1.9	-425.7
-32.6	-0.0			6430	-382.5	-58.7	2.2	9.4
-16.7	-0.0			6428	-167.6	111.3	1.5	-3.9
4.2	-0.0							
			Min	5444	377.4	66.5	-1.5	-429.7
14.2	-0.0			5445	172.6	-121.6	-2.2	-543.1
-43.3	-0.0			6430	-403.0	-60.4	1.8	-25.6
-23.4	-0.0			6428	-170.0	107.6	1.4	-32.1
1.3	-0.0							
5845	2	4 C1-C2;~1	Max	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5445	251.6	66.6	-0.8	-230.2
16.2	-0.0			5446	74.2	-41.7	-1.0	-228.3
-12.2	-0.0			6432	-239.3	-61.7	1.0	-3.1
-2.5	-0.0			6430	-86.5	37.0	0.8	11.1
10.3	-0.0							
		G2		5445	98.1	26.3	-0.3	-88.7
6.2	-0.0			5446	28.8	-16.0	-0.4	-88.2
-4.7	-0.0			6432	-93.3	-24.4	0.4	-2.4
-0.9	-0.0			6430	-33.5	14.0	0.3	3.1
3.9	-0.0							
		Q3		5445	0.0	0.0	0.0	0.0
0.0	0.0			5446	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6430	0.0	0.0	0.0	0.0
4.2	0.0	Q5_pc X	5445	13.8	3.0	-0.1	-56.5
-3.9	0.0		5446	-2.6	-0.8	-0.2	-57.7
-1.8	-0.0		6432	-13.1	-2.7	0.2	14.4
2.8	-0.0		6430	2.0	0.5	0.1	15.5
-1.6	-0.0	Q5_pc Y	5445	4.8	0.9	0.0	12.1
0.8	-0.0		5446	0.9	-0.3	0.0	10.4
0.7	-0.0		6432	-4.3	-1.5	-0.0	-7.6
-1.6	-0.0		6430	-1.4	0.9	-0.0	-8.1
3.9	0.0	Q5_ps X	5445	13.0	2.9	-0.1	-53.1
-3.7	0.0		5446	-2.3	-0.8	-0.2	-54.2
-1.7	-0.0		6432	-12.4	-2.5	0.2	13.6
2.6	-0.0		6430	1.7	0.5	0.1	14.6
-1.6	0.0	Q5_ps Y	5445	2.9	0.4	0.0	12.6
0.7	-0.0		5446	0.0	0.1	0.0	10.8
0.7	-0.0		6432	-2.5	-1.0	-0.0	-7.0
-1.5	-0.0		6430	-0.4	0.6	-0.0	-7.6
40.4	-0.0	INVSLE Max	5445	626.0	159.3	-1.8	-461.9
-23.0	-0.0		5446	92.1	-81.0	-2.3	-475.1
-1.3	-0.0		6432	-552.1	-134.6	2.9	-50.1
24.7	-0.0		6430	-122.0	67.0	2.2	-10.7
28.6	-0.0	Min	5445	587.0	150.6	-2.2	-621.3
-34.1	-0.0		5446	85.2	-83.5	-2.8	-637.6
-6.3	-0.0		6432	-589.3	-142.3	2.4	-90.9
16.7	-0.0		6430	-127.0	65.3	1.8	-54.4
30.4	-0.0	INVSLE Max	5445	468.7	119.1	-1.4	-361.6
			5446	65.8	-60.4	-1.8	-372.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-18.3	-0.0			6432	-416.3	-101.1	2.2	-37.8
-1.4	-0.0			6430	-88.9	49.5	1.7	-8.2
18.6	-0.0							
		Min		5445	442.7	113.3	-1.7	-467.8
22.5	-0.0			5446	61.2	-62.1	-2.1	-480.5
-25.7	-0.0			6432	-441.0	-106.2	1.8	-65.0
-4.8	-0.0			6430	-92.3	48.4	1.4	-37.3
13.3	-0.0							
5859	2	4	C1-C2;~1	Max	5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0
0.0	0.0				6460	0.0	0.0	0.0
0.0	0.0				6458	0.0	0.0	0.0
0.0	0.0							
		Min			5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0
0.0	0.0				6460	0.0	0.0	0.0
0.0	0.0				6458	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0
0.0	0.0				6460	0.0	0.0	0.0
0.0	0.0				6458	0.0	0.0	0.0
0.0	0.0							
		Min			5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0
0.0	0.0				6460	0.0	0.0	0.0
0.0	0.0				6458	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0
0.0	0.0				6460	0.0	0.0	0.0
0.0	0.0				6458	0.0	0.0	0.0
0.0	0.0							
		Min			5459	0.0	0.0	0.0
0.0	0.0				5460	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6460	0.0	0.0	0.0	0.0
0.0	0.0		6458	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5459	0.0	0.0	0.0
0.0	0.0			5460	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			6458	0.0	0.0	0.0
0.0	0.0						
			Min	5459	0.0	0.0	0.0
0.0	0.0			5460	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			6458	0.0	0.0	0.0
0.0	0.0						
			G1	5459	-14.1	13.5	0.7
-10.4	-0.0			5460	119.4	-15.3	1.3
24.9	-0.0			6460	10.1	-18.2	-1.3
7.6	0.0			6458	-115.4	20.3	-0.7
4.1	0.0						12.9
			G2	5459	-5.0	5.9	0.3
-4.0	-0.0			5460	46.7	-5.6	0.5
9.6	-0.0			6460	3.5	-7.7	-0.5
2.9	0.0			6458	-45.1	7.4	-0.3
1.6	0.0						4.9
			Q3	5459	0.0	0.0	0.0
0.0	0.0			5460	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			6458	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc X	5459	5.0	0.2	-0.1
1.2	0.0			5460	-4.8	-0.1	-0.1
-2.7	0.0			6460	-4.8	0.0	0.1
-0.9	-0.0			6458	4.6	-0.1	0.1
-0.3	-0.0						1.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	5459	-3.5	0.8	0.1	26.2
-1.4	-0.0		5460	6.1	-0.2	0.1	34.9
3.2	-0.0		6460	3.3	-0.6	-0.1	-5.3
1.2	0.0		6458	-5.9	0.1	-0.1	-3.1
0.2	0.0						
		Q5_ps X	5459	4.7	0.2	-0.1	-21.7
1.1	0.0		5460	-4.3	-0.1	-0.1	-28.0
-2.5	0.0		6460	-4.5	-0.0	0.1	3.4
-0.9	-0.0		6458	4.2	-0.1	0.1	1.5
-0.3	-0.0						
		Q5_ps Y	5459	-3.6	0.6	0.1	24.5
-1.3	-0.0		5460	5.2	-0.1	0.1	32.9
3.0	-0.0		6460	3.5	-0.4	-0.1	-5.1
1.1	0.0		6458	-5.0	-0.1	-0.1	-3.0
0.2	0.0						
		INVS LU Max	5459	19.4	30.4	0.8	21.2
7.3	-0.0		5460	230.4	-35.7	0.7	-11.1
-9.5	-0.0		6460	-16.7	-38.5	-0.3	221.8
-12.5	-0.0		6458	-204.0	46.0	-0.6	187.1
11.2	0.0						
		Min	5459	5.3	28.6	0.7	-52.3
3.5	-0.0		5460	214.8	-36.1	0.3	-109.8
-18.6	-0.0		6460	-30.2	-39.7	-0.7	206.5
-15.9	-0.0		6458	-219.1	45.7	-0.8	178.1
10.4	0.0						
		INVS LE Max	5459	15.2	22.2	0.6	-8.2
6.5	-0.0		5460	168.4	-26.6	0.4	-40.3
-10.1	-0.0		6460	-14.4	-28.3	-0.2	172.2
-10.5	-0.0		6458	-149.8	34.2	-0.4	144.3
8.3	0.0						
		Min	5459	5.9	21.0	0.5	-57.3
3.9	-0.0		5460	158.0	-26.8	0.1	-106.1
-16.2	-0.0		6460	-23.4	-29.1	-0.4	162.0
-12.8	-0.0		6458	-159.9	34.0	-0.6	138.3
7.8	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5860	2	10	C1-C2;~1	Max	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5460	0.0	0.0	0.0	0.0
0.0		0.0			5461	0.0	0.0	0.0	0.0
0.0		0.0			6462	0.0	0.0	0.0	0.0
0.0		0.0			6460	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	5460	0.0	0.0	0.0	0.0
0.0	0.0		5461	0.0	0.0	0.0	0.0
0.0	0.0		6462	0.0	0.0	0.0	0.0
0.0	0.0		6460	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5460	-21.1	13.8	0.9	275.4
-16.6	-0.0		5461	111.7	-13.6	1.2	311.2
23.0	-0.0		6462	18.3	-15.2	-1.2	-19.2
8.3	-0.0		6460	-108.9	15.3	-1.0	-15.5
-5.5	0.0						
		G2	5460	-8.2	5.6	0.4	105.9
-6.4	-0.0		5461	43.3	-5.0	0.5	119.6
8.8	-0.0		6462	7.1	-6.2	-0.4	-7.4
3.2	-0.0		6460	-42.2	5.6	-0.4	-6.0
-2.1	0.0						
		Q3	5460	0.0	0.0	0.0	0.0
0.0	0.0		5461	0.0	0.0	0.0	0.0
0.0	0.0		6462	0.0	0.0	0.0	0.0
0.0	0.0		6460	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5460	4.8	0.1	-0.1	-26.5
1.8	0.0		5461	-3.9	-0.1	-0.1	-28.7
-2.2	0.0		6462	-4.7	-0.1	0.1	4.6
-0.9	0.0		6460	3.8	0.2	0.1	4.2
0.7	-0.0						
		Q5_pc Y	5460	-3.3	0.2	0.1	32.0
-2.2	-0.0		5461	5.8	-0.4	0.1	35.1
2.7	-0.0		6462	3.3	-0.4	-0.1	-6.5
1.1	-0.0		6460	-5.8	0.6	-0.1	-5.8
-0.9	0.0						
		Q5_ps X	5460	4.5	0.1	-0.1	-24.7
1.7	0.0		5461	-3.6	-0.2	-0.1	-26.8
-2.0	0.0						

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.8	0.0		6462	-4.4	-0.1	0.1	4.4
0.7	-0.0		6460	3.5	0.2	0.1	4.0
-2.1	-0.0	Q5_ps Y	5460	-3.2	0.1	0.1	30.2
2.6	-0.0		5461	5.2	-0.3	0.1	33.2
1.1	-0.0		6462	3.2	-0.3	-0.1	-6.2
-0.9	0.0		6460	-5.2	0.5	-0.1	-5.5
14.7	-0.0	INVS LU Max	5460	11.3	33.9	0.6	-10.9
-4.9	-0.0		5461	230.2	-35.2	0.8	7.9
-8.8	0.0		6462	-7.9	-36.4	-0.4	201.5
13.5	-0.0		6460	-204.9	39.8	-0.3	186.4
8.5	-0.0	Min	5460	-2.1	33.6	0.3	-101.6
-12.6	-0.0		5461	214.7	-36.1	0.4	-91.8
-12.0	0.0		6462	-21.0	-37.3	-0.7	183.0
10.8	-0.0		6460	-220.3	38.2	-0.6	169.7
12.5	-0.0	INVS LE Max	5460	9.8	25.2	0.4	-37.0
-6.1	-0.0		5461	169.1	-26.3	0.5	-25.6
-7.7	0.0		6462	-8.4	-27.1	-0.3	157.3
10.8	-0.0		6460	-151.3	29.7	-0.2	145.5
8.4	-0.0	Min	5460	0.9	25.0	0.2	-97.5
-11.3	-0.0		5461	158.7	-27.0	0.3	-92.0
-9.9	0.0		6462	-17.2	-27.7	-0.5	145.0
9.1	-0.0		6460	-161.6	28.6	-0.4	134.4
5874	2	10 C1-C2;~1 Max	5474	0.0	0.0	0.0	0.0
0.0	0.0		5475	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0		6488	0.0	0.0	0.0	0.0
0.0	0.0	Min	5474	0.0	0.0	0.0	0.0
0.0	0.0		5475	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5474	0.0	0.0	0.0	0.0
0.0	0.0			5475	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0			6488	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5474	-116.4	-4.5	0.8	214.7
-13.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
18.0	0.0		5475	48.1	13.1	0.9	223.1
3.6	0.0		6490	114.8	9.0	-0.9	-3.4
4.6	0.0		6488	-46.4	-17.3	-0.8	7.3
-5.0	0.0	G2	5474	-44.7	-1.1	0.3	83.3
7.0	0.0		5475	18.9	5.4	0.4	86.6
1.4	0.0		6490	44.1	2.9	-0.4	-1.6
1.8	0.0		6488	-18.2	-7.2	-0.3	2.6
0.0	0.0	Q3	5474	0.0	0.0	0.0	0.0
0.0	0.0		5475	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0		6488	0.0	0.0	0.0	0.0
0.6	-0.0	Q5_pc X	5474	3.8	0.2	-0.0	-9.8
-0.9	-0.0		5475	-1.9	-0.3	-0.0	-10.5
-0.3	-0.0		6490	-3.8	-0.3	0.0	1.2
-0.1	-0.0		6488	1.9	0.4	0.0	0.7
-1.3	0.0	Q5_pc Y	5474	-5.8	-0.2	0.1	21.3
2.0	0.0		5475	6.4	-0.1	0.1	23.5
0.6	0.0		6490	5.9	-0.1	-0.1	-2.6
0.3	0.0		6488	-6.5	0.4	-0.1	-1.5
0.6	-0.0	Q5_ps X	5474	3.4	0.3	-0.0	-8.9
-0.8	-0.0		5475	-1.7	-0.3	-0.0	-9.6
-0.2	-0.0		6490	-3.4	-0.3	0.0	1.0
-0.1	-0.0		6488	1.8	0.3	0.0	0.6
-1.2	0.0	Q5_ps Y	5474	-5.1	-0.5	0.1	19.3
1.8	0.0		5475	6.0	-0.3	0.1	21.4
0.5	0.0		6490	5.2	-0.0	-0.1	-2.3
0.2	0.0		6488	-6.1	0.8	-0.1	-1.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	5474	-226.1	-6.6	1.2	156.4
-3.7	0.0				5475	121.2	24.9	1.0	119.3
3.3	0.0				6490	230.9	15.1	-0.7	144.8
-8.4	-0.0				6488	-92.3	-30.2	-1.0	145.9
11.9	0.0								
				Min	5474	-241.5	-8.2	1.0	98.4
-7.3	0.0				5475	103.2	24.0	0.7	55.1
-2.2	0.0				6490	215.3	14.3	-1.0	138.0
-9.9	-0.0				6488	-110.6	-32.7	-1.2	142.1
11.2	0.0								
			INVS LE	Max	5474	-167.6	-5.1	0.8	102.9
-2.1	0.0				5475	89.7	18.1	0.7	73.6
1.0	0.0				6490	169.7	11.1	-0.5	111.6
-6.8	-0.0				6488	-69.4	-22.0	-0.7	112.0
8.8	0.0								
				Min	5474	-177.8	-6.1	0.7	64.3
-4.5	0.0				5475	77.7	17.6	0.5	30.8
-2.6	0.0				6490	159.4	10.5	-0.7	107.1
-7.8	-0.0				6488	-81.7	-23.7	-0.8	109.4
8.4	0.0								
5875	2	4	C1-C2;~1	Max	5475	0.0	0.0	0.0	0.0
0.0		0.0			5476	0.0	0.0	0.0	0.0
0.0		0.0			6492	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5475	0.0	0.0	0.0	0.0
0.0		0.0			5476	0.0	0.0	0.0	0.0
0.0		0.0			6492	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5475	0.0	0.0	0.0	0.0
0.0		0.0			5476	0.0	0.0	0.0	0.0
0.0		0.0			6492	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	5475	0.0	0.0	0.0	0.0
0.0	0.0		5476	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5475	0.0	0.0	0.0
0.0	0.0		5476	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5475	0.0	0.0	0.0	0.0
0.0	0.0		5476	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5475	0.0	0.0	0.0
0.0	0.0		5476	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5475	0.0	0.0	0.0	0.0
0.0	0.0		5476	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5475	-136.3	-14.4	1.2	312.7
-22.8	0.0		5476	52.9	12.1	1.0	279.3
16.4	0.0		6492	129.5	14.8	-1.0	-7.9
4.7	-0.0		6490	-46.1	-12.2	-1.2	-13.5
-8.2	-0.0						
		G2	5475	-52.9	-5.3	0.5	121.5
-8.9	0.0		5476	20.4	5.0	0.4	108.6
6.4	0.0		6492	50.2	5.4	-0.4	-3.6
1.8	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.2	-0.0			6490	-17.7	-5.1	-0.5	-5.8
			Q3	5475	0.0	0.0	0.0	0.0
0.0	0.0			5476	0.0	0.0	0.0	0.0
0.0	0.0			6492	0.0	0.0	0.0	0.0
0.0	0.0			6490	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	5475	4.3	0.3	-0.1	-15.4
1.2	-0.0			5476	-2.3	-0.2	-0.0	-13.9
-0.9	-0.0			6492	-4.1	-0.4	0.0	1.7
-0.3	0.0			6490	2.2	0.3	0.1	2.0
0.5	-0.0							
			Q5_pc Y	5475	-7.0	0.1	0.1	35.3
-2.7	0.0			5476	7.9	-0.3	0.1	32.4
2.1	0.0			6492	6.7	0.1	-0.1	-3.8
0.7	-0.0			6490	-7.6	0.2	-0.1	-4.6
-1.0	0.0							
			Q5_ps X	5475	3.8	0.3	-0.0	-14.1
1.1	-0.0			5476	-2.2	-0.2	-0.0	-12.7
-0.8	-0.0			6492	-3.6	-0.3	0.0	1.5
-0.3	0.0			6490	2.1	0.2	0.0	1.8
0.4	-0.0							
			Q5_ps Y	5475	-5.9	0.3	0.1	32.4
-2.5	0.0			5476	7.7	-0.6	0.1	29.8
2.0	0.0			6492	5.7	-0.0	-0.1	-3.3
0.7	-0.0			6490	-7.4	0.3	-0.1	-4.0
-0.9	0.0							
			INVSLU Max	5475	-266.3	-25.8	1.2	112.7
6.6	0.0			5476	142.2	20.6	1.1	97.9
-2.8	0.0			6492	261.4	27.3	-0.8	195.7
-7.7	0.0			6490	-97.2	-19.5	-0.8	206.0
7.2	-0.0							
			Min	5475	-284.1	-26.7	0.9	15.6
-0.8	0.0			5476	119.0	18.9	0.8	8.6

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.7	0.0			6492	244.5	26.3	-1.1	185.8
-9.7	0.0			6490	-119.5	-20.4	-1.2	193.9
4.5	-0.0							
			INVSLE	Max	5475	-197.2	-18.9	61.0
6.2	0.0			5476	105.7	14.9	0.8	52.2
-3.5	0.0			6492	192.1	19.9	-0.6	151.0
-6.4	0.0			6490	-73.8	-14.1	-0.6	159.2
6.0	-0.0							
				Min	5475	-209.1	-19.5	-3.7
1.3	0.0			5476	90.2	13.7	0.6	-7.3
-7.5	0.0			6492	180.8	19.3	-0.8	144.4
-7.7	0.0			6490	-88.7	-14.8	-0.8	151.1
4.2	-0.0							
5887	2	4	C1-C2;~1	Max	5487	0.0	0.0	0.0
0.0	0.0				5488	0.0	0.0	0.0
0.0	0.0				6516	0.0	0.0	0.0
0.0	0.0				6514	0.0	0.0	0.0
0.0	0.0							
				Min	5487	0.0	0.0	0.0
0.0	0.0				5488	0.0	0.0	0.0
0.0	0.0				6516	0.0	0.0	0.0
0.0	0.0				6514	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5487	0.0	0.0	0.0
0.0	0.0				5488	0.0	0.0	0.0
0.0	0.0				6516	0.0	0.0	0.0
0.0	0.0				6514	0.0	0.0	0.0
0.0	0.0							
				Min	5487	0.0	0.0	0.0
0.0	0.0				5488	0.0	0.0	0.0
0.0	0.0				6516	0.0	0.0	0.0
0.0	0.0				6514	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5487	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5488	0.0	0.0	0.0	0.0
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		6514	0.0	0.0	0.0	0.0
0.0	0.0	Min	5487	0.0	0.0	0.0	0.0
0.0	0.0		5488	0.0	0.0	0.0	0.0
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		6514	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5487	0.0	0.0	0.0	0.0
0.0	0.0		5488	0.0	0.0	0.0	0.0
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		6514	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5487	0.0	0.0	0.0	0.0
0.0	0.0		5488	0.0	0.0	0.0	0.0
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		6514	0.0	0.0	0.0	0.0
0.0	0.0						
1.9	0.0	G1	5487	-133.3	39.7	-0.1	-27.7
-2.8	0.0		5488	-157.4	300.8	-0.0	-27.6
-2.3	0.0		6516	137.1	-202.9	0.0	19.3
-0.2	0.0		6514	153.6	-137.3	0.1	12.2
0.7	0.0	G2	5487	-51.7	15.1	-0.0	-9.3
-0.9	0.0		5488	-60.9	115.2	-0.0	-8.4
-0.8	0.0		6516	53.2	-77.3	0.0	7.4
-0.2	0.0		6514	59.5	-53.0	0.0	4.3
0.0	0.0	Q3	5487	0.0	0.0	0.0	0.0
0.0	0.0		5488	0.0	0.0	0.0	0.0
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		6514	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	5487	0.6	-2.3	-0.0	1.9
-0.0	-0.0		5488	-5.2	-4.6	0.1	9.6
0.7	-0.0		6516	-0.1	6.1	-0.1	4.3
-0.7	-0.0		6514	4.6	0.8	0.0	0.6
-0.3	0.0						
		Q5_pc Y	5487	1.6	8.1	0.0	-6.9
0.1	0.0		5488	25.5	9.6	-0.3	-37.1
-2.5	0.0		6516	-3.6	-18.7	0.3	-17.9
2.9	0.0		6514	-23.4	1.0	-0.0	-3.1
1.2	-0.0						
		Q5_ps X	5487	-0.1	-1.7	-0.0	1.5
-0.0	-0.0		5488	-5.9	-2.0	0.1	9.1
0.6	-0.0		6516	0.6	4.0	-0.1	4.3
-0.7	-0.0		6514	5.4	-0.3	0.0	0.7
-0.3	0.0						
		Q5_ps Y	5487	3.2	6.5	0.0	-5.8
0.1	0.0		5488	27.1	2.5	-0.3	-35.4
-2.4	0.0		6516	-5.1	-12.7	0.3	-18.1
2.9	0.0		6514	-25.1	3.7	-0.0	-3.4
1.2	-0.0						
		INVSLE Max	5487	-272.7	57.0	-0.0	-10.1
2.5	0.0		5488	-263.5	516.7	0.9	87.2
5.3	0.0		6516	290.2	-293.3	-0.1	85.0
-4.4	0.0		6514	336.9	-237.1	0.1	41.9
2.3	0.0						
		Min	5487	-282.4	37.6	-0.1	-27.5
2.3	0.0		5488	-344.7	499.3	0.1	-19.0
-1.8	0.0		6516	274.8	-331.3	-0.9	30.6
-13.2	0.0		6514	261.5	-248.2	0.0	31.7
-1.4	0.0						
		INVSLE Max	5487	-203.9	40.0	-0.0	-6.3
1.8	0.0		5488	-198.6	378.9	0.6	65.1
4.0	0.0		6516	215.8	-214.8	-0.1	62.2
-3.9	0.0		6514	247.3	-175.2	0.1	31.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


1.6	0.0							
		Min	5487	-210.3	27.0	-0.0	-18.0	
1.6	0.0		5488	-252.7	367.3	0.1	-5.7	
-0.7	0.0		6516	205.5	-240.1	-0.6	26.0	
-9.7	0.0		6514	197.0	-182.6	0.0	24.7	
-0.8	0.0							
5888	2	4 C1-C2;~1	Max	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5488	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5488	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5488	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5488	69.6	201.6	-0.0	-20.7
3.2	0.0			5489	58.0	0.6	-0.0	-19.2
-1.6	0.0			6518	-56.8	-54.7	0.0	15.9
-0.3	0.0			6516	-70.7	-147.4	0.0	18.6
2.9	0.0							
			G2	5488	26.6	77.0	0.0	-6.5
1.1	0.0			5489	22.1	0.4	-0.0	-6.9
-0.6	0.0			6518	-21.7	-21.1	0.0	5.9
-0.1	0.0			6516	-27.0	-56.4	-0.0	7.3
1.1	0.0							
			Q3	5488	0.0	0.0	0.0	0.0
0.0	0.0			5489	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5488	-3.3	-6.5	0.1	9.0
-0.8	-0.0			5489	-3.0	-0.0	0.0	4.3
0.2	-0.0			6518	2.7	2.7	-0.0	0.1
-0.1	0.0			6516	3.6	3.9	-0.1	3.2
0.7	-0.0							
		Q5_pc Y		5488	10.8	20.1	-0.2	-34.5
2.9	0.0			5489	10.0	0.0	-0.0	-15.8
-0.8	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	0.0			6518	-8.9	-8.9	0.0	-1.5
-3.0	0.0			6516	-11.9	-11.3	0.2	-13.6
-0.7	-0.0	Q5_ps X		5488	-2.4	-4.4	0.1	8.6
0.2	-0.0			5489	-2.3	-0.0	0.0	4.0
-0.1	0.0			6518	2.0	2.0	-0.0	0.3
0.7	-0.0			6516	2.7	2.5	-0.1	3.3
2.8	0.0	Q5_ps Y		5488	8.2	14.2	-0.2	-33.0
-0.7	0.0			5489	7.6	0.0	-0.0	-14.7
0.3	0.0			6518	-6.8	-6.7	0.0	-2.0
-3.1	0.0			6516	-8.9	-7.5	0.2	-13.9
2.0	0.0	INVS LU Max		5488	104.9	339.0	0.6	92.6
2.2	0.0			5489	89.6	1.2	0.2	41.0
-0.1	0.0			6518	-61.6	-63.5	-0.0	17.1
12.4	0.0			6516	-85.6	-233.7	-0.0	58.9
-6.2	0.0	Min		5488	80.4	296.3	0.0	-6.4
0.0	0.0			5489	66.8	1.2	0.0	-3.2
-1.0	0.0			6518	-82.1	-83.6	-0.2	11.2
3.2	0.0			6516	-112.4	-256.3	-0.7	17.1
0.8	0.0	INVS LE Max		5488	74.2	245.8	0.5	69.1
1.7	0.0			5489	63.4	0.9	0.1	31.4
-0.1	0.0			6518	-44.0	-45.8	-0.0	11.7
9.0	0.0			6516	-62.1	-172.3	-0.1	42.3
-4.7	0.0	Min		5488	57.8	217.3	0.1	3.0
0.3	0.0			5489	48.2	0.9	0.0	1.9
-0.7	0.0			6518	-57.6	-59.1	-0.1	7.8
2.8	0.0			6516	-79.9	-187.3	-0.5	14.5
5889	2	4 C1-C2;~1 Max		5490	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
0.0	0.0	Min	5490	0.0	0.0	0.0	0.0
0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5490	0.0	0.0	0.0
0.0	0.0			5491	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0			6520	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5490	0.0	0.0	0.0	0.0
0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5490	0.0	0.0	0.0
0.0	0.0			5491	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0			6520	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5490	0.0	0.0	0.0	0.0
0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5490	0.0	0.0	0.0
0.0	0.0			5491	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0			6520	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5490	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
-0.7	-0.0	G1	5490	-37.3	0.5	0.0	10.3
2.0	-0.0		5491	-48.7	153.5	0.0	14.9
0.9	-0.0		6521	45.3	-116.2	-0.0	-5.1
-0.0	0.0		6520	40.7	-37.6	-0.0	-6.2
-0.3	-0.0	G2	5490	-14.3	0.3	0.0	3.7
0.6	-0.0		5491	-18.7	58.9	0.0	4.6
0.3	-0.0		6521	17.4	-44.7	-0.0	-2.0
-0.0	0.0		6520	15.6	-14.6	-0.0	-2.2
0.0	0.0	Q3	5490	0.0	0.0	0.0	0.0
0.0	0.0		5491	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0		6520	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_pc X	5490	2.0	-0.0	0.0	-0.4
-0.1	0.0		5491	2.8	-10.1	-0.0	-0.9
-0.0	-0.0		6521	-2.4	8.0	0.0	0.1
-0.0	0.0		6520	-2.4	2.1	-0.0	0.3
-0.0	0.0	Q5_pc Y	5490	-5.3	0.1	-0.0	1.0
0.3	0.0		5491	-7.6	26.8	0.0	2.2
0.1	0.0		6521	6.5	-21.2	-0.0	-0.3
0.0	0.0		6520	6.4	-5.7	0.0	-0.8
-0.0	-0.0	Q5_ps X	5490	1.2	-0.0	0.0	-0.4
-0.1	-0.0		5491	2.0	-7.9	-0.0	-1.2
0.0	-0.0		6521	-1.5	6.5	0.0	-0.3
-0.0	0.0		6520	-1.8	1.4	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Q5_ps Y		5490	-3.1	0.1	-0.0	1.0
0.4	0.0			5491	-5.2	20.5	0.0	3.0
-0.0	0.0			6521	3.8	-16.9	-0.0	0.8
0.0	0.0			6520	4.5	-3.7	-0.0	-0.2
-0.6	-0.0	INVS LU	Max	5490	-46.0	1.2	-0.0	11.7
2.9	-0.0			5491	-58.2	289.3	0.0	16.8
3.0	-0.0			6521	71.0	-182.5	0.0	-13.5
-0.1	0.0			6520	58.5	-46.0	0.0	-10.7
-0.7	-0.0		Min	5490	-55.6	0.9	-0.0	8.7
1.9	-0.0			5491	-73.7	227.9	-0.0	7.7
2.8	-0.0			6521	59.4	-233.1	-0.0	-16.0
-0.2	0.0			6520	44.8	-57.1	0.0	-12.1
-0.4	-0.0	INVS LE	Max	5490	-33.1	0.9	-0.0	8.1
2.1	-0.0			5491	-41.8	210.1	0.0	11.2
2.3	-0.0			6521	50.7	-136.5	0.0	-10.5
-0.1	0.0			6520	41.0	-33.1	0.0	-8.0
-0.5	-0.0		Min	5490	-39.5	0.7	-0.0	6.1
1.4	-0.0			5491	-52.2	169.1	-0.0	5.1
2.2	-0.0			6521	43.0	-170.3	-0.0	-12.2
-0.2	0.0			6520	31.9	-40.5	0.0	-9.0
5890	2	4 C1-C2;~1	Max	5491	0.0	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0		Min	5491	0.0	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5491	0.0	0.0	0.0
0.0	0.0			5492	0.0	0.0	0.0
0.0	0.0			6524	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0
0.0	0.0						
-1.8	-0.0	G1		5491	128.5	233.4	0.0
0.6	-0.0			5492	120.5	24.9	0.0
0.8	0.0			6524	-123.4	-111.5	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	-0.0		6521	-125.7	-146.6	-0.0	-5.3
		G2	5491	50.0	89.9	0.0	5.0
-0.5	-0.0		5492	47.1	9.5	0.0	3.0
0.2	-0.0		6524	-48.0	-43.3	-0.0	-1.6
0.2	0.0		6521	-49.1	-56.0	-0.0	-2.0
-0.3	-0.0						
		Q3	5491	0.0	0.0	0.0	0.0
0.0	0.0		5492	0.0	0.0	0.0	0.0
0.0	0.0		6524	0.0	0.0	0.0	0.0
0.0	0.0		6521	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5491	-5.0	-14.4	-0.0	-1.2
0.1	0.0		5492	-4.1	-3.0	-0.0	-0.7
-0.1	0.0		6524	4.6	6.1	0.0	0.2
-0.1	0.0		6521	4.5	11.3	0.0	-0.0
-0.0	-0.0						
		Q5_pc Y	5491	12.8	38.2	0.0	3.0
-0.2	0.0		5492	10.3	8.0	0.0	1.8
0.1	-0.0		6524	-11.7	-16.1	-0.0	-0.6
0.1	0.0		6521	-11.4	-30.1	-0.0	-0.1
0.0	0.0						
		Q5_ps X	5491	-3.9	-11.5	-0.0	-1.6
0.1	-0.0		5492	-3.5	-2.4	-0.0	-0.8
-0.1	0.0		6524	3.5	4.9	0.0	-0.0
-0.1	0.0		6521	3.9	8.9	0.0	-0.5
-0.1	-0.0						
		Q5_ps Y	5491	9.6	29.6	0.0	4.1
-0.3	0.0		5492	8.4	6.3	0.0	2.0
0.2	0.0		6524	-8.5	-12.6	-0.0	0.1
0.2	0.0		6521	-9.6	-23.4	-0.0	1.3
0.2	0.0						
		INVSLU Max	5491	281.5	469.8	0.0	20.8
-1.6	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.0	-0.0			5492	276.9	37.0	0.0	15.4
0.9	0.0			6524	-247.2	-193.5	-0.0	-10.6
-2.4	-0.0			6521	-257.1	-205.2	0.1	-14.7
			Min	5491	252.7	380.9	-0.1	8.4
-2.5	-0.0			5492	251.6	18.1	0.0	9.4
0.5	-0.0			6524	-272.7	-231.2	-0.0	-11.8
0.3	0.0			6521	-285.8	-275.3	-0.0	-18.7
-3.1	-0.0							
			INVSLE Max	5491	208.8	343.9	-0.0	13.8
-1.2	-0.0			5492	206.2	25.6	0.0	10.7
0.7	-0.0			6524	-185.5	-144.8	-0.0	-8.1
0.6	0.0			6521	-193.4	-152.7	0.1	-11.7
-1.9	-0.0							
			Min	5491	189.6	284.7	-0.0	5.5
-1.8	-0.0			5492	189.3	13.1	0.0	6.7
0.4	-0.0			6524	-202.5	-170.0	-0.0	-8.8
0.2	0.0			6521	-212.5	-199.4	0.0	-14.3
-2.4	-0.0							
5902	2	4	C1-C2;~1	Max	5503	0.0	0.0	0.0
0.0	0.0				5504	0.0	0.0	0.0
0.0	0.0				6548	0.0	0.0	0.0
0.0	0.0				6546	0.0	0.0	0.0
0.0	0.0							
			Min	5503	0.0	0.0	0.0	0.0
0.0	0.0				5504	0.0	0.0	0.0
0.0	0.0				6548	0.0	0.0	0.0
0.0	0.0				6546	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5503	0.0	0.0	0.0
0.0	0.0				5504	0.0	0.0	0.0
0.0	0.0				6548	0.0	0.0	0.0
0.0	0.0				6546	0.0	0.0	0.0
0.0	0.0							
			Min	5503	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		5504	0.0	0.0	0.0	0.0
0.0	0.0		6548	0.0	0.0	0.0	0.0
0.0	0.0		6546	0.0	0.0	0.0	0.0
0.0	0.0		6546	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	5503	0.0	0.0	0.0
0.0	0.0			5504	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0		Min	5503	0.0	0.0	0.0
0.0	0.0			5504	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	5503	0.0	0.0	0.0
0.0	0.0			5504	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0		Min	5503	0.0	0.0	0.0
0.0	0.0			5504	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0
-0.6	-0.0	G1		5503	-58.7	8.4	0.0
0.6	-0.0			5504	126.0	-11.6	0.0
0.4	0.0			6548	52.5	-10.1	-0.0
-0.4	0.0			6546	-119.8	13.6	-0.0
-0.4	0.0			6546	-119.8	13.6	-0.0
-0.0	-0.0	G2		5503	-22.8	3.5	-0.0
0.1	-0.0			5504	48.7	-4.2	-0.0
0.1	0.0			6548	20.4	-4.2	0.0
-0.1	0.0			6546	-46.3	4.9	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	5503	0.0	0.0	0.0	0.0
0.0	0.0			5504	0.0	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0	0.0
0.0	0.0			6546	0.0	0.0	0.0	0.0
			Q5_pc X	5503	0.4	0.0	0.0	0.3
-0.0	0.0			5504	-0.8	0.0	0.0	0.3
0.0	0.0			6548	-0.4	0.1	-0.0	-0.2
0.0	0.0			6546	0.8	-0.1	-0.0	-0.2
-0.0	0.0							
			Q5_pc Y	5503	-0.5	-0.2	-0.0	-1.0
0.2	0.0			5504	0.3	0.1	-0.0	-1.0
-0.1	0.0			6548	0.6	-0.0	0.0	0.6
-0.1	0.0			6546	-0.4	0.1	0.0	0.6
0.1	0.0							
			Q5_ps X	5503	0.6	0.1	0.0	0.5
-0.1	0.0			5504	-0.5	-0.1	0.0	0.4
0.1	0.0			6548	-0.6	0.0	-0.0	-0.3
0.0	0.0			6546	0.5	-0.1	-0.0	-0.3
-0.0	0.0							
			Q5_ps Y	5503	-0.8	-0.4	-0.0	-1.5
0.2	0.0			5504	-0.6	0.3	-0.0	-1.4
-0.2	0.0			6548	0.9	0.1	0.0	0.9
-0.1	0.0			6546	0.5	-0.0	0.0	0.9
0.1	0.0							
			INVSLU Max	5503	-137.7	16.1	0.0	5.7
0.1	-0.0			5504	264.1	-21.6	0.0	6.2
0.6	-0.0			6548	118.7	-17.9	-0.0	0.4
0.6	0.0			6546	-240.9	25.2	-0.0	0.4
-0.2	0.0							
			Min	5503	-140.2	14.8	0.0	1.3
-0.5	-0.0			5504	262.4	-22.7	0.0	1.8
0.0	-0.0			6548	116.0	-18.2	-0.0	-2.2
0.4	0.0			6546	-242.4	25.0	-0.0	-2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.6	0.0							
		INVSLE	Max	5503	-103.2	11.7	0.0	3.7
0.1	-0.0			5504	195.6	-15.9	0.0	4.0
0.3	-0.0			6548	88.6	-13.0	-0.0	0.8
0.4	0.0			6546	-178.2	18.5	-0.0	0.8
-0.2	0.0							
			Min	5503	-104.9	10.8	0.0	0.8
-0.3	-0.0			5504	194.4	-16.6	0.0	1.2
-0.0	-0.0			6548	86.8	-13.2	-0.0	-1.0
0.3	0.0			6546	-179.2	18.3	-0.0	-0.9
-0.4	0.0							
5903	2	10	C1-C2;~1	Max	5504	0.0	0.0	0.0
0.0	0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5504	0.0	0.0	0.0
0.0	0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5504	0.0	0.0	0.0
0.0	0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5504	0.0	0.0	0.0
0.0	0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5504	0.0	0.0	0.0
0.0	0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		6548	0.0	0.0	0.0	0.0
0.0	0.0	Min	5504	0.0	0.0	0.0	0.0
0.0	0.0		5505	0.0	0.0	0.0	0.0
0.0	0.0		6550	0.0	0.0	0.0	0.0
0.0	0.0		6548	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	5504	0.0	0.0	0.0
0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5504	0.0	0.0	0.0
0.0	0.0			5505	0.0	0.0	0.0
0.0	0.0			6550	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0						
-0.5	-0.0	G1	5504	-50.2	10.2	0.0	4.2
0.4	-0.0		5505	109.5	-8.3	-0.0	4.0
0.2	0.0		6550	49.1	-10.8	0.0	-4.0
-0.4	0.0		6548	-108.3	9.1	-0.0	-3.9
-0.1	-0.0	G2	5504	-19.9	4.2	-0.0	0.4
0.1	-0.0		5505	41.9	-2.6	-0.0	0.6
0.0	0.0		6550	19.5	-4.5	0.0	-1.0
-0.1	0.0		6548	-41.4	2.9	0.0	-0.8
0.0	0.0	Q3	5504	0.0	0.0	0.0	0.0
0.0	0.0		5505	0.0	0.0	0.0	0.0
0.0	0.0		6550	0.0	0.0	0.0	0.0
0.0	0.0		6548	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X	5504	0.3	-0.0	0.0	0.2
0.0	0.0		5505	-0.8	0.3	0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			6550	-0.3	-0.1	-0.0	-0.1
-0.0	0.0			6548	0.8	-0.1	-0.0	-0.1
0.1	0.0	Q5_pc Y		5504	-0.3	-0.1	-0.0	-0.5
-0.1	-0.0			5505	0.5	-0.5	-0.0	-0.4
-0.1	0.0			6550	0.5	0.5	0.0	0.3
0.1	0.0			6548	-0.6	0.2	0.0	0.3
-0.0	0.0	Q5_ps X		5504	0.4	0.1	0.0	0.2
0.0	0.0			5505	-0.5	0.3	0.0	0.2
0.0	0.0			6550	-0.5	-0.3	-0.0	-0.1
-0.0	0.0			6548	0.6	-0.1	-0.0	-0.1
0.1	0.0	Q5_ps Y		5504	-0.6	-0.3	-0.0	-0.8
-0.1	0.0			5505	-0.4	-0.6	-0.0	-0.6
-0.1	0.0			6550	0.7	0.9	0.0	0.4
0.1	0.0			6548	0.2	0.0	0.0	0.5
-0.3	-0.0	INVSLE Max		5504	-116.5	20.8	0.0	6.6
0.9	-0.0			5505	224.8	-12.1	0.0	8.9
0.4	0.0			6550	108.1	-20.2	-0.0	-3.8
-0.1	0.0			6548	-212.9	14.6	-0.0	-1.8
-0.6	-0.0	Min		5504	-118.2	19.8	0.0	4.2
0.7	-0.0			5505	223.2	-13.8	0.0	7.0
0.2	0.0			6550	106.0	-22.9	-0.0	-5.0
-0.4	0.0			6548	-214.6	14.3	-0.0	-3.3
-0.2	-0.0	INVSLE Max		5504	-87.0	15.3	0.0	4.7
0.7	-0.0			5505	166.5	-9.0	0.0	6.7
0.3	0.0			6550	80.4	-14.9	-0.0	-2.7
-0.1	0.0			6548	-157.5	10.7	-0.0	-1.1
-0.4	-0.0	Min		5504	-88.1	14.6	0.0	3.2

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.5	-0.0				5505	165.4	-10.1	0.0	5.4
					6550	79.0	-16.7	-0.0	-3.5
0.1	0.0				6548	-158.6	10.5	-0.0	-2.1
-0.3	0.0								
5917	2	10	C1-C2;~1	Max	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5518	0.0	0.0	0.0	0.0
0.0		0.0			5519	0.0	0.0	0.0	0.0
0.0		0.0			6578	0.0	0.0	0.0	0.0
0.0		0.0			6576	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5518	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			5519	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			6576	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		5518	0.0	0.0	0.0	0.0
0.0	0.0			5519	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			6576	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5518	-107.0	-12.7	1.2	334.8
-24.8	0.0			5519	29.0	11.6	1.1	316.4
21.5	0.0			6578	104.1	14.6	-1.1	-23.1
7.2	-0.0			6576	-26.1	-13.3	-1.2	-26.5
-8.5	0.0							
		G2		5518	-41.5	-4.7	0.5	127.8
-9.4	0.0			5519	11.1	4.8	0.4	120.8
8.2	0.0			6578	40.4	5.4	-0.4	-8.1
2.7	-0.0			6576	-10.0	-5.5	-0.5	-9.4
-3.2	0.0							
		Q3		5518	0.0	0.0	0.0	0.0
0.0	0.0			5519	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			6576	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5518	1.2	-0.1	-0.0	-10.8
0.8	0.0			5519	-1.9	0.2	-0.0	-10.6
-0.8	0.0			6578	-1.2	0.1	0.0	1.8
-0.3	0.0			6576	1.9	-0.1	0.0	1.9
0.3	-0.0							
		Q5_pc Y		5518	-1.0	0.3	0.0	15.1
-1.1	-0.0			5519	2.6	-0.4	0.0	14.7
1.1	-0.0			6578	1.0	-0.1	-0.0	-3.0
0.5	-0.0			6576	-2.6	0.3	-0.0	-3.2
-0.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.7	0.0	Q5_ps X	5518	1.1	-0.1	-0.0	-10.0
-0.7	0.0		5519	-1.8	0.2	-0.0	-9.8
-0.3	0.0		6578	-1.0	0.0	0.0	1.7
0.3	-0.0		6576	1.7	-0.1	0.0	1.8
-0.9	-0.0	Q5_ps Y	5518	-0.5	0.3	0.0	12.3
0.9	-0.0		5519	2.2	-0.5	0.0	12.1
0.4	-0.0		6578	0.5	-0.1	-0.0	-2.6
-0.4	0.0		6576	-2.2	0.3	-0.0	-2.7
7.9	0.0	INVS LU Max	5518	-212.9	-33.8	0.8	14.8
-7.4	0.0		5519	10.7	31.5	0.7	4.9
-11.2	0.0		6578	206.2	38.8	-0.6	183.8
10.7	0.0		6576	5.7	-34.5	-0.7	190.6
5.2	0.0	Min	5518	-216.1	-34.6	0.7	-22.2
-10.0	0.0		5519	4.2	30.1	0.6	-31.3
-12.3	0.0		6578	203.1	38.5	-0.7	175.9
9.6	0.0		6576	-0.9	-35.4	-0.8	182.4
8.2	0.0	INVS LE Max	5518	-157.4	-25.4	0.5	-19.5
-7.8	0.0		5519	5.7	23.5	0.4	-26.0
-9.5	0.0		6578	152.0	29.0	-0.4	145.5
9.1	0.0		6576	6.1	-25.8	-0.4	151.0
6.3	0.0	Min	5518	-159.5	-25.9	0.4	-44.2
-9.6	0.0		5519	1.4	22.6	0.4	-50.1
-10.2	0.0		6578	149.9	28.8	-0.4	140.2
8.3	0.0		6576	1.7	-26.4	-0.5	145.5
5918	2	4 C1-C2; ~1 Max	5519	0.0	0.0	0.0	0.0
0.0	0.0		5520	0.0	0.0	0.0	0.0
0.0	0.0		6580	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0	Min		5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min		5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min		5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min		5519	0.0	0.0	0.0	0.0
0.0	0.0			5520	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6578	0.0	0.0	0.0	0.0
-32.7	0.0	G1	5519	-114.4	-13.1	1.7	377.8
16.0	0.0		5520	22.8	14.7	1.0	306.3
-4.8	-0.0		6580	109.6	16.1	-1.0	5.0
-9.2	-0.0		6578	-18.1	-17.4	-1.6	-11.4
-12.5	0.0	G2	5519	-44.7	-4.8	0.6	144.4
6.1	0.0		5520	8.3	6.3	0.4	117.2
-1.9	-0.0		6580	42.9	5.9	-0.4	2.6
-3.5	-0.0		6578	-6.5	-7.4	-0.6	-3.5
0.0	0.0	Q3	5519	0.0	0.0	0.0	0.0
0.0	0.0		5520	0.0	0.0	0.0	0.0
0.0	0.0		6580	0.0	0.0	0.0	0.0
0.0	0.0		6578	0.0	0.0	0.0	0.0
1.2	0.0	Q5_pc X	5519	1.6	-0.2	-0.1	-13.1
-0.6	0.0		5520	-1.9	-0.3	-0.0	-10.7
0.1	0.0		6580	-1.5	0.4	0.0	1.0
0.4	0.0		6578	1.8	0.1	0.1	1.8
-1.6	-0.0	Q5_pc Y	5519	-1.5	0.4	0.1	18.3
0.9	-0.0		5520	2.5	0.6	0.0	14.9
-0.1	-0.0		6580	1.4	-1.0	-0.0	-2.1
-0.5	-0.0		6578	-2.4	-0.1	-0.1	-3.2
1.1	0.0	Q5_ps X	5519	1.4	-0.2	-0.0	-12.1
-0.6	0.0		5520	-1.8	-0.3	-0.0	-9.9
0.1	0.0		6580	-1.3	0.4	0.0	0.9
0.3	0.0		6578	1.7	0.1	0.0	1.6
-1.3	-0.0	Q5_ps Y	5519	-1.0	0.5	0.1	15.1

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.7	-0.0			5520	2.1	0.7	0.0	12.4
-0.1	-0.0			6580	0.9	-1.1	-0.0	-2.0
-0.4	-0.0			6578	-2.0	-0.1	-0.1	-2.8
11.2	0.0	INVS LU	Max	5519	-210.8	-32.2	0.9	37.8
0.2	0.0			5520	5.6	32.4	1.1	83.4
-12.9	-0.0			6580	202.4	40.8	-1.0	201.2
14.2	0.0			6578	12.9	-37.1	-0.8	233.0
7.2	0.0		Min	5519	-215.0	-33.6	0.8	-7.5
-2.0	0.0			5520	-0.5	30.3	1.0	46.2
-13.3	-0.0			6580	198.5	37.6	-1.1	195.2
12.9	0.0			6578	6.9	-37.4	-1.0	224.5
11.5	0.0	INVS LE	Max	5519	-155.0	-24.1	0.6	-6.6
-1.4	0.0			5520	2.5	23.8	0.8	36.0
-9.7	-0.0			6580	148.4	30.3	-0.7	157.0
11.8	0.0			6578	10.9	-27.4	-0.5	183.2
8.8	0.0		Min	5519	-157.8	-25.0	0.5	-36.8
-2.9	0.0			5520	-1.6	22.3	0.7	11.2
-9.9	-0.0			6580	145.7	28.2	-0.8	153.1
10.9	0.0			6578	6.9	-27.6	-0.6	177.5
5932	2	4 C1-C2;~1	Max	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0		Min	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
		C3-C4;~1	Max	5533	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5533	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	5533	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5533	-62.7	-38.7	-1.2	-291.8
16.2	0.0			5534	-233.9	64.6	-1.0	-292.3
-21.4	0.0			6608	75.0	34.8	1.0	5.4
-13.4	0.0			6606	221.6	-60.4	1.3	-12.4
2.9	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G2	5533	-24.2	-14.7	-0.5	-115.7
6.5	0.0			5534	-90.6	25.3	-0.4	-116.1
-8.6	0.0			6608	28.9	13.1	0.4	3.7
-5.4	0.0			6606	85.9	-23.7	0.5	-3.3
1.2	0.0							
			Q3	5533	0.0	0.0	0.0	0.0
0.0	0.0			5534	0.0	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0	0.0
0.0	0.0			6606	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	5533	-0.1	-0.1	0.0	3.9
-0.3	-0.0			5534	0.2	0.4	0.0	3.8
0.2	-0.0			6608	0.1	-0.4	-0.0	-1.3
0.1	-0.0			6606	-0.2	0.2	-0.0	-1.6
-0.1	-0.0							
			Q5_pc Y	5533	0.8	0.1	-0.1	-29.8
2.2	0.0			5534	-3.5	-0.1	-0.1	-29.8
-2.3	0.0			6608	-0.7	1.0	0.1	9.7
-1.6	0.0			6606	3.4	-1.0	0.1	9.6
1.0	0.0							
			Q5_ps X	5533	-0.4	-0.3	0.0	3.8
-0.3	-0.0			5534	-0.3	0.5	0.0	3.7
0.2	-0.0			6608	0.4	-0.3	-0.0	-1.4
0.1	-0.0			6606	0.2	0.1	-0.0	-1.7
-0.2	-0.0							
			Q5_ps Y	5533	1.9	0.4	-0.1	-30.0
2.2	-0.0			5534	-2.7	-0.4	-0.1	-29.9
-2.3	0.0			6608	-1.8	0.6	0.1	9.8
-1.6	0.0			6606	2.5	-0.7	0.1	9.7
1.1	0.0							
			INVSLU Max	5533	-84.7	-84.0	-3.3	-684.3
42.1	0.0			5534	-585.9	158.7	-2.6	-667.9
-45.3	0.0			6608	126.4	69.7	2.8	-39.5
-26.2	0.0							


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
4.7	0.0			6606	557.4	-140.8	3.6	-92.2	
			Min	5533	-90.4	-85.2	-3.6	-774.4	
35.6	0.0			5534	-593.8	157.2	-2.8	-757.6	
-52.3	0.0			6608	121.1	67.9	2.6	-68.9	
-31.2	0.0			6606	549.8	-142.8	3.3	-121.3	
1.5	0.0								
			INVSLE	Max	5533	-61.8	-63.0	-2.5	-530.1
32.2	0.0			5534	-442.7	119.5	-2.0	-517.3	
-35.2	0.0			6608	92.9	51.9	2.1	-29.0	
-20.5	0.0			6606	420.5	-106.0	2.7	-69.1	
3.7	0.0								
			Min	5533	-65.6	-63.9	-2.7	-590.2	
27.8	0.0			5534	-448.1	118.5	-2.2	-577.1	
-39.9	0.0			6608	89.3	50.7	2.0	-48.6	
-23.8	0.0			6606	415.4	-107.3	2.6	-88.5	
1.5	0.0								
5933	2	8	C1-C2;~1	Max	5534	0.0	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0	0.0	
0.0	0.0			6610	0.0	0.0	0.0	0.0	
0.0	0.0			6608	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	5534	0.0	0.0	0.0	0.0	
0.0	0.0			5535	0.0	0.0	0.0	0.0	
0.0	0.0			6610	0.0	0.0	0.0	0.0	
0.0	0.0			6608	0.0	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	5534	0.0	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0	0.0	
0.0	0.0			6610	0.0	0.0	0.0	0.0	
0.0	0.0			6608	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	5534	0.0	0.0	0.0	0.0	
0.0	0.0			5535	0.0	0.0	0.0	0.0	
0.0	0.0			6610	0.0	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6608		0.0	0.0	0.0
		C1-C2;~2	Max	5534	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
			Min	5534	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5534	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0						
			Min	5534	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0						
		G1		5534	-112.1	-66.6	-1.4
30.9	0.0			5535	-208.8	42.2	-1.0
-14.1	0.0			6610	110.1	65.2	1.0
-0.9	0.0			6608	210.8	-40.6	1.4
15.8	0.0						
		G2		5534	-43.7	-25.1	-0.6
12.3	0.0			5535	-81.3	17.7	-0.4
-5.7	0.0			6610	43.0	24.1	0.4
-0.5	0.0			6608	82.1	-16.7	0.5
6.4	0.0						
		Q3		5534	0.0	0.0	0.0
0.0	0.0			5535	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			6610	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
-0.4	-0.0	Q5_pc X		5534	0.4	-0.4	0.0
				5535	0.8	-2.4	-0.0
-0.2	-0.0			6610	-0.3	2.0	0.0
-0.3	0.0			6608	-0.9	0.8	-0.0
-0.2	-0.0						
3.4	0.0	Q5_pc Y		5534	-0.9	0.2	-0.1
				5535	-3.9	5.1	-0.0
-0.7	0.0			6610	0.6	-3.5	0.0
-0.0	0.0			6608	4.2	-1.8	0.1
2.0	0.0						
-0.4	-0.0	Q5_ps X		5534	0.0	-0.6	0.0
				5535	0.4	-2.3	-0.0
-0.2	-0.0			6610	0.0	2.1	0.0
-0.3	-0.0			6608	-0.4	0.7	-0.0
-0.2	-0.0						
3.4	0.0	Q5_ps Y		5534	0.1	0.5	-0.1
				5535	-2.9	4.9	-0.0
-0.6	-0.0			6610	-0.3	-4.0	0.0
-0.0	0.0			6608	3.2	-1.5	0.1
2.1	0.0						
76.0	0.0	INVSLE Max		5534	-233.4	-158.9	-3.5
				5535	-500.3	101.8	-2.5
-31.4	0.0			6610	229.3	158.8	2.7
-0.2	0.0			6608	514.9	-85.0	3.7
37.4	0.0						
65.7	0.0	Min		5534	-234.9	-160.6	-3.8
				5535	-509.2	87.0	-2.6
-33.4	0.0			6610	228.2	146.9	2.6
-1.0	0.0			6608	505.4	-89.4	3.4
31.2	0.0						
		INVSLE Max		5534	-174.4	-119.8	-2.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

57.8	0.0				5535	-377.3	75.6	-1.9	-514.9
-24.2	0.0				6610	171.1	119.1	2.0	-10.8
-0.5	0.0				6608	387.6	-63.7	2.8	-5.6
28.6	0.0								
			Min		5534	-175.4	-120.9	-2.9	-685.2
51.0	0.0				5535	-383.2	65.7	-2.0	-554.5
-25.5	0.0				6610	170.4	111.1	2.0	-26.2
-1.1	0.0				6608	381.2	-66.6	2.6	-27.0
24.5	0.0								
5947	2	8	C1-C2;~1	Max	5548	0.0	0.0	0.0	0.0
0.0		0.0			5549	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			6636	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5548	0.0	0.0	0.0	0.0
0.0		0.0			5549	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			6636	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5548	0.0	0.0	0.0	0.0
0.0		0.0			5549	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			6636	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5548	0.0	0.0	0.0	0.0
0.0		0.0			5549	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			6636	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5548	0.0	0.0	0.0	0.0
0.0		0.0			5549	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			6636	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5548	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5549	0.0	0.0	0.0	0.0
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0		6636	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5548	0.0	0.0	0.0
0.0	0.0			5549	0.0	0.0	0.0
0.0	0.0			6638	0.0	0.0	0.0
0.0	0.0			6636	0.0	0.0	0.0
0.0	0.0						
			Min	5548	0.0	0.0	0.0
0.0	0.0			5549	0.0	0.0	0.0
0.0	0.0			6638	0.0	0.0	0.0
0.0	0.0			6636	0.0	0.0	0.0
0.0	0.0						
		G1		5548	172.6	37.5	-0.9
16.5	-0.0			5549	95.0	-46.8	-1.1
-20.2	-0.0			6638	-172.7	-38.5	1.1
-11.5	-0.0			6636	-94.9	48.1	0.9
11.8	-0.0						
		G2		5548	66.7	15.1	-0.3
6.8	-0.0			5549	36.0	-17.3	-0.4
-8.3	-0.0			6638	-66.7	-15.5	0.4
-4.7	-0.0			6636	-36.0	17.7	0.4
4.9	-0.0						
		Q3		5548	0.0	0.0	0.0
0.0	0.0			5549	0.0	0.0	0.0
0.0	0.0			6638	0.0	0.0	0.0
0.0	0.0			6636	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5548	-1.5	0.2	0.0
-0.9	-0.0			5549	0.5	0.2	0.0
1.2	-0.0			6638	1.5	0.1	-0.0
0.7	0.0			6636	-0.5	-0.5	-0.0
-0.6	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

5.5	0.0	Q5_pc Y	5548	6.6	0.1	-0.2	-77.6
-6.7	0.0		5549	-0.9	-1.6	-0.2	-84.6
-3.8	-0.0		6638	-6.9	-0.2	0.2	27.9
3.7	-0.0		6636	1.3	1.7	0.2	27.1
-0.9	-0.0	Q5_ps X	5548	-0.8	0.4	0.0	13.7
1.2	-0.0		5549	1.1	0.0	0.0	15.5
0.7	0.0		6638	0.9	-0.1	-0.0	-4.3
-0.6	0.0		6636	-1.2	-0.3	-0.0	-4.1
5.4	0.0	Q5_ps Y	5548	5.1	-0.3	-0.2	-75.3
-6.6	0.0		5549	-2.2	-1.0	-0.2	-82.7
-3.8	-0.0		6638	-5.5	0.1	0.2	27.6
3.6	-0.0		6636	2.5	1.3	0.2	26.7
46.9	-0.0	INVS LU Max	5548	439.7	88.9	-2.2	-570.4
-39.9	-0.0		5549	195.0	-116.2	-2.7	-638.5
-21.0	-0.0		6638	-423.8	-81.2	3.4	40.6
33.3	-0.0		6636	-187.9	113.1	2.7	61.1
30.9	-0.0	Min	5548	424.3	87.8	-2.7	-796.4
-59.6	-0.0		5549	188.5	-119.3	-3.4	-886.6
-32.5	-0.0		6638	-440.3	-81.6	2.7	-42.2
22.5	-0.0		6636	-195.4	109.2	2.2	-18.9
35.3	-0.0	INVS LE Max	5548	331.3	66.8	-1.7	-449.6
-31.7	-0.0		5549	145.1	-87.9	-2.1	-502.8
-16.7	-0.0		6638	-320.8	-60.6	2.5	28.4
25.1	-0.0		6636	-140.4	84.9	2.1	44.3
24.6	-0.0	Min	5548	321.0	66.0	-2.0	-600.2
-44.8	-0.0		5549	140.8	-90.0	-2.6	-668.2
-24.4	-0.0		6638	-331.7	-60.9	2.1	-26.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				6636	-145.4	82.3	1.7	-9.1
17.9		-0.0						
5948	2	4	C1-C2;~1	Max	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
				Min	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
			C3-C4;~1	Max	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
				Min	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
			C1-C2;~2	Max	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
				Min	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0
		0.0			6638	0.0	0.0	0.0
		0.0						
			C3-C4;~2	Max	5549	0.0	0.0	0.0
		0.0			5550	0.0	0.0	0.0
		0.0			6640	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5549	0.0	0.0	0.0	0.0
0.0	0.0		5550	0.0	0.0	0.0	0.0
0.0	0.0		6640	0.0	0.0	0.0	0.0
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0						
15.9	-0.0	G1	5549	178.2	43.6	-0.8	-225.4
			5550	71.7	-44.1	-0.9	-226.5
-13.3	-0.0		6640	-170.8	-35.6	0.9	-4.9
0.2	0.0		6638	-79.1	36.4	0.8	8.0
7.1	-0.0						
		G2	5549	68.8	17.2	-0.3	-91.3
6.6	-0.0		5550	26.7	-16.4	-0.4	-91.2
-5.4	-0.0		6640	-65.9	-14.1	0.4	-0.9
-0.0	0.0		6638	-29.6	13.3	0.3	4.6
3.0	-0.0						
		Q3	5549	0.0	0.0	0.0	0.0
0.0	0.0		5550	0.0	0.0	0.0	0.0
0.0	0.0		6640	0.0	0.0	0.0	0.0
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5549	-2.3	-0.2	0.0	11.4
-0.9	-0.0		5550	0.8	1.0	0.0	11.2
0.7	-0.0		6640	2.1	-0.5	-0.0	-1.8
0.1	-0.0		6638	-0.6	-0.3	-0.0	-2.5
-0.5	0.0						
		Q5_pc Y	5549	9.3	1.5	-0.2	-59.4
5.1	0.0		5550	-2.5	-1.8	-0.2	-54.8
-3.4	0.0		6640	-8.8	-0.3	0.2	12.6
-0.4	0.0		6638	2.0	0.7	0.2	16.9
2.8	-0.0						
		Q5_ps X	5549	-1.7	0.0	0.0	11.8
-0.9	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.8	-0.0			5550	1.4	1.0	0.0	11.7
				6640	1.5	-0.9	-0.0	-2.0
0.1	-0.0			6638	-1.2	-0.1	-0.0	-2.7
-0.5	0.0							
		Q5_ps Y		5549	8.0	1.0	-0.2	-58.6
5.0	0.0			5550	-3.7	-1.9	-0.2	-54.3
-3.4	0.0			6640	-7.5	0.5	0.2	12.6
-0.5	0.0			6638	3.2	0.4	0.2	16.9
2.8	-0.0							
		INVS LU	Max	5549	478.5	115.7	-2.2	-521.1
49.0	-0.0			5550	116.0	-78.8	-2.6	-555.4
-31.2	-0.0			6640	-431.5	-101.2	3.1	-67.8
10.0	0.0			6638	-129.4	70.9	2.7	-20.3
18.0	-0.0							
			Min	5549	454.5	112.8	-2.7	-696.9
33.9	-0.0			5550	104.9	-84.5	-3.0	-718.2
-41.5	-0.0			6640	-453.9	-103.8	2.6	-105.7
8.6	0.0			6638	-139.0	69.7	2.2	-70.9
9.5	-0.0							
		INVS LE	Max	5549	361.1	87.4	-1.7	-408.7
37.0	-0.0			5550	84.5	-58.6	-2.0	-434.1
-24.5	-0.0			6640	-327.6	-77.1	2.3	-53.5
7.8	0.0			6638	-95.7	52.7	2.0	-17.4
13.4	-0.0							
			Min	5549	345.1	85.5	-2.1	-525.9
26.9	-0.0			5550	77.1	-62.5	-2.3	-542.7
-31.3	-0.0			6640	-342.5	-78.9	2.0	-78.7
6.8	0.0			6638	-102.1	51.9	1.7	-51.2
7.7	-0.0							
5961	2	4	C1-C2;~1	Max	5562	0.0	0.0	0.0
0.0	0.0				5563	0.0	0.0	0.0
0.0	0.0				6666	0.0	0.0	0.0
0.0	0.0				6664	0.0	0.0	0.0
0.0	0.0							
			Min	5562	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5562	0.0	0.0	0.0	0.0
0.0	0.0			5563	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			6664	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G1	5562	-22.0	19.1	1.2	400.5
-22.5	-0.0		5563	100.3	-9.1	1.8	478.2
39.5	-0.0		6666	17.2	-15.8	-1.7	-60.6
16.4	0.0		6664	-95.5	6.0	-1.3	-38.3
-2.7	0.0						
		G2	5562	-7.8	8.4	0.5	154.1
-8.7	-0.0		5563	39.4	-3.1	0.7	183.6
15.1	-0.0		6666	6.0	-7.0	-0.7	-22.6
6.2	0.0		6664	-37.6	1.6	-0.5	-14.3
-1.0	0.0						
		Q3	5562	0.0	0.0	0.0	0.0
0.0	0.0		5563	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0		6664	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5562	0.0	-0.6	-0.0	-6.3
0.4	0.0		5563	-0.7	-0.0	-0.0	-7.7
-0.7	0.0		6666	-0.0	0.3	0.0	2.5
-0.3	-0.0		6664	0.7	0.4	0.0	2.0
0.1	-0.0						
		Q5_pc Y	5562	3.0	0.9	-0.1	-20.9
1.2	-0.0		5563	-2.9	0.1	-0.1	-25.8
-2.3	-0.0		6666	-2.8	-0.2	0.1	4.4
-1.0	-0.0		6664	2.8	-0.9	0.1	2.7
0.0	-0.0						
		Q5_ps X	5562	0.0	-0.7	-0.0	-4.9
0.3	0.0		5563	-0.2	-0.1	-0.0	-5.8
-0.5	0.0		6666	-0.0	0.2	0.0	2.2
-0.3	0.0		6664	0.2	0.6	0.0	1.8
0.1	-0.0						
		Q5_ps Y	5562	2.8	1.0	-0.1	-20.9
1.1	-0.0		5563	-3.3	0.3	-0.1	-26.0
-2.3	-0.0		6666	-2.7	-0.1	0.1	4.4
-1.0	-0.0						

PROJECT TITLE :


		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0			6664	3.2	-1.2	0.1	2.6	
			INVS LU	Max	5562	13.8	30.9	0.8	-16.4
7.8	-0.0				5563	149.3	-21.7	0.4	-85.2
-17.6	-0.0				6666	-14.8	-26.5	-0.2	248.5
-16.8	-0.0				6664	-130.3	21.8	-0.6	203.1
10.9	0.0								
				Min	5562	5.3	27.8	0.7	-79.2
4.3	-0.0				5563	139.3	-22.6	0.2	-163.4
-24.6	-0.0				6666	-22.8	-27.2	-0.5	235.4
-19.8	-0.0				6664	-139.8	18.2	-0.8	195.5
10.4	0.0								
			INVS LE	Max	5562	12.0	22.1	0.5	-55.6
8.1	-0.0				5563	107.2	-16.3	0.2	-118.4
-18.1	-0.0				6666	-13.4	-19.3	0.0	201.3
-15.0	-0.0				6664	-93.9	16.4	-0.4	163.8
8.8	0.0								
				Min	5562	6.4	20.0	0.4	-97.5
5.8	-0.0				5563	100.6	-16.8	-0.0	-170.5
-22.8	-0.0				6666	-18.7	-19.7	-0.2	192.6
-17.0	-0.0				6664	-100.2	14.0	-0.5	158.7
8.5	0.0								
5962	2	10	C1-C2;~1	Max	5563	0.0	0.0	0.0	0.0
0.0		0.0			5564	0.0	0.0	0.0	0.0
0.0		0.0			6668	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5563	0.0	0.0	0.0	0.0
0.0		0.0			5564	0.0	0.0	0.0	0.0
0.0		0.0			6668	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5563	0.0	0.0	0.0	0.0
0.0		0.0			5564	0.0	0.0	0.0	0.0
0.0		0.0			6668	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5563	0.0	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5563	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5563	0.0	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5563	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5563	0.0	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5563	-29.0	7.1	1.3	396.7
-26.1	-0.0		5564	90.2	-8.8	1.4	424.1
30.6	-0.0		6668	26.4	-10.6	-1.4	-62.0
15.2	-0.0		6666	-87.6	12.5	-1.3	-60.1
-14.0	0.0						
		G2	5563	-11.1	3.1	0.5	152.2
-10.0	-0.0		5564	35.0	-3.1	0.5	162.8
11.7	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.8	-0.0		6668	10.1	-4.6	-0.5	-23.2
-5.3	0.0		6666	-34.0	4.5	-0.5	-22.5
		Q3	5563	0.0	0.0	0.0	0.0
0.0	0.0		5564	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		6666	0.0	0.0	0.0	0.0
0.0	0.0						
0.5	0.0	Q5_pc X	5563	0.2	0.0	-0.0	-6.4
			5564	-0.6	0.0	-0.0	-6.8
-0.5	0.0		6668	-0.2	0.1	0.0	2.1
-0.3	0.0		6666	0.6	-0.2	0.0	2.1
0.3	-0.0						
		Q5_pc Y	5563	2.8	-0.1	-0.1	-21.6
1.5	-0.0		5564	-2.5	0.1	-0.1	-22.7
-1.7	-0.0		6668	-2.7	-0.2	0.1	4.7
-0.9	-0.0		6666	2.4	0.2	0.1	4.5
0.8	-0.0						
		Q5_ps X	5563	0.2	0.1	-0.0	-4.7
0.3	0.0		5564	-0.2	-0.1	-0.0	-4.9
-0.4	0.0		6668	-0.2	0.0	0.0	1.8
-0.2	0.0		6666	0.2	-0.1	0.0	1.7
0.2	0.0						
		Q5_ps Y	5563	2.6	-0.3	-0.1	-22.0
1.5	-0.0		5564	-2.8	0.1	-0.1	-23.3
-1.7	-0.0		6668	-2.5	-0.1	0.1	4.8
-0.9	-0.0		6666	2.8	0.2	0.1	4.5
0.9	-0.0						
		INVSLU Max	5563	9.1	19.8	0.4	-100.1
18.9	-0.0		5564	146.8	-22.5	0.4	-97.6
-13.1	-0.0		6668	-8.7	-24.2	-0.2	221.3
-12.8	-0.0		6666	-131.2	28.3	-0.2	208.7
16.9	-0.0						
		Min	5563	1.3	18.9	0.2	-166.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

14.3	-0.0			5564	138.3	-22.9	0.2	-167.4
-18.3	-0.0			6668	-16.2	-24.5	-0.4	206.8
-15.5	-0.0			6666	-139.4	27.7	-0.4	195.1
14.3	-0.0							
		INVSLE	Max	5563	9.2	14.7	0.2	-121.2
17.2	-0.0			5564	106.5	-16.9	0.2	-121.9
-13.6	-0.0			6668	-9.6	-18.0	-0.0	179.7
-11.7	-0.0			6666	-95.4	21.1	-0.0	169.7
14.5	-0.0							
			Min	5563	4.0	14.2	0.0	-165.2
14.1	-0.0			5564	100.8	-17.2	0.0	-168.4
-17.0	-0.0			6668	-14.6	-18.1	-0.2	170.1
-13.5	-0.0			6666	-100.9	20.7	-0.2	160.6
12.8	-0.0							
5977	2	10	C1-C2;~1	Max	5578	0.0	0.0	0.0
0.0	0.0	0.0			5579	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			6696	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5578	0.0	0.0	0.0
0.0	0.0	0.0			5579	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			6696	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5578	0.0	0.0	0.0
0.0	0.0	0.0			5579	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			6696	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	5578	0.0	0.0	0.0
0.0	0.0	0.0			5579	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			6696	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	5578	0.0	0.0	0.0	0.0
0.0	0.0			5579	0.0	0.0	0.0	0.0
0.0	0.0			6698	0.0	0.0	0.0	0.0
0.0	0.0			6696	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5578	0.0	0.0	0.0	0.0
0.0	0.0			5579	0.0	0.0	0.0	0.0
0.0	0.0			6698	0.0	0.0	0.0	0.0
0.0	0.0			6696	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5578	0.0	0.0	0.0	0.0
0.0	0.0			5579	0.0	0.0	0.0	0.0
0.0	0.0			6698	0.0	0.0	0.0	0.0
0.0	0.0			6696	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5578	0.0	0.0	0.0	0.0
0.0	0.0			5579	0.0	0.0	0.0	0.0
0.0	0.0			6698	0.0	0.0	0.0	0.0
0.0	0.0			6696	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5578	-89.9	-9.4	1.4	408.3
-29.5	0.0			5579	24.5	7.7	1.2	380.2
25.0	0.0			6698	87.4	13.3	-1.2	-57.3
13.4	-0.0			6696	-22.0	-11.4	-1.4	-58.8
-14.5	0.0							
			G2	5578	-34.9	-3.2	0.5	157.7
-11.4	0.0			5579	9.6	3.3	0.5	146.7
9.6	0.0			6698	34.0	4.8	-0.5	-21.5
5.1	-0.0			6696	-8.6	-4.9	-0.5	-22.1
-5.6	0.0							
			Q3	5578	0.0	0.0	0.0	0.0
0.0	0.0			5579	0.0	0.0	0.0	0.0
0.0	0.0			6698	0.0	0.0	0.0	0.0
0.0	0.0			6696	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.8	0.0	Q5_pc X	5578	0.7	-0.1	-0.0	-10.7
-0.7	0.0		5579	-1.5	0.3	-0.0	-10.2
-0.4	0.0		6698	-0.7	-0.0	0.0	2.3
0.4	-0.0		6696	1.5	-0.1	0.0	2.4
0.2	-0.0	Q5_pc Y	5578	1.0	0.2	-0.0	-1.8
-0.2	-0.0		5579	1.3	-0.3	-0.0	-1.7
-0.1	-0.0		6698	-1.0	-0.4	0.0	1.2
0.1	-0.0		6696	-1.3	0.5	0.0	1.2
0.6	0.0	Q5_ps X	5578	0.3	-0.2	-0.0	-8.5
-0.6	0.0		5579	-1.3	0.3	-0.0	-8.1
-0.3	0.0		6698	-0.3	0.0	0.0	2.0
0.3	-0.0		6696	1.3	-0.2	0.0	2.0
0.3	-0.0	Q5_ps Y	5578	1.5	0.3	-0.0	-3.2
-0.2	-0.0		5579	1.4	-0.5	-0.0	-2.9
-0.2	-0.0		6698	-1.5	-0.5	0.0	1.4
0.2	-0.0		6696	-1.4	0.6	0.0	1.4
16.6	0.0	INVSLE Max	5578	-138.3	-21.0	0.4	-117.1
-15.6	0.0		5579	2.2	18.7	0.3	-118.2
-15.1	0.0		6698	135.5	27.8	-0.3	207.4
14.9	0.0		6696	9.4	-22.3	-0.3	220.4
14.8	0.0	Min	5578	-142.8	-22.0	0.3	-142.4
-17.3	0.0		5579	-2.0	17.3	0.3	-142.6
-16.1	0.0		6698	130.9	26.3	-0.3	201.5
13.9	0.0		6696	5.2	-24.2	-0.4	214.4
15.8	0.0	INVSLE Max	5578	-100.7	-15.7	0.1	-132.9
-14.8	0.0		5579	-0.6	13.8	0.1	-131.3
			6698	98.1	20.5	-0.1	168.8

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-13.3	0.0			6696	9.1	-16.5	-0.1	179.1
13.1	0.0							
			Min	5578	-103.7	-16.4	0.1	-149.8
14.6	0.0			5579	-3.5	12.9	0.1	-147.6
-16.0	0.0			6698	95.0	19.6	-0.1	164.9
-13.9	0.0			6696	6.3	-17.8	-0.1	175.2
12.4	0.0							
5978	2	4	C1-C2;~1	Max	5579	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0
0.0	0.0				6698	0.0	0.0	0.0
0.0	0.0							
			Min	5579	0.0	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0
0.0	0.0				6698	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5579	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0
0.0	0.0				6698	0.0	0.0	0.0
0.0	0.0							
			Min	5579	0.0	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0
0.0	0.0				6698	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5579	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0
0.0	0.0				6698	0.0	0.0	0.0
0.0	0.0							
			Min	5579	0.0	0.0	0.0	0.0
0.0	0.0				5580	0.0	0.0	0.0
0.0	0.0				6700	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6698	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	5579	0.0	0.0	0.0	0.0
0.0	0.0		5580	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		6698	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5579	0.0	0.0	0.0	0.0
0.0	0.0		5580	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		6698	0.0	0.0	0.0	0.0
0.0	0.0						
-37.6	0.0	G1	5579	-99.4	-9.7	1.7	455.4
21.3	0.0		5580	17.0	20.2	1.1	380.6
2.8	-0.0		6700	94.9	6.3	-1.2	-37.2
-15.8	-0.0		6698	-12.4	-16.5	-1.7	-58.3
-14.5	0.0	G2	5579	-39.1	-3.3	0.7	175.9
8.3	0.0		5580	6.2	8.8	0.4	147.3
1.1	-0.0		6700	37.3	1.7	-0.5	-13.9
-6.0	-0.0		6698	-4.4	-7.2	-0.6	-21.8
0.0	0.0	Q3	5579	0.0	0.0	0.0	0.0
0.0	0.0		5580	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		6698	0.0	0.0	0.0	0.0
0.0	0.0						
1.1	0.0	Q5_pc X	5579	1.0	-0.3	-0.0	-12.7
-0.6	0.0		5580	-1.4	-0.6	-0.0	-10.8
-0.1	0.0		6700	-0.9	0.7	0.0	2.0
0.5	0.0		6698	1.3	0.1	0.0	2.6
0.2	-0.0	Q5_pc Y	5579	0.9	0.3	-0.0	-1.6

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.1	-0.0			5580	1.7	-0.9	0.0	-0.9
				6700	-1.0	0.1	-0.0	1.6
-0.2	-0.0			6698	-1.7	0.6	0.0	1.7
0.2	-0.0							
		Q5_ps X		5579	0.6	-0.3	-0.0	-10.3
0.9	0.0			5580	-1.2	-0.6	-0.0	-8.9
-0.5	0.0			6700	-0.5	0.8	0.0	1.8
-0.1	0.0			6698	1.2	0.1	0.0	2.3
0.4	0.0							
		Q5_ps Y		5579	1.5	0.5	-0.0	-2.7
0.3	-0.0			5580	1.8	-0.7	0.0	-1.6
-0.1	-0.0			6700	-1.5	-0.4	-0.0	1.5
-0.2	-0.0			6698	-1.8	0.6	0.0	1.7
0.2	-0.0							
		INVS LU	Max	5579	-140.7	-20.1	0.4	-103.6
22.1	0.0			5580	-1.3	30.4	0.8	-27.9
-4.8	0.0			6700	135.7	18.9	-0.7	204.0
-10.4	-0.0			6698	16.1	-25.1	-0.3	247.8
18.9	0.0							
			Min	5579	-145.2	-21.4	0.3	-134.6
19.6	0.0			5580	-6.6	28.5	0.7	-54.5
-6.4	0.0			6700	131.2	16.4	-0.8	198.7
-11.0	-0.0			6698	10.8	-26.9	-0.4	241.0
17.8	0.0							
		INVS LE	Max	5579	-101.5	-15.0	0.1	-127.9
21.0	0.0			5580	-2.6	21.7	0.5	-60.6
-6.0	0.0			6700	97.4	14.2	-0.4	164.5
-8.5	-0.0			6698	13.2	-18.1	-0.1	201.0
16.4	0.0							
			Min	5579	-104.5	-15.9	0.1	-148.5
19.3	0.0			5580	-6.1	20.4	0.5	-78.3
-7.1	0.0			6700	94.4	12.6	-0.5	160.9
-8.9	-0.0			6698	9.6	-19.3	-0.2	196.4
15.6	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

5992	2	4	C1-C2;~1	Max	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0		Min	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0		Min	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0		Min	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5593	0.0	0.0	0.0	0.0
0.0		0.0			5594	0.0	0.0	0.0	0.0
0.0		0.0			6728	0.0	0.0	0.0	0.0
0.0		0.0			6726	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	5593	0.0	0.0	0.0	0.0
0.0	0.0			5594	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0			6726	0.0	0.0	0.0	0.0
			G1	5593	-63.4	-34.1	-1.3	-326.7
19.7	0.0			5594	-210.4	53.7	-1.1	-315.9
-20.6	0.0			6728	72.6	33.9	1.1	17.7
-12.8	0.0			6726	201.2	-53.3	1.3	8.3
7.6	0.0							
			G2	5593	-23.8	-12.5	-0.5	-128.2
7.8	0.0			5594	-80.4	20.9	-0.4	-124.1
-8.2	0.0			6728	27.3	12.4	0.4	8.5
-5.1	0.0			6726	76.9	-20.8	0.5	4.8
3.0	0.0							
			Q3	5593	0.0	0.0	0.0	0.0
0.0	0.0			5594	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0			6726	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	5593	-0.8	-0.2	0.1	28.5
-2.2	-0.0			5594	1.5	0.4	0.1	27.2
1.9	-0.0			6728	0.8	-0.6	-0.1	-10.4
1.4	-0.0			6726	-1.5	0.4	-0.1	-10.9
-1.3	-0.0							
			Q5_pc Y	5593	-1.4	0.4	0.0	-7.2
0.8	0.0			5594	5.6	-1.4	0.0	-8.0
-1.1	0.0			6728	0.8	0.0	-0.0	9.9
-0.9	0.0			6726	-5.1	1.0	-0.0	10.6
0.8	0.0							
			Q5_ps X	5593	-1.6	-0.4	0.1	27.6
-2.1	-0.0			5594	0.7	0.6	0.1	26.3
1.9	-0.0			6728	1.6	-0.3	-0.1	-10.1
1.3	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.3	-0.0			6726	-0.8	0.2	-0.1	-10.6
		Q5_ps Y		5593	-0.0	0.8	0.0	-8.3
0.9	0.0			5594	6.3	-1.7	0.0	-8.8
-1.1	0.0			6728	-0.5	-0.3	-0.0	9.8
-0.9	0.0			6726	-5.8	1.2	-0.0	10.6
0.8	0.0							
		INVS LU	Max	5593	-96.6	-72.1	-3.1	-702.8
46.6	0.0			5594	-481.2	125.9	-2.6	-669.6
-40.8	0.0			6728	126.1	65.8	2.7	-2.5
-22.9	0.0			6726	474.5	-113.1	3.3	-30.7
15.6	0.0							
			Min	5593	-101.2	-74.5	-3.3	-785.6
40.3	0.0			5594	-500.1	120.7	-2.8	-748.4
-46.5	0.0			6728	121.3	64.7	2.6	-32.9
-26.9	0.0			6726	457.2	-116.7	3.1	-62.5
11.8	0.0							
		INVS LE	Max	5593	-70.9	-54.2	-2.3	-540.5
35.4	0.0			5594	-363.0	94.4	-2.0	-514.7
-31.5	0.0			6728	92.8	49.0	2.1	-1.8
-17.7	0.0			6726	356.4	-84.9	2.5	-23.1
11.9	0.0							
			Min	5593	-74.0	-55.7	-2.5	-595.7
31.2	0.0			5594	-375.6	91.0	-2.1	-567.2
-35.2	0.0			6728	89.6	48.2	2.0	-22.0
-20.4	0.0			6726	344.8	-87.3	2.4	-44.3
9.4	0.0							
5993	2	8 C1-C2;~1	Max	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5594	0.0	0.0	0.0	0.0
0.0	0.0			5595	0.0	0.0	0.0	0.0
0.0	0.0			6730	0.0	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5594	-98.4	-56.0	-1.5	-379.6
31.3	0.0			5595	-199.4	44.5	-1.1	-318.8
-15.7	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.7	0.0		6730	98.3	50.8	1.1	7.6
14.4	0.0		6728	199.5	-39.0	1.4	20.8
12.4	0.0	G2	5594	-37.7	-20.5	-0.6	-148.8
-6.2	0.0		5595	-76.6	18.6	-0.4	-124.5
0.2	0.0		6730	37.6	17.9	0.4	4.4
5.8	0.0		6728	76.6	-16.0	0.6	10.0
0.0	0.0	Q3	5594	0.0	0.0	0.0	0.0
0.0	0.0		5595	0.0	0.0	0.0	0.0
0.0	0.0		6730	0.0	0.0	0.0	0.0
0.0	0.0		6728	0.0	0.0	0.0	0.0
0.0	0.0						
-2.9	-0.0	Q5_pc X	5594	-0.3	-0.5	0.1	28.6
0.8	-0.0		5595	1.7	-3.1	0.0	19.4
0.1	-0.0		6730	0.6	2.7	-0.0	-7.6
-1.7	-0.0		6728	-1.9	0.9	-0.1	-10.7
1.2	0.0	Q5_pc Y	5594	0.5	1.4	0.0	-8.7
-0.5	0.0		5595	4.6	-0.0	0.0	-5.0
-0.6	-0.0		6730	-0.6	-1.6	-0.0	8.7
1.0	0.0		6728	-4.4	0.3	-0.0	10.9
-2.8	-0.0	Q5_ps X	5594	-1.0	-0.7	0.1	27.3
0.8	-0.0		5595	0.8	-3.0	0.0	18.4
0.1	-0.0		6730	1.3	3.0	-0.0	-7.4
-1.6	-0.0		6728	-1.1	0.6	-0.1	-10.5
1.2	0.0	Q5_ps Y	5594	1.5	1.7	-0.0	-8.9
-0.4	0.0		5595	5.2	0.2	0.0	-4.7
-0.5	-0.0		6730	-1.6	-2.4	-0.0	8.5
1.1	0.0		6728	-5.1	0.4	-0.0	10.8

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLE	Max	5594	-188.7	-123.3	-3.4	-809.1
71.1	0.0				5595	-440.9	90.3	-2.6	-699.3
-34.5	0.0				6730	194.0	123.3	2.8	-13.2
2.4	0.0				6728	456.0	-77.3	3.6	5.0
30.8	0.0								
				Min	5594	-193.3	-128.5	-3.6	-891.1
62.7	0.0				5595	-456.6	81.4	-2.7	-754.5
-36.8	0.0				6730	189.0	114.2	2.7	-38.6
0.8	0.0				6728	440.6	-79.3	3.3	-27.3
26.0	0.0								
			INVSLE	Max	5594	-140.4	-92.9	-2.6	-620.6
53.8	0.0				5595	-331.7	66.5	-2.0	-535.2
-26.5	0.0				6730	143.9	92.6	2.1	-9.3
1.4	0.0				6728	341.7	-57.6	2.7	4.2
23.4	0.0								
				Min	5594	-143.5	-96.4	-2.8	-675.2
48.2	0.0				5595	-342.2	60.6	-2.1	-572.1
-28.0	0.0				6730	140.6	86.5	2.1	-26.3
0.4	0.0				6728	331.5	-58.9	2.5	-17.3
20.1	0.0								
6006	2	8	C1-C2;~1	Max	5607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			Min	5607	0.0	0.0	0.0	0.0
0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5607	0.0	0.0	0.0	0.0
0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5607	0.0	0.0	0.0	0.0
0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5607	0.0	0.0	0.0	0.0
0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5607	0.0	0.0	0.0	0.0
0.0	0.0			5608	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			6754	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5607	200.8	43.5	-1.1	-324.9
16.2	-0.0			5608	98.5	-56.7	-1.5	-386.4
-31.7	-0.0			6756	-200.9	-38.7	1.5	21.3
-14.4	-0.0			6754	-98.4	52.2	1.1	8.6
-0.3	-0.0							
		G2		5607	76.7	18.1	-0.4	-127.8
6.4	-0.0			5608	36.9	-20.6	-0.6	-152.9
-12.7	-0.0			6756	-76.8	-15.6	0.6	10.2
-5.9	-0.0			6754	-36.9	18.2	0.4	4.7
-0.0	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q3	5607	0.0	0.0	0.0	0.0
0.0	0.0		5608	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		6754	0.0	0.0	0.0	0.0
-0.7	-0.0	Q5_pc X	5607	-2.3	-2.6	0.0	16.5
2.3	-0.0		5608	0.4	-0.1	0.1	23.7
1.2	0.0		6756	2.5	0.7	-0.1	-7.0
0.0	0.0		6754	-0.6	2.0	-0.0	-4.8
4.8	0.0	Q5_pc Y	5607	0.1	-4.6	-0.1	-75.5
-8.8	0.0		5608	-2.5	-1.2	-0.2	-95.4
-5.6	0.0		6756	-0.4	2.0	0.2	40.3
3.2	0.0		6754	2.8	3.8	0.1	33.1
-0.6	-0.0	Q5_ps X	5607	-1.2	-2.5	0.0	15.5
2.3	-0.0		5608	1.4	-0.5	0.1	22.8
1.2	0.0		6756	1.3	0.4	-0.1	-7.0
0.0	0.0		6754	-1.6	2.6	-0.0	-4.8
4.6	0.0	Q5_ps Y	5607	-0.1	-4.4	-0.1	-72.1
-8.4	0.0		5608	-2.7	-1.1	-0.2	-91.1
-5.3	0.0		6756	-0.2	2.0	0.2	38.4
3.0	-0.0		6754	3.0	3.5	0.1	31.5
42.8	-0.0	INVSLU Max	5607	451.2	92.1	-2.5	-620.8
-54.4	-0.0		5608	195.2	-124.5	-3.2	-717.1
-20.1	-0.0		6756	-446.5	-75.1	3.8	47.0
3.3	-0.0		6754	-187.2	124.4	3.0	22.6
29.0	-0.0	Min	5607	447.1	78.8	-2.9	-837.2
-79.5	-0.0		5608	187.2	-127.7	-3.9	-990.4
			6756	-450.9	-81.0	3.1	-68.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-36.1	-0.0			6754	-196.1	113.8	2.6	-71.9
-5.7	-0.0							
		INVSLE	Max	5607	338.5	67.8	-1.9	-482.5
32.0	-0.0			5608	144.8	-93.7	-2.5	-558.9
-42.7	-0.0			6756	-335.3	-56.1	2.9	32.2
-16.1	-0.0			6754	-139.5	93.3	2.2	14.6
2.4	-0.0							
			Min	5607	335.7	59.0	-2.2	-626.7
22.8	-0.0			5608	139.4	-95.8	-2.9	-741.1
-59.4	-0.0			6756	-338.3	-60.1	2.4	-44.6
-26.8	-0.0			6754	-145.4	86.2	2.0	-48.4
-3.7	-0.0							
6007	2	4	C1-C2;~1	Max	5608	0.0	0.0	0.0
0.0		0.0			5609	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			6756	0.0	0.0	0.0
0.0		0.0						
			Min	5608	0.0	0.0	0.0	0.0
0.0		0.0			5609	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			6756	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	5608	0.0	0.0	0.0
0.0		0.0			5609	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			6756	0.0	0.0	0.0
0.0		0.0						
			Min	5608	0.0	0.0	0.0	0.0
0.0		0.0			5609	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			6756	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	5608	0.0	0.0	0.0
0.0		0.0			5609	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0	Min	5608	0.0	0.0	0.0	0.0
0.0	0.0		5609	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5608	0.0	0.0	0.0	0.0
0.0	0.0		5609	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5608	0.0	0.0	0.0	0.0
0.0	0.0		5609	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0						
20.9	-0.0	G1	5608	212.6	54.4	-1.1	-319.8
-19.8	-0.0		5609	63.2	-34.3	-1.3	-329.0
-7.8	-0.0		6758	-203.3	-53.6	1.3	9.1
12.8	-0.0		6756	-72.5	33.8	1.1	18.1
8.4	-0.0	G2	5608	81.0	21.0	-0.4	-127.2
-8.0	-0.0		5609	22.8	-12.4	-0.5	-130.9
-3.2	-0.0		6758	-77.4	-20.7	0.5	5.1
5.2	-0.0		6756	-26.4	12.2	0.4	8.7
0.0	0.0	Q3	5608	0.0	0.0	0.0	0.0
0.0	0.0		5609	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
-1.5	-0.0	Q5_pc X	5608	-2.6	0.0	0.1	22.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.7	-0.0		5609	1.0	-0.1	0.1	23.2
			6758	2.5	0.6	-0.1	-7.0
0.9	-0.0		6756	-0.9	-0.5	-0.1	-6.8
-1.0	0.0						
		Q5_pc Y	5608	2.9	0.9	-0.2	-82.7
6.6	0.0		5609	-2.3	-0.8	-0.2	-85.0
-6.5	0.0		6758	-3.1	0.6	0.2	34.0
-3.9	0.0		6756	2.5	-0.7	0.2	34.1
4.8	0.0						
		Q5_ps X	5608	-1.5	0.4	0.1	21.8
-1.5	-0.0		5609	2.1	-0.5	0.1	23.0
1.7	-0.0		6758	1.4	0.3	-0.1	-7.1
1.0	-0.0		6756	-2.0	-0.2	-0.1	-6.9
-1.0	0.0						
		Q5_ps Y	5608	2.7	0.8	-0.2	-79.0
6.3	0.0		5609	-2.6	-0.7	-0.2	-81.2
-6.2	0.0		6758	-2.9	0.6	0.2	32.3
-3.8	0.0		6756	2.7	-0.8	0.2	32.5
4.6	0.0						
		INVSLE Max	5608	495.2	124.7	-2.4	-590.2
53.1	-0.0		5609	102.9	-72.1	-2.8	-617.8
-33.9	-0.0		6758	-462.1	-114.2	3.4	5.5
-8.6	-0.0		6756	-119.7	66.3	2.9	32.5
31.5	-0.0						
		Min	5608	487.1	122.3	-2.9	-827.2
34.2	-0.0		5609	95.2	-74.1	-3.4	-861.4
-52.5	-0.0		6758	-470.7	-116.1	2.8	-91.4
-19.9	-0.0		6756	-127.9	64.0	2.4	-64.9
17.8	-0.0						
		INVSLE Max	5608	372.3	93.6	-1.9	-461.2
39.6	-0.0		5609	75.2	-54.1	-2.2	-482.8
-26.9	-0.0		6758	-348.0	-85.6	2.6	1.3
-7.2	-0.0		6756	-88.6	49.3	2.2	21.7
23.4	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5608	366.9	92.0	-2.2	-619.2
27.0	-0.0			5609	70.0	-55.4	-2.6	-645.3
-39.2	-0.0			6758	-353.7	-86.9	2.2	-63.3
-14.7	-0.0			6756	-94.1	47.7	1.8	-43.3
14.2	-0.0							
6021	2	4	C1-C2;~1	Max	5622	0.0	0.0	0.0
0.0	0.0				5623	0.0	0.0	0.0
0.0	0.0				6786	0.0	0.0	0.0
0.0	0.0				6784	0.0	0.0	0.0
0.0	0.0							
			Min	5622	0.0	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5622	0.0	0.0	0.0
0.0	0.0				5623	0.0	0.0	0.0
0.0	0.0				6786	0.0	0.0	0.0
0.0	0.0				6784	0.0	0.0	0.0
0.0	0.0							
			Min	5622	0.0	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5622	0.0	0.0	0.0
0.0	0.0				5623	0.0	0.0	0.0
0.0	0.0				6786	0.0	0.0	0.0
0.0	0.0				6784	0.0	0.0	0.0
0.0	0.0							
			Min	5622	0.0	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	5622	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0
0.0	0.0						
			Min	5622	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0
0.0	0.0						
		G1		5622	-15.1	19.2	1.1
-20.2	-0.0			5623	96.1	-9.7	1.6
35.4	-0.0			6786	10.8	-16.0	-1.6
15.0	0.0			6784	-91.7	6.7	-1.1
-2.5	0.0						
		G2		5622	-5.1	8.3	0.4
-7.6	-0.0			5623	36.6	-3.2	0.6
13.2	-0.0			6786	3.5	-6.9	-0.6
5.5	0.0			6784	-35.0	1.7	-0.4
-0.9	0.0						
		Q3		5622	0.0	0.0	0.0
0.0	0.0			5623	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0			6784	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5622	0.7	-0.6	-0.0
0.8	-0.0			5623	-1.2	-0.1	-0.1
-1.5	-0.0			6786	-0.6	0.3	0.1
-0.7	-0.0			6784	1.2	0.4	0.0
0.2	-0.0						
		Q5_pc Y		5622	9.1	-3.9	-0.3
6.9	0.0			5623	-17.7	0.3	-0.5
-12.5	0.0			6786	-8.3	2.4	0.5
-5.7	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.3	-0.0			6784	16.9	1.1	0.3	23.1
			Q5_ps X	5622	0.7	-0.7	-0.0	-11.6
0.7	-0.0			5623	-0.5	-0.3	-0.0	-14.2
-1.2	-0.0			6786	-0.7	0.2	0.0	4.8
-0.6	-0.0			6784	0.5	0.8	0.0	3.8
0.2	-0.0							
			Q5_ps Y	5622	8.9	-3.7	-0.3	-113.7
6.6	0.0			5623	-16.9	0.3	-0.5	-138.0
-12.0	0.0			6786	-8.1	2.3	0.5	30.4
-5.5	-0.0			6784	16.1	1.1	0.3	22.0
1.2	-0.0							
			INVSLE Max	5622	17.3	34.7	1.2	126.2
15.8	-0.0			5623	169.6	-20.7	1.0	81.7
-3.4	-0.0			6786	-1.4	-22.6	0.4	292.3
-10.3	-0.0			6784	-110.5	20.0	-0.3	237.2
12.8	0.0							
			Min	5622	-9.3	23.6	0.3	-215.0
-4.1	-0.0			5623	118.8	-21.5	-0.4	-332.5
-39.3	-0.0			6786	-25.6	-29.4	-1.0	201.0
-26.7	-0.0			6784	-158.8	16.6	-1.2	171.3
9.1	0.0							
			INVSLE Max	5622	13.0	24.6	0.8	44.3
13.2	-0.0			5623	121.3	-15.4	0.6	-1.8
-8.3	-0.0			6786	-3.2	-16.5	0.3	230.4
-10.5	-0.0			6784	-81.1	15.0	-0.2	186.6
10.1	0.0							
			Min	5622	-4.8	17.2	0.2	-183.2
-0.1	-0.0			5623	87.5	-16.0	-0.4	-277.8
-32.2	-0.0			6786	-19.3	-21.1	-0.6	169.5
-21.4	-0.0			6784	-113.4	12.7	-0.8	142.7
7.6	0.0							
6022	2	10	C1-C2;~1	Max	5623	0.0	0.0	0.0
0.0	0.0	0.0			5624	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
0.0	0.0	Min	5623	0.0	0.0	0.0	0.0
0.0	0.0		5624	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5623	0.0	0.0	0.0
0.0	0.0			5624	0.0	0.0	0.0
0.0	0.0			6788	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5623	0.0	0.0	0.0	0.0
0.0	0.0		5624	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5623	0.0	0.0	0.0
0.0	0.0			5624	0.0	0.0	0.0
0.0	0.0			6788	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5623	0.0	0.0	0.0	0.0
0.0	0.0		5624	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5623	0.0	0.0	0.0
0.0	0.0			5624	0.0	0.0	0.0
0.0	0.0			6788	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5623	0.0	0.0	0.0	0.0
0.0	0.0		5624	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
-23.4	-0.0	G1	5623	-22.3	7.7	1.1	357.8
27.8	-0.0		5624	87.1	-9.3	1.3	385.6
13.6	-0.0		6788	19.9	-11.2	-1.3	-55.0
-12.8	0.0		6786	-84.7	13.1	-1.1	-53.9
-8.7	-0.0	G2	5623	-8.3	3.2	0.4	133.5
10.4	-0.0		5624	32.9	-3.2	0.5	143.9
5.1	-0.0		6788	7.4	-4.7	-0.5	-20.1
-4.7	0.0		6786	-32.0	4.6	-0.4	-19.7
0.0	0.0	Q3	5623	0.0	0.0	0.0	0.0
0.0	0.0		5624	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
1.0	-0.0	Q5_pc X	5623	0.9	0.1	-0.0	-14.3
-1.2	-0.0		5624	-1.0	0.0	-0.0	-15.2
-0.7	0.0		6788	-0.9	0.0	0.0	4.8
0.6	-0.0		6786	1.0	-0.1	0.0	4.6
8.4	0.0	Q5_pc Y	5623	10.1	-0.4	-0.3	-119.8
-9.4	0.0		5624	-15.4	0.3	-0.4	-126.7
-5.0	0.0		6788	-9.8	1.4	0.4	29.6
4.9	-0.0		6786	15.1	-1.4	0.3	28.9
0.9	-0.0	Q5_ps X	5623	0.9	0.3	-0.0	-11.7
-0.9	-0.0		5624	-0.3	-0.1	-0.0	-12.3
-0.5	0.0		6788	-0.9	-0.1	0.0	4.2
0.5	-0.0		6786	0.3	-0.1	0.0	4.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8.0	0.0	Q5_ps Y		5623	9.8	-0.3	-0.3	-114.5
-9.0	0.0			5624	-14.7	0.3	-0.4	-121.1
-4.7	0.0			6788	-9.5	1.3	0.4	28.2
4.7	-0.0			6786	14.4	-1.2	0.3	27.5
28.9	-0.0	INVS LU	Max	5623	15.0	18.8	0.8	35.8
-2.6	-0.0			5624	164.3	-21.4	0.9	47.0
-7.6	-0.0			6788	6.5	-21.6	0.2	261.8
22.8	-0.0			6786	-113.2	29.2	0.2	247.4
4.8	-0.0		Min	5623	-14.4	17.9	-0.2	-307.7
-29.5	-0.0			5624	120.2	-22.2	-0.2	-316.3
-21.8	-0.0			6788	-22.1	-25.5	-0.9	177.4
8.6	-0.0			6786	-156.4	25.5	-0.8	164.9
23.5	-0.0	INVS LE	Max	5623	11.9	13.9	0.4	-26.6
-6.3	-0.0			5624	118.5	-16.0	0.5	-21.2
-8.1	-0.0			6788	1.7	-16.1	0.2	206.6
18.3	-0.0			6786	-83.8	21.5	0.2	195.3
7.5	-0.0		Min	5623	-7.7	13.3	-0.2	-255.6
-24.2	-0.0			5624	89.2	-16.6	-0.2	-263.5
-17.6	-0.0			6788	-17.3	-18.7	-0.5	150.2
8.9	-0.0			6786	-112.5	19.0	-0.4	140.3
6037	2	10 C1-C2;~1	Max	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
0.0	0.0		Min	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4;~1	Max	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
0.0	0.0		Min	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
0.0	0.0		Min	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
		C3-C4;~2	Max	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
0.0	0.0		Min	5638	0.0	0.0	0.0	0.0
0.0	0.0			5639	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0			6816	0.0	0.0	0.0	0.0
		G1		5638	-87.0	-9.1	1.3	390.4
-28.1	0.0			5639	24.2	7.4	1.2	363.6
23.8	0.0			6818	84.6	12.7	-1.2	-54.8
12.9	-0.0			6816	-21.7	-10.9	-1.3	-56.4
-14.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-10.5	0.0	G2	5638	-32.8	-3.0	0.5	146.2
8.9	0.0		5639	9.2	3.1	0.4	136.2
4.8	-0.0		6818	31.8	4.5	-0.4	-20.1
-5.2	0.0		6816	-8.2	-4.5	-0.5	-20.7
0.0	0.0	Q3	5638	0.0	0.0	0.0	0.0
0.0	0.0		5639	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
0.0	0.0		6816	0.0	0.0	0.0	0.0
1.0	0.0	Q5_pc X	5638	0.3	-0.2	-0.0	-12.6
-0.9	0.0		5639	-0.8	0.3	-0.0	-12.1
-0.6	0.0		6818	-0.3	-0.1	0.0	4.3
0.5	-0.0		6816	0.9	0.0	0.0	4.4
13.3	-0.0	Q5_pc Y	5638	17.3	-0.9	-0.6	-181.3
-12.0	-0.0		5639	-22.7	1.1	-0.5	-172.8
-6.9	0.0		6818	-16.8	0.6	0.5	38.1
7.0	-0.0		6816	22.1	-0.8	0.6	39.4
0.7	0.0	Q5_ps X	5638	-0.3	-0.2	-0.0	-9.3
-0.7	0.0		5639	-0.6	0.4	-0.0	-9.1
-0.5	0.0		6818	0.2	-0.1	0.0	3.7
0.4	-0.0		6816	0.7	-0.1	0.0	3.7
12.6	-0.0	Q5_ps Y	5638	16.6	-0.7	-0.5	-171.8
-11.4	-0.0		5639	-21.3	1.0	-0.5	-163.7
-6.6	0.0		6818	-16.1	0.5	0.5	36.0
6.6	-0.0		6816	20.8	-0.7	0.5	37.3
35.0	0.0	INVSLU Max	5638	-117.2	-20.7	1.1	121.8
0.3	0.0		5639	31.2	19.8	1.0	109.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.9	0.0			6818	158.8	28.1	0.4	259.8
24.5	0.0			6816	39.3	-22.5	0.5	274.6
			Min	5638	-167.1	-22.9	-0.5	-393.7
-2.7	0.0			5639	-32.6	16.9	-0.4	-381.7
-34.0	0.0			6818	110.6	26.6	-1.0	151.7
-25.6	0.0			6816	-23.0	-24.7	-1.1	162.7
4.6	0.0							
			INVSLE	Max	5638	-87.1	-15.6	28.0
27.9	0.0			5639	18.7	14.7	0.6	21.9
-4.2	0.0			6818	114.2	20.9	0.4	203.6
-7.1	0.0			6816	29.0	-16.7	0.4	215.0
19.4	0.0							
			Min	5638	-120.4	-17.1	-0.4	-315.7
2.8	0.0			5639	-23.9	12.8	-0.4	-305.5
-27.0	0.0			6818	82.0	19.8	-0.6	131.5
-20.2	0.0			6816	-12.5	-18.2	-0.6	140.5
6.2	0.0							
6038	2	4	C1-C2;~1	Max	5639	0.0	0.0	0.0
0.0	0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5639	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5639	0.0	0.0	0.0
0.0	0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5639	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6820	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
		C1-C2; ~2	Max	5639	0.0	0.0	0.0
0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0						
			Min	5639	0.0	0.0	0.0
0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	5639	0.0	0.0	0.0
0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0						
			Min	5639	0.0	0.0	0.0
0.0	0.0			5640	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0						
		G1		5639	-96.2	-9.4	1.6
-36.1	0.0			5640	17.1	18.9	1.1
20.6	0.0			6820	91.8	6.5	-1.2
2.5	-0.0			6818	-12.7	-15.7	-1.6
-15.1	-0.0						
		G2		5639	-36.7	-3.1	0.6
-13.5	0.0			5640	6.0	8.2	0.4
7.8	0.0			6820	35.0	1.6	-0.4
0.9	-0.0			6818	-4.4	-6.7	-0.6
-5.6	-0.0						
		Q3		5639	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			5640	0.0	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
1.3	0.0	Q5_pc X		5639	0.6	-0.3	-0.0	-14.7
-0.8	0.0			5640	-0.5	-1.1	-0.0	-12.1
-0.3	0.0			6820	-0.5	1.1	0.0	4.3
0.7	0.0			6818	0.5	0.3	0.0	5.2
18.2	-0.0	Q5_pc Y		5639	21.4	-1.1	-0.7	-211.2
-10.1	-0.0			5640	-22.9	-1.0	-0.5	-175.4
-1.1	0.0			6820	-20.0	1.5	0.5	27.6
7.9	0.0			6818	21.6	0.6	0.7	40.6
1.0	0.0	Q5_ps X		5639	-0.1	-0.4	-0.0	-11.3
-0.6	0.0			5640	-0.3	-1.2	-0.0	-9.4
-0.3	0.0			6820	0.1	1.4	0.0	3.9
0.5	0.0			6818	0.3	0.3	0.0	4.6
17.3	-0.0	Q5_ps Y		5639	20.4	-1.0	-0.7	-200.0
-9.5	-0.0			5640	-21.5	-1.0	-0.5	-166.0
-1.0	0.0			6820	-19.2	1.3	0.5	26.1
7.5	0.0			6818	20.2	0.6	0.7	38.4
47.2	0.0	INVSLU Max		5639	-113.5	-19.7	1.4	174.9
8.4	0.0			5640	27.8	31.0	1.5	204.0
-9.4	0.0			6820	163.4	20.5	-0.0	243.0
29.8	0.0			6818	44.3	-25.1	0.7	304.1
-4.6	0.0	Min		5639	-174.8	-22.6	-0.7	-424.9
-20.1	0.0			5640	-36.7	27.3	0.1	-293.9
-12.4	-0.0			6820	105.9	16.4	-1.5	164.6
7.3	0.0			6818	-16.3	-27.0	-1.4	189.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			INVSLE	Max	5639	-83.9	-14.8	0.8	59.6
37.5	0.0				5640	16.8	22.2	1.0	95.4
2.9	0.0				6820	116.4	15.3	-0.0	190.4
-7.8	0.0				6818	32.1	-18.2	0.6	238.2
23.5	0.0								
				Min	5639	-124.8	-16.8	-0.6	-340.3
3.0	0.0				5640	-26.2	19.7	0.0	-236.5
-16.1	0.0				6820	78.0	12.6	-1.0	138.1
-9.8	-0.0				6818	-8.4	-19.5	-0.8	161.5
8.6	0.0								
6052	2	4	C1-C2;~1	Max	5653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6848	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6846	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6848	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6846	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6848	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6846	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6848	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6846	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	5653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6848	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6846	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	5653	0.0	0.0	0.0	0.0
0.0	0.0		5654	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		6846	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	5653	0.0	0.0	0.0
0.0	0.0		5654	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		6846	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	5653	0.0	0.0	0.0
0.0	0.0		5654	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		6846	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5653	-63.5	-33.7	-1.2	-316.2
19.0	0.0		5654	-206.6	53.0	-1.0	-305.1
-20.0	0.0		6848	72.4	33.3	1.0	18.1
-12.5	0.0		6846	197.7	-52.4	1.2	8.4
7.2	0.0						
		G2	5653	-23.0	-12.1	-0.5	-124.7
7.6	0.0		5654	-78.5	20.4	-0.4	-120.3
-7.9	0.0		6848	26.4	12.0	0.4	8.4
-5.0	0.0		6846	75.0	-20.3	0.5	4.6
2.9	0.0						
		Q3	5653	0.0	0.0	0.0	0.0
0.0	0.0		5654	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		6846	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5653	-2.9	-0.4	0.1	36.1
-2.6	0.0		5654	3.2	0.2	0.1	34.0
2.2	0.0		6848	2.7	-0.3	-0.1	-10.1
1.4	-0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-1.4	0.0			6846	-3.0	0.5	-0.1	-10.4
		Q5_pc	Y	5653	8.1	-4.1	-0.6	-199.8
14.0	-0.0			5654	-38.3	9.5	-0.5	-191.0
-13.9	-0.0			6848	-6.0	0.1	0.5	49.3
-9.6	0.0			6846	36.2	-5.6	0.6	45.7
7.3	-0.0							
		Q5_ps	X	5653	-4.1	-0.8	0.1	36.2
-2.7	0.0			5654	2.2	0.6	0.1	34.0
2.2	0.0			6848	3.9	0.0	-0.1	-10.2
1.5	-0.0			6846	-2.0	0.2	-0.1	-10.4
-1.4	-0.0							
		Q5_ps	Y	5653	7.7	-3.8	-0.6	-188.2
13.2	-0.0			5654	-35.9	8.9	-0.5	-179.9
-13.1	-0.0			6848	-5.7	0.1	0.5	46.5
-9.0	0.0			6846	34.0	-5.2	0.6	43.1
6.9	-0.0							
		INVSLE	Max	5653	-87.4	-67.5	-2.3	-455.7
62.7	0.0			5654	-439.0	137.5	-1.9	-430.1
-23.4	0.0			6848	132.5	65.3	3.3	51.4
-11.4	0.0			6846	518.9	-107.8	4.0	16.2
23.6	0.0							
			Min	5653	-110.5	-78.9	-4.0	-1020.3
23.2	0.0			5654	-546.7	110.7	-3.4	-969.7
-62.7	0.0			6848	115.3	64.7	1.9	-88.0
-38.5	0.0			6846	417.0	-123.4	2.3	-113.0
3.0	0.0							
		INVSLE	Max	5653	-64.8	-51.1	-1.8	-376.0
46.1	0.0			5654	-335.6	102.4	-1.5	-354.9
-19.8	0.0			6848	97.1	48.7	2.5	34.0
-10.0	0.0			6846	386.6	-81.5	3.0	7.9
17.2	0.0							
			Min	5653	-80.1	-58.7	-3.0	-752.5
19.8	0.0			5654	-407.4	84.5	-2.5	-714.7
-46.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


				6848	85.6	48.3	1.5	-58.9
-28.1	0.0			6846	318.7	-91.9	1.8	-78.3
3.4	0.0							
6053	2	8	C1-C2;~1	Max	5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0			5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0			5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0			5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0			5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						
0.0		0.0			5654	0.0	0.0	0.0
0.0		0.0			5655	0.0	0.0	0.0
0.0		0.0			6850	0.0	0.0	0.0
0.0		0.0			6848	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6850	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5654	0.0	0.0	0.0	0.0
0.0	0.0		5655	0.0	0.0	0.0	0.0
0.0	0.0		6850	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5654	-97.6	-55.4	-1.4	-367.4
30.3	0.0		5655	-195.9	42.8	-1.1	-310.7
-15.4	0.0		6850	97.5	51.0	1.1	8.3
0.6	0.0		6848	196.0	-38.2	1.4	21.7
14.0	0.0						
		G2	5654	-36.7	-20.1	-0.6	-144.2
12.0	0.0		5655	-74.7	17.8	-0.4	-121.3
-6.0	0.0		6850	36.6	17.7	0.4	4.4
0.2	0.0		6848	74.7	-15.4	0.5	10.0
5.7	0.0						
		Q3	5654	0.0	0.0	0.0	0.0
0.0	0.0		5655	0.0	0.0	0.0	0.0
0.0	0.0		6850	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5654	-1.8	-0.4	0.1	35.7
-3.5	0.0		5655	2.5	-3.2	0.1	24.9
1.0	0.0		6850	2.0	3.0	-0.1	-7.1
-0.0	-0.0		6848	-2.7	0.6	-0.1	-10.4
-1.8	-0.0						
		Q5_pc Y	5654	0.2	-9.8	-0.7	-222.1
19.1	-0.0		5655	-26.7	-6.2	-0.4	-182.5
-10.9	-0.0		6850	-0.6	14.6	0.5	49.0
-5.2	0.0		6848	27.2	1.4	0.7	60.5
11.1	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	5654	-2.8	-0.7	0.1	35.3
-3.5	0.0		5655	1.5	-3.2	0.0	24.4
0.9	0.0		6850	3.0	3.6	-0.1	-7.2
-0.0	-0.0		6848	-1.7	0.3	-0.1	-10.5
-1.8	-0.0						
		Q5_ps Y	5654	0.2	-9.2	-0.6	-209.2
18.0	-0.0		5655	-25.0	-5.8	-0.4	-171.8
-10.2	-0.0		6850	-0.6	13.8	0.4	46.2
-4.9	0.0		6848	25.5	1.3	0.6	57.0
10.4	0.0						
		INVS LU Max	5654	-187.7	-112.9	-2.5	-525.5
92.9	0.0		5655	-413.2	93.9	-2.0	-464.9
-20.2	0.0		6850	196.9	140.9	3.4	42.3
9.2	0.0		6848	488.4	-76.2	4.3	74.2
43.9	0.0						
		Min	5654	-196.0	-140.6	-4.4	-1153.0
38.8	0.0		5655	-488.3	76.3	-3.3	-980.2
-50.9	0.0		6850	187.9	99.6	2.1	-96.4
-5.6	0.0		6848	412.1	-80.2	2.5	-96.8
12.6	0.0						
		INVS LE Max	5654	-140.0	-86.1	-2.0	-431.3
68.3	0.0		5655	-313.9	69.0	-1.6	-379.2
-17.0	0.0		6850	146.1	104.5	2.5	27.4
6.0	0.0		6848	364.0	-56.9	3.2	50.2
32.1	0.0						
		Min	5654	-145.5	-104.6	-3.3	-849.6
32.3	0.0		5655	-363.9	57.3	-2.5	-722.7
-37.4	0.0		6850	140.1	77.0	1.7	-65.0
-3.9	0.0		6848	313.1	-59.5	2.0	-63.7
11.2	0.0						
6066	2	8 C1-C2;~1 Max	5667	0.0	0.0	0.0	0.0
0.0	0.0		5668	0.0	0.0	0.0	0.0
0.0	0.0		6876	0.0	0.0	0.0	0.0
0.0	0.0		6874	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	5667	0.0	0.0	0.0	0.0
0.0	0.0		5668	0.0	0.0	0.0	0.0
0.0	0.0		6876	0.0	0.0	0.0	0.0
0.0	0.0		6874	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5667	0.0	0.0	0.0
0.0	0.0			5668	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			6874	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

15.7	-0.0	G1	5667	197.9	43.8	-1.1	-318.0
-31.4	-0.0		5668	98.1	-55.7	-1.5	-379.1
-14.6	-0.0		6876	-198.0	-38.7	1.4	23.5
-0.4	-0.0		6874	-97.9	50.9	1.1	9.9
6.2	-0.0	G2	5667	76.6	18.3	-0.4	-124.8
-12.4	-0.0		5668	38.1	-20.7	-0.6	-149.2
-5.9	-0.0		6876	-76.6	-16.0	0.6	11.1
-0.1	-0.0		6874	-38.1	18.4	0.4	5.4
0.0	0.0	Q3	5667	0.0	0.0	0.0	0.0
0.0	0.0		5668	0.0	0.0	0.0	0.0
0.0	0.0		6876	0.0	0.0	0.0	0.0
0.0	0.0		6874	0.0	0.0	0.0	0.0
1.9	0.0	Q5_pc X	5667	-0.5	-8.0	-0.0	-20.3
-1.2	0.0		5668	-0.5	-2.2	-0.0	-18.5
-1.0	0.0		6876	0.7	2.5	0.0	7.6
1.9	-0.0		6874	0.3	7.6	0.0	8.1
-9.1	-0.0	Q5_pc Y	5667	-24.4	3.0	0.4	158.2
17.0	-0.0		5668	0.9	8.1	0.6	195.5
9.6	0.0		6876	24.9	-0.6	-0.6	-50.4
-4.0	0.0		6874	-1.3	-10.5	-0.4	-40.2
1.9	0.0	Q5_ps X	5667	0.8	-7.7	-0.0	-19.3
-1.0	0.0		5668	0.8	-2.6	-0.0	-17.0
-0.8	0.0		6876	-0.6	2.1	0.0	6.7
1.8	0.0		6874	-1.0	8.2	0.0	7.4
-8.5	-0.0	Q5_ps Y	5667	-22.6	2.7	0.4	149.6
16.1	-0.0		5668	1.3	7.5	0.6	185.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9.1	0.0			6876	23.1	-0.7	-0.6	-47.7
-3.8	0.0			6874	-1.8	-9.5	-0.4	-38.0
48.7	-0.0	INVS LU	Max	5667	489.0	97.6	-2.1	-507.1
-43.1	-0.0			5668	196.0	-116.7	-2.7	-577.6
-15.2	-0.0			6876	-419.8	-76.1	4.3	60.3
4.3	-0.0			6874	-191.8	135.8	3.4	31.0
23.0	-0.0		Min	5667	421.0	74.5	-3.3	-955.8
-91.3	-0.0			5668	192.0	-139.2	-4.4	-1132.6
-42.6	-0.0			6876	-489.1	-82.3	2.6	-82.9
-7.0	-0.0			6874	-197.1	107.2	2.2	-83.1
35.9	-0.0	INVS LE	Max	5667	364.6	71.5	-1.7	-407.9
-35.2	-0.0			5668	145.6	-88.8	-2.1	-467.2
-13.0	-0.0			6876	-318.5	-56.9	3.2	40.9
3.0	-0.0			6874	-142.9	101.2	2.5	19.9
18.9	-0.0		Min	5667	319.3	56.1	-2.4	-707.0
-67.4	-0.0			5668	142.9	-103.8	-3.3	-837.2
-31.3	-0.0			6876	-364.7	-61.0	2.1	-54.6
-4.5	-0.0			6874	-146.4	82.2	1.7	-56.1
6067	2	4	C1-C2;~1	Max	5668	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	5668	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5668	0.0	0.0	0.0	0.0
0.0	0.0			5669	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5668	208.8	53.4	-1.1	-317.2
20.8	-0.0			5669	63.6	-34.0	-1.3	-329.1
-20.0	-0.0			6878	-199.8	-52.9	1.3	9.8
-7.6	-0.0			6876	-72.6	33.7	1.1	19.6
13.0	-0.0							
		G2		5668	80.3	21.0	-0.4	-124.8
8.3	-0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-7.9	-0.0		5669	24.4	-12.7	-0.5	-129.2
-3.0	-0.0		6878	-76.8	-20.8	0.5	5.4
5.2	-0.0		6876	-27.9	12.5	0.4	9.3
0.0	0.0	Q3	5668	0.0	0.0	0.0	0.0
0.0	0.0		5669	0.0	0.0	0.0	0.0
0.0	0.0		6878	0.0	0.0	0.0	0.0
0.0	0.0		6876	0.0	0.0	0.0	0.0
1.2	0.0	Q5_pc X	5668	2.0	1.9	-0.0	-12.1
-0.8	0.0		5669	-0.4	-0.9	-0.0	-12.1
-0.5	0.0		6878	-1.9	0.4	0.0	3.1
1.0	0.0		6876	0.3	-1.3	0.0	4.2
-12.1	-0.0	Q5_pc Y	5668	-34.5	-8.0	0.5	170.2
12.5	-0.0		5669	8.5	3.2	0.6	178.7
6.3	-0.0		6878	32.5	5.1	-0.6	-38.4
-8.2	0.0		6876	-6.5	-0.3	-0.5	-41.5
1.1	0.0	Q5_ps X	5668	3.2	2.3	-0.0	-10.4
-0.7	0.0		5669	1.2	-1.4	-0.0	-10.1
-0.4	0.0		6878	-3.1	0.0	0.0	2.4
0.8	0.0		6876	-1.3	-0.9	0.0	3.4
-11.5	-0.0	Q5_ps Y	5668	-32.2	-7.4	0.4	161.3
11.8	-0.0		5669	8.6	2.8	0.5	169.6
6.0	-0.0		6878	30.3	4.7	-0.5	-36.5
-7.8	0.0		6876	-6.8	-0.2	-0.4	-39.4
61.4	-0.0	INVSLU Max	5668	546.0	136.4	-2.0	-474.9
-26.4	-0.0		5669	113.8	-70.3	-2.4	-501.7
-4.4	-0.0		6878	-427.1	-109.5	4.1	4.5
37.0	-0.0		6876	-115.8	67.4	3.3	39.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			Min	5668	449.4	114.3	-3.4	-958.8
26.9	-0.0			5669	87.8	-78.7	-4.0	-1010.4
-61.9	-0.0			6878	-518.1	-123.7	2.4	-105.0
-22.5	-0.0			6876	-136.1	64.8	2.0	-78.5
13.6	-0.0							
		INVSLE	Max	5668	407.3	101.7	-1.6	-386.1
45.3	-0.0			5669	82.5	-53.1	-1.9	-408.2
-22.0	-0.0			6878	-325.7	-82.7	3.0	-0.2
-4.4	-0.0			6876	-86.1	50.1	2.5	26.1
27.2	-0.0							
			Min	5668	342.9	87.0	-2.5	-708.7
22.2	-0.0			5669	65.2	-58.7	-3.0	-747.3
-45.7	-0.0			6878	-386.4	-92.1	1.9	-73.2
-16.4	-0.0			6876	-99.7	48.4	1.6	-52.7
11.5	-0.0							
6081	2	4 C1-C2;~1	Max	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2;~2	Max	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0			6904	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5682	-16.7	19.2	1.1	372.3
-20.9	-0.0			5683	96.7	-9.5	1.7	442.7
36.5	-0.0			6906	12.3	-15.9	-1.6	-56.2
15.4	0.0			6904	-92.3	6.5	-1.2	-35.1
-2.5	0.0							
		G2		5682	-6.0	8.3	0.4	144.5
-8.1	-0.0			5683	38.3	-3.3	0.6	171.5
14.1	-0.0			6906	4.3	-7.0	-0.6	-21.0
5.9	0.0			6904	-36.6	2.0	-0.5	-13.0
-0.9	0.0							
		Q3		5682	0.0	0.0	0.0	0.0
0.0	0.0			5683	0.0	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6904	0.0	0.0	0.0	0.0
4.6	0.0	Q5_pc X	5682	7.8	-1.9	-0.2	-79.3
-8.3	0.0		5683	-9.3	-0.5	-0.3	-96.0
-3.8	-0.0		6906	-7.3	1.0	0.3	21.9
0.8	-0.0		6904	8.9	1.4	0.2	15.9
-7.7	-0.0	Q5_pc Y	5682	-18.6	0.1	0.4	135.4
14.0	-0.0		5683	17.1	0.7	0.6	162.3
6.0	0.0		6906	17.5	-0.3	-0.6	-28.7
-0.6	0.0		6904	-16.0	-0.6	-0.4	-18.9
4.3	0.0	Q5_ps X	5682	7.4	-2.0	-0.2	-73.5
-7.7	0.0		5683	-8.1	-0.6	-0.3	-88.9
-3.5	-0.0		6906	-6.9	0.9	0.3	20.5
0.8	-0.0		6904	7.7	1.8	0.2	15.0
-7.3	-0.0	Q5_ps Y	5682	-17.6	-0.0	0.4	128.6
13.3	-0.0		5683	16.5	0.6	0.6	154.4
5.7	0.0		6906	16.5	-0.3	-0.5	-27.3
-0.6	0.0		6904	-15.4	-0.3	-0.4	-17.9
17.0	-0.0	INVSLE Max	5682	32.1	32.4	1.3	146.3
-1.8	-0.0		5683	170.3	-20.8	1.1	103.5
-10.3	-0.0		6906	9.5	-25.2	0.5	291.0
12.4	0.0		6904	-112.9	22.0	-0.2	233.8
-5.0	-0.0	Min	5682	-20.6	26.2	0.2	-239.6
-41.7	-0.0		5683	120.9	-22.6	-0.5	-359.5
-27.3	-0.0		6906	-40.0	-27.8	-1.1	209.2
10.0	0.0		6904	-159.2	16.5	-1.3	180.2
14.1	-0.0	INVSLE Max	5682	23.3	23.1	0.9	55.8
			5683	121.8	-15.5	0.6	10.6

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-7.4	-0.0			6906	3.7	-18.3	0.4	230.1
-10.6	-0.0			6904	-82.8	16.4	-0.1	184.8
9.8	0.0							
			Min	5682	-11.9	19.0	0.1	-201.5
-0.5	-0.0			5683	88.8	-16.8	-0.5	-298.1
-34.0	-0.0			6906	-29.3	-20.1	-0.6	175.6
-22.0	-0.0			6904	-113.6	12.8	-0.9	149.0
8.2	-0.0							
6082	2	10	C1-C2;~1	Max	5683	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0
0.0	0.0				6908	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0							
			Min	5683	0.0	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0
0.0	0.0				6908	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5683	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0
0.0	0.0				6908	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0							
			Min	5683	0.0	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0
0.0	0.0				6908	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5683	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0
0.0	0.0				6908	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0							
			Min	5683	0.0	0.0	0.0	0.0
0.0	0.0				5684	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6908	0.0	0.0	0.0	0.0
0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5683	0.0	0.0	0.0
0.0	0.0			5684	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0
0.0	0.0						
			Min	5683	0.0	0.0	0.0
0.0	0.0			5684	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0
0.0	0.0						
			G1	5683	-23.9	7.5	1.2
-24.2	-0.0			5684	87.4	-9.2	1.3
28.5	-0.0			6908	21.5	-11.0	-1.3
14.1	-0.0			6906	-85.0	12.9	-1.2
-13.1	0.0						
			G2	5683	-9.4	3.3	0.5
-9.3	-0.0			5684	34.2	-3.2	0.5
11.0	-0.0			6908	8.4	-4.7	-0.5
5.5	-0.0			6906	-33.2	4.6	-0.5
-5.1	0.0						
			Q3	5683	0.0	0.0	0.0
0.0	0.0			5684	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			6906	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5683	8.2	0.4	-0.2
5.6	0.0			5684	-7.6	-0.2	-0.2
-6.2	0.0			6908	-8.1	0.0	0.2
-3.3	0.0			6906	7.5	-0.3	0.2
3.3	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	5683	-18.2	-0.7	0.4	132.5
-9.2	-0.0		5684	14.0	0.6	0.4	139.2
10.1	-0.0		6908	17.7	0.7	-0.4	-28.3
5.2	-0.0		6906	-13.5	-0.6	-0.4	-27.4
-5.2	0.0						
		Q5_ps X	5683	7.8	0.6	-0.2	-73.0
5.2	0.0		5684	-6.5	-0.3	-0.2	-76.7
-5.7	0.0		6908	-7.7	-0.1	0.2	18.9
-3.0	0.0		6906	6.4	-0.2	0.2	18.4
3.1	-0.0						
		Q5_ps Y	5683	-17.1	-0.6	0.4	126.1
-8.8	-0.0		5684	13.5	0.5	0.4	132.6
9.7	-0.0		6908	16.7	0.6	-0.4	-26.9
5.0	-0.0		6906	-13.0	-0.5	-0.4	-26.1
-5.0	0.0						
		INVS LU Max	5683	27.6	19.8	0.8	51.1
30.3	-0.0		5684	163.9	-21.6	0.9	61.9
-1.8	-0.0		6908	15.6	-23.0	0.3	262.1
-7.3	-0.0		6906	-116.6	28.6	0.3	247.7
23.4	-0.0						
		Min	5683	-23.9	18.0	-0.3	-327.3
4.0	-0.0		5684	123.4	-23.1	-0.3	-335.8
-30.8	-0.0		6908	-34.4	-25.0	-0.9	181.4
-22.3	-0.0		6906	-155.7	26.9	-0.9	169.5
8.5	-0.0						
		INVS LE Max	5683	20.7	14.7	0.5	-18.1
24.6	-0.0		5684	118.3	-16.2	0.5	-13.1
-5.9	-0.0		6908	7.4	-17.1	0.3	207.2
-8.0	-0.0		6906	-86.1	21.2	0.3	196.0
18.8	-0.0						
		Min	5683	-13.6	13.5	-0.3	-270.4
7.1	-0.0		5684	91.3	-17.2	-0.3	-278.2
-25.2	-0.0		6908	-25.9	-18.4	-0.5	153.5
-18.0	-0.0		6906	-112.1	20.1	-0.5	143.8
8.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


6097	2	10	C1-C2;~1	Max	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5698	0.0	0.0	0.0	0.0
0.0		0.0			5699	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0	0.0
0.0		0.0			6936	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		Min	5698	0.0	0.0	0.0	0.0	0.0
0.0	0.0		5699	0.0	0.0	0.0	0.0	0.0
0.0	0.0		6938	0.0	0.0	0.0	0.0	0.0
0.0	0.0		6936	0.0	0.0	0.0	0.0	0.0
		G1	5698	-86.9	-9.2	1.3	388.1	
-28.0	0.0		5699	23.0	7.5	1.2	361.9	
23.7	0.0		6938	84.5	13.0	-1.2	-54.9	
12.8	-0.0		6936	-20.5	-11.1	-1.3	-56.5	
-14.0	0.0							
		G2	5698	-34.0	-3.2	0.5	149.5	
-10.8	0.0		5699	8.7	3.4	0.4	139.3	
9.1	0.0		6938	33.0	4.7	-0.4	-20.5	
4.9	-0.0		6936	-7.8	-4.8	-0.5	-21.2	
-5.4	0.0							
		Q3	5698	0.0	0.0	0.0	0.0	
0.0	0.0		5699	0.0	0.0	0.0	0.0	
0.0	0.0		6938	0.0	0.0	0.0	0.0	
0.0	0.0		6936	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	5698	6.8	-0.2	-0.2	-74.6	
5.6	-0.0		5699	-6.4	0.3	-0.2	-71.0	
-5.1	-0.0		6938	-6.7	-0.5	0.2	18.8	
-3.0	0.0		6936	6.4	0.3	0.2	19.4	
3.0	-0.0							
		Q5_pc Y	5698	-11.7	-0.2	0.3	90.5	
-6.7	0.0		5699	7.5	0.2	0.2	86.0	
6.0	0.0		6938	11.4	1.1	-0.3	-19.7	
3.5	-0.0		6936	-7.3	-1.1	-0.3	-20.2	
-3.5	0.0							
		Q5_ps X	5698	5.8	-0.3	-0.2	-68.4	
5.1	-0.0		5699	-6.2	0.5	-0.2	-65.3	
-4.7	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.8	0.0			6938	-5.7	-0.4	0.2	17.5
2.8	-0.0			6936	6.1	0.2	0.2	18.0
		Q5_ps Y		5698	-11.3	-0.2	0.3	86.9
-6.4	0.0			5699	7.2	0.3	0.2	82.5
5.8	0.0			6938	11.1	1.0	-0.2	-18.9
3.3	-0.0			6936	-6.9	-1.1	-0.3	-19.4
-3.4	0.0							
		INVS LU	Max	5698	-125.4	-21.2	0.7	-7.5
26.0	0.0			5699	11.5	19.0	0.6	-13.8
-8.4	0.0			6938	151.5	28.8	0.1	237.3
-11.0	0.0			6936	17.2	-21.8	0.1	250.8
19.8	0.0							
			Min	5698	-159.4	-22.1	-0.1	-268.2
6.7	0.0			5699	-10.1	17.4	-0.1	-261.3
-25.7	0.0			6938	118.2	25.7	-0.7	180.6
-21.0	0.0			6936	-3.5	-25.1	-0.7	192.7
9.6	0.0							
		INVS LE	Max	5698	-92.5	-15.9	0.4	-58.6
22.0	0.0			5699	5.8	14.1	0.4	-60.6
-10.0	0.0			6938	109.3	21.2	0.1	189.0
-10.5	0.0			6936	14.0	-16.2	0.1	199.7
16.3	0.0							
			Min	5698	-115.2	-16.5	-0.1	-232.4
9.1	0.0			5699	-8.6	13.0	-0.1	-225.5
-21.5	0.0			6938	87.1	19.2	-0.4	151.2
-17.2	0.0			6936	0.2	-18.4	-0.4	161.0
9.5	0.0							
6098	2	4 C1-C2;~1	Max	5699	0.0	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5699	0.0	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6940	0.0	0.0	0.0	0.0
0.0	0.0		6938	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
			Min	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
			Min	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
			Min	5699	0.0	0.0	0.0
0.0	0.0			5700	0.0	0.0	0.0
0.0	0.0			6940	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0						
		G1		5699	-96.0	-9.5	1.6
-36.0	0.0						436.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
20.6	0.0		5700	15.7	19.5	1.1	366.6
			6940	91.7	6.3	-1.1	-34.8
2.6	-0.0		6938	-11.3	-16.0	-1.6	-55.3
-15.0	-0.0						
		G2	5699	-38.0	-3.4	0.6	167.8
-13.8	0.0		5700	5.3	8.5	0.4	141.3
8.0	0.0		6940	36.3	1.9	-0.4	-12.9
1.0	-0.0		6938	-3.6	-7.1	-0.6	-20.5
-5.7	-0.0						
		Q3	5699	0.0	0.0	0.0	0.0
0.0	0.0		5700	0.0	0.0	0.0	0.0
0.0	0.0		6940	0.0	0.0	0.0	0.0
0.0	0.0		6938	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5699	8.3	-0.4	-0.3	-86.2
7.5	-0.0		5700	-5.8	-2.5	-0.2	-70.9
-4.2	-0.0		6940	-7.9	1.7	0.2	15.8
-0.9	0.0		6938	5.4	1.2	0.3	21.2
3.5	0.0						
		Q5_pc Y	5699	-13.4	-0.2	0.4	104.5
-9.0	0.0		5700	6.8	3.2	0.2	86.5
5.1	0.0		6940	12.7	-1.1	-0.2	-15.7
0.9	-0.0		6938	-6.1	-1.9	-0.4	-21.8
-4.0	-0.0						
		Q5_ps X	5699	7.1	-0.5	-0.3	-79.5
6.9	-0.0		5700	-5.5	-2.6	-0.2	-65.6
-3.9	-0.0		6940	-6.8	2.1	0.2	14.9
-0.9	0.0		6938	5.1	1.1	0.3	19.9
3.2	0.0						
		Q5_ps Y	5699	-13.0	-0.3	0.3	100.1
-8.6	0.0		5700	6.5	2.9	0.2	82.8
4.8	0.0		6940	12.4	-0.8	-0.2	-14.9
0.9	-0.0		6938	-5.8	-1.8	-0.3	-20.8
-3.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	5699	-125.3	-20.2	0.8	25.2
34.5	0.0				5700	6.6	33.7	1.1	80.8
1.5	0.0				6940	153.6	21.1	-0.4	229.9
-9.8	-0.0				6938	21.6	-23.4	0.2	282.0
24.7	0.0								
				Min	5699	-164.2	-21.8	-0.2	-275.1
8.6	0.0				5700	-12.9	25.0	0.5	-167.5
-13.0	0.0				6940	116.6	15.0	-1.1	185.1
-12.5	-0.0				6938	4.0	-28.8	-0.9	219.6
13.1	0.0								
			INVS LE	Max	5699	-91.8	-15.1	0.4	-40.4
29.1	0.0				5700	2.9	24.0	0.7	13.3
-1.7	0.0				6940	109.9	15.7	-0.3	182.2
-8.1	-0.0				6938	16.6	-17.1	0.2	224.1
20.2	0.0								
				Min	5699	-117.7	-16.2	-0.2	-240.6
11.8	0.0				5700	-10.0	18.2	0.3	-152.3
-11.4	0.0				6940	85.2	11.6	-0.7	152.3
-9.9	-0.0				6938	4.9	-20.7	-0.5	182.5
12.5	0.0								
6112	2	4	C1-C2;~1	Max	5713	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6966	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5713	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6966	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5713	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6966	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	5713	0.0	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5713	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5713	0.0	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5713	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5713	0.0	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5713	-62.4	-34.0	-1.3	-333.8
20.3	0.0		5714	-210.8	53.9	-1.1	-320.5
-20.9	0.0		6968	71.6	33.5	1.1	20.4
-13.2	0.0		6966	201.6	-53.2	1.3	10.3
7.8	0.0						
		G2	5713	-23.8	-12.8	-0.5	-132.3
8.1	0.0		5714	-81.8	21.3	-0.4	-127.2
-8.4	0.0		6968	27.4	12.4	0.4	9.4
-5.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
3.1	0.0		6966	78.2	-21.0	0.5	5.4
		Q3	5713	0.0	0.0	0.0	0.0
0.0	0.0		5714	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		6966	0.0	0.0	0.0	0.0
		Q5_pc X	5713	-1.6	-1.0	-0.0	-14.3
1.1	-0.0		5714	-0.5	1.3	-0.0	-14.6
-1.6	-0.0		6968	1.5	-0.7	0.0	8.3
-1.3	-0.0		6966	0.7	0.4	0.0	7.8
0.8	-0.0						
		Q5_pc Y	5713	-1.4	0.7	0.2	66.0
-5.1	0.0		5714	2.5	-0.7	0.1	64.0
5.1	0.0		6968	1.6	0.4	-0.1	-26.5
3.7	0.0		6966	-2.7	-0.3	-0.2	-26.4
-3.1	0.0						
		Q5_ps X	5713	-3.0	-1.5	-0.0	-11.6
0.9	0.0		5714	-1.6	1.7	-0.0	-12.3
-1.4	-0.0		6968	2.9	-0.3	0.0	7.3
-1.1	-0.0		6966	1.7	0.0	0.0	6.8
0.6	-0.0						
		Q5_ps Y	5713	-2.0	0.4	0.2	63.3
-4.8	0.0		5714	1.8	-0.5	0.1	61.3
4.9	0.0		6968	2.2	0.5	-0.1	-25.4
3.6	0.0		6966	-2.0	-0.5	-0.2	-25.3
-2.9	0.0						
		INVSLU Max	5713	-95.3	-71.0	-2.9	-652.7
51.2	0.0		5714	-486.4	125.8	-2.4	-615.4
-36.3	0.0		6968	128.7	65.9	2.8	26.3
-20.2	0.0		6966	467.6	-114.1	3.4	-3.8
18.4	0.0						
		Min	5713	-104.4	-75.4	-3.4	-842.5
36.7	0.0		5714	-492.0	120.7	-2.8	-799.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-51.0	0.0			6968	120.1	64.4	2.4	-49.8
-30.9	0.0			6966	461.6	-115.6	3.0	-79.7
9.6	0.0							
		INVSLE	Max	5713	-70.2	-53.4	-2.3	-507.0
38.5	0.0			5714	-366.3	94.3	-1.9	-478.0
-28.4	0.0			6968	94.6	49.1	2.1	18.0
-15.9	0.0			6966	351.5	-85.5	2.6	-4.8
13.8	0.0							
			Min	5713	-76.2	-56.4	-2.6	-633.5
28.8	0.0			5714	-369.9	90.9	-2.1	-600.6
-38.2	0.0			6968	88.9	48.0	1.9	-32.8
-23.1	0.0			6966	347.5	-86.5	2.3	-55.4
7.9	0.0							
6113	2	8	C1-C2;~1	Max	5714	0.0	0.0	0.0
0.0	0.0	0.0			5715	0.0	0.0	0.0
0.0	0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5715	0.0	0.0	0.0
0.0	0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5714	0.0	0.0	0.0
0.0	0.0	0.0			5715	0.0	0.0	0.0
0.0	0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5715	0.0	0.0	0.0
0.0	0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0	0.0			6968	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5714	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5715	0.0	0.0	0.0	0.0
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0	Min	5714	0.0	0.0	0.0	0.0
0.0	0.0		5715	0.0	0.0	0.0	0.0
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5714	0.0	0.0	0.0	0.0
0.0	0.0		5715	0.0	0.0	0.0	0.0
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5714	0.0	0.0	0.0	0.0
0.0	0.0		5715	0.0	0.0	0.0	0.0
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0						
31.7	0.0	G1	5714	-97.7	-56.2	-1.5	-381.8
-15.8	0.0		5715	-199.3	43.5	-1.1	-320.3
0.4	0.0		6970	97.6	51.6	1.1	10.5
14.9	0.0		6968	199.5	-38.6	1.4	24.6
12.6	0.0	G2	5714	-38.0	-21.0	-0.6	-151.6
-6.3	0.0		5715	-77.6	18.1	-0.4	-126.9
0.0	0.0		6970	37.9	18.8	0.4	5.5
6.0	0.0		6968	77.6	-15.9	0.6	11.4
0.0	0.0	Q3	5714	0.0	0.0	0.0	0.0
0.0	0.0		5715	0.0	0.0	0.0	0.0
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Q5_pc X	5714	-0.8	-1.6	-0.0	-20.5
1.6	-0.0		5715	0.7	-5.9	-0.0	-20.3
-1.9	0.0		6970	0.9	6.0	0.0	10.9
-1.8	-0.0		6968	-0.8	1.6	0.0	11.6
1.4	-0.0						
		Q5_pc Y	5714	-1.7	0.9	0.2	73.4
-6.8	0.0		5715	0.3	3.2	0.1	57.8
3.7	0.0		6970	1.9	-2.8	-0.1	-25.4
2.4	0.0		6968	-0.6	-1.4	-0.2	-31.1
-4.3	0.0						
		Q5_ps X	5714	-2.0	-2.0	-0.0	-18.3
1.4	-0.0		5715	-0.4	-5.8	-0.0	-18.8
-1.8	0.0		6970	2.1	6.6	0.0	10.0
-1.8	-0.0		6968	0.3	1.3	0.0	10.4
1.2	-0.0						
		Q5_ps Y	5714	-2.2	0.7	0.2	70.0
-6.5	0.0		5715	-0.3	3.0	0.1	54.9
3.5	0.0		6970	2.4	-2.2	-0.1	-24.2
2.2	0.0		6968	0.0	-1.4	-0.2	-29.8
-4.2	0.0						
		INVSLE Max	5714	-188.4	-122.9	-3.2	-736.0
76.3	0.0		5715	-447.4	94.1	-2.5	-635.9
-30.0	0.0		6970	195.8	129.2	2.9	16.4
4.7	0.0		6968	448.3	-76.2	3.6	41.5
35.3	0.0						
		INVSLE Min	5714	-195.0	-128.9	-3.7	-946.0
56.8	0.0		5715	-448.7	76.6	-2.8	-800.6
-40.4	0.0		6970	188.5	109.3	2.6	-56.2
-2.0	0.0		6968	446.8	-80.5	3.1	-47.8
22.8	0.0						
		INVSLE Max	5714	-140.3	-92.6	-2.4	-570.3
57.2	0.0		5715	-335.8	69.1	-1.9	-491.6
-23.4	0.0		6970	145.3	96.5	2.1	10.8
3.0	0.0		6968	336.4	-56.8	2.7	29.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


26.4	0.0							
		Min	5714	-144.7	-96.6	-2.8	-710.4	
44.2	0.0		5715	-336.7	57.4	-2.1	-601.4	
-30.3	0.0		6970	140.4	83.2	1.9	-37.6	
-1.5	0.0		6968	335.5	-59.7	2.4	-30.3	
18.1	0.0							
6126	2	8 C1-C2;~1	Max	5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	5727	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	5727	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	5727	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0		Min	5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5727	200.8	44.8	-1.1	-310.0
15.3	-0.0			5728	99.4	-56.4	-1.4	-368.6
-30.5	-0.0			6996	-201.0	-39.3	1.4	21.9
-14.2	-0.0			6994	-99.2	51.2	1.1	8.2
-0.7	-0.0							
		G2		5727	77.6	18.9	-0.4	-122.5
6.0	-0.0			5728	38.0	-20.8	-0.6	-146.4
-12.2	-0.0			6996	-77.6	-16.1	0.6	10.4
-5.8	-0.0			6994	-37.9	18.0	0.4	4.6
-0.2	-0.0							
		Q3		5727	0.0	0.0	0.0	0.0
0.0	0.0			5728	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			6994	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5727	0.1	-6.7	-0.0	-19.6
1.9	0.0			5728	0.3	-2.1	-0.0	-18.5
-1.3	0.0			6996	0.1	2.0	0.0	8.2
-1.1	0.0			6994	-0.4	6.8	0.0	8.4
1.7	-0.0							
		Q5_pc Y		5727	2.0	0.6	0.0	31.8
-2.0	0.0			5728	0.7	-0.4	0.1	42.5
4.2	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.9	0.0			6996	-1.8	-0.5	-0.1	-22.4
-1.4	-0.0			6994	-1.0	0.3	-0.0	-17.9
1.7	0.0	Q5_ps X		5727	0.7	-6.4	-0.0	-17.8
-1.1	0.0			5728	1.1	-2.2	-0.0	-16.4
-0.9	0.0			6996	-0.6	1.7	0.0	7.3
1.6	0.0			6994	-1.2	7.0	0.0	7.6
-1.9	0.0	Q5_ps Y		5727	2.7	0.5	0.0	30.3
4.1	0.0			5728	1.5	-0.7	0.1	40.8
2.8	0.0			6996	-2.5	-0.6	-0.1	-21.5
-1.3	-0.0			6994	-1.7	0.8	-0.0	-17.2
37.5	-0.0	INVS LU Max		5727	455.7	96.1	-2.5	-660.3
-58.8	-0.0			5728	194.5	-123.3	-3.3	-762.4
-23.8	-0.0			6996	-447.6	-76.3	3.5	24.4
0.8	-0.0			6994	-190.0	129.7	2.7	1.6
31.8	-0.0	Min		5727	447.6	76.9	-2.7	-751.1
-71.1	-0.0			5728	190.0	-129.9	-3.5	-884.9
-32.2	-0.0			6996	-454.9	-81.2	3.2	-40.3
-4.1	-0.0			6994	-195.2	108.9	2.6	-49.8
28.3	-0.0	INVS LE Max		5727	341.7	70.4	-1.9	-507.0
-45.4	-0.0			5728	144.3	-92.9	-2.5	-586.7
-18.6	-0.0			6996	-336.3	-56.9	2.6	17.3
0.6	-0.0			6994	-141.4	96.9	2.1	0.6
24.5	-0.0	Min		5727	336.4	57.6	-2.0	-567.6
-53.6	-0.0			5728	141.3	-97.4	-2.7	-668.4
-24.2	-0.0			6996	-341.3	-60.2	2.4	-25.8
-2.6	-0.0			6994	-144.8	83.0	2.0	-33.7
6127	2	4 C1-C2;~1	Max	5728	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0	Min	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5728	0.0	0.0	0.0	0.0
0.0	0.0		5729	0.0	0.0	0.0	0.0
0.0	0.0		6998	0.0	0.0	0.0	0.0
0.0	0.0		6996	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5728	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				5729	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
		G1		5728	211.8	54.1	-1.1	-307.6
20.1	-0.0			5729	64.1	-34.3	-1.2	-319.1
-19.3	-0.0			6998	-202.6	-53.7	1.3	9.2
-7.5	-0.0			6996	-73.3	34.1	1.0	18.6
12.6	-0.0							
		G2		5728	81.5	21.1	-0.4	-122.7
8.1	-0.0			5729	23.8	-12.6	-0.5	-127.2
-7.8	-0.0			6998	-77.9	-21.0	0.5	5.2
-3.1	-0.0			6996	-27.4	12.5	0.4	8.9
5.1	-0.0							
		Q3		5728	0.0	0.0	0.0	0.0
0.0	0.0			5729	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5728	2.1	1.8	-0.0	-12.4
1.3	0.0			5729	0.6	-1.0	-0.0	-12.0
-0.9	0.0			6998	-2.1	0.1	0.0	4.2
-0.6	0.0			6996	-0.6	-0.9	0.0	5.1
1.1	0.0							
		Q5_pc Y		5728	2.0	0.5	0.1	37.8
-3.3	0.0			5729	-0.3	-0.0	0.1	38.4
3.1	0.0			6998	-1.5	-0.5	-0.1	-20.2
2.1	0.0			6996	-0.1	0.0	-0.1	-19.6
-2.5	0.0							
		Q5_ps X		5728	2.6	1.9	-0.0	-10.5
1.2	0.0			5729	1.5	-1.2	-0.0	-10.0
-0.7	0.0			6998	-2.5	-0.1	0.0	3.5
-0.5	0.0			6996	-1.5	-0.6	0.0	4.3
0.9	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-3.1	0.0	Q5_ps Y		5728	2.6	0.8	0.1	36.7
3.0	0.0			5729	0.6	-0.3	0.1	37.4
2.0	0.0			6998	-2.2	-0.7	-0.1	-19.5
-2.4	0.0			6996	-1.0	0.2	-0.1	-19.0
47.2	-0.0	INVS LU	Max	5728	497.5	126.9	-2.5	-634.3
-38.0	-0.0			5729	101.7	-71.6	-3.0	-670.4
-10.5	-0.0			6998	-464.9	-114.6	3.2	-14.1
28.2	-0.0			6996	-122.0	66.5	2.7	13.7
37.8	-0.0		Min	5728	489.6	121.1	-2.7	-744.3
-47.1	-0.0			5729	97.1	-75.3	-3.2	-782.6
-16.6	-0.0			6998	-472.5	-116.7	3.0	-72.7
21.0	-0.0			6996	-126.6	64.5	2.5	-43.2
35.6	-0.0	INVS LE	Max	5728	374.1	95.1	-1.9	-489.2
-29.5	-0.0			5729	74.3	-53.9	-2.3	-517.1
-8.5	-0.0			6998	-350.2	-85.9	2.4	-11.9
21.2	-0.0			6996	-90.0	49.4	2.0	9.2
29.3	-0.0		Min	5728	368.9	91.3	-2.0	-562.5
-35.6	-0.0			5729	71.3	-56.3	-2.4	-591.9
-12.5	-0.0			6998	-355.2	-87.3	2.3	-50.9
16.4	-0.0			6996	-93.1	48.1	1.9	-28.7
6141	2	4 C1-C2;~1	Max	5742	0.0	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0	0.0
0.0	0.0		Min	5742	0.0	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0		Min	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0		Min	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0		Min	5742	0.0	0.0	0.0
0.0	0.0			5743	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0			7024	0.0	0.0	0.0
0.0	0.0						
-21.1	-0.0	G1		5742	-17.0	19.9	1.1
37.0	-0.0			5743	99.3	-9.7	1.7
15.6	0.0			7026	12.5	-16.4	-1.6
							376.1
							447.5
							-58.5

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.7	0.0		7024	-94.8	6.5	-1.2	-36.9
		G2	5742	-6.1	8.7	0.4	144.6
-8.1	-0.0		5743	38.8	-3.3	0.6	171.6
14.1	-0.0		7026	4.4	-7.1	-0.6	-21.8
5.9	0.0		7024	-37.1	1.7	-0.5	-13.7
-1.0	0.0						
		Q3	5742	0.0	0.0	0.0	0.0
0.0	0.0		5743	0.0	0.0	0.0	0.0
0.0	0.0		7026	0.0	0.0	0.0	0.0
0.0	0.0		7024	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5742	6.3	-1.7	-0.2	-62.1
3.6	0.0		5743	-7.1	-0.5	-0.3	-75.2
-6.5	0.0		7026	-6.0	0.7	0.2	17.6
-3.0	-0.0		7024	6.7	1.5	0.2	12.8
0.7	-0.0						
		Q5_pc Y	5742	-0.7	0.9	0.1	25.2
-1.5	-0.0		5743	3.6	-0.2	0.1	31.6
2.9	-0.0		7026	0.7	-0.7	-0.1	-9.1
1.4	0.0		7024	-3.5	-0.0	-0.1	-6.9
-0.4	0.0						
		Q5_ps X	5742	5.8	-1.7	-0.1	-57.4
3.4	0.0		5743	-6.4	-0.5	-0.2	-69.4
-6.0	0.0		7026	-5.5	0.7	0.2	16.4
-2.8	-0.0		7024	6.0	1.5	0.2	12.0
0.7	-0.0						
		Q5_ps Y	5742	-0.7	0.8	0.1	25.1
-1.5	-0.0		5743	3.9	-0.3	0.1	31.5
2.9	-0.0		7026	0.6	-0.7	-0.1	-8.8
1.4	0.0		7024	-3.8	0.3	-0.1	-6.6
-0.4	0.0						
		INVSLU Max	5742	13.0	31.8	1.0	46.3
10.5	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-11.5	-0.0			5743	153.7	-20.3	0.7	-13.8	
				7026	-5.6	-25.1	-0.0	264.4	
-13.8	-0.0			7024	-125.6	20.6	-0.5	216.7	
11.6	0.0								
			Min	5742	-4.4	26.7	0.5	-125.9	
0.4	-0.0			5743	134.5	-21.9	-0.0	-222.1	
-29.6	-0.0			7026	-22.0	-27.2	-0.7	215.3	
-22.1	-0.0			7024	-143.7	16.0	-1.0	180.6	
9.7	0.0								
			INVSLE	Max	5742	10.4	22.6	0.6	-10.4
9.8	-0.0			5743	110.3	-15.2	0.3	-66.9	
-13.7	-0.0			7026	-6.2	-18.1	0.1	211.4	
-12.9	-0.0			7024	-90.8	15.4	-0.3	172.6	
9.3	0.0								
			Min	5742	-1.2	19.2	0.3	-125.2	
3.0	-0.0			5743	97.5	-16.2	-0.1	-205.8	
-25.8	-0.0			7026	-17.1	-19.5	-0.3	178.7	
-18.4	-0.0			7024	-102.9	12.4	-0.6	148.5	
8.0	0.0								
6142	2	10	C1-C2;~1	Max	5743	0.0	0.0	0.0	0.0
0.0		0.0			5744	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	5743	0.0	0.0	0.0	0.0	0.0
0.0		0.0			5744	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5743	0.0	0.0	0.0	0.0
0.0		0.0			5744	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	5743	0.0	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5744	0.0	0.0	0.0	0.0
0.0	0.0		7028	0.0	0.0	0.0	0.0
0.0	0.0		7026	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5743	0.0	0.0	0.0
0.0	0.0			5744	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5743	0.0	0.0	0.0
0.0	0.0			5744	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5743	0.0	0.0	0.0
0.0	0.0			5744	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5743	0.0	0.0	0.0
0.0	0.0			5744	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0
0.0	0.0						
-24.5	-0.0	G1		5743	-24.3	7.8	1.2
28.9	-0.0			5744	90.0	-9.4	1.3
14.3	-0.0			7028	21.8	-11.4	-1.3
-13.3	0.0			7026	-87.5	13.3	-1.2
-9.3	-0.0	G2		5743	-9.4	3.3	0.5
11.1	-0.0			5744	34.8	-3.3	0.5
5.5	-0.0			7028	8.5	-4.8	-0.5
-5.1	0.0			7026	-33.8	4.8	-0.5

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	5743	0.0	0.0	0.0	0.0
0.0	0.0			5744	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0	0.0
			Q5_pc X	5743	6.7	0.5	-0.2	-61.9
4.4	0.0			5744	-5.7	-0.3	-0.2	-65.0
-4.8	0.0			7028	-6.6	-0.1	0.2	16.2
-2.6	0.0			7026	5.6	-0.1	0.2	15.7
2.6	-0.0							
			Q5_pc Y	5743	-1.2	0.2	0.1	26.7
-1.9	-0.0			5744	3.1	-0.1	0.1	28.2
2.2	-0.0			7028	1.2	-0.5	-0.1	-8.2
1.2	-0.0			7026	-3.1	0.4	-0.1	-8.0
-1.2	0.0							
			Q5_ps X	5743	6.2	0.5	-0.2	-57.1
4.0	0.0			5744	-5.1	-0.3	-0.2	-59.9
-4.4	0.0			7028	-6.1	-0.1	0.2	15.0
-2.4	0.0			7026	5.0	-0.1	0.2	14.6
2.4	-0.0							
			Q5_ps Y	5743	-1.1	0.4	0.1	26.8
-1.9	-0.0			5744	3.4	-0.2	0.1	28.5
2.2	-0.0			7028	1.1	-0.5	-0.1	-8.1
1.2	-0.0			7026	-3.4	0.4	-0.1	-7.8
-1.2	0.0							
			INVSLU Max	5743	9.5	19.1	0.5	-43.7
22.3	-0.0			5744	149.4	-21.2	0.6	-38.2
-8.8	-0.0			7028	1.5	-22.8	-0.0	235.7
-10.6	-0.0			7026	-126.8	27.8	-0.0	222.2
18.8	-0.0							
			Min	5743	-9.1	17.6	0.0	-214.9
10.1	-0.0			5744	134.1	-22.0	0.1	-218.0
-22.1	-0.0			7028	-16.8	-24.3	-0.6	190.6
-17.7	-0.0			7026	-141.8	26.6	-0.5	178.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

11.6	-0.0							
		INVSLE	Max	5743	8.5	14.1	0.3	-80.7
19.2	-0.0			5744	108.2	-15.9	0.3	-79.3
-10.5	-0.0			7028	-1.8	-16.8	0.1	188.8
-10.1	-0.0			7026	-92.5	20.5	0.0	178.2
15.7	-0.0							
			Min	5743	-3.9	13.1	-0.0	-194.8
11.1	-0.0			5744	98.0	-16.4	-0.1	-199.1
-19.3	-0.0			7028	-14.0	-17.9	-0.3	158.7
-14.9	-0.0			7026	-102.5	19.7	-0.3	148.9
10.9	-0.0							
6157	2	10	C1-C2;~1	Max	5758	0.0	0.0	0.0
0.0	0.0	0.0			5759	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			7056	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5758	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5759	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			7056	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5758	0.0	0.0	0.0
0.0	0.0	0.0			5759	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			7056	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5758	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5759	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			7056	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5758	0.0	0.0	0.0
0.0	0.0	0.0			5759	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7056	0.0	0.0	0.0	0.0
		Min	5758	0.0	0.0	0.0	0.0
0.0	0.0		5759	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0		7056	0.0	0.0	0.0	0.0
		C3-C4; ~2 Max	5758	0.0	0.0	0.0	0.0
0.0	0.0		5759	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0		7056	0.0	0.0	0.0	0.0
		Min	5758	0.0	0.0	0.0	0.0
0.0	0.0		5759	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0		7056	0.0	0.0	0.0	0.0
		G1	5758	-90.4	-8.9	1.4	419.1
-30.2	0.0		5759	28.9	7.2	1.2	390.8
25.7	0.0		7058	87.8	12.6	-1.2	-60.5
14.0	-0.0		7056	-26.3	-10.6	-1.4	-62.1
-15.0	0.0						
		G2	5758	-34.9	-3.0	0.5	160.5
-11.6	0.0		5759	11.2	3.1	0.5	149.6
9.8	0.0		7058	33.9	4.5	-0.5	-22.6
5.3	-0.0		7056	-10.2	-4.5	-0.5	-23.2
-5.7	0.0						
		Q3	5758	0.0	0.0	0.0	0.0
0.0	0.0		5759	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0		7056	0.0	0.0	0.0	0.0
		Q5_pc X	5758	5.8	0.1	-0.2	-57.3
4.3	-0.0		5759	-4.4	-0.0	-0.1	-54.3
-3.9	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.3	0.0			7058	-5.7	-0.4	0.2	14.5
2.3	-0.0			7056	4.4	0.4	0.2	15.0
			Q5_pc Y					
-3.2	-0.0			5758	-4.1	0.0	0.1	43.0
				5759	4.3	0.1	0.1	40.8
2.9	-0.0			7058	4.0	-0.1	-0.1	-10.2
1.7	-0.0			7056	-4.2	0.1	-0.1	-10.6
-1.7	0.0							
			Q5_ps X					
4.0	-0.0			5758	5.0	-0.1	-0.2	-53.3
				5759	-4.4	0.1	-0.1	-50.6
-3.6	-0.0			7058	-5.0	-0.3	0.1	13.6
-2.2	0.0			7056	4.3	0.3	0.2	14.0
2.2	-0.0							
			Q5_ps Y					
-3.2	-0.0			5758	-4.3	-0.1	0.1	42.5
				5759	4.1	0.2	0.1	40.2
2.8	-0.0			7058	4.2	-0.1	-0.1	-9.9
1.7	-0.0			7056	-4.0	0.0	-0.1	-10.4
-1.7	0.0							
			INVS LU Max					
21.0	0.0			5758	-135.7	-22.5	0.5	-45.3
				5759	2.3	19.6	0.5	-50.9
-10.6	0.0			7058	143.4	28.4	-0.1	217.1
-11.8	0.0			7056	18.0	-24.0	-0.1	230.1
17.0	0.0							
			Min					
9.1	0.0			5758	-150.8	-22.7	0.1	-205.1
				5759	-10.8	19.1	0.1	-202.7
-21.4	0.0			7058	128.5	27.4	-0.5	176.3
-18.3	0.0			7056	5.1	-24.7	-0.5	188.1
10.6	0.0							
			INVS LE Max					
18.7	0.0			5758	-99.2	-16.9	0.3	-85.5
				5759	-1.5	14.6	0.2	-87.0
-11.5	0.0			7058	103.7	21.1	0.0	174.7
-11.1	0.0			7056	15.7	-17.8	0.0	185.0
14.5	0.0							
			Min					
10.8	0.0			5758	-109.2	-17.0	-0.0	-192.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-18.7	0.0	5759	-10.2	14.3	-0.0	-188.2
-15.4	0.0	7058	93.7	20.4	-0.2	147.5
10.2	0.0	7056	7.0	-18.3	-0.3	157.0

6158	2	4 C1-C2;~1	Max	5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0
0.0		0.0		5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0

0.0		C3-C4;~1	Max	5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0
0.0		0.0		5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0

0.0		C1-C2;~2	Max	5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0
0.0		0.0		5759	0.0	0.0	0.0	0.0
0.0		0.0		5760	0.0	0.0	0.0	0.0
0.0		0.0		7060	0.0	0.0	0.0	0.0
0.0		0.0		7058	0.0	0.0	0.0	0.0

		C3-C4;~2	Max	5759	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5760	0.0	0.0	0.0	0.0
0.0	0.0		7060	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0	Min	5759	0.0	0.0	0.0	0.0
0.0	0.0		5760	0.0	0.0	0.0	0.0
0.0	0.0		7060	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0						
-38.9	0.0	G1	5759	-100.3	-9.2	1.7	470.2
22.2	0.0		5760	22.1	18.8	1.2	394.8
2.6	-0.0		7060	95.6	6.3	-1.2	-38.4
-16.4	-0.0		7058	-17.4	-15.6	-1.7	-61.3
-14.9	0.0	G2	5759	-39.1	-3.1	0.7	180.2
8.5	0.0		5760	8.1	8.3	0.5	151.7
1.0	-0.0		7060	37.3	1.6	-0.5	-14.3
-6.2	-0.0		7058	-6.3	-6.8	-0.7	-22.8
0.0	0.0	Q3	5759	0.0	0.0	0.0	0.0
0.0	0.0		5760	0.0	0.0	0.0	0.0
0.0	0.0		7060	0.0	0.0	0.0	0.0
0.0	0.0		7058	0.0	0.0	0.0	0.0
5.7	-0.0	Q5_pc X	5759	6.8	0.0	-0.2	-65.1
-3.1	-0.0		5760	-4.0	-1.5	-0.1	-53.0
-0.6	0.0		7060	-6.5	0.6	0.1	11.9
2.7	0.0		7058	3.7	0.9	0.2	16.2
-4.3	-0.0	Q5_pc Y	5759	-4.9	-0.1	0.2	48.8
2.3	-0.0		5760	4.4	-0.3	0.1	39.5
0.3	-0.0		7060	4.7	0.5	-0.1	-7.5
-2.0	-0.0		7058	-4.1	-0.1	-0.2	-10.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


5.3	-0.0	Q5_ps X	5759	6.0	-0.1	-0.2	-60.9
-2.9	-0.0		5760	-4.0	-1.5	-0.1	-49.7
-0.6	0.0		7060	-5.8	0.8	0.1	11.3
2.5	0.0		7058	3.7	0.8	0.2	15.2
-4.3	-0.0	Q5_ps Y	5759	-5.1	-0.2	0.2	48.0
2.2	-0.0		5760	4.2	-0.4	0.1	38.8
0.2	-0.0		7060	4.9	0.7	-0.1	-7.2
-1.9	-0.0		7058	-4.0	-0.1	-0.2	-10.6
28.3	0.0	INVS LU Max	5759	-136.2	-21.9	0.6	-26.2
-1.3	0.0		5760	-2.4	31.4	0.9	32.5
-9.5	-0.0		7060	144.6	21.4	-0.5	211.9
21.4	0.0		7058	23.9	-25.6	-0.0	258.6
12.2	0.0	Min	5759	-154.2	-22.4	0.0	-208.8
-10.0	0.0		5760	-15.0	26.9	0.6	-116.6
-11.4	-0.0		7060	127.4	18.9	-0.9	178.0
13.9	0.0		7058	12.0	-28.0	-0.6	212.9
25.1	0.0	INVS LE Max	5759	-98.7	-16.4	0.3	-77.4
-3.7	0.0		5760	-4.3	22.5	0.6	-21.7
-7.9	-0.0		7060	103.6	16.1	-0.3	169.1
18.0	0.0		7058	19.4	-18.7	0.1	207.4
14.4	0.0	Min	5759	-110.7	-16.7	-0.1	-199.1
-9.5	0.0		5760	-12.7	19.5	0.3	-121.1
-9.1	-0.0		7060	92.1	14.5	-0.6	146.5
13.0	0.0		7058	11.4	-20.2	-0.3	176.9
6175	2	8 C1-C2; ~1 Max	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	Min	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	5776	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	Min	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	5776	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	Min	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	5776	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0	Min	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7088	0.0	0.0	0.0	0.0
		G1	5776	-96.4	-50.5	-0.4	-104.9
4.5	0.0		5777	-190.8	35.1	0.8	38.8
-0.3	0.0		7090	103.5	56.8	-0.8	133.4
-31.8	0.0		7088	183.8	-41.0	0.4	31.1
0.9	0.0						
		G2	5776	-38.6	-19.1	-0.2	-40.8
1.8	0.0		5777	-74.7	13.7	0.3	16.2
-0.1	0.0		7090	41.6	22.5	-0.3	54.3
-12.7	0.0		7088	71.7	-17.1	0.2	13.8
0.5	0.0						
		Q3	5776	0.0	0.0	0.0	0.0
0.0	0.0		5777	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		7088	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5776	11.2	2.8	-0.0	-15.6
2.2	0.0		5777	6.9	-1.4	-0.0	-7.6
0.1	0.0		7090	-13.2	-4.3	0.0	3.1
1.0	0.0		7088	-4.9	3.0	0.0	7.4
1.6	0.0						
		Q5_pc Y	5776	-0.2	0.8	0.1	29.8
-2.6	-0.0		5777	6.5	-1.5	-0.0	9.3
-0.1	-0.0		7090	-0.2	-0.5	0.0	-13.7
3.3	-0.0		7088	-6.1	1.2	-0.1	-14.2
-2.9	-0.0						
		Q5_ps X	5776	11.2	2.8	-0.0	-15.2
2.2	0.0		5777	6.7	-1.3	-0.0	-7.5
0.1	0.0		7090	-13.3	-4.4	0.0	2.6
1.1	0.0		7088	-4.6	3.0	0.0	6.9
1.5	0.0						
		Q5_ps Y	5776	0.1	0.9	0.1	27.5
-2.4	-0.0						

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.1	-0.0		5777	5.9	-1.0	-0.1	7.5
3.3	-0.0		7090	-0.7	-1.0	0.1	-14.5
-2.7	-0.0		7088	-5.2	1.0	-0.1	-13.9
20.4	0.0	INVS LU Max	5776	-104.0	-92.7	-1.1	-247.6
0.4	0.0		5777	-400.0	66.8	2.0	100.5
-63.6	0.0		7090	148.7	111.5	-1.9	350.1
4.2	0.0		7088	410.0	-68.0	1.4	82.2
13.3	0.0	Min	5776	-137.7	-101.0	-1.3	-330.0
-0.0	0.0		5777	-420.1	63.0	1.9	77.9
-73.6	0.0		7090	108.8	98.1	-2.1	306.7
-3.9	0.0		7088	394.2	-76.9	1.2	40.4
15.7	0.0	INVS LE Max	5776	-74.6	-69.0	-0.9	-194.9
0.3	0.0		5777	-299.7	49.5	1.5	72.6
-48.2	0.0		7090	104.6	81.6	-1.5	262.5
3.1	0.0		7088	306.1	-50.3	1.1	61.1
10.9	0.0	Min	5776	-97.1	-74.5	-1.0	-249.9
0.0	0.0		5777	-313.1	46.9	1.4	57.5
-54.9	0.0		7090	78.0	72.7	-1.6	233.5
-2.3	0.0		7088	295.6	-56.3	0.9	33.2
6176	2	8 C1-C2;~1 Max	5777	0.0	0.0	0.0	0.0
0.0	0.0		5778	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0	Min	5777	0.0	0.0	0.0	0.0
0.0	0.0		5778	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	5777	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5777	0.0	0.0	0.0	0.0
0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5777	0.0	0.0	0.0
0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5777	0.0	0.0	0.0	0.0
0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	5777	0.0	0.0	0.0
0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5777	0.0	0.0	0.0	0.0
0.0	0.0			5778	0.0	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5777	-92.7	-54.6	0.7	-2.0
-1.0	0.0			5778	-222.1	45.5	-0.8	-177.0
-16.8	0.0			7092	92.0	59.8	0.8	28.3
-3.2	-0.0			7090	222.9	-50.5	-0.7	117.9
17.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	5777	-34.1	-20.5	0.3	0.2
-0.4	0.0		5778	-84.9	17.8	-0.3	-69.0
-6.6	0.0		7092	33.5	21.9	0.3	12.5
-1.3	-0.0		7090	85.4	-19.2	-0.3	47.9
6.7	0.0						
		Q3	5777	0.0	0.0	0.0	0.0
0.0	0.0		5778	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5777	6.8	1.7	0.0	2.7
0.3	0.0		5778	11.4	-2.9	0.0	4.9
1.0	0.0		7092	-4.9	-3.2	-0.0	-0.1
0.1	0.0		7090	-13.3	4.4	-0.0	1.2
1.8	0.0						
		Q5_pc Y	5777	-1.7	-0.2	-0.0	9.0
-0.1	-0.0		5778	7.1	-1.1	0.1	28.6
2.7	-0.0		7092	2.1	-0.7	-0.1	-11.5
2.3	0.0		7090	-7.5	2.0	0.0	-11.8
-2.6	-0.0						
		Q5_ps X	5777	6.6	1.6	0.0	2.6
0.3	0.0		5778	11.4	-2.9	0.0	5.0
1.0	0.0		7092	-4.6	-3.2	-0.0	-0.2
0.1	0.0		7090	-13.4	4.4	-0.0	0.9
1.9	0.0						
		Q5_ps Y	5777	-1.7	-0.1	-0.1	7.5
-0.0	-0.0		5778	6.9	-1.0	0.1	26.7
2.6	-0.0		7092	2.4	-0.8	-0.1	-11.3
2.1	0.0		7090	-7.5	1.8	0.0	-12.4
-2.5	-0.0						
		INVSLU Max	5777	-126.1	-111.1	1.8	48.4
-0.5	0.0		5778	-436.2	88.0	-1.6	-329.7
-26.8	0.0		7092	154.6	118.2	1.9	52.8
3.7	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
55.7	0.0			7090	461.8	-76.5	-1.7	311.5
			Min	5777	-146.0	-116.0	1.7	26.0
-1.3	0.0			5778	-470.5	79.3	-1.9	-409.9
-34.5	0.0			7092	140.8	108.7	1.7	18.9
-2.7	-0.0			7090	421.5	-89.8	-1.9	274.2
48.3	0.0							
		INVSLE	Max	5777	-91.9	-82.9	1.4	35.4
-0.3	0.0			5778	-326.3	64.7	-1.2	-252.6
-20.4	0.0			7092	112.5	87.2	1.4	38.4
2.5	-0.0			7090	341.8	-56.7	-1.3	233.8
42.3	0.0							
			Min	5777	-105.2	-86.1	1.3	20.5
-0.9	0.0			5778	-349.1	59.0	-1.4	-306.1
-25.5	0.0			7092	103.3	80.9	1.3	15.8
-1.8	-0.0			7090	314.9	-65.5	-1.4	209.0
37.4	0.0							
6187	2	8	C1-C2;~1	Max	5788	0.0	0.0	0.0
0.0	0.0			5789	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			7112	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5788	0.0	0.0	0.0	0.0
0.0	0.0			5789	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			7112	0.0	0.0	0.0	0.0
0.0	0.0							
			Max	5788	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1		5789	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			7112	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5788	0.0	0.0	0.0	0.0
0.0	0.0			5789	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7112	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	5788	0.0	0.0	0.0
0.0	0.0		5789	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0		7112	0.0	0.0	0.0	0.0
0.0	0.0		Min	5788	0.0	0.0	0.0
0.0	0.0		5789	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0		7112	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	5788	0.0	0.0	0.0
0.0	0.0		5789	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0		7112	0.0	0.0	0.0	0.0
0.0	0.0		Min	5788	0.0	0.0	0.0
0.0	0.0		5789	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0		7112	0.0	0.0	0.0	0.0
8.8	-0.0	G1	5788	203.7	43.4	-0.6	-190.8
-21.3	-0.0		5789	109.5	-64.0	-0.9	-240.1
-11.3	-0.0		7114	-205.8	-40.0	0.9	15.8
0.2	-0.0		7112	-107.4	60.9	0.6	8.4
3.7	-0.0	G2	5788	79.2	18.1	-0.2	-77.7
-8.7	-0.0		5789	42.5	-24.1	-0.4	-97.9
-4.7	-0.0		7114	-80.0	-16.4	0.4	8.7
0.2	-0.0		7112	-41.8	22.4	0.3	5.2
0.0	0.0	Q3	5788	0.0	0.0	0.0	0.0
0.0	0.0		5789	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0		7112	0.0	0.0	0.0	0.0
-0.1	0.0	Q5_pc X	5788	-1.6	-1.4	0.0	4.4
0.7	0.0		5789	-0.6	0.1	0.0	6.9
0.4	0.0		7114	1.7	0.6	-0.0	-2.3
0.0	0.0		7112	0.5	0.7	-0.0	-1.7
-0.6	-0.0	Q5_pc Y	5788	-4.1	-3.7	0.0	15.5
2.5	-0.0		5789	-0.8	0.3	0.1	23.9
1.5	0.0		7114	4.4	1.3	-0.1	-7.7
-0.1	0.0		7112	0.5	2.1	-0.0	-5.6
-0.1	0.0	Q5_ps X	5788	-1.5	-1.2	0.0	4.3
0.7	0.0		5789	-0.6	0.2	0.0	6.6
0.4	0.0		7114	1.6	0.5	-0.0	-2.2
0.0	0.0		7112	0.5	0.5	-0.0	-1.6
-0.6	-0.0	Q5_ps Y	5788	-3.0	-3.6	0.0	15.2
2.5	-0.0		5789	0.1	-0.1	0.1	23.5
1.5	0.0		7114	3.3	1.1	-0.1	-7.9
-0.1	0.0		7112	-0.3	2.6	-0.0	-5.8
21.7	-0.0	INVSLE Max	5788	495.7	101.7	-1.6	-442.8
-45.6	-0.0		5789	226.4	-153.1	-2.3	-546.4
-22.7	-0.0		7114	-492.0	-83.2	2.5	7.2
0.2	-0.0		7112	-218.8	146.3	1.7	-2.9
20.0	-0.0	Min	5788	486.6	90.8	-1.7	-488.5
-53.2	-0.0		5789	224.5	-153.7	-2.6	-616.8
-27.3	-0.0		7114	-501.9	-86.4	2.3	-16.5
0.0	-0.0		7112	-220.5	138.4	1.7	-20.2
		INVSLE Max	5788	373.1	75.7	-1.2	-341.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

16.6	-0.0				5789	169.0	-115.4	-1.8	-422.6
-35.4	-0.0				7114	-371.2	-62.3	1.9	6.4
-17.8	-0.0				7112	-163.4	109.8	1.3	-1.3
0.4	-0.0								
			Min		5788	367.0	68.5	-1.3	-371.8
15.4	-0.0				5789	167.8	-115.8	-1.9	-469.5
-40.5	-0.0				7114	-377.8	-64.5	1.8	-9.5
-20.9	-0.0				7112	-164.5	104.5	1.3	-12.8
0.3	-0.0								
6188	2	4	C1-C2;~1	Max	5789	0.0	0.0	0.0	0.0
0.0		0.0			5790	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			7114	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5789	0.0	0.0	0.0	0.0
0.0		0.0			5790	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			7114	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5789	0.0	0.0	0.0	0.0
0.0		0.0			5790	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			7114	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5789	0.0	0.0	0.0	0.0
0.0		0.0			5790	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			7114	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5789	0.0	0.0	0.0	0.0
0.0		0.0			5790	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			7114	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		5789	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5790	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	5789	0.0	0.0	0.0	0.0
0.0	0.0		5790	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5789	0.0	0.0	0.0	0.0
0.0	0.0		5790	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0						
14.8	-0.0	G1	5789	226.4	62.0	-0.7	-201.3
			5790	60.2	-36.6	-0.9	-201.2
-11.3	-0.0		7116	-214.6	-58.6	0.9	-4.9
-2.5	-0.0		7114	-72.0	33.5	0.7	6.7
9.6	-0.0						
6.1	-0.0	G2	5789	87.6	24.3	-0.3	-81.8
			5790	23.0	-13.8	-0.3	-81.5
-4.7	-0.0		7116	-83.1	-23.0	0.3	0.1
-1.1	-0.0		7114	-27.6	12.5	0.3	4.7
4.0	-0.0						
0.0	0.0	Q3	5789	0.0	0.0	0.0	0.0
0.0	0.0		5790	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		7114	0.0	0.0	0.0	0.0
0.0	0.0						
-0.4	0.0	Q5_pc X	5789	-1.4	-0.2	0.0	6.5
			5790	0.0	0.0	0.0	6.7
0.4	0.0		7116	1.4	0.4	-0.0	-2.1
0.2	0.0		7114	0.0	-0.3	-0.0	-2.1
-0.3	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-1.8	-0.0	Q5_pc Y	5789	-4.4	-0.4	0.1	22.3
1.6	-0.0		5790	0.9	0.1	0.1	22.3
0.8	0.0		7116	4.2	1.1	-0.1	-6.7
-1.2	0.0		7114	-0.8	-0.7	-0.1	-6.9
-0.4	0.0	Q5_ps X	5789	-1.4	-0.2	0.0	6.2
0.4	0.0		5790	-0.0	0.1	0.0	6.3
0.2	0.0		7116	1.4	0.4	-0.0	-2.0
-0.3	0.0		7114	0.1	-0.3	-0.0	-2.0
-1.8	-0.0	Q5_ps Y	5789	-3.3	-0.0	0.1	22.0
1.6	-0.0		5790	1.8	-0.2	0.1	22.0
0.8	0.0		7116	3.1	0.7	-0.1	-6.9
-1.3	0.0		7114	-1.7	-0.4	-0.0	-7.1
37.0	-0.0	INVS LU Max	5789	577.2	151.9	-1.8	-463.1
-25.1	-0.0		5790	83.0	-79.1	-2.3	-474.1
-2.5	-0.0		7116	-532.7	-136.3	2.5	-53.0
22.7	-0.0		7114	-112.5	66.4	1.9	-17.6
31.7	-0.0	Min	5789	567.4	151.2	-1.9	-528.9
-29.8	-0.0		5790	77.4	-79.9	-2.4	-540.2
-4.9	-0.0		7116	-542.1	-138.5	2.3	-73.8
18.9	-0.0		7114	-117.6	65.0	1.8	-38.9
28.2	-0.0	INVS LE Max	5789	435.4	114.5	-1.4	-359.0
-19.6	-0.0		5790	60.0	-59.4	-1.7	-367.8
-2.2	-0.0		7116	-402.6	-102.6	1.9	-39.6
17.3	-0.0		7114	-82.9	49.5	1.4	-12.7
24.7	-0.0	Min	5789	428.9	114.0	-1.5	-402.9
-22.8	-0.0		5790	56.3	-59.9	-1.9	-411.8
-3.8	-0.0		7116	-408.8	-104.1	1.8	-53.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

					7114	-86.2	48.6	1.4	-26.9
14.8									
6202	2	4	C1-C2;~1	Max	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0
0.0				Min	5803	0.0	0.0	0.0	0.0
0.0		0.0			5804	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			7142	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7142	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5803	0.0	0.0	0.0	0.0
0.0	0.0		5804	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0		7142	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5803	-24.5	16.6	0.7	257.3
-12.8	-0.0		5804	114.4	-12.2	1.4	329.7
28.7	-0.0		7144	19.8	-17.4	-1.4	-15.9
9.4	0.0		7142	-109.7	13.2	-0.8	-1.1
2.8	0.0						
		G2	5803	-9.0	7.1	0.3	97.9
-4.9	-0.0		5804	44.6	-4.4	0.6	125.3
10.9	-0.0		7144	7.2	-7.3	-0.5	-5.1
3.5	0.0		7142	-42.8	4.7	-0.3	0.3
1.1	0.0						
		Q3	5803	0.0	0.0	0.0	0.0
0.0	0.0		5804	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0		7142	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5803	1.0	-0.4	-0.0	-3.7
0.2	0.0		5804	-1.3	-0.1	-0.0	-4.3
-0.4	0.0		7144	-0.9	0.2	0.0	-0.2
-0.1	-0.0		7142	1.2	0.3	0.0	-0.3
-0.0	-0.0						
		Q5_pc Y	5803	0.7	-0.3	-0.0	-4.8
0.3	-0.0		5804	0.2	-0.3	-0.0	-6.3
-0.6	-0.0		7144	-0.7	-0.0	0.0	2.1
-0.2	-0.0		7142	-0.2	0.6	0.0	1.6
0.0	-0.0						
		Q5_ps X	5803	0.9	-0.3	-0.0	-3.2
0.2	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.3	0.0			5804	-1.2	-0.0	-0.0	-3.8
				7144	-0.8	0.2	0.0	-0.2
-0.1	-0.0			7142	1.2	0.2	0.0	-0.3
-0.0	-0.0							
		Q5_ps Y		5803	0.5	-0.4	-0.0	-3.8
0.2	-0.0			5804	0.5	-0.3	-0.0	-4.9
-0.4	-0.0			7144	-0.6	-0.0	0.0	1.8
-0.2	-0.0			7142	-0.5	0.8	0.0	1.4
0.0	-0.0							
		INVS LU	Max	5803	-9.5	34.3	0.9	47.2
1.5	-0.0			5804	211.4	-29.0	0.7	5.7
-8.8	-0.0			7144	-0.6	-35.7	-0.7	203.5
-12.2	0.0			7142	-195.3	33.3	-0.9	170.6
10.1	0.0							
			Min	5803	-12.0	33.0	0.9	35.9
0.9	-0.0			5804	207.7	-30.0	0.7	-8.9
-10.1	-0.0			7144	-2.9	-36.2	-0.7	198.2
-12.8	-0.0			7142	-198.8	31.0	-0.9	166.4
10.0	0.0							
		INVS LE	Max	5803	-5.9	25.1	0.6	13.8
2.3	-0.0			5804	155.1	-21.6	0.4	-25.2
-9.5	-0.0			7144	-1.9	-26.3	-0.4	160.5
-10.4	-0.0			7142	-143.2	24.8	-0.6	133.6
7.7	0.0							
			Min	5803	-7.6	24.3	0.6	6.3
1.9	-0.0			5804	152.6	-22.3	0.4	-35.0
-10.3	-0.0			7144	-3.4	-26.6	-0.4	156.9
-10.7	-0.0			7142	-145.5	23.2	-0.6	130.8
7.6	0.0							
6203	2	10 C1-C2;~1	Max	5804	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5805	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7146	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5804	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		5805	0.0	0.0	0.0	0.0
0.0	0.0		7146	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						
			Min	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						
			Min	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						
			Min	5804	0.0	0.0	0.0
0.0	0.0			5805	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G1	5804	-30.2	10.7	1.0	300.6
-19.2	-0.0		5805	107.3	-12.1	1.2	335.4
25.5	-0.0		7146	27.4	-13.3	-1.2	-27.9
9.4	-0.0		7144	-104.5	14.9	-1.0	-24.8
-6.9	0.0						
		G2	5804	-11.6	4.4	0.4	114.4
-7.3	-0.0		5805	41.5	-4.4	0.5	127.8
9.7	-0.0		7146	10.5	-5.5	-0.5	-9.9
3.6	-0.0		7144	-40.5	5.5	-0.4	-8.7
-2.6	0.0						
		Q3	5804	0.0	0.0	0.0	0.0
0.0	0.0		5805	0.0	0.0	0.0	0.0
0.0	0.0		7146	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5804	1.1	0.1	-0.0	-3.6
0.2	0.0		5805	-1.1	0.0	-0.0	-3.9
-0.3	0.0		7146	-1.0	0.0	0.0	-0.1
-0.1	0.0		7144	1.1	-0.1	0.0	-0.1
0.1	-0.0						
		Q5_pc Y	5804	0.8	0.3	-0.0	-5.6
0.4	-0.0		5805	0.3	-0.2	-0.0	-6.1
-0.5	-0.0		7146	-0.8	-0.2	0.0	2.0
-0.2	0.0		7144	-0.3	0.1	0.0	1.9
0.2	-0.0						
		Q5_ps X	5804	0.9	0.0	-0.0	-3.2
0.2	0.0		5805	-1.1	0.0	-0.0	-3.5
-0.3	0.0		7146	-0.8	0.0	0.0	-0.1
-0.1	0.0		7144	1.0	-0.1	0.0	-0.1
0.1	-0.0						
		Q5_ps Y	5804	0.6	0.3	-0.0	-4.3
0.3	-0.0		5805	0.6	-0.2	-0.0	-4.6
-0.4	-0.0		7146	-0.7	-0.2	0.0	1.7
-0.2	0.0						


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.2	-0.0			7144	-0.6	0.1	0.0	1.6	
			INVS LU	Max	5804	-14.6	27.9	0.6	-8.2
9.1	-0.0				5805	210.8	-30.5	0.7	7.8
-5.1	-0.0				7146	7.3	-32.5	-0.7	183.2
-8.6	0.0				7144	-197.8	36.7	-0.6	169.9
10.7	0.0								
				Min	5804	-17.3	26.9	0.6	-21.0
8.2	-0.0				5805	207.5	-31.0	0.7	-6.0
-6.2	-0.0				7146	4.8	-33.2	-0.7	178.0
-9.1	-0.0				7144	-200.9	36.4	-0.6	165.1
10.2	-0.0								
			INVS LE	Max	5804	-9.2	20.8	0.4	-33.2
8.8	-0.0				5805	155.4	-22.8	0.5	-23.5
-6.2	-0.0				7146	3.5	-24.2	-0.4	145.4
-7.6	0.0				7144	-145.8	27.4	-0.4	134.9
8.9	-0.0								
				Min	5804	-11.0	20.1	0.3	-41.8
8.1	-0.0				5805	153.2	-23.2	0.4	-32.7
-6.9	-0.0				7146	1.8	-24.7	-0.5	142.0
-7.9	0.0				7144	-147.9	27.2	-0.4	131.7
8.6	-0.0								
6217	2	10	C1-C2;~1	Max	5818	0.0	0.0	0.0	0.0
0.0		0.0			5819	0.0	0.0	0.0	0.0
0.0		0.0			7174	0.0	0.0	0.0	0.0
0.0		0.0			7172	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5818	0.0	0.0	0.0	0.0
0.0		0.0			5819	0.0	0.0	0.0	0.0
0.0		0.0			7174	0.0	0.0	0.0	0.0
0.0		0.0			7172	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5818	0.0	0.0	0.0	0.0
0.0		0.0			5819	0.0	0.0	0.0	0.0
0.0		0.0			7174	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			Min	5818	0.0	0.0	0.0
0.0	0.0			5819	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			C1-C2;~2	Max	5818	0.0	0.0
0.0	0.0			5819	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			Min	5818	0.0	0.0	0.0
0.0	0.0			5819	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			C3-C4;~2	Max	5818	0.0	0.0
0.0	0.0			5819	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			Min	5818	0.0	0.0	0.0
0.0	0.0			5819	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0
0.0	0.0			7172	0.0	0.0	0.0
0.0	0.0						
			G1	5818	-109.5	-8.5	0.7
-13.4	0.0			5819	54.1	9.9	0.9
19.2	0.0			7174	108.0	8.5	-0.9
4.7	0.0			7172	-52.5	-9.7	-0.7
4.0	0.0						
			G2	5818	-41.9	-2.7	0.3
-5.1	0.0			5819	21.3	4.1	0.4
7.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.7	0.0		7174	41.3	2.7	-0.4	-3.7
1.6	0.0		7172	-20.7	-4.1	-0.3	0.2
0.0	0.0	Q3	5818	0.0	0.0	0.0	0.0
0.0	0.0		5819	0.0	0.0	0.0	0.0
0.0	0.0		7174	0.0	0.0	0.0	0.0
0.0	0.0		7172	0.0	0.0	0.0	0.0
0.1	-0.0	Q5_pc X	5818	1.4	0.1	-0.0	-1.8
-0.2	-0.0		5819	-0.4	-0.2	-0.0	-1.9
-0.0	-0.0		7174	-1.3	-0.1	0.0	-0.1
-0.0	-0.0		7172	0.4	0.2	0.0	-0.2
0.0	0.0	Q5_pc Y	5818	-0.9	0.3	0.0	-0.9
-0.1	0.0		5819	0.3	0.2	-0.0	-1.4
-0.1	-0.0		7174	0.8	-0.0	0.0	1.0
-0.0	-0.0		7172	-0.2	-0.5	-0.0	0.9
0.1	-0.0	Q5_ps X	5818	1.3	0.1	-0.0	-1.8
-0.1	-0.0		5819	-0.4	-0.2	-0.0	-1.8
-0.0	0.0		7174	-1.3	-0.1	0.0	-0.1
-0.0	-0.0		7172	0.3	0.3	0.0	-0.2
-0.0	0.0	Q5_ps Y	5818	-1.5	0.4	0.0	-0.1
-0.1	0.0		5819	0.0	0.4	-0.0	-0.5
-0.0	-0.0		7174	1.4	0.1	-0.0	0.7
-0.0	-0.0		7172	0.1	-0.9	-0.0	0.7
-6.9	0.0	INVSLU Max	5818	-221.5	-14.4	1.1	145.9
2.3	0.0		5819	118.4	20.5	0.9	106.4
-8.2	-0.0		7174	214.9	15.4	-0.9	131.6
10.8	0.0		7172	-106.5	-18.4	-1.1	130.8
		Min	5818	-226.0	-15.6	1.1	140.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-7.2	0.0			5819	117.3	19.2	0.9	101.0
1.9	0.0			7174	210.7	15.0	-0.9	129.5
-8.3	-0.0			7172	-107.4	-21.0	-1.1	128.6
10.7	0.0							
		INVSLE	Max	5818	-164.3	-10.7	0.8	97.8
-4.4	0.0			5819	88.1	15.0	0.6	66.3
0.4	0.0			7174	158.9	11.4	-0.6	102.8
-6.7	-0.0			7172	-79.0	-13.6	-0.8	101.4
8.0	0.0							
			Min	5818	-167.4	-11.5	0.8	94.2
-4.7	0.0			5819	87.3	14.2	0.6	62.7
0.1	0.0			7174	156.1	11.1	-0.6	101.3
-6.7	-0.0			7172	-79.7	-15.4	-0.8	100.0
8.0	0.0							
6218	2	4	C1-C2;~1	Max	5819	0.0	0.0	0.0
0.0	0.0			5820	0.0	0.0	0.0	0.0
0.0	0.0			7176	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5819	0.0	0.0	0.0	0.0
0.0	0.0			5820	0.0	0.0	0.0	0.0
0.0	0.0			7176	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5819	0.0	0.0	0.0
0.0	0.0			5820	0.0	0.0	0.0	0.0
0.0	0.0			7176	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5819	0.0	0.0	0.0	0.0
0.0	0.0			5820	0.0	0.0	0.0	0.0
0.0	0.0			7176	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C1-C2; ~2	Max	5819	0.0	0.0	0.0	0.0
0.0	0.0				5820	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0	0.0
0.0	0.0				7174	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	5819	0.0	0.0	0.0	0.0
0.0	0.0				5820	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0	0.0
0.0	0.0				7174	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4; ~2	Max	5819	0.0	0.0	0.0	0.0
0.0	0.0				5820	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0	0.0
0.0	0.0				7174	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	5819	0.0	0.0	0.0	0.0
0.0	0.0				5820	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0	0.0
0.0	0.0				7174	0.0	0.0	0.0	0.0
0.0	0.0								
				G1	5819	-127.8	-11.3	1.2	330.5
-24.9	0.0				5820	62.4	8.0	1.0	298.4
18.8	0.0				7176	121.0	13.7	-1.0	-21.0
6.1	-0.0				7174	-55.6	-10.1	-1.2	-25.9
-9.1	0.0								
				G2	5819	-49.4	-4.1	0.5	125.2
-9.4	0.0				5820	24.2	3.3	0.4	112.9
7.1	0.0				7176	46.7	5.0	-0.4	-6.9
2.2	-0.0				7174	-21.6	-4.2	-0.5	-8.7
-3.4	0.0								
				Q3	5819	0.0	0.0	0.0	0.0
0.0	0.0				5820	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0	0.0
0.0	0.0				7174	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Q5_pc X	5819	1.5	0.2	-0.0	-2.6
0.2	-0.0		5820	-0.5	-0.1	-0.0	-2.3
-0.1	-0.0		7176	-1.5	-0.2	0.0	-0.1
-0.0	-0.0		7174	0.4	0.2	0.0	-0.1
0.1	-0.0						
		Q5_pc Y	5819	-1.2	-0.2	-0.0	-2.4
0.2	0.0		5820	0.3	0.2	-0.0	-2.2
-0.1	0.0		7176	1.1	0.1	0.0	1.4
-0.1	0.0		7174	-0.2	-0.1	0.0	1.5
0.1	-0.0						
		Q5_ps X	5819	1.5	0.2	-0.0	-2.5
0.2	-0.0		5820	-0.4	-0.2	-0.0	-2.2
-0.1	-0.0		7176	-1.4	-0.2	0.0	-0.0
-0.0	-0.0		7174	0.3	0.2	0.0	-0.0
0.1	0.0						
		Q5_ps Y	5819	-1.8	-0.4	-0.0	-1.2
0.1	0.0		5820	-0.1	0.4	-0.0	-1.2
-0.1	0.0		7176	1.7	0.2	0.0	1.0
-0.0	0.0		7174	0.2	-0.2	0.0	1.1
0.0	-0.0						
		INVSLE Max	5819	-258.2	-21.1	1.1	92.4
1.0	0.0		5820	143.3	14.6	1.0	80.3
-3.5	0.0		7176	241.4	25.5	-1.0	180.6
-7.1	0.0		7174	-120.1	-16.7	-1.0	189.5
4.6	-0.0						
		Min	5819	-263.7	-22.3	1.1	85.0
0.5	0.0		5820	142.0	13.3	1.0	73.6
-3.9	0.0		7176	236.3	24.9	-1.0	177.5
-7.2	0.0		7174	-121.1	-17.4	-1.1	186.2
4.4	-0.0						
		INVSLE Max	5819	-191.4	-15.6	0.8	48.3
2.5	0.0		5820	107.1	10.6	0.7	41.1
-4.1	0.0		7176	178.3	18.7	-0.7	141.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.9	0.0			7174	-89.7	-12.2	-0.7	148.6
4.2	-0.0							
			Min	5819	-195.1	-16.4	0.7	43.4
2.1	0.0			5820	106.2	9.7	0.7	36.7
-4.3	0.0			7176	174.9	18.3	-0.7	139.4
-6.0	0.0			7174	-90.4	-12.6	-0.8	146.5
4.0	-0.0							
6230	2	4	C1-C2;~1	Max	5831	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0
0.0	0.0				7198	0.0	0.0	0.0
0.0	0.0							
			Min	5831	0.0	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0
0.0	0.0				7198	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5831	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0
0.0	0.0				7198	0.0	0.0	0.0
0.0	0.0							
			Min	5831	0.0	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0
0.0	0.0				7198	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5831	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0
0.0	0.0				7198	0.0	0.0	0.0
0.0	0.0							
			Min	5831	0.0	0.0	0.0	0.0
0.0	0.0				5832	0.0	0.0	0.0
0.0	0.0				7200	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7198	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	5831	0.0	0.0	0.0
0.0	0.0			5832	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			7198	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5831	0.0	0.0	0.0
0.0	0.0			5832	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			7198	0.0	0.0	0.0
0.0	0.0						
0.2	0.0		G1	5831	-118.9	18.1	0.0
-0.3	0.0			5832	-119.7	205.2	-0.1
2.0	0.0			7200	124.8	-122.2	0.1
-1.0	0.0			7198	113.9	-100.8	-0.0
0.1	0.0		G2	5831	-46.0	6.6	0.0
-0.2	0.0			5832	-46.0	77.4	-0.0
0.7	0.0			7200	48.2	-45.5	0.0
-0.2	-0.0			7198	43.7	-38.5	-0.0
0.0	0.0		Q3	5831	0.0	0.0	0.0
0.0	0.0			5832	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			7198	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0		Q5_pc X	5831	-1.5	2.0	-0.0
0.1	-0.0			5832	-2.5	8.5	0.0
-0.0	-0.0			7200	1.7	-7.1	-0.0
-0.0	-0.0			7198	2.3	-3.4	0.0
0.0	0.0		Q5_pc Y	5831	8.5	-7.6	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.2	0.0			5832	11.4	-35.0	-0.0	-2.5
				7200	-9.4	28.1	0.0	0.8
0.2	0.0			7198	-10.5	14.5	-0.0	1.6
0.2	-0.0							
		Q5_ps X		5831	-1.2	1.6	-0.0	0.1
-0.0	-0.0			5832	-1.8	6.6	0.0	0.8
0.1	-0.0			7200	1.4	-5.6	-0.0	-0.1
-0.1	-0.0			7198	1.6	-2.7	0.0	-0.3
-0.0	-0.0							
		Q5_ps Y		5831	6.9	-6.0	0.0	-0.9
0.1	0.0			5832	8.4	-27.0	-0.0	-3.6
-0.3	0.0			7200	-7.8	21.7	0.0	-0.5
0.3	0.0			7198	-7.5	11.3	-0.0	0.7
0.2	-0.0							
		INVS LU Max		5831	-249.7	26.4	0.0	11.6
0.8	0.0			5832	-237.5	419.3	0.3	45.1
4.5	0.0			7200	280.2	-168.9	-0.2	13.0
-0.3	0.0			7198	253.0	-177.6	-0.0	13.9
1.0	0.0							
		Min		5831	-270.4	8.5	0.0	8.8
0.5	0.0			5832	-262.8	338.2	0.2	34.1
3.7	0.0			7200	256.7	-234.0	-0.3	11.5
-1.2	0.0			7198	230.5	-211.4	-0.1	11.0
0.3	0.0							
		INVS LE Max		5831	-187.9	18.0	0.0	9.0
0.7	0.0			5832	-178.4	307.6	0.2	35.2
3.5	0.0			7200	208.6	-126.3	-0.2	10.1
-0.4	0.0			7198	188.2	-133.2	-0.0	10.9
0.9	0.0							
		Min		5831	-201.6	6.1	0.0	7.1
0.4	0.0			5832	-195.2	253.6	0.2	27.9
3.0	0.0			7200	193.0	-169.7	-0.2	9.0
-1.0	0.0			7198	173.2	-155.7	-0.0	9.0
0.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

6231	2	4	C1-C2;~1	Max	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0		Min	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0		Min	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0		Min	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5832	0.0	0.0	0.0	0.0
0.0		0.0			5833	0.0	0.0	0.0	0.0
0.0		0.0			7202	0.0	0.0	0.0	0.0
0.0		0.0			7200	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	5832	0.0	0.0	0.0	0.0
0.0	0.0			5833	0.0	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0	0.0
			G1	5832	39.6	138.3	-0.0	-8.0
0.7	0.0			5833	28.0	0.3	-0.0	-6.2
-0.6	0.0			7202	-34.3	-27.4	0.0	1.5
0.0	0.0			7200	-33.4	-110.9	0.0	0.5
-0.5	0.0							
			G2	5832	14.9	51.9	-0.0	-4.4
0.4	0.0			5833	10.4	0.2	-0.0	-2.9
-0.2	0.0			7202	-12.9	-10.4	0.0	0.9
0.0	0.0			7200	-12.4	-41.7	0.0	0.1
-0.2	0.0							
			Q3	5832	0.0	0.0	0.0	0.0
0.0	0.0			5833	0.0	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	5832	2.0	6.5	0.0	0.8
-0.1	-0.0			5833	1.5	0.0	0.0	0.5
0.0	-0.0			7202	-1.7	-1.4	-0.0	-0.4
0.0	0.0			7200	-1.9	-5.1	-0.0	-0.4
-0.1	-0.0							
			Q5_pc Y	5832	-7.6	-26.3	-0.0	-3.0
0.4	0.0			5833	-5.6	-0.1	-0.0	-1.7
-0.1	0.0			7202	6.5	5.4	0.0	1.2
0.0	0.0			7200	6.7	20.9	0.0	0.8
0.2	0.0							
			Q5_ps X	5832	1.4	5.1	0.0	0.9
-0.1	-0.0			5833	1.0	0.0	0.0	0.5
0.0	-0.0			7202	-1.2	-1.0	-0.0	-0.3
-0.0	0.0							

PROJECT TITLE :

MIDAS		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.0	-0.0			7200	-1.2	-4.1	-0.0 -0.1
0.4	0.0	Q5_ps Y		5832	-5.2	-20.0	-0.0 -3.5
-0.0	0.0			5833	-3.4	-0.1	-0.0 -1.5
0.0	0.0			7202	4.6	3.5	0.0 0.6
0.0	0.0			7200	4.0	16.6	0.0 -0.3
-3.9	0.0	INVS LU Max		5832	55.8	263.7	0.2 48.2
2.0	0.0			5833	37.9	0.7	0.1 30.2
0.2	0.0			7202	-31.3	-27.8	-0.1 -10.2
0.2	0.0			7200	-36.6	-176.1	-0.1 -0.1
-5.1	0.0	Min		5832	40.2	203.7	0.2 37.7
1.9	0.0			5833	27.8	0.5	0.0 25.8
0.1	0.0			7202	-45.0	-38.3	-0.1 -12.4
-0.1	0.0			7200	-48.7	-225.9	-0.2 -1.5
-3.2	0.0	INVS LE Max		5832	38.9	191.8	0.2 38.0
1.7	0.0			5833	26.4	0.5	0.0 24.3
0.2	0.0			7202	-21.8	-19.7	-0.0 -8.5
0.2	0.0			7200	-26.3	-132.2	-0.1 -0.5
-4.0	0.0	Min		5832	28.5	151.7	0.1 31.1
1.6	0.0			5833	19.7	0.4	0.0 21.4
0.1	0.0			7202	-31.0	-26.7	-0.0 -10.0
-0.0	0.0			7200	-34.4	-165.4	-0.2 -1.5
6236	2	4 C1-C2;~1 Max		5834	0.0	0.0	0.0 0.0
0.0	0.0			5835	0.0	0.0	0.0 0.0
0.0	0.0			8327	0.0	0.0	0.0 0.0
0.0	0.0			8326	0.0	0.0	0.0 0.0
0.0	0.0	Min		5834	0.0	0.0	0.0 0.0
0.0	0.0			5835	0.0	0.0	0.0 0.0
0.0	0.0			8327	0.0	0.0	0.0 0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5834	0.0	0.0	0.0	0.0
0.0	0.0			5835	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8326	0.0	0.0	0.0	0.0
0.0	0.0							
-0.2	0.0		G1	5834	-49.1	47.2	-0.0	-8.9
-3.7	-0.0			5835	12.2	133.4	-0.0	-11.4

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.1	-0.0		8327	39.4	-90.9	0.0	-1.2
			8326	-2.4	-89.2	0.0	0.2
-0.1	0.0						
		G2	5834	-18.6	18.0	-0.0	-3.3
-0.1	0.0		5835	4.5	50.8	-0.0	-4.5
-1.4	-0.0		8327	14.9	-34.6	0.0	-0.8
0.2	-0.0		8326	-0.8	-34.2	0.0	-0.4
-0.1	0.0						
		Q3	5834	0.0	0.0	0.0	0.0
0.0	0.0		5835	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0		8326	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5834	-2.7	2.7	-0.0	1.8
0.1	0.0		5835	0.6	4.8	0.0	4.8
3.3	-0.0		8327	2.3	-2.4	-0.0	0.3
1.4	-0.0		8326	-0.2	-5.1	-0.0	-0.5
0.0	0.0						
		Q5_pc Y	5834	7.8	-7.7	0.0	-4.9
-0.3	0.0		5835	-2.3	-13.4	-0.0	-12.8
-9.0	0.0		8327	-6.4	7.0	0.0	-0.9
-3.8	0.0		8326	0.9	14.0	0.0	1.2
-0.1	0.0						
		Q5_ps X	5834	-2.2	2.0	-0.0	1.9
0.1	0.0		5835	0.1	3.9	0.0	4.9
3.3	-0.0		8327	2.1	-1.5	-0.0	0.5
1.3	-0.0		8326	-0.0	-4.4	-0.0	-0.3
0.0	0.0						
		Q5_ps Y	5834	5.8	-5.6	0.0	-5.3
-0.3	0.0		5835	-1.1	-9.6	-0.0	-13.2
-8.8	0.0		8327	-5.4	4.2	0.0	-1.3
-3.5	0.0		8326	0.6	11.0	0.0	0.9
-0.1	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLU	Max	5834	-50.3	68.9	0.1	-6.1
-0.1	0.0				5835	56.6	165.5	-0.0	-3.7
2.2	-0.0				8327	41.7	-139.2	0.1	-2.8
2.0	-0.0				8326	-28.2	-48.8	0.0	1.7
-0.1	0.0								
				Min	5834	-67.8	52.2	-0.0	-21.9
-1.0	0.0				5835	52.5	136.6	-0.2	-43.3
-24.3	-0.0				8327	25.5	-151.9	0.0	-6.7
-8.5	-0.0				8326	-30.0	-82.0	0.0	-1.0
-0.5	0.0								
			INVSLE	Max	5834	-35.7	48.6	0.0	-5.0
-0.2	0.0				5835	44.4	114.6	-0.0	-4.5
0.3	-0.0				8327	27.5	-102.2	0.1	-2.5
0.9	-0.0				8326	-23.0	-30.0	0.0	1.1
-0.1	0.0								
				Min	5834	-47.4	37.5	-0.0	-15.6
-0.8	0.0				5835	41.7	95.3	-0.1	-30.9
-17.4	-0.0				8327	16.7	-110.7	0.0	-5.1
-6.1	-0.0				8326	-24.2	-52.1	0.0	-0.6
-0.3	0.0								
6237	2	4	C1-C2;~1	Max	5836	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5836	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5836	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			Min	5836	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5836	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5836	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5836	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5836	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0	0.0
0.0	0.0			4641	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5836	18.2	15.9	0.0	-2.2
-0.3	0.0			5837	18.6	10.8	0.1	1.6
1.5	-0.0			4632	-18.8	-21.7	-0.1	13.3
-0.7	-0.0			4641	-18.0	-4.8	-0.0	8.2
1.1	-0.0							
		G2		5836	6.5	6.7	0.0	-4.4
-0.4	0.0			5837	6.3	6.8	0.2	3.0
1.1	-0.0			4632	-6.6	-10.6	-0.2	29.8
-2.3	-0.0			4641	-6.2	-2.9	-0.0	13.4
0.9	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	5836	0.0	0.0	0.0	0.0
0.0	0.0		5837	0.0	0.0	0.0	0.0
0.0	0.0		4632	0.0	0.0	0.0	0.0
0.0	0.0		4641	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	5836	0.0	2.3	-0.0	1.1
-0.2	-0.0		5837	-0.3	0.7	-0.0	-0.5
0.5	-0.0		4632	-0.0	-0.6	0.0	-6.7
-0.2	-0.0		4641	0.3	-2.3	0.0	-2.9
-0.2	0.0	Q5_pc Y	5836	-2.1	-1.5	0.0	-3.3
0.5	0.0		5837	-1.9	1.7	0.1	1.7
-1.5	0.0		4632	2.1	-0.5	-0.1	20.5
0.6	0.0		4641	1.8	0.4	-0.0	8.9
0.1	0.0	Q5_ps X	5836	-0.3	2.6	-0.0	1.6
-0.2	-0.0		5837	-0.7	0.7	-0.1	-0.8
0.7	-0.0		4632	0.3	-0.4	0.1	-9.7
-0.3	-0.0		4641	0.7	-2.9	0.0	-4.2
-0.3	0.0	Q5_ps Y	5836	-1.8	-0.1	0.0	-4.7
0.7	0.0		5837	-1.7	3.5	0.2	2.5
-2.3	0.0		4632	1.8	-2.4	-0.2	29.9
0.7	0.0		4641	1.7	-1.0	-0.0	12.7
0.7	0.0	INVS LU Max	5836	1.8	-154.2	0.1	26.6
8.3	-0.0		5837	-31.9	-57.7	0.7	47.7
6.8	-0.0		4632	5.7	77.3	-0.1	66.5
3.0	-0.0		4641	34.9	151.9	-0.0	22.8
-0.2	0.0	Min	5836	-3.6	-162.0	0.0	12.5
6.3	-0.0		5837	-37.0	-68.2	0.1	40.2
			4632	0.3	70.0	-0.7	-23.4

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.1	-0.0			4641	29.8	143.2	-0.1	-15.4
0.8	-0.0							
		INVSLE	Max	5836	-0.5	-131.4	0.1	21.5
0.6	0.0			5837	-28.1	-51.0	0.5	38.5
6.6	-0.0			4632	5.9	66.7	-0.1	43.6
5.4	-0.0			4641	29.8	127.3	-0.0	14.0
2.2	-0.0							
			Min	5836	-4.1	-136.5	0.0	12.0
-0.0	0.0			5837	-31.5	-58.0	0.1	33.4
5.3	-0.0			4632	2.2	61.8	-0.5	-16.3
0.8	-0.0			4641	26.4	121.5	-0.1	-11.5
0.8	-0.0							
6238	2	4	C1-C2;~1	Max	5835	0.0	0.0	0.0
0.0		0.0			5838	0.0	0.0	0.0
0.0		0.0			8330	0.0	0.0	0.0
0.0		0.0			8327	0.0	0.0	0.0
0.0		0.0						
			Min	5835	0.0	0.0	0.0	0.0
0.0		0.0			5838	0.0	0.0	0.0
0.0		0.0			8330	0.0	0.0	0.0
0.0		0.0			8327	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	5835	0.0	0.0	0.0
0.0		0.0			5838	0.0	0.0	0.0
0.0		0.0			8330	0.0	0.0	0.0
0.0		0.0			8327	0.0	0.0	0.0
0.0		0.0						
			Min	5835	0.0	0.0	0.0	0.0
0.0		0.0			5838	0.0	0.0	0.0
0.0		0.0			8330	0.0	0.0	0.0
0.0		0.0			8327	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	5835	0.0	0.0	0.0
0.0		0.0			5838	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0	Min	5835	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5835	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5835	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0						
4.5	-0.0	G1	5835	89.7	232.4	-0.0	-13.1
-0.7	0.0		5838	121.8	-25.9	-0.0	-8.9
-1.5	0.0		8330	-89.3	-171.5	0.0	1.3
1.5	-0.0		8327	-122.2	-34.4	0.0	-0.5
1.1	-0.0	G2	5835	35.0	89.4	-0.0	-4.9
-0.0	0.0		5838	47.4	-10.5	0.0	-2.9
-0.3	0.0		8330	-34.8	-66.5	-0.0	-0.0
-0.8	-0.0		8327	-47.6	-12.4	0.0	-0.9
0.0	0.0	Q3	5835	0.0	0.0	0.0	0.0
0.0	0.0		5838	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
-2.3	-0.0	Q5_pc X	5835	-10.5	-2.5	0.0	5.6

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.9	0.0		5838	1.9	4.2	-0.0	2.3
			8330	8.3	3.9	-0.0	0.2
-0.4	0.0		8327	0.3	-5.5	-0.0	1.0
-0.4	-0.0						
		Q5_pc Y	5835	27.4	5.0	-0.0	-15.2
6.1	0.0		5838	-6.8	-10.3	0.0	-6.1
2.5	0.0		8330	-21.6	-9.0	0.0	-0.6
1.0	0.0		8327	1.0	14.2	0.0	-2.8
0.8	0.0						
		Q5_ps X	5835	-11.1	-4.0	0.0	5.7
-2.2	-0.0		5838	1.3	4.2	-0.0	2.3
-0.9	0.0		8330	8.8	4.9	-0.0	0.3
-0.4	0.0		8327	1.0	-5.1	-0.0	1.3
-0.0	-0.0						
		Q5_ps Y	5835	29.4	10.4	-0.0	-15.4
5.6	0.0		5838	-5.1	-10.1	0.0	-6.3
2.5	0.0		8330	-23.3	-12.6	0.0	-0.9
1.0	0.0		8327	-1.0	12.3	0.0	-3.5
-0.3	0.0						
		INVSLE Max	5835	242.5	433.6	-0.0	-4.6
17.8	-0.0		5838	274.6	-91.3	0.0	-5.5
5.4	0.0		8330	-169.3	-309.0	0.0	-2.1
1.6	0.0		8327	-259.4	35.7	0.1	-3.2
0.8	-0.0						
		Min	5835	154.2	402.4	-0.1	-50.9
1.0	-0.0		5838	259.1	-121.6	-0.0	-24.4
-2.0	0.0		8330	-239.2	-346.8	0.0	-4.9
-1.5	0.0		8327	-262.4	-1.3	0.0	-13.6
-0.6	-0.0						
		INVSLE Max	5835	178.1	319.0	-0.0	-5.6
12.8	-0.0		5838	205.3	-72.2	-0.0	-4.8
3.9	0.0		8330	-130.0	-230.8	0.0	-2.1
1.2	0.0		8327	-194.5	30.1	0.1	-3.3
0.6	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5835	119.2	298.2	-0.1	-36.4
1.6	-0.0			5838	195.0	-92.4	-0.0	-17.4
-1.0	0.0			8330	-176.6	-256.0	0.0	-4.0
-0.8	0.0			8327	-196.5	5.4	0.0	-10.2
-0.3	-0.0							
6239	2	4	C1-C2;~1	Max	5837	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							
			Min	5837	0.0	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5837	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							
			Min	5837	0.0	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5837	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							
			Min	5837	0.0	0.0	0.0	0.0
0.0	0.0				5839	0.0	0.0	0.0
0.0	0.0				4636	0.0	0.0	0.0
0.0	0.0				4632	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~2	Max	5837	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0
0.0	0.0			4636	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0
0.0	0.0						
			Min	5837	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0
0.0	0.0			4636	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0
0.0	0.0						
		G1		5837	79.1	43.6	0.1
0.8	-0.0			5839	77.7	1.5	0.0
-0.6	0.0			4636	-79.5	-39.8	-0.0
0.1	-0.0			4632	-77.4	-5.1	-0.1
0.8	-0.0						14.7
		G2		5837	30.3	20.7	0.3
-0.6	-0.0			5839	29.8	3.7	0.1
-1.3	0.0			4636	-30.6	-18.4	-0.1
-1.3	-0.0			4632	-29.6	-6.0	-0.3
1.8	-0.0						38.8
		Q3		5837	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0
0.0	0.0			4636	0.0	0.0	0.0
0.0	0.0			4632	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		5837	-0.7	-1.4	-0.1
0.4	-0.0			5839	-0.6	-0.8	-0.0
0.3	0.0			4636	0.7	1.1	0.0
0.5	-0.0			4632	0.6	1.1	0.1
-0.3	-0.0						-9.1
		Q5_pc Y		5837	0.6	3.7	0.2
-1.2	0.0			5839	-0.3	2.8	0.1
-1.1	0.0			4636	-0.6	-2.8	-0.1
-1.5	0.0						17.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.0	0.0		4632	0.2	-3.6	-0.2	28.1
		Q5_ps X	5837	-1.1	-2.2	-0.1	-1.3
0.5	-0.0		5839	-0.9	-1.3	-0.0	1.8
0.5	0.0		4636	1.1	1.8	0.0	-8.0
0.7	-0.0		4632	0.9	1.8	0.1	-13.3
-0.5	-0.0						
		Q5_ps Y	5837	1.7	6.3	0.3	4.2
-1.6	0.0		5839	0.8	4.3	0.1	-5.5
-1.5	0.0		4636	-1.7	-5.0	-0.1	24.7
-2.0	0.0		4632	-0.7	-5.7	-0.3	41.0
1.6	0.0						
		INVS LU Max	5837	50.7	52.7	1.0	68.0
-13.8	-0.0		5839	-17.7	35.0	0.3	35.5
-1.2	0.0		4636	-54.4	-28.1	-0.1	54.4
-4.7	-0.0		4632	29.3	-27.4	-0.1	93.2
-3.3	-0.0						
		Min	5837	45.5	33.8	0.2	55.4
-18.6	-0.0		5839	-20.5	22.0	0.0	19.1
-5.7	0.0		4636	-59.7	-42.9	-0.3	-19.6
-10.8	-0.0		4632	26.6	-44.6	-1.0	-30.0
-8.2	-0.0						
		INVS LE Max	5837	30.7	36.1	0.7	54.6
-11.8	-0.0		5839	-25.0	27.6	0.2	28.5
-1.2	0.0		4636	-34.6	-18.9	-0.1	36.4
-4.3	-0.0		4632	34.1	-23.2	-0.2	61.8
-3.5	-0.0						
		Min	5837	27.3	23.4	0.2	46.2
-15.0	-0.0		5839	-26.8	18.9	0.0	17.6
-4.2	0.0		4636	-38.1	-28.9	-0.2	-13.0
-8.3	-0.0		4632	32.3	-34.6	-0.7	-20.2
-6.7	-0.0						
6262	2	4 C1-C2;~1 Max	5860	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8352	0.0	0.0	0.0	0.0
0.0	0.0	Min	5860	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8352	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5860	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0			8352	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5860	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0			8352	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5860	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0			8352	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5860	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0			8352	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5860	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0			8352	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5860	0.0	0.0	0.0	0.0
0.0	0.0			5862	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8352	0.0	0.0	0.0	0.0
1.0	0.0	G1	5860	-149.9	30.3	-0.0	-5.1
-0.8	0.0		5862	218.6	-26.1	-0.0	-5.3
-0.5	0.0		8354	124.1	-32.6	0.0	2.9
0.7	0.0		8352	-192.8	29.1	0.0	2.8
0.5	0.0	G2	5860	-57.5	12.2	0.0	-0.8
-0.4	0.0		5862	84.1	-9.6	0.0	-0.9
-0.7	0.0		8354	47.5	-13.3	-0.0	2.2
0.8	0.0		8352	-74.1	10.6	-0.0	2.2
0.0	0.0	Q3	5860	0.0	0.0	0.0	0.0
0.0	0.0		5862	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8352	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X	5860	-5.4	-1.4	-0.0	-0.6
0.0	0.0		5862	2.3	1.3	-0.0	-0.6
0.2	0.0		8354	5.2	1.4	0.0	-0.4
-0.2	0.0		8352	-2.1	-1.2	0.0	-0.4
0.1	0.0	Q5_pc Y	5860	17.8	2.6	0.0	1.9
-0.1	0.0		5862	-12.4	-2.2	0.0	1.9
-0.6	0.0		8354	-17.2	-2.5	-0.0	1.2
0.7	0.0		8352	11.8	2.0	-0.0	1.2
-0.1	0.0	Q5_ps X	5860	-5.2	-1.6	-0.0	-0.8
0.1	0.0		5862	1.8	1.4	-0.0	-0.8
0.3	0.0		8354	5.1	1.5	0.0	-0.7
-0.3	0.0		8352	-1.7	-1.3	0.0	-0.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.2	0.0	Q5_ps Y		5860	17.2	3.1	0.0	2.5
-0.2	0.0			5862	-11.2	-2.4	0.0	2.5
-0.9	0.0			8354	-16.8	-2.9	-0.0	1.9
1.0	0.0			8352	10.7	2.2	-0.0	2.0
1.2	0.0	INVS LU	Max	5860	-219.3	51.7	-0.0	2.2
-0.5	0.0			5862	366.8	-35.3	-0.0	2.3
-0.2	0.0			8354	159.2	-46.6	0.0	-7.7
3.0	0.0			8352	-222.9	46.8	0.0	-7.9
0.6	0.0		Min	5860	-271.0	42.5	-0.0	-5.4
-1.0	0.0			5862	333.4	-42.3	-0.0	-5.3
-2.9	0.0			8354	108.8	-55.3	0.0	-13.5
0.1	0.0			8352	-255.0	40.3	0.0	-13.8
0.8	0.0	INVS LE	Max	5860	-162.8	36.9	-0.0	1.8
-0.3	0.0			5862	266.8	-25.6	-0.0	1.9
-0.2	0.0			8354	112.4	-33.8	0.0	-7.4
2.1	0.0			8352	-160.5	33.6	0.0	-7.6
0.4	0.0		Min	5860	-197.3	30.8	-0.0	-3.2
-0.7	0.0			5862	244.5	-30.3	-0.0	-3.2
-2.0	0.0			8354	78.8	-39.5	0.0	-11.3
0.1	0.0			8352	-181.9	29.2	0.0	-11.5
6263	2	4 C1-C2;~1	Max	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0		Min	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5861	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			4628	0.0	0.0	0.0	0.0
0.0	0.0			4629	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5861	45.8	22.5	0.0	3.8
-0.3	0.0			5863	32.8	5.7	0.0	3.8
0.2	0.0			4628	-47.6	-23.3	-0.0	-3.2
0.2	-0.0			4629	-31.0	-4.8	-0.0	-3.1
-0.2	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		G2	5861	17.9	10.2	0.0	-4.3
0.3	0.0		5863	12.7	3.7	0.0	-4.4
-0.2	0.0		4628	-18.6	-10.5	-0.0	8.0
-0.5	-0.0		4629	-12.0	-3.3	-0.0	8.3
0.6	-0.0						
		Q3	5861	0.0	0.0	0.0	0.0
0.0	0.0		5863	0.0	0.0	0.0	0.0
0.0	0.0		4628	0.0	0.0	0.0	0.0
0.0	0.0		4629	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5861	-3.0	-0.9	-0.0	2.6
-0.2	0.0		5863	-1.8	0.2	-0.0	2.6
0.1	0.0		4628	3.0	0.9	0.0	-3.7
0.3	0.0		4629	1.8	-0.2	0.0	-3.8
-0.3	0.0						
		Q5_pc Y	5861	6.9	2.0	0.0	-7.9
0.6	0.0		5863	1.9	0.0	0.0	-8.0
-0.4	0.0		4628	-6.8	-2.0	-0.0	11.6
-0.8	-0.0		4629	-2.0	0.0	-0.0	11.8
0.9	-0.0						
		Q5_ps X	5861	-3.2	-1.0	-0.0	3.7
-0.3	0.0		5863	-2.0	0.1	-0.0	3.8
0.2	0.0		4628	3.2	1.1	0.0	-5.4
0.4	0.0		4629	2.0	-0.1	0.0	-5.5
-0.4	0.0						
		Q5_ps Y	5861	7.3	2.5	0.0	-11.5
0.8	0.0		5863	2.5	0.3	0.0	-11.6
-0.6	0.0		4628	-7.3	-2.5	-0.0	16.7
-1.2	-0.0		4629	-2.5	-0.3	-0.0	17.1
1.3	-0.0						
		INVSLU Max	5861	236.0	49.9	0.3	61.2
-1.4	0.0		5863	-107.5	18.5	0.2	57.5
2.9	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.0	-0.0			4628	-224.3	-39.8	-0.2	23.0
1.6	-0.0			4629	125.1	-19.9	-0.2	26.7
			Min	5861	214.2	42.4	0.2	26.8
-3.8	0.0			5863	-115.0	17.5	0.2	22.7
1.0	0.0			4628	-246.0	-47.4	-0.2	-27.2
-1.5	-0.0			4629	117.5	-20.8	-0.3	-24.5
-2.2	-0.0							
			INVSLE Max	5861	179.2	36.8	0.2	48.1
-1.4	0.0			5863	-86.2	14.0	0.2	45.1
2.3	0.0			4628	-172.3	-29.8	-0.1	14.6
1.4	-0.0			4629	98.8	-15.2	-0.2	17.5
1.0	-0.0							
			Min	5861	164.6	31.8	0.2	25.2
-3.0	0.0			5863	-91.2	13.3	0.1	21.8
1.0	0.0			4628	-186.8	-34.8	-0.2	-18.9
-0.9	-0.0			4629	93.8	-15.8	-0.2	-16.6
-1.5	-0.0							
6264	2	10	C1-C2;~1	Max	5862	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5862	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5862	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5862	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8356	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	5862	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5862	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	5862	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	5862	0.0	0.0	0.0
0.0	0.0			5864	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8354	0.0	0.0	0.0
0.0	0.0						
0.8	0.0		G1	5862	-151.5	27.4	-0.0
-0.8	0.0			5864	212.2	-21.7	-0.0
-0.7	0.0			8356	128.1	-30.2	0.0
0.5	0.0			8354	-188.8	25.0	0.0
0.4	0.0		G2	5862	-58.5	11.0	0.0
-0.3	0.0			5864	81.4	-7.3	-0.0
-0.3	0.0			8356	49.4	-12.3	0.0
0.7	0.0			8354	-72.4	8.7	-0.0
0.0	0.0		Q3	5862	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5864	0.0	0.0	0.0	0.0
0.0	0.0		8356	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X	5862	-4.6	-1.4	-0.0	-0.3
0.0	0.0		5864	1.8	0.7	0.0	-0.2
0.0	0.0		8356	4.4	1.6	-0.0	-0.1
-0.2	0.0		8354	-1.7	-1.0	0.0	-0.2
0.1	0.0	Q5_pc Y	5862	15.8	2.5	0.0	1.0
-0.1	0.0		5864	-11.5	-0.7	-0.0	0.8
-0.1	0.0		8356	-15.2	-3.0	0.0	0.3
0.6	0.0		8354	10.9	1.2	-0.0	0.6
-0.1	0.0	Q5_ps X	5862	-4.3	-1.5	-0.0	-0.4
0.1	0.0		5864	1.4	0.6	0.0	-0.3
0.1	0.0		8356	4.2	1.8	-0.0	-0.2
-0.3	0.0		8354	-1.3	-1.0	0.0	-0.3
0.2	0.0	Q5_ps Y	5862	15.0	2.9	0.0	1.4
-0.1	0.0		5864	-10.4	-0.4	-0.0	0.9
-0.2	0.0		8356	-14.4	-3.6	0.0	0.5
0.9	0.0		8354	9.8	1.1	-0.0	1.0
1.2	0.0	INVSLU Max	5862	-217.8	47.0	0.0	0.4
0.8	0.0		5864	343.5	-29.3	-0.0	-1.2
1.2	0.0		8356	155.2	-39.4	0.0	-4.4
2.6	0.0		8354	-206.7	34.7	0.0	-4.7
0.7	0.0	Min	5862	-262.7	38.5	-0.0	-3.7
0.4	0.0		5864	312.4	-31.2	-0.0	-4.1
0.7	0.0		8356	112.0	-50.2	0.0	-6.0
0.0	0.0		8354	-236.0	31.4	-0.0	-7.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	5862	-160.8	33.6	0.0	0.5
0.8	0.0				5864	249.3	-21.5	-0.0	-0.7
0.7	0.0				8356	109.1	-28.3	0.0	-4.1
1.0	0.0				8354	-148.1	25.0	0.0	-4.5
1.8	0.0								
				Min	5862	-190.8	27.9	-0.0	-2.2
0.5	0.0				5864	228.6	-22.7	-0.0	-2.6
0.5	0.0				8356	80.3	-35.5	0.0	-5.2
0.7	0.0				8354	-167.7	22.7	-0.0	-6.5
0.1	0.0								
6265	2	10	C1-C2;~1	Max	5863	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			4627	0.0	0.0	0.0	0.0
0.0		0.0			4628	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5863	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			4627	0.0	0.0	0.0	0.0
0.0		0.0			4628	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5863	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			4627	0.0	0.0	0.0	0.0
0.0		0.0			4628	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5863	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			4627	0.0	0.0	0.0	0.0
0.0		0.0			4628	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5863	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			4627	0.0	0.0	0.0	0.0
0.0		0.0			4628	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	5863	0.0	0.0	0.0	0.0
0.0	0.0		5865	0.0	0.0	0.0	0.0
0.0	0.0		4627	0.0	0.0	0.0	0.0
0.0	0.0		4628	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5863	0.0	0.0	0.0
0.0	0.0		5865	0.0	0.0	0.0	0.0
0.0	0.0		4627	0.0	0.0	0.0	0.0
0.0	0.0		4628	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	5863	0.0	0.0	0.0
0.0	0.0		5865	0.0	0.0	0.0	0.0
0.0	0.0		4627	0.0	0.0	0.0	0.0
0.0	0.0		4628	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5863	38.1	20.6	-0.0	1.6
-0.2	0.0		5865	26.3	5.7	-0.0	0.5
0.1	0.0		4627	-39.7	-20.1	0.0	-4.9
0.3	-0.0		4628	-24.7	-6.0	0.0	-3.6
-0.2	-0.0						
		G2	5863	14.7	8.4	-0.0	-6.5
0.4	0.0		5865	9.9	2.0	-0.0	-9.9
-1.1	0.0		4627	-15.2	-7.5	0.0	1.6
-0.3	-0.0		4628	-9.3	-2.9	0.0	3.3
0.1	-0.0						
		Q3	5863	0.0	0.0	0.0	0.0
0.0	0.0		5865	0.0	0.0	0.0	0.0
0.0	0.0		4627	0.0	0.0	0.0	0.0
0.0	0.0		4628	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5863	-2.8	-0.6	0.0	2.8
-0.2	0.0		5865	-1.5	0.7	0.0	3.8
0.4	0.0		4627	2.7	0.2	-0.0	-1.7
0.2	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.1	0.0		4628	1.6	-0.4	-0.0	-2.1
		Q5_pc Y	5863	6.2	1.0	-0.0	-8.6
0.6	0.0		5865	1.4	-1.7	-0.0	-11.8
-1.3	0.0		4627	-6.0	0.0	0.0	5.3
-0.5	-0.0		4628	-1.5	0.7	0.0	6.4
0.2	-0.0						
		Q5_ps X	5863	-2.9	-0.6	0.0	4.0
-0.3	0.0		5865	-1.6	0.9	0.0	5.5
0.6	0.0		4627	2.8	0.1	-0.0	-2.5
0.3	0.0		4628	1.7	-0.4	-0.0	-3.0
-0.1	0.0						
		Q5_ps Y	5863	6.4	1.0	-0.0	-12.4
0.9	0.0		5865	1.7	-2.2	-0.1	-16.9
-1.9	0.0		4627	-6.2	0.4	0.0	7.8
-0.8	-0.0		4628	-1.8	0.8	0.0	9.3
0.3	-0.0						
		INVSLE Max	5863	215.0	38.2	-0.2	7.3
0.9	0.0		5865	-109.7	6.6	-0.5	-23.5
-3.2	0.0		4627	-202.0	-23.6	0.7	-47.6
3.1	-0.0		4628	120.9	-14.4	0.3	-17.5
-1.9	-0.0						
		Min	5863	195.7	35.1	-0.3	-30.0
-1.7	0.0		5865	-114.7	0.0	-0.7	-74.2
-8.9	0.0		4627	-220.7	-24.8	0.5	-71.0
0.8	-0.0		4628	115.4	-16.7	0.2	-45.5
-3.0	-0.0						
		INVSLE Max	5863	163.3	28.0	-0.2	3.4
0.5	0.0		5865	-87.1	4.2	-0.4	-23.0
-3.0	0.0		4627	-155.2	-16.9	0.5	-41.4
2.4	-0.0		4628	95.1	-10.7	0.2	-16.9
-1.7	-0.0						
		Min	5863	150.5	25.9	-0.2	-21.5
-1.3	0.0		5865	-90.4	-0.2	-0.5	-56.8
-6.8	0.0						

PROJECT TITLE :


MIDAS			Company		Client			
			Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			4627	-167.7	-17.7	0.4	-57.0	
0.9	-0.0		4628	91.4	-12.3	0.2	-35.6	
-2.4	-0.0							
6292	2	10 C1-C2;~1	Max	5890	0.0	0.0	0.0	0.0
		0.0		5892	0.0	0.0	0.0	0.0
		0.0		8384	0.0	0.0	0.0	0.0
		0.0		8382	0.0	0.0	0.0	0.0
		0.0		5890	0.0	0.0	0.0	0.0
			Min	5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0
				5890	0.0	0.0	0.0	0.0
				5892	0.0	0.0	0.0	0.0
				8384	0.0	0.0	0.0	0.0
				8382	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8382	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	5890	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8382	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5890	-175.2	-30.1	0.4	17.5
34.4	0.0		5892	88.0	40.3	0.3	14.8
-29.4	-0.0		8384	150.3	32.8	-0.3	226.4
-64.6	-0.0		8382	-63.1	-42.4	-0.4	236.3
72.0	0.0						
		G2	5890	-67.4	-10.9	0.2	6.7
13.2	0.0		5892	34.1	15.9	0.1	5.6
-11.2	-0.0		8384	57.5	11.9	-0.1	86.4
-24.7	-0.0		8382	-24.2	-16.9	-0.2	90.3
27.6	0.0						
		Q3	5890	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8382	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5890	-0.4	-1.2	-0.0	0.3
-0.1	-0.0		5892	-2.4	1.0	-0.0	0.3
0.3	-0.0		8384	0.7	1.3	0.0	-1.0
0.5	0.0		8382	2.0	-1.1	-0.0	-0.8
-0.2	-0.0						
		Q5_pc Y	5890	8.0	1.6	-0.0	-4.8
-2.0	-0.0		5892	-3.9	-1.6	-0.0	-4.5
1.6	0.0		8384	-7.8	-1.8	0.0	-16.9
4.7	0.0		8382	3.8	1.7	0.0	-17.5
-5.2	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Q5_ps X	5890	-0.2	-1.2	-0.0	0.3
-0.1	-0.0			5892	-2.4	0.9	-0.0	0.3
0.3	-0.0			8384	0.6	1.3	0.0	-1.0
0.5	0.0			8382	1.9	-0.9	-0.0	-0.8
-0.2	-0.0							
			Q5_ps Y	5890	7.5	1.5	-0.0	-4.7
-2.0	-0.0			5892	-4.1	-1.2	-0.0	-4.4
1.6	0.0			8384	-7.5	-1.7	0.0	-16.7
4.6	0.0			8382	4.1	1.4	0.0	-17.2
-5.1	0.0							
			INVS LU Max	5890	-269.0	-91.3	-0.3	-192.4
21.9	0.0			5892	48.8	102.4	-0.3	-183.9
-17.5	0.0			8384	224.6	100.7	0.3	-12.5
22.4	0.0			8382	30.4	-102.2	0.4	-6.8
-8.1	-0.0							
			Min	5890	-291.5	-95.9	-0.4	-206.4
16.0	0.0			5892	36.6	98.7	-0.3	-197.2
-22.3	0.0			8384	201.9	95.6	0.3	-62.6
8.5	0.0			8382	18.2	-106.3	0.3	-58.5
-23.3	-0.0							
			INVS LE Max	5890	-196.3	-69.1	-0.3	-152.1
13.9	0.0			5892	29.8	76.2	-0.2	-145.3
-11.2	0.0			8384	161.2	75.6	0.3	-33.2
22.5	0.0			8382	28.5	-76.4	0.4	-29.4
-13.1	-0.0							
			Min	5890	-211.3	-72.1	-0.4	-161.4
10.0	0.0			5892	21.7	73.8	-0.3	-154.2
-14.4	0.0			8384	146.1	72.3	0.2	-66.6
13.3	0.0			8382	20.4	-79.1	0.3	-63.8
-23.2	-0.0							
6293	2	10	C1-C2;~1 Max	5891	0.0	0.0	0.0	0.0
0.0		0.0		5893	0.0	0.0	0.0	0.0
0.0		0.0		4614	0.0	0.0	0.0	0.0
0.0		0.0		4613	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	5891	0.0	0.0	0.0	0.0
0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0		4614	0.0	0.0	0.0	0.0
0.0	0.0		4613	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5891	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0
0.0	0.0			4613	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5891	0.0	0.0	0.0	0.0
0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0		4614	0.0	0.0	0.0	0.0
0.0	0.0		4613	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5891	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0
0.0	0.0			4613	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5891	0.0	0.0	0.0	0.0
0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0		4614	0.0	0.0	0.0	0.0
0.0	0.0		4613	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5891	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0
0.0	0.0			4613	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5891	0.0	0.0	0.0	0.0
0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0		4614	0.0	0.0	0.0	0.0
0.0	0.0		4613	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-13.6	0.0	G1	5891	-49.9	1.0	-0.5	185.0
13.9	-0.0		5893	-59.2	26.0	-0.4	178.6
15.2	0.0		4614	48.5	-2.1	0.4	-260.6
-16.0	0.0		4613	60.7	-24.8	0.5	-269.8
		G2	5891	-19.0	2.1	-0.2	62.8
-4.7	0.0		5893	-23.1	11.8	-0.2	60.3
4.7	-0.0		4614	18.5	-2.6	0.2	-88.6
5.1	0.0		4613	23.7	-11.4	0.2	-92.3
-5.4	0.0						
		Q3	5891	0.0	0.0	0.0	0.0
0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0		4614	0.0	0.0	0.0	0.0
0.0	0.0		4613	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5891	-2.2	-0.8	-0.0	2.9
-0.2	-0.0		5893	-1.5	0.0	-0.0	2.8
0.2	0.0		4614	2.2	0.8	0.0	-4.4
0.3	0.0		4613	1.5	-0.0	0.0	-4.7
-0.3	0.0						
		Q5_pc Y	5891	5.0	1.6	0.1	-26.4
2.1	0.0		5893	0.5	0.5	0.1	-26.1
-2.3	-0.0		4614	-5.0	-1.7	-0.1	44.2
-2.6	-0.0		4613	-0.5	-0.4	-0.1	45.2
2.6	-0.0						
		Q5_ps X	5891	-2.1	-0.9	-0.0	4.2
-0.3	-0.0		5893	-1.3	-0.2	-0.0	4.1
0.3	0.0		4614	2.1	0.9	0.0	-6.2
0.4	0.0		4613	1.3	0.1	0.0	-6.4
-0.4	0.0						
		Q5_ps Y	5891	4.5	1.9	0.1	-30.0
2.3	0.0		5893	0.0	1.0	0.1	-29.7
-2.6	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.9	-0.0			4614	-4.5	-2.0	-0.1	48.5	
2.8	-0.0			4613	-0.0	-0.9	-0.1	49.4	
			INVS LU	Max	5891	42.2	14.0	3.1	-109.2
22.7	0.0			5893	-218.6	62.3	2.8	-108.9	
-16.0	-0.0			4614	-35.5	-17.1	-2.5	710.3	
-26.6	0.0			4613	229.3	-50.2	-2.8	746.7	
38.1	0.0								
				Min	5891	28.7	8.3	2.8	-199.0
15.8	0.0			5893	-222.5	59.2	2.5	-197.9	
-23.6	-0.0			4614	-49.0	-23.2	-2.8	564.6	
-35.2	0.0			4613	225.3	-52.9	-3.1	598.3	
29.6	0.0								
			INVS LE	Max	5891	35.3	10.2	2.4	-108.5
18.7	0.0			5893	-167.7	46.7	2.2	-107.9	
-14.4	-0.0			4614	-31.4	-13.2	-2.0	573.9	
-22.9	0.0			4613	175.5	-37.5	-2.2	602.3	
30.9	0.0								
				Min	5891	26.3	6.4	2.2	-168.4
14.1	0.0			5893	-170.4	44.6	2.0	-167.2	
-19.5	-0.0			4614	-40.4	-17.3	-2.2	476.8	
-28.6	0.0			4613	172.9	-39.4	-2.4	503.4	
25.2	0.0								
6294	2	4	C1-C2;~1	Max	5892	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5892	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5892	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5894	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5892	0.0	0.0	0.0	0.0
0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5892	0.0	0.0	0.0	0.0
0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5892	0.0	0.0	0.0	0.0
0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5892	0.0	0.0	0.0	0.0
0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5892	0.0	0.0	0.0	0.0
0.0	0.0			5894	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8384	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5892	-177.1	-36.1	0.6	-2.1
30.6	-0.0			5894	75.5	45.2	0.0	-18.9
-59.0	-0.0			8386	151.6	39.9	-0.1	219.2
-82.5	0.0			8384	-50.0	-48.3	-0.6	269.2
64.0	-0.0							
		G2		5892	-68.6	-13.4	0.2	-0.9
11.7	-0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-22.7	-0.0		5894	28.9	18.7	0.0	-7.5
-31.7	0.0		8386	58.6	14.5	-0.0	84.0
24.5	-0.0		8384	-18.8	-19.8	-0.2	102.9
0.0	0.0	Q3	5892	0.0	0.0	0.0	0.0
0.0	0.0		5894	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		5892	0.0	0.0	0.0	0.0
-0.3	-0.0	Q5_pc X	5892	0.2	-1.2	-0.0	0.5
0.9	0.0		5894	-2.8	1.0	0.0	0.8
1.0	-0.0		8386	0.2	1.1	0.0	-1.4
-0.6	0.0		8384	2.3	-1.0	0.0	-1.5
-1.7	0.0	Q5_pc Y	5892	7.4	1.6	-0.1	-4.7
3.1	0.0		5894	-3.4	-1.6	-0.0	-3.4
5.7	0.0		8386	-7.4	-1.7	0.0	-16.1
-4.7	0.0		8384	3.4	1.7	0.1	-20.0
-0.3	-0.0	Q5_ps X	5892	0.4	-1.1	-0.0	0.6
0.9	0.0		5894	-2.7	0.7	0.0	0.9
1.0	-0.0		8386	0.1	1.1	0.0	-1.4
-0.5	0.0		8384	2.1	-0.8	0.0	-1.5
-1.7	0.0	Q5_ps Y	5892	6.8	1.5	-0.1	-4.6
3.0	0.0		5894	-3.7	-0.9	-0.0	-3.4
5.7	0.0		8386	-7.0	-1.6	0.0	-15.9
-4.7	0.0		8384	3.9	1.1	0.1	-19.7
20.7	0.0	INVSLU Max	5892	-258.8	-97.6	-0.5	-235.0
-34.3	-0.0		5894	28.3	101.3	-0.1	-209.1
4.4	0.0		8386	213.0	108.6	0.1	0.8
-10.0	0.0		8384	49.5	-103.7	0.7	-9.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	5892	-279.2	-101.9	-0.7	-248.7
15.5	0.0			5894	17.1	98.5	-0.2	-219.4
-43.5	-0.0			8386	192.1	103.7	0.1	-46.8
-12.6	0.0			8384	37.9	-107.0	0.6	-68.9
-24.0	0.0							
		INVSLE	Max	5892	-187.7	-73.5	-0.5	-183.9
13.1	0.0			5894	14.8	74.6	-0.1	-162.2
-21.5	-0.0			8386	151.7	81.5	0.1	-22.9
10.8	0.0			8384	42.6	-76.7	0.6	-36.0
-14.5	0.0							
			Min	5892	-201.3	-76.4	-0.6	-193.1
9.6	0.0			5894	7.3	72.7	-0.1	-169.0
-27.6	-0.0			8386	137.7	78.2	0.1	-54.6
-0.5	0.0			8384	34.8	-79.0	0.5	-75.5
-23.8	0.0							
6295	2	4 C1-C2;~1	Max	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0			4614	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5893	-55.0	3.2	-0.6	212.7
-15.1	-0.0			5895	-64.8	29.0	-0.3	170.7
7.8	-0.0			4615	53.8	-2.7	0.3	-230.5
12.0	0.0			4614	66.1	-29.3	0.6	-302.6
-22.5	0.0							
		G2		5893	-21.4	1.8	-0.2	68.7
-4.9	-0.0			5895	-25.8	10.8	-0.1	51.0
1.3	0.0			4615	21.0	-0.4	0.1	-74.0
3.6	0.0			4614	26.2	-12.2	0.2	-100.2
-8.0	0.0							
		Q3		5893	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			4615	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4614	0.0	0.0	0.0	0.0
-0.3	0.0	Q5_pc X	5893	-2.1	-0.2	-0.0	4.3
0.6	-0.0		5895	-1.5	1.1	-0.0	5.0
0.4	0.0		4615	2.1	-0.3	0.0	-5.5
-0.2	0.0		4614	1.5	-0.6	0.0	-5.9
2.6	-0.0	Q5_pc Y	5893	4.5	-0.1	0.1	-34.3
-2.6	0.0		5895	0.1	-2.5	0.1	-31.8
-2.7	-0.0		4615	-4.4	1.5	-0.1	48.0
3.4	-0.0		4614	-0.2	1.1	-0.1	56.3
-0.5	0.0	Q5_ps X	5893	-1.9	-0.2	-0.0	6.3
0.9	-0.0		5895	-1.2	1.2	-0.0	7.3
0.5	0.0		4615	1.9	-0.5	0.0	-8.0
-0.3	0.0		4614	1.2	-0.5	0.0	-8.5
2.9	-0.0	Q5_ps Y	5893	3.8	-0.2	0.1	-39.9
-3.3	0.0		5895	-0.7	-2.8	0.1	-38.0
-3.2	-0.0		4615	-3.6	2.1	-0.1	54.4
3.7	-0.0		4614	0.6	0.9	-0.1	62.8
26.2	-0.0	INVSLE Max	5893	13.2	-4.8	3.7	-119.0
-7.3	0.0		5895	-225.2	51.4	2.8	-93.7
-25.4	0.0		4615	-6.6	4.2	-2.5	743.7
51.8	0.0		4614	233.3	-41.5	-3.4	878.6
17.4	-0.0	Min	5893	1.9	-5.4	3.3	-238.6
-17.3	0.0		5895	-228.7	42.9	2.5	-207.7
-35.0	0.0		4615	-17.5	-2.2	-2.8	580.7
40.6	0.0		4614	229.7	-44.1	-3.8	690.1
21.7	-0.0	INVSLE Max	5893	13.5	-4.1	3.0	-121.8
			5895	-172.6	37.4	2.2	-98.6

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-7.5	0.0			4615	-9.7	3.5	-2.0	596.0
-21.6	0.0			4614	178.4	-30.5	-2.7	708.1
42.1	0.0							
			Min	5893	6.0	-4.6	2.7	-201.5
15.8	-0.0			5895	-174.9	31.8	2.0	-174.6
-14.2	0.0			4615	-16.9	-0.8	-2.2	487.3
-28.0	0.0			4614	176.0	-32.3	-3.0	582.5
34.6	0.0							
6322	2	4	C1-C2;~1	Max	5920	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0
0.0	0.0				8414	0.0	0.0	0.0
0.0	0.0				8412	0.0	0.0	0.0
0.0	0.0							
			Min	5920	0.0	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0
0.0	0.0				8414	0.0	0.0	0.0
0.0	0.0				8412	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	5920	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0
0.0	0.0				8414	0.0	0.0	0.0
0.0	0.0				8412	0.0	0.0	0.0
0.0	0.0							
			Min	5920	0.0	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0
0.0	0.0				8414	0.0	0.0	0.0
0.0	0.0				8412	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	5920	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0
0.0	0.0				8414	0.0	0.0	0.0
0.0	0.0				8412	0.0	0.0	0.0
0.0	0.0							
			Min	5920	0.0	0.0	0.0	0.0
0.0	0.0				5922	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8414	0.0	0.0	0.0	0.0
0.0	0.0		8412	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	5920	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8412	0.0	0.0	0.0
0.0	0.0						
			Min	5920	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8412	0.0	0.0	0.0
0.0	0.0						
			G1	5920	-13.9	-110.3	-0.2
-38.0	0.0			5922	-274.8	129.3	-0.3
5.4	0.0			8414	49.4	112.1	0.2
31.4	0.0			8412	239.3	-130.4	0.3
-57.5	-0.0						
			G2	5920	-5.1	-42.5	-0.1
-15.0	0.0			5922	-107.5	51.0	-0.1
2.3	0.0			8414	18.6	43.0	0.1
12.4	0.0			8412	93.9	-51.5	0.1
-22.6	-0.0						
			Q3	5920	0.0	0.0	0.0
0.0	0.0			5922	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8412	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	5920	7.0	-2.1	-0.0
-4.3	0.0			5922	-12.8	2.6	-0.0
1.1	0.0			8414	-5.2	2.2	0.0
5.1	0.0			8412	11.0	-2.7	0.1
-8.8	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	5920	-7.0	3.7	0.0	-0.7
4.9	-0.0		5922	17.1	-4.5	0.0	-0.1
-3.0	-0.0		8414	3.8	-4.0	-0.0	19.6
-5.7	-0.0		8412	-13.9	4.7	-0.0	21.5
8.3	0.0						
		Q5_ps X	5920	6.9	-1.5	-0.0	-5.7
-3.9	0.0		5922	-11.2	1.9	-0.0	-6.4
1.0	0.0		8414	-5.2	1.6	0.0	-20.2
4.7	0.0		8412	9.4	-2.0	0.0	-22.1
-8.1	-0.0						
		Q5_ps Y	5920	-6.8	2.4	0.0	-0.8
4.3	-0.0		5922	13.5	-2.9	0.0	-0.5
-2.9	-0.0		8414	3.9	-2.7	-0.0	16.5
-5.1	-0.0		8412	-10.6	3.2	-0.0	18.3
7.3	0.0						
		INVS LU Max	5920	106.6	-201.1	-0.4	117.2
-98.1	0.0		5922	-631.4	262.7	-0.5	64.1
24.4	0.0		8414	21.0	209.9	0.4	-365.4
74.3	-0.0		8412	558.1	-253.7	0.7	-402.1
-128.7	-0.0						
		Min	5920	85.8	-208.4	-0.5	100.2
-110.9	0.0		5922	-671.8	253.9	-0.6	45.0
15.8	0.0		8414	5.4	201.8	0.3	-426.1
59.1	-0.0		8412	526.3	-263.2	0.5	-468.3
-153.1	-0.0						
		INVS LE Max	5920	84.5	-149.3	-0.3	85.3
-75.4	0.0		5922	-476.5	195.1	-0.4	45.1
17.8	0.0		8414	10.3	155.2	0.3	-283.1
56.0	-0.0		8412	417.8	-189.0	0.5	-311.8
-100.2	-0.0						
		Min	5920	70.7	-154.2	-0.4	74.0
-83.9	0.0		5922	-503.4	189.3	-0.5	32.3
12.1	0.0		8414	-0.1	149.8	0.2	-323.5
45.8	-0.0		8412	396.7	-195.4	0.4	-355.9
-116.4	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6323	2	4	C1-C2;~1	Max	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	5921	0.0	0.0	0.0	0.0
0.0		0.0			5923	0.0	0.0	0.0	0.0
0.0		0.0			4604	0.0	0.0	0.0	0.0
0.0		0.0			4603	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	5921	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0		4604	0.0	0.0	0.0	0.0
0.0	0.0		4603	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	5921	-193.3	-27.7	-0.5	-83.8
3.7	0.0		5923	-118.4	31.4	-0.4	-80.0
-3.9	0.0		4604	199.1	36.9	0.4	2.1
-2.1	0.0		4603	112.6	-40.5	0.5	-6.6
1.1	0.0						
		G2	5921	-75.4	-8.4	-0.2	-50.1
2.9	0.0		5923	-46.6	14.5	-0.1	-48.1
-2.9	0.0		4604	77.6	12.2	0.1	23.6
-2.2	0.0		4603	44.3	-18.2	0.2	20.9
1.9	0.0						
		Q3	5921	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0		4604	0.0	0.0	0.0	0.0
0.0	0.0		4603	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5921	-0.3	-1.5	0.1	-14.8
1.2	-0.0		5923	-2.4	-2.3	0.1	-13.9
-1.1	0.0		4604	0.4	2.9	-0.1	26.3
-1.4	-0.0		4603	2.3	0.9	-0.1	28.6
1.6	-0.0						
		Q5_pc Y	5921	7.3	3.9	0.0	-1.7
0.4	0.0		5923	3.6	4.0	0.0	-1.9
-0.3	-0.0		4604	-7.7	-6.4	-0.0	5.5
-0.3	0.0		4603	-3.2	-1.5	-0.0	5.7
0.4	0.0						
		Q5_ps X	5921	0.5	-1.5	0.1	-10.5
0.9	-0.0		5923	-1.5	-2.5	0.1	-9.7
-0.8	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.0	-0.0			4604	-0.5	2.8	-0.1	20.6
1.2	-0.0			4603	1.5	1.3	-0.1	22.7
1.1	0.0	Q5_ps Y		5921	4.8	4.0	0.0	-10.3
-1.0	-0.0			5923	1.8	4.6	0.0	-10.3
-0.9	0.0			4604	-5.1	-6.0	-0.0	15.5
1.1	0.0			4603	-1.5	-2.5	-0.0	15.8
8.3	0.0	INVS LU	Max	5921	-433.4	-48.1	-2.2	-170.2
0.6	0.0			5923	-178.5	80.1	-1.7	-136.8
5.2	0.0			4604	466.0	72.2	1.9	-163.3
-0.7	0.0			4603	166.9	-78.3	2.4	-171.6
5.0	0.0		Min	5921	-447.9	-60.0	-2.4	-201.7
-2.4	0.0			5923	-184.9	66.3	-1.9	-167.8
2.1	0.0			4604	450.7	54.1	1.7	-225.2
-4.4	0.0			4603	161.1	-85.8	2.2	-239.8
6.5	0.0	INVS LE	Max	5921	-322.1	-35.7	-1.6	-134.7
-0.2	0.0			5923	-131.0	59.7	-1.3	-109.4
3.3	0.0			4604	345.2	51.7	1.4	-116.0
-0.1	0.0			4603	121.8	-58.5	1.8	-121.9
4.3	0.0		Min	5921	-331.7	-43.6	-1.8	-155.7
-2.2	0.0			5923	-135.3	50.5	-1.4	-130.0
1.2	0.0			4604	335.1	39.7	1.3	-157.3
-2.6	0.0			4603	118.0	-63.5	1.6	-167.4
6324	2	8 C1-C2;~1	Max	5922	0.0	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	5922	0.0	0.0	0.0	0.0
				5924	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8416	0.0	0.0	0.0	0.0
0.0	0.0		8414	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
			Min	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
			Min	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
			Min	5922	0.0	0.0	0.0
0.0	0.0			5924	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0						
		G1		5922	-28.6	-125.5	-0.4
-8.3	0.0						-22.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
27.8	0.0		5924	-266.9	118.8	-0.1	-14.2
42.8	-0.0		8416	58.6	128.3	0.1	-145.0
-31.5	0.0		8414	236.9	-120.8	0.4	-180.4
		G2	5922	-11.2	-48.1	-0.2	-8.0
-3.5	0.0		5924	-104.6	48.1	-0.0	-5.1
10.9	0.0		8416	22.7	48.6	0.1	-57.5
17.0	-0.0		8414	93.1	-48.6	0.2	-71.9
-12.5	0.0						
		Q3	5922	0.0	0.0	0.0	0.0
0.0	0.0		5924	0.0	0.0	0.0	0.0
0.0	0.0		8416	0.0	0.0	0.0	0.0
0.0	0.0		8414	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5922	5.6	-2.3	-0.1	-8.3
-1.6	0.0		5924	-10.2	2.2	-0.0	-6.4
0.6	-0.0		8416	-4.1	1.7	0.0	-18.6
3.0	0.0		8414	8.7	-1.6	0.1	-23.7
-5.1	0.0						
		Q5_pc Y	5922	-5.1	3.8	0.0	-0.4
3.6	-0.0		5924	13.8	-4.7	0.0	-0.9
-0.3	0.0		8416	2.0	-2.6	-0.0	16.3
-2.0	-0.0		8414	-10.7	3.5	-0.0	20.8
5.8	-0.0						
		Q5_ps X	5922	5.6	-1.7	-0.1	-7.6
-1.5	0.0		5924	-8.7	1.4	-0.0	-5.8
0.5	-0.0		8416	-4.1	1.2	0.0	-17.0
2.6	0.0		8414	7.3	-0.9	0.1	-21.7
-4.7	0.0						
		Q5_ps Y	5922	-5.2	2.4	0.0	-1.0
3.4	-0.0		5924	10.4	-3.0	0.0	-1.4
0.1	0.0		8416	2.3	-1.3	0.0	13.6
-1.1	0.0		8414	-7.5	1.9	-0.0	17.3
5.1	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			INVSLU	Max	5922	41.7	-241.9	-0.7	47.1
-21.7	0.0				5924	-591.5	233.1	-0.2	44.1
71.0	0.0				8416	63.0	253.4	0.3	-318.3
98.2	-0.0				8414	528.4	-229.8	0.8	-399.1
-59.1	-0.0								
				Min	5922	24.9	-249.2	-0.9	24.3
-31.9	0.0				5924	-622.7	224.0	-0.2	26.7
69.7	0.0				8416	50.5	248.7	0.3	-369.3
90.4	-0.0				8414	505.8	-236.1	0.6	-464.2
-74.5	-0.0								
			INVSLE	Max	5922	34.9	-180.1	-0.6	31.6
-16.7	0.0				5924	-445.1	172.6	-0.1	30.1
53.3	0.0				8416	42.7	188.1	0.2	-245.8
73.9	-0.0				8414	395.1	-170.8	0.6	-308.5
-45.8	-0.0								
				Min	5922	23.7	-185.0	-0.7	16.4
-23.5	0.0				5924	-465.9	166.6	-0.2	18.5
52.4	0.0				8416	34.5	185.0	0.2	-279.7
68.7	-0.0				8414	380.1	-174.9	0.5	-352.0
-56.1	-0.0								
6325	2	8	C1-C2;~1	Max	5923	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	5923	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	5923	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4604	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		Min	5923	0.0	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0	0.0
0.0	0.0		4605	0.0	0.0	0.0	0.0	0.0
0.0	0.0		4604	0.0	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5923	0.0	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5923	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5923	0.0	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5923	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0	0.0
0.0	0.0			4605	0.0	0.0	0.0	0.0
0.0	0.0			4604	0.0	0.0	0.0	0.0
0.0	0.0							
		G1	5923	-189.5	-19.0	-0.5	-91.6	
3.7	0.0			5925	-139.4	55.0	-0.5	-72.3
-1.7	0.0			4605	188.8	17.1	0.5	-9.8
-1.0	0.0			4604	140.1	-52.9	0.5	1.3
3.1	0.0							
		G2	5923	-74.6	-7.7	-0.2	-58.5	
3.1	0.0			5925	-55.6	19.2	-0.2	-52.0
-2.8	0.0			4605	74.5	9.3	0.2	18.8
-1.7	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.8	0.0		4604	55.7	-20.8	0.2	27.8
		Q3	5923	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		4605	0.0	0.0	0.0	0.0
0.0	0.0		4604	0.0	0.0	0.0	0.0
		Q5_pc X	5923	0.9	-1.7	0.1	-13.2
1.2	0.0		5925	-0.8	1.5	0.1	-7.3
0.1	-0.0		4605	-0.8	-1.6	-0.1	23.2
-1.1	-0.0		4604	0.7	1.7	-0.1	28.7
2.1	-0.0						
		Q5_pc Y	5923	4.5	1.9	-0.0	-6.9
0.6	-0.0		5925	3.1	-5.0	-0.1	-12.8
-1.8	0.0		4605	-4.5	3.4	0.0	2.3
-0.2	0.0		4604	-3.2	-0.3	0.0	5.2
-0.0	0.0						
		Q5_ps X	5923	1.8	-1.2	0.1	-7.9
0.8	0.0		5925	0.1	1.7	0.1	-2.3
0.4	-0.0		4605	-1.7	-2.1	-0.1	17.3
-0.7	-0.0		4604	-0.2	1.6	-0.1	21.8
1.7	-0.0						
		Q5_ps Y	5923	1.9	1.0	-0.0	-17.8
1.3	-0.0		5925	0.8	-5.4	-0.0	-23.5
-2.6	0.0		4605	-1.8	4.8	0.0	13.3
-0.8	0.0		4604	-1.0	-0.4	0.0	17.8
0.8	0.0						
		INVSLU Max	5923	-429.0	-6.9	-2.3	-133.4
2.4	0.0		5925	-261.6	123.5	-2.1	-105.7
0.1	0.0		4605	433.0	44.6	2.3	-227.9
7.8	0.0		4604	271.3	-141.3	2.5	-231.9
-6.4	0.0						
		Min	5923	-437.1	-10.5	-2.5	-186.9
-1.5	0.0		5925	-267.2	107.2	-2.3	-176.2

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-7.7	0.0			4605	425.0	30.1	2.1	-279.8
5.4	0.0			4604	265.6	-146.2	2.3	-297.4
-11.5	0.0							
			INVSLE Max	5923	-319.4	-4.3	-1.7	-108.4
2.2	0.0			5925	-194.0	90.7	-1.5	-87.0
-0.5	0.0			4605	321.8	33.0	1.7	-165.5
5.4	0.0			4604	200.8	-106.1	1.9	-166.9
-4.4	0.0							
			Min	5923	-324.8	-6.7	-1.8	-144.0
-0.5	0.0			5925	-197.7	79.8	-1.7	-133.9
-5.7	0.0			4605	316.4	23.3	1.5	-200.1
3.8	0.0			4604	197.0	-109.4	1.7	-210.6
-7.8	0.0							
6352	2	8	C1-C2;~1 Max	5950	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5950	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1 Max	5950	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5950	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2 Max	5950	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0	Min	5950	0.0	0.0	0.0	0.0
0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	5950	0.0	0.0	0.0	0.0
0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5950	0.0	0.0	0.0	0.0
0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0						
-1.9	-0.0	G1	5950	242.9	124.2	-0.3	-36.5
11.5	-0.0		5952	78.2	-129.2	-0.2	-28.1
26.3	0.0		8444	-221.8	-125.0	0.3	-141.6
-20.9	-0.0		8442	-99.4	130.8	0.3	-141.5
-1.0	-0.0	G2	5950	95.7	49.5	-0.1	-13.8
4.8	-0.0		5952	29.9	-49.7	-0.1	-10.5
10.6	0.0		8444	-87.6	-49.8	0.1	-58.7
-8.4	-0.0		8442	-38.0	50.1	0.1	-58.4
0.0	0.0	Q3	5950	0.0	0.0	0.0	0.0
0.0	0.0		5952	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8442	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	5950	-5.9	-1.3	0.0	9.7
-1.4	-0.0		5952	2.2	1.7	0.0	9.5
0.6	0.0		8444	5.4	1.3	-0.0	10.4
-1.0	-0.0		8442	-1.6	-1.7	-0.0	9.6
0.4	0.0						
		Q5_pc Y	5950	14.3	1.9	-0.1	-29.0
3.0	0.0		5952	-7.6	-3.4	-0.1	-29.1
-0.6	-0.0		8444	-13.3	-1.9	0.1	-37.1
5.3	0.0		8442	6.6	3.4	0.1	-34.2
-2.9	-0.0						
		Q5_ps X	5950	-6.7	-1.7	0.0	9.6
-1.3	-0.0		5952	1.8	2.2	0.0	9.4
0.6	0.0		8444	6.2	1.7	-0.0	11.0
-1.1	-0.0		8442	-1.3	-2.1	-0.0	10.2
0.5	0.0						
		Q5_ps Y	5950	16.1	3.2	-0.1	-28.2
2.8	0.0		5952	-6.3	-4.6	-0.1	-28.1
-0.5	-0.0		8444	-15.2	-3.2	0.1	-37.2
5.3	0.0		8442	5.3	4.6	0.1	-34.6
-3.0	-0.0						
		INVSLE Max	5950	563.4	225.3	-0.4	18.5
-5.7	-0.0		5952	46.5	-225.6	-0.5	37.3
37.1	-0.0		8444	-446.8	-218.9	0.9	-352.5
78.3	0.0		8442	-98.7	243.9	0.6	-324.4
-39.7	-0.0						
		Min	5950	515.0	215.5	-0.7	-66.0
-14.1	-0.0		5952	27.7	-239.4	-0.8	-47.1
35.4	-0.0		8444	-492.4	-228.6	0.5	-464.3
62.3	0.0		8442	-114.6	230.1	0.4	-428.2
-48.6	-0.0						
		INVSLE Max	5950	419.7	165.3	-0.3	8.1
-4.7	-0.0		5952	27.4	-167.0	-0.4	22.2
28.3	-0.0		8444	-335.6	-161.4	0.7	-277.7
59.6	0.0		8442	-68.5	179.6	0.5	-254.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-31.0	-0.0							
		Min	5950	387.4	158.8	-0.5	-48.2	
-10.3	-0.0		5952	14.9	-176.2	-0.6	-34.1	
27.2	-0.0		8444	-366.0	-167.9	0.4	-352.1	
49.0	0.0		8442	-79.2	170.4	0.3	-324.1	
-36.9	-0.0							
6353	2	8 C1-C2;~1	Max	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5951	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5951	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	5951	0.0	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	5951	151.2	55.2	-0.3	-71.4
2.5	-0.0			5953	190.6	-25.5	-0.4	-68.1
-1.1	-0.0			4584	-150.9	-45.4	0.4	1.3
-1.5	-0.0			4583	-190.9	16.0	0.3	16.3
3.6	-0.0							
			G2	5951	59.5	23.8	-0.1	-54.2
2.8	-0.0			5953	74.7	-7.7	-0.1	-53.5
-2.2	-0.0			4584	-59.4	-20.2	0.1	36.3
-2.8	-0.0			4583	-74.8	4.0	0.1	41.6
3.6	-0.0							
			Q3	5951	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0			4583	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5951	-1.6	-1.4	-0.0	17.5
-1.1	-0.0			5953	-1.7	-1.2	-0.0	18.4
1.2	0.0			4584	1.6	1.9	0.0	-25.8
1.6	0.0			4583	1.8	0.7	0.0	-25.0
-1.5	0.0							
		Q5_pc Y		5951	2.2	2.4	0.2	-55.7
3.8	0.0			5953	-0.6	2.2	0.2	-58.6
-4.0	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.6	-0.0			4584	-2.1	-2.6	-0.2	93.3
4.9	-0.0			4583	0.4	-2.1	-0.2	87.9
-1.4	-0.0	Q5_ps X		5951	-2.3	-1.8	-0.0	22.1
1.5	0.0			5953	-2.5	-1.2	-0.0	23.0
1.9	0.0			4584	2.2	2.2	0.0	-31.4
-1.8	0.0			4583	2.5	0.8	0.0	-30.6
4.4	0.0	Q5_ps Y		5951	4.1	3.6	0.2	-65.2
-4.6	-0.0			5953	1.7	2.4	0.2	-67.9
-6.2	-0.0			4584	-4.0	-3.6	-0.2	103.9
5.6	-0.0			4583	-1.9	-2.4	-0.2	98.9
6.2	-0.0	INVS LU Max		5951	251.1	117.3	-1.1	-33.0
9.0	-0.0			5953	386.9	1.3	-1.4	-40.9
11.5	-0.0			4584	-238.8	-122.8	2.0	-7.3
11.6	-0.0			4583	-379.5	22.4	1.6	31.1
-7.0	-0.0	Min		5951	238.6	106.5	-1.6	-228.5
-4.8	-0.0			5953	379.5	-5.8	-2.0	-244.8
-7.1	-0.0			4584	-250.8	-133.5	1.4	-319.0
-5.3	-0.0			4583	-387.0	15.2	1.1	-265.5
4.5	-0.0	INVS LE Max		5951	183.5	86.3	-0.8	-39.1
5.7	-0.0			5953	285.9	2.2	-1.1	-46.3
7.3	-0.0			4584	-175.3	-92.3	1.5	-9.1
8.5	-0.0			4583	-281.0	16.0	1.2	19.6
-4.3	-0.0	Min		5951	175.2	79.1	-1.2	-169.4
-3.4	-0.0			5953	281.0	-2.5	-1.5	-182.2
-5.1	-0.0			4584	-183.3	-99.5	1.1	-216.9
-2.7	-0.0			4583	-286.0	11.2	0.8	-178.2
6354	2	4 C1-C2;~1	Max	5952	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		5954	0.0	0.0	0.0	0.0
0.0	0.0		8446	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0	Min	5952	0.0	0.0	0.0	0.0
0.0	0.0		5954	0.0	0.0	0.0	0.0
0.0	0.0		8446	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5952	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5952	0.0	0.0	0.0	0.0
0.0	0.0		5954	0.0	0.0	0.0	0.0
0.0	0.0		8446	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5952	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5952	0.0	0.0	0.0	0.0
0.0	0.0		5954	0.0	0.0	0.0	0.0
0.0	0.0		8446	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5952	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5952	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				5954	0.0	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5952	236.2	130.2	-0.2	1.3
-7.6	-0.0			5954	71.1	-106.4	-0.0	20.5
27.1	0.0			8446	-209.1	-136.9	0.0	-75.2
29.3	-0.0			8444	-98.2	113.7	0.2	-90.3
-24.3	0.0							
		G2		5952	92.8	51.7	-0.1	0.8
-3.2	-0.0			5954	27.0	-40.2	-0.0	8.2
10.9	0.0			8446	-82.3	-54.7	0.0	-30.9
12.0	-0.0			8444	-37.5	43.3	0.1	-37.3
-9.8	0.0							
		Q3		5952	0.0	0.0	0.0	0.0
0.0	0.0			5954	0.0	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		5952	-6.4	-1.9	0.0	5.1
-0.9	0.0			5954	3.1	0.2	0.0	3.2
-1.7	-0.0			8446	5.3	2.4	-0.0	6.6
-3.2	-0.0			8444	-2.1	-0.7	-0.0	7.3
1.1	-0.0							
		Q5_pc Y		5952	15.9	3.6	-0.1	-16.7
1.6	-0.0			5954	-9.8	-0.5	-0.0	-11.7
6.1	0.0			8446	-13.9	-4.4	0.0	-24.0
12.1	0.0			8444	7.8	1.3	0.1	-26.5
-5.5	0.0							
		Q5_ps X		5952	-6.9	-2.4	0.0	5.0
-0.9	0.0			5954	2.8	0.2	0.0	3.0
-1.6	-0.0			8446	5.8	3.0	-0.0	6.5
-3.1	-0.0			8444	-1.7	-0.9	-0.0	7.5
1.1	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


1.4	-0.0	Q5_ps Y		5952	17.3	4.9	-0.1	-15.9
5.7	0.0			5954	-8.4	-0.9	-0.0	-11.0
11.3	0.0			8446	-15.2	-6.1	0.0	-23.1
-5.5	0.0			8444	6.4	2.1	0.1	-26.0
-19.5	-0.0	INVS LU Max		5952	583.0	244.0	-0.4	71.9
131.0	0.0			5954	2.2	-193.8	-0.1	115.0
163.0	-0.0			8446	-448.2	-228.5	0.4	-253.3
-55.7	0.0			8444	-66.1	200.3	0.4	-263.3
-23.8	-0.0	Min		5952	531.2	229.1	-0.6	24.1
113.9	0.0			5954	-23.1	-196.4	-0.2	82.0
129.1	-0.0			8446	-493.8	-246.9	0.3	-322.7
-72.1	0.0			8444	-85.2	194.2	0.2	-341.4
-15.0	-0.0	INVS LE Max		5952	435.8	179.5	-0.3	50.8
100.5	0.0			5954	-7.2	-143.3	-0.1	84.4
125.4	-0.0			8446	-338.1	-168.8	0.3	-200.5
-44.0	0.0			8444	-43.2	147.3	0.3	-208.1
-17.9	-0.0	Min		5952	401.3	169.6	-0.5	18.9
89.0	0.0			5954	-24.0	-145.0	-0.1	62.4
102.8	-0.0			8446	-368.5	-181.0	0.2	-246.8
-55.0	0.0			8444	-56.0	143.2	0.2	-260.2
6355	2	4 C1-C2;~1	Max	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0		Min	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~1	Max	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	5953	0.0	0.0	0.0	0.0
0.0	0.0			5955	0.0	0.0	0.0	0.0
0.0	0.0			4585	0.0	0.0	0.0	0.0
0.0	0.0			4584	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		5953	146.3	32.8	-0.4	-42.2
2.1	-0.0			5955	197.0	-28.0	-0.6	-35.7
1.7	-0.0			4585	-143.0	-43.2	0.6	-70.3
3.6	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.1	-0.0		4584	-200.3	38.6	0.4	-40.2
		G2	5953	56.7	12.6	-0.2	-36.3
2.8	-0.0		5955	76.2	-13.1	-0.2	-34.3
-1.4	0.0		4585	-55.2	-14.5	0.2	-6.5
0.5	-0.0		4584	-77.7	15.0	0.1	7.8
1.7	-0.0						
		Q3	5953	0.0	0.0	0.0	0.0
0.0	0.0		5955	0.0	0.0	0.0	0.0
0.0	0.0		4585	0.0	0.0	0.0	0.0
0.0	0.0		4584	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	5953	-0.3	-0.5	-0.0	13.3
-1.3	0.0		5955	0.0	1.1	-0.0	12.9
1.2	-0.0		4585	0.1	-1.0	0.0	-16.3
0.8	0.0		4584	0.1	0.5	0.0	-17.7
-1.0	0.0						
		Q5_pc Y	5953	0.6	0.3	0.1	-41.2
3.9	-0.0		5955	-4.1	-2.2	0.1	-38.6
-3.1	0.0		4585	-0.4	2.9	-0.1	60.5
-2.8	-0.0		4584	4.0	-1.0	-0.1	65.2
3.7	-0.0						
		Q5_ps X	5953	-0.8	-0.3	-0.0	16.5
-1.6	0.0		5955	-0.6	1.8	-0.0	16.1
1.5	-0.0		4585	0.6	-1.5	0.0	-19.5
0.9	0.0		4584	0.7	0.0	0.0	-21.3
-1.2	0.0						
		Q5_ps Y	5953	2.0	0.0	0.1	-47.9
4.5	-0.0		5955	-2.1	-3.9	0.1	-45.4
-3.8	0.0		4585	-1.8	3.9	-0.1	66.4
-3.1	-0.0		4584	1.9	-0.0	-0.1	71.8
4.1	-0.0						
		INVSLU Max	5953	208.0	73.6	-1.6	-48.9
12.7	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.0	0.0			5955	399.1	-50.1	-2.3	-68.9	
18.8	-0.0			4585	-192.9	-62.7	2.7	-201.2	
0.4	-0.0			4584	-401.2	52.7	2.0	-110.3	
			Min	5953	201.9	72.7	-2.0	-192.7	
-0.9	-0.0			5955	391.8	-61.9	-2.7	-205.3	
-13.3	0.0			4585	-198.3	-74.6	2.3	-400.4	
9.5	-0.0			4584	-408.4	50.8	1.6	-325.8	
-12.0	-0.0								
			INVSLE Max	5953	150.6	54.8	-1.2	-47.8	
9.4	-0.0			5955	294.5	-37.1	-1.7	-62.1	
-2.3	0.0			4585	-139.7	-46.5	2.0	-153.7	
13.5	-0.0			4584	-296.7	37.8	1.5	-85.3	
0.1	-0.0								
			Min	5953	146.6	54.2	-1.5	-143.7	
0.3	-0.0			5955	289.6	-44.9	-2.0	-153.0	
-9.8	0.0			4585	-143.3	-54.4	1.8	-286.5	
7.3	-0.0			4584	-301.5	36.6	1.2	-229.0	
-8.1	-0.0								
6380	2	4	C1-C2;~1	Max	5978	0.0	0.0	0.0	0.0
0.0	0.0				5980	0.0	0.0	0.0	0.0
0.0	0.0				8472	0.0	0.0	0.0	0.0
0.0	0.0				8470	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	5978	0.0	0.0	0.0	0.0	0.0
0.0	0.0				5980	0.0	0.0	0.0	0.0
0.0	0.0				8472	0.0	0.0	0.0	0.0
0.0	0.0				8470	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	5978	0.0	0.0	0.0	0.0
0.0	0.0				5980	0.0	0.0	0.0	0.0
0.0	0.0				8472	0.0	0.0	0.0	0.0
0.0	0.0				8470	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	5978	0.0	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5980	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	5980	0.0	0.0	0.0	0.0
0.0	0.0	Max	8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0
0.0	0.0	Min	5980	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0
0.0	0.0		5980	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	5980	0.0	0.0	0.0	0.0
0.0	0.0	Max	8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
0.0	0.0		5978	0.0	0.0	0.0	0.0
0.0	0.0	Min	5980	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0		8470	0.0	0.0	0.0	0.0
40.5	0.0	G1	5978	-52.2	44.0	0.1	16.3
-17.1	0.0		5980	170.4	-43.0	0.7	41.9
-47.7	0.0		8472	24.5	-50.3	-0.6	258.9
60.5	-0.0		8470	-142.7	50.1	-0.1	205.5
15.6	0.0	G2	5978	-19.3	18.8	0.0	5.5
-6.5	0.0		5980	66.7	-16.4	0.3	15.4
-18.1	0.0		8472	8.3	-21.2	-0.2	98.0
23.0	-0.0		8470	-55.7	18.8	-0.1	78.0

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	5978	0.0	0.0	0.0	0.0
0.0	0.0			5980	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8470	0.0	0.0	0.0	0.0
			Q5_pc X	5978	-5.7	-1.0	0.0	4.1
2.2	0.0			5980	2.8	1.3	0.0	5.5
-0.6	0.0			8472	5.3	1.0	-0.0	14.7
-2.8	0.0			8470	-2.5	-1.3	-0.0	12.3
4.3	0.0							
			Q5_pc Y	5978	14.4	1.0	-0.0	-11.0
-6.3	-0.0			5980	-11.1	-1.7	-0.1	-15.3
1.9	-0.0			8472	-13.0	-0.9	0.1	-42.4
8.0	-0.0			8470	9.7	1.6	0.0	-35.1
-12.0	-0.0							
			Q5_ps X	5978	-5.8	-1.2	0.0	4.2
2.2	0.0			5980	2.7	1.3	0.0	5.6
-0.6	0.0			8472	5.6	1.2	-0.0	15.0
-2.8	0.0			8470	-2.4	-1.4	-0.0	12.5
4.4	0.0							
			Q5_ps Y	5978	14.1	1.5	-0.0	-11.0
-6.0	-0.0			5980	-9.9	-1.8	-0.1	-15.0
1.8	-0.0			8472	-13.0	-1.4	0.1	-41.1
7.8	-0.0			8470	8.9	1.7	0.0	-34.0
-11.6	-0.0							
			INVSLU Max	5978	47.7	86.7	-0.2	-208.2
27.1	0.0			5980	221.3	-89.6	-0.7	-240.7
-17.3	-0.0			8472	-57.9	-89.7	1.0	-64.9
31.0	-0.0			8470	-142.3	103.3	0.3	-53.3
-5.1	-0.0							
			Min	5978	5.5	82.1	-0.2	-241.1
9.1	0.0			5980	191.4	-95.1	-1.0	-285.7
-22.8	-0.0			8472	-96.8	-94.0	0.7	-188.0
7.7	-0.0			8470	-168.8	98.1	0.2	-155.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-39.9	-0.0							
		INVSLE	Max	5978	40.0	63.0	-0.1	-166.9
15.7	0.0			5980	155.1	-66.5	-0.6	-195.5
-12.1	-0.0			8472	-50.1	-65.4	0.8	-84.9
27.9	-0.0			8470	-99.0	76.2	0.2	-69.5
-13.1	-0.0							
			Min	5978	11.8	59.9	-0.2	-188.9
3.6	0.0			5980	135.2	-70.1	-0.8	-225.5
-15.8	-0.0			8472	-76.1	-68.3	0.6	-167.0
12.4	-0.0			8470	-116.7	72.7	0.1	-137.6
-36.3	-0.0							
6381	2	4	C1-C2;~1	Max	5979	0.0	0.0	0.0
0.0	0.0	0.0			5981	0.0	0.0	0.0
0.0	0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0	0.0			4567	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5979	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5981	0.0	0.0	0.0
0.0	0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0	0.0			4567	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	5979	0.0	0.0	0.0
0.0	0.0	0.0			5981	0.0	0.0	0.0
0.0	0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0	0.0			4567	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	5979	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5981	0.0	0.0	0.0
0.0	0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0	0.0			4567	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	5979	0.0	0.0	0.0
0.0	0.0	0.0			5981	0.0	0.0	0.0
0.0	0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4567	0.0	0.0	0.0	0.0
0.0	0.0	Min	5979	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0		4567	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	5979	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0		4567	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5979	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0		4567	0.0	0.0	0.0	0.0
-7.1	0.0	G1	5979	72.0	31.9	-0.2	163.8
13.9	-0.0		5981	60.3	4.2	-0.5	204.9
20.0	-0.0		4568	-73.1	-31.6	0.5	-277.1
-10.1	-0.0		4567	-59.2	-4.3	0.2	-206.5
-0.9	-0.0	G2	5979	29.6	11.7	-0.1	44.2
4.2	0.0		5981	24.3	2.1	-0.1	61.3
6.6	-0.0		4568	-29.9	-13.3	0.2	-84.0
-2.7	-0.0		4567	-24.0	-0.5	0.1	-59.7
0.0	0.0	Q3	5979	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0		4567	0.0	0.0	0.0	0.0
-1.3	0.0	Q5_pc X	5979	-3.5	0.3	-0.1	18.8
1.5	-0.0		5981	-1.5	0.7	-0.1	20.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.1	0.0		4568	3.5	0.3	0.1	-34.8
-1.5	0.0		4567	1.6	-1.4	0.1	-29.1
3.1	-0.0	Q5_pc Y	5979	6.5	-1.1	0.1	-48.8
-4.0	0.0		5981	1.3	-1.2	0.2	-55.3
-5.8	-0.0		4568	-6.4	-0.4	-0.2	92.5
3.9	-0.0		4567	-1.5	2.7	-0.1	76.5
-1.6	0.0	Q5_ps X	5979	-3.8	0.6	-0.1	22.1
1.7	-0.0		5981	-1.8	0.8	-0.1	24.1
2.3	0.0		4568	3.7	0.4	0.1	-38.7
-1.7	0.0		4567	1.8	-1.7	0.1	-32.6
3.8	-0.0	Q5_ps Y	5979	7.3	-1.5	0.1	-54.6
-4.3	0.0		5981	2.0	-1.4	0.2	-60.5
-6.0	-0.0		4568	-7.1	-0.5	-0.2	98.3
4.3	-0.0		4567	-2.2	3.4	-0.1	82.2
24.1	-0.0	INVSLE Max	5979	220.1	59.9	3.1	-168.4
-24.9	-0.0		5981	12.4	1.9	4.2	-211.9
-47.6	-0.0		4568	-200.5	-44.3	-3.6	1125.8
40.8	-0.0		4567	-4.1	-6.9	-2.6	923.5
12.8	-0.0	Min	5979	198.2	55.4	2.7	-332.3
-37.7	-0.0		5981	6.5	-2.2	3.6	-393.3
-65.6	-0.0		4568	-221.8	-46.0	-4.3	830.8
27.8	-0.0		4567	-10.7	-17.2	-3.1	676.8
19.3	-0.0	INVSLE Max	5979	166.0	43.8	2.4	-160.5
-21.9	-0.0		5981	4.2	1.0	3.3	-199.0
-40.6	-0.0		4568	-153.2	-32.4	-2.9	897.6
32.3	-0.0		4567	1.6	-5.4	-2.1	732.8
11.7	-0.0	Min	5979	151.4	40.8	2.1	-269.8

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name		
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-30.4	-0.0		5981	0.2	-1.8	2.9	-319.9
-52.6	-0.0		4568	-167.4	-33.5	-3.4	700.9
23.7	-0.0		4567	-2.8	-12.2	-2.4	568.4

6382	2	10	C1-C2;~1	Max	5980	0.0	0.0	0.0	0.0
0.0		0.0			5982	0.0	0.0	0.0	0.0
0.0		0.0			8474	0.0	0.0	0.0	0.0
0.0		0.0			8472	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	5980	0.0	0.0	0.0	0.0
0.0		0.0			5982	0.0	0.0	0.0	0.0
0.0		0.0			8474	0.0	0.0	0.0	0.0
0.0		0.0			8472	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	5980	0.0	0.0	0.0	0.0
0.0		0.0			5982	0.0	0.0	0.0	0.0
0.0		0.0			8474	0.0	0.0	0.0	0.0
0.0		0.0			8472	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	5980	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0	Min	5980	0.0	0.0	0.0	0.0
0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0						
15.2	0.0	G1	5980	-60.3	46.9	0.4	53.0
-23.1	-0.0		5982	166.1	-35.2	0.5	57.8
-63.0	-0.0		8474	35.4	-48.3	-0.5	245.9
48.4	0.0		8472	-141.2	37.2	-0.3	227.7
5.8	0.0	G2	5980	-22.8	19.2	0.1	19.8
-8.8	-0.0		5982	64.6	-13.4	0.2	21.6
-23.9	-0.0		8474	12.8	-19.8	-0.2	93.2
18.3	0.0		8472	-54.7	14.0	-0.1	86.1
0.0	0.0	Q3	5980	0.0	0.0	0.0	0.0
0.0	0.0		5982	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.6	0.0	Q5_pc X	5980	-5.4	-1.2	0.0	5.0
-0.9	-0.0		5982	2.2	1.4	0.0	5.2
-3.0	-0.0		8474	5.0	1.1	-0.0	12.1
2.8	0.0		8472	-1.8	-1.4	-0.0	11.9
-1.7	-0.0	Q5_pc Y	5980	14.0	1.3	-0.1	-14.2
2.7	0.0		5982	-9.8	-2.1	-0.1	-14.7
9.2	0.0		8474	-12.4	-1.2	0.1	-36.1
-8.0	-0.0		8472	8.3	2.0	0.1	-35.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.6	0.0	Q5_ps X	5980	-5.6	-1.3	0.0	5.0
-0.9	-0.0		5982	2.2	1.4	0.0	5.2
-3.1	-0.0		8474	5.2	1.2	-0.0	12.4
2.8	0.0		8472	-1.8	-1.4	-0.0	12.1
-1.6	-0.0	Q5_ps Y	5980	13.6	1.7	-0.1	-13.8
2.6	0.0		5982	-8.9	-2.2	-0.1	-14.3
8.9	0.0		8474	-12.3	-1.5	0.1	-34.9
-7.8	-0.0		8472	7.6	2.1	0.1	-33.9
24.8	-0.0	INVS LU Max	5980	34.0	94.7	-0.3	-196.2
-5.2	-0.0		5982	227.7	-82.3	-0.4	-209.7
50.9	-0.0		8474	-40.8	-92.4	0.7	-48.9
-6.7	-0.0		8472	-157.4	92.0	0.5	-51.3
20.0	-0.0	Min	5980	-6.8	89.7	-0.5	-237.6
-13.0	-0.0		5982	201.0	-88.9	-0.6	-252.6
24.3	-0.0		8474	-77.5	-96.9	0.5	-153.6
-30.0	-0.0		8472	-180.1	85.9	0.3	-153.0
17.5	-0.0	INVS LE Max	5980	29.9	69.3	-0.3	-161.1
-2.4	-0.0		5982	160.9	-61.5	-0.4	-172.0
44.0	-0.0		8474	-37.3	-67.9	0.6	-68.6
-11.7	-0.0		8472	-111.2	68.2	0.4	-69.0
14.3	-0.0	Min	5980	2.7	66.0	-0.4	-188.7
-7.6	-0.0		5982	143.1	-65.9	-0.5	-200.6
26.2	-0.0		8474	-61.8	-70.9	0.4	-138.5
-27.2	-0.0		8472	-126.3	64.1	0.3	-136.8
6383	2	10 C1-C2; ~1 Max	5981	0.0	0.0	0.0	0.0
0.0	0.0		5983	0.0	0.0	0.0	0.0
0.0	0.0		4569	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0	Min	5981	0.0	0.0	0.0	0.0
0.0	0.0		5983	0.0	0.0	0.0	0.0
0.0	0.0		4569	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	5981	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5981	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	5981	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5981	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	5981	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0			4568	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	5981	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0
0.0	0.0			4569	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		4568	0.0	0.0	0.0	0.0
-12.7	-0.0	G1	5981	65.9	27.1	-0.4	176.5
13.3	-0.0		5983	54.8	0.2	-0.4	187.6
15.3	-0.0		4569	-67.2	-25.2	0.5	-265.5
-13.6	-0.0		4568	-53.4	-2.0	0.4	-249.6
-4.0	0.0	G2	5981	26.5	12.7	-0.1	56.1
4.3	-0.0		5983	21.5	2.0	-0.1	60.3
4.9	-0.0		4569	-27.0	-12.0	0.1	-85.0
-4.2	-0.0		4568	-21.0	-2.7	0.1	-78.9
0.0	0.0	Q3	5981	0.0	0.0	0.0	0.0
0.0	0.0		5983	0.0	0.0	0.0	0.0
0.0	0.0		4569	0.0	0.0	0.0	0.0
0.0	0.0		4568	0.0	0.0	0.0	0.0
-1.4	-0.0	Q5_pc X	5981	-3.1	-1.0	-0.1	16.2
1.3	0.0		5983	-1.0	-0.0	-0.1	16.4
1.5	0.0		4569	3.1	0.9	0.1	-28.6
-1.5	0.0		4568	1.0	0.2	0.1	-27.8
3.6	0.0	Q5_pc Y	5981	5.6	2.0	0.2	-43.6
-3.4	-0.0		5983	0.1	0.5	0.2	-44.4
-4.1	-0.0		4569	-5.6	-1.6	-0.2	77.5
4.0	-0.0		4568	-0.1	-0.8	-0.2	75.1
-1.5	-0.0	Q5_ps X	5981	-3.3	-1.2	-0.1	18.4
1.4	0.0		5983	-1.2	-0.2	-0.1	18.6
1.7	0.0		4569	3.3	1.1	0.1	-31.4
-1.7	0.0		4568	1.2	0.3	0.1	-30.6
3.9	0.0	Q5_ps Y	5981	6.0	2.5	0.2	-46.8

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.6	-0.0		5983	0.5	0.8	0.2	-47.6
-4.3	-0.0		4569	-6.0	-2.2	-0.2	81.2
4.3	-0.0		4568	-0.5	-1.2	-0.2	78.9
34.0	-0.0	INVS LU Max	5981	206.1	62.5	3.4	-193.4
-25.6	-0.0		5983	-24.8	18.0	3.9	-202.4
-39.5	-0.0		4569	-194.4	-48.8	-3.4	1041.7
44.1	-0.0		4568	34.6	-21.4	-2.9	962.7
22.4	-0.0	Min	5981	188.0	54.9	2.9	-334.0
-36.5	-0.0		5983	-28.2	15.5	3.4	-345.2
-52.5	-0.0		4569	-212.4	-55.4	-3.9	798.0
31.3	-0.0		4568	31.1	-24.9	-3.4	726.0
27.4	-0.0	INVS LE Max	5981	155.9	46.4	2.7	-178.1
-22.1	-0.0		5983	-23.8	13.6	3.1	-186.1
-33.3	-0.0		4569	-148.8	-36.4	-2.7	831.1
35.4	-0.0		4568	31.0	-16.6	-2.4	769.1
19.7	-0.0	Min	5981	143.9	41.3	2.4	-271.8
-29.4	-0.0		5983	-26.1	11.9	2.7	-281.2
-42.0	-0.0		4569	-160.8	-40.8	-3.1	668.7
26.9	-0.0		4568	28.7	-19.0	-2.7	611.3
6412	2	10 C1-C2;~1 Max	6010	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8502	0.0	0.0	0.0	0.0
0.0	0.0	Min	6010	0.0	0.0	0.0	0.0
0.0	0.0		6012	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8502	0.0	0.0	0.0	0.0
		C3-C4;~1 Max	6010	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6010	0.0	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6010	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6010	0.0	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	6010	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6010	0.0	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6010	-159.7	-34.9	0.5	49.0
29.1	0.0			6012	49.8	50.7	0.4	46.9
-18.5	0.0			8504	132.4	36.6	-0.4	252.3
-56.2	-0.0			8502	-22.6	-51.8	-0.5	264.8
69.5	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G2	6010	-62.2	-13.0	0.2	17.7
11.2	0.0			6012	19.2	20.4	0.2	16.8
-7.0	0.0			8504	51.3	13.6	-0.1	95.4
-21.1	-0.0			8502	-8.4	-21.0	-0.2	100.3
26.5	0.0							
			Q3	6010	0.0	0.0	0.0	0.0
0.0	0.0			6012	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8502	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6010	-1.4	-1.2	0.0	2.6
0.1	0.0			6012	-1.6	1.1	0.0	2.5
0.1	-0.0			8504	1.7	1.3	-0.0	2.8
-0.4	-0.0			8502	1.4	-1.2	-0.0	3.1
0.9	0.0							
			Q5_pc Y	6010	10.8	0.3	-0.1	-16.3
-2.7	-0.0			6012	-8.1	-1.9	-0.1	-16.2
1.6	0.0			8504	-9.1	-0.2	0.1	-36.9
8.8	0.0			8502	6.4	1.9	0.1	-37.5
-9.4	-0.0							
			Q5_ps X	6010	-1.4	-1.1	0.0	2.9
0.2	0.0			6012	-1.2	0.9	0.0	2.8
0.1	-0.0			8504	1.7	1.1	-0.0	3.9
-0.7	-0.0			8502	0.9	-1.0	-0.0	4.1
1.2	0.0							
			Q5_ps Y	6010	9.7	-0.0	-0.1	-16.0
-2.6	-0.0			6012	-8.1	-1.3	-0.1	-16.0
1.6	0.0			8504	-8.3	0.1	0.1	-36.0
8.6	0.0			8502	6.7	1.3	0.1	-36.4
-9.0	-0.0							
			INVSLU Max	6010	-208.1	-86.0	-0.4	-232.7
24.0	0.0			6012	6.2	91.8	-0.3	-222.0
-27.7	0.0			8504	192.1	93.6	0.5	-5.5
22.6	0.0							


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-11.1	0.0			8502	58.9	-91.2	0.6	-3.9	
			Min	6010	-237.2	-89.2	-0.6	-280.8	
16.2	0.0			6012	-18.1	87.7	-0.5	-269.9	
-32.5	0.0			8504	167.3	90.2	0.3	-113.4	
-3.2	0.0			8502	38.9	-95.1	0.4	-113.0	
-38.2	-0.0								
			INVSLE	Max	6010	-149.5	-64.2	-0.4	-189.4
15.8	0.0			6012	-1.0	66.6	-0.3	-181.1	
-20.0	0.0			8504	136.4	69.6	0.4	-35.7	
21.9	0.0			8502	46.8	-66.5	0.5	-35.2	
-16.4	0.0								
				Min	6010	-168.9	-66.3	-0.5	-221.5
10.6	0.0			6012	-17.2	64.0	-0.4	-213.1	
-23.2	0.0			8504	119.9	67.3	0.3	-107.6	
4.7	0.0			8502	33.5	-69.1	0.4	-107.9	
-34.5	-0.0								
6413	2	10	C1-C2;~1	Max	6011	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4553	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6011	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4553	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6011	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Max	6011	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4553	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6011	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4553		0.0	0.0	0.0
0.0	0.0		6011	C1-C2;~2 Max	0.0	0.0	0.0
0.0	0.0		6013		0.0	0.0	0.0
0.0	0.0		4554		0.0	0.0	0.0
0.0	0.0		4553		0.0	0.0	0.0
0.0	0.0		6011	Min	0.0	0.0	0.0
0.0	0.0		6013		0.0	0.0	0.0
0.0	0.0		4554		0.0	0.0	0.0
0.0	0.0		4553		0.0	0.0	0.0
0.0	0.0		6011	C3-C4;~2 Max	0.0	0.0	0.0
0.0	0.0		6013		0.0	0.0	0.0
0.0	0.0		4554		0.0	0.0	0.0
0.0	0.0		4553		0.0	0.0	0.0
0.0	0.0		6011	Min	0.0	0.0	0.0
0.0	0.0		6013		0.0	0.0	0.0
0.0	0.0		4554		0.0	0.0	0.0
0.0	0.0		4553		0.0	0.0	0.0
-13.6	0.0		6011	G1	-62.0	-0.9	-0.4
13.8	0.0		6013		-71.7	29.0	-0.4
14.7	0.0		4554		60.6	-1.1	0.4
-15.6	0.0		4553		73.1	-26.8	0.4
-4.4	0.0		6011	G2	-24.1	1.7	-0.1
4.3	0.0		6013		-28.6	13.4	-0.1
4.5	0.0		4554		23.6	-2.5	0.1
-5.0	0.0		4553		29.1	-12.6	0.1
0.0	0.0		6011	Q3	0.0	0.0	0.0
0.0	0.0		6013		0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4554	0.0	0.0	0.0	0.0
0.0	0.0		4553	0.0	0.0	0.0	0.0
-0.8	-0.0	Q5_pc X	6011	-2.8	-0.9	-0.0	9.7
0.8	0.0		6013	-1.1	-0.2	-0.0	9.6
1.0	0.0		4554	2.8	1.0	0.0	-17.7
-1.0	0.0		4553	1.1	0.1	0.0	-18.2
3.7	-0.0	Q5_pc Y	6011	5.5	1.2	0.2	-47.0
-4.2	-0.0		6013	-1.5	0.5	0.2	-46.9
-4.6	-0.0		4554	-5.5	-1.3	-0.2	86.5
4.5	-0.0		4553	1.5	-0.4	-0.2	88.0
-1.0	-0.0	Q5_ps X	6011	-2.5	-1.1	-0.1	12.8
1.1	0.0		6013	-0.7	-0.5	-0.1	12.8
1.2	0.0		4554	2.5	1.1	0.1	-22.3
-1.2	0.0		4553	0.7	0.4	0.1	-22.6
3.9	0.0	Q5_ps Y	6011	4.7	1.5	0.2	-49.8
-4.4	-0.0		6013	-2.3	1.1	0.2	-49.9
-4.9	-0.0		4554	-4.7	-1.6	-0.2	90.0
4.7	-0.0		4553	2.3	-1.0	-0.2	91.2
36.8	0.0	INVSLE Max	6011	43.7	20.5	4.6	-191.8
-25.5	0.0		6013	-182.3	56.8	4.2	-193.7
-36.5	0.0		4554	-36.4	-21.6	-3.5	1103.0
56.2	0.0		4553	195.8	-47.6	-4.0	1167.9
25.2	0.0	Min	6011	29.7	16.0	3.9	-341.3
-38.7	0.0		6013	-189.1	53.4	3.5	-343.3
-51.1	0.0		4554	-50.4	-26.4	-4.2	833.0
42.1	0.0		4553	189.0	-50.6	-4.6	894.3
		INVSLE Max	6011	38.6	15.5	3.7	-179.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

29.7	0.0				6013	-138.1	41.9	3.3	-180.5
-22.4	0.0				4554	-34.4	-17.0	-2.8	879.7
-31.3	0.0				4553	147.7	-35.1	-3.2	930.1
44.9	0.0								
			Min		6011	29.2	12.5	3.2	-279.1
21.9	0.0				6013	-142.6	39.7	2.8	-280.3
-31.2	0.0				4554	-43.7	-20.2	-3.3	699.7
-41.0	0.0				4553	143.2	-37.0	-3.7	747.7
35.5	0.0								
6414	2	4	C1-C2;~1	Max	6012	0.0	0.0	0.0	0.0
0.0		0.0			6014	0.0	0.0	0.0	0.0
0.0		0.0			8506	0.0	0.0	0.0	0.0
0.0		0.0			8504	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6012	0.0	0.0	0.0	0.0
0.0		0.0			6014	0.0	0.0	0.0	0.0
0.0		0.0			8506	0.0	0.0	0.0	0.0
0.0		0.0			8504	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6012	0.0	0.0	0.0	0.0
0.0		0.0			6014	0.0	0.0	0.0	0.0
0.0		0.0			8506	0.0	0.0	0.0	0.0
0.0		0.0			8504	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6012	0.0	0.0	0.0	0.0
0.0		0.0			6014	0.0	0.0	0.0	0.0
0.0		0.0			8506	0.0	0.0	0.0	0.0
0.0		0.0			8504	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6012	0.0	0.0	0.0	0.0
0.0		0.0			6014	0.0	0.0	0.0	0.0
0.0		0.0			8506	0.0	0.0	0.0	0.0
0.0		0.0			8504	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6012	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6014	0.0	0.0	0.0	0.0
0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6012	0.0	0.0	0.0
0.0	0.0			6014	0.0	0.0	0.0
0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0
0.0	0.0						
			Min	6012	0.0	0.0	0.0
0.0	0.0			6014	0.0	0.0	0.0
0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0
0.0	0.0						
		G1		6012	-165.9	-44.3	0.7
20.2	-0.0			6014	37.2	51.0	0.1
-61.6	-0.0			8506	135.6	51.4	-0.2
-88.1	0.0			8504	-6.9	-57.3	-0.6
55.7	-0.0						301.2
		G2		6012	-65.0	-16.7	0.3
7.7	0.0			6014	14.0	21.4	0.0
-23.9	-0.0			8506	53.0	19.1	-0.1
-33.5	0.0			8504	-2.0	-23.7	-0.2
20.9	-0.0						114.0
		Q3		6012	0.0	0.0	0.0
0.0	0.0			6014	0.0	0.0	0.0
0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0
0.0	0.0						0.0
		Q5_pc X		6012	-1.0	-1.2	0.0
-0.1	-0.0			6014	-2.2	1.3	0.0
0.4	0.0			8506	1.5	1.2	-0.0
-0.3	-0.0			8504	1.7	-1.3	-0.0
0.4	-0.0						3.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.8	0.0	Q5_pc Y	6012	11.9	1.1	-0.1	-18.0
7.6	0.0		6014	-7.5	-1.6	-0.0	-12.7
14.7	0.0		8506	-10.1	-1.9	0.0	-37.8
-8.9	0.0		8504	5.6	2.4	0.1	-45.5
-0.0	-0.0	Q5_ps X	6012	-0.9	-1.1	0.0	3.8
0.2	-0.0		6014	-1.7	1.0	0.0	3.7
-0.8	-0.0		8506	1.5	1.1	-0.0	3.5
0.7	-0.0		8504	1.2	-1.0	-0.0	4.4
-1.8	0.0	Q5_ps Y	6012	10.7	0.7	-0.1	-18.0
7.3	0.0		6014	-7.6	-1.0	-0.0	-13.1
14.5	0.0		8506	-9.1	-1.4	0.0	-37.1
-8.8	0.0		8504	6.0	1.7	0.1	-44.6
31.0	0.0	INVSLE Max	6012	-194.2	-90.7	-0.6	-291.6
-25.2	-0.0		6014	-1.3	77.8	-0.2	-269.6
38.8	0.0		8506	175.7	103.0	0.3	-7.9
1.1	0.0		8504	70.0	-81.3	1.0	-8.9
25.7	0.0	Min	6012	-226.3	-94.0	-1.0	-345.7
-47.2	-0.0		6014	-24.1	74.8	-0.3	-309.0
-4.7	0.0		8506	148.3	98.7	0.2	-119.2
-25.2	0.0		8504	51.8	-86.4	0.6	-142.7
22.0	0.0	INVSLE Max	6012	-137.9	-67.1	-0.6	-234.9
-14.4	-0.0		6014	-5.7	55.3	-0.2	-213.8
37.9	0.0		8506	122.8	75.9	0.3	-38.6
-6.4	0.0		8504	54.3	-58.1	0.8	-45.6
18.4	0.0	Min	6012	-159.3	-69.3	-0.8	-271.0
-29.0	-0.0		6014	-20.9	53.3	-0.3	-240.1
8.9	0.0		8506	104.6	73.0	0.2	-112.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				8504	42.2	-61.5	0.6	-134.8
-23.9	0.0							
6415	2	4	C1-C2;~1	Max	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0
0.0	0.0	0.0			4554	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~2	Max	6013	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			4555	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4554	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6013	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		4555	0.0	0.0	0.0	0.0
0.0	0.0		4554	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6013	-64.6	3.8	-0.5	226.7
-14.9	0.0		6015	-74.7	32.5	-0.2	185.1
8.1	-0.0		4555	63.4	-3.5	0.2	-231.0
11.8	0.0		4554	75.8	-32.7	0.5	-303.2
-21.8	0.0						
		G2	6013	-25.7	2.0	-0.1	68.2
-4.4	0.0		6015	-30.6	12.1	-0.0	51.5
1.2	0.0		4555	25.4	-0.4	0.0	-64.0
3.1	0.0		4554	30.9	-13.7	0.1	-89.7
-7.1	0.0						
		Q3	6013	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		4555	0.0	0.0	0.0	0.0
0.0	0.0		4554	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6013	-2.5	0.0	-0.1	13.1
-1.0	0.0		6015	-0.9	1.6	-0.0	12.7
1.1	-0.0		4555	2.5	-0.9	0.0	-20.6
1.1	0.0		4554	1.0	-0.7	0.1	-23.2
-1.2	0.0						
		Q5_pc Y	6013	3.6	-0.5	0.3	-59.9
4.4	-0.0		6015	-3.4	-1.4	0.3	-51.8
-3.3	0.0		4555	-3.5	1.4	-0.3	99.4
-5.1	-0.0		4554	3.3	0.6	-0.3	113.1
6.9	-0.0						
		Q5_ps X	6013	-2.1	0.1	-0.1	17.7
-1.3	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.5	-0.0			6015	-0.3	1.8	-0.1	17.3
1.5	0.0			4555	2.0	-1.3	0.1	-26.7
-1.6	0.0			4554	0.4	-0.6	0.1	-29.7
4.7	-0.0	Q5_ps Y		6013	2.6	-0.7	0.3	-64.7
-3.8	0.0			6015	-4.4	-1.6	0.3	-57.0
-5.5	-0.0			4555	-2.4	2.0	-0.3	105.0
7.1	-0.0			4554	4.2	0.3	-0.3	118.7
41.4	0.0	INVS LU	Max	6013	-3.0	-0.1	5.6	-221.1
-14.4	0.0			6015	-199.3	58.4	4.8	-169.5
-39.7	0.0			4555	8.2	-8.4	-4.0	1231.9
78.3	0.0			4554	214.5	-42.0	-4.7	1393.8
27.5	0.0		Min	6013	-10.8	-2.1	4.7	-415.3
-25.8	0.0			6015	-212.5	53.0	4.0	-340.4
-56.2	0.0			4555	1.0	-14.4	-4.8	916.8
56.9	0.0			4554	201.8	-43.9	-5.6	1037.7
33.5	0.0	INVS LE	Max	6013	3.1	-0.5	4.4	-209.9
-13.2	0.0			6015	-151.3	42.5	3.8	-164.6
-33.5	0.0			4555	0.1	-6.3	-3.2	975.9
62.6	0.0			4554	161.8	-30.4	-3.8	1109.3
24.1	0.0		Min	6013	-2.1	-1.8	3.8	-339.4
-20.8	0.0			6015	-160.2	38.9	3.2	-278.5
-44.5	0.0			4555	-4.7	-10.4	-3.7	765.9
48.4	0.0			4554	153.3	-31.6	-4.4	871.9
6442	2	4 C1-C2;~1	Max	6040	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0	0.0
0.0	0.0		Min	6040	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0						
			6042	0.0	0.0	0.0	0.0
0.0	0.0		8534	0.0	0.0	0.0	0.0
0.0	0.0		8532	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						
			Min	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						
			Min	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						
			Min	6040	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	6040	-47.4	-125.2	0.0	-6.1
-0.4	0.0			6042	-288.6	139.7	-0.0	-7.7
-2.5	0.0			8534	76.8	126.8	-0.0	6.4
-2.2	0.0			8532	259.3	-140.6	0.0	7.0
-0.1	0.0							
			G2	6040	-18.5	-48.7	0.0	0.8
-0.1	0.0			6042	-113.3	55.2	0.0	0.3
-0.8	0.0			8534	29.6	49.1	-0.0	4.4
-1.6	0.0			8532	102.1	-55.6	-0.0	4.6
0.8	0.0							
			Q3	6040	0.0	0.0	0.0	0.0
0.0	0.0			6042	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0			8532	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6040	8.0	-1.9	0.0	2.0
-0.9	0.0			6042	-14.7	3.2	-0.0	2.4
1.9	0.0			8534	-6.6	2.0	0.0	-3.1
1.8	0.0			8532	13.2	-3.4	-0.0	-2.7
-1.3	0.0							
			Q5_pc Y	6040	9.5	0.9	0.0	4.2
-0.2	0.0			6042	-8.8	0.4	0.0	4.2
0.7	0.0			8534	-12.6	-1.0	-0.0	-0.8
-0.3	0.0			8532	11.9	-0.3	-0.0	-0.7
0.5	0.0							
			Q5_ps X	6040	7.7	-1.1	-0.0	1.3
-0.9	0.0			6042	-12.3	2.4	-0.0	1.7
1.8	0.0			8534	-6.4	1.2	0.0	-3.6
1.9	0.0			8532	11.0	-2.5	-0.0	-3.2
-1.4	0.0							
			Q5_ps Y	6040	8.2	-0.4	0.0	4.7
-0.2	0.0			6042	-10.6	1.6	0.0	4.7
0.6	0.0			8534	-11.1	0.3	-0.0	-0.1
-0.6	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.7	0.0			8532	13.5	-1.5	-0.0	0.1
		INVS LU	Max	6040	31.3	-207.1	0.0	4.3
0.8	0.0			6042	-577.9	251.1	0.0	3.2
1.5	0.0			8534	83.0	212.2	-0.0	14.3
0.2	0.0			8532	531.3	-244.2	0.0	13.8
3.5	0.0							
			Min	6040	6.6	-210.5	-0.0	-9.7
-1.7	0.0			6042	-614.8	243.8	0.0	-10.8
-4.0	0.0			8534	49.6	208.5	-0.0	3.5
-5.6	0.0			8532	490.9	-251.8	-0.0	4.3
-0.8	0.0							
		INVS LE	Max	6040	28.4	-151.8	0.0	3.1
0.5	0.0			6042	-431.9	184.5	0.0	2.3
1.1	0.0			8534	55.0	155.3	-0.0	10.1
-0.0	0.0			8532	393.6	-179.9	0.0	9.8
2.4	0.0							
			Min	6040	12.0	-154.1	-0.0	-6.3
-1.2	0.0			6042	-456.5	179.7	0.0	-7.0
-2.6	0.0			8534	32.7	152.8	-0.0	2.9
-3.8	0.0			8532	366.6	-185.0	-0.0	3.4
-0.4	0.0							
6443	2	4	C1-C2;~1	Max	6041	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0	0.0
0.0	0.0			4519	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6041	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0	0.0
0.0	0.0			4519	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6041	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6041	0.0	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6041	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6041	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6041	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6041	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6041	-219.9	-29.2	0.0	-6.0
0.5	0.0		6043	-148.7	36.0	0.0	-8.7
-0.8	0.0		4520	224.4	40.6	-0.0	10.2
-0.6	0.0		4519	144.1	-47.3	-0.0	10.2
0.4	0.0						
		G2	6041	-86.2	-8.9	0.0	-14.2
1.3	0.0		6043	-58.7	16.4	0.1	-14.5
-1.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.3	0.0		4520	88.0	13.7	-0.1	23.3
1.3	0.0		4519	57.0	-21.2	-0.0	23.6
0.0	0.0	Q3	6041	0.0	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0		4519	0.0	0.0	0.0	0.0
-0.5	0.0	Q5_pc X	6041	-1.6	-1.7	-0.0	4.5
0.3	0.0		6043	-2.7	-2.5	-0.0	3.4
0.4	-0.0		4520	1.7	3.4	0.0	-8.6
-0.5	-0.0		4519	2.6	0.9	0.0	-8.7
0.8	0.0	Q5_pc Y	6041	17.3	3.1	0.0	-7.5
-0.8	0.0		6043	-3.5	-0.3	0.0	-7.5
-0.8	-0.0		4520	-18.0	-2.6	-0.0	13.7
0.8	-0.0		4519	4.3	-0.2	-0.0	14.0
-0.7	0.0	Q5_ps X	6041	-0.3	-1.9	-0.0	7.3
0.6	0.0		6043	-1.6	-2.9	-0.0	6.1
0.6	-0.0		4520	0.3	3.3	0.0	-12.7
-0.8	-0.0		4519	1.5	1.5	0.0	-12.8
1.1	0.0	Q5_ps Y	6041	14.2	3.0	0.0	-10.7
-1.1	0.0		6043	-5.1	0.3	0.0	-10.5
-1.0	-0.0		4520	-14.9	-2.2	-0.0	18.4
1.1	-0.0		4519	5.8	-1.1	-0.0	18.8
3.6	0.0	INVSLU Max	6041	-399.0	-37.1	0.2	-0.2
-0.8	0.0		6043	-189.8	80.6	0.3	1.3
-2.7	0.0		4520	455.2	57.1	-0.2	79.4
4.9	0.0		4519	193.6	-84.4	-0.1	78.2
		Min	6041	-441.6	-46.0	0.1	-32.2

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.4	0.0			6043	-205.2	71.9	0.2	-30.2
-4.1	0.0			4520	410.6	47.2	-0.3	24.2
-5.8	0.0			4519	176.1	-88.8	-0.2	21.8
1.6	0.0							
		INVSLE	Max	6041	-295.2	-26.9	0.2	-2.0
2.6	0.0			6043	-137.6	59.7	0.2	-0.8
-0.8	0.0			4520	333.6	40.5	-0.1	57.8
-2.2	0.0			4519	139.1	-62.4	-0.1	56.8
3.5	0.0							
			Min	6041	-323.5	-32.9	0.1	-23.4
0.4	0.0			6043	-147.9	53.9	0.1	-21.9
-3.0	0.0			4520	303.9	33.9	-0.2	21.0
-4.3	0.0			4519	127.5	-65.3	-0.2	19.2
1.4	0.0							
6444	2	8	C1-C2;~1	Max	6042	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6042	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6042	-51.1	-139.4	-0.0	-12.1
2.4	0.0			6044	-290.5	125.9	0.0	-11.3
1.0	0.0			8536	76.1	145.3	0.0	7.2
-0.4	0.0			8534	265.6	-131.0	0.0	7.5
2.3	0.0							
			G2	6042	-19.8	-53.6	0.0	-1.2
0.8	0.0			6044	-113.8	50.7	0.0	-2.0
0.6	0.0			8536	29.2	55.3	0.0	3.9
-0.1	0.0			8534	104.4	-52.3	-0.0	4.8
1.6	0.0							
			Q3	6042	0.0	0.0	0.0	0.0
0.0	0.0			6044	0.0	0.0	0.0	0.0
0.0	0.0			8536	0.0	0.0	0.0	0.0
0.0	0.0			8534	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-2.0	0.0	Q5_pc X	6042	6.1	-2.5	0.0	3.3
0.1	0.0		6044	-12.9	3.8	-0.0	3.3
1.0	0.0		8536	-4.4	1.7	0.0	-6.2
-1.8	0.0		8534	11.3	-2.9	-0.0	-5.3
-0.6	0.0	Q5_pc Y	6042	8.2	0.0	0.0	4.5
0.5	0.0		6044	-7.4	-0.8	-0.0	3.2
0.8	0.0		8536	-11.6	0.2	0.0	-4.4
0.3	0.0		8534	10.8	0.6	-0.0	-2.9
-2.0	0.0	Q5_ps X	6042	5.8	-1.8	0.0	2.6
0.0	0.0		6044	-10.7	2.9	-0.0	2.8
1.0	0.0		8536	-4.3	1.0	0.0	-6.4
-2.0	0.0		8534	9.1	-2.1	0.0	-5.7
-0.5	0.0	Q5_ps Y	6042	7.2	-1.2	0.0	5.0
0.5	0.0		6044	-9.2	0.1	-0.0	3.4
0.7	0.0		8536	-10.5	1.5	0.0	-3.5
0.5	0.0		8534	12.5	-0.4	-0.0	-2.0
4.2	0.0	INVSLE Max	6042	-2.7	-239.9	0.0	1.4
4.8	0.0		6044	-567.3	227.9	0.0	-0.2
0.5	0.0		8536	104.3	252.1	0.0	25.4
5.7	0.0		8534	526.8	-226.7	0.0	22.0
-1.7	0.0	Min	6042	-24.2	-245.2	-0.0	-13.5
3.2	0.0		6044	-599.3	219.3	-0.0	-10.5
-2.5	0.0		8536	72.9	247.7	-0.0	6.3
-0.3	0.0		8534	489.4	-233.0	-0.0	4.9
2.7	0.0	INVSLE Max	6042	2.1	-176.6	0.0	1.1
3.5	0.0		6044	-423.1	167.6	0.0	-0.0
			8536	72.1	185.0	0.0	17.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	0.0			8534	389.6	-167.0	-0.0	15.5
3.9	0.0							
			Min	6042	-12.2	-180.1	-0.0	-8.8
-1.2	0.0			6044	-444.4	161.9	-0.0	-6.9
2.5	0.0			8536	51.2	182.0	-0.0	5.1
-1.7	0.0			8534	364.7	-171.1	-0.0	4.1
-0.1	0.0							
6445	2	8	C1-C2;~1	Max	6043	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0
0.0	0.0				4520	0.0	0.0	0.0
0.0	0.0							
			Min	6043	0.0	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0
0.0	0.0				4520	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6043	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0
0.0	0.0				4520	0.0	0.0	0.0
0.0	0.0							
			Min	6043	0.0	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0
0.0	0.0				4520	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6043	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0
0.0	0.0				4520	0.0	0.0	0.0
0.0	0.0							
			Min	6043	0.0	0.0	0.0	0.0
0.0	0.0				6045	0.0	0.0	0.0
0.0	0.0				4521	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4520	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6043	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			4521	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6043	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			4521	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0
0.0	0.0						
0.7	0.0		G1	6043	-215.4	-26.0	0.0
-1.3	0.0			6045	-160.4	58.7	0.0
-1.7	0.0			4521	215.5	19.4	-0.0
0.9	0.0			4520	160.3	-52.0	0.0
1.6	0.0		G2	6043	-85.7	-10.9	-0.0
-3.2	0.0			6045	-64.6	20.4	-0.1
-1.6	0.0			4521	85.9	10.9	0.1
1.4	0.0			4520	64.4	-20.3	0.0
0.0	0.0		Q3	6043	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			4521	0.0	0.0	0.0
0.0	0.0			4520	0.0	0.0	0.0
-0.5	0.0		Q5_pc X	6043	0.5	-1.4	0.0
1.1	0.0			6045	-1.0	2.4	0.1
-0.1	-0.0			4521	-0.4	-2.3	-0.1
-0.4	-0.0			4520	0.9	1.3	-0.0
1.1	0.0		Q5_pc Y	6043	17.0	-2.9	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-2.3	0.0			6045	2.1	-5.3	-0.1	-25.2
-0.9	0.0			4521	-16.6	1.4	0.1	11.8
0.7	-0.0			4520	-2.5	6.8	0.0	15.3
-0.7	0.0	Q5_ps X		6043	2.0	-0.7	0.0	14.9
1.7	0.0			6045	0.4	2.7	0.1	23.2
0.2	-0.0			4521	-2.0	-3.3	-0.1	-0.1
-0.7	-0.0			4520	-0.5	1.3	-0.0	-9.0
1.4	0.0	Q5_ps Y		6043	13.7	-3.6	-0.0	-23.2
-2.9	0.0			6045	-0.2	-5.5	-0.1	-32.6
-1.1	0.0			4521	-13.2	2.7	0.1	15.2
1.0	-0.0			4520	-0.3	6.5	0.0	20.3
4.9	0.0	INVS LU	Max	6043	-402.9	-6.5	-0.1	-28.1
-3.6	0.0			6045	-253.8	123.1	-0.5	-61.0
0.1	0.0			4521	442.3	31.2	0.9	8.7
4.3	0.0			4520	258.9	-119.3	0.2	59.9
0.8	0.0		Min	6043	-444.0	-17.5	-0.2	-97.7
-12.4	0.0			6045	-257.6	106.8	-0.9	-159.0
-3.4	0.0			4521	402.6	21.4	0.5	-36.9
1.4	0.0			4520	254.4	-138.6	0.1	-1.1
3.6	0.0	INVS LE	Max	6043	-298.6	-4.0	-0.1	-24.7
-3.1	0.0			6045	-185.6	89.8	-0.4	-50.6
-0.1	0.0			4521	324.8	22.7	0.6	5.4
3.2	0.0			4520	189.1	-89.5	0.2	43.3
0.8	0.0		Min	6043	-326.0	-11.3	-0.2	-71.1
-9.0	0.0			6045	-188.2	78.9	-0.6	-115.9
-2.4	0.0			4521	298.3	16.2	0.4	-24.9
1.2	0.0			4520	186.1	-102.4	0.1	2.7

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

6470	2	8	C1-C2;~1	Max	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0		Min	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0		Min	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0		Min	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6068	0.0	0.0	0.0	0.0
0.0		0.0			6070	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0			8560	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Min	6068	0.0	0.0	0.0	0.0
0.0	0.0		6070	0.0	0.0	0.0	0.0
0.0	0.0		8562	0.0	0.0	0.0	0.0
0.0	0.0		8560	0.0	0.0	0.0	0.0
		G1	6068	286.3	125.5	-0.1	-14.4
-34.4	-0.0		6070	51.0	-137.0	-0.4	-27.5
4.9	-0.0		8562	-258.4	-130.0	0.3	-167.4
25.7	-0.0		8560	-78.9	142.3	0.2	-140.3
-49.9	0.0						
		G2	6068	112.5	50.5	-0.0	-5.6
-13.7	-0.0		6070	19.5	-52.6	-0.2	-10.5
2.1	-0.0		8562	-101.9	-52.1	0.1	-67.8
10.2	-0.0		8560	-30.2	54.3	0.1	-56.6
-20.1	0.0						
		Q3	6068	0.0	0.0	0.0	0.0
0.0	0.0		6070	0.0	0.0	0.0	0.0
0.0	0.0		8562	0.0	0.0	0.0	0.0
0.0	0.0		8560	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6068	-0.0	0.9	-0.0	4.9
0.7	0.0		6070	0.7	-0.2	0.0	6.1
2.5	-0.0		8562	0.5	-0.3	-0.0	-1.3
1.9	0.0		8560	-1.2	-0.3	-0.0	-1.9
0.4	-0.0						
		Q5_pc Y	6068	-7.6	-3.6	-0.0	-12.6
1.6	0.0		6070	-9.7	7.9	-0.1	-17.0
0.1	0.0		8562	7.0	5.8	0.1	-22.9
3.9	-0.0		8560	10.3	-10.1	0.0	-15.7
-0.5	-0.0						
		Q5_ps X	6068	-1.9	-0.0	-0.0	5.1
1.0	0.0		6070	0.2	0.7	0.0	6.3
2.4	-0.0		8562	2.4	0.6	-0.0	0.3
1.6	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.0	-0.0			8560	-0.7	-1.3	-0.0	-0.5
		Q5_ps Y		6068	-5.8	-2.7	-0.0	-12.2
1.3	0.0			6070	-9.3	7.1	-0.1	-16.5
0.1	0.0			8562	5.4	4.9	0.1	-23.1
3.9	-0.0			8560	9.8	-9.3	0.0	-15.8
-0.7	-0.0							
		INVS LU	Max	6068	587.9	229.6	-0.1	70.7
-72.2	-0.0			6070	35.8	-232.8	-0.5	65.8
20.1	-0.0			8562	-492.7	-225.2	0.6	-294.2
47.7	0.0			8560	-85.7	265.6	0.3	-248.1
-88.1	0.0							
			Min	6068	570.6	221.5	-0.2	34.2
-76.3	-0.0			6070	7.8	-254.2	-0.7	16.2
12.9	-0.0			8562	-508.8	-239.8	0.3	-363.6
36.0	-0.0			8560	-115.0	237.6	0.2	-295.6
-91.1	0.0							
		INVS LE	Max	6068	436.5	168.9	-0.1	50.9
-54.0	-0.0			6070	21.1	-172.1	-0.4	46.5
14.8	-0.0			8562	-366.3	-166.3	0.5	-225.8
35.5	0.0			8560	-61.1	194.3	0.2	-189.4
-65.8	0.0							
			Min	6068	424.9	163.6	-0.1	26.6
-56.7	-0.0			6070	2.4	-186.4	-0.5	13.4
10.0	-0.0			8562	-377.0	-176.0	0.3	-272.0
27.7	-0.0			8560	-80.6	175.7	0.2	-221.0
-67.9	0.0							
6471	2	8 C1-C2;~1	Max	6069	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6069	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4538	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6069	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0
0.0	0.0			4539	0.0	0.0	0.0
0.0	0.0			4538	0.0	0.0	0.0
0.0	0.0						
1.3	-0.0	G1		6069	156.0	58.7	-0.6
				6071	210.7	-24.1	-80.9
-2.4	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.8	-0.0		4539	-155.8	-52.0	0.5	-19.0
-0.1	-0.0		4538	-210.9	17.6	0.6	-33.1
		G2					
2.7	-0.0		6069	62.4	20.6	-0.2	-52.1
			6071	83.3	-9.8	-0.2	-56.6
-2.7	-0.0		4539	-62.1	-20.5	0.2	22.3
-2.4	-0.0		4538	-83.5	9.7	0.2	11.5
1.3	-0.0						
		Q3					
0.0	0.0		6069	0.0	0.0	0.0	0.0
			6071	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
0.0	0.0		4538	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X					
-1.2	0.0		6069	0.8	2.7	0.0	15.4
			6071	0.2	-1.2	0.0	13.8
1.0	-0.0		4539	-0.8	1.0	-0.0	-13.9
0.9	0.0		4538	-0.2	-2.5	-0.0	-8.7
-0.4	0.0						
		Q5_pc Y					
2.4	-0.0		6069	-8.6	-4.3	0.2	-36.2
			6071	-19.6	0.5	0.3	-43.4
-3.8	0.0		4539	8.9	5.4	-0.3	89.6
-5.5	0.0		4538	19.3	-1.5	-0.2	72.3
3.1	0.0						
		Q5_ps X					
-1.8	0.0		6069	-1.0	3.0	0.0	22.4
			6071	-1.6	-0.4	-0.0	20.8
1.4	-0.0		4539	0.9	0.9	0.0	-22.1
1.3	0.0		4538	1.6	-3.6	-0.0	-15.9
-0.8	0.0						
		Q5_ps Y					
2.7	-0.0		6069	-7.3	-4.5	0.2	-40.2
			6071	-17.6	0.2	0.3	-47.1
-4.0	0.0		4539	7.6	5.0	-0.3	91.7
-5.6	0.0		4538	17.2	-0.7	-0.2	74.2
3.3	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLE	Max	6069	264.4	121.2	-2.2	-31.1
6.7	-0.0				6071	447.6	-10.8	-2.0	-15.6
9.0	-0.0				4539	-243.0	-120.8	2.8	-208.0
22.8	-0.0				4538	-394.4	31.3	2.7	-242.5
-8.0	-0.0								
				Min	6069	242.5	107.6	-2.7	-151.7
-1.5	-0.0				6071	394.8	-12.9	-2.8	-156.9
-3.1	-0.0				4539	-265.9	-135.7	2.0	-483.0
6.0	-0.0				4538	-446.1	20.6	2.2	-465.2
-17.8	-0.0								
			INVSLE	Max	6069	193.0	88.6	-1.6	-30.7
4.8	-0.0				6071	328.7	-7.0	-1.5	-20.7
6.0	-0.0				4539	-178.8	-90.5	2.1	-161.9
16.0	-0.0				4538	-293.2	22.9	2.0	-186.5
-6.2	-0.0								
				Min	6069	178.4	79.6	-2.0	-111.1
-0.7	-0.0				6071	293.5	-8.4	-2.1	-114.8
-2.1	-0.0				4539	-194.1	-100.4	1.5	-345.2
4.8	-0.0				4538	-327.6	15.7	1.6	-334.9
-12.8	-0.0								
6472	2	4	C1-C2;~1	Max	6070	0.0	0.0	0.0	0.0
0.0		0.0			6072	0.0	0.0	0.0	0.0
0.0		0.0			8564	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6070	0.0	0.0	0.0	0.0
0.0		0.0			6072	0.0	0.0	0.0	0.0
0.0		0.0			8564	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6070	0.0	0.0	0.0	0.0
0.0		0.0			6072	0.0	0.0	0.0	0.0
0.0		0.0			8564	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


			Min	6070	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6070	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6070	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6070	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6070	0.0	0.0	0.0	0.0
0.0	0.0			6072	0.0	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6070	283.2	137.3	-0.3	-20.2
-3.5	-0.0			6072	47.0	-123.4	-0.2	-5.3
26.0	-0.0			8564	-251.1	-138.1	0.3	-152.3
43.6	0.0			8562	-79.1	124.9	0.2	-144.7
-25.9	-0.0							
		G2		6070	111.4	54.3	-0.1	-7.7
-1.5	-0.0			6072	17.7	-47.7	-0.1	-1.9
10.5	-0.0			8564	-99.1	-54.7	0.1	-62.1
17.5	0.0			8562	-30.0	48.0	0.1	-58.9
-10.3	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q3	6070	0.0	0.0	0.0	0.0
0.0	0.0		6072	0.0	0.0	0.0	0.0
0.0	0.0		8564	0.0	0.0	0.0	0.0
0.0	0.0		8562	0.0	0.0	0.0	0.0
-2.4	-0.0	Q5_pc X	6070	0.8	0.5	0.0	4.7
0.7	-0.0		6072	1.0	-0.7	0.0	3.8
0.6	0.0		8564	-0.5	-0.7	-0.0	-0.5
-1.8	0.0		8562	-1.3	0.9	-0.0	-0.6
0.4	0.0	Q5_pc Y	6070	-7.2	-7.6	-0.0	-17.0
1.6	0.0		6072	-11.5	7.4	-0.1	-18.8
7.8	0.0		8564	5.7	7.4	0.1	-27.0
-3.9	-0.0		8562	13.0	-7.3	0.0	-23.9
-2.3	-0.0	Q5_ps X	6070	-1.2	-0.5	0.0	4.7
0.5	-0.0		6072	0.4	0.3	0.0	3.7
0.2	0.0		8564	1.4	0.3	-0.0	0.8
-1.6	-0.0		8562	-0.6	-0.1	-0.0	0.7
0.3	0.0	Q5_ps Y	6070	-5.5	-6.7	-0.0	-16.5
1.7	0.0		6072	-11.1	6.7	-0.1	-18.1
7.8	0.0		8564	4.2	6.5	0.1	-27.1
-3.9	-0.0		8562	12.5	-6.5	0.0	-24.0
-10.4	-0.0	INVS LU Max	6070	595.7	258.0	-0.3	63.2
67.1	-0.0		6072	8.4	-200.3	-0.3	99.1
102.8	0.0		8564	-492.5	-238.7	0.6	-292.6
-37.1	0.0		8562	-61.7	221.5	0.3	-264.2
-17.2	-0.0	Min	6070	579.3	238.0	-0.5	13.7
62.1	-0.0		6072	-25.0	-220.3	-0.5	44.8
			8564	-505.0	-258.2	0.4	-373.9

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

79.4	-0.0				8562	-99.1	202.0	0.2	-336.2
-48.7	-0.0								
		INVSLE	Max	6070		443.0	189.4	-0.3	44.4
-8.1	-0.0			6072		-0.5	-147.7	-0.2	70.9
50.4	-0.0			8564		-366.6	-176.4	0.5	-226.4
77.1	0.0			8562		-42.7	161.9	0.3	-204.0
-28.5	0.0								
			Min	6070		432.0	176.0	-0.3	11.4
-12.6	-0.0			6072		-22.8	-161.1	-0.4	34.7
47.1	-0.0			8564		-375.0	-189.5	0.3	-280.6
61.5	-0.0			8562		-67.6	148.9	0.2	-252.0
-36.3	-0.0								
6473	2	4	C1-C2;~1	Max	6071	0.0	0.0	0.0	0.0
0.0		0.0			6073	0.0	0.0	0.0	0.0
0.0		0.0			4540	0.0	0.0	0.0	0.0
0.0		0.0			4539	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	6071		0.0	0.0	0.0	0.0
0.0		0.0		6073		0.0	0.0	0.0	0.0
0.0		0.0		4540		0.0	0.0	0.0	0.0
0.0		0.0		4539		0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6071	0.0	0.0	0.0	0.0
0.0		0.0			6073	0.0	0.0	0.0	0.0
0.0		0.0			4540	0.0	0.0	0.0	0.0
0.0		0.0			4539	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	6071		0.0	0.0	0.0	0.0
0.0		0.0		6073		0.0	0.0	0.0	0.0
0.0		0.0		4540		0.0	0.0	0.0	0.0
0.0		0.0		4539		0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6071	0.0	0.0	0.0	0.0
0.0		0.0			6073	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4540	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
0.0	0.0	Min	6071	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		4540	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6071	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		4540	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6071	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		4540	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
0.0	0.0						
2.7	-0.0	G1	6071	145.3	36.1	-0.5	-66.7
-2.0	-0.0		6073	215.8	-28.0	-0.6	-67.3
0.6	-0.0		4540	-140.6	-47.0	0.6	-33.9
1.2	-0.0		4539	-220.6	39.1	0.5	-18.3
2.6	-0.0	G2	6071	57.2	16.5	-0.1	-44.7
-2.3	-0.0		6073	84.6	-8.4	-0.2	-45.4
-1.3	-0.0		4540	-55.4	-21.0	0.2	12.4
1.9	-0.0		4539	-86.4	13.0	0.1	17.9
0.0	0.0	Q3	6071	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		4540	0.0	0.0	0.0	0.0
0.0	0.0		4539	0.0	0.0	0.0	0.0
-0.8	-0.0	Q5_pc X	6071	1.5	-2.9	-0.0	9.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.9	-0.0		6073	1.9	-1.9	-0.0	10.6
			4540	-1.4	1.2	0.0	-14.6
0.9	0.0		4539	-1.9	3.6	0.0	-14.0
-0.8	0.0						
		Q5_pc Y	6071	-6.8	-1.9	0.2	-39.5
3.4	0.0		6073	-21.1	4.1	0.3	-42.6
-4.0	0.0		4540	6.2	1.7	-0.3	93.0
-5.0	0.0		4539	21.7	-3.9	-0.2	83.8
3.9	0.0						
		Q5_ps X	6071	-0.0	-3.3	-0.0	15.2
-1.2	-0.0		6073	0.1	-1.9	-0.0	15.9
1.3	0.0		4540	0.0	1.9	0.0	-21.0
1.3	0.0		4539	-0.1	3.3	0.0	-20.4
-1.1	0.0						
		Q5_ps Y	6071	-5.9	-1.3	0.2	-41.9
3.6	0.0		6073	-19.2	4.1	0.3	-45.0
-4.1	0.0		4540	5.4	1.1	-0.3	93.8
-5.1	0.0		4539	19.8	-3.9	-0.2	84.9
4.0	0.0						
		INVSLE Max	6071	209.0	81.9	-1.5	-11.6
1.9	-0.0		6073	450.5	-35.6	-1.8	-26.9
7.4	-0.0		4540	-178.9	-84.4	2.7	-156.7
16.7	-0.0		4539	-405.0	58.2	2.1	-136.5
-0.8	-0.0						
		Min	6071	191.2	72.0	-2.1	-137.5
-8.9	-0.0		6073	392.8	-47.9	-2.7	-161.9
-5.0	-0.0		4540	-195.2	-90.2	1.8	-438.1
1.4	-0.0		4539	-464.3	46.5	1.5	-391.3
-12.9	-0.0						
		INVSLE Max	6071	151.2	60.6	-1.1	-17.0
1.2	-0.0		6073	330.1	-26.1	-1.4	-29.2
4.8	-0.0		4540	-130.1	-62.5	2.0	-123.3
11.6	-0.0		4539	-300.8	41.5	1.6	-107.7
-0.8	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-6.0	-0.0	Min	6071	139.3	54.0	-1.6	-100.9
-3.5	-0.0		6073	291.6	-34.4	-2.0	-119.2
1.3	-0.0		4540	-140.9	-66.4	1.4	-311.0
-8.9	-0.0		4539	-340.4	33.7	1.1	-277.6
6500	2	4 C1-C2;~1	Max	6098	0.0	0.0	0.0
0.0	0.0			6100	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0
0.0	0.0			8590	0.0	0.0	0.0
0.0	0.0			Min	6098	0.0	0.0
0.0	0.0				6100	0.0	0.0
0.0	0.0				8592	0.0	0.0
0.0	0.0				8590	0.0	0.0
0.0	0.0				Min	6098	0.0
0.0	0.0				6100	0.0	0.0
0.0	0.0				8592	0.0	0.0
0.0	0.0				8590	0.0	0.0
0.0	0.0				Min	6098	0.0
0.0	0.0				6100	0.0	0.0
0.0	0.0				8592	0.0	0.0
0.0	0.0				8590	0.0	0.0
0.0	0.0				Min	6098	0.0
0.0	0.0				6100	0.0	0.0
0.0	0.0				8592	0.0	0.0
0.0	0.0				8590	0.0	0.0
0.0	0.0				Min	6098	0.0
0.0	0.0				6100	0.0	0.0
0.0	0.0				8592	0.0	0.0
0.0	0.0				8590	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	6098	0.0	0.0	0.0	0.0
0.0	0.0			6100	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8590	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6098	0.0	0.0	0.0	0.0
0.0	0.0			6100	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8590	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6098	-41.8	45.6	0.1	15.8
36.3	0.0			6100	164.3	-44.9	0.6	39.7
-15.6	0.0			8592	16.0	-51.8	-0.6	241.0
-43.9	0.0			8590	-138.5	51.9	-0.1	189.9
54.0	-0.0							
		G2		6098	-14.5	19.1	0.0	5.0
13.5	0.0			6100	63.2	-17.0	0.2	14.0
-5.8	0.0			8592	4.5	-21.5	-0.2	88.7
-16.2	0.0			8590	-53.1	19.4	-0.0	69.9
19.8	-0.0							
		Q3		6098	0.0	0.0	0.0	0.0
0.0	0.0			6100	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8590	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6098	-5.6	0.1	0.0	5.9
2.7	0.0			6100	6.1	-0.1	0.1	8.0
-0.8	0.0			8592	5.1	-0.3	-0.1	21.0
-3.8	0.0			8590	-5.5	0.2	-0.0	17.1
5.4	0.0							
		Q5_pc Y		6098	3.1	-5.2	-0.0	-2.9
-3.8	-0.0			6100	-21.2	7.5	-0.1	-6.7
1.9	0.0			8592	0.2	6.8	0.1	-30.8
5.7	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.7	-0.0			8590	18.0	-9.2	0.0	-23.0
			Q5_ps X	6098	-5.9	-0.3	0.0	6.1
2.7	0.0			6100	5.5	0.1	0.1	8.1
-0.9	0.0			8592	5.6	0.2	-0.1	21.2
-3.9	0.0			8590	-5.2	-0.0	-0.0	17.3
5.5	0.0							
			Q5_ps Y	6098	3.3	-4.8	-0.0	-3.0
-3.7	-0.0			6100	-20.4	7.1	-0.1	-6.6
1.9	0.0			8592	-0.1	6.4	0.1	-30.0
5.6	-0.0			8590	17.2	-8.8	0.0	-22.4
-5.6	-0.0							
			INVSLE Max	6098	17.3	90.0	-0.2	-207.5
31.1	0.0			6100	251.5	-79.8	-0.6	-238.7
-19.3	-0.0			8592	-54.1	-81.2	0.8	-38.3
19.4	-0.0			8590	-141.1	112.6	0.2	-35.3
-1.2	-0.0							
			Min	6098	-0.5	75.7	-0.2	-225.9
19.9	0.0			6100	190.4	-101.3	-0.8	-263.1
-25.0	-0.0			8592	-70.8	-100.3	0.6	-128.3
2.5	-0.0			8590	-192.8	86.3	0.1	-102.6
-18.0	-0.0							
			INVSLE Max	6098	16.3	64.8	-0.1	-165.6
19.7	0.0			6100	177.6	-59.5	-0.5	-192.6
-13.9	-0.0			8592	-44.8	-59.4	0.7	-60.1
18.8	-0.0			8590	-100.0	82.0	0.2	-51.6
-8.2	-0.0							
			Min	6098	4.4	55.2	-0.2	-177.9
12.2	0.0			6100	136.9	-73.8	-0.7	-208.9
-17.6	-0.0			8592	-55.9	-72.2	0.5	-120.1
7.6	-0.0			8590	-134.5	64.5	0.1	-96.5
-19.4	-0.0							
6501	2	4	C1-C2;~1	Max	6099	0.0	0.0	0.0
0.0	0.0				6101	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0	Min	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
-6.6	0.0	G1	6099	74.3	32.3	-0.2	152.6
13.2	-0.0		6101	63.7	3.7	-0.4	191.8
18.8	-0.0		4508	-75.3	-32.3	0.5	-260.2
-9.4	-0.0		4507	-62.7	-3.6	0.2	-193.6
-0.7	-0.0	G2	6099	30.3	12.0	-0.1	38.9
3.8	0.0		6101	25.5	2.0	-0.1	54.8
6.0	-0.0		4508	-30.6	-13.6	0.1	-75.2
-2.3	-0.0		4507	-25.2	-0.4	0.1	-53.1
0.0	0.0	Q3	6099	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0		4507	0.0	0.0	0.0	0.0
-2.0	0.0	Q5_pc X	6099	-2.1	1.5	-0.1	28.9
2.3	-0.0		6101	0.9	0.6	-0.1	31.9
3.2	-0.0		4508	2.0	-0.3	0.1	-52.2
-2.3	-0.0		4507	-0.8	-1.7	0.1	-43.3
1.5	-0.0	Q5_pc Y	6099	-10.1	-3.2	0.0	-26.0
-2.2	0.0		6101	-10.8	1.5	0.1	-31.1
-3.1	0.0		4508	10.3	2.9	-0.1	46.7
1.7	0.0		4507	10.6	-1.1	-0.0	36.0
-2.5	0.0	Q5_ps X	6099	-2.8	1.8	-0.1	34.2
2.6	-0.0		6101	0.2	0.7	-0.1	37.0
3.5	-0.0		4508	2.7	-0.2	0.1	-58.5
-2.6	-0.0		4507	-0.1	-2.3	0.1	-49.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.6	-0.0	Q5_ps Y		6099	-9.4	-3.2	0.0	-27.2
				6101	-10.1	1.4	0.1	-32.1
-2.3	0.0			4508	9.6	2.7	-0.1	47.7
-3.1	0.0			4507	10.0	-0.9	-0.0	37.2
1.8	0.0							
		INVS LU	Max	6099	218.6	61.8	2.9	-171.8
21.1	-0.0			6101	22.4	2.7	3.9	-213.5
-25.2	-0.0			4508	-192.4	-40.5	-3.6	1005.4
-47.3	-0.0			4507	10.0	-9.4	-2.6	823.4
35.6	-0.0							
			Min	6099	190.4	52.2	2.7	-274.5
13.5	-0.0			6101	-8.0	-1.4	3.6	-324.4
-33.1	-0.0			4508	-221.1	-48.6	-4.0	830.0
-57.8	-0.0			4507	-20.0	-16.3	-2.9	676.2
27.8	-0.0							
		INVS LE	Max	6099	164.3	45.0	2.3	-158.3
17.1	-0.0			6101	10.1	1.6	3.1	-194.5
-21.7	0.0			4508	-147.0	-29.6	-2.9	808.5
-39.8	-0.0			4507	11.7	-7.2	-2.1	658.9
28.5	-0.0							
			Min	6099	145.4	38.5	2.1	-226.7
12.1	-0.0			6101	-10.2	-1.1	2.9	-268.5
-27.0	-0.0			4508	-166.1	-35.0	-3.2	691.6
-46.8	-0.0			4507	-8.2	-11.8	-2.2	560.8
23.2	-0.0							
6502	2	10 C1-C2;~1	Max	6100	0.0	0.0	0.0	0.0
0.0		0.0		6102	0.0	0.0	0.0	0.0
0.0		0.0		8594	0.0	0.0	0.0	0.0
0.0		0.0		8592	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	6100	0.0	0.0	0.0	0.0
0.0		0.0		6102	0.0	0.0	0.0	0.0
0.0		0.0		8594	0.0	0.0	0.0	0.0
0.0		0.0		8592	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	C3-C4; ~1	Max	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0		Min	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0		Min	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0		Min	6100	0.0	0.0	0.0	0.0
0.0	0.0			6102	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
13.7	0.0	G1		6100	-50.8	48.6	0.3	49.7
-23.2	-0.0			6102	161.0	-37.1	0.5	53.8
-61.5	-0.0			8594	27.5	-50.0	-0.5	232.4
44.6	0.0			8592	-137.7	39.1	-0.3	213.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		G2	6100	-18.4	19.6	0.1	18.0
5.1	0.0		6102	61.6	-13.9	0.2	19.5
-8.6	-0.0		8594	9.2	-20.3	-0.2	85.9
-22.8	-0.0		8592	-52.4	14.6	-0.1	78.9
16.4	0.0						
		Q3	6100	0.0	0.0	0.0	0.0
0.0	0.0		6102	0.0	0.0	0.0	0.0
0.0	0.0		8594	0.0	0.0	0.0	0.0
0.0	0.0		8592	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6100	-5.6	0.2	0.0	7.4
0.7	0.0		6102	5.8	0.1	0.0	7.7
-1.4	-0.0		8594	5.0	-0.3	-0.0	18.5
-4.8	-0.0		8592	-5.2	-0.0	-0.0	17.7
3.8	0.0						
		Q5_pc Y	6100	3.4	-7.8	-0.0	-8.2
-1.6	0.0		6102	-22.1	6.9	-0.1	-9.0
2.9	0.0		8594	-0.8	7.9	0.1	-31.4
8.3	0.0		8592	19.6	-7.0	0.0	-28.5
-5.8	-0.0						
		Q5_ps X	6100	-5.9	-0.2	0.0	7.4
0.7	0.0		6102	5.4	0.3	0.0	7.8
-1.4	-0.0		8594	5.3	0.1	-0.0	18.6
-4.9	-0.0		8592	-4.9	-0.2	-0.0	17.8
3.9	0.0						
		Q5_ps Y	6100	3.5	-7.4	-0.0	-8.0
-1.6	0.0		6102	-21.2	6.6	-0.1	-8.8
2.8	0.0		8594	-1.0	7.5	0.1	-30.5
8.1	0.0		8592	18.8	-6.7	0.0	-27.8
-5.7	-0.0						
		INVSLU Max	6100	5.5	102.1	-0.3	-193.4
26.6	-0.0		6102	258.8	-73.5	-0.4	-206.9
-8.5	-0.0						


PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
40.4	-0.0		8594	-37.1	-82.2	0.6	-17.6	
-1.6	-0.0		8592	-150.4	96.7	0.4	-24.2	
21.9	-0.0	Min	6100	-12.1	79.9	-0.4	-217.4	
-17.0	-0.0		6102	195.1	-93.2	-0.6	-233.3	
16.1	-0.0		8594	-53.1	-104.7	0.4	-109.2	
-18.7	-0.0		8592	-206.7	76.7	0.2	-107.6	
19.1	-0.0	INVSLE Max	6100	7.8	73.9	-0.3	-157.6	
-5.1	-0.0		6102	183.7	-55.2	-0.3	-168.5	
35.7	-0.0		8594	-32.3	-60.7	0.5	-41.8	
-6.9	-0.0		8592	-108.0	70.8	0.3	-45.2	
16.0	-0.0	Min	6100	-4.0	59.1	-0.4	-173.6	
-10.8	-0.0		6102	141.2	-68.3	-0.5	-186.1	
19.5	-0.0		8594	-42.9	-75.8	0.4	-102.9	
-18.3	-0.0		8592	-145.5	57.4	0.2	-100.8	
6503	2	10 C1-C2;~1	Max	6101	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0	0.0
0.0	0.0		Min	6101	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	6101	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0	0.0
0.0	0.0		Min	6101	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4509	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	6101	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6101	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6101	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6101	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0
0.0	0.0			4509	0.0	0.0	0.0
0.0	0.0			4508	0.0	0.0	0.0
0.0	0.0						
-11.9	-0.0	G1		6101	68.1	27.8	-0.4
12.6	-0.0			6103	58.1	-0.3	-0.4
14.6	-0.0			4509	-69.3	-25.9	0.4
-12.8	-0.0			4508	-56.8	-1.5	0.4
-3.6	0.0	G2		6101	27.1	13.0	-0.1
3.9	-0.0			6103	22.6	2.0	-0.1
4.5	-0.0			4509	-27.6	-12.3	0.1
-3.8	-0.0			4508	-22.2	-2.7	0.1
0.0	0.0	Q3		6101	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6103	0.0	0.0	0.0	0.0
0.0	0.0		4509	0.0	0.0	0.0	0.0
0.0	0.0		4508	0.0	0.0	0.0	0.0
-2.1	-0.0	Q5_pc X	6101	-1.7	-1.0	-0.1	24.9
2.0	0.0		6103	1.5	-0.8	-0.1	25.6
2.4	-0.0		4509	1.6	0.8	0.1	-44.2
-2.3	-0.0		4508	-1.5	0.9	0.1	-42.6
2.0	0.0	Q5_pc Y	6101	-10.6	-2.2	0.1	-26.5
-2.1	0.0		6103	-11.2	2.6	0.1	-28.5
-2.5	0.0		4509	10.7	1.9	-0.1	44.7
2.2	0.0		4508	11.1	-2.3	-0.1	41.6
-2.3	-0.0	Q5_ps X	6101	-2.1	-1.4	-0.1	28.3
2.2	0.0		6103	1.1	-1.1	-0.1	28.9
2.6	-0.0		4509	2.1	1.3	0.1	-48.5
-2.6	-0.0		4508	-1.1	1.2	0.1	-47.0
2.0	0.0	Q5_ps Y	6101	-9.9	-1.9	0.1	-26.9
-2.1	0.0		6103	-10.6	2.6	0.1	-28.8
-2.5	0.0		4509	10.1	1.7	-0.1	45.0
2.2	0.0		4508	10.5	-2.3	-0.1	42.0
29.4	-0.0	INVSLU Max	6101	208.0	60.9	3.2	-192.5
-25.5	-0.0		6103	-12.2	21.1	3.7	-200.2
-39.8	-0.0		4509	-184.4	-48.9	-3.4	950.5
39.1	-0.0		4508	50.3	-20.1	-2.9	869.9
22.4	-0.0	Min	6101	178.2	55.1	2.9	-277.5
-32.0	-0.0		6103	-44.1	13.3	3.4	-286.9
-47.7	-0.0		4509	-214.6	-53.9	-3.8	804.9
31.4	-0.0		4508	18.8	-27.1	-3.2	729.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	6101	156.5	45.1	2.6	-172.9
24.0	-0.0				6103	-16.1	15.8	3.0	-179.8
-21.7	-0.0				4509	-141.4	-36.3	-2.8	764.1
-33.2	-0.0				4508	42.2	-15.9	-2.4	700.6
31.7	-0.0								
				Min	6101	136.6	41.3	2.4	-229.6
19.3	-0.0				6103	-37.3	10.5	2.8	-237.6
-26.1	-0.0				4509	-161.6	-39.6	-3.0	667.0
-38.5	-0.0				4508	21.1	-20.6	-2.6	606.7
26.6	-0.0								
6532	2	10	C1-C2;~1	Max	6130	0.0	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8622	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6130	0.0	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8622	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6130	0.0	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8622	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6130	0.0	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8622	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6130	0.0	0.0	0.0	0.0
0.0		0.0			6132	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8622	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Min	6130	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.0	0.0		8622	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6130	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0			8622	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6130	0.0	0.0	0.0
0.0	0.0			6132	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0			8622	0.0	0.0	0.0
0.0	0.0						
22.7	0.0	G1	6130	-161.6	-36.2	0.5	55.1
-13.7	-0.0		6132	53.9	47.5	0.3	50.7
-44.7	-0.0		8624	138.0	38.2	-0.3	215.5
61.2	0.0		8622	-30.3	-48.9	-0.5	234.2
8.4	0.0	G2	6130	-61.8	-13.6	0.2	20.0
-5.1	-0.0		6132	19.5	19.2	0.1	18.4
-16.5	-0.0		8624	52.6	14.3	-0.1	79.6
22.7	0.0		8622	-10.3	-19.9	-0.2	86.7
0.0	0.0	Q3	6130	0.0	0.0	0.0	0.0
0.0	0.0		6132	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.0	0.0		8622	0.0	0.0	0.0	0.0
1.2	0.0	Q5_pc X	6130	-4.6	0.3	0.0	6.3
-0.5	-0.0		6132	5.0	-0.2	0.0	6.0
-3.1	-0.0		8624	4.2	-0.1	-0.0	14.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
4.1	0.0		8622	-4.5	0.0	-0.0	15.4
-5.5	-0.0	Q5_pc Y	6130	22.2	-4.9	-0.1	-17.0
4.1	0.0		6132	-31.8	2.8	-0.1	-16.5
14.1	0.0		8624	-16.6	4.8	0.1	-59.5
-15.3	-0.0		8622	26.2	-2.7	0.1	-61.5
1.3	0.0	Q5_ps X	6130	-4.4	0.4	0.0	6.5
-0.6	-0.0		6132	5.3	-0.5	0.0	6.2
-3.2	-0.0		8624	4.0	-0.3	-0.0	15.3
4.2	0.0		8622	-4.9	0.3	-0.0	15.9
-5.2	-0.0	Q5_ps Y	6130	21.1	-4.7	-0.1	-16.2
3.9	0.0		6132	-30.3	2.7	-0.1	-15.8
13.5	0.0		8624	-15.8	4.6	0.1	-56.7
-14.6	-0.0		8622	25.0	-2.6	0.1	-58.5
19.5	0.0	INVSLE Max	6130	-194.6	-77.6	-0.3	-196.3
-18.0	0.0		6132	45.1	96.3	-0.2	-182.2
31.5	0.0		8624	201.8	94.8	0.5	12.6
-8.1	0.0		8622	86.1	-90.7	0.7	17.7
3.9	0.0	Min	6130	-257.9	-91.6	-0.6	-244.8
-29.7	0.0		6132	-45.9	88.2	-0.5	-229.4
-8.8	0.0		8624	154.5	81.0	0.2	-157.4
-51.9	0.0		8622	11.0	-98.6	0.3	-157.9
12.4	0.0	INVSLE Max	6130	-140.8	-58.1	-0.3	-161.6
-13.3	0.0		6132	25.2	70.3	-0.2	-150.3
27.0	0.0		8624	142.2	69.8	0.4	-21.6
-14.3	0.0		8622	65.6	-66.7	0.6	-19.3
1.9	0.0	Min	6130	-183.0	-67.5	-0.5	-193.9
-21.1	0.0		6132	-35.5	64.9	-0.4	-181.8

PROJECT TITLE :


MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				8624	110.6	60.5	0.2	-134.9
	0.1	0.0		8622	15.6	-71.9	0.3	-136.4
	-43.5	0.0						
6533	2	10	C1-C2;~1	Max	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						
	0.0	0.0		Min	6131	0.0	0.0	0.0
	0.0	0.0			6133	0.0	0.0	0.0
	0.0	0.0			4492	0.0	0.0	0.0
	0.0	0.0			4493	0.0	0.0	0.0
	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0		4493	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0	Min	6131	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0		4493	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0		4493	0.0	0.0	0.0	0.0
-12.8	0.0	G1	6131	-56.3	0.1	-0.4	178.9
12.0	0.0		6133	-66.5	27.4	-0.4	167.7
12.9	0.0		4492	55.0	-1.8	0.4	-238.0
-14.7	0.0		4493	67.8	-25.5	0.4	-254.1
-4.0	0.0	G2	6131	-22.0	2.1	-0.1	55.8
3.6	-0.0		6133	-26.6	12.8	-0.1	51.6
3.8	0.0		4492	21.5	-2.8	0.1	-72.8
-4.6	0.0		4493	27.0	-12.2	0.1	-78.8
0.0	0.0	Q3	6131	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0		4493	0.0	0.0	0.0	0.0
-1.8	-0.0	Q5_pc X	6131	-1.1	-0.9	-0.1	23.3
1.9	0.0		6133	1.6	-1.2	-0.1	22.8
2.1	0.0		4492	1.0	1.1	0.1	-37.9
-2.1	-0.0		4493	-1.5	1.0	0.1	-39.2
3.6	-0.0	Q5_pc Y	6131	-6.7	-1.1	0.2	-50.3
-3.8	0.0		6133	-7.0	1.7	0.1	-49.2
-4.1	-0.0		4492	7.0	1.1	-0.1	75.9
4.2	-0.0		4493	6.7	-1.7	-0.2	78.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	6131	-0.7	-1.2	-0.1	27.4
-2.1	-0.0		6133	2.0	-1.7	-0.1	27.0
2.2	0.0		4492	0.6	1.4	0.1	-43.5
2.4	0.0		4493	-2.0	1.5	0.1	-44.8
-2.4	-0.0						
		Q5_ps Y	6131	-6.4	-1.1	0.1	-48.0
3.4	-0.0		6133	-6.7	1.6	0.1	-46.8
-3.6	0.0		4492	6.6	1.1	-0.1	72.4
-4.0	-0.0		4493	6.4	-1.6	-0.1	74.4
4.0	-0.0						
		INVS LU Max	6131	35.8	18.5	3.8	-176.0
34.3	0.0		6133	-185.6	61.0	3.3	-168.3
-20.7	0.0		4492	-22.6	-21.1	-2.8	907.3
-29.3	0.0		4493	211.6	-49.5	-3.3	988.5
49.9	0.0						
		Min	6131	16.6	15.0	3.3	-319.9
24.0	0.0		6133	-205.6	56.0	2.8	-308.8
-31.5	0.0		4492	-42.6	-25.2	-3.3	690.3
-41.1	0.0		4493	192.4	-54.3	-3.8	765.4
37.7	0.0						
		INVS LE Max	6131	31.3	13.9	3.0	-164.4
27.6	0.0		6133	-142.0	45.3	2.6	-157.3
-18.2	0.0		4492	-23.2	-16.5	-2.3	725.6
-25.1	0.0		4493	160.1	-36.8	-2.7	789.5
39.9	0.0						
		Min	6131	18.6	11.6	2.7	-260.3
20.8	0.0		6133	-155.4	42.0	2.3	-251.0
-25.5	0.0		4492	-36.5	-19.2	-2.6	580.9
-33.0	0.0		4493	147.2	-40.0	-3.0	640.7
31.8	0.0						
6534	2	4 C1-C2;~1 Max	6132	0.0	0.0	0.0	0.0
0.0	0.0		6134	0.0	0.0	0.0	0.0
0.0	0.0		8626	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	6132	0.0	0.0	0.0	0.0
0.0	0.0		6134	0.0	0.0	0.0	0.0
0.0	0.0		8626	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6132	0.0	0.0	0.0
0.0	0.0			6134	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

15.6	-0.0	G1	6132	-165.1	-43.9	0.6	40.3
-36.9	-0.0		6134	45.3	44.5	0.1	16.1
-55.0	0.0		8626	139.0	50.8	-0.1	191.8
44.0	-0.0		8624	-19.3	-50.7	-0.6	243.0
5.8	-0.0	G2	6132	-63.5	-16.7	0.2	14.3
-13.8	-0.0		6134	15.9	18.7	0.0	5.1
-20.2	0.0		8626	53.3	19.0	-0.0	70.7
16.2	-0.0		8624	-5.7	-21.1	-0.2	89.6
0.0	0.0	Q3	6132	0.0	0.0	0.0	0.0
0.0	0.0		6134	0.0	0.0	0.0	0.0
0.0	0.0		8626	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.7	-0.0	Q5_pc X	6132	-4.8	0.1	0.1	6.7
-2.3	-0.0		6134	4.8	0.3	0.0	5.2
-4.7	-0.0		8626	4.6	-0.3	-0.0	14.8
3.1	-0.0		8624	-4.6	-0.2	-0.0	17.8
-4.4	0.0	Q5_pc Y	6132	25.8	-4.1	-0.2	-15.5
13.5	0.0		6134	-34.3	3.3	-0.0	-8.1
21.6	-0.0		8626	-19.5	3.4	0.1	-59.8
-14.1	0.0		8624	28.0	-2.6	0.2	-72.1
0.7	-0.0	Q5_ps X	6132	-4.4	0.3	0.1	6.9
-2.4	-0.0		6134	5.2	-0.2	0.0	5.5
-4.9	-0.0		8626	4.4	-0.4	-0.0	15.3
3.2	-0.0		8624	-5.2	0.3	-0.0	18.4
-4.2	0.0	Q5_ps Y	6132	24.6	-3.9	-0.2	-14.8
12.9	0.0		6134	-32.6	3.1	-0.0	-7.7

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
20.6	-0.0			8626	-18.6	3.3	0.1	-57.1
-13.4	0.0			8624	26.6	-2.5	0.2	-68.7
28.0	0.0	INVS LU	Max	6132	-183.0	-86.0	-0.5	-228.6
-4.4	-0.0			6134	36.1	88.7	-0.1	-204.4
43.0	0.0			8626	194.0	105.7	0.3	10.2
7.9	0.0			8624	106.5	-88.4	1.0	12.0
15.4	0.0		Min	6132	-256.7	-97.6	-1.0	-272.9
-42.9	-0.0			6134	-61.7	79.5	-0.2	-227.6
-18.8	0.0			8626	138.2	95.8	0.1	-161.0
-32.3	0.0			8624	26.6	-95.8	0.5	-194.2
19.6	0.0	INVS LE	Max	6132	-131.7	-63.9	-0.5	-185.9
-1.6	-0.0			6134	18.4	64.2	-0.1	-163.5
36.5	0.0			8626	135.2	77.7	0.2	-22.3
-0.8	0.0			8624	80.6	-64.5	0.8	-27.8
11.2	0.0		Min	6132	-180.9	-71.6	-0.8	-215.4
-27.3	-0.0			6134	-46.8	58.1	-0.2	-178.9
-4.7	0.0			8626	98.0	71.1	0.1	-136.4
-27.6	0.0			8624	27.3	-69.5	0.5	-165.2
6535	2	4	C1-C2;~1	Max	6133	0.0	0.0	0.0
0.0	0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0	0.0		Min	6133	0.0	0.0	0.0
0.0	0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0	0.0			6133	0.0	0.0	0.0
0.0	0.0	0.0	C3-C4;~1	Max	6133	0.0	0.0	0.0
0.0	0.0	0.0			6135	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4491	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		4491	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6133	0.0	0.0	0.0
0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0						
			Min	6133	0.0	0.0	0.0
0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6133	0.0	0.0	0.0
0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0						
			Min	6133	0.0	0.0	0.0
0.0	0.0			6135	0.0	0.0	0.0
0.0	0.0			4491	0.0	0.0	0.0
0.0	0.0			4492	0.0	0.0	0.0
0.0	0.0						
			G1	6133	-61.9	4.0	-0.4
-13.3	0.0			6135	-72.8	32.0	-0.2
6.7	-0.0			4491	60.9	-3.9	0.2
9.5	0.0			4492	73.8	-31.9	0.5
-18.9	0.0						
			G2	6133	-24.8	2.1	-0.1
-3.8	-0.0						55.8

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.7	0.0		6135	-29.8	11.8	-0.1	39.7
2.4	0.0		4491	24.6	-0.5	0.1	-54.1
-6.1	0.0		4492	30.0	-13.4	0.1	-76.6
0.0	0.0	Q3	6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		4491	0.0	0.0	0.0	0.0
0.0	0.0		4492	0.0	0.0	0.0	0.0
0.0	0.0						
-2.1	0.0	Q5_pc X	6133	-0.4	0.6	-0.1	30.0
2.1	-0.0		6135	1.9	1.7	-0.1	28.0
2.1	0.0		4491	0.3	-2.0	0.1	-38.9
-2.8	0.0		4492	-1.8	-0.3	0.1	-46.9
4.0	0.0	Q5_pc Y	6133	-7.6	-1.7	0.2	-59.6
-2.1	0.0		6135	-7.7	1.1	0.1	-48.6
-3.5	-0.0		4491	7.9	2.1	-0.1	70.1
6.3	-0.0		4492	7.4	-1.4	-0.2	90.1
-2.5	0.0	Q5_ps X	6133	0.2	0.8	-0.1	36.1
2.7	-0.0		6135	2.8	2.0	-0.1	34.3
2.5	0.0		4491	-0.4	-2.7	0.1	-46.0
-3.2	-0.0		4492	-2.6	-0.1	0.1	-54.5
3.8	0.0	Q5_ps Y	6133	-7.2	-1.7	0.2	-56.7
-2.0	0.0		6135	-7.3	1.0	0.1	-46.2
-3.3	-0.0		4491	7.5	2.0	-0.1	66.7
6.0	-0.0		4492	7.1	-1.4	-0.2	85.8
34.9	0.0	INVSLU Max	6133	1.9	2.8	4.0	-187.2
-13.3	0.0		6135	-196.0	60.8	2.9	-156.5
-26.7	0.0		4491	18.0	-8.8	-2.6	848.8
61.6	0.0		4492	219.7	-43.0	-3.5	1045.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	6133	-19.8	-2.1	3.5	-357.3	
23.4	0.0			6135	-217.9	54.7	2.6	-295.1	
-21.4	0.0			4491	-4.4	-16.7	-2.9	648.6	
-36.7	0.0			4492	198.5	-47.1	-4.0	788.0	
43.6	0.0								
			INVSLE	Max	6133	5.7	1.7	3.2	-177.6
28.2	0.0			6135	-149.6	44.4	2.3	-148.5	
-11.9	0.0			4491	7.4	-6.7	-2.1	675.8	
-22.6	0.0			4492	165.7	-31.5	-2.8	835.3	
49.4	0.0								
			Min	6133	-8.8	-1.6	2.8	-291.0	
20.6	0.0			6135	-164.2	40.3	2.1	-241.0	
-17.3	0.0			4491	-7.6	-12.0	-2.2	542.3	
-29.2	0.0			4492	151.5	-34.2	-3.2	663.7	
37.4	0.0								
6562	2	4	C1-C2;~1	Max	6160	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6160	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6160	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6160	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2;~2	Max	6160	0.0	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6160	0.0	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6160	0.0	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6160	0.0	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8652	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6160	-52.6	-123.8	-0.2	-4.7
-25.4	0.0			6162	-277.4	136.4	-0.3	-18.3
9.9	0.0			8654	84.3	125.6	0.3	-167.8
37.5	0.0			8652	245.7	-137.4	0.2	-162.9
-41.5	-0.0							
		G2		6160	-19.8	-47.7	-0.1	-2.3
-10.1	0.0			6162	-108.8	53.8	-0.1	-7.7
4.2	0.0			8654	32.0	48.2	0.1	-68.8
15.3	0.0			8652	96.7	-54.2	0.1	-66.9
-16.6	-0.0							
		Q3		6160	0.0	0.0	0.0	0.0
0.0	0.0			6162	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8652	0.0	0.0	0.0	0.0
-2.4	0.0	Q5_pc X	6160	2.0	-0.5	-0.0	-4.8
4.2	0.0		6162	-3.0	0.1	-0.0	-2.8
6.6	0.0		8654	-1.8	0.8	0.0	-17.9
-6.2	-0.0		8652	2.8	-0.3	0.0	-18.9
-13.4	-0.0	Q5_pc Y	6160	43.0	-5.0	-0.3	-42.9
3.7	-0.0		6162	-58.0	6.5	-0.2	-46.1
25.3	0.0		8654	-32.2	5.5	0.2	-118.0
-33.9	-0.0		8652	47.3	-7.0	0.3	-124.4
-2.0	0.0	Q5_ps X	6160	2.2	0.6	-0.0	-4.0
3.9	0.0		6162	-0.2	-1.2	-0.0	-1.9
5.7	0.0		8654	-2.1	-0.4	0.0	-14.3
-5.4	-0.0		8652	0.1	1.0	0.0	-15.3
-12.6	-0.0	Q5_ps Y	6160	40.7	-4.6	-0.2	-40.7
3.5	-0.0		6162	-54.7	6.0	-0.2	-43.7
23.9	0.0		8654	-30.5	5.1	0.2	-111.5
-32.1	-0.0		8652	44.5	-6.5	0.3	-117.5
-52.4	0.0	INVSLE Max	6160	70.8	-206.0	-0.1	139.0
35.8	0.0		6162	-512.0	258.1	-0.2	115.5
107.0	0.0		8654	127.3	222.2	0.7	-210.8
-51.4	0.0		8652	569.5	-240.1	0.9	-210.9
-90.3	0.0	Min	6160	-51.2	-219.9	-0.8	17.0
24.2	0.0		6162	-676.0	240.1	-0.8	-15.7
35.3	0.0		8654	35.7	206.9	0.1	-545.3
-147.7	-0.0		8652	436.0	-259.4	0.1	-563.5
-41.5	0.0	INVSLE Max	6160	53.9	-151.9	-0.1	97.8
			6162	-388.7	189.7	-0.2	79.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

26.6	0.0			8654	86.1	162.8	0.5	-176.4
78.0	0.0			8652	419.1	-177.7	0.6	-178.0
-44.1	0.0							
			Min	6160	-27.5	-161.2	-0.6	16.4
-66.7	0.0			6162	-498.0	177.7	-0.6	-7.6
18.8	0.0			8654	25.1	152.6	0.1	-399.4
30.2	0.0			8652	330.0	-190.6	0.1	-413.1
-108.3	-0.0							
6563	2	4	C1-C2;~1	Max	6161	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0
0.0	0.0				4477	0.0	0.0	0.0
0.0	0.0				4478	0.0	0.0	0.0
0.0	0.0							
			Min	6161	0.0	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0
0.0	0.0				4477	0.0	0.0	0.0
0.0	0.0				4478	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6161	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0
0.0	0.0				4477	0.0	0.0	0.0
0.0	0.0				4478	0.0	0.0	0.0
0.0	0.0							
			Min	6161	0.0	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0
0.0	0.0				4477	0.0	0.0	0.0
0.0	0.0				4478	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6161	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0
0.0	0.0				4477	0.0	0.0	0.0
0.0	0.0				4478	0.0	0.0	0.0
0.0	0.0							
			Min	6161	0.0	0.0	0.0	0.0
0.0	0.0				6163	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4477	0.0	0.0	0.0	0.0
0.0	0.0		4478	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6161	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0
0.0	0.0			4478	0.0	0.0	0.0
0.0	0.0						
			Min	6161	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0
0.0	0.0			4478	0.0	0.0	0.0
0.0	0.0						
			G1	6161	-213.7	-27.8	-0.6
2.1	0.0			6163	-145.7	35.9	-0.6
-3.1	0.0			4477	218.4	38.9	0.6
-0.9	0.0			4478	141.1	-46.8	0.6
-0.6	0.0						
			G2	6161	-83.6	-8.5	-0.2
2.4	0.0			6163	-57.4	16.2	-0.2
-2.8	0.0			4477	85.4	13.1	0.2
-1.9	0.0			4478	55.6	-20.8	0.2
1.3	0.0						
			Q3	6161	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0
0.0	0.0			4478	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6161	4.8	-1.9	0.1
0.9	0.0			6163	-2.3	-5.2	0.1
-1.0	0.0			4477	-5.0	4.7	-0.1
-1.4	-0.0			4478	2.6	2.4	-0.1
1.5	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7.2	-0.0	Q5_pc Y		6161	0.1	-0.7	0.3	-98.7
				6163	-1.0	-2.5	0.3	-94.3
-7.2	-0.0			4477	0.4	2.7	-0.3	148.9
-7.9	-0.0			4478	0.5	0.6	-0.3	155.2
8.5	-0.0							
		Q5_ps X		6161	6.7	-2.0	0.1	1.2
0.2	-0.0			6163	-0.5	-5.8	0.1	1.1
-0.2	0.0			4477	-7.0	4.5	-0.1	17.9
-0.7	-0.0			4478	0.7	3.4	-0.1	20.0
0.8	-0.0							
		Q5_ps Y		6161	0.4	-0.8	0.3	-91.8
6.7	-0.0			6163	-0.8	-2.6	0.3	-87.7
-6.7	-0.0			4477	0.0	2.7	-0.3	139.3
-7.4	-0.0			4478	0.3	0.8	-0.3	145.3
8.0	-0.0							
		INVSLE	Max	6161	-413.7	-39.2	-2.0	20.0
10.4	0.0			6163	-200.8	86.1	-1.8	31.9
13.3	0.0			4477	447.6	59.6	2.7	-104.0
20.0	0.0			4478	191.9	-82.8	2.9	-100.4
3.7	0.0							
			Min	6161	-433.9	-45.4	-2.9	-255.5
-9.7	0.0			6163	-205.0	68.8	-2.6	-231.3
-6.7	0.0			4477	426.5	46.2	1.8	-521.9
-2.2	0.0			4478	187.3	-92.8	2.0	-536.2
-20.3	0.0							
		INVSLE	Max	6161	-306.0	-28.6	-1.5	-0.9
7.3	0.0			6163	-146.0	63.4	-1.4	8.9
8.8	0.0			4477	329.7	42.5	1.9	-88.8
13.7	0.0			4478	139.0	-61.5	2.1	-86.4
2.2	0.0							
			Min	6161	-319.5	-32.7	-2.2	-184.6
-6.1	0.0			6163	-148.8	51.9	-1.9	-166.5
-4.5	0.0			4477	315.7	33.6	1.4	-367.4
-1.1	0.0			4478	135.9	-68.2	1.5	-376.9
-13.8	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


6564	2	8	C1-C2;~1	Max	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6162	0.0	0.0	0.0	0.0
0.0		0.0			6164	0.0	0.0	0.0	0.0
0.0		0.0			8656	0.0	0.0	0.0	0.0
0.0		0.0			8654	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		Min	6162	0.0	0.0	0.0	0.0	0.0
0.0	0.0		6164	0.0	0.0	0.0	0.0	0.0
0.0	0.0		8656	0.0	0.0	0.0	0.0	0.0
0.0	0.0		8654	0.0	0.0	0.0	0.0	0.0
0.0	0.0							
		G1	6162	-55.3	-137.1	-0.5	-22.7	
-10.9	0.0		6164	-279.8	123.5	-0.2	-6.6	
53.4	0.0		8656	83.5	142.6	0.3	-195.3	
79.2	-0.0		8654	251.6	-128.1	0.4	-217.2	
-37.3	0.0							
		G2	6162	-21.0	-52.5	-0.2	-9.8	
-4.5	0.0		6164	-109.7	49.4	-0.1	-3.8	
21.3	0.0		8656	31.8	54.2	0.1	-79.4	
32.2	-0.0		8654	98.9	-51.1	0.2	-88.7	
-15.3	0.0							
		Q3	6162	0.0	0.0	0.0	0.0	
0.0	0.0		6164	0.0	0.0	0.0	0.0	
0.0	0.0		8656	0.0	0.0	0.0	0.0	
0.0	0.0		8654	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc X	6162	2.2	0.2	-0.0	-2.0	
-4.7	0.0		6164	0.0	-0.9	-0.0	-2.3	
-0.9	-0.0		8656	-2.2	-0.8	0.0	-18.3	
2.3	0.0		8654	-0.1	1.5	0.1	-21.0	
-6.8	0.0							
		Q5_pc Y	6162	35.8	-6.8	-0.4	-50.2	
-5.3	-0.0		6164	-50.9	9.1	-0.1	-34.1	
13.0	0.0		8656	-24.7	2.8	0.1	-99.5	
25.5	-0.0		8654	39.7	-5.1	0.4	-129.3	
-25.5	0.0							
		Q5_ps X	6162	2.5	1.4	-0.0	-0.7	
-4.4	0.0		6164	2.7	-2.1	-0.0	-1.1	
-1.6	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.8	0.0			8656	-2.5	-1.9	0.0	-14.4
-5.8	0.0			8654	-2.7	2.7	0.0	-16.4
-5.0	-0.0	Q5_ps Y		6162	34.0	-6.3	-0.4	-47.6
12.3	0.0			6164	-47.8	8.4	-0.1	-32.3
24.1	-0.0			8656	-23.5	2.6	0.1	-94.1
-24.0	0.0			8654	37.3	-4.6	0.3	-122.2
-25.2	0.0	INVS LU	Max	6162	30.3	-237.3	-0.3	138.9
136.7	0.0			6164	-511.0	236.2	-0.1	135.9
185.9	-0.0			8656	137.7	259.2	0.6	-268.1
-33.5	0.0			8654	557.0	-224.0	1.1	-280.7
-40.2	0.0		Min	6162	-71.7	-256.4	-1.3	-3.9
100.0	0.0			6164	-654.4	211.1	-0.4	38.9
113.7	-0.0			8656	67.2	251.4	0.3	-550.3
-105.6	0.0			8654	445.1	-237.8	0.1	-647.3
-19.8	0.0	INVS LE	Max	6162	23.5	-175.6	-0.3	97.0
100.8	0.0			6164	-386.3	173.3	-0.1	97.0
136.3	-0.0			8656	95.7	190.5	0.4	-215.4
-28.9	0.0			8654	409.8	-165.5	0.8	-229.8
-29.8	0.0		Min	6162	-44.5	-188.3	-1.0	1.7
76.3	0.0			6164	-481.9	156.6	-0.3	32.3
88.2	-0.0			8656	48.7	185.4	0.2	-403.5
-76.9	0.0			8654	335.2	-174.7	0.1	-474.2
6565	2	8 C1-C2; ~1	Max	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0		Min	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6163	0.0	0.0	0.0	0.0
0.0	0.0			6165	0.0	0.0	0.0	0.0
0.0	0.0			4476	0.0	0.0	0.0	0.0
0.0	0.0			4477	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6163	-209.0	-24.1	-0.8	-97.0
2.7	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.6	0.0		6165	-156.2	58.8	-0.8	-82.5
1.2	0.0		4476	209.2	17.2	0.8	-62.7
1.1	0.0		4477	155.9	-51.7	0.8	-43.3
2.9	0.0	G2	6163	-82.3	-9.9	-0.3	-64.1
-2.8	0.0		6165	-62.3	20.7	-0.3	-58.4
-1.1	0.0		4476	82.6	9.4	0.3	4.5
2.3	0.0		4477	62.1	-20.2	0.3	16.7
0.0	0.0	Q3	6163	0.0	0.0	0.0	0.0
0.0	0.0		6165	0.0	0.0	0.0	0.0
0.0	0.0		4476	0.0	0.0	0.0	0.0
0.0	0.0		4477	0.0	0.0	0.0	0.0
0.8	0.0	Q5_pc X	6163	6.8	-2.8	0.2	-5.7
0.6	-0.0		6165	0.5	2.2	0.2	1.1
-1.6	-0.0		4476	-6.7	-3.8	-0.2	36.2
2.4	-0.0		4477	-0.6	4.4	-0.2	38.8
7.5	-0.0	Q5_pc Y	6163	0.4	-1.5	0.4	-104.8
-3.2	-0.0		6165	-1.6	1.9	0.3	-80.9
-6.5	-0.0		4476	0.0	-1.7	-0.3	134.9
11.7	-0.0		4477	1.2	1.2	-0.4	168.8
-0.0	0.0	Q5_ps X	6163	8.9	-1.8	0.2	6.8
1.5	-0.0		6165	2.7	2.8	0.2	13.0
-0.8	-0.0		4476	-8.9	-5.2	-0.2	21.5
1.5	-0.0		4477	-2.7	4.3	-0.2	22.4
7.0	-0.0	Q5_ps Y	6163	0.8	-1.3	0.4	-96.9
-2.8	-0.0		6165	-1.2	2.0	0.3	-74.3
-6.0	-0.0		4476	-0.4	-1.9	-0.2	125.6
11.0	-0.0		4477	0.8	1.2	-0.4	157.5

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8.1	0.0	INVS LU	Max	6163	-408.6	-9.1	-2.8	28.2
1.6	0.0			6165	-250.7	119.4	-3.0	-2.9
28.7	0.0			4476	434.5	33.4	3.8	-313.1
-2.9	0.0			4477	259.7	-122.3	3.9	-239.6
-12.8	0.0		Min	6163	-435.3	-14.6	-3.8	-262.6
-6.8	0.0			6165	-258.9	111.0	-3.8	-225.8
10.7	0.0			4476	407.8	17.8	3.0	-689.8
-35.8	0.0			4477	251.5	-135.1	2.7	-712.0
5.5	0.0	INVS LE	Max	6163	-303.1	-5.9	-2.1	4.6
0.7	0.0			6165	-184.1	87.5	-2.3	-15.0
20.5	0.0			4476	320.3	24.3	2.8	-244.0
-3.1	0.0			4477	190.2	-91.6	2.8	-191.8
-8.4	0.0		Min	6163	-320.9	-9.5	-2.8	-189.3
-4.9	0.0			6165	-189.6	81.9	-2.8	-163.6
8.4	0.0			4476	302.5	13.8	2.3	-495.1
-25.0	0.0			4477	184.7	-100.1	2.1	-506.8
6590	2	8 C1-C2;~1	Max	6188	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0	0.0
0.0	0.0		Min	6188	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	6188	0.0	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0						
			Min	6188	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0
0.0	0.0						
			C1-C2;~2	Max	6188	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0
0.0	0.0						
			Min	6188	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0
0.0	0.0						
			C3-C4;~2	Max	6188	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0
0.0	0.0						
			Min	6188	0.0	0.0	0.0
0.0	0.0			6190	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8680	0.0	0.0	0.0
0.0	0.0						
			G1	6188	276.8	122.6	-0.1
-40.3	-0.0			6190	55.4	-135.5	-0.4
9.3	-0.0			8682	-249.9	-127.4	0.3
31.0	-0.0			8680	-82.3	141.2	0.2
-60.3	0.0						
			G2	6188	107.4	49.2	-0.1
-15.7	-0.0			6190	21.5	-51.5	-0.2
3.8	-0.0			8682	-97.3	-50.8	0.1
12.3	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-23.7	0.0		8680	-31.7	53.1	0.1	-64.0
		Q3	6188	0.0	0.0	0.0	0.0
0.0	0.0		6190	0.0	0.0	0.0	0.0
0.0	0.0		8682	0.0	0.0	0.0	0.0
0.0	0.0		8680	0.0	0.0	0.0	0.0
		Q5_pc X	6188	22.1	5.6	-0.0	-14.1
-2.5	0.0		6190	-14.4	-3.3	-0.2	-20.3
5.1	-0.0		8682	-17.6	-2.9	0.2	-62.5
13.5	-0.0		8680	9.9	0.5	0.0	-48.8
-8.7	-0.0						
		Q5_pc Y	6188	-42.1	-8.3	0.0	22.9
8.1	0.0		6190	28.6	5.3	0.2	34.4
-0.4	-0.0		8682	33.1	5.4	-0.2	81.2
-12.7	0.0		8680	-19.5	-2.5	-0.1	59.6
13.9	-0.0						
		Q5_ps X	6188	17.9	3.9	-0.0	-12.3
-1.7	0.0		6190	-14.3	-1.6	-0.2	-18.1
4.8	-0.0		8682	-13.7	-1.2	0.2	-56.0
12.3	-0.0		8680	10.0	-1.0	0.0	-43.5
-7.1	-0.0						
		Q5_ps Y	6188	-41.2	-8.4	0.0	22.2
7.9	0.0		6190	26.8	5.7	0.2	33.1
-0.4	-0.0		8682	32.6	5.8	-0.2	78.3
-12.2	0.0		8680	-18.2	-3.0	-0.1	57.7
13.7	-0.0						
		INVSLU Max	6188	641.1	237.2	-0.1	104.2
-77.5	-0.0		6190	60.7	-235.2	-0.3	110.2
35.4	-0.0		8682	-450.6	-222.6	0.9	-283.8
76.4	0.0		8680	-73.0	255.9	0.4	-255.8
-92.5	0.0						
		Min	6188	517.5	212.1	-0.3	37.6
-101.3	-0.0		6190	-19.7	-252.1	-1.0	10.9

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


20.9	-0.0			8682	-548.4	-239.9	0.2	-518.7
39.4	-0.0			8680	-127.7	246.8	0.3	-429.0
-133.4	0.0							
		INVSLE	Max	6188	473.0	174.2	-0.1	74.5
-59.0	-0.0			6190	37.1	-173.9	-0.3	77.1
26.1	-0.0			8682	-338.9	-164.7	0.7	-226.6
56.3	0.0			8680	-52.4	188.1	0.3	-201.7
-70.9	0.0							
			Min	6188	390.6	157.4	-0.2	30.1
-74.8	-0.0			6190	-16.5	-185.2	-0.8	11.0
16.4	-0.0			8682	-404.1	-176.2	0.2	-383.2
31.7	-0.0			8680	-88.8	182.0	0.2	-317.1
-98.3	0.0							
6591	2	8	C1-C2;~1	Max	6189	0.0	0.0	0.0
0.0	0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0	0.0			4467	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6189	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0	0.0			4467	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6189	0.0	0.0	0.0
0.0	0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0	0.0			4467	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6189	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0	0.0			4467	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6189	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0		4467	0.0	0.0	0.0	0.0
0.0	0.0	Min	6189	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0		4467	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6189	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0		4467	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6189	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0		4467	0.0	0.0	0.0	0.0
0.0	0.0						
1.4	-0.0	G1	6189	155.4	58.0	-0.7	-71.1
-2.2	-0.0		6191	208.4	-24.4	-0.7	-84.3
-1.0	-0.0		4468	-155.2	-51.1	0.7	-35.6
-0.5	-0.0		4467	-208.6	17.7	0.7	-47.6
2.7	-0.0	G2	6189	61.4	20.1	-0.3	-52.7
-2.6	-0.0		6191	81.4	-9.8	-0.2	-57.2
-2.0	-0.0		4468	-61.2	-19.9	0.2	16.1
1.1	-0.0		4467	-81.7	9.6	0.3	6.5
0.0	0.0	Q3	6189	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0		4467	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	6189	2.6	4.5	0.3	-21.7
0.1	0.0		6191	-3.5	-3.6	0.3	-37.3
-3.1	-0.0		4468	-2.3	3.8	-0.3	84.4
-5.8	0.0		4467	3.3	-4.7	-0.2	71.3
3.2	0.0						
		Q5_pc Y	6189	-1.9	-0.7	-0.1	56.5
-2.4	0.0		6191	-6.0	-0.8	-0.1	70.6
4.9	-0.0		4468	1.6	2.4	0.1	-91.5
6.6	-0.0		4467	6.2	-0.9	0.0	-68.8
-3.3	-0.0						
		Q5_ps X	6189	-0.1	4.9	0.2	-8.2
-0.8	0.0		6191	-6.1	-2.4	0.3	-22.8
-2.1	-0.0		4468	0.3	3.7	-0.3	65.2
-4.6	0.0		4467	5.9	-6.2	-0.2	54.7
2.3	0.0						
		Q5_ps Y	6189	-2.8	-0.5	-0.1	57.9
-2.7	0.0		6191	-6.7	-0.3	-0.1	71.5
4.9	-0.0		4468	2.6	2.3	0.1	-92.2
6.6	-0.0		4467	7.0	-1.5	0.0	-69.9
-3.4	-0.0						
		INVSLE Max	6189	258.8	121.7	-2.4	-21.4
6.7	-0.0		6191	430.5	-8.6	-2.4	-5.5
9.2	-0.0		4468	-251.5	-122.4	3.2	-248.0
25.4	-0.0		4467	-409.2	35.2	3.1	-287.8
-9.2	-0.0						
		Min	6189	250.4	107.2	-3.1	-195.3
-1.2	-0.0		6191	410.3	-15.7	-3.2	-219.9
-5.5	-0.0		4468	-259.1	-133.4	2.4	-524.5
5.6	-0.0		4467	-430.2	16.7	2.4	-497.6
-19.4	-0.0						
		INVSLE Max	6189	189.6	89.0	-1.8	-26.8
4.9	-0.0		6191	317.6	-5.6	-1.8	-17.5
5.9	-0.0		4468	-184.7	-91.6	2.3	-190.3
17.8	-0.0		4467	-303.3	25.5	2.3	-218.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-7.1	-0.0							
		Min	6189	183.9	79.3	-2.3	-142.7	
-0.4	-0.0		6191	304.1	-10.4	-2.3	-160.4	
-3.9	-0.0		4468	-189.8	-99.0	1.8	-374.6	
4.5	-0.0		4467	-317.3	13.2	1.8	-358.5	
-13.9	-0.0							
6592	2	4 C1-C2;~1	Max	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6190	274.3	135.5	-0.3	-12.9
-8.1	-0.0			6192	52.8	-122.6	-0.2	0.6
25.5	-0.0			8684	-243.2	-136.3	0.2	-153.4
41.4	0.0			8682	-83.9	124.2	0.2	-151.3
-31.2	-0.0							
			G2	6190	106.4	53.1	-0.1	-4.6
-3.4	-0.0			6192	20.3	-46.9	-0.1	0.6
10.0	-0.0			8684	-94.6	-53.5	0.1	-61.3
16.2	0.0			8682	-32.0	47.3	0.1	-60.4
-12.3	-0.0							
			Q3	6190	0.0	0.0	0.0	0.0
0.0	0.0			6192	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6190	26.3	3.6	-0.1	-20.2
-4.0	-0.0			6192	-16.8	-3.4	-0.1	-21.2
7.0	0.0			8684	-22.2	-4.1	0.1	-63.1
18.3	0.0			8682	12.7	3.9	0.1	-58.3
-13.4	-0.0							
			Q5_pc Y	6190	-45.9	-5.2	0.2	31.5
-0.6	-0.0			6192	35.1	3.2	0.2	28.2
-9.4	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-23.4	-0.0			8684	37.0	5.3	-0.2	86.3
12.8	0.0			8682	-26.2	-3.3	-0.1	78.5
			Q5_ps X	6190	21.9	1.9	-0.1	-18.4
-3.8	-0.0			6192	-16.6	-1.8	-0.1	-19.5
6.4	0.0			8684	-18.1	-2.4	0.1	-57.2
16.8	0.0			8682	12.8	2.3	0.1	-52.6
-12.2	-0.0							
			Q5_ps Y	6190	-44.8	-5.6	0.1	30.2
-0.5	-0.0			6192	32.9	3.7	0.2	27.0
-9.1	-0.0			8684	36.3	5.7	-0.2	82.9
-22.4	-0.0			8682	-24.4	-3.8	-0.1	75.5
12.3	0.0							
			INVS LU Max	6190	657.3	256.3	-0.2	96.2
-19.4	-0.0			6192	39.3	-205.3	-0.2	121.3
83.1	-0.0			8684	-445.5	-239.8	0.8	-250.2
132.4	0.0			8682	-43.5	218.0	0.5	-235.3
-40.6	0.0							
			Min	6190	523.0	239.5	-0.7	5.7
-30.7	-0.0			6192	-59.5	-216.3	-0.7	40.4
55.9	-0.0			8684	-554.3	-257.0	0.2	-498.8
65.1	-0.0			8682	-116.7	206.7	0.2	-461.8
-77.5	-0.0							
			INVS LE Max	6190	485.4	188.4	-0.2	66.9
-15.1	-0.0			6192	19.3	-151.3	-0.2	86.0
61.8	-0.0			8684	-336.3	-177.4	0.6	-203.5
98.0	0.0			8682	-30.1	159.8	0.4	-190.4
-32.6	-0.0							
			Min	6190	395.9	177.2	-0.5	6.6
-22.6	-0.0			6192	-46.5	-158.6	-0.5	32.1
43.6	-0.0			8684	-408.8	-188.9	0.2	-369.2
53.2	-0.0			8682	-78.9	152.3	0.1	-341.4
-57.2	-0.0							
6593	2	4	C1-C2;~1 Max	6191	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0	Min	6191	0.0	0.0	0.0	0.0
0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6191	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			4469	0.0	0.0	0.0
0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6191	0.0	0.0	0.0	0.0
0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6191	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			4469	0.0	0.0	0.0
0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6191	0.0	0.0	0.0	0.0
0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6191	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			4469	0.0	0.0	0.0
0.0	0.0			4468	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6191	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
2.6	-0.0	G1	6191	144.6	35.6	-0.5	-66.9
-1.6	-0.0		6193	212.9	-27.6	-0.6	-65.3
1.1	-0.0		4469	-140.0	-46.6	0.6	-45.0
0.7	-0.0		4468	-217.5	38.7	0.5	-30.5
2.5	-0.0	G2	6191	56.4	16.1	-0.2	-44.1
-2.1	-0.0		6193	82.4	-8.3	-0.2	-43.9
-1.0	-0.0		4469	-54.6	-20.6	0.2	7.9
1.7	-0.0		4468	-84.2	12.7	0.2	13.0
0.0	0.0	Q3	6191	0.0	0.0	0.0	0.0
0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		4469	0.0	0.0	0.0	0.0
0.0	0.0		4468	0.0	0.0	0.0	0.0
3.1	-0.0	Q5_pc X	6191	4.9	-5.8	0.2	-38.8
-3.3	0.0		6193	-1.3	-2.9	0.2	-41.3
-4.3	0.0		4469	-4.9	2.2	-0.2	81.5
3.6	0.0		4468	1.3	6.6	-0.2	74.8
-4.5	-0.0	Q5_pc Y	6191	0.8	-1.2	-0.1	64.1
4.9	-0.0		6193	-5.3	-0.2	-0.1	69.2
5.4	-0.0		4469	-1.4	1.2	0.1	-91.4
-4.7	-0.0		4468	6.0	0.3	0.1	-86.1
2.2	-0.0	Q5_ps X	6191	2.5	-6.4	0.2	-27.4
-2.4	0.0		6193	-3.8	-3.0	0.2	-29.7
-3.4	0.0		4469	-2.6	3.3	-0.2	65.7
2.8	0.0		4468	3.8	6.1	-0.2	59.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-4.5	-0.0	Q5_ps Y		6191	-0.2	-1.5	-0.1	64.2
4.9	-0.0			6193	-6.1	-0.3	-0.1	69.0
5.4	-0.0			4469	-0.5	1.6	0.1	-91.0
-4.7	-0.0			4468	6.7	0.2	0.1	-86.0
4.3	-0.0	INVS LU	Max	6191	204.4	86.2	-1.8	-1.0
7.4	-0.0			6193	428.7	-36.9	-2.1	-12.2
16.4	-0.0			4469	-182.5	-82.3	2.7	-164.3
-0.1	-0.0			4468	-422.6	61.4	2.3	-150.7
-9.1	-0.0		Min	6191	195.6	67.0	-2.3	-193.5
-7.3	-0.0			6193	410.4	-45.9	-2.7	-219.2
0.3	-0.0			4469	-191.3	-92.1	2.1	-437.4
-14.2	-0.0			4468	-442.7	43.0	1.8	-408.7
3.0	-0.0	INVS LE	Max	6191	148.2	63.5	-1.3	-12.9
4.6	-0.0			6193	315.7	-27.0	-1.6	-22.4
11.2	-0.0			4469	-132.5	-61.1	2.0	-127.3
-0.3	-0.0			4468	-312.7	43.7	1.7	-117.1
-6.0	-0.0		Min	6191	142.3	50.7	-1.7	-141.3
-5.2	-0.0			6193	303.6	-33.0	-2.0	-160.4
0.5	-0.0			4469	-138.4	-67.7	1.6	-309.3
-9.7	-0.0			4468	-326.1	31.4	1.3	-289.0
6620	2	4 C1-C2;~1	Max	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0		Min	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~1	Max	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6218	0.0	0.0	0.0	0.0
0.0	0.0			6220	0.0	0.0	0.0	0.0
0.0	0.0			8712	0.0	0.0	0.0	0.0
0.0	0.0			8710	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6218	-45.3	44.3	0.1	15.5
37.8	0.0			6220	164.4	-43.5	0.6	39.8
-16.4	0.0			8712	19.0	-50.6	-0.6	246.0
-45.3	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
56.3	-0.0		8710	-138.2	50.5	-0.1	194.5
14.7	0.0	G2	6218	-17.3	18.7	0.0	5.4
-6.2	0.0		6220	64.3	-16.3	0.2	14.8
-17.3	0.0		8712	6.8	-21.0	-0.2	93.8
21.7	-0.0		8710	-53.8	18.6	-0.0	74.5
0.0	0.0	Q3	6218	0.0	0.0	0.0	0.0
0.0	0.0		6220	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0		8710	0.0	0.0	0.0	0.0
0.0	0.0						
-1.3	-0.0	Q5_pc X	6218	4.4	1.3	0.0	4.2
0.6	0.0		6220	-2.2	-0.9	0.0	3.8
0.5	0.0		8712	-2.7	-0.9	-0.0	-0.0
-0.8	0.0		8710	0.5	0.5	-0.0	0.0
12.8	0.0	Q5_pc Y	6218	-31.3	-2.5	0.0	8.8
-4.2	0.0		6220	24.0	3.6	0.2	15.6
-13.5	0.0		8712	25.8	2.2	-0.2	69.8
20.9	0.0		8710	-18.5	-3.2	-0.1	58.3
-1.1	-0.0	Q5_ps X	6218	3.4	0.6	0.0	4.6
0.5	0.0		6220	-2.5	-0.5	0.0	4.3
0.2	-0.0		8712	-1.6	-0.2	-0.0	1.6
-0.3	0.0		8710	0.6	0.2	-0.0	1.4
12.2	0.0	Q5_ps Y	6218	-29.9	-2.7	0.0	8.6
-4.0	0.0		6220	22.5	3.6	0.2	15.1
-12.9	0.0		8712	24.8	2.3	-0.2	66.8
20.0	0.0		8710	-17.4	-3.2	-0.1	55.7
43.7	0.0	INVSLU Max	6218	54.7	88.0	-0.1	-205.8

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-16.6	-0.0			6220	255.8	-86.2	-0.5	-230.5
30.4	-0.0			8712	-26.6	-88.3	1.0	16.6
19.7	-0.0			8710	-142.1	105.1	0.3	14.5
7.1	0.0		Min	6218	-35.0	80.0	-0.2	-231.7
-28.6	-0.0			6220	188.3	-96.9	-1.0	-275.8
-8.4	-0.0			8712	-100.9	-95.2	0.5	-183.7
-40.3	-0.0			8710	-194.3	95.5	0.1	-152.7
27.9	0.0	INVSLE	Max	6218	41.9	63.7	-0.1	-164.7
-12.0	-0.0			6220	180.5	-64.0	-0.5	-187.4
26.3	-0.0			8712	-27.0	-64.5	0.8	-24.2
5.3	-0.0			8710	-100.8	77.3	0.2	-19.1
3.5	0.0		Min	6218	-17.9	58.4	-0.2	-181.9
-20.0	-0.0			6220	135.5	-71.1	-0.8	-217.6
0.5	-0.0			8712	-76.6	-69.1	0.5	-157.8
-34.7	-0.0			8710	-135.6	70.9	0.1	-130.5
6621	2	4	C1-C2;~1	Max	6219	0.0	0.0	0.0
0.0	0.0				6221	0.0	0.0	0.0
0.0	0.0				4655	0.0	0.0	0.0
0.0	0.0				4656	0.0	0.0	0.0
0.0	0.0		Min	6219	0.0	0.0	0.0	0.0
0.0	0.0				6221	0.0	0.0	0.0
0.0	0.0				4655	0.0	0.0	0.0
0.0	0.0				4656	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	6219	0.0	0.0	0.0
0.0	0.0				6221	0.0	0.0	0.0
0.0	0.0				4655	0.0	0.0	0.0
0.0	0.0				4656	0.0	0.0	0.0
0.0	0.0		Min	6219	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0		4655	0.0	0.0	0.0	0.0
0.0	0.0		4656	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6219	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0
0.0	0.0			4655	0.0	0.0	0.0
0.0	0.0			4656	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6219	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0
0.0	0.0			4655	0.0	0.0	0.0
0.0	0.0			4656	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6219	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0
0.0	0.0			4655	0.0	0.0	0.0
0.0	0.0			4656	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6219	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0
0.0	0.0			4655	0.0	0.0	0.0
0.0	0.0			4656	0.0	0.0	0.0
0.0	0.0						
-6.7	0.0	G1		6219	72.2	31.7	-0.2
13.3	-0.0			6221	61.3	4.0	-0.4
19.1	-0.0			4655	-73.2	-31.7	0.5
-9.6	-0.0			4656	-60.3	-3.9	0.2
							-196.9
-0.8	-0.0	G2		6219	29.1	11.5	-0.1
4.0	0.0			6221	24.2	2.0	-0.1
6.4	-0.0			4655	-29.4	-13.1	0.2
-2.6	-0.0			4656	-23.9	-0.5	0.1
							-57.6

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Q3	6219	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			4655	0.0	0.0	0.0	0.0
0.0	0.0			4656	0.0	0.0	0.0	0.0
			Q5_pc X	6219	-0.2	2.5	-0.0	19.5
-1.9	0.0			6221	2.7	0.3	-0.1	18.8
1.4	-0.0			4655	0.2	-0.8	0.1	-31.0
1.6	0.0			4656	-2.7	-2.0	0.0	-27.1
-1.5	0.0							
			Q5_pc Y	6219	-7.2	-0.1	-0.1	54.5
-2.8	0.0			6221	-6.6	1.7	-0.2	64.5
4.4	-0.0			4655	7.0	1.2	0.2	-96.8
6.5	-0.0			4656	6.9	-2.7	0.1	-76.4
-3.9	-0.0							
			Q5_ps X	6219	-1.5	2.8	-0.0	27.7
-2.6	0.0			6221	1.7	0.5	-0.1	26.7
1.9	-0.0			4655	1.4	-0.6	0.1	-41.3
2.1	0.0			4656	-1.6	-2.8	0.0	-36.5
-2.1	0.0							
			Q5_ps Y	6219	-7.4	0.0	-0.1	55.5
-3.0	0.0			6221	-6.6	1.6	-0.2	64.8
4.4	-0.0			4655	7.1	1.2	0.2	-96.8
6.4	-0.0			4656	6.9	-2.9	0.1	-76.9
-4.0	-0.0							
			INVSLU Max	6219	217.7	61.6	3.0	-140.2
21.9	-0.0			6221	18.4	2.7	4.1	-171.9
-22.5	-0.0			4655	-198.2	-42.9	-3.5	1072.2
-43.3	-0.0			4656	3.9	-8.1	-2.6	874.5
38.2	-0.0							
			Min	6219	195.6	53.0	2.7	-306.6
12.8	-0.0			6221	-1.3	-2.3	3.5	-366.4
-35.6	-0.0			4655	-219.5	-46.6	-4.1	781.9
-62.7	-0.0			4656	-16.6	-16.9	-2.9	643.7

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

26.2	-0.0							
		INVSLE	Max	6219	164.1	44.9	2.3	-137.7
17.6	-0.0			6221	7.9	1.5	3.2	-167.4
-20.0	-0.0			4655	-151.4	-31.4	-2.9	854.8
-37.3	-0.0			4656	7.3	-6.2	-2.1	694.6
30.3	-0.0							
			Min	6219	149.4	39.2	2.1	-248.6
11.6	-0.0			6221	-5.3	-1.8	2.8	-297.0
-28.7	-0.0			4655	-165.5	-33.9	-3.3	661.2
-50.2	-0.0			4656	-6.4	-12.1	-2.3	540.7
22.3	-0.0							
6622	2	10	C1-C2;~1	Max	6220	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			8714	0.0	0.0	0.0
0.0	0.0	0.0			8712	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6220	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			8714	0.0	0.0	0.0
0.0	0.0	0.0			8712	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6220	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			8714	0.0	0.0	0.0
0.0	0.0	0.0			8712	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6220	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			8714	0.0	0.0	0.0
0.0	0.0	0.0			8712	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6220	0.0	0.0	0.0
0.0	0.0	0.0			6222	0.0	0.0	0.0
0.0	0.0	0.0			8714	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8712	0.0	0.0	0.0	0.0
		Min	6220	0.0	0.0	0.0	0.0
0.0	0.0		6222	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6220	0.0	0.0	0.0
0.0	0.0		6222	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6220	0.0	0.0	0.0
0.0	0.0		6222	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6220	-53.8	47.3	0.3	50.4
14.5	0.0		6222	160.7	-35.8	0.5	55.0
-22.4	-0.0		8714	30.1	-48.6	-0.5	235.2
-60.7	-0.0		8712	-136.9	37.7	-0.3	217.3
46.0	0.0						
		G2	6220	-20.9	19.0	0.1	19.0
5.5	0.0		6222	62.4	-13.3	0.2	20.7
-8.5	-0.0		8714	11.4	-19.6	-0.2	89.6
-23.1	-0.0		8712	-52.9	13.9	-0.1	82.7
17.5	0.0						
		Q3	6220	0.0	0.0	0.0	0.0
0.0	0.0		6222	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6220	3.5	0.5	0.0	2.6
-0.6	0.0		6222	-1.3	-1.0	0.0	2.8
0.2	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.3	0.0			8714	-2.3	-0.7	-0.0	0.3
-0.5	0.0			8712	0.2	1.2	-0.0	0.1
3.9	0.0	Q5_pc	Y	6220	-29.4	-2.6	0.1	16.3
-5.1	-0.0			6222	20.8	4.4	0.1	16.8
-14.6	-0.0			8714	24.3	2.4	-0.1	59.0
13.6	0.0			8712	-15.7	-4.2	-0.1	57.3
-0.5	0.0	Q5_ps	X	6220	2.6	0.0	0.0	3.0
0.1	-0.0			6222	-1.5	-0.7	0.0	3.2
-0.6	0.0			8714	-1.4	-0.2	-0.0	1.5
-0.2	-0.0			8712	0.3	0.9	-0.0	1.4
3.7	0.0	Q5_ps	Y	6220	-28.1	-2.6	0.1	15.6
-4.9	-0.0			6222	19.6	4.2	0.1	16.1
-14.0	-0.0			8714	23.3	2.5	-0.1	56.4
13.0	0.0			8712	-14.8	-4.1	-0.1	54.8
30.3	-0.0	INVSLE	Max	6220	39.9	95.9	-0.2	-183.1
-5.0	-0.0			6222	257.8	-78.1	-0.3	-196.4
49.3	-0.0			8714	-11.2	-90.7	0.7	20.9
9.4	-0.0			8712	-157.9	94.0	0.5	16.0
19.1	-0.0		Min	6220	-44.3	88.0	-0.5	-230.0
-19.7	-0.0			6222	199.2	-90.8	-0.6	-244.7
7.4	-0.0			8714	-81.1	-98.2	0.3	-148.4
-29.5	-0.0			8712	-202.3	81.7	0.2	-148.4
21.5	-0.0	INVSLE	Max	6220	31.2	70.0	-0.2	-151.0
-2.8	-0.0			6222	183.2	-58.5	-0.3	-161.7
41.6	-0.0			8714	-15.5	-66.7	0.5	-16.7
0.3	-0.0			8712	-113.2	69.3	0.4	-18.9
14.0	-0.0		Min	6220	-24.9	64.7	-0.4	-182.3

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-12.6	-0.0	6222	144.1	-67.0	-0.5	-193.9
13.7	-0.0	8714	-62.1	-71.7	0.3	-129.6
-25.7	-0.0	8712	-142.8	61.1	0.2	-128.5

6623	2	10	C1-C2;~1	Max	6221	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			4654	0.0	0.0	0.0	0.0
0.0		0.0			4655	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	6221	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			4654	0.0	0.0	0.0	0.0
0.0		0.0			4655	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	6221	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			4654	0.0	0.0	0.0	0.0
0.0		0.0			4655	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	6221	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		4654	0.0	0.0	0.0	0.0
0.0	0.0		4655	0.0	0.0	0.0	0.0
0.0	0.0	Min	6221	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		4654	0.0	0.0	0.0	0.0
0.0	0.0		4655	0.0	0.0	0.0	0.0
0.0	0.0						
-12.1	-0.0	G1	6221	66.1	27.4	-0.4	168.4
12.8	-0.0		6223	55.8	0.2	-0.4	179.3
14.7	-0.0		4654	-67.4	-25.5	0.4	-254.2
-12.9	-0.0		4655	-54.5	-2.0	0.4	-238.5
-3.8	0.0	G2	6221	26.1	12.6	-0.1	53.9
4.2	-0.0		6223	21.5	2.0	-0.1	58.0
4.8	-0.0		4654	-26.6	-11.9	0.1	-81.9
-4.0	-0.0		4655	-21.0	-2.7	0.1	-76.0
0.0	0.0	Q3	6221	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		4654	0.0	0.0	0.0	0.0
0.0	0.0		4655	0.0	0.0	0.0	0.0
-1.2	-0.0	Q5_pc X	6221	-0.1	-1.0	-0.1	13.2
1.1	0.0		6223	3.2	-1.3	-0.1	13.5
1.4	0.0		4654	0.2	0.7	0.1	-25.1
-1.3	0.0		4655	-3.2	1.6	0.1	-24.2
-4.1	-0.0	Q5_pc Y	6221	-6.4	-2.1	-0.2	52.0
3.8	-0.0		6223	-5.4	0.5	-0.2	53.1
4.5	-0.0		4654	6.2	2.0	0.2	-82.6
-4.4	-0.0		4655	5.7	-0.3	0.2	-80.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-1.6	-0.0	Q5_ps X	6221	-0.9	-1.6	-0.1	18.7
1.5	0.0		6223	2.5	-1.7	-0.1	19.0
1.8	0.0		4654	0.9	1.4	0.1	-32.6
-1.8	0.0		4655	-2.5	1.9	0.1	-31.7
-4.1	-0.0	Q5_ps Y	6221	-6.4	-2.3	-0.2	51.9
3.8	-0.0		6223	-5.3	0.2	-0.2	52.9
4.5	-0.0		4654	6.2	2.2	0.2	-82.0
-4.4	-0.0		4655	5.6	-0.1	0.2	-80.1
32.2	-0.0	INVS LU Max	6221	204.6	61.6	3.3	-157.8
-23.3	-0.0		6223	-18.8	19.2	3.8	-165.5
-36.9	-0.0		4654	-192.2	-48.2	-3.3	999.9
42.0	-0.0		4655	41.6	-20.1	-2.8	922.3
20.0	-0.0	Min	6221	185.4	54.6	2.9	-313.4
-34.7	-0.0		6223	-34.8	14.1	3.3	-324.0
-50.3	-0.0		4654	-210.7	-54.8	-3.8	753.8
28.7	-0.0		4655	25.0	-25.9	-3.3	682.1
25.9	-0.0	INVS LE Max	6221	154.7	45.7	2.6	-150.2
-20.3	-0.0		6223	-20.1	14.4	3.0	-157.2
-31.3	-0.0		4654	-147.1	-35.9	-2.7	797.3
33.7	-0.0		4655	35.9	-15.8	-2.3	736.3
17.8	-0.0	Min	6221	141.9	41.0	2.3	-254.0
-27.8	-0.0		6223	-30.7	11.0	2.7	-262.9
-40.2	-0.0		4654	-159.4	-40.3	-3.0	633.3
24.8	-0.0		4655	24.8	-19.7	-2.6	576.2
6652	2	10 C1-C2; ~1 Max	6250	0.0	0.0	0.0	0.0
0.0	0.0		6252	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		8742	0.0	0.0	0.0	0.0
0.0	0.0	Min	6250	0.0	0.0	0.0	0.0
0.0	0.0		6252	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		8742	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6250	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0			8742	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6250	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0			8742	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6250	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0			8742	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6250	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0			8742	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6250	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0			8742	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6250	0.0	0.0	0.0	0.0
0.0	0.0			6252	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		8742	0.0	0.0	0.0	0.0
		G1	6250	-161.0	-37.2	0.5	54.3
22.2	0.0		6252	50.6	48.7	0.3	49.6
-14.3	-0.0		8744	137.6	39.2	-0.3	214.2
-45.2	-0.0		8742	-27.1	-50.0	-0.5	232.5
60.2	0.0						
		G2	6250	-62.4	-14.0	0.2	20.2
8.4	0.0		6252	19.1	19.7	0.1	18.4
-5.4	-0.0		8744	53.1	14.7	-0.1	80.8
-17.1	-0.0		8742	-9.7	-20.3	-0.2	87.8
22.7	0.0						
		Q3	6250	0.0	0.0	0.0	0.0
0.0	0.0		6252	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		8742	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6250	1.5	2.4	0.0	5.3
0.5	0.0		6252	4.5	-2.6	0.0	5.2
-0.1	-0.0		8744	-1.2	-2.2	-0.0	9.0
-2.0	-0.0		8742	-4.8	2.4	-0.0	8.9
2.3	-0.0						
		Q5_pc Y	6250	-22.2	-5.6	0.1	12.1
3.1	0.0		6252	6.5	6.7	0.1	11.2
-1.9	-0.0		8744	19.5	5.8	-0.1	34.6
-7.4	-0.0		8742	-3.9	-6.8	-0.1	37.5
9.6	0.0						
		Q5_ps X	6250	1.8	2.5	0.0	5.5
0.6	0.0		6252	4.9	-2.9	0.0	5.4
-0.2	-0.0		8744	-1.3	-2.4	-0.0	9.7
-2.1	-0.0		8742	-5.3	2.7	-0.0	9.6
2.5	-0.0						
		Q5_ps Y	6250	-21.0	-5.2	0.1	11.8
3.0	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.9	-0.0			6252	6.6	6.1	0.1	10.9
-7.2	-0.0			8744	18.5	5.3	-0.1	33.6
9.3	0.0			8742	-4.1	-6.2	-0.1	36.2
17.4	0.0	INVS LU	Max	6250	-198.9	-75.9	-0.3	-200.9
-22.4	0.0			6252	15.7	100.5	-0.3	-188.2
19.1	0.0			8744	209.1	94.9	0.4	-9.2
-12.9	0.0			8742	51.0	-84.5	0.6	-2.7
8.3	0.0		Min	6250	-261.8	-91.4	-0.6	-236.2
-28.0	0.0			6252	-4.0	82.2	-0.4	-220.8
-2.4	0.0			8744	153.7	79.0	0.2	-109.8
-40.8	0.0			8742	35.1	-103.1	0.4	-111.3
11.1	0.0	INVS LE	Max	6250	-144.1	-56.7	-0.3	-164.4
-16.4	0.0			6252	6.7	72.8	-0.2	-154.1
18.4	0.0			8744	147.4	69.6	0.3	-34.5
-17.1	0.0			8742	41.3	-62.3	0.5	-31.2
5.1	0.0		Min	6250	-186.0	-67.1	-0.5	-187.9
-20.1	0.0			6252	-6.5	60.6	-0.4	-175.8
4.1	0.0			8744	110.5	59.0	0.2	-101.6
-35.7	0.0			8742	30.7	-74.7	0.3	-103.7
6653	2	10 C1-C2;~1	Max	6251	0.0	0.0	0.0	0.0
0.0		0.0		6253	0.0	0.0	0.0	0.0
0.0		0.0		4669	0.0	0.0	0.0	0.0
0.0		0.0		4670	0.0	0.0	0.0	0.0
0.0		0.0	Min	6251	0.0	0.0	0.0	0.0
0.0		0.0		6253	0.0	0.0	0.0	0.0
0.0		0.0		4669	0.0	0.0	0.0	0.0
0.0		0.0		4670	0.0	0.0	0.0	0.0
0.0		0.0						
		C3-C4;~1	Max	6251	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0		4670	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6251	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0		4670	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6251	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			4669	0.0	0.0	0.0
0.0	0.0			4670	0.0	0.0	0.0
0.0	0.0						
		Min	6251	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0		4670	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6251	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			4669	0.0	0.0	0.0
0.0	0.0			4670	0.0	0.0	0.0
0.0	0.0						
		Min	6251	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0		4670	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6251	-58.1	-0.2	-0.4	177.1
-12.6	0.0		6253	-68.2	27.9	-0.4	166.0
11.9	0.0		4669	56.8	-1.5	0.4	-235.1
12.7	0.0		4670	69.5	-25.9	0.4	-251.0
-14.6	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	6251	-22.6	1.8	-0.1	56.5
-4.1	0.0		6253	-27.2	12.8	-0.1	52.4
3.7	-0.0		4669	22.2	-2.5	0.1	-73.7
3.9	0.0		4670	27.7	-12.1	0.1	-79.7
-4.7	0.0						
		Q3	6251	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0		4670	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6251	2.0	-0.3	-0.1	20.4
-1.6	-0.0		6253	5.3	-2.2	-0.1	20.4
1.8	0.0		4669	-1.9	0.7	0.1	-35.2
2.0	-0.0		4670	-5.3	1.8	0.1	-35.9
-1.9	-0.0						
		Q5_pc Y	6251	-10.0	-2.4	-0.1	37.0
-2.8	0.0		6253	-7.9	1.5	-0.1	35.0
2.7	0.0		4669	9.9	2.2	0.1	-56.9
3.0	0.0		4670	8.0	-1.3	0.1	-60.4
-3.4	0.0						
		Q5_ps X	6251	2.3	-0.8	-0.1	25.4
-1.9	-0.0		6253	5.8	-2.8	-0.1	25.4
2.2	0.0		4669	-2.3	1.1	0.1	-42.0
2.4	-0.0		4670	-5.8	2.4	0.1	-42.7
-2.3	-0.0						
		Q5_ps Y	6251	-9.2	-2.4	-0.1	37.9
-2.9	0.0		6253	-7.1	1.1	-0.1	36.0
2.8	0.0		4669	9.1	2.3	0.1	-58.0
3.1	0.0		4670	7.2	-1.0	0.1	-61.3
-3.4	0.0						
		INVSLU Max	6251	41.8	20.6	3.8	-182.7
32.9	0.0		6253	-183.0	61.9	3.3	-176.4
-21.4	0.0		4669	-20.7	-19.8	-2.9	881.6
-30.3	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
48.3	0.0			4670	210.9	-47.6	-3.4	961.4
			Min	6251	14.1	13.3	3.4	-296.4
24.3	0.0			6253	-204.2	53.6	2.9	-284.4
-29.8	0.0			4669	-48.1	-26.6	-3.2	707.7
-39.5	0.0			4670	189.3	-54.9	-3.8	777.6
38.1	0.0							
			INVSLE Max	6251	35.8	15.4	3.0	-167.8
26.6	0.0			6253	-139.9	45.8	2.6	-161.7
-18.6	0.0			4669	-22.4	-15.7	-2.3	707.8
-25.8	0.0			4670	159.1	-35.5	-2.7	770.4
38.8	0.0							
			Min	6251	17.3	10.5	2.7	-243.6
20.9	0.0			6253	-154.0	40.3	2.3	-233.7
-24.2	0.0			4669	-40.6	-20.2	-2.6	591.9
-32.0	0.0			4670	144.7	-40.3	-3.0	647.8
32.0	0.0							
6654	2	4	C1-C2;~1	Max	6252	0.0	0.0	0.0
0.0	0.0				6254	0.0	0.0	0.0
0.0	0.0				8746	0.0	0.0	0.0
0.0	0.0				8744	0.0	0.0	0.0
0.0	0.0							
			Min	6252	0.0	0.0	0.0	0.0
0.0	0.0				6254	0.0	0.0	0.0
0.0	0.0				8746	0.0	0.0	0.0
0.0	0.0				8744	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6252	0.0	0.0	0.0
0.0	0.0				6254	0.0	0.0	0.0
0.0	0.0				8746	0.0	0.0	0.0
0.0	0.0				8744	0.0	0.0	0.0
0.0	0.0							
			Min	6252	0.0	0.0	0.0	0.0
0.0	0.0				6254	0.0	0.0	0.0
0.0	0.0				8746	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	6252	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		Min	6252	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		Min	6252	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	6252	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		Min	6252	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
16.2	-0.0	G1	6252	-164.3	-45.0	0.6	38.8
-36.2	-0.0		6254	41.7	45.3	0.1	15.0
-53.9	0.0		8746	138.3	52.2	-0.1	189.9
44.5	-0.0		8744	-15.7	-51.8	-0.6	241.3
6.1	-0.0	G2	6252	-64.1	-17.1	0.2	14.2
-13.9	-0.0		6254	15.3	19.2	0.0	5.1
-20.5	0.0		8746	53.8	19.5	-0.0	71.9
16.8	-0.0		8744	-5.0	-21.6	-0.2	91.1
0.0	0.0	Q3	6252	0.0	0.0	0.0	0.0
0.0	0.0		6254	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.2	-0.0	Q5_pc X	6252	1.1	2.4	0.0	6.5
-1.4	-0.0		6254	4.4	-1.3	0.0	5.8
-3.8	-0.0		8746	-0.2	-3.0	-0.0	10.6
2.0	-0.0		8744	-5.3	2.0	-0.0	11.9
2.3	-0.0	Q5_pc Y	6252	-21.8	-6.3	0.1	10.1
-4.9	-0.0		6254	6.4	4.4	0.0	5.6
-8.1	-0.0		8746	18.5	7.8	-0.0	29.6
7.3	-0.0		8744	-3.1	-5.9	-0.1	38.5
0.2	-0.0	Q5_ps X	6252	1.5	2.6	0.0	6.9
-1.5	-0.0		6254	4.8	-1.9	0.0	6.2
-4.0	-0.0		8746	-0.5	-3.2	-0.0	11.3
2.2	-0.0		8744	-5.9	2.5	-0.0	12.7
2.2	-0.0	Q5_ps Y	6252	-20.5	-5.8	0.1	9.9
-4.8	-0.0		6254	6.5	3.8	0.0	5.6
-7.9	-0.0		8746	17.5	7.3	-0.0	28.8
7.1	-0.0		8744	-3.4	-5.3	-0.1	37.4
26.4	0.0	INVSLE Max	6252	-193.5	-82.1	-0.6	-236.0
-19.5	-0.0		6254	4.2	88.7	-0.2	-207.8
19.8	0.0		8746	195.8	110.7	0.2	-19.6
1.4	0.0		8744	69.2	-83.0	0.9	-19.4
19.9	0.0	Min	6252	-255.1	-99.5	-0.9	-265.7
-33.8	-0.0		6254	-15.4	77.2	-0.2	-226.3
-4.1	0.0		8746	143.4	88.9	0.1	-105.9
-19.9	0.0		8744	51.4	-98.9	0.6	-131.7
		INVSLE Max	6252	-139.3	-61.0	-0.5	-190.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

18.6	0.0				6254	-1.7	63.9	-0.1	-165.8
-12.0	-0.0				8746	136.8	80.7	0.2	-40.5
20.4	0.0				8744	54.6	-60.7	0.7	-46.7
-4.8	0.0								
			Min		6252	-180.4	-72.6	-0.7	-210.5
14.3	0.0				6254	-14.7	56.2	-0.2	-178.1
-21.6	-0.0				8746	101.9	66.2	0.1	-98.1
4.5	0.0				8744	42.8	-71.3	0.5	-121.6
-19.0	0.0								
6655	2	4	C1-C2;~1	Max	6253	0.0	0.0	0.0	0.0
0.0		0.0			6255	0.0	0.0	0.0	0.0
0.0		0.0			4668	0.0	0.0	0.0	0.0
0.0		0.0			4669	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6253	0.0	0.0	0.0	0.0
0.0		0.0			6255	0.0	0.0	0.0	0.0
0.0		0.0			4668	0.0	0.0	0.0	0.0
0.0		0.0			4669	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6253	0.0	0.0	0.0	0.0
0.0		0.0			6255	0.0	0.0	0.0	0.0
0.0		0.0			4668	0.0	0.0	0.0	0.0
0.0		0.0			4669	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6253	0.0	0.0	0.0	0.0
0.0		0.0			6255	0.0	0.0	0.0	0.0
0.0		0.0			4668	0.0	0.0	0.0	0.0
0.0		0.0			4669	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6253	0.0	0.0	0.0	0.0
0.0		0.0			6255	0.0	0.0	0.0	0.0
0.0		0.0			4668	0.0	0.0	0.0	0.0
0.0		0.0			4669	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		6253	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6255	0.0	0.0	0.0	0.0
0.0	0.0		4668	0.0	0.0	0.0	0.0
0.0	0.0		4669	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6253	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			4668	0.0	0.0	0.0
0.0	0.0			4669	0.0	0.0	0.0
0.0	0.0						
			Min	6253	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			4668	0.0	0.0	0.0
0.0	0.0			4669	0.0	0.0	0.0
0.0	0.0						
			G1	6253	-63.7	3.6	-0.4
-13.1	0.0			6255	-74.4	32.3	-0.2
6.6	-0.0			4668	62.7	-3.5	0.2
9.4	0.0			4669	75.4	-32.3	0.4
-18.7	0.0						
			G2	6253	-25.4	1.8	-0.1
-3.9	-0.0			6255	-30.3	11.8	-0.1
0.7	0.0			4668	25.1	-0.2	0.1
2.5	0.0			4669	30.6	-13.4	0.1
-6.1	0.0						
			Q3	6253	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			4668	0.0	0.0	0.0
0.0	0.0			4669	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6253	2.7	1.1	-0.1
-2.0	0.0			6255	5.7	0.9	-0.1
2.2	-0.0			4668	-2.8	-2.7	0.1
2.1	-0.0			4669	-5.6	0.6	0.1
-2.6	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Q5_pc Y		6253	-9.4	-1.0	-0.1	41.9
-3.0	0.0			6255	-7.3	3.1	-0.1	35.3
2.0	-0.0			4668	9.2	0.4	0.1	-52.3
2.6	0.0			4669	7.5	-2.5	0.1	-66.0
-4.3	0.0							
		Q5_ps X		6253	3.4	1.3	-0.1	35.2
-2.5	0.0			6255	6.6	1.4	-0.1	34.5
2.9	-0.0			4668	-3.5	-3.5	0.1	-47.3
2.7	-0.0			4669	-6.5	0.8	0.1	-54.6
-3.1	-0.0							
		Q5_ps Y		6253	-8.5	-0.8	-0.1	43.7
-3.1	0.0			6255	-6.4	3.2	-0.1	37.6
2.3	-0.0			4668	8.3	-0.1	0.1	-54.4
2.7	0.0			4669	6.5	-2.3	0.1	-68.0
-4.4	0.0							
		INVSLE Max		6253	5.3	2.3	4.0	-197.2
33.4	0.0			6255	-195.3	62.0	2.9	-162.0
-12.9	0.0			4668	17.7	-7.7	-2.6	829.5
-27.5	0.0			4669	217.2	-41.1	-3.6	1017.5
58.8	0.0							
		Min		6253	-20.2	-1.5	3.6	-328.4
24.0	0.0			6255	-215.1	52.5	2.7	-274.8
-21.5	0.0			4668	-7.3	-18.1	-2.9	666.2
-35.7	0.0			4669	197.6	-47.9	-4.0	813.5
45.7	0.0							
		INVSLE Max		6253	8.4	1.4	3.2	-183.0
27.2	0.0			6255	-148.7	45.1	2.3	-151.2
-11.6	0.0			4668	6.7	-6.1	-2.1	662.7
-23.0	0.0			4669	163.6	-30.1	-2.9	816.4
47.4	0.0							
		Min		6253	-8.6	-1.1	2.9	-270.5
20.9	0.0			6255	-162.0	38.8	2.1	-226.5
-17.3	0.0			4668	-9.9	-13.0	-2.3	553.9
-28.5	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				4669	150.5	-34.6	-3.2	680.4
38.7	0.0							
6682	2	4	C1-C2;~1	Max	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
				Min	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
				Min	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
				Min	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8772	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	6280	0.0	0.0	0.0
0.0	0.0				6282	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8772	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6280	0.0	0.0	0.0	0.0
0.0	0.0		6282	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8772	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6280	-49.3	-124.3	-0.2	-0.6
-27.4	0.0		6282	-282.9	137.8	-0.3	-15.5
6.2	0.0		8774	81.7	125.8	0.2	-153.8
29.6	0.0		8772	250.5	-138.6	0.3	-158.8
-44.7	-0.0						
		G2	6280	-18.3	-47.8	-0.1	-0.2
-11.0	0.0		6282	-111.0	54.3	-0.1	-5.9
2.7	0.0		8774	30.7	48.2	0.1	-62.9
11.9	0.0		8772	98.6	-54.7	0.1	-65.2
-18.0	-0.0						
		Q3	6280	0.0	0.0	0.0	0.0
0.0	0.0		6282	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8772	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6280	7.1	1.7	-0.1	-10.6
-3.4	-0.0		6282	-2.7	-2.2	-0.0	-8.0
4.2	0.0		8774	-6.9	-1.3	0.0	-27.8
8.1	0.0		8772	2.5	1.8	0.1	-30.2
-9.6	-0.0						
		Q5_pc Y	6280	-12.3	-6.6	0.1	22.1
2.0	0.0		6282	-4.5	6.8	0.1	20.8
0.6	0.0		8774	13.4	6.5	-0.1	29.7
-5.0	-0.0		8772	3.4	-6.8	-0.1	32.9
9.4	0.0						
		Q5_ps X	6280	7.5	3.0	-0.1	-9.7
-3.0	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.0	0.0			6282	0.3	-3.6	-0.0	-7.0
7.3	0.0			8774	-7.4	-2.6	0.0	-24.2
-8.6	-0.0			8772	-0.4	3.2	0.1	-26.6
2.1	0.0	Q5_ps Y		6280	-11.5	-5.6	0.1	21.2
0.5	0.0			6282	-2.9	5.8	0.1	20.0
-4.9	-0.0			8774	12.5	5.6	-0.1	29.3
9.2	0.0			8772	1.9	-5.8	-0.1	32.4
-64.5	0.0	INVS LU	Max	6280	21.9	-202.7	-0.2	116.8
26.0	0.0			6282	-581.2	257.0	-0.3	82.6
61.1	0.0			8774	103.1	221.0	0.4	-277.2
-81.5	0.0			8772	499.7	-240.1	0.6	-301.4
-73.4	0.0		Min	6280	-12.7	-219.7	-0.5	53.2
14.0	0.0			6282	-589.8	239.6	-0.5	22.5
39.2	-0.0			8774	65.5	204.2	0.2	-365.2
-109.0	0.0			8772	493.5	-257.4	0.3	-398.6
-49.1	0.0	INVS LE	Max	6280	20.4	-149.4	-0.2	83.7
19.0	0.0			6282	-433.2	188.7	-0.2	58.4
45.2	0.0			8774	70.6	161.6	0.3	-214.5
-63.3	0.0			8772	371.2	-177.4	0.5	-233.8
-55.1	0.0		Min	6280	-2.7	-160.7	-0.4	41.3
11.0	0.0			6282	-438.9	177.1	-0.4	18.3
30.6	-0.0			8774	45.5	150.4	0.2	-273.2
-81.7	0.0			8772	367.1	-188.9	0.3	-298.6
6683	2	4 C1-C2;~1	Max	6281	0.0	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0	0.0
0.0	0.0			6281	0.0	0.0	0.0	0.0
			Min	6281	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0		4684	0.0	0.0	0.0	0.0
0.0	0.0		4683	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						
			Min	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						
			Min	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						
			Min	6281	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	6281	-217.0	-28.2	-0.6	-68.2
1.8	0.0			6283	-145.9	36.1	-0.5	-68.7
-2.7	0.0			4684	221.7	39.4	0.5	-27.1
-0.9	0.0			4683	141.1	-47.0	0.6	-43.3
-1.0	0.0							
			G2	6281	-84.5	-8.5	-0.2	-46.3
2.3	0.0			6283	-57.0	16.4	-0.2	-46.0
-2.6	0.0			4684	86.3	13.0	0.2	15.5
-1.8	0.0			4683	55.2	-20.9	0.2	9.9
1.2	0.0							
			Q3	6281	0.0	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0			4683	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6281	9.9	-1.3	0.2	-19.8
2.0	-0.0			6283	-0.6	-6.4	0.2	-18.8
-1.8	0.0			4684	-10.2	4.5	-0.2	51.0
-2.3	-0.0			4683	0.9	3.2	-0.2	57.1
2.9	-0.0							
			Q5_pc Y	6281	-21.0	-4.0	-0.3	49.1
-4.5	0.0			6283	-6.0	1.5	-0.3	46.1
4.0	0.0			4684	21.6	4.2	0.3	-97.2
4.6	0.0			4683	5.5	-1.6	0.3	-106.4
-5.7	0.0							
			Q5_ps X	6281	11.9	-1.4	0.2	-10.1
1.2	-0.0			6283	1.5	-6.9	0.2	-9.1
-1.0	0.0			4684	-12.3	4.1	-0.2	37.8
-1.5	-0.0			4683	-1.2	4.2	-0.2	43.6
2.1	-0.0							
			Q5_ps Y	6281	-18.8	-3.9	-0.3	51.0
-4.6	0.0			6283	-4.9	1.0	-0.3	48.1
4.2	0.0			4684	19.3	4.0	0.3	-97.4
4.7	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.7	0.0			4683	4.3	-1.0	0.3	-106.2
		INVS LU	Max	6281	-393.8	-36.0	-1.9	-23.5
5.8	0.0			6283	-193.4	87.2	-1.6	-8.7
9.7	0.0			4684	464.0	58.8	2.4	-142.5
14.7	0.0			4683	194.2	-81.0	2.9	-159.5
-1.1	0.0							
			Min	6281	-450.1	-47.8	-2.9	-176.4
-8.0	0.0			6283	-208.0	66.5	-2.4	-153.0
-2.8	0.0			4684	406.1	46.4	1.6	-434.8
0.6	0.0			4683	181.1	-93.7	1.9	-477.9
-18.3	0.0							
		INVS LE	Max	6281	-292.3	-26.4	-1.5	-27.5
4.1	0.0			6283	-140.8	64.1	-1.2	-15.6
6.5	0.0			4684	340.1	41.9	1.7	-113.5
10.2	0.0			4683	140.3	-60.2	2.1	-126.7
-1.2	0.0							
			Min	6281	-329.8	-34.3	-2.1	-129.4
-5.2	0.0			6283	-150.6	50.3	-1.7	-111.8
-1.8	0.0			4684	301.5	33.7	1.2	-308.4
0.8	0.0			4683	131.6	-68.7	1.5	-339.0
-12.7	0.0							
6684	2	8	C1-C2;~1	Max	6282	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0
0.0	0.0	0.0			8776	0.0	0.0	0.0
0.0	0.0	0.0			8774	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6282	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0
0.0	0.0	0.0			8776	0.0	0.0	0.0
0.0	0.0	0.0			8774	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6282	0.0	0.0	0.0
0.0	0.0	0.0			6284	0.0	0.0	0.0
0.0	0.0	0.0			8776	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6282	0.0	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6282	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6282	0.0	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6282	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6282	0.0	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6282	-52.9	-137.6	-0.4	-22.0
-7.6	0.0		6284	-285.1	125.2	-0.1	-9.4
39.4	0.0		8776	81.0	143.1	0.2	-159.1
58.2	-0.0		8774	257.0	-129.9	0.4	-184.4
-29.4	0.0						
		G2	6282	-20.1	-52.6	-0.2	-8.3
-3.2	0.0		6284	-111.9	50.5	-0.0	-3.5
15.6	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
23.2	-0.0		8776	30.9	54.1	0.1	-64.0
-11.8	0.0		8774	101.1	-52.0	0.1	-74.7
0.0	0.0	Q3	6282	0.0	0.0	0.0	0.0
0.0	0.0		6284	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0						
-5.0	0.0	Q5_pc X	6282	6.5	2.7	-0.1	-6.4
-1.3	-0.0		6284	0.2	-0.7	-0.0	-4.8
2.4	0.0		8776	-6.0	-4.6	0.0	-24.7
-8.2	0.0		8774	-0.8	2.6	0.1	-30.2
-0.0	0.0	Q5_pc Y	6282	-10.7	-7.0	0.1	22.1
0.8	0.0		6284	-5.6	4.4	0.0	17.0
-2.5	-0.0		8776	11.4	8.6	-0.0	21.9
5.1	-0.0		8774	5.0	-6.0	-0.1	30.1
-4.7	0.0	Q5_ps X	6282	6.9	4.0	-0.1	-5.3
-1.8	-0.0		6284	3.1	-2.0	-0.0	-3.7
1.2	0.0		8776	-6.3	-5.9	0.0	-21.1
-7.5	0.0		8774	-3.6	3.9	0.1	-26.0
-0.0	0.0	Q5_ps Y	6282	-10.0	-6.0	0.1	21.4
0.5	0.0		6284	-3.9	3.5	0.0	16.5
-2.9	-0.0		8776	10.6	7.5	-0.0	21.9
5.0	-0.0		8774	3.3	-5.0	-0.1	30.0
-15.7	0.0	INVSLU Max	6282	-10.3	-234.7	-0.5	91.9
86.8	0.0		6284	-570.5	231.0	-0.1	95.0
107.9	-0.0		8776	119.9	262.9	0.3	-276.3
-37.9	0.0		8774	503.0	-225.1	0.7	-319.2
		Min	6282	-40.2	-252.8	-0.8	27.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-29.9	0.0			6284	-582.2	220.6	-0.2	45.5
81.4	0.0			8776	88.2	240.3	0.3	-342.0
99.3	-0.0			8774	492.1	-240.0	0.3	-409.1
-60.3	-0.0							
		INVSLE	Max	6282	-4.4	-173.4	-0.4	65.4
-12.5	0.0			6284	-424.6	169.9	-0.1	68.6
64.5	0.0			8776	84.2	192.6	0.2	-211.2
80.2	-0.0			8774	372.8	-166.2	0.5	-245.4
-29.6	0.0							
			Min	6282	-24.3	-185.4	-0.6	22.6
-21.9	0.0			6284	-432.4	162.9	-0.2	35.6
60.9	0.0			8776	63.1	177.5	0.2	-255.0
74.4	-0.0			8774	365.6	-176.2	0.3	-305.3
-44.6	-0.0							
6685	2	8	C1-C2;~1	Max	6283	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0	0.0
0.0	0.0			4685	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6283	0.0	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0	0.0
0.0	0.0			4685	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6283	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0	0.0
0.0	0.0			4685	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6283	0.0	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0	0.0
0.0	0.0			4685	0.0	0.0	0.0	0.0
0.0	0.0			4684	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			C1-C2;~2	Max	6283	0.0	0.0	0.0	0.0
0.0	0.0				6285	0.0	0.0	0.0	0.0
0.0	0.0				4685	0.0	0.0	0.0	0.0
0.0	0.0				4684	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	6283	0.0	0.0	0.0	0.0
0.0	0.0				6285	0.0	0.0	0.0	0.0
0.0	0.0				4685	0.0	0.0	0.0	0.0
0.0	0.0				4684	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~2	Max	6283	0.0	0.0	0.0	0.0
0.0	0.0				6285	0.0	0.0	0.0	0.0
0.0	0.0				4685	0.0	0.0	0.0	0.0
0.0	0.0				4684	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	6283	0.0	0.0	0.0	0.0
0.0	0.0				6285	0.0	0.0	0.0	0.0
0.0	0.0				4685	0.0	0.0	0.0	0.0
0.0	0.0				4684	0.0	0.0	0.0	0.0
0.0	0.0								
				G1	6283	-212.3	-24.3	-0.6	-84.8
2.3	0.0				6285	-157.3	59.2	-0.6	-70.8
-1.3	0.0				4685	212.5	17.7	0.6	-43.3
0.4	0.0				4684	157.1	-52.4	0.6	-30.0
1.3	0.0								
				G2	6283	-83.5	-9.8	-0.2	-58.7
2.7	0.0				6285	-62.5	20.6	-0.2	-53.8
-2.7	0.0				4685	83.7	9.7	0.2	8.8
-1.2	0.0				4684	62.2	-20.6	0.2	19.3
2.3	0.0								
				Q3	6283	0.0	0.0	0.0	0.0
0.0	0.0				6285	0.0	0.0	0.0	0.0
0.0	0.0				4685	0.0	0.0	0.0	0.0
0.0	0.0				4684	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.7	0.0	Q5_pc X	6283	11.8	-2.8	0.2	-15.9
0.2	-0.0		6285	2.6	2.0	0.2	-5.9
-2.2	-0.0		4685	-11.6	-4.9	-0.2	51.7
3.7	-0.0		4684	-2.8	5.8	-0.3	58.2
-4.5	0.0	Q5_pc Y	6283	-19.2	-0.3	-0.3	51.6
2.7	-0.0		6285	-8.1	4.7	-0.2	43.0
3.8	0.0		4685	18.9	0.9	0.2	-86.2
-6.6	0.0		4684	8.4	-5.3	0.3	-106.1
0.9	0.0	Q5_ps X	6283	13.9	-1.7	0.2	-3.5
1.1	-0.0		6285	5.0	2.4	0.2	5.9
-1.5	-0.0		4685	-13.8	-6.3	-0.2	37.4
2.7	-0.0		4684	-5.1	5.6	-0.2	41.7
-4.6	0.0	Q5_ps Y	6283	-17.0	0.1	-0.3	54.7
3.0	-0.0		6285	-6.5	4.8	-0.2	46.6
3.9	0.0		4685	16.6	0.1	0.2	-87.5
-6.6	0.0		4684	6.9	-5.0	0.3	-107.3
3.9	0.0	INVSLE Max	6283	-397.0	-9.8	-2.2	-11.7
2.3	0.0		6285	-245.4	121.9	-2.3	-25.0
20.2	0.0		4685	446.6	35.8	3.0	-258.6
-6.0	0.0		4684	266.4	-120.0	3.1	-223.6
-9.9	0.0	Min	6283	-447.9	-14.8	-3.1	-175.8
-6.9	0.0		6285	-265.0	107.4	-3.0	-164.8
8.4	0.0		4685	396.6	16.7	2.3	-521.0
-25.9	0.0		4684	245.8	-136.8	2.2	-545.4
2.7	0.0	INVSLE Max	6283	-295.0	-6.4	-1.7	-18.8
1.2	0.0		6285	-180.5	89.1	-1.8	-27.1
			4685	328.0	25.9	2.2	-199.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

14.5	0.0			4684	194.6	-90.0	2.3	-175.2
-5.0	0.0							
			Min	6283	-329.0	-9.7	-2.3	-128.2
-6.6	0.0			6285	-193.6	79.5	-2.2	-120.3
-4.9	0.0			4685	294.7	13.2	1.8	-374.9
6.6	0.0			4684	180.8	-101.1	1.7	-389.7
-18.2	0.0							
6710	2	8	C1-C2;~1	Max	6308	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0
0.0		0.0			8800	0.0	0.0	0.0
0.0		0.0						
			Min	6308	0.0	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0
0.0		0.0			8800	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6308	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0
0.0		0.0			8800	0.0	0.0	0.0
0.0		0.0						
			Min	6308	0.0	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0
0.0		0.0			8800	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	6308	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0
0.0		0.0			8800	0.0	0.0	0.0
0.0		0.0						
			Min	6308	0.0	0.0	0.0	0.0
0.0		0.0			6310	0.0	0.0	0.0
0.0		0.0			8802	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8800	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6308	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0
0.0	0.0			8800	0.0	0.0	0.0
0.0	0.0						
			Min	6308	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0
0.0	0.0			8800	0.0	0.0	0.0
0.0	0.0						
		G1		6308	284.1	125.0	-0.1
-37.2	-0.0			6310	54.5	-138.2	-0.4
8.1	-0.0			8802	-256.9	-130.0	0.4
29.7	-0.0			8800	-81.8	144.0	0.2
-55.6	0.0						
		G2		6308	112.2	50.6	-0.1
-14.9	-0.0			6310	21.3	-53.4	-0.2
3.4	-0.0			8802	-101.8	-52.4	0.1
12.0	-0.0			8800	-31.7	55.3	0.1
-22.5	0.0						
		Q3		6308	0.0	0.0	0.0
0.0	0.0			6310	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0
0.0	0.0			8800	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6308	24.6	4.3	-0.1
-2.9	0.0			6310	-17.6	-3.5	-0.2
4.9	-0.0			8802	-21.2	-2.0	0.2
16.1	-0.0			8800	14.2	1.3	0.1
-11.8	-0.0						
		Q5_pc Y		6308	-2.4	1.5	0.0
0.6	-0.0						24.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.4	0.0			6310	5.7	-0.8	0.1	29.8
-6.4	0.0			8802	4.2	-1.8	-0.1	39.4
6.2	0.0			8800	-7.5	1.2	-0.0	31.3
		Q5_ps X		6308	21.0	2.8	-0.1	-23.1
-2.3	0.0			6310	-17.0	-2.4	-0.2	-30.8
4.6	-0.0			8802	-17.8	-0.8	0.2	-74.2
14.9	-0.0			8800	13.9	0.3	0.1	-59.0
-10.5	-0.0							
		Q5_ps Y		6308	-3.8	0.7	0.0	23.2
0.9	-0.0			6310	5.1	-0.0	0.1	28.7
0.4	0.0			8802	5.5	-0.9	-0.1	38.7
-6.3	0.0			8800	-6.8	0.3	-0.0	31.0
6.5	0.0							
		INVSLE Max		6308	604.4	226.5	-0.1	97.2
-76.1	-0.0			6310	45.9	-237.3	-0.3	100.0
31.0	-0.0			8802	-468.0	-227.3	0.8	-249.8
73.3	0.0			8800	-77.7	250.1	0.4	-215.4
-83.2	0.0							
		Min		6308	541.4	218.0	-0.3	27.7
-83.1	-0.0			6310	-5.2	-244.4	-0.9	7.6
17.2	-0.0			8802	-521.4	-231.0	0.2	-472.3
28.6	-0.0			8800	-119.4	247.8	0.2	-392.3
-114.7	0.0							
		INVSLE Max		6308	446.8	166.4	-0.1	69.4
-57.0	-0.0			6310	27.3	-174.7	-0.3	70.2
22.7	-0.0			8802	-349.1	-167.2	0.6	-199.3
53.5	0.0			8800	-55.3	183.5	0.3	-170.4
-63.3	0.0							
		Min		6308	404.9	160.7	-0.2	23.0
-61.7	-0.0			6310	-6.8	-179.4	-0.7	8.6
13.5	-0.0			8802	-384.7	-169.6	0.2	-347.6
23.7	-0.0			8800	-83.0	182.0	0.2	-288.3
-84.3	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

6711	2	8	C1-C2;~1	Max	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0		Min	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0		Min	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0		Min	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6309	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			4699	0.0	0.0	0.0	0.0
0.0		0.0			4698	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	6309	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0			4698	0.0	0.0	0.0	0.0
			G1	6309	157.9	58.6	-0.6	-70.9
1.5	-0.0			6311	212.0	-25.1	-0.6	-84.6
-2.5	-0.0			4699	-157.7	-51.7	0.6	-25.3
-1.5	-0.0			4698	-212.1	18.4	0.6	-37.9
-0.2	-0.0							
			G2	6309	63.6	20.6	-0.2	-54.5
2.9	-0.0			6311	84.2	-10.4	-0.2	-59.1
-2.8	-0.0			4699	-63.3	-20.3	0.2	21.6
-2.4	-0.0			4698	-84.5	10.1	0.2	11.3
1.3	-0.0							
			Q3	6309	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0			4698	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6309	2.5	2.7	0.4	-44.0
1.5	0.0			6311	-8.8	-4.9	0.4	-64.0
-5.4	-0.0			4699	-2.1	6.2	-0.4	137.1
-9.1	0.0			4698	8.4	-4.0	-0.3	112.8
5.1	0.0							
			Q5_pc Y	6309	0.7	3.6	-0.3	52.3
-3.3	0.0			6311	13.6	2.8	-0.4	62.2
5.3	0.0			4699	-1.1	-5.8	0.4	-127.2
7.9	-0.0			4698	-13.2	-0.6	0.3	-102.4
-4.6	0.0							
			Q5_ps X	6309	0.5	3.2	0.3	-31.7
0.6	0.0			6311	-10.4	-3.9	0.4	-50.7
-4.4	-0.0			4699	-0.2	6.0	-0.4	118.3
-8.0	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.3	0.0			4698	10.1	-5.2	-0.3	97.0
-3.6	0.0	Q5_ps Y		6309	-0.7	3.7	-0.3	55.9
5.4	0.0			6311	11.4	3.2	-0.4	65.3
7.9	-0.0			4699	0.3	-5.5	0.4	-127.8
-4.7	0.0			4698	-11.0	-1.5	0.2	-103.3
8.1	-0.0	INVS LU Max		6309	253.3	118.7	-2.1	-16.0
10.4	-0.0			6311	434.2	-5.1	-2.0	-2.0
26.9	-0.0			4699	-250.1	-118.8	3.2	-172.4
-6.2	-0.0			4698	-399.6	33.8	3.1	-212.4
-2.7	-0.0	Min		6309	248.9	107.5	-3.1	-183.6
-5.8	-0.0			6311	399.9	-16.9	-3.2	-197.8
3.0	-0.0			4699	-253.8	-136.7	2.0	-555.7
-20.3	-0.0			4698	-432.7	18.1	2.1	-522.2
5.7	-0.0	INVS LE Max		6309	185.1	86.8	-1.6	-21.7
6.8	-0.0			6311	319.1	-3.0	-1.5	-13.1
18.8	-0.0			4699	-183.0	-89.1	2.3	-139.1
-5.0	-0.0			4698	-296.0	24.4	2.2	-167.1
-1.4	-0.0	Min		6309	182.1	79.3	-2.3	-133.4
-4.0	-0.0			6311	296.2	-10.9	-2.3	-143.6
2.8	-0.0			4699	-185.5	-101.1	1.5	-394.6
-14.4	-0.0			4698	-318.1	14.0	1.6	-373.7
6712	2	4 C1-C2;~1 Max		6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0	Min		6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6310	0.0	0.0	0.0	0.0
0.0	0.0			6312	0.0	0.0	0.0	0.0
0.0	0.0			8804	0.0	0.0	0.0	0.0
0.0	0.0			8802	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6310	281.8	138.3	-0.3	-16.2
-6.7	-0.0			6312	51.6	-124.9	-0.2	-2.4
25.4	-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
42.2	0.0		8804	-250.1	-139.1	0.2	-153.0
-29.9	-0.0		8802	-83.3	126.4	0.2	-149.1
		G2	6310	111.3	55.1	-0.1	-6.1
-2.9	-0.0		6312	19.9	-48.6	-0.1	-0.7
10.2	-0.0		8804	-99.1	-55.5	0.1	-62.5
16.9	0.0		8802	-32.1	49.0	0.1	-60.9
-12.0	-0.0						
		Q3	6310	0.0	0.0	0.0	0.0
0.0	0.0		6312	0.0	0.0	0.0	0.0
0.0	0.0		8804	0.0	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6310	30.0	3.8	-0.1	-31.4
-3.5	-0.0		6312	-20.2	-3.6	-0.2	-32.8
8.2	0.0		8804	-26.4	-4.2	0.2	-80.4
23.5	0.0		8802	16.5	4.0	0.1	-74.3
-15.9	-0.0						
		Q5_pc Y	6310	-3.8	1.0	0.1	26.5
-1.0	0.0		6312	5.6	-0.4	0.1	27.5
-2.2	0.0		8804	5.3	-1.0	-0.1	38.2
-10.8	-0.0		8802	-7.1	0.4	-0.1	35.7
6.4	0.0						
		Q5_ps X	6310	26.1	2.6	-0.1	-29.3
-3.3	-0.0		6312	-19.3	-2.5	-0.2	-30.7
7.6	0.0		8804	-22.8	-2.9	0.2	-74.2
21.8	0.0		8802	16.0	2.8	0.1	-68.4
-14.8	-0.0						
		Q5_ps Y	6310	-5.2	0.1	0.1	25.4
-0.9	0.0		6312	5.0	0.3	0.1	26.2
-2.2	0.0		8804	6.6	-0.1	-0.1	37.3
-10.5	-0.0		8802	-6.4	-0.3	-0.1	35.0
6.2	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-16.2	-0.0	INVSLU	Max	6310	622.2	249.2	-0.2	91.2
				6312	18.7	-204.3	-0.1	123.0
76.7	-0.0			8804	-460.1	-241.4	0.7	-235.3
125.0	0.0			8802	-54.5	213.7	0.5	-216.6
-29.8	0.0							
			Min	6310	543.8	241.5	-0.6	3.2
-26.1	-0.0			6312	-39.3	-211.8	-0.6	30.9
54.0	-0.0			8804	-528.5	-250.1	0.2	-457.8
59.6	-0.0			8802	-102.5	205.2	0.1	-421.9
-74.2	-0.0							
		INVSLE	Max	6310	460.2	183.0	-0.2	63.6
-12.6	-0.0			6312	5.6	-149.9	-0.1	87.1
57.0	-0.0			8804	-344.5	-177.8	0.5	-189.9
92.2	0.0			8802	-37.2	156.2	0.4	-174.4
-24.5	0.0							
			Min	6310	408.0	177.9	-0.4	4.9
-19.2	-0.0			6312	-33.0	-154.9	-0.5	25.7
41.9	-0.0			8804	-390.1	-183.6	0.2	-338.3
48.6	-0.0			8802	-69.1	150.6	0.1	-311.2
-54.1	-0.0							
6713	2	4	C1-C2;~1	Max	6311	0.0	0.0	0.0
0.0	0.0	0.0			6313	0.0	0.0	0.0
0.0	0.0	0.0			4700	0.0	0.0	0.0
0.0	0.0	0.0			4699	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	6311	0.0	0.0	0.0
0.0	0.0	0.0			6313	0.0	0.0	0.0
0.0	0.0	0.0			4700	0.0	0.0	0.0
0.0	0.0	0.0			4699	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6311	0.0	0.0	0.0
0.0	0.0	0.0			6313	0.0	0.0	0.0
0.0	0.0	0.0			4700	0.0	0.0	0.0
0.0	0.0	0.0			4699	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			Min	6311	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			4700	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6311	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			4700	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6311	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			4700	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6311	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			4700	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6311	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			4700	0.0	0.0	0.0	0.0
0.0	0.0			4699	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6311	147.4	36.1	-0.5	-68.1
2.8	-0.0			6313	216.9	-28.5	-0.6	-67.1
-1.9	-0.0			4700	-142.7	-47.2	0.6	-36.9
0.7	-0.0			4699	-221.6	39.8	0.5	-22.6
1.0	-0.0							
		G2		6311	58.6	16.5	-0.2	-46.0
2.7	-0.0			6313	85.5	-8.7	-0.2	-46.0
-2.4	-0.0			4700	-56.7	-21.2	0.2	12.4
-1.3	-0.0			4699	-87.3	13.5	0.2	17.4
1.9	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	6311	0.0	0.0	0.0	0.0
0.0	0.0		6313	0.0	0.0	0.0	0.0
0.0	0.0		4700	0.0	0.0	0.0	0.0
0.0	0.0		4699	0.0	0.0	0.0	0.0
5.2	-0.0	Q5_pc X	6311	6.9	-6.0	0.3	-62.5
-5.6	0.0		6313	-6.8	-2.2	0.4	-66.2
-7.2	0.0		4700	-7.2	2.2	-0.4	134.7
6.0	0.0		4699	7.0	6.0	-0.3	123.7
-4.8	0.0	Q5_pc Y	6311	-3.3	1.0	-0.3	54.7
5.3	0.0		6313	14.6	-2.1	-0.4	57.3
6.7	-0.0		4700	3.9	-0.3	0.4	-124.9
-5.6	-0.0		4699	-15.2	1.4	0.3	-115.3
4.3	-0.0	Q5_ps X	6311	5.2	-6.4	0.3	-51.7
-4.8	0.0		6313	-8.2	-2.4	0.4	-55.1
-6.3	0.0		4700	-5.5	3.0	-0.4	118.4
5.2	0.0		4699	8.4	5.8	-0.3	108.0
-4.9	0.0	Q5_ps Y	6311	-4.2	0.5	-0.3	56.6
5.4	0.0		6313	12.4	-2.1	-0.4	59.0
6.7	-0.0		4700	4.8	0.4	0.4	-124.0
-5.6	-0.0		4699	-13.0	1.2	0.3	-115.0
4.6	-0.0	INVSLU Max	6311	204.6	86.6	-1.4	-0.9
8.5	-0.0		6313	434.8	-37.0	-1.7	-15.5
18.5	-0.0		4700	-175.7	-82.2	2.8	-108.3
1.3	-0.0		4699	-409.6	59.3	2.4	-97.7
-10.2	-0.0	Min	6311	189.0	67.3	-2.4	-170.6
-7.6	-0.0		6313	397.5	-44.2	-2.8	-192.6
			4700	-192.0	-91.3	1.7	-480.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-1.5	-0.0			4699	-448.6	41.9	1.4	-442.6
-15.5	-0.0							
		INVSLE	Max	6311	147.5	63.7	-1.1	-11.1
3.1	-0.0			6313	318.8	-26.8	-1.3	-22.8
5.4	-0.0			4700	-127.2	-60.9	2.1	-90.3
12.7	-0.0			4699	-303.0	41.9	1.7	-81.8
0.6	-0.0							
			Min	6311	137.1	50.9	-1.7	-124.2
-6.8	-0.0			6313	293.9	-31.6	-2.1	-140.8
-5.3	-0.0			4700	-138.1	-67.0	1.3	-338.3
-0.6	-0.0			4699	-329.0	30.3	1.1	-311.8
-10.6	-0.0							
6740	2	4	C1-C2;~1	Max	6338	0.0	0.0	0.0
0.0		0.0			6340	0.0	0.0	0.0
0.0		0.0			8832	0.0	0.0	0.0
0.0		0.0			8830	0.0	0.0	0.0
0.0		0.0						
			Min	6338	0.0	0.0	0.0	0.0
0.0		0.0			6340	0.0	0.0	0.0
0.0		0.0			8832	0.0	0.0	0.0
0.0		0.0			8830	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6338	0.0	0.0	0.0
0.0		0.0			6340	0.0	0.0	0.0
0.0		0.0			8832	0.0	0.0	0.0
0.0		0.0			8830	0.0	0.0	0.0
0.0		0.0						
			Min	6338	0.0	0.0	0.0	0.0
0.0		0.0			6340	0.0	0.0	0.0
0.0		0.0			8832	0.0	0.0	0.0
0.0		0.0			8830	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	6338	0.0	0.0	0.0
0.0		0.0			6340	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8830	0.0	0.0	0.0	0.0
0.0	0.0	Min	6338	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8830	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6338	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8830	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6338	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8830	0.0	0.0	0.0	0.0
0.0	0.0						
36.6	0.0	G1	6338	-44.5	46.2	0.1	16.2
-17.0	0.0		6340	169.2	-45.9	0.6	40.1
-46.1	0.0		8832	17.9	-52.7	-0.6	246.5
54.8	-0.0		8830	-142.6	53.1	-0.1	194.1
14.1	0.0	G2	6338	-16.3	19.7	0.0	5.4
-6.5	0.0		6340	66.4	-17.6	0.2	14.7
-17.4	0.0		8832	5.6	-22.2	-0.2	93.2
20.8	-0.0		8830	-55.7	20.1	-0.0	73.5
0.0	0.0	Q3	6338	0.0	0.0	0.0	0.0
0.0	0.0		6340	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8830	0.0	0.0	0.0	0.0
0.0	0.0						
-3.1	-0.0	Q5_pc X	6338	9.0	1.8	-0.0	-0.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.2	-0.0		6340	-5.6	-1.4	-0.0	-3.0
3.5	-0.0		8832	-7.0	-1.2	0.0	-15.4
-4.8	0.0		8830	3.6	0.9	0.0	-12.4
2.8	0.0	Q5_pc Y	6338	-4.7	0.9	0.0	7.6
-1.1	0.0		6340	8.6	-1.6	0.1	10.5
-4.9	0.0		8832	3.9	-1.5	-0.1	24.9
5.7	0.0		8830	-7.8	2.2	-0.0	19.5
-2.9	-0.0	Q5_ps X	6338	8.1	1.3	-0.0	-0.5
1.1	-0.0		6340	-5.5	-1.3	-0.0	-2.4
3.1	-0.0		8832	-6.1	-0.8	0.0	-13.6
-4.3	0.0		8830	3.5	0.8	0.0	-11.0
2.8	0.0	Q5_ps Y	6338	-5.0	0.5	0.0	7.6
-1.1	0.0		6340	8.0	-1.3	0.1	10.4
-4.9	0.0		8832	4.4	-1.1	-0.1	24.7
5.8	0.0		8830	-7.4	1.9	-0.0	19.5
26.0	0.0	INVSLE Max	6338	25.5	82.6	-0.2	-207.5
-19.6	-0.0		6340	222.3	-86.7	-0.7	-240.0
22.3	-0.0		8832	-57.1	-86.8	0.9	-68.8
-6.8	-0.0		8830	-146.5	100.2	0.2	-58.1
17.3	0.0	Min	6338	1.3	78.7	-0.2	-230.2
-22.9	-0.0		6340	198.4	-90.5	-0.9	-271.2
7.8	-0.0		8832	-75.4	-90.1	0.7	-143.0
-24.1	-0.0		8830	-168.6	94.6	0.2	-116.5
15.8	0.0	INVSLE Max	6338	22.7	59.5	-0.1	-165.8
-13.8	-0.0		6340	156.3	-63.7	-0.6	-194.0
21.5	-0.0		8832	-47.5	-62.8	0.7	-83.8
-12.8	-0.0		8830	-102.0	73.3	0.2	-69.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


				Min	6338	6.5	56.9	-0.2	-181.0
10.0	0.0				6340	140.4	-66.3	-0.8	-214.8
-16.0	-0.0				8832	-59.7	-65.0	0.6	-133.3
11.8	-0.0				8830	-116.7	69.5	0.1	-108.5
-24.3	-0.0								
6741	2	4	C1-C2;~1	Max	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	6339	0.0	0.0	0.0	0.0
0.0	0.0				6341	0.0	0.0	0.0	0.0
0.0	0.0				4714	0.0	0.0	0.0	0.0
0.0	0.0				4713	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	6339	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0			4713	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6339	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0			4713	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6339	76.1	32.6	-0.2	156.0
-6.8	0.0			6341	64.9	3.3	-0.4	195.9
13.4	-0.0			4714	-77.1	-32.6	0.5	-265.6
19.2	-0.0			4713	-63.9	-3.2	0.2	-197.7
-9.6	-0.0							
		G2		6339	31.3	12.1	-0.1	40.6
-0.7	-0.0			6341	26.2	1.8	-0.1	57.3
4.0	0.0			4714	-31.6	-13.7	0.1	-78.8
6.3	-0.0			4713	-25.9	-0.1	0.1	-55.7
-2.5	-0.0							
		Q3		6339	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0			4713	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6339	2.7	2.1	0.0	0.7
-0.7	0.0			6341	2.8	-0.2	0.0	-2.9
-0.2	-0.0			4714	-2.7	-0.9	-0.0	8.0
-0.9	0.0			4713	-2.8	-0.9	-0.0	5.5
0.1	0.0							
		Q5_pc Y		6339	-1.3	1.4	-0.1	30.3
-1.9	0.0			6341	3.5	0.2	-0.2	34.9
2.6	-0.0			4714	1.2	-0.7	0.2	-62.3
3.9	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.6	-0.0			4713	-3.4	-0.9	0.1	-51.7
			Q5_ps X	6339	1.9	2.3	0.0	6.4
-1.2	0.0			6341	2.2	-0.1	0.0	2.7
0.2	-0.0			4714	-2.0	-0.8	-0.0	0.3
-0.4	0.0			4713	-2.2	-1.4	-0.0	-1.3
-0.3	0.0							
			Q5_ps Y	6339	-1.9	1.6	-0.1	34.1
-2.3	0.0			6341	2.8	0.4	-0.2	38.4
2.8	-0.0			4714	1.8	-0.6	0.2	-66.2
4.0	-0.0			4713	-2.7	-1.4	0.1	-55.4
-2.8	-0.0							
			INVS LU Max	6339	205.0	59.2	3.0	-187.1
21.5	-0.0			6341	7.6	1.7	4.0	-228.1
-25.8	-0.0			4714	-201.2	-42.6	-3.6	1043.3
-48.4	-0.0			4713	2.8	-10.7	-2.6	850.1
36.9	-0.0							
			Min	6339	199.1	52.3	2.6	-289.5
14.5	-0.0			6341	-0.8	0.5	3.6	-343.4
-34.3	-0.0			4714	-207.2	-44.8	-4.1	844.7
-60.5	-0.0			4713	-5.3	-15.1	-2.9	684.1
28.4	-0.0							
			INVS LE Max	6339	154.6	43.1	2.3	-170.7
17.5	-0.0			6341	-0.4	1.1	3.2	-206.8
-22.3	-0.0			4714	-152.4	-30.9	-2.9	837.6
-40.8	-0.0			4713	7.6	-8.1	-2.1	679.2
29.5	-0.0							
			Min	6339	150.7	38.5	2.1	-239.0
12.8	-0.0			6341	-6.0	0.3	2.9	-283.7
-28.0	-0.0			4714	-156.3	-32.4	-3.2	705.1
-48.9	-0.0			4713	2.2	-11.0	-2.3	568.5
23.8	-0.0							
6742	2	10	C1-C2;~1 Max	6340	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0	Min	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
15.0	0.0	G1	6340	-53.4	49.5	0.3	51.0
-21.8	-0.0		6342	166.1	-38.2	0.5	56.3
-60.4	-0.0		8834	29.5	-50.8	-0.5	236.7
46.8	0.0		8832	-142.1	40.2	-0.3	218.5
5.7	0.0	G2	6340	-20.1	20.2	0.1	19.0
-8.3	-0.0		6342	64.7	-14.5	0.2	21.0
-22.9	-0.0		8834	10.5	-20.9	-0.2	89.6
17.7	0.0		8832	-55.1	15.2	-0.1	82.6
0.0	0.0	Q3	6340	0.0	0.0	0.0	0.0
0.0	0.0		6342	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
-1.2	-0.0	Q5_pc X	6340	7.9	0.9	-0.0	-3.5
1.0	0.0		6342	-4.3	-1.8	-0.0	-3.6
3.0	0.0		8834	-6.5	-1.1	0.0	-13.0
-3.5	-0.0		8832	2.9	1.9	0.0	-12.8
0.9	0.0	Q5_pc Y	6340	-4.7	1.7	0.0	9.9
-1.5	-0.0		6342	8.4	-1.2	0.1	10.5
-5.9	-0.0		8834	4.1	-1.8	-0.1	22.8
4.9	0.0		8832	-7.8	1.2	-0.0	21.7
-1.0	-0.0	Q5_ps X	6340	7.2	0.7	-0.0	-3.0
0.9	0.0		6342	-4.1	-1.6	-0.0	-3.1
2.7	0.0		8834	-5.7	-0.8	0.0	-11.5
-3.1	-0.0		8832	2.7	1.7	0.0	-11.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps Y					
0.9	0.0		6340	-5.0	1.4	0.0	9.8
			6342	7.9	-0.9	0.1	10.3
-1.5	-0.0		8834	4.5	-1.4	-0.1	22.6
-5.8	-0.0		8832	-7.4	1.0	-0.0	21.4
4.8	0.0						
		INVS LU Max					
25.1	-0.0		6340	12.5	90.9	-0.3	-195.3
			6342	228.5	-79.3	-0.4	-208.2
-7.6	-0.0		8834	-40.4	-89.1	0.6	-51.4
42.5	-0.0		8832	-158.3	87.3	0.4	-53.7
-6.9	-0.0						
		Min					
21.9	-0.0		6340	-8.9	86.9	-0.4	-224.6
			6342	204.8	-84.0	-0.6	-239.2
-12.2	-0.0		8834	-57.7	-93.3	0.5	-119.1
25.2	-0.0		8832	-180.4	82.2	0.3	-118.1
-21.4	-0.0						
		INVS LE Max					
17.8	-0.0		6340	13.3	66.1	-0.3	-159.6
			6342	161.7	-58.6	-0.4	-170.1
-4.3	-0.0		8834	-35.2	-64.9	0.5	-67.6
37.8	-0.0		8832	-111.6	64.2	0.3	-67.8
-11.1	-0.0						
		Min					
15.7	-0.0		6340	-1.0	63.3	-0.4	-179.1
			6342	145.8	-61.8	-0.5	-190.7
-7.3	-0.0		8834	-46.7	-67.7	0.4	-112.7
26.2	-0.0		8832	-126.4	60.8	0.3	-110.7
-20.8	-0.0						
6743	2	10 C1-C2;~1	Max				
0.0	0.0		6341	0.0	0.0	0.0	0.0
			6343	0.0	0.0	0.0	0.0
0.0	0.0		4715	0.0	0.0	0.0	0.0
0.0	0.0		4714	0.0	0.0	0.0	0.0
0.0	0.0						
		Min					
0.0	0.0		6341	0.0	0.0	0.0	0.0
			6343	0.0	0.0	0.0	0.0
0.0	0.0		4715	0.0	0.0	0.0	0.0
0.0	0.0		4714	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6341	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			4715	0.0	0.0	0.0	0.0
0.0	0.0			4714	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6341	69.8	28.2	-0.4	169.7
-12.2	-0.0			6343	59.3	-0.5	-0.4	180.9
12.9	-0.0			4715	-71.2	-26.2	0.4	-256.7
14.9	-0.0			4714	-58.0	-1.2	0.4	-240.5
-13.0	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		G2	6341	28.1	13.3	-0.1	53.1
-3.7	0.0		6343	23.3	1.8	-0.1	57.4
4.1	-0.0		4715	-28.6	-12.5	0.1	-81.1
4.7	-0.0		4714	-22.8	-2.6	0.1	-74.9
-4.0	-0.0						
		Q3	6341	0.0	0.0	0.0	0.0
0.0	0.0		6343	0.0	0.0	0.0	0.0
0.0	0.0		4715	0.0	0.0	0.0	0.0
0.0	0.0		4714	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6341	2.5	-0.2	0.0	-4.2
0.3	-0.0		6343	2.7	-1.2	0.0	-4.3
-0.3	0.0		4715	-2.4	0.1	-0.0	7.7
-0.4	0.0		4714	-2.8	1.3	-0.0	7.4
0.3	0.0						
		Q5_pc Y	6341	-0.6	-0.2	-0.1	28.3
-2.4	-0.0		6343	4.3	-0.9	-0.1	29.3
2.4	-0.0		4715	0.6	0.2	0.1	-53.5
2.9	-0.0		4714	-4.3	1.0	0.1	-51.2
-2.7	-0.0						
		Q5_ps X	6341	2.0	-0.6	0.0	-0.1
0.0	-0.0		6343	2.4	-1.4	0.0	-0.3
-0.0	0.0		4715	-2.0	0.5	-0.0	1.9
-0.1	0.0		4714	-2.4	1.6	-0.0	1.6
0.0	0.0						
		Q5_ps Y	6341	-1.0	-0.6	-0.1	30.6
-2.6	-0.0		6343	3.7	-1.1	-0.1	31.5
2.5	0.0		4715	1.0	0.5	0.1	-56.0
3.0	-0.0		4714	-3.7	1.2	0.1	-53.8
-2.8	-0.0						
		INVSLU Max	6341	193.9	58.6	3.3	-203.8
30.8	-0.0		6343	-26.3	20.0	3.8	-213.2
-26.3	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-40.0	-0.0			4715	-194.3	-50.0	-3.4	973.4
40.6	-0.0			4714	43.8	-22.1	-2.9	897.9
			Min	6341	187.9	56.6	2.9	-295.5
23.1	-0.0			6343	-37.4	15.7	3.3	-307.7
-33.7	-0.0			4715	-200.2	-51.6	-3.8	805.4
-49.0	-0.0			4714	32.6	-26.7	-3.3	736.6
32.1	-0.0							
			INVSLE Max	6341	146.6	43.5	2.6	-182.7
25.1	-0.0			6343	-26.1	15.1	3.0	-191.0
-22.4	-0.0			4715	-147.5	-36.9	-2.7	781.4
-33.4	-0.0			4714	38.4	-17.3	-2.3	722.0
32.9	-0.0							
			Min	6341	142.6	42.2	2.4	-243.8
20.0	-0.0			6343	-33.5	12.3	2.7	-254.1
-27.4	-0.0			4715	-151.4	-38.0	-3.0	669.4
-39.4	-0.0			4714	30.9	-20.4	-2.6	614.4
27.2	-0.0							
6772	2	10	C1-C2;~1	Max	6370	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0	0.0			8862	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6370	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0	0.0			8862	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6370	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0	0.0			8862	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6370	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6372	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	8864	0.0	0.0	0.0	0.0	0.0
0.0	0.0	8862	0.0	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	6370	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8862	0.0	0.0	0.0	0.0
0.0	0.0	Min	6370	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8862	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	6370	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8862	0.0	0.0	0.0	0.0
0.0	0.0	Min	6370	0.0	0.0	0.0	0.0
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8862	0.0	0.0	0.0	0.0
23.2	0.0	G1	6370	-166.0	-35.4	0.5	57.1
-14.7	-0.0		6372	60.2	46.8	0.4	52.5
-47.4	-0.0		8864	141.3	37.4	-0.3	224.4
62.7	0.0		8862	-35.5	-48.2	-0.5	242.6
8.8	0.0	G2	6370	-64.7	-13.4	0.2	21.4
-5.6	-0.0		6372	22.7	19.2	0.1	19.7
-18.0	-0.0		8864	54.8	14.1	-0.1	85.0
23.8	0.0		8862	-12.9	-19.9	-0.2	92.0
0.0	0.0	Q3	6370	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6372	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8862	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	6370	2.5	2.5	0.0	2.2
-0.1	-0.0		6372	3.7	-2.5	0.0	2.3
-1.0	-0.0		8864	-2.4	-2.4	-0.0	3.9
0.8	0.0		8862	-3.9	2.5	-0.0	3.5
2.0	0.0	Q5_pc Y	6370	-7.3	1.4	0.1	10.5
-1.2	-0.0		6372	10.0	-0.8	0.0	10.1
-5.7	-0.0		8864	6.2	-1.3	-0.0	25.1
6.6	0.0		8862	-8.8	0.7	-0.1	25.9
0.2	0.0	Q5_ps X	6370	2.6	2.5	0.0	2.3
-0.1	-0.0		6372	3.9	-2.6	0.0	2.3
-1.1	-0.0		8864	-2.4	-2.5	-0.0	4.1
0.9	-0.0		8862	-4.1	2.6	-0.0	3.7
2.0	0.0	Q5_ps Y	6370	-6.9	1.4	0.1	10.3
-1.2	-0.0		6372	9.8	-1.0	0.0	9.9
-5.6	-0.0		8864	5.9	-1.3	-0.0	24.7
6.5	0.0		8862	-8.8	0.9	-0.1	25.5
11.5	0.0	INVSLU Max	6370	-202.5	-82.4	-0.5	-215.7
-19.9	0.0		6372	-1.5	96.6	-0.3	-201.8
28.2	0.0		8864	176.2	93.2	0.4	-70.8
-29.2	0.0		8862	75.0	-91.2	0.7	-69.0
5.6	0.0	Min	6370	-223.2	-89.9	-0.6	-246.7
-23.5	0.0		6372	-31.0	88.7	-0.5	-231.5
11.3	0.0		8864	158.4	85.7	0.3	-144.9
-48.8	0.0		8862	48.5	-99.1	0.5	-145.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	6370	-143.9	-61.6	-0.4	-176.0
6.6	0.0				6372	-8.5	70.7	-0.3	-164.8
-14.2	0.0				8864	123.4	69.0	0.4	-82.5
26.1	0.0				8862	60.5	-67.1	0.6	-82.5
-29.7	0.0								
				Min	6370	-157.7	-66.6	-0.5	-196.6
2.7	0.0				6372	-28.2	65.4	-0.4	-184.7
-16.6	0.0				8864	111.6	64.0	0.3	-131.8
14.8	0.0				8862	42.8	-72.4	0.4	-133.5
-42.8	0.0								
6773	2	10	C1-C2;~1	Max	6371	0.0	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0	0.0
0.0		0.0			4730	0.0	0.0	0.0	0.0
0.0		0.0			4729	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6371	0.0	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0	0.0
0.0		0.0			4730	0.0	0.0	0.0	0.0
0.0		0.0			4729	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6371	0.0	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0	0.0
0.0		0.0			4730	0.0	0.0	0.0	0.0
0.0		0.0			4729	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6371	0.0	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0	0.0
0.0		0.0			4730	0.0	0.0	0.0	0.0
0.0		0.0			4729	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6371	0.0	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0	0.0
0.0		0.0			4730	0.0	0.0	0.0	0.0
0.0		0.0			4729	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	6371	0.0	0.0	0.0	0.0
0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0		4729	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6371	0.0	0.0	0.0
0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0		4729	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6371	0.0	0.0	0.0
0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0		4729	0.0	0.0	0.0	0.0
0.0	0.0						
			G1	6371	-54.9	0.2	-0.4
-13.2	0.0		6373	-66.0	27.2	-0.4	185.2
12.5	0.0		4730	53.5	-1.9	0.4	174.3
13.4	0.0		4729	67.4	-25.3	0.4	-246.4
-15.2	0.0						-262.1
			G2	6371	-21.6	2.1	-0.1
-4.2	0.0		6373	-26.6	12.8	-0.1	59.3
3.9	-0.0		4730	21.1	-2.8	0.1	55.1
4.1	0.0		4729	27.2	-12.1	0.1	-77.5
-4.9	0.0						-83.5
			Q3	6371	0.0	0.0	0.0
0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0		4729	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6371	3.1	0.4	-0.0
-0.6	-0.0		6373	4.6	-1.4	-0.0	8.1
0.7	-0.0		4730	-3.1	-0.2	0.0	8.3
0.8	-0.0						-14.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.7	-0.0			4729	-4.6	1.2	0.0	-14.4
		Q5_pc	Y	6371	-0.1	-0.3	-0.1	31.7
-2.4	-0.0			6373	3.9	-1.3	-0.1	31.1
2.6	0.0			4730	0.1	0.5	0.1	-53.6
2.9	-0.0			4729	-3.9	1.1	0.1	-55.4
-3.0	-0.0							
		Q5_ps	X	6371	3.3	0.2	-0.0	10.1
-0.8	-0.0			6373	4.7	-1.6	-0.0	10.3
0.9	0.0			4730	-3.2	-0.1	0.0	-17.1
1.0	-0.0			4729	-4.7	1.4	0.0	-17.1
-0.9	-0.0							
		Q5_ps	Y	6371	0.1	-0.6	-0.1	34.3
-2.6	-0.0			6373	4.1	-1.7	-0.1	33.7
2.8	0.0			4730	-0.1	0.8	0.1	-56.7
3.1	-0.0			4729	-4.1	1.4	0.1	-58.5
-3.1	-0.0							
		INVSLE	Max	6371	31.1	17.6	3.8	-225.3
35.1	0.0			6373	-190.6	61.4	3.3	-216.1
-24.2	0.0			4730	-27.7	-22.0	-2.9	927.4
-33.1	0.0			4729	211.1	-50.1	-3.4	1006.5
50.8	0.0							
			Min	6371	21.3	15.9	3.4	-328.2
27.2	0.0			6373	-204.8	56.4	3.0	-317.2
-32.5	0.0			4730	-37.4	-24.3	-3.3	757.3
-42.3	0.0			4729	196.9	-54.5	-3.8	831.1
41.4	0.0							
		INVSLE	Max	6371	28.0	13.3	3.0	-201.6
28.4	0.0			6373	-145.7	45.7	2.6	-193.4
-20.9	0.0			4730	-26.4	-17.0	-2.4	745.2
-28.1	0.0			4729	160.0	-37.3	-2.8	807.5
40.9	0.0							
			Min	6371	21.5	12.2	2.8	-270.1
23.2	0.0			6373	-155.2	42.3	2.4	-260.9
-26.5	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-34.2	0.0			4730	-32.9	-18.6	-2.6	631.8
34.6	0.0			4729	150.5	-40.2	-3.0	690.5
6774	2	4	C1-C2;~1	Max	6372	0.0	0.0	0.0
0.0		0.0			6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0		Min	6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0			6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0		Min	6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0			6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0		Min	6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0			6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0		Min	6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0
0.0		0.0			6372	0.0	0.0	0.0
0.0		0.0			6374	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8864	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0	Min	6372	0.0	0.0	0.0	0.0
0.0	0.0		6374	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
16.6	-0.0	G1	6372	-170.1	-43.0	0.7	41.8
-39.9	-0.0		6374	51.9	44.1	0.1	16.5
-59.7	0.0		8866	142.8	49.9	-0.1	202.6
46.7	-0.0		8864	-24.6	-50.3	-0.6	255.1
6.3	-0.0	G2	6372	-66.7	-16.5	0.2	15.4
-15.3	-0.0		6374	19.2	18.9	0.0	5.6
-22.7	0.0		8866	55.8	18.8	-0.1	76.9
17.7	-0.0		8864	-8.3	-21.2	-0.2	96.6
0.0	0.0	Q3	6372	0.0	0.0	0.0	0.0
0.0	0.0		6374	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.1	-0.0	Q5_pc X	6372	2.0	2.5	0.0	3.0
-1.0	-0.0		6374	4.0	-1.8	0.0	2.7
-2.3	-0.0		8866	-1.6	-2.9	-0.0	5.2
1.0	-0.0		8864	-4.4	2.2	-0.0	5.6
1.4	-0.0	Q5_pc Y	6372	-8.2	1.1	0.1	10.8
-4.5	-0.0		6374	10.3	-0.7	0.0	7.7
-8.5	-0.0		8866	7.2	-1.0	-0.0	25.0
5.7	-0.0		8864	-9.3	0.6	-0.1	30.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	6372	2.1	2.6	0.0	3.1
0.1	-0.0		6374	4.1	-2.0	0.0	2.8
-1.0	-0.0		8866	-1.6	-3.0	-0.0	5.5
-2.4	-0.0		8864	-4.6	2.3	-0.0	5.9
1.1	-0.0						
		Q5_ps Y	6372	-7.7	1.1	0.1	10.7
1.4	-0.0		6374	10.2	-1.0	0.0	7.7
-4.4	-0.0		8866	6.8	-1.0	-0.0	24.6
-8.3	-0.0		8864	-9.3	0.9	-0.1	29.8
5.6	-0.0						
		INVS LU Max	6372	-193.2	-89.0	-0.7	-246.1
21.4	0.0		6374	-14.3	88.1	-0.2	-211.7
-10.3	-0.0		8866	164.3	105.7	0.3	-72.7
36.6	0.0		8864	94.2	-88.9	1.0	-88.4
-12.1	0.0						
		Min	6372	-216.2	-96.7	-1.0	-278.1
17.2	0.0		6374	-44.9	82.2	-0.2	-234.9
-23.4	-0.0		8866	143.9	96.8	0.2	-146.4
11.6	0.0		8864	66.3	-96.0	0.7	-177.7
-29.1	0.0						
		INVS LE Max	6372	-136.1	-66.1	-0.7	-199.0
14.8	0.0		6374	-18.0	63.9	-0.2	-169.2
-4.3	-0.0		8866	113.5	77.8	0.2	-82.9
34.2	0.0		8864	74.7	-65.0	0.8	-101.1
-15.4	0.0						
		Min	6372	-151.5	-71.3	-0.8	-220.4
12.0	0.0		6374	-38.4	60.0	-0.2	-184.7
-13.1	-0.0		8866	99.9	71.9	0.2	-132.0
17.5	0.0		8864	56.0	-69.7	0.6	-160.6
-26.7	0.0						
6775	2	4 C1-C2;~1 Max	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6373	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0			4731	0.0	0.0	0.0
0.0	0.0			4730	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6373	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0			4731	0.0	0.0	0.0
0.0	0.0			4730	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6373	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0			4731	0.0	0.0	0.0
0.0	0.0			4730	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-13.8	0.0	G1	6373	-60.4	4.2	-0.4	202.3
7.1	-0.0		6375	-72.3	32.0	-0.2	161.7
10.0	0.0		4731	59.4	-4.3	0.2	-203.5
-19.7	0.0		4730	73.4	-31.7	0.5	-273.3
		G2	6373	-24.5	2.1	-0.1	60.0
-4.1	-0.0		6375	-29.9	11.8	-0.1	43.1
0.8	0.0		4731	24.2	-0.5	0.1	-58.3
2.6	0.0		4730	30.2	-13.4	0.2	-82.2
-6.5	0.0						
		Q3	6373	0.0	0.0	0.0	0.0
0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0		4731	0.0	0.0	0.0	0.0
0.0	0.0		4730	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6373	3.4	0.8	-0.0	11.4
-0.8	-0.0		6375	4.8	-0.3	-0.0	10.8
0.8	-0.0		4731	-3.4	-1.4	0.0	-16.7
0.9	-0.0		4730	-4.8	0.9	0.0	-19.2
-1.1	-0.0						
		Q5_pc Y	6373	0.8	1.0	-0.2	39.5
-2.8	0.0		6375	4.6	0.9	-0.1	34.9
2.3	-0.0		4731	-0.9	-2.0	0.1	-54.5
2.8	-0.0		4730	-4.5	0.2	0.2	-65.9
-4.1	-0.0						
		Q5_ps X	6373	3.6	0.9	-0.0	14.2
-1.0	0.0		6375	5.1	-0.1	-0.0	13.7
1.1	-0.0		4731	-3.7	-1.7	0.0	-19.9
1.1	-0.0		4730	-5.0	0.9	0.0	-22.7
-1.3	-0.0						
		Q5_ps Y	6373	1.2	1.1	-0.2	43.5
-3.1	0.0		6375	5.0	1.3	-0.1	39.3
2.7	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.1	-0.0			4731	-1.3	-2.5	0.1	-58.9
-4.3	-0.0			4730	-4.9	0.2	0.2	-70.5
36.0	0.0	INVS LU	Max	6373	-4.3	1.4	4.1	-241.2
-14.5	0.0			6375	-202.0	59.7	3.0	-194.6
-29.7	0.0			4731	13.3	-8.3	-2.7	885.1
63.0	0.0			4730	219.2	-43.9	-3.7	1080.2
26.8	0.0		Min	6373	-15.2	-1.8	3.6	-371.6
-22.6	0.0			6375	-217.3	56.0	2.7	-312.5
-38.9	0.0			4731	2.2	-15.9	-3.0	708.5
50.1	0.0			4730	204.1	-46.7	-4.1	868.5
29.3	0.0	INVS LE	Max	6373	1.3	0.6	3.2	-218.7
-12.9	0.0			6375	-154.0	43.7	2.4	-178.2
-24.9	0.0			4731	4.5	-6.3	-2.1	706.7
50.9	0.0			4730	165.7	-32.1	-3.0	866.6
23.2	0.0		Min	6373	-6.0	-1.5	2.9	-305.7
-18.3	0.0			6375	-164.2	41.2	2.2	-256.8
-31.1	0.0			4731	-2.9	-11.3	-2.3	589.0
42.3	0.0			4730	155.6	-34.0	-3.3	725.5
6806	2	8 C1-C2;~1	Max	6404	0.0	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0	0.0
0.0	0.0		Min	6404	0.0	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	6404	0.0	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8898	0.0	0.0	0.0	0.0
0.0	0.0		8896	0.0	0.0	0.0	0.0
0.0	0.0	Min	6404	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0		8898	0.0	0.0	0.0	0.0
0.0	0.0		8896	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6404	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6404	0.0	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6404	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6404	0.0	0.0	0.0	0.0
0.0	0.0			6406	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0			8896	0.0	0.0	0.0
0.0	0.0						
-37.6	0.0	G1	6404	-60.7	-140.9	-0.1	-27.5
-69.2	0.0		6406	-319.1	179.6	-0.1	-40.1
-97.8	0.0		8898	99.7	122.0	-0.2	-13.3
-53.1	-0.0		8896	280.1	-160.0	0.4	-77.2
-15.0	0.0	G2	6404	-24.1	-54.7	-0.1	-10.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-27.4	0.0		6406	-127.9	73.5	-0.0	-13.2
-39.5	0.0		8898	40.0	47.1	-0.1	-1.7
-21.7	-0.0		8896	111.9	-65.9	0.2	-30.2
0.0	0.0	Q3	6404	0.0	0.0	0.0	0.0
0.0	0.0		6406	0.0	0.0	0.0	0.0
0.0	0.0		8898	0.0	0.0	0.0	0.0
0.0	0.0		8896	0.0	0.0	0.0	0.0
1.0	-0.0	Q5_pc X	6404	-0.9	3.0	-0.0	4.6
3.6	-0.0		6406	14.3	-11.1	0.0	6.5
-0.1	0.0		8898	-3.9	0.5	-0.0	-0.4
1.3	0.0		8896	-9.5	7.6	-0.0	-0.5
2.5	-0.0	Q5_pc Y	6404	-2.9	-0.4	0.0	13.9
12.8	0.0		6406	9.8	-9.2	0.0	11.5
19.4	0.0		8898	3.5	3.7	0.0	-2.7
5.1	-0.0		8896	-10.4	5.9	-0.1	7.7
1.2	-0.0	Q5_ps X	6404	-0.9	3.6	0.0	4.6
3.8	-0.0		6406	15.7	-11.6	0.0	6.3
0.3	0.0		8898	-4.3	-0.1	-0.0	-0.5
1.6	0.0		8896	-10.5	8.1	-0.0	-0.1
2.7	-0.0	Q5_ps Y	6404	-2.2	0.9	0.0	13.5
13.0	0.0		6406	13.3	-11.2	0.0	10.6
19.8	0.0		8898	2.0	2.4	0.0	-4.0
5.5	-0.0		8896	-13.0	7.9	-0.1	7.7
-81.9	0.0	INVSLU Max	6404	-49.1	-237.3	-0.1	2.8
-113.2	0.0		6406	-576.5	335.0	-0.3	-61.0
-148.4	0.0		8898	128.2	204.2	-0.2	-45.7
-100.6	-0.0		8896	550.2	-262.1	0.9	-172.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	6404	-55.8	-248.1	-0.2	-37.8
-90.1	0.0			6406	-623.5	300.2	-0.3	-92.8
-152.4	0.0			8898	115.3	196.8	-0.3	-57.6
-207.9	0.0			8896	511.1	-286.5	0.6	-195.2
-117.2	-0.0							
		INVSLE	Max	6404	-33.0	-174.7	-0.1	0.2
-61.9	0.0			6406	-428.2	245.2	-0.2	-47.0
-87.3	0.0			8898	90.1	149.3	-0.2	-34.7
-115.8	0.0			8896	406.4	-193.2	0.7	-131.4
-76.3	-0.0							
			Min	6404	-37.5	-181.9	-0.2	-26.8
-67.4	0.0			6406	-459.6	222.0	-0.2	-68.2
-113.4	0.0			8898	81.5	144.4	-0.3	-42.6
-155.5	0.0			8896	380.3	-209.5	0.5	-146.8
-87.4	-0.0							
6807	2	8 C1-C2;~1	Max	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C1-C2;~2	Max	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0		Min	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
0.0	0.0		Min	6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0
0.0	0.0			4745	0.0	0.0	0.0	0.0
3.2	0.0	G1		6405	-198.2	-10.9	-0.3	-41.6
-0.9	0.0			6407	-147.1	59.7	-0.1	-20.0
-0.4	0.0			4746	199.6	12.2	0.1	5.9
-0.4	0.0			4745	145.7	-60.7	0.3	-16.3
4.1	0.0	G2		6405	-74.0	3.0	-0.0	-29.3
2.5	0.0			6407	-54.9	40.3	0.6	25.4
-2.2	0.0			4746	74.4	-13.5	-0.6	69.9
2.1	0.0			4745	54.5	-29.8	0.0	29.7
0.0	0.0	Q3		6405	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			4746	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4745	0.0	0.0	0.0	0.0
-0.0	-0.0	Q5_pc X	6405	6.3	1.2	0.0	-1.0
0.1	0.0		6407	3.9	-3.3	-0.1	-7.7
0.3	-0.0		4746	-6.8	1.2	0.1	-7.1
0.7	-0.0		4745	-3.4	0.9	-0.0	4.8
-3.9	-0.0	Q5_pc Y	6405	-2.8	-4.9	-0.1	20.0
-1.6	0.0		6407	0.9	-13.1	-0.5	-24.7
1.5	-0.0		4746	2.7	13.5	0.5	-65.5
-2.8	-0.0		4745	-0.9	4.5	0.1	-46.8
-0.2	-0.0	Q5_ps X	6405	6.4	0.7	0.0	0.1
-0.1	0.0		6407	4.1	-4.3	-0.1	-8.7
0.4	-0.0		4746	-6.9	2.1	0.1	-10.3
0.5	-0.0		4745	-3.7	1.5	-0.0	2.3
-4.7	-0.0	Q5_ps Y	6405	-2.5	-7.1	-0.2	24.4
-2.3	0.0		6407	1.1	-18.9	-0.7	-31.6
2.0	-0.0		4746	2.5	19.2	0.6	-82.8
-3.5	-0.0		4745	-1.1	6.8	0.2	-56.6
16.4	0.0	INVSLE Max	6405	-354.9	-17.8	-0.7	1.3
16.7	0.0		6407	-180.6	125.0	4.0	294.0
-7.5	0.0		4746	378.8	46.9	-2.0	377.0
-3.1	0.0		4745	188.3	-75.8	1.1	-3.8
2.4	0.0	Min	6405	-374.2	-39.2	-1.1	-72.0
9.7	0.0		6407	-193.0	68.3	2.0	199.2
-13.5	0.0		4746	358.1	-10.6	-4.0	128.5
-13.5	0.0		4745	177.4	-96.3	0.6	-173.7
12.0	0.0	INVSLE Max	6405	-262.2	-14.1	-0.5	-4.6
			6407	-131.2	90.5	2.9	214.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


12.0	0.0			4746	278.6	31.7	-1.6	273.7
-5.8	0.0			4745	136.0	-55.8	0.8	-6.9
-2.6	0.0							
			Min	6405	-275.1	-28.4	-0.8	-53.5
2.6	0.0			6407	-139.5	52.8	1.6	151.3
7.3	0.0			4746	264.8	-6.7	-2.9	108.0
-9.8	0.0			4745	128.7	-69.5	0.5	-120.2
-9.5	0.0							
6808	2	8	C1-C2;~1	Max	6406	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8898	0.0	0.0	0.0
0.0	0.0							
			Min	6406	0.0	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8898	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6406	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8898	0.0	0.0	0.0
0.0	0.0							
			Min	6406	0.0	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8898	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6406	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8898	0.0	0.0	0.0
0.0	0.0							
			Min	6406	0.0	0.0	0.0	0.0
0.0	0.0				6408	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8900	0.0	0.0	0.0	0.0
0.0	0.0		8898	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6406	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0						
			Min	6406	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0						
			G1	6406	-82.2	-123.7	-0.1
93.1	0.0			6408	-272.8	159.2	-0.1
44.1	-0.0			8900	96.3	137.6	0.5
52.7	0.0			8898	258.7	-172.4	-0.3
120.5	0.0						
			G2	6406	-31.4	-45.5	-0.0
35.8	0.0			6408	-104.2	62.7	-0.0
17.2	-0.0			8900	36.3	50.6	0.2
21.0	0.0			8898	99.3	-67.7	-0.1
47.8	0.0						
			Q3	6406	0.0	0.0	0.0
0.0	0.0			6408	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	6406	10.4	-0.3	0.0
1.4	-0.0			6408	-2.0	-5.8	-0.0
0.6	0.0			8900	-7.3	-1.2	0.0
2.6	-0.0			8898	-1.1	7.3	-0.0
4.4	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	6406	-10.2	-7.3	0.0	9.5
-14.7	0.0		6408	9.3	-3.3	0.0	9.2
-5.2	0.0		8900	8.4	4.1	-0.1	5.1
-7.8	-0.0		8898	-7.5	6.5	0.0	-3.5
-19.5	0.0						
		Q5_ps X	6406	11.5	0.4	0.0	2.3
1.6	-0.0		6408	-1.9	-6.3	-0.0	-1.0
0.7	0.0		8900	-8.0	-1.7	0.0	-6.6
2.7	-0.0		8898	-1.6	7.6	-0.0	-2.9
4.2	0.0						
		Q5_ps Y	6406	-8.2	-6.4	0.0	8.3
-14.3	0.0		6408	9.7	-4.6	0.0	8.6
-5.1	0.0		8900	7.0	3.4	-0.1	4.6
-7.7	0.0		8898	-8.4	7.6	0.0	-5.0
-19.7	0.0						
		INVS LU Max	6406	26.3	-171.6	-0.4	-72.6
228.8	0.0		6408	-584.2	280.9	-0.0	8.6
126.6	-0.0		8900	85.1	226.7	1.0	-178.0
149.1	0.0		8898	529.3	-299.4	-0.4	-39.1
261.9	0.0						
		Min	6406	-8.3	-190.7	-0.4	-97.6
185.8	0.0		6408	-613.2	261.9	-0.1	-17.2
111.4	-0.0		8900	61.0	216.5	0.8	-197.9
126.1	0.0		8898	504.0	-322.2	-0.5	-54.1
202.7	0.0						
		INVS LE Max	6406	27.8	-124.8	-0.3	-55.8
171.6	0.0		6408	-438.2	205.4	-0.0	4.9
95.4	-0.0		8900	55.2	165.1	0.8	-136.0
112.6	0.0		8898	392.8	-221.2	-0.3	-30.1
196.3	0.0						
		Min	6406	4.8	-137.5	-0.3	-72.5
142.9	0.0		6408	-457.5	192.7	-0.1	-12.2
85.3	-0.0		8900	39.1	158.3	0.6	-149.3
97.2	0.0		8898	375.9	-236.5	-0.4	-40.1
156.9	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6809	2	8	C1-C2;~1	Max	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6407	0.0	0.0	0.0	0.0
0.0		0.0			6409	0.0	0.0	0.0	0.0
0.0		0.0			4747	0.0	0.0	0.0	0.0
0.0		0.0			4746	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	6407	0.0	0.0	0.0	0.0
0.0	0.0		6409	0.0	0.0	0.0	0.0
0.0	0.0		4747	0.0	0.0	0.0	0.0
0.0	0.0		4746	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6407	-201.8	-20.4	-0.1	-25.9
-1.4	0.0		6409	-145.2	56.2	-0.4	-56.2
-4.2	-0.0		4747	204.3	19.9	0.4	-19.8
-1.1	0.0		4746	142.7	-55.5	0.1	3.1
0.3	0.0						
		G2	6407	-79.8	8.5	0.5	22.2
-3.2	0.0		6409	-59.1	28.7	-0.1	-32.5
-4.4	-0.0		4747	80.7	1.7	0.1	24.9
-2.5	0.0		4746	58.2	-38.9	-0.5	64.6
2.1	0.0						
		Q3	6407	0.0	0.0	0.0	0.0
0.0	0.0		6409	0.0	0.0	0.0	0.0
0.0	0.0		4747	0.0	0.0	0.0	0.0
0.0	0.0		4746	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6407	9.1	-0.1	-0.1	-10.8
1.7	0.0		6409	2.5	-1.9	0.0	-5.9
-0.8	0.0		4747	-8.8	-0.6	-0.0	11.9
-0.5	-0.0		4746	-2.8	2.7	0.1	-2.9
-0.4	-0.0						
		Q5_pc Y	6407	1.5	-11.8	-0.5	-26.1
2.4	0.0		6409	4.4	-5.3	-0.1	14.6
3.2	0.0		4747	-1.4	4.0	0.1	-39.8
2.7	-0.0		4746	-4.5	13.1	0.5	-59.8
-1.5	-0.0						
		Q5_ps X	6407	9.4	-0.9	-0.1	-11.7
1.7	0.0		6409	3.3	-2.4	0.0	-5.0
-0.6	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.4	-0.0			4747	-9.1	-0.4	-0.0	9.8
-0.5	-0.0			4746	-3.5	3.7	0.1	-5.9
		Q5_ps Y		6407	4.0	-16.7	-0.6	-32.6
3.0	0.0			6409	7.0	-7.9	-0.1	18.7
4.0	0.0			4747	-3.9	5.5	0.2	-49.0
3.4	-0.0			4746	-7.1	19.1	0.6	-76.2
-2.1	-0.0							
		INVS LU	Max	6407	-330.4	6.1	3.7	284.5
-26.6	0.0			6409	-151.9	99.4	-1.1	-23.8
-1.7	-0.0			4747	366.9	31.8	1.5	-59.6
7.1	0.0			4746	164.3	-63.2	-1.8	327.7
13.8	0.0							
			Min	6407	-358.7	-44.0	1.8	186.9
-35.6	0.0			6409	-172.8	75.7	-1.5	-79.8
-13.8	-0.0			4747	339.5	15.3	1.0	-206.7
-3.0	0.0			4746	143.1	-120.5	-3.7	99.1
7.6	0.0							
		INVS LE	Max	6407	-244.6	3.9	2.7	208.2
-20.4	0.0			6409	-110.1	72.4	-0.8	-21.3
-1.9	-0.0			4747	269.6	22.3	1.1	-49.3
4.7	0.0			4746	117.8	-49.2	-1.4	236.8
10.1	0.0							
			Min	6407	-263.4	-29.5	1.4	143.1
-26.3	0.0			6409	-124.1	56.6	-1.1	-58.6
-9.9	-0.0			4747	251.3	11.4	0.8	-147.4
-2.0	0.0			4746	103.6	-87.4	-2.7	84.4
5.9	0.0							
6830	2	8 C1-C2;~1	Max	6428	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6428	0.0	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0		8920	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
			Min	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
			Min	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
			Min	6428	0.0	0.0	0.0
0.0	0.0			6430	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0
0.0	0.0			8920	0.0	0.0	0.0
0.0	0.0						
		G1		6428	275.9	122.1	-0.1
-18.3	-0.0						-15.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
4.8	-0.0		6430	30.2	-131.2	-0.3	-21.1
22.2	-0.0		8922	-247.6	-125.3	0.3	-129.8
-29.0	0.0		8920	-58.5	135.1	0.1	-103.2
		G2	6428	108.2	49.2	-0.0	-4.8
-7.2	-0.0		6430	11.6	-50.3	-0.1	-6.7
2.1	-0.0		8922	-97.3	-50.2	0.1	-51.1
8.6	-0.0		8920	-22.5	51.2	0.0	-40.5
-11.5	-0.0						
		Q3	6428	0.0	0.0	0.0	0.0
0.0	0.0		6430	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0		8920	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6428	16.4	1.7	-0.0	-14.6
-0.9	0.0		6430	-11.2	-2.9	-0.1	-18.4
0.8	-0.0		8922	-16.0	-1.4	0.1	-37.0
6.7	-0.0		8920	10.8	2.7	0.0	-29.1
-4.9	-0.0						
		Q5_pc Y	6428	3.1	3.2	0.0	8.3
0.5	0.0		6430	1.9	-1.8	0.0	9.9
2.5	-0.0		8922	-1.0	-2.3	-0.0	4.8
0.9	0.0		8920	-3.9	0.9	-0.0	3.3
1.1	0.0						
		Q5_ps X	6428	15.5	1.6	-0.0	-13.8
-0.9	0.0		6430	-10.4	-2.9	-0.1	-17.4
0.7	-0.0		8922	-15.2	-1.4	0.1	-34.9
6.3	-0.0		8920	10.1	2.7	0.0	-27.6
-4.7	-0.0						
		Q5_ps Y	6428	0.8	1.9	0.0	7.9
0.7	0.0		6430	1.2	-0.7	0.0	9.3
2.3	-0.0		8922	1.1	-1.1	-0.0	5.3
0.8	0.0		8920	-3.2	-0.2	-0.0	3.7
1.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	6428	653.0	240.8	-0.1	35.7
-44.8	-0.0				6430	-13.3	-255.1	-0.5	41.2
19.6	-0.0				8922	-520.5	-242.3	0.7	-255.9
54.9	0.0				8920	-42.5	271.1	0.2	-202.3
-56.4	0.0								
				Min	6428	606.6	235.0	-0.2	-5.7
-47.4	-0.0				6430	-44.4	-263.8	-0.8	-10.9
12.6	-0.0				8922	-566.1	-246.5	0.4	-360.7
36.0	-0.0				8920	-72.8	263.0	0.2	-285.0
-70.4	0.0								
			INVS LE	Max	6428	488.2	178.6	-0.1	23.4
-33.7	-0.0				6430	-15.6	-190.1	-0.4	26.7
14.4	-0.0				8922	-392.3	-180.1	0.5	-201.2
41.0	0.0				8920	-29.1	201.4	0.2	-158.9
-43.3	0.0								
				Min	6428	457.3	174.8	-0.1	-4.2
-35.5	-0.0				6430	-36.4	-195.9	-0.6	-8.0
9.8	-0.0				8922	-422.7	-182.9	0.3	-271.1
28.4	-0.0				8920	-49.3	195.9	0.1	-214.0
-52.6	0.0								
6831	2	8	C1-C2;~1	Max	6429	0.0	0.0	0.0	0.0
0.0		0.0			6431	0.0	0.0	0.0	0.0
0.0		0.0			4759	0.0	0.0	0.0	0.0
0.0		0.0			4758	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6429	0.0	0.0	0.0	0.0
0.0		0.0			6431	0.0	0.0	0.0	0.0
0.0		0.0			4759	0.0	0.0	0.0	0.0
0.0		0.0			4758	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6429	0.0	0.0	0.0	0.0
0.0		0.0			6431	0.0	0.0	0.0	0.0
0.0		0.0			4759	0.0	0.0	0.0	0.0
0.0		0.0			4758	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		Min	6429	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6429	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6429	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6429	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6429	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6429	144.6	56.7	-0.3	-55.5
1.3	0.0		6431	195.2	-22.2	-0.3	-70.8
-3.1	-0.0		4759	-145.4	-52.5	0.3	15.3
-3.2	-0.0		4758	-194.5	18.2	0.3	6.4
1.4	-0.0						
		G2	6429	57.4	20.0	-0.1	-43.4
2.5	-0.0		6431	76.8	-8.9	-0.1	-47.1
-2.6	-0.0		4759	-57.5	-20.7	0.1	27.8
-2.5	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.6	-0.0		4758	-76.7	9.5	0.1	19.7
		Q3	6429	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		4759	0.0	0.0	0.0	0.0
0.0	0.0		4758	0.0	0.0	0.0	0.0
		Q5_pc X	6429	-1.0	-1.4	0.1	-30.1
1.6	0.0		6431	-8.0	-2.8	0.2	-38.6
-3.4	-0.0		4759	1.4	4.8	-0.2	71.7
-5.0	0.0		4758	7.6	-0.6	-0.1	55.9
2.6	0.0						
		Q5_pc Y	6429	3.4	4.9	-0.0	28.0
-2.3	0.0		6431	7.7	-0.6	-0.1	26.7
2.2	-0.0		4759	-3.6	-1.9	0.1	-40.3
2.6	0.0		4758	-7.5	-2.5	0.0	-29.1
-1.4	0.0						
		Q5_ps X	6429	-0.8	-1.3	0.1	-28.6
1.5	-0.0		6431	-7.5	-2.7	0.2	-36.6
-3.2	-0.0		4759	1.2	4.6	-0.2	68.1
-4.7	0.0		4758	7.1	-0.5	-0.1	53.0
2.5	0.0						
		Q5_ps Y	6429	1.4	5.2	-0.0	35.5
-3.0	0.0		6431	5.4	0.3	-0.1	33.7
2.7	-0.0		4759	-1.7	-1.8	0.1	-47.6
3.0	0.0		4758	-5.1	-3.7	0.0	-35.4
-1.8	0.0						
		INVSLU Max	6429	283.4	131.8	-1.3	-63.7
8.4	-0.0		6431	461.1	-9.2	-1.3	-72.4
3.6	-0.0		4759	-281.0	-140.4	1.9	-50.7
11.3	-0.0		4758	-435.4	42.4	1.6	-69.5
0.9	-0.0						
		Min	6429	277.3	116.2	-1.6	-170.2
-0.7	-0.0		6431	438.7	-17.4	-1.9	-182.2


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-6.0	-0.0			4759	-287.4	-154.1	1.3	-254.8
-2.9	-0.0			4758	-456.7	31.2	1.3	-228.6
-6.6	-0.0							
			INVSLE Max	6429	209.8	97.0	-1.0	-55.9
6.1	-0.0			6431	342.3	-6.2	-1.0	-63.5
1.9	-0.0			4759	-208.5	-105.7	1.4	-39.2
7.4	-0.0			4758	-324.9	31.5	1.2	-53.0
0.6	-0.0							
			Min	6429	205.8	86.5	-1.2	-126.8
0.0	-0.0			6431	327.4	-11.7	-1.3	-136.7
-4.5	-0.0			4759	-212.8	-114.9	1.0	-175.3
-2.1	-0.0			4758	-339.1	24.0	1.0	-159.1
-4.4	-0.0							
6832	2	4	C1-C2;~1 Max	6430	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			8924	0.0	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6430	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			8924	0.0	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1 Max	6430	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			8924	0.0	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6430	0.0	0.0	0.0	0.0
0.0	0.0			6432	0.0	0.0	0.0	0.0
0.0	0.0			8924	0.0	0.0	0.0	0.0
0.0	0.0			8922	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2 Max	6430	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6432	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0	Min	6430	0.0	0.0	0.0	0.0
0.0	0.0		6432	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6430	0.0	0.0	0.0	0.0
0.0	0.0		6432	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6430	0.0	0.0	0.0	0.0
0.0	0.0		6432	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0						
-2.6	-0.0	G1	6430	284.6	135.4	-0.2	-11.5
28.5	-0.0		6432	15.5	-115.1	-0.2	3.4
44.1	0.0		8924	-250.1	-136.5	0.2	-125.7
-22.2	-0.0		8922	-50.0	116.8	0.1	-117.2
-1.2	-0.0	G2	6430	111.5	53.4	-0.1	-3.2
11.2	-0.0		6432	5.4	-44.3	-0.1	2.5
17.1	0.0		8924	-98.2	-53.8	0.1	-49.9
-8.5	-0.0		8922	-18.7	44.8	0.1	-46.4
0.0	0.0	Q3	6430	0.0	0.0	0.0	0.0
0.0	0.0		6432	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	6430	20.1	3.3	-0.1	-15.6
-0.0	-0.0		6432	-13.8	-1.9	-0.1	-14.4
5.8	-0.0		8924	-19.0	-3.3	0.1	-37.6
13.5	0.0		8922	12.7	1.9	0.1	-34.5
-6.7	-0.0						
		Q5_pc Y	6430	3.8	2.2	0.0	8.1
-2.5	-0.0		6432	1.8	-2.2	0.0	7.6
0.3	-0.0		8924	-2.1	-2.4	-0.0	5.2
-1.2	0.0		8922	-3.5	2.4	-0.0	4.7
-0.8	0.0						
		Q5_ps X	6430	18.9	3.2	-0.1	-14.7
-0.0	-0.0		6432	-12.8	-1.9	-0.1	-13.6
5.4	-0.0		8924	-17.9	-3.2	0.1	-35.3
12.7	0.0		8922	11.8	2.0	0.1	-32.5
-6.3	-0.0						
		Q5_ps Y	6430	1.5	1.0	0.0	7.6
-2.3	-0.0		6432	1.3	-1.1	0.0	7.0
0.1	-0.0		8924	0.1	-1.2	-0.0	5.7
-1.3	0.0		8922	-2.8	1.4	-0.0	5.2
-0.7	0.0						
		INVSLE Max	6430	705.5	278.3	-0.3	52.9
-7.3	-0.0		6432	-73.1	-213.7	-0.2	92.1
85.6	-0.0		8924	-542.4	-269.0	0.6	-267.6
125.6	0.0		8922	2.0	220.9	0.3	-238.9
-35.7	0.0						
		INVSLE Min	6430	648.8	268.7	-0.5	8.9
-14.3	-0.0		6432	-111.4	-219.5	-0.4	51.3
69.3	-0.0		8924	-596.2	-278.7	0.4	-373.6
87.6	0.0		8922	-33.3	215.0	0.2	-336.3
-54.7	-0.0						
		INVSLE Max	6430	528.3	206.8	-0.2	36.2
-5.6	-0.0		6432	-61.9	-158.7	-0.2	65.9
64.5	-0.0		8924	-409.9	-200.6	0.5	-210.8
94.6	0.0		8922	5.0	163.5	0.2	-188.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-28.2	0.0							
		Min	6430	490.4	200.4	-0.4	6.8	
-10.3	-0.0		6432	-87.4	-162.6	-0.3	38.7	
53.6	-0.0		8924	-445.8	-207.1	0.3	-281.5	
69.3	0.0		8922	-18.6	159.6	0.1	-253.1	
-40.9	-0.0							
6833	2	4 C1-C2;~1	Max	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6431	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6431	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6431	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		C3-C4;~2	Max	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6431	124.9	30.7	-0.3	-62.3
3.3	-0.0			6433	200.8	-30.4	-0.3	-64.8
-3.2	-0.0			4760	-119.0	-41.2	0.3	5.4
-1.3	-0.0			4759	-206.6	41.0	0.3	11.7
2.0	-0.0							
			G2	6431	48.9	14.1	-0.1	-38.5
2.5	-0.0			6433	78.3	-9.7	-0.1	-40.0
-2.5	-0.0			4760	-46.6	-18.3	0.1	21.2
-1.8	-0.0			4759	-80.6	13.9	0.1	23.2
1.9	-0.0							
			Q3	6431	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			4760	0.0	0.0	0.0	0.0
0.0	0.0			4759	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6431	3.4	-2.0	0.2	-35.6
3.1	-0.0			6433	-7.1	0.3	0.2	-37.7
-3.4	-0.0			4760	-3.7	0.6	-0.2	73.1
-4.3	0.0			4759	7.4	1.2	-0.2	67.2
3.6	0.0							
			Q5_pc Y	6431	1.9	-2.5	-0.1	20.9
-1.9	-0.0			6433	9.8	-3.5	-0.1	22.1
2.1	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.6	0.0			4760	-1.5	0.9	0.1	-41.9
-2.1	0.0			4759	-10.3	5.1	0.1	-38.7
2.9	-0.0	Q5_ps X		6431	3.4	-1.9	0.2	-33.7
-3.2	-0.0			6433	-6.6	0.2	0.2	-35.7
-4.1	0.0			4760	-3.7	0.5	-0.2	69.4
3.4	0.0			4759	6.8	1.2	-0.2	63.7
-2.3	-0.0	Q5_ps Y		6431	0.3	-3.0	-0.1	26.1
2.6	0.0			6433	7.5	-3.5	-0.1	27.4
2.9	0.0			4760	0.0	1.8	0.1	-47.5
-2.4	0.0			4759	-7.9	4.7	0.1	-44.3
6.1	-0.0	INVS LU Max		6431	199.9	77.6	-1.0	-69.6
-0.8	-0.0			6433	468.3	-53.5	-1.3	-90.5
6.7	-0.0			4760	-171.6	-81.8	1.9	-20.6
3.9	-0.0			4759	-462.9	77.5	1.5	-19.1
-2.6	-0.0	Min		6431	189.7	68.6	-1.5	-170.8
-10.5	-0.0			6433	445.7	-64.1	-1.9	-197.6
-5.5	-0.0			4760	-182.6	-87.2	1.3	-228.7
-6.2	-0.0			4759	-486.6	63.3	1.0	-210.2
4.6	-0.0	INVS LE Max		6431	146.4	58.0	-0.7	-60.6
-1.3	-0.0			6433	346.9	-39.7	-1.0	-76.8
4.1	-0.0			4760	-126.1	-61.0	1.4	-16.9
2.9	-0.0			4759	-344.7	56.0	1.1	-15.5
-1.2	-0.0	Min		6431	139.6	52.0	-1.1	-128.1
-7.8	-0.0			6433	331.8	-46.7	-1.4	-148.2
-4.0	-0.0			4760	-133.5	-64.6	1.0	-155.6
-3.8	-0.0			4759	-360.5	46.5	0.7	-142.9
6860	2	4 C1-C2;~1 Max		6458	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6460	0.0	0.0	0.0	0.0
0.0	0.0		8952	0.0	0.0	0.0	0.0
0.0	0.0		8950	0.0	0.0	0.0	0.0
0.0	0.0	Min	6458	0.0	0.0	0.0	0.0
0.0	0.0		6460	0.0	0.0	0.0	0.0
0.0	0.0		8952	0.0	0.0	0.0	0.0
0.0	0.0		8950	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6458	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6458	0.0	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6458	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6458	0.0	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6458	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6458	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				6460	0.0	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6458	-74.0	46.2	0.0	-10.8
39.4	0.0			6460	184.1	-42.1	0.6	1.3
-27.1	0.0			8952	48.6	-50.6	-0.6	235.5
-54.5	0.0			8950	-158.7	47.2	-0.0	182.9
54.1	0.0							
		G2		6458	-27.9	19.2	0.0	-4.2
15.2	0.0			6460	71.4	-15.9	0.2	0.6
-10.4	0.0			8952	18.0	-20.8	-0.2	90.0
-20.9	0.0			8950	-61.4	17.5	-0.0	70.0
20.8	-0.0							
		Q3		6458	0.0	0.0	0.0	0.0
0.0	0.0			6460	0.0	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0	0.0
0.0	0.0			8950	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6458	11.4	0.9	-0.0	-1.8
-3.9	-0.0			6460	-9.8	-0.8	-0.1	-3.6
2.5	-0.0			8952	-10.1	-0.6	0.1	-23.5
5.9	-0.0			8950	8.5	0.4	0.0	-18.5
-6.2	-0.0							
		Q5_pc Y		6458	-9.9	0.8	0.0	3.4
4.0	0.0			6460	12.3	-1.0	0.1	5.3
-2.7	0.0			8952	9.2	-1.0	-0.1	28.4
-6.6	0.0			8950	-11.5	1.2	-0.0	22.3
6.7	0.0							
		Q5_ps X		6458	10.7	0.9	-0.0	-1.7
-3.6	-0.0			6460	-9.0	-0.8	-0.1	-3.4
2.3	-0.0			8952	-9.5	-0.6	0.1	-21.9
5.5	-0.0			8950	7.8	0.5	0.0	-17.3
-5.8	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		Q5_ps Y		6458	-9.6	0.2	0.0	3.3
3.7	0.0			6460	11.1	-0.8	0.1	5.1
-2.5	0.0			8952	9.1	-0.5	-0.1	27.1
-6.3	0.0			8950	-10.6	1.1	-0.0	21.2
6.4	0.0							
		INVS LU	Max	6458	-3.6	103.4	-0.1	-175.5
33.6	0.0			6460	293.4	-105.7	-0.5	-206.5
-14.5	-0.0			8952	-36.9	-108.9	0.7	-7.3
22.2	-0.0			8950	-189.9	117.3	0.1	-5.6
11.0	-0.0							
			Min	6458	-35.7	100.6	-0.1	-185.3
22.4	0.0			6460	260.0	-108.0	-0.7	-221.6
-22.0	-0.0			8952	-65.5	-110.8	0.5	-88.6
3.4	-0.0			8950	-221.8	114.0	0.1	-69.2
-8.1	-0.0							
		INVS LE	Max	6458	1.8	76.1	-0.1	-136.5
21.6	0.0			6460	210.9	-79.1	-0.4	-161.9
-9.2	-0.0			8952	-34.9	-80.4	0.6	-32.3
21.3	-0.0			8950	-135.9	87.6	0.1	-25.4
1.8	-0.0							
			Min	6458	-19.5	74.2	-0.1	-143.0
14.1	0.0			6460	188.6	-80.7	-0.6	-172.0
-14.3	-0.0			8952	-53.9	-81.7	0.5	-86.4
8.7	-0.0			8950	-157.1	85.4	0.1	-67.8
-10.9	-0.0							
6861	2	4 C1-C2;~1	Max	6459	0.0	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6459	0.0	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6459	0.0	0.0	0.0
0.0	0.0			6461	0.0	0.0	0.0
0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0			4773	0.0	0.0	0.0
0.0	0.0						
-7.3	0.0	G1		6459	69.9	30.9	-0.2
14.5	0.0			6461	59.1	2.5	-0.5
20.6	-0.0			4774	-71.1	-31.0	0.5

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-10.2	-0.0		4773	-57.8	-2.2	0.2	-203.5
		G2	6459	27.8	11.5	-0.1	44.1
-1.1	-0.0		6461	23.1	1.5	-0.2	61.8
4.7	0.0		4774	-28.2	-12.8	0.2	-89.9
7.2	-0.0		4773	-22.7	-0.2	0.1	-65.2
-3.0	-0.0						
		Q3	6459	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0		4774	0.0	0.0	0.0	0.0
0.0	0.0		4773	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6459	3.6	0.5	0.1	-19.1
1.0	-0.0		6461	0.5	-0.4	0.1	-23.8
-1.9	-0.0		4774	-3.6	-0.5	-0.1	41.2
-2.9	0.0		4773	-0.6	0.4	-0.1	32.8
1.7	0.0						
		Q5_pc Y	6459	-1.9	1.9	-0.1	36.2
-2.7	0.0		6461	3.2	0.4	-0.1	40.2
3.1	-0.0		4774	1.8	-0.7	0.1	-65.2
4.2	-0.0		4773	-3.1	-1.6	0.1	-52.9
-2.9	-0.0						
		Q5_ps X	6459	3.6	0.4	0.1	-18.9
1.1	-0.0		6461	0.6	-0.4	0.1	-23.2
-1.8	-0.0		4774	-3.5	-0.5	-0.1	39.8
-2.8	0.0		4773	-0.6	0.5	-0.1	31.9
1.6	0.0						
		Q5_ps Y	6459	-2.5	2.3	-0.1	41.1
-3.4	0.0		6461	2.7	0.5	-0.1	44.3
3.4	-0.0		4774	2.3	-0.5	0.1	-69.4
4.4	-0.0		4773	-2.5	-2.2	0.1	-57.0
-3.2	-0.0						
		INVSLU Max	6459	246.8	56.9	2.0	-81.0
17.8	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-15.8	0.0			6461	6.4	-6.9	3.2	-93.9
-33.6	-0.0			4774	-240.5	-45.4	-2.8	770.0
26.9	-0.0			4773	5.7	3.9	-1.7	602.7
7.7	-0.0		Min	6459	236.1	50.1	1.8	-204.3
-26.0	0.0			6461	-1.7	-8.4	2.8	-226.7
-46.7	-0.0			4774	-251.0	-47.0	-3.3	561.8
17.2	-0.0			4773	-1.9	-2.7	-2.0	431.6
14.4	-0.0	INVSLE	Max	6459	188.3	41.6	1.6	-87.3
-14.5	0.0			6461	0.5	-5.9	2.5	-100.6
-29.0	-0.0			4774	-184.5	-33.4	-2.3	618.1
21.4	-0.0			4773	8.0	3.4	-1.4	481.3
7.7	-0.0		Min	6459	181.2	37.1	1.4	-169.5
-21.3	0.0			6461	-4.8	-6.9	2.2	-189.1
-37.8	-0.0			4774	-191.6	-34.5	-2.6	479.3
15.0	-0.0			4773	2.9	-1.0	-1.5	367.3
6862	2	10	C1-C2;~1	Max	6460	0.0	0.0	0.0
0.0	0.0	0.0			6462	0.0	0.0	0.0
0.0	0.0				8954	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0		Min	6460	0.0	0.0	0.0	0.0
0.0	0.0				6462	0.0	0.0	0.0
0.0	0.0				8954	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	6460	0.0	0.0	0.0
0.0	0.0				6462	0.0	0.0	0.0
0.0	0.0				8954	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0		Min	6460	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6462	0.0	0.0	0.0	0.0
0.0	0.0		8954	0.0	0.0	0.0	0.0
0.0	0.0		8952	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	6460	0.0	0.0	0.0
0.0	0.0			6462	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0		Min	6460	0.0	0.0	0.0
0.0	0.0			6462	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	6460	0.0	0.0	0.0
0.0	0.0			6462	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0		Min	6460	0.0	0.0	0.0
0.0	0.0			6462	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
25.0	0.0	G1		6460	-85.2	45.0	0.3
-36.1	-0.0			6462	183.9	-35.8	0.4
-76.8	-0.0			8954	60.5	-47.2	-0.5
55.5	0.0			8952	-159.1	38.6	-0.2
9.6	0.0	G2		6460	-32.7	18.0	0.1
-13.8	-0.0			6462	70.9	-13.3	0.2
-29.4	-0.0			8954	22.9	-19.0	-0.2
21.3	0.0			8952	-61.1	14.3	-0.1

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	6460	0.0	0.0	0.0	0.0
0.0	0.0			6462	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0	0.0
			Q5_pc X	6460	10.7	0.5	-0.0	-4.2
-2.3	-0.0			6462	-9.0	-1.0	-0.0	-4.6
2.9	0.0			8954	-9.6	-0.5	0.0	-21.4
7.0	0.0			8952	7.8	1.0	0.0	-20.4
-5.9	-0.0							
			Q5_pc Y	6460	-9.8	1.0	0.0	5.9
2.4	0.0			6462	12.2	-0.8	0.1	6.5
-3.6	-0.0			8954	9.0	-1.2	-0.1	26.6
-8.8	-0.0			8952	-11.4	1.0	-0.0	25.0
6.7	0.0							
			Q5_ps X	6460	10.0	0.6	-0.0	-4.0
-2.1	-0.0			6462	-8.2	-1.0	-0.0	-4.4
2.7	0.0			8954	-9.0	-0.6	0.0	-20.0
6.5	0.0			8952	7.2	0.9	0.0	-19.0
-5.5	-0.0							
			Q5_ps Y	6460	-9.4	0.7	0.0	5.6
2.3	0.0			6462	11.3	-0.8	0.1	6.2
-3.4	-0.0			8954	8.9	-0.8	-0.1	25.4
-8.4	-0.0			8952	-10.7	0.9	-0.0	23.9
6.3	0.0							
			INVSLU Max	6460	-25.6	107.9	-0.2	-169.8
23.6	-0.0			6462	307.1	-98.2	-0.3	-183.1
-8.5	0.0			8954	-15.0	-109.5	0.5	9.8
34.6	-0.0			8952	-204.9	105.6	0.3	-1.7
-3.0	-0.0							
			Min	6460	-55.7	105.9	-0.3	-186.6
16.8	-0.0			6462	273.1	-101.1	-0.4	-201.6
-18.8	0.0			8954	-42.1	-112.0	0.3	-66.5
9.4	-0.0			8952	-237.1	102.8	0.2	-73.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-22.1	-0.0							
		INVSLE	Max	6460	-14.4	80.2	-0.2	-134.5
15.7	-0.0			6462	222.0	-73.8	-0.3	-145.1
-4.3	0.0			8954	-18.4	-81.4	0.4	-17.2
31.8	-0.0			8952	-148.1	79.1	0.3	-24.5
-8.5	-0.0							
			Min	6460	-34.5	78.8	-0.3	-145.7
11.2	-0.0			6462	199.3	-75.8	-0.4	-157.4
-11.1	0.0			8954	-36.5	-83.1	0.3	-68.0
15.0	-0.0			8952	-169.5	77.2	0.2	-72.2
-21.2	-0.0							
6863	2	10	C1-C2;~1	Max	6461	0.0	0.0	0.0
0.0	0.0	0.0			6463	0.0	0.0	0.0
0.0	0.0	0.0			4775	0.0	0.0	0.0
0.0	0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6461	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6463	0.0	0.0	0.0
0.0	0.0	0.0			4775	0.0	0.0	0.0
0.0	0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6461	0.0	0.0	0.0
0.0	0.0	0.0			6463	0.0	0.0	0.0
0.0	0.0	0.0			4775	0.0	0.0	0.0
0.0	0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6461	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6463	0.0	0.0	0.0
0.0	0.0	0.0			4775	0.0	0.0	0.0
0.0	0.0	0.0			4774	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6461	0.0	0.0	0.0
0.0	0.0	0.0			6463	0.0	0.0	0.0
0.0	0.0	0.0			4775	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4774	0.0	0.0	0.0	0.0
		Min	6461	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		4775	0.0	0.0	0.0	0.0
0.0	0.0		4774	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6461	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		4775	0.0	0.0	0.0	0.0
0.0	0.0		4774	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6461	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		4775	0.0	0.0	0.0	0.0
0.0	0.0		4774	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6461	63.5	26.9	-0.4	168.0
-12.9	0.0		6463	53.5	-0.6	-0.5	178.4
13.5	-0.0		4775	-65.0	-25.2	0.5	-261.9
16.1	-0.0		4774	-52.1	-0.9	0.4	-245.7
-14.2	-0.0						
		G2	6461	24.9	12.1	-0.1	56.5
-4.3	0.0		6463	20.6	1.4	-0.2	60.4
4.6	-0.0		4775	-25.5	-11.5	0.2	-89.4
5.5	-0.0		4774	-20.0	-2.0	0.1	-83.3
-4.7	-0.0						
		Q3	6461	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		4775	0.0	0.0	0.0	0.0
0.0	0.0		4774	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6461	3.2	0.6	0.1	-20.2
1.7	-0.0		6463	0.1	-0.2	0.1	-20.9
-1.7	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.1	0.0			4775	-3.2	-0.5	-0.1	36.6
2.0	0.0			4774	-0.2	0.1	-0.1	34.9
		Q5_pc Y		6461	-1.5	-0.8	-0.1	32.2
-2.7	-0.0			6463	3.8	-1.1	-0.1	33.4
2.7	0.0			4775	1.5	0.6	0.1	-57.3
3.4	-0.0			4774	-3.8	1.3	0.1	-54.5
-3.1	-0.0							
		Q5_ps X		6461	3.1	0.7	0.1	-19.5
1.7	-0.0			6463	0.2	-0.1	0.1	-20.2
-1.7	0.0			4775	-3.1	-0.6	-0.1	35.2
-2.0	0.0			4774	-0.2	0.1	-0.1	33.6
1.9	0.0							
		Q5_ps Y		6461	-1.8	-1.2	-0.1	34.6
-2.9	-0.0			6463	3.5	-1.5	-0.1	35.7
2.9	0.0			4775	1.7	1.1	0.1	-59.9
3.5	-0.0			4774	-3.4	1.6	0.1	-57.2
-3.3	-0.0							
		INVSLE Max		6461	240.5	64.8	2.7	-91.8
22.1	0.0			6463	-19.9	10.3	3.1	-97.4
-16.4	-0.0			4775	-238.0	-53.0	-2.7	752.5
-30.1	-0.0			4774	37.1	-13.7	-2.3	686.1
32.9	-0.0							
		Min		6461	231.1	61.0	2.3	-195.6
13.3	0.0			6463	-30.3	5.9	2.7	-204.6
-25.0	-0.0			4775	-247.3	-56.3	-3.1	573.0
-40.7	-0.0			4774	26.8	-18.6	-2.6	514.6
22.9	-0.0							
		INVSLE Max		6461	183.8	48.5	2.1	-94.0
18.1	0.0			6463	-19.3	7.4	2.5	-99.3
-14.6	-0.0			4775	-182.9	-39.8	-2.2	603.5
-25.7	-0.0			4774	31.4	-10.6	-1.8	551.3
26.6	-0.0							
		Min		6461	177.6	46.0	1.9	-163.1
12.2	0.0							

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-20.4	-0.0	6463	-26.2	4.5	2.2	-170.8
-32.7	-0.0	4775	-189.0	-42.0	-2.5	483.8
20.0	-0.0	4774	24.5	-13.8	-2.1	437.0

6890	2	10	C1-C2;~1	Max	6488	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0
0.0		0.0			8982	0.0	0.0	0.0	0.0
0.0		0.0			8980	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	6488	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0
0.0		0.0			8982	0.0	0.0	0.0	0.0
0.0		0.0			8980	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	6488	0.0	0.0	0.0	0.0
0.0		0.0			6490	0.0	0.0	0.0	0.0
0.0		0.0			8982	0.0	0.0	0.0	0.0
0.0		0.0			8980	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	6488	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8980	0.0	0.0	0.0	0.0
0.0	0.0	Min	6488	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8980	0.0	0.0	0.0	0.0
0.0	0.0						
49.9	0.0	G1	6488	-212.5	-19.8	0.1	-4.9
-27.5	0.0		6490	150.9	29.0	0.4	3.4
-64.5	0.0		8982	185.6	23.5	-0.3	176.3
79.6	0.0		8980	-124.1	-32.1	-0.2	158.6
19.2	0.0	G2	6488	-81.7	-6.6	0.0	-1.7
-10.6	0.0		6490	58.4	11.7	0.1	1.6
-25.0	0.0		8982	71.2	8.1	-0.1	68.0
30.7	-0.0		8980	-47.9	-13.2	-0.1	61.2
0.0	0.0	Q3	6488	0.0	0.0	0.0	0.0
0.0	0.0		6490	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8980	0.0	0.0	0.0	0.0
-2.1	-0.0	Q5_pc X	6488	7.8	0.7	-0.0	-0.8
1.2	-0.0		6490	-6.3	-0.5	-0.0	-1.2
3.3	-0.0		8982	-7.3	-0.7	0.0	-8.6
-3.8	-0.0		8980	5.8	0.5	0.0	-7.6
4.5	0.0	Q5_pc Y	6488	-14.2	0.3	0.0	1.8
-2.9	0.0		6490	16.9	-1.6	0.0	2.6
-7.4	-0.0		8982	13.1	-0.7	-0.0	19.6
8.0	0.0		8980	-15.8	1.9	-0.0	16.9

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-1.9	-0.0	Q5_ps X	6488	7.1	0.8	-0.0	-0.7
1.2	-0.0		6490	-5.8	-0.4	-0.0	-1.0
3.0	0.0		8982	-6.6	-0.7	0.0	-7.9
-3.4	-0.0		8980	5.4	0.3	0.0	-7.0
4.0	0.0	Q5_ps Y	6488	-12.8	-0.0	0.0	1.6
-2.7	0.0		6490	15.8	-2.0	0.0	2.3
-6.8	-0.0		8982	11.8	-0.6	-0.0	18.1
7.3	0.0		8980	-14.9	2.6	-0.0	15.5
51.5	0.0	INVS LU Max	6488	-321.7	-29.8	-0.1	-136.9
-16.6	-0.0		6490	269.6	48.8	-0.1	-137.7
8.9	0.0		8982	251.4	36.1	0.3	77.1
40.1	-0.0		8980	-116.3	-45.3	0.1	83.4
39.4	0.0	Min	6488	-360.1	-32.0	-0.1	-141.7
-24.7	-0.0		6490	222.1	42.9	-0.2	-144.4
-11.6	0.0		8982	215.9	34.0	0.2	22.9
18.2	-0.0		8980	-160.9	-53.1	0.0	36.8
35.6	0.0	INVS LE Max	6488	-236.0	-22.0	-0.1	-105.6
-11.4	-0.0		6490	196.0	34.9	-0.1	-106.8
10.1	0.0		8982	179.4	26.2	0.2	43.9
24.1	-0.0		8980	-84.0	-32.5	0.1	50.3
27.5	0.0	Min	6488	-261.6	-23.5	-0.1	-108.8
-16.8	-0.0		6490	164.4	30.9	-0.2	-111.3
-3.6	0.0		8982	155.7	24.8	0.1	7.7
9.5	-0.0		8980	-113.8	-37.7	0.0	19.3
6891	2	10 C1-C2; ~1 Max	6489	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0		4790	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			4791	0.0	0.0	0.0	0.0
			Min	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0			4791	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6489	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4791	0.0	0.0	0.0	0.0
		G1	6489	-28.8	6.7	-0.2	113.3
-5.7	0.0		6491	-40.6	21.8	-0.3	132.7
12.1	0.0		4790	27.1	-6.3	0.4	-189.3
13.8	0.0		4791	42.3	-22.0	0.2	-158.0
-7.6	0.0						
		G2	6489	-10.8	2.3	-0.1	34.9
-1.1	-0.0		6491	-15.7	9.0	-0.1	44.1
4.1	0.0		4790	10.2	-3.1	0.1	-65.4
5.0	0.0		4791	16.3	-8.2	0.1	-54.1
-2.4	0.0						
		Q3	6489	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0		4790	0.0	0.0	0.0	0.0
0.0	0.0		4791	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6489	1.9	0.0	0.0	-8.6
0.6	-0.0		6491	-0.2	-0.1	0.0	-9.5
-0.9	0.0		4790	-1.8	-0.2	-0.0	15.4
-1.0	-0.0		4791	0.1	0.4	-0.0	13.8
0.7	-0.0						
		Q5_pc Y	6489	-0.2	1.4	-0.1	24.3
-2.0	0.0		6491	5.0	-0.6	-0.1	25.7
2.4	-0.0		4790	0.0	-0.4	0.1	-40.0
2.5	0.0		4791	-4.8	-0.3	0.1	-35.9
-1.9	0.0						
		Q5_ps X	6489	1.7	-0.1	0.0	-9.1
0.7	-0.0		6491	-0.3	-0.1	0.0	-9.8
-0.9	0.0		4790	-1.6	-0.2	-0.0	15.5
-1.0	-0.0		4791	0.2	0.4	-0.0	13.9
0.7	-0.0						
		Q5_ps Y	6489	0.2	1.9	-0.1	27.6
-2.4	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.6	-0.0			6491	5.3	-0.7	-0.1	28.2
				4790	-0.4	-0.5	0.1	-42.1
2.5	0.0			4791	-5.1	-0.7	0.1	-38.0
-2.1	-0.0							
		INVS LU	Max	6489	119.0	5.6	1.9	-1.5
8.5	-0.0			6491	-201.0	37.7	2.0	2.5
-2.8	0.0			4790	-120.4	-15.2	-1.8	435.1
-16.0	0.0			4791	222.9	-22.1	-1.7	427.8
22.3	0.0							
			Min	6489	114.0	-0.2	1.7	-84.2
1.2	-0.0			6491	-216.9	35.6	1.8	-82.1
-10.8	0.0			4790	-125.2	-16.7	-2.0	308.7
-23.6	0.0			4791	207.6	-24.2	-1.9	313.8
16.0	0.0							
		INVS LE	Max	6489	93.8	3.5	1.4	-15.8
6.9	-0.0			6491	-154.1	27.5	1.6	-13.2
-3.7	0.0			4790	-95.3	-11.3	-1.4	344.3
-13.8	0.0			4791	169.2	-15.7	-1.3	335.6
17.4	0.0							
			Min	6489	90.5	-0.4	1.3	-70.9
2.1	-0.0			6491	-164.7	26.1	1.4	-69.6
-9.0	0.0			4790	-98.5	-12.3	-1.6	260.1
-18.8	0.0			4791	159.1	-17.1	-1.4	259.7
13.2	0.0							
6892	2	4	C1-C2;~1	Max	6490	0.0	0.0	0.0
0.0		0.0			6492	0.0	0.0	0.0
0.0		0.0			8984	0.0	0.0	0.0
0.0		0.0			8982	0.0	0.0	0.0
0.0		0.0						
			Min	6490	0.0	0.0	0.0	0.0
0.0		0.0			6492	0.0	0.0	0.0
0.0		0.0			8984	0.0	0.0	0.0
0.0		0.0			8982	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6490	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6490	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6490	0.0	0.0	0.0
0.0	0.0			6492	0.0	0.0	0.0
0.0	0.0			8984	0.0	0.0	0.0
0.0	0.0			8982	0.0	0.0	0.0
0.0	0.0						
		Min	6490	0.0	0.0	0.0	0.0
0.0	0.0			6492	0.0	0.0	0.0
0.0	0.0			8984	0.0	0.0	0.0
0.0	0.0			8982	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6490	0.0	0.0	0.0
0.0	0.0			6492	0.0	0.0	0.0
0.0	0.0			8984	0.0	0.0	0.0
0.0	0.0			8982	0.0	0.0	0.0
0.0	0.0						
		Min	6490	0.0	0.0	0.0	0.0
0.0	0.0			6492	0.0	0.0	0.0
0.0	0.0			8984	0.0	0.0	0.0
0.0	0.0			8982	0.0	0.0	0.0
0.0	0.0						
		G1	6490	-219.7	-25.8	0.5	13.5
32.1	-0.0		6492	146.7	33.3	0.3	8.1
-30.8	-0.0		8984	190.4	28.8	-0.3	242.3
-59.8	-0.0		8982	-117.4	-35.7	-0.5	257.4
65.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	6490	-84.7	-9.5	0.2	5.8
12.4	-0.0		6492	56.3	13.5	0.1	3.8
-11.9	-0.0		8984	73.2	10.6	-0.1	93.4
-23.3	-0.0		8982	-44.8	-14.6	-0.2	99.2
25.2	0.0						
		Q3	6490	0.0	0.0	0.0	0.0
0.0	0.0		6492	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6490	7.9	0.5	-0.0	-2.0
-1.5	-0.0		6492	-6.5	-0.6	-0.0	-1.7
1.3	0.0		8984	-7.3	-0.6	0.0	-12.1
2.9	0.0		8982	5.9	0.7	0.0	-12.8
-3.2	-0.0						
		Q5_pc Y	6490	-15.2	1.5	0.1	4.6
3.3	0.0		6492	18.4	-1.5	0.0	3.9
-3.2	-0.0		8984	14.0	-1.3	-0.0	28.7
-7.0	-0.0		8982	-17.3	1.3	-0.1	29.8
7.4	-0.0						
		Q5_ps X	6490	7.2	0.4	-0.0	-1.8
-1.3	-0.0		6492	-6.1	-0.4	-0.0	-1.5
1.2	0.0		8984	-6.7	-0.5	0.0	-11.2
2.7	0.0		8982	5.6	0.5	0.0	-11.8
-3.0	0.0						
		Q5_ps Y	6490	-13.6	1.7	0.1	4.0
3.1	0.0		6492	17.7	-2.0	0.0	3.3
-3.0	-0.0		8984	12.7	-1.5	-0.0	26.7
-6.4	-0.0		8982	-16.8	1.8	-0.1	27.7
6.8	-0.0						
		INVSLU Max	6490	-340.3	-38.1	-0.2	-194.2
28.6	-0.0		6492	276.4	52.0	-0.1	-186.9
-30.3	0.0		8984	268.5	47.7	0.2	95.7
-8.7	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
16.7	0.0			8982	-113.4	-50.1	0.3	103.8
			Min	6490	-381.0	-43.1	-0.3	-206.3
19.3	-0.0			6492	223.3	45.9	-0.2	-196.9
-39.1	0.0			8984	230.5	43.2	0.1	15.7
-28.0	0.0			8982	-163.8	-55.6	0.2	20.7
-3.7	0.0							
			INVSLE Max	6490	-250.0	-27.6	-0.2	-151.4
19.4	-0.0			6492	201.6	37.1	-0.1	-145.3
-21.7	0.0			8984	192.1	34.3	0.2	51.9
-3.6	0.0			8982	-83.0	-36.1	0.3	57.0
7.5	0.0							
			Min	6490	-277.1	-31.0	-0.3	-159.5
13.2	-0.0			6492	166.2	33.0	-0.2	-152.0
-27.6	0.0			8984	166.8	31.3	0.1	-1.4
-16.5	0.0			8982	-116.6	-39.7	0.2	1.6
-6.1	0.0							
6893	2	4	C1-C2;~1	Max	6491	0.0	0.0	0.0
0.0	0.0				6493	0.0	0.0	0.0
0.0	0.0				4789	0.0	0.0	0.0
0.0	0.0				4790	0.0	0.0	0.0
0.0	0.0							
			Min	6491	0.0	0.0	0.0	0.0
0.0	0.0				6493	0.0	0.0	0.0
0.0	0.0				4789	0.0	0.0	0.0
0.0	0.0				4790	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6491	0.0	0.0	0.0
0.0	0.0				6493	0.0	0.0	0.0
0.0	0.0				4789	0.0	0.0	0.0
0.0	0.0				4790	0.0	0.0	0.0
0.0	0.0							
			Min	6491	0.0	0.0	0.0	0.0
0.0	0.0				6493	0.0	0.0	0.0
0.0	0.0				4789	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4790	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	6491	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			4789	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
0.0	0.0		Min	6491	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			4789	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	6491	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			4789	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
0.0	0.0		Min	6491	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			4789	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
0.0	0.0			4790	0.0	0.0	0.0
-13.2	0.0	G1		6491	-34.8	5.3	-0.6
13.2	0.0			6493	-47.5	22.8	-0.5
18.6	0.0			4789	32.9	-4.4	0.5
-20.2	0.0			4790	49.3	-23.5	0.6
-4.6	0.0	G2		6491	-13.4	3.6	-0.2
4.5	-0.0			6493	-18.6	10.4	-0.2
6.3	0.0			4789	12.7	-3.3	0.2
-6.9	0.0			4790	19.4	-10.7	0.2
0.0	0.0	Q3		6491	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		4789	0.0	0.0	0.0	0.0
0.0	0.0		4790	0.0	0.0	0.0	0.0
1.0	0.0	Q5_pc X	6491	1.7	0.3	0.1	-14.7
-1.0	-0.0		6493	-0.3	0.1	0.0	-14.2
-1.4	-0.0		4789	-1.7	-0.4	-0.0	23.1
1.5	-0.0		4790	0.3	-0.0	-0.1	24.2
-2.6	-0.0	Q5_pc Y	6491	0.5	-0.3	-0.1	39.3
2.7	0.0		6493	5.7	-1.7	-0.1	38.3
3.9	0.0		4789	-0.5	0.3	0.1	-61.0
-4.0	0.0		4790	-5.7	1.6	0.1	-63.2
1.0	0.0	Q5_ps X	6491	1.5	0.4	0.1	-15.0
-1.0	-0.0		6493	-0.5	0.3	0.0	-14.6
-1.5	-0.0		4789	-1.4	-0.5	-0.0	23.2
1.5	-0.0		4790	0.5	-0.2	-0.1	24.2
-2.7	-0.0	Q5_ps Y	6491	1.1	-0.6	-0.1	42.4
2.9	0.0		6493	6.3	-2.2	-0.1	41.5
4.1	0.0		4789	-1.1	0.6	0.1	-64.3
-4.2	0.0		4790	-6.2	2.2	0.1	-66.3
17.1	0.0	INVSLE Max	6491	113.6	17.9	2.8	10.0
-5.3	-0.0		6493	-222.7	48.9	2.5	17.1
-13.8	0.0		4789	-119.9	-17.8	-2.1	557.5
32.5	0.0		4790	252.1	-40.4	-2.4	606.6
9.0	0.0	Min	6491	109.2	16.1	2.4	-117.0
-14.0	-0.0		6493	-241.5	42.3	2.1	-107.3
-26.2	0.0		4789	-124.3	-19.6	-2.4	364.5
19.8	0.0		4790	233.5	-47.0	-2.8	407.6
		INVSLE Max	6491	90.3	13.4	2.2	-15.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

13.9	0.0			6493	-170.8	36.1	1.9	-8.9
-5.7	-0.0			4789	-95.6	-13.7	-1.7	445.9
-12.9	0.0			4790	191.4	-30.2	-1.9	484.4
26.1	0.0							
			Min	6491	87.4	12.3	1.9	-99.9
8.5	0.0			6493	-183.3	31.7	1.7	-91.8
-11.5	-0.0			4789	-98.5	-14.8	-1.9	317.2
-21.1	0.0			4790	179.0	-34.6	-2.2	351.8
17.7	0.0							
6916	2	4	C1-C2;~1	Max	6514	0.0	0.0	0.0
0.0		0.0			6516	0.0	0.0	0.0
0.0		0.0			9008	0.0	0.0	0.0
0.0		0.0			9006	0.0	0.0	0.0
0.0		0.0						
			Min	6514	0.0	0.0	0.0	0.0
0.0		0.0			6516	0.0	0.0	0.0
0.0		0.0			9008	0.0	0.0	0.0
0.0		0.0			9006	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6514	0.0	0.0	0.0
0.0		0.0			6516	0.0	0.0	0.0
0.0		0.0			9008	0.0	0.0	0.0
0.0		0.0			9006	0.0	0.0	0.0
0.0		0.0						
			Min	6514	0.0	0.0	0.0	0.0
0.0		0.0			6516	0.0	0.0	0.0
0.0		0.0			9008	0.0	0.0	0.0
0.0		0.0			9006	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	6514	0.0	0.0	0.0
0.0		0.0			6516	0.0	0.0	0.0
0.0		0.0			9008	0.0	0.0	0.0
0.0		0.0			9006	0.0	0.0	0.0
0.0		0.0						
			Min	6514	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6516	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9006	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6514	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0			9006	0.0	0.0	0.0
0.0	0.0						
			Min	6514	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0			9006	0.0	0.0	0.0
0.0	0.0						
			G1	6514	-129.5	-25.8	0.0
-1.7	0.0			6516	-115.8	265.8	-0.1
0.0	0.0			9008	134.7	-47.6	0.1
7.8	0.0			9006	110.7	-191.6	-0.0
-1.7	0.0						4.6
			G2	6514	-50.5	-10.4	0.0
-0.8	0.0			6516	-45.3	102.7	-0.0
0.5	0.0			9008	52.5	-17.6	0.0
4.2	0.0			9006	43.3	-74.7	-0.0
-0.8	0.0						1.3
			Q3	6514	0.0	0.0	0.0
0.0	0.0			6516	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0			9006	0.0	0.0	0.0
0.0	0.0						0.0
		Q5_pc X		6514	3.1	-1.6	-0.0
-2.1	0.0			6516	-5.2	-1.4	-0.0
-3.9	-0.0			9008	-1.9	3.3	-0.0
-3.7	-0.0			9006	4.0	-0.3	0.0
-1.9	-0.0						-2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

8.0	-0.0	Q5_pc Y	6514	-7.4	8.9	-0.0	2.4
15.0	0.0		6516	26.0	-3.1	0.0	15.5
13.4	0.0		9008	2.0	-13.4	0.0	3.5
7.0	0.0		9006	-20.6	7.5	-0.1	7.8
-2.1	0.0	Q5_ps X	6514	2.4	-1.4	-0.0	-0.6
-3.8	-0.0		6516	-5.9	0.8	-0.0	-3.8
-3.5	-0.0		9008	-1.2	2.3	-0.0	-1.0
-1.9	-0.0		9006	4.7	-1.7	0.0	-2.2
8.0	-0.0	Q5_ps Y	6514	-5.5	8.7	-0.0	2.7
14.4	0.0		6516	28.2	-9.0	0.0	15.9
12.3	0.0		9008	-0.2	-11.1	0.0	4.2
7.1	0.0		9006	-22.5	11.5	-0.1	8.1
-0.4	0.0	INVSLE Max	6514	-273.2	-92.5	-0.1	-30.1
-17.1	0.0		6516	-200.5	484.4	-0.0	-30.5
-20.0	0.0		9008	286.3	11.7	-0.0	-5.0
0.2	0.0		9006	273.5	-342.3	0.3	-1.8
-24.3	0.0	Min	6514	-289.6	-118.6	-0.1	-38.2
-60.3	0.0		6516	-285.1	457.4	-0.1	-78.1
-56.9	0.0		9008	282.7	-21.7	-0.1	-17.4
-21.0	0.0		9006	206.1	-376.7	0.1	-26.2
-1.6	0.0	INVSLE Max	6514	-205.3	-72.7	-0.1	-23.3
-16.4	0.0		6516	-152.9	355.8	-0.0	-25.6
-19.1	0.0		9008	213.9	12.6	-0.0	-4.5
-1.0	0.0		9006	201.6	-254.7	0.2	-3.5
-17.6	0.0	Min	6514	-216.3	-90.1	-0.1	-28.7
-45.2	0.0		6516	-209.3	337.8	-0.1	-57.3
-43.6	0.0		9008	211.5	-9.7	-0.1	-12.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				9006	156.7	-277.6	0.1	-19.7
-15.1	0.0							
6917	2	4	C1-C2;~1	Max	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
				Min	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
				Min	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
				Min	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0
0.0	0.0				4800	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	6515	0.0	0.0	0.0
0.0	0.0				6517	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4800	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6515	0.0	0.0	0.0	0.0
0.0	0.0		6517	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0		4800	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6515	-86.2	2.8	0.0	7.6
-0.5	0.0		6517	-87.6	47.1	0.1	6.4
-0.7	0.0		4801	86.0	-6.5	-0.1	12.2
-1.0	0.0		4800	87.9	-43.1	-0.0	-1.6
-1.0	0.0						
		G2	6515	-32.9	4.2	0.1	-1.1
0.8	0.0		6517	-33.4	22.1	0.3	6.1
0.5	0.0		4801	32.6	-6.7	-0.3	37.9
-1.9	0.0		4800	33.7	-19.7	-0.1	17.9
0.8	0.0						
		Q3	6515	0.0	0.0	0.0	0.0
0.0	0.0		6517	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0		4800	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6515	1.6	1.0	0.0	-3.3
0.6	0.0		6517	1.1	0.6	0.1	-0.1
0.3	-0.0		4801	-1.6	-1.2	-0.1	9.8
-0.3	-0.0		4800	-1.2	-0.4	-0.0	7.9
0.7	-0.0						
		Q5_pc Y	6515	-1.6	-3.1	-0.1	11.4
-2.0	-0.0		6517	-0.6	-3.5	-0.2	0.6
-1.0	0.0		4801	1.6	4.0	0.2	-33.7
1.0	0.0		4800	0.6	2.6	0.1	-27.1
-2.3	0.0						
		Q5_ps X	6515	1.2	1.5	0.0	-3.8
0.7	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.4	-0.0			6517	0.7	1.4	0.1	0.2
				4801	-1.2	-1.9	-0.1	13.8
-0.5	-0.0			4800	-0.7	-1.0	-0.0	10.2
0.8	-0.0							
		Q5_ps Y		6515	-0.5	-4.7	-0.1	13.2
-2.4	-0.0			6517	0.6	-6.3	-0.3	-0.7
-1.3	0.0			4801	0.5	6.3	0.3	-47.1
1.6	0.0			4800	-0.6	4.8	0.1	-34.7
-2.8	0.0							
		INVS LU	Max	6515	17.6	37.0	0.7	38.8
11.1	0.0			6517	-43.3	52.7	1.0	63.0
16.0	0.0			4801	-24.2	-27.2	-0.1	103.4
10.6	0.0			4800	55.5	-29.2	-0.5	133.3
16.5	0.0							
			Min	6515	14.0	22.8	0.4	-0.7
4.0	0.0			6517	-45.3	33.9	0.1	60.9
12.1	0.0			4801	-27.8	-46.0	-0.9	-37.9
5.6	0.0			4800	53.4	-43.5	-0.8	29.3
8.2	0.0							
		INVS LE	Max	6515	25.0	28.8	0.5	27.7
8.6	0.0			6517	-25.1	36.0	0.7	50.2
12.9	0.0			4801	-30.9	-22.9	-0.1	72.2
8.5	0.0			4800	34.8	-19.7	-0.4	101.2
13.0	0.0							
			Min	6515	22.6	19.3	0.3	1.3
3.8	0.0			6517	-26.5	23.4	0.1	48.7
10.3	0.0			4801	-33.3	-35.4	-0.7	-22.0
5.2	0.0			4800	33.4	-29.2	-0.6	31.8
7.5	0.0							
6918	2	4	C1-C2;~1	Max	6516	0.0	0.0	0.0
0.0	0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6516	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6518	0.0	0.0	0.0	0.0
0.0	0.0		9010	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6516	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	6516	-18.7	147.9	-0.0	-17.1
2.5	0.0			6518	56.8	54.7	-0.0	-15.9
0.3	0.0			9010	4.3	-97.1	0.0	-2.0
0.1	0.0			9008	-42.4	-105.0	0.0	-4.2
-3.2	0.0							
			G2	6516	-7.1	56.6	-0.0	-6.8
1.0	0.0			6518	21.7	21.1	-0.0	-5.9
0.1	0.0			9010	1.6	-37.4	0.0	-1.2
0.1	0.0			9008	-16.1	-40.3	0.0	-2.1
-1.4	0.0							
			Q3	6516	0.0	0.0	0.0	0.0
0.0	0.0			6518	0.0	0.0	0.0	0.0
0.0	0.0			9010	0.0	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6516	1.4	-4.2	-0.0	-2.7
3.2	-0.0			6518	-2.7	-2.7	0.0	-0.1
0.1	0.0			9010	-0.6	4.1	-0.0	0.9
0.0	0.0			9008	1.9	2.8	0.0	0.3
2.2	-0.0							
			Q5_pc Y	6516	-3.7	13.8	0.1	11.8
-12.5	0.0			6518	8.9	8.9	-0.0	1.5
-0.3	0.0			9010	1.5	-14.7	0.0	-3.3
-0.1	0.0			9008	-6.7	-7.9	-0.0	-0.9
-8.2	0.0							
			Q5_ps X	6516	1.2	-2.6	-0.0	-2.8
3.1	-0.0			6518	-2.0	-2.0	0.0	-0.3
0.1	0.0			9010	-0.6	2.9	-0.0	0.8
0.0	0.0			9008	1.4	1.7	0.0	0.2
2.1	-0.0							
			Q5_ps Y	6516	-2.5	9.7	0.1	12.2
-12.3	0.0			6518	6.8	6.7	-0.0	2.0
-0.3	0.0			9010	1.2	-11.5	0.0	-3.0
-0.1	0.0							


PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-7.8	0.0			9008	-5.5	-4.9	-0.0	-0.5	
			INVS LU	Max	6516	-62.0	190.5	-0.1	-17.5
44.8	0.0				6518	82.1	83.6	0.2	-11.2
1.0	0.0				9010	34.0	-62.7	-0.0	10.9
0.1	0.0				9008	-29.9	-161.6	0.1	-2.9
28.2	0.0			Min	6516	-69.6	161.5	-0.2	-54.2
7.9	0.0				6518	61.6	63.5	0.0	-17.1
0.1	0.0				9010	30.3	-97.2	-0.0	2.0
-0.2	0.0				9008	-46.5	-176.2	0.1	-4.6
4.7	0.0								
			INVS LE	Max	6516	-48.7	132.8	-0.1	-14.6
33.0	0.0				6518	57.6	59.1	0.1	-7.8
0.7	0.0				9010	27.0	-40.2	-0.0	8.2
0.1	0.0				9008	-19.8	-118.5	0.1	-2.0
21.2	0.0			Min	6516	-53.8	113.5	-0.2	-39.1
8.4	0.0				6518	44.0	45.8	0.0	-11.7
0.1	0.0				9010	24.6	-63.2	-0.0	2.3
-0.1	0.0				9008	-30.9	-128.3	0.0	-3.2
5.6	0.0								
6919	2	4	C1-C2;~1	Max	6517	0.0	0.0	0.0	0.0
0.0	0.0				6519	0.0	0.0	0.0	0.0
0.0	0.0				4802	0.0	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0	0.0
0.0	0.0			Min	6517	0.0	0.0	0.0	0.0
0.0	0.0				6519	0.0	0.0	0.0	0.0
0.0	0.0				4802	0.0	0.0	0.0	0.0
0.0	0.0				4801	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	6517	0.0	0.0	0.0	0.0
0.0	0.0				6519	0.0	0.0	0.0	0.0
0.0	0.0				4802	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6517	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6517	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6517	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6517	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6517	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6517	-20.5	12.3	0.1	1.6
-1.5	0.0		6519	-20.1	19.0	0.0	-3.0
0.3	0.0		4802	19.9	-7.0	-0.0	9.8
-1.2	0.0		4801	20.7	-24.2	-0.1	14.8
0.9	0.0						
		G2	6517	-7.4	7.1	0.2	2.9
-1.0	0.0		6519	-7.5	7.6	0.0	-4.6
0.4	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.9	0.0		4802	7.2	-3.2	-0.0	13.5
2.3	0.0		4801	7.6	-11.4	-0.2	29.6
0.0	0.0	Q3	6517	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		4802	0.0	0.0	0.0	0.0
0.0	0.0		4801	0.0	0.0	0.0	0.0
-0.1	-0.0	Q5_pc X	6517	2.0	2.2	0.0	0.7
0.1	0.0		6519	1.7	1.9	0.0	-0.6
-0.1	-0.0		4802	-2.0	-3.0	-0.0	1.8
0.4	-0.0		4801	-1.7	-1.1	-0.0	5.6
0.5	0.0	Q5_pc Y	6517	-2.9	-2.7	-0.1	-2.5
-0.2	0.0		6519	-2.9	0.4	-0.0	2.2
0.3	0.0		4802	2.9	1.3	0.0	-6.2
-1.4	0.0		4801	2.9	1.0	0.1	-19.2
-0.2	-0.0	Q5_ps X	6517	2.5	3.5	0.1	1.0
0.1	0.0		6519	2.0	3.5	0.0	-1.0
-0.1	-0.0		4802	-2.5	-4.8	-0.0	2.9
0.6	-0.0		4801	-2.0	-2.2	-0.1	8.4
0.6	0.0	Q5_ps Y	6517	-3.0	-5.0	-0.2	-3.2
-0.4	0.0		6519	-2.8	-1.7	-0.0	3.6
0.4	0.0		4802	3.0	3.5	0.0	-10.0
-2.2	0.0		4801	2.8	3.3	0.2	-28.8
-6.7	0.0	INVSLU Max	6517	46.2	-52.6	0.6	60.8
0.1	0.0		6519	7.2	-153.9	-0.0	41.6
0.9	0.0		4802	-33.7	153.2	0.0	-11.0
-3.7	0.0		4801	-2.3	78.2	0.0	24.4
		Min	6517	37.2	-67.6	-0.0	51.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-8.5	0.0			6519	-1.2	-164.3	-0.0	30.7
-1.0	0.0			4802	-42.8	138.9	-0.0	-40.9
-0.4	0.0			4801	-10.6	68.3	-0.6	-61.9
-10.4	0.0							
		INVSLE	Max	6517	38.2	-47.4	0.4	48.3
-5.5	0.0			6519	6.7	-131.1	-0.0	33.1
-0.1	0.0			4802	-29.5	127.9	0.0	-11.6
0.6	0.0			4801	-3.8	67.3	0.0	12.0
-3.7	0.0							
			Min	6517	32.2	-57.4	0.0	41.8
-6.7	0.0			6519	1.1	-138.0	-0.0	25.8
-0.8	0.0			4802	-35.6	118.4	-0.0	-31.5
-0.2	0.0			4801	-9.4	60.7	-0.4	-45.5
-8.2	0.0							
6920	2	4	C1-C2;~1	Max	6520	0.0	0.0	0.0
0.0	0.0				6521	0.0	0.0	0.0
0.0	0.0				9013	0.0	0.0	0.0
0.0	0.0				9012	0.0	0.0	0.0
0.0	0.0							
			Min	6520	0.0	0.0	0.0	0.0
0.0	0.0				6521	0.0	0.0	0.0
0.0	0.0				9013	0.0	0.0	0.0
0.0	0.0				9012	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6520	0.0	0.0	0.0
0.0	0.0				6521	0.0	0.0	0.0
0.0	0.0				9013	0.0	0.0	0.0
0.0	0.0				9012	0.0	0.0	0.0
0.0	0.0							
			Min	6520	0.0	0.0	0.0	0.0
0.0	0.0				6521	0.0	0.0	0.0
0.0	0.0				9013	0.0	0.0	0.0
0.0	0.0				9012	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2;~2	Max	6520	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9012	0.0	0.0	0.0	0.0
0.0	0.0		Min	6520	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9012	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6520	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9012	0.0	0.0	0.0	0.0
0.0	0.0		Min	6520	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9012	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6520	-40.7	37.6	0.0	6.2
0.0	0.0			6521	4.3	118.7	0.0	3.8
-0.5	-0.0			9013	36.2	-76.9	-0.0	-0.7
-1.3	-0.0			9012	0.1	-79.0	-0.0	-0.5
0.1	0.0							
		G2		6520	-15.6	14.6	0.0	2.2
0.0	0.0			6521	1.5	45.9	0.0	1.6
-0.2	-0.0			9013	13.9	-29.7	-0.0	0.1
-0.7	-0.0			9012	0.2	-30.8	-0.0	0.2
0.1	0.0							
		Q3		6520	0.0	0.0	0.0	0.0
0.0	0.0			6521	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9012	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q5_pc X	6520	2.4	-2.1	0.0	-0.3
-0.1	-0.0		6521	0.3	-8.4	0.0	-0.1
-0.1	0.0		9013	-2.4	5.2	-0.0	0.3
0.0	0.0		9012	-0.3	5.3	0.0	0.3
-0.0	0.0	Q5_pc Y	6520	-6.4	5.7	-0.0	0.8
0.3	0.0		6521	-0.7	22.2	-0.0	0.4
0.4	0.0		9013	6.4	-13.9	0.0	-0.9
-0.0	0.0		9012	0.7	-13.9	-0.0	-0.9
0.0	0.0	Q5_ps X	6520	1.8	-1.4	-0.0	-0.1
0.1	-0.0		6521	0.7	-6.9	0.0	0.3
-0.1	0.0		9013	-2.1	4.0	-0.0	0.4
0.0	0.0		9012	-0.4	4.3	0.0	0.4
-0.0	0.0	Q5_ps Y	6520	-4.5	3.7	0.0	0.2
-0.3	0.0		6521	-2.0	17.9	-0.0	-0.7
0.2	0.0		9013	5.4	-10.5	0.0	-1.1
-0.0	0.0		9012	1.1	-11.2	-0.0	-1.0
0.2	0.0	INVSLE Max	6520	-44.8	57.1	-0.0	12.1
5.2	-0.0		6521	48.0	168.1	0.0	13.9
1.7	-0.0		9013	40.8	-117.6	-0.0	3.3
0.2	0.0		9012	-24.4	-42.0	-0.0	0.4
0.1	0.0	Min	6520	-58.5	46.0	-0.0	10.7
4.4	-0.0		6521	42.1	114.4	0.0	11.7
1.0	-0.0		9013	24.7	-149.0	-0.0	-0.1
0.2	0.0		9012	-27.8	-75.5	-0.0	-2.5
0.2	0.0	INVSLE Max	6520	-31.9	40.5	-0.0	9.0
4.2	-0.0		6521	38.2	116.5	0.0	10.7
			9013	27.0	-87.6	-0.0	2.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.5	-0.0			9012	-20.3	-25.6	-0.0	0.2	
0.1	0.0								
			Min	6520	-41.0	33.1	-0.0	8.0	
0.1	0.0			6521	34.3	80.6	0.0	9.3	
3.7	-0.0			9013	16.3	-108.5	-0.0	0.4	
1.0	-0.0			9012	-22.6	-47.9	-0.0	-1.7	
0.1	0.0								
6921	2	4	C1-C2;~1	Max	6522	0.0	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0	0.0
0.0	0.0				4975	0.0	0.0	0.0	0.0
0.0	0.0				4980	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	6522	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0	0.0	0.0
0.0	0.0			4980	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	6522	0.0	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0	0.0
0.0	0.0				4975	0.0	0.0	0.0	0.0
0.0	0.0				4980	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	6522	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0	0.0	0.0
0.0	0.0			4980	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	6522	0.0	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0	0.0
0.0	0.0				4975	0.0	0.0	0.0	0.0
0.0	0.0				4980	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	6522	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4980	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6522	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0			4980	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6522	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0			4980	0.0	0.0	0.0
0.0	0.0						
0.2	0.0		G1	6522	16.3	13.7	-0.0
-1.6	-0.0			6523	16.6	9.7	-0.1
0.6	-0.0			4975	-16.8	-19.5	0.1
-1.1	-0.0			4980	-16.1	-3.8	0.0
0.4	0.0		G2	6522	6.1	5.9	-0.0
-1.2	-0.0			6523	5.9	6.5	-0.2
2.3	-0.0			4975	-6.2	-10.1	0.2
-0.9	-0.0			4980	-5.8	-2.3	0.0
0.0	0.0		Q3	6522	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0			4980	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0		Q5_pc X	6522	-0.3	-1.9	-0.0
-0.1	0.0			6523	0.0	-1.1	-0.0
-0.1	0.0			4975	0.3	1.2	-0.0
-0.2	0.0			4980	0.0	1.8	0.0
0.1	0.0		Q5_pc Y	6522	0.7	5.1	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


0.4	0.0			6523	-0.2	3.0	-0.0	-0.9
				4975	-0.6	-3.2	0.0	0.6
0.2	0.0			4980	0.1	-5.0	-0.0	2.6
0.5	0.0							
		Q5_ps X		6522	-0.1	-1.6	-0.0	0.5
-0.0	0.0			6523	0.3	-1.0	0.0	0.4
-0.1	0.0			4975	0.0	1.0	-0.0	0.1
-0.1	0.0			4980	-0.2	1.7	0.0	-0.8
-0.2	0.0							
		Q5_ps Y		6522	0.0	4.4	0.0	-1.3
0.1	0.0			6523	-1.0	2.9	-0.0	-1.3
0.4	0.0			4975	0.1	-2.6	0.0	-0.6
0.3	0.0			4980	0.8	-4.7	-0.0	2.3
0.5	0.0							
		INVS LU	Max	6522	3.0	-147.5	-0.0	-18.6
-0.6	0.0			6523	-26.2	-59.8	-0.2	-36.2
-6.4	-0.0			4975	-0.8	75.8	0.3	3.4
-5.1	-0.0			4980	28.0	153.7	0.1	6.6
-1.3	-0.0							
			Min	6522	1.7	-160.8	-0.0	-22.4
-0.9	0.0			6523	-29.3	-68.6	-0.3	-40.1
-7.6	-0.0			4975	-1.9	67.9	0.2	1.6
-6.1	-0.0			4980	25.4	139.5	0.0	-0.5
-2.9	-0.0							
		INVS LE	Max	6522	0.7	-126.3	-0.0	-16.2
-0.6	0.0			6523	-23.5	-52.5	-0.2	-30.3
-5.3	-0.0			4975	0.9	65.4	0.2	5.0
-4.5	-0.0			4980	24.5	128.2	0.1	6.2
-1.1	-0.0							
			Min	6522	-0.1	-135.1	-0.0	-18.8
-0.7	0.0			6523	-25.6	-58.3	-0.2	-32.9
-6.1	-0.0			4975	0.2	60.1	0.2	3.8
-5.1	-0.0			4980	22.8	118.8	0.0	1.5
-2.1	-0.0							

PROJECT TITLE :


MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				

6922	2	4	C1-C2;~1	Max	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0		Min	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0		Min	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0		Min	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6521	0.0	0.0	0.0	0.0
0.0		0.0			6524	0.0	0.0	0.0	0.0
0.0		0.0			9016	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Min	6521	0.0	0.0	0.0	0.0
0.0	0.0		6524	0.0	0.0	0.0	0.0
0.0	0.0		9016	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
		G1	6521	71.4	204.7	0.0	3.8
-0.7	-0.0		6524	118.6	-23.2	0.0	5.1
2.2	0.0		9016	-75.1	-151.2	-0.0	-2.5
2.0	0.0		9013	-114.8	-29.7	-0.0	-2.6
-1.2	-0.0						
		G2	6521	28.2	79.7	0.0	1.4
0.4	-0.0		6524	46.6	-9.3	-0.0	1.5
0.6	0.0		9016	-29.6	-59.4	0.0	-0.5
0.5	0.0		9013	-45.2	-10.9	-0.0	-0.2
1.0	-0.0						
		Q3	6521	0.0	0.0	0.0	0.0
0.0	0.0		6524	0.0	0.0	0.0	0.0
0.0	0.0		9016	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6521	0.3	-9.3	0.0	-0.1
-0.1	-0.0		6524	-2.3	-3.5	-0.0	-0.2
-0.1	0.0		9016	0.2	5.4	0.0	0.3
-0.1	0.0		9013	1.9	7.4	-0.0	0.4
0.1	0.0						
		Q5_pc Y	6521	-0.9	24.3	-0.0	0.3
0.2	0.0		6524	5.4	9.7	0.0	0.7
0.4	0.0		9016	-0.1	-13.8	-0.0	-0.8
0.2	0.0		9013	-4.4	-20.2	0.0	-1.0
-0.1	0.0						
		Q5_ps X	6521	1.4	-6.9	0.0	0.4
-0.3	-0.0		6524	-1.9	-3.3	-0.0	0.0
-0.2	0.0		9016	-0.7	3.8	-0.0	0.3
-0.1	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			9013	1.3	6.4	-0.0	0.5
0.8	0.0	Q5_ps Y		6521	-4.1	17.4	-0.0	-1.1
0.5	0.0			6524	4.1	9.3	0.0	-0.0
0.2	0.0			9016	2.5	-9.2	0.0	-0.9
0.1	0.0			9013	-2.5	-17.4	0.0	-1.3
-2.1	-0.0	INVS LU Max		6521	184.8	420.4	0.0	16.1
1.6	0.0			6524	274.3	-87.1	0.0	11.1
1.0	0.0			9016	-186.4	-295.6	-0.0	3.0
1.4	-0.0			9013	-252.7	43.1	-0.0	5.5
-4.4	-0.0	Min		6521	172.5	368.2	0.0	12.9
0.1	0.0			6524	262.1	-114.9	0.0	9.9
0.3	0.0			9016	-193.9	-323.3	-0.0	0.4
1.1	-0.0			9013	-260.6	-9.2	-0.0	1.6
-1.9	-0.0	INVS LE Max		6521	138.9	309.7	0.0	12.4
0.9	0.0			6524	205.5	-69.0	0.0	8.3
0.5	0.0			9016	-140.9	-221.3	-0.0	2.6
1.0	-0.0			9013	-190.2	34.6	-0.0	4.5
-3.5	-0.0	Min		6521	130.7	274.9	0.0	10.3
-0.1	0.0			6524	197.4	-87.6	0.0	7.5
0.1	0.0			9016	-145.9	-239.8	-0.0	0.8
0.8	-0.0			9013	-195.4	-0.3	-0.0	2.0
6923	2	4 C1-C2;~1	Max	6523	0.0	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0	0.0
0.0	0.0	Min		6523	0.0	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4975	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
			Min	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
			Min	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
			Min	6523	0.0	0.0	0.0
0.0	0.0			6525	0.0	0.0	0.0
0.0	0.0			4976	0.0	0.0	0.0
0.0	0.0			4975	0.0	0.0	0.0
0.0	0.0						
		G1		6523	74.6	40.6	-0.1
-0.7	-0.0			6525	73.5	1.3	-0.0
0.6	0.0						0.3

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.1	-0.0		4976	-75.0	-36.9	0.0	-6.4
-0.8	-0.0		4975	-73.2	-4.8	0.1	-14.7
0.6	-0.0	G2	6523	28.6	20.3	-0.3	-5.0
1.4	0.0		6525	28.2	4.1	-0.1	4.0
1.3	-0.0		4976	-28.9	-17.8	0.1	-22.4
-1.9	-0.0		4975	-27.9	-6.6	0.3	-41.2
0.0	0.0	Q3	6523	0.0	0.0	0.0	0.0
0.0	0.0		6525	0.0	0.0	0.0	0.0
0.0	0.0		4976	0.0	0.0	0.0	0.0
0.0	0.0		4975	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc X	6523	1.9	-0.1	0.0	0.3
0.1	0.0		6525	1.6	-1.3	-0.0	0.3
0.1	-0.0		4976	-1.9	0.5	0.0	-0.4
0.1	0.0		4975	-1.7	1.0	-0.0	0.1
-0.1	0.0	Q5_pc Y	6523	-5.9	0.2	-0.0	-1.0
-0.2	0.0		6525	-5.1	3.8	-0.0	-0.8
-0.2	0.0		4976	5.7	-1.2	-0.0	0.8
-0.3	0.0		4975	5.2	-2.8	0.0	-0.4
-0.0	0.0	Q5_ps X	6523	2.3	0.1	0.0	0.5
0.1	0.0		6525	1.9	-1.3	0.0	0.3
0.0	-0.0		4976	-2.2	0.3	-0.0	0.0
0.1	-0.0		4975	-2.0	0.9	-0.0	0.6
0.1	0.0	Q5_ps Y	6523	-7.0	-0.4	-0.0	-1.4
-0.1	0.0		6525	-6.0	3.6	-0.0	-0.7
-0.1	0.0		4976	6.8	-0.5	0.0	-0.3
-0.3	0.0		4975	6.2	-2.7	0.0	-2.2

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLU	Max	6523	62.2	45.2	-0.3	-50.7
16.1	-0.0				6525	-10.1	33.8	-0.1	-24.0
3.2	0.0				4976	-49.7	-35.1	0.2	-5.6
7.8	-0.0				4975	36.6	-32.5	0.4	2.0
8.1	-0.0								
				Min	6523	41.2	43.8	-0.4	-55.1
15.7	-0.0				6525	-28.0	22.9	-0.1	-26.1
2.8	0.0				4976	-70.1	-37.1	0.1	-7.0
7.4	-0.0				4975	17.9	-40.5	0.3	-4.6
7.2	-0.0								
			INVSLE	Max	6523	38.7	31.2	-0.3	-42.3
13.3	-0.0				6525	-19.8	26.7	-0.1	-20.6
2.5	0.0				4976	-31.7	-23.7	0.1	-2.9
6.3	-0.0				4975	38.8	-26.5	0.3	4.2
6.8	-0.0								
				Min	6523	24.7	30.3	-0.3	-45.2
13.1	-0.0				6525	-31.8	19.5	-0.1	-22.0
2.3	0.0				4976	-45.3	-25.1	0.1	-3.8
6.1	-0.0				4975	26.4	-31.9	0.2	-0.2
6.2	-0.0								
6946	2	4	C1-C2;~1	Max	6546	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9038	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6546	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9038	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6546	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9038	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	6546	0.0	0.0	0.0	0.0
0.0	0.0		6548	0.0	0.0	0.0	0.0
0.0	0.0		9040	0.0	0.0	0.0	0.0
0.0	0.0		9038	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	6546	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0
0.0	0.0			9038	0.0	0.0	0.0
0.0	0.0						
			Min	6546	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0
0.0	0.0			9038	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6546	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0
0.0	0.0			9038	0.0	0.0	0.0
0.0	0.0						
			Min	6546	0.0	0.0	0.0
0.0	0.0			6548	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0
0.0	0.0			9038	0.0	0.0	0.0
0.0	0.0						
		G1		6546	-156.7	24.5	0.0
-1.0	0.0			6548	212.2	-20.2	0.0
0.9	0.0			9040	131.1	-27.1	-0.0
0.6	0.0			9038	-186.6	23.4	-0.0
-0.7	0.0						
		G2		6546	-60.5	9.9	-0.0
-0.5	0.0			6548	81.8	-7.2	-0.0
0.5	0.0			9040	50.5	-11.0	0.0
0.7	0.0			9038	-71.8	8.3	0.0
-0.9	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q3	6546	0.0	0.0	0.0	0.0
0.0	0.0		6548	0.0	0.0	0.0	0.0
0.0	0.0		9040	0.0	0.0	0.0	0.0
0.0	0.0		9038	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X	6546	1.5	-0.1	0.0	0.2
0.0	0.0		6548	-1.9	0.2	0.0	0.2
-0.0	0.0		9040	-1.6	0.1	-0.0	0.1
0.0	0.0		9038	1.9	-0.2	-0.0	0.1
0.1	0.0	Q5_pc Y	6546	-2.1	-0.2	-0.0	-0.6
-0.1	0.0		6548	1.9	0.0	-0.0	-0.6
0.1	0.0		9040	2.6	0.1	0.0	-0.3
-0.1	0.0		9038	-2.4	0.1	0.0	-0.2
-0.0	0.0	Q5_ps X	6546	1.5	0.1	0.0	0.3
0.0	0.0		6548	-1.4	-0.0	0.0	0.3
-0.1	0.0		9040	-1.6	-0.1	-0.0	0.1
0.1	0.0		9038	1.5	-0.0	-0.0	0.1
0.1	0.0	Q5_ps Y	6546	-2.1	-0.8	-0.0	-0.9
-0.0	0.0		6548	0.6	0.5	-0.0	-0.9
0.2	0.0		9040	2.6	0.7	0.0	-0.4
-0.2	0.0		9038	-1.2	-0.4	0.0	-0.3
-0.7	0.0	INVSLU Max	6546	-256.9	41.2	0.0	3.1
0.9	0.0		6548	350.6	-30.7	0.0	3.0
1.9	0.0		9040	153.0	-42.8	-0.0	10.8
-1.3	0.0		9038	-235.1	36.9	-0.0	11.0
-1.0	0.0	Min	6546	-263.1	38.8	0.0	0.4
0.8	0.0		6548	346.3	-32.3	0.0	0.3
			9040	145.1	-44.9	-0.0	9.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1.3	0.0			9038	-239.8	35.6	-0.0	10.0
-1.9	0.0							
		INVSLE	Max	6546	-189.0	29.7	0.0	1.7
-0.5	0.0			6548	256.4	-22.2	0.0	1.6
0.6	0.0			9040	109.4	-30.9	-0.0	9.4
1.4	0.0			9038	-169.1	26.7	-0.0	9.6
-0.9	0.0							
			Min	6546	-193.2	28.0	0.0	-0.1
-0.7	0.0			6548	253.5	-23.3	0.0	-0.2
0.5	0.0			9040	104.2	-32.4	-0.0	8.7
0.9	0.0			9038	-172.2	25.8	-0.0	8.9
-1.4	0.0							
6947	2	4	C1-C2;~1	Max	6547	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			4966	0.0	0.0	0.0
0.0		0.0			4967	0.0	0.0	0.0
0.0		0.0						
			Min	6547	0.0	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			4966	0.0	0.0	0.0
0.0		0.0			4967	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6547	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			4966	0.0	0.0	0.0
0.0		0.0			4967	0.0	0.0	0.0
0.0		0.0						
			Min	6547	0.0	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			4966	0.0	0.0	0.0
0.0		0.0			4967	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	6547	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0	4966	0.0	0.0	0.0	0.0
0.0	0.0	4967	0.0	0.0	0.0	0.0
0.0	0.0	Min 6547	0.0	0.0	0.0	0.0
0.0	0.0	6549	0.0	0.0	0.0	0.0
0.0	0.0	4966	0.0	0.0	0.0	0.0
0.0	0.0	4967	0.0	0.0	0.0	0.0
0.0	0.0					
0.0	0.0	C3-C4;~2 Max 6547	0.0	0.0	0.0	0.0
0.0	0.0	6549	0.0	0.0	0.0	0.0
0.0	0.0	4966	0.0	0.0	0.0	0.0
0.0	0.0	4967	0.0	0.0	0.0	0.0
0.0	0.0					
0.0	0.0	Min 6547	0.0	0.0	0.0	0.0
0.0	0.0	6549	0.0	0.0	0.0	0.0
0.0	0.0	4966	0.0	0.0	0.0	0.0
0.0	0.0	4967	0.0	0.0	0.0	0.0
0.0	0.0					
0.3	0.0	G1 6547	35.9	20.4	-0.0	-3.8
-0.2	0.0	6549	23.9	7.6	-0.0	-3.8
-0.2	-0.0	4966	-37.7	-21.0	0.0	3.0
0.2	-0.0	4967	-22.1	-6.9	0.0	2.9
-0.3	0.0	G2 6547	13.9	9.4	-0.0	4.5
0.2	0.0	6549	9.0	4.6	-0.0	4.7
0.6	-0.0	4966	-14.6	-9.7	0.0	-8.5
-0.6	-0.0	4967	-8.3	-4.3	0.0	-8.8
0.0	0.0	Q3 6547	0.0	0.0	0.0	0.0
0.0	0.0	6549	0.0	0.0	0.0	0.0
0.0	0.0	4966	0.0	0.0	0.0	0.0
0.0	0.0	4967	0.0	0.0	0.0	0.0
0.0	0.0					
0.0	0.0	Q5_pc X 6547	0.5	0.1	0.0	-0.6

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.0	0.0			6549	-0.8	0.1	0.0	-0.6
-0.1	0.0			4966	-0.6	-0.1	-0.0	1.3
0.1	0.0			4967	0.8	-0.2	-0.0	1.4
-0.1	0.0	Q5_pc	Y	6547	-2.1	-0.5	-0.0	1.8
0.1	0.0			6549	1.4	-0.3	-0.0	1.9
0.2	0.0			4966	2.2	0.4	0.0	-3.9
-0.3	0.0			4967	-1.5	0.3	0.0	-4.1
0.0	0.0	Q5_ps	X	6547	0.8	0.2	0.0	-0.8
-0.0	0.0			6549	-0.5	0.1	0.0	-0.9
-0.1	0.0			4966	-0.8	-0.2	-0.0	1.9
0.1	0.0			4967	0.5	-0.2	-0.0	1.9
-0.1	0.0	Q5_ps	Y	6547	-2.9	-0.9	-0.0	2.5
0.1	0.0			6549	0.5	-0.3	-0.0	2.7
0.4	0.0			4966	3.0	0.8	0.0	-5.7
-0.4	0.0			4967	-0.6	0.3	0.0	-5.9
2.8	0.0	INVSLE	Max	6547	219.9	46.6	-0.2	-39.5
-1.8	0.0			6549	-114.9	19.6	-0.2	-35.2
0.3	-0.0			4966	-221.1	-40.1	0.2	9.5
0.8	-0.0			4967	127.5	-22.4	0.3	6.4
2.4	0.0		Min	6547	211.2	44.0	-0.3	-47.1
-2.1	0.0			6549	-117.5	18.8	-0.2	-43.4
-0.8	-0.0			4966	-230.0	-42.7	0.2	-7.5
-0.4	-0.0			4967	124.9	-23.3	0.2	-11.4
2.3	0.0	INVSLE	Max	6547	168.1	34.6	-0.2	-33.6
-1.5	0.0			6549	-91.1	14.7	-0.2	-30.1
0.1	-0.0			4966	-169.8	-30.0	0.2	7.0
0.6	-0.0			4967	100.4	-16.9	0.2	4.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


				Min	6547	162.3	32.9	-0.2	-38.6
2.0	0.0				6549	-92.8	14.1	-0.2	-35.6
-1.8	0.0				4966	-175.8	-31.6	0.2	-4.4
-0.6	-0.0				4967	98.7	-17.5	0.2	-7.5
-0.2	-0.0								
6948	2	10	C1-C2;~1	Max	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4; ~2	Max	6548	0.0	0.0	0.0	0.0
0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	6548	0.0	0.0	0.0	0.0
0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0							
-0.9	0.0		G1	6548	-156.4	21.2	0.0	3.8
0.5	0.0			6550	205.1	-19.5	-0.0	3.9
0.6	0.0			9042	132.0	-22.0	-0.0	-2.8
-0.6	0.0			9040	-180.8	20.9	-0.0	-2.4
-0.5	0.0		G2	6548	-60.7	8.4	-0.0	0.8
0.2	0.0			6550	78.7	-6.4	0.0	1.1
0.3	0.0			9042	51.3	-9.0	-0.0	-1.5
-0.7	0.0			9040	-69.2	7.0	0.0	-1.6
0.0	0.0		Q3	6548	0.0	0.0	0.0	0.0
0.0	0.0			6550	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0							
-0.0	0.0		Q5_pc X	6548	1.4	-0.1	0.0	0.1
0.0	0.0			6550	-2.0	0.4	0.0	0.1
0.0	0.0			9042	-1.5	0.0	0.0	0.1
0.0	0.0			9040	2.0	-0.3	-0.0	0.1
0.0	0.0							
-0.1	0.0		Q5_pc Y	6548	-1.9	-0.1	-0.0	-0.3
-0.0	0.0			6550	2.1	-0.5	0.0	-0.2
-0.0	0.0			9042	2.3	0.3	-0.0	-0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.1	0.0			9040	-2.5	0.3	0.0	-0.1
			Q5_ps X	6548	1.4	0.1	0.0	0.1
-0.0	0.0			6550	-1.5	0.3	0.0	0.1
0.1	0.0			9042	-1.4	-0.2	0.0	0.1
0.0	0.0			9040	1.6	-0.2	-0.0	0.1
0.1	0.0							
			Q5_ps Y	6548	-1.8	-0.7	-0.0	-0.5
0.0	0.0			6550	0.8	-0.2	0.0	-0.4
-0.2	0.0			9042	2.1	1.0	-0.0	-0.1
-0.1	0.0			9040	-1.2	-0.1	0.0	-0.2
-0.2	0.0							
			INVS LU Max	6548	-249.4	36.1	0.0	2.5
-1.0	0.0			6550	328.0	-27.6	0.0	3.4
-0.8	0.0			9042	147.4	-33.2	-0.0	5.1
-0.9	0.0			9040	-215.6	28.8	0.0	6.3
-1.1	0.0							
			Min	6548	-254.7	34.0	0.0	1.0
-1.1	0.0			6550	323.4	-28.5	0.0	2.3
-1.2	0.0			9042	141.1	-36.2	-0.0	4.8
-1.1	0.0			9040	-220.2	28.2	-0.0	5.7
-1.7	0.0							
			INVS LE Max	6548	-182.9	25.9	0.0	1.5
-0.7	0.0			6550	239.4	-20.3	0.0	2.1
-0.7	0.0			9042	104.8	-23.7	-0.0	4.6
-0.8	0.0			9040	-154.3	20.9	0.0	5.5
-0.8	0.0							
			Min	6548	-186.4	24.5	0.0	0.5
-0.7	0.0			6550	236.3	-20.9	0.0	1.4
-1.0	0.0			9042	100.6	-25.7	-0.0	4.3
-1.0	0.0			9040	-157.4	20.5	-0.0	5.1
-1.2	0.0							
6949	2	10	C1-C2;~1 Max	6549	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6551	0.0	0.0	0.0	0.0
0.0	0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4965	0.0	0.0	0.0	0.0
0.0	0.0		4966	0.0	0.0	0.0	0.0
0.0	0.0	Min	6549	0.0	0.0	0.0	0.0
0.0	0.0		6551	0.0	0.0	0.0	0.0
0.0	0.0		4965	0.0	0.0	0.0	0.0
0.0	0.0		4966	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6549	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			4965	0.0	0.0	0.0
0.0	0.0			4966	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6549	0.0	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			4965	0.0	0.0	0.0
0.0	0.0			4966	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6549	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			4965	0.0	0.0	0.0
0.0	0.0			4966	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6549	0.0	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			4965	0.0	0.0	0.0
0.0	0.0			4966	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6549	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			4965	0.0	0.0	0.0
0.0	0.0			4966	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6549	0.0	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4965	0.0	0.0	0.0	0.0
0.0	0.0		4966	0.0	0.0	0.0	0.0
0.2	0.0	G1	6549	28.7	18.3	0.0	-1.3
-0.0	0.0		6551	17.9	7.5	0.0	0.1
-0.3	-0.0		4965	-30.3	-17.9	-0.0	5.3
0.2	-0.0		4966	-16.3	-7.8	-0.0	3.7
-0.4	0.0	G2	6549	10.8	7.6	0.0	6.8
1.1	0.0		6551	6.4	2.7	0.0	10.5
0.3	-0.0		4965	-11.4	-6.6	-0.0	-1.6
-0.1	-0.0		4966	-5.8	-3.7	-0.0	-3.5
0.0	0.0	Q3	6549	0.0	0.0	0.0	0.0
0.0	0.0		6551	0.0	0.0	0.0	0.0
0.0	0.0		4965	0.0	0.0	0.0	0.0
0.0	0.0		4966	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	6549	0.4	0.2	-0.0	-1.0
-0.2	0.0		6551	-0.9	0.4	-0.0	-1.6
-0.0	0.0		4965	-0.4	-0.3	0.0	0.1
0.0	0.0		4966	0.9	-0.3	0.0	0.5
-0.2	0.0	Q5_pc Y	6549	-1.8	-0.8	0.0	3.2
0.5	0.0		6551	1.6	-1.0	0.0	5.0
0.1	-0.0		4965	1.8	1.1	-0.0	-0.5
-0.0	0.0		4966	-1.6	0.7	-0.0	-1.5
0.1	0.0	Q5_ps X	6549	0.7	0.4	-0.0	-1.5
-0.3	0.0		6551	-0.6	0.5	-0.0	-2.4
-0.1	0.0		4965	-0.7	-0.5	0.0	0.2
0.0	0.0		4966	0.6	-0.3	0.0	0.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.3	0.0	Q5_ps Y	6549	-2.5	-1.3	0.0	4.6
0.8	0.0		6551	0.8	-1.3	0.0	7.3
0.2	0.0		4965	2.6	1.7	-0.0	-0.7
-0.0	0.0		4966	-0.8	0.9	-0.0	-2.2
0.7	0.0	INVS LU Max	6549	198.1	37.1	0.3	19.1
7.4	0.0		6551	-117.0	10.5	0.7	61.0
-1.7	-0.0		4965	-196.2	-23.0	-0.5	60.0
2.5	-0.0		4966	125.6	-16.7	-0.2	34.3
-0.0	0.0	Min	6549	190.5	33.3	0.2	5.3
5.1	0.0		6551	-119.8	6.6	0.6	39.1
-2.2	-0.0		4965	-203.9	-28.0	-0.7	57.8
2.4	-0.0		4966	122.7	-19.3	-0.3	27.7
0.6	0.0	INVS LE Max	6549	151.6	27.2	0.2	14.3
5.9	0.0		6551	-92.0	7.1	0.5	48.1
-1.4	-0.0		4965	-150.9	-16.7	-0.5	49.6
2.1	-0.0		4966	98.3	-12.4	-0.2	28.0
0.1	0.0	Min	6549	146.6	24.7	0.2	5.1
4.3	0.0		6551	-93.9	4.5	0.5	33.5
-1.8	-0.0		4965	-156.0	-20.0	-0.5	48.1
2.0	-0.0		4966	96.3	-14.1	-0.2	23.7
6976	2	10 C1-C2;~1 Max	6576	0.0	0.0	0.0	0.0
0.0	0.0		6578	0.0	0.0	0.0	0.0
0.0	0.0		9070	0.0	0.0	0.0	0.0
0.0	0.0		9068	0.0	0.0	0.0	0.0
0.0	0.0	Min	6576	0.0	0.0	0.0	0.0
0.0	0.0		6578	0.0	0.0	0.0	0.0
0.0	0.0		9070	0.0	0.0	0.0	0.0
0.0	0.0		9068	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0		Min	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0		Min	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0		Min	6576	0.0	0.0	0.0	0.0
0.0	0.0			6578	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9068	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6576	-179.9	-32.0	0.4	26.8
37.3	0.0			6578	94.4	41.4	0.3	23.4
-34.4	-0.0			9070	153.9	34.5	-0.3	225.7
-75.3	-0.0			9068	-68.3	-43.4	-0.4	234.3
79.8	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

14.3	0.0	G2	6576	-69.6	-12.0	0.2	9.5
-13.2	-0.0		6578	36.3	16.6	0.1	8.2
-28.6	-0.0		9070	59.6	12.8	-0.1	86.5
30.3	0.0		9068	-26.3	-17.5	-0.2	89.8
0.0	0.0	Q3	6576	0.0	0.0	0.0	0.0
0.0	0.0		6578	0.0	0.0	0.0	0.0
0.0	0.0		9070	0.0	0.0	0.0	0.0
0.0	0.0		9068	0.0	0.0	0.0	0.0
-1.1	-0.0	Q5_pc X	6576	3.0	-0.5	-0.0	-1.9
1.1	0.0		6578	-4.0	0.4	-0.0	-1.8
2.8	0.0		9070	-2.6	0.5	0.0	-7.7
-2.6	-0.0		9068	3.6	-0.3	0.0	-7.8
1.5	0.0	Q5_pc Y	6576	-3.4	0.9	0.0	3.2
-1.5	-0.0		6578	5.3	-0.8	0.0	3.0
-3.9	-0.0		9070	3.0	-0.9	-0.0	11.0
3.7	0.0		9068	-4.9	0.7	-0.0	11.0
-1.0	-0.0	Q5_ps X	6576	2.7	-0.5	-0.0	-1.8
1.0	0.0		6578	-3.7	0.4	-0.0	-1.7
2.5	0.0		9070	-2.4	0.5	0.0	-7.2
-2.4	-0.0		9068	3.3	-0.4	0.0	-7.2
1.2	0.0	Q5_ps Y	6576	-2.4	0.9	0.0	2.7
-1.2	-0.0		6578	4.3	-0.9	0.0	2.6
-3.2	-0.0		9070	2.2	-0.8	-0.0	9.3
3.0	0.0		9068	-4.1	0.8	-0.0	9.3
21.4	0.0	INVSLU Max	6576	-280.1	-95.0	-0.2	-182.1
-19.5	0.0		6578	63.0	102.1	-0.2	-176.1


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
18.4	0.0			9070	218.0	101.9	0.3	15.8	
-8.9	-0.0			9068	19.4	-103.3	0.3	21.0	
			Min	6576	-288.3	-97.6	-0.3	-190.3	
17.8	0.0			6578	50.0	99.6	-0.3	-184.0	
-23.3	0.0			9070	210.9	99.5	0.2	-11.9	
8.8	0.0			9068	7.0	-105.7	0.2	-6.8	
-17.9	-0.0								
			INVSLE	Max	6576	-203.9	-71.7	-0.2	-145.3
13.4	0.0			6578	40.5	76.0	-0.2	-140.4	
-12.3	0.0			9070	156.6	76.6	0.2	-9.0	
20.8	0.0			9068	20.3	-77.0	0.3	-5.5	
-14.1	-0.0								
			Min	6576	-209.4	-73.4	-0.3	-150.8	
11.0	0.0			6578	31.9	74.2	-0.2	-145.6	
-14.8	0.0			9070	151.9	75.0	0.2	-27.5	
14.4	0.0			9068	12.1	-78.6	0.2	-24.1	
-20.1	-0.0								
6977	2	10	C1-C2;~1	Max	6577	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4951	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4952	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6577	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4951	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4952	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6577	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4951	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4952	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6577	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4951	0.0	0.0	0.0	0.0
0.0	0.0		4952	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	6577	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0
0.0	0.0			4951	0.0	0.0	0.0
0.0	0.0			4952	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6577	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0
0.0	0.0			4951	0.0	0.0	0.0
0.0	0.0			4952	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6577	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0
0.0	0.0			4951	0.0	0.0	0.0
0.0	0.0			4952	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6577	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0
0.0	0.0			4951	0.0	0.0	0.0
0.0	0.0			4952	0.0	0.0	0.0
0.0	0.0						
-13.7	0.0		G1	6577	-50.5	-0.0	-0.5
14.3	-0.0			6579	-58.4	26.5	-0.5
16.2	0.0			4951	49.0	-1.2	0.5
-16.8	0.0			4952	59.9	-25.1	0.5
-5.7	-0.0		G2	6577	-19.5	1.4	-0.2
6.0	0.0			6579	-22.6	11.7	-0.2
6.8	0.0			4951	19.0	-2.0	0.2
-6.9	0.0			4952	23.2	-11.2	0.2
0.0	0.0		Q3	6577	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0		4951	0.0	0.0	0.0	0.0
0.0	0.0		4952	0.0	0.0	0.0	0.0
0.6	0.0	Q5_pc X	6577	0.2	0.0	0.0	-7.9
-0.7	-0.0		6579	-1.1	0.3	0.0	-7.8
-0.8	0.0		4951	-0.2	-0.1	-0.0	14.0
0.8	0.0		4952	1.1	-0.3	-0.0	14.2
-1.1	-0.0	Q5_pc Y	6577	-0.6	-0.2	-0.1	12.8
1.2	0.0		6579	2.2	-0.8	-0.1	12.7
1.4	-0.0		4951	0.6	0.4	0.1	-23.4
-1.4	-0.0		4952	-2.2	0.6	0.1	-23.9
0.6	0.0	Q5_ps X	6577	0.2	0.1	0.0	-7.7
-0.7	-0.0		6579	-1.1	0.4	0.0	-7.7
-0.8	0.0		4951	-0.2	-0.2	-0.0	13.7
0.8	0.0		4952	1.1	-0.3	-0.0	13.9
-1.0	-0.0	Q5_ps Y	6577	-0.5	-0.4	-0.1	12.3
1.1	0.0		6579	2.3	-0.9	-0.1	12.2
1.4	-0.0		4951	0.5	0.5	0.1	-22.5
-1.3	-0.0		4952	-2.3	0.8	0.1	-22.8
22.0	-0.0	INVSLU Max	6577	34.1	10.7	2.8	-142.2
-19.7	0.0		6579	-211.0	62.4	2.5	-141.8
-28.5	0.0		4951	-38.8	-18.2	-2.4	642.1
35.1	0.0		4952	224.1	-50.8	-2.6	670.9
19.0	-0.0	Min	6577	32.5	9.6	2.6	-179.0
-23.0	0.0		6579	-217.8	59.6	2.4	-178.5
-32.6	0.0		4951	-40.4	-19.8	-2.5	574.7
31.1	0.0		4952	217.3	-53.2	-2.8	602.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	6577	29.7	8.0	2.2	-133.2
18.6	-0.0				6579	-162.2	46.7	2.0	-132.6
-17.3	0.0				4951	-33.4	-13.9	-1.9	527.2
-24.3	0.0				4952	171.5	-38.0	-2.1	549.7
28.9	0.0								
				Min	6577	28.7	7.2	2.1	-157.8
16.6	-0.0				6579	-166.7	44.9	1.9	-157.1
-19.5	0.0				4951	-34.5	-14.9	-2.0	482.3
-27.0	0.0				4952	167.0	-39.6	-2.2	504.1
26.3	0.0								
6978	2	4	C1-C2;~1	Max	6578	0.0	0.0	0.0	0.0
0.0		0.0			6580	0.0	0.0	0.0	0.0
0.0		0.0			9072	0.0	0.0	0.0	0.0
0.0		0.0			9070	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6578	0.0	0.0	0.0	0.0
0.0		0.0			6580	0.0	0.0	0.0	0.0
0.0		0.0			9072	0.0	0.0	0.0	0.0
0.0		0.0			9070	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6578	0.0	0.0	0.0	0.0
0.0		0.0			6580	0.0	0.0	0.0	0.0
0.0		0.0			9072	0.0	0.0	0.0	0.0
0.0		0.0			9070	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6578	0.0	0.0	0.0	0.0
0.0		0.0			6580	0.0	0.0	0.0	0.0
0.0		0.0			9072	0.0	0.0	0.0	0.0
0.0		0.0			9070	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6578	0.0	0.0	0.0	0.0
0.0		0.0			6580	0.0	0.0	0.0	0.0
0.0		0.0			9072	0.0	0.0	0.0	0.0
0.0		0.0			9070	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	6578	0.0	0.0	0.0	0.0
0.0	0.0		6580	0.0	0.0	0.0	0.0
0.0	0.0		9072	0.0	0.0	0.0	0.0
0.0	0.0		9070	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6578	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0
0.0	0.0						
			Min	6578	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0
0.0	0.0						
		G1	6578	-180.4	-38.6	0.7	11.1
36.4	-0.0			6580	79.0	47.1	-3.3
-54.8	-0.0			9072	155.0	42.8	-0.1
-79.0	0.0			9070	-53.6	-50.6	-0.6
74.8	-0.0						265.3
		G2	6578	-70.2	-14.6	0.3	3.4
13.9	-0.0			6580	30.1	19.5	0.0
-21.4	-0.0			9072	60.5	16.0	-0.0
-30.8	-0.0			9070	-20.4	-20.8	-0.2
28.4	-0.0						101.8
		Q3	6578	0.0	0.0	0.0	0.0
0.0	0.0			6580	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6578	3.3	-0.5	-0.0	-1.7
-1.2	0.0			6580	-4.0	0.0	-1.1
2.0	0.0			9072	-2.9	0.6	0.0
3.2	0.0						-7.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-2.8	0.0		9070	3.6	-0.1	0.0	-9.4
1.6	-0.0	Q5_pc Y	6578	-3.9	1.0	0.0	3.2
-2.7	-0.0		6580	5.3	0.0	0.0	2.2
-4.8	-0.0		9072	3.6	-1.3	-0.0	11.1
3.9	-0.0		9070	-5.1	0.3	-0.0	13.5
-1.1	0.0	Q5_ps X	6578	3.0	-0.5	-0.0	-1.6
1.9	0.0		6580	-3.7	0.0	-0.0	-1.0
3.1	0.0		9072	-2.7	0.6	0.0	-7.2
-2.6	0.0		9070	3.4	-0.1	0.0	-8.8
1.3	-0.0	Q5_ps Y	6578	-2.9	1.1	0.0	2.8
-2.3	-0.0		6580	4.4	0.0	0.0	2.0
-4.2	-0.0		9072	2.8	-1.4	-0.0	9.6
3.2	-0.0		9070	-4.4	0.3	-0.0	11.5
21.6	0.0	INVS LU Max	6578	-266.5	-100.6	-0.5	-224.3
-42.7	-0.0		6580	39.3	103.7	-0.1	-193.8
-11.3	0.0		9072	208.7	109.6	-0.0	34.8
-10.0	0.0		9070	40.6	-107.5	0.6	29.5
17.7	0.0	Min	6578	-275.6	-103.7	-0.6	-232.8
-49.8	-0.0		6580	26.0	103.6	-0.1	-199.9
-24.0	0.0		9072	200.2	105.3	-0.0	5.9
-19.6	0.0		9070	27.3	-108.5	0.5	-5.1
13.4	0.0	INVS LE Max	6578	-193.0	-75.5	-0.4	-177.3
-28.7	-0.0		6580	23.2	76.6	-0.0	-152.1
-1.8	0.0		9072	148.8	81.9	0.0	6.7
-15.3	0.0		9070	35.8	-79.5	0.5	-2.5
10.7	0.0	Min	6578	-199.1	-77.6	-0.5	-183.0
-33.4	-0.0		6580	14.3	76.5	-0.1	-156.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-10.3	0.0			9072	143.1	79.0	-0.0	-12.6
-21.7	0.0			9070	27.0	-80.1	0.5	-25.6
6979	2	4	C1-C2;~1	Max	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						
0.0		0.0		Min	6579	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			4950	0.0	0.0	0.0
0.0		0.0			4951	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4950	0.0	0.0	0.0	0.0
0.0	0.0		4951	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6579	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		4950	0.0	0.0	0.0	0.0
0.0	0.0		4951	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6579	-54.0	1.5	-0.6	207.0
-15.8	-0.0		6581	-61.9	26.8	-0.3	165.0
7.9	-0.0		4950	52.6	0.1	0.2	-225.4
12.0	0.0		4951	63.2	-28.2	0.6	-301.0
-23.6	0.0						
		G2	6579	-21.2	1.0	-0.2	89.5
-6.8	0.0		6581	-24.3	9.9	-0.1	75.4
4.6	-0.0		4950	20.7	0.6	0.1	-95.5
5.4	0.0		4951	24.8	-11.6	0.2	-125.9
-9.5	0.0						
		Q3	6579	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		4950	0.0	0.0	0.0	0.0
0.0	0.0		4951	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6579	0.1	-0.0	0.0	-9.7
0.8	-0.0		6581	-1.2	0.3	0.0	-8.1
-0.5	0.0		4950	-0.0	0.0	-0.0	13.8
-0.7	0.0		4951	1.2	-0.3	-0.0	17.2
1.2	0.0						
		Q5_pc Y	6579	-0.4	-0.2	-0.1	16.2
-1.3	0.0		6581	2.2	-0.6	-0.0	14.2
1.1	-0.0		4950	0.4	0.2	0.0	-23.5
1.3	-0.0		4951	-2.2	0.6	0.1	-29.0
-2.0	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	6579	0.0	0.1	0.0	-9.7
0.8	-0.0		6581	-1.2	0.5	0.0	-8.5
-0.6	0.0		4950	-0.0	-0.2	-0.0	13.5
-0.7	0.0		4951	1.2	-0.4	-0.0	16.9
1.2	0.0						
		Q5_ps Y	6579	-0.3	-0.5	-0.1	16.2
-1.3	0.0		6581	2.3	-1.2	-0.0	15.1
1.3	-0.0		4950	0.3	0.7	0.0	-22.7
1.3	-0.0		4951	-2.3	1.0	0.1	-28.0
-1.8	-0.0						
		INVS LU Max	6579	11.5	-3.2	3.7	-145.4
22.6	0.0		6581	-209.3	47.5	3.2	-81.6
1.5	-0.0		4950	-15.7	2.1	-3.1	744.2
-32.6	0.0		4951	221.2	-41.0	-3.6	830.5
54.6	0.0						
		Min	6579	10.7	-4.8	3.5	-193.9
18.7	0.0		6581	-216.1	44.0	3.1	-126.9
-2.4	-0.0		4950	-16.6	-0.0	-3.2	676.1
-36.5	0.0		4951	214.3	-44.0	-3.8	746.6
49.2	0.0						
		INVS LE Max	6579	12.6	-2.9	3.0	-140.3
19.3	0.0		6581	-161.0	35.1	2.6	-85.1
0.1	-0.0		4950	-15.9	1.8	-2.5	609.3
-27.5	0.0		4951	169.4	-30.5	-2.9	681.7
45.2	0.0						
		Min	6579	12.1	-3.9	2.8	-172.6
16.7	0.0		6581	-165.5	32.7	2.5	-115.3
-2.6	-0.0		4950	-16.5	0.4	-2.6	563.8
-30.0	0.0		4951	164.8	-32.4	-3.0	625.7
41.6	0.0						
7006	2	4 C1-C2;~1 Max	6606	0.0	0.0	0.0	0.0
0.0	0.0		6608	0.0	0.0	0.0	0.0
0.0	0.0		9100	0.0	0.0	0.0	0.0
0.0	0.0		9098	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	6606	0.0	0.0	0.0	0.0
0.0	0.0		6608	0.0	0.0	0.0	0.0
0.0	0.0		9100	0.0	0.0	0.0	0.0
0.0	0.0		9098	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6606	0.0	0.0	0.0
0.0	0.0			6608	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9098	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-37.5	0.0	G1	6606	-11.3	-109.3	-0.2	12.6
3.3	0.0		6608	-260.1	129.0	-0.2	-5.8
26.6	-0.0		9100	47.1	111.0	0.2	-138.3
-54.0	-0.0		9098	224.4	-130.1	0.2	-148.4
-14.7	0.0	G2	6606	-4.2	-41.8	-0.1	3.4
1.2	0.0		6608	-100.8	50.5	-0.1	-3.9
10.8	0.0		9100	18.2	42.3	0.1	-53.9
-21.6	-0.0		9098	86.8	-50.9	0.1	-57.8
0.0	0.0	Q3	6606	0.0	0.0	0.0	0.0
0.0	0.0		6608	0.0	0.0	0.0	0.0
0.0	0.0		9100	0.0	0.0	0.0	0.0
0.0	0.0		9098	0.0	0.0	0.0	0.0
0.4	-0.0	Q5_pc X	6606	-0.2	0.3	0.0	1.6
-0.3	-0.0		6608	0.8	-0.1	0.0	1.3
-0.9	-0.0		9100	0.2	-0.4	-0.0	2.1
1.1	-0.0		9098	-0.8	0.3	-0.0	2.5
-2.8	0.0	Q5_pc Y	6606	3.6	-1.2	-0.0	-9.6
0.2	0.0		6608	-6.3	0.9	-0.0	-9.7
4.4	0.0		9100	-3.4	1.5	0.0	-15.8
-7.1	-0.0		9098	6.2	-1.2	0.1	-17.6
0.3	-0.0	Q5_ps X	6606	-0.5	-0.1	0.0	1.7
-0.2	-0.0		6608	0.3	0.3	0.0	1.4
-0.8	-0.0		9100	0.6	-0.0	-0.0	1.7
1.0	0.0		9098	-0.3	-0.2	-0.0	2.2
-2.7	0.0	Q5_ps Y	6606	4.9	-0.2	-0.0	-9.7
-0.0	0.0		6608	-5.3	-0.1	-0.0	-9.8

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.1	0.0			9100	-4.6	0.5	0.0	-15.1
-7.0	-0.0			9098	5.0	-0.1	0.1	-17.0
		INVS LU	Max	6606	79.2	-225.2	-0.2	122.0
-100.6	0.0			6608	-639.4	281.8	-0.5	67.4
14.3	0.0			9100	45.0	229.1	0.3	-317.8
65.3	-0.0			9098	544.8	-280.4	0.6	-348.1
-124.5	-0.0							
			Min	6606	64.5	-227.4	-0.4	93.0
-108.8	0.0			6608	-655.2	280.2	-0.6	37.9
13.8	0.0			9100	31.2	226.4	0.3	-363.0
53.2	-0.0			9098	529.8	-282.5	0.4	-399.0
-145.6	-0.0							
		INVS LE	Max	6606	63.3	-168.5	-0.2	89.0
-77.5	0.0			6608	-483.9	211.1	-0.4	47.4
10.7	0.0			9100	29.6	171.1	0.3	-246.9
49.6	-0.0			9098	410.8	-210.2	0.4	-270.5
-97.3	-0.0							
			Min	6606	53.5	-170.0	-0.3	69.7
-82.9	0.0			6608	-494.4	210.0	-0.4	27.7
10.3	0.0			9100	20.4	169.3	0.2	-277.0
41.5	-0.0			9098	400.8	-211.6	0.3	-304.5
-111.3	-0.0							
7007	2	4	C1-C2;~1	Max	6607	0.0	0.0	0.0
0.0	0.0				6609	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0				4937	0.0	0.0	0.0
0.0	0.0							
				Min	6607	0.0	0.0	0.0
0.0	0.0				6609	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0				4937	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6607	0.0	0.0	0.0
0.0	0.0				6609	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6607	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6607	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6607	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6607	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6607	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6607	-185.8	-28.9	-0.6	-53.7
0.9	0.0		6609	-107.7	31.7	-0.5	-47.3
-0.7	0.0		4936	191.6	36.4	0.5	-47.2
0.4	0.0		4937	101.9	-38.9	0.6	-60.6
-1.7	0.0						
		G2	6607	-72.3	-9.2	-0.3	-7.7
-0.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.8	0.0		6609	-41.6	14.2	-0.2	-5.7
1.3	0.0		4936	74.5	12.2	0.2	-35.8
-2.0	0.0		4937	39.4	-17.1	0.3	-41.8
0.0	0.0	Q3	6607	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0		4937	0.0	0.0	0.0	0.0
0.0	0.0						
-0.2	-0.0	Q5_pc X	6607	0.1	0.7	-0.0	2.2
0.2	-0.0		6609	1.1	1.5	-0.0	1.9
0.3	0.0		4936	-0.0	-1.8	0.0	-5.2
-0.3	0.0		4937	-1.1	-0.4	0.0	-5.5
1.6	0.0	Q5_pc Y	6607	1.7	-1.7	0.1	-17.5
-1.5	0.0		6609	-3.8	-4.3	0.1	-16.2
-1.9	-0.0		4936	-1.9	4.8	-0.1	35.7
2.3	-0.0		4937	3.9	1.3	-0.1	38.1
-0.1	-0.0	Q5_ps X	6607	-0.4	0.6	-0.0	0.9
0.0	-0.0		6609	0.5	1.5	-0.0	0.6
0.1	0.0		4936	0.5	-1.5	0.0	-3.2
-0.2	0.0		4937	-0.5	-0.6	0.0	-3.4
1.3	0.0	Q5_ps Y	6607	2.9	-1.4	0.1	-14.2
-1.2	0.0		6609	-2.1	-4.2	0.1	-12.9
-1.6	-0.0		4936	-3.1	4.0	-0.1	30.1
1.9	-0.0		4937	2.2	1.6	-0.1	32.3
-0.7	0.0	INVSLU Max	6607	-462.2	-68.5	-2.6	-46.0
13.5	0.0		6609	-186.9	77.2	-2.0	-13.6
19.2	0.0		4936	489.5	87.4	2.3	-337.0
-11.6	0.0		4937	175.5	-79.0	2.9	-355.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			Min	6607	-471.0	-72.7	-2.9	-88.6
-4.5	0.0			6609	-193.7	64.5	-2.3	-52.4
9.9	0.0			4936	480.3	75.3	2.0	-427.2
14.5	0.0			4937	168.5	-83.7	2.6	-452.4
-17.3	0.0							
		INVSLE	Max	6607	-346.0	-51.3	-2.0	-41.7
-0.3	0.0			6609	-138.9	57.6	-1.5	-17.0
9.5	0.0			4936	365.7	64.2	1.7	-249.2
13.8	0.0			4937	129.8	-59.1	2.1	-263.0
-8.5	0.0							
			Min	6607	-351.8	-54.1	-2.2	-70.1
-2.8	0.0			6609	-143.5	49.2	-1.7	-42.9
7.2	0.0			4936	359.6	56.1	1.5	-309.3
10.6	0.0			4937	125.1	-62.3	1.9	-327.6
-12.3	0.0							
7008	2	8 C1-C2;~1	Max	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6608	-25.7	-123.2	-0.4	-17.6
-5.6	0.0			6610	-249.0	116.5	-0.1	-13.8
30.5	0.0			9102	54.9	126.5	0.1	-121.9
41.7	-0.0			9100	219.9	-119.0	0.3	-154.1
-26.4	-0.0							
		G2		6608	-10.2	-46.8	-0.2	-8.8
-2.1	0.0			6610	-96.4	46.5	-0.0	-6.9
11.3	0.0			9102	21.6	47.6	0.0	-47.1
15.5	-0.0			9100	85.0	-47.3	0.1	-59.9
-10.7	0.0							
		Q3		6608	0.0	0.0	0.0	0.0
0.0	0.0			6610	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9100	0.0	0.0	0.0	0.0
0.4	-0.0	Q5_pc X	6608	0.1	-0.3	0.0	0.9
0.1	0.0		6610	0.8	-2.1	-0.0	0.4
0.9	-0.0		9102	-0.5	1.4	0.0	-0.4
0.9	-0.0		9100	-0.3	1.1	-0.0	1.0
-0.6	0.0	Q5_pc Y	6608	2.9	-0.1	-0.1	-10.4
0.2	0.0		6610	-5.5	4.6	0.0	-7.6
0.1	0.0		9102	-1.8	-2.3	-0.0	-8.6
-4.3	0.0		9100	4.5	-2.3	0.1	-14.6
0.3	-0.0	Q5_ps X	6608	-0.2	-0.7	0.0	1.1
0.2	-0.0		6610	0.2	-1.8	-0.0	0.5
1.2	0.0		9102	-0.2	1.8	0.0	-0.9
0.8	-0.0		9100	0.3	0.7	-0.0	0.5
-0.4	0.0	Q5_ps Y	6608	3.9	1.0	-0.1	-10.6
-0.0	0.0		6610	-4.2	3.7	0.0	-7.8
-0.5	0.0		9102	-2.7	-3.4	-0.0	-7.5
-4.0	0.0		9100	3.0	-1.2	0.1	-13.4
-19.1	0.0	INVSLE Max	6608	19.2	-261.1	-0.6	42.8
78.9	0.0		6610	-591.7	253.1	-0.2	30.7
100.1	-0.0		9102	77.6	274.4	0.3	-284.6
-52.9	-0.0		9100	515.6	-251.3	0.7	-353.6
-20.2	0.0	Min	6608	7.5	-264.0	-0.8	10.8
78.3	0.0		6610	-604.2	242.1	-0.2	7.4
96.6	-0.0		9102	69.4	264.1	0.3	-307.1
-64.9	-0.0		9100	506.6	-255.3	0.5	-393.9
-14.5	0.0	INVSLE Max	6608	17.5	-195.7	-0.5	28.1
			6610	-447.0	188.6	-0.1	19.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


59.6	0.0			9102	54.8	205.2	0.2	-220.0
76.1	-0.0			9100	388.4	-187.9	0.5	-274.0
-41.3	-0.0							
			Min	6608	9.8	-197.7	-0.6	6.8
-15.2	0.0			6610	-455.3	181.3	-0.1	4.3
59.2	0.0			9102	49.3	198.4	0.2	-235.0
73.8	-0.0			9100	382.4	-190.6	0.4	-300.8
-49.3	-0.0							
7009	2	8	C1-C2;~1	Max	6609	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0
0.0	0.0				4935	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0							
			Min	6609	0.0	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0
0.0	0.0				4935	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6609	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0
0.0	0.0				4935	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0							
			Min	6609	0.0	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0
0.0	0.0				4935	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6609	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0
0.0	0.0				4935	0.0	0.0	0.0
0.0	0.0				4936	0.0	0.0	0.0
0.0	0.0							
			Min	6609	0.0	0.0	0.0	0.0
0.0	0.0				6611	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		4935	0.0	0.0	0.0	0.0
0.0	0.0		4936	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6609	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			4935	0.0	0.0	0.0
0.0	0.0			4936	0.0	0.0	0.0
0.0	0.0						
			Min	6609	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			4935	0.0	0.0	0.0
0.0	0.0			4936	0.0	0.0	0.0
0.0	0.0						
			G1	6609	-184.8	-17.9	-0.6
1.2	0.0			6611	-133.0	57.3	-0.6
-1.9	0.0			4935	183.9	16.4	0.6
2.7	0.0			4936	133.8	-55.6	0.6
-2.0	0.0						
			G2	6609	-72.6	-7.2	-0.2
-0.9	0.0			6611	-52.3	20.1	-0.2
1.3	-0.0			4935	72.3	8.8	0.2
1.9	0.0			4936	52.6	-21.7	0.2
-1.9	0.0						
			Q3	6609	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			4935	0.0	0.0	0.0
0.0	0.0			4936	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	6609	-1.1	1.4	-0.0
-0.2	-0.0			6611	0.0	-0.1	-0.0
-0.1	0.0			4935	1.0	0.3	0.0
0.1	0.0			4936	0.1	-1.6	0.0
-0.5	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	6609	4.7	-4.2	0.1	-16.3
1.6	0.0		6611	0.1	-0.2	0.1	-11.5
-0.2	-0.0		4935	-4.4	-1.0	-0.1	29.5
-1.3	-0.0		4936	-0.4	5.3	-0.1	38.8
3.0	-0.0						
		Q5_ps X	6609	-1.4	1.3	-0.0	-0.3
-0.0	-0.0		6611	-0.4	0.4	-0.0	-1.2
-0.3	0.0		4935	1.3	0.1	0.0	-2.5
0.1	0.0		4936	0.5	-1.7	0.0	-3.4
-0.3	0.0						
		Q5_ps Y	6609	5.5	-3.9	0.1	-11.9
1.2	0.0		6611	1.2	-1.3	0.1	-6.9
0.3	-0.0		4935	-5.2	-0.3	-0.1	25.2
-1.1	-0.0		4936	-1.5	5.4	-0.1	32.7
2.6	-0.0						
		INVSLE Max	6609	-456.0	-12.8	-2.6	6.8
-10.4	0.0		6611	-287.8	140.2	-2.3	2.5
1.9	0.0		4935	468.3	37.2	2.5	-392.3
18.7	0.0		4936	295.4	-147.6	3.0	-429.3
-23.1	0.0						
		Min	6609	-472.3	-24.4	-2.9	-29.0
-14.0	0.0		6611	-291.3	136.4	-2.5	-18.2
0.9	0.0		4935	452.8	35.5	2.2	-467.8
15.4	0.0		4936	291.0	-163.8	2.6	-527.3
-30.8	0.0						
		INVSLE Max	6609	-342.3	-9.4	-1.9	-2.6
-7.4	0.0		6611	-215.3	104.6	-1.7	-4.2
1.1	0.0		4935	350.3	27.9	1.9	-291.5
13.6	0.0		4936	220.6	-111.9	2.2	-318.2
-17.0	0.0						
		Min	6609	-353.3	-17.2	-2.2	-26.5
-9.9	0.0		6611	-217.6	102.1	-1.9	-18.0
0.4	0.0		4935	339.9	26.8	1.7	-341.8
11.4	0.0		4936	217.7	-122.7	1.9	-383.5
-22.2	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7036	2	8	C1-C2;~1	Max	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6636	0.0	0.0	0.0	0.0
0.0		0.0			6638	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9128	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	6636	0.0	0.0	0.0	0.0
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0		9130	0.0	0.0	0.0	0.0
0.0	0.0		9128	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6636	208.2	105.8	-0.2	-31.6
-1.8	-0.0		6638	45.7	-106.2	-0.3	-27.7
9.3	-0.0		9130	-185.6	-107.7	0.3	-132.9
22.8	-0.0		9128	-68.3	108.9	0.2	-124.5
-18.7	-0.0						
		G2	6636	80.5	41.2	-0.1	-14.8
-0.6	-0.0		6638	16.5	-39.9	-0.1	-13.4
3.6	-0.0		9130	-71.5	-42.0	0.1	-52.6
9.6	0.0		9128	-25.5	40.7	0.1	-49.2
-7.9	-0.0						
		Q3	6636	0.0	0.0	0.0	0.0
0.0	0.0		6638	0.0	0.0	0.0	0.0
0.0	0.0		9130	0.0	0.0	0.0	0.0
0.0	0.0		9128	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6636	-2.6	0.2	0.0	3.9
0.2	0.0		6638	2.3	0.4	0.0	4.1
-0.5	0.0		9130	2.2	-0.1	-0.0	7.9
-1.8	-0.0		9128	-1.9	-0.5	-0.0	7.2
1.5	0.0						
		Q5_pc Y	6636	11.8	-0.3	-0.1	-27.1
0.2	-0.0		6638	-9.5	-2.2	-0.1	-27.9
2.3	-0.0		9130	-10.9	0.2	0.1	-43.8
10.4	0.0		9128	8.5	2.3	0.1	-40.6
-7.3	-0.0						
		Q5_ps X	6636	-1.9	0.8	0.0	4.1
0.1	0.0		6638	3.0	-0.2	0.0	4.3
-0.4	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.7	-0.0			9130	1.5	-0.7	-0.0	7.5
1.4	0.0			9128	-2.6	0.1	-0.0	6.6
			Q5_ps Y	6636	10.1	-1.5	-0.1	-26.7
0.4	-0.0			6638	-10.5	-1.0	-0.1	-27.6
2.0	-0.0			9130	-9.1	1.4	0.1	-41.5
9.9	0.0			9128	9.6	1.1	0.1	-38.2
-6.8	-0.0							
			INVS LU Max	6636	538.2	230.8	-0.4	18.3
-9.2	-0.0			6638	44.9	-232.2	-0.3	43.0
36.5	-0.0			9130	-436.0	-229.2	0.7	-286.5
76.5	0.0			9128	-88.2	240.0	0.6	-267.7
-36.2	-0.0							
			Min	6636	508.0	226.4	-0.6	-61.7
-10.3	-0.0			6638	13.3	-236.2	-0.7	-39.7
30.3	-0.0			9130	-463.3	-233.3	0.4	-411.0
46.9	0.0			9128	-116.9	235.8	0.3	-382.3
-56.7	-0.0							
			INVS LE Max	6636	405.6	172.5	-0.3	8.6
-7.1	-0.0			6638	28.7	-174.5	-0.3	27.5
27.9	-0.0			9130	-330.6	-171.6	0.6	-227.7
58.0	0.0			9128	-64.5	179.9	0.4	-212.6
-29.0	-0.0							
			Min	6636	385.5	169.5	-0.5	-44.7
-7.8	-0.0			6638	7.7	-177.1	-0.5	-27.7
23.8	-0.0			9130	-348.7	-174.3	0.3	-310.7
38.2	0.0			9128	-83.6	177.1	0.3	-289.0
-42.7	-0.0							
7037	2	8	C1-C2;~1	Max	6637	0.0	0.0	0.0
0.0	0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6637	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6639	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0		4922	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
			Min	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
			Min	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
			Min	6637	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0			4921	0.0	0.0	0.0
0.0	0.0			4922	0.0	0.0	0.0
0.0	0.0						
		G1		6637	110.9	45.1	-0.4
-0.6	-0.0						-37.4

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.1	-0.0		6639	151.2	-11.8	-0.5	-45.0
			4921	-110.9	-46.1	0.5	-38.1
0.0	-0.0		4922	-151.3	13.0	0.4	-30.7
0.5	-0.0						
		G2	6637	42.2	18.9	-0.2	3.8
-1.6	-0.0		6639	58.4	-2.4	-0.2	1.2
1.4	-0.0		4921	-42.3	-19.9	0.2	-41.2
1.7	-0.0		4922	-58.4	3.3	0.2	-37.6
-1.5	-0.0						
		Q3	6637	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0		4922	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6637	-0.2	0.6	-0.0	4.6
-0.3	0.0		6639	0.0	1.3	-0.0	5.0
0.3	-0.0		4921	0.2	-1.3	0.0	-8.7
0.5	-0.0		4922	0.0	-0.6	0.0	-8.3
-0.5	-0.0						
		Q5_pc Y	6637	0.3	-1.8	0.2	-39.4
3.0	-0.0		6639	-5.3	-3.1	0.2	-41.5
-3.1	0.0		4921	-0.1	4.2	-0.2	81.3
-4.9	0.0		4922	5.1	0.7	-0.2	74.9
4.2	0.0						
		Q5_ps X	6637	0.6	0.8	-0.0	2.7
-0.2	0.0		6639	0.7	1.0	-0.0	3.1
0.2	-0.0		4921	-0.6	-1.3	0.0	-5.7
0.3	-0.0		4922	-0.7	-0.5	0.0	-5.3
-0.3	-0.0						
		Q5_ps Y	6637	-1.3	-2.2	0.2	-33.6
2.6	-0.0		6639	-6.4	-2.4	0.2	-35.6
-2.7	0.0		4921	1.4	4.1	-0.2	71.4
-4.2	0.0		4922	6.2	0.5	-0.2	65.3
3.6	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			INVS LU	Max	6637	238.8	108.6	-1.6	81.5
-9.2	-0.0				6639	400.4	-19.1	-2.1	72.3
17.9	-0.0				4921	-235.8	-109.7	2.7	-328.6
25.8	-0.0				4922	-380.4	34.4	2.1	-272.6
-7.2	-0.0								
				Min	6637	235.1	102.0	-2.1	-19.2
-17.0	-0.0				6639	381.2	-26.4	-2.7	-34.6
9.8	-0.0				4921	-240.1	-122.1	2.1	-542.7
13.0	-0.0				4922	-399.0	32.9	1.6	-468.5
-17.9	-0.0								
			INVS LE	Max	6637	178.6	80.7	-1.2	51.8
-7.0	-0.0				6639	300.2	-14.7	-1.6	44.5
12.8	-0.0				4921	-176.7	-82.9	2.0	-250.2
18.4	-0.0				4922	-286.8	26.3	1.5	-207.1
-5.4	-0.0								
				Min	6637	176.1	76.3	-1.5	-15.3
-12.1	-0.0				6639	287.4	-19.6	-2.0	-26.7
7.4	-0.0				4921	-179.6	-91.1	1.6	-392.9
9.9	-0.0				4922	-299.2	25.3	1.2	-337.7
-12.6	-0.0								
7038	2	4	C1-C2;~1	Max	6638	0.0	0.0	0.0	0.0
0.0		0.0			6640	0.0	0.0	0.0	0.0
0.0		0.0			9132	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6638	0.0	0.0	0.0	0.0
0.0		0.0			6640	0.0	0.0	0.0	0.0
0.0		0.0			9132	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6638	0.0	0.0	0.0	0.0
0.0		0.0			6640	0.0	0.0	0.0	0.0
0.0		0.0			9132	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0						
		Min	6638	0.0	0.0	0.0	0.0
0.0	0.0		6640	0.0	0.0	0.0	0.0
0.0	0.0		9132	0.0	0.0	0.0	0.0
0.0	0.0		9130	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6638	0.0	0.0	0.0
0.0	0.0			6640	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0						
			Min	6638	0.0	0.0	0.0
0.0	0.0			6640	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6638	0.0	0.0	0.0
0.0	0.0			6640	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0						
			Min	6638	0.0	0.0	0.0
0.0	0.0			6640	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0						
		G1		6638	206.1	108.3	-0.2
-4.8	-0.0			6640	42.9	-104.7	-0.1
34.9	0.0			9132	-185.7	-105.1	0.2
50.8	-0.0			9130	-63.3	102.2	0.1
-21.3	-0.0						
		G2		6638	79.7	42.1	-0.1
-1.9	-0.0			6640	15.3	-39.2	-0.0
13.5	0.0			9132	-71.6	-41.1	0.1
19.7	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-9.0	0.0		9130	-23.5	38.2	0.1	-39.6
		Q3	6638	0.0	0.0	0.0	0.0
0.0	0.0		6640	0.0	0.0	0.0	0.0
0.0	0.0		9132	0.0	0.0	0.0	0.0
0.0	0.0		9130	0.0	0.0	0.0	0.0
		Q5_pc X	6638	-3.3	-0.2	0.0	2.5
0.3	0.0		6640	2.1	1.1	0.0	1.8
-1.6	-0.0		9132	3.0	-0.1	-0.0	5.7
-3.0	0.0		9130	-1.8	-0.8	-0.0	6.0
1.8	-0.0						
		Q5_pc Y	6638	14.3	1.7	-0.1	-16.9
-1.3	-0.0		6640	-9.6	-2.4	-0.0	-12.8
7.8	0.0		9132	-13.4	-1.5	0.0	-27.9
15.1	0.0		9130	8.7	2.2	0.1	-31.4
-10.6	0.0						
		Q5_ps X	6638	-2.7	0.4	0.0	2.7
0.2	0.0		6640	2.8	0.7	0.0	2.0
-1.6	-0.0		9132	2.4	-0.8	-0.0	5.7
-3.1	0.0		9130	-2.6	-0.3	-0.0	5.9
1.7	-0.0						
		Q5_ps Y	6638	12.8	0.5	-0.1	-16.9
-1.1	-0.0		6640	-10.8	-1.7	-0.0	-12.8
7.6	0.0		9132	-11.9	-0.0	0.0	-27.2
15.0	0.0		9130	9.9	1.3	0.1	-30.3
-10.0	0.0						
		INVSLU Max	6638	556.4	246.9	-0.3	70.1
-18.8	-0.0		6640	20.7	-208.5	-0.0	102.8
124.1	0.0		9132	-440.7	-244.2	0.4	-212.1
156.7	-0.0		9130	-68.1	214.2	0.4	-214.5
-40.3	0.0						
		Min	6638	517.9	243.7	-0.6	19.4
-21.9	-0.0		6640	-11.7	-213.5	-0.1	64.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
101.3	0.0			9132	-476.5	-247.0	0.2	-293.8
111.8	-0.0			9130	-97.8	210.2	0.1	-305.5
-70.4	0.0							
		INVSLE	Max	6638	419.7	185.3	-0.3	50.5
-14.8	-0.0			6640	9.8	-155.7	-0.0	76.4
94.3	0.0			9132	-334.9	-183.9	0.3	-166.9
118.3	-0.0			9130	-49.2	160.0	0.3	-169.9
-33.2	0.0							
			Min	6638	394.1	183.2	-0.5	16.7
-16.9	-0.0			6640	-11.8	-159.1	-0.1	50.9
79.1	0.0			9132	-358.7	-185.7	0.2	-221.4
88.4	-0.0			9130	-69.0	157.3	0.1	-230.5
-53.3	0.0							
7039	2	4	C1-C2;~1	Max	6639	0.0	0.0	0.0
0.0	0.0				6641	0.0	0.0	0.0
0.0	0.0				4920	0.0	0.0	0.0
0.0	0.0				4921	0.0	0.0	0.0
0.0	0.0							
			Min	6639	0.0	0.0	0.0	0.0
0.0	0.0				6641	0.0	0.0	0.0
0.0	0.0				4920	0.0	0.0	0.0
0.0	0.0				4921	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6639	0.0	0.0	0.0
0.0	0.0				6641	0.0	0.0	0.0
0.0	0.0				4920	0.0	0.0	0.0
0.0	0.0				4921	0.0	0.0	0.0
0.0	0.0							
			Min	6639	0.0	0.0	0.0	0.0
0.0	0.0				6641	0.0	0.0	0.0
0.0	0.0				4920	0.0	0.0	0.0
0.0	0.0				4921	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6639	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		4920	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0	Min	6639	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		4920	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6639	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		4920	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6639	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		4920	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0						
1.8	-0.0	G1	6639	97.1	36.3	-0.4	-36.1
-2.1	0.0		6641	146.3	-13.1	-0.6	-35.5
3.0	-0.0		4920	-93.8	-40.6	0.6	-61.6
-1.4	-0.0		4921	-149.5	17.6	0.4	-45.8
-0.9	-0.0	G2	6639	35.7	13.7	-0.2	0.5
1.0	-0.0		6641	55.5	-6.9	-0.2	2.0
1.8	-0.0		4920	-34.3	-13.3	0.2	-38.0
-1.5	-0.0		4921	-56.8	6.5	0.2	-34.6
0.0	0.0	Q3	6639	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		4920	0.0	0.0	0.0	0.0
0.0	0.0		4921	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	6639	-0.9	1.3	-0.0	3.3
-0.3	-0.0		6641	-1.1	1.3	-0.0	2.7
0.2	0.0		4920	0.8	-0.8	0.0	-4.8
0.3	-0.0		4921	1.2	-1.8	0.0	-5.5
-0.3	-0.0						
		Q5_pc Y	6639	3.2	-3.2	0.2	-26.7
2.5	0.0		6641	-3.8	-2.3	0.2	-21.4
-1.2	-0.0		4920	-3.3	2.5	-0.2	53.9
-2.7	0.0		4921	3.9	3.0	-0.2	57.4
3.6	0.0						
		Q5_ps X	6639	0.1	1.5	-0.0	1.9
-0.1	-0.0		6641	-0.2	1.3	-0.0	1.2
0.0	0.0		4920	-0.2	-1.3	0.0	-3.3
0.2	-0.0		4921	0.3	-1.5	0.0	-3.7
-0.2	-0.0						
		Q5_ps Y	6639	1.1	-3.6	0.2	-22.5
2.1	0.0		6641	-5.3	-2.6	0.2	-17.1
-0.7	-0.0		4920	-1.2	3.5	-0.2	48.4
-2.4	0.0		4921	5.4	2.7	-0.2	51.0
3.2	0.0						
		INVSLE Max	6639	180.5	80.5	-1.9	31.4
-2.8	-0.0		6641	383.4	-29.7	-2.4	9.5
3.9	0.0		4920	-161.9	-83.4	2.9	-377.8
25.8	-0.0		4921	-380.2	51.4	2.4	-320.0
-12.6	-0.0						
		Min	6639	174.8	69.7	-2.4	-36.0
-9.0	-0.0		6641	367.6	-37.4	-2.9	-41.8
1.7	0.0		4920	-167.8	-93.9	2.4	-523.1
18.5	-0.0		4921	-396.4	43.4	1.9	-472.9
-22.4	-0.0						
		INVSLE Max	6639	134.2	59.8	-1.5	17.2
-2.1	-0.0		6641	287.6	-22.7	-1.8	1.7
2.7	0.0		4920	-120.7	-62.9	2.2	-289.3
19.1	-0.0		4921	-286.6	38.2	1.8	-244.5

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-9.6	-0.0							
		Min	6639	130.4	52.6	-1.8	-27.8	
-6.2	-0.0		6641	277.0	-27.8	-2.2	-32.5	
1.2	0.0		4920	-124.6	-69.8	1.9	-386.2	
14.2	-0.0		4921	-297.4	32.9	1.4	-346.5	
-16.1	-0.0							


7064	2	4	C1-C2;~1	Max	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6664	0.0	0.0	0.0	0.0
0.0		0.0			6666	0.0	0.0	0.0	0.0
0.0		0.0			9158	0.0	0.0	0.0	0.0
0.0		0.0			9156	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		C3-C4;~2	Max	6664	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9156	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6664	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9156	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6664	-71.8	42.8	0.1	39.7
43.7	0.0			6666	154.7	-27.2	0.7	60.5
-20.4	0.0			9158	49.3	-42.4	-0.7	268.5
-57.1	0.0			9156	-132.2	27.5	-0.2	219.8
74.2	-0.0							
			G2	6664	-27.3	18.3	0.1	14.8
17.2	0.0			6666	60.5	-10.1	0.3	22.5
-7.8	0.0			9158	18.8	-17.9	-0.3	103.7
-21.6	0.0			9156	-52.0	9.8	-0.1	85.2
29.3	0.0							
			Q3	6664	0.0	0.0	0.0	0.0
0.0	0.0			6666	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9156	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6664	0.6	-0.7	-0.0	-2.0
-0.6	-0.0			6666	-1.4	0.1	-0.0	-2.5
0.2	-0.0			9158	-0.7	0.5	0.0	-4.8
1.0	-0.0			9156	1.5	0.1	0.0	-4.1
-1.5	-0.0							
			Q5_pc Y	6664	6.0	1.0	-0.0	-2.7
-2.2	-0.0			6666	-5.4	-0.2	-0.0	-4.4
1.1	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.4	-0.0			9158	-4.6	-0.4	0.0	-13.8
-3.4	0.0			9156	4.0	-0.5	0.0	-10.5
-0.5	-0.0	Q5_ps X		6664	0.4	-0.6	-0.0	-1.8
0.1	0.0			6666	-0.7	-0.1	-0.0	-2.2
0.8	-0.0			9158	-0.7	0.3	0.0	-3.9
-1.4	-0.0			9156	0.9	0.4	0.0	-3.5
-2.1	-0.0	Q5_ps Y		6664	5.8	1.0	-0.0	-2.6
1.1	-0.0			6666	-5.8	0.1	-0.0	-4.4
3.5	-0.0			9158	-4.3	-0.1	0.0	-13.6
-3.1	0.0			9156	4.3	-0.9	0.0	-10.1
31.6	0.0	INVS LU Max		6664	7.1	80.4	-0.0	-194.7
-14.2	-0.0			6666	182.0	-66.7	-0.7	-235.2
31.1	-0.0			9158	-33.1	-77.0	0.9	-54.8
5.1	-0.0			9156	-125.6	67.8	0.0	-29.1
25.4	0.0	Min		6664	-10.3	77.5	-0.1	-202.6
-17.4	-0.0			6666	164.6	-67.1	-0.8	-248.3
20.7	-0.0			9158	-46.0	-77.9	0.7	-95.5
-4.3	-0.0			9156	-138.5	64.9	-0.0	-59.5
20.1	0.0	INVS LE Max		6664	11.2	58.7	-0.1	-158.2
-9.4	-0.0			6666	127.2	-50.0	-0.6	-192.5
29.5	-0.0			9158	-31.7	-56.3	0.7	-71.8
-4.4	-0.0			9156	-86.6	50.6	0.0	-46.4
16.0	0.0	Min		6664	-0.4	56.7	-0.1	-163.5
-11.5	-0.0			6666	115.7	-50.2	-0.7	-201.2
22.6	-0.0			9158	-40.3	-56.9	0.7	-99.0
-10.6	-0.0			9156	-95.2	48.7	0.0	-66.6
7065	2	4 C1-C2;~1	Max	6665	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6667	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0		4906	0.0	0.0	0.0	0.0
0.0	0.0	Min	6665	0.0	0.0	0.0	0.0
0.0	0.0		6667	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0		4906	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6665	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6665	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6665	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6665	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6665	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6665	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				6667	0.0	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0	0.0
		G1		6665	38.4	20.0	-0.2	166.3
-7.9	0.0			6667	30.1	6.7	-0.5	206.5
14.9	-0.0			4907	-39.6	-21.7	0.5	-288.8
21.8	-0.0			4906	-28.9	-4.8	0.2	-217.3
-11.3	-0.0							
		G2		6665	15.4	7.1	-0.1	78.8
-4.7	0.0			6667	12.3	3.0	-0.2	92.2
6.6	-0.0			4907	-15.8	-9.1	0.2	-125.1
9.0	-0.0			4906	-11.9	-0.9	0.1	-95.1
-5.2	-0.0							
		Q3		6665	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0	0.0
0.0	0.0			4906	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6665	0.4	0.3	0.0	-6.1
0.5	-0.0			6667	-0.8	0.3	0.0	-6.9
-0.6	0.0			4907	-0.4	-0.2	-0.0	12.8
-0.8	0.0			4906	0.8	-0.3	-0.0	10.4
0.5	0.0							
		Q5_pc Y		6665	1.4	-0.4	0.0	-5.7
-0.1	0.0			6667	0.7	-0.8	0.1	-9.1
-0.7	-0.0			4907	-1.4	0.4	-0.1	17.6
-1.4	-0.0			4906	-0.7	0.9	-0.0	14.0
0.7	-0.0							
		Q5_ps X		6665	0.8	0.6	0.0	-6.6
0.6	-0.0			6667	-0.5	0.4	0.0	-6.9
-0.6	0.0			4907	-0.8	-0.4	-0.0	12.5
-0.8	0.0			4906	0.5	-0.5	-0.0	10.2
0.5	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-0.4	0.0	Q5_ps Y		6665	0.8	-1.1	0.0	-3.2
-0.6	-0.0			6667	0.3	-1.1	0.0	-7.1
-1.3	-0.0			4907	-0.8	0.9	-0.0	15.1
0.5	-0.0			4906	-0.3	1.3	-0.0	12.1
8.6	0.0	INVS LU	Max	6665	155.6	35.1	3.4	-185.7
-28.1	-0.0			6667	-24.8	8.1	4.0	-265.4
-58.6	-0.0			4907	-156.9	-33.5	-3.9	968.9
39.2	-0.0			4906	30.0	-2.8	-3.2	842.1
6.9	0.0		Min	6665	153.0	31.8	3.3	-205.5
-29.8	-0.0			6667	-26.2	4.8	3.8	-286.7
-62.5	-0.0			4907	-159.3	-36.1	-4.0	923.6
37.6	-0.0			4906	28.5	-6.8	-3.3	805.8
7.5	0.0	INVS LE	Max	6665	120.3	26.2	2.7	-166.6
-24.0	-0.0			6667	-22.0	5.6	3.2	-234.6
-49.0	-0.0			4907	-121.5	-25.0	-3.1	796.9
32.4	-0.0			4906	25.8	-2.3	-2.6	691.3
6.4	0.0		Min	6665	118.6	24.1	2.6	-179.8
-25.1	-0.0			6667	-22.9	3.4	3.1	-248.8
-51.7	-0.0			4907	-123.1	-26.7	-3.2	766.7
31.3	-0.0			4906	24.8	-4.9	-2.7	667.1
7066	2	10 C1-C2;~1	Max	6666	0.0	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0		Min	6666	0.0	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0		Min	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0		Min	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0		Min	6666	0.0	0.0	0.0
0.0	0.0			6668	0.0	0.0	0.0
0.0	0.0			9160	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0
0.0	0.0						
18.0	0.0	G1		6666	-84.4	30.5	0.4
-26.7	-0.0			6668	147.1	-20.4	0.5
-70.2	-0.0			9160	58.1	-32.2	-0.5
							239.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
57.3	0.0		9158	-120.7	22.7	-0.4	226.6
		G2	6666	-32.5	12.5	0.1	22.5
6.9	0.0		6668	57.1	-7.4	0.2	23.3
-10.2	-0.0		9160	22.4	-13.3	-0.2	92.3
-26.8	-0.0		9158	-46.9	8.2	-0.1	87.4
21.7	0.0						
		Q3	6666	0.0	0.0	0.0	0.0
0.0	0.0		6668	0.0	0.0	0.0	0.0
0.0	0.0		9160	0.0	0.0	0.0	0.0
0.0	0.0		9158	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6666	0.8	-0.2	-0.0	-2.1
-0.2	-0.0		6668	-1.3	0.2	-0.0	-2.1
0.4	0.0		9160	-0.7	0.3	0.0	-4.0
1.3	0.0		9158	1.2	-0.2	0.0	-3.9
-1.0	-0.0						
		Q5_pc Y	6666	5.8	0.1	-0.0	-4.5
-0.9	-0.0		6668	-4.8	-0.7	-0.0	-4.7
1.2	-0.0		9160	-4.8	-0.1	0.0	-12.6
3.6	0.0		9158	3.8	0.7	0.0	-12.1
-3.4	-0.0						
		Q5_ps X	6666	0.6	0.0	-0.0	-1.7
-0.1	0.0		6668	-0.6	0.0	-0.0	-1.8
0.3	0.0		9160	-0.6	0.0	0.0	-3.1
0.9	0.0		9158	0.6	-0.1	0.0	-3.0
-0.7	-0.0						
		Q5_ps Y	6666	5.7	-0.2	-0.0	-4.5
-0.9	-0.0		6668	-5.3	-0.5	-0.0	-4.8
1.2	-0.0		9160	-4.6	0.2	0.0	-12.8
3.7	0.0		9158	4.2	0.5	0.0	-12.1
-3.5	-0.0						
		INVSLU Max	6666	-10.7	66.1	-0.3	-195.3
19.9	-0.0						

PROJECT TITLE :

MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-6.8	-0.0		6668	182.8	-62.9	-0.4	-206.7	
44.0	0.0		9160	-19.3	-67.0	0.5	-53.7	
-19.9	-0.0		9158	-123.2	66.7	0.4	-55.3	
		Min	6666	-27.8	65.5	-0.4	-208.9	
17.1	-0.0		6668	166.8	-64.3	-0.5	-221.1	
-10.4	-0.0		9160	-33.0	-67.5	0.5	-91.9	
32.7	0.0		9158	-135.8	65.1	0.3	-91.7	
-30.3	-0.0							
		INVSLE Max	6666	-1.6	48.9	-0.3	-160.8	
13.7	-0.0		6668	129.0	-47.7	-0.4	-170.0	
-3.1	-0.0		9160	-21.4	-49.6	0.5	-67.6	
40.6	0.0		9158	-86.2	50.3	0.3	-67.7	
-22.0	-0.0							
		Min	6666	-13.0	48.5	-0.3	-169.8	
11.9	-0.0		6668	118.4	-48.7	-0.4	-179.6	
-5.5	-0.0		9160	-30.6	-49.9	0.4	-93.1	
33.1	0.0		9158	-94.6	49.3	0.3	-91.9	
-28.9	-0.0							
7067	2	10 C1-C2;~1	Max	6667	0.0	0.0	0.0	0.0
0.0		0.0		6669	0.0	0.0	0.0	0.0
0.0		0.0		4908	0.0	0.0	0.0	0.0
0.0		0.0		4907	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	6667	0.0	0.0	0.0	0.0
0.0		0.0		6669	0.0	0.0	0.0	0.0
0.0		0.0		4908	0.0	0.0	0.0	0.0
0.0		0.0		4907	0.0	0.0	0.0	0.0
0.0		0.0						
		C3-C4;~1	Max	6667	0.0	0.0	0.0	0.0
0.0		0.0		6669	0.0	0.0	0.0	0.0
0.0		0.0		4908	0.0	0.0	0.0	0.0
0.0		0.0		4907	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	6667	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		4908	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	6667	0.0	0.0	0.0	0.0
0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		4908	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0	Min	6667	0.0	0.0	0.0	0.0
0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		4908	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	6667	0.0	0.0	0.0	0.0
0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		4908	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
0.0	0.0	Min	6667	0.0	0.0	0.0	0.0
0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		4908	0.0	0.0	0.0	0.0
0.0	0.0		4907	0.0	0.0	0.0	0.0
-13.5	-0.0	G1	6667	36.2	21.6	-0.4	172.4
13.1	-0.0		6669	27.3	6.8	-0.5	178.2
15.6	-0.0		4908	-37.5	-20.7	0.5	-260.4
-14.9	-0.0		4907	-26.0	-7.4	0.4	-251.1
-5.8	-0.0	G2	6667	14.0	10.0	-0.2	74.4
5.6	-0.0		6669	10.8	4.2	-0.2	76.6
6.7	-0.0		4908	-14.6	-9.7	0.2	-111.1
-6.5	-0.0		4907	-10.3	-4.5	0.2	-107.6

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	6667	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			4908	0.0	0.0	0.0	0.0
0.0	0.0			4907	0.0	0.0	0.0	0.0
			Q5_pc X	6667	0.4	0.2	0.0	-5.4
0.5	0.0			6669	-0.9	0.2	0.0	-5.5
-0.5	0.0			4908	-0.4	-0.1	-0.0	11.0
-0.6	0.0			4907	0.9	-0.3	-0.0	10.6
0.6	0.0							
			Q5_pc Y	6667	1.0	-0.3	0.0	-8.6
0.8	-0.0			6669	0.4	-0.6	0.0	-9.0
-0.8	0.0			4908	-1.0	0.3	-0.0	15.7
-0.9	-0.0			4907	-0.4	0.6	-0.0	15.0
0.8	-0.0							
			Q5_ps X	6667	0.7	0.4	0.0	-5.2
0.5	0.0			6669	-0.6	0.3	0.0	-5.2
-0.4	-0.0			4908	-0.7	-0.3	-0.0	10.6
-0.6	0.0			4907	0.6	-0.3	-0.0	10.3
0.6	0.0							
			Q5_ps Y	6667	0.5	-0.6	0.0	-7.5
0.7	-0.0			6669	0.1	-0.7	0.0	-7.9
-0.7	0.0			4908	-0.5	0.6	-0.0	13.8
-0.8	-0.0			4907	-0.1	0.7	-0.0	13.0
0.7	-0.0							
			INVSLU Max	6667	159.7	56.4	2.9	-243.0
29.5	-0.0			6669	-47.9	20.9	3.3	-253.2
-30.2	-0.0			4908	-163.0	-43.1	-3.2	862.9
-42.9	-0.0			4907	55.1	-30.0	-2.8	797.3
37.3	-0.0							
			Min	6667	157.5	54.6	2.8	-265.4
27.5	-0.0			6669	-49.6	18.7	3.2	-276.9
-32.2	-0.0			4908	-165.2	-44.9	-3.3	821.6
-45.3	-0.0			4907	53.3	-32.2	-2.9	758.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

35.2	-0.0							
		INVSLE	Max	6667	123.3	42.3	2.3	-212.9
24.8	-0.0			6669	-39.9	15.4	2.7	-221.4
-25.5	0.0			4908	-126.0	-32.2	-2.6	707.2
-35.7	-0.0			4907	45.2	-22.7	-2.3	655.1
31.0	-0.0							
			Min	6667	121.8	41.1	2.3	-227.8
23.5	-0.0			6669	-41.0	14.0	2.6	-237.2
-26.8	-0.0			4908	-127.5	-33.4	-2.7	679.7
-37.2	-0.0			4907	44.0	-24.2	-2.3	629.1
29.6	-0.0							
7096	2	10	C1-C2;~1	Max	6696	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0	0.0			9188	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6696	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0	0.0			9188	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6696	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0	0.0			9188	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6696	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0	0.0			9188	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6696	0.0	0.0	0.0
0.0	0.0	0.0			6698	0.0	0.0	0.0
0.0	0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9188		0.0	0.0	0.0
		Min	6696		0.0	0.0	0.0
0.0	0.0		6698		0.0	0.0	0.0
0.0	0.0		9190		0.0	0.0	0.0
0.0	0.0		9188		0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6696	0.0	0.0	0.0
0.0	0.0		6698		0.0	0.0	0.0
0.0	0.0		9190		0.0	0.0	0.0
0.0	0.0		9188		0.0	0.0	0.0
0.0	0.0						
			Min	6696	0.0	0.0	0.0
0.0	0.0		6698		0.0	0.0	0.0
0.0	0.0		9190		0.0	0.0	0.0
0.0	0.0		9188		0.0	0.0	0.0
0.0	0.0						
		G1	6696	-145.2	-22.8	0.4	58.8
26.6	0.0		6698	77.0	32.7	0.4	57.4
-16.7	-0.0		9190	119.8	25.2	-0.3	217.0
-54.1	-0.0		9188	-51.6	-34.5	-0.5	229.7
68.7	0.0						
		G2	6696	-56.4	-8.2	0.2	22.2
10.3	0.0		6698	30.0	13.2	0.1	21.6
-6.4	-0.0		9190	46.6	9.0	-0.1	84.2
-20.6	-0.0		9188	-20.2	-14.1	-0.2	89.1
26.4	0.0						
		Q3	6696	0.0	0.0	0.0	0.0
0.0	0.0		6698	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9188	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6696	1.9	-0.4	-0.0	-2.4
-0.6	-0.0		6698	-2.8	0.4	-0.0	-2.3
0.4	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.5	0.0			9190	-1.5	0.4	0.0	-6.0
-1.8	-0.0			9188	2.4	-0.3	0.0	-6.2
-0.0	-0.0	Q5_pc	Y	6696	1.2	1.0	-0.0	-1.2
-0.1	-0.0			6698	1.6	-1.2	-0.0	-1.2
0.2	0.0			9190	-1.3	-1.1	0.0	-0.7
-0.5	-0.0			9188	-1.4	1.3	0.0	-0.8
-0.5	-0.0	Q5_ps	X	6696	1.2	-0.5	-0.0	-2.0
0.3	0.0			6698	-2.4	0.5	-0.0	-2.0
1.2	0.0			9190	-0.9	0.5	0.0	-5.0
-1.5	-0.0			9188	2.1	-0.5	0.0	-5.0
-0.1	-0.0	Q5_ps	Y	6696	1.9	1.3	-0.0	-1.4
-0.1	-0.0			6698	1.5	-1.6	-0.0	-1.4
0.3	0.0			9190	-2.0	-1.3	0.0	-1.2
-0.7	-0.0			9188	-1.5	1.6	0.0	-1.4
10.0	0.0	INVS LU	Max	6696	-170.3	-58.2	-0.5	-214.3
-18.4	0.0			6698	29.6	64.5	-0.3	-201.7
26.7	0.0			9190	129.9	64.3	0.3	-64.4
-36.2	-0.0			9188	23.3	-61.2	0.5	-63.9
8.5	0.0		Min	6696	-176.1	-61.9	-0.5	-220.2
-19.3	0.0			6698	22.5	59.8	-0.4	-207.6
22.9	0.0			9190	124.0	60.4	0.3	-79.3
-40.6	-0.0			9188	17.1	-66.1	0.5	-79.0
5.3	0.0	INVS LE	Max	6696	-120.8	-44.0	-0.4	-175.1
-12.9	0.0			6698	15.7	47.3	-0.3	-165.1
26.2	0.0			9190	90.5	48.2	0.3	-72.6
-35.3	-0.0			9188	22.8	-45.1	0.5	-73.3
4.3	0.0		Min	6696	-124.6	-46.5	-0.4	-179.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-13.5	0.0	6698	11.0	44.1	-0.3	-169.0
23.7	0.0	9190	86.6	45.5	0.3	-82.5
-38.2	-0.0	9188	18.7	-48.4	0.4	-83.4

7097	2	10	C1-C2;~1	Max	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6697	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0			4892	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	6697	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			6699	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0			4892	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6697	0.0	0.0	0.0	0.0
0.0	0.0			6699	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0			4892	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6697	-30.5	6.1	-0.4	170.6
-12.5	0.0			6699	-39.3	22.3	-0.4	164.9
12.9	0.0			4891	29.3	-6.8	0.4	-239.7
14.2	0.0			4892	40.5	-21.4	0.4	-248.8
-14.9	0.0							
		G2		6697	-11.9	4.0	-0.2	74.1
-5.4	0.0			6699	-15.1	10.3	-0.2	71.9
5.6	0.0			4891	11.3	-4.3	0.2	-103.8
6.3	0.0			4892	15.6	-10.0	0.2	-107.3
-6.5	0.0							
		Q3		6697	0.0	0.0	0.0	0.0
0.0	0.0			6699	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0			4892	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6697	-0.1	0.1	0.0	-6.7
0.5	0.0			6699	-0.9	0.4	0.0	-6.6
-0.6	-0.0			4891	0.1	-0.2	-0.0	11.5
-0.6	0.0			4892	0.9	-0.3	-0.0	12.0
0.7	0.0							
		Q5_pc Y		6697	1.7	-0.1	0.0	0.2
0.1	-0.0			6699	0.9	-0.7	0.0	0.1
-0.1	0.0			4891	-1.7	0.1	-0.0	1.4
-0.0	-0.0			4892	-0.9	0.7	-0.0	1.6
0.1	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.5	0.0	Q5_ps X	6697	-0.2	0.2	0.0	-6.4
-0.5	-0.0		6699	-1.1	0.6	0.0	-6.3
-0.6	0.0		4891	0.2	-0.3	-0.0	11.2
0.7	0.0		4892	1.1	-0.5	-0.0	11.6
0.0	-0.0	Q5_ps Y	6697	2.1	-0.2	0.0	0.8
0.0	0.0		6699	1.5	-1.0	0.0	0.8
0.0	-0.0		4891	-2.1	0.2	-0.0	0.2
-0.0	-0.0		4892	-1.5	1.0	-0.0	0.5
32.1	0.0	INVS LU Max	6697	57.8	21.2	3.4	-256.1
-27.8	0.0		6699	-153.7	56.2	2.9	-245.5
-35.6	0.0		4891	-57.2	-31.8	-2.8	803.7
45.8	0.0		4892	163.7	-41.8	-3.3	872.2
30.6	-0.0	Min	6697	51.6	20.7	3.3	-275.2
-29.5	0.0		6699	-158.2	53.2	2.9	-264.4
-37.5	0.0		4891	-63.4	-32.6	-2.9	770.1
43.8	0.0		4892	159.3	-44.7	-3.4	837.5
26.7	0.0	INVS LE Max	6697	47.4	15.9	2.7	-222.8
-23.7	0.0		6699	-118.8	42.0	2.4	-214.0
-29.9	0.0		4891	-47.5	-24.1	-2.3	659.4
37.6	0.0		4892	126.0	-31.2	-2.7	713.9
25.7	-0.0	Min	6697	43.3	15.5	2.6	-235.5
-24.7	0.0		6699	-121.7	40.0	2.3	-226.6
-31.1	0.0		4891	-51.7	-24.7	-2.3	637.0
36.3	0.0		4892	123.0	-33.1	-2.7	690.8
7098	2	4 C1-C2; ~1 Max	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0	Min	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6698	0.0	0.0	0.0
0.0	0.0			6700	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0
0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6698	0.0	0.0	0.0
0.0	0.0			6700	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0
0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6698	0.0	0.0	0.0
0.0	0.0			6700	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0
0.0	0.0			9190	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9190	0.0	0.0	0.0	0.0
19.1	-0.0	G1	6698	-152.0	-29.5	0.7	58.2
-40.9	-0.0		6700	63.7	45.4	0.1	38.5
-69.9	0.0		9192	130.8	29.5	-0.2	209.9
53.8	-0.0		9190	-42.5	-44.7	-0.6	256.4
7.3	-0.0	G2	6698	-59.6	-10.8	0.3	21.8
-16.3	-0.0		6700	24.6	19.1	0.1	14.4
-27.8	-0.0		9192	51.5	10.4	-0.1	81.9
20.5	-0.0		9190	-16.6	-18.7	-0.2	99.7
0.0	0.0	Q3	6698	0.0	0.0	0.0	0.0
0.0	0.0		6700	0.0	0.0	0.0	0.0
0.0	0.0		9192	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
-0.4	0.0	Q5_pc X	6698	2.2	-0.5	-0.0	-2.6
1.2	0.0		6700	-2.7	-0.3	-0.0	-2.0
2.4	0.0		9192	-2.0	0.8	0.0	-6.4
-1.5	0.0		9190	2.5	0.0	0.0	-7.5
0.1	-0.0	Q5_pc Y	6698	1.1	1.1	-0.0	-1.7
-0.4	-0.0		6700	2.1	-1.8	-0.0	-1.6
0.0	-0.0		9192	-1.5	-1.0	0.0	-0.8
-0.2	0.0		9190	-1.7	1.6	0.0	-0.9
-0.3	0.0	Q5_ps X	6698	1.5	-0.6	-0.0	-2.3
1.1	0.0		6700	-2.4	-0.2	-0.0	-1.8
2.2	0.0		9192	-1.4	1.0	0.0	-5.5
-1.2	0.0		9190	2.3	-0.1	0.0	-6.3
0.0	-0.0	Q5_ps Y	6698	1.8	1.5	-0.0	-1.7

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.4	-0.0			6700	2.1	-1.8	-0.0	-1.5	
				9192	-2.0	-1.5	-0.0	-0.8	
-0.2	-0.0			9190	-1.9	1.8	0.0	-1.2	
-0.3	0.0								
		INVS LU	Max	6698	-170.0	-61.0	-0.7	-240.8	
16.6	0.0			6700	12.7	79.1	-0.0	-197.9	
-28.7	-0.0			9192	133.6	64.3	0.0	-32.1	
0.2	0.0			9190	36.3	-71.6	0.8	-62.4	
-23.6	0.0								
			Min	6698	-175.4	-65.4	-0.8	-247.7	
15.6	0.0			6700	5.6	73.8	-0.1	-203.3	
-31.9	-0.0			9192	127.7	59.8	-0.0	-48.8	
-6.3	0.0			9190	29.5	-77.1	0.8	-81.3	
-27.4	0.0								
		INVS LE	Max	6698	-119.5	-45.5	-0.7	-196.2	
11.2	0.0			6700	3.6	57.2	-0.0	-160.5	
-18.6	-0.0			9192	91.9	47.7	0.0	-47.0	
7.2	0.0			9190	32.4	-52.2	0.7	-75.3	
-24.2	0.0								
			Min	6698	-123.1	-48.5	-0.7	-200.8	
10.5	0.0			6700	-1.1	53.7	-0.1	-164.1	
-20.8	-0.0			9192	88.0	44.7	0.0	-58.1	
2.8	0.0			9190	27.9	-55.8	0.7	-87.9	
-26.7	0.0								
7099	2	4	C1-C2;~1	Max	6699	0.0	0.0	0.0	0.0
0.0		0.0			6701	0.0	0.0	0.0	0.0
0.0		0.0			4890	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	6699	0.0	0.0	0.0	0.0	0.0
0.0		0.0			6701	0.0	0.0	0.0	0.0
0.0		0.0			4890	0.0	0.0	0.0	0.0
0.0		0.0			4891	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6699	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6699	0.0	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6699	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6699	0.0	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	6699	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6699	0.0	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			4890	0.0	0.0	0.0	0.0
0.0	0.0			4891	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6699	-33.6	6.1	-0.5	197.2
-14.2	0.0			6701	-41.7	20.9	-0.2	158.7
7.5	-0.0			4890	32.4	-4.2	0.2	-206.7
10.8	0.0			4891	42.9	-22.7	0.5	-275.1
-20.8	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	6699	-13.5	2.8	-0.2	89.2
-6.4	0.0		6701	-16.5	7.3	-0.1	76.4
4.6	-0.0		4890	13.1	-0.7	0.1	-91.6
5.0	0.0		4891	16.9	-9.4	0.2	-120.6
-8.7	0.0						
		Q3	6699	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		4890	0.0	0.0	0.0	0.0
0.0	0.0		4891	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6699	-0.2	0.1	0.0	-8.3
0.6	-0.0		6701	-0.8	0.3	0.0	-7.3
-0.5	0.0		4890	0.2	-0.1	-0.0	10.9
-0.6	0.0		4891	0.8	-0.3	-0.0	13.7
0.9	0.0						
		Q5_pc Y	6699	1.8	-0.4	0.0	1.0
-0.0	0.0		6701	0.9	-1.1	0.0	2.2
0.4	-0.0		4890	-1.8	0.6	-0.0	2.6
-0.1	-0.0		4891	-0.9	1.0	-0.0	2.2
0.2	-0.0						
		Q5_ps X	6699	-0.3	0.3	0.0	-8.3
0.6	-0.0		6701	-1.1	0.6	0.0	-7.8
-0.6	0.0		4890	0.3	-0.3	-0.0	10.6
-0.6	0.0		4891	1.1	-0.6	-0.0	13.4
0.8	0.0						
		Q5_ps Y	6699	2.2	-0.6	0.0	2.3
-0.1	0.0		6701	1.5	-1.7	0.0	4.1
0.6	-0.0		4890	-2.2	0.9	-0.0	1.3
0.0	-0.0		4891	-1.5	1.4	-0.0	0.6
0.2	-0.0						
		INVSLU Max	6699	34.9	8.0	4.0	-263.8
30.2	0.0		6701	-149.3	34.6	3.4	-183.0
-6.6	-0.0		4890	-32.1	-3.9	-3.3	845.8
-37.7	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
62.2	0.0			4891	157.8	-31.4	-3.9	973.5
			Min	6699	28.3	6.2	3.9	-288.8
28.2	0.0			6701	-153.9	29.4	3.3	-206.4
-8.5	-0.0			4890	-38.7	-6.6	-3.4	814.1
-39.4	0.0			4891	153.2	-35.7	-4.0	933.3
59.7	0.0							
		INVSLE	Max	6699	29.7	5.6	3.2	-232.7
25.3	0.0			6701	-115.6	25.7	2.7	-164.0
-6.2	-0.0			4890	-28.2	-3.1	-2.6	693.6
-31.4	0.0			4891	121.6	-23.3	-3.2	799.6
51.5	0.0							
			Min	6699	25.3	4.4	3.1	-249.4
24.1	0.0			6701	-118.7	22.2	2.7	-179.6
-7.4	-0.0			4890	-32.6	-4.9	-2.7	672.4
-32.5	0.0			4891	118.5	-26.2	-3.2	772.8
49.8	0.0							
7126	2	4	C1-C2;~1	Max	6726	0.0	0.0	0.0
0.0	0.0				6728	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0				9218	0.0	0.0	0.0
0.0	0.0							
			Min	6726	0.0	0.0	0.0	0.0
0.0	0.0				6728	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0				9218	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6726	0.0	0.0	0.0
0.0	0.0				6728	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0				9218	0.0	0.0	0.0
0.0	0.0							
			Min	6726	0.0	0.0	0.0	0.0
0.0	0.0				6728	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9218		0.0	0.0	0.0
		C1-C2;~2	Max	6726	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9218	0.0	0.0	0.0
			Min	6726	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9218	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6726	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9218	0.0	0.0	0.0
			Min	6726	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9218	0.0	0.0	0.0
		G1		6726	-17.7	-101.1	-0.2
-25.9	0.0			6728	-243.1	117.5	-0.2
5.7	0.0			9220	50.3	102.9	0.2
28.2	0.0			9218	210.5	-118.7	0.3
-44.1	0.0						
		G2		6726	-6.2	-37.8	-0.1
-10.0	0.0			6728	-92.9	45.3	-0.1
2.0	0.0			9220	18.8	38.4	0.1
11.1	0.0			9218	80.2	-45.8	0.1
-17.4	-0.0						
		Q3		6726	0.0	0.0	0.0
0.0	0.0			6728	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9220	0.0	0.0	0.0	0.0
0.0	0.0		9218	0.0	0.0	0.0	0.0
1.3	-0.0	Q5_pc X	6726	-2.8	0.5	0.0	10.9
-0.2	-0.0		6728	3.6	0.0	0.0	10.4
-3.8	-0.0		9220	2.9	-0.7	-0.0	14.3
5.1	0.0		9218	-3.7	0.2	-0.0	15.6
0.7	0.0	Q5_pc Y	6726	-2.9	0.5	-0.0	-10.6
-0.8	0.0		6728	5.3	-1.6	-0.0	-9.9
1.5	0.0		9220	0.7	-0.4	0.0	-5.0
-1.7	-0.0		9218	-3.1	1.5	0.0	-5.0
1.2	-0.0	Q5_ps X	6726	-3.6	-0.2	0.0	10.6
-0.0	-0.0		6728	2.7	0.7	0.0	10.1
-3.5	-0.0		9220	3.6	0.1	-0.0	13.3
4.9	0.0		9218	-2.7	-0.6	-0.0	14.6
0.6	0.0	Q5_ps Y	6726	-1.3	1.5	-0.0	-10.6
-1.0	0.0		6728	6.0	-2.6	-0.0	-9.8
1.3	0.0		9220	-0.7	-1.4	0.0	-4.7
-1.8	-0.0		9218	-4.0	2.5	0.0	-4.9
-65.8	0.0	INVSLE Max	6726	33.0	-203.4	-0.4	63.0
22.3	0.0		6728	-553.1	248.4	-0.4	32.0
68.2	0.0		9220	68.0	209.1	0.4	-305.5
-92.9	0.0		9218	478.1	-241.3	0.6	-327.3
-69.5	0.0	Min	6726	22.1	-207.9	-0.5	31.2
19.4	0.0		6728	-571.1	240.8	-0.5	1.6
57.7	-0.0		9220	57.1	204.8	0.3	-345.3
-107.6	-0.0		9218	465.9	-248.7	0.5	-371.2
		INVSLE Max	6726	27.7	-152.2	-0.3	44.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-50.3	0.0			6728	-417.5	185.4	-0.3	21.4
16.8	0.0			9220	47.7	156.0	0.3	-235.8
51.7	0.0			9218	359.4	-180.6	0.4	-252.8
-72.1	0.0							
			Min	6726	20.5	-155.2	-0.4	23.5
-52.8	0.0			6728	-429.5	180.3	-0.4	1.1
14.8	0.0			9220	40.5	153.2	0.3	-262.4
44.7	-0.0			9218	351.3	-185.5	0.4	-282.0
-81.9	-0.0							

7127	2	4	C1-C2;~1	Max	6727	0.0	0.0	0.0	0.0
0.0		0.0			6729	0.0	0.0	0.0	0.0
0.0		0.0			4878	0.0	0.0	0.0	0.0
0.0		0.0			4877	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6727	0.0	0.0	0.0	0.0
0.0		0.0			6729	0.0	0.0	0.0	0.0
0.0		0.0			4878	0.0	0.0	0.0	0.0
0.0		0.0			4877	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6727	0.0	0.0	0.0	0.0
0.0		0.0			6729	0.0	0.0	0.0	0.0
0.0		0.0			4878	0.0	0.0	0.0	0.0
0.0		0.0			4877	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6727	0.0	0.0	0.0	0.0
0.0		0.0			6729	0.0	0.0	0.0	0.0
0.0		0.0			4878	0.0	0.0	0.0	0.0
0.0		0.0			4877	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6727	0.0	0.0	0.0	0.0
0.0		0.0			6729	0.0	0.0	0.0	0.0
0.0		0.0			4878	0.0	0.0	0.0	0.0
0.0		0.0			4877	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6727	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6729	0.0	0.0	0.0	0.0
0.0	0.0		4878	0.0	0.0	0.0	0.0
0.0	0.0		4877	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6727	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0			4877	0.0	0.0	0.0
0.0	0.0						
			Min	6727	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0			4877	0.0	0.0	0.0
0.0	0.0						
			G1	6727	-166.1	-19.9	-0.6
1.4	0.0			6729	-100.9	35.1	-0.5
-0.8	0.0			4878	170.2	24.0	0.5
0.3	0.0			4877	96.8	-39.0	0.6
-0.6	0.0						
			G2	6727	-63.5	-5.4	-0.3
-0.7	0.0			6729	-37.9	15.4	-0.2
0.9	0.0			4878	65.1	7.0	0.2
1.3	0.0			4877	36.4	-17.0	0.3
-1.6	0.0						
			Q3	6727	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0			4877	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6727	-3.0	0.5	-0.1
-1.6	-0.0			6729	2.6	2.2	-0.1
1.4	-0.0			4878	3.2	-2.1	0.1
1.8	0.0			4877	-2.7	-0.6	0.1
-2.1	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

1.5	0.0	Q5_pc Y	6727	7.0	0.1	0.2	-12.8
-1.4	0.0		6729	-2.5	-1.9	0.1	-12.4
-1.9	-0.0		4878	-7.4	0.9	-0.1	37.4
2.2	-0.0		4877	2.9	1.0	-0.2	40.5
-1.3	-0.0	Q5_ps X	6727	-3.8	0.3	-0.1	14.4
1.2	-0.0		6729	1.4	2.3	-0.1	13.4
1.5	0.0		4878	3.9	-1.7	0.1	-31.3
-1.9	0.0		4877	-1.5	-0.9	0.1	-33.8
1.3	0.0	Q5_ps Y	6727	8.2	0.4	0.1	-10.5
-1.2	0.0		6729	-0.6	-2.0	0.1	-10.0
-1.6	0.0		4878	-8.6	0.3	-0.1	32.6
1.9	-0.0		4877	1.0	1.3	-0.1	35.7
-3.5	0.0	INVS LU Max	6727	-385.4	-52.9	-2.2	-19.3
11.3	0.0		6729	-180.6	71.3	-1.8	-0.3
16.0	0.0		4878	422.9	63.3	2.2	-303.4
-11.6	0.0		4877	173.3	-72.9	2.6	-326.0
-7.5	0.0	Min	6727	-410.0	-54.0	-2.6	-62.6
7.7	0.0		6729	-185.3	64.5	-2.2	-40.3
11.3	0.0		4878	397.1	58.0	1.8	-401.2
-17.3	0.0		4877	168.1	-76.8	2.2	-433.2
-2.5	0.0	INVS LE Max	6727	-289.5	-39.8	-1.7	-20.6
8.0	0.0		6729	-134.7	52.8	-1.4	-6.2
11.5	0.0		4878	315.5	47.3	1.6	-225.7
-8.6	0.0		4877	128.7	-54.4	1.9	-243.1
-5.2	0.0	Min	6727	-305.9	-40.5	-1.9	-49.4
5.6	0.0		6729	-137.8	48.3	-1.6	-32.9
8.3	0.0		4878	298.3	43.8	1.4	-290.9

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				4877	125.3	-57.0	1.7	-314.5
-12.4	0.0							
7128	2	8	C1-C2;~1	Max	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
				Min	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
				Min	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
				Min	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9220	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	6728	0.0	0.0	0.0
0.0	0.0				6730	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9220	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6728	0.0	0.0	0.0	0.0
0.0	0.0		6730	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9220	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6728	-29.0	-112.3	-0.4	-20.5
-7.3	0.0		6730	-240.5	116.2	-0.1	-10.8
33.5	0.0		9222	59.2	111.6	0.1	-121.2
41.4	-0.0		9220	210.3	-114.7	0.3	-156.3
-27.6	0.0						
		G2	6728	-11.0	-41.7	-0.2	-9.8
-2.7	0.0		6730	-91.8	45.8	-0.0	-5.6
12.2	0.0		9222	22.8	40.8	0.0	-45.6
14.8	-0.0		9220	79.9	-44.9	0.1	-59.5
-10.9	0.0						
		Q3	6728	0.0	0.0	0.0	0.0
0.0	0.0		6730	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9220	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6728	-2.6	-0.3	0.1	10.7
0.5	-0.0		6730	3.6	-2.9	0.0	7.6
-0.5	-0.0		9222	1.8	2.0	0.0	8.6
-0.9	-0.0		9220	-2.9	1.2	-0.1	13.7
3.8	-0.0						
		Q5_pc Y	6728	-1.6	1.3	-0.0	-10.9
0.7	0.0		6730	4.6	-0.7	-0.0	-8.6
-1.2	-0.0		9222	-0.1	-1.8	0.0	-3.8
0.1	0.0		9220	-2.9	1.2	0.0	-5.4
-1.5	0.0						
		Q5_ps X	6728	-3.2	-1.0	0.1	10.5
0.3	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.2	-0.0			6730	2.4	-2.2	-0.0	7.5
				9222	2.4	2.8	0.0	7.4
-0.5	-0.0			9220	-1.7	0.4	-0.1	12.3
3.5	-0.0							
		Q5_ps Y		6728	-0.4	2.4	-0.0	-10.7
0.8	0.0			6730	5.5	-1.2	-0.0	-8.4
-1.4	-0.0			9222	-1.0	-3.1	-0.0	-2.5
-0.7	0.0			9220	-4.1	1.9	0.0	-4.4
-1.3	0.0							
		INVS LU	Max	6728	-5.1	-228.0	-0.6	28.2
-23.0	0.0			6730	-531.7	235.2	-0.2	31.3
83.1	0.0			9222	91.4	237.3	0.3	-275.7
99.1	-0.0			9220	468.4	-229.1	0.7	-341.9
-56.5	0.0							
			Min	6728	-14.7	-235.1	-0.8	-4.0
-25.5	0.0			6730	-548.3	228.7	-0.2	6.2
78.8	0.0			9222	84.1	227.9	0.3	-297.9
97.0	-0.0			9220	455.9	-234.9	0.5	-378.9
-66.9	-0.0							
		INVS LE	Max	6728	-1.1	-170.8	-0.5	18.0
-17.7	0.0			6730	-400.6	174.6	-0.1	20.8
62.6	0.0			9222	65.4	177.4	0.2	-212.8
75.7	-0.0			9220	351.6	-170.8	0.5	-263.8
-43.8	0.0							
			Min	6728	-7.5	-175.6	-0.6	-3.5
-19.3	0.0			6730	-411.7	170.3	-0.1	4.1
59.8	0.0			9222	60.5	171.1	0.2	-227.6
74.3	-0.0			9220	343.3	-174.7	0.4	-288.5
-50.8	-0.0							
7129	2	8 C1-C2;~1	Max	6729	0.0	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6729	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6731	0.0	0.0	0.0	0.0
0.0	0.0		4879	0.0	0.0	0.0	0.0
0.0	0.0		4878	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						
			Min	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						
			Min	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						
			Min	6729	0.0	0.0	0.0
0.0	0.0			6731	0.0	0.0	0.0
0.0	0.0			4879	0.0	0.0	0.0
0.0	0.0			4878	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		G1	6729	-170.7	-11.4	-0.7	-54.3
1.5	0.0		6731	-120.3	53.3	-0.7	-45.5
-1.8	0.0		4879	170.8	11.2	0.7	-83.6
3.5	0.0		4878	120.2	-52.8	0.7	-67.2
-2.0	0.0						
		G2	6729	-66.1	-4.6	-0.3	-0.7
-1.0	0.0		6731	-46.5	18.0	-0.3	4.4
1.4	-0.0		4879	66.2	6.9	0.3	-49.2
2.3	0.0		4878	46.4	-20.3	0.3	-48.6
-2.1	0.0						
		Q3	6729	0.0	0.0	0.0	0.0
0.0	0.0		6731	0.0	0.0	0.0	0.0
0.0	0.0		4879	0.0	0.0	0.0	0.0
0.0	0.0		4878	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6729	-4.2	2.3	-0.1	16.4
-1.5	-0.0		6731	0.5	0.2	-0.1	11.9
0.3	0.0		4879	4.0	0.6	0.1	-31.8
1.4	0.0		4878	-0.3	-3.1	0.1	-40.0
-2.8	0.0						
		Q5_pc Y	6729	7.7	-2.2	0.2	-12.8
1.4	0.0		6731	0.6	-1.5	0.1	-8.8
-0.3	-0.0		4879	-7.6	-0.3	-0.1	35.2
-1.6	0.0		4878	-0.8	4.0	-0.2	42.4
2.8	-0.0						
		Q5_ps X	6729	-4.7	2.1	-0.1	13.0
-1.2	-0.0		6731	-0.4	0.9	-0.1	8.5
0.0	0.0		4879	4.6	0.2	0.1	-28.0
1.2	0.0		4878	0.6	-3.3	0.1	-34.8
-2.5	0.0						
		Q5_ps Y	6729	8.6	-1.8	0.2	-9.3
1.1	0.0		6731	2.0	-2.3	0.1	-5.3
0.0	-0.0		4879	-8.4	-0.0	-0.1	30.9
-1.4	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.5	0.0			4878	-2.1	4.1	-0.2	36.7
		INVS LU	Max	6729	-388.9	-15.5	-2.4	8.5
-6.9	0.0			6731	-241.4	117.6	-2.3	0.2
1.0	0.0			4879	414.1	29.5	2.7	-391.9
20.8	0.0			4878	247.9	-118.0	2.9	-400.6
-20.3	0.0							
			Min	6729	-414.7	-21.9	-2.8	-30.6
-10.7	0.0			6731	-247.3	110.7	-2.7	-25.3
0.5	0.0			4879	388.7	28.4	2.3	-484.6
16.7	0.0			4878	241.6	-130.2	2.4	-510.7
-27.7	0.0							
		INVS LE	Max	6729	-292.2	-11.8	-1.8	-0.6
-5.0	0.0			6731	-180.5	87.7	-1.7	-5.4
0.5	0.0			4879	308.9	22.0	2.0	-292.4
15.1	0.0			4878	184.9	-88.7	2.1	-298.1
-15.0	0.0							
			Min	6729	-309.3	-16.1	-2.1	-26.6
-7.4	0.0			6731	-184.4	83.0	-2.0	-22.4
0.1	0.0			4879	292.0	21.3	1.7	-354.2
12.4	0.0			4878	180.7	-96.9	1.8	-371.5
-20.0	0.0							
7154	2	8 C1-C2;~1	Max	6754	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			9248	0.0	0.0	0.0	0.0
0.0	0.0			9246	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6754	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			9248	0.0	0.0	0.0	0.0
0.0	0.0			9246	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6754	0.0	0.0	0.0	0.0
0.0	0.0			6756	0.0	0.0	0.0	0.0
0.0	0.0			9248	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6754	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6754	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6754	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6754	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6754	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6754	242.5	115.5	-0.1	-11.7
-33.6	-0.0		6756	27.7	-113.0	-0.4	-21.0
8.3	-0.0		9248	-212.3	-114.4	0.4	-160.7
29.0	-0.0		9246	-57.9	112.7	0.1	-125.5
-42.6	0.0						
		G2	6754	92.2	45.0	-0.0	-5.9
-12.3	-0.0		6756	9.3	-41.4	-0.2	-10.0
3.1	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
11.5	-0.0		9248	-80.2	-44.2	0.1	-61.9
-15.3	0.0		9246	-21.3	40.6	0.0	-47.7
		Q3	6754	0.0	0.0	0.0	0.0
0.0	0.0		6756	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9246	0.0	0.0	0.0	0.0
0.0	0.0						
0.8	0.0	Q5_pc X	6754	-4.1	-2.3	0.0	4.8
-0.8	0.0		6756	3.0	0.1	0.0	7.0
-3.4	0.0		9248	3.2	0.9	-0.0	11.4
1.2	0.0		9246	-2.1	1.4	0.0	7.4
-1.3	0.0	Q5_pc Y	6754	5.0	-5.6	-0.1	-33.1
-0.6	0.0		6756	-9.7	-0.1	-0.2	-40.3
9.4	-0.0		9248	-7.3	4.1	0.2	-50.8
-10.6	-0.0		9246	12.0	1.7	0.1	-42.1
0.5	0.0	Q5_ps X	6754	-2.7	-1.6	-0.0	4.8
-0.6	0.0		6756	3.9	-1.0	0.0	7.0
-3.1	0.0		9248	1.7	0.0	-0.0	10.0
0.5	-0.0		9246	-2.9	2.6	0.0	5.9
-1.2	-0.0	Q5_ps Y	6754	4.5	-5.7	-0.0	-31.5
-0.6	0.0		6756	-9.7	0.2	-0.2	-38.4
8.9	-0.0		9248	-6.6	4.2	0.2	-48.0
-9.9	-0.0		9246	11.8	1.3	0.1	-39.6
-77.9	-0.0	INVSLU Max	6754	547.5	240.2	-0.1	64.7
26.9	-0.0		6756	24.0	-230.1	-0.5	69.2
77.0	0.0		9248	-453.2	-225.4	0.9	-290.9
-82.7	0.0		9246	-69.5	236.6	0.4	-229.6
		Min	6754	534.1	223.2	-0.2	-29.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-81.6	-0.0			6756	-5.1	-233.2	-1.0	-46.1
25.1	-0.0			9248	-473.0	-238.1	0.4	-434.9
50.3	-0.0			9246	-104.9	228.8	0.2	-348.5
-112.4	0.0							
		INVSLE	Max	6754	411.0	178.1	-0.1	43.1
-59.1	-0.0			6756	13.8	-172.2	-0.4	45.3
20.4	-0.0			9248	-341.5	-168.4	0.7	-229.7
57.6	0.0			9246	-50.8	176.8	0.3	-181.8
-64.6	0.0							
			Min	6754	402.1	166.7	-0.2	-19.9
-61.5	-0.0			6756	-5.6	-174.3	-0.7	-31.6
19.2	-0.0			9248	-354.6	-176.8	0.3	-325.6
39.8	-0.0			9246	-74.4	171.6	0.2	-261.1
-84.4	0.0							
7155	2	8	C1-C2;~1	Max	6755	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6755	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2;~2	Max	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	6755	121.1	53.5	-0.7	-47.4
1.9	-0.0			6757	172.1	-11.8	-0.7	-56.6
-1.6	-0.0			4862	-121.0	-52.9	0.7	-65.8
1.8	-0.0			4861	-172.2	11.4	0.7	-82.3
-3.4	-0.0							
			G2	6755	45.9	18.0	-0.3	1.9
-1.2	0.0			6757	65.9	-4.4	-0.3	-3.5
0.8	-0.0			4862	-45.8	-20.3	0.3	-46.3
1.9	-0.0			4861	-66.0	6.7	0.3	-47.4
-2.2	-0.0							
			Q3	6755	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0			4861	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.1	-0.0	Q5_pc X	6755	-1.2	-0.1	-0.1	7.0
0.9	0.0		6757	1.6	3.0	-0.1	10.5
1.9	-0.0		4862	1.1	-3.1	0.1	-25.5
-0.9	-0.0		4861	-1.4	0.2	0.1	-20.1
2.3	0.0	Q5_pc Y	6755	-1.5	-3.5	0.3	-45.9
-5.4	0.0		6757	-14.5	-1.1	0.4	-59.3
-8.9	0.0		4862	1.8	4.7	-0.4	131.9
5.0	0.0		4861	14.2	-0.0	-0.3	107.2
0.4	-0.0	Q5_ps X	6755	0.1	0.8	-0.1	3.5
0.6	0.0		6757	2.7	2.7	-0.1	7.2
1.6	-0.0		4862	-0.2	-3.3	0.1	-20.8
-0.7	-0.0		4861	-2.5	-0.1	0.1	-16.8
2.0	0.0	Q5_ps Y	6755	-1.7	-3.9	0.3	-41.2
-4.9	0.0		6757	-13.9	-1.2	0.4	-54.1
-8.3	0.0		4862	2.0	4.7	-0.4	122.2
4.7	0.0		4861	13.6	0.4	-0.3	99.6
2.5	-0.0	INVSLE Max	6755	247.2	120.8	-2.0	44.8
15.4	-0.0		6757	422.0	-14.2	-2.0	64.0
35.7	-0.0		4862	-242.0	-117.4	3.2	-262.5
-11.3	-0.0		4861	-380.5	28.5	2.9	-279.7
-3.5	-0.0	Min	6755	242.1	109.2	-2.9	-78.8
0.7	-0.0		6757	380.4	-22.2	-3.2	-98.4
10.9	-0.0		4862	-248.0	-131.4	2.0	-629.0
-25.4	-0.0		4861	-421.2	27.3	2.0	-578.5
1.9	-0.0	INVSLE Max	6755	184.3	89.8	-1.5	24.2
10.6	-0.0		6757	314.1	-10.9	-1.5	36.2
			4862	-180.9	-88.4	2.4	-205.4

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

25.3	-0.0			4861	-286.4	21.3	2.1	-216.9
-8.8	-0.0							
			Min	6755	180.9	82.0	-2.1	-58.2
-2.1	-0.0			6757	286.3	-16.2	-2.3	-72.1
0.8	-0.0			4862	-184.9	-97.7	1.5	-449.8
8.7	-0.0			4861	-313.5	20.5	1.5	-416.2
-18.2	-0.0							
7156	2	4	C1-C2;~1	Max	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0
0.0		0.0			9248	0.0	0.0	0.0
0.0		0.0		Min	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0
0.0		0.0			9248	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0
0.0		0.0			9248	0.0	0.0	0.0
0.0		0.0		Min	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0
0.0		0.0			9248	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0
0.0		0.0			9248	0.0	0.0	0.0
0.0		0.0		Min	6756	0.0	0.0	0.0
0.0		0.0			6758	0.0	0.0	0.0
0.0		0.0			9250	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	6756	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6756	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0						
-6.7	-0.0	G1	6756	245.7	117.9	-0.2	-18.4
25.3	-0.0		6758	16.3	-101.5	-0.2	-8.9
43.7	-0.0		9250	-212.7	-119.1	0.3	-155.2
-29.6	-0.0		9248	-49.4	103.3	0.2	-145.9
-2.4	-0.0	G2	6756	93.8	44.8	-0.1	-8.8
9.9	-0.0		6758	4.3	-37.3	-0.1	-5.1
17.5	0.0		9250	-80.8	-45.4	0.1	-60.6
-11.7	-0.0		9248	-17.3	37.9	0.1	-56.8
0.0	0.0	Q3	6756	0.0	0.0	0.0	0.0
0.0	0.0		6758	0.0	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.6	0.0	Q5_pc X	6756	-4.5	-0.2	0.0	6.8
-1.1	-0.0		6758	3.1	0.7	0.0	7.0
-3.8	-0.0		9250	4.1	0.5	-0.0	12.6
3.4	0.0		9248	-2.7	-0.9	-0.0	11.7
1.4	0.0	Q5_pc Y	6756	7.6	-1.1	-0.1	-34.1

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

3.9	0.0			6758	-9.5	0.2	-0.1	-34.0
15.9	0.0			9250	-8.3	1.4	0.1	-46.2
-9.3	-0.0			9248	10.2	-0.5	0.1	-44.0
0.4	0.0	Q5_ps X		6756	-3.2	0.8	0.0	6.9
-1.1	-0.0			6758	4.3	-0.3	0.0	7.1
-3.7	-0.0			9250	2.8	-0.6	-0.0	11.9
3.1	0.0			9248	-3.8	0.1	-0.0	10.8
1.4	0.0	Q5_ps Y		6756	7.1	-1.4	-0.1	-32.5
3.7	0.0			6758	-9.5	0.4	-0.1	-32.3
15.2	0.0			9250	-7.7	1.6	0.1	-43.7
-8.8	-0.0			9248	10.1	-0.7	0.1	-41.7
-20.5	-0.0	INVS LU	Max	6756	573.7	246.6	-0.3	64.0
70.5	-0.0			6758	-13.7	-204.9	-0.3	92.0
120.5	0.0			9250	-461.5	-242.6	0.7	-283.6
-51.7	0.0			9248	-46.8	207.9	0.5	-264.0
-24.6	-0.0		Min	6756	552.4	242.6	-0.6	-33.3
59.2	-0.0			6758	-42.3	-206.2	-0.6	-5.0
75.0	-0.0			9250	-484.7	-247.5	0.3	-414.8
-78.2	-0.0			9248	-77.2	205.9	0.2	-389.1
-15.8	-0.0	INVS LE	Max	6756	431.1	184.2	-0.3	42.6
53.1	-0.0			6758	-14.7	-153.1	-0.2	63.7
90.2	0.0			9250	-348.3	-181.5	0.5	-223.3
-40.9	0.0			9248	-33.6	155.2	0.4	-208.0
-18.5	-0.0		Min	6756	416.9	181.5	-0.5	-22.3
45.6	-0.0			6758	-33.8	-154.0	-0.4	-1.0
59.8	-0.0			9250	-363.7	-184.7	0.3	-310.7
-58.5	-0.0			9248	-53.9	153.9	0.2	-291.4

PROJECT TITLE :


MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				

7157	2	4	C1-C2;~1	Max	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0		Min	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0		Min	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0		Min	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6757	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			4863	0.0	0.0	0.0	0.0
0.0		0.0			4862	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	6757	0.0	0.0	0.0	0.0
0.0	0.0			6759	0.0	0.0	0.0	0.0
0.0	0.0			4863	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
		G1		6757	101.6	34.9	-0.5	-51.9
1.0	-0.0			6759	167.7	-20.4	-0.6	-58.7
-1.5	-0.0			4863	-97.4	-39.0	0.6	-44.7
0.5	-0.0			4862	-171.8	24.7	0.5	-38.6
-0.1	-0.0							
		G2		6757	37.2	15.1	-0.2	-7.2
-0.7	-0.0			6759	63.4	-5.6	-0.3	-9.7
0.6	-0.0			4863	-35.7	-16.6	0.3	-36.2
1.4	-0.0			4862	-64.9	7.1	0.2	-33.4
-1.2	-0.0							
		Q3		6757	0.0	0.0	0.0	0.0
0.0	0.0			6759	0.0	0.0	0.0	0.0
0.0	0.0			4863	0.0	0.0	0.0	0.0
0.0	0.0			4862	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6757	-3.0	2.8	-0.1	10.4
-0.9	0.0			6759	-0.6	1.3	-0.1	11.1
0.9	0.0			4863	3.1	-0.5	0.1	-22.5
1.2	-0.0			4862	0.6	-3.6	0.1	-21.9
-1.2	-0.0							
		Q5_pc Y		6757	2.5	-0.2	0.4	-53.4
5.0	0.0			6759	-16.9	2.0	0.4	-55.1
-5.3	0.0			4863	-3.1	1.2	-0.4	127.7
-7.1	0.0			4862	17.6	-3.0	-0.4	118.6
6.0	0.0							
		Q5_ps X		6757	-1.3	2.8	-0.1	8.0
-0.7	0.0			6759	0.9	0.9	-0.1	8.7
0.7	-0.0			4863	1.4	-0.8	0.1	-18.5
1.0	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.9	-0.0			4862	-0.9	-2.9	0.1	-17.8
		Q5_ps Y		6757	1.9	-0.3	0.3	-49.2
4.6	0.0			6759	-16.2	1.9	0.4	-50.8
-4.9	0.0			4863	-2.5	1.3	-0.4	118.3
-6.5	0.0			4862	16.8	-2.8	-0.3	109.8
5.6	0.0							
		INVSLE	Max	6757	185.8	71.8	-1.5	48.4
-2.0	-0.0			6759	421.0	-50.8	-1.8	31.1
12.4	-0.0			4863	-167.0	-72.5	2.9	-186.1
23.3	-0.0			4862	-383.7	64.9	2.5	-176.0
-4.8	-0.0							
			Min	6757	180.1	63.5	-2.5	-99.1
-15.8	-0.0			6759	372.5	-56.4	-2.9	-121.2
-2.2	-0.0			4863	-174.6	-76.3	1.8	-540.9
3.8	-0.0			4862	-434.1	56.2	1.5	-505.3
-21.5	-0.0							
		INVSLE	Max	6757	138.1	53.1	-1.1	26.0
-1.7	-0.0			6759	313.0	-38.4	-1.4	12.9
8.4	-0.0			4863	-124.5	-54.1	2.1	-148.5
16.3	-0.0			4862	-289.2	48.3	1.8	-139.9
-3.9	-0.0							
			Min	6757	134.3	47.5	-1.8	-72.3
-11.0	-0.0			6759	280.7	-42.1	-2.1	-88.6
-1.4	-0.0			4863	-129.6	-56.7	1.4	-385.0
3.3	-0.0			4862	-322.8	42.5	1.1	-359.5
-15.1	-0.0							
7184	2	4 C1-C2;~1	Max	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	6784	0.0	0.0	0.0	0.0
0.0	0.0			6786	0.0	0.0	0.0	0.0
0.0	0.0			9278	0.0	0.0	0.0	0.0
0.0	0.0			9276	0.0	0.0	0.0	0.0
0.0	0.0							
39.9	0.0		G1	6784	-59.5	44.2	0.1	35.3
-17.0	0.0			6786	146.3	-29.2	0.7	54.5

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-49.5	0.0		9278	39.1	-43.6	-0.6	242.1
67.4	-0.0		9276	-126.0	29.3	-0.2	198.8
15.3	0.0	G2	6784	-21.9	18.3	0.0	12.9
-6.3	0.0		6786	55.6	-10.5	0.2	19.9
-18.2	0.0		9278	14.5	-17.8	-0.2	91.0
26.0	0.0		9276	-48.1	10.1	-0.1	75.1
0.0	0.0	Q3	6784	0.0	0.0	0.0	0.0
0.0	0.0		6786	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0		9276	0.0	0.0	0.0	0.0
-1.3	-0.0	Q5_pc X	6784	2.1	-0.7	-0.0	-4.1
0.5	-0.0		6786	-2.6	-0.0	-0.0	-5.3
2.2	-0.0		9278	-2.1	0.5	0.0	-10.3
-2.9	-0.0		9276	2.6	0.2	0.0	-8.4
-12.1	-0.0	Q5_pc Y	6784	23.3	-5.4	-0.0	-23.4
4.8	-0.0		6786	-31.6	1.8	-0.3	-31.9
18.1	-0.0		9278	-19.7	5.2	0.2	-82.9
-23.6	-0.0		9276	28.0	-1.6	0.1	-67.7
-1.1	-0.0	Q5_ps X	6784	1.9	-0.5	-0.0	-3.8
0.3	-0.0		6786	-1.6	-0.4	-0.0	-4.8
1.8	-0.0		9278	-2.1	0.2	0.0	-8.9
-2.8	-0.0		9276	1.8	0.8	0.0	-7.6
-11.6	-0.0	Q5_ps Y	6784	22.5	-5.1	-0.0	-22.3
4.6	-0.0		6786	-30.2	1.6	-0.2	-30.4
17.3	-0.0		9278	-19.0	4.8	0.2	-79.2
-22.6	-0.0		9276	26.7	-1.4	0.1	-64.7

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLU	Max	6784	25.1	84.1	0.0	-170.2
47.7	0.0				6786	219.3	-61.7	-0.4	-200.9
-8.7	-0.0				9278	-5.6	-67.4	1.2	43.2
52.1	-0.0				9276	-91.2	65.4	0.1	53.8
35.4	-0.0								
				Min	6784	-42.5	68.9	-0.1	-237.0
12.9	0.0				6786	128.7	-66.6	-1.1	-292.1
-22.6	-0.0				9278	-62.7	-81.9	0.5	-194.3
0.2	-0.0				9276	-171.2	61.2	-0.1	-140.3
-32.2	-0.0								
			INVSLE	Max	6784	21.1	60.7	-0.0	-141.9
31.4	0.0				6786	153.2	-46.2	-0.4	-169.4
-6.1	-0.0				9278	-11.6	-49.5	0.9	-3.5
42.8	-0.0				9276	-64.3	48.6	0.1	11.3
16.8	-0.0								
				Min	6784	-24.0	50.6	-0.1	-186.5
8.2	0.0				6786	92.9	-49.4	-0.9	-230.2
-15.4	-0.0				9278	-49.6	-59.2	0.5	-161.9
8.2	-0.0				9276	-117.7	45.8	-0.0	-118.0
-28.3	-0.0								
7185	2	4	C1-C2;~1	Max	6785	0.0	0.0	0.0	0.0
0.0		0.0			6787	0.0	0.0	0.0	0.0
0.0		0.0			4847	0.0	0.0	0.0	0.0
0.0		0.0			4848	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6785	0.0	0.0	0.0	0.0
0.0		0.0			6787	0.0	0.0	0.0	0.0
0.0		0.0			4847	0.0	0.0	0.0	0.0
0.0		0.0			4848	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6785	0.0	0.0	0.0	0.0
0.0		0.0			6787	0.0	0.0	0.0	0.0
0.0		0.0			4847	0.0	0.0	0.0	0.0
0.0		0.0			4848	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	6785	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0			4848	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6785	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0			4848	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6785	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0			4848	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6785	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0			4848	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6785	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0			4848	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6785	42.1	21.1	-0.2	149.4
-7.1	0.0			6787	33.4	6.2	-0.4	185.4
13.3	-0.0			4847	-43.2	-22.8	0.5	-256.0
19.3	-0.0			4848	-32.3	-4.4	0.2	-192.2
-10.0	-0.0							
		G2		6785	16.3	7.4	-0.1	68.8
-4.1	0.0			6787	13.2	2.7	-0.2	80.4
5.7	-0.0			4847	-16.6	-9.2	0.2	-107.9
7.8	-0.0			4848	-12.8	-0.9	0.0	-81.8
-4.5	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q3	6785	0.0	0.0	0.0	0.0
0.0	0.0		6787	0.0	0.0	0.0	0.0
0.0	0.0		4847	0.0	0.0	0.0	0.0
0.0	0.0		4848	0.0	0.0	0.0	0.0
0.8	-0.0	Q5_pc X	6785	1.1	0.3	0.0	-12.1
-1.1	0.0		6787	-1.4	0.3	0.1	-13.9
-1.7	-0.0		4847	-1.1	-0.2	-0.1	26.6
1.1	-0.0		4848	1.4	-0.4	-0.0	21.7
3.0	0.0	Q5_pc Y	6785	4.2	-0.2	0.3	-61.8
-6.2	0.0		6787	-4.9	-0.4	0.4	-78.1
-10.1	0.0		4847	-4.1	0.6	-0.4	143.3
5.7	0.0		4848	4.8	0.0	-0.3	115.4
1.0	-0.0	Q5_ps X	6785	1.6	0.9	0.0	-12.8
-1.1	0.0		6787	-0.9	0.5	0.1	-14.1
-1.6	-0.0		4847	-1.7	-0.7	-0.1	26.1
1.1	-0.0		4848	0.9	-0.7	-0.0	21.2
2.7	0.0	Q5_ps Y	6785	4.2	-0.3	0.3	-58.3
-5.9	0.0		6787	-4.5	-0.5	0.4	-73.9
-9.6	0.0		4847	-4.0	0.6	-0.4	135.8
5.4	0.0		4848	4.3	0.2	-0.3	109.4
12.1	0.0	INVSLU Max	6785	159.8	33.7	3.8	-113.2
-20.8	-0.0		6787	-25.6	7.4	4.5	-172.7
-47.1	-0.0		4847	-151.4	-32.3	-3.4	1167.1
47.7	-0.0		4848	42.6	-4.5	-3.0	1008.7
3.8	0.0	Min	6785	147.3	31.2	3.0	-288.1
-38.4	-0.0		6787	-38.9	5.9	3.4	-394.5
			4847	-163.5	-34.3	-4.6	759.6

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-75.8	-0.0				4848	29.6	-6.6	-3.7	680.4
31.4	-0.0								
9.8	0.0		INVSLE	Max	6785	122.7	25.1	3.0	-117.0
					6787	-23.5	5.2	3.5	-171.4
-19.1	-0.0				4847	-117.5	-23.9	-2.8	927.5
-41.3	-0.0				4848	35.2	-3.5	-2.4	802.1
38.0	-0.0								
				Min	6785	114.4	23.4	2.5	-233.6
4.3	0.0				6787	-32.4	4.2	2.8	-319.3
-30.8	-0.0				4847	-125.5	-25.3	-3.6	655.9
-60.4	-0.0				4848	26.6	-4.9	-3.0	583.2
27.2	-0.0								
7186	2	10	C1-C2;~1	Max	6786	0.0	0.0	0.0	0.0
0.0		0.0			6788	0.0	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6786	0.0	0.0	0.0	0.0
0.0		0.0			6788	0.0	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6786	0.0	0.0	0.0	0.0
0.0		0.0			6788	0.0	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6786	0.0	0.0	0.0	0.0
0.0		0.0			6788	0.0	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6786	0.0	0.0	0.0	0.0
0.0		0.0			6788	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0	Min	6786	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	6786	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6786	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0						
14.8	0.0	G1	6786	-72.4	32.2	0.4	54.0
-25.5	-0.0		6788	140.1	-22.8	0.4	55.1
-65.1	-0.0		9280	48.2	-33.9	-0.5	217.2
49.7	0.0		9278	-115.9	25.1	-0.3	204.7
5.5	0.0	G2	6786	-27.1	12.8	0.1	19.7
-9.5	-0.0		6788	52.8	-8.1	0.2	20.1
-24.2	-0.0		9280	18.0	-13.6	-0.2	81.5
18.3	0.0		9278	-43.8	8.9	-0.1	76.8
0.0	0.0	Q3	6786	0.0	0.0	0.0	0.0
0.0	0.0		6788	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0						
-0.3	-0.0	Q5_pc X	6786	2.3	-0.1	-0.0	-4.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.8	0.0		6788	-2.4	-0.0	-0.0	-4.8
2.8	0.0		9280	-2.1	0.2	0.0	-9.0
-2.2	-0.0		9278	2.3	-0.0	0.0	-8.6
-4.1	-0.0	Q5_pc Y	6786	24.7	-2.9	-0.1	-28.9
7.3	0.0		6788	-29.5	0.7	-0.2	-29.6
22.1	0.0		9280	-20.0	3.4	0.2	-72.3
-18.0	-0.0		9278	24.8	-1.1	0.1	-69.4
-0.3	-0.0	Q5_ps X	6786	2.0	0.3	-0.0	-4.1
0.6	0.0		6788	-1.4	-0.3	-0.0	-4.2
2.3	0.0		9280	-1.9	-0.2	0.0	-7.5
-1.8	-0.0		9278	1.3	0.2	0.0	-7.3
-3.9	-0.0	Q5_ps Y	6786	23.9	-2.7	-0.1	-27.5
6.9	0.0		6788	-28.2	0.5	-0.1	-28.2
21.1	0.0		9280	-19.3	3.1	0.2	-69.1
-17.3	-0.0		9278	23.6	-0.9	0.1	-66.3
24.3	-0.0	INVSLE Max	6786	10.1	66.9	-0.2	-165.0
1.1	-0.0		6788	217.2	-60.2	-0.3	-177.2
70.7	0.0		9280	7.8	-59.7	0.7	29.3
0.5	-0.0		9278	-92.6	64.7	0.5	24.6
12.6	-0.0	Min	6786	-61.5	58.9	-0.5	-247.6
-19.7	-0.0		6788	132.7	-61.7	-0.7	-261.8
7.3	-0.0		9280	-50.2	-69.1	0.3	-178.0
-51.3	-0.0		9278	-163.5	61.9	0.1	-174.3
17.0	-0.0	INVSLE Max	6786	10.2	49.0	-0.2	-140.4
1.9	-0.0		6788	152.9	-45.4	-0.3	-150.1
57.9	0.0		9280	-1.7	-44.2	0.6	-10.0
-7.6	-0.0		9278	-66.3	48.5	0.4	-12.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


				Min	6786	-37.5	43.6	-0.4	-195.4
9.2	-0.0				6788	96.5	-46.4	-0.6	-206.5
-12.0	-0.0				9280	-40.4	-50.5	0.3	-148.1
15.6	-0.0				9278	-113.6	46.6	0.2	-144.7
-42.1	-0.0								
7187	2	10	C1-C2;~1	Max	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6787	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4847	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	6787	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0			4846	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0
0.0	0.0						
			Min	6787	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0			4846	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0
0.0	0.0						
		G1		6787	39.4	22.3	-0.4
-12.1	-0.0			6789	30.1	6.1	-0.4
11.7	-0.0			4846	-40.7	-21.4	0.4
13.9	-0.0			4847	-28.9	-6.9	0.4
-13.3	-0.0						
		G2		6787	14.8	9.9	-0.2
-5.1	-0.0			6789	11.5	3.8	-0.2
4.8	-0.0			4846	-15.3	-9.6	0.2
5.8	-0.0			4847	-11.0	-4.1	0.2
-5.6	-0.0						
		Q3		6787	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0			4846	0.0	0.0	0.0
0.0	0.0			4847	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6787	1.2	0.4	0.1
1.0	0.0			6789	-1.6	0.4	0.1
-1.0	-0.0			4846	-1.2	-0.3	-0.1
-1.3	-0.0			4847	1.6	-0.5	-0.1
1.2	-0.0						
		Q5_pc Y		6787	3.3	-0.3	0.3
5.8	0.0			6789	-6.4	0.0	0.3
-5.6	0.0			4846	-3.2	0.6	-0.3
-7.0	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
6.6	0.0			4847	6.3	-0.4	-0.3	119.9
		Q5_ps X		6787	1.7	0.7	0.1	-10.9
1.0	0.0			6789	-1.1	0.4	0.1	-11.1
-1.0	-0.0			4846	-1.7	-0.5	-0.1	22.7
-1.3	-0.0			4847	1.1	-0.6	-0.1	21.7
1.2	-0.0							
		Q5_ps Y		6787	3.3	-0.3	0.3	-62.3
5.5	0.0			6789	-5.8	-0.0	0.3	-63.9
-5.3	0.0			4846	-3.2	0.6	-0.3	118.7
-6.7	0.0			4847	5.7	-0.3	-0.3	113.7
6.2	0.0							
		INVSLE Max		6787	163.1	55.5	3.3	-167.2
37.4	-0.0			6789	-46.6	21.1	3.8	-175.0
-23.8	0.0			4846	-159.0	-42.2	-2.9	1042.3
-35.2	-0.0			4847	69.5	-30.8	-2.5	963.9
46.2	-0.0							
		Min		6787	153.3	53.5	2.5	-354.2
21.0	-0.0			6789	-64.0	19.8	2.9	-366.7
-39.8	-0.0			4846	-168.6	-44.0	-3.8	686.2
-55.3	-0.0			4847	52.3	-32.5	-3.3	622.9
27.5	-0.0							
		INVSLE Max		6787	125.2	41.6	2.6	-161.3
30.0	-0.0			6789	-39.9	15.7	3.0	-168.1
-21.1	0.0			4846	-123.1	-31.5	-2.4	826.2
-30.5	-0.0			4847	55.8	-23.4	-2.0	764.9
36.8	-0.0							
		Min		6787	118.7	40.2	2.0	-285.9
19.0	-0.0			6789	-51.6	14.9	2.4	-295.9
-31.8	-0.0			4846	-129.5	-32.7	-3.0	588.8
-43.9	-0.0			4847	44.3	-24.5	-2.6	537.5
24.3	-0.0							
7216	2	10 C1-C2;~1	Max	6816	0.0	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
0.0	0.0	Min	6816	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6816	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0			9308	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6816	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6816	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0			9308	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6816	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6816	0.0	0.0	0.0
0.0	0.0			6818	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0			9308	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6816	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
		G1	6816	-140.6	-21.8	0.4	56.5
24.9	0.0		6818	75.3	31.2	0.4	54.9
-15.8	-0.0		9310	116.0	24.1	-0.3	208.2
-51.4	-0.0		9308	-50.8	-32.9	-0.5	220.3
64.9	0.0						
		G2	6816	-53.0	-7.6	0.2	20.7
9.3	0.0		6818	28.4	12.3	0.1	20.1
-5.9	-0.0		9310	43.8	8.4	-0.1	78.4
-19.0	-0.0		9308	-19.2	-13.1	-0.2	82.9
24.2	0.0						
		Q3	6816	0.0	0.0	0.0	0.0
0.0	0.0		6818	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9308	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6816	1.4	-0.3	-0.0	-4.4
-0.6	-0.0		6818	-1.9	0.2	-0.0	-4.3
0.3	0.0		9310	-1.4	0.2	0.0	-7.4
1.9	0.0		9308	1.8	-0.1	0.0	-7.5
-2.4	-0.0						
		Q5_pc Y	6816	37.0	-5.5	-0.2	-39.4
-10.0	-0.0		6818	-46.2	2.5	-0.2	-38.1
6.9	0.0		9310	-29.2	5.3	0.2	-100.0
26.9	0.0		9308	38.4	-2.2	0.2	-103.6
-30.2	-0.0						
		Q5_ps X	6816	0.4	-0.4	-0.0	-3.7
-0.5	-0.0		6818	-1.3	0.4	-0.0	-3.7
0.1	0.0		9310	-0.6	0.3	0.0	-5.8
1.4	0.0		9308	1.4	-0.3	0.0	-5.8
-1.8	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-9.4	-0.0	Q5_ps Y		6816	35.3	-5.1	-0.2	-37.3
				6818	-43.6	2.2	-0.2	-36.1
6.5	0.0			9310	-27.9	4.8	0.2	-94.8
25.4	0.0			9308	36.2	-1.9	0.2	-98.2
-28.6	-0.0							
		INVS LU	Max	6816	-121.9	-53.6	-0.2	-162.6
23.1	0.0			6818	90.5	66.3	-0.1	-151.8
-9.0	0.0			9310	169.9	70.7	0.6	67.2
63.3	0.0			9308	75.8	-61.8	0.8	72.7
4.0	0.0							
			Min	6816	-227.8	-68.8	-0.8	-274.5
-5.3	0.0			6818	-40.2	59.9	-0.6	-260.1
-28.5	0.0			9310	86.3	56.3	0.1	-217.1
-12.9	0.0			9308	-32.6	-67.5	0.2	-222.0
-82.0	-0.0							
		INVS LE	Max	6816	-89.3	-41.1	-0.2	-140.4
14.2	0.0			6818	56.5	48.7	-0.1	-131.6
-6.7	0.0			9310	117.9	52.6	0.5	15.9
50.3	0.0			9308	57.9	-45.7	0.7	18.6
-8.1	0.0							
			Min	6816	-159.9	-51.2	-0.6	-215.0
-4.7	0.0			6818	-30.7	44.4	-0.5	-203.8
-19.8	0.0			9310	62.1	43.0	0.1	-173.6
-0.5	0.0			9308	-14.5	-49.5	0.2	-177.9
-65.4	-0.0							
7217	2	10 C1-C2;~1	Max	6817	0.0	0.0	0.0	0.0
0.0		0.0		6819	0.0	0.0	0.0	0.0
0.0		0.0		4831	0.0	0.0	0.0	0.0
0.0		0.0		4832	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	6817	0.0	0.0	0.0	0.0
0.0		0.0		6819	0.0	0.0	0.0	0.0
0.0		0.0		4831	0.0	0.0	0.0	0.0
0.0		0.0		4832	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0		Min	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0		Min	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0		Min	6817	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0			4832	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6817	-28.6	6.4	-0.4	163.1
-11.9	0.0			6819	-38.1	22.0	-0.4	157.6
12.3	0.0			4831	27.4	-7.2	0.4	-227.3
13.5	0.0			4832	39.3	-21.1	0.4	-235.8
-14.2	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.9	0.0	G2	6817	-10.8	4.0	-0.2	68.2
5.2	0.0		6819	-14.1	9.8	-0.2	66.1
5.7	0.0		4831	10.3	-4.3	0.2	-94.9
-5.9	0.0		4832	14.6	-9.5	0.2	-98.1
0.0	0.0	Q3	6817	0.0	0.0	0.0	0.0
0.0	0.0		6819	0.0	0.0	0.0	0.0
0.0	0.0		4831	0.0	0.0	0.0	0.0
0.0	0.0		4832	0.0	0.0	0.0	0.0
0.9	0.0	Q5_pc X	6817	1.2	0.3	0.1	-10.7
-1.0	-0.0		6819	-1.7	0.6	0.1	-10.5
-1.1	0.0		4831	-1.2	-0.5	-0.1	21.4
1.2	0.0		4832	1.8	-0.4	-0.1	22.3
7.6	-0.0	Q5_pc Y	6817	-1.6	-1.6	0.4	-93.1
-7.8	0.0		6819	-11.6	1.7	0.4	-90.7
-8.9	-0.0		4831	1.8	1.2	-0.4	159.4
9.4	-0.0		4832	11.3	-1.3	-0.4	165.7
0.9	0.0	Q5_ps X	6817	0.9	0.4	0.1	-10.2
-0.9	-0.0		6819	-2.0	0.8	0.1	-10.2
-1.1	0.0		4831	-1.0	-0.6	-0.1	20.7
1.2	0.0		4832	2.0	-0.7	-0.1	21.5
7.2	-0.0	Q5_ps Y	6817	-1.2	-1.5	0.4	-88.2
-7.4	0.0		6819	-10.7	1.6	0.4	-85.9
-8.4	-0.0		4831	1.4	1.1	-0.4	151.0
8.9	-0.0		4832	10.4	-1.2	-0.4	156.9
42.6	0.0	INVSLU Max	6817	56.7	22.6	3.9	-138.7
-17.9	0.0		6819	-142.2	57.0	3.4	-131.2


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-24.1	0.0			4831	-58.2	-30.1	-2.4	1017.8
58.3	0.0			4832	179.4	-41.3	-2.8	1094.3
			Min	6817	52.9	18.1	2.7	-403.4
21.0	-0.0			6819	-174.1	52.3	2.4	-388.9
-40.2	0.0			4831	-62.6	-33.3	-3.4	564.9
-49.4	0.0			4832	148.1	-44.8	-3.9	623.7
31.6	0.0							
			INVSLE Max	6817	46.5	16.7	3.0	-144.1
33.7	0.0			6819	-111.4	42.6	2.7	-137.4
-17.0	0.0			4831	-48.1	-22.9	-2.0	800.9
-22.1	0.0			4832	136.8	-30.9	-2.3	860.5
45.9	0.0							
			Min	6817	44.0	13.7	2.3	-320.5
19.3	-0.0			6819	-132.7	39.5	2.0	-309.2
-31.9	0.0			4831	-51.0	-25.0	-2.7	499.0
-39.0	0.0			4832	115.9	-33.2	-3.1	546.8
28.1	0.0							
7218	2	4	C1-C2;~1	Max	6818	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6818	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6818	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6818	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9312	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max	6818	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0		Min	6818	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6818	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
0.0	0.0		Min	6818	0.0	0.0	0.0
0.0	0.0			6820	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0
18.0	-0.0	G1		6818	-147.2	-28.2	0.7
-40.4	-0.0			6820	62.6	43.2	0.1
-68.5	0.0			9312	126.4	28.4	-0.2
51.2	-0.0			9310	-41.8	-42.7	-0.6
6.7	-0.0	G2		6818	-55.9	-10.0	0.2
-15.6	-0.0			6820	23.4	17.8	0.0
-26.5	-0.0			9312	48.3	9.6	-0.1
19.0	-0.0			9310	-15.8	-17.4	-0.2
0.0	0.0	Q3		6818	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				6820	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9310	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6818	1.7	-0.4	-0.0	-5.2
-0.3	0.0			6820	-1.6	-1.0	-0.0	-4.3
1.1	0.0			9312	-2.1	0.9	0.0	-8.0
2.9	0.0			9310	2.0	0.5	0.0	-9.3
-1.9	0.0							
		Q5_pc Y		6818	41.4	-3.7	-0.4	-40.5
-7.9	0.0			6820	-46.5	1.3	-0.1	-28.2
19.5	0.0			9312	-34.0	3.0	0.1	-96.7
34.9	0.0			9310	39.1	-0.6	0.3	-119.2
-26.9	0.0							
		Q5_ps X		6818	0.7	-0.6	-0.0	-4.6
-0.2	0.0			6820	-1.1	-0.9	-0.0	-3.9
0.9	0.0			9312	-1.3	1.2	0.0	-6.8
2.7	0.0			9310	1.7	0.3	0.0	-7.6
-1.4	0.0							
		Q5_ps Y		6818	39.4	-3.3	-0.3	-38.3
-7.4	0.0			6820	-43.8	1.1	-0.1	-26.7
18.5	0.0			9312	-32.4	2.6	0.1	-91.5
32.9	0.0			9310	36.8	-0.4	0.3	-112.9
-25.4	0.0							
		INVSLU	Max	6818	-114.7	-59.4	-0.3	-188.9
27.1	0.0			6820	73.8	78.3	0.0	-163.0
-2.2	0.0			9312	179.8	67.4	0.1	93.7
48.0	0.0			9310	89.8	-74.3	1.3	93.7
12.1	0.0							
			Min	6818	-233.0	-69.3	-1.3	-303.8
4.8	0.0			6820	-57.7	74.9	-0.1	-243.1
-57.6	-0.0			9312	82.5	59.7	-0.1	-180.7
-50.8	0.0			9310	-20.6	-75.5	0.3	-244.9
-64.2	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	6818	-83.4	-44.7	-0.3	-161.4
18.3	0.0				6820	44.4	57.0	-0.0	-137.1
-1.0	0.0				9312	123.3	50.0	0.1	37.6
39.0	0.0				9310	68.1	-54.3	1.0	29.7
-0.1	0.0								
				Min	6818	-162.3	-51.3	-1.0	-238.0
3.4	0.0				6820	-43.2	54.8	-0.1	-190.5
-37.9	-0.0				9312	58.5	44.9	-0.1	-145.3
-26.8	0.0				9310	-5.5	-55.0	0.4	-196.1
-51.0	0.0								
7219	2	4	C1-C2;~1	Max	6819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	6819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	6819	0.0	0.0	0.0	0.0
0.0	0.0		6821	0.0	0.0	0.0	0.0
0.0	0.0		4830	0.0	0.0	0.0	0.0
0.0	0.0		4831	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	6819	0.0	0.0	0.0
0.0	0.0		6821	0.0	0.0	0.0	0.0
0.0	0.0		4830	0.0	0.0	0.0	0.0
0.0	0.0		4831	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6819	0.0	0.0	0.0
0.0	0.0		6821	0.0	0.0	0.0	0.0
0.0	0.0		4830	0.0	0.0	0.0	0.0
0.0	0.0		4831	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6819	-31.9	6.4	-0.5	188.6
-13.5	0.0		6821	-40.7	20.7	-0.2	152.0
7.2	-0.0		4830	30.8	-4.6	0.2	-195.7
10.2	0.0		4831	41.8	-22.3	0.5	-260.7
-19.7	0.0						
		G2	6819	-12.4	2.9	-0.2	82.0
-5.8	0.0		6821	-15.5	7.2	-0.1	70.1
4.2	-0.0		4830	12.0	-1.1	0.0	-83.6
4.6	0.0		4831	15.9	-9.0	0.2	-110.3
-8.0	0.0						
		Q3	6819	0.0	0.0	0.0	0.0
0.0	0.0		6821	0.0	0.0	0.0	0.0
0.0	0.0		4830	0.0	0.0	0.0	0.0
0.0	0.0		4831	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6819	1.0	0.3	0.1	-13.4
1.1	-0.0		6821	-1.6	0.4	0.0	-11.8
-0.9	0.0		4830	-1.0	-0.3	-0.0	21.4
-1.1	0.0						

PROJECT TITLE :


		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
1.7	0.0		4831	1.6	-0.4	-0.1	26.0
8.4	0.0	Q5_pc Y	6819	-4.1	-1.9	0.5	-108.2
-4.1	0.0		6821	-13.5	2.6	0.3	-86.4
-7.6	-0.0		4830	4.4	1.3	-0.3	150.8
13.5	-0.0		4831	13.2	-2.0	-0.5	189.8
1.1	-0.0	Q5_ps X	6819	0.7	0.6	0.1	-13.5
-1.1	0.0		6821	-1.9	1.0	0.0	-12.7
-1.1	0.0		4830	-0.8	-0.8	-0.0	20.7
1.5	0.0		4831	2.0	-0.8	-0.1	25.3
7.9	0.0	Q5_ps Y	6819	-3.6	-1.7	0.5	-102.4
-3.9	0.0		6821	-12.5	2.4	0.3	-81.8
-7.2	-0.0		4830	3.9	1.1	-0.3	142.7
12.8	-0.0		4831	12.2	-1.8	-0.5	179.6
41.4	0.0	INVSLE Max	6819	37.2	9.3	4.6	-128.9
-2.1	-0.0		6821	-134.7	36.1	3.9	-77.6
-28.7	0.0		4830	-29.9	-3.7	-2.9	1056.6
80.6	0.0		4831	175.6	-30.7	-3.3	1232.7
17.5	0.0	Min	6819	26.5	4.2	3.3	-436.1
-13.8	-0.0		6821	-172.2	28.8	2.9	-323.0
-50.2	0.0		4830	-41.5	-7.1	-3.8	628.4
42.3	0.0		4831	139.0	-36.2	-4.7	693.8
32.7	0.0	INVSLE Max	6819	31.0	6.4	3.6	-142.4
-3.1	-0.0		6821	-106.1	26.7	3.0	-93.5
-25.4	0.0		4830	-26.5	-3.0	-2.4	834.0
63.7	0.0		4831	133.8	-22.9	-2.7	971.6
16.9	0.0	Min	6819	23.9	3.0	2.7	-347.2
-10.9	-0.0		6821	-131.1	21.9	2.4	-257.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9340	0.0	0.0	0.0	0.0
0.0	0.0		9338	0.0	0.0	0.0	0.0
0.0	0.0	Min	6846	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		9340	0.0	0.0	0.0	0.0
0.0	0.0		9338	0.0	0.0	0.0	0.0
0.0	0.0						
-25.6	0.0	G1	6846	-19.0	-99.9	-0.2	-8.2
4.9	0.0		6848	-238.7	115.9	-0.2	-18.4
26.7	0.0		9340	50.6	101.7	0.2	-138.9
-43.2	0.0		9338	207.1	-117.0	0.3	-148.5
-9.9	0.0	G2	6846	-5.6	-36.7	-0.1	-4.6
1.7	0.0		6848	-90.8	44.1	-0.1	-8.5
10.6	0.0		9340	18.0	37.2	0.1	-53.6
-17.2	-0.0		9338	78.4	-44.6	0.1	-57.4
0.0	0.0	Q3	6846	0.0	0.0	0.0	0.0
0.0	0.0		6848	0.0	0.0	0.0	0.0
0.0	0.0		9340	0.0	0.0	0.0	0.0
0.0	0.0		9338	0.0	0.0	0.0	0.0
2.1	0.0	Q5_pc X	6846	-6.5	-0.1	0.0	10.4
-0.9	-0.0		6848	5.9	0.7	0.0	10.1
-5.0	-0.0		9340	5.8	-0.2	-0.0	17.8
6.3	0.0		9338	-5.1	-0.4	-0.1	19.5
-12.7	-0.0	Q5_pc Y	6846	33.1	-7.1	-0.2	-45.7
-1.0	0.0		6848	-50.8	8.4	-0.2	-49.3
18.3	0.0		9340	-25.4	6.5	0.2	-96.4
-33.9	-0.0		9338	43.1	-7.8	0.3	-102.8

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	6846	-7.8	-1.1	0.0	10.4
2.1	-0.0		6848	4.8	1.7	0.0	10.2
-0.6	-0.0		9340	7.0	0.9	-0.0	17.0
-4.7	-0.0		9338	-3.9	-1.5	-0.1	18.8
6.2	0.0						
		Q5_ps Y	6846	31.3	-6.6	-0.2	-43.1
-12.0	-0.0		6848	-47.7	7.9	-0.2	-46.5
-0.9	0.0		9340	-24.0	6.0	0.2	-91.0
17.3	0.0		9338	40.5	-7.3	0.2	-97.0
-32.0	-0.0						
		INVS LU Max	6846	75.2	-196.2	-0.1	113.6
-50.5	0.0		6848	-493.0	257.2	-0.2	87.1
20.2	0.0		9340	98.3	216.3	0.6	-185.5
86.0	0.0		9338	534.8	-234.7	0.9	-201.1
-52.5	0.0						
		Min	6846	-18.6	-216.0	-0.7	-15.8
-86.5	0.0		6848	-636.2	233.6	-0.8	-52.3
17.5	0.0		9340	26.2	198.2	0.1	-458.4
34.2	-0.0		9338	413.3	-256.6	0.2	-492.1
-148.4	-0.0						
		INVS LE Max	6846	56.1	-147.6	-0.1	78.7
-40.3	0.0		6848	-378.2	191.5	-0.2	58.2
15.2	0.0		9340	67.8	161.0	0.4	-155.8
63.4	0.0		9338	397.8	-176.4	0.6	-168.7
-45.2	0.0						
		Min	6846	-6.4	-160.7	-0.5	-7.5
-64.3	0.0		6848	-473.7	175.7	-0.6	-34.7
13.4	0.0		9340	19.8	148.9	0.1	-337.8
28.8	-0.0		9338	316.9	-191.0	0.2	-362.7
-109.2	-0.0						
7247	2	4 C1-C2;~1 Max	6847	0.0	0.0	0.0	0.0
0.0	0.0		6849	0.0	0.0	0.0	0.0
0.0	0.0		4820	0.0	0.0	0.0	0.0
0.0	0.0		4821	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	6847	0.0	0.0	0.0	0.0
0.0	0.0		6849	0.0	0.0	0.0	0.0
0.0	0.0		4820	0.0	0.0	0.0	0.0
0.0	0.0		4821	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6847	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			G1	6847	-164.0	-19.9	-0.6	-56.0
1.4	0.0			6849	-100.7	34.4	-0.5	-48.9
-0.8	0.0			4820	168.0	24.2	0.5	-36.8
0.1	0.0			4821	96.6	-38.5	0.6	-44.1
-0.6	0.0							
			G2	6847	-61.9	-5.3	-0.3	-8.1
-0.6	0.0			6849	-36.9	15.0	-0.2	-5.6
0.8	0.0			4820	63.4	6.8	0.2	-33.3
1.2	0.0			4821	35.4	-16.6	0.3	-36.6
-1.5	0.0							
			Q3	6847	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0			4821	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6847	-1.0	1.2	-0.1	16.0
-1.3	0.0			6849	2.4	3.7	-0.1	15.0
1.3	-0.0			4820	1.1	-4.0	0.1	-31.1
1.6	0.0			4821	-2.5	-0.9	0.1	-32.5
-1.8	0.0							
			Q5_pc Y	6847	0.7	-0.4	0.4	-89.0
7.3	-0.0			6849	-7.2	1.8	0.3	-86.0
-7.1	-0.0			4820	-0.6	-0.3	-0.3	148.0
-8.2	-0.0			4821	7.0	-1.0	-0.4	157.0
9.1	-0.0							
			Q5_ps X	6847	-2.3	0.9	-0.1	12.8
-1.0	0.0			6849	0.6	3.7	-0.1	11.8
1.0	-0.0			4820	2.4	-3.3	0.1	-25.4
1.3	0.0			4821	-0.7	-1.3	0.1	-26.8
-1.5	0.0							
			Q5_ps Y	6847	0.9	-0.3	0.4	-84.6
6.9	-0.0			6849	-6.7	1.7	0.3	-81.7
-6.8	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-7.8	-0.0			4820	-0.8	-0.4	-0.3	140.7
8.7	-0.0			4821	6.6	-1.0	-0.4	149.3
4.9	0.0	INVS LU	Max	6847	-396.3	-52.7	-1.9	86.8
19.8	0.0			6849	-172.6	73.5	-1.5	103.5
25.2	0.0			4820	415.6	65.9	2.5	-141.2
-1.6	0.0			4821	180.1	-72.6	3.0	-158.3
-16.0	0.0		Min	6847	-403.2	-55.4	-3.0	-167.0
-0.5	0.0			6849	-192.6	62.4	-2.5	-141.5
2.0	0.0			4820	408.5	55.9	1.5	-563.3
-27.6	0.0			4821	160.4	-76.5	1.9	-606.1
3.1	0.0	INVS LE	Max	6847	-297.3	-39.7	-1.4	50.4
13.7	0.0			6849	-129.3	54.3	-1.2	63.3
17.6	0.0			4820	311.3	49.1	1.8	-118.5
-2.0	0.0			4821	133.3	-54.2	2.2	-132.4
-10.8	0.0		Min	6847	-301.9	-41.6	-2.2	-118.8
0.1	0.0			6849	-142.7	46.9	-1.8	-100.1
2.1	0.0			4820	306.5	42.4	1.2	-399.9
-19.3	0.0			4821	120.1	-56.8	1.4	-430.9
7248	2	8 C1-C2;~1	Max	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0		Min	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6848	0.0	0.0	0.0	0.0
0.0	0.0			6850	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6848	-29.7	-111.1	-0.4	-21.3
-6.4	0.0			6850	-236.3	113.9	-0.1	-11.3
33.3	0.0			9342	58.8	110.8	0.1	-119.4
41.7	-0.0			9340	207.3	-112.8	0.3	-152.6
-26.2	0.0							
		G2		6848	-10.4	-40.6	-0.2	-9.9
-2.4	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
12.1	0.0		6850	-89.6	44.5	-0.0	-5.5
14.9	-0.0		9342	21.9	39.8	0.0	-45.0
-10.4	0.0		9340	78.1	-43.7	0.1	-58.3
0.0	0.0	Q3	6848	0.0	0.0	0.0	0.0
0.0	0.0		6850	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9340	0.0	0.0	0.0	0.0
0.0	0.0		9340	0.0	0.0	0.0	0.0
1.2	-0.0	Q5_pc X	6848	-5.9	-0.9	0.1	10.4
-1.3	-0.0		6850	5.1	-2.3	0.0	7.2
-2.0	-0.0		9342	4.5	2.9	0.0	11.4
5.0	-0.0		9340	-3.7	0.3	-0.1	17.4
-0.5	0.0	Q5_pc Y	6848	29.7	-9.9	-0.4	-60.5
9.4	0.0		6850	-41.3	-3.8	-0.1	-49.7
26.5	0.0		9342	-27.0	13.6	0.1	-91.8
-18.4	0.0		9340	38.6	0.1	0.3	-110.4
1.0	-0.0	Q5_ps X	6848	-6.9	-2.0	0.1	10.5
-1.0	-0.0		6850	3.7	-1.4	-0.0	7.2
-1.3	0.0		9342	5.4	4.1	0.0	9.9
4.6	-0.0		9340	-2.2	-0.7	-0.1	16.0
-0.5	0.0	Q5_ps Y	6848	28.0	-9.3	-0.3	-57.0
8.9	0.0		6850	-38.8	-3.7	-0.1	-46.8
25.0	0.0		9342	-25.5	12.8	0.1	-86.6
-17.4	0.0		9340	36.3	0.2	0.3	-104.1
-20.7	0.0	INVSLU Max	6848	32.5	-218.3	-0.2	97.7
95.4	0.0		6850	-484.1	237.5	-0.0	90.1
136.9	-0.0		9342	125.8	252.8	0.5	-155.8
-32.7	0.0		9340	518.7	-231.3	1.1	-200.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-23.6	0.0		Min	6848	-51.5	-246.1	-1.2	-73.2	
68.8	0.0			6850	-600.4	226.4	-0.3	-50.4	
61.8	-0.0			9342	49.2	214.5	0.1	-415.6	
-84.9	-0.0			9340	409.9	-233.4	0.1	-513.3	
			INVSLE	Max	6848	24.1	-164.6	-0.2	64.4
-15.9	0.0			6850	-369.6	176.4	-0.0	60.2	
71.1	0.0			9342	88.3	187.9	0.3	-132.9	
101.0	-0.0			9340	385.8	-172.5	0.8	-169.7	
-27.7	0.0								
				Min	6848	-31.9	-183.1	-0.9	-49.5
-17.8	0.0			6850	-447.1	169.0	-0.2	-33.4	
53.3	0.0			9342	37.2	162.4	0.1	-306.1	
51.0	-0.0			9340	313.2	-173.9	0.2	-378.0	
-62.5	-0.0								
7249	2	8	C1-C2;~1	Max	6849	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6849	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Max	6849	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6849	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C1-C2;~2	Max	6849	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0		Min	6849	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	6849	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0		Min	6849	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0			4820	0.0	0.0	0.0	0.0
0.0	0.0							
1.5	0.0	G1		6849	-168.4	-11.9	-0.6	-52.7
-1.7	0.0			6851	-119.4	52.4	-0.7	-44.3
3.3	0.0			4819	168.5	11.3	0.7	-79.6
-1.7	0.0			4820	119.3	-51.6	0.6	-62.2
-0.9	0.0	G2		6849	-64.5	-4.3	-0.3	-1.4
1.3	-0.0			6851	-45.3	17.6	-0.2	3.6
2.2	0.0			4819	64.6	6.6	0.2	-46.9
-1.9	0.0			4820	45.2	-19.9	0.3	-45.6
0.0	0.0	Q3		6849	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			4819	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		4820	0.0	0.0	0.0	0.0
-1.3	-0.0	Q5_pc X	6849	-3.5	3.5	-0.1	14.9
-0.1	0.0		6851	0.3	0.4	-0.1	9.7
1.3	0.0		4819	3.3	0.3	0.1	-28.4
-2.7	0.0		4820	-0.1	-4.2	0.1	-35.8
7.7	-0.0	Q5_pc Y	6849	-1.8	-2.1	0.4	-97.2
-3.8	-0.0		6851	-6.6	-0.6	0.3	-76.9
-6.3	-0.0		4819	2.2	2.5	-0.2	128.3
11.6	-0.0		4820	6.2	0.3	-0.4	163.0
-0.9	-0.0	Q5_ps X	6849	-4.4	3.3	-0.1	10.5
-0.5	0.0		6851	-1.0	1.5	-0.1	5.1
1.0	0.0		4819	4.2	-0.3	0.1	-23.8
-2.3	0.0		4820	1.2	-4.5	0.1	-29.3
7.4	-0.0	Q5_ps Y	6849	-1.5	-1.9	0.4	-92.5
-3.7	-0.0		6851	-6.1	-0.4	0.2	-73.4
-6.0	-0.0		4819	1.8	2.1	-0.2	121.9
11.0	-0.0		4820	5.8	0.2	-0.4	154.9
2.2	0.0	INVSLE Max	6849	-397.9	-13.0	-2.0	129.2
6.2	0.0		6851	-236.3	117.9	-2.1	98.1
27.9	0.0		4819	410.4	31.4	2.8	-258.0
-7.4	0.0		4820	254.6	-118.9	3.2	-222.6
-19.9	0.0	Min	6849	-411.1	-22.8	-3.2	-148.2
-4.9	0.0		6851	-254.7	113.3	-2.9	-122.2
9.9	0.0		4819	397.8	25.1	2.1	-623.5
-40.5	0.0		4820	237.2	-132.3	2.0	-687.4
1.1	0.0	INVSLE Max	6849	-298.8	-10.1	-1.6	80.3
			6851	-177.4	88.0	-1.6	60.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


4.0	0.0			4819	307.1	23.3	2.1	-204.3
20.0	0.0			4820	189.5	-89.7	2.3	-180.5
-6.5	0.0							
		Min		6849	-307.6	-16.6	-2.3	-104.7
-13.6	0.0			6851	-189.6	84.9	-2.1	-86.8
-3.5	0.0			4819	298.7	19.1	1.6	-448.0
8.0	0.0			4820	178.0	-98.6	1.6	-490.4
-28.6	0.0							
7274	2	8 C1-C2;~1	Max	6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6874	0.0	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9368	0.0	0.0	0.0	0.0
0.0	0.0		9366	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6874	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0
0.0	0.0						
			Min	6874	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0
0.0	0.0						
			G1	6874	239.0	115.3	-0.1
-33.0	-0.0			6876	29.2	-111.9	-0.4
6.8	-0.0			9368	-209.4	-114.0	0.4
27.5	-0.0			9366	-58.8	111.4	0.1
-41.4	0.0						
			G2	6874	91.8	45.9	-0.0
-12.2	-0.0			6876	11.5	-42.1	-0.2
2.6	-0.0			9368	-80.3	-45.1	0.1
11.0	-0.0			9366	-23.1	41.4	0.0
-15.2	0.0						
			Q3	6874	0.0	0.0	0.0
0.0	0.0			6876	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0
0.0	0.0			9366	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6874	-0.1	-7.7	-0.0
-0.5	-0.0			6876	-2.7	-1.4	-0.0
-1.2	0.0			9368	-2.0	3.8	0.0
-0.3	0.0			9366	4.8	5.4	0.0
-5.6	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	6874	-37.4	1.5	0.1	40.8
8.3	0.0		6876	27.5	7.9	0.3	50.4
-1.4	0.0		9368	33.9	0.5	-0.3	95.8
-17.2	0.0		9366	-24.0	-9.8	-0.1	77.8
21.6	-0.0						
		Q5_ps X	6874	1.6	-6.4	-0.0	-7.4
-0.9	0.0		6876	-1.2	-2.8	-0.0	-6.7
-0.9	0.0		9368	-3.7	2.4	0.0	-12.0
-0.1	0.0		9366	3.3	6.8	0.0	-14.7
-6.2	-0.0						
		Q5_ps Y	6874	-34.8	1.7	0.1	38.6
7.7	0.0		6876	26.6	6.9	0.3	47.7
-1.2	0.0		9368	31.4	0.0	-0.3	90.2
-16.1	0.0		9366	-23.1	-8.6	-0.1	73.0
20.1	-0.0						
		INVS LU Max	6874	599.7	244.3	-0.1	76.7
-69.8	-0.0		6876	50.4	-224.8	-0.3	83.8
25.4	-0.0		9368	-421.8	-231.5	1.0	-228.5
85.3	0.0		9366	-54.5	249.7	0.4	-180.1
-68.8	0.0						
		Min	6874	495.2	225.0	-0.3	-39.2
-93.0	-0.0		6876	-29.4	-245.6	-1.2	-59.3
21.7	-0.0		9368	-515.9	-238.8	0.2	-499.1
36.9	-0.0		9366	-123.8	223.8	0.2	-399.1
-129.1	0.0						
		INVS LE Max	6874	447.0	181.1	-0.1	51.2
-53.9	-0.0		6876	31.2	-169.2	-0.3	55.3
19.2	-0.0		9368	-321.5	-172.8	0.8	-188.7
63.0	0.0		9366	-40.8	186.1	0.3	-149.4
-55.5	0.0						
		Min	6874	377.3	168.2	-0.2	-26.0
-69.4	-0.0		6876	-22.0	-183.0	-0.9	-40.2
16.7	-0.0		9368	-384.2	-177.7	0.2	-369.1
30.7	-0.0		9366	-87.1	168.9	0.1	-295.4
-95.8	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7275	2	8	C1-C2;~1	Max	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6875	0.0	0.0	0.0	0.0
0.0		0.0			6877	0.0	0.0	0.0	0.0
0.0		0.0			4812	0.0	0.0	0.0	0.0
0.0		0.0			4813	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	6875	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0		4813	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6875	120.1	53.2	-0.7	-48.0
2.0	-0.0		6877	168.9	-11.8	-0.6	-57.3
-1.8	-0.0		4812	-120.0	-52.0	0.6	-56.6
1.3	-0.0		4813	-169.0	10.9	0.7	-75.0
-3.1	-0.0						
		G2	6875	47.1	18.2	-0.2	3.3
-1.4	0.0		6877	66.1	-4.9	-0.2	-2.1
0.8	-0.0		4812	-47.0	-20.1	0.2	-43.9
1.8	-0.0		4813	-66.2	6.9	0.2	-45.5
-2.1	-0.0						
		Q3	6875	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0		4813	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6875	-1.3	-1.6	0.0	-10.4
1.1	0.0		6877	-0.4	3.8	0.0	-11.1
-0.9	0.0		4812	1.2	-3.4	-0.0	13.8
-0.7	-0.0		4813	0.6	1.2	-0.0	12.1
0.7	-0.0						
		Q5_pc Y	6875	-6.0	0.2	-0.2	62.6
-2.8	-0.0		6877	-2.7	3.4	-0.3	80.4
6.3	-0.0		4812	5.7	-1.4	0.3	-133.8
9.7	-0.0		4813	3.1	-2.1	0.2	-104.4
-5.1	-0.0						
		Q5_ps X	6875	0.4	-0.2	0.0	-14.6
1.5	-0.0		6877	1.0	3.4	0.0	-14.9
-1.2	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.0	-0.0			4812	-0.5	-3.7	-0.0	18.5
0.9	-0.0			4813	-0.9	0.6	-0.0	15.3
			Q5_ps Y	6875	-5.1	0.6	-0.2	57.5
-2.5	-0.0			6877	-2.0	3.1	-0.3	74.5
5.9	-0.0			4812	4.7	-1.5	0.3	-124.5
9.1	-0.0			4813	2.4	-2.1	0.2	-97.2
-4.8	-0.0							
			INVS LU Max	6875	255.9	117.2	-2.2	74.9
3.0	-0.0			6877	411.5	-13.7	-2.2	102.8
18.0	-0.0			4812	-241.6	-120.7	3.1	-276.8
38.1	-0.0			4813	-404.5	32.8	2.8	-299.6
-11.9	-0.0							
			Min	6875	240.6	114.4	-2.8	-97.8
-4.5	-0.0			6877	405.5	-24.0	-3.1	-120.9
0.4	-0.0			4812	-255.8	-131.9	2.2	-650.2
10.9	-0.0			4813	-411.7	26.4	2.2	-591.3
-26.2	-0.0							
			INVS LE Max	6875	190.6	87.6	-1.7	44.7
2.2	-0.0			6877	308.2	-10.6	-1.7	62.7
12.4	-0.0			4812	-181.1	-90.9	2.3	-217.5
27.0	-0.0			4813	-303.5	24.4	2.1	-232.5
-9.3	-0.0							
			Min	6875	180.4	85.7	-2.1	-70.4
-2.8	-0.0			6877	304.1	-17.5	-2.3	-86.4
0.7	-0.0			4812	-190.5	-98.4	1.7	-466.4
8.9	-0.0			4813	-308.2	20.1	1.7	-427.0
-18.8	-0.0							
7276	2	4	C1-C2;~1 Max	6876	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6878	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9370	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9368	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6876	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6878	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6876	0.0	0.0	0.0	0.0
0.0	0.0			6878	0.0	0.0	0.0	0.0
0.0	0.0			9370	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6876	241.4	116.9	-0.2	-19.9
-5.2	-0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G
26.7	-0.0		6878	18.4	-100.8	-0.2	-9.6
45.5	-0.0		9370	-209.4	-118.1	0.3	-154.5
-28.0	-0.0		9368	-50.4	102.7	0.2	-144.3
		G2					
-1.9	-0.0		6876	92.9	45.6	-0.1	-9.4
10.3	-0.0		6878	7.0	-38.2	-0.1	-5.3
18.0	0.0		9370	-80.5	-46.1	0.1	-59.5
-11.2	-0.0		9368	-19.5	38.8	0.1	-55.6
		Q3					
0.0	0.0		6876	0.0	0.0	0.0	0.0
0.0	0.0		6878	0.0	0.0	0.0	0.0
0.0	0.0		9370	0.0	0.0	0.0	0.0
0.0	0.0		9368	0.0	0.0	0.0	0.0
		Q5_pc X					
1.3	0.0		6876	1.8	0.3	-0.0	-4.2
0.9	0.0		6878	-2.5	0.3	-0.0	-3.1
2.5	0.0		9370	-1.4	0.3	0.0	-5.7
0.4	0.0		9368	2.2	-0.9	0.0	-6.2
		Q5_pc Y					
0.0	0.0		6876	-45.9	-7.0	0.2	41.5
-11.8	-0.0		6878	31.0	6.0	0.2	38.5
-30.3	-0.0		9370	38.4	6.6	-0.2	91.5
17.1	0.0		9368	-23.5	-5.6	-0.2	85.4
		Q5_ps X					
1.0	0.0		6876	3.1	1.6	-0.0	-3.4
0.9	0.0		6878	-0.6	-1.0	-0.0	-2.4
2.2	0.0		9370	-2.8	-1.1	0.0	-5.5
0.2	0.0		9368	0.4	0.5	0.0	-6.2
		Q5_ps Y					
-0.1	0.0		6876	-42.9	-6.1	0.2	39.4
-11.1	-0.0		6878	30.0	5.2	0.2	36.5
-28.7	-0.0		9370	35.8	5.7	-0.2	86.6
16.1	0.0		9368	-22.9	-4.8	-0.1	80.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	6876	634.3	257.5	-0.2	77.6
-18.5	-0.0				6878	17.9	-201.3	-0.1	105.5
87.4	-0.0				9370	-424.9	-240.0	0.8	-224.3
146.6	0.0				9368	-30.0	217.5	0.6	-208.0
-38.2	0.0								
				Min	6876	505.6	239.2	-0.7	-40.7
-21.4	-0.0				6878	-72.0	-216.8	-0.7	-4.0
54.0	-0.0				9370	-532.3	-257.2	0.2	-484.1
60.5	-0.0				9368	-98.5	203.0	0.2	-450.1
-86.4	-0.0								
			INVS LE	Max	6876	472.8	191.9	-0.2	52.0
-14.2	-0.0				6878	6.1	-151.2	-0.1	73.6
65.0	-0.0				9370	-324.9	-180.2	0.6	-184.8
108.3	0.0				9368	-22.4	162.0	0.4	-171.4
-31.6	0.0								
				Min	6876	387.0	179.7	-0.5	-26.8
-16.1	-0.0				6878	-53.9	-161.5	-0.5	0.5
42.8	-0.0				9370	-396.5	-191.7	0.2	-357.9
50.9	-0.0				9368	-68.2	152.3	0.1	-332.7
-63.8	-0.0								
7277	2	4	C1-C2;~1	Max	6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6879	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4811	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4812	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6879	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4811	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4812	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6879	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4811	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4812	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	6877	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6877	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6877	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6877	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	6877	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6877	101.4	34.7	-0.5	-53.1
1.1	-0.0		6879	164.3	-19.9	-0.6	-60.6
-1.8	-0.0		4811	-97.4	-38.8	0.6	-38.7
0.2	-0.0		4812	-168.4	24.2	0.5	-31.7
0.2	-0.0						
		G2	6877	38.9	15.4	-0.2	-6.4
-0.8	-0.0		6879	63.6	-5.5	-0.2	-8.9
0.6	-0.0		4811	-37.4	-17.2	0.2	-35.3
1.4	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.1	-0.0		4812	-65.1	7.3	0.2	-32.0
		Q3	6877	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		4811	0.0	0.0	0.0	0.0
0.0	0.0		4812	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6877	-3.0	4.5	0.0	-8.0
0.7	0.0		6879	-4.5	2.4	0.0	-7.4
-0.8	0.0		4811	2.9	-0.7	-0.0	15.2
-0.9	-0.0		4812	4.6	-6.2	-0.0	13.4
0.7	-0.0						
		Q5_pc Y	6877	-6.6	0.4	-0.3	72.0
-5.8	-0.0		6879	-2.1	1.4	-0.3	74.9
6.0	-0.0		4811	6.4	0.5	0.3	-127.8
7.4	-0.0		4812	2.3	-2.3	0.3	-121.2
-6.7	-0.0						
		Q5_ps X	6877	-0.8	4.5	0.0	-10.5
1.0	0.0		6879	-2.4	1.9	0.1	-9.9
-1.0	0.0		4811	0.7	-1.2	-0.1	19.1
-1.1	-0.0		4812	2.5	-5.2	-0.0	17.4
1.0	-0.0						
		Q5_ps Y	6877	-5.4	0.4	-0.2	67.1
-5.4	-0.0		6879	-1.3	1.2	-0.3	69.8
5.6	-0.0		4811	5.2	0.3	0.3	-119.1
6.9	-0.0		4812	1.5	-1.9	0.2	-112.8
-6.3	-0.0						
		INVSLU Max	6877	193.6	75.8	-1.7	81.8
-1.7	-0.0		6879	408.0	-51.7	-2.1	64.6
14.0	-0.0		4811	-165.3	-73.9	2.9	-214.1
25.6	-0.0		4812	-412.2	69.4	2.4	-192.6
-4.7	-0.0						
		Min	6877	177.4	62.2	-2.4	-119.4
-18.0	-0.0		6879	399.9	-57.5	-2.9	-144.9

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-2.6	-0.0			4811	-180.9	-77.5	2.1	-571.5
4.7	-0.0			4812	-420.5	53.7	1.7	-531.1
-23.5	-0.0							
		INVSLE	Max	6877	143.5	55.9	-1.3	48.8
-1.6	-0.0			6879	305.4	-39.2	-1.6	35.6
9.6	-0.0			4811	-123.5	-55.2	2.1	-170.6
18.0	-0.0			4812	-309.3	51.4	1.8	-153.6
-4.0	-0.0							
			Min	6877	132.7	46.9	-1.8	-85.3
-12.5	-0.0			6879	300.0	-43.0	-2.1	-104.1
-1.5	-0.0			4811	-134.0	-57.5	1.6	-408.9
4.1	-0.0			4812	-314.8	40.9	1.3	-379.3
-16.5	-0.0							
7304	2	4	C1-C2;~1	Max	6904	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9396	0.0	0.0	0.0
0.0	0.0							
			Min	6904	0.0	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9396	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6904	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9396	0.0	0.0	0.0
0.0	0.0							
			Min	6904	0.0	0.0	0.0	0.0
0.0	0.0				6906	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9396	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6904	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9396	0.0	0.0	0.0	0.0
0.0	0.0	Min	6904	0.0	0.0	0.0	0.0
0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9396	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6904	0.0	0.0	0.0	0.0
0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9396	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6904	0.0	0.0	0.0	0.0
0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9396	0.0	0.0	0.0	0.0
0.0	0.0						
41.2	0.0	G1	6904	-62.1	43.8	0.1	36.3
-17.9	0.0		6906	147.6	-28.6	0.7	56.1
-51.6	0.0		9398	41.2	-43.3	-0.6	249.2
69.7	-0.0		9396	-126.8	28.8	-0.2	204.6
16.4	0.0	G2	6904	-24.0	18.6	0.0	13.5
-6.9	0.0		6906	58.2	-10.6	0.3	20.9
-19.7	0.0		9398	16.0	-18.2	-0.2	97.1
27.8	0.0		9396	-50.2	10.3	-0.1	80.0
0.0	0.0	Q3	6904	0.0	0.0	0.0	0.0
0.0	0.0		6906	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9396	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	6904	17.4	-1.6	-0.0	-16.1
-8.3	-0.0		6906	-18.1	-0.8	-0.2	-21.9
3.2	-0.0		9398	-15.2	1.4	0.2	-55.3
12.2	-0.0		9396	15.8	1.1	0.0	-45.3
-16.2	-0.0						
		Q5_pc Y	6904	-37.1	-1.8	0.0	19.4
15.5	0.0		6906	32.6	2.9	0.3	28.7
-6.2	0.0		9398	30.6	0.9	-0.2	90.8
-20.5	0.0		9396	-26.1	-2.0	-0.1	73.5
26.7	0.0						
		Q5_ps X	6904	16.3	-1.5	-0.0	-15.2
-7.8	-0.0		6906	-16.2	-1.2	-0.2	-20.5
3.0	-0.0		9398	-14.5	1.0	0.1	-51.6
11.3	-0.0		9396	14.3	1.6	0.0	-42.5
-15.4	-0.0						
		Q5_ps Y	6904	-35.1	-1.7	0.0	18.3
14.7	0.0		6906	31.2	2.5	0.3	27.2
-5.9	0.0		9398	28.9	0.7	-0.2	86.2
-19.5	0.0		9396	-25.0	-1.6	-0.1	69.6
25.3	0.0						
		INVSLE Max	6904	45.9	80.4	-0.0	-178.8
52.5	0.0		6906	222.1	-61.8	-0.4	-209.1
-7.1	-0.0		9398	7.3	-74.6	1.2	52.4
56.1	-0.0		9396	-95.1	67.3	0.1	60.0
39.1	-0.0						
		Min	6904	-59.4	75.3	-0.1	-233.8
8.4	0.0		6906	128.5	-69.4	-1.2	-290.8
-24.7	-0.0		9398	-79.3	-77.7	0.5	-206.3
-2.4	-0.0		9396	-170.1	62.4	-0.1	-148.9
-36.7	-0.0						
		INVSLE Max	6904	35.5	58.5	-0.0	-148.2
34.5	0.0		6906	155.0	-46.4	-0.4	-175.5
-4.9	-0.0		9398	-3.5	-54.5	1.0	1.4
45.8	-0.0		9396	-66.9	50.0	0.1	14.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


18.8	-0.0							
		Min	6904	-34.6	55.1	-0.1	-184.8	
5.1	-0.0		6906	92.6	-51.5	-0.9	-229.9	
-16.6	-0.0		9398	-61.2	-56.6	0.5	-171.1	
6.8	-0.0		9396	-116.9	46.8	-0.0	-124.7	
-31.7	-0.0							
7305	2	4 C1-C2;~1	Max	6905	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6905	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6905	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6905	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6905	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	6905	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0	0.0
0.0	0.0			4999	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~2 Max	6905	0.0	0.0	0.0	0.0
0.0	0.0		6907	0.0	0.0	0.0	0.0
0.0	0.0		4998	0.0	0.0	0.0	0.0
0.0	0.0		4999	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6905	0.0	0.0	0.0	0.0
0.0	0.0		6907	0.0	0.0	0.0	0.0
0.0	0.0		4998	0.0	0.0	0.0	0.0
0.0	0.0		4999	0.0	0.0	0.0	0.0
0.0	0.0						
-7.3	0.0	G1	6905	41.1	20.9	-0.2	153.8
13.7	-0.0		6907	32.7	6.3	-0.5	190.9
20.0	-0.0		4998	-42.2	-22.6	0.5	-265.3
-10.4	-0.0		4999	-31.6	-4.5	0.2	-199.4
-4.6	0.0	G2	6905	16.5	7.5	-0.1	75.0
6.2	-0.0		6907	13.3	2.9	-0.2	87.4
8.4	-0.0		4998	-16.9	-9.5	0.2	-117.4
-4.9	-0.0		4999	-12.9	-0.9	0.1	-89.3
0.0	0.0	Q3	6905	0.0	0.0	0.0	0.0
0.0	0.0		6907	0.0	0.0	0.0	0.0
0.0	0.0		4998	0.0	0.0	0.0	0.0
0.0	0.0		4999	0.0	0.0	0.0	0.0
2.6	-0.0	Q5_pc X	6905	5.5	0.8	0.2	-46.5
-4.5	-0.0		6907	-1.5	-0.2	0.3	-56.8
-7.2	0.0		4998	-5.5	-0.7	-0.3	104.2
4.2	0.0		4999	1.5	0.1	-0.2	83.9
-2.9	0.0	Q5_pc Y	6905	-9.6	-2.0	-0.2	62.4
6.0	0.0		6907	-4.4	1.6	-0.3	78.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
9.7	-0.0			4998	9.4	1.5	0.3	-134.6
-5.4	-0.0			4999	4.6	-1.1	0.2	-106.3
			Q5_ps X	6905	5.9	1.5	0.2	-46.2
2.7	-0.0			6907	-1.0	0.1	0.3	-55.2
-4.4	0.0			4998	-5.9	-1.2	-0.3	100.2
-6.8	0.0			4999	0.9	-0.4	-0.2	80.7
4.1	0.0							
			Q5_ps Y	6905	-8.8	-1.6	-0.2	58.2
-2.6	-0.0			6907	-3.9	1.6	-0.3	73.8
5.7	0.0			4998	8.5	1.2	0.3	-126.6
9.2	-0.0			4999	4.2	-1.2	0.2	-100.0
-5.0	-0.0							
			INVS LU Max	6905	168.7	35.1	3.8	-111.3
11.8	0.0			6907	-24.8	8.9	4.5	-171.1
-21.1	-0.0			4998	-146.6	-32.2	-3.6	1161.0
-48.3	-0.0			4999	40.8	-3.1	-3.1	999.8
47.2	-0.0							
			Min	6905	142.3	30.3	3.1	-285.8
3.6	0.0			6907	-36.5	4.0	3.5	-392.6
-38.1	-0.0			4998	-172.2	-35.7	-4.5	781.1
-75.8	-0.0			4999	28.3	-6.8	-3.7	699.8
32.2	-0.0							
			INVS LE Max	6905	129.0	26.1	3.0	-116.2
9.6	0.0			6907	-22.8	6.1	3.5	-171.0
-19.3	-0.0			4998	-114.6	-23.9	-2.9	925.7
-42.2	-0.0			4999	33.8	-2.5	-2.5	797.8
37.8	-0.0							
			Min	6905	111.4	22.9	2.6	-232.5
4.1	0.0			6907	-30.6	2.9	2.9	-318.7
-30.7	-0.0			4998	-131.7	-26.3	-3.6	672.4
-60.6	-0.0			4999	25.5	-5.0	-2.9	597.9
27.8	-0.0							
7306	2	10	C1-C2;~1 Max	6906	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6908	0.0	0.0	0.0	0.0
0.0	0.0		9400	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0	Min	6906	0.0	0.0	0.0	0.0
0.0	0.0		6908	0.0	0.0	0.0	0.0
0.0	0.0		9400	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6906	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6906	0.0	0.0	0.0	0.0
0.0	0.0		6908	0.0	0.0	0.0	0.0
0.0	0.0		9400	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6906	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6906	0.0	0.0	0.0	0.0
0.0	0.0		6908	0.0	0.0	0.0	0.0
0.0	0.0		9400	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6906	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6906	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				6908	0.0	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6906	-75.0	31.7	0.4	55.7
15.7	0.0			6908	141.0	-22.1	0.4	57.0
-25.8	-0.0			9400	50.3	-33.4	-0.5	222.7
-66.5	-0.0			9398	-116.3	24.4	-0.3	210.4
51.8	0.0							
		G2		6906	-29.3	13.0	0.1	21.0
6.1	0.0			6908	55.1	-8.0	0.2	21.5
-10.0	-0.0			9400	19.7	-13.8	-0.2	86.7
-25.6	-0.0			9398	-45.5	8.8	-0.1	81.9
19.8	0.0							
		Q3		6906	0.0	0.0	0.0	0.0
0.0	0.0			6908	0.0	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		6906	17.9	0.1	-0.1	-19.8
-2.8	-0.0			6908	-16.3	-1.4	-0.1	-20.4
4.6	0.0			9400	-15.0	0.1	0.1	-47.9
14.4	0.0			9398	13.5	1.2	0.1	-46.2
-12.2	-0.0							
		Q5_pc Y		6906	-36.6	-2.0	0.1	27.5
5.4	0.0			6908	29.2	4.4	0.2	28.3
-7.9	-0.0			9400	30.1	1.8	-0.2	79.1
-23.1	-0.0			9398	-22.6	-4.3	-0.1	76.3
20.5	0.0							
		Q5_ps X		6906	16.7	0.5	-0.1	-18.5
-2.5	-0.0			6908	-14.5	-1.6	-0.1	-19.0
4.2	0.0			9400	-14.2	-0.3	0.1	-44.3
13.3	0.0			9398	11.9	1.4	0.1	-42.8
-11.2	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		Q5_ps Y		6906	-34.7	-1.7	0.1	26.1
5.2	0.0			6908	28.0	4.1	0.2	26.9
-7.5	-0.0			9400	28.4	1.6	-0.2	75.3
-22.0	-0.0			9398	-21.8	-3.9	-0.1	72.6
19.5	0.0							
		INVS LU	Max	6906	28.1	67.0	-0.2	-169.6
26.5	-0.0			6908	218.5	-56.3	-0.3	-181.3
2.2	-0.0			9400	19.8	-63.5	0.8	37.7
72.8	0.0			9398	-97.0	70.6	0.5	33.0
3.3	-0.0							
			Min	6906	-75.9	61.8	-0.6	-247.9
11.0	-0.0			6908	134.4	-68.5	-0.7	-261.9
-20.4	-0.0			9400	-65.5	-68.2	0.3	-188.2
6.6	-0.0			9398	-162.4	58.9	0.1	-184.7
-55.3	-0.0							
		INVS LE	Max	6906	22.8	49.2	-0.2	-144.0
18.4	-0.0			6908	153.6	-43.1	-0.3	-153.3
2.7	-0.0			9400	5.7	-47.0	0.6	-5.3
59.5	0.0			9398	-69.3	52.7	0.4	-7.4
-6.1	-0.0							
			Min	6906	-46.5	45.8	-0.5	-196.2
8.0	-0.0			6908	97.6	-51.2	-0.6	-207.1
-12.4	-0.0			9400	-51.1	-50.1	0.3	-155.9
15.4	-0.0			9398	-112.8	44.9	0.2	-152.6
-45.2	-0.0							
7307	2	10 C1-C2;~1	Max	6907	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6909	0.0	0.0	0.0	0.0
0.0	0.0	0.0		4997	0.0	0.0	0.0	0.0
0.0	0.0	0.0		4998	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6907	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6909	0.0	0.0	0.0	0.0
0.0	0.0	0.0		4997	0.0	0.0	0.0	0.0
0.0	0.0	0.0		4998	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6907	0.0	0.0	0.0
0.0	0.0			6909	0.0	0.0	0.0
0.0	0.0			4997	0.0	0.0	0.0
0.0	0.0			4998	0.0	0.0	0.0
0.0	0.0						
-12.5	-0.0	G1		6907	38.5	22.1	-0.4
12.1	-0.0			6909	29.6	6.2	-0.4
14.4	-0.0			4997	-39.7	-21.2	0.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-13.7	-0.0		4998	-28.4	-7.0	0.4	-231.1
		G2	6907	14.9	10.3	-0.2	70.3
-5.5	-0.0		6909	11.6	4.2	-0.2	72.5
5.3	-0.0		4997	-15.4	-10.0	0.2	-104.4
6.3	-0.0		4998	-11.1	-4.5	0.2	-101.0
-6.1	-0.0						
		Q3	6907	0.0	0.0	0.0	0.0
0.0	0.0		6909	0.0	0.0	0.0	0.0
0.0	0.0		4997	0.0	0.0	0.0	0.0
0.0	0.0		4998	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6907	5.1	1.0	0.2	-47.0
4.2	-0.0		6909	-2.6	0.1	0.2	-48.2
-4.0	0.0		4997	-5.1	-0.7	-0.2	90.8
-5.1	0.0		4998	2.6	-0.5	-0.2	87.0
4.8	0.0						
		Q5_pc Y	6907	-8.0	-1.1	-0.3	66.2
-5.7	0.0		6909	-2.5	1.5	-0.3	68.0
5.5	-0.0		4997	7.8	0.8	0.3	-117.7
6.7	-0.0		4998	2.7	-1.2	0.3	-113.4
-6.4	-0.0						
		Q5_ps X	6907	5.5	1.3	0.2	-45.1
4.0	0.0		6909	-2.0	0.2	0.2	-46.2
-3.9	0.0		4997	-5.4	-1.0	-0.2	87.1
-4.9	0.0		4998	2.0	-0.6	-0.2	83.6
4.6	0.0						
		Q5_ps Y	6907	-7.3	-0.9	-0.2	62.4
-5.3	0.0		6909	-2.1	1.4	-0.3	64.1
5.1	-0.0		4997	7.1	0.7	0.3	-110.9
6.3	-0.0		4998	2.3	-1.2	0.2	-106.8
-6.0	-0.0						
		INVSLU Max	6907	170.8	57.3	3.3	-166.3
37.2	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-24.2	0.0			6909	-51.0	22.6	3.8	-174.1
-35.9	-0.0			4997	-154.9	-42.3	-3.0	1034.6
46.1	-0.0			4998	63.4	-30.1	-2.6	958.9
			Min	6907	148.9	53.4	2.6	-353.4
21.2	-0.0			6909	-57.4	18.3	3.0	-366.4
-39.6	-0.0			4997	-176.1	-45.2	-3.8	701.9
-55.0	-0.0			4998	56.4	-33.7	-3.3	638.4
28.1	-0.0							
			INVSLE Max	6907	130.6	42.9	2.6	-161.3
30.0	-0.0			6909	-42.8	16.7	3.0	-168.1
-21.4	0.0			4997	-120.6	-31.6	-2.5	822.8
-31.1	-0.0			4998	51.6	-22.9	-2.1	763.3
36.9	-0.0							
			Min	6907	116.0	40.2	2.1	-286.0
19.3	-0.0			6909	-47.0	13.9	2.4	-296.3
-31.7	-0.0			4997	-134.7	-33.5	-3.0	600.9
-43.8	-0.0			4998	46.9	-25.3	-2.6	549.7
24.8	-0.0							
7336	2	10	C1-C2;~1	Max	6936	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0
0.0		0.0			9430	0.0	0.0	0.0
0.0		0.0			9428	0.0	0.0	0.0
0.0		0.0						
			Min	6936	0.0	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0
0.0		0.0			9430	0.0	0.0	0.0
0.0		0.0			9428	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	6936	0.0	0.0	0.0
0.0		0.0			6938	0.0	0.0	0.0
0.0		0.0			9430	0.0	0.0	0.0
0.0		0.0			9428	0.0	0.0	0.0
0.0		0.0						
			Min	6936	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6938	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
0.0	0.0		9428	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6936	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9428	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6936	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9428	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6936	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9428	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6936	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9428	0.0	0.0	0.0
0.0	0.0						
24.5	0.0	G1		6936	-140.0	-22.5	0.4
				6938	73.2	31.8	0.4
-15.8	-0.0			9430	115.7	24.8	-0.3
-51.3	-0.0			9428	-48.9	-33.6	-0.5
64.4	0.0						218.9
9.4	0.0	G2		6936	-54.6	-8.3	0.2
				6938	28.2	13.2	0.1
-6.1	-0.0			9430	45.3	9.1	-0.1
-19.5	-0.0			9428	-18.8	-14.0	-0.2
24.6	0.0						84.8

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	6936	0.0	0.0	0.0	0.0
0.0	0.0			6938	0.0	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0	0.0
0.0	0.0			9428	0.0	0.0	0.0	0.0
			Q5_pc X	6936	14.5	-0.8	-0.1	-19.4
-4.0	-0.0			6938	-14.7	-0.4	-0.1	-18.9
2.4	0.0			9430	-12.3	0.5	0.1	-41.6
11.0	0.0			9428	12.5	0.6	0.1	-43.1
-12.9	-0.0							
			Q5_pc Y	6936	-22.0	-0.6	0.1	20.3
5.0	0.0			6938	18.3	2.2	0.1	19.8
-3.2	-0.0			9430	18.3	0.9	-0.1	49.7
-13.1	-0.0			9428	-14.6	-2.5	-0.1	51.6
15.4	0.0							
			Q5_ps X	6936	12.8	-1.0	-0.1	-18.0
-3.6	-0.0			6938	-13.7	0.0	-0.1	-17.5
2.2	0.0			9430	-10.8	0.8	0.1	-38.5
10.2	0.0			9428	11.8	0.2	0.1	-39.7
-11.9	-0.0							
			Q5_ps Y	6936	-21.2	-0.6	0.1	19.4
4.8	0.0			6938	17.5	2.2	0.1	18.9
-3.1	-0.0			9430	17.7	1.0	-0.1	47.5
-12.6	-0.0			9428	-13.9	-2.5	-0.1	49.4
14.8	0.0							
			INVSLU Max	6936	-143.5	-59.1	-0.3	-192.6
16.1	0.0			6938	53.3	66.0	-0.2	-180.8
-14.5	0.0			9430	154.7	64.4	0.5	-4.1
44.5	0.0			9428	40.9	-60.3	0.7	-1.2
-17.5	0.0							
			Min	6936	-207.3	-62.1	-0.6	-250.7
1.6	0.0			6938	0.9	59.3	-0.5	-237.5
-23.7	0.0			9430	101.7	61.5	0.2	-146.8
6.7	0.0			9428	-0.8	-67.9	0.4	-149.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-62.0	-0.0							
		INVSLE	Max	6936	-103.7	-44.7	-0.3	-160.8
9.6	0.0			6938	32.1	48.3	-0.2	-151.4
-10.4	0.0			9430	107.7	48.3	0.4	-31.7
37.8	0.0			9428	34.3	-44.6	0.6	-30.8
-22.5	0.0							
			Min	6936	-146.2	-46.7	-0.5	-199.6
-0.1	0.0			6938	-2.9	43.9	-0.4	-189.1
-16.6	0.0			9430	72.3	46.4	0.2	-126.8
12.6	0.0			9428	6.5	-49.7	0.3	-129.6
-52.1	-0.0							
7337	2	10	C1-C2;~1	Max	6937	0.0	0.0	0.0
0.0	0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0	0.0			5013	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6937	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0	0.0			5013	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	6937	0.0	0.0	0.0
0.0	0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0	0.0			5013	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	6937	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0	0.0			5013	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	6937	0.0	0.0	0.0
0.0	0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5013	0.0	0.0	0.0	0.0
0.0	0.0	Min	6937	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		5012	0.0	0.0	0.0	0.0
0.0	0.0		5013	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6937	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0			5013	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6937	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0			5013	0.0	0.0	0.0
-11.9	0.0		G1	6937	-29.9	6.2	-0.4
12.3	0.0			6939	-38.7	22.2	-0.4
13.5	0.0			5012	28.7	-6.9	0.4
-14.2	0.0			5013	39.9	-21.3	0.4
-5.2	0.0		G2	6937	-12.0	4.1	-0.2
5.4	0.0			6939	-15.2	10.4	-0.2
6.0	0.0			5012	11.5	-4.4	0.2
-6.2	0.0			5013	15.7	-10.1	0.2
0.0	0.0		Q3	6937	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0			5013	0.0	0.0	0.0
3.8	-0.0		Q5_pc X	6937	3.4	0.2	0.2
-3.9	-0.0			6939	-4.8	0.9	0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-4.5	-0.0			5012	-3.4	-0.6	-0.2	83.2
4.8	-0.0			5013	4.8	-0.5	-0.2	86.6
			Q5_pc Y					
-3.8	0.0			6937	-3.9	0.1	-0.2	46.3
				6939	1.8	0.4	-0.2	45.2
4.0	0.0			5012	3.8	0.1	0.2	-80.9
4.5	0.0			5013	-1.8	-0.6	0.2	-84.1
-4.7	0.0							
			Q5_ps X					
3.7	-0.0			6937	2.8	0.3	0.2	-43.1
				6939	-5.1	1.2	0.2	-42.3
-3.8	-0.0			5012	-2.8	-0.7	-0.2	79.9
-4.4	-0.0			5013	5.2	-0.8	-0.2	83.0
4.6	-0.0							
			Q5_ps Y					
-3.6	0.0			6937	-3.8	0.2	-0.2	43.7
				6939	1.5	0.5	-0.2	42.6
3.7	0.0			5012	3.7	-0.0	0.2	-76.3
4.2	0.0			5013	-1.4	-0.7	0.2	-79.3
-4.5	0.0							
			INVSLE Max					
37.6	0.0			6937	62.7	21.3	3.7	-205.7
				6939	-150.6	56.7	3.2	-196.0
-23.6	0.0			5012	-57.1	-31.4	-2.6	918.6
-30.5	0.0			5013	171.8	-42.0	-3.0	990.5
52.3	0.0							
			Min					
26.6	-0.0			6937	51.3	20.4	3.0	-336.7
				6939	-166.0	53.2	2.6	-323.9
-34.9	0.0			5012	-68.2	-33.4	-3.2	679.1
-43.7	0.0			5013	156.3	-44.4	-3.7	741.5
38.3	0.0							
			INVSLE Max					
30.4	0.0			6937	50.9	15.9	2.9	-189.0
				6939	-117.0	42.3	2.6	-180.8
-20.8	0.0			5012	-47.8	-23.9	-2.1	736.0
-26.4	0.0			5013	131.6	-31.3	-2.5	792.6
41.9	0.0							
			Min					
23.1	-0.0			6937	43.3	15.3	2.5	-276.3

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-28.4	0.0	6939	-127.2	40.0	2.2	-266.0
-35.2	0.0	5012	-55.2	-25.2	-2.6	576.3
32.6	0.0	5013	121.3	-32.9	-2.9	626.6

7338	2	4 C1-C2;~1	Max	6938	0.0	0.0	0.0	0.0
0.0		0.0		6940	0.0	0.0	0.0	0.0
0.0		0.0		9432	0.0	0.0	0.0	0.0
0.0		0.0		9430	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~1	Max	6938	0.0	0.0	0.0	0.0
0.0		0.0		6940	0.0	0.0	0.0	0.0
0.0		0.0		9432	0.0	0.0	0.0	0.0
0.0		0.0		9430	0.0	0.0	0.0	0.0
0.0		0.0						

		C1-C2;~2	Max	6938	0.0	0.0	0.0	0.0
0.0		0.0		6940	0.0	0.0	0.0	0.0
0.0		0.0		9432	0.0	0.0	0.0	0.0
0.0		0.0		9430	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~2	Max	6938	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6940	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
0.0	0.0	Min	6938	0.0	0.0	0.0	0.0
0.0	0.0		6940	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
0.0	0.0						
18.0	-0.0	G1	6938	-146.4	-28.8	0.7	55.2
-40.4	-0.0		6940	60.2	44.3	0.1	36.0
-68.7	0.0		9432	126.0	28.8	-0.2	201.8
51.1	-0.0		9430	-39.8	-43.6	-0.6	245.5
6.9	-0.0	G2	6938	-57.6	-10.8	0.3	20.5
-16.0	-0.0		6940	22.8	18.9	0.0	13.3
-27.2	-0.0		9432	49.8	10.4	-0.1	78.4
19.4	-0.0		9430	-15.1	-18.5	-0.2	95.1
0.0	0.0	Q3	6938	0.0	0.0	0.0	0.0
0.0	0.0		6940	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
-2.8	0.0	Q5_pc X	6938	16.0	-0.3	-0.2	-21.2
7.2	0.0		6940	-14.0	-2.5	-0.0	-16.0
14.8	0.0		9432	-14.6	0.8	0.0	-41.3
-11.1	0.0		9430	12.6	2.0	0.1	-50.2
3.7	-0.0	Q5_pc Y	6938	-23.5	-1.4	0.2	21.8
-9.0	-0.0		6940	17.1	4.3	0.0	15.9
-17.3	-0.0		9432	20.7	1.1	-0.0	49.0
13.2	-0.0		9430	-14.3	-4.0	-0.2	59.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-2.6	0.0	Q5_ps X	6938	14.2	-0.7	-0.1	-19.8
6.8	0.0		6940	-13.1	-2.3	-0.0	-15.1
14.1	0.0		9432	-13.1	1.4	0.0	-38.8
-10.2	0.0		9430	12.0	1.6	0.1	-46.7
3.6	-0.0	Q5_ps Y	6938	-22.7	-1.5	0.2	20.8
-8.5	-0.0		6940	16.4	4.1	0.0	15.1
-16.4	-0.0		9432	20.0	1.3	-0.0	46.7
12.6	-0.0		9430	-13.6	-3.9	-0.2	57.0
21.6	0.0	INVS LU Max	6938	-140.6	-61.6	-0.5	-219.5
-18.2	-0.0		6940	34.7	82.8	-0.0	-184.1
22.5	0.0		9432	161.6	64.8	0.1	27.3
-7.6	0.0		9430	53.4	-68.9	1.1	9.9
10.9	0.0	Min	6938	-208.9	-65.9	-1.0	-281.8
-43.8	-0.0		6940	-14.5	70.5	-0.1	-229.5
-26.7	0.0		9432	101.8	60.6	-0.1	-112.9
-45.5	0.0		9430	12.5	-80.6	0.6	-161.1
14.6	0.0	INVS LE Max	6938	-100.8	-46.0	-0.5	-182.4
-11.8	-0.0		6940	18.8	59.9	-0.0	-151.7
22.0	0.0		9432	111.2	48.1	0.1	-6.7
-13.3	0.0		9430	43.4	-50.5	0.9	-26.3
7.5	0.0	Min	6938	-146.2	-48.9	-0.9	-223.9
-28.8	-0.0		6940	-14.0	51.7	-0.1	-181.9
-10.8	0.0		9432	71.3	45.3	-0.0	-100.1
-38.6	0.0		9430	16.2	-58.3	0.6	-140.3
7339	2	4 C1-C2; ~1 Max	6939	0.0	0.0	0.0	0.0
0.0	0.0		6941	0.0	0.0	0.0	0.0
0.0	0.0		5011	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5012	0.0	0.0	0.0	0.0
0.0	0.0	Min	6939	0.0	0.0	0.0	0.0
0.0	0.0		6941	0.0	0.0	0.0	0.0
0.0	0.0		5011	0.0	0.0	0.0	0.0
0.0	0.0		5012	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	6939	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6939	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	6939	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6939	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	6939	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0			5012	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	6939	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0
0.0	0.0			5011	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5012	0.0	0.0	0.0	0.0
		G1	6939	-33.2	6.2	-0.5	188.1
-13.5	0.0		6941	-41.4	21.0	-0.2	151.6
7.2	-0.0		5011	32.1	-4.4	0.2	-196.4
10.3	0.0		5012	42.5	-22.6	0.5	-261.2
-19.7	0.0						
		G2	6939	-13.7	2.8	-0.2	85.8
-6.1	0.0		6941	-16.8	7.5	-0.1	73.8
4.5	-0.0		5011	13.4	-0.8	0.0	-87.7
4.8	0.0		5012	17.2	-9.6	0.2	-115.2
-8.3	0.0						
		Q3	6939	0.0	0.0	0.0	0.0
0.0	0.0		6941	0.0	0.0	0.0	0.0
0.0	0.0		5011	0.0	0.0	0.0	0.0
0.0	0.0		5012	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6939	2.4	-0.0	0.3	-53.4
4.3	-0.0		6941	-5.2	0.8	0.2	-43.9
-2.5	0.0		5011	-2.4	-0.2	-0.2	81.2
-4.1	-0.0		5012	5.2	-0.6	-0.3	100.2
6.8	-0.0						
		Q5_pc Y	6939	-2.9	0.4	-0.3	53.7
-4.2	0.0		6941	2.7	0.1	-0.2	42.3
1.9	0.0		5011	2.8	-0.1	0.2	-78.0
3.9	0.0		5012	-2.5	-0.4	0.3	-97.1
-6.9	0.0						
		Q5_ps X	6939	1.8	0.3	0.3	-52.0
4.1	-0.0		6941	-5.6	1.5	0.2	-43.7
-2.7	0.0		5011	-1.8	-0.7	-0.2	78.1
-4.0	-0.0		5012	5.6	-1.1	-0.3	96.4
6.5	-0.0						
		Q5_ps Y	6939	-2.9	0.5	-0.2	50.4
-3.9	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.7	0.0			6941	2.3	0.4	-0.2	39.2
3.7	0.0			5011	2.8	-0.3	0.2	-73.5
-6.5	0.0			5012	-2.1	-0.6	0.3	-91.4
35.7	0.0	INVS LU	Max	6939	38.0	7.6	4.4	-203.2
-3.6	-0.0			6941	-145.5	34.2	3.7	-132.6
-33.9	0.0			5011	-33.5	-4.1	-3.2	969.6
72.0	0.0			5012	166.2	-31.7	-3.7	1118.9
23.3	0.0		Min	6939	29.4	6.2	3.6	-359.1
-11.6	-0.0			6941	-162.2	29.6	3.2	-263.6
-45.8	0.0			5011	-41.7	-6.2	-3.7	735.4
52.4	0.0			5012	149.4	-35.0	-4.5	829.6
29.0	0.0	INVS LE	Max	6939	32.0	5.4	3.5	-192.0
-4.1	-0.0			6941	-113.2	25.4	3.0	-130.1
-29.0	0.0			5011	-29.3	-3.2	-2.6	777.7
58.0	0.0			5012	127.4	-23.5	-3.0	897.5
20.7	0.0		Min	6939	26.2	4.4	3.0	-295.9
-9.5	-0.0			6941	-124.4	22.3	2.6	-217.4
-36.9	0.0			5011	-34.8	-4.6	-2.9	621.5
45.0	0.0			5012	116.2	-25.7	-3.5	704.6
7366	2	4	C1-C2;~1	Max	6966	0.0	0.0	0.0
0.0	0.0				6968	0.0	0.0	0.0
0.0	0.0				9460	0.0	0.0	0.0
0.0	0.0				9458	0.0	0.0	0.0
0.0	0.0		Min	6966	0.0	0.0	0.0	0.0
0.0	0.0				6968	0.0	0.0	0.0
0.0	0.0				9460	0.0	0.0	0.0
0.0	0.0				9458	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6966	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6966	0.0	0.0	0.0	0.0
0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6966	0.0	0.0	0.0	0.0
0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6966	0.0	0.0	0.0	0.0
0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6966	0.0	0.0	0.0	0.0
0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		6966	0.0	0.0	0.0	0.0
0.0	0.0			6968	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6966	-15.7	-100.7	-0.2	-10.1
-26.9	0.0			6968	-244.0	117.0	-0.2	-20.7
4.8	0.0			9460	48.5	102.5	0.2	-145.7
27.7	0.0			9458	211.2	-118.2	0.3	-156.7
-46.1	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	6966	-5.6	-38.3	-0.1	-5.3
-10.5	0.0		6968	-94.7	45.8	-0.1	-9.5
1.8	0.0		9460	18.5	38.8	0.1	-56.7
11.2	0.0		9458	81.8	-46.3	0.1	-60.9
-18.4	-0.0						
		Q3	6966	0.0	0.0	0.0	0.0
0.0	0.0		6968	0.0	0.0	0.0	0.0
0.0	0.0		9460	0.0	0.0	0.0	0.0
0.0	0.0		9458	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6966	-0.5	-0.5	-0.0	-7.8
-0.6	-0.0		6968	-0.7	0.9	-0.0	-8.3
-1.7	-0.0		9460	-0.2	0.1	0.0	-7.8
0.0	0.0		9458	1.3	-0.4	0.0	-7.5
-3.1	-0.0						
		Q5_pc Y	6966	-6.8	0.3	0.1	26.5
3.1	0.0		6968	6.2	0.6	0.1	26.5
1.1	0.0		9460	7.5	-0.1	-0.1	34.2
-7.2	-0.0		9458	-6.9	-0.8	-0.1	36.0
12.6	0.0						
		Q5_ps X	6966	-2.3	-1.7	-0.0	-6.8
-0.5	-0.0		6968	-1.7	2.1	-0.0	-7.3
-1.4	-0.0		9460	1.5	1.3	0.0	-7.4
0.2	0.0		9458	2.5	-1.7	0.0	-6.8
-2.7	-0.0						
		Q5_ps Y	6966	-7.3	-0.3	0.1	25.3
3.0	0.0		6968	5.4	1.2	0.1	25.3
1.2	0.0		9460	7.8	0.4	-0.1	32.3
-6.7	-0.0		9458	-5.9	-1.4	-0.1	34.1
12.0	0.0						
		INVSLU Max	6966	37.1	-203.3	-0.3	80.3
-64.2	0.0		6968	-553.0	247.9	-0.4	48.8
20.1	0.0		9460	74.8	209.0	0.5	-276.4
70.7	0.0						

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-84.6	0.0			9458	480.7	-242.6	0.7	-299.8	
			Min	6966	15.3	-208.4	-0.6	4.3	
-73.1	0.0			6968	-569.1	241.7	-0.6	-27.2	
16.0	0.0			9460	51.3	205.1	0.3	-373.3	
50.5	-0.0			9458	463.0	-247.5	0.4	-402.1	
-120.6	-0.0								
			INVSLE	Max	6966	30.2	-152.1	-0.2	55.8
-49.3	0.0			6968	-417.2	185.0	-0.3	32.0	
15.1	0.0			9460	52.4	155.9	0.4	-216.1	
53.1	0.0			9458	361.0	-181.4	0.5	-234.3	
-66.8	0.0								
			Min	6966	15.6	-155.5	-0.4	5.1	
-55.3	0.0			6968	-427.9	180.9	-0.5	-18.7	
12.3	0.0			9460	36.7	153.4	0.2	-280.8	
39.7	-0.0			9458	349.2	-184.8	0.3	-302.5	
-90.7	-0.0								
7367	2	4	C1-C2;~1	Max	6967	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5027	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5028	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6967	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5027	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5028	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	6967	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5027	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5028	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	6967	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5027	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		5028	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	6967	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
0.0	0.0			5027	0.0	0.0	0.0
0.0	0.0			5028	0.0	0.0	0.0
0.0	0.0		Min	6967	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
0.0	0.0			5027	0.0	0.0	0.0
0.0	0.0			5028	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	6967	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
0.0	0.0			5027	0.0	0.0	0.0
0.0	0.0			5028	0.0	0.0	0.0
0.0	0.0		Min	6967	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
0.0	0.0			5027	0.0	0.0	0.0
0.0	0.0			5028	0.0	0.0	0.0
1.7	0.0	G1		6967	-165.3	-20.0	-0.6
-1.1	0.0			6969	-100.8	34.8	-0.5
-0.1	0.0			5027	169.4	24.2	0.5
-0.3	0.0			5028	96.7	-38.8	0.6
-0.6	0.0	G2		6967	-64.5	-5.6	-0.3
0.8	0.0			6969	-38.7	15.4	-0.2
1.2	0.0			5027	66.0	7.4	0.2
-1.5	0.0			5028	37.1	-17.2	0.3
0.0	0.0	Q3		6967	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		5027	0.0	0.0	0.0	0.0
0.0	0.0		5028	0.0	0.0	0.0	0.0
1.6	-0.0	Q5_pc X	6967	7.0	2.4	0.1	-14.6
-1.4	-0.0		6969	1.0	4.3	0.1	-14.7
-1.6	0.0		5027	-7.3	-6.1	-0.1	32.0
2.0	0.0		5028	-0.7	-0.6	-0.1	36.0
-4.1	0.0	Q5_pc Y	6967	-11.6	-0.9	-0.3	43.1
3.9	0.0		6969	3.5	1.0	-0.3	41.8
4.7	0.0		5027	12.1	0.8	0.3	-92.7
-5.6	0.0		5028	-4.0	-0.9	0.3	-100.1
1.7	-0.0	Q5_ps X	6967	4.9	2.0	0.1	-16.3
-1.6	-0.0		6969	-1.0	4.3	0.1	-16.5
-1.8	0.0		5027	-5.2	-5.1	-0.1	34.4
2.2	0.0		5028	1.3	-1.1	-0.1	38.1
-3.8	0.0	Q5_ps Y	6967	-11.8	-1.0	-0.3	39.5
3.6	0.0		6969	2.4	1.1	-0.3	38.2
4.4	0.0		5027	12.3	1.0	0.3	-85.6
-5.1	0.0		5028	-2.9	-1.1	0.3	-92.7
0.8	0.0	INVSLE Max	6967	-376.9	-50.0	-1.9	12.8
14.3	0.0		6969	-180.1	74.6	-1.5	32.2
19.2	0.0		5027	424.9	67.6	2.3	-203.7
-5.9	0.0		5028	175.9	-73.2	2.8	-222.4
-10.6	0.0	Min	6967	-412.1	-55.9	-2.8	-105.6
3.5	0.0		6969	-187.2	61.8	-2.3	-82.4
6.1	0.0		5027	388.2	52.2	1.5	-460.5
-21.3	0.0		5028	167.3	-76.5	1.9	-500.4
		INVSLE Max	6967	-283.4	-37.8	-1.4	0.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.4	0.0			6969	-134.4	55.0	-1.2	15.2
9.9	0.0			5027	316.5	50.0	1.7	-157.6
13.5	0.0			5028	130.5	-54.6	2.0	-172.4
-4.7	0.0							
			Min	6967	-306.9	-41.7	-2.0	-78.5
-7.2	0.0			6969	-139.1	46.5	-1.7	-61.3
2.8	0.0			5027	291.9	39.8	1.2	-328.8
4.8	0.0			5028	124.8	-56.8	1.4	-357.7
-15.0	0.0							
7368	2	8	C1-C2;~1	Max	6968	0.0	0.0	0.0
0.0					6970	0.0	0.0	0.0
0.0					9462	0.0	0.0	0.0
0.0					9460	0.0	0.0	0.0
0.0								
			Min	6968	0.0	0.0	0.0	0.0
0.0					6970	0.0	0.0	0.0
0.0					9462	0.0	0.0	0.0
0.0					9460	0.0	0.0	0.0
0.0								
			C3-C4;~1	Max	6968	0.0	0.0	0.0
0.0					6970	0.0	0.0	0.0
0.0					9462	0.0	0.0	0.0
0.0					9460	0.0	0.0	0.0
0.0								
			Min	6968	0.0	0.0	0.0	0.0
0.0					6970	0.0	0.0	0.0
0.0					9462	0.0	0.0	0.0
0.0					9460	0.0	0.0	0.0
0.0								
			C1-C2;~2	Max	6968	0.0	0.0	0.0
0.0					6970	0.0	0.0	0.0
0.0					9462	0.0	0.0	0.0
0.0					9460	0.0	0.0	0.0
0.0								
			Min	6968	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6970	0.0	0.0	0.0	0.0
0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9460	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	6968	0.0	0.0	0.0
0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0			9462	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0
0.0	0.0						
			Min	6968	0.0	0.0	0.0
0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0			9462	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0
0.0	0.0						
			G1	6968	-27.1	-112.0	-0.4
-6.5	0.0			6970	-240.9	114.9	-0.1
33.2	0.0			9462	57.1	111.6	0.1
41.6	-0.0			9460	211.0	-113.8	0.4
-27.2	0.0						
			G2	6968	-10.4	-42.3	-0.2
-2.5	0.0			6970	-93.2	45.8	-0.0
12.4	0.0			9462	22.2	41.7	0.0
15.4	-0.0			9460	81.4	-45.1	0.1
-11.0	0.0						
			Q3	6968	0.0	0.0	0.0
0.0	0.0			6970	0.0	0.0	0.0
0.0	0.0			9462	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		6968	-0.0	-1.8	-0.0
1.6	-0.0			6970	0.2	-5.1	-0.0
-0.2	-0.0			9462	-2.3	4.9	0.0
4.5	0.0			9460	2.1	2.0	0.0
-0.1	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		Q5_pc Y		6968	-7.2	0.4	0.1	31.1
-0.5	0.0			6970	4.3	3.8	0.0	25.3
-1.1	0.0			9462	9.0	-1.4	-0.0	32.2
-8.0	-0.0			9460	-6.1	-2.8	-0.1	39.2
7.3	-0.0							
		Q5_ps X		6968	-1.4	-3.1	-0.0	-10.4
1.3	-0.0			6970	-1.1	-4.1	-0.0	-10.0
0.2	-0.0			9462	-1.0	6.3	0.0	-13.8
5.1	0.0			9460	3.6	0.9	0.0	-12.3
-0.3	0.0							
		Q5_ps Y		6968	-7.5	-0.3	0.1	29.8
-0.6	0.0			6970	3.4	4.1	0.0	24.2
-0.9	0.0			9462	9.2	-0.6	-0.0	30.0
-7.3	-0.0			9460	-5.0	-3.2	-0.1	36.7
6.8	-0.0							
		INVS LU	Max	6968	0.4	-227.0	-0.5	48.7
-19.6	0.0			6970	-534.3	238.3	-0.1	48.7
80.6	0.0			9462	101.6	242.3	0.3	-238.0
107.2	-0.0			9460	470.0	-227.4	0.8	-301.9
-49.2	0.0							
			Min	6968	-22.2	-236.2	-1.0	-40.6
-23.5	0.0			6970	-544.5	225.9	-0.2	-23.9
78.0	0.0			9462	74.1	223.4	0.2	-328.0
85.3	-0.0			9460	455.0	-237.1	0.4	-412.1
-69.6	-0.0							
		INVS LE	Max	6968	2.4	-170.2	-0.4	31.0
-15.1	0.0			6970	-402.1	176.8	-0.1	32.0
60.8	0.0			9462	72.3	180.6	0.3	-187.0
80.8	-0.0			9460	352.6	-169.8	0.6	-236.5
-38.7	0.0							
			Min	6968	-12.7	-176.3	-0.7	-28.5
-17.7	0.0			6970	-408.9	168.5	-0.2	-16.5
59.0	0.0			9462	54.0	168.1	0.2	-246.9
66.2	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-52.3 -0.0 9460 342.6 -176.2 0.3 -310.0

7369	2	8	C1-C2;~1	Max	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0
0.0		0.0			5027	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	6969	0.0	0.0	0.0	0.0
0.0		0.0			6971	0.0	0.0	0.0	0.0
0.0		0.0			5026	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5027	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6969	0.0	0.0	0.0	0.0
0.0	0.0		6971	0.0	0.0	0.0	0.0
0.0	0.0		5026	0.0	0.0	0.0	0.0
0.0	0.0		5027	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6969	-169.8	-11.8	-0.6	-57.2
1.8	0.0		6971	-120.0	52.8	-0.7	-47.7
-1.9	0.0		5026	169.9	11.4	0.7	-75.5
3.1	0.0		5027	119.8	-52.2	0.6	-57.3
-1.3	0.0						
		G2	6969	-66.9	-4.9	-0.3	-2.2
-0.9	0.0		6971	-47.1	18.1	-0.2	3.3
1.4	-0.0		5026	67.0	7.1	0.2	-46.6
2.2	0.0		5027	47.0	-20.3	0.3	-45.2
-1.9	0.0						
		Q3	6969	0.0	0.0	0.0	0.0
0.0	0.0		6971	0.0	0.0	0.0	0.0
0.0	0.0		5026	0.0	0.0	0.0	0.0
0.0	0.0		5027	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	6969	2.9	3.3	0.1	-18.2
1.7	-0.0		6971	0.6	-1.3	0.1	-16.2
-1.5	0.0		5026	-3.0	0.5	-0.1	27.8
-1.4	0.0		5027	-0.5	-2.5	-0.1	33.6
2.0	0.0						
		Q5_pc Y	6969	-10.8	2.0	-0.3	46.1
-4.2	0.0		6971	-0.3	2.4	-0.2	35.3
1.7	0.0		5026	10.5	0.1	0.2	-83.4
3.9	0.0		5027	0.5	-4.4	0.3	-102.7
-7.0	0.0						
		Q5_ps X	6969	1.4	2.9	0.1	-21.1
1.9	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.8	0.0			6971	-1.0	-0.0	0.1	-19.6
-1.5	0.0			5026	-1.4	-0.1	-0.1	29.7
2.2	0.0			5027	1.0	-2.8	-0.1	36.6
-3.8	0.0	Q5_ps	Y	6969	-10.9	1.8	-0.3	41.7
1.4	0.0			6971	-1.0	2.9	-0.2	31.3
3.6	0.0			5026	10.6	-0.2	0.2	-77.3
-6.5	0.0			5027	1.2	-4.5	0.3	-94.8
-2.4	0.0	INVSLE	Max	6969	-383.2	-14.3	-2.0	46.7
3.2	0.0			6971	-243.3	118.3	-2.0	30.3
23.2	0.0			5026	415.1	29.1	2.7	-300.5
-12.7	0.0			5027	246.9	-117.0	3.0	-286.5
-13.8	0.0		Min	6969	-415.8	-23.1	-3.0	-78.4
-2.4	0.0			6971	-246.2	109.7	-2.7	-63.5
12.4	0.0			5026	383.2	28.2	2.0	-532.4
-32.1	0.0			5027	243.2	-130.4	2.0	-571.0
-1.9	0.0	INVSLE	Max	6969	-288.0	-11.0	-1.5	24.7
1.9	0.0			6971	-181.7	88.0	-1.6	14.5
16.7	0.0			5026	309.3	21.8	2.0	-229.8
-9.8	0.0			5027	184.2	-88.1	2.2	-220.0
-9.5	0.0		Min	6969	-309.8	-16.9	-2.2	-58.7
-1.8	0.0			6971	-183.7	82.3	-2.0	-48.0
9.5	0.0			5026	288.1	21.2	1.5	-384.3
-22.8	0.0			5027	181.7	-97.0	1.5	-409.6
7394	2	8	C1-C2;~1	Max	6994	0.0	0.0	0.0
0.0	0.0				6996	0.0	0.0	0.0
0.0	0.0				9488	0.0	0.0	0.0
0.0	0.0				9486	0.0	0.0	0.0
0.0	0.0			Min	6994	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	6994	242.5	117.2	-0.1	-11.5
-32.7	-0.0			6996	29.3	-113.2	-0.4	-21.5
6.5	-0.0			9488	-212.4	-115.7	0.3	-152.5
26.3	-0.0			9486	-59.5	112.4	0.1	-118.2
-40.4	0.0							
			G2	6994	93.2	46.4	-0.0	-5.9
-12.1	-0.0			6996	10.6	-42.1	-0.2	-10.3
2.4	-0.0			9488	-81.1	-45.4	0.1	-58.9
10.5	-0.0			9486	-22.6	41.1	0.0	-45.0
-14.6	0.0							
			Q3	6994	0.0	0.0	0.0	0.0
0.0	0.0			6996	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0			9486	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	6994	0.6	-6.1	-0.0	-8.4
-0.4	-0.0			6996	-1.6	-1.9	-0.0	-8.3
-1.3	0.0			9488	-2.6	2.7	0.0	-11.0
-0.2	-0.0			9486	3.6	5.3	0.0	-12.8
-5.0	-0.0							
			Q5_pc Y	6994	0.0	1.2	0.0	17.9
-0.3	-0.0			6996	2.2	-0.5	0.1	22.3
0.8	0.0			9488	1.7	-1.4	-0.1	22.3
-4.4	0.0			9486	-3.9	0.6	-0.0	17.4
3.5	0.0							
			Q5_ps X	6994	1.4	-5.2	-0.0	-7.6
-0.5	0.0			6996	-0.5	-2.6	-0.0	-7.3
-1.1	0.0			9488	-3.5	1.9	0.0	-10.8
-0.1	-0.0			9486	2.6	6.0	0.0	-12.8
-5.2	-0.0							
			Q5_ps Y	6994	0.9	1.7	0.0	17.1
-0.5	-0.0			6996	3.0	-1.3	0.1	21.5
0.9	0.0			9488	0.5	-2.0	-0.1	20.7
-4.1	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.8	0.0			9486	-4.4	1.6	-0.0	15.8
-78.2	-0.0	INVS LU	Max	6994	546.4	241.5	-0.1	42.4
23.6	-0.0			6996	13.8	-228.8	-0.6	41.2
64.7	0.0			9488	-460.9	-230.6	0.7	-319.3
-87.7	0.0			9486	-80.8	242.6	0.3	-254.9
-79.8	-0.0		Min	6994	542.1	225.8	-0.2	-9.0
20.4	-0.0			6996	4.8	-236.6	-0.9	-23.4
52.5	-0.0			9488	-471.3	-236.5	0.5	-381.3
-103.2	0.0			9486	-94.1	224.6	0.2	-302.2
-59.2	-0.0	INVS LE	Max	6994	410.7	179.0	-0.1	28.1
17.9	-0.0			6996	6.8	-171.4	-0.5	26.4
49.0	0.0			9488	-347.0	-171.9	0.6	-247.7
-67.8	0.0			9486	-58.2	180.9	0.2	-198.0
-60.3	-0.0		Min	6994	407.8	168.5	-0.2	-6.2
15.7	-0.0			6996	0.8	-176.6	-0.6	-16.6
40.9	-0.0			9488	-353.9	-175.8	0.4	-289.0
-78.2	0.0			9486	-67.1	169.0	0.2	-229.6
7395	2	8	C1-C2;~1	Max	6995	0.0	0.0	0.0
0.0	0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0	0.0			5043	0.0	0.0	0.0
0.0	0.0	0.0			5044	0.0	0.0	0.0
0.0	0.0	0.0		Min	6995	0.0	0.0	0.0
0.0	0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0	0.0			5043	0.0	0.0	0.0
0.0	0.0	0.0			5044	0.0	0.0	0.0
0.0	0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0	0.0	C3-C4;~1	Max	6995	0.0	0.0	0.0
0.0	0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0	0.0			5043	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6995	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	6995	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6995	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	6995	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	6995	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	6995	121.4	53.8	-0.7	-45.3
1.9	-0.0		6997	171.8	-11.8	-0.6	-53.6
-1.6	-0.0		5043	-121.2	-52.9	0.6	-61.9
1.7	-0.0		5044	-171.9	11.1	0.7	-79.9
-3.4	-0.0						
		G2	6995	46.8	18.3	-0.2	3.9
-1.3	0.0		6997	66.7	-4.6	-0.3	-1.2
0.9	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.0	-0.0		5043	-46.7	-20.5	0.3	-46.4
-2.3	-0.0		5044	-66.8	6.8	0.3	-47.8
0.0	0.0	Q3	6995	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0		5044	0.0	0.0	0.0	0.0
1.1	0.0	Q5_pc X	6995	-0.3	-1.2	0.0	-10.9
-1.0	0.0		6997	-0.4	2.6	0.0	-12.1
-1.1	-0.0		5043	0.2	-2.5	-0.0	18.2
0.9	-0.0		5044	0.4	1.0	-0.0	15.5
-1.1	-0.0	Q5_pc Y	6995	0.7	2.2	-0.2	23.3
3.0	0.0		6997	10.4	1.8	-0.3	31.0
5.2	0.0		5043	-0.9	-4.3	0.3	-76.9
-2.9	0.0		5044	-10.2	0.3	0.2	-62.8
1.4	-0.0	Q5_ps X	6995	0.7	-0.1	0.0	-14.1
-1.2	0.0		6997	0.4	2.5	0.0	-14.8
-1.3	-0.0		5043	-0.8	-2.7	-0.0	21.4
1.0	-0.0		5044	-0.3	0.4	-0.0	17.6
-0.8	-0.0	Q5_ps Y	6995	1.7	2.7	-0.2	19.6
2.7	0.0		6997	10.8	1.6	-0.3	27.2
4.8	0.0		5043	-1.9	-4.3	0.3	-70.3
-2.7	0.0		5044	-10.6	0.0	0.2	-57.7
1.4	-0.0	INVSLU Max	6995	248.3	119.6	-2.1	16.9
12.4	-0.0		6997	420.1	-14.8	-2.1	30.2
30.1	-0.0		5043	-243.3	-118.5	2.9	-331.9
-14.3	-0.0		5044	-387.6	29.2	2.7	-337.5
		Min	6995	243.3	111.3	-2.7	-42.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-2.7	-0.0			6997	387.7	-22.3	-2.9	-51.5
4.4	-0.0			5043	-249.0	-131.4	2.1	-542.7
15.8	-0.0			5044	-419.4	27.4	2.1	-510.7
-22.2	-0.0							
		INVSLE	Max	6995	185.1	89.0	-1.6	5.9
1.1	-0.0			6997	313.1	-11.3	-1.6	14.2
8.6	-0.0			5043	-181.9	-89.1	2.1	-251.2
21.5	-0.0			5044	-291.5	21.8	2.0	-255.3
-10.8	-0.0							
			Min	6995	181.8	83.5	-2.0	-33.4
-1.6	-0.0			6997	291.5	-16.3	-2.1	-40.3
3.3	-0.0			5043	-185.6	-97.8	1.6	-391.7
12.0	-0.0			5044	-312.6	20.6	1.6	-370.7
-16.1	-0.0							
7396	2	4	C1-C2;~1	Max	6996	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6996	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2;~2	Max	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0		Min	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0		Min	6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		6996	245.0	118.4	-0.2	-19.0
-4.9	-0.0			6998	17.9	-101.8	-0.2	-9.0
25.4	-0.0			9490	-212.5	-119.6	0.3	-150.1
43.4	-0.0			9488	-50.4	103.7	0.2	-140.0
-26.9	-0.0							
		G2		6996	94.4	45.7	-0.1	-9.0
-1.7	-0.0			6998	5.6	-38.1	-0.1	-5.1
9.9	-0.0			9490	-81.5	-46.2	0.1	-58.6
17.5	0.0			9488	-18.5	38.6	0.1	-54.6
-10.8	-0.0							
		Q3		6996	0.0	0.0	0.0	0.0
0.0	0.0			6998	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9488	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

1.3	0.0	Q5_pc X	6996	2.1	0.9	-0.0	-5.1
0.6	0.0		6998	-1.1	-0.5	-0.0	-4.2
2.2	0.0		9490	-2.1	-0.4	0.0	-5.8
0.2	-0.0		9488	1.0	0.0	0.0	-6.2
-1.2	0.0	Q5_pc Y	6996	-0.3	1.0	0.1	19.7
-1.1	0.0		6998	1.5	-0.1	0.1	20.2
-7.4	-0.0		9490	2.0	-0.9	-0.1	21.3
4.4	0.0		9488	-3.2	0.0	-0.0	20.3
1.1	0.0	Q5_ps X	6996	2.6	1.6	-0.0	-4.3
0.5	0.0		6998	0.1	-1.2	-0.0	-3.5
1.9	0.0		9490	-2.7	-1.2	0.0	-5.4
0.1	-0.0		9488	-0.1	0.7	0.0	-6.0
-1.3	0.0	Q5_ps Y	6996	0.5	1.7	0.1	19.0
-1.1	0.0		6998	2.5	-0.8	0.1	19.5
-7.1	-0.0		9490	1.0	-1.7	-0.1	20.3
4.1	0.0		9488	-4.0	0.8	-0.0	19.1
-16.8	-0.0	INVSLE Max	6996	570.2	248.5	-0.4	42.3
67.9	-0.0		6998	-24.9	-204.8	-0.3	73.2
109.3	0.0		9490	-472.0	-243.8	0.6	-311.6
-53.8	0.0		9488	-55.6	209.1	0.4	-288.7
-20.6	-0.0	Min	6996	562.3	243.4	-0.5	-14.7
64.6	-0.0		6998	-32.4	-208.3	-0.5	14.7
88.0	-0.0		9490	-480.0	-248.9	0.4	-372.6
-65.9	-0.0		9488	-67.7	206.6	0.3	-346.1
-12.9	-0.0	INVSLE Max	6996	429.2	185.5	-0.3	28.0
51.6	-0.0		6998	-22.4	-153.1	-0.3	51.3
			9490	-355.6	-182.3	0.5	-241.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
82.9	0.0			9488	-39.3	156.0	0.3	-223.8
-41.8	0.0							
			Min	6996	423.9	182.1	-0.4	-10.0
-15.5	-0.0			6998	-27.4	-155.4	-0.4	12.3
49.4	-0.0			9490	-361.0	-185.7	0.3	-282.2
68.6	-0.0			9488	-47.4	154.4	0.2	-262.1
-49.9	-0.0							
7397	2	4	C1-C2;~1	Max	6997	0.0	0.0	0.0
0.0	0.0				6999	0.0	0.0	0.0
0.0	0.0				5042	0.0	0.0	0.0
0.0	0.0				5043	0.0	0.0	0.0
0.0	0.0							
			Min	6997	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0	0.0
0.0	0.0			5043	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	6997	0.0	0.0	0.0
0.0	0.0				6999	0.0	0.0	0.0
0.0	0.0				5042	0.0	0.0	0.0
0.0	0.0				5043	0.0	0.0	0.0
0.0	0.0							
			Min	6997	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0	0.0
0.0	0.0			5043	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	6997	0.0	0.0	0.0
0.0	0.0				6999	0.0	0.0	0.0
0.0	0.0				5042	0.0	0.0	0.0
0.0	0.0				5043	0.0	0.0	0.0
0.0	0.0							
			Min	6997	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5043	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	6997	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0
0.0	0.0			5043	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	6997	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0
0.0	0.0			5043	0.0	0.0	0.0
0.0	0.0						
0.9	-0.0		G1	6997	102.1	35.0	-0.5
-1.5	-0.0			6999	167.3	-20.4	-0.6
0.4	-0.0			5042	-97.9	-39.1	0.6
-0.1	-0.0			5043	-171.5	24.7	0.5
-0.9	-0.0		G2	6997	38.2	15.4	-0.2
0.6	-0.0			6999	64.2	-5.6	-0.3
1.5	-0.0			5042	-36.6	-17.0	0.3
-1.2	-0.0			5043	-65.7	7.2	0.2
0.0	0.0		Q3	6997	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			5042	0.0	0.0	0.0
0.0	0.0			5043	0.0	0.0	0.0
0.0	0.0						
0.9	0.0		Q5_pc X	6997	-1.1	3.6	0.0
-0.9	0.0			6999	-3.4	1.7	0.1
-1.1	-0.0			5042	1.0	-0.7	-0.1
0.9	-0.0			5043	3.5	-4.6	-0.0
-2.8	0.0		Q5_pc Y	6997	-2.9	1.2	-0.2

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

3.0	-0.0		6999	10.9	-0.9	-0.3	30.0
4.2	0.0		5042	3.4	-0.9	0.3	-75.7
-3.5	0.0		5043	-11.4	0.6	0.2	-69.6
1.1	0.0	Q5_ps X	6997	0.2	3.6	0.0	-11.0
-1.1	0.0		6999	-2.3	1.5	0.1	-10.5
-1.2	-0.0		5042	-0.3	-1.0	-0.1	21.5
1.1	-0.0		5043	2.4	-4.1	-0.0	19.8
-2.5	0.0	Q5_ps Y	6997	-1.5	1.3	-0.2	25.9
2.8	-0.0		6999	11.4	-1.0	-0.2	27.1
3.8	0.0		5042	2.0	-1.1	0.2	-69.5
-3.2	0.0		5043	-11.9	0.9	0.2	-63.7
-5.4	-0.0	INVS LU Max	6997	186.4	73.3	-1.6	18.7
9.4	-0.0		6999	416.9	-51.6	-2.0	-0.1
19.6	-0.0		5042	-168.5	-73.3	2.7	-261.4
-8.3	-0.0		5043	-394.1	67.3	2.2	-242.2
-13.1	-0.0	Min	6997	181.2	62.5	-2.2	-59.0
1.2	-0.0		6999	382.6	-56.1	-2.7	-81.4
8.1	-0.0		5042	-174.6	-76.8	2.0	-470.0
-17.8	-0.0		5043	-429.9	55.1	1.6	-433.2
-4.1	-0.0	INVS LE Max	6997	138.6	54.1	-1.2	6.7
6.5	-0.0		6999	310.6	-39.0	-1.5	-7.6
13.9	-0.0		5042	-125.5	-54.7	2.0	-199.2
-6.3	-0.0		5043	-296.5	50.0	1.6	-184.0
-9.2	-0.0	Min	6997	135.1	46.9	-1.6	-45.2
0.9	-0.0		6999	287.8	-41.9	-2.0	-61.8
6.3	-0.0		5042	-129.6	-57.0	1.5	-338.2
-12.6	-0.0		5043	-320.4	41.8	1.2	-311.4

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

7424	2	4	C1-C2;~1	Max	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0		Min	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0		Min	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0		Min	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	7024	0.0	0.0	0.0	0.0
0.0		0.0			7026	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9516	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	7024	0.0	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0			9516	0.0	0.0	0.0	0.0
			G1	7024	-64.1	45.0	0.1	38.2
41.3	0.0			7026	152.2	-29.5	0.7	58.4
-17.9	0.0			9518	43.1	-44.4	-0.6	252.8
-52.1	0.0			9516	-131.1	29.6	-0.2	207.6
70.3	-0.0							
			G2	7024	-24.5	19.0	0.1	14.2
16.3	0.0			7026	59.3	-10.8	0.3	21.7
-6.8	0.0			9518	16.6	-18.5	-0.2	97.6
-19.7	0.0			9516	-51.3	10.3	-0.1	80.5
27.8	0.0							
			Q3	7024	0.0	0.0	0.0	0.0
0.0	0.0			7026	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0			9516	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	7024	14.1	-1.3	-0.0	-13.0
-6.5	-0.0			7026	-14.1	-1.0	-0.1	-17.5
2.5	-0.0			9518	-12.5	0.9	0.1	-43.5
9.6	-0.0			9516	12.5	1.3	0.0	-35.7
-12.8	-0.0							
			Q5_pc Y	7024	-3.4	1.6	0.0	6.9
2.1	0.0			7026	6.4	-0.8	0.1	9.1
-0.9	0.0			9518	3.1	-1.7	-0.1	18.2
-4.2	0.0			9516	-6.1	0.8	-0.0	14.6
4.8	0.0							
			Q5_ps X	7024	13.0	-1.3	-0.0	-12.2
-6.0	-0.0			7026	-12.8	-1.0	-0.1	-16.4
2.3	-0.0			9518	-11.6	0.9	0.1	-40.4
8.8	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-12.0	-0.0			9516	11.5	1.4	0.0	-33.3
		Q5_ps Y		7024	-3.4	1.6	0.0	6.6
2.0	0.0			7026	6.8	-1.1	0.1	8.8
-0.9	0.0			9518	2.9	-1.8	-0.1	17.9
-4.1	0.0			9516	-6.3	1.2	-0.0	14.2
4.5	0.0							
		INVSLE	Max	7024	10.8	79.2	-0.0	-179.7
38.9	0.0			7026	193.3	-62.4	-0.6	-215.2
-12.1	-0.0			9518	-16.6	-72.3	1.0	-10.8
38.3	-0.0			9516	-114.2	65.2	0.1	9.5
20.4	-0.0							
			Min	7024	-28.1	74.3	-0.1	-216.2
20.9	0.0			7026	154.8	-65.6	-0.9	-264.2
-18.9	-0.0			9518	-51.4	-77.7	0.6	-131.9
11.9	-0.0			9516	-148.6	61.1	-0.0	-90.3
-15.6	-0.0							
		INVSLE	Max	7024	12.1	57.4	-0.0	-147.9
25.4	0.0			7026	135.2	-46.5	-0.5	-178.6
-8.2	-0.0			9518	-19.4	-52.7	0.8	-40.4
33.8	-0.0			9516	-79.1	48.4	0.1	-18.9
6.4	-0.0							
			Min	7024	-13.8	54.1	-0.1	-172.3
13.3	0.0			7026	109.6	-48.7	-0.8	-211.3
-12.8	-0.0			9518	-42.6	-56.3	0.6	-121.2
16.2	-0.0			9516	-102.0	45.7	-0.0	-85.5
-17.6	-0.0							
7425	2	4 C1-C2;~1	Max	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7025	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			5058	0.0	0.0	0.0	0.0
0.0	0.0			5059	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7025	42.4	21.2	-0.2	157.0
-7.5	0.0			7027	34.1	6.0	-0.5	194.9
14.0	-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
20.5	-0.0		5058	-43.5	-22.9	0.5	-272.0
-10.7	-0.0		5059	-32.9	-4.2	0.2	-204.7
		G2	7025	16.6	7.4	-0.1	74.9
-4.5	0.0		7027	13.6	2.7	-0.2	87.4
6.2	-0.0		5058	-17.0	-9.4	0.2	-118.2
8.5	-0.0		5059	-13.2	-0.7	0.1	-89.9
-4.9	-0.0						
		Q3	7025	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
0.0	0.0		5059	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7025	4.9	0.5	0.2	-35.8
1.9	-0.0		7027	-0.8	-0.4	0.2	-44.1
-3.5	-0.0		5058	-4.9	-0.5	-0.2	81.4
-5.6	0.0		5059	0.8	0.4	-0.1	65.8
3.3	0.0						
		Q5_pc Y	7025	-1.4	0.8	-0.1	12.8
-0.4	-0.0		7027	2.4	0.5	-0.1	17.6
1.5	0.0		5058	1.4	-0.7	0.1	-37.6
2.7	-0.0		5059	-2.4	-0.5	0.1	-31.3
-1.5	-0.0						
		Q5_ps X	7025	4.8	0.9	0.1	-35.1
2.0	-0.0		7027	-0.7	-0.1	0.2	-42.4
-3.4	0.0		5058	-4.8	-0.8	-0.2	77.7
-5.3	0.0		5059	0.7	-0.0	-0.1	62.7
3.2	0.0						
		Q5_ps Y	7025	-0.8	1.2	-0.1	11.1
-0.2	-0.0		7027	2.6	0.7	-0.1	16.0
1.4	0.0		5058	0.8	-1.0	0.1	-35.0
2.5	-0.0		5059	-2.6	-0.8	0.1	-29.1
-1.4	-0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVS LU	Max	7025	159.3	34.6	3.5	-139.2
10.3	0.0				7027	-27.1	8.0	4.1	-209.4
-23.5	-0.0				5058	-148.7	-32.1	-3.6	1050.4
-51.7	-0.0				5059	38.6	-4.7	-3.1	913.1
43.1	-0.0								
				Min	7025	144.9	31.0	3.1	-244.4
4.4	0.0				7027	-34.9	6.1	3.5	-336.7
-33.6	-0.0				5058	-163.0	-35.2	-4.2	817.3
-67.6	-0.0				5059	30.9	-7.1	-3.5	725.0
33.6	-0.0								
			INVS LE	Max	7025	122.2	25.7	2.8	-134.1
8.6	0.0				7027	-24.4	5.6	3.3	-195.7
-20.8	-0.0				5058	-115.5	-23.8	-2.9	847.9
-44.2	-0.0				5059	32.5	-3.7	-2.5	736.7
34.9	-0.0								
				Min	7025	112.6	23.4	2.5	-204.3
4.6	0.0				7027	-29.6	4.3	2.9	-280.6
-27.6	-0.0				5058	-125.0	-25.9	-3.3	692.5
-54.9	-0.0				5059	27.3	-5.3	-2.8	611.2
28.6	-0.0								
7426	2	10	C1-C2;~1	Max	7026	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			9520	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7026	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			9520	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	7026	0.0	0.0	0.0	0.0
0.0		0.0			7028	0.0	0.0	0.0	0.0
0.0		0.0			9520	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
			Min	7026	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	7026	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7026	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	7026	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7026	0.0	0.0	0.0	0.0
0.0	0.0			7028	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9518	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7026	-77.2	32.6	0.4	57.7
15.6	0.0			7028	145.7	-23.1	0.4	59.0
-26.1	-0.0			9520	52.2	-34.4	-0.5	226.3
-67.6	-0.0			9518	-120.7	25.5	-0.3	213.6
52.4	0.0							
		G2		7026	-29.8	13.2	0.1	21.5
6.0	0.0			7028	56.3	-8.3	0.2	22.0
-10.0	-0.0			9520	20.2	-14.0	-0.2	87.2
-25.7	-0.0			9518	-46.7	9.1	-0.1	82.3
19.8	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	7026	0.0	0.0	0.0	0.0
0.0	0.0		7028	0.0	0.0	0.0	0.0
0.0	0.0		9520	0.0	0.0	0.0	0.0
0.0	0.0		9518	0.0	0.0	0.0	0.0
-2.1	-0.0	Q5_pc X	7026	14.5	0.4	-0.1	-15.8
3.6	0.0		7028	-12.6	-1.4	-0.1	-16.2
11.3	0.0		9520	-12.3	-0.2	0.1	-37.4
-9.5	-0.0		9518	10.5	1.2	0.1	-36.2
0.7	0.0	Q5_pc Y	7026	-4.0	1.1	0.0	8.0
-1.4	-0.0		7028	6.0	-0.4	0.0	8.3
-5.1	-0.0		9520	3.4	-1.2	-0.0	16.1
4.1	0.0		9518	-5.4	0.5	-0.0	15.4
-1.9	-0.0	Q5_ps X	7026	13.3	0.4	-0.1	-14.7
3.3	0.0		7028	-11.4	-1.3	-0.1	-15.1
10.4	0.0		9520	-11.4	-0.2	0.1	-34.6
-8.8	-0.0		9518	9.5	1.1	0.1	-33.5
0.7	0.0	Q5_ps Y	7026	-3.9	1.3	0.0	7.8
-1.5	-0.0		7028	6.4	-0.6	0.0	8.1
-5.1	-0.0		9520	3.3	-1.4	-0.0	16.1
4.1	0.0		9518	-5.7	0.7	-0.0	15.3
21.1	-0.0	INVSLU Max	7026	-6.0	65.0	-0.2	-178.4
-4.2	-0.0		7028	191.9	-58.5	-0.4	-190.4
53.2	0.0		9520	-3.8	-62.4	0.6	-18.8
-11.2	-0.0		9518	-113.7	64.6	0.4	-21.0
15.3	-0.0	Min	7026	-45.9	61.0	-0.4	-222.4
-14.0	-0.0		7028	157.6	-62.5	-0.6	-235.6
			9520	-37.9	-66.7	0.4	-122.8

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		5057	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
0.0	0.0	Min	7027	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		5057	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	7027	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		5057	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7027	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		5057	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
0.0	0.0						
-12.7	-0.0	G1	7027	39.7	22.4	-0.4	162.9
12.4	-0.0		7029	30.8	6.0	-0.4	168.6
14.8	-0.0		5057	-41.0	-21.5	0.4	-245.8
-14.1	-0.0		5058	-29.6	-6.8	0.4	-236.8
-5.5	-0.0	G2	7027	15.2	10.2	-0.2	70.4
5.3	-0.0		7029	11.9	3.9	-0.2	72.6
6.3	-0.0		5057	-15.7	-9.9	0.2	-105.1
-6.1	-0.0		5058	-11.4	-4.2	0.2	-101.7
0.0	0.0	Q3	7027	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		5057	0.0	0.0	0.0	0.0
0.0	0.0		5058	0.0	0.0	0.0	0.0
3.2	-0.0	Q5_pc X	7027	4.6	0.9	0.2	-36.6

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-3.1	0.0			7029	-1.6	-0.1	0.2	-37.5
-4.0	0.0			5057	-4.6	-0.6	-0.2	70.8
3.7	0.0			5058	1.6	-0.2	-0.2	67.8
-1.4	0.0	Q5_pc	Y	7027	-1.2	0.4	-0.1	15.4
1.4	-0.0			7029	2.7	0.2	-0.1	15.8
1.8	-0.0			5057	1.2	-0.5	0.1	-32.5
-1.6	-0.0			5058	-2.7	-0.1	0.1	-31.0
3.1	0.0	Q5_ps	X	7027	4.4	1.0	0.2	-34.9
-3.0	0.0			7029	-1.5	0.0	0.2	-35.6
-3.8	0.0			5057	-4.4	-0.7	-0.2	67.4
3.6	0.0			5058	1.5	-0.3	-0.2	64.7
-1.4	0.0	Q5_ps	Y	7027	-0.7	0.6	-0.1	14.4
1.3	-0.0			7029	2.8	0.2	-0.1	14.8
1.7	-0.0			5057	0.7	-0.7	0.1	-30.5
-1.5	-0.0			5058	-2.9	-0.1	0.1	-29.0
32.9	-0.0	INVSLE	Max	7027	163.0	55.9	3.1	-199.6
-26.3	0.0			7029	-49.6	21.0	3.5	-208.6
-38.0	-0.0			5057	-155.2	-42.2	-3.0	936.3
41.0	-0.0			5058	63.7	-31.2	-2.6	864.7
23.6	-0.0		Min	7027	149.7	53.0	2.6	-304.3
-35.3	-0.0			7029	-58.1	20.4	3.0	-315.5
-49.4	-0.0			5057	-168.5	-44.3	-3.5	734.1
30.3	-0.0			5058	55.1	-32.1	-3.0	670.7
27.0	-0.0	INVSLE	Max	7027	124.9	41.8	2.4	-182.7
-22.8	0.0			7029	-41.8	15.7	2.8	-190.3
-32.3	-0.0			5057	-120.3	-31.5	-2.4	753.6
33.3	-0.0			5058	51.8	-23.7	-2.1	697.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	7027	116.0	39.9	2.1	-252.5
20.8	-0.0			7029	-47.5	15.3	2.4	-261.6
-28.7	0.0			5057	-129.2	-32.8	-2.8	618.8
-39.9	-0.0			5058	46.1	-24.3	-2.4	567.8
26.2	-0.0							
7456	2	10	C1-C2;~1	Max	7056	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9548	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7056	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9550	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9548	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	7056	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9548	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7056	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9550	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9548	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	7056	0.0	0.0	0.0
0.0	0.0	0.0			7058	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9548	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7056	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7058	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9550	0.0	0.0	0.0	0.0
0.0	0.0	0.0		9548	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	7056	0.0	0.0	0.0	0.0
0.0	0.0			7058	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9548	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7056	0.0	0.0	0.0	0.0
0.0	0.0			7058	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9548	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	7056	-147.9	-20.6	0.5	62.2
26.9	0.0			7058	84.9	30.5	0.4	60.6
-16.8	-0.0			9550	121.9	23.0	-0.4	224.0
-55.6	-0.0			9548	-58.8	-32.2	-0.5	236.8
70.3	0.0							
			G2	7056	-57.1	-7.4	0.2	23.2
10.3	0.0			7058	32.8	12.3	0.1	22.7
-6.4	-0.0			9550	47.1	8.2	-0.1	86.2
-21.1	-0.0			9548	-22.8	-13.1	-0.2	91.1
26.7	0.0							
			Q3	7056	0.0	0.0	0.0	0.0
0.0	0.0			7058	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9548	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	7056	11.9	-0.1	-0.1	-15.0
-3.1	-0.0			7058	-10.8	-0.8	-0.1	-14.5
1.8	0.0			9550	-10.2	-0.0	0.1	-31.8
8.4	0.0			9548	9.2	1.0	0.1	-33.1
-10.1	-0.0							
			Q5_pc Y	7056	-8.5	0.9	0.1	10.6
2.3	0.0			7058	9.6	0.0	0.0	10.2
-1.5	-0.0			9550	7.0	-0.9	-0.0	23.5
-6.4	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7.3	0.0			9548	-8.1	-0.0	-0.1	24.5
-2.9	-0.0	Q5_ps X		7056	10.6	-0.4	-0.1	-14.0
1.7	0.0			7058	-10.3	-0.5	-0.1	-13.6
7.8	0.0			9550	-9.1	0.2	0.1	-29.7
-9.4	-0.0			9548	8.8	0.6	0.1	-30.8
2.2	0.0	Q5_ps Y		7056	-8.8	0.7	0.1	10.4
-1.4	-0.0			7058	9.3	0.2	0.0	10.0
-6.3	-0.0			9550	7.2	-0.7	-0.0	23.0
7.2	0.0			9548	-7.8	-0.2	-0.1	24.0
13.2	0.0	INVSLE Max		7056	-160.1	-62.0	-0.4	-188.0
-15.5	0.0			7058	36.5	66.5	-0.2	-176.5
35.8	0.0			9550	143.8	66.5	0.4	-25.5
-22.7	0.0			9548	38.2	-66.3	0.6	-22.9
4.6	0.0	Min		7056	-192.0	-64.2	-0.6	-230.0
-20.5	0.0			7058	5.5	65.0	-0.4	-217.3
12.2	0.0			9550	116.5	64.4	0.2	-114.6
-50.9	-0.0			9548	11.7	-68.2	0.4	-115.3
7.4	0.0	INVSLE Max		7056	-114.0	-47.0	-0.3	-156.9
-10.9	0.0			7058	19.0	49.2	-0.2	-147.6
32.3	0.0			9550	100.0	50.1	0.3	-47.0
-26.2	-0.0			9548	34.0	-49.1	0.5	-46.3
1.7	0.0	Min		7056	-135.3	-48.5	-0.5	-184.9
-14.2	0.0			7058	-1.7	48.2	-0.4	-174.8
16.6	0.0			9550	81.7	48.7	0.2	-106.4
-45.0	-0.0			9548	16.3	-50.4	0.4	-108.0
7457	2	10 C1-C2;~1	Max	7057	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
0.0	0.0	Min	7057	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	7057	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0			5073	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7057	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	7057	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0			5073	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7057	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	7057	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0			5073	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7057	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
-13.0	0.0	G1	7057	-27.6	6.7	-0.5	177.1
13.4	0.0		7059	-36.4	21.7	-0.4	171.1
14.8	0.0		5072	26.3	-7.4	0.4	-249.8
-15.5	0.0		5073	37.7	-20.8	0.5	-259.2
-5.5	0.0	G2	7057	-10.7	4.2	-0.2	75.7
5.8	0.0		7059	-13.9	9.9	-0.2	73.5
6.4	0.0		5072	10.1	-4.5	0.2	-106.5
-6.6	0.0		5073	14.4	-9.6	0.2	-110.0
0.0	0.0	Q3	7057	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0		5073	0.0	0.0	0.0	0.0
2.9	-0.0	Q5_pc X	7057	3.3	0.1	0.2	-33.8
-2.9	-0.0		7059	-2.9	0.3	0.2	-32.9
-3.4	-0.0		5072	-3.4	-0.4	-0.2	62.4
3.7	-0.0		5073	2.9	-0.1	-0.2	65.2
-1.9	0.0	Q5_pc Y	7057	-0.9	0.6	-0.1	22.1
1.9	-0.0		7059	2.7	0.1	-0.1	21.4
2.2	-0.0		5072	0.9	-0.4	0.1	-40.1
-2.4	-0.0		5073	-2.6	-0.2	0.1	-42.0
2.7	-0.0	Q5_ps X	7057	2.8	0.1	0.2	-32.1
-2.8	-0.0		7059	-3.2	0.5	0.2	-31.4
-3.2	-0.0		5072	-2.8	-0.4	-0.2	59.5
3.5	-0.0		5073	3.3	-0.2	-0.2	62.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-1.8	0.0	Q5_ps Y		7057	-1.1	0.6	-0.1	20.7
1.8	-0.0			7059	2.2	0.3	-0.1	20.0
2.0	-0.0			5072	1.1	-0.5	0.1	-37.4
-2.2	-0.0			5073	-2.2	-0.4	0.1	-39.2
34.5	0.0	INVS LU	Max	7057	52.7	20.7	3.4	-210.6
-23.6	0.0			7059	-153.0	56.0	3.0	-201.7
-30.3	0.0			5072	-49.9	-30.3	-2.5	845.2
48.2	0.0			5073	168.2	-43.2	-2.9	914.9
26.3	-0.0		Min	7057	44.4	18.8	2.9	-306.9
-32.1	0.0			7059	-162.7	54.6	2.5	-295.8
-40.0	0.0			5072	-58.1	-31.8	-3.0	666.9
37.8	0.0			5073	158.4	-44.4	-3.4	728.7
28.2	-0.0	INVS LE	Max	7057	43.1	15.3	2.7	-192.0
-20.8	0.0			7059	-118.7	42.0	2.4	-184.5
-26.1	0.0			5072	-41.7	-22.9	-2.1	684.0
39.1	0.0			5073	129.3	-32.3	-2.4	739.0
22.8	-0.0		Min	7057	37.5	14.1	2.4	-256.2
-26.4	0.0			7059	-125.2	41.0	2.1	-247.2
-32.6	0.0			5072	-47.2	-23.9	-2.4	565.1
32.1	0.0			5073	122.8	-33.1	-2.7	614.8
7458	2	4 C1-C2;~1	Max	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0		Min	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	C3-C4;~1	Max	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0		Min	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0		Min	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0		Min	7058	0.0	0.0	0.0	0.0
0.0	0.0			7060	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
19.2	-0.0	G1		7058	-155.2	-27.4	0.7	61.2
-43.5	-0.0			7060	72.4	42.4	0.1	39.8
-73.7	0.0			9552	132.9	27.8	-0.2	217.1
55.4	-0.0			9550	-50.1	-42.1	-0.7	265.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		G2	7058	-60.4	-10.0	0.3	22.8
7.3	-0.0		7060	27.7	17.9	0.1	14.9
-17.2	-0.0		9552	52.0	9.6	-0.1	84.1
-29.1	-0.0		9550	-19.3	-17.6	-0.3	102.2
21.0	-0.0						
		Q3	7058	0.0	0.0	0.0	0.0
0.0	0.0		7060	0.0	0.0	0.0	0.0
0.0	0.0		9552	0.0	0.0	0.0	0.0
0.0	0.0		9550	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7058	12.8	0.3	-0.1	-16.2
-2.1	0.0		7060	-10.3	-1.8	-0.0	-12.1
5.2	0.0		9552	-11.6	-0.3	0.0	-30.6
10.5	0.0		9550	9.1	1.8	0.1	-37.7
-8.4	0.0						
		Q5_pc Y	7058	-9.4	0.2	0.1	10.9
1.7	-0.0		7060	9.6	-0.5	0.0	7.7
-4.0	-0.0		9552	7.8	0.3	-0.0	21.5
-7.3	-0.0		9550	-8.0	-0.1	-0.1	27.3
6.4	-0.0						
		Q5_ps X	7058	11.6	0.0	-0.1	-15.2
-2.0	0.0		7060	-9.9	-1.6	-0.0	-11.4
4.9	0.0		9552	-10.6	0.2	0.0	-28.9
10.1	0.0		9550	8.9	1.4	0.1	-35.5
-7.9	0.0						
		Q5_ps Y	7058	-9.6	0.0	0.1	10.5
1.7	-0.0		7060	9.3	-0.4	0.0	7.4
-3.8	-0.0		9552	7.9	0.6	-0.0	20.8
-6.9	-0.0		9550	-7.6	-0.3	-0.1	26.6
6.3	-0.0						
		INVSLU Max	7058	-157.5	-66.5	-0.6	-212.8
18.4	0.0		7060	18.1	81.2	-0.0	-177.2
-21.3	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
13.8	0.0			9552	148.9	67.4	0.0	2.2
-12.9	0.0			9550	51.9	-75.3	0.9	-18.0
12.4	0.0		Min	7058	-192.3	-67.1	-0.9	-258.4
-36.1	-0.0			7060	-11.6	76.3	-0.1	-211.4
-16.4	0.0			9552	117.2	65.5	-0.0	-84.7
-36.5	0.0			9550	25.3	-79.6	0.6	-124.4
12.2	0.0	INVSLE	Max	7058	-111.1	-49.8	-0.5	-176.8
-13.3	-0.0			7060	5.7	59.2	-0.0	-146.0
16.8	0.0			9552	102.2	50.4	0.1	-24.9
-17.1	0.0			9550	44.1	-55.2	0.8	-46.4
8.3	0.0		Min	7058	-134.3	-50.2	-0.8	-207.2
-23.1	-0.0			7060	-14.1	55.9	-0.1	-168.8
-3.3	0.0			9552	81.1	49.1	-0.0	-82.7
-32.8	0.0			9550	26.4	-58.1	0.6	-117.3
7459	2	4 C1-C2;~1	Max	7059	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0	0.0
0.0	0.0		Min	7059	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0	0.0
0.0	0.0		Min	7059	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	7059	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0	0.0
0.0	0.0		Min	7059	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5071	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	7059	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0		Min	7059	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	7059	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
0.0	0.0		Min	7059	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0
0.0	0.0			5071	0.0	0.0	0.0
0.0	0.0			5072	0.0	0.0	0.0
-14.7	0.0	G1		7059	-30.5	6.6	-0.5
7.8	-0.0			7061	-38.7	20.0	-0.2
11.3	0.0			5071	29.3	-4.6	0.2
-21.6	0.0			5072	39.9	-21.8	0.5
-6.5	0.0	G2		7059	-12.2	2.9	-0.2
4.7	-0.0			7061	-15.2	7.0	-0.1
5.1	0.0			5071	11.8	-0.9	0.1
-8.9	0.0			5072	15.7	-9.0	0.2
0.0	0.0	Q3		7059	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7061	0.0	0.0	0.0	0.0
0.0	0.0		5071	0.0	0.0	0.0	0.0
0.0	0.0		5072	0.0	0.0	0.0	0.0
3.2	-0.0	Q5_pc X	7059	2.6	-0.1	0.2	-39.3
-1.7	0.0		7061	-3.2	0.2	0.1	-31.8
-3.0	-0.0		5071	-2.6	-0.1	-0.1	60.4
5.1	-0.0		5072	3.2	-0.1	-0.2	74.7
-2.0	-0.0	Q5_pc Y	7059	-0.4	0.8	-0.1	24.5
0.7	0.0		7061	3.1	0.2	-0.1	18.3
1.9	-0.0		5071	0.3	-0.8	0.1	-38.6
-3.4	-0.0		5072	-3.1	-0.2	0.1	-47.8
3.0	-0.0	Q5_ps X	7059	2.1	-0.0	0.2	-37.8
-1.7	0.0		7061	-3.6	0.6	0.1	-30.9
-2.9	-0.0		5071	-2.0	-0.2	-0.1	57.7
4.9	-0.0		5072	3.6	-0.3	-0.2	71.4
-1.8	-0.0	Q5_ps Y	7059	-0.6	1.0	-0.1	22.4
0.4	0.0		7061	2.6	0.7	-0.1	16.0
1.7	-0.0		5071	0.5	-1.1	0.1	-36.0
-3.3	-0.0		5072	-2.5	-0.6	0.1	-44.4
32.8	0.0	INVSLU Max	7059	28.9	8.1	4.1	-213.4
-4.9	-0.0		7061	-147.8	34.2	3.5	-144.0
-33.3	0.0		5071	-26.5	-3.3	-3.0	891.4
66.0	0.0		5072	162.3	-33.7	-3.5	1026.4
23.6	0.0	Min	7059	22.7	5.0	3.5	-326.8
-10.0	-0.0		7061	-158.5	32.2	3.1	-236.8
-42.0	0.0		5071	-32.6	-6.6	-3.4	718.3
51.4	0.0		5072	151.6	-35.4	-4.1	812.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	7059	24.7	5.6	3.2	-198.8
27.0	0.0				7061	-114.9	25.7	2.8	-137.9
-5.0	-0.0				5071	-23.5	-2.6	-2.5	721.5
-28.4	0.0				5072	124.9	-25.1	-2.9	831.5
53.8	0.0								
				Min	7059	20.6	3.5	2.8	-274.5
20.9	0.0				7061	-122.1	24.3	2.5	-199.7
-8.4	-0.0				5071	-27.6	-4.8	-2.7	606.0
-34.1	0.0				5072	117.8	-26.2	-3.3	688.8
44.0	0.0								
7486	2	8	C1-C2;~1	Max	7088	0.0	0.0	0.0	0.0
0.0		0.0			7090	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9580	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7088	0.0	0.0	0.0	0.0
0.0		0.0			7090	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9580	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	7088	0.0	0.0	0.0	0.0
0.0		0.0			7090	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9580	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7088	0.0	0.0	0.0	0.0
0.0		0.0			7090	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9580	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	7088	0.0	0.0	0.0	0.0
0.0		0.0			7090	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9580	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Min	7088	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0		9580	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	7088	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0
0.0	0.0			9580	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	7088	0.0	0.0	0.0
0.0	0.0			7090	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0
0.0	0.0			9580	0.0	0.0	0.0
0.0	0.0						
-31.8	0.0	G1	7088	-55.9	-121.5	-0.0	-28.0
-89.5	0.0		7090	-205.6	86.7	-0.2	-52.1
-96.1	0.0		9582	65.8	134.2	-0.1	-0.7
-34.6	-0.0		9580	195.6	-98.5	0.3	-40.3
-11.8	0.0	G2	7088	-22.4	-45.0	-0.0	-12.6
-35.4	0.0		7090	-77.3	33.9	-0.1	-23.2
-37.0	0.0		9582	25.8	50.2	-0.0	-3.1
-12.1	-0.0		9580	73.9	-39.1	0.1	-15.5
0.0	0.0	Q3	7088	0.0	0.0	0.0	0.0
0.0	0.0		7090	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0		9580	0.0	0.0	0.0	0.0
-0.4	0.0	Q5_pc X	7088	7.5	-3.0	-0.0	-7.4
-2.1	0.0		7090	-14.3	4.0	0.0	-3.3
-8.6	-0.0		9582	-2.3	1.7	-0.0	-1.7

PROJECT TITLE :


		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.8	0.0		9580	9.1	-2.7	0.1	-8.5
		Q5_pc Y	7088	-7.6	0.5	0.1	14.0
3.4	-0.0		7090	8.2	-0.0	-0.0	10.0
18.2	-0.0		9582	9.0	-0.4	0.1	0.2
30.5	-0.0		9580	-9.5	-0.0	-0.1	13.3
6.9	-0.0						
		Q5_ps X	7088	7.2	-3.7	-0.0	-6.9
-0.5	0.0		7090	-15.7	4.9	0.0	-2.9
-1.8	0.0		9582	-1.6	2.3	-0.0	-1.8
-8.2	-0.0		9580	10.1	-3.5	0.1	-8.4
-3.9	0.0						
		Q5_ps Y	7088	-7.5	-0.7	0.1	13.7
2.9	-0.0		7090	4.9	1.8	-0.0	10.2
17.5	-0.0		9582	9.5	0.4	0.1	0.1
28.6	-0.0		9580	-6.8	-1.5	-0.1	11.9
5.9	-0.0						
		INVSLE Max	7088	-35.2	-281.1	0.1	-32.7
-78.6	0.0		7090	-545.4	217.3	-0.5	-112.5
-159.8	0.0		9582	134.0	312.8	-0.1	-34.4
-147.8	0.0		9580	510.7	-226.5	0.9	-114.5
-86.6	-0.0						
		Min	7088	-57.8	-292.2	-0.1	-73.9
-87.4	0.0		7090	-592.4	202.7	-0.5	-143.0
-212.4	0.0		9582	105.5	306.0	-0.3	-39.7
-233.7	0.0		9580	480.5	-236.9	0.5	-150.1
-104.3	-0.0						
		INVSLE Max	7088	-22.7	-212.0	0.0	-27.4
-60.2	0.0		7090	-416.5	162.8	-0.3	-86.5
-123.4	0.0		9582	96.7	234.6	-0.1	-26.6
-117.6	0.0		9580	385.2	-170.4	0.7	-90.6
-67.5	-0.0						
		Min	7088	-37.7	-219.4	-0.1	-54.9
-66.0	0.0		7090	-447.8	153.1	-0.4	-106.8
-158.5	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5085	0.0	0.0	0.0	0.0
0.0	0.0		5086	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	7089	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		5085	0.0	0.0	0.0	0.0
0.0	0.0		5086	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	7089	-157.4	-17.0	-0.3	2.6
1.6	0.0		7091	-104.1	35.8	0.9	89.6
10.5	0.0		5085	159.1	22.1	-0.9	59.5
-2.2	0.0		5086	102.4	-40.7	0.3	-37.0
-0.8	0.0						
		G2	7089	-56.5	-0.0	-0.2	11.5
-1.9	-0.0		7091	-36.2	28.6	-0.2	4.0
1.2	0.0		5085	57.0	-8.1	0.2	-35.4
1.0	0.0		5086	35.7	-20.5	0.2	-42.2
-2.2	0.0						
		Q3	7089	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		5085	0.0	0.0	0.0	0.0
0.0	0.0		5086	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7089	0.9	-0.6	0.1	-11.2
1.3	-0.0		7091	-4.5	1.8	-0.0	-10.0
0.4	0.0		5085	-0.5	-1.0	0.0	4.4
0.2	0.0		5086	4.1	-0.2	-0.1	19.1
2.0	0.0						
		Q5_pc Y	7089	-5.1	-3.0	-0.1	18.5
-2.5	0.0		7091	2.0	-3.5	0.2	23.4
2.6	-0.0		5085	5.4	4.2	-0.2	-0.4
-0.9	0.0		5086	-2.4	2.3	0.1	-30.2
-1.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.3	-0.0	Q5_ps X	7089	-0.1	-0.8	0.1	-10.9
0.4	0.0		7091	-5.1	1.7	-0.0	-8.2
0.1	0.0		5085	0.4	-0.5	0.0	6.3
2.0	0.0		5086	4.8	-0.4	-0.1	19.0
-1.8	0.0	Q5_ps Y	7089	-6.6	-3.5	-0.1	16.1
3.1	-0.0		7091	0.1	-4.7	0.3	29.6
-1.2	0.0		5085	6.9	6.2	-0.3	11.4
-1.5	0.0		5086	-0.4	2.1	0.1	-23.4
-0.3	0.0	INVS LU Max	7089	-349.2	-20.7	-0.8	104.7
44.4	0.0		7091	-179.7	111.1	3.5	403.2
-6.1	0.0		5085	375.6	26.1	-2.7	178.5
-5.2	0.0		5086	188.6	-91.7	1.0	-163.4
-5.8	0.0	Min	7089	-369.1	-31.2	-1.0	56.5
35.3	0.0		7091	-195.2	97.0	2.7	314.5
-9.6	0.0		5085	354.9	7.7	-3.5	144.4
-11.1	0.0		5086	174.1	-97.8	0.8	-233.6
-0.1	0.0	INVS LE Max	7089	-262.6	-16.7	-0.6	74.3
33.0	0.0		7091	-134.3	81.2	2.6	300.1
-4.9	0.0		5085	280.7	20.1	-2.1	136.8
-4.0	0.0		5086	139.6	-68.0	0.7	-122.7
-3.8	0.0	Min	7089	-275.8	-23.7	-0.7	42.1
26.9	0.0		7091	-144.5	71.8	2.1	241.0
-7.2	0.0		5085	266.9	7.7	-2.6	114.1
-7.9	0.0		5086	130.0	-72.1	0.6	-169.5
7488	2	8 C1-C2;~1 Max	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	7090	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	7090	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	7090	0.0	0.0	0.0
0.0	0.0			7092	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		G1	7090	-6.0	-137.1	-0.1	-43.6
69.3	0.0		7092	-269.9	111.1	-0.1	-25.2
38.9	-0.0		9584	46.7	132.7	0.5	-78.6
54.0	0.0		9582	229.1	-106.0	-0.2	-13.5
103.8	0.0						
		G2	7090	2.6	-48.5	-0.0	-19.6
27.2	0.0		7092	-102.1	41.2	-0.1	-11.3
15.0	-0.0		9584	14.5	46.6	0.2	-31.0
20.5	0.0		9582	85.0	-39.3	-0.1	-8.1
40.1	0.0						
		Q3	7090	0.0	0.0	0.0	0.0
0.0	0.0		7092	0.0	0.0	0.0	0.0
0.0	0.0		9584	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7090	-12.6	-4.0	-0.0	-0.9
4.9	0.0		7092	6.5	2.7	0.0	0.1
-0.0	0.0		9584	6.1	2.6	-0.0	4.0
-1.4	0.0		9582	0.0	-1.4	-0.0	2.5
4.3	-0.0						
		Q5_pc Y	7090	-12.1	-0.4	-0.0	8.3
-17.7	-0.0		7092	12.6	-0.4	0.1	11.3
-5.3	0.0		9584	10.8	-0.0	-0.1	12.4
-9.8	0.0		9582	-11.2	0.8	0.1	-0.2
-30.6	-0.0						
		Q5_ps X	7090	-14.0	-4.7	-0.0	-0.7
4.8	0.0		7092	6.2	3.5	0.0	0.2
-0.1	0.0		9584	7.2	3.4	-0.0	4.0
-1.6	0.0		9582	0.6	-2.2	-0.0	2.4
4.0	-0.0						
		Q5_ps Y	7090	-14.2	-1.6	-0.0	8.4
-16.7	-0.0		7092	11.3	1.2	0.0	11.1
-5.1	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-9.4	0.0			9584	12.1	1.4	-0.1	11.6
-28.9	-0.0			9582	-9.2	-1.0	0.1	-0.1
186.2	0.0	INVS LU	Max	7090	-19.7	-315.1	-0.4	-93.4
99.8	-0.0			7092	-575.1	263.0	-0.0	-11.1
120.6	0.0			9584	136.4	306.3	1.0	-142.6
237.1	0.0			9582	528.5	-232.6	-0.2	-41.1
136.1	0.0		Min	7090	-62.3	-329.2	-0.4	-118.5
84.6	-0.0			7092	-608.8	252.5	-0.2	-44.4
92.5	0.0			9584	100.0	296.2	0.6	-177.4
150.5	0.0			9582	500.9	-239.1	-0.4	-48.4
140.0	0.0	INVS LE	Max	7090	-17.4	-237.8	-0.3	-71.8
74.9	-0.0			7092	-432.7	197.1	-0.0	-9.9
89.8	0.0			9584	100.5	229.8	0.7	-108.6
176.7	0.0			9582	396.4	-174.6	-0.2	-30.7
106.6	0.0		Min	7090	-45.8	-247.2	-0.3	-88.6
64.7	-0.0			7092	-455.2	190.1	-0.1	-32.1
71.0	0.0			9584	76.3	223.1	0.5	-131.9
118.9	0.0			9582	378.0	-179.0	-0.3	-35.5
7489	2	8 C1-C2;~1	Max	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0		Min	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7091	0.0	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0	0.0
0.0	0.0			5094	0.0	0.0	0.0	0.0
0.0	0.0			5085	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7091	-173.6	-28.8	0.8	68.1
-4.2	0.0			7093	-111.5	45.3	-0.4	-24.8
-5.1	-0.0			5094	175.5	20.8	0.4	-29.8
2.5	0.0			5085	109.5	-37.0	-0.8	58.9
1.6	0.0							
		G2		7091	-66.2	4.2	-0.2	-3.5
1.1	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.5	0.0		7093	-43.0	23.1	-0.2	-0.7
2.7	0.0		5094	66.8	2.1	0.2	-37.4
-1.2	0.0		5085	42.3	-29.5	0.2	-32.6
0.0	0.0	Q3	7091	0.0	0.0	0.0	0.0
0.0	0.0		7093	0.0	0.0	0.0	0.0
0.0	0.0		5094	0.0	0.0	0.0	0.0
0.0	0.0		5085	0.0	0.0	0.0	0.0
1.7	0.0	Q5_pc X	7091	0.2	0.5	-0.1	-5.7
0.0	0.0		7093	-1.1	0.4	0.0	0.4
0.6	0.0		5094	-0.6	-0.2	-0.0	0.1
-0.2	0.0		5085	1.6	-0.7	0.1	-4.9
-1.5	-0.0	Q5_pc Y	7091	-2.9	-3.2	0.1	20.8
1.9	-0.0		7093	6.0	-1.6	-0.1	15.8
2.4	-0.0		5094	2.9	0.9	0.1	-29.9
0.6	0.0		5085	-6.0	3.9	-0.1	-1.0
1.5	0.0	Q5_ps X	7091	-0.6	-0.1	-0.0	-4.0
-0.1	0.0		7093	-1.8	0.5	0.0	0.4
0.5	0.0		5094	0.2	0.1	-0.0	0.7
-0.1	0.0		5085	2.3	-0.5	0.0	-2.9
-2.0	-0.0	Q5_ps Y	7091	-4.2	-5.2	0.2	26.9
1.4	-0.0		7093	4.4	-1.7	-0.1	14.0
2.0	-0.0		5094	4.2	1.6	0.1	-23.7
0.9	0.0		5085	-4.3	5.2	-0.2	10.1
-14.4	0.0	INVSLU Max	7091	-434.9	-36.9	3.0	349.8
-1.4	-0.0		7093	-227.5	118.5	-1.2	60.5
23.5	0.0		5094	451.1	42.8	1.5	-202.3
6.6	0.0		5085	237.0	-103.6	-2.3	142.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	7091	-447.6	-52.4	2.3	269.0
-20.4	0.0			7093	-240.6	113.5	-1.5	18.6
-5.4	-0.0			5094	438.5	37.9	1.2	-273.3
17.5	0.0			5085	224.0	-119.3	-3.0	112.5
3.9	0.0							
		INVSLE	Max	7091	-326.7	-29.4	2.3	261.2
-11.3	0.0			7093	-170.3	87.9	-0.9	43.0
-1.4	-0.0			5094	337.8	32.4	1.1	-154.0
17.3	0.0			5085	176.3	-77.1	-1.8	109.0
5.0	0.0							
			Min	7091	-335.2	-39.7	1.8	207.3
-15.3	0.0			7093	-179.1	84.6	-1.1	15.0
-4.1	-0.0			5094	329.5	29.2	0.9	-201.3
13.3	0.0			5085	167.6	-87.5	-2.3	88.8
3.1	0.0							
7510	2	8 C1-C2;~1	Max	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2;~2	Max	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9604	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7112	243.6	115.4	-0.0	-13.6
-17.6	-0.0			7114	24.3	-118.2	-0.3	-15.4
2.9	-0.0			9606	-215.3	-116.8	0.2	-100.3
17.0	-0.0			9604	-52.6	120.3	0.1	-75.4
-22.6	0.0							
		G2		7112	94.3	45.9	-0.0	-7.2
-6.5	-0.0			7114	9.3	-44.8	-0.1	-8.5
1.0	-0.0			9606	-83.2	-46.3	0.1	-39.8
7.2	-0.0			9604	-20.4	45.1	0.0	-29.7
-8.4	0.0							
		Q3		7112	0.0	0.0	0.0	0.0
0.0	0.0			7114	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9604	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc X	7112	-2.2	-1.6	-0.0	1.7
-0.2	0.0		7114	0.6	0.3	0.0	2.3
-1.0	0.0		9606	1.9	1.1	-0.0	3.4
0.1	0.0		9604	-0.3	0.2	0.0	2.2
0.4	0.0	Q5_pc Y	7112	-6.4	-3.5	-0.0	5.7
-0.3	0.0		7114	3.7	0.5	0.0	7.6
-3.0	0.0		9606	5.6	1.8	-0.1	11.5
0.5	0.0		9604	-3.0	1.1	0.0	7.5
0.2	0.0	Q5_ps X	7112	-2.2	-1.5	0.0	1.6
-0.2	0.0		7114	0.5	0.4	0.0	2.2
-0.9	0.0		9606	1.9	1.0	-0.0	3.3
0.2	0.0		9604	-0.3	0.0	0.0	2.2
0.2	0.0	Q5_ps Y	7112	-4.8	-2.7	-0.0	5.9
-0.1	0.0		7114	4.3	-0.5	0.0	7.9
-2.7	0.0		9606	4.0	0.9	-0.0	10.3
0.1	0.0		9604	-3.6	2.2	0.0	6.4
-44.9	-0.0	INVSLE Max	7112	591.6	246.0	-0.1	7.7
12.0	-0.0		7114	-13.9	-249.1	-0.4	18.1
43.3	0.0		9606	-492.8	-243.6	0.5	-230.5
-53.9	0.0		9604	-59.7	257.4	0.2	-175.8
-45.6	-0.0	Min	7112	577.2	238.0	-0.1	-10.2
11.3	-0.0		7114	-26.9	-250.6	-0.6	-5.6
35.3	0.0		9606	-504.9	-246.8	0.4	-261.6
-54.9	0.0		9604	-70.5	250.7	0.2	-195.1
-33.9	-0.0	INVSLE Max	7112	445.8	183.4	-0.1	3.4
			7114	-14.7	-186.7	-0.4	10.7

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


9.0	-0.0			9606	-372.3	-182.2	0.4	-179.3
33.0	0.0			9604	-42.1	192.6	0.1	-136.6
-41.2	0.0							
			Min	7112	436.2	178.1	-0.1	-8.5
-34.4	-0.0			7114	-23.4	-187.6	-0.4	-5.1
8.6	-0.0			9606	-380.4	-184.3	0.3	-200.0
27.6	0.0			9604	-49.2	188.1	0.1	-149.4
-41.8	0.0							
7511	2	8 C1-C2;~1	Max	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7113	0.0	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		5117	0.0	0.0	0.0	0.0
0.0	0.0		5116	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	7113	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0
0.0	0.0						
			Min	7113	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0
0.0	0.0						
		G1		7113	127.7	55.5	-0.5
1.5	-0.0			7115	179.4	-14.7	-0.4
-0.6	-0.0			5117	-128.6	-56.0	0.4
1.8	-0.0			5116	-178.5	15.3	0.4
-2.2	-0.0						
		G2		7113	50.1	19.4	-0.1
-1.4	0.0			7115	70.3	-5.9	-0.2
1.0	-0.0			5117	-50.4	-21.8	0.2
1.7	-0.0			5116	-70.0	8.3	0.1
-1.6	-0.0						
		Q3		7113	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0			5116	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		7113	0.1	-0.0	-0.0
-0.2	0.0			7115	1.2	0.0	-0.0
0.4	0.0			5117	-0.2	-0.3	0.0
0.6	0.0			5116	-1.1	0.3	0.0
-0.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	7113	-0.2	0.1	-0.1	7.8
-0.0	-0.0		7115	3.5	3.7	-0.1	11.3
1.1	0.0		5117	-0.1	-4.4	0.1	-25.0
2.0	-0.0		5116	-3.2	0.7	0.0	-18.3
-0.8	-0.0						
		Q5_ps X	7113	0.0	-0.0	-0.0	3.2
-0.2	0.0		7115	1.0	0.1	-0.0	4.0
0.3	0.0		5117	-0.1	-0.3	0.0	-7.9
0.6	0.0		5116	-1.0	0.3	0.0	-5.9
-0.2	0.0						
		Q5_ps Y	7113	0.9	1.0	-0.1	3.7
0.3	-0.0		7115	4.3	3.4	-0.1	7.7
0.8	0.0		5117	-1.1	-4.5	0.1	-20.4
1.7	-0.0		5116	-4.1	0.1	0.1	-15.3
-0.6	-0.0						
		INVSLE Max	7113	276.2	131.1	-1.6	11.7
-0.2	-0.0		7115	455.5	-9.1	-1.8	22.4
11.2	-0.0		5117	-277.2	-145.7	2.0	-313.3
22.8	-0.0		5116	-438.9	37.9	1.7	-283.7
-11.2	-0.0						
		Min	7113	273.5	128.0	-1.7	-2.3
-1.2	-0.0		7115	442.6	-19.1	-2.0	-0.6
8.9	-0.0		5117	-280.6	-159.3	1.8	-374.5
17.7	-0.0		5116	-451.1	36.7	1.5	-329.5
-13.1	-0.0						
		INVSLE Max	7113	206.2	97.8	-1.2	4.1
0.1	-0.0		7115	340.6	-6.5	-1.3	11.1
7.9	-0.0		5117	-207.2	-110.3	1.5	-231.6
16.4	-0.0		5116	-329.3	28.5	1.3	-210.3
-8.3	-0.0						
		Min	7113	204.4	95.7	-1.3	-5.2
-0.6	-0.0		7115	332.0	-13.2	-1.5	-4.2
6.4	-0.0		5117	-209.5	-119.4	1.3	-272.3
13.1	-0.0		5116	-337.4	27.7	1.2	-240.9
-9.5	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7512	2	4	C1-C2;~1	Max	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	7114	0.0	0.0	0.0	0.0
0.0		0.0			7116	0.0	0.0	0.0	0.0
0.0		0.0			9608	0.0	0.0	0.0	0.0
0.0		0.0			9606	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	7114	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9606	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	7114	253.6	124.7	-0.2	-7.1
-1.2	-0.0		7116	8.1	-103.8	-0.1	5.2
24.4	-0.0		9608	-219.8	-125.8	0.2	-102.7
36.3	0.0		9606	-41.9	105.5	0.1	-94.1
-17.1	-0.0						
		G2	7114	98.3	48.7	-0.1	-4.8
-0.3	-0.0		7116	2.6	-39.5	-0.1	0.1
9.6	-0.0		9608	-85.1	-49.2	0.1	-40.8
14.9	0.0		9606	-15.8	40.0	0.0	-37.5
-7.2	-0.0						
		Q3	7114	0.0	0.0	0.0	0.0
0.0	0.0		7116	0.0	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9606	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7114	-2.3	-0.6	0.0	2.1
0.1	0.0		7116	1.1	0.4	0.0	2.1
-0.9	0.0		9608	2.2	0.7	-0.0	4.1
-1.8	-0.0		9606	-1.0	-0.4	-0.0	3.6
1.0	0.0						
		Q5_pc Y	7114	-7.3	-1.1	0.0	6.9
0.0	0.0		7116	4.5	1.1	0.0	6.7
-2.0	0.0		9608	7.1	1.3	-0.0	13.3
-5.1	-0.0		9606	-4.3	-1.4	-0.0	12.0
3.0	0.0						
		Q5_ps X	7114	-2.2	-0.7	0.0	2.0
0.1	0.0		7116	0.9	0.4	0.0	2.0
-0.8	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.7	-0.0			9608	2.2	0.7	-0.0	3.8
0.9	0.0			9606	-0.9	-0.5	-0.0	3.4
			Q5_ps Y	7114	-5.9	-0.1	0.0	7.1
-0.2	0.0			7116	5.4	0.2	0.0	6.9
-1.9	0.0			9608	5.7	0.3	-0.0	12.5
-5.0	-0.0			9606	-5.1	-0.4	-0.0	11.2
2.7	0.0							
			INVS LU Max	7114	641.3	270.0	-0.3	37.4
-7.1	-0.0			7116	-74.9	-212.1	-0.2	74.9
71.2	-0.0			9608	-518.0	-268.1	0.4	-240.6
98.2	0.0			9606	-15.3	215.6	0.2	-216.3
-35.3	0.0							
			Min	7114	623.5	268.0	-0.4	16.0
-7.7	-0.0			7116	-90.9	-214.1	-0.3	54.2
65.5	-0.0			9608	-535.2	-270.5	0.3	-278.2
83.3	0.0			9606	-30.7	213.1	0.2	-249.9
-43.6	0.0							
			INVS LE Max	7114	484.0	202.2	-0.3	25.7
-5.3	-0.0			7116	-61.5	-158.6	-0.2	54.3
54.3	-0.0			9608	-392.1	-200.9	0.3	-187.5
75.2	0.0			9606	-8.2	160.9	0.2	-168.5
-27.7	0.0							
			Min	7114	472.1	200.9	-0.3	11.4
-5.7	-0.0			7116	-72.2	-159.9	-0.2	40.5
50.5	-0.0			9608	-403.6	-202.6	0.3	-212.5
65.3	0.0			9606	-18.5	159.3	0.1	-190.9
-33.2	0.0							
7513	2	4	C1-C2;~1 Max	7115	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7117	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5118	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5117	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7115	0.0	0.0	0.0	0.0
0.0	0.0	0.0		7117	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		5118	0.0	0.0	0.0	0.0
0.0	0.0		5117	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
			Min	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
			Min	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
			Min	7115	0.0	0.0	0.0
0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0			5118	0.0	0.0	0.0
0.0	0.0			5117	0.0	0.0	0.0
0.0	0.0						
		G1		7115	101.8	32.4	-0.4
0.2	-0.0						-29.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.4	-0.0		7117	179.5	-26.3	-0.4	-34.8
1.2	-0.0		5118	-96.2	-38.4	0.4	-43.6
-0.4	-0.0		5117	-185.1	32.4	0.4	-35.1
		G2					
-0.9	-0.0		7115	39.2	14.4	-0.2	-0.4
0.9	-0.0		7117	69.7	-8.2	-0.2	-1.9
1.6	-0.0		5118	-37.0	-16.9	0.2	-32.3
-1.1	-0.0		5117	-71.8	10.6	0.2	-28.5
		Q3					
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0		7117	0.0	0.0	0.0	0.0
0.0	0.0		5118	0.0	0.0	0.0	0.0
0.0	0.0		5117	0.0	0.0	0.0	0.0
		Q5_pc X					
-0.3	0.0		7115	-0.4	-0.0	-0.0	3.9
0.4	0.0		7117	1.4	-0.2	-0.0	4.2
0.5	0.0		5118	0.4	-0.0	0.0	-9.0
-0.4	0.0		5117	-1.5	0.2	0.0	-8.1
		Q5_pc Y					
-1.0	0.0		7115	-3.4	3.7	-0.1	11.4
1.1	0.0		7117	0.7	1.6	-0.1	12.4
1.5	-0.0		5118	3.5	-1.0	0.1	-25.0
-1.3	-0.0		5117	-0.7	-4.3	0.1	-23.4
		Q5_ps X					
-0.3	0.0		7115	-0.5	0.0	-0.0	3.7
0.4	0.0		7117	1.1	-0.2	-0.0	4.0
0.5	0.0		5118	0.6	0.0	0.0	-8.5
-0.3	0.0		5117	-1.2	0.1	0.0	-7.6
		Q5_ps Y					
-0.8	0.0		7115	-1.9	3.6	-0.1	8.7
0.8	-0.0		7117	1.9	1.3	-0.1	9.6
1.2	-0.0		5118	2.0	-1.3	0.1	-20.6
-1.0	-0.0		5117	-2.0	-3.6	0.1	-19.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLU	Max	7115	181.3	76.5	-1.4	3.9
-8.6	-0.0				7117	454.8	-64.3	-1.8	-19.5
4.0	-0.0				5118	-157.3	-76.8	2.0	-256.9
12.1	-0.0				5117	-466.7	79.6	1.6	-247.1
-11.2	-0.0								
				Min	7115	175.2	65.7	-1.6	-22.2
-10.9	-0.0				7117	449.0	-68.2	-2.0	-48.3
1.5	-0.0				5118	-163.6	-80.7	1.8	-318.6
8.5	-0.0				5117	-472.7	68.8	1.4	-304.6
-14.3	-0.0								
			INVSLE	Max	7115	134.1	57.2	-1.0	-2.2
-6.2	-0.0				7117	339.7	-48.1	-1.4	-20.0
2.6	-0.0				5118	-116.5	-57.4	1.5	-189.3
8.5	-0.0				5117	-349.2	58.3	1.2	-182.0
-8.2	-0.0								
				Min	7115	130.0	50.0	-1.2	-19.6
-7.7	-0.0				7117	335.9	-50.7	-1.5	-39.2
0.9	-0.0				5118	-120.8	-60.0	1.3	-230.5
6.1	-0.0				5117	-353.2	51.1	1.0	-220.4
-10.3	-0.0								
7540	2	4	C1-C2;~1	Max	7142	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0	0.0
0.0		0.0			9634	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	7142	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0	0.0
0.0		0.0			9634	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	7142	0.0	0.0	0.0	0.0
0.0		0.0			7144	0.0	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0	0.0
0.0		0.0			9634	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		Min	7142	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0		9636	0.0	0.0	0.0	0.0
0.0	0.0		9634	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	7142	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9634	0.0	0.0	0.0
0.0	0.0						
		Min	7142	0.0	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9634	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	7142	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9634	0.0	0.0	0.0
0.0	0.0						
		Min	7142	0.0	0.0	0.0	0.0
0.0	0.0			7144	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9634	0.0	0.0	0.0
0.0	0.0						
		G1	7142	-85.4	45.7	0.0	3.3
40.6	0.0			7144	182.8	-36.8	15.4
-28.9	0.0			9636	61.5	-47.8	243.5
-60.5	0.0			9634	-158.9	39.6	189.7
59.3	0.0						
		G2	7142	-32.5	18.9	0.0	0.6
15.7	0.0			7144	71.0	-13.9	5.0
-11.0	0.0			9636	23.4	-19.7	93.1
-22.8	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
23.0	0.0		9634	-61.9	14.7	-0.0	72.6
		Q3	7142	0.0	0.0	0.0	0.0
0.0	0.0		7144	0.0	0.0	0.0	0.0
0.0	0.0		9636	0.0	0.0	0.0	0.0
0.0	0.0		9634	0.0	0.0	0.0	0.0
		Q5_pc X	7142	2.0	-0.4	-0.0	0.3
-0.6	-0.0		7144	-2.3	-0.1	-0.0	0.2
0.4	-0.0		9636	-1.6	0.2	0.0	-3.0
0.7	-0.0		9634	1.8	0.2	0.0	-2.5
-1.0	0.0						
		Q5_pc Y	7142	1.7	0.1	-0.0	-1.6
-0.7	-0.0		7144	-0.6	-0.6	-0.0	-2.1
0.5	-0.0		9636	-2.0	-0.3	0.0	-5.2
1.3	-0.0		9634	0.9	0.9	0.0	-4.2
-1.5	-0.0						
		Q5_ps X	7142	1.7	-0.4	-0.0	0.3
-0.5	-0.0		7144	-2.1	0.0	-0.0	0.2
0.3	-0.0		9636	-1.4	0.3	0.0	-2.6
0.6	-0.0		9634	1.7	0.1	0.0	-2.2
-0.8	0.0						
		Q5_ps Y	7142	1.3	0.1	-0.0	-1.4
-0.6	-0.0		7144	-0.0	-0.7	-0.0	-1.8
0.3	-0.0		9636	-1.8	-0.4	0.0	-4.4
1.0	-0.0		9634	0.5	1.0	0.0	-3.7
-1.4	-0.0						
		INVSLU Max	7142	-42.9	100.0	-0.0	-164.7
39.1	0.0		7144	272.8	-91.6	-0.5	-198.2
-18.6	0.0		9636	-18.7	-101.7	0.6	15.1
10.3	-0.0		9634	-200.3	98.1	-0.0	21.2
21.5	-0.0						
		Min	7142	-48.1	98.9	-0.0	-169.0
37.3	0.0		7144	266.6	-93.8	-0.5	-203.5


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-19.6	-0.0			9636	-24.0	-102.9	0.5	2.0
7.3	-0.0			9634	-205.4	95.0	-0.1	10.2
17.4	-0.0							
			INVSLE Max	7142	-26.5	73.7	-0.0	-129.7
26.7	0.0			7144	196.9	-68.6	-0.4	-156.9
-12.0	-0.0			9636	-20.4	-75.1	0.5	-10.2
13.4	-0.0			9634	-142.7	73.2	-0.0	-0.7
10.8	-0.0							
			Min	7142	-30.0	73.0	-0.0	-132.5
25.5	0.0			7144	192.8	-70.1	-0.4	-160.5
-12.7	-0.0			9636	-24.0	-76.0	0.5	-19.0
11.4	-0.0			9634	-146.0	71.1	-0.0	-8.0
8.1	-0.0							
7541	2	4	C1-C2;~1	Max	7143	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0	0.0			5115	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7143	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0	0.0			5115	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	7143	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0	0.0			5115	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	7143	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0	0.0			5115	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	7143	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0		5115	0.0	0.0	0.0	0.0
0.0	0.0	Min	7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0		5115	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0		5115	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0		5115	0.0	0.0	0.0	0.0
0.0	0.0						
-7.6	0.0	G1	7143	56.1	25.2	-0.2	156.5
15.4	0.0		7145	48.1	3.0	-0.6	198.1
22.2	-0.0		5114	-57.4	-26.7	0.6	-285.9
-10.8	-0.0		5115	-46.7	-1.3	0.2	-211.7
-4.5	0.0	G2	7143	22.2	9.3	-0.1	72.4
6.6	-0.0		7145	19.1	1.6	-0.2	85.8
8.9	-0.0		5114	-22.7	-11.1	0.2	-119.5
-4.9	-0.0		5115	-18.6	0.1	0.1	-89.5
0.0	0.0	Q3	7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0		5115	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	7143	-0.3	-0.2	-0.0	-0.5
-0.1	0.0		7145	0.5	-0.2	-0.0	-1.1
-0.1	-0.0		5114	0.3	0.1	0.0	0.8
-0.1	0.0		5115	-0.5	0.3	0.0	0.5
0.0	0.0						
		Q5_pc Y	7143	1.6	0.5	0.0	-8.5
0.7	-0.0		7145	-0.6	0.2	0.0	-9.0
-0.8	0.0		5114	-1.7	-0.5	-0.0	16.4
-1.0	-0.0		5115	0.7	-0.3	-0.0	13.1
0.7	-0.0						
		Q5_ps X	7143	-0.4	-0.3	-0.0	0.0
-0.1	0.0		7145	0.3	-0.2	-0.0	-0.6
-0.0	-0.0		5114	0.4	0.2	0.0	0.2
-0.1	0.0		5115	-0.4	0.3	0.0	0.0
-0.0	0.0						
		Q5_ps Y	7143	1.8	1.0	0.0	-10.0
1.0	-0.0		7145	-0.5	0.5	0.0	-9.8
-0.8	0.0		5114	-1.8	-0.8	-0.0	16.6
-1.0	-0.0		5115	0.5	-0.7	-0.0	13.2
0.7	-0.0						
		INVSLE Max	7143	208.6	41.6	2.6	-71.0
1.6	0.0		7145	-17.0	-2.2	3.1	-137.6
-17.9	-0.0		5114	-208.4	-38.6	-3.0	693.0
-42.6	-0.0		5115	23.7	4.2	-2.6	608.2
28.3	-0.0						
		Min	7143	203.3	38.5	2.6	-101.1
-1.4	0.0		7145	-18.4	-3.9	3.0	-167.0
-20.3	-0.0		5114	-213.9	-41.1	-3.1	643.3
-45.5	-0.0		5115	22.1	2.0	-2.6	568.7
26.1	-0.0						
		INVSLE Max	7143	160.1	30.6	2.1	-74.3
1.8	0.0		7145	-16.6	-2.2	2.5	-131.6
-15.9	-0.0		5114	-160.5	-28.6	-2.4	573.2
-36.1	-0.0		5115	21.5	3.5	-2.1	501.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


23.5	-0.0							
		Min	7143	156.5	28.6	2.1	-94.4	
-0.2	0.0		7145	-17.5	-3.3	2.4	-151.2	
-17.5	-0.0		5114	-164.1	-30.3	-2.5	540.0	
-38.0	-0.0		5115	20.5	2.0	-2.1	475.4	
22.0	-0.0							
7542	2	10	C1-C2;~1	Max	7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0
0.0		0.0						
			Min		7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0
0.0		0.0						
			Min		7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0
0.0		0.0						
			Min		7144	0.0	0.0	0.0
0.0		0.0			7146	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9636	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~2	Max	7144	0.0	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7144	0.0	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	7144	-98.1	39.2	0.3	25.3
26.5	0.0			7146	181.4	-30.8	0.4	28.0
-38.8	-0.0			9638	72.4	-41.5	-0.5	234.8
-83.5	-0.0			9636	-155.7	33.7	-0.3	217.0
61.4	0.0							
			G2	7144	-37.7	15.7	0.1	8.9
10.1	0.0			7146	70.1	-11.5	0.2	10.0
-14.8	-0.0			9638	27.8	-16.7	-0.2	89.8
-31.7	-0.0			9636	-60.2	12.5	-0.1	82.9
23.1	0.0							
			Q3	7144	0.0	0.0	0.0	0.0
0.0	0.0			7146	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	7144	2.1	-0.0	-0.0	0.1
-0.4	-0.0			7146	-2.1	-0.1	-0.0	0.1
0.5	0.0			9638	-1.6	0.0	0.0	-2.6
0.9	0.0			9636	1.6	0.0	0.0	-2.5
-0.7	-0.0							
			Q5_pc Y	7144	1.6	0.5	-0.0	-1.9
-0.4	-0.0			7146	-0.4	-0.5	-0.0	-2.0
0.6	0.0							

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.7	0.0		9638	-1.8	-0.5	0.0	-4.6
-1.3	-0.0		9636	0.6	0.5	0.0	-4.4
-0.3	-0.0	Q5_ps X	7144	1.8	-0.1	-0.0	0.1
0.4	0.0		7146	-1.9	-0.0	-0.0	0.1
0.8	0.0		9638	-1.4	0.1	0.0	-2.3
-0.7	-0.0		9636	1.5	-0.0	0.0	-2.2
-0.3	-0.0	Q5_ps Y	7144	1.2	0.6	-0.0	-1.6
0.5	0.0		7146	0.1	-0.5	-0.0	-1.7
1.3	-0.0		9638	-1.5	-0.6	0.0	-3.8
-1.0	-0.0		9636	0.2	0.5	0.0	-3.6
21.6	0.0	INVS LU Max	7144	-65.9	93.1	-0.2	-165.1
-15.6	0.0		7146	281.2	-86.4	-0.3	-178.0
17.8	-0.0		9638	0.0	-94.4	0.3	16.6
-7.2	-0.0		9636	-205.3	91.8	0.2	7.8
20.6	-0.0	Min	7144	-71.3	91.2	-0.2	-169.9
-17.1	-0.0		7146	275.4	-88.0	-0.3	-183.2
13.8	-0.0		9638	-4.4	-96.2	0.3	5.3
-10.2	-0.0		9636	-209.7	90.4	0.2	-3.2
14.4	-0.0	INVS LE Max	7144	-43.5	69.2	-0.2	-131.7
-9.1	0.0		7146	204.0	-65.1	-0.3	-142.0
20.7	-0.0		9638	-6.4	-70.1	0.3	-7.9
-11.4	-0.0		9636	-147.3	68.9	0.2	-13.4
13.8	-0.0	Min	7144	-47.1	67.9	-0.2	-134.9
-10.0	0.0		7146	200.1	-66.1	-0.3	-145.4
18.0	-0.0		9638	-9.4	-71.4	0.3	-15.4
-13.4	-0.0		9636	-150.3	67.9	0.2	-20.6
7543	2	10 C1-C2;~1 Max	7145	0.0	0.0	0.0	0.0
0.0	0.0	0.0					

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		7147	0.0	0.0	0.0	0.0
0.0	0.0		5113	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0	Min	7145	0.0	0.0	0.0	0.0
0.0	0.0		7147	0.0	0.0	0.0	0.0
0.0	0.0		5113	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	7145	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			5113	0.0	0.0	0.0
0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7145	0.0	0.0	0.0	0.0
0.0	0.0		7147	0.0	0.0	0.0	0.0
0.0	0.0		5113	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	7145	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			5113	0.0	0.0	0.0
0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7145	0.0	0.0	0.0	0.0
0.0	0.0		7147	0.0	0.0	0.0	0.0
0.0	0.0		5113	0.0	0.0	0.0	0.0
0.0	0.0		5114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	7145	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			5113	0.0	0.0	0.0
0.0	0.0			5114	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7145	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				7147	0.0	0.0	0.0	0.0
0.0	0.0			5113	0.0	0.0	0.0	0.0
0.0	0.0			5114	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7145	51.9	25.0	-0.5	171.0
-13.6	0.0			7147	44.0	1.9	-0.5	180.1
14.0	-0.0			5113	-53.4	-23.7	0.5	-271.2
17.0	-0.0			5114	-42.6	-3.0	0.5	-256.3
-15.4	-0.0							
		G2		7145	20.2	11.2	-0.2	71.5
-5.7	-0.0			7147	17.2	2.2	-0.2	75.0
5.7	0.0			5113	-20.8	-10.7	0.2	-111.3
7.0	-0.0			5114	-16.6	-2.6	0.2	-105.6
-6.4	-0.0							
		Q3		7145	0.0	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0	0.0
0.0	0.0			5113	0.0	0.0	0.0	0.0
0.0	0.0			5114	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		7145	-0.3	-0.0	-0.0	-1.1
0.1	-0.0			7147	0.5	-0.1	-0.0	-1.1
-0.1	0.0			5113	0.3	0.0	0.0	0.7
-0.1	0.0			5114	-0.5	0.1	0.0	0.7
0.1	0.0							
		Q5_pc Y		7145	1.8	0.6	0.0	-7.1
0.6	0.0			7147	-0.7	0.3	0.0	-7.3
-0.6	-0.0			5113	-1.8	-0.5	-0.0	14.7
-0.9	-0.0			5114	0.8	-0.4	-0.0	13.9
0.8	-0.0							
		Q5_ps X		7145	-0.4	-0.1	-0.0	-0.7
0.1	-0.0			7147	0.4	-0.1	-0.0	-0.8
-0.0	0.0			5113	0.4	0.1	0.0	0.2
-0.0	0.0			5114	-0.4	0.1	0.0	0.3
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.6	0.0	Q5_ps Y		7145	1.9	0.8	0.0	-7.2
-0.6	-0.0			7147	-0.6	0.4	0.0	-7.4
-0.9	-0.0			5113	-1.9	-0.7	-0.0	14.7
0.8	-0.0			5114	0.6	-0.5	-0.0	13.9
20.0	-0.0	INVS LU	Max	7145	212.6	62.1	2.3	-141.7
-20.8	0.0			7147	-37.2	12.1	2.7	-147.4
-32.1	-0.0			5113	-213.2	-49.6	-2.6	643.4
27.1	-0.0			5114	45.3	-20.8	-2.1	581.8
18.1	-0.0		Min	7145	207.0	59.7	2.2	-163.4
-22.7	0.0			7147	-39.0	10.9	2.6	-169.6
-34.7	-0.0			5113	-218.9	-51.7	-2.7	599.3
24.7	-0.0			5114	43.4	-22.4	-2.2	540.0
17.2	-0.0	INVS LE	Max	7145	163.1	46.6	1.8	-131.1
-18.0	0.0			7147	-31.9	8.9	2.2	-136.2
-27.0	-0.0			5113	-164.1	-37.2	-2.1	529.5
22.7	-0.0			5114	37.9	-15.8	-1.7	480.4
15.9	-0.0		Min	7145	159.4	45.0	1.7	-145.5
-19.2	0.0			7147	-33.1	8.2	2.1	-151.1
-28.7	-0.0			5113	-167.9	-38.6	-2.2	500.1
21.1	-0.0			5114	36.7	-16.8	-1.8	452.5
7570	2	10 C1-C2;~1	Max	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0		Min	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~1	Max	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7172	0.0	0.0	0.0	0.0
0.0	0.0			7174	0.0	0.0	0.0	0.0
0.0	0.0			9666	0.0	0.0	0.0	0.0
0.0	0.0			9664	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		7172	-201.3	-17.1	0.1	3.4
47.5	0.0			7174	158.7	19.7	0.4	11.5
-28.2	0.0			9666	173.8	17.7	-0.4	168.5
-67.3	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
76.1	0.0		9664	-131.1	-19.7	-0.1	147.5
		G2	7172	-77.4	-5.5	0.0	0.8
18.4	0.0		7174	61.7	7.9	0.1	3.7
-10.7	0.0		9666	66.8	5.8	-0.1	64.2
-25.4	0.0		9664	-51.0	-8.2	-0.1	56.4
29.4	0.0						
		Q3	7172	0.0	0.0	0.0	0.0
0.0	0.0		7174	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0		9664	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7172	2.2	0.3	-0.0	0.2
-0.4	-0.0		7174	-1.4	-0.4	-0.0	0.1
0.2	-0.0		9666	-1.8	-0.3	0.0	-1.2
0.5	-0.0		9664	1.0	0.4	0.0	-1.1
-0.6	0.0						
		Q5_pc Y	7172	-0.7	0.1	-0.0	-0.9
-0.3	-0.0		7174	0.2	0.3	-0.0	-1.0
0.2	-0.0		9666	0.1	0.0	0.0	-1.6
0.8	0.0		9664	0.4	-0.5	0.0	-1.2
-0.7	-0.0						
		Q5_ps X	7172	2.1	0.3	-0.0	0.1
-0.4	-0.0		7174	-1.2	-0.4	-0.0	0.1
0.2	0.0		9666	-1.8	-0.4	0.0	-1.1
0.4	-0.0		9664	0.9	0.5	0.0	-1.0
-0.5	0.0						
		Q5_ps Y	7172	-1.5	-0.1	-0.0	-0.7
-0.1	-0.0		7174	0.2	0.8	-0.0	-0.7
0.2	-0.0		9666	1.0	0.4	0.0	-1.0
0.5	0.0		9664	0.4	-1.1	0.0	-0.7
-0.4	-0.0						
		INVSLU Max	7172	-317.5	-27.0	-0.1	-124.8
46.3	0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-19.6	-0.0		7174	254.2	33.4	-0.1	-129.4	
-0.9	0.0		9666	216.3	28.3	0.2	65.4	
30.8	-0.0		9664	-144.0	-29.9	-0.0	69.9	
45.2	0.0	Min	7172	-323.9	-28.0	-0.1	-126.9	
-20.2	-0.0		7174	250.5	30.9	-0.1	-131.5	
-2.4	0.0		9666	211.0	27.2	0.2	62.0	
29.2	-0.0		9664	-146.6	-33.1	-0.0	66.7	
32.5	0.0	INVSLE Max	7172	-232.3	-20.0	-0.0	-97.2	
-13.3	-0.0		7174	186.0	24.0	-0.1	-101.3	
3.8	0.0		9666	155.0	20.7	0.2	39.0	
18.4	-0.0		9664	-102.7	-21.5	-0.0	43.9	
31.8	0.0	Min	7172	-236.6	-20.7	-0.0	-98.6	
-13.7	-0.0		7174	183.5	22.4	-0.1	-102.7	
2.8	0.0		9666	151.5	19.9	0.2	36.7	
17.4	-0.0		9664	-104.4	-23.7	-0.0	41.8	
7571	2	10 C1-C2;~1	Max	7173	0.0	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0	0.0
0.0	0.0		Min	7173	0.0	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	7173	0.0	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0	0.0
0.0	0.0		Min	7173	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0		5133	0.0	0.0	0.0	0.0
0.0	0.0		5134	0.0	0.0	0.0	0.0
0.0	0.0		5134	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	7173	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0		Min	7173	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	7173	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0		Min	7173	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0
-5.5	0.0	G1		7173	-17.5	5.8	-0.2
11.9	0.0			7175	-27.3	17.3	-0.3
13.7	0.0			5133	15.8	-7.0	0.3
-7.1	0.0			5134	29.0	-16.0	0.2
				5134			-148.1
-3.2	0.0	G2		7173	-6.3	2.1	-0.1
5.1	-0.0			7175	-10.2	7.2	-0.1
5.4	0.0			5133	5.7	-3.4	0.1
-3.1	0.0			5134	10.8	-5.8	0.1
				5134			-61.6

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	7173	0.0	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0	0.0
0.0	0.0			5133	0.0	0.0	0.0	0.0
0.0	0.0			5134	0.0	0.0	0.0	0.0
			Q5_pc X	7173	0.1	-0.1	-0.0	0.3
-0.1	0.0			7175	0.9	-0.3	-0.0	-0.0
-0.0	-0.0			5133	-0.1	0.1	0.0	-0.3
-0.0	-0.0			5134	-0.9	0.3	0.0	-0.4
-0.0	-0.0							
			Q5_pc Y	7173	1.2	0.9	0.0	-5.4
0.6	-0.0			7175	-1.9	0.8	0.0	-5.0
-0.5	0.0			5133	-1.2	-0.6	-0.0	8.9
-0.5	0.0			5134	2.0	-1.0	-0.0	8.0
0.4	0.0							
			Q5_ps X	7173	0.2	-0.2	0.0	0.7
-0.1	0.0			7175	0.9	-0.4	-0.0	0.3
0.0	-0.0			5133	-0.2	0.1	0.0	-0.6
-0.0	-0.0			5134	-1.0	0.4	-0.0	-0.6
-0.1	-0.0							
			Q5_ps Y	7173	0.5	1.1	0.0	-6.6
0.8	-0.0			7175	-2.6	1.3	0.0	-5.6
-0.5	0.0			5133	-0.5	-0.8	-0.0	9.1
-0.4	0.0			5134	2.6	-1.6	-0.0	7.9
0.5	0.0							
			INVSLU Max	7173	121.4	11.0	2.3	2.3
-3.0	0.0			7175	-188.3	36.2	2.0	-39.2
-7.1	-0.0			5133	-125.2	-16.7	-2.0	414.7
-23.7	0.0			5134	202.1	-23.2	-2.3	446.9
22.8	0.0							
			Min	7173	119.3	7.6	2.3	-17.6
-5.3	0.0			7175	-196.0	32.4	2.0	-56.1
-8.6	-0.0			5133	-127.4	-19.0	-2.1	387.5
-25.0	0.0			5134	194.2	-28.0	-2.3	423.1

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

21.4	0.0							
		INVSLE	Max	7173	95.1	7.6	1.9	-8.5
-2.0	0.0			7175	-145.0	26.6	1.6	-43.0
-6.7	-0.0			5133	-98.2	-12.4	-1.6	337.5
-19.7	0.0			5134	154.7	-16.9	-1.8	361.0
18.4	0.0							
			Min	7173	93.7	5.3	1.8	-21.8
-3.5	0.0			7175	-150.2	24.1	1.6	-54.3
-7.8	-0.0			5133	-99.7	-13.9	-1.6	319.4
-20.6	0.0			5134	149.5	-20.1	-1.8	345.1
17.4	0.0							
7572	2	4	C1-C2;~1	Max	7174	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0
0.0	0.0				9668	0.0	0.0	0.0
0.0	0.0				9666	0.0	0.0	0.0
0.0	0.0							
			Min	7174	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0
0.0	0.0				9668	0.0	0.0	0.0
0.0	0.0				9666	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	7174	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0
0.0	0.0				9668	0.0	0.0	0.0
0.0	0.0				9666	0.0	0.0	0.0
0.0	0.0							
			Min	7174	0.0	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0
0.0	0.0				9668	0.0	0.0	0.0
0.0	0.0				9666	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	7174	0.0	0.0	0.0
0.0	0.0				7176	0.0	0.0	0.0
0.0	0.0				9668	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9666	0.0	0.0	0.0	0.0
		Min	7174	0.0	0.0	0.0	0.0
0.0	0.0		7176	0.0	0.0	0.0	0.0
0.0	0.0		9668	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	7174	0.0	0.0	0.0
0.0	0.0		7176	0.0	0.0	0.0	0.0
0.0	0.0		9668	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	7174	0.0	0.0	0.0
0.0	0.0		7176	0.0	0.0	0.0	0.0
0.0	0.0		9668	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
		G1	7174	-211.0	-18.1	0.5	26.0
32.7	0.0		7176	158.3	24.7	0.3	21.3
-30.1	-0.0		9668	181.7	21.5	-0.3	236.8
-61.8	-0.0		9666	-129.0	-27.5	-0.5	250.4
67.9	0.0						
		G2	7174	-81.4	-6.4	0.2	8.7
12.4	0.0		7176	61.2	10.0	0.1	7.0
-11.5	-0.0		9668	70.0	7.6	-0.1	90.1
-23.2	-0.0		9666	-49.8	-11.2	-0.2	95.3
25.6	0.0						
		Q3	7174	0.0	0.0	0.0	0.0
0.0	0.0		7176	0.0	0.0	0.0	0.0
0.0	0.0		9668	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7174	2.3	0.4	-0.0	0.1
-0.2	-0.0		7176	-1.4	-0.4	-0.0	0.1
0.2	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.4	0.0			9668	-1.8	-0.4	0.0	-1.6
-0.5	-0.0			9666	0.9	0.4	0.0	-1.8
-0.3	-0.0	Q5_pc	Y	7174	-0.9	-0.3	-0.0	-1.5
0.2	0.0			7176	0.2	0.4	-0.0	-1.4
0.6	0.0			9668	0.2	0.2	0.0	-2.5
-0.7	0.0			9666	0.6	-0.4	0.0	-2.5
-0.2	0.0	Q5_ps	X	7174	2.2	0.4	-0.0	0.0
0.2	-0.0			7176	-1.2	-0.5	-0.0	0.0
0.4	0.0			9668	-1.8	-0.4	0.0	-1.5
-0.5	-0.0			9666	0.8	0.5	0.0	-1.6
-0.2	-0.0	Q5_ps	Y	7174	-1.7	-0.7	-0.0	-1.1
0.1	0.0			7176	-0.1	0.9	-0.0	-1.0
0.4	-0.0			9668	1.0	0.6	0.0	-1.9
-0.5	0.0			9666	0.8	-0.9	0.0	-1.9
24.0	-0.0	INVS LU	Max	7174	-341.2	-29.2	-0.2	-186.3
-32.4	0.0			7176	265.4	37.5	-0.1	-178.3
-15.4	0.0			9668	236.5	35.7	0.1	85.4
6.9	0.0			9666	-151.6	-38.4	0.2	91.4
23.3	-0.0		Min	7174	-347.8	-31.3	-0.2	-189.6
-33.0	0.0			7176	261.8	34.7	-0.1	-181.4
-16.7	0.0			9668	231.1	33.8	0.1	79.6
5.5	0.0			9666	-154.0	-41.0	0.2	85.8
16.3	-0.0	INVS LE	Max	7174	-250.0	-21.3	-0.2	-146.5
-23.1	0.0			7176	194.9	26.8	-0.1	-140.0
-7.8	0.0			9668	170.1	25.9	0.1	49.8
0.6	0.0			9666	-109.0	-27.6	0.2	53.5
15.9	-0.0		Min	7174	-254.4	-22.7	-0.2	-148.7

PROJECT TITLE :

MIDAS	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-23.5	0.0	7176	192.6	25.0	-0.1	-142.1
-8.6	0.0	9668	166.5	24.7	0.1	45.9
-0.3	0.0	9666	-110.6	-29.4	0.2	49.7

7573	2	4 C1-C2;~1	Max	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~1	Max	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						

		C1-C2;~2	Max	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	7175	0.0	0.0	0.0	0.0
0.0		0.0		7177	0.0	0.0	0.0	0.0
0.0		0.0		5132	0.0	0.0	0.0	0.0
0.0		0.0		5133	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~2	Max	7175	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		5132	0.0	0.0	0.0	0.0
0.0	0.0		5133	0.0	0.0	0.0	0.0
0.0	0.0	Min	7175	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		5132	0.0	0.0	0.0	0.0
0.0	0.0		5133	0.0	0.0	0.0	0.0
0.0	0.0						
-12.9	0.0	G1	7175	-21.5	8.3	-0.6	202.8
13.2	0.0		7177	-32.5	19.9	-0.5	194.4
18.8	0.0		5132	19.6	-7.5	0.5	-291.0
-20.1	0.0		5133	34.4	-20.5	0.6	-305.4
-5.3	-0.0	G2	7175	-8.2	4.8	-0.2	85.4
5.5	0.0		7177	-12.5	9.2	-0.2	82.2
7.9	0.0		5132	7.4	-4.5	0.2	-121.0
-8.4	0.0		5133	13.3	-9.5	0.2	-126.4
0.0	0.0	Q3	7175	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		5132	0.0	0.0	0.0	0.0
0.0	0.0		5133	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_pc X	7175	0.1	0.0	-0.0	-0.3
-0.0	0.0		7177	1.0	-0.2	-0.0	-0.2
0.0	-0.0		5132	-0.1	-0.0	0.0	-0.3
-0.0	-0.0		5133	-1.0	0.2	0.0	-0.3
0.5	0.0	Q5_pc Y	7175	1.0	0.2	0.0	-7.0
-0.5	-0.0		7177	-2.2	0.5	0.0	-6.9
-0.8	0.0		5132	-1.1	-0.3	-0.0	13.4
0.8	0.0		5133	2.3	-0.5	-0.0	13.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Q5_ps X		7175	0.2	-0.0	-0.0	0.1
-0.0	-0.0			7177	1.0	-0.3	-0.0	0.1
0.0	0.0			5132	-0.2	-0.0	0.0	-0.8
0.0	-0.0			5133	-1.1	0.3	0.0	-0.8
-0.0	-0.0							
		Q5_ps Y		7175	0.2	0.3	0.0	-7.6
0.5	0.0			7177	-3.0	0.9	0.0	-7.6
-0.5	-0.0			5132	-0.3	-0.3	-0.0	14.1
-0.9	0.0			5133	3.0	-0.9	-0.0	14.4
0.9	0.0							
		INVS LU Max		7175	120.0	20.0	2.4	-86.1
16.7	-0.0			7177	-209.5	47.1	2.1	-80.3
-12.5	0.0			5132	-128.2	-23.7	-2.0	485.0
-19.2	0.0			5133	228.5	-39.8	-2.3	533.0
27.9	0.0							
		Min		7175	118.2	19.2	2.3	-109.0
15.1	-0.0			7177	-218.3	44.4	2.0	-102.9
-14.2	0.0			5132	-130.2	-24.5	-2.1	442.7
-21.8	0.0			5133	219.5	-42.5	-2.4	489.7
25.2	0.0							
		INVS LE Max		7175	94.6	15.0	1.9	-87.4
14.1	-0.0			7177	-161.3	35.1	1.6	-82.4
-11.2	0.0			5132	-101.0	-17.8	-1.6	400.5
-16.7	0.0			5133	174.9	-29.8	-1.8	438.7
23.2	0.0							
		Min		7175	93.3	14.5	1.8	-102.6
13.1	-0.0			7177	-167.2	33.3	1.6	-97.5
-12.3	0.0			5132	-102.3	-18.4	-1.6	372.3
-18.5	0.0			5133	168.9	-31.5	-1.9	409.8
21.4	0.0							
7596	2	4 C1-C2; ~1	Max	7198	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9690	0.0	0.0	0.0	0.0
0.0	0.0	Min	7198	0.0	0.0	0.0	0.0
0.0	0.0		7200	0.0	0.0	0.0	0.0
0.0	0.0		9692	0.0	0.0	0.0	0.0
0.0	0.0		9690	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	7198	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0			9690	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7198	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0			9690	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	7198	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0			9690	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7198	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0			9690	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	7198	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0			9690	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	7198	0.0	0.0	0.0	0.0
0.0	0.0			7200	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9690	0.0	0.0	0.0	0.0
		G1	7198	-118.4	-23.9	0.0	1.9
1.6	0.0		7200	-55.2	180.2	-0.0	2.4
12.5	0.0		9692	110.9	-20.7	0.1	-3.4
20.1	0.0		9690	62.7	-135.0	-0.1	7.0
2.9	0.0						
		G2	7198	-46.0	-9.5	0.0	0.2
1.0	-0.0		7200	-21.4	69.1	-0.0	0.7
4.3	0.0		9692	43.1	-7.2	0.0	-0.6
6.6	0.0		9690	24.3	-52.3	-0.0	3.3
1.6	0.0						
		Q3	7198	0.0	0.0	0.0	0.0
0.0	0.0		7200	0.0	0.0	0.0	0.0
0.0	0.0		9692	0.0	0.0	0.0	0.0
0.0	0.0		9690	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7198	-0.4	2.4	0.0	0.5
-0.3	-0.0		7200	-0.2	5.4	0.0	0.4
-0.4	-0.0		9692	0.5	-4.8	-0.0	-0.1
-0.6	-0.0		9690	0.1	-2.9	0.0	-0.4
-0.4	-0.0						
		Q5_pc Y	7198	4.1	-9.0	-0.0	-1.6
1.2	-0.0		7200	0.0	-22.6	0.0	-0.8
1.1	0.0		9692	-3.7	18.8	0.0	0.7
1.3	0.0		9690	-0.4	12.7	-0.0	1.4
1.1	0.0						
		Q5_ps X	7198	-0.2	2.3	0.0	0.3
-0.3	-0.0		7200	0.5	3.9	-0.0	0.1
-0.4	-0.0		9692	0.1	-4.2	-0.0	-0.1
-0.5	-0.0		9690	-0.4	-2.0	0.0	-0.3
-0.2	-0.0						
		Q5_ps Y	7198	3.0	-8.6	-0.0	-0.8
1.0	-0.0						

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.4	0.0			7200	-3.2	-16.0	0.0	0.5	
				9692	-1.9	16.2	0.0	1.0	
1.1	0.0			9690	2.1	8.4	-0.0	1.1	
0.6	0.0								
		INVS LU	Max	7198	-261.3	-84.5	-0.1	-8.8	
-1.3	0.0			7200	-143.6	377.9	0.1	-6.8	
-15.7	0.0			9692	250.9	50.6	-0.1	6.1	
-28.2	0.0			9690	169.6	-269.3	0.1	3.2	
0.7	0.0								
			Min	7198	-270.2	-110.3	-0.1	-11.7	
-4.3	0.0			7200	-153.1	329.9	0.0	-8.4	
-19.9	0.0			9692	244.3	2.0	-0.1	3.1	
-31.4	0.0			9690	163.3	-294.5	0.1	-0.1	
-1.2	0.0								
		INVS LE	Max	7198	-196.7	-66.8	-0.0	-7.3	
-1.2	0.0			7200	-109.5	279.1	0.0	-5.3	
-13.6	0.0			9692	188.4	39.8	-0.1	5.2	
-24.3	0.0			9690	128.2	-202.3	0.1	1.8	
0.3	0.0								
			Min	7198	-202.6	-84.0	-0.1	-9.2	
-3.2	0.0			7200	-115.8	247.1	0.0	-6.4	
-16.4	0.0			9692	184.0	7.4	-0.1	3.2	
-26.5	0.0			9690	124.0	-219.1	0.1	-0.4	
-1.0	0.0								
7597	2	4	C1-C2;~1	Max	7199	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	7199	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	7199	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7199	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	7199	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7199	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	7199	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	7199	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0	0.0
0.0	0.0			5141	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	7199	-69.5	0.4	-0.0	12.1
-2.1	0.0			7201	-70.3	37.2	-0.1	3.6
0.9	0.0			5140	69.1	-3.5	0.1	-20.7
0.6	0.0			5141	70.6	-33.9	0.0	-19.6
-1.2	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	7199	-26.8	3.1	-0.1	8.5
-1.9	-0.0		7201	-27.0	18.3	-0.3	-2.2
-0.4	0.0		5140	26.5	-5.3	0.3	-40.6
1.7	0.0		5141	27.2	-16.1	0.1	-25.7
-1.7	0.0						
		Q3	7199	0.0	0.0	0.0	0.0
0.0	0.0		7201	0.0	0.0	0.0	0.0
0.0	0.0		5140	0.0	0.0	0.0	0.0
0.0	0.0		5141	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	7199	1.6	1.0	0.0	-0.3
0.1	-0.0		7201	1.8	-0.1	-0.0	-0.3
-0.0	-0.0		5140	-1.7	-0.8	0.0	0.0
0.1	-0.0		5141	-1.8	-0.2	-0.0	0.4
0.1	-0.0						
		Q5_pc Y	7199	-5.1	-3.6	0.0	1.0
-0.2	0.0		7201	-5.9	-0.1	0.0	1.0
-0.0	0.0		5140	5.3	2.7	-0.0	0.2
-0.2	0.0		5141	5.8	1.0	0.0	-0.9
-0.2	0.0						
		Q5_ps X	7199	1.8	1.0	-0.0	-0.3
0.0	-0.0		7201	2.0	-0.2	-0.0	-0.4
-0.0	-0.0		5140	-1.8	-0.7	0.0	-0.5
0.1	-0.0		5141	-2.0	-0.1	0.0	-0.0
0.0	-0.0						
		Q5_ps Y	7199	-5.9	-3.5	0.0	0.7
-0.1	0.0		7201	-7.0	0.5	0.0	1.3
0.1	0.0		5140	6.2	2.6	-0.0	2.1
-0.3	0.0		5141	6.8	0.4	-0.0	0.5
-0.0	0.0						
		INVSLU Max	7199	25.6	30.6	0.3	-29.4
1.3	0.0		7201	-54.0	48.2	-0.4	-53.4
-17.6	0.0		5140	-14.2	-31.9	0.4	4.3
-4.6	0.0						


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.3	0.0			5141	81.4	-35.8	-0.3	61.6	
			Min	7199	7.8	20.1	0.3	-31.4	
0.8	0.0			7201	-74.9	46.7	-0.5	-57.3	
-18.0	0.0			5140	-32.7	-39.7	0.4	-2.1	
-5.5	0.0			5141	61.1	-37.6	-0.3	60.0	
-2.7	0.0								
			INVSLE	Max	7199	29.8	24.4	0.3	-26.9
1.2	0.0			7201	-34.6	33.7	-0.3	-45.7	
-14.6	0.0			5140	-23.4	-26.3	0.3	8.9	
-4.2	0.0			5141	54.1	-24.5	-0.2	54.3	
-1.7	0.0								
				Min	7199	17.9	17.4	0.3	-28.2
1.0	0.0			7201	-48.6	32.7	-0.4	-48.4	
-14.8	0.0			5140	-35.7	-31.5	0.3	4.6	
-4.8	0.0			5141	40.6	-25.7	-0.2	53.3	
-1.9	0.0								
7598	2	4	C1-C2;~1	Max	7200	0.0	0.0	0.0	0.0
0.0	0.0				7202	0.0	0.0	0.0	0.0
0.0	0.0				9694	0.0	0.0	0.0	0.0
0.0	0.0				9692	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	7200	0.0	0.0	0.0	0.0
0.0	0.0				7202	0.0	0.0	0.0	0.0
0.0	0.0				9694	0.0	0.0	0.0	0.0
0.0	0.0				9692	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	7200	0.0	0.0	0.0	0.0
0.0	0.0				7202	0.0	0.0	0.0	0.0
0.0	0.0				9694	0.0	0.0	0.0	0.0
0.0	0.0				9692	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	7200	0.0	0.0	0.0	0.0
0.0	0.0				7202	0.0	0.0	0.0	0.0
0.0	0.0				9694	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9692	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	7200	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0						
			Min	7200	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	7200	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0						
			Min	7200	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0
0.0	0.0						
		G1		7200	5.2	109.7	0.0
-4.0	0.0			7202	34.3	27.4	-0.0
-0.0	0.0			9694	-3.8	-69.1	0.0
-0.1	0.0			9692	-35.7	-67.5	0.0
-5.5	0.0						-5.0
		G2		7200	2.3	41.8	0.0
-1.4	0.0			7202	12.9	10.4	-0.0
-0.0	0.0			9694	-1.7	-26.6	0.0
-0.1	0.0			9692	-13.5	-25.6	0.0
-1.8	0.0						-1.5
		Q3		7200	0.0	0.0	0.0
0.0	0.0			7202	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
-0.1	-0.0	Q5_pc X		7200	-0.1	5.1	0.0	0.4
-0.0	0.0			7202	1.7	1.4	0.0	0.4
0.0	0.0			9694	-0.1	-3.1	-0.0	-0.1
0.0	-0.0			9692	-1.5	-3.5	-0.0	-0.1
0.1	0.0	Q5_pc Y		7200	-0.5	-21.3	-0.0	-0.8
-0.0	0.0			7202	-6.5	-5.4	-0.0	-1.2
-0.0	0.0			9694	0.7	12.8	0.0	0.7
0.0	0.0			9692	6.2	13.9	-0.0	0.6
0.0	-0.0	Q5_ps X		7200	0.2	4.2	-0.0	0.1
0.0	0.0			7202	1.2	1.0	0.0	0.3
0.0	0.0			9694	-0.2	-2.5	-0.0	-0.2
0.0	-0.0			9692	-1.2	-2.7	0.0	-0.1
-0.3	0.0	Q5_ps Y		7200	-1.7	-17.1	0.0	0.3
-0.0	0.0			7202	-4.6	-3.5	-0.0	-0.6
-0.0	0.0			9694	1.1	10.2	0.0	0.8
0.0	0.0			9692	5.2	10.4	-0.0	0.9
6.9	0.0	INVSLE Max		7200	-30.5	150.4	-0.0	4.0
-0.1	0.0			7202	45.0	38.3	0.1	12.4
-0.4	0.0			9694	26.2	-22.7	-0.0	4.8
8.3	0.0			9692	-21.8	-103.3	0.0	3.5
6.1	0.0	Min		7200	-35.7	99.1	-0.0	2.6
-0.2	0.0			7202	31.3	27.8	0.1	10.2
-0.4	0.0			9694	22.7	-53.4	-0.0	2.4
8.2	0.0			9692	-37.3	-134.6	-0.0	0.8
		INVSLE Max		7200	-26.2	103.6	-0.0	3.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5.6	0.0			7202	31.0	26.7	0.0	10.0
-0.1	0.0			9694	21.7	-11.1	-0.0	4.1
-0.3	0.0			9692	-13.9	-77.4	0.0	3.3
7.1	0.0							
			Min	7200	-29.7	69.3	-0.0	2.5
5.1	0.0			7202	21.8	19.7	0.0	8.5
-0.2	0.0			9694	19.5	-31.5	-0.0	2.5
-0.4	0.0			9692	-24.2	-98.2	-0.0	1.5
7.0	0.0							
7599	2	4	C1-C2;~1	Max	7201	0.0	0.0	0.0
0.0	0.0				7203	0.0	0.0	0.0
0.0	0.0				5145	0.0	0.0	0.0
0.0	0.0				5140	0.0	0.0	0.0
0.0	0.0							
			Min	7201	0.0	0.0	0.0	0.0
0.0	0.0				7203	0.0	0.0	0.0
0.0	0.0				5145	0.0	0.0	0.0
0.0	0.0				5140	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	7201	0.0	0.0	0.0
0.0	0.0				7203	0.0	0.0	0.0
0.0	0.0				5145	0.0	0.0	0.0
0.0	0.0				5140	0.0	0.0	0.0
0.0	0.0							
			Min	7201	0.0	0.0	0.0	0.0
0.0	0.0				7203	0.0	0.0	0.0
0.0	0.0				5145	0.0	0.0	0.0
0.0	0.0				5140	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	7201	0.0	0.0	0.0
0.0	0.0				7203	0.0	0.0	0.0
0.0	0.0				5145	0.0	0.0	0.0
0.0	0.0				5140	0.0	0.0	0.0
0.0	0.0							
			Min	7201	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7203	0.0	0.0	0.0	0.0
0.0	0.0		5145	0.0	0.0	0.0	0.0
0.0	0.0		5140	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	7201	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			5145	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0
0.0	0.0						
			Min	7201	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			5145	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0
0.0	0.0						
			G1	7201	-15.9	9.9	-0.1
1.6	0.0			7203	-15.8	13.1	-0.0
-0.4	0.0			5145	15.5	-4.2	0.0
0.7	0.0			5140	16.2	-18.6	0.1
-0.5	0.0						-11.4
			G2	7201	-5.4	6.5	-0.2
1.1	0.0			7203	-5.7	5.6	-0.0
-0.5	0.0			5145	5.4	-2.5	0.0
0.7	0.0			5140	5.7	-9.6	0.2
-2.2	0.0						-29.8
			Q3	7201	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			5145	0.0	0.0	0.0
0.0	0.0			5140	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		7201	0.1	0.8	0.0
-0.1	-0.0			7203	-0.1	1.3	0.0
-0.0	0.0			5145	-0.1	-1.3	-0.0
-0.1	-0.0			5140	0.1	-0.8	-0.0
-0.1	-0.0						0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.4	0.0	Q5_pc Y	7201	-0.1	-3.0	-0.0	0.9
0.0	0.0		7203	0.8	-5.1	-0.0	1.3
0.5	0.0		5145	-0.0	4.9	0.0	-2.6
0.2	0.0		5140	-0.7	3.2	-0.0	-0.7
-0.1	-0.0	Q5_ps X	7201	0.3	0.8	-0.0	-0.3
-0.0	0.0		7203	0.0	1.2	0.0	-0.3
-0.1	-0.0		5145	-0.3	-1.3	-0.0	0.6
-0.1	-0.0		5140	-0.1	-0.7	0.0	-0.1
0.4	0.0	Q5_ps Y	7201	-0.9	-2.9	0.0	1.3
0.1	0.0		7203	0.1	-4.4	-0.0	1.3
0.5	0.0		5145	0.8	4.7	0.0	-2.4
0.3	0.0		5140	0.1	2.7	-0.0	0.5
7.0	0.0	INVS LU Max	7201	27.9	-59.1	-0.4	-28.8
0.3	0.0		7203	-1.3	-143.8	-0.1	-2.6
4.4	0.0		5145	-25.6	150.7	0.1	-20.4
1.8	0.0		5140	2.9	74.4	0.5	-37.8
5.8	0.0	Min	7201	25.1	-67.8	-0.5	-32.6
0.2	0.0		7203	-2.7	-157.1	-0.1	-6.6
2.9	0.0		5145	-27.9	136.7	0.1	-27.7
1.0	0.0		5140	1.6	66.4	0.4	-39.2
5.7	0.0	INVS LE Max	7201	25.3	-51.7	-0.3	-25.0
0.3	0.0		7203	0.9	-123.6	-0.1	-3.9
3.4	0.0		5145	-23.7	125.9	0.1	-15.0
1.9	0.0		5140	0.0	64.3	0.3	-26.6
4.9	0.0	Min	7201	23.5	-57.6	-0.4	-27.5
0.2	0.0		7203	-0.1	-132.5	-0.1	-6.6
2.3	0.0		5145	-25.2	116.5	0.1	-19.9

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				5140	-0.8	59.0	0.3	-27.6
1.3	0.0							
10795	2	4 C1-C2;~1	Max	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			8328	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8326	0.0	0.0	0.0	0.0
0.0	0.0			8327	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8328	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8326	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0		8328	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8326	2.4	89.2	-0.0	-0.2
0.1	0.0		8327	22.9	54.7	0.0	1.1
3.7	-0.0		8329	-9.6	-83.5	0.0	-0.7
4.1	-0.0		8328	-15.7	-60.0	-0.0	-1.9
-0.1	0.0						
		G2	8326	0.8	34.2	-0.0	0.4
0.1	0.0		8327	8.6	21.2	0.0	0.8
2.5	-0.0		8329	-3.3	-32.0	0.0	-0.4
3.4	-0.0		8328	-6.1	-23.4	-0.0	-1.8
-0.1	0.0						
		Q3	8326	0.0	0.0	0.0	0.0
0.0	0.0		8327	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0		8328	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8326	0.2	5.1	0.0	0.5
-0.0	0.0		8327	1.2	1.7	0.0	-0.4
-0.3	-0.0		8329	-0.7	-3.3	-0.0	-0.1
-0.5	-0.0		8328	-0.8	-3.5	0.0	0.2
0.0	0.0						
		Q5_pc Y	8326	-0.9	-14.0	-0.0	-1.2
0.1	0.0		8327	-4.2	-3.5	-0.0	1.1
0.9	0.0		8329	2.2	9.4	0.0	0.3
1.5	0.0		8328	2.9	8.1	-0.0	-0.6
-0.1	0.0						
		Q5_ps X	8326	0.0	4.4	0.0	0.3
-0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.5	-0.0			8327	1.1	1.4	-0.0	-0.6
				8329	-0.5	-2.7	-0.0	-0.1
-0.8	-0.0			8328	-0.6	-3.1	0.0	0.3
0.0	0.0							
		Q5_ps Y		8326	-0.6	-11.0	-0.0	-0.9
0.1	0.0			8327	-3.9	-1.6	0.0	1.5
1.6	0.0			8329	2.0	6.8	0.0	0.2
2.3	0.0			8328	2.6	5.8	-0.0	-1.0
-0.1	0.0							
		INVS LU	Max	8326	30.0	82.0	-0.0	1.0
0.5	0.0			8327	78.1	-24.6	0.0	7.0
4.1	-0.0			8329	-40.4	-77.5	-0.0	6.1
2.4	-0.0			8328	-54.0	59.6	0.0	-1.4
0.4	0.0							
			Min	8326	28.2	48.8	-0.0	-1.7
0.1	0.0			8327	66.2	-30.9	0.0	2.5
-0.6	-0.0			8329	-46.3	-98.0	-0.0	5.5
-4.4	-0.0			8328	-61.8	42.1	-0.0	-4.5
0.2	0.0							
		INVS LE	Max	8326	24.2	52.1	-0.0	0.6
0.3	0.0			8327	60.2	-28.8	0.0	5.2
2.5	-0.0			8329	-32.3	-53.4	-0.0	4.9
0.9	-0.0			8328	-43.0	56.4	0.0	-1.2
0.3	0.0							
			Min	8326	23.0	30.0	-0.0	-1.1
0.1	0.0			8327	52.3	-33.0	0.0	2.3
-0.6	-0.0			8329	-36.2	-67.1	-0.0	4.5
-3.6	-0.0			8328	-48.2	44.8	-0.0	-3.3
0.2	0.0							
10796	2	4	C1-C2;~1	Max	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8328	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0		5837	0.0	0.0	0.0	0.0
0.0	0.0		5836	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						
			Min	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						
			Min	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						
			Min	8328	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	8328	15.7	60.0	0.0	1.9
0.1	0.0			8329	22.5	14.5	0.0	0.9
5.4	-0.0			5837	-20.1	-58.1	0.0	-1.9
6.6	-0.0			5836	-18.2	-15.9	-0.0	2.2
0.3	0.0							
			G2	8328	6.1	23.4	0.0	1.8
0.1	0.0			8329	8.5	6.7	-0.0	0.7
5.4	-0.0			5837	-8.1	-23.4	0.0	-3.4
7.3	-0.0			5836	-6.5	-6.7	-0.0	4.4
0.4	0.0							
			Q3	8328	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0			5836	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8328	0.8	3.5	-0.0	-0.2
-0.0	0.0			8329	0.3	0.9	0.0	0.1
-0.9	-0.0			5837	-1.0	-2.1	-0.0	0.6
-1.3	-0.0			5836	-0.0	-2.3	0.0	-1.1
-0.1	0.0							
			Q5_pc Y	8328	-2.9	-8.1	0.0	0.6
0.1	0.0			8329	-2.8	1.0	-0.0	-0.2
2.7	0.0			5837	3.7	5.6	0.0	-1.8
3.9	0.0			5836	2.1	1.5	-0.0	3.3
0.2	0.0							
			Q5_ps X	8328	0.6	3.1	-0.0	-0.3
-0.0	0.0			8329	-0.1	1.0	0.0	0.0
-1.3	-0.0			5837	-0.8	-1.5	-0.0	0.8
-1.8	-0.0			5836	0.3	-2.6	0.0	-1.6
-0.1	0.0							
			Q5_ps Y	8328	-2.6	-5.8	0.0	1.0
0.1	0.0			8329	-2.4	2.4	-0.0	-0.1
3.9	0.0			5837	3.2	3.4	0.0	-2.7
5.6	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	0.0			5836	1.8	0.1	-0.0	4.7
-0.2	0.0	INVS LU	Max	8328	61.8	-42.1	0.0	4.5
14.3	-0.0			8329	39.2	-95.8	-0.1	-5.0
30.9	-0.0			5837	-89.5	-2.1	0.2	-40.5
0.2	0.0			5836	3.6	162.0	-0.0	-12.5
-0.4	0.0		Min	8328	54.0	-59.6	-0.0	1.4
2.6	-0.0			8329	31.9	-103.1	-0.1	-5.3
14.2	-0.0			5837	-99.2	-12.2	0.1	-48.6
-0.7	0.0			5836	-1.8	154.2	-0.1	-26.6
-0.2	0.0	INVS LE	Max	8328	48.2	-44.8	0.0	3.3
10.2	-0.0			8329	29.5	-82.7	-0.1	-4.1
23.3	-0.0			5837	-71.7	5.6	0.1	-33.7
0.0	0.0			5836	4.1	136.5	-0.0	-12.0
-0.3	0.0		Min	8328	43.0	-56.4	-0.0	1.2
2.4	-0.0			8329	24.6	-87.5	-0.1	-4.3
12.1	-0.0			5837	-78.2	-1.1	0.1	-39.1
-0.6	0.0			5836	0.5	131.4	-0.1	-21.5
10797	2	4 C1-C2;~1	Max	8327	0.0	0.0	0.0	0.0
0.0	0.0			8330	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0		Min	8327	0.0	0.0	0.0	0.0
0.0	0.0			8330	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			8329	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8327	0.0	0.0	0.0	0.0
0.0	0.0			8330	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8327	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8327	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8327	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8327	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8327	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8327	59.9	139.2	0.0	0.6
-0.2	-0.0		8330	99.0	-19.9	-0.0	-1.4
-1.9	0.0		8331	-69.5	-128.3	0.0	1.4
-1.6	0.0		8329	-89.4	9.7	-0.0	1.9
1.1	-0.0						
		G2	8327	24.0	54.6	0.0	1.0
-2.8	-0.0		8330	39.0	-8.0	-0.0	-0.1
-1.1	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.3	0.0		8331	-27.6	-50.9	-0.0	0.5
-3.3	-0.0		8329	-35.4	4.3	0.0	0.7
0.0	0.0	Q3	8327	0.0	0.0	0.0	0.0
0.0	0.0		8330	0.0	0.0	0.0	0.0
0.0	0.0		8331	0.0	0.0	0.0	0.0
0.0	0.0		8329	0.0	0.0	0.0	0.0
1.5	-0.0	Q5_pc X	8327	-3.9	-2.1	-0.0	-1.0
0.3	0.0		8330	-1.0	1.9	0.0	-0.0
0.3	0.0		8331	3.2	2.6	0.0	-0.1
1.7	-0.0		8329	1.6	-2.4	-0.0	-0.1
-4.4	0.0	Q5_pc Y	8327	9.7	4.6	0.0	2.6
-0.9	0.0		8330	0.3	-3.5	-0.0	0.1
-0.9	0.0		8331	-8.0	-5.8	-0.0	0.2
-5.1	0.0		8329	-2.0	4.7	0.0	0.3
2.0	-0.0	Q5_ps X	8327	-4.1	-3.0	-0.0	-1.2
0.4	0.0		8330	-1.7	1.9	0.0	-0.2
0.4	0.0		8331	3.5	3.5	0.0	-0.1
2.3	-0.0		8329	2.3	-2.4	-0.0	-0.1
-6.0	0.0	Q5_ps Y	8327	10.3	7.5	0.0	3.3
-1.1	0.0		8330	1.9	-2.9	-0.0	0.5
-1.2	0.0		8331	-8.9	-8.5	-0.0	0.2
-7.1	0.0		8329	-3.4	3.9	0.0	0.2
2.1	-0.0	INVSLU Max	8327	170.7	243.2	0.0	13.4
1.5	0.0		8330	191.9	-82.9	-0.0	4.0
4.5	0.0		8331	-170.7	-221.1	0.0	-3.9
4.7	-0.0		8329	-155.1	96.2	0.0	5.9
		Min	8327	139.6	220.6	0.0	3.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-16.0	-0.0			8330	186.1	-91.8	-0.0	2.6
-1.8	0.0			8331	-197.5	-246.7	-0.0	-4.5
1.0	0.0			8329	-165.1	84.3	-0.0	5.2
-16.5	-0.0							
		INVSLE	Max	8327	127.5	177.1	0.0	10.0
0.8	-0.0			8330	142.8	-64.9	-0.0	3.3
1.3	0.0			8331	-130.4	-164.5	0.0	-3.5
3.7	0.0			8329	-115.4	75.9	-0.0	4.4
2.5	-0.0							
			Min	8327	106.8	162.0	0.0	3.5
-11.3	-0.0			8330	138.9	-70.8	-0.0	2.4
-0.9	0.0			8331	-148.2	-181.5	-0.0	-3.9
1.4	0.0			8329	-122.1	68.0	-0.0	4.0
-11.6	-0.0							
10798	2	4	C1-C2;~1	Max	8329	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8329	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	8329	76.5	112.1	-0.0	-2.0
1.5	-0.0			8331	82.7	-41.6	-0.0	-1.4
-1.3	0.0			5839	-80.5	-106.9	0.0	0.7
-1.5	0.0			5837	-78.7	37.0	0.0	-2.0
0.7	-0.0							
			G2	8329	30.2	45.8	0.0	-1.0
-5.1	-0.0			8331	33.0	-15.1	-0.0	-0.9
-3.3	0.0			5839	-31.4	-44.0	-0.0	4.3
-5.3	0.0			5837	-31.9	13.2	0.0	-4.4
-7.0	-0.0							
			Q3	8329	0.0	0.0	0.0	0.0
0.0	0.0			8331	0.0	0.0	0.0	0.0
0.0	0.0			5839	0.0	0.0	0.0	0.0
0.0	0.0			5837	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

2.2	-0.0	Q5_pc X	8329	-1.3	-1.3	-0.0	0.1
0.9	0.0		8331	-0.9	0.4	0.0	0.1
1.5	0.0		5839	1.2	1.6	0.0	-1.4
2.5	-0.0		5837	0.9	-0.7	-0.0	0.8
-6.7	0.0	Q5_pc Y	8329	2.6	2.4	0.0	-0.3
-2.7	0.0		8331	-0.4	0.9	-0.0	-0.4
-4.6	0.0		5839	-2.5	-2.9	-0.0	4.3
-7.8	0.0		5837	0.3	-0.4	0.0	-2.7
3.0	-0.0	Q5_ps X	8329	-1.6	-2.3	-0.0	0.1
1.2	0.0		8331	-1.4	0.3	0.0	0.2
2.1	0.0		5839	1.6	2.5	0.0	-2.0
3.5	-0.0		5837	1.5	-0.6	-0.0	1.2
-9.2	0.0	Q5_ps Y	8329	3.9	5.5	0.0	-0.4
-3.8	0.0		8331	0.8	1.4	-0.0	-0.5
-6.4	0.0		5839	-3.7	-5.7	-0.0	6.1
-10.7	0.0		5837	-0.9	-1.2	0.0	-3.8
-12.0	-0.0	INVSLE Max	8329	173.7	150.5	-0.1	-5.6
0.3	0.0		8331	64.5	-61.9	-0.0	3.5
-4.9	0.0		5839	-183.4	-142.1	-0.0	-15.5
-34.0	-0.0		5837	-38.9	75.0	0.3	-54.8
-39.6	-0.0	Min	8329	162.1	134.1	-0.1	-6.7
-11.0	0.0		8331	60.1	-66.2	-0.1	2.0
-24.2	0.0		5839	-194.6	-159.3	-0.1	-33.9
-66.2	-0.0		5837	-43.4	71.5	0.2	-66.3
-11.7	-0.0	INVSLE Max	8329	129.8	106.3	-0.1	-4.3
-0.2	0.0		8331	41.6	-44.9	-0.0	3.1
			5839	-139.2	-102.9	-0.0	-14.8

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-4.9	0.0				5837	-21.6	55.9	0.2	-45.6
-30.0	-0.0								
			Min		8329	122.0	95.3	-0.1	-5.1
-30.1	-0.0				8331	38.8	-47.7	-0.1	2.0
-7.8	0.0				5839	-146.7	-114.4	-0.1	-27.1
-17.8	0.0				5837	-24.6	53.6	0.1	-53.2
-51.4	-0.0								
10825	2	4	C1-C2;~1	Max	8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			8353	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			8353	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			8353	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			8353	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			8353	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		8352	0.0	0.0	0.0	0.0
0.0		0.0			8354	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8353	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	8352	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8355	0.0	0.0	0.0	0.0
0.0	0.0		8353	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8352	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8355	0.0	0.0	0.0	0.0
0.0	0.0		8353	0.0	0.0	0.0	0.0
0.0	0.0						
0.2	0.0	G1	8352	-71.4	35.8	-0.0	-3.0
-0.1	0.0		8354	142.8	-23.0	-0.0	-3.0
0.0	0.0		8355	46.9	-37.9	0.0	0.0
-0.0	0.0		8353	-118.3	25.8	0.0	0.0
1.2	0.0	G2	8352	-26.8	14.6	0.0	-2.1
-1.0	0.0		8354	54.5	-8.3	0.0	-2.1
-1.2	0.0		8355	17.3	-15.5	-0.0	4.1
1.4	0.0		8353	-45.0	9.2	-0.0	4.1
0.0	0.0	Q3	8352	0.0	0.0	0.0	0.0
0.0	0.0		8354	0.0	0.0	0.0	0.0
0.0	0.0		8355	0.0	0.0	0.0	0.0
0.0	0.0		8353	0.0	0.0	0.0	0.0
-0.4	0.0	Q5_pc X	8352	-5.4	-1.8	-0.0	0.3
0.4	0.0		8354	1.4	1.6	-0.0	0.3
0.5	0.0		8355	5.3	1.8	0.0	-1.7
-0.6	0.0		8353	-1.3	-1.7	0.0	-1.7
1.4	0.0	Q5_pc Y	8352	17.0	3.4	0.0	-0.9

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-1.2	0.0			8354	-9.6	-2.9	0.0	-0.9
-1.5	0.0			8355	-16.5	-3.4	-0.0	5.1
1.8	0.0			8353	9.1	3.0	-0.0	5.1
-0.7	0.0	Q5_ps X		8352	-5.5	-1.9	-0.0	0.5
0.6	0.0			8354	1.1	1.7	-0.0	0.5
0.7	0.0			8355	5.4	2.0	0.0	-2.5
-0.8	0.0			8353	-1.0	-1.8	0.0	-2.5
2.0	0.0	Q5_ps Y		8352	17.0	3.8	0.0	-1.5
-1.8	0.0			8354	-8.8	-3.1	0.0	-1.6
-2.2	0.0			8355	-16.6	-4.0	-0.0	7.6
2.5	0.0			8353	8.4	3.3	-0.0	7.6
4.3	0.0	INVS LU	Max	8352	109.1	59.1	0.0	11.7
1.5	0.0			8354	23.2	-22.1	-0.0	11.8
2.2	0.0			8355	-168.4	-47.3	0.0	-5.8
5.0	0.0			8353	112.2	32.4	0.0	-5.9
-1.7	0.0		Min	8352	58.1	47.7	-0.0	7.2
-3.9	0.0			8354	-3.1	-31.4	-0.0	7.1
-4.3	0.0			8355	-218.1	-59.2	0.0	-28.5
-2.7	0.0			8353	87.1	22.6	-0.0	-28.6
2.9	0.0	INVS LE	Max	8352	86.6	42.3	0.0	9.8
0.9	0.0			8354	6.0	-15.7	-0.0	9.9
1.5	0.0			8355	-136.4	-34.3	0.0	-7.1
3.3	0.0			8353	94.6	22.5	0.0	-7.2
-1.1	0.0		Min	8352	52.6	34.7	-0.0	6.8
-2.6	0.0			8354	-11.6	-21.9	-0.0	6.8
-2.9	0.0			8355	-169.6	-42.2	0.0	-22.2
-1.8	0.0			8353	77.9	16.0	-0.0	-22.3

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

10826	2	4	C1-C2;~1	Max	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0		Min	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0		Min	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0		Min	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	8353	0.0	0.0	0.0	0.0
0.0		0.0			8355	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0			5861	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	8353	0.0	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			5861	0.0	0.0	0.0	0.0
			G1	8353	6.1	43.9	-0.0	-0.1
-0.5	0.0			8355	70.5	-21.3	-0.0	-0.1
0.4	0.0			5863	-30.8	-44.2	0.0	-3.1
0.5	0.0			5861	-45.9	22.4	0.0	-3.0
-0.6	0.0							
			G2	8353	3.1	17.7	0.0	-4.0
1.7	0.0			8355	26.7	-7.6	0.0	-4.0
-1.3	0.0			5863	-12.4	-18.0	-0.0	6.5
-1.2	0.0			5861	-17.4	7.9	-0.0	6.6
1.6	0.0							
			Q3	8353	0.0	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0	0.0
0.0	0.0			5861	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8353	-5.2	-2.1	-0.0	1.6
-0.8	0.0			8355	0.6	1.9	-0.0	1.6
0.6	0.0			5863	5.0	2.1	0.0	-3.2
0.6	0.0			5861	-0.3	-1.9	0.0	-3.2
-0.8	0.0							
			Q5_pc Y	8353	15.5	3.9	0.0	-4.9
2.4	0.0			8355	-7.0	-3.5	0.0	-4.9
-2.0	0.0			5863	-14.5	-3.8	-0.0	9.8
-1.9	0.0			5861	6.0	3.4	-0.0	9.9
2.5	0.0							
			Q5_ps X	8353	-5.4	-2.3	-0.0	2.4
-1.1	0.0			8355	0.3	2.1	-0.0	2.4
0.9	0.0			5863	5.1	2.2	0.0	-4.6
0.9	0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.1	0.0			5861	-0.1	-2.0	0.0	-4.7
		Q5_ps Y		8353	15.7	4.4	0.0	-7.2
3.4	0.0			8355	-6.2	-3.9	0.0	-7.3
-2.8	0.0			5863	-14.7	-4.3	-0.0	14.2
-2.7	0.0			5861	5.1	3.7	-0.0	14.4
3.5	0.0							
		INVS LU	Max	8353	444.4	72.3	0.0	26.5
4.6	0.0			8355	-314.8	-15.5	0.0	26.8
4.4	0.0			5863	-512.9	-54.8	0.0	4.0
6.7	0.0			5861	446.0	23.5	0.0	4.7
1.6	0.0							
			Min	8353	397.2	59.0	-0.0	4.8
-5.6	0.0			8355	-333.5	-27.2	-0.0	4.9
-4.0	0.0			5863	-556.9	-67.6	-0.0	-38.6
-1.5	0.0			5861	430.5	12.3	-0.0	-38.4
-8.9	0.0							
		INVS LE	Max	8353	342.2	52.2	0.0	20.6
2.8	0.0			8355	-250.8	-11.1	0.0	20.8
3.1	0.0			5863	-398.8	-40.0	0.0	-0.5
5.0	0.0			5861	349.2	16.0	0.0	0.0
0.4	0.0							
			Min	8353	310.7	43.3	-0.0	6.1
-4.0	0.0			8355	-263.2	-18.9	-0.0	6.2
-2.5	0.0			5863	-428.1	-48.6	-0.0	-28.9
-0.5	0.0			5861	338.9	8.5	-0.0	-28.7
-6.7	0.0							
10827	2	10 C1-C2;~1	Max	8354	0.0	0.0	0.0	0.0
0.0		0.0		8356	0.0	0.0	0.0	0.0
0.0		0.0		8357	0.0	0.0	0.0	0.0
0.0		0.0		8355	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	8354	0.0	0.0	0.0	0.0
0.0		0.0		8356	0.0	0.0	0.0	0.0
0.0		0.0		8357	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8355	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8354	0.0	0.0	0.0
0.0	0.0			8356	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			8355	0.0	0.0	0.0
0.0	0.0						
0.1	0.0	G1		8354	-78.1	30.6	-0.0
				8356	140.7	-23.4	-0.0
-0.3	0.0						

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.2	0.0		8357	52.7	-30.1	0.0	0.4
-0.0	0.0		8355	-115.4	23.5	0.0	0.2
1.0	0.0	G2	8354	-29.6	12.8	0.0	-1.6
-0.5	0.0		8356	53.9	-7.7	-0.0	-1.6
-0.8	0.0		8357	19.8	-13.1	0.0	1.9
1.3	0.0		8355	-44.1	8.0	-0.0	2.5
0.0	0.0	Q3	8354	0.0	0.0	0.0	0.0
0.0	0.0		8356	0.0	0.0	0.0	0.0
0.0	0.0		8357	0.0	0.0	0.0	0.0
0.0	0.0		8355	0.0	0.0	0.0	0.0
-0.4	0.0	Q5_pc X	8354	-5.0	-2.0	-0.0	0.3
0.2	0.0		8356	0.8	1.4	-0.0	0.3
0.3	0.0		8357	5.0	2.1	0.0	-0.7
-0.5	0.0		8355	-0.8	-1.5	0.0	-1.0
1.3	0.0	Q5_pc Y	8354	16.0	4.1	0.0	-0.8
-0.6	0.0		8356	-8.4	-2.0	0.0	-0.8
-1.0	0.0		8357	-15.7	-4.5	-0.0	2.2
1.7	0.0		8355	8.1	2.4	-0.0	3.0
-0.6	0.0	Q5_ps X	8354	-4.9	-2.3	-0.0	0.5
0.3	0.0		8356	0.4	1.4	-0.0	0.4
0.4	0.0		8357	5.0	2.5	0.0	-1.1
-0.8	0.0		8355	-0.5	-1.6	0.0	-1.5
1.8	0.0	Q5_ps Y	8354	15.8	4.9	0.0	-1.4
-0.8	0.0		8356	-7.2	-2.0	0.0	-1.3
-1.4	0.0		8357	-15.7	-5.4	-0.0	3.4
2.4	0.0		8355	7.1	2.5	-0.0	4.5

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLU	Max	8354	101.0	51.9	0.0	9.4
4.1	0.0				8356	8.1	-21.3	-0.0	11.1
3.6	0.0				8357	-163.7	-31.4	0.0	-11.2
2.9	0.0				8355	123.1	23.7	0.0	-6.5
5.6	0.0								
				Min	8354	53.7	37.3	-0.0	5.3
-1.3	0.0				8356	-13.4	-27.2	-0.0	7.2
1.2	0.0				8357	-210.7	-47.7	0.0	-21.2
-1.2	0.0				8355	102.0	16.1	-0.0	-19.9
-1.5	0.0								
			INVSLE	Max	8354	80.8	36.5	0.0	7.8
2.8	0.0				8356	-5.5	-15.4	-0.0	9.3
2.9	0.0				8357	-132.7	-21.9	0.0	-10.2
2.2	0.0				8355	103.1	16.2	0.0	-6.7
3.9	0.0								
				Min	8354	49.3	26.7	-0.0	5.1
-0.8	0.0				8356	-19.8	-19.3	-0.0	6.7
1.3	0.0				8357	-164.1	-32.8	0.0	-16.9
-0.5	0.0				8355	89.0	11.2	-0.0	-15.6
-0.8	0.0								
10828	2	10	C1-C2;~1	Max	8355	0.0	0.0	0.0	0.0
0.0		0.0			8357	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8355	0.0	0.0	0.0	0.0
0.0		0.0			8357	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8355	0.0	0.0	0.0	0.0
0.0		0.0			8357	0.0	0.0	0.0	0.0
0.0		0.0			5865	0.0	0.0	0.0	0.0
0.0		0.0			5863	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Min	8355	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			5865	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8355	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			5865	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0
0.0	0.0						
			Min	8355	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			5865	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8355	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			5865	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0
0.0	0.0						
			Min	8355	0.0	0.0	0.0
0.0	0.0			8357	0.0	0.0	0.0
0.0	0.0			5865	0.0	0.0	0.0
0.0	0.0			5863	0.0	0.0	0.0
0.0	0.0						
		G1		8355	-2.1	35.8	-0.0
-0.4	0.0			8357	64.3	-18.1	-0.0
0.2	0.0			5865	-22.1	-35.1	0.0
0.3	0.0			5863	-40.2	18.0	0.0
-0.6	0.0						
		G2		8355	0.1	15.1	0.0
1.2	0.0			8357	24.3	-5.7	0.0
-1.7	0.0			5865	-9.6	-15.3	-0.0
-2.3	0.0			5863	-14.9	5.9	0.0
1.1	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Q3	8355	0.0	0.0	0.0	0.0
0.0	0.0		8357	0.0	0.0	0.0	0.0
0.0	0.0		5865	0.0	0.0	0.0	0.0
0.0	0.0		5863	0.0	0.0	0.0	0.0
-0.6	0.0	Q5_pc X	8355	-5.1	-2.3	-0.0	1.0
0.7	0.0		8357	0.5	1.5	-0.0	0.9
0.9	0.0		5865	5.0	2.4	0.0	-2.2
-0.6	0.0		5863	-0.4	-1.7	0.0	-2.2
1.8	0.0	Q5_pc Y	8355	15.4	4.6	0.0	-3.2
-2.2	0.0		8357	-6.8	-2.3	0.0	-2.7
-2.9	0.0		5865	-14.9	-5.0	-0.0	7.0
1.7	0.0		5863	6.3	2.8	-0.0	6.8
-0.8	0.0	Q5_ps X	8355	-5.3	-2.5	-0.0	1.5
1.0	0.0		8357	0.3	1.5	-0.0	1.3
1.3	0.0		5865	5.2	2.7	0.0	-3.3
-0.8	0.0		5863	-0.3	-1.8	0.0	-3.2
2.6	0.0	Q5_ps Y	8355	15.7	5.4	0.0	-4.7
-3.1	0.0		8357	-6.1	-2.3	0.0	-4.1
-4.1	0.0		5865	-15.4	-6.0	-0.0	10.1
2.5	0.0		5863	5.8	2.9	-0.0	9.8
2.8	0.0	INVSLU Max	8355	428.5	62.8	0.0	21.6
1.7	0.0		8357	-324.8	-9.0	0.0	26.0
-1.7	0.0		5865	-488.6	-39.1	-0.0	4.7
-0.5	0.0		5863	449.5	10.9	0.0	3.3
-5.1	0.0	Min	8355	381.2	46.7	-0.0	7.4
-7.6	0.0		8357	-343.2	-15.9	0.0	13.8
			5865	-534.8	-57.0	-0.1	-25.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-14.1	0.0			5863	432.2	2.2	0.0	-26.2
-7.9	0.0							
		INVSLE	Max	8355	329.8	44.9	0.0	17.0
1.5	0.0			8357	-257.8	-6.1	0.0	20.8
0.8	0.0			5865	-379.8	-28.4	-0.0	1.3
-2.2	0.0			5863	351.0	6.7	0.0	0.2
-1.1	0.0							
			Min	8355	298.3	34.2	-0.0	7.6
-3.7	0.0			8357	-270.1	-10.6	0.0	12.7
-5.4	0.0			5865	-410.6	-40.3	-0.0	-18.8
-10.5	0.0			5863	339.4	0.8	0.0	-19.5
-6.0	0.0							
10861	2	10	C1-C2;~1	Max	8382	0.0	0.0	0.0
0.0		0.0			8384	0.0	0.0	0.0
0.0		0.0			8385	0.0	0.0	0.0
0.0		0.0			8383	0.0	0.0	0.0
0.0		0.0						
			Min	8382	0.0	0.0	0.0	0.0
0.0		0.0			8384	0.0	0.0	0.0
0.0		0.0			8385	0.0	0.0	0.0
0.0		0.0			8383	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	8382	0.0	0.0	0.0
0.0		0.0			8384	0.0	0.0	0.0
0.0		0.0			8385	0.0	0.0	0.0
0.0		0.0			8383	0.0	0.0	0.0
0.0		0.0						
			Min	8382	0.0	0.0	0.0	0.0
0.0		0.0			8384	0.0	0.0	0.0
0.0		0.0			8385	0.0	0.0	0.0
0.0		0.0			8383	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	8382	0.0	0.0	0.0
0.0		0.0			8384	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8383	0.0	0.0	0.0	0.0
0.0	0.0	Min	8382	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8383	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8382	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8383	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8382	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8383	0.0	0.0	0.0	0.0
0.0	0.0						
86.9	0.0	G1	8382	-114.5	-31.5	-0.2	-235.8
-78.0	-0.0		8384	13.6	51.4	-0.2	-225.7
-62.2	0.0		8385	97.9	33.1	0.2	88.0
70.7	-0.0		8383	3.1	-52.5	0.2	93.4
33.5	0.0	G2	8382	-43.1	-11.2	-0.1	-90.1
-30.1	-0.0		8384	4.5	20.5	-0.1	-86.1
-24.3	0.0		8385	36.4	11.8	0.1	35.1
27.4	-0.0		8383	2.2	-21.0	0.1	37.1
0.0	0.0	Q3	8382	0.0	0.0	0.0	0.0
0.0	0.0		8384	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8383	0.0	0.0	0.0	0.0
0.0	0.0						
-0.1	-0.0	Q5_pc X	8382	-1.7	-1.5	0.0	0.8

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.7	0.0			8384	-1.5	1.3	0.0	1.0
				8385	2.1	1.5	-0.0	-0.2
0.6	-0.0			8383	1.2	-1.3	-0.0	-0.1
-0.1	0.0							
		Q5_pc	Y	8382	8.6	1.9	0.0	17.5
-7.1	-0.0			8384	-3.8	-2.1	0.0	16.8
6.5	0.0			8385	-9.2	-1.9	-0.0	-12.0
5.7	-0.0			8383	4.4	2.1	-0.0	-12.6
-6.4	0.0							
		Q5_ps	X	8382	-1.7	-1.4	-0.0	0.8
-0.2	-0.0			8384	-1.3	1.1	0.0	0.9
0.7	0.0			8385	2.1	1.4	-0.0	-0.5
0.6	-0.0			8383	0.9	-1.1	-0.0	-0.3
-0.1	0.0							
		Q5_ps	Y	8382	8.5	1.8	0.0	17.2
-6.9	0.0			8384	-4.4	-1.7	0.0	16.7
6.3	0.0			8385	-9.2	-1.7	-0.0	-10.9
5.4	-0.0			8383	5.1	1.7	-0.0	-11.4
-6.0	0.0							
		INVSLE	Max	8382	-64.4	-88.1	-0.6	58.4
-67.8	-0.0			8384	-163.3	118.4	-0.5	60.3
83.9	0.0			8385	19.3	93.4	0.5	-401.8
116.6	0.0			8383	249.2	-112.7	0.6	-419.0
-107.5	0.0							
			Min	8382	-89.9	-93.4	-0.6	6.7
-88.4	-0.0			8384	-176.6	113.3	-0.5	10.3
65.0	0.0			8385	-8.2	88.2	0.5	-434.5
100.4	-0.0			8383	233.9	-117.6	0.6	-453.2
-125.7	0.0							
		INVSLE	Max	8382	-42.1	-66.6	-0.5	63.8
-61.1	-0.0			8384	-129.9	88.0	-0.4	64.7
71.6	0.0			8385	5.2	70.1	0.4	-324.1
95.8	-0.0			8383	194.0	-84.0	0.5	-337.6
-90.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	8382	-59.1	-70.2	-0.5	29.3
-74.8	-0.0			8384	-138.7	84.6	-0.4	31.4
59.0	0.0			8385	-13.2	66.6	0.4	-345.9
85.0	-0.0			8383	183.8	-87.3	0.5	-360.4
-102.6	0.0							
10862	2	10	C1-C2;~1	Max	8383	0.0	0.0	0.0
0.0	0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8383	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5891	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8383	0.0	0.0	0.0
0.0	0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8383	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5891	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	8383	0.0	0.0	0.0
0.0	0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8383	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5893	0.0	0.0	0.0	0.0
0.0	0.0	0.0		5891	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	8383	0.0	0.0	0.0
0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0						
			Min	8383	0.0	0.0	0.0
0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0						
		G1		8383	-70.2	-32.4	-0.4
26.8	-0.0			8385	-38.2	58.2	-0.3
-19.1	0.0			5893	56.1	32.6	0.4
18.8	-0.0			5891	52.3	-57.8	0.4
-12.1	0.0						
		G2		8383	-25.8	-11.6	-0.2
11.2	-0.0			8385	-16.0	23.3	-0.1
-8.6	0.0			5893	20.6	11.6	0.1
5.4	-0.0			5891	21.2	-23.3	0.2
-3.3	0.0						
		Q3		8383	0.0	0.0	0.0
0.0	0.0			8385	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0
0.0	0.0			5891	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		8383	-2.7	-1.5	-0.0
-0.3	0.0			8385	-0.8	1.4	-0.0
0.6	-0.0			5893	2.9	1.6	0.0
0.7	0.0			5891	0.7	-1.4	0.0
-0.5	-0.0						
		Q5_pc Y		8383	10.3	2.1	0.1
-2.2	0.0			8385	-5.0	-2.2	0.1
1.2	-0.0			5893	-10.6	-2.2	-0.1
-3.5	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.3	0.0			5891	5.4	2.3	-0.1	26.5
-0.4	0.0	Q5_ps X		8383	-2.8	-1.5	-0.0	0.4
0.8	-0.0			8385	-0.5	1.2	-0.0	0.5
1.0	0.0			5893	2.9	1.5	0.0	-4.1
-0.7	-0.0			5891	0.4	-1.3	0.0	-4.2
-1.6	0.0	Q5_ps Y		8383	10.1	1.8	0.1	11.4
0.5	-0.0			8385	-5.8	-1.7	0.1	11.0
-4.3	-0.0			5893	-10.3	-2.0	-0.1	29.7
3.0	0.0			5891	5.9	1.8	-0.1	30.0
-93.9	0.0	INVS LU Max		8383	185.9	-68.5	1.0	453.9
84.3	0.0			8385	-383.6	121.9	0.9	434.7
22.0	-0.0			5893	-244.2	69.0	-0.7	198.1
-24.5	0.0			5891	490.3	-110.7	-0.8	200.2
-98.7	0.0	Min		8383	155.4	-74.0	0.8	419.6
81.8	-0.0			8385	-401.0	116.9	0.7	401.7
9.0	-0.0			5893	-275.1	63.1	-0.9	109.0
-33.4	0.0			5891	472.4	-116.1	-1.0	110.1
-75.3	0.0	INVS LE Max		8383	149.2	-51.7	0.8	361.0
67.2	-0.0			8385	-298.9	90.7	0.7	346.1
14.3	-0.0			5893	-197.4	51.5	-0.6	167.4
-17.9	0.0			5891	379.2	-82.6	-0.7	169.3
-78.4	0.0	Min		8383	128.9	-55.4	0.7	338.1
65.6	-0.0			8385	-310.4	87.3	0.6	324.1
5.6	-0.0			5893	-218.0	47.6	-0.7	108.0
-23.9	0.0			5891	367.4	-86.1	-0.8	109.3
10863	2	4 C1-C2;~1	Max	8384	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	Min	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	Min	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	Min	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0
0.0	0.0		8387	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0		8385	0.0	0.0	0.0	0.0
0.0	0.0	Min	8384	0.0	0.0	0.0	0.0
0.0	0.0		8386	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				8387	0.0	0.0	0.0	0.0
0.0	0.0			8385	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8384	-113.9	-35.9	-0.3	-269.9
78.6	-0.0			8386	3.4	53.0	-0.2	-219.2
-82.1	0.0			8387	98.4	39.7	0.2	70.3
-57.8	0.0			8385	12.2	-56.0	0.3	98.4
62.0	0.0							
		G2		8384	-43.1	-12.6	-0.1	-103.2
30.3	-0.0			8386	0.6	22.1	-0.1	-84.2
-31.7	0.0			8387	36.9	13.4	0.1	27.6
-22.6	0.0			8385	5.6	-23.0	0.1	39.0
24.3	0.0							
		Q3		8384	0.0	0.0	0.0	0.0
0.0	0.0			8386	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			8385	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		8384	-1.5	-1.6	0.0	1.5
-0.7	0.0			8386	-1.8	0.8	0.0	1.5
1.0	-0.0			8387	1.8	1.8	-0.0	-0.0
0.8	0.0			8385	1.4	-1.1	-0.0	-0.3
-0.6	-0.0							
		Q5_pc Y		8384	8.2	2.2	0.0	20.0
-6.5	0.0			8386	-3.8	-0.5	0.0	15.8
7.2	0.0			8387	-8.6	-3.2	0.0	-12.4
6.4	-0.0			8385	4.1	1.5	-0.0	-14.7
-5.6	-0.0							
		Q5_ps X		8384	-1.5	-1.6	0.0	1.5
-0.7	0.0			8386	-1.5	0.5	0.0	1.6
1.0	-0.0			8387	1.8	2.0	-0.0	-0.2
0.8	0.0			8385	1.2	-0.9	-0.0	-0.6
-0.7	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		Q5_ps Y						
-6.3	0.0		8384	8.1	2.3	0.0	19.8	
			8386	-4.4	0.5	0.0	15.5	
7.1	0.0		8387	-8.5	-3.6	0.0	-11.4	
6.1	-0.0		8385	4.8	0.8	-0.0	-13.5	
-5.2	-0.0							
		INVS LU Max						
-63.5	0.0		8384	-74.9	-105.3	-0.8	71.2	
			8386	-181.6	117.6	-0.5	42.9	
92.4	0.0		8387	37.1	118.8	0.6	-443.3	
152.7	-0.0		8385	258.2	-119.4	0.8	-504.2	
-100.4	0.0							
		Min						
-82.3	0.0		8384	-99.1	-112.1	-0.8	11.9	
			8386	-195.0	116.0	-0.5	-3.6	
71.2	0.0		8387	11.6	108.2	0.6	-477.5	
134.3	-0.0		8385	243.7	-122.0	0.7	-544.6	
-116.1	-0.0							
		INVS LE Max						
-57.8	0.0		8384	-50.0	-80.2	-0.6	77.3	
			8386	-144.0	87.0	-0.4	51.7	
79.8	0.0		8387	18.8	89.8	0.5	-357.4	
124.9	-0.0		8385	201.0	-88.7	0.6	-407.0	
-84.9	-0.0							
		Min						
-70.4	0.0		8384	-66.1	-84.7	-0.6	37.8	
			8386	-152.9	86.0	-0.4	20.7	
65.6	0.0		8387	1.9	82.7	0.5	-380.2	
112.6	-0.0		8385	191.3	-90.5	0.5	-433.9	
-95.4	-0.0							
10864	2	4 C1-C2;~1	Max					
0.0	0.0		8385	0.0	0.0	0.0	0.0	
			8387	0.0	0.0	0.0	0.0	
0.0	0.0		5895	0.0	0.0	0.0	0.0	
0.0	0.0		5893	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min						
0.0	0.0		8385	0.0	0.0	0.0	0.0	
			8387	0.0	0.0	0.0	0.0	
0.0	0.0		5895	0.0	0.0	0.0	0.0	
0.0	0.0		5893	0.0	0.0	0.0	0.0	
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	C3-C4; ~1	Max	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0		Min	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2; ~2	Max	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0		Min	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4; ~2	Max	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0		Min	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0							
19.3	0.0	G1		8385	-71.8	-35.3	-0.7	-96.8
-13.1	0.0			8387	-45.0	59.6	-0.1	-72.4
13.6	-0.0			5895	58.6	38.3	0.1	-170.5
-17.6	-0.0			5893	58.2	-61.8	0.7	-212.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			G2	8385	-26.1	-12.1	-0.2	-38.4
8.5	0.0			8387	-18.7	24.7	-0.0	-28.4
-7.4	0.0			5895	20.8	12.7	0.0	-51.8
0.9	0.0			5893	24.0	-25.3	0.2	-68.8
-5.2	-0.0							
			Q3	8385	0.0	0.0	0.0	0.0
0.0	0.0			8387	0.0	0.0	0.0	0.0
0.0	0.0			5895	0.0	0.0	0.0	0.0
0.0	0.0			5893	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8385	-2.7	-1.8	-0.0	0.3
-0.6	-0.0			8387	-1.1	1.2	-0.0	0.0
1.1	0.0			5895	3.0	1.9	0.0	-4.7
1.7	-0.0			5893	0.7	-1.4	0.0	-4.3
-0.6	0.0							
			Q5_pc Y	8385	10.1	2.6	0.1	14.6
-1.3	-0.0			8387	-4.9	-1.2	0.0	12.6
0.8	-0.0			5895	-10.9	-3.1	-0.0	30.9
-4.7	0.0			5893	5.7	1.8	-0.1	34.2
3.2	-0.0							
			Q5_ps X	8385	-2.8	-1.8	-0.0	0.6
-0.8	-0.0			8387	-0.7	0.9	-0.0	0.2
1.5	0.0			5895	3.2	2.0	0.0	-6.8
2.3	-0.0			5893	0.4	-1.1	0.0	-6.3
-0.9	0.0							
			Q5_ps Y	8385	10.1	2.6	0.1	13.3
-0.7	-0.0			8387	-5.6	-0.3	0.1	11.6
-0.3	-0.0			5895	-11.0	-3.4	-0.1	36.8
-6.5	0.0			5893	6.5	1.1	-0.1	39.8
3.9	-0.0							
			INVSLU Max	8385	151.1	-85.6	1.4	544.4
-82.1	0.0			8387	-381.0	127.4	0.8	480.9
132.0	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
60.7	0.0			5895	-202.6	91.3	-0.5	197.1
-11.6	-0.0			5893	482.5	-120.0	-1.2	238.4
			Min	8385	120.7	-93.4	1.1	504.4
-84.5	-0.0			8387	-398.0	124.6	0.6	446.0
127.6	-0.0			5895	-235.6	81.1	-0.7	86.6
41.2	0.0			5893	462.9	-123.4	-1.5	118.9
-23.4	-0.0							
			INVSLE Max	8385	122.6	-65.1	1.1	433.7
-65.9	-0.0			8387	-297.1	95.1	0.6	383.2
104.6	-0.0			5895	-165.6	68.5	-0.4	166.0
44.3	0.0			5893	373.5	-89.6	-1.0	201.4
-7.8	-0.0							
			Min	8385	102.3	-70.4	0.9	407.0
-67.5	-0.0			8387	-308.4	93.2	0.5	359.9
101.6	-0.0			5895	-187.7	61.7	-0.5	92.4
31.3	0.0			5893	360.4	-91.9	-1.2	121.7
-15.7	-0.0							
10897	2	4	C1-C2;~1	Max	8412	0.0	0.0	0.0
0.0	0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8412	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8412	0.0	0.0	0.0
0.0	0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8412	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		8413	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max	8412	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0		Min	8412	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	8412	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0		Min	8412	0.0	0.0	0.0
0.0	0.0			8414	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			8413	0.0	0.0	0.0
0.0	0.0						
-50.4	-0.0	G1	8412	-110.0	-112.4	0.4	169.3
36.7	0.0		8414	-175.3	124.3	0.2	159.8
19.1	-0.0		8415	136.0	114.2	-0.3	34.8
-25.5	0.0		8413	149.4	-125.4	-0.3	39.4
-19.3	-0.0	G2	8412	-41.7	-43.2	0.1	67.8
14.0	0.0		8414	-69.6	49.2	0.1	64.0
6.5	-0.0		8415	51.5	43.7	-0.1	16.6
-8.9	0.0		8413	59.8	-49.8	-0.1	18.2
0.0	0.0	Q3	8412	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
				8414	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			8413	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		8412	3.7	-2.0	0.0	24.0
-11.4	-0.0			8414	-7.2	1.2	0.0	22.0
7.6	0.0			8415	-3.0	1.8	-0.0	-15.9
6.9	-0.0			8413	6.6	-1.0	-0.0	-16.9
-10.4	0.0							
		Q5_pc Y		8412	0.3	4.1	-0.0	-21.4
9.6	0.0			8414	7.1	-2.7	-0.0	-19.5
-6.7	-0.0			8415	-2.3	-3.5	0.0	8.5
-5.6	0.0			8413	-5.1	2.1	0.0	8.3
8.1	-0.0							
		Q5_ps X		8412	3.8	-1.4	0.0	22.0
-10.7	-0.0			8414	-5.9	0.6	-0.0	20.2
7.1	0.0			8415	-3.1	1.1	-0.0	-15.7
6.6	-0.0			8413	5.2	-0.4	-0.0	-16.6
-10.0	0.0							
		Q5_ps Y		8412	-0.3	2.6	-0.0	-18.2
8.9	0.0			8414	4.3	-1.3	-0.0	-16.4
-6.0	-0.0			8415	-1.5	-2.0	0.0	9.6
-5.4	0.0			8413	-2.5	0.7	0.0	9.6
8.0	-0.0							
		INVSLU Max		8412	-185.5	-195.6	1.2	467.9
-82.9	-0.0			8414	-317.7	235.8	0.7	426.4
67.6	-0.0			8415	281.0	202.4	-0.8	250.4
13.7	-0.0			8413	249.3	-230.3	-1.1	273.4
-4.5	0.0							
		Min		8412	-196.9	-203.5	1.2	401.8
-115.1	-0.0			8414	-335.3	231.0	0.7	365.9
46.4	-0.0			8415	271.5	196.2	-0.8	203.4
-6.2	-0.0			8413	233.6	-234.1	-1.1	223.8
-34.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-66.9	-0.0	INVSLE	Max	8412	-135.2	-144.7	0.9	355.6
51.2	-0.0			8414	-237.9	174.6	0.5	323.7
10.6	-0.0			8415	206.3	149.1	-0.6	182.5
-7.6	0.0			8413	184.9	-170.7	-0.8	199.2
-88.4	-0.0		Min	8412	-142.8	-149.9	0.9	311.6
37.1	-0.0			8414	-249.6	171.3	0.5	283.4
-2.7	-0.0			8415	200.0	144.9	-0.6	151.1
-27.5	0.0			8413	174.4	-173.2	-0.9	166.1
10898	2	4 C1-C2;~1	Max	8413	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0	0.0
0.0	0.0		Min	8413	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8413	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0	0.0
0.0	0.0		Min	8413	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	8413	0.0	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	8413	0.0	0.0	0.0	0.0
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0		5921	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	8413	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0
0.0	0.0						
			Min	8413	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0
0.0	0.0			5921	0.0	0.0	0.0
0.0	0.0						
		G1	8413	-199.9	-117.9	0.1	-38.9
3.8	0.0		8415	-92.9	123.5	0.1	-34.3
-3.0	-0.0		5923	233.3	121.2	-0.1	79.8
-13.4	0.0		5921	59.4	-126.1	-0.1	84.0
14.7	0.0						
		G2	8413	-76.7	-45.2	0.1	-18.0
4.1	0.0		8415	-37.8	49.1	0.0	-16.3
-3.8	-0.0		5923	90.2	46.4	-0.0	48.0
-8.9	0.0		5921	24.3	-50.4	-0.1	50.2
9.5	0.0						
		Q3	8413	0.0	0.0	0.0	0.0
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0		5921	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8413	2.7	-1.6	0.1	16.9
-5.6	0.0		8415	-5.4	-0.2	0.0	16.1
3.4	-0.0		5923	-2.8	2.5	-0.0	13.8
-0.6	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.7	-0.0			5921	5.5	-0.7	-0.1	14.7
		Q5_pc	Y	8413	6.2	4.1	-0.0	-8.4
5.2	-0.0			8415	1.5	-0.8	-0.0	-8.7
-3.7	0.0			5923	-7.7	-5.6	0.0	2.0
-1.8	-0.0			5921	-0.0	2.3	0.0	1.7
2.7	0.0							
		Q5_ps	X	8413	3.1	-1.0	0.0	16.6
-5.8	0.0			8415	-4.3	-0.8	0.0	15.8
3.7	-0.0			5923	-3.4	1.8	-0.0	9.7
0.2	0.0			5921	4.5	0.0	-0.0	10.5
-1.4	-0.0							
		Q5_ps	Y	8413	4.4	2.5	-0.0	-9.6
6.2	-0.0			8415	-0.5	0.6	0.0	-9.8
-4.5	0.0			5923	-5.2	-3.8	-0.0	10.4
-3.5	-0.0			5921	1.3	0.7	0.0	10.3
4.4	0.0							
		INVSLE	Max	8413	-474.5	-211.7	-0.0	-223.2
63.9	0.0			8415	-51.6	236.5	-0.1	-202.0
-31.3	-0.0			5923	596.3	220.9	0.2	166.9
-30.1	0.0			5921	-42.7	-232.0	0.1	202.4
68.7	0.0							
			Min	8413	-487.6	-219.2	-0.2	-273.0
45.4	0.0			8415	-64.3	234.1	-0.2	-249.5
-44.9	-0.0			5923	580.7	209.4	0.1	135.8
-40.6	0.0			5921	-56.2	-236.2	-0.0	171.0
55.4	0.0							
		INVSLE	Max	8413	-352.4	-156.3	0.0	-165.7
45.7	0.0			8415	-36.9	175.1	-0.0	-150.1
-23.9	-0.0			5923	442.6	162.1	0.1	129.4
-23.9	0.0			5921	-34.9	-171.7	0.1	156.3
50.9	0.0							
			Min	8413	-361.2	-161.3	-0.1	-198.9
33.3	0.0			8415	-45.4	173.5	-0.1	-181.7
-33.0	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-30.9	0.0		5923	432.2	154.5	0.1	108.6
42.0	0.0		5921	-44.0	-174.5	-0.0	135.3
10899	2	8 C1-C2;~1	Max	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0		Min	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0		Min	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0		Min	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			8415	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8414	0.0	0.0	0.0
0.0	0.0			8416	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		8414	0.0	0.0	0.0	0.0
0.0	0.0	Min	8416	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		8414	-111.0	-115.6	0.4	180.4
-36.6	0.0	G1	8416	-178.4	127.7	0.2	146.0
33.9	-0.0		8417	138.7	114.2	-0.2	48.0
9.8	-0.0		8415	150.7	-125.6	-0.4	44.7
-19.4	-0.0		8414	-42.1	-43.6	0.2	71.9
-14.0	0.0	G2	8416	-70.5	51.6	0.1	57.5
13.2	-0.0		8417	52.6	42.3	-0.1	21.1
3.4	-0.0		8415	59.9	-50.3	-0.2	20.8
-6.5	-0.0		8414	0.0	0.0	0.0	0.0
0.0	0.0	Q3	8416	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		8415	0.0	0.0	0.0	0.0
0.0	0.0		8414	3.7	-1.8	0.0	23.8
-7.5	0.0	Q5_pc X	8416	-5.1	-1.4	-0.0	18.4
5.2	0.0		8417	-3.6	2.5	-0.0	-13.9
5.2	-0.0		8415	5.0	0.7	-0.0	-17.8
-7.1	-0.0		8414	-0.1	3.2	-0.0	-20.8
6.6	-0.0	Q5_pc Y	8416	3.5	2.0	-0.0	-16.2
-3.3	-0.0		8417	-0.6	-4.8	0.0	7.6
-3.5	-0.0		8415	-2.7	-0.4	0.0	9.9
5.8	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	8414	3.8	-1.3	0.0	21.8
-7.0	0.0		8416	-3.8	-2.2	-0.0	16.9
4.7	0.0		8417	-3.8	2.2	-0.0	-13.7
4.9	-0.0		8415	3.7	1.4	-0.0	-17.5
-6.8	-0.0						
		Q5_ps Y	8414	-0.6	2.1	-0.0	-17.4
6.0	-0.0		8416	0.8	4.0	0.0	-13.7
-2.6	0.0		8417	0.1	-4.1	0.0	8.8
-3.2	-0.0		8415	-0.2	-2.0	0.0	11.3
5.7	0.0						
		INVS LU Max	8414	-198.1	-203.2	1.3	463.9
-46.4	-0.0		8416	-323.5	243.2	0.6	372.6
61.1	-0.0		8417	293.0	214.4	-0.6	248.9
-5.1	-0.0		8415	251.2	-235.2	-1.2	284.8
6.0	-0.0						
		Min	8414	-209.6	-209.4	1.2	398.6
-67.5	-0.0		8416	-334.8	231.3	0.6	321.8
47.0	-0.0		8417	281.7	202.1	-0.6	207.7
-19.8	-0.0		8415	240.1	-241.1	-1.2	232.2
-14.3	-0.0						
		INVS LE Max	8414	-145.2	-150.5	1.0	351.8
-37.1	-0.0		8416	-241.7	179.4	0.4	282.1
46.2	-0.0		8417	215.6	158.4	-0.5	182.2
-3.5	-0.0		8415	186.4	-174.3	-0.9	207.8
2.5	-0.0						
		Min	8414	-152.8	-154.7	0.9	308.2
-51.2	-0.0		8416	-249.2	171.4	0.4	248.3
36.8	-0.0		8417	208.0	150.2	-0.5	154.7
-13.3	-0.0		8415	178.9	-178.3	-0.9	172.8
-11.0	-0.0						
10900	2	8 C1-C2;~1 Max	8415	0.0	0.0	0.0	0.0
0.0			8417	0.0	0.0	0.0	0.0
0.0			5925	0.0	0.0	0.0	0.0
0.0			5923	0.0	0.0	0.0	0.0
0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	8415	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8415	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8415	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8415	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8415	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8415	0.0	0.0	0.0
0.0	0.0			8417	0.0	0.0	0.0
0.0	0.0			5925	0.0	0.0	0.0
0.0	0.0			5923	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8415	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		G1	8415	-193.8	-112.2	0.2	-45.3
3.3	-0.0		8417	-101.1	139.7	-0.1	-46.7
-14.1	-0.0		5925	220.3	106.9	0.0	72.2
-15.7	0.0		5923	74.6	-133.6	-0.1	91.8
13.6	0.0						
		G2	8415	-73.6	-42.5	0.1	-21.0
3.8	-0.0		8417	-41.1	55.6	0.0	-20.5
-8.8	-0.0		5925	83.7	40.2	-0.0	50.7
-12.1	0.0		5923	31.0	-53.2	-0.1	58.6
8.7	0.0						
		Q3	8415	0.0	0.0	0.0	0.0
0.0	0.0		8417	0.0	0.0	0.0	0.0
0.0	0.0		5925	0.0	0.0	0.0	0.0
0.0	0.0		5923	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8415	3.5	-2.3	0.1	17.6
-3.3	-0.0		8417	-4.5	-0.5	0.0	13.9
3.4	-0.0		5925	-3.2	1.3	-0.0	8.0
1.8	-0.0		5923	4.2	1.4	-0.1	13.2
0.5	0.0						
		Q5_pc Y	8415	3.5	4.7	-0.0	-9.8
3.4	0.0		8417	1.7	-0.9	0.0	-7.3
-4.4	-0.0		5925	-4.9	-3.5	-0.0	11.3
-5.6	0.0		5923	-0.3	-0.3	0.0	6.8
1.6	-0.0						
		Q5_ps X	8415	3.7	-1.7	0.1	17.4
-3.5	-0.0		8417	-3.4	-1.2	0.0	13.7
3.8	-0.0		5925	-3.4	0.9	0.0	3.1
2.8	-0.0		5923	3.1	2.0	-0.1	8.0
-0.2	0.0						
		Q5_ps Y	8415	2.3	3.4	-0.0	-11.1
4.3	0.0		8417	-0.3	0.8	0.0	-8.5
-5.6	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.0	0.0			5925	-3.4	-2.4	-0.0	21.5
3.2	-0.0			5923	1.5	-1.7	0.0	17.8
44.9	-0.0	INVS LU	Max	8415	-458.4	-191.4	0.1	-233.6
-58.9	-0.0			8417	-102.0	282.8	-0.2	-203.2
-46.5	0.0			5925	549.9	199.8	0.3	166.4
40.7	0.0			5923	30.9	-276.7	0.2	187.7
32.1	-0.0		Min	8415	-469.5	-201.5	-0.1	-285.7
-75.8	-0.0			8417	-112.1	279.3	-0.3	-244.4
-70.5	0.0			5925	539.5	192.5	0.1	101.7
31.1	0.0			5923	21.6	-282.7	-0.0	134.4
33.0	-0.0	INVS LE	Max	8415	-340.9	-141.6	0.1	-173.8
-44.6	-0.0			8417	-75.2	209.5	-0.2	-151.3
-36.2	0.0			5925	408.8	147.8	0.2	126.8
30.9	0.0			5923	20.9	-205.9	0.1	144.6
24.5	-0.0		Min	8415	-348.3	-148.4	-0.0	-208.6
-55.9	-0.0			8417	-81.9	207.1	-0.2	-178.8
-52.2	0.0			5925	401.9	142.9	0.1	83.7
24.5	0.0			5923	14.7	-209.9	-0.0	109.1
10931	2	8	C1-C2;~1	Max	8442	0.0	0.0	0.0
0.0	0.0				8444	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0				8443	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	8442	0.0	0.0	0.0	0.0
0.0	0.0				8444	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0				8443	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	8442	0.0	0.0	0.0
0.0	0.0				8444	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8442	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8442	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8442	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8442	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8442	0.0	0.0	0.0	0.0
0.0	0.0			8444	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			8443	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8442	185.3	132.7	0.3	141.0
-26.4	-0.0			8444	140.9	-124.4	0.3	141.5
25.0	0.0			8445	-165.9	-133.8	-0.3	44.2
12.3	-0.0			8443	-160.3	126.3	-0.3	37.1
-17.3	-0.0							
		G2		8442	73.9	52.7	0.1	58.3
-10.0	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
9.5	0.0		8444	53.7	-47.9	0.1	58.7
3.7	-0.0		8445	-66.6	-53.3	-0.1	21.8
-5.7	-0.0		8443	-60.9	48.5	-0.1	19.0
0.0	0.0	Q3	8442	0.0	0.0	0.0	0.0
0.0	0.0		8444	0.0	0.0	0.0	0.0
0.0	0.0		8445	0.0	0.0	0.0	0.0
0.0	0.0		8443	0.0	0.0	0.0	0.0
1.7	0.0	Q5_pc X	8442	-4.5	-1.3	-0.0	-9.6
-2.0	-0.0		8444	0.8	1.2	-0.0	-10.4
-1.4	0.0		8445	4.0	1.7	0.0	2.8
1.3	-0.0		8443	-0.3	-1.6	0.0	2.2
-7.2	-0.0	Q5_pc Y	8442	11.4	1.5	0.0	34.1
9.6	0.0		8444	-5.8	-2.3	0.0	37.0
8.4	-0.0		8445	-10.9	-2.1	-0.0	-22.0
-6.2	0.0		8443	5.3	2.9	-0.0	-19.3
1.7	0.0	Q5_ps X	8442	-5.3	-1.7	-0.0	-10.2
-1.9	-0.0		8444	0.4	1.7	-0.0	-11.0
-1.2	0.0		8445	4.8	2.1	0.0	1.7
1.2	-0.0		8443	0.0	-2.1	0.0	1.2
-7.0	-0.0	Q5_ps Y	8442	13.5	2.9	0.0	34.5
9.1	0.0		8444	-4.4	-3.7	0.0	37.2
7.5	-0.0		8445	-13.0	-3.5	-0.0	-18.4
-5.7	0.0		8443	4.0	4.3	-0.0	-16.1
-29.7	-0.0	INVSLU Max	8442	347.7	237.9	0.8	427.1
68.4	0.0		8444	231.8	-198.7	1.1	464.0
24.5	-0.0		8445	-242.2	-228.0	-1.0	261.3
-4.3	0.0		8443	-284.9	211.5	-0.7	238.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	8442	307.2	229.2	0.7	323.6
-50.7	-0.0			8444	218.5	-209.7	1.0	352.4
41.2	0.0			8445	-281.3	-238.6	-1.0	206.0
2.0	-0.0			8443	-296.8	198.7	-0.8	190.0
-21.4	-0.0							
		INVSLE	Max	8442	256.0	174.4	0.6	323.2
-24.3	-0.0			8444	167.6	-146.2	0.8	351.9
52.4	0.0			8445	-179.7	-167.8	-0.7	191.0
19.3	-0.0			8443	-208.9	154.8	-0.6	174.4
-4.8	0.0							
			Min	8442	229.0	168.6	0.6	254.3
-38.4	-0.0			8444	158.8	-153.6	0.7	277.5
34.2	0.0			8445	-205.8	-174.8	-0.8	154.1
4.3	-0.0			8443	-216.9	146.2	-0.6	142.3
-16.2	-0.0							
10932	2	8 C1-C2;~1	Max	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0			5951	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8443	131.2	145.6	0.1	-37.2
0.2	-0.0			8445	201.5	-125.8	0.0	-43.7
-4.9	-0.0			5953	-111.2	-137.5	-0.0	68.4
-10.4	-0.0			5951	-221.5	118.5	-0.1	71.2
9.4	-0.0							
		G2		8443	52.9	57.8	0.1	-19.1
3.5	-0.0			8445	77.6	-48.5	0.0	-21.6
-5.2	-0.0			5953	-44.5	-54.9	-0.0	53.6
-8.6	-0.0			5951	-86.0	45.6	-0.1	54.1
8.6	-0.0							
		Q3		8443	0.0	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0	0.0
0.0	0.0			5953	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		5951	0.0	0.0	0.0	0.0
-0.8	-0.0	Q5_pc X	8443	-2.9	-1.7	-0.0	-2.2
0.8	0.0		8445	-0.8	1.0	-0.0	-2.8
2.5	0.0		5953	2.2	1.9	0.0	-18.4
-2.5	-0.0		5951	1.5	-1.2	0.0	-17.5
1.0	0.0	Q5_pc Y	8443	9.1	1.8	0.1	19.5
0.7	-0.0		8445	-4.9	-1.3	0.1	22.0
-6.2	-0.0		5953	-8.3	-1.9	-0.1	58.6
7.3	0.0		5951	4.2	1.4	-0.1	55.7
-1.4	-0.0	Q5_ps X	8443	-3.7	-2.3	-0.0	-1.3
1.4	0.0		8445	-1.3	1.6	-0.0	-1.7
3.3	0.0		5953	2.9	2.4	0.0	-23.0
-3.3	-0.0		5951	2.2	-1.7	0.0	-22.1
2.4	0.0	Q5_ps Y	8443	11.1	3.6	0.1	16.2
-0.9	-0.0		8445	-3.0	-2.9	0.1	18.5
-8.0	-0.0		5953	-9.9	-3.5	-0.1	68.0
9.1	0.0		5951	1.8	2.8	-0.1	65.2
25.8	0.0	INVSLE Max	8443	163.9	267.2	0.0	-189.9
-29.5	-0.0		8445	431.0	-185.9	0.1	-205.5
-21.8	-0.0		5953	-68.1	-258.9	0.3	245.5
39.7	-0.0		5951	-487.1	197.9	0.3	228.0
18.7	-0.0	Min	8443	130.7	256.5	-0.3	-238.5
-33.6	-0.0		8445	422.0	-194.7	-0.3	-260.9
-45.7	-0.0		5953	-97.8	-269.3	-0.1	41.6
12.3	-0.0		5951	-494.7	189.4	-0.0	32.4
19.2	0.0	INVSLE Max	8443	117.1	196.0	0.0	-142.1
			8445	318.3	-135.9	0.1	-153.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-21.7	-0.0			5953	-47.5	-191.3	0.2	182.7
-17.9	-0.0			5951	-361.5	144.9	0.2	169.0
29.4	-0.0							
			Min	8443	95.0	188.9	-0.2	-174.6
14.5	-0.0			8445	312.3	-141.8	-0.2	-190.8
-24.5	-0.0			5953	-67.3	-198.3	-0.1	46.8
-33.8	-0.0			5951	-366.5	139.2	-0.0	38.7
11.1	-0.0							
10933	2	4	C1-C2;~1	Max	8444	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0
0.0	0.0				8447	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0							
			Min	8444	0.0	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0
0.0	0.0				8447	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8444	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0
0.0	0.0				8447	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0							
			Min	8444	0.0	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0
0.0	0.0				8447	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	8444	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0
0.0	0.0				8447	0.0	0.0	0.0
0.0	0.0				8445	0.0	0.0	0.0
0.0	0.0							
			Min	8444	0.0	0.0	0.0	0.0
0.0	0.0				8446	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8447	0.0	0.0	0.0	0.0
0.0	0.0		8445	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	8444	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8447	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0
0.0	0.0						
			Min	8444	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8447	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0
0.0	0.0						
			G1	8444	179.1	135.7	0.2
-26.9	0.0			8446	151.9	-126.2	0.1
15.5	-0.0			8447	-166.0	-135.8	-0.2
-3.3	-0.0			8445	-164.9	127.0	-0.2
-11.7	-0.0						
			G2	8444	71.5	54.4	0.1
-10.2	0.0			8446	58.6	-48.0	0.1
6.5	-0.0			8447	-66.7	-55.1	-0.1
-1.4	-0.0			8445	-63.4	48.6	-0.1
-3.3	-0.0						
			Q3	8444	0.0	0.0	0.0
0.0	0.0			8446	0.0	0.0	0.0
0.0	0.0			8447	0.0	0.0	0.0
0.0	0.0			8445	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	8444	-4.1	-1.9	-0.0
2.0	-0.0			8446	0.5	1.1	-0.0
-3.8	-0.0			8447	3.9	1.7	0.0
-3.1	0.0			8445	-0.2	-1.0	0.0
1.2	0.0						2.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	8444	11.2	3.0	0.0	26.5
-9.4	0.0		8446	-6.0	-0.9	0.0	23.8
15.2	0.0		8447	-11.0	-3.2	0.0	-17.3
13.7	-0.0		8445	5.8	1.1	-0.0	-17.7
-7.8	-0.0						
		Q5_ps X	8444	-4.9	-2.5	-0.0	-7.5
1.9	-0.0		8446	-0.1	1.5	-0.0	-6.4
-3.6	-0.0		8447	4.8	2.5	0.0	2.3
-2.9	0.0		8445	0.3	-1.5	0.0	1.9
1.0	0.0						
		Q5_ps Y	8444	13.3	4.9	0.0	26.1
-8.9	0.0		8446	-3.9	-2.2	0.0	22.8
14.2	0.0		8447	-13.3	-5.2	0.0	-15.3
12.7	-0.0		8445	3.9	2.6	-0.0	-15.3
-6.9	-0.0						
		INVSLE Max	8444	339.9	238.0	0.7	341.7
-47.8	0.0		8446	222.6	-189.1	0.7	325.3
113.1	-0.0		8447	-240.5	-224.8	-0.7	212.4
19.3	-0.0		8445	-270.6	199.1	-0.7	203.4
3.2	-0.0						
		Min	8444	300.1	223.4	0.7	263.5
-74.6	0.0		8446	211.0	-195.6	0.7	256.7
70.5	-0.0		8447	-280.4	-240.5	-0.7	166.4
-18.6	-0.0		8445	-282.3	191.4	-0.8	157.6
-17.4	-0.0						
		INVSLE Max	8444	250.4	174.2	0.5	260.4
-39.2	0.0		8446	159.4	-137.8	0.6	248.8
87.6	-0.0		8447	-178.2	-165.7	-0.5	156.1
15.9	-0.0		8445	-197.3	144.9	-0.5	148.8
-0.2	-0.0						
		Min	8444	223.9	164.4	0.5	208.2
-57.1	0.0		8446	151.6	-142.1	0.5	203.1
59.2	-0.0		8447	-204.8	-176.2	-0.5	125.4
-9.4	-0.0		8445	-205.1	139.8	-0.6	118.3
-13.9	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

10934	2	4	C1-C2;~1	Max	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	8445	0.0	0.0	0.0	0.0
0.0		0.0			8447	0.0	0.0	0.0	0.0
0.0		0.0			5955	0.0	0.0	0.0	0.0
0.0		0.0			5953	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	8445	0.0	0.0	0.0	0.0
0.0	0.0		8447	0.0	0.0	0.0	0.0
0.0	0.0		5955	0.0	0.0	0.0	0.0
0.0	0.0		5953	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8445	129.2	132.6	0.1	-39.5
4.2	-0.0		8447	201.9	-124.0	-0.1	-45.4
-13.3	-0.0		5955	-105.5	-138.1	0.1	35.7
-8.5	-0.0		5953	-225.7	130.2	-0.1	41.9
9.4	-0.0						
		G2	8445	52.5	53.1	0.0	-17.8
4.7	-0.0		8447	77.6	-47.6	0.0	-18.9
-7.6	-0.0		5955	-43.2	-55.5	-0.0	33.6
-8.0	0.0		5953	-86.8	49.9	-0.0	36.2
8.0	-0.0						
		Q3	8445	0.0	0.0	0.0	0.0
0.0	0.0		8447	0.0	0.0	0.0	0.0
0.0	0.0		5955	0.0	0.0	0.0	0.0
0.0	0.0		5953	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8445	-2.9	-1.7	-0.0	-2.6
-0.6	0.0		8447	0.4	0.4	-0.0	-2.9
-0.6	0.0		5955	2.7	1.6	0.0	-12.5
1.8	-0.0		5953	-0.2	-0.2	0.0	-13.3
-2.4	0.0						
		Q5_pc Y	8445	10.0	2.3	0.1	17.7
-1.3	-0.0		8447	-7.8	0.5	0.1	17.5
6.0	-0.0		5955	-10.5	-2.2	-0.1	37.8
-2.6	0.0		5953	8.3	-0.6	-0.1	41.2
6.3	-0.0						
		Q5_ps X	8445	-3.8	-2.2	-0.0	-1.9
-1.2	0.0		8447	-0.1	1.0	-0.0	-2.4
-0.2	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.5	-0.0			5955	3.5	2.1	0.0	-15.7
-3.2	0.0			5953	0.4	-0.9	0.0	-16.5
		Q5_ps Y		8445	12.1	3.9	0.1	15.2
0.2	-0.0			8447	-5.8	-1.2	0.1	15.5
4.6	-0.0			5955	-12.4	-3.8	-0.1	44.4
-4.4	0.0			5953	6.2	1.1	-0.1	47.9
8.0	-0.0							
		INVS LU	Max	8445	129.8	234.1	0.2	-158.0
27.2	-0.0			8447	428.2	-192.0	-0.1	-162.6
-60.8	-0.0			5955	-7.2	-221.1	0.2	200.2
-61.5	0.0			5953	-496.1	194.9	0.2	192.0
37.8	-0.0							
			Min	8445	93.5	222.5	-0.1	-203.7
23.7	-0.0			8447	410.7	-195.5	-0.3	-209.2
-74.6	-0.0			5955	-44.5	-232.4	-0.0	67.0
-74.6	0.0			5953	-514.5	191.5	-0.1	48.2
13.8	-0.0							
		INVS LE	Max	8445	90.7	171.7	0.1	-118.6
19.5	-0.0			8447	315.7	-140.0	-0.0	-122.6
-45.3	-0.0			5955	-1.4	-162.6	0.1	149.3
-47.1	0.0			5953	-368.5	141.6	0.1	143.1
27.8	-0.0							
			Min	8445	66.5	163.9	-0.1	-149.1
17.2	-0.0			8447	304.0	-142.3	-0.2	-153.7
-54.5	-0.0			5955	-26.3	-170.2	-0.0	60.5
-55.8	0.0			5953	-380.8	139.4	-0.1	47.3
11.8	-0.0							
10965	2	4	C1-C2;~1	Max	8470	0.0	0.0	0.0
0.0	0.0	0.0			8472	0.0	0.0	0.0
0.0	0.0	0.0			8473	0.0	0.0	0.0
0.0	0.0	0.0			8471	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8470	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8472	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8470	0.0	0.0	0.0	0.0
0.0	0.0			8472	0.0	0.0	0.0	0.0
0.0	0.0			8473	0.0	0.0	0.0	0.0
0.0	0.0			8471	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8470	23.1	60.2	-0.1	-205.7
63.1	-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-61.7	0.0		8472	107.2	-41.7	-0.3	-259.4
			8473	-34.9	-61.3	0.3	87.4
-46.5	-0.0		8471	-95.4	43.5	0.1	62.2
44.0	-0.0						
		G2	8470	10.7	25.9	-0.1	-78.2
24.0	-0.0		8472	41.1	-15.3	-0.1	-98.2
-23.5	0.0		8473	-15.5	-25.8	0.1	34.1
-18.0	-0.0		8471	-36.3	15.2	0.1	24.0
17.0	-0.0						
		Q3	8470	0.0	0.0	0.0	0.0
0.0	0.0		8472	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		8471	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8470	-5.7	-2.4	-0.0	-12.2
5.5	0.0		8472	1.4	1.6	-0.0	-14.7
-4.2	0.0		8473	5.6	1.8	0.0	10.3
-3.7	-0.0		8471	-1.3	-1.0	0.0	8.4
4.7	-0.0						
		Q5_pc Y	8470	12.9	4.0	0.0	34.9
-15.1	-0.0		8472	-6.6	-2.4	0.0	42.5
11.9	-0.0		8473	-12.5	-2.6	-0.0	-29.2
10.5	0.0		8471	6.2	1.0	-0.0	-23.7
-12.9	0.0						
		Q5_ps X	8470	-6.1	-2.8	-0.0	-12.4
5.5	0.0		8472	1.5	1.6	-0.0	-15.0
-4.2	0.0		8473	5.9	2.1	0.0	9.9
-3.6	-0.0		8471	-1.4	-0.8	0.0	8.1
4.6	-0.0						
		Q5_ps Y	8470	13.4	5.0	0.0	33.7
-14.6	-0.0		8472	-6.3	-2.3	0.0	41.1
11.5	-0.0		8473	-13.0	-3.3	-0.0	-27.4
10.0	0.0		8471	5.9	0.7	-0.0	-22.3
-12.3	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLU	Max	8470	214.8	121.8	-0.4	151.8
-74.2	-0.0				8472	91.8	-98.2	-0.7	190.2
96.4	-0.0				8473	-217.3	-112.5	0.7	-523.0
125.8	0.0				8471	-31.5	107.0	0.5	-441.5
-116.3	0.0								
				Min	8470	174.7	106.9	-0.4	50.8
-117.9	-0.0				8472	73.0	-105.2	-0.8	66.8
61.9	-0.0				8473	-256.4	-122.5	0.7	-605.3
95.9	0.0				8471	-49.2	104.6	0.5	-508.5
-153.2	0.0								
			INVSLE	Max	8470	164.8	88.8	-0.3	134.9
-68.7	-0.0				8472	60.4	-73.9	-0.5	168.7
80.1	-0.0				8473	-170.4	-83.0	0.6	-426.4
101.8	0.0				8471	-16.2	80.3	0.4	-360.0
-99.5	0.0								
				Min	8470	138.0	78.8	-0.3	67.6
-97.8	-0.0				8472	47.9	-78.5	-0.6	86.4
57.1	-0.0				8473	-196.5	-89.7	0.5	-481.3
81.9	0.0				8471	-28.0	78.7	0.4	-404.6
-124.2	0.0								
10966	2	4	C1-C2;~1	Max	8471	0.0	0.0	0.0	0.0
0.0		0.0			8473	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0			5979	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8471	0.0	0.0	0.0	0.0
0.0		0.0			8473	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0			5979	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8471	0.0	0.0	0.0	0.0
0.0		0.0			8473	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0			5979	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	8471	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2; ~2	Max	8471	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8471	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	8471	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8471	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8471	58.6	62.4	-0.1	-64.0
6.8	-0.0		8473	70.8	-36.9	-0.6	-86.2
-9.4	-0.0		5981	-70.2	-65.3	0.6	-204.9
20.1	-0.0		5979	-59.2	40.6	0.1	-163.4
-14.6	0.0						
		G2	8471	25.1	26.6	-0.0	-24.6
5.1	-0.0		8473	26.1	-13.2	-0.2	-33.6
-4.8	-0.0		5981	-29.9	-27.4	0.2	-61.3
5.7	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-0.8	-0.0		5979	-21.4	14.0	0.0	-44.8
		Q3	8471	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0		5981	0.0	0.0	0.0	0.0
0.0	0.0		5979	0.0	0.0	0.0	0.0
		Q5_pc X	8471	-5.9	-2.3	-0.0	-8.5
1.2	-0.0		8473	1.3	1.6	-0.1	-10.2
-1.0	-0.0		5981	6.3	2.0	0.1	-20.9
1.8	-0.0		5979	-1.7	-1.3	0.0	-18.5
-2.0	0.0						
		Q5_pc Y	8471	13.1	3.9	0.1	24.0
-3.6	0.0		8473	-6.1	-2.4	0.2	29.0
3.1	0.0		5981	-13.8	-3.2	-0.2	55.3
-4.8	0.0		5979	6.8	1.7	-0.1	48.0
4.6	-0.0						
		Q5_ps X	8471	-6.3	-2.6	-0.0	-8.2
0.7	-0.0		8473	1.5	1.6	-0.1	-9.9
-0.8	-0.0		5981	6.6	2.3	0.1	-24.1
2.2	-0.0		5979	-1.8	-1.2	0.0	-21.7
-2.8	0.0						
		Q5_ps Y	8471	13.8	4.7	0.1	22.6
-2.5	0.0		8473	-6.1	-2.3	0.2	27.3
2.5	0.0		5981	-14.6	-3.8	-0.2	60.5
-5.5	0.0		5979	6.9	1.4	-0.1	53.6
6.4	-0.0						
		INVSLU Max	8471	363.0	134.0	0.9	511.7
-96.9	0.0		8473	-90.1	-71.2	1.8	604.8
79.4	0.0		5981	-396.2	-111.8	-1.4	393.4
9.3	-0.0		5979	185.4	68.3	-0.6	323.7
-14.2	-0.0						
		Min	8471	321.7	119.9	0.6	443.8
-104.3	0.0		8473	-108.4	-78.1	1.3	522.8

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
71.9	0.0			5981	-440.0	-123.3	-1.8	212.0
-7.1	-0.0			5979	164.7	64.1	-0.8	162.7
-33.4	-0.0							
			INVSLE Max	8471	278.9	99.0	0.7	407.4
-78.1	0.0			8473	-78.6	-53.4	1.4	480.8
63.0	0.0			5981	-309.0	-83.1	-1.2	319.9
4.3	-0.0			5979	150.1	50.4	-0.5	262.8
-10.6	-0.0							
			Min	8471	251.3	89.6	0.5	362.2
-83.0	0.0			8473	-90.8	-58.0	1.1	426.2
58.0	0.0			5981	-338.2	-90.8	-1.5	199.0
-6.6	-0.0			5979	136.3	47.6	-0.7	155.5
-23.4	-0.0							
10967	2	10	C1-C2;~1 Max	8472	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8472	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1 Max	8472	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8472	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2 Max	8472	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0	Min	8472	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8472	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8472	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0						
61.0	0.0	G1	8472	9.4	54.8	-0.2	-227.2
-82.0	-0.0		8474	104.5	-32.6	-0.3	-245.5
-67.6	0.0		8475	-24.0	-57.3	0.2	89.3
46.4	-0.0		8473	-89.9	35.8	0.2	80.6
23.2	0.0	G2	8472	5.3	22.4	-0.1	-86.0
-31.2	-0.0		8474	39.9	-12.2	-0.1	-93.0
-25.9	0.0		8475	-11.3	-23.6	0.1	34.7
17.9	-0.0		8473	-33.8	13.4	0.1	31.5
0.0	0.0	Q3	8472	0.0	0.0	0.0	0.0
0.0	0.0		8474	0.0	0.0	0.0	0.0
0.0	0.0		8475	0.0	0.0	0.0	0.0
0.0	0.0		8473	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	8472	-5.0	-1.2	-0.0	-11.9
4.2	0.0		8474	1.2	1.7	-0.0	-12.1
-4.4	-0.0		8475	5.1	1.3	0.0	8.9
-4.0	0.0		8473	-1.3	-1.8	0.0	8.5
3.8	-0.0						
		Q5_pc Y	8472	11.3	1.3	0.0	34.9
-11.9	-0.0		8474	-6.1	-2.6	0.0	36.1
13.2	0.0		8475	-11.4	-1.5	-0.0	-25.7
11.9	-0.0		8473	6.2	2.8	-0.0	-24.5
-10.7	0.0						
		Q5_ps X	8472	-5.3	-1.3	-0.0	-12.1
4.2	0.0		8474	1.2	1.7	-0.0	-12.4
-4.4	-0.0		8475	5.4	1.5	0.0	8.6
-3.9	0.0		8473	-1.4	-1.8	0.0	8.2
3.7	-0.0						
		Q5_ps Y	8472	11.7	1.7	0.0	33.8
-11.5	-0.0		8474	-5.8	-2.7	0.0	34.9
12.7	0.0		8475	-11.9	-1.9	-0.0	-24.2
11.3	-0.0		8473	6.1	2.9	-0.0	-23.0
-10.2	0.0						
		INVSLE Max	8472	181.3	107.1	-0.5	150.8
-62.9	-0.0		8474	76.4	-75.2	-0.6	153.9
124.7	-0.0		8475	-201.0	-100.9	0.7	-478.6
155.6	-0.0		8473	-3.4	83.6	0.5	-443.1
-95.8	0.0						
		Min	8472	146.3	102.1	-0.5	49.4
-97.4	-0.0		8474	58.8	-83.3	-0.7	49.2
86.6	-0.0		8475	-236.7	-106.6	0.7	-551.2
121.6	-0.0		8473	-21.6	74.9	0.4	-512.1
-126.3	0.0						
		INVSLE Max	8472	139.4	78.6	-0.4	135.0
-57.8	-0.0		8474	49.0	-56.4	-0.5	138.6
102.8	-0.0		8475	-157.7	-74.2	0.5	-388.8
126.0	-0.0		8473	4.8	61.8	0.4	-360.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-81.9	0.0							
		Min	8472	116.1	75.2	-0.4	67.5	
-80.8	-0.0		8474	37.4	-61.8	-0.5	68.8	
77.4	-0.0		8475	-181.5	-78.0	0.5	-437.2	
103.3	-0.0		8473	-7.4	55.9	0.3	-406.5	
-102.2	0.0							


10968	2	10	C1-C2;~1	Max	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8473	0.0	0.0	0.0	0.0
0.0		0.0			8475	0.0	0.0	0.0	0.0
0.0		0.0			5983	0.0	0.0	0.0	0.0
0.0		0.0			5981	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	8473	0.0	0.0	0.0	0.0
0.0	0.0			8475	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0	0.0
0.0	0.0			5981	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8473	0.0	0.0	0.0	0.0
0.0	0.0			8475	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0	0.0
0.0	0.0			5981	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	8473	54.0	62.4	-0.3	-81.8
9.4	-0.0			8475	67.1	-34.5	-0.5	-89.4
-25.3	0.0			5983	-65.2	-61.2	0.4	-187.5
12.1	-0.0			5981	-55.9	34.0	0.3	-176.6
-21.3	-0.0							
			G2	8473	23.2	25.6	-0.1	-31.9
4.9	-0.0			8475	25.0	-13.0	-0.2	-34.7
-10.6	0.0			5983	-27.3	-25.3	0.2	-60.3
2.9	-0.0			5981	-20.9	12.6	0.1	-56.1
-6.0	0.0							
			Q3	8473	0.0	0.0	0.0	0.0
0.0	0.0			8475	0.0	0.0	0.0	0.0
0.0	0.0			5983	0.0	0.0	0.0	0.0
0.0	0.0			5981	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		8473	-5.7	-1.7	-0.0	-8.6
1.0	-0.0			8475	1.4	1.8	-0.0	-8.9
-1.4	0.0			5983	5.9	1.6	0.0	-16.4
1.4	0.0			5981	-1.6	-1.7	0.0	-16.2
-2.0	-0.0							
		Q5_pc Y		8473	12.4	2.2	0.1	24.6
-3.0	0.0			8475	-6.4	-2.7	0.1	25.8
4.5	-0.0							

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.4	-0.0		5983	-12.9	-2.0	-0.1	44.5
5.1	0.0		5981	6.9	2.5	-0.1	43.6
0.7	-0.0	Q5_ps X	8473	-6.0	-1.8	-0.0	-8.3
-1.2	0.0		8475	1.5	1.9	-0.0	-8.6
1.7	0.0		5983	6.1	1.7	0.0	-18.6
-2.4	-0.0		5981	-1.6	-1.8	0.0	-18.4
-2.3	0.0	Q5_ps Y	8473	13.0	2.7	0.1	23.2
3.8	-0.0		8475	-6.3	-2.9	0.1	24.3
-4.0	-0.0		5983	-13.4	-2.5	-0.1	47.6
5.8	0.0		5981	6.6	2.7	-0.1	46.9
-72.0	0.0	INVS LU Max	8473	368.2	116.9	1.1	512.7
104.3	-0.0		8475	-123.0	-58.5	1.4	552.1
19.4	-0.0		5983	-407.8	-104.4	-1.1	345.6
10.7	-0.0		5981	221.5	63.0	-0.9	333.9
-78.9	0.0	Min	8473	329.1	108.9	0.8	443.2
92.7	-0.0		8475	-141.7	-67.3	1.1	479.3
7.4	-0.0		5983	-447.9	-111.8	-1.4	202.8
-6.8	-0.0		5981	201.8	54.9	-1.2	193.4
-58.0	0.0	INVS LE Max	8473	282.5	85.9	0.9	407.0
83.1	-0.0		8475	-103.8	-43.7	1.1	437.9
13.0	-0.0		5983	-317.5	-77.0	-0.9	281.5
9.6	-0.0		5981	178.1	46.2	-0.7	271.8
-62.6	0.0	Min	8473	256.4	80.5	0.7	360.7
75.4	-0.0		8475	-116.3	-49.5	0.9	389.3
5.0	-0.0		5983	-344.3	-81.9	-1.1	186.3
-2.1	-0.0		5981	164.9	40.8	-0.9	178.0
11003	2	10 C1-C2;~1 Max	8502	0.0	0.0	0.0	0.0
0.0	0.0	0.0					

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0	Min	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8502	0.0	0.0	0.0	0.0
0.0	0.0		8504	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		8503	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8502	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				8504	0.0	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0	0.0
0.0	0.0			8503	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8502	-98.9	-34.1	-0.3	-264.5
86.3	0.0			8504	-25.8	62.1	-0.2	-252.0
-69.8	-0.0			8505	86.6	37.0	0.3	79.7
-52.1	0.0			8503	38.1	-64.4	0.3	86.8
69.4	-0.0							
		G2		8502	-37.5	-12.6	-0.1	-100.2
32.8	0.0			8504	-11.2	25.0	-0.1	-95.3
-26.2	-0.0			8505	32.4	13.6	0.1	29.8
-19.6	0.0			8503	16.4	-26.1	0.1	32.6
26.4	-0.0							
		Q3		8502	0.0	0.0	0.0	0.0
0.0	0.0			8504	0.0	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0	0.0
0.0	0.0			8503	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		8502	-2.7	-1.4	0.0	-3.1
1.7	0.0			8504	-0.9	1.5	0.0	-2.8
-1.0	-0.0			8505	3.2	1.3	-0.0	4.4
-1.1	0.0			8503	0.4	-1.4	-0.0	4.6
1.7	-0.0							
		Q5_pc Y		8502	8.4	0.0	0.0	37.4
-14.0	-0.0			8504	-4.9	-2.6	0.0	36.9
13.5	0.0			8505	-9.0	-0.1	-0.0	-30.9
12.4	-0.0			8503	5.5	2.7	-0.0	-31.5
-13.2	0.0							
		Q5_ps X		8502	-2.7	-1.2	0.0	-4.1
1.9	0.0			8504	-0.3	1.3	0.0	-3.9
-1.4	-0.0			8505	3.2	1.1	-0.0	4.7
-1.4	0.0			8503	-0.2	-1.2	-0.0	4.9
1.9	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-13.5	-0.0	Q5_ps Y		8502	7.8	-0.3	0.0	36.3
13.3	0.0			8504	-5.6	-2.0	0.0	35.9
12.1	-0.0			8505	-8.5	0.2	-0.0	-29.8
-12.6	0.0			8503	6.3	2.0	-0.0	-30.2
-80.9	0.0	INVS LU	Max	8502	-70.0	-78.8	-0.8	112.9
101.1	0.0			8504	-135.0	100.4	-0.7	112.1
143.1	0.0			8505	43.1	83.1	0.7	-507.5
-127.0	0.0			8503	204.2	-94.3	0.8	-530.3
-121.2	-0.0		Min	8502	-93.4	-82.3	-0.8	4.0
61.3	0.0			8504	-151.7	94.4	-0.7	4.4
106.7	-0.0			8505	17.5	79.8	0.6	-596.9
-164.9	0.0			8503	185.3	-100.4	0.8	-621.0
-73.3	0.0	INVS LE	Max	8502	-47.0	-58.6	-0.6	107.9
84.1	0.0			8504	-104.3	72.5	-0.5	106.6
115.6	-0.0			8505	24.0	61.4	0.5	-412.2
-107.8	0.0			8503	155.5	-68.3	0.6	-430.2
-100.2	-0.0		Min	8502	-62.5	-61.0	-0.6	35.2
57.6	0.0			8504	-115.4	68.5	-0.5	34.8
91.3	-0.0			8505	6.9	59.2	0.5	-471.8
-133.1	0.0			8503	142.8	-72.4	0.6	-490.6
11004	2	10 C1-C2;~1	Max	8503	0.0	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0	0.0
0.0	0.0		Min	8503	0.0	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8503	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0			6011	0.0	0.0	0.0
0.0	0.0						
24.9	-0.0	G1		8503	-70.8	-38.7	-0.5
-10.4	0.0			8505	-64.3	69.7	-0.3
23.2	0.0			6013	62.4	37.6	0.4
							-188.8

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-13.2	0.0		6011	72.7	-68.1	0.4	-196.6
		G2	8503	-26.1	-14.3	-0.2	-32.7
10.3	-0.0		8505	-27.0	28.2	-0.1	-30.0
-4.9	0.0		6013	23.0	13.8	0.1	-59.8
6.6	0.0		6011	30.1	-27.7	0.2	-63.0
-3.4	0.0						
		Q3	8503	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0		6013	0.0	0.0	0.0	0.0
0.0	0.0		6011	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8503	-4.1	-1.4	-0.0	-4.6
0.6	-0.0		8505	0.4	1.5	-0.0	-4.4
0.0	0.0		6013	4.5	1.5	0.0	-9.6
1.4	0.0		6011	-0.8	-1.5	0.0	-9.7
-0.9	-0.0						
		Q5_pc Y	8503	11.8	1.1	0.1	31.5
-5.7	0.0		8505	-7.5	-2.3	0.1	31.0
3.8	-0.0		6013	-13.4	-1.0	-0.1	46.9
-5.4	-0.0		6011	9.2	2.3	-0.1	46.9
2.9	-0.0						
		Q5_ps X	8503	-4.1	-1.2	-0.0	-4.9
0.4	-0.0		8505	1.1	1.2	-0.0	-4.7
0.2	0.0		6013	4.4	1.2	0.0	-12.8
2.0	0.0		6011	-1.4	-1.3	0.0	-12.8
-1.3	-0.0						
		Q5_ps Y	8503	11.2	0.6	0.1	30.3
-5.1	0.0		8505	-8.5	-1.6	0.1	29.9
3.4	-0.0		6013	-12.7	-0.5	-0.1	49.9
-6.1	-0.0		6011	10.0	1.6	-0.1	49.8
3.5	0.0						
		INVSLU Max	8503	140.9	-56.9	1.5	621.7
-106.1	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
95.0	0.0			8505	-309.1	104.5	1.3	597.1
				6013	-191.2	56.9	-1.0	343.1
10.2	0.0			6011	422.9	-95.3	-1.1	341.6
-20.9	0.0							
			Min	8503	107.3	-60.4	1.1	530.8
-121.4	0.0			8505	-334.6	99.7	0.9	507.4
84.9	-0.0			6013	-229.3	53.2	-1.4	193.5
-8.1	0.0			6011	393.0	-100.0	-1.4	192.2
-31.3	0.0							
			INVSLE Max	8503	115.3	-41.5	1.2	491.2
-85.9	0.0			8505	-238.8	75.5	1.0	472.0
74.9	-0.0			6013	-158.6	41.1	-0.8	280.1
4.3	0.0			6011	324.4	-68.9	-0.9	279.4
-15.3	0.0							
			Min	8503	92.9	-43.8	0.9	430.7
-96.1	0.0			8505	-255.7	72.3	0.8	412.2
68.2	-0.0			6013	-184.0	38.7	-1.1	180.4
-7.8	0.0			6011	304.4	-72.1	-1.1	179.8
-22.2	0.0							
11005	2	4	C1-C2;~1	Max	8504	0.0	0.0	0.0
0.0	0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8504	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8504	0.0	0.0	0.0
0.0	0.0	0.0			8506	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			8505	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8504	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	8504	0.0	0.0	0.0	0.0
0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0	Min	8504	0.0	0.0	0.0	0.0
0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	8504	0.0	0.0	0.0	0.0
0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
0.0	0.0	Min	8504	0.0	0.0	0.0	0.0
0.0	0.0		8506	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		8505	0.0	0.0	0.0	0.0
70.3	-0.0	G1	8504	-99.7	-41.5	-0.4	-301.4
-88.9	0.0		8506	-40.3	68.3	-0.2	-247.9
-62.1	0.0		8507	90.8	43.0	0.2	65.0
51.5	0.0		8505	49.1	-69.1	0.4	88.1
26.4	-0.0	G2	8504	-38.1	-14.9	-0.1	-114.1
-33.3	0.0		8506	-16.9	28.9	-0.1	-94.2
-23.0	0.0		8507	34.3	14.7	0.1	22.8
19.4	0.0		8505	20.7	-28.6	0.1	32.1

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	8504	0.0	0.0	0.0	0.0
0.0	0.0			8506	0.0	0.0	0.0	0.0
0.0	0.0			8507	0.0	0.0	0.0	0.0
0.0	0.0			8505	0.0	0.0	0.0	0.0
			Q5_pc X	8504	-2.5	-1.5	0.0	-3.0
1.0	-0.0			8506	-0.8	0.6	0.0	-2.2
-1.2	-0.0			8507	2.9	2.0	-0.0	5.2
-1.6	0.0			8505	0.5	-1.1	-0.0	5.7
1.1	0.0							
			Q5_pc Y	8504	8.4	0.5	0.0	45.6
-13.4	0.0			8506	-4.8	-1.6	0.0	37.6
20.3	0.0			8507	-9.1	-1.2	0.0	-35.3
19.8	-0.0			8505	5.6	2.3	-0.0	-39.9
-12.2	-0.0							
			Q5_ps X	8504	-2.5	-1.4	0.0	-4.4
1.4	-0.0			8506	-0.2	0.0	0.0	-3.4
-1.9	-0.0			8507	2.9	2.1	-0.0	5.7
-2.1	0.0			8505	-0.2	-0.7	-0.0	6.2
1.3	0.0							
			Q5_ps Y	8504	7.8	0.2	0.0	44.6
-13.1	0.0			8506	-5.8	-0.3	0.0	37.0
20.1	0.0			8507	-8.5	-1.2	0.0	-34.4
19.5	-0.0			8505	6.5	1.4	-0.0	-38.7
-11.8	-0.0							
			INVSLU Max	8504	-85.6	-103.3	-1.0	144.0
-59.2	0.0			8506	-162.0	103.7	-0.6	117.2
155.0	0.0			8507	72.5	113.8	0.8	-555.6
220.9	-0.0			8505	218.0	-104.3	1.0	-633.6
-106.4	0.0							
			Min	8504	-108.9	-107.6	-1.1	10.1
-98.5	0.0			8506	-179.4	100.8	-0.6	6.3
94.5	0.0			8507	46.9	107.4	0.7	-658.9
162.3	-0.0			8505	198.4	-108.5	0.9	-749.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-142.0	-0.0							
		INVSLE	Max	8504	-58.8	-77.6	-0.8	135.8
-55.9	0.0			8506	-124.7	74.2	-0.5	111.3
128.9	0.0			8507	46.3	85.4	0.6	-452.9
178.4	-0.0			8505	165.9	-75.4	0.7	-515.9
-90.8	-0.0							
			Min	8504	-74.3	-80.5	-0.8	46.6
-82.1	0.0			8506	-136.3	72.3	-0.5	37.4
88.6	0.0			8507	29.2	81.2	0.6	-521.7
139.4	-0.0			8505	152.8	-78.2	0.7	-593.4
-114.5	-0.0							
11006	2	4	C1-C2;~1	Max	8505	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8505	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8505	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8505	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0			6013	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	8505	0.0	0.0	0.0
0.0	0.0	0.0			8507	0.0	0.0	0.0
0.0	0.0	0.0			6015	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6013	0.0	0.0	0.0	0.0
			Min 8505	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		6013	0.0	0.0	0.0	0.0
		C3-C4; ~2	Max 8505	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		6013	0.0	0.0	0.0	0.0
0.0	0.0						
			Min 8505	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		6013	0.0	0.0	0.0	0.0
		G1	8505	-71.5	-37.7	-0.6	-87.4
11.0	0.0		8507	-65.3	67.1	-0.2	-65.9
-13.2	0.0		6015	62.9	41.7	0.2	-185.0
14.9	-0.0		6013	73.9	-70.4	0.7	-226.7
-22.1	0.0						
		G2	8505	-26.0	-13.2	-0.2	-31.8
5.1	0.0		8507	-27.6	28.3	-0.0	-23.1
-6.7	0.0		6015	22.3	14.2	0.0	-51.8
1.2	0.0		6013	31.3	-29.3	0.2	-68.2
-6.4	0.0						
		Q3	8505	0.0	0.0	0.0	0.0
0.0	0.0		8507	0.0	0.0	0.0	0.0
0.0	0.0		6015	0.0	0.0	0.0	0.0
0.0	0.0		6013	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8505	-4.0	-1.7	-0.0	-5.7
0.0	0.0		8507	0.3	1.1	-0.0	-5.2
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.1	-0.0			6015	4.7	1.9	0.0	-12.5
-1.3	0.0			6013	-0.9	-1.3	0.0	-13.1
-4.1	-0.0	Q5_pc Y		8505	10.9	0.2	0.2	39.8
9.5	-0.0			8507	-9.4	-0.3	0.1	35.4
-1.6	0.0			6015	-12.9	-0.8	-0.1	51.5
5.2	-0.0			6013	11.4	1.0	-0.2	59.9
-0.1	0.0	Q5_ps X		8505	-4.1	-1.6	-0.0	-6.2
0.2	0.0			8507	1.0	0.6	-0.0	-5.8
2.9	-0.0			6015	4.8	1.9	0.0	-17.0
-1.8	0.0			6013	-1.7	-0.9	0.0	-17.7
-3.6	-0.0	Q5_ps Y		8505	10.5	0.0	0.2	38.6
8.7	-0.0			8507	-10.3	0.7	0.1	34.5
-3.1	0.0			6015	-12.5	-0.8	-0.1	56.7
5.8	-0.0			6013	12.4	0.1	-0.2	64.7
-85.3	0.0	INVS LU	Max	8505	99.0	-74.7	2.0	749.6
172.9	-0.0			8507	-303.2	118.2	1.2	660.1
62.2	0.0			6015	-148.6	72.9	-0.7	337.0
5.3	0.0			6013	421.4	-107.7	-1.6	415.5
-96.2	-0.0		Min	8505	67.6	-79.4	1.4	633.7
146.9	-0.0			8507	-334.2	116.0	0.9	556.5
52.9	0.0			6015	-186.1	67.1	-1.0	167.0
-12.2	0.0			6013	384.3	-110.4	-2.1	221.3
-68.7	-0.0	INVS LE	Max	8505	82.9	-55.9	1.6	593.2
136.9	-0.0			8507	-235.4	86.6	0.9	522.8
46.6	0.0			6015	-125.3	53.7	-0.6	275.8
5.6	0.0			6013	323.5	-78.6	-1.3	339.5
-76.0	-0.0		Min	8505	62.0	-59.0	1.2	515.9

PROJECT TITLE :

MIDAS	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

119.6	-0.0		8507	-256.1	85.2	0.7	453.7
40.4	0.0		6015	-150.3	49.9	-0.8	162.4
-6.1	0.0		6013	298.7	-80.4	-1.7	210.1

11039	2	4 C1-C2;~1	Max	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~1	Max	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						

		C1-C2;~2	Max	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	8532	0.0	0.0	0.0	0.0
0.0		0.0		8534	0.0	0.0	0.0	0.0
0.0		0.0		8535	0.0	0.0	0.0	0.0
0.0		0.0		8533	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~2	Max	8532	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8534	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0		8533	0.0	0.0	0.0	0.0
0.0	0.0	Min	8532	0.0	0.0	0.0	0.0
0.0	0.0		8534	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0		8533	0.0	0.0	0.0	0.0
0.3	0.0	G1	8532	-137.5	-127.8	-0.0	-7.9
-2.2	0.0		8534	-205.6	140.0	0.0	-7.2
-2.4	0.0		8535	165.2	132.1	-0.0	6.9
0.3	0.0		8533	177.9	-143.5	0.0	7.3
2.0	0.0	G2	8532	-52.9	-49.8	0.0	-4.6
-2.7	0.0		8534	-81.7	55.3	0.0	-4.3
-3.5	0.0		8535	63.5	51.4	-0.0	10.5
2.7	0.0		8533	71.1	-56.8	-0.0	10.6
0.0	0.0	Q3	8532	0.0	0.0	0.0	0.0
0.0	0.0		8534	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0		8533	0.0	0.0	0.0	0.0
-1.7	0.0	Q5_pc X	8532	5.2	-1.7	-0.0	2.5
1.7	0.0		8534	-9.5	2.2	-0.0	3.1
1.6	0.0		8535	-4.1	1.3	0.0	-4.5
-1.8	0.0		8533	8.5	-1.7	0.0	-4.3
1.3	0.0	Q5_pc Y	8532	20.2	2.1	0.0	0.9
-1.4	0.0		8534	-17.4	-0.5	0.0	1.2
-2.0	0.0		8535	-23.6	-1.7	-0.0	3.8
1.9	0.0		8533	20.8	0.1	-0.0	4.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-2.1	0.0	Q5_ps X	8532	5.3	-0.9	-0.0	2.9
			8534	-7.6	1.5	-0.0	3.4
2.1	0.0		8535	-4.4	0.4	0.0	-6.3
2.2	0.0		8533	6.7	-1.0	0.0	-6.1
-2.4	0.0						
		Q5_ps Y	8532	18.0	0.6	0.0	0.2
1.8	0.0		8534	-18.7	0.6	0.0	0.5
-1.9	0.0		8535	-21.1	-0.1	-0.0	6.0
-2.6	0.0		8533	21.8	-1.1	-0.0	6.2
2.5	0.0						
		INVS LU Max	8532	-196.7	-202.7	0.0	-7.3
7.4	0.0		8534	-305.8	239.5	0.0	-6.4
-2.1	0.0		8535	336.7	206.4	-0.0	27.5
-2.9	0.0		8533	285.1	-234.8	0.0	27.7
9.9	0.0						
		Min	8532	-250.7	-206.4	-0.0	-15.9
1.1	0.0		8534	-361.8	235.0	0.0	-16.6
-8.3	0.0		8535	273.4	203.2	-0.0	8.6
-10.8	0.0		8533	219.8	-238.1	-0.0	9.1
2.4	0.0						
		INVS LE Max	8532	-143.5	-148.1	0.0	-5.7
5.3	0.0		8534	-227.6	175.5	0.0	-5.0
-1.8	0.0		8535	243.8	150.3	-0.0	20.0
-2.5	0.0		8533	206.9	-172.2	0.0	20.2
7.2	0.0						
		Min	8532	-179.5	-150.6	-0.0	-11.4
1.1	0.0		8534	-264.9	172.6	0.0	-11.8
-5.9	0.0		8535	201.6	148.2	-0.0	7.4
-7.8	0.0		8533	163.3	-174.4	-0.0	7.8
2.1	0.0						
11040	2	4 C1-C2; ~1 Max	8533	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6041	0.0	0.0	0.0	0.0
			Min	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0			6041	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8533	0.0	0.0	0.0	0.0
0.0	0.0			8535	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6041	0.0	0.0	0.0	0.0
		G1	8533	-232.5	-135.5	-0.0	-7.8
0.7	0.0		8535	-124.8	143.4	0.0	-7.9
-2.7	0.0		6043	264.6	140.0	-0.0	8.6
-2.8	0.0		6041	92.8	-147.2	0.0	6.6
1.2	0.0						
		G2	8533	-90.3	-52.6	0.0	-10.6
3.8	0.0		8535	-50.3	56.9	0.0	-10.5
-4.5	0.0		6043	103.3	54.4	-0.0	18.4
-4.8	0.0		6041	37.2	-58.7	-0.0	17.9
4.1	0.0						
		Q3	8533	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0		6041	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8533	2.5	-1.5	-0.0	4.2
-2.0	0.0		8535	-6.1	0.4	-0.0	4.5
1.7	0.0		6043	-1.8	2.5	0.0	-6.1
1.5	0.0		6041	5.4	-1.4	0.0	-6.7
-1.8	0.0						
		Q5_pc Y	8533	32.6	3.5	0.0	-3.8
2.6	0.0		8535	-25.8	-2.3	0.0	-3.5
-2.8	0.0		6043	-36.3	-3.0	-0.0	10.5
-2.9	0.0		6041	29.5	1.9	-0.0	10.5
2.7	0.0						
		Q5_ps X	8533	3.4	-0.5	-0.0	5.9
-2.7	0.0		8535	-4.7	-0.4	-0.0	6.2
2.4	0.0		6043	-3.0	1.5	0.0	-9.4
2.3	0.0		6041	4.3	-0.5	0.0	-10.1
-2.6	0.0						
		Q5_ps Y	8533	28.9	1.7	0.0	-5.8
3.5	0.0						


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-3.6	0.0			8535	-26.4	-0.9	0.0	-5.6	
				6043	-32.1	-1.2	-0.0	14.3	
-3.8	0.0			6041	29.5	0.3	-0.0	14.4	
3.6	0.0								
			INVS LU	Max	8533	-441.8	-209.5	0.0	-12.0
13.9	0.0			8535	-49.8	243.8	0.0	-11.6	
-3.9	0.0			6043	623.1	216.5	-0.0	53.0	
-4.4	0.0			6041	43.7	-240.1	0.0	53.4	
14.8	0.0								
				Min	8533	-528.6	-215.9	-0.0	-29.8
3.5	0.0			8535	-128.8	239.6	0.0	-30.1	
-14.8	0.0			6043	526.9	211.0	-0.0	9.9	
-15.8	0.0			6041	-44.8	-243.5	-0.0	10.2	
4.0	0.0								
			INVS LE	Max	8533	-328.5	-152.8	0.0	-9.9
10.1	0.0			8535	-35.7	178.6	0.0	-9.6	
-3.5	0.0			6043	456.9	157.3	-0.0	38.5	
-3.9	0.0			6041	24.2	-175.9	0.0	38.8	
10.7	0.0								
				Min	8533	-386.4	-157.0	-0.0	-21.7
3.1	0.0			8535	-88.5	175.8	0.0	-21.9	
-10.8	0.0			6043	392.8	153.6	-0.0	9.8	
-11.5	0.0			6041	-34.8	-178.1	-0.0	10.0	
3.6	0.0								
11041	2	8	C1-C2;~1	Max	8534	0.0	0.0	0.0	0.0
0.0		0.0			8536	0.0	0.0	0.0	0.0
0.0		0.0			8537	0.0	0.0	0.0	0.0
0.0		0.0			8535	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8534	0.0	0.0	0.0	0.0
0.0		0.0			8536	0.0	0.0	0.0	0.0
0.0		0.0			8537	0.0	0.0	0.0	0.0
0.0		0.0			8535	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8534	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0	Min	8534	0.0	0.0	0.0	0.0
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	8534	0.0	0.0	0.0	0.0
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8534	0.0	0.0	0.0	0.0
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8534	0.0	0.0	0.0	0.0
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8534	0.0	0.0	0.0	0.0
0.0	0.0		8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
2.2	0.0	G1	8534	-136.8	-135.8	-0.0	-6.7
-0.2	0.0		8536	-218.5	149.9	0.0	-3.9
-0.2	0.0		8537	169.0	132.1	-0.0	9.5
2.3	0.0		8535	186.3	-145.4	0.0	9.5

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		G2					
2.7	0.0		8534	-52.3	-52.0	0.0	-4.9
			8536	-86.5	60.2	0.0	-3.9
-1.3	0.0		8537	64.7	49.8	-0.0	10.6
-2.1	0.0		8535	74.1	-57.9	-0.0	12.6
3.6	0.0						
		Q3					
0.0	0.0		8534	0.0	0.0	0.0	0.0
			8536	0.0	0.0	0.0	0.0
0.0	0.0		8537	0.0	0.0	0.0	0.0
0.0	0.0		8535	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X					
-1.6	0.0		8534	4.9	-1.3	-0.0	5.4
			8536	-6.3	-1.2	-0.0	6.1
2.1	0.0		8537	-4.7	2.4	0.0	-6.6
2.4	0.0		8535	6.1	0.2	0.0	-6.4
-1.7	0.0						
		Q5_pc Y					
1.4	0.0		8534	19.2	0.9	0.0	2.6
			8536	-15.7	-1.4	0.0	3.6
0.4	0.0		8537	-22.2	-1.5	0.0	-0.0
-0.4	0.0		8535	18.6	2.0	-0.0	2.7
2.1	0.0						
		Q5_ps X					
-2.0	0.0		8534	4.9	-0.6	-0.0	5.9
			8536	-4.4	-2.3	-0.0	6.6
2.3	0.0		8537	-4.8	1.9	0.0	-8.1
2.8	0.0		8535	4.3	1.0	0.0	-8.4
-2.3	0.0						
		Q5_ps Y					
1.9	0.0		8534	17.3	-0.5	0.0	1.6
			8536	-17.4	0.5	0.0	2.5
-0.1	0.0		8537	-19.8	-0.5	-0.0	2.2
-1.0	0.0		8535	19.9	0.5	-0.0	5.3
2.8	0.0						
		INVSLU Max					
8.2	0.0		8534	-214.6	-216.5	0.0	-2.0
			8536	-324.6	253.7	0.0	4.3
1.2	0.0		8537	355.9	221.8	-0.0	37.9
-0.2	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.3	0.0			8535	295.1	-248.6	-0.0	38.0
			Min	8534	-266.6	-219.0	0.0	-19.7
2.2	0.0			8536	-376.9	246.9	0.0	-15.6
-5.8	0.0			8537	296.4	216.2	-0.0	13.5
-8.5	0.0			8535	235.3	-252.2	-0.1	12.7
2.8	0.0							
		INVSLE	Max	8534	-157.4	-158.3	0.0	-2.0
5.9	0.0			8536	-240.6	185.4	0.0	2.6
0.7	0.0			8537	258.5	162.2	-0.0	27.4
-0.5	0.0			8535	214.1	-182.4	-0.0	27.5
8.1	0.0							
			Min	8534	-192.1	-159.9	0.0	-13.8
1.9	0.0			8536	-275.5	180.9	0.0	-10.6
-4.0	0.0			8537	218.8	158.4	-0.0	11.1
-6.0	0.0			8535	174.2	-184.8	-0.0	10.7
2.5	0.0							
11042	2	8	C1-C2;~1	Max	8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8535	0.0	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0							
			Max	8535	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1		8537	0.0	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8535	0.0	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		6043	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2 ; ~2	Max	8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0
0.0	0.0		Min	8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2	Max	8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0
0.0	0.0		Min	8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0
0.0	0.0			6045	0.0	0.0	0.0
0.0	0.0			6043	0.0	0.0	0.0
2.8	0.0	G1		8535	-226.6	-130.1	-0.0
-1.3	0.0			8537	-127.2	157.4	0.0
-3.5	0.0			6045	254.3	123.5	-0.0
2.9	0.0			6043	99.5	-150.0	-0.0
4.4	0.0	G2		8535	-87.3	-50.3	0.0
-5.0	0.0			8537	-51.7	62.6	0.0
-7.2	0.0			6045	97.9	47.6	-0.0
4.6	0.0			6043	41.1	-59.8	-0.0
0.0	0.0	Q3		8535	0.0	0.0	0.0
0.0	0.0			8537	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6045	0.0	0.0	0.0	0.0
0.0	0.0		6043	0.0	0.0	0.0	0.0
-1.6	0.0	Q5_pc X	8535	4.2	-1.8	-0.0	6.4
2.6	0.0		8537	-4.7	-0.6	-0.0	6.1
2.7	0.0		6045	-3.4	1.0	0.0	-6.6
-1.3	0.0		6043	3.9	1.4	-0.0	-7.1
2.6	0.0	Q5_pc Y	8535	30.8	2.1	0.0	-3.0
-3.1	0.0		8537	-20.3	-5.1	0.0	-1.4
-4.5	0.0		6045	-33.3	-3.2	-0.0	14.1
2.6	0.0		6043	22.9	6.2	-0.0	14.4
-2.3	0.0	Q5_ps X	8535	4.7	-1.0	-0.0	8.6
3.6	0.0		8537	-3.2	-1.4	-0.0	8.0
4.0	0.0		6045	-4.1	0.2	0.0	-11.0
-2.1	0.0		6043	2.6	2.2	-0.0	-11.6
3.5	0.0	Q5_ps Y	8535	27.5	0.5	0.0	-5.8
-4.2	0.0		8537	-21.2	-3.3	0.0	-3.9
-5.9	0.0		6045	-29.9	-1.7	-0.0	18.9
3.5	0.0		6043	23.5	4.5	-0.0	19.4
14.4	0.0	INVSLE Max	8535	-439.7	-194.2	0.0	-9.7
-2.1	0.0		8537	-86.1	288.4	0.1	-3.8
-6.8	0.0		6045	597.7	194.7	-0.0	77.5
14.9	0.0		6043	81.2	-271.3	-0.0	75.0
4.0	0.0	Min	8535	-522.3	-197.9	0.0	-35.4
-14.7	0.0		8537	-149.7	278.5	0.0	-27.9
-24.6	0.0		6045	508.2	188.9	-0.1	20.9
4.4	0.0		6043	10.7	-284.8	-0.0	16.8
		INVSLE Max	8535	-327.2	-141.6	0.0	-8.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

10.4	0.0			8537	-63.0	211.4	0.1	-4.0
-2.2	0.0			6045	438.6	142.2	-0.0	56.4
-6.0	0.0			6043	53.7	-200.1	-0.0	54.5
10.9	0.0							
			Min	8535	-382.3	-144.1	0.0	-25.6
3.5	0.0			8537	-105.4	204.8	0.0	-20.0
-10.6	0.0			6045	378.9	138.3	-0.1	18.7
-17.8	0.0			6043	6.7	-209.1	-0.0	15.7
3.9	0.0							
11071	2	8	C1-C2;~1	Max	8560	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0
0.0		0.0			8563	0.0	0.0	0.0
0.0		0.0			8561	0.0	0.0	0.0
0.0		0.0						
			Min	8560	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0
0.0		0.0			8563	0.0	0.0	0.0
0.0		0.0			8561	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	8560	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0
0.0		0.0			8563	0.0	0.0	0.0
0.0		0.0			8561	0.0	0.0	0.0
0.0		0.0						
			Min	8560	0.0	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0
0.0		0.0			8563	0.0	0.0	0.0
0.0		0.0			8561	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	8560	0.0	0.0	0.0
0.0		0.0			8562	0.0	0.0	0.0
0.0		0.0			8563	0.0	0.0	0.0
0.0		0.0			8561	0.0	0.0	0.0
0.0		0.0						
			Min	8560	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8562	0.0	0.0	0.0	0.0
0.0	0.0		8563	0.0	0.0	0.0	0.0
0.0	0.0		8561	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	8560	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0			8561	0.0	0.0	0.0
0.0	0.0						
			Min	8560	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0			8561	0.0	0.0	0.0
0.0	0.0						
			G1	8560	210.1	149.7	0.3
-38.6	0.0			8562	140.5	-132.8	0.4
31.5	-0.0			8563	-179.8	-144.7	-0.4
17.0	0.0			8561	-170.8	128.8	-0.3
-10.8	0.0						
			G2	8560	83.5	60.4	0.1
-15.3	0.0			8562	53.5	-50.6	0.2
12.0	-0.0			8563	-71.7	-58.0	-0.2
5.6	0.0			8561	-65.2	48.1	-0.1
-3.8	0.0						
			Q3	8560	0.0	0.0	0.0
0.0	0.0			8562	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0			8561	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		8560	-1.8	-2.4	-0.0
-0.2	-0.0			8562	1.0	-0.7	-0.0
1.3	0.0			8563	1.4	1.4	0.0
1.6	0.0			8561	-0.6	1.8	0.0
-0.9	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.8	-0.0	Q5_pc Y		8560	-6.7	-10.8	-0.0	15.2
7.4	-0.0			8562	-17.3	9.2	-0.0	23.0
7.7	0.0			8563	3.0	9.8	0.0	-36.1
-7.3	0.0			8561	21.0	-8.2	0.0	-29.8
0.3	-0.0	Q5_ps X		8560	-3.8	-3.9	-0.0	0.4
1.1	-0.0			8562	0.3	0.2	-0.0	-0.3
1.6	-0.0			8563	3.3	2.6	0.0	-4.8
-0.8	-0.0			8561	0.2	1.2	0.0	-4.3
-4.8	-0.0	Q5_ps Y		8560	-5.4	-9.5	-0.0	15.3
7.2	-0.0			8562	-16.3	8.5	-0.0	23.2
7.2	0.0			8563	1.9	8.7	0.0	-33.3
-6.9	0.0			8561	19.8	-7.7	0.0	-27.5
-35.4	0.0	INVSLE Max		8560	356.0	270.9	0.7	299.4
42.8	0.0			8562	277.4	-207.1	1.0	363.8
1.9	0.0			8563	-262.5	-242.9	-1.0	326.9
36.8	0.0			8561	-303.7	231.9	-0.6	293.6
-49.7	0.0	Min		8560	340.0	242.5	0.6	253.5
21.1	-0.0			8562	228.4	-232.7	1.0	294.2
-19.7	-0.0			8563	-272.3	-269.0	-1.0	227.0
16.2	0.0			8561	-363.2	208.7	-0.7	211.2
-27.1	0.0	INVSLE Max		8560	261.7	197.8	0.5	223.9
31.5	0.0			8562	200.9	-152.6	0.8	272.2
0.7	0.0			8563	-192.8	-179.4	-0.7	239.1
26.5	0.0			8561	-224.9	169.4	-0.5	215.1
-36.6	0.0	Min		8560	250.9	178.9	0.5	193.2
17.0	-0.0			8562	168.2	-169.6	0.8	225.8
-13.7	-0.0			8563	-199.4	-196.8	-0.8	172.5

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				8561	-264.6	153.9	-0.5	160.1
12.8	0.0							
11072	2	8 C1-C2;~1	Max	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0
0.0	0.0			6069	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8561	0.0	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0	0.0
0.0	0.0			6071	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6069	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8561	0.0	0.0	0.0	0.0
0.0	0.0		8563	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0		6069	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8561	122.6	156.9	-0.1	-58.0
14.8	0.0		8563	224.5	-126.2	0.1	-55.0
-0.8	0.0		6071	-95.8	-148.6	-0.1	81.2
-10.1	-0.0		6069	-251.3	118.8	0.0	66.7
16.6	-0.0						
		G2	8561	49.6	62.4	0.0	-25.3
9.2	0.0		8563	86.0	-48.2	0.1	-25.2
-2.9	0.0		6071	-39.4	-59.3	-0.1	56.7
-7.6	-0.0		6069	-96.2	45.1	-0.0	50.7
12.5	-0.0						
		Q3	8561	0.0	0.0	0.0	0.0
0.0	0.0		8563	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0		6069	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8561	-0.3	-0.9	-0.0	3.0
-2.7	-0.0		8563	0.1	-1.6	-0.0	3.7
1.9	0.0		6071	-0.0	1.8	0.0	-13.7
2.0	-0.0		6069	0.2	0.8	0.0	-14.5
-4.0	0.0						
		Q5_pc Y	8561	3.6	-10.2	0.1	30.1
-3.6	0.0		8563	-28.5	8.7	0.1	35.8
2.0	0.0		6071	-6.8	11.1	-0.2	43.4
-4.1	0.0		6069	31.7	-9.5	-0.1	35.6
2.2	-0.0						
		Q5_ps X	8561	-1.9	-2.1	-0.0	4.0
-3.5	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.4	-0.0			8563	-0.9	-0.5	-0.0	4.8
				6071	1.5	2.8	0.0	-20.8
3.0	-0.0			6069	1.3	-0.1	0.0	-21.3
-5.5	0.0							
		Q5_ps Y		8561	4.2	-9.1	0.1	27.7
-2.7	0.0			8563	-26.7	7.9	0.1	33.0
1.4	0.0			6071	-7.1	9.9	-0.2	47.0
-4.8	0.0			6069	29.6	-8.8	-0.1	39.4
3.4	-0.0							
		INVS LU	Max	8561	127.4	301.8	-0.2	-206.0
79.4	0.0			8563	520.8	-184.3	0.0	-227.6
-28.3	0.0			6071	-37.7	-265.7	0.5	157.4
-14.7	-0.0			6069	-509.0	202.8	0.3	141.8
67.7	-0.0							
			Min	8561	114.9	274.5	-0.4	-289.1
68.9	0.0			8563	440.7	-208.0	-0.4	-326.7
-35.6	-0.0			6071	-59.2	-295.4	0.1	16.3
-29.1	-0.0			6069	-597.9	176.5	0.1	23.5
51.2	-0.0							
		INVS LE	Max	8561	91.2	221.1	-0.2	-156.2
59.0	0.0			8563	381.9	-135.5	0.0	-172.9
-21.8	0.0			6071	-25.4	-196.9	0.4	115.3
-12.2	-0.0			6069	-380.0	147.8	0.2	103.8
50.2	-0.0							
			Min	8561	82.9	202.9	-0.3	-211.7
52.0	0.0			8563	328.5	-151.4	-0.3	-239.0
-26.7	-0.0			6071	-39.7	-216.8	0.1	21.2
-21.8	-0.0			6069	-439.3	130.3	0.1	24.9
39.1	-0.0							
11073	2	4	C1-C2;~1	Max	8562	0.0	0.0	0.0
0.0	0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	8562	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8564	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		8563	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						
			Min	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						
			Min	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						
			Min	8562	0.0	0.0	0.0
0.0	0.0			8564	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0
0.0	0.0			8563	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
		G1	8562	197.0	138.0	0.2	144.4
-31.2	-0.0		8564	140.3	-125.9	0.3	152.2
36.1	0.0		8565	-171.6	-141.2	-0.3	53.7
12.9	-0.0		8563	-165.7	129.8	-0.2	44.6
-17.2	0.0						
		G2	8562	78.5	54.7	0.1	58.8
-11.9	-0.0		8564	53.5	-48.5	0.1	62.1
14.2	0.0		8565	-68.8	-56.1	-0.1	24.0
4.3	-0.0		8563	-63.2	50.0	-0.1	20.6
-5.8	0.0						
		Q3	8562	0.0	0.0	0.0	0.0
0.0	0.0		8564	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		8563	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8562	-0.2	0.2	-0.0	0.6
-1.4	0.0		8564	1.6	-1.2	-0.0	0.5
0.7	0.0		8565	0.3	0.2	0.0	-2.1
0.9	-0.0		8563	-1.6	0.9	0.0	-2.7
-1.5	0.0						
		Q5_pc Y	8562	-2.7	-7.7	-0.0	23.7
-7.5	-0.0		8564	-18.2	7.7	-0.0	26.9
14.1	0.0		8565	0.1	8.8	0.0	-38.2
15.2	0.0		8563	20.8	-8.8	0.0	-33.5
-7.6	0.0						
		Q5_ps X	8562	-2.1	-0.7	-0.0	-0.7
-1.2	-0.0		8564	0.8	-0.2	-0.0	-0.8
0.5	0.0		8565	2.1	1.2	0.0	-3.2
1.1	-0.0		8563	-0.8	-0.3	0.0	-3.6
-1.5	-0.0						
		Q5_ps Y	8562	-1.5	-6.9	-0.0	23.9
-7.2	-0.0		8564	-17.2	6.9	-0.0	27.1
13.7	0.0		8565	-0.9	7.9	0.0	-35.6
14.5	0.0						

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-7.1	0.0			8563	19.6	-8.0	0.0	-31.0	
			INVS LU	Max	8562	331.4	251.0	0.7	336.0
-20.1	0.0			8564	262.3	-197.0	1.0	373.9	
75.1	0.0			8565	-251.2	-228.0	-0.9	320.0	
12.0	-0.0			8563	-281.0	219.6	-0.7	287.1	
18.7	0.0								
				Min	8562	325.2	230.4	0.6	264.3
-41.8	-0.0			8564	210.6	-217.8	1.0	292.7	
34.1	-0.0			8565	-257.6	-251.8	-1.0	213.3	
-31.5	-0.0			8563	-339.8	195.6	-0.7	194.1	
-2.6	-0.0								
			INVS LE	Max	8562	244.3	183.7	0.5	251.8
-16.2	0.0			8564	189.2	-145.0	0.8	280.6	
56.2	0.0			8565	-184.6	-168.2	-0.7	233.2	
8.7	-0.0			8563	-207.9	159.8	-0.5	209.6	
13.0	0.0								
				Min	8562	240.1	170.0	0.5	204.0
-30.7	-0.0			8564	154.7	-158.8	0.7	226.5	
28.9	-0.0			8565	-188.8	-184.0	-0.7	162.1	
-20.2	-0.0			8563	-247.1	143.9	-0.5	147.6	
-1.2	-0.0								
11074	2	4	C1-C2;~1	Max	8563	0.0	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0	0.0	
0.0	0.0			6073	0.0	0.0	0.0	0.0	
0.0	0.0			6071	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	8563	0.0	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0	0.0	
0.0	0.0			6073	0.0	0.0	0.0	0.0	
0.0	0.0			6071	0.0	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	8563	0.0	0.0	0.0	0.0
0.0	0.0			8565	0.0	0.0	0.0	0.0	
0.0	0.0			6073	0.0	0.0	0.0	0.0	
				6071	0.0	0.0	0.0	0.0	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8563	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8563	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8563	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8563	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8563	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8563	120.9	141.2	0.1	-44.4
1.0	0.0		8565	228.9	-132.3	0.0	-53.2
-10.1	-0.0		6073	-89.7	-144.7	-0.0	67.6
-15.0	-0.0		6071	-260.2	136.6	-0.0	66.4
9.8	-0.0						
		G2	8563	48.9	56.2	0.0	-20.5
3.1	0.0		8565	88.4	-51.0	0.0	-23.9
-6.5	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-9.6	-0.0		6073	-36.1	-57.9	-0.0	45.5
7.7	-0.0		6071	-101.2	52.7	-0.0	44.6
0.0	0.0	Q3	8563	0.0	0.0	0.0	0.0
0.0	0.0		8565	0.0	0.0	0.0	0.0
0.0	0.0		6073	0.0	0.0	0.0	0.0
0.0	0.0		6071	0.0	0.0	0.0	0.0
-2.0	0.0	Q5_pc X	8563	0.2	-0.6	-0.0	2.7
1.7	-0.0		8565	1.9	-1.3	-0.0	2.1
2.2	-0.0		6073	-0.4	-0.4	0.0	-10.6
-2.2	-0.0		6071	-1.7	2.3	0.0	-10.0
-2.2	0.0	Q5_pc Y	8563	4.8	-9.7	0.1	33.7
8.1	0.0		8565	-29.2	10.3	0.1	38.2
-1.6	0.0		6073	-8.8	9.0	-0.1	42.5
4.6	0.0		6071	33.2	-9.7	-0.1	39.6
-2.6	-0.0	Q5_ps X	8563	-1.5	-1.7	-0.0	3.6
2.5	-0.0		8565	0.5	-0.0	-0.0	3.2
3.3	0.0		6073	0.9	0.8	0.0	-16.0
-3.3	-0.0		6071	0.1	0.9	0.0	-15.3
-1.5	0.0	Q5_ps Y	8563	5.2	-8.6	0.1	31.3
7.2	0.0		8565	-27.2	9.4	0.1	35.5
-2.4	0.0		6073	-8.7	8.0	-0.1	45.0
5.2	0.0		6071	30.7	-8.8	-0.1	42.0
36.6	0.0	INVSLU Max	8563	104.8	257.5	-0.1	-193.5
-46.1	-0.0		8565	523.2	-200.3	-0.1	-213.0
-41.8	-0.0		6073	6.4	-232.6	0.4	162.5
30.4	-0.0		6071	-526.9	228.6	0.4	136.9
		Min	8563	89.2	231.6	-0.3	-287.3

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

29.0	-0.0			8565	441.7	-228.4	-0.5	-319.6
-67.6	-0.0			6073	-19.7	-256.7	0.0	27.7
-51.7	-0.0			6071	-618.9	202.3	0.1	10.9
14.6	-0.0							
		INVSLE	Max	8563	73.6	188.3	-0.1	-147.2
27.4	0.0			8565	383.3	-147.3	-0.1	-161.9
-34.6	-0.0			6073	8.1	-171.4	0.3	119.7
-31.7	-0.0			6071	-393.1	166.1	0.3	100.4
22.7	-0.0							
			Min	8563	63.1	171.0	-0.2	-209.7
22.3	-0.0			8565	328.9	-166.1	-0.3	-232.9
-49.0	-0.0			6073	-9.3	-187.5	0.0	29.7
-38.3	-0.0			6071	-454.5	148.5	0.1	16.4
12.2	-0.0							
11107	2	4	C1-C2;~1	Max	8590	0.0	0.0	0.0
0.0	0.0				8592	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0
0.0	0.0				8591	0.0	0.0	0.0
0.0	0.0							
			Min	8590	0.0	0.0	0.0	0.0
0.0	0.0				8592	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0
0.0	0.0				8591	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8590	0.0	0.0	0.0
0.0	0.0				8592	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0
0.0	0.0				8591	0.0	0.0	0.0
0.0	0.0							
			Min	8590	0.0	0.0	0.0	0.0
0.0	0.0				8592	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0
0.0	0.0				8591	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2;~2	Max	8590	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0			8591	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8590	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0			8591	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8590	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0			8591	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8590	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0			8591	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	8590	29.2	62.4	-0.1	-190.0
56.2	-0.0			8592	106.6	-44.0	-0.3	-241.4
-57.0	0.0			8593	-39.8	-63.3	0.3	82.3
-42.9	-0.0			8591	-96.0	45.7	0.1	58.5
39.2	-0.0							
			G2	8590	13.4	26.6	-0.0	-70.2
20.7	-0.0			8592	40.3	-16.1	-0.1	-88.9
-21.1	0.0			8593	-17.6	-26.5	0.1	31.1
-16.1	-0.0			8591	-36.1	15.9	0.0	21.9
14.7	-0.0							
			Q3	8590	0.0	0.0	0.0	0.0
0.0	0.0			8592	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0			8591	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

7.0	0.0	Q5_pc X	8590	-5.2	-1.3	-0.0	-16.9
-5.8	0.0		8592	4.7	-0.0	-0.0	-21.0
-5.0	-0.0		8593	5.2	0.4	0.0	14.7
6.0	-0.0		8591	-4.7	0.9	0.0	12.0
-6.6	-0.0	Q5_pc Y	8590	-6.2	-9.3	0.0	23.0
7.6	-0.0		8592	-15.9	8.5	0.0	30.8
5.9	0.0		8593	6.6	9.1	-0.0	-14.7
-5.3	0.0		8591	15.5	-8.2	-0.0	-11.4
7.0	0.0	Q5_ps X	8590	-6.0	-2.1	-0.0	-17.1
-5.8	0.0		8592	4.6	0.1	-0.0	-21.3
-4.9	-0.0		8593	6.0	1.0	0.0	14.0
5.9	-0.0		8591	-4.6	1.0	0.0	11.5
-6.5	-0.0	Q5_ps Y	8590	-5.6	-8.6	0.0	22.4
7.5	-0.0		8592	-15.3	8.1	0.0	30.1
5.7	0.0		8593	6.0	8.5	-0.0	-14.2
-5.2	0.0		8591	14.9	-8.0	-0.0	-11.0
-69.7	-0.0	INVSLE Max	8590	192.3	125.4	-0.4	99.5
78.1	-0.0		8592	110.9	-86.7	-0.7	130.4
108.3	0.0		8593	-217.8	-103.0	0.8	-517.3
-111.9	0.0		8591	-22.1	115.1	0.5	-436.5
-90.7	-0.0	Min	8590	174.5	99.6	-0.5	32.4
55.7	-0.0		8592	65.0	-111.0	-0.8	40.1
91.2	-0.0		8593	-235.8	-128.4	0.7	-559.8
-129.6	0.0		8591	-66.9	91.1	0.5	-470.9
-63.1	-0.0	INVSLE Max	8590	147.7	90.6	-0.3	94.2
65.9	-0.0		8592	73.8	-65.5	-0.6	121.7
			8593	-169.0	-76.2	0.6	-419.3

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
88.5	0.0			8591	-10.3	85.0	0.4	-353.9	
-94.5	0.0								
			Min	8590	135.8	73.4	-0.3	49.4	
-77.1	-0.0			8592	43.2	-81.7	-0.6	61.6	
51.0	-0.0			8593	-181.0	-93.2	0.5	-447.6	
77.1	0.0			8591	-40.1	69.1	0.4	-376.8	
-106.3	0.0								
11108	2	4	C1-C2;~1	Max	8591	0.0	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0	0.0
0.0	0.0				6101	0.0	0.0	0.0	0.0
0.0	0.0				6099	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	8591	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6099	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	8591	0.0	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0	0.0
0.0	0.0				6101	0.0	0.0	0.0	0.0
0.0	0.0				6099	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	8591	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6099	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	8591	0.0	0.0	0.0	0.0
0.0	0.0				8593	0.0	0.0	0.0	0.0
0.0	0.0				6101	0.0	0.0	0.0	0.0
0.0	0.0				6099	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	8591	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6099	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	8591	0.0	0.0	0.0	0.0
0.0	0.0		8593	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		6099	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8591	0.0	0.0	0.0	0.0
0.0	0.0		8593	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		6099	0.0	0.0	0.0	0.0
0.0	0.0						
5.5	-0.0	G1	8591	61.6	64.9	-0.1	-60.2
-8.3	-0.0		8593	73.6	-39.1	-0.6	-81.2
19.0	-0.0		6101	-72.2	-67.7	0.6	-191.7
-13.8	0.0		6099	-63.0	42.7	0.1	-152.3
4.4	-0.0	G2	8591	26.2	27.5	-0.0	-22.5
-4.1	-0.0		8593	27.0	-13.9	-0.2	-30.7
5.2	0.0		6101	-30.5	-28.3	0.2	-54.8
-0.6	-0.0		6099	-22.7	14.7	0.0	-39.6
0.0	0.0	Q3	8591	0.0	0.0	0.0	0.0
0.0	0.0		8593	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0		6099	0.0	0.0	0.0	0.0
0.0	0.0						
1.0	-0.0	Q5_pc X	8591	-5.8	-1.0	-0.0	-12.2
-1.1	-0.0		8593	5.0	0.1	-0.1	-14.6
3.0	-0.0		6101	6.3	0.6	0.1	-31.9
-3.5	0.0		6099	-5.5	0.4	0.0	-28.3
-0.8	0.0	Q5_pc Y	8591	-7.3	-8.2	0.0	11.7

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.9	0.0			8593	-14.1	8.1	0.1	14.5
-3.1	0.0			6101	8.0	8.8	-0.1	31.1
2.8	-0.0			6099	13.4	-8.7	-0.0	25.7
		Q5_ps X		8591	-6.6	-1.7	-0.0	-11.6
0.3	-0.0			8593	5.0	0.1	-0.1	-14.0
-0.7	-0.0			6101	7.1	1.2	0.1	-37.0
3.6	-0.0			6099	-5.5	0.5	0.1	-33.5
-4.9	0.0							
		Q5_ps Y		8591	-6.6	-7.6	0.0	11.3
-0.5	0.0			8593	-13.6	7.7	0.1	14.0
0.8	0.0			6101	7.3	8.3	-0.1	32.0
-3.2	0.0			6099	12.9	-8.4	-0.0	26.8
3.2	-0.0							
		INVS LU	Max	8591	343.4	135.4	0.8	473.7
-92.8	0.0			8593	-76.5	-60.3	1.6	559.3
71.8	0.0			6101	-398.7	-102.8	-1.3	324.4
8.1	-0.0			6099	192.4	76.6	-0.6	266.2
-16.1	-0.0							
			Min	8591	323.6	112.6	0.7	438.7
-94.7	0.0			8593	-117.3	-83.5	1.3	517.4
69.4	-0.0			6101	-420.5	-127.6	-1.6	213.5
-2.6	-0.0			6099	153.6	51.4	-0.7	165.8
-30.7	-0.0							
		INVS LE	Max	8591	264.5	99.3	0.6	379.3
-74.5	0.0			8593	-69.7	-45.5	1.3	447.2
57.2	0.0			6101	-309.5	-76.5	-1.1	268.5
3.9	0.0			6099	155.2	55.4	-0.5	220.0
-11.9	-0.0							
			Min	8591	251.3	84.1	0.5	356.0
-75.8	0.0			8593	-96.9	-61.0	1.1	419.3
55.7	0.0			6101	-324.0	-93.0	-1.3	194.6
-3.3	-0.0			6099	129.3	38.6	-0.6	153.1
-21.7	-0.0							

PROJECT TITLE :

MIDAS	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11109	2	10	C1-C2;~1	Max	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0		Min	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0		Min	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0		Min	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	8592	0.0	0.0	0.0	0.0
0.0		0.0			8594	0.0	0.0	0.0	0.0
0.0		0.0			8595	0.0	0.0	0.0	0.0
0.0		0.0			8593	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	8592	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
			G1	8592	15.0	56.7	-0.2	-213.5
56.3	0.0			8594	104.0	-34.7	-0.3	-232.1
-79.6	-0.0			8595	-28.5	-59.3	0.2	85.0
-65.6	0.0			8593	-90.5	38.0	0.2	76.3
42.7	-0.0							
			G2	8592	7.7	23.0	-0.1	-78.7
20.8	0.0			8594	39.1	-12.9	-0.1	-85.7
-29.5	-0.0			8595	-13.2	-24.2	0.1	32.1
-24.5	0.0			8593	-33.6	14.1	0.1	28.9
16.0	-0.0							
			Q3	8592	0.0	0.0	0.0	0.0
0.0	0.0			8594	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			8593	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8592	-4.7	0.3	-0.0	-17.6
5.8	0.0			8594	4.5	0.3	-0.0	-18.5
-7.0	-0.0			8595	4.9	-0.2	0.0	13.3
-6.4	0.0			8593	-4.7	-0.4	0.0	12.4
5.1	-0.0							
			Q5_pc Y	8592	-3.8	-8.3	0.0	28.5
-7.6	-0.0			8594	-16.6	7.0	0.0	31.3
11.4	0.0			8595	5.0	9.1	-0.0	-15.2
10.0	0.0			8593	15.3	-7.8	-0.0	-13.3
-5.8	0.0							
			Q5_ps X	8592	-5.3	-0.0	-0.0	-17.8
5.8	0.0			8594	4.4	0.5	-0.0	-18.6
-7.0	-0.0			8595	5.6	0.1	0.0	12.7
-6.3	0.0							


PROJECT TITLE :

MIDAS			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5.0	-0.0		8593	-4.7	-0.6	0.0	11.9
-7.4	-0.0	Q5_ps Y	8592	-3.4	-7.8	0.0	27.7
11.1	0.0		8594	-15.9	6.7	0.0	30.5
9.7	0.0		8595	4.5	8.6	-0.0	-14.6
-5.7	0.0		8593	14.8	-7.4	-0.0	-12.8
-56.6	-0.0	INVS LU Max	8592	161.0	114.7	-0.5	105.6
111.2	-0.0		8594	96.7	-66.5	-0.6	109.5
145.4	-0.0		8595	-200.9	-89.3	0.8	-474.1
-91.3	0.0		8593	5.5	87.7	0.5	-438.7
-78.7	-0.0	Min	8592	145.2	91.2	-0.6	22.4
78.0	-0.0		8594	49.0	-86.5	-0.7	18.0
116.3	-0.0		8595	-217.6	-115.1	0.7	-518.0
-108.3	-0.0		8593	-38.8	65.4	0.4	-477.2
-51.6	-0.0	INVS LE Max	8592	123.9	83.2	-0.4	99.1
92.3	-0.0		8594	63.2	-49.9	-0.5	103.1
118.1	-0.0		8595	-155.9	-66.0	0.6	-383.3
-77.2	0.0		8593	10.4	63.9	0.4	-355.0
-66.4	-0.0	Min	8592	113.4	67.5	-0.4	43.7
70.2	-0.0		8594	31.4	-63.3	-0.5	42.1
98.7	-0.0		8595	-167.1	-83.2	0.5	-412.6
-88.6	0.0		8593	-19.2	49.1	0.3	-380.6
11110	2	10 C1-C2;~1 Max	8593	0.0	0.0	0.0	0.0
0.0	0.0		8595	0.0	0.0	0.0	0.0
0.0	0.0		6103	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0	Min	8593	0.0	0.0	0.0	0.0
0.0	0.0		8595	0.0	0.0	0.0	0.0
0.0	0.0		6103	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8593	0.0	0.0	0.0	0.0
0.0	0.0			8595	0.0	0.0	0.0	0.0
0.0	0.0			6103	0.0	0.0	0.0	0.0
0.0	0.0			6101	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8593	56.8	64.5	-0.3	-77.5
8.4	-0.0			8595	69.8	-36.7	-0.5	-85.2
-24.9	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
11.0	-0.0		6103	-67.1	-63.3	0.4	-177.0
-20.3	-0.0		6101	-59.5	36.2	0.3	-166.1
		G2	8593	24.2	26.3	-0.1	-29.3
4.3	-0.0		8595	25.7	-13.6	-0.2	-32.1
-10.2	0.0		6103	-27.8	-26.0	0.1	-54.9
2.5	-0.0		6101	-22.1	13.3	0.1	-50.8
-5.4	0.0						
		Q3	8593	0.0	0.0	0.0	0.0
0.0	0.0		8595	0.0	0.0	0.0	0.0
0.0	0.0		6103	0.0	0.0	0.0	0.0
0.0	0.0		6101	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8593	-5.5	-0.1	-0.0	-12.5
1.0	-0.0		8595	5.2	0.3	-0.1	-13.3
-2.3	0.0		6103	5.7	-0.0	0.1	-25.6
2.0	0.0		6101	-5.4	-0.2	0.1	-24.9
-3.2	-0.0						
		Q5_pc Y	8593	-7.8	-9.3	0.0	13.5
-0.9	0.0		8595	-14.2	8.4	0.1	15.1
4.1	0.0		6103	8.6	9.0	-0.1	28.4
-1.6	0.0		6101	13.4	-8.1	-0.1	26.6
3.3	0.0						
		Q5_ps X	8593	-6.2	-0.5	-0.1	-12.0
0.6	-0.0		8595	5.1	0.6	-0.1	-12.8
-1.9	0.0		6103	6.4	0.4	0.1	-28.9
2.6	0.0		6101	-5.2	-0.4	0.1	-28.3
-3.9	-0.0						
		Q5_ps Y	8593	-7.2	-8.8	0.0	13.0
-0.8	0.0		8595	-13.6	7.9	0.1	14.6
3.9	0.0		6103	8.0	8.5	-0.1	28.7
-1.8	0.0		6101	12.8	-7.7	-0.1	27.0
3.5	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLU	Max	8593	351.2	124.2	1.0	477.6
-69.3	0.0				8595	-109.2	-48.7	1.3	518.7
103.2	-0.0				6103	-408.2	-93.3	-1.0	287.3
21.2	-0.0				6101	228.5	68.1	-0.9	277.4
6.3	-0.0								
				Min	8593	329.7	97.8	0.8	438.7
-71.7	-0.0				8595	-150.0	-72.5	1.1	474.8
91.5	-0.0				6103	-432.1	-118.8	-1.2	200.5
13.4	-0.0				6101	190.1	45.0	-1.0	192.5
-5.4	-0.0								
			INVSLE	Max	8593	269.9	90.2	0.8	381.0
-55.5	0.0				8595	-94.7	-36.5	1.1	413.1
82.3	-0.0				6103	-316.7	-69.1	-0.9	237.9
14.8	-0.0				6101	183.1	48.9	-0.7	229.6
6.3	-0.0								
				Min	8593	255.6	72.7	0.7	355.0
-57.1	0.0				8595	-121.9	-52.4	0.9	383.9
74.5	-0.0				6103	-332.6	-86.1	-1.0	180.1
9.6	-0.0				6101	157.4	33.6	-0.8	172.9
-1.5	-0.0								
11145	2	10	C1-C2;~1	Max	8622	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8625	0.0	0.0	0.0	0.0
0.0		0.0			8623	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8622	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8625	0.0	0.0	0.0	0.0
0.0		0.0			8623	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8622	0.0	0.0	0.0	0.0
0.0		0.0			8624	0.0	0.0	0.0	0.0
0.0		0.0			8625	0.0	0.0	0.0	0.0
0.0		0.0			8623	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	8622	0.0	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0			8623	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8622	0.0	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0			8623	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8622	0.0	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0			8623	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8622	0.0	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0			8623	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8622	0.0	0.0	0.0	0.0
0.0	0.0			8624	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0			8623	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8622	-103.5	-33.6	-0.3	-233.8
79.5	0.0			8624	-12.4	55.3	-0.2	-215.1
-56.5	-0.0			8625	89.7	36.9	0.2	77.2
-43.0	0.0			8623	26.2	-57.9	0.2	86.0
65.7	-0.0							
		G2		8622	-38.9	-12.5	-0.1	-86.5
29.5	0.0			8624	-6.7	22.5	-0.1	-79.4
-20.9	-0.0			8625	33.3	13.7	0.1	29.3
-16.1	0.0			8623	12.3	-23.7	0.1	32.5
24.5	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Q3	8622	0.0	0.0	0.0	0.0
0.0	0.0		8624	0.0	0.0	0.0	0.0
0.0	0.0		8625	0.0	0.0	0.0	0.0
0.0	0.0		8623	0.0	0.0	0.0	0.0
5.8	0.0	Q5_pc X	8622	-3.7	0.3	-0.0	-15.4
-4.6	-0.0		8624	4.3	0.1	-0.0	-14.7
-4.0	0.0		8625	4.0	-0.5	0.0	9.7
5.1	-0.0		8623	-4.5	0.1	0.0	10.4
-20.1	-0.0	Q5_pc Y	8622	6.6	-6.2	0.1	61.4
19.1	0.0		8624	-18.9	3.7	0.0	59.4
15.8	-0.0		8625	-3.6	6.0	-0.0	-27.3
-16.8	0.0		8623	15.9	-3.6	-0.0	-28.3
5.9	0.0	Q5_ps X	8622	-3.7	0.5	-0.0	-15.9
-4.7	-0.0		8624	5.0	-0.3	-0.0	-15.2
-4.0	0.0		8625	4.1	-0.7	0.0	9.3
5.1	-0.0		8623	-5.3	0.5	0.0	10.1
-19.1	-0.0	Q5_ps Y	8622	6.3	-5.9	0.0	58.5
18.2	0.0		8624	-18.1	3.6	0.0	56.5
15.0	-0.0		8625	-3.4	5.8	-0.0	-26.1
-16.0	0.0		8623	15.2	-3.5	-0.0	-27.0
-67.1	0.0	INVSLU Max	8622	-63.5	-69.0	-0.6	158.1
96.3	0.0		8624	-129.5	109.9	-0.5	155.2
122.9	0.0		8625	22.8	86.6	0.5	-418.2
-106.5	0.0		8623	235.7	-98.6	0.8	-455.4
-124.5	0.0	Min	8622	-82.4	-86.6	-0.7	-17.2
41.8	0.0		8624	-183.7	99.2	-0.6	-14.4
			8625	10.7	69.2	0.4	-496.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6131	0.0	0.0	0.0	0.0
0.0	0.0	Min	8623	0.0	0.0	0.0	0.0
0.0	0.0		8625	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6131	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8623	0.0	0.0	0.0	0.0
0.0	0.0		8625	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6131	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8623	0.0	0.0	0.0	0.0
0.0	0.0		8625	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6131	0.0	0.0	0.0	0.0
0.0	0.0						
24.8	-0.0	G1	8623	-68.3	-35.4	-0.5	-86.1
-8.4	0.0		8625	-54.9	63.0	-0.3	-78.3
20.5	0.0		6133	57.7	34.9	0.3	-167.8
-11.3	0.0		6131	65.4	-61.9	0.4	-178.8
10.2	-0.0	G2	8623	-25.2	-13.2	-0.2	-32.5
-4.3	0.0		8625	-23.5	25.7	-0.1	-29.7
5.5	-0.0		6133	21.5	12.9	0.1	-51.6
-2.6	0.0		6131	27.2	-25.4	0.1	-55.8
0.0	0.0	Q3	8623	0.0	0.0	0.0	0.0
0.0	0.0		8625	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6131	0.0	0.0	0.0	0.0
0.0	0.0						
1.5	-0.0	Q5_pc X	8623	-4.2	0.4	-0.1	-10.5

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-0.5	0.0			8625	5.0	-0.4	-0.0	-9.8
3.1	0.0			6133	4.3	-0.3	0.0	-22.9
-2.1	-0.0			6131	-5.1	0.2	0.1	-23.3
-6.5	0.0	Q5_pc	Y	8623	-1.7	-6.0	0.1	28.4
5.0	-0.0			8625	-11.8	4.7	0.1	27.6
-5.0	0.0			6133	3.5	6.0	-0.1	49.2
3.2	-0.0			6131	9.9	-4.6	-0.1	50.3
1.2	-0.0	Q5_ps	X	8623	-4.2	0.7	-0.1	-10.1
-0.1	0.0			8625	5.9	-0.8	-0.0	-9.4
3.9	0.0			6133	4.1	-0.6	0.1	-27.0
-2.8	-0.0			6131	-5.8	0.7	0.1	-27.4
-6.2	0.0	Q5_ps	Y	8623	-1.6	-5.8	0.1	27.1
4.8	-0.0			8625	-11.2	4.5	0.1	26.3
-4.8	0.0			6133	3.4	5.7	-0.1	46.8
3.1	-0.0			6131	9.5	-4.4	-0.1	48.0
-86.6	0.0	INVSLE	Max	8623	135.2	-53.5	1.4	537.1
77.4	0.0			8625	-327.3	119.6	1.0	496.9
6.3	0.0			6133	-202.3	66.7	-0.8	308.7
-11.0	0.0			6131	437.9	-101.4	-1.0	320.2
-105.1	0.0		Min	8623	122.8	-70.8	1.0	455.9
63.2	-0.0			8625	-361.1	106.2	0.8	418.1
-8.0	0.0			6133	-214.6	49.6	-1.1	168.2
-20.3	0.0			6131	409.5	-114.6	-1.3	176.3
-71.0	0.0	INVSLE	Max	8623	111.8	-40.1	1.1	425.4
60.9	-0.0			8625	-254.7	87.6	0.8	393.9
2.0	0.0			6133	-165.2	48.4	-0.7	251.0
-7.8	0.0			6131	337.1	-74.9	-0.8	260.6

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-83.3	0.0		Min	8623	103.5	-51.7	0.9	371.3
				8625	-277.1	78.7	0.6	341.3
51.4	-0.0			6133	-173.4	37.0	-0.9	157.3
-7.5	0.0			6131	318.1	-83.7	-1.1	164.7
-14.0	0.0							
11147	2	4	C1-C2;~1	Max	8624	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							
			Min	8624	0.0	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8624	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							
			Min	8624	0.0	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	8624	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							
			Min	8624	0.0	0.0	0.0	0.0
0.0	0.0				8626	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0				8625	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4 ; ~2	Max	8624	0.0	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0	0.0
0.0	0.0			8627	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
0.0	0.0		Min	8624	0.0	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0	0.0
0.0	0.0			8627	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
57.2	-0.0	G1		8624	-106.3	-42.9	-0.3	-243.4
-57.4	0.0			8626	-26.4	61.0	-0.1	-191.9
-40.0	0.0			8627	95.3	44.6	0.1	59.2
43.1	0.0			8625	37.4	-61.9	0.3	83.3
21.2	-0.0	G2		8624	-40.2	-15.7	-0.1	-89.8
-21.1	0.0			8626	-12.3	26.1	-0.0	-71.0
-15.0	0.0			8627	35.8	15.5	0.0	22.2
16.3	0.0			8625	16.7	-25.9	0.1	31.6
0.0	0.0	Q3		8624	0.0	0.0	0.0	0.0
0.0	0.0			8626	0.0	0.0	0.0	0.0
0.0	0.0			8627	0.0	0.0	0.0	0.0
0.0	0.0			8625	0.0	0.0	0.0	0.0
4.6	-0.0	Q5_pc X		8624	-3.8	0.2	-0.0	-17.8
-5.9	-0.0			8626	5.2	-2.0	-0.0	-14.6
-4.7	0.0			8627	3.6	0.9	0.0	9.2
3.9	0.0			8625	-5.0	0.9	0.0	11.4
-19.1	0.0	Q5_pc Y		8624	7.6	-5.9	0.1	72.3
24.0	-0.0			8626	-20.7	5.0	0.0	59.9
18.4	-0.0			8627	-4.3	5.4	-0.0	-24.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-15.6	-0.0			8625	17.5	-4.5	-0.1	-32.1
			Q5_ps X	8624	-3.8	0.2	-0.0	-18.4
4.7	-0.0			8626	6.0	-2.9	-0.0	-15.0
-6.0	-0.0			8627	3.6	1.1	0.0	8.8
-4.7	0.0			8625	-5.9	1.6	0.0	10.9
3.9	0.0							
			Q5_ps Y	8624	7.2	-5.7	0.1	68.9
-18.2	0.0			8626	-19.8	4.8	0.0	57.1
22.9	-0.0			8627	-4.1	5.2	-0.0	-23.5
17.6	-0.0			8625	16.7	-4.3	-0.1	-30.7
-14.9	-0.0							
			INVSLE Max	8624	-77.2	-91.8	-0.7	196.5
-40.8	0.0			8626	-157.9	121.6	-0.4	158.0
116.7	0.0			8627	50.9	112.3	0.5	-417.2
148.4	-0.0			8625	255.9	-111.2	0.8	-491.3
-78.0	0.0							
			Min	8624	-98.8	-108.9	-0.9	-10.2
-95.5	0.0			8626	-217.3	107.2	-0.5	-13.2
48.2	0.0			8627	38.6	96.8	0.4	-487.8
95.7	-0.0			8625	205.8	-124.0	0.6	-583.3
-122.6	-0.0							
			INVSLE Max	8624	-51.4	-69.2	-0.5	167.0
-41.3	0.0			8626	-125.5	88.5	-0.3	134.1
94.8	0.0			8627	29.6	83.5	0.4	-340.9
119.0	-0.0			8625	195.1	-82.1	0.6	-401.9
-68.4	-0.0							
			Min	8624	-65.8	-80.6	-0.6	29.2
-77.7	0.0			8626	-165.1	78.9	-0.4	20.0
49.1	0.0			8627	21.4	73.2	0.3	-387.9
83.9	-0.0			8625	161.8	-90.6	0.5	-463.2
-98.1	-0.0							
11148	2	4	C1-C2;~1	Max	8625	0.0	0.0	0.0
0.0	0.0				8627	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	Min	8625	0.0	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8625	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	Min	8625	0.0	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	8625	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	Min	8625	0.0	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	8625	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0		6133	0.0	0.0	0.0	0.0
0.0	0.0		6135	0.0	0.0	0.0	0.0
0.0	0.0	Min	8625	0.0	0.0	0.0	0.0
0.0	0.0		8627	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				6135	0.0	0.0	0.0	0.0
0.0	0.0			6133	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8625	-72.2	-38.0	-0.6	-82.1
8.3	0.0			8627	-59.8	63.5	-0.1	-60.9
-5.8	0.0			6135	61.3	41.5	0.1	-153.8
13.9	-0.0			6133	70.7	-66.3	0.6	-193.5
-19.2	0.0							
		G2		8625	-26.5	-13.5	-0.2	-31.1
4.1	0.0			8627	-25.5	27.0	-0.0	-22.8
-4.5	0.0			6135	22.1	14.3	0.0	-40.4
0.7	0.0			6133	29.9	-27.8	0.2	-55.8
-5.3	-0.0							
		Q3		8625	0.0	0.0	0.0	0.0
0.0	0.0			8627	0.0	0.0	0.0	0.0
0.0	0.0			6135	0.0	0.0	0.0	0.0
0.0	0.0			6133	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		8625	-3.9	-0.0	-0.1	-11.3
0.6	0.0			8627	5.0	-1.3	-0.0	-9.3
0.0	0.0			6135	4.3	0.5	0.0	-27.3
4.2	-0.0			6133	-5.4	0.9	0.1	-30.0
-2.9	0.0							
		Q5_pc Y		8625	-2.1	-6.2	0.2	31.9
-5.2	-0.0			8627	-13.3	6.6	0.1	25.2
6.2	-0.0			6135	4.3	5.6	-0.1	48.4
-2.4	0.0			6133	11.1	-6.0	-0.2	59.6
4.8	0.0							
		Q5_ps X		8625	-4.1	0.0	-0.1	-10.8
0.2	0.0			8627	5.9	-2.1	-0.0	-8.9
0.8	0.0			6135	4.5	0.6	0.1	-33.4
5.7	-0.0			6133	-6.4	1.5	0.1	-36.0
-3.6	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-4.9	-0.0	Q5_ps Y		8625	-2.0	-6.0	0.2	30.4
				8627	-12.7	6.2	0.1	24.0
5.9	-0.0			6135	4.1	5.4	-0.1	46.0
-2.2	0.0			6133	10.6	-5.7	-0.2	56.7
4.6	0.0							
		INVS LU	Max	8625	102.7	-64.2	1.7	582.7
-63.0	0.0			8627	-318.1	135.3	0.8	491.2
102.9	-0.0			6135	-165.7	73.3	-0.6	287.5
31.8	0.0			6133	428.9	-108.4	-1.2	357.4
4.6	0.0							
			Min	8625	90.5	-82.2	1.2	491.4
-77.7	-0.0			8627	-356.1	116.6	0.6	419.1
85.1	-0.0			6135	-179.3	57.1	-0.7	149.4
14.6	0.0			6133	397.2	-125.5	-1.8	187.2
-9.1	0.0							
		INVS LE	Max	8625	87.0	-48.5	1.4	462.7
-51.3	-0.0			8627	-248.2	99.6	0.6	390.8
81.2	-0.0			6135	-137.1	53.5	-0.5	234.6
22.3	0.0			6133	330.2	-80.6	-1.1	291.0
4.7	0.0							
			Min	8625	78.8	-60.4	1.0	401.8
-61.2	-0.0			8627	-273.6	87.1	0.5	342.8
69.4	-0.0			6135	-146.2	42.7	-0.6	142.6
10.9	0.0			6133	309.1	-92.0	-1.4	177.6
-4.4	0.0							
11181	2	4 C1-C2;~1	Max	8652	0.0	0.0	0.0	0.0
0.0		0.0		8654	0.0	0.0	0.0	0.0
0.0		0.0		8655	0.0	0.0	0.0	0.0
0.0		0.0		8653	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	8652	0.0	0.0	0.0	0.0
0.0		0.0		8654	0.0	0.0	0.0	0.0
0.0		0.0		8655	0.0	0.0	0.0	0.0
0.0		0.0		8653	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4 ; ~1	Max	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2 ; ~2	Max	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4 ; ~2	Max	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8652	0.0	0.0	0.0	0.0
0.0	0.0			8654	0.0	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0			8653	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8652	-141.9	-125.3	0.3	162.9
-32.6	-0.0			8654	-192.5	136.0	0.3	167.5
42.7	0.0			8655	165.4	129.5	-0.3	53.0
23.1	0.0			8653	169.0	-139.5	-0.3	59.0
-9.5	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-12.8	-0.0	G2	8652	-53.9	-48.2	0.1	66.9
17.3	0.0		8654	-76.5	53.6	0.1	68.7
9.1	-0.0		8655	62.8	49.8	-0.1	22.2
-3.0	0.0		8653	67.6	-55.2	-0.1	24.9
0.0	0.0	Q3	8652	0.0	0.0	0.0	0.0
0.0	0.0		8654	0.0	0.0	0.0	0.0
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0		8653	0.0	0.0	0.0	0.0
-9.8	-0.0	Q5_pc X	8652	3.5	-0.8	-0.0	18.8
8.9	0.0		8654	-2.4	-1.4	-0.0	17.9
9.3	-0.0		8655	-4.5	0.5	0.0	-26.6
-10.2	0.0		8653	3.5	1.6	0.0	-26.8
-44.5	-0.0	Q5_pc Y	8652	21.0	-3.4	0.1	124.1
36.7	0.0		8654	-25.8	1.8	0.1	117.9
30.1	-0.0		8655	-15.8	2.0	-0.1	-58.9
-38.1	0.0		8653	20.6	-0.4	-0.1	-62.1
-9.0	-0.0	Q5_ps X	8652	4.0	0.4	-0.0	15.3
7.7	0.0		8654	0.1	-2.5	-0.0	14.3
8.5	-0.0		8655	-5.1	-0.8	0.0	-26.3
-10.0	0.0		8653	0.9	2.8	0.0	-26.8
-42.2	-0.0	Q5_ps Y	8652	20.0	-3.1	0.1	117.3
34.8	0.0		8654	-24.2	1.5	0.1	111.4
28.6	-0.0		8655	-15.0	1.8	-0.1	-56.3
-36.2	0.0		8653	19.2	-0.2	-0.1	-59.4
2.3	0.0	INVSLU Max	8652	-204.3	-202.4	1.2	563.5
105.7	0.0		8654	-291.8	242.4	1.0	544.7


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
38.2	0.0			8655	328.8	210.3	-0.8	365.4
62.0	0.0			8653	284.9	-233.9	-0.9	377.6
			Min	8652	-264.3	-211.9	0.9	211.6
-124.2	-0.0			8654	-364.3	235.0	0.8	210.7
1.4	0.0			8655	283.7	204.9	-1.0	196.5
-47.5	-0.0			8653	227.2	-242.4	-1.1	199.5
-46.7	0.0							
			INVSLE Max	8652	-150.3	-148.7	0.9	413.1
-5.7	0.0			8654	-218.2	177.9	0.8	399.0
75.8	0.0			8655	239.5	153.8	-0.6	264.8
25.6	0.0			8653	207.4	-172.0	-0.7	273.2
40.1	0.0							
			Min	8652	-190.2	-155.0	0.7	178.5
-90.0	-0.0			8654	-266.5	173.0	0.6	176.3
6.3	0.0			8655	209.4	150.2	-0.8	152.3
-31.5	-0.0			8653	168.9	-177.7	-0.9	154.5
-32.4	0.0							
11182	2	4	C1-C2;~1	Max	8653	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8653	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8653	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6163	0.0	0.0	0.0	0.0
0.0	0.0		6161	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	8653	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8653	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	8653	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8653	0.0	0.0	0.0
0.0	0.0			8655	0.0	0.0	0.0
0.0	0.0			6163	0.0	0.0	0.0
0.0	0.0			6161	0.0	0.0	0.0
0.0	0.0						
12.4	0.0	G1		8653	-225.8	-131.6	-0.0
-1.2	0.0			8655	-121.9	139.9	0.1
-11.6	0.0			6163	255.9	136.1	-0.0
16.6	0.0			6161	91.8	-143.7	-0.0
7.3	0.0	G2		8653	-86.8	-50.6	0.0
-2.5	-0.0			8655	-49.3	55.5	0.1
-8.3	0.0			6163	99.1	52.4	-0.0
10.2	0.0			6161	37.1	-57.3	-0.0
0.0	0.0	Q3		8653	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0		6163	0.0	0.0	0.0	0.0
0.0	0.0		6161	0.0	0.0	0.0	0.0
-7.2	0.0	Q5_pc X	8653	8.5	-0.1	0.1	26.8
6.2	-0.0		8655	-6.7	-3.3	0.0	26.7
1.4	0.0		6163	-11.3	1.9	-0.0	8.3
-2.4	0.0		6161	9.4	1.5	-0.1	8.2
-16.2	0.0	Q5_pc Y	8653	10.4	-0.1	0.3	62.2
9.6	-0.0		8655	-9.5	-2.5	0.2	59.4
-9.3	-0.0		6163	-7.5	1.7	-0.2	94.4
5.0	-0.0		6161	6.5	0.9	-0.3	98.6
-8.0	0.0	Q5_ps X	8653	9.7	1.4	0.0	26.8
6.7	-0.0		8655	-4.3	-4.5	0.0	26.4
3.1	0.0		6163	-12.8	0.3	-0.0	-1.2
-4.0	-0.0		6161	7.4	2.9	-0.0	-1.2
-15.6	0.0	Q5_ps Y	8653	10.1	0.0	0.2	59.5
9.4	-0.0		8655	-8.8	-2.6	0.2	56.7
-8.5	-0.0		6163	-7.5	1.5	-0.2	87.8
4.4	-0.0		6161	6.2	1.0	-0.2	91.8
82.9	0.0	INVS LU Max	8653	-464.3	-213.2	0.1	-198.7
-29.5	0.0		8655	-88.9	251.7	0.0	-195.8
-19.3	0.0		6163	590.1	218.9	0.6	230.8
59.1	0.0		6161	21.9	-241.0	0.6	255.9
36.2	0.0	Min	8653	-494.6	-217.2	-0.6	-377.1
-57.7	-0.0		8655	-115.3	238.1	-0.5	-366.1
-44.7	0.0		6163	551.6	214.3	-0.0	-32.5
46.0	0.0		6161	-0.4	-249.7	-0.1	-19.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	8653	-344.0	-156.1	0.1	-153.9
59.3	0.0				8655	-63.3	184.5	0.0	-151.8
-23.4	0.0				6163	435.5	159.8	0.4	166.2
-16.2	0.0				6161	11.0	-177.1	0.4	184.9
43.8	0.0								
				Min	8653	-364.2	-158.8	-0.4	-272.8
28.2	0.0				8655	-80.9	175.4	-0.4	-265.3
-42.2	-0.0				6163	409.8	156.8	0.0	-9.3
-33.1	0.0				6161	-3.9	-183.0	-0.1	1.4
35.0	0.0								
11183	2	8	C1-C2;~1	Max	8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8656	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8657	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8656	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8657	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8656	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8657	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8656	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8657	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	8654	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8656	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8657	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8655	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	8654	0.0	0.0	0.0	0.0
0.0	0.0		8656	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	8654	0.0	0.0	0.0
0.0	0.0		8656	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8654	0.0	0.0	0.0
0.0	0.0		8656	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0						
			G1	8654	-143.4	-133.4	0.4
-42.9	0.0		8656	-206.1	148.4	0.4	217.4
62.9	-0.0		8657	171.2	129.0	-0.4	196.0
19.4	-0.0		8655	178.2	-143.2	-0.5	82.1
-22.1	-0.0						74.5
			G2	8654	-54.4	-50.8	0.2
-17.3	0.0		8656	-81.6	59.7	0.2	88.8
26.1	-0.0		8657	65.1	48.2	-0.1	79.5
8.7	-0.0		8655	71.0	-57.1	-0.2	32.1
-8.5	-0.0						30.0
			Q3	8654	0.0	0.0	0.0
0.0	0.0		8656	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		8655	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		8654	4.2	-0.9	-0.0
-8.7	0.0		8656	0.4	-6.1	-0.0	21.0
6.8	0.0		8657	-5.8	2.4	0.0	18.0
9.0	0.0						-27.3

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-9.5	-0.0			8655	1.2	4.6	0.0	-32.0
		Q5_pc	Y	8654	18.3	-2.2	0.1	129.5
-36.6	0.0			8656	-17.1	-4.7	0.0	99.6
33.3	-0.0			8657	-16.0	3.7	-0.0	-53.6
29.2	-0.0			8655	14.8	3.1	-0.1	-67.0
-30.2	-0.0							
		Q5_ps	X	8654	4.6	0.2	-0.0	16.5
-7.6	0.0			8656	3.0	-7.8	-0.0	14.2
5.1	0.0			8657	-6.3	1.7	0.0	-26.7
7.7	0.0			8655	-1.3	5.9	0.0	-31.4
-8.8	-0.0							
		Q5_ps	Y	8654	17.4	-2.0	0.1	122.3
-34.6	0.0			8656	-15.9	-4.8	0.0	94.2
31.5	-0.0			8657	-15.2	3.6	-0.0	-51.2
27.7	-0.0			8655	13.7	3.2	-0.1	-64.0
-28.7	-0.0							
		INVSLE	Max	8654	-228.3	-219.3	1.5	647.8
-3.2	0.0			8656	-325.4	268.5	1.0	552.9
127.5	-0.0			8657	354.2	227.8	-0.9	424.3
10.2	-0.0			8655	292.9	-246.9	-1.1	460.3
49.8	0.0							
			Min	8654	-280.5	-225.4	1.1	280.8
-107.1	0.0			8656	-373.2	245.0	1.0	270.3
33.2	-0.0			8657	308.6	217.0	-1.0	270.6
-72.8	-0.0			8655	251.7	-264.6	-1.5	268.3
-36.3	-0.0							
		INVSLE	Max	8654	-168.3	-161.0	1.1	474.6
-7.6	0.0			8656	-241.6	196.3	0.8	405.4
92.0	-0.0			8657	258.5	167.0	-0.7	309.5
4.9	-0.0			8655	213.7	-182.0	-0.9	334.7
33.1	0.0							
			Min	8654	-203.1	-165.1	0.9	229.9
-76.9	0.0			8656	-273.5	180.6	0.7	217.0
29.1	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6165	0.0	0.0	0.0	0.0
0.0	0.0		6163	0.0	0.0	0.0	0.0
0.0	0.0	Min	8655	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		6165	0.0	0.0	0.0	0.0
0.0	0.0		6163	0.0	0.0	0.0	0.0
0.0	0.0						
0.1	-0.0	G1	8655	-221.7	-126.2	0.1	-74.5
			8657	-124.7	156.6	-0.1	-81.5
-19.0	-0.0		6165	247.6	118.4	0.1	82.2
-21.8	0.0		6163	98.8	-148.0	-0.1	97.2
11.9	0.0						
		G2	8655	-84.4	-48.2	0.1	-30.0
2.0	-0.0		8657	-50.5	62.1	0.0	-31.8
-9.6	-0.0		6165	94.3	44.9	-0.0	57.8
-14.0	0.0		6163	40.7	-58.8	-0.1	64.2
8.2	0.0						
		Q3	8655	0.0	0.0	0.0	0.0
0.0	0.0		8657	0.0	0.0	0.0	0.0
0.0	0.0		6165	0.0	0.0	0.0	0.0
0.0	0.0		6163	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8655	10.1	-1.8	0.1	32.0
-6.0	-0.0		8657	-4.6	-4.6	0.0	27.1
8.6	0.0		6165	-12.3	0.2	-0.0	-0.6
6.2	-0.0		6163	6.7	6.2	-0.1	5.7
-1.3	0.0						
		Q5_pc Y	8655	10.5	-2.6	0.3	66.5
-9.5	-0.0		8657	-11.0	-0.3	0.1	54.2
12.7	-0.0		6165	-7.7	0.7	-0.1	81.2
-1.4	-0.0		6163	8.1	2.2	-0.4	104.7
9.0	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	8655	10.8	-0.5	0.1	31.4
-6.5	-0.0		8657	-2.2	-6.0	0.0	26.5
9.1	0.0		6165	-13.0	-0.8	0.0	-12.3
8.2	-0.0		6163	4.4	7.4	-0.1	-6.8
-2.9	0.0						
		Q5_ps Y	8655	10.1	-2.4	0.3	63.5
-9.3	-0.0		8657	-10.1	-0.6	0.1	51.7
12.3	-0.0		6165	-7.4	0.6	-0.1	74.6
-0.8	-0.0		6163	7.5	2.4	-0.3	96.9
8.2	-0.0						
		INVS LU Max	8655	-460.3	-193.2	0.3	-269.0
55.4	0.0		8657	-113.3	299.9	-0.3	-267.3
-87.5	-0.0		6165	570.4	190.4	0.5	222.0
-70.0	0.0		6163	65.2	-271.2	0.9	263.0
43.3	0.0						
		Min	8655	-492.6	-200.4	-0.7	-459.6
27.6	-0.0		8657	-143.7	281.9	-0.6	-422.5
-124.3	-0.0		6165	531.5	188.0	0.2	-1.9
-94.6	0.0		6163	42.8	-293.3	-0.2	-27.7
18.8	0.0						
		INVS LE Max	8655	-341.5	-141.6	0.2	-207.2
40.6	0.0		8657	-82.5	220.2	-0.3	-204.6
-66.7	-0.0		6165	421.1	139.7	0.3	160.7
-53.6	0.0		6163	44.2	-200.9	0.6	189.6
32.1	0.0						
		Min	8655	-363.1	-146.4	-0.5	-334.2
22.0	-0.0		8657	-102.7	208.2	-0.4	-308.1
-91.3	-0.0		6165	395.2	138.0	0.2	11.5
-70.0	0.0		6163	29.2	-215.6	-0.1	-4.2
15.8	0.0						
11213	2	8 C1-C2;~1 Max	8680	0.0	0.0	0.0	0.0
0.0	0.0		8682	0.0	0.0	0.0	0.0
0.0	0.0		8683	0.0	0.0	0.0	0.0
0.0	0.0		8681	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	8680	0.0	0.0	0.0	0.0
0.0	0.0		8682	0.0	0.0	0.0	0.0
0.0	0.0		8683	0.0	0.0	0.0	0.0
0.0	0.0		8681	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8680	0.0	0.0	0.0
0.0	0.0			8682	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0
0.0	0.0			8681	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-47.4	0.0	G1	8680	205.4	147.2	0.3	163.6
35.2	-0.0		8682	142.2	-132.6	0.4	186.0
18.0	0.0		8683	-176.8	-142.5	-0.4	65.6
-13.9	0.0		8681	-170.7	128.7	-0.3	69.5
-18.5	0.0	G2	8680	80.3	58.7	0.1	64.1
13.4	-0.0		8682	53.9	-49.9	0.2	73.7
6.0	0.0		8683	-69.6	-56.4	-0.2	28.5
-5.1	0.0		8681	-64.6	47.6	-0.1	28.9
0.0	0.0	Q3	8680	0.0	0.0	0.0	0.0
0.0	0.0		8682	0.0	0.0	0.0	0.0
0.0	0.0		8683	0.0	0.0	0.0	0.0
0.0	0.0		8681	0.0	0.0	0.0	0.0
-14.9	-0.0	Q5_pc X	8680	8.0	-5.9	-0.0	48.5
18.9	-0.0		8682	-9.5	-2.4	0.0	62.7
17.5	0.0		8683	-8.8	3.6	-0.0	-50.5
-15.7	-0.0		8681	10.2	4.7	0.0	-40.9
16.2	-0.0	Q5_pc Y	8680	-14.2	-0.2	-0.0	-60.0
-19.0	0.0		8682	12.4	0.7	-0.1	-81.2
-14.0	-0.0		8683	10.7	0.8	0.1	25.9
12.3	-0.0		8681	-8.9	-1.3	0.0	18.8
-13.0	-0.0	Q5_ps X	8680	4.4	-8.0	-0.0	43.3
17.4	-0.0		8682	-9.9	-0.9	0.0	56.2
16.5	0.0		8683	-5.3	5.3	-0.0	-49.2
-14.4	-0.0		8681	10.9	3.6	0.0	-40.0
15.8	-0.0	Q5_ps Y	8680	-14.9	-1.2	-0.0	-58.1
-18.2	0.0		8682	11.3	1.3	-0.1	-78.4

PROJECT TITLE :

		Company		Client		File Name		
		Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-13.3	-0.0			8683	11.4	1.5	0.1	24.3
11.9	-0.0			8681	-7.9	-1.7	0.0	17.6
-34.6	0.0	INVS LU	Max	8680	369.6	266.2	0.8	432.3
71.0	0.0			8682	268.8	-218.0	1.3	518.9
16.9	0.0			8683	-251.8	-246.1	-1.0	389.4
48.7	0.0			8681	-313.8	226.6	-0.7	352.3
-82.1	0.0		Min	8680	325.0	242.2	0.7	258.1
16.3	-0.0			8682	234.9	-222.4	1.0	283.8
-32.6	-0.0			8683	-286.1	-262.0	-1.3	241.8
5.5	0.0			8681	-346.4	215.8	-0.8	232.4
-28.2	0.0	INVS LE	Max	8680	271.0	194.5	0.6	319.5
51.7	0.0			8682	195.0	-160.0	1.0	383.4
11.1	0.0			8683	-186.1	-181.4	-0.8	283.5
34.2	0.0			8681	-231.4	166.1	-0.6	257.1
-59.9	0.0		Min	8680	241.3	178.5	0.6	203.4
15.2	-0.0			8682	172.4	-162.9	0.8	226.7
-21.9	-0.0			8683	-209.0	-192.0	-1.0	185.1
5.4	0.0			8681	-253.2	158.9	-0.6	177.2
11214	2	8 C1-C2;~1	Max	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0		Min	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8681	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0	0.0
0.0	0.0			6189	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8681	122.8	154.9	-0.1	-68.7
16.4	0.0			8683	221.9	-126.0	0.1	-65.6
-1.3	0.0			6191	-97.0	-146.9	-0.1	84.6
-10.9	-0.0			6189	-247.7	118.7	0.0	70.8
18.4	-0.0							
		G2		8681	49.2	61.0	0.0	-28.5
9.5	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.0	0.0		8683	84.0	-47.6	0.1	-28.5
-7.7	-0.0		6191	-39.5	-58.0	-0.1	57.3
13.0	-0.0		6189	-93.8	44.6	-0.0	51.7
0.0	0.0	Q3	8681	0.0	0.0	0.0	0.0
0.0	0.0		8683	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0		6189	0.0	0.0	0.0	0.0
-10.9	-0.0	Q5_pc X	8681	10.7	-2.2	0.0	40.9
7.8	0.0		8683	-11.2	-4.3	0.2	50.2
-2.0	-0.0		6191	-11.1	4.7	-0.2	37.3
-5.5	0.0		6189	11.7	1.7	-0.0	22.8
1.9	-0.0	Q5_pc Y	8681	-4.5	-3.1	-0.0	-19.6
-1.5	-0.0		8683	-0.2	1.0	-0.2	-25.5
7.9	-0.0		6191	-0.0	2.7	0.2	-70.6
-5.1	0.0		6189	4.7	-0.6	0.0	-56.4
-11.6	-0.0	Q5_ps X	8681	7.6	-4.0	0.0	39.9
8.2	0.0		8683	-12.2	-2.6	0.2	48.9
-0.2	-0.0		6191	-8.1	6.2	-0.2	22.8
-7.7	0.0		6189	12.7	0.4	-0.0	9.6
1.4	-0.0	Q5_ps Y	8681	-5.3	-3.8	-0.0	-18.3
-1.1	-0.0		8683	-0.9	1.6	-0.2	-23.8
8.1	-0.0		6191	1.0	3.3	0.2	-71.4
-5.7	0.0		6189	5.2	-1.2	0.0	-57.7
103.4	0.0	INVSLU Max	8681	136.7	292.9	-0.3	-229.4
-26.7	0.0		8683	493.6	-192.3	0.1	-242.4
-17.7	-0.0		6191	-40.3	-270.0	0.6	220.5
79.4	-0.0		6189	-529.0	191.5	0.3	189.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	8681	114.0	280.9	-0.5	-349.1
68.7	0.0			8683	457.0	-200.0	-0.5	-389.1
-51.3	-0.0			6191	-64.8	-288.6	-0.0	6.2
-42.0	-0.0			6189	-567.2	188.0	0.2	16.1
56.2	-0.0							
		INVSLE	Max	8681	97.9	215.3	-0.2	-174.9
75.8	0.0			8683	363.6	-141.0	0.1	-185.5
-21.3	0.0			6191	-27.5	-199.9	0.4	160.8
-15.0	-0.0			6189	-393.4	140.4	0.3	138.3
58.7	-0.0							
			Min	8681	82.7	207.2	-0.3	-254.7
52.7	0.0			8683	339.3	-146.1	-0.3	-283.3
-37.7	-0.0			6191	-43.8	-212.3	-0.0	18.0
-31.2	-0.0			6189	-418.8	138.1	0.2	22.8
43.2	-0.0							
11215	2	4 C1-C2;~1	Max	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0			8683	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8682	191.6	135.9	0.3	151.1
-35.0	-0.0			8684	142.0	-124.7	0.3	153.3
32.7	0.0			8685	-168.0	-139.3	-0.3	60.2
9.5	-0.0			8683	-165.6	128.9	-0.3	51.7
-18.5	0.0							
		G2		8682	75.4	53.3	0.1	60.3
-13.4	-0.0			8684	53.9	-47.6	0.1	61.3
12.4	0.0			8685	-66.6	-54.8	-0.1	26.1
2.8	-0.0			8683	-62.7	49.1	-0.1	22.9
-6.3	0.0							
		Q3		8682	0.0	0.0	0.0	0.0
0.0	0.0			8684	0.0	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		8683	0.0	0.0	0.0	0.0
-19.1	-0.0	Q5_pc X	8682	14.4	1.4	0.0	58.1
25.9	0.0		8684	-9.2	-4.0	0.0	63.0
24.1	-0.0		8685	-13.3	-0.2	-0.0	-47.3
-17.2	0.0		8683	8.0	2.8	-0.0	-44.6
18.9	0.0	Q5_pc Y	8682	-19.3	-2.8	-0.1	-78.4
-29.4	-0.0		8684	14.4	2.3	-0.1	-86.1
-23.8	-0.0		8685	13.7	1.6	0.1	27.7
13.8	-0.0		8683	-8.9	-1.1	0.1	24.6
-17.6	-0.0	Q5_ps X	8682	10.8	-0.1	-0.0	52.5
24.2	0.0		8684	-9.8	-2.3	0.0	57.1
23.1	-0.0		8685	-9.7	1.4	-0.0	-46.3
-16.2	0.0		8683	8.7	0.9	-0.0	-43.5
18.1	0.0	Q5_ps Y	8682	-19.5	-3.3	-0.1	-75.4
-28.1	-0.0		8684	13.2	2.8	-0.1	-82.7
-22.5	-0.0		8685	14.2	2.2	0.1	25.9
13.2	-0.0		8683	-7.9	-1.8	0.1	23.0
-15.3	0.0	INVS LU Max	8682	357.1	244.0	0.9	461.5
103.9	0.0		8684	254.0	-202.6	1.2	498.7
28.5	-0.0		8685	-234.1	-234.8	-0.9	349.6
30.9	0.0		8683	-293.5	209.5	-0.7	326.1
-69.7	-0.0	Min	8682	298.5	234.2	0.7	235.2
19.6	-0.0		8684	214.4	-211.0	0.9	250.7
-40.8	-0.0		8685	-276.8	-241.5	-1.2	210.7
-17.6	-0.0		8683	-319.6	204.2	-0.9	195.6
-14.5	-0.0	INVS LE Max	8682	261.8	179.1	0.6	341.2
			8684	183.3	-148.8	0.9	369.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


76.6	0.0			8685	-173.6	-172.7	-0.7	253.7
20.5	-0.0			8683	-215.9	153.2	-0.5	236.9
20.7	0.0							
			Min	8682	222.8	172.6	0.5	190.4
-50.7	-0.0			8684	157.0	-154.4	0.7	203.8
20.4	-0.0			8685	-202.1	-177.2	-0.9	161.2
-25.7	-0.0			8683	-233.3	149.7	-0.7	150.0
-11.6	-0.0							
11216	2	4	C1-C2;~1	Max	8683	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0
0.0	0.0				6193	0.0	0.0	0.0
0.0	0.0				6191	0.0	0.0	0.0
0.0	0.0							
			Min	8683	0.0	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0
0.0	0.0				6193	0.0	0.0	0.0
0.0	0.0				6191	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8683	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0
0.0	0.0				6193	0.0	0.0	0.0
0.0	0.0				6191	0.0	0.0	0.0
0.0	0.0							
			Min	8683	0.0	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0
0.0	0.0				6193	0.0	0.0	0.0
0.0	0.0				6191	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	8683	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0
0.0	0.0				6193	0.0	0.0	0.0
0.0	0.0				6191	0.0	0.0	0.0
0.0	0.0							
			Min	8683	0.0	0.0	0.0	0.0
0.0	0.0				8685	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6193	0.0	0.0	0.0	0.0
0.0	0.0		6191	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	8683	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0						
			Min	8683	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0						
			G1	8683	120.5	139.5	0.0
1.9	0.0			8685	226.0	-131.1	-0.0
-12.0	-0.0			6193	-90.5	-143.2	0.0
-15.5	-0.0			6191	-256.0	135.6	-0.0
10.5	-0.0						66.7
			G2	8683	48.2	54.9	0.0
3.3	0.0			8685	86.3	-50.0	0.0
-7.2	-0.0			6193	-36.1	-56.6	-0.0
-9.7	-0.0			6191	-98.3	51.6	-0.0
7.9	-0.0						44.0
			Q3	8683	0.0	0.0	0.0
0.0	0.0			8685	0.0	0.0	0.0
0.0	0.0			6193	0.0	0.0	0.0
0.0	0.0			6191	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc X	8683	12.0	-2.1	0.1
-8.1	0.0			8685	-8.7	-2.2	0.2
13.1	-0.0			6193	-13.0	-0.4	-0.1
0.9	0.0			6191	9.7	4.7	-0.1
2.0	-0.0						38.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	8683	-1.6	-0.7	-0.1	-25.1
1.6	-0.0		8685	-0.2	0.6	-0.2	-27.7
-8.1	-0.0		6193	-3.4	0.9	0.2	-69.1
5.2	-0.0		6191	5.2	-0.7	0.1	-64.2
-8.3	-0.0						
		Q5_ps X	8683	8.8	-3.7	0.1	43.8
-8.6	0.0		8685	-10.2	-0.3	0.1	46.3
13.7	-0.0		6193	-10.3	1.4	-0.1	29.7
2.7	0.0		6191	11.7	2.6	-0.1	27.3
0.1	-0.0						
		Q5_ps Y	8683	-2.6	-1.4	-0.1	-23.5
1.2	-0.0		8685	-1.0	1.3	-0.2	-25.9
-7.2	-0.0		6193	-2.3	1.6	0.2	-68.9
5.6	-0.0		6191	5.9	-1.5	0.1	-64.2
-8.5	-0.0						
		INVSLE Max	8683	113.4	248.9	-0.1	-195.0
53.0	0.0		8685	492.7	-211.5	-0.0	-210.2
-37.1	-0.0		6193	5.8	-241.4	0.5	219.7
-41.7	-0.0		6191	-550.3	219.1	0.4	193.0
43.2	-0.0						
		Min	8683	87.0	237.9	-0.4	-326.4
27.3	-0.0		8685	462.1	-215.5	-0.5	-349.1
-78.2	-0.0		6193	-25.2	-246.2	-0.0	12.9
-58.3	-0.0		6191	-585.4	210.7	0.1	0.3
17.7	-0.0						
		INVSLE Max	8683	79.5	182.6	-0.1	-149.5
38.9	0.0		8685	362.8	-154.9	-0.0	-160.7
-28.5	-0.0		6193	7.5	-177.4	0.3	160.8
-32.0	-0.0		6191	-408.8	159.8	0.3	140.9
32.1	-0.0						
		Min	8683	61.9	175.2	-0.3	-237.1
21.8	-0.0		8685	342.4	-157.6	-0.3	-253.4
-56.0	-0.0		6193	-13.2	-180.5	-0.0	22.9
-43.1	-0.0		6191	-432.2	154.2	0.1	12.4
15.1	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

11249	2	4	C1-C2;~1	Max	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	8710	0.0	0.0	0.0	0.0
0.0		0.0			8712	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0			8711	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	8710	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0		8711	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8710	26.6	60.8	-0.1	-194.7
58.7	-0.0		8712	105.2	-42.3	-0.3	-246.4
-58.5	0.0		8713	-37.5	-61.8	0.3	83.4
-44.0	-0.0		8711	-94.3	44.1	0.1	59.4
41.0	-0.0						
		G2	8710	11.3	25.5	-0.1	-74.7
22.8	-0.0		8712	40.0	-15.2	-0.1	-94.0
-22.5	0.0		8713	-15.8	-25.5	0.1	32.8
-17.2	-0.0		8711	-35.5	15.1	0.1	23.1
16.2	-0.0						
		Q3	8710	0.0	0.0	0.0	0.0
0.0	0.0		8712	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0		8711	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8710	-0.3	-0.9	0.0	0.2
0.1	0.0		8712	2.2	-1.4	0.0	0.0
0.0	0.0		8713	1.1	-0.2	-0.0	4.9
-0.2	0.0		8711	-3.1	2.4	-0.0	4.4
0.5	-0.0						
		Q5_pc Y	8710	-19.9	-5.4	-0.0	-58.2
23.3	0.0		8712	7.7	5.3	-0.1	-70.0
-18.4	0.0		8713	16.9	4.4	0.1	31.3
-15.0	-0.0		8711	-4.7	-4.2	0.0	24.1
17.7	-0.0						
		Q5_ps X	8710	-1.6	-2.2	0.0	-1.0
0.6	0.0		8712	2.2	-1.2	0.0	-1.6
-0.3	-0.0						


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.4	-0.0			8713	2.5	0.7	-0.0	4.8	
0.7	-0.0			8711	-3.0	2.6	-0.0	4.3	
			Q5_ps Y	8710	-19.4	-5.7	-0.0	-55.6	
22.3	0.0			8712	7.3	5.0	-0.1	-66.9	
-17.6	0.0			8713	16.6	4.6	0.1	29.8	
-14.3	-0.0			8711	-4.5	-3.9	0.0	22.9	
16.9	-0.0								
			INVS LU Max	8710	213.7	121.6	-0.4	149.5	
-48.6	-0.0			8712	100.5	-92.7	-0.7	185.8	
94.2	-0.0			8713	-203.2	-109.7	0.9	-499.4	
122.9	0.0			8711	-39.2	110.5	0.5	-424.8	
-98.1	0.0								
			Min	8710	155.5	104.5	-0.5	-17.3	
-115.4	-0.0			8712	78.5	-107.7	-0.9	-14.9	
41.4	-0.0			8713	-253.0	-123.4	0.6	-588.7	
80.0	-0.0			8711	-52.7	98.9	0.4	-493.7	
-148.8	0.0								
			INVS LE Max	8710	162.4	88.4	-0.3	128.2	
-49.6	-0.0			8712	67.2	-69.8	-0.5	159.5	
77.0	-0.0			8713	-159.7	-81.0	0.6	-408.2	
98.6	0.0			8711	-22.0	82.4	0.4	-346.9	
-85.8	0.0								
			Min	8710	123.6	76.9	-0.4	17.0	
-94.1	-0.0			8712	52.5	-79.9	-0.7	25.7	
41.8	-0.0			8713	-192.9	-90.1	0.5	-467.7	
70.0	0.0			8711	-31.1	74.6	0.3	-392.8	
-119.6	0.0								
11250	2	4	C1-C2;~1	Max	8711	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	8711	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8713	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8711	0.0	0.0	0.0	0.0
0.0	0.0			8713	0.0	0.0	0.0	0.0
0.0	0.0			6221	0.0	0.0	0.0	0.0
0.0	0.0			6219	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8711	59.6	63.1	-0.1	-61.1
6.2	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.7	-0.0		8713	71.4	-37.5	-0.6	-82.3
19.2	-0.0		6221	-70.3	-65.9	0.6	-194.9
-13.8	0.0		6219	-60.6	41.1	0.1	-155.0
4.9	-0.0	G2	8711	24.8	26.3	-0.0	-23.7
-4.5	-0.0		8713	25.9	-13.1	-0.2	-32.4
5.5	0.0		6221	-29.2	-27.1	0.2	-58.7
-0.7	-0.0		6219	-21.5	13.9	0.0	-42.8
0.0	0.0	Q3	8711	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0		6219	0.0	0.0	0.0	0.0
-1.7	-0.0	Q5_pc X	8711	-2.5	0.3	-0.0	-4.5
0.7	0.0		8713	5.4	-1.7	-0.0	-4.9
2.0	-0.0		6221	3.7	-0.6	0.0	-18.7
-4.3	0.0		6219	-6.6	2.0	0.0	-18.8
4.9	-0.0	Q5_pc Y	8711	-13.0	-6.4	-0.1	-24.6
-4.6	-0.0		8713	-0.7	5.3	-0.2	-31.1
5.4	-0.0		6221	11.2	5.6	0.2	-64.5
-4.3	0.0		6219	2.5	-4.5	0.1	-54.1
-2.5	-0.0	Q5_ps X	8711	-3.9	-0.8	-0.0	-4.4
1.1	-0.0		8713	5.4	-1.5	-0.0	-4.8
3.0	-0.0		6221	5.2	0.3	0.0	-26.7
-6.1	0.0		6219	-6.7	2.0	0.0	-26.7
4.3	-0.0	Q5_ps Y	8711	-13.0	-6.5	-0.1	-23.4
-4.2	-0.0		8713	-0.5	5.0	-0.2	-29.5
5.5	-0.0		6221	11.3	5.7	0.2	-64.8
-4.9	0.0		6219	2.2	-4.2	0.1	-54.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLU	Max	8711	355.0	134.8	0.8	496.9
-89.7	0.0				8713	-87.8	-65.8	1.7	588.2
78.7	0.0				6221	-395.1	-107.6	-1.2	366.4
12.1	-0.0				6219	182.4	71.7	-0.6	298.7
-15.3	-0.0								
				Min	8711	316.1	115.3	0.6	426.7
-102.5	0.0				8713	-104.0	-80.8	1.2	499.5
66.1	-0.0				6221	-429.1	-124.7	-1.8	172.0
-4.5	-0.0				6219	162.5	59.1	-0.8	134.0
-33.6	-0.0								
			INVSLE	Max	8711	272.7	99.2	0.7	395.6
-72.8	0.0				8713	-76.8	-49.6	1.4	467.3
62.1	0.0				6221	-307.6	-80.0	-1.0	297.0
6.5	-0.0				6219	148.2	52.5	-0.5	242.2
-11.5	-0.0								
				Min	8711	246.7	86.2	0.5	348.8
-81.3	0.0				8713	-87.7	-59.5	1.0	408.2
53.7	0.0				6221	-330.3	-91.4	-1.4	167.4
-4.5	-0.0				6219	134.8	44.1	-0.6	132.4
-23.7	-0.0								
11251	2	10	C1-C2;~1	Max	8712	0.0	0.0	0.0	0.0
0.0		0.0			8714	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8712	0.0	0.0	0.0	0.0
0.0		0.0			8714	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8712	0.0	0.0	0.0	0.0
0.0		0.0			8714	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			8713	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	8712	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8712	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8712	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8712	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8712	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8712	12.7	55.2	-0.2	-216.8
57.9	0.0		8714	102.4	-33.2	-0.3	-234.9
-78.9	-0.0		8715	-26.4	-57.7	0.2	85.7
-65.2	0.0		8713	-88.8	36.4	0.2	77.1
44.0	-0.0						
		G2	8712	6.0	22.2	-0.1	-82.5
22.2	0.0		8714	38.8	-12.2	-0.1	-89.4
-30.1	-0.0		8715	-11.7	-23.4	0.1	33.5
-25.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
17.1	-0.0		8713	-33.1	13.3	0.1	30.3
		Q3	8712	0.0	0.0	0.0	0.0
0.0	0.0		8714	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		8713	0.0	0.0	0.0	0.0
		Q5_pc X	8712	0.3	1.1	0.0	-0.1
-0.0	0.0		8714	2.4	-1.3	0.0	-0.3
-1.0	0.0		8715	1.0	-0.8	-0.0	4.7
-1.2	0.0		8713	-3.6	1.0	-0.0	4.1
0.3	0.0						
		Q5_pc Y	8712	-17.8	-3.2	-0.0	-57.1
18.4	0.0		8714	6.9	5.4	-0.0	-59.0
-19.2	-0.0		8715	15.3	3.2	0.0	27.6
-16.1	0.0		8713	-4.4	-5.4	0.0	26.7
15.2	-0.0						
		Q5_ps X	8712	-0.9	0.5	0.0	-1.4
0.3	-0.0		8714	2.3	-0.9	0.0	-1.5
-1.3	0.0		8715	2.2	-0.2	-0.0	4.6
-1.4	0.0		8713	-3.6	0.6	-0.0	4.0
0.5	-0.0						
		Q5_ps Y	8712	-17.3	-3.2	-0.0	-54.6
17.6	0.0		8714	6.6	5.2	-0.0	-56.4
-18.4	-0.0		8715	15.0	3.3	0.0	26.2
-15.4	0.0		8713	-4.3	-5.2	0.0	25.3
14.5	-0.0						
		INVSLU Max	8712	180.4	108.9	-0.5	146.2
-42.4	-0.0		8714	84.5	-69.9	-0.6	148.7
121.1	-0.0		8715	-188.2	-98.5	0.8	-458.2
151.6	-0.0		8713	-11.8	85.7	0.5	-422.8
-79.8	0.0						
		Min	8712	128.4	99.3	-0.6	-17.7
-95.1	-0.0		8714	64.6	-85.4	-0.7	-20.4

PROJECT TITLE :


		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
65.9	-0.0				8715	-233.2	-108.3	0.7	-536.9
105.5	-0.0				8713	-24.7	69.9	0.4	-498.8
-123.3	-0.0								
			INVSLE	Max	8712	137.3	79.7	-0.4	126.8
-42.5	-0.0				8714	55.4	-52.5	-0.5	129.7
98.8	-0.0				8715	-147.9	-72.5	0.6	-373.0
122.0	-0.0				8713	-1.5	62.9	0.4	-344.8
-69.9	0.0								
				Min	8712	102.7	73.3	-0.4	17.5
-77.6	-0.0				8714	42.2	-62.9	-0.5	17.0
62.0	-0.0				8715	-177.9	-79.0	0.5	-425.5
91.3	-0.0				8713	-10.2	52.4	0.3	-395.4
-99.0	0.0								
11252	2	10	C1-C2;~1	Max	8713	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			6221	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8713	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			6221	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8713	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			6221	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8713	0.0	0.0	0.0	0.0
0.0		0.0			8715	0.0	0.0	0.0	0.0
0.0		0.0			6223	0.0	0.0	0.0	0.0
0.0		0.0			6221	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8713	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0	Min	8713	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8713	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8713	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0						
8.8	-0.0	G1	8713	54.9	62.8	-0.3	-78.3
-24.5	0.0		8715	67.5	-35.0	-0.5	-85.8
11.5	-0.0		6223	-65.3	-61.7	0.4	-179.2
-20.4	-0.0		6221	-57.1	34.5	0.3	-168.5
4.6	-0.0	G2	8713	22.9	25.3	-0.1	-30.8
-10.3	0.0		8715	24.8	-12.9	-0.2	-33.5
2.8	-0.0		6223	-26.7	-25.0	0.1	-58.0
-5.7	0.0		6221	-21.0	12.6	0.1	-53.9
0.0	0.0	Q3	8713	0.0	0.0	0.0	0.0
0.0	0.0		8715	0.0	0.0	0.0	0.0
0.0	0.0		6223	0.0	0.0	0.0	0.0
0.0	0.0		6221	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	8713	-2.9	0.8	-0.0	-4.1
-0.8	0.0		8715	5.6	-1.1	-0.0	-4.7
0.0	0.0		6223	3.7	-1.0	0.0	-13.5
1.6	0.0		6221	-6.3	1.3	0.0	-13.2
-2.3	-0.0						
		Q5_pc Y	8713	-11.8	-4.3	-0.1	-26.9
4.4	-0.0		8715	-0.1	5.3	-0.1	-27.7
-5.8	0.0		6223	10.1	4.1	0.1	-53.1
3.8	-0.0		6221	1.8	-5.2	0.1	-52.0
-5.7	-0.0						
		Q5_ps X	8713	-4.2	0.2	-0.0	-4.0
-1.2	-0.0		8715	5.4	-0.6	-0.0	-4.6
0.4	0.0		6223	4.8	-0.3	0.0	-19.0
2.4	0.0		6221	-6.0	0.8	0.0	-18.8
-3.3	-0.0						
		Q5_ps Y	8713	-11.7	-4.3	-0.1	-25.5
3.9	-0.0		8715	-0.0	5.2	-0.1	-26.3
-5.4	0.0		6223	10.1	4.2	0.1	-52.8
4.0	-0.0		6221	1.6	-5.0	0.1	-51.9
-5.8	-0.0						
		INVSLE Max	8713	359.9	118.5	1.1	499.2
-66.4	0.0		8715	-120.3	-54.1	1.4	537.8
102.8	-0.0		6223	-407.1	-101.0	-1.0	324.4
21.4	-0.0		6221	217.5	65.4	-0.8	313.3
8.0	-0.0						
		INVSLE Min	8713	324.6	105.6	0.7	422.6
-78.2	-0.0		8715	-136.6	-69.5	1.0	458.7
86.7	-0.0		6223	-437.5	-113.5	-1.3	165.8
9.4	-0.0		6221	199.5	50.3	-1.1	157.7
-9.5	-0.0						
		INVSLE Max	8713	276.1	86.8	0.9	395.9
-53.8	0.0		8715	-101.7	-40.4	1.1	426.1
81.7	-0.0		6223	-316.4	-74.5	-0.8	263.2
14.7	-0.0		6221	175.3	47.5	-0.7	253.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


7.4	-0.0							
		Min	8713	252.7	78.2	0.6	344.8	
-61.7	0.0		8715	-112.6	-50.7	0.9	373.4	
70.9	-0.0		6223	-336.7	-82.9	-1.1	157.5	
6.7	-0.0		6221	163.3	37.4	-0.9	150.2	
-4.3	-0.0							
11287	2	10 C1-C2;~1	Max	8742	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	8742	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8742	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	8742	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8742	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	8742	0.0	0.0	0.0	0.0	0.0
0.0	0.0			8744	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0			8743	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	8742	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		8743	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8742	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		8743	0.0	0.0	0.0	0.0
0.0	0.0						
78.3	0.0	G1	8742	-103.9	-34.8	-0.3	-232.1
-56.7	-0.0		8744	-15.4	56.7	-0.2	-213.8
-42.9	0.0		8745	90.4	38.1	0.2	75.9
64.7	-0.0		8743	28.9	-59.4	0.2	84.6
29.7	0.0	G2	8742	-39.5	-13.0	-0.1	-87.6
-21.5	-0.0		8744	-7.5	23.0	-0.1	-80.6
-16.5	0.0		8745	33.9	14.2	0.1	29.5
24.7	-0.0		8743	13.1	-24.2	0.1	32.7
0.0	0.0	Q3	8742	0.0	0.0	0.0	0.0
0.0	0.0		8744	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		8743	0.0	0.0	0.0	0.0
0.0	0.0						
3.5	-0.0	Q5_pc X	8742	0.5	2.5	0.0	-8.9
-3.4	-0.0		8744	6.3	-2.4	-0.0	-9.0
-3.3	0.0		8745	0.3	-3.0	0.0	8.4
3.2	-0.0		8743	-7.1	2.9	-0.0	8.7
13.5	0.0	Q5_pc Y	8742	-16.3	-5.6	-0.0	-37.4
-10.0	-0.0		8744	-0.5	7.1	-0.0	-34.6

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.1	0.0		8745	15.3	6.2	0.0	18.6
12.0	-0.0		8743	1.5	-7.8	0.0	20.6
3.7	-0.0	Q5_ps X	8742	0.4	2.7	-0.0	-9.6
-3.6	-0.0		8744	7.1	-2.8	-0.0	-9.7
-3.3	0.0		8745	0.5	-3.2	0.0	8.0
3.2	-0.0		8743	-8.0	3.3	0.0	8.3
13.0	0.0	Q5_ps Y	8742	-15.5	-5.1	-0.0	-36.2
-9.7	-0.0		8744	0.1	6.5	-0.0	-33.5
-7.8	0.0		8745	14.6	5.7	0.0	17.7
11.5	-0.0		8743	0.8	-7.1	0.0	19.6
-72.0	0.0	INVS LU Max	8742	-51.5	-68.9	-0.6	111.6
81.0	0.0		8744	-141.2	113.0	-0.5	107.8
111.6	0.0		8745	40.1	85.3	0.5	-430.8
-109.6	0.0		8743	220.3	-92.0	0.8	-464.8
-111.0	0.0	Min	8742	-98.0	-84.2	-0.7	3.1
52.0	0.0		8744	-162.4	93.5	-0.6	7.4
88.1	-0.0		8745	-3.6	68.2	0.4	-484.0
-144.2	0.0		8743	196.4	-113.3	0.7	-523.7
-65.7	0.0	INVS LE Max	8742	-33.3	-51.5	-0.5	103.9
67.9	0.0		8744	-110.6	82.1	-0.4	100.0
90.8	-0.0		8745	20.2	62.3	0.4	-349.6
-93.7	0.0		8743	168.8	-67.8	0.6	-376.9
-91.7	0.0	Min	8742	-64.3	-61.7	-0.5	31.5
48.5	0.0		8744	-124.7	69.1	-0.4	33.0
75.2	-0.0		8745	-8.9	50.9	0.3	-385.0
-116.8	0.0		8743	152.8	-82.1	0.5	-416.2
11288	2	10 C1-C2;~1 Max	8743	0.0	0.0	0.0	0.0
0.0		0.0					

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		6251	0.0	0.0	0.0	0.0
0.0	0.0	Min	8743	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		6251	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8743	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			6251	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8743	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			6251	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8743	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			6251	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8743	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			6251	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8743	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0			6251	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8743	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			8745	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		6251	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8743	-69.7	-36.8	-0.5	-84.8
24.5	-0.0		8745	-57.2	64.6	-0.3	-77.0
-8.4	0.0		6253	59.4	36.3	0.3	-166.1
20.2	0.0		6251	67.5	-63.4	0.4	-177.0
-11.2	0.0						
		G2	8743	-25.8	-13.8	-0.2	-32.8
10.2	-0.0		8745	-24.2	26.2	-0.1	-30.0
-4.4	0.0		6253	22.1	13.5	0.1	-52.3
5.6	-0.0		6251	27.9	-25.9	0.1	-56.5
-2.6	0.0						
		Q3	8743	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0		6251	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8743	-1.2	3.0	-0.0	-8.7
0.7	-0.0		8745	8.8	-3.3	-0.0	-8.4
-0.4	0.0		6253	1.7	-2.7	0.0	-20.4
2.8	0.0		6251	-9.3	3.1	0.0	-20.4
-2.2	-0.0						
		Q5_pc Y	8743	-14.4	-6.8	-0.1	-20.6
4.9	-0.0		8745	-3.7	7.8	-0.1	-18.8
-1.7	0.0		6253	13.9	6.6	0.1	-35.0
4.3	0.0		6251	4.2	-7.6	0.1	-37.0
-2.4	0.0						
		Q5_ps X	8743	-1.3	3.2	-0.0	-8.4
0.2	-0.0		8745	9.8	-3.7	-0.0	-8.1
0.1	0.0		6253	1.6	-3.0	0.0	-25.5
3.8	0.0		6251	-10.1	3.5	0.0	-25.4
-2.9	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

4.5	-0.0	Q5_ps Y		8743	-13.7	-6.2	-0.1	-19.7
-1.4	0.0			8745	-2.8	7.1	-0.1	-17.9
4.6	0.0			6253	13.2	6.0	0.1	-36.0
-2.6	0.0			6251	3.4	-6.9	0.1	-37.9
-87.4	0.0	INVS LU	Max	8743	149.3	-51.6	1.3	524.4
74.0	0.0			8745	-325.6	121.8	1.0	484.4
8.2	0.0			6253	-189.1	66.0	-0.8	284.4
-11.4	0.0			6251	435.6	-96.0	-1.0	296.8
-100.8	0.0		Min	8743	108.1	-70.2	1.0	465.4
69.8	-0.0			8745	-355.0	100.6	0.8	430.7
-5.5	0.0			6253	-228.6	47.9	-1.0	176.3
-20.1	0.0			6251	405.3	-116.8	-1.3	183.1
-71.3	0.0	INVS LE	Max	8743	121.4	-38.5	1.1	416.7
58.8	-0.0			8745	-252.8	88.7	0.8	385.5
3.6	0.0			6253	-156.7	47.6	-0.7	233.7
-8.1	0.0			6251	335.0	-70.9	-0.8	243.9
-80.2	0.0		Min	8743	93.9	-50.9	0.9	377.4
56.0	-0.0			8745	-272.4	74.5	0.7	349.6
-5.6	0.0			6253	-183.1	35.5	-0.8	161.6
-13.9	0.0			6251	314.8	-84.8	-1.0	168.1
11289	2	4 C1-C2;~1	Max	8744	0.0	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0
0.0	0.0		Min	8744	0.0	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0		Min	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0		Min	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0		Min	8744	0.0	0.0	0.0
0.0	0.0			8746	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			8745	0.0	0.0	0.0
0.0	0.0						
57.4	-0.0	G1		8744	-106.5	-44.1	-0.3
-56.1	0.0			8746	-29.9	62.7	-0.1
-39.1	0.0			8747	95.9	45.7	0.1

PROJECT TITLE :

MIDAS		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
43.1	0.0		8745	40.4	-63.5	0.3	81.7
		G2	8744	-40.6	-16.1	-0.1	-91.3
21.8	-0.0		8746	-13.0	26.5	-0.0	-72.2
-21.4	0.0		8747	36.3	16.0	0.1	22.4
-15.2	0.0		8745	17.3	-26.4	0.1	31.8
16.7	0.0						
		Q3	8744	0.0	0.0	0.0	0.0
0.0	0.0		8746	0.0	0.0	0.0	0.0
0.0	0.0		8747	0.0	0.0	0.0	0.0
0.0	0.0		8745	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8744	0.2	2.7	-0.0	-11.9
3.4	-0.0		8746	8.1	-5.2	-0.0	-10.4
-5.1	-0.0		8747	-0.2	-1.4	0.0	8.5
-4.3	0.0		8745	-8.1	3.9	0.0	10.2
3.2	0.0						
		Q5_pc Y	8744	-15.9	-7.0	-0.0	-38.6
10.0	-0.0		8746	-2.3	7.4	-0.0	-29.5
-9.8	-0.0		8747	15.6	7.1	0.0	16.8
-8.3	0.0		8745	2.7	-7.5	0.0	21.2
8.1	0.0						
		Q5_ps X	8744	0.2	2.7	-0.0	-12.7
3.5	-0.0		8746	9.0	-6.2	-0.0	-11.0
-5.3	-0.0		8747	-0.0	-1.0	0.0	8.1
-4.3	0.0		8745	-9.1	4.6	0.0	9.7
3.1	0.0						
		Q5_ps Y	8744	-15.1	-6.5	-0.0	-37.5
9.7	-0.0		8746	-1.5	6.4	-0.0	-28.7
-9.6	-0.0		8747	14.8	6.8	0.0	16.0
-8.0	0.0		8745	1.9	-6.7	0.0	20.2
7.8	0.0						
		INVSLU Max	8744	-67.1	-89.5	-0.7	133.7
-51.0	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
92.8	0.0			8746	-168.7	122.1	-0.4	102.8
131.7	-0.0			8747	68.4	113.8	0.5	-430.1
-88.1	0.0			8745	239.4	-105.8	0.8	-508.6
-80.2	0.0		Min	8744	-112.6	-109.0	-0.8	21.2
64.1	0.0			8746	-195.6	102.8	-0.5	16.8
107.7	-0.0			8747	24.0	93.4	0.5	-478.1
-111.5	-0.0			8745	212.1	-125.9	0.7	-569.2
-47.8	0.0	INVSLE	Max	8744	-44.8	-67.4	-0.6	123.2
78.3	0.0			8746	-131.7	88.4	-0.3	95.7
107.5	-0.0			8747	41.4	84.3	0.4	-349.7
-75.1	-0.0			8745	183.2	-78.1	0.6	-413.6
-67.2	0.0		Min	8744	-75.1	-80.4	-0.6	48.2
59.1	0.0			8746	-149.7	75.5	-0.4	38.4
91.6	-0.0			8747	11.8	70.7	0.4	-381.7
-90.7	-0.0			8745	165.0	-91.5	0.5	-453.9
11290	2	4	C1-C2;~1	Max	8745	0.0	0.0	0.0
0.0	0.0				8747	0.0	0.0	0.0
0.0	0.0				6255	0.0	0.0	0.0
0.0	0.0				6253	0.0	0.0	0.0
0.0	0.0		Min	8745	0.0	0.0	0.0	0.0
0.0	0.0				8747	0.0	0.0	0.0
0.0	0.0				6255	0.0	0.0	0.0
0.0	0.0				6253	0.0	0.0	0.0
0.0	0.0		Min	8745	0.0	0.0	0.0	0.0
0.0	0.0				8745	0.0	0.0	0.0
0.0	0.0				8747	0.0	0.0	0.0
0.0	0.0				6255	0.0	0.0	0.0
0.0	0.0				6253	0.0	0.0	0.0
0.0	0.0		Min	8745	0.0	0.0	0.0	0.0
0.0	0.0				8745	0.0	0.0	0.0
0.0	0.0				8747	0.0	0.0	0.0
0.0	0.0				6255	0.0	0.0	0.0
0.0	0.0				6253	0.0	0.0	0.0
0.0	0.0		Min	8745	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8747	0.0	0.0	0.0	0.0
0.0	0.0		6255	0.0	0.0	0.0	0.0
0.0	0.0		6253	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8745	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8745	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8745	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8745	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
0.0	0.0						
8.3	0.0		G1	8745	-73.5	-39.2	-0.6
-5.5	0.0			8747	-62.0	65.0	-0.1
13.8	-0.0			6255	62.9	42.8	0.1
-19.0	0.0			6253	72.6	-67.8	0.6
4.3	0.0		G2	8745	-27.0	-14.0	-0.2
-4.5	0.0			8747	-26.1	27.3	-0.0
0.7	0.0			6255	22.7	14.8	0.0
-5.4	-0.0			6253	30.5	-28.1	0.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
			Q3	8745	0.0	0.0	0.0
0.0	0.0			8747	0.0	0.0	0.0
0.0	0.0			6255	0.0	0.0	0.0
0.0	0.0			6253	0.0	0.0	0.0
			Q5_pc X	8745	-0.9	2.4	-0.1
0.5	0.0			8747	8.7	-4.2	-0.0
0.1	0.0			6255	1.8	-2.0	0.0
4.2	-0.0			6253	-9.6	3.8	0.1
-2.6	0.0						
			Q5_pc Y	8745	-14.3	-6.5	-0.1
1.7	0.0			8747	-2.9	6.4	-0.0
-1.9	0.0			6255	13.8	7.2	0.0
3.4	-0.0			6253	3.3	-7.1	0.1
-4.0	0.0						
			Q5_ps X	8745	-1.2	2.3	-0.1
0.1	0.0			8747	9.8	-5.0	-0.1
1.1	0.0			6255	2.1	-1.8	0.1
6.1	-0.0			6253	-10.7	4.5	0.1
-3.5	0.0						
			Q5_ps Y	8745	-13.6	-6.1	-0.1
1.4	0.0			8747	-2.0	5.6	-0.0
-1.4	0.0			6255	13.3	6.8	0.0
4.1	-0.0			6253	2.4	-6.3	0.1
-4.2	0.0						
			INVSLU Max	8745	116.7	-63.1	1.6
-69.8	0.0			8747	-318.5	132.5	0.8
95.7	-0.0			6255	-153.1	74.4	-0.6
32.8	0.0			6253	426.0	-105.6	-1.3
1.9	0.0						
			Min	8745	75.8	-81.2	1.2
-74.1	-0.0			8747	-347.8	115.7	0.6
91.5	-0.0			6255	-192.9	54.0	-0.8
14.5	0.0			6253	393.8	-124.7	-1.7

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-10.8	0.0							
		INVSLE	Max	8745	96.4	-47.4	1.3	453.5
-56.1	-0.0			8747	-247.8	97.3	0.6	384.3
76.5	-0.0			6255	-129.0	54.0	-0.5	220.0
23.1	0.0			6253	327.7	-78.4	-1.1	270.5
2.6	0.0							
			Min	8745	69.2	-59.5	1.1	413.5
-59.0	-0.0			8747	-267.4	86.1	0.5	351.7
73.6	-0.0			6255	-155.5	40.3	-0.6	145.8
10.9	0.0			6253	306.3	-91.1	-1.3	183.0
-5.8	0.0							
11323	2	4	C1-C2;~1	Max	8772	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8775	0.0	0.0	0.0
0.0	0.0				8773	0.0	0.0	0.0
0.0	0.0							
			Min	8772	0.0	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8775	0.0	0.0	0.0
0.0	0.0				8773	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8772	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8775	0.0	0.0	0.0
0.0	0.0				8773	0.0	0.0	0.0
0.0	0.0							
			Min	8772	0.0	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8775	0.0	0.0	0.0
0.0	0.0				8773	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	8772	0.0	0.0	0.0
0.0	0.0				8774	0.0	0.0	0.0
0.0	0.0				8775	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8773	0.0	0.0	0.0	0.0
0.0	0.0	Min	8772	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		8773	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	8772	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		8773	0.0	0.0	0.0	0.0
0.0	0.0		Min	8772	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		8773	0.0	0.0	0.0	0.0
-35.9	-0.0	G1	8772	-142.5	-126.6	0.3	158.7
34.2	0.0		8774	-196.1	138.1	0.3	153.6
18.4	-0.0		8775	167.5	130.6	-0.3	50.5
-11.5	0.0		8773	171.1	-141.4	-0.3	59.7
-14.3	-0.0	G2	8772	-54.0	-48.6	0.1	65.1
13.3	0.0		8774	-77.8	54.5	0.1	62.8
6.4	-0.0		8775	63.5	50.0	-0.1	22.4
-4.0	0.0		8773	68.3	-55.9	-0.1	25.8
0.0	0.0	Q3	8772	0.0	0.0	0.0	0.0
0.0	0.0		8774	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		8773	0.0	0.0	0.0	0.0
-15.3	-0.0	Q5_pc X	8772	9.2	1.1	-0.0	30.2
11.1	0.0		8774	-2.3	-3.4	-0.0	27.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.2	-0.0			8775	-10.7	-2.1	0.0	-36.5
-16.0	0.0			8773	3.8	4.4	0.0	-38.9
16.3	0.0	Q5_pc	Y	8772	-18.3	-7.1	0.0	-32.8
-9.7	-0.0			8774	-1.0	7.4	0.0	-29.5
-9.8	0.0			8775	20.7	7.9	-0.0	39.0
17.3	0.0			8773	-1.5	-8.1	-0.0	43.5
-14.3	-0.0	Q5_ps	X	8772	9.9	2.5	-0.0	26.5
10.2	0.0			8774	0.6	-4.7	-0.0	24.1
10.6	-0.0			8775	-11.3	-3.6	0.0	-36.1
-15.5	0.0			8773	0.9	5.8	0.0	-38.5
15.7	0.0	Q5_ps	Y	8772	-16.9	-6.1	0.0	-32.3
-9.4	-0.0			8774	0.3	6.4	0.0	-29.2
-9.3	0.0			8775	19.2	6.8	-0.0	36.3
16.3	0.0			8773	-2.6	-7.0	-0.0	40.5
-32.3	0.0	INVSLE	Max	8772	-213.1	-198.7	1.0	398.7
50.2	0.0			8774	-324.6	250.1	0.8	365.0
6.6	0.0			8775	339.9	218.1	-0.7	315.1
36.4	0.0			8773	258.1	-229.1	-1.0	344.8
-79.4	0.0		Min	8772	-263.9	-217.0	1.0	301.6
19.6	-0.0			8774	-328.8	230.9	0.7	277.3
-25.3	-0.0			8775	282.2	197.8	-0.8	206.2
-12.6	0.0			8773	250.1	-250.2	-1.0	223.4
-27.9	0.0	INVSLE	Max	8772	-156.6	-146.1	0.8	298.6
36.7	0.0			8774	-239.6	183.1	0.6	273.0
3.8	0.0			8775	247.2	158.8	-0.6	229.8
23.6	0.0			8773	189.1	-168.9	-0.7	251.1
-59.2	0.0		Min	8772	-190.4	-158.3	0.8	233.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

16.3	-0.0	8774	-242.3	170.4	0.5	214.5
-17.5	-0.0	8775	208.7	145.3	-0.6	157.2
-9.0	0.0	8773	183.8	-182.9	-0.8	170.2

11324	2	4 C1-C2;~1	Max	8773	0.0	0.0	0.0	0.0
0.0		0.0		8775	0.0	0.0	0.0	0.0
0.0		0.0		6283	0.0	0.0	0.0	0.0
0.0		0.0		6281	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~1	Max	8773	0.0	0.0	0.0	0.0
0.0		0.0		8775	0.0	0.0	0.0	0.0
0.0		0.0		6283	0.0	0.0	0.0	0.0
0.0		0.0		6281	0.0	0.0	0.0	0.0
0.0		0.0						

		C1-C2;~2	Max	8773	0.0	0.0	0.0	0.0
0.0		0.0		8775	0.0	0.0	0.0	0.0
0.0		0.0		6283	0.0	0.0	0.0	0.0
0.0		0.0		6281	0.0	0.0	0.0	0.0
0.0		0.0						

		C3-C4;~2	Max	8773	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0		6281	0.0	0.0	0.0	0.0
0.0	0.0		8773	0.0	0.0	0.0	0.0
0.0	0.0	Min	8775	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0		6281	0.0	0.0	0.0	0.0
0.0	0.0						
11.7	0.0	G1	8773	-230.5	-133.0	-0.0	-59.2
-1.4	-0.0		8775	-120.8	141.4	0.1	-50.3
-10.4	0.0		6283	261.8	137.4	-0.0	68.4
15.9	0.0		6281	89.6	-145.1	-0.0	68.4
7.0	0.0	G2	8773	-88.4	-50.9	0.0	-25.6
-3.3	-0.0		8775	-48.5	55.9	0.0	-22.4
-8.0	0.0		6283	101.2	52.6	-0.0	45.9
10.0	0.0		6281	35.7	-57.6	-0.0	46.4
0.0	0.0	Q3	8773	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0		6281	0.0	0.0	0.0	0.0
-10.5	0.0	Q5_pc X	8773	16.2	2.6	0.1	38.9
6.6	-0.0		8775	-8.0	-6.2	0.1	36.7
0.2	0.0		6283	-19.7	-0.3	-0.1	18.7
-2.5	-0.0		6281	11.5	4.0	-0.1	19.8
9.0	0.0	Q5_pc Y	8773	-29.4	-9.6	-0.2	-43.5
-3.2	0.0		8775	6.3	9.0	-0.1	-39.3
5.1	0.0		6283	33.5	9.2	0.1	-46.1
-1.9	0.0		6281	-10.5	-8.7	0.1	-49.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-11.2	0.0	Q5_ps X	8773	17.4	4.2	0.1	38.5
7.2	-0.0		8775	-5.1	-7.6	0.1	36.2
1.8	0.0		6283	-21.2	-2.2	-0.1	9.1
-4.2	-0.0		6281	8.9	5.6	-0.1	10.1
8.0	0.0	Q5_ps Y	8773	-27.0	-8.3	-0.2	-40.5
-2.5	0.0		8775	7.0	7.8	-0.1	-36.5
5.7	0.0		6283	30.6	8.0	0.1	-48.1
-2.7	0.0		6281	-10.7	-7.4	0.1	-50.9
77.6	0.0	INVS LU Max	8773	-441.7	-202.2	-0.1	-222.9
-26.6	0.0		8775	-87.9	256.3	-0.1	-205.7
-17.5	0.0		6283	618.5	228.0	0.4	152.4
56.1	0.0		6281	24.0	-233.8	0.5	177.0
44.0	0.0	Min	8773	-522.6	-227.2	-0.5	-344.4
-48.2	-0.0		8775	-109.0	232.9	-0.4	-315.3
-34.6	0.0		6283	526.7	204.0	0.1	8.0
43.6	0.0		6281	-8.0	-256.1	0.0	24.2
55.9	0.0	INVS LE Max	8773	-328.8	-148.6	-0.1	-169.8
-21.1	0.0		8775	-62.3	187.5	-0.1	-156.8
-14.4	0.0		6283	454.1	165.6	0.3	111.3
41.5	0.0		6281	12.3	-172.2	0.3	129.9
33.5	0.0	Min	8773	-382.7	-165.3	-0.4	-250.8
-35.5	-0.0		8775	-76.4	171.9	-0.3	-229.9
-25.8	0.0		6283	392.9	149.7	0.1	15.1
33.2	0.0		6281	-9.0	-187.1	0.0	28.0
11325	2	8 C1-C2; ~1 Max	8774	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8777	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	Min		8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	Min		8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	Min		8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0			8775	0.0	0.0	0.0	0.0
0.0	0.0	Min		8774	0.0	0.0	0.0	0.0
0.0	0.0			8776	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		8775	0.0	0.0	0.0	0.0
-34.4	0.0	G1	8774	-142.7	-134.0	0.4	184.6
45.4	-0.0		8776	-209.4	149.3	0.3	160.2
13.0	-0.0		8777	172.5	130.1	-0.3	67.7
-18.0	-0.0		8775	179.5	-144.6	-0.4	63.3
-13.3	0.0	G2	8774	-54.0	-50.7	0.2	74.8
18.0	-0.0		8776	-82.5	59.8	0.1	64.1
4.9	-0.0		8777	65.4	48.4	-0.1	28.5
-6.1	-0.0		8775	71.1	-57.5	-0.2	27.7
0.0	0.0	Q3	8774	0.0	0.0	0.0	0.0
0.0	0.0		8776	0.0	0.0	0.0	0.0
0.0	0.0		8777	0.0	0.0	0.0	0.0
0.0	0.0		8775	0.0	0.0	0.0	0.0
-11.0	0.0	Q5_pc X	8774	9.9	2.2	-0.0	30.3
7.9	0.0		8776	2.6	-10.1	-0.0	24.1
10.6	0.0		8777	-12.7	0.2	0.0	-35.1
-11.5	-0.0		8775	0.2	7.8	0.0	-41.8
9.6	-0.0	Q5_pc Y	8774	-17.4	-8.0	0.0	-30.2
-8.0	-0.0		8776	-4.1	9.8	0.0	-21.5
-10.4	0.0		8777	20.8	7.3	-0.0	36.2
9.9	0.0		8775	0.8	-9.1	-0.0	43.3
-10.1	0.0	Q5_ps X	8774	10.4	3.4	-0.0	26.1
6.5	0.0		8776	5.6	-12.0	-0.0	20.6
9.7	0.0		8777	-13.3	-0.7	0.0	-34.7
-10.9	-0.0		8775	-2.7	9.2	0.0	-41.3
9.3	-0.0	Q5_ps Y	8774	-16.2	-7.0	0.0	-30.1

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.0	-0.0			8776	-2.5	8.2	0.0	-21.5
				8777	19.2	6.6	-0.0	33.6
-10.1	0.0			8775	-0.5	-7.9	-0.0	40.2
9.4	0.0							
		INVS LU	Max	8774	-230.9	-210.1	1.1	409.3
-20.8	0.0			8776	-337.8	273.8	0.8	344.6
62.3	-0.0			8777	362.9	231.3	-0.7	336.4
-14.5	-0.0			8775	271.3	-241.7	-1.1	370.9
26.8	0.0							
			Min	8774	-279.5	-231.0	1.1	319.1
-51.0	-0.0			8776	-354.5	237.9	0.7	280.2
38.2	-0.0			8777	305.2	211.4	-0.8	232.3
-44.7	-0.0			8775	263.3	-269.4	-1.1	247.0
-6.0	-0.0							
		INVS LE	Max	8774	-170.1	-154.6	0.8	305.5
-17.2	0.0			8776	-249.3	199.6	0.6	257.0
45.6	-0.0			8777	264.4	169.0	-0.5	246.1
-11.9	-0.0			8775	198.7	-178.5	-0.8	270.9
18.5	0.0							
			Min	8774	-202.5	-168.6	0.8	245.4
-37.3	-0.0			8776	-260.4	175.7	0.5	214.0
29.6	-0.0			8777	225.9	155.8	-0.6	176.6
-32.0	-0.0			8775	193.3	-196.9	-0.9	188.3
-3.3	-0.0							
11326	2	8	C1-C2;~1	Max	8775	0.0	0.0	0.0
0.0		0.0			8777	0.0	0.0	0.0
0.0		0.0			6285	0.0	0.0	0.0
0.0		0.0			6283	0.0	0.0	0.0
0.0		0.0						
				Min	8775	0.0	0.0	0.0
0.0		0.0			8777	0.0	0.0	0.0
0.0		0.0			6285	0.0	0.0	0.0
0.0		0.0			6283	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	8775	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8777	0.0	0.0	0.0	0.0
0.0	0.0		6285	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8775	0.0	0.0	0.0	0.0
0.0	0.0		8777	0.0	0.0	0.0	0.0
0.0	0.0		6285	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8775	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0						
		Min	8775	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8775	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0						
		Min	8775	0.0	0.0	0.0	0.0
0.0	0.0			8777	0.0	0.0	0.0
0.0	0.0			6285	0.0	0.0	0.0
0.0	0.0			6283	0.0	0.0	0.0
0.0	0.0						
		G1	8775	-226.2	-127.4	0.1	-63.4
1.1	-0.0		8777	-123.3	157.2	-0.1	-66.8
-16.2	-0.0		6285	253.0	120.1	0.0	70.5
-18.0	0.0		6283	96.4	-149.1	-0.1	85.1
10.7	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	8775	-86.1	-48.4	0.1	-27.8
3.0	-0.0		8777	-49.6	62.2	0.0	-28.0
-9.6	-0.0		6285	96.4	45.3	-0.0	52.7
-13.0	0.0		6283	39.3	-59.2	-0.1	58.8
7.9	0.0						
		Q3	8775	0.0	0.0	0.0	0.0
0.0	0.0		8777	0.0	0.0	0.0	0.0
0.0	0.0		6285	0.0	0.0	0.0	0.0
0.0	0.0		6283	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8775	18.5	0.5	0.1	41.6
-6.3	-0.0		8777	-5.8	-7.4	0.0	34.8
9.4	0.0		6285	-21.2	-2.6	-0.0	6.8
6.0	-0.0		6283	8.5	9.5	-0.1	15.9
-0.1	0.0						
		Q5_pc Y	8775	-27.9	-7.7	-0.2	-43.0
3.1	0.0		8777	5.0	9.8	-0.1	-36.5
-5.3	0.0		6285	31.0	8.3	0.1	-42.6
2.1	-0.0		6283	-8.2	-10.4	0.2	-51.5
-4.7	0.0						
		Q5_ps X	8775	19.1	2.0	0.1	41.1
-6.9	-0.0		8777	-3.1	-9.0	0.0	34.4
10.2	0.0		6285	-21.8	-3.7	-0.0	-4.7
8.2	-0.0		6283	5.8	10.8	-0.1	3.5
-1.7	0.0						
		Q5_ps Y	8775	-25.7	-6.7	-0.2	-40.0
2.4	0.0		8777	5.8	8.4	-0.1	-33.9
-4.4	0.0		6285	28.7	7.4	0.1	-46.0
3.2	-0.0		6283	-8.8	-9.1	0.2	-54.7
-5.3	0.0						
		INVSLU Max	8775	-441.3	-187.0	0.0	-247.4
46.7	0.0		8777	-114.6	301.5	-0.2	-229.3
-68.2	-0.0		6285	595.6	201.7	0.4	157.5
-52.8	0.0						

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
33.4	0.0			6283	63.8	-264.4	0.6	176.4	
			Min	8775	-518.6	-207.1	-0.5	-370.8	
26.0	-0.0			8777	-132.1	274.6	-0.5	-332.5	
-98.8	-0.0			6285	509.7	179.7	0.2	19.5	
-77.4	0.0			6283	37.5	-296.7	0.1	12.4	
17.7	0.0								
			INVSLE	Max	8775	-328.8	-137.4	0.0	-188.6
34.4	0.0			8777	-82.8	220.9	-0.2	-174.3	
-52.2	-0.0			6285	437.7	147.2	0.3	114.9	
-40.6	0.0			6283	43.0	-196.1	0.4	128.7	
25.0	0.0								
			Min	8775	-380.3	-150.8	-0.3	-270.8	
20.6	-0.0			8777	-94.5	202.9	-0.4	-243.1	
-72.6	-0.0			6285	380.4	132.5	0.1	22.9	
-57.0	0.0			6283	25.4	-217.6	0.1	19.3	
14.4	0.0								
11355	2	8	C1-C2;~1	Max	8800	0.0	0.0	0.0	0.0
0.0	0.0				8802	0.0	0.0	0.0	0.0
0.0	0.0				8803	0.0	0.0	0.0	0.0
0.0	0.0				8801	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	8800	0.0	0.0	0.0	0.0	0.0
0.0	0.0				8802	0.0	0.0	0.0	0.0
0.0	0.0				8803	0.0	0.0	0.0	0.0
0.0	0.0				8801	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	8800	0.0	0.0	0.0	0.0
0.0	0.0				8802	0.0	0.0	0.0	0.0
0.0	0.0				8803	0.0	0.0	0.0	0.0
0.0	0.0				8801	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	8800	0.0	0.0	0.0	0.0	0.0
0.0	0.0				8802	0.0	0.0	0.0	0.0
0.0	0.0				8803	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8801	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	8800	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8801	0.0	0.0	0.0	0.0
			Min	8800	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8801	0.0	0.0	0.0	0.0
		C3-C4;~2	Max	8800	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8801	0.0	0.0	0.0	0.0
			Min	8800	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8801	0.0	0.0	0.0	0.0
		G1	8800	210.9	150.4	0.3	155.3
-43.9	0.0		8802	143.2	-135.1	0.4	179.5
34.5	-0.0		8803	-181.2	-145.4	-0.4	59.2
18.2	0.0		8801	-172.9	130.9	-0.3	63.3
-13.0	0.0						
		G2	8800	84.3	61.1	0.1	62.6
-17.7	0.0		8802	55.0	-51.9	0.2	72.9
13.4	-0.0		8803	-72.8	-58.6	-0.2	26.4
6.3	0.0		8801	-66.4	49.4	-0.1	27.1
-5.0	0.0						
		Q3	8800	0.0	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8801	0.0	0.0	0.0	0.0
-20.6	-0.0	Q5_pc X	8800	14.0	-5.9	-0.0	63.5
24.3	-0.0		8802	-15.3	-3.0	0.0	80.9
23.3	0.0		8803	-15.5	4.1	-0.0	-72.6
-21.4	0.0		8801	16.8	4.8	0.0	-58.7
12.7	0.0	Q5_pc Y	8800	-8.2	2.5	0.0	-30.8
-12.9	0.0		8802	12.3	-0.4	0.0	-39.6
-13.6	-0.0		8803	11.1	-2.8	-0.0	52.8
14.0	-0.0		8801	-15.1	0.7	-0.0	43.3
-18.9	-0.0	Q5_ps X	8800	11.1	-7.3	-0.0	58.5
22.8	-0.0		8802	-15.0	-2.1	0.0	74.4
22.1	0.0		8803	-12.6	5.2	-0.0	-70.3
-20.1	0.0		8801	16.6	4.2	0.0	-56.9
12.5	0.0	Q5_ps Y	8800	-9.5	1.0	0.0	-30.4
-12.4	0.0		8802	11.1	0.4	0.0	-38.9
-12.8	-0.0		8803	12.0	-1.7	-0.0	49.1
13.4	-0.0		8801	-13.7	0.2	-0.0	40.2
-20.8	0.0	INVSLE Max	8800	360.5	264.1	0.7	395.1
71.7	0.0		8802	271.9	-214.4	1.1	472.8
23.8	0.0		8803	-245.9	-244.7	-1.1	401.5
56.8	0.0		8801	-303.5	224.3	-0.7	356.3
-77.6	0.0	Min	8800	327.2	242.1	0.7	219.6
3.5	-0.0		8802	226.7	-220.5	1.1	249.5
-42.5	-0.0		8803	-283.7	-260.3	-1.1	190.6
-3.5	0.0		8801	-353.2	211.7	-0.7	185.7
		INVSLE Max	8800	263.9	192.6	0.5	290.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-17.9	0.0			8802	196.5	-156.9	0.8	347.9	
51.4	0.0			8803	-181.2	-180.0	-0.8	290.2	
15.4	0.0			8801	-223.9	163.8	-0.5	258.2	
39.8	0.0								
			Min	8800	241.7	177.9	0.5	173.5	
-55.7	0.0			8802	166.4	-161.0	0.8	199.1	
5.9	-0.0			8803	-206.4	-190.4	-0.8	149.6	
-28.9	-0.0			8801	-257.1	155.5	-0.6	144.5	
-0.4	0.0								
11356	2	8	C1-C2;~1	Max	8801	0.0	0.0	0.0	0.0
0.0		0.0			8803	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			6309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8801	0.0	0.0	0.0	0.0	0.0
0.0		0.0		8803	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6311	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6309	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8801	0.0	0.0	0.0	0.0
0.0		0.0			8803	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			6309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8801	0.0	0.0	0.0	0.0	0.0
0.0		0.0		8803	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6311	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6309	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8801	0.0	0.0	0.0	0.0
0.0		0.0			8803	0.0	0.0	0.0	0.0
0.0		0.0			6311	0.0	0.0	0.0	0.0
0.0		0.0			6309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8801	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		6311	0.0	0.0	0.0	0.0
0.0	0.0		6309	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	8801	0.0	0.0	0.0
0.0	0.0			8803	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0
0.0	0.0			6309	0.0	0.0	0.0
0.0	0.0						
			Min	8801	0.0	0.0	0.0
0.0	0.0			8803	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0
0.0	0.0			6309	0.0	0.0	0.0
0.0	0.0						
			G1	8801	125.0	157.6	-0.1
15.2	0.0			8803	225.7	-128.4	0.1
-1.0	0.0			6311	-98.6	-149.4	-0.1
-10.7	-0.0			6309	-252.1	121.0	0.0
17.5	-0.0						
			G2	8801	51.1	63.1	0.0
9.3	0.0			8803	86.8	-49.4	0.1
-2.9	0.0			6311	-41.0	-59.9	-0.1
-7.9	-0.0			6309	-96.9	46.3	-0.0
13.0	-0.0						
			Q3	8801	0.0	0.0	0.0
0.0	0.0			8803	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0
0.0	0.0			6309	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		8801	18.1	-3.5	0.1
-13.1	0.0			8803	-20.5	-4.5	0.3
10.0	0.0			6311	-19.7	6.4	-0.3
-4.1	-0.0			6309	22.1	1.6	-0.1
-4.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Q5_pc Y	8801	-15.6	3.9	-0.1	-43.5
6.4	-0.0		8803	23.2	-0.7	-0.2	-52.6
-5.3	-0.0		6311	19.1	-5.4	0.2	-62.2
4.9	0.0		6309	-26.7	2.1	0.1	-51.7
-2.7	0.0						
		Q5_ps X	8801	15.4	-4.7	0.1	56.9
-13.5	0.0		8803	-20.4	-3.3	0.2	69.9
10.3	0.0		6311	-17.0	7.3	-0.3	50.7
-2.5	-0.0		6309	22.0	0.7	-0.0	33.0
-6.0	0.0						
		Q5_ps Y	8801	-16.0	2.7	-0.1	-40.4
5.4	-0.0		8803	21.1	0.1	-0.2	-48.9
-4.6	-0.0		6311	19.3	-4.2	0.2	-65.3
5.5	0.0		6309	-24.4	1.3	0.1	-55.1
-3.9	0.0						
		INVSLE Max	8801	144.8	291.5	-0.2	-181.9
99.2	0.0		8803	505.6	-188.5	0.2	-191.4
-21.5	0.0		6311	-19.6	-266.8	0.7	198.4
-18.7	-0.0		6309	-509.7	189.9	0.4	175.5
71.6	-0.0						
		Min	8801	96.8	277.5	-0.5	-352.5
58.6	0.0		8803	442.4	-198.6	-0.6	-401.0
-52.4	-0.0		6311	-77.5	-288.7	-0.1	2.6
-35.2	-0.0		6309	-582.9	185.9	0.1	10.3
53.7	-0.0						
		INVSLE Max	8801	102.5	213.7	-0.2	-141.6
72.5	0.0		8803	370.9	-137.8	0.1	-150.2
-17.7	0.0		6311	-12.9	-197.2	0.5	144.1
-15.3	-0.0		6309	-379.6	138.8	0.3	127.4
53.0	-0.0						
		Min	8801	70.5	204.4	-0.3	-255.4
45.4	0.0		8803	328.7	-144.5	-0.4	-289.9
-38.3	-0.0		6311	-51.5	-211.8	-0.1	13.5
-26.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8802	0.0	0.0	0.0	0.0
0.0	0.0	Min	8804	0.0	0.0	0.0	0.0
0.0	0.0		8805	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
		G1	8802	197.0	138.7	0.3	148.9
-34.3	-0.0		8804	143.3	-127.3	0.3	152.9
34.2	0.0		8805	-172.4	-142.2	-0.3	55.8
11.2	-0.0		8803	-167.8	131.6	-0.3	47.2
-18.6	0.0						
		G2	8802	79.0	55.3	0.1	60.8
-13.4	-0.0		8804	55.1	-49.5	0.1	62.5
13.4	0.0		8805	-69.6	-56.9	-0.1	24.8
3.5	-0.0		8803	-64.4	51.1	-0.1	21.4
-6.5	0.0						
		Q3	8802	0.0	0.0	0.0	0.0
0.0	0.0		8804	0.0	0.0	0.0	0.0
0.0	0.0		8805	0.0	0.0	0.0	0.0
0.0	0.0		8803	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8802	20.0	1.1	-0.0	74.1
-24.4	-0.0		8804	-14.9	-3.9	0.0	80.3
34.4	0.0		8805	-20.0	-0.2	-0.0	-69.3
32.7	-0.0		8803	14.8	3.0	-0.0	-64.8
-22.9	0.0						
		Q5_pc Y	8802	-9.3	1.7	0.0	-35.6
12.9	0.0		8804	12.2	-0.7	0.0	-38.2
-18.6	-0.0		8805	12.4	-1.6	-0.0	51.6
-19.3	0.0		8803	-15.3	0.6	-0.0	47.5
13.5	-0.0						
		Q5_ps X	8802	16.9	-0.0	-0.0	68.2
-22.9	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
32.3	0.0			8804	-14.6	-2.7	0.0	74.0
				8805	-16.9	0.9	-0.0	-67.0
31.2	-0.0			8803	14.7	1.8	-0.0	-62.6
-21.7	0.0							
		Q5_ps Y		8802	-10.3	0.9	0.0	-34.9
12.5	0.0			8804	11.0	0.1	0.0	-37.3
-17.7	-0.0			8805	13.2	-0.7	-0.0	48.0
-18.1	0.0			8803	-13.9	-0.3	-0.0	44.2
12.8	-0.0							
		INVS LU	Max	8802	349.2	238.7	0.8	421.4
-2.3	0.0			8804	254.1	-200.0	1.0	457.7
104.8	0.0			8805	-225.8	-235.0	-0.9	371.0
38.2	-0.0			8803	-282.9	207.1	-0.7	343.7
41.0	0.0							
			Min	8802	298.6	235.6	0.7	216.9
-70.9	-0.0			8804	210.2	-208.1	1.0	235.6
7.8	-0.0			8805	-276.5	-237.9	-1.0	170.1
-55.3	-0.0			8803	-326.9	201.6	-0.8	155.7
-24.2	-0.0							
		INVS LE	Max	8802	255.5	175.0	0.6	310.9
-5.0	0.0			8804	182.9	-146.4	0.8	338.2
76.3	0.0			8805	-167.0	-172.3	-0.7	267.4
26.5	-0.0			8803	-208.2	150.9	-0.6	247.9
27.8	0.0							
			Min	8802	221.7	172.9	0.5	174.5
-50.7	-0.0			8804	153.6	-151.8	0.7	190.1
11.7	-0.0			8805	-200.8	-174.2	-0.8	133.4
-35.8	-0.0			8803	-237.6	147.3	-0.6	122.6
-15.7	-0.0							
11358	2	4	C1-C2;~1	Max	8803	0.0	0.0	0.0
0.0	0.0	0.0			8805	0.0	0.0	0.0
0.0	0.0	0.0			6313	0.0	0.0	0.0
0.0	0.0	0.0			6311	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	8803	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	8803	123.3	142.2	0.1	-47.1
1.4	0.0			8805	230.1	-134.0	-0.0	-55.3
-10.9	-0.0			6313	-92.6	-145.9	-0.0	67.3
-15.3	-0.0			6311	-260.8	138.4	-0.0	67.8
10.4	-0.0							
			G2	8803	50.4	57.0	0.0	-21.4
3.2	0.0			8805	89.2	-52.1	0.0	-24.6
-7.0	-0.0			6313	-37.8	-58.7	-0.0	46.2
-9.9	-0.0			6311	-101.8	53.8	-0.0	45.9
8.1	-0.0							
			Q3	8803	0.0	0.0	0.0	0.0
0.0	0.0			8805	0.0	0.0	0.0	0.0
0.0	0.0			6313	0.0	0.0	0.0	0.0
0.0	0.0			6311	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8803	21.2	-2.6	0.2	65.2
-10.3	0.0			8805	-18.8	-1.9	0.2	69.4
17.3	-0.0			6313	-24.0	0.1	-0.2	66.1
-0.4	0.0			6311	21.6	4.5	-0.2	62.4
4.3	-0.0							
			Q5_pc Y	8803	-19.0	2.9	-0.1	-47.7
5.4	-0.0			8805	24.6	-2.2	-0.2	-51.7
-9.7	0.0			6313	23.8	-2.3	0.2	-57.3
2.8	0.0			6311	-29.4	1.5	0.1	-54.7
-5.3	0.0							
			Q5_ps X	8803	18.4	-3.6	0.1	63.1
-10.7	0.0			8805	-19.1	-0.7	0.2	67.1
17.4	-0.0			6313	-21.5	1.3	-0.2	55.1
1.1	0.0			6311	22.2	3.1	-0.1	51.6
2.6	-0.0							
			Q5_ps Y	8803	-19.3	1.9	-0.1	-44.4
4.6	-0.0			8805	22.2	-1.1	-0.2	-48.1
-8.5	0.0			6313	23.6	-1.2	0.2	-59.0
3.6	0.0							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-5.9	0.0			6311	-26.5	0.4	0.1	-56.6	
			INVS LU	Max	8803	124.6	247.2	-0.0	-154.9
53.9	0.0				8805	508.7	-209.0	0.0	-169.5
-30.4	-0.0				6313	29.6	-239.5	0.5	193.2
-42.2	-0.0				6311	-525.6	216.4	0.5	170.0
36.4	-0.0								
				Min	8803	66.8	236.3	-0.4	-344.1
21.9	-0.0				8805	442.1	-212.9	-0.6	-370.8
-82.6	-0.0				6313	-41.2	-243.7	-0.1	16.1
-53.1	-0.0				6311	-605.1	207.2	0.0	0.3
18.5	-0.0								
			INVS LE	Max	8803	86.2	180.9	-0.0	-122.1
39.3	0.0				8805	372.6	-152.5	0.0	-133.0
-24.1	-0.0				6313	24.0	-175.5	0.4	141.3
-32.1	-0.0				6311	-391.3	157.2	0.3	123.8
27.1	-0.0								
				Min	8803	47.6	173.6	-0.3	-248.2
18.0	-0.0				8805	328.2	-155.1	-0.4	-267.2
-58.9	-0.0				6313	-23.1	-178.2	-0.0	23.2
-39.4	-0.0				6311	-444.3	151.1	0.0	10.7
15.3	-0.0								
11391	2	4	C1-C2;~1	Max	8830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8832	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	8830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8832	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8831	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	8830	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8832	0.0	0.0	0.0	0.0
0.0	0.0	0.0			8833	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8830	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8830	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8830	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8830	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	8830	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8830	29.0	63.7	-0.1	-194.3
57.3	-0.0		8832	109.8	-45.2	-0.3	-247.0
-59.3	0.0		8833	-40.1	-64.6	0.3	84.2
-44.6	-0.0		8831	-98.7	46.8	0.1	59.8
40.0	-0.0						
		G2	8830	13.1	27.4	-0.0	-73.8
21.8	-0.0		8832	42.1	-16.6	-0.1	-93.4
-22.6	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-17.3	-0.0		8833	-17.7	-27.2	0.1	32.9
15.5	-0.0		8831	-37.6	16.4	0.1	23.2
0.0	0.0	Q3	8830	0.0	0.0	0.0	0.0
0.0	0.0		8832	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0		8831	0.0	0.0	0.0	0.0
-5.6	0.0	Q5_pc X	8830	4.4	0.3	0.0	12.5
4.7	-0.0		8832	-0.5	-2.2	0.0	15.4
4.0	0.0		8833	-3.8	-0.9	-0.0	-8.4
-4.9	0.0		8831	-0.1	2.8	-0.0	-6.6
8.2	0.0	Q5_pc Y	8830	-3.6	1.2	0.0	-19.4
-7.5	0.0		8832	7.7	-1.6	-0.0	-25.0
-6.8	-0.0		8833	4.2	-1.7	0.0	21.2
7.8	-0.0		8831	-8.3	2.1	-0.0	17.5
-5.0	0.0	Q5_ps X	8830	3.5	-0.4	0.0	11.2
4.2	-0.0		8832	-0.3	-2.1	0.0	13.6
3.7	0.0		8833	-2.9	-0.4	-0.0	-7.9
-4.5	0.0		8831	-0.3	2.9	-0.0	-6.2
8.1	0.0	Q5_ps Y	8830	-4.3	0.3	0.0	-19.3
-7.3	0.0		8832	7.4	-1.4	-0.0	-24.8
-6.6	-0.0		8833	4.8	-1.1	0.0	20.2
7.6	-0.0		8831	-7.9	2.1	-0.0	16.7
-73.9	-0.0	INVSLU Max	8830	192.2	111.6	-0.4	113.1
84.5	-0.0		8832	91.1	-93.9	-0.7	145.1
116.0	0.0		8833	-221.6	-111.7	0.7	-516.6
-113.2	0.0		8831	-25.1	105.2	0.5	-434.4
		Min	8830	179.3	109.5	-0.4	55.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-98.1	-0.0			8832	69.0	-100.2	-0.8	70.7
62.5	-0.0			8833	-236.1	-114.9	0.7	-577.1
96.3	0.0			8831	-48.8	96.4	0.5	-484.5
-136.0	0.0							
		INVSLE	Max	8830	147.9	81.0	-0.3	105.9
-66.6	-0.0			8832	59.3	-69.9	-0.6	134.9
71.2	-0.0			8833	-171.7	-81.6	0.5	-420.0
94.6	0.0			8831	-11.0	78.0	0.4	-353.3
-95.8	0.0							
			Min	8830	139.2	79.6	-0.3	67.4
-82.8	-0.0			8832	44.5	-74.1	-0.6	85.4
56.5	-0.0			8833	-181.3	-83.7	0.5	-460.3
81.5	0.0			8831	-26.9	72.2	0.4	-386.7
-111.1	0.0							
11392	2	4	C1-C2;~1	Max	8831	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0		Min	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0		Min	8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8831	62.9	66.1	-0.1	-61.6
5.6	-0.0			8833	75.3	-40.4	-0.6	-83.0
-8.8	-0.0			6341	-74.1	-68.9	0.6	-195.9
19.3	-0.0			6339	-64.2	44.0	0.1	-155.7
-14.2	0.0							
		G2		8831	26.9	28.2	-0.0	-23.8
4.8	-0.0			8833	27.9	-14.5	-0.2	-32.4
-4.5	-0.0			6341	-31.5	-29.0	0.2	-57.3
5.4	0.0			6339	-23.3	15.3	0.0	-41.3
-0.5	-0.0							
		Q3		8831	0.0	0.0	0.0	0.0
0.0	0.0			8833	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0			6339	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-3.7	0.0	Q5_pc X	8831	3.6	1.6	-0.0	6.7
2.1	0.0		8833	2.0	-2.7	0.0	8.3
0.2	-0.0		6341	-3.0	-1.7	-0.0	3.0
-2.9	0.0		6339	-2.6	2.8	0.0	-0.2
2.8	-0.0	Q5_pc Y	8831	-6.2	0.8	-0.0	-17.7
-2.0	-0.0		8833	9.3	-1.2	-0.1	-21.1
3.0	-0.0		6341	7.1	-1.2	0.1	-34.9
-2.5	0.0		6339	-10.2	1.7	0.0	-29.8
-4.1	0.0	Q5_ps X	8831	2.5	1.0	-0.0	6.3
2.3	0.0		8833	2.2	-2.6	0.0	7.9
0.8	-0.0		6341	-1.9	-1.2	-0.0	-2.7
-4.0	0.0		6339	-2.8	2.8	0.0	-5.7
2.1	-0.0	Q5_ps Y	8831	-6.8	0.1	-0.1	-16.9
-1.7	-0.0		8833	8.9	-1.0	-0.1	-20.1
3.5	-0.0		6341	7.7	-0.7	0.1	-38.4
-3.5	0.0		6339	-9.9	1.6	0.1	-33.5
-87.7	0.0	INVSLE Max	8831	344.9	123.4	0.8	487.6
77.6	0.0		8833	-90.1	-66.2	1.6	576.7
8.2	-0.0		6341	-398.6	-111.1	-1.4	343.5
-15.1	-0.0		6339	193.8	66.2	-0.6	281.1
-100.0	0.0	Min	8831	324.5	120.4	0.7	436.9
70.8	0.0		8833	-116.9	-73.9	1.3	516.5
-2.2	-0.0		6341	-421.8	-114.6	-1.7	228.2
-27.3	-0.0		6339	164.2	57.8	-0.8	180.5
-71.1	0.0	INVSLE Max	8831	265.4	90.9	0.7	389.4
61.5	0.0		8833	-79.8	-49.1	1.3	459.9
			6341	-309.3	-81.6	-1.2	283.7


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.9	-0.0			6339	157.0	48.1	-0.5	232.1
-10.9	-0.0							
			Min	8831	251.8	88.9	0.5	355.6
-79.3	0.0			8833	-97.7	-54.2	1.1	419.8
57.0	0.0			6341	-324.8	-83.9	-1.4	206.9
-3.0	-0.0			6339	137.2	42.5	-0.6	165.0
-19.0	-0.0							
11393	2	10	C1-C2;~1	Max	8832	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0
0.0		0.0			8833	0.0	0.0	0.0
0.0		0.0						
			Min	8832	0.0	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0
0.0		0.0			8833	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	8832	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0
0.0		0.0			8833	0.0	0.0	0.0
0.0		0.0						
			Min	8832	0.0	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0
0.0		0.0			8833	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	8832	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0
0.0		0.0			8833	0.0	0.0	0.0
0.0		0.0						
			Min	8832	0.0	0.0	0.0	0.0
0.0		0.0			8834	0.0	0.0	0.0
0.0		0.0			8835	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	8832	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8835	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8832	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8835	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
0.0	0.0						
58.6	0.0	G1	8832	14.4	57.7	-0.2	-218.0
-79.1	-0.0		8834	107.4	-36.0	-0.3	-236.3
-65.5	0.0		8835	-28.5	-60.4	0.2	86.9
44.5	-0.0		8833	-93.3	39.3	0.2	78.0
22.3	0.0	G2	8832	7.3	23.7	-0.1	-82.4
-30.1	-0.0		8834	41.0	-13.5	-0.1	-89.5
-25.1	0.0		8835	-13.2	-24.9	0.1	33.8
17.1	-0.0		8833	-35.2	14.7	0.1	30.5
0.0	0.0	Q3	8832	0.0	0.0	0.0	0.0
0.0	0.0		8834	0.0	0.0	0.0	0.0
0.0	0.0		8835	0.0	0.0	0.0	0.0
0.0	0.0		8833	0.0	0.0	0.0	0.0
-4.7	-0.0	Q5_pc X	8832	4.6	1.5	0.0	12.7
4.1	0.0		8834	-0.1	-2.3	0.0	12.9
3.6	-0.0		8835	-3.7	-1.3	-0.0	-6.9
-4.0	0.0		8833	-0.8	2.0	-0.0	-6.9
7.5	0.0	Q5_pc Y	8832	-3.8	1.9	-0.0	-21.6

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-8.9	-0.0			8834	7.6	-0.9	-0.0	-22.8
				8835	4.2	-2.0	0.0	19.0
-8.4	0.0			8833	-8.0	1.1	0.0	17.8
6.8	-0.0							
		Q5_ps X		8832	3.7	1.2	0.0	11.2
-4.2	-0.0			8834	0.1	-2.1	0.0	11.4
3.7	0.0			8835	-2.8	-1.0	-0.0	-6.5
3.3	-0.0			8833	-1.0	1.8	-0.0	-6.5
-3.7	0.0							
		Q5_ps Y		8832	-4.4	1.5	-0.0	-21.4
7.4	0.0			8834	7.2	-0.7	-0.0	-22.5
-8.7	-0.0			8835	4.9	-1.6	0.0	18.1
-8.1	0.0			8833	-7.7	0.8	0.0	16.9
6.6	-0.0							
		INVS LU Max		8832	162.2	102.9	-0.5	116.0
-63.3	-0.0			8834	75.9	-71.3	-0.6	119.4
112.3	-0.0			8835	-204.2	-97.7	0.7	-472.9
144.2	-0.0			8833	2.4	77.4	0.5	-438.4
-96.3	0.0							
		Min		8832	149.0	98.5	-0.5	51.8
-85.4	-0.0			8834	54.2	-77.5	-0.6	51.8
86.2	-0.0			8835	-218.8	-102.6	0.7	-527.3
119.8	-0.0			8833	-20.7	72.0	0.5	-489.2
-116.2	0.0							
		INVS LE Max		8832	125.1	75.0	-0.4	109.0
-57.2	-0.0			8834	48.0	-52.8	-0.5	112.9
93.6	-0.0			8835	-158.4	-71.3	0.5	-383.2
117.5	-0.0			8833	9.6	56.7	0.4	-355.6
-81.5	0.0							
		Min		8832	116.3	72.0	-0.4	66.3
-71.9	-0.0			8834	33.5	-56.9	-0.5	67.8
76.2	-0.0			8835	-168.1	-74.5	0.5	-419.4
101.2	-0.0			8833	-5.8	53.1	0.3	-389.5
-94.8	0.0							


PROJECT TITLE :

MIDAS	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
11394	2	10	C1-C2;~1	Max	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0		Min	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0								
			C3-C4;~1	Max	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0		Min	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0								
			C1-C2;~2	Max	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0		Min	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0								
			C3-C4;~2	Max	8833	0.0	0.0	0.0	0.0	
0.0		0.0			8835	0.0	0.0	0.0	0.0	
0.0		0.0			6343	0.0	0.0	0.0	0.0	
0.0		0.0			6341	0.0	0.0	0.0	0.0	
0.0		0.0								

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	8833	0.0	0.0	0.0	0.0
0.0	0.0			8835	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
			G1	8833	58.1	65.7	-0.3	-79.2
8.9	-0.0			8835	71.6	-38.0	-0.5	-87.0
-24.7	0.0			6343	-69.0	-64.5	0.4	-180.8
11.6	-0.0			6341	-60.7	37.4	0.3	-169.8
-20.5	-0.0							
			G2	8833	25.0	27.0	-0.1	-31.0
4.7	-0.0			8835	26.7	-14.3	-0.2	-33.9
-10.4	0.0			6343	-28.9	-26.7	0.1	-57.4
2.7	-0.0			6341	-22.8	14.0	0.1	-53.1
-5.6	0.0							
			Q3	8833	0.0	0.0	0.0	0.0
0.0	0.0			8835	0.0	0.0	0.0	0.0
0.0	0.0			6343	0.0	0.0	0.0	0.0
0.0	0.0			6341	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8833	2.7	1.5	0.0	6.9
-2.1	0.0			8835	2.1	-2.1	0.0	6.9
2.0	-0.0			6343	-2.4	-1.6	-0.0	4.3
0.4	0.0			6341	-2.3	2.2	-0.0	4.1
-0.3	-0.0							
			Q5_pc Y	8833	-5.5	1.8	-0.1	-17.9
2.0	-0.0			8835	9.3	-1.2	-0.1	-19.0
-3.6	0.0			6343	6.3	-1.8	0.1	-29.3
2.0	-0.0			6341	-10.1	1.3	0.1	-28.3
-3.2	-0.0							
			Q5_ps X	8833	1.8	1.2	0.0	6.5
-2.3	0.0			8835	2.2	-1.8	0.0	6.5
2.2	-0.0			6343	-1.6	-1.3	-0.0	0.3
0.9	0.0							

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.0	-0.0		6341	-2.3	1.9	-0.0	0.1
		Q5_ps Y	8833	-6.1	1.3	-0.1	-17.0
1.6	-0.0		8835	8.9	-0.9	-0.1	-18.1
-3.2	0.0		6343	6.7	-1.4	0.1	-31.5
2.4	0.0		6341	-9.5	0.9	0.1	-30.6
-3.7	-0.0						
		INVS LU Max	8833	350.6	110.6	1.0	489.7
-70.6	0.0		8835	-123.5	-55.5	1.3	528.0
99.0	-0.0		6343	-410.6	-101.7	-1.1	308.1
16.3	-0.0		6341	230.2	57.0	-0.9	295.5
5.7	-0.0						
		Min	8833	332.4	106.6	0.8	438.5
-77.5	0.0		8835	-150.1	-60.9	1.1	473.6
89.5	-0.0		6343	-430.7	-105.7	-1.3	213.6
9.1	-0.0		6341	201.7	51.3	-1.1	203.8
-5.5	-0.0						
		INVS LE Max	8833	269.4	80.7	0.8	390.0
-56.9	0.0		8835	-105.3	-40.6	1.1	420.0
79.1	-0.0		6343	-318.1	-74.2	-0.9	254.3
10.9	-0.0		6341	185.1	41.2	-0.7	243.8
5.9	-0.0						
		Min	8833	257.3	78.1	0.7	355.9
-61.5	0.0		8835	-123.0	-44.2	0.9	383.8
72.8	-0.0		6343	-331.5	-76.9	-1.0	191.3
6.2	-0.0		6341	166.1	37.3	-0.9	182.7
-1.5	-0.0						
11429	2	10 C1-C2;~1 Max	8862	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0		8863	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8862	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8863	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8862	0.0	0.0	0.0
0.0	0.0			8864	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0
0.0	0.0			8863	0.0	0.0	0.0
0.0	0.0						
81.4	0.0	G1		8862	-104.9	-32.8	-0.3
				8864	-9.1	54.7	-0.2
-59.8	-0.0						

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


-45.6	0.0		8865	90.3	36.0	0.2	79.7
67.1	-0.0		8863	23.7	-57.3	0.2	88.4
31.0	0.0	G2	8862	-40.1	-12.3	-0.1	-91.9
-22.8	-0.0		8864	-5.3	22.5	-0.1	-84.8
-17.6	0.0		8865	34.0	13.5	0.1	31.2
25.7	-0.0		8863	11.3	-23.7	0.1	34.4
0.0	0.0	Q3	8862	0.0	0.0	0.0	0.0
0.0	0.0		8864	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0		8863	0.0	0.0	0.0	0.0
1.2	0.0	Q5_pc X	8862	2.3	2.7	0.0	-3.5
-1.8	-0.0		8864	4.8	-2.6	-0.0	-3.9
-1.7	0.0		8865	-2.0	-3.0	0.0	3.8
1.1	-0.0		8863	-5.1	2.9	-0.0	3.7
9.5	0.0	Q5_pc Y	8862	-4.7	1.8	-0.0	-25.9
-8.5	-0.0		8864	8.1	-0.8	-0.0	-25.0
-7.6	0.0		8865	4.7	-1.9	0.0	17.5
8.6	-0.0		8863	-8.1	0.9	0.0	18.4
1.3	-0.0	Q5_ps X	8862	2.3	2.8	0.0	-3.7
-1.8	-0.0		8864	5.1	-2.8	-0.0	-4.1
-1.7	0.0		8865	-1.9	-3.1	0.0	3.6
1.1	-0.0		8863	-5.5	3.1	0.0	3.5
9.3	0.0	Q5_ps Y	8862	-4.6	1.8	-0.0	-25.5
-8.3	-0.0		8864	8.3	-1.0	-0.0	-24.6
-7.3	0.0		8865	4.8	-1.9	0.0	16.6
8.3	-0.0		8863	-8.5	1.1	0.0	17.5

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

-93.4	0.0	INVSLU	Max	8862	-59.2	-75.7	-0.6	145.7
				8864	-154.0	109.4	-0.5	142.7
93.5	0.0			8865	18.2	84.3	0.5	-450.1
121.8	-0.0			8863	234.3	-99.7	0.7	-486.5
-127.5	0.0							
			Min	8862	-73.1	-84.0	-0.6	69.3
-121.4	0.0			8864	-179.0	101.1	-0.5	68.9
68.5	0.0			8865	3.9	75.2	0.4	-499.9
99.8	-0.0			8863	209.0	-108.8	0.7	-539.0
-152.4	0.0							
		INVSLE	Max	8862	-37.3	-56.8	-0.5	133.7
-82.2	0.0			8864	-121.6	80.2	-0.4	130.1
78.2	0.0			8865	4.8	62.3	0.3	-364.9
99.2	-0.0			8863	180.3	-73.4	0.5	-393.9
-107.4	0.0							
			Min	8862	-46.6	-62.3	-0.5	82.7
-100.8	0.0			8864	-138.2	74.6	-0.4	80.9
61.5	0.0			8865	-4.7	56.2	0.3	-398.1
84.5	-0.0			8863	163.4	-79.6	0.5	-428.8
-124.1	0.0							
11430	2	10	C1-C2;~1	Max	8863	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0
0.0		0.0			6371	0.0	0.0	0.0
0.0		0.0						
			Min	8863	0.0	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0
0.0		0.0			6371	0.0	0.0	0.0
0.0		0.0						
		C3-C4;~1	Max	8863	0.0	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0			6373	0.0	0.0	0.0
0.0		0.0			6371	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			Min	8863	0.0	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0			6371	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8863	0.0	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0			6371	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8863	0.0	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0			6371	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8863	0.0	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0			6371	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8863	0.0	0.0	0.0	0.0
0.0	0.0			8865	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0			6371	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8863	-67.3	-34.6	-0.5	-88.5
25.2	-0.0			8865	-54.0	62.4	-0.3	-80.9
-9.2	0.0			6373	55.9	34.1	0.3	-174.3
21.1	0.0			6371	65.3	-61.2	0.4	-185.1
-11.9	0.0							
		G2		8863	-25.1	-13.0	-0.2	-34.5
10.6	-0.0			8865	-23.3	25.7	-0.1	-31.7
-4.8	0.0			6373	21.0	12.7	0.1	-55.1
5.8	-0.0			6371	27.4	-25.4	0.2	-59.2
-2.8	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


0.0	0.0	Q3	8863	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0		6371	0.0	0.0	0.0	0.0
0.2	-0.0	Q5_pc X	8863	1.7	3.1	-0.0	-3.7
-0.4	0.0		8865	6.0	-3.2	-0.0	-3.8
1.1	-0.0		6373	-1.5	-2.9	0.0	-8.3
-0.9	-0.0		6371	-6.3	3.1	0.0	-8.2
3.3	-0.0	Q5_pc Y	8863	-4.8	1.9	-0.1	-18.4
-2.1	0.0		8865	8.8	-1.4	-0.1	-17.6
3.6	0.0		6373	5.2	-1.7	0.1	-31.1
-2.3	-0.0		6371	-9.1	1.3	0.1	-31.7
-0.0	-0.0	Q5_ps X	8863	1.7	3.1	-0.0	-3.5
-0.2	0.0		8865	6.4	-3.4	-0.0	-3.6
1.5	0.0		6373	-1.5	-3.0	0.0	-10.3
-1.2	-0.0		6371	-6.5	3.2	0.0	-10.1
2.9	-0.0	Q5_ps Y	8863	-4.8	2.0	-0.1	-17.5
-1.6	0.0		8865	9.2	-1.6	-0.1	-16.7
4.2	0.0		6373	5.0	-1.8	0.1	-33.7
-2.8	-0.0		6371	-9.4	1.5	0.1	-34.3
-94.7	0.0	INVS LU Max	8863	140.7	-58.7	1.4	539.9
76.8	-0.0		8865	-337.2	118.6	1.1	500.5
3.2	0.0		6373	-204.8	63.9	-0.9	317.2
-9.2	0.0		6371	443.9	-103.8	-1.1	328.6
-103.4	0.0	Min	8863	126.3	-68.1	1.1	487.2
71.9	-0.0		8865	-364.7	108.4	0.9	450.4
			6373	-219.9	54.9	-1.1	216.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-9.4	0.0			6371	415.7	-113.5	-1.3	225.7
-17.7	0.0							
		INVSLE	Max	8863	115.8	-43.8	1.1	429.5
-76.8	0.0			8865	-262.1	87.1	0.9	398.6
61.0	-0.0			6373	-167.1	46.8	-0.8	260.8
-0.5	0.0			6371	341.8	-76.6	-0.9	270.4
-6.3	0.0							
			Min	8863	106.2	-50.1	1.0	394.4
-82.6	0.0			8865	-280.5	80.3	0.7	365.2
57.7	-0.0			6373	-177.1	40.8	-0.9	193.4
-8.9	0.0			6371	323.0	-83.1	-1.1	201.8
-11.9	0.0							
11431	2	4	C1-C2;~1	Max	8864	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8867	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0						
			Min	8864	0.0	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8867	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	8864	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8867	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0						
			Min	8864	0.0	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0			8867	0.0	0.0	0.0
0.0		0.0			8865	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	8864	0.0	0.0	0.0
0.0		0.0			8866	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0	Min	8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
60.5	-0.0	G1	8864	-107.6	-41.8	-0.3	-255.5
-62.2	0.0		8866	-22.8	60.1	-0.1	-202.8
-43.3	0.0		8867	95.7	43.6	0.1	61.5
45.6	0.0		8865	34.7	-61.2	0.3	86.4
23.1	-0.0	G2	8864	-41.3	-15.4	-0.1	-96.8
-23.7	0.0		8866	-10.7	26.0	-0.1	-77.1
-16.8	0.0		8867	36.5	15.2	0.1	23.8
17.7	0.0		8865	15.6	-25.9	0.1	33.8
0.0	0.0	Q3	8864	0.0	0.0	0.0	0.0
0.0	0.0		8866	0.0	0.0	0.0	0.0
0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0		8865	0.0	0.0	0.0	0.0
1.7	-0.0	Q5_pc X	8864	2.0	2.9	0.0	-5.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-3.0	-0.0		8866	5.9	-3.9	-0.0	-5.2
			8867	-2.0	-2.3	0.0	4.0
-2.6	0.0		8865	-5.9	3.3	0.0	4.8
1.6	0.0						
		Q5_pc Y	8864	-5.0	1.6	-0.0	-30.3
8.5	-0.0		8866	9.1	-2.5	-0.0	-24.8
-10.7	-0.0		8867	4.7	-0.7	0.0	17.0
-9.2	0.0		8865	-8.8	1.7	0.0	20.8
7.5	0.0						
		Q5_ps X	8864	1.9	2.9	-0.0	-5.9
1.8	-0.0		8866	6.3	-4.3	-0.0	-5.4
-3.0	-0.0		8867	-2.0	-2.2	0.0	3.8
-2.5	0.0		8865	-6.2	3.6	0.0	4.5
1.6	0.0						
		Q5_ps Y	8864	-4.9	1.5	-0.0	-29.8
8.3	-0.0		8866	9.4	-3.2	-0.0	-24.3
-10.5	-0.0		8867	4.7	-0.4	0.0	16.1
-8.9	0.0		8865	-9.2	2.1	0.0	19.8
7.2	0.0						
		INVSLE Max	8864	-73.6	-97.9	-0.7	179.9
-67.6	0.0		8866	-183.4	121.7	-0.4	143.0
113.0	0.0		8867	46.0	109.5	0.5	-447.7
148.5	-0.0		8865	253.3	-112.8	0.7	-530.9
-99.9	-0.0						
		Min	8864	-88.4	-106.6	-0.8	90.4
-92.5	0.0		8866	-211.6	108.7	-0.4	70.1
81.6	0.0		8867	31.9	103.0	0.5	-496.2
121.8	-0.0		8865	225.9	-123.6	0.7	-590.3
-121.4	-0.0						
		INVSLE Max	8864	-48.0	-73.6	-0.5	162.3
-60.9	0.0		8866	-144.2	88.8	-0.3	129.4
94.6	0.0		8867	25.6	81.9	0.4	-363.8
121.0	-0.0		8865	194.8	-83.3	0.5	-431.3
-84.5	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	8864	-57.9	-79.4	-0.6	102.7
-77.5	0.0			8866	-162.9	80.1	-0.3	80.8
73.6	0.0			8867	16.2	77.6	0.4	-396.1
103.2	-0.0			8865	176.5	-90.5	0.5	-470.9
-98.8	-0.0							
11432	2	4	C1-C2;~1	Max	8865	0.0	0.0	0.0
0.0	0.0	0.0			8867	0.0	0.0	0.0
0.0	0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0	0.0			6373	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8865	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	8865	0.0	0.0	0.0
0.0	0.0	0.0			8867	0.0	0.0	0.0
0.0	0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0	0.0			6373	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8865	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	8865	0.0	0.0	0.0
0.0	0.0	0.0			8867	0.0	0.0	0.0
0.0	0.0	0.0			6375	0.0	0.0	0.0
0.0	0.0	0.0			6373	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8865	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8867	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6375	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6373	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	C3-C4 ; ~2	Max	8865	0.0	0.0	0.0	0.0
0.0	0.0			8867	0.0	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.0	0.0		Min	8865	0.0	0.0	0.0	0.0
0.0	0.0			8867	0.0	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
9.2	0.0	G1		8865	-71.0	-37.1	-0.6	-85.2
-6.6	0.0			8867	-58.9	62.6	-0.1	-63.2
14.5	-0.0			6375	59.3	40.8	0.1	-161.4
-19.8	0.0			6373	70.6	-65.5	0.6	-202.2
4.7	0.0	G2		8865	-26.2	-13.3	-0.2	-33.4
-5.1	0.0			8867	-25.3	26.8	-0.0	-24.5
0.7	0.0			6375	21.4	14.1	0.0	-43.8
-5.6	-0.0			6373	30.1	-27.6	0.2	-60.0
0.0	0.0	Q3		8865	0.0	0.0	0.0	0.0
0.0	0.0			8867	0.0	0.0	0.0	0.0
0.0	0.0			6375	0.0	0.0	0.0	0.0
0.0	0.0			6373	0.0	0.0	0.0	0.0
0.5	0.0	Q5_pc X		8865	1.8	2.9	-0.0	-4.8
-0.6	0.0			8867	6.2	-3.5	-0.0	-4.1
1.3	-0.0			6375	-1.5	-2.8	0.0	-10.5
-1.0	-0.0			6373	-6.5	3.5	0.0	-11.4
2.2	0.0	Q5_pc Y		8865	-4.7	1.6	-0.1	-20.7
-2.6	0.0			8867	9.3	-2.6	-0.1	-17.2
3.4	-0.0			6375	5.2	-1.1	0.1	-34.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-3.4	0.0			6373	-9.8	2.1	0.1	-39.5
			Q5_ps X	8865	1.7	2.8	-0.0	-4.5
0.3	0.0			8867	6.5	-3.8	-0.0	-3.9
-0.2	0.0			6375	-1.4	-2.7	0.0	-13.3
2.0	-0.0			6373	-6.9	3.7	0.0	-14.2
-1.4	0.0							
			Q5_ps Y	8865	-4.8	1.5	-0.1	-19.7
1.8	0.0			8867	9.7	-3.1	-0.1	-16.4
-1.8	0.0			6375	5.4	-0.8	0.1	-38.6
4.6	-0.0			6373	-10.3	2.4	0.1	-43.5
-3.9	0.0							
			INVS LU Max	8865	107.5	-70.8	1.7	589.8
-71.8	-0.0			8867	-329.9	133.4	0.8	499.4
102.8	-0.0			6375	-167.6	70.6	-0.6	304.0
30.2	0.0			6373	435.2	-112.6	-1.4	371.7
5.9	0.0							
			Min	8865	93.1	-79.3	1.4	530.7
-77.2	-0.0			8867	-359.1	121.8	0.7	450.3
97.5	-0.0			6375	-183.7	62.6	-0.8	188.3
16.3	0.0			6373	404.3	-123.7	-1.8	241.2
-5.8	0.0							
			INVS LE Max	8865	90.4	-53.2	1.4	470.4
-57.8	-0.0			8867	-257.1	98.6	0.7	398.9
82.0	-0.0			6375	-138.4	52.0	-0.5	249.9
21.2	0.0			6373	335.2	-83.6	-1.2	305.7
6.0	0.0							
			Min	8865	80.9	-58.8	1.2	431.0
-61.3	-0.0			8867	-276.5	90.9	0.6	366.1
78.5	-0.0			6375	-149.1	46.6	-0.6	172.8
11.9	0.0			6373	314.6	-91.1	-1.4	218.8
-1.8	0.0							
11471	2	8	C1-C2;~1 Max	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0		Min	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0		Min	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0		Min	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			8897	0.0	0.0	0.0	0.0
0.0	0.0		Min	8896	0.0	0.0	0.0	0.0
0.0	0.0			8898	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8899	0.0	0.0	0.0	0.0
0.0	0.0		8897	0.0	0.0	0.0	0.0
-46.1	-0.0	G1	8896	-155.3	-130.0	0.4	76.3
-97.9	0.0		8898	-209.9	161.9	-0.2	1.5
-66.4	0.0		8899	178.3	128.2	-0.1	33.5
-18.0	-0.0		8897	186.8	-159.3	-0.2	47.5
-18.1	-0.0	G2	8896	-61.3	-48.5	0.2	30.1
-38.4	0.0		8898	-83.6	68.3	-0.1	1.7
-25.8	0.0		8899	70.3	46.7	-0.0	18.8
-7.0	-0.0		8897	74.7	-66.5	-0.1	21.9
0.0	0.0	Q3	8896	0.0	0.0	0.0	0.0
0.0	0.0		8898	0.0	0.0	0.0	0.0
0.0	0.0		8899	0.0	0.0	0.0	0.0
0.0	0.0		8897	0.0	0.0	0.0	0.0
-0.7	0.0	Q5_pc X	8896	6.4	0.9	-0.0	0.7
-3.6	0.0		8898	0.2	-4.7	-0.0	2.3
-5.4	-0.0		8899	-7.0	-0.6	-0.0	-1.5
-2.3	0.0		8897	0.4	4.4	0.0	-6.1
8.0	-0.0	Q5_pc Y	8896	-4.9	-1.5	-0.0	-7.7
22.3	0.0		8898	8.7	-6.0	0.0	3.8
19.6	0.0		8899	4.5	3.0	0.0	-3.6
7.1	0.0		8897	-8.3	4.5	-0.0	4.6
-0.4	0.0	Q5_ps X	8896	6.9	1.2	-0.0	0.3
-3.2	0.0		8898	0.8	-5.3	-0.0	2.0
-5.0	-0.0		8899	-7.4	-0.9	-0.0	-1.9
-2.1	0.0		8897	-0.4	5.0	0.0	-6.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

8.0	-0.0	Q5_ps Y		8896	-3.1	-1.2	-0.1	-7.8
				8898	10.3	-8.8	0.0	3.4
22.2	0.0			8899	2.7	3.1	0.0	-6.0
19.5	0.0			8897	-9.9	7.0	-0.0	2.8
7.0	0.0							
		INVS LU	Max	8896	-248.3	-230.9	1.1	191.9
-51.4	-0.0			8898	-359.2	283.9	-0.4	20.6
-116.1	0.0			8899	342.5	236.9	0.2	80.2
-25.9	0.0			8897	316.8	-258.7	-0.7	179.5
24.7	-0.0							
			Min	8896	-269.1	-234.6	1.0	168.5
-75.5	-0.0			8898	-390.2	257.5	-0.5	10.3
-182.8	0.0			8899	320.3	227.6	0.1	62.2
-84.4	0.0			8897	287.1	-279.6	-0.8	161.0
3.6	-0.0							
		INVS LE	Max	8896	-181.0	-170.0	0.9	144.3
-40.1	-0.0			8898	-267.4	207.9	-0.3	15.3
-92.6	0.0			8899	250.4	173.8	0.1	59.8
-24.3	0.0			8897	232.5	-190.8	-0.6	133.0
17.0	-0.0							
			Min	8896	-194.9	-172.5	0.8	128.7
-56.2	-0.0			8898	-288.1	190.2	-0.4	8.4
-137.1	0.0			8899	235.6	167.7	0.1	47.8
-63.3	0.0			8897	212.8	-204.7	-0.6	120.7
2.9	-0.0							
11472	2	8 C1-C2;~1	Max	8897	0.0	0.0	0.0	0.0
0.0				8899	0.0	0.0	0.0	0.0
0.0				6407	0.0	0.0	0.0	0.0
0.0				6405	0.0	0.0	0.0	0.0
0.0								
			Min	8897	0.0	0.0	0.0	0.0
0.0				8899	0.0	0.0	0.0	0.0
0.0				6407	0.0	0.0	0.0	0.0
0.0				6405	0.0	0.0	0.0	0.0
0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4; ~1	Max	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0		Min	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0		Min	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0		Min	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8897	-227.1	-124.9	0.1	-48.3
15.4	-0.0			8899	-139.9	160.3	-0.1	-40.4
-30.9	0.0			6407	252.3	131.2	0.1	17.5
-12.2	0.0			6405	114.7	-165.7	-0.0	42.0
14.8	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			G2	8897	-87.3	-44.0	0.0	-22.3
9.5	-0.0			8899	-54.8	69.9	-0.0	-17.0
-9.2	0.0			6407	97.6	42.8	0.0	18.0
-1.3	0.0			6405	44.6	-68.7	-0.0	30.4
11.1	0.0							
			Q3	8897	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0			6405	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8897	5.7	1.0	0.0	6.2
-2.0	0.0			8899	-2.4	-1.6	-0.0	3.9
-4.1	-0.0			6407	-5.1	-1.0	-0.0	1.2
-1.4	0.0			6405	1.8	1.6	-0.0	0.8
-1.3	-0.0							
			Q5_pc Y	8897	-6.0	-2.5	-0.1	-4.2
0.0	0.0			8899	5.9	-4.4	0.0	3.0
11.7	0.0			6407	5.9	4.5	-0.0	-11.6
3.8	0.0			6405	-5.8	2.5	0.1	-20.9
-4.0	-0.0							
			Q5_ps X	8897	6.0	1.1	0.0	6.3
-2.1	0.0			8899	-1.7	-2.6	-0.0	3.9
-4.0	-0.0			6407	-5.6	-0.9	-0.0	0.4
-1.5	0.0			6405	1.2	2.4	-0.0	-0.3
-1.6	-0.0							
			Q5_ps Y	8897	-4.8	-3.4	-0.1	-2.4
-1.1	0.0			8899	6.7	-8.4	0.0	3.8
10.9	0.0			6407	4.5	6.9	-0.0	-15.7
3.0	0.0			6405	-6.4	4.9	0.1	-25.5
-5.6	-0.0							
			INVSLU Max	8897	-487.9	-234.4	-0.1	-164.9
82.6	-0.0			8899	-142.8	251.7	-0.1	-97.6
29.7	0.0							

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
28.8	0.0			6407	585.4	287.1	0.3	11.6
67.9	0.0			6405	82.3	-267.9	0.2	80.2
76.2	-0.0		Min	8897	-506.0	-244.7	-0.4	-183.8
-2.9	0.0			8899	-162.8	226.6	-0.1	-109.3
19.8	0.0			6407	568.7	266.5	0.3	-35.5
51.1	0.0			6405	63.2	-282.7	-0.1	3.6
61.6	-0.0		INVSLE Max	8897	-361.4	-172.9	-0.1	-123.7
19.2	0.0			8899	-103.3	183.4	-0.1	-73.6
20.1	0.0			6407	433.1	210.9	0.3	8.4
50.4	0.0			6405	56.3	-197.0	0.1	59.5
57.4	-0.0		Min	8897	-373.5	-179.8	-0.3	-136.3
-2.5	0.0			8899	-116.6	166.7	-0.1	-81.4
14.1	0.0			6407	421.9	197.2	0.2	-22.9
39.2	0.0			6405	43.5	-206.9	-0.0	8.5
11473	2	8	C1-C2;~1	Max	8898	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8901	0.0	0.0	0.0
0.0	0.0				8899	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	8898	0.0	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8901	0.0	0.0	0.0
0.0	0.0				8899	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	8898	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0
0.0	0.0				8901	0.0	0.0	0.0
0.0	0.0				8899	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	8898	0.0	0.0	0.0	0.0
0.0	0.0				8900	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	8898	0.0	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8898	0.0	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8898	0.0	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8898	0.0	0.0	0.0	0.0
0.0	0.0			8900	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8898	-148.7	-139.0	-0.3	-1.3
111.9	0.0			8900	-223.0	166.8	0.5	76.0
37.7	0.0			8901	177.6	144.0	-0.2	40.6
9.7	0.0			8899	194.1	-171.0	-0.0	30.3
71.9	0.0							
		G2		8898	-55.8	-49.0	-0.1	0.0
43.7	0.0			8900	-86.2	67.0	0.2	28.9
14.5	0.0			8901	67.4	51.7	-0.1	18.7
3.7	0.0			8899	74.7	-69.6	-0.0	17.1
28.0	0.0							
		Q3		8898	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			8900	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			8899	0.0	0.0	0.0	0.0
7.9	0.0	Q5_pc X		8898	4.9	0.8	-0.0	4.2
5.9	-0.0			8900	1.6	-4.0	0.0	7.0
6.9	-0.0			8901	-6.2	-1.5	0.0	-9.7
10.0	-0.0			8899	-0.3	4.6	-0.0	-2.1
-21.0	0.0	Q5_pc Y		8898	-4.7	-3.6	0.0	4.4
-9.6	-0.0			8900	6.9	-4.5	-0.1	-5.1
-8.3	-0.0			8901	4.7	2.7	-0.0	0.8
-17.9	0.0			8899	-6.8	5.4	0.0	-4.6
7.4	0.0	Q5_ps X		8898	5.1	1.0	-0.0	4.1
5.9	-0.0			8900	2.3	-4.5	0.0	6.9
6.7	-0.0			8901	-6.4	-1.7	0.0	-9.4
9.4	-0.0			8899	-1.0	5.2	-0.0	-2.4
-21.0	0.0	Q5_ps Y		8898	-3.9	-4.0	0.0	4.3
-9.1	0.0			8900	8.3	-6.4	-0.1	-4.7
-7.8	-0.0			8901	3.5	2.7	-0.0	-0.7
-17.9	0.0			8899	-7.9	7.7	0.0	-6.8
199.7	0.0	INVS LU Max		8898	-256.2	-245.0	-0.4	19.3
84.6	0.0			8900	-364.7	291.9	1.2	193.8
-3.8	0.0			8901	349.1	257.5	-0.7	171.8
77.8	0.0			8899	313.3	-272.2	0.2	72.6
136.7	0.0	Min		8898	-271.4	-257.0	-0.6	6.5
57.4	0.0			8900	-389.5	272.8	1.0	173.0
-27.2	0.0			8901	329.8	249.4	-0.8	143.5
24.1	0.0			8899	289.6	-295.3	0.1	52.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


149.6	0.0	INVSLE	Max	8898	-187.4	-180.3	-0.3	14.4
64.2	0.0			8900	-270.0	213.9	0.9	146.1
-2.4	0.0			8901	255.5	188.7	-0.6	127.7
58.4	0.0			8899	229.5	-200.7	0.2	54.2
107.6	0.0		Min	8898	-197.5	-188.4	-0.4	5.9
46.0	0.0			8900	-286.5	201.1	0.8	132.3
-18.0	0.0			8901	242.6	183.3	-0.6	108.8
22.6	0.0			8899	213.7	-216.1	0.1	40.7
11474	2	8 C1-C2;~1	Max	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0		Min	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0		Min	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0		Min	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	8899	0.0	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0	Min	8899	0.0	0.0	0.0	0.0
0.0	0.0		8901	0.0	0.0	0.0	0.0
0.0	0.0		6409	0.0	0.0	0.0	0.0
0.0	0.0		6407	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8899	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8899	0.0	0.0	0.0
0.0	0.0			8901	0.0	0.0	0.0
0.0	0.0			6409	0.0	0.0	0.0
0.0	0.0			6407	0.0	0.0	0.0
0.0	0.0						
27.7	0.0	G1	8899	-232.4	-144.6	-0.1	-35.8
-26.1	0.0		8901	-137.0	166.7	0.1	-42.6
-24.5	-0.0		6409	258.8	142.2	-0.1	56.2
5.5	0.0		6407	110.6	-163.5	0.1	22.5
8.5	0.0	G2	8899	-90.2	-49.2	-0.0	-15.1
-13.1	0.0		8901	-54.8	69.6	0.1	-19.6
-14.2	-0.0		6409	100.3	51.4	-0.1	33.7
-0.6	0.0		6407	44.6	-71.9	0.1	18.8
0.0	0.0	Q3	8899	0.0	0.0	0.0	0.0
0.0	0.0		8901	0.0	0.0	0.0	0.0
0.0	0.0		6409	0.0	0.0	0.0	0.0
0.0	0.0		6407	0.0	0.0	0.0	0.0
0.0	0.0						
9.3	-0.0	Q5_pc X	8899	9.7	2.4	-0.0	4.8
5.2	-0.0		8901	-5.7	-1.9	0.1	9.8
3.0	0.0		6409	-12.8	-1.5	-0.0	5.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
7.4	0.0			6407	8.8	0.9	-0.0	4.8
-9.3	0.0	Q5_pc Y		8899	-3.6	-3.1	0.0	4.2
-1.0	-0.0			8901	6.7	-4.3	-0.1	-0.4
3.1	0.0			6409	3.1	1.7	0.0	-15.5
-1.7	0.0			6407	-6.2	5.6	-0.0	-8.4
8.8	-0.0	Q5_ps X		8899	10.1	2.4	-0.0	4.7
5.1	-0.0			8901	-4.7	-2.7	0.1	9.5
3.1	0.0			6409	-13.0	-1.8	-0.0	4.8
7.1	0.0			6407	7.6	2.1	-0.0	3.9
-8.7	0.0	Q5_ps Y		8899	-1.4	-4.4	0.0	4.9
0.2	-0.0			8901	8.4	-7.4	-0.1	1.0
4.7	0.0			6409	0.8	1.6	0.1	-19.9
-1.2	0.0			6407	-7.8	10.3	-0.0	-12.3
-37.4	0.0	INVS LU Max		8899	-464.7	-270.9	0.0	-84.1
-93.3	0.0			8901	-115.8	270.9	-0.2	-149.2
-79.0	-0.0			6409	574.2	251.4	-0.0	88.2
-67.4	0.0			6407	65.3	-214.5	0.4	2.9
-64.0	0.0	Min		8899	-494.9	-284.2	-0.1	-98.6
-108.7	0.0			8901	-141.1	248.6	-0.4	-177.7
-93.1	-0.0			6409	535.3	246.1	-0.2	28.4
-88.5	0.0			6407	41.7	-245.3	0.4	-34.2
-28.0	0.0	INVS LE Max		8899	-344.4	-199.7	0.0	-63.9
-70.2	0.0			8901	-82.9	197.7	-0.1	-113.1
-59.7	-0.0			6409	424.1	184.2	-0.0	64.7
-51.0	0.0			6407	42.6	-157.6	0.3	1.4
-45.7	0.0	Min		8899	-364.6	-208.5	-0.0	-73.6
-80.4	0.0			8901	-99.8	182.9	-0.3	-132.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-69.1	-0.0	6409	398.2	180.7	-0.1	24.9
-65.1	0.0	6407	26.9	-178.2	0.3	-23.3


11497	2	8	C1-C2;~1	Max	8920	0.0	0.0	0.0	0.0
0.0					8922	0.0	0.0	0.0	0.0
0.0					8923	0.0	0.0	0.0	0.0
0.0					8921	0.0	0.0	0.0	0.0
0.0					8920	0.0	0.0	0.0	0.0
				Min	8922	0.0	0.0	0.0	0.0
0.0					8923	0.0	0.0	0.0	0.0
0.0					8921	0.0	0.0	0.0	0.0
0.0					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
				Min	8922	0.0	0.0	0.0	0.0
0.0					8923	0.0	0.0	0.0	0.0
0.0					8921	0.0	0.0	0.0	0.0
0.0					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0
					8922	0.0	0.0	0.0	0.0
					8923	0.0	0.0	0.0	0.0
					8921	0.0	0.0	0.0	0.0
					8920	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0		8921	0.0	0.0	0.0	0.0
0.0	0.0	Min	8920	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0		8921	0.0	0.0	0.0	0.0
0.0	0.0						
-23.5	0.0	G1	8920	189.6	133.4	0.1	104.4
27.1	-0.0		8922	111.6	-121.6	0.3	130.0
15.7	0.0		8923	-159.8	-130.8	-0.3	26.5
-7.2	0.0		8921	-141.4	119.8	-0.2	30.9
-8.7	-0.0	G2	8920	74.6	53.6	0.1	40.5
9.8	-0.0		8922	42.3	-45.9	0.1	51.1
4.6	0.0		8923	-63.1	-52.2	-0.1	15.1
-1.8	0.0		8921	-53.8	44.5	-0.1	15.7
0.0	0.0	Q3	8920	0.0	0.0	0.0	0.0
0.0	0.0		8922	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0		8921	0.0	0.0	0.0	0.0
0.0	0.0						
-8.3	-0.0	Q5_pc X	8920	13.8	-1.2	-0.0	28.5
11.5	-0.0		8922	-13.0	-1.7	0.0	37.2
11.0	0.0		8923	-14.3	1.0	-0.0	-31.7
-8.2	0.0		8921	13.5	1.9	-0.0	-24.6
1.4	0.0	Q5_pc Y	8920	-3.3	-0.9	0.0	-3.1
-0.9	0.0		8922	6.1	-2.0	0.0	-4.8
-0.9	-0.0		8923	4.1	-0.3	-0.0	6.7
1.0	-0.0		8921	-6.9	3.3	-0.0	5.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	8920	13.3	-1.0	-0.0	27.0
-7.9	-0.0		8922	-12.1	-1.8	0.0	35.1
10.8	-0.0		8923	-13.7	0.9	-0.0	-30.0
10.4	0.0		8921	12.6	1.9	-0.0	-23.3
-7.7	0.0						
		Q5_ps Y	8920	-5.3	-2.7	-0.0	-3.4
1.4	0.0		8922	5.2	-1.0	-0.0	-5.4
-0.7	0.0		8923	5.9	1.1	0.0	4.2
-0.4	-0.0		8921	-5.8	2.7	-0.0	3.0
0.7	-0.0						
		INVS LU Max	8920	373.9	255.5	0.4	288.0
-25.1	0.0		8922	227.6	-217.6	0.9	360.8
57.1	0.0		8923	-242.7	-250.3	-0.8	217.9
21.6	0.0		8921	-281.2	225.9	-0.4	190.6
20.1	0.0						
		Min	8920	334.1	247.4	0.4	207.0
-48.8	0.0		8922	191.3	-223.1	0.8	255.4
24.6	-0.0		8923	-283.9	-253.6	-0.9	127.9
-9.7	0.0		8921	-318.9	218.0	-0.4	120.8
-3.1	0.0						
		INVS LE Max	8920	277.6	188.8	0.3	216.3
-20.5	0.0		8922	165.1	-161.3	0.7	271.1
42.5	0.0		8923	-182.4	-185.6	-0.6	156.9
15.8	0.0		8921	-208.6	167.2	-0.3	137.9
13.5	0.0						
		Min	8920	251.1	183.4	0.3	162.3
-36.3	0.0		8922	140.9	-165.0	0.6	200.9
20.8	-0.0		8923	-209.9	-187.8	-0.7	96.9
-5.1	0.0		8921	-233.7	161.9	-0.3	91.4
-2.0	0.0						
11498	2	8 C1-C2;~1 Max	8921	0.0	0.0	0.0	0.0
0.0			8923	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		6429	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	8921	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0		6431	0.0	0.0	0.0	0.0
0.0	0.0		6429	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	8921	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			G1	8921	106.4	143.8	-0.0	-29.3
9.4	0.0			8923	198.6	-118.3	0.1	-27.2
-1.4	0.0			6431	-79.2	-137.2	-0.1	71.2
-10.0	-0.0			6429	-225.8	112.6	0.0	55.8
10.9	0.0							
			G2	8921	42.6	57.0	0.0	-15.0
7.1	0.0			8923	75.8	-44.9	0.1	-15.4
-3.2	0.0			6431	-32.2	-54.5	-0.1	47.2
-7.0	-0.0			6429	-86.2	42.4	-0.0	41.1
9.8	-0.0							
			Q3	8921	0.0	0.0	0.0	0.0
0.0	0.0			8923	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0			6429	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	8921	12.9	-2.4	0.0	24.9
-3.2	0.0			8923	-16.0	-1.2	0.1	31.3
4.1	0.0			6431	-13.1	3.8	-0.1	38.6
-3.1	-0.0			6429	16.1	-0.2	-0.0	30.1
1.5	0.0							
			Q5_pc Y	8921	-4.2	2.0	-0.0	-5.6
-2.3	-0.0			8923	10.4	-3.6	-0.1	-6.7
1.1	-0.0			6431	5.4	-1.6	0.1	-26.5
3.2	-0.0			6429	-11.6	3.2	0.0	-25.2
-5.6	0.0							
			Q5_ps X	8921	12.4	-2.2	0.0	23.6
-3.0	0.0			8923	-15.0	-1.3	0.1	29.6
3.9	0.0			6431	-12.6	3.5	-0.1	36.6
-3.0	-0.0			6429	15.2	-0.0	-0.0	28.6
1.4	-0.0							
			Q5_ps Y	8921	-5.6	0.5	-0.0	-3.5
-3.6	-0.0			8923	8.9	-2.4	-0.1	-4.2
2.0	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
4.4	-0.0			6431	6.7	-0.3	0.1	-33.6
-7.5	0.0			6429	-10.0	2.2	0.0	-32.1
52.2	0.0	INVS LU	Max	8921	134.4	296.4	-0.1	-114.7
-19.9	0.0			8923	502.3	-205.0	0.2	-129.7
-19.8	-0.0			6431	-17.1	-285.4	0.2	183.3
53.3	-0.0			6429	-536.7	210.6	0.2	154.5
41.5	0.0		Min	8921	97.1	289.9	-0.2	-185.4
-31.5	0.0			8923	457.2	-212.3	-0.2	-218.5
-33.0	-0.0			6431	-54.9	-295.9	-0.2	73.4
30.7	-0.0			6429	-582.3	203.9	0.1	58.2
38.6	0.0	INVS LE	Max	8921	97.6	219.5	-0.1	-86.8
-15.4	0.0			8923	371.5	-151.7	0.2	-98.3
-16.1	-0.0			6431	-12.6	-212.6	0.1	137.5
39.3	-0.0			6429	-401.3	155.9	0.1	115.5
31.5	0.0		Min	8921	72.8	215.2	-0.2	-134.0
-23.1	0.0			8923	341.4	-156.6	-0.1	-157.5
-24.9	-0.0			6431	-37.8	-219.6	-0.1	64.3
24.3	-0.0			6429	-431.7	151.5	0.0	51.3
11499	2	4	C1-C2;~1	Max	8922	0.0	0.0	0.0
0.0	0.0				8924	0.0	0.0	0.0
0.0	0.0				8925	0.0	0.0	0.0
0.0	0.0				8923	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	8922	0.0	0.0	0.0	0.0
0.0	0.0				8924	0.0	0.0	0.0
0.0	0.0				8925	0.0	0.0	0.0
0.0	0.0				8923	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	8922	0.0	0.0	0.0
0.0	0.0				8924	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0	Min	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
0.0	0.0						
-27.2	-0.0	G1	8922	186.0	130.1	0.2	117.0
39.6	0.0		8924	111.7	-117.8	0.3	125.2
21.1	-0.0		8925	-158.6	-131.7	-0.2	24.6
-15.3	0.0		8923	-139.1	120.1	-0.2	20.8
-9.8	-0.0	G2	8922	73.6	51.4	0.1	46.4

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
14.7	0.0		8924	42.3	-45.2	0.1	49.8
6.8	-0.0		8925	-63.1	-52.1	-0.1	13.6
-4.5	0.0		8923	-52.9	45.9	-0.1	12.2
0.0	0.0	Q3	8922	0.0	0.0	0.0	0.0
0.0	0.0		8924	0.0	0.0	0.0	0.0
0.0	0.0		8925	0.0	0.0	0.0	0.0
0.0	0.0		8923	0.0	0.0	0.0	0.0
-11.4	-0.0	Q5_pc X	8922	16.3	1.2	-0.0	34.3
18.6	0.0		8924	-13.5	-1.0	0.0	37.4
17.4	-0.0		8925	-16.6	-1.3	-0.0	-31.7
-10.8	0.0		8923	13.8	1.1	-0.0	-29.1
0.8	0.0	Q5_pc Y	8922	-1.6	1.9	0.0	-4.7
-2.6	0.0		8924	6.9	-3.0	0.0	-5.2
-2.8	-0.0		8925	3.2	-1.4	-0.0	8.3
1.0	-0.0		8923	-8.5	2.5	-0.0	6.8
-10.8	-0.0	Q5_ps X	8922	15.5	1.3	-0.0	32.3
17.5	0.0		8924	-12.6	-1.1	0.0	35.2
16.4	-0.0		8925	-15.8	-1.4	-0.0	-29.9
-10.2	0.0		8923	12.9	1.2	-0.0	-27.5
0.7	0.0	Q5_ps Y	8922	-3.5	0.7	0.0	-5.2
-2.3	0.0		8924	5.9	-1.8	-0.0	-5.7
-2.1	-0.0		8925	5.1	-0.2	-0.0	6.0
0.5	-0.0		8923	-7.4	1.2	0.0	4.7
-24.8	0.0	INVSLU Max	8922	372.8	248.8	0.5	336.2
103.0	0.0		8924	215.8	-209.2	0.9	372.7
42.0	-0.0		8925	-235.7	-244.1	-0.8	217.2
10.1	0.0		8923	-267.7	214.5	-0.5	195.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-57.2	-0.0		Min	8922	326.2	245.0	0.5	239.4
50.5	0.0			8924	178.2	-214.7	0.8	267.2
-7.1	-0.0			8925	-283.2	-248.3	-0.8	127.4
-20.6	0.0			8923	-306.3	209.9	-0.6	113.2
-21.0	0.0	INVSLE	Max	8922	276.9	184.4	0.4	253.1
77.7	0.0			8924	155.7	-154.8	0.7	280.9
31.7	-0.0			8925	-177.6	-181.1	-0.6	156.2
5.4	0.0			8923	-198.2	158.2	-0.4	140.8
-42.6	-0.0		Min	8922	245.8	181.9	0.4	188.5
42.7	0.0			8924	130.6	-158.4	0.6	210.5
-1.0	-0.0			8925	-209.3	-183.9	-0.6	96.3
-15.0	0.0			8923	-223.9	155.2	-0.4	85.8
11500	2	4 C1-C2;~1	Max	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
			Max	8923	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1		8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0			6431	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8923	100.3	129.1	0.1	-20.1
1.0	0.0			8925	206.5	-125.0	0.1	-24.0
-1.6	-0.0			6433	-65.9	-132.1	-0.1	65.1
-11.0	-0.0			6431	-240.9	128.7	-0.1	61.9
9.8	-0.0							
		G2		8923	40.2	51.1	0.0	-12.0
3.1	0.0			8925	79.5	-47.9	0.0	-13.4
-3.4	-0.0			6433	-26.2	-52.5	-0.0	40.2
-7.7	-0.0			6431	-93.5	49.3	-0.0	38.4
7.2	-0.0							
		Q3		8923	0.0	0.0	0.0	0.0
0.0	0.0			8925	0.0	0.0	0.0	0.0
0.0	0.0			6433	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6431	0.0	0.0	0.0	0.0
-4.3	0.0	Q5_pc X	8923	16.5	-1.0	0.1	29.5
8.5	-0.0		8925	-16.5	-0.0	0.1	31.8
-1.2	-0.0		6433	-17.7	-0.0	-0.1	37.7
3.4	-0.0		6431	17.7	1.0	-0.1	35.6
-1.1	-0.0	Q5_pc Y	8923	-5.9	1.4	-0.0	-6.8
-0.0	-0.0		8925	13.1	-3.8	-0.1	-8.2
3.1	0.0		6433	7.7	-2.3	0.0	-22.2
-3.6	-0.0		6431	-15.0	4.7	0.0	-21.1
-4.1	0.0	Q5_ps X	8923	15.9	-0.8	0.1	27.9
8.0	-0.0		8925	-15.5	-0.2	0.1	30.1
-1.2	-0.0		6433	-17.1	-0.2	-0.1	35.7
3.3	-0.0		6431	16.6	1.1	-0.1	33.7
-2.1	-0.0	Q5_ps Y	8923	-7.3	0.1	-0.0	-4.7
1.1	-0.0		8925	11.1	-2.3	-0.1	-6.0
4.4	0.0		6433	8.6	-0.9	0.1	-27.5
-4.8	-0.0		6431	-12.4	3.0	0.0	-26.2
31.1	0.0	INVSLE Max	8923	94.4	249.6	0.1	-111.4
-27.3	-0.0		8925	523.1	-227.3	0.1	-126.8
-39.6	-0.0		6433	63.8	-245.6	0.2	198.9
33.1	-0.0		6431	-583.7	235.4	0.2	169.8
18.8	0.0	Min	8923	46.7	247.1	-0.2	-195.1
-51.2	-0.0		8925	476.8	-234.2	-0.2	-217.0
-52.9	-0.0		6433	12.6	-249.7	-0.2	91.8
18.7	-0.0		6431	-633.7	226.3	-0.0	68.6
22.7	0.0	INVSLE Max	8923	66.7	185.0	0.0	-84.4
			8925	386.4	-168.0	0.1	-95.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-20.3	-0.0			6433	48.0	-182.0	0.1	149.2
-30.2	-0.0			6431	-436.1	173.1	0.1	127.3
24.9	-0.0							
			Min	8923	34.9	183.4	-0.1	-140.2
14.6	0.0			8925	355.5	-172.6	-0.1	-156.1
-36.3	-0.0			6433	13.9	-184.7	-0.1	77.7
-39.0	-0.0			6431	-469.4	167.1	-0.0	59.9
15.3	-0.0							
11533	2	4	C1-C2;~1	Max	8950	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0				8953	0.0	0.0	0.0
0.0	0.0				8951	0.0	0.0	0.0
0.0	0.0							
			Min	8950	0.0	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0				8953	0.0	0.0	0.0
0.0	0.0				8951	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	8950	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0				8953	0.0	0.0	0.0
0.0	0.0				8951	0.0	0.0	0.0
0.0	0.0							
			Min	8950	0.0	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0				8953	0.0	0.0	0.0
0.0	0.0				8951	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	8950	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0
0.0	0.0				8953	0.0	0.0	0.0
0.0	0.0				8951	0.0	0.0	0.0
0.0	0.0							
			Min	8950	0.0	0.0	0.0	0.0
0.0	0.0				8952	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		8953	0.0	0.0	0.0	0.0
0.0	0.0		8951	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	8950	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0
0.0	0.0			8951	0.0	0.0	0.0
0.0	0.0						
			Min	8950	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0
0.0	0.0			8951	0.0	0.0	0.0
0.0	0.0						
			G1	8950	-0.3	58.2	-0.1
53.2	0.0			8952	122.3	-42.5	-0.3
-66.8	0.0			8953	-15.2	-60.2	0.3
-52.5	-0.0			8951	-106.8	45.2	0.1
36.3	-0.0						
			G2	8950	0.9	24.3	-0.0
20.8	-0.0			8952	46.6	-15.3	-0.1
-25.9	0.0			8953	-7.1	-24.7	0.1
-20.8	-0.0			8951	-40.4	15.8	0.0
14.6	-0.0						
			Q3	8950	0.0	0.0	0.0
0.0	0.0			8952	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0
0.0	0.0			8951	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	X	8950	8.9	1.3	0.0
-7.3	-0.0			8952	-6.2	-1.3	0.0
7.9	-0.0			8953	-8.5	-1.0	-0.0
6.9	0.0			8951	5.8	1.0	-0.0
-6.2	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	8950	-8.7	-0.5	-0.0	-21.8
7.9	0.0		8952	10.7	-1.2	-0.0	-28.5
-9.1	0.0		8953	8.6	-0.5	0.0	18.7
-7.7	-0.0		8951	-10.6	2.1	0.0	14.5
6.6	-0.0						
		Q5_ps X	8950	8.5	1.4	0.0	17.1
-6.8	-0.0		8952	-5.8	-1.2	0.0	22.0
7.4	-0.0		8953	-8.1	-1.1	-0.0	-14.3
6.4	0.0		8951	5.4	0.9	-0.0	-10.9
-5.8	0.0						
		Q5_ps Y	8950	-8.9	-1.4	-0.0	-20.7
7.4	0.0		8952	10.2	-1.2	-0.0	-27.2
-8.5	0.0		8953	8.9	0.1	0.0	16.8
-7.0	-0.0		8951	-10.2	2.5	0.0	13.0
5.9	-0.0						
		INVSLE Max	8950	220.9	131.9	-0.4	64.1
-49.4	-0.0		8952	106.6	-116.8	-0.7	92.0
78.3	-0.0		8953	-256.7	-131.7	0.7	-432.0
105.9	0.0		8951	-13.4	126.8	0.4	-361.4
-91.2	0.0						
		Min	8950	194.1	127.7	-0.4	2.1
-71.5	-0.0		8952	75.9	-120.5	-0.7	10.4
52.8	-0.0		8953	-283.5	-135.0	0.7	-482.3
84.7	-0.0		8951	-44.0	119.4	0.4	-400.3
-108.9	0.0						
		INVSLE Max	8950	172.1	97.6	-0.3	64.0
-45.8	-0.0		8952	70.8	-88.4	-0.5	89.1
65.8	-0.0		8953	-202.0	-98.0	0.5	-349.9
86.2	0.0		8951	-2.6	95.7	0.3	-292.3
-76.7	0.0						
		Min	8950	154.3	94.8	-0.3	22.7
-60.6	-0.0		8952	50.3	-90.8	-0.5	34.7
48.8	-0.0		8953	-219.8	-100.2	0.5	-383.4
72.1	-0.0		8951	-23.1	90.7	0.3	-318.3
-88.5	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

11534	2	4	C1-C2;~1	Max	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	8951	0.0	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0			6459	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	8951	0.0	0.0	0.0	0.0
0.0	0.0		8953	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0		6459	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8951	48.4	64.0	-0.1	-64.2
3.1	-0.0		8953	77.6	-39.9	-0.6	-86.7
-13.3	-0.0		6461	-63.0	-66.2	0.6	-193.2
17.9	0.0		6459	-63.0	42.7	0.1	-151.8
-15.9	0.0						
		G2	8951	20.1	26.5	-0.0	-25.8
3.8	-0.0		8953	28.6	-14.1	-0.2	-35.0
-6.3	-0.0		6461	-25.9	-27.1	0.2	-61.8
5.3	0.0		6459	-22.8	14.6	0.0	-45.4
-1.7	-0.0						
		Q3	8951	0.0	0.0	0.0	0.0
0.0	0.0		8953	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0		6459	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8951	8.4	1.8	0.0	12.1
-2.3	0.0		8953	-4.7	-1.6	0.1	15.2
2.5	0.0		6461	-8.2	-1.6	-0.1	23.8
-1.9	-0.0		6459	4.5	1.4	-0.0	19.0
1.0	-0.0						
		Q5_pc Y	8951	-8.8	-0.1	-0.0	-14.9
0.3	-0.0		8953	10.9	-1.2	-0.1	-18.5
-1.9	-0.0		6461	9.2	-0.5	0.1	-40.2
3.7	-0.0		6459	-11.3	1.8	0.0	-34.7
-5.1	0.0						
		Q5_ps X	8951	8.1	1.8	0.0	11.2
-2.0	0.0		8953	-4.4	-1.5	0.1	14.1
2.2	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-1.9	-0.0			6461	-8.0	-1.6	-0.1	23.2
1.2	-0.0			6459	4.3	1.3	-0.0	18.7
			Q5_ps Y					
-0.9	-0.0			8951	-9.2	-0.8	-0.0	-13.4
				8953	10.8	-1.3	-0.1	-16.6
-1.2	-0.0			6461	9.7	0.0	0.1	-44.2
4.4	-0.0			6459	-11.3	2.1	0.1	-39.2
-6.8	0.0							
			INVS LU Max					
-82.0	0.0			8951	422.4	142.8	0.6	405.7
				8953	-117.7	-95.4	1.3	482.1
76.6	0.0			6461	-477.9	-131.5	-1.0	225.8
23.5	0.0			6459	234.8	95.5	-0.4	185.7
-16.3	-0.0							
			Min					
-88.0	0.0			8951	394.7	137.3	0.4	365.6
				8953	-150.1	-99.9	1.0	432.4
69.9	-0.0			6461	-507.1	-136.3	-1.4	93.2
10.4	0.0			6459	201.0	89.4	-0.5	68.1
-36.8	-0.0							
			INVS LE Max					
-65.2	0.0			8951	326.8	106.6	0.4	323.0
				8953	-100.4	-72.4	1.1	383.2
60.6	0.0			6461	-372.3	-98.5	-0.9	188.4
15.7	0.0			6459	187.0	71.9	-0.3	154.4
-11.8	-0.0							
			Min					
-69.2	0.0			8951	308.3	103.0	0.4	296.3
				8953	-122.0	-75.4	0.8	350.0
56.1	-0.0			6461	-391.8	-101.7	-1.1	100.0
7.0	0.0			6459	164.5	67.8	-0.4	76.0
-25.5	-0.0							
11535	2	10	C1-C2;~1	Max	8952	0.0	0.0	0.0
0.0		0.0			8954	0.0	0.0	0.0
0.0		0.0			8955	0.0	0.0	0.0
0.0		0.0			8953	0.0	0.0	0.0
0.0		0.0						
				Min	8952	0.0	0.0	0.0
0.0		0.0			8954	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	8952	0.0	0.0	0.0	0.0
0.0	0.0			8954	0.0	0.0	0.0	0.0
0.0	0.0			8955	0.0	0.0	0.0	0.0
0.0	0.0			8953	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		8952	-11.8	54.5	-0.1	-210.9
65.9	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-94.8	-0.0		8954	121.4	-36.0	-0.3	-230.4
-78.5	0.0		8955	-5.5	-56.3	0.2	90.8
51.8	-0.0		8953	-104.1	38.4	0.2	82.1
		G2	8952	-3.5	21.9	-0.0	-80.5
25.5	0.0		8954	46.0	-13.2	-0.1	-87.9
-36.4	-0.0		8955	-3.5	-22.7	0.1	36.1
-30.3	0.0		8953	-39.1	14.0	0.1	32.9
20.4	-0.0						
		Q3	8952	0.0	0.0	0.0	0.0
0.0	0.0		8954	0.0	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		8953	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8952	8.5	0.9	0.0	20.3
-7.9	-0.0		8954	-5.8	-1.5	0.0	21.4
9.3	0.0		8955	-8.0	-0.8	-0.0	-14.2
8.4	-0.0		8953	5.4	1.4	-0.0	-13.3
-6.9	0.0						
		Q5_pc Y	8952	-8.4	1.2	-0.0	-24.9
9.0	0.0		8954	10.6	-0.7	-0.0	-26.6
-12.0	-0.0		8955	8.5	-1.2	0.0	18.1
-10.8	0.0		8953	-10.7	0.7	0.0	16.5
7.7	-0.0						
		Q5_ps X	8952	8.1	0.9	0.0	18.9
-7.4	-0.0		8954	-5.4	-1.4	0.0	20.0
8.7	0.0		8955	-7.7	-0.8	-0.0	-13.2
7.8	-0.0		8953	5.1	1.4	-0.0	-12.4
-6.4	0.0						
		Q5_ps Y	8952	-8.6	0.8	-0.0	-23.8
8.4	0.0		8954	10.3	-0.6	-0.0	-25.4
-11.3	-0.0		8955	8.9	-0.8	0.0	16.5
-10.1	0.0		8953	-10.5	0.6	0.0	14.9
7.1	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVS LU	Max	8952	193.8	125.5	-0.5	69.9
-53.2	-0.0				8954	98.4	-96.7	-0.6	67.0
103.2	-0.0				8955	-241.3	-122.5	0.7	-406.2
139.9	-0.0				8953	6.5	101.2	0.4	-371.8
-84.6	0.0								
				Min	8952	168.0	122.9	-0.5	-1.4
-78.4	-0.0				8954	67.6	-101.0	-0.7	-9.3
69.1	-0.0				8955	-267.8	-124.9	0.7	-455.6
109.6	-0.0				8953	-25.1	97.1	0.4	-416.6
-105.9	-0.0								
			INVS LE	Max	8952	151.2	93.4	-0.3	69.6
-49.0	-0.0				8954	64.9	-72.9	-0.5	68.4
86.1	-0.0				8955	-189.9	-91.2	0.5	-327.9
113.6	-0.0				8953	12.0	75.8	0.3	-300.5
-72.0	0.0								
				Min	8952	134.0	91.6	-0.4	22.0
-65.8	-0.0				8954	44.4	-75.8	-0.5	17.5
63.4	-0.0				8955	-207.6	-92.8	0.5	-360.9
93.4	-0.0				8953	-9.1	73.1	0.3	-330.4
-86.2	-0.0								
11536	2	10	C1-C2;~1	Max	8953	0.0	0.0	0.0	0.0
0.0		0.0			8955	0.0	0.0	0.0	0.0
0.0		0.0			6463	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	8953	0.0	0.0	0.0	0.0
0.0		0.0			8955	0.0	0.0	0.0	0.0
0.0		0.0			6463	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8953	0.0	0.0	0.0	0.0
0.0		0.0			8955	0.0	0.0	0.0	0.0
0.0		0.0			6463	0.0	0.0	0.0	0.0
0.0		0.0			6461	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		Min	8953	0.0	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8953	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8953	0.0	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8953	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	8953	0.0	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8953	41.8	61.7	-0.3	-84.2
14.0	-0.0		8955	74.5	-36.9	-0.5	-91.3
-31.9	0.0		6463	-56.6	-61.0	0.4	-178.3
9.2	-0.0		6461	-59.6	36.8	0.3	-168.0
-19.6	0.0						
		G2	8953	17.5	24.8	-0.1	-33.7
6.7	-0.0		8955	27.6	-13.5	-0.2	-36.3
-13.1	0.0		6463	-23.0	-24.6	0.2	-60.3
2.2	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.7	0.0		6461	-22.2	13.4	0.1	-56.4
		Q3	8953	0.0	0.0	0.0	0.0
0.0	0.0		8955	0.0	0.0	0.0	0.0
0.0	0.0		6463	0.0	0.0	0.0	0.0
0.0	0.0		6461	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8953	7.8	1.2	0.0	13.5
-2.5	0.0		8955	-4.6	-1.5	0.1	14.3
3.8	-0.0		6463	-7.6	-1.2	-0.1	20.9
-1.0	0.0		6461	4.5	1.4	-0.0	20.2
2.0	-0.0						
		Q5_pc Y	8953	-8.7	0.9	-0.1	-16.7
1.9	-0.0		8955	10.9	-0.8	-0.1	-18.2
-4.4	0.0		6463	8.8	-1.1	0.1	-33.4
2.3	0.0		6461	-11.0	0.9	0.1	-32.2
-4.1	-0.0						
		Q5_ps X	8953	7.5	1.3	0.0	12.6
-2.2	0.0		8955	-4.4	-1.4	0.1	13.3
3.5	-0.0		6463	-7.4	-1.2	-0.1	20.2
-1.1	0.0		6461	4.3	1.4	-0.0	19.5
2.0	-0.0						
		Q5_ps Y	8953	-9.2	0.5	-0.1	-15.2
1.1	-0.0		8955	10.7	-0.6	-0.1	-16.6
-3.7	0.0		6463	9.1	-0.7	0.1	-35.8
2.9	0.0		6461	-10.6	0.7	0.1	-34.7
-4.8	-0.0						
		INVSLU Max	8953	427.1	133.8	0.8	416.8
-70.0	0.0		8955	-148.5	-81.7	1.1	456.6
106.3	-0.0		6463	-489.4	-124.1	-0.8	205.4
33.5	-0.0		6461	270.3	80.7	-0.6	196.5
-6.5	0.0						
		Min	8953	399.6	130.0	0.6	371.3
-76.7	-0.0		8955	-180.6	-86.0	0.8	406.9


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
95.3	-0.0			6463	-516.8	-127.7	-1.0	98.0
24.7	-0.0			6461	238.4	76.7	-0.8	92.5
-21.0	0.0							
			INVSLE Max	8953	329.9	99.8	0.6	330.7
-56.2	0.0			8955	-123.7	-61.8	0.9	361.7
84.4	-0.0			6463	-380.7	-92.7	-0.7	171.4
24.3	-0.0			6461	214.1	60.5	-0.5	163.9
-3.8	0.0							
			Min	8953	311.5	97.3	0.5	300.4
-60.7	-0.0			8955	-145.1	-64.6	0.7	328.6
77.1	-0.0			6463	-398.9	-95.1	-0.8	99.8
18.4	-0.0			6461	192.9	57.8	-0.7	94.5
-13.5	0.0							
11569	2	10	C1-C2;~1 Max	8980	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8980	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1 Max	8980	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	8980	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2 Max	8980	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	Min	8980	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	8980	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0
0.0	0.0	Min	8980	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0
84.1	0.0	G1	8980	-136.8	-24.4	-0.1	-158.1
-80.8	0.0		8982	68.8	34.1	-0.2	-177.0
-65.9	-0.0		8983	111.6	23.7	0.2	71.1
63.9	-0.0		8981	-43.7	-32.8	0.1	57.0
32.6	-0.0	G2	8980	-52.3	-8.1	-0.0	-61.2
-31.6	0.0		8982	25.9	14.3	-0.1	-68.4
-26.2	-0.0		8983	42.4	8.1	0.1	29.0
25.1	-0.0		8981	-16.0	-14.3	0.0	23.1
0.0	0.0	Q3	8980	0.0	0.0	0.0	0.0
0.0	0.0		8982	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		8981	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	8980	6.4	0.9	0.0	7.5
-4.4	-0.0		8982	-5.0	-0.4	0.0	8.6
4.3	-0.0		8983	-6.0	-0.8	-0.0	-5.3
3.6	0.0		8981	4.6	0.3	-0.0	-4.7
-3.9	0.0						
		Q5_pc Y	8980	-10.5	1.0	-0.0	-16.6
9.5	0.0		8982	15.5	-2.8	-0.0	-19.6
-9.6	-0.0		8983	10.0	-1.4	0.0	11.6
-8.0	-0.0		8981	-15.0	3.3	0.0	10.4
8.3	-0.0						
		Q5_ps X	8980	5.8	0.9	0.0	6.8
-4.1	-0.0		8982	-4.8	-0.1	0.0	7.9
3.9	0.0		8983	-5.5	-0.7	-0.0	-4.7
3.3	0.0		8981	4.6	-0.0	-0.0	-4.2
-3.5	0.0						
		Q5_ps Y	8980	-9.2	1.0	-0.0	-15.1
8.6	0.0		8982	15.4	-3.6	-0.0	-18.0
-8.6	-0.0		8983	9.0	-1.6	0.0	9.9
-7.0	-0.0		8981	-15.2	4.2	0.0	9.0
7.4	-0.0						
		INVSLEU Max	8980	3.8	-28.0	-0.5	-39.3
-23.6	-0.0		8982	-51.7	52.6	-0.5	-24.3
49.5	0.0		8983	-87.3	27.4	0.5	-280.6
83.3	0.0		8981	208.3	-35.6	0.6	-277.5
-91.4	0.0						
		Min	8980	-23.8	-30.9	-0.5	-84.4
-49.3	-0.0		8982	-97.8	41.8	-0.5	-78.3
23.6	0.0		8983	-114.4	22.6	0.4	-310.2
62.3	0.0		8981	162.8	-48.3	0.5	-304.5
-113.6	0.0						
		INVSLE Max	8980	11.8	-20.3	-0.4	-20.9
-25.7	-0.0		8982	-46.7	36.8	-0.4	-8.7
42.2	0.0		8983	-77.5	19.1	0.4	-224.4
67.5	0.0		8981	161.2	-24.6	0.4	-221.1

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-76.4	0.0								
			Min	8980	-6.7	-22.2	-0.4	-51.0	
-42.9	-0.0			8982	-77.4	29.6	-0.4	-44.7	
25.0	0.0			8983	-95.6	15.9	0.3	-244.2	
53.6	0.0			8981	130.9	-33.1	0.4	-239.1	
-91.2	0.0								
11570	2	10	C1-C2;~1	Max	8981	0.0	0.0	0.0	0.0
0.0		0.0			8983	0.0	0.0	0.0	0.0
0.0		0.0			6491	0.0	0.0	0.0	0.0
0.0		0.0			6489	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8981	0.0	0.0	0.0	0.0	0.0
0.0		0.0		8983	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6491	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6489	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	8981	0.0	0.0	0.0	0.0
0.0		0.0			8983	0.0	0.0	0.0	0.0
0.0		0.0			6491	0.0	0.0	0.0	0.0
0.0		0.0			6489	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8981	0.0	0.0	0.0	0.0	0.0
0.0		0.0		8983	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6491	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6489	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	8981	0.0	0.0	0.0	0.0
0.0		0.0			8983	0.0	0.0	0.0	0.0
0.0		0.0			6491	0.0	0.0	0.0	0.0
0.0		0.0			6489	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	8981	0.0	0.0	0.0	0.0	0.0
0.0		0.0		8983	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6491	0.0	0.0	0.0	0.0	0.0
0.0		0.0		6489	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	8981	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0		6489	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8981	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0		6489	0.0	0.0	0.0	0.0
0.0	0.0						
29.1	-0.0	G1	8981	-63.3	-20.0	-0.2	-59.1
			8983	-4.7	38.6	-0.4	-70.7
-26.4	-0.0		6491	41.2	19.4	0.4	-133.0
13.0	0.0		6489	26.9	-37.3	0.1	-112.6
1.0	0.0						
12.7	-0.0	G2	8981	-23.7	-6.4	-0.1	-23.8
			8983	-3.2	16.3	-0.1	-28.8
-11.3	-0.0		6491	15.0	6.4	0.2	-44.4
3.6	0.0		6489	11.8	-16.3	0.0	-36.1
2.9	-0.0						
0.0	0.0	Q3	8981	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0		6489	0.0	0.0	0.0	0.0
0.0	0.0						
-1.9	0.0	Q5_pc X	8981	5.4	0.9	0.0	4.8
			8983	-4.0	-0.4	0.0	5.3
1.4	0.0		6491	-5.1	-0.8	-0.0	9.5
-1.1	0.0		6489	3.7	0.3	-0.0	8.2
0.1	-0.0						
3.5	-0.0	Q5_pc Y	8981	-8.8	1.2	-0.0	-10.6
			8983	14.5	-3.2	-0.1	-11.5
-2.5	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.4	-0.0			6491	8.4	-1.6	0.1	-25.6
-1.7	0.0			6489	-14.1	3.7	0.0	-22.8
-1.6	0.0	Q5_ps X		8981	5.0	0.9	0.0	4.3
1.1	0.0			8983	-4.1	-0.1	0.0	4.7
-1.3	0.0			6491	-4.8	-0.7	-0.0	9.8
0.4	-0.0			6489	3.9	-0.0	-0.0	8.7
2.4	-0.0	Q5_ps Y		8981	-8.2	1.2	-0.0	-9.2
-1.5	-0.0			8983	15.1	-4.1	-0.1	-9.8
4.0	-0.0			6491	7.9	-1.8	0.1	-28.0
-2.9	0.0			6489	-14.8	4.7	0.0	-25.5
-109.5	0.0	INVS LU Max		8981	345.2	-15.3	0.5	308.3
67.7	0.0			8983	-384.1	59.8	0.6	309.8
27.4	0.0			6491	-434.4	11.9	-0.5	79.3
-51.6	-0.0			6489	542.3	-38.1	-0.3	66.7
-116.8	0.0	Min		8981	320.6	-18.8	0.4	280.8
63.1	0.0			8983	-429.4	47.7	0.4	280.5
15.2	0.0			6491	-458.1	6.6	-0.7	-4.7
-60.3	-0.0			6489	497.9	-52.1	-0.4	-9.9
-86.8	0.0	INVS LE Max		8981	270.9	-10.5	0.4	242.5
53.6	0.0			8983	-299.4	42.6	0.5	243.9
19.3	0.0			6491	-341.1	7.5	-0.4	67.4
-39.7	-0.0			6489	415.7	-27.3	-0.3	56.7
-91.7	0.0	Min		8981	254.5	-12.9	0.3	224.1
50.5	0.0			8983	-329.6	34.5	0.3	224.4
11.2	0.0			6491	-357.0	3.9	-0.5	11.4
-45.5	-0.0			6489	386.1	-36.6	-0.3	5.6
11571	2	4 C1-C2;~1	Max	8982	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0	Min	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	8982	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	8982	-137.0	-21.9	-0.3	-256.7
80.4	0.0		8984	62.3	38.6	-0.2	-241.2
-70.8	-0.0		8985	113.2	25.1	0.2	97.5
-57.1	0.0		8983	-38.4	-41.1	0.2	105.7
67.7	-0.0						
		G2	8982	-52.2	-7.8	-0.1	-98.9
31.4	0.0		8984	23.1	15.8	-0.1	-92.9
-28.0	-0.0		8985	42.8	9.0	0.1	40.6
-23.0	0.0		8983	-13.6	-16.9	0.1	43.7
26.8	-0.0						
		Q3	8982	0.0	0.0	0.0	0.0
0.0	0.0		8984	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		8983	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8982	6.3	0.4	0.0	12.8
-4.3	-0.0		8984	-5.0	-0.5	0.0	12.1
3.7	0.0		8985	-6.0	-0.5	-0.0	-6.9
3.2	-0.0		8983	4.7	0.6	-0.0	-7.5
-3.7	0.0						
		Q5_pc Y	8982	-11.3	2.2	-0.0	-29.9
9.6	-0.0		8984	16.4	-2.1	-0.0	-28.6
-9.0	-0.0		8985	10.7	-2.2	0.0	15.2
-7.5	0.0		8983	-15.8	2.1	0.0	16.4
8.3	-0.0						
		Q5_ps X	8982	5.8	0.3	0.0	11.8
-3.9	0.0		8984	-4.9	-0.4	0.0	11.2
3.4	0.0		8985	-5.6	-0.4	-0.0	-6.0
2.8	-0.0		8983	4.7	0.4	-0.0	-6.6
-3.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


8.7	-0.0	Q5_ps Y		8982	-10.4	2.4	-0.0	-27.8
-8.0	-0.0			8984	16.4	-2.6	-0.0	-26.6
-6.5	0.0			8985	10.0	-2.5	0.0	12.4
7.3	-0.0			8983	-16.0	2.7	0.0	13.6
-28.7	0.0	INVS LU	Max	8982	-4.7	-25.8	-0.7	-19.3
43.1	0.0			8984	-53.8	57.9	-0.6	-18.6
73.0	0.0			8985	-74.6	33.8	0.6	-361.7
-60.7	0.0			8983	212.3	-49.7	0.8	-384.5
-54.7	0.0		Min	8982	-35.9	-33.0	-0.8	-102.6
19.0	0.0			8984	-103.1	50.0	-0.6	-98.5
53.6	0.0			8985	-104.6	26.4	0.5	-399.0
-82.5	0.0			8983	164.3	-57.8	0.7	-425.2
-28.9	0.0	INVS LE	Max	8982	4.8	-18.4	-0.5	-0.6
36.9	0.0			8984	-48.3	41.3	-0.4	-0.9
59.3	0.0			8985	-67.9	23.7	0.5	-289.8
-52.5	0.0			8983	164.2	-35.7	0.6	-308.0
-46.3	0.0		Min	8982	-16.0	-23.3	-0.6	-56.1
20.8	0.0			8984	-81.1	36.1	-0.5	-54.1
46.3	0.0			8985	-87.9	18.8	0.4	-314.7
-67.1	0.0			8983	132.2	-41.1	0.5	-335.1
11572	2	4 C1-C2;~1	Max	8983	0.0	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0
0.0	0.0		Min	8983	0.0	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		C3-C4;~1	Max	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
			Min	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
			Min	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
			Min	8983	0.0	0.0	0.0
0.0	0.0			8985	0.0	0.0	0.0
0.0	0.0			6493	0.0	0.0	0.0
0.0	0.0			6491	0.0	0.0	0.0
0.0	0.0						
		G1		8983	-68.5	-21.2	-0.5
24.5	-0.0			8985	-11.7	46.1	-0.4
-14.0	0.0			6493	46.0	22.2	0.4
20.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-12.0	0.0		6491	34.2	-46.5	0.5	-210.7
		G2	8983	-25.6	-7.5	-0.2	-43.9
10.7	-0.0		8985	-5.7	18.7	-0.1	-41.6
-7.1	0.0		6493	17.2	7.8	0.1	-68.4
6.1	-0.0		6491	14.1	-19.0	0.2	-71.9
-3.1	0.0						
		Q3	8983	0.0	0.0	0.0	0.0
0.0	0.0		8985	0.0	0.0	0.0	0.0
0.0	0.0		6493	0.0	0.0	0.0	0.0
0.0	0.0		6491	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	8983	5.3	0.5	0.0	7.5
-1.3	0.0		8985	-3.9	-0.6	0.0	7.0
0.6	-0.0		6493	-4.9	-0.6	-0.0	14.2
-1.6	-0.0		6491	3.6	0.6	-0.0	14.7
1.0	0.0						
		Q5_pc Y	8983	-8.8	2.6	-0.1	-16.5
2.2	-0.0		8985	14.7	-2.6	-0.1	-15.5
-0.9	0.0		6493	7.9	-2.4	0.1	-38.5
4.8	0.0		6491	-13.9	2.5	0.1	-39.5
-3.3	-0.0						
		Q5_ps X	8983	4.9	0.4	0.0	6.6
-1.0	0.0		8985	-4.0	-0.3	0.0	6.1
0.3	-0.0		6493	-4.6	-0.4	-0.0	14.6
-1.8	-0.0		6491	3.7	0.4	-0.0	15.1
1.2	0.0						
		Q5_ps Y	8983	-8.1	2.9	-0.1	-13.6
1.2	-0.0		8985	15.2	-3.2	-0.1	-12.7
0.1	0.0		6493	7.2	-2.8	0.1	-41.8
5.7	0.0		6491	-14.3	3.1	0.1	-42.6
-4.0	-0.0						
		INVSLU Max	8983	331.4	-20.6	0.9	425.5
-64.6	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
63.8	0.0			8985	-400.7	72.1	0.7	398.0
36.4	-0.0			6493	-428.8	25.7	-0.4	110.2
-21.6	0.0			6491	565.2	-58.3	-0.6	119.9
			Min	8983	307.1	-29.4	0.6	384.6
-68.6	0.0			8985	-446.3	62.4	0.4	359.9
62.2	0.0			6493	-450.3	17.3	-0.7	-15.1
19.3	-0.0			6491	522.4	-67.5	-0.9	-7.9
-33.5	0.0							
		INVSLE	Max	8983	260.9	-14.7	0.7	335.4
-51.5	0.0			8985	-312.4	52.0	0.5	313.9
49.9	0.0			6493	-337.6	17.7	-0.4	94.2
25.4	-0.0			6491	433.8	-42.3	-0.5	102.2
-16.1	0.0							
			Min	8983	244.7	-20.6	0.5	308.1
-54.1	0.0			8985	-342.8	45.5	0.4	288.5
48.8	0.0			6493	-351.9	12.1	-0.5	10.6
14.0	-0.0			6491	405.3	-48.4	-0.7	17.0
-24.1	0.0							
11599	2	4	C1-C2;~1	Max	9006	0.0	0.0	0.0
0.0	0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			9007	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9006	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			9007	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	9006	0.0	0.0	0.0
0.0	0.0	0.0			9008	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			9007	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9006	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0		9007	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	9006	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0		9007	0.0	0.0	0.0	0.0
0.0	0.0	Min	9006	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0		9007	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	9006	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0		9007	0.0	0.0	0.0	0.0
0.0	0.0	Min	9006	0.0	0.0	0.0	0.0
0.0	0.0		9008	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0		9007	0.0	0.0	0.0	0.0
-0.5	0.0	G1	9006	-109.4	-17.2	-0.0	-4.3
11.8	0.0		9008	-68.8	154.5	0.0	3.2
8.5	0.0		9009	98.8	4.1	-0.0	2.1
0.6	0.0		9007	79.4	-140.7	-0.0	5.0
0.4	0.0	G2	9006	-43.1	-6.8	-0.0	-1.2
7.1	0.0		9008	-27.5	60.7	0.0	2.1
6.7	0.0		9009	39.1	2.0	0.0	1.0
1.1	0.0		9007	31.5	-55.9	-0.0	2.1

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	9006	0.0	0.0	0.0	0.0
0.0	0.0			9008	0.0	0.0	0.0	0.0
0.0	0.0			9009	0.0	0.0	0.0	0.0
0.0	0.0			9007	0.0	0.0	0.0	0.0
			Q5_pc X	9006	1.8	0.1	0.0	2.0
-1.3	-0.0			9008	-1.6	-0.4	-0.0	0.7
-2.8	-0.0			9009	-1.3	0.1	-0.0	0.3
-1.9	-0.0			9007	1.1	0.1	-0.0	-0.7
-1.0	-0.0							
			Q5_pc Y	9006	-1.0	2.4	-0.0	-7.5
4.7	0.0			9008	9.1	-3.5	0.0	-3.1
9.4	0.0			9009	-0.8	-3.7	0.0	-1.3
6.3	0.0			9007	-7.3	4.8	0.0	1.9
3.2	0.0							
			Q5_ps X	9006	1.4	0.5	0.0	2.2
-1.4	-0.0			9008	-1.8	0.8	-0.0	0.9
-2.4	-0.0			9009	-1.1	-0.5	-0.0	0.3
-1.4	-0.0			9007	1.5	-0.9	-0.0	-0.7
-1.0	-0.0							
			Q5_ps Y	9006	0.7	1.7	-0.0	-7.8
4.5	0.0			9008	9.9	-6.8	0.0	-3.8
7.6	0.0			9009	-2.1	-2.7	0.0	-1.2
4.3	0.0			9007	-8.4	7.7	0.0	1.8
2.9	0.0							
			INVSLU Max	9006	-208.1	-81.7	0.1	29.4
-12.3	0.0			9008	-156.3	266.5	0.0	15.8
-33.1	0.0			9009	181.9	86.7	-0.2	8.0
-47.9	0.0			9007	215.4	-242.4	0.2	-36.0
-20.1	0.0							
			Min	9006	-212.3	-86.7	-0.0	6.0
-25.9	0.0			9008	-186.0	246.2	-0.1	4.5
-55.8	0.0			9009	175.4	78.7	-0.2	4.4
-60.8	0.0			9007	190.0	-265.5	0.1	-41.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-28.9	-0.0							
		INVSLE	Max	9006	-155.0	-63.7	0.1	22.3
-10.7	0.0			9008	-119.0	194.0	-0.0	11.5
-28.9	0.0			9009	134.5	69.0	-0.1	5.5
-39.6	0.0			9007	161.4	-179.8	0.1	-30.1
-16.8	0.0							
			Min	9006	-157.8	-67.1	-0.0	6.7
-19.7	0.0			9008	-138.7	180.5	-0.0	4.0
-44.1	0.0			9009	130.2	63.7	-0.1	3.0
-48.2	0.0			9007	144.5	-195.2	0.1	-33.7
-22.7	-0.0							
11600	2	4	C1-C2;~1	Max	9007	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0	0.0			6515	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9007	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0	0.0			6515	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	9007	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0	0.0			6515	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9007	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0	0.0			6515	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	9007	0.0	0.0	0.0
0.0	0.0	0.0			9009	0.0	0.0	0.0
0.0	0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6515		0.0	0.0	0.0
				Min	9007	0.0	0.0
0.0	0.0		9009		0.0	0.0	0.0
0.0	0.0		6517		0.0	0.0	0.0
0.0	0.0		6515		0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	9007	0.0	0.0	0.0
0.0	0.0				9009	0.0	0.0
0.0	0.0				6517	0.0	0.0
0.0	0.0				6515	0.0	0.0
0.0	0.0						
			Min	9007	0.0	0.0	0.0
0.0	0.0				9009	0.0	0.0
0.0	0.0				6517	0.0	0.0
0.0	0.0				6515	0.0	0.0
0.0	0.0						
			G1	9007	-90.4	-40.9	-0.0
-0.6	0.0				9009	-85.0	120.4
4.5	0.0				6517	86.3	35.6
1.8	0.0				6515	89.1	-114.6
-0.6	0.0						
			G2	9007	-35.8	-14.6	-0.0
2.5	0.0				9009	-33.5	49.1
7.0	0.0				6517	34.6	12.4
7.3	0.0				6515	34.7	-46.9
4.2	0.0						
			Q3	9007	0.0	0.0	0.0
0.0	0.0				9009	0.0	0.0
0.0	0.0				6517	0.0	0.0
0.0	0.0				6515	0.0	0.0
0.0	0.0						
			Q5_pc X	9007	2.0	1.5	0.0
0.6	-0.0				9009	0.3	-0.6
-0.2	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.1	-0.0		6517	-2.0	-1.4	0.0	0.2
1.5	0.0		6515	-0.3	0.6	-0.0	3.3
-2.4	0.0	Q5_pc Y	9007	-1.7	-2.0	-0.0	-1.3
0.3	0.0		9009	1.8	-1.5	0.0	1.0
-4.2	0.0		6517	1.6	1.5	-0.0	-0.8
-5.4	-0.0		6515	-1.7	2.0	0.0	-11.6
0.9	-0.0	Q5_ps X	9007	1.9	1.7	0.0	0.5
0.5	-0.0		9009	-0.2	0.5	-0.0	-0.2
1.9	-0.0		6517	-1.9	-1.9	0.0	-0.1
2.0	0.0		6515	0.2	-0.3	-0.0	3.9
-3.4	0.0	Q5_ps Y	9007	-0.6	-2.6	-0.0	-1.2
-2.2	0.0		9009	3.2	-4.8	0.0	1.0
-7.0	0.0		6517	0.5	2.5	-0.0	0.4
-7.1	-0.0		6515	-3.1	4.9	0.1	-13.5
-5.4	0.0	INVSLE Max	9007	-82.7	-65.7	0.3	40.3
-21.5	0.0		9009	-175.5	164.5	-0.3	-3.6
31.5	0.0		6517	73.2	83.0	0.3	-59.2
15.6	0.0		6515	200.2	-158.6	-0.1	3.5
-15.5	-0.0	Min	9007	-88.3	-73.5	0.2	36.7
-28.2	0.0		9009	-185.2	150.1	-0.3	-6.6
10.5	0.0		6517	67.6	75.4	0.2	-60.6
-5.8	0.0		6515	190.8	-173.4	-0.3	-36.9
-4.9	0.0	INVSLE Max	9007	-55.4	-47.9	0.2	32.8
-17.4	0.0		9009	-131.8	116.5	-0.2	-2.4
24.6	0.0		6517	46.5	61.9	0.2	-47.4
11.4	0.0		6515	150.8	-115.0	-0.1	0.7
-11.6	-0.0	Min	9007	-59.1	-53.2	0.1	30.5

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-21.8	0.0	9009	-138.3	106.9	-0.2	-4.4
10.6	0.0	6517	42.8	56.8	0.2	-48.4
-2.9	0.0	6515	144.5	-124.8	-0.2	-26.2

11601	2	4 C1-C2;~1	Max	9008	0.0	0.0	0.0	0.0
0.0		0.0		9010	0.0	0.0	0.0	0.0
0.0		0.0		9011	0.0	0.0	0.0	0.0
0.0		0.0		9009	0.0	0.0	0.0	0.0
0.0		0.0		9008	0.0	0.0	0.0	0.0

		C3-C4;~1	Max	9008	0.0	0.0	0.0	0.0
0.0		0.0		9010	0.0	0.0	0.0	0.0
0.0		0.0		9011	0.0	0.0	0.0	0.0
0.0		0.0		9009	0.0	0.0	0.0	0.0
0.0		0.0		9008	0.0	0.0	0.0	0.0

		C1-C2;~2	Max	9008	0.0	0.0	0.0	0.0
0.0		0.0		9010	0.0	0.0	0.0	0.0
0.0		0.0		9011	0.0	0.0	0.0	0.0
0.0		0.0		9009	0.0	0.0	0.0	0.0
0.0		0.0		9008	0.0	0.0	0.0	0.0

		C3-C4;~2	Max	9008	0.0	0.0	0.0	0.0
--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9010	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0	Min	9008	0.0	0.0	0.0	0.0
0.0	0.0		9010	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0						
-7.9	0.0	G1	9008	-23.4	61.6	0.0	3.8
-0.1	0.0		9010	-4.3	97.1	-0.0	2.0
0.0	0.0		9011	16.7	-65.8	-0.0	-2.9
-7.2	0.0		9009	11.1	-92.4	0.0	-1.1
-4.1	0.0	G2	9008	-8.9	23.8	0.0	1.8
-0.1	0.0		9010	-1.6	37.4	-0.0	1.2
0.1	0.0		9011	6.5	-25.6	-0.0	-2.1
-4.5	0.0		9009	4.0	-35.6	0.0	-0.5
0.0	0.0	Q3	9008	0.0	0.0	0.0	0.0
0.0	0.0		9010	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		9009	0.0	0.0	0.0	0.0
0.0	0.0						
1.0	-0.0	Q5_pc X	9008	1.6	-0.6	-0.0	-0.2
-0.0	0.0		9010	0.6	-4.1	0.0	-0.9
0.0	0.0		9011	-1.2	1.7	0.0	0.2
0.5	-0.0		9009	-0.9	3.0	0.0	0.2
-3.5	0.0	Q5_pc Y	9008	-4.4	3.4	0.0	0.6
0.1	0.0		9010	-1.5	14.7	-0.0	3.3
-0.1	0.0		9011	3.2	-8.1	-0.0	-0.6
-1.7	0.0		9009	2.7	-10.0	-0.0	-0.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.9	-0.0	Q5_ps X	9008	1.6	0.5	-0.0	-0.1
-0.0	0.0		9010	0.6	-2.9	0.0	-0.8
0.0	0.0		9011	-1.3	0.4	0.0	0.1
0.3	-0.0		9009	-0.9	2.0	0.0	0.2
-2.8	0.0	Q5_ps Y	9008	-4.2	1.2	0.0	0.1
0.1	0.0		9010	-1.2	11.5	-0.0	3.0
-0.2	0.0		9011	3.0	-5.5	-0.0	-0.2
-0.9	0.0		9009	2.4	-7.2	-0.0	-0.8
17.6	0.0	INVS LU Max	9008	-68.9	-13.5	0.0	5.3
0.2	0.0		9010	-30.3	97.2	0.0	-2.0
0.2	0.0		9011	68.4	48.8	0.0	6.9
21.6	0.0		9009	47.0	-92.5	-0.1	16.5
9.2	0.0	Min	9008	-81.4	-19.6	-0.0	4.3
-0.1	0.0		9010	-34.0	62.7	0.0	-10.9
-0.3	0.0		9011	59.5	32.4	0.0	5.8
18.5	0.0		9009	39.8	-114.2	-0.1	14.1
14.2	0.0	INVS LE Max	9008	-54.4	-20.6	0.0	3.8
0.1	0.0		9010	-24.6	63.2	0.0	-2.3
0.1	0.0		9011	53.0	48.5	0.0	5.4
17.6	0.0		9009	36.7	-64.3	-0.0	12.9
8.6	0.0	Min	9008	-62.7	-24.7	-0.0	3.2
-0.1	0.0		9010	-27.0	40.2	0.0	-8.2
-0.3	0.0		9011	47.1	37.6	0.0	4.7
15.5	0.0		9009	31.8	-78.8	-0.1	11.2
11602	2	4 C1-C2; ~1 Max	9009	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6517	0.0	0.0	0.0	0.0
0.0	0.0	Min	9009	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		6517	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9009	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9009	0.0	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9009	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9009	0.0	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9009	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0			6517	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9009	0.0	0.0	0.0	0.0
0.0	0.0			9011	0.0	0.0	0.0
0.0	0.0			6519	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		6517	0.0	0.0	0.0	0.0
-6.6	0.0	G1	9009	-24.8	16.9	-0.0	1.4
-0.0	0.0		9011	-16.7	65.8	0.0	2.9
-0.3	0.0		6519	20.1	-19.0	-0.0	3.0
-7.0	0.0		6517	21.4	-63.2	0.0	-1.4
-5.6	0.0	G2	9009	-9.6	7.4	-0.0	0.9
-0.1	0.0		9011	-6.5	25.6	0.0	2.1
-0.4	0.0		6519	7.5	-7.6	-0.0	4.6
-7.1	0.0		6517	8.6	-25.5	0.0	-3.0
0.0	0.0	Q3	9009	0.0	0.0	0.0	0.0
0.0	0.0		9011	0.0	0.0	0.0	0.0
0.0	0.0		6519	0.0	0.0	0.0	0.0
0.0	0.0		6517	0.0	0.0	0.0	0.0
-0.3	-0.0	Q5_pc X	9009	2.0	1.9	-0.0	-0.3
-0.0	0.0		9011	1.2	-1.7	-0.0	-0.2
-0.1	0.0		6519	-1.7	-1.9	-0.0	0.6
-0.9	-0.0		6517	-1.5	1.7	0.0	-0.7
1.1	0.0	Q5_pc Y	9009	-3.7	-1.9	0.0	1.2
0.1	0.0		9011	-3.2	8.1	0.0	0.6
0.2	0.0		6519	2.9	-0.4	0.0	-2.2
3.1	0.0		6517	4.0	-5.8	-0.0	2.4
-0.6	-0.0	Q5_ps X	9009	2.2	3.2	-0.0	-0.3
-0.0	0.0		9011	1.3	-0.4	-0.0	-0.1
-0.1	0.0		6519	-2.0	-3.5	-0.0	1.0
-1.4	-0.0		6517	-1.5	0.8	0.0	-1.0
2.3	0.0	Q5_ps Y	9009	-3.5	-3.8	0.0	1.0

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.2	0.0			9011	-3.0	5.5	0.0	0.2	
				6519	2.8	1.7	0.0	-3.6	
0.4	0.0			6517	3.6	-3.4	-0.0	3.2	
4.7	0.0								
			INVS LU	Max	9009	-36.3	-94.1	-0.1	-14.8
10.3	0.0			9011	-59.5	-32.4	-0.0	-5.8	
0.3	0.0			6519	1.2	164.3	0.0	-30.7	
1.0	0.0			6517	113.9	-12.7	0.2	-52.1	
-7.8	0.0								
				Min	9009	-46.7	-105.6	-0.1	-17.9
3.4	0.0			9011	-68.4	-48.8	-0.0	-6.9	
-0.2	0.0			6519	-7.2	153.9	0.0	-41.6	
-0.1	0.0			6517	102.9	-23.2	0.1	-61.7	
-21.9	0.0								
			INVS LE	Max	9009	-27.9	-81.5	-0.1	-11.9
8.1	0.0			9011	-47.1	-37.6	-0.0	-4.7	
0.3	0.0			6519	-1.1	138.0	0.0	-25.8	
0.8	0.0			6517	89.0	-2.2	0.1	-42.6	
-6.9	0.0								
				Min	9009	-34.8	-89.2	-0.1	-14.0
3.5	0.0			9011	-53.0	-48.5	-0.0	-5.4	
-0.1	0.0			6519	-6.7	131.1	0.0	-33.1	
0.1	0.0			6517	81.7	-9.2	0.1	-49.0	
-16.4	0.0								
11603	2	4	C1-C2;~1	Max	9012	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0			9015	0.0	0.0	0.0	0.0
0.0		0.0			9014	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9012	0.0	0.0	0.0	0.0
0.0		0.0			9013	0.0	0.0	0.0	0.0
0.0		0.0			9015	0.0	0.0	0.0	0.0
0.0		0.0			9014	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9012	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0		Min	9012	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9012	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9012	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9012	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9012	0.0	0.0	0.0	0.0
0.0	0.0			9013	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			9014	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9012	-0.1	79.0	0.0	0.5
-0.1	0.0			9013	22.0	48.7	-0.0	1.0
-3.1	-0.0			9015	-7.4	-73.5	-0.0	1.2
-4.0	-0.0			9014	-14.5	-53.7	0.0	2.1
0.1	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		G2	9012	-0.2	30.8	0.0	-0.2
-0.1	0.0		9013	8.4	19.2	-0.0	0.0
-2.4	-0.0		9015	-2.5	-28.6	-0.0	0.6
-3.5	-0.0		9014	-5.7	-21.4	0.0	1.9
0.1	0.0						
		Q3	9012	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
0.0	0.0		9015	0.0	0.0	0.0	0.0
0.0	0.0		9014	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9012	0.3	-5.3	-0.0	-0.3
-0.0	0.0		9013	-1.4	-3.8	-0.0	-0.4
-0.2	0.0		9015	0.2	5.1	-0.0	0.3
-0.3	0.0		9014	0.9	3.9	0.0	0.3
0.0	0.0						
		Q5_pc Y	9012	-0.7	13.9	0.0	0.9
0.0	0.0		9013	3.7	10.2	-0.0	0.9
0.6	0.0		9015	-0.5	-13.7	0.0	-0.8
0.9	0.0		9014	-2.5	-10.5	-0.0	-0.8
-0.0	0.0						
		Q5_ps X	9012	0.4	-4.3	-0.0	-0.4
-0.0	0.0		9013	-1.3	-3.2	-0.0	-0.4
-0.3	0.0		9015	0.0	4.2	-0.0	0.3
-0.3	-0.0		9014	0.8	3.3	0.0	0.3
0.0	0.0						
		Q5_ps Y	9012	-1.1	11.2	0.0	1.0
0.0	0.0		9013	3.3	8.5	0.0	1.2
0.8	0.0		9015	0.0	-10.9	0.0	-0.8
0.9	0.0		9014	-2.2	-8.7	-0.0	-0.8
-0.0	0.0						
		INVSLU Max	9012	27.8	75.5	0.0	2.5
-0.2	0.0		9013	75.9	-17.6	-0.0	0.4
0.5	-0.0		9015	-42.0	-64.2	0.0	-2.1
2.8	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.3	0.0			9014	-51.5	65.8	-0.0	4.5
		Min		9012	24.4	42.0	0.0	-0.4
-0.2	0.0			9013	66.1	-43.0	-0.0	-3.1
-1.8	-0.0			9015	-42.9	-97.0	0.0	-4.6
-0.0	-0.0			9014	-57.9	39.7	-0.0	2.1
-0.4	0.0							
		INVSLE	Max	9012	22.6	47.9	0.0	1.7
-0.1	0.0			9013	58.7	-23.9	-0.0	-0.1
0.6	-0.0			9015	-33.3	-44.5	0.0	-2.1
2.6	-0.0			9014	-41.1	60.2	-0.0	3.3
-0.3	0.0							
		Min		9012	20.3	25.6	0.0	-0.2
-0.1	0.0			9013	52.2	-40.8	-0.0	-2.5
-1.0	-0.0			9015	-34.0	-66.3	0.0	-3.7
0.7	-0.0			9014	-45.4	42.8	-0.0	1.7
-0.3	0.0							
11604	2	4	C1-C2;~1	Max	9014	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0
0.0	0.0			6522	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		9014	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0
0.0	0.0			6522	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9014	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0
0.0	0.0			6522	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		9014	0.0	0.0	0.0	0.0
0.0	0.0			9015	0.0	0.0	0.0	0.0
0.0	0.0			6523	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6522		0.0	0.0	0.0
0.0	0.0		9014	C1-C2;~2 Max	0.0	0.0	0.0
0.0	0.0		9015		0.0	0.0	0.0
0.0	0.0		6523		0.0	0.0	0.0
0.0	0.0		6522		0.0	0.0	0.0
0.0	0.0		9014	Min	0.0	0.0	0.0
0.0	0.0		9015		0.0	0.0	0.0
0.0	0.0		6523		0.0	0.0	0.0
0.0	0.0		6522		0.0	0.0	0.0
0.0	0.0		9014	C3-C4;~2 Max	0.0	0.0	0.0
0.0	0.0		9015		0.0	0.0	0.0
0.0	0.0		6523		0.0	0.0	0.0
0.0	0.0		6522		0.0	0.0	0.0
0.0	0.0		9014	Min	0.0	0.0	0.0
0.0	0.0		9015		0.0	0.0	0.0
0.0	0.0		6523		0.0	0.0	0.0
0.0	0.0		6522		0.0	0.0	0.0
-0.1	0.0		9014	G1	14.5	53.7	-0.0
-5.6	-0.0		9015		20.2	12.5	-0.0
-6.7	-0.0		6523		-18.4	-52.0	-0.0
-0.2	0.0		6522		-16.3	-13.7	0.0
-0.1	0.0		9014	G2	5.7	21.4	-0.0
-5.6	-0.0		9015		7.8	6.1	0.0
-7.6	-0.0		6523		-7.5	-21.6	-0.0
-0.4	0.0		6522		-6.1	-5.9	0.0
0.0	0.0		9014	Q3	0.0	0.0	0.0
0.0	0.0		9015		0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6523	0.0	0.0	0.0	0.0
0.0	0.0		6522	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc X	9014	-0.9	-3.9	-0.0	-0.3
-0.3	0.0		9015	-0.9	-1.4	-0.0	-0.3
-0.3	0.0		6523	1.5	3.5	-0.0	-0.4
0.0	0.0		6522	0.3	1.9	0.0	-0.4
0.0	0.0	Q5_pc Y	9014	2.5	10.5	0.0	0.8
1.0	0.0		9015	2.2	3.9	0.0	0.8
1.0	0.0		6523	-4.0	-9.2	0.0	1.0
-0.1	0.0		6522	-0.7	-5.1	-0.0	1.2
-0.0	0.0	Q5_ps X	9014	-0.8	-3.3	-0.0	-0.3
-0.3	-0.0		9015	-0.7	-1.2	-0.0	-0.3
-0.3	0.0		6523	1.4	2.9	0.0	-0.5
0.0	0.0		6522	0.1	1.6	0.0	-0.5
0.0	0.0	Q5_ps Y	9014	2.2	8.7	0.0	0.8
0.9	0.0		9015	1.6	3.4	0.0	0.9
0.8	0.0		6523	-3.7	-7.6	-0.0	1.4
-0.1	0.0		6522	-0.0	-4.4	-0.0	1.3
0.4	0.0	INVSLE Max	9014	57.9	-39.7	0.0	-2.1
-5.4	-0.0		9015	35.9	-92.8	0.1	4.2
-17.1	-0.0		6523	-80.3	8.7	-0.1	40.4
0.9	0.0		6522	-1.7	160.8	0.0	22.4
0.3	0.0	Min	9014	51.5	-65.8	0.0	-4.5
-8.1	-0.0		9015	31.2	-102.9	0.1	1.6
-19.4	-0.0		6523	-91.4	-14.2	-0.1	36.3
0.6	0.0		6522	-3.0	147.5	0.0	18.6
		INVSLE Max	9014	45.4	-42.8	0.0	-1.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.3	0.0			9015	27.3	-80.4	0.1	3.4
-4.1	-0.0			6523	-64.9	12.7	-0.1	33.1
-13.7	-0.0			6522	0.1	135.1	0.0	18.8
0.7	0.0							
			Min	9014	41.1	-60.2	0.0	-3.3
0.3	0.0			9015	24.1	-87.1	0.1	1.7
-5.9	-0.0			6523	-72.3	-2.5	-0.1	30.4
-15.3	-0.0			6522	-0.7	126.3	0.0	16.2
0.6	0.0							
11605	2	4	C1-C2;~1	Max	9013	0.0	0.0	0.0
0.0	0.0				9016	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				9015	0.0	0.0	0.0
0.0	0.0							
			Min	9013	0.0	0.0	0.0	0.0
0.0	0.0				9016	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				9015	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9013	0.0	0.0	0.0
0.0	0.0				9016	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				9015	0.0	0.0	0.0
0.0	0.0							
			Min	9013	0.0	0.0	0.0	0.0
0.0	0.0				9016	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				9015	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9013	0.0	0.0	0.0
0.0	0.0				9016	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				9015	0.0	0.0	0.0
0.0	0.0							
			Min	9013	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9016	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		9015	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2 Max	9016	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		9015	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
0.0	0.0	Min	9016	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		9015	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
-1.6	-0.0	G1	9016	56.6	126.5	0.0	2.4
1.6	0.0		9017	93.0	-20.8	0.0	2.4
1.5	0.0		9015	-64.9	-116.4	-0.0	-1.1
-1.9	-0.0		9013	-84.7	11.3	-0.0	-1.2
2.3	-0.0	G2	9016	22.8	50.3	-0.0	0.1
1.0	0.0		9017	37.0	-8.1	0.0	0.4
1.3	0.0		9015	-25.9	-46.9	0.0	-0.5
3.1	-0.0		9013	-33.9	4.7	-0.0	-0.5
0.0	0.0	Q3	9016	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		9015	0.0	0.0	0.0	0.0
0.0	0.0		9013	0.0	0.0	0.0	0.0
0.2	0.0	Q5_pc X	9016	2.0	-3.2	-0.0	-0.4
-0.0	0.0		9017	0.6	-4.5	0.0	-0.3
0.0	0.0		9015	-1.5	2.1	0.0	0.2
0.2	0.0		9013	-1.1	5.6	-0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.4	0.0	Q5_pc Y	9013	-5.8	8.0	0.0	1.0
0.0	0.0		9016	-2.4	12.6	-0.0	0.8
-0.1	0.0		9017	4.5	-5.1	-0.0	-0.5
-0.5	0.0		9015	3.6	-15.6	0.0	-0.7
0.2	0.0	Q5_ps X	9013	2.1	-2.2	-0.0	-0.5
0.0	0.0		9016	1.0	-4.1	0.0	-0.3
0.0	0.0		9017	-1.7	1.3	0.0	0.2
0.1	-0.0		9015	-1.4	5.0	0.0	0.2
-0.4	0.0	Q5_ps Y	9013	-6.2	5.1	0.0	1.3
-0.1	0.0		9016	-3.5	11.5	-0.0	0.8
-0.1	0.0		9017	5.2	-2.6	-0.0	-0.5
-0.2	0.0		9015	4.5	-14.0	-0.0	-0.7
6.4	-0.0	INVSLE Max	9013	162.1	229.1	-0.0	-1.9
-0.3	0.0		9016	190.3	-68.7	0.0	-0.5
-2.5	0.0		9017	-172.5	-219.6	0.0	6.3
7.3	-0.0		9015	-150.7	110.6	-0.0	-0.7
5.2	-0.0	Min	9013	143.6	213.9	-0.0	-5.7
-0.5	0.0		9016	179.6	-103.2	0.0	-3.0
-2.8	0.0		9017	-188.2	-228.8	0.0	4.8
6.4	-0.0		9015	-164.2	68.5	-0.0	-2.7
4.9	-0.0	INVSLE Max	9013	121.8	167.4	-0.0	-2.2
-0.5	0.0		9016	141.6	-55.2	0.0	-0.9
-2.4	0.0		9017	-131.5	-163.2	0.0	5.2
5.6	-0.0		9015	-112.5	85.3	0.0	-0.7
4.2	-0.0	Min	9013	109.5	157.2	-0.0	-4.7
-0.6	0.0		9016	134.5	-78.2	0.0	-2.6
-2.5	0.0		9017	-142.0	-169.3	0.0	4.2

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

				9015	-121.5	57.3	-0.0	-2.1
5.0	-0.0							
11606	2	4	C1-C2;~1	Max	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
				Min	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
				Min	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
				Min	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0
0.0	0.0				6523	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	9015	0.0	0.0	0.0
0.0	0.0				9017	0.0	0.0	0.0
0.0	0.0				6525	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6523	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9015	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		6525	0.0	0.0	0.0	0.0
0.0	0.0		6523	0.0	0.0	0.0	0.0
0.0	0.0						
-1.5	-0.0	G1	9015	71.9	103.4	0.0	1.4
1.5	0.0		9017	79.3	-40.0	0.0	1.3
1.6	0.0		6525	-75.6	-98.6	-0.0	-0.6
-0.6	-0.0		6523	-75.6	35.9	-0.0	2.0
5.4	-0.0	G2	9015	28.5	43.2	-0.0	0.8
3.5	0.0		9017	31.9	-14.1	0.0	0.9
5.5	0.0		6525	-29.6	-41.4	0.0	-4.6
7.3	-0.0		6523	-30.8	12.3	-0.0	4.5
0.0	0.0	Q3	9015	0.0	0.0	0.0	0.0
0.0	0.0		9017	0.0	0.0	0.0	0.0
0.0	0.0		6525	0.0	0.0	0.0	0.0
0.0	0.0		6523	0.0	0.0	0.0	0.0
0.2	0.0	Q5_pc X	9015	1.7	-0.7	-0.0	-0.3
0.1	0.0		9017	1.1	-3.1	-0.0	-0.2
0.1	0.0		6525	-1.8	0.5	0.0	-0.3
0.1	0.0		6523	-1.0	3.3	0.0	-0.4
-0.3	0.0	Q5_pc Y	9015	-5.4	1.3	0.0	0.7
-0.2	0.0		9017	-3.6	9.0	0.0	0.6
-0.3	0.0		6525	5.6	-0.8	-0.0	0.8
-0.1	0.0		6523	3.3	-9.5	-0.0	1.1
-0.0	-0.0	Q5_ps X	9015	2.0	-0.2	-0.0	-0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0			9017	1.2	-3.0	-0.0	-0.2
				6525	-2.2	0.0	0.0	-0.2
0.0	0.0			6523	-1.0	3.1	0.0	-0.5
-0.2	0.0							
		Q5_ps Y		9015	-6.1	-0.3	0.0	0.7
0.3	0.0			9017	-4.0	8.6	0.0	0.6
-0.0	0.0			6525	6.6	0.7	0.0	0.6
0.1	0.0			6523	3.5	-9.0	-0.0	1.5
0.7	0.0							
		INVS LU	Max	9015	175.5	136.6	0.1	3.2
25.7	-0.0			9017	62.3	-47.3	0.0	-3.4
4.7	0.0			6525	-180.8	-143.0	0.1	23.5
12.4	0.0			6523	-26.6	83.2	-0.2	54.0
46.8	-0.0							
			Min	9015	157.2	134.2	0.1	1.2
24.8	-0.0			9017	50.3	-73.1	0.0	-5.1
4.4	0.0			6525	-200.7	-145.1	0.1	21.7
11.9	0.0			6523	-37.1	56.2	-0.2	49.4
44.8	-0.0							
		INVS LE	Max	9015	131.0	96.8	0.1	2.4
20.7	-0.0			9017	39.9	-35.0	0.0	-3.1
3.6	0.0			6525	-137.8	-103.3	0.1	19.9
9.8	0.0			6523	-13.0	61.2	-0.1	44.3
38.1	-0.0							
			Min	9015	118.8	95.2	0.0	1.1
20.2	-0.0			9017	31.9	-52.1	0.0	-4.2
3.3	0.0			6525	-151.0	-104.7	0.1	18.7
9.5	0.0			6523	-19.9	43.2	-0.2	41.3
36.8	-0.0							
11633	2	4	C1-C2;~1	Max	9038	0.0	0.0	0.0
0.0	0.0				9040	0.0	0.0	0.0
0.0	0.0				9041	0.0	0.0	0.0
0.0	0.0				9039	0.0	0.0	0.0
0.0	0.0							
			Min	9038	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	9038	-80.3	29.2	0.0	3.0
-0.2	0.0			9040	135.4	-16.5	0.0	3.1
0.2	0.0			9041	56.0	-30.4	-0.0	-0.1
-0.0	0.0			9039	-111.1	18.4	-0.0	-0.1
-0.0	0.0							
			G2	9038	-30.6	11.9	-0.0	2.1
-1.3	0.0			9040	51.6	-5.6	-0.0	2.2
1.1	0.0			9041	21.0	-12.5	0.0	-4.3
1.2	0.0			9039	-42.1	6.1	0.0	-4.3
-1.5	0.0							
			Q3	9038	0.0	0.0	0.0	0.0
0.0	0.0			9040	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0			9039	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9038	1.8	-0.1	0.0	-0.1
0.1	0.0			9040	-2.1	0.2	0.0	-0.1
-0.1	0.0			9041	-1.9	0.0	-0.0	0.5
-0.1	0.0			9039	2.2	-0.2	-0.0	0.5
0.2	0.0							
			Q5_pc Y	9038	-3.8	-0.3	-0.0	0.2
-0.4	0.0			9040	3.4	-0.1	-0.0	0.2
0.3	0.0			9041	4.2	0.4	0.0	-1.5
0.4	0.0			9039	-3.9	0.0	0.0	-1.5
-0.5	0.0							
			Q5_ps X	9038	1.9	0.2	0.0	-0.1
0.2	0.0			9040	-1.7	0.1	0.0	-0.1
-0.2	0.0			9041	-2.0	-0.2	-0.0	0.7
-0.2	0.0			9039	1.8	0.0	-0.0	0.7
0.3	0.0							
			Q5_ps Y	9038	-4.0	-1.0	-0.0	0.3
-0.6	0.0			9040	2.1	0.4	-0.0	0.3
0.5	0.0			9041	4.5	1.2	0.0	-2.1
0.6	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-0.8	0.0			9039	-2.7	-0.6	0.0	-2.1
		INVS LU	Max	9038	73.5	47.6	0.0	-8.7
-0.5	0.0			9040	11.7	-18.6	0.0	-8.7
2.0	0.0			9041	-170.2	-43.8	-0.0	19.7
2.1	0.0			9039	105.0	20.4	-0.0	19.8
-0.1	0.0							
			Min	9038	61.6	44.5	0.0	-9.5
-2.3	0.0			9040	5.2	-19.7	0.0	-9.6
0.5	0.0			9041	-183.8	-47.4	-0.0	13.3
0.2	0.0			9039	97.0	18.7	-0.0	13.4
-2.4	0.0							
		INVS LE	Max	9038	61.8	34.4	0.0	-7.8
-0.4	0.0			9040	-1.3	-13.0	0.0	-7.8
1.4	0.0			9041	-136.6	-31.7	-0.0	16.3
1.4	0.0			9039	89.4	14.2	-0.0	16.4
-0.1	0.0							
			Min	9038	53.8	32.3	0.0	-8.3
-1.6	0.0			9040	-5.6	-13.8	0.0	-8.4
0.4	0.0			9041	-145.6	-34.1	-0.0	12.0
0.2	0.0			9039	84.1	13.1	-0.0	12.1
-1.7	0.0							
11634	2	4	C1-C2;~1	Max	9039	0.0	0.0	0.0
0.0		0.0			9041	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			6547	0.0	0.0	0.0
0.0		0.0						
			Min	9039	0.0	0.0	0.0	0.0
0.0		0.0			9041	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0
0.0		0.0			6547	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	9039	0.0	0.0	0.0
0.0		0.0			9041	0.0	0.0	0.0
0.0		0.0			6549	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9039	0.0	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9039	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9039	0.0	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9039	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9039	0.0	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9039	-4.8	35.3	0.0	0.2
0.4	0.0		9041	62.3	-12.9	0.0	0.2
-0.4	0.0		6549	-19.6	-36.0	-0.0	3.0
-0.5	0.0		6547	-37.9	14.3	-0.0	2.9
0.6	0.0						
		G2	9039	-1.3	14.3	-0.0	4.2
-1.7	0.0		9041	23.3	-4.1	-0.0	4.3
1.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.3	0.0		6549	-7.9	-14.8	0.0	-6.8
-1.7	0.0		6547	-14.1	4.5	0.0	-7.0
0.0	0.0	Q3	9039	0.0	0.0	0.0	0.0
0.0	0.0		9041	0.0	0.0	0.0	0.0
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0		6547	0.0	0.0	0.0	0.0
0.2	0.0	Q5_pc X	9039	2.1	0.1	0.0	-0.5
-0.2	0.0		9041	-2.4	0.2	0.0	-0.5
-0.2	0.0		6549	-2.2	-0.0	-0.0	1.0
0.2	0.0		6547	2.5	-0.3	-0.0	1.0
-0.7	0.0	Q5_pc Y	9039	-5.6	-0.8	-0.0	1.5
0.5	0.0		9041	5.0	-0.2	-0.0	1.5
0.5	0.0		6549	6.2	0.7	0.0	-3.0
-0.6	0.0		6547	-5.6	0.3	0.0	-3.1
0.3	0.0	Q5_ps X	9039	2.3	0.4	0.0	-0.7
-0.3	0.0		9041	-2.0	0.0	0.0	-0.7
-0.2	0.0		6549	-2.5	-0.3	-0.0	1.4
0.3	0.0		6547	2.1	-0.1	-0.0	1.5
-1.0	0.0	Q5_ps Y	9039	-6.1	-1.8	-0.0	2.1
0.8	0.0		9041	3.8	0.3	-0.0	2.1
0.7	0.0		6549	6.8	1.6	0.0	-4.3
-0.9	0.0		6547	-4.5	-0.2	0.0	-4.4
1.8	0.0	INVSLU Max	9039	412.6	60.3	0.0	-11.8
1.2	0.0		9041	-320.0	-12.5	0.0	-12.0
-1.4	0.0		6549	-507.1	-50.8	0.0	22.8
4.8	0.0		6547	446.2	9.9	0.0	22.5
		Min	9039	394.3	54.9	-0.0	-18.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-1.2	0.0			9041	-331.3	-13.5	-0.0	-18.3
-1.3	0.0			6549	-527.5	-55.7	-0.0	9.8
-3.6	0.0			6547	432.8	9.3	-0.0	9.2
2.1	0.0							
		INVSLE	Max	9039	319.9	43.9	0.0	-10.7
1.4	0.0			9041	-253.8	-8.7	0.0	-10.9
0.7	0.0			6549	-393.8	-37.1	0.0	18.3
-1.5	0.0			6547	348.9	6.6	0.0	18.0
3.9	0.0							
			Min	9039	307.7	40.3	-0.0	-14.9
-0.6	0.0			9041	-261.4	-9.4	-0.0	-15.1
-1.0	0.0			6549	-407.4	-40.4	-0.0	9.6
-2.9	0.0			6547	340.0	6.2	-0.0	9.1
2.1	0.0							
11635	2	10	C1-C2;~1	Max	9040	0.0	0.0	0.0
0.0	0.0				9042	0.0	0.0	0.0
0.0	0.0				9043	0.0	0.0	0.0
0.0	0.0				9041	0.0	0.0	0.0
0.0	0.0							
			Min	9040	0.0	0.0	0.0	0.0
0.0	0.0				9042	0.0	0.0	0.0
0.0	0.0				9043	0.0	0.0	0.0
0.0	0.0				9041	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9040	0.0	0.0	0.0
0.0	0.0				9042	0.0	0.0	0.0
0.0	0.0				9043	0.0	0.0	0.0
0.0	0.0				9041	0.0	0.0	0.0
0.0	0.0							
			Min	9040	0.0	0.0	0.0	0.0
0.0	0.0				9042	0.0	0.0	0.0
0.0	0.0				9043	0.0	0.0	0.0
0.0	0.0				9041	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	9040	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9040	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9040	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9040	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9040	-85.7	22.7	0.0	2.2
-0.1	0.0			9042	129.3	-13.9	0.0	2.3
0.5	0.0			9043	62.1	-23.2	-0.0	-0.4
0.3	0.0			9041	-105.6	14.9	-0.0	-0.2
0.0	0.0							
			G2	9040	-32.9	9.6	-0.0	1.7
-1.1	0.0			9042	49.3	-3.7	-0.0	1.7
0.6	0.0			9043	23.7	-10.3	-0.0	-2.0
0.9	0.0			9041	-40.2	4.4	0.0	-2.6
-1.3	0.0							
			Q3	9040	0.0	0.0	0.0	0.0
0.0	0.0			9042	0.0	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0	0.0
0.0	0.0			9041	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.1	0.0	Q5_pc X	9040	1.7	-0.1	0.0	-0.1
-0.0	0.0		9042	-2.0	0.1	0.0	-0.1
-0.1	0.0		9043	-1.9	0.2	-0.0	0.2
0.2	0.0		9041	2.2	-0.2	-0.0	0.3
-0.3	0.0	Q5_pc Y	9040	-3.5	-0.3	-0.0	0.2
0.1	0.0		9042	3.3	0.2	-0.0	0.1
0.3	0.0		9043	4.2	0.0	0.0	-0.6
-0.5	0.0		9041	-4.0	0.1	0.0	-0.9
0.2	0.0	Q5_ps X	9040	1.8	0.2	0.0	-0.1
-0.1	0.0		9042	-1.6	-0.2	0.0	-0.1
-0.1	0.0		9043	-2.0	-0.0	-0.0	0.3
0.2	0.0		9041	1.8	0.0	-0.0	0.4
-0.5	0.0	Q5_ps Y	9040	-3.6	-1.0	-0.0	0.3
0.2	0.0		9042	1.9	0.9	-0.0	0.2
0.4	0.0		9043	4.4	0.6	0.0	-0.8
-0.7	0.0		9041	-2.7	-0.5	0.0	-1.2
-0.7	0.0	INVSLE Max	9040	65.8	35.9	0.0	-6.7
-2.0	0.0		9042	-6.6	-11.9	0.0	-8.6
-0.2	0.0		9043	-160.2	-29.1	-0.0	17.1
-1.1	0.0		9041	120.0	10.3	0.0	14.6
-2.1	0.0	Min	9040	55.0	33.0	0.0	-7.5
-2.5	0.0		9042	-12.5	-14.6	0.0	-9.1
-1.4	0.0		9043	-173.4	-30.8	-0.0	14.7
-3.2	0.0		9041	111.9	8.7	0.0	11.0
-0.5	0.0	INVSLE Max	9040	56.2	25.4	0.0	-6.0
-1.8	0.0		9042	-15.1	-8.7	0.0	-7.6
			9043	-129.0	-20.0	-0.0	14.1


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-0.4	0.0			9041	100.7	6.8	0.0	12.1	
-0.9	0.0								
			Min	9040	49.0	23.4	0.0	-6.5	
-1.5	0.0			9042	-19.1	-10.5	0.0	-8.0	
-2.2	0.0			9043	-137.8	-21.1	-0.0	12.5	
-1.2	0.0			9041	95.3	5.8	0.0	9.6	
-2.3	0.0								
11636	2	10	C1-C2;~1	Max	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0
	0.0	0.0			6549	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0
	0.0	0.0			6549	0.0	0.0	0.0	0.0
	0.0	0.0							
			C3-C4;~1	Max	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0
	0.0	0.0			6549	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0
	0.0	0.0			6549	0.0	0.0	0.0	0.0
	0.0	0.0							
			C1-C2;~2	Max	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0
	0.0	0.0			6549	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	9041	0.0	0.0	0.0	0.0
	0.0	0.0			9043	0.0	0.0	0.0	0.0
	0.0	0.0			6551	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6549	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	9041	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			6549	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9041	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			6549	0.0	0.0	0.0
0.0	0.0						
0.4	0.0		G1	9041	-12.6	28.4	0.0
-0.1	0.0			9043	57.1	-10.2	0.0
-0.1	0.0			6551	-11.5	-27.7	-0.0
0.6	0.0			6549	-33.0	10.1	-0.0
-1.3	0.0		G2	9041	-4.2	12.2	-0.0
1.8	0.0			9043	21.4	-2.4	-0.0
2.4	0.0			6551	-5.3	-12.4	0.0
-1.1	0.0			6549	-12.0	2.6	-0.0
0.0	0.0		Q3	9041	0.0	0.0	0.0
0.0	0.0			9043	0.0	0.0	0.0
0.0	0.0			6551	0.0	0.0	0.0
0.0	0.0			6549	0.0	0.0	0.0
0.2	0.0		Q5_pc X	9041	2.1	-0.1	0.0
-0.2	0.0			9043	-2.5	0.3	0.0
-0.3	0.0			6551	-2.1	0.1	-0.0
0.1	0.0			6549	2.6	-0.3	0.0
-0.5	0.0		Q5_pc Y	9041	-5.3	-0.3	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.7	0.0		9043	5.3	-0.3	-0.0	0.6
1.0	0.0		6551	5.7	0.3	0.0	-2.2
-0.4	0.0		6549	-5.8	0.4	-0.0	-2.1
0.2	0.0	Q5_ps X	9041	2.2	0.2	0.0	-0.4
-0.3	0.0		9043	-2.2	0.1	0.0	-0.3
-0.5	0.0		6551	-2.3	-0.1	-0.0	1.0
0.2	0.0		6549	2.2	-0.2	0.0	1.0
-0.7	0.0	Q5_ps Y	9041	-5.6	-1.0	-0.0	1.2
1.0	0.0		9043	4.3	0.2	-0.0	0.9
1.5	0.0		6551	6.1	0.9	0.0	-3.2
-0.6	0.0		6549	-4.8	-0.1	-0.0	-3.0
2.2	0.0	INVSLE Max	9041	395.1	50.6	0.0	-12.3
4.8	0.0		9043	-324.8	-2.8	-0.0	-18.3
10.6	0.0		6551	-485.5	-42.7	0.1	14.5
5.1	0.0		6549	446.3	-0.7	-0.0	15.3
-0.0	0.0	Min	9041	378.3	47.5	0.0	-16.0
1.6	0.0		9043	-337.6	-3.5	-0.0	-20.9
6.0	0.0		6551	-503.8	-45.4	0.0	5.0
3.3	0.0		6549	432.0	-1.5	-0.0	6.3
1.7	0.0	INVSLE Max	9041	306.4	36.7	0.0	-10.7
3.5	0.0		9043	-257.1	-1.6	-0.0	-15.6
8.2	0.0		6551	-376.7	-30.8	0.0	11.4
4.1	0.0		6549	348.2	-1.4	-0.0	12.2
0.3	0.0	Min	9041	295.1	34.6	0.0	-13.2
1.4	0.0		9043	-265.7	-2.0	-0.0	-17.4
5.1	0.0		6551	-388.9	-32.6	0.0	5.1
2.9	0.0		6549	338.7	-1.8	-0.0	6.2

PROJECT TITLE :

MIDAS	Company					Client				
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
11669	2	10	C1-C2;~1	Max	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0		Min	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0								
			C3-C4;~1	Max	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0		Min	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0								
			C1-C2;~2	Max	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0		Min	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0								
			C3-C4;~2	Max	9068	0.0	0.0	0.0	0.0	
0.0		0.0			9070	0.0	0.0	0.0	0.0	
0.0		0.0			9071	0.0	0.0	0.0	0.0	
0.0		0.0			9069	0.0	0.0	0.0	0.0	
0.0		0.0								

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	9068	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			9069	0.0	0.0	0.0	0.0
			G1	9068	-117.3	-33.5	-0.2	-233.8
98.0	0.0			9070	16.8	53.9	-0.2	-224.9
-92.0	-0.0			9071	100.7	35.2	0.2	92.0
-74.5	0.0			9069	-0.2	-55.1	0.2	97.0
80.9	-0.0							
			G2	9068	-45.4	-12.4	-0.1	-89.7
36.9	0.0			9070	6.3	21.6	-0.1	-86.3
-34.5	-0.0			9071	38.9	13.0	0.1	32.4
-27.4	0.0			9069	0.1	-22.1	0.1	34.3
30.1	-0.0							
			Q3	9068	0.0	0.0	0.0	0.0
0.0	0.0			9070	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			9069	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9068	2.0	-0.6	0.0	7.7
-3.4	-0.0			9070	-3.1	0.4	0.0	7.7
3.7	0.0			9071	-1.9	0.6	-0.0	-5.3
3.3	-0.0			9069	2.9	-0.4	-0.0	-5.4
-3.1	0.0							
			Q5_pc Y	9068	-2.7	0.9	-0.0	-11.0
5.0	0.0			9070	4.7	-0.8	-0.0	-10.9
-5.4	-0.0			9071	2.8	-1.0	0.0	8.4
-5.0	0.0			9069	-4.8	0.9	0.0	8.6
4.6	-0.0							
			Q5_ps X	9068	1.8	-0.5	0.0	7.2
-3.2	-0.0			9070	-2.9	0.4	0.0	7.2
3.4	0.0			9071	-1.8	0.5	-0.0	-4.8
3.1	-0.0							

PROJECT TITLE :

MIDAS			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.8	0.0		9069	2.8	-0.4	-0.0	-4.9
4.1	0.0	Q5_ps Y	9068	-2.2	0.8	-0.0	-9.3
-4.5	-0.0		9070	4.3	-0.9	-0.0	-9.2
-4.1	0.0		9071	2.4	-0.9	0.0	7.2
3.8	-0.0		9069	-4.4	1.0	0.0	7.3
-68.8	-0.0	INVS LU Max	9068	-75.3	-93.1	-0.6	6.4
82.6	0.0		9070	-154.6	118.7	-0.5	9.3
121.8	-0.0		9071	12.6	96.0	0.5	-362.1
-110.7	0.0		9069	237.2	-115.4	0.6	-374.8
-81.2	-0.0	Min	9068	-81.9	-95.4	-0.6	-21.4
69.1	0.0		9070	-167.3	115.9	-0.5	-18.4
109.4	-0.0		9071	5.4	93.4	0.5	-383.6
-122.1	0.0		9069	223.9	-118.6	0.6	-396.7
-62.6	-0.0	INVS LE Max	9068	-49.1	-70.3	-0.5	23.6
72.4	0.0		9070	-123.6	88.2	-0.4	25.4
101.5	-0.0		9071	0.5	72.2	0.4	-292.3
-93.7	0.0		9069	185.4	-85.9	0.5	-302.2
-70.8	-0.0	Min	9068	-53.5	-71.8	-0.5	5.1
63.4	0.0		9070	-132.1	86.3	-0.4	7.0
93.3	-0.0		9071	-4.2	70.4	0.4	-306.7
-101.3	0.0		9069	176.6	-88.0	0.4	-316.8
11670	2	10 C1-C2;~1 Max	9069	0.0	0.0	0.0	0.0
0.0	0.0		9071	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0		6577	0.0	0.0	0.0	0.0
0.0	0.0	Min	9069	0.0	0.0	0.0	0.0
0.0	0.0		9071	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9069	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0			6579	0.0	0.0	0.0	0.0
0.0	0.0			6577	0.0	0.0	0.0	0.0
0.0	0.0							
33.5	-0.0		G1	9069	-73.4	-35.9	-0.4	-97.8
				9071	-35.3	60.5	-0.3	-93.8
-26.3	0.0							

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
16.2	-0.0		6579	59.2	35.8	0.4	-173.9
-9.3	0.0		6577	49.5	-59.8	0.4	-179.4
11.5	-0.0	G2	9069	-28.5	-13.3	-0.2	-34.6
-8.5	0.0		9071	-13.7	24.1	-0.1	-33.1
7.9	0.0		6579	23.1	13.2	0.1	-72.8
-4.9	-0.0		6577	19.0	-23.9	0.2	-74.9
0.0	0.0	Q3	9069	0.0	0.0	0.0	0.0
0.0	0.0		9071	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0		6577	0.0	0.0	0.0	0.0
-1.4	0.0	Q5_pc X	9069	1.9	-0.4	0.0	5.4
1.4	-0.0		9071	-2.9	0.6	0.0	5.3
-0.6	-0.0		6579	-2.0	0.3	-0.0	7.8
0.4	0.0		6577	3.0	-0.5	-0.0	7.9
2.1	-0.0	Q5_pc Y	9069	-3.5	0.6	-0.0	-8.7
-2.0	0.0		9071	5.4	-1.2	-0.0	-8.5
1.1	0.0		6579	3.9	-0.4	0.0	-12.7
-0.7	-0.0		6577	-5.8	1.1	0.0	-12.8
-1.3	0.0	Q5_ps X	9069	1.8	-0.3	0.0	5.0
1.2	-0.0		9071	-2.8	0.6	0.0	4.9
-0.7	-0.0		6579	-1.9	0.3	-0.0	7.7
0.4	0.0		6577	2.9	-0.6	-0.0	7.8
1.6	-0.0	Q5_ps Y	9069	-3.3	0.4	-0.0	-7.3
-1.5	0.0		9071	5.2	-1.5	-0.0	-7.2
1.2	0.0		6579	3.8	-0.2	0.0	-12.2
-0.8	-0.0		6577	-5.8	1.4	0.0	-12.3

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVSLE	Max	9069	168.0	-74.0	0.9	398.5
-94.6	0.0				9071	-370.6	123.4	0.8	384.6
92.4	-0.0				6579	-244.7	69.9	-0.7	177.9
17.6	0.0				6577	474.3	-113.3	-0.8	178.8
-25.2	-0.0								
				Min	9069	158.2	-75.0	0.8	376.5
-99.4	0.0				9071	-386.3	118.8	0.7	363.0
87.8	-0.0				6579	-256.0	69.1	-0.8	141.2
14.0	0.0				6577	457.0	-117.5	-0.9	141.9
-27.7	-0.0								
			INVSLE	Max	9069	137.0	-55.6	0.7	318.4
-76.4	0.0				9071	-289.3	91.8	0.6	307.6
74.1	-0.0				6579	-197.2	52.3	-0.6	156.6
11.2	0.0				6577	367.5	-84.4	-0.7	157.6
-18.1	-0.0								
				Min	9069	130.5	-56.3	0.7	303.7
-79.5	0.0				9071	-299.8	88.8	0.6	293.2
71.0	-0.0				6579	-204.7	51.8	-0.7	132.1
8.8	0.0				6577	356.0	-87.2	-0.7	132.9
-19.7	-0.0								
11671	2	4	C1-C2;~1	Max	9070	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	9070	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	9070	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

			Min	9070	0.0	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9070	0.0	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9070	0.0	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9070	0.0	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9070	0.0	0.0	0.0	0.0
0.0	0.0			9072	0.0	0.0	0.0	0.0
0.0	0.0			9073	0.0	0.0	0.0	0.0
0.0	0.0			9071	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9070	-117.1	-37.8	-0.3	-266.1
92.5	-0.0			9072	6.9	56.9	-0.1	-210.8
-80.4	0.0			9073	101.7	40.7	0.1	73.1
-57.3	0.0			9071	8.5	-59.2	0.3	103.2
74.4	0.0							
		G2		9070	-45.5	-13.6	-0.1	-102.1
34.7	-0.0			9072	2.7	23.7	-0.0	-80.9
-30.9	-0.0			9073	39.6	14.1	0.1	25.7
-21.4	0.0			9071	3.2	-24.2	0.1	36.3
27.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	9070	0.0	0.0	0.0	0.0
0.0	0.0		9072	0.0	0.0	0.0	0.0
0.0	0.0		9073	0.0	0.0	0.0	0.0
0.0	0.0		9071	0.0	0.0	0.0	0.0
-3.7	0.0	Q5_pc X	9070	2.0	-0.8	0.0	9.4
3.8	0.0		9072	-3.4	0.6	0.0	7.6
3.2	-0.0		9073	-1.8	0.6	-0.0	-5.0
-3.3	-0.0		9071	3.2	-0.5	-0.0	-6.3
5.4	-0.0	Q5_pc Y	9070	-2.7	1.4	-0.0	-13.5
-5.9	-0.0		9072	5.6	-1.4	-0.0	-11.0
-5.0	0.0		9073	2.5	-1.2	0.0	8.2
4.9	0.0		9071	-5.4	1.2	0.0	10.2
-3.4	0.0	Q5_ps X	9070	1.8	-0.7	0.0	8.8
3.6	0.0		9072	-3.3	0.7	0.0	7.1
3.0	-0.0		9073	-1.6	0.7	-0.0	-4.6
-3.0	-0.0		9071	3.1	-0.6	-0.0	-5.8
4.5	-0.0	Q5_ps Y	9070	-2.1	1.4	-0.0	-11.6
-5.2	-0.0		9072	5.3	-1.6	-0.0	-9.5
-4.4	0.0		9073	2.0	-1.3	0.0	7.3
4.0	0.0		9071	-5.2	1.4	0.0	8.8
-68.0	0.0	INVS LU Max	9070	-84.3	-107.9	-0.8	7.8
68.8	0.0		9072	-170.3	124.8	-0.5	-12.0
130.4	0.0		9073	27.8	114.6	0.5	-358.3
-111.0	-0.0		9071	248.7	-122.1	0.8	-435.0
-81.4	0.0	Min	9070	-90.6	-112.1	-0.8	-26.9
53.2	0.0		9072	-186.2	120.1	-0.5	-40.6
			9073	21.8	110.9	0.5	-380.1

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

117.1	0.0			9071	233.1	-126.4	0.8	-461.4
-123.1	-0.0							
		INVSLE	Max	9070	-55.8	-81.9	-0.6	27.7
-62.5	0.0			9072	-135.9	92.4	-0.4	7.7
61.2	0.0			9073	12.0	86.7	0.3	-288.2
107.7	0.0			9071	194.3	-90.8	0.6	-351.0
-94.5	-0.0							
			Min	9070	-59.9	-84.7	-0.6	4.6
-71.4	0.0			9072	-146.5	89.2	-0.4	-11.3
50.8	0.0			9073	8.0	84.1	0.3	-302.7
98.8	0.0			9071	183.9	-93.7	0.6	-368.6
-102.5	-0.0							
11672	2	4	C1-C2;~1	Max	9071	0.0	0.0	0.0
0.0		0.0			9073	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			6579	0.0	0.0	0.0
0.0		0.0						
			Min	9071	0.0	0.0	0.0	0.0
0.0		0.0			9073	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			6579	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	9071	0.0	0.0	0.0
0.0		0.0			9073	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			6579	0.0	0.0	0.0
0.0		0.0						
			Min	9071	0.0	0.0	0.0	0.0
0.0		0.0			9073	0.0	0.0	0.0
0.0		0.0			6581	0.0	0.0	0.0
0.0		0.0			6579	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	9071	0.0	0.0	0.0
0.0		0.0			9073	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0	Min	9071	0.0	0.0	0.0	0.0
0.0	0.0		9073	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	9071	0.0	0.0	0.0	0.0
0.0	0.0		9073	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9071	0.0	0.0	0.0	0.0
0.0	0.0		9073	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0						
26.4	0.0	G1	9071	-73.9	-36.4	-0.7	-101.4
-13.3	0.0		9073	-39.9	62.3	-0.1	-76.0
13.8	-0.0		6581	60.6	38.6	0.1	-164.4
-14.7	-0.0		6579	53.2	-63.8	0.7	-207.0
8.7	0.0	G2	9071	-28.5	-12.8	-0.3	-35.6
-2.4	0.0		9073	-15.3	25.6	-0.1	-26.9
9.7	-0.0		6581	23.1	13.1	0.1	-74.4
-7.1	0.0		6579	20.7	-25.9	0.3	-89.5
0.0	0.0	Q3	9071	0.0	0.0	0.0	0.0
0.0	0.0		9073	0.0	0.0	0.0	0.0
0.0	0.0		6581	0.0	0.0	0.0	0.0
0.0	0.0		6579	0.0	0.0	0.0	0.0
0.0	0.0						
-1.4	-0.0	Q5_pc X	9071	1.6	-0.6	0.0	6.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
1.2	-0.0		9073	-3.1	0.7	0.0	5.1
			6581	-1.6	0.6	-0.0	8.0
-0.5	0.0		6579	3.1	-0.7	-0.0	9.7
0.5	-0.0						
		Q5_pc Y	9071	-2.8	1.1	-0.1	-10.1
2.1	0.0		9073	5.5	-1.3	-0.0	-8.4
-1.7	0.0		6581	3.0	-1.1	0.0	-13.9
1.3	-0.0		6579	-5.8	1.4	0.1	-16.2
-0.9	0.0						
		Q5_ps X	9071	1.5	-0.6	0.0	5.8
-1.3	-0.0		9073	-3.0	0.7	0.0	4.8
1.0	-0.0		6581	-1.5	0.6	-0.0	8.3
-0.8	0.0		6579	3.0	-0.8	-0.0	9.7
0.6	-0.0						
		Q5_ps Y	9071	-2.4	1.0	-0.0	-8.8
1.6	0.0		9073	5.4	-1.5	-0.0	-7.5
-1.0	0.0		6581	2.7	-1.1	0.0	-14.5
2.1	-0.0		6579	-5.7	1.7	0.0	-16.2
-1.0	0.0						
		INVSLE Max	9071	132.1	-90.1	1.2	460.4
-86.3	-0.0		9073	-367.7	134.2	0.5	376.3
130.9	0.0		6581	-202.2	88.7	-0.3	137.3
79.8	-0.0		6579	462.2	-123.9	-1.2	194.4
-13.6	0.0						
		Min	9071	124.9	-93.0	1.1	434.1
-91.2	-0.0		9073	-383.9	129.6	0.4	353.9
127.8	0.0		6581	-210.3	85.3	-0.3	93.7
73.4	-0.0		6579	445.0	-129.0	-1.4	146.0
-16.6	0.0						
		INVSLE Max	9071	109.7	-68.3	1.0	367.7
-69.9	-0.0		9073	-287.7	100.3	0.4	299.8
104.2	0.0		6581	-164.6	66.8	-0.2	123.8
61.1	-0.0		6579	358.8	-92.8	-1.0	173.1
-8.5	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-73.1	-0.0	Min	9071	105.0	-70.3	0.9	350.1
			9073	-298.5	97.2	0.3	284.9
102.1	0.0		6581	-170.0	64.6	-0.3	94.8
56.8	-0.0		6579	347.3	-96.2	-1.1	140.8
-10.5	0.0						
11705	2	4 C1-C2;~1	Max	9098	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						
		Min	9098	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	9098	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						
		Min	9098	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9098	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						
		Min	9098	0.0	0.0	0.0	0.0
0.0	0.0			9100	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			9099	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

Node	U1	U2	U3	U4	U5	U6	U7	U8	
			C3-C4; ~2	Max	9098	0.0	0.0	0.0	0.0
0.0	0.0				9100	0.0	0.0	0.0	0.0
0.0	0.0				9101	0.0	0.0	0.0	0.0
0.0	0.0				9099	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	9098	0.0	0.0	0.0	0.0	0.0
0.0	0.0				9100	0.0	0.0	0.0	0.0
0.0	0.0				9101	0.0	0.0	0.0	0.0
0.0	0.0				9099	0.0	0.0	0.0	0.0
0.0	0.0								
			G1	9098	-107.9	-112.7	0.3	148.3	
-43.8	-0.0				9100	-160.4	123.3	0.2	138.4
30.6	-0.0				9101	133.3	114.0	-0.2	45.0
13.5	-0.0				9099	134.9	-123.9	-0.3	50.1
-17.9	0.0								
			G2	9098	-41.9	-43.0	0.1	57.7	
-18.4	-0.0				9100	-61.7	48.2	0.1	53.9
13.2	0.0				9101	51.9	43.3	-0.1	13.1
7.1	-0.0				9099	51.8	-48.6	-0.1	15.2
-8.8	0.0								
			Q3	9098	0.0	0.0	0.0	0.0	
0.0	0.0				9100	0.0	0.0	0.0	0.0
0.0	0.0				9101	0.0	0.0	0.0	0.0
0.0	0.0				9099	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc X	9098	-0.6	0.6	0.0	-2.5	
1.6	-0.0				9100	0.9	-0.1	0.0	-2.0
-1.4	-0.0				9101	0.8	-0.2	-0.0	3.2
-1.4	0.0				9099	-1.2	-0.3	-0.0	3.5
1.7	0.0								
			Q5_pc Y	9098	4.4	-1.9	0.0	17.6	
-10.4	-0.0				9100	-6.0	0.3	-0.0	15.7
7.7	0.0				9101	-5.2	1.2	0.0	-17.9
7.6	-0.0								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-10.2	0.0			9099	6.8	0.4	0.0	-19.3
		Q5_ps X		9098	-1.0	0.2	0.0	-2.2
1.6	0.0			9100	0.3	0.4	0.0	-1.7
-1.3	-0.0			9101	1.2	0.2	-0.0	3.1
-1.3	0.0			9099	-0.5	-0.7	-0.0	3.4
1.7	0.0							
		Q5_ps Y		9098	5.5	-0.7	0.0	16.9
-10.3	-0.0			9100	-4.4	-0.9	-0.0	15.0
7.3	0.0			9101	-6.1	-0.0	0.0	-17.4
7.3	-0.0			9099	5.0	1.7	0.0	-18.7
-10.3	0.0							
		INVS LU	Max	9098	-213.0	-226.4	1.1	398.7
-68.9	-0.0			9100	-319.2	256.0	0.7	363.7
62.3	-0.0			9101	314.0	230.1	-0.7	265.4
11.8	-0.0			9099	249.7	-252.1	-1.1	295.3
14.6	0.0							
			Min	9098	-229.5	-229.8	1.1	347.9
-99.9	-0.0			9100	-332.4	253.2	0.6	318.9
40.3	-0.0			9101	295.8	228.0	-0.7	213.2
-10.2	-0.0			9099	234.7	-257.2	-1.1	239.0
-16.3	0.0							
		INVS LE	Max	9098	-157.9	-169.1	0.9	304.2
-56.5	-0.0			9100	-240.7	191.1	0.5	277.6
47.4	-0.0			9101	232.8	171.6	-0.5	194.9
9.1	-0.0			9099	186.8	-188.5	-0.8	216.9
6.8	0.0							
			Min	9098	-168.8	-171.4	0.9	270.4
-77.2	-0.0			9100	-249.5	189.2	0.5	247.6
32.8	-0.0			9101	220.6	170.2	-0.5	160.1
-5.5	-0.0			9099	176.8	-191.9	-0.8	179.4
-13.8	0.0							
11706	2	4	C1-C2;~1	Max	9099	0.0	0.0	0.0
0.0	0.0				9101	0.0	0.0	0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
0.0	0.0	Min	9099	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9099	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0			6607	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9099	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9099	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0			6607	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9099	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9099	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0			6607	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9099	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
8.0	0.0	G1	9099	-195.9	-116.9	0.0	-49.7
-3.8	-0.0		9101	-78.1	123.1	-0.0	-44.5
-8.0	0.0		6609	229.6	119.2	0.0	47.1
13.0	0.0		6607	44.3	-124.8	-0.0	53.9
0.2	0.0	G2	9099	-76.7	-44.6	-0.0	-15.0
1.4	-0.0		9101	-29.4	48.3	-0.0	-12.8
0.2	0.0		6609	90.1	45.4	0.0	5.6
1.7	0.0		6607	16.0	-49.1	0.0	7.8
0.0	0.0	Q3	9099	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.0	0.0		6607	0.0	0.0	0.0	0.0
1.1	0.0	Q5_pc X	9099	-1.2	0.6	-0.0	-3.5
-0.8	0.0		9101	1.6	0.9	-0.0	-3.2
-0.1	-0.0		6609	1.5	-1.3	0.0	-1.9
0.3	-0.0		6607	-1.9	-0.2	0.0	-2.3
-5.8	0.0	Q5_pc Y	9099	6.9	-1.9	0.1	19.3
3.9	-0.0		9101	-8.4	-2.4	0.0	18.1
-0.7	0.0		6609	-8.2	3.7	-0.0	16.2
-0.4	0.0		6607	9.7	0.6	-0.1	17.6
1.3	0.0	Q5_ps X	9099	-1.5	0.2	-0.0	-3.4
-0.9	0.0		9101	0.9	1.4	-0.0	-3.2
-0.4	-0.0		6609	1.8	-0.8	0.0	-0.6
0.5	-0.0		6607	-1.1	-0.8	0.0	-0.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-6.2	0.0	Q5_ps Y	9099	7.7	-0.7	0.1	18.8
4.1	-0.0		9101	-6.2	-3.6	0.0	17.6
-0.1	0.0		6609	-8.8	2.3	-0.0	12.9
-1.1	0.0		6607	7.3	2.0	-0.1	14.2
72.1	0.0	INVS LU Max	9099	-504.2	-246.2	-0.3	-238.4
-18.5	-0.0		9101	-46.2	263.3	-0.2	-211.9
-5.2	0.0		6609	641.8	250.5	0.4	51.3
55.3	0.0		6607	-46.5	-253.1	0.3	89.4
53.4	0.0	Min	9099	-527.2	-249.6	-0.4	-294.8
-30.7	-0.0		9101	-64.7	252.4	-0.3	-264.7
-6.5	0.0		6609	615.4	243.5	0.3	12.6
52.0	0.0		6607	-68.4	-259.1	0.1	46.7
52.1	0.0	INVS LE Max	9099	-377.9	-183.8	-0.2	-178.9
-14.2	-0.0		9101	-34.3	196.3	-0.1	-159.1
-4.8	0.0		6609	479.4	186.2	0.3	42.1
41.5	0.0		6607	-37.3	-189.1	0.2	70.6
39.6	0.0	Min	9099	-393.2	-186.0	-0.3	-216.5
-22.4	-0.0		9101	-46.7	189.1	-0.2	-194.3
-5.7	0.0		6609	461.9	181.6	0.2	16.3
39.3	0.0		6607	-52.0	-193.0	0.1	42.2
11707	2	8 C1-C2;~1 Max	9100	0.0	0.0	0.0	0.0
0.0	0.0		9102	0.0	0.0	0.0	0.0
0.0	0.0		9103	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
0.0	0.0	Min	9100	0.0	0.0	0.0	0.0
0.0	0.0		9102	0.0	0.0	0.0	0.0
0.0	0.0		9103	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9100	0.0	0.0	0.0	0.0
0.0	0.0			9102	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0
0.0	0.0			9101	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9100	-106.5	-115.3	0.4	154.0
-30.7	-0.0			9102	-163.0	122.3	0.2	123.2
29.7	-0.0			9103	133.5	116.1	-0.2	48.4
5.2	-0.0			9101	136.0	-122.4	-0.4	52.0
-13.2	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-13.3	0.0	G2	9100	-41.4	-43.2	0.1	59.9
11.5	-0.0		9102	-62.2	48.7	0.1	47.9
2.9	-0.0		9103	51.9	42.8	-0.1	14.8
-7.2	-0.0		9101	51.7	-48.3	-0.1	15.0
0.0	0.0	Q3	9100	0.0	0.0	0.0	0.0
0.0	0.0		9102	0.0	0.0	0.0	0.0
0.0	0.0		9103	0.0	0.0	0.0	0.0
0.0	0.0		9101	0.0	0.0	0.0	0.0
1.4	-0.0	Q5_pc X	9100	-0.8	-0.6	0.0	-1.1
0.8	-0.0		9102	-1.1	1.5	0.0	0.4
-0.2	-0.0		9103	1.7	0.2	-0.0	3.1
1.4	0.0		9101	0.2	-1.1	-0.0	3.6
-7.7	0.0	Q5_pc Y	9100	5.0	0.5	0.0	14.7
1.9	0.0		9102	-1.4	-3.4	-0.0	8.5
3.9	-0.0		9103	-7.1	0.2	0.0	-15.8
-7.8	-0.0		9101	3.5	2.7	0.0	-20.0
1.3	-0.0	Q5_ps X	9100	-1.2	-1.0	0.0	-0.5
1.0	0.0		9102	-1.7	2.0	0.0	0.9
-0.1	-0.0		9103	2.1	0.6	-0.0	3.0
1.4	0.0		9101	0.8	-1.6	-0.0	3.6
-7.4	0.0	Q5_ps Y	9100	6.0	1.7	0.0	13.5
1.3	0.0		9102	0.5	-4.7	-0.0	7.5
3.6	-0.0		9103	-8.0	-1.0	0.0	-15.2
-7.5	-0.0		9101	1.6	4.0	0.0	-19.3
-40.6	-0.0	INVSLU Max	9100	-214.4	-226.4	1.2	393.1
54.5	-0.0		9102	-326.0	267.0	0.5	312.0


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-11.0	-0.0			9103	320.8	229.6	-0.5	242.6	
10.9	-0.0			9101	246.3	-252.0	-1.1	290.4	
			Min	9100	-232.4	-231.6	1.2	352.5	
-62.7	-0.0			9102	-331.2	252.8	0.5	289.6	
50.6	-0.0			9103	296.7	226.7	-0.5	196.9	
-21.7	-0.0			9101	240.1	-264.0	-1.2	232.5	
-11.7	-0.0								
			INVSLE	Max	9100	-159.2	-169.4	0.9	300.3
-33.0	-0.0			9102	-245.4	198.7	0.4	238.6	
42.2	-0.0			9103	237.8	171.5	-0.4	178.4	
-7.7	-0.0			9101	184.7	-188.7	-0.9	213.2	
6.0	-0.0								
			Min	9100	-171.2	-172.9	0.9	273.2	
-47.8	-0.0			9102	-248.9	189.3	0.4	223.7	
39.6	-0.0			9103	221.8	169.6	-0.4	147.9	
-14.8	-0.0			9101	180.5	-196.6	-0.9	174.6	
-9.1	-0.0								
11708	2	8	C1-C2;~1	Max	9101	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0	
0.0	0.0			6611	0.0	0.0	0.0	0.0	
0.0	0.0			6609	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	9101	0.0	0.0	0.0	0.0	
0.0	0.0			9103	0.0	0.0	0.0	0.0	
0.0	0.0			6611	0.0	0.0	0.0	0.0	
0.0	0.0			6609	0.0	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	9101	0.0	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0	0.0	
0.0	0.0			6611	0.0	0.0	0.0	0.0	
0.0	0.0			6609	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	9101	0.0	0.0	0.0	0.0	
0.0	0.0			9103	0.0	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6611	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
		C1-C2; ~2	Max	9101	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0						
			Min	9101	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	9101	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0						
			Min	9101	0.0	0.0	0.0
0.0	0.0			9103	0.0	0.0	0.0
0.0	0.0			6611	0.0	0.0	0.0
0.0	0.0			6609	0.0	0.0	0.0
0.0	0.0						
		G1		9101	-191.2	-114.8	0.1
3.6	-0.0			9103	-89.6	135.2	-0.1
-17.6	-0.0			6611	218.0	113.2	0.1
-18.4	0.0			6609	62.8	-132.9	-0.0
7.6	0.0						51.7
		G2		9101	-74.2	-43.3	0.0
-1.4	-0.0			9103	-34.0	53.2	-0.1
-3.0	-0.0			6611	84.2	42.4	0.1
-1.0	-0.0			6609	24.1	-52.4	-0.0
-0.1	0.0						2.2
		Q3		9101	0.0	0.0	0.0
0.0	0.0						0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9103	0.0	0.0	0.0	0.0
0.0	0.0		6611	0.0	0.0	0.0	0.0
0.0	0.0		6609	0.0	0.0	0.0	0.0
0.8	0.0	Q5_pc X	9101	-2.6	0.4	-0.0	-3.6
-0.8	-0.0		9103	1.2	0.7	-0.0	-3.1
-0.7	0.0		6611	2.8	0.4	0.0	-0.6
0.1	-0.0		6609	-1.5	-1.6	0.0	-1.4
-3.7	-0.0	Q5_pc Y	9101	10.1	-1.5	0.1	19.8
3.5	-0.0		9103	-6.4	-2.2	0.0	16.0
1.5	-0.0		6611	-11.0	-1.1	-0.0	11.7
0.6	0.0		6609	7.3	4.8	-0.1	16.3
0.8	0.0	Q5_ps X	9101	-2.9	0.0	-0.0	-3.5
-1.0	-0.0		9103	0.6	1.2	0.0	-2.9
-1.2	0.0		6611	3.1	0.8	-0.0	1.1
0.3	-0.0		6609	-0.9	-2.0	0.0	0.3
-3.9	-0.0	Q5_ps Y	9101	10.7	-0.3	0.1	19.1
4.0	-0.0		9103	-4.5	-3.5	0.0	15.3
2.7	-0.0		6611	-11.6	-2.0	-0.0	7.3
0.1	0.0		6609	5.4	5.8	-0.1	12.0
30.1	-0.0	INVS LU Max	9101	-476.6	-227.6	-0.2	-233.7
-58.4	-0.0		9103	-99.1	302.2	-0.4	-191.7
-44.5	0.0		6611	590.2	235.2	0.3	11.3
6.9	0.0		6609	34.0	-290.6	0.5	30.1
18.4	-0.0	Min	9101	-508.7	-230.3	-0.4	-291.1
-70.3	-0.0		9103	-112.7	291.8	-0.4	-237.6
-52.4	0.0		6611	555.4	229.2	0.3	-10.5
5.8	0.0		6609	17.7	-307.9	0.3	-5.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	9101	-358.1	-170.1	-0.1	-175.5
22.0	-0.0				9103	-74.3	225.3	-0.3	-144.0
-44.4	-0.0				6611	440.9	175.9	0.2	12.7
-34.5	0.0				6609	23.8	-218.3	0.3	27.3
5.9	0.0								
				Min	9101	-379.5	-171.9	-0.3	-213.8
14.2	-0.0				9103	-83.4	218.4	-0.3	-174.6
-52.3	-0.0				6611	417.7	171.9	0.2	-1.9
-39.8	0.0				6609	12.9	-229.8	0.2	3.4
5.2	0.0								
11739	2	8	C1-C2;~1	Max	9128	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9128	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9128	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9128	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9128	0.0	0.0	0.0	0.0
0.0		0.0			9130	0.0	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	9128	0.0	0.0	0.0	0.0
0.0	0.0		9130	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0		9129	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	9128	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0			9129	0.0	0.0	0.0
0.0	0.0						
			Min	9128	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0			9129	0.0	0.0	0.0
0.0	0.0						
		G1		9128	144.6	112.7	0.2
-20.7	-0.0			9130	108.0	-101.9	0.3
23.0	-0.0			9131	-125.5	-110.8	-0.3
12.2	-0.0			9129	-127.1	100.8	-0.2
-8.9	0.0						
		G2		9128	55.0	43.6	0.1
-9.6	-0.0			9130	41.2	-38.2	0.1
10.6	0.0			9131	-47.4	-43.0	-0.1
6.8	-0.0			9129	-48.8	37.6	-0.1
-5.5	0.0						
		Q3		9128	0.0	0.0	0.0
0.0	0.0			9130	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0			9129	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		9128	-1.3	0.4	-0.0
2.4	0.0			9130	1.5	0.7	-0.0
-2.8	-0.0			9131	1.1	-0.8	0.0
-2.6	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.1	-0.0			9129	-1.3	-0.2	0.0	5.1
		Q5_pc	Y	9128	8.9	-1.6	-0.0	40.5
-13.3	-0.0			9130	-8.8	-2.4	0.0	43.7
17.1	0.0			9131	-9.1	2.3	-0.0	-40.7
16.7	-0.0			9129	9.0	1.7	-0.0	-37.9
-12.7	0.0							
		Q5_ps	X	9128	-0.4	1.1	-0.0	-6.6
2.3	0.0			9130	2.2	0.1	-0.0	-7.4
-2.7	-0.0			9131	0.2	-1.5	0.0	5.3
-2.7	0.0			9129	-2.0	0.4	0.0	5.0
2.1	-0.0							
		Q5_ps	Y	9128	6.8	-2.9	-0.0	38.0
-12.7	-0.0			9130	-9.8	-1.1	0.0	41.4
16.5	0.0			9131	-7.0	3.6	0.0	-39.3
16.3	-0.0			9129	9.9	0.4	-0.0	-36.5
-12.1	0.0							
		INVSLE	Max	9128	318.4	243.1	0.7	381.5
-20.5	-0.0			9130	246.5	-213.1	1.0	410.5
69.2	0.0			9131	-232.1	-234.5	-1.0	309.8
29.9	-0.0			9129	-282.6	219.1	-0.7	283.7
12.3	0.0							
			Min	9128	297.9	234.3	0.7	267.4
-58.6	-0.0			9130	217.2	-217.4	0.9	286.2
19.7	0.0			9131	-253.0	-245.4	-1.0	191.9
-18.9	-0.0			9129	-312.4	216.0	-0.7	174.1
-24.1	-0.0							
		INVSLE	Max	9128	238.6	181.0	0.5	288.4
-18.4	-0.0			9130	182.0	-159.8	0.7	310.3
51.8	0.0			9131	-175.0	-175.7	-0.7	227.4
21.7	-0.0			9129	-212.2	164.2	-0.5	207.8
6.5	0.0							
			Min	9128	225.0	175.2	0.5	212.3
-43.8	-0.0			9130	162.4	-162.7	0.7	227.4
18.8	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-10.9	-0.0			9131	-188.9	-183.0	-0.7	148.8
-17.8	-0.0			9129	-232.0	162.1	-0.6	134.7
11740	2	8	C1-C2;~1	Max	9129	0.0	0.0	0.0
0.0		0.0			9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0
0.0		0.0			9129	0.0	0.0	0.0
0.0		0.0		Min	9131	0.0	0.0	0.0
0.0		0.0			6639	0.0	0.0	0.0
0.0		0.0			6637	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0		6637	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9129	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0		6637	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9129	86.9	118.4	-0.0	-45.1
4.7	0.0		9131	162.7	-92.5	0.0	-45.0
-2.7	-0.0		6639	-67.0	-117.8	-0.0	45.3
-7.5	-0.0		6637	-182.6	92.6	0.0	37.2
5.7	-0.0						
		G2	9129	31.9	45.6	-0.0	-11.4
-1.6	0.0		9131	63.3	-34.6	-0.0	-11.5
2.2	-0.0		6639	-23.8	-45.8	0.0	-1.1
0.8	-0.0		6637	-71.4	34.8	0.0	-3.9
-1.8	-0.0						
		Q3	9129	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0		6637	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9129	-0.6	0.8	-0.0	-5.1
0.9	-0.0		9131	1.0	0.8	-0.0	-5.4
-1.5	0.0		6639	0.5	-1.1	0.0	-5.0
-0.2	-0.0		6637	-0.9	-0.5	0.0	-4.6
-0.3	0.0						
		Q5_pc Y	9129	8.8	-2.9	0.1	38.2
-4.9	0.0		9131	-11.1	-2.0	0.1	40.8
8.6	-0.0		6639	-9.5	4.0	-0.1	41.4
-0.4	0.0		6637	11.9	0.9	-0.1	39.4
3.2	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	9129	0.4	1.6	-0.0	-5.1
1.0	-0.0		9131	1.6	0.1	-0.0	-5.3
-1.7	0.0		6639	-0.6	-1.8	0.0	-3.1
-0.6	-0.0		6637	-1.4	0.1	0.0	-2.7
0.1	0.0						
		Q5_ps Y	9129	6.4	-4.5	0.1	36.8
-5.2	0.0		9131	-11.8	-0.6	0.1	39.4
8.9	-0.0		6639	-7.0	5.2	-0.1	35.6
0.4	0.0		6637	12.5	-0.2	-0.1	33.5
2.2	-0.0						
		INVS LU Max	9129	128.9	271.4	-0.2	-173.9
22.7	0.0		9131	455.3	-203.1	-0.2	-191.5
-9.8	-0.0		6639	-38.2	-256.7	0.6	35.2
-11.9	-0.0		6637	-489.4	206.5	0.5	18.6
2.5	-0.0						
		Min	9129	109.8	258.0	-0.5	-284.3
7.3	-0.0		9131	419.7	-206.6	-0.6	-309.6
-36.4	-0.0		6639	-59.2	-272.3	0.2	-71.6
-13.5	-0.0		6637	-526.9	204.9	0.2	-82.0
-4.2	-0.0						
		INVS LE Max	9129	95.0	202.5	-0.2	-134.6
16.2	0.0		9131	340.6	-152.5	-0.2	-148.4
-8.5	-0.0		6639	-28.0	-192.9	0.4	27.2
-9.6	-0.0		6637	-369.8	155.0	0.4	14.9
2.2	-0.0						
		Min	9129	82.3	193.6	-0.3	-208.2
5.9	-0.0		9131	316.9	-154.9	-0.4	-227.2
-26.2	-0.0		6639	-42.0	-203.3	0.2	-44.0
-10.7	-0.0		6637	-394.8	153.9	0.2	-52.2
-2.3	-0.0						
11741	2	4 C1-C2;~1 Max	9130	0.0	0.0	0.0	0.0
0.0	0.0		9132	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	9130	0.0	0.0	0.0	0.0
0.0	0.0		9132	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9130	0.0	0.0	0.0
0.0	0.0			9132	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			9131	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		G1	9130	141.0	107.4	0.2	99.8
-24.4	-0.0		9132	96.9	-90.5	0.2	98.4
39.8	-0.0		9133	-120.6	-109.9	-0.2	39.0
10.9	-0.0		9131	-117.3	93.7	-0.2	34.2
-10.5	-0.0						
		G2	9130	53.8	42.1	0.1	39.6
-11.1	0.0		9132	37.2	-33.0	0.1	39.0
15.9	-0.0		9133	-45.6	-43.7	-0.1	12.9
5.2	-0.0		9131	-45.4	34.7	-0.1	9.9
-6.4	-0.0						
		Q3	9130	0.0	0.0	0.0	0.0
0.0	0.0		9132	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		9131	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9130	-1.9	0.3	-0.0	-6.0
2.8	-0.0		9132	1.7	-0.0	-0.0	-5.7
-3.3	0.0		9133	1.5	0.3	0.0	2.8
-2.5	0.0		9131	-1.2	-0.5	0.0	3.6
2.6	0.0						
		Q5_pc Y	9130	11.0	-0.0	0.0	31.5
-16.9	0.0		9132	-9.2	-0.4	0.0	27.8
19.7	0.0		9133	-10.9	-1.1	0.0	-26.0
18.7	-0.0		9131	9.2	1.5	-0.0	-29.3
-16.3	-0.0						
		Q5_ps X	9130	-1.1	1.0	-0.0	-5.9
2.7	-0.0		9132	2.5	-0.8	-0.0	-5.8
-3.4	0.0		9133	0.5	-0.4	0.0	2.6
-2.6	0.0		9131	-2.0	0.2	0.0	3.4
2.6	0.0						
		Q5_ps Y	9130	9.0	-1.5	0.0	30.4
-16.3	0.0		9132	-10.7	1.2	0.0	27.2
19.4	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
18.3	-0.0			9133	-8.6	0.3	-0.0	-24.5
-16.0	-0.0			9131	10.3	0.0	-0.0	-28.1
-26.3	0.0	INVS LU	Max	9130	314.2	236.4	0.7	306.0
101.1	-0.0			9132	235.7	-202.0	0.7	296.8
1.1	-0.0			9133	-219.6	-234.0	-0.7	251.1
22.9	-0.0			9131	-272.4	206.8	-0.6	241.9
-75.3	0.0		Min	9130	287.3	232.0	0.7	214.8
43.0	-0.0			9132	203.6	-205.5	0.7	215.1
-53.7	-0.0			9133	-245.4	-236.0	-0.7	177.5
-25.0	-0.0			9131	-303.4	204.0	-0.7	157.6
-23.8	0.0	INVS LE	Max	9130	235.6	177.0	0.5	230.9
75.6	-0.0			9132	174.3	-151.8	0.5	223.6
-0.3	-0.0			9133	-166.3	-175.3	-0.5	185.6
14.0	-0.0			9131	-204.9	155.0	-0.5	178.1
-56.5	0.0		Min	9130	217.6	174.0	0.5	170.1
36.8	-0.0			9132	153.0	-154.2	0.5	169.2
-36.8	-0.0			9133	-183.6	-176.6	-0.5	136.6
-17.9	-0.0			9131	-225.6	153.2	-0.5	121.9
11742	2	4	C1-C2;~1	Max	9131	0.0	0.0	0.0
0.0	0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0	0.0			6641	0.0	0.0	0.0
0.0	0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0	0.0		Min	9131	0.0	0.0	0.0
0.0	0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0	0.0			6641	0.0	0.0	0.0
0.0	0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0	0.0	C3-C4;~1	Max	9131	0.0	0.0	0.0
0.0	0.0	0.0			9133	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0	Min	9131	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9131	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			6641	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9131	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9131	0.0	0.0	0.0
0.0	0.0			9133	0.0	0.0	0.0
0.0	0.0			6641	0.0	0.0	0.0
0.0	0.0			6639	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9131	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
0.0	0.0						
1.0	-0.0	G1	9131	80.1	109.6	0.0	-34.4
-13.1	-0.0		9133	160.0	-93.0	-0.0	-38.1
-15.6	0.0		6641	-58.8	-109.3	0.0	35.1
5.6	-0.0		6639	-181.3	93.3	-0.0	35.8
-2.7	-0.0	G2	9131	29.4	42.8	0.0	-10.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-2.1	-0.0		9133	62.2	-34.5	-0.0	-12.6
-1.2	-0.0		6641	-21.3	-42.8	0.0	-1.5
-1.4	-0.0		6639	-70.3	34.5	0.0	-0.5
0.0	0.0	Q3	9131	0.0	0.0	0.0	0.0
0.0	0.0		9133	0.0	0.0	0.0	0.0
0.0	0.0		6641	0.0	0.0	0.0	0.0
0.0	0.0		6639	0.0	0.0	0.0	0.0
1.5	0.0	Q5_pc X	9131	-0.9	0.6	-0.0	-3.6
-1.1	0.0		9133	-0.1	1.2	-0.0	-2.9
-0.0	0.0		6641	0.6	-0.3	0.0	-2.8
0.2	-0.0		6639	0.4	-1.5	0.0	-3.3
-8.9	-0.0	Q5_pc Y	9131	11.1	-1.8	0.1	29.3
12.1	-0.0		9133	-10.5	-1.6	0.1	26.2
3.8	-0.0		6641	-12.2	1.1	-0.0	21.6
1.0	0.0		6639	11.6	2.3	-0.1	26.7
1.8	0.0	Q5_ps X	9131	0.1	1.2	-0.0	-3.4
-1.3	0.0		9133	0.5	0.5	-0.0	-2.6
-0.5	0.0		6641	-0.4	-1.1	0.0	-1.3
0.5	-0.0		6639	-0.2	-0.7	0.0	-1.9
-9.1	-0.0	Q5_ps Y	9131	8.5	-3.1	0.1	28.0
12.1	-0.0		9133	-11.2	-0.2	0.0	24.7
4.7	-0.0		6641	-9.6	2.5	-0.0	17.6
0.3	0.0		6639	12.3	0.8	-0.1	22.5
32.3	-0.0	INVSLU Max	9131	105.7	244.0	-0.0	-158.1
-63.1	-0.0		9133	458.4	-209.1	-0.4	-174.5
-48.7	0.0		6641	-0.5	-236.3	0.3	40.4
5.6	-0.0		6639	-501.3	214.3	0.4	35.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			Min	9131	80.2	234.7	-0.3	-242.1
4.9	-0.0			9133	424.8	-212.0	-0.5	-248.5
-99.4	-0.0			6641	-29.2	-243.9	0.2	-12.2
-62.9	0.0			6639	-538.2	210.1	0.1	-32.1
3.8	-0.0							
		INVSLE	Max	9131	77.0	182.0	-0.0	-122.2
23.0	-0.0			9133	342.8	-157.0	-0.3	-134.3
-48.7	-0.0			6641	0.7	-176.8	0.2	31.3
-37.6	0.0			6639	-378.8	160.4	0.3	27.3
4.7	-0.0							
			Min	9131	60.0	175.8	-0.2	-178.2
4.7	-0.0			9133	320.4	-158.9	-0.4	-183.6
-73.0	-0.0			6641	-18.5	-181.8	0.2	-3.8
-47.0	0.0			6639	-403.4	157.6	0.1	-17.7
3.5	-0.0							
11773	2	4 C1-C2;~1	Max	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2;~2	Max	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0			9157	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9156	-17.0	35.5	-0.2	-219.9
81.1	-0.0			9158	86.9	-19.1	-0.3	-269.0
-75.8	0.0			9159	0.9	-39.6	0.3	98.8
-60.9	-0.0			9157	-70.8	23.8	0.2	70.6
57.2	-0.0							
		G2		9156	-7.0	15.6	-0.1	-85.1
31.5	0.0			9158	34.1	-6.2	-0.1	-103.9
-28.4	0.0			9159	0.7	-16.7	0.1	34.6
-22.2	-0.0			9157	-27.9	7.3	0.1	24.6
21.5	-0.0							
		Q3		9156	0.0	0.0	0.0	0.0
0.0	0.0			9158	0.0	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9157	0.0	0.0	0.0	0.0
-2.1	-0.0	Q5_pc X	9156	1.4	0.2	0.0	4.1
1.6	-0.0		9158	-1.3	-0.1	0.0	4.9
1.6	0.0		9159	-1.4	-0.0	-0.0	-4.6
-1.9	0.0		9157	1.3	-0.1	0.0	-3.8
-4.3	0.0	Q5_pc Y	9156	2.7	-0.3	0.0	10.5
4.8	-0.0		9158	-2.5	-0.5	0.0	13.8
4.2	0.0		9159	-2.5	0.3	-0.0	-8.9
-3.9	0.0		9157	2.3	0.5	-0.0	-6.8
-1.9	-0.0	Q5_ps X	9156	1.6	0.5	0.0	3.5
1.3	-0.0		9158	-0.8	-0.3	-0.0	3.9
1.3	0.0		9159	-1.6	-0.4	-0.0	-4.0
-1.7	0.0		9157	0.8	0.2	0.0	-3.4
-4.0	0.0	Q5_ps Y	9156	2.0	-0.8	0.0	10.1
4.9	-0.0		9158	-2.9	-0.1	0.0	13.6
4.3	0.0		9159	-1.8	0.8	-0.0	-8.8
-3.8	0.0		9157	2.7	0.1	-0.0	-6.7
-66.1	-0.0	INVSLE Max	9156	138.8	83.8	-0.4	55.0
92.0	-0.0		9158	47.8	-66.7	-0.7	97.9
122.1	0.0		9159	-183.9	-82.5	0.7	-475.3
-118.6	-0.0		9157	11.2	69.7	0.4	-390.0
-78.0	-0.0	Min	9156	132.9	81.4	-0.4	24.6
77.3	-0.0		9158	39.3	-67.6	-0.7	57.0
109.3	0.0		9159	-189.3	-85.0	0.7	-501.8
-130.0	-0.0		9157	3.1	68.8	0.4	-410.1
-61.5	-0.0	INVSLE Max	9156	111.4	62.3	-0.3	63.1
			9158	28.7	-51.2	-0.5	100.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


79.2	-0.0			9159	-146.0	-61.4	0.5	-386.0
101.7	0.0			9157	15.3	53.3	0.3	-315.4
-100.5	-0.0							
			Min	9156	107.5	60.6	-0.3	42.8
-69.4	-0.0			9158	22.9	-51.8	-0.5	73.6
69.4	-0.0			9159	-149.7	-63.1	0.5	-403.6
93.1	0.0			9157	9.9	52.7	0.3	-328.8
-108.1	-0.0							
11774	2	4	C1-C2;~1	Max	9157	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0
0.0	0.0				6667	0.0	0.0	0.0
0.0	0.0				6665	0.0	0.0	0.0
0.0	0.0							
			Min	9157	0.0	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0
0.0	0.0				6667	0.0	0.0	0.0
0.0	0.0				6665	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9157	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0
0.0	0.0				6667	0.0	0.0	0.0
0.0	0.0				6665	0.0	0.0	0.0
0.0	0.0							
			Min	9157	0.0	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0
0.0	0.0				6667	0.0	0.0	0.0
0.0	0.0				6665	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9157	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0
0.0	0.0				6667	0.0	0.0	0.0
0.0	0.0				6665	0.0	0.0	0.0
0.0	0.0							
			Min	9157	0.0	0.0	0.0	0.0
0.0	0.0				9159	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6667	0.0	0.0	0.0	0.0
0.0	0.0		6665	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	9157	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			6665	0.0	0.0	0.0
0.0	0.0						
			Min	9157	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			6665	0.0	0.0	0.0
0.0	0.0						
			G1	9157	26.0	41.4	-0.1
12.3	-0.0			9159	43.3	-15.8	-0.7
-19.7	-0.0			6667	-35.9	-42.3	0.7
16.8	-0.0			6665	-33.4	17.4	0.1
-14.1	0.0						
			G2	9157	9.8	17.7	-0.1
1.9	-0.0			9159	16.9	-4.8	-0.3
-6.0	-0.0			6667	-13.9	-17.8	0.3
8.2	-0.0			6665	-12.8	4.8	0.1
-10.2	0.0						
			Q3	9157	0.0	0.0	0.0
0.0	0.0			9159	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0
0.0	0.0			6665	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	9157	1.6	0.1	0.0
-0.6	0.0			9159	-1.6	0.1	0.0
0.7	0.0			6667	-1.9	-0.1	-0.0
-0.4	0.0			6665	1.9	-0.1	-0.0
0.6	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	9157	2.8	0.3	0.0	6.9
-2.5	0.0		9159	-1.4	-1.1	0.0	8.8
1.8	0.0		6667	-2.6	-0.1	-0.0	9.1
-0.6	-0.0		6665	1.2	0.9	-0.0	6.0
-1.2	0.0						
		Q5_ps X	9157	1.9	0.4	0.0	3.4
-0.4	0.0		9159	-1.2	-0.1	0.0	4.0
0.5	0.0		6667	-2.2	-0.5	-0.0	6.9
-0.5	0.0		6665	1.5	0.1	-0.0	6.4
0.9	-0.0						
		Q5_ps Y	9157	2.0	-0.3	0.0	6.7
-2.8	0.0		9159	-1.7	-0.9	0.0	8.8
1.9	0.0		6667	-1.8	0.6	-0.0	7.1
-0.4	-0.0		6665	1.5	0.6	0.0	3.7
-2.0	0.0						
		INVSLE Max	9157	303.8	98.0	0.6	407.8
-108.9	-0.0		9159	-116.4	-57.1	1.5	500.7
77.1	0.0		6667	-356.8	-93.6	-1.5	287.1
-2.2	-0.0		6665	180.5	57.4	-0.4	213.4
-50.5	0.0						
		Min	9157	297.8	96.7	0.5	387.6
-117.3	-0.0		9159	-121.5	-59.7	1.4	474.4
71.6	0.0		6667	-363.4	-95.5	-1.6	265.8
-3.6	-0.0		6665	175.9	55.7	-0.5	194.2
-56.5	0.0						
		INVSLE Max	9157	238.0	73.9	0.5	327.0
-88.0	-0.0		9159	-96.7	-43.8	1.2	402.6
62.3	0.0		6667	-280.0	-70.4	-1.2	249.1
-4.2	-0.0		6665	146.2	43.5	-0.4	186.2
-39.0	0.0						
		Min	9157	234.0	73.0	0.5	313.6
-93.6	-0.0		9159	-100.2	-45.6	1.2	385.1
58.5	0.0		6667	-284.4	-71.6	-1.3	234.9
-5.1	-0.0		6665	143.1	42.4	-0.4	173.4
-43.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

11775	2	10	C1-C2;~1	Max	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	9158	0.0	0.0	0.0	0.0
0.0		0.0			9160	0.0	0.0	0.0	0.0
0.0		0.0			9161	0.0	0.0	0.0	0.0
0.0		0.0			9159	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	9158	0.0	0.0	0.0	0.0
0.0	0.0		9160	0.0	0.0	0.0	0.0
0.0	0.0		9161	0.0	0.0	0.0	0.0
0.0	0.0		9159	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9158	-15.5	38.8	-0.2	-226.1
75.5	0.0		9160	80.0	-16.2	-0.3	-238.6
-89.6	-0.0		9161	1.7	-37.9	0.2	90.9
-72.6	0.0		9159	-66.3	16.0	0.2	87.1
61.2	-0.0						
		G2	9158	-5.9	15.9	-0.1	-87.2
28.3	0.0		9160	31.3	-5.7	-0.1	-92.1
-33.9	-0.0		9161	0.7	-15.7	0.1	32.1
-27.1	0.0		9159	-26.0	5.5	0.1	30.6
22.5	-0.0						
		Q3	9158	0.0	0.0	0.0	0.0
0.0	0.0		9160	0.0	0.0	0.0	0.0
0.0	0.0		9161	0.0	0.0	0.0	0.0
0.0	0.0		9159	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9158	0.8	-0.2	-0.0	3.9
-1.6	-0.0		9160	-1.3	0.2	0.0	4.0
1.9	0.0		9161	-0.9	0.1	0.0	-4.0
1.8	-0.0		9159	1.4	-0.1	-0.0	-3.8
-1.6	0.0						
		Q5_pc Y	9158	3.4	0.1	0.0	12.0
-4.8	-0.0		9160	-2.1	-1.2	0.0	12.6
5.2	0.0		9161	-2.9	0.1	-0.0	-8.1
4.7	-0.0		9159	1.6	1.0	-0.0	-7.6
-4.2	0.0						
		Q5_ps X	9158	0.9	0.0	-0.0	3.0
-1.3	-0.0		9160	-0.8	0.1	-0.0	3.1
1.5	0.0						


PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
1.4	-0.0		9161	-1.1	-0.2	0.0	-3.4	
-1.3	0.0		9159	1.0	0.0	0.0	-3.3	
		Q5_ps Y	9158	3.0	-0.3	0.0	12.1	
-4.9	-0.0		9160	-2.4	-1.1	0.0	12.7	
5.3	0.0		9161	-2.5	0.6	-0.0	-8.2	
4.9	-0.0		9159	1.9	0.8	-0.0	-7.7	
-4.2	0.0							
		INVS LU Max	9158	130.0	79.1	-0.5	89.3	
-78.1	-0.0		9160	38.5	-55.6	-0.6	91.8	
117.9	0.0		9161	-171.0	-77.0	0.7	-445.3	
155.8	-0.0		9159	17.1	58.3	0.4	-411.3	
-107.8	0.0							
		Min	9158	121.0	78.3	-0.5	53.1	
-92.7	-0.0		9160	31.3	-58.8	-0.6	53.6	
101.9	0.0		9161	-178.5	-78.6	0.6	-469.8	
141.2	-0.0		9159	11.4	55.9	0.4	-434.5	
-120.5	0.0							
		INVS LE Max	9158	103.5	58.6	-0.4	90.0	
-70.0	-0.0		9160	22.0	-42.6	-0.4	93.0	
100.3	0.0		9161	-135.6	-57.0	0.5	-361.0	
128.6	-0.0		9159	19.8	44.3	0.3	-334.1	
-92.0	0.0							
		Min	9158	97.6	58.0	-0.4	65.9	
-79.8	-0.0		9160	17.3	-44.7	-0.4	67.5	
89.7	0.0		9161	-140.6	-58.1	0.5	-377.3	
118.8	-0.0		9159	16.0	42.7	0.3	-349.5	
-100.4	0.0							
11776	2	10 C1-C2;~1	Max	9159	0.0	0.0	0.0	0.0
0.0		0.0		9161	0.0	0.0	0.0	0.0
0.0		0.0		6669	0.0	0.0	0.0	0.0
0.0		0.0		6667	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	9159	0.0	0.0	0.0	0.0
0.0		0.0		9161	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9159	0.0	0.0	0.0	0.0
0.0	0.0			9161	0.0	0.0	0.0	0.0
0.0	0.0			6669	0.0	0.0	0.0	0.0
0.0	0.0			6667	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9159	22.1	39.4	-0.3	-88.3
19.3	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-27.8	0.0		9161	40.8	-13.4	-0.4	-91.3
10.7	-0.0		6669	-32.6	-39.4	0.4	-178.1
-18.1	-0.0		6667	-30.4	14.0	0.4	-172.4
5.7	-0.0	G2	9159	8.3	16.0	-0.1	-31.1
-9.3	0.0		9161	16.3	-4.6	-0.2	-32.3
5.7	-0.0		6669	-12.2	-16.2	0.2	-76.6
-8.9	-0.0		6667	-12.5	4.8	0.1	-74.4
0.0	0.0	Q3	9159	0.0	0.0	0.0	0.0
0.0	0.0		9161	0.0	0.0	0.0	0.0
0.0	0.0		6669	0.0	0.0	0.0	0.0
0.0	0.0		6667	0.0	0.0	0.0	0.0
-0.7	0.0	Q5_pc X	9159	1.5	0.1	0.0	3.9
0.8	-0.0		9161	-1.9	0.3	0.0	4.0
-0.3	0.0		6669	-1.9	-0.0	-0.0	5.5
0.5	0.0		6667	2.2	-0.3	-0.0	5.4
-1.8	0.0	Q5_pc Y	9159	2.3	-0.2	0.0	7.7
2.4	-0.0		9161	-1.1	-1.1	0.0	8.1
-0.2	0.0		6669	-2.1	0.1	-0.0	9.0
0.6	-0.0		6667	0.9	1.2	-0.0	8.6
-0.5	0.0	Q5_ps X	9159	1.8	0.4	0.0	3.3
0.6	-0.0		9161	-1.6	0.2	0.0	3.4
-0.4	-0.0		6669	-2.2	-0.4	-0.0	5.2
0.5	0.0		6667	1.9	-0.2	-0.0	5.2
-1.9	0.0	Q5_ps Y	9159	1.6	-0.8	0.0	7.8
2.6	-0.0		9161	-1.2	-1.0	0.0	8.2
0.1	0.0		6669	-1.4	0.7	-0.0	7.9
0.4	-0.0		6667	1.0	1.1	-0.0	7.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	9159	294.0	86.2	0.9	435.7
-73.0	0.0				9161	-149.9	-35.9	1.2	471.0
112.4	-0.0				6669	-362.7	-78.5	-1.1	276.9
17.2	-0.0				6667	229.9	34.3	-0.9	265.0
4.1	-0.0								
				Min	9159	288.6	83.9	0.8	412.3
-78.8	0.0				9161	-154.6	-38.9	1.1	446.4
104.7	-0.0				6669	-369.3	-80.6	-1.2	253.2
16.1	-0.0				6667	224.0	31.0	-1.0	242.7
2.5	-0.0								
			INVSLE	Max	9159	230.2	64.3	0.7	350.6
-59.7	0.0				9161	-122.5	-27.6	1.0	378.3
90.3	-0.0				6669	-284.2	-58.5	-0.9	237.2
11.8	0.0				6667	184.0	25.9	-0.7	227.5
5.6	-0.0								
				Min	9159	226.6	62.7	0.7	335.0
-63.5	0.0				9161	-125.6	-29.6	1.0	361.9
85.1	-0.0				6669	-288.6	-59.8	-1.0	221.4
11.0	-0.0				6667	180.1	23.8	-0.8	212.6
4.5	-0.0								
11811	2	10	C1-C2;~1	Max	9188	0.0	0.0	0.0	0.0
0.0		0.0			9190	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			9189	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9188	0.0	0.0	0.0	0.0
0.0		0.0			9190	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			9189	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9188	0.0	0.0	0.0	0.0
0.0		0.0			9190	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			9189	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	9188	0.0	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		9189	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9188	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		9189	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	9188	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		9189	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9188	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		9189	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	9188	0.0	0.0	0.0
0.0	0.0		9190	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		9189	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9188	-81.0	-19.0	-0.2	-229.2
87.2	0.0		9190	10.3	41.2	-0.2	-216.6
-71.5	-0.0		9191	67.8	18.7	0.2	83.0
-57.9	0.0		9189	2.9	-40.3	0.2	86.7
70.5	-0.0						
		G2	9188	-31.6	-6.6	-0.1	-89.0
33.2	0.0		9190	4.3	16.7	-0.1	-84.0
-26.9	-0.0		9191	26.5	6.4	0.1	29.2
-21.4	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
26.4	-0.0			9189	0.8	-16.4	0.1	30.7
			Q3	9188	0.0	0.0	0.0	0.0
0.0	0.0			9190	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0			9189	0.0	0.0	0.0	0.0
			Q5_pc X	9188	0.8	-0.5	0.0	6.2
-2.5	-0.0			9190	-2.0	0.4	0.0	6.0
2.3	0.0			9191	-0.8	0.6	-0.0	-3.9
2.0	-0.0			9189	1.9	-0.5	-0.0	-4.1
-2.3	0.0							
			Q5_pc Y	9188	1.7	1.0	-0.0	0.7
-0.8	-0.0			9190	1.2	-1.6	-0.0	0.7
0.7	0.0			9191	-1.9	-0.9	0.0	-2.6
0.9	-0.0			9189	-1.0	1.5	0.0	-2.6
-0.9	0.0							
			Q5_ps X	9188	0.5	-0.5	0.0	5.0
-2.0	-0.0			9190	-1.9	0.6	0.0	4.9
1.8	0.0			9191	-0.5	0.6	-0.0	-3.3
1.7	-0.0			9189	1.9	-0.7	-0.0	-3.5
-1.8	0.0							
			Q5_ps Y	9188	2.2	1.2	-0.0	1.4
-1.2	-0.0			9190	1.5	-2.0	-0.0	1.2
0.8	0.0			9191	-2.3	-1.2	0.0	-2.9
1.0	-0.0			9189	-1.4	1.9	0.0	-2.9
-1.2	0.0							
			INVSLU Max	9188	-26.8	-51.6	-0.6	78.9
-109.1	-0.0			9190	-118.1	77.8	-0.5	76.9
88.0	0.0			9191	-16.5	54.7	0.4	-424.1
116.8	-0.0			9189	173.8	-70.7	0.7	-459.9
-149.8	0.0							
			Min	9188	-33.4	-55.2	-0.6	63.8
-115.2	-0.0			9190	-123.7	71.9	-0.5	62.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


82.4	0.0				9191	-23.5	51.2	0.4	-434.0
111.8	-0.0				9189	168.2	-76.5	0.7	-470.4
-155.3	0.0								
		INVSLE	Max		9188	-13.6	-39.2	-0.4	83.2
-94.5	-0.0				9190	-94.7	57.0	-0.4	80.6
76.2	0.0				9191	-20.2	41.2	0.3	-342.9
97.7	-0.0				9189	136.7	-52.1	0.5	-371.2
-124.8	0.0								
			Min		9188	-18.1	-41.7	-0.4	73.2
-98.5	-0.0				9190	-98.4	53.1	-0.4	70.7
72.5	0.0				9191	-24.8	38.9	0.3	-349.6
94.4	-0.0				9189	133.0	-56.0	0.5	-378.2
-128.5	0.0								
11812	2	10	C1-C2;~1	Max	9189	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			6697	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9189	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			6697	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9189	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			6697	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9189	0.0	0.0	0.0	0.0
0.0		0.0			9191	0.0	0.0	0.0	0.0
0.0		0.0			6699	0.0	0.0	0.0	0.0
0.0		0.0			6697	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9189	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0		6697	0.0	0.0	0.0	0.0
0.0	0.0	Min	9189	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0		6697	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9189	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0		6697	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9189	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0		6697	0.0	0.0	0.0	0.0
0.0	0.0						
27.0	-0.0	G1	9189	-43.3	-16.1	-0.4	-87.0
-18.2	0.0		9191	-25.8	41.9	-0.3	-84.1
17.4	0.0		6699	33.2	16.7	0.3	-164.9
-10.1	0.0		6697	35.9	-42.0	0.4	-170.5
9.0	-0.0	G2	9189	-17.1	-5.5	-0.2	-30.8
-5.3	0.0		9191	-9.5	16.8	-0.1	-29.6
8.7	0.0		6699	13.4	5.7	0.1	-71.9
-5.5	0.0		6697	13.3	-17.0	0.2	-74.1
0.0	0.0	Q3	9189	0.0	0.0	0.0	0.0
0.0	0.0		9191	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0		6697	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	9189	0.8	-0.3	0.0	4.1
-1.0	0.0		9191	-2.0	0.7	0.0	3.9
0.7	-0.0		6699	-0.9	0.3	-0.0	6.6
-0.7	-0.0		6697	2.1	-0.6	-0.0	6.7
0.4	0.0						
		Q5_pc Y	9189	2.1	0.6	0.0	2.6
-0.7	0.0		9191	0.5	-1.6	0.0	2.6
0.8	-0.0		6699	-2.4	-0.6	-0.0	-0.1
0.3	0.0		6697	-0.2	1.6	-0.0	-0.2
-0.3	-0.0						
		Q5_ps X	9189	0.6	-0.4	0.0	3.5
-0.7	0.0		9191	-2.1	1.0	0.0	3.3
0.5	-0.0		6699	-0.8	0.3	-0.0	6.3
-0.7	-0.0		6697	2.3	-0.9	-0.0	6.4
0.5	0.0						
		Q5_ps Y	9189	2.4	0.8	0.0	2.9
-0.9	0.0		9191	1.2	-2.2	0.0	2.9
0.9	-0.0		6699	-2.6	-0.8	-0.0	-0.8
0.5	0.0		6697	-1.0	2.2	-0.0	-0.8
-0.5	-0.0						
		INVSLE Max	9189	163.8	-32.3	1.2	471.6
-111.2	0.0		9191	-286.6	84.4	0.9	435.1
77.5	-0.0		6699	-232.2	30.0	-0.9	264.1
-2.6	0.0		6697	369.3	-72.2	-1.1	275.3
-18.2	0.0						
		INVSLE Min	9189	156.4	-34.7	1.2	461.1
-114.0	0.0		9191	-293.0	77.7	0.8	425.1
74.7	-0.0		6699	-240.1	27.6	-1.0	245.2
-4.7	0.0		6697	362.4	-78.9	-1.2	256.1
-19.6	-0.0						
		INVSLE Max	9189	132.8	-24.6	1.0	379.2
-89.8	0.0		9191	-224.8	62.4	0.7	350.5
62.6	-0.0		6699	-186.9	22.5	-0.8	226.3
-4.5	0.0		6697	288.4	-53.6	-0.9	235.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-12.7	0.0							
		Min	9189	127.9	-26.1	1.0	372.2	
-91.7	0.0		9191	-229.1	57.9	0.7	343.8	
60.7	-0.0		6699	-192.1	20.8	-0.8	213.7	
-6.0	0.0		6697	283.8	-58.1	-0.9	222.8	
-13.7	-0.0							
11813	2	4 C1-C2;~1	Max	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9190	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9190	-87.7	-21.7	-0.3	-256.9
71.7	-0.0			9192	11.8	37.8	-0.2	-210.0
-76.4	0.0			9193	72.0	26.6	0.2	66.7
-53.6	0.0			9191	3.9	-41.9	0.3	93.9
57.7	0.0							
			G2	9190	-34.3	-7.0	-0.1	-99.8
27.0	-0.0			9192	5.2	16.3	-0.1	-81.7
-29.9	-0.0			9193	28.3	8.2	0.1	23.3
-20.3	0.0			9191	0.8	-17.5	0.1	32.9
21.1	0.0							
			Q3	9190	0.0	0.0	0.0	0.0
0.0	0.0			9192	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			9191	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9190	0.9	-0.8	0.0	7.5
-2.3	0.0			9192	-2.7	0.8	0.0	6.3
2.9	0.0			9193	-0.6	0.6	-0.0	-3.5
2.3	-0.0			9191	2.4	-0.7	-0.0	-4.5
-2.0	-0.0							
			Q5_pc Y	9190	1.9	1.0	-0.0	0.9
-0.6	0.0			9192	1.1	-1.2	-0.0	0.9
0.6	-0.0							

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.9	0.0		9193	-1.9	-1.3	0.0	-2.3
-1.0	-0.0		9191	-1.1	1.5	0.0	-3.1
-1.8	0.0	Q5_ps X	9190	0.5	-0.9	0.0	6.3
2.7	0.0		9192	-2.7	1.1	0.0	5.5
2.0	-0.0		9193	-0.3	0.8	-0.0	-3.1
-1.6	-0.0		9191	2.5	-0.9	-0.0	-3.9
-0.8	0.0	Q5_ps Y	9190	2.4	1.5	-0.0	1.2
0.3	-0.0		9192	1.9	-1.8	-0.0	0.8
0.8	0.0		9193	-2.5	-1.7	0.0	-2.3
-1.1	-0.0		9191	-1.8	2.1	0.0	-3.2
-81.8	0.0	INVS LU Max	9190	-35.4	-60.7	-0.7	83.7
74.1	0.0		9192	-126.1	80.6	-0.4	44.1
127.0	0.0		9193	-9.5	68.0	0.4	-400.1
-113.5	-0.0		9191	186.2	-76.3	0.7	-488.8
-87.3	0.0	Min	9190	-42.5	-65.1	-0.7	64.7
66.2	0.0		9192	-134.4	75.1	-0.5	27.6
120.9	0.0		9193	-17.0	62.8	0.4	-409.5
-118.4	-0.0		9191	178.7	-82.6	0.7	-500.5
-72.0	0.0	INVS LE Max	9190	-19.8	-46.4	-0.5	89.8
66.2	0.0		9192	-101.9	59.5	-0.3	54.4
105.7	0.0		9193	-15.0	51.5	0.3	-322.3
-95.7	-0.0		9191	146.7	-56.7	0.5	-395.2
-75.7	0.0	Min	9190	-24.6	-49.4	-0.5	77.2
60.9	0.0		9192	-107.4	55.8	-0.3	43.4
101.7	0.0		9193	-19.9	48.0	0.3	-328.6
-99.0	-0.0		9191	141.8	-60.8	0.5	-403.0
11814	2	4 C1-C2;~1 Max	9191	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0	Min	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9191	0.0	0.0	0.0	0.0
0.0	0.0		9193	0.0	0.0	0.0	0.0
0.0	0.0		6701	0.0	0.0	0.0	0.0
0.0	0.0		6699	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9191	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				9193	0.0	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			6699	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9191	-45.8	-18.7	-0.6	-92.7
18.5	0.0			9193	-30.2	44.3	-0.1	-69.0
-11.0	0.0			6701	36.4	20.3	0.1	-158.0
13.8	-0.0			6699	39.6	-45.1	0.6	-197.2
-16.1	0.0							
		G2		9191	-17.7	-5.7	-0.3	-32.5
5.6	0.0			9193	-11.2	18.7	-0.1	-24.2
-1.3	0.0			6701	13.8	5.7	0.1	-75.4
10.2	-0.0			6699	15.1	-18.7	0.3	-89.2
-8.0	0.0							
		Q3		9191	0.0	0.0	0.0	0.0
0.0	0.0			9193	0.0	0.0	0.0	0.0
0.0	0.0			6701	0.0	0.0	0.0	0.0
0.0	0.0			6699	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		9191	0.4	-0.6	0.0	4.5
-0.7	-0.0			9193	-2.0	0.7	0.0	3.6
0.5	-0.0			6701	-0.3	0.7	-0.0	7.2
-0.8	0.0			6699	2.0	-0.8	-0.0	8.3
0.6	-0.0							
		Q5_pc Y		9191	2.5	1.0	0.0	3.1
-0.7	-0.0			9193	0.7	-1.6	-0.0	2.2
1.3	0.0			6701	-2.9	-1.1	0.0	-1.9
1.5	-0.0			6699	-0.3	1.7	-0.0	-1.0
-0.2	0.0							
		Q5_ps X		9191	0.1	-0.7	0.0	3.9
-0.6	-0.0			9193	-2.2	1.0	0.0	3.2
0.2	-0.0			6701	-0.2	0.8	-0.0	7.6
-1.2	0.0			6699	2.3	-1.1	-0.0	8.3
0.6	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-0.8	-0.0	Q5_ps Y		9191	2.9	1.3	0.0	3.2
1.6	0.0			9193	1.5	-2.2	-0.0	2.2
2.1	-0.0			6701	-3.3	-1.5	0.0	-3.6
-0.3	0.0			6699	-1.1	2.4	-0.0	-2.3
-73.2	-0.0	INVS LU	Max	9191	131.7	-52.6	1.5	499.4
116.5	0.0			9193	-296.6	96.9	0.6	407.2
57.9	-0.0			6701	-182.9	54.8	-0.4	214.4
4.0	0.0			6699	363.9	-87.0	-1.5	289.1
-75.7	-0.0		Min	9191	122.9	-56.5	1.4	487.7
111.8	0.0			9193	-303.3	90.3	0.6	397.6
51.5	-0.0			6701	-192.8	50.3	-0.5	191.7
2.2	0.0			6699	357.1	-94.2	-1.6	264.2
-59.5	-0.0	INVS LE	Max	9191	108.1	-40.2	1.2	402.1
93.0	0.0			9193	-232.8	72.5	0.5	326.8
44.1	-0.0			6701	-149.2	41.1	-0.4	186.1
5.4	0.0			6699	284.5	-65.3	-1.3	249.7
-61.2	-0.0		Min	9191	102.3	-42.8	1.2	394.2
89.9	0.0			9193	-237.2	68.1	0.5	320.4
39.9	-0.0			6701	-155.7	38.1	-0.4	171.0
4.1	0.0			6699	280.0	-70.1	-1.3	233.0
11847	2	4 C1-C2;~1	Max	9218	0.0	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0	0.0
0.0	0.0		Min	9218	0.0	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9218	0.0	0.0	0.0
0.0	0.0			9220	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			9219	0.0	0.0	0.0
0.0	0.0						
-39.7	0.0	G1		9218	-105.6	-103.1	0.3
29.9	0.0			9220	-153.6	116.4	0.2
11.2	-0.0			9221	128.7	102.6	-0.3

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-18.3	0.0		9219	130.5	-115.2	-0.3	46.4
-16.4	-0.0	G2	9218	-40.3	-38.6	0.1	58.7
12.5	0.0		9220	-58.0	44.8	0.1	54.8
5.9	-0.0		9221	49.3	38.1	-0.1	13.2
-8.7	0.0		9219	48.9	-44.3	-0.1	13.6
0.0	0.0	Q3	9218	0.0	0.0	0.0	0.0
0.0	0.0		9220	0.0	0.0	0.0	0.0
0.0	0.0		9221	0.0	0.0	0.0	0.0
0.0	0.0		9219	0.0	0.0	0.0	0.0
8.4	0.0	Q5_pc X	9218	-3.9	0.9	0.0	-15.5
-6.8	-0.0		9220	4.2	0.2	0.0	-14.2
-6.8	0.0		9221	4.7	-0.4	-0.0	18.0
8.7	-0.0		9219	-5.0	-0.7	-0.0	19.4
-5.1	-0.0	Q5_pc Y	9218	3.4	0.1	-0.0	5.0
4.6	0.0		9220	-1.6	-1.4	-0.0	4.9
6.0	-0.0		9221	-5.6	-0.1	0.0	-20.8
-6.8	0.0		9219	3.8	1.4	0.0	-22.2
8.1	0.0	Q5_ps X	9218	-4.6	0.2	0.0	-14.6
-6.3	-0.0		9220	3.0	1.0	0.0	-13.2
-6.4	0.0		9221	5.3	0.4	-0.0	17.2
8.4	-0.0		9219	-3.7	-1.6	-0.0	18.5
-5.2	-0.0	Q5_ps Y	9218	4.6	1.2	-0.0	4.9
4.2	0.0		9220	-0.0	-2.5	-0.0	4.6
5.5	-0.0		9221	-6.7	-1.4	0.0	-19.9
-6.9	0.0		9219	2.1	2.7	0.0	-21.4
-57.9	0.0	INVSLU Max	9218	-210.3	-206.5	1.0	371.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
62.2	0.0			9220	-302.3	236.8	0.7	345.2
12.6	-0.0			9221	295.3	211.6	-0.7	239.8
6.0	0.0			9219	244.1	-229.4	-0.9	259.4
-82.2	-0.0		Min	9218	-224.1	-210.0	0.9	327.4
43.3	-0.0			9220	-311.2	229.4	0.6	305.7
-6.6	-0.0			9221	275.3	207.4	-0.7	180.0
-19.3	0.0			9219	233.1	-237.5	-1.0	195.0
-46.5	0.0	INVSLE	Max	9218	-156.2	-154.3	0.7	282.0
47.3	0.0			9220	-227.2	176.3	0.5	262.3
9.8	-0.0			9221	219.0	157.9	-0.5	175.8
1.9	0.0			9219	182.4	-171.4	-0.7	190.4
-62.8	-0.0		Min	9218	-165.5	-156.7	0.7	252.8
34.7	-0.0			9220	-233.1	171.3	0.5	236.0
-3.0	-0.0			9221	205.6	155.1	-0.5	135.9
-14.9	0.0			9219	175.1	-176.8	-0.7	147.5
11848	2	4	C1-C2;~1	Max	9219	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0				6729	0.0	0.0	0.0
0.0	0.0				6727	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9219	0.0	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0				6729	0.0	0.0	0.0
0.0	0.0				6727	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	9219	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0				6729	0.0	0.0	0.0
0.0	0.0				6727	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9219	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		9221	0.0	0.0	0.0	0.0
0.0	0.0		6729	0.0	0.0	0.0	0.0
0.0	0.0		6727	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9219	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			6727	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9219	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			6727	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9219	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			6727	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9219	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0
0.0	0.0			6727	0.0	0.0	0.0
0.0	0.0						
5.0	0.0	G1		9219	-179.2	-99.8	0.0
-6.7	-0.0			9221	-77.7	115.5	-0.0
-9.6	0.0			6729	208.1	101.7	0.0
11.7	0.0			6727	48.9	-116.7	-0.0
-0.9	0.0	G2		9219	-69.2	-37.1	-0.0
0.2	-0.0			9221	-28.2	44.4	-0.0
-0.3	0.0			6729	80.6	37.7	0.0
1.1	0.0			6727	16.7	-45.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	9219	0.0	0.0	0.0	0.0
0.0	0.0			9221	0.0	0.0	0.0	0.0
0.0	0.0			6729	0.0	0.0	0.0	0.0
0.0	0.0			6727	0.0	0.0	0.0	0.0
			Q5_pc X	9219	-7.1	0.5	-0.1	-19.4
5.0	-0.0			9221	6.9	1.7	-0.0	-18.1
-3.5	0.0			6729	8.7	-1.5	0.0	-15.9
0.8	-0.0			6727	-8.4	-0.7	0.1	-17.0
0.2	-0.0							
			Q5_pc Y	9219	11.3	0.4	0.1	22.3
-4.8	0.0			9221	-9.0	-2.2	0.0	20.9
3.9	-0.0			6729	-14.5	0.3	-0.0	12.4
-0.2	0.0			6727	12.2	1.5	-0.1	12.8
-0.6	0.0							
			Q5_ps X	9219	-7.5	-0.2	-0.1	-18.5
5.1	-0.0			9221	5.3	2.6	-0.0	-17.3
-3.5	0.0			6729	8.9	-0.7	0.0	-13.3
0.4	-0.0			6727	-6.7	-1.7	0.1	-14.4
0.6	-0.0							
			Q5_ps Y	9219	12.1	1.7	0.1	21.5
-5.1	0.0			9221	-6.6	-3.5	0.0	20.0
3.8	-0.0			6729	-15.1	-1.1	-0.0	9.9
0.1	0.0			6727	9.6	3.0	-0.1	10.5
-1.1	0.0							
			INVSLU Max	9219	-430.0	-212.1	-0.2	-194.5
48.2	0.0			9221	-73.9	239.7	-0.2	-179.5
-19.5	-0.0			6729	561.0	216.8	0.4	39.7
-8.8	0.0			6727	8.2	-229.5	0.3	63.1
34.8	0.0							
			Min	9219	-466.4	-217.1	-0.4	-258.9
32.7	0.0			9221	-93.8	229.1	-0.3	-239.4
-30.8	-0.0			6729	515.7	213.4	0.2	-0.3
-10.2	0.0			6727	-20.7	-238.4	0.2	19.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

31.6	0.0							
		INVSLE	Max	9219	-323.2	-158.8	-0.2	-147.1
35.0	0.0			9221	-55.5	178.4	-0.1	-135.6
-14.9	-0.0			6729	418.3	161.9	0.3	32.4
-7.3	0.0			6727	3.8	-171.6	0.2	49.8
26.3	0.0							
			Min	9219	-347.4	-162.2	-0.3	-190.0
24.7	0.0			9221	-68.7	171.4	-0.2	-175.5
-22.4	-0.0			6729	388.1	159.7	0.2	5.7
-8.2	0.0			6727	-15.4	-177.5	0.1	21.0
24.1	0.0							
11849	2	8	C1-C2;~1	Max	9220	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9223	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0							
			Min	9220	0.0	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9223	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9220	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9223	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0							
			Min	9220	0.0	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9223	0.0	0.0	0.0
0.0	0.0				9221	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9220	0.0	0.0	0.0
0.0	0.0				9222	0.0	0.0	0.0
0.0	0.0				9223	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9221	0.0	0.0	0.0	0.0
		Min	9220	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		9221	0.0	0.0	0.0	0.0
		C3-C4; ~2 Max	9220	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		9221	0.0	0.0	0.0	0.0
		Min	9220	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		9221	0.0	0.0	0.0	0.0
		G1	9220	-107.0	-104.7	0.4	156.6
-30.4	0.0		9222	-153.5	112.3	0.2	122.5
28.0	-0.0		9223	129.7	108.0	-0.2	52.1
3.8	-0.0		9221	130.9	-114.8	-0.4	56.1
-10.7	-0.0						
		G2	9220	-40.8	-38.2	0.1	59.6
-12.7	0.0		9222	-57.2	43.9	0.1	46.4
10.4	-0.0		9223	49.5	38.8	-0.1	16.2
2.2	-0.0		9221	48.4	-44.5	-0.1	16.6
-5.8	-0.0						
		Q3	9220	0.0	0.0	0.0	0.0
0.0	0.0		9222	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		9221	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9220	-4.3	-0.6	0.0	-13.8
6.8	-0.0		9222	1.2	2.4	0.0	-8.5
-3.0	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-4.7	0.0			9223	6.0	0.2	-0.0	16.3
6.9	0.0			9221	-2.9	-1.9	-0.0	20.1
-4.6	0.0	Q5_pc	Y	9220	3.7	0.6	-0.0	5.5
3.0	0.0			9222	-0.7	-1.7	-0.0	3.6
5.0	0.0			9223	-6.0	-0.8	0.0	-18.5
-6.1	-0.0			9221	3.0	1.9	0.0	-23.1
6.3	-0.0	Q5_ps	X	9220	-4.9	-1.5	0.0	-12.4
-2.5	-0.0			9222	-0.2	3.3	0.0	-7.4
-4.3	0.0			9223	6.5	1.0	-0.0	15.4
6.5	0.0			9221	-1.5	-2.8	-0.0	19.1
-4.2	0.0	Q5_ps	Y	9220	4.8	2.0	-0.0	4.5
2.1	0.0			9222	1.4	-3.2	-0.0	2.3
4.4	0.0			9223	-7.1	-2.0	0.0	-17.6
-5.6	-0.0			9221	0.9	3.3	0.0	-22.0
-44.5	0.0	INVSLE	Max	9220	-210.7	-205.1	1.1	379.0
59.3	-0.0			9222	-306.0	242.2	0.6	302.0
-4.1	-0.0			9223	296.5	210.1	-0.5	227.2
8.0	-0.0			9221	242.8	-230.4	-1.0	269.1
-63.5	-0.0		Min	9220	-225.3	-211.0	1.0	341.7
51.9	-0.0			9222	-310.1	232.4	0.5	279.9
-17.3	-0.0			9223	275.3	204.0	-0.6	174.3
-11.6	-0.0			9221	237.4	-240.1	-1.1	203.2
-35.6	0.0	INVSLE	Max	9220	-156.5	-153.7	0.8	288.6
45.9	-0.0			9222	-230.2	180.5	0.4	230.7
-2.4	-0.0			9223	219.9	156.8	-0.4	167.0
4.0	-0.0			9221	181.8	-172.3	-0.8	197.4
-48.3	-0.0		Min	9220	-166.3	-157.6	0.8	263.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		6731	0.0	0.0	0.0	0.0
0.0	0.0		6729	0.0	0.0	0.0	0.0
0.0	0.0	Min	9221	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		6731	0.0	0.0	0.0	0.0
0.0	0.0		6729	0.0	0.0	0.0	0.0
0.0	0.0						
6.3	-0.0	G1	9221	-181.9	-103.4	0.1	-56.5
-18.1	-0.0		9223	-89.6	125.6	-0.1	-50.6
-19.0	0.0		6731	207.9	103.9	0.1	43.5
9.0	0.0		6729	63.6	-125.4	-0.0	54.5
-0.2	-0.0	G2	9221	-69.6	-38.0	0.0	-16.8
-3.1	-0.0		9223	-33.0	48.5	-0.1	-15.7
-1.0	-0.0		6731	79.2	38.1	0.1	-4.2
0.4	0.0		6729	23.5	-48.6	-0.0	0.8
0.0	0.0	Q3	9221	0.0	0.0	0.0	0.0
0.0	0.0		9223	0.0	0.0	0.0	0.0
0.0	0.0		6731	0.0	0.0	0.0	0.0
0.0	0.0		6729	0.0	0.0	0.0	0.0
3.4	0.0	Q5_pc X	9221	-8.7	0.6	-0.1	-20.0
-3.8	0.0		9223	5.9	1.5	-0.0	-16.3
-1.4	0.0		6731	9.9	0.9	0.0	-12.0
-0.7	-0.0		6729	-7.0	-3.0	0.1	-16.4
-3.8	-0.0	Q5_pc Y	9221	11.7	0.4	0.1	23.0
4.6	0.0		9223	-6.6	-2.4	0.0	18.5
2.2	-0.0		6731	-14.3	-1.8	-0.0	9.1
0.2	0.0		6729	9.2	3.8	-0.1	12.8

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

3.3	0.0	Q5_ps X		9221	-9.1	-0.2	-0.1	-19.0
-4.0	0.0			9223	4.4	2.4	-0.0	-15.5
-2.1	0.0			6731	10.2	1.6	0.0	-8.7
-0.4	-0.0			6729	-5.6	-3.7	0.1	-13.1
-3.6	-0.0	Q5_ps Y		9221	12.4	1.6	0.1	21.9
4.6	0.0			9223	-4.7	-3.7	0.0	17.6
2.9	-0.0			6731	-14.9	-2.9	-0.0	5.7
-0.1	0.0			6729	7.2	4.9	-0.1	9.3
29.4	-0.0	INVS LU	Max	9221	-422.9	-206.2	-0.1	-203.7
-50.3	-0.0			9223	-112.5	266.7	-0.3	-170.1
-41.4	0.0			6731	537.0	217.0	0.3	19.6
9.4	0.0			6729	57.2	-257.0	0.4	31.3
18.5	-0.0		Min	9221	-460.2	-211.1	-0.3	-269.5
-64.3	-0.0			9223	-126.6	255.7	-0.4	-222.9
-50.1	0.0			6731	492.4	208.5	0.3	-6.6
8.2	0.0			6729	35.7	-271.6	0.2	-7.9
21.3	-0.0	INVS LE	Max	9221	-317.8	-154.3	-0.1	-153.8
-38.2	-0.0			9223	-84.2	198.6	-0.2	-128.6
-31.9	0.0			6731	400.2	162.0	0.2	18.1
7.6	0.0			6729	41.0	-192.5	0.3	27.2
14.1	-0.0		Min	9221	-342.7	-157.6	-0.2	-197.6
-47.5	-0.0			9223	-93.6	191.2	-0.3	-163.7
-37.7	0.0			6731	370.4	156.3	0.2	0.6
6.7	0.0			6729	26.6	-202.2	0.2	1.0
11879	2	8 C1-C2; ~1	Max	9246	0.0	0.0	0.0	0.0
0.0	0.0			9248	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	Min	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1 Max	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	Min	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	Min	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
0.0	0.0	Min	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		9247	0.0	0.0	0.0	0.0
-29.7	0.0	G1	9246	155.6	113.3	0.2	126.8
31.8	-0.0		9248	106.8	-105.4	0.4	160.9
11.6	0.0		9249	-132.3	-115.4	-0.4	55.2
-5.0	0.0		9247	-130.1	108.3	-0.2	51.4
-11.0	0.0	G2	9246	57.1	43.4	0.1	48.4
13.3	-0.0		9248	39.7	-37.7	0.1	62.0
6.0	0.0		9249	-48.1	-43.9	-0.1	16.7
-2.6	0.0		9247	-48.7	38.3	-0.1	16.2
0.0	0.0	Q3	9246	0.0	0.0	0.0	0.0
0.0	0.0		9248	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		9247	0.0	0.0	0.0	0.0
2.5	0.0	Q5_pc X	9246	-1.2	1.9	0.0	-7.3
-5.6	0.0		9248	3.1	-0.0	-0.0	-11.4
-5.6	-0.0		9249	2.1	-1.6	-0.0	13.3
3.5	-0.0		9247	-4.0	-0.3	-0.0	10.6
-19.1	-0.0	Q5_pc Y	9246	13.4	-0.1	-0.0	41.8
18.9	-0.0		9248	-13.9	-1.2	-0.0	51.0
20.4	0.0		9249	-14.6	1.6	0.0	-62.9
-19.2	0.0		9247	15.1	-0.3	0.0	-49.3
1.8	-0.0	Q5_ps X	9246	0.8	3.3	0.0	-5.9
-5.2	0.0		9248	4.2	-1.3	-0.0	-10.1
-5.2	-0.0		9249	0.2	-2.9	-0.0	12.8
3.1	-0.0		9247	-5.2	0.9	-0.0	10.1
-18.0	-0.0	Q5_ps Y	9246	12.2	-0.5	-0.0	39.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
17.9	-0.0			9248	-13.6	-0.8	-0.0	48.2
19.3	0.0			9249	-13.2	2.0	0.0	-59.5
-18.2	0.0			9247	14.6	-0.6	0.0	-46.5
-29.2	0.0	INVS LU	Max	9246	327.5	242.6	0.5	352.3
82.3	0.0			9248	237.7	-206.1	1.1	435.2
31.4	0.0			9249	-221.3	-231.1	-1.0	321.8
37.0	0.0			9247	-263.6	208.2	-0.5	267.7
-83.3	0.0		Min	9246	290.9	232.7	0.5	234.1
28.5	-0.0			9248	197.1	-210.0	1.0	290.6
-26.7	-0.0			9249	-260.9	-239.7	-1.1	143.3
-17.5	0.0			9247	-307.4	205.5	-0.5	128.2
-25.7	0.0	INVS LE	Max	9246	244.4	180.6	0.4	264.0
60.8	0.0			9248	174.6	-154.2	0.8	325.9
22.2	0.0			9249	-167.5	-172.7	-0.8	232.2
24.4	0.0			9247	-197.9	155.5	-0.4	193.7
-61.8	0.0		Min	9246	220.0	174.0	0.4	185.2
25.0	-0.0			9248	147.5	-156.8	0.8	229.5
-16.5	0.0			9249	-193.9	-178.5	-0.8	113.1
-11.9	0.0			9247	-227.1	153.7	-0.4	100.7
11880	2	8 C1-C2;~1	Max	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0		Min	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9247	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9247	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	9247	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9247	89.8	126.1	-0.1	-49.8
17.7	0.0			9249	183.2	-104.0	0.1	-55.5
-6.1	0.0			6757	-63.6	-125.8	-0.1	56.8
-9.3	-0.0			6755	-209.4	104.5	0.1	45.3
19.0	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G2	9247	32.3	47.9	-0.1	-15.6
3.2	0.0			9249	69.3	-37.6	0.0	-16.8
-0.1	0.0			6757	-22.5	-48.0	-0.0	3.6
-0.8	-0.0			6755	-79.1	37.7	0.1	-1.8
1.4	0.0							
			Q3	9247	0.0	0.0	0.0	0.0
0.0	0.0			9249	0.0	0.0	0.0	0.0
0.0	0.0			6757	0.0	0.0	0.0	0.0
0.0	0.0			6755	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9247	-3.9	0.9	-0.0	-10.7
3.0	-0.0			9249	5.4	1.4	-0.1	-13.2
-2.8	-0.0			6757	4.6	-2.7	0.1	-10.5
0.2	0.0			6755	-6.1	0.4	0.0	-7.1
1.6	-0.0							
			Q5_pc Y	9247	16.2	-3.6	0.1	49.6
-10.4	0.0			9249	-22.5	1.1	0.2	62.6
10.3	0.0			6757	-19.7	4.2	-0.2	59.2
-3.0	0.0			6755	26.0	-1.7	-0.1	46.3
-1.0	0.0							
			Q5_ps X	9247	-2.2	2.2	-0.0	-10.2
3.3	-0.0			9249	6.4	0.2	-0.0	-12.7
-2.8	-0.0			6757	2.9	-3.7	0.0	-7.2
-0.1	0.0			6755	-7.1	1.4	0.0	-3.8
2.4	-0.0							
			Q5_ps Y	9247	14.7	-3.8	0.1	46.8
-10.2	0.0			9249	-21.4	1.3	0.2	59.2
9.9	0.0			6757	-18.1	4.4	-0.2	54.1
-2.6	0.0			6755	24.7	-1.8	-0.1	41.8
-1.6	0.0							
			INVSLU Max	9247	142.4	266.9	-0.3	-123.5
71.7	0.0			9249	472.5	-206.1	0.1	-144.1
-10.0	0.0			6757	-20.5	-257.6	0.7	99.0
-6.6	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
49.0	-0.0			6755	-476.0	214.8	0.4	73.6
			Min	9247	98.2	255.3	-0.5	-263.9
41.2	0.0			9249	408.2	-209.9	-0.6	-321.8
-39.8	-0.0			6757	-74.6	-270.7	-0.0	-63.3
-14.3	-0.0			6755	-550.2	209.4	0.2	-51.8
41.9	-0.0							
			INVSLE Max	9247	104.2	198.6	-0.2	-97.2
52.4	0.0			9249	350.7	-154.1	0.1	-113.8
-8.5	0.0			6757	-16.6	-192.8	0.5	72.5
-5.8	-0.0			6755	-359.3	160.4	0.3	54.2
36.9	-0.0							
			Min	9247	74.7	190.9	-0.3	-190.7
32.1	0.0			9249	307.8	-156.7	-0.4	-232.2
-28.3	0.0			6757	-52.8	-201.5	-0.0	-35.7
-11.0	-0.0			6755	-408.8	156.8	0.1	-29.4
32.2	-0.0							
11881	2	4	C1-C2;~1	Max	9248	0.0	0.0	0.0
0.0	0.0				9250	0.0	0.0	0.0
0.0	0.0				9251	0.0	0.0	0.0
0.0	0.0				9249	0.0	0.0	0.0
0.0	0.0							
			Min	9248	0.0	0.0	0.0	0.0
0.0	0.0				9250	0.0	0.0	0.0
0.0	0.0				9251	0.0	0.0	0.0
0.0	0.0				9249	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9248	0.0	0.0	0.0
0.0	0.0				9250	0.0	0.0	0.0
0.0	0.0				9251	0.0	0.0	0.0
0.0	0.0				9249	0.0	0.0	0.0
0.0	0.0							
			Min	9248	0.0	0.0	0.0	0.0
0.0	0.0				9250	0.0	0.0	0.0
0.0	0.0				9251	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2 ; ~2	Max	9248	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		Min	9248	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		Min	9248	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2	Max	9248	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
0.0	0.0		Min	9248	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
-31.2	-0.0	G1	9248	154.9	116.5	0.2	145.7
39.7	-0.0		9250	105.5	-103.6	0.3	155.2
18.6	-0.0		9251	-131.4	-115.5	-0.3	45.5
-12.1	0.0		9249	-129.0	103.4	-0.3	44.5
-13.0	-0.0	G2	9248	57.8	44.1	0.1	56.7
16.7	0.0		9250	39.2	-38.0	0.1	60.6
9.0	-0.0		9251	-48.5	-43.7	-0.1	13.7
-6.1	0.0		9249	-48.5	37.7	-0.1	13.3
0.0	0.0	Q3	9248	0.0	0.0	0.0	0.0
0.0	0.0		9250	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		9249	0.0	0.0	0.0	0.0
5.6	0.0	Q5_pc X	9248	-3.7	0.1	0.0	-11.6
-5.7	-0.0		9250	2.5	1.5	-0.0	-12.6
-5.4	0.0		9251	3.8	-0.5	0.0	11.9
5.5	-0.0		9249	-2.7	-1.1	-0.0	11.5
-19.0	-0.0	Q5_pc Y	9248	11.0	-2.5	-0.0	43.8
26.1	0.0		9250	-14.3	1.4	-0.0	46.0
26.7	-0.0		9251	-13.6	1.4	0.0	-61.2
-20.2	0.0		9249	16.9	-0.3	0.0	-57.3
5.2	0.0	Q5_ps X	9248	-2.0	1.2	0.0	-10.8
-5.7	-0.0		9250	3.7	0.3	-0.0	-11.9
-5.5	0.0		9251	2.2	-1.7	0.0	11.6
5.1	-0.0		9249	-3.8	0.2	-0.0	11.1
-18.0	-0.0	Q5_ps Y	9248	10.0	-2.7	-0.0	41.5
24.8	0.0		9250	-13.8	1.5	-0.0	43.6
25.4	-0.0		9251	-12.4	1.7	0.0	-57.9
-19.2	0.0		9249	16.2	-0.5	0.0	-54.2
-27.1	0.0	INVSLE Max	9248	322.7	236.9	0.7	388.8
107.0	0.0		9250	236.9	-205.8	0.9	414.5
46.7	-0.0		9251	-220.9	-230.5	-0.9	307.9
25.2	0.0		9249	-260.0	210.2	-0.7	286.7
-81.2	-0.0	Min	9248	292.6	228.8	0.6	264.3
32.6	-0.0		9250	195.5	-210.3	0.9	283.8
-29.4	-0.0		9251	-258.2	-235.6	-0.9	134.3
-32.4	-0.0		9249	-308.6	208.3	-0.7	124.2
		INVSLE Max	9248	240.8	176.3	0.5	291.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-23.9	0.0			9250	174.0	-153.8	0.7	310.6
79.2	0.0			9251	-167.0	-172.2	-0.7	222.2
33.4	-0.0			9249	-195.3	156.9	-0.5	206.7
15.4	0.0							
			Min	9248	220.8	170.9	0.5	208.2
-60.0	-0.0			9250	146.3	-156.8	0.7	223.4
29.6	-0.0			9251	-191.8	-175.6	-0.7	106.5
-17.4	-0.0			9249	-227.8	155.7	-0.5	98.4
-23.0	0.0							

11882	2	4	C1-C2;~1	Max	9249	0.0	0.0	0.0	0.0
0.0		0.0			9251	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			6757	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9249	0.0	0.0	0.0	0.0
0.0		0.0			9251	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			6757	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9249	0.0	0.0	0.0	0.0
0.0		0.0			9251	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			6757	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9249	0.0	0.0	0.0	0.0
0.0		0.0			9251	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			6757	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9249	0.0	0.0	0.0	0.0
0.0		0.0			9251	0.0	0.0	0.0	0.0
0.0		0.0			6759	0.0	0.0	0.0	0.0
0.0		0.0			6757	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9249	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		6759	0.0	0.0	0.0	0.0
0.0	0.0		6757	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4 ; ~2 Max	9249	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		6759	0.0	0.0	0.0	0.0
0.0	0.0		6757	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9249	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		6759	0.0	0.0	0.0	0.0
0.0	0.0		6757	0.0	0.0	0.0	0.0
0.0	0.0						
6.6	0.0	G1	9249	78.1	116.0	-0.0	-44.1
-4.6	-0.0		9251	180.8	-100.7	0.0	-45.3
-11.5	-0.0		6759	-48.8	-117.2	-0.0	58.9
10.0	-0.0		6757	-210.1	102.6	0.0	51.6
0.1	0.0	G2	9249	27.3	43.8	-0.0	-13.1
0.9	-0.0		9251	69.0	-36.7	0.0	-13.6
-1.3	-0.0		6759	-15.6	-44.4	-0.0	9.7
0.8	-0.0		6757	-80.7	37.3	0.0	7.1
0.0	0.0	Q3	9249	0.0	0.0	0.0	0.0
0.0	0.0		9251	0.0	0.0	0.0	0.0
0.0	0.0		6759	0.0	0.0	0.0	0.0
0.0	0.0		6757	0.0	0.0	0.0	0.0
0.0	0.0						
2.9	-0.0	Q5_pc X	9249	-4.8	1.3	-0.0	-11.6
-2.9	0.0		9251	2.6	1.8	-0.0	-11.9
0.0	0.0		6759	5.3	0.0	0.0	-11.1
-0.2	0.0		6757	-3.1	-3.1	0.0	-10.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

		Q5_pc Y		9249	20.2	-2.5	0.1	57.6
-10.4	0.0			9251	-26.5	2.3	0.2	61.4
15.0	-0.0			6759	-25.5	3.0	-0.2	55.1
-0.2	0.0			6757	31.8	-2.8	-0.1	53.4
3.3	0.0							
		Q5_ps X		9249	-2.8	2.6	-0.0	-11.2
2.9	-0.0			9251	3.8	0.6	-0.0	-11.6
-3.3	0.0			6759	3.3	-1.4	0.0	-8.7
-0.5	-0.0			6757	-4.2	-1.7	0.0	-8.0
0.1	0.0							
		Q5_ps Y		9249	18.4	-2.8	0.1	54.5
-10.1	0.0			9251	-25.1	2.3	0.2	58.0
14.4	-0.0			6759	-23.4	3.3	-0.2	50.7
0.1	0.0			6757	30.0	-2.8	-0.1	49.2
2.9	0.0							
		INVSLE Max		9249	112.7	238.3	-0.1	-123.4
41.2	0.0			9251	484.5	-210.9	-0.0	-133.6
-16.1	-0.0			6759	39.9	-228.6	0.5	121.6
-31.1	-0.0			6757	-491.6	218.9	0.5	98.5
15.6	-0.0							
		Min		9249	57.4	230.0	-0.4	-286.8
11.0	-0.0			9251	409.2	-217.8	-0.5	-307.6
-59.2	-0.0			6759	-30.3	-238.5	-0.0	-30.5
-32.5	-0.0			6757	-581.7	210.4	0.1	-49.1
7.0	-0.0							
		INVSLE Max		9249	81.4	177.5	-0.0	-97.8
29.4	0.0			9251	359.2	-157.9	-0.0	-105.9
-13.4	-0.0			6759	28.0	-170.9	0.3	89.0
-23.7	-0.0			6757	-371.7	163.2	0.3	71.8
11.9	-0.0							
		Min		9249	44.5	171.9	-0.3	-206.7
9.3	0.0			9251	309.0	-162.5	-0.4	-221.9
-42.1	-0.0			6759	-18.7	-177.5	-0.0	-12.4
-24.6	-0.0							

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

6.2	-0.0			6757	-431.8	157.6	0.1	-26.5	
11915	2	4	C1-C2;~1	Max	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0
	0.0	0.0		Min	9276	0.0	0.0	0.0	0.0
	0.0	0.0			9278	0.0	0.0	0.0	0.0
	0.0	0.0			9279	0.0	0.0	0.0	0.0
	0.0	0.0			9277	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9277	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9276	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0		9277	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9276	-8.9	38.0	-0.1	-198.9
73.2	-0.0		9278	85.1	-22.1	-0.3	-242.5
-66.1	0.0		9279	-6.1	-41.8	0.3	86.7
-53.0	-0.0		9277	-70.1	26.5	0.1	61.5
51.1	-0.0						
		G2	9276	-3.8	15.8	-0.1	-75.0
27.8	0.0		9278	32.4	-7.1	-0.1	-91.2
-24.1	0.0		9279	-1.9	-17.0	0.1	29.7
-18.8	-0.0		9277	-26.7	8.2	0.1	20.9
18.8	-0.0						
		Q3	9276	0.0	0.0	0.0	0.0
0.0	0.0		9278	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0		9277	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9276	2.9	0.3	-0.0	8.4
-4.2	-0.0		9278	-2.4	-0.3	0.0	10.3
3.5	-0.0		9279	-3.1	-0.1	-0.0	-10.0
3.4	0.0		9277	2.5	0.2	0.0	-8.2
-4.0	0.0						
		Q5_pc Y	9276	17.7	-0.7	0.0	67.5
-30.5	-0.0		9278	-19.8	-0.5	0.0	83.1
27.0	-0.0		9279	-15.9	2.2	-0.1	-59.3
24.7	0.0		9277	18.0	-1.1	-0.0	-46.6
-26.7	0.0						
		Q5_ps X	9276	3.4	0.9	0.0	7.5
-4.0	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
3.0	-0.0			9278	-1.6	-0.7	-0.0	9.0	
2.9	0.0			9279	-3.5	-0.8	-0.0	-9.0	
-3.7	0.0			9277	1.7	0.6	0.0	-7.5	
-29.2	-0.0	Q5_ps Y		9276	17.1	-0.5	0.0	64.5	
25.9	-0.0			9278	-18.7	-0.6	0.0	79.4	
23.6	0.0			9279	-15.3	2.0	-0.0	-56.4	
-25.5	0.0			9277	17.0	-0.9	-0.0	-44.3	
-30.0	-0.0	INVS LU	Max	9276	158.8	79.7	-0.4	135.5	
123.2	-0.0			9278	67.0	-63.2	-0.6	197.1	
150.4	0.0			9279	-162.9	-77.2	0.8	-413.7	
-90.7	-0.0			9277	39.3	68.4	0.5	-343.3	
-117.6	-0.0		Min	9276	107.6	77.1	-0.5	-58.1	
45.7	-0.0			9278	10.8	-65.4	-0.8	-41.2	
79.7	0.0			9279	-208.8	-83.3	0.6	-583.0	
-167.0	-0.0			9277	-11.8	65.8	0.4	-476.4	
-36.8	-0.0	INVS LE	Max	9276	123.6	58.9	-0.3	114.3	
98.9	-0.0			9278	41.2	-48.2	-0.5	164.1	
119.6	0.0			9279	-131.3	-57.4	0.6	-344.6	
-81.7	-0.0			9277	34.6	51.9	0.4	-284.4	
-95.2	-0.0		Min	9276	89.5	57.1	-0.4	-14.8	
47.2	-0.0			9278	3.7	-49.7	-0.6	5.2	
72.4	0.0			9279	-161.9	-61.4	0.5	-457.5	
-132.7	-0.0			9277	0.6	50.2	0.3	-373.1	
11916	2	4	C1-C2;~1	Max	9277	0.0	0.0	0.0	0.0
0.0	0.0				9279	0.0	0.0	0.0	0.0
0.0	0.0				6787	0.0	0.0	0.0	0.0
0.0	0.0				6785	0.0	0.0	0.0	0.0
0.0	0.0			Min	9277	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	9277	31.8	44.4	-0.1	-63.6
10.4	-0.0			9279	44.7	-18.9	-0.6	-85.6
-16.6	-0.0			6787	-41.1	-45.2	0.6	-185.3
15.5	-0.0			6785	-35.4	20.5	0.1	-148.7
-13.0	0.0							
			G2	9277	11.7	18.2	-0.1	-21.8
1.4	-0.0			9279	17.0	-5.9	-0.2	-29.3
-4.9	-0.0			6787	-15.4	-18.3	0.2	-80.4
7.2	-0.0			6785	-13.3	6.0	0.1	-67.9
-9.0	0.0							
			Q3	9277	0.0	0.0	0.0	0.0
0.0	0.0			9279	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0			6785	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9277	3.8	0.3	0.0	8.3
-1.6	0.0			9279	-3.2	-0.2	0.0	10.0
1.4	0.0			6787	-4.3	-0.4	-0.0	13.9
-1.0	0.0			6785	3.7	0.2	-0.0	11.9
0.9	-0.0							
			Q5_pc Y	9277	16.0	-0.5	0.1	47.3
-12.0	0.0			9279	-16.2	-0.8	0.3	58.9
10.2	0.0			6787	-16.9	1.0	-0.3	78.0
-5.3	0.0			6785	17.2	0.3	-0.1	61.9
0.5	0.0							
			Q5_ps X	9277	4.2	0.9	0.0	7.6
-1.1	0.0			9279	-2.5	-0.5	0.0	9.0
1.1	0.0			6787	-4.8	-1.0	-0.0	14.0
-1.0	0.0			6785	3.0	0.6	-0.0	12.5
1.4	-0.0							
			Q5_ps Y	9277	15.3	-0.4	0.1	45.0
-11.5	0.0			9279	-15.2	-0.9	0.3	56.1
9.8	0.0			6787	-16.1	0.9	-0.3	73.9
-5.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.3	0.0			6785	16.0	0.4	-0.1	58.4
-100.8	-0.0	INVS LU	Max	9277	326.8	95.3	0.7	474.9
87.2	0.0			9279	-106.9	-54.1	1.8	581.4
2.1	-0.0			6787	-341.2	-89.3	-1.2	394.9
-54.3	0.0			6785	215.1	54.3	-0.4	296.4
-135.4	-0.0		Min	9277	281.1	92.5	0.5	340.0
57.8	0.0			9279	-152.5	-56.8	1.1	413.2
-12.9	-0.0			6787	-389.4	-92.4	-2.0	173.1
-58.5	0.0			6785	167.0	52.6	-0.6	121.2
-83.0	-0.0	INVS LE	Max	9277	253.2	71.4	0.6	371.9
68.4	0.0			9279	-91.8	-41.2	1.5	456.2
-1.5	-0.0			6787	-269.8	-66.9	-1.0	319.6
-42.0	0.0			6785	170.9	40.8	-0.3	240.3
-106.0	-0.0		Min	9277	222.7	69.6	0.4	281.9
48.8	0.0			9279	-122.2	-43.0	0.9	344.0
-11.5	-0.0			6787	-301.9	-68.9	-1.6	171.7
-44.8	0.0			6785	138.8	39.7	-0.4	123.5
11917	2	10	C1-C2;~1	Max	9278	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0
0.0		0.0			9281	0.0	0.0	0.0
0.0		0.0			9279	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0
0.0		0.0		Min	9280	0.0	0.0	0.0
0.0		0.0			9281	0.0	0.0	0.0
0.0		0.0			9279	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0
0.0		0.0			9280	0.0	0.0	0.0
0.0		0.0			9281	0.0	0.0	0.0
0.0		0.0			9278	0.0	0.0	0.0
0.0		0.0		Max	9280	0.0	0.0	0.0
0.0		0.0			9281	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2 Max	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
0.0	0.0						
65.9	0.0	G1	9278	-8.3	40.6	-0.1	-204.3
-82.3	-0.0		9280	78.6	-19.1	-0.2	-216.7
-66.3	0.0		9281	-4.5	-39.8	0.2	80.1
53.3	-0.0		9279	-65.8	19.0	0.2	76.6
24.0	0.0	G2	9278	-3.1	16.1	-0.1	-76.6
-30.3	-0.0		9280	29.8	-6.7	-0.1	-81.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-24.1	0.0		9281	-1.7	-15.9	0.1	27.6
19.1	-0.0		9279	-25.1	6.5	0.1	26.3
0.0	0.0	Q3	9278	0.0	0.0	0.0	0.0
0.0	0.0		9280	0.0	0.0	0.0	0.0
0.0	0.0		9281	0.0	0.0	0.0	0.0
0.0	0.0		9279	0.0	0.0	0.0	0.0
-3.5	-0.0	Q5_pc X	9278	2.2	-0.1	-0.0	8.6
4.3	0.0		9280	-2.3	0.0	0.0	9.0
4.3	-0.0		9281	-2.5	0.1	0.0	-9.1
-3.4	0.0		9279	2.6	0.1	-0.0	-8.5
-27.1	-0.0	Q5_pc Y	9278	14.7	-3.6	0.0	69.2
31.4	0.0		9280	-18.4	-0.0	0.0	72.2
28.5	-0.0		9281	-13.7	3.2	-0.0	-52.6
-24.7	0.0		9279	17.4	0.4	-0.0	-50.3
-3.0	-0.0	Q5_ps X	9278	2.4	0.3	-0.0	7.2
3.6	0.0		9280	-1.6	-0.2	-0.0	7.5
3.6	-0.0		9281	-2.7	-0.4	0.0	-8.0
-3.0	0.0		9279	2.0	0.3	-0.0	-7.6
-25.9	-0.0	Q5_ps Y	9278	14.1	-3.3	0.0	66.1
29.9	0.0		9280	-17.4	-0.2	0.0	68.9
27.2	-0.0		9281	-13.2	2.9	-0.0	-50.1
-23.6	0.0		9279	16.4	0.6	-0.0	-47.9
-46.4	-0.0	INVSLU Max	9278	144.6	80.6	-0.5	171.6
158.6	0.0		9280	56.0	-54.0	-0.5	177.7
195.1	-0.0		9281	-154.4	-69.9	0.7	-393.5
-77.9	0.0		9279	45.6	54.7	0.5	-359.6
		Min	9278	102.1	70.7	-0.5	-26.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-124.0	-0.0			9280	3.7	-54.7	-0.6	-29.1
68.8	-0.0			9281	-193.9	-78.8	0.6	-543.7
113.5	-0.0			9279	-3.6	53.0	0.4	-503.3
-148.8	0.0							
		INVSLE	Max	9278	112.3	59.1	-0.4	142.5
-47.8	-0.0			9280	33.3	-40.9	-0.4	147.9
127.0	0.0			9281	-124.0	-51.8	0.5	-326.5
154.6	-0.0			9279	39.5	41.2	0.3	-299.4
-71.1	0.0							
			Min	9278	84.0	52.5	-0.4	10.4
-99.6	-0.0			9280	-1.5	-41.4	-0.5	10.0
67.2	-0.0			9281	-150.3	-57.6	0.5	-426.6
100.3	-0.0			9279	6.6	40.1	0.3	-395.2
-118.4	0.0							
11918	2	10	C1-C2;~1	Max	9279	0.0	0.0	0.0
0.0	0.0	0.0			9281	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0	0.0			6787	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	9279	0.0	0.0	0.0
0.0	0.0	0.0			9281	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0	0.0			6787	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	9279	0.0	0.0	0.0
0.0	0.0	0.0			9281	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0	0.0			6787	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	9279	0.0	0.0	0.0
0.0	0.0	0.0			9281	0.0	0.0	0.0
0.0	0.0	0.0			6789	0.0	0.0	0.0
0.0	0.0	0.0			6787	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2; ~2	Max	9279	0.0	0.0	0.0	0.0
0.0	0.0			9281	0.0	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9279	0.0	0.0	0.0	0.0
0.0	0.0			9281	0.0	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9279	0.0	0.0	0.0	0.0
0.0	0.0			9281	0.0	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9279	0.0	0.0	0.0	0.0
0.0	0.0			9281	0.0	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9279	27.2	41.7	-0.3	-77.8
16.4	-0.0			9281	41.8	-16.2	-0.4	-80.5
-25.1	0.0			6789	-37.2	-41.7	0.4	-160.4
9.6	-0.0			6787	-31.8	16.7	0.3	-155.0
-16.7	-0.0							
			G2	9279	9.9	16.4	-0.1	-26.7
4.7	-0.0			9281	16.2	-5.5	-0.2	-27.7
-8.2	0.0			6789	-13.6	-16.5	0.1	-66.9
4.9	-0.0			6787	-12.6	5.6	0.1	-64.9
-7.9	-0.0							
			Q3	9279	0.0	0.0	0.0	0.0
0.0	0.0			9281	0.0	0.0	0.0	0.0
0.0	0.0			6789	0.0	0.0	0.0	0.0
0.0	0.0			6787	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Q5_pc X	9279	3.6	0.2	0.0	8.5
-1.3	0.0		9281	-3.8	0.3	0.0	9.1
2.1	-0.0		6789	-4.4	-0.1	-0.0	11.5
-0.5	-0.0		6787	4.5	-0.4	-0.0	11.2
1.1	0.0						
		Q5_pc Y	9279	14.7	-1.9	0.2	50.7
-10.2	0.0		9281	-17.3	-0.1	0.2	52.8
13.5	-0.0		6789	-16.0	2.2	-0.2	67.3
-2.5	0.0		6787	18.5	-0.3	-0.2	65.7
5.7	0.0						
		Q5_ps X	9279	4.0	0.9	0.0	7.6
-1.1	0.0		9281	-3.2	0.0	0.0	8.0
1.7	-0.0		6789	-4.8	-0.8	-0.0	11.1
-0.6	-0.0		6787	4.0	-0.2	-0.0	10.9
1.2	0.0						
		Q5_ps Y	9279	14.1	-1.7	0.1	48.3
-9.8	0.0		9281	-16.1	-0.3	0.2	50.2
12.9	-0.0		6789	-15.2	2.0	-0.2	63.9
-2.4	0.0		6787	17.3	-0.1	-0.2	62.3
5.3	0.0						
		INVSLE Max	9279	315.7	84.4	1.1	505.0
-59.5	0.0		9281	-138.4	-34.0	1.5	545.2
133.1	-0.0		6789	-348.5	-73.3	-0.9	366.7
22.7	0.0		6787	265.3	30.1	-0.7	353.8
13.8	-0.0						
		Min	9279	273.4	79.4	0.6	360.1
-88.8	0.0		9281	-186.8	-34.9	0.9	394.5
94.5	-0.0		6789	-394.2	-79.4	-1.4	175.1
15.6	-0.0		6787	213.5	29.4	-1.2	166.8
-2.2	-0.0						
		INVSLE Max	9279	244.6	62.5	0.9	396.6
-50.1	0.0		9281	-116.0	-25.8	1.2	427.8
104.3	-0.0		6789	-275.0	-54.5	-0.8	295.8


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
15.9	0.0				6787	209.1	22.6	-0.6	285.6
12.2	-0.0								
			Min		9279	216.4	59.2	0.6	300.0
-69.6	0.0				9281	-148.3	-26.4	0.8	327.3
78.6	-0.0				6789	-305.4	-58.5	-1.1	168.1
11.1	-0.0				6787	174.6	22.1	-0.9	161.0
1.5	-0.0								
11953	2	10	C1-C2;~1	Max	9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			9309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			9309	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			9309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			9309	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			9309	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9308	0.0	0.0	0.0	0.0
0.0		0.0			9310	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9309	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	9308	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9311	0.0	0.0	0.0	0.0
0.0	0.0		9309	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9308	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9311	0.0	0.0	0.0	0.0
0.0	0.0		9309	0.0	0.0	0.0	0.0
0.0	0.0						
82.5	0.0	G1	9308	-78.1	-18.0	-0.2	-219.8
-67.8	-0.0		9310	10.4	39.5	-0.2	-207.7
-54.8	0.0		9311	65.0	17.8	0.2	78.1
66.5	-0.0		9309	2.6	-38.7	0.2	81.6
30.5	0.0	G2	9308	-29.5	-6.1	-0.1	-82.8
-24.9	-0.0		9310	4.1	15.5	-0.1	-78.2
-19.7	0.0		9311	24.6	5.9	0.1	26.9
24.2	-0.0		9309	0.7	-15.3	0.1	28.2
0.0	0.0	Q3	9308	0.0	0.0	0.0	0.0
0.0	0.0		9310	0.0	0.0	0.0	0.0
0.0	0.0		9311	0.0	0.0	0.0	0.0
0.0	0.0		9309	0.0	0.0	0.0	0.0
0.0	0.0						
-3.7	-0.0	Q5_pc X	9308	1.7	-0.2	-0.0	7.5
3.2	0.0		9310	-2.3	0.1	-0.0	7.3
3.3	-0.0		9311	-2.1	0.4	0.0	-8.1
-3.7	0.0		9309	2.7	-0.3	0.0	-8.5
-42.3	-0.0	Q5_pc Y	9308	17.1	-7.7	0.1	103.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
38.8	0.0			9310	-29.3	2.7	0.0	99.7
34.4	-0.0			9311	-14.6	7.6	-0.1	-64.7
-38.0	0.0			9309	26.8	-2.6	-0.1	-67.6
			Q5_ps X					
-2.9	-0.0			9308	1.1	-0.2	-0.0	5.8
2.6	0.0			9310	-2.2	0.4	-0.0	5.8
2.7	-0.0			9311	-1.6	0.5	0.0	-7.0
-2.9	0.0			9309	2.7	-0.7	0.0	-7.4
			Q5_ps Y					
-40.1	-0.0			9308	16.5	-7.1	0.1	98.0
36.7	0.0			9310	-27.5	2.3	0.0	94.4
32.5	-0.0			9311	-14.1	7.0	-0.1	-61.2
-36.0	0.0			9309	25.2	-2.2	-0.0	-64.1
			INVS LU Max					
-52.2	0.0			9308	-5.4	-43.8	-0.5	221.7
140.8	0.0			9310	-82.3	79.4	-0.4	214.2
163.1	-0.0			9311	0.6	64.6	0.5	-338.6
-97.9	0.0			9309	212.1	-71.4	0.7	-370.4
			Min					
-172.6	-0.0			9308	-54.9	-65.1	-0.7	-72.4
30.6	0.0			9310	-164.9	72.5	-0.6	-69.0
65.6	-0.0			9311	-41.7	43.6	0.3	-522.2
-205.9	0.0			9309	136.6	-78.1	0.6	-562.6
			INVS LE Max					
-55.9	0.0			9308	0.2	-34.2	-0.4	177.6
111.0	0.0			9310	-71.1	58.4	-0.3	171.3
128.1	-0.0			9311	-8.5	48.0	0.4	-285.3
-89.6	0.0			9309	162.6	-52.9	0.6	-310.9
			Min					
-136.2	-0.0			9308	-32.8	-48.4	-0.5	-18.5
37.5	0.0			9310	-126.1	53.8	-0.4	-17.5
63.2	-0.0			9311	-36.7	34.0	0.3	-407.8
-161.6	0.0			9309	112.3	-57.4	0.5	-439.0


PROJECT TITLE :

MIDAS	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11954	2	10	C1-C2;~1	Max	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0		Min	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0		Min	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0		Min	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	9309	0.0	0.0	0.0	0.0
0.0		0.0			9311	0.0	0.0	0.0	0.0
0.0		0.0			6819	0.0	0.0	0.0	0.0
0.0		0.0			6817	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	9309	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			6817	0.0	0.0	0.0	0.0
			G1	9309	-40.6	-15.0	-0.4	-81.9
25.2	-0.0			9311	-25.6	40.6	-0.3	-79.2
-16.9	0.0			6819	30.4	15.5	0.3	-157.7
16.9	0.0			6817	35.8	-40.5	0.4	-163.0
-9.9	0.0							
			G2	9309	-15.6	-4.9	-0.2	-28.4
8.2	-0.0			9311	-9.1	15.8	-0.1	-27.3
-4.9	0.0			6819	11.9	5.0	0.1	-66.2
8.0	0.0			6817	12.8	-16.0	0.1	-68.2
-5.1	0.0							
			Q3	9309	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0			6817	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9309	3.3	-0.1	0.0	8.5
-1.8	0.0			9311	-4.1	0.7	0.0	8.1
1.4	-0.0			6819	-4.1	-0.0	-0.0	10.5
-1.0	-0.0			6817	5.0	-0.6	-0.0	10.7
0.5	0.0							
			Q5_pc Y	9309	12.2	-6.9	0.3	67.9
-17.4	0.0			9311	-25.7	4.7	0.2	65.2
13.4	-0.0			6819	-12.5	6.6	-0.2	90.7
-8.0	0.0			6817	26.0	-4.4	-0.2	93.1
4.1	-0.0							
			Q5_ps X	9309	2.9	-0.1	0.0	7.4
-1.3	0.0			9311	-4.3	1.2	0.0	7.1
1.0	-0.0			6819	-3.8	-0.0	-0.0	10.2
-1.0	-0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.6	0.0			6817	5.2	-1.0	-0.0	10.2
-16.5	0.0	Q5_ps Y		9309	11.8	-6.3	0.2	64.3
12.7	-0.0			9311	-24.0	4.2	0.2	61.7
-7.6	0.0			6819	-12.1	6.0	-0.2	85.9
3.9	-0.0			6817	24.3	-3.9	-0.2	88.2
-86.4	0.0	INVS LU	Max	9309	179.7	-25.0	1.6	564.1
94.5	-0.0			9311	-258.3	88.5	1.2	524.1
6.8	0.0			6819	-220.4	38.9	-0.6	388.5
-11.5	0.0			6817	407.3	-70.7	-0.8	403.3
-135.9	0.0		Min	9309	144.2	-44.0	0.8	371.2
56.4	-0.0			9311	-330.2	75.8	0.6	338.9
-16.1	0.0			6819	-256.7	20.7	-1.2	130.8
-23.3	-0.0			6817	334.4	-82.5	-1.5	138.8
-72.9	0.0	INVS LE	Max	9309	143.3	-19.9	1.2	440.2
73.6	-0.0			9311	-206.4	65.4	0.9	409.2
1.7	0.0			6819	-178.9	28.5	-0.6	308.9
-8.1	0.0			6817	314.2	-52.9	-0.7	320.5
-105.9	0.0		Min	9309	119.7	-32.6	0.8	311.6
48.3	-0.0			9311	-254.4	56.9	0.5	285.8
-13.6	0.0			6819	-203.1	16.4	-1.0	137.1
-16.0	-0.0			6817	265.6	-60.8	-1.2	144.1
11955	2	4 C1-C2;~1	Max	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0		Min	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9310	0.0	0.0	0.0	0.0
0.0	0.0			9312	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			9311	0.0	0.0	0.0	0.0
0.0	0.0							
68.1	-0.0		G1	9310	-84.6	-20.9	-0.3	-246.8
-74.4	0.0			9312	11.2	36.9	-0.2	-202.3

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-52.1	0.0		9313	69.4	25.3	0.1	62.7
54.5	0.0		9311	4.1	-40.7	0.3	88.4
		G2	9310	-32.1	-6.5	-0.1	-93.2
24.9	-0.0		9312	4.9	15.3	-0.1	-76.6
-28.4	-0.0		9313	26.4	7.6	0.1	21.5
-19.3	0.0		9311	0.8	-16.4	0.1	30.4
19.5	0.0						
		Q3	9310	0.0	0.0	0.0	0.0
0.0	0.0		9312	0.0	0.0	0.0	0.0
0.0	0.0		9313	0.0	0.0	0.0	0.0
0.0	0.0		9311	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9310	1.8	-0.8	-0.0	9.3
-3.2	0.0		9312	-3.5	1.0	0.0	7.9
4.3	0.0		9313	-1.8	0.5	0.0	-7.9
4.0	-0.0		9311	3.6	-0.7	-0.0	-9.7
-3.2	-0.0						
		Q5_pc Y	9310	19.4	-7.4	0.1	119.6
-38.8	0.0		9312	-32.7	5.1	0.0	96.5
43.0	0.0		9313	-16.3	6.1	-0.0	-59.5
36.5	-0.0		9311	29.6	-3.8	-0.1	-76.0
-34.2	-0.0						
		Q5_ps X	9310	1.1	-1.0	-0.0	7.6
-2.5	0.0		9312	-3.7	1.4	0.0	6.7
3.9	0.0		9313	-1.2	0.8	0.0	-7.1
3.5	-0.0		9311	3.8	-1.1	-0.0	-8.5
-2.6	-0.0						
		Q5_ps Y	9310	18.6	-6.7	0.1	113.2
-36.7	0.0		9312	-30.7	4.5	0.0	91.3
40.6	0.0		9313	-15.7	5.6	-0.0	-56.3
34.5	-0.0		9311	27.7	-3.4	-0.1	-71.9
-32.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

-29.8	0.0	INVS LU	Max	9310	-11.2	-54.4	-0.6	247.8
134.4	0.0			9312	-87.5	85.5	-0.4	175.9
179.7	0.0			9313	10.2	75.6	0.5	-324.3
-67.5	-0.0			9311	227.5	-75.3	0.8	-389.7
-140.0	0.0		Min	9310	-67.1	-74.6	-0.8	-91.8
12.5	0.0			9312	-179.4	71.9	-0.5	-98.1
76.3	0.0			9313	-36.9	58.8	0.4	-493.3
-164.5	-0.0			9311	144.4	-85.5	0.6	-605.5
-36.9	0.0	INVS LE	Max	9310	-4.1	-42.5	-0.4	198.3
106.4	0.0			9312	-76.3	62.9	-0.3	141.5
141.0	0.0			9313	-1.5	56.9	0.4	-271.6
-64.6	-0.0			9311	174.6	-56.3	0.6	-328.7
-110.3	0.0		Min	9310	-41.3	-56.0	-0.6	-28.1
25.2	0.0			9312	-137.6	53.8	-0.4	-41.1
72.1	0.0			9313	-32.9	45.6	0.3	-384.3
-129.2	-0.0			9311	119.2	-63.1	0.4	-472.5
11956	2	4	C1-C2;~1	Max	9311	0.0	0.0	0.0
0.0	0.0	0.0			9313	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0
0.0	0.0	0.0			6819	0.0	0.0	0.0
0.0	0.0	0.0		Min	9311	0.0	0.0	0.0
0.0	0.0	0.0			9313	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0
0.0	0.0	0.0			6819	0.0	0.0	0.0
0.0	0.0	0.0			9311	0.0	0.0	0.0
0.0	0.0	0.0	C3-C4;~1	Max	9313	0.0	0.0	0.0
0.0	0.0	0.0			6821	0.0	0.0	0.0
0.0	0.0	0.0			6819	0.0	0.0	0.0

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
			Min	9311	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9311	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9311	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9311	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9311	0.0	0.0	0.0	0.0
0.0	0.0			9313	0.0	0.0	0.0	0.0
0.0	0.0			6821	0.0	0.0	0.0	0.0
0.0	0.0			6819	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9311	-43.5	-17.7	-0.6	-87.3
17.2	0.0			9313	-30.0	43.1	-0.1	-64.9
-10.7	0.0			6821	34.0	19.2	0.1	-151.4
13.2	-0.0			6819	39.5	-43.9	0.6	-188.6
-15.6	0.0							
		G2		9311	-16.4	-5.3	-0.2	-30.0
5.2	0.0			9313	-10.8	17.6	-0.1	-22.4
-1.6	0.0			6821	12.6	5.3	0.1	-69.2
9.1	-0.0			6819	14.6	-17.6	0.2	-82.0
-7.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	9311	0.0	0.0	0.0	0.0
0.0	0.0		9313	0.0	0.0	0.0	0.0
0.0	0.0		6821	0.0	0.0	0.0	0.0
0.0	0.0		6819	0.0	0.0	0.0	0.0
-1.4	-0.0	Q5_pc X	9311	2.6	-0.5	0.0	9.6
1.5	-0.0		9313	-4.2	0.8	0.0	8.0
-0.9	0.0		6821	-3.3	0.5	-0.0	11.6
0.8	-0.0		6819	4.8	-0.8	-0.0	13.4
-13.6	-0.0	Q5_pc Y	9311	10.7	-8.5	0.4	75.5
15.4	-0.0		9313	-28.5	7.1	0.1	60.5
-1.8	0.0		6821	-10.3	7.9	-0.1	86.3
7.5	0.0		6819	28.1	-6.5	-0.4	108.2
-1.1	-0.0	Q5_ps X	9311	2.2	-0.6	0.0	8.5
1.0	-0.0		9313	-4.4	1.2	0.0	7.2
-1.6	0.0		6821	-2.9	0.7	-0.0	12.3
0.9	-0.0		6819	5.1	-1.3	-0.0	13.5
-12.9	-0.0	Q5_ps Y	9311	10.4	-7.8	0.4	71.4
14.6	-0.0		9313	-26.7	6.5	0.1	57.2
-1.8	0.0		6821	-10.0	7.2	-0.1	81.7
7.1	0.0		6819	26.3	-5.9	-0.4	102.4
-54.5	-0.0	INVS LU Max	9311	144.4	-44.0	2.0	603.7
138.8	0.0		9313	-263.7	103.8	0.7	492.2
58.2	-0.0		6821	-174.9	64.6	-0.3	331.0
14.9	0.0		6819	404.3	-82.3	-1.0	436.5
-93.1	-0.0	Min	9311	113.3	-67.5	0.9	389.4
95.1	0.0		9313	-343.8	84.3	0.4	320.5
			6821	-205.0	42.9	-0.6	86.0


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
52.9	-0.0								
-6.4	0.0			6819	325.4	-100.0	-2.1	129.3	
			INVSLE	Max	9311	116.5	-34.7	1.6	471.1
-46.8	-0.0				9313	-211.3	77.3	0.6	383.4
108.2	0.0				6821	-143.8	47.9	-0.3	263.5
44.5	-0.0				6819	311.9	-62.3	-0.9	347.5
12.7	0.0								
				Min	9311	95.7	-50.3	0.8	328.2
-72.5	-0.0				9313	-264.6	64.3	0.4	268.9
79.1	0.0				6821	-163.8	33.4	-0.5	100.2
40.9	-0.0				6819	259.3	-74.2	-1.7	142.7
-1.5	0.0								
11989	2	4	C1-C2;~1	Max	9338	0.0	0.0	0.0	0.0
0.0		0.0			9340	0.0	0.0	0.0	0.0
0.0		0.0			9341	0.0	0.0	0.0	0.0
0.0		0.0			9339	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9338	0.0	0.0	0.0	0.0
0.0		0.0			9340	0.0	0.0	0.0	0.0
0.0		0.0			9341	0.0	0.0	0.0	0.0
0.0		0.0			9339	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9338	0.0	0.0	0.0	0.0
0.0		0.0			9340	0.0	0.0	0.0	0.0
0.0		0.0			9341	0.0	0.0	0.0	0.0
0.0		0.0			9339	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9338	0.0	0.0	0.0	0.0
0.0		0.0			9340	0.0	0.0	0.0	0.0
0.0		0.0			9341	0.0	0.0	0.0	0.0
0.0		0.0			9339	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9338	0.0	0.0	0.0	0.0
0.0		0.0			9340	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				9341	0.0	0.0	0.0
0.0	0.0			9339	0.0	0.0	0.0
0.0	0.0						
			Min	9338	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0			9339	0.0	0.0	0.0
0.0	0.0						
			C3-C4;~2 Max	9338	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0			9339	0.0	0.0	0.0
0.0	0.0						
			Min	9338	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0			9339	0.0	0.0	0.0
0.0	0.0						
			G1	9338	-104.7	-102.3	0.3
-38.8	0.0			9340	-152.1	114.9	0.2
29.1	0.0			9341	127.2	101.9	-0.2
11.7	-0.0			9339	129.6	-113.9	-0.3
-17.9	0.0						
			G2	9338	-39.0	-37.5	0.1
-16.1	-0.0			9340	-56.6	43.5	0.1
12.1	0.0			9341	47.9	37.1	-0.1
5.8	-0.0			9339	47.7	-43.1	-0.1
-8.5	0.0						
			Q3	9338	0.0	0.0	0.0
0.0	0.0			9340	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0			9339	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	9338	-5.3	0.7	-0.0
9.3	0.0						-19.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-8.1	-0.0		9340	4.0	1.2	0.0	-17.8
-7.8	0.0		9341	5.4	-0.1	0.0	16.9
8.8	-0.0		9339	-4.1	-1.8	0.0	17.6
-45.9	-0.0	Q5_pc Y	9338	16.6	-5.4	0.1	102.5
31.5	0.0		9340	-29.8	3.7	0.0	96.2
28.9	-0.0		9341	-13.7	7.4	-0.1	-62.4
-40.3	0.0		9339	26.8	-5.7	-0.0	-65.8
9.2	0.0	Q5_ps X	9338	-6.4	-0.3	-0.0	-18.7
-7.7	-0.0		9340	2.3	2.4	0.0	-16.9
-7.4	0.0		9341	6.4	1.0	0.0	16.2
8.9	-0.0		9339	-2.3	-3.1	0.0	17.0
-43.3	-0.0	Q5_ps Y	9338	15.8	-5.0	0.1	96.7
29.7	0.0		9340	-28.0	3.5	0.0	90.7
27.2	-0.0		9341	-13.1	6.8	-0.1	-58.9
-38.0	0.0		9339	25.2	-5.3	-0.0	-62.2
-4.2	0.0	INVS LU Max	9338	-194.4	-201.3	1.1	491.7
95.0	0.0		9340	-265.6	238.8	0.7	458.2
43.1	0.0		9341	306.4	220.2	-0.6	299.0
51.7	0.0		9339	276.6	-226.0	-0.9	322.3
-134.1	-0.0	Min	9338	-241.8	-216.3	0.8	201.6
6.0	-0.0		9340	-349.5	228.4	0.6	185.9
-38.5	-0.0		9341	267.3	199.8	-0.8	122.3
-62.3	0.0		9339	200.9	-241.9	-1.0	135.8
-10.8	0.0	INVS LE Max	9338	-145.9	-151.0	0.8	362.4
68.9	0.0		9340	-203.0	177.8	0.5	337.6
30.0	0.0		9341	226.8	163.9	-0.5	215.9
32.5	0.0		9339	204.2	-169.4	-0.7	233.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


-97.3	-0.0		Min	9338	-177.5	-161.0	0.6	169.0
				9340	-259.0	170.9	0.5	156.1
9.6	-0.0			9341	200.7	150.2	-0.6	98.1
-24.5	-0.0			9339	153.7	-180.0	-0.7	108.6
-43.5	0.0							
11990	2	4	C1-C2;~1	Max	9339	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							
			Min	9339	0.0	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9339	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							
			Min	9339	0.0	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9339	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							
			Min	9339	0.0	0.0	0.0	0.0
0.0	0.0				9341	0.0	0.0	0.0
0.0	0.0				6849	0.0	0.0	0.0
0.0	0.0				6847	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

Node	U1	U2	U3	U4	U5	U6	U7	
C3-C4; ~2	Max	9339	0.0	0.0	0.0	0.0	0.0	
		9341	0.0	0.0	0.0	0.0	0.0	
		6849	0.0	0.0	0.0	0.0	0.0	
		6847	0.0	0.0	0.0	0.0	0.0	
		0.0	0.0					
	Min	9339	0.0	0.0	0.0	0.0	0.0	
		9341	0.0	0.0	0.0	0.0	0.0	
		6849	0.0	0.0	0.0	0.0	0.0	
		6847	0.0	0.0	0.0	0.0	0.0	
		0.0	0.0					
G1	9339	-176.6	-99.1	0.0	-43.0			
	9341	-78.4	114.3	-0.0	-41.5			
	6849	204.7	101.1	0.0	48.7			
	6847	50.3	-115.6	-0.0	56.2			
	4.9	0.0						
	-5.5	-0.0						
	-8.8	0.0						
	11.4	0.0						
	G2	9339	-67.4	-36.0	-0.0	-12.9		
		9341	-27.4	43.3	-0.0	-12.2		
6849		78.6	36.7	0.0	5.5			
6847		16.2	-43.9	0.0	8.2			
0.3		-0.0						
Q3	9339	0.0	0.0	0.0	0.0			
	9341	0.0	0.0	0.0	0.0			
	6849	0.0	0.0	0.0	0.0			
	6847	0.0	0.0	0.0	0.0			
	0.0	0.0						
Q5_pc X	9339	-5.4	1.0	-0.1	-17.6			
	9341	5.1	2.9	-0.0	-17.0			
	6849	6.0	-2.6	0.0	-15.0			
	6847	-5.7	-1.3	0.1	-16.0			
	4.9	-0.0						
Q5_pc Y	9339	10.7	-5.8	0.3	66.0			
	9341	-22.6	5.1	0.2	62.9			
	6849	-10.0	4.9	-0.2	86.0			
	-18.1	0.0						
	11.5	-0.0						
-7.9	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
3.3	-0.0			6847	21.9	-4.3	-0.2	88.9
		Q5_ps X		9339	-6.3	-0.1	-0.1	-17.0
5.3	-0.0			9341	2.9	4.2	-0.0	-16.4
-4.1	0.0			6849	6.8	-1.3	0.0	-11.8
-0.2	-0.0			6847	-3.3	-2.8	0.0	-12.8
1.0	0.0							
		Q5_ps Y		9339	10.4	-5.2	0.2	62.4
-17.0	0.0			9341	-21.4	4.8	0.2	59.4
10.7	-0.0			6849	-9.7	4.5	-0.2	81.7
-7.5	-0.0			6847	20.7	-4.0	-0.2	84.5
3.2	-0.0							
		INVS LU Max		9339	-435.7	-207.2	0.1	-135.0
67.4	0.0			9341	-50.3	242.3	0.0	-121.1
-8.4	0.0			6849	556.9	222.0	0.6	140.9
2.6	0.0			6847	22.4	-228.4	0.6	167.4
38.9	0.0							
		Min		9339	-466.9	-223.0	-0.7	-322.1
16.3	0.0			9341	-114.4	227.9	-0.5	-299.4
-40.6	-0.0			6849	527.7	208.6	0.0	-104.2
-20.1	0.0			6847	-39.7	-240.4	-0.1	-86.1
29.1	0.0							
		INVS LE Max		9339	-327.7	-155.7	0.0	-108.1
48.1	0.0			9341	-39.5	180.4	-0.0	-97.2
-7.5	0.0			6849	416.5	165.5	0.4	99.6
0.4	0.0			6847	12.8	-171.0	0.4	119.1
29.1	0.0							
		Min		9339	-348.5	-166.2	-0.5	-232.8
14.0	0.0			9341	-82.2	170.8	-0.4	-216.1
-29.0	-0.0			6849	397.1	156.6	0.0	-63.8
-14.7	0.0			6847	-28.6	-179.0	-0.1	-49.9
22.6	0.0							
11991	2	8 C1-C2;~1	Max	9340	0.0	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0	Min	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0	Min	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0	Min	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		9341	0.0	0.0	0.0	0.0
0.0	0.0	Min	9340	0.0	0.0	0.0	0.0
0.0	0.0		9342	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
				9343	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0						
		G1		9340	-105.8	-103.8	0.4
-29.6	0.0			9342	-152.8	111.8	0.2
28.9	-0.0			9343	128.2	106.6	-0.2
4.9	-0.0			9341	130.4	-113.8	-0.4
-11.2	-0.0						
		G2		9340	-39.5	-37.1	0.1
-12.3	0.0			9342	-56.0	42.9	0.1
10.5	-0.0			9343	48.1	37.6	-0.1
2.4	-0.0			9341	47.4	-43.4	-0.1
-5.8	-0.0						
		Q3		9340	0.0	0.0	0.0
0.0	0.0			9342	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0
0.0	0.0			9341	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		9340	-6.0	-1.3	-0.0
8.1	-0.0			9342	0.5	3.8	0.0
-3.9	-0.0			9343	7.2	0.9	-0.0
-5.3	0.0			9341	-1.7	-3.4	-0.0
7.9	0.0						
		Q5_pc Y		9340	16.6	-10.3	0.1
-31.4	0.0			9342	-35.4	7.7	0.0
36.0	0.0			9343	-11.0	8.1	-0.0
29.0	-0.0			9341	29.7	-5.5	-0.1
-28.9	-0.0						
		Q5_ps X		9340	-7.1	-2.6	-0.0
7.7	-0.0			9342	-1.5	5.2	0.0
-3.1	0.0			9343	8.2	2.1	-0.0
-4.8	0.0			9341	0.3	-4.7	-0.0
7.6	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-29.6	0.0	Q5_ps Y		9340	15.7	-9.7	0.1	104.3
34.0	0.0			9342	-33.3	7.3	0.0	86.6
27.4	-0.0			9343	-10.5	7.6	-0.0	-48.8
-27.3	-0.0			9341	28.0	-5.1	-0.1	-64.7
-7.4	0.0	INVS LU	Max	9340	-195.4	-194.0	1.2	513.5
106.8	-0.0			9342	-259.5	249.8	0.6	419.8
29.3	-0.0			9343	303.7	218.4	-0.5	275.6
39.8	0.0			9341	282.5	-228.7	-0.9	334.1
-96.2	-0.0		Min	9340	-242.6	-223.0	0.9	200.5
4.9	-0.0			9342	-359.4	228.0	0.5	160.1
-52.7	-0.0			9343	272.3	195.8	-0.6	129.2
-41.9	-0.0			9341	198.3	-244.2	-1.2	139.9
-10.6	0.0	INVS LE	Max	9340	-146.6	-146.4	0.9	378.2
77.5	-0.0			9342	-199.4	185.7	0.4	309.2
19.6	-0.0			9343	225.2	162.5	-0.4	199.8
25.4	0.0			9341	208.4	-171.4	-0.7	241.3
-69.8	-0.0		Min	9340	-178.0	-165.7	0.7	169.5
9.6	-0.0			9342	-266.0	171.2	0.4	136.0
-35.1	-0.0			9343	204.2	147.4	-0.4	102.3
-29.1	-0.0			9341	152.3	-181.7	-0.9	111.8
11992	2	8 C1-C2;~1	Max	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0		Min	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4; ~1	Max	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9341	0.0	0.0	0.0	0.0
0.0	0.0			9343	0.0	0.0	0.0	0.0
0.0	0.0			6851	0.0	0.0	0.0	0.0
0.0	0.0			6849	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9341	-179.1	-102.5	0.1	-52.2
5.0	-0.0			9343	-89.5	124.1	-0.1	-47.3
-17.1	-0.0			6851	204.3	102.7	0.1	42.3
-18.2	0.0			6849	64.3	-123.6	-0.0	53.0
8.1	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-0.4	-0.0	G2	9341	-67.8	-37.0	0.0	-15.6
-3.0	-0.0		9343	-32.2	47.3	-0.1	-14.7
-1.1	-0.0		6851	77.2	37.0	0.1	-3.4
0.3	0.0		6849	22.8	-47.4	-0.0	1.6
0.0	0.0	Q3	9341	0.0	0.0	0.0	0.0
0.0	0.0		9343	0.0	0.0	0.0	0.0
0.0	0.0		6851	0.0	0.0	0.0	0.0
0.0	0.0		6849	0.0	0.0	0.0	0.0
3.9	0.0	Q5_pc X	9341	-8.8	0.6	-0.1	-19.2
-4.5	0.0		9343	4.1	2.4	-0.0	-15.6
-2.5	0.0		6851	9.7	1.5	0.0	-10.0
-0.3	-0.0		6849	-5.0	-4.5	0.1	-15.0
-11.4	-0.0	Q5_pc Y	9341	6.5	-7.0	0.3	68.0
10.1	-0.0		9343	-20.2	4.3	0.1	52.5
-3.5	-0.0		6851	-5.2	7.2	-0.1	77.1
7.3	-0.0		6849	18.9	-4.6	-0.3	97.1
4.0	0.0	Q5_ps X	9341	-9.6	-0.6	-0.1	-18.4
-4.8	0.0		9343	2.2	3.8	-0.0	-14.8
-3.5	0.0		6851	10.4	2.5	0.0	-5.5
0.1	-0.0		6849	-3.0	-5.6	0.1	-10.5
-10.7	-0.0	Q5_ps Y	9341	6.4	-6.5	0.3	64.2
9.4	-0.0		9343	-19.1	4.1	0.1	49.7
-3.5	-0.0		6851	-5.1	6.7	-0.1	73.6
7.0	-0.0		6849	17.9	-4.3	-0.3	92.4
39.3	0.0	INVSLU Max	9341	-430.5	-199.0	0.2	-141.1
-44.9	-0.0		9343	-89.5	268.2	-0.2	-123.7


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-41.6	0.0			6851	533.9	223.1	0.4	116.3
18.4	0.0			6849	71.6	-257.0	0.8	148.8
7.2	-0.0		Min	9341	-459.3	-218.3	-0.7	-333.7
-73.1	-0.0			9343	-146.8	256.0	-0.5	-272.7
-52.2	0.0			6851	502.6	203.0	0.2	-104.4
-2.5	0.0			6849	17.9	-273.9	-0.2	-128.5
28.0	0.0	INVSLE	Max	9341	-323.6	-149.7	0.2	-112.7
-34.9	-0.0			9343	-68.6	199.8	-0.2	-98.2
-32.3	0.0			6851	399.0	166.2	0.3	82.3
13.5	0.0			6849	50.2	-192.7	0.6	105.1
6.6	-0.0		Min	9341	-342.8	-162.6	-0.5	-241.1
-53.7	-0.0			9343	-106.9	191.7	-0.4	-197.5
-39.3	0.0			6851	378.2	152.8	0.1	-64.9
-0.4	0.0			6849	14.5	-204.0	-0.1	-79.7
12021	2	8	C1-C2;~1	Max	9366	0.0	0.0	0.0
0.0	0.0				9368	0.0	0.0	0.0
0.0	0.0				9369	0.0	0.0	0.0
0.0	0.0				9367	0.0	0.0	0.0
0.0	0.0		Min	9366	0.0	0.0	0.0	0.0
0.0	0.0				9368	0.0	0.0	0.0
0.0	0.0				9369	0.0	0.0	0.0
0.0	0.0				9367	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	9366	0.0	0.0	0.0
0.0	0.0				9368	0.0	0.0	0.0
0.0	0.0				9369	0.0	0.0	0.0
0.0	0.0				9367	0.0	0.0	0.0
0.0	0.0		Min	9366	0.0	0.0	0.0	0.0
0.0	0.0				9368	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0			9367	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2; ~2	Max	9366	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0			9367	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9366	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0			9367	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4; ~2	Max	9366	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0			9367	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9366	0.0	0.0	0.0	0.0
0.0	0.0			9368	0.0	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0			9367	0.0	0.0	0.0	0.0
0.0	0.0							
-28.8	0.0		G1	9366	154.0	112.3	0.2	123.4
31.2	-0.0			9368	106.0	-104.6	0.4	157.7
12.2	0.0			9369	-131.7	-114.5	-0.4	50.3
-5.1	0.0			9367	-128.3	107.6	-0.2	47.4
-11.1	0.0		G2	9366	58.3	44.6	0.1	47.4
13.3	-0.0			9368	41.0	-38.7	0.1	60.6
6.7	0.0			9369	-49.6	-45.1	-0.1	13.8
-3.0	0.0			9367	-49.7	39.2	-0.1	13.9
0.0	0.0		Q3	9366	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9368	0.0	0.0	0.0	0.0
0.0	0.0		9369	0.0	0.0	0.0	0.0
0.0	0.0		9367	0.0	0.0	0.0	0.0
-7.2	-0.0	Q5_pc X	9366	7.6	4.8	0.0	13.9
0.4	0.0		9368	-1.0	-2.4	0.0	11.5
0.6	-0.0		9369	-5.0	-3.2	-0.0	-3.7
-3.9	0.0		9367	-1.6	0.8	-0.0	-1.9
29.1	-0.0	Q5_pc Y	9366	-28.0	-4.6	-0.0	-77.9
-28.3	0.0		9368	15.0	7.9	-0.1	-96.0
-25.7	-0.0		9369	23.4	3.1	0.1	57.1
23.7	-0.0		9367	-10.4	-6.4	0.0	42.9
-7.7	-0.0	Q5_ps X	9366	9.7	6.5	0.0	14.6
0.6	0.0		9368	0.6	-4.0	0.0	12.0
0.7	-0.0		9369	-7.1	-4.8	-0.0	-3.5
-4.1	0.0		9367	-3.2	2.3	-0.0	-1.9
27.1	-0.0	Q5_ps Y	9366	-25.5	-3.6	-0.0	-73.1
-26.6	0.0		9368	14.7	6.9	-0.1	-90.4
-24.2	-0.0		9369	21.2	2.3	0.1	53.9
22.2	-0.0		9367	-10.4	-5.5	0.0	40.5
-15.3	0.0	INVS LU Max	9366	351.6	251.6	0.6	403.6
93.5	0.0		9368	243.9	-201.5	1.2	499.2
37.9	0.0		9369	-212.1	-232.2	-1.0	320.7
44.2	0.0		9367	-275.5	218.5	-0.5	264.1
-96.7	0.0	Min	9366	275.0	232.2	0.5	184.3
13.6	-0.0		9368	199.7	-222.0	1.0	228.1
-34.8	-0.0		9369	-275.8	-246.6	-1.2	159.0
-22.5	0.0		9367	-306.8	202.0	-0.6	142.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	9366	261.1	187.2	0.4	298.7
-16.6	0.0				9368	179.2	-151.6	0.9	369.2
68.1	0.0				9369	-161.7	-173.9	-0.7	232.7
26.4	0.0				9367	-206.6	162.8	-0.4	192.3
29.3	0.0								
				Min	9366	210.0	174.3	0.4	152.5
-70.8	0.0				9368	149.7	-165.3	0.7	188.4
14.8	-0.0				9369	-204.2	-183.5	-0.9	124.8
-22.1	-0.0				9367	-227.5	151.8	-0.4	111.3
-15.1	0.0								
12022	2	8	C1-C2;~1	Max	9367	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6875	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	9367	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6875	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	9367	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6875	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	9367	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6875	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	9367	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9369	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6877	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6875	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	9367	0.0	0.0	0.0	0.0
0.0	0.0		9369	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0		6875	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9367	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0			6875	0.0	0.0	0.0
0.0	0.0						
			Min	9367	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0			6875	0.0	0.0	0.0
0.0	0.0						
			G1	9367	91.0	125.1	-0.1
17.1	0.0			9369	179.2	-103.2	0.1
-5.1	0.0			6877	-65.6	-124.5	-0.1
-8.7	-0.0			6875	-204.6	103.4	0.1
18.7	-0.0						
			G2	9367	34.4	49.0	-0.1
2.5	0.0			9369	69.2	-38.5	0.0
0.8	0.0			6877	-25.1	-48.8	-0.0
-0.2	-0.0			6875	-78.5	38.4	0.1
0.8	0.0						
			Q3	9367	0.0	0.0	0.0
0.0	0.0			9369	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0			6875	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		9367	0.1	1.2	0.0
0.6	0.0			9369	2.8	1.3	0.0
0.1	-0.0			6877	0.3	-3.8	-0.0
-1.2	0.0						11.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
2.5	0.0		6875	-3.2	1.3	-0.0	10.5
8.7	-0.0	Q5_pc Y	9367	-16.0	-3.0	-0.1	-43.7
-10.2	-0.0		9369	5.6	6.5	-0.3	-56.6
5.8	-0.0		6877	14.5	2.3	0.3	-80.4
-2.1	-0.0		6875	-4.1	-5.8	0.1	-62.8
1.1	0.0	Q5_ps X	9367	2.2	2.9	0.0	2.0
-0.0	-0.0		9369	4.3	-0.3	0.0	3.5
-1.6	0.0		6877	-1.8	-5.2	-0.0	14.8
3.6	-0.0		6875	-4.7	2.6	-0.0	14.4
8.4	-0.0	Q5_ps Y	9367	-14.3	-2.2	-0.1	-41.2
-9.7	-0.0		9369	5.9	5.5	-0.3	-53.4
5.3	-0.0		6877	12.9	1.6	0.3	-74.5
-1.6	-0.0		6875	-4.5	-4.9	0.1	-57.8
70.7	0.0	INVSLE Max	9367	142.4	269.6	-0.3	-137.2
-9.2	0.0		9369	458.2	-203.9	0.2	-160.1
-0.2	-0.0		6877	-27.3	-260.8	0.8	121.5
51.9	-0.0		6875	-516.6	224.1	0.4	91.9
45.5	0.0	Min	9367	99.4	260.8	-0.5	-260.9
-38.3	-0.0		9369	440.6	-220.4	-0.7	-320.4
-16.1	-0.0		6877	-66.1	-276.5	-0.1	-102.1
41.0	-0.0		6875	-530.7	209.2	0.2	-81.6
52.0	0.0	INVSLE Max	9367	104.1	201.0	-0.2	-107.3
-8.0	0.0		9369	342.5	-153.2	0.1	-125.7
-1.4	-0.0		6877	-20.8	-195.5	0.5	86.8
39.1	-0.0		6875	-387.9	167.2	0.3	65.9
35.2	0.0	Min	9367	75.4	195.1	-0.3	-189.8
-27.3	-0.0		9369	330.8	-164.2	-0.4	-232.5

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		9369	0.0	0.0	0.0	0.0
0.0	0.0	Min	9368	0.0	0.0	0.0	0.0
0.0	0.0		9370	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		9369	0.0	0.0	0.0	0.0
0.0	0.0						
-30.7	-0.0	G1	9368	153.8	115.9	0.2	144.0
41.5	-0.0		9370	104.8	-103.1	0.3	154.5
19.9	-0.0		9371	-131.2	-114.8	-0.3	41.6
-12.6	0.0		9369	-127.3	102.6	-0.3	40.5
-13.1	-0.0	G2	9368	58.8	45.1	0.1	55.5
17.2	0.0		9370	40.6	-39.1	0.1	59.5
9.3	-0.0		9371	-50.0	-44.8	-0.1	11.5
-6.7	0.0		9369	-49.4	38.7	-0.1	10.9
0.0	0.0	Q3	9368	0.0	0.0	0.0	0.0
0.0	0.0		9370	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		9369	0.0	0.0	0.0	0.0
0.0	0.0						
-0.5	0.0	Q5_pc X	9368	0.9	-0.5	-0.0	6.2
3.4	0.0		9370	-1.9	1.9	0.0	5.7
3.0	-0.0		9371	-0.7	-1.0	0.0	-4.6
-0.8	-0.0		9369	1.8	-0.4	-0.0	-4.2
28.3	0.0	Q5_pc Y	9368	-25.4	-2.8	-0.0	-85.2
-40.2	-0.0		9370	14.5	5.2	-0.1	-91.3
-34.8	0.0		9371	22.2	4.0	0.1	54.2
25.6	-0.0		9369	-11.4	-6.4	0.0	51.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	9368	2.7	1.1	0.0	6.2
-0.7	0.0		9370	-0.2	0.5	0.0	5.5
2.9	0.0		9371	-2.7	-2.7	0.0	-4.1
2.4	-0.0		9369	0.1	1.1	-0.0	-3.8
-0.9	-0.0						
		Q5_ps Y	9368	-23.3	-2.1	-0.0	-80.5
26.7	0.0		9370	14.4	4.4	-0.1	-86.3
-38.2	-0.0		9371	20.3	3.2	0.0	51.3
-33.1	0.0		9369	-11.4	-5.4	0.0	48.8
24.1	-0.0						
		INVS LU Max	9368	346.2	239.8	0.7	449.9
-12.3	0.0		9370	242.9	-205.3	1.1	483.7
128.7	0.0		9371	-211.8	-232.4	-0.9	310.3
55.1	-0.0		9369	-273.3	221.5	-0.6	287.7
33.5	0.0						
		Min	9368	276.4	233.5	0.6	208.4
-92.4	-0.0		9370	199.8	-218.4	0.9	224.7
14.2	-0.0		9371	-272.6	-241.9	-1.0	156.5
-44.0	-0.0		9369	-307.4	205.1	-0.8	141.2
-38.8	-0.0						
		INVS LE Max	9368	257.0	178.7	0.5	332.6
-13.9	0.0		9370	178.5	-153.9	0.8	357.7
93.9	0.0		9371	-161.2	-173.9	-0.7	225.4
38.7	-0.0		9369	-205.0	164.9	-0.5	208.7
21.1	0.0						
		Min	9368	210.4	174.5	0.5	171.6
-67.3	-0.0		9370	149.7	-162.7	0.7	185.0
17.6	-0.0		9371	-201.7	-180.2	-0.8	122.9
-27.4	-0.0		9369	-227.7	154.0	-0.6	111.0
-27.1	-0.0						
12024	2	4 C1-C2;~1 Max	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9369	0.0	0.0	0.0
0.0	0.0			9371	0.0	0.0	0.0
0.0	0.0			6879	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9369	0.0	0.0	0.0
0.0	0.0			9371	0.0	0.0	0.0
0.0	0.0			6879	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9369	0.0	0.0	0.0
0.0	0.0			9371	0.0	0.0	0.0
0.0	0.0			6879	0.0	0.0	0.0
0.0	0.0			6877	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

5.6	0.0	G1	9369	79.8	115.1	0.0	-40.1
-4.2	-0.0		9371	176.6	-99.7	0.0	-41.4
-11.7	-0.0		6879	-51.7	-116.3	-0.0	60.8
9.4	-0.0		6877	-204.6	101.7	0.0	52.8
-0.8	0.0	G2	9369	29.9	44.9	-0.0	-10.8
1.2	-0.0		9371	68.8	-37.7	0.0	-11.4
-1.2	-0.0		6879	-18.7	-45.6	-0.0	8.9
0.2	-0.0		6877	-79.9	38.4	0.0	6.3
0.0	0.0	Q3	9369	0.0	0.0	0.0	0.0
0.0	0.0		9371	0.0	0.0	0.0	0.0
0.0	0.0		6879	0.0	0.0	0.0	0.0
0.0	0.0		6877	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_pc X	9369	0.3	2.3	0.0	4.2
1.2	-0.0		9371	-3.0	2.2	0.0	4.6
-0.5	0.0		6879	-0.6	0.1	-0.0	7.4
1.3	0.0		6877	3.2	-4.5	-0.0	8.1
10.3	-0.0	Q5_pc Y	9369	-17.7	-3.2	-0.2	-52.2
-15.5	0.0		9371	6.7	5.9	-0.2	-54.4
2.6	-0.0		6879	16.2	3.3	0.2	-74.8
-6.2	-0.0		6877	-5.3	-6.0	0.2	-72.0
0.2	-0.0	Q5_ps X	9369	2.7	3.9	0.0	3.8
0.4	-0.0		9371	-1.3	0.6	0.0	4.1
-1.2	0.0		6879	-3.0	-1.8	-0.0	9.8
1.8	0.0		6877	1.6	-2.7	-0.0	10.6
9.8	-0.0	Q5_ps Y	9369	-15.7	-2.3	-0.1	-49.3
-14.9	0.0		9371	6.9	5.0	-0.2	-51.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
2.2	-0.0			6879	14.3	2.4	0.2	-69.8
-5.7	-0.0			6877	-5.5	-5.1	0.2	-67.1
39.6	0.0	INVS LU	Max	9369	108.6	244.1	-0.0	-140.1
-20.5	-0.0			9371	466.1	-210.8	-0.0	-155.7
-31.3	-0.0			6879	28.1	-233.9	0.5	145.3
17.4	-0.0			6877	-539.1	226.1	0.5	118.8
10.2	-0.0		Min	9369	61.4	232.3	-0.5	-288.0
-65.2	-0.0			9371	445.3	-225.8	-0.6	-310.0
-38.1	-0.0			6879	-14.8	-241.2	-0.0	-64.0
0.2	-0.0			6877	-555.6	210.9	0.1	-82.5
28.3	0.0	INVS LE	Max	9369	78.4	181.9	-0.0	-110.2
-16.9	-0.0			9371	348.3	-158.4	-0.0	-122.3
-24.1	-0.0			6879	20.7	-174.9	0.4	104.4
12.9	-0.0			6877	-405.0	168.5	0.4	84.8
8.8	-0.0		Min	9369	47.0	174.0	-0.3	-208.9
-46.7	-0.0			9371	334.4	-168.3	-0.4	-225.2
-28.6	-0.0			6879	-7.9	-179.8	-0.0	-35.1
1.5	-0.0			6877	-416.0	158.3	0.1	-49.4
12057	2	4	C1-C2;~1	Max	9396	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0
0.0	0.0				9397	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	9396	0.0	0.0	0.0	0.0
0.0	0.0				9398	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0
0.0	0.0				9397	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	9396	0.0	0.0	0.0
					9398	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9396	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9396	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9396	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9396	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9396	0.0	0.0	0.0	0.0
0.0	0.0			9398	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			9397	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9396	-10.7	37.4	-0.2	-204.7
75.8	-0.0			9398	85.0	-21.2	-0.3	-249.6
-68.8	0.0			9399	-4.5	-41.2	0.3	90.2
-55.2	-0.0			9397	-69.9	25.7	0.1	64.1
53.1	-0.0							
		G2		9396	-4.6	16.5	-0.1	-79.8
29.7	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-25.9	0.0		9398	33.5	-6.9	-0.1	-97.2
-20.2	-0.0		9399	-1.2	-17.5	0.1	31.4
20.1	-0.0		9397	-27.7	7.9	0.1	22.2
		Q3	9396	0.0	0.0	0.0	0.0
0.0	0.0		9398	0.0	0.0	0.0	0.0
0.0	0.0		9399	0.0	0.0	0.0	0.0
0.0	0.0		9397	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9396	14.7	1.7	0.0	45.1
-21.1	-0.0		9398	-10.6	-2.5	0.0	55.5
18.3	-0.0		9399	-13.9	-0.9	-0.0	-41.1
16.7	0.0		9397	9.8	1.8	-0.0	-32.7
-18.5	0.0						
		Q5_pc Y	9396	-24.1	-3.6	-0.0	-73.4
32.2	0.0		9398	14.1	5.6	-0.1	-91.1
-29.2	0.0		9399	21.4	2.9	0.1	53.7
-25.3	-0.0		9397	-11.4	-4.8	0.0	41.8
26.8	-0.0						
		Q5_ps X	9396	14.6	2.3	0.0	42.3
-20.0	-0.0		9398	-9.4	-2.9	0.0	51.8
17.0	-0.0		9399	-13.8	-1.6	-0.0	-38.5
15.5	0.0		9397	8.6	2.1	-0.0	-30.7
-17.5	0.0						
		Q5_ps Y	9396	-22.4	-3.1	-0.0	-69.6
30.4	0.0		9398	13.6	5.0	-0.1	-86.5
-27.8	0.0		9399	19.9	2.4	0.1	51.0
-24.0	-0.0		9397	-11.1	-4.3	0.0	39.7
25.4	-0.0						
		INVSLU Max	9396	168.8	85.5	-0.4	144.3
-29.8	-0.0		9398	61.2	-58.2	-0.6	209.0
128.1	-0.0		9399	-157.7	-78.6	0.8	-429.9
154.0	0.0		9397	28.3	74.5	0.5	-357.0
-93.0	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	9396	101.4	76.1	-0.5	-64.4
-121.0	-0.0			9398	20.3	-73.3	-0.8	-50.4
44.9	-0.0			9399	-217.3	-85.7	0.6	-583.0
81.9	0.0			9397	-5.0	61.6	0.4	-476.0
-169.2	-0.0							
		INVSLE	Max	9396	130.7	63.1	-0.3	121.1
-37.1	-0.0			9398	37.5	-45.2	-0.5	173.2
102.8	-0.0			9399	-128.2	-58.5	0.6	-356.9
122.6	0.0			9397	27.1	56.2	0.4	-294.6
-83.8	-0.0							
			Min	9396	85.8	56.8	-0.4	-18.0
-98.0	-0.0			9398	10.2	-55.2	-0.6	0.3
47.3	-0.0			9399	-168.0	-63.3	0.5	-458.9
74.6	0.0			9397	4.9	47.6	0.3	-374.0
-134.6	-0.0							
12058	2	4 C1-C2;~1	Max	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0			6905	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9397	30.2	43.6	-0.1	-66.2
11.1	-0.0			9399	44.4	-18.1	-0.6	-89.1
-17.5	-0.0			6907	-39.4	-44.5	0.6	-190.9
15.8	-0.0			6905	-35.1	19.6	0.1	-153.1
-13.1	0.0							
		G2		9397	11.4	18.7	-0.1	-23.1
1.3	-0.0			9399	17.4	-5.5	-0.3	-31.0
-5.1	-0.0			6907	-15.3	-18.7	0.2	-87.3
7.9	-0.0			6905	-13.4	5.5	0.1	-74.0
-10.1	0.0							
		Q3		9397	0.0	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0	0.0
0.0	0.0			6907	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6905	0.0	0.0	0.0	0.0
-7.9	0.0	Q5_pc X	9397	14.6	2.2	0.1	33.1
6.8	0.0		9399	-9.1	-2.6	0.2	40.9
-3.9	-0.0		6907	-15.4	-2.1	-0.2	56.8
1.5	-0.0		6905	9.9	2.4	-0.1	46.3
11.2	-0.0	Q5_pc Y	9397	-19.7	-5.4	-0.1	-42.6
-9.9	-0.0		9399	5.9	6.7	-0.3	-53.3
5.6	0.0		6907	18.7	4.9	0.3	-78.7
-1.2	0.0		6905	-5.0	-6.2	0.1	-62.4
-7.0	0.0	Q5_ps X	9397	14.6	2.8	0.1	31.2
6.3	0.0		9399	-8.1	-2.8	0.2	38.3
-3.8	0.0		6907	-15.4	-2.7	-0.2	55.2
2.3	-0.0		6905	8.9	2.7	-0.1	45.7
10.7	-0.0	Q5_ps Y	9397	-18.3	-4.8	-0.1	-40.3
-9.4	-0.0		9399	5.9	6.2	-0.3	-50.6
5.2	0.0		6907	17.3	4.3	0.3	-73.8
-0.8	-0.0		6905	-4.9	-5.7	0.1	-58.2
-104.4	-0.0	INVSLE Max	9397	333.2	103.2	0.7	474.6
89.3	0.0		9399	-115.7	-47.6	1.8	581.3
4.0	-0.0		6907	-341.5	-86.4	-1.2	393.0
-54.7	0.0		6905	203.0	63.1	-0.4	293.9
-136.6	-0.0	Min	9397	278.4	88.7	0.5	353.7
61.1	0.0		9399	-139.9	-66.1	1.1	429.5
-11.7	-0.0		6907	-393.5	-99.3	-2.0	171.5
-61.7	0.0		6905	176.2	46.2	-0.5	119.3
-85.7	-0.0	INVSLE Max	9397	257.8	77.0	0.5	372.9
			9399	-97.4	-37.1	1.5	457.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

70.2	0.0				6907	-270.4	-65.2	-1.1	319.0
-0.1	-0.0				6905	162.6	46.9	-0.3	239.1
-42.4	0.0								
			Min		9397	221.2	67.4	0.4	292.2
-107.2	-0.0				9399	-113.5	-49.5	1.0	356.3
51.4	0.0				6907	-305.0	-73.8	-1.6	171.3
-10.6	-0.0				6905	144.7	35.6	-0.4	122.7
-47.1	0.0								
12059	2	10	C1-C2;~1	Max	9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0
0.0	0.0				9401	0.0	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0	0.0
0.0	0.0								
			Min		9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0
0.0	0.0				9401	0.0	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0
0.0	0.0				9401	0.0	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0	0.0
0.0	0.0								
			Min		9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0
0.0	0.0				9401	0.0	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0
0.0	0.0				9401	0.0	0.0	0.0	0.0
0.0	0.0				9399	0.0	0.0	0.0	0.0
0.0	0.0								
			Min		9398	0.0	0.0	0.0	0.0
0.0	0.0				9400	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9401	0.0	0.0	0.0	0.0
0.0	0.0		9399	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	9398	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9401	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0
0.0	0.0						
			Min	9398	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9401	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0
0.0	0.0						
			G1	9398	-9.9	40.1	-0.2
68.6	0.0			9400	78.5	-18.3	-0.2
-84.3	-0.0			9401	-3.0	-39.3	0.2
-68.1	0.0			9399	-65.6	18.1	0.2
55.5	-0.0						79.7
			G2	9398	-4.0	16.4	-0.1
25.8	0.0			9400	30.8	-6.4	-0.1
-32.1	-0.0			9401	-1.0	-16.2	0.1
-25.5	0.0			9399	-25.8	6.2	0.1
20.4	-0.0						27.9
			Q3	9398	0.0	0.0	0.0
0.0	0.0			9400	0.0	0.0	0.0
0.0	0.0			9401	0.0	0.0	0.0
0.0	0.0			9399	0.0	0.0	0.0
0.0	0.0						0.0
		Q5_pc X		9398	12.3	-0.0	0.0
-18.3	-0.0			9400	-9.7	-2.0	0.0
20.8	0.0			9401	-12.0	-0.1	-0.0
19.2	-0.0			9399	9.4	2.2	-0.0
-16.8	0.0						-34.9

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		Q5_pc	Y	9398	-22.1	-2.2	-0.0	-76.1
29.2	0.0			9400	12.3	6.2	-0.1	-79.0
-31.9	-0.0			9401	19.7	2.0	0.0	47.9
-28.2	0.0			9399	-9.9	-6.0	0.0	45.8
25.4	-0.0							
		Q5_ps	X	9398	11.9	0.4	0.0	42.7
-17.0	-0.0			9400	-8.6	-2.1	0.0	44.2
19.2	0.0			9401	-11.7	-0.7	-0.0	-34.1
17.7	-0.0			9399	8.4	2.3	-0.0	-32.5
-15.6	0.0							
		Q5_ps	Y	9398	-20.7	-1.9	-0.0	-72.3
27.7	0.0			9400	11.9	5.8	-0.0	-75.2
-30.4	-0.0			9401	18.4	1.6	0.0	45.5
-26.9	0.0			9399	-9.6	-5.6	0.0	43.5
24.1	-0.0							
		INVSLE	Max	9398	156.0	79.9	-0.5	181.9
-45.7	-0.0			9400	49.7	-47.2	-0.5	187.9
160.5	0.0			9401	-148.1	-73.5	0.7	-406.0
196.0	-0.0			9399	33.4	63.9	0.5	-372.3
-80.1	0.0							
			Min	9398	93.8	74.3	-0.6	-35.0
-128.9	-0.0			9400	13.9	-64.5	-0.7	-37.6
69.3	-0.0			9401	-203.4	-78.5	0.6	-542.6
115.2	-0.0			9399	4.6	47.2	0.4	-502.9
-152.5	0.0							
		INVSLE	Max	9398	120.3	58.8	-0.3	150.4
-48.0	-0.0			9400	29.3	-36.6	-0.4	155.6
128.7	0.0			9401	-120.1	-54.4	0.6	-335.9
155.7	-0.0			9399	31.1	47.7	0.4	-309.0
-73.2	0.0							
			Min	9398	78.9	55.1	-0.4	5.8
-103.4	-0.0			9400	5.5	-48.2	-0.5	5.3
67.9	-0.0			9401	-156.9	-57.7	0.5	-427.0
101.8	-0.0			9399	11.9	36.5	0.3	-396.0
-121.5	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

12060	2	10	C1-C2;~1	Max	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	9399	0.0	0.0	0.0	0.0
0.0		0.0			9401	0.0	0.0	0.0	0.0
0.0		0.0			6909	0.0	0.0	0.0	0.0
0.0		0.0			6907	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	9399	0.0	0.0	0.0	0.0
0.0	0.0		9401	0.0	0.0	0.0	0.0
0.0	0.0		6909	0.0	0.0	0.0	0.0
0.0	0.0		6907	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9399	25.7	41.2	-0.3	-80.8
17.3	-0.0		9401	41.7	-15.5	-0.4	-83.6
-25.9	0.0		6909	-35.6	-41.1	0.4	-165.0
9.8	-0.0		6907	-31.8	16.0	0.3	-159.6
-17.1	-0.0						
		G2	9399	9.7	16.8	-0.1	-28.3
4.9	-0.0		9401	16.7	-5.3	-0.2	-29.4
-8.6	0.0		6909	-13.3	-16.9	0.2	-72.4
5.4	-0.0		6907	-13.0	5.5	0.1	-70.3
-8.7	-0.0						
		Q3	9399	0.0	0.0	0.0	0.0
0.0	0.0		9401	0.0	0.0	0.0	0.0
0.0	0.0		6909	0.0	0.0	0.0	0.0
0.0	0.0		6907	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9399	13.5	1.3	0.1	35.2
-6.7	0.0		9401	-10.4	-1.5	0.1	36.8
9.1	-0.0		6909	-14.8	-1.0	-0.1	48.2
-2.0	0.0		6907	11.8	1.2	-0.1	47.0
4.3	-0.0						
		Q5_pc Y	9399	-17.4	-3.5	-0.1	-46.2
9.7	-0.0		9401	6.8	5.5	-0.2	-48.0
-12.8	0.0		6909	16.9	3.4	0.2	-68.0
3.0	-0.0		6907	-6.4	-5.4	0.2	-66.2
-6.0	0.0						
		Q5_ps X	9399	13.5	2.0	0.1	32.7
-6.1	0.0		9401	-9.5	-1.6	0.1	34.2
8.2	-0.0						


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.1	0.0		6909	-14.8	-1.7	-0.1	46.2
4.2	0.0		6907	10.9	1.3	-0.1	45.2
9.3	-0.0	Q5_ps Y	9399	-16.1	-3.0	-0.1	-43.9
-12.2	0.0		9401	6.7	5.2	-0.2	-45.7
2.8	-0.0		6909	15.7	2.9	0.2	-64.1
-5.6	0.0		6907	-6.2	-5.0	0.1	-62.3
-63.0	0.0	INVS LU Max	9399	320.5	87.9	1.1	504.5
133.1	-0.0		9401	-146.8	-28.1	1.5	544.0
23.6	0.0		6909	-350.0	-73.5	-0.9	366.3
12.6	-0.0		6907	254.7	38.6	-0.7	353.0
-90.8	0.0	Min	9399	272.1	79.0	0.7	372.8
96.4	-0.0		9401	-175.5	-43.6	1.0	406.9
15.3	-0.0		6909	-397.0	-82.1	-1.4	174.1
-4.1	-0.0		6907	222.0	23.5	-1.2	166.0
-52.8	0.0	INVS LE Max	9399	248.2	65.1	0.9	397.4
104.6	-0.0		9401	-121.5	-22.1	1.2	428.1
16.4	0.0		6909	-276.4	-54.8	-0.8	296.2
11.2	-0.0		6907	202.0	28.5	-0.6	285.7
-71.4	0.0	Min	9399	215.9	59.1	0.6	309.6
80.1	-0.0		9401	-140.6	-32.4	0.8	336.7
10.9	-0.0		6909	-307.7	-60.5	-1.1	168.1
0.1	-0.0		6907	180.1	18.4	-0.9	161.0
12095	2	10 C1-C2; ~1 Max	9428	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		9429	0.0	0.0	0.0	0.0
0.0	0.0	Min	9428	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		9429	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
			Min	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
			Min	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
			Min	9428	0.0	0.0	0.0
0.0	0.0			9430	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0
0.0	0.0			9429	0.0	0.0	0.0
0.0	0.0						
		G1		9428	-78.4	-18.8	-0.2
82.0	0.0						-218.5

PROJECT TITLE :

		Company	Client		File Name		
		Author			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-67.8	-0.0		9430	9.0	40.3	-0.2	-206.6
-54.9	0.0		9431	65.6	18.5	0.2	78.5
66.3	-0.0		9429	3.7	-39.4	0.2	81.9
31.1	0.0	G2	9428	-30.9	-6.8	-0.1	-84.7
-25.3	-0.0		9430	3.4	16.6	-0.1	-80.0
-20.0	0.0		9431	26.0	6.6	0.1	27.3
24.7	-0.0		9429	1.6	-16.4	0.1	28.7
0.0	0.0	Q3	9428	0.0	0.0	0.0	0.0
0.0	0.0		9430	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		9429	0.0	0.0	0.0	0.0
-18.9	-0.0	Q5_pc X	9428	9.6	-1.2	0.0	43.0
17.0	0.0		9430	-10.7	-0.6	0.0	41.5
15.9	-0.0		9431	-9.7	1.5	-0.0	-33.7
-17.6	0.0		9429	10.7	0.3	-0.0	-35.2
21.6	0.0	Q5_pc Y	9428	-13.0	-0.1	-0.0	-51.4
-19.5	-0.0		9430	10.1	2.7	-0.0	-49.5
-17.6	0.0		9431	12.0	-0.3	0.0	34.0
19.4	-0.0		9429	-9.1	-2.4	0.0	35.3
-17.4	-0.0	Q5_ps X	9428	8.5	-1.3	0.0	39.7
15.7	0.0		9430	-10.4	-0.1	0.0	38.4
14.7	-0.0		9431	-8.7	1.7	-0.0	-31.4
-16.2	0.0		9429	10.5	-0.3	-0.0	-32.7
20.8	0.0	Q5_ps Y	9428	-12.6	-0.1	-0.0	-49.3
-18.6	-0.0		9430	9.5	2.8	-0.0	-47.4
-16.9	0.0		9431	11.6	-0.2	0.0	32.5
18.6	-0.0		9429	-8.5	-2.5	0.0	33.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLU	Max	9428	-10.4	-51.9	-0.6	149.2
-82.9	0.0				9430	-107.3	79.5	-0.5	144.2
115.5	0.0				9431	-4.6	56.0	0.5	-389.6
142.3	-0.0				9429	190.0	-70.5	0.7	-423.8
-126.0	0.0								
				Min	9428	-48.2	-55.7	-0.6	1.3
-145.2	-0.0				9430	-138.5	71.2	-0.5	2.0
59.6	0.0				9431	-39.3	51.0	0.4	-487.1
91.7	-0.0				9429	158.4	-77.9	0.6	-525.1
-181.8	0.0								
			INVSLE	Max	9428	-2.9	-39.4	-0.4	129.4
-76.6	0.0				9430	-87.5	58.3	-0.4	124.8
94.4	0.0				9431	-12.3	42.1	0.3	-320.4
114.7	-0.0				9429	147.7	-52.2	0.5	-347.6
-108.6	0.0								
				Min	9428	-28.0	-42.0	-0.5	30.8
-118.2	-0.0				9430	-108.3	52.8	-0.4	30.0
57.1	0.0				9431	-35.4	38.8	0.3	-385.4
80.9	-0.0				9429	126.7	-57.1	0.5	-415.1
-145.8	0.0								
12096	2	10	C1-C2;~1	Max	9429	0.0	0.0	0.0	0.0
0.0		0.0			9431	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0			6937	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9429	0.0	0.0	0.0	0.0
0.0		0.0			9431	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0			6937	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9429	0.0	0.0	0.0	0.0
0.0		0.0			9431	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0			6937	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0						
		Min	9429	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9429	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9429	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9429	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9429	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9429	-41.9	-15.7	-0.4	-82.3
25.1	-0.0		9431	-26.1	41.3	-0.3	-79.6
-17.1	0.0		6939	32.1	16.3	0.3	-157.2
16.7	0.0		6937	35.9	-41.3	0.4	-162.5
-9.9	0.0						
		G2	9429	-17.0	-5.6	-0.2	-28.8
8.3	-0.0		9431	-10.0	17.0	-0.1	-27.7
-4.8	0.0		6939	13.3	5.8	0.1	-69.0
8.5	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.4	0.0		6937	13.7	-17.2	0.2	-71.1
		Q3	9429	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0		6939	0.0	0.0	0.0	0.0
0.0	0.0		6937	0.0	0.0	0.0	0.0
		Q5_pc X	9429	11.2	-1.0	0.1	35.3
-8.4	0.0		9431	-13.1	0.9	0.1	33.9
6.6	-0.0		6939	-12.8	0.7	-0.1	44.0
-3.8	-0.0		6937	14.7	-0.6	-0.1	45.0
1.9	-0.0						
		Q5_pc Y	9429	-11.0	0.2	-0.1	-35.4
8.9	-0.0		9431	9.3	1.4	-0.1	-34.3
-7.3	0.0		6939	11.5	0.0	0.1	-45.2
3.8	0.0		6937	-9.7	-1.7	0.1	-46.2
-1.9	0.0						
		Q5_ps X	9429	10.2	-1.1	0.1	32.8
-7.5	0.0		9431	-13.0	1.6	0.1	31.6
6.0	-0.0		6939	-11.9	0.8	-0.1	42.3
-3.8	-0.0		6937	14.7	-1.3	-0.1	43.1
2.0	-0.0						
		Q5_ps Y	9429	-10.5	0.2	-0.1	-33.9
8.6	-0.0		9431	8.5	1.6	-0.1	-32.8
-7.0	0.0		6939	10.9	0.1	0.1	-42.6
3.5	0.0		6937	-8.9	-1.9	0.1	-43.6
-1.8	0.0						
		INVSLU Max	9429	180.8	-32.1	1.4	526.5
-99.8	0.0		9431	-275.8	83.9	1.0	488.6
88.5	-0.0		6939	-224.7	30.1	-0.8	323.5
2.4	0.0		6937	395.1	-73.1	-1.0	336.7
-14.8	0.0						
		Min	9429	149.2	-35.4	1.0	424.8
-125.6	0.0		9431	-315.0	79.0	0.7	390.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


67.4	-0.0				6939	-260.5	27.8	-1.1	195.6
-9.0	0.0				6937	350.9	-78.7	-1.3	205.8
-21.0	-0.0								
		INVSLE	Max	9429	144.6	-24.4	1.1	416.2	
-82.0	0.0			9431	-218.2	62.1	0.8	386.7	
69.9	-0.0			6939	-182.5	22.5	-0.7	265.7	
-1.1	0.0			6937	306.3	-54.3	-0.8	276.3	
-10.4	0.0								
			Min	9429	123.6	-26.6	0.9	348.5	
-99.2	0.0			9431	-244.3	58.9	0.6	321.1	
55.9	-0.0			6939	-206.4	21.0	-0.9	180.4	
-8.8	0.0			6937	276.8	-58.0	-1.1	189.0	
-14.5	-0.0								
12097	2	4	C1-C2;~1	Max	9430	0.0	0.0	0.0	0.0
0.0	0.0				9432	0.0	0.0	0.0	0.0
0.0	0.0				9433	0.0	0.0	0.0	0.0
0.0	0.0				9431	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	9430	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9432	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9433	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	9430	0.0	0.0	0.0	0.0
0.0	0.0				9432	0.0	0.0	0.0	0.0
0.0	0.0				9433	0.0	0.0	0.0	0.0
0.0	0.0				9431	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	9430	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9432	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9433	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9431	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	9430	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9433	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0	Min	9430	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9433	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9430	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9433	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9430	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9433	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0
0.0	0.0						
68.0	-0.0	G1	9430	-84.8	-21.5	-0.3	-245.9
-74.8	0.0		9432	10.0	37.5	-0.2	-201.9
-52.4	0.0		9433	69.7	26.1	0.1	63.1
54.6	0.0		9431	5.1	-41.3	0.3	88.8
25.4	-0.0	G2	9430	-33.5	-7.2	-0.1	-95.2
-29.0	-0.0		9432	4.0	16.7	-0.1	-78.3
-19.6	0.0		9433	27.8	8.3	0.1	21.7
19.8	0.0		9431	1.8	-17.7	0.1	30.7
0.0	0.0	Q3	9430	0.0	0.0	0.0	0.0
0.0	0.0		9432	0.0	0.0	0.0	0.0
0.0	0.0		9433	0.0	0.0	0.0	0.0
0.0	0.0		9431	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	9430	10.4	-2.0	0.0	50.4
-16.9	0.0		9432	-13.4	1.4	0.0	41.2
19.7	0.0		9433	-9.8	1.1	-0.0	-31.9
17.6	-0.0		9431	12.8	-0.6	-0.0	-40.0
-15.7	-0.0						
		Q5_pc Y	9430	-14.0	0.4	-0.0	-59.8
19.4	-0.0		9432	12.5	0.4	-0.0	-49.0
-22.0	-0.0		9433	12.3	0.8	0.0	31.4
-18.8	0.0		9431	-10.8	-1.6	0.0	40.2
17.6	0.0						
		Q5_ps X	9430	9.2	-2.3	0.0	46.9
-15.6	0.0		9432	-13.4	2.1	0.0	38.6
18.7	0.0		9433	-8.6	1.5	-0.0	-30.0
16.6	-0.0		9431	12.8	-1.2	-0.0	-37.4
-14.6	-0.0						
		Q5_ps Y	9430	-13.6	0.2	-0.0	-57.2
18.6	-0.0		9432	11.6	0.7	-0.0	-46.7
-20.8	-0.0		9433	12.0	1.0	0.0	29.8
-17.8	0.0		9431	-10.0	-1.8	0.0	38.3
16.8	0.0						
		INVSLE Max	9430	-17.9	-60.1	-0.7	163.7
-58.7	0.0		9432	-112.3	81.5	-0.4	108.2
106.0	0.0		9433	3.1	68.3	0.5	-373.2
158.0	0.0		9431	204.7	-77.2	0.8	-450.7
-93.5	-0.0						
		Min	9430	-58.7	-67.1	-0.8	-7.8
-114.5	0.0		9432	-152.4	75.4	-0.5	-31.7
43.4	0.0		9433	-32.8	63.8	0.4	-463.2
104.4	0.0		9431	166.3	-82.7	0.7	-565.6
-144.0	-0.0						
		INVSLE Max	9430	-8.3	-46.2	-0.5	142.4
-56.4	0.0		9432	-92.7	60.1	-0.3	96.5
87.7	0.0		9433	-6.5	51.7	0.4	-305.5
127.0	0.0		9431	159.2	-57.3	0.6	-370.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-82.3	-0.0						
		Min	9430	-35.5	-50.8	-0.6	28.1
-93.6	0.0		9432	-119.4	56.0	-0.4	3.2
46.0	0.0		9433	-30.5	48.8	0.3	-365.4
91.3	0.0		9431	133.6	-61.0	0.5	-447.3
-115.9	-0.0						


12098	2	4	C1-C2;~1	Max	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9431	0.0	0.0	0.0	0.0
0.0		0.0			9433	0.0	0.0	0.0	0.0
0.0		0.0			6941	0.0	0.0	0.0	0.0
0.0		0.0			6939	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4 ; ~2	Max	9431	0.0	0.0	0.0	0.0
0.0	0.0			9433	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9431	0.0	0.0	0.0	0.0
0.0	0.0			9433	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9431	-44.6	-18.5	-0.6	-87.7
17.4	0.0			9433	-30.7	43.9	-0.1	-65.2
-10.9	0.0			6941	35.5	20.0	0.1	-150.9
13.0	-0.0			6939	39.8	-44.7	0.6	-188.1
-15.5	0.0							
			G2	9431	-17.7	-5.9	-0.2	-30.3
5.0	0.0			9433	-11.8	19.0	-0.1	-22.6
-1.2	0.0			6941	13.9	5.9	0.1	-72.8
10.0	-0.0			6939	15.6	-19.0	0.2	-85.8
-7.8	0.0							
			Q3	9431	0.0	0.0	0.0	0.0
0.0	0.0			9433	0.0	0.0	0.0	0.0
0.0	0.0			6941	0.0	0.0	0.0	0.0
0.0	0.0			6939	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	X	9431	10.0	-1.8	0.2	39.8
-6.7	-0.0			9433	-14.0	1.7	0.1	32.4
7.7	-0.0			6941	-11.2	1.7	-0.1	43.7
-1.4	0.0			6939	15.2	-1.5	-0.2	53.4
3.5	-0.0							
		Q5_pc	Y	9431	-10.4	0.5	-0.2	-39.9
7.4	0.0			9433	10.1	0.5	-0.1	-31.8
-8.3	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.3	0.0			6941	10.8	-0.2	0.0	-42.4
-3.5	0.0			6939	-10.4	-0.8	0.2	-53.7
-6.1	-0.0	Q5_ps X		9431	8.9	-2.0	0.2	37.2
6.8	-0.0			9433	-14.0	2.3	0.1	30.4
-2.2	0.0			6941	-10.2	2.0	-0.1	43.3
3.4	-0.0			6939	15.2	-2.2	-0.2	52.0
7.1	0.0	Q5_ps Y		9431	-10.1	0.4	-0.2	-38.0
-8.1	0.0			9433	9.3	0.7	-0.0	-30.3
-0.1	0.0			6941	10.4	-0.0	0.0	-39.4
-3.3	0.0			6939	-9.6	-1.1	0.2	-50.4
-65.6	-0.0	INVS LU Max		9431	146.9	-51.9	1.7	564.1
133.0	0.0			9433	-284.2	97.3	0.7	461.5
61.7	-0.0			6941	-178.4	55.8	-0.4	271.1
8.2	0.0			6939	390.1	-87.4	-1.3	359.5
-86.8	-0.0	Min		9431	116.8	-58.0	1.2	450.0
108.8	0.0			9433	-326.1	90.5	0.5	370.2
55.2	-0.0			6941	-209.5	49.8	-0.5	141.4
-2.1	0.0			6939	344.4	-94.1	-1.9	203.6
-54.5	-0.0	INVS LE Max		9431	118.7	-39.7	1.4	446.1
104.8	0.0			9433	-225.0	72.8	0.5	364.1
47.1	-0.0			6941	-146.8	41.8	-0.3	223.6
8.1	0.0			6939	302.7	-65.6	-1.1	296.2
-68.7	-0.0	Min		9431	98.6	-43.8	1.0	370.0
88.7	0.0			9433	-252.9	68.2	0.4	303.3
42.8	-0.0			6941	-167.5	37.8	-0.4	137.1
1.2	0.0			6939	272.2	-70.0	-1.5	192.3
12131	2	4 C1-C2;~1	Max	9458	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0		Min	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0		Min	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0		Min	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0			9458	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0		Min	9458	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9458	-104.1	-102.9	0.3	156.7
-42.1	-0.0			9460	-154.2	115.8	0.2	145.5
30.5	0.0			9461	127.2	102.5	-0.3	41.1
12.5	-0.0			9459	131.0	-114.7	-0.3	42.5
-20.3	0.0							
		G2		9458	-40.4	-39.1	0.1	60.9
-17.4	-0.0			9460	-59.1	45.2	0.1	56.6
13.0	0.0			9461	49.6	38.8	-0.1	11.9
6.6	-0.0			9459	49.9	-44.9	-0.1	12.7
-9.4	0.0							
		Q3		9458	0.0	0.0	0.0	0.0
0.0	0.0			9460	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			9459	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		9458	2.0	1.0	-0.0	7.5
-5.7	-0.0			9460	-2.9	0.6	-0.0	7.7
2.0	0.0			9461	-2.9	0.2	0.0	-12.7
2.6	-0.0			9459	3.9	-1.8	0.0	-14.3
-6.2	0.0							
		Q5_pc Y		9458	-10.5	-0.2	0.0	-35.8
20.6	0.0			9460	9.2	1.6	0.0	-34.0
-14.7	-0.0			9461	12.6	-0.5	-0.0	44.8
-15.7	0.0			9459	-11.4	-0.8	-0.0	48.0
21.0	-0.0							
		Q5_ps X		9458	0.3	-0.3	-0.0	6.8
-4.9	-0.0			9460	-4.5	2.0	-0.0	7.3
2.0	0.0			9461	-1.2	1.6	0.0	-11.8
2.6	-0.0			9459	5.5	-3.3	0.0	-13.2
-5.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

19.6	0.0	Q5_ps Y		9458	-10.7	-0.8	0.0	-34.0
-13.9	-0.0			9460	7.9	2.2	0.0	-32.1
-14.8	0.0			9461	12.6	0.1	-0.0	42.5
20.2	-0.0			9459	-9.9	-1.5	-0.0	45.6
-44.0	0.0	INVS LU Max		9458	-200.4	-207.4	1.0	401.9
73.7	0.0			9460	-296.6	236.8	0.7	373.1
27.8	-0.0			9461	302.6	212.3	-0.7	262.2
20.1	0.0			9459	256.0	-228.9	-0.9	285.0
-102.9	-0.0		Min	9458	-232.4	-209.8	0.9	300.0
32.0	-0.0			9460	-320.4	230.3	0.6	276.6
-16.8	-0.0			9461	264.7	207.4	-0.7	134.7
-40.4	0.0			9459	226.3	-238.8	-0.9	148.3
-37.6	0.0	INVS LE Max		9458	-149.6	-154.9	0.7	302.4
54.8	0.0			9460	-223.5	176.3	0.5	280.6
20.0	-0.0			9461	223.7	158.4	-0.5	189.8
11.0	0.0			9459	190.5	-171.1	-0.7	206.5
-76.9	-0.0		Min	9458	-170.9	-156.5	0.7	234.4
27.0	-0.0			9460	-239.4	171.9	0.5	216.3
-9.7	-0.0			9461	198.4	155.1	-0.5	104.8
-29.4	0.0			9459	170.7	-177.8	-0.7	115.4
12132	2	4 C1-C2;~1	Max	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0		Min	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~1	Max	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9459	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0	0.0
0.0	0.0			6967	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9459	-177.9	-99.7	0.0	-42.3
4.2	0.0			9461	-78.4	115.0	-0.0	-40.7
-5.6	-0.0			6969	206.6	101.6	0.0	52.9
-9.5	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
11.7	0.0		6967	49.7	-116.2	-0.0	61.0
-1.0	0.0	G2	9459	-70.0	-37.9	0.0	-12.5
0.7	-0.0		9461	-29.0	45.0	-0.0	-11.7
-0.2	0.0		6969	81.5	38.5	0.0	6.3
1.2	0.0		6967	17.4	-45.7	-0.0	9.0
0.0	0.0	Q3	9459	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
0.0	0.0		6969	0.0	0.0	0.0	0.0
0.0	0.0		6967	0.0	0.0	0.0	0.0
0.0	0.0						
-3.3	0.0	Q5_pc X	9459	7.4	1.9	0.0	14.4
0.9	-0.0		9461	-5.6	2.5	0.0	12.8
-1.9	-0.0		6969	-9.2	-4.0	-0.0	14.7
0.5	-0.0		6967	7.4	-0.4	-0.0	14.6
11.9	-0.0	Q5_pc Y	9459	-19.6	-0.5	-0.2	-48.1
-8.0	0.0		9461	17.0	1.7	-0.1	-45.0
2.7	0.0		6969	23.7	0.5	0.1	-41.8
-0.0	0.0		6967	-21.2	-1.7	0.1	-43.0
-2.5	0.0	Q5_ps X	9459	5.5	0.4	0.0	13.2
0.7	-0.0		9461	-7.5	4.1	0.0	11.8
-2.3	-0.0		6969	-7.3	-2.3	-0.0	16.5
1.1	-0.0		6967	9.4	-2.2	-0.0	16.2
11.5	-0.0	Q5_ps Y	9459	-19.2	-1.1	-0.1	-45.7
-7.7	0.0		9461	15.0	2.4	-0.1	-42.8
2.3	0.0		6969	23.1	1.1	0.1	-38.2
0.3	0.0		6967	-18.9	-2.4	0.1	-39.4
55.8	0.0	INVSLU Max	9459	-415.1	-212.6	-0.1	-147.6

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-10.6	-0.0			9461	-65.4	240.7	-0.1	-133.9	
				6969	567.3	218.3	0.4	81.8	
-5.1	0.0			6967	27.5	-230.4	0.4	106.1	
34.7	0.0								
			Min	9459	-472.7	-216.1	-0.5	-284.6	
21.1	0.0			9461	-110.5	228.5	-0.4	-262.1	
-33.9	-0.0			6969	498.0	211.0	0.1	-32.9	
-12.2	0.0			6967	-29.2	-237.6	0.0	-12.2	
31.4	0.0								
			INVSLE	Max	9459	-312.7	-159.0	-0.0	-114.8
39.9	0.0			9461	-50.1	179.1	-0.1	-104.2	
-8.7	-0.0			6969	421.8	162.8	0.3	60.8	
-4.7	0.0			6967	17.2	-172.1	0.3	78.9	
26.2	0.0								
			Min	9459	-351.1	-161.4	-0.3	-206.2	
16.8	0.0			9461	-80.2	171.0	-0.3	-189.7	
-24.2	-0.0			6969	375.6	157.9	0.1	-15.7	
-9.4	0.0			6967	-20.6	-176.9	0.0	-0.0	
24.0	0.0								
12133	2	8	C1-C2;~1	Max	9460	0.0	0.0	0.0	0.0
0.0	0.0				9462	0.0	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0	0.0
0.0	0.0				9461	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	9460	0.0	0.0	0.0	0.0	0.0
0.0	0.0				9462	0.0	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0	0.0
0.0	0.0				9461	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	9460	0.0	0.0	0.0	0.0
0.0	0.0				9462	0.0	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0	0.0
0.0	0.0				9461	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	9460	0.0	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	9460	0.0	0.0	0.0	0.0
0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
0.0	0.0	Min	9460	0.0	0.0	0.0	0.0
0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	9460	0.0	0.0	0.0	0.0
0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
0.0	0.0	Min	9460	0.0	0.0	0.0	0.0
0.0	0.0		9462	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		9461	0.0	0.0	0.0	0.0
-31.0	0.0	G1	9460	-105.3	-104.5	0.4	158.6
29.0	-0.0		9462	-154.6	112.3	0.2	124.0
5.1	-0.0		9463	128.2	107.4	-0.2	47.8
-12.1	-0.0		9461	131.6	-114.5	-0.4	50.7
-13.2	0.0	G2	9460	-40.8	-38.8	0.1	61.6
11.2	-0.0		9462	-58.7	44.7	0.1	48.1
2.9	-0.0		9463	49.9	39.3	-0.1	14.8
-6.5	-0.0		9461	49.7	-45.1	-0.1	14.8

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	9460	0.0	0.0	0.0	0.0
0.0	0.0			9462	0.0	0.0	0.0	0.0
0.0	0.0			9463	0.0	0.0	0.0	0.0
0.0	0.0			9461	0.0	0.0	0.0	0.0
			Q5_pc X	9460	1.0	-2.7	-0.0	12.3
-1.9	0.0			9462	-8.2	4.7	0.0	13.1
7.0	0.0			9463	0.1	1.4	-0.0	-9.7
5.1	-0.0			9461	7.1	-3.4	0.0	-12.9
-2.5	-0.0							
			Q5_pc Y	9460	-10.6	1.4	0.0	-39.4
14.7	-0.0			9462	10.9	-0.0	0.0	-32.0
-14.6	-0.0			9463	11.6	-0.2	-0.0	38.3
-14.8	0.0			9461	-11.9	-1.1	-0.0	49.1
15.8	0.0							
			Q5_ps X	9460	-0.6	-4.1	-0.0	12.4
-1.9	0.0			9462	-10.2	6.3	0.0	13.6
7.5	0.0			9463	1.7	2.8	-0.0	-9.1
5.2	-0.0			9461	9.0	-4.9	-0.0	-12.1
-2.4	-0.0							
			Q5_ps Y	9460	-10.8	0.6	0.0	-36.9
13.8	-0.0			9462	9.2	0.8	0.0	-29.8
-13.5	-0.0			9463	11.8	0.5	-0.0	36.2
-13.9	0.0			9461	-10.2	-1.9	-0.0	46.5
15.0	0.0							
			INVSLU Max	9460	-200.9	-202.1	1.1	412.4
-33.3	0.0			9462	-294.7	247.7	0.5	332.0
75.9	-0.0			9463	302.3	211.2	-0.5	242.8
12.3	-0.0			9461	257.8	-228.5	-1.0	291.2
18.1	-0.0							
			Min	9460	-233.2	-214.5	1.0	301.6
-74.8	-0.0			9462	-325.3	228.8	0.5	242.6
35.3	-0.0			9463	267.0	202.9	-0.5	134.1
-29.4	-0.0			9461	227.1	-243.4	-1.0	151.6

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-26.9	-0.0							
		INVSLE	Max	9460	-150.0	-151.6	0.8	310.2
-28.0	0.0			9462	-222.7	184.2	0.4	249.9
56.8	-0.0			9463	223.7	157.5	-0.4	176.3
8.5	-0.0			9461	192.0	-171.1	-0.8	210.8
10.6	-0.0							
			Min	9460	-171.5	-159.9	0.8	236.3
-55.7	-0.0			9462	-243.0	171.5	0.4	190.3
29.7	-0.0			9463	200.1	151.9	-0.4	103.8
-19.3	-0.0			9461	171.5	-181.0	-0.8	117.8
-19.3	-0.0							
12134	2	8	C1-C2;~1	Max	9461	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0
0.0	0.0				6971	0.0	0.0	0.0
0.0	0.0				6969	0.0	0.0	0.0
0.0	0.0							
			Min	9461	0.0	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0
0.0	0.0				6971	0.0	0.0	0.0
0.0	0.0				6969	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9461	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0
0.0	0.0				6971	0.0	0.0	0.0
0.0	0.0				6969	0.0	0.0	0.0
0.0	0.0							
			Min	9461	0.0	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0
0.0	0.0				6971	0.0	0.0	0.0
0.0	0.0				6969	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9461	0.0	0.0	0.0
0.0	0.0				9463	0.0	0.0	0.0
0.0	0.0				6971	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6969	0.0	0.0	0.0	0.0
0.0	0.0	Min	9461	0.0	0.0	0.0	0.0
0.0	0.0		9463	0.0	0.0	0.0	0.0
0.0	0.0		6971	0.0	0.0	0.0	0.0
0.0	0.0		6969	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	9461	0.0	0.0	0.0
0.0	0.0			9463	0.0	0.0	0.0
0.0	0.0			6971	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9461	0.0	0.0	0.0
0.0	0.0			9463	0.0	0.0	0.0
0.0	0.0			6971	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
5.1	-0.0		G1	9461	-180.4	-103.1	0.1
-17.2	-0.0			9463	-89.8	125.0	-0.1
-18.6	0.0			6971	206.3	103.5	0.1
8.8	0.0			6969	64.0	-124.6	-0.1
-0.7	-0.0		G2	9461	-70.3	-38.7	0.0
-2.7	-0.0			9463	-33.7	49.1	-0.1
-0.9	-0.0			6971	79.9	38.6	0.1
0.3	0.0			6969	24.0	-49.0	-0.0
0.0	0.0		Q3	9461	0.0	0.0	0.0
0.0	0.0			9463	0.0	0.0	0.0
0.0	0.0			6971	0.0	0.0	0.0
0.0	0.0			6969	0.0	0.0	0.0
-1.0	-0.0		Q5_pc X	9461	1.3	0.7	0.1
0.7	-0.0			9463	-4.7	1.4	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-2.4	0.0			6971	-1.9	1.4	-0.0	16.1
1.7	-0.0			6969	5.3	-3.5	-0.1	18.2
7.9	0.0	Q5_pc	Y	9461	-17.7	-0.0	-0.2	-48.8
-8.2	0.0			9463	13.5	2.4	-0.1	-38.5
-1.1	0.0			6971	20.6	1.1	0.1	-35.7
-2.5	0.0			6969	-16.4	-3.5	0.2	-46.1
-0.8	-0.0	Q5_ps	X	9461	-0.3	-0.7	0.1	12.1
0.1	-0.0			9463	-6.4	3.0	0.0	9.2
-3.4	0.0			6971	-0.3	2.6	-0.0	19.3
2.0	-0.0			6969	6.9	-4.9	-0.1	21.0
7.6	0.0	Q5_ps	Y	9461	-17.4	-0.7	-0.2	-46.3
-8.1	0.0			9463	11.8	3.1	-0.1	-36.5
-1.7	0.0			6971	20.2	1.6	0.0	-31.8
-2.1	0.0			6969	-14.6	-4.1	0.2	-41.7
32.5	-0.0	INVSLE	Max	9461	-412.0	-207.4	0.1	-152.5
-42.7	-0.0			9463	-104.7	265.8	-0.3	-129.3
-39.5	0.0			6971	540.4	216.5	0.3	57.9
11.0	0.0			6969	72.4	-256.8	0.6	79.0
9.7	-0.0		Min	9461	-464.3	-209.6	-0.5	-291.3
-67.0	-0.0			9463	-140.2	256.5	-0.4	-238.7
-49.9	0.0			6971	479.9	208.7	0.2	-37.3
4.7	0.0			6969	28.6	-271.5	0.0	-45.9
23.2	-0.0	INVSLE	Max	9461	-310.2	-155.1	0.0	-118.4
-33.0	-0.0			9463	-79.3	197.9	-0.2	-100.2
-30.6	0.0			6971	402.0	161.6	0.2	43.7
8.6	0.0			6969	51.5	-192.3	0.4	59.2
8.0	-0.0		Min	9461	-345.1	-156.5	-0.3	-210.9

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-49.2	-0.0	9463	-102.9	191.7	-0.3	-173.2
-37.5	0.0	6971	361.6	156.4	0.1	-19.8
4.3	0.0	6969	22.3	-202.1	0.0	-24.1

12163	2	8 C1-C2;~1	Max	9486	0.0	0.0	0.0	0.0
0.0		0.0		9488	0.0	0.0	0.0	0.0
0.0		0.0		9489	0.0	0.0	0.0	0.0
0.0		0.0		9487	0.0	0.0	0.0	0.0
0.0		0.0		9486	0.0	0.0	0.0	0.0
0.0		0.0	Min	9488	0.0	0.0	0.0	0.0
0.0		0.0		9489	0.0	0.0	0.0	0.0
0.0		0.0		9487	0.0	0.0	0.0	0.0
0.0		0.0		9486	0.0	0.0	0.0	0.0

0.0		0.0	C3-C4;~1	Max	9486	0.0	0.0	0.0	0.0
0.0		0.0			9488	0.0	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0	0.0
0.0		0.0			9487	0.0	0.0	0.0	0.0
0.0		0.0		Min	9486	0.0	0.0	0.0	0.0
0.0		0.0			9488	0.0	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0	0.0
0.0		0.0			9487	0.0	0.0	0.0	0.0
0.0		0.0		Min	9486	0.0	0.0	0.0	0.0

0.0		0.0	C1-C2;~2	Max	9486	0.0	0.0	0.0	0.0
0.0		0.0			9488	0.0	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0	0.0
0.0		0.0			9487	0.0	0.0	0.0	0.0
0.0		0.0		Min	9486	0.0	0.0	0.0	0.0
0.0		0.0			9488	0.0	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0	0.0
0.0		0.0			9487	0.0	0.0	0.0	0.0
0.0		0.0		Min	9486	0.0	0.0	0.0	0.0

			C3-C4;~2	Max	9486	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9488	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		9487	0.0	0.0	0.0	0.0
0.0	0.0	Min	9486	0.0	0.0	0.0	0.0
0.0	0.0		9488	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		9487	0.0	0.0	0.0	0.0
-27.5	0.0	G1	9486	155.2	113.3	0.2	119.5
29.6	-0.0		9488	107.4	-105.3	0.4	152.7
10.9	0.0		9489	-132.3	-115.7	-0.4	52.1
-4.0	0.0		9487	-130.2	108.5	-0.2	48.9
-10.2	0.0	G2	9486	57.8	44.2	0.1	45.8
12.6	-0.0		9488	40.8	-38.3	0.1	59.0
5.9	0.0		9489	-48.9	-44.8	-0.1	15.3
-2.2	0.0		9487	-49.7	39.0	-0.1	15.0
0.0	0.0	Q3	9486	0.0	0.0	0.0	0.0
0.0	0.0		9488	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		9487	0.0	0.0	0.0	0.0
-6.7	-0.0	Q5_pc X	9486	8.0	4.7	0.0	12.7
0.9	-0.0		9488	-0.5	-3.0	-0.0	11.0
1.3	-0.0		9489	-5.9	-3.3	-0.0	-5.9
-4.0	0.0		9487	-1.6	1.6	-0.0	-3.8
8.4	0.0	Q5_pc Y	9486	-5.7	1.2	0.0	-17.2
-9.9	0.0		9488	7.5	0.1	0.0	-22.5
-11.2	-0.0		9489	7.8	-1.6	-0.0	38.2
10.1	-0.0		9487	-9.7	0.3	-0.0	30.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-6.8	-0.0	Q5_ps X	9486	9.0	5.6	0.0	12.7
0.9	-0.0		9488	0.4	-3.8	-0.0	10.8
1.2	-0.0		9489	-7.0	-4.2	-0.0	-5.5
-4.0	0.0		9487	-2.5	2.4	-0.0	-3.6
7.5	0.0	Q5_ps Y	9486	-3.9	2.3	0.0	-15.6
-9.3	0.0		9488	8.1	-0.9	0.0	-20.9
-10.6	-0.0		9489	6.0	-2.6	-0.0	36.4
9.3	-0.0		9487	-10.2	1.3	-0.0	28.8
-42.8	0.0	INVS LU Max	9486	323.8	247.0	0.5	306.3
66.2	0.0		9488	230.5	-203.0	1.1	381.5
18.6	0.0		9489	-230.9	-230.2	-1.0	280.2
24.4	0.0		9487	-271.8	211.2	-0.5	235.7
-65.4	0.0	Min	9486	296.7	230.1	0.5	259.5
38.4	-0.0		9488	206.2	-214.3	1.0	318.9
-13.1	0.0		9489	-251.9	-242.9	-1.1	171.1
-3.6	0.0		9487	-302.5	204.1	-0.5	149.3
-34.7	0.0	INVS LE Max	9486	242.2	183.7	0.4	232.6
49.8	0.0		9488	169.7	-152.3	0.8	289.2
13.7	0.0		9489	-174.0	-172.2	-0.7	204.0
16.0	0.0		9487	-203.5	157.5	-0.4	172.0
-49.8	0.0	Min	9486	224.1	172.5	0.4	201.5
31.3	-0.0		9488	153.5	-159.8	0.8	247.5
-7.5	0.0		9489	-188.0	-180.7	-0.8	131.2
-2.6	0.0		9487	-224.0	152.8	-0.4	114.4
12164	2	8 C1-C2; ~1 Max	9487	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		6995	0.0	0.0	0.0	0.0
0.0	0.0	Min	9487	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		6995	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9487	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9487	0.0	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9487	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9487	0.0	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9487	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0			6995	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9487	0.0	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		6995	0.0	0.0	0.0	0.0
		G1	9487	90.6	126.4	-0.1	-47.2
17.6	0.0		9489	182.7	-104.1	0.1	-52.5
-5.5	0.0		6997	-64.5	-125.9	-0.0	53.8
-8.4	-0.0		6995	-208.7	104.4	0.1	43.0
18.7	-0.0						
		G2	9487	33.2	48.8	-0.1	-14.5
3.0	0.0		9489	70.1	-38.3	0.0	-15.5
0.4	0.0		6997	-23.5	-48.9	-0.0	1.3
-0.3	-0.0		6995	-79.9	38.3	0.1	-3.8
1.1	0.0						
		Q3	9487	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
0.0	0.0		6995	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9487	1.9	1.6	0.0	3.9
0.1	0.0		9489	1.9	0.2	0.0	5.9
0.5	-0.0		6997	-1.9	-3.5	-0.0	12.1
-1.2	0.0		6995	-2.0	1.7	-0.0	10.9
2.1	0.0						
		Q5_pc Y	9487	-11.3	2.6	-0.0	-30.4
6.7	-0.0		9489	16.3	-0.5	-0.1	-38.1
-5.9	-0.0		6997	14.2	-3.8	0.1	-31.0
1.5	0.0		6995	-19.2	1.7	0.0	-23.6
1.8	-0.0						
		Q5_ps X	9487	3.2	2.6	0.0	3.7
0.6	0.0		9489	2.7	-0.6	0.0	5.5
0.2	-0.0		6997	-3.1	-4.3	-0.0	14.7
-1.6	0.0		6995	-2.7	2.3	-0.0	13.9
3.0	-0.0						
		Q5_ps Y	9487	-9.5	3.5	-0.0	-28.9
6.7	-0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-5.6	-0.0			9489	16.5	-1.4	-0.1	-36.2
				6997	12.2	-4.5	0.1	-27.2
1.2	0.0			6995	-19.3	2.4	0.0	-20.1
2.3	-0.0							
		INVS LU	Max	9487	133.9	267.8	-0.3	-144.8
65.9	0.0			9489	468.5	-207.1	-0.0	-171.8
-13.4	0.0			6997	-28.1	-258.7	0.5	52.2
-5.2	-0.0			6995	-488.2	216.7	0.3	36.3
49.2	-0.0							
			Min	9487	105.5	257.3	-0.4	-231.3
45.9	0.0			9489	419.1	-211.2	-0.4	-280.4
-30.3	0.0			6997	-64.8	-272.3	0.1	-29.6
-9.9	-0.0			6995	-546.0	209.6	0.2	-23.9
40.2	-0.0							
		INVS LE	Max	9487	98.4	199.4	-0.2	-111.0
48.5	0.0			9489	348.4	-155.0	-0.0	-131.7
-10.5	0.0			6997	-21.5	-193.6	0.4	40.8
-4.6	-0.0			6995	-367.9	161.8	0.2	29.0
37.0	-0.0							
			Min	9487	79.5	192.3	-0.3	-168.7
35.2	0.0			9489	315.5	-157.7	-0.3	-204.2
-21.8	0.0			6997	-46.0	-202.7	0.1	-13.7
-7.8	-0.0			6995	-406.4	157.0	0.2	-11.2
31.0	-0.0							
12165	2	4	C1-C2;~1	Max	9488	0.0	0.0	0.0
0.0		0.0			9490	0.0	0.0	0.0
0.0		0.0			9491	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0
0.0		0.0						
			Min	9488	0.0	0.0	0.0	0.0
0.0		0.0			9490	0.0	0.0	0.0
0.0		0.0			9491	0.0	0.0	0.0
0.0		0.0			9489	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	9488	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9490	0.0	0.0	0.0	0.0
0.0	0.0		9491	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0	Min	9488	0.0	0.0	0.0	0.0
0.0	0.0		9490	0.0	0.0	0.0	0.0
0.0	0.0		9491	0.0	0.0	0.0	0.0
0.0	0.0		9489	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9488	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0						
			Min	9488	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9488	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0						
			Min	9488	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0
0.0	0.0						
		G1		9488	155.5	117.3	0.2
-29.1	-0.0			9490	106.0	-104.1	0.3
39.3	-0.0			9491	-132.1	-116.1	-0.3
18.5	-0.0			9489	-129.4	103.5	-0.3
-11.4	0.0						42.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
			G2	9488	58.8	45.1	0.1	54.4
-12.3	-0.0			9490	40.3	-38.9	0.1	58.6
16.6	0.0			9491	-49.6	-44.7	-0.1	12.7
8.9	-0.0			9489	-49.5	38.4	-0.1	12.2
-5.9	0.0							
			Q3	9488	0.0	0.0	0.0	0.0
0.0	0.0			9490	0.0	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0	0.0
0.0	0.0			9489	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9488	2.1	0.2	-0.0	6.2
-1.0	-0.0			9490	-1.2	0.8	0.0	5.8
3.3	0.0			9491	-2.3	-1.6	0.0	-6.4
3.2	-0.0			9489	1.3	0.6	-0.0	-6.0
-1.4	-0.0							
			Q5_pc Y	9488	-6.0	1.2	0.0	-20.1
9.9	0.0			9490	7.5	-0.2	0.0	-21.3
-13.6	-0.0			9491	8.5	-1.1	-0.0	37.8
-15.0	0.0			9489	-10.0	0.0	-0.0	35.0
11.1	-0.0							
			Q5_ps X	9488	3.1	1.1	-0.0	6.0
-1.0	-0.0			9490	-0.2	0.0	0.0	5.4
2.9	0.0			9491	-3.3	-2.5	0.0	-5.9
2.6	-0.0			9489	0.4	1.3	-0.0	-5.5
-1.3	-0.0							
			Q5_ps Y	9488	-4.6	2.1	0.0	-18.9
9.3	0.0			9490	8.1	-1.0	0.0	-20.3
-13.2	-0.0			9491	6.9	-2.0	-0.0	36.1
-14.6	0.0			9489	-10.5	0.9	-0.0	33.3
10.4	-0.0							
			INVSLU Max	9488	316.3	237.4	0.7	345.9
-37.1	0.0			9490	229.6	-207.8	1.0	372.5
89.2	0.0			9491	-230.0	-230.7	-0.9	272.9
29.4	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
11.8	0.0			9489	-270.8	212.3	-0.7	251.2
			Min	9488	302.5	231.3	0.6	289.1
-65.0	-0.0			9490	205.2	-210.7	0.9	311.7
49.7	-0.0			9491	-250.7	-238.2	-0.9	164.8
-14.3	-0.0			9489	-302.2	208.3	-0.7	151.3
-19.5	0.0							
		INVSLE	Max	9488	236.7	176.8	0.5	262.0
-30.3	0.0			9490	169.1	-155.2	0.7	282.1
67.3	0.0			9491	-173.0	-172.4	-0.6	198.9
21.7	-0.0			9489	-202.7	158.4	-0.5	182.8
6.4	0.0							
			Min	9488	227.6	172.6	0.5	224.1
-48.9	-0.0			9490	152.8	-157.2	0.7	241.6
41.0	-0.0			9491	-186.8	-177.4	-0.7	126.7
-7.4	-0.0			9489	-223.6	155.8	-0.5	116.2
-14.4	0.0							
12166	2	4	C1-C2;~1	Max	9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9489	0.0	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9489	0.0	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9489	0.0	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		6997		0.0	0.0	0.0
		C1-C2;~2	Max	9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
			Min	9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
		C3-C4;~2	Max	9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
			Min	9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0			6999	0.0	0.0	0.0
0.0	0.0			6997	0.0	0.0	0.0
		G1		9489	79.0	116.3	-0.0
6.0	0.0			9491	180.4	-100.8	0.0
-4.6	-0.0			6999	-50.1	-117.6	-0.0
-11.4	-0.0			6997	-209.3	102.8	0.0
9.1	-0.0						49.5
		G2		9489	28.3	44.7	-0.0
-0.4	0.0			9491	69.8	-37.4	0.0
1.0	-0.0			6999	-16.7	-45.3	-0.0
-1.1	-0.0			6997	-81.4	38.0	0.0
0.2	-0.0						5.4
		Q3		9489	0.0	0.0	0.0
0.0	0.0			9491	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		6999	0.0	0.0	0.0	0.0
0.0	0.0		6997	0.0	0.0	0.0	0.0
-0.4	-0.0	Q5_pc X	9489	2.6	2.5	0.0	6.0
1.2	-0.0		9491	-2.8	0.9	0.0	6.5
-0.7	0.0		6999	-3.1	-0.7	-0.0	8.7
1.3	0.0		6997	3.4	-2.7	-0.0	9.2
6.0	-0.0	Q5_pc Y	9489	-14.2	2.1	-0.1	-35.1
-9.1	0.0		9491	17.6	-1.1	-0.1	-37.9
-0.4	-0.0		6999	18.3	-1.8	0.1	-30.0
-1.7	0.0		6997	-21.7	0.8	0.1	-28.8
-0.1	-0.0	Q5_ps X	9489	4.0	3.5	0.0	5.5
0.7	-0.0		9491	-2.0	0.1	0.0	5.9
-1.2	0.0		6999	-4.6	-1.8	-0.0	10.5
1.7	0.0		6997	2.6	-1.8	-0.0	11.0
5.8	-0.0	Q5_ps Y	9489	-12.0	3.0	-0.1	-33.5
-9.1	0.0		9491	17.7	-2.0	-0.1	-36.1
-0.7	-0.0		6999	15.9	-2.8	0.1	-27.1
-1.3	0.0		6997	-21.6	1.7	0.1	-25.9
31.7	0.0	INVSLE Max	9489	102.1	240.6	-0.1	-150.6
-25.3	-0.0		9491	477.3	-212.6	-0.1	-164.1
-30.4	-0.0		6999	30.3	-230.8	0.4	81.9
11.0	-0.0		6997	-508.9	218.7	0.4	58.3
14.3	0.0	Min	9489	66.0	230.2	-0.4	-250.9
-52.5	-0.0		9491	424.2	-218.5	-0.4	-272.6
-34.0	-0.0		6999	-17.4	-239.2	0.1	0.7
5.8	-0.0		6997	-573.6	213.4	0.2	-19.3
		INVSLE Max	9489	74.2	179.1	-0.1	-115.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

22.8	0.0				9491	354.9	-159.2	-0.1	-126.3
-19.7	-0.0				6999	21.9	-172.5	0.3	62.2
-23.3	-0.0				6997	-383.8	163.2	0.3	44.7
8.6	-0.0								
				Min	9489	50.1	172.2	-0.2	-182.6
11.2	0.0				9491	319.5	-163.1	-0.3	-198.6
-37.8	-0.0				6999	-9.9	-178.1	0.1	8.0
-25.7	-0.0				6997	-426.9	159.7	0.1	-7.1
5.1	-0.0								
12199	2	4	C1-C2;~1	Max	9516	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0	0.0
0.0		0.0			9517	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9516	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0	0.0
0.0		0.0			9517	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9516	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0	0.0
0.0		0.0			9517	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9516	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0	0.0
0.0		0.0			9517	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9516	0.0	0.0	0.0	0.0
0.0		0.0			9518	0.0	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0	0.0
0.0		0.0			9517	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9516	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		9518	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		9517	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2 Max	9516	0.0	0.0	0.0	0.0
0.0	0.0		9518	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		9517	0.0	0.0	0.0	0.0
0.0	0.0	Min	9516	0.0	0.0	0.0	0.0
0.0	0.0		9518	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		9517	0.0	0.0	0.0	0.0
76.8	-0.0	G1	9516	-11.9	38.2	-0.2	-207.7
-69.9	0.0		9518	88.7	-22.2	-0.3	-253.3
-56.3	-0.0		9519	-3.8	-42.1	0.3	93.3
54.0	-0.0		9517	-73.0	26.9	0.1	66.5
29.9	0.0	G2	9516	-5.3	16.3	-0.1	-80.4
-26.1	0.0		9518	34.5	-7.2	-0.1	-97.8
-20.5	-0.0		9519	-0.8	-17.4	0.1	32.6
20.4	-0.0		9517	-28.4	8.3	0.1	23.1
0.0	0.0	Q3	9516	0.0	0.0	0.0	0.0
0.0	0.0		9518	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		9517	0.0	0.0	0.0	0.0
-16.7	-0.0	Q5_pc X	9516	12.4	1.8	0.0	35.6
14.4	-0.0		9518	-8.3	-2.4	0.0	43.6
13.2	0.0		9519	-11.7	-1.1	-0.0	-32.6
-14.7	0.0		9517	7.5	1.7	-0.0	-25.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

7.1	0.0	Q5_pc Y	9516	-3.5	0.8	0.0	-14.6
-6.6	0.0		9518	5.3	-0.3	-0.0	-18.3
-6.5	-0.0		9519	3.7	-1.2	0.0	17.5
6.9	-0.0		9517	-5.4	0.7	-0.0	13.9
-15.7	-0.0	Q5_ps X	9516	11.8	1.8	0.0	33.1
13.3	-0.0		9518	-7.6	-2.3	0.0	40.5
12.2	0.0		9519	-11.2	-1.2	-0.0	-30.4
-13.7	0.0		9517	6.9	1.7	-0.0	-24.2
6.7	0.0	Q5_ps Y	9516	-2.9	1.3	0.0	-14.2
-6.6	0.0		9518	5.6	-0.6	-0.0	-18.0
-6.4	-0.0		9519	3.0	-1.6	0.0	16.9
6.6	-0.0		9517	-5.7	1.0	-0.0	13.4
-47.3	-0.0	INVS LU Max	9516	149.9	81.4	-0.4	85.5
102.1	-0.0		9518	50.9	-60.2	-0.7	134.5
130.6	0.0		9519	-167.5	-78.0	0.7	-438.6
-103.9	-0.0		9517	23.0	69.1	0.5	-361.6
-94.2	-0.0	Min	9516	114.4	75.9	-0.5	-13.8
62.1	-0.0		9518	28.1	-67.2	-0.7	13.0
93.9	0.0		9519	-200.9	-83.0	0.6	-529.8
-145.0	-0.0		9517	2.2	63.9	0.4	-434.1
-48.4	-0.0	INVS LE Max	9516	117.9	60.1	-0.3	81.7
85.0	-0.0		9518	30.1	-46.2	-0.5	123.2
106.4	0.0		9519	-134.4	-57.9	0.5	-360.3
-90.4	-0.0		9517	23.9	52.3	0.3	-295.7
-79.7	-0.0	Min	9516	94.2	56.4	-0.3	15.5
58.4	-0.0		9518	14.9	-50.9	-0.5	42.2
82.0	0.0		9519	-156.8	-61.2	0.5	-421.1

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

-117.8	-0.0			9517	10.1	48.8	0.3	-344.0
12200	2	4 C1-C2;~1	Max	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0		Min	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0		Min	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0		Min	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0
0.0	0.0			7025	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	9517	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0			7027	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7025	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9517	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0		7025	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9517	30.6	44.7	-0.1	-68.7
11.5	-0.0		9519	46.6	-19.2	-0.6	-92.1
-18.0	-0.0		7027	-40.2	-45.6	0.6	-194.8
16.1	-0.0		7025	-37.0	20.8	0.1	-156.3
-13.3	0.0						
		G2	9517	11.3	18.7	-0.1	-24.0
1.6	-0.0		9519	18.0	-6.0	-0.3	-32.1
-5.4	-0.0		7027	-15.3	-18.7	0.2	-87.4
7.8	-0.0		7025	-14.0	6.0	0.1	-73.9
-9.8	0.0						
		Q3	9517	0.0	0.0	0.0	0.0
0.0	0.0		9519	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0		7025	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9517	12.1	2.0	0.0	26.2
-6.4	0.0		9519	-7.0	-2.4	0.2	32.4
5.5	0.0		7027	-12.8	-1.9	-0.2	44.1
-3.0	-0.0		7025	7.7	2.3	-0.0	35.7
0.9	-0.0						
		Q5_pc Y	9517	-4.9	0.8	-0.0	-14.0
4.1	-0.0		9519	6.1	-0.0	-0.1	-17.4
-3.0	-0.0		7027	5.7	-1.0	0.1	-17.6
1.0	0.0		7025	-7.0	0.3	0.0	-13.1
1.2	-0.0						
		Q5_ps X	9517	11.7	2.2	0.0	24.5
-5.7	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
5.0	0.0			9519	-6.5	-2.2	0.1	30.2
-2.9	0.0			7027	-12.4	-2.1	-0.1	42.4
1.4	-0.0			7025	7.2	2.2	-0.0	34.8
4.2	-0.0	Q5_ps	Y	9517	-4.1	1.2	-0.0	-13.5
-3.0	-0.0			9519	6.2	-0.3	-0.1	-16.8
0.9	0.0			7027	4.9	-1.5	0.1	-16.0
1.6	-0.0			7025	-7.0	0.5	0.0	-11.4
-106.2	-0.0	INVSLE	Max	9517	317.8	97.1	0.6	432.1
78.7	0.0			9519	-117.7	-51.1	1.6	528.5
-0.3	-0.0			7027	-342.2	-87.7	-1.3	337.1
-53.0	0.0			7025	198.7	55.6	-0.4	252.4
-123.2	-0.0		Min	9517	282.9	90.6	0.5	358.6
63.6	0.0			9519	-137.3	-57.9	1.2	437.8
-9.0	-0.0			7027	-379.2	-93.9	-1.8	209.8
-58.0	0.0			7025	177.0	49.1	-0.5	147.9
-86.3	-0.0	INVSLE	Max	9517	246.9	72.6	0.5	342.5
62.7	0.0			9519	-98.9	-39.1	1.3	419.9
-3.0	-0.0			7027	-270.0	-65.7	-1.1	280.9
-41.0	0.0			7025	159.7	41.6	-0.3	210.8
-97.7	-0.0		Min	9517	223.6	68.3	0.4	293.5
52.7	0.0			9519	-111.9	-43.6	1.0	359.5
-8.9	-0.0			7027	-294.7	-69.9	-1.4	196.0
-44.3	0.0			7025	145.2	37.2	-0.4	141.2
12201	2	10	C1-C2;~1	Max	9518	0.0	0.0	0.0
0.0		0.0			9520	0.0	0.0	0.0
0.0		0.0			9521	0.0	0.0	0.0
0.0		0.0			9519	0.0	0.0	0.0
0.0		0.0		Min	9518	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			G1	9518	-11.0	41.1	-0.2	-213.2
69.6	0.0			9520	82.2	-19.5	-0.2	-225.8
-85.9	-0.0			9521	-2.4	-40.3	0.2	86.0
-69.5	0.0			9519	-68.8	19.2	0.2	82.3
56.5	-0.0							
			G2	9518	-4.4	16.5	-0.1	-82.1
26.0	0.0			9520	31.9	-6.8	-0.1	-87.0
-32.4	-0.0			9521	-0.7	-16.3	0.1	30.3
-25.9	0.0			9519	-26.7	6.6	0.1	28.8
20.7	-0.0							
			Q3	9518	0.0	0.0	0.0	0.0
0.0	0.0			9520	0.0	0.0	0.0	0.0
0.0	0.0			9521	0.0	0.0	0.0	0.0
0.0	0.0			9519	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9518	10.3	0.2	0.0	36.0
-14.4	-0.0			9520	-7.5	-1.9	0.0	37.4
16.3	0.0			9521	-10.1	-0.4	-0.0	-29.0
15.1	-0.0			9519	7.3	2.1	-0.0	-27.7
-13.3	0.0							
			Q5_pc Y	9518	-3.1	1.4	0.0	-15.3
6.7	0.0			9520	4.9	-0.2	-0.0	-16.0
-7.7	-0.0			9521	3.3	-1.3	0.0	15.4
-7.4	0.0			9519	-5.2	0.1	0.0	14.8
6.5	-0.0							
			Q5_ps X	9518	9.7	0.3	0.0	33.4
-13.3	-0.0			9520	-7.0	-1.8	0.0	34.6
15.1	0.0			9521	-9.5	-0.5	-0.0	-27.0
13.9	-0.0			9519	6.8	2.0	-0.0	-25.8
-12.3	0.0							
			Q5_ps Y	9518	-2.7	1.7	0.0	-15.3
6.6	0.0			9520	5.1	-0.4	-0.0	-16.0
-7.7	-0.0			9521	2.9	-1.7	0.0	15.1
-7.4	0.0							

PROJECT TITLE :


			Company	Client					
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G				
6.3	-0.0			9519	-5.3	0.3	0.0	14.4	
			INVS LU	Max	9518	137.0	78.4	-0.5	118.9
-62.8	-0.0				9520	40.6	-51.1	-0.6	122.6
132.4	0.0				9521	-158.6	-72.0	0.7	-414.2
170.0	-0.0				9519	30.6	56.1	0.4	-380.4
-92.1	0.0								
				Min	9518	107.9	73.3	-0.5	18.9
-102.8	-0.0				9520	19.7	-56.4	-0.6	18.8
87.2	-0.0				9521	-187.2	-77.0	0.6	-495.2
128.1	-0.0				9519	10.2	50.3	0.4	-457.7
-129.1	0.0								
			INVS LE	Max	9518	107.4	57.5	-0.4	108.1
-58.9	-0.0				9520	22.7	-38.9	-0.4	111.8
109.5	0.0				9521	-126.9	-53.1	0.5	-339.3
137.7	-0.0				9519	29.7	42.1	0.3	-312.4
-80.6	0.0								
				Min	9518	88.1	54.2	-0.4	41.4
-85.6	-0.0				9520	8.8	-42.4	-0.4	42.7
79.4	0.0				9521	-145.9	-56.4	0.5	-393.2
109.8	-0.0				9519	16.1	38.2	0.3	-364.0
-105.3	0.0								
12202	2	10	C1-C2;~1	Max	9519	0.0	0.0	0.0	0.0
0.0		0.0			9521	0.0	0.0	0.0	0.0
0.0		0.0			7029	0.0	0.0	0.0	0.0
0.0		0.0			7027	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9519	0.0	0.0	0.0	0.0
0.0		0.0			9521	0.0	0.0	0.0	0.0
0.0		0.0			7029	0.0	0.0	0.0	0.0
0.0		0.0			7027	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9519	0.0	0.0	0.0	0.0
0.0		0.0			9521	0.0	0.0	0.0	0.0
0.0		0.0			7029	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9519	0.0	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9519	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9519	0.0	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9519	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	9519	0.0	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9519	26.0	42.1	-0.3	-83.5
17.7	-0.0		9521	43.9	-16.5	-0.4	-86.4
-26.6	0.0		7029	-36.3	-42.1	0.4	-168.5
9.9	-0.0		7027	-33.5	17.1	0.3	-162.9
-17.4	-0.0						
		G2	9519	9.6	16.8	-0.1	-29.2
5.1	-0.0		9521	17.3	-5.6	-0.2	-30.4
-8.8	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
5.4	-0.0		7029	-13.4	-17.0	0.2	-72.6
-8.6	-0.0		7027	-13.5	5.8	0.1	-70.5
0.0	0.0	Q3	9519	0.0	0.0	0.0	0.0
0.0	0.0		9521	0.0	0.0	0.0	0.0
0.0	0.0		7029	0.0	0.0	0.0	0.0
0.0	0.0		7027	0.0	0.0	0.0	0.0
-5.4	0.0	Q5_pc X	9519	11.4	1.4	0.1	27.9
7.2	-0.0		9521	-8.0	-1.7	0.1	29.1
-1.5	0.0		7029	-12.4	-1.1	-0.1	37.4
3.2	-0.0		7027	9.0	1.5	-0.1	36.6
3.1	-0.0	Q5_pc Y	9519	-4.6	1.1	-0.0	-14.9
-3.9	0.0		9521	6.1	-0.0	-0.0	-15.5
0.3	-0.0		7029	5.5	-1.2	0.0	-15.8
-1.1	0.0		7027	-6.9	0.1	0.0	-15.4
-4.9	0.0	Q5_ps X	9519	10.9	1.5	0.1	25.9
6.6	-0.0		9521	-7.6	-1.5	0.1	27.1
-1.6	0.0		7029	-11.9	-1.3	-0.1	35.6
3.2	0.0		7027	8.6	1.2	-0.1	34.9
3.0	-0.0	Q5_ps Y	9519	-3.9	1.6	-0.0	-14.5
-3.9	0.0		9521	6.1	-0.2	-0.0	-15.1
0.2	-0.0		7029	4.6	-1.7	0.0	-14.8
-0.9	0.0		7027	-6.8	0.2	0.0	-14.4
-65.4	0.0	INVSLU Max	9519	307.7	84.2	1.0	459.1
119.7	-0.0		9521	-148.7	-31.7	1.3	496.5
20.6	0.0		7029	-348.7	-73.9	-1.0	315.5
9.7	-0.0		7027	248.3	31.2	-0.8	303.9
		Min	9519	275.0	79.4	0.7	381.3

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-80.2	0.0			9521	-171.4	-36.1	1.0	415.2
100.0	-0.0			7029	-384.5	-78.9	-1.3	208.6
15.9	-0.0			7027	222.4	27.4	-1.0	199.2
0.2	-0.0							
		INVSLE	Max	9519	239.0	62.3	0.8	365.1
-54.1	0.0			9521	-122.8	-24.1	1.1	394.3
95.1	-0.0			7029	-274.7	-54.8	-0.8	261.5
14.3	0.0			7027	197.5	23.2	-0.7	252.2
9.5	-0.0							
			Min	9519	217.2	59.2	0.6	313.2
-63.9	0.0			9521	-138.0	-27.1	0.9	340.2
82.0	-0.0			7029	-298.5	-58.1	-1.0	190.3
11.1	0.0			7027	180.2	20.7	-0.8	182.4
3.1	-0.0							
12237	2	10	C1-C2;~1	Max	9548	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9551	0.0	0.0	0.0
0.0	0.0	0.0			9549	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9551	0.0	0.0	0.0
0.0	0.0	0.0			9549	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	9548	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9551	0.0	0.0	0.0
0.0	0.0	0.0			9549	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	9548	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9550	0.0	0.0	0.0
0.0	0.0	0.0			9551	0.0	0.0	0.0
0.0	0.0	0.0			9549	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
		C1-C2;~2	Max	9548	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0			9549	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9548	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0			9549	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9548	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0			9549	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9548	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0			9549	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9548	-81.3	-16.5	-0.2	-236.3
89.5	0.0			9550	16.4	38.6	-0.2	-223.5
-73.8	-0.0			9551	67.4	16.4	0.2	87.1
-60.0	0.0			9549	-2.5	-37.9	0.2	91.0
72.7	-0.0							
			G2	9548	-31.5	-5.7	-0.1	-91.0
33.8	0.0			9550	6.5	15.6	-0.1	-86.0
-27.6	-0.0			9551	26.2	5.5	0.1	30.6
-22.0	0.0			9549	-1.1	-15.4	0.1	32.1
27.0	-0.0							
			Q3	9548	0.0	0.0	0.0	0.0
0.0	0.0			9550	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0			9549	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-14.8	-0.0	Q5_pc X	9548	8.3	-0.4	0.0	33.0
12.9	0.0		9550	-7.7	-1.0	0.0	31.6
12.0	-0.0		9551	-8.3	0.6	-0.0	-25.9
-13.9	0.0		9549	7.8	0.9	-0.0	-27.2
10.7	0.0	Q5_pc Y	9548	-5.0	1.5	-0.0	-24.4
-9.6	-0.0		9550	6.5	0.0	-0.0	-23.4
-8.7	0.0		9551	4.7	-1.4	0.0	18.1
10.0	-0.0		9549	-6.3	-0.2	0.0	19.0
-13.8	-0.0	Q5_ps X	9548	7.3	-0.7	0.0	30.8
12.1	0.0		9550	-7.6	-0.6	0.0	29.6
11.3	-0.0		9551	-7.4	0.8	-0.0	-24.3
-12.9	0.0		9549	7.7	0.4	-0.0	-25.5
10.6	0.0	Q5_ps Y	9548	-5.1	1.4	-0.0	-24.0
-9.4	-0.0		9550	6.1	0.3	-0.0	-22.9
-8.5	0.0		9551	4.8	-1.2	0.0	17.6
9.8	-0.0		9549	-5.8	-0.5	0.0	18.5
-86.8	0.0	INVSLE Max	9548	-23.5	-54.4	-0.6	115.2
99.8	0.0		9550	-113.8	79.7	-0.5	112.1
125.9	-0.0		9551	-3.9	58.1	0.4	-374.8
-126.5	0.0		9549	186.3	-77.0	0.7	-408.0
-128.0	-0.0	Min	9548	-45.6	-58.6	-0.6	22.9
63.5	0.0		9550	-136.7	77.9	-0.5	23.3
92.1	-0.0		9551	-26.1	54.5	0.4	-447.8
-165.1	0.0		9549	163.2	-78.6	0.6	-484.5
-79.2	-0.0	INVSLE Max	9548	-11.9	-41.7	-0.4	107.8
83.8	0.0		9550	-92.8	59.0	-0.4	104.4
			9551	-11.2	44.1	0.3	-308.3

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

103.3	-0.0				9549	146.0	-57.0	0.5	-334.7
-108.7	0.0								
			Min		9548	-26.6	-44.4	-0.4	46.3
-106.7	-0.0				9550	-108.1	57.8	-0.4	45.3
59.7	0.0				9551	-26.0	41.7	0.3	-356.9
80.8	-0.0				9549	130.6	-58.1	0.5	-385.7
-134.4	0.0								
12238	2	10	C1-C2;~1	Max	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0
0.0		0.0			7057	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0
0.0		0.0			7057	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0
0.0		0.0			7057	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0
0.0		0.0			7057	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0
0.0		0.0			7057	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9549	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7057	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	9549	0.0	0.0	0.0	0.0
0.0	0.0		9551	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		7057	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9549	0.0	0.0	0.0	0.0
0.0	0.0		9551	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		7057	0.0	0.0	0.0	0.0
0.0	0.0						
28.0	-0.0	G1	9549	-41.6	-13.7	-0.4	-91.4
-18.9	0.0		9551	-21.8	39.5	-0.3	-88.3
18.1	0.0		7059	30.9	14.3	0.4	-171.2
-10.5	0.0		7057	32.5	-39.5	0.4	-176.9
9.4	-0.0	G2	9549	-16.4	-4.6	-0.2	-32.3
-5.6	0.0		9551	-8.0	15.8	-0.1	-31.1
8.8	0.0		7059	12.4	4.7	0.1	-73.5
-5.5	0.0		7057	11.9	-15.9	0.2	-75.7
0.0	0.0	Q3	9549	0.0	0.0	0.0	0.0
0.0	0.0		9551	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
0.0	0.0		7057	0.0	0.0	0.0	0.0
-6.7	0.0	Q5_pc X	9549	9.4	-0.3	0.1	27.3
5.0	-0.0		9551	-9.3	-0.2	0.1	26.1
-2.8	-0.0		7059	-10.7	0.1	-0.1	32.9
1.3	-0.0		7057	10.5	0.4	-0.1	33.8
5.0	-0.0	Q5_pc Y	9549	-5.0	1.4	-0.1	-19.1

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	

-3.7	0.0			9551	6.6	-0.1	-0.1	-18.2
1.7	-0.0			7059	5.5	-1.3	0.1	-21.4
-0.6	0.0			7057	-7.1	0.0	0.1	-22.1
		Q5_ps X		9549	8.5	-0.5	0.1	25.6
-6.2	0.0			9551	-9.3	0.4	0.1	24.5
4.7	-0.0			7059	-9.7	0.3	-0.1	31.4
-2.7	-0.0			7057	10.5	-0.1	-0.1	32.1
1.3	-0.0							
		Q5_ps Y		9549	-4.9	1.3	-0.1	-18.6
5.0	-0.0			9551	5.9	0.4	-0.0	-17.7
-3.7	0.0			7059	5.3	-1.2	0.1	-20.0
1.5	-0.0			7057	-6.3	-0.4	0.1	-20.7
-0.5	0.0							
		INVS LU	Max	9549	165.3	-35.0	1.3	485.8
-97.9	0.0			9551	-276.9	85.5	0.9	449.1
78.8	-0.0			7059	-211.8	34.0	-0.8	295.4
-0.7	0.0			7057	380.6	-78.8	-1.0	306.9
-15.3	0.0							
			Min	9549	139.6	-38.8	1.0	409.0
-116.5	0.0			9551	-304.9	84.5	0.7	375.6
64.8	-0.0			7059	-241.0	30.3	-1.0	201.3
-8.9	0.0			7057	349.0	-80.0	-1.2	210.6
-19.1	-0.0							
		INVS LE	Max	9549	132.8	-26.9	1.1	386.7
-80.5	0.0			9551	-218.8	63.8	0.8	358.1
63.0	-0.0			7059	-171.9	25.7	-0.7	246.8
-3.4	0.0			7057	296.0	-58.7	-0.8	256.2
-10.6	-0.0							
			Min	9549	115.7	-29.5	0.9	335.6
-92.8	0.0			9551	-237.4	63.1	0.6	309.1
53.6	-0.0			7059	-191.3	23.2	-0.8	184.1
-8.9	0.0			7057	274.9	-59.4	-1.0	192.0
-13.1	-0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

12239	2	4	C1-C2;~1	Max	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0		Min	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0		Min	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0		Min	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	9550	0.0	0.0	0.0	0.0
0.0		0.0			9552	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0	0.0
0.0		0.0			9551	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	9550	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
			G1	9550	-88.1	-19.6	-0.3	-265.6
74.1	-0.0			9552	17.5	35.8	-0.2	-217.2
-80.6	0.0			9553	72.0	24.1	0.2	70.8
-57.1	0.0			9551	-1.3	-39.7	0.3	98.9
59.7	0.0							
			G2	9550	-34.3	-6.2	-0.1	-102.4
27.7	-0.0			9552	7.4	15.3	-0.1	-84.0
-31.4	-0.0			9553	28.0	7.3	0.1	24.7
-21.5	0.0			9551	-1.2	-16.5	0.1	34.7
21.8	0.0							
			Q3	9550	0.0	0.0	0.0	0.0
0.0	0.0			9552	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			9551	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9550	8.8	-0.7	0.0	37.9
-12.8	0.0			9552	-9.1	0.2	0.0	30.5
14.2	0.0			9553	-8.6	0.1	-0.0	-24.4
12.9	-0.0			9551	8.9	0.4	-0.0	-30.6
-11.9	-0.0							
			Q5_pc Y	9550	-5.6	0.9	-0.0	-27.4
9.6	-0.0			9552	6.5	-0.1	-0.0	-21.5
-9.7	-0.0			9553	5.5	-0.7	0.0	16.8
-9.0	0.0			9551	-6.4	-0.2	0.0	21.2
8.7	0.0							
			Q5_ps X	9550	7.9	-1.1	0.0	35.6
-12.0	0.0			9552	-9.2	0.7	0.0	28.8
13.6	0.0			9553	-7.6	0.5	-0.0	-23.0
12.3	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-11.2	-0.0			9551	9.0	-0.1	-0.0	-28.8
			Q5_ps Y	9550	-5.7	0.7	-0.0	-26.7
9.4	-0.0			9552	5.8	0.3	-0.0	-20.8
-9.2	-0.0			9553	5.6	-0.4	0.0	16.2
-8.7	0.0			9551	-5.7	-0.6	0.0	20.5
8.6	0.0							
			INVSLE Max	9550	-31.7	-65.2	-0.6	126.9
-62.9	0.0			9552	-121.7	83.3	-0.4	80.0
90.4	0.0			9553	4.0	69.8	0.4	-355.0
140.3	0.0			9551	199.9	-82.9	0.7	-431.5
-93.8	-0.0							
			Min	9550	-55.4	-68.4	-0.7	20.1
-99.0	0.0			9552	-149.4	81.3	-0.4	-6.5
49.6	0.0			9553	-18.8	68.5	0.4	-424.1
103.4	0.0			9551	173.0	-84.6	0.6	-518.0
-127.4	-0.0							
			INVSLE Max	9550	-17.8	-50.1	-0.5	119.3
-59.2	0.0			9552	-100.0	61.9	-0.3	79.0
77.4	0.0			9553	-5.3	53.3	0.3	-290.6
114.6	0.0			9551	156.8	-61.7	0.5	-355.0
-82.0	-0.0							
			Min	9550	-33.6	-52.2	-0.5	48.1
-83.2	0.0			9552	-118.5	60.6	-0.3	21.4
50.2	0.0			9553	-20.5	52.4	0.3	-336.7
90.0	0.0			9551	138.9	-62.9	0.5	-412.6
-104.5	-0.0							
12240	2	4	C1-C2;~1	Max	9551	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0
0.0		0.0			7061	0.0	0.0	0.0
0.0		0.0			7059	0.0	0.0	0.0
0.0		0.0						
			Min	9551	0.0	0.0	0.0	0.0
0.0		0.0			9553	0.0	0.0	0.0
0.0		0.0			7061	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9551	0.0	0.0	0.0	0.0
0.0	0.0			9553	0.0	0.0	0.0	0.0
0.0	0.0			7061	0.0	0.0	0.0	0.0
0.0	0.0			7059	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9551	-44.3	-16.2	-0.7	-97.7
19.2	0.0			9553	-25.9	41.7	-0.1	-73.2
-12.6	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
13.8	-0.0		7061	34.2	17.8	0.1	-164.3
-16.8	0.0		7059	36.0	-42.6	0.7	-204.8
5.9	0.0	G2	9551	-17.0	-4.8	-0.3	-34.2
-2.0	0.0		9553	-9.5	17.5	-0.1	-25.7
10.0	-0.0		7061	12.9	4.9	0.1	-76.8
-8.1	0.0		7059	13.7	-17.6	0.3	-91.0
0.0	0.0	Q3	9551	0.0	0.0	0.0	0.0
0.0	0.0		9553	0.0	0.0	0.0	0.0
0.0	0.0		7061	0.0	0.0	0.0	0.0
0.0	0.0		7059	0.0	0.0	0.0	0.0
-5.0	-0.0	Q5_pc X	9551	8.7	-0.8	0.1	30.5
6.0	-0.0		9553	-10.0	0.5	0.0	24.8
-0.6	0.0		7061	-9.6	0.7	-0.0	31.7
2.6	-0.0		7059	10.9	-0.3	-0.1	39.3
3.7	0.0	Q5_pc Y	9551	-5.0	1.6	-0.1	-21.1
-4.9	0.0		9553	7.4	-0.7	-0.0	-17.0
-1.0	0.0		7061	5.3	-1.3	0.0	-18.5
-1.6	-0.0		7059	-7.7	0.4	0.1	-24.5
-4.7	-0.0	Q5_ps X	9551	7.8	-1.1	0.1	28.7
5.5	-0.0		9553	-10.0	0.9	0.0	23.4
-0.8	0.0		7061	-8.7	1.0	-0.0	30.8
2.5	-0.0		7059	10.9	-0.8	-0.1	37.8
3.7	0.0	Q5_ps Y	9551	-5.0	1.4	-0.1	-20.4
-5.0	0.0		9553	6.6	-0.3	-0.0	-16.3
-1.5	0.0		7061	5.3	-1.1	0.0	-16.4
-1.4	-0.0		7059	-6.9	-0.0	0.1	-22.4

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			

			INVS LU	Max	9551	131.1	-55.5	1.6	516.7
-63.1	-0.0				9553	-284.6	98.0	0.6	422.1
119.7	0.0				7061	-165.1	57.4	-0.4	244.9
55.5	-0.0				7059	374.8	-92.8	-1.3	327.2
8.2	0.0								
				Min	9551	107.7	-59.7	1.2	430.7
-77.3	-0.0				9553	-314.7	95.3	0.5	352.0
103.2	0.0				7061	-191.1	54.2	-0.5	152.6
51.0	-0.0				7059	342.0	-95.1	-1.7	213.8
0.7	0.0								
			INVS LE	Max	9551	106.6	-42.6	1.3	411.5
-52.3	-0.0				9553	-225.1	73.8	0.5	335.2
95.0	0.0				7061	-135.9	43.4	-0.3	206.3
42.4	-0.0				7059	291.8	-69.7	-1.1	274.8
8.3	0.0								
				Min	9551	91.1	-45.4	1.0	354.2
-61.8	-0.0				9553	-245.1	72.0	0.4	288.5
84.0	0.0				7061	-153.3	41.3	-0.4	144.8
39.4	-0.0				7059	269.9	-71.3	-1.4	199.2
3.3	0.0								
12275	2	8	C1-C2;~1	Max	9580	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0	0.0
0.0		0.0			9581	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9580	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0	0.0
0.0		0.0			9581	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9580	0.0	0.0	0.0	0.0
0.0		0.0			9582	0.0	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0	0.0
0.0		0.0			9581	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Min	9580	0.0	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0			9581	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9580	0.0	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0			9581	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9580	0.0	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0			9581	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9580	0.0	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0			9581	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9580	0.0	0.0	0.0	0.0
0.0	0.0			9582	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0			9581	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9580	-114.8	-120.2	0.3	39.0
-19.9	-0.0			9582	-176.0	124.5	-0.2	-11.8
-76.7	0.0			9583	144.2	121.1	0.0	15.1
-41.3	0.0			9581	146.6	-124.7	-0.1	35.9
-1.7	-0.0							
		G2		9580	-44.4	-43.3	0.1	14.8
-7.7	-0.0			9582	-66.8	50.9	-0.1	-5.9
-30.9	0.0			9583	56.3	42.8	0.0	0.9
-18.0	0.0			9581	54.9	-50.4	-0.0	10.0
-1.3	-0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0	Q3	9580	0.0	0.0	0.0	0.0
0.0	0.0		9582	0.0	0.0	0.0	0.0
0.0	0.0		9583	0.0	0.0	0.0	0.0
0.0	0.0		9581	0.0	0.0	0.0	0.0
-8.0	0.0	Q5_pc X	9580	1.7	-0.2	0.0	8.6
-13.5	-0.0		9582	-1.9	-0.3	-0.0	1.0
-13.1	0.0		9583	-3.1	0.5	-0.0	-1.1
-7.7	-0.0		9581	3.3	0.1	0.0	-8.7
13.7	-0.0	Q5_pc Y	9580	-10.7	-0.2	-0.1	-13.5
39.8	-0.0		9582	11.6	-2.0	0.1	2.3
39.2	-0.0		9583	11.0	1.3	0.1	-0.2
14.1	0.0		9581	-11.8	0.9	-0.1	15.0
-7.9	0.0	Q5_ps X	9580	0.7	-0.8	0.0	8.6
-12.9	-0.0		9582	-2.4	0.4	-0.0	1.2
-12.4	0.0		9583	-2.2	1.1	-0.0	-0.9
-7.4	-0.0		9581	3.9	-0.6	0.0	-8.1
12.5	-0.0	Q5_ps Y	9580	-11.5	-1.1	-0.1	-12.0
37.5	-0.0		9582	9.7	-0.8	0.1	2.7
37.3	-0.0		9583	11.5	2.3	0.1	0.2
13.0	0.0		9581	-9.8	-0.3	-0.1	14.4
-28.6	-0.0	INVS LU Max	9580	-257.8	-249.0	0.9	145.3
-68.5	0.0		9582	-349.6	290.8	-0.4	-5.1
40.2	0.0		9583	376.8	253.8	0.4	16.2
33.1	-0.0		9581	294.2	-286.7	-0.5	140.2
-66.0	-0.0	Min	9580	-292.1	-252.4	0.8	109.4
-181.0	0.0		9582	-378.7	287.3	-0.6	-13.2
			9583	342.3	246.9	0.2	13.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-71.6	0.0			9581	264.9	-288.6	-0.7	96.9
-6.0	-0.0							
		INVSLE	Max	9580	-193.6	-186.7	0.7	110.8
-25.1	-0.0			9582	-263.6	217.3	-0.3	-3.6
-59.7	0.0			9583	280.3	189.9	0.3	12.8
22.9	0.0			9581	219.3	-214.4	-0.4	103.7
22.0	-0.0							
			Min	9580	-216.5	-189.0	0.6	86.8
-50.0	-0.0			9582	-283.0	214.9	-0.4	-9.0
-134.7	0.0			9583	257.2	185.3	0.1	10.9
-51.6	0.0			9581	199.8	-215.7	-0.6	74.8
-4.0	-0.0							
12276	2	8	C1-C2;~1	Max	9581	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0
0.0		0.0			7091	0.0	0.0	0.0
0.0		0.0			7089	0.0	0.0	0.0
0.0		0.0						
			Min	9581	0.0	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0
0.0		0.0			7091	0.0	0.0	0.0
0.0		0.0			7089	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	9581	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0
0.0		0.0			7091	0.0	0.0	0.0
0.0		0.0			7089	0.0	0.0	0.0
0.0		0.0						
			Min	9581	0.0	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0
0.0		0.0			7091	0.0	0.0	0.0
0.0		0.0			7089	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	9581	0.0	0.0	0.0
0.0		0.0			9583	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		7089	0.0	0.0	0.0	0.0
0.0	0.0	Min	9581	0.0	0.0	0.0	0.0
0.0	0.0		9583	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		7089	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9581	0.0	0.0	0.0	0.0
0.0	0.0		9583	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		7089	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9581	0.0	0.0	0.0	0.0
0.0	0.0		9583	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		7089	0.0	0.0	0.0	0.0
0.0	0.0						
20.4	-0.0	G1	9581	-189.0	-103.3	-0.1	-37.3
-2.5	0.0		9583	-95.6	142.3	-0.1	-25.1
17.9	0.0		7091	211.9	98.0	0.1	-21.2
16.9	0.0		7089	72.7	-136.3	-0.0	-0.4
3.9	-0.0	G2	9581	-72.2	-34.6	-0.0	-10.5
-5.4	0.0		9583	-33.6	59.8	-0.0	-8.8
2.5	0.0		7091	81.1	29.4	0.0	-17.5
1.1	-0.0		7089	24.7	-54.6	0.0	-11.7
0.0	0.0	Q3	9581	0.0	0.0	0.0	0.0
0.0	0.0		9583	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0		7089	0.0	0.0	0.0	0.0
-2.9	-0.0	Q5_pc X	9581	8.5	0.6	0.1	8.5

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
-8.2	0.0			9583	-5.0	-2.2	-0.0	2.0
-2.5	0.0			7091	-10.7	-0.8	0.0	5.6
0.6	-0.0			7089	7.2	2.4	-0.1	11.1
6.9	0.0	Q5_pc	Y	9581	-12.1	-1.5	-0.1	-14.7
29.3	-0.0			9583	12.0	-3.1	0.1	-0.8
16.4	-0.0			7091	12.2	3.2	-0.0	-9.8
2.4	0.0			7089	-12.0	1.4	0.1	-18.2
-2.6	-0.0	Q5_ps	X	9581	7.3	-0.0	0.1	8.0
-7.6	0.0			9583	-5.6	-1.4	-0.0	1.9
-2.2	0.0			7091	-9.4	-0.0	0.0	5.5
0.7	-0.0			7089	7.6	1.5	-0.1	10.8
7.0	0.0	Q5_ps	Y	9581	-12.5	-2.6	-0.1	-14.2
28.5	-0.0			9583	9.6	-2.1	0.1	-0.6
16.4	-0.0			7091	12.6	4.5	-0.0	-8.2
3.1	0.0			7089	-9.6	0.1	0.1	-15.5
76.9	-0.0	INVSLE	Max	9581	-450.1	-186.7	-0.3	-101.9
117.8	0.0			9583	-112.1	350.6	0.0	-56.1
128.1	0.0			7091	549.4	162.0	0.5	-111.4
53.2	0.0			7089	79.4	-308.7	0.2	-50.3
55.8	-0.0		Min	9581	-487.8	-194.5	-0.7	-144.5
32.4	0.0			9583	-141.0	344.4	-0.2	-61.8
78.9	0.0			7091	511.7	148.4	0.4	-136.0
43.9	0.0			7089	50.5	-313.2	0.0	-96.9
57.1	-0.0	INVSLE	Max	9581	-339.1	-140.3	-0.2	-78.6
83.6	0.0			9583	-84.3	261.9	-0.0	-42.8
93.6	0.0			7091	411.0	120.8	0.4	-83.4
40.1	0.0			7089	56.8	-230.9	0.1	-37.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			Min	9581	-364.2	-145.5	-0.5	-107.0
43.0	-0.0			9583	-103.6	257.8	-0.2	-46.6
26.7	0.0			7091	385.9	111.7	0.3	-99.8
60.8	0.0			7089	37.5	-233.9	0.0	-68.4
33.9	0.0							
12277	2	8 C1-C2;~1	Max	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C3-C4 ; ~2	Max	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9582	-118.8	-128.8	-0.3	1.3
99.7	0.0			9584	-174.7	130.1	0.5	77.1
42.7	0.0			9585	145.0	129.3	-0.2	33.9
9.9	0.0			9583	148.6	-129.9	0.0	17.7
57.4	0.0							
			G2	9582	-44.0	-43.9	-0.1	-0.5
40.1	0.0			9584	-63.3	50.3	0.2	30.2
17.4	0.0			9585	54.4	44.5	-0.1	9.7
5.1	0.0			9583	52.9	-50.8	0.0	2.2
24.2	0.0							
			Q3	9582	0.0	0.0	0.0	0.0
0.0	0.0			9584	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0			9583	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9582	4.1	0.2	-0.0	-2.5
5.0	-0.0			9584	-2.9	-0.9	-0.0	-4.0
-1.1	0.0			9585	-4.1	-0.2	0.0	-0.1
0.3	-0.0			9583	2.9	0.8	-0.0	1.3
6.5	0.0							
			Q5_pc Y	9582	-9.4	-0.9	0.1	2.5
-40.7	-0.0			9584	11.3	-1.9	-0.1	-12.6
-17.2	0.0			9585	9.8	0.2	-0.1	14.4
-17.5	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
-39.9	-0.0			9583	-11.8	2.6	0.1	-0.3
		Q5_ps X		9582	3.3	-0.5	-0.0	-2.4
4.5	-0.0			9584	-3.7	-0.2	-0.0	-4.0
-1.4	0.0			9585	-3.2	0.6	0.0	-0.1
0.1	-0.0			9583	3.6	0.1	-0.0	1.3
6.0	0.0							
		Q5_ps Y		9582	-10.0	-2.1	0.1	2.8
-38.7	-0.0			9584	8.8	-0.5	-0.1	-11.7
-16.6	0.0			9585	10.5	1.5	-0.1	13.6
-16.8	-0.0			9583	-9.3	1.1	0.1	0.0
-38.0	-0.0							
		INVSLE Max		9582	-255.4	-263.5	-0.4	6.1
198.4	0.0			9584	-357.5	295.2	1.1	171.9
72.2	0.0			9585	369.1	275.1	-0.7	147.6
-11.8	0.0			9583	301.7	-296.2	0.4	24.9
83.5	0.0							
		Min		9582	-285.4	-269.9	-0.7	-2.2
82.3	0.0			9584	-383.9	291.7	0.9	136.8
22.5	0.0			9585	337.5	270.5	-0.9	106.7
-62.2	0.0			9583	273.8	-300.9	0.2	21.1
-30.4	0.0							
		INVSLE Max		9582	-191.2	-197.7	-0.3	3.9
146.0	0.0			9584	-270.0	220.6	0.8	127.7
52.2	0.0			9585	274.6	206.1	-0.5	109.5
-10.9	0.0			9583	225.2	-221.8	0.3	19.1
59.5	0.0							
		Min		9582	-211.2	-202.0	-0.5	-1.6
68.6	0.0			9584	-287.6	218.3	0.7	104.3
19.1	0.0			9585	253.6	203.0	-0.7	82.2
-44.5	0.0			9583	206.6	-224.9	0.2	16.6
-16.4	0.0							
12278	2	8 C1-C2;~1	Max	9583	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0	0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7093	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0	Min	9583	0.0	0.0	0.0	0.0
0.0	0.0		9585	0.0	0.0	0.0	0.0
0.0	0.0		7093	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9583	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0
0.0	0.0			7091	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9583	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0
0.0	0.0			7091	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9583	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0
0.0	0.0			7091	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9583	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0
0.0	0.0			7091	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9583	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0
0.0	0.0			7093	0.0	0.0	0.0
0.0	0.0			7091	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9583	0.0	0.0	0.0	0.0
0.0	0.0			9585	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		7093	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
		G1	9583	-197.2	-111.6	-0.1	-24.3
14.9	0.0		9585	-97.1	141.8	0.1	-36.4
-24.8	0.0		7093	226.7	118.2	-0.1	26.8
-21.6	-0.0		7091	67.6	-147.7	0.2	-4.2
-0.2	0.0						
		G2	9583	-75.6	-35.3	-0.1	-8.5
9.9	0.0		9585	-35.2	57.2	0.0	-10.6
-5.6	0.0		7093	86.7	40.5	-0.0	0.4
-3.2	0.0		7091	24.1	-62.5	0.1	-10.0
4.1	0.0						
		Q3	9583	0.0	0.0	0.0	0.0
0.0	0.0		9585	0.0	0.0	0.0	0.0
0.0	0.0		7093	0.0	0.0	0.0	0.0
0.0	0.0		7091	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9583	5.2	1.0	-0.0	-1.5
7.3	0.0		9585	0.4	-2.9	0.0	0.2
2.0	-0.0		7093	-4.3	-2.1	0.0	-0.6
2.4	0.0		7091	-1.4	4.0	-0.0	1.2
6.5	0.0						
		Q5_pc Y	9583	-11.2	-1.5	0.1	-0.7
-28.3	-0.0		9585	15.7	-3.5	-0.1	-14.1
-9.3	-0.0		7093	13.1	-0.5	0.1	-15.5
-3.6	-0.0		7091	-17.6	5.4	-0.0	-7.9
-14.3	-0.0						
		Q5_ps X	9583	4.1	0.2	-0.0	-1.3
6.7	0.0		9585	-0.3	-2.1	0.0	0.1
1.7	-0.0		7093	-3.2	-1.2	0.0	-0.5
2.1	0.0		7091	-0.6	3.2	-0.0	1.3
5.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-27.5	-0.0	Q5_ps Y	9583	-11.9	-3.0	0.1	-0.5
-9.5	-0.0		9585	13.4	-2.2	-0.1	-13.4
-4.3	-0.0		7093	13.7	0.8	0.1	-13.4
-14.4	-0.0		7091	-15.3	4.3	-0.0	-6.6
-7.7	0.0	INVS LU Max	9583	-502.9	-205.1	0.0	-60.1
-77.7	0.0		9585	-113.8	336.6	-0.2	-113.6
-52.9	-0.0		7093	631.9	246.7	0.2	-12.5
-28.8	0.0		7091	66.2	-361.0	0.4	-78.8
-90.0	0.0	Min	9583	-538.5	-214.1	-0.2	-64.1
-106.1	0.0		9585	-154.0	330.0	-0.6	-153.9
-65.6	-0.0		7093	590.6	243.0	-0.0	-52.8
-72.1	0.0		7091	20.4	-374.1	0.4	-98.5
-8.5	0.0	INVS LE Max	9583	-378.8	-154.1	0.0	-45.7
-59.9	0.0		9585	-86.0	251.5	-0.2	-87.4
-40.6	-0.0		7093	472.7	184.9	0.1	-10.4
-23.5	0.0		7091	46.4	-270.7	0.3	-59.6
-63.4	0.0	Min	9583	-402.5	-160.1	-0.1	-48.4
-78.8	0.0		9585	-112.8	247.1	-0.4	-114.3
-49.2	-0.0		7093	445.2	182.4	-0.0	-37.2
-52.3	0.0		7091	15.9	-279.4	0.3	-72.7
12301	2	8 C1-C2;~1 Max	9604	0.0	0.0	0.0	0.0
0.0	0.0		9606	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0		9605	0.0	0.0	0.0	0.0
0.0	0.0	Min	9604	0.0	0.0	0.0	0.0
0.0	0.0		9606	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0		9605	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


		C3-C4;~1	Max	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0		Min	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0		Min	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0		Min	9604	0.0	0.0	0.0	0.0
0.0	0.0			9606	0.0	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0			9605	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9604	156.5	117.1	0.1	77.2
-15.1	0.0			9606	101.1	-108.1	0.3	100.3
19.9	-0.0			9607	-129.6	-117.8	-0.2	33.6
8.0	0.0			9605	-128.0	109.6	-0.1	30.6
-1.1	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

-6.3	0.0	G2	9604	59.8	46.5	0.0	30.9
9.3	-0.0		9606	38.9	-40.3	0.1	39.9
5.4	0.0		9607	-49.4	-46.5	-0.1	7.1
-1.7	0.0		9605	-49.4	40.2	-0.0	7.2
0.0	0.0	Q3	9604	0.0	0.0	0.0	0.0
0.0	0.0		9606	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0		9605	0.0	0.0	0.0	0.0
0.4	0.0	Q5_pc X	9604	-1.0	0.3	0.0	-2.1
-1.6	0.0		9606	1.2	-0.1	-0.0	-3.5
-1.5	-0.0		9607	1.5	-0.1	-0.0	3.9
0.7	-0.0		9605	-1.8	-0.1	-0.0	3.1
1.5	0.0	Q5_pc Y	9604	-3.1	2.5	0.0	-7.4
-5.4	0.0		9606	5.4	0.0	-0.0	-11.6
-5.4	-0.0		9607	4.4	-2.0	-0.0	12.9
2.4	-0.0		9605	-6.7	-0.5	-0.0	9.8
0.5	0.0	Q5_ps X	9604	-1.1	0.2	0.0	-2.1
-1.5	0.0		9606	1.1	0.0	-0.0	-3.3
-1.4	-0.0		9607	1.6	0.0	-0.0	3.7
0.7	-0.0		9605	-1.5	-0.2	-0.0	2.9
1.1	0.0	Q5_ps Y	9604	-1.2	3.7	0.0	-6.4
-5.1	0.0		9606	6.1	-1.2	-0.0	-10.5
-5.3	-0.0		9607	2.6	-3.1	-0.0	12.8
2.2	-0.0		9605	-7.5	0.6	-0.0	9.6
-26.9	0.0	INVSLU Max	9604	314.2	249.8	0.3	201.6
42.6	0.0		9606	216.5	-210.1	0.8	261.1

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
8.4	0.0			9607	-222.8	-238.7	-0.8	185.9	
13.1	0.0			9605	-280.8	212.9	-0.3	149.6	
			Min	9604	308.6	238.8	0.3	182.4	
-30.2	0.0			9606	198.2	-213.6	0.8	229.7	
27.2	0.0			9607	-230.7	-248.1	-0.8	147.6	
-7.4	0.0			9605	-303.2	211.1	-0.3	120.8	
6.6	0.0								
			INVSLE Max	9604	236.2	185.9	0.2	154.3	
-21.1	0.0			9606	159.1	-157.0	0.6	199.6	
32.6	0.0			9607	-167.6	-178.6	-0.6	136.2	
6.6	0.0			9605	-209.5	159.0	-0.2	109.8	
9.0	0.0								
			Min	9604	232.5	178.6	0.2	141.5	
-23.4	0.0			9606	146.9	-159.4	0.6	178.7	
22.3	0.0			9607	-172.9	-184.8	-0.6	110.7	
-4.0	0.0			9605	-224.5	157.7	-0.2	90.6	
4.6	0.0								
12302	2	8	C1-C2;~1	Max	9605	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7113	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	9605	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7113	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	9605	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0	0.0
0.0	0.0	0.0			7113	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min	9605	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0		7113	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	9605	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			7113	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9605	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			7113	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	9605	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			7113	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9605	0.0	0.0	0.0
0.0	0.0			9607	0.0	0.0	0.0
0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0			7113	0.0	0.0	0.0
0.0	0.0						
11.6	0.0		G1	9605	84.1	130.6	-0.1
-3.2	0.0			9607	186.0	-107.7	0.0
-4.9	-0.0			7115	-57.3	-129.2	-0.0
12.1	-0.0			7113	-212.8	107.1	0.0
0.6	0.0		G2	9605	32.0	51.3	-0.0
1.6	0.0			9607	71.8	-40.4	0.0
0.9	-0.0			7115	-22.0	-50.8	-0.0
-1.1	0.0			7113	-81.8	39.9	0.0
0.0	0.0		Q3	9605	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0		7113	0.0	0.0	0.0	0.0
0.4	-0.0	Q5_pc X	9605	-2.1	0.1	-0.0	-3.1
-0.7	-0.0		9607	2.3	0.0	-0.0	-3.9
0.1	0.0		7115	2.1	-0.2	0.0	-4.2
-0.2	0.0		7113	-2.3	0.1	0.0	-3.3
1.9	-0.0	Q5_pc Y	9605	-5.8	1.7	-0.0	-9.9
-2.5	-0.0		9607	8.6	1.4	-0.1	-12.7
0.5	0.0		7115	6.2	-3.9	0.1	-11.3
0.8	-0.0		7113	-9.0	0.7	0.0	-8.0
0.4	-0.0	Q5_ps X	9605	-2.0	0.1	-0.0	-2.9
-0.6	-0.0		9607	2.1	0.1	-0.0	-3.6
0.1	0.0		7115	2.1	-0.2	0.0	-4.0
-0.1	0.0		7113	-2.1	-0.0	0.0	-3.1
2.4	-0.0	Q5_ps Y	9605	-4.2	2.8	-0.0	-9.7
-2.7	-0.0		9607	9.3	0.3	-0.0	-12.6
0.0	0.0		7115	4.6	-4.8	0.0	-7.7
1.8	-0.0		7113	-9.7	1.6	0.0	-4.5
39.7	0.0	INVS LU Max	9605	100.2	287.7	-0.3	-113.8
-11.0	0.0		9607	493.9	-214.4	-0.1	-148.8
-0.0	-0.0		7115	-6.5	-280.8	0.4	1.7
31.0	-0.0		7113	-545.8	223.8	0.2	-10.0
32.6	0.0	Min	9605	87.6	279.1	-0.3	-142.9
-19.1	0.0		9607	466.1	-217.1	-0.3	-186.4
-0.9	-0.0		7115	-20.4	-295.2	0.2	-21.5
25.5	-0.0		7113	-575.0	218.9	0.2	-24.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


			INVSLE	Max	9605	73.9	214.4	-0.2	-85.3
29.7	0.0				9607	368.4	-160.0	-0.1	-111.5
-8.5	0.0				7115	-4.3	-210.7	0.2	5.0
-0.6	-0.0				7113	-410.1	167.2	0.1	-4.2
23.6	-0.0								
				Min	9605	65.5	208.7	-0.2	-104.7
24.9	0.0				9607	349.8	-161.8	-0.2	-136.7
-14.0	0.0				7115	-13.6	-220.3	0.1	-10.4
-1.2	-0.0				7113	-429.6	164.0	0.1	-13.8
20.0	-0.0								
12303	2	4	C1-C2;~1	Max	9606	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	9606	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	9606	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	9606	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	9606	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9608	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0	0.0
0.0	0.0	0.0			9607	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		Min	9606	0.0	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	9606	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	9606	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0						
			G1	9606	156.1	119.4	0.1
-19.8	-0.0		9608	101.0	-106.1	0.2	102.5
30.2	0.0		9609	-129.5	-119.5	-0.2	33.7
12.9	-0.0		9607	-127.6	106.8	-0.2	30.4
-8.0	0.0						
			G2	9606	60.2	46.6	0.0
-9.2	-0.0		9608	38.9	-40.3	0.1	40.6
13.4	0.0		9609	-49.8	-46.7	-0.1	8.1
7.2	-0.0		9607	-49.3	40.4	-0.1	6.7
-5.3	0.0						
			Q3	9606	0.0	0.0	0.0
0.0	0.0		9608	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		9607	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X		9606	-2.1	-0.6	0.0
1.6	0.0		9608	1.4	0.2	-0.0	-4.0
-2.6	-0.0		9609	2.2	0.4	-0.0	4.2
-2.6	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.4	-0.0			9607	-1.6	-0.0	0.0	3.7
		Q5_pc	Y	9606	-6.7	-0.4	0.0	-11.9
5.3	0.0			9608	4.9	1.6	-0.0	-13.3
-7.3	-0.0			9609	7.1	-0.0	-0.0	12.8
-7.0	0.0			9607	-5.3	-1.2	0.0	11.8
5.3	-0.0							
		Q5_ps	X	9606	-2.1	-0.6	0.0	-3.4
1.5	0.0			9608	1.3	0.3	-0.0	-3.8
-2.5	-0.0			9609	2.2	0.4	-0.0	3.9
-2.4	0.0			9607	-1.4	-0.1	0.0	3.5
1.4	-0.0							
		Q5_ps	Y	9606	-5.0	0.7	0.0	-11.1
5.1	0.0			9608	5.7	0.5	-0.0	-12.5
-7.2	-0.0			9609	5.3	-1.2	-0.0	12.6
-7.0	0.0			9607	-6.1	-0.0	0.0	11.7
5.1	-0.0							
		INVSLE	Max	9606	322.0	243.7	0.4	250.4
-27.1	0.0			9608	213.0	-211.7	0.8	277.5
69.6	0.0			9609	-219.0	-240.6	-0.7	200.0
14.0	-0.0			9607	-282.8	214.6	-0.5	178.0
7.2	0.0							
			Min	9606	306.9	241.8	0.4	217.2
-42.4	0.0			9608	195.8	-214.6	0.8	240.1
48.0	0.0			9609	-235.0	-244.1	-0.7	162.1
-7.1	-0.0			9607	-300.9	212.5	-0.5	142.9
-8.1	0.0							
		INVSLE	Max	9606	241.8	182.0	0.3	191.2
-22.2	0.0			9608	156.1	-157.9	0.6	212.0
54.0	0.0			9609	-165.2	-179.8	-0.6	146.8
11.8	-0.0			9607	-210.5	159.8	-0.4	130.5
3.9	0.0							
			Min	9606	231.7	180.7	0.3	169.1
-32.3	0.0			9608	144.6	-159.8	0.6	187.1
39.6	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		


				9609	-175.9	-182.1	-0.6	121.5
-2.3	-0.0			9607	-222.7	158.5	-0.4	107.1
-6.3	0.0							
12304	2	4	C1-C2;~1	Max	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0			Min	9607	0.0	0.0	0.0
0.0	0.0	0.0			9609	0.0	0.0	0.0
0.0	0.0	0.0			7117	0.0	0.0	0.0
0.0	0.0	0.0			7115	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7117	0.0	0.0	0.0	0.0
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9607	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		7117	0.0	0.0	0.0	0.0
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0						
3.2	0.0	G1	9607	71.2	118.7	-0.0	-29.9
-4.5	-0.0		9609	190.4	-109.6	0.0	-33.4
-8.1	-0.0		7117	-37.7	-119.9	-0.0	35.1
5.3	-0.0		7115	-223.9	111.5	0.0	29.5
-1.7	0.0	G2	9607	26.9	46.4	-0.0	-6.5
1.2	-0.0		9609	74.1	-41.6	-0.0	-7.9
0.1	-0.0		7117	-13.5	-47.1	0.0	1.9
-1.0	-0.0		7115	-87.4	42.3	0.0	0.2
0.0	0.0	Q3	9607	0.0	0.0	0.0	0.0
0.0	0.0		9609	0.0	0.0	0.0	0.0
0.0	0.0		7117	0.0	0.0	0.0	0.0
0.0	0.0		7115	0.0	0.0	0.0	0.0
0.0	0.0						
0.7	-0.0	Q5_pc X	9607	-2.3	0.0	-0.0	-3.7
-1.5	0.0		9609	2.6	-0.3	-0.0	-4.2
-0.2	0.0		7117	2.6	0.0	0.0	-4.2
-0.2	0.0		7115	-2.9	0.2	0.0	-3.9
2.7	-0.0	Q5_pc Y	9607	-7.8	1.7	-0.0	-12.0
-3.8	0.0		9609	5.7	1.9	-0.0	-12.8
-0.1	0.0		7117	8.3	-0.1	0.0	-12.4
-0.5	0.0		7115	-6.3	-3.5	0.0	-11.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_ps X	9607	-2.3	-0.0	-0.0	-3.5
0.7	-0.0		9609	2.2	-0.1	-0.0	-4.0
-1.4	0.0		7117	2.6	0.1	0.0	-4.0
-0.2	0.0		7115	-2.6	0.0	0.0	-3.7
-0.2	0.0						
		Q5_ps Y	9607	-5.8	2.8	-0.0	-11.9
2.9	-0.0		9609	6.6	0.7	-0.0	-12.7
-4.2	0.0		7117	6.3	-1.4	0.0	-9.6
-0.7	-0.0		7115	-7.0	-2.2	0.0	-8.7
-0.0	0.0						
		INVS LU Max	9607	47.3	249.9	-0.2	-141.7
19.3	0.0		9609	513.2	-230.9	-0.2	-161.7
-32.6	-0.0		7117	81.2	-241.1	0.2	49.4
-32.1	-0.0		7115	-603.2	234.3	0.3	21.2
0.6	-0.0						
		Min	9607	29.9	241.4	-0.2	-177.4
10.6	0.0		9609	493.6	-234.3	-0.3	-199.7
-45.1	-0.0		7117	62.4	-245.3	0.1	20.6
-34.2	-0.0		7115	-624.3	227.8	0.2	-4.8
-0.4	-0.0						
		INVS LE Max	9607	33.6	186.3	-0.1	-106.2
14.1	0.0		9609	382.7	-172.1	-0.1	-121.2
-24.1	-0.0		7117	61.8	-179.9	0.2	40.0
-24.3	-0.0		7115	-452.4	174.0	0.2	18.8
1.1	-0.0						
		Min	9607	22.0	180.6	-0.2	-130.0
8.3	0.0		9609	369.6	-174.4	-0.2	-146.5
-32.4	-0.0		7117	49.2	-182.7	0.1	20.8
-25.7	-0.0		7115	-466.4	169.6	0.2	1.5
0.4	-0.0						
12337	2	4 C1-C2;~1 Max	9634	0.0	0.0	0.0	0.0
0.0	0.0		9636	0.0	0.0	0.0	0.0
0.0	0.0		9637	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


0.0	0.0	Min	9634	0.0	0.0	0.0	0.0
0.0	0.0		9636	0.0	0.0	0.0	0.0
0.0	0.0		9637	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9634	0.0	0.0	0.0
0.0	0.0			9636	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0			9635	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

60.7	0.0	G1	9634	-18.3	49.4	-0.1	-189.6
-76.0	0.0		9636	118.4	-34.5	-0.3	-244.5
-61.2	-0.0		9637	1.1	-52.4	0.3	98.2
42.3	-0.0		9635	-101.1	38.2	0.1	67.8
23.0	0.0	G2	9634	-7.0	20.8	-0.0	-72.4
-28.2	0.0		9636	45.9	-12.3	-0.1	-93.4
-22.1	-0.0		9637	0.4	-21.6	0.1	34.1
15.3	-0.0		9635	-39.3	13.1	0.0	23.3
0.0	0.0	Q3	9634	0.0	0.0	0.0	0.0
0.0	0.0		9636	0.0	0.0	0.0	0.0
0.0	0.0		9637	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
-0.9	0.0	Q5_pc X	9634	1.0	0.1	0.0	2.5
0.8	-0.0		9636	-0.7	-0.2	0.0	3.0
0.6	0.0		9637	-0.5	-0.1	-0.0	-0.2
-0.4	0.0		9635	0.2	0.1	-0.0	0.1
-2.1	-0.0	Q5_pc Y	9634	3.1	1.0	-0.0	4.1
2.0	-0.0		9636	-1.2	-0.8	0.0	5.3
1.9	0.0		9637	-3.4	-0.9	-0.0	-5.4
-1.9	0.0		9635	1.4	0.7	0.0	-4.4
-0.7	0.0	Q5_ps X	9634	0.7	0.0	0.0	2.2
0.7	-0.0		9636	-0.7	-0.1	0.0	2.6
0.6	0.0		9637	-0.3	0.0	-0.0	-0.1
-0.3	-0.0		9635	0.2	0.0	-0.0	0.1
-1.9	-0.0	Q5_ps Y	9634	3.2	1.2	-0.0	3.5
1.5	-0.0		9636	-0.8	-0.9	0.0	4.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
1.4	0.0			9637	-3.4	-1.2	-0.0	-4.6
-1.6	0.0			9635	1.0	0.8	0.0	-3.8
-36.3	-0.0	INVS LU	Max	9634	171.4	113.3	-0.4	-18.0
60.8	-0.0			9636	78.2	-96.4	-0.7	1.4
92.4	0.0			9637	-229.4	-112.5	0.7	-378.2
-84.4	-0.0			9635	-7.6	102.8	0.4	-301.4
-41.9	-0.0		Min	9634	162.0	109.6	-0.4	-28.7
56.2	-0.0			9636	75.8	-99.1	-0.7	-11.8
88.2	0.0			9637	-239.6	-116.1	0.7	-391.8
-89.3	-0.0			9635	-10.8	100.3	0.3	-312.9
-34.8	-0.0	INVS LE	Max	9634	136.3	84.0	-0.3	1.8
54.2	-0.0			9636	50.4	-73.2	-0.5	21.7
77.6	0.0			9637	-181.4	-83.8	0.5	-304.8
-70.8	-0.0			9635	3.1	77.8	0.3	-241.9
-38.5	-0.0		Min	9634	129.9	81.5	-0.3	-5.2
51.1	-0.0			9636	48.9	-74.9	-0.5	12.9
74.8	0.0			9637	-188.2	-86.2	0.5	-313.9
-74.1	-0.0			9635	1.0	76.1	0.3	-249.6
12338	2	4	C1-C2;~1	Max	9635	0.0	0.0	0.0
0.0	0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			7143	0.0	0.0	0.0
0.0	0.0	0.0		Min	9635	0.0	0.0	0.0
0.0	0.0	0.0			9637	0.0	0.0	0.0
0.0	0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0	0.0			7143	0.0	0.0	0.0
0.0	0.0	0.0						
0.0	0.0	0.0	C3-C4;~1	Max	9635	0.0	0.0	0.0
0.0	0.0	0.0			9637	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0	Min	9635	0.0	0.0	0.0	0.0
0.0	0.0		9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0	Min	9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0		9635	0.0	0.0	0.0	0.0
0.0	0.0	Min	9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
6.0	-0.0	G1	9635	33.0	56.2	-0.1	-71.6
-18.6	-0.0		9637	70.1	-31.9	-0.7	-96.0
16.8	0.0		7145	-47.1	-57.6	0.7	-198.1
-15.5	0.0		7143	-55.9	33.9	0.1	-155.5
-0.5	-0.0	G2	9635	12.9	23.4	-0.0	-24.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-5.6	-0.0		9637	27.0	-11.1	-0.3	-33.3
7.9	-0.0		7145	-18.6	-23.6	0.3	-85.8
-10.3	0.0		7143	-21.3	11.4	0.1	-70.5
0.0	0.0	Q3	9635	0.0	0.0	0.0	0.0
0.0	0.0		9637	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0		7143	0.0	0.0	0.0	0.0
0.0	0.0						
-0.1	0.0	Q5_pc X	9635	-0.5	0.0	-0.0	-0.1
0.2	0.0		9637	0.7	-0.1	0.0	0.2
-0.1	-0.0		7145	0.9	0.0	-0.0	1.1
-0.1	0.0		7143	-1.0	0.1	0.0	0.7
-0.4	0.0	Q5_pc Y	9635	4.0	0.9	0.0	4.5
0.7	0.0		9637	-2.2	-0.6	0.0	5.4
-0.6	0.0		7145	-4.5	-1.0	-0.0	9.0
1.2	-0.0		7143	2.7	0.7	-0.0	8.0
-0.1	-0.0	Q5_ps X	9635	-0.6	-0.1	-0.0	-0.1
0.2	0.0		9637	0.5	-0.0	0.0	0.1
-0.1	-0.0		7145	1.0	0.1	-0.0	0.6
-0.2	0.0		7143	-0.9	0.0	0.0	0.2
0.2	0.0	Q5_ps Y	9635	4.1	1.2	0.0	4.0
0.4	0.0		9637	-1.9	-0.6	0.0	4.5
-0.8	0.0		7145	-4.6	-1.4	-0.0	9.8
2.0	-0.0		7143	2.3	0.8	-0.0	9.2
-92.1	-0.0	INVSLU Max	9635	381.8	124.8	0.3	307.6
66.4	0.0		9637	-137.5	-84.2	1.1	390.5
8.7	-0.0		7145	-443.0	-117.6	-1.1	167.8
-53.2	0.0		7143	218.1	83.7	-0.2	118.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			Min	9635	369.4	121.2	0.3	295.6
-92.8	-0.0			9637	-143.1	-86.0	1.0	376.9
65.1	0.0			7145	-456.7	-121.6	-1.2	138.5
6.4	-0.0			7143	211.1	81.4	-0.3	90.4
-59.1	0.0							
		INVSLE	Max	9635	297.4	93.5	0.3	245.6
-73.1	-0.0			9637	-114.4	-64.0	0.9	312.6
53.2	0.0			7145	-346.0	-88.2	-0.9	151.8
4.3	-0.0			7143	175.8	63.2	-0.2	108.2
-40.7	0.0							
			Min	9635	289.2	91.1	0.3	237.6
-73.5	-0.0			9637	-118.2	-65.2	0.9	303.5
52.3	0.0			7145	-355.1	-90.9	-1.0	132.3
2.7	-0.0			7143	171.1	61.7	-0.2	89.8
-44.7	0.0							
12339	2	10	C1-C2;~1	Max	9636	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0
0.0		0.0			9637	0.0	0.0	0.0
0.0		0.0						
			Min	9636	0.0	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0
0.0		0.0			9637	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	9636	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0
0.0		0.0			9637	0.0	0.0	0.0
0.0		0.0						
			Min	9636	0.0	0.0	0.0	0.0
0.0		0.0			9638	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0
0.0		0.0			9637	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

		C1-C2; ~2	Max	9636	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9636	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	9636	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9636	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0	0.0
0.0	0.0			9637	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9636	-24.2	48.7	-0.1	-216.1
75.1	0.0			9638	115.3	-29.6	-0.3	-234.2
-103.6	-0.0			9639	7.1	-49.6	0.2	97.5
-86.2	0.0			9637	-98.3	31.1	0.2	89.5
60.6	-0.0							
		G2		9636	-9.1	19.6	-0.1	-82.6
27.8	0.0			9638	44.6	-10.9	-0.1	-89.6
-39.0	-0.0			9639	2.5	-20.0	0.1	34.4
-32.1	0.0			9637	-38.0	11.4	0.1	31.3
22.0	-0.0							
		Q3		9636	0.0	0.0	0.0	0.0
0.0	0.0			9638	0.0	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
0.0	0.0		9637	0.0	0.0	0.0	0.0
-0.8	-0.0	Q5_pc X	9636	0.7	-0.1	0.0	2.5
0.9	0.0		9638	-0.6	-0.1	0.0	2.6
0.7	-0.0		9639	-0.3	0.0	-0.0	-0.2
-0.6	0.0		9637	0.2	0.2	-0.0	-0.3
-2.0	-0.0	Q5_pc Y	9636	2.5	0.6	-0.0	4.4
2.6	0.0		9638	-1.2	-0.5	-0.0	4.6
2.6	-0.0		9639	-2.9	-0.7	0.0	-5.1
-1.9	0.0		9637	1.6	0.5	-0.0	-4.7
-0.7	-0.0	Q5_ps X	9636	0.6	-0.1	0.0	2.2
0.8	0.0		9638	-0.6	-0.1	0.0	2.3
0.6	-0.0		9639	-0.2	0.1	-0.0	-0.2
-0.6	0.0		9637	0.2	0.1	-0.0	-0.2
-1.5	-0.0	Q5_ps Y	9636	2.4	0.8	-0.0	3.6
2.0	-0.0		9638	-0.9	-0.4	-0.0	3.8
2.0	-0.0		9639	-2.8	-0.9	0.0	-4.3
-1.5	0.0		9637	1.3	0.5	-0.0	-3.9
-56.3	-0.0	INVSLE Max	9636	155.4	110.2	-0.5	-0.2
81.8	-0.0		9638	70.6	-83.5	-0.6	-5.1
123.7	-0.0		9639	-218.3	-106.9	0.7	-373.3
-86.3	0.0		9637	3.3	84.9	0.4	-339.4
-60.9	-0.0	Min	9636	148.3	107.8	-0.5	-11.0
75.7	-0.0		9638	68.0	-84.8	-0.6	-16.4
117.6	-0.0		9639	-226.7	-109.6	0.7	-386.1
-90.7	0.0		9637	-0.6	83.5	0.4	-351.1
-51.1	-0.0	INVSLE Max	9636	123.7	82.0	-0.4	18.0
			9638	45.0	-63.1	-0.5	15.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	


72.2	-0.0				9639	-172.4	-79.6	0.5	-300.5
103.4	-0.0				9637	11.1	63.9	0.3	-273.5
-73.3	0.0								
			Min		9636	119.0	80.4	-0.4	10.7
-54.2	-0.0				9638	43.3	-63.9	-0.5	8.0
68.1	-0.0				9639	-178.0	-81.4	0.5	-309.0
99.3	-0.0				9637	8.4	62.9	0.3	-281.3
-76.2	0.0								
12340	2	10	C1-C2;~1	Max	9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0
0.0		0.0			7147	0.0	0.0	0.0	0.0
0.0		0.0			7145	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0
0.0		0.0			7147	0.0	0.0	0.0	0.0
0.0		0.0			7145	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0
0.0		0.0			7147	0.0	0.0	0.0	0.0
0.0		0.0			7145	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0
0.0		0.0			7147	0.0	0.0	0.0	0.0
0.0		0.0			7145	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0
0.0		0.0			7147	0.0	0.0	0.0	0.0
0.0		0.0			7145	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		9637	0.0	0.0	0.0	0.0
0.0		0.0			9639	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7147	0.0	0.0	0.0	0.0
0.0	0.0		7145	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	9637	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0						
			Min	9637	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0						
			G1	9637	27.1	53.2	-0.3
19.3	-0.0			9639	67.6	-29.3	-0.5
-36.4	0.0			7147	-41.8	-53.0	0.4
7.8	-0.0			7145	-52.9	29.7	0.3
-18.5	0.0						
			G2	9637	10.6	21.4	-0.1
5.7	-0.0			9639	26.3	-10.8	-0.2
-12.6	0.0			7147	-16.2	-21.4	0.2
4.3	0.0			7145	-20.8	10.8	0.1
-8.8	-0.0						
			Q3	9637	0.0	0.0	0.0
0.0	0.0			9639	0.0	0.0	0.0
0.0	0.0			7147	0.0	0.0	0.0
0.0	0.0			7145	0.0	0.0	0.0
0.0	0.0						
			Q5_pc X	9637	-0.4	0.0	0.0
-0.2	0.0			9639	0.6	-0.2	0.0
0.2	-0.0			7147	0.8	0.0	-0.0
-0.1	0.0			7145	-1.0	0.2	-0.0
0.1	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc Y	9637	4.0	1.0	0.0	4.7
-0.7	0.0		9639	-2.7	-0.2	0.0	5.1
1.2	-0.0		7147	-4.6	-0.9	-0.0	7.3
-0.3	-0.0		7145	3.4	0.1	-0.0	7.1
0.8	0.0						
		Q5_ps X	9637	-0.5	-0.1	0.0	0.2
-0.2	0.0		9639	0.6	-0.1	0.0	0.2
0.2	-0.0		7147	0.9	0.1	-0.0	0.8
-0.0	0.0		7145	-0.9	0.1	-0.0	0.7
0.1	-0.0						
		Q5_ps Y	9637	4.0	1.3	0.0	3.9
-0.3	0.0		9639	-2.5	-0.1	0.0	4.3
0.9	-0.0		7147	-4.7	-1.2	-0.0	7.5
-0.5	-0.0		7145	3.2	0.0	-0.0	7.3
0.9	0.0						
		INVSLE Max	9637	379.5	117.1	0.6	352.4
-66.9	0.0		9639	-167.3	-66.6	0.9	387.9
100.4	-0.0		7147	-453.2	-107.5	-0.8	169.3
26.9	0.0		7145	262.5	61.9	-0.6	162.7
-6.2	-0.0						
		Min	9637	367.5	113.3	0.6	340.7
-68.1	0.0		9639	-174.8	-67.0	0.9	375.0
97.8	-0.0		7147	-467.2	-111.1	-0.9	147.0
25.4	0.0		7145	253.0	61.5	-0.7	140.8
-8.9	-0.0						
		INVSLE Max	9637	295.3	87.4	0.5	282.6
-53.8	0.0		9639	-137.1	-50.3	0.8	310.5
80.8	-0.0		7147	-353.4	-80.4	-0.7	150.8
19.4	0.0		7145	209.5	46.6	-0.5	144.9
-2.5	-0.0						
		Min	9637	287.3	84.8	0.5	274.8
-54.6	0.0		9639	-142.1	-50.6	0.7	301.9
79.0	-0.0		7147	-362.7	-82.7	-0.7	135.9
18.4	0.0		7145	203.1	46.3	-0.6	130.4
-4.3	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

12373	2	10	C1-C2;~1	Max	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	9664	0.0	0.0	0.0	0.0
0.0		0.0			9666	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0			9665	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.0	0.0						
		Min	9664	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0		9667	0.0	0.0	0.0	0.0
0.0	0.0		9665	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	9664	-120.6	-10.5	-0.1	-147.4
81.4	0.0		9666	81.6	22.7	-0.2	-169.3
-85.4	0.0		9667	98.1	11.5	0.2	72.1
-70.0	-0.0		9665	-59.1	-23.2	0.1	57.7
63.0	-0.0						
		G2	9664	-46.4	-2.5	-0.0	-56.2
31.0	0.0		9666	31.5	9.7	-0.1	-64.5
-31.7	0.0		9667	37.7	3.2	0.1	25.1
-25.5	-0.0		9665	-22.9	-10.4	0.0	20.2
23.5	-0.0						
		Q3	9664	0.0	0.0	0.0	0.0
0.0	0.0		9666	0.0	0.0	0.0	0.0
0.0	0.0		9667	0.0	0.0	0.0	0.0
0.0	0.0		9665	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9664	1.0	0.4	0.0	1.1
-0.5	0.0		9666	-0.2	-0.4	0.0	1.2
0.5	-0.0		9667	-0.6	-0.3	-0.0	-0.1
0.4	0.0		9665	-0.2	0.4	-0.0	0.1
-0.3	-0.0						
		Q5_pc Y	9664	1.3	-0.3	-0.0	1.1
-1.3	-0.0		9666	-1.9	0.4	-0.0	1.5
1.1	0.0		9667	-2.2	0.1	0.0	-2.8
1.1	-0.0		9665	2.8	-0.2	0.0	-2.8
-1.5	0.0						
		Q5_ps X	9664	1.1	0.4	0.0	1.1
-0.5	0.0		9666	-0.1	-0.5	0.0	1.2
0.6	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.4	0.0			9667	-0.7	-0.4	-0.0	-0.1
-0.3	-0.0			9665	-0.3	0.4	-0.0	0.1
-0.8	-0.0	Q5_ps Y		9664	0.2	-1.0	-0.0	0.6
0.7	0.0			9666	-2.2	1.0	-0.0	1.0
0.6	-0.0			9667	-1.2	0.6	0.0	-2.2
-1.1	0.0			9665	3.1	-0.7	0.0	-2.4
-29.3	-0.0	INVS LU	Max	9664	13.1	-8.3	-0.4	-71.8
38.0	0.0			9666	-49.6	31.3	-0.5	-63.1
77.2	0.0			9667	-112.2	7.6	0.5	-247.2
-93.0	-0.0			9665	160.2	-24.8	0.4	-231.5
-31.8	-0.0		Min	9664	9.9	-11.2	-0.4	-74.9
35.9	0.0			9666	-56.1	28.2	-0.5	-66.6
75.2	0.0			9667	-116.0	5.7	0.5	-253.7
-96.4	-0.0			9665	150.8	-26.9	0.4	-238.6
-28.5	-0.0	INVS LE	Max	9664	19.0	-6.2	-0.3	-45.8
35.0	0.0			9666	-44.5	21.9	-0.4	-37.6
64.3	0.0			9667	-94.7	5.1	0.4	-196.0
-76.6	-0.0			9665	127.9	-16.8	0.3	-182.9
-30.2	-0.0		Min	9664	16.8	-8.2	-0.3	-48.0
33.6	0.0			9666	-48.8	19.8	-0.4	-39.9
63.0	0.0			9667	-97.3	3.8	0.3	-200.4
-78.9	-0.0			9665	121.6	-18.2	0.3	-187.6
12374	2	10 C1-C2;~1	Max	9665	0.0	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0	0.0
0.0	0.0		Min	9665	0.0	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0		7173	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
			Min	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
			Min	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
			Min	9665	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0			7175	0.0	0.0	0.0
0.0	0.0			7173	0.0	0.0	0.0
0.0	0.0						
		G1		9665	-54.3	-9.1	-0.1
29.8	-0.0						-60.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-29.0	-0.0		9667	11.3	28.8	-0.4	-71.6
11.1	0.0		7175	32.0	8.9	0.4	-126.7
1.7	0.0		7173	11.0	-28.0	0.1	-106.1
		G2	9665	-20.7	-2.0	-0.1	-21.2
9.6	-0.0		9667	4.0	12.3	-0.2	-24.9
-9.6	-0.0		7175	11.9	2.2	0.2	-54.6
5.6	-0.0		7173	4.8	-12.5	0.1	-47.3
-2.0	0.0						
		Q3	9665	0.0	0.0	0.0	0.0
0.0	0.0		9667	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0		7173	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9665	-0.2	0.3	-0.0	-0.1
-0.1	-0.0		9667	1.1	-0.5	0.0	0.0
0.2	0.0		7175	0.5	-0.3	-0.0	0.1
0.0	-0.0		7173	-1.4	0.5	0.0	-0.1
-0.2	0.0						
		Q5_pc Y	9665	3.9	0.1	0.0	2.9
-0.8	0.0		9667	-4.3	0.5	0.0	2.8
0.4	-0.0		7175	-4.7	-0.2	-0.0	4.9
-0.6	0.0		7173	5.1	-0.4	-0.0	4.6
0.5	-0.0						
		Q5_ps X	9665	-0.1	0.4	-0.0	-0.1
-0.2	-0.0		9667	1.1	-0.5	0.0	0.1
0.2	0.0		7175	0.5	-0.3	-0.0	-0.2
0.1	-0.0		7173	-1.4	0.5	0.0	-0.4
-0.3	0.0						
		Q5_ps Y	9665	3.1	-0.4	0.0	2.5
-0.3	0.0		9667	-4.8	1.2	0.0	2.2
0.0	-0.0		7175	-3.9	0.2	-0.0	5.5
-0.8	0.0		7173	5.5	-1.0	-0.0	5.5
1.1	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

			INVS LU	Max	9665	332.6	1.9	0.4	234.2
-113.1	-0.0				9667	-368.9	47.9	0.5	251.0
64.4	0.0				7175	-433.0	-3.4	-0.6	58.2
15.0	-0.0				7173	495.2	-41.3	-0.2	38.4
-71.1	0.0								
				Min	9665	323.2	0.8	0.3	226.7
-114.5	-0.0				9667	-383.1	44.4	0.4	244.4
63.7	0.0				7175	-444.6	-4.3	-0.6	41.7
12.7	-0.0				7173	478.7	-44.4	-0.2	22.0
-74.3	0.0								
			INVS LE	Max	9665	261.9	1.9	0.3	184.2
-89.6	-0.0				9667	-287.9	34.6	0.4	198.2
51.2	0.0				7175	-339.3	-3.3	-0.5	56.1
9.7	-0.0				7173	382.6	-29.7	-0.2	38.7
-55.3	0.0								
				Min	9665	255.6	1.2	0.3	179.1
-90.6	-0.0				9667	-297.4	32.2	0.4	193.8
50.7	0.0				7175	-347.1	-3.9	-0.5	45.1
8.2	-0.0				7173	371.6	-31.8	-0.2	27.8
-57.4	0.0								
12375	2	4	C1-C2;~1	Max	9666	0.0	0.0	0.0	0.0
0.0		0.0			9668	0.0	0.0	0.0	0.0
0.0		0.0			9669	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	9666	0.0	0.0	0.0	0.0
0.0		0.0			9668	0.0	0.0	0.0	0.0
0.0		0.0			9669	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	9666	0.0	0.0	0.0	0.0
0.0		0.0			9668	0.0	0.0	0.0	0.0
0.0		0.0			9669	0.0	0.0	0.0	0.0
0.0		0.0			9667	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0						
		Min	9666	0.0	0.0	0.0	0.0
0.0	0.0		9668	0.0	0.0	0.0	0.0
0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		9667	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	9666	0.0	0.0	0.0
0.0	0.0			9668	0.0	0.0	0.0
0.0	0.0			9669	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0						
			Min	9666	0.0	0.0	0.0
0.0	0.0			9668	0.0	0.0	0.0
0.0	0.0			9669	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	9666	0.0	0.0	0.0
0.0	0.0			9668	0.0	0.0	0.0
0.0	0.0			9669	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0						
			Min	9666	0.0	0.0	0.0
0.0	0.0			9668	0.0	0.0	0.0
0.0	0.0			9669	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0
0.0	0.0						
		G1		9666	-126.4	-12.9	-0.2
84.8	0.0			9668	76.1	29.5	-0.2
-75.5	-0.0			9669	102.9	14.6	0.2
-62.1	0.0			9667	-52.6	-30.5	0.2
71.6	-0.0						
		G2		9666	-48.5	-4.2	-0.1
31.5	0.0			9668	29.2	12.0	-0.1
-27.8	-0.0			9669	39.4	4.7	0.1
-22.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
26.2	-0.0			9667	-20.1	-12.6	0.1	36.8
0.0	0.0	Q3		9666	0.0	0.0	0.0	0.0
0.0	0.0			9668	0.0	0.0	0.0	0.0
0.0	0.0			9669	0.0	0.0	0.0	0.0
0.0	0.0			9667	0.0	0.0	0.0	0.0
-0.5	-0.0	Q5_pc X		9666	1.0	0.3	0.0	1.7
0.5	0.0			9668	-0.1	-0.5	0.0	1.6
0.4	-0.0			9669	-0.7	-0.4	-0.0	-0.2
-0.4	0.0			9667	-0.3	0.5	-0.0	-0.2
-1.2	0.0	Q5_pc Y		9666	1.3	-0.1	-0.0	2.6
0.9	0.0			9668	-2.1	0.5	-0.0	2.5
0.9	0.0			9669	-2.0	0.2	0.0	-3.3
-1.2	-0.0			9667	2.9	-0.6	0.0	-3.6
-0.5	-0.0	Q5_ps X		9666	1.1	0.4	0.0	1.6
0.5	0.0			9668	0.0	-0.6	0.0	1.5
0.4	-0.0			9669	-0.7	-0.4	-0.0	-0.3
-0.4	0.0			9667	-0.4	0.6	-0.0	-0.3
-0.7	0.0	Q5_ps Y		9666	0.4	-0.5	-0.0	1.9
0.6	-0.0			9668	-2.5	1.2	-0.0	1.9
0.6	0.0			9669	-1.1	0.7	0.0	-2.4
-0.7	-0.0			9667	3.3	-1.3	0.0	-2.6
-40.3	0.0	INVSLU	Max	9666	-6.4	-16.9	-0.7	-84.6
31.7	0.0			9668	-56.7	43.6	-0.6	-82.3
63.7	-0.0			9669	-96.6	19.1	0.5	-326.9
-72.4	0.0			9667	171.8	-39.3	0.7	-350.6
-42.5	0.0		Min	9666	-9.5	-18.5	-0.7	-90.3
				9668	-64.3	40.1	-0.6	-88.1

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
29.9	0.0			9669	-100.3	17.1	0.5	-334.1
61.9	-0.0			9667	161.9	-43.3	0.7	-358.4
-74.5	0.0							
		INVSLE	Max	9666	4.2	-12.2	-0.5	-48.9
-37.0	0.0			9668	-49.7	31.3	-0.4	-48.0
29.6	0.0			9669	-83.0	13.6	0.4	-259.6
53.4	-0.0			9667	136.5	-28.3	0.5	-278.4
-60.9	0.0							
			Min	9666	2.1	-13.2	-0.5	-52.7
-38.5	0.0			9668	-54.8	29.0	-0.4	-51.9
28.4	0.0			9669	-85.4	12.2	0.4	-264.4
52.2	-0.0			9667	129.9	-31.0	0.5	-283.6
-62.3	0.0							
12376	2	4	C1-C2;~1	Max	9667	0.0	0.0	0.0
0.0	0.0				9669	0.0	0.0	0.0
0.0	0.0				7177	0.0	0.0	0.0
0.0	0.0				7175	0.0	0.0	0.0
0.0	0.0							
			Min	9667	0.0	0.0	0.0	0.0
0.0	0.0				9669	0.0	0.0	0.0
0.0	0.0				7177	0.0	0.0	0.0
0.0	0.0				7175	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	9667	0.0	0.0	0.0
0.0	0.0				9669	0.0	0.0	0.0
0.0	0.0				7177	0.0	0.0	0.0
0.0	0.0				7175	0.0	0.0	0.0
0.0	0.0							
			Min	9667	0.0	0.0	0.0	0.0
0.0	0.0				9669	0.0	0.0	0.0
0.0	0.0				7177	0.0	0.0	0.0
0.0	0.0				7175	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	9667	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0	Min	9667	0.0	0.0	0.0	0.0
0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	9667	0.0	0.0	0.0	0.0
0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	9667	0.0	0.0	0.0	0.0
0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0						
27.5	-0.0	G1	9667	-56.8	-9.8	-0.5	-107.8
-18.1	0.0		9669	5.4	33.6	-0.4	-102.6
18.8	0.0		7177	34.5	11.4	0.4	-194.7
-10.1	0.0		7175	16.8	-34.5	0.5	-202.7
8.9	-0.0	G2	9667	-21.6	-3.0	-0.2	-36.9
-5.0	0.0		9669	1.9	13.6	-0.1	-35.0
9.1	0.0		7177	13.2	3.5	0.2	-82.5
-5.4	-0.0		7175	6.5	-14.2	0.2	-85.6
0.0	0.0	Q3	9667	0.0	0.0	0.0	0.0
0.0	0.0		9669	0.0	0.0	0.0	0.0
0.0	0.0		7177	0.0	0.0	0.0	0.0
0.0	0.0		7175	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
		Q5_pc X	9667	-0.1	0.3	0.0	0.2
-0.2	0.0		9669	1.1	-0.6	0.0	0.2
0.2	-0.0		7177	0.5	-0.3	-0.0	0.2
0.0	0.0		7175	-1.6	0.6	-0.0	0.3
-0.0	-0.0						
		Q5_pc Y	9667	3.6	-0.0	0.0	3.6
-0.3	-0.0		9669	-4.7	1.0	0.0	3.3
0.0	0.0		7177	-4.5	-0.1	-0.0	7.0
-0.8	-0.0		7175	5.6	-0.9	-0.0	7.1
0.6	0.0						
		Q5_ps X	9667	-0.0	0.3	0.0	0.3
-0.2	0.0		9669	1.2	-0.7	-0.0	0.4
0.2	-0.0		7177	0.4	-0.3	0.0	-0.2
0.1	0.0		7175	-1.6	0.7	-0.0	-0.1
-0.1	-0.0						
		Q5_ps Y	9667	2.7	-0.5	0.0	2.6
0.1	-0.0		9669	-5.3	1.9	0.0	2.3
-0.3	0.0		7177	-3.6	0.4	-0.0	7.8
-1.1	-0.0		7175	6.2	-1.8	-0.0	7.8
0.8	0.0						
		INVSLE Max	9667	327.3	-10.7	0.8	361.0
-66.4	0.0		9669	-386.6	57.3	0.6	336.0
59.4	-0.0		7177	-435.2	8.5	-0.5	99.1
19.3	0.0		7175	521.2	-47.4	-0.7	106.9
-20.7	-0.0						
		INVSLE Min	9667	319.2	-12.2	0.7	353.3
-67.2	0.0		9669	-402.4	51.7	0.5	329.0
58.5	-0.0		7177	-446.0	7.4	-0.6	75.8
16.1	0.0		7175	502.6	-52.7	-0.7	83.5
-23.1	-0.0						
		INVSLE Max	9667	258.1	-7.7	0.6	285.8
-52.8	0.0		9669	-301.9	41.8	0.5	266.2
46.5	-0.0		7177	-341.5	5.8	-0.4	94.3
12.3	0.0		7175	403.0	-34.7	-0.6	100.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-14.5	-0.0							
		Min	9667	252.7	-8.7	0.6	280.7	
-53.3	0.0		9669	-312.4	38.0	0.4	261.5	
46.0	-0.0		7177	-348.7	5.1	-0.5	78.8	
10.2	0.0		7175	390.6	-38.2	-0.6	85.3	
-16.1	-0.0							
12403	2	4 C1-C2;~1	Max	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9690	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9690	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	9690	0.0	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0							
		C3-C4 ; ~2	Max	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	9690	-89.3	-23.5	-0.1	-6.8
4.1	0.0			9692	-52.9	115.3	0.1	3.7
23.2	0.0			9693	82.1	15.4	0.0	-2.1
19.7	0.0			9691	60.1	-106.6	-0.0	3.1
3.2	0.0							
			G2	9690	-35.2	-9.2	-0.0	-3.2
1.4	0.0			9692	-21.1	45.3	0.0	0.7
6.6	0.0			9693	32.5	6.4	-0.0	-0.9
4.3	0.0			9691	23.8	-42.4	0.0	1.2
0.8	0.0							
			Q3	9690	0.0	0.0	0.0	0.0
0.0	0.0			9692	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			9691	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		9690	1.0	3.3	0.0	0.4
-0.2	-0.0			9692	1.7	1.4	-0.0	0.1
-0.6	-0.0			9693	-1.3	-3.9	-0.0	-0.1
-0.4	-0.0			9691	-1.4	-0.8	-0.0	-0.1
-0.1	-0.0							
		Q5_pc Y		9690	-2.3	-11.9	-0.0	-1.3
0.6	0.0			9692	-5.9	-7.1	0.0	-0.7
1.0	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		
0.5	0.0			9693	3.5	14.6	-0.0	0.5
0.1	0.0			9691	4.7	4.4	0.0	0.3
-0.1	-0.0	Q5_ps X		9690	1.2	3.0	0.0	0.3
-0.4	-0.0			9692	1.7	0.9	-0.0	0.1
-0.3	-0.0			9693	-1.4	-3.5	-0.0	-0.1
-0.0	-0.0			9691	-1.5	-0.3	-0.0	-0.1
0.1	0.0	Q5_ps Y		9690	-3.4	-10.9	-0.0	-1.1
0.5	0.0			9692	-6.2	-4.3	0.0	-1.0
0.4	0.0			9693	4.3	13.1	0.0	0.5
-0.2	-0.0			9691	5.3	2.1	0.0	0.2
-10.4	0.0	INVS LU Max		9690	-170.1	-68.0	-0.0	3.6
-48.8	0.0			9692	-136.3	212.3	-0.0	-4.5
-63.0	0.0			9693	155.5	108.5	-0.1	-2.9
-16.2	0.0			9691	179.7	-205.4	0.2	-31.4
-11.4	0.0	Min		9690	-180.4	-100.6	-0.0	0.4
-50.6	0.0			9692	-154.8	199.3	-0.0	-7.4
-64.1	0.0			9693	142.5	69.1	-0.1	-4.4
-16.9	0.0			9691	163.8	-213.4	0.2	-32.0
-8.6	0.0	INVS LE Max		9690	-127.4	-54.2	-0.0	3.2
-40.8	0.0			9692	-104.1	155.6	-0.0	-4.4
-51.4	0.0			9693	114.9	83.3	-0.1	-2.7
-13.0	0.0			9691	135.9	-153.1	0.2	-25.4
-9.2	0.0	Min		9690	-134.3	-76.0	-0.0	1.0
-42.0	0.0			9692	-116.5	147.0	-0.0	-6.3
-52.2	0.0			9693	106.2	57.0	-0.1	-3.7
-13.4	0.0			9691	125.3	-158.4	0.2	-25.8
12404	2	4 C1-C2;~1	Max	9691	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
				9693	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			7199	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9691	-76.5	-39.7	-0.1	-1.8
-1.6	0.0			9693	-66.7	95.5	0.0	1.8
12.0	0.0			7201	72.8	36.2	-0.0	-3.2
5.4	0.0			7199	70.5	-91.4	0.0	-11.7
-3.4	0.0							
		G2		9691	-30.7	-14.4	-0.0	-0.5
-3.1	0.0			9693	-26.3	39.4	0.0	0.9
-0.6	0.0			7201	29.6	12.9	-0.0	2.2
-4.6	0.0			7199	27.4	-37.9	0.0	-8.6
-5.7	-0.0							
		Q3		9691	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0			7199	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc X		9691	1.3	2.5	0.0	0.1
0.1	-0.0			9693	1.7	-0.1	0.0	0.1
-0.2	-0.0			7201	-1.2	-2.6	-0.0	0.3
-0.1	-0.0			7199	-1.8	0.2	-0.0	0.3
0.1	-0.0							
		Q5_pc Y		9691	-3.5	-8.6	-0.0	-0.2
-0.5	0.0			9693	-5.5	-0.8	-0.0	-0.5
0.1	0.0			7201	3.3	9.1	0.0	-1.1
0.1	0.0			7199	5.8	0.3	0.0	-1.0
-0.4	0.0							
		Q5_ps X		9691	1.3	2.3	0.0	0.1
0.1	-0.0			9693	1.8	-0.4	0.0	0.1
-0.3	-0.0			7201	-1.2	-2.4	-0.0	0.4
-0.3	-0.0			7199	-1.9	0.5	-0.0	0.2
0.0	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G


-0.3	-0.0	Q5_ps Y		9691	-3.9	-8.2	-0.0	-0.2
0.5	0.0			9693	-6.2	0.7	-0.0	-0.5
0.8	0.0			7201	3.4	8.6	0.0	-1.5
-0.1	0.0			7199	6.7	-1.0	0.0	-0.7
-21.6	0.0	INVS LU Max		9691	-33.5	-42.2	0.3	33.9
-74.7	0.0			9693	-157.2	128.5	-0.1	6.0
-72.9	0.0			7201	11.8	74.6	-0.1	58.1
-22.1	0.0			7199	209.2	-132.3	-0.0	32.4
-22.7	0.0	Min		9691	-45.2	-66.9	0.3	33.2
-76.1	0.0			9693	-175.7	126.4	-0.1	4.6
-75.2	0.0			7201	1.5	48.9	-0.1	53.7
-22.8	0.0			7199	189.2	-135.3	-0.0	30.5
-16.9	0.0	INVS LE Max		9691	-19.3	-31.0	0.2	27.1
-60.6	0.0			9693	-119.4	91.4	-0.1	5.1
-59.5	0.0			7201	0.9	54.6	-0.1	48.9
-17.1	0.0			7199	158.0	-95.9	-0.0	29.0
-17.6	0.0	Min		9691	-27.1	-47.5	0.2	26.7
-61.6	0.0			9693	-131.8	90.0	-0.1	4.1
-61.1	0.0			7201	-5.9	37.5	-0.1	45.9
-17.6	0.0			7199	144.6	-97.9	-0.0	27.7
12405	2	4 C1-C2;~1 Max		9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0	Min		9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

0.0	0.0							
		C3-C4;~1	Max	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	9692	0.0	0.0	0.0	0.0
0.0	0.0			9694	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			9693	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		9692	-22.3	45.9	0.0	4.7
-4.3	0.0			9694	3.8	69.1	-0.0	4.3
0.1	0.0			9695	14.5	-49.2	-0.0	0.1
-0.2	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G	
-1.2	0.0		9693	4.0	-65.2	-0.0	0.3
		G2	9692	-8.4	17.8	0.0	1.4
-0.5	0.0		9694	1.7	26.6	-0.0	1.2
0.1	0.0		9695	5.6	-19.4	0.0	1.1
-0.2	0.0		9693	1.2	-25.0	-0.0	0.3
1.4	0.0						
		Q3	9692	0.0	0.0	0.0	0.0
0.0	0.0		9694	0.0	0.0	0.0	0.0
0.0	0.0		9695	0.0	0.0	0.0	0.0
0.0	0.0		9693	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc X	9692	-0.7	2.5	-0.0	0.1
-0.0	-0.0		9694	0.1	3.1	0.0	0.1
-0.0	0.0		9695	0.5	-2.4	-0.0	-0.2
0.0	0.0		9693	0.1	-3.1	0.0	-0.2
-0.2	-0.0						
		Q5_pc Y	9692	3.4	-10.1	0.0	-0.6
0.3	0.0		9694	-0.7	-12.8	-0.0	-0.7
0.0	0.0		9695	-2.4	10.0	0.0	0.7
-0.0	0.0		9693	-0.3	12.9	-0.0	0.8
0.7	0.0						
		Q5_ps X	9692	-0.6	2.1	-0.0	0.1
-0.1	-0.0		9694	0.2	2.5	0.0	0.2
-0.0	0.0		9695	0.5	-2.1	-0.0	-0.2
0.0	0.0		9693	-0.0	-2.5	0.0	-0.2
-0.2	-0.0						
		Q5_ps Y	9692	2.9	-8.3	0.0	-0.9
0.6	0.0		9694	-1.1	-10.2	-0.0	-0.8
0.0	0.0		9695	-2.0	8.3	0.0	0.8
-0.0	0.0		9693	0.2	10.2	-0.0	0.9
0.9	0.0						
		INVSLU Max	9692	-68.1	-24.0	-0.0	0.6
14.4	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
0.4	0.0			9694	-22.7	53.4	0.0	-2.4	
0.4	0.0			9695	56.3	77.8	0.0	14.1	
18.5	0.0			9693	44.1	-50.9	-0.0	7.6	
12.8	0.0		Min	9692	-76.9	-49.0	-0.0	-2.2	
0.4	0.0			9694	-26.2	22.7	0.0	-4.8	
0.3	0.0			9695	50.2	52.9	0.0	11.8	
15.8	0.0			9693	43.4	-81.6	-0.0	5.0	
11.7	0.0	INVSLE	Max	9692	-53.9	-28.8	-0.0	-0.4	
0.4	0.0			9694	-19.5	31.5	0.0	-2.5	
0.3	0.0			9695	44.5	69.6	0.0	11.1	
14.4	0.0			9693	35.2	-34.7	-0.0	5.5	
10.6	0.0		Min	9692	-59.8	-45.4	-0.0	-2.2	
0.3	0.0			9694	-21.7	11.1	0.0	-4.1	
0.3	0.0			9695	40.4	53.0	0.0	9.6	
12.6	0.0			9693	34.8	-55.2	-0.0	3.8	
12406	2	4	C1-C2;~1	Max	9693	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0	
0.0	0.0			7203	0.0	0.0	0.0	0.0	
0.0	0.0			7201	0.0	0.0	0.0	0.0	
0.0	0.0		Min	9693	0.0	0.0	0.0	0.0	
0.0	0.0			9695	0.0	0.0	0.0	0.0	
0.0	0.0			7203	0.0	0.0	0.0	0.0	
0.0	0.0			7201	0.0	0.0	0.0	0.0	
0.0	0.0		C3-C4;~1	Max	9693	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0	
0.0	0.0			7203	0.0	0.0	0.0	0.0	
0.0	0.0			7201	0.0	0.0	0.0	0.0	
0.0	0.0		Min	9693	0.0	0.0	0.0	0.0	

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G		

0.0	0.0		9695	0.0	0.0	0.0	0.0
0.0	0.0		7203	0.0	0.0	0.0	0.0
0.0	0.0		7201	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	9693	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9693	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	9693	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	9693	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0
0.0	0.0						
3.2	0.0	G1		9693	-19.3	12.5	-0.0
0.2	0.0			9695	-14.5	49.2	0.0
0.4	0.0			7203	15.8	-13.1	0.0
5.7	0.0			7201	17.9	-48.1	-0.0
							3.0
4.4	0.0	G2		9693	-7.3	5.9	-0.0
0.2	0.0			9695	-5.6	19.4	-0.0
0.5	0.0			7203	5.7	-5.6	0.0
6.6	0.0			7201	7.3	-19.7	-0.0
							3.7

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G			
			Q3	9693	0.0	0.0	0.0	0.0
0.0	0.0			9695	0.0	0.0	0.0	0.0
0.0	0.0			7203	0.0	0.0	0.0	0.0
0.0	0.0			7201	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc X	9693	-0.5	1.0	0.0	0.2
-0.3	-0.0			9695	-0.5	2.4	0.0	0.2
-0.0	0.0			7203	0.1	-1.3	-0.0	0.3
0.0	0.0			7201	0.9	-2.1	0.0	0.2
-0.3	-0.0							
			Q5_pc Y	9693	2.3	-3.9	-0.0	-0.9
1.0	0.0			9695	2.4	-10.0	-0.0	-0.7
0.0	0.0			7203	-0.8	5.1	0.0	-1.3
-0.0	0.0			7201	-3.8	8.8	-0.0	-1.0
1.0	0.0							
			Q5_ps X	9693	-0.4	0.9	0.0	0.2
-0.3	-0.0			9695	-0.5	2.1	0.0	0.2
-0.0	0.0			7203	-0.0	-1.2	-0.0	0.3
0.0	0.0			7201	0.8	-1.8	-0.0	0.3
-0.2	-0.0							
			Q5_ps Y	9693	1.6	-3.4	-0.0	-0.9
1.0	0.0			9695	2.0	-8.3	-0.0	-0.8
0.0	0.0			7203	-0.1	4.4	0.0	-1.3
-0.1	0.0			7201	-3.6	7.3	0.0	-1.4
0.8	0.0							
			INVSLU Max	9693	-24.0	-87.4	0.0	-6.6
23.7	0.0			9695	-50.2	-52.9	-0.0	-11.8
-0.3	0.0			7203	2.7	157.1	0.1	6.6
-0.2	0.0			7201	83.0	19.2	-0.1	31.4
26.7	0.0							
			Min	9693	-28.8	-97.6	0.0	-9.3
20.8	0.0			9695	-56.3	-77.8	-0.0	-14.1
-0.4	0.0			7203	1.3	143.8	0.1	2.6
-0.3	0.0			7201	72.3	-2.7	-0.1	27.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G

24.2	0.0							
		INVSLE	Max	9693	-18.4	-76.2	0.0	-5.1
18.4	0.0			9695	-40.4	-53.0	-0.0	-9.6
-0.3	0.0			7203	0.1	132.5	0.1	6.6
-0.2	0.0			7201	66.5	20.7	-0.1	26.5
21.1	0.0							
			Min	9693	-21.7	-83.0	0.0	-6.9
16.5	0.0			9695	-44.5	-69.6	-0.0	-11.1
-0.3	0.0			7203	-0.9	123.6	0.1	3.9
-0.3	0.0			7201	59.4	6.2	-0.1	23.7
19.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_G